FEDERAL SECURITY AGENCY
OSCAR R. EWING, ADMINISTRATOR

PUBLIC HEALTH SERVICE
LEONARD A. SCHEELE, SURGEON GENERAL

VITAL STATISTICS OF THE UNITED STATES

1946

PART II

NATALITY AND MORTALITY DATA
FOR THE UNITED STATES
TABULATED BY PLACE OF RESIDENCE

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, National Office of Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1948

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. - Price $3.75.

NATIONAL OFFICE OF VITAL STATISTICS

HALBERT L. DUNN, M. D., *Chief*

ROBERT D. GROVE, *Principal Analyst*

IWAO M. MORIYAMA, *Mortality Analysis*

SAM SHAPIRO, *Natality Analysis*

THOMAS N. E. GREVILLE, *Actuarial Analysis*

SAMUEL C. NEWMAN, *Marriage and Divorce Analysis*

ALBERT E. BAILEY, *National Consulting Service*

FRANK S. MORRISON, *International Vital Statistics Cooperation*

HOWARD WEST, *Statistical Processing*

CONTENTS

INTRODUCTION

	Page
The value of vital statistics tabulated by place of residence	v
Previous tabulations by place of residence	vi
Nonresident tabulations by State offices	vi
Definition of residence	viii
Relation of geographic code to the identification of nonresidents	ix
Allocation of deaths to place of residence	ix
Special residence instructions for military personnel	x
Allocation of births to place of residence	x

RATE TABLE

Table

I. Death rates for selected causes: United States, each division and State, 1946 2

GENERAL NATALITY AND MORTALITY TABLES

Live Births

1. Live births by State of occurrence distributed according to State of residence: United States and each State, 1946 7
2. Births by person in attendance, deaths in institutions, deaths under 1 year and infant mortality rates, and stillbirths and stillbirth ratios: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1946 10
3. Live births by specified race and sex: United States and each State, 1946 112
4. Live births by sex, race, and month: United States and each State, 1946 113
5. Live births by race, nativity of white mother, and age of mother in urban and rural areas: United States and each State, 1946 118
6. Live births by sex, race, and nativity of white parents: United States and each State, 1946 142

7A. Live births by age of mother, sex of child, race, nativity of white mother, and birth order (excluding stillbirths): United States, 1946 144

7B. Live births by age of mother, race, nativity of white mother, and birth order (excluding stillbirths): Each State, 1946 147

8. Live births by race, single year of age of mother, and birth order (excluding stillbirths): United States, 1946 183
9. Live births by race, sex, and age of father: United States and each State, 1946 185
10. Cases of plural births classified by number of children born alive and stillborn, and by race and sex: United States and each State, 1946 192

Stillbirths

11. Stillbirths by State of occurrence distributed according to State of residence: United States and each State, 1946 197
12. Stillbirths by sex, race, nativity of white mother, and age of mother, urban and rural areas: United States, 1946 200
13. Stillbirths by sex, age of mother, birth order (including stillbirths), race, and nativity of white mother: United States, 1946 202
14. Stillbirths by race, in urban and rural areas: United States and each State, 1946 204
15. Stillbirths by race and person in attendance: United States and each State, 1946 206

Total Deaths

16. Deaths by State of occurrence distributed according to State of residence: United States and each State, 1946 207
17. Deaths by specified race and sex: United States and each State, 1946 210
18. Deaths by sex, race, and month: United States and each State, 1946 211
19. Deaths from selected causes, by month: United States and each State, 1946 216
20. Deaths from selected causes, by age, race, and sex: United States and each State, 1946 250
21. Deaths from each cause, by race and sex: United States and each State, 1946 454
22. Deaths from selected causes: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1946 522

Infant Deaths

23. Deaths under 1 year and under 1 month of age, by race and month: United States and each State, 1946 626
24. Deaths under 1 year and under 1 month of age, by race and sex: United States and each State, 1946 631
25. Deaths under 1 year by detailed age and race: United States and each State, 1946 632
26. Deaths under 1 year, in institutions, by detailed age and race: United States and each State, 1946 634
27. Deaths under 1 year of age, from selected causes, by month: United States, 1946 639
28. Deaths under 1 year, from selected causes, by detailed age, race, and sex: United States, 1946 640
29. Deaths under 1 year of age, from selected causes, by race, in urban and rural areas: United States, 1946 646

SYMBOLS USED

	Symbol
Class or item not applicable (3 dots)	. . .
Data not available (series of dashes)	– – –
Quantity is zero, in frequency tables (1 dash)	–
Quantity is zero, in rate or percent tables (1 cipher)	0
If rate or percent is more than 0, but less than 0.05	0.0
If both frequency and population base are zero in rate or percent tables (1 dash)	—

VITAL STATISTICS OF THE UNITED STATES

PART II. GEOGRAPHIC CLASSIFICATION BY PLACE OF RESIDENCE

INTRODUCTION

This volume—Vital Statistics of the United States, Part II—contains official natality and mortality statistics for the calendar year 1946, tabulated according to the place of residence of the mother of the child, or the place of residence of the decedent. Data compiled on a place-of-occurrence basis are published in a volume entitled "Vital Statistics of the United States, Part I." The tabulations published in both part I and part II are compiled from the same source material, being derived from transcripts or microfilm copies of original birth and death certificates received from registration officials of States and cities, and of the outlying territories and possessions of the United States.

The tables given in this volume should be interpreted with some caution since several factors enter into the determination of the place of residence. The place of birth or death, in most cases, is clear-cut and definitely determinable. To determine the place of residence is more difficult because it is dependent upon definitions of residence as well as the completeness of the information given on the certificate. It has, therefore, been necessary to adopt a set of arbitrary rules for the proper coding in each instance. The data obtained by a reallocation of nonresidents are obviously dependent upon these rules and cannot be correctly interpreted unless the rules are exactly and clearly stated.

THE VALUE OF VITAL STATISTICS TABULATED BY PLACE OF RESIDENCE

Tabulated vital statistics may be used for many purposes, each requiring data classified by different groupings or according to different definitions. Many of these uses relate to public health work, such as an evaluation of the problems confronting public health agencies or the measurement of the results of public health programs. Other uses relate to maternal- and infant-welfare activities, problems of population research, analysis of fertility trends, actuarial investigations, medical research, et cetera. For some purposes, such as a study of the hospital load carried by a given community, the proportion of births attended by physicians, or the simple ranking of causes of death, it is possible to use tabulated natality and mortality data without relating them to other statistical data. But for the most part, vital statistics take on their full value only when related to population figures by the computation of birth or death rates. For deaths, these rates, in their simplest form, consist of ratios of the number of deaths occurring in a specified place during a specified time to the number of persons exposed to the risk of death at that place and time. It is obvious that such a rate can be correctly computed and interpreted only when the population figure in the denominator and the mortality figure in the numerator are compiled on a comparable basis. In other words, the population figure must represent a certain group that is exposed to the risk of death, and the death figure must include all of this group that died. Although the birth rate is interpreted in a different manner, similar considerations apply to it.

For the United States, as a unit, there is little difficulty in securing adequate comparability between vital statistics and population figures. However, for individual cities or counties or for population-size groups, there are several disturbing factors. In the population census, each person is counted as a part of the population of the geographic unit in which he has his "usual place of residence." Therefore, the enumerated population of a city is a count of all the persons who usually live in that city, excluding persons who are temporarily in the city at the time of the census and including residents of the city who are at some other place during the time of the population enumeration.

The crude death rate for the residents of any area must be based on the total resident population of that area and the total number of deaths occurring in this total resident population. It is essential to include the deaths of residents no matter where the deaths occurred, and to exclude deaths of nonresidents occurring in that area.

The occurrence of a large number of births and deaths "away from home" results from the movement of the people, facilitated by convenient methods of transportation, and from the increasing use of hospitals during confinement and illness. Seasonal movement to and from resort States, seasonal migration in search of employment, and the movement of people to some other area for hospital facilities not available in their usual place of residence, are several of the factors that contribute to the number of nonresident births and deaths.

Inasmuch as the registration laws of each State specify that births and deaths be registered at the place of birth or death, the compilation of vital statistics according to place of occurrence is the most direct and usual method. Rates computed on this basis may be called *recorded* rates, since all the births or deaths recorded in each area are included in the computation. The compilation of natality and mortality data on the same geographic basis as the population census requires a complete reallocation of births and deaths to the place of residence. When this reallocation has been made, it is then possible to compute *resident* rates. Since resident death rates are ratios of the number of deaths to the number of persons exposed to the risk of death, they indicate more accurately the force of mortality affecting a given population and can therefore be interpreted in terms of relative health conditions. Resident birth rates are interpreted somewhat differently, but similar considerations apply to them. Of course, in such interpretations, cognizance must be taken of other factors, such as the age, sex, and race distributions of the exposed populations.

From some points of view it may seem incorrect to allocate deaths purely on a place-of-residence basis without taking into account the city or county responsible for the causes resulting in death. For example, a resident of one city may be killed in an automobile accident in another city. In such a case it may seem unreasonable to allocate that death to the city of residence if the accident was caused by traffic hazards of the city where the death occurred. However, even if desirable, the reallocations of deaths from most causes to the area responsible for the conditions resulting in death would be a highly speculative and difficult task. Furthermore, admitting the possibility of making such an assignment of deaths, it then becomes necessary to devise an "exposed-to-risk" figure quite different from an enumerated population.

Tabulations of vital statistics by place of occurrence are valuable and necessary for certain purposes. Tabulations by place of residence and the computation of resident birth and death rates provide data of greater value and meaning for many uses. However, resident data cannot be directly interpreted for every purpose. No single method of tabulation could be devised that would provide statistics compiled in the manner necessary for all possible problems.

PREVIOUS TABULATIONS BY PLACE OF RESIDENCE [1]

The first nonresident tabulations made by the Bureau of the Census were published in the volume of "Mortality Statistics" for 1914. These tabulations included deaths, but not births, and consisted merely of a separation of nonresident deaths from the total deaths for each area. However, discovery of serious deficiencies in the place-of-residence information given on the death certificates resulted in the omission of nonresident tabulations from the published volumes from 1915 to 1917, inclusive. By 1918 it was believed that sufficient progress had been made with the basic data to resume publication of nonresident statistics.

In 1918 the nonresident mortality tabulations were revised so as to provide a complete allocation of deaths by place of residence within the limits of the then incomplete registration area. A decedent in the registration area whose place of residence was outside the registration area could not be reallocated to his place of residence. Similarly, deaths of residents of the registration area could not be included in the figures for this area if the deaths had occurred outside the registration area.

Tables showing the number of deaths by place of residence were published for each year from 1918 to 1930, inclusive. The rules for residence allocation remained essentially unchanged during this period. In 1931 the tabulation of nonresident deaths was discontinued as an economy measure, and for the years 1931 to 1934, inclusive, no data on this important subject are available.

The completion of the birth- and death-registration areas in 1933 made possible, for the first time, a Nationwide reallocation of nonresidents to the place of residence. When the nonresident reallocation was resumed in 1935, the definition of a nonresident was revised and more detailed rules for allocation were formulated. In addition, compilation by place of residence was extended to birth statistics. Previous to 1935, no reallocation of births to place of residence of the child's mother had been made by the Bureau of the Census.

Resident tabulations for 1935 and 1936 were made but were not published in the annual volumes—"Birth, Stillbirth, and Infant Mortality Statistics" or "Mortality Statistics." However, they were released in the series of "Vital Statistics—Special Reports." [2]

The publication in 1937 of a combined volume of natality and mortality data tabulated by place of residence marked an important change in the compilation of national vital statistics. Since then, the tabulations by place of residence have been expanded considerably.

NONRESIDENT TABULATIONS BY STATE OFFICES

Since vital statistics tabulations by place of residence are important in public health administration, many State departments of health compile natality and mortality data on this basis. A survey by the Bureau

[1] For a more detailed account of previous resident tabulations, see "Vital Statistics of the United States, 1937, Part II," p. 2, National Office of Vital Statistics (formerly Bureau of the Census), Washington, D. C., 1939.

[2] For a list of these reports containing resident tabulations for 1935 and 1936, see "Vital Statistics of the United States, 1937, Part II," p. 2, National Office of Vital Statistics (formerly Bureau of the Census), Washington, D. C., 1939.

of the Census in 1935 revealed that 11 States were making rather complete resident reallocations and 8 States were publishing tables showing the number of deaths for cities and counties including and excluding deaths of nonresidents. A survey was made in 1938 by a Committee on Residence Allocation under the auspices of the Vital Statistics Section of the American Public Health Association. This survey indicated that 24 States were making regular tabulations involving the reallocation of nonresidents.

Answers to a questionnaire sent to all the States by the Bureau of the Census in 1941 indicated that 35 States and the District of Columbia were making some resident tabulations. In 4 States, these tabulations were limited to the separation of residents and nonresidents with no allocation to place of residence. In 13 States, the tabulations excluded nonresidents from other areas within the State and included residents who were born or who died elsewhere within the State; however, the tabulations in these States did not exclude nonresidents from other States or include residents of the State who were born or who died in another State. Nineteen States made complete place-of-residence tabulations excluding all nonresidents and including all residents within and outside the State.

In many States the resident tabulations are based solely on a reallocation of nonresidents within the State. In other words, these States do not include in their tabulations the deaths (or births) of residents of that State occurring in other States. For State totals, the allocation of interstate nonresidents is, in most cases, numerically unimportant. However, for areas near a State border, interstate reallocation may be very important since many deaths (or births) of residents of the area may occur in the adjacent State.

To assist the States in obtaining records of births or deaths of their residents in other States, the Vital Statistics Section of the American Public Health Association adopted, in 1931, a resolution requesting the Bureau of the Census to act as a clearing house in the exchange of such records. Since 1933, most States have sent to the Bureau of the Census copies of birth and death certificates for out-of-State nonresidents and these have been forwarded to the State of residence. Although this interstate exchange has been of considerable value to the individual States, it has not solved all of the difficulties met by State agencies in making a complete reallocation.

Differences of opinion exist regarding the principles on which the definition of a nonresident and the rules used for coding should be based. For this reason the interstate transfer is not on a strictly uniform basis for all States. Some indication of the amount of variation among States can be seen in the following table. In this table the number of nonresidents of each State, according to the definitions of the National Office of Vital Statistics, is compared with those identified by the separate State offices. These comparisons are based upon transcripts which have been cleared through the National Office of Vital Statistics. Since some interchange of nonresident transcripts is still made directly, these ratios do not completely represent the differences in State procedures. The table shows for both births and deaths the number of nonresident transcripts to be subtracted from the tabulations of each State, and the number of resident transcripts to be added. A study of the figures in this table, and particularly of the ratios between Federal and State figures, will indicate the existence of many differences in State procedures. While State tabulations fulfill an important need, it is obviously desirable for some central agency, operating with a uniform although arbitrary set of rules, to make Nation-wide tabulations.

One significant comment should be made regarding the differences between resident tabulations made by State agencies and those made by the National Office of Vital Statistics. Because of the large number of transcripts involved in national tabulations, the coding rules used by the National Office of Vital Statistics must be designed and simplified to facilitate mass production. Furthermore, it does not have access to the detailed local information necessary for certain types of allocation. For these reasons, it is not practicable to introduce all possible coding refinements or to use different sets of rules for various causes of death. Many State offices, having special local problems or interests to meet, wish to use special coding rules for certain groups of data. For example, some States either allocate deaths in custodial institutions to the place of prior residence or consider these institutions as separate tabulation areas. Some States prefer to allocate deaths from infectious diseases to the area where the infection presumably originated; deaths from accidents, to the place of accident; deaths from homicide, to the place of homicide, et cetera.

The desirability of these special types of tabulation should be emphasized, but they often require detailed information available only in local offices and involve operating rules feasible only for a relatively small volume of work. Therefore, while it is desirable for a central agency to make national tabulations, these national uniform tabulations do not replace those made by the separate State agencies.

FEDERAL AND STATE INTERCHANGE OF BIRTH AND DEATH NONRESIDENT TRANSCRIPTS BETWEEN STATES: 1946

[Exclusive of stillbirths. Includes only transcripts exchanged through National Office of Vital Statistics; excludes transcripts exchanged directly between State offices]

AREA	BIRTHS						DEATHS					
	Nonresident transcripts to be subtracted			Resident transcripts to be added			Nonresident transcripts to be subtracted			Resident transcripts to be added		
	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation
UNITED STATES	79,911	[1] 50,659	0.63	79,911	[1] 50,276	0.63	38,321	[1] 31,775	0.83	38,321	[1] 31,775	0.83
Alabama	921	723	0.79	1,987	2,056	1.03	478	496	1.04	744	754	1.01
Arizona	790	650	0.82	249	215	0.86	817	669	0.82	267	327	1.22
Arkansas	1,486	1,345	0.91	1,375	941	0.68	522	472	0.90	774	629	0.81
California	1,294	587	0.45	1,876	1,074	0.57	1,751	1,329	0.76	1,394	1,168	0.84
Colorado	963	152	0.16	621	420	0.68	665	802	1.21	340	376	1.11
Connecticut	645	443	0.69	1,507	1,055	0.70	465	437	0.94	598	648	1.08
Delaware	473	370	0.78	317	224	0.71	167	187	1.12	136	171	1.26
District of Columbia	8,355	158	0.02	907	254	0.28	1,026	226	0.22	732	185	0.25
Florida	2,688	1,413	0.53	1,122	976	0.87	2,032	1,261	0.62	874	865	0.99
Georgia	2,269	1,893	0.83	1,471	1,211	0.82	799	841	1.05	697	774	1.11
Idaho	598	811	1.36	830	625	0.75	281	302	1.07	362	440	1.22
Illinois	1,735	1,711	0.99	5,241	3,708	0.71	1,629	1,956	1.20	2,740	2,035	0.74
Indiana	2,429	540	0.22	2,093	1,338	0.64	883	425	0.48	1,170	1,064	0.91
Iowa	2,370	2,001	0.84	1,334	859	0.64	921	966	1.05	767	495	0.65
Kansas	1,575	1,163	0.74	2,612	2,575	0.99	778	1,006	1.29	779	866	1.11
Kentucky	1,801	1,289	0.72	1,987	1,064	0.54	584	483	0.83	932	699	0.75
Louisiana	747	476	0.64	824	388	0.47	645	246	0.38	387	278	0.72
Maine	272	565	2.08	554	503	0.91	219	523	2.39	260	237	0.91
Maryland	2,430	1,337	0.55	4,784	658	0.14	1,287	455	0.35	918	357	0.39
Massachusetts	1,970	1,127	0.57	1,318	1,112	0.84	1,024	828	0.81	961	853	0.89
Michigan	1,210	794	0.66	1,448	1,030	0.71	824	785	0.95	1,092	919	0.84
Minnesota	1,684	37	0.02	1,675	1,447	0.86	1,259	136	0.11	602	671	1.11
Mississippi	1,150	427	0.37	1,000	776	0.78	382	896	2.35	660	482	0.73
Missouri	4,262	4,949	1.16	2,260	1,767	0.78	1,521	1,104	0.73	1,367	1,048	0.77
Montana	251	267	1.06	452	472	1.04	189	113	0.60	239	247	1.03
Nebraska	957	737	0.77	977	529	0.54	407	429	1.05	498	537	1.08
Nevada	224	113	0.50	114	74	0.65	235	----------	0	104	94	0.90
New Hampshire	1,133	754	0.67	735	583	0.79	362	337	0.93	293	211	0.72
New Jersey	987	1,303	1.32	3,654	2,983	0.82	1,296	1,179	0.91	2,062	1,628	0.79
New Mexico	857	652	0.76	692	276	0.40	543	315	0.58	328	325	0.99
New York	3,618	4,459	0.74	2,490	2,404	0.61	2,553	3,330	1.03	2,521	2,038	0.55
North Carolina	1,922	1,735	0.90	1,423	918	0.65	789	828	1.05	707	443	0.63
North Dakota	1,053	772	0.73	834	382	0.46	234	215	0.92	306	165	0.54
Ohio	3,264	93	0.03	3,264	1,272	0.39	1,351	----------	0	1,655	1,305	0.79
Oklahoma	928	356	0.38	1,862	1,145	0.61	371	291	0.78	847	681	0.80
Oregon	1,106	1,264	1.14	891	739	0.83	534	503	0.94	448	523	1.17
Pennsylvania	3,434	2,908	0.85	3,523	2,384	0.68	1,625	1,714	1.05	2,137	1,622	0.76
Rhode Island	666	713	1.07	808	630	0.78	231	225	0.97	303	239	0.79
South Carolina	650	228	0.35	978	836	0.85	368	102	0.28	385	668	1.74
South Dakota	579	358	0.62	943	509	0.54	273	217	0.79	300	159	0.53
Tennessee	4,143	4,218	1.02	1,754	1,328	0.76	1,482	1,373	0.93	712	670	0.94
Texas	1,194	----------	0	2,568	1,350	0.53	831	1	0.00	1,125	830	0.74
Utah	510	123	0.24	283	220	0.78	285	207	0.73	140	157	1.12
Vermont	351	492	1.40	737	634	0.86	158	224	1.42	188	192	1.02
Virginia	2,415	1,136	0.47	6,251	1,321	0.21	865	506	0.58	1,062	765	0.72
Washington	1,959	1,786	0.91	1,158	953	0.82	691	1,558	2.25	672	511	0.76
West Virginia	2,291	----------	0	1,993	687	0.34	709	276	0.39	698	359	0.51
Wisconsin	1,113	844	0.76	1,690	689	0.41	753	461	0.61	850	381	0.45
Wyoming	189	273	1.44	445	312	0.70	227	256	1.13	188	160	0.85

[1] Includes allocations outside of continental United States.

DEFINITION OF RESIDENCE

The reallocation of births and deaths to place of residence is based on information somewhat different and collected in a manner different from that obtained in the enumerated population census. It is obviously not possible to use identical rules for both compilations. The tabulation of vital statistics on a place-of-residence basis requires that the information given on the certificate be interpreted in such a way as to result in classifications comparable with the population census figures. The necessity for such interpretation introduces arbitrary and controversial factors into the procedure of allocation. It can hardly be expected that the geographic classification by place of residence can be as direct and simple as the classification by place of occurrence.

In addition to difficulties in the definition of residence, there are several factors in the original collection of birth and death information that may produce errors or discrepancies in residence tabulations. The place of birth or death is usually obvious or easily learned by the person filling out the original certificate. On the other hand, the original informant or the State office may have to make an inquiry to determine the place of residence, particularly in the case of nonresident births or deaths. Since it is sometimes difficult to ascertain the precise geographic location of the place of residence, errors may be made occasionally. Be-

cause of these difficulties of residence designation and because of incomplete understanding of the importance of residence data, the residence information may be omitted or incompletely reported on birth and death certificates for certain areas.

Relation of geographic code to the identification of nonresidents.—Whether or not a person is classified as a nonresident depends somewhat upon the size of the area under consideration. A resident of Maine may die in California, yet this fact may be ignored when only totals for the United States are concerned. For State totals, only those persons who cross State lines need be considered in a reallocation by place of residence, since any movement within the State is irrelevant. On the other hand, for the study of mortality conditions within a city (for individual census tracts or wards), it is necessary to use a much finer definition of a nonresident. In such cases it may be necessary, for example, to define as a nonresident a person who lived on one side of a street and died in a hospital on the other side of the same street.

In whatever way the place of residence may be defined, the size of the tabulation or coding unit will partially determine the number of identified nonresidents. If the coding unit—assuming the use of a punch-card system in which geographic areas are given numerical codes—is a whole county, obviously it is impossible to determine, from a tabulation of the cards, the number of persons who moved about within the county. If the coding unit is a single registration district, it will be possible to identify persons moving from one district to another within the county, but it will not be possible to measure the movement within districts.

The tabulations given in this volume are based on a geographic code that identifies each city or other urban place having a population of over 10,000 in 1940 and each county excluding these cities or urban places. The code for the county (exclusive of the cities or urban places of 10,000 or more) is subdivided into two codes, one for all urban places of 2,500 to 10,000 as a group, and another for all villages under 2,500 and rural areas as a group. In coding the place of residence, movement from an urban place or city of 2,500 or more to another place or city of 2,500 or more, in the same or a different county, is identified. Similarly, any population movement from one county to another is identified, including movement to or from rural areas in different counties. However, movement from a village under 2,500 or from a rural area to another village under 2,500 or rural area within the same county is not identified.

Another limitation should be mentioned. If, for example, the nonresident deaths for each urban place and county within a State are tabulated, it is not possible to add these figures together and obtain the number of nonresidents of the whole State. Such addition will give the number of persons in the State who died in a tabulation-unit area other than the area of their residence, but it will not give the number of nonresidents of the State since a nonresident in an urban place may be a resident of some rural area or some other urban place in the same State. Therefore, the term "nonresident" may have one or two meanings. In reference to the smallest unit of tabulation (in this report an urban place or county), a nonresident is a person who died within that unit but whose usual place of residence was in some other unit. In reference to a consolidation of separate geographic units (for example, a whole State), the term refers to the number of persons dying therein who are nonresidents of the particular place of death but are not necessarily nonresidents of the consolidated area. Furthermore, since the nonresidents of one area are necessarily residents of some other area, it is necessary to apply both terms to the same data when considered in different aspects. In order to avoid confusion, the tables given in this volume include headnotes or footnotes when additional explanation seems necessary.

Allocation of deaths to place of residence.—The allocation of deaths to the place of residence is based on the following general principles and rules

1. Mortality data should be compiled so as to correspond with enumerated populations on which rates are to be based. Each death should be assigned to the area which was the "usual place of residence" of the decedent.
2. A decedent is defined as a nonresident if the place of residence stated on the certificate is different from the place of death. However, decedents who at the time of death had been living more than 1 year in a community are considered residents of that community even though some other place of residence is stated.
3. Decedents in nonresident institutions such as general hospitals, tuberculosis sanatoriums, convalescent homes, jails, et cetera, are reallocated to the usual place of residence, if they had been in the institution less than 1 year.
4. Decedents in resident institutions, where length of stay is usually long, such as mental institutions; orphanages; homes for the aged, blind, and deaf; et cetera, are not reallocated to the place of prior residence.
5. Decedents whose usual place of residence is a foreign country or a United States possession outside the United States are not reallocated to the usual place of residence.
6. Infants born at other than the place of residence of the mother, who died in that same place, are reallocated to the place of residence of the mother.

For the purpose of coding mortality transcripts or microfilm copies, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in the Instruction Manual of the Vital Statistics Division.[3]

Special residence instructions for military personnel.—On all death certificates having indications that the deceased was a member of the Army, Navy, or Marine Corps, the usual place of residence is the post or port at which the deceased was stationed.

In cases where the death occurred while the person was in the process of being transferred from one post to another, the person is to be considered a resident of the post from which he was being transferred.

In cases where the death occurred while on land maneuver or leave, the usual place of residence is the post at which the deceased was stationed.

If the death occurred aboard a naval vessel at sea, the place of death will be the vessel and the death certificate should have been filed at the first port of call. If a permanent station is not indicated, the place of residence of the deceased is assumed to be the place of residence of the nearest relative to the deceased.

Allocation of births to place of residence.—The allocation of live births and stillbirths is made according to the same general principles as the allocation of deaths. In the case of births, however, the residence of the mother is considered to be the place of residence of the child, and the allocation is not affected by the mother's length of stay in the community in which the birth occurs.

For the purpose of coding natality transcripts or microfilm copies, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in the Instruction Manual of the Vital Statistics Division.[3]

[3] National Office of Vital Statistics (formerly Bureau of the Census), "Vital Statistics Instruction Manual, Part I, Coding and Punching Geographic and Personal Particulars of Births, Deaths, and Stillbirths Occurring During 1946," Washington, D. C., 1946.

RATE TABLE

TABLE I.—DEATH RATES FOR SELECTED CAUSES.

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Rates per 100,000 estimated population, and based

	DIVISION AND STATE	Total	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
1	UNITED STATES	997.6	0.3	0.9	0.1	0.9	0.9	36.4	0.7	0.2	9.3	0.9	1.3	130.1	0.8
	GEOGRAPHIC DIVISIONS														
2	New England	1,092.8	0.1	0.7	0.1	0.6	0.8	32.6	0.1	0.0	5.4	0.5	0.8	163.0	0.6
3	Middle Atlantic	1,093.5	0.1	0.9	0.1	0.7	0.4	39.0	0.3	0.1	9.0	0.7	0.4	164.0	0.9
4	East North Central	1,031.9	0.2	0.8	0.2	0.7	0.6	32.5	0.3	0.1	9.3	0.7	1.6	142.6	0.7
5	West North Central	1,019.5	0.2	0.7	0.2	0.6	0.8	22.0	0.5	0.1	8.2	0.9	4.3	140.6	0.7
6	South Atlantic	907.3	0.4	1.1	0.2	1.4	1.3	38.5	0.8	0.3	11.0	1.1	0.6	92.2	1.1
7	East South Central	931.4	0.6	1.4	0.2	1.6	1.3	47.8	1.1	0.8	9.5	1.9	0.7	90.1	0.8
8	West South Central	844.0	0.7	0.8	0.1	1.2	1.6	39.9	2.2	0.9	10.4	1.2	1.4	92.9	0.8
9	Mountain	978.5	0.4	0.9	0.2	1.5	1.5	45.2	2.6	0.1	9.1	1.6	2.4	104.6	1.1
10	Pacific	980.6	0.2	0.9	0.1	0.5	1.0	37.8	0.3	0.1	9.6	0.7	1.1	131.6	0.5
	NEW ENGLAND														
11	Maine	1,147.9	0.3	1.0	0.2	1.7	2.1	24.7	0.2	0	5.6	1.4	0.3	159.0	0.8
12	New Hampshire	1,170.6	0.4	0.6	0.2	1.7	0.4	22.4	0.2	0.4	7.2	1.4	2.9	161.2	0.6
13	Vermont	1,172.8	0.3	0.8	0.6	0.8	0.6	36.5	0	0	4.2	1.1	1.4	160.1	0.3
14	Massachusetts	1,119.7	0.0	0.5	0.0	0.3	0.8	36.3	0.2	0	5.1	0.3	0.5	169.1	0.5
15	Rhode Island	1,083.6	0	1.2	0	0.5	0.3	31.1	0	0	5.8	0	0.9	156.0	0.9
16	Connecticut	974.1	0.1	0.8	0.1	0.3	0.3	30.0	0.1	0	5.8	0.2	0.9	154.4	0.7
	MIDDLE ATLANTIC														
17	New York	1,112.4	0.1	0.9	0.1	0.5	0.4	40.8	0.3	0.0	9.5	0.5	0.5	174.6	0.7
18	New Jersey	1,077.8	0.1	0.9	0.1	0.6	0.3	38.3	0.4	0.0	8.9	0.7	0.6	168.3	0.8
19	Pennsylvania	1,074.3	0.2	0.8	0.1	0.9	0.6	36.9	0.2	0.1	9.2	1.2	0.3	147.5	1.2
	EAST NORTH CENTRAL														
20	Ohio	1,043.8	0.2	0.8	0.3	0.8	0.7	34.4	0.2	0.0	10.4	0.4	0.8	141.4	0.8
21	Indiana	1,036.1	0.3	0.9	0.1	1.1	1.0	29.9	0.5	0.1	10.4	1.4	1.3	128.4	1.0
22	Illinois	1,115.6	0.1	1.0	0.1	0.4	0.4	37.5	0.3	0.2	9.4	0.6	2.3	160.8	0.7
23	Michigan	909.6	0.1	0.7	0.0	0.7	0.5	31.2	0.2	0.0	9.1	0.8	1.5	123.3	0.4
24	Wisconsin	1,020.9	0.1	0.7	0.2	0.8	0.6	20.5	0.2	0.0	5.4	0.7	2.8	152.6	0.8
	WEST NORTH CENTRAL														
25	Minnesota	954.7	0.1	0.5	0.1	0.6	1.5	20.7	0.2	0.0	8.7	0.4	7.7	141.1	0.8
26	Iowa	1,012.7	0.2	0.6	0.4	0.7	0.6	12.9	0.5	0.2	8.1	0.9	2.1	145.6	0.6
27	Missouri	1,124.2	0.3	0.8	0.1	0.8	0.6	33.8	0.8	0.2	12.3	1.3	2.6	146.9	0.7
28	North Dakota	945.8	0.2	0.7	0	0.2	1.3	17.9	1.1	0	5.4	0	4.8	125.7	1.5
29	South Dakota	1,005.7	0	0.5	0.2	0.2	1.1	31.4	0.2	0.2	4.9	1.1	6.6	131.1	1.3
30	Nebraska	975.1	0.2	1.3	0.2	0.3	0.6	13.9	0.4	0.2	8.5	0.7	4.3	137.5	0.5
31	Kansas	970.3	0.1	0.6	0.2	0.7	0.6	16.5	0.2	0.1	7.7	1.2	4.9	129.8	0.5
	SOUTH ATLANTIC														
32	Delaware	1,126.9	0	1.4	0	1.0	0.7	46.4	0.3	0	12.2	0.7	1.0	130.2	0.3
33	Maryland	996.1	0.2	0.9	0.1	0.7	1.4	54.2	0.3	0.0	13.4	0.7	0.3	127.4	0.7
34	District of Columbia	982.7	0.7	0.9	0	0.4	0.2	57.9	0	0.1	13.6	0.8	0.5	134.4	1.1
35	Virginia	942.9	0.2	1.4	0.4	1.9	1.4	43.5	0.9	0.1	11.3	1.3	0.5	92.7	1.1
36	West Virginia	898.6	0.6	1.2	0.5	1.8	1.2	39.7	1.6	0	10.8	0.6	0.4	94.1	1.1
37	North Carolina	789.0	0.2	0.8	0.1	1.6	1.3	32.5	0.4	0.2	6.7	1.2	0.4	69.3	1.0
38	South Carolina	856.4	1.2	1.1	0	1.6	1.5	29.4	0.8	1.0	13.1	1.6	0.4	70.0	1.5
39	Georgia	879.4	0.4	1.0	0.0	1.9	1.4	34.2	1.1	0.4	10.9	1.3	0.3	78.0	1.1
40	Florida	995.8	0.5	1.3	0.0	0.4	1.3	31.2	0.9	0.9	12.9	1.2	1.9	110.3	1.2
	EAST SOUTH CENTRAL														
41	Kentucky	998.3	1.1	1.4	0.4	1.7	1.9	58.3	1.5	0.2	7.9	2.5	0.5	102.2	0.6
42	Tennessee	922.3	0.7	1.8	0.1	1.7	0.8	54.4	0.9	0.6	8.9	1.4	0.6	95.1	1.1
43	Alabama	880.6	0.3	1.1	0.0	1.3	1.0	40.0	0.8	1.1	11.3	1.6	0.8	80.5	0.9
44	Mississippi	924.8	0.5	1.1	0.1	1.5	1.5	35.3	1.3	1.4	10.3	2.0	0.8	79.7	0.9
	WEST SOUTH CENTRAL														
45	Arkansas	760.8	0.9	0.9	0.2	1.1	2.1	37.1	0.8	1.3	7.9	1.4	1.4	76.2	1.1
46	Louisiana	874.4	0.9	1.0	0.1	1.0	1.7	43.2	0.8	0.9	16.7	0.9	0.9	99.5	0.7
47	Oklahoma	836.9	0.3	0.6	0.3	1.1	1.2	31.8	0.4	0.5	8.9	1.3	1.5	101.7	0.6
48	Texas	857.9	0.7	0.8	0.1	1.3	1.6	42.0	3.6	0.9	9.2	1.2	1.5	92.3	0.8
	MOUNTAIN														
49	Montana	1,169.3	0.4	0.6	0	0.4	1.0	34.3	0.2	0.2	9.8	0.6	1.0	138.4	0.6
50	Idaho	970.8	0.6	1.1	0.4	1.3	0.4	14.2	0.2	0	4.0	1.1	0.4	119.4	1.1
51	Wyoming	812.1	0	1.1	0	0.8	1.1	10.7	0.8	0.4	8.7	0	2.7	86.7	1.1
52	Colorado	1,060.0	0.5	1.0	0.3	0.5	1.7	35.3	1.3	0	9.3	1.0	4.9	127.2	1.8
53	New Mexico	1,027.6	0.2	0.9	0.2	4.2	2.3	73.3	12.7	0.2	14.4	2.5	1.9	75.6	1.3
54	Arizona	921.2	0.8	1.0	0.2	2.6	2.7	116.7	3.7	0.3	10.4	4.2	1.9	79.5	1.0
55	Utah	751.4	0.2	0.9	0.2	0.9	0.6	13.0	0.6	0	4.7	0.8	1.4	83.1	0.8
56	Nevada	1,109.2	0	0	0	1.5	0.7	53.9	0	0.7	16.2	3.0	2.2	110.0	0.7
	PACIFIC														
57	Washington	976.5	0.2	0.8	0.0	0.7	1.1	32.7	0.2	0	8.3	0.9	1.5	124.6	0.7
58	Oregon	916.8	0.4	1.0	0.1	0.5	0.7	21.4	0.2	0	8.3	0.5	0.6	125.5	0.7
59	California	991.3	0.2	0.9	0.1	0.5	1.0	41.5	0.4	0.1	10.1	0.7	1.0	134.2	0.4

UNITED STATES, EACH DIVISION AND STATE, 1946

on population excluding armed forces overseas. Numbers under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
24.8	0.6	89.8	306.8	44.6	5.8	58.4	3.7	56.8	11.5	6.3	23.9	46.2	19.7	115.9	1
33.6	0.1	100.5	390.6	45.1	4.5	52.0	2.7	54.1	11.2	1.4	15.0	46.2	7.0	123.5	2
35.8	0.1	83.7	394.0	40.8	4.2	56.7	2.8	51.6	12.1	3.2	16.9	44.2	6.8	124.1	3
28.8	0.1	98.5	336.4	39.2	4.3	60.8	2.9	55.0	12.1	4.3	24.6	44.8	10.6	119.2	4
25.4	0.1	106.9	308.2	45.4	5.0	60.1	2.8	53.8	12.4	3.5	22.7	49.8	16.1	127.4	5
17.1	1.4	89.0	228.9	47.7	5.9	73.3	5.4	64.9	9.8	12.3	26.3	45.8	27.3	101.4	6
13.9	2.1	91.5	212.4	58.3	7.3	64.3	6.5	62.8	8.0	13.8	24.9	44.9	64.2	98.8	7
13.4	1.6	75.1	204.9	47.4	9.8	49.7	4.5	60.0	8.1	10.2	23.8	46.0	34.3	101.1	8
17.5	0.2	71.8	246.4	55.6	13.5	48.9	4.9	68.4	13.6	5.0	33.7	59.9	45.7	122.0	9
20.5	0.2	80.3	312.2	40.6	4.7	45.2	2.7	53.3	16.7	5.0	36.9	47.0	9.0	122.0	10
26.8	0	119.8	352.9	54.3	5.8	71.0	3.7	67.4	13.8	1.4	22.0	55.9	21.5	134.2	11
32.9	0	118.8	404.5	54.6	6.2	56.7	2.7	49.9	12.6	0.8	19.4	48.4	14.1	149.6	12
30.9	0	116.4	393.8	56.7	3.4	51.8	3.4	61.5	12.7	1.7	24.9	51.8	15.0	141.9	13
34.5	0.1	103.5	411.8	48.6	4.9	48.6	2.7	52.2	10.2	1.4	13.5	48.5	3.4	124.2	14
38.3	0	93.8	406.0	36.2	2.7	74.6	3.2	57.6	7.7	1.5	12.9	38.1	3.2	111.0	15
33.7	0.2	79.6	348.0	31.6	3.6	46.4	1.9	51.0	12.9	1.6	13.4	38.1	7.2	111.4	16
38.7	0.1	75.0	423.3	39.5	3.7	45.8	2.5	49.6	12.2	3.5	15.3	45.2	5.3	124.1	17
32.6	0.0	91.6	377.5	36.0	3.7	62.4	2.9	50.1	13.4	2.5	17.6	40.4	5.8	123.3	18
33.2	0.1	92.3	360.8	44.6	5.0	59.2	3.3	54.8	11.4	3.0	19.0	44.5	9.4	124.4	19
28.2	0.1	109.0	324.9	41.6	4.6	60.7	2.8	55.6	13.1	5.2	25.0	46.0	15.2	120.6	20
25.6	0.1	115.1	307.0	41.9	5.3	78.3	3.0	53.6	13.3	3.9	25.6	48.4	11.3	127.5	21
32.1	0.0	89.3	398.2	38.4	3.7	70.4	3.0	53.2	11.8	5.9	23.3	46.4	4.9	123.2	22
25.4	0.1	85.9	292.5	35.0	4.5	42.0	2.8	57.6	10.0	3.2	26.0	37.6	11.0	107.5	23
32.2	0.0	101.3	330.9	40.6	3.6	51.9	3.4	55.1	13.2	0.9	23.4	47.8	12.8	118.4	24
26.3	0.1	98.0	298.1	42.2	3.5	32.3	2.2	56.7	12.1	1.6	20.8	46.3	11.4	124.5	25
26.5	0.1	114.0	309.6	41.2	5.3	57.3	2.3	53.2	12.9	1.8	21.6	50.7	15.1	129.8	26
24.0	0.1	110.1	348.1	59.4	6.0	84.1	3.5	50.5	13.7	7.5	22.0	52.5	13.0	128.4	27
28.5	0	89.0	258.8	36.9	6.9	41.1	3.0	68.3	11.2	1.5	26.8	55.5	29.2	130.3	28
21.9	0	98.1	268.2	46.4	5.5	47.5	2.7	57.5	12.6	1.1	29.4	54.4	41.4	139.1	29
27.9	0.2	109.1	277.2	41.0	4.4	59.0	2.3	53.3	12.8	2.1	22.7	48.1	22.3	126.2	30
23.5	0.3	110.1	290.9	32.9	4.2	67.5	3.2	52.1	9.8	2.8	25.1	46.6	15.5	122.7	31
24.1	0	98.8	374.1	45.4	5.6	107.1	3.1	51.3	11.5	8.4	26.5	48.9	7.3	120.4	32
24.6	0.2	78.3	318.4	38.1	7.5	81.1	2.6	56.2	12.4	7.9	19.6	44.1	4.1	100.5	33
26.2	0.4	68.9	274.7	33.9	9.5	81.8	3.7	72.7	17.1	13.3	11.6	41.5	2.4	114.5	34
18.1	0.8	96.1	249.1	49.7	7.6	69.3	4.2	66.4	11.3	11.3	27.1	47.4	22.6	105.2	35
16.9	0.1	82.1	222.1	51.1	6.7	51.0	4.0	73.6	8.8	7.4	22.5	63.3	34.4	100.1	36
13.7	2.0	83.8	183.5	43.4	6.8	75.1	5.6	67.3	8.0	9.9	28.9	36.1	23.6	85.5	37
13.6	2.1	94.7	185.4	54.6	6.2	77.4	7.8	66.0	6.5	12.9	32.8	41.6	44.6	87.0	38
12.8	3.0	95.7	189.5	55.7	6.4	81.5	7.2	60.0	7.4	18.0	25.9	41.7	37.0	105.9	39
18.6	1.4	95.6	249.3	47.1	5.9	63.8	6.9	64.8	11.4	17.0	30.9	56.9	40.1	122.2	40
16.2	0.7	101.3	260.3	64.6	9.9	61.6	5.2	66.9	9.9	11.1	26.6	50.7	20.8	112.3	41
13.1	2.0	92.8	217.5	58.4	7.8	55.2	4.7	60.8	8.3	13.0	22.5	41.5	58.8	97.6	42
11.9	3.4	84.8	188.5	54.3	6.1	67.4	7.4	64.0	7.2	15.0	27.3	44.1	66.7	91.0	43
14.8	2.1	85.9	172.9	55.3	4.6	76.7	9.2	58.5	6.2	16.9	22.8	43.6	125.4	93.4	44
10.8	1.4	74.8	173.9	54.4	4.6	60.5	5.0	40.0	6.0	9.9	19.5	40.8	39.1	87.9	45
14.2	0.9	70.6	236.4	51.6	5.8	57.2	5.5	69.6	7.6	10.4	20.1	44.8	17.7	93.9	46
15.8	1.2	89.2	205.6	43.5	4.5	46.6	3.7	52.5	7.5	5.8	24.2	45.0	34.2	107.5	47
13.0	2.1	72.3	201.7	45.3	14.5	45.0	4.2	64.4	9.1	11.6	26.2	48.1	39.1	105.3	48
28.6	0	102.4	340.5	54.3	7.1	57.7	3.8	67.5	20.5	4.6	34.7	73.4	35.1	151.5	49
20.3	0	85.5	268.0	40.0	3.4	60.8	4.7	73.0	15.9	4.7	38.5	62.5	31.5	117.7	50
12.2	0	88.5	227.1	38.4	5.7	49.4	3.8	54.4	16.7	3.8	39.9	56.7	19.8	101.6	51
19.1	0.2	85.3	280.1	86.2	10.1	83.5	5.0	71.7	15.5	5.4	31.7	57.2	19.5	144.9	52
11.5	0.6	47.3	151.2	73.7	44.0	36.7	7.0	92.3	6.8	7.0	35.2	54.8	161.2	108.7	53
10.1	0	50.4	205.4	60.9	21.2	33.7	5.6	51.1	11.4	6.1	30.5	60.7	42.5	106.6	54
18.7	0.3	53.1	215.3	35.0	4.1	34.2	3.9	63.3	6.4	2.2	29.1	51.2	31.2	96.3	55
17.7	0	92.3	300.6	62.0	4.4	39.9	4.4	65.0	30.3	6.8	47.3	90.1	34.0	125.5	56
21.4	0.1	86.9	315.2	38.9	3.4	43.1	2.8	58.3	15.7	3.6	28.1	57.2	17.4	112.9	57
20.9	0.1	86.0	260.5	42.9	2.5	65.3	2.1	45.3	14.0	3.6	33.9	53.4	19.5	106.9	58
20.2	0.2	77.9	319.4	40.7	5.3	42.7	2.8	53.3	17.4	5.6	39.5	43.6	5.4	126.5	59

0

GENERAL NATALITY AND MORTALITY TABLES

TABLE 1.—LIVE BIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1946

STATE OF OCCURRENCE	Total births occurring in State	Births to residents occurring in place of residence	BIRTHS TO NONRESIDENTS[1]														
			Total	Intrastate nonresidents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	3,268,672	2,136,731	1,131,941	1,072,030	79,911	1,987	249	1,375	1,876	621	1,507	317	907	1,122	1,471	830	5,241
Alabama	78,797	58,112	20,685	19,764	921	...	1	14	15	6	2	1	-	231	164	2	11
Arizona	16,886	11,286	5,600	4,810	790	7	...	13	189	19	5	-	2	7	2	3	27
Arkansas	45,391	31,871	13,520	12,034	1,486	4	3	...	28	2	1	-	-	2	3	1	27
California	217,902	123,969	93,933	92,639	1,294	19	52	40	...	41	10	1	5	20	8	21	68
Colorado	29,860	19,495	10,365	9,402	963	10	9	13	70	...	9	-	4	8	8	12	31
Connecticut	40,595	24,112	16,483	15,838	645	4	2	5	8	2	...	1	5	11	3	-	5
Delaware	6,958	3,727	3,231	2,758	473	1	-	-	-	-	-	...	-	3	1	-	-
District of Columbia	26,049	17,694	8,355	-	8,355	3	3	5	10	2	8	2	...	8	7	-	11
Florida	55,254	36,469	18,785	16,097	2,688	289	7	25	139	17	44	8	18	...	301	6	108
Georgia	86,465	61,905	24,560	22,291	2,269	983	-	6	12	3	3	1	6	368	...	1	17
Idaho	13,555	7,262	6,293	5,895	398	-	3	-	31	-	1	-	-	2	-	...	2
Illinois	171,319	113,212	58,107	56,372	1,735	4	1	2	14	2	2	1	4	10	2	3	...
Indiana	85,851	52,867	32,984	30,555	2,429	2	1	3	3	1	-	-	4	5	8	-	1,496
Iowa	57,222	30,710	26,512	24,142	2,370	1	2	1	20	5	-	-	-	1	-	-	975
Kansas	38,714	23,958	14,756	13,181	1,575	4	4	29	43	91	1	1	2	11	6	3	18
Kentucky	72,356	55,613	16,743	14,942	1,801	21	1	13	15	1	6	-	4	15	12	4	101
Louisiana	68,593	48,144	20,449	19,702	747	17	-	108	17	3	2	-	4	20	8	-	17
Maine	20,044	12,689	7,355	7,083	272	3	-	-	15	1	17	1	5	1	2	-	2
Maryland	47,993	33,355	14,638	12,208	2,430	15	2	8	66	7	17	201	575	27	18	1	32
Massachusetts	94,940	58,297	36,643	34,673	1,970	1	2	-	7	1	500	-	3	3	3	-	11
Michigan	139,039	85,038	54,001	52,791	1,210	3	-	5	11	3	1	-	3	8	1	-	51
Minnesota	67,275	41,332	25,943	24,259	1,684	1	1	-	37	3	4	2	2	2	2	3	36
Mississippi	61,840	49,161	12,679	11,529	1,150	257	1	30	13	5	2	-	3	20	16	2	25
Missouri	82,686	53,543	29,143	24,881	4,262	12	3	191	50	28	2	1	7	9	11	5	1,228
Montana	12,657	8,133	4,524	4,273	251	-	-	-	3	1	-	-	1	1	-	19	3
Nebraska	28,032	18,031	10,001	9,044	957	1	2	4	25	54	1	-	2	2	-	-	14
Nevada	3,393	2,306	1,087	863	224	1	4	2	148	7	1	-	-	2	-	5	2
New Hampshire	11,490	7,361	4,129	2,996	1,133	2	-	-	3	-	24	-	-	2	-	-	4
New Jersey	92,551	43,309	49,242	48,255	987	-	-	-	1	-	16	7	5	3	1	-	4
New Mexico	18,252	13,312	4,940	4,083	857	6	72	9	67	69	8	1	5	6	2	6	22
New York	287,674	198,204	89,470	85,852	3,618	6	2	3	41	1	503	10	34	32	18	2	31
North Carolina	101,178	67,515	33,663	31,741	1,922	26	4	17	60	13	11	2	25	51	92	7	46
North Dakota	15,483	7,761	7,722	6,669	1,053	1	-	2	9	1	1	-	-	1	2	-	8
Ohio	169,600	108,668	60,932	57,668	3,264	9	2	5	25	5	7	-	6	15	15	-	39
Oklahoma	49,482	33,696	15,786	14,858	928	5	3	38	54	29	-	-	5	13	11	-	26
Oregon	30,291	17,300	12,991	11,885	1,106	-	4	2	198	4	-	-	1	1	1	252	4
Pennsylvania	218,287	127,419	90,868	87,434	3,434	7	2	1	15	3	17	64	39	17	6	-	19
Rhode Island	16,619	9,646	6,973	6,307	686	1	-	-	-	-	223	-	1	1	2	-	-
South Carolina	53,635	39,779	13,856	13,206	650	4	-	2	7	3	1	-	9	25	99	-	7
South Dakota	14,216	7,661	6,555	5,976	579	1	-	-	3	-	1	-	1	-	4	-	7
Tennessee	79,725	56,903	22,822	18,679	4,143	205	6	587	101	11	13	4	16	76	571	4	86
Texas	180,205	136,722	43,483	42,289	1,194	5	8	151	43	15	3	-	1	7	4	1	23
Utah	18,447	11,352	7,095	6,585	510	2	31	2	78	39	1	-	2	3	1	104	8
Vermont	7,976	4,516	3,460	3,109	351	-	-	-	2	-	11	-	3	-	-	2	1
Virginia	72,025	49,243	22,782	20,367	2,415	29	3	18	68	8	19	6	75	52	42	3	64
Washington	52,789	32,131	20,658	18,699	1,959	11	7	20	108	67	8	1	1	10	10	355	50
West Virginia	48,971	33,960	15,011	12,720	2,291	4	1	-	4	-	1	1	17	5	3	-	4
Wisconsin	74,178	43,430	30,748	29,635	1,113	-	-	1	10	6	-	-	2	5	1	2	466
Wyoming	5,932	4,552	1,380	1,191	189	-	-	-	10	42	-	-	-	-	-	1	4

[1]See discussion in text for definition of nonresident.

793002 O - 48 - 2

TABLE 1.—LIVE BIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE UNITED STATES AND EACH STATE, 1946—Continued

STATE OF OCCURRENCE	BIRTHS TO NONRESIDENTS[1]—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	2,093	1,334	2,612	1,987	824	554	4,784	1,318	1,448	1,675	1,000	2,260	452	977	114	735	3,654	692	2,490
Alabama	8	6	4	13	12	1	12	5	12	7	109	10	-	2	1	1	6	-	22
Arizona	14	10	5	4	5	-	-	3	20	9	8	18	2	4	1	-	11	197	15
Arkansas	5	7	11	2	43	-	2	1	6	2	25	242	-	1	1	-	-	1	10
California	18	34	35	9	22	5	7	35	34	33	6	53	16	26	35	1	15	16	56
Colorado	17	21	69	11	8	2	1	10	19	25	1	40	17	99	2	1	7	79	32
Connecticut	4	2	3	2	-	7	5	127	6	1	1	1	1	-	-	4	14	-	348
Delaware	-	1	-	-	-	-	113	2	-	-	-	-	-	-	1	-	154	-	19
District of Columbia	5	6	9	4	7	5	3,644	6	6	4	-	5	1	2	-	1	10	2	22
Florida	61	48	25	48	41	14	33	86	64	45	36	53	6	23	1	14	86	5	207
Georgia	9	11	3	9	14	2	6	15	15	9	18	4	-	-	-	-	19	-	36
Idaho	-	2	1	5	-	-	-	1	5	2	2	-	42	2	10	2	-	1	2
Illinois	637	125	17	108	4	2	4	4	74	18	5	360	-	6	-	-	6	2	20
Indiana	...	6	3	169	2	1	2	1	225	2	2	10	-	4	-	-	-	-	6
Iowa	5	...	11	1	1	-	-	1	17	167	-	390	1	412	-	2	4	-	2
Kansas	6	18	...	7	5	1	3	7	9	20	7	637	1	84	1	-	3	10	19
Kentucky	358	7	12	...	9	1	17	11	32	8	7	19	1	5	-	-	13	1	29
Louisiana	3	11	7	3	...	-	2	7	6	2	161	6	1	3	-	-	5	3	12
Maine	5	-	1	2	3	...	5	48	-	-	-	1	-	-	-	104	5	-	19
Maryland	11	12	13	20	11	1	...	29	16	15	8	11	1	4	1	2	34	-	71
Massachusetts	2	2	1	2	-	78	3	...	5	2	1	3	-	-	-	350	22	1	191
Michigan	269	7	5	8	-	1	4	5	...	9	3	14	2	3	-	2	3	1	15
Minnesota	6	211	5	1	-	-	1	6	23	...	1	8	3	7	-	-	4	-	11
Mississippi	14	2	10	10	382	-	5	5	8	7	...	22	3	2	-	1	5	3	20
Missouri	43	227	1,810	19	14	3	5	11	26	73	13	...	3	63	1	-	9	5	33
Montana	1	3	7	-	-	1	-	-	1	9	2	3	...	3	2	-	-	-	3
Nebraska	1	264	242	1	-	-	1	3	7	10	2	35	1	...	1	-	1	1	4
Nevada	-	-	-	2	4	-	-	-	-	2	-	1	1	1	...	-	2	1	3
New Hampshire	-	-	1	2	-	385	1	142	4	-	-	-	-	-	-	...	7	-	20
New Jersey	1	-	-	-	-	1	8	14	2	3	-	2	-	-	-	1	...	-	304
New Mexico	14	9	36	6	6	1	3	8	9	4	4	15	2	6	1	-	6	...	20
New York	12	3	4	10	9	9	22	85	27	10	2	9	-	7	1	11	1,341	2	...
North Carolina	30	14	19	28	15	4	21	48	39	16	19	23	6	3	-	7	24	4	91
North Dakota	3	2	2	-	-	-	-	1	1	670	-	2	169	3	-	-	-	-	2
Ohio	387	6	2	705	1	1	11	13	405	7	6	13	1	1	-	1	13	3	79
Oklahoma	10	10	159	7	14	2	1	7	12	7	9	38	7	1	2	-	4	9	13
Oregon	-	6	5	2	-	-	1	4	5	3	-	5	9	4	2	-	-	2	7
Pennsylvania	7	1	2	6	3	7	544	18	13	4	3	4	-	2	-	3	1,697	1	381
Rhode Island	-	-	-	-	-	-	-	401	3	1	1	1	-	-	-	3	5	-	9
South Carolina	2	3	3	2	2	1	8	7	8	1	3	5	1	-	-	-	9	-	21
South Dakota	-	68	1	1	-	-	-	-	-	51	-	2	20	117	-	-	1	-	-
Tennessee	60	13	18	395	51	4	22	31	79	9	307	100	4	12	2	2	31	6	74
Texas	3	3	13	1	103	-	1	4	6	4	5	4	-	2	-	-	2	314	12
Utah	4	1	2	3	3	-	1	2	3	1	-	5	8	3	45	-	2	10	8
Vermont	-	-	-	-	-	5	1	44	1	-	-	-	-	-	-	216	7	-	50
Virginia	25	25	12	44	14	6	79	39	45	18	16	23	3	13	1	5	43	6	104
Washington	22	37	21	15	10	2	2	19	24	58	6	52	63	22	2	1	14	2	49
West Virginia	5	1	2	299	4	-	181	1	7	1	1	4	-	1	-	-	7	1	9
Wisconsin	6	87	-	1	2	1	2	-	118	324	-	5	1	-	-	-	3	-	8
Wyoming	-	2	1	-	-	-	-	1	1	2	-	2	55	24	-	-	-	3	2

[1]See discussion in text for definition of nonresident.

TABLE 1.—LIVE BIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1946—Continued

STATE OF OCCURRENCE	BIRTHS TO NONRESIDENTS[1]—Continued																		Total births to residents
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	1,423	834	3,264	1,882	891	3,523	808	978	943	1,754	2,568	283	737	6,251	1,158	1,993	1,690	445	3,288,672
Alabama	12	-	20	5	-	17	3	6	2	140	18	-	1	10	5	1	3	-	79,863
Arizona	7	3	28	50	7	13	2	-	7	9	58	7	-	2	8	1	7	1	16,345
Arkansas	5	3	8	453	3	4	-	1	-	36	534	1	-	-	1	2	4	1	45,280
California	16	5	36	99	68	51	1	2	12	18	100	22	6	12	61	9	27	8	218,484
Colorado	8	4	18	32	8	22	1	2	14	6	73	30	-	7	21	3	12	67	29,518
Connecticut	4	-	9	-	1	13	23	1	-	2	2	1	2	7	4	4	-	-	41,457
Delaware	1	-	1	-	-	167	-	-	-	-	1	-	-	6	-	2	-	-	6,802
District of Columbia	28	-	12	6	2	32	2	13	-	3	22	3	1	4,417	5	8	1	2	18,801
Florida	93	11	111	45	19	130	19	51	9	63	107	8	6	70	20	29	37	2	53,688
Georgia	101	-	21	4	1	33	4	358	-	128	17	2	1	14	4	3	6	2	85,667
Idaho	5	1	1	2	74	3	1	-	1	-	6	61	-	-	290	-	1	36	13,787
Illinois	3	1	38	-	6	7	-	1	3	9	10	1	-	4	4	2	208	1	174,825
Indiana	1	1	411	2	1	11	1	-	1	8	26	2	-	2	1	3	2	-	85,515
Iowa	-	1	9	2	2	4	-	-	216	3	10	2	-	2	1	-	97	2	56,186
Kansas	4	2	17	375	7	17	2	2	10	8	49	4	1	4	7	2	8	4	39,751
Kentucky	6	-	364	8	2	18	-	6	7	434	25	2	1	85	4	100	16	-	72,542
Louisiana	5	3	8	4	1	9	1	9	4	9	253	-	1	5	2	3	2	-	68,670
Maine	-	-	5	2	1	7	9	-	-	3	2	-	3	-	-	-	-	-	20,326
Maryland	30	4	47	11	5	411	7	16	8	15	23	8	1	231	15	357	9	3	50,347
Massachusetts	-	1	2	1	2	15	669	2	-	1	5	-	68	4	3	2	1	-	94,288
Michigan	3	2	137	1	1	25	1	-	4	7	77	-	-	4	3	5	503	-	138,277
Minnesota	3	411	7	4	1	5	-	1	278	1	22	2	-	2	4	2	559	2	67,266
Mississippi	9	2	12	7	2	12	1	4	3	157	47	-	1	7	1	4	6	2	61,690
Missouri	8	8	40	104	8	32	-	3	9	19	56	5	1	12	6	6	34	6	80,684
Montana	-	105	-	2	9	-	-	-	17	1	8	2	-	1	15	1	1	26	12,858
Nebraska	2	2	6	6	2	2	-	1	136	2	20	1	1	2	8	-	1	86	28,052
Nevada	-	1	-	3	6	1	-	-	-	2	3	17	-	-	2	-	-	-	3,283
New Hampshire	1	-	1	1	-	5	2	-	-	1	-	-	521	3	-	-	1	-	11,092
New Jersey	2	-	5	1	-	595	2	5	-	-	-	-	1	3	-	-	-	-	95,218
New Mexico	1	1	16	71	6	16	1	3	3	6	275	2	-	6	10	3	6	8	18,087
New York	16	1	74	8	6	1,034	17	9	2	6	24	4	109	34	11	8	7	1	286,546
North Carolina	...	2	46	15	6	78	6	390	4	131	43	6	1	368	18	17	23	3	100,679
North Dakota	-	...	2	3	1	-	-	-	142	-	12	1	-	1	7	-	3	1	15,284
Ohio	13	2	...	14	3	350	1	6	5	16	47	3	-	19	2	986	14	-	169,600
Oklahoma	8	3	20	...	16	21	2	3	5	9	312	2	1	6	9	4	8	2	50,416
Oregon	6	6	4	6	...	3	-	1	1	1	1	4	-	-	546	-	5	-	30,076
Pennsylvania	27	3	392	4	5	...	6	9	1	2	6	1	1	25	-	58	7	1	218,376
Rhode Island	-	-	2	2	1	2	...	3	-	-	1	1	1	1	-	-	-	-	16,761
South Carolina	352	2	8	-	3	14	-	...	-	13	5	-	1	14	3	2	-	-	53,963
South Dakota	-	210	3	-	2	-	1	-	...	2	1	-	-	-	-	2	2	78	14,580
Tennessee	183	5	82	36	12	48	10	38	9	...	92	8	1	456	21	25	14	3	77,336
Texas	1	1	7	411	1	7	-	1	2	7	...	4	-	8	2	2	2	-	181,379
Utah	-	-	6	5	7	3	-	-	1	2	9	...	-	4	8	3	6	84	18,220
Vermont	-	-	3	-	-	2	2	-	-	-	-	-	...	-	-	1	-	-	8,362
Virginia	436	3	50	14	9	98	8	21	4	448	48	6	4	...	20	318	18	2	75,861
Washington	11	17	18	33	571	28	3	8	14	16	77	37	1	13	...	14	20	9	51,988
West Virginia	12	2	1,152	4	1	158	-	1	2	7	7	2	-	373	-	...	5	1	48,673
Wisconsin	-	5	5	2	1	-	-	-	4	3	31	1	-	6	2	1	...	1	74,755
Wyoming	-	-	-	4	1	-	-	1	3	-	3	20	-	1	4	-	2	...	6,188

[1]See discussion in text for definition of nonresident.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946

(By place of residence. Births, deaths, and deaths under 1 year exclusive of stillbirths. Deaths exclusive of deaths among armed forces overseas. Stillbirths include only those for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated. Infant mortality rates and stillbirth ratios per 1,000 live births in a specified group. White and nonwhite are shown separately for those counties and urban places in which the 1940 populations for nonwhite races formed 10 percent or more of the total, or numbered 10,000 or more)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
UNITED STATES	3,288,672	2,708,223	402,759	167,048	1,395,617	740,658	80,020	557,356	111,063	33.8	74,849	22.8
White	2,913,645	2,538,882	327,585	40,171	1,232,337	---------	---------	---------	92,510	31.8	59,494	20.4
Nonwhite	375,027	169,341	75,174	126,877	163,280	---------	---------	---------	18,553	49.5	15,355	40.9
Urban	1,977,245	1,828,859	107,474	37,768	884,747	427,378	36,079	410,438	66,585	33.7	45,465	23.0
White	1,783,217	1,694,169	74,263	12,809	787,130	---------	---------	---------	56,535	31.7	36,970	20.7
Nonwhite	194,028	134,690	33,211	24,959	97,617	---------	---------	---------	10,050	51.8	8,495	43.8
Places of 100,000 or more	937,505	892,938	35,338	7,897	442,138	199,779	16,508	221,223	29,467	31.4	22,378	23.9
White	825,283	793,515	20,411	4,793	386,114	---------	---------	---------	23,985	29.1	17,673	21.4
Nonwhite	112,222	93,423	14,927	3,104	56,024	---------	---------	---------	5,482	48.8	4,705	41.9
Places of 25,000 to 100,000	407,057	380,908	17,507	8,091	175,916	84,672	8,834	80,086	13,891	34.1	9,036	22.2
White	372,718	358,682	11,415	2,198	158,759	---------	---------	---------	11,949	32.1	7,381	19.8
Nonwhite	34,339	22,226	6,092	5,893	17,157	---------	---------	---------	1,942	56.6	1,655	48.2
Places of 10,000 to 25,000	283,280	258,264	16,382	8,182	118,356	61,135	4,767	50,887	10,005	35.3	6,266	22.1
White	261,262	248,162	10,977	1,787	107,374	---------	---------	---------	8,853	33.9	5,283	20.2
Nonwhite	22,018	10,102	5,405	6,395	10,982	---------	---------	---------	1,152	52.3	983	44.6
Places of 2,500 to 10,000	349,403	296,749	38,247	13,598	148,337	81,792	5,950	58,240	13,222	37.8	7,785	22.3
White	323,954	287,810	31,460	4,031	134,883	---------	---------	---------	11,748	36.3	6,633	20.5
Nonwhite	25,449	8,939	6,787	9,567	13,454	---------	---------	---------	1,474	57.9	1,152	45.3
Rural	1,311,427	879,364	295,285	129,280	510,870	313,280	43,941	146,918	44,478	33.9	29,384	22.4
White	1,130,428	844,713	253,322	27,362	445,207	---------	---------	---------	35,975	31.8	22,524	19.9
Nonwhite	180,999	34,651	41,963	101,918	65,663	---------	---------	---------	8,503	47.0	6,860	37.9
Section A (States)												
ALABAMA	79,863	39,317	22,310	18,067	24,727	17,318	633	6,625	3,025	37.9	2,287	28.6
White	51,944	33,748	16,263	1,836	14,431	---------	---------	---------	1,663	32.0	1,145	22.0
Nonwhite	27,919	5,569	6,047	16,231	10,296	---------	---------	---------	1,362	48.8	1,142	40.9
Urban	27,070	19,813	4,156	3,087	10,027	6,174	277	3,505	1,125	41.6	804	29.7
White	17,785	15,957	1,691	135	5,570	---------	---------	---------	590	33.2	383	21.5
Nonwhite	9,285	3,856	2,465	2,952	4,457	---------	---------	---------	535	57.6	421	45.3
Places of 10,000 or more	19,926	15,087	2,751	2,080	7,559	4,502	274	2,727	814	40.9	594	29.8
White	12,501	11,671	776	53	4,025	---------	---------	---------	401	32.1	272	21.8
Nonwhite	7,425	3,416	1,975	2,027	3,534	---------	---------	---------	413	55.6	322	43.4
Places of 2,500 to 10,000	7,144	4,726	1,405	1,007	2,468	1,672	3	778	311	43.5	210	29.4
White	5,284	4,286	915	82	1,545	---------	---------	---------	189	35.8	111	21.0
Nonwhite	1,860	440	490	925	923	---------	---------	---------	122	65.6	99	53.2
Rural	52,793	19,504	18,154	14,980	14,700	11,144	356	3,120	1,900	36.0	1,483	28.1
White	34,159	17,791	14,572	1,701	8,861	---------	---------	---------	1,073	31.4	762	22.3
Nonwhite	18,634	1,713	3,582	13,279	5,839	---------	---------	---------	827	44.4	721	38.7
ARIZONA	16,345	13,949	1,325	516	5,737	2,756	185	2,699	679	41.5	330	20.2
White	14,379	12,609	1,131	445	4,813	---------	---------	---------	492	34.2	265	18.4
Nonwhite	1,966	1,340	194	71	924	---------	---------	---------	187	95.1	65	33.1
Urban	9,584	8,593	568	289	3,057	1,629	64	1,311	332	34.6	179	18.7
White	9,023	8,136	518	252	2,829	---------	---------	---------	293	32.5	160	17.7
Nonwhite	561	457	50	37	228	---------	---------	---------	39	69.5	19	33.9
Places of 10,000 or more	6,357	5,745	358	140	2,057	1,142	2	891	200	31.5	114	17.9
White	5,936	5,406	315	115	1,880	---------	---------	---------	172	29.0	102	17.2
Nonwhite	421	339	43	25	177	---------	---------	---------	28	66.5	12	28.5
Places of 2,500 to 10,000	3,227	2,848	210	149	1,000	487	62	420	132	40.9	65	20.1
White	3,087	2,730	203	137	949	---------	---------	---------	121	39.2	58	18.8
Nonwhite	140	119	7	12	51	---------	---------	---------	11	58.6	7	50.0
Rural	6,761	5,356	757	227	2,680	1,127	121	1,388	347	51.3	151	22.3
White	5,356	4,473	613	193	1,984	---------	---------	---------	199	37.2	105	19.6
Nonwhite	1,405	883	144	34	696	---------	---------	---------	148	105.3	46	32.7
ARKANSAS	45,280	24,248	13,524	7,218	14,338	9,603	600	3,984	1,283	28.3	883	19.5
White	35,165	22,880	11,286	838	10,307	---------	---------	---------	971	27.6	590	16.8
Nonwhite	10,115	1,368	2,238	6,380	4,031	---------	---------	---------	312	30.8	293	29.0
Urban	13,959	10,875	1,831	1,223	5,931	3,271	454	2,156	516	37.0	298	21.3
White	11,293	9,982	1,218	78	4,221	---------	---------	---------	378	33.5	218	19.3
Nonwhite	2,666	893	613	1,145	1,710	---------	---------	---------	138	51.8	80	30.0
Places of 10,000 or more	7,384	6,355	552	467	3,518	1,737	452	1,300	249	33.7	160	21.7
White	5,957	5,626	285	40	2,493	---------	---------	---------	174	29.2	122	20.5
Nonwhite	1,427	729	267	427	1,025	---------	---------	---------	75	52.6	38	26.6
Places of 2,500 to 10,000	6,575	4,520	1,279	756	2,413	1,534	2	856	267	40.6	138	21.0
White	5,336	4,356	933	38	1,728	---------	---------	---------	204	38.2	96	18.0
Nonwhite	1,239	164	346	718	685	---------	---------	---------	63	50.8	42	33.9
Rural	31,321	13,373	11,693	5,995	8,407	6,332	146	1,828	767	24.5	585	18.7
White	23,872	12,898	10,068	760	6,086	---------	---------	---------	593	24.8	372	15.6
Nonwhite	7,449	475	1,625	5,235	2,321	---------	---------	---------	174	23.4	213	28.6
CALIFORNIA	218,484	212,050	5,367	456	94,678	41,243	5,063	46,809	6,705	30.7	4,024	18.4
White	205,159	200,090	4,150	416	89,936	---------	---------	---------	6,177	30.1	3,640	17.7
Nonwhite	13,325	11,960	1,217	40	4,740	---------	---------	---------	528	39.6	384	28.8
Urban	164,740	160,835	3,184	353	69,423	30,723	1,195	36,258	4,864	29.5	2,984	18.1
White	153,867	150,898	2,244	331	65,875	---------	---------	---------	4,454	28.9	2,650	17.2
Nonwhite	10,873	9,637	940	22	3,548	---------	---------	---------	410	37.7	334	30.7

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
Section A (States)—Continued												
CALIFORNIA—Continued												
Places of 10,000 or more	139,836	136,606	2,608	339	60,652	27,077	1,067	31,469	4,016	28.7	2,575	18.4
White	129,519	127,285	1,701	319	57,284	----	----	----	3,633	28.0	2,254	17.4
Nonwhite	10,317	9,321	907	20	3,368	----	----	----	383	37.1	321	31.1
Places of 2,500 to 10,000	24,904	24,229	576	14	8,771	3,646	128	4,789	848	34.1	409	16.4
White	24,348	23,713	543	12	8,591	----	----	----	821	33.7	396	16.3
Nonwhite	556	516	33	2	180	----	----	----	27	49.6	13	23.4
Rural	53,744	51,215	2,183	103	25,255	10,520	3,868	10,551	1,841	34.3	1,040	19.4
White	51,292	49,092	1,906	85	24,063	----	----	----	1,723	33.6	990	19.3
Nonwhite	2,452	2,123	277	18	1,192	----	----	----	118	48.1	50	20.4
COLORADO	29,518	25,921	3,360	115	12,058	5,300	664	5,928	1,180	40.0	650	22.0
White	28,880	25,344	3,304	115	11,747	----	----	----	1,150	39.8	632	21.9
Nonwhite	638	577	56	-	311	----	----	----	30	47.0	18	28.2
Urban	18,550	17,105	1,355	44	8,243	3,387	558	4,207	706	38.1	419	22.6
White	18,039	16,631	1,319	44	7,997	----	----	----	687	38.1	402	22.3
Nonwhite	511	474	36	-	246	----	----	----	19	37.2	17	33.3
Places of 10,000 or more	14,588	13,619	910	33	6,628	2,618	548	3,388	520	35.6	310	21.3
White	14,115	13,178	879	33	6,392	----	----	----	501	35.5	293	20.8
Nonwhite	473	441	31	-	236	----	----	----	19	40.2	17	35.9
Places of 2,500 to 10,000	3,962	3,486	445	11	1,615	769	10	819	186	46.9	109	27.5
White	3,924	3,453	440	11	1,605	----	----	----	186	47.4	109	27.8
Nonwhite	38	33	5	-	10	----	----	----	-	0	-	0
Rural	10,968	8,816	2,005	71	3,815	1,913	106	1,721	474	43.2	231	21.1
White	10,841	8,713	1,985	71	3,750	----	----	----	463	42.7	230	21.2
Nonwhite	127	103	20	-	65	----	----	----	11	86.6	1	7.9
CONNECTICUT	41,457	41,001	433	4	19,127	8,754	1,330	8,643	1,154	27.8	669	16.1
White	40,334	39,921	393	2	18,639	----	----	----	1,113	27.6	643	15.9
Nonwhite	1,123	1,080	40	2	488	----	----	----	41	36.5	26	23.2
Urban	28,576	28,341	229	3	13,259	5,708	694	6,800	848	29.7	515	18.0
White	27,566	27,370	192	1	12,849	----	----	----	810	29.4	494	17.9
Nonwhite	1,010	971	37	2	410	----	----	----	38	37.6	21	20.8
Places of 10,000 or more	27,093	26,883	203	3	12,609	5,395	683	6,291	785	29.0	489	18.0
White	26,094	25,923	166	1	12,204	----	----	----	748	28.7	469	17.9
Nonwhite	999	960	37	2	405	----	----	----	37	37.0	21	21.0
Places of 2,500 to 10,000	1,485	1,458	26	-	650	313	11	309	63	42.4	26	17.5
White	1,474	1,447	26	-	645	----	----	----	62	42.1	26	17.6
Nonwhite	11	11	-	-	5	----	----	----	1	90.9	-	0
Rural	12,879	12,660	204	1	5,868	3,046	636	2,043	306	23.8	154	12.0
White	12,766	12,551	201	1	5,790	----	----	----	303	23.7	149	11.7
Nonwhite	113	109	3	-	78	----	----	----	3	26.5	5	44.2
DELAWARE	6,802	6,032	383	336	3,229	1,661	324	1,220	202	29.7	141	20.7
White	5,811	5,466	270	64	2,643	----	----	----	149	25.6	101	17.4
Nonwhite	991	566	113	272	586	----	----	----	53	53.5	40	40.4
Urban	3,531	3,362	53	106	1,687	824	30	820	97	27.5	75	21.2
White	3,019	2,965	37	17	1,384	----	----	----	76	25.2	52	17.2
Nonwhite	512	397	16	89	303	----	----	----	21	41.0	23	44.9
Places of 10,000 or more	2,659	2,594	24	38	1,322	616	28	665	73	27.5	55	20.7
White	2,255	2,231	15	9	1,088	----	----	----	56	24.8	39	17.3
Nonwhite	404	363	9	29	234	----	----	----	17	42.1	16	39.6
Places of 2,500 to 10,000	872	768	29	68	365	208	2	155	24	27.5	20	22.9
White	764	734	22	8	296	----	----	----	20	26.2	13	17.0
Nonwhite	108	34	7	60	69	----	----	----	4	37.0	7	64.8
Rural	3,271	2,670	330	230	1,542	837	294	400	105	32.1	66	20.2
White	2,792	2,501	233	47	1,259	----	----	----	73	26.1	49	17.6
Nonwhite	479	169	97	183	283	----	----	----	32	66.8	17	35.5
DISTRICT OF COLUMBIA	18,601	17,661	932	4	8,289	3,190	673	4,388	767	41.2	484	26.0
White	12,279	12,159	117	1	5,347	----	----	----	440	35.8	256	20.8
Nonwhite	6,322	5,502	815	3	2,942	----	----	----	327	51.7	228	36.1
FLORIDA	53,688	39,383	6,013	8,165	23,005	12,833	598	8,922	2,116	39.4	1,599	29.8
White	40,114	35,201	3,959	922	16,396	----	----	----	1,387	34.6	874	21.8
Nonwhite	13,574	4,182	2,054	7,243	6,609	----	----	----	729	53.7	725	53.4
Urban	30,817	25,148	1,890	3,707	14,797	7,470	465	6,426	1,244	40.4	890	28.9
White	22,986	22,012	780	183	10,592	----	----	----	810	35.2	474	20.6
Nonwhite	7,831	3,137	1,110	3,524	4,205	----	----	----	434	55.4	416	53.1
Places of 10,000 or more	23,527	19,978	1,028	2,478	11,247	5,627	67	5,205	930	39.5	678	28.8
White	17,820	17,331	352	128	8,151	----	----	----	619	34.7	367	20.6
Nonwhite	5,707	2,647	676	2,347	3,096	----	----	----	311	54.5	311	54.5
Places of 2,500 to 10,000	7,290	5,171	862	1,231	3,550	1,843	398	1,221	314	43.1	212	29.1
White	5,166	4,681	428	54	2,441	----	----	----	191	37.0	107	20.7
Nonwhite	2,124	490	434	1,177	1,109	----	----	----	123	57.9	105	49.4
Rural	22,871	14,234	4,123	4,458	8,208	5,363	131	2,496	872	38.1	709	31.0
White	17,128	13,189	3,179	739	5,804	----	----	----	577	33.7	400	23.4
Nonwhite	5,743	1,045	944	3,719	2,404	----	----	----	295	51.4	309	53.8

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section A (States)—Continued												
GEORGIA	85,667	51,054	15,603	18,688	27,511	18,058	1,075	8,089	3,075	35.9	2,285	26.7
White	56,385	44,310	10,377	1,589	16,265	---	---	---	1,707	35.9	1,093	19.4
Nonwhite	29,282	6,744	5,226	17,099	11,246	---	---	---	1,368	46.7	1,192	40.7
Urban	36,247	29,193	3,674	3,306	12,934	7,713	216	4,903	1,379	38.0	1,039	28.7
White	25,608	23,900	1,518	169	7,374	---	---	---	767	30.0	501	19.6
Nonwhite	10,639	5,293	2,156	3,138	5,560	---	---	---	612	57.5	538	50.6
Places of 10,000 or more	27,129	23,185	2,222	1,669	9,780	5,550	209	3,960	976	36.0	814	30.0
White	19,031	18,385	544	88	5,457	---	---	---	515	27.1	384	20.2
Nonwhite	8,098	4,800	1,678	1,581	4,323	---	---	---	461	56.9	430	53.1
Places of 2,500 to 10,000	9,118	6,008	1,452	1,637	3,154	2,163	7	943	403	44.2	225	24.7
White	6,577	5,515	974	80	1,917	---	---	---	252	38.3	117	17.8
Nonwhite	2,541	493	478	1,557	1,237	---	---	---	151	59.4	108	42.5
Rural	49,420	21,861	11,929	15,362	14,577	10,345	859	3,186	1,696	34.3	1,246	25.2
White	30,777	20,410	8,859	1,421	8,891	---	---	---	940	30.5	592	19.2
Nonwhite	18,643	1,451	3,070	13,961	5,686	---	---	---	756	40.6	654	35.1
IDAHO	13,787	13,300	400	13	4,585	2,224	212	2,060	453	32.9	251	18.2
White	13,571	13,098	391	12	4,500	---	---	---	446	32.9	243	17.9
Nonwhite	216	202	9	1	85	---	---	---	7	32.4	8	37.0
Urban	6,136	6,005	118	3	2,158	950	30	1,151	239	39.0	116	18.9
White	6,077	5,948	117	3	2,131	---	---	---	238	39.2	112	18.4
Nonwhite	59	57	1	-	27	---	---	---	1	16.9	4	67.8
Places of 10,000 or more	3,738	3,705	24	3	1,320	540	21	748	141	37.7	70	18.7
White	3,705	3,672	24	3	1,296	---	---	---	140	37.8	69	18.6
Nonwhite	33	33	-	-	24	---	---	---	1	30.3	1	30.3
Places of 2,500 to 10,000	2,398	2,300	94	-	838	410	9	403	98	40.9	46	19.2
White	2,372	2,276	93	-	835	---	---	---	98	41.3	43	18.1
Nonwhite	26	24	1	-	3	---	---	---	-	0	3	115.4
Rural	7,651	7,295	282	10	2,427	1,274	182	909	214	28.0	135	17.6
White	7,494	7,150	274	9	2,369	---	---	---	208	27.8	131	17.5
Nonwhite	157	145	8	1	58	---	---	---	6	38.2	4	25.5
ILLINOIS	174,825	162,957	11,706	100	89,566	42,797	6,170	39,985	5,316	30.4	3,667	21.0
White	162,314	152,843	9,354	77	82,574	---	---	---	4,742	29.2	3,188	19.6
Nonwhite	12,511	10,114	2,352	23	6,992	---	---	---	574	45.9	479	38.3
Urban	134,052	128,205	5,720	92	66,827	31,348	2,074	32,956	4,080	30.4	2,919	21.8
White	122,068	118,359	3,614	71	60,584	---	---	---	3,536	29.0	2,466	20.2
Nonwhite	11,984	9,846	2,106	21	6,243	---	---	---	544	45.4	453	37.8
Places of 10,000 or more	115,260	110,880	4,267	91	57,988	26,584	1,975	29,090	3,465	30.1	2,504	21.7
White	103,559	101,233	2,244	71	51,946	---	---	---	2,936	28.4	2,064	19.9
Nonwhite	11,701	9,647	2,023	20	6,042	---	---	---	529	45.2	440	37.6
Places of 2,500 to 10,000	18,792	17,325	1,453	1	8,839	4,764	99	3,868	615	32.7	415	22.1
White	18,509	17,126	1,370	-	8,638	---	---	---	600	32.4	402	21.7
Nonwhite	283	199	83	1	201	---	---	---	15	53.0	13	45.9
Rural	40,773	34,752	5,986	8	22,739	11,449	4,096	7,029	1,236	30.3	748	18.3
White	40,246	34,484	5,740	6	21,890	---	---	---	1,206	30.0	722	17.9
Nonwhite	527	268	246	2	749	---	---	---	30	56.9	26	49.3
INDIANA	85,515	74,686	10,756	42	39,034	23,026	2,160	13,502	2,697	31.5	1,583	18.5
White	82,279	72,599	9,621	32	37,023	---	---	---	2,512	30.5	1,464	17.8
Nonwhite	3,236	2,087	1,135	10	2,011	---	---	---	185	57.2	119	36.8
Urban	53,034	48,828	4,151	40	22,594	12,455	532	9,402	1,728	32.6	1,020	18.2
White	49,893	46,783	3,069	30	20,785	---	---	---	1,550	31.1	908	18.2
Nonwhite	3,141	2,045	1,082	10	1,809	---	---	---	178	58.7	114	36.3
Places of 10,000 or more	44,298	40,996	3,250	38	18,427	9,877	435	7,956	1,436	32.4	850	19.2
White	41,213	38,982	2,193	28	16,672	---	---	---	1,260	30.6	738	17.9
Nonwhite	3,085	2,014	1,057	10	1,755	---	---	---	176	57.1	112	36.3
Places of 2,500 to 10,000	8,736	7,832	901	2	4,167	2,578	97	1,446	292	33.4	170	19.5
White	8,680	7,801	876	2	4,113	---	---	---	290	33.4	168	19.4
Nonwhite	56	31	25	-	54	---	---	---	2	35.7	2	35.7
Rural	32,481	25,858	6,605	2	16,440	10,571	1,628	4,100	969	29.8	563	17.3
White	32,386	25,816	6,552	2	16,238	---	---	---	962	29.7	558	17.2
Nonwhite	95	42	53	-	202	---	---	---	7	73.7	5	52.6
IOWA	56,186	51,603	4,290	10	25,758	13,416	1,469	10,346	1,681	29.9	1,020	18.2
White	55,774	51,431	4,257	4	25,501	---	---	---	1,658	29.7	1,007	18.1
Nonwhite	412	372	33	6	257	---	---	---	23	55.8	13	31.6
Urban	26,531	25,784	723	4	13,727	6,086	787	6,557	943	35.5	488	18.4
White	26,163	25,445	697	2	13,506	---	---	---	924	35.3	477	18.2
Nonwhite	368	339	26	2	221	---	---	---	19	51.6	11	29.9
Places of 10,000 or more	19,483	19,057	409	3	8,949	3,840	161	4,789	684	35.1	353	18.1
White	19,136	18,736	386	1	8,763	---	---	---	667	34.9	344	18.0
Nonwhite	347	321	23	2	186	---	---	---	17	49.0	9	25.9
Places of 2,500 to 10,000	7,048	6,727	314	1	4,778	2,246	626	1,768	259	36.7	135	19.2
White	7,027	6,709	311	1	4,743	---	---	---	257	36.6	133	18.9
Nonwhite	21	18	3	-	35	---	---	---	2	95.2	2	95.2
Rural	29,655	26,019	3,567	6	12,031	7,330	682	3,789	738	24.9	532	17.9
White	29,611	25,986	3,560	2	11,995	---	---	---	734	24.8	530	17.9
Nonwhite	44	33	7	4	36	---	---	---	4	90.9	2	45.5

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section A (States)—Continued												
KANSAS	39,751	35,698	3,021	7	16,059	9,426	847	7,538	1,217	30.6	689	17.3
White	38,266	34,873	3,367	5	17,066	----	----	----	1,165	30.4	636	16.6
Nonwhite	1,485	1,025	454	2	993	----	----	----	52	35.0	53	35.7
Urban	21,706	20,531	1,163	2	9,602	4,484	181	4,803	768	35.4	390	18.0
White	20,379	19,595	775	1	8,829	----	----	----	721	35.4	343	16.8
Nonwhite	1,327	936	388	1	773	----	----	----	47	35.4	47	35.4
Places of 10,000 or more	18,403	15,573	822	1	6,749	3,102	145	3,417	576	35.1	301	18.4
White	15,199	14,733	460	-	6,034	----	----	----	536	35.3	256	16.8
Nonwhite	1,204	840	362	1	715	----	----	----	40	33.2	45	37.4
Places of 2,500 to 10,000	5,303	4,958	341	1	2,853	1,382	36	1,386	192	36.2	89	16.8
White	5,180	4,862	315	1	2,795	----	----	----	185	35.7	87	16.8
Nonwhite	123	96	26	-	58	----	----	----	7	56.9	2	16.3
Rural	18,045	15,367	2,658	5	8,457	4,942	666	2,735	449	24.9	299	16.6
White	17,887	15,278	2,592	4	8,237	----	----	----	444	24.8	293	16.4
Nonwhite	158	89	66	1	220	----	----	----	5	31.6	6	38.0
KENTUCKY	72,542	36,749	30,765	4,836	27,410	18,976	918	7,311	2,900	40.0	1,514	20.9
White	69,142	35,375	28,874	4,706	24,053	----	----	----	2,644	38.2	1,358	19.6
Nonwhite	3,400	1,374	1,891	130	3,357	----	----	----	256	75.3	156	45.9
Urban	24,190	19,798	4,319	66	11,346	6,779	280	4,189	1,039	43.0	550	22.7
White	22,124	18,689	3,367	60	9,107	----	----	----	878	39.7	449	20.3
Nonwhite	2,066	1,107	952	6	2,239	----	----	----	161	77.9	101	48.9
Places of 10,000 or more	17,946	15,654	2,274	12	8,443	4,808	267	3,303	747	41.6	394	22.0
White	16,344	14,662	1,666	11	6,771	----	----	----	636	38.9	319	19.5
Nonwhite	1,602	992	608	1	1,672	----	----	----	111	69.3	75	46.8
Places of 2,500 to 10,000	6,244	4,142	2,045	54	2,903	1,971	13	886	292	46.8	156	25.0
White	5,780	4,027	1,701	49	2,336	----	----	----	242	41.9	130	22.5
Nonwhite	464	115	344	5	567	----	----	----	50	107.8	26	56.0
Rural	48,352	16,953	26,446	4,770	16,064	12,197	638	3,122	1,861	38.5	964	19.9
White	47,018	16,686	25,507	4,646	14,946	----	----	----	1,766	37.6	909	19.3
Nonwhite	1,334	267	939	124	1,118	----	----	----	95	71.2	55	41.2
LOUISIANA	68,670	48,860	7,326	12,402	22,030	12,625	700	8,526	2,553	37.2	1,865	27.2
White	43,244	36,628	4,992	1,588	12,957	----	----	----	1,272	29.4	836	19.3
Nonwhite	25,426	12,232	2,334	10,814	9,073	----	----	----	1,281	50.4	1,029	40.5
Urban	31,822	28,224	1,301	2,256	11,998	5,957	499	5,454	1,278	40.2	923	29.0
White	21,422	20,406	675	323	7,439	----	----	----	865	31.0	441	20.6
Nonwhite	10,400	7,818	626	1,933	4,559	----	----	----	613	58.9	482	46.3
Places of 10,000 or more	23,368	21,611	712	1,008	9,048	4,447	166	4,391	869	37.2	645	27.8
White	15,170	14,728	268	159	5,677	----	----	----	439	28.9	311	20.5
Nonwhite	8,198	6,883	444	849	3,371	----	----	----	430	52.5	334	40.7
Places of 2,500 to 10,000	8,454	6,613	589	1,248	2,950	1,510	333	1,063	409	48.4	278	32.9
White	6,252	5,678	407	164	1,762	----	----	----	226	36.1	130	20.8
Nonwhite	2,202	935	182	1,084	1,188	----	----	----	183	83.1	148	67.2
Rural	36,848	20,636	6,025	10,146	10,032	6,668	201	3,072	1,275	34.6	942	25.6
White	21,822	16,222	4,317	1,265	5,518	----	----	----	607	27.8	395	18.1
Nonwhite	15,026	4,414	1,709	8,881	4,514	----	----	----	668	44.5	547	36.4
MAINE	20,326	17,666	2,577	12	10,058	5,687	472	3,512	833	41.0	345	17.0
White	20,290	17,638	2,570	11	10,023	----	----	----	829	40.9	345	17.0
Nonwhite	36	28	7	1	35	----	----	----	4	111.1	-	0
Urban	8,448	7,998	443	1	4,229	2,076	401	1,676	326	38.6	131	15.5
White	8,429	7,982	440	1	4,216	----	----	----	325	38.6	131	15.5
Nonwhite	19	16	3	-	13	----	----	----	1	52.6	-	0
Places of 10,000 or more	6,176	5,927	242	1	3,129	1,444	391	1,243	222	35.9	98	15.9
White	6,166	5,919	240	1	3,118	----	----	----	221	35.8	98	15.9
Nonwhite	10	8	2	-	11	----	----	----	1	100.0	-	0
Places of 2,500 to 10,000	2,272	2,071	201	-	1,100	632	10	433	104	45.8	33	14.5
White	2,263	2,063	200	-	1,098	----	----	----	104	46.0	33	14.6
Nonwhite	9	8	1	-	2	----	----	----	-	0	-	0
Rural	11,878	9,668	2,134	11	5,829	3,811	71	1,836	507	42.7	214	18.0
White	11,861	9,658	2,130	10	5,807	----	----	----	504	42.5	219	18.0
Nonwhite	17	12	4	1	22	----	----	----	3	176.5	-	0
MARYLAND	50,347	40,647	7,454	2,195	21,783	12,508	1,064	8,021	1,713	34.0	1,274	25.3
White	41,083	35,597	4,882	580	17,237	----	----	----	1,207	29.4	847	20.6
Nonwhite	9,264	5,050	2,592	1,615	4,546	----	----	----	506	54.6	427	46.1
Urban	28,477	24,063	3,540	858	13,241	7,385	304	5,421	977	34.3	743	26.1
White	22,394	20,291	1,820	268	10,235	----	----	----	665	29.7	473	21.1
Nonwhite	6,083	3,772	1,720	590	3,006	----	----	----	312	51.3	270	44.4
Places of 10,000 or more	25,560	21,424	3,327	798	12,310	6,849	279	5,061	901	35.3	668	26.9
White	19,676	17,747	1,655	264	9,434	----	----	----	602	30.6	425	21.6
Nonwhite	5,884	3,677	1,672	534	2,876	----	----	----	299	50.8	263	44.7
Places of 2,500 to 10,000	2,917	2,639	213	60	931	536	25	360	76	26.1	55	18.9
White	2,718	2,544	165	4	801	----	----	----	63	23.2	48	17.7
Nonwhite	199	95	48	56	130	----	----	----	13	65.3	7	35.2
Rural	21,870	16,584	3,914	1,387	8,542	5,123	760	2,600	736	33.7	531	24.3
White	18,689	15,306	3,042	312	7,002	----	----	----	542	29.0	374	20.0
Nonwhite	3,181	1,278	872	1,025	1,540	----	----	----	194	61.0	157	49.4

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section A (States)—Continued												
MASSACHUSETTS	94,288	91,692	2,583	3	51,398	25,161	4,370	20,926	2,984	31.6	2,119	22.5
White	92,787	90,313	2,463	1	50,487	----	----	----	2,914	31.4	2,065	22.3
Nonwhite	1,501	1,379	120	2	911	----	----	----	70	46.6	54	36.0
Urban	84,336	82,160	2,167	2	45,376	21,982	3,481	19,124	2,671	31.7	1,897	22.5
White	82,967	80,888	2,072	-	44,545	----	----	----	2,605	31.4	1,849	22.3
Nonwhite	1,369	1,272	95	2	831	----	----	----	66	48.2	48	35.1
Places of 10,000 or more	78,002	76,108	1,885	2	42,225	20,028	3,342	18,134	2,491	31.9	1,766	22.6
White	76,678	74,877	1,794	-	41,417	----	----	----	2,428	31.7	1,720	22.4
Nonwhite	1,324	1,231	91	2	808	----	----	----	63	47.6	46	34.7
Places of 2,500 to 10,000	6,334	6,052	282	-	3,151	1,954	139	990	180	28.4	131	20.7
White	6,289	6,011	278	-	3,128	----	----	----	177	28.1	129	20.5
Nonwhite	45	41	4	-	23	----	----	----	3	66.7	2	44.4
Rural	9,952	9,532	416	1	6,022	3,179	889	1,802	313	31.5	222	22.3
White	9,820	9,425	391	1	5,942	----	----	----	309	31.5	216	22.0
Nonwhite	132	107	25	-	80	----	----	----	4	30.3	6	45.5
MICHIGAN	139,277	130,068	8,814	139	55,167	27,316	4,309	22,591	4,552	32.7	3,141	22.6
White	130,945	123,243	7,404	92	51,544	----	----	----	4,189	32.0	2,827	21.6
Nonwhite	8,332	6,825	1,410	47	3,623	----	----	----	363	43.6	314	37.7
Urban	97,678	93,905	3,623	51	34,661	16,161	852	17,066	3,123	32.0	2,313	23.7
White	89,904	87,356	2,472	18	31,747	----	----	----	2,789	31.0	2,006	22.3
Nonwhite	7,774	6,549	1,151	33	2,914	----	----	----	334	43.0	307	39.5
Places of 10,000 or more	83,756	80,679	2,964	32	29,676	13,428	812	14,964	2,653	31.7	1,998	23.9
White	76,357	74,402	1,903	8	26,858	----	----	----	2,330	30.5	1,702	22.3
Nonwhite	7,399	6,277	1,061	24	2,818	----	----	----	323	43.7	296	40.0
Places of 2,500 to 10,000	13,922	13,228	659	19	4,985	2,733	40	2,102	470	33.8	315	22.6
White	13,547	12,954	569	10	4,889	----	----	----	459	33.9	304	22.4
Nonwhite	375	272	90	9	96	----	----	----	11	29.3	11	29.3
Rural	41,599	36,163	5,191	88	20,506	11,155	3,457	5,525	1,429	34.4	828	19.9
White	41,041	35,887	4,932	74	19,797	----	----	----	1,400	34.1	821	20.0
Nonwhite	558	276	259	14	709	----	----	----	29	52.0	7	12.5
MINNESOTA	67,286	64,049	2,861	164	26,937	12,112	1,872	12,609	1,925	28.6	1,329	19.8
White	66,511	63,368	2,852	161	26,577	----	----	----	1,869	28.1	1,301	19.6
Nonwhite	755	681	29	3	360	----	----	----	56	74.2	28	37.1
Urban	36,018	35,322	575	109	15,612	5,821	1,530	8,140	1,133	31.5	714	19.8
White	35,685	35,006	562	106	15,432	----	----	----	1,114	31.2	703	19.7
Nonwhite	333	316	13	3	180	----	----	----	19	57.1	11	33.0
Places of 10,000 or more	27,451	27,007	339	94	11,720	4,333	1,014	6,285	802	29.2	554	20.2
White	27,136	26,709	326	91	11,553	----	----	----	785	28.9	544	20.0
Nonwhite	315	298	13	3	167	----	----	----	17	54.0	10	31.7
Places of 2,500 to 10,000	8,567	8,315	236	15	3,892	1,488	516	1,855	331	38.6	160	18.7
White	8,549	8,297	236	15	3,879	----	----	----	329	38.5	159	18.6
Nonwhite	18	18	-	-	13	----	----	----	2	111.1	1	55.6
Rural	31,248	28,727	2,306	55	11,325	6,291	342	4,469	792	25.3	615	19.7
White	30,826	28,362	2,290	55	11,145	----	----	----	755	24.5	598	19.4
Nonwhite	422	365	16	-	180	----	----	----	37	87.7	17	40.3
MISSISSIPPI	61,690	23,837	15,096	22,600	19,417	13,988	511	4,732	2,311	37.5	1,882	30.5
White	29,975	20,787	8,299	841	9,130	----	----	----	1,036	34.6	608	20.3
Nonwhite	31,715	3,050	6,797	21,759	10,287	----	----	----	1,275	40.2	1,274	40.2
Urban	15,922	11,204	2,129	3,571	5,652	3,376	92	2,108	707	41.8	466	27.5
White	10,589	9,833	641	107	3,020	----	----	----	436	41.2	198	18.7
Nonwhite	5,333	1,371	1,488	3,464	2,632	----	----	----	271	42.8	268	42.3
Places of 10,000 or more	9,892	6,958	957	1,966	3,473	2,008	90	1,323	401	40.5	309	31.2
White	6,205	5,991	163	44	1,815	----	----	----	233	37.6	126	20.3
Nonwhite	3,687	967	794	1,922	1,658	----	----	----	168	45.6	183	49.6
Places of 2,500 to 10,000	7,030	4,246	1,172	1,605	2,179	1,368	2	783	306	43.5	157	22.3
White	4,384	3,842	478	63	1,205	----	----	----	205	48.3	72	16.4
Nonwhite	2,646	404	694	1,542	974	----	----	----	103	38.9	85	32.1
Rural	44,788	12,633	12,967	19,029	13,765	10,612	419	2,626	1,604	35.8	1,416	31.6
White	19,386	10,954	7,658	734	6,110	----	----	----	600	31.0	410	21.1
Nonwhite	25,362	1,679	5,309	18,295	7,655	----	----	----	1,004	39.6	1,006	39.6
MISSOURI	80,684	63,122	16,194	905	42,451	23,326	2,172	16,499	2,665	33.0	1,824	22.6
White	74,637	58,717	15,064	488	38,209	----	----	----	2,332	31.2	1,538	20.6
Nonwhite	6,047	4,405	1,130	417	4,242	----	----	----	333	55.1	286	47.3
Urban	47,073	43,104	3,593	312	25,724	11,798	1,297	12,387	1,636	34.8	1,098	23.3
White	42,042	38,925	2,893	190	22,133	----	----	----	1,350	32.1	849	20.2
Nonwhite	5,031	4,179	700	122	3,591	----	----	----	286	56.8	249	49.5
Places of 10,000 or more	39,056	37,026	1,788	198	21,446	9,261	1,009	10,984	1,359	34.8	923	23.6
White	34,376	32,846	1,251	157	18,171	----	----	----	1,091	31.7	697	20.3
Nonwhite	4,680	4,080	537	41	3,275	----	----	----	268	57.3	226	48.3
Places of 2,500 to 10,000	8,017	6,078	1,805	114	4,278	2,537	288	1,403	277	34.6	175	21.8
White	7,666	5,979	1,642	33	3,962	----	----	----	259	33.8	152	19.8
Nonwhite	351	99	163	81	316	----	----	----	18	51.3	23	65.5
Rural	33,611	20,018	12,601	593	16,727	11,528	875	4,112	1,029	30.6	726	21.6
White	32,595	19,792	12,171	298	16,076	----	----	----	982	30.1	689	21.1
Nonwhite	1,016	226	430	295	651	----	----	----	47	46.3	37	36.4

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section A (States)—Continued												
MONTANA	12,858	12,422	326	43	5,595	2,222	231	3,072	448	34.8	224	17.4
White	12,229	11,908	294	14	5,301	----	----	----	383	31.3	213	17.4
Nonwhite	629	514	32	29	294	----	----	----	65	103.3	11	17.5
Urban	6,338	6,260	74	3	3,003	1,036	18	1,930	238	37.6	118	18.6
White	6,290	6,216	72	1	2,960	----	----	----	236	37.5	118	18.8
Nonwhite	48	44	2	2	43	----	----	----	2	41.7	-	0
Places of 10,000 or more	3,921	3,891	27	2	1,959	624	4	1,322	148	37.7	86	21.9
White	3,897	3,868	27	1	1,933	----	----	----	148	38.0	86	22.1
Nonwhite	24	23	-	1	26	----	----	----	-	0	-	0
Places of 2,500 to 10,000	2,417	2,369	47	1	1,044	412	14	608	90	37.2	32	13.2
White	2,393	2,348	45	-	1,027	----	----	----	88	36.8	32	13.4
Nonwhite	24	21	2	1	17	----	----	----	2	83.3	-	0
Rural	6,520	6,162	252	40	2,592	1,188	213	1,142	210	32.2	106	16.3
White	5,939	5,692	222	15	2,341	----	----	----	147	24.8	95	16.0
Nonwhite	581	470	30	27	251	----	----	----	63	108.4	11	18.9
NEBRASKA	28,052	25,505	2,528	2	12,440	6,575	591	5,009	846	30.2	514	18.3
White	27,477	25,012	2,454	2	12,147	----	----	----	814	29.6	500	18.2
Nonwhite	575	493	75	-	293	----	----	----	32	55.7	14	24.3
Urban	13,583	13,072	504	1	6,020	2,847	141	2,952	434	32.0	257	18.9
White	13,131	12,693	443	1	5,781	----	----	----	412	31.4	246	18.7
Nonwhite	452	389	61	-	239	----	----	----	22	48.7	11	24.3
Places of 10,000 or more	10,584	10,228	351	1	4,475	2,057	95	2,269	323	30.5	201	19.0
White	10,151	9,857	290	1	4,247	----	----	----	303	29.8	191	18.8
Nonwhite	433	371	61	-	228	----	----	----	20	46.2	10	23.1
Places of 2,500 to 10,000	2,999	2,844	153	-	1,545	790	46	683	111	37.0	56	18.7
White	2,980	2,826	153	-	1,534	----	----	----	109	36.6	55	18.5
Nonwhite	19	18	-	-	11	----	----	----	2	105.3	1	52.6
Rural	14,469	12,433	2,025	1	6,420	3,728	450	2,057	412	28.5	257	17.8
White	14,348	12,329	2,011	1	6,386	----	----	----	402	28.0	254	17.7
Nonwhite	123	104	14	-	54	----	----	----	10	81.3	3	24.4
NEVADA	3,283	3,156	106	9	1,502	643	44	810	130	39.6	69	21.0
White	3,037	2,957	75	2	1,364	----	----	----	116	38.2	58	19.1
Nonwhite	246	199	31	7	138	----	----	----	14	56.9	11	44.7
Urban	1,606	1,579	26	-	764	260	27	476	64	39.9	37	23.0
White	1,530	1,514	15	-	716	----	----	----	58	37.9	35	22.9
Nonwhite	76	65	11	-	48	----	----	----	6	78.9	2	26.3
Places of 10,000 or more	752	745	7	-	398	126	16	255	26	34.6	20	26.6
White	736	730	6	-	384	----	----	----	26	35.3	19	25.8
Nonwhite	16	15	1	-	14	----	----	----	-	0	1	62.5
Places of 2,500 to 10,000	854	834	19	-	366	134	11	221	38	44.5	17	19.9
White	794	784	9	-	332	----	----	----	32	40.3	16	20.2
Nonwhite	60	50	10	-	34	----	----	----	6	100.0	1	16.7
Rural	1,677	1,577	80	9	738	383	17	334	66	39.4	32	19.1
White	1,507	1,443	60	2	648	----	----	----	58	38.5	23	15.3
Nonwhite	170	134	20	7	90	----	----	----	8	47.1	9	52.9
NEW HAMPSHIRE	11,092	10,704	384	1	6,049	3,124	639	2,142	348	31.4	244	22.0
White	11,074	10,686	384	1	6,038	----	----	----	346	31.2	244	22.0
Nonwhite	18	18	-	-	11	----	----	----	2	111.1	-	0
Urban	6,463	6,353	110	-	3,419	1,891	420	1,348	208	32.2	144	22.3
White	6,447	6,337	110	-	3,412	----	----	----	207	32.1	144	22.3
Nonwhite	16	16	-	-	7	----	----	----	1	62.5	-	0
Places of 10,000 or more	5,617	5,526	91	-	3,001	1,362	418	1,171	181	32.2	126	22.4
White	5,601	5,510	91	-	2,994	----	----	----	180	32.1	126	22.5
Nonwhite	16	16	-	-	7	----	----	----	1	62.5	-	0
Places of 2,500 to 10,000	846	827	19	-	418	229	2	178	27	31.9	18	21.3
White	846	827	19	-	418	----	----	----	27	31.9	18	21.3
Nonwhite	-	-	-	-	-	----	----	----	-	-	-	-
Rural	4,629	4,351	274	1	2,630	1,533	219	793	140	30.2	100	21.6
White	4,627	4,349	274	1	2,626	----	----	----	139	30.0	100	21.6
Nonwhite	2	2	-	-	4	----	----	----	1	500.0	-	0
NEW JERSEY	95,218	90,793	3,761	628	46,392	23,134	3,189	19,732	2,715	28.5	2,110	22.2
White	88,620	85,149	2,878	572	43,109	----	----	----	2,398	27.1	1,857	21.0
Nonwhite	6,598	5,644	883	56	3,283	----	----	----	317	48.0	253	38.3
Urban	77,181	74,261	2,337	562	36,074	18,092	1,119	16,608	2,176	28.2	1,698	22.0
White	71,567	69,324	1,710	518	33,460	----	----	----	1,913	26.7	1,470	20.5
Nonwhite	5,614	4,937	627	44	2,614	----	----	----	263	46.8	228	40.3
Places of 10,000 or more	62,843	60,334	1,790	501	29,407	14,516	606	14,079	1,781	28.4	1,402	22.4
White	57,509	55,793	1,237	466	27,093	----	----	----	1,544	26.8	1,190	20.7
Nonwhite	5,134	4,541	553	35	2,324	----	----	----	237	46.2	212	41.3
Places of 2,500 to 10,000	14,338	13,927	547	61	6,667	3,576	513	2,529	395	27.2	294	20.2
White	14,058	13,531	473	52	6,377	----	----	----	369	26.2	280	19.9
Nonwhite	480	396	74	9	290	----	----	----	26	54.2	14	29.2
Rural	18,037	16,532	1,424	66	10,318	5,042	2,070	3,124	539	29.9	414	23.0
White	17,053	15,825	1,168	54	9,649	----	----	----	485	28.4	387	22.7
Nonwhite	984	707	256	12	669	----	----	----	54	54.9	27	27.4

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section A (States)—Continued												
NEW MEXICO	18,087	11,137	3,750	2,318	5,436	3,101	110	2,072	1,415	78.2	380	21.0
White	16,674	10,269	3,664	2,190	4,814	--------	--------	--------	1,201	72.0	338	20.3
Nonwhite	1,413	868	86	128	622	--------	--------	--------	214	151.5	42	29.7
Urban	7,267	5,487	1,009	627	2,145	1,064	1	1,004	501	68.9	137	18.9
White	7,035	5,292	977	626	2,057	--------	--------	--------	477	67.8	126	17.9
Nonwhite	232	195	32	1	88	--------	--------	--------	24	103.4	11	47.4
Places of 10,000 or more	3,557	2,944	300	211	1,023	481	1	486	220	61.8	61	17.1
White	3,429	2,828	291	211	964	--------	--------	--------	210	61.2	55	16.0
Nonwhite	128	116	9	-	59	--------	--------	--------	10	78.1	6	46.9
Places of 2,500 to 10,000	3,710	2,543	709	416	1,122	583	-	518	281	75.7	76	20.5
White	3,606	2,464	686	415	1,093	--------	--------	--------	267	74.0	71	19.7
Nonwhite	104	79	23	1	29	--------	--------	--------	14	134.6	5	48.1
Rural	10,820	5,650	2,741	1,691	3,291	2,037	109	1,068	914	84.5	243	22.5
White	9,639	4,977	2,687	1,564	2,757	--------	--------	--------	724	75.1	212	22.0
Nonwhite	1,181	673	54	127	534	--------	--------	--------	190	160.9	31	26.2
NEW YORK	286,546	277,629	8,157	582	152,866	69,083	12,772	69,039	8,345	29.1	7,392	25.8
White	268,271	261,329	7,368	427	144,289	--------	--------	--------	7,506	27.9	6,458	24.0
Nonwhite	17,275	16,300	789	155	8,577	--------	--------	--------	839	48.6	934	54.1
Urban	235,299	230,116	4,514	556	123,419	54,120	7,198	60,719	6,989	29.7	6,432	27.3
White	218,709	214,405	3,813	404	115,569	--------	--------	--------	6,176	28.2	5,522	25.2
Nonwhite	16,590	15,711	701	152	7,850	--------	--------	--------	813	49.0	910	54.9
Places of 10,000 or more	219,594	215,027	3,914	547	115,375	49,764	7,051	57,375	6,492	29.6	6,097	27.8
White	203,235	199,530	3,228	397	107,640	--------	--------	--------	5,690	28.0	5,194	25.8
Nonwhite	16,359	15,497	686	150	7,735	--------	--------	--------	802	49.0	903	55.2
Places of 2,500 to 10,000	15,705	15,089	600	9	8,044	4,356	147	3,344	497	31.6	335	21.3
White	15,474	14,875	585	7	7,928	--------	--------	--------	486	31.4	328	21.2
Nonwhite	231	214	15	2	115	--------	--------	--------	11	47.6	7	30.3
Rural	51,247	47,513	3,643	26	29,447	14,963	5,574	8,320	1,356	26.5	960	18.7
White	50,562	46,924	3,555	23	28,720	--------	--------	--------	1,330	26.3	936	18.5
Nonwhite	685	589	88	3	727	--------	--------	--------	26	38.0	24	35.0
NORTH CAROLINA	100,679	62,001	25,094	13,417	28,724	18,148	980	9,307	3,742	37.2	2,394	23.8
White	71,062	53,799	15,169	1,998	19,096	--------	--------	--------	2,324	32.7	1,343	18.9
Nonwhite	29,617	8,202	9,925	11,419	9,628	--------	--------	--------	1,418	47.9	1,051	35.5
Urban	29,427	24,957	2,690	1,761	9,764	5,236	209	4,203	1,158	39.4	768	26.8
White	21,627	20,485	1,072	63	6,267	--------	--------	--------	730	33.8	453	20.9
Nonwhite	7,800	4,472	1,618	1,698	3,497	--------	--------	--------	428	54.9	335	42.9
Places of 10,000 or more	22,295	19,480	1,549	1,251	7,454	3,863	198	3,311	841	37.7	583	26.1
White	15,921	15,473	406	39	4,597	--------	--------	--------	486	30.5	308	19.3
Nonwhite	6,374	4,007	1,143	1,212	2,857	--------	--------	--------	355	55.7	275	43.1
Places of 2,500 to 10,000	7,132	5,477	1,141	510	2,310	1,373	11	892	317	44.4	205	28.7
White	5,706	5,012	666	24	1,870	--------	--------	--------	244	42.8	145	25.4
Nonwhite	1,426	465	475	486	640	--------	--------	--------	73	51.2	60	42.1
Rural	71,252	37,044	22,404	11,656	18,960	12,912	771	5,104	2,584	36.3	1,606	22.5
White	49,435	33,314	14,097	1,935	12,829	--------	--------	--------	1,594	32.2	890	18.0
Nonwhite	21,817	3,730	8,307	9,721	6,131	--------	--------	--------	990	45.4	716	32.8
NORTH DAKOTA	15,264	13,869	1,214	40	5,080	2,235	226	2,578	519	34.0	264	17.3
White	14,893	13,561	1,204	24	4,955	--------	--------	--------	495	33.2	256	17.2
Nonwhite	371	308	10	16	125	--------	--------	--------	24	64.7	8	21.6
Urban	4,058	3,992	62	-	1,500	472	42	989	172	42.4	65	16.0
White	4,034	3,970	61	-	1,489	--------	--------	--------	170	42.1	65	16.1
Nonwhite	24	22	1	-	11	--------	--------	--------	2	83.3	-	0
Places of 10,000 or more	2,527	2,489	36	-	857	279	12	559	101	40.0	42	16.6
White	2,515	2,478	36	-	850	--------	--------	--------	99	39.4	42	16.7
Nonwhite	12	11	-	-	7	--------	--------	--------	2	166.7	-	0
Places of 2,500 to 10,000	1,531	1,503	26	-	643	193	30	410	71	46.4	23	15.0
White	1,519	1,492	25	-	639	--------	--------	--------	71	46.7	23	15.1
Nonwhite	12	11	1	-	4	--------	--------	--------	-	0	-	0
Rural	11,206	9,877	1,152	40	3,580	1,763	184	1,609	347	31.0	199	17.8
White	10,859	9,591	1,143	24	3,466	--------	--------	--------	325	29.9	191	17.6
Nonwhite	347	288	9	16	114	--------	--------	--------	22	63.4	8	23.1
OHIO	169,600	152,038	17,165	36	78,464	43,923	4,125	28,996	5,312	31.3	4,044	23.8
White	159,693	144,094	15,251	19	72,960	--------	--------	--------	4,893	30.6	3,640	22.8
Nonwhite	9,907	7,944	1,914	17	5,504	--------	--------	--------	419	42.3	404	40.8
Urban	119,438	112,423	6,895	17	54,655	28,630	1,994	23,131	3,736	31.3	2,883	24.1
White	110,165	104,829	5,252	4	49,751	--------	--------	--------	3,346	30.4	2,509	22.8
Nonwhite	9,273	7,594	1,643	13	4,904	--------	--------	--------	390	42.1	374	40.3
Places of 10,000 or more	102,861	97,602	5,164	17	48,746	23,689	1,704	20,631	3,221	31.3	2,505	24.4
White	94,022	90,302	3,659	4	42,102	--------	--------	--------	2,859	30.4	2,144	22.8
Nonwhite	8,839	7,300	1,505	13	4,644	--------	--------	--------	362	41.0	361	40.8
Places of 2,500 to 10,000	16,577	14,821	1,731	-	7,909	4,941	290	2,500	515	31.1	378	22.8
White	16,143	14,527	1,593	-	7,649	--------	--------	--------	487	30.2	365	22.6
Nonwhite	434	294	138	-	260	--------	--------	--------	28	64.5	13	30.0
Rural	50,162	39,615	10,270	19	23,809	15,293	2,131	5,665	1,576	31.4	1,161	23.1
White	49,528	39,265	9,999	15	23,209	--------	--------	--------	1,547	31.2	1,131	22.8
Nonwhite	634	350	271	4	600	--------	--------	--------	29	45.7	30	47.3

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section A (States)—Continued												
OKLAHOMA	50,416	39,190	9,806	1,138	18,620	10,907	848	6,550	1,639	32.5	1,091	21.6
White	44,843	36,249	8,216	242	16,401	—	—	—	1,386	30.9	909	20.3
Nonwhite	5,573	2,941	1,590	896	2,219	—	—	—	253	45.4	182	32.7
Urban	26,271	23,538	2,285	402	10,092	5,308	585	4,005	888	33.8	539	20.5
White	23,556	21,916	1,579	39	8,952	—	—	—	768	32.6	446	18.9
Nonwhite	2,715	1,622	706	363	1,140	—	—	—	120	44.2	93	34.3
Places of 10,000 or more	19,045	17,650	1,087	289	6,991	3,537	361	2,961	607	31.9	375	19.7
White	17,027	16,393	611	16	6,129	—	—	—	519	30.5	304	17.9
Nonwhite	2,018	1,257	476	273	862	—	—	—	88	43.6	71	35.2
Places of 2,500 to 10,000	7,228	5,888	1,198	113	3,101	1,771	224	1,044	281	38.9	164	22.7
White	6,528	5,523	968	23	2,823	—	—	—	249	38.1	142	21.7
Nonwhite	697	365	230	90	278	—	—	—	32	45.9	22	31.6
Rural	24,145	15,852	7,521	736	8,528	5,599	283	2,545	751	31.1	552	22.9
White	21,287	14,533	6,657	203	7,449	—	—	—	618	29.0	463	21.8
Nonwhite	2,858	1,319	864	533	1,079	—	—	—	133	46.5	89	31.1
OREGON	30,076	29,472	447	13	13,318	6,067	882	6,019	833	27.7	521	17.3
White	29,504	28,945	432	8	13,050	—	—	—	802	27.2	503	17.0
Nonwhite	572	527	15	5	268	—	—	—	31	54.2	18	31.5
Urban	16,744	16,597	124	2	8,699	3,355	666	4,492	479	28.6	289	17.3
White	16,475	16,332	121	1	8,552	—	—	—	472	28.6	282	17.1
Nonwhite	269	265	3	1	147	—	—	—	7	26.0	7	26.0
Places of 10,000 or more	18,820	12,735	69	2	6,203	2,500	470	3,138	316	24.6	221	17.2
White	12,588	12,506	67	1	6,080	—	—	—	311	24.7	214	17.0
Nonwhite	232	229	2	1	123	—	—	—	5	21.6	7	30.2
Places of 2,500 to 10,000	3,924	3,862	55	-	2,496	855	196	1,354	163	41.5	68	17.3
White	3,887	3,826	54	-	2,472	—	—	—	161	41.4	68	17.5
Nonwhite	37	36	1	-	24	—	—	—	2	54.1	-	0
Rural	13,332	12,875	323	11	4,619	2,712	216	1,527	354	26.6	232	17.4
White	13,029	12,613	311	7	4,498	—	—	—	330	25.3	221	17.0
Nonwhite	303	262	12	4	121	—	—	—	24	79.2	11	36.3
PENNSYLVANIA	218,378	192,318	25,854	138	107,683	57,415	7,165	42,234	7,196	33.0	4,639	21.2
White	205,449	181,449	23,829	113	100,581	—	—	—	6,528	31.8	4,158	20.2
Nonwhite	12,927	10,869	2,025	25	7,102	—	—	—	668	51.7	481	37.2
Urban	149,891	140,512	9,252	97	74,203	38,162	2,539	-	4,957	33.1	3,217	21.5
White	137,924	130,290	7,536	76	67,937	—	—	—	4,342	31.5	2,772	20.1
Nonwhite	11,967	10,222	1,716	21	6,266	—	—	—	615	51.4	445	37.2
Places of 10,000 or more	121,336	114,740	6,482	85	61,105	30,113	2,339	28,115	4,101	33.8	2,613	21.5
White	109,759	104,832	4,841	65	55,041	—	—	—	3,506	31.9	2,185	19.9
Nonwhite	11,577	9,908	1,641	20	6,064	—	—	—	595	51.4	428	37.0
Places of 2,500 to 10,000	28,555	25,772	2,770	12	13,098	8,049	200	4,784	858	30.0	604	21.2
White	28,165	25,458	2,695	11	12,896	—	—	—	838	29.7	587	20.8
Nonwhite	390	314	75	1	202	—	—	—	20	51.3	17	43.6
Rural	68,485	51,806	16,602	41	33,480	19,253	4,626	9,355	2,239	32.7	1,422	20.8
White	67,525	51,159	16,293	37	32,644	—	—	—	2,186	32.4	1,386	20.5
Nonwhite	960	647	309	4	836	—	—	—	53	55.2	36	37.5
RHODE ISLAND	16,761	15,960	777	14	8,073	4,348	583	3,030	494	29.5	327	19.5
White	16,425	15,648	754	13	7,906	—	—	—	476	29.0	321	19.5
Nonwhite	336	312	23	1	167	—	—	—	18	53.6	6	17.9
Urban	14,874	14,182	692	14	7,286	3,888	519	2,763	452	30.4	288	19.4
White	14,571	13,880	672	13	7,129	—	—	—	437	30.0	282	19.4
Nonwhite	303	282	20	1	157	—	—	—	15	49.5	6	19.8
Places of 10,000 or more	14,288	13,605	666	11	6,991	3,710	519	2,674	431	30.2	275	19.2
White	13,987	13,325	646	10	6,837	—	—	—	416	29.7	269	19.2
Nonwhite	301	280	20	1	154	—	—	—	15	49.8	6	19.9
Places of 2,500 to 10,000	586	557	26	3	295	178	-	109	21	35.8	13	22.2
White	584	555	26	3	292	—	—	—	21	36.0	13	22.3
Nonwhite	2	2	-	-	3	—	—	—	-	0	-	0
Rural	1,887	1,798	85	-	787	460	64	247	42	22.3	39	20.7
White	1,854	1,768	82	-	777	—	—	—	39	21.0	39	21.0
Nonwhite	33	30	3	-	10	—	—	—	3	90.9	-	0
SOUTH CAROLINA	53,963	26,804	11,233	15,879	16,351	10,958	460	4,871	2,235	41.4	1,736	32.2
White	31,010	23,622	6,607	770	8,501	—	—	—	1,053	34.0	689	22.2
Nonwhite	22,953	3,182	4,626	15,109	7,850	—	—	—	1,182	51.5	1,047	45.6
Urban	16,464	12,203	2,403	1,855	5,746	3,122	218	2,387	696	42.3	531	32.3
White	11,621	10,561	993	66	3,354	—	—	—	409	35.2	268	23.1
Nonwhite	4,843	1,642	1,410	1,789	2,392	—	—	—	287	59.3	263	54.3
Places of 10,000 or more	10,316	8,099	1,207	1,009	3,652	1,721	217	1,706	435	42.2	322	31.2
White	7,108	6,804	271	32	2,139	—	—	—	243	34.2	145	20.4
Nonwhite	3,208	1,294	936	977	1,513	—	—	—	192	59.9	177	55.2
Places of 2,500 to 10,000	6,148	4,105	1,196	846	2,094	1,401	1	681	261	42.5	209	34.0
White	4,513	3,757	722	34	1,215	—	—	—	166	36.8	123	27.3
Nonwhite	1,635	348	474	812	879	—	—	—	95	58.1	86	52.6
Rural	37,499	14,601	8,830	14,024	10,605	7,836	262	2,484	1,539	41.0	1,205	32.1
White	19,389	13,061	5,614	704	5,147	—	—	—	644	33.2	421	21.7
Nonwhite	18,110	1,540	3,216	13,320	5,458	—	—	—	895	49.4	784	43.3

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section A (States)—Continued												
SOUTH DAKOTA	14,580	13,115	1,242	81	5,508	2,730	296	2,366	432	29.6	239	16.4
White	13,932	12,669	1,189	46	5,173	--------	--------	--------	362	26.0	223	16.0
Nonwhite	648	446	53	35	335	--------	--------	--------	70	108.0	16	24.7
Urban	4,392	4,276	109	2	1,992	735	210	1,005	140	31.9	68	15.5
White	4,350	4,243	106	-	1,943	--------	--------	--------	135	31.0	67	15.4
Nonwhite	42	33	3	2	49	--------	--------	--------	5	119.0	1	23.8
Places of 10,000 or more	3,074	3,023	49	-	1,088	429	20	623	78	25.4	47	15.3
White	3,060	3,012	48	-	1,064	--------	--------	--------	77	25.2	47	15.4
Nonwhite	14	11	1	-	24	--------	--------	--------	1	71.4	-	0
Places of 2,500 to 10,000	1,318	1,253	60	2	904	306	190	382	62	47.0	21	15.9
White	1,290	1,231	58	-	879	--------	--------	--------	58	45.0	20	15.5
Nonwhite	28	22	2	2	25	--------	--------	--------	4	142.9	1	35.7
Rural	10,188	8,839	1,133	79	3,516	1,995	86	1,361	292	28.7	171	16.8
White	9,582	8,426	1,083	46	3,230	--------	--------	--------	227	23.7	156	16.3
Nonwhite	606	413	50	33	286	--------	--------	--------	65	107.3	15	24.8
TENNESSEE	77,336	46,974	24,272	5,145	27,650	17,969	1,126	8,306	2,974	38.5	1,744	22.6
White	65,507	42,358	20,361	2,578	21,157	--------	--------	--------	2,329	35.6	1,319	20.1
Nonwhite	11,829	4,616	3,911	2,567	6,493	--------	--------	--------	645	54.5	425	35.9
Urban	30,588	24,977	4,487	550	11,948	6,746	61	5,038	1,228	40.1	762	24.9
White	23,911	21,191	2,570	126	7,855	--------	--------	--------	832	34.8	467	19.5
Nonwhite	6,677	3,786	1,917	424	4,093	--------	--------	--------	396	59.3	295	44.2
Places of 10,000 or more	23,718	20,070	2,748	332	9,442	5,047	59	4,260	943	39.8	613	25.8
White	17,906	16,497	1,324	62	5,918	--------	--------	--------	595	33.2	346	19.3
Nonwhite	5,812	3,573	1,424	270	3,524	--------	--------	--------	348	59.9	267	45.9
Places of 2,500 to 10,000	6,870	4,907	1,739	218	2,506	1,699	2	778	285	41.5	149	21.7
White	6,005	4,694	1,246	64	1,937	--------	--------	--------	237	39.5	121	20.1
Nonwhite	865	213	493	154	569	--------	--------	--------	48	55.5	28	32.4
Rural	46,748	21,997	19,785	4,595	15,702	11,223	1,065	3,268	1,746	37.3	982	21.0
White	41,596	21,167	17,791	2,452	13,302	--------	--------	--------	1,497	36.0	852	20.5
Nonwhite	5,152	830	1,994	2,143	2,400	--------	--------	--------	249	48.3	130	25.2
TEXAS	181,579	131,229	28,381	19,756	59,706	36,722	1,696	20,741	7,564	41.7	4,515	24.9
White	160,269	121,542	23,566	13,364	49,652	--------	--------	--------	6,387	39.9	3,482	21.7
Nonwhite	21,310	9,687	4,815	6,392	10,054	--------	--------	--------	1,177	55.2	1,033	48.5
Urban	112,189	89,915	12,375	10,077	37,169	20,606	928	15,340	4,937	44.0	2,840	25.3
White	100,198	81,227	9,947	8,313	30,658	--------	--------	--------	4,178	41.7	2,196	21.9
Nonwhite	11,991	7,688	2,428	1,764	6,511	--------	--------	--------	759	63.3	644	53.7
Places of 10,000 or more	81,156	68,270	5,551	6,876	26,879	14,056	708	11,949	3,448	42.5	2,042	25.2
White	71,754	61,548	4,082	5,738	21,915	--------	--------	--------	2,837	39.5	1,535	21.4
Nonwhite	9,402	6,722	1,469	1,138	4,964	--------	--------	--------	611	65.0	507	53.9
Places of 2,500 to 10,000	31,033	20,645	6,824	3,201	10,290	6,550	220	3,391	1,489	48.0	798	25.7
White	28,444	19,679	5,865	2,575	8,743	--------	--------	--------	1,341	47.1	661	23.2
Nonwhite	2,589	966	959	626	1,547	--------	--------	--------	148	57.2	137	52.9
Rural	69,390	42,314	16,006	9,679	22,537	16,116	768	5,401	2,627	37.9	1,675	24.1
White	60,071	40,315	13,619	5,051	18,994	--------	--------	--------	2,209	36.8	1,286	21.4
Nonwhite	9,319	1,999	2,387	4,628	3,543	--------	--------	--------	418	44.9	389	41.7
UTAH	18,220	17,516	685	11	4,785	2,435	176	2,096	496	27.2	293	16.1
White	17,949	17,255	676	11	4,692	--------	--------	--------	488	27.2	285	15.9
Nonwhite	271	261	9	-	93	--------	--------	--------	8	29.5	8	29.5
Urban	10,887	10,692	190	3	3,088	1,423	119	1,500	306	28.1	165	15.2
White	10,746	10,552	189	3	3,021	--------	--------	--------	300	27.9	160	14.9
Nonwhite	141	140	1	-	67	--------	--------	--------	6	42.6	5	35.5
Places of 10,000 or more	7,907	7,800	104	3	2,291	991	96	1,167	207	26.2	123	15.6
White	7,787	7,680	104	3	2,237	--------	--------	--------	204	26.2	119	15.3
Nonwhite	120	120	-	-	54	--------	--------	--------	3	25.0	4	33.3
Places of 2,500 to 10,000	2,980	2,892	88	-	797	432	23	333	99	33.2	42	14.1
White	2,959	2,872	85	-	784	--------	--------	--------	96	32.4	41	13.9
Nonwhite	21	20	1	-	13	--------	--------	--------	3	142.9	1	47.6
Rural	7,333	6,824	495	8	1,697	1,012	57	596	190	25.9	128	17.5
White	7,203	6,703	487	8	1,671	--------	--------	--------	188	26.1	125	17.4
Nonwhite	130	121	8	-	26	--------	--------	--------	2	15.4	3	23.1
VERMONT	8,362	7,397	962	2	4,140	2,259	268	1,566	284	34.0	189	22.6
White	8,358	7,394	961	2	4,137	--------	--------	--------	284	34.0	188	22.5
Nonwhite	4	3	1	-	3	--------	--------	--------	-	0	1	250.0
Urban	3,278	3,129	149	-	1,749	766	254	705	120	36.6	74	22.6
White	3,275	3,127	148	-	1,746	--------	--------	--------	120	36.6	73	22.3
Nonwhite	3	2	1	-	1	--------	--------	--------	-	0	1	333.3
Places of 10,000 or more	1,476	1,439	37	-	646	289	10	345	62	42.0	31	21.0
White	1,473	1,437	36	-	645	--------	--------	--------	62	42.1	30	20.4
Nonwhite	3	2	1	-	1	--------	--------	--------	-	0	1	333.3
Places of 2,500 to 10,000	1,802	1,690	112	-	1,103	477	244	360	58	32.2	43	23.9
White	1,802	1,690	112	-	1,103	--------	--------	--------	58	32.2	43	23.9
Nonwhite	-	-	-	-	-	--------	--------	--------	-	-	-	-
Rural	5,084	4,268	813	2	2,391	1,493	14	861	164	32.3	115	22.6
White	5,083	4,267	813	2	2,389	--------	--------	--------	164	32.3	115	22.6
Nonwhite	1	1	-	-	2	--------	--------	--------	-	0	-	0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section A (States)—Continued												
VIRGINIA	75,861	49,517	16,415	9,568	28,154	17,446	1,540	8,880	2,935	38.7	2,186	28.8
White	58,348	44,095	12,202	1,794	19,285	----	----	----	1,976	33.9	1,311	22.5
Nonwhite	17,513	5,422	4,213	7,774	8,869	----	----	----	959	54.8	877	50.1
Urban	30,559	26,393	2,451	1,686	11,912	6,089	832	4,842	1,124	36.8	860	28.8
White	24,244	22,992	1,133	109	8,185	----	----	----	758	31.3	548	22.6
Nonwhite	6,315	3,401	1,318	1,577	3,727	----	----	----	366	58.0	332	52.6
Places of 10,000 or more	24,706	21,641	1,544	1,499	9,698	5,025	456	4,118	924	37.4	751	29.6
White	19,046	18,539	432	69	6,362	----	----	----	593	31.1	455	22.8
Nonwhite	5,660	3,102	1,112	1,430	3,336	----	----	----	331	58.5	296	52.3
Places of 2,500 to 10,000	5,853	4,752	907	187	2,214	1,064	376	724	200	34.2	149	25.5
White	5,198	4,453	701	40	1,823	----	----	----	165	31.7	113	21.7
Nonwhite	655	299	206	147	391	----	----	----	35	53.4	36	55.0
Rural	45,302	23,124	13,964	7,882	16,242	11,357	708	4,038	1,811	40.0	1,308	28.9
White	34,104	21,103	11,069	1,685	11,100	----	----	----	1,218	35.7	763	22.4
Nonwhite	11,198	2,021	2,895	6,197	5,142	----	----	----	593	53.0	545	48.7
WASHINGTON	51,988	51,034	844	30	22,011	8,905	1,241	11,294	1,734	33.4	903	17.4
White	50,547	49,662	809	13	21,349	----	----	----	1,634	32.3	872	11.3
Nonwhite	1,441	1,372	35	17	662	----	----	----	100	69.4	31	21.5
Urban	32,274	32,070	180	5	13,972	5,160	224	8,274	1,037	32.1	554	17.2
White	31,301	31,114	169	4	13,579	----	----	----	992	31.7	534	17.1
Nonwhite	973	956	11	1	393	----	----	----	45	46.2	20	20.6
Places of 10,000 or more	28,271	28,121	133	1	12,161	4,528	153	7,236	885	31.3	491	17.4
White	27,364	27,226	124	1	11,786	----	----	----	843	30.8	471	17.2
Nonwhite	907	895	9	-	375	----	----	----	42	46.3	20	22.1
Places of 2,500 to 10,000	4,003	3,949	47	4	1,811	632	71	1,038	152	38.0	63	15.7
White	3,937	3,888	45	3	1,793	----	----	----	149	37.8	63	16.0
Nonwhite	66	61	2	1	18	----	----	----	3	45.5	-	0
Rural	19,714	18,964	664	25	8,039	3,745	1,017	3,020	697	35.4	349	17.7
White	19,246	18,548	640	9	7,770	----	----	----	642	33.4	338	17.6
Nonwhite	468	416	24	16	269	----	----	----	55	117.5	11	23.5
WEST VIRGINIA	48,673	26,501	20,737	1,130	16,238	10,538	465	5,153	1,990	40.9	1,543	31.7
White	46,228	25,798	19,060	1,075	14,908	----	----	----	1,868	40.4	1,420	30.7
Nonwhite	2,445	703	1,677	55	1,330	----	----	----	122	49.9	123	50.3
Urban	14,995	12,962	1,989	34	6,417	3,516	310	2,554	664	44.3	481	32.1
White	14,303	12,589	1,678	27	5,900	----	----	----	626	43.8	447	31.3
Nonwhite	692	373	311	7	517	----	----	----	38	54.9	34	49.1
Places of 10,000 or more	10,377	9,627	731	12	4,336	2,310	118	1,881	428	41.2	323	31.1
White	9,906	9,331	558	11	3,973	----	----	----	400	40.4	305	30.8
Nonwhite	471	296	173	1	363	----	----	----	28	59.4	18	38.2
Places of 2,500 to 10,000	4,618	3,335	1,258	22	2,081	1,206	192	673	236	51.1	158	34.2
White	4,397	3,258	1,120	16	1,927	----	----	----	226	51.4	142	32.3
Nonwhite	221	77	138	6	154	----	----	----	10	45.2	16	72.4
Rural	33,678	13,539	18,746	1,096	9,821	7,022	155	2,599	1,326	39.4	1,062	31.5
White	31,925	13,209	17,382	1,048	9,008	----	----	----	1,242	38.9	973	30.5
Nonwhite	1,753	330	1,366	48	813	----	----	----	84	47.9	89	50.8
WISCONSIN	74,755	70,240	4,299	67	32,345	15,379	1,859	14,900	2,246	30.0	1,321	17.7
White	73,934	69,552	4,177	65	32,001	----	----	----	2,205	29.8	1,297	17.5
Nonwhite	821	688	122	2	344	----	----	----	41	49.9	24	29.2
Urban	42,119	41,084	971	24	18,226	8,038	421	9,629	1,264	30.0	714	17.0
White	41,674	40,718	893	24	18,040	----	----	----	1,249	30.0	698	16.7
Nonwhite	445	366	78	-	185	----	----	----	15	33.7	16	36.0
Places of 10,000 or more	35,524	34,773	692	24	14,962	6,337	386	8,126	1,034	29.1	593	16.7
White	35,086	34,412	618	24	14,788	----	----	----	1,020	29.1	577	16.4
Nonwhite	438	361	76	-	174	----	----	----	14	32.0	16	36.5
Places of 2,500 to 10,000	6,595	6,311	279	-	3,263	1,701	35	1,503	230	34.9	121	18.3
White	6,588	6,306	277	-	3,252	----	----	----	229	34.8	121	18.4
Nonwhite	7	5	2	-	11	----	----	----	1	142.9	-	0
Rural	32,636	29,156	3,328	43	14,120	7,341	1,438	5,271	982	30.1	607	18.6
White	32,260	28,834	3,284	41	13,961	----	----	----	956	29.6	599	18.6
Nonwhite	376	322	44	2	159	----	----	----	26	69.1	8	21.3
WYOMING	6,188	5,752	408	3	2,135	888	99	1,128	205	33.1	110	17.8
White	6,044	5,642	385	2	2,064	----	----	----	192	31.8	108	17.9
Nonwhite	144	110	21	1	71	----	----	----	13	90.3	2	13.9
Urban	2,960	2,793	159	1	1,092	369	58	658	91	30.7	51	17.2
White	2,930	2,766	156	1	1,068	----	----	----	91	31.1	49	16.7
Nonwhite	30	27	3	-	24	----	----	----	-	0	2	66.7
Places of 10,000 or more	1,988	1,934	50	1	706	229	2	469	53	26.7	31	15.6
White	1,969	1,916	49	1	693	----	----	----	53	26.9	30	15.2
Nonwhite	19	18	1	-	13	----	----	----	-	0	1	52.6
Places of 2,500 to 10,000	972	859	109	-	386	140	56	189	38	39.1	20	20.6
White	961	850	107	-	375	----	----	----	38	39.5	19	19.8
Nonwhite	11	9	2	-	11	----	----	----	-	0	1	90.9
Rural	3,228	2,959	247	2	1,043	519	41	470	114	35.3	59	18.3
White	3,114	2,876	229	1	986	----	----	----	101	32.4	59	18.9
Nonwhite	114	83	18	1	47	----	----	----	13	114.0	-	0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)												
ALABAMA	79,863	39,317	22,310	18,067	24,727	17,318	683	6,625	3,025	37.9	2,287	28.6
Autauga	540	239	66	234	150	121	1	26	21	38.9	9	16.7
White	279	217	39	23	71	--------	--------	--------	10	35.8	3	10.8
Nonwhite	261	22	27	211	79	--------	--------	--------	11	42.1	6	23.0
Baldwin	1,150	506	409	229	294	230	-	54	39	33.9	31	27.0
White	687	499	349	33	225	--------	--------	--------	24	27.1	20	22.5
Nonwhite	263	7	60	196	69	--------	--------	--------	15	57.0	11	41.8
Barbour	840	227	200	412	286	228	-	58	42	50.0	36	42.9
White	331	204	122	5	133	--------	--------	--------	20	60.4	6	18.1
Nonwhite	509	23	78	407	153	--------	--------	--------	22	43.2	30	58.9
Bibb	490	150	159	174	169	134	-	35	19	38.8	14	28.6
White	311	138	125	45	111	--------	--------	--------	13	41.8	7	22.5
Nonwhite	179	12	34	129	58	--------	--------	--------	6	33.5	7	39.1
Blount	701	127	552	18	191	152	-	38	20	28.5	13	18.5
Bullock	541	66	63	411	201	179	-	22	31	57.3	21	38.8
White	95	56	33	6	38	--------	--------	--------	6	63.2	3	31.6
Nonwhite	446	10	30	405	163	--------	--------	--------	25	56.1	18	40.4
Butler	825	306	208	309	239	201	-	37	34	41.2	26	31.5
White	417	279	125	12	137	--------	--------	--------	12	28.8	13	31.2
Nonwhite	408	27	83	297	102	--------	--------	--------	22	53.9	13	31.9
Calhoun	2,195	1,275	739	181	572	375	-	197	86	39.2	52	23.7
White	1,778	1,171	580	27	434	--------	--------	--------	70	39.4	40	22.5
Nonwhite	417	104	159	154	138	--------	--------	--------	16	38.4	12	28.8
Anniston	940	692	160	98	277	188	-	89	39	41.5	25	26.6
White	673	590	78	5	178	--------	--------	--------	30	44.6	16	23.8
Nonwhite	267	92	82	93	99	--------	--------	--------	9	33.7	9	33.7
Balance of county	1,255	583	579	83	295	185	-	108	47	37.5	27	21.5
White	1,105	581	502	22	256	--------	--------	--------	40	36.2	24	21.7
Nonwhite	150	12	77	61	39	--------	--------	--------	7	46.7	3	20.0
Chambers	975	553	180	240	317	224	-	90	39	40.0	23	23.6
White	588	504	82	2	187	--------	--------	--------	21	35.7	11	18.7
Nonwhite	387	49	98	238	130	--------	--------	--------	18	46.5	12	31.0
Cherokee	430	146	199	72	127	105	-	22	7	16.3	9	20.9
Chilton	705	317	266	121	239	181	-	58	32	45.4	17	24.1
White	563	304	234	24	199	--------	--------	--------	26	46.2	13	23.1
Nonwhite	142	13	32	97	40	--------	--------	--------	6	42.3	4	28.2
Choctaw	523	151	67	302	133	108	-	25	21	40.2	21	40.2
White	204	137	50	16	41	--------	--------	--------	7	34.3	9	44.1
Nonwhite	319	14	17	286	92	--------	--------	--------	14	43.9	12	37.6
Clarke	650	162	102	385	197	157	-	38	26	40.0	20	30.8
White	239	148	71	20	72	--------	--------	--------	7	29.3	3	12.6
Nonwhite	411	14	31	365	125	--------	--------	--------	19	46.2	17	41.4
Clay	359	68	239	52	135	114	-	21	20	55.7	9	25.1
White	266	67	192	7	107	--------	--------	--------	13	48.9	6	22.6
Nonwhite	93	1	47	45	28	--------	--------	--------	7	75.3	3	32.3
Cleburne	307	70	219	18	67	68	-	17	14	45.6	10	32.6
Coffee	723	210	480	33	175	129	-	45	20	27.7	21	29.0
White	557	207	345	5	132	--------	--------	--------	15	26.9	19	34.1
Nonwhite	166	3	135	28	43	--------	--------	--------	5	30.1	2	12.0
Colbert	1,115	731	225	159	295	192	-	103	30	26.9	26	23.3
White	859	676	163	20	199	--------	--------	--------	22	25.6	18	21.0
Nonwhite	256	55	62	139	96	--------	--------	--------	8	31.3	8	31.3
Conecuh	628	115	183	326	168	149	-	19	27	43.0	32	51.0
White	309	103	159	43	74	--------	--------	--------	8	25.9	4	12.9
Nonwhite	319	12	24	283	94	--------	--------	--------	19	59.6	28	87.8
Coosa	291	123	66	101	117	98	-	19	8	27.5	8	20.6
White	185	118	42	5	80	--------	--------	--------	2	12.1	1	6.1
Nonwhite	126	5	24	96	37	--------	--------	--------	6	47.6	5	39.7
Covington	1,048	514	393	141	302	217	-	85	45	42.9	23	21.9
White	888	495	357	36	253	--------	--------	--------	40	45.0	15	16.9
Nonwhite	160	19	36	105	49	--------	--------	--------	5	31.3	8	50.0
Crenshaw	526	149	253	124	178	136	-	40	23	43.7	12	22.8
White	351	146	190	15	131	--------	--------	--------	14	39.9	4	11.4
Nonwhite	175	3	63	109	47	--------	--------	--------	9	51.4	8	45.7
Cullman	1,390	979	368	41	303	210	-	93	43	30.9	34	24.5
Dale	599	159	311	129	160	124	-	36	21	35.1	15	25.0
White	432	152	255	25	124	--------	--------	--------	16	37.0	10	23.1
Nonwhite	167	7	56	104	36	--------	--------	--------	5	29.9	5	29.9
Dallas	1,625	528	126	967	626	460	-	166	89	54.8	70	43.1
White	465	436	17	12	158	--------	--------	--------	16	34.4	8	17.2
Nonwhite	1,160	92	109	955	468	--------	--------	--------	73	62.9	62	53.4
Selma	631	361	89	181	294	190	-	104	34	53.9	24	38.0
White	319	311	5	3	107	--------	--------	--------	12	37.6	7	21.9
Nonwhite	312	50	84	178	187	--------	--------	--------	22	70.5	17	54.5
Balance of county	994	167	37	786	332	270	-	62	55	55.3	46	46.3
White	146	125	12	9	51	--------	--------	--------	4	27.4	1	6.8
Nonwhite	848	42	25	777	281	--------	--------	--------	51	60.1	45	53.1
DeKalb	1,153	423	676	52	289	247	-	30	39	33.8	24	20.8
Elmore	807	418	84	302	288	217	1	67	35	43.4	30	37.2
White	428	361	59	6	149	--------	--------	--------	10	23.4	16	37.4
Nonwhite	379	57	25	296	139	--------	--------	--------	25	66.0	14	36.9
Escambia	879	370	248	258	293	231	7	48	43	48.9	21	23.9
White	577	341	206	29	188	--------	--------	--------	21	36.4	8	13.9
Nonwhite	302	29	42	229	105	--------	--------	--------	22	72.8	13	43.0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
ALABAMA—Continued												
Etowah	2,252	1,262	909	79	573	406	1	156	86	38.2	56	24.9
White	1,946	1,214	686	44	452	--------	--------	--------	72	37.0	46	23.6
Nonwhite	306	48	223	35	121	--------	--------	--------	14	45.8	10	32.7
Gadsden	1,228	802	410	16	328	226	-	96	49	39.9	27	22.0
White	999	760	238	1	238	--------	--------	--------	36	36.0	18	18.0
Nonwhite	229	42	172	15	90	--------	--------	--------	13	56.8	9	39.3
Balance of county	1,024	460	499	63	245	180	1	60	37	36.1	29	28.3
Fayette	531	145	334	49	136	115	-	21	16	30.1	21	39.5
White	455	143	290	20	110	--------	--------	--------	13	28.6	16	35.2
Nonwhite	76	2	44	29	26	--------	--------	--------	3	39.5	5	65.8
Franklin	734	296	416	21	174	129	-	43	26	35.4	21	28.6
Geneva	674	228	362	84	198	155	-	43	18	26.7	19	28.2
White	587	228	339	20	166	--------	--------	--------	16	27.3	15	25.6
Nonwhite	87	-	23	64	32	--------	--------	--------	2	23.0	4	46.0
Greene	468	25	61	380	165	148	-	17	33	70.5	26	55.6
White	52	21	30	1	28	--------	--------	--------	4	76.9	3	57.7
Nonwhite	416	4	31	379	137	--------	--------	--------	29	69.7	23	55.3
Hale	676	80	76	516	203	182	-	20	18	26.6	17	25.1
White	157	70	47	20	50	--------	--------	--------	2	14.6	4	29.2
Nonwhite	539	10	29	496	153	--------	--------	--------	16	29.7	13	24.1
Henry	583	124	160	298	147	129	-	18	15	25.7	19	32.6
White	258	120	113	24	83	--------	--------	--------	7	27.1	9	34.9
Nonwhite	325	4	47	274	64	--------	--------	--------	8	24.6	10	30.8
Houston	1,241	590	379	265	368	290	-	77	47	37.9	31	25.0
White	892	574	264	50	228	--------	--------	--------	30	33.6	14	15.7
Nonwhite	349	16	115	215	140	--------	--------	--------	17	48.7	17	48.7
Dothan	504	334	99	70	161	117	-	43	26	51.6	11	21.8
White	358	319	37	2	83	--------	--------	--------	17	47.5	3	8.4
Nonwhite	146	15	62	68	78	--------	--------	--------	9	61.6	8	54.8
Balance of county	737	256	280	195	207	173	-	34	21	28.5	20	27.1
White	534	255	227	48	145	--------	--------	--------	13	24.3	11	20.6
Nonwhite	203	1	53	147	62	--------	--------	--------	8	39.4	9	44.3
Jackson	1,184	204	846	119	271	220	-	50	38	32.1	30	25.3
Jefferson	13,049	9,447	3,516	76	4,750	2,809	26	1,874	506	38.8	368	28.2
White	7,848	6,594	1,239	11	2,468	--------	--------	--------	236	30.1	173	22.0
Nonwhite	5,200	2,853	2,277	65	2,282	--------	--------	--------	270	51.9	195	37.5
Bessemer	710	422	278	9	282	184	-	98	43	60.6	27	38.0
White	300	231	69	-	91	--------	--------	--------	13	43.3	10	33.3
Nonwhite	410	191	209	9	191	--------	--------	--------	30	73.2	17	41.5
Birmingham	7,160	5,810	1,332	16	2,653	1,610	2	1,222	278	38.8	213	29.7
White	4,166	3,959	205	2	1,451	--------	--------	--------	119	28.6	96	23.0
Nonwhite	2,994	1,851	1,127	14	1,402	--------	--------	--------	159	53.1	117	39.1
Fairfield	348	294	53	1	92	49	-	43	9	25.9	6	17.2
White	135	131	4	-	30	--------	--------	--------	2	14.8	1	7.4
Nonwhite	213	163	49	1	62	--------	--------	--------	7	32.9	5	23.5
Balance of county	4,830	2,921	1,853	50	1,523	966	24	521	176	36.4	122	25.3
White	3,247	2,273	961	9	896	--------	--------	--------	102	31.4	66	20.3
Nonwhite	1,583	648	892	41	627	--------	--------	--------	74	46.7	56	35.4
Lamar	441	100	292	48	102	89	-	13	11	24.9	9	20.4
White	364	100	244	19	88	--------	--------	--------	10	27.5	6	16.5
Nonwhite	77	-	48	29	14	--------	--------	--------	1	13.0	3	39.0
Lauderdale	1,328	883	308	136	338	239	-	99	38	28.6	29	21.8
White	1,146	828	251	66	260	--------	--------	--------	34	29.7	24	20.9
Nonwhite	182	55	57	70	78	--------	--------	--------	4	22.0	5	27.5
Florence	532	474	39	19	158	97	-	61	20	37.6	11	20.7
White	446	431	10	5	106	--------	--------	--------	17	38.1	8	17.9
Nonwhite	86	43	29	14	52	--------	--------	--------	3	34.9	3	34.9
Balance of county	796	409	269	117	180	142	-	38	18	22.6	18	22.6
White	700	397	241	61	154	--------	--------	--------	17	24.3	16	22.9
Nonwhite	96	12	28	56	26	--------	--------	--------	1	10.4	2	20.8
Lawrence	854	428	275	150	152	121	-	31	20	23.4	20	23.4
White	676	425	218	32	105	--------	--------	--------	15	22.2	14	20.7
Nonwhite	178	3	57	118	47	--------	--------	--------	5	28.1	6	33.7
Lee	1,070	445	160	465	301	239	-	61	39	36.4	30	28.0
White	505	412	73	20	107	--------	--------	--------	11	21.8	5	9.9
Nonwhite	565	33	87	445	194	--------	--------	--------	28	49.6	25	44.2
Limestone	990	475	341	173	274	223	-	51	37	37.4	18	18.2
White	740	466	251	23	187	--------	--------	--------	24	32.4	14	18.9
Nonwhite	250	9	90	150	87	--------	--------	--------	13	52.0	4	16.0
Lowndes	586	60	7	519	189	169	-	20	28	47.8	27	46.1
White	58	48	1	9	37	--------	--------	--------	4	69.0	-	0
Nonwhite	528	12	6	510	152	--------	--------	--------	24	45.5	27	51.1
Macon	739	262	78	395	327	205	19	103	34	46.0	30	40.6
White	104	58	40	5	33	--------	--------	--------	1	9.6	1	9.6
Nonwhite	635	204	38	390	294	--------	--------	--------	33	52.0	29	45.7
Madison	1,996	958	595	442	588	452	-	134	70	35.1	61	30.6
White	1,449	882	501	66	374	--------	--------	--------	53	36.6	39	26.9
Nonwhite	547	76	94	376	214	--------	--------	--------	17	31.1	22	40.2
Huntsville	635	471	75	89	242	167	-	74	26	40.9	18	28.3
White	467	424	42	1	139	--------	--------	--------	20	42.8	12	25.7
Nonwhite	168	47	33	88	103	--------	--------	--------	6	35.7	6	35.7
Balance of county	1,361	487	520	353	346	285	-	60	44	32.3	43	31.6
White	982	458	459	65	235	--------	--------	--------	33	33.6	27	27.5
Nonwhite	379	29	61	288	111	--------	--------	--------	11	29.0	16	42.2

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
ALABAMA—Continued												
Marengo	817	123	84	610	312	262	-	49	38	46.5	23	28.2
White	187	113	59	15	101	--------	--------	--------	13	69.5	3	16.0
Nonwhite	630	10	25	595	211	--------	--------	--------	25	39.7	20	31.7
Marion	699	223	376	100	159	124	1	30	31	44.3	18	25.8
Marshall	1,219	589	566	61	291	219	--------	72	39	32.0	31	25.4
Mobile	6,523	4,802	277	1,435	2,028	1,088	244	682	260	39.9	216	33.1
White	4,283	3,875	209	196	1,001	--------	--------	--------	134	31.3	88	20.5
Nonwhite	2,240	927	68	1,239	1,027	--------	--------	--------	126	56.3	128	57.1
Mobile	3,213	2,530	58	625	1,119	677	13	419	130	40.5	113	35.2
White	1,946	1,900	29	17	605	--------	--------	--------	63	32.4	46	23.6
Nonwhite	1,267	630	29	606	514	--------	--------	--------	67	52.9	67	52.9
Balance of county	3,310	2,272	219	812	909	411	231	263	130	39.3	103	31.1
White	2,337	1,975	160	179	396	--------	--------	--------	71	30.4	42	18.0
Nonwhite	973	297	39	633	513	--------	--------	--------	59	60.6	61	62.7
Monroe	738	78	239	420	231	205	-	26	27	36.6	15	20.3
White	300	72	195	32	96	--------	--------	--------	10	33.3	4	13.3
Nonwhite	438	6	44	388	135	--------	--------	--------	17	38.8	11	25.1
Montgomery	3,135	1,851	121	1,162	1,241	834	23	373	123	39.2	98	31.3
White	1,674	1,627	40	7	523	--------	--------	--------	37	22.1	37	22.1
Nonwhite	1,461	224	81	1,155	718	--------	--------	--------	86	58.9	61	41.8
Montgomery	2,276	1,586	39	650	971	847	9	307	93	40.9	79	34.7
White	1,405	1,392	12	1	440	--------	--------	--------	31	22.1	34	24.2
Nonwhite	871	194	27	649	531	--------	--------	--------	62	71.2	45	51.7
Balance of county	859	265	82	512	270	187	14	66	30	34.9	19	22.1
White	269	235	28	6	83	--------	--------	--------	6	22.3	3	11.2
Nonwhite	590	30	54	506	187	--------	--------	--------	24	40.7	16	27.1
Morgan	1,240	763	355	120	301	214	-	85	36	29.0	36	29.0
White	1,071	738	292	39	244	--------	--------	--------	29	27.1	31	28.9
Nonwhite	169	25	63	81	57	--------	--------	--------	7	41.4	5	29.6
Decatur	441	356	46	38	112	74	-	38	13	29.5	9	20.4
White	377	344	21	11	79	--------	--------	--------	11	29.2	9	23.9
Nonwhite	64	12	25	27	33	--------	--------	--------	2	31.3	-	0
Balance of county	799	407	309	82	189	140	-	47	23	28.8	27	33.8
White	694	394	271	28	165	--------	--------	--------	18	25.9	22	31.7
Nonwhite	105	13	38	54	24	--------	--------	--------	5	47.6	5	47.6
Perry	617	64	87	465	165	144	-	21	23	37.3	20	32.4
White	138	53	58	27	38	--------	--------	--------	2	14.5	2	14.5
Nonwhite	479	11	29	438	127	--------	--------	--------	21	43.8	18	37.6
Pickens	636	94	235	303	201	175	-	26	14	22.0	19	29.9
White	290	93	189	6	100	--------	--------	--------	2	6.9	9	31.0
Nonwhite	346	1	46	297	101	--------	--------	--------	12	34.7	10	28.9
Pike	851	366	160	303	297	227	-	70	31	37.3	31	37.3
White	462	344	94	24	134	--------	--------	--------	10	21.6	13	28.1
Nonwhite	369	22	66	279	163	--------	--------	--------	21	56.9	18	48.8
Randolph	557	235	197	124	194	155	-	39	21	37.7	17	30.5
White	401	223	151	26	142	--------	--------	--------	12	29.9	13	32.4
Nonwhite	156	12	46	98	52	--------	--------	--------	9	57.7	4	25.6
Russell	1,109	518	40	543	354	265	-	86	55	49.6	31	28.0
White	522	483	27	12	162	--------	--------	--------	19	36.4	9	17.2
Nonwhite	587	35	13	531	192	--------	--------	--------	36	61.3	22	37.5
Phenix City	518	383	11	124	171	116	-	54	23	44.4	12	23.2
White	368	357	7	4	107	--------	--------	--------	14	38.0	7	19.0
Nonwhite	150	26	4	120	64	--------	--------	--------	9	60.0	5	33.3
Balance of county	591	135	29	419	183	149	-	32	32	54.1	19	32.1
White	154	126	20	8	55	--------	--------	--------	5	32.5	2	13.0
Nonwhite	437	9	9	411	128	--------	--------	--------	27	61.8	17	38.9
St. Clair	646	276	311	55	228	171	-	56	23	35.6	17	26.3
White	521	254	246	19	184	--------	--------	--------	20	38.4	13	25.0
Nonwhite	125	22	65	36	44	--------	--------	--------	3	24.0	4	32.0
Shelby	751	186	488	73	209	169	-	37	29	38.6	25	33.3
White	548	175	359	11	147	--------	--------	--------	21	38.3	18	32.8
Nonwhite	203	11	129	62	62	--------	--------	--------	8	39.4	7	34.5
Sumter	669	106	71	491	212	171	-	41	25	37.4	31	46.3
White	100	69	27	4	44	--------	--------	--------	4	40.0	-	0
Nonwhite	569	37	44	487	168	--------	--------	--------	21	36.9	31	54.5
Talladega	1,878	1,069	417	391	438	318	-	120	60	31.9	54	28.8
White	1,256	977	242	36	286	--------	--------	--------	31	24.7	28	22.3
Nonwhite	622	92	175	355	172	--------	--------	--------	29	46.6	26	41.8
Tallapoosa	920	545	255	118	238	185	-	53	19	20.7	13	14.1
White	639	495	141	2	156	--------	--------	--------	9	14.1	7	11.0
Nonwhite	281	50	114	116	82	--------	--------	--------	10	35.6	6	21.4
Tuscaloosa	1,855	1,219	348	386	920	408	310	200	79	40.4	52	26.6
White	1,323	1,090	208	22	659	--------	--------	--------	45	34.0	26	19.7
Nonwhite	632	129	139	364	261	--------	--------	--------	34	53.8	26	41.1
Tuscaloosa	790	582	62	146	499	160	250	89	31	39.2	19	24.1
White	542	522	19	1	371	--------	--------	--------	16	29.5	5	9.2
Nonwhite	248	60	43	145	128	--------	--------	--------	15	60.5	14	56.5
Balance of county	1,165	637	286	240	421	248	60	111	48	41.2	33	28.3
White	781	568	190	21	288	--------	--------	--------	29	37.1	21	26.9
Nonwhite	384	69	96	219	133	--------	--------	--------	19	49.5	12	31.3
Walker	1,745	656	1,040	45	444	276	-	168	73	41.8	37	21.2
White	1,604	640	949	12	376	--------	--------	--------	63	39.3	30	18.7
Nonwhite	141	16	91	33	68	--------	--------	--------	10	70.9	7	49.6

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
ALABAMA—Continued												
Washington	475	89	207	177	131	109	-	22	26	54.7	9	18.9
White	311	87	182	40	79	--------	--------	--------	16	51.4	3	9.6
Nonwhite	164	2	25	137	52	--------	--------	--------	10	61.0	6	36.6
Wilcox	811	67	90	652	242	215	-	27	29	35.8	30	37.0
White	103	51	41	11	54	--------	--------	--------	1	9.7	2	19.4
Nonwhite	708	16	49	641	188	--------	--------	--------	28	39.5	28	39.5
Winston	482	304	150	27	105	80	-	23	10	20.7	7	14.5
ARIZONA	16,345	13,949	1,325	516	5,737	2,756	185	2,699	679	41.5	330	20.2
Apache	486	283	104	1	184	71	-	109	43	88.5	5	10.3
White	167	90	73	1	46	--------	--------	--------	13	77.8	1	6.0
Nonwhite	319	193	31	-	138	--------	--------	--------	30	94.0	4	12.5
Cochise	919	739	110	62	323	147	-	174	23	25.0	19	20.7
Coconino	501	412	45	2	173	70	--------	102	35	69.9	17	33.9
White	343	306	35	2	90	--------	--------	--------	10	29.2	11	32.1
Nonwhite	158	106	10	-	83	--------	--------	--------	25	158.2	6	38.0
Gila	630	544	71	1	227	114	31	81	23	36.5	18	28.6
White	553	484	68	-	199	--------	--------	--------	16	28.9	15	27.1
Nonwhite	77	60	3	1	28	--------	--------	--------	7	90.9	3	39.0
Graham	365	251	79	3	96	57	-	38	12	32.9	2	5.5
Greenlee	335	323	10	2	79	36	-	43	8	23.9	6	17.9
Maricopa	7,038	6,416	322	226	2,479	1,217	119	1,102	251	35.7	131	18.6
Phoenix	4,101	3,851	105	116	1,434	742	2	670	127	31.0	73	17.8
Balance of county	2,937	2,565	217	110	1,045	475	117	432	124	42.2	58	19.7
Mohave	222	192	7	8	60	24	-	36	10	45.0	10	45.0
Navajo	751	582	77	17	257	124	-	132	67	89.2	20	26.6
White	453	413	24	14	112	--------	--------	--------	27	59.6	13	28.7
Nonwhite	298	169	53	3	145	--------	--------	--------	40	134.2	7	23.5
Pima	2,817	2,364	278	38	968	465	-	500	102	36.2	48	17.0
White	2,581	2,229	242	27	831	--------	--------	--------	78	30.2	40	15.5
Nonwhite	236	135	36	11	137	--------	--------	--------	24	101.7	8	33.9
Tucson	2,256	1,894	253	24	623	400	-	221	73	32.4	41	18.2
Balance of county	561	470	25	14	345	65	-	279	29	51.7	7	12.5
White	433	403	15	9	259	--------	--------	--------	17	39.3	4	9.2
Nonwhite	128	67	10	5	86	--------	--------	--------	12	93.8	3	23.4
Pinal	852	658	103	52	298	167	3	126	53	62.2	25	29.3
White	672	529	98	40	217	--------	--------	--------	36	53.6	15	22.3
Nonwhite	180	129	5	12	81	--------	--------	--------	17	94.4	10	55.6
Santa Cruz	270	181	46	27	78	38	-	39	8	29.6	3	11.1
Yavapai	522	476	34	7	317	122	32	125	24	46.0	9	17.2
Yuma	637	528	39	70	198	104	-	92	20	31.4	17	26.7
White	561	478	23	60	179	--------	--------	--------	18	32.1	13	23.2
Nonwhite	76	50	16	10	19	--------	--------	--------	2	26.3	4	52.6
ARKANSAS	45,280	24,248	13,524	7,218	14,338	9,603	600	3,984	1,283	28.3	883	19.5
Arkansas	605	360	133	110	157	118	-	32	16	26.4	6	9.9
White	475	355	98	20	127	--------	--------	--------	14	29.5	6	12.6
Nonwhite	130	5	35	90	30	--------	--------	--------	2	15.4	-	0
Ashley	626	292	161	172	174	136	-	38	16	25.6	14	22.4
White	358	245	105	7	79	--------	--------	--------	5	14.0	6	16.8
Nonwhite	268	47	56	165	95	--------	--------	--------	11	41.0	8	29.9
Baxter	202	121	75	3	75	58	-	16	10	49.5	5	24.8
Benton	736	542	194	-	344	231	4	99	21	28.5	19	25.8
Boone	345	222	121	2	126	112	-	11	13	37.7	9	26.1
Bradley	438	253	139	46	98	64	-	34	11	25.1	9	20.5
White	298	251	45	2	73	--------	--------	--------	7	23.5	4	13.4
Nonwhite	140	2	94	44	25	--------	--------	--------	4	28.6	5	35.7
Calhoun	141	30	84	24	67	59	-	8	2	14.2	1	7.1
White	91	28	61	2	43	--------	--------	--------	2	22.0	-	0
Nonwhite	50	2	23	22	24	--------	--------	--------	-	0	1	20.0
Carroll	289	176	101	11	135	114	-	18	16	55.4	6	20.8
Chicot	548	201	89	254	226	160	-	65	12	21.9	12	21.9
White	284	185	68	31	77	--------	--------	--------	6	21.1	4	14.1
Nonwhite	264	16	21	223	149	--------	--------	--------	6	22.7	8	30.3
Clark	509	233	143	126	154	128	-	24	9	17.7	12	23.6
White	350	226	114	8	105	--------	--------	--------	6	17.1	11	31.4
Nonwhite	159	7	29	118	49	--------	--------	--------	3	18.9	1	6.3
Clay	594	162	415	13	153	125	2	26	17	28.6	16	26.9
Cleburne	315	243	55	14	103	59	-	44	11	34.9	5	15.9
Cleveland	195	73	89	27	73	55	-	18	3	15.4	5	25.6
White	143	72	66	4	49	--------	--------	--------	3	21.0	3	21.0
Nonwhite	52	1	23	23	24	--------	--------	--------	-	0	2	38.5
Columbia	595	328	145	108	165	125	-	38	11	18.5	7	11.8
White	354	294	55	3	87	--------	--------	--------	6	16.9	3	8.5
Nonwhite	241	34	90	105	78	--------	--------	--------	5	20.7	4	16.6
Conway	513	263	156	94	133	93	-	40	17	33.1	15	29.2
White	376	254	113	9	87	--------	--------	--------	11	29.3	8	21.3
Nonwhite	137	9	43	85	46	--------	--------	--------	6	43.8	7	51.1

See footnotes on p. 111.

793002 O - 48 - 3

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
ARKANSAS—Continued												
Craighead	1,244	668	525	48	343	228	-	114	53	42.6	26	20.9
Jonesboro	337	282	27	28	136	82	-	54	13	38.6	8	23.7
White	310	276	27	7	118	----	----	----	11	35.5	8	25.8
Nonwhite	27	6	-	21	18	----	----	----	2	74.1	-	0
Balance of county	907	386	498	20	207	146	-	60	40	44.1	18	19.8
Crawford	582	363	194	22	158	103	-	53	11	18.9	9	15.5
Crittenden	1,189	188	264	731	405	340	-	65	45	37.8	38	32.0
White	381	171	176	34	104	----	----	----	14	36.7	3	7.9
Nonwhite	808	17	88	697	301	----	----	----	31	38.4	35	43.3
Cross	667	279	246	136	145	93	-	51	22	33.0	7	10.5
White	494	272	210	10	72	----	----	----	19	38.5	5	10.1
Nonwhite	173	7	36	126	73	----	----	----	3	17.3	2	11.6
Dallas	360	119	187	53	100	74	-	26	6	16.7	7	19.4
White	227	115	111	1	56	----	----	----	5	22.0	4	17.6
Nonwhite	133	4	76	52	44	----	----	----	1	7.5	3	22.6
Desha	608	249	71	284	169	125	-	44	12	19.7	10	16.4
White	337	237	53	46	75	----	----	----	7	20.8	4	11.9
Nonwhite	271	12	18	238	94	----	----	----	5	18.5	6	22.1
Drew	418	219	89	108	119	92	-	26	10	23.9	14	33.5
White	290	216	67	6	48	----	----	----	2	6.9	6	20.7
Nonwhite	128	3	22	102	71	----	----	----	8	62.5	8	62.5
Faulkner	616	426	120	88	188	125	-	63	30	48.7	11	17.9
White	535	408	116	10	155	----	----	----	26	48.6	9	16.8
Nonwhite	81	18	4	58	33	----	----	----	4	49.4	2	24.7
Franklin	313	251	59	3	112	85	-	26	9	28.8	5	16.0
Fulton	167	35	125	3	57	49	-	8	7	41.8	3	18.0
Garland	1,039	840	119	76	465	276	-	189	37	35.6	22	21.2
White	957	831	67	55	382	----	----	----	29	30.3	19	19.9
Nonwhite	82	9	52	21	83	----	----	----	8	97.6	3	36.6
Hot Springs	673	580	67	26	402	228	-	174	33	49.0	16	23.8
White	600	572	17	11	324	----	----	----	25	41.7	13	21.7
Nonwhite	73	8	50	15	78	----	----	----	8	109.6	3	41.1
Balance of county	366	260	52	50	63	48	-	15	4	10.9	6	16.4
Grant	210	72	130	5	41	30	-	11	3	14.3	3	14.3
Greene	586	305	278	3	181	130	-	48	20	34.1	13	22.2
Hempstead	546	273	121	151	205	155	-	49	16	29.3	11	20.1
White	293	250	35	8	119	----	----	----	7	23.9	6	20.5
Nonwhite	253	23	86	143	86	----	----	----	9	35.6	5	19.8
Hot Spring	550	375	131	42	120	80	-	39	18	32.7	13	23.6
White	493	373	120	-	104	----	----	----	17	34.5	10	20.3
Nonwhite	57	2	11	42	16	----	----	----	1	17.5	3	52.6
Howard	318	185	100	31	109	75	-	30	7	22.0	3	9.4
White	263	177	80	6	82	----	----	----	4	15.2	3	11.4
Nonwhite	55	8	20	25	27	----	----	----	3	54.5	-	0
Independence	567	407	139	13	176	115	1	60	14	24.7	10	17.6
Izard	239	81	154	1	63	56	-	7	6	25.1	5	20.9
Jackson	731	318	375	31	212	155	-	57	31	42.4	9	12.3
White	651	298	333	15	172	----	----	----	25	38.4	8	12.3
Nonwhite	80	20	42	16	40	----	----	----	6	75.0	1	12.5
Jefferson	1,750	848	253	645	581	427	10	135	34	19.4	40	22.9
White	951	799	134	18	301	----	----	----	27	28.4	17	17.9
Nonwhite	799	49	119	627	280	----	----	----	7	8.8	23	28.8
Pine Bluff	737	549	52	135	355	238	7	102	27	36.6	19	25.8
White	530	512	15	3	222	----	----	----	21	39.6	14	26.4
Nonwhite	207	37	37	132	133	----	----	----	6	29.0	5	24.2
Balance of county	1,013	299	201	510	226	189	3	33	7	6.9	21	20.7
White	421	287	119	15	79	----	----	----	6	14.3	3	7.1
Nonwhite	592	12	82	495	147	----	----	----	1	1.7	18	30.4
Johnson	355	286	55	12	118	74	-	42	9	25.4	6	16.9
Lafayette	328	94	121	109	90	71	-	19	8	24.4	5	15.2
White	127	92	28	7	38	----	----	----	2	15.7	-	0
Nonwhite	201	2	93	102	52	----	----	----	6	29.9	5	24.9
Lawrence	530	257	268	2	126	84	-	33	17	32.1	6	11.3
Lee	518	40	158	317	192	159	-	33	12	23.2	16	30.9
White	174	37	117	18	55	----	----	----	4	23.0	2	11.5
Nonwhite	344	3	41	299	137	----	----	----	8	23.3	14	40.7
Lincoln	368	71	122	166	118	102	2	13	9	24.5	9	24.5
White	163	66	88	6	46	----	----	----	2	12.3	3	18.4
Nonwhite	205	5	34	160	72	----	----	----	7	34.1	6	29.3
Little River	334	121	108	104	62	45	-	11	3	9.0	6	18.0
White	218	113	100	5	35	----	----	----	1	4.6	3	13.8
Nonwhite	116	8	8	99	27	----	----	----	2	17.2	3	25.9
Logan	504	376	128	-	143	86	-	55	8	15.9	6	11.9
Lonoke	752	244	365	137	163	120	-	38	14	18.6	21	27.9
White	573	231	326	15	114	----	----	----	8	14.0	14	24.4
Nonwhite	179	13	39	122	49	----	----	----	6	33.5	7	39.1
Madison	288	114	144	24	66	49	-	17	3	10.4	1	3.5
Marion	164	62	93	7	60	46	-	14	4	24.4	1	6.1

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
ARKANSAS—Continued												
Miller	783	461	138	179	245	183	-	62	25	31.9	26	33.2
White	585	437	96	30	154	----	----	----	14	24.8	15	26.5
Nonwhite	218	24	42	149	91	----	----	----	11	50.5	11	50.5
Texarkana[3]	384	284	33	65	155	110	-	45	17	44.3	12	31.3
White	294	273	15	5	99	----	----	----	7	23.8	8	27.2
Nonwhite	90	11	18	60	56	----	----	----	10	111.1	4	44.4
Balance of county	399	177	105	114	90	73	-	17	8	20.1	14	35.1
White	271	164	81	25	55	----	----	----	7	25.8	7	25.8
Nonwhite	128	13	24	89	35	----	----	----	1	7.8	7	54.7
Mississippi	2,298	933	1,002	343	490	367	-	119	77	33.5	52	22.6
White	1,767	915	781	55	313	----	----	----	60	34.0	32	18.1
Nonwhite	529	18	221	288	177	----	----	----	17	32.1	20	37.8
Blytheville	397	227	109	61	168	103	-	65	27	68.0	11	27.7
White	312	223	83	6	109	----	----	----	23	73.7	8	25.6
Nonwhite	85	4	26	55	59	----	----	----	4	47.1	3	35.3
Balance of county	1,899	706	893	282	322	264	-	54	50	26.3	41	21.6
White	1,455	692	698	49	204	----	----	----	37	25.4	24	16.5
Nonwhite	444	14	195	233	118	----	----	----	13	29.3	17	38.3
Monroe	389	78	169	141	132	106	-	25	12	30.1	9	22.6
White	215	74	129	11	50	----	----	----	4	18.6	5	23.3
Nonwhite	184	4	40	130	82	----	----	----	8	43.5	4	21.7
Montgomery	149	48	96	5	41	31	-	10	5	33.6	-	0
Nevada	338	143	112	82	119	93	-	25	4	11.8	8	23.7
White	208	134	72	2	84	----	----	----	4	19.2	3	14.4
Nonwhite	130	9	40	80	35	----	----	----	-	0	5	38.5
Newton	149	38	93	19	34	30	-	4	-	0	1	6.7
Ouachita	850	480	143	217	234	169	-	62	26	30.6	23	27.1
White	531	469	55	7	125	----	----	----	19	35.8	11	20.7
Nonwhite	319	11	88	210	109	----	----	----	7	21.9	12	37.6
Perry	158	73	85	-	26	18	-	8	2	12.7	5	31.6
Phillips	1,163	323	144	690	428	334	-	92	26	22.4	26	22.4
White	442	298	109	32	140	----	----	----	12	27.1	5	11.3
Nonwhite	721	25	35	658	288	----	----	----	14	19.4	21	29.1
Pike	158	70	84	4	47	41	-	6	1	6.3	1	6.3
Poinsett	1,226	355	815	51	216	156	-	60	42	34.3	11	9.0
White	1,125	351	764	5	175	----	----	----	38	33.8	8	7.1
Nonwhite	101	4	51	46	41	----	----	----	4	39.6	3	29.7
Polk	371	247	122	1	143	101	-	42	14	37.7	9	24.3
Pope	607	369	210	26	169	108	-	59	17	28.0	10	16.5
Prairie	264	98	110	55	58	40	-	18	5	18.9	4	15.2
White	213	97	107	8	47	----	----	----	3	14.1	4	18.8
Nonwhite	51	1	3	47	11	----	----	----	2	39.2	-	0
Pulaski	4,484	3,848	418	212	2,113	898	522	672	142	31.7	83	18.5
White	3,433	3,127	290	13	1,418	----	----	----	90	26.2	64	18.6
Nonwhite	1,051	721	128	199	695	----	----	----	52	49.5	19	18.1
Little Rock	2,422	2,256	132	31	1,517	525	438	539	62	25.6	49	20.2
White	1,911	1,833	75	1	1,033	----	----	----	42	22.0	40	20.9
Nonwhite	511	423	57	30	484	----	----	----	20	39.1	9	17.6
North Little Rock	866	761	64	39	241	174	5	60	34	39.3	18	20.8
White	642	611	30	-	150	----	----	----	16	24.9	12	18.7
Nonwhite	224	150	34	39	91	----	----	----	18	80.4	6	26.8
Balance of county	1,196	831	222	142	355	199	79	73	46	38.5	16	13.4
White	880	683	185	12	235	----	----	----	32	36.4	12	13.6
Nonwhite	316	148	37	130	120	----	----	----	14	44.3	4	12.7
Randolph	340	97	241	2	93	73	-	19	8	23.5	4	11.8
St. Francis	875	244	192	421	282	193	-	88	48	54.9	12	13.7
White	372	229	113	25	117	----	----	----	27	72.6	4	10.8
Nonwhite	503	15	79	396	165	----	----	----	21	41.7	8	15.9
Saline	516	217	284	11	217	100	57	59	24	46.5	13	25.2
Scott	205	83	120	2	78	54	----	7	4	19.5	2	9.8
Searcy	265	195	42	22	66	47	----	17	6	22.6	1	3.8
Sebastian	1,587	1,376	191	17	523	286	2	233	36	22.7	20	12.6
Fort Smith	1,085	1,029	40	15	336	185	2	197	23	21.2	15	13.8
White	986	963	16	6	333	----	----	----	18	18.3	12	12.2
Nonwhite	99	66	24	9	53	----	----	----	5	50.5	3	30.3
Balance of county	502	347	151	2	137	101	-	36	13	25.9	5	10.0
Sevier	346	246	93	7	98	65	-	32	10	28.9	5	14.5
White	324	237	86	1	86	----	----	----	10	30.9	4	12.3
Nonwhite	22	9	7	6	12	----	----	----	-	0	1	45.5
Sharp	173	56	113	1	52	38	-	14	1	5.8	-	0
Stone	142	55	71	5	44	31	----	13	4	28.2	1	7.0
Union	1,046	670	124	245	302	206	-	93	19	18.2	26	24.9
White	702	628	63	10	199	----	----	----	14	19.9	11	15.7
Nonwhite	344	42	61	235	103	----	----	----	5	14.5	15	43.6
El Dorado	483	387	28	67	158	92	-	64	13	28.9	12	24.8
White	372	365	7	1	105	----	----	----	11	29.8	7	18.8
Nonwhite	111	24	21	66	53	----	----	----	2	18.0	5	45.0
Balance of county	583	283	96	178	144	114	-	29	6	10.7	14	24.9
White	330	265	56	9	94	----	----	----	3	9.1	4	12.1
Nonwhite	253	18	40	169	50	----	----	----	3	12.9	10	42.9
Van Buren	188	56	130	1	81	62	-	19	7	37.2	2	10.6

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
ARKANSAS—Continued												
Washington	930	788	120	20	533	185	-	140	21	22.8	16	17.2
White	851	564	272	11	229	152	-	76	14	16.5	20	23.5
Woodruff	563	176	294	88	98	82	-	14	11	19.5	12	21.3
White	343	128	198	14	51	--------	--------	--------	7	20.4	8	23.3
Nonwhite	220	48	96	74	47	--------	--------	--------	4	18.2	4	18.2
Yell	366	196	164	6	77	68	-	9	9	24.8	4	10.9
CALIFORNIA	218,484	212,050	5,367	456	94,678	41,243	5,063	46,809	6,705	30.7	4,024	18.4
Alameda	17,582	17,295	257	5	7,035	3,245	184	3,483	494	28.1	305	17.3
Alameda	2,174	2,147	24	1	495	244	10	235	65	29.9	36	16.6
Albany	385	377	8	-	109	61	-	48	11	28.6	7	18.2
Berkeley	2,783	2,742	40	1	1,038	523	-	497	68	24.4	51	18.3
Oakland	9,197	9,054	124	3	4,181	1,863	127	2,123	255	27.7	157	17.1
White	8,052	7,983	56	2	3,839	--------	--------	--------	208	25.8	115	14.3
Nonwhite	1,145	1,071	68	1	342	--------	--------	--------	47	41.0	42	36.7
San Leandro	929	917	11	-	208	105	-	97	22	23.7	13	14.0
Balance of county	2,114	2,056	50	-	1,004	449	47	483	73	34.5	41	19.4
Alpine	5	4	-	-	6	4	-	2	2	400.0	-	0
White	3	3	-	-	2	--------	--------	--------	-	0	-	0
Nonwhite	2	1	-	-	4	--------	--------	--------	2	1,000.0	-	0
Amador	136	121	14	-	111	52	33	26	3	22.1	1	7.4
Butte	1,182	1,160	21	1	628	278	2	325	49	41.5	21	17.8
Calaveras	153	137	15	-	94	50	22	22	2	13.1	3	19.6
Colusa	239	228	10	-	126	52	-	74	4	16.7	4	16.7
Contra Costa	7,550	7,131	397	2	1,491	664	4	788	217	28.7	134	17.7
Richmond	4,133	3,842	274	-	506	212	-	286	116	28.1	81	19.6
Balance of county	3,417	3,289	123	2	985	452	4	502	101	29.6	53	15.5
Del Norte	125	124	1	-	71	28	2	41	3	24.0	4	32.0
El Dorado	289	268	20	1	162	74	16	72	11	38.1	2	6.9
Fresno	6,159	5,847	287	8	2,203	933	19	1,207	247	40.1	107	17.4
Fresno	2,249	2,192	56	1	1,202	399	1	764	97	43.1	39	17.3
Balance of county	3,909	3,655	231	7	1,001	534	18	443	150	38.4	68	17.4
Glenn	294	275	19	-	134	76	-	55	8	27.2	3	10.2
Humboldt	1,125	1,116	8	1	643	252	32	353	36	32.0	15	13.3
Eureka	516	516	-	-	311	92	26	189	14	27.1	10	19.4
Balance of county	609	600	8	1	332	160	6	164	22	36.1	5	8.2
Imperial	1,767	1,279	414	30	548	318	-	227	100	56.6	35	19.8
White	1,624	1,189	363	29	489	--------	--------	--------	92	56.7	34	20.9
Nonwhite	143	90	51	1	59	--------	--------	--------	8	55.9	1	7.0
Brawley	420	198	198	18	117	74	-	42	35	83.3	7	16.7
El Centro	373	300	67	2	106	66	-	40	22	59.0	6	16.1
White	341	282	53	2	93	--------	--------	--------	19	55.7	6	17.6
Nonwhite	32	18	14	-	13	--------	--------	--------	3	93.8	-	0
Balance of county	974	781	149	10	325	178	-	145	43	44.1	22	22.6
White	891	716	133	9	287	--------	--------	--------	38	42.6	21	23.6
Nonwhite	83	65	16	1	38	--------	--------	--------	5	60.2	1	12.0
Inyo	189	186	2	1	100	47	4	43	9	47.6	10	52.9
White	166	165	1	-	81	--------	--------	--------	8	48.2	10	60.2
Nonwhite	23	21	1	1	19	--------	--------	--------	1	43.5	-	0
Kern	5,098	4,880	181	1	1,389	508	-	881	177	34.7	87	17.1
Bakersfield	2,129	2,102	20	-	381	142	-	236	52	24.4	27	12.7
Balance of county	2,969	2,778	161	1	1,008	366	-	625	125	42.1	60	20.2
Kings	1,198	1,129	67	1	366	135	-	230	57	47.6	26	21.7
Lake	209	205	4	-	164	90	2	64	9	43.1	1	4.8
Lassen	383	372	10	-	131	58	16	57	15	39.2	5	13.1
Los Angeles	80,000	77,796	1,635	342	37,796	17,437	1,308	18,302	2,243	28.0	1,546	19.4
Alhambra	803	799	4	-	448	260	5	178	21	26.2	12	14.9
Bell	372	372	-	-	116	59	--	55	9	24.2	4	10.8
Belvedere (twp.)[4]	438	257	92	80	282	112	-	166	39	89.0	17	38.8
Beverly Hills	95	95	-	-	206	169	-	35	3	31.6	2	21.1
Burbank	1,830	1,818	10	-	435	226	3	199	33	18.0	22	12.0
Compton	907	899	5	1	241	106	11	115	25	27.6	15	16.5
Glendale	1,909	1,900	5	1	944	452	-	477	40	21.0	34	17.8
Huntington Park	694	692	1	1	314	159	-	148	17	24.5	10	14.4
Inglewood	1,169	1,167	1	-	413	198	-	210	27	23.1	11	9.4
Long Beach	5,843	5,824	16	2	2,404	1,037	2	1,323	163	27.9	80	13.7
Los Angeles	42,418	41,083	1,044	204	21,009	9,610	223	10,761	1,195	28.2	864	20.4
White	38,555	37,665	633	191	19,483	--------	--------	--------	1,062	27.5	733	19.0
Nonwhite	3,863	3,418	411	13	1,528	--------	--------	--------	133	34.4	131	33.9
Lynwood	485	484	1	-	139	62	1	76	15	30.9	12	24.7
Maywood	317	314	3	-	101	45	-	56	11	34.7	7	22.1
Monrovia	351	338	14	-	202	100	2	91	13	37.0	5	14.2
Pasadena	2,394	2,377	16	-	1,405	722	5	645	59	24.6	45	18.8
Pomona	665	659	5	-	322	192	8	116	21	31.8	12	18.0
Redondo Beach	460	444	11	-	176	94	12	66	10	21.7	5	10.9
San Gabriel	452	437	14	1	178	93	10	71	14	31.0	3	6.6
Santa Monica	1,562	1,522	17	-	759	418	1	310	52	33.3	33	21.1
South Gate	959	956	3	-	275	139	-	132	17	17.7	21	21.9
South Pasadena	282	279	3	-	174	91	11	68	6	21.3	29	102.8
Whittier	502	500	1	-	244	110	1	132	15	29.9	8	15.9
Balance of county	15,093	14,592	369	52	7,009	2,983	1,013	3,872	438	29.0	297	19.7
White	14,668	14,224	317	46	6,837	--------	--------	--------	428	29.2	292	19.9
Nonwhite	425	358	52	6	172	--------	--------	--------	10	23.5	5	11.8

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
CALIFORNIA—Continued												
Madera	871	856	9	-	285	91	-	193	37	42.5	27	31.0
Marin	1,625	1,614	11	-	584	272	76	226	44	27.1	36	22.2
Mariposa	83	76	5	1	45	24	-	20	3	36.1	-	0
Mendocino	548	529	14	2	444	152	125	167	21	38.3	11	20.1
Merced	1,607	1,584	16	3	474	203	-	270	44	27.4	41	25.5
Merced	524	522	-	1	144	46	-	97	15	28.6	15	28.6
Balance of county	1,083	1,062	16	2	330	157	-	173	29	26.8	26	24.0
Modoc	206	203	2	-	113	46	-	67	21	101.9	3	14.6
Mono	24	21	-	-	13	8	-	5	2	83.3	2	83.3
White	14	14	-	-	6	--------	--------	--------	-	0	2	142.9
Nonwhite	10	7	-	-	7	--------	--------	--------	2	200.0	-	0
Monterey	2,687	2,544	137	1	819	359	3	449	69	25.7	35	13.0
Monterey	450	444	6	-	100	44	-	56	6	13.3	1	2.2
Salinas	957	950	7	-	163	68	-	94	16	16.7	4	4.2
White	892	885	7	-	156	--------	--------	--------	16	17.9	4	4.5
Nonwhite	65	65	--	-	7	--------	--------	--------	-	0	-	0
Balance of county	1,280	1,150	125	1	556	247	3	299	47	36.7	30	23.4
Napa	785	779	5	-	953	169	621	153	18	22.9	9	11.5
Nevada	394	382	11	-	236	83	1	152	9	22.8	8	20.3
Orange	4,451	4,244	196	-	1,853	966	8	857	152	34.1	79	17.7
Anaheim	407	389	17	-	168	75	1	90	9	22.1	10	24.6
Fullerton	282	279	3	-	118	54	-	64	14	49.6	8	28.4
Santa Ana	1,241	1,200	38	-	473	250	7	264	41	33.0	20	16.1
Balance of county	2,521	2,376	138	-	1,094	587	-	499	88	34.9	41	16.3
Placer	753	722	29	-	376	167	3	201	13	17.3	14	18.6
Plumas	275	271	3	-	131	48	-	73	12	43.6	3	10.9
Riverside	3,549	3,442	94	4	1,443	667	8	758	137	38.6	82	23.1
Riverside	1,393	1,383	10	-	527	207	8	310	46	33.0	23	16.5
Balance of county	2,156	2,059	84	4	918	460	-	448	91	42.2	59	27.4
Sacramento	5,366	5,295	60	2	2,423	1,012	17	1,339	152	28.3	100	18.6
Sacramento	3,083	3,059	18	1	1,711	644	4	1,025	83	26.9	65	21.1
Balance of county	2,283	2,236	42	1	712	368	13	314	69	30.2	35	15.3
White	2,145	2,105	35	1	656	--------	--------	--------	63	29.4	34	15.9
Nonwhite	138	131	7	-	56	--------	--------	--------	6	43.4	1	7.2
San Benito	387	348	34	-	130	77	10	43	9	23.3	11	28.4
San Bernardino	5,660	5,393	253	5	2,646	987	492	1,133	199	35.2	105	18.6
Ontario	567	560	6	-	155	101	11	36	17	30.0	9	15.9
Redlands	431	399	31	-	220	110	-	106	17	39.4	3	7.0
San Bernardino	1,950	1,857	88	-	860	258	1	594	65	33.3	35	17.9
Balance of county	2,712	2,577	128	5	1,411	518	480	397	100	36.9	58	21.4
San Diego	12,841	12,645	143	5	4,068	1,704	73	2,185	391	30.4	226	17.6
National City	648	636	10	1	164	53	1	105	21	32.4	11	17.0
San Diego	8,883	8,762	90	-	2,698	1,140	2	1,485	259	29.2	165	18.6
Balance of county	3,310	3,247	43	4	1,204	511	70	595	111	33.5	50	15.1
San Francisco, coextensive with San Francisco (city)	16,604	16,455	98	18	9,266	3,894	559	4,737	472	28.4	327	19.7
White	15,073	14,986	49	14	8,716	--------	--------	--------	417	27.7	279	18.5
Nonwhite	1,531	1,469	49	4	550	--------	--------	--------	55	35.9	48	31.4
San Joaquin	4,145	4,084	52	-	2,296	775	386	1,128	172	41.5	68	16.4
Lodi	259	259	-	-	163	66	-	97	10	38.6	7	27.0
Stockton	1,448	1,438	8	-	715	328	2	381	73	50.4	28	19.3
Balance of county	2,438	2,387	44	-	1,418	381	384	650	89	38.5	33	13.5
White	2,237	2,188	42	-	1,288	--------	--------	--------	73	32.6	28	12.5
Nonwhite	201	199	2	-	130	--------	--------	--------	16	79.6	5	24.9
San Luis Obispo	1,081	1,048	29	-	414	165	12	213	39	35.2	16	14.8
San Mateo	3,998	3,976	14	1	1,320	561	109	640	74	18.5	66	16.5
Burlingame	377	377	-	-	96	58	4	34	2	5.3	3	8.0
Redwood City	562	558	2	-	111	72	1	38	7	12.5	18	32.0
San Mateo	668	667	1	-	405	114	-	291	14	21.0	10	15.0
Balance of county	2,391	2,374	11	1	708	317	104	279	51	21.3	35	14.6
Santa Barbara	2,104	2,064	38	-	882	387	-	483	45	21.4	27	12.8
Santa Barbara	1,001	982	18	-	519	225	-	284	20	20.0	13	13.0
Balance of county	1,103	1,082	20	-	363	162	-	199	25	22.7	14	12.7
Santa Clara	5,685	5,597	70	5	2,801	1,025	498	1,227	189	33.2	96	16.9
Palo Alto	486	486	-	-	268	99	-	169	10	20.6	6	12.3
San Jose	2,442	2,411	25	2	801	430	1	353	87	35.6	44	18.0
Balance of county	2,757	2,700	45	3	1,732	496	497	705	92	33.4	46	16.7
Santa Cruz	1,210	1,197	13	-	836	370	20	426	48	39.7	15	12.4
Santa Cruz	402	400	2	-	343	165	6	166	22	54.7	3	7.5
Balance of county	808	797	11	-	493	205	14	260	26	32.2	12	14.9
Shasta	608	572	34	1	310	142	1	167	22	36.2	12	19.7
Sierra	37	34	3	-	24	17	-	6	1	27.0	2	54.1
Siskiyou	611	595	11	2	281	117	-	162	12	19.6	7	11.5
Solano	3,281	3,168	110	-	774	321	-	450	116	35.4	38	11.6
Vallejo	2,445	2,416	28	-	330	125	-	202	73	29.9	25	10.2
Balance of county	836	752	82	-	444	196	-	248	43	51.4	13	15.6
Sonoma	1,924	1,910	13	1	1,090	404	129	542	63	32.7	30	15.6
Santa Rosa	712	708	4	-	212	75	-	130	16	22.5	8	11.2
Balance of county	1,212	1,202	9	1	878	329	129	412	47	38.8	22	18.2
Stanislaus	2,830	2,769	59	1	936	413	3	498	75	26.5	59	20.8
Modesto	935	931	4	-	376	89	-	283	20	21.4	20	21.4
Balance of county	1,895	1,838	55	1	580	324	3	215	55	29.0	39	20.6

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
CALIFORNIA—Continued												
Sutter	557	549	8	-	226	109	1	114	20	35.9	10	18.0
Tehama	374	374	-	-	184	73	-	110	13	34.8	4	10.7
Trinity	50	50	-	-	50	21	-	29	1	20.0	2	40.0
Tulare	3,493	3,273	190	6	1,092	508	25	549	180	51.5	71	20.3
Tuolumne	205	201	4	-	162	50	-	108	11	53.7	5	24.4
Ventura	2,386	2,171	201	3	934	304	237	388	89	37.3	42	17.6
San Buenaventura	484	477	7	-	105	52	-	53	19	39.3	9	18.6
Balance of county	1,902	1,694	194	3	829	252	237	335	70	36.8	33	17.4
Yolo	872	841	29	-	316	163	2	149	20	22.9	11	12.6
Yuba	655	623	7	2	252	88	-	160	25	39.4	13	20.5
COLORADO	29,518	25,921	3,360	115	12,058	5,300	664	5,928	1,180	40.0	650	22.0
Adams	640	544	81	10	225	98	1	125	19	29.7	18	28.1
Alamosa	261	243	13	4	93	42	-	51	29	111.1	9	34.5
Arapahoe	1,257	1,194	56	5	312	148	5	157	38	30.2	20	15.9
Archuleta	80	44	35	-	21	17	-	4	2	25.0	2	25.0
Baca	198	115	83	-	53	36	-	12	5	25.3	7	35.4
Bent	205	194	11	-	99	35	34	30	8	39.0	7	34.1
Boulder	963	878	85	-	396	170	-	225	27	28.0	27	28.0
Boulder	491	488	2	-	188	73	-	114	13	26.5	15	30.5
Balance of county	472	389	83	-	208	97	-	111	14	29.7	12	25.4
Chaffee	141	126	14	1	77	34	-	43	3	21.3	1	7.1
Cheyenne	64	51	13	-	17	8	-	8	1	15.6	3	46.9
Clear Creek	62	43	19	-	40	24	-	16	5	80.6	1	16.1
Conejos	244	177	51	1	92	67	-	25	19	77.9	4	16.4
Costilla	156	83	38	23	39	23	-	16	5	32.1	4	25.6
Crowley	159	104	55	-	37	19	-	18	4	25.2	3	18.9
Custer	32	30	2	-	13	6	-	7	-	0	-	0
Delta	367	227	135	4	145	95	7	41	14	38.1	7	19.1
Denver, coextensive with Denver (city)	9,485	9,022	427	29	4,196	1,690	70	2,390	289	30.5	205	21.6
Dolores	53	43	10	-	10	8	-	2	2	37.7	2	37.7
Douglas	60	56	4	-	38	14	-	24	2	33.3	-	0
Eagle	95	83	12	-	32	15	-	17	6	63.2	2	21.1
Elbert	88	77	11	-	37	15	-	22	4	45.5	2	22.7
El Paso	1,368	1,309	52	1	776	316	105	349	71	51.9	34	24.9
Colorado Springs	1,123	1,083	36	-	692	272	90	325	63	56.1	29	25.8
Balance of county	245	226	16	1	84	44	15	24	8	32.7	5	20.4
Fremont	369	332	36	-	207	92	4	111	14	37.9	13	35.2
Garfield	265	205	60	-	93	45	-	48	11	41.5	3	11.3
Gilpin	11	11	-	-	14	6	-	8	-	0	-	0
Grand	109	85	24	-	25	15	-	10	3	27.5	1	9.2
Gunnison	125	101	24	-	49	23	-	26	7	56.0	1	8.0
Hinsdale	3	3	-	-	2	1	-	1	-	0	-	0
Huerfano	280	124	142	4	128	88	-	40	15	53.6	7	25.0
Jackson	27	24	3	-	11	7	-	4	1	37.0	1	37.0
Jefferson	989	942	43	3	384	153	28	185	22	22.2	27	27.3
Kiowa	75	71	4	-	28	6	-	20	4	53.3	2	26.7
Kit Carson	195	166	29	-	54	21	-	22	2	10.3	2	10.3
Lake	164	163	1	-	77	32	-	45	15	91.5	7	42.7
La Plata	351	294	55	1	134	53	-	80	15	42.7	19	54.1
Larimer	925	879	45	-	333	174	1	150	34	36.8	11	11.9
Fort Collins	426	421	5	-	99	69	1	28	16	37.6	1	2.3
Balance of county	499	458	40	-	234	105	-	122	18	36.1	10	20.0
Las Animas	717	421	286	1	298	165	-	130	49	68.3	18	25.1
Trinidad	409	262	142	1	160	100	-	59	27	66.0	10	24.4
Balance of county	308	159	144	-	138	65	-	71	22	71.4	8	26.0
Lincoln	134	111	23	-	33	23	-	10	3	22.4	2	14.9
Logan	406	373	33	-	150	64	-	86	11	27.1	5	12.3
Mesa	875	774	95	2	336	168	20	127	33	37.7	20	22.9
Grand Junction	466	431	33	2	186	82	10	80	13	27.9	6	12.9
Balance of county	409	343	62	-	150	86	10	47	20	48.9	14	34.2
Mineral	13	12	-	-	5	2	-	3	1	76.9	-	0
Moffat	126	100	26	-	40	23	-	17	5	39.7	1	7.9
Montezuma	247	217	25	-	75	44	-	31	12	48.6	5	20.2
Montrose	304	265	36	-	131	81	-	50	24	78.9	8	26.3
Morgan	404	353	49	-	166	77	-	89	22	54.5	5	12.4
Otero	695	596	90	3	240	122	-	118	43	61.9	24	34.5
Ouray	30	23	7	-	25	17	-	3	3	100.0	-	0
Park	44	36	8	-	18	7	-	11	1	22.7	2	45.5
Phillips	129	103	26	-	39	17	-	22	6	46.5	-	0
Pitkin	26	23	3	-	16	11	-	5	-	0	-	0
Prowers	352	329	23	-	106	64	-	27	10	28.4	6	17.0
Pueblo	1,993	1,661	309	10	1,011	288	367	352	93	46.7	45	22.6
Pueblo	1,705	1,481	212	1	881	250	363	265	73	42.8	37	21.7
Balance of county	288	180	97	9	130	38	4	87	20	69.4	8	27.8
Rio Blanco	77	55	20	-	27	17	-	9	4	51.9	4	51.9
Rio Grande	363	244	116	-	136	64	1	68	43	118.5	6	16.5
Routt	214	186	28	-	73	37	-	36	6	28.0	7	32.7
Saguache	141	105	24	10	42	21	-	21	13	92.2	6	42.6

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
COLORADO—Continued												
San Juan	34	32	2	-	11	5	-	6	1	29.4	1	29.4
San Miguel	61	44	16	1	24	11	-	11	3	49.2	1	16.4
Sedgwick	136	120	16	-	43	20	-	23	7	51.5	-	0
Summit	13	13	-	-	19	6	3	9	-	0	-	0
Teller	83	76	6	-	55	19	4	32	7	84.3	1	12.0
Washington	153	144	9	-	59	24	-	34	8	52.3	2	13.1
Weld	1,629	1,214	407	1	509	259	14	232	71	43.6	21	12.9
Greeley	483	430	53	-	226	82	14	127	26	53.8	7	14.5
Balance of county	1,146	784	354	1	283	177	-	105	45	39.3	14	12.2
Yuma	253	248	4	1	84	48	-	34	5	19.8	8	31.8
CONNECTICUT	41,457	41,001	433	4	19,127	8,754	1,330	8,643	1,154	27.8	669	16.1
Fairfield	10,224	10,130	94	-	4,721	2,112	305	2,211	259	25.3	205	19.9
Bridgeport	3,725	3,690	35	-	1,673	715	62	884	101	27.1	92	24.7
Danbury	538	538	-	-	351	141	2	179	22	40.9	13	24.2
Norwalk	969	946	23	-	475	226	-	234	22	22.7	20	20.6
Shelton	211	208	3	-	95	44	9	42	5	23.7	1	4.7
Stamford	1,431	1,422	9	-	647	284	1	349	39	27.3	31	21.7
Stratford (town)	700	695	5	-	165	101	-	61	18	25.7	17	24.3
Balance of county	2,650	2,631	19	-	1,335	601	231	462	52	19.6	29	10.9
Hartford	11,449	11,379	66	1	4,693	2,075	127	2,335	304	26.6	163	14.2
Bristol	852	849	3	-	282	120	-	148	24	28.2	20	23.5
East Hartford (town)	825	824	1	-	221	112	-	105	23	27.9	8	9.7
Hartford	3,903	3,898	5	-	1,819	676	32	1,017	102	26.1	53	13.6
New Britain	1,500	1,488	11	1	640	308	8	319	39	26.0	31	20.7
West Hartford (town)	749	749	-	-	340	151	14	167	33	44.1	8	10.7
Balance of county	3,620	3,571	46	-	1,391	708	73	579	83	22.9	43	11.9
Litchfield	2,025	2,006	17	1	934	497	6	408	63	31.1	32	15.8
Torrington	587	582	5	-	249	117	-	129	16	27.3	13	22.1
Balance of county	1,438	1,424	12	1	685	380	6	279	47	32.7	19	13.2
Middlesex	1,281	1,274	7	-	892	329	296	261	42	32.8	21	16.4
Middletown	595	595	-	-	521	103	288	129	21	35.3	13	21.8
Balance of county	686	679	7	-	371	226	8	132	21	30.6	8	11.7
New Haven	11,339	11,219	108	2	5,324	2,473	266	2,512	329	29.0	170	15.0
Ansonia	421	412	8	-	193	119	2	72	15	35.6	3	7.1
Derby	263	262	1	-	132	56	-	74	14	53.2	5	19.0
Meriden	897	897	-	-	417	159	7	250	19	21.2	17	19.0
Naugatuck	355	352	3	-	159	81	2	67	10	28.2	-	0
New Haven	3,673	3,628	42	2	1,897	813	118	949	98	26.7	65	17.7
Wallingford	315	314	1	-	170	75	35	59	7	22.2	2	6.3
Waterbury	2,181	2,164	17	-	1,068	414	85	557	86	39.4	46	21.1
West Haven (town)	659	648	10	-	258	156	4	92	13	19.7	8	12.1
Balance of county	2,575	2,542	26	-	1,030	600	13	392	67	26.0	24	9.3
New London	3,192	3,149	39	-	1,622	712	310	576	105	32.9	42	13.2
New London	706	699	6	-	323	146	7	169	24	34.0	6	8.5
Norwich	715	707	8	-	391	197	5	185	25	35.0	13	18.2
Balance of county	1,771	1,743	25	-	908	369	298	222	56	31.6	23	13.0
Tolland	680	671	9	-	329	189	7	128	12	17.6	18	26.5
Windham	1,287	1,173	93	-	612	367	13	212	40	31.6	20	15.8
Willimantic	323	316	7	-	143	81	2	54	9	27.9	4	12.4
Balance of county	944	857	86	-	469	286	11	158	31	32.8	16	16.9
DELAWARE	6,802	6,032	383	336	3,229	1,661	324	1,220	202	29.7	141	20.7
Kent	804	575	118	101	542	264	168	109	24	29.9	21	26.1
White	654	549	83	20	413	----------	----------	----------	21	32.1	15	22.9
Nonwhite	150	26	35	81	129	----------	----------	----------	3	20.0	6	40.0
New Castle	4,888	4,535	60	88	2,065	988	151	906	119	25.4	93	19.8
White	4,106	4,037	40	27	1,728	----------	----------	----------	92	22.4	69	16.8
Nonwhite	582	498	20	61	337	----------	----------	----------	27	46.4	24	41.2
Wilmington	2,659	2,594	24	38	1,322	616	28	665	73	27.5	55	20.7
White	2,255	2,231	15	9	1,088	----------	----------	----------	56	24.8	39	17.3
Nonwhite	404	363	9	29	234	----------	----------	----------	17	42.1	16	39.6
Balance of county	2,029	1,941	36	50	743	372	123	241	46	22.7	38	18.7
Sussex	1,310	922	205	147	622	409	5	205	59	45.0	27	20.6
White	1,051	880	147	17	502	----------	----------	----------	36	34.3	17	16.2
Nonwhite	259	42	58	130	120	----------	----------	----------	23	88.8	10	38.6
DISTRICT OF COLUMBIA	18,601	17,661	932	4	8,289	3,190	673	4,388	767	41.2	484	26.0
FLORIDA	53,688	39,383	6,013	8,165	23,005	12,833	596	8,922	2,116	39.4	1,599	29.8
Alachua	1,122	690	164	268	440	314	9	112	41	36.5	50	44.6
White	732	630	82	20	221	----------	----------	----------	18	24.6	14	19.1
Nonwhite	390	60	82	248	219	----------	----------	----------	23	59.0	36	92.3
Gainesville	517	427	12	78	193	118	2	71	18	34.8	20	38.7
White	388	382	5	1	110	----------	----------	----------	12	30.9	6	15.5
Nonwhite	129	45	7	77	83	----------	----------	----------	6	46.5	14	108.5
Balance of county	605	263	152	190	247	196	7	41	23	38.0	30	49.6
White	344	248	77	19	111	----------	----------	----------	6	17.4	8	23.3
Nonwhite	261	15	75	171	136	----------	----------	----------	17	65.1	22	84.3
Baker	181	63	42	76	56	39	-	17	4	22.1	10	55.2
White	136	62	33	41	35	----------	----------	----------	1	7.4	6	44.1
Nonwhite	45	1	9	35	21	----------	----------	----------	3	66.7	4	88.9

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
FLORIDA—Continued												
Bay	918	706	90	121	243	155	3	80	45	49.0	39	42.5
White	770	693	26	50	176	---	---	---	34	44.2	21	27.3
Nonwhite	148	13	64	71	67	---	---	---	11	74.3	18	121.6
Panama City	443	337	59	47	144	94	-	48	22	49.7	22	49.7
White	339	325	8	6	94	---	---	---	13	38.3	11	32.4
Nonwhite	104	12	51	41	50	---	---	---	9	86.5	11	105.8
Balance of county	475	369	31	74	99	61	3	32	23	48.4	17	35.8
White	431	368	18	44	82	---	---	---	21	48.7	10	23.2
Nonwhite	44	1	13	30	17	---	---	---	2	45.5	7	159.1
Bradford	317	98	118	103	127	98	-	29	17	53.6	14	44.2
White	239	95	109	34	85	---	---	---	11	46.0	10	41.8
Nonwhite	78	3	9	66	42	---	---	---	6	76.9	4	51.3
Brevard	468	269	50	149	213	145	2	65	12	25.6	12	25.6
White	291	260	19	12	144	---	---	---	8	27.5	6	20.6
Nonwhite	177	9	31	137	69	---	---	---	4	22.6	6	33.9
Broward	1,390	1,042	132	216	522	269	4	249	53	38.1	44	31.7
White	909	861	45	3	345	---	---	---	27	29.7	19	20.9
Nonwhite	481	181	87	213	177	---	---	---	26	54.1	25	52.0
Fort Lauderdale	624	527	47	50	240	120	-	120	19	30.4	15	24.0
White	461	451	9	1	179	---	---	---	13	28.2	8	17.4
Nonwhite	163	76	38	49	61	---	---	---	6	36.8	7	42.9
Balance of county	766	515	85	166	282	149	4	129	34	44.4	29	37.9
White	448	410	36	2	166	---	---	---	14	31.3	11	24.6
Nonwhite	318	105	49	164	116	---	---	---	20	62.9	18	56.6
Calhoun	206	47	124	34	69	47	-	21	10	48.5	11	53.4
White	174	45	118	10	58	---	---	---	9	51.7	10	57.5
Nonwhite	32	2	6	24	11	---	---	---	1	31.3	1	31.3
Charlotte	60	40	16	4	36	29	-	7	1	16.7	2	33.3
White	54	39	15	-	27	---	---	---	1	18.5	2	37.0
Nonwhite	6	1	1	4	9	---	---	---	-	0	-	0
Citrus	130	50	42	37	43	34	-	9	2	15.4	1	7.7
White	91	49	37	4	27	---	---	---	2	22.0	-	0
Nonwhite	39	1	5	33	16	---	---	---	-	0	1	25.6
Clay	197	125	27	45	124	80	9	32	11	55.8	9	45.7
White	151	117	25	9	102	---	---	---	10	66.2	6	39.7
Nonwhite	46	8	2	36	22	---	---	---	1	21.7	3	65.2
Collier	86	63	7	14	33	21	-	12	6	69.8	4	46.5
White	72	58	6	8	16	---	---	---	4	55.6	3	41.7
Nonwhite	14	5	1	6	17	---	---	---	2	142.9	1	71.4
Columbia	492	282	69	141	167	104	-	62	19	38.6	21	42.7
White	325	269	45	11	96	---	---	---	9	27.7	6	18.5
Nonwhite	167	13	24	130	71	---	---	---	10	59.9	15	89.8
Dade	7,758	6,860	197	691	3,357	1,607	7	1,641	271	34.9	205	26.4
White	6,347	6,235	95	11	2,774	---	---	---	204	32.1	128	20.2
Nonwhite	1,411	625	102	680	583	---	---	---	67	47.5	77	54.6
Miami	4,507	3,880	122	500	2,184	1,032	4	1,076	165	36.6	115	25.5
White	3,551	3,491	48	8	1,761	---	---	---	116	32.7	65	18.3
Nonwhite	956	389	74	492	423	---	---	---	49	51.3	50	52.3
Miami Beach	540	538	2	-	305	148	-	150	20	37.0	18	33.3
Balance of county	2,711	2,442	73	191	868	427	3	415	86	31.7	72	26.6
White	2,256	2,206	45	3	709	---	---	---	68	30.1	46	20.4
Nonwhite	455	236	28	188	159	---	---	---	18	39.6	26	57.1
De Soto	180	178	2	-	64	31	-	33	4	22.2	9	50.0
White	143	142	1	-	46	---	---	---	3	21.0	5	35.0
Nonwhite	37	36	1	-	18	---	---	---	1	27.0	4	108.1
Dixie	106	16	71	19	28	24	-	4	2	18.9	4	37.7
White	83	15	68	5	19	---	---	---	2	22.7	4	45.5
Nonwhite	18	1	3	14	9	---	---	---	-	0	-	0
Duval	6,514	5,648	289	542	2,679	1,459	16	1,139	264	40.5	161	24.7
White	4,770	4,536	170	60	1,633	---	---	---	200	41.9	88	18.4
Nonwhite	1,744	1,112	119	482	1,046	---	---	---	64	36.7	73	41.9
Jacksonville	5,287	4,617	210	409	2,246	1,181	16	1,006	220	41.8	134	25.4
White	3,706	3,588	104	13	1,290	---	---	---	162	43.7	70	18.9
Nonwhite	1,581	1,029	106	396	956	---	---	---	58	37.2	64	41.0
Balance of county	1,247	1,031	79	133	433	277	-	133	44	35.3	27	21.7
White	1,064	948	66	47	343	---	---	---	38	35.7	18	16.9
Nonwhite	183	83	13	86	90	---	---	---	6	32.8	9	49.2
Escambia	2,676	2,063	294	315	848	493	2	322	110	41.1	91	34.0
White	2,070	1,858	191	20	557	---	---	---	72	34.8	58	28.0
Nonwhite	606	205	103	295	291	---	---	---	38	62.7	33	54.5
Pensacola	1,365	1,052	132	180	524	300	-	200	63	46.2	41	30.0
White	923	861	42	-	302	---	---	---	35	37.9	21	22.8
Nonwhite	442	171	90	180	222	---	---	---	28	63.3	20	45.2
Balance of county	1,311	1,011	162	135	324	193	2	122	47	35.9	50	38.1
White	1,147	977	149	20	255	---	---	---	37	32.5	37	32.3
Nonwhite	164	34	13	115	69	---	---	---	10	61.0	13	79.3
Flagler	76	29	10	37	44	29	-	14	5	65.8	2	26.3
White	31	24	7	-	24	---	---	---	2	64.5	-	0
Nonwhite	45	5	3	37	20	---	---	---	3	66.7	2	44.4
Franklin	175	97	42	36	50	36	-	10	5	28.6	5	28.6
White	141	92	38	11	34	---	---	---	2	14.2	-	0
Nonwhite	34	5	4	25	16	---	---	---	3	88.2	5	147.1

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
FLORIDA—Continued												
Gadsden	738	231	105	401	640	203	383	47	34	46.1	35	47.4
White	254	210	32	12	304	----	----	----	11	43.3	5	19.7
Nonwhite	484	21	73	389	336	----	----	----	23	47.5	30	62.0
Gilchrist	96	31	44	21	46	38	-	8	4	41.7	4	41.7
White	78	31	41	6	35	----	----	----	3	38.5	3	38.5
Nonwhite	18	-	3	15	11	----	----	----	1	55.6	1	55.6
Glades	42	11	26	2	14	12	-	1	-	0	-	0
White	29	11	18	-	10	----	----	----	-	0	-	0
Nonwhite	13	-	8	2	4	----	----	----	-	0	-	0
Gulf	224	169	17	36	49	30	-	14	7	31.3	5	22.3
White	165	139	10	14	33	----	----	----	4	24.2	3	18.2
Nonwhite	59	30	7	22	16	----	----	----	3	50.8	2	33.9
Hamilton	245	62	112	71	91	76	-	15	16	65.3	3	12.2
White	136	62	65	9	43	----	----	----	8	58.8	1	7.4
Nonwhite	109	-	47	62	48	----	----	----	8	73.4	2	18.3
Hardee	212	162	49	1	88	55	-	31	10	47.2	5	23.6
Hendry	153	112	3	35	41	24	-	17	7	45.8	11	71.9
White	107	102	3	2	21	----	----	----	5	46.7	5	46.7
Nonwhite	46	10	-	33	20	----	----	----	2	43.5	6	130.4
Hernando	152	98	52	2	64	45	-	21	6	39.5	2	13.2
White	117	91	26	-	45	----	----	----	5	42.7	1	8.5
Nonwhite	35	7	26	2	19	----	----	----	1	28.6	1	28.6
Highlands	312	248	29	35	99	65	-	33	11	35.3	7	22.4
White	231	204	23	4	74	----	----	----	7	30.3	3	13.0
Nonwhite	81	44	6	31	25	----	----	----	4	49.4	4	49.4
Hillsborough	5,380	4,719	228	432	2,107	1,065	5	1,008	231	42.9	141	26.2
White	4,569	4,372	136	59	1,627	----	----	----	169	37.0	90	19.7
Nonwhite	811	347	90	373	480	----	----	----	62	76.4	51	62.9
Tampa	3,588	2,965	80	342	1,424	668	5	731	131	38.7	99	29.2
White	2,771	2,684	42	44	1,045	----	----	----	88	31.8	59	21.3
Nonwhite	817	281	38	298	379	----	----	----	43	69.7	40	64.8
Balance of county	1,992	1,754	146	90	683	397	-	227	100	50.2	42	21.1
White	1,798	1,688	94	15	582	----	----	----	81	45.1	31	17.2
Nonwhite	194	66	52	75	101	----	----	----	19	97.9	11	56.7
Holmes	420	196	189	34	115	92	-	23	6	14.3	7	16.7
Indian River	198	138	31	25	122	70	-	42	11	56.4	7	35.9
White	124	113	10	1	86	----	----	----	5	40.3	5	40.3
Nonwhite	71	25	21	24	36	----	----	----	6	84.5	2	28.2
Jackson	993	339	318	331	256	193	-	58	34	34.2	35	35.2
White	651	323	268	59	137	----	----	----	14	21.5	20	30.7
Nonwhite	342	16	50	272	119	----	----	----	20	58.5	15	43.9
Jefferson	279	55	40	183	119	104	-	15	11	39.4	12	43.0
White	67	42	22	3	41	----	----	----	4	59.7	3	44.8
Nonwhite	212	13	18	180	78	----	----	----	7	33.0	9	42.5
Lafayette	76	11	62	3	32	25	-	7	3	39.5	1	13.2
Lake	715	564	28	123	334	191	-	133	32	44.8	21	29.4
White	542	512	15	15	250	----	----	----	22	40.6	12	22.1
Nonwhite	173	52	13	108	84	----	----	----	10	57.8	9	52.0
Lee	481	367	15	98	219	125	5	86	15	31.2	18	37.4
White	366	349	9	7	158	----	----	----	10	27.3	11	30.1
Nonwhite	115	18	6	91	61	----	----	----	5	43.5	7	60.9
Fort Myers	324	242	8	74	166	92	5	67	12	37.0	16	49.4
White	233	226	3	4	118	----	----	----	8	34.3	10	42.9
Nonwhite	91	16	5	70	48	----	----	----	4	44.0	6	65.9
Balance of county	157	125	7	24	53	33	-	19	3	19.1	2	12.7
White	133	123	6	3	40	----	----	----	2	15.0	1	7.5
Nonwhite	24	2	1	21	13	----	----	----	1	41.7	1	41.7
Leon	868	500	90	272	301	185	1	91	40	46.1	32	36.9
White	486	433	42	10	139	----	----	----	17	35.0	13	26.7
Nonwhite	382	67	48	262	162	----	----	----	23	60.2	19	49.7
Tallahassee	502	363	40	96	164	91	-	70	19	37.8	16	31.9
White	331	319	11	-	82	----	----	----	8	24.2	7	21.1
Nonwhite	171	44	29	96	82	----	----	----	11	64.3	9	52.6
Balance of county	366	137	50	176	137	94	1	21	21	57.4	16	43.7
White	155	114	31	10	57	----	----	----	9	58.1	6	38.7
Nonwhite	211	23	19	166	80	----	----	----	12	56.9	10	47.4
Levy	246	89	88	68	112	89	-	22	12	48.8	9	36.6
White	169	85	74	10	56	----	----	----	7	41.4	5	29.6
Nonwhite	77	4	14	58	56	----	----	----	5	64.9	4	51.9
Liberty	68	45	6	17	37	22	-	13	-	0	1	14.7
White	58	45	6	7	24	----	----	----	-	0	1	17.2
Nonwhite	10	-	-	10	13	----	----	----	-	0	-	0
Madison	395	150	34	210	159	129	-	29	16	40.5	23	58.2
White	179	139	25	15	77	----	----	----	6	33.5	5	27.9
Nonwhite	216	11	9	195	82	----	----	----	10	46.3	18	83.3
Manatee	616	455	12	125	315	182	4	126	28	45.5	19	30.8
White	412	405	6	1	260	----	----	----	22	53.4	9	21.8
Nonwhite	204	50	6	124	55	----	----	----	6	29.4	10	49.0
Marion	807	423	117	267	363	250	-	112	33	40.9	24	29.7
White	441	390	44	7	180	----	----	----	15	34.0	12	27.2
Nonwhite	366	33	73	260	183	----	----	----	18	49.2	12	32.8
Martin	137	114	9	14	62	33	-	29	9	65.7	3	21.9
White	88	84	3	1	39	----	----	----	5	56.8	2	22.7
Nonwhite	49	30	6	13	24	----	----	----	4	81.6	1	20.4

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
FLORIDA—Continued												
Monroe	367	246	19	102	182	105	1	74	21	57.2	13	35.4
White	283	231	15	37	143	--------	--------	--------	10	35.3	9	31.8
Nonwhite	84	15	4	65	39	--------	--------	--------	11	131.0	4	47.6
Key West	354	233	19	102	172	99	1	70	21	59.3	13	36.7
White	270	218	15	37	136	--------	--------	--------	10	37.0	9	33.3
Nonwhite	84	15	4	65	36	--------	--------	--------	11	131.0	4	47.6
Balance of county	13	13	-	-	10	6	-	4	-	0	-	0
White	13	13	-	-	7	--------	--------	--------	-	0	-	0
Nonwhite	-	-	-	-	3	--------	--------	--------	-	-	-	-
Nassau	332	210	35	87	114	72	1	33	8	24.1	12	36.1
White	229	203	24	2	71	--------	--------	--------	7	30.6	5	21.8
Nonwhite	103	7	11	85	43	--------	--------	--------	1	9.7	7	68.0
Okaloosa	410	286	73	50	125	98	-	22	15	36.6	12	29.3
Okeechobee	91	52	3	26	20	10	-	10	4	49.4	1	12.3
White	64	45	3	16	18	--------	--------	--------	4	62.5	1	15.6
Nonwhite	17	7	-	10	2	--------	--------	--------	-	0	-	0
Orange	2,155	1,602	337	216	952	484	13	319	79	36.7	69	32.0
White	1,669	1,560	99	10	748	--------	--------	--------	52	31.2	42	25.2
Nonwhite	486	42	238	206	204	--------	--------	--------	27	55.6	27	55.6
Orlando	1,228	940	188	100	633	314	6	216	44	35.8	43	35.0
White	941	912	27	2	495	--------	--------	--------	27	28.7	26	27.6
Nonwhite	287	28	161	98	138	--------	--------	--------	17	59.2	17	59.2
Balance of county	927	662	149	116	319	170	7	103	35	37.8	26	28.0
White	728	648	72	8	253	--------	--------	--------	25	34.3	16	22.0
Nonwhite	199	14	77	108	66	--------	--------	--------	10	50.3	10	50.3
Osceola	205	153	29	21	185	107	-	67	5	24.4	3	14.6
White	180	150	26	2	153	--------	--------	--------	5	27.8	2	11.1
Nonwhite	25	3	2	19	32	--------	--------	--------	-	0	1	40.0
Palm Beach	2,145	1,736	85	322	920	456	24	417	108	49.4	63	29.4
White	1,416	1,393	18	5	611	--------	--------	--------	50	35.3	18	12.7
Nonwhite	729	343	67	317	309	--------	--------	--------	56	76.8	45	61.7
West Palm Beach	875	764	9	102	425	186	23	208	36	41.1	27	30.9
White	652	649	3	-	297	--------	--------	--------	21	32.2	8	12.3
Nonwhite	223	115	6	102	128	--------	--------	--------	15	67.3	19	85.2
Balance of county	1,270	972	76	220	495	270	1	209	70	55.1	36	28.3
White	764	744	15	5	314	--------	--------	--------	29	38.0	10	13.1
Nonwhite	506	228	61	215	181	--------	--------	--------	41	81.0	26	51.4
Pasco	361	248	84	29	206	134	1	67	12	33.2	12	33.2
White	309	245	62	2	169	--------	--------	--------	7	22.7	10	32.4
Nonwhite	52	3	22	27	37	--------	--------	--------	5	96.2	2	38.5
Pinellas	2,031	1,771	109	151	1,671	781	24	827	83	40.9	56	27.6
White	1,703	1,646	51	6	1,478	--------	--------	--------	62	36.4	36	21.1
Nonwhite	328	125	58	145	193	--------	--------	--------	21	64.0	20	61.0
Clearwater	272	234	9	29	175	87	-	86	15	55.1	6	22.1
White	215	212	2	1	132	--------	--------	--------	9	41.9	3	14.0
Nonwhite	57	22	7	28	43	--------	--------	--------	6	105.3	3	52.6
St. Petersburg	1,237	1,092	34	111	1,123	537	3	556	45	36.4	37	29.9
White	1,007	995	10	2	992	--------	--------	--------	31	30.8	22	21.8
Nonwhite	230	97	24	109	131	--------	--------	--------	14	60.9	15	65.2
Balance of county	522	445	66	11	373	157	21	185	23	44.1	13	24.9
Polk	2,647	1,745	585	312	1,019	583	35	367	105	39.7	70	26.4
White	2,118	1,685	403	27	800	--------	--------	--------	73	34.5	52	24.6
Nonwhite	529	60	182	285	219	--------	--------	--------	32	60.5	18	34.0
Lakeland	571	488	20	82	292	160	-	114	31	54.3	19	33.3
White	439	425	11	3	233	--------	--------	--------	20	45.6	10	22.8
Nonwhite	132	43	9	79	59	--------	--------	--------	11	83.3	9	68.2
Balance of county	2,076	1,277	565	230	727	423	35	253	74	35.6	51	24.6
White	1,679	1,260	392	24	567	--------	--------	--------	53	31.6	42	25.0
Nonwhite	397	17	173	206	160	--------	--------	--------	21	52.9	9	22.7
Putnam	461	232	122	107	234	174	3	51	28	60.7	16	34.7
White	275	224	39	12	134	--------	--------	--------	10	36.4	9	32.7
Nonwhite	186	8	83	95	100	--------	--------	--------	18	96.8	7	37.6
St. Johns	495	432	14	47	248	105	1	134	17	34.3	21	42.4
White	334	329	2	3	167	--------	--------	--------	11	32.9	12	35.9
Nonwhite	161	103	12	44	81	--------	--------	--------	6	37.3	9	55.9
St. Augustine	375	355	3	16	193	78	1	107	12	32.0	14	37.3
White	266	265	-	1	139	--------	--------	--------	8	30.1	9	33.8
Nonwhite	109	90	3	15	54	--------	--------	--------	4	36.7	5	45.9
Balance of county	120	77	11	31	55	27	-	27	5	41.7	7	58.3
White	68	64	2	2	28	--------	--------	--------	3	44.1	3	44.1
Nonwhite	52	13	9	29	27	--------	--------	--------	2	38.5	4	76.9
St. Lucie	404	271	18	117	130	79	-	51	25	61.9	10	24.8
White	223	209	8	6	70	--------	--------	--------	15	67.3	2	9.0
Nonwhite	181	62	8	111	60	--------	--------	--------	10	55.2	8	44.2
Santa Rosa	491	171	278	42	156	128	-	27	17	34.6	18	36.7
White	455	167	263	25	134	--------	--------	--------	16	35.2	13	28.6
Nonwhite	36	4	15	17	22	--------	--------	--------	1	27.8	5	138.9

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
FLORIDA—Continued												
Sarasota	407	380	4	22	231	95	-	131	13	31.9	8	19.7
White	318	312	4	2	186	----	----	----	7	22.0	1	3.1
Nonwhite	89	68	-	20	45	----	----	----	6	67.4	7	78.7
Sarasota	266	247	2	16	183	67	-	112	10	37.6	3	11.3
White	192	190	2	-	145	----	----	----	5	26.0	1	5.2
Nonwhite	74	57	-	16	38	----	----	----	5	67.6	2	27.0
Balance of county	141	133	2	6	48	28	-	19	3	21.3	5	35.5
White	126	122	2	2	41	----	----	----	2	15.9	-	0
Nonwhite	15	11	-	4	7	----	----	----	1	66.7	5	333.3
Seminole	608	417	36	153	238	148	6	74	25	41.1	20	32.9
White	316	278	22	15	121	----	----	----	9	28.5	6	19.0
Nonwhite	292	139	14	138	117	----	----	----	16	54.8	14	47.9
Sanford	289	218	3	68	128	81	1	44	11	38.1	9	31.1
White	162	155	2	5	64	----	----	----	4	24.7	2	12.3
Nonwhite	127	63	1	63	64	----	----	----	7	55.1	7	55.1
Balance of county	319	199	33	85	110	67	5	30	14	43.9	11	34.5
White	154	123	20	10	57	----	----	----	5	32.5	4	26.0
Nonwhite	165	76	13	75	53	----	----	----	9	54.5	7	42.4
Sumter	246	142	51	53	109	73	-	32	8	32.5	7	28.5
White	177	134	38	5	72	----	----	----	5	28.2	4	22.6
Nonwhite	69	8	13	48	36	----	----	----	3	43.5	3	43.5
Suwannee	426	112	209	105	169	136	-	31	12	28.2	15	35.2
White	300	108	170	22	101	----	----	----	8	26.7	7	23.3
Nonwhite	126	4	39	83	68	----	----	----	4	31.7	8	63.5
Taylor	244	24	152	68	82	74	-	7	6	24.6	6	24.6
White	174	24	139	11	40	----	----	----	4	23.0	3	17.2
Nonwhite	70	-	13	57	42	----	----	----	2	28.6	3	42.9
Union	132	54	51	27	76	34	31	9	2	15.2	3	22.7
White	99	52	41	6	43	----	----	----	1	10.1	2	20.2
Nonwhite	33	2	10	21	33	----	----	----	1	30.3	1	30.3
Volusia	1,282	994	94	193	759	440	6	285	49	38.2	24	18.7
White	965	897	59	8	562	----	----	----	32	33.2	9	9.3
Nonwhite	317	97	35	185	197	----	----	----	17	53.6	15	47.3
Daytona Beach	583	479	29	74	333	173	-	153	16	27.4	11	18.9
White	433	425	6	1	233	----	----	----	9	20.8	3	6.9
Nonwhite	150	54	23	73	100	----	----	----	7	46.7	8	53.3
Balance of county	699	515	65	119	426	266	6	132	33	47.2	13	18.6
White	532	472	53	7	329	----	----	----	23	43.2	6	11.3
Nonwhite	167	43	12	112	97	----	----	----	10	59.9	7	41.9
Wakulla	134	52	12	70	33	22	-	11	3	22.4	5	37.3
White	85	49	9	27	20	----	----	----	1	11.8	1	11.8
Nonwhite	49	3	3	43	13	----	----	----	2	40.8	4	81.6
Walton	406	260	47	98	117	96	-	21	7	17.2	9	22.2
White	343	259	44	39	95	----	----	----	5	14.6	5	14.6
Nonwhite	63	1	3	59	22	----	----	----	2	31.7	4	63.5
Washington	316	139	81	96	102	85	-	17	8	25.3	7	22.2
White	237	138	70	28	75	----	----	----	4	16.9	6	25.3
Nonwhite	79	-	11	68	27	----	----	----	4	50.6	1	12.7
GEORGIA	65,667	31,054	15,603	18,698	27,511	18,058	1,075	8,089	3,075	35.9	2,285	26.7
Appling	428	140	204	84	82	65	-	16	5	11.7	8	18.7
White	338	137	175	26	61	----	----	----	3	8.9	6	17.8
Nonwhite	90	3	29	58	21	----	----	----	2	22.2	2	22.2
Atkinson	215	101	78	33	37	22	-	13	5	23.3	4	18.6
White	170	100	63	6	29	----	----	----	5	29.4	3	17.6
Nonwhite	45	1	15	27	8	----	----	----	-	0	1	22.2
Bacon	220	110	73	37	64	52	-	12	5	22.7	3	13.6
White	190	110	65	15	56	----	----	----	5	26.3	3	15.8
Nonwhite	30	-	8	22	8	----	----	----	-	0	-	0
Baker	184	29	17	137	28	20	-	8	3	16.3	5	27.2
White	47	27	8	12	15	----	----	----	1	21.3	1	21.3
Nonwhite	137	2	9	125	13	----	----	----	2	14.6	4	29.2
Baldwin	450	220	14	213	906	111	748	47	24	53.3	7	15.6
White	222	202	3	15	483	----	----	----	12	54.1	-	0
Nonwhite	228	18	11	198	423	----	----	----	12	52.6	7	30.7
Banks	185	59	112	14	43	36	-	6	7	37.8	2	10.8
Barrow	322	183	100	39	110	87	-	23	18	55.9	5	15.5
White	240	157	78	5	83	----	----	----	12	50.0	4	16.7
Nonwhite	82	6	22	54	27	----	----	----	6	73.2	1	12.2
Bartow	700	456	200	40	260	187	1	70	39	55.7	20	28.6
White	600	428	159	10	207	----	----	----	32	53.3	16	26.7
Nonwhite	100	28	41	30	53	----	----	----	7	70.0	4	40.0
Ben Hill	406	257	16	133	141	115	-	26	17	41.8	10	24.6
White	266	251	13	2	90	----	----	----	14	52.6	6	22.6
Nonwhite	140	6	3	131	51	----	----	----	3	21.4	4	28.6
Berrien	452	253	152	46	102	59	-	39	11	24.3	3	6.6
White	395	241	139	14	84	----	----	----	10	25.3	2	5.1
Nonwhite	57	12	13	32	18	----	----	----	1	17.5	1	17.5
Bibb	2,778	2,433	56	286	938	507	12	417	91	32.8	93	33.5
White	1,750	1,721	21	8	485	----	----	----	35	20.0	40	22.9
Nonwhite	1,028	712	35	278	453	----	----	----	56	54.5	53	51.6

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
GEORGIA—Continued												
Bibb—Continued												
Macon	2,381	2,134	44	200	808	439	1	367	73	30.7	80	33.6
White	1,513	1,493	14	6	415	--------	--------	--------	27	17.8	36	23.8
Nonwhite	868	641	30	194	394	--------	--------	--------	46	53.0	44	50.7
Balance of county	397	299	12	86	129	68	11	50	18	45.3	13	32.7
White	237	228	7	2	70	--------	--------	--------	8	33.8	4	16.9
Nonwhite	160	71	5	84	59	--------	--------	--------	10	62.5	9	56.3
Bleckley	247	71	76	100	89	70	-	19	16	64.8	8	32.4
White	164	70	70	24	53	--------	--------	--------	10	61.0	-	0
Nonwhite	83	1	6	76	36	--------	--------	--------	6	72.3	8	96.4
Brantley	196	62	111	21	51	37	-	14	7	35.7	6	30.6
White	171	61	97	12	40	--------	--------	--------	4	23.4	5	29.2
Nonwhite	25	1	14	9	11	--------	--------	--------	3	120.0	1	40.0
Brooks	576	265	36	273	160	106	-	50	25	43.4	24	41.7
White	263	234	20	9	74	--------	--------	--------	11	41.8	6	22.8
Nonwhite	313	31	16	264	86	--------	--------	--------	14	44.7	18	57.5
Bryan	159	37	71	51	58	41	-	17	9	56.6	5	31.4
White	90	35	50	5	33	--------	--------	--------	3	33.3	3	33.3
Nonwhite	69	2	21	46	25	--------	--------	--------	6	87.0	2	29.0
Bulloch	658	344	123	191	197	128	-	69	28	42.5	18	27.3
White	367	288	67	11	129	--------	--------	--------	13	35.4	9	24.5
Nonwhite	292	56	56	180	68	--------	--------	--------	15	51.4	9	30.8
Burke	718	143	68	504	201	158	-	42	24	33.4	13	18.1
White	150	116	19	14	49	--------	--------	--------	5	33.3	3	20.0
Nonwhite	568	27	49	490	152	--------	--------	--------	19	33.5	10	17.6
Butts	206	48	111	47	91	76	-	15	5	24.3	4	19.4
White	91	46	45	-	50	--------	--------	--------	3	33.0	3	33.0
Nonwhite	115	2	66	47	41	--------	--------	--------	2	17.4	1	8.7
Calhoun	253	56	8	187	89	76	-	13	8	31.6	14	55.3
White	56	49	2	5	27	--------	--------	--------	2	35.7	-	0
Nonwhite	197	7	6	182	62	--------	--------	--------	6	30.5	14	71.1
Camden	188	74	10	103	61	43	-	17	8	42.6	4	21.3
White	88	69	6	12	22	--------	--------	--------	2	22.7	1	11.4
Nonwhite	100	5	4	91	39	--------	--------	--------	6	60.0	3	30.0
Candler	216	66	105	45	50	38	-	12	1	4.6	3	13.9
White	142	62	75	5	32	--------	--------	--------	-	0	1	7.0
Nonwhite	74	4	30	40	18	--------	--------	--------	1	13.5	2	27.0
Carroll	823	424	290	107	261	191	2	51	39	47.4	23	27.9
White	633	418	201	14	194	--------	--------	--------	30	47.4	14	22.1
Nonwhite	190	6	89	95	67	--------	--------	--------	9	47.4	9	47.4
Catoosa	282	244	28	10	68	38	-	28	19	67.4	7	24.8
Charlton	140	77	11	52	36	21	-	15	4	28.6	2	14.3
White	102	77	9	16	27	--------	--------	--------	4	39.2	1	9.8
Nonwhite	38	-	2	36	9	--------	--------	--------	-	0	1	26.3
Chatham	3,635	2,861	613	154	1,547	834	18	685	172	47.3	164	45.1
White	2,227	2,183	39	4	737	--------	--------	--------	77	34.6	51	22.9
Nonwhite	1,408	678	574	150	810	--------	--------	--------	95	67.5	113	80.3
Savannah	3,119	2,469	545	98	1,293	673	16	595	140	44.9	151	48.4
White	1,923	1,890	29	3	611	--------	--------	--------	62	32.2	46	23.9
Nonwhite	1,196	579	516	95	682	--------	--------	--------	78	65.2	105	87.8
Balance of county	516	392	68	56	254	161	2	90	32	62.0	13	25.2
White	304	293	10	1	126	--------	--------	--------	15	49.3	5	16.4
Nonwhite	212	99	58	55	128	--------	--------	--------	17	80.2	8	37.7
Chattahoochee	191	157	6	27	39	14	-	25	3	15.7	1	5.2
White	157	152	3	1	23	--------	--------	--------	1	6.4	-	0
Nonwhite	34	5	3	26	16	--------	--------	--------	2	58.8	1	29.4
Chattooga	566	446	88	32	119	82	-	37	14	24.7	18	31.8
Cherokee	521	297	212	11	152	102	-	48	16	30.7	12	23.0
Clarke	807	583	88	135	293	160	1	130	32	39.7	25	31.0
White	587	560	22	5	152	--------	--------	--------	18	30.7	8	13.6
Nonwhite	220	23	66	130	141	--------	--------	--------	14	63.6	17	77.3
Athens	620	483	51	86	236	120	-	114	26	41.9	20	32.3
White	469	463	3	2	121	--------	--------	--------	14	29.9	5	10.7
Nonwhite	152	20	48	84	115	--------	--------	--------	12	78.9	15	98.7
Balance of county	187	100	37	49	57	40	1	16	6	32.1	5	26.7
White	119	97	19	3	31	--------	--------	--------	4	33.6	3	25.2
Nonwhite	68	3	18	46	26	--------	--------	--------	2	29.4	2	29.4
Clay	187	25	17	145	61	55	-	6	7	37.4	7	37.4
White	37	23	13	1	19	--------	--------	--------	-	0	-	0
Nonwhite	150	2	4	144	42	--------	--------	--------	7	46.7	7	48.7
Clayton	358	206	87	64	81	56	-	25	11	30.7	8	22.3
White	262	204	52	6	57	--------	--------	--------	7	26.7	4	15.3
Nonwhite	96	2	35	58	24	--------	--------	--------	4	41.7	4	41.7
Clinch	166	63	31	72	33	25	-	7	5	30.1	2	12.0
White	101	61	23	17	14	--------	--------	--------	1	8.9	-	0
Nonwhite	65	2	8	55	19	--------	--------	--------	4	61.5	2	30.8
Cobb	1,485	1,220	215	49	348	218	-	129	41	27.6	33	22.2
White	1,362	1,178	174	10	278	--------	--------	--------	36	26.4	29	21.3
Nonwhite	123	42	41	39	70	--------	--------	--------	5	40.7	4	32.5
Coffee	720	390	178	150	200	141	-	59	34	47.2	22	30.6
White	534	365	147	22	140	--------	--------	--------	22	41.2	17	31.8
Nonwhite	186	25	31	128	60	--------	--------	--------	12	64.5	5	26.9

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
GEORGIA—Continued												
Colquitt	1,026	680	162	183	209	135	-	74	30	29.2	37	36.1
White	786	633	134	18	152	--------	--------	--------	22	28.0	24	30.5
Nonwhite	240	47	28	165	57	--------	--------	--------	8	33.3	13	54.2
Moultrie	382	273	27	82	112	66	-	46	19	49.7	12	31.4
White	256	237	16	3	72	--------	--------	--------	14	54.7	9	35.2
Nonwhite	126	36	11	79	40	--------	--------	--------	5	39.7	3	23.8
Balance of county	644	407	135	101	97	69	-	28	11	17.1	25	38.8
White	530	396	118	15	80	--------	--------	--------	8	15.1	15	28.3
Nonwhite	114	11	17	86	17	--------	--------	--------	3	26.3	10	87.7
Columbia	207	70	22	115	70	52	-	18	3	14.5	7	33.8
White	74	59	9	6	35	--------	--------	--------	1	13.5	2	27.0
Nonwhite	133	11	13	109	35	--------	--------	--------	2	15.0	5	37.6
Cook	338	104	175	58	95	75	-	17	11	32.5	6	17.8
White	248	99	141	7	84	--------	--------	--------	7	28.2	5	20.2
Nonwhite	90	5	34	51	31	--------	--------	--------	4	44.4	1	11.1
Coweta	697	318	174	203	193	130	-	63	21	30.1	11	15.8
White	375	275	85	14	126	--------	--------	--------	12	32.0	2	5.3
Nonwhite	322	43	89	189	67	--------	--------	--------	9	28.0	9	28.0
Crawford	171	48	15	108	35	27	-	8	7	40.9	3	17.5
White	53	43	5	5	16	--------	--------	--------	2	37.7	1	18.9
Nonwhite	118	5	10	103	19	--------	--------	--------	5	42.4	2	16.9
Crisp	459	181	32	245	152	113	-	38	31	67.5	19	41.4
White	219	172	18	29	77	--------	--------	--------	13	59.4	9	41.1
Nonwhite	240	9	14	216	75	--------	--------	--------	18	75.0	10	41.7
Dade	195	58	114	20	47	29	-	16	12	61.5	2	10.3
Dawson	92	49	24	19	20	14	-	6	4	43.5	-	0
Decatur	618	357	85	175	209	151	-	57	25	40.5	17	27.5
White	305	276	23	5	96	--------	--------	--------	11	36.1	4	13.1
Nonwhite	313	81	62	170	113	--------	--------	--------	14	44.7	13	41.5
De Kalb	2,492	2,127	204	159	755	494	2	255	51	20.5	62	24.9
White	2,130	1,976	146	7	621	--------	--------	--------	31	14.6	45	21.1
Nonwhite	362	151	58	152	134	--------	--------	--------	20	55.2	17	47.0
Atlanta (part)	997	979	8	10	249	169	-	79	12	(5)	18	(5)
White	931	926	4	1	229	--------	--------	--------	9	(5)	15	(5)
Nonwhite	66	53	4	9	20	--------	--------	--------	3	(5)	3	(5)
Decatur	522	453	28	41	155	106	-	49	13	24.9	12	23.0
White	420	412	7	1	121	--------	--------	--------	5	11.9	6	14.3
Nonwhite	102	41	21	40	34	--------	--------	--------	8	78.4	6	58.8
Balance of county	973	695	168	108	351	219	2	127	26	26.7	32	32.9
White	779	638	135	5	271	--------	--------	--------	17	21.8	24	30.8
Nonwhite	194	57	33	103	80	--------	--------	--------	9	46.4	8	41.2
Dodge	513	163	169	180	108	87	-	10	5	9.7	9	17.5
White	338	163	148	26	69	--------	--------	--------	4	11.8	9	26.6
Nonwhite	175	-	21	154	39	--------	--------	--------	1	5.7	-	0
Dooly	395	108	103	183	125	102	5	6	14	35.4	10	25.3
White	153	106	41	5	55	--------	--------	--------	9	58.8	4	26.1
Nonwhite	242	2	62	178	70	--------	--------	--------	5	20.7	6	24.8
Dougherty	960	613	174	173	335	238	-	96	32	33.3	25	26.0
White	547	535	10	2	127	--------	--------	--------	12	21.9	9	16.5
Nonwhite	413	78	164	171	208	--------	--------	--------	20	48.4	16	38.7
Albany	787	543	131	113	279	193	-	85	24	30.5	20	25.4
White	485	478	7	-	117	--------	--------	--------	11	22.7	8	16.5
Nonwhite	302	65	124	113	162	--------	--------	--------	13	43.0	12	39.7
Balance of county	173	70	43	60	56	45	-	11	8	46.2	5	28.9
White	62	57	3	2	10	--------	--------	--------	1	16.1	1	16.1
Nonwhite	111	13	40	58	46	--------	--------	--------	7	63.1	4	36.0
Douglas	242	130	71	39	68	53	-	15	4	16.5	6	24.8
White	190	124	57	8	54	--------	--------	--------	4	21.1	4	21.1
Nonwhite	52	6	14	31	14	--------	--------	--------	-	0	2	38.5
Early	542	200	21	321	126	94	-	25	11	20.3	18	33.2
White	218	189	10	19	57	--------	--------	--------	3	13.8	-	0
Nonwhite	324	11	11	302	69	--------	--------	--------	8	24.7	18	55.6
Echols	53	20	18	15	20	15	-	5	4	75.5	1	18.9
White	39	20	11	8	16	--------	--------	--------	4	102.6	1	25.6
Nonwhite	14	-	7	7	4	--------	--------	--------	-	0	-	0
Effingham	226	106	43	77	91	67	-	24	12	53.1	8	35.4
White	135	104	28	3	56	--------	--------	--------	5	37.0	3	22.2
Nonwhite	91	2	15	74	35	--------	--------	--------	7	76.9	5	54.9
Elbert	470	253	80	136	134	103	-	26	12	25.5	11	23.4
White	280	224	47	8	74	--------	--------	--------	6	21.4	1	3.6
Nonwhite	190	29	33	128	60	--------	--------	--------	6	31.6	10	52.6
Emanuel	522	213	101	207	159	113	-	29	23	44.1	13	24.9
White	294	199	82	12	98	--------	--------	--------	10	34.0	4	13.6
Nonwhite	228	14	19	195	61	--------	--------	--------	13	57.0	9	39.5
Evans	170	43	65	62	52	41	-	11	6	35.3	8	47.1
White	98	41	56	1	28	--------	--------	--------	2	20.4	3	30.6
Nonwhite	72	2	9	61	24	--------	--------	--------	4	55.6	5	69.4
Fannin	365	146	194	19	122	100	-	17	21	57.5	7	19.2
Fayette	176	53	36	88	64	50	-	14	9	51.1	7	39.8
White	92	52	29	11	38	--------	--------	--------	3	32.6	5	54.3
Nonwhite	84	1	6	77	26	--------	--------	--------	6	71.4	2	23.8

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
GEORGIA—Continued												
Floyd	1,576	1,337	133	99	420	234	2	181	52	33.0	35	22.2
White	1,362	1,233	106	19	319	--------	--------	--------	42	30.8	21	15.4
Nonwhite	214	104	27	80	101	--------	--------	--------	10	46.7	14	65.4
Rome	910	825	25	57	242	133	1	106	31	34.1	15	16.5
White	769	747	16	6	170	--------	--------	--------	23	29.9	9	11.7
Nonwhite	141	78	9	51	72	--------	--------	--------	8	56.7	6	42.6
Balance of county	666	512	108	42	178	101	1	75	21	31.5	20	30.0
White	593	486	90	13	149	--------	--------	--------	19	32.0	12	20.2
Nonwhite	73	26	18	29	29	--------	--------	--------	2	27.4	8	109.6
Forsyth	263	157	87	19	71	60	-	11	9	34.2	10	38.0
Franklin	392	161	175	54	101	79	-	22	8	20.4	8	20.4
White	336	159	159	17	83	--------	--------	--------	7	20.8	5	14.9
Nonwhite	56	2	16	37	18	--------	--------	--------	1	17.9	3	53.6
Fulton	10,773	10,047	597	119	4,272	2,420	173	1,656	402	37.3	302	28.0
White	7,788	7,434	333	18	2,513	--------	--------	--------	232	29.8	169	21.7
Nonwhite	2,985	2,613	264	101	1,759	--------	--------	--------	170	57.0	133	44.6
Atlanta (part)[6]	8,602	8,148	390	57	3,430	1,872	136	1,401	286	(5)	257	(5)
White[6]	6,020	5,839	177	3	1,865	--------	--------	--------	146	(5)	133	(5)
Nonwhite[6]	2,582	2,309	213	54	1,565	--------	--------	--------	140	(5)	124	(5)
Atlanta (total)[6]	9,598	9,127	398	67	3,679	2,041	136	1,480	298	31.0	275	28.6
White[6]	6,951	6,765	181	4	2,094	--------	--------	--------	155	22.3	148	21.3
Nonwhite[6]	2,648	2,362	217	63	1,585	--------	--------	--------	143	54.0	127	48.0
District 1511, Center Hill[6]	--------	--------	--------	-------	--------	--------	--------	--------	--------	0	--------	0
White[6]	--------	--------	--------	-------	--------	--------	--------	--------	--------	0	--------	0
Nonwhite[6]	--------	--------	--------	-------	--------	--------	--------	--------	--------	0	--------	0
East Point	417	398	15	3	98	65	-	33	18	43.2	8	19.2
White	344	331	12	-	71	--------	--------	--------	12	34.9	6	17.4
Nonwhite	73	67	3	3	27	--------	--------	--------	6	82.2	2	27.4
Balance of county	1,754	1,501	192	59	744	483	37	222	98	55.9	37	21.1
White	1,424	1,264	144	15	577	--------	--------	--------	74	52.0	30	21.1
Nonwhite	330	237	48	44	167	--------	--------	--------	24	72.7	7	21.2
Gilmer	275	203	41	31	67	48	-	16	11	40.0	4	14.5
Glascock	101	21	54	25	33	21	-	12	3	29.7	1	9.9
White	68	21	43	4	22	--------	--------	--------	-	0	1	14.7
Nonwhite	33	-	11	21	11	--------	--------	--------	3	90.9	-	0
Glynn	915	594	203	117	294	180	-	113	65	71.0	24	26.2
White	616	561	27	28	141	--------	--------	--------	27	43.8	11	17.9
Nonwhite	299	33	176	89	153	--------	--------	--------	38	127.1	13	43.5
Brunswick	708	457	172	78	230	140	-	90	56	79.1	20	28.2
White	463	434	11	18	106	--------	--------	--------	22	47.5	9	19.4
Nonwhite	245	23	161	60	124	--------	--------	--------	34	138.8	11	44.9
Balance of county	207	137	31	39	64	40	-	23	9	43.5	4	19.3
White	153	127	16	10	35	--------	--------	--------	5	32.7	2	13.1
Nonwhite	54	10	15	29	29	--------	--------	--------	4	74.1	2	37.0
Gordon	465	357	92	16	107	75	-	31	12	25.8	3	6.5
Grady	487	227	177	82	132	111	-	21	25	51.3	13	26.7
White	330	215	109	6	85	--------	--------	--------	16	48.5	7	21.2
Nonwhite	157	12	68	76	47	--------	--------	--------	9	57.3	6	38.2
Greene	307	69	78	157	137	112	-	24	11	35.8	5	16.3
White	121	68	48	5	52	--------	--------	--------	4	33.1	2	16.5
Nonwhite	186	1	30	152	85	--------	--------	--------	7	37.6	3	16.1
Gwinnett	630	325	268	33	217	178	-	37	28	44.4	15	23.8
White	560	312	233	11	187	--------	--------	--------	22	39.3	11	19.6
Nonwhite	70	13	35	22	30	--------	--------	--------	6	85.7	4	57.1
Habersham	457	291	148	16	121	99	-	22	16	35.0	12	26.3
Hall	950	598	266	85	232	163	-	68	28	29.5	31	32.6
Gainesville	365	254	85	26	116	80	-	35	12	32.9	16	43.8
White	295	253	34	8	94	--------	--------	--------	10	33.9	10	33.9
Nonwhite	70	1	51	18	22	--------	--------	--------	2	28.6	6	85.7
Balance of county	585	344	181	59	116	83	-	33	16	27.4	15	25.6
Hancock	338	53	41	242	93	79	-	14	10	29.6	5	14.8
White	70	46	19	4	37	--------	--------	--------	3	42.9	-	0
Nonwhite	268	7	22	238	56	--------	--------	--------	7	26.1	5	18.7
Heralson	326	157	135	33	86	68	-	18	11	33.7	3	9.2
White	301	157	120	23	74	--------	--------	--------	9	29.9	2	6.6
Nonwhite	25	-	15	10	12	--------	--------	--------	2	80.0	1	40.0
Harris	294	67	54	172	109	82	1	21	8	27.2	4	13.6
White	83	60	18	5	53	--------	--------	--------	5	60.2	1	12.0
Nonwhite	211	7	36	167	56	--------	--------	--------	3	14.2	3	14.2
Hart	341	152	137	51	76	59	-	14	8	23.5	10	29.3
White	239	152	81	6	54	--------	--------	--------	4	16.7	6	25.1
Nonwhite	102	-	56	45	22	--------	--------	--------	4	39.2	4	39.2
Heard	146	51	48	42	58	45	-	16	6	41.1	2	13.7
White	96	50	39	5	32	--------	--------	--------	2	20.8	1	10.4
Nonwhite	50	1	9	37	26	--------	--------	--------	4	80.0	1	20.0
Henry	386	97	85	198	119	97	-	22	9	23.3	13	33.7
White	165	96	61	7	57	--------	--------	--------	3	18.2	3	18.2
Nonwhite	221	1	24	191	62	--------	--------	--------	6	27.1	10	45.2
Houston	591	330	116	143	127	95	-	31	17	28.8	13	22.0
White	321	286	32	3	54	--------	--------	--------	6	18.7	4	12.5
Nonwhite	270	44	84	140	73	--------	--------	--------	11	40.7	9	33.3

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
GEORGIA—Continued												
Irwin	297	182	10	103	76	56	-	20	14	47.1	9	30.3
White	181	165	10	6	46	--------	--------	--------	10	55.2	6	33.1
Nonwhite	116	17	-	97	30	--------	--------	--------	4	34.5	3	25.9
Jackson	543	208	288	47	135	108	-	26	15	27.6	6	11.0
White	443	202	224	17	108	--------	--------	--------	12	27.1	4	9.0
Nonwhite	100	6	64	30	27	--------	--------	--------	3	30.0	2	20.0
Jasper	160	25	50	85	90	81	-	9	5	31.3	3	18.8
White	48	25	21	2	35	--------	--------	--------	4	83.3	-	0
Nonwhite	112	-	29	83	54	--------	--------	--------	1	8.9	3	26.8
Jeff Davis	235	69	153	62	64	52	-	12	6	21.1	8	28.1
White	220	69	144	6	44	--------	--------	--------	3	13.6	4	18.2
Nonwhite	65	-	9	56	20	--------	--------	--------	3	46.2	4	61.5
Jefferson	525	90	64	349	113	81	-	30	12	22.9	12	22.9
White	150	82	46	22	47	--------	--------	--------	4	26.7	-	0
Nonwhite	375	8	38	327	66	--------	--------	--------	8	21.3	12	32.0
Jenkins	308	154	19	135	123	85	-	36	10	32.5	5	16.2
White	120	108	8	4	52	--------	--------	--------	1	8.3	1	8.3
Nonwhite	188	46	11	131	71	--------	--------	--------	9	47.9	4	21.3
Johnson	303	110	90	102	69	52	-	17	8	26.4	11	36.3
White	180	103	70	6	40	--------	--------	--------	4	22.2	2	11.1
Nonwhite	123	7	20	96	29	--------	--------	--------	4	32.5	9	73.2
Jones	185	25	47	113	60	52	-	8	7	37.8	5	27.0
White	55	22	30	3	21	--------	--------	--------	-	0	1	18.2
Nonwhite	130	3	17	110	39	--------	--------	--------	7	53.8	4	30.8
Lamar	277	61	88	125	107	90	-	16	12	43.3	3	10.8
White	137	59	78	-	63	--------	--------	--------	4	29.2	1	7.3
Nonwhite	140	2	10	125	44	--------	--------	--------	8	57.1	2	14.3
Lanier	103	34	47	22	21	17	-	4	-	0	4	38.8
White	73	31	38	4	13	--------	--------	--------	-	0	1	13.7
Nonwhite	30	3	9	18	8	--------	--------	--------	-	0	3	100.0
Laurens	866	425	116	319	288	178	-	110	32	37.0	21	24.2
White	499	383	82	30	136	--------	--------	--------	15	30.1	9	18.0
Nonwhite	367	42	34	289	152	--------	--------	--------	17	46.3	12	32.7
Lee	221	41	11	169	64	55	-	9	5	22.6	9	40.7
White	48	35	5	8	12	--------	--------	--------	1	20.8	2	41.7
Nonwhite	173	6	6	161	52	--------	--------	--------	4	23.1	7	40.5
Liberty	274	79	58	133	68	50	-	18	9	32.8	4	14.6
White	94	61	30	3	21	--------	--------	--------	5	53.2	-	0
Nonwhite	180	18	28	130	47	--------	--------	--------	4	22.2	4	22.2
Lincoln	150	29	65	51	22	13	-	9	1	6.7	5	33.3
White	59	28	29	1	9	--------	--------	--------	-	0	3	50.8
Nonwhite	91	1	36	50	13	--------	--------	--------	1	11.0	2	22.0
Long	102	29	52	21	25	23	-	2	1	9.8	1	9.8
White	64	29	34	1	14	--------	--------	--------	1	15.6	1	15.6
Nonwhite	38	-	18	20	11	--------	--------	--------	-	0	-	0
Lowndes	933	475	86	366	289	228	-	59	41	43.9	23	24.7
White	518	444	55	18	125	--------	--------	--------	13	25.1	9	17.4
Nonwhite	415	31	31	348	164	--------	--------	--------	28	67.5	14	33.7
Valdosta	552	309	39	200	185	139	-	46	25	45.3	12	21.7
White	321	291	25	5	80	--------	--------	--------	8	24.9	6	18.7
Nonwhite	231	18	14	195	105	--------	--------	--------	17	73.6	6	26.0
Balance of county	381	166	47	166	104	89	-	13	16	42.0	11	28.9
White	197	153	30	13	45	--------	--------	--------	5	25.4	3	15.2
Nonwhite	184	13	17	153	59	--------	--------	--------	11	59.8	8	43.5
Lumpkin	158	82	59	17	45	36	-	9	6	38.0	4	25.3
McDuffie	259	125	37	139	78	59	-	19	8	26.8	10	33.4
White	136	118	13	4	32	--------	--------	--------	1	7.4	6	44.1
Nonwhite	163	4	24	135	46	--------	--------	--------	7	42.9	4	24.5
McIntosh	178	41	9	128	60	51	-	9	6	33.7	8	44.9
White	61	38	9	14	14	--------	--------	--------	1	16.4	-	0
Nonwhite	117	3	-	114	46	--------	--------	--------	5	42.7	8	68.4
Macon	389	128	51	207	136	93	-	42	21	54.0	10	25.7
White	119	100	18	1	38	--------	--------	--------	4	33.6	-	0
Nonwhite	270	28	33	206	98	--------	--------	--------	17	63.0	10	37.0
Madison	289	90	127	70	89	61	-	28	7	24.2	9	31.1
White	211	84	112	13	60	--------	--------	--------	4	19.0	8	37.9
Nonwhite	78	6	15	57	29	--------	--------	--------	3	38.5	1	12.8
Marion	181	23	49	109	58	51	-	7	7	38.7	5	27.6
White	62	21	39	2	23	--------	--------	--------	1	16.1	1	16.1
Nonwhite	119	2	10	107	35	--------	--------	--------	6	50.4	4	33.6
Meriwether	613	200	149	262	168	146	-	12	14	22.8	14	22.8
White	250	190	55	5	82	--------	--------	--------	7	28.0	5	20.0
Nonwhite	363	10	94	257	86	--------	--------	--------	7	19.3	9	24.8
Miller	290	164	17	109	65	42	-	9	6	20.7	5	17.2
White	180	160	10	10	42	--------	--------	--------	5	27.8	1	5.6
Nonwhite	110	4	7	99	23	--------	--------	--------	1	9.1	4	36.4
Mitchell	650	204	175	269	179	143	-	29	21	32.3	22	33.8
White	294	179	104	11	90	--------	--------	--------	11	37.4	8	27.2
Nonwhite	356	25	71	258	89	--------	--------	--------	10	28.1	14	39.3
Monroe	260	102	35	119	112	96	-	15	9	34.6	7	26.9
White	125	100	22	2	55	--------	--------	--------	3	24.0	2	16.0
Nonwhite	135	2	13	117	57	--------	--------	--------	6	44.4	5	37.0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
GEORGIA—Continued												
Montgomery	191	51	62	76	42	32	-	10	1	5.2	-	0
White	95	51	43	1	30	---	---	---	1	10.5	-	0
Nonwhite	96	-	19	75	12	---	---	---	-	0	-	0
Morgan	325	78	64	182	104	90	-	14	11	33.8	9	27.7
White	130	74	48	8	25	---	---	---	3	23.1	6	46.2
Nonwhite	195	4	16	174	79	---	---	---	8	41.0	3	15.4
Murray	277	109	129	38	84	66	-	18	7	25.3	5	18.1
Muscogee	2,906	2,476	173	257	791	430	5	334	128	44.0	65	22.4
White	2,205	2,141	56	8	497	---	---	---	87	39.5	45	20.4
Nonwhite	701	335	117	249	294	---	---	---	41	58.5	20	28.5
Columbus	2,519	2,203	151	165	674	362	1	292	100	39.7	58	23.0
White	1,955	1,900	52	3	426	---	---	---	68	34.8	40	20.5
Nonwhite	564	303	99	162	248	---	---	---	32	56.7	18	31.9
Balance of county	387	273	22	92	117	68	4	42	28	72.4	7	18.1
White	250	241	4	5	71	---	---	---	19	76.0	5	20.0
Nonwhite	137	32	18	87	46	---	---	---	9	65.7	2	14.6
Newton	486	282	69	135	140	101	-	37	16	32.9	15	30.9
White	331	278	47	6	86	---	---	---	11	33.2	3	9.1
Nonwhite	155	4	22	129	54	---	---	---	5	32.3	12	77.4
Oconee	131	51	50	29	63	44		19	5	38.2	3	22.9
White	84	50	34	-	43	---	---	---	4	47.6	1	11.9
Nonwhite	47	1	16	29	20	---	---	---	1	21.3	2	42.6
Oglethorpe	295	61	60	150	60	64	-	15	10	33.9	5	16.9
White	127	73	38	16	40	---	---	---	2	15.7	4	31.5
Nonwhite	168	8	22	134	40	---	---	---	8	47.6	1	6.0
Paulding	307	149	142	12	79	64	-	15	7	22.8	9	29.3
White	266	146	115	3	69	---	---	---	5	18.8	8	30.1
Nonwhite	41	3	27	9	10	---	---	---	2	48.8	1	24.4
Peach	253	89	39	125	118	98	-	18	16	63.2	3	11.9
White	99	82	12	5	32	---	---	---	2	20.2	2	20.2
Nonwhite	154	7	27	120	86	---	---	---	14	90.9	1	6.5
Pickens	215	181	22	12	57	42	-	7	5	23.3	5	23.3
Pierce	365	140	153	71	72	57	-	14	12	32.9	8	21.9
White	297	140	140	16	52	---	---	---	9	30.3	5	16.8
Nonwhite	68	-	13	55	20	---	---	---	3	44.1	3	44.1
Pike	232	63	83	86	88	81	-	7	12	51.7	4	17.2
White	103	62	40	1	47	---	---	---	4	38.8	2	19.4
Nonwhite	129	1	43	85	41	---	---	---	8	62.0	2	15.5
Polk	719	276	389	53	201	154	-	46	22	30.6	22	30.6
White	617	272	333	11	163	---	---	---	21	34.0	19	30.8
Nonwhite	102	4	56	42	38	---	---	---	1	9.8	3	29.4
Pulaski	264	99	25	140	59	48	-	11	11	41.7	2	7.6
White	129	97	18	13	27	---	---	---	2	15.5	2	15.5
Nonwhite	135	2	6	127	32	---	---	---	9	66.7	-	0
Putnam	176	31	49	95	78	70	-	8	11	62.5	5	28.4
White	72	31	37	3	29	---	---	---	4	55.6	1	13.9
Nonwhite	104	-	12	92	49	---	---	---	7	67.3	4	38.5
Quitman	89	19	16	53	24	18	-	6	7	78.7	2	22.5
White	21	17	2	2	7	---	---	---	-	0	1	47.6
Nonwhite	68	2	14	51	17	---	---	---	7	102.9	1	14.7
Rabun	253	216	20	17	30	20	-	8	4	15.8	4	15.8
Randolph	415	80	34	301	133	116	-	17	25	60.2	9	21.7
White	104	77	14	13	53	---	---	---	6	57.7	-	0
Nonwhite	311	3	20	288	80	---	---	---	19	61.1	9	28.9
Richmond	2,309	1,669	309	120	995	552	61	381	63	27.3	48	20.8
White	1,448	1,381	51	11	569	---	---	---	35	24.2	15	10.4
Nonwhite	861	488	258	109	426	---	---	---	28	32.5	33	38.3
Augusta	1,826	1,504	287	29	845	468	53	323	49	26.3	40	21.9
White	1,104	1,065	36	1	469	---	---	---	28	25.4	10	9.1
Nonwhite	722	439	251	28	376	---	---	---	20	27.7	30	41.6
Balance of county	483	365	22	91	150	84	8	58	15	31.1	8	16.6
White	344	316	15	10	100	---	---	---	7	20.3	5	14.5
Nonwhite	139	49	7	81	50	---	---	---	8	57.6	3	21.6
Rockdale	186	56	74	56	66	53	-	11	4	21.5	3	16.1
White	120	56	62	2	36	---	---	---	2	16.7	3	25.0
Nonwhite	66	-	12	54	30	---	---	---	2	30.3	-	0
Schley	116	17	48	48	44	39	-	5	6	51.7	3	25.9
White	34	15	18	1	26	---	---	---	2	58.8	-	0
Nonwhite	82	2	30	47	18	---	---	---	4	48.8	3	36.6
Screven	507	128	52	314	94	74	-	20	13	25.6	14	27.6
White	155	111	32	11	31	---	---	---	3	19.4	1	6.5
Nonwhite	352	17	20	303	63	---	---	---	10	28.4	13	36.9
Seminole	241	149	8	84	72	44	-	24	4	16.6	3	12.4
White	132	124	6	2	44	---	---	---	3	22.7	1	7.6
Nonwhite	109	25	2	82	28	---	---	---	1	9.2	2	18.3
Spalding	794	517	102	171	275	203	1	69	26	32.7	27	34.0
White	565	496	56	12	178	---	---	---	16	28.3	17	30.1
Nonwhite	229	21	46	159	97	---	---	---	10	43.7	10	43.7
Griffin	468	324	57	85	182	134	-	48	12	25.6	18	38.5
White	333	305	25	2	109	---	---	---	8	24.0	11	33.0
Nonwhite	135	19	32	83	73	---	---	---	4	29.6	7	51.9
Balance of county	326	193	45	86	91	69	1	21	14	42.9	9	27.6
White	232	191	31	10	67	---	---	---	8	34.5	6	25.9
Nonwhite	94	2	14	76	24	---	---	---	6	63.8	3	31.9

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
GEORGIA—Continued												
Stephens	398	257	66	70	69	44	-	25	9	22.6	4	10.1
White	340	251	63	24	50	-	-	-	6	17.6	3	8.8
Nonwhite	58	6	3	46	19	-	-	-	3	51.7	1	17.2
Stewart	225	33	26	166	94	77	-	17	7	31.1	7	31.1
White	52	30	21	1	36	-	-	-	1	19.2	1	19.2
Nonwhite	173	3	5	165	58	-	-	-	6	34.7	6	34.7
Sumter	736	306	67	363	268	181	-	87	31	42.1	25	34.0
White	270	257	10	3	84	-	-	-	9	33.3	2	7.4
Nonwhite	466	49	57	360	184	-	-	-	22	47.2	23	49.4
Talbot	215	30	28	158	79	69	-	6	8	37.2	9	41.9
White	40	27	11	2	29	-	-	-	-	0	5	125.0
Nonwhite	175	3	17	154	50	-	-	-	8	45.7	4	22.9
Taliaferro	106	22	4	80	48	41	-	7	4	37.7	6	56.6
White	26	22	2	2	22	-	-	-	1	38.5	-	0
Nonwhite	80	-	2	78	26	-	-	-	3	37.5	6	75.0
Tattnall	396	179	155	57	103	60	29	14	8	20.2	16	40.4
White	294	169	116	5	62	-	-	-	5	17.0	7	23.8
Nonwhite	102	10	39	52	41	-	-	-	3	29.4	9	88.2
Taylor	230	94	27	108	62	48	-	14	6	26.1	3	13.0
White	107	82	15	10	25	-	-	-	5	46.7	-	0
Nonwhite	123	12	12	98	37	-	-	-	1	8.1	3	24.4
Telfair	340	135	96	95	82	70	-	9	10	29.4	11	32.4
White	218	135	73	8	48	-	-	-	3	13.8	5	22.9
Nonwhite	122	-	23	87	34	-	-	-	7	57.4	6	49.2
Terrell	458	88	77	293	159	138	1	20	21	45.9	17	37.1
White	112	83	25	4	53	-	-	-	3	26.8	1	8.9
Nonwhite	346	5	52	289	106	-	-	-	18	52.0	16	46.2
Thomas	851	458	73	313	296	215	2	78	36	42.3	28	32.9
White	476	418	43	13	134	-	-	-	19	39.9	9	18.9
Nonwhite	375	40	30	300	162	-	-	-	17	45.3	19	50.7
Thomasville	389	255	14	120	158	110	1	46	18	46.3	12	30.8
White	234	227	3	4	67	-	-	-	10	42.7	4	17.1
Nonwhite	155	28	11	116	91	-	-	-	8	51.6	8	51.6
Balance of county	462	203	59	193	138	105	1	32	18	39.0	16	34.6
White	242	191	40	9	67	-	-	-	9	37.2	5	20.7
Nonwhite	220	12	19	184	71	-	-	-	9	40.9	11	50.0
Tift	599	365	89	131	151	102	-	48	18	30.6	29	49.3
White	420	345	70	5	101	-	-	-	11	26.2	17	40.5
Nonwhite	168	20	19	128	50	-	-	-	7	41.7	12	71.4
Toombs	395	173	129	93	120	82	9	29	14	35.4	19	48.1
White	279	168	99	12	80	-	-	-	8	28.7	10	35.8
Nonwhite	116	5	30	81	40	-	-	-	6	51.7	9	77.5
Towns	67	34	28	5	17	13	-	4	3	44.8	-	0
Treutlen	153	44	61	46	42	27	-	15	1	6.5	-	0
White	112	44	60	8	39	-	-	-	1	8.9	-	0
Nonwhite	41	-	1	38	3	-	-	-	-	0	-	0
Troup	1,269	840	126	300	400	271	-	127	64	50.4	30	23.6
White	832	743	78	11	215	-	-	-	36	43.3	13	15.6
Nonwhite	437	97	48	289	185	-	-	-	28	64.1	17	38.9
La Grange	615	437	54	124	184	112	-	71	29	47.2	19	30.9
White	426	390	30	6	101	-	-	-	12	28.2	8	18.8
Nonwhite	189	47	24	118	83	-	-	-	17	89.9	11	58.2
Balance of county	654	403	72	176	216	159	-	56	35	53.5	11	16.8
White	405	353	48	5	114	-	-	-	24	59.1	5	12.3
Nonwhite	248	50	24	171	102	-	-	-	11	44.4	6	24.2
Turner	233	106	24	101	55	48	-	7	6	25.8	6	25.8
White	127	104	20	3	25	-	-	-	-	0	-	0
Nonwhite	106	2	4	98	30	-	-	-	6	56.6	6	56.6
Twiggs	270	40	25	205	67	47	-	20	11	40.7	9	33.3
White	71	35	21	15	22	-	-	-	1	14.1	-	0
Nonwhite	199	5	4	190	45	-	-	-	10	50.3	9	45.2
Union	202	44	140	18	34	29	-	5	8	39.6	2	9.9
Upson	687	185	391	106	208	157	1	42	32	46.6	18	26.2
White	528	184	340	3	134	-	-	-	21	39.8	12	22.7
Nonwhite	159	1	51	103	74	-	-	-	11	69.2	6	37.7
Walker	945	861	67	13	213	140	1	59	36	38.1	13	13.8
Walton	599	365	66	160	168	121	-	47	23	38.4	16	26.7
White	363	311	41	9	110	-	-	-	15	41.3	8	22.0
Nonwhite	236	54	25	151	58	-	-	-	8	33.9	8	33.9
Ware	837	517	196	110	261	160	-	101	23	27.5	20	23.9
White	646	487	136	19	170	-	-	-	16	24.8	7	10.8
Nonwhite	191	30	60	91	91	-	-	-	7	36.6	13	68.1
Waycross	521	350	72	86	184	107	-	77	11	21.1	17	32.6
White	368	323	35	7	104	-	-	-	7	19.0	4	10.9
Nonwhite	153	27	37	79	80	-	-	-	4	26.1	13	85.0
Balance of county	316	167	124	24	77	53	-	24	12	38.0	3	9.5
White	278	164	101	12	66	-	-	-	9	32.4	3	10.8
Nonwhite	38	3	23	12	11	-	-	-	3	78.9	-	0
Warren	286	57	82	165	95	87	-	8	16	55.9	5	17.5
White	72	46	21	5	37	-	-	-	-	0	-	0
Nonwhite	214	11	41	160	58	-	-	-	16	74.8	5	23.4

See footnotes on p. 111.

793002 O - 48 - 4

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
GEORGIA—Continued												
Washington	553	167	57	327	189	137	-	52	29	52.4	27	48.8
White	191	144	37	10	90	---	---	---	7	36.6	5	26.2
Nonwhite	362	23	20	317	99	---	---	---	22	60.8	22	60.8
Wayne	413	288	55	69	97	69	-	28	15	36.3	7	16.9
White	337	279	41	16	66	---	---	---	11	32.6	6	17.8
Nonwhite	76	9	14	53	31	---	---	---	4	52.6	1	13.2
Webster	113	19	25	69	30	26	-	4	4	35.4	8	70.8
White	28	16	11	1	9	---	---	---	-	0	2	71.4
Nonwhite	85	3	14	68	21	---	---	---	4	47.1	6	70.6
Wheeler	147	42	66	37	47	36	-	11	5	34.0	3	20.4
White	99	42	51	5	34	---	---	---	3	30.3	1	10.1
Nonwhite	48	-	15	32	13	---	---	---	2	41.7	2	41.7
White	156	68	73	15	31	26	-	5	4	25.6	3	19.2
Whitfield	849	743	70	28	217	121	-	94	36	42.4	13	15.3
Dalton	429	387	27	9	119	62	-	57	23	53.6	9	21.0
White	403	381	8	9	109	---	---	---	19	47.1	9	22.3
Nonwhite	26	6	19	-	10	---	---	---	4	153.8	-	0
Balance of county	420	356	43	19	98	59	-	37	13	31.0	4	9.5
Wilcox	254	48	106	92	45	38	-	6	2	7.9	15	59.1
White	144	47	89	6	32	---	---	---	2	13.9	3	20.8
Nonwhite	110	1	17	86	13	---	---	---	-	0	12	109.1
Wilkes	389	147	61	150	113	91	-	21	13	35.2	10	27.1
White	136	126	7	3	44	---	---	---	5	36.8	2	14.7
Nonwhite	233	21	54	147	69	---	---	---	8	34.3	8	34.3
Wilkinson	243	62	63	114	77	57	-	18	3	12.3	11	45.3
White	116	57	53	6	39	---	---	---	-	0	3	25.9
Nonwhite	127	5	10	108	38	---	---	---	3	23.6	8	63.0
Worth	612	122	239	248	126	109	-	16	20	32.7	16	26.1
White	272	117	144	10	50	---	---	---	5	18.4	8	29.4
Nonwhite	340	5	95	238	76	---	---	---	15	44.1	8	23.5
IDAHO	13,787	13,300	400	13	4,585	2,224	212	2,060	453	32.9	251	18.2
Ada	1,517	1,504	10	-	545	270	24	248	40	26.4	32	21.1
Boise City	1,087	1,079	5	-	367	185	1	179	28	25.8	23	21.2
Balance of county	430	425	5	-	178	85	23	69	12	27.9	9	20.9
Adams	75	72	3	-	28	9	-	13	7	93.3	-	0
Bannock	1,198	1,186	11	-	312	121	-	190	52	43.4	18	15.0
Pocatello	822	819	3	-	227	79	-	148	38	46.2	10	12.2
Balance of county	376	367	8	-	85	42	-	42	14	37.2	8	21.3
Bear Lake	189	180	8	-	76	64	-	11	7	37.0	1	5.3
Benewah	130	108	19	-	67	38	1	28	4	30.8	-	0
Bingham	607	595	10	-	211	90	73	46	9	14.8	9	14.8
Blaine	122	119	1	-	38	23	-	15	2	16.4	1	8.2
Boise	29	29	-	-	15	9	-	5	-	0	1	34.5
Bonner	371	345	21	-	149	67	-	82	17	45.8	5	13.5
Bonneville	764	762	1	1	176	67	-	108	30	39.3	15	19.6
Idaho Falls	487	485	1	1	126	38	-	88	24	49.3	9	18.5
Balance of county	277	277	-	-	50	29	-	20	6	21.7	6	21.7
Boundary	126	122	2	2	50	25	-	22	7	55.6	4	31.7
Butte	58	57	1	-	17	11	-	6	1	17.2	1	17.2
Camas	28	20	5	-	9	6	-	3	-	0	-	0
Canyon	1,181	1,154	16	3	449	169	40	211	38	32.2	21	17.8
Nampa	364	360	3	1	167	52	14	99	14	38.5	9	24.7
Balance of county	817	794	13	2	282	137	26	112	24	29.4	12	14.7
Caribou	41	41	-	-	17	8	-	9	3	73.2	3	73.2
Cassia	399	354	43	-	91	57	-	34	8	20.1	6	15.0
Clark	21	20	-	-	5	1	-	4	-	0	2	95.2
Clearwater	155	142	11	-	106	42	34	30	6	38.7	3	19.4
Custer	47	47	-	-	29	19	-	9	3	63.8	1	21.3
Elmore	152	145	6	-	42	24	-	13	5	32.9	1	6.6
Franklin	258	198	60	-	49	29	-	20	7	27.1	10	38.8
Fremont	246	236	9	-	73	48	-	25	5	20.3	4	16.3
Gem	216	213	2	-	75	41	-	32	8	37.0	5	23.1
Gooding	252	247	2	2	74	33	-	40	4	15.9	5	19.8
Idaho	243	209	32	-	103	46	1	55	7	28.8	7	28.8
Jefferson	284	275	8	-	67	33	-	23	14	49.3	2	7.0
Jerome	323	322	1	-	67	41	-	24	7	21.7	2	6.2
Kootenai	504	485	7	3	231	98	6	122	19	37.7	7	13.9
Coeur d'Alene	263	255	5	1	140	51	6	81	11	41.8	4	15.2
Balance of county	241	230	2	2	91	47	-	41	8	33.2	3	12.4
Latah	418	401	14	-	156	73	-	78	14	33.5	5	12.0
Lemhi	144	122	21	-	69	39	10	17	6	41.7	1	6.9
Lewis	97	90	7	-	45	30	-	14	7	72.2	1	10.3
Lincoln	81	80	-	-	31	21	-	10	1	12.3	1	12.3
Madison	268	262	6	-	66	41	-	23	16	59.7	6	22.4
Minidoka	243	232	10	-	63	35	-	27	3	12.3	5	20.6
Nez Perce	500	484	14	-	196	71	5	113	19	38.0	12	24.0
Lewiston	324	317	6	-	138	44	-	91	11	34.0	10	30.9
Balance of county	176	167	8	-	58	27	5	22	8	45.5	2	11.4
Oneida	126	124	1	1	41	22	-	18	5	39.7	-	0
Owyhee	121	108	7	-	34	15	-	19	4	33.1	4	33.1

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
IDAHO—Continued												
Payette	297	295	2	-	76	37	2	37	11	37.0	3	10.1
Power	97	94	2	-	28	9	-	19	4	41.2	-	0
Shoshone	478	473	4	-	177	77	14	86	13	27.2	22	46.0
Teton	100	97	2	-	10	8	-	2	1	10.0	3	30.0
Twin Falls	984	978	6	-	304	180	2	120	28	28.5	16	16.3
Twin Falls	391	390	1	-	155	91	-	62	15	38.4	5	12.8
Balance of county	593	588	5	-	149	89	2	58	13	21.9	11	18.5
Valley	104	90	7	1	29	17	-	5	2	19.2	1	9.6
Washington	193	183	8	-	89	40	-	44	9	46.6	5	25.9
Yellowstone National Park (part)	-	-	-	-	-	-	-	-	-	(5)	-	(5)
ILLINOIS	174,825	162,957	11,708	100	89,556	42,797	6,170	39,985	5,316	30.4	3,667	21.0
Adams	1,282	1,245	37	-	820	360	72	380	54	42.1	33	25.7
Quincy	917	911	6	-	569	232	28	302	41	44.7	26	28.4
Balance of county	365	334	31	-	251	128	44	78	13	35.6	7	19.2
Alexander	480	318	152	1	261	133	-	128	22	45.8	21	43.8
White	346	301	45	-	166	----	----	----	18	46.2	8	23.1
Nonwhite	134	17	107	1	95	----	----	----	6	44.8	13	97.0
Cairo	282	204	70	-	178	85	-	93	14	49.6	9	31.9
White	199	195	4	-	105	----	----	----	10	50.3	1	5.0
Nonwhite	83	9	66	-	73	----	----	----	4	48.2	8	96.4
Balance of county	198	114	82	1	83	49	-	35	8	40.4	12	60.6
White	147	106	41	-	61	----	----	----	6	40.8	7	47.6
Nonwhite	51	8	41	1	22	----	----	----	2	39.2	5	98.0
Bond	282	245	37	-	141	89	-	50	11	39.0	7	24.8
Boone	373	369	3	-	177	73	2	94	14	37.5	8	21.4
Brown	130	77	52	-	84	59	-	25	6	46.2	1	7.7
Bureau	762	739	23	-	407	212	4	184	17	22.3	16	21.0
Calhoun	156	53	102	1	66	49	-	17	9	57.7	8	51.3
Carroll	386	358	28	-	212	143	2	65	14	36.3	15	38.8
Cass	321	273	46	-	182	86	3	92	14	43.6	8	24.9
Champaign	2,101	2,055	46	-	660	313	2	342	49	23.3	26	12.4
Champaign	735	726	9	-	239	104	-	134	16	21.8	11	15.0
Urbana	499	497	2	-	168	71	-	93	19	38.1	2	4.0
Balance of county	867	832	35	-	255	138	2	115	14	16.1	13	15.0
Christian	798	744	54	-	361	182	-	172	30	37.6	12	15.0
Clark	324	221	103	-	190	147	-	42	7	21.6	4	12.3
Clay	383	222	161	-	180	117	-	62	13	33.9	9	23.5
Clinton	499	441	58	-	232	136	10	86	18	36.1	11	22.0
Centralia (part)	18	18	-	-	3	2	-	1	-	(5)	3	(5)
Balance of county	481	423	58	-	229	134	10	85	18	37.4	8	16.6
Coles	857	715	141	-	450	280	28	137	23	26.8	17	19.8
Mattoon	403	368	35	-	204	120	26	57	10	24.8	8	19.9
Balance of county	454	347	106	-	246	160	2	80	13	28.6	9	19.8
Cooke	90,528	87,048	3,382	88	46,042	21,476	2,048	22,240	2,498	27.6	1,919	21.2
Berwyn	1,029	1,026	3	-	443	260	-	181	26	25.3	10	9.7
Blue Island	418	417	1	-	183	92	-	91	5	12.0	10	24.0
Brookfield	250	248	2	-	104	70	6	28	5	20.0	1	4.0
Calumet City	335	330	5	-	94	57	-	37	11	32.8	4	11.9
Chicago	75,087	71,821	3,171	86	38,511	18,203	635	19,460	2,143	28.5	1,680	22.4
White	65,343	63,635	1,632	70	33,481	----	----	----	1,730	26.5	1,329	20.3
Nonwhite	9,744	8,186	1,539	16	5,030	----	----	----	413	42.4	351	36.0
Chicago Heights	593	556	37	-	206	92	-	113	13	21.9	17	28.7
Cicero	1,302	1,293	9	-	527	321	-	205	24	18.4	22	16.9
Elgin (part)	7	7	-	-	8	3	-	5	2	(5)	-	(5)
Elmwood Park	345	339	6	-	83	47	-	34	6	17.4	-	0
Evanston	1,267	1,259	8	-	609	260	27	311	24	18.9	23	18.2
Forest Park	336	336	-	-	182	87	31	63	9	26.8	6	17.9
Harvey	586	581	5	-	167	87	-	79	12	20.5	10	17.1
La Grange	313	311	2	-	125	69	-	54	11	35.1	6	19.2
Maywood	619	610	9	-	247	132	15	99	18	29.1	12	19.4
Melrose Park	438	434	3	1	103	51	-	52	9	20.5	7	16.0
Oak Park	1,188	1,177	9	-	693	379	-	311	37	31.1	21	17.7
Park Ridge	289	286	2	-	97	51	-	46	5	17.3	3	10.4
Wilmette	293	292	1	-	163	87	-	73	2	6.8	11	37.5
Winnetka	219	218	1	-	85	50	-	35	3	13.7	4	18.3
Balance of county	5,614	5,505	108	1	3,412	1,078	1,334	963	133	23.7	72	12.8
Crawford	382	304	78	-	213	133	1	76	7	18.3	10	26.2
Cumberland	217	145	71	-	118	86	-	31	7	32.3	5	23.0
De Kalb	839	830	8	-	393	202	8	180	37	44.1	14	16.7
De Witt	335	298	37	-	203	109	-	94	14	41.8	5	14.9
Douglas	357	313	44	-	179	101	-	73	9	25.2	10	28.0
Du Page	2,464	2,446	18	-	1,039	557	16	410	68	27.6	47	19.1
Elmhurst	353	352	1	-	144	66	-	56	17	48.2	10	28.3
Balance of county	2,111	2,094	17	-	895	491	16	354	51	24.2	37	17.5
Edgar	509	468	41	-	296	168	-	128	22	43.2	7	13.8
Edwards	180	111	69	-	109	87	-	21	4	22.2	4	22.2
Effingham	498	427	71	-	205	106	-	96	12	24.1	13	26.1
Fayette	462	342	120	-	268	199	9	52	26	56.3	11	23.8
Ford	319	296	23	-	160	112	1	44	6	18.8	5	15.7

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
ILLINOIS—Continued												
Franklin	1,057	665	392	-	524	411	1	111	35	33.1	23	21.8
West Frankfort	232	205	27	-	125	95	-	30	8	34.5	7	30.2
Balance of county	825	460	365	-	399	316	1	81	27	32.7	16	19.4
Fulton	913	845	68	-	453	244	1	202	28	30.7	9	9.9
Canton	280	279	1	-	143	59	-	83	12	42.9	6	21.4
Balance of county	633	566	67	-	310	185	1	119	16	25.3	3	4.7
Gallatin	231	157	73	-	112	81	-	31	19	82.3	7	30.3
Greene	398	306	92	-	204	132	-	70	12	30.2	10	25.1
Grundy	433	418	15	-	217	131	2	84	10	23.1	15	34.6
Hamilton	249	192	58	-	119	92	-	20	8	32.1	5	20.1
Hancock	477	409	68	-	293	181	3	104	14	29.4	12	25.2
Hardin	171	81	90	-	80	64	-	16	5	29.2	10	58.5
Henderson	175	152	23	-	80	46	-	34	2	11.4	2	11.4
Henry	915	890	24	1	481	246	5	228	29	31.7	22	24.0
Kewanee	358	350	7	1	204	87	-	116	11	30.7	14	38.1
Balance of county	557	540	17	-	277	159	5	112	18	32.3	8	14.4
Iroquois	651	574	77	-	318	205	2	111	30	46.1	17	26.1
Jackson	832	712	118	1	390	256	-	133	25	30.0	16	19.2
Jasper	219	162	57	-	155	94	-	58	5	22.8	4	18.3
Jefferson	714	456	257	-	350	276	-	70	21	29.4	19	26.6
Mount Vernon	360	265	95	-	164	117	-	43	10	26.3	13	34.2
Balance of county	334	171	162	-	186	159	-	27	11	32.9	6	18.0
Jersey	311	188	123	-	132	87	-	43	10	32.2	9	28.9
Jo Daviess	528	422	106	-	262	155	-	102	18	34.1	16	30.3
Johnson	197	61	135	-	105	86	-	19	6	30.5	4	20.3
Kane	3,038	3,024	14	-	1,907	610	485	798	109	35.9	47	15.5
Aurora	1,232	1,228	4	-	569	258	1	307	51	41.4	18	14.6
Elgin (part)	733	731	2	-	864	149	463	244	22	(5)	7	(5)
Elgin (total)	740	738	2	-	872	152	463	249	24	32.4	7	9.5
Balance of county	1,073	1,065	8	-	474	203	19	247	36	33.6	22	20.5
Kankakee	1,370	1,245	125	-	1,439	291	955	190	37	27.0	26	19.0
Kankakee	634	597	37	-	255	144	6	103	15	23.7	15	23.7
Balance of county	736	648	88	-	1,184	147	949	87	22	29.9	11	14.9
Kendall	233	226	7	-	118	58	-	59	12	51.5	6	25.8
Knox	1,118	1,091	27	-	647	322	20	302	29	25.9	17	15.2
Galesburg	675	673	2	-	399	183	4	211	15	22.2	12	17.8
Balance of county	443	418	25	-	248	139	16	91	14	31.6	5	11.3
Lake	3,217	3,154	49	-	1,315	510	107	675	102	31.7	72	22.4
Highland Park	301	301	-	-	115	64	3	46	4	13.3	5	16.6
Waukegan	957	947	9	-	348	123	-	221	38	39.7	25	26.1
Balance of county	1,959	1,906	40	-	852	323	104	409	60	30.6	42	21.4
La Salle	2,051	2,018	33	-	1,062	537	33	488	81	29.7	45	21.9
La Salle	239	238	1	-	147	50	-	97	8	33.5	5	20.9
Ottawa	356	355	1	-	170	92	11	66	12	33.7	6	16.9
Streator	396	390	6	-	196	97	-	98	17	42.9	10	25.3
Balance of county	1,060	1,035	25	-	549	298	22	227	24	22.6	24	22.6
Lawrence	422	254	168	-	215	166	4	41	13	30.8	7	16.6
Lee	752	713	38	-	573	207	234	131	50	66.5	7	9.3
Dixon	295	290	5	-	132	63	-	68	13	44.1	4	13.6
Balance of county	457	423	33	-	441	144	234	63	37	81.0	3	6.6
Livingston	733	700	33	-	368	199	26	140	25	34.1	15	20.5
Logan	491	472	19	-	379	103	101	171	32	65.2	8	16.3
Lincoln	210	209	1	-	205	34	63	104	20	95.2	4	19.0
Balance of county	281	263	18	-	174	69	38	67	12	42.7	4	14.2
McDonough	569	501	68	-	321	165	-	156	16	28.1	13	22.8
McHenry	987	975	12	-	461	259	7	192	30	30.4	17	17.2
McLean	1,573	1,513	60	-	856	343	5	506	61	38.8	21	13.4
Bloomington	772	758	14	-	432	149	-	283	32	41.5	11	14.2
Balance of county	801	755	46	-	424	194	5	223	29	36.2	10	12.5
Macon	2,112	2,070	41	-	907	393	20	491	69	32.7	45	21.3
Decatur	1,542	1,526	16	-	678	284	1	391	55	35.7	37	24.0
Balance of county	570	544	25	-	229	109	19	100	14	24.6	8	14.0
Macoupin	805	708	97	-	502	288	3	207	29	36.0	15	18.6
Madison	3,944	3,541	403	-	1,802	676	332	788	147	37.3	85	21.6
Alton	928	811	117	-	378	143	3	230	42	45.3	22	23.7
Granite City	672	663	9	-	205	76	-	128	17	25.3	12	17.9
Balance of county	2,344	2,067	277	-	1,219	457	329	430	88	37.5	51	21.8
Marion	955	852	103	-	397	230	-	159	36	37.7	35	36.6
Centralia (part)	293	277	16	-	154	74	-	78	10	(5)	7	(5)
Centralia (total)	311	295	16	-	157	76	-	79	10	32.2	10	32.2
Balance of county	662	575	87	-	243	156	-	81	26	39.3	28	42.3
Marshall	225	207	18	-	145	99	-	44	6	26.7	5	22.2
Mason	288	228	60	-	197	122	-	75	11	38.5	6	21.0
Massac	290	138	152	-	149	122	-	27	15	51.7	9	31.0
White	262	134	128	-	136	---------	---------	---------	15	57.3	7	26.7
Nonwhite	28	4	24	-	13	---------	---------	---------	-	0	2	71.4
Menard	192	146	46	-	102	61	-	40	4	20.8	4	20.8
Mercer	329	310	19	-	197	112	2	81	14	42.6	4	12.2
Monroe	219	203	16	-	113	83	1	29	3	13.7	9	41.1
Montgomery	640	580	59	-	374	215	1	156	17	26.6	8	12.5
Morgan	589	534	55	-	696	183	327	182	18	30.6	19	32.3
Jacksonville	306	295	11	-	529	88	327	110	11	35.9	10	32.7
Balance of county	283	239	44	-	167	95	-	72	7	24.7	9	31.8

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
ILLINOIS—Continued												
Moultrie	283	204	79	-	141	75	30	36	6	21.2	8	28.3
Ogle	665	616	49	-	322	192	5	125	19	28.6	8	12.0
Peoria	3,564	3,411	153	-	1,913	793	381	735	111	31.1	54	15.2
Peoria	2,594	2,529	65	-	1,199	573	18	605	87	33.5	41	15.8
Balance of county	970	882	88	-	714	220	363	130	24	24.7	13	13.4
Perry	482	396	86	-	229	159	-	69	18	37.3	18	37.3
Piatt	275	266	9	-	142	72	1	68	9	32.7	5	18.2
Pike	427	358	68	-	247	140	-	103	9	21.1	5	11.7
Pope	109	39	70	-	70	58	-	12	4	36.7	2	18.3
Pulaski	257	100	147	1	156	125	-	31	18	70.0	12	46.7
White	162	96	66	-	83	----------	----------	----------	11	67.9	6	37.0
Nonwhite	95	4	81	1	73	----------	----------	----------	7	73.7	6	63.2
Putnam	100	97	3	-	39	18	-	19	1	10.0	1	10.0
Randolph	551	409	142	-	334	193	41	100	16	29.0	14	25.4
Richland	385	346	39	-	153	67	-	83	21	54.5	12	31.2
Rock Island	2,709	2,676	33	-	1,458	541	275	639	104	38.4	52	19.2
East Moline	236	233	3	-	356	41	275	39	5	21.2	5	21.2
Moline	742	740	2	-	385	174	-	211	31	41.8	18	24.3
Rock Island	1,095	1,078	17	-	517	227	-	288	49	44.7	23	21.0
Balance of county	636	625	11	-	200	99	-	101	19	29.9	6	9.4
St. Clair	4,124	3,833	289	2	1,929	969	14	941	170	41.2	121	29.3
White	3,386	3,326	60	-	1,600	----------	----------	----------	119	35.1	79	23.3
Nonwhite	738	507	229	2	329	----------	----------	----------	51	69.1	42	56.9
Belleville	807	796	11	-	326	136	14	176	22	27.3	12	14.9
East St. Louis	1,928	1,726	200	2	989	476	-	511	98	50.8	76	39.4
White	1,300	1,285	15	-	729	----------	----------	----------	57	43.8	40	30.8
Nonwhite	628	441	185	2	260	----------	----------	----------	41	65.3	36	57.3
Balance of county	1,389	1,311	78	-	614	357	-	254	50	36.0	33	23.8
Saline	781	579	179	2	404	294	-	110	24	31.5	8	10.5
Harrisburg	258	229	28	-	132	98	-	34	8	31.0	3	11.6
Balance of county	503	350	151	2	272	196	-	76	16	31.8	5	9.9
Sangamon	2,617	2,512	103	2	1,299	431	10	853	79	30.2	56	21.4
Springfield	1,908	1,890	17	1	904	254	6	639	62	32.5	46	24.1
Balance of county	709	622	86	1	395	177	4	214	17	24.0	10	14.1
Schuyler	156	126	30	-	125	79	-	46	3	19.2	1	6.4
Scott	135	111	24	-	87	66	-	21	7	51.9	4	29.6
Shelby	485	369	116	-	259	174	7	76	10	20.6	7	14.4
Stark	196	179	17	-	98	47	-	50	6	30.6	4	20.4
Stephenson	847	810	37	-	451	219	8	221	13	15.3	18	21.3
Freeport	460	445	15	-	285	133	8	143	8	17.4	11	23.9
Balance of county	387	365	22	-	166	86	-	78	5	12.9	7	18.1
Tazewell	1,458	1,398	60	-	504	261	1	237	42	28.8	31	21.3
Pekin	438	425	13	-	177	90	-	86	17	38.8	11	25.1
Balance of county	1,020	973	47	-	327	171	1	151	25	24.5	20	19.6
Union	396	328	86	1	487	120	301	66	15	37.9	15	37.9
Vermilion	1,786	1,667	118	-	1,046	436	137	473	58	32.5	38	21.3
Danville	856	811	44	-	463	192	-	271	32	37.4	19	22.2
Balance of county	930	856	74	-	583	244	137	202	26	28.0	19	20.4
Wabash	291	199	92	-	145	106	-	23	15	51.5	5	17.2
Warren	468	448	20	-	253	128	6	119	11	23.5	6	12.8
Washington	245	181	64	-	163	120	-	43	6	24.5	3	12.2
Wayne	473	226	247	-	196	144	1	49	15	31.7	5	10.6
White	448	207	241	-	190	149	-	40	10	22.3	10	22.3
Whiteside	1,081	960	120	-	426	240	9	167	28	25.9	21	19.4
Sterling	312	279	32	-	130	80	2	48	8	25.6	4	12.8
Balance of county	769	681	88	-	296	160	7	121	20	26.0	17	22.1
Will	2,616	2,559	57	-	1,281	601	42	617	84	32.1	39	14.9
Joliet	1,622	1,607	15	-	699	255	-	443	56	34.5	22	13.6
Balance of county	994	952	42	-	582	346	42	174	28	28.2	17	17.1
Williamson	1,042	704	338	-	463	304	-	159	33	31.7	23	22.1
Winnebago	3,182	3,118	64	-	1,228	506	15	701	107	33.6	66	20.7
Rockford	2,092	2,065	27	-	881	348	2	528	77	36.8	47	22.5
Balance of county	1,090	1,053	37	-	347	160	13	173	30	27.5	19	17.4
Woodford	376	331	45	-	183	109	5	68	10	26.6	4	10.8
INDIANA	85,515	74,686	10,756	42	39,034	23,026	2,160	13,502	2,697	31.5	1,583	18.5
Adams	586	489	96	-	221	156	-	62	21	35.8	10	17.1
Allen	4,177	4,017	158	-	1,625	746	126	747	104	24.9	72	17.2
Fort Wayne	3,256	3,204	51	-	1,273	563	66	640	76	23.3	55	16.9
Balance of county	921	813	107	-	352	183	60	107	28	30.4	17	18.5
Bartholomew	832	763	69	-	325	168	7	146	29	34.9	12	14.4
Columbus	422	403	19	-	150	69	3	77	16	37.9	10	23.7
Balance of county	410	360	50	-	175	99	4	69	13	31.7	2	4.9
Benton	279	234	45	-	110	76	3	31	4	14.3	10	35.8
Blackford	311	285	26	-	140	104	4	32	6	19.3	7	22.5
Boone	493	465	28	-	257	163	3	85	11	22.3	2	4.1
Brown	112	75	37	-	51	38	2	11	3	26.8	-	0
Carroll	328	266	62	-	167	107	-	55	10	30.5	6	18.3
Cass	739	701	38	-	637	223	209	198	21	28.4	12	16.2
Logansport	447	435	12	-	280	134	3	137	14	31.3	8	17.9
Balance of county	292	266	26	-	357	89	206	61	7	24.0	4	13.7

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
INDIANA—Continued												
Clark	1,172	894	277	-	407	230	1	173	49	41.8	19	16.2
Jeffersonville	431	383	47	-	194	85	1	106	23	53.4	6	13.9
White	394	359	35	-	167	---	---	---	17	43.1	4	10.2
Nonwhite	37	24	12	-	27	---	---	---	6	162.2	2	54.1
Balance of county	741	511	230	-	213	145	-	67	26	35.1	13	17.5
Clay	463	401	62	-	251	168	2	81	15	32.4	12	25.9
Clinton	608	564	44	-	320	194	23	99	24	39.5	10	16.4
Frankfort	312	303	9	-	166	91	17	56	11	35.3	6	19.2
Balance of county	296	261	35	-	154	103	6	43	13	43.9	4	13.5
Crawford	213	55	158	-	117	105	-	12	8	37.6	7	32.9
Daviess	576	421	155	-	278	175	-	99	29	50.3	11	19.1
Dearborn	517	400	117	-	259	190	2	66	17	32.9	13	25.1
Decatur	428	356	72	-	264	159	40	64	13	30.4	14	32.7
De Kalb	527	491	36	-	303	205	5	88	19	36.1	7	13.3
Delaware	2,051	1,977	73	-	798	406	26	365	56	27.3	48	23.4
Muncie	1,506	1,463	42	-	554	267	2	285	44	29.2	38	25.2
Balance of county	545	514	31	-	244	139	24	80	12	22.0	10	18.3
Dubois	569	321	248	-	227	166	4	52	13	22.8	9	15.8
Elkhart	1,963	1,874	89	-	779	543	20	211	66	33.6	25	12.7
Elkhart	856	840	16	-	372	249	-	123	28	32.7	8	9.3
Goshen	352	344	8	-	126	84	4	35	15	42.6	6	17.0
Balance of county	755	690	65	-	281	210	16	53	23	30.5	11	14.6
Fayette	531	506	25	-	196	118	3	71	24	45.2	9	16.9
Connersville	385	372	13	-	135	79	3	51	15	39.0	8	20.8
Balance of county	146	134	12	-	61	39	-	20	9	61.6	1	6.8
Floyd	1,028	850	178	-	442	292	12	136	40	38.9	15	14.6
New Albany	825	695	130	-	332	222	2	106	28	33.9	10	12.1
Balance of county	203	155	48	-	110	70	10	30	12	59.1	5	24.6
Fountain	372	327	45	-	202	129	5	67	9	24.2	11	29.6
Franklin	297	204	93	-	173	111	19	32	10	33.7	7	23.6
Fulton	328	282	46	-	199	139	4	53	6	18.3	4	12.2
Gibson	564	478	186	-	286	212	3	67	16	27.1	9	13.6
Grant	1,418	1,295	123	-	708	407	99	199	37	26.1	28	19.7
Marion	801	734	67	-	368	218	4	143	25	31.2	20	25.0
Balance of county	617	561	56	-	340	189	95	56	12	19.4	8	13.0
Greene	674	609	65	-	326	232	1	93	14	20.8	4	5.9
Hamilton	593	567	24	1	300	206	1	93	22	37.1	13	21.9
Hancock	375	302	73	-	219	163	4	48	18	48.0	11	29.3
Harrison	394	130	264	-	165	144	-	20	9	22.8	8	20.3
Hendricks	440	384	55	1	249	182	6	60	8	18.2	4	9.1
Henry	1,031	969	62	-	466	242	80	162	38	36.9	19	18.4
New Castle	522	504	18	-	164	87	-	77	17	32.6	7	13.4
Balance of county	509	465	44	-	302	155	80	85	21	41.3	12	23.6
Howard	1,261	1,100	161	-	509	342	12	152	41	32.5	18	14.3
Kokomo	949	846	103	-	361	238	1	119	31	32.7	12	12.6
Balance of county	312	254	58	-	148	104	11	33	10	32.1	6	19.2
Huntington	678	617	61	-	404	282	17	87	9	13.3	7	10.3
Huntington	381	348	33	-	208	144	-	58	5	13.1	3	7.9
Balance of county	297	269	28	-	196	138	17	29	4	13.5	4	13.5
Jackson	641	498	143	-	255	191	2	62	15	23.4	18	28.1
Jasper	375	322	53	-	169	98	-	70	16	42.7	3	8.0
Jay	507	477	30	-	259	162	2	94	18	35.5	8	15.8
Jefferson	458	357	101	-	361	175	151	35	10	21.8	8	17.5
Jennings	275	139	136	-	141	89	28	24	9	32.7	7	25.5
Johnson	595	436	159	-	310	192	38	75	14	23.5	12	20.2
Knox	1,005	886	119	-	463	287	2	172	38	37.8	10	10.0
Vincennes	493	473	20	-	228	120	-	106	20	40.6	4	8.1
Balance of county	512	413	99	-	235	167	2	66	18	35.2	6	11.7
Kosciusko	687	632	55	-	376	261	6	102	21	30.6	12	17.5
Lagrange	376	233	143	-	172	126	-	45	9	23.9	2	5.3
Lake	7,995	7,497	457	37	2,812	1,262	60	1,460	278	34.8	179	22.4
East Chicago	1,397	1,279	102	15	521	238	1	281	53	37.9	31	22.2
White	1,168	1,099	53	15	440	---	---	---	31	26.5	21	18.0
Nonwhite	229	180	49	-	81	---	---	---	22	96.1	10	43.7
Gary	3,202	2,930	251	18	1,158	473	-	658	116	36.2	71	22.2
White	2,498	2,450	38	9	810	---	---	---	79	31.6	47	18.8
Nonwhite	704	480	213	9	348	---	---	---	37	52.6	24	34.1
Hammond	1,677	1,640	36	1	614	268	15	327	55	32.8	34	20.3
Whiting	440	435	4	1	84	45	-	39	13	29.5	6	13.6
Balance of county	1,279	1,213	64	2	437	238	44	155	41	32.1	37	28.9
La Porte	1,634	1,579	54	-	764	380	34	349	59	36.1	37	22.6
La Porte	504	492	12	-	275	128	2	144	26	51.6	8	15.9
Michigan City	616	597	19	-	302	142	23	137	19	30.8	18	29.2
Balance of county	514	490	23	-	187	110	9	68	14	27.2	11	21.4
Lawrence	879	653	225	1	363	226	3	133	40	45.5	19	21.6
Bedford	338	297	40	1	153	81	-	72	21	62.1	3	8.9
Balance of county	541	356	185	-	210	145	3	61	19	35.1	16	29.6
Madison	2,340	2,294	46	-	919	578	15	322	61	34.6	51	21.8
Anderson	1,213	1,193	20	-	462	266	-	193	52	42.9	20	16.5
Elwood	276	273	3	-	120	73	-	47	5	18.1	12	43.5
Balance of county	851	828	23	-	337	239	15	82	24	28.2	19	22.3

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
INDIANA—Continued												
Marion	12,415	11,003	1,407	-	5,665	3,152	362	2,106	412	33.2	271	21.8
White	11,186	10,259	922	-	4,834	----	----	----	333	29.8	229	20.5
Nonwhite	1,229	744	485	-	831	----	----	----	79	64.3	42	34.2
Indianapolis	11,269	9,957	1,307	-	4,992	2,810	220	1,921	375	33.3	255	22.6
White	10,046	9,215	826	-	4,203	----	----	----	296	29.5	213	21.2
Nonwhite	1,223	742	481	-	789	----	----	----	79	64.6	42	34.3
Balance of county	1,146	1,046	100	-	673	342	142	185	37	32.3	16	14.0
Marshall	590	557	33	-	287	186	3	86	17	28.8	10	16.9
Martin	308	131	177	-	87	61	-	26	5	16.2	5	16.2
Miami	631	576	54	-	305	181	7	115	10	15.8	7	11.1
Peru	307	295	12	-	148	72	-	74	6	19.5	5	16.3
Balance of county	324	281	42	-	157	109	7	41	4	12.3	2	6.2
Monroe	961	782	174	1	337	225	15	92	28	29.1	12	12.5
Bloomington	568	520	47	1	181	112	13	53	12	21.1	4	7.0
Balance of county	393	262	127	-	156	113	2	39	16	40.7	8	20.4
Montgomery	604	559	45	-	355	209	3	135	19	31.5	4	6.6
Crawfordsville	265	245	20	-	178	87	-	86	8	30.2	3	11.3
Balance of county	339	314	25	-	177	122	3	49	11	32.4	1	2.9
Morgan	507	433	74	-	274	185	2	86	19	37.5	12	23.7
Newton	211	176	34	-	107	72	1	33	5	23.7	3	14.2
Noble	553	499	54	-	281	170	29	79	17	30.7	9	16.3
Ohio	85	60	25	-	58	42	-	16	3	35.3	-	0
Orange	385	212	173	-	208	171	3	33	10	26.0	5	13.0
Owen	182	104	78	-	150	132	-	18	8	44.0	-	0
Parke	317	232	85	-	190	136	6	46	8	25.2	3	9.5
Perry	343	119	223	-	132	105	-	26	5	14.6	8	23.3
Pike	321	232	89	-	182	137	1	43	8	24.9	6	18.7
Porter	629	609	20	-	297	163	10	124	23	36.6	6	9.5
Posey	403	201	202	-	198	137	-	61	8	19.9	10	24.8
Pulaski	270	186	84	-	87	64	-	23	6	22.2	4	14.8
Putnam	402	372	30	-	246	156	4	84	8	19.9	6	14.9
Randolph	541	511	30	-	308	208	11	88	19	35.1	13	24.0
Ripley	452	372	80	-	195	135	1	59	12	26.5	6	13.3
Rush	432	406	26	-	262	181	5	67	19	44.0	13	30.1
St. Joseph	4,274	4,198	73	-	1,561	853	38	651	106	24.8	59	13.8
Mishawaka	771	767	4	-	275	148	-	125	19	24.6	10	13.0
South Bend	2,583	2,543	38	-	986	543	-	431	64	23.9	38	14.2
Balance of county	820	788	31	-	300	162	38	95	23	28.0	11	13.4
Scott	310	204	105	-	105	82	3	19	13	41.9	5	16.1
Shelby	618	549	68	-	300	217	3	78	17	27.5	9	14.6
Shelbyville	288	259	29	-	135	93	-	42	6	20.8	4	13.9
Balance of county	330	290	39	-	165	124	3	36	11	33.3	5	15.2
Spencer	335	109	226	-	153	107	3	38	9	26.9	5	14.9
Starke	325	185	140	-	148	102	4	39	13	40.0	9	27.7
Steuben	318	290	28	-	178	125	5	45	7	22.0	3	9.4
Sullivan	516	448	67	-	304	232	1	70	16	31.0	11	21.3
Switzerland	164	85	78	-	98	79	-	19	5	30.5	2	12.2
Tippecanoe	1,484	1,452	32	-	650	276	76	298	51	34.4	27	18.2
Lafayette	904	896	8	-	430	162	39	227	33	36.5	16	17.7
Balance of county	580	556	24	-	220	114	37	69	18	31.0	11	19.0
Tipton	339	304	35	-	163	113	4	44	5	14.7	5	14.7
Union	116	102	14	-	69	45	3	19	3	25.9	2	17.2
Vanderburgh	3,502	2,866	635	1	1,561	817	170	558	109	31.1	84	24.0
Evansville	2,986	2,490	495	1	1,224	703	11	495	93	31.1	72	24.1
Balance of county	516	376	140	-	337	114	159	63	16	31.0	12	23.3
Vermillion	373	331	42	-	217	123	1	93	12	32.2	5	13.4
Vigo	2,276	1,960	316	-	1,223	718	49	453	83	36.5	39	17.1
Terre Haute	1,678	1,497	181	-	885	522	1	360	58	34.6	29	17.3
Balance of county	598	463	135	-	338	196	48	93	25	41.8	10	16.7
Wabash	617	590	27	-	321	190	17	106	15	24.3	10	16.2
Warren	176	142	34	-	80	49	3	27	10	56.8	2	11.4
Warrick	426	232	194	-	232	174	5	53	20	46.9	6	14.1
Washington	352	169	183	-	179	141	6	30	13	36.9	4	11.4
Wayne	1,438	1,370	68	-	916	438	220	252	57	39.6	23	16.0
Richmond	978	944	34	-	395	261	4	125	34	34.8	10	10.2
Balance of county	460	426	34	-	521	177	216	127	23	50.0	13	28.3
Wells	420	397	22	-	244	148	4	90	17	40.5	7	16.7
White	376	304	72	-	180	114	7	58	10	26.6	6	16.0
Whitley	423	395	28	-	197	125	11	58	8	18.9	8	18.9
IOWA	56,186	51,803	4,290	10	25,758	13,416	1,489	10,346	1,681	29.9	1,020	18.2
Adair	255	170	84	-	116	87	3	23	10	39.2	1	3.9
Adams	171	145	26	-	80	55	-	24	5	29.2	4	23.4
Allamakee	386	332	29	-	189	129	12	47	12	32.8	8	21.9
Appanoose	453	412	39	-	275	172	9	91	12	26.5	6	13.2
Audubon	251	193	58	-	113	76	2	35	7	27.9	6	23.9
Benton	489	448	40	-	231	138	6	82	17	34.8	10	20.4
Black Hawk	2,238	2,194	43	1	819	384	37	384	63	28.2	30	13.4
Waterloo	1,380	1,365	14	1	486	241	-	242	49	35.5	21	15.2
Balance of county	858	829	29	-	333	143	37	142	14	16.3	9	10.5

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
IOWA—Continued												
Boone	569	548	21	-	365	151	88	125	17	29.9	10	17.6
Boone	280	278	2	-	183	75	22	85	6	21.4	6	21.4
Balance of county	289	270	19	-	182	76	66	40	11	38.1	4	13.8
Bremer	379	336	43	-	176	109	5	60	7	18.5	8	21.1
Buchanan	479	432	36	1	353	113	160	78	15	31.3	11	23.0
Buena Vista	410	399	11	-	178	108	-	70	14	34.1	3	7.3
Butler	348	300	48	-	155	105	1	47	13	37.4	6	17.2
Calhoun	376	349	25	-	156	87	8	55	10	28.8	9	23.9
Carroll	548	508	40	-	221	116	1	93	13	23.7	7	12.8
Cass	378	321	57	-	183	98	5	76	12	31.7	10	26.5
Cedar	335	300	35	-	159	106	9	40	5	14.9	7	20.9
Cerro Gordo	971	944	26	-	425	158	24	232	44	45.3	22	22.7
Mason City	639	629	10	-	287	84	19	184	30	46.9	19	29.7
Balance of county	332	315	16	-	138	74	5	48	14	42.2	3	9.0
Cherokee	397	383	12	-	250	83	115	49	11	27.7	4	10.1
Chickasaw	338	335	3	-	131	75	1	53	11	32.5	7	20.7
Clarke	205	194	11	-	98	52	-	42	6	29.3	6	29.3
Clay	412	398	13	-	153	84	3	65	14	34.0	12	29.1
Clayton	451	312	138	-	238	172	6	57	10	22.2	14	31.0
Clinton	1,041	997	39	-	598	302	23	269	45	43.2	26	25.0
Clinton	659	644	11	-	402	194	2	205	31	47.0	18	27.3
Balance of county	382	353	28	-	196	108	21	64	14	36.6	8	20.9
Crawford	447	362	82	-	187	125	1	58	13	29.1	9	20.1
Dallas	478	428	49	-	231	138	9	78	16	33.5	7	14.6
Davis	203	150	53	-	100	74	1	23	7	34.5	4	19.7
Decatur	258	248	9	-	128	75	3	50	4	15.5	2	7.8
Delaware	435	384	51	-	161	115	2	41	10	23.0	11	25.3
Des Moines	884	874	9	-	456	153	12	287	29	32.8	13	14.7
Burlington	694	689	4	-	363	116	-	246	26	37.5	11	15.9
Balance of county	190	185	5	-	93	37	12	41	3	15.8	2	10.5
Dickinson	262	235	27	-	100	64	3	31	9	34.4	2	7.6
Dubuque	1,509	1,446	63	-	808	340	56	409	70	43.4	28	18.6
Dubuque	1,036	1,021	15	-	592	235	55	301	51	49.2	16	15.4
Balance of county	473	425	48	-	216	105	1	108	19	40.2	12	25.4
Emmet	340	331	8	-	117	55	1	58	8	23.5	9	26.5
Fayette	644	581	62	-	302	184	21	96	6	9.3	18	28.0
Floyd	463	444	19	-	204	102	2	99	10	21.6	11	23.8
Franklin	334	316	15	-	156	90	1	61	22	65.9	6	18.0
Fremont	271	248	23	-	124	77	2	45	7	25.8	3	11.1
Greene	321	307	14	-	169	98	1	65	7	21.8	7	21.8
Grundy	267	246	21	-	106	64	-	40	7	26.2	6	22.5
Guthrie	321	259	62	-	153	101	5	33	6	18.7	4	12.5
Hamilton	442	426	16	-	168	86	2	74	8	18.1	5	11.3
Hancock	341	304	37	-	128	67	6	42	10	29.3	4	11.7
Hardin	459	442	16	1	210	135	3	72	13	28.3	5	10.9
Harrison	430	255	173	-	223	149	1	68	13	30.2	8	18.6
Henry	342	322	20	-	364	112	156	89	7	20.5	10	29.2
Howard	313	289	24	-	89	50	4	35	5	16.0	8	25.6
Humboldt	290	258	31	-	100	61	1	37	7	24.1	10	34.5
Ida	242	215	27	-	79	47	-	29	4	16.5	2	8.3
Iowa	333	281	52	-	175	113	5	57	12	36.0	7	21.0
Jackson	375	319	56	-	189	106	2	72	23	61.3	5	13.3
Jasper	672	599	73	-	305	156	5	139	22	32.7	16	23.8
Newton	255	244	11	-	139	61	-	78	13	51.0	7	27.5
Balance of county	417	355	62	-	166	95	5	61	9	21.6	9	21.6
Jefferson	312	292	20	-	146	76	4	65	3	9.6	12	38.5
Johnson	965	926	39	-	344	156	8	179	20	20.7	16	16.6
Iowa City	594	591	3	-	215	85	4	125	17	28.6	12	20.2
Balance of county	371	335	36	-	129	71	4	54	3	8.1	4	10.8
Jones	436	424	12	-	202	105	7	84	16	36.7	6	13.8
Keokuk	342	260	81	-	175	113	5	54	14	40.9	8	23.4
Kossuth	642	572	69	-	215	133	-	76	25	38.9	10	15.6
Lee	982	956	26	-	472	188	14	267	34	34.6	19	19.3
Fort Madison	331	318	13	-	149	64	4	79	10	30.2	5	15.1
Keokuk	371	368	3	-	210	65	-	144	18	48.5	7	18.9
Balance of county	280	270	10	-	113	59	10	44	6	21.4	7	25.0
Linn	2,198	2,126	68	-	1,005	486	20	479	83	37.8	43	19.6
Cedar Rapids	1,612	1,598	14	-	717	311	10	381	60	37.2	31	19.2
Balance of county	586	528	54	-	288	175	10	98	23	39.2	12	20.5
Louisa	200	162	37	-	96	58	3	34	4	20.0	-	0
Lucas	218	185	33	-	156	94	4	47	11	50.5	7	32.1
Lyon	343	288	55	-	108	69	-	38	6	17.5	4	11.7
Madison	263	183	80	-	122	89	-	24	3	11.4	2	7.6
Mahaska	503	463	40	-	275	153	19	97	13	25.8	5	9.9
Oskaloosa	211	196	15	-	138	73	-	60	6	28.4	3	14.2
Balance of county	292	267	25	-	137	80	19	37	7	24.0	2	6.8
Marion	490	440	49	-	282	138	58	83	13	26.5	9	18.4
Marshall	745	730	15	-	347	139	34	173	23	30.9	14	18.8
Marshalltown	442	437	5	-	208	72	1	135	17	38.5	8	18.1
Balance of county	303	293	10	-	139	67	33	38	6	19.8	6	19.8

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
IOWA—Continued												
Mills	243	203	40	-	173	89	37	44	5	20.6	10	41.2
Mitchell	308	298	10	-	137	93	1	43	10	32.5	4	13.0
Monona	346	270	76	-	138	78	-	59	6	17.3	4	11.6
Monroe	234	176	57	-	138	99	8	22	9	38.5	3	12.8
Montgomery	319	309	10	-	167	97	1	68	6	18.8	7	21.9
Muscatine	753	735	18	-	359	199	8	150	19	25.2	14	18.6
Muscatine	472	469	3	-	243	123	1	119	12	25.4	13	27.5
Balance of county	281	266	15	-	116	76	7	31	7	24.9	1	3.6
O'Brien	455	376	76	-	160	106	5	42	11	24.2	6	13.2
Osceola	257	237	19	-	66	43	-	23	4	15.6	5	19.5
Page	502	492	9	-	386	114	174	97	13	25.9	6	12.0
Palo Alto	384	326	38	-	141	86	-	49	9	24.7	6	16.5
Plymouth	525	486	38	-	208	124	8	78	12	22.9	4	7.6
Pocahontas	347	299	47	-	124	78	3	42	6	17.3	6	17.3
Polk	4,787	4,544	236	1	2,083	931	37	1,029	145	30.3	75	15.7
Des Moines	3,983	3,795	182	1	1,801	783	14	939	126	31.6	68	17.1
Balance of county	804	749	54	-	282	148	23	90	19	23.6	7	8.7
Pottawattamie	1,521	1,453	67	-	639	294	2	325	36	23.7	31	20.4
Council Bluffs	989	964	25	-	448	187	-	246	20	20.2	18	18.2
Balance of county	532	489	42	-	191	107	2	79	16	30.1	13	24.4
Poweshiek	416	386	30	-	177	90	9	75	14	33.7	9	21.6
Ringgold	195	160	35	-	90	67	-	21	7	35.9	3	15.4
Sac	371	352	17	1	122	79	1	41	9	24.3	7	18.9
Scott	2,151	2,130	20	-	970	423	34	499	87	40.4	40	18.6
Davenport	1,646	1,633	12	-	786	348	8	417	66	40.1	29	17.6
Balance of county	505	497	8	-	184	75	26	82	21	41.6	11	21.8
Shelby	368	270	98	-	130	76	8	43	15	40.8	7	19.0
Sioux	622	511	111	-	207	124	-	65	17	27.3	8	12.9
Story	945	932	11	-	303	173	12	115	23	24.3	11	11.6
Ames	548	546	1	-	119	65	-	53	13	23.7	7	12.8
Balance of county	397	386	10	-	184	108	12	62	10	25.2	4	10.1
Tama	430	390	36	4	195	122	8	59	12	27.9	8	18.6
Taylor	235	171	63	-	149	110	11	25	7	29.8	3	12.8
Union	300	287	13	-	176	101	2	67	9	30.0	7	23.3
Van Buren	194	129	64	-	134	94	6	30	2	10.3	2	10.3
Wapello	1,078	1,004	74	-	452	258	20	150	26	24.1	18	16.7
Ottumwa	825	799	26	-	325	186	-	116	20	24.2	10	12.1
Balance of county	253	205	48	-	127	72	20	34	6	23.7	8	31.6
Warren	350	277	72	-	157	103	-	44	3	8.6	11	31.4
Washington	441	394	47	-	235	128	7	97	9	20.4	10	22.7
Wayne	217	183	33	-	159	118	-	38	9	41.5	4	18.4
Webster	1,013	977	32	1	421	172	12	235	39	38.5	17	16.8
Fort Dodge	605	600	3	1	265	93	4	167	29	47.9	10	16.5
Balance of county	408	377	29	-	156	79	8	68	10	24.5	7	17.2
Winnebago	285	260	25	-	104	66	3	32	6	21.1	7	24.6
Winneshiek	434	409	25	-	198	131	8	55	9	20.7	8	18.4
Woodbury	2,383	2,276	105	-	1,058	487	39	520	74	31.1	46	19.3
Sioux City	1,911	1,873	37	-	873	379	17	467	64	33.5	34	17.8
Balance of county	472	403	68	-	185	108	22	53	10	21.2	12	25.4
Worth	213	195	17	-	91	56	2	33	8	37.6	3	14.1
Wright	409	380	28	-	172	113	4	50	9	22.0	8	19.6
KANSAS	39,751	35,898	3,821	7	18,059	9,426	847	7,538	1,217	30.6	689	17.3
Allen	427	379	48	-	224	154	4	64	14	32.8	8	18.7
Anderson	221	191	30	-	109	68	13	19	5	22.6	5	22.6
Atchison	417	398	19	-	253	150	6	97	18	43.2	7	16.8
Atchison	272	266	6	-	184	110	-	74	14	51.5	4	14.7
White	256	255	1	-	161	--------	--------	--------	12	46.9	2	7.8
Nonwhite	16	11	5	-	23	--------	--------	--------	2	125.0	2	125.0
Balance of county	145	132	13	-	69	40	6	23	4	27.6	3	20.7
Barber	194	175	19	-	65	32	-	33	3	15.5	1	5.2
Barton	712	696	16	-	210	80	2	128	18	25.3	15	21.1
Bourbon	407	377	30	-	263	140	5	113	22	54.1	5	12.3
Fort Scott	245	238	7	-	183	81	4	93	18	73.5	4	16.3
Balance of county	162	139	23	-	80	59	1	20	4	24.7	1	6.2
Brown	297	276	20	-	158	102	11	45	5	16.8	3	10.1
Butler	614	580	33	-	259	132	-	124	11	17.9	11	17.9
El Dorado	239	237	2	-	111	46	-	64	6	25.1	8	33.5
Balance of county	375	343	31	-	148	86	-	60	5	13.3	3	8.0
Chase	88	70	18	-	47	33	-	14	4	45.5	-	0
Chautauqua	147	102	41	2	78	53	1	21	3	20.4	5	34.0
Cherokee	564	389	175	1	296	189	8	97	14	24.8	12	21.3
Cheyenne	119	105	14	-	32	21	-	11	2	16.8	-	0
Clark	89	81	8	-	24	15	-	9	2	22.5	1	11.2
Clay	238	227	10	1	128	94	-	33	3	12.6	5	21.0
Cloud	339	310	29	-	203	107	11	84	12	35.4	8	23.6
Coffey	212	113	99	-	93	71	1	21	6	28.3	1	4.7
Comanche	80	74	6	-	19	13	-	6	2	25.0	4	50.0
Cowley	779	752	25	-	424	177	65	180	28	35.9	11	14.1
Arkansas City	302	288	12	-	144	78	-	66	12	39.7	5	16.6
Balance of county	477	464	13	-	280	99	65	114	16	33.5	6	12.6

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
KANSAS—Continued												
Crawford	787	625	157	-	501	287	5	202	26	33.0	20	25.4
Pittsburg	420	360	60	-	198	142	-	49	18	42.9	12	28.6
Balance of county	367	265	97	-	303	145	5	153	8	21.8	8	21.8
Decatur	128	123	5	-	48	36	-	12	4	31.3	2	15.6
Dickinson	387	370	17	-	266	165	3	95	13	33.6	4	10.3
Doniphan	207	96	111	-	110	75	-	33	7	33.8	1	4.8
Douglas	665	636	28	1	289	152	1	130	15	22.6	12	18.0
Lawrence	447	437	10	-	200	91	1	102	12	26.8	8	17.9
Balance of county	218	199	18	1	89	61	-	28	3	13.8	4	18.3
Edwards	114	93	21	-	56	26	-	27	1	8.8	4	35.1
Elk	90	75	15	-	66	42	5	20	3	33.3	-	0
Ellis	488	470	18	-	116	51	-	65	19	36.9	9	18.4
Ellsworth	158	153	5	-	101	55	3	43	3	19.0	-	0
Finney	339	308	31	-	87	38	-	48	9	26.5	5	14.7
Ford	416	410	6	-	184	67	7	102	17	40.9	6	14.4
Franklin	402	360	42	-	251	148	9	91	14	34.8	12	29.9
Ottawa	211	203	8	-	152	76	8	66	10	47.4	7	33.2
Balance of county	191	157	34	-	99	72	1	25	4	20.9	5	26.2
Geary	303	299	4	-	132	56	-	76	8	26.4	2	6.6
Gove	126	113	13	-	35	23	-	12	5	39.7	-	0
Graham	98	65	33	-	36	24	-	12	3	30.6	1	10.2
Grant	71	66	5	-	18	11	-	7	2	28.2	3	42.3
Gray	97	87	10	-	30	12	-	18	6	61.9	1	10.3
Greeley	39	37	2	-	15	11	-	4	2	51.3	-	0
Greenwood	284	255	29	-	138	69	1	58	6	21.1	5	17.6
Hamilton	88	86	2	-	38	19	-	18	6	68.2	2	22.7
Harper	219	212	7	-	112	50	-	61	6	27.4	6	27.4
Harvey	432	422	10	-	212	65	6	138	16	37.0	11	25.5
Newton	242	241	1	-	133	37	6	88	10	41.3	8	33.1
Balance of county	190	181	9	-	79	28	-	50	6	31.6	3	15.8
Haskell	61	55	6	-	13	6	-	7	3	49.2	2	32.8
Hodgeman	59	56	3	-	20	5	-	15	2	33.9	1	16.9
Jackson	229	215	12	1	130	84	5	36	2	8.7	7	30.6
Jefferson	213	148	65	-	121	89	-	31	4	18.8	5	23.5
Jewell	181	153	27	-	81	53	1	27	2	11.0	3	16.6
Johnson	1,044	985	59	-	281	190	3	84	19	18.2	15	14.4
Kearny	66	64	2	-	15	6	-	9	3	45.5	-	0
Kingman	238	227	11	-	93	50	-	42	7	29.4	5	21.0
Kiowa	110	88	22	-	27	13	-	14	3	27.3	2	18.2
Labette	574	467	106	-	339	177	41	120	20	34.8	22	38.3
Parsons	308	281	26	-	168	92	38	37	11	35.7	11	35.7
Balance of county	266	186	80	-	171	85	3	83	9	33.8	11	41.4
Lane	84	68	16	-	23	10	-	12	3	35.7	-	0
Leavenworth	672	644	27	-	518	147	35	334	21	31.3	19	28.3
White	615	590	24	-	427	---	---	---	21	34.1	15	24.4
Nonwhite	57	54	3	-	91	---	---	---	-	0	4	70.2
Leavenworth	470	467	2	-	277	98	15	162	15	31.9	11	23.4
White	420	417	2	-	226	---	---	---	15	35.7	8	19.0
Nonwhite	50	50	-	-	51	---	---	---	-	0	3	60.0
Balance of county	202	177	25	-	241	49	20	172	6	29.7	8	39.6
Lincoln	120	94	26	-	62	49	1	12	1	8.3	-	0
Linn	149	67	82	-	137	97	6	33	6	40.3	3	20.1
Logan	101	88	13	-	37	19	-	18	5	49.5	2	19.8
Lyon	538	520	18	-	298	112	-	186	18	33.5	9	16.7
Emporia	360	356	4	-	213	59	-	154	9	25.0	5	13.9
Balance of county	178	164	14	-	85	53	-	32	9	50.6	4	22.5
McPherson	514	502	12	-	239	119	8	107	16	31.1	10	19.5
Marion	343	319	24	-	176	86	5	82	6	23.3	4	11.7
Marshall	379	322	57	-	210	142	6	59	10	26.4	9	23.7
Meade	111	65	46	-	46	34	-	12	5	45.0	-	0
Miami	316	237	77	-	321	138	124	49	11	34.8	3	9.5
Mitchell	198	196	2	-	124	69	1	52	9	45.5	4	20.2
Montgomery	1,121	948	170	-	546	360	10	166	30	26.8	27	24.1
Coffeyville	462	370	91	-	170	125	-	42	8	17.3	12	26.0
White	402	356	46	-	137	---	---	---	7	17.4	8	19.9
Nonwhite	60	14	45	-	33	---	---	---	1	16.7	4	66.7
Independence	285	274	11	-	180	84	8	84	13	45.6	10	35.1
White	251	244	7	-	164	---	---	---	13	51.8	7	27.9
Nonwhite	34	30	4	-	16	---	---	---	-	0	3	88.2
Balance of county	374	304	68	-	196	151	2	40	9	24.1	5	13.4
Morris	196	169	27	-	116	87	-	27	7	35.7	4	20.4
Morton	82	78	4	-	18	8	-	10	1	12.2	1	12.2
Nemaha	320	267	53	-	151	72	-	78	10	31.3	9	28.1
Neosho	431	306	125	-	244	158	3	83	11	25.5	3	7.0
Chanute	227	176	51	-	140	80	1	59	9	39.6	1	4.4
Balance of county	204	130	74	-	104	78	2	24	2	9.8	2	9.8
Ness	116	103	13	-	36	18	-	18	2	17.2	2	17.2
Norton	169	143	26	-	105	42	-	62	3	17.8	-	0
Osage	226	164	62	-	144	112	6	26	2	8.8	5	22.1
Osborne	128	110	18	-	89	69	1	16	4	31.3	1	7.8

See footnotes on p. 111

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
KANSAS—Continued												
Ottawa	133	89	46	-	79	64	1	10	3	22.2	-	0
Pawnee	171	166	5	-	166	36	91	37	3	17.5	3	17.5
Phillips	180	75	105	-	88	68	1	18	10	55.6	-	0
Pottawatomie	217	202	15	-	106	63	-	32	5	23.0	4	18.4
Pratt	291	285	6	-	120	65	-	53	12	41.2	8	27.5
Rawlins	119	106	13	-	30	21	-	9	2	16.8	4	33.6
Reno	1,270	1,213	56	-	467	195	10	247	36	28.3	20	15.7
Hutchinson	885	871	13	-	338	125	1	208	27	30.5	10	11.3
Balance of county	385	342	43	-	129	70	9	39	9	23.4	10	26.0
Republic	196	169	27	-	115	82	-	33	6	30.6	1	5.1
Rice	332	314	18	-	140	86	1	52	6	18.1	7	21.1
Riley	622	613	8	1	208	77	12	113	23	37.0	12	19.3
Manhattan	485	480	4	1	142	50	-	92	17	35.1	10	20.6
Balance of county	137	133	4	-	64	27	12	21	6	43.8	2	14.6
Rooks	171	142	29	-	66	44	1	19	6	35.1	4	23.4
Rush	133	124	9	-	59	34	-	25	3	22.6	1	7.5
Russell	301	276	25	-	80	46	-	34	7	23.3	2	6.6
Saline	760	738	22	-	307	133	-	173	24	31.6	8	10.5
Salina	617	600	17	-	242	93	-	149	23	37.3	7	11.3
Balance of county	143	138	5	-	65	40	-	24	1	7.0	1	7.0
Scott	134	95	39	-	41	20	-	21	12	89.6	1	7.5
Sedgwick	5,089	4,908	180	-	1,586	622	37	891	172	33.8	89	17.5
Wichita	4,538	4,430	107	-	1,359	506	37	780	156	34.4	79	17.4
Balance of county	551	478	73	-	227	116	-	111	16	29.0	10	18.1
Seward	208	203	5	-	56	25	-	30	6	28.8	5	24.0
Shawnee	2,225	2,069	156	-	1,148	564	200	376	76	34.2	40	18.0
Topeka	1,977	1,866	111	-	809	458	24	319	65	32.9	38	19.2
Balance of county	248	203	45	-	339	106	176	57	11	44.4	2	8.1
Sheridan	75	59	16	-	36	25	-	11	3	40.0	2	26.7
Sherman	183	179	4	-	65	32	-	32	8	43.7	1	5.5
Smith	177	140	37	-	96	80	-	14	3	16.9	4	22.6
Stafford	194	183	11	-	88	42	-	46	6	30.9	4	20.6
Stanton	36	35	1	-	12	5	-	7	-	0	-	0
Stevens	86	67	19	-	25	12	-	13	4	46.5	2	23.3
Sumner	478	450	28	-	224	117	8	91	9	18.8	12	25.1
Thomas	192	189	3	-	68	26	-	42	7	36.5	2	10.4
Trego	112	102	10	-	39	22	-	17	2	17.9	1	8.9
Wabaunsee	121	100	21	-	57	39	-	17	1	8.3	-	0
Wallace	42	40	2	-	14	10	-	4	-	0	-	0
Washington	240	207	32	-	129	106	-	21	6	25.0	1	4.2
Wichita	60	52	8	-	17	10	-	4	1	16.7	-	0
Wilson	322	245	77	-	183	94	8	77	7	21.7	6	18.6
Woodson	96	47	49	-	80	68	-	12	3	31.3	4	41.7
Wyandotte	3,812	3,495	317	-	1,582	759	56	763	134	35.2	56	14.7
White	3,180	3,071	109	-	1,236	—	—	—	116	36.5	44	13.8
Nonwhite	632	424	208	-	346	—	—	—	18	28.5	12	19.0
Kansas City	3,411	3,132	279	-	1,406	671	2	729	123	36.1	51	15.0
White	2,809	2,728	81	-	1,085	—	—	—	105	37.4	39	13.9
Nonwhite	602	404	198	-	321	—	—	—	18	29.9	12	19.9
Balance of county	401	363	38	-	176	88	54	34	11	27.4	5	12.5
KENTUCKY	72,542	36,749	30,765	4,836	27,410	18,976	918	7,311	2,800	40.0	1,514	20.9
Adair	385	52	317	16	162	137	-	21	26	67.5	11	28.6
Allen	287	93	194	-	152	138	-	13	17	59.2	11	38.3
Anderson	190	66	124	-	86	73	-	12	3	15.8	5	26.3
Ballard	179	100	79	-	95	73	-	22	4	22.3	5	27.9
Barren	631	346	277	8	247	197	-	48	28	44.4	12	19.0
Bath	256	86	159	10	88	74	-	14	14	54.7	4	15.6
Bell	1,396	535	740	114	410	270	-	140	80	57.3	24	17.2
Middlesborough	297	221	71	5	181	101	-	80	36	121.2	6	20.2
Balance of county	1,099	314	669	109	229	169	-	60	44	40.0	18	16.4
Boone	237	153	84	-	117	84	1	31	6	25.3	7	29.5
Bourbon	417	242	175	-	219	169	-	49	16	38.4	13	31.2
White	373	229	144	-	151	—	—	—	14	37.5	8	21.4
Nonwhite	44	13	31	-	69	—	—	—	2	45.5	5	113.6
Boyd	1,267	1,079	168	17	388	263	3	122	47	37.1	26	20.5
Ashland	886	796	87	2	267	167	1	99	34	38.4	18	20.3
Balance of county	381	283	81	15	121	96	2	23	13	34.1	8	21.0
Boyle	394	289	104	-	173	109	5	55	20	50.8	8	20.3
White	371	280	90	-	133	—	—	—	16	43.1	7	18.9
Nonwhite	23	9	14	-	40	—	—	—	4	173.9	1	43.5
Bracken	180	60	120	-	90	72	-	18	7	38.9	2	11.1
Breathitt	553	43	115	390	107	84	-	23	8	14.5	7	12.7
Breckinridge	393	31	353	9	175	150	-	23	28	66.2	4	10.2
Bullitt	241	54	183	2	87	70	-	17	11	45.6	7	29.0
Butler	300	66	173	61	97	80	-	17	10	33.3	5	16.7
Caldwell	307	109	197	1	143	122	-	19	15	48.9	7	22.8
White	291	108	182	1	126	—	—	—	11	37.8	7	24.1
Nonwhite	16	1	15	-	17	—	—	—	4	250.0	-	0
Calloway	395	269	126	-	168	120	-	46	12	30.4	10	25.3

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
KENTUCKY—Continued												
Campbell	1,636	1,440	196	-	841	510	4	325	63	38.5	27	16.5
Fort Thomas	158	153	5	-	110	65	-	44	7	44.3	3	19.0
Newport	772	653	119	-	384	227	-	157	31	40.2	16	20.7
Balance of county	706	634	72	-	347	218	4	124	25	35.4	8	11.3
Carlisle	110	42	68	-	80	68	-	12	2	18.2	-	0
Carroll	202	76	125	1	119	99	-	20	14	69.3	6	29.7
Carter	690	196	373	116	169	139	1	29	28	40.6	14	20.3
Casey	546	82	442	20	113	108	-	5	16	29.3	5	9.2
Christian	753	383	314	51	686	334	241	99	36	47.8	14	18.6
White	591	358	217	12	483	---	---	---	19	32.1	8	13.5
Nonwhite	162	25	97	39	203	---	---	---	17	104.9	6	37.0
Hopkinsville	260	170	88	2	200	157	-	35	15	57.7	9	34.6
White	195	154	40	1	112	---	---	---	7	35.9	6	30.8
Nonwhite	65	16	48	1	88	---	---	---	8	123.1	3	46.2
Balance of county	493	213	226	49	486	177	241	64	21	42.6	5	10.1
White	396	204	177	11	371	---	---	---	12	30.3	2	5.1
Nonwhite	97	9	49	38	115	---	---	---	9	92.8	3	30.9
Clark	422	247	172	3	209	135	2	72	17	40.3	16	37.9
White	395	243	149	3	181	---	---	---	17	43.0	15	38.0
Nonwhite	27	4	23	-	28	---	---	---	-	0	1	37.0
Clay	795	383	196	195	113	94	-	17	28	35.2	8	10.1
Clinton	262	63	188	11	66	51	-	14	4	15.3	1	3.8
Crittenden	218	85	133	-	132	102	-	27	17	78.0	3	13.8
Cumberland	251	74	107	70	82	69	-	13	6	23.9	5	19.9
Daviess	1,540	1,002	535	3	535	343	5	176	74	48.1	35	22.7
Owensboro	952	711	241	-	354	227	4	114	50	52.5	20	21.0
Balance of county	588	291	294	3	181	116	1	62	24	40.8	15	25.5
Edmonson	317	48	245	24	81	70	-	11	13	41.0	3	9.5
Elliott	209	32	133	41	38	31	-	7	3	14.4	4	19.1
Estill	464	127	271	65	115	98	-	17	19	40.9	9	19.4
Fayette	1,962	1,689	272	1	1,280	610	292	371	65	33.1	38	19.4
White	1,735	1,559	175	1	951	---	---	---	45	25.9	29	16.7
Nonwhite	227	130	97	-	329	---	---	---	20	88.1	9	39.6
Lexington	1,399	1,189	209	1	978	461	221	289	46	32.9	30	21.4
White	1,216	1,089	126	1	708	---	---	---	31	25.5	21	17.3
Nonwhite	183	100	83	-	270	---	---	---	15	82.0	9	49.2
Balance of county	563	500	63	-	302	149	71	82	19	33.7	8	14.2
White	519	470	49	-	243	---	---	---	14	27.0	8	15.4
Nonwhite	44	30	14	-	59	---	---	---	5	113.6	-	0
Fleming	284	91	187	6	143	112	-	31	15	52.8	-	0
Floyd	1,669	453	971	244	307	214	-	92	43	25.8	23	13.8
Franklin	530	444	86	-	250	144	16	86	25	47.2	14	26.4
Frankfort	288	250	38	-	160	83	16	59	15	52.1	4	13.9
White	270	239	31	-	133	---	---	---	14	51.9	4	14.8
Nonwhite	18	11	7	-	27	---	---	---	1	55.6	-	0
Balance of county	242	194	48	-	90	61	1	27	10	41.3	10	41.3
Fulton	401	209	167	25	144	104	-	38	19	47.4	8	20.0
White	346	200	133	13	112	---	---	---	13	37.6	7	20.2
Nonwhite	55	9	34	12	32	---	---	---	6	109.1	1	18.2
Gallatin	83	23	60	-	52	37	-	15	5	60.2	-	0
Garrard	235	119	114	1	103	86	-	17	11	46.8	8	34.0
White	225	118	106	1	83	---	---	---	11	48.9	7	31.1
Nonwhite	10	1	9	-	20	---	---	---	-	0	1	100.0
Grant	221	65	156	-	134	107	-	27	4	18.1	2	9.0
Graves	668	480	183	5	292	206	1	78	26	38.9	11	16.5
Grayson	431	44	346	40	169	139	-	30	22	51.0	12	27.8
Green	285	27	230	8	101	95	-	6	12	45.3	12	45.3
Greenup	666	292	316	55	207	151	-	54	31	46.5	11	16.5
Hancock	165	68	97	-	72	56	1	15	12	72.7	6	36.4
Hardin	666	256	406	3	278	200	-	77	28	42.0	16	24.0
Harlan	2,260	636	1,571	48	442	353	-	89	96	42.5	56	24.8
White	2,157	586	1,520	46	385	---	---	---	86	39.9	45	20.9
Nonwhite	103	50	51	2	57	---	---	---	10	97.1	11	106.8
Harrison	269	202	65	1	173	121	9	43	8	29.7	4	14.9
Hart	362	47	312	3	161	143	-	17	12	33.1	6	16.6
Henderson	700	475	225	-	327	258	1	68	24	34.3	27	38.6
White	636	466	170	-	255	---	---	---	21	33.0	19	29.9
Nonwhite	64	9	55	-	72	---	---	---	3	46.9	8	125.0
Henderson	354	293	61	-	198	156	-	42	12	33.9	17	48.0
White	323	285	38	-	142	---	---	---	10	31.0	10	31.0
Nonwhite	31	8	23	-	56	---	---	---	2	64.5	7	225.8
Balance of county	346	182	164	-	129	102	1	26	12	34.7	10	28.9
White	313	181	132	-	113	---	---	---	11	35.1	9	28.8
Nonwhite	33	1	32	-	16	---	---	---	1	30.3	1	30.3
Henry	301	152	146	2	131	104	2	25	10	33.2	1	3.3
Hickman	145	68	75	1	88	75	-	12	5	34.5	5	34.5
White	123	66	56	-	77	---	---	---	4	32.5	4	32.5
Nonwhite	22	2	19	1	11	---	---	---	1	45.5	1	45.5
Hopkins	899	451	444	3	422	349	1	71	35	38.9	29	32.3
White	831	444	383	3	345	---	---	---	29	34.9	26	31.3
Nonwhite	68	7	61	-	77	---	---	---	6	88.2	3	44.1
Jackson	414	147	168	98	69	62	-	7	8	19.3	7	16.9

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
KENTUCKY—Continued												
Jefferson	11,326	10,028	1,292	2	5,165	2,724	272	2,131	445	39.3	227	20.0
White	10,215	9,228	982	2	4,146	----	----	----	376	36.8	180	17.6
Nonwhite	1,111	800	310	-	1,019	----	----	----	69	62.1	47	42.3
Louisville	9,873	8,879	989	2	4,328	2,377	6	1,911	391	39.6	201	20.4
White	8,835	8,120	710	2	3,420	----	----	----	327	37.0	155	17.5
Nonwhite	1,038	759	279	-	908	----	----	----	64	61.7	46	44.3
Balance of county	1,453	1,150	303	-	837	347	266	220	54	37.2	26	17.9
Jessamine	265	127	132	3	113	87	-	26	12	45.6	5	19.0
White	241	118	120	2	88	----	----	----	11	45.6	3	12.4
Nonwhite	22	9	12	1	25	----	----	----	1	45.5	2	90.9
Johnson	644	344	255	40	176	126	-	50	30	46.6	9	14.0
Kenton	2,319	2,162	155	1	1,003	560	20	420	83	35.8	50	21.6
Covington	1,547	1,473	73	-	702	377	20	302	64	41.4	38	24.6
Balance of county	772	689	82	1	301	183	-	118	19	24.6	12	15.5
Knott	555	37	385	132	81	59	-	22	12	21.6	10	18.0
Knox	907	157	632	107	228	196	-	26	43	47.4	25	27.6
Larue	224	36	184	4	78	67	-	11	4	17.9	4	17.9
Laurel	682	187	427	67	201	166	-	29	26	38.1	17	24.9
Lawrence	389	186	129	72	125	95	-	30	15	38.6	7	18.0
Lee	190	57	57	76	51	41	-	10	3	15.8	3	15.8
Leslie	522	225	72	192	57	44	-	13	11	21.1	7	13.4
Letcher	1,393	186	977	222	298	216	-	81	71	51.0	37	26.6
Lewis	364	45	245	73	150	118	2	29	14	38.5	10	27.5
Lincoln	455	175	258	22	173	146	-	26	14	30.8	5	11.0
Livingston	144	63	75	5	95	82	-	12	3	20.8	3	20.8
Logan	515	158	349	7	254	217	2	16	23	44.7	13	25.2
White	466	151	309	5	206	----	----	----	22	47.2	9	19.3
Nonwhite	49	7	40	2	48	----	----	----	1	20.4	4	81.6
Lyon	140	31	104	5	84	66	9	9	7	50.0	3	21.4
White	134	30	102	2	77	----	----	----	7	52.2	3	22.4
Nonwhite	6	1	2	3	7	----	----	----	-	0	-	0
McCracken	1,030	734	296	-	511	362	2	147	39	37.9	24	23.3
White	941	716	225	-	403	----	----	----	34	36.1	22	23.4
Nonwhite	89	18	71	-	108	----	----	----	5	56.2	2	22.5
Paducah	693	536	157	-	368	243	-	125	29	41.8	19	27.4
White	615	519	96	-	277	----	----	----	25	40.7	17	27.6
Nonwhite	78	17	61	-	91	----	----	----	4	51.3	2	25.6
Balance of county	337	198	139	-	143	119	2	22	10	29.7	5	14.8
McCreary	523	97	341	82	117	102	-	12	24	45.9	17	32.5
McLean	230	76	147	6	114	103	-	11	12	52.2	7	30.4
Madison	682	493	171	18	290	188	2	100	24	35.2	13	19.1
White	653	477	158	18	232	----	----	----	23	35.2	12	18.4
Nonwhite	29	16	13	-	58	----	----	----	1	34.5	1	34.5
Magoffin	338	24	238	76	84	76	-	8	18	53.3	6	17.8
Marion	526	230	287	7	154	125	-	27	25	47.5	16	30.4
Marshall	255	124	130	1	126	109	-	17	7	27.5	7	27.5
Martin	320	45	169	105	51	41	-	10	7	21.9	6	18.8
Mason	424	274	145	5	227	150	7	70	20	47.2	8	18.9
White	383	270	108	5	190	----	----	----	16	41.8	5	13.1
Nonwhite	41	4	37	-	37	----	----	----	4	97.6	3	73.2
Meade	198	42	155	1	86	60	-	26	15	75.8	5	25.3
Menifee	137	67	55	15	43	33	-	8	7	51.1	2	14.6
Mercer	325	271	53	1	151	111	-	35	10	30.8	3	9.2
Metcalfe	220	44	168	7	85	75	-	8	4	18.2	1	4.5
Monroe	358	41	290	27	107	96	-	11	18	50.3	5	14.0
Montgomery	310	182	121	6	136	100	-	35	11	35.5	4	12.9
White	293	182	104	6	110	----	----	----	11	37.5	4	13.7
Nonwhite	17	-	17	-	26	----	----	----	-	0	-	0
Morgan	402	72	238	88	71	61	-	8	5	12.4	7	17.4
Muhlenberg	913	364	524	25	343	260	-	83	62	67.9	22	24.1
Nelson	572	154	417	1	197	155	7	35	32	55.9	10	17.5
Nicholas	153	88	63	2	98	73	-	23	6	39.2	6	39.2
Ohio	454	142	303	9	184	160	-	24	20	44.1	6	13.2
Oldham	189	127	61	1	108	64	8	36	5	26.5	2	10.6
White	174	125	48	1	99	----	----	----	5	28.7	2	11.5
Nonwhite	15	2	13	-	9	----	----	----	-	0	-	0
Owen	194	76	118	-	98	84	-	14	6	30.9	6	30.9
Owsley	211	80	36	95	45	40	-	4	5	23.7	-	0
Pendleton	170	49	121	-	129	104	-	25	10	58.8	6	35.3
Perry	1,804	333	1,016	240	282	170	-	111	73	45.5	40	24.9
Pike	2,449	868	999	580	507	346	-	160	105	42.9	54	22.0
Powell	199	26	160	12	58	52	-	6	15	75.4	4	20.1
Pulaski	992	251	652	89	297	257	-	31	23	23.2	24	24.2
Robertson	54	18	36	-	28	21	-	7	2	37.0	1	18.5
Rockcastle	463	129	219	114	70	52	-	13	10	21.6	4	8.6
Rowan	379	63	233	82	87	74	-	12	10	26.4	7	18.5
Russell	244	44	168	30	104	96	-	8	13	53.3	2	8.2
Scott	316	233	83	-	157	104	-	53	3	9.5	6	19.0
White	284	231	53	-	121	----	----	----	1	3.5	6	21.1
Nonwhite	32	2	30	-	36	----	----	----	2	62.5	-	0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
KENTUCKY—Continued												
Shelby	425	283	142	-	193	132	-	60	18	42.4	6	14.1
White	371	251	120	-	149	---	---	---	13	35.0	3	8.1
Nonwhite	54	32	22	-	44	---	---	---	5	92.6	3	55.6
Simpson	265	189	95	1	127	87	-	38	17	64.2	3	11.3
White	236	161	75	-	110	---	---	---	12	50.8	3	12.7
Nonwhite	29	8	20	1	17	---	---	---	5	172.4	-	0
Spencer	166	34	132	-	67	57	-	10	12	72.3	5	30.1
Taylor	338	89	249	1	130	119	-	10	11	32.4	13	38.3
Todd	261	68	159	33	134	119	-	14	9	34.5	4	15.3
White	216	64	130	21	104	---	---	---	6	27.8	2	9.3
Nonwhite	45	4	29	12	30	---	---	---	3	66.7	2	44.4
Trigg	247	130	104	13	122	99	-	20	16	64.8	5	20.2
White	220	127	89	4	100	---	---	---	13	59.1	5	22.7
Nonwhite	27	3	15	9	22	---	---	---	3	111.1	-	0
Trimble	138	63	73	2	42	26	-	16	6	43.5	-	0
Union	403	155	248	-	142	119	-	23	13	32.3	6	14.9
White	378	153	225	-	129	---	---	---	12	31.7	6	15.9
Nonwhite	25	2	23	-	13	---	---	---	1	40.0	-	0
Warren	911	516	380	13	405	330	1	74	38	41.7	19	20.9
White	836	518	307	11	337	---	---	---	34	40.7	15	17.9
Nonwhite	75	-	73	2	68	---	---	---	4	53.3	4	53.3
Bowling Green	467	331	136	-	213	167	-	46	17	36.4	13	27.8
White	420	331	89	-	167	---	---	---	14	33.3	10	23.8
Nonwhite	47	-	47	-	46	---	---	---	3	63.8	3	63.8
Balance of county	444	187	244	13	192	163	1	28	21	47.3	6	13.5
Washington	306	135	164	6	108	89	1	18	8	26.1	11	35.9
Wayne	447	17	364	66	108	97	-	9	14	31.3	17	38.0
Webster	350	113	237	-	192	166	-	26	16	45.7	5	14.3
White	324	113	211	-	164	---	---	---	16	49.4	3	9.3
Nonwhite	26	-	26	-	28	---	---	---	-	0	2	76.9
Whitley	853	234	560	55	260	229	-	30	34	39.9	25	29.3
Wolfe	276	49	100	120	73	67	-	6	12	43.5	12	43.5
Woodford	270	236	34	-	102	64	-	38	8	29.6	3	11.1
White	248	218	30	-	85	---	---	---	7	28.2	2	8.1
Nonwhite	22	18	4	-	17	---	---	---	1	45.5	1	45.5
LOUISIANA	68,670	48,860	7,326	12,402	22,030	12,625	700	8,526	2,553	37.2	1,865	27.2
Acadia	1,317	902	155	256	365	235	-	123	58	44.0	28	21.3
White	1,035	792	128	112	269	---	---	---	32	30.9	15	14.5
Nonwhite	282	110	27	144	96	---	---	---	26	92.2	13	46.1
Allen	486	368	74	45	123	88	1	34	15	30.9	12	24.7
White	354	298	54	2	84	---	---	---	10	28.2	7	19.8
Nonwhite	132	68	20	43	39	---	---	---	5	37.9	5	37.9
Ascension	639	366	150	122	180	141	-	39	25	39.1	25	39.1
White	408	265	130	12	83	---	---	---	15	36.8	13	31.9
Nonwhite	231	101	20	110	97	---	---	---	10	43.3	12	51.9
Assumption	555	239	155	161	160	121	-	39	24	43.2	18	32.4
White	263	183	46	34	75	---	---	---	6	22.8	7	26.6
Nonwhite	292	56	109	127	85	---	---	---	18	61.6	11	37.7
Avoyelles	940	562	129	249	271	193	-	74	20	21.3	12	12.8
White	699	489	116	94	166	---	---	---	10	14.3	6	8.6
Nonwhite	241	73	13	155	105	---	---	---	10	41.5	6	24.9
Beauregard	464	308	125	31	139	96	-	43	25	53.9	9	19.4
White	403	301	97	5	112	---	---	---	24	59.6	7	17.4
Nonwhite	61	7	28	26	27	---	---	---	1	16.4	2	32.8
Bienville	525	241	122	162	167	116	-	50	26	49.5	14	26.7
White	232	168	58	6	88	---	---	---	8	34.5	5	21.6
Nonwhite	293	73	64	156	79	---	---	---	18	61.4	9	30.7
Bossier	890	660	41	187	238	143	-	94	35	39.3	22	24.7
White	495	458	35	2	88	---	---	---	7	14.1	9	18.2
Nonwhite	395	202	6	185	150	---	---	---	28	70.9	13	32.9
Caddo	4,302	3,823	87	385	1,426	693	4	709	195	45.3	131	30.5
White	2,375	2,329	41	2	691	---	---	---	63	26.5	50	21.1
Nonwhite	1,927	1,494	46	383	735	---	---	---	132	68.5	81	42.0
Shreveport	3,113	2,939	58	115	1,052	456	4	578	151	48.5	94	30.2
White	1,905	1,873	31	-	560	---	---	---	54	28.3	38	19.9
Nonwhite	1,208	1,066	25	115	492	---	---	---	97	80.3	56	46.4
Balance of parish	1,189	884	31	270	374	237	-	131	44	37.0	37	31.1
White	470	456	10	2	131	---	---	---	9	19.1	12	25.5
Nonwhite	719	428	21	268	243	---	---	---	35	48.7	25	34.8
Calcasieu	2,201	1,658	288	255	562	372	-	188	84	38.2	54	24.5
White	1,696	1,499	170	27	381	---	---	---	46	26.3	25	14.7
Nonwhite	505	159	118	228	181	---	---	---	36	71.3	29	57.4
Lake Charles	982	751	86	145	318	202	-	116	42	42.8	28	28.5
White	687	668	17	4	192	---	---	---	22	32.0	10	14.6
Nonwhite	295	85	69	141	126	---	---	---	20	67.8	18	61.0
Balance of parish	1,219	907	202	110	244	170	-	72	42	34.5	26	21.3
White	1,009	833	153	23	189	---	---	---	26	25.8	15	14.9
Nonwhite	210	74	49	87	55	---	---	---	16	76.2	11	52.4
Caldwell	290	184	53	53	84	54	-	30	11	37.9	8	27.6
White	205	150	48	7	63	---	---	---	10	48.8	4	19.5
Nonwhite	85	34	5	46	21	---	---	---	1	11.8	4	47.1

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
LOUISIANA—Continued												
Cameron	129	41	86	2	41	37	-	3	5	38.8	2	15.5
Catahoula	310	157	49	104	85	58	-	24	3	9.7	8	25.8
White	206	144	43	19	42	----	----	----	1	4.9	2	9.7
Nonwhite	104	13	6	85	43	----	----	----	2	19.2	6	57.7
Claiborne	615	237	41	337	194	139	-	55	20	32.5	21	34.1
White	217	181	32	4	76	----	----	----	1	4.6	4	18.4
Nonwhite	398	56	9	333	118	----	----	----	19	47.7	17	42.7
Concordia	352	160	8	184	135	91	-	44	16	45.5	5	14.2
White	133	124	3	6	34	----	----	----	3	22.6	-	0
Nonwhite	219	36	5	178	101	----	----	----	13	59.4	5	22.8
De Soto	750	333	43	374	236	149	-	84	20	26.7	19	25.3
White	253	213	32	8	96	----	----	----	9	35.6	4	15.8
Nonwhite	497	120	11	366	140	----	----	----	11	22.1	15	30.2
East Baton Rouge	3,318	2,632	105	572	938	534	1	402	107	32.2	104	31.3
White	2,227	2,170	39	17	489	----	----	----	56	25.1	46	20.7
Nonwhite	1,091	462	66	555	449	----	----	----	51	46.7	58	53.2
Baton Rouge	1,397	1,232	27	136	390	217	1	171	30	21.5	57	40.8
White	940	928	7	5	198	----	----	----	18	19.1	29	30.9
Nonwhite	457	304	20	131	192	----	----	----	12	26.3	28	61.3
Balance of parish	1,921	1,400	78	436	548	317	-	231	77	40.1	47	24.5
White	1,287	1,242	32	12	291	----	----	----	38	29.5	17	13.2
Nonwhite	634	158	46	424	257	----	----	----	39	61.5	30	47.3
East Carroll	497	74	149	274	138	103	-	35	15	30.2	14	28.2
White	168	69	95	4	29	----	----	----	3	17.9	1	6.0
Nonwhite	329	5	54	270	109	----	----	----	12	36.5	13	39.5
East Feliciana	392	137	30	225	438	75	328	35	9	23.0	9	23.0
White	88	73	13	2	206	----	----	----	3	34.1	1	11.4
Nonwhite	304	64	17	223	232	----	----	----	6	19.7	8	26.3
Evangeline	733	410	71	251	210	149	-	54	37	50.5	6	8.2
White	443	369	54	19	155	----	----	----	15	33.9	4	9.0
Nonwhite	290	41	17	232	55	----	----	----	22	75.9	2	6.9
Franklin	867	365	199	302	204	146	-	54	26	30.0	43	49.6
White	510	328	147	34	112	----	----	----	16	31.4	22	43.1
Nonwhite	357	37	52	268	92	----	----	----	10	28.0	21	58.8
Grant	362	241	67	54	119	70	-	49	13	35.9	15	41.4
White	268	200	61	7	77	----	----	----	6	22.4	6	22.4
Nonwhite	94	41	6	47	42	----	----	----	7	74.5	9	95.7
Iberia	1,058	644	272	142	356	257	-	97	49	48.3	31	29.3
White	675	531	136	8	211	----	----	----	29	43.0	13	19.3
Nonwhite	383	113	136	134	145	----	----	----	20	52.2	18	47.0
New Iberia	467	380	57	30	158	107	-	51	28	60.0	10	21.4
White	333	315	17	1	102	----	----	----	18	54.1	8	24.0
Nonwhite	134	65	40	29	56	----	----	----	10	74.6	2	14.9
Balance of parish	591	264	215	112	198	150	-	46	21	35.5	21	35.5
White	342	216	119	7	109	----	----	----	11	32.2	5	14.6
Nonwhite	249	48	96	105	89	----	----	----	10	40.2	16	64.3
Iberville	798	417	55	326	259	188	-	71	36	45.1	33	41.4
White	373	328	23	22	95	----	----	----	16	42.9	8	21.4
Nonwhite	425	89	32	304	164	----	----	----	20	47.1	25	58.8
Jackson	490	363	23	104	322	86	-	233	60	122.4	14	28.6
White	331	309	15	7	232	----	----	----	45	136.0	11	33.2
Nonwhite	159	54	8	97	90	----	----	----	15	94.3	3	18.9
Jefferson	2,127	1,920	128	78	301	246	-	55	15	7.1	37	17.4
White	1,727	1,549	106	71	232	----	----	----	12	6.9	25	14.5
Nonwhite	400	371	22	7	69	----	----	----	3	7.5	12	30.0
Gretna	295	269	11	15	81	48	-	33	6	20.3	5	16.9
White	212	193	7	12	62	----	----	----	4	18.9	3	14.2
Nonwhite	83	76	4	3	19	----	----	----	2	24.1	2	24.1
Balance of parish	1,832	1,651	117	63	220	198	-	22	9	4.9	32	17.5
White	1,515	1,356	99	59	170	----	----	----	8	5.3	22	14.5
Nonwhite	317	295	18	4	50	----	----	----	1	3.2	10	31.5
Jefferson Davis	770	399	222	149	197	134	-	25	25	32.5	23	29.9
White	579	362	177	40	144	----	----	----	16	27.6	15	25.9
Nonwhite	191	37	45	109	53	----	----	----	9	47.1	8	41.9
Lafayette	1,335	893	175	266	427	269	-	156	60	44.9	38	28.5
White	921	619	142	59	282	----	----	----	29	35.3	15	18.3
Nonwhite	514	274	33	207	165	----	----	----	31	60.3	23	44.7
Lafayette	688	501	103	84	246	150	-	96	30	43.6	27	39.2
White	474	380	80	14	149	----	----	----	16	33.8	12	25.3
Nonwhite	214	121	23	70	97	----	----	----	14	65.4	15	70.1
Balance of parish	647	392	72	182	181	119	-	60	30	46.4	11	17.0
White	347	239	62	45	113	----	----	----	13	37.5	3	8.6
Nonwhite	300	153	10	137	68	----	----	----	17	56.7	8	26.7
Lafourche	1,160	738	163	259	275	171	1	95	35	30.2	37	31.9
White	1,003	689	154	160	218	----	----	----	25	24.9	27	26.9
Nonwhite	157	49	9	99	57	----	----	----	10	63.7	10	63.7
La Salle	302	220	72	10	100	60	-	34	5	16.6	6	19.9
White	276	213	62	1	87	----	----	----	5	18.1	3	10.9
Nonwhite	26	7	10	9	13	----	----	----	-	0	3	115.4

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
LOUISIANA—Continued												
Lincoln	588	334	72	182	183	112	-	70	14	23.8	13	22.1
White	307	278	27	2	103	--------	--------	--------	2	6.5	3	9.8
Nonwhite	281	56	45	180	80	--------	--------	--------	12	42.7	10	35.6
Livingston	537	254	225	58	105	64	1	39	10	18.6	13	24.2
White	460	223	222	15	86	--------	--------	--------	9	19.6	10	21.7
Nonwhite	77	31	3	43	19	--------	--------	--------	1	13.0	3	39.0
Madison	480	148	27	302	166	113	-	53	16	33.3	20	41.7
White	140	113	21	4	37	--------	--------	--------	3	21.4	2	14.3
Nonwhite	340	35	6	298	129	--------	--------	--------	13	38.2	18	52.9
Morehouse	783	407	147	229	226	142	-	82	23	29.4	28	35.8
White	386	344	33	9	89	--------	--------	--------	9	23.3	5	13.0
Nonwhite	397	63	114	220	138	--------	--------	--------	14	35.3	23	57.9
Natchitoches	1,140	517	181	442	327	207	-	119	45	39.5	39	34.2
White	573	416	128	29	166	--------	--------	--------	19	33.2	11	19.2
Nonwhite	567	101	53	413	161	--------	--------	--------	26	45.9	28	49.4
Orleans, coextensive with New Orleans	14,024	13,519	242	233	5,886	2,800	157	2,904	476	33.9	348	24.8
White	9,157	8,953	70	121	3,928	--------	--------	--------	261	28.5	183	20.0
Nonwhite	4,867	4,566	172	112	1,958	--------	--------	--------	215	44.2	165	33.9
Ouachita	1,762	1,410	162	190	622	332	4	283	73	41.4	59	33.5
White	1,112	1,021	80	11	344	--------	--------	--------	34	30.6	25	22.5
Nonwhite	650	389	82	179	278	--------	--------	--------	39	60.0	34	52.3
Monroe	917	752	71	94	413	217	4	190	46	50.2	35	38.2
White	518	505	13	-	212	--------	--------	--------	14	27.0	14	27.0
Nonwhite	399	247	58	94	201	--------	--------	--------	32	80.2	21	52.6
Balance of parish	845	658	91	96	209	115	-	93	27	32.0	24	28.4
White	594	516	67	11	132	--------	--------	--------	20	33.7	11	18.5
Nonwhite	251	142	24	85	77	--------	--------	--------	7	27.9	13	51.8
Plaquemines	361	254	25	81	90	54	-	35	19	52.6	11	30.5
White	194	171	15	7	50	--------	--------	--------	10	51.5	5	15.5
Nonwhite	167	83	10	74	40	--------	--------	--------	9	53.9	8	47.9
Pointe Coupee	656	240	128	287	193	143	-	40	24	36.6	15	22.9
White	244	181	54	8	83	--------	--------	--------	7	28.7	5	20.5
Nonwhite	412	59	74	279	110	--------	--------	--------	17	41.3	10	24.3
Rapides	2,432	1,989	105	338	902	373	188	341	97	39.9	70	28.8
White	1,620	1,507	72	40	510	--------	--------	--------	48	29.6	36	22.2
Nonwhite	812	482	33	296	392	--------	--------	--------	49	60.3	34	41.9
Alexandria	1,013	882	25	104	337	173	-	164	40	39.5	27	26.7
White	624	618	5	-	170	--------	--------	--------	20	32.1	10	16.0
Nonwhite	389	264	20	104	167	--------	--------	--------	20	51.4	17	43.7
Balance of parish	1,419	1,107	80	232	565	200	188	177	57	40.2	43	30.3
White	996	889	67	40	340	--------	--------	--------	28	28.1	26	26.1
Nonwhite	423	218	13	192	225	--------	--------	--------	29	68.6	17	40.2
Red River	334	167	39	128	108	59	-	48	21	62.9	12	35.9
White	152	121	25	6	51	--------	--------	--------	8	52.6	3	19.7
Nonwhite	182	46	14	122	57	--------	--------	--------	13	71.4	9	49.5
Richland	754	305	250	199	218	147	-	71	26	34.5	23	30.5
White	444	238	185	11	80	--------	--------	--------	13	29.3	10	22.5
Nonwhite	310	67	55	188	138	--------	--------	--------	13	41.9	13	41.9
Sabine	592	405	75	111	165	112	-	53	22	37.2	14	23.6
White	454	374	61	19	120	--------	--------	--------	15	33.0	8	17.6
Nonwhite	138	31	14	92	45	--------	--------	--------	7	50.7	6	43.5
St. Bernard	243	238	2	3	53	34	-	19	4	16.5	5	20.6
White	186	182	2	2	42	--------	--------	--------	3	16.1	3	16.1
Nonwhite	57	56	-	1	11	--------	--------	--------	1	17.5	2	35.1
St. Charles	395	332	33	27	83	45	-	38	14	35.4	12	30.4
White	262	230	27	4	43	--------	--------	--------	4	15.3	6	22.9
Nonwhite	133	102	6	23	40	--------	--------	--------	10	75.2	6	45.1
St. Helena	184	106	17	61	53	36	-	16	4	21.7	6	32.6
White	84	69	12	3	23	--------	--------	--------	3	35.7	2	23.8
Nonwhite	100	37	5	58	30	--------	--------	--------	1	10.0	4	40.0
St. James	500	122	233	145	126	97	-	29	18	36.0	8	16.0
White	219	73	143	3	47	--------	--------	--------	5	22.8	1	4.6
Nonwhite	281	49	90	142	79	--------	--------	--------	13	46.3	7	24.9
St. John the Baptist	407	196	120	91	124	94	-	30	13	31.9	11	27.0
White	190	84	98	8	54	--------	--------	--------	7	36.8	7	36.8
Nonwhite	217	112	22	83	70	--------	--------	--------	6	27.6	4	18.4
St. Landry	2,398	1,044	311	1,042	597	432	-	159	135	56.3	70	29.2
White	1,081	771	193	117	277	--------	--------	--------	44	40.7	13	12.0
Nonwhite	1,317	273	118	925	320	--------	--------	--------	91	69.1	57	43.3
St. Martin	787	415	112	259	187	146	-	39	32	40.7	16	20.3
White	435	309	90	36	99	--------	--------	--------	12	27.6	8	18.4
Nonwhite	352	106	22	223	88	--------	--------	--------	20	56.8	8	22.7
St. Mary	1,066	502	269	291	297	203	-	94	31	29.1	31	29.1
White	645	443	146	55	157	--------	--------	--------	16	24.8	14	21.7
Nonwhite	421	59	123	236	140	--------	--------	--------	15	35.6	17	40.4
St. Tammany	628	390	132	106	235	153	-	82	24	38.2	15	23.9
White	408	294	103	11	166	--------	--------	--------	14	34.3	10	24.5
Nonwhite	220	96	29	95	69	--------	--------	--------	10	45.5	5	22.7
Tangipahoa	1,464	1,109	185	167	380	216	3	157	53	36.2	42	28.7
White	947	751	170	23	239	--------	--------	--------	33	34.8	23	24.3
Nonwhite	517	358	15	144	141	--------	--------	--------	20	38.7	19	36.9

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
LOUISIANA—Continued												
Tensas	362	109	20	233	139	119	-	20	18	49.7	6	16.6
White	121	99	11	11	34	--------	--------	--------	5	41.3	1	8.3
Nonwhite	241	10	9	222	105	--------	--------	--------	13	53.9	5	20.7
Terrebonne	1,443	1,099	135	207	296	187	-	109	53	36.7	36	24.9
White	1,096	893	116	86	203	--------	--------	--------	35	31.9	20	18.2
Nonwhite	347	206	19	121	93	--------	--------	--------	18	51.9	16	45.1
Union	426	212	97	117	159	113	-	46	17	39.9	5	11.7
White	255	183	63	9	100	--------	--------	--------	8	31.4	2	7.8
Nonwhite	171	29	34	108	59	--------	--------	--------	9	52.6	3	17.5
Vermilion	983	796	75	112	237	158	-	79	38	38.7	30	30.5
White	840	717	64	59	189	--------	--------	--------	29	34.5	23	27.4
Nonwhite	143	79	11	53	48	--------	--------	--------	9	62.9	7	49.0
Vernon	598	427	87	84	187	100	-	86	34	56.9	15	25.1
White	523	407	84	32	161	--------	--------	--------	28	53.5	10	19.1
Nonwhite	75	20	3	52	26	--------	--------	--------	6	80.0	5	66.7
Washington	1,046	770	123	153	326	165	-	158	37	35.4	29	27.7
White	698	602	82	14	207	--------	--------	--------	22	31.5	16	22.9
Nonwhite	348	168	41	139	119	--------	--------	--------	15	43.1	13	37.4
Bogalusa	472	386	34	52	167	77	-	88	20	42.4	14	29.7
White	320	297	21	2	104	--------	--------	--------	12	37.5	4	12.5
Nonwhite	152	89	13	50	63	--------	--------	--------	8	52.6	10	65.8
Balance of parish	574	384	89	101	159	88	-	70	17	29.6	15	26.1
White	378	305	61	12	103	--------	--------	--------	10	26.5	12	31.7
Nonwhite	196	79	28	89	56	--------	--------	--------	7	35.7	3	15.3
Webster	953	693	80	178	258	166	-	92	42	44.1	23	24.1
White	597	555	42	-	129	--------	--------	--------	15	25.1	5	8.4
Nonwhite	356	138	38	178	129	--------	--------	--------	27	75.8	18	50.6
West Baton Rouge	259	121	25	113	104	80	-	24	12	46.3	12	46.3
White	104	92	11	1	30	--------	--------	--------	3	28.8	1	9.6
Nonwhite	155	29	14	112	74	--------	--------	--------	9	58.1	11	71.0
West Carroll	538	215	211	112	116	83	-	33	16	29.7	10	18.6
White	427	212	184	31	82	--------	--------	--------	12	28.1	7	16.4
Nonwhite	111	3	27	81	34	--------	--------	--------	4	36.0	3	27.0
West Feliciana	214	44	28	142	75	55	12	8	4	18.7	10	46.7
White	29	16	12	1	12	--------	--------	--------	-	0	1	34.5
Nonwhite	185	28	16	141	63	--------	--------	--------	4	21.6	9	48.6
Winn	359	281	13	62	117	71	-	43	14	39.0	10	27.9
White	281	262	11	8	84	--------	--------	--------	8	28.5	2	7.1
Nonwhite	78	19	5	54	33	--------	--------	--------	6	76.9	8	102.6
MAINE	20,326	17,666	2,577	12	10,058	5,887	472	3,512	833	41.0	345	17.0
Androscoggin	1,787	1,603	178	-	893	438	98	344	62	34.7	38	21.3
Auburn	414	399	11	-	188	96	16	68	15	36.2	8	19.3
Lewiston	837	754	83	-	442	192	80	168	27	32.3	21	25.1
Balance of county	536	450	84	-	263	150	-	107	20	37.3	9	16.8
Aroostook	2,549	1,608	923	5	738	501	1	235	134	52.6	32	12.6
Cumberland	3,956	3,829	124	-	1,859	970	36	813	155	39.2	61	15.4
Portland	1,834	1,806	27	-	931	412	19	485	64	34.9	26	14.2
South Portland	595	591	3	-	203	125	-	70	23	38.7	10	16.8
Westbrook	242	227	15	-	125	71	1	50	15	62.0	5	20.7
Balance of county	1,285	1,205	79	-	600	362	16	208	53	41.2	20	15.6
Franklin	426	335	88	-	238	178	2	50	20	46.9	5	11.7
Hancock	643	570	68	-	387	289	-	98	20	31.1	18	28.0
Kennebec	1,812	1,717	92	-	1,029	514	130	356	71	39.2	24	13.2
Augusta	385	382	3	-	264	82	104	72	22	57.1	3	7.8
Waterville	419	406	13	-	169	101	2	65	15	35.8	4	9.5
Balance of county	1,008	929	76	-	596	331	24	219	34	33.7	17	16.9
Knox	556	471	84	-	366	236	25	100	16	28.8	7	12.6
Lincoln	374	321	45	-	228	141	1	79	10	26.7	10	26.7
Oxford	979	915	64	-	439	275	1	149	38	38.8	24	24.5
Penobscot	2,346	2,060	279	1	1,294	729	162	383	98	41.8	37	15.8
Bangor	693	656	37	-	503	194	161	143	24	34.6	8	11.5
Balance of county	1,653	1,404	242	1	791	535	1	240	74	44.8	29	17.5
Piscataquis	448	388	57	-	213	151	-	58	10	22.3	8	17.9
Sagadahoc	526	491	34	1	255	137	8	108	17	32.3	10	19.0
Bath	285	270	14	1	127	59	8	59	7	24.6	5	17.5
Balance of county	241	221	20	-	128	78	-	49	10	41.5	5	20.7
Somerset	774	653	114	4	481	309	-	168	33	42.6	14	18.1
Waldo	502	353	147	-	258	152	2	101	29	57.8	8	15.9
Washington	626	432	182	1	428	294	-	133	39	62.3	7	11.2
York	2,022	1,920	98	-	954	573	8	339	81	40.1	42	20.8
Biddeford	472	436	36	-	177	112	-	62	10	21.2	8	16.9
Balance of county	1,550	1,484	62	-	777	461	8	277	71	45.8	34	21.9
MARYLAND	50,347	40,847	7,454	2,195	21,783	12,508	1,064	8,021	1,713	34.0	1,274	25.3
Allegany	2,257	2,012	233	7	900	504	37	358	81	35.9	60	26.6
Cumberland	980	903	74	1	504	260	37	206	38	38.8	26	26.5
Balance of county	1,277	1,109	159	6	396	244	-	152	43	33.7	34	26.6

See footnotes on p. 111.

793002 O - 48 - 5

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
MARYLAND—Continued												
Anne Arundel	2,059	1,458	420	175	888	458	169	259	53	25.7	57	27.7
White	1,586	1,307	238	35	551	--------	--------	--------	40	25.2	34	21.4
Nonwhite	473	151	182	140	337	--------	--------	--------	13	27.5	23	48.6
Annapolis	354	281	26	45	166	101	1	64	7	19.8	13	36.7
White	238	222	2	12	93	--------	--------	--------	4	16.8	7	29.4
Nonwhite	116	59	24	33	73	--------	--------	--------	3	25.9	6	51.7
Balance of county	1,705	1,177	394	130	722	357	168	195	46	27.0	44	25.8
White	1,348	1,085	236	23	458	--------	--------	--------	36	26.7	27	20.0
Nonwhite	357	92	158	107	264	--------	--------	--------	10	28.0	17	47.6
Baltimore	5,869	4,823	1,031	15	1,885	979	229	634	175	29.8	118	20.1
District 12[4]	733	485	246	2	152	62	-	89	32	43.7	12	16.4
District 13[4]	119	94	25	-	87	59	-	27	2	16.8	4	33.6
Balance of county	5,017	4,244	760	13	1,626	858	229	518	141	28.1	102	20.3
White	4,757	4,058	688	11	1,516	--------	--------	--------	127	26.7	87	18.3
Nonwhite	260	186	72	2	110	--------	--------	--------	14	53.8	15	57.7
Baltimore (city)	21,419	17,974	2,777	666	10,438	5,807	213	4,319	766	35.8	564	26.3
White	16,118	14,586	1,297	234	7,835	--------	--------	--------	491	30.5	327	20.3
Nonwhite	5,301	3,388	1,480	432	2,603	--------	--------	--------	275	51.9	237	44.7
Calvert	320	213	30	77	125	95	-	29	15	46.9	18	56.3
White	144	129	12	3	59	--------	--------	--------	7	48.6	4	27.8
Nonwhite	176	84	18	74	66	--------	--------	--------	8	45.5	14	79.5
Caroline	385	249	77	59	237	191	-	43	15	39.0	10	26.0
White	300	226	58	16	191	--------	--------	--------	11	36.7	4	13.3
Nonwhite	85	23	19	43	46	--------	--------	--------	4	47.1	6	70.6
Carroll	864	542	315	4	615	270	211	129	26	30.1	19	22.0
Cecil	800	651	148	-	369	188	70	108	25	31.3	20	25.0
Charles	696	390	29	277	205	133	-	72	26	37.4	17	24.4
White	401	344	6	51	146	--------	--------	--------	13	32.4	8	20.0
Nonwhite	295	46	23	226	59	--------	--------	--------	13	44.1	9	30.5
Dorchester	529	387	56	86	363	242	45	76	22	41.6	26	49.1
White	363	325	27	11	244	--------	--------	--------	13	35.8	11	30.3
Nonwhite	166	62	29	75	119	--------	--------	--------	9	54.2	15	90.4
Cambridge	233	186	8	39	146	99	8	39	8	34.3	16	68.7
White	164	154	5	5	91	--------	--------	--------	6	36.6	6	36.6
Nonwhite	69	32	3	34	55	--------	--------	--------	2	29.0	10	144.9
Balance of county	296	201	48	47	217	143	37	37	14	47.3	10	33.8
White	199	171	22	6	153	--------	--------	--------	7	35.2	5	25.1
Nonwhite	97	30	26	41	64	--------	--------	--------	7	72.2	5	51.5
Frederick	1,393	1,018	347	25	666	388	8	266	49	35.2	47	33.7
Frederick	459	388	64	6	192	101	3	86	11	24.0	19	41.4
White	396	345	50	-	165	--------	--------	--------	7	17.7	18	45.5
Nonwhite	63	43	14	6	27	--------	--------	--------	4	63.5	1	15.9
Balance of county	934	630	283	19	474	287	5	180	38	40.7	28	30.0
Garrett	517	216	197	100	180	136	3	41	21	40.6	23	44.5
Harford	1,231	1,000	226	2	418	272	6	134	40	32.5	14	11.4
White	1,118	926	188	1	352	--------	--------	--------	33	29.5	11	9.8
Nonwhite	113	74	38	1	66	--------	--------	--------	7	61.9	3	26.5
Howard	461	303	156	2	186	134	-	51	16	34.7	13	28.2
White	374	275	99	-	158	--------	--------	--------	14	37.4	9	24.1
Nonwhite	87	28	57	2	28	--------	--------	--------	2	23.0	4	46.0
Kent	291	197	76	18	180	134	2	40	12	41.2	7	24.1
White	213	177	36	-	138	--------	--------	--------	8	37.6	4	18.8
Nonwhite	78	20	40	18	42	--------	--------	--------	4	51.3	3	38.5
Montgomery	2,997	2,753	211	29	860	475	-	377	76	25.4	61	20.4
White	2,707	2,565	134	4	752	--------	--------	--------	53	19.6	46	17.0
Nonwhite	290	188	77	25	108	--------	--------	--------	23	79.3	15	51.7
Prince Georges	3,596	3,306	143	136	933	475	35	419	119	33.1	73	20.3
White	3,102	2,997	68	27	710	--------	--------	--------	78	25.1	45	14.5
Nonwhite	494	309	75	109	223	--------	--------	--------	41	83.0	28	56.7
Queen Annes	252	125	103	24	146	124	2	18	7	27.8	10	39.7
White	181	104	77	-	95	--------	--------	--------	5	27.6	6	33.1
Nonwhite	71	21	26	24	51	--------	--------	--------	2	28.2	4	56.3
St. Marys	649	366	147	135	201	131	-	68	24	37.0	19	29.3
White	446	355	73	17	142	--------	--------	--------	16	35.9	7	15.7
Nonwhite	203	11	74	118	59	--------	--------	--------	8	39.4	12	59.1
Somerset	417	270	82	64	284	204	-	80	27	64.7	11	26.4
White	260	226	31	2	175	--------	--------	--------	15	57.7	7	26.9
Nonwhite	157	44	51	62	89	--------	--------	--------	12	76.4	4	25.5
Talbot	366	279	30	57	237	162	1	72	22	60.1	14	38.3
White	242	223	14	5	164	--------	--------	--------	11	45.5	5	20.7
Nonwhite	124	56	16	52	73	--------	--------	--------	11	88.7	9	72.6
Washington	1,747	1,328	408	8	772	487	30	235	51	29.2	45	25.8
Hagerstown	904	810	91	1	424	241	14	152	29	32.1	26	28.8
Balance of county	843	518	317	7	348	246	16	83	22	26.1	19	22.5
Wicomico	740	541	91	105	445	299	3	143	21	28.4	16	21.6
White	571	501	42	26	343	--------	--------	--------	14	24.5	11	19.3
Nonwhite	169	40	49	79	102	--------	--------	--------	7	41.4	5	29.6
Salisbury	359	303	16	38	201	119	3	79	8	22.3	8	22.3
White	301	281	7	11	162	--------	--------	--------	6	19.9	4	13.3
Nonwhite	58	22	9	27	39	--------	--------	--------	2	34.5	4	69.0
Balance of county	381	238	75	67	244	180	-	64	13	34.1	8	21.0
White	270	220	35	15	181	--------	--------	--------	8	29.6	7	25.9
Nonwhite	111	18	40	52	63	--------	--------	--------	5	45.0	1	9.0
Worcester	492	246	121	124	290	220	-	70	24	48.6	12	24.4
White	312	222	79	10	192	--------	--------	--------	7	22.4	3	9.6
Nonwhite	180	24	42	114	98	--------	--------	--------	17	94.4	9	50.0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
MASSACHUSETTS	94,288	91,692	2,583	3	51,398	25,161	4,370	20,926	2,984	31.6	2,119	22.5
Barnstable	788	717	70	-	521	338	24	145	27	34.3	19	24.1
Berkshire	2,738	2,661	77	-	1,416	815	7	543	84	30.7	50	18.3
Adams (town)	285	276	9	-	139	108	2	21	8	28.1	5	17.5
North Adams	436	405	31	-	255	174	2	72	15	34.4	6	13.8
Pittsfield	1,196	1,189	7	-	593	266	2	314	39	32.6	23	19.2
Balance of county	821	791	30	-	429	267	1	136	22	26.8	16	19.5
Bristol	7,747	7,152	593	1	4,493	2,393	594	1,456	261	33.7	227	29.3
Attleboro	614	604	10	-	279	137	4	135	16	26.1	8	13.0
Fairhaven (town)	198	183	15	-	129	93	2	29	9	45.5	10	50.5
Fall River	2,422	2,145	276	-	1,531	726	230	561	91	37.6	90	37.2
New Bedford	2,337	2,170	167	-	1,176	689	80	397	66	28.2	68	29.1
North Attleborough (town)	166	161	5	-	114	82	2	29	7	42.2	5	30.1
Taunton	771	739	32	-	612	234	252	121	27	35.0	19	24.6
Balance of county	1,239	1,150	88	1	652	432	24	184	45	36.3	27	21.8
Dukes	71	68	3	-	97	65	-	32	3	42.3	1	14.1
Essex	10,735	10,444	290	-	5,994	3,014	489	2,323	342	31.9	216	20.1
Amesbury (town)	241	234	7	-	143	70	24	47	5	20.7	4	16.6
Andover (town)	228	225	3	-	115	78	9	27	4	17.5	4	17.5
Beverly	585	583	2	-	293	146	6	132	15	25.6	15	25.6
Danvers (town)	275	272	3	-	397	72	278	42	9	32.7	2	7.3
Gloucester	517	487	30	-	277	142	8	118	21	40.6	7	13.5
Haverhill	972	915	57	-	599	264	36	251	24	24.7	19	19.5
Lawrence	1,779	1,742	37	-	972	492	16	452	64	36.0	43	24.2
Lynn	2,151	2,092	58	-	1,174	609	28	482	63	29.3	38	17.7
Marblehead (town)	234	233	1	-	130	63	-	64	8	34.2	2	8.5
Methuen (town)	439	428	11	-	215	141	28	42	10	22.8	10	22.8
Newburyport	340	326	14	-	198	99	5	87	12	35.3	9	26.5
Peabody	454	448	6	-	225	107	4	110	19	41.9	7	15.4
Salem	940	919	21	-	450	213	4	227	41	43.6	24	25.5
Saugus (town)	344	338	6	-	143	101	1	40	12	34.9	3	8.7
Swampscott (town)	212	210	2	-	95	67	-	26	5	23.6	4	18.9
Balance of county	1,024	992	32	-	580	350	42	176	30	29.3	25	24.4
Franklin	1,079	1,018	61	-	597	341	3	225	33	30.6	14	13.0
Greenfield (town)	381	376	5	-	195	83	2	105	12	31.5	4	10.5
Balance of county	698	642	56	-	392	258	1	120	21	30.1	10	14.3
Hampden	7,922	7,779	142	-	3,625	1,813	252	1,512	210	29.9	163	23.2
Chicopee	949	923	26	-	362	214	28	113	24	25.3	19	20.0
Holyoke	1,383	1,368	15	-	613	268	42	300	39	28.2	25	18.1
Springfield	3,808	3,742	66	-	1,671	804	100	741	90	23.6	78	20.5
West Springfield (town)	258	252	6	-	153	108	-	45	12	46.5	7	27.1
Westfield	461	457	4	-	239	117	3	116	10	21.7	12	26.0
Balance of county	1,063	1,037	25	-	587	302	79	197	35	32.9	22	20.7
Hampshire	1,526	1,483	43	-	1,076	410	293	355	45	29.5	38	24.9
Easthampton (town)	217	207	10	-	94	59	-	34	8	36.9	4	18.4
Northampton	508	494	14	-	558	125	281	146	11	21.7	11	21.7
Balance of county	801	782	19	-	424	226	12	175	26	32.5	23	28.7
Middlesex	22,491	22,113	378	-	10,872	5,584	685	4,588	632	28.1	544	24.2
Arlington (town)	786	784	2	-	419	253	1	159	19	24.2	14	17.8
Belmont (town)	463	460	3	-	209	130	19	57	14	30.2	15	32.4
Cambridge	2,897	2,851	46	-	1,419	573	129	693	95	32.8	66	22.8
Everett	1,170	1,156	14	-	384	217	-	144	29	24.8	22	18.8
Framingham (town)	601	593	7	-	252	125	6	111	18	30.0	16	26.6
Lexington (town)	242	235	7	-	312	72	217	19	2	8.3	7	28.9
Lowell	2,262	2,161	100	-	1,285	549	54	674	78	34.5	60	26.5
Malden	1,357	1,345	12	-	621	319	14	280	26	19.2	21	15.5
Marlborough	306	303	3	-	193	122	5	64	6	19.6	9	29.4
Medford	1,388	1,374	14	-	626	379	14	216	43	31.0	39	28.1
Melrose	517	516	1	-	302	175	10	111	10	19.3	15	29.0
Natick (town)	392	389	3	-	204	103	5	70	17	43.4	10	25.5
Newton	1,529	1,527	2	-	790	438	5	320	45	29.4	29	19.0
Reading (town)	281	278	3	-	140	91	-	44	7	24.9	5	17.8
Somerville	2,488	2,454	44	-	1,032	589	65	374	66	26.4	61	24.4
Stoneham (town)	277	275	2	-	132	75	5	47	9	32.5	1	3.6
Wakefield (town)	398	391	7	-	189	135	2	50	14	35.2	10	25.1
Waltham	1,012	995	17	-	489	213	45	221	23	22.7	28	27.7
Watertown (town)	739	731	8	-	274	180	11	82	19	25.7	25	33.8
Winchester (town)	292	289	3	-	111	71	-	38	2	6.8	10	34.2
Woburn	442	438	4	-	199	125	1	73	12	27.1	9	20.4
Balance of county	2,642	2,568	74	-	1,310	670	77	541	78	29.5	72	27.3
Nantucket	48	48	-	-	58	34	-	24	2	41.7	2	41.7
Norfolk	7,188	7,105	82	-	3,745	1,986	460	1,181	172	23.9	138	19.2
Braintree (town)	432	429	3	-	183	128	-	50	9	20.8	4	9.3
Brookline (town)	825	816	9	-	666	387	50	211	23	27.9	16	19.4
Dedham (town)	332	325	7	-	138	88	3	45	10	30.1	7	21.1
Milton (town)	321	320	1	-	205	140	3	59	9	28.0	8	24.9
Needham (town)	282	280	2	-	124	74	-	45	5	17.7	7	24.8
Norwood (town)	366	365	1	-	165	65	4	92	10	27.3	3	8.2
Quincy	1,917	1,904	12	-	716	342	21	325	43	22.4	44	23.0
Wellesley (town)	276	275	1	-	114	70	-	39	10	36.2	8	29.0
Weymouth (town)	725	716	9	-	258	170	3	81	15	20.7	13	17.9
Balance of county	1,712	1,675	37	-	1,176	522	376	244	38	22.2	28	16.4

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
MASSACHUSETTS—Continued												
Plymouth	3,763	3,609	154	-	2,106	1,273	113	630	99	26.3	72	19.1
Brockton	1,342	1,299	43	-	719	393	45	241	34	25.3	31	23.1
Plymouth (town)	330	320	10	-	162	94	-	55	8	18.2	4	12.1
Balance of county	2,091	1,990	101	-	1,225	786	68	334	59	28.2	37	17.7
Suffolk	16,932	16,578	352	2	10,736	4,296	861	5,695	666	39.3	371	21.9
Boston	14,828	14,537	289	2	9,757	3,805	525	5,354	602	40.6	334	22.5
White	14,095	13,843	252	-	9,297	--------	--------	--------	562	39.9	311	22.1
Nonwhite	733	694	37	2	460	--------	--------	--------	40	54.6	23	31.4
Chelsea	864	818	46	-	508	207	133	168	27	31.3	16	18.5
Revere	790	775	15	-	299	191	2	98	21	26.6	12	15.2
Winthrop (town)	450	448	2	-	171	93	1	74	18	35.6	9	20.0
Worcester	11,260	10,917	340	-	6,072	2,799	789	2,407	408	36.2	264	23.4
Athol (town)	236	222	14	-	108	79	4	23	4	16.9	8	33.9
Clinton (town)	276	275	1	-	161	94	2	64	13	47.1	4	14.5
Fitchburg	969	950	19	-	444	214	1	218	24	24.8	20	20.6
Gardner	426	396	29	-	297	86	97	111	18	42.3	12	28.2
Leominster	586	580	6	-	255	149	10	90	22	37.5	26	44.4
Milford (town)	306	304	2	-	195	115	1	73	8	26.1	6	19.6
Northbridge (town)	208	196	12	-	84	47	1	36	3	14.4	4	19.2
Southbridge (town)	430	425	5	-	176	110	-	65	21	48.8	6	14.0
Webster (town)	291	283	8	-	128	78	-	48	10	34.4	8	27.5
Worcester	4,244	4,162	81	-	2,502	944	349	1,195	178	41.9	99	23.3
Balance of county	3,288	3,124	163	-	1,722	883	324	484	107	32.5	71	21.6
MICHIGAN	139,277	130,068	8,814	139	55,167	27,316	4,309	22,591	4,552	32.7	3,141	22.6
Alcona	139	84	55	-	51	36	2	10	4	28.8	1	7.2
Alger	268	228	37	1	90	44	-	46	5	18.7	16	59.7
Allegan	947	863	82	-	514	298	31	171	28	29.6	10	10.6
Alpena	550	517	29	2	214	116	6	92	26	47.3	20	36.4
Alpena	349	343	5	1	164	81	4	79	19	54.4	13	37.2
Balance of county	201	174	24	1	50	35	2	13	7	34.8	7	34.8
Antrim	228	141	84	3	122	96	4	18	6	26.3	5	21.9
Arenac	216	160	45	8	103	56	-	46	15	69.4	4	18.5
Baraga	165	131	25	4	87	56	-	30	7	42.4	2	12.1
Barry	498	479	17	-	265	178	6	74	5	10.0	8	16.1
Bay	2,184	1,924	255	1	724	422	33	263	79	36.2	41	18.8
Bay City	1,511	1,414	97	-	503	275	21	202	50	33.1	31	20.5
Balance of county	673	510	158	1	221	147	12	61	29	43.1	10	14.9
Benzie	160	127	32	-	105	78	2	21	13	81.3	2	12.5
Berrien	2,497	2,281	213	2	1,080	576	66	413	85	34.0	53	21.2
Benton Harbor	674	655	19	-	223	110	-	110	28	41.5	24	35.6
Niles	277	275	2	-	135	60	1	72	12	43.3	3	10.8
Balance of county	1,546	1,351	192	2	722	406	65	231	45	29.1	26	16.8
Branch	590	544	46	-	366	206	48	108	13	22.0	7	11.8
Calhoun	2,621	2,575	42	1	1,147	527	130	459	81	30.9	51	19.5
Battle Creek	1,591	1,573	17	-	577	240	3	308	44	27.7	29	18.2
Balance of county	1,030	1,002	25	1	570	287	127	151	37	35.9	22	21.4
Cass	527	473	52	-	309	212	2	92	15	28.5	7	13.3
Charlevoix	330	262	66	1	167	105	-	60	17	51.5	5	15.2
Cheboygan	337	271	61	3	151	106	-	44	10	29.7	7	20.8
Chippewa	740	670	60	6	272	134	7	128	23	31.1	21	28.4
Sault Ste. Marie	455	429	26	-	180	80	2	98	19	41.8	14	30.8
Balance of county	285	241	34	6	92	54	5	30	4	14.0	7	24.6
Clare	217	164	51	1	95	64	-	30	8	36.9	10	46.1
Clinton	671	620	49	-	277	166	8	94	19	28.3	11	16.4
Crawford	70	67	3	-	52	26	-	25	12	171.4	2	28.6
Delta	797	707	74	2	362	198	9	154	42	52.7	24	30.1
Escanaba	378	355	20	-	183	92	-	91	21	55.6	13	34.4
Balance of county	419	352	54	2	179	106	9	63	21	50.1	11	26.3
Dickinson	503	457	43	2	248	163	2	73	21	41.7	17	33.8
Iron Mountain	263	236	26	-	133	80	-	49	11	41.8	8	30.4
Balance of county	240	221	17	2	115	83	2	24	10	41.7	9	37.5
Eaton	920	880	39	-	409	281	14	103	35	38.0	17	18.5
Emmet	382	366	14	1	206	108	-	93	15	39.3	5	13.1
Genesee	6,341	6,075	248	11	1,940	903	-	1,019	208	32.8	129	20.3
Flint	4,661	4,545	102	11	1,335	548	-	773	144	30.9	103	22.1
Balance of county	1,680	1,530	146	-	605	355	-	246	64	38.1	26	15.5
Gladwin	227	177	47	1	83	58	1	22	15	66.1	7	30.8
Gogebic	556	518	34	-	345	171	-	171	27	48.6	10	18.0
Ironwood	240	224	16	-	106	70	-	36	9	37.5	5	20.8
Balance of county	316	294	18	-	239	101	-	135	18	57.0	5	15.8
Grand Traverse	605	559	45	-	516	141	276	82	21	34.7	10	16.5
Traverse City	354	345	9	-	137	74	2	52	15	42.4	2	5.6
Balance of county	251	214	36	-	379	67	274	30	6	23.9	8	31.9
Gratiot	862	763	96	1	396	266	28	94	24	27.8	16	18.6
Hillsdale	690	662	28	-	345	206	2	131	25	36.2	21	30.4
Houghton	864	770	75	9	558	325	32	199	37	42.8	21	24.3
Huron	764	642	122	-	311	198	6	99	25	32.7	16	20.9
Ingham	3,812	3,759	50	-	1,313	693	12	575	114	29.9	67	17.6
Lansing	2,498	2,481	15	-	819	386	1	405	59	23.6	41	16.4
Balance of county	1,316	1,278	35	-	494	307	11	170	55	41.8	26	19.8
Ionia	844	748	95	-	452	305	36	107	33	39.1	14	16.6
Iosco	214	119	90	3	98	74	-	24	4	18.7	6	28.0
Iron	396	377	19	-	220	129	13	77	14	35.4	1	2.5
Isabella	675	586	85	3	233	138	13	78	24	35.6	17	25.2

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
MICHIGAN—Continued												
Jackson	2,378	2,329	47	-	1,134	523	76	512	98	41.2	59	24.8
Jackson	1,406	1,397	8	-	652	268	8	360	52	37.0	36	25.6
Balance of county	972	932	39	-	482	255	70	152	46	47.3	23	23.7
Kalamazoo	2,732	2,688	38	-	1,340	539	320	451	67	24.5	59	21.6
Kalamazoo	2,037	2,024	10	-	943	303	292	338	45	22.1	49	24.1
Balance of county	695	664	28	-	397	236	28	115	22	31.7	10	14.4
Kalkaska	97	53	44	-	40	35	-	5	1	10.3	3	30.9
Kent	6,337	5,994	338	-	2,687	1,592	264	984	190	30.0	113	17.8
Grand Rapids	4,367	4,232	133	-	1,802	924	81	759	150	34.3	90	20.6
Balance of county	1,970	1,762	205	-	885	468	183	225	40	20.3	23	11.7
Keweenaw	50	42	4	2	36	29	-	7	2	40.0	1	20.0
Lake	91	69	21	1	60	45	-	14	2	21.8	1	11.0
White	79	63	15	1	47	----	----	----	1	12.7	1	12.7
Nonwhite	12	6	6	-	13	----	----	----	1	83.3	-	0
Lapeer	683	519	163	-	384	186	95	96	28	41.0	13	19.0
Leelanau	169	146	23	-	74	48	2	24	7	41.4	5	29.6
Lenawee	1,490	1,370	119	-	672	436	13	185	42	28.2	33	22.1
Adrian	500	462	38	-	224	133	1	79	22	44.0	10	20.0
Balance of county	990	908	81	-	448	303	12	106	20	20.2	23	23.2
Livingston	504	470	34	-	267	172	1	91	18	35.7	12	23.8
Luce	173	170	1	1	211	35	146	30	7	40.5	2	11.6
Mackinac	211	136	73	-	68	49	-	18	5	23.7	7	33.2
Macomb	3,850	3,570	273	1	1,079	591	32	429	133	34.5	84	21.8
Mount Clemens	541	514	27	-	216	101	-	110	25	46.2	17	31.4
St. Clair Shores	367	354	12	-	88	60	-	26	7	19.1	9	24.5
Balance of county	2,942	2,702	234	1	775	430	32	283	101	34.3	58	19.7
Manistee	396	349	47	-	181	120	2	52	8	20.2	6	15.2
Marquette	1,051	1,009	41	1	467	228	12	224	30	28.5	26	24.7
Marquette	365	360	5	-	161	64	1	96	7	19.2	14	38.4
Balance of county	686	649	36	1	306	164	11	128	23	33.5	12	17.5
Mason	445	420	24	1	210	137	-	73	10	22.5	4	9.0
Mecosta	389	333	54	-	219	116	17	78	18	46.3	8	20.5
Menominee	541	529	7	-	238	110	5	121	18	33.3	6	11.1
Menominee	254	254	-	-	123	50	-	73	7	27.6	3	11.8
Balance of county	287	275	7	-	115	60	5	48	11	38.3	3	10.5
Midland	935	850	84	1	230	142	2	85	25	26.7	24	25.7
Midland	503	487	16	-	110	56	-	53	11	21.9	15	29.8
Balance of county	432	363	68	1	120	86	2	32	14	32.4	9	20.8
Missaukee	170	93	77	-	72	49	-	23	5	29.4	5	29.4
Monroe	1,579	1,470	106	-	587	331	11	238	57	36.1	35	22.2
Monroe	789	774	14	-	231	95	2	131	36	45.6	15	19.0
Balance of county	790	696	92	-	356	236	9	107	21	26.6	20	25.3
Montcalm	689	597	91	-	350	242	2	98	25	36.3	19	27.6
Montmorency	86	53	33	-	40	33	-	7	4	46.5	3	34.9
Muskegon	3,189	3,081	105	1	1,019	508	25	461	118	37.0	72	22.6
Muskegon	1,757	1,736	21	-	567	248	8	299	62	35.3	48	27.3
Muskegon Heights	537	533	4	-	132	79	-	51	22	41.0	9	16.8
Balance of county	895	812	80	1	320	181	17	111	34	38.0	15	16.8
Newaygo	477	341	135	-	235	161	-	68	21	44.0	10	21.0
Oakland	8,214	7,803	402	-	2,549	1,155	201	1,137	285	32.3	189	23.0
Birmingham	375	374	1	-	82	43	-	39	7	18.7	5	13.3
Ferndale	897	889	7	-	209	100	-	106	23	25.6	23	25.6
Pontiac	1,977	1,910	64	-	826	244	196	381	86	43.5	57	28.8
Royal Oak	1,062	1,049	13	-	246	118	-	119	32	30.1	15	14.1
Balance of county	3,903	3,581	317	-	1,186	650	5	492	117	30.0	89	22.8
Oceana	394	354	39	-	166	92	13	56	16	40.6	8	20.3
Ogemaw	214	164	47	1	94	71	1	22	5	23.4	6	28.0
Ontonagon	246	206	37	2	147	70	3	69	15	61.0	18	73.2
Osceola	366	304	61	-	161	112	4	45	10	27.3	8	21.9
Oscoda	63	41	22	-	27	18	-	9	1	15.9	2	31.7
Otsego	154	98	56	-	88	42	3	23	7	45.5	2	13.0
Ottawa	1,605	1,455	149	-	583	356	9	198	48	29.9	27	16.8
Holland	406	399	7	-	157	83	-	65	14	34.5	4	9.9
Balance of county	1,199	1,056	142	-	426	273	9	134	34	28.4	23	19.2
Presque Isle	333	229	99	1	99	67	-	32	7	21.0	2	6.0
Roscommon	108	87	19	1	49	27	-	22	5	46.3	2	18.5
Saginaw	3,661	3,466	179	2	1,342	640	21	659	163	44.5	83	22.7
Saginaw	2,316	2,268	44	1	931	420	20	473	98	42.3	59	25.5
Balance of county	1,345	1,198	135	1	411	220	1	186	65	48.3	24	17.8
St. Clair	2,034	1,759	271	2	922	588	12	303	82	40.3	59	29.0
Port Huron	962	871	88	2	419	249	-	161	31	32.2	24	24.9
Balance of county	1,072	888	183	-	503	339	12	142	51	47.6	35	32.6
St. Joseph	691	667	24	-	408	241	12	148	16	23.2	15	21.7
Sanilac	630	486	144	-	336	236	1	61	26	41.3	13	20.6
Schoolcraft	251	205	45	1	107	75	-	28	7	27.9	8	31.9
Shiawassee	1,041	999	41	-	460	284	21	147	49	47.1	30	28.8
Owosso	396	382	14	-	167	105	-	57	20	50.5	10	25.3
Balance of county	645	617	27	-	293	179	21	90	29	45.0	20	31.0
Tuscola	805	683	111	2	435	227	76	113	26	32.3	27	33.5
Van Buren	800	764	35	1	459	274	-	176	16	20.0	22	27.5
Washtenaw	2,950	2,837	107	-	1,173	456	300	413	99	33.6	55	18.6
Ann Arbor	920	910	9	-	388	173	-	214	44	47.8	19	20.7
Ypsilanti	633	622	10	-	152	56	-	95	27	42.7	15	23.7
White	563	561	2	-	130	----	----	----	21	37.3	13	23.1
Nonwhite	70	61	8	-	22	----	----	----	6	85.7	2	28.6
Balance of county	1,397	1,305	88	-	633	227	300	104	28	20.0	21	15.0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
MICHIGAN—Continued												
Wayne	52,145	49,636	2,383	51	19,228	8,016	1,813	9,151	1,580	30.3	1,265	24.3
Dearborn	2,379	2,336	41	1	457	252	-	196	61	25.6	68	28.6
Detroit	39,936	38,127	1,742	15	14,355	6,402	162	7,599	1,186	29.7	998	25.0
White	34,556	33,574	956	5	12,187	---------	---------	---------	962	27.8	783	22.7
Nonwhite	5,380	4,553	786	10	2,168	---------	---------	---------	224	41.6	215	40.0
Ecorse	511	425	85	1	87	50	-	34	13	25.4	7	13.7
White	363	337	26	-	66	---------	---------	---------	9	24.8	3	8.3
Nonwhite	148	88	59	1	21	---------	---------	---------	4	27.0	4	27.0
Grosse Pointe Park	146	144	2	-	78	55	-	22	5	34.2	2	13.7
Hamtramck	1,065	1,008	56	-	366	180	-	182	35	32.9	27	25.4
Highland Park	927	902	25	-	530	206	9	315	37	39.9	18	19.4
Lincoln Park	606	589	17	-	100	49	-	47	17	28.1	5	8.3
River Rouge	486	411	75	-	131	67	-	59	15	30.9	13	26.7
White	344	319	25	-	98	---------	---------	---------	12	34.9	8	23.3
Nonwhite	142	92	50	-	33	---------	---------	---------	3	21.1	5	35.2
Wyandotte	1,084	1,061	22	-	251	99	-	152	25	23.1	28	25.8
Balance of county	5,005	4,633	338	34	2,673	656	1,642	545	186	37.2	99	19.8
Wexford	453	396	53	2	228	153	5	69	15	33.1	9	19.9
MINNESOTA	67,266	64,049	2,881	164	26,937	12,112	1,872	12,609	1,925	28.6	1,329	19.8
Aitkin	317	297	17	-	123	79	-	40	5	15.8	7	22.1
Anoka	616	583	27	5	287	106	87	92	12	19.5	11	17.9
Becker	578	543	20	-	242	108	-	128	33	57.1	7	12.1
Beltrami	659	597	30	16	259	127	11	115	21	31.9	20	30.3
Benton	403	355	34	12	118	74	-	42	8	19.9	13	32.3
St. Cloud (part)	42	38	4	-	20	13	-	7	1	(5)	2	(5)
Balance of county	361	317	30	12	98	61	-	35	7	19.4	11	30.5
Big Stone	230	211	19	-	86	57	-	15	11	47.8	6	26.1
Blue Earth	867	843	24	-	373	182	4	187	28	32.3	17	19.6
Mankato	434	428	6	-	215	83	3	129	18	41.5	10	23.0
Balance of county	433	415	18	-	158	99	1	58	10	23.1	7	16.2
Brown	605	570	35	-	228	94	2	129	16	26.4	11	18.2
Carlton	522	500	17	-	296	111	99	85	17	32.6	13	24.9
Carver	371	353	18	-	145	77	-	63	14	37.7	7	18.9
Cass	484	442	30	-	190	80	3	105	24	49.6	14	28.9
Chippewa	394	379	15	-	139	73	-	65	11	27.9	6	15.2
Chisago	256	241	15	-	141	73	13	54	6	23.4	5	19.5
Clay	641	589	52	-	208	113	-	95	15	23.4	13	20.3
Clearwater	288	269	13	-	98	60	-	36	8	27.8	5	17.4
Cook	61	54	6	-	10	7	-	3	-	0	-	0
White	55	50	4	-	10	---------	---------	---------	-	0	-	0
Nonwhite	6	4	2	-	-	---------	---------	---------	-	0	-	0
Cottonwood	378	361	17	-	131	70	-	59	3	7.9	12	31.7
Crow Wing	782	746	33	-	317	142	23	145	35	44.8	17	21.7
Brainerd	341	322	19	-	178	78	23	73	19	55.7	5	14.7
Balance of county	441	424	14	-	139	64	-	72	16	36.3	12	27.2
Dakota	1,148	1,122	22	2	369	147	55	167	25	21.8	24	20.9
South St. Paul	440	437	3	-	87	36	-	51	10	22.7	5	11.4
Balance of county	708	685	19	2	282	111	55	116	15	21.2	19	26.8
Dodge	289	234	55	-	95	63	3	29	8	27.7	11	38.1
Douglas	445	417	26	-	177	86	9	72	14	31.5	9	20.2
Faribault	550	466	84	-	215	145	-	70	20	36.4	12	21.8
Fillmore	491	444	45	-	246	175	1	65	9	18.3	10	20.4
Freeborn	764	726	37	-	259	154	5	97	29	38.0	13	17.0
Albert Lea	354	345	8	-	129	68	3	55	14	39.5	4	11.3
Balance of county	410	381	29	-	130	86	2	42	15	36.6	9	22.0
Goodhue	725	694	31	-	319	144	1	173	28	38.6	11	15.2
Grant	199	183	16	-	80	46	-	34	6	30.2	4	20.1
Hennepin	14,673	14,475	156	37	5,784	2,370	140	3,232	374	25.5	274	18.7
Minneapolis	12,232	12,078	118	32	4,995	2,048	112	2,801	318	26.0	241	19.7
Balance of county	2,441	2,397	38	5	789	322	28	431	56	22.9	33	13.5
Houston	327	318	9	-	132	63	-	69	10	30.6	3	9.2
Hubbard	248	229	16	2	106	55	3	39	11	44.4	3	12.1
Isanti	183	165	18	-	156	90	30	27	6	32.8	6	32.8
Itasca	818	787	27	-	307	113	13	177	30	36.7	16	19.6
Jackson	360	326	34	-	105	58	-	45	9	25.0	8	18.7
Kanabec	201	189	11	-	84	40	-	8	5	24.9	3	14.9
Kandiyohi	594	572	21	-	306	102	92	112	17	28.6	12	20.2
Kittson	252	224	25	-	120	52	1	65	18	71.4	8	31.7
Koochiching	409	382	18	-	137	56	-	79	9	22.0	12	29.3
Lac qui Parle	305	292	13	-	113	48	1	59	4	13.1	6	19.7
Lake	162	160	1	-	79	38	-	41	5	30.9	3	18.5
Lake of the Woods	127	108	15	-	37	21	-	16	2	15.7	1	7.9
Le Sueur	381	356	25	-	170	113	-	56	8	21.0	11	28.9
Lincoln	220	212	8	-	105	42	-	63	16	72.7	8	36.4
Lyon	568	554	14	-	194	91	3	94	20	35.2	10	17.6
McLeod	439	422	17	-	209	125	-	73	11	25.1	6	13.7
Mahnomen	205	178	23	-	50	22	-	25	3	14.6	6	29.3
White	162	143	19	-	43	---------	---------	---------	2	12.3	4	24.7
Nonwhite	43	36	4	-	7	---------	---------	---------	1	23.3	2	46.5
Marshall	403	355	43	-	140	78	-	62	14	34.7	11	27.3
Martin	606	559	47	-	200	135	-	65	21	34.7	12	19.8
Meeker	417	402	15	-	149	76	-	73	12	28.8	11	26.4
Mille Lacs	344	318	18	-	148	81	4	57	14	40.7	6	17.4
Morrison	665	629	28	4	214	96	11	107	18	27.1	8	12.0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
MINNESOTA—Continued												
Mower	1,018	937	81	-	314	174	9	129	27	26.5	19	18.7
Austin	636	614	22	-	163	73	9	79	22	34.6	10	15.7
Balance of county	382	323	59	-	151	101	-	50	5	13.1	9	23.6
Murray	413	376	37	-	82	52	-	29	8	19.4	8	19.4
Nicollet	336	329	7	-	419	64	283	69	10	29.8	1	3.0
Nobles	523	501	22	-	179	99	-	78	16	30.6	3	5.7
Norman	271	262	9	-	120	71	-	49	6	22.1	6	22.1
Olmsted	1,105	998	107	-	605	160	271	168	30	27.1	9	8.1
Rochester	742	722	20	-	406	81	271	132	19	25.6	6	8.1
Balance of county	363	276	87	-	119	79	-	36	11	30.3	3	8.3
Otter Tail	1,101	1,042	50	2	646	216	221	202	27	24.5	26	23.6
Fergus Falls	196	196	-	-	314	34	221	56	9	45.9	5	25.5
Balance of county	905	846	50	2	332	182	-	146	18	19.9	21	23.2
Pennington	280	271	7	-	111	51	1	59	9	32.1	8	28.6
Pine	413	363	47	1	186	112	1	69	16	38.7	7	16.9
Pipestone	344	330	14	-	97	54	-	42	9	26.2	9	26.2
Polk	843	793	49	-	339	148	5	180	27	32.0	19	22.5
Pope	289	283	6	-	102	45	-	56	6	20.8	5	17.3
Ramsey	8,507	8,353	82	67	3,273	1,202	196	1,859	240	28.2	189	22.2
St. Paul	7,629	7,493	70	62	3,023	1,103	179	1,725	229	30.0	175	22.9
Balance of county	878	860	12	5	250	99	17	134	11	12.5	14	15.9
Red Lake	204	195	5	1	58	23	-	35	7	34.3	1	4.9
Redwood	535	484	51	-	170	98	5	69	12	22.4	8	15.0
Renville	548	460	88	-	169	124	1	43	5	9.1	11	20.1
Rice	717	666	51	-	356	140	110	100	22	30.7	6	8.4
Faribault	307	289	18	-	217	57	100	57	15	48.9	3	9.8
Balance of county	410	377	33	-	139	83	10	43	7	17.1	3	7.3
Rock	270	259	11	-	88	56	-	31	11	40.7	2	7.4
Roseau	362	313	36	5	103	58	-	45	13	35.9	15	41.4
St. Louis	4,526	4,437	81	-	2,117	807	67	1,236	151	33.4	84	18.6
Duluth	2,239	2,216	22	-	1,123	366	67	684	65	29.0	50	22.3
Hibbing	397	395	2	-	154	41	-	112	24	60.5	12	30.2
Virginia	280	279	-	-	145	51	-	94	15	53.6	5	17.9
Balance of county	1,610	1,547	57	-	695	349	-	346	47	29.2	17	10.6
Scott	353	323	30	-	152	96	12	43	6	17.0	6	17.0
Sherburne	179	169	10	-	87	59	9	17	1	5.6	3	16.8
St. Cloud (part)	5	5	-	-	14	5	8	1	-	(5)	-	(5)
Balance of county	174	164	10	-	73	54	1	18	1	5.7	3	17.2
Sibley	333	299	34	-	132	96	-	34	6	18.0	4	12.0
Stearns	1,793	1,590	194	1	519	237	34	246	55	30.7	30	16.7
St. Cloud (part)	636	619	17	-	200	56	18	125	15	(5)	8	(5)
St. Cloud (total)	683	662	21	-	234	74	26	133	16	23.4	10	14.6
Balance of county	1,157	971	177	1	319	181	16	121	40	34.6	22	19.0
Steele	427	404	23	-	189	107	1	79	12	28.1	17	39.8
Stevens	279	259	18	-	75	33	-	38	7	25.1	4	14.3
Swift	402	379	23	-	148	80	-	64	9	22.4	7	17.4
Todd	598	515	82	-	248	140	-	106	23	38.5	10	16.7
Traverse	201	198	2	-	67	36	-	19	4	19.9	2	10.0
Wabasha	416	385	31	-	168	80	-	86	9	21.6	5	12.0
Wadena	322	266	53	1	117	70	-	45	12	37.3	4	12.4
Waseca	316	305	11	-	139	81	-	58	19	60.1	8	25.3
Washington	694	657	28	8	252	126	4	120	14	20.2	12	17.3
Watonwan	273	268	5	-	117	72	26	19	2	7.3	11	40.3
Wilkin	234	223	11	-	75	30	-	45	10	42.7	4	17.1
Winona	852	820	32	-	369	213	-	142	23	27.0	20	23.5
Winona	541	531	10	-	257	140	-	104	9	16.6	13	24.0
Balance of county	311	289	22	-	112	73	-	38	14	45.0	7	22.5
Wright	629	548	81	-	231	162	2	62	9	14.3	16	25.4
Yellow Medicine	390	358	32	-	122	82	-	39	9	23.1	10	25.6
MISSISSIPPI	61,690	23,837	15,096	22,600	19,417	13,988	511	4,732	2,311	37.5	1,882	30.5
Adams	792	435	43	312	327	233	-	93	41	51.8	19	24.0
White	354	342	7	3	105	---	---	---	18	50.8	3	8.5
Nonwhite	438	93	36	309	222	---	---	---	23	52.5	16	36.5
Natchez	617	398	26	191	216	141	-	75	24	38.9	11	17.8
White	335	327	3	3	91	---	---	---	14	41.8	2	6.0
Nonwhite	282	71	23	188	125	---	---	---	10	35.5	9	31.9
Balance of county	175	37	17	121	111	92	-	18	17	97.1	8	45.7
White	19	15	4	-	14	---	---	---	4	210.5	1	52.6
Nonwhite	156	22	13	121	97	---	---	---	13	83.3	7	44.9
Alcorn	716	354	283	79	255	189	1	64	40	55.9	16	22.3
White	618	344	240	34	209	---	---	---	38	61.5	15	24.3
Nonwhite	98	10	43	45	46	---	---	---	2	20.4	1	10.2
Amite	587	178	123	285	156	124	-	31	28	47.7	23	39.2
White	216	158	55	3	66	---	---	---	5	23.1	7	32.4
Nonwhite	371	20	68	282	90	---	---	---	23	62.0	16	43.1
Attala	812	329	251	229	245	159	-	84	34	41.9	18	22.2
White	405	278	118	9	129	---	---	---	18	44.4	10	24.7
Nonwhite	407	51	133	220	116	---	---	---	16	39.3	8	19.7
Benton	254	57	72	125	61	51	-	8	6	23.6	6	23.6
White	111	55	49	7	39	---	---	---	2	18.0	-	0
Nonwhite	143	2	23	118	22	---	---	---	4	28.0	6	42.0
Bolivar	1,853	437	448	962	631	487	2	135	61	32.9	51	27.5
White	477	277	176	23	121	---	---	---	13	27.3	6	12.6
Nonwhite	1,376	160	272	939	510	---	---	---	48	34.9	45	32.7

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE. 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
MISSISSIPPI—Continued												
Calhoun	521	165	318	36	133	110	-	16	15	28.8	18	34.5
White	394	161	227	6	96	--------	--------	--------	5	12.7	13	33.0
Nonwhite	127	4	91	30	37	--------	--------	--------	10	78.7	5	39.4
Carroll	484	80	121	281	134	115	-	19	13	26.9	18	37.2
White	142	72	56	13	63	--------	--------	--------	3	21.1	5	35.2
Nonwhite	342	8	65	268	71	--------	--------	--------	10	29.2	13	38.0
Chickasaw	558	143	248	161	146	92	-	54	14	25.1	22	39.4
White	268	136	123	7	88	--------	--------	--------	8	29.9	8	29.9
Nonwhite	290	7	125	154	58	--------	--------	--------	6	20.7	14	48.3
Choctaw	337	78	152	105	110	90	-	20	16	47.5	4	11.9
White	209	75	124	8	68	--------	--------	--------	9	43.1	2	9.6
Nonwhite	128	3	28	97	42	--------	--------	--------	7	54.7	2	15.6
Claiborne	300	58	31	211	116	96	1	19	8	26.7	16	53.3
White	67	42	17	8	32	--------	--------	--------	-	0	1	14.9
Nonwhite	233	16	14	203	84	--------	--------	--------	8	34.3	15	64.4
Clarke	569	213	169	187	177	130	-	45	23	40.4	13	22.8
White	317	197	111	9	86	--------	--------	--------	12	37.9	5	15.8
Nonwhite	252	16	58	178	91	--------	--------	--------	11	43.7	8	31.7
Clay	543	166	62	313	167	136	-	31	25	46.0	10	18.4
White	197	155	29	13	87	--------	--------	--------	8	40.6	1	5.1
Nonwhite	346	11	33	300	100	--------	--------	--------	17	49.1	9	26.0
Coahoma	1,305	259	302	743	453	369	-	78	43	33.0	62	47.5
White	296	237	53	5	89	--------	--------	--------	6	20.3	8	27.0
Nonwhite	1,009	22	249	738	364	--------	--------	--------	37	36.7	54	53.5
Clarksdale	397	174	104	119	160	116	-	41	9	22.7	16	40.3
White	167	161	5	1	59	--------	--------	--------	1	6.0	3	18.0
Nonwhite	230	13	99	118	101	--------	--------	--------	8	34.8	13	56.5
Balance of county	908	85	198	624	293	253	-	37	34	37.4	46	50.7
White	129	76	48	4	30	--------	--------	--------	5	38.8	5	38.8
Nonwhite	779	9	150	620	263	--------	--------	--------	29	37.2	41	52.6
Copiah	873	163	388	320	288	253	-	34	19	21.8	19	21.8
White	340	146	188	5	133	--------	--------	--------	6	17.6	5	14.7
Nonwhite	533	17	200	315	156	--------	--------	--------	13	24.4	14	26.3
Covington	478	192	195	91	113	73	-	40	16	33.5	12	25.1
White	309	169	131	9	85	--------	--------	--------	12	38.8	7	22.7
Nonwhite	169	23	64	82	28	--------	--------	--------	4	23.7	5	29.6
De Soto	746	141	178	426	228	188	-	31	35	46.9	30	40.2
White	174	107	61	5	68	--------	--------	--------	7	40.2	4	23.0
Nonwhite	572	34	117	421	158	--------	--------	--------	28	49.0	26	45.5
Forrest	1,272	758	330	181	405	252	-	153	53	41.7	34	26.7
White	830	719	103	8	244	--------	--------	--------	35	42.2	17	20.5
Nonwhite	442	39	227	175	161	--------	--------	--------	18	40.7	17	38.5
Hattiesburg	908	573	214	119	281	161	-	120	38	41.9	25	27.5
White	578	541	34	1	167	--------	--------	--------	23	39.8	13	22.5
Nonwhite	330	32	180	118	114	--------	--------	--------	15	45.5	12	36.4
Balance of county	364	185	116	62	124	91	-	33	15	41.2	9	24.7
White	252	178	69	5	77	--------	--------	--------	12	47.6	4	15.9
Nonwhite	112	7	47	57	47	--------	--------	--------	3	26.8	5	44.6
Franklin	243	104	39	100	97	74	-	23	9	37.0	15	61.7
White	139	91	37	11	47	--------	--------	--------	1	7.2	2	14.4
Nonwhite	104	13	2	89	50	--------	--------	--------	8	76.9	13	125.0
George	297	51	221	24	69	58	-	11	16	53.9	7	23.6
White	257	51	197	8	60	--------	--------	--------	16	62.3	5	19.5
Nonwhite	40	-	24	16	9	--------	--------	--------	-	0	2	50.0
Greene	292	34	188	70	65	45	-	20	9	30.8	12	41.1
White	211	33	159	19	48	--------	--------	--------	7	33.2	6	28.4
Nonwhite	81	1	29	51	17	--------	--------	--------	2	24.7	6	74.1
Grenada	527	193	98	235	196	143	-	53	31	58.8	25	47.4
White	233	175	56	2	88	--------	--------	--------	17	73.0	7	30.0
Nonwhite	294	18	42	233	108	--------	--------	--------	14	47.6	18	61.2
Hancock	324	211	38	74	93	71	-	22	5	15.4	2	6.2
White	276	209	24	42	66	--------	--------	--------	2	7.2	1	3.6
Nonwhite	48	2	14	32	27	--------	--------	--------	3	62.5	1	20.8
Harrison	1,808	1,490	106	210	638	351	37	247	72	39.8	38	21.0
White	1,474	1,369	63	40	485	--------	--------	--------	52	35.3	28	19.0
Nonwhite	334	121	43	170	151	--------	--------	--------	20	59.9	10	29.9
Biloxi	818	743	19	56	223	101	-	122	30	36.7	15	18.3
White	721	702	6	13	172	--------	--------	--------	26	36.1	12	16.6
Nonwhite	97	41	13	43	51	--------	--------	--------	4	41.2	3	30.9
Gulfport	602	509	30	62	204	97	33	74	28	46.5	13	21.6
White	469	446	16	6	157	--------	--------	--------	19	40.5	9	19.2
Nonwhite	133	63	14	56	47	--------	--------	--------	9	67.7	4	30.1
Balance of county	388	238	57	92	209	153	4	51	14	36.1	10	25.8
White	284	221	41	21	156	--------	--------	--------	7	24.6	7	24.6
Nonwhite	104	17	16	71	53	--------	--------	--------	7	67.3	3	28.8
Hinds	3,345	1,822	345	1,174	1,045	666	5	339	121	36.2	127	38.0
White	1,595	1,492	92	9	461	--------	--------	--------	47	29.5	35	21.9
Nonwhite	1,750	330	253	1,165	584	--------	--------	--------	74	42.3	92	52.6
Jackson	2,062	1,492	200	367	697	402	3	281	94	45.6	87	42.2
White	1,232	1,216	12	2	351	--------	--------	--------	45	36.5	27	21.9
Nonwhite	830	276	188	365	346	--------	--------	--------	49	59.0	60	72.3
Balance of county	1,283	330	145	807	348	264	2	78	27	21.0	40	31.2
White	363	276	80	7	110	--------	--------	--------	2	5.5	8	22.0
Nonwhite	920	54	85	800	238	--------	--------	--------	25	27.2	32	34.8

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
MISSISSIPPI—Continued												
Holmes	1,124	174	162	787	331	272	2	56	35	31.1	30	26.7
White	222	157	56	9	75	--------	--------	--------	9	40.5	-	0
Nonwhite	902	17	106	778	256	--------	--------	--------	26	28.8	30	33.3
Humphreys	722	69	143	508	226	195	-	31	31	42.9	27	37.4
White	178	59	102	17	50	--------	--------	--------	3	16.9	2	11.2
Nonwhite	544	10	41	491	176	--------	--------	--------	28	51.5	25	46.0
Issaquena	149	19	22	108	47	38	-	9	5	33.6	6	40.3
White	37	17	15	5	5	--------	--------	--------	-	0	2	54.1
Nonwhite	112	2	7	103	42	--------	--------	--------	5	44.6	4	35.7
Itawamba	457	141	299	16	103	89	-	13	15	32.8	7	15.3
Jackson	1,063	829	68	165	241	142	1	92	42	39.5	21	19.8
White	845	776	44	24	170	--------	--------	--------	33	39.1	17	20.1
Nonwhite	218	53	24	141	71	--------	--------	--------	9	41.3	4	18.3
Jasper	559	137	278	144	140	114	-	25	17	30.4	24	42.9
White	246	118	125	3	70	--------	--------	--------	9	36.6	9	36.6
Nonwhite	313	19	153	141	70	--------	--------	--------	8	25.6	15	47.9
Jefferson	322	37	43	241	127	105	-	22	10	31.1	17	52.8
White	54	28	25	1	37	--------	--------	--------	2	37.0	1	18.5
Nonwhite	268	9	18	240	90	--------	--------	--------	8	29.9	16	59.7
Jefferson Davis	471	59	223	187	144	121	-	23	20	42.5	15	31.8
White	172	49	118	4	59	--------	--------	--------	3	17.4	1	5.8
Nonwhite	299	10	105	183	85	--------	--------	--------	17	56.9	14	46.8
Jones	1,604	1,197	165	239	376	243	3	127	55	34.3	49	30.5
White	1,154	1,079	68	6	227	--------	--------	--------	32	27.7	24	20.8
Nonwhite	450	118	97	233	149	--------	--------	--------	23	51.1	25	55.6
Laurel	742	566	66	109	196	126	-	69	24	32.3	29	39.1
White	496	483	12	1	104	--------	--------	--------	14	28.2	13	26.2
Nonwhite	246	83	54	108	92	--------	--------	--------	10	40.7	16	65.0
Balance of county	862	631	99	130	180	117	3	58	31	36.0	20	23.2
White	658	596	56	5	123	--------	--------	--------	18	27.4	11	16.7
Nonwhite	204	35	43	125	57	--------	--------	--------	13	63.7	9	44.1
Kemper	545	92	178	275	143	113	-	30	21	38.5	21	38.5
White	168	86	73	9	55	--------	--------	--------	7	41.7	3	17.9
Nonwhite	377	6	103	266	88	--------	--------	--------	14	37.1	18	47.7
Lafayette	543	226	87	229	178	142	-	36	21	38.7	21	38.7
White	273	211	53	9	95	--------	--------	--------	8	29.3	7	25.6
Nonwhite	270	15	34	220	83	--------	--------	--------	13	48.1	14	51.9
Lamar	337	129	156	52	80	58	-	22	5	14.8	11	32.6
White	276	128	136	12	62	--------	--------	--------	5	18.1	9	32.6
Nonwhite	61	1	20	40	18	--------	--------	--------	-	0	2	32.8
Lauderdale	1,673	1,177	121	371	727	413	55	245	80	47.8	50	29.9
White	1,031	961	65	4	445	--------	--------	--------	47	45.6	19	18.4
Nonwhite	642	216	58	367	282	--------	--------	--------	33	51.4	31	48.3
Meridian	1,167	947	50	169	489	239	53	185	57	48.8	32	27.4
White	800	777	20	3	322	--------	--------	--------	41	51.3	14	17.5
Nonwhite	367	170	30	166	167	--------	--------	--------	16	43.6	18	49.0
Balance of county	506	230	71	202	238	174	2	60	23	45.5	18	35.6
White	231	184	45	1	123	--------	--------	--------	6	26.0	5	21.6
Nonwhite	275	46	26	201	115	--------	--------	--------	17	61.8	13	47.3
Lawrence	383	161	91	130	119	89	-	27	21	54.8	8	20.9
White	223	148	62	13	67	--------	--------	--------	8	35.9	1	4.5
Nonwhite	160	13	29	117	52	--------	--------	--------	13	81.3	7	43.8
Leake	654	123	321	208	174	142	-	31	22	33.6	10	15.3
White	321	105	203	13	103	--------	--------	--------	7	21.8	7	21.8
Nonwhite	333	18	118	195	71	--------	--------	--------	15	45.0	3	9.0
Lee	1,007	520	430	56	327	250	-	76	36	35.7	27	26.8
White	718	499	218	1	217	--------	--------	--------	26	36.2	19	26.5
Nonwhite	289	21	212	55	110	--------	--------	--------	10	34.6	8	27.7
Leflore	1,529	308	185	1,032	480	389	-	90	61	39.9	64	41.9
White	351	277	69	5	123	--------	--------	--------	9	25.6	12	34.2
Nonwhite	1,178	32	116	1,027	357	--------	--------	--------	52	44.1	52	44.1
Greenwood	469	237	29	203	189	133	-	55	22	46.9	25	53.3
White	229	218	10	1	82	--------	--------	--------	7	30.6	10	43.7
Nonwhite	240	19	19	202	107	--------	--------	--------	15	62.5	15	62.5
Balance of county	1,060	72	156	829	291	256	-	35	39	36.8	39	36.8
White	122	59	59	4	41	--------	--------	--------	2	16.4	2	16.4
Nonwhite	938	13	97	825	250	--------	--------	--------	37	39.4	37	39.4
Lincoln	744	470	106	158	255	161	-	94	35	47.0	30	40.3
White	469	410	41	11	143	--------	--------	--------	19	40.5	12	25.6
Nonwhite	275	60	65	147	112	--------	--------	--------	16	58.2	18	65.5
Lowndes	1,027	393	191	450	335	254	-	81	29	28.2	21	20.4
White	448	372	64	12	134	--------	--------	--------	18	40.2	11	24.6
Nonwhite	579	11	127	438	201	--------	--------	--------	11	19.0	10	17.3
Columbus	609	337	67	204	182	115	-	67	19	31.2	14	23.0
White	356	330	25	1	80	--------	--------	--------	13	36.5	10	28.1
Nonwhite	253	7	42	203	102	--------	--------	--------	6	23.7	4	15.8
Balance of county	418	46	124	246	153	139	-	14	10	23.9	7	16.7
White	92	42	39	11	54	--------	--------	--------	5	54.3	1	10.9
Nonwhite	326	4	85	235	99	--------	--------	--------	5	15.3	6	18.4
Madison	1,086	214	151	727	333	261	-	66	54	49.3	35	31.9
White	207	177	27	3	81	--------	--------	--------	7	33.8	3	14.5
Nonwhite	889	37	124	724	252	--------	--------	--------	47	52.9	32	36.0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
MISSISSIPPI—Continued												
Marion	664	337	114	212	193	123	-	69	28	42.2	23	34.6
White	403	311	81	10	123	--------	--------	--------	19	47.1	11	27.3
Nonwhite	261	26	33	202	70	--------	--------	--------	9	34.5	12	46.0
Marshall	823	138	179	501	232	191	-	20	28	34.0	20	24.3
White	207	108	84	14	72	--------	--------	--------	8	38.6	6	29.0
Nonwhite	616	30	95	487	160	--------	--------	--------	20	32.5	14	22.7
Monroe	1,011	342	405	263	316	237	2	76	40	39.6	18	17.8
White	555	292	245	17	168	--------	--------	--------	21	37.8	8	14.4
Nonwhite	456	50	160	246	148	--------	--------	--------	19	41.7	10	21.9
Montgomery	440	174	61	204	146	104	-	41	9	20.5	11	25.0
White	204	162	38	4	101	--------	--------	--------	3	14.7	3	14.7
Nonwhite	236	12	23	200	45	--------	--------	--------	6	25.4	8	33.9
Neshoba	781	460	212	105	197	137	1	58	21	26.9	22	28.2
White	545	394	140	9	141	--------	--------	--------	10	18.3	12	22.0
Nonwhite	236	66	72	96	56	--------	--------	--------	11	46.6	10	42.4
Newton	637	474	86	74	205	132	-	72	36	56.5	26	40.8
White	380	353	23	3	121	--------	--------	--------	16	42.1	11	28.9
Nonwhite	257	121	63	71	84	--------	--------	--------	20	77.8	15	58.4
Noxubee	716	128	62	523	222	187	-	34	28	39.1	31	43.3
White	133	101	23	9	56	--------	--------	--------	5	37.6	7	52.6
Nonwhite	583	27	39	514	166	--------	--------	--------	23	39.5	24	41.2
Oktibbeha	647	76	285	282	171	154	-	14	13	20.1	16	24.7
White	250	75	173	2	60	--------	--------	--------	5	20.0	1	4.0
Nonwhite	397	1	112	280	111	--------	--------	--------	8	20.2	15	37.8
Panola	922	309	209	401	260	204	-	52	28	30.4	32	34.7
White	343	227	108	8	114	--------	--------	--------	14	40.8	9	26.2
Nonwhite	579	82	101	393	146	--------	--------	--------	14	24.2	23	39.7
Pearl River	625	308	301	16	166	105	-	61	29	46.4	20	32.0
White	495	280	213	2	114	--------	--------	--------	23	46.5	12	24.2
Nonwhite	130	28	88	14	52	--------	--------	--------	6	46.2	8	61.5
Perry	268	115	75	77	62	36	-	26	8	29.9	8	29.9
White	201	109	66	26	43	--------	--------	--------	7	34.8	3	14.9
Nonwhite	67	6	9	51	19	--------	--------	--------	1	14.9	5	74.6
Pike	1,003	466	295	219	358	255	-	102	38	37.9	23	22.9
White	506	409	93	4	189	--------	--------	--------	16	31.6	6	11.9
Nonwhite	497	77	202	215	169	--------	--------	--------	22	44.3	17	34.2
Pontotoc	517	265	176	74	157	128	-	29	18	34.8	19	36.8
White	412	255	139	18	124	--------	--------	--------	12	29.1	9	21.8
Nonwhite	105	10	39	56	33	--------	--------	--------	6	57.1	10	95.2
Prentiss	599	301	263	35	179	130	-	44	21	35.1	19	31.7
White	527	268	234	5	155	--------	--------	--------	21	39.8	14	26.6
Nonwhite	72	13	29	30	24	--------	--------	--------	-	0	5	69.4
Quitman	825	233	260	328	227	182	-	43	36	43.6	34	41.2
White	325	174	141	9	69	--------	--------	--------	9	27.7	6	18.5
Nonwhite	500	59	119	319	158	--------	--------	--------	27	54.0	28	56.0
Rankin	735	289	116	328	585	144	394	47	24	32.7	16	21.8
White	301	229	57	15	278	--------	--------	--------	10	33.2	6	19.9
Nonwhite	434	60	59	313	307	--------	--------	--------	14	32.3	10	23.0
Scott	688	241	191	254	182	140	-	41	24	34.9	25	36.3
White	333	215	107	10	95	--------	--------	--------	11	33.0	7	21.0
Nonwhite	355	26	84	244	87	--------	--------	--------	13	38.8	18	50.7
Sharkey	414	84	54	293	125	97	-	28	13	31.4	10	24.2
White	89	58	25	6	24	--------	--------	--------	2	22.5	1	11.2
Nonwhite	325	6	29	287	101	--------	--------	--------	11	33.8	9	27.7
Simpson	574	294	147	132	171	111	-	55	21	36.6	12	20.9
White	346	253	87	6	106	--------	--------	--------	10	28.9	6	17.3
Nonwhite	228	41	60	126	65	--------	--------	--------	11	48.2	6	26.3
Smith	487	219	205	62	115	81	-	35	15	30.8	15	30.8
White	374	211	160	3	90	--------	--------	--------	11	29.4	9	24.1
Nonwhite	113	8	45	59	25	--------	--------	--------	4	35.4	6	53.1
Stone	168	75	62	31	66	49	-	17	8	47.6	3	17.9
White	121	70	46	5	43	--------	--------	--------	5	41.3	2	16.5
Nonwhite	47	5	16	26	23	--------	--------	--------	3	63.8	1	21.3
Sunflower	1,639	257	579	799	432	345	3	83	56	34.2	58	35.4
White	455	211	224	19	111	--------	--------	--------	12	26.4	16	35.2
Nonwhite	1,184	46	355	780	321	--------	--------	--------	44	37.2	42	35.5
Tallahatchie	987	194	302	486	313	251	1	60	41	41.5	24	24.3
White	288	169	110	9	85	--------	--------	--------	7	24.3	4	13.9
Nonwhite	699	25	192	477	228	--------	--------	--------	34	48.6	20	28.6
Tate	569	103	176	285	149	123	-	21	16	28.1	19	33.4
White	188	96	83	7	48	--------	--------	--------	4	21.3	4	21.3
Nonwhite	381	7	93	278	101	--------	--------	--------	12	31.5	15	39.4
Tippah	498	236	219	43	132	100	-	26	16	32.1	11	22.1
White	402	224	163	15	111	--------	--------	--------	14	34.8	5	12.4
Nonwhite	96	12	56	28	21	--------	--------	--------	2	20.8	6	62.5
Tishomingo	455	96	359	-	114	93	-	21	13	28.6	3	6.6
Tunica	656	64	109	482	232	202	1	28	29	44.2	20	30.5
White	111	54	46	11	27	--------	--------	--------	4	36.0	1	9.0
Nonwhite	545	10	63	471	205	--------	--------	--------	25	45.9	19	34.9
Union	543	372	87	83	158	109	-	48	20	36.8	13	23.9
White	443	348	73	21	127	--------	--------	--------	18	40.6	9	20.3
Nonwhite	100	24	14	62	31	--------	--------	--------	2	20.0	4	40.0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
MISSISSIPPI—Continued												
Walthall	491	286	50	156	125	71	-	51	27	55.0	13	26.5
White	200	173	16	11	66	---	---	---	11	55.0	3	15.0
Nonwhite	291	112	34	145	59	---	---	---	16	55.0	10	34.4
Warren	1,015	639	62	314	452	293	-	159	35	34.5	32	31.5
White	528	501	21	6	173	---	---	---	14	26.5	12	22.7
Nonwhite	487	138	41	308	279	---	---	---	21	43.1	20	41.1
Vicksburg	749	566	37	146	321	184	-	137	27	36.0	22	29.4
White	474	457	13	4	146	---	---	---	14	29.5	12	25.3
Nonwhite	275	109	24	142	175	---	---	---	13	47.3	10	36.4
Balance of county	266	73	25	168	131	109	-	22	8	30.1	10	37.6
White	54	44	8	2	27	---	---	---	-	0	-	0
Nonwhite	212	29	17	166	104	---	---	---	8	37.7	10	47.2
Washington	1,862	572	353	935	687	491	2	189	52	27.9	56	30.1
White	563	462	86	15	146	---	---	---	20	35.5	4	7.1
Nonwhite	1,299	110	267	920	541	---	---	---	32	24.6	52	40.0
Greenville	752	416	115	221	315	193	1	117	29	38.6	20	26.6
White	348	333	7	8	84	---	---	---	16	46.0	1	2.9
Nonwhite	404	83	108	213	231	---	---	---	13	32.2	19	47.0
Balance of county	1,110	156	238	714	372	298	1	72	23	20.7	36	32.4
White	215	129	79	7	62	---	---	---	4	18.6	3	14.0
Nonwhite	895	27	159	707	310	---	---	---	19	21.2	33	36.9
Wayne	522	270	91	157	118	99	-	18	22	42.1	15	28.7
White	307	236	55	14	67	---	---	---	10	32.6	7	22.8
Nonwhite	215	34	36	143	51	---	---	---	12	55.8	8	37.2
Webster	309	62	188	57	82	59	-	22	12	38.8	8	25.9
White	218	62	148	7	70	---	---	---	8	36.7	3	13.8
Nonwhite	91	-	40	50	12	---	---	---	4	44.0	5	54.9
Wilkinson	506	89	86	331	163	128	-	35	28	55.3	14	27.7
White	106	70	36	-	49	---	---	---	10	94.3	1	9.4
Nonwhite	400	19	50	331	114	---	---	---	18	45.0	13	32.5
Winston	680	281	171	226	190	137	-	53	32	47.1	24	35.3
White	350	264	83	2	109	---	---	---	20	57.1	10	28.6
Nonwhite	330	17	88	224	81	---	---	---	12	36.4	14	42.4
Yalobusha	439	119	185	133	149	126	-	22	15	34.2	14	31.9
White	211	108	98	5	83	---	---	---	8	37.9	2	9.5
Nonwhite	228	11	87	128	65	---	---	---	7	30.7	12	52.6
Yazoo	1,130	293	152	682	356	288	-	68	43	38.1	44	38.9
White	389	255	94	39	105	---	---	---	11	28.3	10	25.7
Nonwhite	741	38	58	643	251	---	---	---	32	43.2	34	45.9
MISSOURI	80,684	63,122	16,194	905	42,451	23,326	2,172	16,499	2,665	33.0	1,824	22.6
Adair	379	288	89	-	219	112	2	104	15	39.6	5	13.2
Kirksville	259	199	39	-	148	58	1	88	13	54.4	2	8.4
Balance of county	140	89	50	-	71	54	1	16	2	14.3	3	21.4
Andrew	167	108	58	1	121	86	-	34	9	53.9	4	24.0
Atchison	257	203	54	-	115	66	2	46	7	27.2	2	7.8
Audrain	490	401	88	1	232	140	3	88	18	36.7	14	28.6
Barry	440	289	137	2	229	156	-	66	24	54.5	10	22.7
Barton	228	165	61	-	126	106	2	18	9	39.5	4	17.5
Bates	286	201	85	-	219	159	2	55	5	17.5	5	17.5
Benton	168	125	43	-	107	83	-	24	5	29.8	3	17.9
Bollinger	223	74	139	2	78	63	-	15	1	4.5	4	17.9
Boone	768	610	158	-	384	248	4	129	31	40.4	11	14.3
Columbia	494	423	71	-	229	136	1	90	21	42.5	9	18.2
White	442	412	30	-	196	---	---	---	18	40.7	7	15.8
Nonwhite	52	11	41	-	33	---	---	---	3	57.7	2	38.5
Balance of county	274	187	87	-	155	112	3	39	10	36.5	2	7.3
Buchanan	1,707	1,476	225	5	1,309	630	246	411	70	41.0	47	27.5
St. Joseph	1,420	1,237	177	5	1,180	536	240	385	59	41.5	36	25.4
Balance of county	287	239	48	-	129	94	6	26	11	38.3	11	38.3
Butler	937	535	304	32	326	199	-	127	46	49.1	13	13.9
Poplar Bluff	341	261	60	8	167	85	-	82	19	55.7	4	11.7
Balance of county	596	274	244	24	159	114	-	45	27	45.3	9	15.1
Caldwell	155	86	69	-	138	104	2	32	3	19.4	2	12.9
Callaway	405	297	107	-	476	139	272	65	14	34.6	9	22.2
White	371	277	93	-	403	---	---	---	14	37.7	8	21.6
Nonwhite	34	20	14	-	73	---	---	---	-	0	1	29.4
Camden	163	68	88	2	84	67	-	14	5	30.7	6	36.8
Cape Girardeau	859	728	121	8	389	224	2	160	39	45.4	23	26.8
Cape Girardeau	490	458	26	4	219	112	-	107	26	53.1	11	22.4
Balance of county	369	270	95	4	170	112	2	53	13	35.2	12	32.5
Carroll	286	206	80	-	191	121	-	65	12	42.0	3	10.5
Carter	121	49	64	2	46	28	1	16	7	57.9	-	0
Cass	323	178	145	-	227	171	6	46	14	43.3	10	31.0
Cedar	177	62	114	-	137	107	-	23	2	11.3	5	28.2
Chariton	237	95	142	-	157	118	4	34	7	29.5	9	38.0
Christian	270	132	132	1	100	81	-	19	8	29.6	2	7.4
Clark	167	126	41	-	111	69	4	38	6	35.9	2	12.0
Clay	820	746	73	-	362	240	21	100	13	15.9	10	12.2
Clinton	209	124	84	-	171	131	1	37	9	43.1	6	28.7
Cole	653	538	110	1	299	182	18	99	29	44.4	13	19.9
Jefferson City	459	414	40	1	201	111	17	73	18	39.2	9	19.6
Balance of county	194	124	70	-	98	71	1	26	11	56.7	4	20.6

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
MISSOURI—Continued												
Cooper	297	243	52	-	171	103	2	66	12	40.4	4	13.5
White	271	230	40	-	151	---------	---------	---------	10	36.9	4	14.8
Nonwhite	26	13	12	-	20	---------	---------	---------	2	76.9	-	0
Crawford	222	88	130	-	101	76	-	24	4	18.0	5	22.5
Dade	133	78	55	-	98	83	2	11	3	22.6	2	15.0
Dallas	195	64	129	1	108	90	-	18	6	30.8	3	15.4
Daviess	167	59	108	-	168	127	7	31	5	29.9	2	12.0
De Kalb	121	50	71	-	109	82	-	20	4	33.1	2	16.5
Dent	210	108	57	38	107	95	-	12	5	23.8	16	76.2
Douglas	234	50	165	5	98	85	1	12	10	42.7	8	34.2
Dunklin	1,108	353	731	10	362	252	5	104	45	40.6	24	21.7
Franklin	723	510	211	-	348	224	1	108	22	30.4	11	15.2
Gasconade	231	165	66	-	113	79	1	33	5	21.6	11	47.6
Gentry	179	84	94	-	135	111	5	19	4	22.3	3	16.8
Greene	2,228	2,058	166	2	987	621	24	332	69	31.0	36	16.2
* Springfield	1,564	1,516	46	1	707	426	10	261	49	31.3	20	12.8
Balance of county	664	542	120	1	280	195	14	71	20	30.1	16	24.1
Grundy	213	186	27	-	196	151	2	43	16	75.1	10	46.9
Harrison	281	178	103	-	168	111	7	48	7	24.9	6	21.4
Henry	364	317	45	2	261	165	1	87	14	38.5	10	27.5
Hickory	101	56	45	-	54	40	-	14	1	9.9	3	29.7
Holt	190	115	75	-	111	82	7	22	2	10.5	2	10.5
Howard	188	130	58	-	150	103	-	47	6	31.9	2	10.6
White	172	130	42	-	122	---------	---------	---------	5	29.1	1	5.8
Nonwhite	16	-	16	-	28	---------	---------	---------	1	62.5	1	62.5
Howell	518	249	234	15	218	179	1	37	23	44.4	7	13.5
Iron	255	122	94	22	111	76	16	19	13	51.0	3	11.8
Jackson	11,217	10,726	477	2	6,100	2,738	188	3,061	413	36.8	226	20.1
Independence	588	569	19	-	276	116	3	149	14	23.8	14	23.8
Kansas City	9,165	8,787	364	2	5,248	2,277	95	2,807	361	38.4	193	21.1
White	8,198	8,007	182	1	4,387	---------	---------	---------	293	35.7	167	20.4
Nonwhite	969	780	182	1	861	---------	---------	---------	68	70.2	26	26.8
Balance of county	1,464	1,370	94	-	576	345	90	105	38	26.0	19	13.0
Jasper	1,910	1,791	115	-	1,046	588	6	426	58	30.4	36	18.8
Carthage	263	256	7	-	165	101	3	54	4	15.2	5	19.0
Joplin (part)	951	921	30	-	539	255	1	266	33	(5)	15	(5)
Joplin (total)	960	930	30	-	541	257	1	266	33	34.4	15	15.6
Balance of county	696	614	78	-	342	232	2	108	21	30.2	16	23.0
Jefferson	708	408	296	2	324	237	-	86	19	26.8	18	25.4
Johnson	380	303	76	1	232	160	8	61	17	44.7	3	7.9
Knox	128	99	27	-	86	62	-	16	-	0	4	31.3
Laclede	460	337	117	1	197	117	-	76	12	26.1	10	21.7
Lafayette	464	300	164	-	298	227	1	69	18	38.8	14	30.2
Lawrence	427	264	160	-	317	210	5	96	10	23.4	4	9.4
Lewis	189	104	85	-	163	114	7	39	7	37.0	2	10.6
Lincoln	213	117	96	-	146	108	1	36	6	28.2	2	9.4
Linn	339	243	96	-	287	192	8	75	9	26.5	13	38.3
Livingston	298	248	49	-	207	154	1	51	12	40.5	6	20.3
McDonald	293	166	117	2	133	103	-	28	8	27.3	4	13.7
Macon	273	170	102	-	236	171	2	62	11	40.3	6	22.0
Madison	260	74	179	2	83	70	-	12	5	19.2	5	19.2
Maries	144	36	107	-	45	36	-	9	2	13.9	6	41.7
Marion	679	629	49	1	394	194	10	182	29	42.7	7	10.3
Hannibal	474	453	20	1	294	128	-	160	21	44.3	6	12.7
Balance of county	205	176	29	-	100	66	10	22	8	39.0	1	4.9
Mercer	136	94	42	-	94	72	4	17	4	29.4	5	36.8
Miller	290	73	217	-	120	88	-	31	8	27.8	4	13.8
Mississippi	724	180	445	94	192	160	-	31	28	38.7	21	29.0
White	578	178	390	9	131	---------	---------	---------	19	32.9	9	15.6
Nonwhite	146	2	55	85	61	---------	---------	---------	9	61.6	12	82.2
Moniteau	217	134	83	-	115	85	3	27	11	50.7	6	27.6
Monroe	183	105	77	-	162	111	8	41	8	43.7	2	10.9
Montgomery	189	113	76	-	138	110	-	26	4	21.2	1	5.3
Morgan	210	81	127	2	112	91	-	21	7	33.3	4	19.0
New Madrid	1,016	328	562	108	279	222	-	55	47	46.3	27	26.6
White	851	327	505	11	225	---------	---------	---------	35	41.1	24	28.2
Nonwhite	165	1	57	97	54	---------	---------	---------	12	72.7	3	18.2
Newton	641	471	164	2	252	169	4	74	22	34.3	14	21.8
Joplin (part)	9	9	-	-	2	2	-	-	-	(5)	-	(5)
Balance of county	632	462	164	2	250	167	4	74	22	34.8	14	22.2
Nodaway	475	421	54	-	237	145	1	90	12	25.3	14	29.5
Oregon	229	63	152	11	98	83	-	15	5	21.8	4	17.5
Osage	231	127	100	-	84	60	-	24	7	30.3	3	13.0
Ozark	206	99	87	6	65	56	-	9	6	29.1	2	9.7
Pemiscot	1,085	270	641	138	348	286	2	59	38	35.0	36	33.2
White	882	269	577	27	241	---------	---------	---------	31	35.1	25	28.3
Nonwhite	203	1	64	111	107	---------	---------	---------	7	34.5	11	54.2
Perry	330	153	175	1	124	83	1	40	8	24.2	5	15.2
Pettis	644	545	99	-	386	239	-	147	21	32.6	16	24.8
Sedalia	440	379	61	-	284	160	-	124	16	36.4	11	25.0
Balance of county	204	166	38	-	102	79	-	23	5	24.5	5	24.5
Phelps	467	248	212	3	199	120	15	49	14	30.0	9	19.3

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B(Counties)—Continued												
MISSOURI—Continued												
Pike	263	200	80	1	238	161	4	72	7	24.7	11	38.9
White	261	187	72	1	212	----------	----------	----------	6	23.0	9	34.5
Nonwhite	22	13	8	-	26	----------	----------	----------	1	45.5	2	90.9
Platte	250	209	41	-	135	94	-	40	3	12.0	4	16.0
Polk	282	138	143	1	188	135	2	48	8	28.4	7	24.8
Pulaski	296	123	172	1	120	63	1	47	8	27.0	7	23.6
Putnam	163	110	53	-	115	90	1	24	5	30.7	4	24.5
Ralls	151	130	20	1	81	46	-	34	3	19.9	3	19.9
Randolph	413	263	149	1	292	180	2	109	18	38.7	7	16.9
Moberly	239	170	69	-	180	100	-	79	9	37.7	6	25.1
Balance of county	174	93	80	1	112	80	2	30	7	40.2	1	5.7
Ray	228	131	96	-	223	180	4	37	7	30.7	14	61.4
Reynolds	164	38	102	15	51	43	-	8	4	24.4	5	30.5
Ripley	246	114	109	8	102	85	-	17	10	40.7	6	24.4
St. Charles	595	518	75	-	282	152	23	106	17	28.7	15	25.3
St. Charles	318	295	23	-	135	59	6	70	12	37.7	11	34.6
Balance of county	275	223	52	-	147	93	17	36	5	18.2	4	14.5
St. Clair	189	112	77	-	97	77	2	17	5	26.5	2	10.6
St. Francois	689	417	251	26	436	219	146	70	17	24.3	17	24.3
St. Louis	7,206	6,870	295	36	3,059	1,286	185	1,559	156	21.6	131	18.2
Clayton	379	375	4	-	327	72	-	254	4	10.6	2	5.3
Kirkwood	381	364	17	-	160	85	20	55	8	21.0	9	23.6
Maplewood	271	266	5	-	123	75	-	48	5	18.5	8	29.5
Richmond Heights	346	345	1	-	112	49	-	63	8	23.1	3	8.7
University City	670	667	3	-	252	122	6	123	7	10.4	10	14.9
Webster Groves	450	439	10	1	154	101	2	50	11	24.4	7	15.6
Balance of county	4,709	4,414	255	35	1,931	792	157	968	113	24.0	92	19.5
St. Louis (city)	19,105	18,225	696	175	10,344	4,095	604	5,596	641	33.6	532	27.8
White	15,813	15,178	487	144	8,374	----------	----------	----------	470	29.7	353	22.3
Nonwhite	3,292	3,045	209	31	1,970	----------	----------	----------	171	51.9	179	54.4
Ste. Genevieve	240	82	158	-	90	76	2	12	5	20.8	6	25.0
Saline	525	392	132	-	340	218	47	71	23	43.8	14	26.7
Schuyler	90	50	40	-	69	41	1	25	2	22.2	2	22.2
Scotland	122	91	30	-	64	48	-	14	1	8.2	3	24.6
Scott	809	506	241	54	250	155	1	94	26	32.1	14	17.3
Shannon	196	46	129	12	65	48	-	16	9	45.9	3	15.3
Shelby	154	98	56	-	162	119	4	32	3	19.5	4	26.0
Stoddard	804	250	529	12	246	182	3	60	29	36.1	22	27.4
Stone	220	72	141	5	74	60	-	14	5	22.7	6	27.3
Sullivan	207	125	60	1	149	112	7	26	8	38.6	3	14.5
Taney	197	73	118	3	98	77	-	19	12	60.9	3	15.2
Texas	368	97	260	4	200	160	7	32	15	40.8	11	29.9
Vernon	408	350	57	-	435	196	167	67	10	24.5	8	19.6
Warren	116	91	25	-	95	69	7	19	-	0	2	17.2
Washington	295	86	181	15	107	92	-	15	10	33.9	10	33.9
Wayne	231	99	120	2	89	60	-	28	8	34.6	5	21.6
Webster	325	194	125	1	137	109	1	24	9	27.7	4	12.3
Worth	105	47	58	-	58	44	-	12	4	38.1	2	19.0
Wright	298	86	203	3	143	119	2	22	9	30.2	6	20.1
MONTANA	12,858	12,422	326	43	5,595	2,222	231	3,072	449	34.8	224	17.4
Beaverhead	110	108	2	-	77	37	9	31	3	27.3	3	27.3
Big Horn	290	249	18	5	87	45	-	41	13	44.8	7	24.1
White	191	176	15	-	51	----------	----------	----------	5	26.2	4	20.9
Nonwhite	99	73	3	5	36	----------	----------	----------	8	80.8	3	30.3
Blaine	218	201	14	-	85	37	-	46	16	73.4	4	18.3
White	168	157	10	-	66	----------	----------	----------	8	47.6	2	11.9
Nonwhite	50	44	4	-	19	----------	----------	----------	8	160.0	2	40.0
Broadwater	76	74	2	-	19	7	1	11	1	13.2	-	0
Carbon	249	221	28	-	135	85	-	47	4	16.1	6	24.1
Carter	63	63	-	-	23	11	-	9	2	31.7	-	0
Cascade	1,145	1,131	12	2	504	124	-	379	27	23.6	13	11.4
Great Falls	923	915	8	-	451	94	-	356	25	27.1	13	14.1
Balance of county	222	216	4	2	53	30	-	23	2	9.0	-	0
Chouteau	157	155	2	-	43	19	-	24	1	6.4	1	6.4
Custer	272	268	4	-	88	22	4	61	3	11.0	3	11.0
Daniels	94	92	2	-	28	14	-	14	2	21.3	-	0
Dawson	238	230	7	-	75	36	-	39	8	33.6	4	16.8
Deer Lodge	312	312	-	-	328	53	162	113	10	32.1	7	22.4
Anaconda	290	290	-	-	139	47	-	92	10	34.5	5	17.2
Balance of county	22	22	-	-	189	6	162	21	-	0	2	90.9
Fallon	94	90	4	-	24	8	-	16	3	31.9	1	10.6
Fergus	338	334	2	2	152	60	-	92	15	44.4	3	8.9
Flathead	628	610	17	-	260	141	12	107	26	41.4	13	20.7
Gallatin	457	449	8	-	171	79	-	90	9	19.7	7	15.3
Garfield	46	45	1	-	27	12	-	15	1	21.7	-	0
Glacier	277	255	5	4	110	44	-	64	26	93.9	1	3.6
White	147	143	3	-	41	----------	----------	----------	1	6.8	-	0
Nonwhite	130	112	2	4	69	----------	----------	----------	25	192.3	1	7.7
Golden Valley	31	29	2	-	12	8	-	4	-	0	-	0
Granite	56	52	4	-	27	14	-	13	3	53.6	2	35.7
Hill	369	351	10	8	112	38	-	74	18	48.8	4	10.8
Jefferson	70	65	5	-	46	24	4	17	3	42.9	-	0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
MONTANA—Continued												
Judith Basin	64	64	-	-	18	4	-	14	2	31.3	1	15.6
Lake	262	255	7	-	120	61	-	56	14	53.4	6	22.9
White	208	203	5	-	87	--------	--------	--------	8	38.5	6	28.8
Nonwhite	54	52	2	-	33	--------	--------	--------	6	111.1	-	0
Lewis and Clark	509	508	1	-	326	97	7	216	25	49.1	14	27.5
Helena	410	409	1	-	242	74	-	164	20	48.8	12	29.3
Balance of county	99	99	-	-	84	23	7	52	5	50.5	2	20.2
Liberty	45	45	-	-	17	7	-	10	1	22.2	1	22.2
Lincoln	180	173	6	1	86	44	-	36	8	44.4	5	27.8
McCone	70	66	2	1	17	8	-	9	-	0	-	0
Madison	98	91	6	1	36	27	-	8	1	10.2	2	20.4
Meagher	34	30	4	-	18	9	-	9	-	0	-	0
Mineral	48	48	-	-	18	9	-	9	-	0	-	0
Missoula	750	740	8	1	319	118	-	197	24	32.0	16	21.3
Missoula	604	598	5	1	279	93	-	182	20	33.1	10	16.6
Balance of county	146	142	3	-	40	25	-	15	4	27.4	6	41.1
Musselshell	127	122	5	-	49	20	7	22	2	15.7	3	23.6
Park	231	228	3	-	132	56	-	72	3	13.0	3	13.0
Petroleum	19	19	-	-	9	5	-	4	-	0	-	0
Phillips	145	128	14	3	46	28	-	17	2	13.8	2	13.8
Pondera	177	175	1	-	58	21	1	36	11	62.1	3	16.9
Powder River	48	47	1	-	13	4	-	8	-	0	-	0
Powell	132	132	-	-	72	27	5	40	6	45.5	3	22.7
Prairie	53	53	-	-	16	8	-	8	2	37.7	3	56.6
Ravalli	267	264	2	-	122	44	-	78	11	41.2	6	22.5
Richland	276	264	11	1	62	32	1	28	9	32.6	4	14.5
Roosevelt	253	244	8	2	86	40	-	35	7	27.7	4	15.8
White	172	170	2	-	61	--------	--------	--------	3	17.4	3	17.4
Nonwhite	81	74	4	2	25	--------	--------	--------	4	49.4	1	12.3
Roseoud	162	129	9	6	84	38	-	46	12	74.1	2	12.3
White	105	98	5	2	58	--------	--------	--------	7	66.7	1	9.5
Nonwhite	57	31	4	4	26	--------	--------	--------	5	87.7	1	17.5
Sanders	128	120	8	-	65	29	-	28	3	23.4	3	23.4
Sheridan	161	159	1	1	58	24	-	34	3	18.6	3	18.6
Silver Bow	909	901	6	1	613	228	-	385	37	40.7	35	38.5
Butte	864	857	6	1	534	189	-	345	37	42.8	32	37.0
Balance of county	45	44	-	-	79	39	-	40	-	0	3	66.7
Stillwater	118	113	4	1	43	19	-	24	2	16.9	4	33.9
Sweet Grass	67	52	15	-	41	30	-	6	4	59.7	-	0
Teton	164	164	-	-	46	20	-	26	4	24.4	-	0
Toole	154	145	9	-	51	22	-	24	7	45.5	1	6.5
Treasure	28	23	5	-	7	4	-	3	-	0	1	35.7
Valley	298	286	6	5	83	33	-	50	4	13.4	-	0
Wheatland	72	58	14	-	31	17	-	14	1	13.9	-	0
Wibaux	43	43	-	-	14	7	-	7	2	46.5	2	46.5
Yellowstone	1,174	1,149	23	-	386	164	18	204	47	40.0	18	15.3
Billings	830	822	7	-	314	127	4	183	36	43.4	14	16.9
Balance of county	344	327	16	-	72	37	14	21	11	32.0	4	11.6
Yellowstone National Park (part)	2	2	-	-	-	-	-	-	-	([5])	-	([5])
NEBRASKA	28 052	25,505	2,529	2	12,440	6,575	591	5,009	846	30.2	514	18.3
Adams	755	728	27	-	359	131	134	94	19	25.2	8	10.6
Hastings	610	595	15	-	170	96	2	72	17	27.9	6	9.8
Balance of county	145	133	12	-	189	35	132	22	2	13.8	2	13.8
Antelope	268	203	65	-	108	71	-	33	5	18.7	4	14.9
Arthur	21	16	5	-	5	2	-	3	-	0	1	47.6
Banner	25	25	-	-	11	8	-	3	-	0	-	0
Blaine	31	19	12	-	8	5	-	2	-	0	1	32.3
Boone	250	213	37	-	111	68	12	26	3	12.0	1	4.0
Box Butte	260	253	4	-	110	50	-	60	14	53.8	8	30.8
Boyd	116	106	10	-	48	28	-	20	4	34.5	2	17.2
Brown	113	108	5	-	56	26	1	27	3	26.5	-	0
Buffalo	546	505	41	-	270	151	10	104	16	29.3	11	20.1
Burt	231	205	26	-	114	60	1	49	6	26.0	5	21.6
Butler	210	200	10	-	109	61	4	42	3	14.3	4	19.0
Cass	326	281	45	-	181	112	17	43	9	27.6	3	9.2
Cedar	308	213	95	-	111	57	-	47	12	39.0	6	19.5
Chase	115	111	4	-	36	28	-	8	2	17.4	4	34.8
Cherry	196	180	15	-	71	30	-	40	5	25.5	2	10.2
Cheyenne	298	296	2	-	79	31	-	48	9	30.2	3	10.1
Clay	181	149	32	-	124	81	1	35	6	33.1	2	11.0
Colfax	166	155	11	-	89	50	-	38	6	36.1	4	24.1
Cuming	272	244	28	-	99	54	-	44	5	18.4	4	14.7
Custer	407	291	116	-	151	96	3	44	11	27.0	14	34.4
Dakota	218	209	9	-	68	38	2	28	4	18.3	1	4.6
Dawes	199	190	9	-	117	57	-	44	8	40.2	4	20.1
Dawson	488	453	35	-	175	109	-	63	17	34.8	13	26.6
Deuel	73	70	3	-	27	18	-	9	2	27.4	1	13.7
Dixon	184	148	36	-	73	51	-	12	4	21.7	3	16.3
Dodge	552	536	16	-	217	132	7	77	10	18.1	5	9.1
Fremont	311	307	4	-	122	66	7	49	4	12.9	4	12.9
Balance of county	241	229	12	-	95	66	-	29	6	24.9	1	4.1

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
NEBRASKA—Continued												
Douglas	5,962	5,777	183	1	2,728	1,194	95	1,409	182	30.5	120	20.1
Omaha	5,775	5,594	179	1	2,584	1,130	68	1,356	175	30.3	119	20.6
White	5,386	5,263	121	1	2,382	----	----	----	161	29.9	110	20.4
Nonwhite	389	331	58	-	202	----	----	----	14	36.0	9	23.1
Balance of county	187	183	4	-	144	64	27	53	7	37.4	1	5.3
Dundy	124	116	8	-	36	22	-	14	4	32.3	2	16.1
Fillmore	177	154	23	-	105	68	2	28	2	11.3	2	11.3
Franklin	118	78	40	-	79	60	-	18	6	50.8	5	42.4
Frontier	129	78	51	-	44	36	-	7	4	31.0	3	23.3
Furnas	200	178	22	-	102	65	3	30	7	35.0	3	15.0
Gage	507	489	18	-	313	143	49	121	12	23.7	11	21.7
Beatrice	249	249	-	-	128	54	1	72	5	20.1	6	24.1
Balance of county	258	240	18	-	185	89	47	49	7	27.1	5	19.4
Garden	79	75	4	-	33	16	-	17	1	12.7	1	12.7
Garfield	73	49	24	-	32	30	-	2	3	41.1	2	27.4
Gosper	35	32	3	-	21	17	-	4	-	0	-	0
Grant	24	14	10	-	8	4	-	4	1	41.7	-	0
Greeley	95	77	18	-	39	29	-	6	4	42.1	-	0
Hall	797	717	79	-	316	150	9	156	32	40.2	25	31.4
Grand Island	639	600	38	-	242	107	9	126	28	43.8	21	32.9
Balance of county	158	117	41	-	74	43	-	30	4	25.3	4	25.3
Hamilton	176	168	8	-	102	66	-	34	6	34.1	1	5.7
Harlan	126	111	15	-	53	36	-	16	5	39.7	1	7.9
Hayes	61	50	11	-	13	9	-	4	2	32.8	-	0
Hitchcock	141	121	20	-	43	31	-	11	4	28.4	1	7.1
Holt	346	235	111	-	130	91	-	36	11	31.8	17	49.1
Hooker	19	14	5	-	11	9	-	2	-	0	1	52.6
Howard	118	108	10	-	58	31	-	19	2	16.9	2	16.9
Jefferson	274	259	15	-	139	90	-	49	12	43.8	4	14.6
Johnson	130	121	9	-	75	54	-	21	4	30.8	4	30.8
Kearney	118	110	8	-	69	37	17	15	1	8.5	-	0
Keith	190	136	54	-	65	31	-	34	10	52.6	5	26.3
Keya Paha	33	32	1	-	14	8	-	5	-	0	-	0
Kimball	105	91	14	-	30	9	-	21	3	28.6	3	28.6
Knox	332	202	128	-	139	99	-	39	6	18.1	10	30.1
Lancaster	2,327	2,263	63	-	1,109	513	109	470	62	26.6	33	14.2
Lincoln	2,083	2,040	42	-	887	441	8	424	59	28.3	29	13.9
Balance of county	244	223	21	-	222	72	101	46	3	12.3	4	16.4
Lincoln	630	547	83	-	191	85	-	95	21	33.3	10	15.9
North Platte	363	337	46	-	115	52	-	58	14	36.6	5	13.1
Balance of county	247	210	37	-	76	33	-	37	7	28.3	5	20.2
Logan	43	29	14	-	9	3	-	6	2	46.5	1	23.3
Loup	27	20	7	-	9	6	-	3	-	0	-	0
McPherson	13	12	1	-	5	2	-	2	1	76.9	-	0
Madison	467	438	28	-	300	140	90	68	12	25.7	8	17.1
Norfolk	225	217	7	-	109	61	-	48	8	35.6	5	22.2
Balance of county	242	221	21	-	191	79	90	20	4	16.5	3	12.4
Merrick	173	155	18	-	84	51	-	20	5	28.9	2	11.6
Morrill	200	144	56	-	47	24	-	20	9	45.0	1	5.0
Nance	123	108	15	-	61	34	-	23	5	40.7	2	16.3
Nemaha	218	209	9	-	86	38	2	41	7	32.1	4	18.3
Nuckolls	205	146	59	-	93	64	-	27	5	24.4	4	19.5
Otoe	368	352	16	-	167	95	2	68	10	27.2	6	16.3
Pawnee	134	127	7	-	86	48	-	38	7	52.2	2	14.9
Perkins	120	117	3	-	36	19	-	16	9	75.0	-	0
Phelps	205	203	2	-	88	47	-	41	5	24.4	4	19.5
Pierce	209	176	33	-	80	49	-	29	9	43.1	3	14.4
Platte	400	338	62	-	172	88	-	84	12	30.0	7	17.5
Polk	146	145	1	-	100	55	-	40	4	27.4	3	20.5
Red Willow	284	253	30	-	109	67	-	42	9	31.7	8	28.2
Richardson	397	368	28	1	170	96	-	70	8	20.2	6	15.1
Rock	81	73	8	-	20	10	-	9	-	0	-	0
Saline	259	239	20	-	140	84	3	52	8	30.9	1	3.9
Sarpy	322	307	15	-	79	40	-	38	10	31.1	5	15.5
Saunders	302	289	13	-	184	103	-	81	15	49.7	8	26.5
Scotts Bluff	881	831	50	-	260	131	-	119	36	37.1	19	19.6
Scottsbluff	309	289	20	-	118	50	-	65	13	42.1	6	19.4
Balance of county	572	542	30	-	142	81	-	54	23	40.2	13	22.7
Seward	249	205	44	-	112	74	-	37	6	24.1	4	16.1
Sheridan	215	208	7	-	67	32	2	29	4	18.6	1	4.7
Sherman	128	124	4	-	51	31	-	15	5	39.1	3	23.4
Sioux	29	27	2	-	28	17	-	9	2	69.0	1	34.5
Stanton	122	92	30	-	45	29	-	16	6	49.2	3	24.6
Thayer	209	154	55	-	92	70	-	21	5	23.9	5	23.9
Thomas	32	27	5	-	12	9	-	-	-	0	1	31.3
Thurston	202	174	24	-	87	49	-	38	9	44.6	7	34.7
White	154	116	18	-	63	----	----	----	4	29.9	5	37.3
Nonwhite	68	58	6	-	24	----	----	----	5	73.5	2	29.4
Valley	151	119	31	-	86	59	-	27	9	59.6	2	13.2
Washington	197	191	6	-	126	79	7	40	7	35.5	3	15.2
Wayne	205	193	12	-	84	53	-	28	5	24.4	4	19.5
Webster	138	76	62	-	74	56	-	15	-	0	3	21.7
Wheeler	29	18	11	-	10	6	-	4	2	69.0	-	0
York	314	309	5	-	157	83	10	64	8	25.5	3	9.6

See footnotes on p. 11.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
NEVADA	3,283	3,156	106	9	1,502	643	44	810	130	39.6	69	21.0
Churchill	123	121	1	1	64	30	-	34	7	56.9	3	24.4
Clark	965	927	36	1	301	122	-	179	45	46.6	18	18.7
Douglas	50	42	4	1	28	19	-	9	3	60.0	-	0
White	36	32	3	-	26	---------	---------	---------	1	27.8	-	0
Nonwhite	14	10	1	1	2	---------	---------	---------	2	142.9	-	0
Elko	232	214	18	-	116	56	-	60	11	47.4	6	25.9
White	202	184	18	-	98	---------	---------	---------	8	39.6	3	14.9
Nonwhite	30	30	-	-	18	---------	---------	---------	3	100.0	3	100.0
Esmeralda	6	6	-	-	14	5	6	3	-	0	-	0
Eureka	17	16	1	-	13	9	-	4	1	58.8	-	0
Humboldt	96	80	5	5	63	30	-	33	6	62.5	3	31.3
Lander	25	24	1	-	22	12	-	10	-	0	-	0
White	23	22	1	-	20	---------	---------	---------	-	0	-	0
Nonwhite	2	2	-	-	2	---------	---------	---------	-	0	-	0
Lincoln	68	62	6	-	30	16	-	11	1	14.7	-	0
Lyon	80	73	6	-	47	29	-	18	1	12.5	2	25.0
Mineral	159	157	1	-	59	27	-	32	10	63.3	5	31.6
White	137	136	1	-	50	---------	---------	---------	10	73.0	4	29.2
Nonwhite	21	21	-	-	9	---------	---------	---------	-	0	1	47.6
Nye	48	45	3	-	50	16	-	34	-	0	2	41.7
White	41	38	3	-	44	---------	---------	---------	-	0	1	24.4
Nonwhite	7	7	-	-	6	---------	---------	---------	-	0	1	142.9
Ormsby	86	85	1	-	40	17	2	20	1	11.6	-	0
Pershing	60	59	1	-	36	20	-	16	3	50.0	-	0
Storey	12	11	1	-	14	11	-	3	-	0	-	0
Washoe	1,024	1,008	15	1	520	187	36	296	33	32.2	28	27.3
Reno	752	745	7	-	398	126	16	255	26	34.6	20	26.6
Balance of county	272	263	8	1	122	61	20	41	7	25.7	8	29.4
White Pine	233	226	6	-	85	37	-	48	8	34.3	2	8.6
NEW HAMPSHIRE	11,092	10,704	384	1	6,049	3,124	639	2,142	348	31.4	244	22.0
Belknap	545	533	12	-	294	155	22	104	20	36.7	15	27.5
Laconia	297	297	-	-	176	88	21	63	13	43.8	9	30.3
Balance of county	248	236	12	-	118	67	1	41	7	28.2	6	24.2
Carroll	283	274	9	-	199	114	4	78	8	28.3	7	24.7
Cheshire	854	803	51	-	401	235	25	131	27	31.6	23	26.9
Keene	380	369	11	-	157	91	-	60	12	31.6	7	18.4
Balance of county	474	434	40	-	244	144	25	71	15	31.6	16	33.8
Coos	788	738	49	1	391	197	44	148	33	41.9	10	12.7
Berlin	370	360	10	-	166	69	-	96	14	37.8	7	18.9
Balance of county	418	378	39	1	225	128	44	52	19	45.5	3	7.2
Grafton	995	919	76	-	512	310	11	182	29	29.1	20	20.1
Hillsborough	3,414	3,336	76	-	1,723	883	93	711	119	34.9	76	22.3
Manchester	1,910	1,873	37	-	885	469	13	395	75	39.3	43	22.5
Nashua	777	768	9	-	352	161	10	175	22	28.3	20	25.7
Balance of county	727	695	30	-	486	253	70	141	22	30.3	13	17.9
Merrimack	1,177	1,147	30	-	1,000	354	367	255	36	30.6	21	17.8
Concord	524	521	3	-	633	137	354	131	12	22.9	12	22.9
Balance of county	653	626	27	-	367	217	13	124	24	36.8	9	13.8
Rockingham	1,510	1,463	46	-	735	402	32	275	41	27.2	38	25.2
Portsmouth	526	515	11	-	201	100	6	94	13	24.7	14	26.6
Balance of county	984	948	35	-	534	302	26	191	28	28.5	24	24.4
Strafford	953	927	26	-	515	319	16	165	23	24.1	21	22.0
Dover	308	305	3	-	173	83	12	70	8	26.0	6	19.5
Rochester	244	239	5	-	134	90	2	40	7	28.7	6	24.6
Balance of county	401	383	18	-	208	146	2	55	8	20.0	9	22.4
Sullivan	573	564	9	-	279	155	25	93	12	20.9	13	22.7
Claremont (town)	281	279	2	-	124	74	-	47	5	17.8	2	7.1
Balance of county	292	285	7	-	155	81	25	46	7	24.0	11	37.7
NEW JERSEY	95,218	90,795	3,761	628	46,392	23,134	3,189	19,732	2,715	28.5	2,110	22.2
Atlantic	2,425	2,193	213	18	1,725	990	103	629	89	36.7	66	27.2
White	2,057	1,880	166	11	1,442	---------	---------	---------	71	34.5	48	23.3
Nonwhite	369	313	47	7	283	---------	---------	---------	18	48.9	18	48.9
Atlantic City	1,200	1,156	40	4	913	500	2	410	44	36.7	35	29.2
White	912	893	15	4	691	---------	---------	---------	29	31.8	19	20.8
Nonwhite	288	263	25	-	222	---------	---------	---------	15	52.1	16	55.5
Pleasantville	265	213	50	2	125	86	-	38	12	45.3	9	34.0
White	227	181	44	2	109	---------	---------	---------	10	44.1	8	35.2
Nonwhite	38	32	6	-	16	---------	---------	---------	2	52.6	1	26.3
Balance of county	960	824	123	12	687	404	101	181	33	34.4	22	22.9
Bergen	9,567	9,448	87	31	3,945	2,166	104	1,629	228	23.8	185	19.3
Bergenfield	237	235	2	-	108	68	-	37	11	46.4	3	12.7
Cliffside Park	318	314	4	-	111	62	-	49	6	18.9	7	22.0
Englewood	414	412	2	-	186	84	-	96	9	21.7	13	31.4
White	355	354	1	-	161	---------	---------	---------	8	22.5	7	19.7
Nonwhite	59	58	1	-	25	---------	---------	---------	1	16.9	6	101.7
Garfield	625	612	3	10	184	112	-	72	12	19.2	13	20.8
Hackensack	545	540	3	2	354	163	4	183	17	31.2	13	23.9
White	485	481	2	2	314	---------	---------	---------	11	22.7	10	20.6
Nonwhite	60	59	1	-	40	---------	---------	---------	6	100.0	3	50.0
Lodi	336	333	3	-	78	32	-	45	11	32.7	9	26.8

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
NEW JERSEY—Continued												
Bergen—Continued												
Lyndhurst (twp.)[4]	405	396	9	-	152	91	-	61	14	34.6	4	9.8
Ridgefield Park	257	255	2	-	83	61	-	20	-	0	9	35.0
Ridgewood	276	275	1	-	155	103	3	47	2	7.2	5	18.1
Rutherford	309	305	4	-	164	106	-	58	6	19.4	6	19.4
Teaneck (twp.)[4]	530	523	6	1	227	105	8	113	16	30.2	5	9.4
Balance of county	5,315	5,248	48	18	2,143	1,179	89	848	124	23.3	98	18.4
Burlington	2,330	2,037	280	13	1,206	720	126	349	74	31.8	50	21.5
Burlington	290	251	38	1	121	78	4	33	8	27.6	6	20.7
White	257	237	19	1	108	---	---	---	7	27.2	4	15.6
Nonwhite	33	14	19	-	13	---	---	---	1	30.3	2	60.6
Balance of county	2,040	1,786	242	12	1,085	642	122	316	66	32.4	44	21.6
Camden	6,120	5,500	533	83	2,850	1,581	87	1,165	163	26.6	125	20.4
Camden	2,753	2,396	284	70	1,203	660	1	537	74	26.9	60	21.8
White	2,336	2,100	165	70	1,045	---	---	---	55	23.5	43	18.4
Nonwhite	417	296	119	-	158	---	---	---	19	45.6	17	40.8
Collingswood	326	323	3	-	172	112	6	54	5	15.3	7	21.5
Gloucester City	308	285	21	2	152	84	-	67	10	32.5	8	26.0
Pennsauken (twp.)[4]	265	233	31	-	155	103	-	52	10	37.7	7	26.4
Balance of county	2,468	2,263	194	11	1,168	622	80	455	64	25.9	43	17.4
Cape May	615	552	61	-	487	313	45	115	20	32.5	19	30.9
Cumberland	1,779	1,539	237	1	957	511	109	331	72	40.5	47	26.4
Bridgeton	446	364	81	-	244	138	9	97	25	56.1	13	29.1
White	363	317	45	-	210	---	---	---	20	55.1	7	19.3
Nonwhite	83	47	36	-	34	---	---	---	5	80.2	6	72.3
Millville	329	315	14	-	188	102	-	84	11	33.4	7	21.3
Balance of county	1,004	860	142	1	525	271	100	150	36	35.9	27	26.9
Essex	18,522	18,043	393	84	9,011	4,190	465	4,244	515	27.8	414	22.4
Belleville	623	611	7	5	223	144	-	77	17	27.3	7	11.2
Bloomfield	988	976	10	2	396	238	2	155	20	20.2	13	13.2
East Orange	1,560	1,540	17	3	763	438	-	315	33	21.2	26	16.7
Irvington	1,230	1,219	6	5	522	264	7	241	23	18.7	15	12.2
Maplewood (twp.)[4]	421	415	4	2	197	119	6	67	8	19.0	5	11.9
Millburn (twp.)[4]	175	174	1	-	82	45	-	36	3	17.1	5	28.6
Montclair	826	809	17	-	449	266	2	176	23	27.8	21	25.4
White	655	646	9	-	390	---	---	---	20	30.5	15	22.9
Nonwhite	171	163	8	-	59	---	---	---	3	17.5	6	35.1
Newark	9,639	9,281	295	62	4,734	1,958	171	2,534	321	33.3	262	27.2
White	8,042	7,818	167	56	4,052	---	---	---	240	29.8	196	24.4
Nonwhite	1,597	1,463	128	6	682	---	---	---	81	50.7	66	41.3
Nutley	511	497	10	4	195	119	-	75	14	27.4	7	13.7
Orange	883	863	20	-	414	177	5	230	20	22.7	14	15.9
White	752	742	10	-	347	---	---	---	18	23.9	12	16.0
Nonwhite	131	121	10	-	67	---	---	---	2	15.3	2	15.3
South Orange	238	238	-	-	148	89	-	59	4	16.8	3	12.6
West Orange	535	530	3	1	221	132	-	87	12	22.4	10	18.7
Balance of county	893	890	3	-	667	201	272	193	17	19.0	26	29.1
Gloucester	1,785	1,543	236	4	779	524	23	230	50	28.0	43	24.1
Hudson	13,846	13,570	221	53	6,913	2,992	313	3,577	424	30.6	298	21.5
Bayonne	1,738	1,699	27	12	639	307	-	330	58	33.4	33	19.0
Harrison	313	302	10	1	107	55	-	51	5	16.0	14	44.7
Hoboken	999	976	16	7	606	209	-	385	48	48.0	21	21.0
Jersey City	6,589	6,459	114	14	3,304	1,355	31	1,897	191	29.0	133	20.2
White	6,085	5,981	90	12	3,084	---	---	---	159	26.1	115	18.9
Nonwhite	504	478	24	2	220	---	---	---	32	63.5	18	35.7
Kearny	870	862	7	1	363	227	-	134	21	24.1	22	25.3
North Bergen (twp.)[4]	839	824	10	5	360	202	2	156	24	28.6	20	23.8
Union City	1,120	1,095	18	7	552	307	1	242	30	26.8	19	17.0
Weehawken (twp.)[4]	247	247	-	-	194	87	-	107	4	16.2	7	28.3
West New York	831	818	11	2	313	157	-	155	29	34.9	20	24.1
Balance of county	300	288	8	4	475	86	279	110	14	46.7	9	30.0
Hunterdon	652	561	88	2	404	297	8	87	20	30.7	15	23.0
Mercer	4,583	4,443	129	11	2,442	1,007	344	1,077	181	39.5	110	24.0
Trenton	2,705	2,621	74	10	1,547	610	285	646	119	44.0	64	23.7
Balance of county	1,878	1,822	55	1	895	397	59	431	62	33.0	46	24.5
Middlesex	5,201	4,844	219	135	2,051	1,073	16	949	126	24.2	116	22.3
Carteret	266	224	30	12	86	54	-	32	7	26.3	9	33.8
New Brunswick	893	862	31	2	378	158	-	220	19	21.2	31	34.6
Perth Amboy	878	789	36	51	356	170	-	185	16	18.2	16	18.2
South River	252	236	9	7	78	49	-	29	4	15.9	6	23.8
Woodbridge (twp.)[4]	691	628	22	40	232	131	7	94	19	27.5	11	15.9
Balance of county	2,219	2,105	91	23	921	511	9	389	61	27.5	43	19.4
Monmouth	4,165	4,047	116	2	2,572	1,156	458	940	118	28.3	78	18.7
Asbury Park	357	342	14	1	205	107	-	98	9	25.2	11	30.8
White	260	255	5	-	153	---	---	---	5	19.2	8	23.1
Nonwhite	97	87	9	1	52	---	---	---	4	41.2	5	51.5
Long Branch	537	532	5	-	214	108	-	106	14	26.1	9	16.8
Neptune (twp.)[4]	256	250	6	-	215	102	7	103	5	19.5	3	11.7
White	214	211	3	-	180	---	---	---	5	23.4	2	9.3
Nonwhite	42	39	3	-	35	---	---	---	-	0	1	23.8
Red Bank	315	308	7	-	148	85	-	62	11	34.9	6	19.0
White	261	258	3	-	127	---	---	---	10	38.3	4	15.3
Nonwhite	54	50	4	-	21	---	---	---	1	18.5	2	37.0
Balance of county	2,700	2,615	84	1	1,790	754	451	573	79	29.3	49	18.1

See footnotes on p. 111.

793002 O - 48 - 6

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
NEW JERSEY—Continued												
Morris	2,995	2,866	121	8	1,916	737	673	499	74	24.7	68	22.7
Dover	262	246	12	4	113	63	-	49	1	3.8	6	22.9
Morristown	346	342	4	-	219	102	-	116	11	31.8	10	28.9
Balance of county	2,387	2,278	105	4	1,584	572	673	334	62	26.0	52	21.8
Ocean	964	891	72	-	549	305	7	233	35	36.3	23	23.9
Passaic	6,570	6,396	144	19	3,134	1,615	121	1,392	169	25.7	163	24.8
Clifton	1,261	1,252	8	1	419	272	1	146	33	26.2	24	19.0
Hawthorne	261	252	9	-	108	68	-	39	4	15.3	3	11.5
Passaic	1,149	1,126	14	8	613	303	4	304	35	30.5	34	29.6
Paterson	2,780	2,719	52	8	1,465	712	29	722	70	25.2	70	25.2
Balance of county	1,119	1,047	61	2	531	262	87	181	27	24.1	32	28.6
Salem	1,204	1,106	96	2	464	282	7	170	51	42.4	25	20.8
White	1,041	968	73	-	394	---------	---------	---------	38	36.5	21	20.2
Nonwhite	163	138	23	2	70	---------	---------	---------	13	79.8	4	24.5
Somerset	1,840	1,749	64	27	868	397	152	318	55	29.9	39	21.2
North Plainfield	268	264	4	-	99	59	6	33	6	22.4	4	14.9
Balance of county	1,572	1,485	60	27	770	338	146	285	49	31.2	35	22.3
Sussex	808	728	80	-	369	240	2	124	20	24.8	23	28.5
Union	8,168	7,774	255	135	3,170	1,699	6	1,457	197	24.1	185	22.6
Cranford (twp.)[4]	413	394	14	5	123	70	3	50	9	21.8	6	14.5
Elizabeth	2,513	2,316	87	109	1,121	551	-	569	64	25.5	79	31.4
Hillside (twp.)[4]	429	426	3	-	142	65	-	53	8	18.6	8	18.6
Linden	721	684	25	12	164	103	-	61	16	22.2	11	15.3
Plainfield	909	880	26	3	467	208	-	259	17	18.7	22	24.2
White	784	776	5	3	411	---------	---------	---------	14	17.9	17	21.7
Nonwhite	125	104	21	-	56	---------	---------	---------	3	24.0	5	40.0
Rahway	450	441	9	-	210	126	-	84	15	33.3	9	20.0
Roselle	406	379	24	2	106	67	-	38	15	36.9	7	17.2
White	351	337	12	1	88	---------	---------	---------	11	31.3	5	14.2
Nonwhite	55	42	12	1	18	---------	---------	---------	4	72.7	2	36.4
Summit	323	320	3	-	180	85	-	95	6	18.6	4	12.4
Union (twp.)[4]	548	532	15	1	171	105	-	65	15	27.4	12	21.9
Westfield	432	417	13	-	160	111	-	49	9	20.8	7	16.2
Balance of county	1,024	985	36	3	326	188	3	134	23	22.5	20	19.5
Warren	1,079	963	116	-	580	339	20	217	34	31.5	18	16.7
Phillipsburg	411	381	30	-	214	109	-	105	13	31.6	4	9.7
Balance of county	668	582	86	-	366	230	20	114	21	31.4	14	21.0
NEW MEXICO	18,087	11,137	3,750	2,318	5,436	3,101	110	2,072	1,415	78.2	380	21.0
Bernalillo	2,975	2,167	577	191	954	523	2	377	225	75.6	65	21.8
Albuquerque	1,263	1,077	136	43	447	208	-	209	81	64.1	21	16.6
Balance of county	1,712	1,090	441	148	507	315	2	168	144	84.1	44	25.7
Catron	63	37	34	5	28	21	-	6	5	60.2	3	36.1
Chaves	969	847	69	42	242	119	-	123	59	60.9	16	16.5
Roswell	662	607	13	36	169	80	-	89	34	51.4	12	18.1
Balance of county	307	240	56	6	73	39	-	34	25	81.4	4	13.0
Colfax	574	460	62	35	161	84	-	75	46	80.1	8	13.9
Curry	642	614	10	17	160	76	-	74	27	42.1	13	20.2
Clovis	455	435	3	16	109	50	-	54	22	48.4	9	19.8
Balance of county	187	179	7	1	51	26	-	20	5	26.7	4	21.4
De Baca	113	95	5	13	26	19	-	7	2	17.7	5	44.2
Dona Ana	1,113	396	580	117	294	187	-	105	84	75.5	28	25.2
Eddy	1,007	830	88	65	227	104	-	120	58	57.6	22	21.8
Grant	563	446	75	30	179	91	-	87	32	56.8	14	24.9
Guadalupe	210	51	94	59	60	45	-	14	11	52.4	5	23.8
Harding	98	24	55	16	29	21	-	7	12	122.4	1	10.2
Hidalgo	144	67	56	18	52	43	-	9	8	55.6	3	20.8
Lea	592	571	19	-	119	70	-	30	20	33.8	6	10.1
Hobbs	374	366	8	-	56	29	-	16	13	34.8	3	8.0
Balance of county	218	205	13	-	63	41	-	14	7	32.1	3	13.8
Lincoln	248	114	85	44	76	34	-	42	12	48.4	6	24.2
Luna	228	143	79	3	65	34	-	29	8	35.1	3	13.2
McKinley	632	603	47	63	292	124	-	166	97	116.6	18	21.6
White	335	260	22	44	89	---------	---------	---------	28	83.6	6	17.9
Nonwhite	497	343	25	19	203	---------	---------	---------	69	138.8	12	24.1
Mora	299	49	95	124	103	76	-	25	43	143.8	10	33.4
Otero	313	123	153	23	99	69	-	30	23	73.5	7	22.4
Quay	369	327	4	36	111	51	-	57	21	56.9	7	18.0
Rio Arriba	913	294	324	189	248	191	-	54	116	127.1	15	16.4
Roosevelt	365	349	16	-	92	58	-	29	13	35.6	5	13.7
Sandoval	574	181	122	150	163	125	-	29	58	101.0	13	22.6
White	402	168	121	86	104	---------	---------	---------	32	79.6	12	29.9
Nonwhite	172	13	1	64	59	---------	---------	---------	26	151.2	1	5.8
San Juan	446	386	36	6	163	62	-	101	45	100.9	10	22.4
White	249	213	30	2	71	---------	---------	---------	8	32.1	3	12.0
Nonwhite	197	173	6	4	92	---------	---------	---------	37	187.8	7	35.5
San Miguel	952	333	59	505	407	170	107	129	95	99.8	21	22.1
Santa Fe	1,130	579	265	164	323	170	1	142	90	79.6	28	24.8
Santa Fe	803	459	142	116	242	114	1	118	70	87.2	16	19.9
Balance of county	327	120	123	48	81	56	-	24	20	61.2	12	36.7
Sierra	125	60	55	4	70	51	-	15	7	56.0	9	72.0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
NEW MEXICO—Continued												
Socorro	300	80	166	44	105	82	-	21	22	73.3	5	16.7
Taos	618	389	43	160	166	106	-	59	50	80.9	7	11.3
Torrance	313	98	130	65	96	66	-	26	25	83.1	6	19.2
Union	187	119	40	24	72	45	-	27	9	48.1	4	21.4
Valencia	792	295	309	106	254	184	-	57	91	114.9	17	21.5
White	684	250	305	101	199	--------	--------	--------	71	103.8	13	19.0
Nonwhite	108	35	4	5	55	--------	--------	--------	20	185.2	4	37.0
NEW YORK	286,546	277,629	8,157	582	152,866	69,083	12,772	69,039	8,345	29.1	7,392	25.8
Albany	4,898	4,730	126	36	2,825	1,501	193	1,030	168	34.3	93	19.0
Albany	2,889	2,794	54	38	1,749	872	86	742	119	41.2	63	21.8
Cohoes	511	490	21	-	235	140	1	94	12	23.5	17	33.3
Watervliet	388	371	16	-	165	100	-	65	6	15.5	5	12.9
Balance of county	1,110	1,075	35	-	676	389	106	141	31	27.9	8	7.2
Allegany	979	927	52	-	447	258	17	166	32	32.7	14	14.3
Broome	4,196	4,135	59	1	2,011	748	276	945	140	33.4	81	19.3
Binghamton	1,872	1,864	7	1	1,157	372	247	513	69	36.9	47	25.1
Endicott	551	549	2	-	197	65	-	128	22	39.9	7	12.7
Johnson City	500	499	1	-	211	71	-	135	18	36.0	8	16.0
Balance of county	1,273	1,223	49	-	446	240	29	169	31	24.4	19	14.9
Cattaraugus	1,681	1,607	71	-	863	458	10	382	51	30.3	28	16.7
Olean	541	537	4	-	276	122	-	153	16	29.6	13	24.0
Balance of county	1,140	1,070	67	-	587	356	10	229	35	30.7	15	13.2
Cayuga	1,460	1,432	23	-	806	410	26	319	35	24.0	26	17.8
Auburn	767	763	2	-	428	189	8	206	19	24.8	14	18.3
Balance of county	693	669	21	-	378	221	18	113	16	23.1	12	17.3
Chautauqua	2,501	2,425	76	-	1,458	776	50	632	84	33.6	46	18.4
Dunkirk	377	366	10	-	182	92	2	88	12	31.8	5	13.3
Jamestown	834	827	6	-	496	250	4	241	28	33.6	17	20.4
Balance of county	1,290	1,230	60	-	780	434	44	289	44	34.1	24	18.6
Chemung	2,015	1,985	30	-	944	457	33	447	56	27.8	37	18.4
Elmira	1,161	1,157	4	-	654	300	6	341	36	31.0	27	23.3
Balance of county	854	828	26	-	290	157	27	106	20	23.4	10	11.7
Chenango	904	852	48	-	510	272	44	175	26	28.8	24	26.5
Clinton	1,224	1,013	209	2	545	315	37	176	47	38.4	35	28.6
Plattsburgh	412	405	7	-	196	95	2	89	19	46.1	16	38.8
Balance of county	812	608	202	2	349	220	35	87	28	34.5	19	23.4
Columbia	772	723	49	-	559	333	24	194	23	29.8	21	27.2
Hudson	246	235	11	-	174	77	17	77	7	28.5	10	40.7
Balance of county	526	488	38	-	384	256	7	117	16	30.4	11	20.9
Cortland	814	774	30	8	409	248	16	134	28	34.4	24	29.5
Cortland	403	391	7	5	217	114	-	94	18	44.7	14	34.7
Balance of county	411	383	23	3	192	134	16	40	10	24.3	10	24.3
Delaware	1,001	842	159	-	491	315	15	153	41	41.0	15	15.0
Dutchess	2,247	2,174	61	11	2,187	729	865	583	62	27.6	58	25.8
Beacon	272	260	9	3	165	97	32	56	10	36.8	13	47.8
Poughkeepsie	930	903	19	7	556	273	15	265	28	30.1	25	26.9
Balance of county	1,045	1,011	33	1	1,446	359	818	262	24	23.0	20	19.1
Erie	18,145	17,353	744	52	9,204	4,354	771	3,977	567	31.2	403	22.2
Buffalo	11,985	11,570	367	38	6,484	3,079	291	3,040	368	30.7	274	22.9
White	11,325	10,949	343	27	6,166	--------	--------	--------	338	29.8	252	22.3
Nonwhite	660	621	24	11	318	--------	--------	--------	30	45.5	22	33.3
Kenmore	416	415	1	-	196	115	14	68	12	28.8	4	9.6
Lackawanna	657	611	38	7	250	85	-	164	35	53.3	21	32.0
Tonawanda	328	324	4	-	215	93	-	118	24	73.2	22	67.1
Balance of county	4,759	4,413	334	7	2,059	982	466	589	128	26.9	82	17.2
Essex	747	624	121	1	431	262	13	148	28	37.5	20	26.8
Franklin	1,048	698	348	1	568	347	7	201	44	42.0	20	19.1
Fulton	1,014	992	19	-	639	355	6	249	35	34.5	19	18.7
Gloversville	476	470	6	-	328	161	3	146	21	44.1	5	10.5
Johnstown	238	234	3	-	154	90	2	57	9	37.8	5	21.0
Balance of county	300	288	10	-	157	104	1	48	5	16.7	9	30.0
Genesee	1,063	1,041	21	-	472	229	24	215	40	37.6	23	21.6
Batavia	405	402	3	-	204	85	1	117	23	56.8	12	29.6
Balance of county	658	639	18	-	268	144	23	98	17	25.8	11	16.7
Greene	468	441	27	1	391	235	16	136	9	19.2	16	34.1
Hamilton	81	72	9	-	42	29	-	9	3	37.0	1	12.3
Herkimer	1,390	1,336	50	1	743	413	12	288	47	33.8	30	21.6
Little Falls	221	219	1	-	140	68	-	62	11	49.8	7	31.7
Balance of county	1,169	1,117	49	1	603	345	12	226	36	30.8	23	19.7
Jefferson	2,070	1,878	190	-	1,040	573	12	423	75	36.2	55	26.6
Watertown	859	834	25	-	427	195	2	228	30	34.9	18	21.0
Balance of county	1,211	1,044	165	-	613	378	10	195	45	37.2	37	30.6
Lewis	535	464	71	-	274	183	4	84	20	37.4	14	26.2
Livingston	772	739	33	-	512	255	94	149	24	31.1	14	18.1
Madison	1,032	959	69	-	524	307	12	104	42	40.7	14	13.6
Oneida	277	265	12	-	130	61	2	66	17	61.4	4	14.4
Balance of county	755	694	57	-	394	246	10	118	25	33.1	10	13.2
Monroe	10,329	10,181	131	3	5,058	2,117	786	2,040	265	25.7	213	20.6
Irondequoit (town)	595	588	6	-	164	83	-	78	11	18.5	15	25.2
Rochester	7,351	7,250	85	3	3,785	1,559	447	1,698	200	27.2	148	20.1
Balance of county	2,383	2,343	40	-	1,109	475	339	264	54	22.7	50	21.0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
NEW YORK—Continued												
Montgomery	1,195	1,162	31	-	710	383	6	301	40	33.5	24	20.1
Amsterdam	632	630	2	-	379	182	5	184	23	36.4	13	20.6
Balance of county	563	532	29	-	331	201	1	117	17	30.2	11	19.5
Nassau	10,420	10,220	198	-	4,130	2,424	74	1,554	208	20.0	212	20.3
Floral Park	327	326	1	-	121	82	-	39	6	18.3	9	27.5
Freeport	505	493	11	-	190	127	-	60	16	31.7	8	15.8
Garden City	213	212	1	-	120	74	-	45	5	23.5	8	37.6
Glen Cove	297	273	24	-	139	64	-	75	3	10.1	8	26.9
Hempstead	628	620	8	-	526	269	2	243	54	86.0	47	74.8
Lynbrook	397	396	1	-	140	89	-	50	7	17.6	6	15.1
Mineola	256	255	1	-	126	60	-	62	4	15.6	5	19.5
Rockville Centre	377	373	4	-	218	129	34	51	2	5.3	4	10.6
Valley Stream	464	464	-	-	158	103	6	48	8	17.2	13	28.0
Balance of county	6,956	6,808	147	-	2,392	1,427	32	881	103	14.8	104	15.0
New York City[7]	150,329	147,225	2,628	424	78,353	32,743	4 730	40,392	4,172	27.8	4,465	29.7
White	136 259	133.850	2,085	288	71,647	---------	---------	---------	3 465	25.4	3,646	26.8
Nonwhite	14,070	13,375	543	136	6,706	---------	---------	---------	707	50.2	819	58.2
Niagara	4,299	4,250	49	-	1,704	746	80	847	154	35.8	104	24.2
Lockport	598	596	2	-	329	129	17	173	28	46.8	15	25.1
Niagara Falls	2,193	2,181	12	-	754	295	-	449	78	35.6	53	24.2
North Tonawanda	602	597	5	-	195	102	-	91	21	34.9	14	23.3
Balance of county	906	876	30	-	426	220	63	134	27	29.8	22	24.3
Oneida	4,723	4,522	193	3	3,140	1,267	691	1,132	178	37.7	112	23.7
Rome	982	959	22	-	487	147	105	233	42	42.8	19	19.3
Utica	2,269	2,212	54	2	1,531	619	270	618	102	45.0	54	23.8
Balance of county	1.472	1.351	117	1	1,122	501	316	281	34	23.1	39	26.5
Onondaga	6,590	6,444	128	3	3,325	1,669	112	1,444	239	38.3	143	21.7
Syracuse	4,296	4,217	69	1	2,256	1,103	38	1,057	163	37.9	99	23.0
Balance of county	2 294	2,227	59	2	1,069	566	74	387	76	33.1	44	19.2
Ontario	1,232	1,196	35	-	732	347	63	312	25	20.3	23	18.7
Geneva	400	393	7	-	191	94	3	94	7	17.5	8	20.0
Balance of county	832	803	28	-	541	253	60	218	18	21.6	15	18.0
Orange	2,855	2,681	171	2	1,875	923	311	622	91	31.9	64	22.4
Middletown	429	423	6	-	481	142	223	112	15	35.0	12	28.0
Newburgh	694	662	32	-	472	232	34	199	32	46.1	18	25.9
Balance of county	1,732	1,596	133	2	922	549	54	311	44	25.4	34	19.6
Orleans	597	563	33	-	371	215	25	114	17	28.5	11	18.4
Oswego	1,690	1,514	175	-	922	592	27	286	68	40.2	41	24.3
Fulton	352	345	7	-	157	95	-	59	14	39.8	8	22.7
Oswego	512	495	16	-	287	167	3	111	19	37.1	11	21.5
Balance of county	826	674	152	-	478	330	24	116	35	42.4	22	26.6
Otsego	1,054	975	77	1	641	380	12	212	36	34.2	19	18.0
Oneonta	295	292	3	-	164	79	-	75	8	27.1	9	30.5
Balance of county	759	683	74	1	477	301	12	137	28	36.9	10	13.2
Putnam	276	251	25	-	213	138	-	69	10	36.2	7	25.4
Rensselaer	2.616	2,511	91	11	1,631	883	89	612	78	29.8	63	24.1
Rensselaer	262	238	17	7	131	86	-	40	10	38.2	13	49.6
Troy	1,474	1,449	20	4	1,050	515	89	429	44	29.9	33	22.4
Balance of county	880	824	54	-	440	282	-	143	24	27.3	17	19.3
Rockland	1.437	1,409	28	-	1,225	372	501	342	45	31.3	36	25.1
St. Lawrence	2,331	2,067	260	-	1,274	615	250	392	100	42.9	60	25.7
Massena	389	362	27	-	117	66	-	50	25	64.3	10	25.7
Ogdensburg	351	347	4	-	382	81	206	94	12	34.2	14	39.9
Balance of county	1,591	1,358	229	-	775	458	44	248	63	39.6	36	22.6
Saratoga	1.500	1,430	67	2	860	524	31	265	39	26.0	38	25.3
Saratoga Springs	324	316	8	-	182	118	-	59	5	15.4	7	21.8
Balance of county	1,176	1,114	59	2	678	406	31	206	34	28.9	31	26.4
Schenectady	2,784	2,712	62	6	1,398	716	157	509	72	25.9	57	20.5
Schenectady	1,916	1,867	42	6	995	526	7	433	62	32.4	45	23.5
Balance of county	868	845	20	-	403	190	130	76	10	11.5	12	13.8
Schoharie	448	333	114	1	297	206	-	61	16	35.7	9	20.1
Schuyler	302	287	14	-	173	107	-	66	7	23.2	4	13.2
Seneca	537	517	20	-	602	161	271	162	14	26.1	12	22.3
Steuben	2,087	1,972	112	-	1,116	567	18	526	78	37.4	53	25.4
Corning	455	452	3	-	195	107	-	87	20	44.0	10	22.0
Hornell	350	347	3	-	196	86	-	110	12	34.3	14	40.0
Balance of county	1 282	1,173	106	-	727	374	16	329	46	35.9	29	22.8
Suffolk	4 174	4 023	143	6	3,720	1,297	1 536	854	116	27.8	83	19.9
Sullivan	726	644	79	2	520	294	16	201	24	33.1	17	23.4
Tioga	734	678	54	-	419	242	13	150	29	39.5	14	19.1
Tompkins	1 206	1,179	26	-	517	262	19	220	28	23.2	11	9.1
Ithaca	639	635	4	-	269	113	1	150	18	28.2	9	14.1
Balance of county	567	544	22	-	248	149	18	70	10	17.6	2	3.5
Ulster	1,561	1,499	61	-	1,172	616	32	514	38	24.3	32	20.5
Kingston	556	547	9	-	410	194	16	193	12	21.6	11	19.8
Balance of county	1.005	952	52	-	762	422	16	321	26	25.9	21	20.9
Warren	916	842	74	-	523	316	7	173	41	44.8	16	17.5
Glens Falls	500	489	11	-	313	166	2	121	30	60.0	1	2.0
Balance of county	416	353	63	-	210	150	5	52	11	26.4	15	36.1
Washington	942	826	113	1	541	348	22	143	24	25.5	18	19.1
Wayne	1.046	982	64	-	652	357	61	227	28	26.8	21	20.1

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
NEW YORK—Continued												
Westchester	11,556	11,402	149	3	5,578	2,526	267	2,687	312	27.0	262	22.7
Mamaroneck	299	297	2	-	120	65	-	51	6	20.1	7	23.4
Mount Vernon	1,421	1,380	38	2	633	285	11	311	49	34.5	34	23.9
New Rochelle	1,107	1,095	11	1	605	248	12	335	30	27.1	29	26.2
White	970	965	4	1	543	----	----	----	26	26.9	26	26.8
Nonwhite	137	130	7	-	62	----	----	----	2	14.6	3	21.9
Ossining	275	274	1	-	154	73	22	57	6	21.8	8	29.1
White	255	254	1	-	148	----	----	----	6	23.5	7	27.5
Nonwhite	20	20	-	-	6	----	----	----	-	0	1	50.0
Peekskill	380	358	22	-	181	103	1	76	12	31.6	5	13.2
Port Chester	574	571	3	-	247	94	-	151	20	34.8	14	24.4
Scarsdale	230	230	-	-	106	51	-	55	8	34.8	4	17.4
White Plains	868	864	4	-	450	198	2	241	16	18.4	23	26.5
Yonkers	2,715	2,677	38	-	1,300	560	30	697	66	24.3	64	23.6
Balance of county	3,687	3,656	30	-	1,782	849	189	713	99	28.9	74	20.1
Wyoming	632	584	48	-	349	201	6	135	18	28.5	12	19.0
Yates	364	354	9	-	229	147	4	70	8	22.0	5	13.7
NORTH CAROLINA	100,679	62,001	25,094	13,417	28,724	18,148	980	9,307	3,742	37.2	2,394	23.8
Alamance	1,644	1,210	422	11	400	286	3	103	44	26.8	29	17.6
White	1,338	1,118	219	-	309	----	----	----	32	23.9	24	17.9
Nonwhite	306	92	203	11	91	----	----	----	12	39.2	5	16.3
Burlington	576	466	110	-	134	99	-	39	10	17.4	13	22.6
Balance of county	1,068	744	312	11	266	197	3	64	34	31.8	16	15.0
White	820	667	152	-	194	----	----	----	22	26.8	11	13.4
Nonwhite	248	77	160	11	72	----	----	----	12	48.4	5	20.2
Alexander	365	142	212	10	111	84	1	26	19	52.1	8	21.9
Alleghany	135	34	101	-	60	50	-	9	1	7.4	3	22.2
Anson	686	201	176	304	226	186	1	39	28	40.8	18	26.2
White	282	181	79	22	111	----	----	----	13	46.1	6	21.3
Nonwhite	404	20	97	282	115	----	----	----	15	37.1	12	29.7
Ashe	553	314	141	93	116	81	-	34	17	30.7	10	18.1
Avery	454	365	13	75	86	46	-	38	19	41.9	10	22.0
Beaufort	1,059	714	137	207	341	260	-	81	40	37.8	28	26.4
White	673	589	69	14	198	----	----	----	21	31.2	11	16.3
Nonwhite	386	125	68	193	143	----	----	----	19	49.2	17	44.0
Bertie	768	292	181	285	208	177	-	30	40	52.1	15	19.5
White	241	181	59	1	88	----	----	----	9	37.3	2	8.3
Nonwhite	527	111	122	284	120	----	----	----	31	58.8	13	24.7
Bladen	836	180	394	261	221	166	-	52	35	41.9	18	21.5
White	466	165	277	24	117	----	----	----	16	34.3	6	12.9
Nonwhite	370	15	117	237	104	----	----	----	19	51.4	12	32.4
Brunswick	573	342	5	225	130	75	1	54	18	31.4	14	24.4
White	345	281	3	61	77	----	----	----	11	31.9	8	23.2
Nonwhite	228	61	2	164	53	----	----	----	7	30.7	6	26.3
Buncombe	2,916	2,360	396	151	1,005	533	14	437	105	36.0	63	21.6
White	2,607	2,229	340	35	796	----	----	----	87	33.4	42	18.1
Nonwhite	309	131	56	116	209	----	----	----	18	58.3	21	68.0
Asheville	1,298	1,112	63	115	535	286	2	232	54	41.6	37	28.5
White	1,056	1,007	37	10	372	----	----	----	40	37.9	19	18.0
Nonwhite	242	105	26	105	163	----	----	----	14	57.9	18	74.4
Balance of county	1,618	1,248	333	36	470	247	12	205	51	31.5	26	16.1
Burke	1,072	945	43	83	345	113	119	110	31	28.9	29	27.1
Cabarrus	1,605	1,411	133	53	371	205	-	159	44	27.4	54	33.6
White	1,362	1,269	89	3	295	----	----	----	36	26.4	43	31.6
Nonwhite	243	142	44	50	76	----	----	----	8	32.9	11	45.3
Concord	500	474	17	7	105	47	-	57	11	22.0	21	42.0
White	433	428	5	-	79	----	----	----	11	25.4	17	39.3
Nonwhite	67	46	12	7	26	----	----	----	-	0	4	59.7
Balance of county	1,105	937	116	46	266	158	-	102	33	29.9	33	29.9
White	929	841	84	3	216	----	----	----	25	26.9	26	28.0
Nonwhite	176	96	32	43	50	----	----	----	8	45.5	7	39.8
Caldwell	1,133	820	296	17	266	177	-	83	49	43.2	28	24.7
Camden	136	38	44	54	54	40	-	13	5	36.8	4	29.4
White	67	33	28	6	38	----	----	----	2	29.8	1	14.9
Nonwhite	69	5	16	48	16	----	----	----	3	43.5	3	43.5
Carteret	532	403	70	59	185	140	-	44	25	47.0	14	26.3
White	464	395	53	16	152	----	----	----	20	43.1	11	23.7
Nonwhite	68	8	17	43	33	----	----	----	5	73.5	3	44.1
Caswell	499	171	242	86	113	88	1	24	17	34.1	14	28.1
White	224	132	88	4	56	----	----	----	8	35.7	7	31.3
Nonwhite	275	39	154	82	57	----	----	----	9	32.7	7	25.5
Catawba	1,568	1,397	55	110	389	246	4	136	50	31.9	24	15.3
White	1,425	1,339	44	37	335	----	----	----	40	28.1	20	14.0
Nonwhite	143	58	11	73	54	----	----	----	10	69.9	4	28.0
Hickory	495	466	2	26	109	63	-	45	13	26.3	7	14.1
White	436	431	1	4	92	----	----	----	13	29.8	5	11.5
Nonwhite	59	35	1	22	17	----	----	----	-	0	2	33.9
Balance of county	1,073	931	53	84	280	183	4	91	37	34.5	17	15.8
Chatham	596	297	227	70	183	140	-	43	25	41.9	18	30.2
White	364	263	99	2	114	----	----	----	12	33.0	11	30.2
Nonwhite	232	34	128	68	69	----	----	----	13	56.0	7	30.2

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
NORTH CAROLINA—Continued												
Cherokee	559	320	65	171	140	86	-	51	28	50.1	19	34.0
Chowan	352	67	185	100	94	79	-	15	13	36.9	4	11.4
White	155	59	95	1	47	--------	--------	--------	5	32.3	-	0
Nonwhite	197	8	90	99	47	--------	--------	--------	8	40.6	4	20.3
Clay	138	45	77	16	34	28	-	6	4	29.0	6	43.5
Cleveland	1,724	1,076	421	224	361	228	5	127	51	29.6	37	21.5
White	1,322	984	308	29	271	--------	--------	--------	37	28.0	20	15.1
Nonwhite	402	92	113	195	90	--------	--------	--------	14	34.8	17	42.3
Shelby	376	346	13	17	108	52	-	56	10	26.6	8	21.3
White	322	314	7	1	70	--------	--------	--------	9	28.0	6	18.6
Nonwhite	54	32	6	16	38	--------	--------	--------	1	18.5	2	37.0
Balance of county	1,348	730	408	207	253	174	5	71	41	30.4	29	21.5
White	1,000	670	301	28	201	--------	--------	--------	28	28.0	14	14.0
Nonwhite	348	60	107	179	52	--------	--------	--------	13	37.4	15	43.1
Columbus	1,472	791	200	470	386	264	1	119	71	48.2	54	36.7
White	948	678	133	131	251	--------	--------	--------	42	44.3	30	31.6
Nonwhite	524	113	67	339	135	--------	--------	--------	29	55.3	24	45.8
Craven	1,078	705	77	295	315	207	6	102	38	35.3	36	33.4
White	629	578	48	3	162	--------	--------	--------	20	31.8	17	27.0
Nonwhite	449	127	29	292	153	--------	--------	--------	18	40.1	19	42.3
New Bern	439	309	8	122	133	81	-	52	11	25.1	16	36.4
White	259	252	7	-	60	--------	--------	--------	3	11.8	7	27.0
Nonwhite	180	57	1	122	73	--------	--------	--------	8	44.4	9	50.0
Balance of county	639	396	69	173	182	126	6	50	27	42.3	20	31.3
White	370	326	41	3	102	--------	--------	--------	17	45.9	10	27.0
Nonwhite	269	70	28	170	80	--------	--------	--------	10	37.2	10	37.2
Cumberland	1,904	1,149	318	435	571	317	3	244	77	40.4	34	17.9
White	1,221	968	205	48	343	--------	--------	--------	52	42.6	20	16.4
Nonwhite	683	181	113	387	228	--------	--------	--------	25	36.6	14	20.5
Fayetteville	832	629	67	136	306	139	3	161	44	52.9	14	16.8
White	546	520	18	8	174	--------	--------	--------	29	53.1	8	14.7
Nonwhite	286	109	49	128	132	--------	--------	--------	15	52.4	6	21.0
Balance of county	1,072	520	251	299	265	178	-	83	33	30.8	20	18.7
White	675	448	187	40	169	--------	--------	--------	23	34.1	12	17.8
Nonwhite	397	72	64	259	96	--------	--------	--------	10	25.2	8	20.2
Currituck	129	38	57	34	44	35	-	9	1	7.8	2	15.5
White	86	38	45	3	30	--------	--------	--------	-	0	2	23.3
Nonwhite	43	-	12	31	14	--------	--------	--------	1	23.3	-	0
Dare	104	40	57	6	57	48	-	8	8	76.9	1	9.6
Davidson	1,411	1,108	292	11	365	246	3	100	52	36.9	28	19.8
White	1,270	1,072	195	3	309	--------	--------	--------	48	37.8	25	19.7
Nonwhite	141	36	97	8	56	--------	--------	--------	4	28.4	3	21.3
Lexington	333	273	60	-	93	61	-	24	16	48.0	6	18.0
White	287	267	20	-	71	--------	--------	--------	15	52.3	4	13.9
Nonwhite	46	6	40	-	22	--------	--------	--------	1	21.7	2	43.5
Thomasville	262	250	8	4	75	49	-	26	10	38.2	6	22.9
White	223	222	1	-	56	--------	--------	--------	8	35.9	5	22.4
Nonwhite	39	28	7	4	19	--------	--------	--------	2	51.3	1	25.6
Balance of county	816	585	224	7	197	136	3	50	26	31.9	16	19.6
Davie	335	128	203	4	95	73	-	21	5	14.9	4	11.9
White	298	124	173	1	83	--------	--------	--------	4	13.4	4	13.4
Nonwhite	37	4	30	3	12	--------	--------	--------	1	27.0	-	0
Duplin	994	230	691	71	279	208	-	70	38	38.2	27	27.2
White	600	209	382	7	179	--------	--------	--------	24	40.0	9	15.0
Nonwhite	394	21	309	64	100	--------	--------	--------	14	35.5	18	45.7
Durham	2,420	2,258	92	70	685	388	24	268	68	28.1	56	23.1
White	1,620	1,575	43	2	437	--------	--------	--------	43	26.5	25	15.4
Nonwhite	800	683	49	68	248	--------	--------	--------	25	31.3	31	38.8
Durham	1,894	1,811	34	49	512	290	1	217	54	28.5	49	25.9
White	1,237	1,224	13	-	313	--------	--------	--------	33	26.7	23	18.6
Nonwhite	657	587	21	49	199	--------	--------	--------	21	32.0	26	39.6
Balance of county	526	447	58	21	173	98	23	51	14	26.6	7	13.3
White	383	351	30	2	124	--------	--------	--------	10	26.1	2	5.2
Nonwhite	143	96	28	19	49	--------	--------	--------	4	28.0	5	35.0
Edgecombe	1,374	570	481	323	389	274	5	109	60	43.7	39	28.4
White	593	495	92	6	166	--------	--------	--------	25	42.2	13	21.9
Nonwhite	781	75	389	317	223	--------	--------	--------	35	44.8	26	33.3
Rocky Mount (part)	292	186	92	14	104	72	1	30	13	(5)	8	(5)
White	160	160	-	-	54	--------	--------	--------	4	(5)	3	(5)
Nonwhite	132	26	92	14	50	--------	--------	--------	9	(5)	5	(5)
Balance of county	1,082	384	389	309	285	202	4	79	47	43.4	31	28.7
White	433	335	92	6	112	--------	--------	--------	21	48.5	10	23.1
Nonwhite	649	49	297	303	173	--------	--------	--------	26	40.1	21	32.4
Forsyth	3,328	2,938	375	15	1,041	574	36	427	112	33.7	63	18.9
White	2,353	2,204	147	2	644	--------	--------	--------	49	20.8	25	10.6
Nonwhite	975	734	228	13	397	--------	--------	--------	63	64.6	38	39.0
Winston-Salem	2,109	1,896	207	6	698	366	7	322	83	39.4	50	23.7
White	1,232	1,216	14	2	352	--------	--------	--------	27	21.9	16	13.0
Nonwhite	877	680	193	4	346	--------	--------	--------	56	63.9	34	38.8
Balance of county	1,219	1,042	168	9	343	207	29	105	29	23.8	13	10.7
White	1,121	988	133	-	292	--------	--------	--------	22	19.6	9	8.0
Nonwhite	98	54	35	9	51	--------	--------	--------	7	71.4	4	40.8
Franklin	689	252	254	183	202	145	4	53	24	34.8	15	21.8
White	353	219	127	7	89	--------	--------	--------	9	25.5	2	5.7
Nonwhite	336	33	127	176	113	--------	--------	--------	15	44.6	13	38.7

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
NORTH CAROLINA—Continued												
Gaston	2,599	1,909	596	93	580	369	6	203	86	33.1	55	21.2
White	2,249	1,759	486	4	485	----	----	----	73	32.5	46	20.5
Nonwhite	350	150	110	89	95	----	----	----	13	37.1	9	25.7
Gastonia	685	623	39	22	185	98	-	87	25	36.5	25	36.5
White	563	532	30	1	151	----	----	----	22	39.1	23	40.9
Nonwhite	122	91	9	21	34	----	----	----	3	24.6	2	16.4
Balance of county	1,914	1,286	557	71	395	271	8	116	61	31.9	30	15.7
White	1,686	1,227	456	3	334	----	----	----	51	30.2	23	13.6
Nonwhite	228	59	101	68	61	----	----	----	10	43.9	7	30.7
Gates	247	62	99	66	96	81	-	13	16	64.8	10	40.5
White	93	46	46	1	50	----	----	----	6	64.5	2	21.5
Nonwhite	154	16	53	85	46	----	----	----	10	64.9	8	51.9
Graham	197	47	119	31	39	31	-	8	5	25.4	5	25.4
Granville	730	308	383	39	221	158	1	61	25	34.2	17	23.3
White	328	215	112	1	97	----	----	----	6	18.3	4	12.2
Nonwhite	402	93	271	38	124	----	----	----	19	47.3	13	32.3
Greene	524	119	342	63	96	64	-	32	23	43.9	16	30.5
White	229	104	124	1	42	----	----	----	12	52.4	1	4.4
Nonwhite	295	15	218	62	54	----	----	----	11	37.3	15	50.8
Guilford	4,334	3,893	396	44	1,305	699	36	539	152	35.1	62	18.9
White	3,481	3,294	185	2	930	----	----	----	105	30.2	51	14.7
Nonwhite	853	599	211	42	375	----	----	----	47	55.1	31	36.3
Greensboro	1,611	1,573	35	3	607	276	10	316	71	44.1	32	19.9
White	1,190	1,183	7	-	392	----	----	----	40	33.6	17	14.3
Nonwhite	421	390	28	3	215	----	----	----	31	73.6	15	35.6
High Point	1,321	1,204	111	5	287	170	-	100	30	22.7	29	22.0
White	1,116	1,102	14	-	218	----	----	----	26	23.3	22	19.7
Nonwhite	205	102	97	5	69	----	----	----	4	19.5	7	34.1
Balance of county	1,402	1,116	250	36	411	253	26	123	51	36.4	21	15.0
White	1,175	1,009	164	2	320	----	----	----	39	33.2	12	10.2
Nonwhite	227	107	86	34	91	----	----	----	12	52.9	9	39.6
Halifax	1,740	658	247	835	447	314	4	128	67	38.5	57	32.8
White	629	535	83	11	199	----	----	----	21	33.4	15	23.8
Nonwhite	1,111	123	164	824	248	----	----	----	46	41.4	42	37.8
Harnett	1,223	673	398	152	349	234	9	91	48	39.2	34	27.8
White	859	600	252	7	248	----	----	----	31	36.1	22	25.6
Nonwhite	364	73	146	145	101	----	----	----	17	46.7	12	33.0
Haywood	1,123	997	116	10	250	168	4	78	44	39.2	19	16.9
Henderson	710	607	94	9	262	168	-	90	21	29.6	18	25.4
Hertford	447	112	280	55	167	130	-	36	18	40.3	6	13.4
White	144	70	73	1	74	----	----	----	7	48.6	1	6.9
Nonwhite	303	42	207	54	93	----	----	----	11	36.3	5	16.5
Hoke	442	74	170	198	170	103	-	66	31	70.1	15	33.9
White	138	60	76	2	62	----	----	----	8	58.0	4	29.0
Nonwhite	304	14	94	196	108	----	----	----	23	75.7	11	36.2
Hyde	162	61	8	92	55	41	-	13	1	6.2	4	24.7
White	69	54	5	9	30	----	----	----	-	0	1	14.5
Nonwhite	93	7	3	83	25	----	----	----	1	10.8	3	32.3
Iredell	1,306	939	278	89	412	269	3	138	29	22.2	39	30.0
White	1,072	866	202	4	308	----	----	----	21	19.6	26	24.3
Nonwhite	234	73	76	85	104	----	----	----	8	34.2	13	55.6
Statesville	348	267	56	25	141	84	-	56	6	17.2	10	28.7
White	290	251	39	-	99	----	----	----	4	13.8	7	24.1
Nonwhite	58	16	17	25	42	----	----	----	2	34.5	3	51.7
Balance of county	958	672	222	64	271	185	3	82	23	24.0	29	30.3
White	782	615	163	4	209	----	----	----	17	21.7	19	24.3
Nonwhite	176	57	59	60	62	----	----	----	6	34.1	10	56.8
Jackson	492	216	222	53	132	95	1	35	22	44.7	8	16.3
Johnston	1,771	751	823	197	432	280	10	134	81	45.7	46	26.0
White	1,381	713	643	25	322	----	----	----	66	47.8	33	23.9
Nonwhite	390	38	180	172	110	----	----	----	15	38.5	13	33.3
Jones	267	106	70	91	80	50	-	30	17	63.7	7	26.2
White	145	95	44	6	44	----	----	----	7	48.3	3	20.7
Nonwhite	122	11	26	85	36	----	----	----	10	82.0	4	32.8
Lee	608	458	86	64	151	89	1	60	23	37.8	7	11.5
White	456	398	56	2	89	----	----	----	17	37.3	5	11.0
Nonwhite	152	60	30	62	62	----	----	----	6	39.5	2	13.2
Lenoir	1,240	710	247	282	360	229	10	120	56	46.8	32	25.8
White	678	615	57	5	196	----	----	----	30	44.2	6	8.8
Nonwhite	562	95	190	277	164	----	----	----	26	49.8	26	46.3
Kinston	440	290	50	100	165	101	-	63	24	54.5	12	27.3
White	271	263	7	1	93	----	----	----	17	62.7	3	11.1
Nonwhite	169	27	43	99	72	----	----	----	7	41.4	9	53.3
Balance of county	800	420	197	182	195	128	10	57	34	42.5	20	25.0
White	407	352	50	4	103	----	----	----	13	31.9	3	7.4
Nonwhite	393	68	147	178	92	----	----	----	21	53.4	17	43.3
Lincoln	612	435	131	45	141	90	1	50	21	34.3	5	8.2
White	530	429	98	2	119	----	----	----	14	26.4	5	9.4
Nonwhite	82	6	33	43	22	----	----	----	7	85.4	-	0
McDowell	597	431	155	11	120	70	-	50	21	35.2	3	5.0
Macon	481	171	255	53	112	90	-	22	16	33.3	5	10.4
Madison	487	186	211	80	150	110	1	37	17	34.9	16	32.9
Martin	794	158	440	196	192	143	1	42	27	34.0	18	22.7
White	360	145	212	3	99	----	----	----	18	50.0	9	25.0
Nonwhite	434	13	228	193	93	----	----	----	9	20.7	9	20.7

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
NORTH CAROLINA—Continued												
Mecklenburg	4,414	4,093	193	125	1,344	726	23	583	171	38.7	115	26.1
White	3,262	3,189	67	4	810	---	---	---	92	28.2	62	19.0
Nonwhite	1,152	904	126	121	534	---	---	---	79	68.6	53	46.0
Charlotte	2,996	2,871	63	61	949	503	-	440	119	39.7	91	30.4
White	2,187	2,175	10	1	552	---	---	---	57	26.1	44	20.1
Nonwhite	809	696	53	60	397	---	---	---	62	76.6	47	58.1
Balance of county	1,418	1,222	130	64	395	223	23	143	52	36.7	24	16.9
White	1,075	1,014	57	3	258	---	---	---	35	32.6	18	16.7
Nonwhite	343	208	73	61	137	---	---	---	17	49.6	6	17.5
Mitchell	404	198	152	41	102	80	-	21	5	12.4	10	24.8
Montgomery	434	241	115	78	135	103	1	28	17	39.2	6	13.8
White	328	238	80	10	92	---	---	---	10	30.5	6	18.3
Nonwhite	106	3	35	68	43	---	---	---	7	66.0	-	0
Moore	819	561	159	99	224	142	3	77	19	23.2	18	22.0
White	606	479	113	14	161	---	---	---	14	23.1	16	26.4
Nonwhite	213	82	46	85	63	---	---	---	5	23.5	2	9.4
Nash	1,693	748	614	330	465	285	16	182	61	36.0	37	21.9
White	897	681	198	17	271	---	---	---	26	29.0	20	22.3
Nonwhite	796	67	416	313	214	---	---	---	35	44.0	17	21.4
Rocky Mount (part)	408	295	83	30	141	66	-	74	14	(5)	5	(5)
White	280	278	1	1	92	---	---	---	9	(5)	3	(5)
Nonwhite	128	17	82	29	49	---	---	---	5	(5)	2	(5)
Rocky Mount (total)	700	639	623	314	245	138	1	104	27	38.6	13	18.6
White	440	563	197	16	146	---	---	---	13	29.5	6	13.6
Nonwhite	260	76	426	298	99	---	---	---	14	53.8	7	26.9
Balance of county	1,285	453	531	300	344	219	16	108	47	36.6	32	24.9
White	617	403	197	16	179	---	---	---	17	27.6	17	27.6
Nonwhite	668	50	334	284	165	---	---	---	30	44.9	15	22.5
New Hanover	1,960	1,822	34	103	611	249	6	353	101	51.5	41	20.9
White	1,307	1,300	7	-	325	---	---	---	51	39.0	13	9.9
Nonwhite	653	522	27	103	286	---	---	---	50	76.6	28	42.9
Wilmington	1,426	1,320	28	77	476	186	-	289	79	55.4	32	22.4
White	907	903	4	-	234	---	---	---	34	37.5	10	11.0
Nonwhite	519	417	24	77	242	---	---	---	45	86.7	22	42.4
Balance of county	534	502	6	26	135	63	8	64	22	41.2	9	16.9
White	400	397	3	-	91	---	---	---	17	42.5	3	7.5
Nonwhite	134	105	3	26	44	---	---	---	5	37.3	6	44.8
Northampton	768	175	259	334	196	155	3	37	20	26.0	12	15.6
White	211	126	81	4	86	---	---	---	6	28.4	4	19.0
Nonwhite	557	49	178	330	110	---	---	---	14	25.1	8	14.4
Onslow	773	494	177	102	188	111	-	50	26	33.6	21	27.2
White	595	438	142	15	137	---	---	---	20	33.6	13	21.8
Nonwhite	178	56	35	87	51	---	---	---	6	33.7	8	44.9
Orange	705	503	129	73	209	147	-	61	28	39.7	18	25.5
White	443	372	71	-	140	---	---	---	16	36.1	5	11.3
Nonwhite	262	131	58	73	69	---	---	---	12	45.8	13	49.6
Pamlico	276	37	180	59	91	73	-	17	14	50.7	5	18.1
White	173	33	138	2	42	---	---	---	3	17.3	1	5.8
Nonwhite	103	4	42	57	49	---	---	---	11	106.8	4	38.8
Pasquotank	617	343	98	176	201	140	2	55	25	40.5	23	37.3
White	374	328	46	2	118	---	---	---	14	37.4	11	29.4
Nonwhite	243	17	52	174	83	---	---	---	11	45.3	12	49.4
Elizabeth City	347	240	29	78	134	91	-	41	15	43.2	13	37.5
White	243	230	12	1	80	---	---	---	11	45.3	7	28.8
Nonwhite	104	10	17	77	54	---	---	---	4	38.5	6	57.7
Balance of county	270	103	69	98	67	49	2	14	10	37.0	10	37.0
White	131	98	34	1	38	---	---	---	3	22.9	4	30.5
Nonwhite	139	7	35	97	29	---	---	---	7	50.4	6	43.2
Pender	502	143	129	229	151	109	-	41	16	31.9	12	23.9
White	217	110	88	19	78	---	---	---	5	23.0	4	18.4
Nonwhite	285	33	41	210	73	---	---	---	11	38.6	8	28.1
Perquimans	273	55	94	124	87	68	-	19	7	25.6	2	7.3
White	117	54	58	5	52	---	---	---	3	25.6	1	8.5
Nonwhite	156	1	36	119	35	---	---	---	4	25.6	1	6.4
Person	679	324	309	46	157	105	-	52	20	29.5	22	32.4
White	409	284	121	4	106	---	---	---	10	24.4	12	29.3
Nonwhite	270	40	188	42	51	---	---	---	10	37.0	10	37.0
Pitt	1,699	606	779	314	476	363	4	105	81	47.7	58	34.1
White	842	534	297	11	237	---	---	---	31	36.8	20	23.8
Nonwhite	857	72	482	303	239	---	---	---	50	58.3	38	44.3
Greenville	345	204	71	70	114	79	-	32	15	43.5	16	46.4
White	192	172	18	2	55	---	---	---	7	36.5	6	31.3
Nonwhite	153	32	53	68	59	---	---	---	8	52.3	10	65.4
Balance of county	1,354	402	708	244	362	284	4	73	66	48.7	42	31.0
White	650	362	279	9	182	---	---	---	24	36.9	14	21.5
Nonwhite	704	40	429	235	180	---	---	---	42	59.7	28	39.8
Polk	282	159	108	15	92	63	-	28	4	14.2	1	3.5
White	234	144	85	5	79	---	---	---	4	17.1	1	4.3
Nonwhite	48	15	23	10	13	---	---	---	-	0	-	0
Randolph	1,194	977	172	45	324	202	5	114	49	41.0	19	15.9
Richmond	1,029	477	349	203	320	233	4	83	43	41.8	41	39.8
White	703	435	248	20	205	---	---	---	34	48.4	21	29.9
Nonwhite	326	42	101	183	115	---	---	---	9	27.6	20	61.3

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
NORTH CAROLINA—Continued												
Robeson	2,591	921	1,000	669	625	440	21	161	102	39.4	81	31.3
White	1,001	715	256	30	282	—	—	—	26	26.0	23	23.0
Nonwhite	1,590	206	744	639	343	—	—	—	76	47.8	58	36.5
Rockingham	1,561	1,023	486	52	403	248	2	152	52	33.3	37	23.7
White	1,242	894	341	7	289	—	—	—	42	33.8	20	16.1
Nonwhite	319	129	145	45	114	—	—	—	10	31.3	17	53.3
Reidsville	276	226	46	4	110	59	-	50	12	43.5	15	54.3
White	205	183	20	2	69	—	—	—	9	43.9	4	19.5
Nonwhite	71	43	26	2	41	—	—	—	3	42.3	11	154.9
Balance of county	1,285	797	440	48	395	189	2	102	40	31.1	22	17.1
White	1,037	711	321	5	220	—	—	—	33	31.8	16	15.4
Nonwhite	248	86	119	43	73	—	—	—	7	28.2	6	24.2
Rowan	1,657	1,294	289	74	495	293	12	190	44	26.6	40	24.1
White	1,395	1,179	213	3	395	—	—	—	40	28.7	31	22.2
Nonwhite	262	115	76	71	100	—	—	—	4	15.3	9	34.4
Salisbury	439	395	29	15	164	96	-	68	10	22.8	16	36.4
White	369	351	17	1	110	—	—	—	9	24.4	12	32.5
Nonwhite	70	44	12	14	54	—	—	—	1	14.3	4	57.1
Balance of county	1,218	899	260	59	331	197	12	122	34	27.9	24	19.7
White	1,026	828	196	2	285	—	—	—	31	30.2	19	18.5
Nonwhite	192	71	64	57	46	—	—	—	3	15.6	5	26.0
Rutherford	1,186	430	696	59	293	206	2	84	27	22.8	15	12.6
White	1,026	400	610	15	244	—	—	—	23	22.4	12	11.7
Nonwhite	160	30	86	44	49	—	—	—	4	25.0	3	18.8
Sampson	1,327	394	633	300	360	280	2	74	48	36.2	32	24.1
White	788	369	381	38	199	—	—	—	24	30.5	14	17.8
Nonwhite	539	25	252	262	161	—	—	—	24	44.5	18	33.4
Scotland	682	209	168	305	244	186	-	48	42	61.6	15	22.0
White	319	179	119	21	109	—	—	—	17	53.3	9	28.2
Nonwhite	363	30	49	284	135	—	—	—	25	68.9	6	16.5
Stanly	933	747	177	9	259	154	4	100	40	42.9	26	27.9
White	798	699	98	1	211	—	—	—	33	41.4	17	21.3
Nonwhite	135	48	79	8	48	—	—	—	7	51.9	9	66.7
Stokes	510	191	298	21	135	100	1	33	21	41.2	8	15.7
White	451	171	277	3	119	—	—	—	17	37.7	6	13.3
Nonwhite	59	20	21	18	16	—	—	—	4	67.8	2	33.9
Surry	1,244	716	464	61	312	217	1	90	49	39.4	35	28.1
Swain	328	108	176	41	62	40	-	21	8	24.4	7	21.3
White	255	42	172	39	40	—	—	—	4	15.7	5	19.6
Nonwhite	73	66	4	2	22	—	—	—	4	54.8	2	27.4
Transylvania	432	224	190	18	104	82	-	20	12	27.8	14	32.4
Tyrrell	129	89	5	35	57	42	-	15	7	54.3	4	31.0
White	64	61	3	-	33	—	—	—	5	78.1	2	31.3
Nonwhite	65	28	2	35	24	—	—	—	2	30.8	2	30.8
Union	1,053	590	374	88	297	198	7	90	36	34.2	26	24.7
White	781	586	210	5	212	—	—	—	25	32.0	18	23.0
Nonwhite	272	24	164	83	85	—	—	—	11	40.4	8	29.0
Vance	828	538	71	212	290	172	1	116	48	58.0	24	29.0
White	472	461	5	6	163	—	—	—	24	50.8	4	8.5
Nonwhite	356	77	66	206	127	—	—	—	24	67.4	20	56.2
Wake	2,939	2,059	602	277	1,109	495	172	439	118	40.1	71	24.2
White	1,928	1,638	276	14	727	—	—	—	60	31.1	34	17.6
Nonwhite	1,011	421	326	263	382	—	—	—	58	57.4	37	36.6
Raleigh	1,254	1,167	11	76	684	217	172	295	49	39.1	24	19.1
White	905	901	2	2	456	—	—	—	23	25.4	16	17.7
Nonwhite	349	266	9	74	228	—	—	—	26	74.5	8	22.9
Balance of county	1,685	892	591	201	425	278	-	144	69	40.9	47	27.9
White	1,023	737	274	12	271	—	—	—	37	36.2	18	17.6
Nonwhite	662	155	317	189	154	—	—	—	32	48.3	29	43.8
Warren	621	129	77	405	179	155	-	23	36	58.0	30	48.3
White	155	112	27	16	65	—	—	—	7	45.2	5	32.3
Nonwhite	466	17	50	389	114	—	—	—	29	62.2	25	53.6
Washington	318	83	103	132	108	100	1	7	16	50.3	5	15.7
White	166	79	81	6	61	—	—	—	8	48.2	1	6.0
Nonwhite	152	4	22	126	47	—	—	—	8	52.6	4	26.3
Watauga	482	407	44	29	103	60	-	43	20	41.5	14	29.0
Wayne	1,436	573	741	122	793	320	363	105	53	36.9	28	19.5
White	810	476	319	15	234	—	—	—	30	37.0	10	12.3
Nonwhite	626	97	422	107	559	—	—	—	23	36.7	18	28.8
Goldsboro	465	284	142	39	171	114	2	52	10	21.5	13	28.0
White	247	221	25	1	87	—	—	—	4	16.2	3	12.1
Nonwhite	218	63	117	38	84	—	—	—	6	27.5	10	45.9
Balance of county	971	289	589	83	622	206	361	53	43	44.3	15	15.4
White	563	255	294	14	147	—	—	—	26	46.2	7	12.4
Nonwhite	408	34	305	69	475	—	—	—	17	41.7	8	19.6
Wilkes	1,185	608	417	154	284	209	-	72	38	32.1	35	29.5
Wilson	1,498	716	512	270	440	272	-	168	73	48.7	25	16.7
White	751	579	169	3	221	—	—	—	22	29.3	8	10.7
Nonwhite	747	137	343	267	219	—	—	—	51	68.3	17	22.8
Wilson	528	303	75	150	214	127	-	87	33	62.5	15	28.4
White	247	236	10	1	101	—	—	—	12	48.6	5	20.2
Nonwhite	281	67	65	149	113	—	—	—	21	74.7	10	35.6
Balance of county	970	413	437	120	226	145	-	81	40	41.2	10	10.3
White	504	343	159	2	120	—	—	—	10	19.8	3	6.0
Nonwhite	466	70	278	118	106	—	—	—	30	64.4	7	15.0
Yadkin	473	358	104	11	108	86	1	21	9	19.0	5	10.6
Yancey	471	204	119	147	84	71	-	13	5	10.6	6	12.7

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
NORTH DAKOTA	15,264	13,869	1,214	40	5,080	2,235	226	2,578	519	34.0	264	17.3
Adams	116	108	8	-	38	24	-	14	6	51.7	-	0
Barnes	394	386	8	-	152	65	1	86	11	27.9	2	5.1
Benson	264	249	12	-	84	45	-	38	5	18.9	6	22.7
White	229	218	11	-	72	---------	---------	---------	5	21.8	6	26.2
Nonwhite	35	31	1	-	12	---------	---------	---------	-	0	-	0
Billings	57	56	1	-	5	1	-	4	-	0	-	0
Bottineau	304	254	48	-	134	56	-	78	8	26.3	5	16.4
Bowman	114	97	14	1	23	10	-	13	2	17.5	2	17.5
Burke	168	162	6	-	52	36	-	15	3	17.9	4	23.8
Burleigh	836	823	13	-	210	52	8	147	21	32.9	12	18.8
Bismarck	515	505	9	-	163	33	7	120	17	33.0	11	21.4
Balance of county	123	118	4	-	47	19	1	27	4	32.5	1	8.1
Cass	1,299	1,264	34	-	467	201	10	254	47	36.2	21	16.2
Fargo	870	860	10	-	324	131	3	188	38	43.7	15	17.2
Balance of county	429	404	24	-	143	70	7	66	9	21.0	6	14.0
Cavalier	317	293	19	-	103	59	1	42	7	22.1	4	12.6
Dickey	219	181	36	2	71	40	-	30	5	22.8	5	22.8
Divide	137	135	2	-	57	28	8	21	7	51.1	1	7.3
Dunn	222	176	34	-	67	36	-	30	14	63.1	2	9.0
Eddy	120	118	1	-	45	9	-	36	8	66.7	3	25.0
Emmons	256	124	132	-	58	41	-	17	10	39.1	-	0
Foster	121	112	9	-	45	18	-	27	4	33.1	8	66.1
Golden Valley	92	92	-	-	22	9	-	13	3	32.6	-	0
Grand Forks	970	948	20	-	334	127	39	168	34	35.1	14	14.4
Grand Forks	685	672	12	-	208	69	2	137	27	39.4	10	14.6
Balance of county	285	276	8	-	126	58	37	31	7	24.6	4	14.0
Grant	202	173	26	-	48	28	-	20	7	34.7	7	34.7
Griggs	144	138	6	-	38	22	-	16	3	20.8	1	6.9
Hettinger	221	152	68	-	50	21	-	29	9	40.7	3	13.6
Kidder	165	115	37	1	47	24	-	22	9	54.5	1	6.1
La Moure	199	170	28	-	65	33	3	26	4	20.1	8	40.2
Logan	173	100	43	14	34	19	-	15	5	28.9	4	23.1
McHenry	313	301	11	-	98	51	-	47	11	35.1	7	22.4
McIntosh	187	102	77	1	63	45	-	18	9	48.1	4	21.4
McKenzie	165	151	12	-	47	20	-	26	2	12.1	1	6.1
McLean	415	374	31	-	98	51	-	47	9	21.7	9	21.7
Mercer	234	220	5	-	60	24	-	35	7	29.9	3	12.8
Morton	512	441	65	-	135	57	8	67	15	29.3	13	25.4
Mountrail	249	207	41	-	55	36	-	18	7	28.1	3	12.0
Nelson	156	148	8	-	80	34	-	44	9	57.7	5	32.1
Oliver	84	73	9	-	12	3	-	9	1	11.9	1	11.9
Pembina	341	290	48	-	116	79	-	37	10	29.3	6	17.6
Pierce	244	234	3	-	83	21	-	62	9	36.9	7	28.7
Ramsey	381	354	27	-	131	58	1	67	18	47.2	5	13.1
Ransom	208	157	51	-	65	44	-	21	4	19.2	6	28.8
Renville	158	155	3	-	42	18	-	23	4	25.3	4	25.3
Richland	455	433	22	-	153	73	-	80	12	26.4	5	11.0
Rolette	349	338	3	-	126	44	-	82	24	68.8	10	28.7
White	205	202	2	-	71	---------	---------	---------	12	58.5	4	19.5
Nonwhite	144	136	1	-	55	---------	---------	---------	12	83.3	6	41.7
Sargent	200	176	21	1	63	37	-	26	3	15.0	1	5.0
Sheridan	149	119	29	-	39	20	-	18	5	33.6	6	40.3
Sioux	114	82	6	17	33	17	-	16	7	61.4	2	17.5
White	57	50	5	1	11	---------	---------	---------	4	70.2	-	0
Nonwhite	57	32	1	16	22	---------	---------	---------	3	52.6	2	35.1
Slope	61	52	8	1	11	5	-	6	1	16.4	-	0
Stark	428	410	12	1	118	42	-	71	13	30.4	4	9.3
Steele	100	98	2	-	51	26	-	25	5	50.0	1	10.0
Stutsman	512	479	32	-	319	65	127	127	22	43.0	10	19.5
Towner	162	149	12	-	46	25	-	19	7	43.2	3	18.5
Traill	257	243	14	-	78	47	-	31	6	23.3	8	31.1
Walsh	494	468	26	-	196	106	19	69	14	28.3	9	18.2
Ward	769	761	7	-	277	88	1	188	27	35.1	7	9.1
Minot	457	452	5	-	162	46	-	114	19	41.6	6	13.1
Balance of county	312	309	2	-	115	42	1	72	8	25.6	1	3.2
Wells	232	213	18	-	83	36	-	47	7	30.2	8	34.5
Williams	423	415	6	1	152	59	-	93	19	44.9	3	7.1
OHIO	169,600	152,038	17,185	38	78,464	43,923	4,125	28,996	5,312	31.3	4,044	23.8
Adams	436	107	298	1	198	157	-	40	14	32.1	16	36.7
Allen	2,034	1,867	145	1	917	459	46	403	85	41.8	42	20.6
Lima	1,335	1,259	74	1	574	279	-	290	68	50.9	25	18.7
Balance of county	699	628	71	-	343	180	46	113	17	24.3	17	24.3
Ashland	707	686	20	-	354	223	15	105	20	28.3	17	24.0
Ashland	317	311	6	-	155	82	-	64	13	41.0	5	15.8
Balance of county	390	375	14	-	199	141	15	41	7	17.9	12	30.8
Ashtabula	1,496	1,348	148	-	806	467	50	282	44	29.4	31	20.7
Ashtabula	572	511	61	-	246	131	1	114	17	29.7	10	17.5
Balance of county	924	837	87	-	560	336	49	168	27	29.2	21	22.7
Athens	833	510	322	-	576	352	130	82	23	27.6	27	32.4
Auglaize	682	577	105	-	324	245	11	67	19	27.9	14	20.5

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
OHIO—Continued												
Belmont	1,890	1,557	329	-	980	635	23	307	67	35.4	50	26.5
Bellaire	287	260	26	-	158	95	1	60	7	24.4	10	34.8
Martins Ferry	302	297	4	-	163	95	-	65	11	36.4	6	19.9
Balance of county	1,301	1,000	299	-	659	445	22	182	49	37.7	34	26.1
Brown	373	179	194	-	244	200	1	36	10	26.8	4	10.7
Butler	3,314	3,070	243	-	1,293	636	10	639	117	35.3	84	25.3
Hamilton	1,482	1,396	86	-	650	285	2	359	58	39.1	43	29.0
Middletown	943	877	66	-	333	164	-	166	32	33.9	17	18.0
Balance of county	889	797	91	-	310	187	8	114	27	30.4	24	27.0
Carroll	358	210	147	-	180	142	6	29	9	25.1	11	30.7
Champaign	620	551	69	-	301	182	3	115	30	49.4	18	29.0
Clarke	2,487	2,252	234	1	1,229	696	96	418	74	29.8	53	21.3
Springfield	1,870	1,717	152	1	918	528	28	349	60	32.1	41	21.9
White	1,686	1,552	134	-	781	----	----	----	51	30.2	33	19.6
Nonwhite	184	165	18	1	137	----	----	----	9	48.9	8	43.5
Balance of county	617	535	82	-	311	168	68	69	14	22.7	12	19.4
Clermont	777	456	320	-	374	278	5	85	12	15.4	18	23.2
Clinton	503	224	278	-	531	260	16	45	19	37.8	5	9.9
Columbiana	2,075	1,664	411	-	1,059	663	22	326	69	33.3	62	29.9
East Liverpool	570	490	80	-	292	169	-	110	16	28.1	25	43.9
Salem	268	243	25	-	147	72	2	64	11	41.0	7	26.1
Balance of county	1,237	931	306	-	620	422	20	152	42	34.0	30	24.3
Coshocton	615	544	68	-	366	241	10	107	31	50.4	7	11.4
Coshocton	230	217	11	-	170	103	3	61	14	60.9	4	17.4
Balance of county	385	327	57	-	196	138	7	46	17	44.2	3	7.8
Crawford	762	706	53	-	431	239	14	173	33	43.3	26	34.1
Cuyahoga	29,133	27,922	1,194	6	12,945	6,794	402	5,564	816	28.0	738	25.3
Cleveland	21,615	20,513	1,089	5	10,077	4,973	303	4,655	679	31.4	591	27.3
White	18,802	18,300	495	1	8,733	----	----	----	557	29.6	487	25.9
Nonwhite	2,813	2,213	594	4	1,344	----	----	----	122	43.4	104	37.0
Cleveland Heights	761	757	4	-	371	282	10	78	11	14.5	11	14.5
East Cleveland	752	745	7	-	327	207	1	115	12	16.0	20	26.6
Euclid	837	823	14	-	203	134	-	64	12	14.3	17	20.3
Garfield Heights	343	340	3	-	131	69	16	45	9	26.2	5	14.6
Lakewood	1,584	1,560	22	1	575	356	2	209	24	17.3	23	16.6
Parma	398	392	5	-	132	75	20	36	7	17.6	13	32.7
Shaker Heights	375	370	5	-	155	112	-	40	4	10.7	4	10.7
Balance of county	2,668	2,622	45	-	974	586	50	322	58	21.7	54	20.2
Darke	815	724	88	-	395	270	26	94	15	18.4	20	24.5
Defiance	557	534	19	-	245	161	7	72	18	32.3	11	19.7
Delaware	560	469	91	-	330	198	6	113	16	28.6	11	19.6
Erie	1,107	1,088	19	-	575	276	58	238	32	28.9	28	25.3
Sandusky	684	679	5	-	312	141	-	171	19	27.8	16	23.4
Balance of county	423	409	14	-	263	135	56	67	13	30.7	12	28.4
Fairfield	1,116	889	227	-	533	377	10	144	38	34.1	26	23.3
Lancaster	578	494	84	-	268	181	-	86	25	43.3	9	15.6
Balance of county	538	395	143	-	265	196	10	58	13	24.2	17	31.6
Fayette	489	203	286	-	264	169	18	63	19	38.9	7	14.3
Franklin	10,315	9,513	793	2	4,864	2,606	327	1,847	343	33.3	220	21.3
White	9,315	8,763	547	-	4,216	----	----	----	295	31.7	185	19.9
Nonwhite	1,000	750	246	2	648	----	----	----	48	48.0	35	35.0
Columbus	8,234	7,641	586	2	4,038	2,114	254	1,599	274	33.3	178	21.6
White	7,324	6,939	382	-	3,426	----	----	----	229	31.3	148	20.2
Nonwhite	910	702	204	2	612	----	----	----	45	49.5	30	33.0
Balance of county	2,081	1,872	207	-	826	492	73	248	69	33.2	42	20.2
Fulton	596	541	55	-	257	179	10	66	16	26.8	6	10.1
Gallia	497	303	171	4	402	198	153	50	16	32.2	10	20.1
Geauga	481	392	78	2	221	160	3	52	15	31.2	14	29.1
Greene	1,299	1,015	261	-	454	307	14	114	36	27.7	22	16.9
Xenia	340	271	65	-	182	135	2	37	9	26.5	7	20.6
White	288	243	45	-	143	----	----	----	8	27.8	7	24.3
Nonwhite	52	28	22	-	39	----	----	----	1	19.2	-	0
Balance of county	959	744	198	-	272	172	12	77	27	28.2	15	15.6
Guernsey	679	463	197	-	574	322	24	111	29	42.7	18	26.5
Cambridge	328	238	82	-	216	134	15	60	18	54.9	11	33.5
Balance of county	351	225	115	-	358	188	9	51	11	31.3	7	19.9
Hamilton	15,241	14,255	940	2	7,880	3,833	603	3,368	421	27.6	458	29.9
White	13,539	12,780	729	-	6 790	----	----	----	368	27.2	382	28.2
Nonwhite	1,702	1,475	211	2	1,090	----	----	----	53	31.1	74	43.5
Cincinnati	10,964	10,313	621	2	6,228	2,881	427	2,860	311	28.4	327	29.8
White	9,460	8,966	476	-	5,283	----	----	----	261	27.6	267	28.2
Nonwhite	1,504	1,347	145	2	985	----	----	----	50	33.2	60	39.9
Norwood	771	753	18	-	269	177	-	90	13	16.9	20	25.9
Balance of county	3,506	3,189	301	-	1,383	775	176	418	97	27.7	109	31.1
Hancock	1,037	977	58	-	498	301	23	164	38	36.6	26	25.1
Findlay	545	525	19	-	271	154	9	99	23	42.2	15	27.5
Fostoria (part)	82	81	1	-	24	13	-	11	4	(5)	1	(5)
Balance of county	410	371	38	-	203	134	14	54	11	26.8	10	24.4
Hardin	605	524	79	-	423	214	46	160	25	41.3	18	29.8
Harrison	375	301	74	-	171	124	3	42	9	24.0	14	37.3
Henry	489	410	73	-	277	201	13	52	20	40.9	10	20.4
Highland	577	310	258	-	324	246	3	73	22	38.1	5	8.7
Hocking	445	268	176	-	228	169	3	24	23	51.7	13	29.2
Holmes	444	289	167	-	170	109	5	55	12	27.0	16	36.0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS. UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
OHIO—Continued												
Huron	866	800	66	-	488	331	12	140	20	23.1	19	21.9
Jackson	623	203	409	1	295	239	2	51	24	38.5	20	32.1
Jefferson	2,101	1,821	270	2	868	509	18	332	72	34.3	49	23.3
Steubenville	863	826	36	-	393	196	1	193	32	37.1	22	25.5
Balance of county	1,238	995	234	2	473	313	17	139	40	32.3	27	21.8
Knox	684	657	25	1	372	190	10	185	29	42.4	6	8.8
Mount Vernon	286	283	3	-	178	84	-	89	17	59.4	2	7.0
Balance of county	398	374	22	1	196	106	10	76	12	30.2	4	10.1
Lake	1,457	1,436	21	-	548	338	25	172	40	27.5	33	22.6
Painesville	433	428	5	-	168	86	1	79	7	16.2	8	18.5
Balance of county	1,024	1,008	16	-	378	250	24	93	33	32.2	25	24.4
Lawrence	1,058	907	147	-	461	280	6	172	46	43.5	21	19.8
Ironton	356	336	20	-	203	111	-	91	11	30.9	9	25.3
Balance of county	702	571	127	-	258	169	6	81	35	49.9	12	17.1
Licking	1,405	1,262	143	-	806	533	12	245	39	27.8	35	24.9
Newark	804	742	62	-	414	269	-	145	19	23.6	23	28.6
Balance of county	601	520	81	-	392	274	12	100	20	33.3	12	20.0
Logan	658	597	61	-	360	268	10	99	25	38.0	16	24.3
Lorain	2,940	2,876	63	1	1,300	742	43	481	104	35.4	64	21.8
Elyria	693	689	4	-	309	180	10	114	21	30.3	10	14.4
Lorain	1,168	1,139	27	-	465	250	3	201	43	36.9	21	18.0
Balance of county	1,081	1,048	32	1	526	312	30	166	40	37.0	33	30.5
Lucas	8,441	8,106	327	1	4,169	1,855	347	1,834	281	33.3	189	22.4
Toledo	7,163	6,921	239	1	3,775	1,601	339	1,715	252	35.2	170	23.7
White	6,689	6,492	195	-	3,525	---------	---------	---------	230	34.4	157	23.5
Nonwhite	474	429	44	1	250	---------	---------	---------	22	46.4	13	27.4
Balance of county	1,278	1,185	88	-	394	254	8	119	29	22.7	19	14.9
Madison	491	202	282	-	269	189	14	58	22	44.8	7	14.3
Mahoning	5,208	4,995	212	-	2,323	1,149	46	1,122	157	26.3	121	23.2
Campbell	212	200	12	-	71	39	-	32	5	23.6	3	14.2
White	187	182	5	-	61	---------	---------	---------	4	21.4	3	16.0
Nonwhite	25	18	7	-	10	---------	---------	---------	1	40.0	-	0
Struthers	210	205	4	-	57	31	-	26	1	4.8	5	23.8
Youngstown (part)	3,960	3,817	143	-	1,799	854	2	939	113	(5)	94	(5)
White	3,569	3,526	43	-	1,580	---------	---------	---------	91	(5)	80	(5)
Nonwhite	391	291	100	-	219	---------	---------	---------	22	(5)	14	(5)
Youngstown (total)	3,963	3,819	144	-	1,801	854	2	941	113	28.5	94	23.7
White	3,572	3,528	44	-	1,582	---------	---------	---------	91	25.5	80	22.4
Nonwhite	391	291	100	-	219	---------	---------	---------	22	56.3	14	35.8
Balance of county	826	773	53	-	398	225	44	125	18	21.8	19	23.0
Marion	1,078	999	79	-	550	348	12	182	53	49.2	34	31.5
Marion	774	729	45	-	387	249	4	127	38	49.1	25	32.3
Balance of county	304	270	34	-	163	99	8	55	15	49.3	9	29.6
Medina	817	794	23	-	368	234	15	116	30	36.7	18	22.0
Meigs	454	201	251	2	255	202	1	49	11	24.2	12	26.4
Mercer	599	562	36	-	295	179	13	98	30	50.1	11	18.4
Miami	1,475	1,415	60	-	655	412	14	217	51	34.6	31	21.0
Piqua	470	463	7	-	214	127	-	84	18	38.3	6	12.8
Balance of county	1,005	952	53	-	441	285	14	133	33	32.8	25	24.9
Monroe	303	114	186	-	196	164	6	26	8	26.4	7	23.1
Montgomery	9,211	8,785	419	2	3,499	1,758	219	1,455	300	32.6	209	22.7
Dayton	7,752	7,475	274	-	2,731	1,316	144	1,226	249	32.1	174	22.4
White	7,010	6,824	184	-	2,380	---------	---------	---------	227	32.4	144	20.5
Nonwhite	742	651	90	-	351	---------	---------	---------	22	29.6	30	40.4
Balance of county	1,459	1,310	145	2	768	442	75	227	51	35.0	35	24.0
Morgan	217	117	100	-	165	123	-	42	2	9.2	5	23.0
Morrow	302	265	36	-	192	142	2	45	8	26.5	4	13.2
Muskingum	1,618	1,517	101	-	798	477	16	287	52	32.1	45	27.8
Zanesville	967	915	52	-	514	273	10	218	34	35.2	26	26.9
Balance of county	651	602	49	-	284	204	6	69	18	27.6	19	29.2
Noble	215	146	69	-	131	100	2	29	4	18.6	8	27.9
Ottawa	630	570	60	-	245	158	7	72	11	17.5	16	25.4
Paulding	302	267	34	-	165	99	7	57	11	36.4	10	33.1
Perry	529	285	244	-	326	249	17	56	29	54.8	13	24.6
Pickaway	608	411	196	-	376	194	86	86	26	42.8	13	21.4
Pike	338	83	252	-	143	101	2	36	13	38.5	4	11.8
Portage	1,218	1,157	60	-	499	317	8	169	27	22.2	29	23.8
Preble	495	405	86	-	275	216	8	47	10	20.2	12	24.2
Putnam	605	473	128	-	260	194	2	59	18	26.4	11	18.2
Richland	1,915	1,817	89	-	857	447	9	376	67	35.0	40	20.9
Mansfield	1,068	1,033	34	-	473	236	-	227	39	36.5	27	25.3
Balance of county	847	784	55	-	384	211	9	149	28	33.1	13	15.3
Ross	1,278	604	656	1	580	351	81	143	61	47.7	33	25.8
Chillicothe	521	345	171	1	246	159	-	86	34	65.3	14	26.9
Balance of county	757	259	485	-	334	192	81	57	27	35.7	19	25.1
Sandusky	989	906	83	-	448	264	11	166	28	28.3	26	26.3
Freemont	414	406	8	-	147	91	-	55	6	14.5	6	14.5
Balance of county	575	500	75	-	301	173	11	111	22	38.3	20	34.8
Scioto	1,974	1,427	545	1	783	518	2	253	81	41.0	50	25.3
Portsmouth	951	846	105	-	420	250	1	162	28	29.4	24	25.2
Balance of county	1,023	581	440	1	363	268	1	91	53	51.8	26	25.4

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
OHIO—Continued												
Seneca	1,175	1,089	83	-	585	382	37	150	48	40.9	22	18.7
Fostoria (part)	289	271	18	-	145	98	2	43	12	(5)	6	(5)
Fostoria (total)	371	352	19	-	169	109	2	54	16	43.1	7	18.9
Tiffin	429	410	19	-	217	135	10	53	23	53.6	6	14.0
Balance of county	457	408	46	-	223	151	25	44	13	28.4	10	21.9
Shelby	660	591	69	-	236	139	13	82	19	28.8	15	22.7
Stark	6,275	5,917	358	-	2,836	1,339	364	1,111	188	30.0	137	21.8
Alliance	635	613	22	-	268	151	-	115	20	31.5	10	15.7
Canton	3,092	2,959	133	-	1,227	578	8	630	90	29.1	71	23.0
Massillon	779	763	16	-	346	174	13	157	23	29.5	18	23.1
Balance of county	1,769	1,582	187	-	995	436	343	209	55	31.1	38	21.5
Summit	10,188	9,714	466	4	3,425	1,635	205	1,536	275	27.0	243	23.9
Akron	7,421	7,091	325	1	2,383	1,097	47	1,221	191	25.7	181	24.4
White	6,852	6,635	212	1	2,215	----	----	----	176	25.7	147	21.5
Nonwhite	569	456	113	-	168	----	----	----	15	26.4	34	59.8
Barberton	780	730	48	2	259	162	-	93	28	35.9	18	23.1
Cuyahoga Falls	588	577	11	-	194	105	6	77	16	27.2	7	11.9
Balance of county	1,399	1,316	82	1	589	281	152	145	40	28.6	37	26.4
Trumbull	3,466	3,304	159	-	1,235	655	37	523	121	34.9	84	24.2
Niles	338	320	18	-	132	77	-	53	13	38.5	11	32.5
Warren	1,334	1,313	20	-	495	236	4	248	47	35.2	30	22.5
Youngstown (part)	3	2	1	-	2	-	-	2	-	(5)	-	(5)
White	3	2	1	-	2	----	----	----	-	(5)	-	(5)
Nonwhite	-	-	-	-	-	----	----	----	-	(5)	-	(5)
Balance of county	1,791	1,689	120	-	606	342	33	220	61	34.1	43	24.0
Tuscarawas	1,535	1,327	197	-	792	523	26	231	58	37.8	36	23.5
New Philadelphia	308	280	28	-	168	119	1	42	7	22.7	6	19.5
Balance of county	1,227	1,047	169	-	626	404	25	189	51	41.6	30	24.4
Union	413	305	108	-	227	161	15	45	9	21.8	5	12.1
Van Wert	608	516	88	-	287	185	13	82	18	29.7	11	18.2
Vinton	245	44	189	-	124	102	7	8	13	53.1	8	32.7
Warren	827	646	175	-	333	217	29	81	27	32.6	11	13.3
Washington	902	707	190	-	513	378	9	123	29	32.2	22	24.4
Marietta	344	318	26	-	225	151	1	70	10	29.1	9	26.2
Balance of county	558	389	164	-	288	227	8	53	19	34.1	13	23.3
Wayne	1,335	1,106	228	-	532	328	48	142	35	26.2	17	12.7
Wooster	291	284	7	-	140	83	1	49	13	44.7	2	6.9
Balance of county	1,044	822	221	-	392	245	47	93	22	21.1	15	14.4
Williams	543	421	119	-	279	222	5	46	15	27.6	4	7.4
Wood	1,126	979	141	1	490	350	8	123	23	20.4	26	23.1
Wyandot	383	292	90	-	220	148	7	53	11	28.7	10	26.1
OKLAHOMA	50,416	39,190	9,808	1,138	18,620	10,907	848	6,550	1,639	32.5	1,081	21.6
Adair	352	233	72	34	118	91	-	27	16	45.5	4	11.4
White	228	139	61	21	82	----	----	----	5	21.9	1	4.4
Nonwhite	124	94	11	13	36	----	----	----	11	88.7	3	24.2
Alfalfa	202	195	7	-	114	68	-	35	5	24.8	4	19.8
Atoka	332	137	179	11	109	85	-	20	23	69.3	7	21.1
Beaver	135	120	14	-	58	37	-	19	2	14.8	2	14.8
Beckham	445	425	18	2	163	89	-	74	18	40.4	13	29.2
Blaine	395	297	85	7	157	94	-	62	18	45.6	8	20.3
White	307	243	62	1	122	----	----	----	11	35.8	5	16.3
Nonwhite	88	54	23	6	35	----	----	----	7	79.5	3	34.1
Bryan	798	487	302	5	261	183	-	78	19	23.8	19	23.8
Durant	302	248	54	1	113	76	-	37	9	29.8	5	16.6
Balance of county	496	241	248	4	148	107	-	41	10	20.2	14	28.2
Caddo	958	656	289	10	323	193	1	129	37	38.6	23	24.0
White	781	533	245	2	280	----	----	----	26	33.3	15	19.2
Nonwhite	177	123	44	8	63	----	----	----	11	62.1	8	45.2
Canadian	502	425	77	-	231	148	4	79	14	27.9	12	23.9
El Reno	259	240	19	-	135	86	1	48	13	50.2	10	38.6
Balance of county	243	185	58	-	96	62	3	31	1	4.1	2	8.2
Carter	852	541	296	14	382	255	13	92	28	32.9	14	16.4
White	752	526	222	3	299	----	----	----	25	33.2	11	14.6
Nonwhite	100	15	74	11	83	----	----	----	3	30.0	3	30.0
Ardmore	449	345	103	1	220	148	13	58	14	31.2	5	11.1
White	388	333	55	-	175	----	----	----	13	33.5	3	7.7
Nonwhite	61	12	48	1	45	----	----	----	1	16.4	2	32.8
Balance of county	405	196	193	13	142	107	-	34	14	34.7	9	22.3
Cherokee	470	295	135	37	165	111	-	53	14	29.8	12	25.5
White	341	192	125	21	127	----	----	----	8	23.5	10	29.3
Nonwhite	129	103	10	16	38	----	----	----	6	46.5	2	15.5
Choctaw	509	271	139	80	160	121	-	37	12	23.6	15	29.5
White	375	246	112	12	122	----	----	----	5	13.3	6	16.0
Nonwhite	134	25	27	68	38	----	----	----	7	52.2	9	67.2
Cimarron	96	80	16	-	20	16	-	4	3	31.3	1	10.4
Cleveland	754	657	93	3	412	103	243	64	12	15.9	9	11.9
Norman	484	461	23	-	345	56	240	47	8	16.5	8	16.5
Balance of county	270	196	70	3	67	47	3	17	4	14.8	1	3.7
Coal	194	89	102	2	81	59	-	18	2	10.3	3	15.5
Comanche	1,148	958	166	21	316	189	-	125	50	43.6	25	21.8
Lawton	776	680	76	19	213	132	-	80	31	39.9	13	16.8
Balance of county	370	276	90	2	103	57	-	45	19	51.4	12	32.4
Cotton	232	145	84	3	95	60	-	35	9	38.8	7	30.2
Craig	355	293	56	4	315	76	180	58	16	45.1	8	22.5

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
OKLAHOMA—Continued												
Creek	1,031	744	200	66	433	297	-	133	40	38.8	32	31.0
White	900	709	166	12	377	---	---	---	33	36.7	23	25.6
Nonwhite	131	35	34	54	56	---	---	---	7	53.4	9	68.7
Sapulpa	334	287	15	31	157	87	-	69	14	41.9	15	44.9
White	278	264	11	2	130	---	---	---	12	43.2	10	36.0
Nonwhite	56	23	4	29	27	---	---	---	2	35.7	5	89.3
Balance of county	697	457	185	35	276	210	-	64	26	37.3	17	24.4
White	622	445	155	10	247	---	---	---	21	33.8	13	20.9
Nonwhite	75	12	30	25	29	---	---	---	5	66.7	4	53.3
Custer	518	480	37	1	181	100	-	78	17	32.8	12	23.2
Delaware	283	118	141	17	104	81	-	20	9	31.8	5	17.7
White	222	88	126	7	92	---	---	---	8	36.0	5	22.5
Nonwhite	61	30	15	10	12	---	---	---	1	16.4	-	0
Dewey	178	106	72	-	71	51	-	18	5	28.1	3	16.9
Ellis	144	135	9	-	73	46	-	26	6	41.7	-	0
Garfield	1,060	1,022	36	1	489	223	53	205	37	35.0	21	19.8
Enid	804	791	12	1	347	147	53	142	29	36.1	15	18.7
Balance of county	256	231	24	-	142	76	-	63	8	31.3	6	23.4
Garvin	628	551	73	3	215	137	13	58	19	30.3	9	14.3
Grady	813	592	213	6	293	172	-	119	25	30.8	16	19.7
Chickasha	413	324	82	6	157	88	-	69	17	41.2	8	19.4
White	378	318	60	-	133	---	---	---	14	37.0	7	18.5
Nonwhite	35	6	22	6	24	---	---	---	3	85.7	1	28.6
Balance of county	400	268	131	-	136	84	-	50	8	20.0	8	20.0
Grant	181	160	21	-	110	79	-	30	3	16.6	2	11.0
Greer	244	208	34	2	119	72	-	34	17	69.7	8	32.8
Harmon	170	117	53	-	60	45	-	15	4	23.5	4	23.5
Harper	118	96	21	-	47	32	-	13	1	8.5	1	8.5
Haskell	250	52	186	10	83	65	-	18	7	28.0	1	4.0
Hughes	539	354	173	10	204	129	-	70	22	40.8	7	13.0
White	440	302	135	2	182	---	---	---	17	38.6	7	15.9
Nonwhite	99	52	38	8	22	---	---	---	5	50.5	-	0
Jackson	441	385	54	2	142	105	-	33	10	22.7	15	34.0
Jefferson	255	168	87	-	90	59	-	31	11	43.1	5	19.6
Johnston	242	123	116	1	71	60	-	11	6	24.8	7	28.9
Kay	1,172	1,120	52	-	421	222	-	186	31	26.5	31	26.5
Ponca City	496	475	11	-	145	66	-	75	12	24.7	12	24.7
Balance of county	696	645	41	-	276	156	-	111	19	27.7	19	27.7
Kingfisher	250	196	49	4	92	54	-	37	6	24.0	6	24.0
White	219	183	36	-	78	---	---	---	5	22.8	6	27.4
Nonwhite	31	13	13	4	14	---	---	---	1	32.3	-	0
Kiowa	462	395	65	-	162	102	-	56	15	32.5	12	26.0
Latimer	242	75	162	3	91	58	-	33	8	33.1	5	20.7
Le Flore	799	281	496	18	281	218	-	62	36	45.1	13	16.3
Lincoln	437	281	144	11	232	175	-	55	21	48.1	20	45.8
Logan	480	334	115	31	250	155	19	55	14	29.2	10	20.8
White	384	319	61	4	205	---	---	---	11	28.6	6	15.6
Nonwhite	96	15	54	27	45	---	---	---	3	31.3	4	41.7
Guthrie	242	201	34	7	159	90	19	36	9	37.2	4	16.5
White	194	192	1	1	129	---	---	---	8	41.2	3	15.5
Nonwhite	48	9	33	6	30	---	---	---	1	20.8	1	20.8
Balance of county	238	133	81	24	91	65	-	19	5	21.0	6	25.2
White	190	127	60	3	76	---	---	---	3	15.8	3	15.8
Nonwhite	48	6	21	21	15	---	---	---	2	41.7	3	62.5
Love	190	61	128	1	52	36	-	16	4	21.1	3	15.8
McClain	283	161	115	4	73	58	-	14	7	24.7	3	10.6
McCurtain	868	243	510	72	247	190	-	57	37	42.6	18	20.7
White	643	195	414	13	169	---	---	---	24	37.3	15	23.3
Nonwhite	225	48	96	59	78	---	---	---	13	57.8	3	13.3
McIntosh	514	270	148	70	181	129	1	43	24	46.7	10	19.5
White	379	229	118	24	126	---	---	---	16	42.2	8	21.1
Nonwhite	135	41	30	46	55	---	---	---	8	59.3	2	14.8
Major	216	184	31	1	72	42	-	28	8	37.0	2	9.3
Marshall	189	108	81	-	78	66	-	12	5	26.5	10	52.9
Mayes	443	361	74	6	153	97	-	54	15	33.9	14	31.6
Murray	245	197	47	-	134	89	-	44	14	57.1	6	24.5
Muskogee	1,608	1,164	289	135	680	366	84	230	53	33.0	40	24.9
White	1,258	1,057	192	2	411	---	---	---	38	30.2	27	21.5
Nonwhite	350	107	97	133	269	---	---	---	15	42.9	13	37.1
Muskogee	952	810	58	81	391	216	-	175	38	40.0	20	21.0
White	746	725	20	1	264	---	---	---	26	34.9	12	16.1
Nonwhite	206	85	38	80	127	---	---	---	12	58.3	8	38.8
Balance of county	656	354	231	54	289	150	84	55	15	22.9	20	30.5
White	512	332	172	1	147	---	---	---	12	23.4	15	29.3
Nonwhite	144	22	59	53	142	---	---	---	3	20.8	5	34.7
Noble	211	148	63	-	116	67	-	48	8	37.9	1	4.7
Nowata	243	159	73	10	136	100	-	35	6	24.7	7	28.8
White	218	156	61	-	117	---	---	---	6	27.5	6	27.5
Nonwhite	25	3	12	10	19	---	---	---	-	0	1	40.0
Okfuskee	448	245	160	41	168	131	-	35	14	31.3	13	29.0
White	311	197	112	1	102	---	---	---	7	22.5	11	35.4
Nonwhite	137	48	48	40	66	---	---	---	7	51.1	2	14.6

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
OKLAHOMA—Continued												
Oklahoma	6,994	6,644	313	30	2,207	1,093	25	1,031	215	30.7	145	20.7
Oklahoma City	5,812	5,607	195	5	1,875	925	12	890	177	30.5	119	20.5
White	5,234	5,125	102	4	1,701	---	---	---	153	29.2	97	18.5
Nonwhite	578	482	93	1	174	---	---	---	24	41.5	22	38.1
Balance of county	1,182	1,037	118	25	332	168	13	141	38	32.1	26	22.0
Okmulgee	1,061	710	244	94	413	299	-	117	33	31.1	31	29.2
White	797	656	135	2	305	---	---	---	23	28.9	17	21.3
Nonwhite	264	54	109	92	108	---	---	---	10	37.9	14	53.0
Okmulgee	417	310	58	46	197	136	-	58	21	50.4	11	26.4
White	305	293	12	-	141	---	---	---	14	45.9	6	19.7
Nonwhite	112	17	46	46	56	---	---	---	7	62.5	5	44.6
Balance of county	644	400	186	48	216	153	-	59	12	18.6	20	31.1
White	492	363	123	2	164	---	---	---	9	18.3	11	22.4
Nonwhite	152	37	63	46	52	---	---	---	3	19.7	9	59.2
Osage	635	514	115	6	283	160	34	84	24	37.8	9	14.2
Ottawa	890	590	299	1	327	221	-	105	35	39.3	15	16.9
Pawnee	327	262	63	1	144	88	1	55	6	18.3	9	27.5
Payne	986	868	83	14	286	175	-	104	27	28.0	17	17.6
Stillwater	451	445	6	-	122	74	-	47	12	26.6	7	15.5
Balance of county	515	423	77	14	164	101	-	57	15	29.1	10	19.4
Pittsburg	1,126	779	318	22	423	217	19	184	41	36.4	31	27.5
White	1,014	728	267	13	369	---	---	---	37	36.5	29	28.6
Nonwhite	112	51	51	9	54	---	---	---	4	35.7	2	17.9
McAlester	470	423	40	5	183	72	18	92	14	29.8	14	29.8
White	398	386	10	1	148	---	---	---	12	30.2	12	30.2
Nonwhite	72	37	30	4	35	---	---	---	2	27.8	2	27.8
Balance of county	656	356	278	17	240	145	1	92	27	41.2	17	25.9
White	616	342	257	12	221	---	---	---	25	40.6	17	27.6
Nonwhite	40	14	21	5	19	---	---	---	2	50.0	-	0
Pontotoc	798	668	128	1	285	162	-	122	32	40.1	14	17.5
Ada	470	430	40	-	169	91	-	78	20	42.6	8	17.0
Balance of county	328	238	88	1	116	71	-	44	12	36.6	6	18.3
Pottawatomie	1,070	912	135	22	403	252	1	145	34	31.8	22	20.6
Shawnee	577	554	13	10	216	125	-	90	14	24.3	6	10.4
Balance of county	493	358	122	12	187	127	1	55	20	40.6	16	32.5
Pushmataha	306	120	178	5	103	71	-	32	9	29.4	14	45.8
Roger Mills	146	134	11	-	59	34	-	25	4	27.4	5	34.2
Rogers	449	369	75	3	180	104	-	75	9	20.0	12	26.7
Seminole	947	793	102	44	322	208	-	114	37	39.1	14	14.8
White	741	688	51	-	255	---	---	---	26	35.1	13	17.5
Nonwhite	206	105	51	44	67	---	---	---	11	53.4	1	4.9
Seminole	281	266	15	-	99	59	-	40	11	39.1	6	21.4
Wewoka	188	160	12	15	74	44	-	30	6	31.9	2	10.6
White	137	134	3	-	57	---	---	---	4	29.2	2	14.6
Nonwhite	51	26	9	15	17	---	---	---	2	39.2	-	0
Balance of county	478	367	75	29	149	103	-	44	20	41.8	6	12.6
White	346	308	36	-	109	---	---	---	13	37.6	5	14.5
Nonwhite	132	59	39	29	40	---	---	---	7	53.0	1	7.6
Sequoyah	517	167	312	19	171	124	-	46	14	27.1	18	34.8
White	459	147	291	12	150	---	---	---	13	28.3	16	34.9
Nonwhite	58	20	21	7	21	---	---	---	1	17.2	2	34.5
Stephens	727	687	39	1	216	107	1	107	21	28.9	16	22.0
Texas	266	190	76	-	74	51	-	23	5	18.8	4	15.0
Tillman	421	362	44	11	129	90	-	36	11	26.1	11	26.1
White	368	337	28	-	107	---	---	---	9	24.5	9	24.5
Nonwhite	53	25	16	11	22	---	---	---	2	37.7	2	37.7
Tulsa	5,598	5,052	469	76	1,839	909	13	858	162	28.9	104	18.6
White	5,034	4,666	365	3	1,617	---	---	---	145	28.8	86	17.1
Nonwhite	564	386	104	73	221	---	---	---	17	30.1	18	31.9
Tulsa	4,393	4,132	199	61	1,516	732	5	729	123	28.0	79	18.0
White	3,933	3,803	128	2	1,318	---	---	---	107	27.2	62	15.8
Nonwhite	460	329	71	59	198	---	---	---	16	34.8	17	37.0
Balance of county	1,205	920	270	15	322	177	8	129	39	32.4	25	20.7
Wagoner	383	125	229	27	128	102	-	26	14	36.6	7	18.3
White	294	109	180	3	90	---	---	---	9	30.6	5	17.0
Nonwhite	89	16	49	24	38	---	---	---	5	56.2	2	22.5
Washington	741	666	73	2	245	142	1	102	20	27.0	10	13.5
Bartlesville	485	463	22	-	158	87	-	71	15	30.9	8	16.5
Balance of county	256	203	51	2	87	55	1	31	5	19.5	2	7.8
Washita	332	316	16	-	135	88	-	46	4	12.0	8	24.1
Woods	324	314	8	-	124	64	-	50	7	21.6	10	30.9
Woodward	270	252	18	-	263	72	142	42	12	44.4	7	25.9
OREGON	30,076	29,472	447	13	13,318	6,067	882	6,019	833	27.7	521	17.3
Baker	371	351	18	-	200	108	-	88	8	21.6	8	21.6
Benton	591	581	5	-	176	95	-	78	16	27.1	14	23.7
Clackamas	1,583	1,534	28	3	653	357	11	281	44	27.8	25	15.8
Clatsop	663	654	9	-	281	110	-	165	17	25.6	12	18.1
Astoria	280	280	-	-	168	49	-	119	10	35.7	6	21.4
Balance of county	383	374	9	-	113	61	-	46	7	18.3	6	15.7
Columbia	460	434	22	-	174	93	-	77	17	37.0	5	10.9
Coos	634	621	11	-	342	160	12	164	17	26.8	8	12.6
Crook	154	153	1	-	54	33	-	20	8	51.9	2	13.0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
OREGON—Continued												
Curry	70	68	2	-	60	37	-	23	1	14.3	1	14.3
Deschutes	496	491	3	1	156	75	7	68	19	38.3	10	20.2
Bend	275	274	1	-	95	40	7	47	7	25.5	2	7.3
Balance of county	221	217	2	1	61	35	-	21	12	54.3	8	36.2
Douglas	728	664	32	-	340	173	37	110	15	20.6	10	13.7
Gilliam	63	63	-	-	30	19	-	8	4	63.5	1	15.9
Grant	127	124	2	-	57	32	-	25	2	15.7	-	0
Harney	111	111	-	-	43	24	-	18	5	45.0	2	18.0
Hood River	296	293	2	-	102	45	3	54	8	27.0	6	20.3
Jackson	1,121	1,110	8	-	489	234	7	233	23	20.5	29	25.9
Medford	479	477	1	-	219	84	-	128	14	29.2	23	48.0
Balance of county	642	633	7	-	270	150	7	106	9	14.0	6	9.3
Jefferson	90	86	-	-	25	14	-	11	3	33.3	-	0
White	56	55	-	-	17	---------	---------	---------	-	0	-	0
Nonwhite	34	31	-	-	8	---------	---------	---------	3	88.2	-	0
Josephine	457	434	22	1	222	86	-	131	16	35.0	9	19.7
Klamath	1,162	1,162	12	2	330	142	10	176	35	29.6	28	23.7
Klamath Falls	769	764	5	-	221	79	1	139	19	24.7	17	22.1
Balance of county	413	398	7	2	109	63	9	37	16	38.7	11	26.6
Lake	126	125	1	-	37	20	-	16	4	31.7	3	23.8
Lane	1,990	1,907	74	-	791	400	11	369	52	26.1	39	19.6
Eugene	768	754	14	-	450	153	11	277	27	35.2	12	15.6
Balance of county	1,222	1,153	60	-	341	247	-	92	25	20.5	27	22.1
Lincoln	375	366	8	-	154	89	-	64	14	37.3	6	16.0
Linn	1,017	994	16	1	375	179	12	147	33	32.4	22	21.6
Malheur	519	507	8	-	150	61	-	82	15	28.9	11	21.2
Marion	1,753	1,719	29	-	1,294	461	428	386	40	22.8	31	17.7
Salem	814	810	3	-	868	231	386	238	17	20.9	11	13.5
Balance of county	939	909	26	-	426	230	42	148	23	24.5	20	21.3
Morrow	80	61	17	-	46	29	-	17	3	37.5	-	0
Multnomah	10,720	10,631	59	2	4,915	2,190	192	2,390	285	26.6	177	16.5
Portland	9,435	9,376	45	2	4,182	1,864	65	2,190	222	23.5	150	15.9
Balance of county	1,285	1,255	14	-	733	326	127	200	63	49.0	27	21.0
Polk	478	468	9	-	172	110	-	60	12	25.1	8	16.7
Sherman	41	41	-	-	12	8	-	4	2	48.8	-	0
Tillamook	382	372	9	-	120	49	-	63	10	26.2	4	10.5
Umatilla	752	736	13	-	400	107	109	179	24	31.9	9	12.0
Union	403	403	-	-	177	66	-	108	18	44.7	8	20.0
Wallowa	141	139	1	-	52	29	-	22	1	7.1	2	14.2
Wasco	281	267	2	3	167	73	13	81	8	28.5	8	28.5
Washington	1,032	1,011	14	-	392	199	30	158	27	26.2	12	11.6
Wheeler	65	58	3	-	24	15	-	9	3	46.2	2	30.8
Yamhill	724	713	7	-	306	145	-	154	24	33.1	9	12.4
PENNSYLVANIA	218,376	192,318	25,854	138	107,683	57,415	7,165	42,234	7,196	33.0	4,639	21.2
Adams	930	754	176	-	363	256	13	93	30	32.3	23	24.7
Allegheny	31,381	29,694	1,670	11	14,932	7,802	1,028	6,006	896	28.6	695	22.1
Bellevue	210	208	2	-	124	60	-	64	10	47.6	1	4.8
Braddock	422	401	21	-	173	86	-	87	19	45.0	9	21.3
White	363	354	9	-	140	---------	---------	---------	15	41.3	8	22.0
Nonwhite	59	47	12	-	33	---------	---------	---------	4	67.8	1	16.9
Carnegie	437	401	36	-	128	77	-	51	11	25.2	13	29.7
Clairton	447	383	63	1	152	92	-	58	14	31.3	8	17.9
White	377	343	34	-	131	---------	---------	---------	11	29.2	6	15.9
Nonwhite	70	40	29	1	21	---------	---------	---------	3	42.9	2	28.6
Coraopolis	267	258	9	-	92	55	-	37	8	30.0	7	26.2
Dormont	116	115	1	-	99	65	-	33	5	43.1	-	0
Duquesne	478	436	38	3	179	118	-	60	12	25.1	10	20.9
Harrison (twp.)[4]	220	203	17	-	85	36	-	49	5	22.7	2	9.1
Homestead	320	312	8	-	123	50	-	72	11	34.4	6	18.8
White	292	285	7	-	111	---------	---------	---------	11	37.7	4	13.7
Nonwhite	28	27	1	-	12	---------	---------	---------	-	0	2	71.4
McKees Rocks	641	624	17	-	217	110	-	105	12	18.7	6	9.4
McKeesport	1,362	1,236	125	-	504	287	-	210	40	29.4	29	21.3
Mount Lebanon (twp.)[4]	143	143	-	-	147	80	20	44	6	42.0	5	35.0
Munhall	249	241	8	-	126	70	-	56	9	36.1	7	28.1
North Braddock	328	308	20	-	133	78	-	55	5	15.2	8	24.4
Pittsburgh	16,622	16,063	549	6	7,608	4,108	162	3,290	431	25.9	399	24.0
White	14,994	14,551	434	5	6,704	---------	---------	---------	364	24.3	347	23.1
Nonwhite	1,628	1,512	115	1	904	---------	---------	---------	67	41.2	52	31.9
Shaler (twp.)[4]	185	173	12	-	59	39	-	20	9	48.6	2	10.8
Stowe (twp.)[4]	22	22	-	-	9	7	-	2	-	0	1	45.5
Swissvale	383	369	14	-	150	83	6	61	12	31.3	10	26.1
Wilkinsburg	547	541	6	-	348	186	13	142	15	27.4	12	21.9
Balance of county	7,982	7,257	724	1	4,476	2,117	827	1,510	262	32.8	160	20.0
White	7,732	7,061	670	1	4,234	---------	---------	---------	255	33.0	151	19.5
Nonwhite	250	196	54	-	242	---------	---------	---------	7	28.0	9	36.0
Armstrong	1,876	1,275	600	1	729	501	26	202	68	36.2	39	20.8
Beaver	3,756	3,378	371	7	1,443	842	69	530	128	34.1	92	24.5
Aliquippa	593	459	128	6	202	125	-	77	18	30.4	17	28.7
White	512	434	75	3	166	---------	---------	---------	10	19.5	9	17.6
Nonwhite	81	25	53	3	36	---------	---------	---------	8	98.8	8	98.8
Ambridge	482	468	14	-	151	83	-	68	11	22.8	7	14.5

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
PENNSYLVANIA—Continued												
Beaver—Continued												
Beaver Falls	531	499	32	-	189	107	-	82	16	30.1	10	18.8
Ellwood City (part)	-	-	-	-	9	5	-	4	-	(5)	1	(5)
Balance of county	2,150	1,952	197	1	892	522	69	299	83	38.6	57	26.5
Bedford	846	491	352	-	400	280	4	116	37	43.7	18	21.3
Berks	4,615	3,946	669	-	2,854	1,565	284	996	141	30.6	97	21.0
Reading	2,063	1,942	121	-	1,342	764	6	568	66	32.0	32	15.5
Balance of county	2,552	2,004	548	-	1,512	801	278	428	75	29.4	65	25.5
Blair	3,284	2,789	492	2	1,540	961	78	498	102	31.1	77	23.4
Altoona	1,895	1,724	170	-	898	579	-	318	50	26.4	40	21.1
Balance of county	1,389	1,065	322	2	642	382	78	180	52	37.4	37	26.6
Bradford	1,145	1,050	95	-	626	377	28	204	43	37.6	22	19.2
Bucks	2,609	2,475	134	-	1,187	729	54	388	82	31.4	35	13.4
Bristol	421	411	10	-	125	68	-	55	11	26.1	4	9.5
Balance of county	2,188	2,064	124	-	1,062	661	54	333	71	32.4	31	14.2
Butler	2,053	1,691	362	-	925	569	45	298	71	34.6	38	18.5
Butler	609	567	42	-	269	166	-	101	19	31.2	8	13.1
Balance of county	1,444	1,124	320	-	656	403	45	197	52	36.0	30	20.8
Cambria	4,729	3,635	1,088	2	1,913	999	111	793	197	41.7	121	25.6
Johnstown	1,796	1,665	129	1	798	393	-	397	87	48.4	51	28.4
Balance of county	2,933	1,970	959	1	1,115	606	111	396	110	37.5	70	23.9
Cameron	165	149	16	-	52	36	-	16	3	18.2	4	24.2
Carbon	1,164	826	338	-	678	367	101	207	40	34.4	22	18.9
Centre	1,272	1,105	166	-	492	284	43	162	42	33.0	28	22.0
Chester	3,218	2,899	316	2	1,662	827	247	545	116	36.0	64	19.9
Coatesville	380	346	34	-	157	85	-	71	15	39.5	9	23.7
White	320	300	20	-	126	---	---	---	7	21.9	8	25.0
Nonwhite	60	46	14	-	31	---	---	---	8	133.3	1	16.7
Phoenixville	308	288	20	-	135	75	-	57	12	39.0	5	16.2
West Chester	323	318	4	1	207	86	10	97	28	86.7	8	24.8
White	262	259	2	1	164	---	---	---	21	80.2	3	11.5
Nonwhite	61	59	2	-	43	---	---	---	7	114.8	5	82.0
Balance of county	2,207	1,947	258	1	1,163	581	237	320	61	27.6	42	19.0
Clarion	617	354	462	-	396	303	12	80	28	34.3	10	12.2
Clearfield	2,026	1,565	459	-	816	463	41	312	72	35.5	49	24.2
Du Bois	303	294	8	-	152	78	-	74	17	56.1	5	16.5
Balance of county	1,723	1,271	451	-	664	385	41	238	55	31.9	44	25.5
Clinton	880	828	51	1	373	199	1	173	24	27.3	19	21.6
Lock Haven	328	315	12	1	128	58	-	70	9	27.4	5	15.2
Balance of county	552	513	39	-	245	141	1	103	15	27.2	14	25.4
Columbia	1,137	1,032	103	-	570	334	-	234	39	34.3	34	29.9
Berwick	330	307	23	-	153	92	-	61	14	42.4	11	33.3
Balance of county	807	725	80	-	417	242	-	173	25	31.0	23	28.5
Crawford	1,748	1,647	100	-	876	472	50	349	53	30.3	29	16.6
Meadville	498	490	8	-	216	88	1	127	20	40.2	7	14.1
Balance of county	1,250	1,157	92	-	660	384	49	222	33	26.4	22	17.6
Cumberland	1,991	1,689	301	1	858	546	34	272	63	31.6	34	17.1
Carlisle	356	323	33	-	182	109	1	72	18	50.6	4	11.2
Balance of county	1,635	1,366	268	1	676	437	33	200	45	27.5	30	18.3
Dauphin	4,211	3,547	662	1	2,335	1,259	341	719	132	31.3	98	23.3
Harrisburg	2,111	1,934	177	-	1,126	643	9	462	69	32.7	51	24.2
Steelton	250	212	48	-	138	87	-	48	10	38.5	6	23.1
White	196	172	24	-	108	---	---	---	6	30.6	2	10.2
Nonwhite	64	40	24	-	30	---	---	---	4	62.5	4	62.5
Balance of county	1,840	1,401	437	1	1,071	529	332	209	53	28.8	41	22.5
Delaware	8,080	7,817	259	2	3,316	1,808	185	1,214	229	28.3	162	20.0
Chester	1,834	1,704	126	2	706	326	1	359	90	49.1	51	27.8
White	1,418	1,365	49	2	565	---	---	---	60	42.3	32	22.6
Nonwhite	416	339	77	-	141	---	---	---	30	72.1	19	45.7
Darby	327	323	4	-	127	60	20	43	11	33.6	5	15.3
White	286	284	2	-	112	---	---	---	10	35.0	4	14.0
Nonwhite	41	39	2	-	15	---	---	---	1	24.4	1	24.4
Haverford (twp.)[4]	297	296	1	-	183	124	-	54	4	13.5	3	10.1
Lansdowne	362	362	-	-	140	84	-	49	6	16.6	3	8.3
Upper Darby (twp.)[4]	1,405	1,398	7	-	606	337	85	174	39	27.8	23	16.4
Balance of county	3,855	3,754	121	-	1,584	877	79	535	79	20.5	77	20.0
Elk	722	683	39	-	278	148	5	125	19	26.3	16	22.2
Erie	4,670	4,468	202	-	2,162	1,164	128	840	221	47.3	88	18.8
Erie	3,123	3,045	78	-	1,397	727	32	609	161	51.6	64	20.5
Balance of county	1,547	1,423	124	-	765	437	96	231	60	38.8	24	15.5
Fayette	4,177	2,946	1,213	17	1,741	1,173	78	489	149	35.7	109	26.1
Connellsville	359	301	58	-	161	104	-	57	15	41.8	4	11.1
Uniontown	617	551	65	1	269	174	-	95	25	40.5	15	24.3
Balance of county	3,201	2,094	1,090	16	1,311	895	78	337	109	34.1	90	28.1
Forest	103	71	32	-	61	41	2	18	2	19.4	5	48.5
Franklin	1,770	1,487	281	2	758	482	32	242	39	22.0	41	23.2
Chambersburg	371	364	7	-	171	112	1	58	7	18.9	8	21.6
Waynesboro	240	225	15	-	112	73	1	38	5	20.8	11	45.8
Balance of county	1,159	898	259	2	475	297	30	148	27	23.3	22	19.0
Fulton	265	100	165	-	78	65	-	12	6	22.6	2	7.5
Greene	965	680	284	-	436	290	40	105	47	48.7	21	21.8
Huntingdon	1,002	546	456	-	430	303	7	118	34	33.9	20	20.0

See footnotes on p. 111.

793002 O - 48 - 7

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
PENNSYLVANIA—Continued												
Indiana	1,719	1,178	540	-	658	399	37	219	52	30.3	49	27.9
Indiana	260	250	10	-	107	68	-	39	4	15.4	5	19.2
Balance of county	1,459	928	530	-	551	331	37	180	48	32.9	43	29.5
Jefferson	1,083	897	186	-	504	314	18	171	44	40.6	22	20.3
Juniata	326	154	172	-	161	123	-	37	7	21.5	13	39.9
Lackawanna	5,043	4,643	376	24	3,205	1,749	238	1,210	180	35.7	129	25.6
Carbondale	354	326	28	-	236	132	-	103	20	56.5	12	33.9
Dickson City	163	156	7	-	96	70	-	26	3	18.4	7	42.9
Dunmore	324	302	22	-	235	128	41	66	6	18.5	7	21.6
Old Forge	207	169	30	8	78	46	-	32	5	24.2	3	14.5
Scranton	2,561	2,425	127	9	1,560	877	5	672	92	35.9	72	28.1
Balance of county	1,434	1,265	162	7	1,000	496	192	311	54	37.7	28	19.5
Lancaster	5,136	3,898	1,237	-	2,376	1,348	228	790	174	33.9	92	17.9
Columbia	276	260	16	-	148	86	-	60	15	54.3	5	18.1
Lancaster	1,610	1,503	107	-	788	394	27	365	69	42.9	30	18.6
Balance of county	3,250	2,135	1,114	-	1,440	868	201	365	90	37.7	57	17.5
Lawrence	2,281	2,182	97	1	909	488	22	394	68	29.8	50	21.9
Ellwood City (part)	282	280	2	-	89	39	-	49	8	(5)	7	(5)
Ellwood City (total)	282	280	2	-	98	44	-	53	8	28.4	8	28.4
New Castle	1,172	1,139	31	1	516	273	2	238	39	33.3	26	22.2
Balance of county	827	763	64	-	304	176	20	107	21	25.4	17	20.6
Lebanon	1,940	1,589	351	-	779	452	29	282	62	32.0	32	16.5
Lebanon	840	755	85	-	380	209	5	161	33	39.3	16	19.0
Balance of county	1,100	834	266	-	399	243	24	131	29	26.4	16	14.5
Lehigh	3,846	3,306	539	1	2,102	983	202	904	105	27.3	98	25.5
Allentown	2,130	1,972	158	-	1,234	501	158	566	54	25.4	61	28.6
Bethlehem (part)	312	308	4	-	144	71	-	72	11	(5)	3	(5)
Balance of county	1,404	1,026	377	1	724	411	46	266	40	28.5	34	24.2
Luzerne	7,990	7,251	729	8	4,055	2,536	48	1,466	307	38.4	161	20.2
Hanover (twp.)[4]	78	74	4	-	29	18	-	11	2	25.6	2	25.6
Hazleton	780	758	22	-	403	248	-	148	50	64.1	14	17.9
Kingston	436	419	17	-	213	142	-	71	14	32.1	9	20.6
Nanticoke	414	380	34	-	226	119	-	107	22	53.1	9	21.7
Pittston	404	380	24	-	184	113	-	71	12	29.7	8	19.8
Plains (twp.)[4]	221	205	16	-	103	58	-	45	7	31.7	9	40.7
Plymouth	313	273	40	-	159	99	-	60	16	51.1	6	19.2
Wilkes-Barre	1,763	1,652	108	3	948	592	1	355	71	40.3	39	22.1
Balance of county	3,581	3,110	464	5	1,790	1,147	45	598	113	31.6	65	18.2
Lycoming	2,224	1,997	225	1	1,102	658	49	395	61	27.4	47	21.1
Williamsport	1,150	1,071	78	1	547	313	4	230	36	31.3	21	18.3
Balance of county	1,074	926	147	-	555	345	45	165	25	23.3	26	24.2
McKean	1,261	1,224	37	-	551	293	20	238	39	30.9	29	23.0
Bradford	458	455	3	-	207	99	-	108	16	34.9	8	17.5
Balance of county	803	769	34	-	344	194	20	130	23	28.6	21	26.2
Mercer	2,424	2,253	170	1	1,070	603	65	396	73	30.1	49	20.2
Farrell	312	298	16	-	103	53	-	50	9	28.8	5	16.0
White	275	265	10	-	94	---	---	---	7	25.5	5	18.2
Nonwhite	37	31	6	-	9	---	---	---	2	54.1	-	0
Sharon	660	649	11	-	271	137	-	134	27	40.9	14	21.2
Balance of county	1,452	1,308	143	1	696	413	65	212	37	25.5	30	20.7
Mifflin	1,090	806	281	2	434	242	5	186	50	45.9	22	20.2
Lewistown	426	386	39	-	199	107	-	91	16	37.6	6	14.1
Balance of county	664	420	242	2	235	135	5	95	34	51.2	16	24.1
Monroe	647	539	108	-	367	237	11	117	20	30.9	10	15.5
Montgomery	6,832	6,531	299	2	3,221	1,682	441	1,040	187	27.4	125	18.3
Abington (twp.)[4]	354	348	5	1	140	65	5	63	11	31.1	13	36.7
Cheltenham (twp.)[4]	279	275	4	-	185	118	16	48	5	17.9	3	10.8
Conshohocken	306	282	24	-	85	52	-	31	7	22.9	6	19.6
Lower Merion (twp.)[4]	831	827	4	-	363	200	1	158	21	25.3	13	15.6
Norristown	889	870	19	-	743	211	371	154	30	33.7	22	24.7
Pottstown	518	503	15	-	232	126	-	106	22	42.5	15	29.0
Balance of county	3,655	3,426	228	1	1,473	910	48	480	91	24.9	53	14.5
Montour	283	223	60	-	280	95	139	45	12	42.4	9	31.8
Northampton	3,702	3,243	456	1	1,718	923	57	727	126	34.0	68	18.4
Bethlehem (part)	1,109	1,068	39	1	418	216	-	198	41	(5)	14	(5)
Bethlehem (total)	1,421	1,376	43	1	562	287	-	270	52	36.6	17	12.0
Easton	899	845	54	-	522	253	4	262	34	37.8	19	21.1
Balance of county	1,694	1,330	363	-	778	454	53	267	51	30.1	35	20.7
Northumberland	2,513	2,055	457	-	1,298	884	31	382	88	35.0	38	15.1
Mount Carmel	310	276	34	-	178	126	-	52	10	32.3	9	29.0
Shamokin	633	541	92	-	264	187	1	76	16	25.3	10	15.8
Sunbury	339	312	27	-	201	118	-	83	22	64.9	6	17.7
Balance of county	1,231	926	304	-	855	453	30	171	40	32.5	13	10.6
Perry	530	289	237	-	239	174	4	59	20	37.7	12	22.6
Philadelphia, coextensive with Philadelphia (city)	42,511	40,457	2,009	33	23,820	9,695	1,325	12,572	1,411	33.2	898	21.1
White	34,819	33,869	926	20	19,838	---	---	---	1,042	29.9	619	17.8
Nonwhite	7,692	6,588	1,083	13	3,982	---	---	---	369	48.0	279	36.3
Pike	115	92	23	-	106	79	-	27	4	34.8	3	26.1
Potter	360	312	48	-	240	138	20	81	25	69.4	10	27.8
Schuylkill	4,037	3,334	702	1	2,456	1,470	134	848	149	36.9	98	24.3
Mahanoy City	246	206	39	1	168	109	-	59	13	52.8	3	12.2
Pottsville	497	479	18	-	314	163	-	148	33	66.4	11	22.1
Shenandoah	335	299	36	-	227	134	-	92	20	59.7	9	26.9
Tamaqua	245	220	25	-	148	85	-	63	8	32.7	11	44.9
Balance of county	2,714	2,130	584	-	1,599	979	134	486	75	27.6	64	23.6

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
PENNSYLVANIA—Continued												
Snyder	488	321	167	-	274	202	23	48	22	45.1	15	30.7
Somerset	1,779	1,250	527	-	770	503	39	224	63	35.4	41	23.0
Sullivan	136	95	41	-	77	53	-	23	3	22.1	3	22.1
Susquehanna	657	489	167	-	358	242	12	102	18	27.4	15	22.8
Tioga	791	623	167	-	438	270	13	150	25	31.6	20	25.3
Union	453	364	89	-	258	147	12	77	20	44.2	7	15.5
Venango	1,401	1,266	135	-	707	399	92	213	51	36.4	19	13.6
Oil City	502	488	14	-	223	144	-	79	16	31.9	5	10.0
Balance of county	899	778	121	-	484	255	92	134	35	38.9	14	15.6
Warren	807	726	81	-	677	255	247	166	26	32.2	21	26.0
Warren	316	313	3	-	182	93	1	83	9	28.5	6	19.0
Balance of county	491	413	78	-	495	162	246	83	17	34.6	15	30.5
Washington	4,653	3,851	793	6	1,886	1,095	110	662	160	34.4	82	17.6
Canonsburg	317	291	26	-	104	56	-	48	13	41.0	3	9.5
Charleroi	244	231	13	-	111	63	-	48	15	61.5	3	12.3
Donora	288	277	11	-	93	51	-	42	9	31.3	8	27.8
Washington	815	746	69	-	364	214	-	137	32	39.3	7	8.6
Balance of county	2,989	2,306	674	6	1,214	711	110	387	91	30.4	61	20.4
Wayne	501	390	111	-	351	227	49	73	20	39.9	15	29.9
Westmoreland	6,614	5,608	993	8	2,897	1,635	299	951	222	33.6	147	22.2
Arnold	189	185	4	-	60	36	-	24	5	26.5	3	15.9
Greensburg	514	476	38	-	181	110	4	67	10	19.5	14	27.2
Jeannette	368	334	34	-	153	98	-	55	11	29.9	12	32.6
Latrobe	275	268	6	-	110	63	-	47	8	29.1	2	7.3
Monessen	418	356	60	2	158	101	-	57	18	43.1	12	28.7
New Kensington	642	631	8	2	222	117	-	105	26	40.5	23	35.8
Vandergrift	224	177	46	1	93	53	-	39	12	53.6	4	17.9
Balance of county	3,984	3,181	797	3	1,920	1,057	295	557	132	33.1	77	19.3
Wyoming	513	383	130	-	187	139	-	45	12	38.3	6	19.2
York	4,283	3,082	1,200	-	1,874	1,238	61	549	137	32.0	73	17.0
Hanover	391	353	38	-	178	108	-	70	19	48.6	12	30.7
York	1,690	1,380	309	-	757	459	2	280	50	29.6	30	17.8
Balance of county	2,202	1,349	853	-	939	671	59	198	68	30.9	31	14.1
RHODE ISLAND	16,761	15,960	777	14	8,073	4,348	583	3,030	494	29.5	327	19.5
Bristol	611	569	31	11	259	163	7	86	18	29.5	7	11.5
Bristol (town)	268	237	23	8	123	76	7	39	7	28.1	2	7.5
Balance of county	343	332	8	3	136	87	-	47	11	32.1	5	14.6
Kent	1,579	1,500	78	-	636	404	-	213	38	24.1	30	19.0
Warwick	821	788	32	-	314	194	-	110	19	23.1	16	19.5
West Warwick (town)	455	434	21	-	170	108	-	59	12	26.4	8	17.6
Balance of county	303	278	25	-	152	102	-	44	7	23.1	6	19.8
Newport	1,329	1,297	29	-	546	271	1	261	32	24.1	22	16.6
Newport	793	789	4	-	348	155	1	186	23	29.0	11	13.9
Balance of county	536	508	25	-	198	116	-	75	9	16.8	11	20.5
Providence	12,241	11,615	618	3	6,277	3,294	571	2,349	377	30.8	251	20.5
Central Falls	546	409	136	-	210	138	-	68	18	33.0	18	33.0
Cranston	935	921	13	1	895	259	386	243	34	36.4	19	20.3
Cumberland (town)	244	215	29	-	98	60	1	36	10	41.0	5	20.5
East Providence (town)	701	681	20	-	304	179	-	118	24	34.2	3	4.3
Johnston (town)	220	215	5	-	81	54	-	26	5	22.7	6	27.3
Lincoln (town)	192	181	11	-	115	80	-	34	7	36.5	5	26.0
North Providence (town)	248	240	8	-	98	71	-	25	3	12.1	6	24.2
Pawtucket	1,798	1,617	179	-	853	506	42	302	56	31.1	45	25.0
Providence	5,618	5,498	116	2	2,796	1,475	82	1,205	157	27.9	113	20.1
Woonsocket	1,167	1,099	68	-	470	290	-	180	48	41.1	14	12.0
Balance of county	572	539	33	-	357	182	60	112	15	26.2	17	29.7
Washington	1,001	979	21	-	355	216	4	121	28	29.0	17	17.0
Westerly (town)	282	281	1	-	116	65	-	43	8	28.4	4	14.2
Balance of county	719	698	20	-	239	151	4	78	21	29.2	13	18.1
SOUTH CAROLINA	53,963	26,804	11,233	15,879	16,351	10,958	480	4,871	2,235	41.4	1,736	32.2
Abbeville	443	158	147	138	171	135	-	36	26	58.7	8	18.1
White	249	141	99	9	93	---------	---------	---------	15	60.2	5	20.1
Nonwhite	194	17	48	129	78	---------	---------	---------	11	56.7	3	15.5
Aiken	1,249	577	379	293	461	353	-	108	46	36.8	39	31.2
White	771	533	220	18	241	---------	---------	---------	23	29.8	12	15.6
Nonwhite	478	44	159	275	220	---------	---------	---------	23	48.1	27	56.5
Allendale	322	48	28	246	105	89	-	15	12	37.3	10	31.1
White	70	45	23	2	29	---------	---------	---------	2	28.6	1	14.3
Nonwhite	252	3	5	244	76	---------	---------	---------	10	39.7	9	35.7
Anderson	2,203	1,337	638	227	653	432	-	219	93	42.2	68	30.9
White	1,777	1,277	480	19	479	---------	---------	---------	63	35.5	46	25.9
Nonwhite	426	60	158	208	174	---------	---------	---------	30	70.4	22	51.6
Anderson	759	649	90	19	280	170	-	110	30	39.5	28	36.9
White	679	615	62	1	193	---------	---------	---------	18	26.5	23	33.9
Nonwhite	80	34	28	18	87	---------	---------	---------	12	150.0	5	62.5
Balance of county	1,444	688	548	208	373	262	-	109	63	43.6	40	27.7
White	1,098	662	418	18	286	---------	---------	---------	45	41.0	23	20.9
Nonwhite	346	26	130	190	87	---------	---------	---------	18	52.0	17	49.1

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
SOUTH CAROLINA—Continued												
Bamberg	397	75	98	223	147	111	-	36	18	45.3	19	47.9
White	143	70	71	2	54	---	---	---	5	35.0	3	21.0
Nonwhite	254	5	28	221	93	---	---	---	13	51.2	16	63.0
Barnwell	481	58	114	308	132	115	-	17	11	22.9	22	45.7
White	125	55	62	8	46	---	---	---	3	24.0	3	24.0
Nonwhite	356	3	52	300	86	---	---	---	8	22.5	19	53.4
Beaufort	712	254	26	431	219	180	-	37	19	26.7	16	22.5
White	243	233	7	3	39	---	---	---	3	12.3	5	20.6
Nonwhite	469	21	19	428	180	---	---	---	16	34.1	11	23.5
Berkeley	849	197	50	602	220	175	-	45	39	45.9	37	43.6
White	228	161	38	29	67	---	---	---	10	43.9	2	8.8
Nonwhite	621	36	12	573	153	---	---	---	29	46.7	35	56.4
Calhoun	360	55	20	285	104	88	-	16	27	75.0	22	61.1
White	67	51	10	6	22	---	---	---	1	14.9	1	14.9
Nonwhite	293	4	10	279	82	---	---	---	26	88.7	21	71.7
Charleston	5,188	3,271	767	1,149	1,457	792	-	664	208	40.1	169	32.6
White	2,709	2,586	85	38	667	---	---	---	89	32.9	46	17.0
Nonwhite	2,479	685	682	1,111	790	---	---	---	119	48.0	123	49.6
Charleston	2,347	1,549	668	129	823	396	-	426	100	42.6	82	34.9
White	1,241	1,211	24	6	397	---	---	---	46	37.1	19	15.3
Nonwhite	1,106	338	644	123	426	---	---	---	54	48.8	63	57.0
Balance of county	2,841	1,722	99	1,020	634	396	-	238	108	38.0	87	30.6
White	1,468	1,375	61	32	270	---	---	---	43	29.3	27	18.4
Nonwhite	1,373	347	38	988	364	---	---	---	65	47.3	60	43.7
Cherokee	812	477	233	101	231	147	-	84	17	20.9	27	33.3
White	590	400	183	6	159	---	---	---	13	22.0	13	22.0
Nonwhite	222	77	50	95	72	---	---	---	4	18.0	14	63.1
Chester	757	321	201	235	274	220	-	53	38	50.2	39	51.5
White	420	306	111	3	141	---	---	---	20	47.6	15	35.7
Nonwhite	337	15	90	232	133	---	---	---	18	53.4	24	71.2
Chesterfield	1,041	246	639	155	243	184	-	58	49	47.1	27	25.9
White	588	232	347	6	126	---	---	---	26	44.2	10	17.0
Nonwhite	453	14	291	147	117	---	---	---	23	50.8	17	37.5
Clarendon	894	121	112	661	233	196	-	36	47	52.6	29	32.4
White	224	108	89	27	58	---	---	---	6	26.8	2	8.9
Nonwhite	670	13	23	634	175	---	---	---	41	61.2	27	40.3
Colleton	749	302	65	381	237	198	-	39	22	29.4	25	33.4
White	302	268	15	19	88	---	---	---	4	13.2	7	23.2
Nonwhite	447	34	50	362	149	---	---	---	18	40.3	18	40.3
Darlington	1,361	574	414	373	405	307	-	97	69	50.7	40	29.4
White	766	499	256	11	203	---	---	---	34	44.4	16	20.9
Nonwhite	595	75	158	362	202	---	---	---	35	58.8	24	40.3
Dillon	791	405	103	283	219	170	-	43	36	45.5	19	24.0
White	413	328	68	17	111	---	---	---	18	43.6	11	26.6
Nonwhite	378	77	35	266	108	---	---	---	18	47.6	8	21.2
Dorchester	646	222	127	297	212	161	-	51	31	48.0	17	26.3
White	286	193	74	19	69	---	---	---	7	24.5	3	10.5
Nonwhite	360	29	53	278	143	---	---	---	24	66.7	14	38.9
Edgefield	400	70	233	97	128	114	-	14	15	37.5	17	42.5
White	131	65	65	1	53	---	---	---	2	15.3	3	22.9
Nonwhite	269	5	168	96	75	---	---	---	13	48.3	14	52.0
Fairfield	554	171	147	236	140	124	-	16	17	30.7	19	34.3
White	220	144	74	2	50	---	---	---	7	31.8	9	40.9
Nonwhite	334	27	73	234	90	---	---	---	10	30.0	10	30.0
Florence	2,124	786	585	753	608	402	-	206	105	49.4	69	32.5
White	1,166	710	422	34	296	---	---	---	49	42.0	23	19.7
Nonwhite	958	76	163	719	312	---	---	---	56	58.5	46	47.0
Florence	579	380	31	168	206	129	-	76	26	44.9	22	38.0
White	365	343	19	3	98	---	---	---	13	35.6	8	21.9
Nonwhite	214	37	12	165	108	---	---	---	13	60.7	14	65.4
Balance of county	1,545	406	554	585	402	273	-	129	79	51.1	47	30.4
White	801	367	403	31	198	---	---	---	36	44.9	15	18.7
Nonwhite	744	39	151	554	204	---	---	---	43	57.8	32	43.0
Georgetown	822	173	212	433	207	156	1	47	28	34.1	12	14.6
White	359	165	168	26	85	---	---	---	9	25.1	3	8.4
Nonwhite	463	8	44	407	122	---	---	---	19	41.0	9	19.4
Greenville	3,921	3,199	478	243	1,190	673	1	513	161	41.1	96	24.5
White	3,185	2,861	312	11	848	---	---	---	121	38.0	62	19.5
Nonwhite	736	338	166	232	342	---	---	---	40	54.3	34	46.2
Greenville	1,495	1,337	35	123	466	205	-	258	71	47.5	38	25.4
White	1,088	1,071	17	-	271	---	---	---	38	34.9	18	16.5
Nonwhite	407	266	18	123	195	---	---	---	33	81.1	20	48.1
Balance of county	2,426	1,862	443	120	724	468	1	255	90	37.1	58	23.9
White	2,097	1,790	295	11	577	---	---	---	83	39.6	44	21.0
Nonwhite	329	72	148	109	147	---	---	---	7	21.3	14	42.6
Greenwood	933	671	113	149	337	250	-	87	38	40.7	27	28.9
White	673	587	82	4	197	---	---	---	24	35.7	19	28.2
Nonwhite	260	84	31	145	140	---	---	---	14	53.8	8	30.8
Greenwood	376	339	16	21	141	92	-	49	18	47.9	12	31.9
White	312	301	11	-	92	---	---	---	15	48.1	8	25.6
Nonwhite	64	38	5	21	49	---	---	---	3	46.9	4	62.5
Balance of county	557	332	97	128	196	158	-	38	20	35.9	15	26.9
White	361	286	71	4	105	---	---	---	9	24.9	11	30.5
Nonwhite	196	46	26	124	91	---	---	---	11	56.1	4	20.4

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
SOUTH CAROLINA—Continued												
Hampton	462	92	112	258	148	130	-	17	16	34.6	17	36.8
White	146	85	49	12	47	----	----	----	3	20.5	3	20.5
Nonwhite	316	7	63	246	101	----	----	----	13	41.1	14	44.3
Horry	1,663	1,079	299	284	372	254	-	115	85	51.1	72	43.3
White	1,215	977	208	29	242	----	----	----	50	41.2	33	27.2
Nonwhite	448	102	91	255	130	----	----	----	35	78.1	39	87.1
Jasper	272	107	34	131	109	96	-	13	4	14.7	8	29.4
White	102	85	17	-	29	----	----	----	-	0	3	29.4
Nonwhite	170	22	17	131	80	----	----	----	4	23.5	5	29.4
Kershaw	863	329	139	414	259	174	2	63	30	34.0	18	20.4
White	425	309	79	37	120	----	----	----	11	25.9	10	23.5
Nonwhite	458	20	60	377	119	----	----	----	19	41.5	8	17.5
Lancaster	960	659	125	176	241	179	-	62	41	42.7	24	25.0
White	674	609	57	8	160	----	----	----	29	43.0	14	20.8
Nonwhite	286	50	68	168	81	----	----	----	12	42.0	10	35.0
Laurens	751	304	198	249	321	249	8	64	35	46.6	26	34.6
White	458	290	156	12	185	----	----	----	19	41.5	11	24.0
Nonwhite	293	14	42	237	136	----	----	----	16	54.6	15	51.2
Lee	690	115	85	490	183	148	-	35	32	46.4	34	49.3
White	155	100	48	7	63	----	----	----	2	12.9	6	38.7
Nonwhite	535	15	37	483	120	----	----	----	30	56.1	28	52.3
Lexington	974	483	314	176	343	246	-	97	44	45.2	36	37.0
White	738	462	248	27	248	----	----	----	27	36.6	21	28.5
Nonwhite	236	21	66	149	95	----	----	----	17	72.0	15	63.5
McCormick	286	11	221	34	94	84	-	10	17	65.9	11	41.4
White	68	9	58	1	35	----	----	----	1	14.7	2	29.4
Nonwhite	198	2	163	33	59	----	----	----	16	80.8	9	45.5
Marion	987	580	254	153	264	158	-	106	40	40.5	40	40.5
White	508	451	54	3	98	----	----	----	14	27.6	14	27.6
Nonwhite	479	129	200	150	166	----	----	----	26	54.3	26	54.3
Marlboro	960	374	286	298	321	249	-	71	70	72.9	38	39.6
White	432	296	110	26	139	----	----	----	27	62.5	16	37.0
Nonwhite	528	78	176	272	182	----	----	----	43	81.4	22	41.7
Newberry	775	462	58	252	230	161	-	69	29	37.5	16	20.7
White	468	448	16	2	126	----	----	----	12	25.8	8	17.2
Nonwhite	307	14	42	250	104	----	----	----	17	55.4	8	26.1
Oconee	861	581	229	149	238	188	-	50	30	31.2	24	25.0
White	857	550	198	107	184	----	----	----	21	24.5	21	24.5
Nonwhite	104	31	31	42	54	----	----	----	9	86.5	3	28.8
Orangeburg	1,939	517	193	1,229	576	391	-	184	100	51.6	87	44.9
White	636	472	111	53	206	----	----	----	27	42.5	13	20.4
Nonwhite	1,303	45	82	1,176	370	----	----	----	73	56.0	74	56.8
Orangeburg	396	253	24	119	149	65	-	83	22	55.6	16	40.4
White	243	232	9	2	78	----	----	----	11	45.3	5	20.6
Nonwhite	153	21	15	117	71	----	----	----	11	71.9	11	71.9
Balance of county	1,543	264	169	1,110	427	326	-	101	78	50.6	71	46.0
White	393	240	102	51	128	----	----	----	16	40.7	8	20.4
Nonwhite	1,150	24	67	1,059	299	----	----	----	62	53.9	63	54.8
Pickens	911	314	531	66	219	150	-	62	26	28.5	17	18.7
White	794	305	468	21	185	----	----	----	21	26.4	13	16.4
Nonwhite	117	9	63	45	34	----	----	----	5	42.7	4	34.2
Richland	3,192	2,256	259	677	1,473	523	465	483	126	39.5	123	38.5
White	2,024	1,884	115	25	769	----	----	----	64	31.8	49	24.2
Nonwhite	1,168	372	144	652	704	----	----	----	62	53.1	74	63.4
Columbia	2,155	1,747	144	264	936	340	217	378	94	43.6	79	36.7
White	1,528	1,441	68	17	625	----	----	----	53	34.7	36	23.6
Nonwhite	629	306	76	247	311	----	----	----	41	65.2	43	68.4
Balance of county	1,037	509	115	413	537	183	248	105	32	30.9	44	42.4
White	498	443	47	8	144	----	----	----	11	22.1	13	26.1
Nonwhite	539	66	68	405	393	----	----	----	21	39.0	31	57.5
Saluda	277	65	134	78	108	98	-	10	6	21.7	12	43.3
White	143	62	70	11	56	----	----	----	1	7.0	6	42.0
Nonwhite	134	3	64	67	52	----	----	----	5	37.3	6	44.8
Spartanburg	3,557	2,181	1,176	200	1,002	616	-	384	125	35.1	79	22.2
White	2,731	1,986	735	10	696	----	----	----	94	34.4	53	19.4
Nonwhite	826	195	441	190	306	----	----	----	31	37.5	26	31.5
Spartanburg	1,076	854	166	56	332	174	-	157	39	36.2	23	21.4
White	766	723	42	1	201	----	----	----	30	39.2	12	15.7
Nonwhite	310	131	124	55	131	----	----	----	9	29.0	11	35.5
Balance of county	2,481	1,327	1,010	144	670	442	-	227	86	34.7	56	22.6
White	1,965	1,263	693	9	495	----	----	----	64	32.6	41	20.9
Nonwhite	516	64	317	135	175	----	----	----	22	42.6	15	29.1
Sumter	1,685	686	65	908	474	317	-	157	66	39.2	53	31.5
White	652	602	33	14	163	----	----	----	21	32.2	11	16.9
Nonwhite	1,033	84	32	894	311	----	----	----	45	43.6	42	40.7
Sumter	581	466	19	96	179	87	-	92	20	34.4	9	15.5
White	436	423	11	2	84	----	----	----	11	25.2	6	13.8
Nonwhite	145	43	8	94	95	----	----	----	9	62.1	3	20.7
Balance of county	1,104	220	46	812	295	230	-	65	46	41.7	44	40.0
White	216	179	22	12	79	----	----	----	10	46.3	5	23.1
Nonwhite	888	41	24	800	216	----	----	----	36	40.5	39	43.9
Union	745	374	197	174	239	199	-	40	25	33.6	25	33.6
White	510	364	139	7	136	----	----	----	16	31.4	20	39.2
Nonwhite	235	10	58	167	103	----	----	----	9	38.3	5	21.3

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
SOUTH CAROLINA—Continued												
Williamsburg	1,346	266	207	873	346	273	-	73	58	43.1	63	46.8
White	425	236	167	22	121	---	---	---	12	28.2	17	40.0
Nonwhite	921	30	40	851	225	---	---	---	46	49.9	46	49.9
York	1,700	1,201	188	311	478	303	3	170	58	34.1	40	23.5
White	1,146	1,022	110	14	272	---	---	---	27	23.6	25	21.8
Nonwhite	554	179	78	297	206	---	---	---	31	56.0	15	27.1
Rock Hill	552	524	14	14	140	63	-	77	15	27.2	13	23.6
White	452	444	8	-	100	---	---	---	8	17.7	10	22.1
Nonwhite	100	80	6	14	40	---	---	---	7	70.0	3	30.0
Balance of county	1,148	677	174	297	338	240	3	93	43	37.5	27	23.5
White	694	578	102	14	172	---	---	---	19	27.4	15	21.6
Nonwhite	454	99	72	283	166	---	---	---	24	52.9	12	26.4
SOUTH DAKOTA	14,580	13,115	1,242	81	5,508	2,730	296	2,366	432	29.6	239	16.4
Armstrong	-	-	-	-	1	-	-	1	-	-	-	-
White	-	-	-	-	1	---	---	---	-	-	-	-
Nonwhite	-	-	-	-	-	---	---	---	-	-	-	-
Aurora	115	81	34	-	44	24	-	20	1	8.7	3	26.1
Beadle	461	419	41	1	139	56	-	74	9	19.5	5	10.8
Huron	267	246	21	-	91	34	-	53	8	30.0	5	18.7
Balance of county	194	173	20	1	48	22	-	21	1	5.2	-	0
Bennett	93	65	17	1	33	24	-	8	4	43.0	-	0
White	64	51	13	-	14	---	---	---	-	0	-	0
Nonwhite	29	14	4	1	19	---	---	---	4	137.9	-	0
Bon Homme	189	153	32	4	83	61	-	21	4	21.2	4	21.2
Brookings	371	367	4	-	121	49	-	70	11	29.6	10	27.0
Brown	769	751	18	-	279	123	5	145	24	31.2	10	13.0
Aberdeen	494	488	6	-	185	75	5	102	21	42.5	5	10.1
Balance of county	275	263	12	-	94	48	-	43	3	10.9	5	18.2
Brule	128	111	16	-	64	33	1	28	1	7.8	1	7.8
Buffalo	27	27	-	-	12	6	-	6	2	74.1	-	0
White	17	17	-	-	3	---	---	---	1	58.8	-	0
Nonwhite	10	10	-	-	9	---	---	---	1	100.0	-	0
Butte	182	165	17	-	83	**	-	38	11	60.4	2	11.0
Campbell	100	86	10	1	27	20	-	7	2	20.0	1	10.0
Charles Mix	261	234	25	2	104	52	2	50	10	38.3	6	23.0
White	226	202	24	-	85	---	---	---	8	35.4	6	26.5
Nonwhite	35	32	1	2	19	---	---	---	2	57.1	-	0
Clark	178	154	24	-	81	49	-	31	8	44.9	3	16.9
Clay	216	201	15	-	84	52	-	17	4	18.5	3	13.9
Codington	496	485	10	-	145	66	-	79	8	6.4	6	4.8
Watertown	308	306	2	-	111	49	-	62	7	22.7	4	13.0
Balance of county	188	179	8	-	34	17	-	17	1	5.3	2	10.6
Corson	179	150	5	16	48	31	-	17	10	55.9	-	0
White	132	123	3	5	29	---	---	---	5	37.9	-	0
Nonwhite	47	27	2	11	19	---	---	---	5	106.4	-	0
Custer	120	109	11	-	53	26	-	27	2	16.7	2	16.7
Davison	324	321	3	-	148	64	4	79	11	34.0	10	30.9
Mitchell	247	246	1	-	118	50	4	63	8	32.4	7	28.3
Balance of county	77	75	2	-	30	14	-	16	3	39.0	3	39.0
Day	288	269	18	-	103	66	-	35	16	55.6	10	34.7
Deuel	170	152	18	-	60	35	-	24	5	29.4	6	35.3
Dewey	136	114	15	3	31	24	-	7	5	36.8	5	36.8
White	89	85	2	2	16	---	---	---	1	11.2	3	33.7
Nonwhite	47	29	13	1	15	---	---	---	4	85.1	2	42.6
Douglas	136	105	31	-	35	25	-	10	-	0	-	0
Edmunds	156	113	43	-	48	28	-	18	5	32.1	2	12.8
Fall River	218	214	4	-	139	35	23	78	6	27.5	5	22.9
Faulk	126	123	3	-	42	19	-	23	1	7.9	1	7.9
Grant	268	251	16	1	75	39	-	35	4	14.9	5	18.7
Gregory	223	213	9	-	87	37	-	50	14	62.8	3	13.5
Haakon	81	75	6	-	32	17	-	11	1	12.3	-	0
Hamlin	157	143	14	-	72	39	13	20	3	19.1	1	6.4
Hand	152	138	14	-	62	35	-	25	7	46.1	1	6.6
Hanson	127	99	22	5	44	23	-	21	2	15.7	2	15.7
Harding	44	38	4	-	16	9	-	7	-	0	-	0
Hughes	156	153	3	-	78	31	-	45	9	57.7	1	6.4
Hutchinson	246	178	57	11	85	51	-	32	11	44.7	3	12.2
Hyde	66	57	9	-	30	14	-	15	1	15.2	3	45.5
Jackson	37	34	2	-	15	8	-	4	3	81.8	-	0
Jerauld	100	90	10	-	26	16	-	10	-	0	1	10.0
Jones	47	47	-	-	21	11	-	8	4	85.1	-	0
Kingsbury	217	188	29	-	90	51	6	30	2	9.2	5	23.0
Lake	244	207	36	-	100	49	-	51	6	24.6	1	4.1
Lawrence	355	341	14	-	151	79	11	61	7	19.7	7	19.7
Lincoln	254	221	33	-	115	61	6	47	8	31.5	3	11.8
Lyman	113	110	2	1	40	25	-	12	2	17.7	3	26.5
McCook	192	153	39	-	68	45	-	23	6	31.3	2	10.4
McPherson	152	122	23	1	47	18	6	23	6	39.5	3	19.7
Marshall	218	196	21	-	68	39	-	26	7	32.1	2	9.2
Meade	193	173	19	1	93	44	15	28	7	36.3	4	20.7
Mellette	88	64	6	6	35	19	-	13	5	56.8	5	56.8
White	53	48	3	1	15	---	---	---	-	0	3	56.6
Nonwhite	35	16	3	5	20	---	---	---	5	142.9	2	57.1

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
SOUTH DAKOTA—Continued												
Miner	149	109	39	-	46	36	-	10	-	0	2	13.4
Minnehaha	1,619	1,545	74	-	530	222	16	287	38	23.5	23	14.2
Sioux Falls	1,202	1,190	12	-	405	152	9	240	27	22.5	16	13.3
Balance of county	417	355	62	-	125	70	7	47	11	26.4	7	16.8
Moody	205	101	104	-	96	71	-	25	5	24.4	2	9.8
Pennington	706	688	16	-	224	95	3	121	7	9.9	13	18.4
Rapid City	556	547	7	-	178	69	2	103	7	12.6	10	18.0
Balance of county	150	141	9	-	46	26	1	18	-	0	3	20.0
Perkins	180	169	10	-	67	39	-	28	3	16.7	3	16.7
Potter	115	84	30	-	34	17	-	10	3	26.1	2	17.4
Roberts	367	298	61	4	115	64	-	50	10	27.2	9	24.5
Sanborn	108	105	3	-	29	14	-	13	2	18.5	3	27.8
Sharmon	201	141	11	9	68	29	-	39	25	124.4	2	10.0
White	26	23	1	1	4	-	-	-	1	38.5	-	0
Nonwhite	175	118	10	8	64	-	-	-	24	137.1	2	11.4
Spink	211	194	14	2	137	71	25	41	13	61.6	4	19.0
Stanley	37	37	-	-	21	7	-	14	1	27.0	1	27.0
Sully	39	37	2	-	9	6	-	3	1	25.6	-	0
Todd	116	88	5	3	56	37	-	19	12	103.4	1	8.6
White	44	39	1	1	4	-	-	-	-	0	-	0
Nonwhite	72	49	4	2	52	-	-	-	12	166.7	1	13.9
Tripp	218	211	3	2	63	25	-	37	6	27.5	2	9.2
Turner	268	231	37	-	111	72	-	31	3	11.2	3	11.2
Union	263	253	9	1	71	40	1	28	3	11.4	4	15.2
Walworth	156	155	1	-	55	38	-	15	6	38.5	6	38.5
Washabaugh	46	31	2	3	13	7	-	6	1	21.7	-	0
White	20	15	2	1	5	-	-	-	-	0	-	0
Nonwhite	26	16	-	2	8	-	-	-	1	38.5	-	0
Washington	20	17	1	-	3	2	-	1	2	100.0	-	0
White	2	2	-	-	1	-	-	-	1	500.0	-	0
Nonwhite	18	15	1	-	2	-	-	-	1	55.6	-	0
Yankton	325	312	10	3	276	43	159	73	12	36.9	7	21.5
Ziebach	62	49	8	-	27	22	-	4	4	64.5	2	32.3
White	39	34	4	-	13	-	-	-	1	25.6	1	25.6
Nonwhite	23	15	4	-	14	-	-	-	3	130.4	1	43.5
TENNESSEE	77,336	46,974	24,272	5,145	27,650	17,989	1,126	8,308	2,974	38.5	1,744	22.6
Anderson	2,030	1,366	587	77	296	188	-	101	65	32.0	25	12.3
Bedford	517	366	146	5	224	166	-	57	21	40.6	13	25.1
White	457	365	89	3	184	-	-	-	20	43.8	11	24.1
Nonwhite	60	1	57	2	40	-	-	-	1	16.7	2	33.3
Benton	201	110	58	33	90	79	-	11	4	19.9	6	29.9
Bledsoe	260	52	180	28	74	68	-	5	16	61.5	3	11.5
Blount	1,393	809	548	33	378	272	1	104	55	39.5	30	21.5
Bradley	835	425	355	53	252	184	4	63	42	50.3	20	24.0
Cleveland	413	237	152	24	130	94	-	35	18	43.6	12	29.1
White	383	230	140	13	114	-	-	-	14	36.6	10	26.1
Nonwhite	30	7	12	11	16	-	-	-	4	133.3	2	66.7
Balance of county	422	188	203	29	122	90	4	28	24	56.8	8	19.0
Campbell	1,072	468	561	40	233	168	-	55	39	36.4	27	25.2
Cannon	216	152	57	7	80	58	-	22	7	32.4	4	18.5
Carroll	613	230	372	9	240	209	3	24	21	34.3	7	11.4
White	545	227	314	2	192	-	-	-	18	33.0	6	11.0
Nonwhite	68	3	58	7	48	-	-	-	3	44.1	1	14.7
Carter	1,094	686	315	81	288	203	-	85	61	56.3	25	23.1
Cheatham	224	97	119	8	94	79	-	15	11	49.1	1	4.5
Chester	251	55	189	6	86	74	-	12	9	35.9	7	27.9
White	223	54	167	1	73	-	-	-	9	40.4	6	26.9
Nonwhite	28	1	22	5	13	-	-	-	-	0	1	35.7
Claiborne	616	277	287	51	164	127	-	25	16	26.0	4	6.5
Clay	229	18	172	39	52	43	-	9	3	13.1	3	13.1
Cocke	559	149	344	66	222	174	-	48	39	69.8	13	23.3
Coffee	564	308	235	20	188	148	3	32	21	37.2	12	21.3
Crockett	396	77	287	22	138	117	-	21	8	20.7	9	23.3
White	273	74	199	-	118	-	-	-	5	18.3	7	25.6
Nonwhite	113	3	88	22	20	-	-	-	3	26.5	2	17.7
Cumberland	496	141	205	149	103	82	-	20	12	24.2	7	14.1
Davidson	6,392	5,758	631	17	3,024	1,581	329	1,085	226	35.4	128	20.0
White	5,224	4,878	330	12	2,059	-	-	-	152	29.1	79	15.1
Nonwhite	1,168	880	301	5	965	-	-	-	74	63.4	49	42.0
Nashville	5,229	4,782	439	3	2,149	1,169	40	914	180	34.4	109	20.8
White	4,164	3,971	189	1	1,376	-	-	-	117	28.1	64	15.4
Nonwhite	1,065	811	250	2	773	-	-	-	63	59.2	45	42.3
Balance of county	1,163	956	192	14	875	412	289	171	46	39.6	19	16.3
White	1,060	907	141	11	683	-	-	-	35	33.0	15	14.2
Nonwhite	103	49	51	3	192	-	-	-	11	106.8	4	38.8
Decatur	249	73	159	16	84	72	-	12	9	36.3	6	24.2
De Kalb	265	142	105	18	109	86	-	21	5	18.9	1	3.8
Dickson	514	199	307	8	181	149	-	30	15	29.2	8	15.6
Dyer	788	354	393	40	299	241	1	57	42	53.3	16	20.3
White	692	350	329	12	246	-	-	-	34	49.1	13	18.8
Nonwhite	96	4	64	28	53	-	-	-	8	83.3	3	31.3
Dyersburg	292	178	93	21	105	75	-	30	16	54.8	7	24.0
White	235	175	54	6	78	-	-	-	14	59.6	6	25.5
Nonwhite	57	3	39	15	27	-	-	-	2	35.1	1	17.5
Balance of county	496	176	300	19	194	166	1	27	26	52.4	9	18.1

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
TENNESSEE—Continued												
Fayette	788	119	138	530	231	193	-	38	42	53.3	17	21.6
White	171	107	55	9	69	--------	--------	--------	13	76.0	6	35.1
Nonwhite	617	12	83	521	162	--------	--------	--------	29	47.0	11	17.8
Fentress	396	125	158	114	77	62	-	15	9	22.6	2	5.0
Franklin	608	369	215	24	207	170	-	37	29	47.7	4	6.6
White	569	361	189	19	180	--------	--------	--------	27	47.5	4	7.0
Nonwhite	39	8	26	5	27	--------	--------	--------	2	51.3	-	0
Gibson	1,137	671	431	34	426	331	-	71	43	37.8	18	15.8
White	910	626	284	-	320	--------	--------	--------	32	35.2	18	19.8
Nonwhite	227	45	147	34	106	--------	--------	--------	11	48.5	-	0
Giles	626	301	278	45	286	206	3	55	23	36.7	14	22.4
White	496	286	196	12	182	--------	--------	--------	20	40.3	10	20.2
Nonwhite	130	15	82	33	84	--------	--------	--------	3	23.1	4	30.8
Grainger	286	88	174	24	125	105	1	19	1	3.5	7	24.5
Greene	1,017	641	283	93	349	212	-	137	46	45.2	17	16.7
Grundy	369	169	170	29	101	86	-	15	17	46.1	12	32.5
Hamblen	583	443	102	38	210	136	1	69	27	46.3	25	42.9
Hamilton	5,072	3,921	980	114	1,965	1,048	43	860	216	42.6	129	25.4
White	4,147	3,397	698	42	1,346	--------	--------	--------	158	39.1	83	20.0
Nonwhite	925	524	282	72	619	--------	--------	--------	58	62.7	46	49.7
Chattanooga	3,847	3,229	496	75	1,527	798	7	712	147	38.2	91	23.7
White	2,982	2,722	243	16	953	--------	--------	--------	93	31.2	48	16.1
Nonwhite	865	507	253	59	574	--------	--------	--------	54	62.4	43	49.7
Balance of county	1,225	692	484	39	438	250	36	148	69	56.3	38	31.0
Hancock	233	38	91	42	66	57	-	9	3	12.9	1	4.3
Hardeman	601	116	282	202	427	131	260	35	18	30.0	14	23.3
White	309	114	183	12	257	--------	--------	--------	10	32.4	12	38.8
Nonwhite	292	2	99	190	170	--------	--------	--------	8	27.4	2	6.8
Hardin	435	83	293	59	103	89	-	14	7	16.1	9	20.7
Hawkins	725	343	312	67	225	169	-	56	17	23.4	23	31.7
Haywood	705	122	178	403	250	190	-	56	35	49.6	14	19.9
White	193	102	83	7	82	--------	--------	--------	10	51.8	5	25.9
Nonwhite	512	20	95	396	168	--------	--------	--------	25	48.8	9	17.6
Henderson	431	153	254	24	129	100	-	27	14	32.5	9	20.9
Henry	504	259	234	11	268	201	2	64	16	31.7	13	25.8
White	430	254	172	4	207	--------	--------	--------	12	27.9	10	23.3
Nonwhite	74	5	62	7	61	--------	--------	--------	4	54.1	3	40.5
Hickman	312	82	181	46	114	92	-	21	15	48.1	6	19.2
Houston	146	32	95	19	45	33	-	12	3	20.5	3	20.5
Humphreys	256	62	187	7	71	61	-	10	9	35.2	7	27.3
Jackson	299	37	208	54	118	103	-	15	7	23.4	2	6.7
Jefferson	478	234	240	3	160	127	1	31	16	33.5	19	39.7
Johnson	332	188	106	37	90	70	-	19	17	51.2	7	21.1
Knox	5,168	4,109	1,031	45	2,027	1,037	226	740	198	38.2	125	24.1
White	4,794	3,868	882	41	1,683	--------	--------	--------	164	34.2	98	20.4
Nonwhite	394	241	149	4	344	--------	--------	--------	34	86.3	27	68.5
Knoxville	3,342	2,872	454	15	1,222	651	2	552	140	41.9	84	25.1
White	2,972	2,644	315	12	931	--------	--------	--------	106	35.7	59	19.9
Nonwhite	370	228	139	3	291	--------	--------	--------	34	91.9	25	67.6
Balance of county	1,846	1,237	577	30	805	386	224	188	58	31.4	41	22.2
Lake	349	71	228	49	86	70	-	12	14	40.2	11	31.6
White	287	70	187	30	64	--------	--------	--------	10	34.8	11	38.3
Nonwhite	61	1	41	19	22	--------	--------	--------	4	65.6	-	0
Lauderdale	632	200	298	134	204	161	1	41	24	38.0	16	25.3
White	423	192	213	18	126	--------	--------	--------	12	28.4	11	26.0
Nonwhite	209	8	85	116	78	--------	--------	--------	12	57.4	5	23.9
Lawrence	824	454	347	22	192	138	-	54	18	21.8	17	20.6
Lewis	165	68	84	13	42	33	-	8	6	36.4	6	36.4
Lincoln	636	439	190	7	260	188	1	71	28	44.0	17	26.7
White	548	400	146	2	218	--------	--------	--------	23	42.0	12	21.9
Nonwhite	88	39	44	5	42	--------	--------	--------	5	56.8	5	56.8
Loudon	681	354	319	8	183	142	-	40	16	23.5	9	13.2
McMinn	791	577	195	19	270	190	2	75	36	45.5	24	30.3
McNairy	494	186	285	22	156	134	-	20	14	28.3	9	18.2
Macon	306	49	233	23	122	115	-	7	13	42.5	8	26.1
Madison	1,317	781	245	290	550	381	-	160	61	46.3	42	31.9
White	821	705	103	12	318	--------	--------	--------	34	41.4	19	23.1
Nonwhite	496	76	142	278	232	--------	--------	--------	27	54.4	23	46.4
Jackson	664	497	89	78	340	226	-	108	34	51.2	20	30.1
White	455	436	16	3	190	--------	--------	--------	18	39.6	13	28.6
Nonwhite	209	61	73	75	150	--------	--------	--------	16	76.6	7	33.5
Balance of county	653	284	156	212	210	155	-	52	27	41.3	22	33.7
White	366	269	87	9	128	--------	--------	--------	16	43.7	6	16.4
Nonwhite	287	15	69	203	82	--------	--------	--------	11	38.3	16	55.7
Marion	601	114	466	20	144	110	-	32	24	39.9	17	28.3
Marshall	370	279	86	4	193	125	-	68	19	51.4	9	24.3
White	324	257	65	1	174	--------	--------	--------	17	52.5	7	21.6
Nonwhite	46	22	21	3	19	--------	--------	--------	2	43.5	2	43.5
Maury	896	449	409	38	405	335	1	69	34	37.9	12	13.4
White	712	445	254	13	293	--------	--------	--------	23	32.3	10	14.0
Nonwhite	184	4	155	25	112	--------	--------	--------	11	59.8	2	10.9
Columbia	303	218	76	9	126	95	-	30	13	42.9	6	19.8
White	250	218	32	-	85	--------	--------	--------	10	40.0	6	24.0
Nonwhite	53	-	44	9	41	--------	--------	--------	3	56.6	-	0
Balance of county	593	231	333	29	279	240	1	38	21	35.4	6	10.1
White	462	227	222	13	208	--------	--------	--------	13	28.1	4	8.7
Nonwhite	131	4	111	16	71	--------	--------	--------	8	61.1	2	15.3

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
TENNESSEE—Continued												
Meigs	168	74	64	27	44	31	-	13	5	29.8	1	6.0
Monroe	740	298	326	116	210	148	-	61	35	47.3	18	24.3
Montgomery	771	383	315	72	332	285	1	65	35	45.4	20	25.9
White	609	370	228	10	217	----	----	----	30	49.3	9	14.8
Nonwhite	162	13	87	62	115	----	----	----	5	30.9	11	67.9
Clarksville	309	182	98	29	158	126	-	29	18	58.3	11	35.6
White	225	171	53	1	81	----	----	----	14	62.2	4	17.8
Nonwhite	84	11	45	28	75	----	----	----	4	47.6	7	83.3
Balance of county	462	201	217	43	176	139	1	36	17	36.8	9	19.5
White	384	199	175	9	136	----	----	----	16	41.7	5	13.0
Nonwhite	78	2	42	34	40	----	----	----	1	12.8	4	51.3
Moore	74	39	35	-	41	37	-	4	4	54.1	1	13.5
Morgan	433	111	254	68	89	74	2	13	12	27.7	9	20.8
Obion	586	313	268	5	290	226	5	57	18	30.7	10	17.1
White	535	311	221	3	237	----	----	----	15	28.0	9	16.8
Nonwhite	51	2	47	2	53	----	----	----	3	58.8	1	19.6
Overton	383	71	241	71	67	58	-	7	4	10.4	4	10.4
Perry	156	44	101	11	52	43	1	7	3	19.2	4	25.6
Pickett	130	52	68	10	23	16	-	7	2	15.4	3	23.1
Polk	434	251	177	5	114	91	-	22	17	39.2	9	20.7
Putnam	699	296	338	54	166	120	-	46	19	27.6	10	14.5
Rhea	458	213	160	80	124	94	-	27	11	24.0	11	24.0
Roane	876	635	197	44	251	167	1	63	44	50.2	22	25.1
Robertson	617	306	302	9	267	229	-	38	23	37.3	15	24.3
White	519	299	220	-	194	----	----	----	16	30.8	12	23.1
Nonwhite	98	7	82	9	73	----	----	----	7	71.4	3	30.6
Rutherford	839	587	210	38	387	225	64	97	34	40.5	14	16.7
White	695	531	150	11	307	----	----	----	26	37.4	11	15.8
Nonwhite	144	56	60	27	80	----	----	----	8	55.6	3	20.8
Scott	452	222	135	95	116	88	-	23	24	53.1	6	13.3
Sequatchie	175	27	135	13	23	12	-	11	1	5.7	3	17.1
Sevier	649	406	147	59	184	131	-	51	35	53.9	10	15.4
Shelby	9,586	7,814	701	358	4,003	1,897	159	1,938	408	42.6	274	28.6
White	5,582	5,431	107	7	1,991	----	----	----	184	33.0	106	19.0
Nonwhite	4,004	2,383	594	351	2,012	----	----	----	224	55.9	168	42.0
Memphis	7,460	6,380	559	67	3,181	1,538	9	1,627	312	41.8	212	28.4
White	4,459	4,408	34	-	1,659	----	----	----	147	33.0	79	17.7
Nonwhite	3,001	1,912	525	67	1,522	----	----	----	165	55.0	133	44.3
Balance of county	2,126	1,494	142	291	822	359	150	311	96	45.2	62	29.2
White	1,123	1,023	73	7	332	----	----	----	37	32.9	27	24.0
Nonwhite	1,003	471	69	284	490	----	----	----	59	58.8	35	34.9
Smith	292	106	182	4	109	93	-	16	13	44.5	4	13.7
Stewart	238	85	145	8	86	72	-	12	7	29.4	4	16.8
Sullivan	2,347	1,709	580	57	536	351	1	176	88	36.6	70	29.8
Bristol[8]	436	354	79	3	123	77	1	39	16	36.7	17	39.0
Kingsport	794	685	105	3	139	66	-	72	26	32.7	25	31.5
Balance of county	1,117	670	396	51	274	208	-	65	44	39.4	28	25.1
Sumner	770	465	282	23	273	226	1	40	27	35.1	12	15.6
White	700	463	215	22	233	----	----	----	25	35.7	11	15.7
Nonwhite	70	2	67	1	40	----	----	----	2	28.6	1	14.3
Tipton	803	167	457	177	205	152	-	53	32	39.9	11	13.7
White	486	153	326	7	115	----	----	----	17	35.0	8	16.5
Nonwhite	317	14	131	170	90	----	----	----	15	47.3	3	9.5
Trousdale	139	54	79	6	56	51	-	5	4	28.8	5	36.0
White	114	47	64	3	41	----	----	----	4	35.1	4	35.1
Nonwhite	25	7	15	3	15	----	----	----	-	0	1	40.0
Unicoi	424	278	113	30	116	72	-	44	11	25.9	10	23.6
Union	211	55	135	21	62	46	-	14	7	33.2	3	14.2
Van Buren	117	43	54	20	31	26	-	4	7	59.8	1	8.5
Warren	538	346	180	12	183	140	1	41	23	42.8	11	20.4
Washington	1,437	999	415	23	479	323	-	156	52	36.2	38	26.4
Johnson City	629	516	108	5	244	132	-	112	23	38.6	19	30.2
White	585	497	83	5	213	----	----	----	21	35.9	17	29.1
Nonwhite	44	19	25	-	31	----	----	----	2	45.5	2	45.5
Balance of county	808	483	307	18	235	191	-	44	23	35.9	19	23.5
Wayne	338	148	136	54	101	80	-	7	10	29.6	9	26.6
Weakley	531	337	188	3	289	236	2	48	20	37.7	17	32.0
White	442	203	222	17	157	118	3	16	16	36.2	15	33.9
Williamson	556	376	159	21	232	156	2	70	22	39.6	14	25.2
White	430	362	53	15	176	----	----	----	16	37.2	7	16.3
Nonwhite	126	14	106	6	56	----	----	----	6	47.6	7	55.6
Wilson	594	443	133	15	236	176	-	59	21	35.4	7	11.8
White	499	423	65	8	188	----	----	----	14	28.1	6	12.0
Nonwhite	95	20	68	7	48	----	----	----	7	73.7	1	10.5
TEXAS	181,579	131,229	28,381	19,756	59,706	36,722	1,696	20,741	7,564	41.7	4,515	24.9
Anderson	652	434	117	88	337	246	-	91	24	36.8	26	39.9
White	493	430	57	5	233	----	----	----	17	34.5	12	24.3
Nonwhite	159	4	60	83	104	----	----	----	7	44.0	14	88.1
Palestine	257	196	36	21	176	128	-	48	11	42.8	15	58.4
White	200	194	4	1	121	----	----	----	10	50.0	8	40.0
Nonwhite	57	2	32	20	55	----	----	----	1	17.5	7	122.8
Balance of county	395	238	81	67	161	118	-	43	13	32.9	11	27.8
White	293	236	53	4	112	----	----	----	7	23.9	4	13.7
Nonwhite	102	2	28	63	49	----	----	----	6	58.8	7	68.6

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
TEXAS—Continued												
Andrews	76	73	2	1	14	11	1	2	3	39.5	3	39.5
Angelina	863	709	117	35	268	166	-	102	26	30.1	10	11.6
White	721	637	83	-	212	---------	---------	---------	21	29.1	7	9.7
Nonwhite	142	72	34	35	56	---------	---------	---------	5	35.2	3	21.1
Aransas	75	26	45	4	29	21	-	7	3	40.0	3	40.0
Archer	148	145	3	-	46	29	-	17	4	27.0	2	13.5
Armstrong	39	38	1	-	11	8	-	3	-	0	1	25.6
Atascosa	596	162	290	119	162	138	-	23	34	57.0	12	20.1
Austin	286	155	67	57	156	129	-	27	12	42.0	8	28.0
White	202	148	50	3	119	---------	---------	---------	5	24.8	5	24.8
Nonwhite	84	7	17	54	37	---------	---------	---------	7	83.3	3	35.7
Bailey	163	158	1	2	36	21	-	15	2	12.3	3	18.4
Bandera	67	55	11	-	35	26	-	8	2	29.9	1	14.9
Bastrop	590	323	127	133	220	158	-	52	22	37.3	20	33.9
White	408	283	88	30	151	---------	---------	---------	15	36.8	13	31.9
Nonwhite	182	35	39	103	69	---------	---------	---------	7	38.5	7	38.5
Baylor	144	138	6	-	52	25	-	27	2	13.9	2	13.9
Bee	529	246	133	143	191	142	-	47	27	51.0	14	26.5
Bell	1,400	1,029	305	59	467	282	-	185	47	33.6	25	17.9
White	1,254	1,007	225	17	395	---------	---------	---------	43	34.3	22	17.5
Nonwhite	146	22	80	42	72	---------	---------	---------	4	27.4	3	20.5
Temple	563	416	99	43	189	105	-	84	24	42.6	11	19.5
White	454	404	36	11	144	---------	---------	---------	20	44.1	9	19.8
Nonwhite	109	12	63	32	45	---------	---------	---------	4	36.7	2	18.3
Balance of county	837	613	206	16	278	177	-	101	23	27.5	14	16.7
Bexar	13,437	9,171	1,067	3,098	4,086	2,264	269	1,534	650	48.4	337	25.1
San Antonio	12,393	8,455	952	2,911	3,494	2,035	13	1,431	598	48.3	312	25.2
White	11,769	8,060	741	2,893	3,206	---------	---------	---------	556	47.2	283	24.0
Nonwhite	624	395	211	18	288	---------	---------	---------	42	67.3	29	46.5
Balance of county	1,044	716	115	187	592	229	256	103	52	49.8	25	23.9
Blanco	72	68	2	2	51	39	-	12	2	27.8	4	55.6
Borden	5	4	-	1	3	1	-	2	1	200.0	-	0
Bosque	250	221	27	-	139	117	-	20	11	44.0	8	32.0
Bowie	1,537	962	287	276	472	341	-	120	38	24.7	51	33.2
White	1,176	929	216	28	332	---------	---------	---------	24	20.4	30	25.5
Nonwhite	361	33	71	249	140	---------	---------	---------	14	38.8	21	58.2
Texarkana[9]	596	456	50	90	233	168	-	64	20	33.6	24	40.3
White	456	436	16	4	158	---------	---------	---------	12	26.3	14	30.7
Nonwhite	140	20	34	86	75	---------	---------	---------	8	57.1	10	71.4
Balance of county	941	506	237	186	239	173	-	56	18	19.1	27	28.7
White	720	493	200	24	174	---------	---------	---------	12	16.7	16	22.2
Nonwhite	221	13	37	162	65	---------	---------	---------	6	27.1	11	49.8
Brazoria	1,089	955	45	77	284	160	3	118	35	32.1	24	22.0
White	958	906	36	9	209	---------	---------	---------	28	29.2	20	20.9
Nonwhite	131	47	9	68	75	---------	---------	---------	7	53.4	4	30.5
Brazos	927	651	26	212	249	173	-	75	39	42.1	23	24.8
White	682	594	17	57	140	---------	---------	---------	29	42.5	11	16.1
Nonwhite	245	57	9	155	109	---------	---------	---------	10	40.8	12	49.0
Bryan	532	379	21	112	141	98	-	43	23	43.2	9	16.9
White	409	352	13	35	78	---------	---------	---------	17	41.6	4	9.8
Nonwhite	123	27	8	77	63	---------	---------	---------	6	48.8	5	40.7
Balance of county	395	272	5	100	108	75	-	32	16	40.5	14	35.4
White	273	242	4	22	62	---------	---------	---------	12	44.0	7	25.6
Nonwhite	122	30	1	78	46	---------	---------	---------	4	32.8	7	57.4
Brewster	226	63	127	16	70	61	-	7	21	92.9	2	8.8
Briscoe	88	74	12	-	26	19	-	7	1	11.6	-	0
Brooks	263	165	27	47	63	52	-	9	12	45.6	2	7.8
Brown	733	699	27	6	252	150	-	101	14	19.1	13	17.7
Brownwood	535	507	21	6	171	97	-	73	7	13.1	11	20.6
Balance of county	198	192	6	-	81	53	-	28	7	35.4	2	10.1
Burleson	303	112	66	120	128	107	-	21	10	33.0	6	19.8
White	167	104	46	16	79	---------	---------	---------	3	18.0	2	12.0
Nonwhite	136	8	20	104	49	---------	---------	---------	7	51.5	4	29.4
Burnet	201	160	34	4	79	59	-	19	4	19.9	4	19.9
Caldwell	560	232	200	90	254	201	-	51	38	67.9	23	41.1
White	490	212	175	68	202	---------	---------	---------	36	73.5	17	34.7
Nonwhite	70	20	25	22	52	---------	---------	---------	2	28.6	6	85.7
Calhoun	176	72	88	11	56	44	-	12	6	34.1	2	11.4
Callahan	184	170	12	1	90	67	-	22	4	21.7	4	21.7
Cameron	4,171	1,268	1,024	1,793	1,084	877	3	203	306	73.4	132	31.6
Brownsville	1,135	470	67	579	347	277	3	67	85	74.9	43	37.9
Harlingen	571	396	122	51	210	131	-	79	49	85.8	22	38.5
Balance of county	2,465	402	835	1,163	527	469	-	57	172	69.8	67	27.2
Camp	265	197	20	46	81	72	-	7	10	37.7	-	0
White	179	168	10	1	52	---------	---------	---------	9	50.3	-	0
Nonwhite	86	29	10	45	29	---------	---------	---------	1	11.6	-	0
Carson	128	124	4	-	45	24	1	18	6	46.9	2	15.6
Cass	645	329	170	140	213	174	-	36	14	21.7	22	34.1
White	405	282	119	2	140	---------	---------	---------	10	24.7	12	29.6
Nonwhite	240	47	51	138	73	---------	---------	---------	4	16.7	10	41.7
Castro	97	91	4	2	10	6	-	3	1	10.3	3	30.9
Chambers	161	129	11	21	46	22	-	20	4	24.8	3	18.6
White	129	120	9	-	33	---------	---------	---------	2	15.5	1	7.8
Nonwhite	32	9	2	21	13	---------	---------	---------	2	62.5	2	62.5

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
TEXAS—Continued												
Cherokee	909	587	216	98	508	207	175	125	24	26.4	12	13.2
White	691	547	141	-	326	----	----	----	14	20.3	5	10.1
Nonwhite	218	40	75	98	182	----	----	----	10	45.9	5	22.9
Childress	261	254	7	-	98	74	-	24	13	49.8	6	23.0
Clay	189	144	44	1	73	53	-	19	6	31.7	7	37.0
Cochran	115	79	35	1	25	19	-	5	1	8.7	-	0
Coke	62	44	18	-	17	11	-	6	-	0	1	16.1
Coleman	423	362	59	-	140	91	2	46	11	26.0	6	14.2
Collin	898	665	217	16	349	251	-	97	25	27.8	18	20.0
Collingsworth	215	199	16	-	69	46	-	23	9	41.9	6	27.9
Colorado	410	275	33	97	165	141	-	23	8	19.5	11	26.8
White	283	239	17	24	98	----	----	----	4	14.1	7	24.7
Nonwhite	127	36	16	73	67	----	----	----	4	31.5	4	31.5
Comal	401	211	128	47	157	111	-	45	35	87.3	15	37.4
Comanche	294	274	20	-	154	131	-	19	6	20.4	6	20.4
Concho	128	87	34	3	50	37	-	13	5	39.1	2	15.6
Cooke	546	469	48	11	180	97	-	83	12	21.9	7	12.8
Coryell	390	363	26	1	135	92	-	43	5	12.8	11	28.2
Cottle	175	150	24	-	49	29	-	20	7	40.0	4	22.9
Crane	89	86	1	1	14	5	-	9	3	33.7	2	22.5
Crockett	95	31	57	6	14	9	-	5	2	21.1	1	10.5
Crosby	202	121	79	-	48	38	-	10	5	24.8	7	34.7
Culberson	39	20	18	-	11	7	-	4	-	0	-	0
Dallam	194	175	19	-	59	34	-	25	11	56.7	2	10.3
Dallas	12,422	11,833	507	55	4,236	2,339	26	1,834	477	38.4	263	21.2
White	10,721	10,332	320	48	3,375	----	----	----	389	32.6	179	16.7
Nonwhite	1,701	1,501	187	7	861	----	----	----	128	75.2	84	49.4
Dallas	8,053	8,704	292	34	3,252	1,789	3	1,452	360	39.8	188	20.8
White	7,654	7,456	148	32	2,531	----	----	----	250	32.7	121	15.8
Nonwhite	1,399	1,248	144	2	731	----	----	----	110	78.6	67	47.9
Highland Park	157	157	-	-	99	56	-	42	7	44.6	4	25.5
White	153	153	-	-	90	----	----	----	7	45.8	3	19.6
Nonwhite	4	4	-	-	9	----	----	----	-	0	1	250.0
University Park	327	327	-	-	113	61	-	51	9	27.5	6	18.3
Balance of county	2,885	2,645	215	21	762	433	23	289	101	35.0	65	22.5
White	2,593	2,402	172	16	645	----	----	----	84	32.4	49	18.9
Nonwhite	292	243	43	5	117	----	----	----	17	58.2	16	54.8
Dawson	503	418	48	35	121	72	-	49	21	41.7	7	13.9
Deaf Smith	181	138	43	-	57	46	-	9	11	60.8	3	16.6
Delta	175	132	38	5	59	46	-	13	4	22.9	9	51.4
Denton	669	514	154	1	298	177	-	117	23	34.4	18	26.9
Denton	349	300	48	1	135	69	-	66	13	37.2	9	25.8
White	319	276	43	-	119	----	----	----	10	31.3	5	15.7
Nonwhite	30	24	5	1	16	----	----	----	3	100.0	4	133.3
Balance of county	320	214	106	-	163	108	-	51	10	31.3	9	28.1
De Witt	545	311	133	75	248	172	-	68	30	55.0	21	38.5
White	496	293	120	61	200	----	----	----	29	58.5	18	36.3
Nonwhite	49	18	13	14	48	----	----	----	1	20.4	3	61.2
Dickens	185	144	37	4	49	41	-	8	6	32.4	1	5.4
Dimmit	382	43	243	91	92	77	-	8	37	96.9	14	38.6
Donley	136	105	24	7	55	35	-	18	3	22.1	4	29.4
Duval	519	161	209	110	112	94	-	16	14	27.0	13	25.0
Eastland	560	521	39	-	259	178	-	72	12	21.4	11	19.6
Ector	687	575	102	1	145	73	-	70	36	52.4	14	20.4
Edwards	77	21	39	17	20	13	-	6	1	13.0	1	13.0
Ellis	955	689	212	46	461	342	7	106	45	47.1	27	28.3
White	742	648	88	2	345	----	----	----	30	40.4	20	27.0
Nonwhite	213	41	124	44	116	----	----	----	15	70.4	7	32.9
El Paso	5,331	4,391	393	477	1,527	771	4	748	258	48.4	122	22.9
El Paso	4,058	3,443	194	398	1,209	580	-	629	184	45.3	81	20.0
Balance of county	1,272	948	199	79	318	191	4	119	74	58.1	41	32.2
Erath	360	323	37	-	185	138	-	47	19	52.8	2	5.6
Falls	561	260	126	161	269	208	1	60	28	49.9	12	21.4
White	362	244	64	48	161	----	----	----	16	44.2	6	16.6
Nonwhite	199	16	62	113	108	----	----	----	12	60.3	6	30.2
Fannin	639	479	148	10	313	226	-	85	20	31.3	22	34.4
White	585	470	113	-	272	----	----	----	14	23.9	18	30.8
Nonwhite	54	8	35	10	41	----	----	----	6	111.1	4	74.1
Fayette	449	280	104	53	246	172	-	70	25	55.7	5	11.1
White	355	263	84	4	185	----	----	----	16	45.1	3	8.5
White	94	17	20	49	61	----	----	----	9	95.7	2	21.3
Fisher	240	209	25	-	66	31	-	35	13	54.2	7	29.2
Floyd	191	169	20	1	49	36	-	11	1	5.2	4	20.9
Foard	126	107	13	5	42	31	-	11	3	23.8	4	31.7
Fort Bend	661	346	175	122	246	162	4	80	40	60.5	19	28.7
White	516	308	136	56	160	----	----	----	27	52.3	14	27.1
Nonwhite	145	38	39	66	86	----	----	----	13	89.7	5	34.5
Franklin	121	65	44	11	45	39	-	5	7	57.9	2	16.5
Freestone	361	201	59	95	158	126	-	31	13	36.0	8	22.2
White	195	172	21	2	92	----	----	----	5	25.6	3	15.4
Nonwhite	166	29	38	93	66	----	----	----	8	48.2	5	30.1
Frio	392	94	153	141	94	77	-	17	31	79.1	10	25.5
Gaines	221	200	21	-	34	25	-	6	5	22.6	1	4.5

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
TEXAS—Continued												
Galveston	2,606	2,449	145	2	928	447	11	465	82	31.5	58	22.3
White	2,131	2,006	113	2	683	---	---	---	58	27.2	31	14.5
Nonwhite	475	443	32	-	245	---	---	---	24	50.5	27	56.8
Galveston	1,780	1,681	93	-	731	342	9	377	54	30.3	38	21.3
White	1,384	1,306	72	-	519	---	---	---	34	24.6	17	12.3
Nonwhite	396	375	21	-	212	---	---	---	20	50.5	21	53.0
Balance of county	826	768	52	2	197	105	2	88	28	33.9	20	24.2
White	747	700	41	2	164	---	---	---	24	32.1	14	18.7
Nonwhite	79	68	11	-	33	---	---	---	4	50.6	6	75.9
Garza	147	69	72	3	47	36	-	9	10	68.0	4	27.2
Gillespie	213	201	7	3	107	84	-	22	5	23.5	3	14.1
Glasscock	11	11	-	-	7	7	-	-	-	0	-	0
Goliad	155	29	82	26	60	48	-	11	5	32.3	3	19.4
White	138	29	71	20	53	---	---	---	5	36.2	3	21.7
Nonwhite	17	-	11	6	7	---	---	---	-	0	-	0
Gonzales	603	219	303	68	232	187	-	34	30	49.8	20	33.2
White	496	202	258	27	198	---	---	---	27	54.4	14	28.2
Nonwhite	107	17	45	41	34	---	---	---	3	28.0	6	56.1
Gray	611	566	42	1	167	87	-	79	22	36.0	7	11.5
Pampa	472	445	24	1	121	54	-	67	20	42.4	4	8.5
Balance of county	139	121	18	-	46	33	-	12	2	14.4	3	21.6
Grayson	1,630	1,418	181	23	629	342	2	281	54	33.1	46	28.2
Denison	540	518	10	11	197	105	-	90	14	25.9	17	31.5
White	488	483	4	-	161	---	---	---	12	24.6	16	32.8
Nonwhite	52	35	6	11	36	---	---	---	2	38.5	1	19.2
Sherman	535	473	48	11	204	99	-	105	15	28.0	7	13.1
White	471	458	10	-	189	---	---	---	13	27.6	5	10.6
Nonwhite	64	15	38	11	35	---	---	---	2	31.3	2	31.3
Balance of county	555	427	123	1	228	138	2	88	25	45.0	22	39.6
Gregg	1,551	1,369	66	101	460	275	-	178	44	28.4	58	37.4
White	1,207	1,155	49	1	310	---	---	---	30	24.9	31	25.7
Nonwhite	344	214	17	100	150	---	---	---	14	40.7	27	78.5
Longview	548	486	21	31	180	100	-	77	10	18.2	29	52.9
White	421	403	17	1	113	---	---	---	4	9.5	16	38.0
Nonwhite	127	83	4	30	67	---	---	---	6	47.2	13	102.4
Balance of county	1,003	881	45	70	280	175	-	101	34	33.9	29	28.9
White	786	752	32	-	197	---	---	---	26	33.1	15	19.1
Nonwhite	217	129	13	83	83	---	---	---	8	36.9	14	64.5
Grimes	313	196	32	81	146	110	-	36	11	35.1	9	28.8
White	196	163	24	8	85	---	---	---	3	15.3	3	15.3
Nonwhite	117	33	8	73	61	---	---	---	8	68.4	6	51.3
Guadalupe	642	234	325	47	227	186	-	40	33	51.4	9	14.0
White	544	231	249	33	177	---	---	---	29	53.3	7	12.9
Nonwhite	98	3	77	14	50	---	---	---	4	40.8	2	20.4
Hale	523	449	73	1	139	83	-	75	20	38.3	9	17.2
Hall	274	236	29	8	89	37	-	52	10	36.5	10	36.5
Hamilton	225	194	31	-	92	71	-	20	4	17.8	-	0
Hansford	85	72	13	-	26	16	-	10	4	47.1	1	11.8
Hardeman	250	244	6	-	99	63	-	36	10	40.0	5	20.0
Hardin	375	192	172	10	130	94	-	36	18	48.0	14	37.3
White	314	187	120	6	95	---	---	---	14	44.6	11	35.0
Nonwhite	61	5	52	4	35	---	---	---	4	65.6	3	49.2
Harris	16,706	15,608	535	515	5,368	2,688	19	2,630	643	38.5	429	25.7
White	13,775	13,160	405	175	3,943	---	---	---	435	31.6	270	19.6
Nonwhite	2,931	2,449	130	340	1,425	---	---	---	208	71.0	159	54.2
Houston	13,520	12,708	390	385	4,625	2,272	17	2,311	519	38.4	344	25.4
White	11,006	10,525	303	147	3,334	---	---	---	342	31.1	216	19.6
Nonwhite	2,514	2,183	87	238	1,291	---	---	---	177	70.4	128	50.9
Balance of county	3,186	2,901	145	130	743	416	2	319	124	38.9	85	26.7
White	2,769	2,635	102	28	609	---	---	---	93	33.6	54	19.5
Nonwhite	417	266	43	102	134	---	---	---	31	74.3	31	74.3
Harrison	1,180	537	78	547	418	300	-	118	53	44.9	41	34.7
White	499	445	38	13	180	---	---	---	19	34.1	11	22.0
Nonwhite	681	92	40	534	238	---	---	---	36	52.9	30	44.1
Marshall	496	357	32	102	227	154	-	73	24	48.4	13	26.2
White	320	301	16	2	114	---	---	---	10	31.3	6	18.8
Nonwhite	176	56	16	103	113	---	---	---	14	79.5	7	39.8
Balance of county	684	180	46	445	191	146	-	45	29	42.4	28	40.9
White	179	144	22	11	66	---	---	---	7	39.1	5	27.9
Nonwhite	505	36	24	434	125	---	---	---	22	43.6	23	45.5
Hartley	32	29	3	-	21	2	-	19	1	31.3	1	31.3
Haskell	299	281	9	7	91	55	-	36	13	43.5	4	13.4
Hays	511	275	176	43	173	125	-	47	32	62.6	8	15.7
Hemphill	96	82	13	-	29	24	-	5	2	20.8	1	10.4
Henderson	494	319	112	58	201	163	-	36	18	36.4	9	18.2
White	381	317	59	3	160	---	---	---	14	36.7	4	10.5
Nonwhite	113	2	53	55	41	---	---	---	4	35.4	5	44.2
Hidalgo	5,881	1,381	2,094	2,182	1,460	1,142	9	283	500	85.0	172	29.2
McAllen	834	294	229	284	212	147	-	62	63	75.5	20	24.0
Balance of county	5,047	1,087	1,865	1,878	1,248	995	9	221	437	86.6	152	30.1
Hill	627	371	217	35	283	215	-	68	15	23.9	26	41.5
White	537	366	165	6	236	---	---	---	11	20.5	17	31.7
Nonwhite	90	5	52	29	47	---	---	---	4	44.4	9	100.0
Hockley	410	339	68	2	70	43	-	26	7	17.1	3	7.3

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
TEXAS—Continued												
Hood	111	96	13	-	47	35	-	7	3	27.0	2	18.0
Hopkins	546	451	82	12	218	141	-	48	17	31.1	10	18.3
White	493	428	63	2	190	---	---	---	13	26.4	9	18.3
Nonwhite	53	23	19	10	28	---	---	---	4	75.5	1	18.9
Houston	580	239	211	112	191	154	-	37	14	24.1	8	13.8
White	343	216	120	5	104	---	---	---	8	23.3	4	11.7
Nonwhite	237	23	91	107	87	---	---	---	6	25.3	4	16.9
Howard	692	598	58	30	194	90	23	81	30	43.4	18	26.0
Big Spring	549	476	49	20	147	72	1	74	25	45.5	16	29.1
Balance of county	143	122	9	10	47	18	22	7	5	35.0	2	14.0
Hudspeth	124	32	77	9	33	24	-	9	13	104.8	6	48.4
Hunt	929	589	308	28	416	291	2	116	37	39.8	34	36.6
White	784	561	218	4	357	---	---	---	29	37.0	21	26.8
Nonwhite	145	28	90	24	59	---	---	---	8	55.2	13	89.7
Greenville	421	296	111	11	182	113	1	64	22	52.3	17	40.4
White	339	278	59	1	145	---	---	---	15	44.2	7	20.6
Nonwhite	82	18	52	10	37	---	---	---	7	85.4	10	122.0
Balance of county	508	293	197	17	234	178	1	52	15	29.5	17	33.5
White	445	283	159	3	212	---	---	---	14	31.5	14	31.5
Nonwhite	63	10	38	14	22	---	---	---	1	15.9	3	47.6
Hutchinson	787	771	16	-	119	44	-	74	25	31.8	10	12.7
Borger	583	551	12	-	90	35	-	54	19	33.7	10	17.8
Balance of county	224	220	4	-	29	9	-	20	6	26.8	-	0
Irion	53	26	23	4	13	8	-	5	4	75.5	2	37.7
Jack	173	169	4	-	65	43	-	21	4	23.1	2	11.6
Jackson	341	122	179	38	90	71	-	19	11	32.3	11	32.3
White	292	119	154	17	70	---	---	---	9	30.8	8	27.4
Nonwhite	49	3	25	21	20	---	---	---	2	40.8	3	61.2
Jasper	473	202	222	47	145	114	-	31	12	25.4	12	25.4
White	353	182	165	5	110	---	---	---	10	28.3	7	19.8
Nonwhite	120	20	57	42	35	---	---	---	2	16.7	5	41.7
Jeff Davis	67	11	52	3	10	9	-	1	3	44.8	-	0
Jefferson	4,656	3,810	540	282	1,359	727	-	603	175	37.6	127	27.3
White	3,570	3,276	262	21	960	---	---	---	104	29.1	64	17.9
Nonwhite	1,086	534	278	261	399	---	---	---	71	85.4	63	58.0
Beaumont	2,090	1,782	166	134	736	377	-	344	101	48.3	60	28.7
White	1,482	1,434	38	3	466	---	---	---	52	35.1	19	12.8
Nonwhite	608	348	128	131	270	---	---	---	49	80.6	41	67.4
Port Arthur	1,593	1,377	190	12	387	193	-	188	47	29.5	47	29.5
White	1,321	1,229	88	1	297	---	---	---	35	26.5	30	22.7
Nonwhite	272	148	102	11	90	---	---	---	12	44.1	17	62.5
Balance of county	973	651	184	136	236	157	-	71	27	27.7	20	20.6
White	767	613	136	17	197	---	---	---	17	22.2	15	19.6
Nonwhite	206	38	48	119	39	---	---	---	10	48.5	5	24.3
Jim Hogg	192	50	86	56	39	33	-	6	7	36.5	4	20.8
Jim Wells	747	367	254	103	144	100	-	43	34	45.5	20	26.8
Johnson	653	517	123	11	310	216	-	92	16	24.5	22	33.7
Cleburne	309	257	45	7	157	112	-	45	10	32.4	14	45.3
Balance of county	344	260	78	4	153	104	-	47	6	17.4	8	23.3
Jones	495	391	92	9	186	109	-	77	24	48.5	7	14.1
Karnes	534	198	240	63	135	111	-	24	23	43.1	14	26.2
Kaufman	666	391	220	51	550	231	248	67	32	48.0	15	22.5
White	449	353	94	1	432	---	---	---	17	37.9	9	20.0
Nonwhite	217	38	126	50	118	---	---	---	15	69.1	6	27.6
Terrell	203	141	52	10	340	55	248	37	17	83.7	4	19.7
White	127	118	9	-	275	---	---	---	12	94.5	1	7.9
Nonwhite	76	23	43	10	65	---	---	---	5	65.8	3	39.5
Balance of county	463	250	168	41	210	176	-	30	15	32.4	11	23.8
White	322	235	85	1	157	---	---	---	5	15.5	8	24.8
Nonwhite	141	15	83	40	53	---	---	---	10	70.9	3	21.3
Kendall	122	77	30	14	61	48	-	12	2	16.4	2	16.4
Kenedy	11	6	5	-	8	6	-	2	-	0	1	90.9
Kent	41	19	21	1	12	8	-	2	-	0	7	170.7
Kerr	240	156	76	6	167	85	2	79	7	29.2	7	29.2
Kimble	100	38	58	2	31	23	-	7	5	50.0	6	60.0
King	16	15	1	-	2	1	-	1	-	0	-	0
Kinney	80	24	31	22	19	14	-	5	4	50.0	2	25.0
Kleberg	648	395	183	59	140	96	-	43	34	52.5	17	26.2
Knox	270	218	35	17	57	40	-	17	5	18.5	2	7.4
Lamar	1,075	633	356	83	402	274	-	126	34	31.6	32	29.8
White	867	612	250	3	310	---	---	---	23	26.5	21	24.2
Nonwhite	208	21	106	80	92	---	---	---	11	52.9	11	52.9
Paris	589	420	151	17	235	155	-	78	14	23.8	17	28.9
White	490	401	88	-	178	---	---	---	10	20.4	9	18.4
Nonwhite	99	19	63	17	57	---	---	---	4	40.4	8	80.8
Balance of county	486	213	205	65	167	119	-	48	20	41.2	15	30.9
White	377	211	162	3	132	---	---	---	13	34.5	12	31.8
Nonwhite	109	2	43	63	35	---	---	---	7	64.2	3	27.5
Lamb	359	343	10	4	111	48	-	62	11	30.6	12	33.4
Lampasas	247	184	57	3	108	80	-	27	6	24.3	9	36.4
La Salle	283	51	128	85	76	67	-	9	20	70.7	8	28.3
Lavaca	500	350	107	38	205	135	1	68	18	36.0	11	22.0
White	439	348	79	9	176	---	---	---	16	36.4	9	20.5
Nonwhite	61	4	28	29	29	---	---	---	2	32.8	2	32.8

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
TEXAS—Continued												
Lee	216	90	62	41	92	77	-	15	10	46.3	11	50.9
White	153	81	66	5	60	---	---	---	6	39.2	6	39.2
Nonwhite	63	9	16	36	32	---	---	---	4	63.5	5	79.4
Leon	292	88	102	99	123	110	-	13	11	37.7	8	27.4
White	166	84	82	-	76	---	---	---	6	36.1	3	18.1
Nonwhite	126	4	20	99	47	---	---	---	5	39.7	5	39.7
Liberty	604	468	53	58	223	142	-	81	22	36.4	19	31.5
White	468	435	26	5	160	---	---	---	17	36.3	10	21.4
Nonwhite	136	53	27	52	63	---	---	---	5	36.8	9	66.2
Limestone	571	298	173	96	219	170	-	49	16	28.0	18	31.5
White	370	282	82	6	133	---	---	---	9	24.3	9	24.3
Nonwhite	201	16	91	90	86	---	---	---	7	34.8	9	44.8
Lipscomb	89	85	3	1	42	33	-	8	4	44.9	1	11.2
Live Oak	236	103	92	17	73	54	-	18	19	80.5	8	33.9
Llano	112	82	29	1	48	43	-	5	2	17.9	-	0
Loving	3	2	1	-	1	-	-	1	-	0	-	0
Lubbock	1,879	1,536	282	44	442	220	-	218	70	37.3	33	17.6
Lubbock	1,278	1,059	180	27	354	175	-	178	52	40.7	21	16.4
Balance of county	601	477	102	17	88	47	-	40	18	30.0	12	20.0
Lynn	251	190	32	27	69	51	-	13	12	47.8	5	19.9
McCulloch	364	311	36	7	93	55	-	37	11	30.2	7	19.2
McLennan	2,769	2,221	287	224	1,110	636	79	393	93	33.6	87	31.4
White	2,224	2,004	177	35	838	---	---	---	68	30.6	53	23.8
Nonwhite	545	217	110	189	272	---	---	---	25	45.9	34	62.4
Waco	1,788	1,561	119	96	709	402	2	303	68	38.0	56	31.3
White	1,436	1,373	41	17	518	---	---	---	50	34.8	32	22.3
Nonwhite	352	188	78	79	191	---	---	---	18	51.1	24	68.2
Balance of county	981	660	168	128	401	234	77	90	25	25.5	31	31.6
White	788	631	136	18	320	---	---	---	18	22.8	21	26.6
Nonwhite	193	29	32	110	81	---	---	---	7	36.3	10	51.8
McMullen	23	7	14	2	5	5	-	-	1	43.5	1	43.5
Madison	185	50	63	71	76	54	-	12	2	10.8	2	10.8
White	113	48	55	10	47	---	---	---	1	8.8	-	0
Nonwhite	72	2	8	61	29	---	---	---	1	13.9	2	27.8
Marion	227	41	110	72	106	91	-	14	6	26.4	7	30.8
White	94	36	58	-	46	---	---	---	4	42.6	3	31.9
Nonwhite	133	5	52	72	60	---	---	---	2	15.0	4	30.1
Martin	89	61	14	1	20	12	-	4	5	56.2	5	56.2
Mason	110	73	37	-	44	39	-	5	3	27.3	2	18.2
Matagorda	570	313	175	72	162	100	-	62	20	35.1	19	33.3
White	437	288	128	15	112	---	---	---	13	29.7	12	27.5
Nonwhite	133	25	47	57	50	---	---	---	7	52.6	7	52.6
Maverick	419	67	166	169	101	89	-	11	23	54.9	10	23.9
Medina	653	347	143	149	184	133	-	50	44	67.4	15	23.0
Menard	109	31	69	7	32	25	-	7	2	18.3	1	9.2
Midland	468	392	55	11	115	49	-	64	26	55.6	13	27.8
Milam	550	310	157	76	258	200	-	57	10	18.2	12	21.8
White	429	292	114	20	191	---	---	---	7	16.3	7	16.3
Nonwhite	121	18	43	56	67	---	---	---	3	24.8	5	41.3
Mills	111	92	18	-	42	31	-	11	2	18.0	2	18.0
Mitchell	333	280	38	14	80	72	-	7	6	18.0	5	15.0
Montague	368	307	61	-	156	105	-	48	9	24.5	9	24.5
Montgomery	524	356	97	64	226	162	-	63	24	45.8	19	36.3
White	387	322	56	6	146	---	---	---	14	36.2	14	36.2
Nonwhite	137	34	41	58	80	---	---	---	10	73.0	5	36.5
Moore	193	174	18	-	46	25	-	21	8	41.5	5	25.9
Morris	190	66	67	52	70	62	-	8	5	26.3	3	15.8
White	102	53	48	1	52	---	---	---	4	39.2	2	19.6
Nonwhite	88	13	19	51	18	---	---	---	1	11.4	1	11.4
Motley	107	87	18	2	29	20	-	6	6	56.1	2	18.7
Nacogdoches	801	473	245	79	233	157	-	75	15	18.7	15	18.7
White	542	421	114	5	167	---	---	---	11	20.3	5	9.2
Nonwhite	259	52	131	74	66	---	---	---	4	15.4	10	38.6
Navarro	904	653	146	102	399	276	1	121	34	37.6	26	28.8
White	691	618	65	7	283	---	---	---	18	26.0	15	21.7
Nonwhite	213	35	81	95	116	---	---	---	16	75.1	11	51.6
Corsicana	427	362	55	8	200	125	-	74	19	44.5	11	25.8
White	352	343	8	-	137	---	---	---	12	34.1	6	17.0
Nonwhite	75	19	47	8	63	---	---	---	7	93.3	5	86.7
Balance of county	477	291	91	94	199	151	1	47	15	31.4	15	31.4
White	339	275	57	7	146	---	---	---	8	17.7	9	26.5
Nonwhite	138	16	34	87	53	---	---	---	9	65.2	6	43.5
Newton	254	98	87	65	72	60	-	12	4	15.7	11	43.3
White	153	90	56	5	39	---	---	---	2	13.1	8	39.2
Nonwhite	101	8	31	60	33	---	---	---	2	19.8	5	49.5
Nolan	447	420	26	-	157	94	-	63	25	55.9	6	13.4
Sweetwater	315	296	19	-	118	68	-	48	22	69.8	5	15.9
Balance of county	132	124	7	-	41	26	-	15	3	22.7	1	7.6
Nueces	5,095	3,423	659	940	1,033	570	-	444	219	43.0	134	26.3
Corpus Christi	3,492	2,806	253	411	699	324	-	357	133	38.1	85	24.3
Balance of county	1,603	617	406	529	334	246	-	87	86	53.6	49	30.6
Ochiltree	112	110	2	-	24	11	-	13	3	26.8	3	26.8
Oldham	37	34	3	-	14	10	-	4	1	27.0	-	0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
TEXAS—Continued												
Orange	1,129	1,012	40	74	250	141	-	107	35	31.0	27	23.9
White	1,033	976	31	23	198	---	---	---	25	24.2	15	14.5
Nonwhite	96	36	9	51	52	---	---	---	10	104.2	12	125.0
Palo Pinto	396	379	17	-	174	97	3	68	9	22.7	7	17.7
Panola	356	168	103	77	134	95	-	39	8	22.5	4	11.2
White	248	161	76	6	84	---	---	---	5	20.2	4	16.1
Nonwhite	108	7	27	71	50	---	---	---	3	27.8	-	0
Parker	415	365	50	-	166	105	2	59	11	26.5	7	16.9
Parmer	109	104	5	-	24	16	-	8	3	27.5	-	0
Pecos	277	101	132	40	58	43	-	15	4	14.4	6	21.7
Polk	447	298	78	69	164	131	-	33	21	47.0	12	26.8
White	304	255	40	8	102	---	---	---	8	26.3	6	19.7
Nonwhite	143	43	38	61	62	---	---	---	13	90.9	6	42.0
Potter	1,727	1,663	61	2	507	193	-	306	75	43.4	41	23.7
Amarillo (part)	1,625	1,561	61	2	487	186	-	294	72	(5)	37	(5)
Amarillo (total)	1,629	1,565	61	2	487	186	-	294	72	44.2	37	22.7
Balance of county	102	102	-	-	20	7	-	12	3	29.4	4	39.2
Presidio	270	37	123	104	67	61	-	3	15	55.6	7	25.9
Rains	82	41	38	3	21	15	-	5	4	48.8	3	36.6
Randall	112	104	8	-	28	20	-	8	1	8.9	2	17.9
Amarillo (part)	4	4	-	-	-	-	-	-	-	(5)	-	(5)
Balance of county	108	100	8	-	28	20	-	8	1	9.3	2	18.5
Reagan	54	44	9	-	19	10	-	9	1	18.5	1	18.5
Real	59	34	18	4	12	10	-	2	-	0	1	16.9
Red River	600	297	213	82	205	164	-	40	12	20.0	19	31.7
White	454	289	152	13	150	---	---	---	10	22.0	13	28.6
Nonwhite	146	8	61	69	55	---	---	---	2	13.7	6	41.1
Reeves	308	132	148	10	86	78	-	8	18	58.4	3	9.7
Refugio	253	193	34	25	67	33	-	34	8	31.6	7	27.7
White	236	180	34	21	58	---	---	---	6	25.4	4	16.9
Nonwhite	17	13	-	4	9	---	---	---	2	117.6	3	176.5
Roberts	37	36	1	-	9	4	-	5	2	54.1	-	0
Robertson	497	166	120	197	197	164	-	32	18	36.2	19	38.2
White	283	189	81	33	104	---	---	---	9	31.8	6	21.2
Nonwhite	214	7	39	162	93	---	---	---	9	42.1	13	60.7
Rockwall	133	66	56	5	52	41	-	11	5	37.6	2	15.0
White	85	65	19	-	42	---	---	---	-	0	2	23.5
Nonwhite	48	1	37	5	10	---	---	---	5	104.2	-	0
Runnels	456	336	116	3	144	85	-	52	24	52.6	13	28.5
Rusk	861	497	236	124	302	209	-	91	25	28.0	27	31.4
White	613	467	143	3	195	---	---	---	16	26.1	19	31.0
Nonwhite	248	30	93	121	107	---	---	---	9	36.3	8	32.3
Sabine	210	43	149	16	59	51	-	7	4	19.0	6	28.6
White	176	43	132	-	48	---	---	---	3	17.0	3	17.0
Nonwhite	34	-	17	16	11	---	---	---	1	29.4	3	88.2
San Augustine	262	120	68	64	76	65	-	10	4	15.3	13	49.6
White	160	93	61	3	42	---	---	---	2	12.5	8	50.0
Nonwhite	102	27	7	61	34	---	---	---	2	19.6	5	49.0
San Jacinto	117	46	26	38	47	32	-	15	4	34.2	3	25.6
White	51	33	15	3	23	---	---	---	3	58.8	-	0
Nonwhite	66	13	11	35	24	---	---	---	1	15.2	3	45.5
San Patricio	1,251	468	553	215	300	224	-	72	85	67.9	32	25.6
San Saba	224	158	58	4	85	65	-	17	8	35.7	6	26.8
Schleicher	67	33	19	7	25	15	-	10	3	44.8	2	29.9
Scurry	239	210	26	-	77	53	-	24	9	37.7	3	12.6
Shackelford	73	58	15	-	35	27	-	7	4	13.7	2	27.4
Shelby	590	347	196	38	196	167	-	26	22	37.3	18	30.5
White	467	339	124	1	149	---	---	---	15	32.1	12	25.7
Nonwhite	123	8	72	37	47	---	---	---	7	56.9	6	48.8
Sherman	49	47	2	-	18	10	-	8	2	40.8	2	40.8
Smith	1,722	1,218	148	345	574	400	-	169	56	32.5	38	22.1
White	1,192	1,092	92	8	375	---	---	---	39	32.7	17	14.3
Nonwhite	530	126	56	337	199	---	---	---	17	32.1	21	39.6
Tyler	857	691	43	120	327	227	-	98	30	35.0	12	14.0
White	643	621	21	1	228	---	---	---	23	35.8	6	9.3
Nonwhite	214	70	22	119	99	---	---	---	7	32.7	6	28.0
Balance of county	865	527	105	225	247	173	-	71	26	30.1	26	30.1
White	549	471	71	7	147	---	---	---	16	29.1	11	20.0
Nonwhite	316	56	34	218	100	---	---	---	10	31.6	15	47.5
Somervell	45	44	1	-	26	25	-	1	1	22.2	-	0
Starr	506	19	290	69	103	97	-	5	19	37.5	9	17.8
Stephens	196	177	16	-	85	42	-	41	8	40.8	1	5.1
Sterling	32	16	12	4	13	5	-	7	1	31.3	1	31.3
Stonewall	64	44	19	1	16	12	-	4	2	31.3	2	31.3
Sutton	108	30	61	4	26	20	-	6	3	27.8	1	9.3
Swisher	192	180	11	-	46	39	-	8	3	15.6	-	0
Tarrant	7,422	7,132	247	26	2,554	1,197	54	1,282	236	31.8	190	25.6
White	6,706	6,471	213	5	2,130	---	---	---	197	29.4	154	23.0
Nonwhite	716	661	34	21	424	---	---	---	39	54.5	36	50.3
Fort Worth	6,273	6,076	155	25	2,188	1,003	6	1,162	208	33.2	155	24.7
White	5,595	5,444	129	5	1,799	---	---	---	170	30.4	121	21.6
Nonwhite	678	632	26	20	389	---	---	---	38	56.0	34	50.1
Balance of county	1,149	1,056	92	1	366	194	48	120	28	24.4	35	30.5

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
TEXAS—Continued												
Taylor	1,352	1,269	74	4	470	212	72	186	49	36.2	37	27.4
Abilene	1,029	979	45	2	320	141	12	167	44	42.8	32	31.1
Balance of county	323	290	29	2	150	71	60	19	5	15.5	5	15.5
Terrell	76	15	58	3	20	17	-	3	5	65.8	2	26.3
Terry	319	241	68	4	78	51	-	27	12	37.6	3	9.4
Throckmorton	54	45	9	-	17	13	-	4	1	18.5	1	18.5
Titus	375	272	83	18	141	109	-	26	11	29.3	10	26.7
White	325	264	60	1	117	---	---	---	7	21.5	8	24.6
Nonwhite	50	8	23	17	24	---	---	---	4	80.0	2	40.0
Tom Green	1,393	1,129	76	160	393	187	2	204	62	44.5	19	13.6
San Angelo	1,233	992	69	146	333	162	1	170	58	47.0	17	13.8
Balance of county	160	137	7	14	60	25	1	34	4	25.0	2	12.5
Travis	3,469	3,046	236	157	1,421	518	391	501	150	43.2	89	25.7
White	2,995	2,632	205	132	1,067	---	---	---	116	38.7	65	21.7
Nonwhite	474	414	31	25	354	---	---	---	34	71.7	24	50.6
Austin	3,000	2,698	186	106	1,274	439	391	434	120	40.0	79	26.3
White	2,627	2,347	165	97	956	---	---	---	94	35.8	58	22.1
Nonwhite	373	341	21	9	318	---	---	---	26	69.7	21	56.3
Balance of county	469	358	50	51	147	78	-	67	30	64.0	10	21.3
White	368	285	40	35	111	---	---	---	22	59.8	7	19.0
Nonwhite	101	73	10	16	36	---	---	---	8	79.2	3	29.7
Trinity	204	91	71	38	112	96	-	16	6	29.4	5	24.5
White	154	86	61	7	74	---	---	---	2	13.0	2	13.0
Nonwhite	50	5	10	31	38	---	---	---	4	80.0	3	60.0
Tyler	181	90	71	16	77	59	-	18	7	38.7	5	27.6
White	152	89	53	9	60	---	---	---	6	39.5	5	32.9
Nonwhite	29	1	18	7	17	---	---	---	1	34.5	-	0
Upshur	512	397	33	76	167	131	-	35	10	19.5	17	33.2
White	356	344	10	-	111	---	---	---	7	19.7	9	25.3
Nonwhite	156	53	23	76	56	---	---	---	3	19.2	8	51.3
Upton	94	87	7	-	37	26	-	11	1	10.6	2	21.3
Uvalde	440	162	225	44	129	98	-	30	24	54.5	11	25.0
Val Verde	539	184	304	50	202	143	-	59	43	79.8	27	50.1
Del Rio	522	171	301	49	193	137	-	56	43	82.4	26	49.8
Balance of county	17	13	3	1	9	6	-	3	-	0	1	58.8
Van Zandt	438	251	181	5	177	140	-	36	11	25.1	10	22.8
Victoria	740	458	147	127	231	148	1	78	41	55.4	20	27.0
White	663	437	127	111	194	---	---	---	37	54.2	13	19.0
Nonwhite	57	21	20	16	37	---	---	---	4	70.2	7	122.8
Victoria	511	333	98	77	160	95	-	62	29	56.8	13	25.4
White	467	316	80	69	132	---	---	---	26	55.7	7	15.0
Nonwhite	44	17	18	9	28	---	---	---	3	68.2	6	136.4
Balance of county	229	125	49	50	71	53	1	16	12	52.4	7	30.6
White	216	121	47	43	62	---	---	---	11	50.9	6	27.8
Nonwhite	13	4	2	7	9	---	---	---	1	76.9	1	76.9
Walker	348	261	21	59	152	105	21	25	8	23.0	7	20.1
White	200	194	5	1	83	---	---	---	5	25.0	3	15.0
Nonwhite	148	67	16	58	69	---	---	---	3	20.3	4	27.0
Waller	238	103	47	87	104	83	-	20	8	33.6	3	12.6
White	119	75	31	13	54	---	---	---	2	16.8	1	8.4
Nonwhite	119	28	16	74	50	---	---	---	6	50.4	2	16.8
Ward	356	275	74	3	76	44	-	32	15	42.1	6	16.9
Washington	500	262	126	111	234	187	-	46	19	38.0	16	32.0
White	301	240	57	4	129	---	---	---	4	13.3	4	13.3
Nonwhite	199	22	69	107	105	---	---	---	15	75.4	12	60.3
Webb	1,881	900	386	546	558	412	1	144	140	74.4	62	33.0
Laredo	1,797	867	365	521	534	392	1	140	138	76.8	61	33.9
Balance of county	84	33	21	25	24	20	-	4	2	23.8	1	11.9
Wharton	942	646	196	73	285	163	-	122	35	37.2	20	21.2
White	744	545	151	23	199	---	---	---	26	34.9	13	17.5
Nonwhite	198	101	45	50	86	---	---	---	9	45.5	7	35.4
Wheeler	252	231	21	-	86	54	-	32	5	19.8	7	27.8
Wichita	1,961	1,858	94	4	815	277	255	281	56	28.6	51	26.0
Wichita Falls	1,437	1,354	77	4	435	203	-	231	48	33.4	40	27.8
Balance of county	524	504	17	-	380	74	255	50	8	15.3	11	21.0
Wilbarger	473	455	9	7	122	61	-	61	11	23.3	9	19.0
Willacy	821	252	158	373	194	159	-	17	68	82.8	15	18.3
Williamson	987	641	193	45	363	244	1	117	35	39.5	15	16.9
White	753	560	174	17	291	---	---	---	25	33.2	10	13.3
Nonwhite	134	81	22	28	72	---	---	---	10	74.6	5	37.3
Wilson	416	214	159	32	144	123	-	21	12	28.8	11	26.4
Winkler	229	226	3	-	35	16	-	19	6	26.2	4	17.5
Wise	330	271	57	1	166	131	-	34	10	30.3	5	15.2
Wood	470	262	196	8	185	144	-	35	21	44.7	11	23.4
White	420	257	159	-	144	---	---	---	14	33.3	9	21.4
Nonwhite	50	5	37	8	41	---	---	---	7	140.0	2	40.0
Yoakum	69	67	2	-	8	3	-	5	1	14.5	2	29.0
Young	379	360	19	-	127	82	-	45	6	15.8	8	21.1
Zapata	123	13	85	24	39	37	-	2	9	73.2	1	8.1
Zavala	415	109	174	124	107	87	-	20	41	98.8	10	24.1
UTAH	18,220	17,516	685	11	4,785	2,435	176	2,096	496	27.2	293	16.1
Beaver	136	92	44	-	41	26	-	15	4	29.4	4	29.4
Box Elder	563	561	2	-	138	64	-	72	17	30.2	7	12.4

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
UTAH—Continued												
Cache	913	887	26	-	209	124	-	85	27	29.6	11	12.0
Logan	460	459	1	-	111	59	-	50	19	41.3	6	13.0
Balance of county	453	428	25	-	98	65	-	33	8	17.7	5	11.0
Carbon	635	612	23	-	147	68	4	67	19	29.9	14	22.0
Daggett	10	9	1	-	2	1	-	1	1	100.0	-	0
Davis	821	780	40	-	151	90	-	61	16	19.5	25	30.5
Duchesne	235	215	20	-	51	28	-	22	7	29.8	6	25.5
Emery	125	75	49	-	28	20	-	8	-	0	4	32.0
Garfield	120	88	26	4	34	25	-	5	3	25.0	5	41.7
Grand	49	47	2	-	15	7	-	7	4	81.6	2	40.8
Iron	271	270	1	-	72	35	-	36	12	44.3	4	14.8
Juab	142	127	15	-	64	42	-	21	9	63.4	-	0
Kane	79	77	2	-	22	12	-	9	4	50.6	1	12.7
Millard	252	235	17	-	77	54	-	20	11	43.7	4	15.9
Morgan	67	66	1	-	19	12	-	6	2	29.9	2	29.9
Piute	50	40	10	-	14	9	-	5	1	20.0	-	0
Rich	45	41	4	-	10	6	-	3	-	0	-	0
Salt Lake	7,080	6,950	128	2	1,949	892	1	1,019	174	24.6	95	13.4
Salt Lake City	5,085	5,008	75	2	1,522	665	-	825	122	24.0	71	14.0
Balance of county	1,995	1,942	53	-	427	227	1	194	52	26.1	24	12.0
San Juan	78	54	21	1	25	18	-	7	2	25.6	4	51.3
White	76	53	21	1	18	----	----	----	2	26.3	4	52.6
Nonwhite	2	1	-	-	7	----	----	----	-	0	-	0
Sanpete	359	283	76	-	136	111	-	21	11	30.6	5	13.9
Sevier	353	338	14	-	78	50	-	28	9	25.5	3	8.5
Summit	183	163	20	-	68	40	-	28	5	27.3	2	10.9
Tooele	432	413	19	-	84	39	12	30	18	41.7	2	4.6
Uintah	311	300	10	1	72	38	-	33	16	51.4	6	19.3
White	308	297	10	1	66	----	----	----	15	48.7	5	16.2
Nonwhite	3	3	-	-	6	----	----	----	1	333.3	1	333.3
Utah	1,888	1,837	49	1	601	282	138	179	57	30.2	41	21.7
Provo	608	593	14	1	239	81	96	61	19	31.3	18	29.6
Balance of county	1,280	1,244	35	-	362	201	40	118	38	29.7	23	18.0
Wasatch	175	167	8	-	45	33	-	12	4	22.9	1	5.7
Washington	283	263	19	1	86	60	2	23	7	24.7	2	7.1
Wayne	72	67	4	1	13	8	-	5	2	27.8	3	41.7
Weber	2,493	2,459	34	-	534	241	21	270	54	21.7	40	16.0
Ogden	1,754	1,740	14	-	419	188	-	231	47	26.8	28	16.0
Balance of county	739	719	20	-	115	55	21	39	7	9.5	12	16.2
VERMONT	8,362	7,397	962	2	4,140	2,259	288	1,566	284	34.0	189	22.6
Addison	441	367	74	-	190	116	1	70	15	34.0	10	22.7
Bennington	491	440	51	-	259	139	3	103	16	32.6	14	28.5
Caledonia	510	427	83	-	272	167	3	102	21	41.2	12	23.5
Chittenden	1,399	1,332	66	1	514	238	5	267	51	36.5	36	25.7
Burlington	791	768	23	-	303	134	5	162	34	43.0	15	19.0
Balance of county	608	564	43	1	211	104	-	105	17	28.0	21	34.5
Essex	149	113	34	1	61	50	-	11	-	0	4	26.8
Franklin	698	500	198	-	299	195	5	98	24	34.4	11	15.8
Grand Isle	73	50	23	-	37	23	-	14	1	13.7	-	0
Lamoille	244	222	22	-	125	72	-	48	8	32.8	9	36.9
Orange	350	322	28	-	170	104	3	63	15	42.9	5	14.3
Orleans	541	422	119	-	262	174	-	84	18	33.3	11	20.3
Rutland	1,002	915	87	-	553	316	7	229	32	31.9	22	22.0
Rutland	437	433	4	-	228	108	5	117	18	41.2	9	20.6
Balance of county	565	482	83	-	325	210	2	112	14	24.8	13	23.0
Washington	908	853	55	-	589	220	146	223	36	39.6	28	30.8
Barre	248	238	10	-	115	49	-	66	10	40.3	7	28.2
Balance of county	660	615	45	-	474	171	146	157	26	39.4	21	31.8
Windham	547	495	52	-	402	199	92	103	21	38.4	12	21.9
Windsor	1,009	939	70	-	407	246	3	151	26	25.8	15	14.9
VIRGINIA[10]	75,861	49,517	16,415	9,568	28,154	17,446	1,540	8,880	2,935	38.7	2,198	28.8
Accomack	566	226	150	187	403	341	4	58	39	68.9	32	56.5
White	308	195	109	3	249	----	----	----	13	42.2	11	35.7
Nonwhite	258	31	41	184	154	----	----	----	26	100.8	21	81.4
Albemarle	513	444	39	26	233	147	-	83	21	40.9	14	27.3
White	402	362	27	10	167	----	----	----	18	44.8	11	27.4
Nonwhite	111	82	12	18	66	----	----	----	3	27.0	3	27.0
Alleghany	566	312	239	8	183	123	-	60	22	38.9	20	35.3
Amelia	213	50	73	89	87	75	-	12	10	46.9	10	46.9
White	87	44	42	1	32	----	----	----	-	0	3	34.5
Nonwhite	126	6	31	88	55	----	----	----	10	79.4	7	55.6
Amherst	380	237	76	59	207	113	59	34	17	44.7	14	36.8
White	280	193	43	20	148	----	----	----	9	34.6	5	19.2
Nonwhite	120	44	33	39	59	----	----	----	8	68.7	9	75.0
Appomattox	187	85	69	31	77	60	-	17	10	53.5	2	10.7
White	129	74	52	2	51	----	----	----	4	31.0	-	0
Nonwhite	58	11	17	29	26	----	----	----	6	103.4	2	34.5
Arlington[11]	3,794	3,755	36	2	586	318	-	262	73	19.2	59	15.6
Augusta	1,112	822	267	21	471	314	63	94	45	40.5	27	24.3
Bath	128	95	22	8	61	44	-	17	2	15.6	5	39.1
White	117	85	21	8	55	----	----	----	2	17.1	5	42.7
Nonwhite	11	10	1	-	6	----	----	----	-	0	-	0

See footnotes on p. 111.

793002 O - 48 - 8

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
VIRGINIA[10]—Continued												
Bedford	668	439	181	45	269	164	42	58	20	29.9	14	21.0
White	535	403	114	15	208	--------	--------	--------	11	20.6	9	16.8
Nonwhite	133	36	67	30	61	--------	--------	--------	9	67.7	5	37.6
Bland	157	46	110	-	39	31	-	8	2	12.7	5	31.8
Botetourt	356	172	163	16	125	93	3	29	16	44.9	19	53.4
White	312	156	146	9	105	--------	--------	--------	16	51.3	15	48.1
Nonwhite	44	16	17	9	20	--------	--------	--------	-	0	4	90.9
Brunswick	481	128	141	212	177	138	-	38	14	29.1	11	22.9
White	183	111	61	11	68	--------	--------	--------	6	32.8	2	10.9
Nonwhite	298	17	80	201	109	--------	--------	--------	8	26.8	9	30.2
Buchanan	1,123	224	650	232	184	117	-	67	53	47.2	32	28.5
Buckingham	312	100	68	144	128	105	-	23	14	44.9	9	28.8
White	130	77	39	14	69	--------	--------	--------	7	53.8	4	30.8
Nonwhite	182	23	29	130	59	--------	--------	--------	7	38.5	5	27.5
Campbell	731	468	189	72	216	145	-	86	34	46.5	23	31.5
White	516	400	109	7	153	--------	--------	--------	24	46.5	12	23.3
Nonwhite	215	68	80	65	63	--------	--------	--------	10	46.5	11	51.2
Caroline	300	72	165	62	128	103	-	25	14	46.7	7	23.3
White	124	61	58	5	62	--------	--------	--------	4	32.3	2	16.1
Nonwhite	176	11	107	57	66	--------	--------	--------	10	56.8	5	28.4
Carroll	616	140	441	30	146	120	1	21	15	24.4	13	21.1
Charles City	150	19	34	97	37	31	-	6	9	60.0	4	26.7
White	26	11	15	-	9	--------	--------	--------	2	76.9	-	0
Nonwhite	124	8	19	97	28	--------	--------	--------	7	56.5	4	32.3
Charlotte	301	114	82	104	131	95	-	35	11	36.5	10	33.2
White	154	96	48	9	65	--------	--------	--------	8	51.9	4	26.0
Nonwhite	147	18	34	95	66	--------	--------	--------	3	20.4	6	40.8
Chesterfield	768	602	38	127	259	159	-	97	22	28.6	19	24.7
White	589	554	20	14	168	--------	--------	--------	9	15.3	11	18.7
Nonwhite	179	48	18	113	71	--------	--------	--------	13	72.6	8	44.7
Clarke	163	109	50	3	67	46	-	19	6	36.8	5	30.7
White	131	94	36	-	50	--------	--------	--------	4	30.5	3	22.9
Nonwhite	32	15	14	3	17	--------	--------	--------	2	62.5	2	62.5
Craig	72	29	37	5	34	24	-	10	2	27.8	1	13.9
Culpeper	264	92	162	10	155	128	-	26	13	49.2	10	37.9
White	155	77	77	1	95	--------	--------	--------	3	19.4	5	32.3
Nonwhite	109	15	85	9	60	--------	--------	--------	10	91.7	5	45.9
Cumberland	165	37	31	96	74	63	-	11	8	48.5	1	6.1
White	46	25	17	4	25	--------	--------	--------	1	21.7	-	0
Nonwhite	119	12	14	92	49	--------	--------	--------	7	58.8	1	8.4
Dickenson	672	240	332	94	130	90	-	40	31	46.1	25	37.2
Dinwiddie	337	119	57	161	520	93	398	29	10	29.7	11	32.6
White	139	104	25	10	53	--------	--------	--------	3	21.6	-	0
Nonwhite	198	15	32	151	467	--------	--------	--------	7	35.4	11	55.6
Elizabeth City	529	447	31	51	260	116	-	143	30	56.7	21	39.7
White	391	372	17	2	145	--------	--------	--------	19	48.6	9	23.0
Nonwhite	138	75	14	49	115	--------	--------	--------	11	79.7	12	87.0
Essex	132	45	43	44	79	65	-	14	8	60.6	6	45.5
White	63	40	14	9	33	--------	--------	--------	2	31.7	2	31.7
Nonwhite	69	5	29	35	46	--------	--------	--------	6	87.0	4	58.0
Fairfax	1,570	1,388	137	45	418	248	12	151	33	21.0	33	21.0
White	1,425	1,308	107	10	357	--------	--------	--------	29	20.4	22	15.4
Nonwhite	145	80	30	35	61	--------	--------	--------	4	27.6	11	75.9
Fauquier	447	269	118	57	201	145	-	53	13	29.1	14	31.3
White	317	227	74	15	135	--------	--------	--------	8	25.2	9	28.4
Nonwhite	130	42	44	42	66	--------	--------	--------	5	38.5	5	38.5
Floyd	252	106	124	19	112	85	-	26	10	39.7	3	11.9
Fluvanna	131	45	50	36	53	47	-	6	5	38.2	9	68.7
White	69	38	25	6	33	--------	--------	--------	1	14.5	5	72.5
Nonwhite	62	7	25	30	20	--------	--------	--------	4	64.5	4	64.5
Franklin	536	296	236	97	182	125	-	56	20	31.4	10	15.7
White	539	278	213	43	135	--------	--------	--------	16	29.7	8	14.8
Nonwhite	97	18	23	54	47	--------	--------	--------	4	41.2	2	20.6
Frederick	334	301	21	11	134	84	-	48	17	50.9	4	12.0
Giles	573	282	278	11	146	107	-	39	24	41.9	25	43.6
Gloucester	213	105	98	10	108	81	-	27	3	14.1	7	32.9
White	144	97	42	5	62	--------	--------	--------	3	20.8	3	20.8
Nonwhite	69	8	56	5	46	--------	--------	--------	-	0	4	58.0
Goochland	187	48	38	98	93	60	9	24	13	69.5	5	26.7
White	67	34	25	8	30	--------	--------	--------	2	29.9	2	29.9
Nonwhite	120	14	13	90	63	--------	--------	--------	11	91.7	3	25.0
Grayson	516	197	280	19	170	121	-	24	20	38.8	16	31.0
Greene	134	84	46	2	52	40	-	11	4	29.9	8	59.7
White	118	80	34	2	46	--------	--------	--------	4	33.9	7	59.3
Nonwhite	16	4	12	-	6	--------	--------	--------	-	0	1	62.5
Greensville	454	142	150	162	120	93	-	28	17	37.4	19	41.9
White	141	122	10	9	38	--------	--------	--------	3	21.3	1	7.1
Nonwhite	313	20	140	153	82	--------	--------	--------	14	44.7	18	57.5
Halifax	1,040	347	383	301	373	296	-	75	38	36.5	40	38.5
White	499	291	193	14	196	--------	--------	--------	17	34.1	12	24.0
Nonwhite	541	56	190	287	177	--------	--------	--------	21	38.8	28	51.8
Hanover	406	168	143	94	178	150	-	26	21	51.7	13	32.0
White	226	147	75	4	111	--------	--------	--------	6	26.5	8	26.5
Nonwhite	180	21	68	90	67	--------	--------	--------	15	83.3	7	38.9

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
VIRGINIA[10]—Continued												
Henrico	767	648	46	69	244	162	-	82	25	32.6	16	20.9
White	641	602	32	5	186	--------	--------	--------	14	21.8	10	15.6
Nonwhite	126	46	14	64	58	--------	--------	--------	11	87.3	6	47.6
Henry	781	330	339	109	207	152	-	55	28	35.9	32	41.0
White	516	275	221	17	127	--------	--------	--------	17	32.9	11	21.3
Nonwhite	265	55	118	92	80	--------	--------	--------	11	41.5	21	79.2
Highland	82	20	60	2	43	34	-	9	5	61.0	2	24.4
Isle of Wight	293	92	49	151	145	116	-	28	18	61.4	5	17.1
White	115	83	20	12	66	--------	--------	--------	4	34.8	1	8.7
Nonwhite	178	9	29	139	79	--------	--------	--------	14	78.7	4	22.5
James City	148	87	14	47	41	30	-	11	3	20.3	4	27.0
White	70	61	9	-	19	--------	--------	--------	2	28.6	2	28.6
Nonwhite	78	26	5	47	22	--------	--------	--------	1	12.8	2	25.6
King and Queen	145	50	54	39	62	68	1	13	7	48.3	7	48.3
White	74	45	27	2	37	--------	--------	--------	5	67.6	2	27.0
Nonwhite	71	5	27	37	45	--------	--------	--------	2	28.2	5	70.4
King George	137	79	37	19	55	42	-	13	6	43.8	5	36.5
White	93	72	15	5	37	--------	--------	--------	3	32.3	1	10.8
Nonwhite	44	7	22	14	18	--------	--------	--------	3	68.2	4	90.9
King William	184	85	58	42	68	52	-	16	5	27.2	-	0
White	95	74	16	5	25	--------	--------	--------	-	0	-	0
Nonwhite	89	11	40	37	43	--------	--------	--------	5	56.2	-	0
Lancaster	179	43	126	8	120	98	-	21	8	44.7	7	39.1
White	112	41	71	-	68	--------	--------	--------	4	35.7	1	8.9
Nonwhite	67	2	55	8	52	--------	--------	--------	4	59.7	6	89.6
Lee	969	221	607	117	268	215	-	51	46	47.5	31	32.0
Loudoun	467	309	134	23	242	185	-	51	20	42.8	16	34.3
White	357	263	84	9	188	--------	--------	--------	14	39.2	10	28.0
Nonwhite	110	46	50	14	54	--------	--------	--------	6	54.5	6	54.5
Louisa	296	197	30	66	144	118	-	26	11	37.2	10	33.8
White	153	124	17	12	63	--------	--------	--------	3	19.6	3	19.6
Nonwhite	143	73	13	54	81	--------	--------	--------	8	55.9	7	49.0
Lunenburg	315	95	119	100	139	119	-	19	15	47.6	11	34.9
White	149	78	66	5	72	--------	--------	--------	4	26.8	3	20.1
Nonwhite	166	17	53	95	67	--------	--------	--------	11	66.3	8	48.2
Madison	159	99	51	6	67	51	-	16	5	31.4	3	18.9
White	122	83	32	4	49	--------	--------	--------	5	41.0	1	8.2
Nonwhite	37	16	19	2	18	--------	--------	--------	-	0	2	54.1
Mathews	120	78	42	-	92	78	-	14	6	50.0	4	33.3
White	85	73	12	-	70	--------	--------	--------	2	23.5	-	0
Nonwhite	35	5	30	-	22	--------	--------	--------	4	114.3	4	114.3
Mecklenburg	807	264	203	339	268	219	-	47	30	37.2	28	34.7
White	327	212	97	18	120	--------	--------	--------	13	39.8	7	21.4
Nonwhite	480	52	106	321	148	--------	--------	--------	17	35.4	21	43.8
Middlesex	112	52	23	37	88	69	-	16	6	53.6	4	35.7
White	54	42	12	-	39	--------	--------	--------	2	37.0	-	0
Nonwhite	58	10	11	37	49	--------	--------	--------	4	69.0	4	69.0
Montgomery	760	642	105	12	204	144	-	58	32	42.1	11	14.5
Nansemond	657	154	110	389	236	190	-	42	28	42.6	33	50.2
White	183	122	50	11	65	--------	--------	--------	4	21.9	6	32.8
Nonwhite	474	32	60	378	171	--------	--------	--------	24	50.6	27	57.0
Nelson	351	214	42	83	127	94	-	33	15	42.7	9	25.6
White	236	171	28	28	89	--------	--------	--------	11	46.6	6	25.4
Nonwhite	115	43	14	55	38	--------	--------	--------	4	34.8	3	26.1
New Kent	88	37	23	28	32	25	-	7	1	11.4	7	79.5
White	32	29	3	-	13	--------	--------	--------	-	0	1	31.3
Nonwhite	56	8	20	28	19	--------	--------	--------	1	17.9	6	107.1
Norfolk	2,838	2,264	165	404	532	332	1	165	76	26.8	79	27.8
White	2,270	2,145	94	31	346	--------	--------	--------	51	22.5	43	18.9
Nonwhite	568	119	71	373	186	--------	--------	--------	25	44.0	36	63.4
Northampton	366	158	25	184	224	173	1	50	19	51.9	8	21.9
White	146	129	9	8	106	--------	--------	--------	6	41.1	-	0
Nonwhite	220	27	16	176	118	--------	--------	--------	13	59.1	8	36.4
Northumberland	194	50	96	48	107	92	-	15	7	36.1	6	30.9
White	97	44	52	1	59	--------	--------	--------	2	20.6	2	20.6
Nonwhite	97	6	44	47	48	--------	--------	--------	5	51.5	4	41.2
Nottoway	367	149	88	130	188	135	-	53	17	46.3	7	19.1
White	190	128	55	7	86	--------	--------	--------	8	42.1	1	5.3
Nonwhite	177	21	33	123	102	--------	--------	--------	9	50.8	6	33.9
Orange	289	211	62	15	112	80	-	32	12	41.5	6	20.8
White	197	174	23	-	76	--------	--------	--------	8	40.6	3	15.2
Nonwhite	92	37	39	15	36	--------	--------	--------	4	43.5	3	32.6
Page	361	165	172	19	148	105	-	43	20	55.4	8	22.2
Patrick	392	112	229	44	131	103	-	24	23	58.7	7	17.9
Pittsylvania	1,702	917	372	399	511	324	22	164	69	40.5	54	31.7
White	1,074	816	234	18	324	--------	--------	--------	31	28.9	21	19.6
Nonwhite	628	101	138	381	187	--------	--------	--------	38	60.5	33	52.5
Powhatan	120	52	20	48	38	30	-	7	3	25.0	3	25.0
White	59	47	11	1	12	--------	--------	--------	-	0	1	16.9
Nonwhite	61	5	9	47	26	--------	--------	--------	3	49.2	2	32.8
Prince Edward	346	180	44	122	157	102	-	34	15	43.4	12	34.7
White	164	146	11	7	73	--------	--------	--------	4	24.4	7	42.7
Nonwhite	182	34	33	115	64	--------	--------	--------	11	60.4	5	27.5
Prince George	298	148	28	121	141	89	7	44	18	60.4	11	36.9
White	157	141	14	2	68	--------	--------	--------	9	57.3	5	31.8
Nonwhite	141	7	14	119	73	--------	--------	--------	9	63.8	6	42.6

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
VIRGINIA[10]—Continued												
Prince William	630	494	76	60	151	95	12	43	9	14.3	9	14.3
White	579	480	58	41	120	---	---	---	8	13.8	8	13.8
Nonwhite	51	14	18	19	31	---	---	---	1	19.6	1	19.6
Princess Anne	643	397	87	155	324	150	2	171	12	18.7	20	31.1
White	428	367	56	4	172	---	---	---	6	14.0	10	23.4
Nonwhite	215	30	31	151	152	---	---	---	6	27.9	10	46.5
Pulaski	747	560	102	73	219	148	5	65	32	42.8	24	32.1
Rappahannock	139	62	73	3	69	55	-	12	5	36.0	2	14.4
White	116	53	62	2	49	---	---	---	4	33.9	1	8.5
Nonwhite	21	9	11	1	20	---	---	---	1	47.6	1	47.6
Richmond	119	25	76	17	77	62	-	15	9	75.6	1	8.4
White	76	22	48	5	50	---	---	---	4	52.6	-	0
Nonwhite	43	3	28	12	27	---	---	---	5	116.3	1	23.3
Roanoke	1,088	947	116	24	429	223	97	108	40	36.8	28	25.7
Rockbridge	510	274	177	46	203	152	-	51	20	39.2	7	13.7
White	460	263	148	36	167	---	---	---	17	37.0	7	15.2
Nonwhite	50	11	29	10	36	---	---	---	3	60.0	-	0
Rockingham	778	564	208	2	291	187	2	99	32	41.2	23	29.6
Russell	713	239	411	53	186	131	-	55	30	42.1	17	23.8
Scott	748	335	180	200	217	169	-	48	30	40.1	19	25.4
Shenandoah	452	374	64	13	222	134	3	79	20	44.2	9	19.9
Smyth	765	297	429	36	333	174	95	64	32	41.8	13	17.0
Southampton	673	191	94	386	253	193	-	60	44	65.4	22	32.7
White	209	153	41	15	83	---	---	---	11	52.6	3	14.4
Nonwhite	464	38	53	371	170	---	---	---	33	71.1	19	40.9
Spotsylvania	254	170	32	49	101	76	-	22	4	15.7	11	43.3
White	166	152	23	9	61	---	---	---	4	21.5	8	43.0
Nonwhite	68	18	9	40	40	---	---	---	-	0	3	44.1
Stafford	189	143	21	22	97	72	-	25	10	52.9	3	15.9
White	158	134	19	5	72	---	---	---	7	44.3	2	12.7
Nonwhite	31	9	2	17	25	---	---	---	3	96.8	1	32.3
Surry	134	32	14	88	71	57	-	15	7	52.2	6	44.8
White	38	27	7	4	28	---	---	---	2	52.6	-	0
Nonwhite	96	5	7	84	42	---	---	---	5	52.1	6	62.5
Sussex	277	78	41	158	117	99	-	17	13	46.9	14	50.5
White	84	69	8	7	33	---	---	---	2	23.8	2	23.8
Nonwhite	193	9	33	151	84	---	---	---	11	57.0	12	62.2
Tazewell	1,421	568	837	9	374	242	-	129	63	44.3	35	24.6
Warren	376	327	37	12	95	66	-	28	10	26.6	10	26.6
Warwick	602	448	44	109	148	81	-	66	21	34.9	25	41.5
White	328	313	14	-	81	---	---	---	8	24.4	7	21.3
Nonwhite	274	135	30	109	67	---	---	---	13	47.4	18	65.7
Washington	928	367	493	81	299	205	1	93	39	42.0	22	23.7
Westmoreland	259	59	95	63	116	102	-	14	15	62.8	11	46.0
White	122	56	60	6	64	---	---	---	3	24.6	2	16.4
Nonwhite	117	3	35	77	52	---	---	---	12	102.6	9	78.9
Wise	1,614	558	1,013	55	420	307	2	111	70	43.4	28	17.3
Wythe	579	271	294	12	166	113	2	32	18	31.1	11	19.0
York	224	157	13	54	103	67	-	35	6	26.8	7	31.3
White	148	139	7	2	71	---	---	---	3	20.3	4	27.0
Nonwhite	76	18	6	52	32	---	---	---	3	39.5	3	39.5
Independent Cities[12]												
Alexandria	1,903	1,842	22	33	396	181	-	206	36	18.9	41	21.5
White	1,727	1,708	13	4	297	---	---	---	30	17.4	32	18.5
Nonwhite	176	134	9	29	99	---	---	---	6	34.1	9	51.1
Bristol[13]	360	281	77	2	123	78	-	37	16	44.4	6	16.7
White	332	266	64	2	106	---	---	---	14	42.2	5	15.1
Nonwhite	28	15	13	-	17	---	---	---	2	71.4	1	35.7
Buena Vista	124	60	61	3	51	44	-	7	8	64.5	8	64.5
Charlottesville	831	614	16	1	228	123	-	102	24	38.0	11	17.4
White	518	511	7	-	172	---	---	---	20	38.6	7	13.5
Nonwhite	113	103	9	1	56	---	---	---	4	35.4	4	35.4
Clifton Forge	138	113	22	3	71	37	-	34	2	14.5	3	21.7
White	114	102	11	1	57	---	---	---	1	8.8	3	26.3
Nonwhite	24	11	11	2	14	---	---	---	1	41.7	-	0
Danville	810	657	20	132	364	208	-	156	53	65.4	28	34.6
White	598	590	6	2	234	---	---	---	28	46.8	10	16.7
Nonwhite	212	67	14	130	130	---	---	---	25	117.9	18	84.9
Fredericksburg	265	247	3	14	106	57	-	48	12	45.3	5	18.9
White	232	230	2	-	85	---	---	---	10	43.1	5	21.6
Nonwhite	33	17	1	14	21	---	---	---	2	60.6	-	0
Hampton	709	685	9	15	117	38	-	78	9	12.7	13	18.3
White	603	596	5	2	78	---	---	---	8	13.3	8	13.3
Nonwhite	106	89	4	13	39	---	---	---	1	9.4	5	47.2
Harrisonburg	240	237	3	-	126	69	-	57	15	62.5	8	33.3
Hopewell	257	225	21	11	77	41	-	36	11	42.8	7	27.2
White	236	216	19	1	57	---	---	---	8	33.9	4	16.9
Nonwhite	21	9	2	10	20	---	---	---	3	142.9	3	142.9
Lynchburg	1,098	1,051	46	1	460	266	11	176	47	42.8	23	20.9
White	860	852	8	-	317	---	---	---	23	26.7	17	19.8
Nonwhite	238	199	38	1	143	---	---	---	24	100.8	6	25.2
Martinsville	348	256	78	14	94	45	-	49	15	43.1	11	31.6
White	279	231	48	-	67	---	---	---	12	43.0	7	25.1
Nonwhite	69	25	30	14	27	---	---	---	3	43.5	4	58.0

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
VIRGINIA[10]—Continued												
Independent Cities[12]—Con.												
Newport News	1,608	1,470	19	118	559	255	-	304	81	50.4	47	29.2
White	1,131	1,126	5	-	269	----	----	----	48	42.4	24	21.2
Nonwhite	477	344	14	118	290	----	----	----	33	69.2	23	48.2
Norfolk	4,037	3,134	538	361	1,958	981	12	948	171	42.4	158	39.1
White	2,778	2,635	128	14	1,136	----	----	----	89	32.0	84	30.2
Nonwhite	1,259	499	410	347	822	----	----	----	82	65.1	74	58.8
Petersburg	828	523	63	242	406	260	18	125	41	49.5	34	41.1
White	530	480	18	32	218	----	----	----	22	41.5	14	26.4
Nonwhite	298	43	45	210	188	----	----	----	19	63.8	20	67.1
Portsmouth	1,454	925	109	416	654	341	1	292	77	53.0	69	47.5
White	847	835	8	4	309	----	----	----	37	33.7	23	27.2
Nonwhite	607	90	101	412	345	----	----	----	40	65.9	46	75.8
Radford	252	247	5	-	69	29	-	40	14	55.6	6	23.8
Richmond	5,272	4,794	389	88	2,462	1,318	178	955	166	31.5	175	33.2
White	3,745	3,651	90	3	1,598	----	----	----	109	29.1	103	27.5
Nonwhite	1,527	1,143	299	85	864	----	----	----	57	37.3	72	47.2
Roanoke	1,628	1,499	127	-	755	415	16	314	68	41.8	38	23.3
White	1,317	1,274	43	-	578	----	----	----	48	36.4	32	24.3
Nonwhite	311	225	84	-	177	----	----	----	20	64.3	6	19.3
South Norfolk	214	152	31	31	77	61	-	15	7	32.7	4	18.7
White	176	148	23	5	47	----	----	----	6	34.1	3	17.0
Nonwhite	38	4	8	26	30	----	----	----	1	26.3	1	26.3
Staunton	320	279	33	8	372	98	220	52	19	59.4	11	34.4
White	289	265	23	1	345	----	----	----	17	58.8	9	31.1
Nonwhite	31	14	10	7	27	----	----	----	2	64.5	2	64.5
Suffolk	294	194	35	65	139	80	-	53	14	47.6	9	30.6
White	183	166	13	4	66	----	----	----	8	43.7	4	21.9
Nonwhite	111	28	22	61	73	----	----	----	6	54.1	5	45.0
Williamsburg	76	68	2	6	263	13	240	10	3	39.5	3	39.5
White	59	58	1	-	254	----	----	----	2	33.9	2	33.9
Nonwhite	17	10	1	6	9	----	----	----	1	58.8	1	58.8
Winchester	416	401	10	4	159	79	-	78	27	64.9	12	28.8
WASHINGTON	51,988	51,034	844	30	22,011	8,905	1,241	11,294	1,734	33.4	903	17.4
Adams	122	116	5	-	41	21	-	14	3	24.6	2	16.4
Asotin	198	192	2	-	101	47	-	49	4	20.2	10	50.5
Benton	430	420	10	-	155	76	-	72	29	67.4	8	18.6
Chelan	994	940	53	-	354	140	1	198	34	34.2	15	15.1
Wenatchee	373	371	2	-	173	55	-	116	16	42.9	4	10.7
Balance of county	621	569	51	-	181	85	1	82	18	29.0	11	17.7
Clallam	567	546	19	2	237	92	8	133	12	21.2	5	8.8
Clark	2,167	2,151	14	1	701	233	6	434	72	33.2	31	14.3
Vancouver	771	766	5	-	410	80	6	311	41	53.2	14	18.2
Balance of county	1,396	1,385	9	1	291	153	-	123	31	22.2	17	12.2
Columbia	113	112	1	-	51	23	3	25	2	17.7	1	8.8
Cowlitz	1,150	1,145	4	-	327	130	-	189	33	28.7	28	24.3
Longview	446	445	1	-	144	32	-	112	10	22.4	7	15.7
Balance of county	704	700	3	-	183	98	-	77	23	32.7	21	29.8
Douglas	135	130	5	-	44	31	-	13	5	37.0	7	51.9
Ferry	68	66	1	1	27	14	-	12	2	29.4	-	0
White	48	47	1	-	20	----	----	----	1	20.8	-	0
Nonwhite	20	19	-	1	7	----	----	----	1	50.0	-	0
Franklin	300	298	2	-	91	34	-	56	17	56.7	4	13.3
Garfield	55	46	9	-	30	21	-	9	2	36.4	1	18.2
Grant	335	325	9	-	87	39	-	20	10	29.9	4	11.9
Grays Harbor	1,142	1,127	9	3	602	227	9	337	51	44.7	23	20.1
Aberdeen	458	456	-	-	324	81	-	221	19	41.5	9	19.7
Hoquiam	218	217	1	-	83	47	9	24	10	45.9	3	13.8
Balance of county	466	454	8	3	195	99	-	92	22	47.2	11	23.6
Island	167	164	3	-	86	57	4	24	8	35.9	4	24.0
Jefferson	221	219	1	1	93	35	1	56	8	36.2	2	9.0
King	16,601	16,466	117	1	6,966	3,063	129	3,687	510	30.7	289	17.4
Seattle	13,424	13,381	36	-	5,451	2,241	87	3,075	382	28.5	242	18.0
White	12,830	12,795	30	-	5,211	----	----	----	355	27.7	227	17.7
Nonwhite	594	586	6	-	240	----	----	----	27	45.5	15	25.3
Balance of county	3,177	3,085	81	1	1,515	822	42	612	128	40.3	47	14.8
Kitsap	2,833	2,800	25	1	678	244	34	397	93	32.8	46	16.2
Bremerton	1,437	1,431	6	-	344	82	-	259	50	34.8	21	14.6
Balance of county	1,396	1,369	19	1	334	162	34	138	43	30.8	25	17.9
Kittitas	441	433	8	-	218	81	1	132	27	61.2	10	22.7
Klickitat	230	225	2	3	80	33	-	46	5	21.7	2	8.7
Lewis	983	971	11	-	471	201	39	201	27	27.5	13	13.2
Lincoln	223	196	27	-	102	51	-	44	10	44.8	4	17.9
Mason	298	297	1	-	118	35	-	82	6	20.1	4	13.4
Okanogan	668	629	33	3	225	103	4	112	28	41.9	12	18.0
Pacific	304	281	23	-	146	68	-	77	8	26.3	11	36.2
Pend Oreille	141	138	3	-	49	22	-	26	3	21.3	1	7.1
Pierce	5,584	5,508	70	-	2,636	859	436	1,284	171	30.6	109	19.5
Tacoma	3,613	3,583	29	-	1,608	517	10	1,044	101	28.0	64	17.7
Balance of county	1,971	1,925	41	-	1,028	342	426	240	70	35.5	45	22.8
San Juan	51	38	12	-	35	22	-	13	-	0	-	0
Skagit	879	863	14	1	702	174	262	265	46	52.3	9	10.2
Skamania	73	71	1	-	28	15	-	11	2	27.4	-	0
Snohomish	2,269	2,203	64	-	1,058	525	5	507	73	32.2	39	17.2
Everett	945	939	6	-	467	171	2	287	27	28.6	13	13.8
Balance of county	1,324	1,264	58	1	591	354	3	220	46	34.7	26	19.6

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
WASHINGTON—Continued												
Spokane	4,720	4,667	45	1	2,387	909	261	1,118	154	32.6	76	16.1
Spokane	3,673	3,650	20	-	1,717	723	15	909	117	31.9	62	16.9
Balance of county	1,047	1,017	26	1	670	186	246	209	37	35.3	14	13.4
Stevens	368	354	9	2	174	59	-	113	12	32.6	3	8.2
Thurston	943	879	61	2	390	179	-	199	30	31.8	25	26.5
Olympia	424	409	15	-	228	67	-	153	21	49.5	13	30.7
Balance of county	519	470	46	2	162	112	-	46	9	17.3	12	23.1
Wahkiakum	64	64	-	-	32	19	-	12	7	109.4	-	0
Walla Walla	838	828	7	1	425	152	30	231	28	33.4	12	14.3
Walla Walla	562	555	6	-	320	99	18	185	19	33.8	8	14.2
Balance of county	276	273	1	1	105	53	12	36	9	32.6	4	14.5
Whatcom	1,447	1,423	20	-	732	308	6	408	54	37.3	27	18.7
Bellingham	848	842	5	-	398	151	6	233	28	33.0	14	16.5
Balance of county	599	581	15	-	334	157	-	175	26	43.4	13	21.7
Whitman	603	591	11	-	240	75	2	157	21	34.8	11	18.2
Yakima	3,263	3,112	132	6	1,092	488	-	533	129	39.5	55	16.9
Yakima	1,079	1,076	1	1	494	182	-	297	44	40.8	17	15.8
Balance of county	2,184	2,036	131	5	598	306	-	236	85	38.9	38	17.4
WEST VIRGINIA	48,873	26,501	20,737	1,130	16,238	10,538	465	5,153	1,990	40.9	1,543	31.7
Barbour	486	206	271	4	154	120	-	34	19	39.1	16	32.9
Berkley	662	618	39	3	293	159	-	132	33	49.8	21	31.7
Martinsburg	391	382	7	1	208	107	-	99	25	63.9	13	33.2
Balance of county	271	236	32	2	85	52	-	33	8	29.5	8	29.5
Boone	837	320	509	7	198	145	-	53	44	52.6	26	31.1
Braxton	466	228	203	22	122	90	-	17	14	30.0	7	15.0
Brooks	531	458	72	-	205	113	2	88	21	39.5	17	32.0
Cabell	2,536	2,278	251	4	1,073	547	112	411	128	50.5	83	32.7
Huntington (part)	1,988	1,923	63	1	894	429	110	353	107	(5)	62	(5)
Huntington (total)	2,066	1,997	67	1	940	452	110	376	112	54.2	64	31.0
Balance of county	548	355	188	3	179	116	2	58	21	38.3	21	38.3
Calhoun	271	70	186	9	63	48	-	15	9	33.2	6	22.1
Clay	448	119	275	42	106	92	-	14	26	58.0	17	37.9
Doddridge	176	53	122	1	79	70	-	9	3	17.0	9	51.1
Fayette	2,185	569	1,571	41	607	405	6	193	82	37.5	68	31.1
White	1,939	546	1,354	36	467	---------	---------	---------	72	37.1	54	27.8
Nonwhite	246	23	217	5	120	---------	---------	---------	10	40.7	14	56.9
Gilmer	207	50	157	-	82	74	-	8	12	58.0	8	38.6
Grant	194	120	50	24	73	55	-	18	10	51.5	1	5.2
Greenbrier	969	289	663	11	330	254	1	74	41	42.3	35	36.1
Hampshire	277	99	174	4	112	95	-	15	7	25.3	14	50.5
Hancock	741	646	95	-	237	145	-	89	21	28.3	24	32.4
Hardy	217	99	110	6	74	57	-	17	8	36.9	8	36.9
Harrison	2,032	1,465	563	2	691	498	-	190	62	30.5	68	33.5
Clarksburg	856	767	89	-	327	210	-	116	31	36.2	26	30.4
Balance of county	1,176	698	474	2	364	288	-	74	31	26.4	42	35.7
Jackson	300	126	161	11	128	105	-	23	18	60.0	7	23.3
Jefferson	417	331	71	13	189	147	-	41	16	38.4	14	33.6
White	355	289	61	5	150	---------	---------	---------	12	33.8	7	19.7
Nonwhite	62	42	10	8	39	---------	---------	---------	4	64.5	7	112.9
Kanawha	5,952	4,397	1,446	95	1,640	1,027	1	603	224	37.6	168	28.2
Charleston	1,969	1,821	144	3	708	403	-	298	87	44.2	56	28.4
White	1,847	1,737	106	3	614	---------	---------	---------	84	45.5	49	26.5
Nonwhite	122	84	38	-	94	---------	---------	---------	3	24.6	7	57.4
South Charleston	361	338	22	-	74	40	-	32	10	27.7	14	38.8
Balance of county	3,622	2,236	1,280	92	858	584	1	273	127	35.1	98	27.1
Lewis	433	328	105	1	393	146	190	57	23	53.1	14	32.3
Lincoln	528	166	284	70	159	128	-	31	22	41.8	18	34.2
Logan	2,255	503	1,703	45	493	332	-	161	118	52.3	83	36.8
White	2,091	473	1,569	45	428	---------	---------	---------	107	51.2	75	35.9
Nonwhite	164	30	134	-	65	---------	---------	---------	11	67.1	8	48.8
McDowell	2,951	658	2,206	82	733	416	2	313	134	45.4	99	33.5
White	2,359	601	1,681	72	471	---------	---------	---------	111	47.1	74	31.4
Nonwhite	592	57	525	10	262	---------	---------	---------	23	38.9	25	42.2
Marion	1,639	1,148	489	-	613	423	-	189	60	36.6	50	30.5
Fairmont	618	564	54	-	271	182	-	88	24	38.8	20	32.4
Balance of county	1,021	584	435	-	342	241	-	101	36	35.3	30	29.4
Marshall	731	654	76	1	318	183	10	124	25	34.2	15	20.5
Moundsville	313	301	12	-	127	64	3	59	4	12.8	6	19.2
Balance of county	418	353	64	1	191	119	7	65	21	50.2	9	21.5
Mason	527	200	316	9	174	141	17	15	11	20.9	21	39.8
Mercer	1,609	809	788	10	553	346	-	207	83	51.6	56	34.8
White	1,465	783	691	9	467	---------	---------	---------	78	53.2	45	30.7
Nonwhite	144	46	97	1	86	---------	---------	---------	5	34.7	11	76.4
Bluefield[14]	475	364	109	1	205	108	-	97	24	50.5	13	27.4
White	396	337	57	1	154	---------	---------	---------	21	53.0	10	25.3
Nonwhite	79	27	52	-	51	---------	---------	---------	3	38.0	3	38.0
Balance of county	1,134	445	679	9	348	238	-	110	59	52.0	43	37.9
Mineral	586	366	196	16	216	130	-	86	24	41.0	26	44.4
Mingo	1,345	378	862	102	327	222	-	105	66	49.1	31	23.0
Monongalia	1,273	1,016	233	9	477	314	2	159	54	42.4	26	20.4
Morgantown	603	575	26	1	230	141	-	87	20	33.2	10	16.6
Balance of county	670	441	207	8	247	173	2	72	34	50.7	16	23.9
Monroe	280	81	199	-	112	90	-	20	11	39.3	7	25.0
Morgan	204	94	91	16	84	62	1	20	10	49.0	7	34.3

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
WEST VIRGINIA—Continued												
Nicholas	646	280	344	18	156	131	-	25	26	40.2	15	23.2
Ohio	1,625	1,584	40	1	802	380	6	410	51	31.4	50	30.8
Wheeling	1,371	1,346	24	1	701	324	1	370	43	31.4	40	29.2
Balance of county	254	239	16	-	101	56	5	40	8	31.5	10	39.4
Pendleton	207	55	133	12	111	91	-	20	12	58.0	1	4.8
Pleasants	129	52	74	1	62	52	-	10	6	46.5	7	54.3
Pocahontas	280	122	152	3	122	83	-	39	14	50.0	6	21.4
Preston	721	313	319	46	219	165	-	54	19	26.4	20	27.7
Putnam	429	124	280	11	135	116	-	19	14	32.6	13	30.3
Raleigh	2,591	831	1,702	49	605	374	-	229	101	39.0	94	36.3
White	2,313	796	1,474	35	477	---------	---------	---------	83	35.9	76	32.9
Nonwhite	278	35	228	14	128	---------	---------	---------	18	64.7	18	64.7
Beckley	413	278	130	4	160	79	-	81	23	55.7	17	41.2
White	384	271	89	3	134	---------	---------	---------	19	52.2	15	41.2
Nonwhite	49	7	41	1	26	---------	---------	---------	4	81.6	2	40.8
Balance of county	2,178	553	1,572	45	445	295	-	148	78	35.8	77	35.4
White	1,949	525	1,385	32	343	---------	---------	---------	64	32.8	61	31.3
Nonwhite	229	28	187	13	102	---------	---------	---------	14	61.1	16	69.9
Randolph	782	412	336	25	249	168	3	69	27	34.5	33	42.2
Ritchie	286	146	135	5	111	96	1	12	10	35.0	3	10.5
Roane	428	180	191	53	261	110	99	52	20	46.7	21	49.1
Summers	472	138	321	12	195	132	1	62	26	55.1	20	42.4
Taylor	436	258	152	16	199	146	-	53	25	57.3	9	20.6
Tucker	276	156	80	30	119	101	-	17	6	21.7	2	7.2
Tyler	218	107	109	1	124	90	1	33	13	59.6	11	50.5
Upshur	441	236	188	6	197	149	-	48	19	43.1	13	29.5
Wayne	834	414	356	55	242	163	-	78	26	31.2	19	22.8
Huntington (part)	78	74	4	-	46	23	-	23	5	([5])	2	([5])
Balance of county	756	340	352	55	196	140	-	55	21	27.8	17	22.5
Webster	527	191	256	56	138	108	-	30	34	64.5	24	45.5
Wetzel	523	317	190	11	185	120	3	62	18	34.4	17	32.5
Wirt	85	61	16	4	73	57	-	16	3	35.3	5	58.8
Wood	1,595	1,443	132	8	629	358	7	259	50	31.5	59	37.2
Parkersburg	941	894	47	-	385	200	4	178	25	26.6	44	46.8
Balance of county	644	549	85	8	244	158	3	81	25	38.8	15	23.3
Wyoming	839	141	694	47	196	169	-	25	31	34.9	31	34.9
WISCONSIN	74,755	70,240	4,299	67	32,345	15,379	1,859	14,900	2,246	30.0	1,321	17.7
Adams	142	109	33	-	79	38	2	39	8	56.3	7	49.3
Ashland	481	452	22	-	243	116	6	121	21	43.7	10	20.8
Ashland	251	251	-	-	148	69	6	73	11	43.8	5	19.9
Balance of county	230	201	22	-	95	47	-	48	10	43.5	5	21.7
White	197	175	19	-	84	---------	---------	---------	9	45.7	5	25.4
Nonwhite	33	26	3	-	11	---------	---------	---------	1	30.3	-	0
Barron	791	735	55	-	319	169	7	142	28	35.4	15	19.0
Bayfield	278	267	9	-	135	67	-	68	6	21.6	8	28.8
Brown	2,285	2,225	58	-	824	375	38	409	75	32.8	35	15.3
Green Bay	1,462	1,450	12	-	497	213	12	271	43	29.4	17	11.6
Balance of county	823	775	47	-	327	162	26	138	32	38.9	18	21.9
Buffalo	386	352	12	-	147	81	-	63	9	24.6	5	13.7
Burnett	254	197	55	-	114	67	-	45	5	19.7	5	19.7
Calumet	389	345	44	-	175	112	-	62	12	30.8	3	7.7
Chippewa	1,072	933	135	3	421	157	52	212	33	30.8	16	14.9
Chippewa Falls	309	309	-	-	140	42	6	92	13	42.1	4	12.9
Balance of county	763	624	135	3	281	115	46	120	20	26.2	12	15.7
Clark	745	614	128	-	299	186	10	101	9	12.1	5	6.7
Columbia	726	695	31	-	376	173	30	172	20	27.5	16	22.0
Crawford	474	383	91	-	171	97	-	74	22	46.4	4	8.4
Dane	3,780	3,742	37	-	1,435	602	201	619	88	23.3	59	15.6
Madison	2,452	2,448	4	-	706	283	9	408	56	22.8	38	15.5
Balance of county	1,328	1,294	33	-	729	319	192	211	32	24.1	21	15.8
Dodge	1,137	1,087	50	-	553	286	34	232	36	31.7	18	15.8
Beaver Dam	250	246	4	-	143	67	-	76	14	56.0	3	12.0
Watertown (part)	53	50	3	-	25	18	-	7	1	([5])	1	([5])
Balance of county	834	791	43	-	385	201	34	149	21	25.2	14	16.8
Door	470	408	61	-	173	85	-	83	10	21.3	8	17.0
Douglas	1,036	1,008	27	-	564	161	33	370	37	35.7	28	27.0
Superior	814	802	11	-	437	133	1	303	30	36.9	23	28.3
Balance of county	222	204	16	-	127	28	32	67	7	31.5	5	22.5
Dunn	689	592	95	-	258	159	11	88	24	34.8	11	16.0
Eau Claire	1,295	1,283	8	1	462	149	17	296	43	33.2	18	13.9
Eau Claire	875	874	1	-	312	90	-	222	31	35.4	11	12.6
Balance of county	421	409	7	1	150	59	17	74	12	28.5	7	16.6
Florence	88	69	9	4	34	24	-	10	6	69.8	-	0
Fond du Lac	1,420	1,338	81	1	708	340	61	305	40	28.2	21	14.8
Fond du Lac	671	664	7	-	351	143	19	188	19	28.3	10	14.9
Balance of county	749	674	74	1	357	197	42	117	21	28.0	11	14.7
Forest	269	212	54	1	98	66	-	32	5	18.6	6	22.3
Grant	908	735	172	-	454	295	18	139	31	34.1	12	13.2
Green	486	468	18	-	253	114	21	115	14	28.8	8	16.5
Green Lake	272	248	23	1	173	102	-	71	10	36.8	5	18.4
Iowa	433	403	29	-	239	112	22	105	8	18.5	10	23.1
Iron	170	140	28	-	95	54	1	41	6	35.3	2	11.8

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
WISCONSIN—Continued												
Jackson	392	369	22	-	163	101	-	62	11	28.1	3	7.7
Jefferson	814	778	30	-	494	278	63	151	17	20.9	14	17.2
Watertown (part)	183	177	6	-	123	66	10	46	5	([5])	4	([5])
Watertown (total)	236	227	9	-	148	84	10	53	6	25.4	5	21.2
Balance of county	631	601	24	-	371	212	53	105	12	19.0	10	15.8
Juneau	435	326	97	3	191	131	5	55	12	27.6	5	11.5
Kenosha	1,584	1,569	12	-	564	233	8	317	37	23.4	26	16.4
Kenosha	1,303	1,298	4	-	424	165	4	253	26	20.0	19	14.6
Balance of county	281	271	8	-	140	68	4	64	11	39.1	7	24.9
Kewaunee	375	282	93	-	138	84	-	54	8	21.3	4	10.7
La Crosse	1,511	1,479	32	-	613	244	47	322	37	24.5	35	23.2
La Crosse	1,079	1,066	13	-	427	176	4	247	25	23.2	19	17.6
Balance of county	432	413	19	-	186	68	43	75	12	27.8	16	37.0
Lafayette	412	373	39	-	178	118	2	55	17	41.3	9	21.8
Langlade	598	549	47	-	203	128	-	75	30	50.2	14	23.4
Lincoln	495	478	15	-	259	81	17	160	28	56.6	12	24.2
Manitowoc	1,524	1,456	66	-	606	282	24	298	31	20.3	26	17.1
Manitowoc	682	666	14	-	279	117	23	139	10	14.7	10	14.7
Two Rivers	266	257	9	-	84	31	-	53	7	26.3	5	18.8
Balance of county	576	533	43	-	243	134	1	107	14	24.3	11	19.1
Marathon	1,915	1,732	170	1	666	288	52	326	64	33.4	25	13.1
Wausau	752	745	6	-	311	102	52	157	24	31.9	10	13.3
Balance of county	1,163	987	164	1	355	186	-	169	40	34.4	15	12.9
Marinette	770	729	39	-	370	164	19	181	24	31.2	16	20.8
Marinette	328	325	3	-	168	81	4	82	7	21.3	6	18.3
Balance of county	442	404	36	-	202	83	15	99	17	38.5	10	22.6
Marquette	171	139	29	-	95	66	2	26	8	46.8	-	0
Milwaukee	17,722	17,085	580	27	8,023	3,241	440	4,250	532	30.0	295	16.6
Cudahy	314	299	15	-	86	34	-	50	11	35.0	6	19.1
Milwaukee	13,397	12,902	449	23	6,268	2,545	151	3,498	414	30.9	217	16.2
Shorewood	285	284	-	-	124	63	-	61	7	24.6	1	3.5
South Milwaukee	290	281	9	-	98	54	-	43	9	31.0	3	10.3
Wauwatosa	573	569	2	-	273	134	18	119	22	38.4	18	31.4
West Allis	871	852	17	1	336	155	5	171	25	28.7	11	12.6
Balance of county	1,992	1,898	88	3	838	256	266	308	44	22.1	39	19.6
Monroe	810	686	123	-	303	177	18	106	25	30.9	14	17.3
Oconto	556	491	64	1	224	137	4	83	10	18.0	17	30.6
Oneida	479	461	18	-	194	81	2	111	19	39.7	12	25.1
Outagamie	1,974	1,852	119	1	650	380	22	243	52	26.3	42	21.3
Appleton	841	828	14	-	309	184	2	120	16	19.0	16	19.0
Balance of county	1,133	1,026	105	1	341	196	20	123	36	31.8	26	22.9
Ozaukee	493	485	8	-	179	104	-	75	16	32.5	10	20.3
Pepin	177	169	8	-	75	31	-	44	5	28.2	2	11.3
Pierce	512	465	47	-	224	137	1	86	14	27.3	12	23.4
Polk	517	468	49	-	236	139	1	95	13	25.1	7	13.5
Portage	811	740	69	-	308	155	1	152	29	34.5	11	13.6
Stevens Point	401	393	8	-	140	54	1	85	17	42.4	5	12.5
Balance of county	410	347	61	-	168	101	-	67	11	26.8	6	14.6
Price	356	312	44	-	163	109	-	52	10	28.1	6	16.9
Racine	2,323	2,295	27	-	981	458	77	443	80	34.4	58	25.0
Racine	1,684	1,671	13	-	684	321	13	347	46	27.3	41	24.3
Balance of county	639	624	14	-	297	137	64	96	34	53.2	17	26.6
Richland	512	449	63	-	176	95	16	65	10	19.5	13	25.4
Rock	1,979	1,920	58	-	862	398	27	427	52	26.3	33	16.7
Beloit	782	768	13	-	287	110	-	172	15	19.2	10	12.8
Janesville	518	514	4	-	270	131	-	136	17	32.8	14	27.0
Balance of county	679	638	41	-	305	157	27	119	20	29.5	9	13.3
Rusk	416	383	26	3	150	71	3	76	14	33.7	6	14.4
St. Croix	566	537	28	1	283	151	14	93	10	17.6	10	17.6
Sauk	914	861	47	-	366	200	13	149	21	23.0	16	17.5
Sawyer	209	132	59	12	145	79	-	66	10	47.8	4	19.1
White	185	93	54	12	129	---------	---------	---------	7	42.4	4	24.2
Nonwhite	44	39	5	-	16	---------	---------	---------	3	68.2	-	0
Shawano	615	740	74	-	354	193	25	136	37	45.4	10	12.3
Sheboygan	1,684	1,644	39	-	766	331	26	409	37	22.0	31	18.4
Sheboygan	931	922	8	-	410	164	1	245	25	26.9	19	20.4
Balance of county	753	722	31	-	356	167	25	164	12	15.9	12	15.9
Taylor	457	354	101	1	163	81	-	82	18	39.4	5	10.9
Trempealeau	530	496	29	-	243	137	8	98	24	45.3	15	28.3
Vernon	641	555	85	-	302	172	14	115	20	31.2	14	21.8
Vilas	192	171	19	1	73	38	-	35	8	41.7	6	31.3
White	164	151	13	-	63	---------	---------	---------	5	30.5	5	30.5
Nonwhite	28	20	6	1	10	---------	---------	---------	3	107.1	1	35.7
Walworth	770	753	17	-	453	246	29	172	30	39.0	19	24.7
Washburn	280	190	88	2	108	64	-	44	4	14.3	4	14.3
Washington	707	655	52	-	298	147	15	136	20	28.3	20	28.3
Waukesha	1,723	1,661	61	-	704	421	56	218	52	30.2	30	17.4
Waukesha	805	802	3	-	195	120	4	69	18	22.4	10	12.4
Balance of county	918	859	58	-	509	301	52	149	34	37.0	20	21.8
Waupaca	759	704	53	1	408	205	51	151	27	35.6	14	18.4
Waushara	245	192	53	-	196	114	6	74	10	40.8	1	4.1

See footnotes on p. 111.

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician (in hospital)	Physician (not in hospital)	Midwife	Total[2]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
Section B (Counties)—Continued												
WISCONSIN—Continued												
Winnebago	1,954	1,914	40	-	1,021	501	169	349	64	32.8	37	18.9
Menasha	311	307	4	-	97	49	-	47	9	28.9	3	9.6
Neenah	302	301	1	-	94	57	-	37	9	29.8	8	26.5
Oshkosh	874	862	12	-	494	264	27	203	31	35.5	13	14.9
Balance of county	467	444	23	-	336	131	142	62	15	32.1	13	27.8
Wood	1,219	1,123	93	2	391	201	18	172	44	36.1	23	18.9
Marshfield	293	276	17	-	120	45	13	62	10	34.1	6	20.5
Wisconsin Rapids	322	316	6	-	102	57	1	44	11	34.2	7	21.7
Balance of county	604	531	70	2	169	99	4	66	23	38.1	10	16.6
WYOMING	6,188	5,752	406	3	2,135	888	99	1,128	205	33.1	110	17.8
Albany	360	357	2	-	104	35	2	67	13	36.1	8	22.2
Laramie	312	310	1	-	85	20	2	63	12	38.5	6	19.2
Balance of county	48	47	1	-	19	15	-	4	1	20.8	2	41.7
Big Horn	346	338	7	-	89	52	-	36	7	20.2	3	8.7
Campbell	117	114	2	1	34	16	-	17	1	8.5	1	8.5
Carbon	314	295	18	-	136	58	2	76	13	41.4	9	28.7
Converse	134	128	6	-	62	28	-	30	3	22.4	3	22.4
Crook	97	92	4	-	32	18	3	11	5	51.5	3	30.9
Fremont	373	303	57	1	134	86	6	41	18	48.3	5	13.4
White	267	227	40	-	97	---------	---------	---------	6	22.5	5	18.7
Nonwhite	106	76	17	1	37	---------	---------	---------	12	113.2	-	0
Goshen	280	246	33	-	79	42	-	33	13	46.4	3	10.7
Hot Springs	133	133	-	-	61	21	-	39	9	67.7	4	30.1
Johnson	99	96	3	-	35	21	-	13	3	30.3	3	30.3
Laramie	1,061	1,000	59	1	287	103	-	184	26	24.5	16	15.1
Cheyenne	894	852	40	1	241	75	-	166	22	24.6	14	15.7
Balance of county	167	148	19	-	46	28	-	18	4	24.0	2	12.0
Lincoln	265	263	2	-	67	29	-	38	4	15.1	6	22.6
Natrona	566	558	8	-	251	93	-	158	16	28.3	7	12.4
Casper	492	490	2	-	221	71	-	144	15	30.5	7	14.2
Balance of county	74	68	6	-	30	22	-	8	1	13.5	-	0
Niobrara	99	95	4	-	32	11	2	19	3	30.3	3	30.3
Park	291	275	16	-	78	34	-	44	8	27.5	8	27.5
Platte	179	145	32	-	68	21	-	47	8	44.7	3	16.8
Sheridan	428	415	11	-	214	74	30	109	7	16.4	5	11.7
Sheridan	290	282	7	-	159	63	-	96	4	13.8	4	13.8
Balance of county	138	133	4	-	55	11	30	13	3	21.7	1	7.2
Sublette	58	54	3	-	18	11	-	7	-	0	1	17.2
Sweetwater	551	498	53	-	162	63	-	99	29	52.6	9	16.3
Teton	67	67	-	-	18	6	-	12	3	44.8	-	0
Uinta	144	71	73	-	97	34	54	9	6	41.7	6	41.7
Washakie	132	117	15	-	36	14	-	21	6	45.5	4	30.3
Weston	89	89	-	-	40	18	-	21	4	44.9	-	0
Yellowstone National Park (part)	5	5	-	-	1	-	-	1	-	([5])	-	([5])
Yellowstone National Park (total)	7	7	-	-	1	-	-	1	-	0	-	0

[1]Births attended by other and not specified persons are not shown separately but are included in total births. For the United States in 1946, these births were 10,642.
[2]Deaths occurring in institutions of unknown type are not shown separately but are included in total deaths. For the United States in 1946, these deaths were 17,583.
[3]Includes data for Texarkana, Ark., only.
[4]Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.
[5]Rate not computed for part of an area.
[6]Figures for District 1511, Center Hill, are included in those for Atlanta.
[7]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.
[8]Includes data for Bristol, Tenn., only.
[9]Includes data for Texarkana, Tex., only.
[10]Cities of Virginia are independent, each having the same status as a county. See list of independent cities following counties of the State.
[11]Classified as urban under a special rule in the 1940 census.
[12]Those having populations of 10,000 or more include: Alexandria, Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.
[13]Includes data for Bristol, Va., only.
[14]Includes data for Bluefield, W. Va., only.

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N.C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

TABLE 3.-LIVE BIRTHS BY SPECIFIED RACE AND SEX: UNITED STATES AND EACH STATE, 1946

(By place of residence)

AREA	Total births	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	3,288,672	1,691,220	1,597,452	1,501,498	1,412,147	181,100	177,014	5,714	5,477	796	738	1,394	1,362	718	714
Alabama	79,863	40,849	39,014	26,764	25,180	14,078	13,823	6	8	-	2	-	-	1	1
Arizona	16,345	8,393	7,952	7,390	6,989	240	237	731	681	17	16	10	11	5	18
Arkansas	45,280	23,387	21,893	18,235	16,930	5,138	4,953	1	6	10	3	3	1	-	-
California	218,484	112,319	106,165	105,478	99,681	4,848	4,675	374	314	436	402	676	594	507	499
Colorado	29,518	15,126	14,392	14,802	14,078	176	171	22	20	6	7	118	115	2	1
Connecticut	41,457	21,378	20,079	20,815	19,519	554	554	2	-	3	-	3	5	1	1
Delaware	6,802	3,450	3,352	2,948	2,863	489	477	7	3	1	1	-	1	5	7
District of Columbia	18,601	9,455	9,146	6,277	6,002	3,145	3,113	2	-	21	20	4	6	6	5
Florida	53,688	27,385	26,303	20,553	19,561	6,815	6,729	13	10	2	1	-	1	2	1
Georgia	85,667	43,741	41,926	29,049	27,336	14,688	14,582	2	3	-	2	1	1	1	2
Idaho	13,787	7,101	6,686	6,891	6,580	8	5	47	49	1	3	47	47	7	2
Illinois	174,825	89,960	84,865	83,569	78,745	6,212	5,926	10	15	22	21	126	144	21	14
Indiana	85,515	43,974	41,541	42,307	39,972	1,655	1,565	2	2	4	1	4	1	2	-
Iowa	56,186	29,131	27,055	28,947	26,827	156	199	20	22	2	-	6	5	-	2
Kansas	38,751	20,336	19,415	19,594	18,672	703	689	38	53	-	-	1	1	-	-
Kentucky	72,542	37,434	35,108	35,715	33,427	1,714	1,678	1	2	4	1	-	-	-	-
Louisiana	68,670	35,076	33,594	22,252	20,992	12,758	12,556	47	34	5	4	2	3	12	5
Maine	20,326	10,524	9,802	10,504	9,786	4	6	13	8	2	2	-	-	1	-
Maryland	50,347	25,855	24,492	21,144	18,939	4,683	4,538	1	3	10	4	4	4	3	4
Massachusetts	94,288	48,559	45,729	47,801	44,986	725	719	7	7	22	11	2	4	2	2
Michigan	139,277	71,867	67,410	67,659	63,286	4,100	4,007	69	77	9	10	22	25	8	5
Minnesota	67,266	34,339	32,927	33,974	32,537	98	90	220	253	5	6	40	36	2	5
Mississippi	61,690	31,442	30,248	15,320	14,655	16,062	15,547	52	39	7	7	-	-	1	-
Missouri	80,684	41,565	39,119	38,530	36,107	3,015	2,991	6	6	5	1	6	11	3	3
Montana	12,858	6,619	6,239	6,289	5,940	6	4	321	290	-	-	2	2	1	3
Nebraska	28,052	14,391	13,661	14,089	13,388	209	187	81	73	1	2	9	9	2	2
Nevada	3,283	1,652	1,631	1,528	1,509	49	38	73	80	-	-	2	2	-	2
New Hampshire	11,092	5,735	5,357	5,723	5,351	11	5	-	-	1	1	-	-	-	-
New Jersey	95,218	49,194	46,024	45,978	42,642	3,190	3,345	2	2	7	12	15	22	2	1
New Mexico	18,087	9,176	8,911	8,481	8,193	93	86	596	620	3	3	2	3	1	6
New York	286,546	147,929	138,617	139,200	130,071	8,453	8,274	130	130	98	106	39	31	9	5
North Carolina	100,679	51,551	49,128	36,508	34,556	14,486	14,077	557	494	1	1	-	-	1	-
North Dakota	15,264	7,766	7,498	7,562	7,331	2	1	201	164	1	1	-	-	-	1
Ohio	169,600	87,421	82,179	82,450	77,243	4,930	4,879	5	8	9	13	24	33	3	3
Oklahoma	50,416	25,816	24,600	23,036	21,807	1,665	1,722	1,108	1,063	-	3	2	4	5	1
Oregon	30,076	15,468	14,608	15,200	14,304	122	141	88	102	16	12	31	37	11	12
Pennsylvania	218,376	112,849	105,527	106,197	99,252	6,626	6,245	5	6	11	13	6	5	4	6
Rhode Island	16,781	8,627	8,134	8,446	7,979	177	150	1	1	1	2	-	-	2	2
South Carolina	53,963	27,436	26,527	15,930	15,080	11,496	11,437	10	9	-	1	-	-	-	-
South Dakota	14,580	7,470	7,110	7,152	6,780	1 1	4	316	323	-	1	-	-	1	2
Tennessee	77,336	39,717	37,619	33,667	31,940	6,048	5,774	2	3	-	2	-	-	-	-
Texas	181,579	93,501	88,078	82,672	77,597	10,778	10,427	17	20	13	16	17	15	4	3
Utah	18,220	9,353	8,867	9,216	8,733	28	33	13	11	2	5	92	82	2	3
Vermont	8,362	4,250	4,112	4,249	4,109	-	3	1	-	-	-	-	-	-	-
Virginia	75,861	38,998	36,863	30,114	28,234	8,877	8,625	1	-	3	-	-	-	3	4
Washington	51,988	26,883	25,105	26,147	24,400	332	320	233	203	31	16	69	90	71	78
West Virginia	48,673	25,215	23,458	23,989	22,239	1,225	1,218	1	-	-	1	-	-	-	-
Wisconsin	74,755	38,356	36,399	37,929	36,005	209	180	205	202	4	2	7	7	2	3
Wyoming	6,188	3,201	2,987	3,130	2,914	13	9	54	58	-	-	2	4	2	2

TABLE 4.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946

(By place of residence)

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	3,288,672	222,721	206,387	228,321	220,646	233,452	242,302	286,536	312,678	325,485	339,499	332,115	338,730
Male	1,691,220	114,016	105,951	117,508	113,390	120,205	124,647	147,539	160,931	167,555	174,538	170,642	174,298
Female	1,597,452	108,705	100,436	110,813	107,256	113,247	117,655	138,797	151,747	157,930	164,961	161,473	164,432
White	2,913,645	193,277	179,527	199,711	194,827	206,949	214,689	254,925	278,644	290,967	303,875	295,750	300,504
Male	1,501,498	99,231	92,224	103,123	100,328	106,738	110,739	131,684	143,750	150,048	156,562	152,250	154,821
Female	1,412,147	94,046	87,303	96,588	94,499	100,211	103,950	123,241	134,894	140,919	147,313	143,500	145,683
Nonwhite	375,027	29,444	26,860	28,610	25,819	26,503	27,613	31,411	34,034	34,518	35,624	36,365	38,226
Male	189,722	14,785	13,727	14,385	13,062	13,467	13,908	15,855	17,181	17,507	17,976	18,392	19,477
Female	185,305	14,659	13,133	14,225	12,757	13,036	13,705	15,556	16,853	17,011	17,648	17,973	18,749
ALABAMA	79,863	5,916	5,368	5,779	5,287	5,254	5,826	6,759	7,477	7,741	8,000	7,947	8,509
Male	40,849	2,995	2,730	2,971	2,677	2,651	2,954	3,391	3,860	3,984	4,139	4,077	4,420
Female	39,014	2,921	2,638	2,808	2,610	2,603	2,872	3,368	3,617	3,757	3,861	3,870	4,089
White	51,944	3,588	3,279	3,499	3,378	3,356	3,758	4,426	4,973	5,250	5,509	5,333	5,597
Male	26,764	1,837	1,660	1,839	1,722	1,728	1,935	2,250	2,556	2,714	2,886	2,727	2,910
Female	25,180	1,751	1,619	1,660	1,656	1,628	1,821	2,176	2,417	2,536	2,623	2,606	2,687
Nonwhite	27,919	2,328	2,089	2,280	1,909	1,898	2,070	2,333	2,504	2,491	2,491	2,614	2,912
Male	14,085	1,158	1,070	1,132	955	923	1,019	1,141	1,304	1,270	1,253	1,350	1,510
Female	13,834	1,170	1,019	1,148	954	975	1,051	1,192	1,200	1,221	1,238	1,264	1,402
ARIZONA	16,345	1,147	1,020	1,176	1,128	1,102	1,178	1,424	1,544	1,551	1,721	1,671	1,683
Male	8,393	589	503	575	577	531	608	771	822	763	893	881	880
Female	7,952	558	517	601	551	571	570	653	722	788	828	790	803
White	14,379	1,002	857	1,028	979	955	1,015	1,239	1,362	1,370	1,537	1,492	1,543
Male	7,390	505	425	496	500	455	532	685	724	677	794	795	802
Female	6,989	497	432	532	479	500	483	554	638	693	743	697	741
Nonwhite	1,966	145	163	148	149	147	163	185	182	181	184	179	140
Male	1,003	84	78	79	77	76	76	86	98	86	99	86	78
Female	963	61	85	69	72	71	87	99	84	95	85	93	62
ARKANSAS	45,280	3,446	2,940	3,234	3,008	2,863	3,189	3,841	4,372	4,435	4,691	4,676	4,385
Male	23,387	1,719	1,512	1,676	1,545	1,509	1,657	2,079	2,286	2,280	2,444	2,484	2,236
Female	21,893	1,727	1,428	1,558	1,463	1,454	1,532	1,862	2,106	2,175	2,247	2,192	2,149
White	35,165	2,533	2,186	2,347	2,224	2,219	2,423	3,086	3,449	3,589	3,828	3,786	3,495
Male	18,235	1,244	1,123	1,242	1,149	1,163	1,270	1,618	1,783	1,837	1,996	2,003	1,807
Female	16,930	1,289	1,063	1,105	1,075	1,056	1,153	1,468	1,666	1,752	1,832	1,783	1,688
Nonwhite	10,115	913	754	887	784	744	766	855	923	846	863	890	890
Male	5,152	475	389	434	398	346	387	461	483	423	448	481	429
Female	4,963	438	365	453	388	398	379	394	440	423	415	409	461
CALIFORNIA	218,484	14,598	13,684	15,021	14,950	15,729	16,448	19,179	21,125	21,525	22,098	22,014	22,133
Male	112,319	7,551	7,012	7,763	7,709	8,115	8,496	9,855	10,836	11,116	11,287	11,275	11,304
Female	106,165	7,047	6,652	7,258	7,241	7,614	7,952	9,324	10,289	10,409	10,811	10,739	10,829
White	205,159	13,676	12,796	14,074	13,978	14,720	15,438	18,029	19,937	20,298	20,797	20,679	20,737
Male	105,478	7,084	6,552	7,279	7,131	7,612	7,961	9,260	10,223	10,491	10,636	10,607	10,582
Female	99,681	6,592	6,244	6,795	6,787	7,108	7,477	8,769	9,714	9,807	10,161	10,072	10,155
Nonwhite	13,325	922	868	947	972	1,009	1,010	1,150	1,188	1,227	1,301	1,335	1,396
Male	6,841	467	460	484	518	503	535	595	613	625	651	668	722
Female	6,484	455	408	463	454	506	475	555	575	602	650	667	674
COLORADO	29,518	1,914	1,785	2,024	2,025	2,162	2,144	2,649	2,826	2,972	3,024	3,088	2,905
Male	15,126	987	919	1,019	1,026	1,136	1,059	1,403	1,468	1,531	1,524	1,556	1,498
Female	14,392	927	866	1,005	999	1,026	1,085	1,246	1,358	1,441	1,500	1,532	1,407
White	28,880	1,870	1,742	1,975	1,966	2,104	2,100	2,598	2,766	2,925	2,971	3,019	2,844
Male	14,802	964	897	996	994	1,112	1,036	1,379	1,436	1,507	1,490	1,522	1,469
Female	14,078	906	845	979	972	992	1,064	1,219	1,330	1,418	1,481	1,497	1,375
Nonwhite	638	44	43	49	59	58	44	51	60	47	53	69	61
Male	324	23	22	23	32	24	23	24	32	24	34	34	29
Female	314	21	21	26	27	34	21	27	28	23	19	35	32
CONNECTICUT	41,457	2,678	2,626	2,867	2,916	3,194	3,138	3,566	3,862	4,235	4,286	4,088	3,980
Male	21,378	1,374	1,384	1,514	1,558	1,637	1,613	1,778	2,021	2,141	2,230	2,113	2,016
Female	20,079	1,304	1,242	1,353	1,358	1,557	1,528	1,788	1,841	2,094	2,056	1,974	1,974
White	40,334	2,595	2,542	2,789	2,849	3,113	3,047	3,478	3,771	4,142	4,182	3,969	3,857
Male	20,815	1,330	1,337	1,474	1,521	1,597	1,568	1,737	1,978	2,100	2,172	2,051	1,950
Female	19,519	1,265	1,205	1,315	1,328	1,516	1,479	1,741	1,793	2,042	2,010	1,918	1,907
Nonwhite	1,123	83	84	78	67	81	91	88	91	93	114	120	133
Male	563	44	47	40	37	40	42	41	43	41	58	64	66
Female	560	39	37	38	30	41	49	47	48	52	56	56	67
DELAWARE	6,802	483	423	426	439	475	530	579	628	715	716	696	692
Male	3,450	244	215	205	220	262	264	296	311	354	358	364	356
Female	3,352	239	208	221	219	213	266	283	317	361	357	332	336
White	5,811	419	359	361	368	395	439	495	534	618	626	593	604
Male	2,948	211	186	171	183	217	217	251	271	297	318	310	316
Female	2,863	208	173	190	185	178	222	244	263	321	308	283	288
Nonwhite	991	64	64	65	71	80	91	84	94	97	90	103	88
Male	502	33	29	34	37	45	47	45	40	57	41	54	40
Female	489	31	35	31	34	35	44	39	54	40	49	49	48
DISTRICT OF COLUMBIA	18,601	1,329	1,226	1,289	1,123	1,299	1,380	1,612	1,697	1,830	2,000	1,842	1,974
Male	9,455	675	605	668	573	674	704	805	865	929	1,016	915	1,026
Female	9,146	654	621	621	550	625	676	807	832	901	984	927	948
White	12,279	875	791	870	761	873	923	1,078	1,118	1,181	1,329	1,184	1,296
Male	6,277	454	386	455	380	456	478	537	562	632	670	604	663
Female	6,002	421	405	415	381	417	445	541	556	549	659	580	633
Nonwhite	6,322	454	435	419	362	426	457	534	579	649	671	658	678
Male	3,178	221	219	213	193	218	226	268	303	297	346	311	363
Female	3,144	233	216	206	169	208	231	266	276	352	325	347	315
FLORIDA	53,688	3,924	3,529	3,521	3,313	3,380	3,441	4,402	5,486	5,583	5,756	5,625	5,746
Male	27,385	1,984	1,763	1,807	1,692	1,715	1,773	2,247	2,820	2,757	2,976	2,874	2,957
Female	26,303	1,940	1,746	1,714	1,621	1,645	1,668	2,155	2,668	2,826	2,780	2,751	2,789
White	40,114	2,852	2,572	2,602	2,468	2,448	2,593	3,318	4,130	4,220	4,394	4,229	4,288
Male	20,553	1,454	1,302	1,332	1,273	1,240	1,318	1,711	2,163	2,061	2,313	2,180	2,208
Female	19,561	1,398	1,270	1,270	1,195	1,208	1,277	1,607	1,967	2,159	2,081	2,049	2,080
Nonwhite	13,574	1,072	957	919	845	912	848	1,084	1,356	1,363	1,362	1,396	1,458
Male	6,832	530	481	475	419	475	457	536	657	696	663	694	749
Female	6,742	542	476	444	426	437	391	548	701	667	699	702	709

TABLE 4.–LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946–Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA	85,687	6,377	5,706	6,259	5,520	6,012	6,102	7,330	8,128	8,380	8,524	8,469	8,860
Male	43,741	3,156	2,965	3,187	2,849	3,061	3,145	3,768	4,157	4,292	4,388	4,279	4,494
Female	41,926	3,221	2,741	3,072	2,671	2,951	2,957	3,562	3,971	4,088	4,136	4,190	4,366
White	56,385	3,953	3,551	3,926	3,470	3,875	3,980	4,849	5,527	5,775	5,851	5,652	5,976
Male	29,049	1,964	1,862	2,074	1,802	2,004	2,078	2,547	2,874	2,960	3,019	2,851	3,014
Female	27,336	1,989	1,689	1,852	1,668	1,871	1,902	2,302	2,653	2,815	2,832	2,801	2,962
Nonwhite	29,282	2,424	2,155	2,333	2,050	2,137	2,122	2,481	2,601	2,605	2,673	2,817	2,884
Male	14,692	1,192	1,103	1,113	1,047	1,057	1,067	1,221	1,283	1,332	1,369	1,428	1,480
Female	14,590	1,232	1,052	1,220	1,003	1,080	1,055	1,260	1,318	1,273	1,304	1,389	1,404
IDAHO	13,787	891	851	1,005	1,004	1,046	1,038	1,214	1,319	1,322	1,370	1,313	1,414
Male	7,101	469	433	536	531	532	551	626	695	695	659	692	682
Female	6,686	422	418	469	473	514	487	588	624	627	711	621	732
White	13,571	876	839	983	984	1,026	1,020	1,196	1,297	1,307	1,358	1,294	1,391
Male	6,991	461	426	528	518	520	542	617	686	687	650	681	675
Female	6,580	415	413	455	466	506	478	579	611	620	708	613	716
Nonwhite	216	15	12	22	20	20	18	18	22	15	12	19	23
Male	110	8	7	8	13	12	9	9	9	8	9	11	7
Female	106	7	5	14	7	8	9	9	13	7	3	8	16
ILLINOIS	174,825	11,488	10,808	12,142	11,787	12,312	12,937	15,052	16,435	17,539	18,349	17,815	18,181
Male	89,960	5,920	5,547	6,307	6,032	6,437	6,571	7,719	8,412	8,990	9,462	9,178	9,385
Female	84,865	5,568	5,261	5,835	5,735	5,875	6,366	7,333	8,023	8,549	8,887	8,637	8,796
White	162,314	10,573	9,993	11,208	10,890	11,389	11,994	14,004	15,354	16,425	17,121	16,510	16,853
Male	83,569	5,432	5,109	5,833	5,587	5,969	6,100	7,174	7,859	8,425	8,841	8,516	8,724
Female	78,745	5,141	4,884	5,375	5,303	5,420	5,894	6,830	7,495	8,000	8,280	7,994	8,129
Nonwhite	12,511	915	815	934	877	923	943	1,048	1,081	1,114	1,228	1,305	1,328
Male	6,391	488	438	474	445	468	471	545	553	565	621	662	661
Female	6,120	427	377	460	432	455	472	503	528	549	607	643	667
INDIANA	85,515	5,526	5,268	5,851	5,779	5,930	6,241	7,580	8,116	8,447	9,084	8,767	8,926
Male	43,974	2,778	2,722	3,038	2,946	3,054	3,270	3,969	4,155	4,321	4,677	4,465	4,579
Female	41,541	2,748	2,546	2,813	2,833	2,876	2,971	3,611	3,961	4,126	4,407	4,302	4,347
White	82,279	5,305	5,081	5,612	5,532	5,692	5,989	7,280	7,829	8,156	8,744	8,464	8,595
Male	42,307	2,661	2,628	2,905	2,821	2,930	3,147	3,798	4,002	4,177	4,516	4,311	4,411
Female	39,972	2,644	2,453	2,707	2,711	2,762	2,842	3,482	3,827	3,979	4,228	4,153	4,184
Nonwhite	3,236	221	187	239	247	238	252	300	287	291	340	303	331
Male	1,667	117	94	133	125	124	123	171	153	144	161	154	168
Female	1,569	104	93	106	122	114	129	129	134	147	179	149	163
IOWA	56,186	3,769	3,398	3,919	3,858	3,934	4,076	4,902	5,220	5,737	5,805	5,719	5,849
Male	29,131	1,978	1,774	2,020	1,963	2,001	2,158	2,571	2,654	3,003	3,058	2,967	2,984
Female	27,055	1,791	1,624	1,899	1,895	1,933	1,918	2,331	2,566	2,734	2,747	2,752	2,865
White	55,774	3,743	3,372	3,892	3,833	3,896	4,040	4,876	5,176	5,697	5,764	5,674	5,811
Male	28,947	1,967	1,763	2,008	1,951	1,965	2,144	2,554	2,639	2,983	3,032	2,948	2,973
Female	26,827	1,776	1,609	1,884	1,882	1,911	1,896	2,322	2,537	2,714	2,732	2,726	2,838
Nonwhite	412	26	26	27	25	38	36	26	44	40	41	45	38
Male	184	11	11	12	12	16	14	17	15	20	26	19	11
Female	228	15	15	15	13	22	22	9	29	20	15	26	27
KANSAS	39,751	2,673	2,425	2,642	2,601	2,536	2,737	3,548	3,874	3,948	4,343	4,225	4,199
Male	20,336	1,333	1,240	1,344	1,342	1,289	1,402	1,806	2,015	2,045	2,182	2,208	2,130
Female	19,415	1,340	1,185	1,298	1,259	1,247	1,335	1,742	1,859	1,903	2,161	2,017	2,069
White	38,266	2,562	2,328	2,530	2,516	2,454	2,643	3,440	3,714	3,810	4,177	4,052	4,040
Male	19,594	1,285	1,190	1,289	1,300	1,243	1,354	1,750	1,939	1,975	2,104	2,125	2,040
Female	18,672	1,277	1,138	1,241	1,216	1,211	1,289	1,690	1,775	1,835	2,073	1,927	2,000
Nonwhite	1,485	111	97	112	85	82	94	108	160	138	166	173	159
Male	742	48	50	55	42	46	48	56	76	70	78	83	90
Female	743	63	47	57	43	36	46	52	84	68	88	90	69
KENTUCKY	72,542	4,966	4,705	5,201	4,988	5,204	5,350	6,162	6,788	7,028	7,281	7,417	7,452
Male	37,434	2,582	2,460	2,674	2,559	2,633	2,737	3,182	3,513	3,627	3,728	3,829	3,910
Female	35,108	2,384	2,245	2,527	2,429	2,571	2,613	2,980	3,275	3,401	3,553	3,588	3,542
White	69,142	4,727	4,454	4,942	4,776	4,956	5,145	5,895	6,491	6,701	6,940	7,048	7,067
Male	35,715	2,447	2,334	2,550	2,453	2,512	2,640	3,029	3,367	3,448	3,557	3,645	3,733
Female	33,427	2,280	2,120	2,392	2,323	2,444	2,505	2,866	3,124	3,253	3,383	3,403	3,334
Nonwhite	3,400	239	251	259	212	248	205	267	297	327	341	369	385
Male	1,719	135	126	124	106	121	97	153	146	179	171	184	177
Female	1,681	104	125	135	106	127	108	114	151	148	170	185	208
LOUISIANA	69,670	5,001	4,408	4,588	3,980	3,982	4,517	5,869	6,885	7,268	7,344	7,325	7,503
Male	35,076	2,564	2,171	2,342	2,027	2,032	2,300	3,044	3,565	3,685	3,759	3,812	3,775
Female	33,594	2,437	2,237	2,246	1,953	1,950	2,217	2,825	3,320	3,583	3,585	3,513	3,728
White	43,244	2,959	2,660	2,719	2,330	2,397	2,779	3,760	4,430	4,722	4,836	4,843	4,809
Male	22,252	1,507	1,284	1,394	1,178	1,228	1,450	1,989	2,317	2,425	2,501	2,537	2,442
Female	20,992	1,452	1,376	1,325	1,152	1,169	1,329	1,771	2,113	2,297	2,335	2,306	2,367
Nonwhite	25,426	2,042	1,748	1,869	1,650	1,585	1,738	2,109	2,455	2,546	2,508	2,482	2,694
Male	12,824	1,057	887	948	849	804	850	1,055	1,248	1,260	1,258	1,275	1,333
Female	12,602	985	861	921	801	781	888	1,054	1,207	1,286	1,250	1,207	1,361
MAINE	20,326	1,346	1,224	1,371	1,413	1,559	1,545	1,801	1,891	1,978	2,095	2,023	2,080
Male	10,524	712	627	692	762	798	798	921	953	1,012	1,128	1,055	1,066
Female	9,802	634	597	679	651	761	747	880	938	966	967	968	1,014
White	20,290	1,343	1,221	1,368	1,408	1,553	1,544	1,799	1,889	1,976	2,092	2,019	2,078
Male	10,504	709	625	691	759	794	797	921	952	1,012	1,127	1,053	1,064
Female	9,786	634	596	677	649	759	747	878	937	964	965	966	1,014
Nonwhite	36	3	3	3	5	6	1	2	2	2	3	4	2
Male	20	3	2	1	3	4	1	-	1	-	1	2	2
Female	16	-	1	2	2	2	-	2	1	2	2	2	-
MARYLAND	50,347	3,390	3,254	3,428	3,255	3,689	3,821	4,356	4,718	4,947	5,190	5,111	5,178
Male	25,855	1,729	1,648	1,769	1,675	1,904	1,960	2,287	2,443	2,566	2,652	2,591	2,631
Female	24,492	1,661	1,606	1,659	1,580	1,795	1,861	2,069	2,275	2,381	2,538	2,520	2,547
White	41,083	2,767	2,613	2,741	2,617	3,059	3,142	3,561	3,861	4,078	4,278	4,158	4,207
Male	21,144	1,404	1,318	1,441	1,345	1,569	1,628	1,877	2,007	2,117	2,166	2,110	2,162
Female	19,939	1,363	1,295	1,300	1,272	1,490	1,514	1,684	1,854	1,961	2,113	2,048	2,045
Nonwhite	9,264	623	641	687	638	640	679	795	857	869	911	953	971
Male	4,711	325	330	328	330	335	332	410	436	449	466	481	469
Female	4,553	298	311	359	308	305	347	385	421	420	425	472	502

TABLE 4.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MASSACHUSETTS	94,288	6,225	5,805	6,801	6,799	7,093	7,347	8,651	9,550	8,560	8,800	8,318	8,339
Male	48,559	3,197	3,025	3,515	3,493	3,708	3,823	4,511	4,914	4,441	4,501	4,708	4,723
Female	45,729	3,028	2,780	3,286	3,306	3,385	3,524	4,140	4,636	4,119	4,299	4,610	4,616
White	92,787	6,117	5,715	6,692	6,680	6,972	7,218	8,499	9,408	8,443	8,690	9,161	9,192
Male	47,801	3,137	2,985	3,462	3,428	3,645	3,758	4,451	4,848	4,377	4,449	4,631	4,650
Female	44,986	2,980	2,730	3,230	3,252	3,327	3,460	4,068	4,560	4,066	4,241	4,530	4,542
Nonwhite	1,501	108	90	109	119	121	128	152	142	117	110	157	147
Male	758	60	40	53	65	63	65	80	66	64	52	77	73
Female	743	48	50	56	54	58	64	72	76	53	58	80	74
MICHIGAN	139,277	9,010	8,418	9,791	9,698	10,428	10,630	12,319	13,079	13,701	14,290	13,778	14,135
Male	71,867	4,717	4,363	5,012	4,989	5,442	5,422	6,438	6,651	7,192	7,325	7,028	7,288
Female	67,410	4,293	4,055	4,779	4,709	4,986	5,208	5,881	6,428	6,509	6,965	6,750	6,847
White	130,945	8,437	7,847	9,166	9,105	9,800	10,000	11,587	12,306	12,946	13,503	12,948	13,300
Male	67,659	4,407	4,069	4,714	4,680	5,113	5,128	6,035	6,265	6,799	6,930	6,623	6,896
Female	63,286	4,030	3,778	4,452	4,425	4,687	4,872	5,552	6,041	6,147	6,573	6,325	6,404
Nonwhite	8,332	573	571	625	593	628	630	732	773	755	787	830	835
Male	4,208	310	294	298	309	329	294	403	386	393	395	405	392
Female	4,124	263	277	327	284	299	336	329	387	362	392	425	443
MINNESOTA	67,266	4,214	4,163	4,742	4,821	4,840	5,029	6,052	6,480	6,720	6,905	6,593	6,707
Male	34,339	2,184	2,072	2,440	2,506	2,483	2,570	3,087	3,347	3,486	3,446	3,281	3,437
Female	32,927	2,030	2,091	2,302	2,315	2,357	2,459	2,965	3,133	3,234	3,459	3,312	3,270
White	66,511	4,166	4,108	4,678	4,763	4,784	4,961	5,972	6,416	6,626	6,841	6,544	6,652
Male	33,974	2,162	2,042	2,409	2,480	2,455	2,529	3,048	3,322	3,441	3,412	3,264	3,410
Female	32,537	2,004	2,066	2,269	2,283	2,329	2,432	2,924	3,094	3,185	3,429	3,280	3,242
Nonwhite	755	48	55	64	58	56	68	80	64	94	64	49	55
Male	365	22	30	31	26	28	41	39	25	45	34	17	27
Female	390	26	25	33	32	28	27	41	39	49	30	32	28
MISSISSIPPI	61,690	4,762	4,294	4,843	4,014	4,066	4,365	5,162	5,812	5,874	5,991	6,240	6,477
Male	31,442	2,411	2,124	2,430	2,036	2,078	2,234	2,655	2,985	2,971	2,997	3,113	3,408
Female	30,248	2,351	2,170	2,213	1,978	1,988	2,131	2,507	2,827	2,903	2,984	3,127	3,069
White	29,975	2,060	1,897	2,060	1,756	1,849	2,014	2,571	2,996	3,055	3,224	3,270	3,203
Male	15,320	1,058	912	1,079	909	958	1,016	1,324	1,535	1,546	1,655	1,681	1,667
Female	14,655	1,022	985	981	847	891	998	1,247	1,461	1,509	1,569	1,609	1,536
Nonwhite	31,715	2,682	2,397	2,583	2,258	2,217	2,351	2,591	2,816	2,819	2,757	2,970	3,274
Male	16,122	1,353	1,212	1,351	1,127	1,120	1,218	1,331	1,450	1,425	1,342	1,452	1,741
Female	15,593	1,329	1,185	1,232	1,131	1,097	1,133	1,260	1,366	1,394	1,415	1,518	1,533
MISSOURI	80,684	5,480	4,991	5,576	5,102	5,266	5,759	7,149	7,668	8,139	8,665	8,249	8,640
Male	41,565	2,795	2,557	2,881	2,629	2,704	2,993	3,675	3,997	4,125	4,532	4,199	4,478
Female	39,119	2,685	2,434	2,695	2,473	2,562	2,766	3,474	3,671	4,014	4,133	4,050	4,162
White	74,637	4,990	4,594	5,084	4,721	4,867	5,320	6,595	7,107	7,604	8,066	7,673	8,016
Male	38,530	2,550	2,361	2,629	2,446	2,491	2,765	3,414	3,723	3,862	4,221	3,916	4,152
Female	36,107	2,440	2,233	2,455	2,275	2,376	2,555	3,181	3,384	3,742	3,845	3,757	3,864
Nonwhite	6,047	490	397	492	381	399	439	554	561	535	599	576	624
Male	3,035	245	196	252	183	213	228	261	274	263	311	283	326
Female	3,012	245	201	240	198	186	211	293	287	272	288	293	298
MONTANA	12,858	845	798	861	917	989	987	1,131	1,156	1,246	1,369	1,277	1,284
Male	6,619	456	429	441	471	503	527	590	609	608	665	662	658
Female	6,239	389	367	420	446	486	460	541	547	638	704	615	626
White	12,229	792	751	806	876	929	931	1,083	1,103	1,192	1,315	1,228	1,223
Male	6,289	424	405	413	447	467	501	563	583	586	639	637	624
Female	5,940	368	346	393	429	462	430	520	520	606	676	591	599
Nonwhite	629	53	45	55	41	60	56	48	53	54	54	49	61
Male	330	32	24	28	24	36	26	27	26	22	26	25	34
Female	299	21	21	27	17	24	30	21	27	32	28	24	27
NEBRASKA	28,052	1,930	1,698	1,950	1,903	1,917	2,062	2,422	2,607	2,775	3,003	2,842	2,943
Male	14,391	995	872	1,049	979	942	1,097	1,235	1,359	1,375	1,556	1,449	1,483
Female	13,661	935	826	901	924	975	965	1,187	1,248	1,400	1,447	1,393	1,460
White	27,477	1,888	1,653	1,902	1,863	1,867	2,011	2,363	2,548	2,729	2,951	2,801	2,901
Male	14,089	973	845	1,030	964	918	1,060	1,207	1,326	1,348	1,532	1,425	1,462
Female	13,388	915	808	872	899	948	951	1,156	1,222	1,383	1,419	1,376	1,439
Nonwhite	575	42	45	48	40	50	51	59	59	46	52	41	42
Male	302	22	27	19	15	23	37	28	33	29	24	24	21
Female	273	20	18	29	25	27	14	31	26	17	28	17	21
NEVADA	3,283	221	192	227	244	240	241	297	307	337	333	333	311
Male	1,652	120	90	128	115	122	123	136	137	180	174	159	188
Female	1,631	101	102	99	129	118	118	161	170	157	159	174	143
White	3,037	209	180	209	231	221	220	273	274	313	307	311	289
Male	1,528	109	85	117	110	113	114	123	122	166	160	149	160
Female	1,509	100	95	92	121	108	106	150	152	147	147	162	129
Nonwhite	246	12	12	18	13	19	21	24	33	24	26	22	22
Male	124	11	5	11	5	9	9	13	15	14	14	10	8
Female	122	1	7	7	8	10	12	11	18	10	12	12	14
NEW HAMPSHIRE	11,092	682	648	708	757	806	870	958	1,023	1,113	1,164	1,163	1,200
Male	5,735	353	336	356	435	409	459	494	508	557	601	633	594
Female	5,357	329	312	352	322	397	411	464	515	556	563	530	606
White	11,074	681	648	708	757	805	869	953	1,021	1,112	1,162	1,161	1,197
Male	5,723	353	336	356	435	408	458	491	506	556	600	632	592
Female	5,351	328	312	352	322	397	411	462	515	556	562	529	605
Nonwhite	18	1	-	-	-	1	1	5	2	1	2	2	3
Male	12	-	-	-	-	1	1	3	2	1	1	1	2
Female	6	1	-	-	-	-	-	2	-	-	1	1	1
NEW JERSEY	85,218	6,262	5,917	6,322	6,468	7,295	7,155	8,412	8,976	9,363	9,752	9,381	9,917
Male	49,194	3,117	3,106	3,306	3,273	3,792	3,676	4,362	4,596	4,917	5,068	4,833	5,148
Female	46,024	3,145	2,811	3,016	3,195	3,501	3,479	4,050	4,380	4,446	4,684	4,548	4,769
White	88,620	5,806	5,498	5,892	5,999	6,785	6,659	7,834	8,404	8,763	9,081	8,704	9,185
Male	45,978	2,892	2,902	3,108	3,044	3,555	3,425	4,060	4,323	4,634	4,729	4,497	4,809
Female	42,642	2,914	2,596	2,784	2,955	3,240	3,234	3,774	4,081	4,129	4,352	4,207	4,376
Nonwhite	6,598	456	419	430	469	498	496	578	572	600	671	677	732
Male	3,216	225	204	198	229	237	251	302	273	283	339	336	339
Female	3,382	231	215	232	240	261	245	276	299	317	332	341	393

TABLE 4.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO	18,087	1,224	1,089	1,338	1,312	1,321	1,395	1,592	1,588	1,809	1,862	1,709	1,848
Male	9,176	616	571	666	652	664	705	799	806	927	979	866	925
Female	8,911	608	518	672	660	657	690	793	782	882	883	843	923
White	16,674	1,111	988	1,220	1,196	1,203	1,270	1,473	1,465	1,680	1,747	1,590	1,731
Male	8,481	564	518	619	602	606	641	736	745	853	925	812	860
Female	8,193	547	470	601	594	597	629	737	720	827	822	778	871
Nonwhite	1,413	113	101	118	116	118	125	119	123	129	115	119	117
Male	695	52	53	47	50	58	64	63	61	74	54	54	65
Female	718	61	48	71	66	60	61	56	62	55	61	65	52
NEW YORK	286,546	19,140	17,725	19,792	19,868	21,730	22,046	24,867	26,645	28,213	29,134	28,262	29,124
Male	147,929	9,850	9,171	10,057	10,277	11,117	11,341	12,849	13,872	14,636	15,112	14,650	14,997
Female	138,617	9,290	8,554	9,735	9,591	10,613	10,705	12,018	12,773	13,577	14,022	13,612	14,127
White	269,271	17,945	16,577	18,558	18,709	20,524	20,702	23,418	25,118	26,589	27,332	26,543	27,258
Male	139,200	9,253	8,579	9,449	9,700	10,479	10,675	12,116	13,078	13,810	14,213	13,794	14,056
Female	130,071	8,692	7,998	9,109	9,009	10,045	10,027	11,300	12,042	12,779	13,119	12,749	13,202
Nonwhite	17,275	1,195	1,148	1,234	1,159	1,206	1,344	1,451	1,527	1,624	1,802	1,719	1,866
Male	8,729	597	592	608	577	638	666	733	796	826	899	856	941
Female	8,546	598	556	626	582	568	678	718	731	798	903	863	925
NORTH CAROLINA	100,679	7,148	6,812	7,363	7,064	7,336	7,475	8,419	9,419	9,682	9,997	9,806	10,158
Male	51,551	3,652	3,448	3,780	3,489	3,797	3,849	4,283	4,835	4,978	5,116	5,039	5,275
Female	49,128	3,496	3,384	3,583	3,565	3,539	3,626	4,136	4,584	4,704	4,881	4,767	4,883
White	71,062	4,842	4,549	5,014	4,883	5,101	5,228	6,030	6,729	7,066	7,292	7,084	7,244
Male	36,506	2,482	2,307	2,587	2,411	2,678	2,704	3,101	3,478	3,640	3,713	3,644	3,761
Female	34,556	2,360	2,242	2,427	2,472	2,423	2,524	2,929	3,251	3,426	3,579	3,440	3,483
Nonwhite	29,617	2,306	2,263	2,349	2,181	2,235	2,247	2,389	2,690	2,616	2,705	2,722	2,914
Male	15,045	1,170	1,141	1,193	1,088	1,119	1,145	1,182	1,357	1,338	1,403	1,395	1,514
Female	14,572	1,136	1,122	1,156	1,093	1,116	1,102	1,207	1,333	1,278	1,302	1,327	1,400
NORTH DAKOTA	15,264	1,003	991	1,137	1,080	1,213	1,144	1,407	1,369	1,473	1,801	1,390	1,456
Male	7,766	503	482	571	562	635	586	696	698	765	827	685	758
Female	7,498	500	509	566	518	578	558	711	673	708	774	705	698
White	14,893	980	954	1,106	1,051	1,190	1,113	1,373	1,340	1,443	1,572	1,351	1,421
Male	7,562	488	468	556	545	621	569	678	679	749	808	666	735
Female	7,331	492	486	549	506	569	544	695	661	694	764	685	686
Nonwhite	371	23	37	32	29	23	31	34	29	30	29	39	35
Male	204	15	14	15	17	14	17	18	17	16	19	19	23
Female	167	8	23	17	12	9	14	16	12	14	10	20	12
OHIO	169,600	10,459	10,105	11,407	11,404	12,098	12,505	14,772	16,223	17,276	17,927	17,444	17,980
Male	87,421	5,341	5,234	5,929	5,901	6,329	6,447	7,507	8,291	9,021	9,153	9,032	9,236
Female	82,179	5,118	4,871	5,478	5,503	5,769	6,058	7,265	7,932	8,255	8,774	8,412	8,744
White	159,693	9,752	9,451	10,670	10,696	11,370	11,752	13,935	15,418	16,321	16,961	16,442	16,925
Male	82,450	5,000	4,893	5,567	5,545	5,945	6,071	7,104	7,889	8,532	8,659	8,532	8,713
Female	77,243	4,752	4,558	5,103	5,151	5,425	5,681	6,831	7,529	7,789	8,302	7,910	8,212
Nonwhite	9,907	707	654	737	708	728	753	837	805	955	966	1,002	1,055
Male	4,971	341	341	362	356	384	376	403	402	489	494	500	523
Female	4,936	366	313	375	352	344	377	434	403	466	472	502	532
OKLAHOMA	50,416	3,602	3,170	3,583	3,228	3,171	3,508	4,442	4,920	4,826	5,394	5,333	5,239
Male	25,816	1,825	1,631	1,778	1,668	1,668	1,805	2,260	2,580	2,454	2,764	2,746	2,657
Female	24,600	1,777	1,539	1,805	1,560	1,503	1,703	2,182	2,380	2,372	2,630	2,587	2,582
White	44,843	3,166	2,806	3,114	2,896	2,796	3,120	3,922	4,389	4,305	4,847	4,790	4,692
Male	23,036	1,610	1,450	1,568	1,493	1,473	1,627	2,015	2,296	2,182	2,485	2,466	2,371
Female	21,807	1,556	1,356	1,546	1,403	1,323	1,493	1,907	2,093	2,123	2,362	2,324	2,321
Nonwhite	5,573	436	364	469	332	375	388	520	531	521	547	543	547
Male	2,780	215	181	210	175	195	178	245	264	272	279	280	286
Female	2,793	221	183	259	157	180	210	275	267	249	268	263	261
OREGON	30,076	2,016	1,774	2,132	2,088	2,276	2,365	2,702	2,974	2,658	3,059	2,951	2,881
Male	15,468	1,040	899	1,097	1,078	1,134	1,194	1,400	1,543	1,479	1,598	1,507	1,499
Female	14,608	976	875	1,035	1,010	1,142	1,171	1,302	1,431	1,379	1,461	1,444	1,382
White	29,504	1,968	1,723	2,082	2,051	2,230	2,327	2,646	2,912	2,819	2,999	2,921	2,826
Male	15,200	1,019	872	1,069	1,062	1,112	1,176	1,377	1,514	1,461	1,568	1,494	1,476
Female	14,304	949	851	1,013	989	1,118	1,151	1,269	1,398	1,358	1,431	1,427	1,350
Nonwhite	572	48	51	50	37	46	38	56	62	39	60	30	55
Male	268	21	27	28	16	22	18	23	29	18	30	13	23
Female	304	27	24	22	21	24	20	33	33	21	30	17	32
PENNSYLVANIA	218,376	13,964	13,028	14,578	14,028	16,071	16,249	19,040	20,712	21,899	23,327	22,609	22,871
Male	112,849	7,132	6,753	7,527	7,333	8,396	8,424	9,776	10,691	11,312	12,014	11,697	11,794
Female	105,527	6,832	6,275	7,051	6,695	7,675	7,825	9,264	10,021	10,587	11,313	10,912	11,077
White	205,449	12,956	12,111	13,699	13,194	15,132	15,292	17,952	19,553	20,661	22,030	21,305	21,564
Male	106,197	6,633	6,262	7,052	6,916	7,897	7,920	9,218	10,113	10,671	11,367	11,034	11,114
Female	99,252	6,323	5,849	6,647	6,278	7,235	7,372	8,734	9,440	9,990	10,663	10,271	10,450
Nonwhite	12,927	1,008	917	879	834	939	957	1,088	1,159	1,238	1,297	1,304	1,307
Male	6,652	499	491	475	417	499	504	558	578	641	647	663	680
Female	6,275	509	426	404	417	440	453	530	581	597	650	641	627
RHODE ISLAND	16,761	1,067	967	1,114	1,117	1,245	1,257	1,498	1,642	1,706	1,789	1,684	1,665
Male	8,627	544	499	556	606	632	661	785	864	839	902	873	866
Female	8,134	523	468	558	511	613	596	713	778	867	887	811	799
White	16,425	1,044	940	1,101	1,094	1,223	1,231	1,467	1,615	1,666	1,767	1,644	1,633
Male	8,446	536	482	548	596	619	645	771	849	816	881	856	847
Female	7,979	508	458	553	498	604	586	696	766	850	886	788	786
Nonwhite	336	23	27	13	23	22	26	31	27	40	32	40	32
Male	181	8	17	8	10	13	16	14	15	23	21	17	19
Female	155	15	10	5	13	9	10	17	12	17	11	23	13
SOUTH CAROLINA	53,963	4,052	3,798	3,895	3,725	3,774	3,814	4,464	5,147	5,229	5,397	5,280	5,368
Male	27,436	1,986	1,973	1,991	1,880	1,970	1,944	2,232	2,593	2,641	2,747	2,707	2,772
Female	26,527	2,066	1,825	1,904	1,845	1,804	1,870	2,252	2,554	2,588	2,650	2,573	2,596
White	31,010	2,098	1,967	2,127	2,058	2,129	2,179	2,665	3,096	3,198	3,270	3,120	3,105
Male	15,930	1,085	1,038	1,098	1,052	1,116	1,116	1,346	1,565	1,585	1,693	1,597	1,639
Female	15,080	1,011	929	1,029	1,006	1,013	1,063	1,319	1,531	1,613	1,577	1,523	1,466
Nonwhite	22,953	1,956	1,831	1,768	1,667	1,645	1,635	1,819	2,051	2,031	2,127	2,160	2,263
Male	11,506	901	935	893	828	854	828	886	1,028	1,056	1,054	1,110	1,133
Female	11,447	1,055	896	875	839	791	807	933	1,023	975	1,073	1,050	1,130

TABLE 4.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA	14,580	995	915	1,021	1,072	1,078	1,124	1,299	1,336	1,395	1,490	1,432	1,423
Male	7,470	522	449	516	549	565	590	666	663	701	745	740	764
Female	7,110	473	466	505	523	513	534	633	673	694	745	692	659
White	13,932	948	869	970	1,019	1,022	1,071	1,233	1,284	1,338	1,438	1,383	1,359
Male	7,152	498	434	489	518	540	568	636	639	671	722	708	729
Female	6,780	450	435	481	501	482	503	597	645	665	716	675	630
Nonwhite	648	47	46	51	53	56	53	66	52	59	52	49	64
Male	318	24	15	27	31	25	22	30	24	30	23	32	35
Female	330	23	31	24	22	31	31	36	28	29	29	17	29
TENNESSEE	77,336	5,483	5,050	5,579	5,146	5,423	5,640	6,623	7,158	7,533	7,789	7,900	8,002
Male	39,717	2,794	2,587	2,838	2,599	2,770	2,919	3,501	3,673	3,831	4,005	4,082	4,118
Female	37,619	2,689	2,463	2,741	2,547	2,653	2,721	3,122	3,485	3,702	3,784	3,818	3,884
White	65,507	4,498	4,197	4,665	4,309	4,567	4,700	5,609	6,102	6,499	6,752	6,770	6,839
Male	33,667	2,294	2,132	2,386	2,165	2,334	2,437	2,845	3,163	3,334	3,476	3,496	3,505
Female	31,840	2,204	2,065	2,279	2,144	2,233	2,263	2,664	2,939	3,165	3,276	3,274	3,334
Nonwhite	11,829	985	853	914	837	856	940	1,014	1,056	1,034	1,047	1,130	1,163
Male	6,050	500	455	452	434	436	482	556	510	497	529	586	613
Female	5,779	485	398	462	403	420	458	458	546	537	518	544	550
TEXAS	181,579	12,974	11,471	12,079	10,836	10,837	12,291	15,839	17,862	18,738	19,963	19,177	19,512
Male	93,501	6,796	5,779	6,257	5,516	5,547	6,236	8,231	9,112	9,743	10,253	9,918	10,113
Female	88,078	6,178	5,692	5,822	5,320	5,290	6,055	7,608	8,750	8,995	9,710	9,259	9,399
White	160,269	11,301	9,938	10,549	9,576	9,615	10,816	14,039	15,761	16,584	17,774	17,052	17,265
Male	82,672	5,962	5,019	5,469	4,878	4,901	5,494	7,348	8,068	8,642	9,132	8,795	8,964
Female	77,597	5,339	4,919	5,079	4,698	4,714	5,322	6,691	7,693	7,942	8,642	8,257	8,301
Nonwhite	21,310	1,673	1,533	1,531	1,260	1,222	1,475	1,800	2,101	2,154	2,189	2,125	2,247
Male	10,829	834	760	788	638	646	742	883	1,044	1,101	1,121	1,123	1,149
Female	10,481	839	773	743	622	576	733	917	1,057	1,053	1,068	1,002	1,098
UTAH	18,220	1,145	1,205	1,360	1,302	1,356	1,468	1,504	1,697	1,813	1,780	1,723	1,867
Male	9,353	570	646	702	658	677	736	776	873	983	936	869	927
Female	8,867	575	559	658	644	679	732	728	824	830	844	854	940
White	17,949	1,124	1,184	1,346	1,275	1,332	1,436	1,494	1,680	1,785	1,751	1,708	1,844
Male	9,216	557	634	694	643	666	723	765	863	970	925	862	914
Female	8,733	567	550	652	632	666	713	719	817	815	826	846	930
Nonwhite	271	21	21	14	27	24	32	20	17	28	29	15	23
Male	137	13	12	8	15	11	13	11	10	13	11	7	13
Female	134	8	9	6	12	13	19	9	7	15	18	8	10
VERMONT	8,362	537	479	558	580	621	652	738	835	846	826	835	855
Male	4,250	285	246	288	291	325	315	387	409	402	431	432	439
Female	4,112	252	233	270	289	296	337	351	426	444	395	403	416
White	8,358	536	479	558	580	621	651	738	835	845	826	835	854
Male	4,249	284	246	288	291	325	315	387	409	402	431	432	439
Female	4,109	252	233	270	289	296	336	351	426	443	395	403	415
Nonwhite	4	1	-	-	-	-	1	-	-	1	-	-	1
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	1	-	-	1	-	-	1
VIRGINIA	75,861	5,446	4,867	5,403	5,117	5,606	5,519	6,560	7,041	7,258	7,671	7,636	7,737
Male	38,998	2,818	2,474	2,794	2,675	2,904	2,805	3,345	3,622	3,742	3,911	3,857	4,051
Female	36,863	2,628	2,393	2,609	2,442	2,702	2,714	3,215	3,419	3,516	3,760	3,779	3,686
White	58,348	3,986	3,630	4,025	3,902	4,292	4,208	5,125	5,517	5,693	5,991	5,942	6,037
Male	30,114	2,078	1,833	2,086	2,050	2,238	2,149	2,626	2,828	2,957	3,060	3,025	3,184
Female	28,234	1,908	1,797	1,939	1,852	2,054	2,059	2,499	2,689	2,736	2,931	2,917	2,853
Nonwhite	17,513	1,460	1,237	1,378	1,215	1,314	1,311	1,435	1,524	1,565	1,680	1,694	1,700
Male	8,884	740	641	708	625	666	656	719	794	785	851	832	867
Female	8,629	720	596	670	590	648	655	716	730	780	829	862	833
WASHINGTON	51,988	3,521	3,224	3,511	3,724	3,977	4,004	4,557	4,812	5,070	5,288	5,053	5,247
Male	26,883	1,780	1,663	1,860	1,935	2,023	2,052	2,377	2,551	2,554	2,783	2,578	2,727
Female	25,105	1,741	1,561	1,651	1,789	1,954	1,952	2,180	2,261	2,516	2,505	2,475	2,520
White	50,547	3,411	3,128	3,402	3,623	3,863	3,901	4,429	4,675	4,936	5,161	4,899	5,119
Male	26,147	1,737	1,621	1,801	1,882	1,960	2,001	2,310	2,484	2,478	2,715	2,502	2,656
Female	24,400	1,674	1,507	1,601	1,741	1,903	1,900	2,119	2,191	2,458	2,446	2,397	2,463
Nonwhite	1,441	110	96	109	101	114	103	128	137	134	127	154	128
Male	736	43	42	59	53	63	51	67	67	76	68	76	71
Female	705	67	54	50	48	51	52	61	70	58	59	78	57
WEST VIRGINIA	48,673	3,164	3,066	3,327	3,186	3,543	3,537	4,269	4,580	4,975	5,064	5,013	4,949
Male	25,215	1,608	1,625	1,737	1,630	1,804	1,846	2,208	2,425	2,568	2,599	2,603	2,562
Female	23,458	1,556	1,441	1,590	1,556	1,739	1,691	2,061	2,155	2,407	2,465	2,410	2,387
White	46,228	2,999	2,873	3,135	3,014	3,364	3,329	4,073	4,387	4,738	4,816	4,803	4,697
Male	23,989	1,526	1,525	1,626	1,550	1,720	1,750	2,101	2,324	2,446	2,484	2,504	2,433
Female	22,239	1,473	1,348	1,509	1,464	1,644	1,579	1,972	2,063	2,292	2,332	2,299	2,264
Nonwhite	2,445	165	193	192	172	179	208	196	193	237	248	210	252
Male	1,226	82	100	111	80	84	96	107	101	122	115	99	129
Female	1,219	83	93	81	92	95	112	89	92	115	133	111	123
WISCONSIN	74,755	4,880	4,744	5,363	5,245	5,618	5,725	6,724	7,056	7,239	7,576	7,268	7,317
Male	38,356	2,450	2,408	2,714	2,666	2,852	2,981	3,485	3,610	3,713	3,932	3,780	3,775
Female	36,399	2,430	2,336	2,649	2,579	2,766	2,744	3,229	3,446	3,526	3,644	3,508	3,542
White	73,934	4,832	4,686	5,302	5,187	5,549	5,667	6,663	6,976	7,156	7,496	7,179	7,241
Male	37,929	2,424	2,378	2,678	2,638	2,817	2,949	3,463	3,573	3,673	3,892	3,708	3,736
Female	36,005	2,408	2,308	2,624	2,549	2,732	2,718	3,200	3,403	3,483	3,604	3,471	3,505
Nonwhite	821	48	58	61	58	69	58	61	80	83	80	89	76
Male	427	26	30	36	28	35	32	32	37	40	40	52	39
Female	394	22	28	25	30	34	26	29	43	43	40	37	37
WYOMING	6,188	408	357	417	447	468	501	522	611	638	596	604	619
Male	3,201	220	189	185	226	242	270	265	308	343	305	319	329
Female	2,987	188	168	232	221	226	231	257	303	295	291	285	290
White	6,044	398	350	407	436	457	483	516	601	624	578	590	604
Male	3,130	216	184	179	221	233	262	261	304	339	298	312	322
Female	2,914	182	166	228	215	224	221	255	297	286	280	278	282
Nonwhite	144	10	7	10	11	11	18	6	10	14	18	14	15
Male	71	4	5	6	5	9	8	4	4	5	7	7	7
Female	73	6	2	4	6	2	10	2	6	9	11	7	8

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
UNITED STATES	3,298,672	3,462	322,381	1,051,289	936,466	589,122	296,411	75,039	5,414	195	8,893
White, mother native	2,816,700	1,128	243 880	911.846	829,902	514,796	245,735	59,706	3,937	125	5,645
White, mother foreign	96,517	16	2,528	19,168	24.152	23,519	19,871	6,550	556	11	146
White, mother's nativity not stated	428	1	52	107	58	62	33	15	2	-	98
Negro	358,114	2,288	74,026	114.848	77.770	47,908	29.255	8,220	823	53	2,923
Other	16,913	29	1,895	5.320	4,584	2,837	1,517	548	96	6	81
Urban	1,977,245	1,648	168,728	637,589	593,321	365,950	169,160	36,374	2,072	80	3,323
White, mother native	1,706,456	489	127,412	556.211	530,101	321,435	138,913	28.127	1,453	56	2,259
White, mother foreign	78,518	5	1,750	14.798	19,296	19,232	15,953	5,024	361	7	102
White, mother's nativity not stated	243	1	19	55	35	39	12	9	1	-	72
Negro	187,910	1,143	39,023	64,508	42,034	24,167	12,846	3,068	225	15	881
Other	6,118	10	524	2.017	1,885	1,077	436	146	32	2	9
Places of 100,000 or more	937,505	801	72,129	293,995	288,759	181,595	81,551	16,761	899	31	984
White, mother native	779,244	181	49.122	246,005	251,621	154,856	64,174	11,984	568	20	715
White, mother foreign	45,940	3	805	8,191	11.386	12,197	10,072	3,031	205	3	47
White, mother's nativity not stated	99	1	4	26	12	17	1	2	-	-	36
Negro	108,630	612	21,973	38,571	24,567	13,882	7,065	1,660	106	7	187
Other	3,592	4	225	1,202	1,173	643	239	84	20	1	1
Places of 25,000 to 100,000	407.057	311	35,291	133,831	122,161	73,224	33,700	7,408	402	15	714
White, mother native	358,820	112	27,717	119,513	110,711	65,463	28,620	5,926	302	11	445
White, mother foreign	13,835	1	326	2,768	3,683	3,326	2.725	916	60	3	27
White, mother's nativity not stated	63	-	7	9	12	13	3	3	1	-	15
Negro	33,624	195	7,175	11,317	7,560	4,282	2.292	540	35	1	227
Other	715	3	66	224	195	140	60	23	4	-	-
Places of 10,000 to 25,000	283,280	204	25,508	95,940	83 596	50,393	23,639	5,118	303	14	565
White, mother native	253,289	63	20,607	84,963	76,610	45.616	20,560	4,236	224	12	398
White, mother foreign	7,934	-	248	1,765	2,079	1,815	1,489	484	43	1	11
White, mother's nativity not stated	39	-	3	11	6	3	2	3	-	-	11
Negro	21,312	139	4,563	6,970	4,693	2,845	1,543	381	35	-	143
Other	706	2	87	231	208	114	45	14	1	1	2
Places of 2,500 to 10,000	349,403	332	35,800	115.823	98,805	60,738	29,270	7,087	468	20	1,060
White, mother native	315,103	133	29.966	105,730	91,159	55,500	25,559	5,981	359	13	703
White, mother foreign	8,809	1	371	2,074	2,139	1 894	1.668	593	53	-	17
White, mother's nativity not stated	42	-	5	9	5	6	6	1	-	-	10
Negro	24,344	197	5,312	7,650	5,214	3,158	1,946	487	49	7	324
Other	1,105	1	146	360	289	180	91	25	7	-	6
Rural	1,311,427	1,814	153,653	413,700	343,145	223,172	128,251	38,665	3,342	115	5,570
White, mother native	1,110,244	639	116,468	355,635	299 801	193,361	106,822	31,579	2,484	69	3,386
White, mother foreign	19,999	11	778	4,370	4,866	4,287	3,918	1,526	195	4	44
White, mother's nativity not stated	185	-	33	52	23	23	21	6	1	-	26
Negro	170,204	1,145	35,003	50.340	35,736	23,741	16,409	5,152	598	38	2,042
Other	10,795	19	1,371	3,303	2,719	1,760	1,081	402	64	4	72
ALABAMA	79,863	205	13,004	25,612	18.658	12,154	7,464	2,072	195	4	495
White, mother native	51,773	40	7,042	17,166	12,911	8,211	4,728	1,361	98	1	215
White, mother foreign	163	1	10	63	43	25	19	2	-	-	-
White, mother's nativity not stated	8	-	1	2	-	1	1	1	-	-	2
Negro	27,901	164	5,951	8,377	5,696	3,912	2,716	707	97	3	278
Other	18	-	-	4	8	5	-	1	-	-	-
Urban	27,070	68	4,170	9,458	6,749	4,053	2,034	422	22	-	94
White, mother native	17,675	7	2,150	6,388	4,762	2,784	1,250	280	10	-	44
White, mother foreign	109	-	5	44	27	18	13	2	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	9,282	61	2,015	3,024	1,959	1,251	771	140	12	-	49
Other	3	-	-	2	1	-	-	-	-	-	-
Places of 100,000 or more	7,160	20	1,062	2,501	1,837	1,063	539	119	4	-	15
White, mother native	4,120	-	426	1,500	1,183	659	272	70	1	-	9
White, mother foreign	46	-	-	16	12	10	7	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2,992	20	636	984	641	394	260	48	3	-	6
Other	2	-	-	1	1	-	-	-	-	-	-
Places of 25,000 to 100,000	8,447	22	1,254	3,043	2,075	1,276	622	132	6	-	17
White, mother native	5,529	5	632	2.031	1,472	896	398	85	3	-	7
White, mother foreign	36	-	3	13	10	5	4	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2,882	17	619	999	593	375	220	46	3	-	10
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	4,319	13	737	1,472	1,091	643	289	53	1	-	20
White, mother native	2,759	-	359	1,013	769	418	157	33	1	-	9
White, mother foreign	10	-	-	6	1	1	2	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	1,549	13	378	453	321	224	130	20	-	-	10
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	7,144	13	1,117	2,442	1,746	1,071	584	118	11	-	42
White, mother native	5,267	2	733	1,844	1,338	811	423	92	5	-	19
White, mother foreign	17	-	2	9	4	2	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,859	11	382	588	404	258	161	26	6	-	23
Other	1	-	-	1	-	-	-	-	-	-	-
Rural	52,793	137	8,834	16,154	11,909	8,101	5,430	1,650	173	4	401
White, mother native	34,098	33	4,892	10,778	8,149	5,427	3,478	1,081	88	1	171
White, mother foreign	54	1	5	19	16	7	6	-	-	-	-
White, mother's nativity not stated	7	-	1	2	-	1	1	1	-	-	1
Negro	18,619	103	3,936	5,353	3,737	2,661	1,945	567	85	3	229
Other	15	-	-	2	7	5	-	1	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
ARIZONA	16,345	22	1,971	5,531	4,265	2,634	1,404	422	40	3	53
White, mother native	13,321	12	1,623	4,740	3,570	2,076	993	264	14	2	27
White, mother foreign	1,058	-	41	198	256	251	219	80	7	-	6
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	477	4	91	159	106	71	34	7	2	-	3
Other	1,489	6	216	434	333	236	158	71	17	1	17
Urban	9,564	12	1,102	3,297	2,562	1,563	796	216	16	-	20
White, mother native	8,316	6	985	2,962	2,269	1,304	613	155	8	-	14
White, mother foreign	707	-	33	143	172	165	136	51	6	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	364	3	66	127	80	53	24	3	1	-	2
Other	197	3	18	65	41	36	23	7	1	-	3
Places of 25,000 to 100,000	6,357	6	722	2,142	1,719	1,057	544	142	11	-	14
White, mother native	5,568	2	644	1,933	1,545	886	429	104	4	-	11
White, mother foreign	368	-	7	65	90	89	82	29	5	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	314	1	59	106	67	51	24	3	1	-	2
Other	107	3	12	38	17	21	9	8	1	-	-
Places of 2,500 to 10,000	3,227	6	380	1,155	843	506	252	74	5	-	6
White, mother native	2,748	4	341	1,029	724	409	184	51	4	-	3
White, mother foreign	339	-	26	78	82	76	54	22	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	50	2	7	21	13	7	-	-	-	-	-
Other	90	-	6	27	24	15	14	1	-	-	3
Rural	6,761	10	869	2,234	1,703	1,071	608	206	24	3	33
White, mother native	5,005	6	638	1,778	1,301	772	380	109	6	2	13
White, mother foreign	351	-	8	55	84	86	83	29	1	-	5
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	113	1	25	32	26	13	10	4	1	-	1
Other	1,292	3	198	369	292	200	135	64	16	1	14
ARKANSAS	45,280	123	7,282	14,941	10,278	6,662	4,223	1,306	107	2	356
White, mother native	35,050	28	5,045	12,021	8,291	5,237	3,150	955	75	1	247
White, mother foreign	110	-	10	51	24	8	13	2	-	-	2
White, mother's nativity not stated	5	-	-	2	1	1	-	-	-	-	1
Negro	10,091	95	2,223	2,863	1,957	1,410	1,056	349	32	1	105
Other	24	-	4	4	5	6	4	-	-	-	1
Urban	13,959	24	2,041	4,945	3,541	2,041	1,045	232	20	-	70
White, mother native	11,233	7	1,442	4,137	2,949	1,659	809	173	13	-	44
White, mother foreign	59	-	4	30	12	5	7	-	-	-	1
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	2,655	17	593	777	577	374	227	59	7	-	24
Other	11	-	2	1	2	3	2	-	-	-	1
Places of 25,000 to 100,000	3,507	4	473	1,213	977	513	241	64	7	-	15
White, mother native	2,878	1	347	1,025	821	426	193	46	6	-	13
White, mother foreign	19	-	-	12	4	-	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	610	3	126	176	152	87	45	18	1	-	2
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,877	6	575	1,410	942	587	277	54	2	-	24
White, mother native	3,043	2	383	1,163	774	467	200	40	-	-	14
White, mother foreign	16	-	1	5	4	2	3	-	-	-	1
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	813	4	189	242	163	117	73	14	2	-	9
Other	4	-	2	-	-	1	1	-	-	-	-
Places of 2,500 to 10,000	6,575	14	993	2,322	1,622	941	527	114	11	-	31
White, mother native	5,312	4	712	1,949	1,354	766	416	87	7	-	17
White, mother foreign	24	-	3	13	4	3	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,232	10	278	359	262	170	109	27	4	-	13
Other	7	-	-	1	2	2	1	-	-	-	1
Rural	31,321	99	5,241	9,996	6,737	4,621	3,178	1,074	87	2	286
White, mother native	23,817	21	3,603	7,884	5,342	3,578	2,341	782	62	1	203
White, mother foreign	51	-	6	21	12	3	6	2	-	-	1
White, mother's nativity not stated	4	-	-	2	-	1	-	-	-	-	1
Negro	7,436	78	1,630	2,086	1,380	1,036	829	290	25	1	81
Other	13	-	2	3	3	3	2	-	-	-	-
CALIFORNIA	218,484	121	21,460	76,638	62,785	36,879	16,594	3,690	223	4	90
White, mother native	193,398	80	19,091	69,438	56,146	32,082	13,612	2,754	125	1	68
White, mother foreign	11,745	2	305	2,375	3,198	2,897	2,186	697	75	2	8
White, mother's nativity not stated	16	-	1	2	2	4	1	-	1	-	5
Negro	9,523	34	1,733	3,617	2,253	1,226	517	128	7	-	8
Other	3,802	5	330	1,205	1,186	670	278	111	15	1	1
Urban	164,740	82	15,062	57,956	48,335	28,269	12,236	2,604	144	3	49
White, mother native	144,670	49	13,120	52,031	43,015	24,447	9,982	1,935	75	-	36
White, mother foreign	9,184	1	247	1,915	2,547	2,282	1,643	492	51	2	4
White, mother's nativity not stated	13	-	1	1	2	4	-	-	-	-	5
Negro	8,428	29	1,520	3,227	2,014	1,081	448	101	4	-	4
Other	2,445	3	174	782	757	455	183	76	14	1	-
Places of 100,000 or more	86,028	56	7,259	29,969	25,497	15,198	6,617	1,344	70	1	17
White, mother native	73,357	29	6,023	26,066	22,146	12,828	5,238	981	33	-	13
White, mother foreign	5,263	1	124	1,119	1,460	1,347	938	249	23	1	1
White, mother's nativity not stated	7	-	-	1	1	3	-	-	-	-	2
Negro	5,823	24	1,026	2,274	1,394	719	317	65	3	-	1
Other	1,578	2	86	509	496	301	124	49	11	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
CALIFORNIA—Continued											
Places of 25,000 to 100,000	30,663	9	2,705	10,793	9,093	5,320	2,237	471	23	1	11
White, mother native	27,554	7	2,389	9,968	8,271	4,687	1,867	346	14	-	7
White, mother foreign	1,448	-	31	271	402	375	268	92	7	1	1
White, mother's nativity not stated	3	-	-	-	1	-	-	-	-	-	2
Negro	1,329	2	260	475	313	184	71	22	1	-	1
Other	329	-	25	81	106	74	31	11	1	-	-
Places of 10,000 to 25,000	23,145	6	2,372	8,440	6,652	3,695	1,603	339	27	1	10
White, mother native	20,824	3	2,119	7,730	6,021	3,282	1,376	269	18	-	6
White, mother foreign	1,062	-	43	245	306	235	173	51	8	-	1
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	985	2	181	369	238	141	40	12	-	-	2
Other	273	1	29	96	87	37	14	7	1	1	-
Places of 2,500 to 10,000	24,904	11	2,726	8,754	7,093	4,056	1,779	450	24	-	11
White, mother native	22,935	10	2,589	8,269	6,577	3,850	1,481	339	10	-	10
White, mother foreign	1,411	-	49	280	379	325	264	100	13	-	1
White, mother's nativity not stated	2	-	1	-	-	1	-	-	-	-	-
Negro	281	1	53	109	69	37	20	2	-	-	-
Other	265	-	34	96	68	43	14	9	1	-	-
Rural	53,744	39	6,398	18,682	14,450	9,610	4,358	1,086	79	1	41
White, mother native	48,728	31	5,971	17,408	13,131	7,635	3,650	819	50	1	32
White, mother foreign	2,561	1	58	460	651	615	543	205	24	-	4
White, mother's nativity not stated	3	-	-	1	-	-	1	-	1	-	-
Negro	1,095	5	213	390	239	145	89	27	3	-	4
Other	1,357	2	156	423	429	215	95	35	1	-	1
COLORADO	29,518	13	2,970	10,214	8,271	4,941	2,382	621	61	2	43
White, mother native	28,313	11	2,879	9,895	7,960	4,720	2,205	557	47	2	37
White, mother foreign	559	-	15	103	113	129	134	52	10	-	3
White, mother's nativity not stated	8	-	2	2	2	-	-	-	-	-	2
Negro	347	2	61	123	77	47	27	8	1	-	1
Other	291	-	13	91	119	45	16	4	3	-	-
Urban	18,550	10	1,799	6,625	5,346	3,038	1,356	323	30	-	21
White, mother native	17,675	8	1,728	6,363	5,116	2,898	1,248	287	21	-	18
White, mother foreign	360	-	9	71	82	84	79	26	7	-	2
White, mother's nativity not stated	4	-	-	2	2	-	-	-	-	-	-
Negro	332	2	57	121	72	44	26	8	1	-	1
Other	179	-	7	68	74	22	5	2	1	-	-
Places of 100,000 or more	9,485	5	848	3,381	2,856	1,576	648	150	16	-	5
White, mother native	8,904	3	795	3,199	2,700	1,473	589	130	11	-	4
White, mother foreign	179	-	5	36	36	48	35	15	4	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	265	2	45	97	55	38	21	5	1	-	1
Other	137	-	3	49	85	17	3	-	-	-	-
Places of 25,000 to 100,000	2,628	3	274	980	815	479	216	50	4	-	7
White, mother native	2,713	3	265	950	785	458	200	45	2	-	5
White, mother foreign	66	-	1	10	21	16	11	3	2	-	2
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	46	-	8	18	9	5	4	2	-	-	-
Other	3	-	-	2	-	-	1	-	-	-	-
Places of 10,000 to 25,000	2,275	1	226	854	613	360	176	36	3	-	6
White, mother native	2,214	1	222	837	594	352	166	33	3	-	6
White, mother foreign	37	-	2	10	10	5	9	1	-	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	6	-	1	1	4	-	-	-	-	-	-
Other	16	-	1	5	4	3	1	2	-	-	-
Places of 2,500 to 10,000	3,962	1	451	1,410	1,064	623	316	87	7	-	3
White, mother native	3,844	1	444	1,377	1,039	605	291	79	5	-	3
White, mother foreign	78	-	1	15	15	15	24	7	1	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	15	-	3	5	4	1	1	1	-	-	-
Other	23	-	3	12	5	2	-	-	1	-	-
Rural	10,968	3	1,171	3,589	2,923	1,903	1,026	298	31	2	22
White, mother native	10,638	3	1,153	3,532	2,842	1,832	958	270	26	2	19
White, mother foreign	199	-	6	32	31	45	55	26	3	-	1
White, mother's nativity not stated	4	-	2	-	-	-	-	-	-	-	2
Negro	15	-	4	2	5	3	1	-	-	-	-
Other	112	-	6	23	45	23	11	2	2	-	-
CONNECTICUT	41,457	9	1,671	11,212	14,259	9,190	4,258	860	46	-	52
White, mother native	37,831	5	1,380	10,348	13,322	8,401	3,631	666	30	-	48
White, mother foreign	2,500	-	29	437	646	648	552	172	14	-	2
White, mother's nativity not stated	3	-	-	1	-	1	-	-	-	-	1
Negro	1,108	4	162	424	285	135	73	22	2	-	1
Other	15	-	-	2	6	5	2	-	-	-	-
Urban	28,578	6	1,105	7,934	9,902	6,182	2,818	569	28	-	35
White, mother native	25,770	4	941	7 231	9,162	5,592	2,371	419	18	-	32
White, mother foreign	1,795	-	16	310	481	464	385	128	9	-	2
White, mother's nativity not stated	3	-	-	1	-	1	-	-	-	-	1
Negro	998	2	148	390	255	121	60	21	1	-	-
Other	12	-	-	2	4	4	2	-	-	-	-
Places of 100,000 or more	11,301	3	470	3,157	3,929	2,414	1,108	208	8	-	4
White, mother native	9,922	2	353	2,781	3,578	2,146	916	138	4	-	4
White, mother foreign	734	-	8	118	197	194	156	58	3	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	636	1	109	257	152	70	34	12	1	-	-
Other	8	-	-	1	2	3	2	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
CONNECTICUT—Continued											
Places of 25,000 to 100,000	11,126	2	369	2,981	3,889	2,483	1,124	239	15	-	24
White, mother native	10,115	1	331	2,749	3,613	2,260	948	180	10	-	23
White, mother foreign	732	-	6	128	202	183	156	52	5	-	-
White, mother's nativity not stated	2	-	-	1	-	-	-	-	-	-	1
Negro	274	1	32	102	72	40	20	7	-	-	-
Other	3	-	-	1	2	-	-	-	-	-	-
Places of 10,000 to 25,000	4,666	-	187	1,308	1,603	1,005	463	93	4	-	3
White, mother native	4,349	-	178	1,239	1,518	931	403	76	3	-	2
White, mother foreign	239	-	2	42	61	62	54	16	1	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	77	-	7	28	24	11	6	1	-	-	-
Other	1	-	-	-	-	1	-	-	-	-	-
Places of 2,500 to 10,000	1,485	1	79	488	481	280	123	28	1	-	4
White, mother native	1,384	1	79	463	453	255	104	25	1	-	3
White, mother foreign	90	-	-	22	21	25	19	2	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	11	-	-	3	7	-	-	1	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	12,879	3	466	3,278	4,357	3,008	1,440	292	18	-	17
White, mother native	12,061	1	439	3,117	4,160	2,809	1,280	247	12	-	16
White, mother foreign	705	-	13	127	165	184	167	44	5	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	110	2	14	34	30	14	13	1	1	-	1
Other	3	-	-	-	2	1	-	-	-	-	-
DELAWARE	6,802	19	647	2,128	2,043	1,225	598	122	13	-	7
White, mother native	5,695	6	418	1,789	1,785	1,090	499	97	9	-	2
White, mother foreign	116	-	2	29	37	21	20	5	2	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	966	13	224	303	212	113	76	18	2	-	5
Other	25	-	3	7	9	1	3	2	-	-	-
Urban	3,531	5	298	1,136	1,108	621	299	56	7	-	1
White, mother native	2,942	1	168	956	979	552	238	43	5	-	-
White, mother foreign	77	-	1	20	23	11	17	4	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	510	4	129	160	108	58	44	7	1	-	1
Other	2	-	-	-	-	-	-	2	-	-	-
Places of 100,000 or more	2,659	5	213	832	841	481	234	48	5	-	-
White, mother native	2,188	1	110	691	735	426	186	36	3	-	-
White, mother foreign	67	-	1	15	21	9	16	4	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	402	4	102	126	85	46	32	6	1	-	-
Other	2	-	-	-	-	-	-	2	-	-	-
Places of 2,500 to 10,000	872	-	85	304	267	140	65	8	2	-	1
White, mother native	754	-	58	265	244	126	52	7	2	-	-
White, mother foreign	10	-	-	5	2	2	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	108	-	27	34	21	12	12	1	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	3,271	14	349	992	935	604	299	66	6	-	6
White, mother native	2,753	5	250	833	806	538	261	54	4	-	2
White, mother foreign	39	-	1	9	14	10	3	1	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	456	9	95	143	106	55	32	11	1	-	4
Other	23	-	3	7	9	1	3	-	-	-	-
DISTRICT OF COLUMBIA	18,601	35	1,884	6,192	5,364	3,271	1,419	271	19	1	145
White, mother native	11,720	4	701	3,851	3,697	2,252	940	163	10	1	101
White, mother foreign	536	-	8	112	160	149	92	14	1	-	-
White, mother's nativity not stated	23	-	2	1	1	1	-	-	-	-	18
Negro	6,259	31	1,170	2,209	1,484	854	382	94	8	-	26
Other	64	-	3	19	22	15	5	-	-	-	-
FLORIDA	53,688	157	7,820	17,724	13,918	8,354	4,347	1,085	77	7	199
White, mother native	39,253	18	4,784	13,370	10,753	6,373	3,080	734	39	3	99
White, mother foreign	844	-	28	252	224	179	122	35	3	-	1
White, mother's nativity not stated	17	-	2	7	1	1	-	-	-	-	6
Negro	13,544	139	3,003	4,084	2,933	1,796	1,142	316	35	3	93
Other	30	-	3	11	7	5	3	-	-	1	-
Urban	30,817	80	4,193	10,417	8,265	4,903	2,335	479	33	4	108
White, mother native	22,338	4	2,419	7,796	6,376	3,733	1,637	318	13	1	41
White, mother foreign	639	-	19	187	179	131	95	24	3	-	1
White, mother's nativity not stated	9	-	-	3	1	-	-	-	-	-	5
Negro	7,824	76	1,753	2,429	1,708	1,037	603	137	17	3	61
Other	7	-	2	2	1	2	-	-	-	-	-
Places of 100,000 or more	13,162	22	1,687	4,443	3,656	2,127	992	186	15	1	43
White, mother native	9,687	1	1,021	3,353	2,835	1,634	695	127	6	-	15
White, mother foreign	336	-	11	89	100	76	47	11	2	-	-
White, mother's nativity not stated	5	-	-	2	-	-	-	-	-	-	3
Negro	3,129	21	653	998	720	416	240	48	7	1	25
Other	5	-	2	1	1	1	-	-	-	-	-
Places of 25,000 to 100,000	5,245	10	643	1,801	1,426	861	408	81	3	-	12
White, mother native	3,924	1	363	1,375	1,146	671	297	65	1	-	5
White, mother foreign	39	-	3	40	37	27	26	5	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	1,182	9	277	386	243	163	85	11	2	-	6
Other	-	-	-	-	-	-	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
FLORIDA—Continued											
Places of 10,000 to 25,000	5,120	15	760	1,754	1,372	771	357	76	8	-	7
White, mother native	3,653	-	421	1,313	1,047	567	251	47	4	-	3
White, mother foreign	76	-	2	26	20	11	11	4	1	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,390	15	337	414	305	193	95	25	3	-	3
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	7,290	33	1,103	2,419	1,811	1,144	588	136	7	3	46
White, mother native	5,074	2	614	1,755	1,348	861	394	79	2	1	18
White, mother foreign	89	-	3	32	22	17	11	4	-	-	-
White, mother's nativity not stated	3	-	-	1	1	-	-	-	-	-	1
Negro	2,123	31	486	631	440	265	183	53	5	2	27
Other	1	-	-	-	-	1	-	-	-	-	-
Rural	22,871	77	3,627	7,307	5,653	3,451	2,012	606	44	3	91
White, mother native	16,915	14	2,365	5,574	4,377	2,640	1,443	416	26	2	58
White, mother foreign	205	-	9	65	45	48	27	11	-	-	-
White, mother's nativity not stated	8	-	2	4	-	1	-	-	-	-	1
Negro	5,720	63	1,250	1,655	1,225	759	539	179	18	-	32
Other	23	-	1	9	6	3	3	-	-	1	-
GEORGIA	85,667	257	13,036	26,524	20,449	12 768	7,225	1,949	142	10	3,307
White, mother native	56,170	50	6,623	17,951	14,439	8,973	4,853	1,305	80	5	1,891
White, mother foreign	200	-	13	77	46	40	20	2	1	-	1
White, mother's nativity not stated	15	-	-	-	-	3	-	-	-	-	12
Negro	29,270	207	6,200	8,492	5,951	3.750	2,351	642	60	5	1,602
Other	12	-	-	4	3	2	1	-	1	-	1
Urban	36,247	101	5,352	12,018	9,319	5,482	2,520	537	28	1	889
White, mother native	25,468	16	2,908	8,721	7,014	4,107	1,816	399	15	-	472
White, mother foreign	133	-	7	53	27	29	15	1	1	-	-
White, mother's nativity not stated	7	-	-	-	-	3	-	-	-	-	4
Negro	10,631	85	2,437	3,242	2,276	1,341	688	137	12	1	412
Other	8	-	-	2	2	2	1	-	-	-	1
Places of 100,000 or more	9,596	30	1,368	3,173	2,461	1,819	743	160	10	-	32
White, mother native	6,899	5	699	2,309	1,919	1,248	569	125	5	-	20
White, mother foreign	49	-	2	20	7	11	6	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2,644	25	667	843	534	359	165	34	5	-	12
Other	4	-	-	1	1	1	1	-	-	-	-
Places of 25,000 to 100,000	10,755	34	1,682	3,715	2,800	1.485	688	135	4	-	212
White, mother native	7,219	5	903	2,621	2,005	1,044	465	90	2	-	84
White, mother foreign	42	-	1	17	10	9	5	-	-	-	-
White, mother's nativity not stated	3	-	-	-	-	3	-	-	-	-	-
Negro	3,490	29	778	1,077	785	429	218	45	2	-	128
Other	1	-	-	-	-	1	-	-	-	-	-
Places of 10,000 to 25,000	6,778	18	995	2,237	1,758	1,022	445	99	4	-	200
White, mother native	4,794	3	585	1,629	1,329	762	314	72	2	-	118
White, mother foreign	23	-	2	8	5	6	1	-	1	-	-
White, mother's nativity not stated	2	-	-	-	-	-	-	-	-	-	2
Negro	1,958	15	428	599	424	254	130	27	1	-	80
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	9,118	19	1,307	2,693	2,300	1,356	644	143	10	1	445
White, mother native	6,558	3	741	2,162	1,761	1,053	468	112	6	-	250
White, mother foreign	19	-	2	8	5	3	1	-	-	-	-
White, mother's nativity not stated	2	-	-	-	-	-	-	-	-	-	2
Negro	2,539	16	564	723	533	300	175	31	4	1	192
Other	2	-	-	-	1	-	-	-	-	-	1
Rural	49,420	156	7,684	14,506	11,130	7,286	4,705	1,412	114	9	2,418
White, mother native	30,702	34	3,915	9,230	7,425	4,866	3,037	906	65	5	1,219
White, mother foreign	67	-	6	24	19	11	5	1	-	-	1
White, mother's nativity not stated	8	-	-	-	-	-	-	-	-	-	8
Negro	18,639	122	3,763	5,250	3,685	2,409	1,663	505	48	4	1,190
Other	4	-	-	2	1	-	-	-	1	-	-
IDAHO	13,787	5	1,411	4,763	3,722	2,306	1,152	363	33	-	33
White, mother native	13,328	5	1,380	4,628	3,591	2,225	1,109	333	27	-	30
White, mother foreign	240	-	12	70	66	41	30	19	2	-	-
White, mother's nativity not stated	3	-	1	1	-	1	-	-	-	-	-
Negro	13	-	4	5	2	1	-	-	-	-	1
Other	203	-	14	59	63	37	13	11	4	-	2
Urban	6,136	2	623	2,208	1,677	985	487	128	15	-	11
White, mother native	5,953	2	610	2,157	1,624	947	468	122	13	-	10
White, mother foreign	122	-	9	30	35	27	14	6	1	-	-
White, mother's nativity not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	11	-	3	4	2	1	-	-	-	-	1
Other	48	-	1	16	16	9	5	-	1	-	-
Places of 25,000 to 100,000	1,087	-	88	370	331	195	82	18	1	-	2
White, mother native	1,058	-	84	358	324	190	81	18	1	-	2
White, mother foreign	19	-	2	8	7	2	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	3	-	2	1	-	-	-	-	-	-	-
Other	6	-	-	3	-	2	1	-	-	-	-
Places of 10,000 to 25,000	2,651	1	272	978	721	419	193	54	9	-	4
White, mother native	2,574	1	264	960	701	400	185	51	8	-	4
White, mother foreign	52	-	7	11	10	13	7	3	1	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	7	-	1	3	2	1	-	-	-	-	-
Other	17	-	-	3	8	5	1	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
IDAHO—Continued											
Places of 2,500 to 10,000	2,398	1	263	860	625	371	212	56	5	-	5
White, mother native	2,321	1	262	839	599	357	202	53	4	-	4
White, mother foreign	51	-	-	11	18	12	7	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	-	-	-	-	-	-	-	1
Other	25	-	1	10	8	2	3	-	1	-	-
Rural	7,651	3	788	2,555	2,045	1,320	665	235	18	-	22
White, mother native	7,375	3	770	2,471	1,967	1,278	641	211	14	-	20
White, mother foreign	118	-	3	40	31	14	16	13	1	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	2	-	1	1	-	-	-	-	-	-	-
Other	155	-	13	43	47	28	8	11	3	-	2
ILLINOIS	174,825	102	12,732	53,685	53,789	34,935	15,737	3,603	189	5	48
White, mother native	157,148	34	10,080	48,233	49,703	32,126	13,744	3,033	155	4	36
White, mother foreign	5,121	-	96	974	1,253	1,241	1,168	366	21	1	1
White, mother's nativity not stated	45	-	13	11	10	2	3	-	-	-	6
Negro	12,138	68	2,532	4,339	2,675	1,502	804	201	12	-	5
Other	373	-	11	128	148	64	18	3	1	-	-
Urban	134,052	86	9,131	40,678	42,201	27,368	11,961	2,465	121	5	36
White, mother native	117,328	21	6,621	35,489	38,328	24,699	10,107	1,942	91	4	25
White, mother foreign	4,715	-	83	868	1,151	1,177	1,082	336	18	1	1
White, mother's nativity not stated	25	-	6	5	6	1	1	-	-	-	6
Negro	11,621	65	2,410	4,192	2,573	1,427	753	186	11	-	4
Other	363	-	11	126	142	64	18	1	1	-	-
Places of 100,000 or more	77,681	57	4,873	22,801	25,136	16,445	6,924	1,372	59	2	12
White, mother native	64,224	8	2,963	18,524	22,026	14,312	5,480	962	38	1	10
White, mother foreign	3,582	-	54	619	860	927	839	269	13	1	-
White, mother's nativity not stated	4	-	-	-	3	-	1	-	-	-	-
Negro	9,530	49	1,946	3,539	2,113	1,146	588	140	7	-	2
Other	341	-	10	119	134	60	16	1	1	-	-
Places of 25,000 to 100,000	24,218	12	1,785	7,599	7,456	4,722	2,148	465	19	2	10
White, mother native	22,349	4	1,467	7,048	7,035	4,415	1,947	417	17	2	3
White, mother foreign	471	-	14	102	116	114	99	26	-	-	-
White, mother's nativity not stated	14	-	4	2	2	-	-	-	-	-	6
Negro	1,371	8	300	443	298	191	102	26	2	-	1
Other	13	-	-	6	5	2	-	-	-	-	-
Places of 10,000 to 25,000	13,361	9	967	4,268	4,076	2,566	1,181	278	14	-	2
White, mother native	12,600	4	861	4,079	3,875	2,451	1,075	241	12	-	2
White, mother foreign	311	-	6	54	92	60	73	24	2	-	-
White, mother's nativity not stated	4	-	2	2	-	-	-	-	-	-	-
Negro	443	5	99	132	103	54	33	13	-	-	-
Other	3	-	-	1	1	1	-	-	-	-	-
Places of 2,500 to 10,000	18,792	8	1,506	6,010	5,533	3,635	1,708	350	29	1	12
White, mother native	18,155	5	1,430	5,840	5,393	3,521	1,605	326	24	1	10
White, mother foreign	351	-	9	91	83	76	71	17	3	-	1
White, mother's nativity not stated	3	-	-	1	1	1	-	-	-	-	-
Negro	277	3	66	78	54	36	30	7	2	-	1
Other	6	-	1	-	2	1	2	-	-	-	-
Rural	40,773	16	3,601	13,007	11,588	7,567	3,776	1,138	68	-	12
White, mother native	39,820	13	3,459	12,744	11,374	7,427	3,637	1,091	64	-	11
White, mother foreign	406	-	13	108	102	64	88	30	3	-	-
White, mother's nativity not stated	20	-	7	6	4	1	2	-	-	-	-
Negro	517	3	122	147	102	75	51	15	1	-	1
Other	10	-	-	2	6	-	-	2	-	-	-
INDIANA	85,515	60	8,540	29,836	23,897	14,118	6,870	1,839	123	1	231
White, mother native	81,326	38	7,839	28,434	22,928	13,524	6,516	1,722	121	1	203
White, mother foreign	945	1	42	285	266	161	126	60	2	-	2
White, mother's nativity not stated	8	-	-	1	-	3	2	-	-	-	2
Negro	3,220	21	658	1,109	699	427	225	57	-	-	24
Other	16	-	1	7	4	3	1	-	-	-	-
Urban	53,034	40	5,377	18,930	15,078	8,600	3,909	909	48	-	143
White, mother native	49,133	19	4,694	17,626	14,176	8,052	3,599	805	46	-	116
White, mother foreign	755	1	33	219	227	128	95	48	2	-	2
White, mother's nativity not stated	5	-	-	-	-	3	1	-	-	-	1
Negro	3,130	20	649	1,081	672	414	214	56	-	-	24
Other	11	-	1	4	3	3	-	-	-	-	-
Places of 100,000 or more	20,410	21	1,942	6,986	5,937	3,500	1,603	368	15	-	38
White, mother native	17,891	5	1,480	6,133	5,380	3,153	1,392	306	14	-	23
White, mother foreign	340	-	13	90	103	59	49	22	1	-	1
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	2,174	16	448	762	451	281	162	40	-	-	14
Other	4	-	1	1	1	1	-	-	-	-	-
Places of 25,000 to 100,000	17,157	11	1,825	6,266	4,881	2,621	1,209	274	18	-	52
White, mother native	16,069	8	1,641	5,910	4,613	2,457	1,136	244	17	-	43
White, mother foreign	256	1	12	71	77	44	32	18	1	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	1
Negro	826	2	172	283	190	118	41	12	-	-	8
Other	4	-	-	2	1	1	-	-	-	-	-
Places of 10,000 to 25,000	6,731	3	729	2,522	1,837	1,032	471	110	4	-	23
White, mother native	6,578	3	710	2,475	1,796	1,009	456	104	4	-	21
White, mother foreign	75	-	4	24	20	13	9	4	-	-	1
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	75	-	15	23	20	8	6	2	-	-	1
Other	2	-	-	-	1	1	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
INDIANA—Continued											
Places of 2,500 to 10,000	8,736	5	881	3,156	2,423	1,447	626	157	11	-	30
White, mother native	8,595	3	863	3,108	2,387	1,428	615	151	11	-	29
White, mother foreign	84	-	4	34	25	12	5	4	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	55	2	14	13	11	7	5	2	-	-	1
Other	1	-	-	1	-	-	-	-	-	-	-
Rural	32,481	20	3,163	10,906	8,819	5,518	2,961	930	75	1	88
White, mother native	32,193	19	3,145	10,808	8,752	5,472	2,917	917	75	1	87
White, mother foreign	190	-	9	66	39	33	31	12	-	-	-
White, mother's nativity not stated	3	-	-	1	-	-	1	-	-	-	1
Negro	90	1	9	28	27	13	11	1	-	-	-
Other	5	-	-	3	1	-	1	-	-	-	-
IOWA	56,186	13	4,323	18,568	16,549	10,223	4,983	1,375	100	1	51
White, mother native	55,217	12	4,247	18,252	16,316	10,049	4,873	1,319	98	1	50
White, mother foreign	548	-	18	157	135	105	84	47	2	-	-
White, mother's nativity not stated	9	-	1	5	1	1	-	-	-	-	1
Negro	355	1	55	137	82	51	21	8	-	-	-
Other	57	-	2	17	15	17	5	1	-	-	-
Urban	26,531	5	2,296	9,222	7,728	4,559	2,156	509	36	1	19
White, mother native	25,854	5	2,231	8,990	7,566	4,434	2,089	484	36	1	18
White, mother foreign	306	-	13	91	72	67	45	18	-	-	-
White, mother's nativity not stated	3	-	-	1	1	-	-	-	-	-	1
Negro	332	-	50	131	78	47	19	7	-	-	-
Other	38	-	2	9	11	11	3	-	-	-	-
Places of 100,000 or more	3,983	-	349	1,391	1,179	676	328	56	2	-	2
White, mother native	3,743	-	312	1,303	1,120	642	309	53	2	-	2
White, mother foreign	52	-	5	15	13	11	7	1	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	177	-	31	70	43	19	12	2	-	-	-
Other	10	-	1	2	3	4	-	-	-	-	-
Places of 25,000 to 100,000	11,391	3	986	3,987	3,264	1,973	943	208	20	1	6
White, mother native	11,136	3	967	3,908	3,198	1,921	915	197	20	1	6
White, mother foreign	132	-	7	36	33	27	21	8	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	105	-	11	39	27	21	4	3	-	-	-
Other	18	-	1	4	6	4	3	-	-	-	-
Places of 10,000 to 25,000	4,109	-	373	1,470	1,197	689	297	75	5	-	3
White, mother native	4,011	-	366	1,434	1,174	670	288	71	5	-	3
White, mother foreign	60	-	-	19	15	16	7	3	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	33	-	7	14	6	3	2	1	-	-	-
Other	4	-	-	3	1	-	-	-	-	-	-
Places of 2,500 to 10,000	7,048	2	588	2,374	2,088	1,221	588	170	9	-	8
White, mother native	6,964	2	586	2,345	2,074	1,201	577	163	9	-	7
White, mother foreign	62	-	1	21	11	13	10	6	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	17	-	1	8	2	4	1	1	-	-	-
Other	4	-	-	-	1	3	-	-	-	-	
Rural	29,655	8	2,027	9,346	8,821	5,664	2,827	866	64	-	32
White, mother native	29,363	7	2,016	9,262	8,750	5,618	2,784	835	62	-	32
White, mother foreign	242	-	5	66	63	38	39	29	2	-	-
White, mother's nativity not stated	6	-	1	4	-	1	-	-	-	-	-
Negro	23	1	5	6	4	4	2	1	-	-	-
Other	21	-	-	8	4	6	2	1	-	-	-
KANSAS	39,751	19	3,850	13,493	11,207	6,650	3,436	914	51	3	128
White, mother native	37,874	15	3,506	12,868	10,847	6,398	3,233	847	47	2	113
White, mother foreign	385	-	15	108	78	74	78	30	1	-	1
White, mother's nativity not stated	7	-	1	2	-	1	-	-	-	-	3
Negro	1,392	4	319	478	266	165	114	31	3	1	11
Other	93	-	9	37	18	14	11	6	-	-	-
Urban	21,706	12	2,342	7,961	6,103	3,261	1,562	385	19	1	60
White, mother native	20,132	8	2,028	7,419	5,799	3,061	1,414	340	15	1	47
White, mother foreign	242	-	10	72	51	46	47	14	1	-	1
White, mother's nativity not stated	5	-	1	1	-	-	-	-	-	-	3
Negro	1,272	4	297	442	244	146	99	28	3	-	9
Other	55	-	6	27	9	8	2	3	-	-	-
Places of 100,000 or more	7,949	5	846	2,877	2,287	1,221	550	136	9	-	18
White, mother native	7,113	2	661	2,589	2,124	1,119	484	116	5	-	13
White, mother foreign	90	-	2	22	18	21	18	7	1	-	1
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	734	3	183	258	142	81	48	12	3	-	4
Other	11	-	-	7	3	-	-	1	-	-	-
Places of 25,000 to 100,000	2,862	3	312	1,069	797	432	193	50	1	-	5
White, mother native	2,663	2	272	998	761	409	173	43	1	-	4
White, mother foreign	47	-	1	16	9	8	11	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	133	1	37	44	26	13	7	4	-	-	1
Other	19	-	2	11	1	2	2	1	-	-	-
Places of 10,000 to 25,000	5,592	4	602	2,108	1,551	801	400	103	4	1	18
White, mother native	5,225	4	541	1,977	1,479	758	359	90	4	1	12
White, mother foreign	57	-	2	18	15	9	11	2	-	-	-
White, mother's nativity not stated	3	-	-	-	-	-	-	-	-	-	3
Negro	292	-	56	109	53	30	30	11	-	-	3
Other	15	-	3	4	4	4	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
KANSAS—Continued											
Places of 2,500 to 10,000	5,303	-	582	1,907	1,468	807	419	96	5	-	19
White, mother native	5,131	-	554	1,855	1,435	775	398	91	5	-	18
White, mother foreign	48	-	5	16	9	8	7	3	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	113	-	21	31	23	22	14	1	-	-	1
Other	10	-	1	5	1	2	-	1	-	-	-
Rural	18,045	7	1,508	5,532	5,104	3,389	1,874	529	32	2	68
White, mother native	17,742	7	1,478	5,449	5,048	3,335	1,819	507	32	1	66
White, mother foreign	143	-	5	36	27	28	31	18	-	-	-
White, mother's nativity not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	120	-	22	36	22	19	15	3	-	1	2
Other	39	-	3	10	7	6	9	3	-	-	-
KENTUCKY	72,542	101	10,085	23,655	17,745	11,492	6,887	2,310	218	8	41
White, mother native	68,951	74	9,323	22,541	16,973	10,993	6,586	2,212	204	8	37
White, mother foreign	179	-	14	79	42	21	13	9	1	-	-
White, mother's nativity not stated	12	-	2	4	1	4	-	-	-	-	1
Negro	3,392	27	744	1,030	726	472	288	89	13	-	3
Other	8	-	2	1	3	2	-	-	-	-	-
Urban	24,190	33	3,121	8,490	6,540	3,687	1,755	514	33	1	16
White, mother native	22,023	14	2,631	7,803	6,057	3,420	1,592	461	26	1	13
White, mother foreign	100	-	3	35	32	14	9	6	1	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	2,060	19	485	643	449	251	154	47	6	-	3
Other	6	-	2	-	2	2	-	-	-	-	-
Places of 100,000 or more	9,873	15	1,107	3,421	2,761	1,587	758	188	10	1	5
White, mother native	8,779	5	858	3,076	2,526	1,449	686	166	8	1	4
White, mother foreign	55	-	1	15	19	10	5	4	1	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	1,036	10	248	329	234	128	67	18	1	-	1
Other	2	-	-	-	2	-	-	-	-	-	-
Places of 25,000 to 100,000	6,249	8	810	2,225	1,709	929	421	132	10	-	5
White, mother native	5,835	2	720	2,101	1,603	878	390	125	6	-	5
White, mother foreign	32	-	2	13	11	3	2	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	380	6	86	111	90	48	29	6	4	-	-
Other	2	-	2	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,824	3	283	636	476	263	126	37	-	-	-
White, mother native	1,637	1	242	574	442	241	107	30	-	-	-
White, mother foreign	5	-	-	3	1	1	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	180	2	41	59	33	19	19	7	-	-	-
Other	2	-	-	-	-	2	-	-	-	-	-
Places of 2,500 to 10,000	6,244	7	921	2,203	1,574	908	450	157	13	-	6
White, mother native	5,772	6	811	2,057	1,481	852	409	140	12	-	4
White, mother foreign	8	-	-	4	1	-	2	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	464	1	110	147	92	56	39	16	1	-	2
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	48,352	68	6,964	15,185	11,205	7,805	5,132	1,796	185	7	25
White, mother native	46,928	60	6,692	14,733	10,916	7,573	4,994	1,751	178	7	24
White, mother foreign	79	-	11	44	10	7	4	3	-	-	-
White, mother's nativity not stated	11	-	2	3	1	4	-	-	-	-	1
Negro	1,332	8	259	384	277	221	134	42	7	-	-
Other	2	-	-	1	1	-	-	-	-	-	-
LOUISIANA	68,670	153	9,965	22,732	17,445	10,624	5,890	1,556	108	8	89
White, mother native	42,972	25	5,000	14,647	11,684	6,991	3,633	909	41	3	39
White, mother foreign	266	-	20	104	73	33	26	10	-	-	-
White, mother's nativity not stated	6	-	2	2	-	-	1	-	-	-	1
Negro	25,314	128	4,932	7,940	5,681	3,583	2,316	633	67	5	49
Other	112	-	11	39	27	17	14	4	-	-	-
Urban	31,822	63	4,249	11,206	8,515	4,863	2,378	496	25	1	26
White, mother native	21,223	7	2,105	7,556	6,135	3,468	1,601	321	15	-	15
White, mother foreign	196	-	16	66	61	25	21	7	-	-	-
White, mother's nativity not stated	3	-	-	1	-	-	1	-	-	-	1
Negro	10,369	56	2,125	3,573	2,310	1,366	751	167	10	1	10
Other	31	-	3	10	9	4	4	1	-	-	-
Places of 100,000 or more	14,024	29	1,618	4,899	3,881	2,243	1,121	213	14	1	5
White, mother native	9,035	3	699	3,161	2,700	1,584	745	130	10	-	3
White, mother foreign	122	-	7	34	44	17	15	5	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	4,843	26	910	1,695	1,129	641	358	77	4	1	2
Other	24	-	2	9	8	1	3	1	-	-	-
Places of 25,000 to 100,000	6,440	14	980	2,337	1,683	919	411	91	1	-	4
White, mother native	3,953	1	385	1,474	1,169	614	252	57	-	-	1
White, mother foreign	32	-	1	14	9	5	2	1	-	-	-
White, mother's nativity not stated	2	-	-	1	-	-	1	-	-	-	-
Negro	2,453	13	594	848	505	300	156	33	1	-	3
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,904	3	428	1,003	787	435	197	43	1	-	2
White, mother native	2,015	-	241	694	590	324	142	23	-	-	1
White, mother foreign	11	-	4	3	2	2	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	876	3	183	311	194	108	55	20	1	-	1
Other	2	-	-	-	1	1	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
LOUISIANA--Continued											
Places of 2,500 to 10,000	8,454	17	1,223	2,962	2,164	1,266	649	149	9	-	15
White, mother native	6,220	3	780	2,227	1,676	946	462	111	5	-	10
White, mother foreign	31	-	4	15	6	1	4	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	2,197	14	438	719	482	317	182	37	4	-	4
Other	5	-	1	1	-	2	1	-	-	-	-
Rural	36,848	90	5,716	11,526	8,930	5,761	3,612	1,060	83	7	63
White, mother native	21,749	18	2,895	7,091	5,549	3,523	2,032	588	26	3	24
White, mother foreign	70	-	4	38	12	8	5	3	-	-	-
White, mother's nativity not stated	3	-	2	1	-	-	-	-	-	-	-
Negro	14,945	72	2,807	4,367	3,351	2,217	1,565	466	57	4	39
Other	81	-	8	29	16	13	10	3	-	-	-
MAINE	20,326	10	1,980	6,995	5,639	3,395	1,780	468	37	2	20
White, mother native	18,984	10	1,927	6,683	5,256	3,105	1,566	389	29	2	17
White, mother foreign	1,305	-	48	293	372	269	213	79	8	-	3
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	10	-	1	6	3	-	-	-	-	-	-
Other	26	-	3	13	8	1	1	-	-	-	-
Urban	8,448	3	855	2,980	2,425	1,460	740	167	10	1	8
White, mother native	7,774	3	834	2,828	2,239	1,300	631	125	7	-	7
White, mother foreign	655	-	19	143	179	160	108	42	3	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	8	-	1	5	2	-	-	-	-	-	-
Other	11	-	1	4	5	-	1	-	-	-	-
Places of 25,000 to 100,000	3,364	2	269	1,155	968	600	308	56	4	-	2
White, mother native	3,101	2	261	1,099	896	534	260	44	3	-	2
White, mother foreign	257	-	7	53	70	68	48	12	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	1	2	1	-	-	-	-	-	-
Other	2	-	-	1	1	-	-	-	-	-	-
Places of 10,000 to 25,000	2,812	1	181	972	841	504	249	60	2	-	2
White, mother native	2,584	1	178	931	773	444	214	39	2	-	2
White, mother foreign	224	-	3	39	66	60	35	21	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	-	2	1	-	-	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000	2,272	-	205	853	816	356	183	51	4	-	4
White, mother native	2,089	-	195	798	570	322	157	42	2	-	3
White, mother foreign	174	-	9	51	43	34	25	9	2	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-
Other	8	-	1	3	3	-	1	-	-	-	-
Rural	11,878	7	1,325	4,015	3,214	1,935	1,040	301	27	2	12
White, mother native	11,210	7	1,293	3,855	3,017	1,805	935	264	22	2	10
White, mother foreign	650	-	29	150	193	129	105	37	5	-	2
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-
Other	15	-	2	9	3	1	-	-	-	-	-
MARYLAND	50,347	89	5,455	16,564	14,184	8,672	4,197	995	71	3	117
White, mother native	40,330	15	3,428	13,283	11,992	7,305	3,421	753	52	2	79
White, mother foreign	751	-	28	197	199	162	127	37	1	-	-
White, mother's nativity not stated	2	-	-	1	-	-	-	-	-	-	1
Negro	9,231	74	1,996	3,076	1,983	1,198	647	204	18	1	36
Other	33	-	3	7	10	9	2	1	-	-	1
Urban	28,477	60	3,064	9,728	8,095	4,787	2,206	453	22	2	60
White, mother native	21,922	5	1,720	7,477	6,661	3,933	1,740	329	19	1	37
White, mother foreign	472	-	14	124	119	107	87	21	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	6,059	55	1,328	2,121	1,309	740	377	102	3	1	23
Other	24	-	2	6	6	7	2	1	-	-	-
Places of 100,000 or more	21,419	53	2,359	7,336	6,080	3,556	1,640	337	12	2	44
White, mother native	15,749	4	1,183	5,380	4,862	2,829	1,224	229	11	1	26
White, mother foreign	369	-	10	95	85	86	75	18	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	5,284	49	1,165	1,855	1,130	637	339	89	1	1	18
Other	17	-	1	6	3	4	2	1	-	-	-
Places of 25,000 to 100,000	1,884	1	212	679	503	308	142	35	4	-	2
White, mother native	1,819	1	201	664	485	292	138	33	4	-	1
White, mother foreign	15	-	1	4	5	1	3	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	50	-	10	11	13	13	1	1	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,257	3	273	768	657	362	154	29	2	-	9
White, mother native	1,694	-	159	563	520	268	132	24	2	-	6
White, mother foreign	30	-	1	9	14	6	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	530	3	113	196	120	88	22	5	-	-	3
Other	3	-	-	-	3	-	-	-	-	-	-
Places of 2,500 to 10,000	2,917	3	220	945	855	563	270	52	4	-	5
White, mother native	2,660	-	177	870	794	524	246	43	2	-	4
White, mother foreign	58	-	2	16	15	14	9	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	195	3	40	59	46	22	15	7	2	-	1
Other	4	-	1	-	-	3	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
MARYLAND—Continued											
Rural	21,870	29	2,391	6,836	6,069	3,885	1,991	542	49	1	57
White, mother native	18,408	10	1,708	5,806	5,331	3,372	1,681	424	33	1	42
White, mother foreign	279	-	14	73	80	55	40	16	1	-	-
White, mother's nativity not stated	2	-	-	1	-	-	-	-	-	-	1
Negro	3,172	19	668	955	674	456	270	102	15	-	13
Other	9	-	1	1	4	2	-	-	-	-	1
MASSACHUSETTS	94,288	9	3,875	26,124	30,980	20,612	10,064	2,361	133	13	117
White, mother native	86,309	7	3,585	24,585	29,116	18,714	8,356	1,749	83	11	103
White, mother foreign	6,458	-	86	964	1,446	1,690	1,805	586	47	2	12
White, mother's nativity not stated	20	-	1	5	1	5	1	5	1	-	1
Negro	1,444	2	196	528	402	198	99	19	1	-	1
Other	57	-	7	22	15	7	3	2	1	-	-
Urban	84,336	7	3,385	23,320	27,819	18,486	8,997	2,093	117	12	100
White, mother native	77,024	5	3,119	21,921	25,113	16,761	7,412	1,524	71	10	88
White, mother foreign	5,927	-	79	891	1,318	1,545	1,490	549	43	2	10
White, mother's nativity not stated	16	-	1	4	1	3	1	4	1	-	1
Negro	1,315	2	179	484	372	171	91	14	1	-	1
Other	54	-	7	20	15	6	3	2	1	-	-
Places of 100,000 or more	35,296	4	1,515	9,946	11,495	7,675	3,724	847	58	2	30
White, mother native	31,399	3	1,310	9,153	10,602	6,804	2,884	588	27	2	26
White, mother foreign	2,748	-	42	365	579	720	765	246	28	-	2
White, mother's nativity not stated	4	-	-	1	1	1	-	-	-	-	1
Negro	1,099	1	157	411	299	144	73	12	1	-	1
Other	46	-	6	16	14	6	2	1	1	-	-
Places of 25,000 to 100,000	26,394	1	940	7,130	8,877	5,869	2,795	693	36	5	48
White, mother native	24,304	-	901	6,791	8,376	5,331	2,338	497	25	4	41
White, mother foreign	1,942	-	24	290	452	520	446	192	10	1	7
White, mother's nativity not stated	9	-	-	3	-	2	1	2	1	-	-
Negro	133	1	15	43	48	16	9	1	-	-	-
Other	6	-	-	3	1	-	1	1	-	-	-
Places of 10,000 to 25,000	16,312	2	642	4,454	5,381	3,576	1,815	401	18	4	19
White, mother native	15,344	2	626	4,265	5,152	3,355	1,595	311	17	3	18
White, mother foreign	925	-	11	175	216	219	214	87	1	1	1
White, mother's nativity not stated	3	-	1	-	-	-	-	2	-	-	-
Negro	39	-	4	13	13	2	6	1	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,334	-	288	1,790	2,066	1,366	663	152	5	1	3
White, mother native	5,977	-	282	1,712	1,983	1,271	585	128	2	1	3
White, mother foreign	312	-	2	61	71	86	65	24	3	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	44	-	3	17	12	9	3	-	-	-	-
Other	1	-	1	-	-	-	-	-	-	-	-
Rural	9,952	2	490	2,804	3,161	2,128	1,067	268	16	1	17
White, mother native	9,285	2	466	2,664	3,003	1,953	944	225	12	1	15
White, mother foreign	531	-	7	93	128	145	115	37	4	-	2
White, mother's nativity not stated	4	-	-	1	-	2	-	1	-	-	-
Negro	129	-	17	44	30	25	8	5	-	-	-
Other	3	-	-	2	-	1	-	-	-	-	-
MICHIGAN	139,277	72	10,899	45,999	41,985	25,184	11,811	3,002	221	2	102
White, mother native	124,750	22	9,126	41,812	38,269	22,578	10,203	2,485	167	2	88
White, mother foreign	6,184	2	140	1,318	1,726	1,496	1,081	376	42	-	3
White, mother's nativity not stated	11	-	2	4	3	1	-	-	-	-	1
Negro	8,107	48	1,597	2,800	1,925	1,077	508	132	11	-	9
Other	225	-	34	65	62	34	19	9	1	-	1
Urban	97,678	57	7,452	32,382	30,048	17,609	7,907	1,852	118	1	52
White, mother native	84,772	12	5,803	28,568	26,756	15,538	6,549	1,429	76	1	40
White, mother foreign	5,128	1	119	1,115	1,450	1,240	876	294	30	-	3
White, mother's nativity not stated	4	-	1	1	2	-	-	-	-	-	-
Negro	7,653	44	1,515	2,661	1,802	1,012	472	127	11	-	9
Other	121	-	14	37	38	19	10	2	1	-	-
Places of 100,000 or more	48,964	38	3,570	15,894	15,261	9,212	3,981	928	66	1	13
White, mother native	39,841	5	2,363	13,201	12,940	7,603	3,045	643	33	1	7
White, mother foreign	3,356	1	77	681	969	839	574	190	24	-	1
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	5,699	32	1,127	1,991	1,326	759	357	94	8	-	5
Other	67	-	3	20	26	11	5	1	1	-	-
Places of 25,000 to 100,000	23,490	7	1,816	8,147	7,206	4,028	1,816	435	20	-	15
White, mother native	21,802	1	1,633	7,647	6,768	3,724	1,630	368	17	-	14
White, mother foreign	871	-	21	214	242	193	143	55	3	-	-
White, mother's nativity not stated	3	-	1	-	2	-	-	-	-	-	-
Negro	787	6	159	278	185	104	42	12	-	-	1
Other	27	-	2	8	9	7	1	-	-	-	-
Places of 10,000 to 25,000	11,302	7	983	3,808	3,385	1,959	933	203	12	-	12
White, mother native	10,068	2	812	3,430	3,069	1,760	807	170	8	-	10
White, mother foreign	415	-	9	106	113	93	73	20	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	809	5	158	267	202	106	53	13	3	-	2
Other	10	-	4	5	1	-	-	-	-	-	-
Places of 2,500 to 10,000	13,922	5	1,083	4,533	4,196	2,610	1,177	296	20	-	12
White, mother native	13,061	4	995	4,290	3,979	2,451	1,067	248	18	-	9
White, mother foreign	486	-	12	114	126	115	86	29	2	-	2
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	358	1	71	125	89	43	20	8	-	-	1
Other	17	-	5	4	2	1	4	1	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
MICHIGAN--Continued											
Rural	41,599	15	3,447	13,617	11,937	7,375	3,904	1,150	103	1	50
White, mother native	39,978	10	3,323	13,244	11,513	7,038	3,654	1,056	91	1	48
White, mother foreign	1,056	1	21	203	276	256	205	82	12	-	-
White, mother's nativity not stated	7	-	1	3	1	1	-	-	-	-	1
Negro	454	4	82	139	123	65	36	5	-	-	-
Other	104	-	20	28	24	15	9	7	-	-	1
MINNESOTA	67,266	20	3,712	19,873	20,513	13,839	7,041	2,024	138	2	104
White, mother native	65,191	17	3,596	19,333	19,954	13,429	6,752	1,881	128	2	99
White, mother foreign	1,317	1	29	271	371	293	223	117	10	-	2
White, mother's nativity not stated	3	-	-	2	-	-	-	-	-	-	1
Negro	188	-	25	81	42	24	13	3	-	-	-
Other	567	2	62	166	146	93	53	23	-	-	2
Urban	36,018	9	1,881	11,066	11,258	7,355	3,484	875	49	-	41
White, mother native	34,855	8	1,824	10,758	10,909	7,121	3,338	813	45	-	39
White, mother foreign	828	-	17	173	252	195	128	58	4	-	1
White, mother's nativity not stated	2	-	-	1	-	-	-	-	-	-	1
Negro	194	-	25	79	42	22	13	3	-	-	-
Other	149	1	15	55	55	17	5	1	-	-	-
Places of 100,000 or more	22,100	6	1,104	6,890	6,980	4,475	2,118	495	27	-	5
White, mother native	21,234	5	1,062	6,648	6,725	4,311	2,001	455	24	-	3
White, mother foreign	552	-	5	111	162	132	101	37	3	-	1
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	183	-	25	79	42	21	13	3	-	-	-
Other	130	1	12	52	51	11	3	-	-	-	-
Places of 25,000 to 100,000	742	-	32	200	252	149	89	15	1	-	4
White, mother native	725	-	32	199	248	142	87	12	1	-	4
White, mother foreign	17	-	-	1	4	7	2	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	4,609	-	265	1,430	1,399	911	484	122	8	-	10
White, mother native	4,518	-	258	1,416	1,373	889	450	114	8	-	10
White, mother foreign	89	-	7	14	26	20	14	8	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	2	-	-	-	-	2	-	-	-	-	-
Places of 2,500 to 10,000	8,567	3	480	2,546	2,627	1,820	813	243	13	-	22
White, mother native	8,378	3	472	2,495	2,563	1,779	800	232	12	-	22
White, mother foreign	170	-	5	47	60	36	11	10	1	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	1	-	-	-	-	1	-	-	-	-	-
Other	17	-	3	3	4	4	2	1	-	-	-
Rural	31,248	11	1,831	8,807	9,255	6,484	3,557	1,149	89	2	63
White, mother native	30,336	9	1,772	8,575	9,045	6,308	3,414	1,068	83	2	60
White, mother foreign	489	1	12	98	119	98	95	59	6	-	1
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	4	-	-	2	-	2	-	-	-	-	-
Other	418	1	47	131	91	76	46	22	-	-	2
MISSISSIPPI	61,690	308	11,056	19,083	14,242	9,236	5,850	1,658	140	9	108
White, mother native	29,858	19	3,865	9,805	7,692	4,847	2,770	775	47	2	36
White, mother foreign	113	-	15	45	28	15	8	1	-	-	1
White, mother's nativity not stated	4	-	3	-	-	-	1	-	-	-	-
Negro	31,609	288	7,147	9,208	6,495	4,365	3,060	876	92	7	71
Other	106	1	26	25	27	9	11	6	1	-	-
Urban	16,922	45	2,644	5,643	4,318	2,560	1,375	295	19	-	23
White, mother native	10,527	4	1,223	3,622	2,949	1,725	819	171	7	-	7
White, mother foreign	61	-	8	24	17	9	2	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	6,307	41	1,409	1,990	1,345	823	549	123	11	-	16
Other	26	-	4	7	7	3	4	-	1	-	-
Places of 25,000 to 100,000	3,229	12	479	1,105	848	500	233	46	3	-	3
White, mother native	2,012	2	195	699	581	371	147	22	1	-	1
White, mother foreign	14	-	1	4	8	-	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,197	10	283	403	259	129	85	24	2	-	2
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	6,663	12	1,034	2,237	1,719	1,008	521	116	5	-	11
White, mother native	4,150	1	495	1,457	1,191	639	294	67	3	-	3
White, mother foreign	23	-	1	9	8	3	1	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2,485	11	538	770	518	364	226	48	2	-	8
Other	5	-	-	1	2	2	-	-	-	-	-
Places of 2,500 to 10,000	7,030	21	1,131	2,301	1,751	1,052	621	133	11	-	9
White, mother native	4,359	1	533	1,467	1,177	715	378	82	3	-	3
White, mother foreign	24	-	6	11	1	6	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	2,625	20	588	817	568	330	238	51	7	-	6
Other	21	-	4	6	5	1	4	-	1	-	-
Rural	44,768	263	8,412	13,440	9,924	6,676	4,475	1,363	121	9	85
White, mother native	19,331	15	2,642	6,183	4,743	3,122	1,951	604	40	2	29
White, mother foreign	52	-	7	21	11	6	6	-	-	-	1
White, mother's nativity not stated	3	-	3	-	-	-	-	-	-	-	-
Negro	25,302	247	5,738	7,218	5,150	3,542	2,511	753	81	7	55
Other	80	1	22	18	20	6	7	6	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
MISSOURI	80,684	78	8,928	26,442	21,728	13,905	7,404	1,954	129	3	113
White, mother native	73,932	32	7,547	24,317	20,283	12,962	6,773	1,793	122	3	100
White, mother foreign	699	-	18	183	177	146	137	36	1	-	1
White, mother's nativity not stated	6	-	1	-	-	1	1	1	-	-	2
Negro	6,006	46	1,357	1,924	1,257	792	492	122	6	-	10
Other	41	-	5	18	11	4	1	2	-	-	-
Urban	47,073	54	5,119	15,902	13,183	8,043	3,857	846	40	1	28
White, mother native	41,474	13	3,978	14,101	11,951	7,262	3,366	725	37	1	20
White, mother foreign	565	-	9	134	148	123	119	31	-	-	1
White, mother's nativity not stated	3	-	-	-	-	1	-	1	-	-	1
Negro	5,000	41	1,128	1,653	1,074	635	372	88	3	-	6
Other	31	-	4	14	10	2	-	1	-	-	-
Places of 100,000 or more	28,270	40	3,060	9,449	7,998	4,942	2,278	480	17	1	5
White, mother native	23,587	5	2,099	7,925	6,952	4,310	1,894	384	15	1	2
White, mother foreign	420	-	8	84	111	97	92	28	-	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	1	-	-	-
Negro	4,237	35	950	1,428	929	532	292	66	2	-	3
Other	24	-	3	12	6	2	-	1	-	-	-
Places of 25,000 to 100,000	4,614	1	522	1,657	1,254	731	354	81	6	-	8
White, mother native	4,452	1	505	1,604	1,221	707	327	76	6	-	5
White, mother foreign	60	-	1	21	12	7	15	3	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	100	-	16	31	20	17	12	2	-	-	2
Other	2	-	-	1	1	-	-	-	-	-	-
Places of 10,000 to 25,000	6,172	3	587	2,059	1,776	1,088	532	121	4	-	2
White, mother native	5,802	1	501	1,945	1,701	1,038	499	112	4	-	1
White, mother foreign	52	-	-	15	18	14	7	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	316	2	86	99	58	36	26	9	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000	8,017	10	950	2,737	2,155	1,282	693	164	13	-	13
White, mother native	7,633	6	873	2,627	2,077	1,227	648	153	12	-	12
White, mother foreign	33	-	-	14	9	5	5	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	347	4	76	95	67	50	42	11	1	-	1
Other	4	-	1	1	2	-	-	-	-	-	-
Rural	33,611	24	3,809	10,540	8,545	5,862	3,547	1,108	89	2	85
White, mother native	32,458	19	3,569	10,216	8,332	5,680	3,407	1,068	85	2	80
White, mother foreign	134	-	9	49	29	23	18	5	1	-	-
White, mother's nativity not stated	3	-	1	-	-	-	1	-	-	-	1
Negro	1,006	55	229	271	183	157	120	34	3	-	4
Other	10	-	1	4	1	2	1	1	-	-	-
MONTANA	12,858	5	1,082	4,214	3,814	2,293	1,107	285	26	-	22
White, mother native	11,791	5	989	3,903	3,556	2,094	960	248	16	-	20
White, mother foreign	437	-	12	120	101	86	82	31	4	-	1
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	10	-	2	1	4	2	1	-	-	-	-
Other	619	-	79	190	153	111	63	16	6	-	1
Urban	6,338	3	519	2,095	1,908	1,171	509	113	9	-	10
White, mother native	6,070	3	503	2,021	1,848	1,110	471	98	7	-	9
White, mother foreign	220	-	5	59	54	50	34	15	2	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	7	-	2	1	2	2	-	-	-	-	-
Other	41	-	9	14	5	9	4	-	-	-	-
Places of 25,000 to 100,000	1,787	1	137	586	548	338	162	32	2	-	1
White, mother native	1,704	1	130	541	529	319	151	30	2	-	1
White, mother foreign	72	-	2	21	19	18	10	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	1	-	-	-	-	-	-	-	-
Other	10	-	4	4	-	1	1	-	-	-	-
Places of 10,000 to 25,000	2,134	1	167	710	616	424	169	37	6	-	4
White, mother native	2,057	1	164	692	597	407	159	29	4	-	4
White, mother foreign	64	-	1	15	16	13	9	8	2	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	6	-	1	1	2	2	-	-	-	-	-
Other	7	-	1	2	1	2	1	-	-	-	-
Places of 2,500 to 10,000	2,417	1	215	819	745	409	178	44	1	-	5
White, mother native	2,308	1	209	786	722	384	161	39	1	-	4
White, mother foreign	84	-	2	23	19	19	15	5	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	24	-	4	8	4	6	2	-	-	-	-
Rural	6,520	2	563	2,119	1,905	1,122	598	192	17	-	12
White, mother native	5,721	2	486	1,882	1,708	984	489	150	9	-	11
White, mother foreign	217	-	7	61	47	36	48	16	2	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	3	-	-	-	2	-	1	-	-	-	-
Other	578	-	70	176	148	102	59	16	6	-	1
NEBRASKA	28,052	6	2,186	9,324	8,426	4,954	2,416	665	45	-	30
White, mother native	27,131	5	2,059	9,057	8,232	4,793	2,308	618	37	-	24
White, mother foreign	337	-	10	66	75	76	66	35	7	-	2
White, mother's nativity not stated	9	-	1	2	1	3	1	1	-	-	-
Negro	396	1	89	144	72	54	22	12	-	-	2
Other	179	-	27	55	46	28	19	1	1	-	2

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
NEBRASKA—Continued											
Urban	13,583	3	1,128	4,776	4,081	2,307	999	257	21	-	11
White, mother native	12,929	2	1,024	4,577	3,951	2,198	931	223	15	-	8
White, mother foreign	197	-	7	36	41	46	40	21	5	-	1
White, mother's nativity not stated	5	-	1	1	1	1	1	-	-	-	-
Negro	394	1	88	143	72	54	22	12	-	-	2
Other	58	-	8	19	16	8	5	1	1	-	-
Places of 100,000 or more	5,775	2	445	1,960	1,727	1,032	482	114	9	-	4
White, mother native	5,283	1	354	1,797	1,639	960	434	90	6	-	2
White, mother foreign	101	-	2	19	20	19	25	13	3	-	-
White, mother's nativity not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	360	1	85	131	64	47	19	11	-	-	2
Other	29	-	4	12	4	5	4	-	-	-	-
Places of 25,000 to 100,000	2,083	-	141	760	649	361	133	37	1	-	1
White, mother native	2,035	-	139	749	638	347	128	32	1	-	1
White, mother foreign	24	-	-	2	5	9	4	4	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	18	-	2	7	3	5	1	-	-	-	-
Other	6	-	-	2	3	-	-	1	-	-	-
Places of 10,000 to 25,000	2,726	1	266	971	855	400	179	45	7	-	2
White, mother native	2,661	1	259	956	836	387	171	44	5	-	2
White, mother foreign	44	-	5	11	9	11	6	-	2	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	10	-	1	3	4	-	1	1	-	-	-
Other	10	-	1	1	5	2	1	-	-	-	-
Places of 2,500 to 10,000	2,999	-	276	1,085	950	514	205	61	4	-	4
White, mother native	2,950	-	272	1,075	838	504	198	57	3	-	3
White, mother foreign	28	-	-	4	7	7	5	4	-	-	1
White, mother's nativity not stated	2	-	1	-	-	-	1	-	-	-	-
Negro	6	-	-	2	1	2	1	-	-	-	-
Other	13	-	3	4	4	1	-	-	1	-	-
Rural	14,469	3	1,058	4,546	4,345	2,647	1,417	408	24	-	19
White, mother native	14,202	3	1,035	4,480	4,281	2,595	1,377	393	22	-	16
White, mother foreign	140	-	3	30	34	30	26	14	2	-	1
White, mother's nativity not stated	4	-	-	1	-	2	-	1	-	-	-
Negro	2	-	1	1	-	-	-	-	-	-	-
Other	121	-	19	36	30	20	14	-	-	-	2
NEVADA	3,283	2	329	1,113	958	523	278	69	6	1	4
White, mother native	2,946	2	284	1,023	867	466	244	55	2	1	2
White, mother foreign	90	-	3	18	28	19	14	8	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	87	-	17	27	22	13	7	1	-	-	-
Other	159	-	25	44	41	25	13	5	4	-	2
Urban	1,606	-	133	583	487	256	139	26	2	-	-
White, mother native	1,482	-	115	527	457	232	127	23	1	-	-
White, mother foreign	47	-	1	10	11	15	7	3	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	62	-	15	19	15	8	5	-	-	-	-
Other	14	-	2	6	4	1	-	-	1	-	-
Places of 10,000 to 25,000	752	-	52	254	249	124	66	6	1	-	-
White, mother native	710	-	48	239	243	112	61	6	1	-	-
White, mother foreign	25	-	-	7	3	10	5	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	7	-	2	3	1	1	-	-	-	-	-
Other	9	-	2	4	2	1	-	-	-	-	-
Places of 2,500 to 10,000	854	-	81	309	238	132	73	20	1	-	-
White, mother native	772	-	67	288	214	120	66	17	-	-	-
White, mother foreign	22	-	1	3	8	5	2	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	55	-	13	18	14	7	5	-	-	-	-
Other	5	-	-	2	2	-	-	-	1	-	-
Rural	1,677	2	196	550	471	267	139	43	4	1	4
White, mother native	1,464	2	169	498	410	234	117	32	1	1	2
White, mother foreign	43	-	2	8	17	4	7	5	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	25	-	2	8	7	5	2	1	-	-	-
Other	145	-	23	38	37	24	13	5	3	-	2
NEW HAMPSHIRE	11,092	3	797	3,578	3,378	2,031	1,018	246	32	-	9
White, mother native	10,404	3	785	3,443	3,186	1,869	886	199	24	-	9
White, mother foreign	669	-	10	127	183	162	132	47	8	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	16	-	1	8	7	-	-	-	-	-	-
Other	2	-	1	-	1	-	-	-	-	-	-
Urban	6,463	1	432	2,106	2,012	1,194	559	134	19	-	6
White, mother native	5,979	1	424	2,020	1,879	1,069	464	104	12	-	6
White, mother foreign	467	-	6	78	126	125	95	30	7	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	14	-	1	8	5	-	-	-	-	-	-
Other	2	-	1	-	1	-	-	-	-	-	-
Places of 25,000 to 100,000	3,211	-	161	1,002	1,074	605	288	73	7	-	1
White, mother native	2,945	-	158	960	992	542	234	54	4	-	1
White, mother foreign	254	-	2	35	78	63	54	19	3	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	10	-	1	7	2	-	-	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
NEW HAMPSHIRE—Continued											
Places of 10,000 to 25,000	2,406	1	194	821	701	430	203	42	10	-	4
White, mother native	2,233	1	191	784	661	379	170	36	7	-	4
White, mother foreign	168	-	2	36	37	51	33	6	3	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	-	1	3	-	-	-	-	-	-
Other	1	-	1	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	846	-	77	283	237	159	68	19	2	-	1
White, mother native	801	-	75	276	226	148	60	14	1	-	1
White, mother foreign	45	-	2	7	11	11	8	5	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	4,629	2	365	1,472	1,366	837	459	112	13	-	3
White, mother native	4,425	2	361	1,423	1,307	800	422	95	12	-	3
White, mother foreign	202	-	4	49	57	37	37	17	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	-	2	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY	95,218	38	4,582	26,738	32,141	20,723	9,077	1,781	82	3	53
White, mother native	83,859	15	3,342	23,443	29,267	18,747	7,612	1,344	50	2	37
White, mother foreign	4,756	-	86	867	1,276	1,156	1,026	321	20	-	4
White, mother's nativity not stated	5	-	1	1	-	1	1	-	-	-	1
Negro	6,535	23	1,152	2,408	1,576	804	435	114	11	1	11
Other	63	-	1	19	22	15	3	2	1	-	-
Urban	77,181	26	3,511	21,417	26,310	17,030	7,394	1,378	67	3	45
White, mother native	67,447	12	2,436	18,572	23,868	15,325	6,134	1,024	42	2	32
White, mother foreign	4,117	-	73	734	1,112	1,019	898	262	15	-	4
White, mother's nativity not stated	3	-	-	-	-	1	1	-	-	-	1
Negro	5,587	14	1,001	2,103	1,322	678	361	90	9	1	8
Other	27	-	1	8	8	7	-	2	1	-	-
Places of 100,000 or more	26,979	14	1,537	8,049	8,897	5,622	2,358	446	24	1	26
White, mother native	22,367	5	924	6,584	7,792	4,873	1,851	302	17	1	18
White, mother foreign	1,468	-	25	248	379	375	327	105	9	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	1
Negro	3,137	9	588	1,215	725	371	180	39	3	-	7
Other	5	-	-	2	1	2	-	-	-	-	-
Places of 25,000 to 100,000	21,725	3	772	5,742	7,691	5,001	2,091	400	16	-	9
White, mother native	19,175	1	556	5,073	6,999	4,516	1,727	289	9	-	5
White, mother foreign	1,355	-	27	224	400	334	283	80	3	-	4
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,183	2	188	440	290	150	81	29	3	-	-
Other	12	-	1	5	2	1	-	2	1	-	-
Places of 10,000 to 25,000	13,939	3	567	3,769	4,779	3,124	1,404	275	11	1	6
White, mother native	12,493	2	445	3,354	4,393	2,874	1,185	226	7	1	6
White, mother foreign	648	-	8	120	176	154	152	36	2	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	791	1	114	294	207	94	66	13	2	-	-
Other	6	-	-	1	3	2	-	-	-	-	-
Places of 2,500 to 10,000	14,538	6	635	3,857	4,943	3,283	1,541	257	11	1	4
White, mother native	13,412	4	511	3,561	4,684	3,062	1,371	207	9	-	3
White, mother foreign	646	-	13	142	157	156	136	41	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	476	2	111	154	100	63	34	9	1	1	1
Other	4	-	-	-	2	2	-	-	-	-	-
Rural	18,037	12	1,071	5,321	5,831	3,693	1,683	403	15	-	8
White, mother native	16,412	3	906	4,871	5,399	3,422	1,478	320	8	-	5
White, mother foreign	639	-	13	133	164	137	128	59	5	-	-
White, mother's nativity not stated	2	-	1	1	-	-	-	-	-	-	-
Negro	948	9	151	305	254	126	74	24	2	-	3
Other	36	-	-	11	14	8	3	-	-	-	-
NEW MEXICO	18,087	16	2,161	5,826	4,538	3,040	1,838	571	65	1	31
White, mother native	16,278	11	1,958	5,342	4,079	2,730	1,604	493	46	-	15
White, mother foreign	392	-	19	59	101	79	96	35	3	-	-
White, mother's nativity not stated	4	-	-	3	1	-	-	-	-	-	-
Negro	179	1	38	49	41	31	19	-	-	-	-
Other	1,234	4	146	373	316	200	119	43	16	1	16
Urban	7,267	3	932	2,480	1,867	1,191	611	173	9	-	1
White, mother native	6,869	2	885	2,391	1,760	1,114	553	156	7	-	1
White, mother foreign	164	-	9	28	42	34	34	16	1	-	-
White, mother's nativity not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	136	1	30	33	36	24	12	-	-	-	-
Other	96	-	8	26	29	19	12	1	1	-	-
Places of 25,000 to 100,000	1,263	-	116	446	341	224	110	23	3	-	-
White, mother native	1,205	-	110	434	327	210	99	23	2	-	-
White, mother foreign	27	-	1	4	9	5	8	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	5	-	3	-	1	1	-	-	-	-	-
Other	25	-	2	7	4	8	3	-	1	-	-
Places of 10,000 to 25,000	2,294	1	301	813	571	361	202	43	2	-	-
White, mother native	2,173	-	280	783	540	335	191	43	1	-	-
White, mother foreign	22	-	3	4	5	8	3	-	1	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	81	1	16	19	22	18	7	-	-	-	-
Other	17	-	2	6	4	4	1	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
NEW MEXICO—Continued											
Places of 2,500 to 10,000	3,710	2	515	1,221	955	606	299	107	4	-	1
White, mother native	3,491	2	495	1,174	893	589	263	90	4	-	1
White, mother foreign	115	-	5	20	28	23	23	16	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	50	-	11	14	13	7	5	-	-	-	-
Other	54	-	4	13	21	7	8	1	-	-	-
Rural	10,820	13	1,229	3,348	2,671	1,849	1,227	398	56	1	30
White, mother native	9,409	9	1,073	2,951	2,319	1,616	1,051	337	39	-	14
White, mother foreign	228	-	10	31	59	45	62	19	2	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	43	-	8	16	5	7	7	-	-	-	-
Other	1,138	4	138	347	287	181	107	42	15	1	16
NEW YORK	236,546	100	14,236	78,740	92,875	64,024	29,935	5,995	294	7	340
White, mother native	247,166	40	10,970	68,823	83,507	55,504	23,632	4,208	195	5	282
White, mother foreign	22,074	-	335	3,483	5,196	6,178	5,221	1,541	83	-	37
White, mother's nativity not stated	31	-	2	9	8	3	4	-	-	-	5
Negro	16,727	59	2,891	6,243	4,004	2,234	1,054	230	14	2	18
Other	548	1	38	182	160	105	44	16	2	-	-
Urban	235,299	84	10,974	63,705	77,448	53,572	24,349	4,635	208	7	317
White, mother native	196,786	28	7,863	54,419	68,758	45,688	18,608	3,027	130	5	260
White, mother foreign	19,909	-	296	3,080	4,693	5,638	4,715	1,388	63	-	36
White, mother's nativity not stated	14	-	-	4	3	1	1	-	-	-	5
Negro	16,223	56	2,790	6,094	3,882	2,169	999	212	13	2	16
Other	367	-	25	118	112	76	26	8	2	-	-
Places of 100,000 or more	181,834	71	8,079	47,671	60,265	42,552	19,195	3,544	153	4	300
White, mother native	149,403	19	5,252	39,408	52,677	35,525	14,053	2,137	86	3	243
White, mother foreign	17,223	-	229	2,552	3,940	4,998	4,207	1,209	52	-	36
White, mother's nativity not stated	8	-	-	2	1	-	-	-	-	-	5
Negro	14,871	52	2,578	5,604	3,548	1,956	912	191	13	1	16
Other	329	-	20	105	99	73	23	7	2	-	-
Places of 25,000 to 100,000	18,266	6	1,055	5,598	5,911	3,724	1,627	328	13	1	3
White, mother native	16,584	4	923	5,149	5,442	3,401	1,395	255	12	-	3
White, mother foreign	986	-	18	202	295	219	187	64	1	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	685	2	112	244	169	104	44	9	-	1	-
Other	10	-	2	3	4	-	1	-	-	-	-
Places of 10,000 to 25,000	19,494	1	1,031	5,833	6 277	3,979	1,947	395	23	1	7
White, mother native	18,064	1	934	5,473	5,902	3,658	1,746	325	17	1	7
White, mother foreign	963	-	31	196	257	238	173	62	6	-	-
White, mother's nativity not stated	3	-	-	1	1	1	-	-	-	-	-
Negro	451	-	65	161	112	80	26	7	-	-	-
Other	13	-	1	2	5	2	2	1	-	-	-
Places of 2,500 to 10,000	15,705	6	809	4,603	4,995	3,317	1,580	368	19	1	7
White, mother native	14,735	4	754	4,389	4,737	3,104	1,414	310	15	1	7
White, mother foreign	737	-	18	130	201	183	148	53	4	-	-
White, mother's nativity not stated	2	-	-	1	-	-	1	-	-	-	-
Negro	216	2	35	75	53	29	17	5	-	-	-
Other	15	-	2	8	4	1	-	-	-	-	-
Rural	51,247	16	3,262	15,035	15,427	10,452	5,586	1,360	86	-	23
White, mother native	48,380	12	3,107	14,404	14,749	9,816	5,024	1,181	65	-	22
White, mother foreign	2,165	-	39	403	503	540	506	153	20	-	1
White, mother's nativity not stated	17	-	2	5	5	2	3	-	-	-	-
Negro	504	3	101	159	122	65	35	18	1	-	-
Other	181	1	13	64	48	29	18	8	-	-	-
NORTH CAROLINA	100,679	241	14,680	33,027	24,963	15,625	8,997	2,650	258	6	232
White, mother native	70,868	54	8,584	23,723	18,403	11,533	6,455	1,826	164	5	121
White, mother foreign	180	1	10	79	41	24	16	7	1	-	1
White, mother's nativity not stated	14	-	1	2	3	-	-	1	-	-	7
Negro	28,563	184	5,950	8,876	6,269	3,902	2,406	789	88	1	98
Other	1,054	2	135	347	247	166	120	27	5	-	5
Urban	29,427	65	4,060	10,292	7,745	4,568	2,184	437	29	1	46
White, mother native	21,522	11	2,235	7,671	6,036	3,584	1,637	310	15	1	22
White, mother foreign	100	-	3	42	23	17	10	4	1	-	-
White, mother's nativity not stated	5	-	1	1	-	-	-	-	-	-	3
Negro	7,783	54	1,819	2,573	1,680	965	535	123	13	-	21
Other	17	-	2	5	6	2	2	-	-	-	-
Places of 100,000 or more	2,996	10	382	1,009	845	465	235	44	5	-	1
White, mother native	2,172	3	205	734	652	366	182	27	2	-	1
White, mother foreign	15	-	1	4	5	2	2	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	809	7	176	271	188	97	51	16	3	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	11,613	21	1,594	4,071	3,032	1,830	878	170	7	-	10
White, mother native	8,032	2	777	2,900	2,246	1,368	615	116	5	-	3
White, mother foreign	49	-	2	21	11	10	4	1	-	-	-
White, mother's nativity not stated	2	-	1	-	-	-	-	-	-	-	1
Negro	3,529	19	814	1,150	775	451	259	53	2	-	6
Other	1	-	-	-	-	1	-	-	-	-	-
Places of 10,000 to 25,000	7,686	20	1,103	2,761	1,998	1,150	545	95	8	-	8
White, mother native	5,632	2	609	2,059	1,583	894	413	65	4	-	3
White, mother foreign	18	-	-	9	3	2	3	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	2,032	18	494	691	409	254	129	29	4	-	4
Other	3	-	-	2	1	-	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
NORTH CAROLINA—Continued											
Places of 2,500 to 10,000	7,132	14	981	2,451	1,872	1,123	526	128	9	1	27
White, mother native	5,686	4	644	1,978	1,555	956	427	102	4	1	15
White, mother foreign	18	-	-	8	4	3	1	1	1	-	-
White, mother's nativity not stated	2	-	-	1	-	-	-	-	-	-	1
Negro	1,413	10	335	461	308	163	96	25	4	-	11
Other	13	-	2	3	5	1	2	-	-	-	-
Rural	71,252	176	10,620	22,735	17,218	11,057	6,813	2,213	229	5	186
White, mother native	49,346	43	6,349	16,052	12,367	7,949	4,818	1,516	149	4	99
White, mother foreign	80	1	7	37	18	7	6	3	-	-	1
White, mother's nativity not stated	9	-	-	1	3	-	-	1	-	-	4
Negro	20,780	130	4,131	6,303	4,589	2,937	1,871	666	75	1	77
Other	1,037	2	133	342	241	164	118	27	5	-	5
NORTH DAKOTA	15,264	3	968	4,586	4,393	3,042	1,656	525	39	1	51
White, mother native	14,545	3	915	4,396	4,243	2,919	1,530	463	30	1	45
White, mother foreign	345	-	7	69	72	61	84	43	8	-	1
White, mother's nativity not stated	3	-	-	2	-	1	-	-	-	-	-
Negro	3	-	1	1	-	1	-	-	-	-	-
Other	368	-	45	118	78	60	42	19	1	-	5
Urban	4,058	-	239	1,316	1,222	794	373	103	3	1	7
White, mother native	3,941	-	232	1,281	1,199	766	357	95	3	1	7
White, mother foreign	92	-	3	25	19	23	14	8	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	1	-	1	-	-	-	-	-	-	-	-
Other	23	-	3	9	4	5	2	-	-	-	-
Places of 25,000 to 100,000	870	-	39	258	293	181	81	16	1	-	1
White, mother native	850	-	39	250	288	177	78	16	1	-	1
White, mother foreign	18	-	-	7	5	4	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	2	-	-	1	-	-	1	-	-	-	-
Places of 10,000 to 25,000	1,657	-	102	550	472	335	149	44	2	-	3
White, mother native	1,611	-	99	541	463	318	143	42	2	-	3
White, mother foreign	36	-	3	6	6	14	5	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	10	-	-	3	3	3	1	-	-	-	-
Places of 2,500 to 10,000	1,531	-	98	508	457	278	143	43	-	1	3
White, mother native	1,480	-	94	490	448	271	136	37	-	1	3
White, mother foreign	38	-	-	12	8	5	7	6	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	1	-	1	-	-	-	-	-	-	-	-
Other	11	-	3	5	1	2	-	-	-	-	-
Rural	11,206	3	729	3,270	3,171	2,248	1,283	422	36	-	44
White, mother native	10,604	3	683	3,115	3,044	2,153	1,173	368	27	-	38
White, mother foreign	253	-	4	44	53	38	70	35	8	-	1
White, mother's nativity not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	2	-	-	1	-	1	-	-	-	-	-
Other	345	-	42	109	74	55	40	19	1	-	5
OHIO	169,600	81	13,611	55,669	51,026	30,675	14,453	3,582	237	6	230
White, mother native	156,512	57	11,595	51,436	47,906	28,703	13,218	3,197	206	5	209
White, mother foreign	3,158	-	67	708	822	723	600	223	13	-	2
White, mother's nativity not stated	23	-	2	7	3	2	5	1	-	-	3
Negro	9,809	44	1,944	3,505	2,262	1,228	626	166	18	1	15
Other	98	-	3	33	33	19	4	5	-	-	1
Urban	119,438	60	9,321	39,646	36,878	21,655	9,553	2,070	124	3	128
White, mother native	107,477	19	7,420	35,723	34,036	19,864	8,464	1,739	96	2	114
White, mother foreign	2,673	-	56	587	692	635	513	179	11	-	-
White, mother's nativity not stated	15	-	2	6	1	1	2	1	-	-	2
Negro	9,182	41	1,842	3,299	2,116	1,137	571	147	17	1	11
Other	91	-	1	31	33	18	3	4	-	-	1
Places of 100,000 or more	70,204	47	5,527	23,323	21,885	12,633	5,487	1,155	72	2	73
White, mother native	60,762	10	3,944	20,199	19,653	11,260	4,671	910	51	1	63
White, mother foreign	1,841	-	37	389	472	448	361	126	8	-	-
White, mother's nativity not stated	7	-	1	4	1	1	-	-	-	-	-
Negro	7,512	37	1,544	2,700	1,732	908	453	115	13	1	9
Other	82	-	1	31	27	16	2	4	-	-	1
Places of 25,000 to 100,000	18,697	7	1,546	6,360	5,676	3,321	1,427	329	14	-	17
White, mother native	17,506	5	1,381	5,967	5,378	3,142	1,313	293	12	-	15
White, mother foreign	331	-	6	81	101	69	52	22	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	1	-	-	-
Negro	855	2	159	312	194	109	62	13	2	-	2
Other	4	-	-	-	3	1	-	-	-	-	-
Places of 10,000 to 25,000	13,960	-	1,036	4,580	4,264	2,601	1,204	245	20	1	9
White, mother native	13,304	-	974	4,384	4,103	2,484	1,113	219	17	1	9
White, mother foreign	288	-	5	66	65	55	60	16	1	-	-
White, mother's nativity not stated	2	-	-	1	-	-	1	-	-	-	-
Negro	384	-	57	129	95	62	29	10	2	-	-
Other	2	-	-	-	1	-	1	-	-	-	-
Places of 2,500 to 10,000	16,577	6	1,212	5,383	5,053	3,100	1,435	341	18	-	29
White, mother native	15,905	4	1,121	5,173	4,902	2,978	1,367	317	16	-	27
White, mother foreign	233	-	8	51	54	63	40	15	2	-	-
White, mother's nativity not stated	5	-	1	1	-	-	1	-	-	-	2
Negro	431	2	82	158	95	58	27	9	-	-	-
Other	3	-	-	-	2	1	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
OHIO—Continued											
Rural	50,162	21	4,290	16,043	14,148	9,020	4,900	1,522	113	3	102
White, mother native	49,035	18	4,175	15,713	13,870	8,839	4,754	1,458	110	3	95
White, mother foreign	485	-	11	121	130	88	87	44	2	-	2
White, mother's nativity not stated	8	-	-	1	2	1	3	-	-	-	1
Negro	627	3	102	206	146	91	55	19	1	-	4
Other	7	-	2	2	-	1	1	1	-	-	-
OKLAHOMA	50,416	67	7,237	17,653	12,452	7,506	4,127	1,231	86	2	55
White, mother native	44,610	32	6,103	15,858	11,196	6,657	3,600	1,058	72	2	32
White, mother foreign	222	-	16	96	48	21	26	13	1	-	1
White, mother's nativity not stated	11	1	1	4	1	2	2	-	-	-	-
Negro	3,387	31	787	994	708	472	268	101	10	-	16
Other	2,186	3	330	701	499	354	231	59	3	-	6
Urban	26,271	33	3,714	9,831	6,731	3,699	1,807	409	24	-	23
White, mother native	23,401	9	3,071	8,895	6,078	3,344	1,607	361	24	-	12
White, mother foreign	148	-	11	70	35	13	14	5	-	-	-
White, mother's nativity not stated	7	1	1	2	1	1	1	-	-	-	-
Negro	2,077	21	524	639	462	249	137	36	-	-	9
Other	638	2	107	225	155	92	48	7	-	-	2
Places of 100,000 or more	10,206	10	1,328	3,827	2,641	1,502	718	168	5	-	6
White, mother native	9,096	4	1,075	3,454	2,398	1,358	644	155	5	-	3
White, mother foreign	69	-	2	31	18	8	6	4	-	-	-
White, mother's nativity not stated	2	1	-	-	1	-	-	-	-	-	-
Negro	912	4	231	291	200	117	57	9	-	-	3
Other	126	1	20	51	24	19	11	-	-	-	-
Places of 25,000 to 100,000	1,755	3	238	658	472	241	117	24	1	-	2
White, mother native	1,498	1	193	575	409	211	93	16	1	-	-
White, mother foreign	14	-	-	9	2	1	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	222	2	43	60	57	28	22	8	-	-	2
Other	22	-	2	14	5	1	-	-	-	-	-
Places of 10,000 to 25,000	7,084	13	1,004	2,698	1,828	940	478	107	7	-	9
White, mother native	6,310	3	821	2,449	1,652	847	435	91	7	-	5
White, mother foreign	36	-	2	18	11	3	1	1	-	-	-
White, mother's nativity not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	537	9	146	164	117	60	25	13	-	-	3
Other	199	1	35	65	48	30	17	2	-	-	1
Places of 2,500 to 10,000	7,226	7	1,144	2,648	1,790	1,016	494	110	11	-	6
White, mother native	6,497	1	982	2,417	1,620	928	435	99	11	-	4
White, mother foreign	29	-	7	12	4	1	5	-	-	-	-
White, mother's nativity not stated	3	-	1	-	-	1	1	-	-	-	-
Negro	406	6	104	124	88	44	33	6	-	-	1
Other	291	-	50	95	78	42	20	5	-	-	1
Rural	24,145	34	3,523	7,822	5,721	3,807	2,320	822	62	2	32
White, mother native	21,209	23	3,032	6,963	5,118	3,313	1,983	697	48	2	20
White, mother foreign	74	-	5	26	13	8	12	8	1	-	1
White, mother's nativity not stated	4	-	-	2	-	1	1	-	-	-	-
Negro	1,310	10	263	355	246	223	131	65	10	-	7
Other	1,548	1	223	476	344	262	183	52	3	-	4
OREGON	30,076	9	2,722	10,276	8,618	5,357	2,451	533	40	1	69
White, mother native	28,597	7	2,628	9,860	8,201	5,025	2,290	484	33	1	68
White, mother foreign	904	-	18	225	259	230	128	40	4	-	-
White, mother's nativity not stated	3	-	-	1	1	1	-	-	-	-	-
Negro	263	2	39	88	75	41	14	3	1	-	-
Other	309	-	37	102	82	60	19	6	2	-	1
Urban	16,744	7	1,375	5,801	4,929	3,021	1,324	248	19	-	20
White, mother native	15,860	5	1,329	5,566	4,662	2,816	1,224	222	16	-	20
White, mother foreign	594	-	13	146	165	163	84	22	1	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	169	2	29	54	47	24	9	3	1	-	-
Other	100	-	4	35	34	18	7	1	1	-	-
Places of 100,000 or more	9,435	6	674	3,082	2,896	1,825	791	147	11	-	3
White, mother native	8,797	4	641	2,918	2,706	1,674	717	126	8	-	3
White, mother foreign	416	-	4	92	123	119	59	18	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	157	2	26	50	43	23	9	3	1	-	-
Other	65	-	3	22	24	9	6	-	1	-	-
Places of 25,000 to 100,000	814	-	60	313	205	143	69	16	2	-	6
White, mother native	789	-	60	302	202	136	65	16	2	-	6
White, mother foreign	25	-	-	11	3	7	4	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,571	-	248	942	718	435	189	34	1	-	4
White, mother native	2,508	-	246	923	701	424	176	33	1	-	4
White, mother foreign	53	-	1	14	14	11	12	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	1	1	1	-	-	-	-	-	-
Other	7	-	-	4	2	-	1	-	-	-	-
Places of 2,500 to 10,000	3,924	1	393	1,464	1,110	618	275	51	5	-	7
White, mother native	3,786	1	382	1,423	1,073	582	266	47	5	-	7
White, mother foreign	100	-	8	29	25	26	9	3	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	9	-	2	3	3	1	-	-	-	-	-
Other	28	-	1	9	8	9	-	1	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
OREGON—Continued											
Rural	13,332	2	1,347	4,475	3,689	2,338	1,127	285	21	1	49
White, mother native	12,717	2	1,299	4,294	3,519	2,209	1,066	282	17	1	48
White, mother foreign	310	-	5	79	94	67	44	18	3	-	-
White, mother's nativity not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	94	-	10	34	28	17	5	-	-	-	-
Other	209	-	33	67	48	42	12	5	1	-	1
PENNSYLVANIA	218,376	113	15,439	68,703	67,322	42,030	19,582	4,753	310	14	100
White, mother native	200,486	44	12,732	63,150	63,263	39,138	17,660	4,141	260	13	85
White, mother foreign	4,948	1	127	1,035	1,130	1,181	1,051	381	38	-	4
White, mother's nativity not stated	15	-	-	2	4	3	1	2	-	-	3
Negro	12,871	68	2,578	4,496	2,911	1,697	863	237	12	1	8
Other	56	-	2	20	14	11	7	2	-	-	-
Urban	149,881	87	9,552	46,755	47,822	29,500	13,066	2,886	163	10	50
White, mother native	133,885	22	7,050	41,719	44,184	26,983	11,400	2,382	128	9	38
White, mother foreign	4,016	1	97	826	925	979	876	285	25	-	2
White, mother's nativity not stated	13	-	-	2	3	3	-	2	-	-	3
Negro	11,918	64	2,403	4,189	2,696	1,549	784	215	10	1	7
Other	49	-	2	19	14	6	6	2	-	-	-
Places of 100,000 or more	66,880	57	4,537	20,211	21,457	13,361	5,882	1,270	77	5	23
White, mother native	55,160	5	2,554	16,467	18,838	11,556	4,722	941	59	4	14
White, mother foreign	2,235	1	40	406	498	587	533	159	11	-	-
White, mother's nativity not stated	7	-	-	2	1	1	-	1	-	-	2
Negro	9,437	51	1,941	3,320	2,107	1,211	625	167	7	1	7
Other	41	-	2	16	13	6	2	2	-	-	-
Places of 25,000 to 100,000	28,490	13	1,886	9,069	9,065	5,378	2,496	539	34	1	9
White, mother native	26,602	6	1,610	8,515	8,601	5,065	2,279	468	29	1	8
White, mother foreign	648	-	24	130	159	147	136	46	5	-	1
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	1,238	7	252	423	304	146	81	25	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	25,966	12	1,459	8,277	8,357	5,152	2,185	496	17	2	9
White, mother native	24,530	7	1,282	7,846	8,004	4,885	2,043	445	9	2	7
White, mother foreign	573	-	13	135	154	137	94	34	5	-	1
White, mother's nativity not stated	3	-	-	-	1	-	-	1	-	-	1
Negro	856	5	164	294	197	130	47	16	3	-	-
Other	4	-	-	2	1	-	1	-	-	-	-
Places of 2,500 to 10,000	28,555	5	1,670	9,198	8,943	5,609	2,503	581	35	2	9
White, mother native	27,603	4	1,604	8,891	8,741	5,437	2,356	528	31	2	9
White, mother foreign	560	-	20	155	114	108	113	46	4	-	-
White, mother's nativity not stated	2	-	-	-	-	2	-	-	-	-	-
Negro	387	1	46	152	88	62	31	7	-	-	-
Other	3	-	-	-	-	-	3	-	-	-	-
Rural	68,485	26	5,887	21,948	19,500	12,530	6,516	1,877	147	4	50
White, mother native	66,591	22	5,682	21,431	19,079	12,175	6,260	1,759	132	4	47
White, mother foreign	932	-	30	209	205	202	175	96	13	-	2
White, mother's nativity not stated	2	-	-	-	1	-	1	-	-	-	-
Negro	953	4	175	307	215	148	79	22	2	-	1
Other	7	-	-	1	-	5	1	-	-	-	-
RHODE ISLAND	16,761	4	774	4,828	5,509	3,547	1,699	377	17	-	6
White, mother native	15,375	2	697	4,533	5,177	3,227	1,437	266	11	-	5
White, mother foreign	1,049	-	18	170	250	274	249	82	6	-	1
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	327	2	58	122	80	43	13	9	-	-	-
Other	9	-	1	3	2	2	1	-	-	-	-
Urban	14,874	3	667	4,280	4,876	3,170	1,520	338	15	-	5
White, mother native	13,590	2	597	4,007	4,570	2,871	1,275	255	9	-	4
White, mother foreign	980	-	17	158	230	260	234	74	6	-	1
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	297	1	53	112	74	38	10	9	-	-	-
Other	6	-	-	3	2	-	1	-	-	-	-
Places of 100,000 or more	5,618	1	258	1,689	1,835	1,164	564	123	4	-	-
White, mother native	5,070	-	211	1,529	1,707	1,065	464	93	1	-	-
White, mother foreign	325	-	5	58	73	74	91	21	3	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	217	1	42	79	53	25	8	9	-	-	-
Other	6	-	-	3	2	-	1	-	-	-	-
Places of 25,000 to 100,000	6,761	2	305	1,914	2,197	1,465	701	164	9	-	4
White, mother native	6,186	2	285	1,809	2,057	1,312	588	124	6	-	3
White, mother foreign	502	-	10	76	120	141	111	40	3	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	73	-	10	29	20	12	2	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,909	-	75	533	634	425	200	39	2	-	1
White, mother native	1,781	-	72	511	607	385	175	28	2	-	1
White, mother foreign	122	-	2	19	27	38	25	11	-	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	5	-	1	3	-	1	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	586	-	29	164	210	116	55	12	-	-	-
White, mother native	553	-	29	158	199	109	48	10	-	-	-
White, mother foreign	31	-	-	5	10	7	7	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
RHODE ISLAND—Continued											
Rural	1,887	1	107	548	633	377	179	39	2	-	1
White, mother native	1,785	-	100	526	607	356	162	31	2	-	1
White, mother foreign	69	-	1	12	20	14	14	8	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	30	1	5	10	6	5	3	-	-	-	-
Other	3	-	1	-	-	2	-	-	-	-	-
SOUTH CAROLINA	53,963	136	8,484	18,026	13,380	7,702	4,598	1,184	119	6	328
White, mother native	30,894	19	3,768	10,548	8,301	4,829	2,585	665	49	1	129
White, mother foreign	115	-	13	38	30	16	12	6	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	22,933	117	4,702	7,433	5,044	2,853	1,997	513	70	5	199
Other	20	-	1	7	4	4	4	-	-	-	-
Urban	16,464	45	2,339	5,634	4,476	2,430	1,193	239	17	1	90
White, mother native	11,560	7	1,289	4,009	3,338	1,830	861	169	13	-	44
White, mother foreign	61	-	7	19	15	9	10	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	4,840	38	1,042	1,604	1,123	591	322	69	4	1	48
Other	3	-	1	2	-	-	-	-	-	-	-
Places of 25,000 to 100,000	7,073	27	993	2,465	1,964	996	518	74	4	-	32
White, mother native	4,579	5	459	1,622	1,378	706	346	49	3	-	11
White, mother foreign	42	-	2	13	13	6	8	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2,452	22	532	830	573	284	164	25	1	-	21
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,243	5	436	1,151	858	491	230	47	3	1	22
White, mother native	2,479	-	279	894	670	399	185	35	2	-	15
White, mother foreign	8	-	1	2	1	3	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	756	5	156	255	187	89	44	12	1	-	7
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,148	13	910	2,018	1,654	943	445	118	10	1	36
White, mother native	4,502	2	551	1,493	1,290	725	330	85	8	-	18
White, mother foreign	11	-	4	4	1	-	1	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,632	11	354	519	363	218	114	32	2	1	18
Other	3	-	1	2	-	-	-	-	-	-	-
Rural	37,499	91	6,145	12,392	8,904	5,272	3,405	945	102	5	238
White, mother native	19,334	12	2,479	6,539	4,963	2,999	1,724	496	36	1	85
White, mother foreign	54	-	6	19	15	7	2	5	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	18,093	79	3,660	5,829	3,921	2,262	1,675	444	66	4	153
Other	17	-	-	5	4	4	4	-	-	-	-
SOUTH DAKOTA	14,580	2	1,060	4,562	4,197	2,620	1,521	511	45	1	61
White, mother native	13,743	1	987	4,320	3,987	2,488	1,413	453	42	1	51
White, mother foreign	184	-	4	47	42	34	36	20	1	-	-
White, mother's nativity not stated	5	-	-	2	-	1	2	-	-	-	-
Negro	5	-	-	4	1	-	-	-	-	-	-
Other	643	1	69	189	167	97	70	38	2	-	10
Urban	4,392	1	315	1,439	1,320	758	428	108	7	-	16
White, mother native	4,303	1	310	1,416	1,299	742	413	101	6	-	15
White, mother foreign	46	-	1	12	12	8	11	2	-	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	3	-	-	3	-	-	-	-	-	-	-
Other	39	-	4	8	9	7	4	5	1	-	1
Places of 25,000 to 100,000	1,202	-	82	399	367	214	114	23	2	-	1
White, mother native	1,187	-	81	391	363	212	114	23	2	-	1
White, mother foreign	10	-	1	5	3	1	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	3	-	-	3	-	-	-	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-
Places of 10,000 to 25,000	1,872	1	142	634	555	292	190	43	3	-	12
White, mother native	1,835	1	142	630	543	287	179	39	3	-	11
White, mother foreign	27	-	-	3	8	4	10	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	10	-	-	1	4	1	1	2	-	-	1
Places of 2,500 to 10,000	1,318	-	91	406	398	252	124	42	2	-	3
White, mother native	1,281	-	87	395	393	243	120	39	1	-	3
White, mother foreign	9	-	-	4	1	3	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	28	-	4	7	4	6	3	3	1	-	-
Rural	10,188	1	745	3,123	2,877	1,862	1,093	403	38	1	45
White, mother native	9,440	-	677	2,904	2,688	1,746	1,000	352	36	1	36
White, mother foreign	138	-	3	35	30	26	25	18	1	-	-
White, mother's nativity not stated	4	-	-	2	-	-	2	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-
Other	604	1	65	181	158	90	66	33	1	-	9
TENNESSEE	77,336	137	11,061	25,346	19,044	12,230	7,185	2,081	173	4	75
White, mother native	65,352	49	8,367	21,734	16,544	10,507	6,146	1,791	151	1	62
White, mother foreign	153	-	10	66	36	19	18	4	-	-	-
White, mother's nativity not stated	2	-	-	-	-	-	-	1	-	-	1
Negro	11,822	88	2,684	3,544	2,463	1,702	1,020	284	22	3	12
Other	7	-	-	2	1	2	1	1	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
TENNESSEE—Continued											
Urban	30,588	65	4,508	10,597	7,805	4,732	2,306	533	29	2	11
White, mother native	23,815	17	2,985	8,422	6,399	3,764	1,781	417	24	-	6
White, mother foreign	95	-	8	34	21	13	15	4	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	1	-	-	-
Negro	6,672	48	1,515	2,140	1,385	953	509	110	5	2	5
Other	5	-	-	1	-	2	1	1	-	-	-
Places of 100,000 or more	19,878	49	2,897	6,853	5,066	3,047	1,523	322	13	1	7
White, mother native	14,503	9	1,768	5,159	3,949	2,267	1,099	238	9	-	5
White, mother foreign	74	-	6	25	18	10	13	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	5,298	40	1,223	1,669	1,099	769	410	81	4	1	2
Other	3	-	-	-	-	1	1	1	-	-	-
Places of 25,000 to 100,000	629	1	81	220	157	109	44	14	3	-	-
White, mother native	585	-	77	205	147	99	42	12	3	-	-
White, mother foreign	-	-	-	-	-	-	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	43	1	4	15	10	9	2	2	-	-	-
Other	1	-	-	-	-	1	-	-	-	-	-
Places of 10,000 to 25,000	3,211	3	459	1,181	808	486	219	52	2	-	1
White, mother native	2,736	2	365	1,004	710	425	184	44	2	-	-
White, mother foreign	8	-	1	2	1	3	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	467	1	93	175	97	58	34	8	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,870	12	971	2,343	1,774	1,090	520	145	11	1	3
White, mother native	5,991	6	775	2,054	1,593	973	456	123	10	-	1
White, mother foreign	13	-	1	7	2	-	1	2	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	1	-	-	-
Negro	864	6	195	281	179	117	63	19	1	1	2
Other	1	-	-	1	-	-	-	-	-	-	-
Rural	46,748	72	6,553	14,749	11,239	7,498	4,879	1,548	144	2	64
White, mother native	41,537	32	5,382	13,312	10,145	6,743	4,365	1,374	127	1	56
White, mother foreign	58	-	2	32	15	6	3	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	5,150	40	1,169	1,404	1,078	749	511	174	17	1	7
Other	2	-	-	1	1	-	-	-	-	-	-
TEXAS	181,579	291	25,008	61,227	45,551	28,498	15,999	4,086	358	28	533
White, mother native	151,719	142	19,831	52,742	39,440	23,814	12,182	2,930	222	17	399
White, mother foreign	8,511	7	534	1,722	1,856	1,837	1,876	565	76	6	32
White, mother's nativity not stated	39	-	6	8	8	9	4	2	-	-	2
Negro	21,205	142	4,622	6,719	4,221	2,825	1,924	587	60	5	100
Other	105	-	15	36	26	13	13	2	-	-	-
Urban	112,189	177	15,400	39,296	28,889	17,103	8,855	2,020	150	15	284
White, mother native	94,916	86	12,371	34,187	25,308	14,467	6,744	1,426	91	12	224
White, mother foreign	5,258	1	260	1,086	1,152	1,158	1,197	348	35	2	19
White, mother's nativity not stated	24	-	1	6	5	9	1	-	-	-	2
Negro	11,929	90	2,757	3,995	2,409	1,463	906	245	24	1	39
Other	62	-	11	22	15	6	7	1	-	-	-
Places of 100,000 or more	41,239	55	5,419	14,624	10,923	6,389	3,059	673	44	4	49
White, mother native	34,592	19	4,166	12,557	9,524	5,419	2,360	477	28	3	39
White, mother foreign	1,419	-	40	283	324	330	326	101	11	1	3
White, mother's nativity not stated	13	-	1	6	2	4	-	-	-	-	-
Negro	5,190	36	1,208	1,768	1,066	635	370	95	5	-	7
Other	25	-	4	10	7	1	3	-	-	-	-
Places of 25,000 to 100,000	27,061	40	3,640	9,631	7,070	4,055	2,085	436	28	4	72
White, mother native	22,660	27	2,941	8,340	6,135	3,320	1,532	298	14	3	50
White, mother foreign	1,602	-	59	314	362	411	350	92	9	1	4
White, mother's nativity not stated	9	-	-	-	3	4	1	-	-	-	1
Negro	2,774	13	637	972	566	318	201	45	5	-	17
Other	16	-	3	5	4	2	1	1	-	-	-
Places of 10,000 to 25,000	12,856	24	1,753	4,493	3,306	1,927	1,058	219	20	3	53
White, mother native	10,830	8	1,415	3,895	2,881	1,628	798	151	6	3	45
White, mother foreign	629	-	46	147	148	116	131	34	4	-	3
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,389	16	291	447	276	182	128	34	10	-	5
Other	8	-	1	4	1	1	1	-	-	-	-
Places of 2,500 to 10,000	31,033	58	4,588	10,548	7,590	4,732	2,653	692	58	4	110
White, mother native	26,834	32	3,849	9,395	6,768	4,100	2,054	500	43	3	90
White, mother foreign	1,608	1	115	342	318	301	390	121	11	-	9
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	1
Negro	2,576	25	621	808	501	328	207	71	4	1	10
Other	13	-	3	3	3	2	2	-	-	-	-
Rural	69,390	114	9,608	21,931	16,662	11,395	7,144	2,066	208	13	249
White, mother native	56,803	56	7,460	18,555	14,132	9,347	5,438	1,504	131	5	175
White, mother foreign	3,253	6	274	636	704	679	678	217	41	4	13
White, mother's nativity not stated	15	-	5	2	3	-	3	2	-	-	-
Negro	9,276	52	1,865	2,724	1,812	1,362	1,018	342	36	4	61
Other	43	-	4	14	11	7	6	1	-	-	-
UTAH	18,220	2	1,607	6,060	5,062	3,218	1,685	516	32	1	37
White, mother native	17,541	2	1,577	5,902	4,858	3,074	1,588	477	28	1	34
White, mother foreign	408	-	14	72	99	99	85	36	2	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	61	-	10	22	16	7	5	1	-	-	-
Other	210	-	6	64	89	38	7	2	2	-	2

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
UTAH—Continued											
Urban	10,887	2	919	3,751	3,036	1,889	995	268	12	1	14
White, mother native	10,472	2	900	3,658	2,921	1,801	921	244	11	1	13
White, mother foreign	274	-	8	47	69	60	65	23	1	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	44	-	8	16	8	6	5	1	-	-	-
Other	97	-	3	30	38	22	4	-	-	-	-
Places of 100,000 or more	5,085	1	423	1,727	1,449	883	467	120	4	-	11
White, mother native	4,838	1	414	1,674	1,381	825	422	107	4	-	10
White, mother foreign	169	-	3	28	43	42	39	13	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	19	-	3	7	2	3	4	-	-	-	-
Other	59	-	3	18	23	13	2	-	-	-	-
Places of 25,000 to 100,000	1,754	-	155	630	482	298	147	40	2	-	-
White, mother native	1,682	-	150	608	460	286	136	38	2	-	-
White, mother foreign	31	-	1	5	9	5	10	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	24	-	4	9	6	3	1	1	-	-	-
Other	17	-	-	8	7	2	-	-	-	-	-
Places of 10,000 to 25,000	1,069	-	69	412	282	181	93	31	-	-	-
White, mother native	1,046	-	67	404	279	179	90	27	-	-	-
White, mother foreign	21	-	2	7	3	2	3	4	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	2,980	1	272	982	823	527	288	77	6	1	3
White, mother native	2,908	1	269	972	801	509	273	72	5	1	3
White, mother foreign	53	-	2	7	14	11	13	5	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	1	-	-	-	-	-	-	-	-
Other	20	-	-	3	8	7	2	-	-	-	-
Rural	7,333	-	688	2,309	2,026	1,329	690	248	20	-	23
White, mother native	7,069	-	677	2,244	1,937	1,273	667	233	17	-	21
White, mother foreign	134	-	6	25	30	39	20	13	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	17	-	2	6	8	1	-	-	-	-	-
Other	113	-	3	34	51	16	3	2	2	-	2
VERMONT	8,362	2	753	2,725	2,385	1,448	810	215	18	-	6
White, mother native	7,806	2	737	2,584	2,248	1,324	717	174	14	-	6
White, mother foreign	551	-	15	139	135	124	93	41	4	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	3	-	-	1	2	-	-	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
Urban	3,278	1	260	1,096	947	567	307	73	4	-	3
White, mother native	3,050	1	254	1,040	866	534	267	61	4	-	3
White, mother foreign	224	-	5	55	59	53	40	12	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	3	-	-	1	2	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	791	1	71	260	218	136	85	19	-	-	1
White, mother native	727	1	69	250	202	118	70	16	-	-	1
White, mother foreign	61	-	1	9	15	18	15	3	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	685	-	47	216	212	122	68	17	2	-	1
White, mother native	644	-	47	204	203	114	60	13	2	-	1
White, mother foreign	40	-	-	12	8	8	8	4	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	-	1	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	1,802	-	142	620	517	329	154	37	2	-	1
White, mother native	1,679	-	138	586	481	302	137	32	2	-	1
White, mother foreign	123	-	4	34	36	27	17	5	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	5,084	1	493	1,629	1,438	861	503	142	14	-	3
White, mother native	4,756	1	483	1,544	1,362	790	450	113	10	-	3
White, mother foreign	327	-	10	84	76	71	53	29	4	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
VIRGINIA	75,861	139	9,255	24,737	20,300	12,401	6,756	1,830	181	5	255
White, mother native	57,778	26	5,732	18,944	16,107	9,942	5,323	1,401	137	1	165
White, mother foreign	564	-	23	181	179	109	53	15	-	-	4
White, mother's nativity not stated	6	-	-	-	1	1	-	-	-	-	4
Negro	17,502	113	3,500	5,610	4,008	2,347	1,381	413	44	4	82
Other	11	-	-	2	5	2	1	1	-	-	-
Urban	30,559	57	3,322	10,203	8,876	5,114	2,389	493	25	-	80
White, mother native	23,850	11	1,978	7,973	7,256	4,264	1,926	373	21	-	48
White, mother foreign	369	-	13	118	121	82	40	12	-	-	3
White, mother's nativity not stated	5	-	-	-	1	1	-	-	-	-	3
Negro	6,307	46	1,331	2,111	1,494	766	422	107	4	-	26
Other	8	-	-	1	4	1	1	1	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
VIRGINIA—Continued											
Places of 100,000 or more	9,309	27	1,196	3,194	2,533	1,499	691	141	7	-	31
White, mother native	6,419	6	590	2,224	1,868	1,114	501	92	6	-	18
White, mother foreign	103	-	2	34	25	25	12	4	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	2,784	21	604	935	639	350	178	44	1	-	12
Other	2	-	-	1	-	-	-	1	-	-	-
Places of 25,000 to 100,000	13,123	17	1,241	4,212	4,015	2,332	1,069	202	9	-	26
White, mother native	10,410	2	734	3,318	3,328	1,981	881	152	6	-	12
White, mother foreign	219	-	6	60	77	47	22	4	-	-	3
White, mother's nativity not stated	3	-	-	-	-	1	-	-	-	-	2
Negro	2,485	15	501	836	608	302	165	46	3	-	9
Other	6	-	-	-	4	1	1	-	-	-	-
Places of 10,000 to 25,000	2,274	1	249	802	640	335	195	45	2	-	5
White, mother native	1,875	-	159	667	548	299	158	38	2	-	4
White, mother foreign	18	-	1	5	4	2	2	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	383	1	89	130	88	34	35	5	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,853	12	636	1,995	1,688	958	434	105	7	-	18
White, mother native	5,146	3	495	1,766	1,514	870	386	91	7	-	14
White, mother foreign	51	-	4	19	14	8	4	2	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	655	9	137	210	159	80	44	12	-	-	4
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	45,302	82	5,933	14,534	11,424	7,287	4,369	1,337	156	5	175
White, mother native	33,928	15	3,754	10,971	8,851	5,678	3,397	1,028	116	1	117
White, mother foreign	175	-	10	63	58	27	13	3	-	-	1
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	11,195	67	2,169	3,499	2,514	1,581	959	306	40	4	56
Other	3	-	-	1	1	1	-	-	-	-	-
WASHINGTON	51,988	13	4,831	18,030	15,250	8,760	4,080	894	70	3	57
White, mother native	48,141	11	4,572	16,911	14,073	8,000	3,695	777	50	2	50
White, mother foreign	2,401	-	70	594	796	551	292	81	15	-	2
White, mother's nativity not stated	5	-	-	3	-	2	-	-	-	-	-
Negro	652	-	88	273	169	76	35	10	-	-	1
Other	789	2	101	249	212	131	58	26	5	1	4
Urban	32,274	5	2,807	11,379	9,666	5,505	2,386	461	25	1	19
White, mother native	29,680	5	2,656	10,592	8,870	4,984	2,145	391	20	-	17
White, mother foreign	1,617	-	35	406	546	386	191	50	2	-	1
White, mother's nativity not stated	4	-	-	3	-	1	-	-	-	-	-
Negro	574	-	76	246	148	66	29	8	-	-	1
Other	399	-	40	132	122	68	21	12	3	1	-
Places of 100,000 or more	20,710	3	1,608	7,151	6,418	3,618	1,590	302	15	1	4
White, mother native	18,780	3	1,493	6,581	5,812	3,217	1,412	247	11	-	4
White, mother foreign	1,150	-	20	266	390	296	140	37	1	-	-
White, mother's nativity not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	460	-	62	206	115	49	20	8	-	-	-
Other	318	-	33	97	101	53	18	10	3	1	-
Places of 25,000 to 100,000	2,872	1	293	1,029	831	459	209	45	4	-	1
White, mother native	2,679	1	282	972	770	420	190	40	3	-	1
White, mother foreign	162	-	5	46	52	33	18	5	1	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	20	-	5	4	8	2	1	-	-	-	-
Other	10	-	1	6	1	2	-	-	-	-	-
Places of 10,000 to 25,000	4,669	-	444	1,693	1,329	818	351	47	3	-	4
White, mother native	4,427	-	430	1,605	1,252	764	327	43	3	-	3
White, mother foreign	163	-	5	49	51	36	17	4	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	78	-	7	30	19	15	7	-	-	-	-
Other	21	-	2	9	7	3	-	-	-	-	-
Places of 2,500 to 10,000	4,003	1	462	1,505	1,108	610	236	67	3	-	10
White, mother native	3,794	1	451	1,434	1,036	583	216	61	3	-	9
White, mother foreign	142	-	5	45	53	19	16	4	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	16	-	2	6	6	-	1	-	-	-	1
Other	50	-	4	20	13	8	3	2	-	-	-
Rural	19,714	8	2,024	6,651	5,564	3,255	1,694	433	45	2	38
White, mother native	18,461	6	1,916	6,319	5,203	3,016	1,550	386	30	2	33
White, mother foreign	784	-	35	188	250	165	101	31	13	-	1
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	78	-	12	27	21	10	6	2	-	-	-
Other	390	2	61	117	90	63	37	14	2	-	4
WEST VIRGINIA	48,673	34	6,264	16,851	12,193	7,433	4,112	1,488	126	11	161
White, mother native	45,952	23	5,833	15,936	11,607	7,023	3,866	1,397	121	7	139
White, mother foreign	272	-	19	93	59	48	35	16	1	-	1
White, mother's nativity not stated	4	-	-	2	-	1	-	-	-	-	1
Negro	2,443	11	412	819	526	361	211	75	4	4	20
Other	2	-	-	1	1	-	-	-	-	-	-
Urban	14,995	11	1,694	5,516	4,053	2,315	1,064	281	18	1	42
White, mother native	14,167	4	1,562	5,259	3,864	2,181	986	257	16	1	37
White, mother foreign	135	-	7	33	42	27	20	5	-	-	1
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	691	7	125	223	147	107	58	19	2	-	3
Other	1	-	-	1	-	-	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
WEST VIRGINIA—Continued											
Places of 25,000 to 100,000	7,203	3	800	2,668	1,970	1,085	510	137	7	-	23
White, mother native	6,852	2	742	2,567	1,889	1,022	474	129	7	-	20
White, mother foreign	71	-	7	16	22	15	6	2	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	279	1	51	84	59	48	26	6	-	-	2
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,174	4	357	1,151	873	531	214	38	2	-	4
White, mother native	2,950	2	317	1,093	816	498	197	32	1	-	4
White, mother foreign	33	-	-	10	12	5	4	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	191	2	40	58	45	28	13	4	1	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	4,616	4	537	1,697	1,210	699	340	106	9	1	15
White, mother native	4,365	-	503	1,609	1,159	661	315	98	8	1	13
White, mother foreign	31	-	-	7	8	7	8	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	221	4	34	81	43	31	17	8	1	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	33,678	23	4,570	11,335	8,140	5,118	3,048	1,207	108	10	119
White, mother native	31,785	19	4,271	10,677	7,743	4,842	2,880	1,140	105	6	102
White, mother foreign	137	-	12	60	17	21	15	11	1	-	-
White, mother's nativity not stated	3	-	-	2	-	1	-	-	-	-	-
Negro	1,752	4	287	596	379	254	153	56	2	4	17
Other	1	-	-	-	1	-	-	-	-	-	-
WISCONSIN	74,755	15	4,181	22,783	23,026	15,123	7,431	1,973	130	1	92
White, mother native	72,600	11	4,005	22,193	22,493	14,738	7,119	1,834	123	-	84
White, mother foreign	1,324	-	43	310	320	268	259	116	5	-	3
White, mother's nativity not stated	10	-	1	3	2	-	-	-	-	-	4
Negro	369	2	76	140	103	46	12	9	-	-	1
Other	432	2	56	137	108	71	41	14	2	1	-
Urban	42,119	7	1,975	12,904	13,557	8,654	4,002	933	48	-	39
White, mother native	40,708	4	1,864	12,516	13,198	8,393	3,806	846	47	-	34
White, mother foreign	960	-	27	230	237	205	160	79	1	-	1
White, mother's nativity not stated	6	-	-	2	1	-	-	-	-	-	3
Negro	379	2	75	137	102	43	12	7	-	-	1
Other	66	1	9	19	19	13	4	1	-	-	-
Places of 100,000 or more	13,397	4	585	4,107	4,466	2,732	1,194	286	15	-	8
White, mother native	12,610	2	513	3,877	4,275	2,590	1,093	240	15	-	5
White, mother foreign	436	-	6	100	99	101	92	38	-	-	-
White, mother's nativity not stated	3	-	-	1	-	-	-	-	-	-	2
Negro	322	2	64	120	83	36	9	7	-	-	1
Other	26	-	2	9	9	5	-	1	-	-	-
Places of 25,000 to 100,000	15,964	-	707	4,966	5,110	3,280	1,515	354	16	-	16
White, mother native	15,564	-	683	4,871	4,993	3,208	1,452	327	15	-	15
White, mother foreign	318	-	6	74	92	60	57	27	1	-	1
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	54	-	11	15	18	7	3	-	-	-	-
Other	27	-	7	6	6	5	3	-	-	-	-
Places of 10,000 to 25,000	6,163	-	280	1,824	1,958	1,311	622	140	8	-	10
White, mother native	6,035	-	262	1,799	1,925	1,278	602	132	8	-	9
White, mother foreign	117	-	8	21	29	32	19	8	-	-	-
White, mother's nativity not stated	2	-	-	1	-	-	-	-	-	-	1
Negro	2	-	-	1	1	-	-	-	-	-	-
Other	7	-	-	2	3	1	1	-	-	-	-
Places of 2,500 to 10,000	8,595	3	393	2,007	2,023	1,331	671	153	9	-	5
White, mother native	8,499	2	386	1,969	2,006	1,317	659	147	9	-	5
White, mother foreign	89	-	7	35	17	12	12	6	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-
Other	6	1	-	2	1	2	-	-	-	-	-
Rural	32,636	8	2,206	9,879	9,469	6,469	3,429	1,040	82	1	53
White, mother native	31,892	7	2,141	9,677	9,295	6,345	3,313	988	78	-	50
White, mother foreign	364	-	16	80	83	63	79	37	4	-	2
White, mother's nativity not stated	4	-	1	1	1	-	-	-	-	-	1
Negro	10	-	1	3	1	3	-	2	-	-	-
Other	366	1	47	118	89	58	37	13	2	1	-
WYOMING	8,188	3	817	2,119	1,750	1,051	482	146	11	-	7
White, mother native	5,912	3	595	2,051	1,683	995	439	133	6	-	7
White, mother foreign	131	-	3	19	39	30	25	9	5	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	22	-	4	9	4	4	1	-	-	-	-
Other	122	-	15	40	24	22	15	6	-	-	-
Urban	2,960	3	297	1,017	878	489	216	63	6	-	1
White, mother native	2,866	3	278	994	851	472	204	60	3	-	1
White, mother foreign	64	-	1	11	22	13	11	3	3	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	15	-	4	7	2	1	1	-	-	-	-
Other	15	-	4	5	3	3	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
WYOMING—Continued											
Places of 10,000 to 25,000	1,988	3	188	678	624	323	136	34	4	-	-
White, mother native	1,929	3	179	661	610	311	128	33	3	-	-
White, mother foreign	40	-	1	10	10	10	7	1	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	12	-	4	6	2	-	-	-	-	-	-
Other	7	-	2	1	2	2	-	-	-	-	-
Places of 2,500 to 10,000	972	-	101	339	254	166	80	29	2	-	1
White, mother native	937	-	99	333	241	161	75	27	-	-	1
White, mother foreign	24	-	-	1	12	3	4	2	2	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	-	1	-	1	1	-	-	-	-
Other	8	-	2	4	1	1	-	-	-	-	-
Rural	3,228	-	330	1,102	872	562	266	85	5	-	6
White, mother native	3,046	-	317	1,057	832	523	235	73	3	-	6
White, mother foreign	67	-	2	8	17	17	15	6	2	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	7	-	-	2	2	3	-	-	-	-	-
Other	107	-	11	35	21	19	15	6	-	-	-

TABLE 6.—LIVE BIRTHS BY SEX, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1946

(By place of residence)

AREA AND SEX OF CHILD (AGE OF MOTHER FOR U. S. ONLY)	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
UNITED STATES	3,288,672	2,913,645	2,674,304	93,505	48,891	60,759	34,970	788	208	8	212	358,114	16,913
Male	1,691,220	1,501,498	1,378,168	48,102	25,258	31,288	18,038	417	112	3	114	181,100	8,622
Female	1,597,452	1,412,147	1,296,138	45,403	23,633	29,471	16,932	371	96	5	98	177,014	8,291
10 to 14 years—Male	1,765	609	340	12	249	2	5	1	-	-	-	1,142	14
Female	1,897	536	293	6	228	5	2	1	-	-	1	1,146	15
15 to 19 years—Male	165,741	127,192	115,856	1,556	8,390	994	321	45	9	-	21	37,576	973
Female	156,640	119,268	109,096	1,384	7,598	870	257	41	8	-	14	36,450	922
20 to 24 years—Male	541,719	480,866	451,565	9,264	10,044	8,052	1,746	122	33	-	20	58,100	2,753
Female	509,570	450,255	422,565	8,784	9,584	7,521	1,619	108	35	1	18	56,748	2,567
25 to 29 years—Male	482,194	440,567	410,802	13,451	3,787	9,333	3,081	103	22	1	7	39,326	2,301
Female	454,272	413,545	385,623	12,646	3,613	8,684	2,865	86	17	1	10	38,444	2,283
30 to 34 years—Male	302,413	276,760	249,565	13,528	1,589	7,167	4,840	54	28	1	8	24,184	1,449
Female	286,709	261,597	235,748	12,881	1,485	6,868	4,535	55	14	1	10	23,724	1,388
35 to 39 years—Male	151,602	136,114	116,911	8,215	784	4,469	5,648	69	12	-	6	14,732	756
Female	144,809	129,525	111,379	7,686	760	4,326	5,306	53	10	2	3	14,523	761
40 to 44 years—Male	38,325	33,951	29,483	1,897	248	1,160	2,138	20	4	-	1	4,094	280
Female	36,714	32,320	27,051	1,813	214	1,080	2,128	24	6	-	4	4,126	268
45 to 49 years—Male	2,755	2,301	1,865	133	18	71	209	3	-	1	1	406	48
Female	2,659	2,194	1,763	146	12	84	186	3	-	-	-	417	48
50 years and over—Male	104	77	64	5	-	2	6	-	-	-	-	24	3
Female	91	59	53	3	-	-	3	-	-	-	-	29	3
Not stated—Male	4,602	3,041	2,695	61	149	38	44	-	4	-	50	1,516	45
Female	4,291	2,848	2,547	54	139	33	31	-	6	-	38	1,407	36
Alabama	79,863	51,944	50,835	158	780	147	16	-	2	-	6	27,901	18
Male	40,849	26,764	26,201	72	402	75	11	-	1	-	2	14,078	7
Female	39,014	25,180	24,634	86	378	72	5	-	1	-	4	13,823	11
Arizona	16,345	14,379	12,175	945	201	596	451	11	-	-	-	477	1,489
Male	8,393	7,390	6,306	484	95	284	216	5	-	-	-	240	763
Female	7,952	6,989	5,869	461	106	312	235	6	-	-	-	237	726
Arkansas	45,280	35,165	34,506	79	465	98	12	-	3	-	2	10,091	24
Male	23,387	18,235	17,903	40	252	48	8	-	3	-	1	5,138	14
Female	21,893	16,930	16,603	39	233	50	4	-	-	-	1	4,953	10
California	218,484	205,158	180,153	11,256	1,989	7,008	4,860	77	8	1	7	9,523	3,802
Male	112,319	105,478	92,707	5,782	1,012	3,557	2,380	34	1	1	4	4,848	1,993
Female	106,165	99,681	87,446	5,474	977	3,451	2,280	43	7	-	3	4,675	1,809
Colorado	29,518	28,880	27,044	736	533	334	216	9	4	-	4	347	291
Male	15,126	14,802	13,898	357	262	164	110	7	1	-	3	176	146
Female	14,392	14,078	13,146	379	271	170	106	2	3	-	1	171	143
Connecticut	41,457	40,334	35,041	2,408	382	1,668	828	6	2	-	1	1,108	15
Male	21,378	20,815	18,058	1,267	210	852	422	4	1	-	1	554	9
Female	20,079	19,519	16,983	1,141	172	814	406	2	1	-	-	554	6
Delaware	6,802	5,811	5,414	132	149	84	32	-	-	-	-	966	25
Male	3,450	2,948	2,747	70	72	44	15	-	-	-	-	489	13
Female	3,352	2,863	2,667	62	77	40	17	-	-	-	-	477	12
District of Columbia	18,601	12,279	10,894	392	434	313	219	4	2	-	21	6,258	64
Male	9,455	6,277	5,560	202	230	165	105	-	2	-	13	3,145	33
Female	9,146	6,002	5,334	190	204	148	114	4	-	-	8	3,113	31
Florida	53,688	40,114	37,749	744	760	632	203	9	10	-	7	13,544	30
Male	27,385	20,553	19,307	398	399	326	110	4	6	-	3	6,815	17
Female	26,303	19,561	18,442	346	361	306	93	5	4	-	4	6,729	13
Georgia	85,667	56,385	55,256	170	744	174	25	1	3	-	12	29,270	12
Male	43,741	29,049	28,491	78	371	85	14	1	2	-	7	14,688	4
Female	41,926	27,336	26,765	92	373	89	11	-	1	-	5	14,582	8
Idaho	13,787	13,571	12,924	274	130	222	16	2	3	-	-	13	203
Male	7,101	6,991	6,665	141	68	106	9	1	1	-	-	8	102
Female	6,686	6,580	6,259	133	62	116	7	1	2	-	-	5	101
Illinois	174,825	162,314	147,945	5,994	3,209	3,302	1,769	50	9	-	36	12,138	373
Male	89,960	83,569	76,242	3,050	1,635	1,685	913	23	5	-	16	6,212	179
Female	84,865	78,745	71,703	2,944	1,574	1,617	856	27	4	-	20	5,926	194
Indiana	85,515	82,279	79,517	938	871	721	220	4	5	-	3	3,220	16
Male	43,974	42,307	40,910	470	439	371	107	3	5	-	2	1,655	12
Female	41,541	39,972	38,607	468	432	350	113	1	-	-	1	1,565	4
Iowa	56,186	55,774	53,531	659	1,027	427	114	7	7	-	2	355	57
Male	29,131	28,947	27,795	329	515	249	53	3	3	-	-	156	28
Female	27,055	26,827	25,736	330	512	178	61	4	4	-	2	199	29
Kansas	39,751	38,266	37,022	334	518	253	128	4	2	-	5	1,392	93
Male	20,336	19,594	18,942	174	275	133	66	1	1	-	2	703	39
Female	19,415	18,672	18,080	160	243	120	62	3	1	-	3	689	54
Kentucky	72,542	69,142	68,073	143	735	154	25	-	3	-	9	3,392	8
Male	37,434	35,715	35,202	69	354	87	17	-	2	-	4	1,714	5
Female	35,108	33,427	32,871	74	381	87	8	-	1	-	5	1,678	3
Louisiana	68,670	43,244	42,165	277	530	224	40	2	4	-	2	25,314	112
Male	35,076	22,252	21,716	135	262	107	24	2	2	-	2	12,758	66
Female	33,594	20,992	20,447	142	268	117	16	-	2	-	-	12,556	46
Maine	20,326	20,290	17,224	1,024	736	953	327	25	-	-	1	10	26
Male	10,524	10,504	8,851	516	369	492	160	16	-	-	-	4	16
Female	9,802	9,786	8,273	508	367	461	167	9	-	-	1	6	10
Maryland	50,347	41,083	39,220	734	376	564	185	2	-	-	2	9,231	33
Male	25,855	21,144	20,170	380	212	282	97	1	-	-	2	4,693	18
Female	24,492	19,939	19,050	354	164	282	88	1	-	-	-	4,538	15
Massachusetts	94,288	92,787	78,817	5,603	1,889	4,355	2,034	69	16	-	4	1,444	57
Male	48,559	47,801	40,487	2,958	1,029	2,256	1,020	39	12	-	2	725	33
Female	45,729	44,986	38,330	2,647	860	2,099	1,014	30	4	-	2	719	24
Michigan	139,277	130,945	116,101	6,675	1,974	4,289	1,858	37	9	-	2	8,107	225
Male	71,867	67,659	60,000	3,429	1,045	2,213	940	23	7	-	2	4,100	108
Female	67,410	63,286	56,101	3,246	929	2,076	918	14	2	-	-	4,007	117

TABLE 6.—LIVE BIRTHS BY SEX, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA AND SEX OF CHILD (AGE OF MOTHER FOR U. S. ONLY)	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
Minnesota	67,266	66,511	61,920	1,638	1,633	1,064	235	18	2	-	1	188	567
Male	34,339	33,974	31,604	867	831	543	117	10	1	-	1	98	267
Female	32,927	32,537	30,316	771	802	521	118	8	1	-	-	90	300
Mississippi	61,690	29,975	29,423	103	332	98	15	-	2	-	2	31,609	106
Male	31,442	15,320	15,035	53	170	51	8	-	1	-	2	16,062	60
Female	30,248	14,655	14,388	50	162	47	7	-	1	-	-	15,547	46
Missouri	80,684	74,637	71,798	729	1,405	525	164	10	3	-	3	6,006	41
Male	41,565	38,530	37,045	372	737	275	91	7	2	-	1	3,015	20
Female	39,119	36,107	34,753	357	668	250	73	3	1	-	2	2,991	21
Montana	12,858	12,229	11,182	475	124	352	84	1	1	-	-	10	619
Male	6,613	6,289	5,777	230	64	180	37	1	-	-	-	6	324
Female	6,239	5,940	5,415	245	60	172	47	-	1	-	-	4	295
Nebraska	28,052	27,477	26,254	464	433	246	89	2	7	1	1	396	179
Male	14,391	14,099	13,445	231	225	136	46	1	5	-	-	209	93
Female	13,661	13,388	12,789	233	208	110	43	1	2	1	1	187	86
Nevada	3,283	3,037	2,793	97	56	54	36	-	1	-	-	87	159
Male	1,652	1,528	1,416	46	23	26	17	-	-	-	-	49	75
Female	1,631	1,509	1,377	51	33	28	19	-	1	-	-	38	84
New Hampshire	11,092	11,074	9,570	563	271	488	189	12	1	-	-	16	2
Male	5,735	5,723	4,937	292	146	240	101	7	-	-	-	11	1
Female	5,357	5,351	4,633	271	125	228	88	5	1	-	-	5	1
New Jersey	95,218	88,620	78,070	4,923	866	3,196	1,536	24	4	-	1	6,535	63
Male	49,194	45,978	40,489	2,528	458	1,666	823	12	2	-	-	3,190	26
Female	46,024	42,642	37,581	2,395	408	1,530	713	12	2	-	1	3,345	37
New Mexico	18,087	16,674	15,251	440	587	229	154	9	3	-	1	179	1,234
Male	9,176	8,481	7,790	214	294	103	72	7	1	-	-	93	602
Female	8,911	8,193	7,461	226	293	126	82	2	2	-	1	86	632
New York	286,546	269,271	223,394	19,463	4,309	11,648	10,303	123	18	2	11	16,727	548
Male	147,929	139,200	115,544	9,988	2,260	6,045	5,279	69	9	-	6	8,453	276
Female	138,617	130,071	107,850	9,475	2,049	5,603	5,024	54	9	2	5	8,274	272
North Carolina	100,679	71,062	69,395	172	1,311	154	26	-	5	-	9	28,563	1,054
Male	51,551	36,506	35,635	82	682	82	15	-	4	-	6	14,486	559
Female	49,128	34,556	33,750	90	629	72	11	-	1	-	3	14,077	495
North Dakota	15,264	14,893	13,788	515	241	276	67	2	1	-	2	3	368
Male	7,766	7,562	6,990	277	119	142	31	1	1	-	1	2	202
Female	7,498	7,331	6,799	238	122	134	36	1	-	-	1	1	166
Ohio	169,600	159,693	149,403	3,714	3,396	2,332	806	20	11	-	12	9,809	98
Male	87,421	82,450	77,116	1,905	1,790	1,182	435	10	4	-	8	4,930	41
Female	82,179	77,243	72,287	1,809	1,605	1,150	371	10	7	-	4	4,879	57
Oklahoma	50,416	44,843	43,847	177	586	192	29	1	8	-	3	3,387	2,186
Male	25,816	23,036	22,534	86	302	94	14	1	4	-	1	1,665	1,115
Female	24,600	21,807	21,313	91	284	98	15	-	4	-	2	1,722	1,071
Oregon	30,076	29,504	27,335	910	352	762	134	8	3	-	-	263	309
Male	15,468	15,200	14,096	469	177	389	64	4	1	-	-	122	146
Female	14,608	14,304	13,239	441	175	373	70	4	2	-	-	141	163
Pennsylvania	218,376	205,448	191,741	5,694	3,051	3,448	1,469	32	10	-	5	12,871	58
Male	112,849	106,197	99,059	2,900	1,621	1,828	771	13	3	-	2	6,626	28
Female	105,527	99,252	92,682	2,794	1,430	1,620	697	19	7	-	3	6,245	30
Rhode Island	18,761	16,425	14,067	954	354	772	271	6	1	-	-	327	9
Male	8,627	8,448	7,197	511	175	413	145	4	1	-	-	177	4
Female	8,134	7,979	6,870	443	179	359	126	2	-	-	-	150	5
South Carolina	53,963	31,010	30,190	98	608	97	18	-	-	-	1	22,933	20
Male	27,436	15,930	15,515	54	302	51	8	-	-	-	-	11,496	10
Female	26,527	15,080	14,675	44	304	46	10	-	-	-	1	11,437	10
South Dakota	14,580	13,932	13,204	252	287	152	30	2	5	-	-	5	643
Male	7,470	7,152	6,781	132	135	79	23	-	2	-	-	1	317
Female	7,110	6,780	6,423	120	152	73	7	2	3	-	-	4	326
Tennessee	77,336	65,507	63,797	101	1,454	130	23	-	1	-	1	11,822	7
Male	39,717	33,667	32,786	53	747	68	13	-	-	-	-	6,048	2
Female	37,619	31,840	31,011	48	707	62	10	-	1	-	1	5,774	5
Texas	181,579	160,269	142,431	6,877	2,411	3,701	4,655	155	25	1	13	21,205	105
Male	93,501	82,672	73,429	3,566	1,219	1,881	2,471	83	14	-	9	10,778	51
Female	88,078	77,597	69,002	3,311	1,192	1,820	2,184	72	11	1	4	10,427	54
Utah	18,220	17,949	16,964	396	181	315	91	2	-	-	-	61	210
Male	9,353	9,216	8,708	195	98	172	42	1	-	-	-	28	109
Female	8,867	8,733	8,256	201	83	143	49	1	-	-	-	33	101
Vermont	8,362	8,358	7,145	438	223	324	222	5	1	-	-	3	1
Male	4,250	4,249	3,612	221	116	175	120	2	1	-	-	-	1
Female	4,112	4,109	3,533	217	105	149	102	3	-	-	-	3	-
Virginia	75,861	58,348	56,071	395	1,312	480	82	2	1	-	5	17,502	11
Male	38,998	30,114	28,948	210	667	243	43	-	-	-	3	8,877	7
Female	36,863	28,234	27,123	185	645	237	39	2	1	-	2	8,625	4
Washington	51,938	50,547	45,051	2,058	1,032	1,961	414	26	1	-	4	652	789
Male	26,883	26,147	23,249	1,082	552	1,027	222	12	1	-	2	332	404
Female	25,135	24,400	21,802	976	480	934	192	14	-	-	2	320	385
West Virginia	48,673	46,228	43,615	332	2,005	202	68	2	-	1	3	2,443	2
Male	25,215	23,989	22,651	177	1,011	111	35	2	-	1	1	1,225	1
Female	23,458	22,239	20,964	155	994	91	33	-	-	-	2	1,218	1
Wisconsin	74,755	73,934	69,306	1,711	1,583	980	337	7	1	1	8	389	432
Male	38,356	37,829	35,571	896	810	478	175	3	-	1	5	209	218
Female	36,399	36,005	33,735	825	773	502	162	4	1	-	3	180	214
Wyoming	6,188	6,044	5,712	141	59	85	46	-	-	1	-	22	122
Male	3,201	3,130	2,947	76	37	47	23	-	-	-	-	13	58
Female	2,987	2,914	2,765	65	22	38	23	-	-	1	-	9	64

TABLE 7A.—LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): UNITED STATES, 1946

(Birth order refers to number of children born alive to mother)

AREA, AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)																				
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20+	Not stated
UNITED STATES	3,288,672	1,189,587	858,265	444,965	238,014	135,579	84,335	55,612	37,823	25,853	17,851	11,611	7,156	4,296	2,322	1,322	690	367	163	84	119	172,658
10 to 14 years	3,462	3,051	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	211
15 to 19 years	322,361	238,741	58,071	10,940	1,837	348	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12,385
20 to 24 years	1,051,289	518,720	302,246	113,414	45,605	16,141	5,171	1,630	443	208	71	28	-	-	-	-	-	-	-	-	-	47,612
25 to 29 years	936,466	279,565	282,636	149,993	81,949	46,224	25,033	12,268	5,272	2,174	772	339	145	51	25	13	7	-	-	-	-	50,000
30 to 34 years	589,122	105,578	152,755	112,223	65,637	40,737	28,523	20,016	13,371	7,762	4,240	2,175	979	421	168	97	34	33	9	7	9	34,348
35 to 39 years	296,411	38,238	53,304	49,116	34,711	24,873	19,201	15,951	13,400	10,715	8,154	5,217	3,144	1,737	857	459	227	99	50	19	29	18,910
40 to 44 years	75,039	5,821	7,576	8,178	7,391	6,528	5,684	5,204	4,664	4,490	4,141	3,398	2,483	1,787	1,083	623	351	185	77	53	58	5,064
45 to 49 years	5,414	223	248	330	362	371	410	367	360	404	410	396	374	269	179	122	68	47	27	5	22	420
50 and over	195	14	21	23	19	13	6	13	5	10	8	11	7	8	3	3	-	1	-	-	1	29
Not stated	8,893	1,636	1,208	748	503	344	248	163	108	90	55	47	24	23	7	5	3	2	-	-	-	3,679
Male	1,691,220	614,530	441,622	228,115	122,015	68,250	43,099	28,460	19,270	13,221	9,056	5,843	3,547	2,254	1,165	669	357	179	81	46	56	88,663
10 to 14 years	1,765	1,563	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
15 to 19 years	165,741	122,980	29,613	5,669	929	173	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6,346
20 to 24 years	541,719	268,147	155,542	58,110	23,293	8,152	2,637	846	234	115	29	18	-	-	-	-	-	-	-	-	-	24,597
25 to 29 years	482,194	144,917	145,505	76,888	42,093	23,518	12,785	6,246	2,716	1,063	369	174	68	21	15	9	3	-	-	-	-	25,805
30 to 34 years	302,413	54,459	78,741	57,470	33,796	20,731	14,576	10,234	6,741	3,999	2,125	1,087	471	232	73	48	19	14	5	2	4	17,586
35 to 39 years	151,602	18,489	27,422	25,173	17,682	12,682	9,862	8,199	6,894	5,468	4,216	2,626	1,594	886	426	237	125	41	21	10	14	9,533
40 to 44 years	38,325	3,010	3,838	4,230	3,785	3,309	2,874	2,663	2,450	2,318	2,075	1,705	1,225	952	549	330	169	99	41	30	26	2,547
45 to 49 years	2,755	114	129	170	176	194	211	181	171	207	209	204	168	140	97	63	40	24	14	4	14	225
50 and over	104	7	8	11	7	7	1	7	3	7	6	5	7	5	2	-	-	1	-	-	-	20
Not stated	4,602	844	614	394	254	184	122	84	61	44	29	24	14	16	3	2	1	-	-	-	-	1,912
Female	1,597,452	575,057	416,643	216,850	115,999	66,629	41,236	27,152	18,553	12,632	8,795	5,768	3,609	2,042	1,157	633	333	188	82	38	61	83,995
10 to 14 years	1,697	1,488	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	119
15 to 19 years	156,640	115,761	28,458	5,271	908	175	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6,039
20 to 24 years	509,570	250,573	146,704	55,304	22,312	7,989	2,534	784	209	93	43	10	-	-	-	-	-	-	-	-	-	23,015
25 to 29 years	454,272	134,648	137,131	73,105	39,856	22,706	12,248	6,022	2,556	1,111	404	165	77	30	10	4	4	-	-	-	-	24,195
30 to 34 years	286,709	51,119	74,014	54,753	31,841	20,006	13,947	9,782	6,630	3,763	2,115	1,088	508	189	95	49	15	19	4	5	5	16,782
35 to 39 years	144,809	17,749	25,882	23,943	17,029	12,191	9,339	7,752	6,506	5,247	3,938	2,591	1,550	849	431	222	102	58	29	9	15	9,377
40 to 44 years	36,714	2,811	3,638	3,948	3,606	3,219	2,810	2,541	2,414	2,172	2,066	1,693	1,258	835	534	293	182	86	36	23	32	2,517
45 to 49 years	2,659	109	119	160	186	177	199	186	189	197	201	192	206	129	82	59	28	23	13	1	8	195
50 and over	91	7	13	12	12	6	5	6	2	3	2	6	-	3	1	3	-	-	-	-	1	9
Not stated	4,291	792	594	354	249	160	128	79	47	46	26	23	10	7	4	3	2	2	-	-	-	1,767
White	2,913,645	1,091,000	784,236	394,706	201,451	108,791	64,576	40,805	27,013	17,875	12,104	7,641	4,651	2,644	1,403	777	396	198	93	41	57	153,189
10 to 14 years	1,145	1,057	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
15 to 19 years	246,460	192,812	38,776	5,504	703	107	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8,536
20 to 24 years	931,121	485,696	269,110	89,996	31,418	9,311	2,494	663	137	65	25	9	-	-	-	-	-	-	-	-	-	42,197
25 to 29 years	854,112	268,352	269,185	136,962	69,552	35,207	16,970	7,351	2,724	990	305	124	68	11	9	4	4	-	-	-	-	46,316
30 to 34 years	538,377	101,346	147,387	106,639	59,855	35,189	22,974	14,798	9,145	4,778	2,380	1,157	498	195	72	46	10	9	2	1	3	31,892
35 to 39 years	265,639	34,629	51,288	46,882	32,267	22,362	16,504	13,024	10,527	7,916	5,745	3,373	1,989	1,011	475	237	120	52	28	8	11	17,191
40 to 44 years	68,271	5,555	7,278	7,860	6,971	6,066	5,118	4,551	4,127	3,737	3,266	2,625	1,808	1,230	717	399	215	112	44	29	31	4,532
45 to 49 years	4,495	202	233	296	325	326	359	313	290	338	345	325	271	181	128	89	46	24	19	3	12	372
50 and over	136	12	17	17	13	11	4	7	5	5	6	6	3	3	2	-	-	1	-	-	-	24
Not stated	5,889	1,339	948	550	347	212	131	98	58	44	32	22	15	13	2	2	1	-	-	-	-	2,074
Male	1,501,498	564,562	404,025	202,830	103,487	55,553	33,058	21,003	13,766	9,200	6,223	3,907	2,317	1,386	719	409	203	99	40	28	31	78,854
10 to 14 years	609	565	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
15 to 19 years	127,192	99,705	19,752	2,879	368	57	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,418
20 to 24 years	480,866	251,326	138,792	46,326	16,084	4,773	1,251	344	68	35	9	7	-	-	-	-	-	-	-	-	-	21,851
25 to 29 years	440,567	139,195	138,647	70,270	35,844	18,009	8,713	3,810	1,393	477	138	66	34	3	7	3	1	-	-	-	-	23,957
30 to 34 years	276,780	52,396	75,969	54,632	30,797	17,951	11,765	7,584	4,605	2,445	1,220	593	247	107	30	17	7	3	1	-	2	16,389
35 to 39 years	136,114	17,709	26,418	24,024	16,469	11,385	8,456	6,730	5,415	4,117	3,010	1,722	1,015	507	242	126	66	23	10	5	7	8,658
40 to 44 years	33,951	2,875	3,801	4,053	3,581	3,08[illegible]	2,596	2,322	2,106	1,920	1,646	1,338	889	666	370	221	100	61	19	19	15	2,272
45 to 49 years	2,301	105	123	155	162	172	182	160	143	178	178	166	122	89	68	42	29	11	10	2	7	197
50 and over	77	5	7	8	6	7	1	3	3	4	5	3	3	3	1	-	-	1	-	-	-	17
Not stated	3,041	681	500	283	176	118	82	50	33	24	17	12	7	11	1	-	-	-	-	-	-	1,066
Female	1,412,147	526,438	380,211	192,076	97,984	53,238	31,518	19,802	13,247	8,673	5,881	3,734	2,334	1,258	684	368	193	99	53	15	26	74,335
10 to 14 years	536	492	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
15 to 19 years	119,268	93,107	18,024	2,625	335	50	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,117
20 to 24 years	450,255	234,370	130,318	43,670	15,334	4,538	1,243	319	69	30	16	2	-	-	-	-	-	-	-	-	-	20,346
25 to 29 years	413,545	129,157	130,518	66,692	33,708	17,198	8,257	3,541	1,331	513	167	58	32	8	2	1	3	-	-	-	-	22,359
30 to 34 years	261,597	48,950	71,418	52,007	29,056	17,238	11,189	7,214	4,540	2,333	1,160	564	252	88	42	29	3	6	1	1	1	15,503
35 to 39 years	129,525	16,920	24,870	22,858	15,798	10,977	8,048	6,294	5,112	3,799	2,735	1,651	974	504	233	111	54	29	18	3	4	8,533
40 to 44 years	32,320	2,680	3,477	3,807	3,390	2,985	2,52[illegible]	2,229	2,021	1,817	1,620	1,287	919	564	347	178	115	51	25	10	16	2,260
45 to 49 years	2,194	97	110	141	163	154	177	153	147	160	167	159	149	92	58	47	17	13	9	1	5	175
50 and over	59	7	10	9	7	4	3	4	2	1	1	3	-	-	1	-	-	-	-	-	-	7
Not stated	2,848	658	449	267	171	94	69	48	25	20	15	10	8	2	1	2	1	-	-	-	-	1,008
Native white	2,815,700	1,060,776	759,804	381,425	194,607	104,970	62,164	39,101	25,797	16,990	11,448	7,178	4,327	2,408	1,262	687	344	172	79	34	48	143,079
10 to 14 years	1,128	1,046	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
15 to 19 years	243,880	190,818	38,334	5,460	698	105	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8,383
20 to 24 years	911,846	474,453	264,321	88,744	31,039	9,198	2,448	646	135	65	24	9	-	-	-	-	-	-	-	-	-	40,764
25 to 29 years	829,902	259,349	261,669	133,912	68,267	34,580	16,641	7,176	2,658	958	293	119	63	9	8	4	4	-	-	-	-	44,182
30 to 34 years	514,796	96,607	140,604	102,239	57,730	34,111	22,300	14,292	8,853	4,590	2,264	1,102	467	179	69	44	9	9	1	1	3	29,324
35 to 39 years	245,735	32,045	47,217	43,262	29,967	20,990	15,598	12,389	9,988	7,534	5,441	3,165	1,845	923	426	193	100	45	27	6	10	14,558
40 to 44 years	59,706	4,994	6,424	7,008	6,285	5,439	4,707	4,210	3,636	3,501	3,069	2,459	1,684	1,125	650	361	191	97	34	25	26	3,551
45 to 49 years	3,937	175	209	255	274	290	319	286	268	296	321	298	250	160	105	77	40	21	17	2	9	285
50 and over	125	10	17	17	13	10	4	7	4	5	6	6	3	2	2	-	-	-	-	-	-	19
Not stated	5,645	1,279	918	528	334	207	125	95	55	41	30	20	15	11	2	2	1	-	-	-	-	1,982
Male	1,451,526	548,867	391,387	195,827	99,939	53,626	31,847	20,107	13,135	8,749	5,869	3,679	2,174	1,268	655	358	179	82	36	20	25	73,677
10 to 14 years	601	560	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
15 to 19 years	125,802	98,629	19,555	2,857	364	56	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,329
20 to 24 years	470,895	245,513	136,294	45,663	15,893	4,712	1,230	339	67	35	9	7	-	-	-	-	-	-	-	-	-	21,111
25 to 29 years	428,020	134,488	134,752	68,727	35,183	17,679	8,556	3,728	1,357	457	133	63	32	2	7	3	1	-	-	-	-	22,850
30 to 34 years	264,682	49,929	72,512	52,394	29,677	17,398	11,442	7,318	4,466	2,353	1,159	570	233	102	29	17	6	3	-	-	2	15,072
35 to 39 years	125,910	16,440	24,299	22,139	15,260	10,705	8,004	6,387	5,126	3,932	2,846	1,613	946	464	219	105	54	18	10	3	6	7,332
40 to 44 years	30,628	2,587	3,361	3,615	3,249	2,801	2,360	2,137	1,954	1,786	1,533	1,260	838	614	339	196	91	51	17	16	13	1,790
45 to 49 years	2,016	89	114	131	139	154	161	146	133	158	185	153	115	75	59	37	27	10	9	1	4	136
50 and over	69	5	7	8	6	6	1	3	2	4	5	3	3	2	1	-	-	-	-	-	-	13
Not stated	2,905	647	478	273	169	115	59	49	30	24	17	10	7	9	1	-	-	-	-	-	-	1,018

TABLE 7A.—LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): UNITED STATES, 1946—Continued

(Birth order refers to number of children born alive to mother)

AREA, AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)																				
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20+	Not stated
UNITED STATES—Con.																						
White—Continued																						
Native white—Con.																						
Female	1,365,174	511,889	368,417	185,598	94,668	51,344	30,317	18,994	12,662	8,241	5,579	3,499	2,153	1,140	607	329	165	90	43	14	23	69,402
10 to 14 years	527	486	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
15 to 19 years	118,078	92,189	18,839	2,603	334	49	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,054
20 to 24 years	440,953	228,940	128,027	43,061	15,146	4,486	1,218	307	68	30	15	2	-	-	-	-	-	-	-	-	-	19,653
25 to 29 years	401,882	124,861	126,917	65,185	33,084	16,911	8,093	3,448	1,301	501	160	56	31	7	1	1	3	-	-	-	-	21,332
30 to 34 years	250,114	46,678	68,092	49,845	28,053	16,713	10,858	6,974	4,387	2,237	1,105	532	234	76	40	27	2	6	1	1	1	14,252
35 to 39 years	119,825	15,605	22,918	21,123	14,707	10,285	7,594	6,002	4,862	3,602	2,593	1,552	899	459	207	94	46	27	17	3	4	7,226
40 to 44 years	29,078	2,407	3,063	3,393	3,036	2,668	2,327	2,073	1,882	1,715	1,536	1,199	846	511	311	165	100	46	17	9	13	1,761
45 to 49 years	1,921	86	95	124	135	136	158	140	135	138	156	145	135	85	46	40	13	11	8	1	5	129
50 and over	56	5	10	9	7	4	3	4	2	1	1	3	-	-	1	-	-	-	-	-	-	6
Not stated	2,740	632	440	255	186	92	66	46	25	17	13	10	8	2	1	2	1	-	-	-	-	964
Foreign-born white	96,517	30,066	24,367	13,240	6,821	3,606	2,402	1,701	1,214	880	653	461	323	236	140	89	51	26	14	7	9	10,011
10 to 14 years	16	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
15 to 19 years	2,528	1,958	370	42	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	151
20 to 24 years	19,168	11,177	4,769	1,242	376	113	45	17	2	-	1	-	-	-	-	-	-	-	-	-	-	1,426
25 to 29 years	24,152	8,991	7,484	3,038	1,276	614	325	175	86	32	12	5	3	2	1	-	-	-	-	-	-	2,128
30 to 34 years	23,519	4,728	6,773	4,392	2,121	1,072	673	505	290	186	115	55	32	17	3	2	1	-	1	-	-	2,553
35 to 39 years	19,871	2,580	4,066	3,616	2,295	1,367	902	634	539	391	303	208	143	88	49	38	20	7	1	2	1	2,631
40 to 44 years	6,550	560	854	849	686	597	411	341	291	236	196	164	124	105	66	38	24	15	10	4	5	974
45 to 49 years	556	27	24	41	51	36	40	27	22	42	24	27	21	21	21	11	6	3	2	1	3	106
50 and over	11	2	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	5
Not stated	146	33	25	20	11	4	6	2	3	3	2	2	-	2	-	-	-	-	-	-	-	33
Male	49,743	15,589	12,607	6,780	3,534	1,920	1,206	894	630	449	352	228	143	118	64	50	24	17	4	6	6	5,122
10 to 14 years	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
15 to 19 years	1,360	1,056	190	20	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
20 to 24 years	9,920	5,781	2,487	637	191	61	20	5	1	-	-	-	-	-	-	-	-	-	-	-	-	737
25 to 29 years	12,517	4,700	3,891	1,536	655	328	154	82	36	20	5	3	2	1	-	-	-	-	-	-	-	1,104
30 to 34 years	12,061	2,459	3,452	2,235	1,117	551	342	265	138	90	60	23	14	5	1	-	1	-	1	-	-	1,307
35 to 39 years	10,186	1,268	2,117	1,883	1,206	677	450	343	289	185	161	109	69	43	23	21	12	5	-	2	1	1,324
40 to 44 years	3,318	288	440	436	332	280	216	185	152	134	113	78	51	52	51	25	9	10	2	3	2	479
45 to 49 years	285	16	9	24	23	18	21	14	10	20	13	13	7	14	9	4	2	1	1	1	3	60
50 and over	8	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	4
Not stated	82	18	20	9	6	3	3	-	3	-	-	2	-	2	-	-	-	-	-	-	-	16
Female	46,774	14,477	11,760	6,460	3,287	1,886	1,196	807	584	431	301	233	180	118	76	39	27	9	10	1	3	4,989
10 to 14 years	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
15 to 19 years	1,168	902	180	22	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
20 to 24 years	9,248	5,396	2,282	605	185	52	25	12	1	-	1	-	-	-	-	-	-	-	-	-	-	689
25 to 29 years	11,635	4,231	3,593	1,502	621	286	171	93	30	12	7	2	1	1	1	-	-	-	-	-	-	1,024
30 to 34 years	11,458	2,269	3,321	2,157	1,004	521	331	240	152	96	55	38	18	12	2	2	-	-	-	-	-	1,246
35 to 39 years	9,685	1,314	1,949	1,733	1,089	690	452	291	250	196	142	99	74	45	26	17	8	2	1	-	-	1,307
40 to 44 years	3,232	272	414	413	354	317	195	156	139	102	83	86	73	53	35	13	15	5	8	1	3	495
45 to 49 years	273	11	15	17	28	18	19	13	12	22	11	14	14	7	12	7	4	2	1	-	-	46
50 and over	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Not stated	64	15	5	11	5	1	3	2	-	3	2	-	-	-	-	-	-	-	-	-	-	17
Nativity not stated	428	158	65	41	23	15	10	3	2	3	3	2	1	-	1	1	1	-	-	-	-	99
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	52	36	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
20 to 24 years	107	66	20	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
25 to 29 years	58	12	12	12	9	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
30 to 34 years	62	11	10	8	4	6	1	1	2	2	1	-	-	-	-	-	1	-	-	-	-	15
35 to 39 years	33	4	5	4	5	5	4	1	-	1	1	-	1	-	-	-	-	-	-	-	-	2
40 to 44 years	15	1	-	3	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	7
45 to 49 years	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
50 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	98	27	6	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	58
Male	229	86	31	23	14	7	5	2	1	2	2	-	-	-	-	1	-	-	-	-	-	55
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	30	20	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
20 to 24 years	53	32	11	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
25 to 29 years	30	7	4	7	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
30 to 34 years	37	8	5	3	3	2	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	10
35 to 39 years	18	3	2	2	3	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2
40 to 44 years	5	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
45 to 49 years	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
50 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	54	16	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	32
Female	199	72	34	18	9	8	5	1	1	1	1	2	1	-	1	-	1	-	-	-	-	44
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	22	16	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
20 to 24 years	54	34	9	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
25 to 29 years	28	5	8	5	3	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
30 to 34 years	25	3	5	5	1	4	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	5
35 to 39 years	15	1	3	2	2	2	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
40 to 44 years	10	1	-	1	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	4
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	44	11	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
Nonwhite	375,027	98,587	74,029	50,259	38,563	26,788	19,759	14,807	10,810	7,980	5,747	3,970	2,505	1,852	919	645	294	169	70	43	62	19,469
10 to 14 years	2,317	1,994	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	156
15 to 19 years	75,921	45,929	19,295	5,436	1,134	241	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,849
20 to 24 years	120,168	33,024	33,136	23,418	14,187	6,830	2,677	967	306	143	46	19	-	-	-	-	-	-	-	-	-	5,415
25 to 29 years	82,354	11,213	13,471	13,031	12,397	11,017	8,063	4,917	2,548	1,184	467	215	79	40	16	9	3	-	-	-	-	3,684
30 to 34 years	50,745	4,232	5,368	5,584	5,782	5,548	5,549	5,218	4,226	2,984	1,860	1,018	480	226	96	51	24	24	7	6	6	2,456
35 to 39 years	30,772	1,609	2,016	2,234	2,444	2,511	2,697	2,927	2,873	2,799	2,409	1,844	1,155	726	382	222	107	47	22	11	18	1,719
40 to 44 years	8,768	286	298	318	420	462	566	653	737	753	875	773	675	557	366	224	136	73	33	24	27	532
45 to 49 years	919	21	15	34	37	45	51	54	70	65	65	71	103	88	53	33	22	23	8	2	10	48
50 and over	59	2	4	6	6	2	2	6	-	5	2	5	4	5	1	3	-	-	-	-	1	5
Not stated	3,004	297	259	198	156	132	117	65	50	46	23	25	9	10	5	3	2	2	-	-	-	1,605

TABLE 7A.—LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): UNITED STATES, 1946—Continued

(Birth order refers to number of children born alive to mother)

AREA, AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)																				
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20+	Not stated
UNITED STATES—Con.																						
Nonwhite—Continued																						
Male	188,722	49,968	37,597	25,485	18,528	13,397	10,041	7,457	5,504	4,021	2,833	1,936	1,230	868	446	290	154	80	41	20	27	9,809
10 to 14 years	1,156	998	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
15 to 19 years	38,549	23,275	9,861	2,790	561	116	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,927
20 to 24 years	60,853	18,821	16,750	11,784	7,209	3,379	1,386	502	166	80	19	11	-	-	-	-	-	-	-	-	-	2,746
25 to 29 years	41,627	5,722	8,858	6,618	6,249	5,509	4,072	2,436	1,323	586	230	108	34	18	8	6	2	-	-	-	-	1,848
30 to 34 years	25,633	2,063	2,772	2,838	2,999	2,780	2,791	2,650	2,136	1,554	905	494	224	125	43	31	12	11	4	2	2	1,197
35 to 39 years	15,488	780	1,004	1,149	1,213	1,297	1,406	1,469	1,479	1,351	1,206	904	579	381	184	111	59	18	11	5	7	875
40 to 44 years	4,374	135	137	177	204	228	278	341	344	398	429	367	336	286	179	109	69	38	22	11	11	275
45 to 49 years	454	9	6	15	14	22	29	21	28	29	31	38	46	51	29	21	11	13	4	2	7	28
50 and over	27	2	1	3	1	-	-	4	-	3	1	2	4	2	1	-	-	-	-	-	-	3
Not stated	1,561	163	114	111	78	66	60	34	28	20	12	12	7	5	2	2	1	-	-	-	-	846
Female	185,305	48,619	36,432	24,774	18,035	13,391	9,718	7,350	5,308	3,859	2,914	2,034	1,275	784	473	265	140	83	29	23	35	9,660
10 to 14 years	1,161	996	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
15 to 19 years	37,372	22,654	9,434	2,646	573	125	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,922
20 to 24 years	59,315	16,203	16,386	11,634	6,978	3,451	1,291	465	140	63	27	8	-	-	-	-	-	-	-	-	-	2,669
25 to 29 years	40,727	5,491	6,613	6,413	6,148	5,508	3,991	2,481	1,225	598	237	107	45	22	8	3	1	-	-	-	-	1,836
30 to 34 years	25,112	2,169	2,596	2,746	2,783	2,768	2,758	2,569	2,090	1,430	985	524	256	101	53	20	12	13	3	4	4	1,259
35 to 39 years	15,284	829	1,012	1,085	1,231	1,214	1,291	1,458	1,394	1,448	1,203	940	576	345	198	111	48	29	11	6	11	844
40 to 44 years	4,394	131	161	141	216	234	288	312	393	355	446	406	339	271	187	115	67	35	11	13	16	257
45 to 49 years	465	12	9	19	23	23	22	33	42	37	34	33	57	37	24	12	11	10	4	-	3	20
50 and over	32	-	3	3	5	2	2	2	-	2	1	3	-	3	-	3	-	-	-	-	1	2
Not stated	1,443	134	145	87	78	66	57	31	22	26	11	13	2	5	3	1	1	2	-	-	-	759
Negro	358,114	93,871	70,534	47,858	34,781	25,514	18,850	14,114	10,348	7,636	5,534	3,853	2,395	1,597	889	530	286	165	67	43	61	19,208
10 to 14 years	2,288	1,965	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	156
15 to 19 years	74,026	44,580	18,881	5,358	1,117	238	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,917
20 to 24 years	114,848	30,993	31,524	22,521	13,712	6,679	2,632	951	304	143	46	19	-	-	-	-	-	-	-	-	-	5,324
25 to 29 years	77,770	10,253	12,474	12,174	11,713	10,501	7,773	4,789	2,495	1,161	459	213	78	40	16	9	3	-	-	-	-	3,619
30 to 34 years	47,908	3,969	5,001	5,156	5,382	5,165	5,225	4,943	4,065	2,866	1,808	994	462	224	95	50	24	24	7	6	6	2,416
35 to 39 years	29,255	1,540	1,942	2,127	2,272	2,348	2,520	2,727	2,704	2,670	2,312	1,789	1,109	707	373	219	103	46	21	11	18	1,699
40 to 44 years	8,220	253	281	295	382	422	512	594	672	692	827	741	644	530	349	215	132	72	33	24	27	523
45 to 49 years	823	19	14	32	32	37	42	45	61	55	59	67	89	82	50	31	22	22	6	2	9	47
50 and over	53	2	4	6	5	2	-	4	-	4	2	5	4	5	1	3	-	-	-	-	1	5
Not stated	2,923	277	246	189	146	124	111	61	47	45	21	25	9	9	5	3	2	1	-	-	-	1,602
Male	181,100	47,539	35,798	24,282	17,607	12,776	9,594	7,091	5,265	3,854	2,724	1,875	1,170	838	433	272	150	79	39	20	27	9,687
10 to 14 years	1,142	984	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
15 to 19 years	37,576	22,567	9,662	2,750	553	115	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,912
20 to 24 years	58,100	15,795	15,897	11,307	6,969	3,305	1,362	491	164	80	19	11	-	-	-	-	-	-	-	-	-	2,700
25 to 29 years	39,326	5,215	6,355	6,196	5,895	5,258	3,935	2,376	1,301	575	225	107	33	18	8	6	2	-	-	-	-	1,821
30 to 34 years	24,184	1,943	2,577	2,631	2,782	2,589	2,632	2,499	2,056	1,491	878	483	213	123	43	31	12	11	4	2	2	1,182
35 to 39 years	14,732	746	968	1,094	1,133	1,216	1,314	1,365	1,388	1,297	1,158	676	554	371	180	109	57	18	10	5	7	866
40 to 44 years	4,094	126	131	161	189	211	255	312	306	365	406	350	319	271	171	104	67	37	22	11	11	269
45 to 49 years	406	8	6	15	12	18	23	15	25	24	27	34	40	48	28	20	11	13	3	2	7	27
50 and over	24	2	1	3	1	-	-	2	-	2	1	2	4	2	1	-	-	-	-	-	-	3
Not stated	1,516	153	107	105	73	64	56	31	25	20	10	12	7	5	2	2	1	-	-	-	-	843
Female	177,014	46,332	34,736	23,596	17,154	12,738	9,256	7,023	5,083	3,782	2,810	1,978	1,225	759	456	258	136	86	28	23	34	9,521
10 to 14 years	1,146	981	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
15 to 19 years	36,450	22,013	9,219	2,608	564	123	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,905
20 to 24 years	56,748	15,198	15,627	11,214	6,743	3,374	1,270	460	140	63	27	8	-	-	-	-	-	-	-	-	-	2,624
25 to 29 years	38,444	5,038	6,119	5,978	5,818	5,243	3,838	2,413	1,194	586	234	106	45	22	8	3	1	-	-	-	-	1,798
30 to 34 years	23,724	2,046	2,424	2,525	2,600	2,576	2,593	2,444	2,009	1,375	930	511	249	101	52	19	12	13	3	4	4	1,234
35 to 39 years	14,523	794	974	1,033	1,139	1,130	1,206	1,362	1,316	1,373	1,154	913	555	336	193	110	46	28	11	6	11	833
40 to 44 years	4,126	127	150	134	193	211	257	282	366	327	421	391	325	259	178	111	65	35	11	13	16	254
45 to 49 years	417	11	8	17	20	19	19	30	36	31	32	33	49	34	22	11	11	9	3	-	2	20
50 and over	29	-	3	3	4	2	-	2	-	2	1	3	-	3	-	3	-	-	-	-	1	2
Not stated	1,407	124	139	84	73	60	55	30	22	25	11	13	2	4	3	1	1	1	-	-	-	759
Other races	16,913	4,716	3,495	2,401	1,802	1,274	909	693	462	344	213	117	110	55	30	15	8	4	3	-	1	261
10 to 14 years	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,895	1,349	414	78	17	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
20 to 24 years	5,320	2,031	1,612	897	475	151	45	16	2	-	-	-	-	-	-	-	-	-	-	-	-	91
25 to 29 years	4,584	960	997	857	684	516	290	128	53	23	8	2	1	-	-	-	-	-	-	-	-	65
30 to 34 years	2,837	243	367	428	400	383	324	275	161	118	52	24	18	2	1	1	-	-	-	-	-	40
35 to 39 years	1,517	69	74	107	172	165	177	200	169	129	97	55	46	19	9	3	4	1	1	-	-	20
40 to 44 years	548	13	17	23	38	40	54	59	65	61	48	32	31	27	17	9	4	1	-	-	-	9
45 to 49 years	96	2	1	2	5	8	9	9	9	11	6	4	14	6	3	2	-	1	2	-	1	1
50 and over	6	-	-	-	1	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	81	20	13	9	10	8	6	4	3	1	2	-	-	1	-	-	-	1	-	-	-	3
Male	8,622	2,429	1,799	1,223	921	621	447	366	239	187	109	61	60	30	13	8	4	1	2	-	-	122
10 to 14 years	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	973	708	199	40	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
20 to 24 years	2,753	1,026	853	477	240	74	24	11	2	-	-	-	-	-	-	-	-	-	-	-	-	46
25 to 29 years	2,301	507	503	422	354	251	137	60	22	11	5	1	1	-	-	-	-	-	-	-	-	27
30 to 34 years	1,449	120	195	207	217	191	159	151	80	63	27	11	11	2	-	-	-	-	-	-	-	15
35 to 39 years	756	34	36	55	80	81	92	104	91	54	48	28	25	10	4	2	2	-	1	-	-	9
40 to 44 years	280	9	6	16	15	17	23	29	38	33	23	17	17	15	8	5	2	1	-	-	-	6
45 to 49 years	48	1	-	-	2	4	6	6	3	5	4	4	6	3	1	1	-	-	1	-	-	1
50 and over	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	45	10	7	6	5	2	4	3	3	-	2	-	-	-	-	-	-	-	-	-	-	3
Female	8,291	2,287	1,696	1,178	881	653	462	327	223	177	104	56	50	25	17	7	4	3	1	-	1	139
10 to 14 years	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	922	641	215	38	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
20 to 24 years	2,567	1,005	759	420	236	77	21	5	-	-	-	-	-	-	-	-	-	-	-	-	-	45
25 to 29 years	2,283	453	494	435	330	265	153	68	31	12	3	1	-	-	-	-	-	-	-	-	-	38
30 to 34 years	1,388	123	172	221	183	192	165	124	81	55	25	13	7	-	1	1	-	-	-	-	-	25
35 to 39 years	761	35	38	52	92	84	85	96	78	75	49	27	21	9	5	1	2	1	-	-	-	11
40 to 44 years	268	4	11	7	23	23	31	30	27	28	25	15	14	12	9	4	2	-	-	-	-	3
45 to 49 years	48	1	1	2	3	4	3	3	6	6	2	-	8	3	2	1	-	1	1	-	1	-
50 and over	3	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	36	10	6	3	5	6	2	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946

(By place of residence. Birth order refers to number of children born alive to mother. Births to white mothers whose nativity is not stated are not shown separately, but are included in "Total births," and in "White." "Negro" is shown separately only in those States where the total number of births so classified was 100 or more. "Other races" may be obtained in these States by subtracting "Negro" from "Nonwhite")

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
ALABAMA												
Total births	79,863	21,979	17,819	11,007	7,164	5,050	3,596	2,611	1,929	1,427	2,760	4,521
10 to 14 years	205	148	38	-	-	-	-	-	-	-	-	19
15 to 19 years	13,004	7,593	3,407	853	198	48	4	-	-	-	-	901
20 to 24 years	25,612	8,654	7,359	4,320	2,103	980	324	139	40	21	9	1,463
25 to 29 years	18,658	3,384	4,233	3,179	2,444	1,878	1,255	672	354	161	115	983
30 to 34 years	12,154	1,334	1,904	1,750	1,493	1,270	1,128	949	687	469	573	597
35 to 39 years	7,464	487	710	741	756	670	686	641	617	559	1,229	368
40 to 44 years	2,072	82	98	96	113	148	159	177	207	181	703	108
45 to 49 years	195	4	2	6	7	8	10	10	12	19	109	8
50 years and over	4	-	-	-	-	-	-	-	-	-	2	2
Not stated	495	93	68	62	50	48	30	23	12	17	20	72
White	51,944	16,821	12,683	7,260	4,389	2,797	1,831	1,234	900	624	941	2,464
10 to 14 years	41	36	4	-	-	-	-	-	-	-	-	1
15 to 19 years	7,053	4,788	1,548	286	40	9	-	-	-	-	-	382
20 to 24 years	17,231	7,334	5,281	2,454	902	315	70	18	5	3	-	849
25 to 29 years	12,954	2,975	3,513	2,398	1,633	982	513	206	75	26	15	618
30 to 34 years	8,237	1,153	1,635	1,416	1,121	875	656	462	301	162	113	343
35 to 39 years	4,748	404	580	593	576	476	452	399	364	286	428	189
40 to 44 years	1,364	73	86	83	93	119	117	136	144	130	328	55
45 to 49 years	98	2	2	2	4	3	8	7	6	14	49	1
50 years and over	1	-	-	-	-	-	-	-	-	-	-	1
Not stated	217	56	34	28	20	18	15	6	5	3	7	25
Native white	51,773	16,737	12,642	7,236	4,382	2,794	1,831	1,233	900	623	940	2,455
10 to 14 years	40	36	3	-	-	-	-	-	-	-	-	1
15 to 19 years	7,042	4,779	1,547	286	40	9	-	-	-	-	-	381
20 to 24 years	17,166	7,298	5,262	2,448	901	314	70	18	5	3	-	847
25 to 29 years	12,911	2,947	3,506	2,392	1,633	982	513	206	75	26	15	616
30 to 34 years	8,211	1,145	1,628	1,409	1,120	874	656	461	301	162	113	342
35 to 39 years	4,728	401	574	588	572	475	452	399	364	286	429	188
40 to 44 years	1,361	73	86	83	92	119	117	136	144	129	327	55
45 to 49 years	98	2	2	2	4	3	8	7	6	14	49	1
50 years and over	1	-	-	-	-	-	-	-	-	-	-	1
Not stated	215	56	34	28	20	18	15	6	5	3	7	23
Foreign-born white	163	82	41	23	7	2	-	1	-	1	-	6
10 to 14 years	1	-	1	-	-	-	-	-	-	-	-	-
15 to 19 years	10	8	1	-	-	-	-	-	-	-	-	1
20 to 24 years	63	35	19	5	1	1	-	-	-	-	-	2
25 to 29 years	43	28	7	6	-	-	-	-	-	-	-	2
30 to 34 years	25	8	7	7	1	1	-	1	-	-	-	-
35 to 39 years	19	3	6	5	4	-	-	-	-	-	-	1
40 to 44 years	2	-	-	-	1	-	-	-	-	1	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	27,919	5,158	5,136	3,747	2,775	2,253	1,765	1,377	1,029	803	1,819	2,057
10 to 14 years	164	112	34	-	-	-	-	-	-	-	-	18
15 to 19 years	5,951	2,805	1,859	567	158	39	4	-	-	-	-	519
20 to 24 years	8,381	1,520	2,078	1,866	1,201	685	254	121	35	18	9	614
25 to 29 years	5,704	409	720	781	811	898	742	466	279	135	100	365
30 to 34 years	3,917	181	269	334	372	395	472	487	386	307	460	254
35 to 39 years	2,716	83	130	148	180	194	234	242	253	273	800	179
40 to 44 years	708	9	12	13	20	29	42	41	63	51	375	53
45 to 49 years	97	2	-	4	3	5	2	3	6	5	60	7
50 years and over	3	-	-	-	-	-	-	-	-	-	2	1
Not stated	278	37	34	34	30	30	15	17	7	14	13	47
Negro	27,901	5,156	5,134	3,747	2,773	2,249	1,763	1,374	1,027	802	1,819	2,057
10 to 14 years	164	112	34	-	-	-	-	-	-	-	-	18
15 to 19 years	5,951	2,805	1,859	567	158	39	4	-	-	-	-	519
20 to 24 years	8,377	1,519	2,077	1,866	1,200	664	254	121	35	18	9	614
25 to 29 years	5,696	409	720	781	811	693	741	464	278	134	100	365
30 to 34 years	3,912	180	268	334	371	395	471	486	386	307	460	254
35 to 39 years	2,716	83	130	148	180	194	234	242	253	273	800	179
40 to 44 years	707	9	12	13	20	29	42	41	62	51	375	53
45 to 49 years	97	2	-	4	3	5	2	3	6	5	60	7
50 years and over	3	-	-	-	-	-	-	-	-	-	2	1
Not stated	278	37	34	34	30	30	15	17	7	14	13	47
ARIZONA												
Total births	16,345	5,383	4,269	2,339	1,478	905	644	447	330	169	357	24
10 to 14 years	22	21	1	-	-	-	-	-	-	-	-	-
15 to 19 years	1,971	1,465	433	64	7	-	-	-	-	-	-	2
20 to 24 years	5,531	2,366	1,918	731	331	131	35	11	2	-	-	6
25 to 29 years	4,285	985	1,181	825	554	348	208	115	35	7	2	5
30 to 34 years	2,634	374	512	483	384	270	214	164	112	53	64	4
35 to 39 years	1,404	133	181	195	162	123	139	120	131	60	156	4
40 to 44 years	422	26	29	35	30	29	41	27	45	45	115	-
45 to 49 years	40	1	1	1	3	-	4	5	4	4	17	-
50 years and over	3	-	-	-	-	-	1	-	1	-	1	-
Not stated	53	12	13	5	7	4	2	5	-	-	2	3
White	14,379	4,934	3,866	2,067	1,257	695	523	355	252	126	287	17
10 to 14 years	12	12	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,664	1,261	350	49	3	-	-	-	-	-	-	1
20 to 24 years	4,938	2,201	1,710	611	274	98	28	8	2	-	-	6
25 to 29 years	3,826	934	1,115	739	464	261	175	97	32	5	2	2
30 to 34 years	2,327	363	479	447	344	212	173	131	87	37	52	2
35 to 39 years	1,212	128	175	186	140	101	110	92	98	48	129	4
40 to 44 years	344	26	27	32	27	21	33	21	32	34	91	-
45 to 49 years	21	1	-	-	3	-	2	3	-	2	10	-
50 years and over	2	-	-	-	-	-	-	-	1	-	1	-
Not stated	33	7	10	3	2	2	2	3	-	-	2	2

TABLE 7B.-LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
ARIZONA—Continued												
White—Continued												
Native white	13,321	4,717	3,682	1,948	1,136	610	435	299	196	84	198	16
10 to 14 years	12	12	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,623	1,233	337	49	3	-	-	-	-	-	-	1
20 to 24 years	4,740	2,118	1,642	586	256	94	28	8	2	-	-	6
25 to 29 years	3,570	878	1,059	703	425	229	155	86	29	4	2	2
30 to 34 years	2,076	330	457	408	309	182	140	112	65	33	38	2
35 to 39 years	993	115	157	171	115	85	84	73	75	29	86	3
40 to 44 years	264	26	21	29	23	18	25	16	24	18	64	-
45 to 49 years	14	1	-	-	3	-	2	2	-	-	6	-
50 years and over	2	-	-	-	-	-	-	-	1	-	1	-
Not stated	27	8	9	2	2	2	1	2	-	-	1	2
Foreign-born white	1,058	217	184	119	121	85	88	56	56	42	89	1
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	41	28	13	-	-	-	-	-	-	-	-	-
20 to 24 years	198	83	68	25	18	4	-	-	-	-	-	-
25 to 29 years	256	58	56	36	39	32	20	11	3	1	-	-
30 to 34 years	251	33	22	39	35	30	33	19	22	4	14	-
35 to 39 years	219	14	18	15	25	16	26	19	23	19	43	1
40 to 44 years	80	-	6	3	4	3	8	5	8	16	27	-
45 to 49 years	7	-	-	-	-	-	-	1	-	2	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	1	1	1	-	-	1	1	-	-	1	-
Nonwhite	1,966	449	403	272	221	210	121	92	78	43	70	7
10 to 14 years	10	9	1	-	-	-	-	-	-	-	-	-
15 to 19 years	307	204	83	15	4	-	-	-	-	-	-	1
20 to 24 years	593	165	208	120	57	33	7	3	-	-	-	-
25 to 29 years	439	51	66	86	90	87	33	18	3	2	-	3
30 to 34 years	307	11	33	36	40	58	41	33	25	16	12	2
35 to 39 years	192	4	6	9	22	22	29	28	33	12	27	-
40 to 44 years	78	-	2	3	3	8	8	6	13	11	24	-
45 to 49 years	19	-	1	1	-	-	2	2	4	2	7	-
50 years and over	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	20	5	3	2	5	2	-	2	-	-	-	1
Negro	477	122	114	70	58	37	27	19	11	5	14	-
10 to 14 years	4	3	1	-	-	-	-	-	-	-	-	-
15 to 19 years	91	56	30	3	2	-	-	-	-	-	-	-
20 to 24 years	159	49	53	27	21	6	3	-	-	-	-	-
25 to 29 years	106	11	16	24	20	16	10	7	1	1	-	-
30 to 34 years	71	3	11	11	11	11	10	7	3	2	2	-
35 to 39 years	34	-	2	4	3	2	4	4	6	1	8	-
40 to 44 years	7	-	-	-	-	1	-	-	1	1	4	-
45 to 49 years	2	-	1	1	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	-	-	1	1	-	1	-	-	-	-
ARKANSAS												
Total births	45,280	13,237	9,737	5,894	3,762	2,608	1,829	1,330	1,044	741	1,417	3,681
10 to 14 years	123	85	18	-	-	-	-	-	-	-	-	20
15 to 19 years	7,282	4,520	1,507	367	61	20	2	-	-	-	-	805
20 to 24 years	14,941	5,488	4,264	2,242	1,048	453	158	48	15	10	4	1,191
25 to 29 years	10,276	1,993	2,405	1,747	1,334	945	545	303	145	80	41	740
30 to 34 years	6,662	744	1,069	979	798	709	582	484	356	215	256	472
35 to 39 years	4,223	284	351	433	422	356	418	371	372	302	598	316
40 to 44 years	1,306	51	54	62	74	88	89	103	138	119	451	77
45 to 49 years	107	3	3	2	2	9	8	7	6	9	47	11
50 years and over	2	-	-	-	1	-	-	1	-	-	-	-
Not stated	386	69	68	42	24	28	27	13	12	6	20	49
White	35,165	11,538	8,222	4,736	2,805	1,840	1,276	835	641	429	682	2,161
10 to 14 years	28	26	1	-	-	-	-	-	-	-	-	1
15 to 19 years	5,055	3,502	932	169	23	4	-	-	-	-	-	345
20 to 24 years	12,074	5,034	3,691	1,714	644	198	50	13	2	1	1	726
25 to 29 years	8,316	1,843	2,207	1,519	1,052	672	341	134	41	20	6	481
30 to 34 years	5,246	695	983	873	658	556	447	317	212	95	90	320
35 to 39 years	3,163	250	312	375	349	301	341	274	270	207	287	197
40 to 44 years	957	44	45	54	62	80	73	82	104	95	262	56
45 to 49 years	75	2	1	2	-	9	6	5	5	9	27	9
50 years and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	250	62	50	30	17	20	18	9	7	2	9	26
Native white	35,050	11,478	8,194	4,730	2,799	1,837	1,275	833	640	428	681	2,155
10 to 14 years	28	26	1	-	-	-	-	-	-	-	-	1
15 to 19 years	5,045	3,575	929	169	23	4	-	-	-	-	-	345
20 to 24 years	12,021	4,999	3,677	1,713	643	198	50	13	2	1	1	724
25 to 29 years	8,291	1,830	2,198	1,519	1,050	672	341	134	41	20	6	480
30 to 34 years	5,237	694	982	872	657	555	446	316	211	94	90	320
35 to 39 years	3,150	247	311	372	348	300	341	273	270	207	286	195
40 to 44 years	955	44	45	54	61	79	73	82	104	95	262	56
45 to 49 years	75	2	1	2	-	9	6	5	5	9	27	9
50 years and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	247	61	50	29	17	20	18	9	7	2	9	25
Foreign-born white	110	58	28	6	4	3	1	2	-	1	1	6
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	10	7	3	-	-	-	-	-	-	-	-	-
20 to 24 years	51	34	14	1	-	-	-	-	-	-	-	2
25 to 29 years	24	13	9	-	1	-	-	-	-	-	-	1
30 to 34 years	8	1	1	1	1	1	1	1	-	1	-	-
35 to 39 years	13	3	1	3	1	1	-	1	-	-	1	2
40 to 44 years	2	-	-	-	1	1	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	1	-	-	-	-	-	-	-	1

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
ARKANSAS—Continued												
Nonwhite	10,115	1,699	1,515	1,158	957	768	553	495	403	312	735	1,520
10 to 14 years	95	59	17	-	-	-	-	-	-	-	-	19
15 to 19 years	2,227	938	575	198	38	16	2	-	-	-	-	460
20 to 24 years	2,867	454	573	548	404	255	108	35	13	9	3	465
25 to 29 years	1,962	150	198	228	282	273	204	169	104	60	35	259
30 to 34 years	1,416	49	86	106	138	153	135	167	144	120	166	152
35 to 39 years	1,060	34	39	58	73	55	77	97	102	95	311	119
40 to 44 years	349	7	9	8	12	8	16	21	34	24	189	21
45 to 49 years	32	1	2	-	2	-	2	2	1	-	20	2
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	106	7	16	12	7	8	9	4	5	4	11	23
Negro	10,091	1,697	1,506	1,157	951	767	552	495	401	311	734	1,520
10 to 14 years	95	59	17	-	-	-	-	-	-	-	-	19
15 to 19 years	2,223	937	572	198	38	16	2	-	-	-	-	460
20 to 24 years	2,863	453	570	548	404	255	108	35	13	9	3	465
25 to 29 years	1,957	150	198	227	280	273	204	169	104	60	35	259
30 to 34 years	1,410	49	85	106	135	152	135	167	143	120	166	152
35 to 39 years	1,056	34	39	58	73	55	76	97	101	94	310	119
40 to 44 years	349	7	9	8	12	8	16	21	34	24	189	21
45 to 49 years	32	1	2	-	2	-	2	2	1	-	20	2
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	105	7	16	12	6	8	9	4	5	4	11	23
CALIFORNIA												
Total births	218,484	91,471	66,838	30,336	12,962	6,251	3,325	2,057	1,364	897	1,685	1,318
10 to 14 years	121	114	4	-	-	-	-	-	-	-	-	3
15 to 19 years	21,460	16,819	3,817	534	70	17	1	-	-	-	-	202
20 to 24 years	76,638	40,911	24,302	7,480	2,486	700	224	46	10	4	2	473
25 to 29 years	62,785	21,462	22,203	10,498	4,411	2,088	983	476	206	90	57	311
30 to 34 years	36,879	8,655	11,713	7,806	3,627	1,914	1,135	752	466	303	312	196
35 to 39 years	16,594	2,958	4,108	3,417	1,932	1,169	740	587	508	337	750	88
40 to 44 years	3,690	506	653	575	407	317	222	181	160	145	495	29
45 to 49 years	223	17	23	17	19	21	19	11	13	15	65	3
50 years and over	4	-	-	1	-	-	-	1	-	-	2	-
Not stated	90	29	15	8	10	5	1	3	1	3	2	13
White	205,159	87,032	63,495	28,217	11,665	5,469	2,823	1,757	1,184	762	1,496	1,259
10 to 14 years	82	77	2	-	-	-	-	-	-	-	-	3
15 to 19 years	19,397	15,416	3,314	418	48	9	1	-	-	-	-	191
20 to 24 years	71,816	39,068	22,781	6,642	2,088	560	176	34	8	1	2	456
25 to 29 years	59,346	20,669	21,359	9,823	3,949	1,782	799	391	166	65	49	294
30 to 34 years	34,983	8,398	11,365	7,443	3,343	1,711	985	642	393	252	263	190
35 to 39 years	15,799	2,873	4,008	3,305	1,829	1,090	848	524	459	298	680	85
40 to 44 years	3,451	491	628	561	382	294	199	156	145	130	439	26
45 to 49 years	201	15	23	16	17	19	16	8	12	13	59	3
50 years and over	3	-	-	1	-	-	-	-	-	-	2	-
Not stated	81	25	15	8	9	4	1	2	1	3	2	11
Native white	193,398	83,321	60,402	26,518	10,843	4,928	2,471	1,412	921	552	838	1,192
10 to 14 years	80	75	2	-	-	-	-	-	-	-	-	3
15 to 19 years	19,091	15,175	3,259	411	46	9	1	-	-	-	-	190
20 to 24 years	69,439	37,716	22,102	6,429	2,017	531	163	27	7	1	2	444
25 to 29 years	56,146	19,535	20,312	9,352	3,727	1,644	729	337	141	56	35	278
30 to 34 years	32,082	7,779	10,575	6,900	3,082	1,530	862	516	316	179	167	176
35 to 39 years	13,612	2,577	3,578	2,926	1,627	949	538	406	345	216	377	73
40 to 44 years	2,754	425	540	480	325	248	169	119	100	92	234	22
45 to 49 years	125	14	19	12	12	13	9	5	11	6	23	1
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	68	25	15	7	7	4	-	2	1	2	-	5
Foreign-born white	11,745	3,709	3,091	1,697	821	540	352	345	263	210	657	61
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	305	241	54	7	2	-	-	-	-	-	-	1
20 to 24 years	2,375	1,350	679	213	71	29	13	7	1	-	-	12
25 to 29 years	3,198	1,134	1,047	471	221	138	70	54	25	9	14	15
30 to 34 years	2,897	618	789	541	261	181	121	126	77	73	98	14
35 to 39 years	2,186	296	430	379	202	140	110	118	114	82	303	12
40 to 44 years	697	66	88	81	57	46	30	37	45	38	205	4
45 to 49 years	75	1	4	4	5	6	7	3	1	7	35	2
50 years and over	2	-	-	-	-	-	-	-	-	-	2	-
Not stated	8	-	-	1	2	-	1	-	-	1	2	1
Nonwhite	13,325	4,439	3,343	2,119	1,297	762	502	300	160	135	109	59
10 to 14 years	39	37	2	-	-	-	-	-	-	-	-	-
15 to 19 years	2,063	1,403	503	116	22	8	-	-	-	-	-	11
20 to 24 years	4,822	1,843	1,521	838	398	140	48	12	2	3	-	17
25 to 29 years	3,439	793	844	675	462	306	184	85	40	25	8	17
30 to 34 years	1,896	257	348	363	284	203	152	110	73	51	49	6
35 to 39 years	795	85	100	112	103	79	92	63	49	39	70	3
40 to 44 years	239	15	25	14	25	23	23	25	15	15	56	3
45 to 49 years	22	2	-	1	2	2	3	3	1	2	6	-
50 years and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	9	4	-	-	1	1	-	1	-	-	-	2
Negro	9,523	3,247	2,375	1,475	932	538	361	212	130	95	129	29
10 to 14 years	34	32	2	-	-	-	-	-	-	-	-	-
15 to 19 years	1,733	1,182	416	102	19	7	-	-	-	-	-	7
20 to 24 years	3,617	1,310	1,142	659	321	121	41	9	2	3	-	9
25 to 29 years	2,253	477	510	418	331	236	146	73	30	19	7	6
30 to 34 years	1,226	173	220	211	184	122	104	73	59	40	37	3
35 to 39 years	517	58	69	77	64	42	61	41	32	27	45	1
40 to 44 years	128	10	16	8	13	8	9	14	7	6	36	1
45 to 49 years	7	1	-	-	-	1	-	1	-	-	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	4	-	-	-	1	-	1	-	-	-	2

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
COLORADO												
Total births	29,518	11,328	8,112	4,129	2,201	1,199	815	530	368	267	506	63
10 to 14 years	13	12	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,970	2,409	472	64	11	3	1	-	-	-	-	10
20 to 24 years	10,214	5,191	3,276	1,102	407	137	45	25	6	3	1	21
25 to 29 years	8,271	2,451	2,661	1,496	802	425	250	105	35	25	15	16
30 to 34 years	4,941	932	1,228	979	622	367	276	209	142	80	99	7
35 to 39 years	2,382	261	406	421	282	215	182	149	130	111	218	7
40 to 44 years	621	50	58	68	69	46	56	38	49	42	145	2
45 to 49 years	61	3	5	5	1	4	5	2	4	4	28	-
50 years and over	2	-	1	-	1	-	-	-	-	-	-	-
Not stated	43	19	6	4	6	2	-	2	2	2	-	-
White	28,880	11,105	7,927	4,045	2,155	1,169	795	514	354	260	496	60
10 to 14 years	11	11	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,896	2,355	455	63	11	3	1	-	-	-	-	8
20 to 24 years	10,000	5,101	3,198	1,070	397	137	42	25	6	3	1	20
25 to 29 years	8,075	2,387	2,599	1,457	786	413	243	103	33	24	14	16
30 to 34 years	4,849	921	1,205	968	607	356	270	201	136	79	99	7
35 to 39 years	2,339	258	404	413	278	210	178	145	125	107	214	7
40 to 44 years	609	50	54	65	69	46	56	37	48	41	141	2
45 to 49 years	57	3	5	5	1	2	5	1	4	4	27	-
50 years and over	2	-	1	-	1	-	-	-	-	-	-	-
Not stated	42	19	6	4	5	2	-	2	2	2	-	-
Native white	28,313	10,959	7,822	3,985	2,109	1,138	764	491	332	237	420	56
10 to 14 years	11	11	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,879	2,338	455	63	11	3	1	-	-	-	-	8
20 to 24 years	9,895	5,053	3,165	1,057	389	136	40	25	6	3	1	20
25 to 29 years	7,960	2,345	2,564	1,447	781	407	234	100	33	20	13	16
30 to 34 years	4,720	895	1,182	954	589	347	261	194	129	74	89	6
35 to 39 years	2,205	249	397	392	267	199	169	136	114	96	180	6
40 to 44 years	557	49	50	63	65	42	54	34	44	38	118	-
45 to 49 years	47	2	4	5	1	2	5	1	4	4	19	-
50 years and over	2	-	1	-	1	-	-	-	-	-	-	-
Not stated	37	17	4	4	5	2	-	1	2	2	-	-
Foreign-born white	559	141	104	58	46	31	31	23	22	23	76	4
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	15	15	-	-	-	-	-	-	-	-	-	-
20 to 24 years	103	47	33	12	8	1	2	-	-	-	-	-
25 to 29 years	113	41	35	9	5	6	9	3	-	4	1	-
30 to 34 years	129	26	23	14	18	9	9	7	7	5	10	1
35 to 39 years	134	9	7	21	11	11	9	9	11	11	34	1
40 to 44 years	52	1	4	2	4	4	2	3	4	3	23	2
45 to 49 years	10	1	1	-	-	-	-	-	-	-	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	1	-	-	-	-	1	-	-	-	-
Nonwhite	638	223	185	84	46	30	20	16	14	7	10	3
10 to 14 years	2	1	1	-	-	-	-	-	-	-	-	-
15 to 19 years	74	54	17	1	-	-	-	-	-	-	-	2
20 to 24 years	214	90	78	32	10	-	3	-	-	-	-	1
25 to 29 years	196	64	62	29	16	12	7	2	2	1	1	-
30 to 34 years	92	11	23	11	15	11	6	8	6	1	-	-
35 to 39 years	43	3	2	8	4	5	4	4	5	4	4	-
40 to 44 years	12	-	2	3	-	-	-	1	1	1	4	-
45 to 49 years	4	-	-	-	-	2	-	1	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	347	109	103	57	20	19	12	5	10	1	8	3
10 to 14 years	2	1	1	-	-	-	-	-	-	-	-	-
15 to 19 years	61	42	16	1	-	-	-	-	-	-	-	2
20 to 24 years	123	38	48	25	8	-	3	-	-	-	-	1
25 to 29 years	77	20	22	14	5	7	6	-	2	-	1	-
30 to 34 years	47	6	13	8	4	7	2	2	5	-	-	-
35 to 39 years	27	2	1	7	2	4	1	2	3	1	4	-
40 to 44 years	8	-	2	2	-	-	-	1	-	-	3	-
45 to 49 years	1	-	-	-	-	1	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT												
Total births	41,457	16,992	13,048	6,052	2,477	1,050	488	287	175	108	156	628
10 to 14 years	9	9	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,571	1,288	232	17	1	-	-	-	-	-	-	33
20 to 24 years	11,212	7,055	2,972	744	185	60	15	4	1	1	-	175
25 to 29 years	14,259	5,617	5,244	2,084	873	257	95	35	28	8	4	216
30 to 34 years	9,190	2,161	3,255	2,012	896	361	174	96	58	27	24	126
35 to 39 years	4,258	704	1,170	1,010	592	281	148	108	62	47	74	62
40 to 44 years	860	132	152	168	118	87	53	39	28	26	47	12
45 to 49 years	46	4	8	9	9	3	1	5	1	2	5	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	52	22	15	8	3	1	-	-	-	-	2	1
White	40,334	16,646	12,746	5,896	2,362	1,001	450	256	141	95	130	611
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,409	1,191	177	12	-	-	-	-	-	-	-	29
20 to 24 years	10,786	6,894	2,827	680	152	49	10	1	1	1	-	171
25 to 29 years	13,968	5,556	5,177	2,028	825	237	83	26	18	5	2	211
30 to 34 years	9,050	2,148	3,229	1,993	873	350	159	85	47	24	17	125
35 to 39 years	4,183	698	1,163	999	583	275	144	104	51	41	63	62
40 to 44 years	838	129	152	167	117	86	53	36	23	22	41	12
45 to 49 years	44	4	6	9	9	3	1	4	1	2	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	51	21	15	8	3	1	-	-	-	-	2	1

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
CONNECTICUT—Continued												
White—Continued												
Native white	37,831	15,816	12,023	5,445	2,149	895	403	210	113	81	112	584
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,380	1,164	175	12	-	-	-	-	-	-	-	29
20 to 24 years	10,348	6,596	2,716	663	149	49	9	1	1	1	-	163
25 to 29 years	13,322	5,287	4,955	1,926	595	226	79	25	17	5	2	205
30 to 34 years	8,401	1,998	3,013	1,840	806	322	150	72	41	22	16	121
35 to 39 years	3,631	631	1,023	861	502	229	120	86	34	36	55	54
40 to 44 years	666	111	122	131	88	67	44	22	19	17	34	11
45 to 49 years	30	4	4	6	6	1	1	4	1	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	48	20	15	6	3	1	-	-	-	-	2	1
Foreign-born white	2,500	828	722	451	213	106	47	48	28	14	18	27
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	29	27	2	-	-	-	-	-	-	-	-	-
20 to 24 years	437	297	111	17	3	-	1	-	-	-	-	8
25 to 29 years	646	269	222	102	30	11	4	1	1	-	-	6
30 to 34 years	648	150	215	153	67	28	8	13	8	2	1	4
35 to 39 years	552	67	140	138	81	46	24	18	17	5	8	8
40 to 44 years	172	18	30	36	29	19	9	14	4	5	7	1
45 to 49 years	14	-	2	3	3	2	-	-	-	2	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	2	-	-	-	-	-	-	-	-
Nonwhite	1,123	346	300	156	115	49	36	31	35	14	26	15
10 to 14 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	162	97	55	5	1	-	-	-	-	-	-	4
20 to 24 years	426	161	145	64	33	11	5	3	-	-	-	4
25 to 29 years	291	61	67	56	48	20	12	9	10	1	2	5
30 to 34 years	140	13	26	19	23	11	15	11	11	3	7	1
35 to 39 years	75	6	7	11	9	6	4	4	11	6	11	-
40 to 44 years	22	3	-	1	1	1	-	3	3	4	6	-
45 to 49 years	2	-	-	-	-	-	-	1	-	-	-	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Negro	1,108	339	299	154	113	48	36	30	35	14	26	14
10 to 14 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	162	97	55	5	1	-	-	-	-	-	-	4
20 to 24 years	424	159	145	64	33	11	5	3	-	-	-	4
25 to 29 years	285	58	67	56	46	20	12	9	10	1	2	4
30 to 34 years	135	11	26	18	23	10	15	10	11	3	7	1
35 to 39 years	73	6	6	10	9	6	4	4	11	6	11	-
40 to 44 years	22	3	-	1	1	1	-	3	3	4	6	-
45 to 49 years	2	-	-	-	-	-	-	1	-	-	-	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
DELAWARE												
Total births	6,802	2,300	1,897	961	520	251	166	93	73	52	79	410
10 to 14 years	19	18	1	-	-	-	-	-	-	-	-	-
15 to 19 years	647	439	104	23	9	-	-	-	-	-	-	72
20 to 24 years	2,128	958	640	203	120	31	13	4	1	-	-	158
25 to 29 years	2,043	576	651	338	169	94	49	22	14	6	4	121
30 to 34 years	1,225	229	346	261	137	73	51	31	28	17	17	35
35 to 39 years	598	72	134	121	74	40	41	26	18	22	30	20
40 to 44 years	122	8	19	12	9	9	9	10	12	7	23	4
45 to 49 years	13	-	1	1	3	1	2	-	-	-	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	-	1	2	-	3	1	-	-	-	-	-
White	5,811	2,075	1,698	855	401	181	108	61	43	29	45	325
10 to 14 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	420	314	57	13	4	-	-	-	-	-	-	32
20 to 24 years	1,818	904	553	149	65	11	3	-	-	-	-	133
25 to 29 years	1,822	560	608	312	128	64	26	11	6	1	-	106
30 to 34 years	1,111	215	329	252	124	61	38	23	18	10	8	33
35 to 39 years	519	69	121	114	69	36	30	20	11	12	20	17
40 to 44 years	102	7	19	12	8	8	9	7	8	8	14	4
45 to 49 years	11	-	1	1	3	1	2	-	-	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	2	-	-	-	-	-	-	-	-
Native white	5,695	2,043	1,654	842	389	177	106	60	42	29	45	308
10 to 14 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	418	312	57	13	4	-	-	-	-	-	-	32
20 to 24 years	1,789	890	548	148	63	11	3	-	-	-	-	126
25 to 29 years	1,785	553	593	306	125	64	26	11	6	1	-	100
30 to 34 years	1,090	209	322	250	122	59	38	23	18	10	8	31
35 to 39 years	499	66	117	110	65	35	29	19	11	12	20	15
40 to 44 years	97	7	17	12	7	7	9	7	7	8	14	4
45 to 49 years	9	-	-	1	3	1	1	-	-	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	2	-	-	-	-	-	-	-	-
Foreign-born white	116	32	34	13	12	4	2	1	1	-	-	17
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2	2	-	-	-	-	-	-	-	-	-	-
20 to 24 years	29	14	5	1	2	-	-	-	-	-	-	7
25 to 29 years	37	7	15	6	3	-	-	-	-	-	-	6
30 to 34 years	21	6	7	2	2	2	-	-	-	-	-	2
35 to 39 years	20	3	4	4	4	1	1	1	-	-	-	2
40 to 44 years	5	-	2	-	1	1	-	-	1	-	-	-
45 to 49 years	2	-	1	-	-	-	1	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
DELAWARE—Continued												
Nonwhite	991	225	208	106	119	70	58	32	30	23	34	85
10 to 14 years	13	12	1	-	-	-	-	-	-	-	-	-
15 to 19 years	227	125	47	10	5	-	-	-	-	-	-	40
20 to 24 years	310	54	87	54	55	20	10	4	1	-	-	25
25 to 29 years	221	16	43	28	40	30	23	11	8	5	4	15
30 to 34 years	114	14	17	9	13	12	13	8	10	7	9	2
35 to 39 years	79	3	13	7	5	4	11	6	7	10	10	3
40 to 44 years	20	1	-	-	1	1	-	3	4	1	9	-
45 to 49 years	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	-	1	-	-	3	1	-	-	-	-	-
Negro	966	218	205	104	118	69	57	31	28	23	29	84
10 to 14 years	13	12	1	-	-	-	-	-	-	-	-	-
15 to 19 years	224	123	47	10	5	-	-	-	-	-	-	39
20 to 24 years	303	49	86	53	55	20	10	4	1	-	-	25
25 to 29 years	212	16	40	25	40	29	23	10	7	5	2	15
30 to 34 years	113	14	17	9	13	12	13	8	10	7	8	2
35 to 39 years	76	3	13	7	4	4	10	6	7	10	9	3
40 to 44 years	18	1	-	-	1	1	-	3	3	1	8	-
45 to 49 years	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	-	1	-	-	3	1	-	-	-	-	-
DISTRICT OF COLUMBIA												
Total births	18,601	8,876	4,811	2,144	1,000	554	302	177	126	74	139	398
10 to 14 years	35	32	1	-	-	-	-	-	-	-	-	2
15 to 19 years	1,884	1,420	328	82	8	1	-	-	-	-	-	47
20 to 24 years	6,192	3,504	1,557	579	235	99	33	6	3	-	-	176
25 to 29 years	5,364	2,331	1,563	663	331	185	104	58	24	11	6	88
30 to 34 years	3,271	1,034	964	543	259	159	86	61	49	32	38	46
35 to 39 years	1,419	397	336	237	135	79	56	38	36	22	61	22
40 to 44 years	271	52	42	37	24	26	21	14	13	7	32	3
45 to 49 years	19	8	2	-	2	2	2	-	-	2	2	1
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	145	99	20	3	6	3	-	-	1	-	-	13
White	12,279	6,364	3,481	1,353	479	195	96	47	26	15	25	198
10 to 14 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	711	606	90	10	-	-	-	-	-	-	-	5
20 to 24 years	3,964	2,578	959	249	62	13	3	1	-	-	-	99
25 to 29 years	3,858	1,908	1,258	428	143	42	26	7	4	1	-	41
30 to 34 years	2,402	817	831	433	154	78	28	16	9	5	8	25
35 to 39 years	1,032	313	293	198	98	46	26	16	11	4	14	13
40 to 44 years	177	43	36	33	18	15	12	7	2	4	5	2
45 to 49 years	11	3	2	-	2	1	1	-	-	1	-	1
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	119	91	12	2	2	-	-	-	-	-	-	12
Native white	11,720	6,085	3,331	1,285	452	183	91	43	26	15	24	185
10 to 14 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	701	597	89	10	-	-	-	-	-	-	-	5
20 to 24 years	3,851	2,497	936	244	62	13	3	1	-	-	-	95
25 to 29 years	3,697	1,812	1,213	418	136	41	26	7	4	1	-	39
30 to 34 years	2,252	765	780	401	149	72	26	15	9	5	6	24
35 to 39 years	940	288	266	181	85	42	23	15	11	4	13	12
40 to 44 years	163	40	35	29	16	14	12	5	2	4	5	1
45 to 49 years	10	3	1	-	2	1	1	-	-	1	-	1
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	101	78	11	2	2	-	-	-	-	-	-	8
Foreign-born white	536	264	148	68	27	11	5	4	-	-	1	8
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	8	7	1	-	-	-	-	-	-	-	-	-
20 to 24 years	112	81	22	5	-	-	-	-	-	-	-	4
25 to 29 years	160	96	45	10	7	1	-	-	-	-	-	1
30 to 34 years	149	52	51	32	5	5	2	1	-	-	-	1
35 to 39 years	92	25	27	17	13	4	3	1	-	-	1	1
40 to 44 years	14	3	1	4	2	1	-	2	-	-	-	1
45 to 49 years	1	-	1	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	6,322	2,512	1,330	791	521	359	206	130	100	59	114	200
10 to 14 years	31	28	1	-	-	-	-	-	-	-	-	2
15 to 19 years	1,173	814	236	72	8	1	-	-	-	-	-	42
20 to 24 years	2,228	926	598	330	173	86	30	5	3	-	-	77
25 to 29 years	1,506	423	305	235	188	143	78	51	20	10	6	47
30 to 34 years	869	217	133	110	105	81	58	45	40	27	32	21
35 to 39 years	387	84	43	39	37	33	30	23	25	18	47	9
40 to 44 years	94	9	6	4	6	11	9	7	11	3	27	1
45 to 49 years	8	3	-	-	-	1	1	-	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	26	8	8	1	4	3	-	-	1	-	-	1
Negro	6,258	2,482	1,314	781	518	355	205	130	100	59	114	200
10 to 14 years	31	28	1	-	-	-	-	-	-	-	-	2
15 to 19 years	1,170	812	235	72	8	1	-	-	-	-	-	42
20 to 24 years	2,209	915	594	327	173	85	30	5	3	-	-	77
25 to 29 years	1,484	414	302	230	186	140	78	51	20	10	6	47
30 to 34 years	854	211	126	108	105	81	58	45	40	27	32	21
35 to 39 years	382	82	42	39	36	33	29	22	25	18	47	9
40 to 44 years	94	9	6	4	6	11	9	7	11	3	27	1
45 to 49 years	8	3	-	-	-	1	1	-	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	26	8	8	1	4	3	-	-	1	-	-	1

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
FLORIDA												
Total births	53,688	19,640	14,074	7,483	4,075	2,488	1,651	1,099	760	455	950	1,013
10 to 14 years	157	130	21	-	-	-	-	-	-	-	-	6
15 to 19 years	7,820	5,450	1,704	398	72	14	3	-	-	-	-	179
20 to 24 years	17,724	7,961	5,383	2,368	1,046	449	148	48	20	7	2	292
25 to 29 years	13,918	3,762	4,094	2,368	1,441	932	594	270	140	59	44	214
30 to 34 years	8,354	1,586	2,009	1,546	953	633	513	382	264	136	184	148
35 to 39 years	4,347	604	722	646	458	359	295	302	261	178	404	118
40 to 44 years	1,085	85	97	121	92	89	82	83	66	67	285	18
45 to 49 years	77	6	4	8	2	7	2	8	6	5	28	1
50 years and over	7	-	1	1	1	1	1	-	-	-	2	-
Not stated	199	56	39	27	10	4	13	6	3	3	1	37
White	40,114	16,164	11,335	5,506	2,670	1,474	939	589	379	199	316	543
10 to 14 years	18	17	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,814	3,715	870	141	11	-	1	-	-	-	-	76
20 to 24 years	13,629	6,952	4,289	1,503	510	170	43	10	3	1	-	168
25 to 29 years	10,978	3,413	3,622	1,867	981	510	299	101	41	15	6	123
30 to 34 years	6,553	1,426	1,815	1,321	719	433	333	215	122	51	38	80
35 to 39 years	3,202	527	642	550	361	275	201	193	160	87	145	61
40 to 44 years	769	76	91	105	84	78	56	62	49	42	115	11
45 to 49 years	42	5	2	6	-	6	2	4	3	2	12	-
50 years and over	3	-	-	1	1	1	-	-	-	-	-	-
Not stated	108	33	23	12	3	1	4	4	1	1	-	24
Native white	39,253	15,772	11,070	5,403	2,628	1,461	926	579	376	198	310	532
10 to 14 years	18	17	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,764	3,692	865	140	11	-	1	-	-	-	-	75
20 to 24 years	13,370	6,793	4,191	1,487	507	170	43	10	3	1	-	165
25 to 29 years	10,753	3,298	3,550	1,842	974	508	297	99	41	15	6	123
30 to 34 years	6,373	1,373	1,750	1,288	702	430	328	211	122	51	38	80
35 to 39 years	3,080	493	606	530	348	270	197	190	158	84	143	61
40 to 44 years	734	70	82	98	82	75	54	61	48	42	112	10
45 to 49 years	39	4	2	5	-	6	2	4	3	2	11	-
50 years and over	3	-	-	1	1	1	-	-	-	-	-	-
Not stated	99	32	23	12	3	1	4	4	1	1	-	18
Foreign-born white	844	386	263	100	42	13	13	10	3	3	6	5
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	28	23	4	-	-	-	-	-	-	-	-	1
20 to 24 years	252	154	77	15	3	-	-	-	-	-	-	3
25 to 29 years	224	115	72	24	7	2	2	2	-	-	-	-
30 to 34 years	179	52	65	33	17	3	5	4	-	-	-	-
35 to 39 years	122	34	36	20	13	5	4	3	2	3	2	-
40 to 44 years	35	6	9	7	2	3	2	1	1	-	3	1
45 to 49 years	3	1	-	1	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite	13,574	3,476	2,739	1,977	1,405	1,014	712	510	381	256	634	470
10 to 14 years	139	113	20	-	-	-	-	-	-	-	-	6
15 to 19 years	3,006	1,735	834	257	61	14	2	-	-	-	-	103
20 to 24 years	4,095	1,009	1,114	865	536	279	105	38	17	6	2	124
25 to 29 years	2,940	349	472	501	460	422	295	169	99	44	38	91
30 to 34 years	1,801	160	194	225	234	200	180	167	142	85	146	68
35 to 39 years	1,145	77	80	96	97	84	94	109	101	91	259	57
40 to 44 years	316	9	6	16	8	11	26	21	17	25	170	7
45 to 49 years	35	1	2	2	2	1	-	4	3	3	16	1
50 years and over	4	-	1	-	-	-	1	-	-	-	2	-
Not stated	93	23	16	15	7	3	9	2	2	2	1	13
Negro	13,544	3,469	2,731	1,973	1,403	1,013	709	510	390	256	634	466
10 to 14 years	139	113	20	-	-	-	-	-	-	-	-	6
15 to 19 years	3,003	1,732	834	257	61	14	2	-	-	-	-	103
20 to 24 years	4,084	1,005	1,109	864	536	279	105	38	17	6	2	123
25 to 29 years	2,933	349	470	500	459	421	295	169	99	44	38	89
30 to 34 years	1,796	160	194	223	233	200	179	167	141	85	146	68
35 to 39 years	1,142	77	79	98	97	84	93	109	101	91	259	56
40 to 44 years	316	9	6	16	8	11	26	21	17	25	170	7
45 to 49 years	35	1	2	2	2	1	-	4	3	3	16	1
50 years and over	3	-	1	-	-	-	-	-	-	-	2	-
Not stated	93	23	16	15	7	3	9	2	2	2	1	13
GEORGIA												
Total births	85,667	28,280	18,919	10,804	7,021	4,746	3,220	2,424	1,711	1,267	2,305	6,970
10 to 14 years	257	221	16	-	-	-	-	-	-	-	-	20
15 to 19 years	13,036	8,562	2,774	673	155	39	8	-	-	-	-	825
20 to 24 years	26,524	10,285	7,640	3,878	2,011	877	304	144	32	18	13	1,322
25 to 29 years	20,449	4,597	5,017	3,383	2,451	1,830	1,092	619	274	148	117	921
30 to 34 years	12,768	1,806	2,399	1,912	1,529	1,191	1,035	845	625	413	464	549
35 to 39 years	7,225	598	884	781	691	624	603	629	599	509	1,007	300
40 to 44 years	1,949	83	116	130	137	143	142	165	180	159	613	101
45 to 49 years	142	3	1	2	8	7	14	7	11	9	70	10
50 years and over	10	-	-	-	-	1	-	1	1	1	5	1
Not stated	3,307	125	72	45	39	34	22	14	9	10	18	2,921
White	56,385	19,815	13,999	7,237	4,228	2,596	1,587	1,117	768	525	828	3,685
10 to 14 years	50	43	-	-	-	-	-	-	-	-	-	7
15 to 19 years	6,836	5,087	1,201	179	29	7	2	-	-	-	-	331
20 to 24 years	18,028	8,434	5,510	2,177	830	273	69	19	3	3	2	708
25 to 29 years	14,485	4,001	4,249	2,506	1,536	926	419	191	59	35	16	547
30 to 34 years	9,016	1,582	2,113	1,581	1,158	793	581	383	254	123	103	335
35 to 39 years	4,873	518	784	647	543	468	400	381	335	257	367	173
40 to 44 years	1,307	72	101	118	111	113	104	121	108	98	300	81
45 to 49 years	81	-	1	2	5	6	10	3	6	6	35	7
50 years and over	5	-	-	-	-	-	-	1	1	1	2	-
Not stated	1,704	78	40	27	16	10	2	8	2	2	3	1,516

TABLE 7B.-LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
GEORGIA—Continued												
White—Continued												
Native white	56,170	19,710	13,946	7,218	4,217	2,590	1,585	1,117	768	525	828	3,666
10 to 14 years	50	43	-	-	-	-	-	-	-	-	-	7
15 to 19 years	6,823	5,076	1,200	178	29	7	2	-	-	-	-	331
20 to 24 years	17,951	8,381	5,493	2,173	830	273	89	19	3	3	2	705
25 to 29 years	14,439	3,979	4,234	2,501	1,535	925	419	191	59	35	18	545
30 to 34 years	8,973	1,571	2,098	1,574	1,152	790	581	393	254	123	103	334
35 to 39 years	4,853	511	779	645	540	487	399	381	335	257	367	172
40 to 44 years	1,305	71	101	118	110	113	104	121	108	98	300	61
45 to 49 years	80	-	1	2	5	5	10	3	6	6	35	7
50 years and over	5	-	-	-	-	-	-	1	1	1	2	-
Not stated	1,691	78	40	27	16	10	1	8	2	2	3	1,504
Foreign-born white	200	105	52	19	10	5	2	-	-	-	-	7
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	13	11	1	1	-	-	-	-	-	-	-	-
20 to 24 years	77	53	17	4	-	-	-	-	-	-	-	3
25 to 29 years	46	22	15	5	1	1	-	-	-	-	-	2
30 to 34 years	40	11	14	7	5	2	-	-	-	-	-	1
35 to 39 years	20	7	5	2	3	1	1	-	-	-	-	1
40 to 44 years	2	1	-	-	1	-	-	-	-	-	-	-
45 to 49 years	1	-	-	-	-	1	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	1	-	-	-	-	-
Nonwhite	29,282	6,465	4,920	3,567	2,793	2,150	1,633	1,307	943	742	1,477	3,285
10 to 14 years	207	178	16	-	-	-	-	-	-	-	-	13
15 to 19 years	6,200	3,475	1,573	494	126	32	6	-	-	-	-	494
20 to 24 years	8,498	1,851	2,130	1,701	1,181	604	235	125	29	15	11	614
25 to 29 years	5,984	596	768	877	915	904	673	428	215	113	101	374
30 to 34 years	3,752	224	286	331	371	398	454	452	371	290	361	214
35 to 39 years	2,352	80	100	134	148	156	203	248	264	252	640	127
40 to 44 years	642	11	15	12	26	30	38	44	52	61	313	40
45 to 49 years	61	3	-	-	3	1	4	4	5	3	35	3
50 years and over	5	-	-	-	-	1	-	-	-	-	3	1
Not stated	1,603	47	32	18	23	24	20	6	7	8	13	1,405
Negro	29,270	6,460	4,919	3,567	2,792	2,150	1,632	1,307	943	740	1,477	3,283
10 to 14 years	207	178	16	-	-	-	-	-	-	-	-	13
15 to 19 years	6,200	3,475	1,573	494	126	32	6	-	-	-	-	494
20 to 24 years	8,492	1,848	2,130	1,701	1,180	604	235	125	29	15	11	614
25 to 29 years	5,961	594	768	877	915	904	672	428	215	113	101	374
30 to 34 years	3,750	224	285	331	371	398	454	452	371	290	361	213
35 to 39 years	2,351	80	100	134	148	156	203	248	264	251	640	127
40 to 44 years	642	11	15	12	26	30	38	44	52	61	313	40
45 to 49 years	60	3	-	-	3	1	4	4	5	2	35	3
50 years and over	5	-	-	-	-	1	-	-	-	-	3	1
Not stated	1,602	47	32	18	23	24	20	6	7	8	13	1,404
IDAHO												
Total births	13,787	4,514	3,749	2,309	1,368	720	431	211	138	92	133	124
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,411	1,142	233	27	1	-	-	-	-	-	-	8
20 to 24 years	4,763	2,113	1,655	656	211	70	17	3	1	-	-	37
25 to 29 years	3,722	840	1,126	865	478	222	106	38	7	6	2	34
30 to 34 years	2,305	289	527	519	420	237	142	64	38	20	22	26
35 to 39 years	1,152	87	169	199	209	149	118	71	54	43	44	9
40 to 44 years	363	24	35	36	39	37	45	33	31	23	53	7
45 to 49 years	33	1	-	3	7	3	1	2	3	-	12	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	33	13	4	4	3	2	2	2	1	-	-	2
White	13,571	4,448	3,698	2,287	1,346	710	418	199	128	88	128	121
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,393	1,125	232	27	1	-	-	-	-	-	-	-
20 to 24 years	4,699	2,066	1,635	647	208	68	16	2	1	-	-	36
25 to 29 years	3,657	825	1,104	855	471	219	104	33	6	6	2	34
30 to 34 years	2,267	286	520	517	414	233	136	62	36	18	21	24
35 to 39 years	1,139	67	168	199	205	149	116	69	51	42	44	9
40 to 44 years	352	24	35	35	38	37	43	29	30	22	52	7
45 to 49 years	29	1	-	3	6	3	1	2	3	-	9	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	30	11	4	4	3	1	2	2	1	-	-	2
Native white	13,328	4,370	3,630	2,248	1,330	696	411	194	125	83	122	119
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,380	1,114	230	27	1	-	-	-	-	-	-	8
20 to 24 years	4,628	2,047	1,614	639	206	67	16	2	1	-	-	36
25 to 29 years	3,591	802	1,084	839	467	216	103	32	6	6	2	34
30 to 34 years	2,225	284	503	506	410	229	136	62	35	16	21	23
35 to 39 years	1,109	82	163	195	201	146	112	68	51	41	42	8
40 to 44 years	333	24	32	35	37	34	41	26	28	20	49	7
45 to 49 years	27	1	-	3	5	3	1	2	3	-	8	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	30	11	4	4	3	1	2	2	1	-	-	2
Foreign-born white	240	76	67	39	16	14	7	5	3	5	6	2
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	12	10	2	-	-	-	-	-	-	-	-	-
20 to 24 years	70	38	21	8	2	1	-	-	-	-	-	-
25 to 29 years	66	21	20	16	4	3	1	1	-	-	-	-
30 to 34 years	41	2	16	11	4	4	-	-	1	2	-	1
35 to 39 years	30	5	5	4	4	3	4	1	-	1	2	1
40 to 44 years	19	-	3	-	1	3	2	3	2	2	3	-
45 to 49 years	2	-	-	-	1	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
IDAHO—Continued												
Nonwhite	216	66	51	22	22	10	13	12	8	4	5	3
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	18	17	1	-	-	-	-	-	-	-	-	-
20 to 24 years	64	27	20	9	3	2	1	1	-	-	-	1
25 to 29 years	65	17	22	10	7	3	2	3	1	-	-	-
30 to 34 years	38	3	7	2	6	4	6	2	3	2	1	2
35 to 39 years	13	-	1	-	4	-	2	2	3	1	-	-
40 to 44 years	11	-	-	1	1	-	2	4	1	1	1	-
45 to 49 years	4	-	-	-	1	-	-	-	-	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	2	-	-	-	1	-	-	-	-	-	-
ILLINOIS												
Total births	174,825	71,052	52,132	25,434	11,686	5,811	3,221	1,949	1,158	774	1,204	404
10 to 14 years	102	99	2	-	-	-	-	-	-	-	-	1
15 to 19 years	12,732	10,374	2,001	289	29	6	2	-	-	-	-	31
20 to 24 years	53,665	30,913	15,602	4,794	1,621	477	123	35	7	3	-	110
25 to 29 years	53,769	19,206	18,815	8,658	3,807	1,769	837	386	126	44	22	109
30 to 34 years	34,935	7,474	11,375	7,769	3,697	1,901	1,098	715	389	242	185	90
35 to 39 years	15,737	2,563	3,753	3,312	2,044	1,282	892	573	435	329	522	32
40 to 44 years	3,803	400	561	582	462	356	257	211	189	147	430	8
45 to 49 years	189	10	14	26	26	18	11	19	12	9	43	1
50 years and over	5	1	3	-	-	-	-	-	-	-	1	-
Not stated	48	12	6	4	-	2	1	-	-	-	1	22
White	162,314	66,640	49,152	23,681	10,535	5,067	2,676	1,614	963	631	970	385
10 to 14 years	34	32	1	-	-	-	-	-	-	-	-	1
15 to 19 years	10,189	8,578	1,409	157	16	2	1	-	-	-	-	26
20 to 24 years	49,218	29,287	14,226	4,001	1,206	301	63	25	5	2	-	102
25 to 29 years	50,966	18,607	18,193	8,143	3,392	1,487	616	288	86	33	15	106
30 to 34 years	33,369	7,255	11,099	7,562	3,490	1,721	947	578	311	188	140	88
35 to 39 years	14,915	2,476	3,661	3,227	1,960	1,197	802	510	377	267	408	32
40 to 44 years	3,399	384	551	563	446	341	235	195	172	132	372	8
45 to 49 years	176	9	14	25	25	16	11	18	12	9	36	1
50 years and over	5	1	3	-	-	-	-	-	-	-	1	-
Not stated	43	11	5	3	-	2	1	-	-	-	-	21
Native white	157,148	64,800	47,593	22,833	10,152	4,875	2,572	1,551	918	596	885	373
10 to 14 years	34	32	1	-	-	-	-	-	-	-	-	1
15 to 19 years	10,080	8,486	1,397	153	16	1	1	-	-	-	-	26
20 to 24 years	48,233	28,602	13,996	3,941	1,198	300	63	25	5	2	-	101
25 to 29 years	49,703	18,073	17,728	7,978	3,329	1,470	612	280	84	33	14	102
30 to 34 years	32,126	8,971	10,632	7,277	3,375	1,673	925	565	307	183	131	87
35 to 39 years	13,744	2,280	3,349	2,957	1,803	1,114	754	484	348	253	372	30
40 to 44 years	3,033	339	470	504	408	300	207	183	162	117	336	7
45 to 49 years	155	9	13	20	23	15	9	14	12	8	31	1
50 years and over	4	-	3	-	-	-	-	-	-	-	1	-
Not stated	36	8	4	3	-	2	-	-	-	-	-	18
Foreign-born white	5,121	1,813	1,551	844	380	192	104	63	45	35	85	9
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	96	81	10	4	-	1	-	-	-	-	-	-
20 to 24 years	974	676	229	59	8	1	-	-	-	-	-	1
25 to 29 years	1,253	531	464	162	60	17	4	8	2	-	1	4
30 to 34 years	1,241	283	456	285	115	48	22	13	4	5	9	1
35 to 39 years	1,168	195	310	270	157	83	48	26	29	14	34	2
40 to 44 years	366	45	81	59	38	41	28	12	10	15	36	1
45 to 49 years	21	-	1	5	2	1	2	4	-	1	5	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite	12,511	4,412	2,960	1,753	1,151	744	545	335	195	143	234	19
10 to 14 years	68	67	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,543	1,796	592	132	13	4	1	-	-	-	-	5
20 to 24 years	4,467	1,626	1,376	793	415	176	60	10	2	1	-	8
25 to 29 years	2,623	599	622	515	415	282	221	108	40	11	7	3
30 to 34 years	1,566	219	286	207	207	180	151	137	78	54	45	2
35 to 39 years	822	87	92	85	84	85	90	63	58	62	116	-
40 to 44 years	204	16	10	19	16	15	22	16	17	15	58	-
45 to 49 years	13	1	-	1	1	2	-	1	-	-	7	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	1	1	-	-	-	-	-	-	1	1
Negro	12,138	4,225	2,888	1,717	1,120	733	533	334	194	143	232	19
10 to 14 years	68	67	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,532	1,789	588	132	13	4	1	-	-	-	-	5
20 to 24 years	4,339	1,536	1,350	786	410	176	60	10	2	1	-	8
25 to 29 years	2,675	525	577	500	407	279	218	108	40	11	7	3
30 to 34 years	1,502	204	270	194	194	177	149	136	77	54	45	2
35 to 39 years	804	86	91	84	80	80	85	63	58	62	115	-
40 to 44 years	201	16	10	19	15	15	20	16	17	15	58	-
45 to 49 years	12	1	-	1	1	2	-	1	-	-	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	1	1	-	-	-	-	-	-	1	1
INDIANA												
Total births	85,515	29,929	22,379	11,701	6,389	3,563	2,129	1,307	847	610	1,021	5,640
10 to 14 years	60	49	4	-	-	-	-	-	-	-	-	8
15 to 19 years	8,540	6,324	1,349	221	21	3	-	-	-	-	-	622
20 to 24 years	29,836	14,006	8,983	3,141	1,135	394	100	31	7	1	1	2,037
25 to 29 years	23,897	6,393	7,185	4,187	2,276	1,194	651	273	115	52	30	1,561
30 to 34 years	14,118	2,230	3,479	2,734	1,796	1,096	740	498	296	184	176	899
35 to 39 years	6,870	733	1,169	1,153	955	667	473	362	303	246	412	397
40 to 44 years	1,839	123	159	230	170	184	172	134	117	112	350	88
45 to 49 years	123	6	3	5	15	12	7	4	6	13	47	5
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	231	66	48	30	21	13	6	5	3	2	4	33

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
INDIANA—Continued												
White	82,279	28,985	21,694	11,273	6,097	3,348	1,964	1,216	787	567	909	5,439
10 to 14 years	39	28	3	-	-	-	-	-	-	-	-	8
15 to 19 years	7,881	5,917	1,183	185	19	3	-	-	-	-	-	574
20 to 24 years	28,720	13,659	8,647	2,954	1,034	341	83	26	5	1	1	1,969
25 to 29 years	23,194	6,293	7,081	4,065	2,168	1,105	560	242	105	45	23	1,517
30 to 34 years	13,689	2,193	3,424	2,679	1,743	1,044	696	462	270	164	148	865
35 to 39 years	6,644	716	1,153	1,131	933	652	448	350	285	232	360	304
40 to 44 years	1,782	122	156	227	167	180	166	128	114	110	326	96
45 to 49 years	123	6	3	5	15	12	7	4	6	13	47	5
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	207	61	44	27	18	11	4	4	2	2	3	31
Native white	81,326	28,627	21,452	11,162	6,032	3,323	1,949	1,199	778	557	889	5,358
10 to 14 years	38	28	2	-	-	-	-	-	-	-	-	8
15 to 19 years	7,839	5,888	1,178	185	18	3	-	-	-	-	-	567
20 to 24 years	28,434	13,488	8,570	2,944	1,033	341	83	26	5	1	1	1,942
25 to 29 years	22,928	6,184	6,985	4,034	2,151	1,102	558	240	104	43	23	1,494
30 to 34 years	13,524	2,156	3,382	2,645	1,722	1,038	690	457	269	164	147	854
35 to 39 years	6,516	702	1,129	1,106	913	643	445	347	281	226	348	376
40 to 44 years	1,722	116	150	218	162	173	162	121	111	108	319	82
45 to 49 years	121	5	3	4	15	12	7	4	6	13	47	5
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	203	60	43	26	18	11	4	4	2	2	3	30
Foreign-born white	945	357	242	109	63	25	14	17	9	10	20	79
10 to 14 years	1	-	1	-	-	-	-	-	-	-	-	-
15 to 19 years	42	29	5	-	1	-	-	-	-	-	-	7
20 to 24 years	285	170	77	10	1	-	-	-	-	-	-	27
25 to 29 years	266	99	86	31	17	3	2	2	1	2	-	23
30 to 34 years	161	37	42	33	21	6	5	5	1	-	1	10
35 to 39 years	126	14	24	25	18	9	3	3	4	6	12	8
40 to 44 years	60	6	6	9	5	7	4	7	3	2	7	4
45 to 49 years	2	1	-	1	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
Nonwhite	3,236	944	685	429	292	215	165	91	60	43	112	201
10 to 14 years	21	20	1	-	-	-	-	-	-	-	-	-
15 to 19 years	659	407	166	36	2	-	-	-	-	-	-	48
20 to 24 years	1,116	347	336	187	101	53	17	5	2	-	-	68
25 to 29 years	703	110	104	122	108	89	71	31	10	7	7	44
30 to 34 years	430	37	55	55	53	52	44	36	28	20	28	24
35 to 39 years	226	17	16	22	22	15	25	12	18	14	52	13
40 to 44 years	57	1	3	3	3	4	6	6	3	2	24	2
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	24	5	4	3	3	2	2	1	1	-	1	2
Negro	3,220	939	660	426	292	214	164	90	60	43	112	200
10 to 14 years	21	20	1	-	-	-	-	-	-	-	-	-
15 to 19 years	658	406	166	36	2	-	-	-	-	-	-	48
20 to 24 years	1,109	345	334	185	101	53	17	5	2	-	-	67
25 to 29 years	699	109	102	122	108	88	71	31	10	7	7	44
30 to 34 years	427	36	54	55	53	52	44	35	26	20	28	24
35 to 39 years	225	17	16	22	22	15	24	12	18	14	52	13
40 to 44 years	57	1	3	3	3	4	6	6	3	2	24	2
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	24	5	4	3	3	2	2	1	1	-	1	2
IOWA												
Total births	56,186	20,952	15,456	8,785	4,720	2,451	1,398	870	498	322	585	149
10 to 14 years	13	13	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,323	3,835	602	74	2	-	-	-	-	-	-	10
20 to 24 years	18,588	9,828	5,799	1,964	622	149	44	5	-	1	-	58
25 to 29 years	16,549	4,968	5,418	3,275	1,604	738	311	134	41	18	3	39
30 to 34 years	10,223	1,718	2,625	2,321	1,488	859	531	330	170	86	68	27
35 to 39 years	4,913	568	861	957	807	545	379	272	192	130	259	13
40 to 44 years	1,375	102	136	181	164	144	124	119	87	76	220	2
45 to 49 years	100	3	2	5	8	14	6	10	8	11	33	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	51	18	13	8	5	2	3	-	-	-	2	-
White	55,774	20,822	15,358	8,728	4,684	2,420	1,385	851	490	316	574	146
10 to 14 years	12	12	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,266	3,593	589	72	2	-	-	-	-	-	-	10
20 to 24 years	18,414	9,668	5,746	1,941	614	141	44	3	-	1	-	56
25 to 29 years	16,452	4,948	5,400	3,260	1,590	722	307	127	40	16	3	39
30 to 34 years	10,155	1,710	2,614	2,306	1,477	855	525	324	166	84	67	27
35 to 39 years	4,957	567	858	955	804	542	376	289	191	130	253	12
40 to 44 years	1,368	102	136	181	164	144	124	118	85	74	216	2
45 to 49 years	100	3	2	5	8	14	6	10	8	11	33	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	51	18	13	8	5	2	3	-	-	-	2	-
Native white	55,217	20,598	15,234	8,648	4,641	2,391	1,370	840	484	307	558	146
10 to 14 years	12	12	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,247	3,576	587	72	2	-	-	-	-	-	-	10
20 to 24 years	18,252	9,763	5,704	1,929	612	140	44	3	-	1	-	58
25 to 29 years	16,316	4,880	5,362	3,240	1,584	718	307	127	39	16	3	39
30 to 34 years	10,049	1,685	2,589	2,283	1,463	846	522	322	163	83	66	27
35 to 39 years	4,873	558	846	936	789	534	369	264	190	127	248	12
40 to 44 years	1,319	102	132	175	176	138	119	114	84	69	206	2
45 to 49 years	98	3	2	5	8	12	6	10	8	11	33	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	50	18	12	8	5	2	3	-	-	-	2	-

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE. 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
IOWA—Continued												
White—Continued												
Foreign-born white	548	221	120	79	43	29	15	11	5	9	16	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	18	16	2	-	-	-	-	-	-	-	-	-
20 to 24 years	157	103	40	11	2	1	-	-	-	-	-	-
25 to 29 years	135	68	37	20	6	3	-	-	1	-	-	-
30 to 34 years	105	25	25	23	14	9	3	2	2	1	1	-
35 to 39 years	84	9	12	19	15	8	7	5	1	3	5	-
40 to 44 years	47	-	4	6	6	6	5	4	1	5	10	-
45 to 49 years	2	-	-	-	-	2	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	412	130	98	57	36	31	13	19	8	6	11	3
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	57	42	13	2	-	-	-	-	-	-	-	-
20 to 24 years	154	58	53	23	8	8	-	2	-	-	-	2
25 to 29 years	97	20	18	15	14	16	4	7	1	2	-	-
30 to 34 years	68	8	11	15	11	4	6	6	4	2	1	-
35 to 39 years	26	1	3	2	3	3	3	3	1	-	6	1
40 to 44 years	9	-	-	-	-	-	-	1	2	2	4	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	355	113	87	47	29	30	10	14	8	4	10	3
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	55	40	13	2	-	-	-	-	-	-	-	-
20 to 24 years	137	49	48	20	8	8	-	2	-	-	-	2
25 to 29 years	82	15	15	13	10	15	4	7	1	2	-	-
30 to 34 years	51	7	8	10	9	4	5	2	4	1	1	-
35 to 39 years	21	1	3	2	2	3	1	2	1	-	5	1
40 to 44 years	8	-	-	-	-	-	-	1	2	1	4	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS												
Total births	39,751	15,149	11,261	5,617	2,876	1,569	868	568	385	211	408	841
10 to 14 years	19	16	-	-	-	-	-	-	-	-	-	3
15 to 19 years	3,850	3,074	595	88	13	3	-	-	-	-	-	77
20 to 24 years	13,493	6,984	4,357	1,293	436	116	25	8	1	-	1	272
25 to 29 years	11,207	3,386	3,764	2,032	978	457	211	84	40	7	7	241
30 to 34 years	6,650	1,148	1,817	1,449	866	505	320	193	109	55	49	139
35 to 39 years	3,436	427	613	617	466	379	234	190	157	99	182	72
40 to 44 years	914	83	82	104	107	98	70	85	71	45	149	22
45 to 49 years	51	-	2	9	1	8	1	5	6	3	16	-
50 years and over	3	1	-	-	-	-	-	-	-	-	1	1
Not stated	128	30	31	25	9	5	7	1	1	2	3	14
White	38,268	14,647	10,926	5,393	2,768	1,495	812	524	357	192	368	784
10 to 14 years	15	13	-	-	-	-	-	-	-	-	-	2
15 to 19 years	3,522	2,856	522	67	11	2	-	-	-	-	-	64
20 to 24 years	12,978	6,768	4,195	1,206	400	105	20	7	1	-	1	255
25 to 29 years	10,925	3,334	3,703	1,971	946	429	189	75	36	6	4	232
30 to 34 years	6,471	1,132	1,795	1,414	842	485	303	181	100	47	44	128
35 to 39 years	3,311	417	603	603	455	366	224	174	147	94	161	67
40 to 44 years	877	79	77	101	106	95	69	82	67	40	140	21
45 to 49 years	48	-	2	8	1	8	1	4	5	3	16	-
50 years and over	2	1	-	-	-	-	-	-	-	-	-	1
Not stated	117	27	29	23	7	5	6	1	1	2	2	14
Native white	37,874	14,533	10,846	5,360	2,737	1,471	791	510	343	178	334	771
10 to 14 years	15	13	-	-	-	-	-	-	-	-	-	2
15 to 19 years	3,506	2,844	519	67	11	1	-	-	-	-	-	64
20 to 24 years	12,868	6,728	4,166	1,198	398	103	20	7	1	-	1	248
25 to 29 years	10,847	3,309	3,679	1,960	941	425	188	73	34	6	4	230
30 to 34 years	6,396	1,123	1,780	1,407	832	479	294	178	98	46	34	126
35 to 39 years	3,233	412	598	596	446	358	217	169	141	86	144	66
40 to 44 years	847	78	73	101	103	92	67	78	65	36	133	21
45 to 49 years	47	-	2	8	1	8	1	3	5	3	16	-
50 years and over	2	1	-	-	-	-	-	-	-	-	-	1
Not stated	113	25	29	23	7	5	6	1	1	1	2	13
Foreign-born white	395	110	79	33	31	24	21	14	14	14	34	11
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	15	11	3	-	-	1	-	-	-	-	-	-
20 to 24 years	108	59	29	8	4	2	-	-	-	-	-	6
25 to 29 years	78	25	24	11	5	4	3	2	2	-	-	2
30 to 34 years	74	9	14	7	10	6	9	2	4	1	10	2
35 to 39 years	78	5	5	7	9	8	7	5	6	8	17	1
40 to 44 years	30	1	4	-	3	3	2	4	2	4	7	-
45 to 49 years	1	-	-	-	-	-	-	1	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	1	-	-
Nonwhite	1,485	502	335	224	108	74	56	42	28	19	40	57
10 to 14 years	4	3	-	-	-	-	-	-	-	-	-	1
15 to 19 years	328	218	73	21	2	1	-	-	-	-	-	13
20 to 24 years	515	196	162	87	36	11	5	1	-	-	-	17
25 to 29 years	282	52	61	61	32	28	22	9	4	1	3	9
30 to 34 years	179	16	22	35	24	20	17	12	9	8	5	11
35 to 39 years	125	10	10	14	11	13	10	16	10	5	21	5
40 to 44 years	37	4	5	3	1	1	1	3	4	5	9	1
45 to 49 years	3	-	-	1	-	-	-	1	1	-	-	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	11	3	2	2	2	-	1	-	-	-	1	-

TABLE 7B.-LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
KANSAS—Continued												
Nonwhite—Continued												
Negro	1,392	472	312	217	101	69	52	34	26	17	36	56
10 to 14 years	4	3	-	-	-	-	-	-	-	-	-	1
15 to 19 years	319	210	72	21	2	1	-	-	-	-	-	13
20 to 24 years	478	180	145	84	35	11	5	1	-	-	-	17
25 to 29 years	266	47	58	57	30	27	21	9	4	1	3	9
30 to 34 years	165	16	21	35	22	17	15	8	8	8	5	10
35 to 39 years	114	10	10	14	9	12	9	13	9	4	19	5
40 to 44 years	31	3	4	3	1	1	1	2	4	4	7	1
45 to 49 years	3	-	-	1	-	-	-	1	1	-	-	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	11	3	2	2	2	-	1	-	-	-	1	-
KENTUCKY												
Total births	72,542	28,231	14,758	8,799	6,094	4,243	3,136	2,279	1,714	1,217	2,013	58
10 to 14 years	101	99	2	-	-	-	-	-	-	-	-	-
15 to 19 years	10,085	8,276	1,515	242	34	6	5	-	-	-	-	7
20 to 24 years	23,655	12,208	6,353	3,018	1,407	480	130	33	6	5	4	11
25 to 29 years	17,745	4,971	4,168	2,962	2,384	1,677	917	420	147	49	35	15
30 to 34 years	11,492	1,851	1,883	1,759	1,444	1,275	1,181	907	607	318	254	13
35 to 39 years	6,887	683	693	705	657	630	681	701	696	569	867	5
40 to 44 years	2,310	127	124	100	158	163	199	199	239	249	746	6
45 to 49 years	218	7	7	8	2	9	21	16	18	27	102	1
50 years and over	8	-	1	1	-	1	-	2	-	-	3	-
Not stated	41	9	12	4	8	2	2	1	1	-	2	-
White	69,142	27,026	14,097	8,362	5,791	4,029	2,949	2,144	1,635	1,153	1,902	54
10 to 14 years	74	73	1	-	-	-	-	-	-	-	-	-
15 to 19 years	9,339	7,709	1,378	209	29	5	4	-	-	-	-	5
20 to 24 years	22,824	11,815	6,058	2,826	1,311	441	117	30	6	5	3	11
25 to 29 years	17,016	4,842	4,022	2,832	2,277	1,587	847	386	133	45	31	14
30 to 34 years	11,018	1,787	1,827	1,706	1,388	1,230	1,113	850	574	298	233	12
35 to 39 years	6,599	662	673	681	626	600	656	669	673	539	815	5
40 to 44 years	2,221	123	120	96	151	155	190	192	230	243	715	6
45 to 49 years	205	6	6	7	2	8	20	14	18	23	100	1
50 years and over	8	-	1	1	-	1	-	2	-	-	3	-
Not stated	38	8	11	4	7	2	2	1	1	-	2	-
Native white	68,951	26,913	14,051	8,349	5,785	4,024	2,948	2,143	1,633	1,151	1,900	54
10 to 14 years	74	73	1	-	-	-	-	-	-	-	-	-
15 to 19 years	9,323	7,693	1,378	209	29	5	4	-	-	-	-	5
20 to 24 years	22,541	11,756	6,040	2,821	1,311	441	117	30	6	5	3	11
25 to 29 years	16,973	4,818	4,008	2,830	2,276	1,586	847	386	132	45	31	14
30 to 34 years	10,993	1,778	1,818	1,702	1,387	1,230	1,113	850	574	297	232	12
35 to 39 years	6,586	661	669	660	624	597	656	669	673	538	814	5
40 to 44 years	2,212	121	119	95	149	154	190	191	229	243	715	6
45 to 49 years	204	6	6	7	2	8	19	14	18	23	100	1
50 years and over	8	-	1	1	-	1	-	2	-	-	3	-
Not stated	37	7	11	4	7	2	2	1	1	-	2	-
Foreign-born white	179	105	46	12	5	5	1	1	2	1	1	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	14	14	-	-	-	-	-	-	-	-	-	-
20 to 24 years	79	56	18	5	-	-	-	-	-	-	-	-
25 to 29 years	42	24	14	1	1	1	-	-	1	-	-	-
30 to 34 years	21	8	9	4	-	-	-	-	-	-	-	-
35 to 39 years	13	1	4	1	2	3	-	-	-	1	1	-
40 to 44 years	9	2	1	1	2	1	-	1	1	-	-	-
45 to 49 years	1	-	-	-	-	-	1	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	3,400	1,205	661	437	303	214	187	135	79	64	111	4
10 to 14 years	27	26	1	-	-	-	-	-	-	-	-	-
15 to 19 years	746	567	137	33	5	1	1	-	-	-	-	2
20 to 24 years	1,031	392	295	192	96	39	13	3	-	-	1	-
25 to 29 years	729	129	146	130	107	90	70	34	14	4	4	1
30 to 34 years	474	64	56	53	56	45	68	57	33	20	21	1
35 to 39 years	288	21	20	24	31	30	25	32	23	30	52	-
40 to 44 years	89	4	4	4	7	8	9	7	9	6	31	-
45 to 49 years	13	1	1	1	-	1	1	2	-	4	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	1	-	1	-	-	-	-	-	-	-
Negro	3,392	1,203	660	436	302	214	186	134	79	64	111	3
10 to 14 years	27	26	1	-	-	-	-	-	-	-	-	-
15 to 19 years	744	566	136	33	5	1	1	-	-	-	-	2
20 to 24 years	1,030	391	295	192	96	39	13	3	-	-	1	-
25 to 29 years	726	129	146	129	106	90	70	34	14	4	4	-
30 to 34 years	472	64	56	53	56	45	67	56	33	20	21	1
35 to 39 years	288	21	20	24	31	30	25	32	23	30	52	-
40 to 44 years	89	4	4	4	7	8	9	7	9	6	31	-
45 to 49 years	13	1	1	1	-	1	1	2	-	4	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	1	-	1	-	-	-	-	-	-	-
LOUISIANA												
Total births	68,670	21,172	16,586	9,745	6,184	3,927	2,793	2,047	1,384	1,011	1,824	1,997
10 to 14 years	153	120	3	-	-	-	-	-	-	-	-	30
15 to 19 years	9,965	6,471	2,138	533	80	11	1	-	-	-	-	731
20 to 24 years	22,732	8,987	6,989	3,371	1,641	653	214	79	26	10	5	777
25 to 29 years	17,445	3,741	4,557	3,103	2,271	1,508	1,022	570	233	100	70	270
30 to 34 years	10,624	1,316	2,027	1,839	1,410	1,060	896	743	529	312	369	123
35 to 39 years	5,990	479	749	785	643	563	518	524	439	428	815	47
40 to 44 years	1,556	66	101	95	124	119	131	120	143	149	499	9
45 to 49 years	108	-	1	5	4	4	5	8	11	10	59	1
50 years and over	8	-	1	1	-	-	-	1	-	-	5	-
Not stated	89	12	20	13	11	9	6	2	3	2	2	9

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
LOUISIANA—Continued												
White	43,244	15,897	11,578	6,159	3,439	1,896	1,220	781	505	344	574	851
10 to 14 years	25	18	-	-	-	-	-	-	-	-	-	7
15 to 19 years	5,022	3,782	846	142	18	-	1	-	-	-	-	233
20 to 24 years	14,753	7,263	4,634	1,664	585	167	42	19	4	-	1	374
25 to 29 years	11,757	3,247	3,699	2,196	1,308	636	341	135	39	13	5	138
30 to 34 years	7,024	1,113	1,693	1,456	996	636	451	280	169	77	85	68
35 to 39 years	3,660	407	611	615	435	370	293	286	209	173	260	21
40 to 44 years	919	58	82	79	90	82	87	75	79	77	205	5
45 to 49 years	41	-	1	1	2	3	5	4	5	3	16	1
50 years and over	3	-	-	-	-	-	-	1	-	-	2	-
Not stated	40	9	12	6	5	2	-	1	-	1	-	4
Native white	42,972	15,766	11,494	6,135	3,430	1,888	1,216	778	502	342	572	849
10 to 14 years	25	18	-	-	-	-	-	-	-	-	-	7
15 to 19 years	5,000	3,766	843	141	18	-	1	-	-	-	-	231
20 to 24 years	14,647	7,203	4,594	1,659	584	167	42	19	4	-	1	374
25 to 29 years	11,684	3,212	3,675	2,187	1,304	635	341	135	39	13	5	138
30 to 34 years	6,991	1,103	1,682	1,449	996	633	451	278	169	77	85	68
35 to 39 years	3,633	400	606	613	432	366	291	266	208	172	259	21
40 to 44 years	909	55	81	79	90	82	85	74	77	76	205	5
45 to 49 years	41	-	1	1	2	3	5	4	5	3	16	1
50 years and over	3	-	-	-	-	-	-	1	-	-	2	-
Not stated	39	9	12	6	4	2	-	1	-	1	-	4
Foreign-born white	266	130	82	24	7	8	3	3	3	2	2	2
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	20	15	2	1	-	-	-	-	-	-	-	2
20 to 24 years	104	60	39	5	-	-	-	-	-	-	-	-
25 to 29 years	73	35	24	9	4	1	-	-	-	-	-	-
30 to 34 years	33	10	11	7	-	3	-	2	-	-	-	-
35 to 39 years	26	7	5	2	3	4	1	-	1	1	2	-
40 to 44 years	10	3	1	-	-	-	2	1	2	1	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	25,426	5,275	5,008	3,586	2,745	2,031	1,573	1,266	878	867	1,250	1,146
10 to 14 years	128	102	3	-	-	-	-	-	-	-	-	23
15 to 19 years	4,943	2,689	1,292	391	62	11	-	-	-	-	-	498
20 to 24 years	7,979	1,704	2,355	1,707	1,056	486	172	60	22	10	4	403
25 to 29 years	5,668	494	858	907	963	872	681	435	194	87	65	132
30 to 34 years	3,600	203	334	363	414	424	445	463	360	235	284	55
35 to 39 years	2,330	72	138	170	208	193	225	258	230	255	555	26
40 to 44 years	637	8	19	16	34	37	44	45	64	72	294	4
45 to 49 years	67	-	-	4	2	1	-	4	6	7	43	-
50 years and over	5	-	1	1	-	-	-	-	-	-	3	-
Not stated	49	3	8	7	6	7	6	1	3	1	2	5
Negro	25,314	5,262	4,979	3,585	2,731	2,020	1,566	1,258	878	664	1,245	1,146
10 to 14 years	128	102	3	-	-	-	-	-	-	-	-	23
15 to 19 years	4,932	2,684	1,287	390	62	11	-	-	-	-	-	498
20 to 24 years	7,940	1,698	2,340	1,694	1,052	486	171	60	22	10	4	403
25 to 29 years	5,661	492	852	901	959	869	678	432	194	87	65	132
30 to 34 years	3,583	203	331	382	411	421	444	461	359	233	263	55
35 to 39 years	2,316	72	138	170	206	188	224	255	230	255	552	26
40 to 44 years	633	8	19	16	33	37	43	45	64	71	293	4
45 to 49 years	67	-	-	4	2	1	-	4	6	7	43	-
50 years and over	5	-	1	1	-	-	-	-	-	-	3	-
Not stated	49	3	8	7	6	7	6	1	3	1	2	5
MAINE												
Total births	20,326	7,181	5,370	3,024	1,795	984	610	402	272	169	397	122
10 to 14 years	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,980	1,579	331	51	6	-	-	-	-	-	-	13
20 to 24 years	6,995	3,392	2,202	856	352	118	36	10	2	1	1	35
25 to 29 years	5,639	1,458	1,710	1,080	682	326	178	104	46	17	15	23
30 to 34 years	3,395	533	801	679	466	314	211	140	88	63	74	28
35 to 39 years	1,780	183	275	299	248	179	144	97	102	66	170	17
40 to 44 years	468	30	45	54	40	41	36	47	29	20	123	3
45 to 49 years	37	1	3	1	1	5	4	4	4	1	13	-
50 years and over	2	-	-	-	-	1	-	-	-	1	-	-
Not stated	20	5	3	4	-	-	1	-	1	-	1	5
White	20,290	7,171	5,359	3,017	1,792	982	608	401	272	169	397	122
10 to 14 years	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,976	1,576	330	51	6	-	-	-	-	-	-	13
20 to 24 years	6,976	3,378	2,196	851	349	117	36	10	2	1	1	35
25 to 29 years	5,628	1,455	1,706	1,079	682	326	176	103	46	17	15	23
30 to 34 years	3,394	533	801	678	466	314	211	140	88	63	74	28
35 to 39 years	1,779	183	275	299	248	178	144	97	102	66	170	17
40 to 44 years	468	30	45	54	40	41	36	47	29	20	123	3
45 to 49 years	37	1	3	1	1	5	4	4	4	1	13	-
50 years and over	2	-	-	-	-	1	-	-	-	1	-	-
Not stated	20	5	3	4	-	-	1	-	1	-	1	5
Native white	18,984	6,794	5,065	2,808	1,662	906	548	361	246	150	330	113
10 to 14 years	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,927	1,540	319	50	6	-	-	-	-	-	-	12
20 to 24 years	6,683	3,231	2,099	818	335	116	36	9	2	1	1	35
25 to 29 years	5,256	1,342	1,608	1,004	646	306	163	95	44	15	13	20
30 to 34 years	3,105	481	745	621	424	286	191	127	81	58	68	23
35 to 39 years	1,566	161	249	265	218	159	124	84	91	58	140	17
40 to 44 years	389	23	40	46	32	34	29	42	25	16	99	3
45 to 49 years	29	1	3	1	1	4	4	4	2	1	8	-
50 years and over	2	-	-	-	-	1	-	-	-	1	-	-
Not stated	17	5	3	3	-	-	1	-	1	-	1	3

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MAINE—Continued												
White—Continued												
Foreign-born white	1,305	376	293	209	130	76	60	40	26	19	67	9
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	48	35	11	1	-	-	-	-	-	-	-	1
20 to 24 years	293	147	97	33	14	1	-	1	-	-	-	-
25 to 29 years	372	113	98	75	36	20	13	8	2	2	2	3
30 to 34 years	289	52	56	57	42	28	20	13	7	5	6	3
35 to 39 years	213	22	26	34	30	19	20	13	11	8	30	-
40 to 44 years	79	7	5	8	8	7	7	5	4	4	24	-
45 to 49 years	8	-	-	-	-	1	-	-	2	-	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	-	1	-	-	-	-	-	-	-	2
Nonwhite	36	10	11	7	3	2	2	1	-	-	-	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4	3	1	-	-	-	-	-	-	-	-	-
20 to 24 years	19	4	6	5	3	1	-	-	-	-	-	-
25 to 29 years	11	3	4	1	-	-	2	1	-	-	-	-
30 to 34 years	1	-	-	1	-	-	-	-	-	-	-	-
35 to 39 years	1	-	-	-	-	1	-	-	-	-	-	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND												
Total births	50,347	19,189	13,961	6,963	3,750	2,079	1,317	875	563	420	684	546
10 to 14 years	89	83	4	-	-	-	-	-	-	-	-	2
15 to 19 years	5,455	4,129	1,025	200	43	4	2	-	-	-	-	52
20 to 24 years	16,564	8,216	4,934	1,875	870	318	131	35	9	10	2	164
25 to 29 years	14,184	4,353	4,518	2,304	1,271	720	464	224	111	46	21	152
30 to 34 years	8,672	1,664	2,462	1,697	943	600	384	314	213	131	165	89
35 to 39 years	4,197	589	877	752	514	331	240	233	169	160	275	57
40 to 44 years	995	102	115	122	94	94	75	60	55	66	196	16
45 to 49 years	71	5	6	2	6	8	3	3	4	6	25	3
50 years and over	3	-	1	2	-	-	-	-	-	-	-	-
Not stated	117	48	19	9	9	4	8	6	2	1	-	11
White	41,083	16,513	12,050	5,688	2,770	1,400	833	513	326	228	347	415
10 to 14 years	15	14	-	-	-	-	-	-	-	-	-	1
15 to 19 years	3,456	2,830	518	68	11	-	-	-	-	-	-	29
20 to 24 years	13,481	7,395	4,047	1,262	475	125	43	10	4	2	2	116
25 to 29 years	12,191	4,069	4,200	1,986	943	453	250	100	44	14	10	122
30 to 34 years	7,467	1,528	2,330	1,559	787	459	282	189	118	68	70	77
35 to 39 years	3,548	541	832	689	458	277	190	164	114	92	143	48
40 to 44 years	790	97	103	117	87	76	61	43	42	48	104	12
45 to 49 years	53	4	6	2	4	6	2	3	2	3	18	3
50 years and over	2	-	1	1	-	-	-	-	-	-	-	-
Not stated	80	35	13	4	5	4	5	4	2	1	-	7
Native white	40,330	16,191	11,812	5,586	2,721	1,386	830	510	323	222	340	409
10 to 14 years	15	14	-	-	-	-	-	-	-	-	-	1
15 to 19 years	3,428	2,806	514	68	11	-	-	-	-	-	-	29
20 to 24 years	13,283	7,248	4,005	1,255	473	125	43	10	4	2	2	116
25 to 29 years	11,992	3,981	4,132	1,959	932	450	250	99	44	14	10	121
30 to 34 years	7,305	1,497	2,255	1,526	770	457	281	189	117	68	70	75
35 to 39 years	3,421	518	793	658	442	271	188	162	112	89	141	47
40 to 44 years	753	88	93	113	84	73	61	43	42	45	100	11
45 to 49 years	52	4	6	2	4	6	2	3	2	3	17	3
50 years and over	2	-	1	1	-	-	-	-	-	-	-	-
Not stated	79	35	13	4	5	4	5	4	2	1	-	6
Foreign-born white	751	321	238	102	49	14	3	3	3	6	7	5
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	28	24	4	-	-	-	-	-	-	-	-	-
20 to 24 years	197	146	42	7	2	-	-	-	-	-	-	-
25 to 29 years	199	88	68	27	11	3	-	1	-	-	-	1
30 to 34 years	162	31	75	33	17	2	1	-	1	-	-	2
35 to 39 years	127	23	39	31	16	6	2	2	2	3	2	1
40 to 44 years	37	9	10	4	3	3	-	-	-	3	4	1
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	9,264	2,676	1,911	1,275	980	679	484	362	237	192	337	131
10 to 14 years	74	69	4	-	-	-	-	-	-	-	-	1
15 to 19 years	1,999	1,299	507	132	32	4	2	-	-	-	-	23
20 to 24 years	3,083	821	887	613	395	193	88	25	5	8	-	48
25 to 29 years	1,993	284	318	318	328	267	214	124	67	32	11	30
30 to 34 years	1,205	136	132	138	156	141	112	125	95	63	95	12
35 to 39 years	649	48	45	63	56	54	50	69	55	68	132	9
40 to 44 years	205	5	12	5	7	18	14	17	13	18	92	4
45 to 49 years	18	1	-	-	2	2	1	-	2	3	7	-
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	37	13	6	5	4	-	3	2	-	-	-	4
Negro	9,231	2,664	1,904	1,270	974	678	483	362	237	192	337	130
10 to 14 years	74	69	4	-	-	-	-	-	-	-	-	1
15 to 19 years	1,996	1,296	507	132	32	4	2	-	-	-	-	23
20 to 24 years	3,076	818	884	613	395	192	88	25	5	8	-	48
25 to 29 years	1,983	279	316	317	326	267	214	124	67	32	11	30
30 to 34 years	1,196	135	131	134	153	141	112	125	95	63	95	12
35 to 39 years	647	48	45	63	55	54	50	69	55	68	132	8
40 to 44 years	204	5	12	5	7	18	13	17	13	18	92	4
45 to 49 years	18	1	-	-	2	2	1	-	2	3	7	-
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	36	13	5	5	4	-	3	2	-	-	-	4

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MASSACHUSETTS[1]												
Total births	94,288	694	366	136	57	25	9	11	7	1	4	92,978
10 to 14 years	9	-	-	-	-	-	-	-	-	-	-	9
15 to 19 years	3,875	67	12	1	-	-	-	-	-	-	-	3,795
20 to 24 years	26,124	313	94	18	9	1	-	-	-	-	-	25,689
25 to 29 years	30,980	210	163	47	17	8	3	1	2	-	-	30,529
30 to 34 years	20,612	81	56	46	18	6	5	4	2	-	1	20,393
35 to 39 years	10,064	19	34	19	10	9	1	4	3	1	2	9,962
40 to 44 years	2,361	3	7	5	3	1	-	2	-	-	1	2,339
45 to 49 years	133	-	-	-	-	-	-	-	-	-	-	133
50 years and over	13	-	-	-	-	-	-	-	-	-	-	13
Not stated	117	1	-	-	-	-	-	-	-	-	-	116
White	92,787	690	364	134	57	25	9	8	7	1	4	91,488
10 to 14 years	7	-	-	-	-	-	-	-	-	-	-	7
15 to 19 years	3,672	66	12	1	-	-	-	-	-	-	-	3,593
20 to 24 years	25,574	311	93	17	9	1	-	-	-	-	-	25,143
25 to 29 years	30,563	210	162	47	17	8	3	1	2	-	-	30,113
30 to 34 years	20,409	81	58	46	18	6	5	3	2	-	1	20,191
35 to 39 years	9,962	18	34	18	10	9	1	3	3	1	2	9,863
40 to 44 years	2,340	3	7	5	3	1	-	1	-	-	1	2,319
45 to 49 years	131	-	-	-	-	-	-	-	-	-	-	131
50 years and over	13	-	-	-	-	-	-	-	-	-	-	13
Not stated	116	1	-	-	-	-	-	-	-	-	-	115
Native white	86,309	648	346	126	56	23	9	8	6	1	4	85,082
10 to 14 years	7	-	-	-	-	-	-	-	-	-	-	7
15 to 19 years	3,585	64	12	1	-	-	-	-	-	-	-	3,508
20 to 24 years	24,585	290	92	16	9	1	-	-	-	-	-	24,177
25 to 29 years	28,116	199	151	44	17	8	3	1	2	-	-	28,691
30 to 34 years	18,714	76	53	42	18	5	5	3	1	-	1	18,510
35 to 39 years	8,356	17	31	18	9	8	1	3	3	1	2	8,263
40 to 44 years	1,749	1	7	5	3	1	-	1	-	-	1	1,730
45 to 49 years	83	-	-	-	-	-	-	-	-	-	-	83
50 years and over	11	-	-	-	-	-	-	-	-	-	-	11
Not stated	103	1	-	-	-	-	-	-	-	-	-	102
Foreign-born white	6,458	42	18	8	1	2	-	-	1	-	-	6,386
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	86	2	-	-	-	-	-	-	-	-	-	84
20 to 24 years	984	21	1	1	-	-	-	-	-	-	-	961
25 to 29 years	1,446	11	11	3	-	-	-	-	-	-	-	1,421
30 to 34 years	1,690	5	3	4	-	1	-	-	1	-	-	1,676
35 to 39 years	1,605	1	3	-	1	1	-	-	-	-	-	1,599
40 to 44 years	586	2	-	-	-	-	-	-	-	-	-	584
45 to 49 years	47	-	-	-	-	-	-	-	-	-	-	47
50 years and over	2	-	-	-	-	-	-	-	-	-	-	2
Not stated	12	-	-	-	-	-	-	-	-	-	-	12
Nonwhite	1,501	4	2	2	-	-	-	3	-	-	-	1,490
10 to 14 years	2	-	-	-	-	-	-	-	-	-	-	2
15 to 19 years	203	1	-	-	-	-	-	-	-	-	-	202
20 to 24 years	550	2	1	1	-	-	-	-	-	-	-	546
25 to 29 years	417	-	1	-	-	-	-	-	-	-	-	416
30 to 34 years	203	-	-	-	-	-	-	1	-	-	-	202
35 to 39 years	102	1	-	1	-	-	-	1	-	-	-	99
40 to 44 years	21	-	-	-	-	-	-	1	-	-	-	20
45 to 49 years	2	-	-	-	-	-	-	-	-	-	-	2
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	-	1
Negro	1,444	3	2	2	-	-	-	3	-	-	-	1,434
10 to 14 years	2	-	-	-	-	-	-	-	-	-	-	2
15 to 19 years	196	1	-	-	-	-	-	-	-	-	-	195
20 to 24 years	528	1	1	1	-	-	-	-	-	-	-	525
25 to 29 years	402	-	1	-	-	-	-	-	-	-	-	401
30 to 34 years	196	-	-	-	-	-	-	1	-	-	-	195
35 to 39 years	99	1	-	1	-	-	-	1	-	-	-	96
40 to 44 years	19	-	-	-	-	-	-	1	-	-	-	18
45 to 49 years	1	-	-	-	-	-	-	-	-	-	-	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN												
Total births	139,277	48,557	36,749	20,793	10,844	5,624	3,188	1,980	1,220	736	1,333	8,253
10 to 14 years	72	65	1	-	-	-	-	-	-	-	-	6
15 to 19 years	10,899	8,211	1,723	292	47	9	1	-	-	-	-	616
20 to 24 years	45,999	22,889	13,280	4,712	1,683	499	139	55	7	2	1	2,732
25 to 29 years	41,985	11,846	12,914	7,501	3,777	1,798	929	445	172	78	28	2,497
30 to 34 years	25,184	3,973	6,370	5,602	3,330	1,841	1,054	655	435	192	253	1,479
35 to 39 years	11,811	1,299	2,079	2,268	1,632	1,132	784	599	409	309	593	707
40 to 44 years	3,002	239	351	385	347	327	256	203	184	139	389	182
45 to 49 years	221	5	7	18	18	16	21	21	12	16	65	22
50 years and over	2	-	1	-	-	-	-	-	-	-	1	-
Not stated	102	30	23	15	10	2	4	2	1	-	3	12
White	130,945	46,126	34,711	19,539	10,058	5,148	2,843	1,753	1,073	644	1,151	7,899
10 to 14 years	24	22	1	-	-	-	-	-	-	-	-	1
15 to 19 years	9,268	7,217	1,276	188	30	4	1	-	-	-	-	552
20 to 24 years	43,134	22,006	12,385	4,184	1,406	396	103	33	3	2	1	2,605
25 to 29 years	39,998	11,529	12,463	7,121	3,497	1,596	729	374	140	59	17	2,423
30 to 34 years	24,073	3,842	6,178	5,425	3,184	1,735	958	577	376	158	207	1,433
35 to 39 years	11,284	1,251	2,025	2,212	1,572	1,082	737	555	374	283	514	679
40 to 44 years	2,861	228	344	377	341	317	245	193	169	126	348	173
45 to 49 years	209	5	7	18	18	16	18	19	11	16	60	21
50 years and over	2	-	1	-	-	-	-	-	-	-	1	-
Not stated	92	26	21	14	10	2	2	2	-	-	3	12

[1]Massachusetts does not require the reporting of birth order. Birth order data appearing in the table for Massachusetts are for the small group of births to residents of the State occurring in other States.

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MICHIGAN—Continued												
White—Continued												
Native white	124,750	44,287	33,020	18,519	9,507	4,881	2,682	1,857	1,001	596	1,044	7,576
10 to 14 years	22	21	1	-	-	-	-	-	-	-	-	-
15 to 19 years	9,126	7,089	1,257	187	30	4	1	-	-	-	-	548
20 to 24 years	41,812	21,277	11,994	4,093	1,381	391	99	33	3	2	1	2,539
25 to 29 years	38,269	10,950	11,886	6,818	3,379	1,551	758	385	138	57	17	2,350
30 to 34 years	22,576	3,576	5,748	5,082	2,985	1,665	916	552	360	149	196	1,347
35 to 39 years	10,203	1,122	1,814	1,990	1,415	973	677	516	340	265	471	620
40 to 44 years	2,485	194	292	321	292	281	214	175	152	115	304	145
45 to 49 years	167	2	7	14	16	15	15	14	8	8	51	17
50 years and over	2	-	1	-	-	-	-	-	-	-	1	-
Not stated	88	26	20	14	9	1	2	2	-	-	3	11
Foreign-born white	6,184	1,854	1,689	1,020	549	265	161	96	72	48	107	323
10 to 14 years	2	1	-	-	-	-	-	-	-	-	-	1
15 to 19 years	140	116	19	1	-	-	-	-	-	-	-	4
20 to 24 years	1,318	727	399	91	25	5	4	-	-	-	-	67
25 to 29 years	1,726	578	577	303	117	44	21	9	2	2	-	73
30 to 34 years	1,496	266	430	343	199	69	42	25	16	9	11	86
35 to 39 years	1,081	129	211	222	157	109	60	39	34	18	43	59
40 to 44 years	376	34	52	56	49	36	31	18	17	11	44	28
45 to 49 years	42	3	-	4	2	1	3	5	3	8	9	4
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	1	-	-	1	-	-	-	-	-	1
Nonwhite	8,332	2,431	2,038	1,254	786	476	345	227	147	92	182	354
10 to 14 years	48	43	-	-	-	-	-	-	-	-	-	5
15 to 19 years	1,631	994	447	104	17	5	-	-	-	-	-	64
20 to 24 years	2,865	883	685	528	277	103	36	22	4	-	-	127
25 to 29 years	1,987	317	451	380	280	202	150	71	32	19	11	74
30 to 34 years	1,111	131	192	177	146	106	96	78	59	34	46	46
35 to 39 years	527	48	54	56	60	50	47	44	35	26	79	28
40 to 44 years	141	11	7	8	6	10	11	10	15	13	41	9
45 to 49 years	12	-	-	-	-	-	3	2	1	-	5	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	4	2	1	-	-	2	-	1	-	-	-
Negro	8,107	2,367	1,994	1,218	767	481	330	219	143	91	175	342
10 to 14 years	48	43	-	-	-	-	-	-	-	-	-	5
15 to 19 years	1,597	973	440	101	17	5	-	-	-	-	-	61
20 to 24 years	2,800	857	871	519	270	102	35	21	4	-	-	121
25 to 29 years	1,925	304	435	368	274	194	145	70	52	19	11	73
30 to 34 years	1,077	127	185	169	143	102	92	78	57	33	45	46
35 to 39 years	508	48	54	53	58	48	43	40	35	26	77	26
40 to 44 years	132	11	7	7	5	10	11	9	13	13	37	8
45 to 49 years	11	-	-	-	-	-	3	1	1	-	5	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	9	4	2	1	-	-	1	-	1	-	-	-
MINNESOTA												
Total births	67,266	24,199	18,306	10,954	5,884	3,141	1,869	1,037	690	422	683	81
10 to 14 years	20	18	-	-	-	-	-	-	-	-	-	2
15 to 19 years	3,712	3,181	466	52	3	-	-	-	-	-	-	10
20 to 24 years	18,873	11,289	5,928	1,877	546	161	39	3	-	-	1	27
25 to 29 years	20,513	6,359	6,614	4,004	1,997	925	379	142	51	16	9	17
30 to 34 years	13,839	2,386	3,676	3,223	1,955	1,081	706	372	225	106	98	11
35 to 39 years	7,041	798	1,329	1,477	1,074	716	536	371	273	178	281	8
40 to 44 years	2,024	131	257	295	284	240	188	139	131	106	252	1
45 to 49 years	138	8	8	12	13	13	18	9	9	16	32	-
50 years and over	2	-	-	1	-	-	-	-	-	-	1	-
Not stated	104	29	28	13	10	5	3	1	1	-	9	5
White	68,511	23,955	18,166	10,866	5,808	3,093	1,831	1,002	659	405	646	80
10 to 14 years	18	16	-	-	-	-	-	-	-	-	-	2
15 to 19 years	3,625	3,109	453	50	3	-	-	-	-	-	-	10
20 to 24 years	19,606	11,184	5,845	1,830	527	154	36	3	-	-	1	26
25 to 29 years	20,325	6,310	6,583	3,976	1,965	903	366	135	47	15	8	17
30 to 34 years	13,722	2,375	3,688	3,214	1,939	1,065	689	354	213	102	92	11
35 to 39 years	6,975	794	1,327	1,475	1,069	713	532	362	262	170	263	8
40 to 44 years	1,998	130	255	295	282	240	188	138	127	102	240	1
45 to 49 years	138	8	8	12	13	13	18	9	9	16	32	-
50 years and over	2	-	-	1	-	-	-	-	-	-	1	-
Not stated	102	29	27	13	10	5	2	1	1	-	9	5
Native white	65,191	23,539	17,826	10,637	5,695	3,028	1,779	977	640	393	600	77
10 to 14 years	17	16	-	-	-	-	-	-	-	-	-	1
15 to 19 years	3,596	3,081	452	50	3	-	-	-	-	-	-	10
20 to 24 years	19,333	11,014	5,773	1,809	522	153	33	3	-	-	1	25
25 to 29 years	18,954	6,170	6,457	3,912	1,941	894	360	134	46	15	8	17
30 to 34 years	13,429	2,321	3,582	3,143	1,908	1,050	673	346	208	102	85	11
35 to 39 years	6,752	774	1,290	1,420	1,031	690	516	354	257	162	250	8
40 to 44 years	1,861	127	237	278	267	224	177	130	120	99	221	1
45 to 49 years	128	7	8	11	13	12	18	9	8	15	27	-
50 years and over	2	-	-	1	-	-	-	-	-	-	1	-
Not stated	99	29	27	13	10	5	2	1	1	-	7	4
Foreign-born white	1,317	415	340	229	112	65	52	25	19	12	46	2
10 to 14 years	1	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	29	28	1	-	-	-	-	-	-	-	-	-
20 to 24 years	271	169	72	21	4	1	3	-	-	-	-	1
25 to 29 years	371	140	126	64	24	9	6	1	1	-	-	-
30 to 34 years	293	54	86	71	31	15	16	8	5	-	7	-
35 to 39 years	223	20	37	55	38	23	16	8	5	8	13	-
40 to 44 years	117	3	18	17	15	16	11	8	7	3	19	-
45 to 49 years	10	1	-	1	-	1	-	-	1	1	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	-	-	-	-	-	-	-	2	-

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MINNESOTA—Continued												
Nonwhite	755	244	140	88	76	48	38	35	31	17	37	1
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	87	72	13	2	-	-	-	-	-	-	-	-
20 to 24 years	267	105	83	47	21	7	3	-	-	-	-	1
25 to 29 years	188	49	31	28	32	22	13	7	4	1	1	-
30 to 34 years	117	11	8	9	16	16	17	18	12	4	6	-
35 to 39 years	66	4	2	2	5	3	4	9	11	8	18	-
40 to 44 years	26	1	2	-	2	-	-	1	4	4	12	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	1	-	-	-	1	-	-	-	-	-
Negro	188	81	44	25	17	5	8	3	1	-	3	1
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	25	22	3	-	-	-	-	-	-	-	-	-
20 to 24 years	81	37	24	15	3	-	1	-	-	-	-	1
25 to 29 years	42	14	10	8	5	2	3	2	-	-	-	-
30 to 34 years	24	5	4	3	5	2	3	1	-	-	1	-
35 to 39 years	13	3	2	1	2	1	1	-	1	-	2	-
40 to 44 years	3	-	1	-	2	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI												
Total births	61,690	17,584	12,991	8,401	5,794	4,325	3,230	2,349	1,783	1,393	2,699	1,141
10 to 14 years	308	267	28	-	-	-	-	-	-	-	-	13
15 to 19 years	11,056	7,019	2,744	827	181	46	7	-	-	-	-	232
20 to 24 years	19,083	6,503	5,357	3,304	1,907	989	433	135	58	27	6	364
25 to 29 years	14,242	2,507	2,968	2,392	1,934	1,672	1,152	709	362	181	110	255
30 to 34 years	9,236	884	1,325	1,239	1,114	955	955	829	698	475	613	149
35 to 39 years	5,850	333	482	528	545	539	530	534	513	546	1,213	87
40 to 44 years	1,658	54	58	93	100	109	139	123	142	146	668	26
45 to 49 years	140	1	4	5	5	5	9	14	5	12	79	1
50 years and over	9	-	-	1	2	-	-	-	-	2	3	1
Not stated	108	16	25	12	6	10	5	5	5	4	7	13
White	29,975	10,777	7,598	4,183	2,467	1,579	1,036	686	489	351	504	305
10 to 14 years	19	17	2	-	-	-	-	-	-	-	-	-
15 to 19 years	3,883	3,039	697	88	14	3	-	-	-	-	-	42
20 to 24 years	9,850	4,881	3,155	1,224	476	163	45	9	2	2	-	93
25 to 29 years	7,720	2,018	2,253	1,494	912	552	252	102	32	18	6	81
30 to 34 years	4,862	717	1,053	912	673	479	384	267	179	80	66	52
35 to 39 years	2,779	255	382	392	320	305	265	237	202	168	227	26
40 to 44 years	776	40	45	68	67	71	85	62	68	79	183	8
45 to 49 years	47	1	1	2	1	2	4	8	4	3	21	-
50 years and over	2	-	-	-	1	-	-	-	-	1	-	-
Not stated	37	9	10	3	3	4	1	1	2	-	1	3
Native white	29,858	10,717	7,566	4,174	2,463	1,577	1,034	684	486	350	504	303
10 to 14 years	19	17	2	-	-	-	-	-	-	-	-	-
15 to 19 years	3,865	3,024	694	88	14	3	-	-	-	-	-	42
20 to 24 years	9,805	4,651	3,142	1,223	475	163	45	9	2	2	-	93
25 to 29 years	7,692	2,007	2,241	1,490	911	552	252	102	32	18	6	81
30 to 34 years	4,847	713	1,052	908	671	479	384	266	178	79	66	51
35 to 39 years	2,770	255	379	392	320	304	263	236	200	168	227	26
40 to 44 years	775	40	45	68	67	70	85	62	68	79	183	8
45 to 49 years	47	1	1	2	1	2	4	8	4	3	21	-
50 years and over	2	-	-	-	1	-	-	-	-	1	-	-
Not stated	36	9	10	3	3	4	1	1	2	-	1	2
Foreign-born white	113	59	30	9	4	1	2	2	3	1	-	2
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	15	14	1	-	-	-	-	-	-	-	-	-
20 to 24 years	45	30	13	1	1	-	-	-	-	-	-	-
25 to 29 years	28	11	12	4	1	-	-	-	-	-	-	-
30 to 34 years	15	4	1	4	2	-	-	1	1	1	-	1
35 to 39 years	8	-	3	-	-	-	2	1	2	-	-	-
40 to 44 years	1	-	-	-	-	1	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	-	1
Nonwhite	31,715	6,807	5,393	4,218	3,327	2,746	2,194	1,663	1,294	1,042	2,195	836
10 to 14 years	289	250	26	-	-	-	-	-	-	-	-	13
15 to 19 years	7,173	3,980	2,047	739	167	43	7	-	-	-	-	190
20 to 24 years	9,233	1,822	2,202	2,080	1,431	826	388	126	56	25	6	271
25 to 29 years	6,522	489	715	898	1,022	1,120	900	607	330	163	104	174
30 to 34 years	4,374	167	272	327	441	476	571	562	519	395	547	97
35 to 39 years	3,071	78	100	136	225	234	265	297	311	378	985	61
40 to 44 years	882	14	13	25	33	38	54	61	74	67	485	18
45 to 49 years	93	-	3	3	4	3	5	6	1	9	58	1
50 years and over	7	-	-	1	1	-	-	-	-	1	3	1
Not stated	71	7	15	9	3	6	4	4	3	4	6	10
Negro	31,609	6,776	5,378	4,202	3,318	2,739	2,187	1,654	1,289	1,038	2,192	836
10 to 14 years	288	249	26	-	-	-	-	-	-	-	-	13
15 to 19 years	7,147	3,963	2,041	736	167	43	7	-	-	-	-	190
20 to 24 years	9,208	1,814	2,198	2,072	1,428	825	387	126	56	25	6	271
25 to 29 years	6,495	486	711	894	1,017	1,115	898	604	330	162	104	174
30 to 34 years	4,365	166	272	327	441	475	569	559	517	395	547	97
35 to 39 years	3,060	77	100	135	224	234	264	296	309	376	984	61
40 to 44 years	876	14	12	25	33	38	53	59	73	67	484	18
45 to 49 years	92	-	3	3	4	3	5	6	1	8	58	1
50 years and over	7	-	-	1	1	-	-	-	-	1	3	1
Not stated	71	7	15	9	3	6	4	4	3	4	6	10

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MISSOURI												
Total births	80,684	31,088	21,738	11,142	6,128	3,440	2,150	1,467	946	676	1,106	823
10 to 14 years	78	74	1	-	-	-	-	-	-	-	-	3
15 to 19 years	8,928	7,045	1,481	256	38	7	-	-	-	-	-	121
20 to 24 years	26,442	13,519	8,095	3,041	1,089	333	81	27	4	-	1	252
25 to 29 years	21,728	6,691	6,873	3,722	2,084	1,137	572	273	119	24	25	208
30 to 34 years	13,905	2,621	3,695	2,673	1,774	1,072	784	506	306	174	186	134
35 to 39 years	7,404	945	1,373	1,244	911	687	544	479	364	306	492	58
40 to 44 years	1,954	143	189	199	213	184	155	169	136	158	375	33
45 to 49 years	129	5	7	10	8	12	11	9	13	12	43	1
50 years and over	3	-	-	1	-	-	-	1	1	-	-	-
Not stated	113	25	24	16	13	8	3	3	3	2	4	12
White	74,637	29,169	20,443	10,284	5,550	3,039	1,860	1,242	807	569	901	773
10 to 14 years	32	32	-	-	-	-	-	-	-	-	-	-
15 to 19 years	7,566	6,108	1,158	165	26	4	-	-	-	-	-	105
20 to 24 years	24,500	12,927	7,489	2,639	883	244	60	15	2	-	-	241
25 to 29 years	20,460	6,493	6,651	3,482	1,892	980	459	198	80	14	12	199
30 to 34 years	13,109	2,535	3,595	2,582	1,664	975	699	437	251	127	115	129
35 to 39 years	6,911	905	1,335	1,198	866	641	490	424	331	268	397	56
40 to 44 years	1,830	141	186	192	201	176	141	155	126	147	332	33
45 to 49 years	123	5	6	10	6	12	8	9	13	12	41	1
50 years and over	3	-	-	1	-	-	-	1	1	-	-	-
Not stated	103	23	23	15	12	7	3	3	3	1	4	9
Native white	73,932	28,864	20,246	10,194	5,502	3,020	1,845	1,237	800	560	894	770
10 to 14 years	32	32	-	-	-	-	-	-	-	-	-	-
15 to 19 years	7,547	6,091	1,156	165	26	4	-	-	-	-	-	105
20 to 24 years	24,317	12,799	7,439	2,636	882	244	60	15	2	-	-	240
25 to 29 years	20,283	6,396	6,598	3,461	1,888	979	459	198	80	13	12	199
30 to 34 years	12,962	2,504	3,543	2,550	1,646	969	697	435	249	125	115	129
35 to 39 years	6,773	880	1,303	1,167	846	632	481	422	329	264	394	55
40 to 44 years	1,793	135	178	190	196	173	138	154	123	145	328	33
45 to 49 years	122	5	6	10	6	12	7	9	13	12	41	1
50 years and over	3	-	-	1	-	-	-	1	1	-	-	-
Not stated	100	22	23	14	12	7	3	3	3	1	4	8
Foreign-born white	689	304	196	89	47	19	14	5	7	9	7	2
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	18	17	1	-	-	-	-	-	-	-	-	-
20 to 24 years	183	128	50	3	1	-	-	-	-	-	-	1
25 to 29 years	177	97	53	21	4	1	-	-	-	1	-	-
30 to 34 years	146	31	52	32	17	6	2	2	2	2	-	-
35 to 39 years	137	25	32	31	20	9	8	2	2	4	3	1
40 to 44 years	36	5	8	2	5	3	3	1	3	2	4	-
45 to 49 years	1	-	-	-	-	-	1	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite	6,047	1,899	1,295	858	578	401	290	225	139	107	205	50
10 to 14 years	46	42	1	-	-	-	-	-	-	-	-	3
15 to 19 years	1,362	937	523	71	12	3	-	-	-	-	-	16
20 to 24 years	1,942	592	606	402	206	89	21	12	2	-	1	11
25 to 29 years	1,268	198	222	240	192	157	113	75	39	10	13	9
30 to 34 years	796	86	100	91	110	97	85	69	55	47	51	5
35 to 39 years	493	40	38	46	45	46	54	55	33	38	95	3
40 to 44 years	124	2	3	7	12	8	14	14	10	11	43	-
45 to 49 years	6	-	1	-	-	-	3	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	2	1	1	1	1	-	-	-	1	-	3
Negro	6,006	1,880	1,287	853	574	399	289	225	139	107	203	50
10 to 14 years	46	42	1	-	-	-	-	-	-	-	-	3
15 to 19 years	1,357	933	322	71	12	3	-	-	-	-	-	16
20 to 24 years	1,924	582	602	400	204	89	21	12	2	-	1	11
25 to 29 years	1,257	194	220	237	191	156	113	75	39	10	13	9
30 to 34 years	792	85	99	91	110	96	84	69	55	47	51	5
35 to 39 years	492	40	38	46	45	46	54	55	33	38	94	3
40 to 44 years	122	2	3	7	11	8	14	14	10	11	42	-
45 to 49 years	6	-	1	-	-	-	3	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	2	1	1	1	1	-	-	-	1	-	3
MONTANA												
Total births	12,858	4,680	3,417	2,127	1,119	565	356	201	150	86	147	10
10 to 14 years	5	4	1	-	-	-	-	-	-	-	-	-
15 to 19 years	1,082	900	151	22	3	2	-	-	-	-	-	4
20 to 24 years	4,214	2,155	1,303	521	179	42	8	3	-	2	-	1
25 to 29 years	3,814	1,086	1,179	821	407	172	95	32	14	3	3	2
30 to 34 years	2,293	381	556	525	328	203	127	75	55	19	23	1
35 to 39 years	1,107	118	194	196	159	115	89	69	59	42	66	-
40 to 44 years	295	27	27	38	38	27	37	19	21	13	47	1
45 to 49 years	26	1	2	-	2	3	-	2	1	7	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	22	8	4	4	3	1	-	1	-	-	-	1
White	12,229	4,549	3,325	2,023	1,031	516	310	163	125	65	113	9
10 to 14 years	5	4	1	-	-	-	-	-	-	-	-	-
15 to 19 years	1,001	846	128	18	3	2	-	-	-	-	-	4
20 to 24 years	4,023	2,092	1,259	473	155	34	6	2	-	2	-	-
25 to 29 years	3,657	1,080	1,159	762	363	153	73	26	13	3	3	2
30 to 34 years	2,180	376	555	513	312	185	110	59	43	9	17	1
35 to 39 years	1,043	117	191	195	156	112	84	56	48	36	48	-
40 to 44 years	279	26	26	38	37	27	37	18	20	9	40	1
45 to 49 years	20	1	2	-	2	2	-	1	1	6	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	21	7	4	4	3	1	-	1	-	-	-	1

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MONTANA—Continued												
White—Continued												
Native white	11,791	4,404	3,227	1,958	988	491	294	149	117	56	98	9
10 to 14 years	5	4	1	-	-	-	-	-	-	-	-	-
15 to 19 years	969	835	127	18	3	2	-	-	-	-	-	4
20 to 24 years	3,903	2,023	1,225	458	154	33	6	2	-	2	-	-
25 to 29 years	3,556	1,038	1,135	764	354	148	71	26	13	3	2	2
30 to 34 years	2,094	366	529	498	296	177	107	55	40	9	16	1
35 to 39 years	960	109	181	182	144	104	78	47	43	30	42	-
40 to 44 years	248	22	23	34	33	24	32	17	20	8	34	1
45 to 49 years	16	1	2	-	1	2	-	1	1	4	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	20	6	4	4	3	1	-	1	-	-	-	1
Foreign-born white	437	145	98	65	43	24	16	14	8	9	15	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	12	11	1	-	-	-	-	-	-	-	-	-
20 to 24 years	120	69	34	15	1	1	-	-	-	-	-	-
25 to 29 years	101	42	24	18	9	5	2	-	-	-	1	-
30 to 34 years	86	10	26	15	16	8	3	4	3	-	1	-
35 to 39 years	82	8	10	13	12	7	6	9	5	6	6	-
40 to 44 years	31	4	3	4	4	3	5	1	-	1	6	-
45 to 49 years	4	-	-	-	1	-	-	-	-	2	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite	629	131	92	104	88	49	46	38	25	21	34	1
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	81	54	23	4	-	-	-	-	-	-	-	-
20 to 24 years	191	63	44	48	24	8	2	1	-	-	-	1
25 to 29 years	157	6	20	39	44	18	22	6	1	-	-	-
30 to 34 years	113	5	1	12	16	18	17	16	12	10	6	-
35 to 39 years	64	1	3	1	3	3	5	13	11	6	18	-
40 to 44 years	16	1	1	-	1	-	-	1	1	4	7	-
45 to 49 years	6	-	-	-	-	1	-	1	-	1	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
NEBRASKA												
Total births	28,052	10,578	7,880	4,453	2,234	1,173	622	384	201	160	264	103
10 to 14 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,186	1,824	297	53	3	-	-	-	-	-	-	9
20 to 24 years	9,324	5,078	2,909	931	269	76	22	5	-	-	-	34
25 to 29 years	8,426	2,522	2,806	1,694	805	353	138	48	12	9	5	34
30 to 34 years	4,954	842	1,345	1,145	715	403	245	129	58	29	27	18
35 to 39 years	2,416	239	455	521	352	259	155	148	89	75	117	6
40 to 44 years	665	58	56	103	81	76	59	53	37	44	95	3
45 to 49 years	45	2	2	4	5	3	3	1	4	3	18	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	30	7	10	2	4	3	-	-	1	-	2	1
White	27,477	10,394	7,757	4,359	2,175	1,130	593	370	193	152	252	102
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,070	1,739	273	47	3	-	-	-	-	-	-	8
20 to 24 years	9,125	5,017	2,850	887	244	69	19	5	-	-	-	34
25 to 29 years	8,308	2,500	2,781	1,673	783	334	131	47	12	8	5	34
30 to 34 years	4,872	832	1,336	1,127	709	393	231	121	53	29	25	16
35 to 39 years	2,375	237	451	517	348	254	151	145	87	70	109	6
40 to 44 years	652	58	54	102	79	74	58	51	36	42	95	3
45 to 49 years	44	2	2	4	5	3	3	1	4	3	17	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	26	4	10	2	4	3	-	-	1	-	1	1
Native white	27,131	10,292	7,686	4,312	2,154	1,113	572	360	185	139	218	100
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,059	1,730	272	46	3	-	-	-	-	-	-	8
20 to 24 years	9,057	4,977	2,831	881	244	69	18	5	-	-	1	32
25 to 29 years	8,232	2,469	2,758	1,661	779	334	128	46	12	8	5	34
30 to 34 years	4,795	815	1,319	1,115	705	384	223	115	51	25	25	16
35 to 39 years	2,308	234	445	503	339	248	147	144	83	65	94	6
40 to 44 years	616	58	51	100	75	73	53	49	35	39	82	3
45 to 49 years	37	2	2	4	5	3	3	1	4	2	11	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	24	4	10	2	4	2	-	-	-	-	1	1
Foreign-born white	337	99	70	46	20	17	19	10	8	13	33	2
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	10	8	1	1	-	-	-	-	-	-	-	-
20 to 24 years	66	39	19	6	-	-	-	-	-	-	-	2
25 to 29 years	75	31	25	12	3	-	3	1	-	-	-	-
30 to 34 years	76	16	16	11	4	9	8	6	2	4	-	-
35 to 39 years	66	3	6	14	9	6	3	1	4	5	15	-
40 to 44 years	35	2	3	2	4	1	5	2	1	3	12	-
45 to 49 years	7	-	-	-	-	-	-	-	-	1	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	-	-	1	-	-	1	-	-	-
Nonwhite	575	184	123	94	59	43	29	14	8	8	12	1
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	116	85	24	6	-	-	-	-	-	-	-	1
20 to 24 years	199	61	59	44	25	7	3	-	-	-	-	-
25 to 29 years	118	22	25	21	22	19	7	1	-	1	-	-
30 to 34 years	82	10	9	18	6	10	14	8	5	-	2	-
35 to 39 years	41	2	4	4	4	5	4	3	2	5	8	-
40 to 44 years	13	-	2	1	2	2	1	2	1	2	-	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	3	-	-	-	-	-	-	-	-	1	-

TABLE 7B.-LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEBRASKA—Continued												
Nonwhite—Continued												
Negro	396	129	88	69	40	28	20	7	6	4	4	1
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	89	65	17	6	-	-	-	-	-	-	-	1
20 to 24 years	144	42	44	34	17	6	1	-	-	-	-	-
25 to 29 years	72	11	12	13	16	14	4	1	-	1	-	-
30 to 34 years	54	6	9	13	4	5	10	3	4	-	-	-
35 to 39 years	22	2	4	2	1	1	4	1	1	2	4	-
40 to 44 years	12	-	2	1	2	2	1	2	1	1	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	2	-	-	-	-	-	-	-	-	-	-
NEVADA												
Total births	3,283	1,295	917	532	226	134	68	36	25	21	24	5
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	329	264	48	15	2	-	-	-	-	-	-	-
20 to 24 years	1,113	557	365	137	32	13	5	1	-	-	-	3
25 to 29 years	958	301	304	186	82	49	22	5	6	1	-	2
30 to 34 years	523	114	142	121	63	36	23	9	7	4	4	-
35 to 39 years	278	47	47	66	42	29	9	13	7	8	10	-
40 to 44 years	69	6	11	6	5	7	9	7	5	6	7	-
45 to 49 years	6	1	-	-	-	-	-	1	-	2	2	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	4	2	-	1	-	-	-	-	-	-	1	-
White	3,037	1,226	879	492	204	112	48	27	16	14	14	5
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	287	228	44	13	2	-	-	-	-	-	-	-
20 to 24 years	1,042	540	341	123	21	11	3	-	-	-	-	3
25 to 29 years	895	292	296	172	74	36	14	4	4	1	-	2
30 to 34 years	485	110	141	113	62	31	15	5	3	3	2	-
35 to 39 years	258	46	46	64	40	27	8	12	5	5	5	-
40 to 44 years	83	6	11	6	5	7	8	6	4	5	5	-
45 to 49 years	2	1	-	-	-	-	-	-	-	-	1	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	1	-	-	-	-	-	-	1	-
Native white	2,946	1,195	855	476	201	109	43	23	14	14	11	5
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	284	227	44	11	2	-	-	-	-	-	-	-
20 to 24 years	1,023	530	336	121	21	10	2	-	-	-	-	3
25 to 29 years	867	282	288	169	72	34	12	4	3	1	-	2
30 to 34 years	466	103	134	110	62	31	13	5	3	3	2	-
35 to 39 years	244	45	44	58	39	27	8	10	4	5	4	-
40 to 44 years	55	4	9	6	5	7	8	4	4	5	3	-
45 to 49 years	2	1	-	-	-	-	-	-	-	-	1	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	1	-	-	-	-	-	-	1	-
Foreign-born white	90	30	24	16	3	3	5	4	2	-	3	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3	1	-	2	-	-	-	-	-	-	-	-
20 to 24 years	18	9	5	2	-	1	1	-	-	-	-	-
25 to 29 years	28	10	8	3	2	2	2	-	1	-	-	-
30 to 34 years	19	7	7	3	-	-	2	-	-	-	-	-
35 to 39 years	14	1	2	6	1	-	-	2	1	-	1	-
40 to 44 years	8	2	2	-	-	-	-	2	-	-	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	246	69	38	40	22	22	20	9	9	7	10	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	42	36	4	2	-	-	-	-	-	-	-	-
20 to 24 years	71	17	24	14	11	2	2	1	-	-	-	-
25 to 29 years	63	9	8	14	8	13	8	1	2	-	-	-
30 to 34 years	38	4	1	8	1	5	8	4	4	1	2	-
35 to 39 years	20	1	1	2	2	2	1	1	2	3	5	-
40 to 44 years	6	-	-	-	-	-	1	1	1	1	2	-
45 to 49 years	4	-	-	-	-	-	-	1	-	2	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	2	-	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE												
Total births	11,092	4,195	2,951	1,624	844	449	262	146	89	55	102	375
10 to 14 years	3	2	-	-	-	-	-	-	-	-	-	1
15 to 19 years	797	640	108	20	1	-	-	-	-	-	-	28
20 to 24 years	3,578	1,971	955	363	118	42	16	6	-	-	-	110
25 to 29 years	3,378	1,026	1,105	571	299	139	79	30	15	3	-	111
30 to 34 years	2,031	392	556	427	240	140	76	40	30	19	24	87
35 to 39 years	1,018	127	196	211	150	100	66	48	29	20	41	30
40 to 44 years	246	33	26	28	34	25	22	18	12	11	29	8
45 to 49 years	32	1	1	3	4	3	3	4	3	2	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	9	3	4	1	1	-	-	-	-	-	-	-
White	11,074	4,185	2,947	1,622	843	448	262	146	89	55	102	375
10 to 14 years	3	2	-	-	-	-	-	-	-	-	-	1
15 to 19 years	795	640	106	20	1	-	-	-	-	-	-	28
20 to 24 years	3,570	1,964	955	363	114	42	16	6	-	-	-	110
25 to 29 years	3,370	1,023	1,103	569	299	138	79	30	15	3	-	111
30 to 34 years	2,031	392	556	427	240	140	76	40	30	19	24	87
35 to 39 years	1,018	127	196	211	150	100	66	48	29	20	41	30
40 to 44 years	246	33	26	28	34	25	22	18	12	11	29	8
45 to 49 years	32	1	1	3	4	3	3	4	3	2	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	9	3	4	1	1	-	-	-	-	-	-	-

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEW HAMPSHIRE—Continued												
White—Continued												
Native white	10,404	3,993	2,788	1,505	760	409	245	126	81	50	90	357
10 to 14 years	3	2	-	-	-	-	-	-	-	-	-	1
15 to 19 years	785	632	104	20	1	-	-	-	-	-	-	28
20 to 24 years	3,443	1,882	932	349	110	42	16	6	-	-	-	106
25 to 29 years	3,186	974	1,044	534	279	130	75	27	15	2	-	106
30 to 34 years	1,869	360	512	393	218	129	72	35	29	18	22	82
35 to 39 years	886	109	171	187	124	83	61	42	26	18	38	27
40 to 44 years	199	31	20	19	25	23	18	13	8	11	24	7
45 to 49 years	24	-	1	2	2	3	3	3	3	1	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	9	3	4	1	1	-	-	-	-	-	-	-
Foreign-born white	669	192	158	117	83	39	17	20	8	5	12	18
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	10	8	2	-	-	-	-	-	-	-	-	-
20 to 24 years	127	82	23	14	4	-	-	-	-	-	-	4
25 to 29 years	183	49	58	35	20	8	4	3	-	1	-	5
30 to 34 years	162	32	44	34	22	12	4	5	1	1	2	5
35 to 39 years	132	18	25	24	26	17	5	6	3	2	3	3
40 to 44 years	47	2	6	9	9	2	4	5	4	-	5	1
45 to 49 years	8	1	-	1	2	-	-	1	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	18	10	4	2	1	1	-	-	-	-	-	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2	-	2	-	-	-	-	-	-	-	-	-
20 to 24 years	8	7	-	-	1	-	-	-	-	-	-	-
25 to 29 years	8	3	2	2	-	1	-	-	-	-	-	-
30 to 34 years	-	-	-	-	-	-	-	-	-	-	-	-
35 to 39 years	-	-	-	-	-	-	-	-	-	-	-	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY												
Total births	95,218	38,748	29,011	12,370	5,209	2,272	1,170	676	416	269	473	4,604
10 to 14 years	38	33	2	-	-	-	-	-	-	-	-	3
15 to 19 years	4,582	3,582	660	105	11	3	-	-	-	-	-	221
20 to 24 years	28,738	16,097	6,893	1,717	543	163	59	22	12	2	2	1,229
25 to 29 years	32,141	12,504	11,425	4,016	1,518	657	274	126	54	26	20	1,541
30 to 34 years	20,723	4,758	7,248	4,227	1,747	737	391	229	137	83	82	1,084
35 to 39 years	9,077	1,508	2,461	1,977	1,140	562	330	192	154	106	213	4,170
40 to 44 years	1,781	236	305	316	233	163	104	96	59	47	140	82
45 to 49 years	82	8	5	8	12	7	9	9	-	4	16	4
50 years and over	3	1	1	-	-	-	1	-	-	-	-	-
Not stated	53	21	11	4	5	-	3	2	-	1	-	6
White	88,620	36,722	27,475	11,482	4,641	1,891	915	501	293	197	312	4,191
10 to 14 years	15	12	1	-	-	-	-	-	-	-	-	2
15 to 19 years	3,429	2,833	394	47	2	-	-	-	-	-	-	153
20 to 24 years	24,311	15,289	6,165	1,322	341	83	25	9	4	1	1	1,071
25 to 29 years	30,543	12,192	11,054	3,758	1,309	475	180	81	31	13	11	1,439
30 to 34 years	19,904	4,662	7,132	4,100	1,645	652	324	160	94	57	51	1,027
35 to 39 years	8,639	1,491	2,414	1,934	1,102	521	284	156	115	86	132	414
40 to 44 years	1,665	225	300	312	227	153	94	86	49	36	106	77
45 to 49 years	70	8	5	7	11	7	6	8	-	3	11	4
50 years and over	2	1	-	-	-	-	1	-	-	-	-	-
Not stated	42	19	10	2	4	-	1	1	-	1	-	4
Native white	83,859	35,047	26,053	10,784	4,294	1,724	836	463	261	184	290	3,943
10 to 14 years	15	12	1	-	-	-	-	-	-	-	-	2
15 to 19 years	3,342	2,755	388	47	2	-	-	-	-	-	-	150
20 to 24 years	23,443	14,701	5,959	1,293	340	78	24	9	4	1	1	1,033
25 to 29 years	29,267	11,634	10,599	3,616	1,265	469	177	61	30	13	11	1,372
30 to 34 years	18,747	4,409	6,693	3,872	1,550	616	302	154	90	56	50	955
35 to 39 years	7,612	1,322	2,138	1,704	944	437	249	144	103	80	127	364
40 to 44 years	1,344	190	241	244	184	120	80	67	34	31	92	61
45 to 49 years	50	8	5	6	5	4	2	7	-	3	9	3
50 years and over	2	1	-	-	-	-	1	-	-	-	-	-
Not stated	37	17	9	2	4	-	1	1	-	-	-	3
Foreign-born white	4,756	1,672	1,442	698	346	167	79	38	32	13	22	247
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	88	77	8	-	-	-	-	-	-	-	-	3
20 to 24 years	867	567	206	29	1	5	1	-	-	-	-	38
25 to 29 years	1,276	558	455	142	44	6	3	-	1	-	-	67
30 to 34 years	1,156	253	439	228	94	36	22	6	4	1	1	72
35 to 39 years	1,026	158	276	230	158	84	35	12	12	6	5	50
40 to 44 years	321	35	59	68	43	33	14	19	15	5	14	16
45 to 49 years	20	2	-	1	6	3	4	1	-	-	2	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	2	1	-	-	-	-	-	-	1	-	-
Nonwhite	6,598	2,026	1,536	888	568	381	255	175	123	72	161	413
10 to 14 years	23	21	1	-	-	-	-	-	-	-	-	1
15 to 19 years	1,153	749	266	58	9	3	-	-	-	-	-	68
20 to 24 years	2,427	808	728	395	202	80	33	13	8	1	1	158
25 to 29 years	1,598	312	371	258	209	162	94	45	23	13	9	102
30 to 34 years	819	96	116	127	102	85	67	69	43	26	31	57
35 to 39 years	438	27	47	43	38	41	46	36	39	20	81	20
40 to 44 years	116	11	5	4	6	10	10	10	10	11	34	5
45 to 49 years	12	-	-	1	1	-	3	1	-	1	5	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	11	2	1	2	1	-	2	1	-	-	-	2

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEW JERSEY—Continued												
Nonwhite—Continued												
Negro	6,535	2,009	1,522	876	560	378	253	173	121	72	161	410
10 to 14 years	23	21	1	-	-	-	-	-	-	-	-	1
15 to 19 years	1,152	748	266	58	9	3	-	-	-	-	-	68
20 to 24 years	2,408	800	722	393	202	80	33	13	8	1	1	155
25 to 29 years	1,576	306	365	253	206	161	94	44	23	13	9	102
30 to 34 years	804	94	114	123	97	84	67	68	43	26	31	57
35 to 39 years	435	27	47	43	38	40	45	36	38	20	81	20
40 to 44 years	114	11	5	3	6	10	10	10	9	11	34	5
45 to 49 years	11	-	-	1	1	-	2	1	-	1	5	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	11	2	1	2	1	-	2	1	-	-	-	2
NEW MEXICO												
Total births	18,097	5,324	3,977	2,418	1,681	1,292	904	762	547	380	722	80
10 to 14 years	16	15	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,161	1,626	444	67	11	3	-	-	-	-	-	10
20 to 24 years	5,826	2,314	1,846	891	487	186	64	15	8	-	1	14
25 to 29 years	4,538	916	1,055	826	626	497	306	178	75	25	11	21
30 to 34 years	3,040	317	445	428	372	390	299	288	218	129	136	19
35 to 39 years	1,838	113	156	175	156	161	190	208	179	159	331	10
40 to 44 years	571	16	27	23	25	43	40	69	59	60	205	4
45 to 49 years	65	1	2	1	-	5	4	3	5	6	37	1
50 years and over	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	31	6	1	7	2	7	2	1	3	-	1	1
White	18,674	5,015	3,716	2,197	1,521	1,158	806	684	494	343	666	74
10 to 14 years	11	10	1	-	-	-	-	-	-	-	-	-
15 to 19 years	1,977	1,503	400	57	8	2	-	-	-	-	-	7
20 to 24 years	5,404	2,189	1,718	797	429	173	62	14	8	-	1	13
25 to 29 years	4,181	874	988	756	567	442	266	165	68	24	10	21
30 to 34 years	2,809	306	428	398	343	353	265	256	201	116	125	18
35 to 39 years	1,700	112	152	163	148	144	177	184	162	140	308	10
40 to 44 years	528	16	27	22	24	40	34	63	51	58	190	3
45 to 49 years	49	1	1	1	-	1	2	2	3	5	32	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	15	4	1	3	2	3	-	-	1	-	-	1
Native white	18,278	4,937	3,664	2,156	1,487	1,129	776	658	475	320	612	66
10 to 14 years	11	10	1	-	-	-	-	-	-	-	-	-
15 to 19 years	1,968	1,489	395	57	8	2	-	-	-	-	-	7
20 to 24 years	5,342	2,159	1,707	785	423	172	62	13	8	-	1	12
25 to 29 years	4,079	852	964	744	553	432	255	162	67	24	8	18
30 to 34 years	2,730	299	423	389	334	340	256	246	196	110	120	17
35 to 39 years	1,604	109	146	156	143	139	170	176	153	125	278	9
40 to 44 years	493	14	26	21	24	40	31	57	47	56	176	1
45 to 49 years	46	1	1	1	-	1	2	2	3	5	29	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	15	4	1	3	2	3	-	-	1	-	-	1
Foreign-born white	392	77	51	41	34	28	30	28	19	23	54	7
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	19	14	5	-	-	-	-	-	-	-	-	-
20 to 24 years	59	29	10	12	6	1	-	1	-	-	-	-
25 to 29 years	101	22	24	12	14	9	11	3	1	-	2	3
30 to 34 years	79	7	5	9	9	13	9	10	5	6	5	1
35 to 39 years	96	3	6	7	5	5	7	8	9	15	30	1
40 to 44 years	35	2	1	1	-	-	3	6	4	2	14	2
45 to 49 years	3	-	-	-	-	-	-	-	-	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	1,413	309	261	221	160	134	98	78	53	37	56	6
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	184	123	44	10	3	1	-	-	-	-	-	3
20 to 24 years	422	125	128	94	58	13	2	1	-	-	-	1
25 to 29 years	357	42	67	70	61	55	40	13	7	1	1	-
30 to 34 years	231	11	17	30	29	37	33	32	17	13	11	1
35 to 39 years	138	1	4	12	8	17	13	24	17	19	23	-
40 to 44 years	43	-	-	1	1	3	6	6	8	2	15	1
45 to 49 years	16	-	1	-	-	4	2	1	2	1	5	-
50 years and over	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	16	2	-	4	-	4	2	1	2	-	1	-
Negro	179	41	30	39	17	14	13	7	3	4	9	2
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	38	24	8	5	-	-	-	-	-	-	-	1
20 to 24 years	49	6	12	18	9	2	1	-	-	-	-	1
25 to 29 years	41	5	7	5	7	6	7	3	1	-	-	-
30 to 34 years	31	5	3	7	1	5	3	3	1	1	2	-
35 to 39 years	19	-	-	4	-	1	2	1	1	3	7	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK												
Total births	286,546	122,831	89,816	38,942	16,443	7,742	4,116	2,412	1,398	877	1,460	508
10 to 14 years	100	99	-	-	-	-	-	-	-	-	-	1
15 to 19 years	14,236	11,903	2,011	271	25	3	2	-	-	-	-	21
20 to 24 years	78,740	49,713	20,883	5,495	1,773	554	140	43	8	1	-	130
25 to 29 years	92,875	38,564	33,520	12,223	4,629	2,059	977	464	166	61	42	171
30 to 34 years	64,024	15,992	23,500	13,178	5,527	2,547	1,386	780	456	290	271	97
35 to 39 years	29,935	5,577	8,888	6,623	3,600	1,968	1,162	764	529	331	638	55
40 to 44 years	5,995	813	1,089	1,069	819	588	424	332	211	177	460	13
45 to 49 years	294	24	26	43	44	18	25	25	27	15	47	-
50 years and over	7	1	1	1	1	-	-	2	-	1	-	-
Not stated	340	145	98	39	25	6	-	2	1	1	2	21

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEW YORK—Continued												
White	269,271	115,840	95,423	36,555	15,106	6,932	3,614	2,106	1,199	758	1,255	483
10 to 14 years	40	40	-	-	-	-	-	-	-	-	-	-
15 to 19 years	11,307	9,746	1,387	143	12	1	1	-	-	-	-	17
20 to 24 years	72,315	46,795	18,969	4,529	1,372	404	83	33	7	-	-	123
25 to 29 years	88,711	37,354	32,440	11,502	4,153	1,735	796	373	123	48	28	159
30 to 34 years	61,685	15,520	22,971	12,799	5,233	2,324	1,229	667	382	238	228	96
35 to 39 years	28,857	5,433	8,479	6,465	3,476	1,871	1,077	699	468	292	542	55
40 to 44 years	5,749	787	1,061	1,059	794	574	404	307	195	166	410	12
45 to 49 years	278	24	23	41	41	17	24	25	23	15	45	-
50 years and over	5	1	1	1	1	-	-	1	-	-	-	-
Not stated	324	140	92	36	24	6	-	1	1	1	2	21
Native white	247,166	107,818	78,279	32,972	13,546	6,153	3,220	1,868	1,072	692	1,110	436
10 to 14 years	40	40	-	-	-	-	-	-	-	-	-	-
15 to 19 years	10,970	9,449	1,349	142	12	1	1	-	-	-	-	16
20 to 24 years	68,823	44,354	18,121	4,377	1,339	394	81	32	7	-	-	118
25 to 29 years	83,507	34,863	30,528	10,952	3,999	1,675	782	360	121	48	28	151
30 to 34 years	55,564	13,922	20,546	11,494	4,765	2,126	1,140	617	361	226	221	86
35 to 39 years	23,632	4,470	6,879	5,213	2,812	1,533	908	608	413	264	489	43
40 to 44 years	4,208	576	757	735	576	406	293	228	152	141	337	7
45 to 49 years	195	18	14	29	24	12	15	21	17	12	33	-
50 years and over	5	1	1	1	1	-	-	1	-	-	-	-
Not stated	282	125	84	29	18	6	-	1	1	1	2	15
Foreign-born white	22,074	8,011	7,137	3,577	1,559	778	394	237	127	66	145	43
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	335	295	38	1	-	-	-	-	-	-	-	1
20 to 24 years	3,483	2,435	846	151	33	10	2	1	-	-	-	5
25 to 29 years	5,196	2,490	1,908	547	154	60	14	13	2	-	-	8
30 to 34 years	6,178	1,598	2,424	1,303	468	198	89	50	21	10	7	10
35 to 39 years	5,221	862	1,600	1,252	663	337	169	90	55	28	53	12
40 to 44 years	1,541	211	304	304	218	168	111	79	43	25	73	5
45 to 49 years	83	6	9	12	17	5	9	4	6	3	12	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	37	14	8	7	6	-	-	-	-	-	-	2
Nonwhite	17,275	6,991	4,393	2,387	1,337	810	502	306	199	119	205	26
10 to 14 years	60	59	-	-	-	-	-	-	-	-	-	1
15 to 19 years	2,329	2,157	624	128	13	2	1	-	-	-	-	4
20 to 24 years	6,425	2,918	1,914	966	401	150	57	10	1	1	-	7
25 to 29 years	4,164	1,210	1,080	721	476	323	181	91	43	13	14	12
30 to 34 years	2,339	472	529	379	294	223	157	113	74	54	43	1
35 to 39 years	1,078	144	209	158	124	97	85	65	61	39	96	-
40 to 44 years	246	26	28	30	25	14	20	25	16	11	50	1
45 to 49 years	16	-	3	2	3	1	1	-	4	-	2	-
50 years and over	2	-	-	-	-	-	-	1	-	1	-	-
Not stated	16	5	6	3	1	-	-	1	-	-	-	-
Negro	16,727	6,786	4,282	2,312	1,284	773	474	291	193	114	196	22
10 to 14 years	59	58	-	-	-	-	-	-	-	-	-	1
15 to 19 years	2,091	2,123	620	128	13	2	1	-	-	-	-	4
20 to 24 years	6,243	2,829	1,865	938	391	147	55	10	1	1	-	6
25 to 29 years	4,004	1,158	1,050	699	456	307	167	88	42	13	14	10
30 to 34 years	2,234	448	506	361	284	213	149	107	73	52	41	-
35 to 39 years	1,034	141	204	152	116	90	83	61	59	37	91	-
40 to 44 years	230	24	28	29	22	13	18	23	14	10	48	1
45 to 49 years	14	-	3	2	1	1	1	-	4	-	2	-
50 years and over	2	-	-	-	-	-	-	1	-	1	-	-
Not stated	16	5	6	3	1	-	-	1	-	-	-	-
NORTH CAROLINA												
Total births	100,679	32,072	23,210	13,388	8,896	6,047	4,242	3,051	2,205	1,804	2,943	3,021
10 to 14 years	241	209	11	-	-	-	-	-	-	-	-	21
15 to 19 years	14,680	10,028	3,169	743	157	29	5	-	-	-	-	549
20 to 24 years	33,027	13,321	9,749	4,879	2,488	1,081	363	123	41	18	10	954
25 to 29 years	24,963	5,490	6,142	4,154	3,320	2,305	1,423	807	359	172	103	689
30 to 34 years	15,625	2,106	2,915	2,392	1,859	1,599	1,425	1,082	792	509	532	414
35 to 39 years	8,997	757	1,040	1,020	869	819	804	803	729	838	1,246	272
40 to 44 years	2,650	113	137	159	169	189	193	217	246	241	903	83
45 to 49 years	258	4	9	9	7	9	16	11	31	19	138	7
50 years and over	6	-	-	2	1	-	-	-	-	-	2	1
Not stated	232	44	38	30	26	16	13	8	7	7	11	32
White	71,062	25,492	17,868	9,579	5,875	3,598	2,403	1,632	1,145	713	1,280	1,477
10 to 14 years	55	52	-	-	-	-	-	-	-	-	-	3
15 to 19 years	8,595	6,524	1,534	252	57	11	1	-	-	-	-	216
20 to 24 years	23,804	11,298	7,383	2,978	1,195	377	90	20	5	2	1	455
25 to 29 years	18,447	4,922	5,246	3,254	2,277	1,269	665	291	98	33	15	377
30 to 34 years	11,557	1,900	2,618	2,039	1,447	1,144	895	607	376	167	158	206
35 to 39 years	6,471	666	928	888	734	622	592	541	461	345	541	153
40 to 44 years	1,834	100	125	140	142	159	144	159	178	153	487	47
45 to 49 years	165	3	9	5	7	7	12	10	26	11	71	4
50 years and over	5	-	-	2	1	-	-	-	-	-	1	1
Not stated	129	27	25	21	15	9	4	4	1	2	6	15
Native white	70,868	25,397	17,807	9,560	5,870	3,596	2,401	1,631	1,144	713	1,279	1,470
10 to 14 years	54	52	-	-	-	-	-	-	-	-	-	2
15 to 19 years	8,584	6,516	1,531	252	57	11	1	-	-	-	-	216
20 to 24 years	23,723	11,246	7,359	2,973	1,195	377	90	20	5	2	1	455
25 to 29 years	18,403	4,900	5,232	3,251	2,275	1,269	664	291	98	33	15	375
30 to 34 years	11,533	1,892	2,606	2,035	1,447	1,144	895	607	376	167	158	206
35 to 39 years	6,455	664	923	883	733	621	592	541	460	345	540	153
40 to 44 years	1,826	98	125	138	140	158	143	159	178	153	487	47
45 to 49 years	164	3	9	5	7	7	12	9	26	11	71	4
50 years and over	5	-	-	2	1	-	-	-	-	-	1	1
Not stated	121	26	22	21	15	9	4	4	1	2	6	11

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NORTH CAROLINA—Continued												
White—Continued												
Foreign-born white	180	92	58	18	5	2	1	1	1	-	1	3
10 to 14 years	1	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	10	7	3	-	-	-	-	-	-	-	-	-
20 to 24 years	79	51	23	5	-	-	-	-	-	-	-	-
25 to 29 years	41	22	12	3	2	-	-	-	-	-	-	2
30 to 34 years	24	8	12	4	-	-	-	-	-	-	-	-
35 to 39 years	16	2	5	5	1	1	-	-	1	-	1	-
40 to 44 years	7	2	-	1	2	1	1	-	-	-	-	-
45 to 49 years	1	-	-	-	-	-	-	1	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	29,617	6,580	5,342	3,809	3,021	2,449	1,839	1,419	1,060	891	1,663	1,544
10 to 14 years	186	157	11	-	-	-	-	-	-	-	-	18
15 to 19 years	6,085	3,504	1,635	491	100	18	4	-	-	-	-	333
20 to 24 years	9,223	2,023	2,366	1,901	1,283	704	273	103	36	16	9	499
25 to 29 years	6,516	568	896	900	1,043	1,036	758	516	261	139	88	311
30 to 34 years	4,068	206	297	353	412	455	530	475	416	342	374	208
35 to 39 years	2,526	91	112	132	135	197	212	262	268	293	705	119
40 to 44 years	816	13	12	19	27	30	49	58	68	88	416	36
45 to 49 years	93	1	-	4	-	2	4	1	5	8	65	3
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	103	17	13	9	11	7	9	4	6	5	5	17
Negro	28,563	6,391	5,199	3,668	2,895	2,338	1,765	1,360	1,025	858	1,586	1,478
10 to 14 years	184	155	11	-	-	-	-	-	-	-	-	18
15 to 19 years	5,950	3,421	1,605	492	96	18	2	-	-	-	-	326
20 to 24 years	8,876	1,945	2,288	1,820	1,245	674	268	100	35	16	9	476
25 to 29 years	6,269	552	878	869	995	986	727	494	256	132	85	295
30 to 34 years	3,902	199	289	357	395	430	508	454	404	333	357	196
35 to 39 years	2,408	89	105	130	126	193	202	251	253	279	666	112
40 to 44 years	789	13	11	18	27	28	46	57	66	85	403	35
45 to 49 years	88	1	-	4	-	2	4	1	5	8	60	3
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	98	16	12	8	11	7	8	3	6	5	5	17
NORTH DAKOTA												
Total births	15,264	4,824	3,897	2,495	1,458	896	557	340	246	182	346	23
10 to 14 years	3	2	1	-	-	-	-	-	-	-	-	-
15 to 19 years	968	796	152	13	1	1	-	-	-	-	-	5
20 to 24 years	4,586	2,315	1,458	562	178	51	10	2	-	-	-	10
25 to 29 years	4,393	1,129	1,383	900	504	268	123	50	18	7	6	5
30 to 34 years	3,042	398	656	698	454	325	210	121	95	45	38	2
35 to 39 years	1,656	142	198	284	249	178	158	117	89	88	162	-
40 to 44 years	525	32	34	44	62	58	52	47	32	39	124	1
45 to 49 years	39	1	-	2	2	9	4	2	1	3	15	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	51	9	14	12	8	5	-	1	1	-	1	-
White	14,893	4,737	3,838	2,445	1,424	870	527	314	227	170	318	23
10 to 14 years	3	2	1	-	-	-	-	-	-	-	-	-
15 to 19 years	922	758	146	12	1	-	-	-	-	-	-	5
20 to 24 years	4,467	2,274	1,422	536	166	47	10	2	-	-	-	10
25 to 29 years	4,315	1,123	1,372	888	490	260	109	44	13	6	5	5
30 to 34 years	2,981	396	653	689	451	316	199	113	88	40	34	2
35 to 39 years	1,614	142	198	263	246	176	154	108	94	85	148	-
40 to 44 years	506	32	33	44	61	56	52	44	31	36	116	1
45 to 49 years	38	1	-	2	2	9	3	2	1	3	15	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	46	9	13	11	7	5	-	1	-	-	-	-
Native white	14,545	4,663	3,775	2,386	1,382	841	502	296	218	162	287	23
10 to 14 years	3	2	1	-	-	-	-	-	-	-	-	-
15 to 19 years	915	752	145	12	1	-	-	-	-	-	-	5
20 to 24 years	4,396	2,237	1,401	526	164	46	10	2	-	-	-	10
25 to 29 years	4,243	1,106	1,352	874	481	252	105	44	13	6	5	5
30 to 34 years	2,919	387	639	671	447	313	194	109	86	37	34	2
35 to 39 years	1,530	139	192	249	234	165	143	98	91	83	136	-
40 to 44 years	463	30	32	41	57	54	47	40	27	33	101	1
45 to 49 years	30	1	-	2	2	5	3	2	1	3	11	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	45	9	13	11	6	5	-	1	-	-	-	-
Foreign-born white	345	74	62	58	32	29	25	18	9	7	31	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	7	6	1	-	-	-	-	-	-	-	-	-
20 to 24 years	69	37	20	9	2	1	-	-	-	-	-	-
25 to 29 years	72	17	20	14	9	8	4	-	-	-	-	-
30 to 34 years	61	9	14	18	4	3	5	4	2	2	-	-
35 to 39 years	84	3	6	14	12	11	11	10	3	2	12	-
40 to 44 years	43	2	1	3	4	2	5	4	4	3	15	-
45 to 49 years	8	-	-	-	-	4	-	-	-	-	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-	-
Nonwhite	371	87	59	50	34	26	30	26	19	12	28	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	46	38	6	1	-	1	-	-	-	-	-	-
20 to 24 years	119	41	36	26	12	4	-	-	-	-	-	-
25 to 29 years	78	6	11	12	14	8	14	8	5	1	1	-
30 to 34 years	61	2	3	9	3	9	11	8	7	5	4	-
35 to 39 years	42	-	1	1	3	2	4	9	5	3	14	-
40 to 44 years	19	-	1	-	1	2	-	3	1	3	8	-
45 to 49 years	1	-	-	-	-	-	1	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	-	1	1	1	-	-	-	1	-	1	-

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
OHIO												
Total births	169,600	67,158	47,629	24,543	12,373	6,706	3,761	2,391	1,482	1,011	1,639	907
10 to 14 years	81	76	4	-	-	-	-	-	-	-	-	1
15 to 19 years	13,611	11,029	2,112	316	32	10	1	-	-	-	-	111
20 to 24 years	55,689	30,812	16,355	5,413	1,938	604	163	52	9	7	2	334
25 to 29 years	51,026	17,040	16,814	8,641	4,224	2,191	1,052	490	190	74	60	250
30 to 34 years	30,675	5,905	8,875	6,763	3,696	2,135	1,281	836	509	269	284	123
35 to 39 years	14,453	1,927	2,939	2,896	2,017	1,346	917	702	536	432	690	51
40 to 44 years	3,592	291	452	460	418	387	319	278	225	209	536	17
45 to 49 years	237	12	20	15	24	21	23	29	11	18	62	2
50 years and over	6	-	-	2	1	1	-	-	1	-	1	-
Not stated	230	66	58	37	23	11	5	4	2	2	4	18
White	159,693	63,751	45,361	23,091	11,460	6,120	3,379	2,103	1,281	888	1,417	842
10 to 14 years	37	34	3	-	-	-	-	-	-	-	-	-
15 to 19 years	11,664	9,611	1,709	214	23	8	-	-	-	-	-	99
20 to 24 years	52,151	29,547	15,227	4,769	1,635	491	121	43	5	5	2	306
25 to 29 years	48,731	16,609	16,352	8,201	3,869	1,940	901	382	144	51	42	240
30 to 34 years	29,428	5,729	8,686	6,561	3,526	1,993	1,177	743	425	227	228	113
35 to 39 years	13,823	1,871	2,869	2,829	1,956	1,291	845	650	481	387	597	47
40 to 44 years	3,421	279	440	445	406	368	310	258	214	198	486	17
45 to 49 years	219	11	20	14	23	19	21	24	9	18	58	2
50 years and over	5	-	-	2	1	1	-	-	1	-	-	-
Not stated	214	60	55	36	21	9	4	3	2	2	4	18
Native white	156,512	62,541	44,506	22,607	11,206	5,980	3,293	2,060	1,253	866	1,379	821
10 to 14 years	37	34	3	-	-	-	-	-	-	-	-	-
15 to 19 years	11,595	9,551	1,702	212	23	8	-	-	-	-	-	99
20 to 24 years	51,436	29,033	15,071	4,739	1,628	488	121	43	5	5	2	301
25 to 29 years	47,906	16,236	16,049	8,105	3,840	1,929	897	380	142	51	41	236
30 to 34 years	28,703	5,565	8,469	6,394	3,446	1,961	1,156	734	421	225	225	107
35 to 39 years	13,218	1,788	2,734	2,698	1,846	1,237	810	633	469	377	582	44
40 to 44 years	3,197	265	405	409	378	330	286	243	206	190	469	16
45 to 49 years	206	10	19	12	23	18	19	24	7	16	56	2
50 years and over	5	-	-	2	1	1	-	-	1	-	-	-
Not stated	209	59	54	36	21	8	4	3	2	2	4	16
Foreign-born white	3,158	1,203	852	480	254	137	85	42	28	22	37	18
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	67	60	6	1	-	-	-	-	-	-	-	-
20 to 24 years	708	508	156	29	7	3	-	-	-	-	-	5
25 to 29 years	822	373	302	96	29	10	3	2	2	-	1	4
30 to 34 years	723	164	217	187	80	31	21	8	4	2	3	6
35 to 39 years	600	82	134	130	110	54	35	17	12	10	14	2
40 to 44 years	223	14	35	35	28	38	24	15	8	8	17	1
45 to 49 years	13	1	1	2	-	1	2	-	2	2	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
Nonwhite	9,907	3,407	2,268	1,452	913	586	382	288	201	123	222	65
10 to 14 years	44	42	1	-	-	-	-	-	-	-	-	1
15 to 19 years	1,947	1,418	403	102	9	2	1	-	-	-	-	12
20 to 24 years	3,538	1,265	1,128	644	303	113	42	9	4	2	-	28
25 to 29 years	2,295	431	462	440	355	251	151	108	46	23	18	10
30 to 34 years	1,247	176	189	182	170	142	104	93	83	42	56	10
35 to 39 years	630	56	70	67	61	55	72	52	55	45	93	4
40 to 44 years	171	12	12	15	12	19	9	20	11	11	50	-
45 to 49 years	18	1	-	1	1	2	2	5	2	-	4	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	16	6	3	1	2	2	1	1	-	-	-	-
Negro	9,809	3,355	2,248	1,440	906	584	382	288	199	123	219	65
10 to 14 years	44	42	1	-	-	-	-	-	-	-	-	1
15 to 19 years	1,944	1,415	403	102	9	2	1	-	-	-	-	12
20 to 24 years	3,505	1,241	1,123	642	301	113	42	9	4	2	-	28
25 to 29 years	2,262	412	454	436	353	251	151	108	46	23	18	10
30 to 34 years	1,228	172	183	177	168	140	104	93	83	42	56	10
35 to 39 years	626	55	69	67	60	55	72	52	54	45	93	4
40 to 44 years	166	12	12	14	12	19	9	20	10	11	47	-
45 to 49 years	18	1	-	1	1	2	2	5	2	-	4	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	15	5	3	1	2	2	1	1	-	-	-	-
OKLAHOMA												
Total births	50,418	18,705	13,431	7,000	4,112	2,347	1,574	1,083	727	527	831	79
10 to 14 years	67	65	2	-	-	-	-	-	-	-	-	-
15 to 19 years	7,237	5,626	1,376	203	25	2	-	-	-	-	-	5
20 to 24 years	17,653	8,099	5,920	2,383	903	245	60	15	5	2	-	21
25 to 29 years	12,452	3,292	3,798	2,300	1,500	816	427	197	83	24	15	20
30 to 34 years	7,506	1,125	1,672	1,430	1,015	768	572	405	249	136	116	18
35 to 39 years	4,127	419	570	571	531	415	393	344	288	254	352	10
40 to 44 years	1,231	59	81	102	129	90	108	115	136	107	301	3
45 to 49 years	86	3	1	4	4	6	10	7	5	3	43	-
50 years and over	2	-	-	-	-	1	-	-	-	1	-	-
Not stated	55	17	11	7	5	4	4	-	1	-	4	2
White	44,843	17,006	12,348	6,252	3,534	1,957	1,261	843	552	405	610	75
10 to 14 years	33	32	1	-	-	-	-	-	-	-	-	-
15 to 19 years	6,120	4,844	1,113	147	12	-	-	-	-	-	-	4
20 to 24 years	15,956	7,512	5,431	2,045	712	188	40	7	1	1	-	21
25 to 29 years	11,245	3,107	3,580	2,071	1,289	667	315	142	36	13	8	19
30 to 34 years	6,680	1,056	1,591	1,343	915	645	465	308	182	90	68	17
35 to 39 years	3,628	391	545	537	483	366	331	277	214	202	272	10
40 to 44 years	1,071	50	79	100	117	83	98	102	116	95	228	3
45 to 49 years	73	3	1	4	4	5	10	7	3	3	33	-
50 years and over	2	-	-	-	-	1	-	-	-	1	-	-
Not stated	33	11	7	5	2	2	2	-	-	-	3	1

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
OKLAHOMA—Continued												
White—Continued												
Native white	44,610	16,885	12,289	6,238	3,521	1,953	1,255	839	550	404	602	74
10 to 14 years	32	31	1	-	-	-	-	-	-	-	-	-
15 to 19 years	6,103	4,831	1,109	147	12	-	-	-	-	-	-	4
20 to 24 years	15,858	7,443	5,403	2,044	711	188	40	7	1	1	-	20
25 to 29 years	11,196	3,085	3,565	2,067	1,285	666	312	142	36	13	6	19
30 to 34 years	6,657	1,047	1,583	1,340	914	845	485	308	181	90	67	17
35 to 39 years	3,600	385	542	533	477	363	329	276	214	201	270	10
40 to 44 years	1,058	49	79	98	116	83	97	99	115	95	224	3
45 to 49 years	72	3	1	4	4	5	10	7	3	3	32	-
50 years and over	2	-	-	-	-	1	-	-	-	1	-	-
Not stated	32	11	6	5	2	2	2	-	-	-	3	1
Foreign-born white	222	116	57	13	12	4	6	4	2	1	6	1
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	16	13	3	-	-	-	-	-	-	-	-	-
20 to 24 years	96	66	27	1	1	-	-	-	-	-	-	1
25 to 29 years	48	22	15	4	3	1	3	-	-	-	-	-
30 to 34 years	21	8	8	3	1	-	-	-	1	-	-	-
35 to 39 years	26	6	3	3	6	3	2	1	-	1	1	-
40 to 44 years	13	1	-	2	1	-	1	3	1	-	4	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	5,573	1,899	1,083	748	578	390	313	240	175	122	221	4
10 to 14 years	34	33	1	-	-	-	-	-	-	-	-	-
15 to 19 years	1,117	782	263	56	13	2	-	-	-	-	-	1
20 to 24 years	1,695	587	489	338	191	57	20	8	4	1	-	-
25 to 29 years	1,207	185	218	229	211	149	112	55	27	11	9	1
30 to 34 years	826	69	81	67	100	123	107	97	67	46	48	1
35 to 39 years	499	28	25	34	43	49	62	67	54	52	80	-
40 to 44 years	160	9	2	2	12	7	10	13	20	12	73	-
45 to 49 years	13	-	-	-	-	1	-	-	2	-	10	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	22	6	4	2	3	2	2	-	1	-	1	1
Negro	3,387	1,061	638	438	330	217	175	155	116	81	172	4
10 to 14 years	31	30	1	-	-	-	-	-	-	-	-	-
15 to 19 years	787	534	197	44	9	2	-	-	-	-	-	1
20 to 24 years	994	319	264	217	121	47	14	8	3	1	-	-
25 to 29 years	708	109	114	116	123	90	72	42	23	10	8	1
30 to 34 years	472	42	38	43	48	54	57	64	48	34	43	1
35 to 39 years	268	15	19	15	19	20	28	34	28	31	59	-
40 to 44 years	101	7	2	2	8	3	3	7	12	5	52	-
45 to 49 years	10	-	-	-	-	-	-	-	1	-	9	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	16	5	3	1	2	1	1	-	1	-	1	1
OREGON												
Total births	30,076	11,616	8,898	4,538	2,123	1,062	528	278	166	108	147	612
10 to 14 years	9	7	1	-	-	-	-	-	-	-	-	1
15 to 19 years	2,722	2,191	400	54	7	-	-	-	-	-	-	70
20 to 24 years	10,276	5,325	3,331	990	296	95	17	2	-	-	1	219
25 to 29 years	8,618	2,600	2,970	1,606	741	332	118	47	17	9	2	176
30 to 34 years	5,357	1,033	1,554	1,242	664	357	196	111	60	27	19	94
35 to 39 years	2,451	372	552	551	325	218	140	90	60	46	60	37
40 to 44 years	533	53	71	85	83	54	51	24	25	22	56	9
45 to 49 years	40	6	3	2	1	3	5	3	4	4	9	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	69	29	15	8	6	3	1	1	-	-	-	6
White	29,504	11,445	8,751	4,453	2,066	1,025	504	255	156	101	141	607
10 to 14 years	7	6	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,646	2,137	384	50	6	-	-	-	-	-	-	69
20 to 24 years	10,086	5,254	3,257	984	285	91	14	2	-	-	1	218
25 to 29 years	8,461	2,565	2,930	1,577	717	314	112	45	17	7	2	175
30 to 34 years	5,256	1,027	1,540	1,222	649	343	185	99	54	25	18	94
35 to 39 years	2,418	370	548	545	319	217	137	83	58	44	58	37
40 to 44 years	524	53	71	85	83	54	50	22	23	21	54	8
45 to 49 years	37	5	3	2	1	3	5	3	3	4	8	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	68	28	15	8	6	3	1	1	-	-	-	6
Native white	28,597	11,110	8,473	4,303	1,998	990	497	248	153	95	136	594
10 to 14 years	7	6	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,628	2,123	380	50	6	-	-	-	-	-	-	69
20 to 24 years	9,860	5,117	3,195	944	282	90	14	2	-	-	1	215
25 to 29 years	8,201	2,469	2,836	1,543	697	307	111	44	17	7	2	168
30 to 34 years	5,025	971	1,465	1,171	620	332	183	98	52	25	17	91
35 to 39 years	2,290	345	511	509	311	206	133	81	58	42	57	37
40 to 44 years	484	47	66	76	76	49	50	20	23	17	52	8
45 to 49 years	33	4	3	2	-	3	5	2	3	4	7	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	68	28	15	8	6	3	1	1	-	-	-	6
Foreign-born white	904	334	277	150	68	34	7	7	3	6	5	13
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	18	14	4	-	-	-	-	-	-	-	-	-
20 to 24 years	225	137	61	20	3	1	-	-	-	-	-	3
25 to 29 years	259	95	94	34	20	7	1	1	-	-	-	7
30 to 34 years	230	56	75	51	29	10	2	1	2	-	1	3
35 to 39 years	128	25	38	36	8	11	4	2	1	2	1	-
40 to 44 years	40	6	5	9	7	5	-	2	-	4	2	-
45 to 49 years	4	1	-	-	1	-	-	1	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 7B—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
OREGON—Continued												
Nonwhite	572	171	147	85	57	37	24	23	10	7	6	5
10 to 14 years	2	1	-	-	-	-	-	-	-	-	-	1
15 to 19 years	76	54	16	4	1	-	-	-	-	-	-	1
20 to 24 years	190	71	74	26	11	4	3	-	-	-	-	1
25 to 29 years	157	35	40	29	24	18	6	2	-	2	-	1
30 to 34 years	101	6	14	20	15	14	11	12	6	2	1	-
35 to 39 years	33	2	3	6	6	1	3	7	1	2	2	-
40 to 44 years	9	-	-	-	-	-	1	2	2	1	2	1
45 to 49 years	3	1	-	-	-	-	-	-	1	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Negro	263	84	73	33	25	13	12	12	3	3	2	3
10 to 14 years	2	1	-	-	-	-	-	-	-	-	-	1
15 to 19 years	39	27	8	2	1	-	-	-	-	-	-	1
20 to 24 years	88	34	35	10	6	2	1	-	-	-	-	-
25 to 29 years	75	16	22	10	10	7	6	2	-	1	-	1
30 to 34 years	41	4	6	9	4	4	4	7	2	1	-	-
35 to 39 years	14	2	2	2	4	-	1	2	-	1	-	-
40 to 44 years	3	-	-	-	-	-	-	1	1	-	1	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA												
Total births	218,376	90,334	60,007	30,267	15,637	8,495	4,787	3,012	2,036	1,295	2,306	200
10 to 14 years	113	108	5	-	-	-	-	-	-	-	-	-
15 to 19 years	15,439	12,609	2,398	364	46	6	2	-	-	-	-	14
20 to 24 years	68,705	40,608	18,869	6,042	2,151	666	218	57	18	11	5	60
25 to 29 years	67,322	24,620	21,785	10,779	5,279	2,632	1,232	538	257	92	52	56
30 to 34 years	42,030	8,940	12,298	8,778	4,975	2,785	1,627	1,095	708	397	385	42
35 to 39 years	19,582	2,952	4,087	3,672	2,551	1,865	1,258	950	733	505	995	14
40 to 44 years	4,763	443	525	589	589	512	414	358	299	270	756	8
45 to 49 years	310	16	16	25	30	25	31	13	23	19	111	1
50 years and over	14	3	2	1	3	2	1	-	-	-	2	-
Not stated	100	35	22	17	13	2	4	1	-	1	-	5
White	205,449	85,804	57,010	28,462	14,428	7,699	4,285	2,667	1,767	1,129	2,017	181
10 to 14 years	45	42	3	-	-	-	-	-	-	-	-	-
15 to 19 years	12,859	10,821	1,775	224	21	5	2	-	-	-	-	11
20 to 24 years	64,187	38,937	17,508	5,244	1,737	492	153	36	11	11	4	54
25 to 29 years	64,397	23,960	21,173	10,248	4,872	2,311	1,034	440	198	73	36	52
30 to 34 years	40,322	8,696	12,024	8,537	4,729	2,598	1,487	965	602	332	311	41
35 to 39 years	18,712	2,872	5,977	3,592	2,455	1,774	1,184	869	658	447	873	11
40 to 44 years	4,524	425	511	575	571	495	391	343	276	247	684	6
45 to 49 years	298	16	16	25	28	21	31	13	22	18	107	1
50 years and over	13	3	2	1	3	1	1	-	-	-	2	-
Not stated	92	32	21	16	12	2	2	1	-	1	-	5
Native white	200,486	83,935	55,711	27,765	14,019	7,446	4,153	2,594	1,705	1,075	1,925	168
10 to 14 years	44	41	3	-	-	-	-	-	-	-	-	-
15 to 19 years	12,732	10,710	1,762	222	20	5	2	-	-	-	-	11
20 to 24 years	63,150	38,187	17,276	5,209	1,723	488	153	35	11	11	4	53
25 to 29 years	63,263	23,434	20,783	10,110	4,828	2,291	1,032	435	196	72	36	46
30 to 34 years	39,138	8,411	11,636	8,283	4,606	2,527	1,455	950	599	326	307	38
35 to 39 years	17,660	2,708	3,741	3,396	2,282	1,678	1,122	838	633	429	852	11
40 to 44 years	4,141	397	474	534	522	436	358	312	246	224	632	6
45 to 49 years	260	14	13	25	24	18	29	13	20	12	92	-
50 years and over	13	3	2	1	3	1	1	-	-	-	2	-
Not stated	85	30	21	15	11	2	1	1	-	1	-	3
Foreign-born white	4,948	1,864	1,296	694	409	253	132	83	62	54	91	10
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	127	111	13	2	1	-	-	-	-	-	-	-
20 to 24 years	1,035	748	232	35	14	4	-	1	-	-	-	1
25 to 29 years	1,130	525	389	137	44	20	2	5	2	1	-	5
30 to 34 years	1,181	284	397	253	123	71	32	15	3	6	4	3
35 to 39 years	1,051	164	235	226	173	96	62	31	25	18	21	-
40 to 44 years	381	28	37	40	49	59	33	31	30	23	51	-
45 to 49 years	38	2	3	-	4	3	2	-	2	6	15	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	1	-	1	1	-	1	-	-	-	-	-
Nonwhite	12,927	4,530	2,997	1,805	1,209	796	502	345	269	166	289	19
10 to 14 years	68	66	2	-	-	-	-	-	-	-	-	-
15 to 19 years	2,580	1,788	623	140	25	1	-	-	-	-	-	3
20 to 24 years	4,516	1,671	1,361	798	414	174	65	21	5	-	1	6
25 to 29 years	2,925	660	612	531	407	321	198	98	59	19	16	4
30 to 34 years	1,708	244	274	241	246	187	140	130	106	65	74	1
35 to 39 years	870	80	110	80	96	91	74	81	75	58	122	3
40 to 44 years	239	18	14	14	18	17	23	15	23	23	72	2
45 to 49 years	12	-	-	-	2	4	-	-	1	1	4	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	8	3	1	1	1	-	2	-	-	-	-	-
Negro	12,871	4,511	2,982	1,800	1,203	792	502	343	268	165	287	18
10 to 14 years	68	66	2	-	-	-	-	-	-	-	-	-
15 to 19 years	2,578	1,786	623	140	25	1	-	-	-	-	-	3
20 to 24 years	4,496	1,662	1,352	797	413	174	65	21	5	-	1	6
25 to 29 years	2,911	654	608	530	406	319	198	98	59	19	16	4
30 to 34 years	1,697	243	273	240	243	187	140	128	105	64	74	-
35 to 39 years	863	79	109	79	95	89	74	81	75	58	121	3
40 to 44 years	237	18	14	13	18	17	23	15	23	23	71	2
45 to 49 years	12	-	-	-	2	4	-	-	1	1	4	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	8	3	1	1	1	-	2	-	-	-	-	-

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
RHODE ISLAND												
Total births	16,761	6,831	4,813	2,245	1,089	469	240	143	93	52	105	681
10 to 14 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	774	649	79	12	4	-	-	-	-	-	-	31
20 to 24 years	4,828	2,915	1,270	329	80	23	5	-	-	-	-	206
25 to 29 years	5,509	2,110	1,898	731	324	122	53	25	11	7	4	224
30 to 34 years	3,547	817	1,102	752	387	159	79	45	32	16	23	136
35 to 39 years	1,699	292	408	367	245	125	72	48	31	13	41	67
40 to 44 years	377	51	56	52	47	40	29	21	18	15	34	14
45 to 49 years	17	1	-	1	2	1	2	4	1	1	3	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	3	-	1	-	-	-	-	-	-	-	2
White	18,425	6,710	4,740	2,194	1,058	455	225	140	82	47	96	678
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	715	603	68	10	4	-	-	-	-	-	-	30
20 to 24 years	4,703	2,861	1,230	311	73	19	5	-	-	-	-	204
25 to 29 years	5,427	2,096	1,881	712	308	116	48	23	9	6	4	224
30 to 34 years	3,502	813	1,097	743	380	155	72	45	27	14	20	136
35 to 39 years	1,685	280	408	366	245	124	71	47	28	11	38	67
40 to 44 years	368	51	56	50	46	40	27	21	17	15	31	14
45 to 49 years	17	1	-	1	2	1	2	4	1	1	3	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	3	-	1	-	-	-	-	-	-	-	2
Native white	15,375	6,398	4,467	2,021	962	393	192	114	69	43	78	638
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	697	588	66	10	4	-	-	-	-	-	-	29
20 to 24 years	4,533	2,750	1,185	305	73	19	5	-	-	-	-	196
25 to 29 years	5,177	2,004	1,791	677	295	111	46	20	9	6	4	214
30 to 34 years	3,227	753	1,020	683	349	136	65	39	25	13	19	125
35 to 39 years	1,437	250	357	306	207	100	54	37	25	10	31	60
40 to 44 years	286	49	48	39	33	27	20	15	9	14	21	11
45 to 49 years	11	-	-	-	1	-	2	3	1	-	3	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	2	-	1	-	-	-	-	-	-	-	2
Foreign-born white	1,049	312	273	173	96	62	33	26	13	4	18	39
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	18	15	2	-	-	-	-	-	-	-	-	1
20 to 24 years	170	111	45	6	-	-	-	-	-	-	-	8
25 to 29 years	250	92	90	35	13	5	2	3	-	-	-	10
30 to 34 years	274	60	77	60	31	19	7	6	2	1	1	10
35 to 39 years	248	30	51	60	38	24	17	10	3	1	7	7
40 to 44 years	82	2	8	11	13	13	7	6	8	1	10	3
45 to 49 years	6	1	-	1	1	1	-	1	-	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite	336	121	73	51	31	14	15	3	11	5	9	3
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	59	45	11	2	-	-	-	-	-	-	-	1
20 to 24 years	125	54	40	18	7	4	-	-	-	-	-	2
25 to 29 years	82	14	17	19	16	6	5	2	2	1	-	-
30 to 34 years	45	4	5	9	7	3	7	-	5	2	3	-
35 to 39 years	14	2	-	1	-	1	1	1	3	2	3	-
40 to 44 years	9	-	-	2	1	-	2	-	1	-	3	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	327	118	73	49	29	14	15	3	11	4	9	2
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	58	44	11	2	-	-	-	-	-	-	-	1
20 to 24 years	122	52	40	18	7	4	-	-	-	-	-	1
25 to 29 years	80	14	17	19	14	6	5	2	2	1	-	-
30 to 34 years	43	4	5	7	7	3	7	-	5	2	3	-
35 to 39 years	13	2	-	1	-	1	1	1	3	1	3	-
40 to 44 years	9	-	-	2	1	-	2	-	1	-	3	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA												
Total births	53,963	16,236	11,919	7,404	5,194	3,586	2,537	1,802	1,356	885	1,805	1,229
10 to 14 years	136	123	7	-	-	-	-	-	-	-	-	6
15 to 19 years	8,484	5,633	1,975	503	111	17	4	-	-	-	-	241
20 to 24 years	18,026	6,420	5,104	3,083	1,754	782	300	97	36	17	11	422
25 to 29 years	13,380	2,667	2,982	2,124	1,869	1,448	998	553	296	113	94	236
30 to 34 years	7,702	919	1,276	1,129	901	789	749	647	485	273	361	153
35 to 39 years	4,598	354	429	445	444	461	380	409	415	379	784	98
40 to 44 years	1,184	53	74	72	81	72	78	79	102	102	450	21
45 to 49 years	119	3	3	3	6	5	7	4	14	4	69	1
50 years and over	6	-	-	2	1	-	-	1	-	-	1	1
Not stated	328	64	69	43	27	12	21	12	8	7	15	50
White	31,010	10,936	8,061	4,275	2,625	1,609	1,009	640	477	299	472	607
10 to 14 years	19	17	2	-	-	-	-	-	-	-	-	-
15 to 19 years	3,781	2,748	795	126	23	3	1	-	-	-	-	85
20 to 24 years	10,586	4,761	3,294	1,427	591	186	53	14	4	2	-	234
25 to 29 years	8,332	2,231	2,411	1,414	1,015	626	313	121	49	14	9	129
30 to 34 years	4,845	789	1,112	867	600	454	359	255	166	75	81	87
35 to 39 years	2,597	295	357	345	321	276	214	198	197	156	195	43
40 to 44 years	671	42	59	57	60	54	58	45	54	49	180	13
45 to 49 years	49	2	2	1	2	3	5	3	4	1	25	1
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	129	31	29	17	13	7	6	4	3	2	2	15

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
SOUTH CAROLINA—Continued												
White—Continued												
Native white	30,894	10,681	8,024	4,259	2,622	1,608	1,008	639	477	299	471	606
10 to 14 years	19	17	2	-	-	-	-	-	-	-	-	-
15 to 19 years	3,768	2,740	792	125	23	3	1	-	-	-	-	84
20 to 24 years	10,548	4,755	3,284	1,425	591	186	53	14	4	2	-	234
25 to 29 years	8,301	2,219	2,399	1,409	1,014	626	312	121	49	14	9	129
30 to 34 years	4,829	785	1,104	883	600	454	339	255	166	75	61	87
35 to 39 years	2,585	290	355	342	320	276	214	198	197	156	194	43
40 to 44 years	665	42	57	56	59	53	58	44	54	49	190	13
45 to 49 years	49	2	2	1	2	3	5	3	4	1	25	1
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	129	31	29	17	13	7	6	4	3	2	2	15
Foreign-born white	115	55	37	16	3	1	-	1	-	-	1	1
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	13	8	3	1	-	-	-	-	-	-	-	1
20 to 24 years	38	26	10	2	-	-	-	-	-	-	-	-
25 to 29 years	30	12	12	5	1	-	-	-	-	-	-	-
30 to 34 years	16	4	8	4	-	-	-	-	-	-	-	-
35 to 39 years	12	5	2	3	1	-	-	-	-	-	1	-
40 to 44 years	6	-	2	1	1	1	-	1	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	22,953	5,300	3,858	3,129	2,569	1,977	1,528	1,162	879	596	1,333	622
10 to 14 years	117	106	5	-	-	-	-	-	-	-	-	6
15 to 19 years	4,703	2,885	1,180	377	88	14	3	-	-	-	-	156
20 to 24 years	7,440	1,639	1,810	1,656	1,163	596	247	83	32	15	11	188
25 to 29 years	5,048	436	571	710	854	822	685	432	247	99	85	107
30 to 34 years	2,857	130	164	242	301	335	390	392	319	198	320	66
35 to 39 years	2,001	59	72	100	123	185	166	211	218	223	589	55
40 to 44 years	513	11	15	15	21	18	20	34	48	53	270	8
45 to 49 years	70	1	1	2	4	2	2	1	10	3	44	-
50 years and over	5	-	-	1	1	-	-	1	-	-	1	1
Not stated	199	33	40	26	14	5	15	8	5	5	13	35
Negro	22,935	5,283	3,858	3,129	2,567	1,976	1,524	1,162	878	594	1,331	621
10 to 14 years	117	106	5	-	-	-	-	-	-	-	-	6
15 to 19 years	4,702	2,884	1,180	377	88	14	3	-	-	-	-	156
20 to 24 years	7,433	1,633	1,810	1,656	1,163	596	247	83	32	15	11	187
25 to 29 years	5,044	436	571	710	853	821	683	432	247	99	85	107
30 to 34 years	2,853	130	164	242	300	335	389	392	319	197	319	66
35 to 39 years	1,997	59	72	100	123	185	165	211	217	222	598	55
40 to 44 years	513	11	15	15	21	18	20	34	48	53	270	8
45 to 49 years	70	1	1	2	4	2	2	1	10	3	44	-
50 years and over	5	-	-	1	1	-	-	1	-	-	1	1
Not stated	199	33	40	26	14	5	15	8	5	5	13	35
SOUTH DAKOTA												
Total births	14,580	5,016	3,819	2,222	1,392	797	432	271	193	136	241	61
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,060	873	149	31	1	1	1	-	-	-	-	4
20 to 24 years	4,562	2,385	1,400	518	183	43	11	5	-	-	-	17
25 to 29 years	4,197	1,193	1,339	806	475	222	85	35	19	2	4	17
30 to 34 years	2,620	385	638	551	410	280	149	84	49	38	23	13
35 to 39 years	1,521	127	244	240	249	174	136	97	88	54	105	7
40 to 44 years	511	30	34	69	62	65	45	44	34	37	90	1
45 to 49 years	45	-	-	1	4	8	4	3	2	4	18	1
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	61	21	15	5	8	4	1	3	1	1	1	1
White	13,932	4,860	3,715	2,133	1,306	746	388	241	166	119	209	49
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	991	818	141	27	1	1	1	-	-	-	-	2
20 to 24 years	4,369	2,312	1,345	486	164	38	7	5	-	-	-	12
25 to 29 years	4,029	1,173	1,308	770	443	196	76	31	14	2	4	12
30 to 34 years	2,523	382	632	539	391	268	130	72	44	31	21	13
35 to 39 years	1,451	126	242	236	239	168	126	87	77	50	93	7
40 to 44 years	473	29	34	68	58	64	43	41	28	32	75	1
45 to 49 years	43	-	-	1	4	8	4	3	2	4	16	1
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	51	19	13	5	6	3	1	2	1	-	-	1
Native white	13,743	4,802	3,678	2,109	1,287	736	377	235	162	115	194	48
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	987	815	140	27	1	1	1	-	-	-	-	2
20 to 24 years	4,320	2,280	1,334	480	164	38	7	5	-	-	-	12
25 to 29 years	3,987	1,163	1,294	765	437	192	75	30	14	2	4	11
30 to 34 years	2,488	374	624	531	387	266	128	70	43	31	21	13
35 to 39 years	1,413	122	239	233	233	166	121	85	74	49	84	7
40 to 44 years	453	28	34	66	55	62	40	40	28	29	70	1
45 to 49 years	42	-	-	1	4	8	4	3	2	4	15	1
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	51	19	13	5	6	3	1	2	1	-	-	1
Foreign-born white	184	57	36	23	18	10	11	6	4	3	15	1
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4	3	1	-	-	-	-	-	-	-	-	-
20 to 24 years	47	32	10	5	-	-	-	-	-	-	-	-
25 to 29 years	42	10	14	5	8	4	1	1	-	-	-	1
30 to 34 years	34	7	8	8	4	2	2	2	1	-	-	-
35 to 39 years	38	4	3	3	5	2	5	2	3	-	9	-
40 to 44 years	20	1	-	2	3	2	3	1	-	3	5	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
SOUTH DAKOTA—Continued												
Nonwhite	648	156	104	89	86	51	44	30	27	17	32	12
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	69	55	8	4	-	-	-	-	-	-	-	2
20 to 24 years	193	73	55	32	19	5	4	-	-	-	-	5
25 to 29 years	168	20	31	36	32	26	9	4	5	-	-	5
30 to 34 years	97	3	6	12	19	12	19	12	5	7	2	-
35 to 39 years	70	1	2	4	10	6	10	10	11	4	12	-
40 to 44 years	38	1	-	1	4	1	2	3	6	5	15	-
45 to 49 years	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	2	2	-	2	1	-	1	-	1	1	-
TENNESSEE												
Total births	77,336	26,873	18,098	10,286	6,703	4,565	3,201	2,180	1,566	1,168	1,906	790
10 to 14 years	137	134	-	-	-	-	-	-	-	-	-	3
15 to 19 years	11,061	8,450	2,096	339	47	7	3	-	-	-	-	129
20 to 24 years	25,346	11,378	7,804	3,572	1,571	559	168	36	13	5	3	237
25 to 29 years	19,044	4,579	4,896	3,374	2,550	1,774	968	459	177	67	37	163
30 to 34 years	12,230	1,639	2,405	1,998	1,589	1,352	1,159	823	574	308	254	129
35 to 39 years	7,185	596	777	861	783	728	702	666	603	546	855	78
40 to 44 years	2,081	94	116	125	152	134	179	183	186	213	669	30
45 to 49 years	173	1	4	5	2	5	17	13	12	23	86	5
50 years and over	4	-	-	-	1	-	-	-	-	2	-	1
Not stated	75	12	10	12	8	6	5	-	1	4	2	15
White	65,507	23,423	15,808	8,703	5,538	3,679	2,539	1,693	1,194	902	1,410	618
10 to 14 years	49	48	-	-	-	-	-	-	-	-	-	1
15 to 19 years	8,377	6,632	1,432	201	19	3	2	-	-	-	-	88
20 to 24 years	21,800	10,362	6,803	2,830	1,146	360	91	14	7	4	1	182
25 to 29 years	16,580	4,248	4,510	2,970	2,155	1,409	705	302	98	29	19	135
30 to 34 years	10,526	1,503	2,234	1,795	1,378	1,145	944	640	424	211	146	106
35 to 39 years	6,164	531	709	779	695	633	614	566	491	455	630	61
40 to 44 years	1,796	89	107	117	136	120	164	160	165	179	534	25
45 to 49 years	151	1	4	4	2	3	14	11	9	20	78	5
50 years and over	1	-	-	-	-	-	-	-	-	-	-	1
Not stated	63	9	9	7	7	6	5	-	-	4	2	14
Native white	65,352	23,342	15,763	8,690	5,532	3,675	2,537	1,693	1,194	902	1,409	615
10 to 14 years	49	48	-	-	-	-	-	-	-	-	-	1
15 to 19 years	8,367	6,624	1,430	201	19	3	2	-	-	-	-	88
20 to 24 years	21,734	10,318	6,784	2,828	1,146	360	91	14	7	4	1	181
25 to 29 years	16,544	4,229	4,499	2,968	2,154	1,408	704	302	98	29	19	134
30 to 34 years	10,507	1,499	2,226	1,791	1,376	1,144	944	640	424	211	146	106
35 to 39 years	6,146	527	704	774	693	632	613	566	491	455	630	61
40 to 44 years	1,791	87	107	117	135	119	164	160	165	179	533	25
45 to 49 years	151	1	4	4	2	3	14	11	9	20	78	5
50 years and over	1	-	-	-	-	-	-	-	-	-	-	1
Not stated	62	9	9	7	7	6	5	-	-	4	2	13
Foreign-born white	153	81	45	13	6	4	2	-	-	-	-	2
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	10	8	2	-	-	-	-	-	-	-	-	-
20 to 24 years	66	44	18	2	-	-	-	-	-	-	-	1
25 to 29 years	36	19	11	2	1	1	1	-	-	-	-	1
30 to 34 years	19	4	8	4	2	1	-	-	-	-	-	-
35 to 39 years	18	4	5	5	2	1	1	-	-	-	-	-
40 to 44 years	4	2	-	-	1	1	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	11,829	3,450	2,290	1,583	1,165	886	662	487	372	266	496	172
10 to 14 years	88	86	-	-	-	-	-	-	-	-	-	2
15 to 19 years	2,684	1,818	654	138	28	4	1	-	-	-	-	41
20 to 24 years	3,546	1,016	1,001	742	425	199	77	22	6	1	2	55
25 to 29 years	2,464	331	386	404	395	365	263	157	79	38	18	28
30 to 34 years	1,704	136	171	203	211	207	215	183	150	97	108	23
35 to 39 years	1,021	55	68	82	88	95	88	100	112	91	225	17
40 to 44 years	285	5	9	8	16	14	15	23	21	34	135	5
45 to 49 years	22	-	-	1	-	2	3	2	3	3	8	-
50 years and over	3	-	-	-	1	-	-	-	-	2	-	-
Not stated	12	3	1	5	1	-	-	-	1	-	-	1
Negro	11,822	3,447	2,288	1,582	1,165	886	662	486	372	266	496	172
10 to 14 years	88	86	-	-	-	-	-	-	-	-	-	2
15 to 19 years	2,684	1,818	654	138	28	4	1	-	-	-	-	41
20 to 24 years	3,544	1,014	1,001	742	425	199	77	22	6	1	2	55
25 to 29 years	2,463	331	385	404	395	365	263	157	79	38	18	28
30 to 34 years	1,702	136	170	203	211	207	215	182	150	97	108	23
35 to 39 years	1,020	54	68	82	88	95	88	100	112	91	225	17
40 to 44 years	284	5	9	7	16	14	15	23	21	34	135	5
45 to 49 years	22	-	-	1	-	2	3	2	3	3	8	-
50 years and over	3	-	-	-	1	-	-	-	-	2	-	-
Not stated	12	3	1	5	1	-	-	-	1	-	-	1
TEXAS												
Total births	191,579	64,176	44,118	21,711	11,372	6,244	3,737	2,372	1,448	866	1,099	24,436
10 to 14 years	291	265	5	-	-	-	-	-	-	-	-	21
15 to 19 years	25,008	18,639	4,426	688	92	9	-	-	-	-	-	1,154
20 to 24 years	61,227	27,469	18,380	6,943	2,574	712	201	54	11	1	2	4,880
25 to 29 years	45,551	11,576	12,815	7,158	4,123	2,216	1,071	405	140	42	15	5,990
30 to 34 years	28,498	4,301	6,022	4,584	2,870	1,883	1,324	911	513	236	186	5,708
35 to 39 years	15,999	1,545	2,089	1,954	1,402	1,108	894	763	579	396	524	4,765
40 to 44 years	4,086	233	277	311	281	266	216	211	183	172	349	1,807
45 to 49 years	358	14	15	10	10	20	17	18	14	15	37	188
50 years and over	28	2	4	4	3	2	2	1	1	-	1	8
Not stated	533	132	105	79	37	28	12	9	7	4	5	115

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
TEXAS—Continued												
White	160,289	58,129	40,071	19,348	9,835	5,211	3,086	1,898	1,102	660	774	20,155
10 to 14 years	149	140	2	-	-	-	-	-	-	-	-	7
15 to 19 years	20,371	15,558	3,471	502	69	7	-	-	-	-	-	764
20 to 24 years	54,472	25,515	16,413	5,852	2,026	537	141	38	8	-	2	3,940
25 to 29 years	41,304	11,033	12,126	6,534	3,564	1,789	834	289	85	28	7	5,015
30 to 34 years	25,660	4,085	5,756	4,283	2,608	1,820	1,102	731	377	162	102	4,834
35 to 39 years	14,062	1,455	1,935	1,814	1,289	960	792	640	458	309	374	4,016
40 to 44 years	3,497	213	257	293	241	236	193	180	158	144	261	1,321
45 to 49 years	298	12	15	8	8	16	15	13	10	14	26	161
50 years and over	23	2	4	2	3	2	2	-	1	-	-	7
Not stated	433	116	92	60	27	24	7	7	5	3	2	90
Native white	151,719	56,449	38,931	18,522	9,182	4,757	2,694	1,613	876	514	800	17,581
10 to 14 years	142	134	2	-	-	-	-	-	-	-	-	6
15 to 19 years	19,831	15,187	3,362	484	68	7	-	-	-	-	-	723
20 to 24 years	52,742	24,840	15,969	5,638	1,922	505	123	32	7	-	1	3,705
25 to 29 years	39,440	10,659	11,813	6,268	3,356	1,860	746	260	72	20	6	4,580
30 to 34 years	23,014	3,927	5,594	4,103	2,412	1,478	988	617	306	128	77	4,204
35 to 39 years	12,182	1,381	1,648	1,692	1,164	880	666	526	353	235	288	3,169
40 to 44 years	2,930	200	237	274	225	210	168	160	129	117	208	1,004
45 to 49 years	222	8	15	6	6	14	14	12	6	11	20	110
50 years and over	17	1	4	2	3	1	2	-	-	-	-	4
Not stated	399	112	87	55	26	22	7	6	3	3	2	76
Foreign-born white	8,511	1,666	1,135	821	651	454	391	284	226	146	174	2,563
10 to 14 years	7	6	-	-	-	-	-	-	-	-	-	1
15 to 19 years	534	366	109	18	1	-	-	-	-	-	-	41
20 to 24 years	1,722	669	443	213	104	32	18	6	1	-	1	235
25 to 29 years	1,856	372	312	264	207	129	88	29	13	8	1	433
30 to 34 years	1,837	157	161	179	196	142	134	114	71	34	25	624
35 to 39 years	1,876	74	86	121	124	120	125	114	105	74	86	847
40 to 44 years	565	13	20	19	16	26	25	20	29	27	55	315
45 to 49 years	76	4	-	2	2	2	1	1	4	3	6	51
50 years and over	6	1	-	-	-	1	-	-	1	-	-	3
Not stated	32	4	5	5	1	2	-	-	2	-	-	13
Nonwhite	21,310	6,047	4,047	2,363	1,537	1,033	651	474	346	206	325	4,281
10 to 14 years	142	125	3	-	-	-	-	-	-	-	-	14
15 to 19 years	4,637	3,081	955	186	23	2	-	-	-	-	-	390
20 to 24 years	6,755	1,854	1,967	1,091	548	175	60	16	3	1	-	940
25 to 29 years	4,247	543	689	624	559	427	237	116	55	14	8	975
30 to 34 years	2,838	216	266	281	262	263	222	180	136	74	64	874
35 to 39 years	1,937	90	134	140	113	128	102	123	121	87	150	749
40 to 44 years	589	20	20	18	20	30	23	31	25	28	88	286
45 to 49 years	60	2	-	2	2	4	2	5	4	1	11	27
50 years and over	5	-	-	2	-	-	-	1	-	-	1	1
Not stated	100	16	13	19	10	4	5	2	2	1	3	25
Negro	21,205	6,015	4,024	2,349	1,527	1,031	648	470	346	206	324	4,265
10 to 14 years	142	125	3	-	-	-	-	-	-	-	-	14
15 to 19 years	4,622	3,068	953	186	23	2	-	-	-	-	-	390
20 to 24 years	6,719	1,942	1,956	1,087	544	175	60	16	3	1	-	935
25 to 29 years	4,221	537	683	617	557	426	236	116	55	14	8	972
30 to 34 years	2,825	216	263	281	258	263	221	179	136	74	64	870
35 to 39 years	1,924	89	133	137	113	127	101	121	121	87	149	746
40 to 44 years	587	20	20	18	20	30	23	30	25	28	88	285
45 to 49 years	60	2	-	2	2	4	2	5	4	1	11	27
50 years and over	5	-	-	2	-	-	-	1	-	-	1	1
Not stated	100	16	13	19	10	4	5	2	2	1	3	25
UTAH												
Total births	18,220	5,905	4,723	3,155	1,932	1,052	544	289	183	88	164	185
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,607	1,298	259	30	2	-	-	-	-	-	-	20
20 to 24 years	6,060	3,059	1,990	690	202	49	11	-	-	-	1	58
25 to 29 years	5,062	1,111	1,613	1,192	646	272	112	43	14	5	4	50
30 to 34 years	3,218	315	596	863	669	367	182	94	53	28	18	33
35 to 39 years	1,685	92	216	318	336	281	176	87	74	29	61	15
40 to 44 years	516	16	35	60	73	78	59	62	40	24	63	6
45 to 49 years	32	2	-	-	1	4	3	3	2	2	15	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	37	12	14	2	3	1	1	-	-	-	1	3
White	17,949	5,806	4,655	3,110	1,905	1,042	539	286	180	87	159	181
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,591	1,287	253	30	2	-	-	-	-	-	-	19
20 to 24 years	5,974	3,009	1,968	681	199	48	11	-	-	-	1	57
25 to 29 years	4,957	1,076	1,589	1,170	629	268	109	43	14	5	4	50
30 to 34 years	3,173	311	581	851	663	364	181	92	52	28	18	32
35 to 39 years	1,673	92	216	316	335	279	174	86	72	28	60	15
40 to 44 years	513	15	35	60	73	78	59	62	40	24	61	6
45 to 49 years	30	2	-	-	1	4	3	3	2	2	13	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	35	12	13	2	3	1	1	-	-	-	1	2
Native white	17,541	5,708	4,559	3,043	1,850	1,014	516	274	166	82	152	177
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,577	1,274	252	30	2	-	-	-	-	-	-	19
20 to 24 years	5,902	2,974	1,940	673	198	48	11	-	-	-	1	57
25 to 29 years	4,858	1,047	1,556	1,152	621	264	106	42	13	5	4	48
30 to 34 years	3,074	297	561	830	636	358	179	88	50	27	18	30
35 to 39 years	1,588	85	205	297	322	266	163	82	67	28	58	15
40 to 44 years	477	15	32	59	67	73	54	59	34	21	57	6
45 to 49 years	28	2	-	-	1	4	2	3	2	1	13	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	34	12	13	2	3	1	1	-	-	-	-	2

TABLE 7B.-LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
UTAH—Continued												
White—Continued												
Foreign-born white	408	98	96	67	55	28	22	12	14	5	7	4
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	14	13	1	-	-	-	-	-	-	-	-	-
20 to 24 years	72	35	28	8	1	-	-	-	-	-	-	-
25 to 29 years	99	29	33	18	8	4	3	1	1	-	-	2
30 to 34 years	99	14	20	21	27	6	2	4	2	1	-	2
35 to 39 years	85	7	11	19	13	13	11	4	5	-	2	-
40 to 44 years	36	-	3	1	6	5	5	3	6	3	4	-
45 to 49 years	2	-	-	-	-	-	1	-	-	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	1	-
Nonwhite	271	99	68	45	27	10	6	3	3	1	5	4
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	16	9	6	-	-	-	-	-	-	-	-	1
20 to 24 years	86	50	22	9	3	1	-	-	-	-	-	1
25 to 29 years	105	35	24	22	17	4	3	-	-	-	-	-
30 to 34 years	45	4	15	12	6	3	1	2	1	-	-	1
35 to 39 years	12	-	-	2	1	2	2	1	2	1	1	-
40 to 44 years	3	1	-	-	-	-	-	-	-	-	2	-
45 to 49 years	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	1	-	-	-	-	-	-	-	-	1
VERMONT												
Total births	8,362	2,885	2,229	1,241	773	433	259	156	100	69	142	75
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	753	597	121	21	5	-	1	-	-	-	-	8
20 to 24 years	2,725	1,305	867	329	141	50	11	5	-	-	-	17
25 to 29 years	2,385	646	721	426	281	160	80	31	12	5	2	21
30 to 34 years	1,448	228	351	303	210	121	90	58	32	23	17	15
35 to 39 years	810	87	152	135	107	72	60	40	36	31	80	10
40 to 44 years	215	16	16	25	24	28	17	20	19	9	38	3
45 to 49 years	18	2	-	2	3	2	-	2	1	1	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	2	1	-	2	-	-	-	-	-	-	1
White	8,358	2,885	2,229	1,239	771	433	259	156	100	69	142	75
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	753	597	121	21	5	-	1	-	-	-	-	8
20 to 24 years	2,723	1,305	867	327	141	50	11	5	-	-	-	17
25 to 29 years	2,383	646	721	426	279	160	80	31	12	5	2	21
30 to 34 years	1,448	228	351	303	210	121	90	58	32	23	17	15
35 to 39 years	810	87	152	135	107	72	60	40	36	31	80	10
40 to 44 years	215	16	16	25	24	28	17	20	19	9	38	3
45 to 49 years	18	2	-	2	3	2	-	2	1	1	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	2	1	-	2	-	-	-	-	-	-	1
Native white	7,806	2,738	2,091	1,172	711	396	236	132	84	62	111	73
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	737	585	117	21	5	-	1	-	-	-	-	8
20 to 24 years	2,584	1,232	830	311	133	45	11	5	-	-	-	17
25 to 29 years	2,248	609	677	413	261	146	75	28	11	5	2	21
30 to 34 years	1,324	214	321	279	187	113	81	51	29	22	14	13
35 to 39 years	717	77	131	123	99	68	53	32	31	27	66	10
40 to 44 years	174	15	14	24	21	23	15	15	12	7	25	3
45 to 49 years	14	2	-	1	3	1	-	1	1	1	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	2	1	-	2	-	-	-	-	-	-	1
Foreign-born white	551	147	137	67	60	37	23	24	16	7	31	2
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	15	12	3	-	-	-	-	-	-	-	-	-
20 to 24 years	139	73	37	16	8	5	-	-	-	-	-	-
25 to 29 years	135	37	44	13	18	14	5	3	1	-	-	-
30 to 34 years	124	14	30	24	23	8	9	7	3	1	3	2
35 to 39 years	93	10	21	12	8	4	7	8	5	4	14	-
40 to 44 years	41	1	2	1	3	5	2	5	7	2	13	-
45 to 49 years	4	-	-	1	-	1	-	1	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	4	-	-	2	2	-	-	-	-	-	-	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	2	-	-	2	-	-	-	-	-	-	-	-
25 to 29 years	2	-	-	-	2	-	-	-	-	-	-	-
30 to 34 years	-	-	-	-	-	-	-	-	-	-	-	-
35 to 39 years	-	-	-	-	-	-	-	-	-	-	-	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA												
Total births	75,861	26,439	19,248	10,211	6,166	4,049	2,829	1,962	1,429	1,001	1,939	588
10 to 14 years	139	121	12	-	-	-	-	-	-	-	-	6
15 to 19 years	9,255	6,517	2,038	453	103	9	3	-	-	-	-	132
20 to 24 years	24,737	11,109	7,270	3,409	1,722	655	269	85	21	14	4	179
25 to 29 years	20,300	5,535	5,645	3,220	2,240	1,598	986	542	244	97	44	149
30 to 34 years	12,401	2,204	2,933	2,047	1,271	1,062	903	692	529	312	379	69
35 to 39 years	6,758	775	1,125	893	659	575	522	463	457	420	840	29
40 to 44 years	1,830	106	157	151	142	122	122	156	158	140	568	8
45 to 49 years	181	8	10	7	7	7	11	10	14	13	93	1
50 years and over	5	-	1	-	-	-	-	1	-	-	3	-
Not stated	255	64	57	31	22	21	13	13	6	5	8	15

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
VIRGINIA—Continued												
White	58,348	22,161	15,707	7,740	4,234	2,630	1,806	1,188	856	591	1,100	335
10 to 14 years	26	26	-	-	-	-	-	-	-	-	-	-
15 to 19 years	5,755	4,464	1,053	167	25	1	1	-	-	-	-	44
20 to 24 years	19,125	9,711	5,796	2,218	934	284	118	29	7	4	-	114
25 to 29 years	16,287	5,055	5,038	2,586	1,589	984	538	258	99	31	10	98
30 to 34 years	10,052	2,039	2,691	1,803	1,008	804	644	435	289	152	148	39
35 to 39 years	5,376	709	1,030	806	541	443	390	326	321	290	499	21
40 to 44 years	1,416	101	137	134	120	100	100	120	127	100	371	6
45 to 49 years	137	8	10	6	5	6	7	10	9	9	68	1
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	173	48	42	20	12	8	8	9	4	5	5	12
Native white	57,778	21,852	15,542	7,682	4,214	2,625	1,802	1,185	855	590	1,100	331
10 to 14 years	26	26	-	-	-	-	-	-	-	-	-	-
15 to 19 years	5,732	4,446	1,048	167	25	1	1	-	-	-	-	44
20 to 24 years	18,944	9,582	5,667	2,208	931	284	118	29	7	4	-	114
25 to 29 years	16,107	4,950	4,986	2,570	1,584	984	537	258	99	31	10	98
30 to 34 years	9,942	1,998	2,648	1,785	1,002	802	644	435	289	152	148	39
35 to 39 years	5,323	700	1,012	793	535	441	388	324	321	290	499	20
40 to 44 years	1,401	96	131	133	120	99	100	120	126	99	371	6
45 to 49 years	137	8	10	6	5	6	7	10	9	9	66	1
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	165	46	40	20	12	8	7	9	4	5	5	9
Foreign-born white	564	307	165	58	20	5	3	3	1	1	-	1
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	23	18	5	-	-	-	-	-	-	-	-	-
20 to 24 years	181	129	39	10	3	-	-	-	-	-	-	-
25 to 29 years	179	105	52	16	5	-	-	1	-	-	-	-
30 to 34 years	109	40	43	18	6	2	-	-	-	-	-	-
35 to 39 years	53	9	18	13	6	2	2	2	-	-	-	1
40 to 44 years	15	5	6	1	-	1	-	-	1	1	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	1	2	-	-	-	1	-	-	-	-	-
Nonwhite	17,513	4,278	3,541	2,471	1,932	1,419	1,023	774	573	410	839	253
10 to 14 years	113	95	12	-	-	-	-	-	-	-	-	6
15 to 19 years	3,500	2,053	985	286	78	8	2	-	-	-	-	88
20 to 24 years	5,612	1,398	1,564	1,191	788	371	151	56	14	10	4	65
25 to 29 years	4,013	480	607	634	651	614	448	283	145	66	34	51
30 to 34 years	2,349	165	242	244	263	258	259	257	240	160	231	30
35 to 39 years	1,382	66	95	87	118	132	132	137	136	130	341	8
40 to 44 years	414	5	20	17	22	22	22	36	31	40	197	2
45 to 49 years	44	-	-	1	2	1	4	-	5	4	27	-
50 years and over	4	-	1	-	-	-	-	1	-	-	2	-
Not stated	82	16	15	11	10	13	5	4	2	-	3	3
Negro	17,502	4,275	3,537	2,470	1,932	1,418	1,023	773	573	410	838	253
10 to 14 years	113	95	12	-	-	-	-	-	-	-	-	6
15 to 19 years	3,500	2,053	985	286	78	8	2	-	-	-	-	88
20 to 24 years	5,610	1,397	1,563	1,191	788	371	151	56	14	10	4	65
25 to 29 years	4,008	478	605	634	651	613	448	283	145	66	34	51
30 to 34 years	2,347	165	241	244	263	258	259	256	240	160	231	30
35 to 39 years	1,381	66	95	86	118	132	132	137	136	130	341	8
40 to 44 years	413	5	20	17	22	22	22	36	31	40	196	2
45 to 49 years	44	-	-	1	2	1	4	-	5	4	27	-
50 years and over	4	-	1	-	-	-	-	1	-	-	2	-
Not stated	82	16	15	11	10	13	5	4	2	-	3	3
WASHINGTON												
Total births	51,988	20,066	15,776	7,994	3,577	1,614	841	464	281	165	252	958
10 to 14 years	13	13	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,831	3,800	784	105	13	-	-	-	-	-	-	129
20 to 24 years	18,030	9,251	5,807	1,866	565	143	29	12	3	1	1	352
25 to 29 years	15,250	4,547	5,408	2,863	1,291	514	236	85	38	9	8	251
30 to 34 years	8,760	1,704	2,654	2,104	1,015	513	276	184	85	54	47	144
35 to 39 years	4,080	622	978	881	560	341	224	145	109	60	101	59
40 to 44 years	894	107	126	152	123	97	68	56	40	37	77	11
45 to 49 years	70	6	6	11	6	5	7	2	6	3	16	2
50 years and over	3	-	-	-	2	-	-	-	-	1	-	-
Not stated	57	16	13	12	2	1	1	-	-	-	2	10
White	50,547	19,638	15,412	7,794	3,428	1,534	779	417	249	148	216	932
10 to 14 years	11	11	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,642	3,866	740	99	11	-	-	-	-	-	-	126
20 to 24 years	17,508	9,072	5,625	1,783	514	130	27	10	3	1	1	342
25 to 29 years	14,869	4,463	5,310	2,799	1,238	477	216	74	35	8	6	243
30 to 34 years	8,553	1,682	2,622	2,077	987	494	250	145	72	45	39	140
35 to 39 years	3,987	618	972	866	551	332	212	138	87	57	85	59
40 to 44 years	856	106	126	148	118	95	66	48	36	34	70	11
45 to 49 years	65	6	6	10	6	5	7	2	6	2	13	2
50 years and over	2	-	-	-	1	-	-	-	-	1	-	-
Not stated	52	14	11	12	2	1	1	-	-	-	2	9
Native white	48,141	18,787	14,671	7,379	3,257	1,462	734	394	234	140	195	888
10 to 14 years	11	11	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,572	3,612	727	99	11	-	-	-	-	-	-	123
20 to 24 years	16,911	8,736	5,454	1,719	503	129	27	10	3	1	1	328
25 to 29 years	14,073	4,190	5,015	2,649	1,200	464	207	73	34	8	6	227
30 to 34 years	8,000	1,555	2,447	1,942	929	468	237	136	71	44	36	135
35 to 39 years	3,695	565	896	820	504	310	200	127	88	54	77	54
40 to 44 years	777	99	116	131	104	85	60	47	33	30	62	10
45 to 49 years	50	6	5	8	3	5	2	1	5	2	11	2
50 years and over	2	-	-	-	1	-	-	-	-	1	-	-
Not stated	50	13	11	11	2	1	1	-	-	-	2	9

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
WASHINGTON—Continued												
White—Continued												
Foreign-born white	2,401	849	740	415	171	71	45	23	15	8	21	43
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	70	54	13	-	-	-	-	-	-	-	-	3
20 to 24 years	594	334	170	64	11	1	-	-	-	-	-	14
25 to 29 years	796	273	295	150	38	13	9	1	1	-	-	16
30 to 34 years	551	127	175	135	58	25	13	9	1	1	3	4
35 to 39 years	292	53	76	46	47	22	12	11	9	3	8	5
40 to 44 years	81	7	10	17	14	10	6	1	3	4	8	1
45 to 49 years	15	-	1	2	3	-	5	1	1	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	-	1	-	-	-	-	-	-	-	-
Nonwhite	1,441	428	364	200	149	80	62	47	32	17	36	26
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	189	134	44	6	2	-	-	-	-	-	-	3
20 to 24 years	522	179	182	83	51	13	2	2	-	-	-	10
25 to 29 years	381	84	98	64	53	37	20	11	3	1	2	8
30 to 34 years	207	22	32	27	28	19	26	19	13	9	8	4
35 to 39 years	93	4	6	15	9	9	12	7	12	3	16	-
40 to 44 years	36	1	-	4	5	2	2	8	4	3	7	-
45 to 49 years	5	-	-	1	-	-	-	-	-	1	3	-
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	5	2	2	-	-	-	-	-	-	-	-	1
Negro	652	221	174	103	56	25	25	15	12	4	11	6
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	88	86	17	3	1	-	-	-	-	-	-	1
20 to 24 years	273	104	83	46	22	6	1	-	-	-	-	1
25 to 29 years	168	38	43	32	26	11	8	5	1	-	2	3
30 to 34 years	76	11	16	12	5	7	10	8	3	2	2	-
35 to 39 years	35	1	5	9	1	1	5	1	7	1	4	-
40 to 44 years	10	1	-	1	1	-	1	1	1	1	3	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	-	1
WEST VIRGINIA												
Total births	48,673	16,784	10,926	6,306	4,326	2,907	2,211	1,558	1,162	824	1,555	114
10 to 14 years	34	33	1	-	-	-	-	-	-	-	-	-
15 to 19 years	6,264	4,858	1,122	214	38	7	-	-	-	-	-	25
20 to 24 years	16,851	7,614	5,120	2,341	1,135	407	146	44	1	2	2	38
25 to 29 years	12,193	2,831	2,886	2,114	1,727	1,194	791	384	158	59	29	20
30 to 34 years	7,433	980	1,254	1,123	940	786	756	606	460	271	238	19
35 to 39 years	4,112	345	432	417	390	398	378	400	385	326	634	7
40 to 44 years	1,488	63	64	75	82	98	119	109	150	152	573	3
45 to 49 years	126	3	4	5	4	4	11	6	4	13	72	-
50 years and over	11	2	2	1	1	2	-	-	-	-	3	-
Not stated	161	55	41	16	9	11	10	9	4	1	4	1
White	46,228	16,147	10,440	5,971	4,072	2,723	2,042	1,448	1,076	770	1,431	108
10 to 14 years	23	23	-	-	-	-	-	-	-	-	-	-
15 to 19 years	5,852	4,579	1,023	186	34	6	-	-	-	-	-	24
20 to 24 years	16,031	7,375	4,871	2,183	1,044	356	123	36	1	2	2	38
25 to 29 years	11,686	2,762	2,804	2,019	1,632	1,133	723	353	143	51	26	20
30 to 34 years	7,072	955	1,216	1,095	900	748	704	558	419	248	212	17
35 to 39 years	3,901	337	422	397	370	375	359	380	365	310	580	6
40 to 44 years	1,413	62	62	73	80	91	113	107	140	146	536	3
45 to 49 years	122	3	4	4	4	4	11	6	4	12	70	-
50 years and over	7	-	2	1	-	2	-	-	-	-	2	-
Not stated	141	51	36	13	8	8	9	8	4	1	3	-
Native white	45,952	16,032	10,369	5,942	4,051	2,713	2,036	1,442	1,070	765	1,426	106
10 to 14 years	23	23	-	-	-	-	-	-	-	-	-	-
15 to 19 years	5,833	4,565	1,018	186	34	6	-	-	-	-	-	24
20 to 24 years	15,936	7,321	4,837	2,178	1,042	356	123	36	1	2	2	38
25 to 29 years	11,607	2,732	2,785	2,013	1,630	1,133	722	352	143	51	26	20
30 to 34 years	7,023	942	1,207	1,088	890	748	701	557	419	244	212	15
35 to 39 years	3,866	334	420	387	364	369	358	376	363	309	580	6
40 to 44 years	1,397	62	61	72	79	88	112	107	136	146	531	3
45 to 49 years	121	3	4	4	4	3	11	6	4	12	70	-
50 years and over	7	-	2	1	-	2	-	-	-	-	2	-
Not stated	139	50	35	13	8	8	9	8	4	1	3	-
Foreign-born white	272	112	70	29	21	10	6	6	6	5	5	2
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	19	14	5	-	-	-	-	-	-	-	-	-
20 to 24 years	93	53	33	5	2	-	-	-	-	-	-	-
25 to 29 years	59	30	19	8	2	-	1	1	-	-	-	-
30 to 34 years	48	12	9	7	10	-	3	1	-	4	-	2
35 to 39 years	35	3	2	10	6	6	1	4	2	1	-	-
40 to 44 years	16	-	1	1	1	3	1	-	4	-	5	-
45 to 49 years	1	-	-	-	-	1	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	2,445	637	486	335	254	184	169	110	86	54	124	6
10 to 14 years	11	10	1	-	-	-	-	-	-	-	-	-
15 to 19 years	412	279	99	28	4	1	-	-	-	-	-	1
20 to 24 years	820	239	249	158	91	51	23	8	-	-	-	1
25 to 29 years	527	69	82	95	95	61	68	31	15	8	3	-
30 to 34 years	361	25	38	28	40	38	52	48	41	23	26	2
35 to 39 years	211	8	10	20	20	23	19	20	20	16	54	1
40 to 44 years	75	1	2	2	2	7	6	2	10	6	37	-
45 to 49 years	4	-	-	1	-	-	-	-	-	1	2	-
50 years and over	4	2	-	-	1	-	-	-	-	-	1	-
Not stated	20	4	5	3	1	3	1	1	-	-	1	1

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
WEST VIRGINIA—Continued												
Nonwhite—Continued												
Negro	2,443	637	485	335	253	184	169	110	86	54	124	6
10 to 14 years	11	10	1	-	-	-	-	-	-	-	-	-
15 to 19 years	412	279	99	28	4	1	-	-	-	-	-	1
20 to 24 years	819	239	248	158	91	51	23	8	-	-	-	1
25 to 29 years	526	69	82	95	94	61	68	31	15	8	3	-
30 to 34 years	361	25	38	28	40	38	52	48	41	23	26	2
35 to 39 years	211	8	10	20	20	23	19	20	20	16	54	1
40 to 44 years	75	1	2	2	2	7	6	2	10	6	37	-
45 to 49 years	4	-	-	1	-	-	-	-	-	1	2	-
50 years and over	4	2	-	-	1	-	-	-	-	-	1	-
Not stated	20	4	5	3	1	3	1	1	-	-	1	1
WISCONSIN												
Total births	74,755	26,851	20,497	11,596	6,388	3,415	1,999	1,149	755	453	829	823
10 to 14 years	15	14	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,181	3,421	612	79	6	1	-	-	-	-	-	62
20 to 24 years	22,783	12,642	6,758	2,146	726	204	54	9	1	1	-	242
25 to 29 years	23,026	7,120	7,514	4,225	2,154	1,020	457	185	80	26	8	237
30 to 34 years	15,123	2,584	4,009	3,393	2,129	1,166	724	416	264	132	145	161
35 to 39 years	7,431	881	1,342	1,467	1,113	798	561	380	277	184	350	78
40 to 44 years	1,973	161	231	265	242	211	186	145	123	97	280	32
45 to 49 years	130	4	7	8	14	8	12	11	7	11	45	2
50 years and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	92	24	23	13	4	6	5	2	3	2	1	9
White	73,934	26,606	20,352	11,495	6,294	3,352	1,956	1,107	733	430	796	813
10 to 14 years	11	10	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,049	3,327	599	70	3	1	-	-	-	-	-	59
20 to 24 years	22,506	12,545	6,679	2,105	683	192	52	9	1	1	-	239
25 to 29 years	22,815	7,083	7,480	4,193	2,123	987	438	170	74	25	8	238
30 to 34 years	15,006	2,576	4,001	3,374	2,114	1,154	711	405	256	119	135	161
35 to 39 years	7,378	877	1,341	1,467	1,111	795	556	368	269	177	340	77
40 to 44 years	1,950	160	231	265	242	208	192	143	123	95	271	30
45 to 49 years	128	4	7	8	14	9	12	11	7	11	43	2
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	91	24	23	13	4	6	5	1	3	2	1	9
Native white	72,600	26,165	19,982	11,278	6,192	3,291	1,914	1,081	713	418	774	792
10 to 14 years	11	10	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,005	3,287	587	68	3	1	-	-	-	-	-	58
20 to 24 years	22,193	12,358	6,581	2,086	679	191	52	9	1	1	-	235
25 to 29 years	22,493	6,962	7,361	4,144	2,106	982	432	169	74	25	6	232
30 to 34 years	14,739	2,520	3,916	3,306	2,088	1,139	707	400	253	119	133	157
35 to 39 years	7,119	849	1,289	1,409	1,079	765	535	356	259	170	333	75
40 to 44 years	1,834	154	218	243	220	198	173	135	116	90	260	27
45 to 49 years	123	3	7	8	13	9	11	11	7	11	41	2
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	84	22	22	13	4	6	4	1	3	2	1	6
Foreign-born white	1,324	436	369	217	102	61	42	26	20	12	22	17
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	43	40	2	1	-	-	-	-	-	-	-	-
20 to 24 years	310	185	97	19	4	1	-	-	-	-	-	4
25 to 29 years	320	119	119	49	17	5	6	1	-	-	-	4
30 to 34 years	268	56	85	68	26	15	4	5	3	-	2	4
35 to 39 years	259	28	52	58	32	30	21	12	10	7	7	2
40 to 44 years	116	6	13	22	22	10	9	8	7	5	11	3
45 to 49 years	5	1	-	-	1	-	1	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	1	-	-	-	1	-	-	-	-	-
Nonwhite	821	245	145	101	94	63	43	42	22	23	33	10
10 to 14 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	132	94	23	9	3	-	-	-	-	-	-	3
20 to 24 years	277	97	79	41	43	12	2	-	-	-	-	3
25 to 29 years	211	37	34	32	31	33	19	15	6	1	2	1
30 to 34 years	117	8	6	19	15	12	13	11	8	13	10	-
35 to 39 years	53	4	1	-	2	3	5	12	8	7	10	1
40 to 44 years	23	1	-	-	-	3	4	2	-	2	9	2
45 to 49 years	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	1	-	-	-	-	-	-	1	-	-	-	-
Negro	389	134	75	63	46	21	17	14	9	3	5	2
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	76	49	17	7	3	-	-	-	-	-	-	-
20 to 24 years	140	54	36	23	22	4	1	-	-	-	-	-
25 to 29 years	103	20	17	21	16	11	7	5	3	1	1	1
30 to 34 years	46	6	4	12	5	6	4	3	4	1	1	-
35 to 39 years	12	2	1	-	-	-	2	4	2	1	-	-
40 to 44 years	9	1	-	-	-	-	3	1	-	-	3	1
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	1	-	-	-	-
WYOMING												
Total births	6,188	2,208	1,734	945	518	284	175	89	85	49	92	9
10 to 14 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	617	499	103	11	1	1	-	-	-	-	-	2
20 to 24 years	2,119	1,007	701	277	97	21	11	3	-	-	-	2
25 to 29 years	1,750	473	588	340	164	102	43	23	10	5	2	-
30 to 34 years	1,051	176	236	222	174	86	64	33	29	12	16	3
35 to 39 years	482	40	90	78	63	53	43	24	32	16	42	1
40 to 44 years	148	9	13	14	19	21	13	4	14	12	29	-
45 to 49 years	11	-	-	1	-	-	1	2	-	4	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	1	3	2	-	-	-	-	-	-	-	1

TABLE 7B.-LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
WYOMING—Continued												
White	6,044	2,173	1,712	926	504	273	170	81	75	39	82	9
10 to 14 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	598	483	100	11	1	1	-	-	-	-	-	2
20 to 24 years	2,070	991	684	268	90	21	11	3	-	-	-	2
25 to 29 years	1,722	471	586	334	158	96	42	19	9	5	2	-
30 to 34 years	1,025	176	236	218	173	83	62	30	22	8	14	3
35 to 39 years	466	39	90	78	63	51	42	23	30	11	38	1
40 to 44 years	142	9	13	14	19	21	12	4	14	11	25	-
45 to 49 years	11	-	-	1	-	-	1	2	-	4	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	1	3	2	-	-	-	-	-	-	-	1
Native white	5,912	2,140	1,686	917	494	264	160	70	70	34	68	9
10 to 14 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	595	482	98	11	1	1	-	-	-	-	-	2
20 to 24 years	2,051	980	880	265	89	21	11	3	-	-	-	2
25 to 29 years	1,683	458	574	332	155	93	40	16	9	4	2	-
30 to 34 years	995	169	231	216	169	81	60	27	20	7	12	3
35 to 39 years	439	38	87	76	61	50	37	20	28	10	31	1
40 to 44 years	133	9	13	14	19	18	11	3	13	10	23	-
45 to 49 years	6	-	-	1	-	-	1	1	-	3	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	1	3	2	-	-	-	-	-	-	-	1
Foreign-born white	131	33	26	8	10	9	10	11	5	5	14	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3	1	2	-	-	-	-	-	-	-	-	-
20 to 24 years	19	11	4	3	1	-	-	-	-	-	-	-
25 to 29 years	39	13	12	2	3	3	2	3	-	1	-	-
30 to 34 years	30	7	5	2	4	2	2	3	2	1	2	-
35 to 39 years	26	1	3	1	2	1	5	3	2	1	7	-
40 to 44 years	9	-	-	-	-	3	1	1	1	1	2	-
45 to 49 years	5	-	-	-	-	-	-	1	-	1	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	144	35	22	19	14	11	5	8	10	10	10	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	19	16	3	-	-	-	-	-	-	-	-	-
20 to 24 years	49	16	17	9	7	-	-	-	-	-	-	-
25 to 29 years	28	2	2	6	6	6	1	4	1	-	-	-
30 to 34 years	26	-	-	4	1	3	2	3	7	4	2	-
35 to 39 years	16	1	-	-	-	2	1	1	2	5	4	-
40 to 44 years	6	-	-	-	-	-	1	-	-	1	4	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 8.—LIVE BIRTHS BY RACE, SINGLE YEAR OF AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): UNITED STATES, 1946

(Birth order refers to number of children born alive to mother. Figures for Massachusetts are included in the "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of such information)

RACE AND AGE OF MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)													
		1st	2d	3d	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th and over	Not stated
ALL RACES	3,288,672	1,169,587	858,265	444,965	238,014	135,579	84,335	55,612	37,823	25,853	17,851	11,611	7,156	9,363	172,658
Under 15 years	3,462	3,051	200	-	-	-	-	-	-	-	-	-	-	-	211
15 years	9,217	7,998	759	59	4	1	-	-	-	-	-	-	-	-	396
16 years	26,014	21,843	2,785	247	33	12	1	-	-	-	-	-	-	-	1,093
17 years	51,868	41,440	7,373	1,028	119	23	5	-	-	-	-	-	-	-	1,880
18 years	95,738	71,398	17,299	2,928	424	69	14	-	-	-	-	-	-	-	3,606
19 years	139,544	96,062	29,855	6,878	1,257	243	39	-	-	-	-	-	-	-	5,410
20 years	175,166	107,135	44,148	12,845	3,111	714	167	65	21	6	4	1	-	-	7,149
21 years	204,120	112,180	57,019	18,566	5,602	1,588	349	119	29	15	10	3	-	-	8,840
22 years	217,668	108,275	63,643	23,447	8,685	2,695	736	195	56	28	6	5	-	-	9,899
23 years	228,298	100,843	68,757	28,278	12,805	4,729	1,501	441	118	58	20	4	-	-	10,744
24 years	226,037	90,287	68,679	30,478	15,404	6,615	2,418	810	219	101	31	15	-	-	10,980
25 years	219,128	79,597	66,699	31,269	16,731	8,183	3,571	1,279	451	137	44	28	12	4	11,123
26 years	206,295	68,103	63,009	31,654	17,391	9,559	4,736	1,974	690	236	74	35	14	6	10,813
27 years	178,358	51,789	54,128	28,773	15,898	9,133	5,068	2,406	951	360	135	48	28	12	9,629
28 years	175,911	45,487	52,566	30,400	18,570	9,783	5,854	3,129	1,395	603	214	93	36	30	9,751
29 years	156,774	36,589	46,234	27,897	15,359	9,566	5,804	3,480	1,785	839	305	135	55	42	8,684
30 years	147,294	30,719	41,129	27,603	15,357	9,447	6,301	3,939	2,364	1,168	547	219	100	84	8,337
31 years	126,832	24,508	35,100	24,446	13,706	8,153	5,599	3,738	2,199	1,206	560	236	108	75	7,198
32 years	119,456	20,489	30,712	23,198	13,512	8,313	5,975	4,220	2,844	1,554	844	447	171	139	7,038
33 years	103,916	16,371	25,238	19,738	12,180	7,722	5,569	4,180	2,959	1,862	1,034	589	239	187	6,068
34 years	91,624	13,491	20,576	17,239	10,882	7,102	5,079	3,939	3,005	1,972	1,255	704	361	313	5,707
35 years	81,241	11,354	17,025	14,799	9,466	6,500	4,851	3,885	3,049	2,204	1,493	804	413	376	5,022
36 years	70,542	8,895	13,314	12,154	8,466	5,825	4,439	3,678	3,046	2,378	1,695	1,042	591	555	4,484
37 years	55,975	6,691	9,894	9,357	6,596	4,840	3,672	3,031	2,521	2,025	1,529	1,016	606	654	3,543
38 years	50,544	5,486	7,787	7,622	5,874	4,453	3,509	2,965	2,653	2,183	1,822	1,214	743	915	3,318
39 years	38,109	3,612	5,284	5,184	4,309	3,255	2,730	2,392	2,131	1,925	1,615	1,141	791	987	2,543
40 years	28,195	2,479	3,449	3,480	2,964	2,559	2,116	1,882	1,701	1,482	1,330	1,014	722	1,086	1,921
41 years	18,386	1,559	1,902	2,094	1,921	1,586	1,387	1,268	1,193	1,059	1,020	790	527	877	1,203
42 years	14,481	984	1,261	1,485	1,324	1,256	1,090	1,010	1,001	973	866	738	537	932	1,014
43 years	8,974	538	632	751	808	745	685	693	620	815	570	522	429	779	587
44 years	5,003	261	332	358	374	382	406	351	349	361	355	334	268	533	339
45 years	2,869	117	138	198	198	198	223	200	194	213	220	201	183	363	223
46 years	1,543	64	68	83	93	104	116	101	106	118	120	119	111	221	119
47 years	529	20	22	31	43	35	34	42	34	38	39	36	41	79	35
48 years	305	12	13	8	20	23	26	19	20	19	19	25	30	46	25
49 years	168	10	7	10	8	11	11	5	6	16	12	15	9	30	18
50 years	51	5	5	2	1	1	1	5	1	2	2	7	2	11	6
51 years	19	-	2	2	2	-	1	3	1	1	2	1	1	-	3
52 years	24	1	2	3	3	4	-	1	-	2	1	1	1	3	2
53 years	23	-	2	3	4	2	2	2	1	-	-	1	-	1	5
54 years	14	1	1	3	-	1	1	1	1	2	-	1	1	-	1
55 years	14	3	2	3	2	1	-	-	-	-	-	-	-	-	3
56 years	16	2	-	2	2	1	-	-	-	2	2	-	2	1	2
57 years	14	1	2	2	2	3	-	1	1	-	-	-	-	-	2
58 years	13	1	1	2	3	-	1	-	-	1	1	-	-	-	3
59 years and over	7	-	4	1	-	-	-	-	-	-	-	-	-	-	2
Not stated	8,893	1,636	1,208	748	503	344	248	163	108	90	55	47	24	40	3,679
WHITE	2,913,845	1,091,000	784,238	394,706	201,451	108,791	64,576	40,805	27,013	17,873	12,104	7,641	4,651	5,609	153,189
Under 15 years	1,145	1,057	33	-	-	-	-	-	-	-	-	-	-	-	55
15 years	4,328	3,989	196	15	2	-	-	-	-	-	-	-	-	-	126
16 years	15,467	13,827	1,064	61	9	5	-	-	-	-	-	-	-	-	501
17 years	36,680	31,308	3,868	331	26	6	2	-	-	-	-	-	-	-	1,139
18 years	74,278	59,042	11,249	1,323	119	18	4	-	-	-	-	-	-	-	2,523
19 years	115,707	84,646	22,399	3,774	547	78	16	-	-	-	-	-	-	-	4,247
20 years	149,515	97,464	36,024	8,226	1,524	241	60	20	6	1	3	-	-	-	5,946
21 years	179,553	104,384	49,469	13,732	3,360	667	123	52	8	5	2	1	-	-	7,745
22 years	193,714	101,973	56,965	18,484	5,652	1,411	300	69	16	9	3	1	-	-	8,831
23 years	204,060	95,622	62,792	23,215	9,093	2,744	716	159	35	18	7	2	-	-	9,657
24 years	204,279	86,253	63,860	26,339	11,789	4,248	1,290	363	72	32	10	5	-	-	10,018
25 years	199,510	76,320	62,834	27,741	13,510	5,748	2,142	663	183	50	9	12	6	-	10,292
26 years	187,341	63,361	59,711	28,485	14,360	6,896	2,989	1,078	311	100	24	16	7	1	9,982
27 years	162,735	49,754	51,713	26,387	13,541	6,966	3,368	1,379	459	145	52	14	16	4	8,937
28 years	160,768	43,674	50,407	28,173	14,507	7,769	4,130	1,934	739	278	92	30	13	10	9,012
29 years	143,758	35,223	44,500	26,176	13,634	7,828	4,341	2,297	1,032	417	128	52	24	13	8,093
30 years	134,368	29,426	39,576	26,047	13,766	7,867	4,834	2,672	1,419	606	256	97	36	20	7,746
31 years	117,278	23,655	33,986	23,257	12,559	7,103	4,518	2,723	1,462	731	310	111	59	33	6,771
32 years	108,833	19,649	29,601	22,014	12,261	7,169	4,814	3,113	1,931	946	454	238	80	56	6,507
33 years	94,739	15,724	24,384	18,855	11,180	6,798	4,580	3,206	2,114	1,177	604	296	134	90	5,597
34 years	83,159	12,892	19,840	16,466	10,089	6,252	4,228	3,084	2,219	1,318	756	415	190	139	5,271
35 years	73,485	10,857	16,441	14,154	8,774	5,801	4,070	3,095	2,289	1,532	975	469	229	188	4,611
36 years	63,120	8,466	12,826	11,564	7,818	5,211	3,782	2,924	2,332	1,719	1,154	644	340	267	4,073
37 years	50,405	6,427	9,520	8,964	6,191	4,370	3,206	2,515	2,012	1,507	1,078	636	377	367	3,235
38 years	44,784	5,239	7,423	7,222	5,469	4,008	3,060	2,477	2,127	1,831	1,313	817	486	525	2,987
39 years	33,845	3,640	5,078	4,978	4,015	2,972	2,386	2,013	1,767	1,527	1,225	807	557	595	2,285
40 years	24,880	2,362	3,313	3,340	2,797	2,361	1,886	1,602	1,387	1,193	1,007	744	486	575	1,727
41 years	16,450	1,491	1,834	2,026	1,814	1,504	1,248	1,120	1,032	896	807	629	392	575	1,082
42 years	12,736	945	1,221	1,433	1,244	1,164	995	880	853	826	693	564	398	624	896
43 years	7,857	509	600	723	763	685	615	624	541	516	461	432	335	525	528
44 years	4,348	248	310	338	353	352	374	325	314	306	298	256	197	378	299

Table 8.—LIVE BIRTHS BY RACE, SINGLE YEAR OF AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): UNITED STATES, 1946—Continued

(Birth order refers to number of children born alive to mother. Figures for Massachusetts are included in the "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of such information)

RACE AND AGE OF MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)													
		1st	2d	3d	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th and over	Not stated
WHITE—Continued															
45 years	2,449	111	132	162	175	177	202	176	162	185	194	161	140	254	198
46 years	1,271	56	60	72	83	89	99	84	88	98	96	108	78	151	109
47 years	439	18	22	26	42	32	28	38	21	32	36	27	31	53	33
48 years	226	9	13	7	20	18	23	13	15	14	11	21	18	24	20
49 years	110	8	6	9	5	10	7	2	4	9	8	8	4	18	12
50 years	29	4	3	1	1	-	1	2	1	1	2	4	-	5	4
51 years	12	-	2	2	-	-	-	2	1	-	2	-	1	-	2
52 years	15	1	1	1	3	4	-	-	-	1	-	1	-	1	2
53 years	17	-	2	2	2	2	2	2	1	-	-	-	-	-	4
54 years	11	1	1	2	-	1	-	1	1	1	-	1	1	-	1
55 years	13	2	2	3	2	1	-	-	-	-	-	-	-	-	3
56 years	11	2	-	1	1	1	-	-	-	1	2	-	1	-	2
57 years	10	1	1	2	2	2	-	-	1	-	-	-	-	-	1
58 years	11	1	1	2	2	-	1	-	-	1	-	-	-	-	3
59 years and over	7	-	4	1	-	-	-	-	-	-	-	-	-	-	2
Not stated	5,889	1,339	949	550	347	212	131	98	58	44	32	22	15	18	2,074
NONWHITE	375,027	98,587	74,029	50,259	36,563	26,788	19,759	14,807	10,810	7,980	5,747	3,970	2,505	3,754	19,469
Under 15 years	2,317	1,994	167	-	-	-	-	-	-	-	-	-	-	-	156
15 years	4,889	4,009	563	44	2	1	-	-	-	-	-	-	-	-	270
16 years	10,547	8,016	1,721	186	24	7	1	-	-	-	-	-	-	-	592
17 years	15,188	10,132	3,505	697	93	17	3	-	-	-	-	-	-	-	741
18 years	21,460	12,356	6,050	1,605	305	51	10	-	-	-	-	-	-	-	1,083
19 years	23,837	11,416	7,456	2,904	710	165	23	-	-	-	-	-	-	-	1,163
20 years	25,651	9,671	8,124	4,419	1,587	473	107	45	15	5	1	1	-	-	1,203
21 years	24,567	7,796	7,550	4,834	2,242	721	221	67	21	10	8	2	-	-	1,085
22 years	23,954	6,302	6,678	4,963	3,031	1,284	436	126	40	19	3	4	-	-	1,068
23 years	24,238	5,221	5,865	5,063	3,712	1,985	765	282	83	40	13	2	-	-	1,087
24 years	21,758	4,034	4,819	4,139	3,615	2,367	1,128	447	147	69	21	10	-	-	962
25 years	19,618	3,277	3,865	3,528	3,221	2,435	1,429	616	268	87	35	16	6	4	831
26 years	18,954	2,722	3,298	3,169	3,031	2,663	1,747	896	379	135	50	19	7	7	831
27 years	15,623	2,035	2,415	2,386	2,357	2,167	1,700	1,027	492	215	83	34	12	8	692
28 years	15,143	1,813	2,159	2,227	2,063	2,014	1,724	1,195	656	325	122	63	23	20	739
29 years	13,016	1,366	1,734	1,721	1,725	1,738	1,463	1,183	753	422	177	83	31	29	591
30 years	12,926	1,293	1,553	1,556	1,591	1,580	1,467	1,267	945	562	291	122	64	44	591
31 years	9,554	853	1,114	1,189	1,147	1,050	1,081	1,015	737	475	250	125	49	42	427
32 years	10,623	840	1,111	1,184	1,251	1,144	1,161	1,107	913	608	390	209	91	83	531
33 years	9,177	647	854	883	1,000	924	989	974	945	885	430	273	105	97	471
34 years	8,465	599	736	772	793	850	851	855	786	654	499	289	171	174	436
35 years	7,756	487	584	645	692	699	781	790	760	672	518	335	184	188	411
36 years	7,422	429	488	590	648	614	657	754	714	659	541	398	251	268	411
37 years	5,570	264	374	393	405	470	466	516	509	518	451	380	229	287	308
38 years	5,760	247	364	400	405	445	449	488	526	552	509	397	257	390	331
39 years	4,264	172	206	206	294	283	344	379	364	398	390	334	234	402	258
40 years	3,315	117	136	140	167	198	230	280	314	289	323	270	236	421	194
41 years	1,936	68	68	68	107	82	139	148	161	163	215	161	135	302	121
42 years	1,745	39	40	62	80	92	95	130	148	147	173	174	139	308	118
43 years	1,117	29	32	28	45	60	70	69	79	99	109	90	94	254	59
44 years	655	13	22	20	21	30	32	26	35	55	57	78	71	155	40
45 years	420	6	6	16	23	21	21	24	32	28	26	40	43	109	25
46 years	272	8	8	11	10	15	17	17	18	20	24	11	33	70	10
47 years	90	2	-	5	1	3	6	4	13	6	3	9	10	28	2
48 years	79	3	-	1	-	5	3	6	5	5	8	4	12	22	5
49 years	58	2	1	1	3	1	4	3	2	7	4	7	5	12	6
50 years	22	1	2	1	-	1	-	3	-	1	-	3	2	6	2
51 years	7	-	-	-	2	-	1	1	-	1	-	1	-	-	1
52 years	9	-	1	2	-	-	-	1	-	1	1	-	1	2	-
53 years	6	-	-	1	2	-	-	-	-	-	-	1	-	1	1
54 years	3	-	-	1	-	-	1	-	-	1	-	-	-	-	-
55 years	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
56 years	5	-	-	1	1	-	-	-	-	1	-	-	1	1	-
57 years	4	-	1	-	-	1	-	1	-	-	-	-	-	-	1
58 years	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Not stated	3,004	297	259	198	156	132	117	65	50	46	23	25	9	22	1,605

TABLE 9.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1946

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES	3,288,672	53	61,821	605,155	941,700	742,879	469,556	220,056	90,083	31,480	18,096	107,813
10 to 14 years	3,462	17	772	460	150	53	23	14	10	5	4	1,954
15 to 19 years	322,381	13	49,587	161,642	53,063	12,188	4,347	1,541	667	278	215	38,840
20 to 24 years	1,051,289	9	10,835	396,817	437,716	120,087	33,397	11,084	4,155	1,393	936	35,060
25 to 29 years	936,466	8	431	41,854	400,214	333,418	103,011	27,631	9,886	3,357	2,140	14,516
30 to 34 years	589,122	3	50	3,309	44,565	245,508	197,286	61,907	19,146	6,434	3,855	7,059
35 to 39 years	295,411	3	33	493	4,576	28,911	122,232	87,755	32,228	10,188	5,846	4,146
40 to 44 years	75,039	-	9	50	340	1,655	8,484	29,149	21,566	8,343	4,245	1,198
45 to 49 years	5,414	-	1	12	27	69	171	649	2,256	1,388	762	99
50 and over	195	-	-	5	15	21	23	20	10	48	46	9
Not stated	8,893	-	103	715	1,034	969	582	306	159	46	47	4,932
Male	1,691,220	27	31,922	312,433	484,982	382,473	240,660	112,376	46,102	16,126	9,141	54,978
10 to 14 years	1,765	11	428	223	84	24	9	9	6	1	3	967
15 to 19 years	165,741	6	25,463	83,322	27,358	6,196	2,226	778	332	148	106	19,806
20 to 24 years	541,719	2	5,694	204,853	225,547	61,869	17,078	5,592	2,070	710	499	17,805
25 to 29 years	482,194	4	231	21,655	206,114	171,934	52,972	13,953	5,110	1,725	1,086	7,410
30 to 34 years	302,413	1	27	1,735	22,828	126,101	101,268	31,777	9,806	3,291	1,952	3,607
35 to 39 years	151,602	3	20	266	2,323	14,957	62,353	44,854	16,523	5,278	2,900	2,125
40 to 44 years	38,325	-	7	23	176	861	4,368	14,898	11,014	4,207	2,160	613
45 to 49 years	2,755	-	1	6	15	30	75	337	1,144	718	381	48
50 and over	104	-	-	1	10	9	11	10	5	28	26	4
Not stated	4,602	-	51	349	527	492	280	170	92	20	28	2,593
Female	1,597,452	26	29,899	292,722	456,718	360,406	228,896	107,680	43,961	15,354	8,955	52,835
10 to 14 years	1,697	6	344	237	66	29	14	5	4	4	1	987
15 to 19 years	156,640	7	24,124	78,320	25,705	5,992	2,121	763	335	130	109	19,034
20 to 24 years	509,570	7	5,141	191,764	212,189	58,218	16,319	5,492	2,085	683	437	17,255
25 to 29 years	454,272	4	200	20,199	194,100	161,484	50,039	13,678	4,776	1,632	1,054	7,106
30 to 34 years	286,709	2	23	1,574	21,737	119,407	95,998	30,130	9,340	3,143	1,903	3,452
35 to 39 years	144,809	-	13	227	2,253	13,954	59,879	42,901	15,705	4,910	2,946	2,021
40 to 44 years	36,714	-	2	27	164	794	4,116	14,253	10,552	4,136	2,085	585
45 to 49 years	2,659	-	-	6	12	39	96	312	1,092	670	391	51
50 and over	91	-	-	2	5	12	12	10	5	20	20	5
Not stated	4,291	-	52	366	507	477	302	136	67	26	19	2,339
White	2,913,645	29	46,424	531,134	861,816	684,334	424,561	194,867	76,392	26,196	14,290	53,602
10 to 14 years	1,145	7	271	250	90	32	15	11	8	2	2	457
15 to 19 years	246,460	6	36,382	133,184	45,545	10,345	3,420	1,197	492	212	172	15,505
20 to 24 years	931,121	6	9,282	355,067	397,180	107,395	28,054	8,999	3,171	1,087	710	20,190
25 to 29 years	854,112	6	365	38,676	371,979	307,976	91,345	23,445	7,793	2,625	1,641	8,259
30 to 34 years	538,377	2	42	2,953	41,761	229,349	181,210	55,055	16,120	5,209	2,936	3,678
35 to 39 years	265,639	2	21	411	4,128	26,884	112,037	79,160	27,813	8,563	4,640	2,000
40 to 44 years	66,271	-	6	43	309	1,504	7,868	26,218	18,983	7,258	3,471	611
45 to 49 years	4,495	-	1	11	23	60	136	548	1,897	1,178	597	44
50 and over	136	-	-	1	13	21	17	14	8	28	32	2
Not stated	5,889	-	54	538	808	786	459	220	107	34	27	2,856
Male	1,501,498	15	24,029	274,739	444,432	352,868	217,956	99,772	39,208	13,554	7,241	27,684
10 to 14 years	609	6	153	123	52	14	6	6	5	1	2	241
15 to 19 years	127,192	3	18,712	68,751	23,548	5,250	1,776	606	250	113	83	8,100
20 to 24 years	480,866	1	4,900	183,765	204,960	55,467	14,389	4,549	1,590	558	376	10,311
25 to 29 years	440,567	3	195	20,037	191,769	159,109	47,079	11,841	4,067	1,377	818	4,274
30 to 34 years	276,780	-	24	1,552	21,423	117,875	93,166	28,343	8,243	2,707	1,538	1,909
35 to 39 years	136,114	2	14	215	2,092	13,921	57,179	40,593	14,280	4,492	2,318	1,018
40 to 44 years	33,951	-	4	21	159	792	4,071	13,414	9,724	3,670	1,774	322
45 to 49 years	2,301	-	1	6	15	26	59	290	981	607	292	24
50 and over	77	-	-	1	9	9	9	7	4	16	21	1
Not stated	3,041	-	28	268	415	405	222	123	64	13	19	1,484
Female	1,412,147	14	22,395	256,395	417,384	331,466	206,605	95,095	37,184	12,842	7,049	25,918
10 to 14 years	536	1	118	127	38	18	9	5	3	1	-	216
15 to 19 years	119,268	3	17,670	64,433	21,997	5,095	1,644	591	242	99	89	7,405
20 to 24 years	450,255	5	4,382	171,302	192,200	51,928	13,685	4,450	1,581	529	334	9,879
25 to 29 years	413,545	3	172	18,639	180,210	148,869	44,266	11,604	3,726	1,248	823	3,985
30 to 34 years	261,597	2	18	1,401	20,339	111,474	88,044	26,712	7,877	2,502	1,460	1,769
35 to 39 years	129,525	-	7	196	2,046	12,943	54,858	38,567	13,533	4,071	2,322	982
40 to 44 years	32,320	-	2	22	150	712	3,797	12,604	9,259	3,588	1,697	289
45 to 49 years	2,194	-	-	5	8	34	77	258	916	571	305	20
50 and over	59	-	-	-	4	12	8	7	4	12	11	1
Not stated	2,848	-	26	270	393	381	237	97	43	21	8	1,372
Nonwhite	375,027	24	15,397	74,021	79,884	58,545	44,995	25,189	13,671	5,284	3,806	54,211
10 to 14 years	2,317	10	501	210	60	21	8	3	2	3	2	1,497
15 to 19 years	75,921	7	13,205	28,458	7,518	1,843	927	344	175	66	43	23,335
20 to 24 years	120,168	3	1,553	41,550	40,556	12,692	5,343	2,085	984	306	226	14,870
25 to 29 years	82,354	2	66	3,178	28,235	25,440	11,556	4,186	2,093	732	499	6,257
30 to 34 years	50,745	1	8	356	2,904	16,159	16,076	6,852	3,026	1,225	857	3,381
35 to 39 years	30,772	1	12	82	448	2,047	10,195	8,595	4,415	1,625	1,206	2,146
40 to 44 years	8,768	-	3	7	31	151	616	2,931	2,583	1,085	774	587
45 to 49 years	919	-	-	1	4	9	35	101	339	210	165	55
50 and over	59	-	-	2	2	-	6	6	2	20	14	7
Not stated	3,004	-	49	177	226	183	123	86	52	12	20	2,076
Male	189,722	12	7,893	37,694	40,550	29,605	22,704	12,604	6,894	2,572	1,900	27,294
10 to 14 years	1,156	5	275	100	32	10	3	3	1	-	1	726
15 to 19 years	38,549	3	6,751	14,571	3,810	946	450	172	82	35	23	11,706
20 to 24 years	60,853	1	794	21,088	20,587	6,402	2,689	1,043	480	152	123	7,494
25 to 29 years	41,627	1	38	1,618	14,345	12,825	5,893	2,112	1,043	348	268	3,136
30 to 34 years	25,633	1	3	183	1,405	8,226	8,122	3,434	1,565	584	414	1,698
35 to 39 years	15,488	1	6	51	241	1,036	5,174	4,261	2,243	786	582	1,107
40 to 44 years	4,374	-	3	2	17	69	297	1,482	1,290	537	386	291
45 to 49 years	454	-	-	-	-	4	16	47	163	111	89	24
50 and over	27	-	-	-	1	-	2	3	1	12	5	3
Not stated	1,561	-	23	81	112	87	58	47	28	7	9	1,109

TABLE 9.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES—Continued												
Nonwhite—Continued												
Female	185,305	12	7,504	36,327	39,334	28,940	22,291	12,585	6,777	2,712	1,906	26,917
10 to 14 years	1,161	5	226	110	28	11	5	-	1	3	1	771
15 to 19 years	37,372	4	6,454	13,887	3,708	897	477	172	93	31	20	11,829
20 to 24 years	59,315	2	759	20,462	19,969	6,290	2,654	1,042	504	154	103	7,376
25 to 29 years	40,727	1	28	1,560	13,890	12,613	5,773	2,074	1,050	384	231	3,121
30 to 34 years	25,112	-	5	173	1,399	7,933	7,954	3,418	1,463	641	443	1,683
35 to 39 years	15,284	-	6	31	207	1,011	5,021	4,334	2,172	839	824	1,039
40 to 44 years	4,394	-	-	5	14	82	319	1,449	1,293	548	388	296
45 to 49 years	465	-	-	1	4	5	19	54	176	99	76	31
50 and over	32	-	-	2	1	-	4	3	1	8	9	4
Not stated	1,443	-	26	96	114	96	65	39	24	5	11	987
Alabama	79,863	3	2,244	16,016	19,626	14,849	10,592	5,394	2,665	1,003	802	6,669
Male	40,849	2	1,137	8,339	10,054	7,524	5,378	2,771	1,357	484	401	3,402
Female	39,014	1	1,107	7,677	9,572	7,325	5,214	2,623	1,308	519	401	3,267
White	51,944	1	1,358	10,991	14,496	10,842	7,191	3,482	1,548	577	427	1,031
Male	26,764	1	682	5,762	7,503	5,486	3,681	1,802	813	270	225	539
Female	25,180	-	676	5,229	6,993	5,356	3,510	1,680	735	307	202	492
Nonwhite	27,919	2	886	5,025	5,130	4,007	3,401	1,912	1,117	426	375	5,638
Male	14,085	1	455	2,577	2,551	2,038	1,697	969	544	214	176	2,863
Female	13,834	1	431	2,448	2,579	1,969	1,704	943	573	212	199	2,775
ARIZONA	16,345	-	421	3,240	4,620	3,366	2,272	1,190	540	201	137	358
Male	8,393	-	198	1,700	2,390	1,748	1,141	609	269	91	66	181
Female	7,952	-	223	1,540	2,230	1,618	1,131	581	271	110	71	177
White	14,379	-	334	2,868	4,215	3,016	1,936	1,012	445	156	100	243
Male	7,390	-	150	1,504	2,177	1,564	1,004	523	224	72	51	121
Female	6,989	-	184	1,364	2,038	1,452	934	489	221	86	49	122
Nonwhite	1,966	-	87	372	405	350	294	178	95	43	37	115
Male	1,003	-	48	196	213	184	137	86	45	19	15	60
Female	963	-	39	176	192	166	147	92	50	24	22	55
ARKANSAS	45,280	-	1,301	9,327	11,626	8,398	6,099	3,288	1,628	741	600	2,302
Male	23,387	-	639	4,840	6,063	4,340	3,150	1,644	847	386	297	1,181
Female	21,893	-	662	4,487	5,563	4,048	2,949	1,624	781	355	303	1,121
White	35,165	-	875	7,637	9,783	6,929	4,791	2,451	1,115	497	394	693
Male	18,235	-	421	3,968	5,129	3,572	2,488	1,238	603	260	195	361
Female	16,930	-	454	3,669	4,654	3,357	2,303	1,213	512	237	199	332
Nonwhite	10,115	-	426	1,690	1,843	1,459	1,308	817	513	244	206	1,609
Male	5,152	-	218	872	934	788	662	406	244	126	102	820
Female	4,963	-	208	818	909	691	646	411	269	118	104	789
CALIFORNIA	218,484	4	4,291	46,414	66,945	49,409	28,707	13,150	5,313	1,667	754	1,830
Male	112,319	3	2,220	24,071	34,525	25,292	14,664	6,633	2,743	832	382	954
Female	106,165	1	2,071	22,343	32,420	24,117	14,043	6,517	2,570	835	372	876
White	206,159	4	3,824	43,482	63,480	46,749	26,825	12,104	4,857	1,530	669	1,635
Male	105,478	3	1,980	22,570	32,722	23,922	13,709	6,108	2,522	771	333	839
Female	99,681	1	1,844	20,912	30,758	22,827	13,117	5,996	2,335	759	336	796
Nonwhite	13,325	-	467	2,932	3,485	2,660	1,882	1,046	456	137	85	195
Male	6,841	-	240	1,501	1,803	1,370	958	525	221	61	49	115
Female	6,484	-	227	1,431	1,682	1,290	926	521	235	76	36	80
COLORADO	29,518	-	651	6,085	8,901	6,402	3,832	1,890	896	340	200	321
Male	15,126	-	335	3,125	4,581	3,275	1,921	966	465	200	100	158
Female	14,392	-	316	2,960	4,320	3,127	1,911	924	431	140	100	163
White	28,880	-	628	5,975	8,727	6,267	3,753	1,831	869	331	189	310
Male	14,802	-	324	3,086	4,498	3,207	1,875	940	449	196	94	153
Female	14,078	-	304	2,909	4,229	3,060	1,878	891	420	135	95	157
Nonwhite	638	-	23	110	174	135	79	59	27	9	11	11
Male	324	-	11	59	83	68	46	26	16	4	6	5
Female	314	-	12	51	91	67	33	33	11	5	5	6
CONNECTICUT	41,457	-	251	5,650	12,938	11,264	6,525	2,649	899	265	89	927
Male	21,378	-	128	2,904	6,678	5,774	3,340	1,395	476	140	54	489
Female	20,079	-	123	2,746	6,260	5,490	3,185	1,254	423	125	35	438
White	40,334	-	221	5,381	12,663	11,079	6,423	2,578	866	253	83	787
Male	20,815	-	114	2,776	6,519	5,679	3,298	1,361	458	135	52	423
Female	19,519	-	107	2,605	6,144	5,400	3,125	1,217	408	118	31	364
Nonwhite	1,123	-	30	269	275	185	102	71	33	12	6	140
Male	563	-	14	128	159	95	42	34	18	5	2	66
Female	560	-	16	141	116	90	60	37	15	7	4	74
DELAWARE	6,802	-	124	1,141	1,977	1,598	921	398	131	51	26	437
Male	3,450	-	58	568	987	844	459	202	60	31	12	229
Female	3,352	-	66	573	990	754	462	194	71	20	14	208
White	5,611	-	88	1,003	1,788	1,456	817	341	108	42	17	151
Male	2,948	-	44	501	897	775	405	171	47	26	9	73
Female	2,863	-	44	502	891	681	412	170	61	16	8	78
Nonwhite	991	-	36	138	189	142	104	55	23	9	9	286
Male	502	-	14	67	90	69	54	31	13	5	3	156
Female	489	-	22	71	99	73	50	24	10	4	6	130

TABLE 9.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
DISTRICT OF COLUMBIA	18,601	-	304	3,316	5,115	3,893	2,419	1,027	429	125	54	1,919
Male	9,455	-	158	1,687	2,613	1,987	1,228	496	221	56	26	983
Female	9,146	-	146	1,629	2,502	1,906	1,191	531	208	69	28	936
White	12,279	-	131	2,102	3,780	2,876	1,760	719	295	84	27	505
Male	6,277	-	72	1,049	1,941	1,492	911	343	143	38	13	275
Female	6,002	-	59	1,053	1,839	1,384	849	376	152	46	14	230
Nonwhite	6,322	-	173	1,214	1,335	1,017	659	308	134	41	27	1,414
Male	3,178	-	86	638	672	495	317	153	78	18	13	708
Female	3,144	-	87	576	663	522	342	155	56	23	14	706
FLORIDA	53,688	5	1,042	10,511	14,378	10,712	7,069	3,629	1,689	662	491	3,500
Male	27,385	2	570	5,368	7,416	5,471	3,551	1,810	865	341	241	1,752
Female	26,303	3	472	5,145	6,962	5,241	3,518	1,819	824	321	250	1,748
White	40,114	2	633	8,099	11,802	8,671	5,471	2,637	1,157	472	314	856
Male	20,553	-	349	4,154	6,094	4,428	2,778	1,323	581	242	158	445
Female	19,561	2	284	3,945	5,708	4,243	2,693	1,314	576	230	156	410
Nonwhite	13,574	3	409	2,412	2,576	2,041	1,598	992	532	190	177	2,644
Male	6,832	2	221	1,212	1,322	1,043	773	487	284	99	83	1,306
Female	6,742	1	188	1,200	1,254	998	825	505	248	91	94	1,338
GEORGIA	85,667	1	2,470	16,597	21,965	16,203	10,994	5,190	2,472	880	747	8,148
Male	43,741	-	1,252	8,557	11,105	8,354	5,635	2,657	1,256	441	369	4,115
Female	41,926	1	1,218	8,040	10,860	7,849	5,359	2,533	1,216	439	378	4,033
White	56,385	-	1,271	10,976	16,061	11,968	7,677	3,580	1,559	536	432	2,325
Male	29,049	-	659	5,694	8,182	6,250	3,954	1,858	783	272	212	1,185
Female	27,336	-	612	5,282	7,879	5,718	3,723	1,722	776	264	220	1,140
Nonwhite	29,282	1	1,199	5,621	5,904	4,235	3,317	1,610	913	344	315	5,823
Male	14,692	-	593	2,863	2,923	2,104	1,691	799	473	169	157	2,930
Female	14,590	1	606	2,758	2,981	2,131	1,636	811	440	175	158	2,893
IDAHO	13,787	-	273	2,668	4,034	3,158	1,955	914	397	152	92	144
Male	7,101	-	123	1,346	2,080	1,636	1,029	469	221	72	51	74
Female	6,686	-	150	1,322	1,954	1,522	926	445	176	80	41	70
White	13,571	-	268	2,637	3,989	3,101	1,927	893	384	146	88	138
Male	6,991	-	121	1,329	2,052	1,608	1,016	459	215	71	49	71
Female	6,580	-	147	1,308	1,937	1,493	911	434	169	75	39	67
Nonwhite	216	-	5	31	45	57	28	21	13	6	4	6
Male	110	-	2	17	28	28	13	10	6	1	2	3
Female	106	-	3	14	17	29	15	11	7	5	2	3
ILLINOIS	174,825	2	2,269	28,700	51,147	43,287	25,915	11,763	4,191	1,356	604	5,591
Male	89,960	1	1,183	14,796	26,152	22,336	13,359	6,083	2,180	694	312	2,864
Female	84,865	1	1,086	13,904	24,995	20,951	12,556	5,680	2,011	662	292	2,727
White	162,314	2	1,807	26,272	48,374	41,405	24,586	11,025	3,829	1,207	540	3,267
Male	83,569	1	951	13,563	24,743	21,372	12,669	5,706	2,009	619	280	1,656
Female	78,745	1	856	12,709	23,631	20,033	11,917	5,319	1,820	588	260	1,611
Nonwhite	12,511	-	462	2,428	2,773	1,882	1,329	738	362	149	64	2,324
Male	6,391	-	232	1,233	1,409	964	690	377	171	75	32	1,208
Female	6,120	-	230	1,195	1,364	918	639	361	191	74	32	1,116
INDIANA	85,515	-	2,011	18,263	25,562	18,963	11,141	5,165	2,013	678	413	1,306
Male	43,974	-	1,072	9,495	13,220	9,766	5,610	2,599	1,003	335	212	662
Female	41,541	-	939	8,768	12,342	9,197	5,531	2,566	1,010	343	201	644
White	82,279	-	1,789	17,499	24,800	18,430	10,780	4,958	1,891	654	388	1,090
Male	42,307	-	949	9,116	12,825	9,484	5,422	2,501	933	325	196	556
Female	39,972	-	840	8,383	11,975	8,946	5,358	2,457	958	329	192	534
Nonwhite	3,236	-	222	764	762	533	361	207	122	24	25	216
Male	1,667	-	123	379	395	282	188	99	70	10	16	106
Female	1,569	-	99	385	367	251	173	109	52	14	9	110
IOWA	56,186	-	879	10,662	16,992	12,919	7,902	3,595	1,379	505	216	1,137
Male	29,131	-	470	5,492	8,805	6,674	4,149	1,881	726	262	108	564
Female	27,055	-	409	5,170	8,187	6,245	3,753	1,714	653	243	108	573
White	55,774	-	866	10,593	16,880	12,853	7,858	3,571	1,369	500	214	1,070
Male	28,947	-	466	5,457	8,763	6,637	4,132	1,869	721	282	107	533
Female	26,827	-	400	5,136	8,117	6,216	3,726	1,702	648	238	107	537
Nonwhite	412	-	13	69	112	66	44	24	10	5	2	67
Male	184	-	4	35	42	37	17	12	5	-	1	31
Female	228	-	9	34	70	29	27	12	5	5	1	36
KANSAS	39,751	2	854	8,407	11,839	8,505	5,352	2,514	1,026	344	207	701
Male	20,336	1	440	4,327	6,085	4,349	2,684	1,231	555	193	99	372
Female	19,415	1	414	4,080	5,754	4,156	2,668	1,283	471	151	108	329
White	38,266	2	753	8,020	11,490	8,295	5,197	2,415	967	317	194	616
Male	19,594	1	390	4,144	5,908	4,235	2,611	1,185	527	178	91	324
Female	18,672	1	363	3,876	5,582	4,060	2,586	1,230	440	139	103	292
Nonwhite	1,485	-	101	387	349	210	155	99	59	27	13	85
Male	742	-	50	183	177	114	73	46	28	15	8	48
Female	743	-	51	204	172	96	82	53	31	12	5	37
KENTUCKY	72,542	1	2,183	15,295	19,587	14,497	10,129	5,453	2,629	1,063	881	824
Male	37,434	-	1,130	7,932	10,127	7,506	5,246	2,738	1,356	549	448	402
Female	35,108	1	1,053	7,363	9,460	6,991	4,883	2,715	1,273	514	433	422

TABLE 9.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
KENTUCKY—Continued												
White	69,142	1	1,911	14,536	18,854	13,991	9,695	5,180	2,477	984	840	673
Male	35,715	-	993	7,557	9,752	7,236	5,020	2,607	1,282	519	426	323
Female	33,427	1	918	6,979	9,102	6,755	4,675	2,573	1,195	465	414	350
Nonwhite	3,400	-	272	759	733	506	434	273	152	79	41	151
Male	1,719	-	137	375	375	270	226	131	74	30	22	79
Female	1,681	-	135	384	358	236	208	142	78	49	19	72
LOUISIANA	68,670	1	1,838	13,833	18,093	13,644	9,507	4,784	2,106	824	523	3,517
Male	35,076	-	971	7,051	9,352	7,014	4,913	2,377	1,031	425	242	1,700
Female	33,594	1	867	6,782	8,741	6,630	4,594	2,407	1,075	399	281	1,817
White	43,244	1	833	8,765	12,831	9,606	6,074	2,901	1,052	373	251	547
Male	22,252	-	434	4,467	6,660	4,970	3,169	1,445	522	204	112	269
Female	20,992	1	399	4,298	6,171	4,636	2,905	1,456	540	169	139	278
Nonwhite	25,426	-	1,005	5,068	5,262	4,038	3,433	1,883	1,044	451	272	2,970
Male	12,824	-	537	2,584	2,692	2,044	1,744	932	509	221	130	1,431
Female	12,602	-	468	2,484	2,570	1,994	1,689	951	535	230	142	1,539
MAINE	20,326	1	434	4,090	5,860	4,303	2,722	1,293	527	206	116	774
Male	10,524	1	230	2,146	2,976	2,260	1,400	668	287	105	62	389
Female	9,802	-	204	1,944	2,884	2,043	1,322	625	240	101	54	385
White	20,290	1	432	4,086	5,847	4,295	2,720	1,290	526	206	116	771
Male	10,504	1	229	2,144	2,969	2,256	1,399	666	286	105	62	387
Female	9,786	-	203	1,942	2,878	2,039	1,321	624	240	101	54	384
Nonwhite	36	-	2	4	13	8	2	3	1	-	-	3
Male	20	-	1	2	7	4	1	2	1	-	-	2
Female	16	-	1	2	6	4	1	1	-	-	-	1
MARYLAND	50,347	2	1,404	9,900	14,840	11,374	7,002	3,154	1,220	409	172	870
Male	25,855	1	740	5,118	7,657	5,783	3,529	1,619	647	209	90	462
Female	24,492	1	664	4,782	7,183	5,591	3,473	1,535	573	200	82	408
White	41,083	-	613	7,730	12,625	9,808	5,866	2,599	930	308	117	487
Male	21,144	-	334	3,986	6,524	5,005	2,982	1,344	493	156	60	260
Female	19,939	-	279	3,744	6,101	4,803	2,884	1,255	437	152	57	227
Nonwhite	9,264	2	791	2,170	2,215	1,566	1,136	555	290	101	55	383
Male	4,711	1	406	1,132	1,133	778	547	275	154	53	30	202
Female	4,553	1	385	1,038	1,082	788	589	280	136	48	25	181
MASSACHUSETTS	94,288	-	600	14,137	28,852	24,269	14,621	6,402	2,174	638	242	2,353
Male	48,559	-	307	7,324	14,769	12,537	7,483	3,324	1,103	325	127	1,260
Female	45,729	-	293	6,813	14,083	11,732	7,138	3,078	1,071	313	115	1,093
White	92,787	-	571	13,840	28,430	24,017	14,480	6,318	2,120	620	225	2,166
Male	47,801	-	292	7,165	14,546	12,407	7,417	3,280	1,077	319	118	1,180
Female	44,986	-	279	6,675	13,884	11,610	7,063	3,038	1,043	301	107	986
Nonwhite	1,501	-	29	297	422	252	141	84	54	18	17	187
Male	758	-	15	159	223	130	66	44	26	6	9	80
Female	743	-	14	138	199	122	75	40	28	12	8	107
MICHIGAN	139,277	4	2,487	25,904	41,350	33,246	19,508	9,327	3,542	1,139	497	2,273
Male	71,867	2	1,318	13,439	21,420	17,216	9,924	4,673	1,838	601	258	1,178
Female	67,410	2	1,169	12,465	19,930	16,030	9,584	4,654	1,704	538	239	1,095
White	130,945	1	2,020	23,985	39,284	31,735	18,519	8,762	3,264	1,039	450	1,886
Male	67,659	-	1,084	12,475	20,361	16,463	9,418	4,389	1,698	554	234	963
Female	63,286	1	936	11,510	18,923	15,272	9,101	4,373	1,566	485	216	903
Nonwhite	8,332	3	467	1,919	2,066	1,511	989	565	278	100	47	387
Male	4,208	2	234	964	1,059	753	506	284	140	47	24	195
Female	4,124	1	233	955	1,007	758	483	281	138	53	23	192
MINNESOTA	67,268	-	550	9,872	19,204	16,514	10,647	5,297	2,201	783	327	1,871
Male	34,339	-	285	5,089	9,700	8,488	5,442	2,676	1,135	414	166	944
Female	32,927	-	265	4,783	9,504	8,026	5,205	2,621	1,066	369	161	927
White	66,511	-	543	9,778	19,041	16,353	10,564	5,242	2,172	772	321	1,725
Male	33,974	-	282	5,039	9,617	8,413	5,404	2,650	1,122	409	162	876
Female	32,537	-	261	4,739	9,424	7,940	5,160	2,592	1,050	363	159	849
Nonwhite	755	-	7	94	163	161	83	55	29	11	6	146
Male	365	-	3	50	83	75	38	26	13	5	4	68
Female	390	-	4	44	80	86	45	29	16	6	2	78
MISSISSIPPI	61,690	3	2,006	11,775	14,348	10,781	8,475	4,479	2,306	910	684	5,923
Male	31,442	3	1,043	6,033	7,308	5,507	4,266	2,290	1,161	449	355	3,027
Female	30,248	-	963	5,742	7,040	5,274	4,209	2,189	1,145	461	329	2,896
White	29,975	1	687	6,068	8,443	6,279	4,449	2,142	939	358	231	378
Male	15,320	1	364	3,143	4,259	3,236	2,248	1,107	460	174	129	199
Female	14,655	-	323	2,925	4,184	3,043	2,201	1,035	479	184	102	179
Nonwhite	31,715	2	1,319	5,707	5,905	4,502	4,026	2,337	1,367	552	453	5,545
Male	16,122	2	679	2,890	3,049	2,271	2,018	1,183	701	275	226	2,828
Female	15,593	-	640	2,817	2,856	2,231	2,008	1,154	666	277	227	2,717
MISSOURI	80,684	1	1,785	15,538	22,335	17,713	11,495	5,520	2,314	943	480	2,560
Male	41,565	-	921	8,085	11,540	9,068	5,928	2,816	1,190	491	233	1,293
Female	39,119	1	864	7,453	10,795	8,645	5,567	2,704	1,124	452	247	1,267
White	74,837	1	1,503	14,422	21,189	16,924	10,799	5,092	2,083	839	429	1,477
Male	38,530	-	788	7,536	10,919	8,638	5,569	2,601	1,080	432	213	774
Female	36,107	1	735	6,886	10,249	8,186	5,230	2,491	1,003	407	216	703
Nonwhite	6,047	-	282	1,116	1,167	889	696	428	231	104	51	1,083
Male	3,035	-	153	549	621	430	359	215	110	59	20	519
Female	3,012	-	129	567	546	459	337	213	121	45	31	564

TABLE 9.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MONTANA	12,858	-	165	2,196	3,789	2,961	1,938	911	423	165	99	211
Male	6,619	-	77	1,159	1,951	1,483	1,014	489	227	85	42	112
Female	6,239	-	88	1,037	1,838	1,478	924	442	196	80	57	99
White	12,229	-	154	2,098	3,647	2,827	1,861	865	392	151	92	142
Male	6,289	-	73	1,106	1,876	1,416	976	443	208	77	40	74
Female	5,940	-	81	992	1,771	1,411	885	422	184	74	52	68
Nonwhite	629	-	11	98	142	134	77	46	31	14	7	69
Male	330	-	4	53	75	67	38	26	19	8	2	38
Female	299	-	7	45	67	67	39	20	12	6	5	31
NEBRASKA	28,052	-	436	5,440	8,471	6,390	3,917	1,807	754	253	118	466
Male	14,391	-	206	2,820	4,371	3,269	1,984	917	376	119	62	247
Female	13,661	-	230	2,620	4,100	3,101	1,933	890	378	134	56	219
White	27,477	-	398	5,317	8,335	6,299	3,851	1,768	736	240	112	421
Male	14,089	-	191	2,747	4,303	3,236	1,956	899	367	113	60	217
Female	13,388	-	207	2,570	4,032	3,063	1,895	869	369	127	52	204
Nonwhite	575	-	38	123	136	91	66	39	18	13	6	45
Male	302	-	15	73	68	53	28	18	9	6	2	30
Female	273	-	23	50	68	38	38	21	9	7	4	15
NEVADA	3,283	-	48	617	896	734	464	254	108	59	29	74
Male	1,652	-	29	305	461	363	245	112	54	33	11	39
Female	1,631	-	19	312	435	371	219	142	54	26	18	35
White	3,037	-	40	575	831	685	443	233	95	52	25	58
Male	1,528	-	21	283	427	342	237	105	46	29	11	27
Female	1,509	-	19	292	404	343	206	128	49	23	14	31
Nonwhite	246	-	8	42	65	49	21	21	13	7	4	16
Male	124	-	8	22	34	21	8	7	8	4	-	12
Female	122	-	-	20	31	28	13	14	5	3	4	4
NEW HAMPSHIRE	11,092	-	155	2,103	3,378	2,565	1,488	680	291	83	43	308
Male	5,735	-	78	1,107	1,731	1,353	777	349	137	39	13	152
Female	5,357	-	77	996	1,647	1,212	711	332	154	44	30	154
White	11,074	-	155	2,100	3,374	2,559	1,487	678	291	83	43	304
Male	5,723	-	78	1,104	1,728	1,349	776	348	137	39	13	151
Female	5,351	-	77	996	1,646	1,210	711	330	154	44	30	153
Nonwhite	18	-	-	3	4	6	1	2	-	-	-	2
Male	12	-	-	3	3	4	1	-	-	-	-	1
Female	6	-	-	-	1	2	-	2	-	-	-	1
NEW JERSEY	95,218	1	823	13,397	29,388	25,596	15,362	6,296	2,064	824	214	1,453
Male	49,194	1	407	6,851	15,351	13,214	7,921	3,244	1,040	322	107	736
Female	46,024	-	416	6,546	14,037	12,382	7,441	3,052	1,024	302	107	717
White	88,620	1	518	11,873	27,671	24,471	14,655	5,924	1,876	568	184	879
Male	45,978	1	265	6,118	14,491	12,652	7,576	3,066	961	292	92	464
Female	42,642	-	253	5,755	13,180	11,819	7,079	2,858	915	276	92	415
Nonwhite	6,598	-	305	1,524	1,717	1,125	707	372	188	56	30	574
Male	3,216	-	142	733	860	562	345	178	79	30	15	272
Female	3,382	-	163	791	857	563	362	194	109	26	15	302
NEW MEXICO	18,087	-	386	3,379	4,559	3,662	2,595	1,458	753	313	196	786
Male	9,176	-	169	1,726	2,359	1,883	1,307	705	375	162	92	398
Female	8,911	-	217	1,653	2,200	1,779	1,288	753	378	151	104	388
White	16,674	-	361	3,192	4,272	3,392	2,394	1,348	682	274	167	592
Male	8,481	-	161	1,633	2,217	1,753	1,208	646	338	145	75	305
Female	8,193	-	200	1,559	2,055	1,639	1,186	702	344	129	92	287
Nonwhite	1,413	-	25	187	287	270	201	110	71	39	29	194
Male	695	-	8	93	142	130	99	59	37	17	17	93
Female	718	-	17	94	145	140	102	51	34	22	12	101
NEW YORK	286,546	2	2,301	38,464	82,594	74,755	49,607	21,592	7,464	2,082	780	6,925
Male	147,929	-	1,204	19,759	42,629	38,647	25,610	11,043	3,822	1,048	370	3,597
Female	138,617	2	1,097	18,705	39,765	36,108	23,997	10,549	3,642	1,014	410	3,328
White	269,271	-	1,721	34,745	78,472	72,012	47,683	20,528	6,931	1,911	719	4,549
Male	139,200	-	913	17,884	40,747	37,275	24,610	10,504	3,565	976	348	2,380
Female	130,071	-	808	16,861	37,725	34,737	23,073	10,024	3,366	935	373	2,169
Nonwhite	17,275	2	580	3,719	4,122	2,743	1,924	1,064	533	151	61	2,376
Male	8,729	-	291	1,875	2,082	1,372	1,000	539	257	72	24	1,217
Female	8,546	2	289	1,844	2,040	1,371	924	525	276	79	37	1,159
NORTH CAROLINA	100,679	1	3,225	21,979	26,949	19,766	13,044	6,513	2,930	1,179	880	4,213
Male	51,551	-	1,667	11,446	13,705	10,056	6,620	3,364	1,487	604	446	2,156
Female	49,128	1	1,558	10,533	13,244	9,710	6,424	3,149	1,443	575	434	2,057
White	71,082	-	1,667	15,517	20,260	14,863	9,484	4,569	1,994	776	578	1,354
Male	36,506	-	854	8,150	10,369	7,554	4,781	2,383	1,004	412	297	702
Female	34,556	-	813	7,367	9,891	7,309	4,703	2,186	990	364	281	652
Nonwhite	29,617	1	1,558	6,462	6,689	4,903	3,560	1,944	936	403	302	2,859
Male	15,045	-	813	3,296	3,336	2,502	1,839	981	483	192	149	1,454
Female	14,572	1	745	3,166	3,353	2,401	1,721	963	453	211	153	1,405
NORTH DAKOTA	15,264	-	140	2,144	4,161	3,690	2,536	1,310	630	227	95	331
Male	7,766	-	77	1,129	2,098	1,891	1,212	705	323	124	43	164
Female	7,498	-	63	1,015	2,063	1,799	1,324	605	307	103	52	167

TABLE 9.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NORTH DAKOTA—Continued												
White	14,893	-	126	2,085	4,086	3,631	2,484	1,277	605	217	91	281
Male	7,562	-	67	1,101	2,057	1,855	1,188	688	312	116	42	136
Female	7,331	-	59	994	2,029	1,776	1,296	589	293	101	49	145
Nonwhite	371	-	14	49	75	59	52	33	25	10	4	50
Male	204	-	10	28	41	36	24	17	11	8	1	28
Female	167	-	4	21	34	23	28	16	14	2	3	22
OHIO	169,600	5	2,872	30,979	51,320	39,548	23,103	10,505	3,988	1,396	645	5,239
Male	87,421	3	1,497	15,929	26,534	20,366	11,915	5,358	2,025	733	328	2,733
Female	82,179	2	1,375	15,050	24,786	19,182	11,188	5,147	1,963	663	317	2,506
White	159,693	2	2,476	28,912	49,085	37,975	22,063	9,878	3,642	1,281	605	3,774
Male	82,450	1	1,289	14,879	25,415	19,594	11,370	5,063	1,850	683	303	2,003
Female	77,243	1	1,187	14,033	23,670	18,381	10,693	4,815	1,792	598	302	1,771
Nonwhite	9,907	3	396	2,067	2,235	1,573	1,040	627	346	115	40	1,465
Male	4,971	2	208	1,050	1,119	772	545	295	175	50	25	730
Female	4,936	1	188	1,017	1,116	801	495	332	171	65	15	735
OKLAHOMA	50,416	1	1,435	11,460	14,355	9,928	6,305	3,194	1,462	618	418	1,240
Male	25,816	-	746	5,886	7,296	5,120	3,221	1,671	737	300	208	631
Female	24,600	1	689	5,574	7,059	4,808	3,084	1,523	725	318	210	609
White	44,843	-	1,169	10,403	13,182	9,063	5,624	2,750	1,240	513	319	580
Male	23,036	-	610	5,335	6,726	4,698	2,887	1,448	625	253	161	293
Female	21,807	-	559	5,068	6,456	4,365	2,737	1,302	615	260	158	287
Nonwhite	5,573	1	266	1,057	1,173	865	681	444	222	105	99	660
Male	2,780	-	136	551	570	422	334	223	112	47	47	338
Female	2,793	1	130	506	603	443	347	221	110	58	52	322
OREGON	30,076	-	470	5,950	9,062	7,033	4,248	1,869	744	250	128	302
Male	15,468	-	245	3,090	4,630	3,616	2,208	965	371	129	71	143
Female	14,608	-	225	2,860	4,432	3,417	2,040	924	373	121	57	159
White	29,504	-	452	5,840	8,928	6,903	4,160	1,839	723	246	123	292
Male	15,200	-	237	3,034	4,567	3,552	2,169	944	363	127	67	140
Female	14,304	-	215	2,806	4,359	3,351	1,991	895	360	119	56	152
Nonwhite	572	-	18	110	136	130	88	50	21	4	5	10
Male	268	-	8	56	63	64	39	21	8	2	4	3
Female	304	-	10	54	73	66	49	29	13	2	1	7
PENNSYLVANIA	218,376	3	3,511	38,254	66,501	53,162	32,104	13,855	5,038	1,699	787	3,662
Male	112,849	2	1,813	19,752	34,532	27,474	16,506	7,006	2,556	884	412	1,912
Female	105,527	1	1,698	18,502	31,969	25,688	15,598	6,649	2,482	815	375	1,750
White	205,449	3	2,813	35,213	63,352	51,129	30,616	12,778	4,594	1,563	711	2,677
Male	106,197	2	1,453	18,167	32,914	26,399	15,767	6,566	2,317	818	375	1,419
Female	99,252	1	1,360	17,046	30,438	24,730	14,849	6,212	2,277	745	336	1,258
Nonwhite	12,927	-	698	3,041	3,149	2,033	1,488	877	444	136	76	985
Male	6,652	-	360	1,585	1,618	1,075	739	440	239	66	37	493
Female	6,275	-	338	1,456	1,531	958	749	437	205	70	39	492
RHODE ISLAND	16,761	-	120	2,729	5,237	4,200	2,485	1,053	337	107	40	453
Male	8,627	-	62	1,423	2,753	2,121	1,249	541	169	55	21	233
Female	8,134	-	58	1,306	2,484	2,079	1,236	512	168	52	19	220
White	16,425	-	117	2,654	5,155	4,153	2,461	1,035	326	102	37	385
Male	8,446	-	61	1,383	2,706	2,094	1,238	531	164	55	20	194
Female	7,979	-	56	1,271	2,449	2,059	1,223	504	162	47	17	191
Nonwhite	336	-	3	75	82	47	24	18	11	5	3	68
Male	181	-	1	40	47	27	11	10	5	-	1	39
Female	155	-	2	35	35	20	13	8	6	5	2	29
SOUTH CAROLINA	53,963	4	1,204	11,189	14,334	9,736	6,740	3,189	1,553	563	456	4,995
Male	27,436	2	610	5,745	7,297	4,899	3,470	1,628	771	293	239	2,482
Female	26,527	2	594	5,444	7,037	4,837	3,270	1,561	782	270	217	2,513
White	31,010	2	655	6,693	9,217	6,477	4,040	1,843	802	317	237	727
Male	15,930	1	347	3,468	4,698	3,308	2,131	921	395	181	123	357
Female	15,080	1	308	3,225	4,519	3,169	1,909	922	407	136	114	370
Nonwhite	22,953	2	549	4,496	5,117	3,259	2,700	1,346	751	246	219	4,268
Male	11,506	1	263	2,277	2,599	1,591	1,339	707	376	112	116	2,125
Female	11,447	1	286	2,219	2,518	1,668	1,361	639	375	134	103	2,143
SOUTH DAKOTA	14,580	-	167	2,326	4,099	3,286	2,252	1,197	557	173	86	437
Male	7,470	-	84	1,179	2,145	1,681	1,134	626	284	74	47	216
Female	7,110	-	83	1,147	1,954	1,605	1,118	571	273	99	39	221
White	13,932	-	158	2,250	3,970	3,170	2,169	1,126	524	161	79	325
Male	7,152	-	82	1,139	2,084	1,624	1,096	594	263	70	44	156
Female	6,780	-	76	1,111	1,886	1,546	1,073	532	261	91	35	169
Nonwhite	648	-	9	76	129	116	83	71	33	12	7	112
Male	318	-	2	40	61	57	38	32	21	4	3	60
Female	330	-	7	36	68	59	45	39	12	8	4	52
TENNESSEE	77,336	1	2,305	15,728	20,021	15,393	10,518	5,383	2,476	1,010	781	3,720
Male	39,717	1	1,193	8,080	10,224	8,024	5,412	2,766	1,218	478	410	1,911
Female	37,619	-	1,112	7,648	9,797	7,369	5,106	2,617	1,258	532	371	1,809
White	65,507	1	1,751	13,600	17,848	13,572	9,120	4,617	2,020	808	645	1,525
Male	33,667	1	893	7,011	9,140	7,103	4,657	2,382	977	381	336	786
Female	31,840	-	858	6,589	8,708	6,469	4,463	2,235	1,043	427	309	739
Nonwhite	11,829	-	554	2,128	2,173	1,821	1,398	766	456	202	136	2,195
Male	6,050	-	300	1,069	1,084	921	755	384	241	97	74	1,125
Female	5,779	-	254	1,059	1,089	900	643	382	215	105	62	1,070

TABLE 9.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
TEXAS	181,579	2	4,981	37,620	48,557	37,375	25,198	12,634	5,624	1,981	1,327	6,280
Male	93,501	1	2,515	19,415	24,909	19,430	13,007	6,437	2,956	1,023	648	3,160
Female	88,078	1	2,466	18,205	23,648	17,945	12,191	6,197	2,668	958	679	3,120
White	160,269	2	4,036	33,450	44,411	34,190	22,575	11,106	4,781	1,625	1,086	3,007
Male	82,672	1	2,039	17,268	22,780	17,780	11,693	5,681	2,527	849	522	1,532
Female	77,597	1	1,997	16,182	21,631	16,410	10,882	5,425	2,254	776	564	1,475
Nonwhite	21,310	-	945	4,170	4,146	3,185	2,623	1,528	843	356	241	3,273
Male	10,829	-	476	2,147	2,129	1,650	1,314	756	429	174	126	1,628
Female	10,481	-	469	2,023	2,017	1,535	1,309	772	414	182	115	1,645
UTAH	18,220	-	349	3,726	5,432	4,043	2,576	1,264	465	146	58	161
Male	9,353	-	168	1,945	2,738	2,114	1,313	653	236	78	29	79
Female	8,867	-	181	1,781	2,694	1,929	1,263	611	229	68	29	82
White	17,949	-	346	3,687	5,338	3,987	2,545	1,238	454	141	57	156
Male	9,216	-	166	1,927	2,694	2,080	1,297	639	232	75	29	77
Female	8,733	-	180	1,760	2,644	1,907	1,248	599	222	66	28	79
Nonwhite	271	-	3	39	94	56	31	26	11	5	1	5
Male	137	-	2	18	44	34	16	14	4	3	-	2
Female	134	-	1	21	50	22	15	12	7	2	1	3
VERMONT	8,362	-	149	1,465	2,492	1,895	1,181	591	247	82	50	210
Male	4,250	-	71	762	1,282	926	606	296	138	41	17	111
Female	4,112	-	78	703	1,210	969	575	295	109	41	33	99
White	8,358	-	148	1,465	2,492	1,893	1,180	591	247	82	50	210
Male	4,249	-	70	762	1,282	926	606	296	138	41	17	111
Female	4,109	-	78	703	1,210	967	574	295	109	41	33	99
Nonwhite	4	-	1	-	-	2	1	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	2	1	-	-	-	-	-
VIRGINIA	75,861	2	1,534	14,146	20,864	16,080	10,291	4,956	2,243	756	590	4,399
Male	38,998	1	821	7,243	10,802	8,295	5,221	2,553	1,134	381	335	2,212
Female	36,863	1	713	6,903	10,062	7,785	5,070	2,403	1,109	375	255	2,187
White	58,348	-	916	10,967	16,976	13,250	8,280	3,881	1,627	539	406	1,506
Male	30,114	-	502	5,606	8,784	6,872	4,195	2,040	832	277	238	768
Female	28,234	-	414	5,361	8,192	6,378	4,085	1,841	795	262	168	738
Nonwhite	17,513	2	618	3,179	3,888	2,830	2,011	1,075	616	217	184	2,893
Male	8,884	1	319	1,637	2,018	1,423	1,026	513	302	104	97	1,444
Female	8,629	1	299	1,542	1,870	1,407	985	562	314	113	87	1,449
WASHINGTON	51,988	1	749	10,452	16,194	11,794	6,940	2,929	1,220	391	187	1,131
Male	26,883	-	402	5,469	8,355	6,015	3,576	1,529	622	212	104	599
Female	25,105	1	347	4,983	7,839	5,779	3,364	1,400	598	179	83	532
White	50,547	1	723	10,174	15,844	11,505	6,734	2,810	1,163	372	173	1,048
Male	26,147	-	387	5,315	8,192	5,887	3,465	1,455	594	200	98	554
Female	24,400	1	336	4,859	7,652	5,618	3,269	1,355	569	172	75	494
Nonwhite	1,441	-	26	278	350	289	206	119	57	19	14	83
Male	736	-	15	154	163	128	111	74	28	12	6	45
Female	705	-	11	124	187	161	95	45	29	7	8	38
WEST VIRGINIA	48,673	-	950	9,421	13,057	9,892	6,468	3,514	1,681	664	431	2,595
Male	25,215	-	490	4,847	6,731	5,190	3,364	1,837	872	346	223	1,315
Female	23,458	-	460	4,574	6,326	4,702	3,104	1,677	809	318	208	1,280
White	46,228	-	903	9,067	12,585	9,519	6,167	3,299	1,535	591	397	2,185
Male	23,989	-	461	4,687	6,498	5,002	3,218	1,717	793	307	203	1,103
Female	22,239	-	442	4,380	6,087	4,517	2,949	1,582	742	284	194	1,082
Nonwhite	2,445	-	47	354	472	373	301	215	146	73	34	430
Male	1,226	-	29	160	233	188	146	120	79	39	20	212
Female	1,219	-	18	194	239	185	155	95	67	34	14	218
WISCONSIN	74,755	-	553	11,491	22,040	18,724	11,487	5,428	2,138	718	267	1,909
Male	38,356	-	299	5,929	11,360	9,548	5,873	2,768	1,084	395	132	988
Female	36,399	-	254	5,562	10,680	9,176	5,614	2,660	1,054	323	135	941
White	73,934	-	545	11,370	21,849	18,573	11,394	5,369	2,100	705	263	1,766
Male	37,929	-	295	5,872	11,259	9,466	5,828	2,737	1,060	387	129	896
Female	36,005	-	250	5,498	10,590	9,107	5,566	2,632	1,040	318	134	870
Nonwhite	821	-	8	121	191	151	93	59	38	13	4	143
Male	427	-	4	57	101	82	45	31	24	8	3	72
Female	394	-	4	64	90	69	48	28	14	5	1	71
WYOMING	6,188	-	121	1,159	1,816	1,414	908	411	186	76	37	60
Male	3,201	-	64	607	935	726	466	208	96	42	20	37
Female	2,987	-	57	552	881	688	442	203	90	34	17	23
White	6,044	-	117	1,132	1,787	1,391	881	394	180	75	35	52
Male	3,130	-	62	595	918	716	453	200	92	42	19	33
Female	2,914	-	55	537	869	675	428	194	88	33	16	19
Nonwhite	144	-	4	27	29	23	27	17	6	1	2	8
Male	71	-	2	12	17	10	13	8	4	-	1	4
Female	73	-	2	15	12	13	14	9	2	1	1	4

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated.)

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TWINS				
UNITED STATES	37,916	32,776	4,952	188
2 males	12,959	11,342	1,535	82
Both living	11,757	10,355	1,344	58
1 living	665	540	122	3
Both stillborn	517	447	89	1
1 male, 1 female	12,604	10,689	1,852	63
Both living	11,811	10,122	1,634	55
1 living—Male	277	207	68	2
Female	285	204	89	2
Both stillborn	221	156	81	4
2 females	12,355	10,730	1,563	63
Both living	11,367	9,908	1,399	60
1 living	610	496	113	1
Both stillborn	379	326	51	2
Sex not stated	17	15	2	-
Both stillborn	17	15	2	-
ALABAMA				
2 males	317	210	107	-
Both living	278	188	90	-
1 living	19	11	8	-
Both stillborn	20	11	9	-
1 male, 1 female	344	202	142	-
Both living	313	186	127	-
1 living—Male	10	5	5	-
Female	12	8	4	-
Both stillborn	9	3	6	-
2 females	315	192	123	-
Both living	282	172	110	-
1 living	20	11	9	-
Both stillborn	13	9	4	-
ARIZONA				
2 males	64	49	6	9
Both living	58	46	3	9
1 living	4	2	2	-
Both stillborn	2	1	1	-
1 male, 1 female	47	40	5	2
Both living	44	38	4	2
1 living—Male	1	1	-	-
Both stillborn	2	1	1	-
2 females	52	46	4	2
Both living	49	43	4	2
1 living	2	2	-	-
Both stillborn	1	1	-	-
ARKANSAS				
2 males	201	163	38	-
Both living	182	148	34	-
1 living	9	7	2	-
Both stillborn	10	8	2	-
1 male, 1 female	215	152	63	-
Both living	196	145	51	-
1 living—Male	3	1	2	-
Female	7	2	5	-
Both stillborn	9	4	5	-
2 females	178	133	45	-
Both living	162	119	43	-
1 living	11	9	2	-
Both stillborn	5	5	-	-
CALIFORNIA				
2 males	802	753	38	11
Both living	726	681	35	10
1 living	46	44	1	1
Both stillborn	30	28	2	-
1 male, 1 female	804	732	65	7
Both living	768	704	58	6
1 living—Male	22	17	4	1
Female	8	6	2	-
Both stillborn	6	5	1	-
2 females	829	762	48	19
Both living	775	714	43	18
1 living	36	30	5	1
Both stillborn	18	18	-	-
COLORADO				
2 males	106	105	1	-
Both living	96	95	1	-
1 living	5	5	-	-
Both stillborn	5	5	-	-
1 male, 1 female	109	106	1	2
Both living	104	101	1	2
1 living—Male	1	1	-	-
Female	1	1	-	-
Both stillborn	3	3	-	-
2 females	119	115	2	2
Both living	110	106	2	2
1 living	7	7	-	-
Both stillborn	2	2	-	-
CASES OF TWINS—Con.				
CONNECTICUT				
2 males	140	136	4	-
Both living	133	129	4	-
1 living	4	4	-	-
Both stillborn	3	3	-	-
1 male, 1 female	144	144	-	-
Both living	141	141	-	-
1 living—Male	2	2	-	-
Female	1	1	-	-
2 females	146	137	9	-
Both living	140	132	8	-
1 living	4	3	1	-
Both stillborn	2	2	-	-
DELAWARE				
2 males	21	15	5	1
Both living	20	15	4	1
1 living	1	-	1	-
1 male, 1 female	18	15	3	-
Both living	18	15	3	-
2 females	17	14	2	1
Both living	16	14	1	1
1 living	1	-	1	-
DISTRICT OF COLUMBIA				
2 males	67	48	19	-
Both living	61	43	18	-
1 living	3	2	1	-
Both stillborn	3	3	-	-
1 male, 1 female	66	36	30	-
Both living	63	35	28	-
1 living—Male	2	1	1	-
Both stillborn	1	-	1	-
2 females	65	35	30	-
Both living	59	31	28	-
1 living	3	2	1	-
Both stillborn	3	2	1	-
FLORIDA				
2 males	194	143	51	-
Both living	170	126	44	-
1 living	15	11	4	-
Both stillborn	9	6	3	-
1 male, 1 female	195	133	62	-
Both living	179	127	52	-
1 living—Male	6	4	2	-
Female	9	2	7	-
Both stillborn	1	-	1	-
2 females	220	152	68	-
Both living	196	137	59	-
1 living	13	7	6	-
Both stillborn	11	8	3	-
GEORGIA				
2 males	260	166	94	-
Both living	219	143	76	-
1 living	19	11	8	-
Both stillborn	22	12	10	-
1 male, 1 female	293	183	110	-
Both living	264	173	91	-
1 living—Male	6	2	4	-
Female	12	4	8	-
Both stillborn	11	4	7	-
2 females	270	170	100	-
Both living	242	156	86	-
1 living	20	10	10	-
Both stillborn	8	4	4	-
IDAHO				
2 males	53	52	-	1
Both living	46	45	-	1
1 living	4	4	-	-
Both stillborn	3	3	-	-
1 male, 1 female	57	57	-	-
Both living	55	55	-	-
1 living—Female	1	1	-	-
Both stillborn	1	1	-	-
2 females	51	51	-	-
Both living	49	49	-	-
1 living	2	2	-	-
ILLINOIS				
2 males	696	636	60	-
Both living	621	566	55	-
1 living	51	47	4	-
Both stillborn	24	23	1	-
1 male, 1 female	638	565	72	1
Both living	595	530	64	1
1 living—Male	15	14	1	-
Female	20	14	6	-
Both stillborn	8	7	1	-
CASES OF TWINS—Con.				
ILLINOIS—Con.				
2 females	694	638	56	-
Both living	644	599	45	-
1 living	34	29	5	-
Both stillborn	16	10	6	-
INDIANA				
2 males	362	349	13	-
Both living	339	327	12	-
1 living	15	14	1	-
Both stillborn	8	8	-	-
1 male, 1 female	312	297	15	-
Both living	299	284	15	-
1 living—Male	1	1	-	-
Female	8	8	-	-
Both stillborn	4	4	-	-
2 females	331	322	9	-
Both living	310	302	8	-
1 living	15	14	1	-
Both stillborn	6	6	-	-
IOWA				
2 males	216	215	1	-
Both living	202	201	1	-
1 living	7	7	-	-
Both stillborn	7	7	-	-
1 male, 1 female	205	204	1	-
Both living	194	193	1	-
1 living—Male	6	6	-	-
Female	3	3	-	-
Both stillborn	2	2	-	-
2 females	206	205	-	1
Both living	190	189	-	1
1 living	9	9	-	-
Both stillborn	7	7	-	-
Sex not stated	1	1	-	-
Both stillborn	1	1	-	-
KANSAS				
2 males	175	172	3	-
Both living	162	159	3	-
1 living	10	10	-	-
Both stillborn	3	3	-	-
1 male, 1 female	133	127	6	-
Both living	126	120	6	-
1 living—Male	1	1	-	-
Female	3	3	-	-
Both stillborn	3	3	-	-
2 females	145	136	9	-
Both living	132	124	8	-
1 living	10	10	-	-
Both stillborn	3	2	1	-
KENTUCKY				
2 males	299	282	17	-
Both living	277	262	15	-
1 living	13	12	1	-
Both stillborn	9	8	1	-
1 male, 1 female	322	300	21	1
Both living	303	283	19	1
1 living—Male	9	8	1	-
Female	6	6	-	-
Both stillborn	4	3	1	-
2 females	299	276	23	-
Both living	283	261	22	-
1 living	10	9	1	-
Both stillborn	6	6	-	-
LOUISIANA				
2 males	304	177	127	-
Both living	278	162	116	-
1 living	17	9	8	-
Both stillborn	9	6	3	-
1 male, 1 female	297	152	145	-
Both living	279	149	130	-
1 living—Male	12	2	10	-
Female	5	1	4	-
Both stillborn	1	-	1	-
2 females	290	164	126	-
Both living	265	153	112	-
1 living	17	6	11	-
Both stillborn	8	5	3	-
Sex not stated	1	1	-	-
Both stillborn	1	1	-	-
MAINE				
2 males	77	77	-	-
Both living	70	70	-	-
1 living	6	6	-	-
Both stillborn	1	1	-	-

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TWINS—Con.				
MAINE—Con.				
1 male, 1 female	64	64	-	-
Both living	63	63	-	-
Both stillborn	1	1	-	-
2 females	74	74	-	-
Both living	71	71	-	-
1 living	3	3	-	-
MARYLAND				
2 males	204	166	38	-
Both living	193	158	35	-
1 living	5	4	1	-
Both stillborn	6	4	2	-
1 male, 1 female	211	154	57	-
Both living	192	145	47	-
1 living—Male	7	2	5	-
Female	6	4	2	-
Both stillborn	6	3	3	-
2 females	183	140	43	-
Both living	171	132	39	
1 living	7	3	4	-
Both stillborn	5	5	-	-
MASSACHUSETTS				
2 males	403	396	5	2
Both living	372	366	5	1
1 living	21	20	-	1
Both stillborn	10	10	-	-
1 male, 1 female	314	304	10	-
Both living	293	284	9	-
1 living—Male	6	6	-	-
Female	10	9	1	-
Both stillborn	5	5	-	-
2 females	349	341	7	1
Both living	312	305	7	-
1 living	21	21	-	-
Both stillborn	16	15	-	1
MICHIGAN				
2 males	583	549	34	-
Both living	534	506	28	-
1 living	30	24	6	-
Both stillborn	19	19	-	-
1 male, 1 female	509	472	36	1
Both living	482	446	35	1
1 living—Male	8	8	-	-
Female	12	11	1	-
Both stillborn	7	7	-	-
2 females	480	442	37	1
Both living	440	409	30	1
1 living	28	22	6	-
Both stillborn	12	11	1	-
Sex not stated	2	2	-	-
Both stillborn	2	2	-	-
MINNESOTA				
2 males	273	270	-	3
Both living	248	246	-	2
1 living	14	14	-	-
Both stillborn	11	10	-	1
1 male, 1 female	284	279	-	5
Both living	272	268	-	4
1 living—Male	4	4	-	-
Female	4	3	-	1
Both stillborn	4	4	-	-
2 females	244	241	1	2
Both living	213	211	-	2
1 living	21	21	-	-
Both stillborn	10	9	1	-
MISSISSIPPI				
2 males	258	113	145	-
Both living	240	109	131	-
1 living	15	3	12	-
Both stillborn	3	1	2	-
1 male, 1 female	262	108	153	1
Both living	247	107	139	1
1 living—Male	9	1	8	-
Female	4	-	4	-
Both stillborn	2	-	2	-
2 females	215	106	109	-
Both living	206	104	102	-
1 living	8	1	7	-
Both stillborn	1	1	-	-
MISSOURI				
2 males	356	325	31	-
Both living	321	293	28	-
1 living	21	20	1	-
Both stillborn	14	12	2	-
CASES OF TWINS—Con.				
MISSOURI—Con.				
1 male, 1 female	305	276	29	-
Both living	287	259	28	-
1 living—Male	6	6	-	-
Female	8	7	1	-
Both stillborn	4	4	-	-
2 females	306	281	25	-
Both living	277	254	23	-
1 living	18	16	2	-
Both stillborn	11	11	-	-
Sex not stated	2	1	1	-
Both stillborn	2	1	1	-
MONTANA				
2 males	64	64	-	-
Both living	59	59	-	-
1 living	3	3	-	-
Both stillborn	2	2	-	-
1 male, 1 female	89	85	-	4
Both living	84	80	-	4
1 living—Male	3	3	-	-
Both stillborn	2	2	-	-
2 females	58	56	-	2
Both living	53	51	-	2
1 living	3	3	-	-
Both stillborn	2	2	-	-
NEBRASKA				
2 males	107	105	1	1
Both living	91	90	-	1
1 living	13	12	1	-
Both stillborn	3	3	-	-
1 male, 1 female	108	106	1	1
Both living	103	102	1	-
1 living—Male	1	1	-	-
Female	4	3	-	1
2 females	99	99	-	-
Both living	93	93	-	-
1 living	3	3	-	-
Both stillborn	3	3	-	-
NEVADA				
2 males	10	10	-	-
Both living	10	10	-	-
1 male, 1 female	11	9	1	1
Both living	10	9	1	-
Both stillborn	1	-	-	1
2 females	10	9	1	-
Both living	9	8	1	-
Both stillborn	1	1	-	-
NEW HAMPSHIRE				
2 males	46	46	-	-
Both living	39	39	-	-
1 living	4	4	-	-
Both stillborn	3	3	-	-
1 male, 1 female	39	39	-	-
Both living	38	38	-	-
1 living—Male	1	1	-	-
2 females	34	34	-	-
Both living	31	31	-	-
1 living	2	2	-	-
Both stillborn	1	1	-	-
NEW JERSEY				
2 males	388	345	43	-
Both living	339	305	34	-
1 living	28	22	6	-
Both stillborn	21	18	3	-
1 male, 1 female	331	301	30	-
Both living	306	283	23	-
1 living—Male	16	13	3	-
Female	4	2	2	-
Both stillborn	5	3	2	-
2 females	364	326	38	-
Both living	335	300	35	-
1 living	19	18	1	-
Both stillborn	10	8	2	-
NEW MEXICO				
2 males	63	55	2	6
Both living	58	50	2	6
1 living	3	3	-	-
Both stillborn	2	2	-	-
1 male, 1 female	60	57	-	3
Both living	57	55	-	2
1 living—Female	2	2	-	-
Both stillborn	1	-	-	1
2 females	72	64	3	5
Both living	67	59	3	5
1 living	5	5	-	-
CASES OF TWINS—Con.				
NEW YORK				
2 males	1,104	1,013	88	3
Both living	980	899	78	3
1 living	59	52	7	-
Both stillborn	65	62	3	-
1 male, 1 female	1,075	994	79	2
Both living	995	924	69	2
1 living—Male	23	21	2	-
Female	28	24	4	-
Both stillborn	29	25	4	-
2 females	1,085	1,006	77	2
Both living	994	921	71	2
1 living	47	43	4	-
Both stillborn	44	42	2	-
Sex not stated	9	9	-	-
Both stillborn	9	9	-	-
NORTH CAROLINA				
2 males	378	270	105	3
Both living	345	250	92	3
1 living	20	10	10	-
Both stillborn	13	10	3	-
1 male, 1 female	409	242	162	5
Both living	378	234	141	3
1 living—Male	9	2	6	1
Female	16	4	12	-
Both stillborn	6	2	3	1
2 females	385	273	108	4
Both living	357	253	101	3
1 living	18	13	5	-
Both stillborn	10	7	2	1
Sex not stated	1	-	1	-
Both stillborn	1	-	1	-
NORTH DAKOTA				
2 males	70	69	-	1
Both living	64	63	-	1
1 living	4	4	-	-
Both stillborn	2	2	-	-
1 male, 1 female	66	66	-	-
Both living	60	60	-	-
1 living—Male	1	1	-	-
Female	1	1	-	-
Both stillborn	4	4	-	-
2 females	65	64	-	1
Both living	62	61	-	1
1 living	3	3	-	-
OHIO				
2 males	649	614	35	-
Both living	599	565	34	-
1 living	19	18	1	-
Both stillborn	31	31	-	-
1 male, 1 female	661	608	52	1
Both living	628	580	47	1
1 living—Male	10	10	-	-
Female	8	6	2	-
Both stillborn	15	12	3	-
2 females	649	594	55	-
Both living	597	547	50	-
1 living	23	21	2	-
Both stillborn	29	26	3	-
Sex not stated	1	1	-	-
Both stillborn	1	1	-	-
OKLAHOMA				
2 males	205	182	14	9
Both living	190	169	13	8
1 living	9	7	1	1
Both stillborn	6	6	-	-
1 male, 1 female	213	183	19	11
Both living	202	174	18	10
1 living—Male	1	1	-	-
Female	7	6	1	-
Both stillborn	3	2	-	1
2 females	215	192	16	7
Both living	205	182	16	7
1 living	6	6	-	-
Both stillborn	4	4	-	-
OREGON				
2 males	116	115	1	-
Both living	109	108	1	-
1 living	1	1	-	-
Both stillborn	6	6	-	-
1 male, 1 female	109	109	-	-
Both living	104	104	-	-
1 living—Male	1	1	-	-
Female	2	2	-	-
Both stillborn	2	2	-	-

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TWINS—Con.				
OREGON—Con.				
2 females	99	91	3	5
Both living	91	83	3	5
1 living	3	3	-	-
Both stillborn	5	5	-	-
PENNSYLVANIA				
2 males	841	787	54	-
Both living	763	717	46	-
1 living	31	28	3	-
Both stillborn	47	42	5	-
1 male, 1 female	783	711	72	-
Both living	728	664	64	-
1 living—Male	18	17	1	-
Female	19	15	4	-
Both stillborn	18	15	3	-
2 females	742	693	49	-
Both living	681	634	47	-
1 living	36	35	1	-
Both stillborn	25	24	1	-
RHODE ISLAND				
2 males	49	48	1	-
Both living	45	44	1	-
1 living	4	4	-	-
1 male, 1 female	56	56	-	-
Both living	55	55	-	-
1 living—Female	1	1	-	-
2 females	65	65	-	-
Both living	56	56	-	-
1 living	7	7	-	-
Both stillborn	2	2	-	-
SOUTH CAROLINA				
2 males	203	102	101	-
Both living	186	98	88	-
1 living	11	4	7	-
Both stillborn	6	-	6	-
1 male, 1 female	225	110	115	-
Both living	202	106	96	-
1 living—Male	4	-	4	-
Female	6	1	5	-
Both stillborn	13	3	10	-
2 females	193	100	92	1
Both living	175	93	81	1
1 living	13	4	9	-
Both stillborn	5	3	2	-
SOUTH DAKOTA				
2 males	69	63	-	6
Both living	68	62	-	6
1 living	1	1	-	-
1 male, 1 female	71	64	-	7
Both living	66	59	-	7
1 living—Male	2	2	-	-
Female	2	2	-	-
Both stillborn	1	1	-	-
2 females	48	46	-	2
Both living	47	45	-	2
1 living	1	1	-	-
TENNESSEE				
2 males	310	255	55	-
Both living	279	231	48	-
1 living	19	14	5	-
Both stillborn	12	10	2	-
1 male, 1 female	360	286	74	-
Both living	335	266	69	-
1 living—Male	12	10	2	-
Female	9	6	3	-
Both stillborn	4	4	-	-
2 females	330	277	53	-
Both living	292	244	48	-
1 living	24	21	3	-
Both stillborn	14	12	2	-
TEXAS				
2 males	704	609	95	-
Both living	648	565	83	-
1 living	34	24	10	-
Both stillborn	22	20	2	-
1 male, 1 female	695	578	117	-
Both living	653	547	106	-
1 living—Male	8	7	1	-
Female	20	12	8	-
Both stillborn	14	12	2	-
2 females	694	600	94	-
Both living	642	558	84	-
1 living	30	24	6	-
Both stillborn	22	18	4	-

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TWINS—Con.				
UTAH				
2 males	58	57	-	1
Both living	54	53	-	1
1 living	1	1	-	-
Both stillborn	3	3	-	-
1 male, 1 female	77	76	1	-
Both living	74	73	1	-
1 living—Male	2	2	-	-
Female	1	1	-	-
2 females	66	65	1	-
Both living	61	60	1	-
1 living	2	2	-	-
Both stillborn	3	3	-	-
VERMONT				
2 males	39	39	-	-
Both living	34	34	-	-
1 living	4	4	-	-
Both stillborn	1	1	-	-
1 male, 1 female	31	31	-	-
Both living	30	30	-	-
Both stillborn	1	1	-	-
2 females	33	33	-	-
Both living	32	32	-	-
Both stillborn	1	1	-	-
VIRGINIA				
2 males	330	240	90	-
Both living	294	220	74	-
1 living	20	10	10	-
Both stillborn	16	10	6	-
1 male, 1 female	297	216	81	-
Both living	272	203	69	-
1 living—Male	11	5	6	-
Female	9	7	2	-
Both stillborn	5	1	4	-
2 females	309	234	74	1
Both living	273	214	58	1
1 living	19	9	10	-
Both stillborn	17	11	6	-
WASHINGTON				
2 males	217	210	4	3
Both living	197	190	4	3
1 living	7	7	-	-
Both stillborn	13	13	-	-
1 male, 1 female	210	202	4	4
Both living	201	193	4	4
1 living—Male	6	6	-	-
Female	3	3	-	-
2 females	187	180	5	2
Both living	173	167	4	2
1 living	9	9	-	-
Both stillborn	5	4	1	-
WEST VIRGINIA				
2 males	196	188	8	-
Both living	178	171	7	-
1 living	12	12	-	-
Both stillborn	6	5	1	-
1 male, 1 female	206	193	13	-
Both living	192	180	12	-
1 living—Male	4	4	-	-
Female	8	7	1	-
Both stillborn	2	2	-	-
2 females	195	180	15	-
Both living	182	168	14	-
1 living	9	9	-	-
Both stillborn	4	3	1	-
WISCONSIN				
2 males	269	267	1	1
Both living	259	257	1	1
1 living	4	4	-	-
Both stillborn	6	6	-	-
1 male, 1 female	278	269	5	4
Both living	266	257	5	4
1 living—Male	7	7	-	-
Female	4	4	-	-
Both stillborn	1	1	-	-
2 females	257	252	3	2
Both living	241	237	2	2
1 living	8	8	-	-
Both stillborn	8	7	1	-
WYOMING				
2 males	23	22	-	1
Both living	23	22	-	1
1 male, 1 female	16	16	-	-
Both living	15	15	-	-
1 living—Female	1	1	-	-
2 females	24	24	-	-
Both living	24	24	-	-

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TRIPLETS				
UNITED STATES	343	278	64	1
3 males	90	74	15	1
All living	78	64	13	1
2 living	7	5	2	-
1 living	3	3	-	-
All stillborn	2	2	-	-
2 males, 1 female	74	57	17	-
All living	59	47	12	-
2 living—2 males	4	2	2	-
1 male, 1 female	4	2	2	-
1 living—Male	1	1	-	-
Female	5	5	-	-
All stillborn	1	-	1	-
1 male, 2 females	94	77	17	-
All living	83	67	16	-
2 living—2 females	1	1	-	-
1 male, 1 female	2	2	-	-
1 living—Male	2	2	-	-
Female	1	1	-	-
All stillborn	5	4	1	-
3 females	83	68	15	-
All living	74	63	11	-
2 living	2	2	-	-
1 living	1	-	1	-
All stillborn	6	3	3	-
Sex not stated	2	2	-	-
All stillborn	2	2	-	-
ALABAMA				
3 males	3	2	1	-
All living	2	1	1	-
All stillborn	1	1	-	-
2 males, 1 female	3	2	1	-
All living	3	2	1	-
1 male, 2 females	5	3	2	-
All living	2	-	2	-
2 living; 1 male, 1 female	1	1	-	-
All stillborn	2	2	-	-
3 females	3	2	1	-
All living	3	2	1	-
ARIZONA				
3 males	1	1	-	-
1 living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
ARKANSAS				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	3	3	-	-
All living	3	3	-	-
CALIFORNIA				
3 males	6	5	-	1
All living	5	4	-	1
1 living	1	1	-	-
2 males, 1 female	5	5	-	-
All living	3	3	-	-
1 living—Female	2	2	-	-
1 male, 2 females	7	6	1	-
All living	6	5	1	-
1 living—Male	1	1	-	-
3 females	8	8	-	-
All living	8	8	-	-
COLORADO				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
CONNECTICUT				
3 males	3	2	1	-
All living	3	2	1	-
1 male, 2 females	1	1	-	-
2 living; 1 male, 1 female	1	1	-	-
3 females	2	2	-	-
All living	2	2	-	-
Sex not stated	1	1	-	-
All stillborn	1	1	-	-

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TRIPLETS—Con.				
DISTRICT OF COLUMBIA				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	3	2	1	-
All living	3	2	1	-
FLORIDA				
3 males	1	1	-	-
2 living	1	1	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	-	1	-
All living	1	-	1	-
3 females	4	2	2	-
All living	2	2	-	-
1 living	1	-	1	-
All stillborn	1	-	1	-
GEORGIA				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	2	1	1	-
All living	1	1	-	-
All stillborn	1	-	1	-
1 male, 2 females	2	-	2	-
All living	2	-	2	-
3 females	1	-	1	-
All living	1	-	1	-
IDAHO				
3 males	2	2	-	-
All living	2	2	-	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
ILLINOIS				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	3	3	-	-
All living	2	2	-	-
1 living—Female	1	1	-	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	6	3	3	-
All living	4	1	3	-
2 living	1	1	-	-
All stillborn	1	1	-	-
INDIANA				
3 males	3	3	-	-
All living	3	3	-	-
2 males, 1 female	1	-	1	-
All living	1	-	1	-
3 females	3	3	-	-
All living	3	3	-	-
IOWA				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	1	1	-	-
2 living—2 males	1	1	-	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	1	1	-	-
All living	1	1	-	-
KANSAS				
3 males	3	2	1	-
All living	3	2	1	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
KENTUCKY				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
LOUISIANA				
3 males	4	4	-	-
All living	3	3	-	-
1 living	1	1	-	-
2 males, 1 female	3	2	1	-
All living	2	1	1	-
1 living—Male	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	2	1	1	-
All living	2	1	1	-

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TRIPLETS—Con.				
MAINE				
3 males	1	1	-	-
All living	1	1	-	-
3 females	3	3	-	-
All living	2	2	-	-
2 living	1	1	-	-
MARYLAND				
3 males	2	1	1	-
All living	2	1	1	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
All stillborn	1	1	-	-
MASSACHUSETTS				
3 males	2	2	-	-
All living	1	1	-	-
2 living	1	1	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	2	2	-	-
All living	1	1	-	-
1 living—Female	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
MICHIGAN				
3 males	3	2	1	-
All living	2	2	-	-
2 living	1	-	1	-
2 males, 1 female	2	2	-	-
All living	2	2	-	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	5	4	1	-
All living	4	3	1	-
All stillborn	1	1	-	-
MINNESOTA				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	3	3	-	-
All living	3	3	-	-
1 male, 2 females	3	3	-	-
All living	3	3	-	-
3 females	2	2	-	-
All living	2	2	-	-
MISSISSIPPI				
3 males	1	-	1	-
All living	1	-	1	-
2 males, 1 female	1	-	1	-
All living	1	-	1	-
1 male, 2 females	8	4	4	-
All living	8	4	4	-
3 females	1	-	1	-
All stillborn	1	-	1	-
MISSOURI				
3 males	2	1	1	-
All living	2	1	1	-
2 males, 1 female	3	2	1	-
All living	2	1	1	-
1 living—Female	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	2	2	-	-
All living	2	2	-	-
MONTANA				
3 males	1	1	-	-
All living	1	1	-	-
NEBRASKA				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
NEW HAMPSHIRE				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
NEW JERSEY				
3 males	4	3	1	-
All living	3	2	1	-
All stillborn	1	1	-	-

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TRIPLETS—Con.				
NEW JERSEY—Con.				
2 males, 1 female	2	1	1	-
All living	2	1	1	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
NEW MEXICO				
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	1	1	-	-
All living	1	1	-	-
NEW YORK				
3 males	7	6	1	-
All living	7	6	1	-
2 males, 1 female	11	10	1	-
All living	10	9	1	-
2 living; 1 male, 1 female	1	1	-	-
1 male, 2 females	7	6	1	-
All living	7	6	1	-
3 females	8	7	1	-
All living	8	7	1	-
Sex not stated	1	1	-	-
All stillborn	1	1	-	-
NORTH CAROLINA				
3 males	3	2	1	-
All living	3	2	1	-
2 males, 1 female	7	5	2	-
All living	5	4	1	-
2 living; 1 male, 1 female	2	1	1	-
1 male, 2 females	3	3	-	-
All living	3	3	-	-
3 females	1	-	1	-
All stillborn	1	-	1	-
OHIO				
3 males	3	2	1	-
All living	3	2	1	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	5	3	2	-
All living	4	3	1	-
All stillborn	1	-	1	-
3 females	4	4	-	-
All living	4	4	-	-
OKLAHOMA				
3 males	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
OREGON				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	2	2	-	-
All living	2	2	-	-
PENNSYLVANIA				
3 males	4	4	-	-
All living	4	4	-	-
2 males, 1 female	3	3	-	-
All living	3	3	-	-
1 male, 2 females	4	4	-	-
All living	3	3	-	-
All stillborn	1	1	-	-
3 females	5	5	-	-
All living	5	5	-	-
RHODE ISLAND				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
SOUTH CAROLINA				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	1	-	1	-
All living	1	-	1	-
3 females	3	1	2	-
All living	3	1	2	-

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TRIPLETS—Con.				
SOUTH DAKOTA				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
TENNESSEE				
3 males	5	3	2	-
All living	3	1	2	-
2 living	2	2	-	-
2 males, 1 female	2	-	2	-
2 living—2 males	2	-	2	-
1 male, 2 females	5	5	-	-
All living	5	5	-	-
3 females	1	1	-	-
All living	1	1	-	-
TEXAS				
3 males	5	5	-	-
All living	5	5	-	-
2 males, 1 female	3	1	2	-
All living	3	1	2	-
1 male, 2 females	5	3	2	-
All living	4	2	2	-
1 living—Male	1	1	-	-
3 females	2	2	-	-
All living	2	2	-	-
UTAH				
1 male, 2 females	1	1	-	-
2 living—2 females	1	1	-	-
VERMONT				
3 males	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-

	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TRIPLETS—Con.				
VIRGINIA				
3 males	3	1	2	-
All living	2	1	1	-
2 living	1	-	1	-
2 males, 1 female	5	3	2	-
All living	3	2	1	-
2 living—2 males	1	1	-	-
1 male, 1 female	1	-	1	-
1 male, 2 females	5	3	2	-
All living	4	2	2	-
All stillborn	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
WASHINGTON				
3 males	2	2	-	-
All living	1	1	-	-
2 living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
WEST VIRGINIA				
3 males	4	4	-	-
All living	4	4	-	-
2 males, 1 female	3	3	-	-
All living	2	2	-	-
1 living—Female	1	1	-	-
1 male, 2 females	3	3	-	-
All living	3	3	-	-
3 females	1	1	-	-
All living	1	1	-	-
WISCONSIN				
2 males, 1 female	1	1	-	-
All living	1	1	-	-

	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TRIPLETS—Con.				
WISCONSIN—Con.				
1 male, 2 females	2	2	-	-
All living	2	2	-	-
CASES OF QUADRUPLETS				
UNITED STATES	5	3	2	-
3 males, 1 female	2	2	-	-
All living	2	2	-	-
2 males, 2 females	2	1	1	-
All living	2	1	1	-
3 females, 1 male	1	-	1	-
All living	1	-	1	-
MARYLAND				
2 males, 2 females	1	1	-	-
All living	1	1	-	-
NEW YORK				
3 males, 1 female	1	1	-	-
All living	1	1	-	-
NORTH CAROLINA				
3 females, 1 male	1	-	1	-
All living	1	-	1	-
OREGON				
2 males, 2 females	1	-	1	-
All living	1	-	1	-
WASHINGTON				
3 males, 1 female	1	1	-	-
All living	1	1	-	-

TABLE 11.—STILLBIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1946

(Includes only stillbirths for which period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

STATE OF OCCURRENCE	Total stillbirths occurring in State	Stillbirths of residents occurring in place of residence	STILLBIRTHS TO NONRESIDENTS[1]														
			Total	Intrastate nonresidents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	74,849	50,904	23,945	22,187	1,758	45	4	49	34	11	30	6	21	29	33	10	122
Alabama	2,262	1,667	595	575	20	...	-	-	1	-	-	-	-	8	2	-	-
Arizona	345	233	112	93	19	-	...	3	6	-	-	-	-	-	-	-	2
Arkansas	873	596	277	238	39	1	-	...	-	-	-	-	-	-	-	-	-
California	4,015	2,421	1,594	1,569	25	-	1	1	...	-	-	-	-	-	-	1	1
Colorado	661	445	216	194	22	-	-	-	-	...	-	-	-	-	-	-	-
Connecticut	649	467	182	172	10	-	-	1	-	-	...	-	-	-	-	-	1
Delaware	145	88	57	47	10	-	-	-	-	-	-	...	-	-	-	-	-
District of Columbia	606	463	143	-	143	-	-	-	-	-	-	-	...	-	-	-	-
Florida	1,639	1,136	503	434	69	8	-	-	3	1	-	-	-	...	12	-	4
Georgia	2,305	1,748	557	504	53	15	-	-	-	-	-	-	-	12	...	-	-
Idaho	260	133	127	108	19	-	-	-	-	-	-	-	-	-	-	...	-
Illinois	3,587	2,578	1,009	967	42	-	-	1	-	-	-	-	-	-	-	-	...
Indiana	1,606	1,039	567	512	55	-	-	-	-	-	-	-	-	-	-	-	33
Iowa	1,035	569	466	423	43	-	-	-	-	-	-	-	-	-	-	-	21
Kansas	677	423	254	226	28	1	-	2	-	1	-	-	-	1	-	-	-
Kentucky	1,486	1,142	344	308	36	-	-	-	1	-	-	-	-	-	-	-	-
Louisiana	1,865	1,224	641	611	30	-	-	2	1	1	-	-	-	-	-	-	-
Maine	343	206	137	129	8	-	-	-	2	-	-	-	-	-	-	-	-
Maryland	1,250	926	324	256	68	1	-	-	-	-	-	5	14	5	-	-	1
Massachusetts	2,133	1,365	768	722	46	-	1	-	-	-	12	-	-	-	-	-	2
Michigan	3,129	2,083	1,046	1,024	22	-	-	-	-	-	-	-	-	-	-	-	1
Minnesota	1,336	813	523	482	41	1	-	-	1	-	-	-	1	-	-	-	1
Mississippi	1,893	1,509	384	351	33	7	-	-	-	-	-	-	-	-	-	-	1
Missouri	1,878	1,278	600	508	92	-	-	5	-	1	-	-	-	-	-	-	44
Montana	218	153	65	61	4	-	-	-	1	-	-	-	-	-	-	1	-
Nebraska	514	338	176	154	22	-	-	-	1	1	-	-	-	-	-	-	-
Nevada	70	47	23	19	4	-	-	-	2	-	-	-	-	-	-	1	-
New Hampshire	249	148	101	78	23	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	2,046	1,103	943	929	14	-	-	-	-	-	-	-	1	-	-	-	-
New Mexico	384	257	127	112	15	-	1	-	4	1	-	-	-	-	-	-	-
New York	7,418	5,626	1,792	1,707	85	1	-	-	1	-	14	-	1	1	1	-	-
North Carolina	2,366	1,566	800	770	30	-	-	-	-	-	-	-	-	-	1	-	1
North Dakota	276	141	135	114	21	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	4,053	2,728	1,325	1,252	73	-	-	-	-	1	-	-	-	1	-	-	2
Oklahoma	1,069	697	372	359	13	-	-	2	1	-	-	-	-	-	-	-	-
Oregon	523	305	218	201	17	-	-	-	3	-	-	-	-	-	-	2	-
Pennsylvania	4,639	2,758	1,880	1,815	65	-	-	-	2	-	-	1	-	-	-	-	-
Rhode Island	323	185	138	123	15	-	-	-	-	-	3	-	-	-	-	-	-
South Carolina	1,732	1,315	417	394	23	-	-	-	-	-	-	-	-	-	3	-	-
South Dakota	229	121	108	99	9	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	1,820	1,210	610	490	120	10	-	30	-	-	-	-	-	-	14	-	1
Texas	4,468	3,480	988	964	24	-	-	2	-	1	-	-	-	1	-	-	-
Utah	298	175	123	115	8	-	-	-	-	1	-	-	-	-	-	1	-
Vermont	185	105	80	70	10	-	-	-	-	-	1	-	-	-	-	-	-
Virginia	2,134	1,501	633	569	64	-	-	-	1	-	-	-	2	-	-	-	-
Washington	895	538	357	329	28	-	-	-	2	1	-	-	1	-	-	4	-
West Virginia	1,546	1,031	515	447	68	-	1	-	1	-	-	-	1	-	-	-	-
Wisconsin	1,312	749	563	539	24	-	-	-	-	-	-	-	-	-	-	-	6
Wyoming	105	75	30	24	6	-	-	-	-	1	-	-	-	-	-	-	-

[1]See discussion in text for definition of nonresident.

TABLE 13.—STILLBIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1946—Continued

(Includes only stillbirths for which period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

STATE OF OCCURRENCE	STILLBIRTHS TO NONRESIDENTS[1]—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	32	28	40	64	30	10	92	32	34	34	22	38	10	22	3	18	78	11	59
Alabama	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	1	-	2
Arizona	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	-
Arkansas	1	-	-	-	1	-	-	-	-	-	-	5	-	-	-	-	-	-	-
California	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	1	2
Colorado	1	-	1	-	2	-	-	1	-	-	-	-	-	2	-	-	-	2	1
Connecticut	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	6
Delaware	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	2	-	-
District of Columbia	-	-	-	-	-	-	63	1	-	-	-	-	-	1	-	-	-	-	1
Florida	1	-	1	1	1	1	1	2	1	1	-	1	-	-	-	-	3	-	8
Georgia	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	1
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Illinois	11	2	-	4	2	-	-	-	1	1	-	7	-	2	-	-	-	-	1
Indiana	...	-	-	8	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-
Iowa	-	...	-	-	-	-	-	-	-	3	-	7	-	5	-	-	1	-	-
Kansas	-	-	...	-	-	-	-	-	-	-	-	10	-	4	-	-	-	-	1
Kentucky	5	-	-	...	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2
Louisiana	-	-	-	-	...	-	-	-	-	-	6	-	-	-	-	-	-	-	-
Maine	-	-	1	-	-	...	-	1	-	-	-	-	-	-	-	3	-	-	-
Maryland	1	-	-	1	-	-	...	2	1	-	-	1	-	-	-	-	3	-	1
Massachusetts	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	9	1	-	3
Michigan	2	1	-	-	-	-	-	-	...	1	-	1	-	-	-	-	-	-	3
Minnesota	-	7	2	-	-	-	-	-	1	...	-	1	-	-	-	-	-	-	-
Mississippi	-	-	-	-	17	-	-	-	-	-	...	-	-	-	-	-	1	-	-
Missouri	-	-	29	-	-	-	-	-	1	1	-	...	-	1	-	-	-	-	1
Montana	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-
Nebraska	-	13	3	1	-	-	-	-	-	1	-	-	-	...	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	1	-	-	-	-	-	...	-	-	-	-
New Hampshire	-	-	-	-	-	8	-	2	-	-	-	-	-	-	-	...	-	-	1
New Jersey	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	4
New Mexico	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-
New York	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	31	-	...
North Carolina	-	-	-	1	2	-	-	-	1	1	-	-	-	-	-	-	2	-	1
North Dakota	-	-	-	1	-	-	-	-	-	10	-	-	5	-	-	-	-	-	-
Ohio	7	-	-	15	-	-	-	-	8	-	-	-	-	-	-	-	1	-	1
Oklahoma	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Oregon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania	-	-	-	-	-	-	12	1	1	1	-	-	-	-	-	-	28	-	9
Rhode Island	-	-	-	-	-	-	-	11	1	-	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	1
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
Tennessee	1	-	1	13	-	-	-	1	3	-	15	2	-	1	1	-	-	-	2
Texas	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	3	1
Utah	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1
Vermont	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	6	-	-	-
Virginia	1	-	-	-	-	-	4	-	1	2	-	-	-	-	-	-	1	-	3
Washington	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
West Virginia	-	-	-	19	-	-	6	-	-	-	-	1	-	-	-	-	-	-	1
Wisconsin	-	5	-	-	-	-	-	-	3	9	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-

[1] See discussion in text for definition of nonresident.

TABLE 11.—STILLBIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1946—Continued

(Includes only stillbirths for which period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

STATE OF OCCURRENCE	STILLBIRTHS TO NONRESIDENTS[1]—Continued																		Total stillbirths of residents
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	58	9	64	35	15	66	19	27	19	44	71	3	14	118	36	65	33	11	74,849
Alabama	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	2,287
Arizona	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	330
Arkansas	-	-	-	9	-	1	-	-	-	1	18	-	-	1	-	1	-	-	883
California	-	-	1	1	1	1	-	-	-	1	3	-	-	-	3	2	1	-	4,024
Colorado	-	-	1	-	-	1	1	-	1	-	3	1	-	-	1	-	1	3	650
Connecticut	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	669
Delaware	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	141
District of Columbia	3	-	-	-	-	2	-	1	-	-	-	-	-	70	-	1	-	-	484
Florida	6	-	1	-	1	1	-	1	-	1	4	-	-	2	-	2	-	-	1,599
Georgia	2	-	1	-	-	-	-	14	-	1	-	-	-	1	-	1	1	-	2,285
Idaho	-	-	-	-	2	-	-	-	-	-	1	-	-	-	15	-	-	-	251
Illinois	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	8	-	3,667
Indiana	-	-	6	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1,583
Iowa	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	-	1	-	1,020
Kansas	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-	1	-	-	689
Kentucky	-	1	12	-	-	-	-	-	-	10	-	1	-	-	-	3	-	-	1,514
Louisiana	1	1	1	-	-	2	-	1	-	1	13	-	-	-	-	-	-	-	1,865
Maine	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	345
Maryland	1	-	-	-	-	9	-	2	-	-	2	-	-	8	-	10	-	-	1,274
Massachusetts	-	-	-	-	-	-	17	-	-	-	-	-	1	-	-	-	-	-	2,119
Michigan	-	-	4	-	-	-	-	-	-	-	1	-	-	-	-	-	8	-	3,141
Minnesota	-	6	-	-	-	-	-	-	8	-	-	-	-	-	1	-	11	-	1,329
Mississippi	1	-	1	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	1,882
Missouri	-	-	1	4	-	1	-	-	-	-	1	-	-	1	-	-	1	-	1,824
Montana	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	224
Nebraska	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	514
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
New Hampshire	-	-	-	-	-	-	-	-	-	-	1	-	11	-	-	-	-	-	244
New Jersey	-	-	1	-	-	7	-	-	-	-	-	-	-	1	-	-	-	-	2,110
New Mexico	-	-	-	1	-	-	-	-	-	-	7	-	-	-	-	-	-	-	380
New York	4	-	1	-	-	20	1	-	-	1	-	-	1	1	-	-	-	-	7,392
North Carolina	...	-	2	-	-	4	-	6	-	5	-	-	-	3	-	-	-	-	2,394
North Dakota	-	...	-	-	-	-	-	-	4	-	1	-	-	-	-	-	-	-	264
Ohio	-	-	...	1	-	7	-	-	-	-	1	-	-	-	-	28	-	-	4,044
Oklahoma	-	-	1	...	-	-	-	-	-	-	5	-	-	-	-	-	-	-	1,091
Oregon	-	-	-	-	...	-	-	-	-	-	-	-	-	-	12	-	-	-	521
Pennsylvania	1	-	5	-	1	...	-	-	-	-	-	-	-	1	-	2	-	-	4,639
Rhode Island	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	327
South Carolina	14	-	-	-	1	-	-	...	-	-	-	-	-	-	-	-	-	-	1,736
South Dakota	-	1	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	4	239
Tennessee	6	-	2	-	-	2	-	1	-	...	1	-	-	13	-	-	-	-	1,744
Texas	-	-	-	12	-	-	-	-	-	-	...	-	-	-	-	-	-	-	4,515
Utah	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	2	293
Vermont	-	-	-	-	-	1	-	-	-	-	-	-	...	-	-	-	-	-	189
Virginia	16	-	1	-	-	-	-	-	-	16	1	-	1	...	-	14	-	-	2,188
Washington	1	-	1	1	9	-	-	-	-	-	4	1	-	-	...	-	-	-	903
West Virginia	1	-	20	-	-	2	-	-	-	-	-	-	-	15	-	...	-	-	1,543
Wisconsin	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	...	-	1,321
Wyoming	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	...	110

[1]See discussion in text for definition of nonresident.

793002 O - 48 - 14

TABLE 12.—STILLBIRTHS BY SEX, RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES, 1946

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA, SEX, RACE, AND NATIVITY OF WHITE MOTHER	Total stillbirths	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
BOTH SEXES	74,849	131	7,244	18,873	17,661	14,268	9,996	3,536	366	9	2,767
White, mother native	56,807	28	4,506	14,448	14,209	11,274	7,603	2,584	265	6	1,984
White, mother foreign	2,546	-	58	321	433	605	673	359	39	1	57
White, mother's nativity not stated	141	-	4	11	9	8	7	2	1	-	89
Negro	14,954	103	2,636	3,975	2,937	2,307	1,751	569	57	2	617
Other	401	-	40	118	73	72	62	22	4	-	10
Urban	45,465	57	3,851	11,599	11,439	9,192	5,809	1,854	162	5	1,497
White, mother native	34,794	11	2,326	8,958	9,324	7,334	4,378	1,317	116	2	1,028
White, mother foreign	2,060	-	43	246	356	517	560	272	29	1	37
White, mother's nativity not stated	118	-	3	10	6	7	4	1	-	-	85
Negro	8,367	46	1,469	2,353	1,719	1,306	853	258	18	2	343
Other	128	-	10	32	34	28	14	6	-	-	4
Places of 100,000 or more	22,378	25	1,680	5,524	5,734	4,762	3,037	902	84	1	629
White, mother native	16,326	3	914	4,021	4,535	3,644	2,178	586	57	-	388
White, mother foreign	1,258	-	13	127	207	339	376	166	19	1	10
White, mother's nativity not stated	89	-	1	5	2	6	2	-	-	-	73
Negro	4,633	22	748	1,348	968	759	476	147	8	-	157
Other	72	-	4	23	22	14	5	3	-	-	1
Places of 25,000 to 100,000	9,036	12	781	2,400	2,279	1,790	1,079	363	27	3	302
White, mother native	6,984	1	456	1,880	1,883	1,450	836	263	19	2	204
White, mother foreign	374	-	12	50	59	83	97	57	5	-	11
White, mother's nativity not stated	13	-	1	2	1	-	-	1	-	-	8
Negro	1,642	11	311	466	331	254	144	42	3	1	79
Other	13	-	1	2	5	3	2	-	-	-	-
Places of 10,000 to 25,000	6,266	7	568	1,633	1,584	1,187	755	285	17	1	229
White, mother native	5,058	2	366	1,348	1,335	1,003	604	219	14	-	167
White, mother foreign	219	-	12	39	44	48	42	27	-	-	7
White, mother's nativity not stated	6	-	-	-	-	1	2	-	-	-	3
Negro	969	5	190	244	201	133	104	37	3	1	51
Other	14	-	-	2	4	2	3	2	-	-	1
Places of 2,500 to 10,000	7,785	13	822	2,042	1,842	1,453	938	304	34	-	337
White, mother native	6,416	5	590	1,709	1,571	1,237	760	249	26	-	269
White, mother foreign	209	-	6	30	46	47	45	22	4	-	9
White, mother's nativity not stated	8	-	1	3	3	-	-	-	-	-	1
Negro	1,123	8	220	295	219	160	129	32	4	-	56
Other	29	-	5	5	3	9	4	1	-	-	2
Rural	29,384	74	3,393	7,274	6,222	5,074	4,187	1,682	204	4	1,270
White, mother native	22,013	17	2,180	5,490	4,885	3,940	3,125	1,267	149	4	956
White, mother foreign	486	-	15	75	77	88	113	87	11	-	20
White, mother's nativity not stated	25	-	1	1	3	1	3	1	1	-	14
Negro	6,587	57	1,167	1,622	1,218	1,001	898	311	39	-	274
Other	273	-	30	86	39	44	48	16	4	-	6
MALE	40,131	76	3,940	10,079	9,478	7,635	5,405	1,855	192	5	1,466
White, mother native	30,406	19	2,447	7,719	7,613	6,024	4,037	1,348	136	3	1,060
White, mother foreign	1,373	-	30	162	235	325	383	186	25	1	26
White, mother's nativity not stated	68	-	4	4	7	5	3	1	1	-	43
Negro	8,061	57	1,437	2,138	1,577	1,233	947	311	30	1	330
Other	223	-	22	56	46	48	35	9	-	-	7
Urban	23,972	32	2,079	6,091	6,019	4,844	3,092	950	82	3	780
White, mother native	18,356	7	1,251	4,729	4.925	3,884	2,331	660	53	1	535
White, mother foreign	1,109	-	26	124	189	277	316	141	19	1	16
White, mother's nativity not stated	59	-	3	4	5	5	1	1	-	-	40
Negro	4,373	25	793	1,218	881	678	436	146	10	1	185
Other	75	-	6	16	19	20	8	2	-	-	4
Places of 100,000 or more	11,539	9	884	2,815	3,000	2,495	1,580	423	41	1	311
White, mother native	8,452	1	483	2,060	2,388	1,910	1,126	288	22	-	196
White, mother foreign	650	-	9	60	109	173	202	78	13	1	5
White, mother's nativity not stated	41	-	1	2	2	4	-	-	-	-	32
Negro	2,357	8	389	682	487	401	230	77	6	-	77
Other	39	-	2	11	14	7	2	2	-	-	1
Places of 25,000 to 100,000	4,807	9	424	1,281	1,205	923	586	197	14	2	164
White, mother native	3,716	1	239	1,007	1,008	748	456	138	11	1	107
White, mother foreign	203	-	7	25	34	41	58	29	2	-	7
White, mother's nativity not stated	8	-	1	-	1	-	-	1	-	-	5
Negro	871	8	176	248	160	131	72	29	1	1	45
Other	9	-	1	1	2	3	2	-	-	-	-
Places of 10,000 to 25,000	3,376	7	314	888	850	640	403	149	8	-	117
White, mother native	2,708	2	207	736	716	538	310	112	7	-	80
White, mother foreign	127	-	6	20	21	34	28	17	-	-	1
White, mother's nativity not stated	4	-	-	-	-	1	1	-	-	-	2
Negro	530	5	101	132	111	65	62	20	1	-	33
Other	7	-	-	-	2	2	2	-	-	-	1
Places of 2,500 to 10,000	4,250	7	457	1,107	964	786	541	181	19	-	188
White, mother native	3,480	3	322	926	813	668	439	144	13	-	152
White, mother foreign	129	-	4	19	25	29	28	17	4	-	3
White, mother's nativity not stated	6	-	1	2	2	-	-	-	-	-	1
Negro	615	4	127	156	123	81	72	20	2	-	30
Other	20	-	3	4	1	8	2	-	-	-	2
Rural	16,159	44	1,861	3,988	3,459	2,791	2,313	905	110	2	686
White, mother native	12,050	12	1,196	2,990	2,688	2,160	1,706	688	83	2	525
White, mother foreign	264	-	4	38	46	48	67	45	6	-	10
White, mother's nativity not stated	9	-	1	-	2	-	2	-	1	-	3
Negro	3,688	32	644	920	696	555	511	165	20	-	145
Other	148	-	16	40	27	28	27	7	-	-	3

TABLE 12.—STILLBIRTHS BY SEX, RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES, 1946—Continued

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA, SEX, RACE, AND NATIVITY OF WHITE MOTHER	Total stillbirths	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
FEMALE	33,025	53	3,182	8,399	7,749	6,313	4,355	1,603	170	4	1,197
White, mother native	25,182	9	1,997	6,449	6,240	5,016	3,299	1,187	128	3	854
White, mother foreign	1,046	-	27	147	182	246	252	151	12	-	29
White, mother's nativity not stated	61	-	-	7	2	2	4	1	-	-	45
Negro	6,563	44	1,141	1,735	1,298	1,026	774	252	26	1	266
Other	173	-	17	61	27	23	26	12	4	-	3
Urban	20,156	24	1,693	5,199	5,058	4,083	2,525	844	77	2	651
White, mother native	15,461	4	1,031	4,010	4,097	3,272	1,912	821	62	1	451
White, mother foreign	828	-	16	111	152	206	207	110	7	-	19
White, mother's nativity not stated	46	-	-	6	1	1	3	-	-	-	35
Negro	3,769	20	642	1,056	793	596	397	110	8	1	146
Other	52	-	4	16	15	8	6	3	-	-	-
Places of 100,000 or more	9,736	16	739	2,454	2,427	2,037	1,312	428	40	-	283
White, mother native	7,092	2	401	1,789	1,896	1,565	939	293	34	-	173
White, mother foreign	488	-	3	56	83	132	140	67	4	-	3
White, mother's nativity not stated	38	-	-	3	-	1	2	-	-	-	32
Negro	2,086	14	333	594	440	332	228	68	2	-	75
Other	32	-	2	12	8	7	3	-	-	-	-
Places of 25,000 to 100,000	4,141	3	351	1,096	1,055	853	479	164	13	1	126
White, mother native	3,206	-	215	854	856	690	370	123	8	1	89
White, mother foreign	169	-	5	25	25	42	37	28	3	-	4
White, mother's nativity not stated	5	-	-	2	-	-	-	-	-	-	3
Negro	757	3	131	214	171	121	72	13	2	-	30
Other	4	-	-	1	3	-	-	-	-	-	-
Places of 10,000 to 25,000	2,828	-	246	732	719	541	346	129	9	1	105
White, mother native	2,296	-	152	600	605	460	290	100	7	-	82
White, mother foreign	92	-	6	19	23	14	14	10	-	-	6
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	432	-	88	111	89	67	40	17	2	1	17
Other	7	-	-	2	2	-	1	2	-	-	-
Places of 2,500 to 10,000	3,451	5	357	917	857	682	388	123	15	-	137
White, mother native	2,867	2	263	767	740	557	313	105	13	-	107
White, mother foreign	79	-	2	11	21	18	16	5	-	-	6
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	494	3	90	137	93	76	57	12	2	-	24
Other	9	-	2	1	2	1	2	1	-	-	-
Rural	12,869	29	1,489	3,200	2,691	2,230	1,830	759	93	2	546
White, mother native	9,721	5	966	2,439	2,143	1,744	1,387	566	66	2	403
White, mother foreign	218	-	11	36	30	40	45	41	5	-	10
White, mother's nativity not stated	15	-	-	1	1	1	1	1	-	-	10
Negro	2,794	24	499	679	505	430	377	142	18	-	120
Other	121	-	13	45	12	15	20	9	4	-	3
NOT STATED	1,693	2	122	395	434	318	236	78	4	-	104
White, mother native	1,219	-	62	280	356	234	167	49	1	-	70
White, mother foreign	127	-	1	12	16	34	38	22	2	-	2
White, mother's nativity not stated	12	-	-	-	-	1	-	-	-	-	11
Negro	330	2	58	102	62	48	30	6	1	-	21
Other	5	-	1	1	-	1	1	1	-	-	-
Urban	1,337	1	79	309	362	265	192	60	3	-	66
White, mother native	977	-	44	219	302	198	135	36	1	-	42
White, mother foreign	123	-	1	11	15	34	37	21	2	-	2
White, mother's nativity not stated	11	-	-	-	-	1	-	-	-	-	10
Negro	225	1	34	79	45	32	20	2	-	-	12
Other	1	-	-	-	-	-	-	1	-	-	-
Places of 100,000 or more	1,103	-	57	255	307	230	165	51	3	-	35
White, mother native	782	-	30	172	251	169	113	27	1	-	19
White, mother foreign	120	-	1	11	15	34	34	21	2	-	2
White, mother's nativity not stated	10	-	-	-	-	1	-	-	-	-	9
Negro	190	-	26	72	41	26	18	2	-	-	5
Other	1	-	-	-	-	-	-	1	-	-	-
Places of 25,000 to 100,000	88	-	6	23	19	14	12	2	-	-	12
White, mother native	72	-	2	19	19	12	10	2	-	-	8
White, mother foreign	2	-	-	-	-	-	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	14	-	4	4	-	2	-	-	-	-	4
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	62	-	8	13	15	6	6	7	-	-	7
White, mother native	54	-	7	12	14	5	4	7	-	-	5
White, mother foreign	-	-	-	-	-	-	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	7	-	1	1	1	1	2	-	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	84	1	8	18	21	15	9	-	-	-	12
White, mother native	69	-	5	16	18	12	8	-	-	-	10
White, mother foreign	1	-	-	-	-	-	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	14	1	3	2	3	3	-	-	-	-	2
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	356	1	43	86	72	53	44	18	1	-	38
White, mother native	242	-	18	61	54	38	32	13	-	-	28
White, mother foreign	4	-	-	1	1	-	1	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	105	1	24	23	17	16	10	4	1	-	9
Other	4	-	1	1	-	1	1	-	-	-	-

TABLE 13.–STILLBIRTHS BY SEX, AGE OF MOTHER, BIRTH ORDER (INCLUDING STILLBIRTHS), RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1946

(Birth order refers to number of children ever born to mother, including children born dead. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

SEX, AGE OF MOTHER, AND BIRTH ORDER (INCLUDING STILLBIRTHS)	Total still-births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
TOTAL[2]	74,849	59,494	56,807	2,546	14,954	401
Male	40,131	31,847	30,406	1,373	8,061	223
Female	33,025	26,289	25,182	1,046	6,563	173
Not stated	1,693	1,358	1,219	127	330	5
10 to 14 years	131	28	28	-	103	-
15 to 19 years	7,244	4,568	4,506	58	2,636	40
20 to 24 years	18,873	14,780	14,448	321	3,975	118
25 to 29 years	17,661	14,651	14,209	433	2,937	73
30 to 34 years	14,266	11,887	11,274	605	2,307	72
35 to 39 years	9,996	8,183	7,503	673	1,751	62
40 to 44 years	3,536	2,945	2,584	359	569	22
45 to 49 years	366	305	265	39	57	4
50 years and over	9	7	6	1	2	-
Not stated	2,767	2,140	1,984	57	617	10
FIRST CHILD	25,120	20,924	20,250	651	4,081	115
Male	13,532	11,226	10,871	339	2,248	58
Female	11,006	9,199	8,921	271	1,750	57
Not stated	582	499	458	41	83	-
10 to 14 years	102	23	23	-	79	-
15 to 19 years	5,009	3,392	3,354	35	1,591	26
20 to 24 years	8,870	7,562	7,391	165	1,260	48
25 to 29 years	5,643	5,052	4,873	175	570	21
30 to 34 years	3,122	2,776	2,825	147	331	15
35 to 39 years	1,423	1,286	1,191	93	133	4
40 to 44 years	291	267	243	24	24	-
45 to 49 years	15	14	14	-	1	-
Not stated	645	552	536	12	92	1
SECOND CHILD	13,315	11,066	10,630	431	2,195	54
Male	7,102	5,920	5,692	225	1,153	29
Female	5,874	4,880	4,705	175	970	24
Not stated	339	266	235	31	72	1
10 to 14 years	11	3	3	-	8	-
15 to 19 years	1,205	612	597	15	587	6
20 to 24 years	4,252	3,383	3,310	73	843	26
25 to 29 years	3,605	3,219	3,127	88	379	7
30 to 34 years	2,569	2,324	2,196	127	237	8
35 to 39 years	1,280	1,173	1,081	92	100	7
40 to 44 years	240	222	190	32	18	-
45 to 49 years	12	11	9	2	1	-
Not stated	141	119	117	2	22	-
THIRD CHILD	8,517	6,870	6,568	299	1,604	43
Male	4,564	3,683	3,520	163	856	25
Female	3,738	3,009	2,893	113	711	18
Not stated	215	178	155	23	37	-
10 to 14 years	1	-	-	-	1	-
15 to 19 years	324	131	130	1	189	4
20 to 24 years	2,106	1,414	1,386	26	670	22
25 to 29 years	2,431	2,036	1,989	47	384	11
30 to 34 years	2,037	1,839	1,741	98	195	3
35 to 39 years	1,173	1,051	974	77	120	2
40 to 44 years	325	302	255	46	22	1
45 to 49 years	13	12	8	4	1	-
Not stated	107	85	85	-	22	-
FOURTH CHILD	5,460	4,255	4,054	197	1,171	34
Male	2,973	2,310	2,204	104	641	22
Female	2,365	1,852	1,765	85	503	10
Not stated	122	93	85	8	27	2
15 to 19 years	77	25	25	-	51	1
20 to 24 years	1,002	565	556	8	426	11
25 to 29 years	1,606	1,244	1,217	27	355	7
30 to 34 years	1,438	1,227	1,188	38	202	9
35 to 39 years	971	864	783	81	103	4
40 to 44 years	286	264	224	39	20	2
45 to 49 years	23	21	19	2	2	-
50 years and over	1	1	-	1	-	-
Not stated	56	44	42	1	12	-
FIFTH CHILD	3,669	2,689	2,550	139	953	27
Male	1,967	1,448	1,369	79	505	14
Female	1,620	1,178	1,126	52	429	13
Not stated	82	63	55	8	19	-
15 to 19 years	26	7	7	-	19	-
20 to 24 years	478	244	240	4	229	5
25 to 29 years	999	670	657	13	321	8
30 to 34 years	1,019	795	758	37	212	12
35 to 39 years	808	680	621	59	128	2
40 to 44 years	274	239	213	26	35	-
45 to 49 years	20	18	18	-	2	-
50 years and over	2	2	2	-	-	-
Not stated	43	34	34	-	9	-
SIXTH CHILD	2,550	1,778	1,681	96	750	22
Male	1,321	929	877	51	377	15
Female	1,172	807	771	36	358	7
Not stated	57	42	33	9	15	-
15 to 19 years	4	-	-	-	4	-
20 to 24 years	209	84	82	2	125	-
25 to 29 years	621	380	371	9	235	6
30 to 34 years	776	550	531	19	216	10
35 to 39 years	647	513	473	39	129	5
40 to 44 years	226	194	170	24	31	1
45 to 49 years	31	30	27	3	1	-
50 years and over	1	1	1	-	-	-
Not stated	35	26	26	-	9	-
SEVENTH CHILD	1,863	1,233	1,182	72	611	17
Male	984	641	595	45	332	11
Female	853	576	550	26	271	6
Not stated	26	18	17	1	8	-
20 to 24 years	99	30	29	1	69	-
25 to 29 years	376	189	182	7	183	4
30 to 34 years	556	373	356	17	179	4
35 to 39 years	557	416	389	27	135	6
40 to 44 years	225	193	178	15	29	3
45 to 49 years	27	21	16	4	6	-
Not stated	23	13	12	1	10	-
EIGHTH CHILD	1,410	880	822	58	515	15
Male	792	494	464	30	289	9
Female	589	363	336	27	220	6
Not stated	29	23	22	1	6	-
20 to 24 years	33	9	9	-	23	1
25 to 29 years	226	91	89	2	134	1
30 to 34 years	421	250	242	8	168	3
35 to 39 years	478	320	297	23	151	7
40 to 44 years	210	174	152	22	33	3
45 to 49 years	26	24	21	3	2	-
50 years and over	1	1	1	-	-	-
Not stated	15	11	11	-	4	-
NINTH CHILD	1,086	670	636	33	405	11
Male	600	377	358	18	217	6
Female	472	283	268	15	184	5
Not stated	14	10	10	-	4	-
20 to 24 years	17	4	4	-	13	-
25 to 29 years	105	35	33	2	70	-
30 to 34 years	293	149	146	3	142	2
35 to 39 years	433	303	288	15	124	6
40 to 44 years	203	154	141	13	47	2
45 to 49 years	21	17	17	-	3	1
Not stated	14	8	7	-	6	-
TENTH CHILD	801	457	423	34	334	10
Male	427	237	216	21	186	4
Female	360	210	198	12	144	6
Not stated	14	10	9	1	4	-
20 to 24 years	8	1	1	-	7	-
25 to 29 years	60	20	18	2	39	1
30 to 34 years	181	82	77	5	98	1
35 to 39 years	330	183	171	12	140	7
40 to 44 years	189	148	135	13	40	1
45 to 49 years	20	15	13	2	5	-
50 years and over	1	-	-	-	1	-
Not stated	12	8	8	-	4	-
ELEVENTH CHILD	589	332	309	23	252	5
Male	305	169	157	12	132	4
Female	274	157	147	10	116	1
Not stated	10	6	5	1	4	-
20 to 24 years	1	1	1	-	-	-
25 to 29 years	32	11	11	-	19	2
30 to 34 years	119	48	47	2	69	1
35 to 39 years	250	139	132	7	110	1
40 to 44 years	157	109	99	10	47	1
45 to 49 years	21	18	14	4	3	-
Not stated	9	5	5	-	4	-
TWELFTH CHILD	437	255	232	22	175	7
Male	230	131	118	13	98	1
Female	202	122	112	9	74	6
Not stated	5	2	2	-	3	-
25 to 29 years	9	3	3	-	6	-
30 to 34 years	61	25	24	1	36	-
35 to 39 years	189	97	86	10	88	4
40 to 44 years	142	100	92	8	39	3
45 to 49 years	31	30	27	3	1	-
Not stated	5	-	-	-	5	-

[1] Includes mother's nativity not stated.

[2] Figures for Massachusetts are included in the "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of such information.

TABLE 13.—STILLBIRTHS BY SEX, AGE OF MOTHER, BIRTH ORDER (INCLUDING STILLBIRTHS), RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1946—Continued

(Birth order refers to number of children ever born to mother, including children born dead. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

SEX, AGE OF MOTHER, AND BIRTH ORDER (INCLUDING STILLBIRTHS)	Total still-births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
THIRTEENTH CHILD	305	169	147	22	135	1
Male	167	99	82	17	68	-
Female	131	67	62	5	63	1
Not stated	7	3	3	-	4	-
25 to 29 years	6	1	1	-	5	-
30 to 34 years	29	16	14	2	13	-
35 to 39 years	131	64	54	10	67	-
40 to 44 years	115	69	62	7	46	-
45 to 49 years	22	17	15	2	4	1
Not stated	2	2	1	1	-	-
FOURTEENTH CHILD	194	104	91	13	87	3
Male	114	59	49	10	54	1
Female	78	45	42	3	31	2
Not stated	2	-	-	-	2	-
25 to 29 years	3	-	-	-	3	-
30 to 34 years	19	6	5	1	13	-
35 to 39 years	62	28	28	-	34	-
40 to 44 years	88	56	47	9	31	1
45 to 49 years	18	11	8	3	5	2
Not stated	4	3	3	-	1	-
FIFTEENTH CHILD	107	56	47	9	50	1
Male	53	28	24	4	24	1
Female	53	28	23	5	25	-
Not stated	1	-	-	-	1	-
30 to 34 years	9	6	6	-	3	-
35 to 39 years	33	12	9	3	21	-
40 to 44 years	57	34	28	6	22	1
45 to 49 years	7	4	4	-	3	-
Not stated	1	-	-	-	1	-
SIXTEENTH CHILD	68	31	28	3	36	1
Male	32	13	12	1	18	1
Female	36	18	16	2	18	-
30 to 34 years	9	3	3	-	6	-
35 to 39 years	26	12	10	2	13	1
40 to 44 years	26	13	13	-	13	-
45 to 49 years	7	3	2	1	4	-
SEVENTEENTH CHILD	50	28	26	2	22	-
Male	26	15	13	2	11	-
Female	23	13	13	-	10	-
Not stated	1	-	-	-	1	-
30 to 34 years	3	-	-	-	3	-
35 to 39 years	18	7	7	-	11	-
40 to 44 years	26	19	17	2	7	-
45 to 49 years	3	2	2	-	1	-
EIGHTEENTH CHILD	13	3	3	-	10	-
Male	6	2	2	-	4	-
Female	7	1	1	-	6	-
35 to 39 years	3	-	-	-	3	-
40 to 44 years	8	2	2	-	6	-
45 to 49 years	2	1	1	-	1	-
NINETEENTH CHILD	17	8	7	1	8	1
Male	9	6	5	1	3	-
Female	8	2	2	-	5	1
NINETEENTH CHILD—Con.						
35 to 39 years	5	5	4	1	-	-
40 to 44 years	9	2	2	-	6	1
45 to 49 years	2	1	1	-	1	-
Not stated	1	-	-	-	1	-
TWENTIETH CHILD	3	2	1	1	1	-
Male	1	1	1	-	-	-
Female	2	1	-	1	1	-
35 to 39 years	1	-	-	-	1	-
40 to 44 years	2	2	1	1	-	-
TWENTY FIRST CHILD	5	2	2	-	3	-
Male	3	2	2	-	1	-
Female	2	-	-	-	2	-
35 to 39 years	3	-	-	-	3	-
40 to 44 years	2	2	2	-	-	-
TWENTY SECOND CHILD	4	3	3	-	1	-
Male	3	2	2	-	1	-
Not stated	1	1	1	-	-	-
30 to 34 years	1	-	-	-	1	-
35 to 39 years	1	1	1	-	-	-
40 to 44 years	2	2	2	-	-	-
TWENTY THIRD CHILD	5	2	2	-	3	-
Male	2	1	1	-	1	-
Female	2	-	-	-	2	-
Not stated	1	1	1	-	-	-
35 to 39 years	1	-	-	-	1	-
40 to 44 years	2	1	1	-	1	-
45 to 49 years	1	-	-	-	1	-
Not stated	1	1	1	-	-	-
TWENTY FOURTH CHILD	1	-	-	-	1	-
Male	1	-	-	-	1	-
45 to 49 years	1	-	-	-	1	-
TWENTY SIXTH CHILD	1	1	1	-	-	-
Male	1	1	1	-	-	-
45 to 49 years	1	1	1	-	-	-
TWENTY SEVENTH CHILD AND OVER	1	1	1	-	-	-
Female	1	1	1	-	-	-
Not stated	1	1	1	-	-	-
NOT STATED[2]	9,258	7,673	7,131	440	1,551	34
Male	4,916	4,053	3,771	238	841	22
Female	4,157	3,477	3,232	199	670	10
Not stated	185	143	128	3	40	2
10 to 14 years	17	2	2	-	15	-
15 to 19 years	599	401	393	7	195	3
20 to 24 years	1,798	1,483	1,439	42	310	5
25 to 29 years	1,939	1,700	1,638	61	234	5
30 to 34 years	1,604	1,417	1,315	100	183	4
35 to 39 years	1,173	1,029	904	122	138	6
40 to 44 years	431	377	315	62	52	2
45 to 49 years	42	34	28	6	8	-
50 years and over	3	2	2	-	1	-
Not stated	1,652	1,228	1,095	40	415	9

[1]Includes mother's nativity not stated.
[2]Figures for Massachusetts are included in the "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of such information.

TABLE 14.—STILLBIRTHS BY RACE, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total stillbirths	URBAN					
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	Rural
UNITED STATES	74,849	45,465	22,378	9,036	6,266	7,785	29,384
White	59,494	36,970	17,673	7,381	5,283	6,633	22,524
Nonwhite	15,355	8,495	4,705	1,655	983	1,152	6,860
Alabama	2,267	804	213	263	118	210	1,483
White	1,145	383	96	119	57	111	762
Nonwhite	1,142	421	117	144	61	99	721
Arizona	330	179	...	114	...	65	151
White	265	160	...	102	...	58	105
Nonwhite	65	19	...	12	...	7	46
Arkansas	883	298	...	64	96	138	585
White	590	218	...	52	70	96	372
Nonwhite	293	80	...	12	26	42	213
California	4,024	2,984	1,658	523	394	409	1,040
White	3,640	2,650	1,416	478	360	396	990
Nonwhite	384	334	242	45	34	13	50
Colorado	650	419	205	66	39	109	231
White	632	402	190	64	39	109	230
Nonwhite	18	17	15	2	-	-	1
Connecticut	669	515	210	213	66	26	154
White	643	494	197	206	65	26	149
Nonwhite	26	21	13	7	1	-	5
Delaware	141	75	55	...	...	20	66
White	101	52	39	...	...	13	49
Nonwhite	40	23	16	...	...	7	17
District of Columbia	484	484	484	...	...	...	...
White	256	256	256	...	...	...	...
Nonwhite	228	228	228	...	...	...	...
Florida	1,599	890	348	166	164	212	709
White	874	474	194	94	79	107	400
Nonwhite	725	416	154	72	85	105	309
Georgia	2,285	1,039	275	344	195	225	1,246
White	1,093	501	148	141	95	117	592
Nonwhite	1,192	538	127	203	100	108	654
Idaho	251	116	...	23	47	46	135
White	243	112	...	22	47	43	131
Nonwhite	8	4	...	1	-	3	4
Illinois	3,667	2,919	1,721	509	274	415	748
White	3,188	2,466	1,368	444	252	402	722
Nonwhite	479	453	353	65	22	13	26
Indiana	1,583	1,020	419	328	103	170	563
White	1,464	906	347	292	99	168	558
Nonwhite	119	114	72	36	4	2	5
Iowa	1,020	488	68	207	78	135	532
White	1,007	477	67	200	77	133	530
Nonwhite	13	11	1	7	1	2	2
Kansas	689	390	130	48	123	99	299
White	636	343	107	42	107	87	293
Nonwhite	53	47	23	6	16	2	6
Kentucky	1,514	550	201	141	52	156	964
White	1,358	449	155	125	39	130	909
Nonwhite	156	101	46	16	13	26	55
Louisiana	1,865	923	348	213	84	278	942
White	836	441	183	91	37	130	395
Nonwhite	1,029	482	165	122	47	148	547
Maine	345	131	...	55	43	33	214
White	345	131	...	55	43	33	214
Nonwhite	-	-	...	-	-	-	-
Maryland	1,274	743	564	52	72	55	531
White	847	473	327	51	47	48	374
Nonwhite	427	270	237	1	25	7	157
Massachusetts	2,119	1,897	856	572	338	131	222
White	2,065	1,849	816	570	334	129	216
Nonwhite	54	48	40	2	4	2	6
Michigan	3,141	2,313	1,191	549	258	315	828
White	2,827	2,008	960	510	232	304	821
Nonwhite	314	307	231	39	28	11	7
Minnesota	1,329	714	466	6	82	160	615
White	1,301	703	456	6	82	159	598
Nonwhite	28	11	10	-	-	1	17
Mississippi	1,882	466	...	119	190	157	1,416
White	608	198	...	41	85	72	410
Nonwhite	1,274	268	...	78	105	85	1,006
Missouri	1,824	1,098	725	81	117	175	726
White	1,538	849	520	74	103	152	689
Nonwhite	286	249	205	7	14	23	37

TABLE 14.—STILLBIRTHS BY RACE, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total stillbirths	URBAN					
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	Rural
Montana	224	118	...	45	41	32	106
White	213	118	...	45	41	32	95
Nonwhite	11	-	...	-	-	-	11
Nebraska	514	257	119	29	53	56	257
White	500	246	110	29	52	55	254
Nonwhite	14	11	9	-	1	1	3
Nevada	69	37	...	...	20	17	32
White	58	35	...	...	19	16	23
Nonwhite	11	2	...	...	1	1	9
New Hampshire	244	144	...	75	51	18	100
White	244	144	...	75	51	18	100
Nonwhite	-	-	...	-	-	-	-
New Jersey	2,110	1,696	668	445	289	294	414
White	1,857	1,470	536	397	257	280	387
Nonwhite	253	226	132	48	32	14	27
New Mexico	380	137	...	21	40	76	243
White	338	126	...	18	37	71	212
Nonwhite	42	11	...	3	3	5	31
New York	7,392	6,432	5,167	426	504	335	960
White	6,458	5,522	4,309	403	482	328	936
Nonwhite	934	910	858	23	22	7	24
North Carolina	2,394	788	91	266	226	205	1,606
White	1,343	453	44	129	135	145	890
Nonwhite	1,051	335	47	137	91	60	716
North Dakota	264	65	...	15	27	23	199
White	256	65	...	15	27	23	191
Nonwhite	8	-	...	-	-	-	8
Ohio	4,044	2,883	1,786	426	293	378	1,161
White	3,640	2,509	1,490	372	282	365	1,131
Nonwhite	404	374	296	54	11	13	30
Oklahoma	1,091	539	198	35	142	164	552
White	909	446	159	27	118	142	463
Nonwhite	182	93	39	8	24	22	89
Oregon	521	289	150	11	60	68	232
White	503	282	143	11	60	68	221
Nonwhite	18	7	7	-	-	-	11
Pennsylvania	4,639	3,217	1,465	606	542	604	1,422
White	4,158	2,772	1,130	547	508	587	1,386
Nonwhite	481	445	335	59	34	17	36
Rhode Island	327	288	113	126	36	13	39
White	321	282	109	124	36	13	39
Nonwhite	6	6	4	2	-	-	-
South Carolina	1,736	531	...	222	100	209	1,205
White	689	268	...	85	60	123	421
Nonwhite	1,047	263	...	137	40	86	784
South Dakota	239	68	...	16	31	21	171
White	223	67	...	16	31	20	156
Nonwhite	16	1	...	-	-	1	15
Tennessee	1,744	762	496	19	98	149	982
White	1,319	467	250	17	79	121	852
Nonwhite	425	295	246	2	19	28	130
Texas	4,515	2,840	999	666	377	798	1,675
White	3,482	2,196	741	511	283	681	1,286
Nonwhite	1,033	644	258	155	94	137	389
Utah	293	165	71	28	24	42	128
White	285	160	68	27	24	41	125
Nonwhite	8	5	3	1	-	1	3
Vermont	189	74	...	15	16	43	115
White	188	73	...	14	16	43	115
Nonwhite	1	1	...	1	-	-	-
Virginia	2,188	880	333	339	59	149	1,308
White	1,311	548	187	206	42	113	763
Nonwhite	877	332	146	133	17	36	545
Washington	903	554	388	44	79	63	349
White	872	534	352	43	76	63	338
Nonwhite	31	20	16	1	3	-	11
West Virginia	1,543	481	...	230	93	158	1,062
White	1,420	447	...	218	87	142	973
Nonwhite	123	34	...	12	6	16	89
Wisconsin	1,321	714	217	275	101	121	607
White	1,297	698	203	273	101	121	599
Nonwhite	24	16	14	2	-	-	8
Wyoming	110	51	...	...	31	20	59
White	108	49	...	...	30	19	59
Nonwhite	2	2	...	...	1	1	-

TABLE 15.—STILLBIRTHS BY RACE AND PERSON IN ATTENDANCE: UNITED STATES AND EACH STATE, 1946

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total stillbirths	STILLBIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
UNITED STATES	74,849	57,436	12,618	3,816	979
White	59,494	49,795	8,654	515	530
Nonwhite	15,355	7,641	3,964	3,301	449
Alabama	2,287	1,105	609	518	55
White	1,145	778	337	17	13
Nonwhite	1,142	327	272	501	42
Arizona	330	277	39	10	4
White	265	227	27	8	3
Nonwhite	65	50	12	2	1
Arkansas	883	454	229	149	21
White	590	428	151	4	9
Nonwhite	293	58	78	145	12
California	4,024	3,746	217	2	59
White	3,640	3,412	178	2	48
Nonwhite	384	334	39	-	11
Colorado	650	535	110	2	3
White	632	519	108	2	3
Nonwhite	18	16	2	-	-
Connecticut	669	636	32	-	1
White	643	610	32	-	1
Nonwhite	26	26	-	-	-
Delaware	141	111	17	9	4
White	101	89	10	-	2
Nonwhite	40	22	7	9	2
District of Columbia	484	439	38	-	7
White	256	246	10	-	-
Nonwhite	228	193	28	-	7
Florida	1,599	1,021	269	299	10
White	874	732	118	21	3
Nonwhite	725	289	151	278	7
Georgia	2,285	1,055	790	409	31
White	1,093	738	329	21	5
Nonwhite	1,192	317	461	388	26
Idaho	251	237	11	-	3
White	243	229	11	-	3
Nonwhite	8	8	-	-	-
Illinois	3,667	3,194	456	-	17
White	3,188	2,847	326	-	15
Nonwhite	479	347	130	-	2
Indiana	1,583	1,319	258	1	5
White	1,464	1,250	208	1	5
Nonwhite	119	69	50	-	-
Iowa	1,020	908	106	-	6
White	1,007	898	103	-	6
Nonwhite	13	10	3	-	-
Kansas	689	607	79	-	3
White	636	577	56	-	3
Nonwhite	53	30	23	-	-
Kentucky	1,514	776	690	40	8
White	1,358	715	598	37	8
Nonwhite	156	61	92	3	-
Louisiana	1,865	1,284	286	244	51
White	836	706	104	13	13
Nonwhite	1,029	578	182	231	38
Maine	345	303	39	-	3
White	345	303	39	-	3
Nonwhite	-	-	-	-	-
Maryland	1,274	870	339	28	37
White	847	636	179	4	28
Nonwhite	427	234	160	24	9
Massachusetts	2,119	1,965	153	-	1
White	2,065	1,917	147	-	1
Nonwhite	54	48	6	-	-
Michigan	3,141	2,797	325	9	10
White	2,827	2,544	269	4	10
Nonwhite	314	253	56	5	-
Minnesota	1,329	1,235	91	1	2
White	1,301	1,211	87	1	2
Nonwhite	28	24	4	-	-
Mississippi	1,882	711	482	661	28
White	608	440	143	18	7
Nonwhite	1,274	271	339	643	21
Missouri	1,824	1,381	366	15	62
White	1,538	1,183	318	1	36
Nonwhite	286	198	48	14	26
Montana	224	208	13	-	3
White	213	199	11	-	3
Nonwhite	11	9	2	-	-
Nebraska	514	453	61	-	-
White	500	442	58	-	-
Nonwhite	14	11	3	-	-
Nevada	69	65	4	-	-
White	58	54	4	-	-
Nonwhite	11	11	-	-	-
New Hampshire	244	233	11	-	-
White	244	233	11	-	-
Nonwhite	-	-	-	-	-
New Jersey	2,110	1,889	198	4	19
White	1,857	1,678	158	2	19
Nonwhite	253	211	40	2	-
New Mexico	380	226	107	30	17
White	338	196	99	29	14
Nonwhite	42	30	8	1	3
New York	7,392	6,707	618	4	63
White	6,458	5,884	525	2	47
Nonwhite	934	823	93	2	16
North Carolina	2,394	1,489	598	173	134
White	1,343	1,054	244	22	23
Nonwhite	1,051	435	354	151	111
North Dakota	264	231	32	-	1
White	256	224	31	-	1
Nonwhite	8	7	1	-	-
Ohio	4,044	3,394	620	-	30
White	3,640	3,110	508	-	22
Nonwhite	404	284	112	-	8
Oklahoma	1,091	817	252	19	3
White	909	701	200	6	2
Nonwhite	182	116	52	13	1
Oregon	521	502	17	1	1
White	503	487	14	1	1
Nonwhite	18	15	3	-	-
Pennsylvania	4,639	4,022	609	3	5
White	4,158	3,617	534	3	4
Nonwhite	481	405	75	-	1
Rhode Island	327	304	20	-	3
White	321	299	19	-	3
Nonwhite	6	5	1	-	-
South Carolina	1,736	777	450	492	17
White	689	514	154	18	3
Nonwhite	1,047	263	296	474	14
South Dakota	239	216	19	-	4
White	223	202	18	-	3
Nonwhite	16	14	1	-	1
Tennessee	1,744	1,157	488	28	71
White	1,319	916	363	13	27
Nonwhite	425	241	125	15	44
Texas	4,515	2,976	1,056	388	95
White	3,482	2,429	774	210	69
Nonwhite	1,033	547	282	178	26
Utah	293	278	13	1	1
White	285	270	13	1	1
Nonwhite	8	8	-	-	-
Vermont	189	170	16	-	3
White	188	169	16	-	3
Nonwhite	1	1	-	-	-
Virginia	2,188	1,321	583	251	33
White	1,311	971	293	32	15
Nonwhite	877	350	290	219	18
Washington	903	874	27	-	2
White	872	844	27	-	1
Nonwhite	31	30	-	-	1
West Virginia	1,543	839	645	25	34
White	1,420	795	569	22	34
Nonwhite	123	44	76	3	-
Wisconsin	1,321	1,190	122	-	9
White	1,297	1,174	115	-	8
Nonwhite	24	16	7	-	1
Wyoming	110	102	8	-	-
White	108	100	8	-	-
Nonwhite	2	2	-	-	-

TABLE 16.—DEATHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1946

(Exclusive of stillbirths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	Total deaths occurring in State	Deaths of residents occurring in place of residence	DEATHS OF NONRESIDENTS[1]														
			Total	Intra-state non-residents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	1,395,617	1,137,731	257,886	219,565	38,321	744	267	774	1,394	340	598	136	732	874	697	362	2,740
Alabama	24,461	19,941	4,520	4,042	478	...	-	2	4	1	1	-	2	109	110	-	10
Arizona	6,287	4,819	1,468	651	817	2	...	9	159	17	4	1	5	9	3	4	50
Arkansas	14,086	11,422	2,664	2,142	522	2	2	...	10	3	-	-	1	2	3	-	36
California	95,035	75,220	19,815	18,064	1,751	18	123	22	...	58	11	3	7	18	11	30	122
Colorado	12,383	9,863	2,520	1,855	665	7	6	11	59	...	2	-	1	8	2	7	30
Connecticut	18,994	15,623	3,371	2,906	465	-	-	1	5	-	...	1	3	3	2	-	3
Delaware	3,280	2,652	608	441	167	-	-	1	-	-	1	...	4	1	-	-	-
District of Columbia	8,583	7,557	1,026	...	1,026	3	-	-	3	-	4	1	...	9	6	-	7
Florida	24,163	18,052	6,111	4,079	2,032	112	2	5	22	7	58	5	25	...	169	-	144
Georgia	27,613	22,508	5,105	4,306	799	246	1	2	9	1	1	-	3	186	...	1	16
Idaho	4,504	3,343	1,161	880	281	1	-	1	30	5	-	-	3	-	-	...	-
Illinois	88,455	73,242	15,213	13,584	1,629	10	5	19	46	9	4	-	2	22	11	2	...
Indiana	38,747	31,570	7,177	6,294	883	4	4	3	14	2	1	-	5	8	2	-	362
Iowa	25,912	20,374	5,538	4,617	921	1	2	3	43	8	1	-	1	4	2	2	326
Kansas	18,058	14,815	3,243	2,465	778	2	1	9	29	44	-	-	1	2	2	2	17
Kentucky	27,062	22,860	4,202	3,618	584	11	1	2	8	1	-	-	2	7	4	3	52
Louisiana	22,288	17,622	4,666	4,021	645	33	1	66	19	3	-	-	2	32	7	-	9
Maine	10,017	7,913	2,104	1,885	219	-	-	-	-	-	5	1	3	6	1	-	6
Maryland	22,152	18,201	3,951	2,664	1,287	8	1	2	12	-	11	42	462	40	9	1	9
Massachusetts	51,461	44,402	7,059	6,035	1,024	-	2	1	18	2	149	1	10	21	4	-	17
Michigan	54,899	45,329	9,570	8,746	824	4	1	12	20	2	-	-	5	17	3	1	147
Minnesota	27,594	21,265	6,329	5,070	1,259	5	5	8	40	6	3	-	3	11	2	4	104
Mississippi	19,139	16,099	3,040	2,658	382	70	-	28	3	-	-	-	1	10	8	-	16
Missouri	42,605	35,633	6,972	5,451	1,521	4	2	89	47	11	2	-	3	7	4	2	644
Montana	5,545	4,507	1,038	849	189	-	1	-	18	3	3	-	-	1	-	20	5
Nebraska	12,349	9,886	2,463	2,056	407	1	-	-	18	26	-	-	-	2	-	2	14
Nevada	1,633	1,209	424	189	235	-	5	1	128	11	2	-	-	1	1	5	5
New Hampshire	6,118	5,050	1,068	706	362	-	-	-	1	-	6	-	3	3	-	-	3
New Jersey	45,626	35,225	10,401	9,105	1,296	-	-	-	12	-	24	9	10	20	5	-	10
New Mexico	5,651	4,209	1,442	899	543	3	53	14	56	30	1	-	-	2	5	1	18
New York	152,898	132,169	20,729	18,176	2,553	8	5	7	58	2	216	5	36	62	13	1	44
North Carolina	28,806	22,577	6,229	5,440	789	22	-	2	12	1	4	1	14	77	52	-	8
North Dakota	5,008	3,628	1,380	1,146	234	-	-	-	4	-	-	-	-	-	-	-	9
Ohio	78,160	65,783	12,377	11,026	1,351	7	1	1	40	1	8	1	6	25	1	-	58
Oklahoma	18,144	14,179	3,965	3,594	371	4	11	37	23	9	-	-	-	2	-	-	11
Oregon	13,404	11,179	2,225	1,691	534	1	4	3	110	1	-	-	-	1	-	60	8
Pennsylvania	107,171	85,605	21,566	19,941	1,625	4	-	1	14	-	15	59	20	33	4	-	16
Rhode Island	8,001	6,458	1,543	1,312	231	-	-	-	2	-	38	-	2	10	-	1	3
South Carolina	16,334	12,970	3,364	2,996	368	6	-	1	4	-	2	1	4	23	63	-	3
South Dakota	5,481	4,022	1,459	1,186	273	-	1	1	11	4	1	-	-	1	1	2	11
Tennessee	28,420	22,951	5,469	3,987	1,482	107	2	343	15	4	2	1	6	42	164	3	26
Texas	59,412	49,621	9,791	8,960	831	9	10	56	66	14	2	-	4	10	5	-	34
Utah	4,930	3,734	1,196	911	285	2	11	-	63	16	-	-	-	-	1	74	3
Vermont	4,110	3,234	876	718	158	-	-	-	3	-	11	-	1	2	2	-	-
Virginia	27,957	22,834	5,123	4,258	865	21	-	5	13	-	3	3	67	9	4	-	4
Washington	22,030	18,236	3,794	3,103	691	4	2	1	86	6	1	-	1	3	5	127	10
West Virginia	16,249	12,289	3,960	3,251	709	-	1	2	2	-	1	1	3	1	3	-	6
Wisconsin	32,248	24,099	8,149	7,396	753	2	1	-	16	1	-	-	1	11	2	-	292
Wyoming	2,174	1,752	422	195	227	-	-	3	19	31	-	-	-	1	1	7	12

[1]See discussion in text for definition of nonresident.

TABLE 16.-DEATHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED UNITED STATES AND EACH STATE, 1946 -Continued

(Exclusive of stillbirths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS[1]—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	1,170	767	779	932	387	260	918	961	1,092	602	660	1,367	239	498	104	293	2,062	328	2,521
Alabama	2	-	-	9	17	1	-	3	8	2	74	4	-	-	-	-	1	-	14
Arizona	22	17	15	10	11	1	5	5	32	9	4	30	5	5	7	-	9	111	36
Arkansas	8	2	11	3	28	-	1	1	9	3	13	98	-	5	-	-	2	1	7
California	25	44	44	15	26	1	9	24	66	54	7	60	23	32	61	3	34	35	104
Colorado	7	21	82	4	5	1	5	4	11	6	3	41	5	77	2	-	9	39	14
Connecticut	1	1	4	-	-	14	1	112	1	-	-	1	-	1	-	7	35	-	223
Delaware	-	-	1	-	-	-	49	2	-	-	-	-	-	-	-	-	33	-	9
District of Columbia	3	1	1	2	-	3	449	15	6	4	2	6	-	-	-	-	16	-	50
Florida	64	10	4	26	6	19	29	105	125	15	11	20	-	2	-	18	180	1	367
Georgia	6	4	3	12	6	2	5	5	12	-	5	5	-	-	-	-	4	1	30
Idaho	3	2	3	-	-	-	-	1	2	4	-	5	13	8	3	-	-	2	1
Illinois	386	113	14	64	15	1	1	9	125	28	12	238	5	18	-	-	10	2	34
Indiana	...	5	5	120	2	-	3	2	101	5	2	14	1	1	-	-	-	-	14
Iowa	13	...	18	3	4	-	-	3	18	55	-	124	1	127	1	-	-	-	9
Kansas	4	13	...	3	6	-	-	2	1	3	2	391	1	37	-	-	1	5	2
Kentucky	139	-	1	...	4	-	6	1	18	-	3	10	1	1	-	-	1	1	4
Louisiana	5	1	2	3	...	-	3	8	3	2	178	9	1	-	-	-	3	-	9
Maine	-	2	-	-	-	...	2	81	-	-	1	2	2	-	-	51	2	-	32
Maryland	5	3	3	6	4	3	...	15	10	2	1	5	-	3	-	1	32	-	76
Massachusetts	2	2	1	2	1	101	9	...	10	4	1	4	-	3	-	133	44	1	159
Michigan	102	13	2	15	5	1	5	6	...	13	1	20	1	4	1	-	10	1	33
Minnesota	21	167	17	1	2	-	1	4	41	...	2	26	33	24	1	-	2	2	15
Mississippi	2	3	1	6	110	-	1	1	3	1	...	9	1	1	1	-	-	-	6
Missouri	31	49	331	6	6	-	4	1	31	11	12	...	3	16	1	1	2	2	8
Montana	1	9	3	1	1	1	-	-	1	7	1	2	...	3	-	-	-	-	3
Nebraska	2	131	61	-	3	-	2	3	5	7	-	25	-	...	-	-	10	-	2
Nevada	1	4	3	2	-	1	1	2	5	2	-	2	1	1	...	-	3	1	14
New Hampshire	1	1	-	-	-	59	1	144	6	1	-	1	-	-	-	...	11	-	25
New Jersey	6	-	3	2	-	4	27	18	9	2	-	4	-	1	-	2	...	-	579
New Mexico	7	5	24	7	15	1	-	4	14	4	4	12	-	4	1	-	2	...	15
New York	14	1	7	7	9	26	32	150	56	9	5	13	1	4	-	15	917	1	...
North Carolina	3	2	1	8	7	4	15	3	11	1	8	4	-	-	-	1	19	-	40
North Dakota	-	4	3	-	-	-	-	-	-	128	-	1	29	1	-	-	-	-	1
Ohio	187	2	2	293	3	-	2	12	131	9	1	19	-	1	-	-	11	-	63
Oklahoma	6	6	52	2	2	-	2	2	4	-	2	35	1	1	1	-	1	15	9
Oregon	1	8	8	1	2	-	2	1	1	5	1	5	20	8	3	-	1	1	2
Pennsylvania	12	1	-	4	3	1	116	20	27	2	-	5	1	4	-	2	646	1	299
Rhode Island	-	-	-	-	-	6	1	116	2	-	-	1	-	-	-	4	2	-	28
South Carolina	2	1	-	1	-	2	4	7	1	4	3	-	-	-	-	-	10	-	19
South Dakota	4	25	5	-	-	-	-	-	2	43	-	4	11	59	-	1	-	-	2
Tennessee	20	3	1	140	10	-	6	2	21	1	287	39	-	2	-	-	2	2	12
Texas	14	9	25	5	69	1	5	8	21	5	6	24	1	6	-	1	2	98	28
Utah	3	3	2	-	-	-	1	1	4	3	-	3	5	2	16	-	1	1	8
Vermont	-	1	-	-	-	3	-	39	2	-	1	-	-	-	-	55	5	-	27
Virginia	2	2	1	15	2	-	57	11	8	1	3	7	1	2	-	-	25	-	52
Washington	6	16	6	1	1	1	2	4	4	11	3	14	53	6	3	-	5	1	11
West Virginia	6	-	2	131	-	-	51	1	2	-	-	2	1	-	-	-	5	1	2
Wisconsin	20	55	4	1	2	2	1	-	121	133	1	16	4	4	1	-	2	-	6
Wyoming	1	5	5	1	-	-	2	5	1	3	-	7	14	24	1	-	2	2	20

[1]See discussion in text for definition of nonresident.

TABLE 16.—DEATHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1946—Continued

(Exclusive of stillbirths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS[1]—Continued																		Total deaths of residents
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	707	306	1,655	847	448	2,137	303	385	300	712	1,125	140	188	1,062	672	698	850	188	1,395,617
Alabama	9	-	10	1	-	7	-	9	-	51	11	-	-	1	2	3	-	-	24,727
Arizona	6	3	41	31	13	25	-	-	2	10	47	13	-	1	17	5	4	2	5,737
Arkansas	2	-	11	110	1	4	-	1	1	34	100	1	-	2	-	-	4	-	14,338
California	9	15	71	64	98	52	4	4	15	15	96	34	1	17	126	10	20	10	94,678
Colorado	6	1	17	28	8	8	2	3	4	6	46	15	-	1	6	2	7	36	12,058
Connecticut	1	-	2	-	-	14	15	-	-	-	2	-	5	2	2	2	1	-	19,127
Delaware	1	-	4	-	-	52	-	1	-	-	-	-	-	8	-	-	-	-	3,229
District of Columbia	14	-	10	-	2	45	-	7	1	6	2	-	2	336	1	9	-	-	8,289
Florida	32	1	158	4	1	161	17	18	2	36	15	1	7	26	3	24	27	-	23,005
Georgia	37	-	6	5	1	5	1	96	-	58	12	-	-	8	-	2	2	-	27,511
Idaho	-	3	2	4	36	5	-	1	1	3	1	30	-	-	103	-	2	3	4,585
Illinois	4	9	75	14	2	24	2	2	4	38	61	3	-	5	11	12	153	5	89,566
Indiana	2	2	142	2	1	15	-	2	-	5	8	2	-	5	-	3	13	1	38,034
Iowa	1	5	8	4	2	3	-	-	52	1	8	1	1	-	7	-	58	3	25,758
Kansas	2	1	5	139	1	5	-	1	3	1	25	1	1	1	1	2	4	5	18,059
Kentucky	4	-	123	2	-	8	-	3	-	110	5	1	-	22	1	22	2	-	27,410
Louisiana	2	-	8	4	1	5	-	3	-	17	198	-	-	1	5	2	2	-	22,030
Maine	3	-	2	-	-	9	3	-	-	-	-	-	2	1	1	1	-	-	10,058
Maryland	34	-	21	4	2	196	2	10	2	8	11	-	-	119	3	108	3	-	21,783
Massachusetts	5	-	7	-	1	35	200	2	-	3	3	1	47	7	3	5	3	-	51,398
Michigan	3	1	185	5	3	24	1	1	-	7	19	-	-	1	3	5	120	1	55,167
Minnesota	3	165	21	10	6	4	-	1	102	6	18	6	-	2	21	4	330	10	26,937
Mississippi	2	-	3	7	-	2	-	1	-	58	22	-	-	2	-	-	3	-	19,417
Missouri	4	1	16	82	3	11	-	1	3	10	28	-	-	4	5	5	7	3	42,451
Montana	-	24	3	3	7	1	-	-	4	1	5	3	-	-	23	-	6	25	5,595
Nebraska	-	1	1	2	5	1	-	-	40	1	5	-	-	1	6	1	3	26	12,440
Nevada	-	1	3	3	1	3	-	-	1	1	3	10	-	3	2	1	-	1	1,502
New Hampshire	-	-	4	-	-	1	5	-	-	-	-	-	85	-	-	1	-	-	6,049
New Jersey	8	-	18	-	1	493	5	3	-	1	1	-	1	11	2	3	2	-	46,392
New Mexico	-	-	16	43	2	8	2	1	1	4	146	2	-	2	4	2	4	4	5,436
New York	25	-	90	6	-	512	29	12	3	10	18	-	34	54	8	19	9	-	152,866
North Carolina	...	1	16	-	1	33	1	171	-	52	6	-	-	176	3	9	-	-	28,724
North Dakota	-	...	-	1	2	2	-	-	36	-	2	-	-	-	6	-	5	-	5,080
Ohio	6	3	...	4	3	192	2	2	-	16	13	1	-	6	5	200	13	-	78,464
Oklahoma	1	-	8	...	1	2	-	1	-	2	107	-	-	-	5	1	3	2	18,620
Oregon	1	1	5	3	...	1	-	-	2	1	5	2	-	1	246	1	5	2	13,318
Pennsylvania	15	-	169	7	2	...	2	4	2	7	2	-	-	23	3	70	9	-	107,663
Rhode Island	1	-	1	-	-	5	...	-	-	-	1	-	1	4	-	-	1	1	8,073
South Carolina	175	-	2	2	-	10	-	...	-	7	3	-	1	5	1	1	-	-	16,351
South Dakota	-	48	-	-	-	2	-	-	...	-	2	-	-	1	5	1	5	20	5,508
Tennessee	63	2	23	12	2	6	1	6	1	...	19	1	-	71	1	10	-	1	27,650
Texas	3	-	18	222	2	11	1	3	-	9	...	-	-	8	2	8	4	2	59,706
Utah	1	1	4	5	5	4	1	-	3	1	8	...	-	2	8	1	1	19	4,785
Vermont	-	-	1	-	-	2	2	-	-	1	-	-	...	-	-	-	-	-	4,140
Virginia	215	-	11	-	1	52	4	14	1	98	9	1	-	...	-	140	1	-	28,154
Washington	2	9	5	6	221	12	-	-	3	1	16	4	-	3	...	1	8	6	22,011
West Virginia	2	-	298	-	-	61	-	1	-	3	3	-	-	114	1	...	2	-	16,238
Wisconsin	2	6	9	-	1	4	1	-	6	5	6	-	-	4	6	4	...	-	32,345
Wyoming	1	2	2	8	9	-	-	-	5	-	7	7	-	1	14	-	4	...	2,135

[1]See discussion in text for definition of nonresident.

TABLE 17.—DEATHS BY SPECIFIED RACE AND SEX: UNITED STATES AND EACH STATE, 1946

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	1,395,617	785,689	609,928	697,323	535,014	83,949	72,544	2,300	1,950	1,139	140	645	219	333	61
Alabama	24,727	13,661	11,066	8,287	6,144	5,371	4,922	1	-	-	-	2	-	-	-
Arizona	5,737	3,588	2,149	3,069	1,744	153	93	339	307	14	2	8	1	5	2
Arkansas	14,338	8,241	6,097	6,105	4,202	2,133	1,891	-	3	3	1	-	-	-	-
California	94,678	55,420	39,258	52,414	37,524	1,802	1,380	185	119	433	81	355	121	231	33
Colorado	12,058	7,012	5,046	6,837	4,810	125	122	8	7	5	-	37	7	-	-
Connecticut	19,127	10,511	8,616	10,215	8,424	285	191	-	-	10	-	-	1	1	-
Delaware	3,229	1,863	1,366	1,522	1,121	337	243	-	-	-	-	-	-	4	2
District of Columbia	8,289	4,423	3,866	2,841	2,506	1,552	1,354	3	-	23	2	1	1	3	3
Florida	23,005	13,537	9,468	9,888	6,508	3,631	2,953	12	7	3	-	3	-	-	-
Georgia	27,511	15,367	12,144	9,389	6,876	5,978	5,266	-	-	-	2	-	-	-	-
Idaho	4,585	2,852	1,733	2,791	1,709	13	2	29	19	5	-	13	3	1	-
Illinois	89,566	50,429	39,137	46,669	35,905	3,646	3,213	5	4	62	4	40	11	7	-
Indiana	39,034	21,637	17,397	20,571	16,452	1,060	944	-	-	5	-	-	1	1	-
Iowa	25,758	14,358	11,400	14,206	11,295	148	100	2	3	2	1	-	1	-	-
Kansas	18,059	10,199	7,860	9,669	7,397	518	454	11	9	1	-	-	-	-	-
Kentucky	27,410	15,314	12,096	13,515	10,538	1,794	1,558	2	-	2	-	-	-	1	-
Louisiana	22,030	12,373	9,657	7,536	5,421	4,825	4,232	7	4	4	-	-	-	1	-
Maine	10,058	5,572	4,486	5,549	4,474	12	5	10	7	1	-	-	-	-	-
Maryland	21,783	12,031	9,752	9,567	7,670	2,449	2,079	-	1	14	2	-	-	1	-
Massachusetts	51,388	27,081	24,307	26,584	23,903	436	396	1	6	67	-	2	2	1	-
Michigan	55,167	31,647	23,520	29,646	21,898	1,917	1,573	55	41	16	3	6	5	7	-
Minnesota	26,937	15,699	11,238	15,501	11,076	82	69	102	88	10	2	4	1	-	2
Mississippi	19,417	10,702	8,715	5,333	3,797	5,357	4,910	8	8	3	-	-	-	-	-
Missouri	42,451	23,607	18,844	21,306	16,903	2,290	1,937	-	1	6	1	3	2	2	-
Montana	5,595	3,571	2,024	3,386	1,915	19	10	153	97	7	2	4	-	2	-
Nebraska	12,440	7,049	5,391	6,880	5,267	130	98	29	23	4	1	5	2	1	-
Nevada	1,502	1,009	493	941	423	23	11	41	57	4	-	-	2	-	-
New Hampshire	6,049	3,258	2,791	3,254	2,784	3	6	-	1	-	-	-	-	1	-
New Jersey	46,382	25,335	21,057	23,601	19,508	1,717	1,545	-	-	11	-	5	4	1	-
New Mexico	5,436	3,175	2,261	2,837	1,977	57	40	277	244	1	-	3	-	-	-
New York	152,886	83,598	69,288	78,989	65,300	4,248	3,890	71	46	250	14	24	10	16	8
North Carolina	28,724	16,194	12,530	11,082	8,014	4,998	4,442	115	74	1	-	-	-	-	-
North Dakota	5,080	3,121	1,959	3,052	1,903	4	1	64	55	-	-	1	-	-	-
Ohio	78,464	43,579	34,885	40,485	32,475	3,059	2,403	4	1	25	1	5	4	1	1
Oklahoma	18,620	10,955	7,665	9,792	6,609	888	745	269	310	3	1	1	-	2	-
Oregon	13,318	8,011	5,307	7,844	5,206	68	43	42	39	30	6	20	11	7	2
Pennsylvania	107,683	59,242	48,441	55,409	45,172	3,781	3,263	5	2	37	2	6	1	4	1
Rhode Island	8,073	4,221	3,852	4,130	3,776	83	73	3	3	5	-	-	-	-	-
South Carolina	16,351	9,074	7,277	4,941	3,560	4,129	3,715	1	2	2	-	-	-	1	-
South Dakota	5,508	3,305	2,203	3,128	2,045	5	3	172	154	-	-	-	-	-	1
Tennessee	27,650	15,342	12,308	11,986	9,171	3,351	3,135	1	1	4	1	-	-	-	-
Texas	59,706	34,754	24,952	29,263	20,389	5,480	4,558	6	1	12	4	11	-	2	-
Utah	4,785	2,775	2,010	2,714	1,978	15	12	8	11	7	-	31	9	-	-
Vermont	4,140	2,263	1,877	2,260	1,877	3	-	-	-	-	-	-	-	-	-
Virginia	28,154	16,163	11,991	11,259	8,026	4,894	3,964	-	-	6	-	1	1	3	-
Washington	22,011	13,519	8,492	13,094	8,255	169	96	147	111	37	7	51	17	21	6
West Virginia	16,238	9,509	6,729	8,695	6,213	812	516	-	-	1	-	-	-	1	-
Wisconsin	32,345	18,141	14,204	17,945	14,056	106	79	86	69	3	-	-	-	1	-
Wyoming	2,135	1,392	743	1,346	718	15	9	25	15	-	-	3	1	3	-

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,395,617	139,416	119,898	124,101	114,662	115,979	110,106	107,740	104,882	106,055	113,416	112,981	126,361
Male	785,689	77,543	67,151	69,606	64,432	65,194	61,923	60,923	59,512	59,877	63,880	64,014	71,634
Female	609,928	61,873	52,747	54,495	50,230	50,785	48,183	46,817	45,370	46,178	49,536	48,967	54,747
White	1,232,337	122,796	105,686	109,681	101,404	102,492	97,156	94,968	92,087	93,688	100,348	100,099	111,932
Male	697,323	68,456	59,423	61,807	57,236	57,946	54,997	54,107	52,586	53,152	56,871	57,007	63,735
Female	535,014	54,340	46,263	47,874	44,168	44,546	42,159	40,861	39,501	40,536	43,477	43,092	48,197
Nonwhite	163,280	16,620	14,212	14,420	13,258	13,487	12,950	12,772	12,795	12,367	13,068	12,882	14,449
Male	88,366	9,087	7,728	7,799	7,196	7,248	6,926	6,816	6,926	6,725	7,009	7,007	7,899
Female	74,914	7,533	6,484	6,621	6,062	6,239	6,024	5,956	5,869	5,642	6,059	5,875	6,550
ALABAMA	24,727	2,578	2,270	2,262	1,883	2,059	1,884	1,860	1,952	1,827	2,026	1,887	2,139
Male	13,661	1,406	1,227	1,226	1,027	1,138	1,016	1,008	1,070	990	1,158	1,136	1,261
Female	11,066	1,172	1,043	1,036	856	921	868	852	882	837	870	851	878
White	14,431	1,480	1,288	1,326	1,113	1,179	1,111	1,061	1,156	1,073	1,163	1,155	1,306
Male	8,287	833	725	764	640	687	620	598	646	618	698	678	780
Female	6,144	647	563	562	473	492	491	463	510	455	485	477	526
Nonwhite	10,296	1,098	982	936	770	880	773	799	796	754	843	832	833
Male	5,374	573	502	462	387	451	396	410	424	372	458	458	481
Female	4,922	525	480	474	383	429	377	389	372	382	385	374	352
ARIZONA	5,737	535	480	548	462	421	453	421	401	409	511	513	583
Male	3,588	346	291	342	300	261	278	264	273	240	307	310	356
Female	2,149	189	189	206	162	140	175	157	128	169	204	203	227
White	4,813	459	403	462	383	355	370	349	337	330	427	444	494
Male	3,069	304	262	293	258	239	236	218	231	196	259	269	306
Female	1,744	155	141	169	127	116	134	131	106	134	168	175	188
Nonwhite	924	76	77	86	79	66	83	72	64	79	84	69	89
Male	519	42	29	49	44	42	42	46	42	44	48	41	50
Female	405	34	48	37	35	24	41	26	22	35	36	28	39
ARKANSAS	14,338	1,605	1,307	1,363	1,116	1,147	1,153	1,160	1,102	1,066	1,092	1,124	1,103
Male	8,241	868	766	777	643	642	651	661	644	654	623	646	666
Female	6,097	737	541	586	473	505	502	499	458	412	469	478	437
White	10,307	1,136	931	997	812	806	840	851	773	772	780	826	803
Male	6,105	640	558	596	462	456	473	502	472	487	466	463	490
Female	4,202	496	373	401	330	350	367	329	301	285	314	343	313
Nonwhite	4,031	469	376	366	304	341	313	328	329	294	312	298	300
Male	2,136	228	208	181	161	186	178	159	172	167	157	163	176
Female	1,895	241	168	185	143	155	135	170	157	127	155	135	124
CALIFORNIA	94,678	9,073	8,381	8,384	7,743	7,621	7,279	7,304	7,232	7,175	7,500	8,171	8,815
Male	55,420	5,271	4,947	4,912	4,512	4,470	4,256	4,227	4,229	4,194	4,365	4,777	5,260
Female	39,258	3,802	3,434	3,472	3,231	3,151	3,023	3,077	3,003	2,981	3,135	3,394	3,555
White	89,938	8,586	7,980	7,971	7,384	7,235	6,936	6,954	6,864	6,792	7,142	7,787	8,307
Male	52,414	4,966	4,694	4,652	4,276	4,213	4,037	4,009	4,008	3,946	4,144	4,538	4,931
Female	37,524	3,620	3,286	3,319	3,108	3,022	2,899	2,945	2,856	2,846	2,998	3,249	3,376
Nonwhite	4,740	487	401	413	359	386	343	350	368	383	358	384	508
Male	3,006	305	253	260	236	257	219	218	221	248	221	239	329
Female	1,734	182	148	153	123	129	124	132	147	135	137	145	179
COLORADO	12,058	1,179	1,035	1,123	954	989	982	897	916	930	1,017	1,012	1,024
Male	7,012	697	626	645	565	567	562	537	504	539	603	594	573
Female	5,046	482	409	478	389	422	420	360	412	391	414	418	451
White	11,747	1,148	1,013	1,088	928	969	953	876	898	900	987	987	1,000
Male	6,837	679	611	628	549	555	549	522	494	519	593	581	557
Female	4,910	469	402	460	379	414	404	354	404	381	394	406	443
Nonwhite	311	31	22	35	26	20	29	21	18	30	30	25	24
Male	175	18	15	17	16	12	13	15	10	20	10	13	16
Female	136	13	7	18	10	8	16	6	8	10	20	12	8
CONNECTICUT	18,127	1,872	1,661	1,709	1,540	1,550	1,474	1,400	1,398	1,516	1,549	1,571	1,887
Male	10,511	992	905	948	841	853	839	788	764	831	834	867	1,049
Female	8,616	880	756	761	699	697	635	612	634	685	715	704	838
White	18,639	1,832	1,625	1,672	1,504	1,505	1,425	1,366	1,344	1,475	1,505	1,537	1,849
Male	10,215	967	882	924	819	824	807	767	735	810	810	844	1,026
Female	8,424	865	743	748	685	681	618	599	609	665	695	693	823
Nonwhite	488	40	36	37	36	45	49	34	54	41	44	34	38
Male	296	25	23	24	22	29	32	21	29	21	24	23	23
Female	192	15	13	13	14	16	17	13	25	20	20	11	15
DELAWARE	3,229	344	285	253	288	261	280	240	235	252	238	273	280
Male	1,863	187	152	155	173	151	156	133	146	146	129	159	176
Female	1,366	157	133	98	115	110	124	107	89	106	109	114	104
White	2,643	286	230	192	237	213	219	201	197	210	199	223	236
Male	1,522	155	125	114	145	122	120	112	125	118	105	131	150
Female	1,121	131	105	78	92	91	99	89	72	92	94	92	86
Nonwhite	586	58	55	61	51	48	61	39	38	42	39	50	44
Male	341	32	27	41	28	29	36	21	21	28	24	28	26
Female	245	26	28	20	23	19	25	18	17	14	15	22	18
DISTRICT OF COLUMBIA	8,289	789	710	698	708	711	674	659	638	599	688	675	740
Male	4,423	379	373	358	399	368	365	380	353	333	351	393	371
Female	3,866	410	337	340	309	343	309	279	285	266	337	282	369
White	5,347	532	452	478	435	448	412	421	405	392	429	442	501
Male	2,841	237	241	256	233	225	227	253	219	217	215	271	247
Female	2,506	295	211	222	202	223	185	168	186	175	214	171	254
Nonwhite	2,942	257	258	220	273	263	262	238	233	207	259	233	239
Male	1,582	142	132	102	166	143	138	127	134	116	136	122	124
Female	1,360	115	126	118	107	120	124	111	99	91	123	111	115
FLORIDA	23,005	2,231	1,991	2,099	1,748	1,899	1,801	1,817	1,803	1,732	1,794	1,897	2,193
Male	13,537	1,333	1,215	1,212	1,020	1,093	1,062	1,079	1,027	1,037	1,032	1,113	1,314
Female	9,468	898	776	887	728	806	739	738	776	695	762	784	879
White	18,396	1,583	1,411	1,519	1,238	1,392	1,286	1,312	1,241	1,242	1,283	1,339	1,571
Male	9,888	962	889	889	733	841	773	792	728	762	745	796	978
Female	6,508	621	522	630	505	551	493	520	513	480	538	542	593
Nonwhite	6,609	648	580	580	510	507	535	505	562	490	511	559	622
Male	3,649	371	326	323	287	252	289	287	299	275	287	317	336
Female	2,960	277	254	257	223	255	246	218	263	215	224	242	286

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA	27,511	2,827	2,366	2,430	2,118	2,209	2,180	2,094	2,122	2,099	2,282	2,195	2,589
Male	15,367	1,562	1,345	1,334	1,194	1,230	1,231	1,217	1,239	1,167	1,246	1,190	1,412
Female	12,144	1,265	1,021	1,096	924	979	949	877	883	932	1,036	1,005	1,177
White	16,265	1,684	1,397	1,423	1,256	1,334	1,255	1,255	1,242	1,219	1,350	1,288	1,562
Male	9,399	926	805	821	728	765	749	775	761	696	770	722	871
Female	6,876	759	592	602	528	569	506	480	481	523	580	566	691
Nonwhite	11,246	1,143	969	1,007	862	875	925	839	880	880	932	907	1,027
Male	5,968	636	540	513	466	465	482	442	478	471	476	468	541
Female	5,268	507	429	494	396	410	443	397	402	409	456	439	486
IDAHO	4,585	441	383	400	360	374	368	339	342	376	438	391	373
Male	2,852	270	224	260	232	230	228	214	210	225	293	231	235
Female	1,733	171	159	140	128	144	140	125	132	151	145	160	138
White	4,500	431	375	393	351	369	360	335	337	366	429	386	368
Male	2,791	262	217	257	224	227	223	211	206	218	285	228	233
Female	1,709	169	158	136	127	142	137	124	131	148	144	158	135
Nonwhite	85	10	8	7	9	5	8	4	5	10	9	5	5
Male	61	8	7	3	8	3	5	3	4	7	8	3	2
Female	24	2	1	4	1	2	3	1	1	3	1	2	3
ILLINOIS	89,566	9,088	7,563	8,160	7,455	7,500	7,273	6,829	6,539	6,889	7,210	7,103	7,977
Male	50,429	5,019	4,257	4,626	4,169	4,142	4,060	3,852	3,712	3,830	4,185	4,039	4,538
Female	39,137	4,049	3,306	3,534	3,286	3,358	3,213	2,977	2,827	3,059	3,025	3,064	3,439
White	82,574	8,367	6,977	7,561	6,870	6,880	6,719	6,309	6,006	6,340	6,649	6,519	7,357
Male	46,669	4,648	3,943	4,305	3,852	3,797	3,772	3,571	3,435	3,545	3,881	3,718	4,202
Female	35,905	3,739	3,034	3,256	3,018	3,083	2,947	2,738	2,571	2,795	2,768	2,801	3,155
Nonwhite	6,992	681	586	599	585	620	554	520	533	549	561	584	620
Male	3,760	371	314	321	317	345	288	281	277	285	304	321	336
Female	3,232	310	272	278	268	275	266	239	256	264	257	263	284
INDIANA	39,034	3,816	3,407	3,547	3,272	3,260	3,081	3,042	2,818	2,949	3,166	3,205	3,471
Male	21,637	2,072	1,853	1,992	1,805	1,812	1,731	1,736	1,604	1,616	1,712	1,768	1,936
Female	17,397	1,744	1,554	1,555	1,467	1,448	1,350	1,306	1,214	1,333	1,454	1,437	1,535
White	37,023	3,644	3,242	3,366	3,107	3,099	2,909	2,886	2,639	2,783	3,002	3,046	3,290
Male	20,571	1,973	1,757	1,889	1,720	1,729	1,647	1,656	1,513	1,537	1,629	1,681	1,840
Female	16,452	1,671	1,485	1,477	1,387	1,370	1,262	1,230	1,126	1,256	1,373	1,365	1,450
Nonwhite	2,011	172	165	181	165	161	172	156	179	156	164	159	181
Male	1,066	99	96	103	85	83	84	80	91	79	83	87	96
Female	945	73	69	78	80	78	88	76	88	77	81	72	85
IOWA	25,758	2,405	2,192	2,312	2,078	2,219	2,073	1,907	1,984	1,967	2,094	2,130	2,397
Male	14,358	1,376	1,204	1,279	1,163	1,230	1,171	1,049	1,111	1,112	1,146	1,205	1,312
Female	11,400	1,029	988	1,033	915	989	902	858	873	855	948	925	1,085
White	25,501	2,377	2,171	2,290	2,051	2,194	2,048	1,886	1,967	1,955	2,070	2,112	2,380
Male	14,206	1,363	1,191	1,265	1,145	1,215	1,155	1,038	1,100	1,105	1,132	1,194	1,303
Female	11,295	1,014	980	1,025	906	979	893	848	867	850	938	918	1,077
Nonwhite	257	28	21	22	27	25	25	21	17	12	24	18	17
Male	152	13	13	14	18	15	16	11	11	7	14	11	9
Female	105	15	8	8	9	10	9	10	6	5	10	7	8
KANSAS	18,059	1,615	1,520	1,610	1,425	1,512	1,443	1,453	1,295	1,349	1,442	1,529	1,666
Male	10,199	1,030	858	889	794	857	827	839	730	773	824	864	914
Female	7,860	785	662	721	631	655	616	614	565	576	618	665	752
White	17,086	1,598	1,433	1,521	1,341	1,432	1,375	1,375	1,228	1,273	1,371	1,452	1,569
Male	9,689	971	803	845	752	815	788	792	693	736	790	821	863
Female	7,397	727	628	676	589	617	587	583	535	537	581	631	706
Nonwhite	993	117	89	89	84	80	68	78	67	76	71	77	97
Male	530	59	55	44	42	42	39	47	37	37	34	43	51
Female	463	58	34	45	42	38	29	31	30	39	37	34	46
KENTUCKY	27,410	2,785	2,435	2,429	2,232	2,130	2,168	2,078	2,015	2,105	2,281	2,210	2,542
Male	15,314	1,503	1,362	1,338	1,255	1,239	1,201	1,186	1,138	1,186	1,289	1,195	1,422
Female	12,096	1,282	1,073	1,091	977	891	967	892	877	919	992	1,015	1,120
White	24,053	2,433	2,133	2,119	1,959	1,862	1,910	1,819	1,750	1,852	2,013	1,976	2,227
Male	13,515	1,306	1,201	1,175	1,104	1,097	1,088	1,052	994	1,058	1,135	1,071	1,254
Female	10,538	1,127	932	944	855	765	842	767	756	794	878	905	973
Nonwhite	3,357	352	302	310	273	268	258	259	265	253	268	234	315
Male	1,799	197	161	163	151	142	133	134	144	128	154	124	168
Female	1,558	155	141	147	122	126	125	125	121	125	114	110	147
LOUISIANA	22,030	2,325	2,009	1,924	1,658	1,731	1,685	1,762	1,750	1,639	1,797	1,793	1,957
Male	12,373	1,281	1,111	1,112	918	966	940	980	998	938	1,000	980	1,149
Female	9,657	1,044	898	812	740	765	745	782	752	701	797	813	808
White	12,957	1,341	1,179	1,118	934	976	983	1,073	1,018	986	1,068	1,088	1,193
Male	7,536	742	686	659	550	577	585	623	596	581	607	608	722
Female	5,421	599	493	459	384	399	398	450	422	405	461	480	471
Nonwhite	9,073	984	830	806	724	755	702	689	732	653	729	705	764
Male	4,837	539	425	453	368	389	355	357	402	357	393	372	427
Female	4,236	445	405	353	356	366	347	332	330	296	336	333	337
MAINE	10,058	990	856	906	843	841	806	764	720	770	851	820	911
Male	5,572	544	463	482	471	473	479	425	372	431	456	463	513
Female	4,486	446	393	424	372	368	327	339	348	339	375	357	398
White	10,023	988	852	903	840	839	803	761	718	766	828	818	907
Male	5,549	542	460	480	470	471	478	423	371	429	454	462	509
Female	4,474	446	392	423	370	368	325	338	347	337	374	356	398
Nonwhite	35	2	4	3	3	2	3	3	2	4	3	2	4
Male	23	2	3	2	1	2	1	2	1	2	2	1	4
Female	12	-	1	1	2	-	2	1	1	2	1	1	-
MARYLAND	21,785	2,176	1,785	1,910	1,816	1,824	1,772	1,689	1,658	1,661	1,785	1,726	1,981
Male	12,031	1,176	981	1,054	1,016	1,015	973	946	928	917	993	968	1,062
Female	9,752	998	804	856	800	809	799	743	730	744	792	758	919
White	17,237	1,747	1,425	1,543	1,434	1,438	1,398	1,317	1,285	1,307	1,422	1,383	1,548
Male	9,567	939	785	849	808	801	771	750	728	755	783	787	831
Female	7,670	808	640	694	626	637	617	567	557	572	639	596	717
Nonwhite	4,546	429	360	367	382	386	384	372	373	354	363	343	433
Male	2,464	239	196	205	208	214	202	196	200	182	210	181	231
Female	2,082	190	164	162	174	172	182	176	173	172	153	162	202

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MASSACHUSETTS	51,398	5,169	4,513	4,773	4,205	4,250	4,046	3,799	3,722	3,959	4,185	4,053	4,714
Male	27,091	2,671	2,347	2,551	2,195	2,240	2,184	2,039	2,012	2,054	2,149	2,151	2,498
Female	24,307	2,498	2,166	2,222	2,010	2,010	1,862	1,760	1,710	1,905	2,046	1,902	2,216
White	50,487	5,073	4,425	4,684	4,131	4,178	3,979	3,727	3,654	3,893	4,133	3,990	4,620
Male	26,584	2,617	2,300	2,499	2,156	2,205	2,143	2,006	1,973	2,010	2,119	2,111	2,445
Female	23,903	2,456	2,125	2,185	1,975	1,973	1,836	1,721	1,681	1,883	2,014	1,879	2,175
Nonwhite	911	96	88	89	74	72	67	72	68	66	62	63	94
Male	507	54	47	52	39	35	41	33	39	44	30	40	53
Female	404	42	41	37	35	37	26	39	29	22	32	23	41
MICHIGAN	55,167	5,296	4,502	4,786	4,856	4,775	4,585	4,328	4,192	4,152	4,473	4,432	4,990
Male	31,647	2,953	2,552	2,812	2,663	2,774	2,617	2,470	2,412	2,376	2,564	2,532	2,922
Female	23,520	2,343	1,950	1,974	1,993	2,001	1,968	1,858	1,780	1,776	1,909	1,900	2,068
White	51,544	4,934	4,204	4,462	4,355	4,471	4,271	4,039	3,918	3,882	4,191	4,140	4,677
Male	29,646	2,765	2,378	2,644	2,483	2,607	2,439	2,320	2,256	2,209	2,421	2,382	2,742
Female	21,898	2,169	1,826	1,818	1,872	1,864	1,832	1,719	1,662	1,673	1,770	1,758	1,935
Nonwhite	3,623	362	298	324	301	304	314	289	274	270	282	292	313
Male	2,001	188	174	168	180	167	178	150	156	167	143	150	180
Female	1,622	174	124	156	121	137	136	139	118	103	139	142	133
MINNESOTA	26,937	2,491	2,124	2,389	2,293	2,282	2,182	2,085	2,122	2,092	2,224	2,186	2,467
Male	15,699	1,445	1,205	1,377	1,332	1,343	1,295	1,215	1,215	1,239	1,303	1,280	1,450
Female	11,238	1,046	919	1,012	961	939	887	870	907	853	921	906	1,017
White	26,577	2,454	2,092	2,353	2,257	2,255	2,158	2,055	2,089	2,059	2,192	2,170	2,433
Male	15,501	1,423	1,184	1,353	1,312	1,325	1,287	1,203	1,204	1,226	1,284	1,270	1,430
Female	11,076	1,031	908	1,000	945	930	871	852	885	843	908	900	1,003
Nonwhite	360	37	32	36	36	27	24	30	33	23	32	16	34
Male	198	22	21	24	20	18	8	12	11	13	19	10	20
Female	162	15	11	12	16	9	16	18	22	10	13	6	14
MISSISSIPPI	19,417	2,047	1,706	1,818	1,631	1,590	1,494	1,530	1,547	1,394	1,477	1,474	1,709
Male	10,702	1,131	955	966	910	868	814	836	851	796	813	811	931
Female	8,715	916	751	852	721	702	680	694	696	598	664	663	778
White	9,130	910	808	883	748	739	681	744	732	649	715	717	804
Male	5,333	517	485	481	430	435	404	438	441	401	424	421	446
Female	3,797	393	323	392	318	304	277	306	291	248	291	296	358
Nonwhite	10,287	1,137	898	935	883	851	813	786	815	745	762	757	905
Male	5,369	614	470	475	480	453	410	398	410	395	389	390	485
Female	4,918	523	428	460	403	398	403	388	405	350	373	367	420
MISSOURI	42,451	4,253	3,805	3,816	3,388	3,471	3,367	3,354	3,149	3,143	3,469	3,399	3,837
Male	23,607	2,311	2,082	2,051	1,901	1,935	1,816	1,850	1,829	1,793	1,972	1,903	2,164
Female	18,844	1,942	1,723	1,765	1,487	1,536	1,551	1,504	1,320	1,350	1,497	1,496	1,673
White	38,209	3,848	3,452	3,413	3,059	3,129	3,023	3,017	2,794	2,852	3,109	3,051	3,462
Male	21,306	2,090	1,900	1,822	1,712	1,752	1,628	1,665	1,631	1,644	1,775	1,723	1,964
Female	16,903	1,758	1,552	1,591	1,347	1,377	1,395	1,352	1,163	1,208	1,334	1,328	1,498
Nonwhite	4,242	405	353	403	329	342	344	337	355	291	360	348	375
Male	2,301	221	182	229	169	183	188	185	198	149	197	180	200
Female	1,941	184	171	174	140	159	156	152	157	142	163	168	175
MONTANA	5,595	478	521	471	426	497	420	487	432	431	503	454	475
Male	3,571	299	330	281	286	316	291	308	286	276	318	282	298
Female	2,024	179	191	190	140	181	129	179	146	155	185	172	177
White	5,301	452	497	452	404	467	403	453	407	403	473	439	451
Male	3,386	278	314	266	272	294	277	290	272	281	304	273	285
Female	1,915	174	183	186	132	173	126	163	135	142	169	166	166
Nonwhite	294	26	24	19	22	30	17	34	25	28	30	15	24
Male	185	21	16	15	14	22	14	18	14	15	14	9	13
Female	109	5	8	4	8	8	3	16	11	13	16	6	11
NEBRASKA	12,440	1,256	1,027	1,112	1,011	968	1,088	954	960	873	973	1,061	1,157
Male	7,049	733	565	627	580	571	576	532	557	509	553	615	631
Female	5,391	523	462	485	431	397	512	422	403	364	420	446	526
White	12,147	1,215	1,003	1,088	991	954	1,063	929	935	852	950	1,036	1,131
Male	6,880	705	554	609	570	565	563	517	544	492	543	602	616
Female	5,267	510	449	479	421	389	500	412	391	360	407	434	515
Nonwhite	293	41	24	24	20	14	25	25	25	21	23	25	26
Male	169	28	11	18	10	6	13	15	13	17	10	13	15
Female	124	13	13	6	10	8	12	10	12	4	13	12	11
NEVADA	1,502	148	109	131	126	121	138	96	130	124	118	126	154
Male	1,009	93	66	87	83	80	81	60	86	94	81	88	110
Female	493	55	43	44	43	41	37	36	44	30	37	38	44
White	1,364	133	96	123	120	103	105	86	116	117	112	118	133
Male	941	66	59	83	80	74	74	55	82	88	79	82	99
Female	423	47	37	40	40	29	31	31	36	29	33	36	34
Nonwhite	138	16	13	8	6	18	13	10	12	7	6	8	21
Male	68	7	7	4	3	6	7	5	4	6	2	6	11
Female	70	9	6	4	3	12	6	5	8	1	4	2	10
NEW HAMPSHIRE	6,049	594	518	562	529	470	477	474	432	452	504	499	538
Male	3,258	286	252	308	277	272	264	261	239	236	290	299	274
Female	2,791	308	266	254	252	198	213	213	193	216	214	200	264
White	6,038	593	517	562	529	468	475	474	432	450	502	498	538
Male	3,254	286	252	308	277	272	264	261	239	234	289	298	274
Female	2,784	307	265	254	252	196	211	213	193	216	213	200	264
Nonwhite	11	1	1	-	-	2	2	-	-	2	2	1	-
Male	4	-	-	-	-	-	-	-	-	2	1	1	-
Female	7	1	1	-	-	2	2	-	-	-	1	-	-
NEW JERSEY	46,392	4,728	3,987	4,023	3,848	3,869	3,644	3,526	3,300	3,593	3,823	3,721	4,330
Male	25,335	2,601	2,195	2,212	2,081	2,081	1,942	1,941	1,818	1,940	2,116	2,047	2,361
Female	21,057	2,127	1,792	1,811	1,767	1,788	1,702	1,585	1,482	1,653	1,707	1,674	1,969
White	43,109	4,437	3,707	3,718	3,567	3,596	3,390	3,271	3,049	3,346	3,557	3,447	4,024
Male	23,601	2,448	2,047	2,056	1,938	1,946	1,810	1,804	1,678	1,804	1,967	1,896	2,207
Female	19,508	1,989	1,660	1,662	1,629	1,650	1,580	1,467	1,371	1,542	1,590	1,551	1,817
Nonwhite	3,283	291	280	305	281	273	254	255	251	247	266	274	306
Male	1,734	153	148	156	143	135	132	137	140	136	149	151	154
Female	1,549	138	132	149	138	138	122	118	111	111	117	123	152

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO	5,436	468	451	456	408	445	365	419	487	468	490	424	555
Male	3,175	287	262	253	238	259	213	234	295	272	292	255	315
Female	2,261	181	189	203	170	186	152	185	192	196	198	169	240
White	4,814	415	400	399	360	392	326	381	430	409	428	387	497
Male	2,837	256	228	212	217	229	190	215	271	239	263	232	285
Female	1,977	159	172	177	143	163	136	166	159	170	165	155	212
Nonwhite	622	53	51	67	48	53	39	38	57	59	62	37	58
Male	338	31	34	41	21	30	23	19	24	33	29	23	30
Female	284	22	17	26	27	23	16	19	33	26	33	14	28
NEW YORK	152,866	15,796	12,948	13,544	12,780	12,964	12,120	11,360	11,199	11,802	12,392	12,143	14,018
Male	83,598	8,528	7,057	7,350	7,075	7,065	6,570	6,258	6,115	6,335	6,747	6,677	7,621
Female	69,268	7,268	5,891	6,194	5,705	5,899	5,550	5,102	5,084	5,267	5,645	5,466	6,197
White	144,289	14,996	12,284	12,808	12,072	12,214	11,409	10,705	10,541	10,875	11,737	11,443	13,205
Male	78,989	8,094	6,687	6,958	6,679	6,672	6,206	5,909	5,778	5,939	6,396	6,295	7,386
Female	65,300	6,912	5,597	5,850	5,393	5,542	5,203	4,796	4,763	4,936	5,341	5,148	5,819
Nonwhite	8,577	800	664	736	708	750	711	655	658	727	655	700	813
Male	4,609	444	370	392	396	393	364	349	337	396	351	382	435
Female	3,968	356	294	344	312	357	347	306	321	331	304	318	378
NORTH CAROLINA	28,724	3,003	2,524	2,478	2,284	2,321	2,204	2,201	2,189	2,213	2,376	2,347	2,584
Male	16,194	1,660	1,413	1,424	1,313	1,289	1,279	1,238	1,188	1,227	1,356	1,341	1,466
Female	12,530	1,343	1,111	1,054	971	1,032	925	963	1,001	986	1,020	1,006	1,118
White	19,096	2,006	1,649	1,659	1,508	1,551	1,450	1,459	1,464	1,468	1,587	1,562	1,733
Male	11,082	1,118	965	961	906	891	855	848	818	846	928	927	1,021
Female	8,014	888	684	698	602	660	595	613	646	622	659	635	712
Nonwhite	9,628	997	875	819	776	770	754	742	725	745	789	785	851
Male	5,112	542	448	463	407	398	424	392	370	381	428	414	445
Female	4,516	455	427	356	369	372	330	350	355	364	361	371	406
NORTH DAKOTA	5,080	451	363	405	471	451	421	437	391	394	446	434	416
Male	3,121	265	218	248	295	286	254	261	242	240	276	280	256
Female	1,959	186	145	157	176	165	167	176	149	154	170	154	160
White	4,955	445	353	392	458	436	413	423	379	383	434	427	412
Male	3,052	264	213	242	287	277	251	255	234	233	268	274	254
Female	1,903	181	140	150	171	159	162	168	145	150	166	153	158
Nonwhite	125	6	10	13	13	15	8	14	12	11	12	7	4
Male	69	1	5	6	8	9	3	6	8	7	8	6	2
Female	56	5	5	7	5	6	5	8	4	4	4	1	2
OHIO	78,464	7,771	6,625	6,914	6,557	6,627	6,148	6,083	5,933	6,188	6,403	6,341	6,874
Male	43,579	4,234	3,624	3,832	3,553	3,705	3,402	3,383	3,356	3,469	3,614	3,535	3,872
Female	34,885	3,537	3,001	3,082	3,004	2,922	2,746	2,700	2,577	2,719	2,789	2,806	3,002
White	72,960	7,194	6,189	6,460	6,101	6,183	5,725	5,603	5,514	5,760	5,953	5,885	6,393
Male	40,485	3,921	3,372	3,577	3,304	3,441	3,158	3,123	3,117	3,232	3,375	3,272	3,593
Female	32,475	3,273	2,817	2,883	2,797	2,742	2,567	2,480	2,397	2,528	2,578	2,613	2,800
Nonwhite	5,504	577	436	454	456	444	423	480	419	428	450	456	481
Male	3,094	313	252	255	249	264	244	260	239	237	239	263	279
Female	2,410	264	184	199	207	180	179	220	180	191	211	193	202
OKLAHOMA	18,620	1,886	1,826	1,645	1,502	1,424	1,406	1,624	1,503	1,317	1,457	1,536	1,694
Male	10,955	1,128	931	953	863	856	796	939	879	819	867	933	991
Female	7,665	758	895	892	639	568	610	685	624	498	590	603	703
White	16,401	1,663	1,404	1,433	1,310	1,273	1,251	1,450	1,338	1,154	1,275	1,352	1,498
Male	9,792	1,018	826	836	762	781	722	850	796	720	765	828	888
Female	6,609	645	578	597	548	492	529	600	542	434	510	524	610
Nonwhite	2,219	223	222	212	192	151	155	174	165	163	182	184	196
Male	1,163	110	105	117	101	75	74	89	83	99	102	105	103
Female	1,056	113	117	95	91	76	81	85	82	64	80	79	93
OREGON	13,318	1,222	1,125	1,144	1,174	1,146	1,068	1,104	999	1,023	1,118	1,104	1,091
Male	8,011	724	674	690	684	686	641	710	603	625	651	661	662
Female	5,307	498	451	454	490	460	427	394	396	398	467	443	429
White	13,050	1,189	1,097	1,113	1,154	1,122	1,054	1,086	979	1,001	1,096	1,084	1,085
Male	7,844	711	654	671	675	670	631	689	592	612	639	647	643
Female	5,206	488	443	442	479	452	423	387	387	389	457	437	422
Nonwhite	268	23	28	31	20	24	14	18	20	22	22	20	26
Male	167	13	20	19	9	16	10	11	11	13	12	14	19
Female	101	10	8	12	11	8	4	7	9	9	10	6	7
PENNSYLVANIA	107,683	10,856	9,235	9,470	9,075	8,835	8,402	8,228	7,928	8,180	8,772	8,855	9,847
Male	59,242	5,900	5,149	5,153	4,976	4,817	4,626	4,471	4,436	4,550	4,806	4,915	5,443
Female	48,441	4,956	4,086	4,317	4,099	4,018	3,776	3,757	3,492	3,630	3,966	3,940	4,404
White	100,581	10,187	8,649	8,868	8,449	8,235	7,841	7,657	7,391	7,644	8,195	8,253	9,212
Male	55,409	5,536	4,811	4,830	4,647	4,501	4,333	4,180	4,132	4,245	4,499	4,590	5,105
Female	45,172	4,651	3,838	4,038	3,802	3,734	3,508	3,477	3,259	3,399	3,696	3,663	4,107
Nonwhite	7,102	669	586	602	626	600	561	571	537	536	577	602	635
Male	3,833	364	338	323	329	316	293	291	304	305	307	325	336
Female	3,269	305	248	279	297	284	268	280	233	231	270	277	297
RHODE ISLAND	8,073	797	722	782	626	690	593	633	589	623	634	654	750
Male	4,221	425	361	407	334	363	325	340	291	318	321	326	390
Female	3,852	372	341	375	292	327	268	293	278	305	313	328	360
White	7,906	781	704	767	607	680	584	613	562	615	621	642	730
Male	4,130	419	368	401	325	358	322	328	287	313	312	319	378
Female	3,776	362	336	366	282	322	262	285	275	302	309	323	352
Nonwhite	167	16	18	15	19	10	9	20	7	8	13	12	20
Male	91	6	13	6	9	5	3	12	4	5	9	7	12
Female	76	10	5	9	10	5	6	8	3	3	4	5	8
SOUTH CAROLINA	16,351	1,783	1,475	1,430	1,346	1,298	1,307	1,200	1,234	1,248	1,304	1,327	1,399
Male	9,074	971	847	787	749	695	685	698	711	705	742	718	776
Female	7,277	812	628	643	597	603	622	512	523	543	562	609	623
White	8,501	941	751	738	685	638	668	639	651	672	676	722	720
Male	4,941	523	438	417	412	357	374	382	380	388	412	421	437
Female	3,560	418	313	321	273	281	294	257	271	284	264	301	283
Nonwhite	7,850	842	724	692	661	660	639	561	583	576	628	605	679
Male	4,133	448	409	370	337	338	311	306	331	317	330	297	339
Female	3,717	394	315	322	324	322	328	255	252	259	298	308	340

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA	5,508	505	444	507	485	501	419	423	431	411	450	435	497
Male	3,305	300	262	297	299	300	253	253	260	241	276	271	283
Female	2,203	205	182	210	186	201	156	170	171	170	174	164	214
White	5,173	473	411	467	455	478	392	397	408	388	425	410	469
Male	3,128	280	242	279	276	287	247	242	252	228	266	260	269
Female	2,045	193	169	188	179	191	145	155	156	160	159	150	200
Nonwhite	335	32	33	40	30	23	27	26	23	23	25	25	28
Male	177	20	20	18	23	13	16	11	8	13	10	11	14
Female	158	12	13	22	7	10	11	15	15	10	15	14	14
TENNESSEE	27,650	2,828	2,419	2,473	2,270	2,334	2,236	2,100	2,136	2,086	2,222	2,118	2,448
Male	15,342	1,521	1,306	1,404	1,239	1,284	1,285	1,189	1,202	1,140	1,211	1,192	1,369
Female	12,308	1,307	1,113	1,069	1,031	1,050	951	911	934	926	1,011	926	1,079
White	21,157	2,168	1,848	1,903	1,747	1,788	1,725	1,591	1,610	1,560	1,709	1,622	1,886
Male	11,986	1,200	1,019	1,099	979	999	1,023	929	923	882	933	929	1,071
Female	9,171	988	829	804	768	789	702	662	687	678	776	693	815
Nonwhite	6,493	660	571	570	523	546	511	509	526	506	513	496	562
Male	3,356	321	287	305	260	285	262	280	279	258	278	263	298
Female	3,137	339	284	265	263	261	249	249	247	248	235	233	264
TEXAS	59,708	5,875	5,120	5,204	4,851	4,974	4,690	5,136	4,782	4,346	4,806	4,832	5,290
Male	34,754	3,413	2,926	3,019	2,729	2,899	2,717	2,948	2,771	2,588	2,792	2,884	3,070
Female	24,952	2,462	2,194	2,185	1,922	2,075	1,973	2,190	2,011	1,758	2,014	1,948	2,220
White	49,652	4,872	4,265	4,330	3,879	4,148	3,872	4,254	3,956	3,625	4,009	4,006	4,436
Male	29,263	2,836	2,462	2,559	2,323	2,456	2,247	2,468	2,317	2,199	2,365	2,427	2,604
Female	20,389	2,036	1,803	1,771	1,556	1,692	1,625	1,786	1,639	1,426	1,644	1,579	1,832
Nonwhite	10,054	1,003	855	874	772	826	818	882	826	721	797	826	854
Male	5,491	577	464	460	406	443	470	478	454	389	427	457	486
Female	4,563	426	391	414	366	383	348	404	372	332	370	369	388
UTAH	4,785	446	439	425	417	426	355	369	373	331	399	363	442
Male	2,775	259	262	254	231	249	214	217	215	192	222	207	253
Female	2,010	187	177	171	186	177	141	152	158	139	177	156	189
White	4,692	438	434	410	411	418	345	362	369	324	390	359	432
Male	2,714	253	258	244	228	244	208	213	211	185	217	205	248
Female	1,978	185	176	166	183	174	137	149	158	139	173	154	184
Nonwhite	93	8	5	15	6	8	10	7	4	7	9	4	10
Male	61	6	4	10	3	5	6	4	4	7	5	2	5
Female	32	2	1	5	3	3	4	3	-	-	4	2	5
VERMONT	4,140	418	346	381	354	395	304	304	285	305	351	298	404
Male	2,263	214	190	197	196	217	179	180	148	175	187	168	212
Female	1,877	204	156	184	158	178	125	124	132	130	164	130	192
White	4,137	418	346	381	354	395	304	304	280	304	349	298	404
Male	2,260	214	190	197	196	217	179	180	148	174	185	168	212
Female	1,877	204	156	184	158	178	125	124	132	130	164	130	192
Nonwhite	3	-	-	-	-	-	-	-	-	1	2	-	-
Male	3	-	-	-	-	-	-	-	-	1	2	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	28,154	2,957	2,513	2,463	2,303	2,293	2,143	2,173	2,082	2,263	2,262	2,139	2,563
Male	16,163	1,709	1,376	1,407	1,301	1,321	1,240	1,257	1,227	1,298	1,291	1,261	1,475
Female	11,991	1,248	1,137	1,056	1,002	972	903	916	855	965	971	878	1,088
White	19,285	2,020	1,695	1,676	1,569	1,566	1,462	1,469	1,405	1,569	1,554	1,507	1,793
Male	11,259	1,199	935	955	879	920	861	867	857	952	917	891	1,046
Female	8,026	821	760	721	690	646	601	602	548	637	637	616	747
Nonwhite	8,869	937	818	787	734	727	681	704	677	694	708	632	770
Male	4,904	510	441	452	422	401	379	390	370	366	374	370	429
Female	3,965	427	377	335	312	326	302	314	307	328	334	262	341
WASHINGTON	22,011	2,026	1,845	1,999	1,922	1,832	1,755	1,754	1,713	1,602	1,856	1,843	1,874
Male	13,519	1,261	1,126	1,214	1,169	1,121	1,076	1,066	1,042	994	1,146	1,137	1,167
Female	8,492	765	719	775	753	711	679	688	671	608	710	706	707
White	21,349	1,987	1,800	1,937	1,859	1,783	1,703	1,679	1,649	1,556	1,793	1,795	1,826
Male	13,094	1,229	1,093	1,182	1,127	1,091	1,043	1,023	994	964	1,105	1,107	1,136
Female	8,255	738	707	755	732	692	660	656	655	594	688	688	690
Nonwhite	662	59	45	52	63	49	52	75	64	44	63	48	48
Male	425	32	33	32	42	30	33	43	48	30	41	30	31
Female	237	27	12	20	21	19	19	32	16	14	22	18	17
WEST VIRGINIA	16,238	1,548	1,420	1,393	1,316	1,374	1,238	1,239	1,232	1,280	1,285	1,318	1,495
Male	9,509	983	828	801	759	781	739	757	747	735	755	775	871
Female	6,729	685	594	592	577	593	499	482	485	545	530	543	624
White	14,908	1,466	1,315	1,266	1,206	1,246	1,146	1,133	1,141	1,198	1,179	1,232	1,380
Male	8,695	863	761	722	671	707	683	685	693	683	708	720	799
Female	6,213	603	554	544	535	539	463	448	448	515	471	512	581
Nonwhite	1,330	182	105	127	110	128	92	106	91	82	106	86	115
Male	814	120	65	79	68	74	56	72	54	52	47	55	72
Female	516	62	40	48	42	54	36	34	37	30	59	31	43
WISCONSIN	32,345	3,163	2,656	2,907	2,719	2,920	2,496	2,454	2,354	2,486	2,690	2,546	2,954
Male	18,141	1,792	1,510	1,611	1,532	1,612	1,380	1,405	1,324	1,364	1,505	1,441	1,665
Female	14,204	1,371	1,146	1,296	1,187	1,308	1,116	1,049	1,030	1,122	1,185	1,105	1,289
White	32,001	3,133	2,629	2,867	2,693	2,888	2,479	2,431	2,332	2,448	2,668	2,516	2,917
Male	17,945	1,775	1,494	1,585	1,516	1,589	1,370	1,393	1,313	1,344	1,494	1,429	1,643
Female	14,056	1,358	1,135	1,282	1,177	1,299	1,109	1,038	1,019	1,104	1,174	1,087	1,274
Nonwhite	344	30	27	40	26	32	17	23	22	38	22	30	37
Male	196	17	16	26	16	23	10	12	11	20	11	12	22
Female	148	13	11	14	10	9	7	11	11	18	11	18	15
WYOMING	2,135	202	154	143	190	178	186	151	161	186	203	194	187
Male	1,392	132	102	92	112	132	133	98	103	118	120	131	119
Female	743	70	52	51	78	46	53	53	58	68	83	63	68
White	2,064	193	147	137	189	173	177	150	155	177	199	184	183
Male	1,346	127	99	88	111	128	127	97	98	112	118	125	116
Female	718	66	48	49	78	45	50	53	57	65	81	59	67
Nonwhite	71	9	7	6	1	5	9	1	6	9	4	10	4
Male	46	5	3	4	1	4	6	1	5	6	2	6	3
Female	25	4	4	2	-	1	3	-	1	3	2	4	1

793002 O - 48 - 15

TABLE 19.–DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES----------All causes	1,395,617	139,416	119,898	124,101	114,662	115,979	110,106	107,740	104,882	106,055	113,416	112,981	126,381
Typhoid and paratyphoid fever----------1,2	407	27	22	26	33	39	35	58	55	36	30	26	20
Cerebrospinal (meningococcus) meningitis----------6	1,257	231	170	146	113	97	69	58	68	67	67	76	95
Scarlet fever----------8	198	25	35	29	13	12	15	12	9	13	8	12	15
Whooping cough----------9	1,241	131	113	86	108	100	115	103	126	91	83	74	111
Diphtheria----------10	1,259	193	114	113	65	87	72	60	52	93	139	133	138
Tuberculosis (all forms)----------13-22	50,911	4,635	4,428	4,770	4,540	4,545	4,212	4,162	3,980	3,779	3,919	3,898	4,043
Tuberculosis of respiratory system, etc.*----------13	46,939	4,329	4,097	4,421	4,139	4,135	3,855	3,813	3,638	3,501	3,668	3,606	3,737
Tuberculosis (other forms)----------14-22	3,972	306	331	349	401	410	357	349	342	278	251	292	306
Dysentery----------27	952	49	45	51	63	125	122	102	102	88	91	49	65
Malaria----------28	341	20	20	24	36	31	45	41	43	23	26	18	14
Syphilis----------30	12,955	1,332	1,088	1,152	1,072	1,085	1,091	1,017	993	974	1,093	961	1,117
Measles----------35	1,310	65	128	282	296	245	181	44	20	8	13	15	33
Poliomyelitis, policencephalitis (acute)----------36	1,845	22	30	22	26	46	86	261	478	386	279	146	63
Cancer and other malignant tumors----------45-55	182,005	15,529	13,641	15,379	15,094	15,404	14,909	15,132	15,327	15,061	15,632	15,096	15,801
Cancer of the digestive organs and peritoneum----------46	80,866	7,051	6,096	6,920	6,693	6,867	6,687	6,781	6,764	6,692	6,732	6,651	6,922
Cancer of female genital organs----------48,49	22,646	1,914	1,702	1,917	1,836	1,904	1,943	1,920	1,957	1,836	1,967	1,852	1,898
Cancer of the breast----------50	17,516	1,514	1,349	1,444	1,482	1,453	1,452	1,362	1,504	1,425	1,547	1,496	1,488
Cancer (other sites)----------45,47,51-55	60,977	5,040	4,494	5,099	5,083	5,180	4,827	5,069	5,102	5,108	5,386	5,097	5,493
Acute rheumatic fever----------58	1,118	116	100	122	97	95	96	74	89	74	79	93	83
Diabetes mellitus----------61	34,731	3,657	3,098	3,128	2,947	2,829	2,753	2,623	2,374	2,570	2,780	2,783	3,189
Exophthalmic goiter----------63b	2,357	247	228	223	223	238	200	162	166	158	175	171	169
Pellagra (except alcoholic)----------69	804	87	74	74	65	68	75	55	70	62	60	47	67
Alcoholism (ethylism)----------77	2,209	225	200	203	172	178	151	185	167	161	167	168	232
Intracranial lesions of vascular origin----------83	125,646	12,416	10,926	11,196	10,380	10,580	9,938	9,502	9,279	9,286	10,101	10,349	11,693
Diseases of the heart----------90-95	429,230	44,440	38,127	39,221	35,730	36,082	33,343	31,473	30,475	31,550	34,387	34,682	39,720
Chronic rheumatic diseases of the heart------90a,92b,c,93c,95b	23,559	2,482	2,048	2,181	2,002	2,111	1,796	1,748	1,653	1,746	1,900	1,856	2,036
Diseases of coronary arteries and angina pectoris----------94	137,153	12,832	11,532	11,813	11,029	11,451	10,708	10,412	10,274	10,584	11,419	11,748	13,351
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	268,518	29,126	24,547	25,227	22,699	22,520	20,839	19,313	18,548	19,220	21,068	21,078	24,333
Arteriosclerosis and high blood pressure*----------97,102	26,744	2,961	2,466	2,426	2,244	2,212	2,159	1,966	1,747	1,985	2,115	2,053	2,410
Pneumonia (all forms) and influenza----------107-109,33	62,324	11,316	8,217	6,646	4,873	4,104	3,256	2,865	2,692	3,187	4,106	4,582	6,480
Bronchopneumonia----------107	27,667	3,690	3,148	2,777	2,261	1,987	1,619	1,545	1,400	1,700	2,048	2,225	3,047
Lobar pneumonia----------108	20,252	3,459	2,645	2,263	1,655	1,354	1,099	911	879	998	1,371	1,506	2,112
Pneumonia (unspecified)----------109	5,622	660	673	549	428	392	305	292	277	300	386	476	694
Influenza----------33	8,783	3,107	1,751	1,057	509	371	233	127	136	189	301	375	627
Ulcer of stomach or duodenum----------117	8,164	776	722	742	664	702	587	628	563	670	684	682	744
Diarrhea, enteritis, etc.*----------119,120	8,090	640	563	601	589	734	772	814	752	701	699	636	589
Appendicitis----------121	5,285	474	437	484	425	469	470	563	451	415	365	361	371
Hernia and intestinal obstruction----------122	11,221	1,081	908	921	862	910	955	1,006	975	900	897	880	926
Cirrhosis of the liver----------124	13,451	1,248	1,099	1,166	1,136	1,152	1,034	1,011	1,112	1,109	1,116	1,081	1,187
Biliary calculi, etc.*----------126,127	6,150	541	500	543	484	515	527	567	474	528	503	512	456
Nephritis----------130-132	81,701	8,535	7,402	7,642	7,078	7,055	6,589	6,106	5,675	5,984	6,259	6,359	7,017
Diseases of the prostate----------137	7,361	699	613	620	658	626	620	549	582	624	614	577	579
Diseases of pregnancy, etc.*----------140-150	5,153	430	366	414	390	437	408	476	493	460	427	414	438
Puerperal septicemia----------140,142a,145A,147	1,771	157	108	146	149	155	155	151	155	168	143	131	153
Puerperal toxemia----------141a,c,144,148	1,296	105	100	98	97	112	99	125	125	119	97	112	107
Hemorrhage, trauma or shock*----------141b,142b,143,146,149	1,589	122	122	125	116	134	121	145	161	135	133	139	136
Other puerperal causes----------141d,e,f,145B,150	497	46	36	45	28	36	33	55	52	38	54	32	42
Congenital malformations----------157	17,749	1,365	1,284	1,317	1,320	1,427	1,278	1,379	1,490	1,582	1,689	1,769	1,849
Diseases peculiar to first year of life----------158-161	61,738	4,241	3,906	4,306	4,464	5,089	5,216	5,567	5,859	5,734	5,929	5,607	5,820
Premature birth----------159	39,824	2,712	2,472	2,765	2,905	3,422	3,477	3,639	3,757	3,688	3,709	3,563	3,717
Other diseases peculiar to first year of life------158,160,161	21,914	1,529	1,434	1,541	1,561	1,667	1,739	1,928	2,102	2,046	2,220	2,044	2,103
Suicide----------163,164	16,152	1,322	1,225	1,331	1,438	1,444	1,385	1,383	1,259	1,364	1,317	1,227	1,237
Homicide----------165-168	8,784	611	612	739	657	717	765	805	769	800	718	754	837
Accidental deaths----------169-195	98,033	8,905	7,726	8,133	7,532	7,573	8,057	8,579	8,118	7,727	8,224	8,278	9,181
Motor-vehicle accidents----------170	33,411	2,913	2,537	2,752	2,525	2,461	2,324	2,575	2,895	2,803	3,042	3,173	3,411
Other accidents----------169,171-195	64,622	5,992	5,189	5,381	5,007	5,112	5,733	6,004	5,223	4,924	5,182	5,105	5,770
Senility, ill-defined and unknown causes----------162,199,200	27,607	3,287	2,653	2,478	2,151	2,193	2,047	1,965	1,975	1,916	2,189	2,132	2,621
All other causes----------	79,134	7,537	6,632	7,165	6,624	6,734	6,473	6,587	6,023	5,692	6,436	6,280	6,951
ALABAMA----------All causes	24,727	2,578	2,270	2,262	1,863	2,059	1,864	1,860	1,952	1,627	2,026	1,987	2,139
Typhoid and paratyphoid fever----------1,2	9	1	-	2	-	1	1	1	-	1	-	1	1
Cerebrospinal (meningococcus) meningitis----------6	31	5	5	4	4	1	2	2	-	-	2	3	3
Scarlet fever----------8	1	-	-	-	-	-	1	-	-	-	-	-	-
Whooping cough----------9	37	4	1	1	4	2	4	3	3	2	2	3	8
Diphtheria----------10	28	2	1	2	1	1	3	1	1	3	5	3	5
Tuberculosis (all forms)----------13-22	1,122	118	101	120	97	92	73	77	101	80	87	90	86
Tuberculosis of respiratory system, etc.*----------13	1,049	110	95	112	91	85	72	74	94	77	82	78	79
Tuberculosis (other forms)----------14-22	73	8	6	8	6	7	1	3	7	3	5	12	7
Dysentery----------27	22	-	1	4	-	5	6	3	2	-	1	-	-
Malaria----------28	30	3	1	2	5	2	3	3	2	3	4	-	2
Syphilis----------30	317	33	32	27	25	29	20	32	30	15	22	24	28
Measles----------35	44	-	3	7	19	7	2	2	1	-	-	1	2
Poliomyelitis, policencephalitis (acute)----------36	22	1	-	1	1	-	2	4	1	8	1	-	3
Cancer and other malignant tumors----------45-55	2,261	188	189	192	164	184	172	191	198	199	208	186	191
Cancer of the digestive organs and peritoneum----------46	853	69	75	65	65	65	56	79	73	67	79	84	76
Cancer of female genital organs----------48,49	397	30	33	30	33	41	38	27	31	42	34	28	30
Cancer of the breast----------50	222	22	18	20	14	17	15	14	17	19	23	17	26
Cancer (other sites)----------45,47,51-55	789	67	62	77	52	61	63	71	77	71	72	57	59
Acute rheumatic fever----------58	24	3	2	4	2	1	4	2	-	1	2	-	3
Diabetes mellitus----------61	335	27	28	36	20	31	22	20	29	20	32	28	42
Exophthalmic goiter----------63b	30	2	7	2	1	5	2	1	-	1	3	-	6
Pellagra (except alcoholic)----------69	96	18	7	8	11	7	5	6	10	7	7	3	7
Alcoholism (ethylism)----------77	31	2	3	5	-	1	4	3	3	5	1	1	3
Intracranial lesions of vascular origin----------83	2,380	219	227	208	189	223	184	192	160	172	212	182	212
Diseases of the heart----------90-95	5,320	514	457	499	422	481	430	402	401	366	444	455	449
Chronic rheumatic diseases of the heart------90a,92b,c,93c,95b	392	50	33	39	29	46	35	26	29	21	35	24	25
Diseases of coronary arteries and angina pectoris----------94	1,521	118	128	135	126	129	129	108	111	119	147	144	127
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	3,407	346	296	325	267	306	266	268	261	226	262	287	297
Arteriosclerosis and high blood pressure*----------97,102	273	32	21	22	20	18	17	26	25	25	19	27	21

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA—Continued													
Pneumonia (all forms) and influenza----107-109,33	1,526	306	250	195	91	84	65	53	69	81	89	102	141
Bronchopneumonia----107	505	72	54	51	35	25	24	29	32	45	45	46	47
Lobar pneumonia----108	530	84	90	76	35	39	27	20	25	25	32	27	50
Pneumonia (unspecified)----109	82	11	10	11	5	5	7	2	5	4	4	7	11
Influenza----33	409	139	96	57	16	15	7	2	7	7	8	22	33
Ulcer of stomach or duodenum----117	106	10	7	9	8	12	10	6	10	8	6	8	12
Diarrhea, enteritis, etc.*----119,120	172	15	11	14	18	12	26	17	11	5	17	11	15
Appendicitis----121	121	9	7	10	7	12	12	9	15	12	7	8	13
Hernia and intestinal obstruction----122	167	16	19	10	14	10	21	17	21	12	7	11	9
Cirrhosis of the liver----124	135	10	9	17	12	12	6	6	12	12	13	12	14
Biliary calculi, etc.*----126,127	69	8	6	6	2	11	4	4	2	9	8	4	5
Nephritis----130-132	1,892	200	202	182	159	166	134	140	139	139	153	138	140
Diseases of the prostate----137	114	10	7	14	11	12	4	10	10	7	11	9	9
Diseases of pregnancy, etc.*----140-150	209	23	13	17	12	22	8	19	25	19	20	17	14
Puerperal septicemia----140,142a,145A,147	71	7	5	3	5	5	2	9	10	5	10	8	2
Puerperal toxemia----141a,c,144,148	69	11	4	7	3	8	2	5	6	8	3	7	5
Hemorrhage, trauma or shock*----141b,142b,143,146,149	46	4	2	7	4	5	4	2	6	3	3	1	5
Other puerperal causes----141d,e,f,145B,150	23	1	2	-	-	4	-	3	3	3	4	1	2
Congenital malformations----157	265	23	25	20	16	24	15	21	22	26	24	27	22
Diseases peculiar to first year of life----158-161	1,531	129	101	98	118	123	130	129	166	150	116	126	145
Premature birth----159	1,015	93	61	76	76	85	82	79	107	105	77	85	89
Other diseases peculiar to first year of life----158,160,161	516	36	40	22	42	38	48	50	59	45	39	41	56
Suicide----163,164	203	15	19	20	20	7	26	12	20	19	15	17	13
Homicide----165-168	421	22	29	27	28	39	44	41	38	34	41	39	39
Accidental deaths----169-195	2,003	204	155	187	132	164	166	169	155	130	165	181	195
Motor-vehicle accidents----170	766	64	58	85	40	60	57	67	62	50	87	67	69
Other accidents----169,171-195	1,237	140	97	102	92	104	109	102	93	80	78	114	126
Senility, ill-defined and unknown causes----162,199,200	1,872	260	195	156	127	142	126	109	146	135	156	160	160
All other causes----	1,508	146	130	134	123	116	130	127	124	121	126	110	121
ARIZONA---- All causes	5,737	535	480	548	462	421	453	421	401	409	511	513	583
Typhoid and paratyphoid fever----1,2	5	-	-	-	1	-	-	-	-	1	2	1	-
Cerebrospinal (meningococcus) meningitis----6	5	-	-	1	1	-	-	1	1	1	1	-	-
Scarlet fever----8	1	-	-	-	1	-	-	-	-	-	-	-	-
Whooping cough----9	16	6	-	4	1	-	2	-	1	-	1	-	1
Diphtheria----10	17	2	1	1	-	2	1	1	-	2	2	1	4
Tuberculosis (all forms)----13-22	727	55	73	68	63	69	57	55	51	54	55	65	62
Tuberculosis of respiratory system, etc.*----13	664	48	70	65	57	59	54	50	45	46	54	58	59
Tuberculosis (other forms)----14-22	63	7	3	3	6	11	3	5	6	8	1	7	3
Dysentery----27	23	-	-	-	-	2	3	2	3	5	5	2	1
Malaria----28	2	-	-	1	1	-	-	-	-	-	-	-	-
Syphilis----30	65	7	4	7	8	1	5	6	6	-	6	11	4
Measles----35	26	-	-	5	3	4	7	1	-	-	-	-	6
Poliomyelitis, polioencephalitis (acute)----36	12	-	1	-	-	-	1	1	6	2	1	-	-
Cancer and other malignant tumors----45-55	495	35	27	37	41	39	39	43	39	52	59	45	39
Cancer of the digestive organs and peritoneum----46	196	14	15	11	16	18	14	11	10	17	26	18	26
Cancer of female genital organs----48,49	75	2	3	4	9	4	8	8	6	9	9	10	3
Cancer of the breast----50	38	5	3	4	3	2	1	3	3	4	5	4	1
Cancer (other sites)----45,47,51-55	186	14	6	18	13	15	16	21	20	22	19	13	9
Acute rheumatic fever----58	6	1	2	-	-	1	-	-	1	-	-	-	1
Diabetes mellitus----61	63	7	5	4	6	2	6	7	5	5	3	6	7
Exophthalmic goiter----63b	6	-	1	-	1	1	-	1	-	-	-	1	1
Pellagra (except alcoholic)----69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)----77	20	1	-	1	2	1	1	5	6	-	-	2	1
Intracranial lesions of vascular origin----83	314	32	26	31	23	18	26	20	25	27	33	26	27
Diseases of the heart----90-95	1,279	148	99	134	106	98	102	86	91	81	110	96	128
Chronic rheumatic diseases of the heart----90a,92b,c,93c,95b	80	10	5	14	3	6	9	8	4	3	9	4	5
Diseases of coronary arteries and angina pectoris----94	427	45	39	44	41	33	29	20	33	32	54	33	44
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	772	93	55	76	62	59	64	58	54	46	57	59	79
Arteriosclerosis and high blood pressure*----97,102	68	6	5	7	2	4	3	8	5	6	4	7	11
Pneumonia (all forms) and influenza----107-109,33	379	48	53	34	28	17	22	14	13	16	28	40	66
Bronchopneumonia----107	207	19	34	13	21	10	15	6	9	7	17	15	41
Lobar pneumonia----108	89	10	6	11	4	5	4	5	3	8	5	13	15
Pneumonia (unspecified)----109	37	4	5	3	1	1	3	2	1	1	3	9	4
Influenza----33	46	15	8	7	2	1	-	1	-	-	3	3	6
Ulcer of stomach or duodenum----117	38	7	4	4	5	1	1	2	2	3	5	1	3
Diarrhea, enteritis, etc.*----119,120	132	3	3	6	10	16	11	13	13	14	17	11	15
Appendicitis----121	22	2	2	2	-	1	4	1	3	1	4	-	2
Hernia and intestinal obstruction----122	41	2	8	4	3	4	5	3	-	4	3	4	1
Cirrhosis of the liver----124	48	1	4	7	3	8	1	4	3	4	5	6	2
Biliary calculi, etc.*----126,127	21	2	1	2	2	3	2	3	2	-	2	1	1
Nephritis----130-132	210	17	19	28	12	11	25	18	15	15	11	14	25
Diseases of the prostate----137	24	2	4	3	1	2	3	1	1	2	-	3	2
Diseases of pregnancy, etc.*----140-150	35	4	2	2	2	2	3	3	3	4	2	3	5
Puerperal septicemia----140,142a,145A,147	14	-	2	2	2	-	1	2	2	1	-	-	2
Puerperal toxemia----141a,c,144,148	5	1	-	-	-	1	2	-	-	-	1	-	-
Hemorrhage, trauma or shock*----141b,142b,143,146,149	8	-	-	-	-	1	-	1	1	1	1	1	2
Other puerperal causes----141d,e,f,145B,150	8	3	-	-	-	-	-	-	-	2	-	2	1
Congenital malformations----157	75	4	5	3	10	5	5	3	2	6	9	10	13
Diseases peculiar to first year of life----158-161	243	30	23	28	15	6	4	9	8	8	37	39	36
Premature birth----159	159	26	13	16	12	4	1	4	4	4	26	23	26
Other diseases peculiar to first year of life----158,160,161	84	4	10	12	3	2	3	5	4	4	11	16	10
Suicide----163,164	71	2	5	2	12	7	11	3	6	4	4	5	10
Homicide----165-168	38	1	1	6	4	7	2	2	1	6	2	5	1
Accidental deaths----169-195	568	46	43	54	43	44	45	57	48	42	45	55	46
Motor-vehicle accidents----170	190	15	14	21	16	13	18	14	16	12	12	18	21
Other accidents----169,171-195	378	31	29	33	27	31	27	43	32	30	33	37	25
Senility, ill-defined and unknown causes----162,199,200	265	31	28	24	12	20	21	16	11	22	26	22	32
All other causes----	376	33	31	38	40	25	35	32	30	22	29	31	30

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ARKANSAS—All causes	14,338	1,605	1,307	1,363	1,116	1,147	1,153	1,160	1,102	1,066	1,092	1,124	1,103
Typhoid and paratyphoid fever—1,2	17	1	-	1	2	-	1	1	4	3	2	2	-
Cerebrospinal (meningococcus) meningitis—6	17	4	1	3	1	1	-	2	1	1	1	1	1
Scarlet fever—8	3	-	1	-	-	1	-	-	-	-	-	1	-
Whooping cough—9	20	3	3	-	3	2	1	2	2	2	-	1	1
Diphtheria—10	40	5	4	1	2	-	1	4	4	3	6	7	3
Tuberculosis (all forms)—13-22	699	77	60	80	62	63	55	48	51	49	54	57	43
Tuberculosis of respiratory system, etc.*—13	662	73	56	75	59	60	49	46	50	46	54	51	43
Tuberculosis (other forms)—14-22	37	4	4	5	3	3	6	2	1	3	-	6	-
Dysentery—27	15	-	-	-	-	1	6	2	1	2	1	-	2
Malaria—28	25	-	2	-	2	3	4	4	3	3	2	1	1
Syphilis—30	148	12	12	20	11	13	13	10	6	13	15	13	10
Measles—35	27	1	3	3	10	7	3	-	-	-	-	-	-
Poliomyelitis, poliencephalitis (acute)—36	26	-	-	-	2	-	4	4	5	7	1	1	2
Cancer and other malignant tumors—45-55	1,436	136	109	117	109	123	117	119	140	117	120	117	112
Cancer of the digestive organs and peritoneum—46	570	58	51	38	42	46	46	56	54	54	40	38	46
Cancer of female genital organs—48,49	234	22	14	18	14	23	21	16	26	17	23	18	22
Cancer of the breast—50	121	11	9	15	14	9	5	7	18	5	10	13	5
Cancer (other sites)—45,47,51-55	511	44	35	46	39	45	45	40	42	41	47	48	39
Acute rheumatic fever—58	20	3	3	2	-	-	2	2	1	1	1	3	2
Diabetes mellitus—61	203	19	22	18	15	16	16	10	12	22	20	18	15
Exophthalmic goiter—63b	19	1	-	1	2	5	2	1	1	1	1	3	1
Pellagra (except alcoholic)—69	26	2	3	2	3	-	6	2	3	3	-	1	1
Alcoholism (ethylism)—77	10	-	1	3	-	1	-	1	1	-	1	1	1
Intracranial lesions of vascular origin—83	1,410	143	137	134	102	117	126	100	116	110	115	106	104
Diseases of the heart—90-95	3,278	347	294	327	273	272	255	248	234	244	261	259	264
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	186	21	14	20	24	17	16	10	12	10	9	23	10
Diseases of coronary arteries and angina pectoris—94	1,015	107	97	89	85	80	69	71	71	81	95	76	94
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	2,077	219	183	218	164	175	170	167	151	153	157	160	160
Arteriosclerosis and high blood pressure*—97,102	184	23	18	17	9	13	16	19	8	17	11	12	21
Pneumonia (all forms) and influenza—107-109,33	1,025	231	182	131	77	48	38	29	36	52	55	65	81
Bronchopneumonia—107	333	87	44	38	26	15	13	13	13	21	20	32	31
Lobar pneumonia—108	371	71	61	46	28	25	13	10	18	21	26	20	32
Pneumonia (unspecified)—109	98	17	20	9	9	5	6	5	3	5	5	5	7
Influenza—33	225	76	57	38	14	3	6	1	2	5	4	8	11
Ulcer of stomach or duodenum—117	77	5	7	7	10	5	6	10	3	9	4	6	5
Diarrhea, enteritis, etc.*—119,120	86	8	6	7	1	9	10	7	14	5	7	7	5
Appendicitis—121	75	16	3	8	3	8	11	5	7	4	3	3	4
Hernia and intestinal obstruction—122	140	14	15	7	13	16	13	11	14	10	6	13	8
Cirrhosis of the liver—124	97	10	7	9	4	4	10	12	8	12	5	8	8
Biliary calculi, etc.*—126,127	43	2	2	9	1	2	4	4	6	5	3	3	2
Nephritis—130-132	1,140	136	99	107	71	77	106	100	92	86	73	89	104
Diseases of the prostate—137	85	8	12	5	7	11	6	7	4	7	9	4	5
Diseases of pregnancy, etc.*—140-150	95	8	9	7	9	11	3	14	9	4	8	9	4
Puerperal septicemia—140,142a,145A,147	33	2	3	3	5	4	1	4	2	2	2	5	-
Puerperal toxemia—141a,c,144,148	29	3	3	1	2	3	1	6	3	2	3	1	1
Hemorrhage, trauma or shock*—141b,142b,143,146,149	20	1	1	-	2	3	1	3	3	-	2	2	2
Other puerperal causes—141d,e,f,145B,150	13	2	2	3	-	1	-	1	1	-	1	1	1
Congenital malformations—157	138	15	7	9	12	10	10	17	9	14	11	12	12
Diseases peculiar to first year of life—158-161	615	44	46	45	34	57	52	77	53	49	53	58	47
Premature birth—159	401	34	26	26	16	45	38	49	39	29	32	40	27
Other diseases peculiar to first year of life—158,160,161	214	10	20	19	18	12	14	28	14	20	21	18	20
Suicide—163,164	114	9	9	16	6	8	10	12	5	12	7	11	9
Homicide—165-168	186	11	16	10	13	16	21	19	16	13	14	19	10
Accidental deaths—169-195	1,136	110	87	111	86	95	93	104	87	86	95	88	94
Motor-vehicle accidents—170	367	34	23	41	28	38	28	25	33	37	39	24	17
Other accidents—169,171-195	769	76	64	70	58	57	65	79	54	49	56	64	77
Senility, ill-defined and unknown causes—162,199,200	737	112	68	63	68	50	53	56	60	45	54	55	53
All other causes—	926	89	59	83	93	82	79	97	86	85	73	70	60
CALIFORNIA—All causes	94,678	9,073	8,381	8,384	7,743	7,621	7,279	7,304	7,232	7,175	7,500	8,171	8,815
Typhoid and paratyphoid fever—1,2	18	-	1	1	2	3	1	-	4	2	2	1	1
Cerebrospinal (meningococcus) meningitis—6	87	20	11	8	5	4	4	5	5	8	2	9	6
Scarlet fever—8	11	3	3	-	-	2	-	-	1	1	-	1	-
Whooping cough—9	43	6	7	1	4	5	-	3	4	5	5	1	2
Diphtheria—10	92	16	12	4	7	8	8	8	3	4	9	7	6
Tuberculosis (all forms)—13-22	3,959	378	368	382	326	349	320	319	299	312	280	301	325
Tuberculosis of respiratory system, etc.*—13	3,648	366	336	357	297	322	294	294	268	283	259	278	294
Tuberculosis (other forms)—14-22	311	12	32	25	29	27	26	25	31	29	21	23	31
Dysentery—27	37	3	3	1	3	4	6	2	1	1	6	4	3
Malaria—28	7	-	1	1	-	-	2	1	-	-	-	-	2
Syphilis—30	982	93	86	87	66	69	86	76	62	80	85	73	99
Measles—35	68	10	8	13	9	10	13	4	-	-	-	-	1
Poliomyelitis, poliencephalitis (acute)—36	89	1	4	1	5	4	8	17	20	9	12	13	5
Cancer and other malignant tumors—45-55	12,813	1,107	972	1,090	1,052	1,049	1,032	1,049	1,091	1,035	1,125	1,084	1,127
Cancer of the digestive organs and peritoneum—46	5,548	493	411	483	454	456	479	465	463	438	449	459	498
Cancer of female genital organs—48,49	1,528	128	107	127	123	119	117	136	140	138	130	136	127
Cancer of the breast—50	1,333	114	112	109	98	125	118	101	106	121	122	110	97
Cancer (other sites)—45,47,51-55	4,404	372	342	371	377	349	318	347	382	338	424	379	405
Acute rheumatic fever—58	42	3	4	3	4	2	1	3	4	2	8	2	6
Diabetes mellitus—61	1,931	181	179	183	163	164	110	153	146	151	152	162	187
Exophthalmic goiter—63b	125	11	11	15	16	12	9	4	13	6	11	9	8
Pellagra (except alcoholic)—69	17	2	1	1	4	1	-	1	2	-	2	2	1
Alcoholism (ethylism)—77	192	16	20	17	13	19	14	15	14	21	10	15	18
Intracranial lesions of vascular origin—83	7,437	679	620	649	591	614	575	578	561	598	567	670	735
Diseases of the heart—90-95	30,506	3,043	2,875	2,841	2,605	2,475	2,246	2,265	2,162	2,109	2,357	2,704	2,824
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	1,592	147	140	136	125	162	111	119	116	116	125	141	154
Diseases of coronary arteries and angina pectoris—94	10,504	963	879	916	866	830	773	813	794	782	861	978	1,049
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	18,410	1,933	1,856	1,789	1.614	1,483	1,362	1,333	1,252	1,211	1,371	1,585	1,621
Arteriosclerosis and high blood pressure*—97,102	2,323	259	202	201	180	176	189	179	170	174	173	194	224

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CALIFORNIA—Continued													
Pneumonia (all forms) and influenza----107-109,33	3,887	555	516	398	325	250	228	216	193	222	262	318	404
Bronchopneumonia----107	2,344	290	272	203	205	169	147	133	122	152	186	205	260
Lobar pneumonia----108	1,251	181	174	169	98	63	70	75	67	60	69	105	120
Pneumonia (unspecified)----109	62	8	6	6	5	7	3	5	2	8	2	2	8
Influenza----33	230	76	64	20	17	11	8	3	2	2	5	6	16
Ulcer of stomach or duodenum----117	737	69	74	77	53	76	43	54	50	57	54	60	70
Diarrhea, enteritis, etc.*----119,120	505	42	17	22	28	29	41	40	48	47	63	79	49
Appendicitis----121	315	30	19	27	25	35	20	31	30	25	23	25	25
Hernia and intestinal obstruction----122	703	76	52	42	49	56	48	68	66	60	62	59	65
Cirrhosis of the liver----124	1,675	179	143	139	141	135	147	114	146	129	122	120	160
Biliary calculi, etc.*----126,127	362	34	29	29	40	25	29	33	28	34	30	26	25
Nephritis----130-132	4,076	443	401	371	366	340	318	271	298	282	296	324	366
Diseases of the prostate----137	473	42	31	51	33	34	44	37	35	41	38	43	44
Diseases of pregnancy, etc.*----140-150	266	18	20	25	23	27	20	22	33	23	22	15	18
Puerperal septicemia----140,142a,145A,147	108	8	6	9	9	11	9	8	14	9	9	6	10
Puerperal toxemia----141a,c,144,148	44	3	4	3	6	5	4	3	5	4	3	2	2
Hemorrhage, trauma or shock*----141b,142b,143,146,149	88	7	7	10	8	9	3	9	9	8	8	4	6
Other puerperal causes----141d,e,f,145B,150	26	-	3	3	-	2	4	2	5	2	2	3	-
Congenital malformations----157	1,162	79	85	78	74	92	93	88	102	107	100	124	139
Diseases peculiar to first year of life----158-161	3,030	248	276	247	272	323	341	335	392	386	376	360	374
Premature birth----159	2,445	156	178	151	164	204	228	222	221	241	224	212	244
Other diseases peculiar to first year of life----158,160,161	1,485	92	98	96	108	119	113	113	171	145	152	148	130
Suicide----163,164	1,662	154	145	141	142	144	142	142	131	125	135	136	125
Homicide----165-168	531	49	38	42	40	44	40	47	36	41	41	48	67
Accidental deaths----169-195	7,937	698	654	723	602	540	652	648	637	637	662	704	780
Motor-vehicle accidents----170	3,770	328	322	332	270	255	274	273	287	315	357	366	391
Other accidents----169,171-195	4,167	370	332	391	332	285	378	375	350	322	305	338	389
Senility, ill-defined and unknown causes----162,199,200	516	49	44	39	46	54	37	50	32	32	29	46	58
All other causes----	5,172	477	449	434	429	445	412	425	413	409	379	434	466
COLORADO----All causes	12,058	1,179	1,035	1,123	954	999	982	897	816	930	1,017	1,012	1,024
Typhoid and paratyphoid fever----1,2	6	-	-	2	-	-	1	-	1	-	-	1	1
Cerebrospinal (meningococcus) meningitis----6	11	3	2	1	1	-	1	-	-	-	1	-	2
Scarlet fever----8	3	-	-	1	-	-	-	1	-	1	-	-	-
Whooping cough----9	6	1	-	1	-	-	1	-	2	1	-	-	-
Diphtheria----10	19	3	-	5	1	4	1	1	-	-	2	-	2
Tuberculosis (all forms)----13-22	401	37	29	40	36	39	38	35	33	20	35	24	35
Tuberculosis of respiratory system, etc.*----13	367	35	26	37	33	37	32	32	28	18	34	23	32
Tuberculosis (other forms)----14-22	34	2	3	3	3	2	6	3	5	2	1	1	3
Dysentery----27	15	-	-	-	-	1	1	2	2	4	3	1	1
Malaria----29	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----30	108	11	7	10	5	12	15	10	8	7	8	2	11
Measles----35	11	1	-	2	3	3	1	1	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)----36	56	-	-	-	-	-	6	10	21	10	6	2	1
Cancer and other malignant tumors----45-55	1,447	129	100	125	115	119	134	109	130	116	124	122	124
Cancer of the digestive organs and peritoneum----46	666	60	42	61	66	58	63	48	50	55	56	47	62
Cancer of female genital organs----48,49	153	10	8	17	9	12	17	14	12	12	10	20	12
Cancer of the breast----50	146	12	11	14	8	12	10	8	27	7	14	8	15
Cancer (other sites)----45,47,51-55	482	47	39	33	32	39	44	39	41	42	44	47	35
Acute rheumatic fever----58	20	1	2	2	2	4	2	2	2	3	-	-	-
Diabetes mellitus----61	217	31	24	20	17	15	18	12	13	18	13	19	17
Exophthalmic goiter----63b	15	2	3	1	-	3	1	-	3	-	1	1	-
Pellagra (except alcoholic)----69	2	-	-	-	-	-	-	-	-	-	1	1	-
Alcoholism (ethylism)----77	36	7	3	2	-	1	1	3	6	2	2	4	5
Intracranial lesions of vascular origin----83	970	90	78	91	70	78	88	68	83	79	73	87	85
Diseases of the heart----90-95	3,186	329	293	314	250	245	234	240	206	223	284	297	271
Chronic rheumatic diseases of the heart----90a,92b,c,93c,95b	237	33	23	18	17	24	25	18	17	15	19	13	15
Diseases of coronary arteries and angina pectoris----94	1,167	115	97	95	93	93	69	92	77	97	107	119	113
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	1,782	181	173	201	140	128	140	130	112	111	158	185	143
Arteriosclerosis and high blood pressure*----97,102	215	19	17	21	25	7	18	13	21	17	22	18	17
Pneumonia (all forms) and influenza----107-109,33	753	123	107	78	46	52	43	35	40	30	63	72	64
Bronchopneumonia----107	361	63	56	37	27	30	20	15	19	12	38	37	27
Lobar pneumonia----108	252	38	35	28	13	14	13	16	13	15	18	29	23
Pneumonia (unspecified)----109	46	2	5	5	2	4	4	2	7	3	4	-	8
Influenza----33	74	20	11	8	4	4	6	2	1	-	6	6	6
Ulcer of stomach or duodenum----117	92	5	9	9	5	5	8	9	6	12	8	7	9
Diarrhea, enteritis, etc.*----119,120	115	2	5	4	12	11	6	4	9	32	17	8	5
Appendicitis----121	71	6	5	5	10	3	4	12	8	3	5	4	6
Hernia and intestinal obstruction----122	110	4	11	11	11	11	9	13	6	9	10	7	8
Cirrhosis of the liver----124	120	9	6	13	9	16	9	4	11	10	11	11	11
Biliary calculi, etc.*----126,127	74	8	9	1	8	10	7	7	4	5	3	7	5
Nephritis----130-132	722	75	63	84	68	71	69	49	43	54	46	43	57
Diseases of the prostate----137	70	6	4	4	3	8	11	2	6	5	8	5	10
Diseases of pregnancy, etc.*----140-150	57	2	8	5	7	7	5	2	2	3	4	8	4
Puerperal septicemia----140,142a,145A,147	21	1	1	3	3	1	3	2	1	1	1	3	1
Puerperal toxemia----141a,c,144,148	14	1	3	-	-	2	-	-	1	1	-	4	2
Hemorrhage, trauma or shock*----141b,142b,143,146,149	19	-	4	-	4	4	2	-	-	1	2	1	1
Other puerperal causes----141d,e,f,145B,150	3	-	-	2	-	-	-	-	-	-	1	-	-
Congenital malformations----157	162	13	9	14	9	25	10	8	11	14	15	19	15
Diseases peculiar to first year of life----158-161	654	47	36	51	52	51	59	59	52	66	69	54	58
Premature birth----159	434	36	22	26	33	38	42	41	29	48	45	33	41
Other diseases peculiar to first year of life----158,160,161	220	11	14	25	19	13	17	18	23	18	24	21	17
Suicide----163,164	176	18	11	17	15	14	17	10	15	16	14	11	18
Homicide----165-168	61	2	3	6	3	8	3	7	8	5	5	5	6
Accidental deaths----169-195	1,012	85	82	81	79	75	81	102	86	85	79	86	91
Motor-vehicle accidents----170	361	40	29	28	35	20	23	35	32	34	32	28	25
Other accidents----169,171-195	651	45	53	53	44	55	58	67	54	51	47	58	66
Senility, ill-defined and unknown causes----162,199,200	222	29	25	28	24	15	12	16	14	12	13	22	14
All other causes----	845	61	84	76	68	78	68	51	64	68	72	64	71

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT—All causes	18,127	1,872	1,661	1,709	1,540	1,550	1,474	1,400	1,398	1,516	1,549	1,571	1,887
Typhoid and paratyphoid fever—1,2	1	-	-	-	1	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	16	1	2	1	2	2	2	2	-	1	-	2	1
Scarlet fever—8	2	-	1	1	-	-	-	-	-	-	-	-	-
Whooping cough—9	5	1	1	1	-	1	1	-	-	-	-	-	-
Diphtheria—10	6	2	-	-	-	1	1	-	-	2	-	-	-
Tuberculosis (all forms)—13-22	589	43	44	60	50	57	56	49	50	48	47	44	41
Tuberculosis of respiratory system, etc.*—13	548	39	42	58	44	52	50	48	46	46	44	40	39
Tuberculosis (other forms)—14-22	41	4	2	2	6	5	6	1	4	2	3	4	2
Dysentery—27	1	-	1	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	113	14	11	11	13	6	8	8	7	8	6	14	7
Measles—35	3	-	-	-	-	1	1	-	-	-	-	-	1
Poliomyelitis, poliocencephalitis (acute)—36	17	1	1	-	-	1	3	1	1	1	4	4	-
Cancer and other malignant tumors—45-55	3,032	269	249	261	259	199	231	256	257	248	258	273	273
Cancer of the digestive organs and peritoneum—46	1,473	136	122	118	129	94	120	114	136	135	115	129	125
Cancer of female genital organs—48,49	272	23	25	23	25	27	15	24	23	20	23	27	17
Cancer of the breast—50	304	35	28	36	22	11	17	23	28	21	32	23	28
Cancer (other sites)—45,47,51-55	983	75	73	84	83	67	79	95	70	72	88	94	103
Acute rheumatic fever—58	13	2	1	3	2	2	-	1	-	1	-	1	-
Diabetes mellitus—61	661	69	67	73	55	53	40	43	48	52	52	45	64
Exophthalmic goiter—63b	18	4	3	1	4	1	1	-	-	1	1	1	1
Pellagra (except alcoholic)—69	3	-	-	-	1	-	-	1	-	-	1	-	-
Alcoholism (ethylism)—77	51	5	6	7	5	5	5	4	3	4	2	2	3
Intracranial lesions of vascular origin—83	1,562	159	137	137	121	128	132	112	118	119	102	137	160
Diseases of the heart—90-95	6,834	705	602	610	553	572	510	471	457	519	552	576	707
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	316	38	25	35	20	30	31	21	22	25	22	27	20
Diseases of coronary arteries and angina pectoris—94	2,199	221	162	173	171	209	148	162	164	180	174	209	226
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	4,319	446	415	402	362	333	331	288	271	314	356	340	461
Arteriosclerosis and high blood pressure*—97,102	324	24	25	28	27	30	20	30	27	38	29	19	27
Pneumonia (all forms) and influenza—107-109,33	620	97	87	48	52	45	40	31	19	34	53	44	70
Bronchopneumonia—107	279	33	40	14	24	24	17	16	12	18	22	25	34
Lobar pneumonia—108	261	46	35	28	23	17	17	9	6	14	24	13	29
Pneumonia (unspecified)—109	41	2	6	1	3	3	3	5	1	2	5	4	6
Influenza—33	39	16	6	5	2	1	3	1	-	-	2	2	1
Ulcer of stomach or duodenum—117	135	13	14	12	9	16	14	9	6	12	11	8	11
Diarrhea, enteritis, etc.*—119,120	71	6	9	5	6	6	5	5	10	6	1	6	6
Appendicitis—121	53	1	6	14	-	3	5	6	3	6	1	4	4
Hernia and intestinal obstruction—122	142	11	7	12	13	18	16	5	11	15	15	13	12
Cirrhosis of the liver—124	275	21	25	18	26	29	24	17	15	26	24	22	28
Biliary calculi, etc.*—126,127	82	13	5	2	6	6	7	5	6	7	7	7	11
Nephritis—130-132	911	88	89	86	76	86	63	66	69	63	71	68	68
Diseases of the prostate—137	72	4	4	9	9	8	6	5	10	3	2	4	8
Diseases of pregnancy, etc.*—140-150	38	3	1	4	3	-	3	6	5	5	-	2	8
Puerperal septicemia—140,142a,145A,147	14	1	1	-	2	-	-	3	2	1	-	2	2
Puerperal toxemia—141a,c,144,148	7	1	-	2	-	-	1	1	-	1	-	-	1
Hemorrhage, trauma or shock*—141b,142b,143,146,149	15	1	-	2	1	-	2	-	3	3	-	-	3
Other puerperal causes—141d,e,f,145B,150	2	-	-	-	-	-	-	2	-	-	-	-	-
Congenital malformations—157	300	28	18	20	19	26	27	20	18	33	29	29	33
Diseases peculiar to first year of life—158-161	702	47	54	48	49	51	63	63	53	72	60	56	86
Premature birth—159	454	32	38	28	38	35	36	40	31	46	39	35	56
Other diseases peculiar to first year of life—158,160,161	248	15	16	20	11	16	27	23	22	26	21	21	30
Suicide—163,164	253	14	20	32	26	15	26	19	21	28	21	11	20
Homicide—165-168	31	3	2	4	2	1	2	3	4	3	4	1	2
Accidental deaths—169-195	1,013	118	87	82	72	85	71	80	82	82	76	79	99
Motor-vehicle accidents—170	264	32	20	20	16	26	13	21	23	21	21	27	24
Other accidents—169,171-195	749	86	67	62	56	59	58	59	59	61	55	52	75
Senility, ill-defined and unknown causes—162,199,200	142	18	12	18	7	8	11	8	9	6	23	7	15
All other causes	1,036	88	71	101	72	94	78	74	89	75	87	92	105
DELAWARE—All causes	3,229	344	285	253	288	261	280	240	235	252	238	273	280
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	4	-	-	1	2	-	-	1	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	-	-	-	-	-	-	-	1	1	1	-	-
Diphtheria—10	2	-	-	-	-	-	-	-	-	-	-	2	-
Tuberculosis (all forms)—13-22	133	14	12	10	11	10	13	10	8	11	6	16	12
Tuberculosis of respiratory system, etc.*—13	119	12	11	10	9	9	12	10	6	10	6	14	10
Tuberculosis (other forms)—14-22	14	2	1	-	2	1	1	-	2	1	-	2	2
Dysentery—27	1	-	-	1	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	35	2	7	3	3	3	5	4	1	1	2	-	4
Measles—35	2	-	-	-	-	1	1	-	-	-	-	-	-
Poliomyelitis, poliocencephalitis (acute)—36	3	-	-	-	-	-	-	-	1	1	1	-	-
Cancer and other malignant tumors—45-55	373	29	29	26	32	26	29	31	33	36	35	32	33
Cancer of the digestive organs and peritoneum—46	156	13	17	15	8	10	15	15	16	10	13	10	14
Cancer of female genital organs—48,49	53	4	3	3	6	6	2	4	5	4	4	7	5
Cancer of the breast—50	35	2	1	3	6	-	3	3	2	7	3	2	3
Cancer (other sites)—45,47,51-55	129	10	8	5	12	10	9	9	10	17	15	13	11
Acute rheumatic fever—58	1	-	-	-	-	-	-	1	-	-	-	-	-
Diabetes mellitus—61	69	11	7	6	10	2	6	4	4	9	3	3	4
Exophthalmic goiter—63b	2	1	-	-	1	-	-	-	-	-	-	-	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	7	1	-	1	-	-	-	-	2	2	-	-	1
Intracranial lesions of vascular origin—83	263	22	24	21	32	29	25	19	27	18	28	22	16
Diseases of the heart—90-95	1,072	108	93	83	101	91	94	76	69	76	71	97	113
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	51	4	2	7	5	2	5	4	6	5	4	2	5
Diseases of coronary arteries and angina pectoris—94	323	36	29	24	31	32	25	30	22	20	16	22	36
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	698	68	62	52	65	57	64	42	41	51	51	73	72
Arteriosclerosis and high blood pressure*—97,102	57	6	5	4	1	6	3	6	2	5	5	6	8

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DELAWARE—Continued													
Pneumonia (all forms) and influenza----107-109,33	130	30	23	18	13	9	9	4	2	6	4	5	7
Bronchopneumonia----107	42	9	5	3	7	4	2	2	-	3	2	3	2
Lobar pneumonia----108	59	7	11	15	5	2	5	2	2	3	1	2	4
Pneumonia (unspecified)----109	9	5	2	-	-	1	-	-	-	-	1	-	-
Influenza----33	20	9	5	-	1	2	2	-	-	-	-	-	1
Ulcer of stomach or duodenum----117	17	1	1	1	1	2	1	2	1	1	5	-	1
Diarrhea, enteritis, etc.*----119,120	16	3	4	3	-	1	3	-	-	-	-	2	-
Appendicitis----121	11	2	3	1	-	1	-	-	1	-	3	-	-
Hernia and intestinal obstruction----122	29	7	3	-	-	1	1	4	2	3	2	3	3
Cirrhosis of the liver----124	23	3	3	1	2	3	3	1	-	-	4	3	-
Biliary calculi, etc.*----126,127	14	-	3	-	1	1	3	2	-	1	1	2	-
Nephritis----130-132	307	44	25	21	31	33	23	21	22	22	23	24	18
Diseases of the prostate----137	21	2	1	-	-	1	5	-	3	4	-	4	1
Diseases of pregnancy, etc.*----140-150	9	3	1	-	-	-	2	-	-	1	1	-	1
Puerperal septicemia----140,142a,145A,147	4	1	-	-	-	-	2	-	-	1	-	-	-
Puerperal toxemia----141a,c,144,148	3	2	-	-	-	-	-	-	-	-	-	-	1
Hemorrhage, trauma or shock*----141b,142b,143,146,149	2	-	1	-	-	-	-	-	-	-	1	-	-
Other puerperal causes----141d,e,f,145B,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations----157	39	5	2	-	3	1	6	2	7	2	4	2	5
Diseases peculiar to first year of life----158-161	108	8	9	9	8	6	8	13	10	9	9	6	13
Premature birth----159	74	3	7	6	8	4	7	11	5	5	6	3	9
Other diseases peculiar to first year of life----158,160,161	34	5	2	3	-	2	1	2	5	4	3	3	4
Suicide----163,164	33	5	3	1	3	4	2	4	3	2	-	4	2
Homicide----165-168	24	4	-	4	-	1	3	-	2	4	2	2	2
Accidental deaths----169-195	216	16	16	18	20	19	18	20	18	21	12	23	15
Motor-vehicle accidents----170	76	6	7	2	9	6	4	4	7	8	6	13	4
Other accidents----169,171-195	140	10	9	16	11	13	14	16	11	13	6	10	11
Senility, ill-defined and unknown causes----162,199,200	21	2	2	3	1	2	1	1	4	2	-	-	3
All other causes----	164	15	9	17	12	8	16	14	12	12	16	15	18
DISTRICT OF COLUMBIA----All causes	8,289	789	710	698	708	711	674	659	638	599	688	675	740
Typhoid and paratyphoid fever----1,2	6	-	-	-	1	-	-	2	-	-	1	1	1
Cerebrospinal (meningococcus) meningitis----6	8	2	-	1	-	-	-	-	1	-	-	2	2
Scarlet fever----8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----9	3	1	1	-	-	-	-	-	-	1	-	-	-
Diphtheria----10	2	-	-	-	1	-	-	-	-	-	-	-	1
Tuberculosis (all forms)----13-22	488	35	40	51	46	46	52	43	49	21	34	34	37
Tuberculosis of respiratory system, etc.*----13	441	32	34	45	41	43	45	42	44	20	32	30	33
Tuberculosis (other forms)----14-22	47	3	6	6	5	3	7	1	5	1	2	4	4
Dysentery----27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria----28	1	-	-	-	-	-	-	-	-	1	-	-	-
Syphilis----30	115	8	15	7	14	8	10	8	7	9	10	12	7
Measles----35	7	-	-	-	5	1	1	-	-	-	-	-	-
Poliomyelitis, poliocencephalitis (acute)----36	4	-	-	-	-	-	-	-	-	1	2	-	1
Cancer and other malignant tumors----45-55	1,134	88	99	84	106	89	98	118	92	86	92	99	83
Cancer of the digestive organs and peritoneum----46	488	39	48	31	42	43	38	53	48	39	40	33	34
Cancer of female genital organs----48,49	154	17	11	18	9	11	13	14	10	8	13	14	16
Cancer of the breast----50	93	10	8	8	8	5	9	10	5	7	9	8	6
Cancer (other sites)----45,47,51-55	399	22	32	27	47	30	38	41	29	32	30	44	27
Acute rheumatic fever----58	9	3	-	-	2	2	-	-	1	-	1	-	-
Diabetes mellitus----61	221	28	21	21	29	16	13	9	16	11	17	20	20
Exophthalmic goiter----63b	2	1	-	1	-	-	-	-	-	-	-	-	-
Pellagra (except alcoholic)----69	3	1	-	-	-	-	1	1	-	-	-	-	-
Alcoholism (ethylism)----77	17	2	1	2	1	4	2	2	-	-	2	-	1
Intracranial lesions of vascular origin----83	581	52	47	56	52	61	40	36	44	39	57	39	58
Diseases of the heart----90-95	2,317	240	188	188	179	212	176	166	178	163	210	199	218
Chronic rheumatic diseases of the heart----90a,92b,c,93c,95b	114	9	9	7	9	10	17	11	9	9	9	8	7
Diseases of coronary arteries and angina pectoris----94	637	61	53	47	50	48	46	49	47	54	63	60	59
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	1,566	170	126	134	120	154	113	106	122	100	138	131	152
Arteriosclerosis and high blood pressure*----97,102	129	17	13	10	15	15	12	7	2	8	8	8	14
Pneumonia (all forms) and influenza----107-109,33	286	38	34	34	19	16	22	19	12	20	18	24	30
Bronchopneumonia----107	125	13	9	14	6	9	13	13	5	10	9	11	13
Lobar pneumonia----108	120	15	22	15	11	4	7	4	5	9	7	9	12
Pneumonia (unspecified)----109	29	5	1	4	1	2	2	2	2	1	1	4	4
Influenza----33	12	5	2	1	1	1	-	-	-	-	1	-	1
Ulcer of stomach or duodenum----117	47	6	3	5	3	6	8	2	3	5	3	1	4
Diarrhea, enteritis, etc.*----119,120	80	7	4	10	3	8	3	8	12	15	2	3	5
Appendicitis----121	22	1	3	1	2	3	1	3	1	3	2	1	1
Hernia and intestinal obstruction----122	75	4	6	5	9	6	6	6	9	10	5	4	5
Cirrhosis of the liver----124	111	13	12	9	12	6	10	6	9	5	2	13	14
Biliary calculi, etc.*----126,127	33	4	2	2	1	2	4	4	-	6	2	2	4
Nephritis----130-132	690	79	65	61	53	45	65	54	54	47	59	43	65
Diseases of the prostate----137	39	3	4	-	4	4	3	1	3	8	4	5	-
Diseases of pregnancy, etc.*----140-150	31	5	3	2	-	3	2	3	4	-	5	2	2
Puerperal septicemia----140,142a,145A,147	12	3	-	1	-	-	-	1	1	-	4	1	1
Puerperal toxemia----141a,c,144,148	3	1	-	-	-	-	-	1	-	-	-	-	1
Hemorrhage, trauma or shock*----141b,142b,143,146,149	12	1	2	1	-	3	2	-	2	-	-	1	-
Other puerperal causes----141d,e,f,145B,150	4	-	1	-	-	-	-	1	1	-	1	-	-
Congenital malformations----157	126	10	8	5	11	10	4	11	14	10	9	20	14
Diseases peculiar to first year of life----158-161	487	34	36	41	34	48	45	49	48	34	43	40	35
Premature birth----159	323	22	21	27	26	34	28	27	36	25	31	24	22
Other diseases peculiar to first year of life----158,160,161	164	12	15	14	8	14	17	22	12	9	12	16	13
Suicide----163,164	144	9	13	14	16	14	13	11	4	11	15	9	15
Homicide----165-168	112	4	11	8	18	6	12	4	6	11	9	13	10
Accidental deaths----169-195	448	52	33	28	30	43	37	37	34	36	37	39	42
Motor-vehicle accidents----170	98	5	8	7	2	10	12	6	8	11	6	11	12
Other accidents----169,171-195	350	47	25	21	28	33	25	31	26	25	31	28	30
Senility, ill-defined and unknown causes----162,199,200	20	1	-	-	1	2	3	3	-	4	1	4	1
All other causes----	491	41	46	52	41	35	33	46	35	34	38	38	50

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA—All causes	23,005	2,231	1,991	2,099	1,748	1,899	1,801	1,817	1,803	1,732	1,794	1,897	2,193
Typhoid and paratyphoid fever—1,2	11	2	1	1	2	-	-	1	-	3	-	1	-
Cerebrospinal (meningococcus) meningitis—6	31	2	7	3	1	3	4	-	3	3	2	2	1
Scarlet fever—8	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	10	-	1	-	1	1	-	3	1	1	-	1	1
Diphtheria—10	30	4	-	2	1	2	-	-	2	4	9	3	3
Tuberculosis (all forms)—13-22	721	72	71	80	51	55	47	62	74	54	43	65	67
Tuberculosis of respiratory system, etc.*—13	674	66	65	55	49	51	44	57	70	53	40	63	61
Tuberculosis (other forms)—14-22	47	6	6	5	2	4	3	5	4	1	3	2	6
Dysentery—27	21	1	3	6	2	1	5	-	1	1	-	-	1
Malaria—28	20	2	-	1	1	3	1	2	7	1	-	2	-
Syphilis—30	297	27	23	22	19	27	30	25	20	20	24	29	31
Measles—35	27	1	1	7	7	7	3	-	1	-	-	-	-
Poliomyelitis, poliocencephalitis (acute)—36	43	-	1	2	6	9	10	4	4	3	1	3	-
Cancer and other malignant tumors—45-55	2,549	227	203	221	205	226	204	216	183	205	193	221	245
Cancer of the digestive organs and peritoneum—46	955	94	81	80	75	84	72	93	66	75	69	80	86
Cancer of female genital organs—48,49	404	29	29	30	34	34	42	32	33	38	27	39	37
Cancer of the breast—50	215	16	24	23	18	14	12	15	22	12	17	20	22
Cancer (other sites)—45,47,51-55	975	88	69	88	78	94	78	76	62	80	80	82	100
Acute rheumatic fever—58	28	3	2	2	4	5	2	1	1	-	1	4	3
Diabetes mellitus—61	430	44	47	46	31	31	25	30	41	32	36	36	31
Exophthalmic goiter—63b	31	2	1	5	2	4	3	1	3	-	2	7	1
Pellagra (except alcoholic)—69	32	2	4	5	5	1	2	3	1	2	3	1	3
Alcoholism (ethylism)—77	48	6	4	6	6	2	4	3	3	-	4	2	8
Intracranial lesions of vascular origin—83	2,209	188	179	213	179	175	182	166	176	166	180	187	218
Diseases of the heart—90-95	5,759	560	511	549	438	467	430	443	431	434	456	467	573
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	300	30	22	31	29	32	29	22	24	22	19	16	24
Diseases of coronary arteries and angina pectoris—94	2,096	198	183	189	151	172	141	168	157	165	168	170	234
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	3,363	332	306	329	258	263	260	253	250	247	269	281	315
Arteriosclerosis and high blood pressure*—97,102	349	34	32	28	40	16	30	21	23	26	39	31	29
Pneumonia (all forms) and influenza—107-109,33	1,087	205	132	127	78	68	51	65	69	64	60	73	95
Bronchopneumonia—107	415	62	43	48	28	30	26	23	37	29	21	28	40
Lobar pneumonia—108	297	42	41	34	21	14	17	19	18	16	25	23	27
Pneumonia (unspecified)—109	143	29	13	15	13	9	4	14	7	11	4	13	11
Influenza—33	232	72	35	30	16	15	4	9	7	8	10	9	17
Ulcer of stomach or duodenum—117	129	11	12	9	6	10	11	13	12	20	6	11	8
Diarrhea, enteritis, etc.*—119,120	137	12	8	9	10	18	21	15	7	6	8	11	12
Appendicitis—121	103	9	6	5	6	9	14	16	12	8	9	5	4
Hernia and intestinal obstruction—122	233	18	23	12	24	23	22	17	23	20	11	18	22
Cirrhosis of the liver—124	207	24	16	7	29	16	16	16	19	10	21	9	24
Biliary calculi, etc.*—126,127	79	1	4	6	4	7	11	9	9	2	8	14	4
Nephritis—130-132	1,475	152	149	137	129	132	122	114	90	110	119	90	131
Diseases of the prostate—137	101	11	12	10	6	5	9	5	7	7	8	10	11
Diseases of pregnancy, etc.*—140-150	159	11	9	10	14	16	13	11	12	14	19	10	20
Puerperal septicemia—140,142a,145A,147	44	4	2	5	3	3	2	2	4	6	3	4	6
Puerperal toxemia—141a,c,144,148	44	3	4	1	5	6	5	3	2	5	3	3	4
Hemorrhage, trauma or shock*—141b,142b,143,146,149	57	3	3	2	5	5	6	6	5	1	11	3	7
Other puerperal causes—141d,e,f,145B,150	14	1	-	2	1	2	-	-	1	2	2	-	3
Congenital malformations—157	273	24	19	21	13	20	16	20	29	27	27	30	27
Diseases peculiar to first year of life—158-161	1,223	94	73	82	69	99	101	114	116	95	126	128	126
Premature birth—159	806	61	51	54	48	71	63	77	80	62	81	90	68
Other diseases peculiar to first year of life—158,160,161	417	33	22	28	21	28	38	37	36	33	45	38	58
Suicide—163,164	263	23	25	22	25	22	19	21	23	32	18	16	17
Homicide—165-168	392	21	31	36	25	22	37	33	37	32	31	45	42
Accidental deaths—169-195	2,028	182	160	205	117	194	169	166	160	153	154	176	192
Motor-vehicle accidents—170	714	74	47	76	40	53	43	64	51	45	50	81	90
Other accidents—169,171-195	1,314	108	113	129	77	141	126	102	109	108	104	95	102
Senility, ill-defined and unknown causes—162,199,200	926	114	90	85	66	70	71	62	71	68	56	77	96
All other causes	1,543	141	151	137	126	133	116	139	132	109	120	112	147
GEORGIA—All causes	27,511	2,827	2,366	2,430	2,118	2,209	2,180	2,094	2,122	2,099	2,282	2,195	2,589
Typhoid and paratyphoid fever—1,2	11	1	1	1	2	2	1	2	1	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	32	3	6	9	1	3	-	1	2	-	4	1	2
Scarlet fever—8	1	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough—9	59	3	3	5	6	5	4	4	6	2	6	6	7
Diphtheria—10	44	6	4	4	1	-	2	2	1	4	9	6	5
Tuberculosis (all forms)—13-22	1,070	74	109	98	87	96	85	94	107	69	86	75	90
Tuberculosis of respiratory system, etc.*—13	984	69	101	92	79	91	77	81	96	65	79	71	83
Tuberculosis (other forms)—14-22	86	5	8	6	8	5	8	13	11	4	7	4	7
Dysentery—27	35	3	3	-	3	9	4	1	5	1	2	2	2
Malaria—28	14	1	2	1	1	-	6	1	1	-	1	-	-
Syphilis—30	340	36	28	16	23	24	36	32	25	35	33	30	22
Measles—35	40	-	5	3	10	7	7	-	1	-	-	4	3
Poliomyelitis, poliocencephalitis (acute)—36	8	-	-	1	-	-	-	-	3	3	1	-	-
Cancer and other malignant tumors—45-55	2,440	197	162	206	191	211	225	199	204	214	237	196	198
Cancer of the digestive organs and peritoneum—46	871	75	55	74	68	77	104	75	73	72	69	67	63
Cancer of female genital organs—48,49	478	35	47	39	41	42	31	37	34	33	45	52	42
Cancer of the breast—50	215	14	18	17	18	20	20	13	13	29	22	15	16
Cancer (other sites)—45,47,51-55	876	73	42	76	64	72	70	74	84	80	102	62	77
Acute rheumatic fever—58	35	6	2	1	1	-	3	2	4	4	6	3	3
Diabetes mellitus—61	399	44	40	32	32	33	25	22	24	25	46	32	44
Exophthalmic goiter—63b	32	6	3	5	2	2	3	1	-	4	3	1	2
Pellagra (except alcoholic)—69	93	10	9	11	9	10	8	5	6	11	4	5	5
Alcoholism (ethylism)—77	69	5	7	4	8	7	4	6	3	6	7	1	11
Intracranial lesions of vascular origin—83	2,995	310	279	266	216	255	233	200	211	228	249	265	283
Diseases of the heart—90-95	5,927	617	489	572	468	479	484	464	439	435	500	442	538
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	339	43	32	40	19	26	30	18	26	18	30	25	32
Diseases of coronary arteries and angina pectoris—94	1,789	172	153	171	148	144	138	145	134	140	144	123	179
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	3,799	402	304	361	303	309	316	301	279	277	326	294	327
Arteriosclerosis and high blood pressure*—97,102	401	37	50	39	25	24	47	21	35	24	30	38	31

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA—Continued													
Pneumonia (all forms) and influenza—107-109,33	1,741	353	218	207	112	83	65	83	84	97	103	143	193
Bronchopneumonia—107	583	88	68	58	45	28	21	41	41	38	28	53	56
Lobar pneumonia—108	550	101	67	69	38	31	22	20	26	36	36	40	64
Pneumonia (unspecified)—109	224	35	24	22	11	12	12	15	5	15	20	26	27
Influenza—33	404	131	69	58	18	12	10	7	12	8	19	24	45
Ulcer of stomach or duodenum—117	154	20	17	18	12	10	13	16	12	11	6	10	9
Diarrhea, enteritis, etc.*—119,120	199	11	16	21	18	20	32	24	15	17	11	10	4
Appendicitis—121	123	12	7	8	15	7	9	13	16	7	8	12	9
Hernia and intestinal obstruction—122	253	23	26	18	24	14	20	25	17	24	21	24	17
Cirrhosis of the liver—124	164	20	12	21	17	17	9	9	12	22	17	7	21
Biliary calculi, etc.*—126,127	84	8	5	5	4	4	7	4	9	10	8	8	12
Nephritis—130-132	2,549	280	226	221	224	204	205	192	183	183	190	213	228
Diseases of the prostate—137	153	28	7	12	11	17	13	14	11	10	13	7	10
Diseases of pregnancy, etc.*—140-150	225	20	15	17	16	19	27	19	28	9	16	17	22
Puerperal septicemia—140,142a,145A,147	61	6	2	6	5	5	12	5	7	1	2	3	7
Puerperal toxemia—141a,c,144,148	67	6	8	3	5	8	8	4	6	2	2	7	8
Hemorrhage, trauma or shock*—141b,142b,143,146,149	74	6	3	4	6	4	3	7	13	5	10	7	6
Other puerperal causes—141d,e,f,145B,150	23	2	2	4	-	2	4	3	2	1	2	-	1
Congenital malformations—157	298	18	20	29	16	20	20	26	26	31	20	38	35
Diseases peculiar to first year of life—158-161	1,578	124	93	107	107	138	113	134	149	158	180	148	157
Premature birth—159	982	86	62	70	65	88	71	84	86	103	87	83	97
Other diseases peculiar to first year of life—158,160,161	596	38	31	37	42	50	42	50	63	55	83	65	60
Suicide—163,164	230	14	15	19	20	20	21	22	23	21	20	16	19
Homicide—165-168	564	30	35	41	44	53	45	67	51	41	56	45	56
Accidental deaths—169-195	2,115	196	166	171	149	149	182	174	185	144	159	153	287
Motor-vehicle accidents—170	809	64	62	65	59	67	62	71	82	55	72	69	81
Other accidents—169,171-195	1,306	132	104	106	90	82	120	103	103	89	87	84	206
Senility, ill-defined and unknown causes—162,199,200	1,156	139	129	76	91	91	70	68	78	95	101	96	122
All other causes—	1,860	172	157	165	150	176	152	147	145	154	159	141	142
IDAHO—All causes	4,585	441	383	400	360	374	368	339	342	376	438	391	373
Typhoid and paratyphoid fever—1,2	3	1	-	-	-	1	-	-	-	-	-	-	1
Cerebrospinal (meningococcus) meningitis—6	5	-	-	2	-	-	-	-	-	1	1	1	-
Scarlet fever—8	2	1	-	1	-	-	-	-	-	-	-	-	-
Whooping cough—9	6	-	-	-	1	-	-	2	1	2	-	-	-
Diphtheria—10	2	-	1	-	-	1	-	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	67	5	3	7	6	4	8	5	6	4	6	8	5
Tuberculosis of respiratory system, etc.*—13	57	4	3	5	5	4	4	5	5	4	6	7	5
Tuberculosis (other forms)—14-22	10	1	-	2	1	-	4	-	1	-	-	1	-
Dysentery—27	1	-	-	-	-	-	-	-	-	-	-	-	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	19	-	7	-	2	1	2	3	2	-	1	1	-
Measles—35	5	1	1	-	1	1	1	-	-	-	-	-	-
Poliomyelitis, poliioencephalitis (acute)—36	2	-	-	-	-	-	-	1	-	-	-	1	-
Cancer and other malignant tumors—45-55	564	49	39	46	52	39	41	49	38	65	50	50	46
Cancer of the digestive organs and peritoneum—46	271	32	15	24	30	16	15	26	16	26	29	22	20
Cancer of female genital organs—48,49	46	2	2	5	4	6	4	5	2	1	4	7	4
Cancer of the breast—50	59	5	7	6	2	4	4	2	6	8	2	5	8
Cancer (other sites)—45,47,51-55	188	10	15	11	16	13	18	16	14	30	15	16	14
Acute rheumatic fever—58	5	-	-	-	1	1	1	-	1	-	-	1	-
Diabetes mellitus—61	96	13	8	12	4	9	7	8	2	6	10	6	11
Exophthalmic goiter—63b	14	4	1	2	1	-	1	1	-	2	-	2	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	14	-	3	-	-	4	1	-	1	3	1	-	1
Intracranial lesions of vascular origin—83	404	45	35	31	30	31	40	23	28	22	50	40	29
Diseases of the heart—90-95	1,266	126	116	107	96	117	101	86	92	83	118	101	113
Chronic rheumatic diseases of the heart—80a,92b,c,93c,95b	82	7	11	10	6	4	6	6	6	2	6	10	8
Diseases of coronary arteries and angina pectoris—94	447	27	37	26	28	49	42	41	36	39	39	38	45
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	737	92	68	71	62	64	53	39	50	52	73	53	60
Arteriosclerosis and high blood pressure*—97,102	80	9	7	7	7	2	2	1	4	6	4	5	6
Pneumonia (all forms) and influenza—107-109,33	189	22	27	27	16	10	12	6	9	11	22	15	12
Bronchopneumonia—107	88	7	10	13	8	5	5	5	5	5	13	6	6
Lobar pneumonia—108	44	3	5	7	3	3	5	1	1	3	6	4	3
Pneumonia (unspecified)—109	22	1	2	3	1	2	2	-	3	1	3	2	2
Influenza—33	35	11	10	4	4	-	-	-	-	2	-	3	1
Ulcer of stomach or duodenum—117	37	3	2	4	4	2	2	3	6	1	3	-	7
Diarrhea, enteritis, etc.*—119,120	16	1	3	1	1	1	1	-	-	3	3	-	2
Appendicitis—121	30	4	5	3	1	3	-	3	2	1	3	5	-
Hernia and intestinal obstruction—122	39	4	-	4	1	5	3	5	2	5	5	2	3
Cirrhosis of the liver—124	22	-	2	2	1	4	-	2	3	2	3	2	1
Biliary calculi, etc.*—126,127	25	1	3	2	1	8	3	-	-	2	2	2	1
Nephritis—130-132	287	22	32	33	19	20	21	18	21	26	30	22	23
Diseases of the prostate—137	33	3	2	4	2	-	5	2	2	3	4	2	4
Diseases of pregnancy, etc.*—140-150	22	4	1	4	3	1	-	-	4	4	1	-	-
Puerperal septicemia—140,142a,145A,147	9	2	-	1	2	-	-	-	1	2	1	-	-
Puerperal toxemia—141a,c,144,148	10	1	1	3	-	1	-	-	2	2	-	-	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	3	1	-	-	1	-	-	-	1	-	-	-	-
Other puerperal causes—141d,e,f,145B,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	67	6	9	5	4	7	6	3	3	6	5	9	4
Diseases peculiar to first year of life—158-161	278	22	6	22	26	19	23	26	25	25	30	24	30
Premature birth—159	187	13	5	13	20	12	17	22	12	17	17	18	21
Other diseases peculiar to first year of life—158,160,161	91	9	1	9	6	7	6	4	13	8	13	6	9
Suicide—163,164	75	5	8	5	8	9	3	4	8	7	4	9	5
Homicide—165-168	22	4	2	2	-	2	-	3	-	5	2	1	1
Accidental deaths—169-195	477	35	20	35	35	35	44	54	55	39	45	50	30
Motor-vehicle accidents—170	182	11	7	11	9	12	12	12	25	19	21	26	17
Other accidents—169,171-195	295	24	13	24	26	23	32	42	30	20	24	24	13
Senility, ill-defined and unknown causes—162,199,200	149	19	16	12	12	11	10	9	12	15	13	9	11
All other causes—	282	32	24	20	25	26	30	22	15	17	22	23	26

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ILLINOIS—All causes	89,566	9,068	7,563	8,160	7,455	7,500	7,273	6,829	6,539	6,869	7,210	7,103	7,977
Typhoid and paratyphoid fever—1,2	12	-	3	-	1	-	-	4	-	1	-	2	1
Cerebrospinal (meningococcus) meningitis—6	77	14	11	9	9	4	6	1	6	4	6	2	5
Scarlet fever—8	10	-	-	1	1	-	3	1	1	-	2	-	1
Whooping cough—9	30	4	2	2	-	1	2	2	1	8	4	3	1
Diphtheria—10	32	3	3	7	2	3	1	2	1	-	2	5	3
Tuberculosis (all forms)—13-22	3,014	250	266	295	270	288	262	247	247	216	245	219	209
Tuberculosis of respiratory system, etc.*—13	2,734	235	246	270	241	249	237	220	222	198	230	198	188
Tuberculosis (other forms)—14-22	280	15	20	25	29	39	25	27	25	18	15	21	21
Dysentery—27	25	6	-	2	2	2	-	3	4	-	2	2	2
Malaria—28	14	1	-	3	1	1	-	2	2	1	3	-	-
Syphilis—30	758	68	70	66	65	55	65	61	59	59	75	52	63
Measles—35	51	3	7	16	16	1	4	1	1	1	1	-	-
Poliomyelitis, polioencephalitis (acute)—36	185	4	1	2	1	1	4	14	56	53	25	17	7
Cancer and other malignant tumors—45-55	12,910	1,105	973	1,151	1,081	1,106	1,046	1,042	1,036	1,067	1,118	1,072	1,113
Cancer of the digestive organs and peritoneum—46	6,004	519	443	565	506	499	502	490	447	498	507	497	531
Cancer of female genital organs—48,49	1,508	143	118	127	123	138	117	130	143	116	116	97	140
Cancer of the breast—50	1,263	101	85	89	113	116	116	90	109	110	107	116	101
Cancer (other sites)—45,47,51-55	4,135	342	317	370	339	353	311	332	337	343	398	362	341
Acute rheumatic fever—58	54	3	6	7	6	4	6	4	3	3	1	8	3
Diabetes mellitus—61	2,579	295	218	262	231	209	202	186	175	184	177	221	219
Exophthalmic goiter—63b	201	21	20	24	15	19	21	15	12	13	15	10	16
Pellagra (except alcoholic)—69	4	-	1	-	-	-	-	1	1	1	-	-	-
Alcoholism (ethylism)—77	59	5	7	5	2	4	6	7	3	3	5	6	6
Intracranial lesions of vascular origin—83	7,166	777	610	604	579	587	634	528	508	547	579	571	644
Diseases of the heart—90-95	31,806	3,415	2,827	2,922	2,657	2,710	2,563	2,312	2,181	2,346	2,456	2,512	2,905
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	1,547	170	131	157	142	146	108	96	97	127	119	115	139
Diseases of coronary arteries and angina pectoris—94	7,582	697	629	670	603	611	623	559	611	582	604	654	739
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	22,677	2,548	2,087	2,095	1,912	1,953	1,832	1,657	1,473	1,637	1,733	1,743	2,027
Arteriosclerosis and high blood pressure*—97,102	1,602	207	129	142	163	152	133	124	92	103	109	120	128
Pneumonia (all forms) and influenza—107-109,33	3,085	533	358	344	260	231	182	171	115	157	218	202	314
Bronchopneumonia—107	1,634	239	155	181	147	133	108	102	63	106	128	107	165
Lobar pneumonia—108	1,136	196	146	130	92	78	66	60	43	40	75	82	128
Pneumonia (unspecified)—109	77	7	11	13	7	5	4	4	5	4	5	6	6
Influenza—33	238	91	46	20	14	15	4	5	4	7	10	7	15
Ulcer of stomach or duodenum—117	537	52	38	56	53	46	39	38	27	45	48	39	56
Diarrhea, enteritis, etc.*—119,120	300	36	32	32	16	33	33	19	21	19	21	21	17
Appendicitis—121	359	33	29	29	24	30	39	42	33	29	23	26	22
Hernia and intestinal obstruction—122	751	74	63	59	58	80	63	68	52	57	48	50	79
Cirrhosis of the liver—124	991	83	70	97	76	86	78	82	84	75	84	80	86
Biliary calculi, etc.*—126,127	457	45	33	51	32	31	39	39	28	44	38	46	31
Nephritis—130-132	5,652	581	515	560	484	488	420	429	414	428	399	451	503
Diseases of the prostate—137	590	44	53	58	54	36	44	44	46	64	63	48	38
Diseases of pregnancy, etc.*—140-150	237	23	11	27	24	20	15	25	17	22	10	18	25
Puerperal septicemia—140,142a,145A,147	94	13	-	9	8	13	2	11	8	10	3	9	8
Puerperal toxemia—141a,c,144,148	61	7	5	7	7	3	6	5	5	4	4	4	4
Hemorrhage, trauma or shock*—141b,142b,143,146,149	71	2	5	9	6	4	5	9	3	8	3	5	12
Other puerperal causes—141d,e,f,145B,150	11	1	1	2	3	-	2	-	1	-	-	-	1
Congenital malformations—157	1,084	66	89	91	70	80	82	86	94	100	103	102	121
Diseases peculiar to first year of life—158-161	3,186	198	190	248	228	281	272	281	286	279	327	285	311
Premature birth—159	1,989	116	116	160	153	176	177	172	188	169	200	181	201
Other diseases peculiar to first year of life—158,160,161	1,197	82	74	88	75	105	95	109	118	110	127	104	110
Suicide—163,164	945	83	63	99	87	62	83	83	81	89	73	64	78
Homicide—165-168	472	31	35	32	35	37	41	41	38	45	47	36	54
Accidental deaths—169-195	5,596	510	437	438	455	415	483	474	453	473	504	429	525
Motor-vehicle accidents—170	1,871	182	128	152	156	131	140	110	154	165	178	163	212
Other accidents—169,171-195	3,725	328	309	286	299	284	343	364	299	308	326	266	313
Senility, ill-defined and unknown causes—162,199,200	390	57	36	33	33	40	30	22	21	22	31	29	36
All other causes	4,345	438	357	386	364	377	372	328	332	331	348	355	357
INDIANA—All causes	39,034	3,816	3,407	3,547	3,272	3,260	3,081	3,042	2,818	2,949	3,156	3,205	3,471
Typhoid and paratyphoid fever—1,2	11	-	1	2	1	-	-	3	2	-	1	1	-
Cerebrospinal (meningococcus) meningitis—6	33	7	1	3	1	4	5	3	4	-	-	2	3
Scarlet fever—8	5	-	3	1	1	-	-	-	-	-	-	-	-
Whooping cough—9	40	2	2	3	2	2	4	6	7	3	3	2	4
Diphtheria—10	37	8	2	5	3	2	2	2	1	-	4	4	4
Tuberculosis (all forms)—13-22	1,128	101	95	101	107	90	105	105	88	70	89	95	82
Tuberculosis of respiratory system, etc.*—13	1,012	91	87	95	93	81	92	96	77	63	78	88	71
Tuberculosis (other forms)—14-22	116	10	8	6	14	9	13	9	11	7	11	7	11
Dysentery—27	17	-	2	-	2	4	2	3	1	1	1	-	1
Malaria—28	3	-	1	-	-	1	1	-	-	-	-	-	-
Syphilis—30	391	41	27	32	37	37	25	28	38	33	30	24	39
Measles—35	51	1	4	17	17	3	7	2	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	49	1	2	1	-	1	3	1	9	12	13	5	1
Cancer and other malignant tumors—45-55	4,839	430	375	395	390	443	386	423	373	382	441	394	407
Cancer of the digestive organs and peritoneum—46	2,103	205	168	184	174	185	167	185	153	168	165	183	168
Cancer of female genital organs—48,49	622	53	43	49	45	58	60	55	51	47	65	53	45
Cancer of the breast—50	425	35	30	24	37	45	29	40	35	32	50	37	31
Cancer (other sites)—45,47,51-55	1,689	137	136	138	134	157	130	143	134	135	161	121	163
Acute rheumatic fever—58	38	2	4	8	2	2	4	1	-	7	3	2	3
Diabetes mellitus—61	966	92	83	96	91	87	76	73	73	57	70	77	91
Exophthalmic goiter—63b	103	14	12	10	12	8	4	6	7	9	8	10	3
Pellagra (except alcoholic)—69	3	-	-	-	-	1	-	-	-	1	-	-	1
Alcoholism (ethylism)—77	40	6	7	5	3	2	1	3	2	5	3	2	1
Intracranial lesions of vascular origin—83	4,338	405	368	394	399	359	342	341	293	322	359	371	395
Diseases of the heart—90-95	11,565	1,191	1,077	1,077	952	1,006	912	843	794	827	925	933	1,028
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	667	68	58	62	67	51	53	55	39	50	46	56	62
Diseases of coronary arteries and angina pectoris—94	4,131	411	361	369	318	363	324	306	294	302	341	363	379
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	6,767	712	658	646	567	592	535	482	461	475	538	514	587
Arteriosclerosis and high blood pressure*—97,102	1,081	104	111	86	87	100	86	87	62	90	85	84	95

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA—Continued													
Pneumonia (all forms) and influenza----107-109,33	1,577	307	223	141	129	99	84	65	55	73	103	123	175
Bronchopneumonia----107	634	90	70	60	47	46	40	28	29	39	47	65	73
Lobar pneumonia----108	447	66	64	39	44	23	22	24	14	21	32	42	56
Pneumonia (unspecified)----109	211	34	26	18	21	23	13	9	10	9	16	9	23
Influenza----33	285	117	63	24	17	7	9	4	2	4	8	7	23
Ulcer of stomach or duodenum----117	172	28	15	13	15	9	17	14	10	12	16	10	13
Diarrhea, enteritis, etc.*----119,120	199	15	15	21	17	7	16	20	19	23	18	15	13
Appendicitis----121	145	16	23	18	6	8	10	7	14	12	11	12	8
Hernia and intestinal obstruction----122	303	28	18	17	32	16	21	28	30	27	30	22	34
Cirrhosis of the liver----124	307	25	25	22	28	28	15	30	29	24	27	28	28
Biliary calculi, etc.*----126,127	179	17	14	21	15	18	13	15	13	14	14	15	10
Nephritis----130-132	2,948	281	254	276	259	255	231	221	204	229	230	259	249
Diseases of the prostate----137	180	17	11	15	14	12	18	11	15	9	17	17	24
Diseases of pregnancy, etc.*----140-150	112	9	6	10	8	6	7	9	15	13	11	10	8
Puerperal septicemia----140,142a,145A,147	31	4	2	4	1	-	1	4	2	5	6	1	1
Puerperal toxemia----141a,c,144,148	32	3	1	3	2	3	2	2	4	5	2	2	3
Hemorrhage, trauma or shock*----141b,142b,143,146,149	37	2	3	1	4	1	4	1	7	1	3	6	4
Other puerperal causes----141d,e,f,145B,150	12	-	-	2	1	2	-	2	2	2	-	1	-
Congenital malformations----157	467	36	35	49	40	43	19	35	40	30	52	46	42
Diseases peculiar to first year of life----158-161	1,552	88	88	90	106	126	139	146	162	156	132	148	171
Premature birth----159	1,039	55	59	58	73	83	105	107	98	100	98	96	107
Other diseases peculiar to first year of life----158,160,161	513	33	29	32	33	43	34	39	64	56	34	52	64
Suicide----163,164	501	36	43	50	52	46	46	35	38	33	41	40	41
Homicide----165-168	147	6	3	24	9	10	20	13	15	12	6	11	18
Accidental deaths----169-195	2,790	248	208	295	214	202	248	241	208	238	232	217	239
Motor-vehicle accidents----170	966	91	72	101	70	67	76	90	70	75	83	79	92
Other accidents----169,171-195	1,824	157	136	194	144	135	172	151	138	163	149	138	147
Senility, ill-defined and unknown causes----162,199,200	424	50	45	36	36	32	34	42	28	26	23	29	43
All other causes----	2,293	204	204	221	187	191	176	180	169	199	168	197	197
IOWA----All causes	25,758	2,405	2,192	2,312	2,078	2,219	2,073	1,907	1,984	1,967	2,094	2,130	2,397
Typhoid and paratyphoid fever----1,2	4	-	-	1	-	-	-	1	-	1	-	-	1
Cerebrospinal (meningococcus) meningitis----6	15	1	2	-	1	3	1	-	4	-	1	-	2
Scarlet fever----8	11	1	4	3	1	-	-	-	1	-	-	-	1
Whooping cough----9	17	1	-	2	1	1	3	-	4	1	2	-	2
Diphtheria----10	15	4	1	1	1	2	1	-	-	1	2	2	-
Tuberculosis (all forms)----13-22	329	24	31	26	35	36	30	23	24	27	31	23	19
Tuberculosis of respiratory system, etc.*----13	291	21	28	23	31	32	24	21	20	26	27	20	18
Tuberculosis (other forms)----14-22	38	3	3	3	4	4	6	2	4	1	4	3	1
Dysentery----27	13	-	2	-	-	3	2	-	1	1	1	1	2
Malaria----28	4	-	1	-	2	-	-	-	-	-	1	-	-
Syphilis----30	156	21	13	11	10	19	12	9	9	9	16	13	14
Measles----35	24	1	1	2	4	6	7	-	1	2	-	-	-
Poliomyelitis, poliomyelitis (acute)----36	53	-	1	-	1	1	2	5	12	10	15	5	1
Cancer and other malignant tumors----45-55	3,704	308	268	329	280	315	317	315	342	317	314	277	322
Cancer of the digestive organs and peritoneum----46	1,707	136	109	152	137	157	154	143	147	153	146	129	144
Cancer of female genital organs----48,49	401	31	38	31	30	26	32	38	43	36	34	22	40
Cancer of the breast----50	367	32	37	35	27	36	33	19	24	36	30	28	30
Cancer (other sites)----45,47,51-55	1,229	109	84	111	86	96	98	115	128	92	104	98	108
Acute rheumatic fever----58	14	2	1	3	1	2	1	-	2	-	-	2	-
Diabetes mellitus----61	673	80	61	61	55	45	65	34	48	48	69	47	60
Exophthalmic goiter----63b	58	9	5	8	4	3	8	1	6	1	3	5	5
Pellagra (except alcoholic)----69	3	-	-	-	-	-	1	-	-	-	-	2	-
Alcoholism (ethylism)----77	21	2	5	1	2	2	1	3	1	-	3	1	-
Intracranial lesions of vascular origin----83	2,899	257	259	257	235	267	224	206	219	199	252	261	283
Diseases of the heart----90-95	7,874	714	681	744	654	631	632	584	573	605	616	689	751
Chronic rheumatic diseases of the heart----90a,92b,c,93c,95b	472	49	35	49	48	40	26	35	40	30	41	39	40
Diseases of coronary arteries and angina pectoris----94	3,260	266	276	297	261	256	257	254	240	259	273	326	295
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	4,142	399	370	398	345	335	349	295	293	316	302	324	416
Arteriosclerosis and high blood pressure*----97,102	621	80	58	63	50	61	50	38	30	37	56	46	52
Pneumonia (all forms) and influenza----107-109,33	1,047	204	139	111	92	71	53	33	45	40	63	67	129
Bronchopneumonia----107	464	64	55	53	37	37	26	17	25	19	26	37	68
Lobar pneumonia----108	328	55	44	28	32	21	21	11	16	11	29	17	43
Pneumonia (unspecified)----109	47	7	5	1	8	1	3	4	1	2	3	6	6
Influenza----33	208	78	35	29	15	12	3	1	3	8	5	7	12
Ulcer of stomach or duodenum----117	176	11	9	18	16	16	10	15	13	19	17	19	13
Diarrhea, enteritis, etc.*----119,120	136	5	11	15	9	13	10	9	16	11	11	16	10
Appendicitis----121	102	7	12	8	10	9	6	12	4	7	10	10	7
Hernia and intestinal obstruction----122	237	28	21	19	16	19	19	18	21	20	18	21	17
Cirrhosis of the liver----124	144	8	17	13	12	12	9	9	8	9	16	7	22
Biliary calculi, etc.*----126,127	150	14	14	11	10	11	10	11	19	20	6	11	13
Nephritis----130-132	1,457	136	129	131	113	145	126	110	84	116	112	116	139
Diseases of the prostate----137	191	20	13	12	16	18	13	10	18	21	21	11	18
Diseases of pregnancy, etc.*----140-150	59	2	7	2	3	9	3	4	7	6	4	4	8
Puerperal septicemia----140,142a,145A,147	23	1	3	1	1	4	1	3	2	-	2	1	4
Puerperal toxemia----141a,c,144,148	16	-	1	-	2	1	1	-	2	3	2	1	3
Hemorrhage, trauma or shock*----141b,142b,143,146,149	19	1	3	-	-	4	1	1	3	3	-	2	1
Other puerperal causes----141d,e,f,145B,150	1	-	-	1	-	-	-	-	-	-	-	-	-
Congenital malformations----157	359	27	21	26	17	25	25	28	30	29	35	42	54
Diseases peculiar to first year of life----158-161	995	64	50	65	80	86	81	94	108	88	81	90	108
Premature birth----159	623	37	29	38	52	55	48	56	73	54	51	59	71
Other diseases peculiar to first year of life----158,160,161	372	27	21	27	28	31	33	38	35	34	30	31	37
Suicide----163,164	327	22	20	30	33	35	25	30	32	18	36	26	20
Homicide----165-168	46	4	3	1	8	3	8	3	5	4	3	2	2
Accidental deaths----169-195	1,836	146	164	147	144	147	158	160	173	141	129	165	164
Motor-vehicle accidents----170	549	34	53	37	36	41	32	46	56	58	50	50	56
Other accidents----169,171-195	1,289	112	111	110	108	106	126	114	117	83	79	115	108
Senility, ill-defined and unknown causes----162,199,200	384	50	27	40	28	27	33	29	26	24	32	31	37
All other causes----	1,602	152	141	151	134	176	127	113	98	135	116	118	141

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS—All causes	18,059	1,815	1,520	1,610	1,425	1,512	1,443	1,453	1,295	1,349	1,442	1,529	1,666
Typhoid and paratyphoid fever—1,2	1	-	-	-	-	-	-	-	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis—6	11	-	1	1	2	1	-	1	-	-	-	1	4
Scarlet fever—8	4	1	-	1	1	1	-	-	-	-	-	-	-
Whooping cough—9	13	1	-	2	-	1	1	2	2	1	1	1	1
Diphtheria—10	12	1	-	2	1	2	1	-	-	-	-	3	2
Tuberculosis (all forms)—13-22	307	26	19	25	28	27	22	35	23	32	26	20	24
Tuberculosis of respiratory system, etc.*—13	291	25	19	25	25	26	20	34	23	29	25	17	23
Tuberculosis (other forms)—14-22	16	1	-	-	3	1	2	1	-	3	1	3	1
Dysentery—27	3	-	-	-	-	-	1	-	1	-	-	-	1
Malaria—28	2	-	-	1	-	1	-	-	-	-	-	-	-
Syphilis—30	143	15	10	15	7	13	14	10	14	12	12	8	13
Measles—35	23	1	2	10	7	2	1	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	91	1	-	-	1	1	4	14	16	21	24	6	3
Cancer and other malignant tumors—45-55	2,412	189	186	210	192	223	209	191	166	208	198	216	224
Cancer of the digestive organs and peritoneum—46	1,068	75	89	102	77	81	99	83	73	96	100	94	99
Cancer of female genital organs—48,49	303	27	18	27	31	30	30	23	15	24	27	30	21
Cancer of the breast—50	239	24	18	23	20	28	18	22	19	19	10	18	19
Cancer (other sites)—45,47,51-55	803	63	61	58	64	84	62	63	59	69	61	74	85
Acute rheumatic fever—58	10	-	1	2	1	1	-	1	2	1	1	-	-
Diabetes mellitus—61	437	49	39	36	43	38	20	34	29	30	43	29	47
Exophthalmic goiter—63b	39	2	6	3	2	3	4	-	2	5	1	6	5
Pellagra (except alcoholic)—69	6	-	-	1	-	-	-	1	-	1	-	1	2
Alcoholism (ethylism)—77	8	-	2	1	1	-	1	-	-	-	1	1	1
Intracranial lesions of vascular origin—83	2,049	212	183	166	154	169	177	153	150	146	148	167	204
Diseases of the heart—90-95	5,415	558	497	492	446	450	403	409	378	368	431	482	501
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	322	36	31	27	26	30	20	25	31	21	26	23	25
Diseases of coronary arteries and angina pectoris—94	2,141	213	182	190	168	174	155	149	157	165	172	187	229
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	2,952	309	284	275	252	246	228	235	190	182	233	272	245
Arteriosclerosis and high blood pressure*—97,102	417	45	27	40	38	44	25	38	30	23	31	39	37
Pneumonia (all forms) and influenza—107-109,33	612	136	81	70	31	41	26	36	26	26	38	41	60
Bronchopneumonia—107	265	39	34	26	16	21	13	17	18	11	16	24	30
Lobar pneumonia—108	187	27	23	27	8	11	6	16	4	8	15	8	14
Pneumonia (unspecified)—109	31	5	4	1	-	3	1	1	2	2	3	3	6
Influenza—33	149	65	20	16	7	6	6	2	2	5	4	6	10
Ulcer of stomach or duodenum—117	104	12	12	5	13	8	7	5	4	14	9	6	9
Diarrhea, enteritis, etc.*—119,120	79	8	9	5	4	6	4	11	6	8	8	11	1
Appendicitis—121	96	8	10	10	6	7	5	15	8	9	6	6	6
Hernia and intestinal obstruction—122	149	12	12	17	9	15	8	15	10	9	13	17	12
Cirrhosis of the liver—124	113	19	7	6	7	9	7	8	9	11	12	8	10
Biliary calculi, etc.*—126,127	97	9	8	6	9	10	8	10	7	8	10	5	7
Nephritis—130-132	1,257	142	98	130	124	99	110	88	72	86	84	108	116
Diseases of the prostate—137	164	9	11	13	22	14	13	16	12	15	15	12	12
Diseases of pregnancy, etc.*—140-150	60	5	3	5	7	6	3	6	6	7	5	1	6
Puerperal septicemia—140,142a,145A,147	25	3	1	3	4	3	-	2	1	4	-	-	4
Puerperal toxemia—141a,c,144,148	17	-	1	1	2	3	1	-	3	2	2	1	1
Hemorrhage, trauma or shock*—141b,142b,143,146,149	17	2	1	1	1	-	2	4	2	1	2	-	1
Other puerperal causes—141d,e,f,145B,150	1	-	-	-	-	-	-	-	-	-	1	-	-
Congenital malformations—157	252	22	25	13	17	25	18	26	20	28	17	22	19
Diseases peculiar to first year of life—158-161	718	51	54	46	44	57	66	69	58	77	66	61	69
Premature birth—159	449	26	32	25	31	39	47	38	37	56	42	37	39
Other diseases peculiar to first year of life—158,160,161	269	25	22	21	13	18	19	31	21	21	24	24	30
Suicide—163,164	182	19	10	18	17	12	18	13	15	16	11	17	16
Homicide—165-168	53	6	3	7	5	4	4	3	-	7	5	4	5
Accidental deaths—169-195	1,334	114	97	114	82	109	125	122	118	103	114	108	128
Motor-vehicle accidents—170	467	48	33	41	32	35	49	33	34	37	41	40	44
Other accidents—169,171-195	867	66	64	73	50	74	76	89	84	66	73	68	84
Senility, ill-defined and unknown causes—162,199,200	289	31	19	28	19	16	28	17	24	17	33	20	37
All other causes	1,097	111	88	109	85	97	110	104	87	59	81	82	84
KENTUCKY—All causes	27,410	2,785	2,435	2,429	2,232	2,130	2,168	2,078	2,015	2,105	2,281	2,210	2,542
Typhoid and paratyphoid fever—1,2	30	-	1	-	2	-	4	2	10	4	2	4	1
Cerebrospinal (meningococcus) meningitis—6	39	9	4	7	3	2	5	-	-	5	2	1	1
Scarlet fever—8	12	3	2	-	1	1	1	-	1	-	1	1	1
Whooping cough—9	47	4	6	1	6	5	7	2	5	1	3	2	5
Diphtheria—10	53	1	7	2	4	2	3	3	2	4	9	8	8
Tuberculosis (all forms)—13-22	1,602	170	149	187	147	122	118	105	100	119	144	123	138
Tuberculosis of respiratory system, etc.*—13	1,492	163	137	164	133	113	104	99	89	107	136	116	131
Tuberculosis (other forms)—14-22	110	7	12	3	14	9	14	6	11	12	8	7	7
Dysentery—27	42	1	4	1	2	4	2	10	8	4	2	2	2
Malaria—28	6	2	-	-	-	-	-	2	-	-	-	1	1
Syphilis—30	217	30	17	15	17	19	26	16	14	15	18	10	20
Measles—35	69	9	17	16	13	8	4	1	-	-	1	-	-
Poliomyelitis, polioencephalitis (acute)—36	14	-	-	-	-	-	2	3	3	2	4	-	-
Cancer and other malignant tumors—45-55	2,805	249	212	239	224	238	243	239	206	228	238	247	241
Cancer of the digestive organs and peritoneum—46	1,242	110	95	90	91	109	107	112	86	97	103	138	106
Cancer of female genital organs—48,49	430	44	34	39	30	28	37	34	34	36	40	34	40
Cancer of the breast—50	222	23	18	19	24	21	18	10	12	21	15	19	22
Cancer (other sites)—45,47,51-55	911	72	65	91	79	80	81	83	74	74	81	58	73
Acute rheumatic fever—58	16	2	3	-	1	-	1	3	2	1	-	2	1
Diabetes mellitus—61	445	53	46	44	29	41	35	29	25	31	28	40	44
Exophthalmic goiter—63b	32	4	3	3	3	2	7	2	1	3	-	1	3
Pellagra (except alcoholic)—69	18	2	1	3	1	1	1	3	-	3	-	1	2
Alcoholism (ethylism)—77	44	9	6	-	2	4	5	-	3	4	1	6	4
Intracranial lesions of vascular origin—83	2,782	265	219	245	225	219	202	227	235	240	230	217	258
Diseases of the heart—90-95	7,148	750	667	645	610	560	576	534	541	532	553	546	632
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	472	50	49	41	31	36	38	55	30	31	29	54	28
Diseases of coronary arteries and angina pectoris—94	1,941	206	158	166	169	148	155	137	162	149	166	154	171
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	4,735	494	460	438	410	376	383	342	349	352	360	338	433
Arteriosclerosis and high blood pressure*—97,102	610	67	52	47	56	53	53	46	38	41	44	55	58

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.*	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY—Continued													
Pneumonia (all forms) and influenza----107-109,33	1,773	334	233	168	102	94	85	58	89	101	134	149	226
Bronchopneumonia----107	694	111	73	64	41	39	35	20	43	51	64	70	83
Lobar pneumonia----108	471	60	63	40	32	26	30	23	21	31	35	41	69
Pneumonia (unspecified)----109	307	54	41	36	13	18	13	12	15	14	26	20	45
Influenza----33	301	109	56	28	16	11	7	3	10	5	9	18	29
Ulcer of stomach or duodenum----117	141	12	17	9	6	18	10	18	11	6	10	12	12
Diarrhea, enteritis, etc.*----119,120	272	11	16	17	19	12	33	42	37	29	20	18	19
Appendicitis----121	103	5	9	14	10	3	9	11	3	13	11	6	9
Hernia and intestinal obstruction----122	168	12	13	18	12	8	10	23	13	16	17	14	12
Cirrhosis of the liver----124	195	20	12	17	13	24	17	16	10	17	20	17	12
Biliary calculi, etc.*----126,127	113	10	9	14	10	10	11	10	6	10	4	11	8
Nephritis----130-132	1,691	153	148	145	173	164	140	134	109	129	126	133	137
Diseases of the prostate----137	134	9	9	15	14	14	11	6	8	6	11	15	16
Diseases of pregnancy, etc.*----140-150	144	11	9	8	11	13	6	15	12	15	17	13	14
Puerperal septicemia----140,142a,145A,147	47	2	1	2	3	5	1	3	4	6	8	4	8
Puerperal toxemia----141a,c,144,148	40	2	4	2	4	4	1	6	5	4	4	4	-
Hemorrhage, trauma or shock*----141b,142b,143,146,149	41	3	2	3	3	4	4	5	2	2	5	5	3
Other puerperal causes----141d,e,f,145B,150	16	4	2	1	1	-	-	1	1	3	-	-	3
Congenital malformations----157	364	25	27	28	21	28	25	28	31	30	35	46	40
Diseases peculiar to first year of life----158-161	1,474	95	96	99	109	102	129	119	137	142	135	136	175
Premature birth----159	948	58	56	68	77	65	88	82	85	98	82	92	99
Other diseases peculiar to first year of life----158,160,161	526	39	40	31	32	37	41	37	52	44	53	44	76
Suicide----163,164	271	27	20	22	29	14	22	24	20	20	32	26	15
Homicide----165-168	304	24	30	27	21	21	21	24	30	24	29	25	28
Accidental deaths----169-195	2,120	190	167	177	175	164	174	169	147	170	215	174	198
Motor-vehicle accidents----170	729	61	56	75	71	49	42	61	53	54	80	61	66
Other accidents----169,171-195	1,391	129	111	102	104	115	132	108	94	116	135	113	132
Senility, ill-defined and unknown causes----162,199,200	570	67	68	55	42	50	43	39	44	27	44	37	54
All other causes----	1,542	150	136	161	120	110	127	115	114	113	138	111	147
LOUISIANA----All causes	22,030	2,525	2,009	1,924	1,658	1,731	1,685	1,762	1,750	1,639	1,797	1,793	1,957
Typhoid and paratyphoid fever----1,2	22	1	1	1	1	6	2	3	4	1	2	-	-
Cerebrospinal (meningococcus) meningitis----6	24	2	8	5	-	2	-	-	1	1	2	2	1
Scarlet fever----8	2	1	1	-	-	-	-	-	-	-	-	-	-
Whooping cough----9	24	3	2	-	-	3	2	2	4	-	3	3	2
Diphtheria----10	42	8	3	7	2	1	3	-	3	3	2	5	5
Tuberculosis (all forms)----13-22	1,089	105	89	105	98	100	86	75	81	95	84	75	96
Tuberculosis of respiratory system, etc.*----13	1,018	97	86	97	86	92	79	70	80	93	80	69	89
Tuberculosis (other forms)----14-22	71	8	3	8	12	8	7	5	1	2	4	6	7
Dysentery----27	21	2	-	2	2	3	2	2	-	2	3	-	3
Malaria----28	22	1	2	-	3	4	2	2	3	2	2	1	-
Syphilis----30	422	28	36	36	29	48	19	39	40	36	38	32	41
Measles----35	22	1	4	3	4	5	3	-	-	1	-	-	1
Poliomyelitis, polioencephalitis (acute)----36	23	1	-	-	-	-	2	8	6	3	1	1	1
Cancer and other malignant tumors----45-55	2,506	220	167	220	195	180	200	239	225	226	227	200	207
Cancer of the digestive organs and peritoneum----46	961	78	65	85	80	68	87	93	96	82	80	71	76
Cancer of female genital organs----48,49	397	45	32	41	37	25	27	28	34	36	30	33	29
Cancer of the breast----50	178	17	12	17	10	14	10	14	12	22	20	15	15
Cancer (other sites)----45,47,51-55	970	80	58	77	68	73	76	104	83	86	97	81	87
Acute rheumatic fever----58	17	2	-	3	1	-	2	3	1	2	-	2	1
Diabetes mellitus----61	358	35	36	37	29	29	35	25	26	22	22	29	33
Exophthalmic goiter----63b	30	5	5	1	7	1	2	-	1	3	2	3	-
Pellagra (except alcoholic)----69	22	2	2	2	-	3	1	-	1	2	3	3	3
Alcoholism (ethylism)----77	19	-	3	1	2	4	1	1	1	3	1	-	2
Intracranial lesions of vascular origin----83	1,778	189	184	152	140	131	146	125	129	119	141	158	164
Diseases of the heart----90-95	5,957	664	576	515	440	451	431	482	461	389	466	503	579
Chronic rheumatic diseases of the heart----90a,92b,c,93c,95b	280	27	25	23	23	22	26	29	14	20	31	20	20
Diseases of coronary arteries and angina pectoris----94	1,440	138	128	130	97	102	105	113	112	100	116	143	156
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	4,237	499	423	362	320	327	300	340	335	269	319	340	403
Arteriosclerosis and high blood pressure*----97,102	250	23	21	28	14	22	24	19	15	18	27	20	19
Pneumonia (all forms) and influenza----107-109,33	1,300	242	211	140	67	65	79	65	72	83	71	81	104
Bronchopneumonia----107	601	77	64	62	45	38	50	35	40	49	39	46	58
Lobar pneumonia----108	286	55	46	29	17	16	18	16	18	14	16	15	26
Pneumonia (unspecified)----109	155	35	21	10	12	4	9	11	10	11	10	12	10
Influenza----33	258	75	80	39	13	7	2	3	4	9	6	8	12
Ulcer of stomach or duodenum----117	134	14	7	12	17	15	11	8	7	5	11	13	14
Diarrhea, enteritis, etc.*----119,120	145	18	11	13	17	11	18	12	15	10	7	7	6
Appendicitis----121	92	8	7	7	14	8	3	4	12	5	11	7	6
Hernia and intestinal obstruction----122	187	19	12	11	16	18	13	26	13	14	17	11	17
Cirrhosis of the liver----124	181	15	21	13	15	17	18	19	16	13	13	7	14
Biliary calculi, etc.*----126,127	69	6	5	5	7	3	6	4	7	11	5	6	4
Nephritis----130-132	1,442	159	145	127	108	138	96	115	108	97	120	113	116
Diseases of the prostate----137	107	14	8	7	11	10	5	10	7	8	13	6	8
Diseases of pregnancy, etc.*----140-150	139	15	11	9	9	12	7	7	14	12	18	10	17
Puerperal septicemia----140,142a,145A,147	47	3	1	4	5	7	3	2	3	6	6	3	4
Puerperal toxemia----141a,c,144,148	43	7	5	4	3	4	2	1	4	3	4	2	4
Hemorrhage, trauma or shock*----141b,142b,143,146,149	34	4	4	-	1	-	2	1	4	2	3	5	8
Other puerperal causes----141d,e,f,145B,150	15	1	1	1	-	1	-	3	3	1	3	-	1
Congenital malformations----157	283	26	12	29	20	15	24	20	20	34	22	26	35
Diseases peculiar to first year of life----158-161	1,471	122	93	88	89	109	118	144	158	133	142	155	120
Premature birth----159	962	82	61	51	58	75	75	107	109	69	84	96	75
Other diseases peculiar to first year of life----158,160,161	509	40	32	37	31	34	43	37	49	44	58	59	45
Suicide----163,164	192	16	17	19	15	7	17	20	10	20	17	15	19
Homicide----165-168	261	11	20	31	20	25	30	24	12	27	24	18	19
Accidental deaths----169-195	1,636	163	131	138	117	135	120	128	131	111	134	166	162
Motor-vehicle accidents----170	507	34	41	39	34	45	32	34	40	32	49	71	58
Other accidents----169,171-195	1,129	129	90	99	83	90	88	94	91	79	85	95	106
Senility, ill-defined and unknown causes----162,199,200	445	43	48	45	26	45	38	33	46	33	37	19	32
All other causes----	1,296	141	110	112	103	105	119	98	100	95	111	96	106

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE—All causes	10,058	990	856	906	843	841	806	764	720	770	831	820	911
Typhoid and paratyphoid fever—1,2	3	-	1	-	-	-	-	2	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	9	-	1	1	2	-	-	-	-	2	-	2	1
Scarlet fever—8	2	-	1	-	-	-	-	-	-	1	-	-	-
Whooping cough—9	15	2	1	-	2	1	3	1	2	1	-	-	2
Diphtheria—10	16	-	1	1	-	4	2	2	1	1	2	1	3
Tuberculosis (all forms)—13-22	216	18	14	17	19	28	15	27	12	15	19	15	17
Tuberculosis of respiratory system, etc.*—13	202	16	14	16	16	27	15	22	12	15	19	15	15
Tuberculosis (other forms)—14-22	14	2	-	1	3	1	-	5	-	-	-	-	2
Dysentery—27	2	-	-	-	1	-	-	-	1	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	49	8	-	8	2	2	4	6	2	4	5	3	5
Measles—35	12	-	-	-	-	1	1	4	-	1	1	1	3
Poliomyelitis, polioencephalitis (acute)—36	3	-	-	-	1	-	-	-	-	-	2	-	-
Cancer and other malignant tumors—45-55	1,395	108	107	122	101	112	126	113	117	109	128	113	137
Cancer of the digestive organs and peritoneum—46	676	58	57	60	47	49	64	44	57	59	65	51	65
Cancer of female genital organs—48,49	179	21	18	16	13	15	11	19	18	10	14	13	11
Cancer of the breast—50	124	9	8	9	9	11	16	11	11	10	8	10	12
Cancer (other sites)—45,47,51-55	414	20	24	37	32	37	35	39	31	30	41	39	49
Acute rheumatic fever—58	7	-	-	1	1	-	1	-	1	-	2	1	-
Diabetes mellitus—61	235	27	21	19	25	16	24	12	11	21	20	17	22
Exophthalmic goiter—63b	14	2	-	-	1	2	2	1	-	1	2	2	1
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	24	1	1	3	4	1	1	2	4	-	-	2	5
Intracranial lesions of vascular origin—83	1,050	97	109	85	92	81	62	95	71	80	98	81	99
Diseases of the heart—90-95	3,092	320	273	287	278	249	239	205	217	230	243	265	286
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	202	21	18	20	19	15	15	9	13	16	19	16	21
Diseases of coronary arteries and angina pectoris—94	1,164	121	98	92	104	88	83	88	78	89	102	111	112
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	1,726	178	157	175	155	148	141	108	126	125	122	138	153
Arteriosclerosis and high blood pressure*—97,102	264	29	18	19	20	24	30	24	22	14	23	16	25
Pneumonia (all forms) and influenza—107-109,33	476	76	65	62	41	35	25	20	21	22	27	30	52
Bronchopneumonia—107	227	30	27	31	19	13	9	8	13	12	19	20	26
Lobar pneumonia—108	159	29	21	19	16	13	9	10	6	6	7	7	16
Pneumonia (unspecified)—109	24	2	5	3	1	2	3	1	-	-	-	2	5
Influenza—33	66	15	12	9	5	7	4	1	2	4	1	1	5
Ulcer of stomach or duodenum—117	50	4	5	1	4	5	5	4	2	8	8	2	2
Diarrhea, enteritis, etc.*—119,120	51	6	2	1	4	3	7	8	5	3	3	5	4
Appendicitis—121	20	2	3	1	2	-	4	2	1	-	3	1	1
Hernia and intestinal obstruction—122	68	7	4	8	6	3	6	5	5	11	4	3	6
Cirrhosis of the liver—124	55	5	6	6	3	6	2	4	7	4	4	4	4
Biliary calculi, etc.*—126,127	42	6	2	2	4	3	2	2	3	2	8	4	4
Nephritis—130-132	622	64	69	71	43	55	52	37	45	51	41	49	45
Diseases of the prostate—137	55	8	2	6	7	5	3	5	1	9	2	3	4
Diseases of pregnancy, etc.*—140-150	32	3	2	1	5	2	5	3	2	3	2	3	1
Puerperal septicemia—140,142a,145A,147	8	1	-	1	2	-	1	-	-	2	-	1	-
Puerperal toxemia—141a,c,144,148	8	-	-	-	1	1	2	1	1	-	1	1	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	15	2	2	-	2	1	1	2	1	1	1	1	1
Other puerperal causes—141d,e,f,145B,150	1	-	-	-	-	-	1	-	-	-	-	-	-
Congenital malformations—157	151	18	9	8	14	15	13	7	14	19	14	11	9
Diseases peculiar to first year of life—158-161	440	32	25	20	39	41	28	42	36	38	39	58	42
Premature birth—159	262	23	15	11	20	22	16	31	24	23	22	31	24
Other diseases peculiar to first year of life—158,160,161	178	9	10	9	19	19	12	11	12	15	17	27	18
Suicide—163,164	121	7	13	14	10	19	7	8	9	9	10	9	6
Homicide—165-168	12	1	2	-	-	3	1	1	-	-	2	-	2
Accidental deaths—169-195	683	64	38	57	52	54	63	59	54	54	55	68	67
Motor-vehicle accidents—170	193	14	3	18	8	9	16	14	22	19	23	26	21
Other accidents—169,171-195	490	50	33	39	44	45	47	45	32	35	32	42	46
Senility, ill-defined and unknown causes—162,199,200	188	23	18	24	16	15	16	9	14	15	17	9	12
All other causes	584	52	45	61	44	56	57	54	40	42	47	42	44
MARYLAND—All causes	21,783	2,176	1,785	1,910	1,816	1,824	1,772	1,689	1,658	1,661	1,785	1,726	1,981
Typhoid and paratyphoid fever—1,2	4	-	-	1	1	-	-	-	1	1	-	-	-
Cerebrospinal (meningococcus) meningitis—6	20	2	4	3	3	1	2	-	3	-	-	2	-
Scarlet fever—8	2	-	-	-	-	-	-	1	-	-	1	-	-
Whooping cough—9	15	2	-	-	1	-	1	1	4	1	3	2	-
Diphtheria—10	30	6	2	5	4	4	1	1	2	1	1	-	3
Tuberculosis (all forms)—13-22	1,186	107	93	115	108	89	97	93	98	85	100	89	102
Tuberculosis of respiratory system, etc.*—13	1,115	103	88	107	100	83	91	86	89	93	96	85	94
Tuberculosis (other forms)—14-22	71	4	5	8	8	6	6	7	9	2	4	4	8
Dysentery—27	6	-	-	-	-	2	1	1	1	-	-	-	1
Malaria—28	1	-	-	-	-	-	-	-	-	1	-	-	-
Syphilis—30	284	28	15	25	21	29	32	20	19	33	32	17	25
Measles—35	16	-	1	2	2	6	4	1	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	6	-	1	-	-	-	-	3	-	1	-	1	-
Cancer and other malignant tumors—45-55	2,787	210	197	265	223	238	221	245	261	228	246	220	233
Cancer of the digestive organs and peritoneum—46	1,142	84	84	108	92	99	77	97	108	106	95	93	99
Cancer of female genital organs—48,49	388	27	29	42	24	27	41	32	39	27	37	26	37
Cancer of the breast—50	301	25	15	25	27	25	25	26	25	20	28	26	34
Cancer (other sites)—45,47,51-55	956	74	69	90	80	87	78	90	89	75	86	75	63
Acute rheumatic fever—58	16	2	3	2	3	1	-	1	1	-	1	1	1
Diabetes mellitus—61	539	49	47	55	35	51	48	39	33	46	33	32	71
Exophthalmic goiter—63b	7	1	-	1	-	1	-	-	1	-	2	1	-
Pellagra (except alcoholic)—69	4	1	-	1	-	1	-	-	-	-	-	-	1
Alcoholism (ethylism)—77	57	5	8	3	2	4	2	4	6	1	5	6	11
Intracranial lesions of vascular origin—83	1,712	172	143	160	153	127	136	142	121	121	138	148	151
Diseases of the heart—90-95	6,963	746	592	608	598	594	559	519	467	525	556	537	644
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	338	45	30	36	27	22	19	25	26	24	30	19	35
Diseases of coronary arteries and angina pectoris—94	1,918	184	153	146	184	158	170	169	134	129	159	163	169
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	4,707	517	409	426	385	414	370	325	327	372	367	355	440
Arteriosclerosis and high blood pressure*—97,102	345	43	20	21	36	28	31	24	28	17	36	26	35

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND—Continued													
Pneumonia (all forms) and influenza----107-109,33	833	150	103	88	70	67	42	42	34	45	49	55	88
Bronchopneumonia----107	384	56	46	40	37	29	22	22	18	25	25	23	41
Lobar pneumonia----108	317	60	38	33	20	29	16	17	14	11	18	22	39
Pneumonia (unspecified)----109	46	4	3	7	6	5	3	1	1	2	5	4	5
Influenza----33	86	30	16	8	7	4	1	2	1	7	1	6	3
Ulcer of stomach or duodenum----117	83	6	13	5	4	4	10	6	4	9	5	7	10
Diarrhea, enteritis, etc.*----119,120	165	18	11	9	13	15	9	10	12	25	19	12	12
Appendicitis----121	63	4	5	8	6	6	5	13	2	6	2	2	4
Hernia and intestinal obstruction----122	161	12	8	11	13	16	12	13	15	20	13	15	13
Cirrhosis of the liver----124	231	21	13	20	30	10	20	7	20	20	24	20	26
Biliary calculi, etc.*----126,127	73	4	8	6	5	17	4	9	3	2	3	8	4
Nephritis----130-132	1,773	184	161	164	159	161	140	122	140	110	134	141	157
Diseases of the prostate----137	93	13	10	6	4	6	6	4	10	9	10	6	9
Diseases of pregnancy, etc.*----140-150	56	3	6	2	4	6	5	4	6	5	2	7	6
Puerperal septicemia----140,142a,145A,147	19	1	1	1	2	3	-	-	3	3	-	2	3
Puerperal toxemia----141a,c,144,148	10	-	2	-	-	1	1	2	-	1	1	1	1
Hemorrhage, trauma or shock*----141b,142b,143,146,149	24	-	3	1	2	2	4	2	2	1	1	4	2
Other puerperal causes----141d,e,f,145B,150	3	2	-	-	-	-	-	-	1	-	-	-	-
Congenital malformations----157	257	21	24	20	21	14	18	28	19	25	22	25	20
Diseases peculiar to first year of life----158-161	973	71	62	56	78	72	94	83	96	86	109	84	82
Premature birth----159	625	49	36	39	43	51	71	44	67	54	62	55	54
Other diseases peculiar to first year of life----158,160,161	348	22	26	17	35	21	23	39	29	32	47	29	28
Suicide----163,164	271	30	29	26	15	25	19	23	15	23	20	24	22
Homicide----165-168	173	14	13	11	9	12	18	12	15	18	14	14	23
Accidental deaths----169-195	1,393	138	103	108	89	132	144	114	114	99	107	125	120
Motor-vehicle accidents----170	429	46	29	33	28	43	40	32	34	38	39	38	29
Other accidents----169,171-195	964	92	74	75	61	89	104	82	80	61	68	87	91
Senility, ill-defined and unknown causes----162,199,200	90	6	5	10	10	4	9	8	9	2	6	12	9
All other causes----	1,085	109	85	93	98	81	82	96	78	86	92	87	98
MASSACHUSETTS----All causes	51,398	5,169	4,513	4,773	4,205	4,250	4,046	3,799	3,722	3,959	4,195	4,053	4,714
Typhoid and paratyphoid fever----1,2	2	-	-	1	-	-	-	-	1	-	-	-	-
Cerebrospinal (meningococcus) meningitis----6	24	3	5	2	1	2	-	-	1	4	2	2	2
Scarlet fever----8	2	-	-	-	-	-	-	-	-	1	-	-	1
Whooping cough----9	16	5	3	1	1	1	1	-	-	1	1	-	2
Diphtheria----10	36	2	1	-	3	3	2	1	-	10	2	8	6
Tuberculosis (all forms)----13-22	1,664	165	142	150	149	146	145	144	114	135	135	107	132
Tuberculosis of respiratory system, etc.*----13	1,563	153	130	141	141	136	138	134	107	131	131	101	120
Tuberculosis (other forms)----14-22	101	12	12	9	8	10	7	10	7	4	4	6	12
Dysentery----27	8	2	-	-	1	-	-	1	-	-	2	1	1
Malaria----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----30	235	23	23	17	21	17	25	17	21	16	14	20	21
Measles----35	16	1	1	1	5	4	3	-	1	-	-	-	-
Poliomyelitis, poliocencephalitis (acute)----36	24	-	1	-	-	-	1	5	2	7	4	3	1
Cancer and other malignant tumors----45-55	7,760	666	569	699	630	645	633	633	644	691	656	631	663
Cancer of the digestive organs and peritoneum----46	3,579	312	278	326	290	288	286	293	283	332	297	285	309
Cancer of female genital organs----48,49	839	73	59	77	72	80	73	67	68	62	84	61	63
Cancer of the breast----50	806	70	57	64	69	66	66	63	77	65	80	73	56
Cancer (other sites)----45,47,51-55	2,538	211	175	232	199	211	208	210	216	232	195	212	235
Acute rheumatic fever----58	23	-	1	1	2	2	4	3	7	-	3	-	-
Diabetes mellitus----61	1,583	159	151	151	120	121	131	131	97	117	133	138	135
Exophthalmic goiter----63b	42	6	3	5	5	4	2	2	1	3	3	3	5
Pellagra (except alcoholic)----69	3	-	1	-	1	-	-	-	-	-	1	-	-
Alcoholism (ethylism)----77	110	17	14	4	9	9	7	8	6	8	9	5	14
Intracranial lesions of vascular origin----83	4,751	468	412	429	392	427	346	351	358	355	369	393	451
Diseases of the heart----90-95	18,901	1,958	1,743	1,783	1,546	1,557	1,488	1,296	1,281	1,395	1,547	1,492	1,814
Chronic rheumatic diseases of the heart----90a,92b,c,93c,95b	978	109	94	98	84	79	77	54	65	73	81	62	100
Diseases of coronary arteries and angina pectoris----94	6,077	551	511	532	452	493	503	436	461	488	544	521	585
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	11,848	1,299	1,138	1,153	1,010	985	908	806	755	834	922	909	1,129
Arteriosclerosis and high blood pressure*----97,102	1,065	101	115	112	94	82	81	56	82	68	75	82	117
Pneumonia (all forms) and influenza----107-109,33	2,230	422	270	262	184	159	130	97	86	121	151	125	223
Bronchopneumonia----107	1,419	246	153	161	111	109	85	68	61	87	111	80	147
Lobar pneumonia----108	597	110	79	86	55	41	34	25	21	25	33	36	52
Pneumonia (unspecified)----109	104	24	8	6	10	5	7	3	4	6	5	7	19
Influenza----33	110	42	30	9	8	4	4	1	-	3	2	2	5
Ulcer of stomach or duodenum----117	341	30	37	22	28	26	23	17	22	31	33	33	39
Diarrhea, enteritis, etc.*----119,120	223	19	8	9	26	23	19	16	17	14	20	25	27
Appendicitis----121	138	10	8	9	12	7	9	17	10	18	13	13	12
Hernia and intestinal obstruction----122	390	36	32	45	24	28	30	31	37	32	30	31	34
Cirrhosis of the liver----124	577	56	54	57	35	47	39	55	48	47	50	46	43
Biliary calculi, etc.*----126,127	229	20	16	20	21	19	19	26	17	15	15	23	18
Nephritis----130-132	2,140	233	203	210	185	185	153	173	149	149	168	165	167
Diseases of the prostate----137	224	19	25	24	11	12	24	19	17	19	13	17	24
Diseases of pregnancy, etc.*----140-150	126	11	10	8	13	9	7	11	11	11	13	8	14
Puerperal septicemia----140,142a,145A,147	53	4	4	1	9	7	5	5	3	4	4	3	4
Puerperal toxemia----141a,c,144,148	27	2	3	2	1	1	2	5	2	1	3	2	3
Hemorrhage, trauma or shock*----141b,142b,143,146,149	29	4	-	4	3	1	-	-	4	5	4	2	2
Other puerperal causes----141d,e,f,145B,150	17	1	3	1	-	-	-	1	2	1	2	1	5
Congenital malformations----157	663	53	46	57	60	56	56	48	62	64	60	49	52
Diseases peculiar to first year of life----158-161	1,733	100	107	134	114	158	160	155	179	169	155	149	153
Premature birth----159	1,110	60	71	85	69	120	110	100	129	95	86	86	99
Other diseases peculiar to first year of life----158,160,161	623	40	36	49	45	38	50	55	50	74	69	63	54
Suicide----163,164	468	32	29	43	34	45	39	45	35	48	45	39	34
Homicide----165-168	64	4	2	6	4	6	11	6	7	7	4	4	3
Accidental deaths----169-195	2,843	277	244	230	257	208	241	237	205	199	247	228	270
Motor-vehicle accidents----170	618	51	55	54	60	41	38	40	55	57	54	51	62
Other accidents----169,171-195	2,225	226	189	176	197	167	203	197	150	142	193	177	208
Senility, ill-defined and unknown causes----162,199,200	157	11	15	17	14	21	15	7	10	12	8	14	13
All other causes----	2,585	260	222	264	203	221	202	191	194	192	214	199	223

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MICHIGAN—All causes	55,167	5,296	4,502	4,786	4,656	4,775	4,585	4,328	4,192	4,152	4,473	4,432	4,990
Typhoid and paratyphoid fever—1,2	6	2	-	1	1	1	-	1	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	42	7	4	5	7	5	2	1	1	2	1	3	4
Scarlet fever—8	3	-	-	1	-	-	-	1	-	-	-	1	-
Whooping cough—9	45	4	1	3	6	1	4	1	4	7	4	6	4
Diphtheria—10	28	7	5	2	1	1	2	-	2	2	1	-	5
Tuberculosis (all forms)—13-22	1,891	155	159	170	163	173	156	160	153	146	148	153	155
Tuberculosis of respiratory system, etc.*—13	1,694	142	144	153	149	145	137	146	130	130	141	135	142
Tuberculosis (other forms)—14-22	197	13	15	17	14	28	19	14	23	16	7	18	13
Dysentery—27	15	1	-	1	2	1	2	2	2	2	-	1	1
Malaria—28	3	1	-	-	1	-	1	-	-	-	-	-	-
Syphilis—30	552	56	49	54	49	57	52	44	37	32	43	38	41
Measles—35	47	4	12	16	4	2	5	3	1	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	90	-	1	-	-	2	-	8	27	17	20	10	5
Cancer and other malignant tumors—45-55	7,481	618	544	607	652	629	577	616	629	645	633	665	666
Cancer of the digestive organs and peritoneum—46	3,294	281	252	256	291	259	243	278	282	290	269	302	291
Cancer of female genital organs—48,49	943	82	70	64	83	95	69	73	80	73	89	98	69
Cancer of the breast—50	898	65	49	59	65	46	58	59	55	54	60	68	60
Cancer (other sites)—45,47,51-55	2,546	190	173	228	213	229	207	206	212	228	215	199	246
Acute rheumatic fever—58	26	3	2	2	2	3	1	3	-	1	3	3	3
Diabetes mellitus—61	1,540	174	124	137	114	136	119	134	94	125	120	123	140
Exophthalmic goiter—63b	117	14	11	10	9	14	11	4	11	6	12	6	9
Pellagra (except alcoholic)—69	5	1	3	-	-	-	-	-	-	-	1	-	-
Alcoholism (ethylism)—77	31	2	1	5	2	4	-	-	2	3	3	5	4
Intracranial lesions of vascular origin—83	5,207	510	429	469	462	407	425	399	402	399	392	444	469
Diseases of the heart—90-95	17,740	1,790	1,471	1,591	1,524	1,569	1,458	1,315	1,318	1,286	1,439	1,530	1,649
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	893	89	66	77	86	101	61	59	65	88	63	61	78
Diseases of coronary arteries and angina pectoris—94	6,377	556	554	490	557	553	535	492	531	488	521	493	607
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	10,470	1,145	851	1,024	879	915	862	765	724	710	855	776	964
Arteriosclerosis and high blood pressure*—97,102	1,006	94	96	87	70	104	76	89	81	84	68	75	82
Pneumonia (all forms) and influenza—107-109,33	2,124	382	251	202	197	201	145	106	88	91	148	137	166
Bronchopneumonia—107	927	118	102	99	92	78	85	58	34	52	72	64	73
Lobar pneumonia—108	680	114	81	56	63	81	37	27	29	24	40	53	75
Pneumonia (unspecified)—109	268	47	29	28	21	28	14	13	20	13	26	17	32
Influenza—33	229	103	39	19	11	14	9	8	5	2	10	3	6
Ulcer of stomach or duodenum—117	328	41	29	33	24	28	27	24	23	21	23	26	29
Diarrhea, enteritis, etc.*—119,120	270	18	29	35	19	23	32	23	24	17	13	18	19
Appendicitis—121	238	25	17	23	20	20	18	27	17	19	16	14	22
Hernia and intestinal obstruction—122	460	40	46	40	39	38	42	36	37	41	37	25	39
Cirrhosis of the liver—124	557	50	44	62	49	51	50	33	43	39	40	53	43
Biliary calculi, etc.*—126,127	265	21	18	21	20	22	31	31	17	17	24	22	21
Nephritis—130-132	2,548	239	195	251	244	241	231	200	150	174	200	197	226
Diseases of the prostate—137	275	26	28	18	27	21	27	19	23	25	23	19	19
Diseases of pregnancy, etc.*—140-150	167	14	10	16	22	10	16	20	11	15	11	10	12
Puerperal septicemia—140,142a,145A,147	68	4	2	4	11	4	9	9	4	11	5	3	2
Puerperal toxemia—141a,c,144,148	33	1	4	4	4	2	4	3	2	1	4	2	2
Hemorrhage, trauma or shock*—141b,142b,143,146,149	46	6	3	6	6	4	3	5	1	2	1	4	5
Other puerperal causes—141d,e,f,145B,150	20	3	1	2	1	-	-	3	4	1	1	1	3
Congenital malformations—157	871	65	66	50	72	69	71	59	74	69	91	84	101
Diseases peculiar to first year of life—158-161	2,622	171	162	167	180	221	242	250	245	233	254	223	254
Premature birth—159	1,732	106	97	115	126	155	170	164	166	155	168	142	168
Other diseases peculiar to first year of life—158,160,161	890	65	65	72	54	66	72	86	79	78	86	81	86
Suicide—163,164	608	55	43	55	54	60	65	47	40	43	59	37	50
Homicide—165-166	196	13	11	11	25	11	19	14	20	21	9	18	24
Accidental deaths—169-195	3,854	300	280	299	289	298	339	367	334	309	350	347	342
Motor-vehicle accidents—170	1,576	120	110	122	103	112	117	126	138	137	146	172	173
Other accidents—169,171-195	2,278	180	170	177	186	186	222	241	196	172	204	175	169
Senility, ill-defined and unknown causes—162,199,200	667	67	70	50	57	60	49	45	50	45	56	45	73
All other causes	3,242	326	291	272	259	292	290	246	232	216	231	294	293
MINNESOTA—All causes	26,937	2,491	2,124	2,389	2,293	2,282	2,182	2,085	2,122	2,092	2,224	2,186	2,467
Typhoid and paratyphoid fever—1,2	2	-	-	1	-	1	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	15	2	4	2	1	1	-	-	1	1	-	1	2
Scarlet fever—8	4	-	1	1	-	-	-	-	-	2	-	-	-
Whooping cough—9	16	2	1	2	2	-	2	-	3	2	1	1	-
Diphtheria—10	41	7	6	2	3	3	-	3	1	2	3	5	6
Tuberculosis (all forms)—13-22	585	59	37	57	52	57	44	59	49	32	43	51	45
Tuberculosis of respiratory system, etc.*—13	535	52	34	54	47	56	36	56	44	28	39	44	45
Tuberculosis (other forms)—14-22	50	7	3	3	5	1	8	3	5	4	4	7	-
Dysentery—27	6	-	-	1	1	1	-	-	1	-	2	-	-
Malaria—28	1	-	-	-	-	-	-	-	1	-	-	-	-
Syphilis—30	189	25	15	22	14	15	8	13	12	12	19	18	16
Measles—35	10	-	1	-	2	2	5	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	216	-	-	-	-	2	2	56	61	49	18	7	1
Cancer and other malignant tumors—45-55	3,982	336	282	362	328	340	349	315	353	301	329	340	347
Cancer of the digestive organs and peritoneum—46	1,887	158	148	169	161	166	159	144	158	151	148	173	152
Cancer of female genital organs—48,49	386	29	29	35	27	31	33	26	43	25	30	31	47
Cancer of the breast—50	408	34	23	40	31	39	27	35	53	25	39	32	30
Cancer (other sites)—45,47,51-55	1,301	115	82	118	109	104	130	110	99	100	112	104	118
Acute rheumatic fever—58	22	4	1	1	-	2	2	2	2	3	-	4	1
Diabetes mellitus—61	743	74	61	50	67	65	64	53	59	47	70	60	73
Exophthalmic goiter—63b	50	5	4	2	7	5	5	1	3	2	6	4	6
Pellagra (except alcoholic)—69	2	-	-	-	-	-	-	-	-	1	-	-	1
Alcoholism (ethylism)—77	37	1	4	3	3	3	3	1	1	5	5	1	7
Intracranial lesions of vascular origin—83	2,766	265	208	271	246	221	216	206	202	229	237	204	261
Diseases of the heart—90-95	8,355	818	696	751	748	751	685	611	575	590	682	716	732
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	504	50	35	53	43	54	39	35	33	36	42	38	46
Diseases of coronary arteries and angina pectoris—94	3,586	337	292	307	304	326	326	250	245	264	290	315	330
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	4,265	431	369	391	401	371	320	326	297	290	350	363	358
Arteriosclerosis and high blood pressure*—97,102	713	61	56	60	65	58	76	52	44	55	59	54	73

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MINNESOTA—Continued													
Pneumonia (all forms) and influenza----107-109,33	1,192	171	130	141	86	92	75	68	58	69	85	83	134
Bronchopneumonia----107	668	79	69	74	48	51	37	46	39	44	49	49	83
Lobar pneumonia----108	300	43	32	40	22	26	22	13	13	14	23	25	27
Pneumonia (unspecified)----109	95	8	12	8	6	6	8	8	5	10	6	3	15
Influenza----33	129	41	17	19	10	9	8	1	1	1	7	6	9
Ulcer of stomach or duodenum----117	150	17	9	14	9	18	9	13	12	17	10	11	11
Diarrhea, enteritis, etc.*----119,120	100	13	6	8	5	7	5	10	6	8	14	8	10
Appendicitis----121	101	13	10	5	6	7	11	11	6	6	3	5	18
Hernia and intestinal obstruction----122	219	20	20	15	19	13	20	23	18	16	18	15	22
Cirrhosis of the liver----124	232	17	20	27	24	21	15	15	24	19	15	16	19
Biliary calculi, etc.*----126,127	167	24	17	13	14	12	13	12	15	14	10	11	12
Nephritis----130-132	911	101	83	69	101	107	69	45	53	78	68	61	76
Diseases of the prostate----137	164	19	10	9	19	12	13	10	19	23	10	13	7
Diseases of pregnancy, etc.*----140-150	62	2	4	4	4	6	6	5	6	10	7	5	3
Puerperal septicemia----140,142a,145A,147	22	2	-	1	1	4	3	3	2	2	2	1	1
Puerperal toxemia----141a,c,144,148	14	-	-	-	1	1	3	-	-	2	3	3	1
Hemorrhage, trauma or shock*----141b,142b,143,146,149	26	-	4	3	2	1	-	2	4	6	2	1	1
Other puerperal causes----141d,e,f,145B,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations----157	443	33	37	39	30	36	25	38	44	31	38	45	47
Diseases peculiar to first year of life----158-161	1,158	65	74	96	95	89	121	104	106	102	98	115	93
Premature birth----159	744	41	45	58	64	50	83	71	67	67	54	77	67
Other diseases peculiar to first year of life----158,160,161	414	24	29	38	31	39	38	33	39	35	44	38	26
Suicide----163,164	342	28	28	30	26	31	28	28	24	35	23	30	30
Homicide----165-168	45	-	2	3	6	4	2	4	3	8	3	4	6
Accidental deaths----169-195	1,894	153	126	128	143	144	145	177	180	164	172	159	203
Motor-vehicle accidents----170	588	41	20	43	45	37	51	42	50	61	67	64	87
Other accidents----169,171-195	1,306	112	106	85	98	107	94	135	130	103	105	95	136
Senility, ill-defined and unknown causes----162,199,200	321	24	36	32	21	26	28	23	21	22	31	27	30
All other causes----	1,681	131	135	168	146	150	136	127	139	137	145	112	175
MISSISSIPPI----All causes	19,417	2,047	1,706	1,818	1,631	1,590	1,494	1,530	1,547	1,394	1,477	1,474	1,709
Typhoid and paratyphoid fever----1,2	10	-	-	1	3	3	-	-	1	1	-	-	1
Cerebrospinal (meningococcus) meningitis----6	24	5	4	3	1	-	1	1	-	1	1	4	3
Scarlet fever----8	3	-	-	1	-	-	-	-	-	1	1	-	-
Whooping cough----9	31	2	2	1	3	1	8	2	3	3	-	3	3
Diphtheria----10	31	6	1	5	-	-	-	1	2	4	7	1	4
Tuberculosis (all forms)----13-22	741	57	62	82	70	61	49	75	52	57	55	47	74
Tuberculosis of respiratory system, etc.*----13	669	50	53	74	62	56	45	65	46	52	52	43	71
Tuberculosis (other forms)----14-22	72	7	9	8	8	5	4	10	6	5	3	4	3
Dysentery----27	28	3	1	2	-	2	5	6	4	1	1	2	1
Malaria----28	29	-	1	4	3	2	6	4	5	1	-	2	1
Syphilis----30	217	28	19	18	15	20	26	13	17	15	16	16	14
Measles----35	43	6	7	13	6	4	5	1	1	-	-	-	-
Poliomyelitis, poliioencephalitis (acute)----36	17	-	1	3	1	1	-	3	2	2	2	1	1
Cancer and other malignant tumors----45-55	1,674	143	115	149	150	135	128	157	156	145	139	140	137
Cancer of the digestive organs and peritoneum----46	686	61	44	60	61	52	57	66	66	55	54	61	49
Cancer of female genital organs----48,49	300	28	15	33	24	27	23	25	31	26	25	21	22
Cancer of the breast----50	135	10	10	12	13	12	10	10	11	13	10	10	14
Cancer (other sites)----45,47,51-55	553	44	46	44	52	44	38	36	48	51	50	48	52
Acute rheumatic fever----58	18	3	3	1	-	1	2	-	4	1	1	1	1
Diabetes mellitus----61	311	30	22	35	36	28	25	24	18	25	25	25	18
Exophthalmic goiter----63b	23	2	3	2	3	1	1	3	1	1	1	2	3
Pellagra (except alcoholic)----69	45	3	5	8	3	4	8	1	3	3	3	5	1
Alcoholism (ethylism)----77	19	1	2	-	1	5	1	2	3	1	2	-	1
Intracranial lesions of vascular origin----83	1,803	186	133	158	173	158	150	143	138	141	130	140	153
Diseases of the heart----90-95	3,631	363	332	350	301	316	282	284	279	250	293	269	312
Chronic rheumatic diseases of the heart----90a,92b,c,93c,95b	358	45	28	27	33	29	29	28	25	35	30	23	26
Diseases of coronary arteries and angina pectoris----94	935	90	81	82	73	76	75	75	69	70	73	78	93
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	2,338	228	223	241	195	211	178	181	185	145	190	168	193
Arteriosclerosis and high blood pressure*----97,102	255	24	26	34	20	12	22	22	20	22	15	15	23
Pneumonia (all forms) and influenza----107-109,33	1,160	269	198	136	76	50	43	54	62	43	59	69	103
Bronchopneumonia----107	301	37	37	28	25	14	15	26	21	14	26	24	34
Lobar pneumonia----108	377	90	67	38	23	9	18	19	19	18	18	21	37
Pneumonia (unspecified)----109	106	19	15	9	7	11	3	6	10	6	7	7	6
Influenza----33	376	123	77	61	21	16	7	3	12	5	8	17	26
Ulcer of stomach or duodenum----117	70	6	5	7	6	4	6	4	5	9	4	6	8
Diarrhea, enteritis, etc.*----119,120	96	6	3	10	9	10	9	15	9	6	8	5	6
Appendicitis----121	98	12	5	4	12	8	11	9	10	5	8	6	8
Hernia and intestinal obstruction----122	147	7	14	17	15	12	10	11	13	7	12	15	14
Cirrhosis of the liver----124	109	15	11	12	8	9	6	6	11	11	6	7	7
Biliary calculi, etc.*----126,127	50	4	3	4	4	3	4	9	6	4	2	5	2
Nephritis----130-132	1,610	159	133	149	159	143	122	123	134	108	128	123	129
Diseases of the prostate----137	109	7	11	5	15	10	11	8	13	3	12	8	6
Diseases of pregnancy, etc.*----140-150	194	9	14	13	12	23	14	19	21	21	12	16	20
Puerperal septicemia----140,142a,145A,147	63	1	5	5	4	10	5	5	7	4	6	2	9
Puerperal toxemia----141a,c,144,148	58	4	3	3	3	10	3	8	6	4	3	7	4
Hemorrhage, trauma or shock*----141b,142b,143,146,149	55	2	6	3	4	3	5	4	6	10	2	4	6
Other puerperal causes----141d,e,f,145B,150	18	2	-	2	1	-	1	2	2	3	1	3	1
Congenital malformations----157	209	12	21	15	13	22	11	22	16	11	20	18	28
Diseases peculiar to first year of life----158-161	1,020	79	59	71	59	91	79	93	90	97	108	101	94
Premature birth----159	619	52	32	41	40	55	46	55	58	58	59	66	57
Other diseases peculiar to first year of life----158,160,161	401	27	27	30	19	36	32	38	32	39	49	35	37
Suicide----163,164	130	12	15	11	10	10	7	18	12	8	9	10	8
Homicide----165-168	354	26	27	35	29	25	22	27	27	36	24	34	42
Accidental deaths----169-195	1,395	118	126	107	121	97	126	130	111	108	109	106	136
Motor-vehicle accidents----170	479	29	31	40	36	41	32	39	49	41	39	42	60
Other accidents----169,171-195	916	89	95	67	85	56	94	91	62	67	70	64	76
Senility, ill-defined and unknown causes----162,199,200	2,633	351	253	245	219	236	199	173	193	150	179	195	271
All other causes----	1,080	93	91	109	84	83	96	87	105	92	85	79	76

*Refer to International List for complete title, table V, Part I.

793002 O - 48 - 16

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSOURI—All causes	42,451	4,253	3,805	3,816	3,588	3,471	3,367	3,354	3,149	3,143	3,469	3,399	3,837
Typhoid and paratyphoid fever—1,2	11	-	1	-	-	1	1	5	1	2	-	-	-
Cerebrospinal (meningococcus) meningitis—6	31	8	1	2	3	3	3	1	3	1	1	2	3
Scarlet fever—8	5	1	-	2	-	-	1	1	-	-	-	-	-
Whooping cough—9	31	2	4	2	1	6	3	2	2	3	3	2	1
Diphtheria—10	24	1	3	9	2	2	-	1	1	2	2	1	-
Tuberculosis (all forms)—13-22	1,276	121	125	116	115	107	113	105	96	101	91	98	88
Tuberculosis of respiratory system, etc.*—13	1,195	111	114	109	106	102	105	100	93	91	84	95	85
Tuberculosis (other forms)—14-22	81	10	11	7	9	5	8	5	3	10	7	3	3
Dysentery—27	30	2	1	1	1	1	6	2	3	7	3	1	2
Malaria—28	6	-	-	2	-	-	1	-	1	-	2	-	-
Syphilis—30	484	55	39	47	48	41	42	30	33	34	30	34	31
Measles—35	50	6	9	17	4	8	4	-	-	-	-	1	1
Poliomyelitis, polioencephalitis (acute)—36	97	2	1	-	-	3	2	13	29	22	17	5	3
Cancer and other malignant tumors—45-55	5,548	462	432	466	468	457	459	465	442	470	480	454	493
Cancer of the digestive organs and peritoneum—46	2,417	209	182	220	193	192	211	204	197	189	207	204	209
Cancer of female genital organs—48,49	753	62	61	58	70	66	59	63	62	75	60	54	63
Cancer of the breast—50	479	35	42	46	40	35	43	39	31	38	41	39	48
Cancer (other sites)—45,47,51-55	1,899	156	147	140	165	164	146	159	152	168	172	157	173
Acute rheumatic fever—58	28	1	2	2	6	1	3	-	1	2	3	5	2
Diabetes mellitus—61	907	74	80	73	74	80	66	89	75	63	73	72	88
Exophthalmic goiter—63b	80	4	12	9	9	8	2	8	5	4	7	8	4
Pellagra (except alcoholic)—69	4	-	1	1	-	-	-	-	-	-	1	-	1
Alcoholism (ethylism)—77	47	4	6	3	7	1	2	9	4	1	6	2	2
Intracranial lesions of vascular origin—83	4,158	396	389	361	336	334	346	351	285	306	321	330	403
Diseases of the heart—90-95	13,144	1,364	1,222	1,245	1,062	1,075	1,007	959	969	947	1,037	1,060	1,197
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	867	89	81	80	79	65	84	69	53	64	71	75	57
Diseases of coronary arteries and angina pectoris—94	4,090	412	374	335	346	349	280	297	319	323	299	367	389
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	8,187	863	767	830	637	661	643	593	597	560	667	618	751
Arteriosclerosis and high blood pressure*—97,102	759	92	77	70	59	56	49	53	45	66	72	55	65
Pneumonia (all forms) and influenza—107-109,33	2,243	419	298	246	161	135	141	99	97	103	135	170	239
Bronchopneumonia—107	952	133	104	111	65	72	69	53	55	50	57	72	111
Lobar pneumonia—108	930	170	124	90	73	53	63	42	35	43	66	64	87
Pneumonia (unspecified)—109	68	8	13	5	2	3	3	1	5	4	3	5	16
Influenza—33	293	108	57	40	21	7	6	3	2	6	9	9	25
Ulcer of stomach or duodenum—117	241	25	20	19	18	18	10	16	14	23	27	25	26
Diarrhea, enteritis, etc.*—119,120	227	15	21	24	12	15	16	24	20	20	19	17	24
Appendicitis—121	180	13	16	14	14	13	18	21	17	19	10	11	14
Hernia and intestinal obstruction—122	384	28	30	33	18	27	43	36	42	34	34	26	33
Cirrhosis of the liver—124	399	28	25	28	29	44	31	27	38	43	33	35	38
Biliary calculi, etc.*—126,127	207	20	19	22	15	15	20	19	22	15	12	19	9
Nephritis—130-132	3,177	331	296	294	267	290	288	253	220	209	242	248	239
Diseases of the prostate—137	241	23	22	18	29	24	22	17	17	14	28	13	14
Diseases of pregnancy, etc.*—140-150	131	7	8	16	4	9	12	19	11	15	12	9	9
Puerperal septicemia—140,142a,145A,147	35	5	3	4	1	1	3	6	3	4	1	1	3
Puerperal toxemia—141a,c,144,148	48	-	1	5	2	5	3	7	4	6	5	5	5
Hemorrhage, trauma or shock*—141b,142b,143,146,149	40	1	3	6	-	2	5	6	4	5	5	3	-
Other puerperal causes—141d,e,f,145B,150	8	1	1	1	1	1	1	-	-	-	1	-	1
Congenital malformations—157	478	31	36	33	41	46	37	39	33	42	42	49	49
Diseases peculiar to first year of life—158-161	1,429	102	78	93	97	111	110	125	144	142	145	124	158
Premature birth—159	929	65	50	69	64	69	75	81	99	96	93	69	99
Other diseases peculiar to first year of life—158,160,161	500	37	28	24	33	42	35	44	45	46	52	55	59
Suicide—163,164	516	48	37	44	36	50	45	43	42	45	38	41	47
Homicide—165-168	284	27	24	26	24	25	21	23	18	20	27	25	24
Accidental deaths—169-195	2,812	273	215	209	205	239	226	263	223	185	261	244	269
Motor-vehicle accidents—170	830	65	74	67	64	77	61	50	71	52	82	77	90
Other accidents—169,171-195	1,982	208	141	142	141	162	165	213	152	133	179	167	179
Senility, ill-defined and unknown causes—162,199,200	490	60	43	42	29	35	44	41	32	22	52	47	43
All other causes	2,312	208	212	227	194	191	173	195	164	161	203	166	218
MONTANA—All causes	5,595	478	521	471	426	497	420	487	432	431	503	454	475
Typhoid and paratyphoid fever—1,2	2	-	-	-	-	1	-	-	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	-	1	-	-	-	2	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	2	-	-	-	-	1	-	1	-	-	-	-	-
Diphtheria—10	5	1	2	-	-	-	1	-	-	-	-	1	-
Tuberculosis (all forms)—13-22	164	11	13	16	15	15	11	17	12	11	18	10	15
Tuberculosis of respiratory system, etc.*—13	135	9	11	13	13	12	7	13	8	8	16	10	15
Tuberculosis (other forms)—14-22	29	2	2	3	2	3	4	4	4	3	2	-	-
Dysentery—27	1	-	-	-	-	-	-	1	-	-	-	-	-
Malaria—28	1	-	-	-	1	-	-	-	-	-	-	-	-
Syphilis—30	47	9	4	3	2	4	4	6	5	2	3	2	3
Measles—35	3	-	-	1	-	-	1	1	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	5	-	-	1	-	-	-	-	1	-	3	-	-
Cancer and other malignant tumors—45-55	662	50	64	52	52	56	58	57	50	49	65	52	57
Cancer of the digestive organs and peritoneum—46	288	21	30	19	18	28	24	25	21	20	36	27	19
Cancer of female genital organs—48,49	74	4	8	7	10	4	3	4	11	6	3	5	9
Cancer of the breast—50	53	6	3	6	9	4	5	7	2	4	2	3	2
Cancer (other sites)—45,47,51-55	247	19	23	20	15	20	26	21	16	19	24	17	27
Acute rheumatic fever—58	3	-	1	-	-	-	-	2	-	-	-	-	-
Diabetes mellitus—61	137	10	16	16	7	12	10	10	9	10	11	15	11
Exophthalmic goiter—63b	12	-	2	2	-	2	-	-	2	-	2	2	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	15	1	-	-	3	1	-	2	1	3	-	1	3
Intracranial lesions of vascular origin—83	490	41	41	41	40	51	36	36	39	36	54	43	32
Diseases of the heart—90-95	1,629	141	155	143	117	152	121	143	112	123	144	126	152
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	97	3	10	8	3	13	10	12	7	10	8	8	5
Diseases of coronary arteries and angina pectoris—94	643	46	63	59	48	58	53	56	44	45	63	52	58
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	889	92	82	76	68	81	58	75	61	68	73	68	89
Arteriosclerosis and high blood pressure*—97,102	100	13	10	9	10	7	7	7	5	11	5	11	5

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MONTANA—Continued													
Pneumonia (all forms) and influenza----107-109,33	260	30	30	27	23	19	8	10	15	19	23	30	26
Bronchopneumonia----107	101	6	13	4	12	7	3	6	6	10	12	11	11
Lobar pneumonia----108	83	12	7	12	7	7	2	2	8	3	8	12	5
Pneumonia (unspecified)----109	51	5	6	5	4	3	2	2	3	6	2	5	8
Influenza----33	25	7	4	6	-	2	1	-	-	-	1	2	2
Ulcer of stomach or duodenum----117	36	2	4	2	4	5	3	4	2	3	2	1	4
Diarrhea, enteritis, etc.*----119,120	34	2	1	3	-	5	-	7	7	1	4	2	2
Appendicitis----121	24	3	5	1	1	1	2	2	4	1	3	-	1
Hernia and intestinal obstruction----122	56	4	4	6	4	5	5	3	4	6	4	5	6
Cirrhosis of the liver----124	53	5	3	6	8	4	3	4	4	3	5	6	2
Biliary calculi, etc.*----126,127	32	2	4	4	1	5	3	5	2	3	1	-	2
Nephritis----130-132	276	31	35	24	21	18	18	27	28	19	22	16	17
Diseases of the prostate----137	30	5	3	1	2	1	5	3	7	-	3	-	-
Diseases of pregnancy, etc.*----140-150	18	1	2	1	2	1	1	2	3	1	2	-	2
Puerperal septicemia----140,142a,145A,147	9	1	2	1	-	-	-	2	1	-	1	-	1
Puerperal toxemia----141a,c,144,148	4	-	-	-	1	-	-	-	1	1	-	-	1
Hemorrhage, trauma or shock*----141b,142b,143,146,149	3	-	-	-	1	1	1	-	-	-	-	-	-
Other puerperal causes----141d,e,f,145B,150	2	-	-	-	-	-	-	-	1	-	1	-	-
Congenital malformations----157	67	6	9	4	1	2	4	6	6	7	9	6	7
Diseases peculiar to first year of life----158-161	256	14	14	21	17	25	17	29	19	25	29	18	28
Premature birth----159	148	10	10	17	7	14	8	17	7	15	14	8	21
Other diseases peculiar to first year of life----158,160,161	108	4	4	4	10	11	9	12	12	10	15	10	7
Suicide----163,164	98	10	11	7	8	8	6	5	11	10	8	10	4
Homicide----165-168	22	2	2	1	1	1	4	1	2	4	1	3	-
Accidental deaths----169-195	517	49	43	32	40	43	47	50	43	40	46	45	39
Motor-vehicle accidents----170	166	13	13	11	17	15	15	12	12	18	12	20	8
Other accidents----169,171-195	351	36	30	21	23	28	32	38	31	22	34	25	31
Senility, ill-defined and unknown causes----162,199,200	168	9	8	14	14	17	15	15	15	15	9	13	24
All other causes----	367	26	35	33	32	34	30	31	24	26	27	38	33
NEBRASKA----All causes	12,440	1,256	1,027	1,112	1,011	968	1,038	954	960	873	973	1,061	1,157
Typhoid and paratyphoid fever----1,2	3	-	-	-	-	-	-	1	1	1	-	-	-
Cerebrospinal (meningococcus) meningitis----6	17	6	1	1	1	2	2	1	2	-	-	-	1
Scarlet fever----8	3	-	2	-	-	-	-	-	-	-	-	-	1
Whooping cough----9	4	-	-	-	-	-	1	-	3	-	-	-	-
Diphtheria----10	8	1	-	1	-	1	-	1	-	-	4	-	-
Tuberculosis (all forms)----13-22	177	16	16	22	16	12	18	10	11	10	14	15	17
Tuberculosis of respiratory system, etc.*----13	160	14	12	21	16	11	18	9	10	8	13	14	14
Tuberculosis (other forms)----14-22	17	2	4	1	-	1	-	1	1	2	1	1	3
Dysentery----27	5	-	-	-	-	1	1	-	-	-	2	-	1
Malaria----28	2	-	1	-	-	-	-	-	-	-	1	-	-
Syphilis----30	83	3	9	11	6	3	6	10	10	5	7	6	7
Measles----35	9	-	-	2	2	1	4	-	-	-	-	-	-
Poliomyelitis, poliencephalitis (acute)----36	55	-	-	1	-	1	-	8	13	10	9	10	3
Cancer and other malignant tumors----45-55	1,754	157	124	141	138	165	148	146	143	131	145	142	174
Cancer of the digestive organs and peritoneum----46	818	73	53	64	64	72	71	60	73	55	72	61	80
Cancer of female genital organs----48,49	185	20	13	12	14	14	14	14	17	21	17	11	18
Cancer of the breast----50	180	16	17	16	13	18	13	12	15	10	9	22	14
Cancer (other sites)----45,47,51-55	571	48	41	49	47	61	45	40	38	45	47	48	62
Acute rheumatic fever----58	6	2	-	-	-	2	-	1	-	-	-	1	-
Diabetes mellitus----61	356	39	39	29	22	26	44	26	17	28	29	30	27
Exophthalmic goiter----63b	17	-	2	1	3	1	2	1	4	-	-	1	2
Pellagra (except alcoholic)----69	3	1	-	-	-	1	-	-	-	-	-	-	1
Alcoholism (ethylism)----77	29	3	1	2	1	5	4	3	2	2	3	1	2
Intracranial lesions of vascular origin----83	1,392	131	106	133	118	113	120	91	95	98	132	129	126
Diseases of the heart----90-95	3,536	374	330	318	310	271	301	251	240	260	250	292	339
Chronic rheumatic diseases of the heart----90a,92b,c,93c,95b	203	24	21	18	13	15	13	14	19	11	16	18	21
Diseases of coronary arteries and angina pectoris----94	1,406	132	137	127	127	103	125	111	93	106	93	126	126
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	1,927	218	172	173	170	153	163	126	128	143	141	148	192
Arteriosclerosis and high blood pressure*----97,102	231	27	27	24	17	16	19	12	15	15	14	17	26
Pneumonia (all forms) and influenza----107-109,33	523	90	57	62	43	35	30	26	19	20	34	42	65
Bronchopneumonia----107	180	16	19	24	19	12	13	13	6	7	10	18	23
Lobar pneumonia----108	134	18	16	12	11	10	8	4	4	6	12	11	22
Pneumonia (unspecified)----109	109	23	3	10	4	9	8	7	7	5	6	12	15
Influenza----33	100	33	19	13	9	4	1	2	2	2	6	1	5
Ulcer of stomach or duodenum----117	75	10	5	3	8	8	5	3	3	5	3	12	10
Diarrhea, enteritis, etc.*----119,120	56	6	2	6	5	3	5	8	4	4	1	7	5
Appendicitis----121	50	3	4	8	3	7	3	4	7	1	5	3	2
Hernia and intestinal obstruction----122	130	17	11	14	7	6	10	8	14	10	13	10	10
Cirrhosis of the liver----124	106	6	9	11	15	7	8	8	12	6	8	10	6
Biliary calculi, etc.*----126,127	73	6	7	10	3	2	6	6	7	6	8	5	7
Nephritis----130-132	753	82	64	73	65	58	71	58	50	56	46	59	71
Diseases of the prostate----137	85	9	9	5	6	7	8	8	4	9	6	7	7
Diseases of pregnancy, etc.*----140-150	29	-	2	2	6	1	4	1	3	1	2	4	3
Puerperal septicemia----140,142a,145A,147	6	-	-	-	2	-	2	-	-	-	-	1	1
Puerperal toxemia----141a,c,144,148	10	-	-	1	2	1	-	1	-	1	1	2	1
Hemorrhage, trauma or shock*----141b,142b,143,146,149	12	-	2	1	1	-	2	-	3	-	1	1	1
Other puerperal causes----141d,e,f,145B,150	1	-	-	-	1	-	-	-	-	-	-	-	-
Congenital malformations----157	151	14	8	11	13	8	13	12	14	13	13	15	17
Diseases peculiar to first year of life----158-161	529	32	29	30	50	42	46	57	59	33	53	53	45
Premature birth----159	373	24	18	21	36	27	32	41	49	25	32	31	37
Other diseases peculiar to first year of life----158,160,161	156	8	11	9	14	15	14	16	10	8	21	22	8
Suicide----163,164	163	19	15	15	13	15	10	8	11	15	13	14	15
Homicide----165-168	27	1	2	1	1	3	2	2	3	1	6	2	3
Accidental deaths----169-195	902	89	59	68	61	64	88	98	91	64	65	79	76
Motor-vehicle accidents----170	289	28	19	24	19	22	12	29	34	21	21	28	32
Other accidents----169,171-195	613	61	40	44	42	42	76	69	57	43	44	51	44
Senility, ill-defined and unknown causes----162,199,200	284	40	29	29	16	18	27	18	19	17	26	27	18
All other causes----	614	72	57	78	62	61	62	67	84	52	61	68	70

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA—All causes	1,502	149	108	131	126	121	118	96	130	124	118	126	154
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	2	-	-	1	-	-	-	-	-	1	-	-	
Diphtheria—10	1	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis (all forms)—13-22	73	5	9	9	9	11	4	3	2	5	3	7	6
Tuberculosis of respiratory system, etc.*—13	66	5	9	7	9	10	3	1	2	5	3	6	6
Tuberculosis (other forms)—14-22	7	-	-	2	-	1	1	2	-	-	-	1	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	1	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	22	2	-	1	1	3	2	5	1	2	-	1	4
Measles—35	4	-	-	2	-	1	1	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	3	-	-	-	-	-	-	-	1	1	1	-	-
Cancer and other malignant tumors—45-55	149	17	10	10	11	5	12	10	19	21	13	10	11
Cancer of the digestive organs and peritoneum—46	69	8	4	1	5	1	5	5	8	11	9	6	6
Cancer of female genital organs—48,49	14	2	1	1	1	1	-	-	5	2	-	1	-
Cancer of the breast—50	18	3	1	2	1	1	3	2	1	2	1	1	-
Cancer (other sites)—45,47,51-55	48	4	4	6	4	2	4	3	5	6	3	2	5
Acute rheumatic fever—58	1	-	1	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus—61	24	2	1	4	3	1	2	1	1	3	-	1	5
Exophthalmic goiter—63b	3	-	1	-	-	-	-	-	1	-	1	-	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	11	-	-	2	2	2	-	-	-	1	1	1	2
Intracranial lesions of vascular origin—83	125	12	10	10	11	11	12	4	16	9	9	9	12
Diseases of the heart—90-95	407	50	31	31	26	41	36	30	28	29	35	32	38
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	20	4	2	-	2	2	3	-	4	-	1	1	1
Diseases of coronary arteries and angina pectoris—94	146	14	6	14	5	19	15	13	11	10	16	8	15
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	241	32	23	17	19	20	18	17	13	19	18	23	22
Arteriosclerosis and high blood pressure*—97,102	17	2	2	1	-	1	2	2	-	1	1	3	2
Pneumonia (all forms) and influenza—107-109,33	84	4	10	9	3	5	6	1	8	2	10	14	12
Bronchopneumonia—107	32	2	3	3	2	2	1	1	2	-	5	7	4
Lobar pneumonia—108	34	1	6	3	1	2	2	-	5	1	4	4	5
Pneumonia (unspecified)—109	10	-	1	-	-	-	2	-	1	-	1	3	2
Influenza—33	8	1	-	3	-	1	1	-	-	1	-	-	1
Ulcer of stomach or duodenum—117	10	1	1	1	-	1	-	2	-	1	-	1	2
Diarrhea, enteritis, etc.*—119,120	6	-	-	-	1	1	-	1	2	-	1	-	-
Appendicitis—121	5	-	1	-	2	1	-	-	-	-	1	-	-
Hernia and intestinal obstruction—122	11	1	-	1	1	-	1	1	2	2	1	-	1
Cirrhosis of the liver—124	16	1	1	-	1	1	1	2	2	2	2	3	-
Biliary calculi, etc.*—126,127	8	1	-	1	-	-	-	-	1	3	-	2	-
Nephritis—130-132	54	11	2	6	5	5	4	5	2	3	3	4	4
Diseases of the prostate—137	3	-	2	-	1	-	-	-	-	-	-	-	-
Diseases of pregnancy, etc.*—140-150	6	-	1	-	-	2	1	-	-	-	1	-	1
Puerperal septicemia—140,142a,145A,147	3	-	-	-	-	2	-	-	-	-	-	-	1
Puerperal toxemia—141a,c,144,148	2	-	-	-	-	-	1	-	-	-	1	-	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	1	-	1	-	-	-	-	-	-	-	-	-	-
Other puerperal causes—141d,e,f,145B,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	13	-	1	1	3	-	1	2	1	2	1	1	-
Diseases peculiar to first year of life—158-161	75	3	3	9	6	5	3	4	9	6	10	8	9
Premature birth—159	46	3	1	3	5	4	1	2	7	3	6	8	5
Other diseases peculiar to first year of life—158,160,161	29	-	2	6	1	1	2	2	2	3	4	2	4
Suicide—163,164	41	3	4	7	1	4	6	1	4	2	2	4	3
Homicide—165-168	9	1	-	2	-	-	-	-	-	1	-	-	5
Accidental deaths—169-195	186	19	13	13	19	11	15	12	19	16	14	13	22
Motor-vehicle accidents—170	64	5	3	6	6	5	1	4	9	5	4	9	7
Other accidents—169,171-195	122	14	10	7	13	6	14	8	10	11	10	4	15
Senility, ill-defined and unknown causes—162,199,200	46	3	3	7	5	5	2	3	4	4	4	1	5
All other causes	86	10	2	3	15	4	7	7	7	7	4	10	10
NEW HAMPSHIRE—All causes	6,049	594	518	562	529	470	477	474	432	452	504	499	538
Typhoid and paratyphoid fever—1,2	2	-	2	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	3	1	-	-	-	-	-	-	1	-	-	-	1
Scarlet fever—8	1	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough—9	9	1	1	-	1	-	-	1	-	2	2	1	-
Diphtheria—10	2	2	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	116	11	13	11	13	10	7	5	8	10	8	15	5
Tuberculosis of respiratory system, etc.*—13	105	10	11	10	13	10	7	5	6	9	6	15	3
Tuberculosis (other forms)—14-22	11	1	2	1	-	-	-	-	2	1	2	-	2
Dysentery—27	1	-	-	-	1	-	-	-	-	-	-	-	-
Malaria—28	2	-	1	-	-	-	1	-	-	-	-	-	-
Syphilis—30	37	4	4	2	6	4	2	1	4	2	3	2	3
Measles—35	7	-	-	1	2	1	2	-	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute)—36	15	-	-	-	-	-	-	6	5	-	2	1	1
Cancer and other malignant tumors—45-55	833	59	56	67	82	71	58	83	74	71	66	71	75
Cancer of the digestive organs and peritoneum—46	419	35	25	37	47	42	28	29	35	34	28	33	46
Cancer of female genital organs—48,49	98	7	11	7	3	4	7	15	12	9	10	3	10
Cancer of the breast—50	75	7	5	4	13	6	5	10	5	7	3	5	5
Cancer (other sites)—45,47,51-55	241	10	15	19	19	19	18	29	22	21	25	30	14
Acute rheumatic fever—58	3	1	-	1	-	-	1	-	-	-	-	-	-
Diabetes mellitus—61	170	18	21	16	17	13	12	10	9	11	15	14	14
Exophthalmic goiter—63b	12	2	-	1	1	1	1	-	1	-	2	3	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	9	2	-	1	1	-	2	-	-	1	-	2	-
Intracranial lesions of vascular origin—83	614	69	43	61	54	43	46	42	46	52	63	39	56
Diseases of the heart—90-95	2,090	201	181	218	170	178	164	155	141	157	175	169	181
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	107	13	7	9	7	11	4	10	6	10	13	11	6
Diseases of coronary arteries and angina pectoris—94	718	70	77	69	54	57	51	46	51	48	66	61	68
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	1,265	118	97	140	109	110	109	99	84	99	98	97	107
Arteriosclerosis and high blood pressure*—97,102	217	27	27	20	19	20	15	16	6	15	18	21	13

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAMPSHIRE—Continued													
Pneumonia (all forms) and influenza----107-109,33	282	43	47	21	29	17	14	14	15	14	13	22	33
Bronchopneumonia----107	136	23	22	8	13	8	7	7	7	7	2	10	22
Lobar pneumonia----108	89	10	14	7	10	7	4	6	7	3	6	7	8
Pneumonia (unspecified)----109	27	4	3	2	3	2	2	-	1	2	2	3	3
Influenza----33	30	6	8	4	3	-	1	1	-	2	3	2	-
Ulcer of stomach or duodenum----117	42	6	1	4	2	4	7	3	4	2	3	2	4
Diarrhea, enteritis, etc.*----119,120	32	3	1	1	4	4	3	2	3	3	5	-	3
Appendicitis----121	19	1	3	2	-	1	2	3	2	2	-	2	1
Hernia and intestinal obstruction----122	51	3	9	5	3	5	6	-	3	2	4	5	6
Cirrhosis of the liver----124	54	9	4	3	4	2	6	5	1	4	9	5	2
Biliary calculi, etc.*----126,127	29	3	4	2	4	2	2	1	1	1	3	3	3
Nephritis----130-132	293	27	26	40	30	22	29	22	14	19	18	24	22
Diseases of the prostate----137	27	1	3	1	-	1	1	2	3	4	4	4	3
Diseases of pregnancy, etc.*----140-150	14	2	-	1	2	1	-	-	2	2	3	-	1
Puerperal septicemia----140,142a,145A,147	4	-	-	1	1	-	-	-	-	-	1	-	1
Puerperal toxemia----141a,c,144,148	4	1	-	-	-	-	-	-	1	2	-	-	-
Hemorrhage, trauma or shock*----141b,142b,143,146,149	4	1	-	-	1	1	-	-	-	-	1	-	-
Other puerperal causes----141d,e,f,145B,150	2	-	-	-	-	-	-	-	1	-	1	-	-
Congenital malformations----157	86	8	1	2	2	6	13	10	8	7	6	11	12
Diseases peculiar to first year of life----158-161	172	10	9	7	10	11	16	19	15	22	14	17	22
Premature birth----159	101	6	6	6	5	6	6	13	10	5	9	13	16
Other diseases peculiar to first year of life----158,160,161	71	4	3	1	5	5	10	6	5	17	5	4	6
Suicide----163,164	65	8	4	4	4	10	2	6	7	5	5	5	7
Homicide----165-168	4	1	-	1	1	-	1	-	-	-	-	-	-
Accidental deaths----169-195	350	36	24	32	30	18	28	39	33	16	29	27	38
Motor-vehicle accidents----170	100	10	5	5	12	5	6	13	12	5	11	8	8
Other accidents----169,171-195	250	26	19	27	18	13	22	26	21	11	18	19	30
Senility, ill-defined and unknown causes----162,199,200	73	7	7	6	6	4	7	8	5	5	7	6	5
All other causes----	313	30	26	30	31	21	29	21	21	23	27	28	26
NEW JERSEY----All causes	46,392	4,728	3,987	4,023	3,848	3,869	3,644	3,526	3,300	3,593	3,823	3,721	4,330
Typhoid and paratyphoid fever----1,2	6	1	-	1	-	-	1	-	2	1	-	-	-
Cerebrospinal (meningococcus) meningitis----6	38	12	1	4	4	2	2	1	2	1	3	2	4
Scarlet fever----8	5	1	-	2	-	-	-	-	1	-	-	-	1
Whooping cough----9	26	4	2	5	-	4	3	3	1	-	-	1	3
Diphtheria----10	12	3	-	-	1	1	1	1	3	-	-	-	2
Tuberculosis (all forms)----13-22	1,647	156	148	148	159	169	131	125	117	116	137	119	122
Tuberculosis of respiratory system, etc.*----13	1,545	149	134	131	148	158	125	120	111	108	131	114	116
Tuberculosis (other forms)----14-22	102	7	14	17	11	11	6	5	6	8	6	5	6
Dysentery----27	16	1	2	-	-	-	2	1	1	1	2	3	3
Malaria----28	2	-	-	-	-	-	-	-	-	-	1	-	1
Syphilis----30	289	43	20	23	24	20	22	21	23	37	22	20	24
Measles----35	28	-	-	4	8	11	2	1	1	-	-	1	-
Poliomyelitis, polioencephalitis (acute)----36	26	-	1	1	2	-	-	2	3	7	5	4	1
Cancer and other malignant tumors----45-55	7,246	673	524	581	634	579	615	593	591	566	639	603	648
Cancer of the digestive organs and peritoneum----46	3,411	321	253	281	298	288	294	280	276	246	276	285	313
Cancer of female genital organs----48,49	738	52	49	69	59	52	66	73	69	56	72	64	57
Cancer of the breast----50	709	70	51	56	71	51	56	48	56	64	66	57	63
Cancer (other sites)----45,47,51-55	2,388	230	171	175	206	188	199	192	190	200	225	197	215
Acute rheumatic fever----58	34	5	4	4	1	5	2	-	3	1	4	1	4
Diabetes mellitus----61	1,403	146	117	130	109	119	120	112	102	108	107	108	125
Exophthalmic goiter----63b	91	13	3	9	8	8	15	3	6	8	8	5	5
Pellagra (except alcoholic)----69	2	1	-	-	-	-	-	-	1	-	-	-	-
Alcoholism (ethylism)----77	58	6	7	4	7	1	6	5	6	3	1	5	7
Intracranial lesions of vascular origin----83	3,942	349	367	353	328	355	298	315	273	269	317	341	377
Diseases of the heart----90-95	16,248	1,762	1,510	1,404	1,343	1,318	1,252	1,183	1,069	1,213	1,284	1,313	1,597
Chronic rheumatic diseases of the heart----90a,92b,c,93c,95b	736	77	59	57	70	49	57	55	43	63	70	62	74
Diseases of coronary arteries and angina pectoris----94	4,782	457	422	410	347	405	336	372	332	360	415	396	510
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	10,750	1,228	1,029	937	926	864	859	756	694	790	799	855	1,013
Arteriosclerosis and high blood pressure*----97,102	946	85	84	95	76	81	83	69	71	82	61	70	69
Pneumonia (all forms) and influenza----107-109,33	1,550	281	186	147	141	114	81	82	60	85	99	117	157
Bronchopneumonia----107	729	121	86	57	67	40	38	45	34	50	53	64	74
Lobar pneumonia----108	623	109	75	72	57	56	32	33	20	28	35	40	66
Pneumonia (unspecified)----109	98	14	15	9	8	9	6	3	6	3	7	8	10
Influenza----33	100	37	10	9	9	9	5	1	-	4	4	5	7
Ulcer of stomach or duodenum----117	279	27	23	25	20	25	19	19	24	19	25	38	15
Diarrhea, enteritis, etc.*----119,120	161	14	18	11	14	16	13	11	17	22	13	6	6
Appendicitis----121	175	19	11	11	18	20	17	11	12	16	10	12	18
Hernia and intestinal obstruction----122	363	40	26	33	24	33	32	27	22	25	37	36	28
Cirrhosis of the liver----124	555	56	52	45	52	43	40	42	39	48	47	40	51
Biliary calculi, etc.*----126,127	203	16	18	18	14	14	17	17	13	16	26	15	19
Nephritis----130-132	2,687	273	225	245	242	230	223	214	182	228	196	189	240
Diseases of the prostate----137	195	22	17	10	15	21	15	14	21	22	8	19	11
Diseases of pregnancy, etc.*----140-150	124	7	9	12	9	17	12	9	14	11	11	7	6
Puerperal septicemia----140,142a,145A,147	50	2	3	5	3	9	7	3	8	6	2	1	1
Puerperal toxemia----141a,c,144,148	36	1	2	3	4	4	2	5	4	1	4	4	2
Hemorrhage, trauma or shock*----141b,142b,143,146,149	26	3	4	1	2	3	1	1	2	3	3	2	1
Other puerperal causes----141d,e,f,145B,150	12	1	-	3	-	1	2	-	-	1	2	-	2
Congenital malformations----157	539	42	36	39	38	33	42	44	46	52	51	63	53
Diseases peculiar to first year of life----158-161	1,618	102	91	108	107	143	147	129	136	183	184	132	156
Premature birth----159	1,034	64	48	77	67	95	102	81	93	118	111	81	97
Other diseases peculiar to first year of life----158,160,161	584	38	43	31	40	48	45	48	43	65	73	51	59
Suicide----163,164	576	50	53	55	53	56	36	45	42	50	45	42	49
Homicide----165-168	107	6	6	14	10	9	7	11	3	16	8	8	9
Accidental deaths----169-195	2,495	240	210	235	186	185	176	209	194	183	244	191	242
Motor-vehicle accidents----170	757	81	68	68	57	45	44	45	70	63	80	54	82
Other accidents----169,171-195	1,738	159	142	167	129	140	132	164	124	120	164	137	160
Senility, ill-defined and unknown causes----162,199,200	248	33	26	29	12	26	15	19	14	18	14	22	20
All other causes----	2,442	239	190	218	189	211	197	188	185	186	214	188	237

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO—All causes	5,436	468	451	458	408	445	365	419	487	468	490	424	555
Typhoid and paratyphoid fever—1,2	1	-	-	-	-	-	-	-	-	-	1	-	-
Cerebrospinal (meningococcus) meningitis—6	5	-	2	-	-	1	-	-	-	1	1	-	-
Scarlet fever—8	1	-	1	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	22	1	-	4	1	7	1	2	1	1	2	1	1
Diphtheria—10	12	1	-	1	1	1	2	1	2	1	-	1	1
Tuberculosis (all forms)—13-22	388	37	28	55	33	30	29	30	28	34	28	27	30
Tuberculosis of respiratory system, etc.*—13	341	33	25	46	30	29	24	28	23	30	25	23	25
Tuberculosis (other forms)—14-22	47	4	3	9	3	1	4	2	5	4	3	4	5
Dysentery—27	67	-	1	1	-	1	4	6	18	17	16	2	1
Malaria—28	1	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis—30	76	9	9	5	4	11	7	2	10	8	2	4	5
Measles—35	13	-	-	-	1	3	2	3	-	-	1	-	3
Poliomyelitis, polioencephalitis (acute)—36	10	-	-	-	-	-	1	2	4	3	-	-	-
Cancer and other malignant tumors—45-55	400	39	30	28	25	29	32	34	40	27	44	36	36
Cancer of the digestive organs and peritoneum—46	202	20	16	16	13	17	16	18	16	11	24	21	14
Cancer of female genital organs—48,49	55	2	3	5	3	4	4	4	6	6	7	3	8
Cancer of the breast—50	28	3	2	1	1	-	1	4	5	1	5	1	4
Cancer (other sites)—45,47,51-55	115	14	9	6	8	8	11	8	13	9	8	11	10
Acute rheumatic fever—58	7	-	-	-	3	-	2	-	-	1	-	-	1
Diabetes mellitus—61	61	3	9	4	8	6	5	1	3	4	8	7	3
Exophthalmic goiter—63b	5	-	-	1	1	1	-	-	-	-	1	-	1
Pellagra (except alcoholic)—69	3	-	-	-	-	-	-	1	-	-	-	-	2
Alcoholism (ethylism)—77	10	1	-	1	1	1	1	-	1	2	1	-	1
Intracranial lesions of vascular origin—83	250	30	24	29	21	23	17	18	15	15	18	24	16
Diseases of the heart—90-95	800	68	78	68	61	72	51	56	60	55	69	67	95
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	77	10	11	5	5	6	5	7	4	2	9	5	8
Diseases of coronary arteries and angina pectoris—94	234	17	20	15	17	17	17	19	23	23	22	21	23
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	489	41	47	46	39	49	29	30	33	30	38	41	64
Arteriosclerosis and high blood pressure*—97,102	41	7	1	1	2	5	2	3	7	4	3	3	3
Pneumonia (all forms) and influenza—107-109,33	390	45	39	42	25	26	16	19	19	25	32	31	71
Bronchopneumonia—107	169	20	18	13	12	11	3	9	8	10	12	16	37
Lobar pneumonia—108	116	10	14	17	7	9	5	5	7	4	15	9	14
Pneumonia (unspecified)—109	41	2	4	1	1	4	5	2	3	5	4	4	6
Influenza—33	64	13	3	11	5	2	3	3	1	6	1	2	14
Ulcer of stomach or duodenum—117	24	-	1	1	5	-	5	2	1	1	-	4	4
Diarrhea, enteritis, etc.*—119,120	233	2	6	6	4	6	16	26	42	53	39	18	15
Appendicitis—121	28	3	2	1	2	-	3	7	3	3	1	2	1
Hernia and intestinal obstruction—122	48	4	6	1	1	6	4	4	3	3	5	5	6
Cirrhosis of the liver—124	43	5	6	-	1	2	4	5	6	5	2	4	3
Biliary calculi, etc.*—126,127	21	1	2	3	1	4	2	3	-	1	2	2	-
Nephritis—130-132	194	16	22	15	18	15	18	17	12	16	19	8	18
Diseases of the prostate—137	16	4	2	-	-	2	1	1	-	2	3	-	1
Diseases of pregnancy, etc.*—140-150	37	3	3	5	2	3	1	2	7	5	2	3	1
Puerperal septicemia—140,142a,145A,147	9	1	-	1	1	-	1	1	2	1	-	-	1
Puerperal toxemia—141a,c,144,148	9	1	-	1	1	-	-	1	2	2	-	1	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	14	-	2	3	-	2	-	-	3	2	1	1	-
Other puerperal causes—141d,e,f,145B,150	5	1	1	-	-	1	-	-	-	-	1	1	-
Congenital malformations—157	94	9	7	6	11	6	7	7	7	8	8	13	5
Diseases peculiar to first year of life—158-161	394	22	31	26	27	30	30	41	32	40	40	38	37
Premature birth—159	256	12	22	19	18	19	20	26	26	24	22	23	25
Other diseases peculiar to first year of life—158,160,161	138	10	9	7	9	11	10	15	6	16	18	15	12
Suicide—163,164	36	3	5	-	2	2	3	3	6	3	3	1	5
Homicide—165-168	37	1	2	3	3	6	4	5	3	3	2	1	4
Accidental deaths—169-195	476	35	41	39	41	39	35	34	50	37	42	34	50
Motor-vehicle accidents—170	186	11	13	13	14	23	14	13	21	17	12	12	23
Other accidents—169,171-195	290	24	28	26	27	15	21	21	29	20	30	22	27
Senility, ill-defined and unknown causes—162,199,200	853	82	76	85	67	72	43	59	73	72	72	64	88
All other causes—	339	37	17	25	36	36	18	25	34	18	23	24	46
NEW YORK—All causes	152,866	15,796	12,948	13,544	12,780	12,964	12,120	11,360	11,199	11,602	12,392	12,143	14,018
Typhoid and paratyphoid fever—1,2	12	2	-	1	1	-	1	1	2	-	1	2	1
Cerebrospinal (meningococcus) meningitis—6	121	22	18	17	13	12	5	7	4	3	5	5	10
Scarlet fever—8	11	1	4	-	2	-	-	1	-	1	-	1	1
Whooping cough—9	63	10	8	5	5	7	3	4	7	2	4	-	8
Diphtheria—10	50	6	2	9	4	4	4	5	2	2	4	1	7
Tuberculosis (all forms)—13-22	5,601	511	449	504	493	522	492	456	429	446	427	421	452
Tuberculosis of respiratory system, etc.*—13	5,237	477	429	470	450	477	459	423	403	416	411	400	422
Tuberculosis (other forms)—14-22	364	34	20	34	43	45	33	33	25	30	16	21	30
Dysentery—27	35	-	2	-	5	4	1	2	2	3	11	-	5
Malaria—28	3	1	-	-	-	-	1	-	-	-	-	1	-
Syphilis—30	1,309	136	104	114	116	113	120	93	90	100	118	92	113
Measles—35	64	1	2	11	24	14	5	3	-	1	2	1	-
Poliomyelitis, polioencephalitis (acute)—36	64	1	2	1	2	1	2	10	9	14	15	4	3
Cancer and other malignant tumors—45-55	23,989	2,108	1,832	1,966	2,039	2,062	1,995	1,963	2,034	1,923	2,033	1,984	2,050
Cancer of the digestive organs and peritoneum—46	11,058	970	828	934	908	986	903	934	976	870	911	887	951
Cancer of female genital organs—48,49	2,622	249	198	201	220	182	227	236	212	215	240	236	206
Cancer of the breast—50	2,559	246	213	189	206	213	256	167	223	201	225	209	211
Cancer (other sites)—45,47,51-55	7,750	643	593	642	705	681	609	626	623	637	657	652	682
Acute rheumatic fever—58	98	11	9	9	7	15	5	6	13	7	4	3	9
Diabetes mellitus—61	5,314	541	482	434	422	406	449	401	385	410	436	417	531
Exophthalmic goiter—63b	277	34	29	29	28	18	18	23	20	20	23	15	20
Pellagra (except alcoholic)—69	9	-	1	1	-	2	-	-	1	1	-	1	2
Alcoholism (ethylism)—77	259	34	18	35	14	16	16	18	23	13	19	20	33
Intracranial lesions of vascular origin—83	10,313	1,063	948	953	863	855	824	755	721	755	772	816	988
Diseases of the heart—90-95	58,174	6,352	5,069	5,242	4,824	5,006	4,488	4,029	4,015	4,422	4,632	4,536	5,541
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	2,868	285	239	259	236	268	225	218	199	224	256	224	235
Diseases of coronary arteries and angina pectoris—94	15,990	1,561	1,339	1,387	1,270	1,287	1,225	1,158	1,189	1,306	1,325	1,303	1,640
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	39,318	4,506	3,511	3,596	3,318	3,453	3,036	2,653	2,627	2,892	3,051	3 009	3 666
Arteriosclerosis and high blood pressure*—97,102	2 988	377	293	291	274	275	219	197	192	190	212	196	272

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK—Continued													
Pneumonia (all forms) and influenza----107-109,33	5,430	989	620	558	470	418	314	280	249	279	339	364	550
Bronchopneumonia----107	2,658	410	279	259	228	219	164	167	141	160	164	181	286
Lobar pneumonia----108	2,337	429	284	252	220	165	130	102	101	108	155	165	226
Pneumonia (unspecified)----109	123	16	19	14	7	11	8	2	4	8	11	9	14
Influenza----33	312	134	38	33	15	25	12	9	3	3	9	9	24
Ulcer of stomach or duodenum----117	1,123	92	90	115	91	98	77	90	83	84	107	104	92
Diarrhea, enteritis, etc.*----119,120	502	53	39	45	50	47	45	33	42	30	38	23	57
Appendicitis----121	508	42	43	56	46	48	44	52	33	44	31	43	28
Hernia and intestinal obstruction----122	1,275	132	104	122	106	87	109	104	118	96	108	93	96
Cirrhosis of the liver----124	1,898	184	160	165	169	153	147	128	157	152	165	161	157
Biliary calculi, etc.*----126,127	745	56	55	61	64	65	61	68	61	63	65	61	65
Nephritis----130-132	6,297	710	545	580	514	501	551	442	427	445	514	524	544
Diseases of the prostate----137	776	83	57	71	73	65	63	48	62	69	61	60	64
Diseases of pregnancy, etc.*----140-150	343	27	20	33	26	28	29	26	28	28	31	35	32
Puerperal septicemia----140,142a,145A,147	131	9	9	17	10	14	9	9	9	11	10	12	12
Puerperal toxemia----141a,c,144,148	57	5	3	3	4	3	2	5	9	7	6	6	4
Hemorrhage, trauma or shock*----141b,142b,143,146,149	131	10	6	11	8	10	15	9	9	9	14	15	15
Other puerperal causes----141d,e,f,145B,150	24	3	2	2	4	1	3	3	1	1	1	2	1
Congenital malformations----157	1,771	150	102	140	145	134	127	163	160	135	178	165	172
Diseases peculiar to first year of life----158-161	5,049	394	326	378	387	388	399	440	500	440	497	476	424
Premature birth----159	3,229	244	205	231	241	252	263	287	316	292	320	312	266
Other diseases peculiar to first year of life----158,160,161	1,820	150	121	147	146	136	136	153	184	148	177	164	158
Suicide----163,164	1,676	125	118	154	140	152	138	138	142	147	141	140	140
Homicide----165-168	479	35	33	35	30	39	36	41	44	48	41	46	51
Accidental deaths----169-195	8,314	772	668	710	650	684	650	703	609	640	711	718	799
Motor-vehicle accidents----170	2,096	174	173	175	170	157	123	152	159	180	207	222	204
Other accidents----169,171-195	6,218	598	495	535	480	527	527	551	450	460	504	496	595
Senility, ill-defined and unknown causes----162,199,200	726	67	87	79	57	48	68	52	51	64	56	34	63
All other causes----	7,200	674	589	620	626	677	616	577	485	525	591	580	640
NORTH CAROLINA----All causes	28,724	3,003	2,524	2,478	2,284	2,321	2,204	2,201	2,189	2,213	2,376	2,347	2,584
Typhoid and paratyphoid fever----1,2	8	1	-	1	-	1	-	-	3	-	2	-	-
Cerebrospinal (meningococcus) meningitis----6	30	7	3	2	1	3	3	2	2	2	3	2	-
Scarlet fever----8	3	-	-	-	1	-	1	1	-	-	-	-	-
Whooping cough----9	59	6	9	2	6	2	8	9	5	4	2	3	3
Diphtheria----10	46	9	5	4	1	2	3	1	2	3	9	4	3
Tuberculosis (all forms)----13-22	1,162	106	96	103	102	106	98	104	106	100	95	76	90
Tuberculosis of respiratory system, etc.*----13	1,096	101	91	94	91	96	89	98	98	90	92	70	86
Tuberculosis (other forms)----14-22	86	5	5	9	11	10	9	6	8	10	3	6	4
Dysentery----27	13	-	1	-	1	1	5	2	-	2	1	-	-
Malaria----28	8	-	-	1	2	-	-	3	1	-	1	-	-
Syphilis----30	245	22	22	22	30	26	16	17	14	9	24	20	23
Measles----35	43	1	3	4	6	10	10	2	4	1	1	-	1
Poliomyelitis, poliomyelitis (acute)----36	16	-	-	-	-	-	1	1	3	4	3	4	-
Cancer and other malignant tumors----45-55	2,523	218	181	217	231	203	218	190	203	208	223	203	228
Cancer of the digestive organs and peritoneum----46	986	90	69	89	94	74	77	78	78	86	88	78	85
Cancer of female genital organs----48,49	411	25	21	38	35	32	41	29	37	29	32	40	52
Cancer of the breast----50	232	19	21	15	25	18	17	22	14	19	17	17	28
Cancer (other sites)----45,47,51-55	894	84	70	75	77	79	83	61	74	74	86	68	63
Acute rheumatic fever----58	35	4	3	4	4	4	7	2	-	1	4	-	2
Diabetes mellitus----61	498	55	39	37	50	28	49	36	39	37	35	46	47
Exophthalmic goiter----63b	25	2	2	1	-	4	3	5	2	4	2	-	-
Pellagra (except alcoholic)----69	73	6	5	8	3	9	11	4	7	2	6	5	7
Alcoholism (ethylism)----77	67	2	5	8	4	3	6	9	3	5	11	5	6
Intracranial lesions of vascular origin----83	3,052	299	246	267	243	257	224	229	244	242	249	251	292
Diseases of the heart----90-95	6,682	734	594	601	549	582	487	492	513	513	512	550	555
Chronic rheumatic diseases of the heart----90a,92b,c,93c,95b	411	46	48	34	37	42	33	27	31	22	24	37	30
Diseases of coronary arteries and angina pectoris----94	1,983	173	147	181	165	180	146	157	152	169	147	177	189
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	4,288	515	398	386	347	360	308	308	330	322	341	336	336
Arteriosclerosis and high blood pressure*----97,102	429	38	41	36	27	43	30	41	28	36	38	25	46
Pneumonia (all forms) and influenza----107-109,33	1,581	312	243	147	122	80	61	57	47	78	129	124	181
Bronchopneumonia----107	616	86	83	48	52	39	33	25	22	35	61	59	73
Lobar pneumonia----108	520	89	74	54	47	24	17	21	17	30	46	39	62
Pneumonia (unspecified)----109	176	46	25	14	14	6	5	4	5	6	11	14	24
Influenza----33	269	91	61	31	9	9	6	7	3	7	11	12	22
Ulcer of stomach or duodenum----117	123	9	11	11	9	11	7	11	14	8	12	7	13
Diarrhea, enteritis, etc.*----119,120	247	18	19	19	8	28	34	30	26	21	20	12	11
Appendicitis----121	113	7	7	13	6	15	14	11	8	5	6	10	11
Hernia and intestinal obstruction----122	213	24	24	11	16	19	12	17	23	17	21	19	10
Cirrhosis of the liver----124	159	11	10	19	12	8	9	17	13	13	11	21	15
Biliary calculi, etc.*----126,127	48	5	-	3	5	6	4	6	1	4	5	2	7
Nephritis----130-132	2,734	290	240	283	196	216	221	196	189	243	231	211	218
Diseases of the prostate----137	134	8	11	9	16	13	10	10	9	13	7	18	10
Diseases of pregnancy, etc.*----140-150	203	27	15	15	17	14	14	20	16	17	12	23	13
Puerperal septicemia----140,142a,145A,147	47	4	4	3	1	4	4	7	4	3	5	5	3
Puerperal toxemia----141a,c,144,148	61	8	4	8	5	3	5	6	5	5	2	7	3
Hemorrhage, trauma or shock*----141b,142b,143,146,149	70	11	6	3	10	5	3	4	5	5	3	8	7
Other puerperal causes----141d,e,f,145B,150	25	4	1	1	1	2	2	3	2	4	2	3	-
Congenital malformations----157	484	41	45	31	20	43	26	25	48	38	43	60	44
Diseases peculiar to first year of life----158-161	1,987	148	137	136	143	147	169	167	186	177	196	176	205
Premature birth----159	1,359	105	99	103	90	105	113	118	132	123	129	114	128
Other diseases peculiar to first year of life----158,160,161	628	43	38	33	53	42	56	49	54	54	67	62	77
Suicide----163,164	290	25	16	23	31	22	22	24	29	33	24	25	16
Homicide----165-168	362	31	26	39	27	26	30	33	41	30	26	28	25
Accidental deaths----169-195	2,365	224	217	200	177	145	191	211	185	177	193	193	252
Motor-vehicle accidents----170	1,052	103	86	85	77	64	72	83	93	86	102	90	111
Other accidents----169,171-195	1,313	121	131	115	100	81	119	128	92	91	91	103	141
Senility, ill-defined and unknown causes----162,199,200	861	120	98	52	51	80	62	67	41	48	65	75	102
All other causes----	1,803	193	150	149	166	154	138	149	134	118	155	149	148

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH DAKOTA—All causes	5,080	451	363	405	471	451	421	437	391	394	446	434	416
Typhoid and paratyphoid fever—1,2	1	-	-	-	-	-	-	1	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	4	-	1	-	-	-	1	2	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	1	-	-	1	-	-	-	-	-	-	-	-	-
Diphtheria—10	7	1	1	-	1	-	1	-	-	-	2	-	1
Tuberculosis (all forms)—13-22	96	10	7	8	9	15	11	9	5	4	4	11	3
Tuberculosis of respiratory system, etc.*—13	78	8	7	8	4	10	10	8	5	2	3	10	3
Tuberculosis (other forms)—14-22	18	2	-	-	5	5	1	1	-	2	1	1	-
Dysentery—27	6	-	-	-	2	-	1	-	1	1	-	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	29	7	2	2	2	2	1	1	5	2	-	-	5
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	26	-	-	-	-	-	1	1	5	12	5	1	1
Cancer and other malignant tumors—45-55	675	51	48	51	74	61	58	61	48	62	60	52	49
Cancer of the digestive organs and peritoneum—46	339	31	20	23	37	35	30	25	28	32	30	28	22
Cancer of female genital organs—48,49	56	4	3	9	4	1	8	4	4	4	7	4	4
Cancer of the breast—50	57	3	8	4	4	9	3	5	7	1	8	1	4
Cancer (other sites)—45,47,51-55	223	13	17	15	29	16	17	27	11	25	15	19	19
Acute rheumatic fever—58	8	1	-	-	1	2	-	1	1	1	-	1	-
Diabetes mellitus—61	153	18	8	10	16	17	14	13	11	7	9	22	8
Exophthalmic goiter—63b	7	-	-	1	-	1	1	2	-	1	1	-	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	8	1	2	-	-	-	3	-	-	1	1	-	-
Intracranial lesions of vascular origin—83	478	46	33	51	51	42	43	37	35	30	42	35	33
Diseases of the heart—90-95	1,390	120	107	114	126	128	113	124	95	103	123	127	110
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	64	5	6	6	4	5	4	8	3	4	7	6	6
Diseases of coronary arteries and angina pectoris—94	507	50	40	38	48	49	40	35	36	37	39	51	44
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	819	65	61	70	74	74	69	81	56	62	77	70	60
Arteriosclerosis and high blood pressure*—97,102	131	20	8	9	13	13	11	10	10	8	10	9	10
Pneumonia (all forms) and influenza—107-109,33	198	23	22	18	17	16	12	10	12	15	12	18	23
Bronchopneumonia—107	92	8	10	7	8	9	8	5	5	8	4	10	10
Lobar pneumonia—108	54	12	4	4	8	4	2	2	4	2	4	3	5
Pneumonia (unspecified)—109	30	1	3	4	1	1	-	3	2	3	3	3	6
Influenza—33	22	2	5	3	-	2	2	-	1	2	1	2	2
Ulcer of stomach or duodenum—117	24	1	4	1	2	2	3	1	1	2	5	-	2
Diarrhea, enteritis, etc.*—119,120	37	6	5	1	-	2	3	2	3	3	4	2	6
Appendicitis—121	26	1	4	3	3	3	1	3	-	3	3	1	1
Hernia and intestinal obstruction—122	37	6	1	7	1	3	5	6	1	2	1	2	2
Cirrhosis of the liver—124	35	5	3	3	2	1	7	5	2	2	2	1	2
Biliary calculi, etc.*—126,127	29	2	4	5	3	1	2	1	4	3	2	2	-
Nephritis—130-132	221	18	19	19	15	21	20	21	15	17	18	12	26
Diseases of the prostate—137	41	1	1	3	2	7	4	4	7	4	4	3	1
Diseases of pregnancy, etc.*—140-150	16	1	1	3	-	1	2	-	3	1	1	-	3
Puerperal septicemia—140,142a,145A,147	4	-	-	1	-	-	1	-	1	-	-	-	1
Puerperal toxemia—141a,c,144,148	2	-	-	1	-	-	1	-	-	-	-	-	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	9	1	1	1	-	1	-	-	2	1	-	-	2
Other puerperal causes—141d,e,f,145B,150	1	-	-	-	-	-	-	-	-	-	1	-	-
Congenital malformations—157	90	7	7	7	12	4	10	7	4	5	10	9	8
Diseases peculiar to first year of life—158-161	277	17	21	13	20	29	16	22	34	20	39	28	18
Premature birth—159	177	10	16	6	15	22	10	14	21	7	25	21	10
Other diseases peculiar to first year of life—158,160,161	100	7	5	7	5	7	6	8	13	13	14	7	8
Suicide—163,164	60	7	2	8	5	8	5	4	6	5	5	4	1
Homicide—165-168	8	-	-	2	-	3	-	-	1	1	-	-	1
Accidental deaths—169-195	442	31	22	25	43	26	32	43	49	48	36	48	39
Motor-vehicle accidents—170	144	9	6	5	17	7	9	7	18	16	12	17	21
Other accidents—169,171-195	298	22	16	20	26	19	23	36	31	32	24	31	18
Senility, ill-defined and unknown causes—162,199,200	157	19	10	11	15	15	12	10	10	7	16	16	16
All other causes—	362	31	20	29	36	28	28	36	23	24	31	29	47
OHIO—All causes	78,464	7,771	6,625	6,914	6,557	6,627	6,148	6,083	5,933	6,188	6,403	6,341	6,874
Typhoid and paratyphoid fever—1,2	16	2	-	1	1	-	2	3	3	3	-	1	-
Cerebrospinal (meningococcus) meningitis—6	57	10	14	4	4	6	2	1	1	2	5	5	3
Scarlet fever—8	22	3	3	3	1	2	2	1	1	-	1	3	2
Whooping cough—9	60	4	9	4	6	3	6	5	5	-	6	4	8
Diphtheria—10	51	12	5	4	4	6	1	1	1	4	3	7	3
Tuberculosis (all forms)—13-22	2,583	241	212	264	270	221	214	219	186	191	183	213	189
Tuberculosis of respiratory system, etc.*—13	2,370	223	193	242	248	197	198	204	168	176	170	198	152
Tuberculosis (other forms)—14-22	213	18	19	22	22	24	16	15	18	15	13	14	17
Dysentery—27	13	1	1	1	-	1	1	2	1	2	-	2	1
Malaria—28	3	1	-	-	-	-	1	1	-	-	-	-	-
Syphilis—30	785	83	84	67	70	58	68	68	60	58	69	62	58
Measles—35	27	-	3	6	6	3	2	3	-	-	2	1	1
Poliomyelitis, polioencephalitis (acute)—36	59	-	-	-	1	1	4	11	17	13	5	5	2
Cancer and other malignant tumors—45-55	10,628	931	827	885	878	912	874	849	908	906	871	860	927
Cancer of the digestive organs and peritoneum—46	4,700	420	365	420	405	395	354	367	409	395	396	384	390
Cancer of female genital organs—48,49	1,441	121	113	115	118	132	150	129	119	123	96	104	121
Cancer of the breast—50	1,015	80	77	91	84	80	81	79	90	84	92	94	83
Cancer (other sites)—45,47,51-55	3,472	310	272	259	271	305	288	274	290	304	287	278	333
Acute rheumatic fever—58	57	6	2	9	6	5	6	3	5	3	3	4	5
Diabetes mellitus—61	2,123	242	177	187	197	165	175	189	147	147	196	145	156
Exophthalmic goiter—63b	195	17	15	17	20	17	19	20	18	11	13	13	15
Pellagra (except alcoholic)—69	9	1	1	-	1	-	1	-	1	2	1	-	1
Alcoholism (ethylism)—77	96	14	2	10	10	9	10	4	4	4	6	14	9
Intracranial lesions of vascular origin—83	8,193	777	719	721	677	735	662	624	593	602	673	687	743
Diseases of the heart—90-95	24,421	2,485	2,105	2,245	2,059	2,103	1,836	1,808	1,776	1,857	1,991	1,946	2,210
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	1,538	164	108	157	122	145	128	116	106	119	127	112	138
Diseases of coronary arteries and angina pectoris—94	8,681	819	711	731	706	773	857	868	636	658	759	728	835
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	14,202	1,502	1,288	1,357	1,231	1,185	1,053	1,024	1,034	1,080	1,105	1,106	1,237
Arteriosclerosis and high blood pressure*—97,102	1,665	176	138	144	122	112	128	124	126	139	133	154	169

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO—Continued													
Pneumonia (all forms) and influenza----107-109,33	3,124	603	376	297	254	212	181	136	127	178	196	242	322
Bronchopneumonia----107	1,456	211	149	139	117	121	87	76	70	101	114	111	162
Lobar pneumonia----108	968	169	125	101	86	57	57	37	47	56	53	86	94
Pneumonia (unspecified)----109	209	36	24	6	18	10	21	12	5	11	11	23	32
Influenza----33	499	187	78	51	33	24	16	11	5	10	18	22	34
Ulcer of stomach or duodenum----117	406	41	38	41	30	37	33	18	27	37	34	38	32
Diarrhea, enteritis, etc.*----119,120	349	40	36	35	22	22	21	33	29	33	28	24	26
Appendicitis----121	268	18	18	27	18	31	31	28	19	24	17	25	12
Hernia and intestinal obstruction----122	616	55	48	64	44	47	43	66	60	44	39	61	45
Cirrhosis of the liver----124	729	64	54	70	70	66	55	54	62	67	51	51	64
Biliary calculi, etc.*----126,127	372	41	20	29	28	33	35	34	16	45	32	37	22
Nephritis----130-132	4,561	461	409	412	420	377	390	337	321	343	338	370	383
Diseases of the prostate----137	382	40	32	33	30	29	39	32	30	33	31	25	28
Diseases of pregnancy, etc.*----140-150	214	18	15	18	18	16	23	14	24	21	15	20	12
Puerperal septicemia----140,142a,145A,147	85	11	6	9	7	5	10	4	7	9	6	5	6
Puerperal toxemia----141a,c,144,148	50	5	4	2	4	7	6	4	5	5	4	2	2
Hemorrhage, trauma or shock*----141b,142b,143,146,149	57	-	4	5	3	4	5	4	10	6	2	11	3
Other puerperal causes----141d,e,f,145B,150	22	2	1	2	4	-	2	2	2	1	3	2	1
Congenital malformations----157	957	67	60	82	82	93	64	57	83	96	81	104	88
Diseases peculiar to first year of life----158-161	3,226	194	193	219	253	280	264	296	305	312	322	298	290
Premature birth----159	2,032	118	112	143	155	195	168	196	197	171	208	189	180
Other diseases peculiar to first year of life----158,160,161	1,194	76	81	76	98	85	96	100	108	141	114	109	110
Suicide----163,164	986	80	78	108	85	115	92	72	63	89	82	60	62
Homicide----165-168	388	26	32	38	27	29	40	42	26	37	34	31	26
Accidental deaths----169-195	5,339	470	436	410	420	425	447	479	449	447	469	421	466
Motor-vehicle accidents----170	1,879	172	159	132	137	150	135	161	158	152	172	181	170
Other accidents----169,171-195	3,460	298	277	278	283	275	312	318	291	295	297	240	296
Senility, ill-defined and unknown causes----162,199,200	1,145	109	114	89	80	87	76	96	94	103	101	84	113
All other causes----	4,339	438	369	370	343	369	299	353	345	336	372	344	401
OKLAHOMA----All causes	18,620	1,886	1,626	1,645	1,502	1,424	1,406	1,624	1,503	1,317	1,457	1,536	1,694
Typhoid and paratyphoid fever----1,2	7	-	-	-	-	-	1	1	3	-	2	-	-
Cerebrospinal (meningococcus) meningitis----6	13	2	2	2	2	1	-	3	-	-	-	1	-
Scarlet fever----8	6	1	2	1	1	-	-	-	-	1	-	-	-
Whooping cough----9	25	2	4	6	2	2	4	-	-	3	1	1	-
Diphtheria----10	26	4	1	3	-	3	1	-	1	1	2	3	7
Tuberculosis (all forms)----13-22	708	74	65	54	75	55	62	63	51	45	49	65	50
Tuberculosis of respiratory system, etc.*----13	656	68	61	48	69	51	60	58	46	42	44	63	45
Tuberculosis (other forms)----14-22	52	5	4	6	6	4	2	5	5	3	5	2	5
Dysentery----27	10	-	1	-	1	2	1	-	-	-	2	-	3
Malaria----28	12	-	1	-	3	2	1	2	-	1	1	1	-
Syphilis----30	197	20	12	21	17	8	12	22	18	14	14	19	20
Measles----35	30	3	-	3	14	8	-	1	1	-	-	-	-
Poliomyelitis, poliioencephalitis (acute)----36	34	-	1	-	-	1	3	7	11	3	5	2	1
Cancer and other malignant tumors----45-55	2,263	190	159	198	184	162	196	203	212	166	176	185	212
Cancer of the digestive organs and peritoneum----46	941	69	74	87	76	86	94	81	83	68	76	71	76
Cancer of female genital organs----48,49	301	27	25	30	25	23	24	29	26	16	23	27	26
Cancer of the breast----50	199	25	13	11	20	15	14	18	21	17	16	13	16
Cancer (other sites)----45,47,51-55	822	69	47	70	63	58	64	75	82	65	61	74	94
Acute rheumatic fever----58	13	-	-	-	3	1	-	1	1	-	2	3	2
Diabetes mellitus----61	351	31	37	33	26	22	34	31	27	26	15	43	26
Exophthalmic goiter----63b	19	4	-	2	2	3	-	1	1	2	1	1	2
Pellagra (except alcoholic)----69	27	8	2	3	2	2	2	-	4	-	1	1	2
Alcoholism (ethylism)----77	23	2	3	-	2	2	4	-	4	3	-	1	2
Intracranial lesions of vascular origin----83	1,984	193	150	177	151	158	165	178	171	135	152	157	197
Diseases of the heart----90-95	4,575	483	389	428	396	378	368	371	329	284	366	388	415
Chronic rheumatic diseases of the heart----90a,92b,c,93c,95b	262	24	26	22	28	16	20	13	23	17	19	24	30
Diseases of coronary arteries and angina pectoris----94	1,740	176	134	153	129	150	144	149	125	118	130	159	173
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	2,573	283	229	253	239	212	204	209	181	149	217	185	212
Arteriosclerosis and high blood pressure*----97,102	335	37	28	26	27	24	27	28	25	28	34	23	28
Pneumonia (all forms) and influenza----107-109,33	967	180	173	122	61	40	27	51	46	31	54	86	96
Bronchopneumonia----107	279	34	45	30	25	14	8	17	15	12	23	22	33
Lobar pneumonia----108	214	44	29	24	12	7	9	14	12	7	11	20	25
Pneumonia (unspecified)----109	281	36	46	42	15	15	6	19	18	10	17	27	30
Influenza----33	193	66	53	28	9	4	3	1	1	2	3	17	8
Ulcer of stomach or duodenum----117	105	7	10	10	17	1	2	6	9	8	14	12	9
Diarrhea, enteritis, etc.*----119,120	100	11	13	3	5	5	6	9	6	9	10	9	14
Appendicitis----121	102	6	5	5	11	10	5	14	17	13	7	3	6
Hernia and intestinal obstruction----122	153	19	7	7	8	14	13	15	16	8	14	21	11
Cirrhosis of the liver----124	139	12	12	12	7	12	8	11	11	15	9	13	17
Biliary calculi, etc.*----126,127	97	9	12	9	5	10	7	7	11	5	10	6	6
Nephritis----130-132	1,037	95	97	93	74	97	63	98	86	56	82	82	114
Diseases of the prostate----137	120	9	5	10	12	12	8	10	9	16	12	10	7
Diseases of pregnancy, etc.*----140-150	83	2	9	4	5	5	5	12	13	7	4	7	10
Puerperal septicemia----140,142a,145A,147	20	1	1	1	1	3	1	3	-	3	1	1	4
Puerperal toxemia----141a,c,144,148	29	-	3	1	1	1	1	5	8	3	1	3	2
Hemorrhage, trauma or shock*----141b,142b,143,146,149	25	1	2	2	-	1	2	3	5	1	1	3	4
Other puerperal causes----141d,e,f,145B,150	9	-	3	-	3	-	1	1	-	-	1	-	-
Congenital malformations----157	296	29	32	16	20	22	23	22	21	28	21	23	39
Diseases peculiar to first year of life----158-161	871	65	46	63	69	60	75	77	86	75	92	80	83
Premature birth----159	596	37	35	38	53	39	46	59	62	58	60	57	52
Other diseases peculiar to first year of life----158,160,161	275	28	11	25	16	21	29	18	24	17	32	23	31
Suicide----163,164	166	20	20	11	15	12	9	18	16	13	10	7	15
Homicide----165-168	128	9	12	6	8	8	11	13	15	12	12	11	11
Accidental deaths----169-195	1,540	149	126	125	114	104	134	146	144	144	120	121	113
Motor-vehicle accidents----170	539	50	45	41	47	32	43	52	49	56	39	51	34
Other accidents----169,171-195	1,001	99	81	84	67	72	91	94	95	88	81	70	79
Senility, ill-defined and unknown causes----162,199,200	760	97	75	75	61	48	51	71	46	55	56	63	62
All other causes----	1,298	113	115	117	102	110	78	132	92	110	107	108	114

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON—All causes	13,318	1,222	1,125	1,144	1,174	1,146	1,068	1,104	999	1,023	1,118	1,104	1,091
Typhoid and paratyphoid fever—1,2	6	-	1	-	1	2	-	-	-	-	2	-	-
Cerebrospinal (meningococcus) meningitis—6	14	5	2	-	1	1	-	-	1	2	-	1	1
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	1	-
Whooping cough—9	7	1	1	1	-	1	1	2	-	-	-	-	-
Diphtheria—10	10	-	4	1	1	1	2	-	-	-	1	-	-
Tuberculosis (all forms)—13-22	311	31	29	32	21	34	24	25	25	25	18	25	22
Tuberculosis of respiratory system, etc.*—13	286	29	26	27	19	29	23	21	25	25	17	25	20
Tuberculosis (other forms)—14-22	25	2	3	5	2	5	1	4	-	-	1	-	2
Dysentery—27	3	-	1	-	-	1	1	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	120	10	14	11	14	10	8	9	13	8	6	5	12
Measles—35	7	-	1	1	1	2	2	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	9	-	-	-	-	-	-	-	4	1	2	2	-
Cancer and other malignant tumors—45-55	1,823	137	175	148	176	143	151	149	142	171	148	150	133
Cancer of the digestive organs and peritoneum—46	799	60	80	67	81	61	74	57	47	71	63	73	65
Cancer of female genital organs—48,49	189	20	11	14	23	16	17	19	19	15	15	10	10
Cancer of the breast—50	201	16	19	15	18	18	15	18	21	17	13	15	16
Cancer (other sites)—45,47,51-55	634	41	65	52	54	48	45	55	55	68	57	52	42
Acute rheumatic fever—58	10	1	-	1	1	3	-	-	2	-	1	1	-
Diabetes mellitus—61	303	22	21	32	23	29	30	21	19	22	29	22	33
Exophthalmic goiter—63b	20	1	3	1	2	5	1	4	1	1	-	-	1
Pellagra (except alcoholic)—69	1	-	-	-	-	-	-	-	-	-	-	1	-
Alcoholism (ethylism)—77	32	4	1	4	2	2	2	2	-	4	5	2	4
Intracranial lesions of vascular origin—83	1,249	132	116	110	111	116	93	96	92	99	95	100	89
Diseases of the heart—90-95	3,784	356	298	318	327	303	339	312	256	268	338	342	327
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	227	22	23	19	21	18	14	21	20	12	15	21	21
Diseases of coronary arteries and angina pectoris—94	1,709	146	132	139	135	148	155	140	128	139	142	158	147
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	1,848	188	143	160	171	137	170	151	108	117	181	163	159
Arteriosclerosis and high blood pressure*—97,102	293	21	20	29	17	28	21	25	17	22	24	26	43
Pneumonia (all forms) and influenza—107-109,33	623	92	68	61	58	45	35	42	31	36	45	54	56
Bronchopneumonia—107	383	33	46	37	40	30	23	32	22	26	26	31	37
Lobar pneumonia—108	130	24	11	13	9	8	9	8	6	6	10	15	11
Pneumonia (unspecified)—109	43	7	5	3	3	4	2	1	1	2	5	3	7
Influenza—33	67	28	6	8	6	3	1	1	2	2	4	5	1
Ulcer of stomach or duodenum—117	76	3	5	7	6	8	9	6	6	5	9	7	3
Diarrhea, enteritis, etc.*—119,120	37	2	3	1	1	7	1	4	2	3	3	3	7
Appendicitis—121	29	2	3	3	6	1	4	3	1	2	2	-	2
Hernia and intestinal obstruction—122	99	7	10	10	5	8	7	10	4	7	10	10	11
Cirrhosis of the liver—124	93	10	8	4	12	11	7	2	9	8	12	8	8
Biliary calculi, etc.*—126,127	41	7	1	6	5	1	3	5	7	1	1	2	2
Nephritis—130-132	949	77	90	84	92	90	77	73	69	73	83	68	73
Diseases of the prostate—137	83	4	8	10	3	9	4	7	9	10	4	8	7
Diseases of pregnancy, etc.*—140-150	31	8	1	-	3	2	3	3	1	2	3	2	3
Puerperal septicemia—140,142a,145A,147	7	4	1	-	-	-	1	1	-	-	-	-	-
Puerperal toxemia—141a,c,144,146	6	1	-	-	2	1	-	-	-	2	-	-	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	11	2	-	-	1	-	2	1	1	-	2	1	1
Other puerperal causes—141d,e,f,145B,150	7	1	-	-	-	1	-	1	-	-	1	1	2
Congenital malformations—157	169	12	15	18	10	21	13	15	13	13	13	12	14
Diseases peculiar to first year of life—158-161	489	31	38	35	35	43	44	52	42	36	51	39	43
Premature birth—159	300	19	23	24	25	26	30	30	24	26	26	17	30
Other diseases peculiar to first year of life—158,160,161	189	12	15	11	10	17	14	22	18	10	25	22	13
Suicide—163,164	204	25	17	13	27	17	14	23	19	17	12	12	8
Homicide—165-168	53	5	4	2	3	11	3	4	4	4	5	2	6
Accidental deaths—169-195	1,269	92	91	106	112	102	91	128	135	96	107	100	108
Motor-vehicle accidents—170	493	30	40	40	40	38	26	45	57	40	41	42	54
Other accidents—169,171-195	776	62	51	66	72	64	65	83	78	56	66	58	55
Senility, ill-defined and unknown causes—162,199,200	283	27	18	24	25	30	18	22	23	21	25	32	18
All other causes—	781	97	58	71	73	59	60	60	50	66	64	67	56
PENNSYLVANIA—All causes	107,683	10,856	9,235	8,470	9,075	8,835	8,402	8,228	7,928	8,180	8,772	8,855	9,847
Typhoid and paratyphoid fever—1,2	22	1	1	1	3	2	-	7	-	2	1	3	1
Cerebrospinal (meningococcus) meningitis—6	80	14	11	10	10	6	5	3	5	3	5	4	4
Scarlet fever—8	12	1	1	1	2	2	3	1	-	-	-	1	-
Whooping cough—9	94	11	9	6	10	5	4	6	15	7	5	7	9
Diphtheria—10	58	11	7	1	7	1	5	2	3	3	6	8	4
Tuberculosis (all forms)—13-22	3,697	303	316	303	329	332	313	300	299	286	291	301	324
Tuberculosis of respiratory system, etc.*—13	3,408	281	296	289	306	302	293	267	272	265	264	273	300
Tuberculosis (other forms)—14-22	289	22	20	14	23	30	20	33	27	21	27	28	24
Dysentery—27	24	1	2	1	-	5	-	4	3	2	1	2	3
Malaria—28	11	-	-	1	2	1	3	2	-	-	1	-	1
Syphilis—30	918	89	63	85	74	66	85	69	87	68	81	74	77
Measles—35	116	3	12	18	26	33	12	4	1	-	1	1	5
Poliomyelitis, polioencephalitis (acute)—36	29	1	1	2	-	1	1	3	4	7	6	1	2
Cancer and other malignant tumors—45-55	14,787	1,199	1,083	1,244	1,212	1,298	1,196	1,244	1,235	1,234	1,272	1,245	1,325
Cancer of the digestive organs and peritoneum—46	6,994	594	510	601	576	633	579	606	592	566	571	556	590
Cancer of female genital organs—48,49	1,867	127	152	178	144	173	158	143	140	162	175	153	162
Cancer of the breast—50	1,411	118	100	112	125	89	117	117	119	109	131	132	143
Cancer (other sites)—45,47,51-55	4,515	360	321	353	367	403	342	378	384	378	395	404	430
Acute rheumatic fever—58	123	16	12	16	9	4	11	7	5	13	11	13	6
Diabetes mellitus—61	3,325	362	298	286	280	274	272	256	198	253	259	280	307
Exophthalmic goiter—63b	193	17	17	18	18	22	10	19	14	15	11	13	19
Pellagra (except alcoholic)—69	7	1	-	1	-	-	1	1	-	1	1	-	1
Alcoholism (ethylism)—77	113	14	11	14	11	10	6	9	8	7	5	7	11
Intracranial lesions of vascular origin—83	9,248	901	787	789	756	762	714	699	668	676	775	791	930
Diseases of the heart—90-95	36,169	3,796	3,209	3,296	3,061	2,913	2,773	2,587	2,637	2,642	2,952	2,885	3,418
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	1,974	217	168	159	175	179	142	158	155	141	150	151	179
Diseases of coronary arteries and angina pectoris—94	11,173	1,015	961	996	923	890	885	851	875	854	924	902	1,097
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	23,022	2,564	2,080	2,141	1,963	1,844	1,746	1,578	1,607	1,647	1,878	1,832	2,142
Arteriosclerosis and high blood pressure*—97,102	2,367	287	247	189	219	188	180	168	121	189	202	185	192

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PENNSYLVANIA—Continued													
Pneumonia (all forms) and influenza----107-109,33	4,473	875	518	440	383	328	242	179	177	250	301	320	460
Bronchopneumonia----107	1,746	245	167	173	157	141	110	97	81	109	126	134	206
Lobar pneumonia----108	1,672	298	188	163	148	125	91	64	72	112	124	124	163
Pneumonia (unspecified)----109	416	70	42	38	33	37	25	13	14	20	29	41	54
Influenza----33	639	262	121	66	45	25	16	5	10	9	22	21	37
Ulcer of stomach or duodenum----117	540	46	59	48	50	50	33	47	35	37	43	46	46
Diarrhea, enteritis, etc.*----119,120	503	41	39	43	45	40	30	59	33	33	48	63	29
Appendicitis----121	398	43	32	46	26	39	42	41	28	26	24	28	23
Hernia and intestinal obstruction----122	873	96	77	66	61	67	89	69	79	76	63	57	73
Cirrhosis of the liver----124	989	86	87	86	74	73	83	86	92	82	75	78	87
Biliary calculi, etc.*----126,127	517	34	62	51	40	41	36	50	49	35	33	43	43
Nephritis----130-132	6,938	765	645	668	651	589	523	499	438	490	539	568	563
Diseases of the prostate----137	463	51	43	36	42	46	37	31	33	33	31	42	38
Diseases of pregnancy, etc.*----140-150	332	36	27	27	23	28	30	35	28	27	21	34	16
Puerperal septicemia----140,142a,145A,147	128	13	9	12	12	9	14	10	12	8	10	11	8
Puerperal toxemia----141a,c,144,148	61	7	9	2	4	4	4	7	6	2	4	7	5
Hemorrhage, trauma or shock*----141b,142b,143,146,149	105	11	9	10	5	13	7	14	5	14	4	10	3
Other puerperal causes----141d,e,f,145B,150	38	5	-	3	2	2	5	4	5	3	3	6	-
Congenital malformations----157	1,222	92	84	85	90	101	101	87	90	113	121	119	139
Diseases peculiar to first year of life----158-161	4,272	269	245	279	327	365	400	412	402	418	401	377	379
Premature birth----159	2,762	179	161	184	204	249	261	261	252	265	261	236	249
Other diseases peculiar to first year of life----158,160,161	1,510	90	84	95	123	114	139	151	150	153	140	141	130
Suicide----163,164	1,145	79	65	128	117	97	98	103	91	88	92	99	88
Homicide----165-168	299	23	20	24	21	24	17	36	28	33	19	23	31
Accidental deaths----169-195	6,381	575	553	505	515	494	485	580	516	521	514	562	571
Motor-vehicle accidents----170	1,900	191	155	145	157	164	132	144	151	160	132	190	209
Other accidents----169,171-195	4,461	384	398	360	358	330	383	406	365	361	382	372	362
Senility, ill-defined and unknown causes----162,199,200	946	124	79	88	81	68	66	64	74	81	74	70	77
All other causes----	6,019	593	513	568	500	462	496	489	432	429	487	505	545
RHODE ISLAND----All causes	8,073	797	722	782	626	690	593	633	569	623	634	654	750
Typhoid and paratyphoid fever----1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis----6	9	1	2	1	-	-	1	1	1	2	-	-	-
Scarlet fever----8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----9	4	-	-	1	-	1	1	-	-	-	-	1	-
Diphtheria----10	2	-	-	1	-	-	-	-	-	-	-	-	1
Tuberculosis (all forms)----13-22	232	28	27	16	17	21	20	20	12	13	18	23	19
Tuberculosis of respiratory system, etc.*----13	215	26	25	16	16	17	16	18	11	13	17	22	18
Tuberculosis (other forms)----14-22	17	-	2	-	1	4	4	2	1	-	1	1	1
Dysentery----27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----30	43	4	5	8	1	3	3	4	4	3	2	3	3
Measles----35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, poliomencephalitis (acute)----36	7	-	-	-	-	1	-	1	-	1	3	1	-
Cancer and other malignant tumors----45-55	1,162	87	87	114	75	102	80	115	105	112	96	88	101
Cancer of the digestive organs and peritoneum----46	529	35	45	52	33	45	35	46	50	53	47	46	42
Cancer of female genital organs----48,49	128	9	8	15	9	9	5	17	13	11	11	5	16
Cancer of the breast----50	118	16	5	10	4	16	9	11	7	10	11	11	8
Cancer (other sites)----45,47,51-55	387	27	29	37	29	32	31	41	35	38	27	26	35
Acute rheumatic fever----58	7	-	-	-	2	-	2	1	-	-	-	-	2
Diabetes mellitus----61	285	33	22	24	26	20	20	21	23	25	17	19	35
Exophthalmic goiter----63b	6	1	1	-	1	1	-	-	-	1	-	-	1
Pellagra (except alcoholic)----69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)----77	14	-	5	1	2	2	1	-	-	-	2	-	1
Intracranial lesions of vascular origin----83	699	62	62	72	58	60	52	56	43	48	59	53	74
Diseases of the heart----90-95	3,025	300	285	303	233	257	221	212	219	232	236	258	269
Chronic rheumatic diseases of the heart----90a,92b,c,93c,95b	129	7	16	18	11	12	8	10	3	9	14	9	12
Diseases of coronary arteries and angina pectoris----94	921	96	88	85	60	71	76	60	69	75	74	74	93
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	1,975	197	181	200	162	174	137	142	147	149	148	175	164
Arteriosclerosis and high blood pressure*----97,102	114	19	8	15	7	4	12	5	7	10	7	9	11
Pneumonia (all forms) and influenza----107-109,33	270	46	39	34	21	16	14	16	8	14	16	17	29
Bronchopneumonia----107	125	18	13	15	12	7	8	8	5	11	9	7	12
Lobar pneumonia----108	119	24	19	15	7	7	5	7	3	3	7	7	15
Pneumonia (unspecified)----109	7	-	1	2	-	-	1	1	-	-	-	-	2
Influenza----33	19	4	6	2	2	2	-	-	-	-	-	3	-
Ulcer of stomach or duodenum----117	47	3	2	3	3	6	4	4	6	2	1	7	6
Diarrhea, enteritis, etc.*----119,120	20	1	1	-	1	4	1	4	2	2	1	2	1
Appendicitis----121	19	5	-	2	1	2	-	3	2	-	3	-	1
Hernia and intestinal obstruction----122	54	8	5	3	6	1	6	6	8	2	1	3	5
Cirrhosis of the liver----124	91	8	7	10	9	9	9	7	1	4	9	6	12
Biliary calculi, etc.*----126,127	53	3	6	7	5	5	2	8	4	5	2	4	2
Nephritis----130-132	558	60	58	53	45	59	41	32	32	37	36	49	54
Diseases of the prostate----137	47	5	6	6	3	3	2	4	1	4	5	5	3
Diseases of pregnancy, etc.*----140-150	24	2	-	1	2	-	3	2	2	3	3	5	1
Puerperal septicemia----140,142a,145A,147	9	-	-	1	-	-	-	1	-	-	3	4	-
Puerperal toxemia----141a,c,144,148	3	-	-	-	-	-	1	1	-	1	-	-	-
Hemorrhage, trauma or shock*----141b,142b,143,146,149	9	1	-	-	2	-	2	-	1	2	-	1	-
Other puerperal causes----141d,e,f,145B,150	3	1	-	-	-	-	-	-	1	-	-	-	1
Congenital malformations----157	138	9	10	9	14	11	5	10	9	14	13	15	19
Diseases peculiar to first year of life----158-161	291	17	12	23	18	27	29	35	20	26	34	24	26
Premature birth----159	189	12	9	13	11	17	18	26	12	17	18	17	19
Other diseases peculiar to first year of life----158,160,161	102	5	3	10	7	10	11	9	8	9	16	7	7
Suicide----163,164	57	3	2	5	3	6	6	9	10	4	3	3	3
Homicide----165-168	11	1	-	-	1	1	2	-	2	1	1	2	-
Accidental deaths----169-195	380	46	31	32	36	36	25	30	19	28	30	33	34
Motor-vehicle accidents----170	96	13	6	3	10	7	6	7	4	8	5	13	14
Other accidents----169,171-195	284	33	25	29	26	29	19	23	15	20	25	20	20
Senility, ill-defined and unknown causes----162,199,200	24	3	3	1	3	2	1	-	3	1	3	1	3
All other causes----	382	44	36	37	33	30	30	27	26	29	33	23	34

*Refer to International List for complete title, table V, Part I.

Table 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH CAROLINA—All causes	16,351	1,783	1,475	1,430	1,346	1,298	1,307	1,200	1,234	1,248	1,304	1,327	1,399
Typhoid and paratyphoid fever—1,2	23	2	1	-	1	2	7	4	3	1	-	1	1
Cerebrospinal (meningococcus) meningitis—6	21	3	5	1	3	1	2	-	2	1	1	-	2
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	30	1	3	2	3	5	4	4	5	-	1	-	2
Diphtheria—10	29	5	1	3	-	1	1	-	-	2	7	7	2
Tuberculosis (all forms)—13-22	562	54	41	50	43	51	43	49	42	46	48	44	51
Tuberculosis of respiratory system, etc.*—13	529	47	38	48	41	48	41	47	41	45	45	41	47
Tuberculosis (other forms)—14-22	33	7	3	2	2	3	2	2	1	1	3	3	4
Dysentery—27	16	2	2	-	-	3	3	-	1	2	-	2	1
Malaria—28	19	-	1	-	1	2	3	1	5	2	-	3	1
Syphilis—30	250	22	19	26	24	21	16	18	19	19	26	17	23
Measles—35	30	1	2	8	5	6	7	-	-	-	-	-	1
Poliomyelitis, poliocencephalitis (acute)—36	7	1	-	2	-	-	-	-	1	-	3	-	-
Cancer and other malignant tumors—45-55	1,337	115	102	100	110	113	123	114	118	117	99	117	109
Cancer of the digestive organs and peritoneum—46	495	46	40	34	32	53	49	37	38	46	37	40	43
Cancer of female genital organs—48,49	263	24	19	22	20	18	25	22	31	23	18	21	20
Cancer of the breast—50	108	5	5	15	12	9	13	12	8	11	3	9	6
Cancer (other sites)—45,47,51-55	471	40	38	29	46	33	36	43	41	37	41	47	40
Acute rheumatic fever—58	29	2	5	3	1	1	5	-	3	2	1	3	3
Diabetes mellitus—61	259	36	19	17	29	21	18	19	19	15	18	20	26
Exophthalmic goiter—63b	16	-	3	1	2	2	3	1	1	-	1	2	-
Pellagra (except alcoholic)—69	41	2	3	3	4	3	5	7	4	-	3	4	3
Alcoholism (ethylism)—77	38	3	2	4	4	4	3	4	1	1	1	5	6
Intracranial lesions of vascular origin—83	1,808	203	190	158	161	132	154	122	128	119	139	140	162
Diseases of the heart—90-95	3,539	375	304	318	292	312	291	238	241	291	280	285	302
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	229	29	15	19	18	21	19	17	14	21	18	20	18
Diseases of coronary arteries and angina pectoris—94	1,134	99	114	106	96	88	84	71	79	104	100	98	97
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	2,176	247	175	193	178	205	188	150	148	166	182	177	187
Arteriosclerosis and high blood pressure*—97,102	302	26	34	31	26	23	18	25	17	19	26	26	31
Pneumonia (all forms) and influenza—107-109,33	1,042	245	158	107	65	45	57	37	41	47	65	84	91
Bronchopneumonia—107	388	58	55	38	27	23	22	21	21	22	29	39	33
Lobar pneumonia—108	367	88	57	43	18	18	26	11	15	14	24	22	31
Pneumonia (unspecified)—109	70	13	6	5	10	-	2	2	5	8	3	8	8
Influenza—33	217	86	40	21	10	4	7	3	-	3	9	15	19
Ulcer of stomach or duodenum—117	77	7	9	7	6	3	10	6	3	7	7	5	7
Diarrhea, enteritis, etc.*—119,120	118	6	5	6	8	17	18	11	15	7	13	8	4
Appendicitis—121	54	6	9	7	5	-	3	6	4	3	2	4	5
Hernia and intestinal obstruction—122	93	11	4	8	8	7	6	10	11	6	7	6	9
Cirrhosis of the liver—124	77	7	4	5	6	10	8	7	3	6	7	7	7
Biliary calculi, etc.*—126,127	38	5	4	2	2	-	5	4	1	5	3	5	2
Nephritis—130-132	1,478	181	145	141	127	121	122	107	101	117	106	100	110
Diseases of the prostate—137	69	8	5	3	7	7	6	4	5	5	8	5	6
Diseases of pregnancy, etc.*—140-150	148	11	9	13	10	16	10	13	12	12	13	15	14
Puerperal septicemia—140,142a,145A,147	39	5	5	1	3	3	4	3	4	4	3	3	1
Puerperal toxemia—141a,c,144,148	47	2	4	5	4	3	3	2	2	6	4	6	8
Hemorrhage, trauma or shock*—141b,142b,143,146,149	45	4	-	6	2	6	3	7	4	1	2	6	4
Other puerperal causes—141d,e,f,145B,150	17	-	-	1	1	4	-	1	2	1	4	-	3
Congenital malformations—157	194	18	20	10	13	12	14	13	14	19	26	22	13
Diseases peculiar to first year of life—158-161	1,067	76	93	80	85	80	79	84	123	97	100	82	88
Premature birth—159	743	55	68	60	51	57	62	52	83	67	71	57	60
Other diseases peculiar to first year of life—158,160,161	324	21	25	20	34	23	17	32	40	30	29	25	28
Suicide—163,164	124	11	5	15	12	15	16	8	9	12	6	6	9
Homicide—165-168	246	22	12	22	19	23	21	19	32	21	21	23	11
Accidental deaths—169-195	1,422	123	106	131	107	101	110	117	128	117	119	131	132
Motor-vehicle accidents—170	627	53	51	52	43	31	43	52	47	62	59	56	78
Other accidents—169,171-195	795	70	55	79	64	70	67	65	81	55	60	75	54
Senility, ill-defined and unknown causes—162,199,200	851	100	85	65	72	67	54	64	59	61	70	62	92
All other causes—	897	93	65	81	85	71	62	84	63	69	77	76	71
SOUTH DAKOTA—All causes	5,508	505	444	507	485	501	419	423	431	411	450	435	497
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	3	3	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	1
Whooping cough—9	1	-	-	-	-	-	-	1	-	-	-	-	-
Diphtheria—10	6	1	-	1	1	-	-	-	-	-	-	1	2
Tuberculosis (all forms)—13-22	172	15	15	21	16	16	13	16	18	8	14	7	13
Tuberculosis of respiratory system, etc.*—13	156	13	14	20	16	13	12	15	16	8	14	5	10
Tuberculosis (other forms)—14-22	16	2	1	1	-	3	1	1	2	-	-	2	3
Dysentery—27	1	-	-	1	-	-	-	-	-	-	-	-	-
Malaria—28	1	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis—30	27	1	1	2	3	3	2	2	3	6	3	1	-
Measles—35	6	1	3	1	1	-	-	-	-	-	-	-	-
Poliomyelitis, poliocencephalitis (acute)—36	36	-	-	-	-	-	1	5	23	4	3	-	-
Cancer and other malignant tumors—45-55	718	58	65	76	65	61	56	51	59	57	59	46	65
Cancer of the digestive organs and peritoneum—46	340	29	29	32	27	31	28	26	24	26	33	21	34
Cancer of female genital organs—48,49	55	5	7	6	9	3	4	2	8	3	1	4	3
Cancer of the breast—50	70	6	5	13	4	6	6	8	4	2	8	3	5
Cancer (other sites)—45,47,51-55	253	18	24	25	25	21	18	15	23	26	17	18	23
Acute rheumatic fever—58	7	1	2	1	-	-	-	-	2	-	-	-	1
Diabetes mellitus—61	120	9	9	13	14	12	6	11	9	9	9	8	9
Exophthalmic goiter—63b	3	-	-	-	-	1	1	-	-	-	1	-	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	14	2	-	3	2	1	-	3	-	1	2	-	-
Intracranial lesions of vascular origin—83	543	50	46	43	36	56	36	56	44	33	41	52	50
Diseases of the heart—90-95	1,469	125	120	126	141	133	113	107	105	108	127	127	137
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	67	8	6	10	5	8	3	5	2	6	2	5	7
Diseases of coronary arteries and angina pectoris—94	558	56	41	50	51	57	42	30	44	33	51	53	50
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	844	61	73	66	85	68	68	72	59	69	74	69	80
Arteriosclerosis and high blood pressure*—97,102	150	13	13	17	13	18	14	5	12	13	13	7	12

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA—Continued													
Pneumonia (all forms) and influenza----107-109,33	254	39	35	26	21	20	11	9	11	13	8	27	34
Bronchopneumonia----107	94	11	15	7	10	6	5	4	3	6	-	13	14
Lobar pneumonia----108	87	15	10	12	4	8	2	2	4	3	6	11	10
Pneumonia (unspecified)----109	32	2	-	2	4	3	3	2	3	2	1	2	8
Influenza----33	41	11	10	5	3	3	1	1	1	2	1	1	2
Ulcer of stomach or duodenum----117	27	6	4	2	1	1	1	1	1	4	4	-	2
Diarrhea, enteritis, etc.*----119,120	30	2	1	2	3	5	-	1	2	5	3	2	4
Appendicitis----121	27	1	2	-	4	8	-	3	2	4	1	1	1
Hernia and intestinal obstruction----122	47	3	2	2	2	5	4	4	6	4	5	5	5
Cirrhosis of the liver----124	30	3	1	4	2	4	2	2	2	3	2	2	3
Biliary calculi, etc.*----126,127	33	2	2	4	3	1	3	4	2	3	4	4	1
Nephritis----130-132	260	24	16	29	23	23	25	19	24	22	20	14	21
Diseases of the prostate----137	43	3	2	8	7	3	2	3	2	1	4	2	6
Diseases of pregnancy, etc.*----140-150	15	-	1	1	2	2	3	1	3	-	1	-	1
Puerperal septicemia----140,142a,145A,147	7	-	1	-	2	-	3	-	1	-	-	-	-
Puerperal toxemia----141a,c,144,148	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhage, trauma or shock*----141b,142b,143,146,149	7	-	-	1	-	2	-	1	2	-	-	-	1
Other puerperal causes----141d,e,f,145B,150	1	-	-	-	-	-	-	-	-	-	1	-	-
Congenital malformations----157	65	7	5	3	7	4	4	6	3	6	9	5	6
Diseases peculiar to first year of life----158-161	250	24	15	17	22	19	18	20	21	19	30	26	19
Premature birth----159	147	12	7	9	14	13	10	14	16	10	18	15	9
Other diseases peculiar to first year of life----158,160,161	103	12	8	8	8	6	8	6	5	9	12	11	10
Suicide----163,164	69	11	3	5	6	7	4	7	5	6	6	4	5
Homicide----165-168	6	2	-	-	-	2	-	-	-	1	-	-	1
Accidental deaths----169-195	458	37	26	36	34	42	35	41	40	36	38	41	53
Motor-vehicle accidents----170	161	13	6	6	10	15	8	17	23	12	16	13	22
Other accidents----169,171-195	298	24	20	30	24	27	27	24	17	24	22	28	31
Senility, ill-defined and unknown causes----162,199,200	227	24	25	24	24	20	25	15	9	17	14	21	9
All other causes----	388	38	29	39	32	34	38	30	23	28	29	32	36
TENNESSEE----All causes	27,650	2,828	2,419	2,473	2,270	2,334	2,238	2,100	2,136	2,066	2,222	2,118	2,448
Typhoid and paratyphoid fever----1,2	20	-	2	-	-	3	2	5	3	-	3	-	2
Cerebrospinal (meningococcus) meningitis----6	53	14	7	4	2	2	3	5	3	2	4	2	5
Scarlet fever----8	3	1	1	-	-	-	-	-	-	-	-	1	-
Whooping cough----9	51	7	6	3	6	4	4	3	3	3	3	3	6
Diphtheria----10	25	3	1	2	1	-	1	-	2	5	6	1	3
Tuberculosis (all forms)----13-22	1,631	172	159	160	138	140	120	127	127	109	109	139	131
Tuberculosis of respiratory system, etc.*----13	1,500	159	149	148	127	127	108	114	116	103	99	130	120
Tuberculosis (other forms)----14-22	131	13	10	12	11	13	12	13	11	6	10	9	11
Dysentery----27	28	2	3	-	2	2	4	3	4	3	2	1	2
Malaria----28	17	1	2	1	1	-	2	5	3	1	-	-	1
Syphilis----30	256	27	15	28	17	25	22	19	20	17	28	23	25
Measles----35	42	2	4	11	9	9	3	1	1	-	-	1	1
Poliomyelitis, poliocencephalitis (acute)----36	18	2	-	1	1	1	-	1	4	2	4	-	2
Cancer and other malignant tumors----45-55	2,852	240	213	242	239	240	234	248	263	218	250	232	233
Cancer of the digestive organs and peritoneum----46	1,178	104	92	105	109	90	109	86	111	86	98	86	102
Cancer of female genital organs----48,49	442	42	35	32	33	35	41	47	48	28	36	34	31
Cancer of the breast----50	241	18	25	17	15	20	14	20	25	23	24	18	22
Cancer (other sites)----45,47,51-55	991	76	61	88	82	95	70	95	79	81	92	94	78
Acute rheumatic fever----58	32	4	2	5	2	2	2	-	3	1	3	4	4
Diabetes mellitus----61	394	33	45	36	35	26	26	26	42	30	37	23	35
Exophthalmic goiter----63b	44	3	5	3	3	9	6	5	1	2	1	1	5
Pellagra (except alcoholic)----69	60	6	5	4	6	7	6	4	7	6	4	1	4
Alcoholism (ethylism)----77	38	2	3	1	4	9	4	3	2	4	2	2	2
Intracranial lesions of vascular origin----83	2,782	288	229	271	227	259	230	214	196	206	223	192	247
Diseases of the heart----90-95	6,521	685	588	576	541	581	522	464	484	487	498	540	555
Chronic rheumatic diseases of the heart----90a,92b,c,93c,95b	495	51	47	44	44	40	37	32	36	32	38	48	46
Diseases of coronary arteries and angina pectoris----94	1,940	185	148	155	168	204	157	150	141	146	158	147	181
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	4,086	449	393	377	329	337	328	282	307	309	302	345	328
Arteriosclerosis and high blood pressure*----97,102	339	44	23	31	20	26	39	26	27	26	28	22	27
Pneumonia (all forms) and influenza----107-109,33	1,751	320	277	186	128	112	63	59	93	89	128	114	182
Bronchopneumonia----107	704	90	87	66	57	52	28	34	44	39	61	65	81
Lobar pneumonia----108	550	84	97	70	41	35	21	16	39	28	36	23	60
Pneumonia (unspecified)----109	119	21	16	7	9	11	5	4	3	10	11	8	14
Influenza----33	378	125	77	43	21	14	9	5	7	12	20	18	27
Ulcer of stomach or duodenum----117	162	24	16	11	14	7	11	14	9	13	14	12	17
Diarrhea, enteritis, etc.*----119,120	233	18	9	15	18	20	36	34	18	16	28	12	11
Appendicitis----121	116	6	9	9	14	11	9	11	10	7	11	8	11
Hernia and intestinal obstruction----122	195	24	9	13	14	18	22	16	23	18	13	10	15
Cirrhosis of the liver----124	152	9	12	9	18	13	10	10	9	14	17	15	16
Biliary calculi, etc.*----126,127	78	7	3	8	4	7	10	7	6	7	7	7	5
Nephritis----130-132	1,655	142	141	151	144	156	141	142	116	134	141	104	143
Diseases of the prostate----137	159	14	17	17	17	14	15	14	6	11	10	16	8
Diseases of pregnancy, etc.*----140-150	142	6	11	6	9	10	13	16	13	10	17	14	17
Puerperal septicemia----140,142a,145A,147	45	4	1	-	1	1	4	3	7	3	8	6	7
Puerperal toxemia----141a,c,144,148	46	1	4	4	2	5	3	8	3	4	5	1	6
Hemorrhage, trauma or shock*----141b,142b,143,146,149	35	1	3	2	4	4	4	1	3	3	4	5	1
Other puerperal causes----141d,e,f,145B,150	16	-	3	-	2	-	2	4	-	-	-	2	3
Congenital malformations----157	315	25	20	26	31	27	33	18	27	27	26	28	27
Diseases peculiar to first year of life----158-161	1,508	112	96	110	105	112	129	152	133	137	140	139	143
Premature birth----159	997	63	64	79	73	76	83	99	89	89	93	106	83
Other diseases peculiar to first year of life----158,160,161	511	49	32	31	32	36	46	53	44	48	47	33	60
Suicide----163,164	250	13	20	25	22	31	21	18	22	21	19	13	25
Homicide----165-168	389	31	24	25	34	35	42	37	40	26	20	35	40
Accidental deaths----169-195	1,919	179	133	158	155	146	174	168	170	166	147	153	170
Motor-vehicle accidents----170	676	57	35	58	60	58	47	54	57	56	59	64	71
Other accidents----169,171-195	1,243	122	98	100	95	88	127	114	113	110	88	89	99
Senility, ill-defined and unknown causes----162,199,200	1,762	217	187	171	142	130	142	100	103	129	150	122	169
All other causes----	1,648	145	122	154	149	140	135	125	143	119	129	128	159

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TEXAS—All causes	59,706	5,875	5,120	5,204	4,651	4,974	4,690	5,136	4,782	4,346	4,806	4,832	5,290
Typhoid and paratyphoid fever—1,2	48	5	4	4	4	7	3	5	5	4	1	2	4
Cerebrospinal (meningococcus) meningitis—6	58	10	4	8	9	7	3	2	1	2	3	5	4
Scarlet fever—8	7	-	-	1	-	2	1	1	1	-	1	-	-
Whooping cough—9	92	8	7	7	10	10	7	12	7	5	4	5	10
Diphtheria—10	108	16	11	10	-	5	11	4	7	5	8	16	13
Tuberculosis (all forms)—13-22	2,923	260	257	258	252	275	253	250	236	193	230	206	253
Tuberculosis of respiratory system, etc.*—13	2,721	252	238	243	229	245	236	230	221	184	215	192	236
Tuberculosis (other forms)—14-22	202	8	19	15	23	30	17	20	15	9	15	14	17
Dysentery—27	252	17	6	18	25	44	40	33	18	11	15	12	13
Malaria—28	63	4	2	4	4	8	6	6	9	6	6	6	2
Syphilis—30	640	73	56	53	45	51	47	57	61	55	50	38	54
Measles—35	86	1	4	17	21	20	16	-	4	1	1	1	-
Poliomyelitis, polioencephalitis (acute)—36	102	4	4	1	-	11	12	22	15	13	4	12	4
Cancer and other malignant tumors—45-55	6,424	540	466	552	504	527	515	553	567	506	559	561	574
Cancer of the digestive organs and peritoneum—46	2,457	220	183	195	204	196	195	222	232	199	202	201	208
Cancer of female genital organs—48,49	799	63	61	68	57	66	89	65	78	47	64	63	78
Cancer of the breast—50	523	36	34	51	39	56	32	52	34	39	47	56	47
Cancer (other sites)—45,47,51-55	2,645	221	188	238	204	209	199	214	223	221	246	241	241
Acute rheumatic fever—58	54	4	6	10	4	4	2	2	3	5	3	6	5
Diabetes mellitus—61	904	118	87	84	74	79	53	66	54	63	66	78	82
Exophthalmic goiter—63b	57	6	10	5	6	3	4	4	3	3	6	4	3
Pellagra (except alcoholic)—69	147	15	15	10	9	12	11	11	15	14	15	7	13
Alcoholism (ethylism)—77	86	8	10	6	5	2	1	7	11	7	10	10	9
Intracranial lesions of vascular origin—83	5,032	547	451	464	390	402	385	411	397	314	414	406	451
Diseases of the heart—90-95	14,039	1,414	1,246	1,248	1,120	1,119	1,069	1,190	1,066	1,004	1,122	1,173	1,288
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	524	48	61	52	47	36	41	41	40	21	42	55	40
Diseases of coronary arteries and angina pectoris—94	5,531	549	444	452	421	449	426	474	422	406	478	502	508
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	7,984	817	741	744	652	634	602	675	604	577	602	616	720
Arteriosclerosis and high blood pressure*—97,102	861	82	84	80	76	65	74	90	65	53	70	51	71
Pneumonia (all forms) and influenza—107-109,33	3,155	553	455	381	220	187	140	171	144	141	208	247	308
Bronchopneumonia—107	1,036	148	125	118	62	62	44	66	68	62	83	98	100
Lobar pneumonia—108	675	110	77	79	52	42	42	36	25	31	50	47	84
Pneumonia (unspecified)—109	862	114	100	103	78	66	39	62	44	38	56	72	90
Influenza—33	582	181	153	81	28	17	15	7	7	10	19	30	34
Ulcer of stomach or duodenum—117	257	22	23	28	19	21	14	28	22	20	21	17	22
Diarrhea, enteritis, etc.*—119,120	1,007	78	52	61	84	152	117	122	85	58	65	71	62
Appendicitis—121	248	26	25	18	16	25	23	26	27	19	16	12	15
Hernia and intestinal obstruction—122	519	49	38	39	36	44	48	57	44	43	41	41	39
Cirrhosis of the liver—124	406	39	30	25	26	36	27	36	30	42	41	42	32
Biliary calculi, etc.*—126,127	243	17	17	18	19	17	28	22	21	23	25	21	15
Nephritis—130-132	3,133	344	288	282	254	282	225	263	221	232	229	236	277
Diseases of the prostate—137	323	34	27	34	27	32	22	25	26	20	27	18	31
Diseases of pregnancy, etc.*—140-150	295	31	18	23	15	22	21	29	27	33	31	21	24
Puerperal septicemia—140,142a,145A,147	106	11	9	6	6	11	10	6	6	18	6	8	9
Puerperal toxemia—141a,c,144,148	76	6	3	7	5	2	4	10	7	8	8	8	8
Hemorrhage, trauma or shock*—141b,142b,143,146,149	78	13	3	8	3	5	6	6	10	4	11	4	5
Other puerperal causes—141d,e,f,145B,150	35	1	3	2	1	4	1	7	4	3	6	1	2
Congenital malformations—157	615	51	61	58	52	66	48	81	63	75	86	77	96
Diseases peculiar to first year of life—158-161	3,668	258	213	255	259	317	291	340	373	355	329	337	340
Premature birth—159	2,424	170	135	153	182	227	204	224	230	241	195	224	239
Other diseases peculiar to first year of life—158,160,161	1,244	89	78	102	77	90	87	116	143	114	134	113	101
Suicide—163,164	632	40	52	61	51	58	62	75	41	49	54	37	51
Homicide—165-168	805	50	52	63	48	67	75	79	78	74	83	72	64
Accidental deaths—169-195	5,169	460	413	416	384	411	432	455	467	402	391	442	476
Motor-vehicle accidents—170	1,821	149	130	147	134	134	131	137	200	131	132	181	195
Other accidents—169,171-195	3,348	331	283	269	250	277	301	318	267	271	239	261	281
Senility, ill-defined and unknown causes—162,199,200	2,720	285	246	252	228	201	207	218	222	173	220	213	257
All other causes	4,328	383	360	349	357	382	397	383	346	323	351	329	348
UTAH—All causes	4,785	446	439	425	417	426	355	369	373	331	399	363	442
Typhoid and paratyphoid fever—1,2	1	-	-	-	-	-	-	-	-	-	1	-	-
Cerebrospinal (meningococcus) meningitis—6	6	-	2	-	-	-	-	-	-	1	-	1	2
Scarlet fever—8	1	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough—9	6	1	1	1	-	-	1	-	-	1	-	-	1
Diphtheria—10	4	-	-	-	-	1	-	1	-	-	-	1	1
Tuberculosis (all forms)—13-22	83	8	4	6	11	6	5	10	7	3	5	6	12
Tuberculosis of respiratory system, etc.*—13	72	7	3	4	10	5	4	6	7	3	5	6	12
Tuberculosis (other forms)—14-22	11	1	1	2	1	1	1	4	-	-	-	-	-
Dysentery—27	4	-	-	-	-	1	-	2	-	1	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	30	4	1	3	3	3	4	1	-	1	3	5	2
Measles—35	5	-	-	2	1	-	1	1	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	8	-	-	-	-	-	1	-	3	2	1	2	-
Cancer and other malignant tumors—45-55	529	45	44	35	57	42	39	39	52	48	51	36	41
Cancer of the digestive organs and peritoneum—46	235	18	19	13	23	26	18	17	19	21	28	13	20
Cancer of female genital organs—48,49	62	6	6	6	6	3	3	4	6	8	4	6	4
Cancer of the breast—50	46	3	5	2	8	2	7	3	7	5	3	2	2
Cancer (other sites)—45,47,51-55	186	18	14	14	23	11	11	15	20	14	16	15	15
Acute rheumatic fever—58	4	1	-	-	-	1	-	2	-	-	-	-	-
Diabetes mellitus—61	119	16	6	9	12	17	7	7	6	11	9	12	7
Exophthalmic goiter—63b	12	1	1	1	-	1	2	2	-	-	1	2	1
Pellagra (except alcoholic)—69	2	-	-	-	-	1	-	-	-	-	-	-	1
Alcoholism (ethylism)—77	9	1	1	-	1	-	-	3	1	-	-	-	2
Intracranial lesions of vascular origin—83	338	36	43	38	26	37	20	24	22	18	17	24	35
Diseases of the heart—90-95	1,371	135	117	128	102	121	103	101	101	94	117	112	140
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	154	24	10	13	9	19	6	13	12	7	17	13	11
Diseases of coronary arteries and angina pectoris—94	487	43	39	40	30	42	33	42	32	44	48	43	51
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	730	68	68	75	63	60	64	46	57	43	52	56	78
Arteriosclerosis and high blood pressure*—97,102	79	7	14	9	5	6	8	7	2	10	3	3	5

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH—Continued													
Pneumonia (all forms) and influenza----107-109,33	223	31	38	27	21	15	15	7	7	9	17	12	24
Bronchopneumonia----107	99	10	14	13	8	8	10	5	3	3	9	4	11
Lobar pneumonia----108	72	8	10	6	10	5	3	2	2	5	6	8	8
Pneumonia (unspecified)----109	24	2	5	3	1	1	1	-	1	1	2	2	3
Influenza----33	28	10	9	5	2	-	1	-	1	-	-	-	-
Ulcer of stomach or duodenum----117	54	4	3	5	4	7	5	4	3	3	1	5	10
Diarrhea, enteritis, etc.*----119,120	28	2	2	2	-	-	3	4	2	1	4	3	3
Appendicitis----121	14	1	2	-	4	-	1	1	2	1	1	1	-
Hernia and intestinal obstruction----122	45	1	6	8	4	2	2	7	2	1	7	1	4
Cirrhosis of the liver----124	37	2	3	4	3	1	4	3	5	1	3	4	4
Biliary calculi, etc.*----126,127	22	1	5	-	3	3	-	3	1	-	5	1	-
Nephritis----130-132	218	24	21	17	16	22	21	17	13	12	21	16	18
Diseases of the prostate----137	29	3	3	4	1	4	2	4	1	-	1	3	3
Diseases of pregnancy, etc.*----140-150	25	-	3	1	2	2	1	4	3	2	2	1	4
Puerperal septicemia----140,142a,145A,147	10	-	1	1	1	-	1	1	1	-	2	1	1
Puerperal toxemia----141a,c,144,148	7	-	2	-	1	-	-	-	1	1	-	-	2
Hemorrhage, trauma or shock*----141b,142b,143,146,149	8	-	-	-	-	2	-	3	1	1	-	-	1
Other puerperal causes----141d,e,f,145B,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations----157	80	9	3	8	5	6	3	3	10	10	8	6	9
Diseases peculiar to first year of life----158-161	323	22	24	31	31	24	28	27	31	27	26	25	27
Premature birth----159	213	14	18	22	19	15	18	10	21	19	17	18	22
Other diseases peculiar to first year of life----158,160,161	110	8	6	9	12	9	10	17	10	8	9	7	5
Suicide----163,164	41	1	2	8	7	2	3	3	4	2	3	2	4
Homicide----165-168	14	-	3	-	1	3	-	-	2	4	-	1	-
Accidental deaths----169-195	511	49	41	33	46	45	37	45	50	35	44	40	46
Motor-vehicle accidents----170	185	17	24	8	18	18	9	15	16	11	17	14	18
Other accidents----169,171-195	326	32	17	25	28	27	28	30	34	24	27	26	28
Senility, ill-defined and unknown causes----162,199,200	199	23	21	21	22	20	13	19	11	9	14	12	14
All other causes----	312	18	25	23	29	33	26	18	32	26	34	26	22
VERMONT----All causes	4,140	418	346	381	354	395	304	304	280	305	351	298	404
Typhoid and paratyphoid fever----1,2	1	1	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis----6	3	-	1	-	-	-	-	-	1	-	1	-	-
Scarlet fever----8	2	1	-	-	-	-	-	-	-	-	-	-	1
Whooping cough----9	3	2	-	-	-	-	1	-	-	-	-	-	-
Diphtheria----10	2	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis (all forms)----13-22	129	7	9	10	15	14	12	10	11	10	16	6	9
Tuberculosis of respiratory system, etc.*----13	123	7	9	8	15	13	12	8	11	10	16	6	8
Tuberculosis (other forms)----14-22	6	-	-	2	-	1	-	2	-	-	-	-	1
Dysentery----27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----30	15	-	1	4	2	2	1	-	1	1	1	1	1
Measles----35	4	-	-	-	-	2	-	-	-	-	1	-	1
Poliomyelitis, polioencephalitis (acute)----36	5	-	-	-	-	-	-	-	1	2	1	-	1
Cancer and other malignant tumors----45-55	565	43	35	46	50	59	50	42	49	55	47	39	50
Cancer of the digestive organs and peritoneum----46	266	18	17	23	25	26	24	19	21	29	23	22	19
Cancer of female genital organs----48,49	78	3	4	8	8	9	7	6	6	7	7	5	8
Cancer of the breast----50	61	6	3	4	5	5	8	8	7	5	3	3	6
Cancer (other sites)----45,47,51-55	160	16	11	11	12	19	11	11	15	14	14	9	17
Acute rheumatic fever----58	1	-	-	1	-	-	-	-	-	-	-	-	-
Diabetes mellitus----61	109	13	13	12	8	7	9	10	7	7	11	5	7
Exophthalmic goiter----63b	7	-	-	-	1	1	-	1	1	-	2	-	1
Pellagra (except alcoholic)----69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)----77	8	-	-	-	-	-	1	1	1	1	-	4	-
Intracranial lesions of vascular origin----83	411	42	36	34	36	41	31	23	29	26	34	28	51
Diseases of the heart----90-95	1,390	159	134	135	107	131	105	95	83	93	117	99	132
Chronic rheumatic diseases of the heart----90a,92b,c,93c,95b	82	10	10	4	3	11	5	5	5	8	11	3	9
Diseases of coronary arteries and angina pectoris----94	449	41	39	45	33	50	34	33	32	21	41	37	44
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	859	108	85	86	72	70	66	57	46	66	65	59	79
Arteriosclerosis and high blood pressure*----97,102	128	14	11	10	13	12	14	5	8	13	8	8	12
Pneumonia (all forms) and influenza----107-109,33	200	42	23	26	14	16	9	7	4	9	11	12	27
Bronchopneumonia----107	82	21	3	8	9	9	3	3	3	4	3	5	11
Lobar pneumonia----108	69	10	9	9	4	3	5	4	1	3	4	6	11
Pneumonia (unspecified)----109	13	1	-	2	-	2	1	-	-	2	2	1	2
Influenza----33	36	10	11	7	1	2	-	-	-	-	2	-	3
Ulcer of stomach or duodenum----117	16	-	3	1	1	2	-	2	-	2	3	-	2
Diarrhea, enteritis, etc.*----119,120	12	1	-	2	2	4	1	-	-	-	-	1	1
Appendicitis----121	20	5	1	1	-	1	4	1	2	-	2	2	1
Hernia and intestinal obstruction----122	36	4	3	1	3	6	2	3	1	4	3	3	3
Cirrhosis of the liver----124	22	1	2	2	3	1	1	3	2	1	3	1	2
Biliary calculi, etc.*----126,127	18	1	1	-	3	1	1	5	2	-	-	2	2
Nephritis----130-132	183	22	17	28	16	14	10	14	12	6	13	10	21
Diseases of the prostate----137	24	5	2	1	1	2	2	4	2	1	-	1	3
Diseases of pregnancy, etc.*----140-150	12	-	1	-	-	2	1	1	1	1	3	1	1
Puerperal septicemia----140,142a,145A,147	3	-	-	-	-	1	1	-	-	-	-	1	-
Puerperal toxemia----141a,c,144,148	2	-	-	-	-	1	-	-	-	-	1	-	-
Hemorrhage, trauma or shock*----141b,142b,143,146,149	6	-	1	-	-	-	-	1	1	1	2	-	-
Other puerperal causes----141d,e,f,145B,150	1	-	-	-	-	-	-	-	-	-	-	-	1
Congenital malformations----157	58	3	7	5	6	2	2	4	5	3	11	6	4
Diseases peculiar to first year of life----158-161	159	7	9	11	10	14	8	17	13	21	11	15	23
Premature birth----159	112	5	7	10	9	9	6	12	6	14	9	10	15
Other diseases peculiar to first year of life----158,160,161	47	2	2	1	1	5	2	5	7	7	2	5	8
Suicide----163,164	45	3	2	4	6	3	3	12	1	3	2	6	-
Homicide----165-168	6	1	-	1	1	-	1	-	1	-	1	-	-
Accidental deaths----169-195	271	18	19	26	25	30	20	18	28	20	22	25	20
Motor-vehicle accidents----170	88	7	4	8	7	11	8	5	7	8	8	9	6
Other accidents----169,171-195	183	11	15	18	18	19	12	13	21	12	14	16	14
Senility, ill-defined and unknown causes----162,199,200	53	2	1	9	5	8	1	9	2	6	3	1	6
All other causes----	222	20	15	11	26	20	14	17	12	19	24	22	22

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA---All causes	28.154	2,957	2,513	2,463	2,303	2,293	2,143	2,173	2,082	2,263	2,262	2,139	2,563
Typhoid and paratyphoid fever---1,2	6	1	-	-	-	1	3	-	-	-	-	-	1
Cerebrospinal (meningococcus) meningitis---6	41	11	5	5	4	2	1	3	3	3	1	1	2
Scarlet fever---8	13	2	-	3	-	1	-	-	1	1	1	1	3
Whooping cough---9	57	10	6	2	5	3	4	6	6	1	5	3	6
Diphtheria---10	43	7	6	1	-	6	1	5	1	6	3	5	2
Tuberculosis (all forms)---13-22	1,300	113	127	131	107	104	95	104	118	112	95	91	103
Tuberculosis of respiratory system, etc.*---13	1,174	107	113	118	91	94	86	91	109	99	87	84	95
Tuberculosis (other forms)---14-22	126	6	14	13	16	10	9	13	9	13	8	7	8
Dysentery---27	28	-	1	3	1	4	1	1	5	2	2	5	3
Malaria---28	3	-	-	1	1	1	-	-	-	-	-	-	-
Syphilis---30	337	40	28	30	31	29	20	32	24	22	29	19	33
Measles---35	39	1	4	6	7	10	9	2	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)---36	14	-	2	1	-	-	-	-	3	-	5	2	1
Cancer and other malignant tumors---45-55	2,768	260	218	230	229	256	209	224	213	262	229	193	245
Cancer of the digestive organs and peritoneum---46	1,119	117	78	95	88	107	87	94	80	113	89	74	97
Cancer of female genital organs---48,49	402	35	32	31	27	37	27	35	27	39	44	33	35
Cancer of the breast---50	268	16	24	21	23	28	20	28	16	25	22	24	21
Cancer (other sites)---45,47,51-55	979	92	84	83	91	84	75	67	90	85	74	82	92
Acute rheumatic fever---58	32	2	4	3	5	3	2	2	-	3	2	5	1
Diabetes mellitus---61	541	64	49	54	53	47	33	34	33	52	35	43	44
Exophthalmic goiter---63b	50	7	1	6	4	4	5	4	6	2	1	5	5
Pellagra (except alcoholic)---69	25	2	4	2	1	1	5	2	3	1	2	1	1
Alcoholism (ethylism)---77	91	11	2	6	5	8	2	11	10	7	10	5	13
Intracranial lesions of vascular origin---83	2,869	295	255	240	244	246	214	222	229	239	207	224	254
Diseases of the heart---90-95	7,437	750	691	684	614	599	580	543	534	573	627	558	684
Chronic rheumatic diseases of the heart---90a,92b,c,93c,95b	396	39	38	40	35	29	18	31	27	34	40	28	37
Diseases of coronary arteries and angina pectoris---94	2,202	178	178	181	185	189	180	171	173	181	191	173	222
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	4,839	533	475	463	394	381	382	341	334	358	396	357	425
Arteriosclerosis and high blood pressure*---97,102	425	48	41	39	30	33	44	22	20	41	42	30	35
Pneumonia (all forms) and influenza---107-109,33	1,484	305	204	144	117	84	59	48	54	72	97	121	179
Bronchopneumonia---107	557	92	74	49	44	26	25	27	19	36	42	50	73
Lobar pneumonia---108	352	64	46	39	27	30	12	9	16	18	25	28	38
Pneumonia (unspecified)---109	297	50	33	29	26	13	18	9	16	14	21	26	42
Influenza---33	278	99	51	27	20	15	4	3	3	4	9	17	26
Ulcer of stomach or duodenum---117	149	17	10	11	12	5	14	19	7	15	20	5	14
Diarrhea, enteritis, etc.*---119,120	228	14	21	17	16	10	23	27	31	20	22	14	13
Appendicitis---121	85	6	11	7	5	7	8	13	11	4	5	4	4
Hernia and intestinal obstruction---122	201	18	11	20	15	14	24	22	15	12	22	12	16
Cirrhosis of the liver---124	166	13	20	10	16	16	12	18	9	16	10	10	16
Biliary calculi, etc.*---126,127	90	5	7	9	5	5	10	7	8	12	8	7	7
Nephritis---130-132	2,070	223	199	174	182	170	162	145	161	158	161	145	190
Diseases of the prostate---137	141	13	18	8	12	12	12	10	8	10	20	9	9
Diseases of pregnancy, etc.*---140-150	124	17	13	11	8	6	10	12	8	9	7	11	12
Puerperal septicemia---140,142a,145A,147	39	6	5	2	5	-	4	4	2	2	2	1	6
Puerperal toxemia---141a,c,144,148	36	5	2	3	2	2	3	3	3	3	-	6	4
Hemorrhage, trauma or shock*---141b,142b,143,146,149	37	3	4	5	1	2	3	3	2	4	4	4	2
Other puerperal causes---141d,e,f,145B,150	12	3	2	1	-	2	-	2	1	-	1	-	-
Congenital malformations---157	364	28	21	29	24	33	26	32	33	29	36	38	33
Diseases peculiar to first year of life---158-161	1,618	124	98	129	107	156	140	134	128	167	141	134	160
Premature birth---159	1,039	77	61	82	74	102	88	93	82	114	94	84	88
Other diseases peculiar to first year of life---158,160,161	579	47	37	47	33	54	52	41	46	53	47	50	72
Suicide---163,164	337	27	25	28	31	32	19	39	17	34	30	32	23
Homicide---165-166	336	30	26	34	23	28	21	30	32	31	21	28	32
Accidental deaths---169-195	2,225	221	166	177	185	172	188	216	183	167	167	181	202
Motor-vehicle accidents---170	809	79	62	56	61	45	66	75	71	72	77	68	77
Other accidents---169,171-195	1,416	142	104	121	124	127	122	141	112	95	90	113	125
Senility, ill-defined and unknown causes---162,199,200	675	100	72	58	47	43	46	51	40	48	49	57	64
All other causes---	1,742	172	147	150	156	142	141	133	128	132	148	140	153
WASHINGTON---All causes	22,011	2,028	1,845	1,989	1,922	1,832	1,755	1,754	1,713	1,602	1,856	1,843	1,874
Typhoid and paratyphoid fever---1,2	4	1	-	-	-	-	-	-	-	-	1	2	-
Cerebrospinal (meningococcus) meningitis---6	19	2	1	4	3	5	1	-	-	-	1	1	1
Scarlet fever---8	1	-	1	-	-	-	-	-	-	-	-	-	-
Whooping cough---9	15	1	2	1	2	1	1	2	2	2	1	-	-
Diphtheria---10	25	3	2	3	-	2	1	2	-	5	2	2	3
Tuberculosis (all forms)---13-22	738	70	65	72	64	54	78	61	61	36	61	71	45
Tuberculosis of respiratory system, etc.*---13	679	67	60	66	57	51	68	55	58	32	54	67	44
Tuberculosis (other forms)---14-22	59	3	5	6	7	3	10	6	3	4	7	4	1
Dysentery---27	5	-	-	-	-	1	1	1	-	2	-	-	-
Malaria---28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis---30	186	21	16	19	16	15	12	16	13	16	10	15	17
Measles---35	21	2	3	4	3	5	4	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)---36	34	-	2	-	-	1	2	1	5	9	11	1	2
Cancer and other malignant tumors---45-55	2,808	208	215	215	245	237	239	262	250	212	236	261	228
Cancer of the digestive organs and peritoneum---46	1,229	99	91	90	96	106	106	119	109	103	99	116	95
Cancer of female genital organs---48,49	321	22	30	22	32	32	32	27	21	22	26	33	22
Cancer of the breast---50	268	19	18	19	29	21	16	31	28	19	21	24	23
Cancer (other sites)---45,47,51-55	990	68	76	84	88	78	85	85	92	68	90	88	88
Acute rheumatic fever---58	16	3	1	1	1	1	3	2	2	1	-	-	1
Diabetes mellitus---61	482	48	45	37	44	38	39	32	36	30	49	40	44
Exophthalmic goiter---63b	43	3	2	2	3	8	4	4	3	4	6	2	2
Pellagra (except alcoholic)---69	2	-	-	-	1	1	-	-	-	-	-	-	-
Alcoholism (ethylism)---77	85	9	5	12	8	4	8	8	7	4	7	8	5
Intracranial lesions of vascular origin---83	1,958	203	168	177	182	145	163	134	160	147	151	157	171
Diseases of the heart---90-95	7,104	669	591	667	624	617	550	533	522	540	584	571	636
Chronic rheumatic diseases of the heart---90a,92b,c,93c,95b	383	42	38	31	39	35	29	31	22	24	28	27	37
Diseases of coronary arteries and angina pectoris---94	2,875	252	225	269	220	250	233	218	221	223	245	255	284
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	3,846	375	328	367	365	332	288	284	279	293	311	289	335
Arteriosclerosis and high blood pressure*---97,102	379	46	32	46	25	37	32	26	18	25	35	32	25

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON—Continued													
Pneumonia (all forms) and influenza----107-109,33	876	109	115	96	84	62	42	52	31	47	73	81	84
Bronchopneumonia----107	455	38	54	52	42	33	26	34	18	24	42	43	49
Lobar pneumonia----108	272	37	30	27	25	24	10	16	9	18	26	29	21
Pneumonia (unspecified)----109	71	11	13	6	7	4	4	1	2	4	3	5	11
Influenza----33	78	23	18	11	10	1	2	1	2	1	2	4	3
Ulcer of stomach or duodenum----117	158	15	15	15	15	13	9	12	17	13	7	12	15
Diarrhea, enteritis, etc.*----119,120	76	5	4	7	6	10	5	5	13	7	8	5	3
Appendicitis----121	69	3	8	9	7	6	8	7	10	4	3	1	5
Hernia and intestinal obstruction----122	147	12	11	12	17	13	11	14	13	9	7	15	13
Cirrhosis of the liver----124	171	10	12	14	19	24	9	23	19	10	11	9	11
Biliary calculi, etc.*----126,127	117	12	11	10	7	8	10	13	6	5	13	6	16
Nephritis----130-132	972	84	82	87	73	85	68	65	74	76	92	96	90
Diseases of the prostate----137	120	4	8	11	19	8	12	10	11	11	7	11	8
Diseases of pregnancy, etc.*----140-150	62	3	4	6	3	7	7	7	6	9	5	1	4
Puerperal septicemia----140,142a,145A,147	16	1	2	4	2	1	2	1	-	1	2	-	-
Puerperal toxemia----141a,c,144,148	12	1	-	2	-	1	4	-	1	2	-	-	1
Hemorrhage, trauma or shock*----141b,142b,143,146,149	26	1	2	-	1	4	1	5	3	4	1	1	3
Other puerperal causes----141d,e,f,145B,150	8	-	-	-	-	1	-	1	2	2	2	-	-
Congenital malformations----157	261	24	17	14	30	17	17	18	21	20	30	22	31
Diseases peculiar to first year of life----158-161	1,053	83	91	68	78	89	90	97	90	78	108	87	94
Premature birth----159	665	53	58	40	47	62	67	60	51	44	73	44	66
Other diseases peculiar to first year of life----158,160,161	388	30	33	28	31	27	23	37	39	34	35	43	28
Suicide----163,164	353	28	31	33	34	30	37	32	19	20	25	30	34
Homicide----165-168	81	7	5	9	6	5	6	8	8	5	5	9	8
Accidental deaths----169-195	1,922	169	145	160	152	151	159	178	174	148	173	163	150
Motor-vehicle accidents----170	633	76	42	53	44	43	46	46	63	48	66	52	54
Other accidents----169,171-195	1,289	93	103	107	108	108	113	132	111	100	107	111	96
Senility, ill-defined and unknown causes----162,199,200	392	53	24	41	43	32	29	27	22	22	35	29	35
All other causes----	1,256	116	113	137	108	100	98	102	100	85	101	103	93
WEST VIRGINIA----All causes	16,238	1,648	1,420	1,393	1,316	1,374	1,238	1,239	1,232	1,280	1,285	1,318	1,495
Typhoid and paratyphoid fever----1,2	10	1	-	-	-	-	3	2	-	1	2	-	1
Cerebrospinal (meningococcus) meningitis----6	21	3	2	3	2	-	-	2	1	3	2	-	3
Scarlet fever----8	9	2	1	1	-	-	2	2	-	1	-	-	-
Whooping cough----9	33	1	2	1	3	3	6	2	3	5	2	1	4
Diphtheria----10	21	7	3	1	-	2	-	1	-	-	2	2	3
Tuberculosis (all forms)----13-22	718	73	69	51	78	62	84	54	48	55	54	56	53
Tuberculosis of respiratory system, etc.*----13	650	68	64	49	72	57	57	48	38	50	47	49	51
Tuberculosis (other forms)----14-22	68	5	5	2	7	5	7	6	10	5	7	7	2
Dysentery----27	29	1	1	2	2	6	2	2	4	6	2	-	1
Malaria----29	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----30	195	19	17	17	17	19	21	13	11	9	14	20	18
Measles----35	11	2	-	1	1	1	2	-	-	-	1	2	1
Poliomyelitis, polioencephalitis (acute)----36	7	-	1	-	-	-	-	1	1	2	-	1	1
Cancer and other malignant tumors----45-55	1,701	151	134	136	134	154	145	137	154	148	141	124	143
Cancer of the digestive organs and peritoneum----46	698	67	60	54	46	62	68	59	60	58	57	55	52
Cancer of female genital organs----48,49	274	24	16	27	25	30	22	18	23	23	27	22	17
Cancer of the breast----50	157	8	10	9	16	14	13	10	19	16	14	17	11
Cancer (other sites)----45,47,51-55	572	52	48	46	47	48	42	50	52	51	43	30	63
Acute rheumatic fever----58	19	-	2	1	2	2	3	2	2	1	3	-	1
Diabetes mellitus----61	306	29	23	25	31	28	32	24	17	21	25	20	31
Exophthalmic goiter----63b	38	2	6	1	3	4	3	4	4	2	1	4	4
Pellagra (except alcoholic)----69	1	-	-	1	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)----77	42	2	5	4	4	3	2	6	3	6	-	6	1
Intracranial lesions of vascular origin----83	1,484	163	141	133	118	128	91	110	104	106	133	121	136
Diseases of the heart----90-95	4,013	416	363	360	326	366	294	305	289	306	285	330	373
Chronic rheumatic diseases of the heart----90a,92b,c,93c,95b	265	22	22	30	20	26	16	25	17	23	18	22	24
Diseases of coronary arteries and angina pectoris----94	1,265	131	115	111	112	118	101	90	81	98	86	100	124
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	2,483	263	226	219	194	222	177	190	191	187	181	208	225
Arteriosclerosis and high blood pressure*----97,102	254	26	26	27	23	20	10	23	17	14	25	24	19
Pneumonia (all forms) and influenza----107-109,33	923	171	121	82	77	60	40	26	41	41	63	82	119
Bronchopneumonia----107	409	58	53	34	36	21	21	9	19	25	33	43	57
Lobar pneumonia----108	282	56	33	25	26	20	14	15	12	10	14	25	32
Pneumonia (unspecified)----109	74	9	7	7	11	7	1	1	5	1	6	11	8
Influenza----33	158	48	28	16	4	12	4	1	5	5	10	3	22
Ulcer of stomach or duodenum----117	64	4	4	6	3	2	3	6	6	7	5	8	10
Diarrhea, enteritis, etc.*----119,120	121	10	17	4	8	4	10	17	12	15	9	8	7
Appendicitis----121	66	5	4	8	4	8	5	6	5	5	2	7	7
Hernia and intestinal obstruction----122	119	11	15	8	9	12	8	5	10	7	13	11	10
Cirrhosis of the liver----124	114	9	8	9	5	12	11	7	11	8	11	13	10
Biliary calculi, etc.*----126,127	50	5	5	6	2	8	1	5	4	4	4	3	3
Nephritis----130-132	922	90	68	92	75	89	81	75	53	66	73	72	88
Diseases of the prostate----137	83	2	11	2	7	10	5	10	6	12	3	6	9
Diseases of pregnancy, etc.*----140-150	73	7	7	6	6	9	11	4	4	4	2	6	7
Puerperal septicemia----140,142a,145A,147	20	2	1	3	2	-	3	1	1	1	1	3	2
Puerperal toxemia----141a,c,144,148	13	1	2	-	-	1	4	1	2	1	-	-	1
Hemorrhage, trauma or shock*----141b,142b,143,146,149	29	4	4	-	4	6	2	2	1	1	1	2	2
Other puerperal causes----141d,e,f,145B,150	11	-	-	3	-	2	2	-	-	1	-	1	2
Congenital malformations----157	269	21	17	20	35	22	13	28	21	20	25	17	30
Diseases peculiar to first year of life----158-161	1,081	69	70	83	87	105	92	86	101	99	90	105	74
Premature birth----159	698	44	42	50	62	81	67	61	63	65	51	66	46
Other diseases peculiar to first year of life----158,160,161	363	25	28	33	25	24	25	25	38	34	39	39	28
Suicide----163,164	177	8	8	22	21	14	16	19	15	14	17	8	15
Homicide----165-168	134	5	4	13	16	8	14	15	13	17	4	12	13
Accidental deaths----169-195	1,550	163	127	123	94	94	121	137	131	146	135	132	147
Motor-vehicle accidents----170	406	25	30	31	35	17	31	34	34	52	35	39	43
Other accidents----169,171-195	1,144	138	97	92	59	77	90	103	97	94	100	93	104
Senility, ill-defined and unknown causes----162,199,200	622	80	48	53	41	41	52	36	46	54	55	53	63
All other causes----	978	90	90	91	81	78	75	67	95	75	82	64	90

*Refer to International List for complete title, table V, Part I.

793002 O - 48 - 17

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WISCONSIN—All causes	32,345	3,163	2,656	2,907	2,719	2,920	2,496	2,454	2,354	2,486	2,690	2,546	2,954
Typhoid and paratyphoid fever—1,2	3	-	-	-	1	1	-	-	-	-	1	-	-
Cerebrospinal (meningococcus) meningitis—6	23	4	2	2	2	3	-	3	1	-	2	1	3
Scarlet fever—8	6	-	2	-	-	-	-	-	1	2	-	-	1
Whooping cough—9	25	1	2	1	1	2	1	1	1	4	2	6	3
Diphtheria—10	20	3	4	-	3	2	1	2	1	3	-	-	1
Tuberculosis (all forms)—13-22	648	58	61	61	54	65	44	43	58	47	50	47	62
Tuberculosis of respiratory system, etc.*—13	589	54	58	53	51	63	39	36	49	44	45	40	57
Tuberculosis (other forms)—14-22	59	4	3	8	3	2	5	7	7	3	5	7	5
Dysentery—27	6	-	-	2	1	-	-	-	2	1	-	-	-
Malaria—28	1	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	172	15	15	17	20	18	8	8	8	11	15	16	21
Measles—35	21	-	-	6	7	4	3	1	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	88	1	-	-	1	1	1	4	33	30	7	8	2
Cancer and other malignant tumors—45-55	4,836	430	332	408	388	461	366	402	430	383	439	387	410
Cancer of the digestive organs and peritoneum—46	2,370	214	161	200	162	229	175	198	215	204	209	189	194
Cancer of female genital organs—48,49	515	49	30	41	35	55	48	48	36	44	57	34	38
Cancer of the breast—50	474	41	30	41	42	39	37	35	48	29	43	40	49
Cancer (other sites)—45,47,51-55	1,477	126	111	126	129	138	106	121	131	106	130	124	129
Acute rheumatic fever—58	24	3	1	3	1	2	1	3	3	1	1	3	2
Diabetes mellitus—61	1,021	100	75	91	110	96	94	84	53	68	83	78	89
Exophthalmic goiter—63b	111	11	11	10	10	16	11	5	6	11	6	12	2
Pellagra (except alcoholic)—69	1	-	-	-	-	-	-	-	-	-	-	1	-
Alcoholism (ethylism)—77	34	5	3	3	3	3	1	4	1	1	5	4	1
Intracranial lesions of vascular origin—83	3,208	325	268	278	271	309	237	218	249	215	255	270	313
Diseases of the heart—90-95	10,485	1,042	904	971	906	927	817	800	702	817	868	782	949
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	624	63	58	59	50	55	46	41	51	63	38	48	52
Diseases of coronary arteries and angina pectoris—94	3,119	280	245	272	246	285	273	261	214	247	280	256	300
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	6,742	719	601	640	610	607	498	498	437	507	550	478	597
Arteriosclerosis and high blood pressure*—97,102	555	78	51	48	58	42	52	27	20	36	55	45	43
Pneumonia (all forms) and influenza—107-109,33	1,285	223	164	168	104	101	69	51	32	63	83	81	146
Bronchopneumonia—107	644	86	86	87	54	53	29	34	21	32	40	40	78
Lobar pneumonia—108	386	58	32	47	41	35	28	11	6	23	31	27	47
Pneumonia (unspecified)—109	75	4	7	11	5	6	7	5	3	5	5	10	7
Influenza—33	180	73	37	23	4	7	5	1	2	3	7	4	14
Ulcer of stomach or duodenum—117	177	20	13	13	12	22	14	12	11	13	11	14	22
Diarrhea, enteritis, etc.*—119,120	115	7	9	9	8	12	10	11	7	8	8	13	13
Appendicitis—121	123	14	9	13	11	12	12	15	5	6	10	6	10
Hernia and intestinal obstruction—122	258	28	12	24	28	30	23	24	13	19	17	24	16
Cirrhosis of the liver—124	306	38	27	26	17	27	20	24	12	32	30	29	24
Biliary calculi, etc.*—126,127	196	19	13	17	19	20	18	13	17	19	18	10	13
Nephritis—130-132	1,643	173	133	132	139	146	149	118	120	116	125	135	157
Diseases of the prostate—137	251	24	20	19	24	23	26	27	21	12	20	20	15
Diseases of pregnancy, etc.*—140-150	108	6	9	10	4	3	11	17	7	12	14	6	9
Puerperal septicemia—140,142a,145A,147	44	3	3	3	1	2	7	2	3	8	4	4	4
Puerperal toxemia—141a,c,144,148	19	1	1	4	1	-	1	3	2	1	3	-	2
Hemorrhage, trauma or shock*—141b,142b,143,146,149	39	2	4	3	2	1	3	10	1	3	6	2	2
Other puerperal causes—141d,e,f,145B,150	6	-	1	-	-	-	-	2	1	-	1	-	1
Congenital malformations—157	457	31	41	30	30	39	30	22	40	49	56	43	46
Diseases peculiar to first year of life—158-161	1,290	72	103	101	99	111	100	100	114	116	117	119	138
Premature birth—159	799	41	60	63	58	73	64	69	71	68	74	75	83
Other diseases peculiar to first year of life—158,160,161	491	31	43	38	41	38	36	31	43	48	43	44	55
Suicide—163,164	419	38	26	41	27	44	40	32	33	35	39	35	29
Homicide—165-168	30	1	3	3	4	1	-	6	1	5	4	-	2
Accidental deaths—169-195	2,254	184	160	184	178	209	159	194	191	200	184	189	224
Motor-vehicle accidents—170	740	52	54	62	58	64	44	50	67	79	58	67	87
Other accidents—169,171-195	1,514	132	106	122	120	145	115	144	124	121	126	122	137
Senility, ill-defined and unknown causes—162,199,200	406	45	35	34	39	33	28	32	29	31	22	40	38
All other causes	1,759	163	148	182	141	135	150	151	134	120	143	122	150
WYOMING—All causes	2,135	202	154	143	190	178	186	151	161	186	203	194	187
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	3	1	-	1	-	-	-	-	-	1	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	2	-	-	-	-	-	-	1	-	1	-	-	-
Diphtheria—10	3	-	1	-	-	-	-	-	-	-	1	-	1
Tuberculosis (all forms)—13-22	28	1	2	3	4	1	6	2	-	2	1	3	3
Tuberculosis of respiratory system, etc.*—13	24	1	2	3	4	-	4	2	-	2	1	3	2
Tuberculosis (other forms)—14-22	4	-	-	-	-	1	2	-	-	-	-	-	1
Dysentery—27	2	-	-	-	-	2	-	-	-	-	-	-	-
Malaria—28	1	-	-	-	1	-	-	-	-	-	-	-	-
Syphilis—30	23	2	2	2	3	3	2	3	-	1	3	2	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	7	-	-	-	-	-	-	-	4	2	1	-	-
Cancer and other malignant tumors—45-55	228	25	14	18	22	21	26	10	13	16	22	25	16
Cancer of the digestive organs and peritoneum—46	113	12	10	11	11	9	9	6	7	5	10	12	11
Cancer of female genital organs—48,49	13	5	-	-	-	-	1	-	-	2	2	2	1
Cancer of the breast—50	20	2	2	1	2	2	3	-	1	1	3	3	-
Cancer (other sites)—45,47,51-55	82	6	2	6	9	10	13	4	5	8	7	8	4
Acute rheumatic fever—58	3	-	-	-	-	1	-	2	-	-	-	-	-
Diabetes mellitus—61	32	5	3	1	-	2	-	1	5	6	5	2	2
Exophthalmic goiter—63b	4	-	-	-	-	1	-	1	-	2	-	-	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	9	-	-	-	-	2	1	1	-	3	1	-	1
Intracranial lesions of vascular origin—83	180	21	12	15	16	18	14	7	12	17	18	14	16
Diseases of the heart—90-95	587	59	37	45	50	46	54	44	44	46	46	57	69
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	42	5	4	1	2	3	3	2	4	4	4	4	6
Diseases of coronary arteries and angina pectoris—94	215	21	13	13	12	20	20	13	12	18	18	21	32
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	342	33	20	31	36	23	31	29	28	24	24	32	31
Arteriosclerosis and high blood pressure*—97,102	27	5	2	4	2	2	3	-	-	1	4	1	3

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING—Continued													
Pneumonia (all forms) and influenza----------107-109,33	101	12	12	10	9	9	5	6	7	3	12	7	9
Bronchopneumonia----------107	43	3	3	6	6	4	2	4	3	2	5	2	3
Lobar pneumonia----------108	28	6	3	4	1	2	1	-	2	-	6	2	1
Pneumonia (unspecified)----------109	14	-	2	-	1	1	1	1	1	-	-	3	4
Influenza----------33	16	3	4	-	1	2	1	1	1	1	1	-	1
Ulcer of stomach or duodenum----------117	17	1	2	2	1	3	-	-	2	1	1	4	-
Diarrhea, enteritis, etc.*----------119,120	15	-	-	1	1	1	1	1	3	4	1	2	-
Appendicitis----------121	18	-	1	-	1	1	1	2	2	4	4	-	2
Hernia and intestinal obstruction----------122	26	2	2	1	1	7	-	1	3	3	3	2	1
Cirrhosis of the liver----------124	16	3	-	1	2	2	-	-	4	1	1	1	1
Biliary calculi, etc.*----------126,127	13	-	2	-	3	3	-	1	-	2	1	-	1
Nephritis----------130-132	130	13	16	6	14	13	7	7	7	9	10	15	13
Diseases of the prostate----------137	5	-	-	-	1	1	-	1	1	-	-	1	-
Diseases of pregnancy, etc.*----------140-150	10	-	2	1	1	-	-	-	1	1	1	1	2
Puerperal septicemia----------140,142a,145A,147	4	-	-	1	-	-	-	-	-	-	1	1	1
Puerperal toxemia----------141a,c,144,148	2	-	-	-	1	-	-	-	-	-	-	-	1
Hemorrhage, trauma or shock*----------141b,142b,143,146,149	4	-	2	-	-	-	-	-	1	1	-	-	-
Other puerperal causes----------141d,e,f,145B,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations----------157	28	2	-	1	3	1	3	3	3	5	2	4	1
Diseases peculiar to first year of life----------158-161	115	10	8	3	10	4	9	17	10	11	15	6	12
Premature birth----------159	74	5	4	1	6	2	6	10	7	9	7	6	11
Other diseases peculiar to first year of life------158,160,161	41	5	4	2	4	2	3	7	3	2	8	-	1
Suicide----------163,164	44	3	1	1	6	3	6	1	4	3	4	5	7
Homicide----------165-169	10	2	1	1	-	-	1	2	1	1	-	1	-
Accidental deaths----------169-195	254	19	19	15	22	10	28	26	22	24	26	26	17
Motor-vehicle accidents----------170	105	6	6	8	10	3	11	14	11	12	11	9	4
Other accidents----------169,171-195	149	13	13	7	12	7	17	12	11	12	15	17	13
Senility, ill-defined and unknown causes----------162,199,200	52	4	4	2	1	6	6	4	5	3	8	4	5
All other causes----------	132	12	11	9	16	15	13	7	8	13	12	11	5

*Refer to International List for complete title. table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	UNITED STATES											
	All causes	1,395,617	111,063	8,321	4,756	3,794	2,808	130,742	8,501	8,447	15,012	22,717
	White—M	697,323	53,704	3,524	2,160	1,788	1,306	62,482	4,769	4,274	7,428	10,731
	F	535,014	38,806	3,095	1,671	1,377	989	45,958	3,179	2,549	4,248	6,379
	Nonwhite—M	88,366	10,244	936	497	328	294	12,299	868	914	1,665	2,824
	F	74,914	8,309	766	428	301	219	10,023	685	710	1,671	2,783
1,2	Typhoid and paratyphoid fever	407	9	5	5	4	3	28	8	23	34	32
	White—M	178	2	1	3	-	1	7	2	8	9	10
	F	115	3	3	-	-	-	6	4	7	11	10
	Nonwhite—M	65	-	-	1	3	2	6	-	5	7	6
	F	49	4	1	1	1	-	7	2	3	7	6
6	Cerebrospinal (meningococcus) meningitis	1,257	270	134	67	64	43	578	95	69	81	42
	White—M	641	133	73	36	36	28	304	45	32	47	20
	F	448	105	47	25	25	11	213	38	26	23	11
	Nonwhite—M	96	17	9	3	2	5	38	8	5	5	8
	F	72	15	5	3	1	1	25	4	6	6	3
8	Scarlet fever	198	6	11	9	13	8	47	51	33	18	10
	White—M	101	2	4	4	5	3	18	27	18	14	5
	F	88	4	6	5	7	5	27	22	13	3	5
	Nonwhite—M	5	-	1	-	1	-	2	1	1	1	-
	F	4	-	-	-	-	-	-	1	1	-	-
9	Whooping cough	1,241	869	206	79	36	18	1,208	23	3	-	1
	White—M	420	316	57	24	12	1	410	8	-	-	-
	F	518	351	95	32	16	11	505	8	2	-	1
	Nonwhite—M	134	89	30	8	3	2	132	2	-	-	-
	F	169	113	24	15	5	4	161	5	1	-	-
10	Diphtheria	1,259	84	153	160	169	147	713	260	75	26	16
	White—M	619	34	78	72	86	70	340	138	36	9	6
	F	487	31	54	58	65	56	264	112	36	13	8
	Nonwhite—M	84	8	12	20	8	12	60	16	2	4	1
	F	69	11	9	10	10	9	49	14	1	-	1
13-22	Tuberculosis (all forms)	50,911	406	408	222	157	107	1,300	313	434	1,946	4,119
	White—M	24,283	142	122	77	56	33	430	106	84	324	872
	F	13,057	129	142	65	46	30	412	75	126	565	1,374
	Nonwhite—M	7,603	67	73	37	28	31	236	75	90	416	748
	F	5,968	68	71	43	27	13	222	57	134	621	1,125
13	Tuberculosis of respiratory system, etc.*	46,939	182	178	89	53	39	541	149	326	1,733	3,815
	White—M	22,832	61	55	36	14	12	178	36	53	278	807
	F	11,928	57	53	20	15	10	155	38	102	524	1,287
	Nonwhite—M	6,829	28	33	15	11	11	98	44	58	368	676
	F	5,350	36	37	18	13	6	110	31	113	563	1,045
14-22	Tuberculosis (other forms)	3,972	224	230	133	104	68	759	164	108	213	304
	White—M	1,451	81	67	41	42	21	252	70	31	46	65
	F	1,129	72	69	45	31	20	257	37	24	61	87
	Nonwhite—M	774	39	40	22	17	20	138	31	32	48	72
	F	618	32	34	25	14	7	112	26	21	58	80
27	Dysentery	952	480	59	13	11	7	570	21	6	7	18
	White—M	428	229	20	4	5	3	261	7	3	3	11
	F	332	163	29	7	4	1	204	9	2	2	5
	Nonwhite—M	117	59	5	1	1	1	67	4	-	1	1
	F	75	29	5	1	1	2	38	1	1	1	1
28	Malaria	341	12	10	8	3	4	37	7	9	8	33
	White—M	132	3	3	2	1	1	10	1	2	1	21
	F	60	4	3	3	-	-	10	3	3	-	3
	Nonwhite—M	79	4	2	2	2	2	12	1	2	2	6
	F	70	1	2	1	-	1	5	2	2	5	3
30	Syphilis	12,955	538	19	6	3	3	569	7	27	102	146
	White—M	6,266	102	4	1	-	1	108	1	13	17	26
	F	1,954	91	5	1	1	-	98	-	6	28	23
	Nonwhite—M	3,249	207	5	3	2	1	218	4	3	17	41
	F	1,467	138	5	1	-	1	145	2	5	40	56
35	Measles	1,310	297	278	125	81	55	836	226	64	34	16
	White—M	510	136	92	55	27	20	330	82	26	14	8
	F	553	91	124	48	33	22	318	116	27	14	5
	Nonwhite—M	130	45	38	11	9	3	106	12	5	3	1
	F	117	25	24	11	12	10	82	16	8	3	2
36	Poliomyelitis, polioencephalitis (acute)	1,845	44	51	57	77	72	301	381	314	233	179
	White—M	1,082	16	21	27	37	44	145	239	204	147	99
	F	661	18	24	21	35	21	119	127	102	79	76
	Nonwhite—M	45	7	3	5	2	4	21	8	4	4	1
	F	37	3	3	4	3	3	16	7	4	3	3
45-55	Cancer and other malignant tumors	182,005	113	119	139	159	117	647	364	353	508	777
	White—M	82,985	68	48	70	91	54	331	190	174	274	385
	F	85,922	42	61	62	59	47	271	140	142	169	276
	Nonwhite—M	5,816	2	5	2	6	7	22	9	18	33	57
	F	7,282	1	5	5	3	9	23	25	19	32	59
46	Cancer of the digestive organs and peritoneum	80,866	25	12	17	15	14	83	37	40	59	149
	White—M	41,089	15	4	8	9	5	41	23	23	30	74
	F	34,508	9	5	8	6	6	34	8	13	16	54
	Nonwhite—M	3,056	1	2	-	-	-	3	2	3	5	14
	F	2,203	-	1	1	-	3	5	4	1	8	7

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946

and of deaths of armed forces overseas)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	Int. List No.
23,612	27,764	36,275	47,067	65,171	89,594	110,945	131,681	150,131	161,258	152,074	113,469	68,973	23,468	5,407	1,148	1,161	
10,328	12,023	16,021	22,223	32,280	47,530	61,255	72,966	80,160	82,411	75,361	53,137	30,015	9,378	1,807	210	534	
7,208	8,859	11,564	14,534	19,949	27,372	35,430	45,177	57,101	67,972	69,175	55,597	36,452	12,744	2,947	387	253	
3,140	3,541	4,467	5,325	6,957	8,326	8,066	7,436	7,126	6,120	4,246	2,444	1,253	624	279	208	238	
2,936	3,341	4,223	4,985	5,965	6,366	6,194	6,102	5,744	4,755	3,292	2,291	1,253	722	374	343	136	
24	26	36	36	18	33	30	30	20	13	14	1	1	1	1	-	1	1,2
6	11	17	16	9	20	16	17	11	9	8	1	-	1	-	-	-	
6	8	11	7	6	6	7	10	6	3	6	-	1	-	-	-	-	
7	3	5	7	3	5	5	3	1	1	-	-	-	-	-	-	1	
5	4	3	6	-	2	2	-	2	-	-	-	-	-	-	-	-	
37	22	37	41	50	45	35	41	44	25	8	1	1	-	-	-	5	6
15	10	19	26	28	17	18	17	21	14	3	-	1	-	-	-	4	
15	5	6	6	17	17	13	22	20	10	5	1	-	-	-	-	-	
3	5	7	5	4	5	2	-	2	-	-	-	-	-	-	-	1	
4	2	5	4	1	6	2	2	1	1	-	-	-	-	-	-	-	
3	6	1	6	4	2	4	5	4	-	4	-	-	-	-	-	-	8
1	2	1	2	1	1	3	3	3	-	2	-	-	-	-	-	-	
2	4	-	3	3	1	1	2	-	-	2	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
1	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	1	9
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	
16	26	12	18	13	21	16	11	8	5	2	1	-	-	-	-	-	10
10	13	6	10	10	15	10	6	5	2	2	1	-	-	-	-	-	
5	13	6	6	3	6	4	5	3	3	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	
4,356	4,408	4,378	4,541	4,520	4,794	4,424	3,709	3,120	2,196	1,370	662	222	49	9	2	39	13-22
1,192	1,467	1,776	2,281	2,553	3,053	3,000	2,546	1,998	1,344	774	340	105	18	4	-	16	
1,466	1,405	1,214	1,013	835	760	734	719	779	676	482	270	94	23	2	1	12	
743	798	828	814	805	710	496	326	251	122	80	32	18	4	2	1	8	
955	738	560	433	327	271	194	118	92	54	34	20	5	4	1	-	3	
4,090	4,152	4,111	4,290	4,288	4,530	4,171	3,512	2,945	2,079	1,285	619	207	49	9	2	36	13
1,137	1,403	1,692	2,183	2,457	2,927	2,857	2,445	1,910	1,283	737	314	97	18	4	-	16	
1,405	1,337	1,158	944	783	693	680	655	714	630	443	255	88	23	2	1	11	
677	726	758	757	750	665	459	309	235	115	72	31	17	4	2	1	7	
871	686	503	406	298	245	175	103	86	51	33	19	5	4	1	-	2	
266	256	267	251	232	264	253	197	175	117	85	43	15	-	-	-	3	14-22
55	64	84	98	96	126	143	101	88	61	37	26	8	-	-	-	-	
61	69	56	69	52	67	54	64	65	46	39	15	6	-	-	-	1	
66	72	70	57	55	45	37	17	16	7	8	1	1	-	-	-	1	
84	52	57	27	29	26	19	15	6	3	1	1	-	-	-	-	1	
20	16	23	19	10	35	26	28	40	37	34	22	10	5	1	1	3	27
11	5	9	10	4	17	8	12	14	16	18	11	5	2	1	-	-	
4	9	4	5	2	8	11	12	14	11	13	9	4	3	-	-	1	
3	2	6	2	3	4	5	2	7	5	2	-	1	-	-	-	2	
2	-	4	2	1	6	2	2	5	5	1	2	-	-	-	1	-	
27	24	26	14	22	16	20	23	15	18	20	13	6	2	-	-	1	28
15	11	13	8	5	2	9	6	6	6	6	5	4	-	-	-	1	
1	2	3	-	6	1	2	3	5	5	7	2	2	2	-	-	-	
6	8	6	3	4	6	6	6	2	4	3	2	-	-	-	-	-	
5	3	4	3	7	7	3	8	2	3	4	4	-	-	-	-	-	
212	385	784	1,147	1,519	1,659	1,669	1,604	1,369	887	492	239	85	20	7	3	23	30
33	65	213	425	650	851	929	1,022	868	546	313	138	48	10	1	1	8	
42	64	110	146	198	195	225	199	225	182	115	58	25	7	5	-	3	
61	148	315	384	508	473	391	279	204	108	45	29	9	2	1	2	6	
76	108	146	192	163	140	124	104	72	51	19	14	3	1	-	-	6	
12	14	17	10	10	8	4	11	9	11	13	9	4	1	-	-	-	35
2	7	7	2	5	4	-	9	2	4	4	3	1	-	-	-	-	
6	6	10	6	5	5	3	1	7	7	7	6	3	1	-	-	-	
1	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	
3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
157	151	55	35	22	5	13	10	4	3	-	1	-	-	-	-	1	36
82	75	35	24	9	3	8	6	2	3	-	-	-	-	-	-	1	
70	55	19	9	13	1	5	4	1	-	-	1	-	-	-	-	-	
4	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
1,252	2,502	4,556	7,207	11,593	16,863	21,389	24,205	25,734	25,186	20,110	11,803	5,340	1,297	214	26	79	45-55
477	745	1,229	2,085	3,859	6,792	9,617	11,860	12,851	12,760	10,354	5,871	2,458	562	78	7	26	
577	1,360	2,616	4,051	6,208	8,261	9,946	10,802	11,475	11,323	9,099	5,642	2,730	675	114	11	34	
57	94	182	279	541	801	862	789	788	627	380	152	75	31	8	3	8	
141	303	529	792	985	1,009	964	754	620	476	277	138	77	29	14	5	11	
292	650	1,228	2,142	3,953	6,395	9,114	11,329	12,837	13,064	10,513	5,864	2,459	536	73	10	39	46
118	260	518	938	1,785	3,145	4,802	6,190	6,906	6,862	5,334	2,759	1,030	216	29	3	15	
121	291	535	877	1,641	2,520	3,532	4,384	5,258	5,665	4,877	2,976	1,364	292	34	4	12	
30	47	95	146	283	434	465	455	426	327	188	75	33	16	3	1	5	
23	52	80	183	244	296	315	300	247	210	114	54	32	12	7	2	7	

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	UNITED STATES--Continued											
	Cancer and other malignant tumors--Continued											
48,49	Cancer of female genital organs	22,646	1	2	-	1	2	6	7	18	33	96
	White--F	19,771	-	2	-	1	2	5	5	14	23	72
	Nonwhite--F	2,875	1	-	-	-	-	1	2	4	10	24
50	Cancer of breast	17,516	2	-	-	-	-	2	1	-	2	16
	White--M	225	1	-	-	-	-	1	-	-	-	-
	F	16,157	1	-	-	-	-	1	1	-	2	13
	Nonwhite--M	17	-	-	-	-	-	-	-	-	-	-
	F	1,117	-	-	-	-	-	-	-	-	-	3
45,47, 51-55	Cancer (other sites)	60,977	85	105	122	143	101	556	319	295	414	516
	White--M	41,661	52	44	62	82	49	289	167	151	244	311
	F	15,486	32	54	54	52	39	231	126	115	128	137
	Nonwhite--M	2,743	1	3	2	6	7	19	7	15	28	43
	F	1,087	-	4	4	3	6	17	19	14	14	25
58	Acute rheumatic fever	1,118	13	5	19	26	27	90	156	192	129	77
	White--M	429	6	-	8	10	9	33	59	63	56	22
	F	440	3	2	6	11	12	34	58	82	50	37
	Nonwhite--M	92	2	2	2	3	3	12	15	23	8	4
	F	157	2	1	3	2	3	11	24	24	15	14
61	Diabetes mellitus	34,731	14	19	15	12	15	75	58	124	190	218
	White--M	11,968	6	14	6	7	5	38	28	46	53	82
	F	20,429	5	4	8	5	10	32	22	62	102	112
	Nonwhite--M	715	1	-	1	-	-	2	5	2	17	9
	F	1,619	2	1	-	-	-	3	3	14	18	15
63b	Exophthalmic goiter	2,357	-	1	-	-	-	1	-	4	12	25
	White--M	349	-	1	-	-	-	1	-	2	-	3
	F	1,801	-	-	-	-	-	-	-	-	8	16
	Nonwhite--M	31	-	-	-	-	-	-	-	-	1	-
	F	176	-	-	-	-	-	-	-	2	3	6
69	Pellagra (except alcoholic)	804	2	2	-	1	-	5	-	4	4	4
	White--M	212	1	1	-	-	-	2	-	1	1	-
	F	373	1	1	-	-	-	2	-	1	2	1
	Nonwhite--M	60	-	-	-	-	-	-	-	2	-	-
	F	159	-	-	-	1	-	1	-	-	1	3
77	Alcoholism (ethylism)	2,209	-	-	-	3	2	5	3	2	8	32
	White--M	1,687	-	-	-	-	-	-	2	2	6	18
	F	265	-	-	-	-	1	1	-	-	1	4
	Nonwhite--M	199	-	-	-	1	-	1	1	-	-	8
	F	58	-	-	-	2	1	3	-	-	1	2
83	Intracranial lesions of vascular origin	125,646	140	66	37	29	14	286	81	79	144	257
	White--M	54,058	79	28	16	14	5	142	42	36	71	123
	F	56,469	45	33	17	15	8	118	26	32	40	78
	Nonwhite--M	6,978	10	4	3	-	1	18	5	7	12	30
	F	8,141	6	1	1	-	-	8	8	4	21	26
90-95	Diseases of the heart	429,230	156	108	55	49	58	426	380	656	959	1,341
	White--M	234,332	80	43	23	23	27	196	134	254	453	552
	F	160,410	55	40	22	13	18	148	153	266	330	512
	Nonwhite--M	18,371	14	13	8	6	7	48	41	62	72	125
	F	16,117	7	12	2	7	6	34	52	74	104	152
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart	23,558	-	7	5	14	24	50	236	443	531	609
	White--M	10,687	-	2	2	6	9	19	72	161	264	254
	F	10,250	-	4	1	4	6	15	97	188	193	261
	Nonwhite--M	1,295	-	1	2	2	4	9	29	44	32	35
	F	1,327	-	-	-	2	5	7	38	50	42	59
94	Diseases of coronary arteries and angina pectoris	137,153	32	5	4	1	3	45	10	19	47	164
	White--M	93,023	15	1	2	-	2	20	7	8	27	73
	F	37,995	11	3	1	-	-	15	2	7	7	59
	Nonwhite--M	3,728	4	-	1	1	1	7	1	2	5	14
	F	2,407	2	1	-	-	-	3	-	2	8	18
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)	268,518	124	96	46	34	31	331	134	194	381	568
	White--M	130,622	65	40	19	17	16	157	55	85	162	225
	F	112,165	44	33	20	9	12	118	54	71	130	192
	Nonwhite--M	13,348	10	12	5	3	2	32	11	16	35	76
	F	12,383	5	11	2	5	1	24	14	22	54	75
97,102	Arteriosclerosis and high blood pressure*	26,744	-	-	-	-	-	-	-	1	2	17
	White--M	12,608	-	-	-	-	-	-	-	1	-	6
	F	11,941	-	-	-	-	-	-	-	-	1	4
	Nonwhite--M	1,112	-	-	-	-	-	-	-	-	1	1
	F	1,083	-	-	-	-	-	-	-	-	-	6
107-109, 33	Pneumonia (all forms) and influenza	62,324	12,657	1,890	725	410	239	15,921	647	484	639	721
	White--M	28,623	5,334	736	289	156	96	6,611	265	180	279	271
	F	22,899	4,163	665	263	147	91	5,329	240	183	196	236
	Nonwhite--M	5,910	1,675	267	88	55	30	2,115	80	60	75	85
	F	4,892	1,485	222	85	52	22	1,866	52	61	89	129
107	Bronchopneumonia	27,867	7,502	993	375	207	109	9,186	274	180	202	241
	White--M	12,809	3,238	390	151	77	54	3,910	121	71	99	108
	F	10,877	2,492	338	139	75	39	3,083	101	74	72	76
	Nonwhite--M	2,128	952	139	47	27	10	1,175	25	15	19	23
	F	1,853	820	126	38	28	6	1,018	27	20	12	34

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	Int. List No.
265	667	1,301	1,862	2,517	2,949	2,982	2,758	2,491	2,050	1,443	762	358	72	18	1	10	48,49
191	495	1,014	1,497	2,057	2,549	2,629	2,505	2,304	1,892	1,369	730	339	60	14	-	7	
74	172	287	365	460	400	353	253	187	138	74	32	19	12	4	1	3	
103	328	764	1,216	1,730	2,051	2,236	2,194	2,054	1,903	1,393	918	449	115	24	6	11	50
1	2	4	7	16	26	21	29	32	32	24	20	7	3	-	-	-	
83	288	664	1,076	1,565	1,859	2,057	2,064	1,925	1,798	1,327	864	425	110	21	4	10	
-	-	1	1	2	-	1	4	2	1	2	2	1	-	-	-	-	
19	38	95	132	147	166	157	97	95	72	40	32	16	2	3	2	1	
592	857	1,263	1,987	3,393	5,468	7,057	7,924	8,352	8,189	6,761	4,259	2,074	574	99	9	19	45,47,
358	483	707	1,142	2,058	3,621	4,794	5,641	5,913	5,866	4,996	3,092	1,421	343	49	4	11	51-55
182	286	403	601	945	1,333	1,728	1,849	1,988	1,968	1,526	1,072	602	213	45	3	5	
27	47	86	132	256	367	396	330	360	299	190	75	41	15	5	2	3	
25	41	67	112	134	147	139	104	91	56	49	20	10	3	-	-	-	
67	68	68	63	28	33	31	22	22	22	23	16	8	2	-	-	1	58
23	27	36	21	9	14	13	11	10	9	11	7	4	1	-	-	-	
26	26	23	22	13	10	13	7	8	10	9	8	2	1	-	-	1	
7	2	2	5	4	3	2	-	3	-	1	-	1	-	-	-	-	
11	13	7	15	2	6	3	4	1	3	2	1	1	-	-	-	-	
292	317	386	627	1,147	2,208	3,721	5,086	6,214	6,141	4,550	2,306	859	177	18	4	13	61
129	143	174	249	419	779	1,210	1,657	2,045	2,052	1,661	832	298	66	4	-	3	
122	109	126	232	506	1,123	2,170	3,120	3,869	3,868	2,778	1,419	537	101	10	2	7	
22	21	27	33	64	86	91	82	93	83	44	20	6	5	1	1	1	
19	44	59	113	158	220	250	227	207	138	67	35	18	5	3	1	2	
48	55	88	139	194	297	309	389	303	267	135	66	18	6	-	-	1	65b
4	11	8	22	34	56	66	58	39	28	11	6	-	-	-	-	-	
30	29	59	93	136	212	220	313	252	229	122	60	16	6	-	-	-	
5	3	5	3	3	3	6	1	1	-	-	-	-	-	-	-	-	
9	12	16	21	21	26	17	17	11	10	2	-	2	-	-	-	1	
10	11	17	25	33	52	56	86	101	140	108	71	48	20	4	2	1	69
2	-	3	4	3	10	18	25	22	46	30	23	17	4	-	-	1	
2	3	4	4	10	18	20	33	53	68	69	42	26	13	2	-	-	
-	2	4	6	1	10	9	6	4	9	3	2	2	-	-	-	-	
6	6	6	11	19	14	11	22	22	17	6	4	3	3	2	2	-	
60	141	268	332	353	297	252	201	108	87	33	8	4	2	2	-	11	77
34	84	178	248	282	233	206	177	91	79	28	5	3	2	1	-	8	
14	23	45	51	32	38	29	10	10	3	2	1	1	-	-	-	-	
7	22	37	30	28	23	16	12	6	1	3	1	-	-	-	-	3	
5	12	8	3	11	3	1	2	1	4	-	1	-	-	1	-	-	
378	670	1,315	2,532	4,536	7,243	10,024	13,218	16,946	20,553	20,575	14,954	8,680	2,441	529	88	117	83
131	222	439	797	1,477	2,618	4,272	6,020	7,815	9,370	9,289	6,499	3,557	921	169	19	29	
128	221	421	864	1,674	2,742	3,783	5,179	7,227	9,525	10,128	7,780	4,796	1,369	278	22	38	
53	89	177	339	560	887	957	942	898	825	585	311	140	63	36	14	30	
66	138	278	532	825	996	1,012	1,077	1,036	833	573	364	187	88	46	33	20	
1,844	3,202	6,082	10,518	18,241	28,835	38,563	48,859	58,356	63,682	61,501	46,516	27,829	8,944	1,941	316	259	90-95
786	1,590	3,211	6,127	11,099	18,230	24,570	30,132	33,576	34,163	30,962	21,769	12,064	3,583	694	61	126	
667	940	1,551	2,404	3,975	6,493	9,719	14,402	20,579	25,946	28,013	23,188	14,927	4,939	1,073	132	53	
154	291	604	992	1,649	2,363	2,418	2,326	2,294	2,008	1,368	800	412	181	69	52	42	
237	381	696	995	1,518	1,749	1,856	1,999	1,907	1,565	1,158	759	426	241	105	71	38	
727	985	1,298	1,512	1,807	1,957	2,012	2,060	2,227	2,217	2,138	1,519	863	278	62	11	17	90a,
308	461	581	876	783	869	986	1,033	1,098	1,060	931	651	338	103	14	1	4	92b,c,
340	403	588	655	793	801	761	788	898	946	1,093	777	481	146	36	4	6	93c,95b
30	62	73	82	107	131	144	127	122	109	55	53	24	15	8	1	3	
49	59	76	99	124	136	121	112	109	102	59	38	20	14	4	5	4	
330	821	2,228	4,622	8,307	12,961	16,858	19,611	20,858	19,373	15,535	9,231	4,467	1,251	219	21	74	94
188	623	1,613	3,493	6,418	10,148	12,797	14,311	13,983	12,075	9,162	5,089	2,267	606	91	1	45	
74	157	314	643	1,123	1,950	3,169	4,557	6,235	6,799	6,034	3,997	2,113	599	113	13	15	
31	65	164	307	465	583	557	442	381	296	218	96	45	29	6	5	9	
37	76	137	179	301	282	335	301	260	203	121	69	42	17	9	2	5	
787	1,296	2,536	4,384	8,127	13,917	19,693	27,188	35,270	42,092	43,828	35,766	22,499	7,415	1,660	284	168	90b,91,
290	506	1,017	1,958	3,898	7,195	10,787	14,788	18,495	21,028	20,869	16,049	9,459	2,874	589	59	77	92a,d,e,
253	380	669	1,106	2,059	3,742	5,789	9,057	13,446	18,201	20,886	18,414	12,333	4,194	924	115	32	93a,b,d,e,
93	164	367	603	1,077	1,649	1,717	1,757	1,791	1,603	1,095	651	343	137	55	46	30	95a,c
151	246	483	717	1,093	1,331	1,400	1,586	1,538	1,260	978	652	364	210	32	64	29	
30	47	103	153	242	420	756	1,241	2,204	3,643	5,174	5,558	4,515	2,030	494	91	23	97,102
7	14	31	49	81	170	356	614	1,121	1,776	2,633	2,662	2,080	804	171	22	10	
11	13	27	41	74	116	212	398	783	1,542	2,280	2,670	2,293	1,145	289	36	6	
7	8	8	19	39	65	105	116	165	180	144	109	72	40	15	14	4	
5	12	37	44	48	69	83	113	135	145	117	117	70	41	19	19	3	
784	1,008	1,416	1,683	2,189	2,768	3,211	3,798	4,380	5,253	5,806	5,399	3,994	1,656	410	106	51	107-109,
285	414	583	773	1,029	1,397	1,692	2,099	2,314	2,562	2,846	2,558	1,632	666	122	24	21	33
236	285	407	421	523	652	821	1,100	1,486	2,195	2,587	2,558	2,215	917	252	43	17	
123	157	226	281	383	448	425	355	334	265	211	139	78	38	12	14	6	
140	152	200	208	254	271	273	244	246	231	162	144	69	35	24	25	7	
237	294	427	512	626	828	1,002	1,326	1,651	2,286	2,589	2,648	1,999	882	223	41	13	107
100	138	173	239	306	427	530	757	885	1,108	1,281	1,299	814	356	69	13	5	
79	96	137	161	182	249	293	409	607	1,021	1,185	1,254	1,127	503	143	19	7	
27	25	59	63	71	90	98	93	93	91	67	46	30	9	4	4	1	
31	35	58	49	67	62	81	68	66	66	56	49	28	14	7	5	-	

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	UNITED STATES—Continued											
	Pneumonia (all forms) and influenza—Continued											
108	Lobar pneumonia	20,252	2,187	349	144	93	57	2,830	179	151	226	272
	White—M	9,987	921	141	56	41	16	1,174	69	56	99	101
	F	6,570	713	129	50	31	26	949	68	53	58	94
	Nonwhite—M	2,164	283	45	23	11	10	372	26	22	31	34
	F	1,531	270	34	16	10	5	335	16	20	38	43
109	Pneumonia (unspecified)	5,622	1,725	224	71	41	31	2,092	79	52	84	78
	White—M	2,500	708	81	33	13	11	846	29	13	33	30
	F	2,021	598	80	25	16	15	734	26	22	24	21
	Nonwhite—M	617	228	41	6	3	2	280	14	10	11	7
	F	484	191	22	7	9	3	232	10	7	16	20
33	Influenza	8,783	1,243	324	135	69	42	1,813	115	101	127	130
	White—M	3,327	467	124	50	25	15	681	46	40	48	32
	F	3,431	360	118	49	25	11	563	45	34	42	45
	Nonwhite—M	1,001	212	42	12	14	8	288	15	13	14	21
	F	1,024	204	40	24	5	8	281	9	14	23	32
117	Ulcer of stomach or duodenum	8,164	26	6	2	-	1	35	6	5	20	55
	White—M	6,151	11	4	-	-	-	15	4	3	18	30
	F	1,326	8	2	2	-	1	13	2	1	4	8
	Nonwhite—M	494	3	-	-	-	-	3	-	-	-	10
	F	193	4	-	-	-	-	4	-	1	-	7
119,120	Diarrhea, enteritis, etc.*	8,090	5,498	521	117	51	33	6,220	74	40	34	66
	White—M	3,679	2,583	219	52	23	14	2,891	38	22	10	39
	F	2,907	1,890	183	34	17	11	2,135	22	13	21	31
	Nonwhite—M	825	581	59	22	7	6	675	8	3	2	2
	F	679	444	60	9	4	2	519	6	2	1	4
121	Appendicitis	5,285	23	47	83	67	57	277	245	218	282	276
	White—M	2,622	13	25	51	38	33	160	114	100	137	130
	F	1,767	9	19	29	22	18	98	94	71	108	102
	Nonwhite—M	389	1	2	2	4	4	13	22	26	16	25
	F	307	-	1	1	3	1	6	15	21	21	19
122	Hernia, intestinal obstruction	11,221	442	93	47	36	33	651	91	56	81	163
	White—M	4,979	228	51	28	19	21	347	52	35	34	53
	F	4,818	145	31	9	11	8	204	26	13	26	82
	Nonwhite—M	720	37	9	7	4	4	61	9	4	10	16
	F	704	32	2	3	2	-	39	4	4	11	32
124	Cirrhosis of the liver	13,451	15	18	6	2	4	45	22	25	34	49
	White—M	8,375	2	6	2	1	-	11	15	7	14	17
	F	4,262	7	11	1	1	3	23	4	14	16	19
	Nonwhite—M	518	3	1	1	-	1	6	3	-	2	5
	F	296	3	-	2	-	-	5	-	4	2	8
126,127	Biliary calculi, etc.*	6,150	7	3	-	1	1	12	6	3	14	31
	White—M	1,980	2	2	-	1	-	5	2	-	2	5
	F	3,911	4	1	-	-	1	6	2	2	8	19
	Nonwhite—M	86	-	-	-	-	-	-	2	-	2	2
	F	173	1	-	-	-	-	1	-	1	2	5
130-132	Nephritis	81,701	106	67	72	82	63	390	213	257	377	609
	White—M	36,834	56	24	32	45	35	192	94	94	150	276
	F	31,848	30	30	25	24	21	130	97	123	156	213
	Nonwhite—M	6,720	13	8	5	6	1	33	17	19	28	53
	F	6,299	7	5	10	7	6	35	15	21	43	67
137	Diseases of the prostate	7,361	-	-	-	-	-	-	-	-	1	-
	White—M	6,599	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	762	-	-	-	-	-	-	-	-	1	-
140-150	Diseases of pregnancy, etc.*	5,153	-	-	-	-	-	-	-	16	413	1,082
	White—F	3,807	-	-	-	-	-	-	-	4	256	787
	Nonwhite—F	1,346	-	-	-	-	-	-	-	12	157	295
140,142a, 145A,147	Puerperal septicemia	1,771	-	-	-	-	-	-	-	9	153	373
	White—F	1,330	-	-	-	-	-	-	-	4	94	253
	Nonwhite—F	441	-	-	-	-	-	-	-	5	59	120
141a,c, 144,148	Puerperal toxemia	1,296	-	-	-	-	-	-	-	6	159	311
	White—F	906	-	-	-	-	-	-	-	-	89	227
	Nonwhite—F	390	-	-	-	-	-	-	-	6	70	84
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*	1,589	-	-	-	-	-	-	-	-	70	279
	White—F	1,216	-	-	-	-	-	-	-	-	55	220
	Nonwhite—F	373	-	-	-	-	-	-	-	-	15	59
141d,e,f, 145B,150	Other puerperal causes	497	-	-	-	-	-	-	-	1	31	119
	White—F	355	-	-	-	-	-	-	-	-	18	87
	Nonwhite—F	142	-	-	-	-	-	-	-	1	13	32
157	Congenital malformations	17,749	14,912	695	271	166	119	16,163	313	189	177	191
	White—M	9,028	7,601	324	122	77	62	8,186	161	104	104	98
	F	7,466	6,273	327	128	76	51	6,855	117	67	64	72
	Nonwhite—M	698	566	22	13	6	4	611	21	9	6	13
	F	567	472	22	8	7	2	511	14	9	3	8

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	Int. List No.
316	451	665	779	1,100	1,350	1,536	1,723	1,809	1,920	1,942	1,525	1,020	340	76	21	21	108
116	176	296	383	551	718	880	980	1,021	993	1,002	732	453	149	24	3	11	
83	122	163	150	224	260	344	472	555	711	811	702	525	174	42	4	6	
59	84	123	150	211	240	219	168	138	119	84	45	20	10	2	6	1	
58	69	83	96	114	132	93	103	95	97	45	46	22	7	8	8	3	
87	116	124	162	167	220	224	275	326	370	397	347	255	111	33	14	9	109
29	50	52	71	82	105	110	158	165	200	203	153	112	45	8	2	4	
29	33	45	46	44	62	63	71	117	143	157	173	129	56	18	5	3	
16	18	18	29	27	41	28	23	23	15	19	13	11	8	3	2	1	
13	15	9	16	14	12	23	23	21	12	18	8	3	2	4	5	1	
144	147	200	230	296	370	449	474	594	677	878	879	720	323	78	30	8	33
40	50	62	80	90	147	172	204	243	261	360	374	253	116	21	6	1	
45	34	62	64	73	61	121	149	207	320	434	429	434	184	49	15	1	
21	30	26	39	74	77	80	71	80	40	41	35	17	11	3	2	3	
38	33	50	47	59	65	76	50	64	56	43	41	16	12	5	7	3	
132	198	358	483	745	975	1,069	1,131	997	851	587	320	162	21	6	1	7	117
72	120	253	361	567	791	855	906	787	626	413	217	98	10	3	1	3	
21	25	47	59	80	99	128	165	161	188	151	100	61	10	3	-	-	
29	42	40	46	72	59	88	39	37	28	14	1	1	1	-	-	4	
10	11	18	17	26	26	18	21	12	9	9	2	2	-	-	-	-	
78	88	88	93	112	124	135	144	161	152	148	148	118	49	11	4	3	119,120
24	42	38	44	49	58	65	61	71	61	51	53	47	16	6	2	1	
39	30	31	27	42	36	35	53	61	76	77	79	62	31	5	1	-	
6	7	10	13	12	14	20	14	13	4	6	10	3	1	-	-	2	
9	9	9	9	9	16	15	16	16	11	14	6	6	1	-	1	-	
245	232	300	374	400	421	446	459	370	334	235	105	47	17	2	-	-	121
114	97	144	192	199	252	282	299	210	188	122	51	20	10	1	-	-	
90	76	82	110	115	115	124	127	136	131	104	50	26	7	1	-	-	
19	29	36	45	52	28	23	22	16	11	3	2	1	-	-	-	-	
22	30	38	27	34	26	17	11	8	4	6	2	-	-	-	-	-	
195	312	365	460	651	767	968	1,161	1,284	1,358	1,167	887	447	122	26	2	7	122
64	85	101	121	222	304	449	534	641	670	567	430	206	53	7	-	4	
73	133	169	214	286	315	374	509	537	594	550	421	231	62	17	1	1	
24	31	31	48	59	84	83	69	62	62	30	23	10	3	2	-	-	
34	63	64	77	85	64	62	49	44	32	20	13	-	4	-	1	2	
128	340	707	1,102	1,426	1,717	1,788	1,695	1,523	1,221	892	481	180	58	9	1	8	124
47	158	372	644	908	1,145	1,234	1,180	1,003	733	522	254	77	25	3	1	5	
63	148	255	374	400	467	454	448	452	445	335	212	96	29	5	-	3	
8	20	42	50	85	69	75	46	48	24	19	10	5	1	-	-	-	
10	14	38	34	33	36	25	21	20	19	16	5	2	3	1	-	-	
47	96	158	286	415	569	797	837	892	757	601	388	185	52	2	-	2	126,127
5	23	47	76	118	181	246	275	326	248	203	142	61	14	-	-	1	
39	63	96	180	273	343	519	538	545	491	388	239	122	36	2	-	1	
1	5	7	8	5	11	11	10	7	9	5	1	-	-	-	-	-	
2	5	8	22	19	34	21	14	14	9	5	7	2	2	-	-	-	
797	1,148	1,670	2,496	3,539	4,907	6,191	7,862	9,716	11,537	11,881	9,451	6,031	2,027	444	89	69	130-132
296	389	584	883	1,307	1,990	2,843	3,645	4,556	5,471	5,725	4,502	2,815	850	141	15	16	
278	371	536	820	1,100	1,544	1,897	2,867	3,598	4,682	5,182	4,331	2,901	991	211	17	13	
80	149	213	339	541	710	777	821	859	782	589	352	158	103	46	27	24	
143	239	337	454	591	663	674	729	703	602	385	268	157	83	46	30	16	
4	1	5	15	40	117	278	583	1,027	1,578	1,561	1,225	684	200	37	3	2	137
1	-	1	9	25	66	194	464	893	1,417	1,473	1,173	659	191	31	1	1	
3	1	4	6	15	51	84	119	134	161	88	52	25	9	6	2	1	
1,170	1,080	932	397	56	5	-	-	-	-	-	-	-	-	-	-	2	140-150
892	811	694	316	43	3	-	-	-	-	-	-	-	-	-	-	1	
278	269	238	81	13	2	-	-	-	-	-	-	-	-	-	-	1	
416	361	321	126	12	-	-	-	-	-	-	-	-	-	-	-	-	140,142a,
323	279	262	105	10	-	-	-	-	-	-	-	-	-	-	-	-	145A,147
93	82	59	21	2	-	-	-	-	-	-	-	-	-	-	-	-	
258	248	214	83	16	1	-	-	-	-	-	-	-	-	-	-	-	141a,c,
196	180	139	64	11	-	-	-	-	-	-	-	-	-	-	-	-	144,148
62	68	75	19	5	1	-	-	-	-	-	-	-	-	-	-	-	
373	366	319	154	22	4	-	-	-	-	-	-	-	-	-	-	2	141b,142b,
280	280	237	121	19	3	-	-	-	-	-	-	-	-	-	-	1	143,146,
93	86	82	33	3	1	-	-	-	-	-	-	-	-	-	-	1	149
123	105	78	34	6	-	-	-	-	-	-	-	-	-	-	-	-	141d,e,f,
93	72	56	26	3	-	-	-	-	-	-	-	-	-	-	-	-	145B,150
30	33	22	8	3	-	-	-	-	-	-	-	-	-	-	-	-	
140	123	109	70	81	65	44	33	25	7	7	7	-	-	-	-	5	157
74	69	63	33	40	28	29	18	12	6	-	2	-	-	-	-	1	
58	44	39	29	36	30	13	14	13	1	6	5	-	-	-	-	3	
3	6	4	6	3	3	1	-	-	-	1	-	-	-	-	-	1	
5	4	3	2	2	4	1	1	-	-	-	-	-	-	-	-	-	

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	UNITED STATES—Continued											
158-161	Diseases peculiar to first year	61,738	61,738	...	...	...	...	61,738	...	...	...	...
	White-M	31,534	31,534	...	...	...	...	31,534	...	...	...	...
	F	21,562	21,562	...	...	...	...	21,562	...	...	...	...
	Nonwhite-M	4,840	4,840	...	...	...	...	4,840	...	...	...	...
	F	3,802	3,802	...	...	...	...	3,802	...	...	...	...
159	Premature birth	39,824	39,824	...	...	...	...	39,824	...	...	...	...
	White-M	19,806	19,806	...	...	...	...	19,806	...	...	...	...
	F	14,251	14,251	...	...	...	...	14,251	...	...	...	...
	Nonwhite-M	3,151	3,151	...	...	...	...	3,151	...	...	...	...
	F	2,616	2,616	...	...	...	...	2,616	...	...	...	...
158,160, 161	Other diseases peculiar to first year	21,914	21,914	...	...	...	...	21,914	...	...	...	...
	White-M	11,728	11,728	...	...	...	...	11,728	...	...	...	...
	F	7,311	7,311	...	...	...	...	7,311	...	...	...	...
	Nonwhite-M	1,689	1,689	...	...	...	...	1,689	...	...	...	...
	F	1,186	1,186	...	...	...	...	1,186	...	...	...	...
163,164	Suicide	16,152	-	-	-	-	-	-	5	62	328	834
	White-M	11,631	-	-	-	-	-	-	5	47	167	535
	F	3,942	-	-	-	-	-	-	-	12	118	229
	Nonwhite-M	443	-	-	-	-	-	-	-	3	10	51
	F	136	-	-	-	-	-	-	-	-	13	19
165-168	Homicide	6,784	134	24	22	24	15	219	39	78	440	1,229
	White-M	3,025	58	10	8	8	5	89	17	21	130	349
	F	973	49	9	6	11	7	82	12	13	53	111
	Nonwhite-M	3,860	14	2	4	3	1	24	5	33	189	583
	F	926	13	3	4	2	2	24	5	11	68	188
169-195	Accidental deaths	98,033	2,915	1,640	1,332	1,190	872	7,949	3,392	3,153	5,797	7,569
	White-M	60,487	1,350	800	671	614	417	3,852	1,927	2,037	4,021	5,895
	F	27,080	984	553	404	390	286	2,617	935	597	1,092	1,033
	Nonwhite-M	7,642	297	160	147	100	105	809	316	386	533	658
	F	2,824	284	127	110	86	64	671	214	133	151	183
170	Motor-vehicle accidents	33,411	151	304	331	431	351	1,568	1,451	1,057	2,950	4,495
	White-M	23,506	80	156	187	244	193	860	846	685	2,005	3,490
	F	6,779	58	119	105	148	110	540	432	252	714	639
	Nonwhite-M	2,454	5	13	22	22	36	98	109	89	162	299
	F	672	8	16	17	17	12	70	64	31	69	67
169, 171-195	Other accidents	64,622	2,764	1,336	1,001	759	521	6,381	1,941	2,096	2,847	3,074
	White-M	36,981	1,270	644	484	370	224	2,992	1,081	1,355	2,016	2,205
	F	20,301	926	434	299	242	176	2,077	503	341	376	394
	Nonwhite-M	5,188	292	147	125	78	69	711	207	297	371	359
	F	2,152	276	111	93	69	52	601	150	102	82	116
162,199, 200	Senility, ill-defined and unknown causes	27,607	4,129	299	124	82	61	4,695	133	94	174	254
	White-M	10,648	1,155	88	30	27	18	1,318	41	25	46	67
	F	9,473	870	79	40	22	11	1,022	35	22	35	60
	Nonwhite-M	4,510	1,171	78	22	19	11	1,301	36	20	40	52
	F	3,976	933	54	32	14	21	1,054	21	27	53	75
	All other causes	79,134	5,009	1,364	939	786	610	8,707	1,861	1,295	1,756	2,228
	White-M	37,620	2,422	625	447	369	302	4,165	923	594	799	907
	F	31,630	1,671	512	350	321	226	3,080	690	479	634	836
	Nonwhite-M	4,979	511	126	79	47	46	809	142	122	147	222
	F	4,905	404	101	63	49	36	653	106	100	176	263

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	Int. List No.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	158-161
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	159
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	158,160,
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	161
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
1,037	1,219	1,468	1,587	1,645	1,835	1,640	1,532	1,090	883	538	279	127	22	6	-	15	163,164
695	767	950	1,131	1,174	1,317	1,241	1,189	856	711	448	236	108	17	6	-	11	
273	377	447	408	416	473	360	309	216	157	80	42	19	4	-	-	2	
56	53	55	34	40	35	33	30	16	13	10	1	-	1	-	-	2	
13	22	16	14	15	10	6	4	2	2	-	-	-	-	-	-	-	
1,367	1,217	1,159	884	728	475	332	245	153	96	52	26	9	-	-	-	37	165-168
379	358	366	275	310	211	172	146	89	61	24	11	5	-	-	-	12	
122	110	107	96	79	51	38	40	21	8	15	8	3	-	-	-	4	
685	605	565	433	299	183	114	52	37	20	10	3	1	-	-	-	19	
181	144	120	80	40	30	8	7	6	7	3	4	-	-	-	-	2	
5,746	5,204	5,046	4,709	4,779	5,163	5,147	5,160	5,524	5,645	6,144	5,580	4,154	1,554	337	53	228	169-195
4,200	3,742	3,516	3,328	3,327	3,690	3,670	3,592	3,542	3,069	2,818	2,243	1,448	503	94	11	162	
770	742	802	670	780	864	982	1,115	1,581	2,281	3,104	3,202	2,636	1,013	223	22	19	
650	587	588	571	538	485	381	357	276	200	132	65	41	13	11	7	38	
126	133	140	140	134	124	114	96	125	95	90	70	29	25	9	13	9	
2,966	2,228	1,998	1,765	1,806	1,945	1,901	1,879	1,810	1,494	1,154	600	259	45	4	2	35	170
2,208	1,580	1,385	1,233	1,230	1,351	1,332	1,359	1,341	1,062	837	443	196	39	1	2	21	
461	388	363	283	352	384	406	378	359	361	264	139	54	3	2	-	5	
252	215	205	200	180	176	127	122	86	61	41	13	9	3	1	-	6	
45	45	43	49	44	35	36	20	24	10	12	5	-	-	-	-	3	
2,780	2,976	3,050	2,944	2,973	3,217	3,246	3,281	3,714	4,151	4,990	4,980	3,895	1,509	333	51	193	169,
1,992	2,162	2,151	2,095	2,097	2,339	2,338	2,233	2,201	2,007	1,981	1,800	1,252	464	93	9	141	171-195
309	354	439	387	428	480	576	737	1,222	1,920	2,840	3,063	2,582	1,010	221	22	14	
398	372	383	371	358	309	254	235	190	139	91	52	32	10	10	7	32	
81	88	97	91	90	89	78	76	101	85	78	65	29	25	9	13	6	
285	371	517	651	820	1,052	1,198	1,513	1,740	2,276	2,758	3,166	3,027	1,823	680	308	92	162,199,
96	99	179	271	344	451	544	701	769	988	1,213	1,304	1,219	689	205	36	43	200
55	91	117	105	111	143	210	301	367	625	976	1,364	1,496	895	321	80	22	
52	84	107	128	194	250	254	284	319	373	348	258	159	107	63	64	17	
62	97	114	147	171	208	190	227	265	290	221	240	155	132	91	128	10	
2,631	3,056	3,746	4,313	4,990	5,767	6,357	6,748	6,628	6,392	5,531	3,760	2,176	870	218	48	54	
1,016	1,158	1,419	1,676	2,124	2,764	3,410	3,658	3,591	3,372	2,827	1,768	975	360	65	9	20	
1,004	1,258	1,480	1,741	1,949	2,224	2,358	2,550	2,591	2,687	2,483	1,830	1,127	464	134	19	12	
261	269	325	393	444	451	348	328	248	195	120	69	35	21	7	7	18	
350	371	522	503	473	328	243	212	198	136	101	73	41	25	12	13	4	

TABLE 20.–DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA																											
	All causes	24,727	3,025	256	129	105	81	254	263	453	696	715	772	969	1,093	1,404	1,711	1,854	1,825	2,339	2,213	1,876	1,228	818	316	102	57	75
	White—M	8,287	992	70	40	33	33	85	91	144	214	212	208	270	323	390	460	620	688	899	894	751	443	316	82	12	4	13
	F	6,144	671	65	36	33	17	56	51	77	109	97	147	197	201	254	290	406	424	654	665	677	478	359	131	30	4	15
	Nonwhite—M	5,374	744	72	29	27	13	55	62	134	185	202	185	206	269	365	541	431	444	437	366	251	154	67	49	25	17	24
	F	4,922	618	49	24	12	18	58	59	98	188	204	232	296	300	375	420	397	369	349	288	197	151	76	54	35	32	23
1,2	Typhoid and paratyphoid fever	9	-	-	-	-	-	-	3	1	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	31	9	1	-	3	2	3	1	5	1	-	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	12	2	1	-	2	1	-	1	1	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	2	-	-	-	-	2	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	37	29	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	10	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	9	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	28	2	8	9	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	13	1	3	5	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,122	16	9	4	3	1	6	11	64	124	129	136	98	92	102	89	69	44	41	32	32	13	5	-	-	1	1
	White—M	269	1	3	1	1	-	3	1	1	10	18	30	24	25	29	27	34	19	19	12	14	4	2	-	-	-	1
	F	195	4	3	1	-	-	-	1	8	9	13	24	14	17	17	10	17	11	10	15	11	7	3	-	-	-	-
	Nonwhite—M	326	5	2	1	2	1	2	2	24	40	36	38	28	28	36	39	16	10	7	1	5	2	-	-	-	1	-
	F	332	6	1	1	-	-	1	7	31	65	62	44	32	22	20	13	12	4	5	4	2	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,049	5	3	1	-	-	3	10	60	119	123	134	95	90	96	84	66	43	39	29	29	13	5	-	-	1	1
	White—M	253	-	-	-	-	-	1	1	1	8	17	30	24	24	29	25	24	19	19	11	13	4	2	-	-	-	1
	F	181	1	1	1	-	-	-	1	6	9	12	24	14	17	16	10	17	10	9	14	9	7	3	-	-	-	-
	Nonwhite—M	297	2	2	-	-	-	1	2	22	38	32	36	27	28	32	36	13	10	7	1	5	2	-	-	-	1	-
	F	318	2	-	-	-	-	1	6	31	64	62	44	30	21	19	13	12	4	4	3	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	73	11	6	3	3	1	3	1	4	5	6	2	3	2	6	5	3	1	2	3	3	-	-	-	-	-	-
	White—M	16	1	3	1	1	-	2	-	-	2	1	-	-	1	-	2	-	-	-	1	1	-	-	-	-	-	-
	F	14	3	2	-	-	-	-	-	2	-	1	-	-	-	1	-	-	1	1	1	2	-	-	-	-	-	-
	Nonwhite—M	29	3	-	1	2	1	1	-	2	2	4	2	1	-	4	3	3	-	-	-	-	-	-	-	-	-	-
	F	14	4	1	1	-	-	-	1	-	1	-	-	2	1	1	-	-	-	1	1	-	-	-	-	-	-	-
27	Dysentery	22	3	1	-	-	-	-	-	-	1	1	3	-	-	1	1	2	2	2	3	1	-	1	-	-	-	-
	White—M	7	1	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	1	1	2	1	-	1	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
28	Malaria	30	-	-	-	-	-	3	3	2	2	2	2	-	-	6	1	3	3	2	1	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	1	1	1	2	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	1	1	-	-	-	-	-	4	-	-	2	1	-	-	-	-	-	-	-	-
30	Syphilis	317	28	2	1	-	1	-	1	6	8	12	19	30	28	35	37	26	29	27	15	6	3	1	-	1	-	1
	White—M	55	2	-	-	-	-	-	1	-	-	2	-	1	6	6	8	6	6	7	6	3	1	-	-	-	-	-
	F	18	1	-	-	-	-	-	-	-	-	1	3	3	1	1	1	1	-	2	2	1	-	1	-	-	-	-
	Nonwhite—M	165	16	1	1	-	-	-	-	2	6	4	10	13	12	24	22	16	16	12	4	2	2	-	-	1	-	1
	F	79	9	1	-	-	1	-	-	4	2	5	6	13	9	4	6	3	7	6	3	-	-	-	-	-	-	-
35	Measles	44	6	11	2	1	3	5	5	-	3	-	2	1	-	-	1	-	-	-	2	-	1	1	-	-	-	-
	White—M	10	-	2	1	1	-	1	-	-	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	11	2	3	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	Nonwhite—M	10	3	3	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	1	3	-	-	2	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	22	3	3	3	4	-	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	-	2	1	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	1	1	4	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Con.																											
45-55	Cancer and other malignant tumors	2,261	2	3	2	5	4	9	7	8	11	26	41	113	140	233	246	290	220	273	253	196	109	48	12	3	1	6
	White-----M--	728	1	1	2	1	2	3	2	5	4	8	5	25	29	45	56	74	81	109	113	88	45	24	2	-	-	2
	F--	872	1	2	-	4	2	3	3	-	5	3	17	40	56	94	89	112	83	106	91	78	52	17	8	2	-	3
	Nonwhite--M--	253	-	-	-	-	-	-	-	3	1	2	2	13	9	35	35	39	33	29	24	18	5	3	2	-	-	-
	F--	408	-	-	-	-	-	3	2	-	1	13	17	35	46	59	66	65	23	29	25	10	7	4	-	1	1	1
46	Cancer of the digestive organs and peritoneum--	853	1	-	-	1	1	-	1	3	3	7	9	23	39	66	81	109	95	113	151	95	47	22	4	1	-	3
	White-----M--	326	-	-	-	-	1	-	1	1	1	2	2	9	15	15	21	38	35	49	64	46	13	10	1	-	-	2
	F--	299	1	-	-	1	-	-	-	-	2	-	4	4	9	21	25	39	31	41	43	38	30	8	2	1	-	1
	Nonwhite--M--	119	-	-	-	-	-	-	-	2	-	1	-	5	7	15	18	16	17	14	12	8	2	1	1	-	-	-
	F--	109	-	-	-	-	-	-	-	-	-	4	3	5	8	15	17	16	10	9	12	5	2	3	-	-	-	-
48,49	Cancer of female genital organs--	397	-	-	-	-	-	-	1	-	1	5	14	40	48	66	54	58	29	33	16	16	11	2	1	1	-	1
	White-----F--	222	-	-	-	-	-	-	-	-	1	-	7	22	24	33	27	32	20	22	11	13	7	2	1	-	-	-
	Nonwhite--F--	175	-	-	-	-	-	-	1	-	-	5	7	18	24	33	27	26	9	11	5	3	4	-	-	1	-	1
50	Cancer of breast--	222	-	-	-	-	-	-	-	-	-	3	4	18	21	31	32	32	17	25	18	13	6	1	-	-	1	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	149	-	-	-	-	-	-	-	-	-	-	2	9	13	26	19	18	15	18	14	12	3	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-
	F--	67	-	-	-	-	-	-	-	-	-	3	2	9	8	4	13	14	1	6	4	-	1	1	-	-	1	-
45,47, 51-55	Cancer (other sites)----------	789	1	3	2	4	3	9	5	5	7	11	14	32	32	70	79	91	81	102	88	72	45	23	7	1	-	2
	White-----M--	400	1	1	2	1	1	3	1	4	3	6	3	16	14	30	35	36	46	59	49	43	31	14	1	-	-	-
	F--	202	-	2	-	3	2	3	3	-	2	3	4	5	10	14	18	23	17	25	23	18	12	7	5	1	-	2
	Nonwhite--M--	130	-	-	-	-	-	-	-	1	1	1	2	8	2	19	17	23	15	15	12	9	2	2	1	-	-	-
	F--	57	-	-	-	-	-	3	1	-	1	1	5	3	6	7	9	9	3	3	4	2	-	-	-	-	-	-
58	Acute rheumatic fever----------	24	-	-	2	-	-	2	5	1	4	1	2	3	2	-	-	-	1	-	-	-	-	1	-	-	-	-
	White-----M--	6	-	-	1	-	-	1	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	1	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	335	-	1	-	-	-	1	4	5	3	5	9	8	16	18	22	41	44	59	45	24	19	8	1	-	-	3
	White-----M--	109	-	-	-	-	-	-	2	1	-	3	2	2	4	4	4	12	15	21	20	9	6	3	-	-	-	1
	F--	124	-	1	-	-	-	-	-	-	1	1	2	2	3	6	3	17	18	30	17	8	9	4	-	-	-	2
	Nonwhite--M--	34	-	-	-	-	-	-	-	3	-	1	1	1	1	3	5	3	6	-	6	1	2	-	1	-	-	-
	F--	68	-	-	-	-	-	1	2	1	2	-	4	3	8	5	10	9	5	7	2	6	2	1	-	-	-	-
63b	Exophthalmic goiter----------	30	-	-	-	-	-	-	1	-	2	-	-	2	1	3	4	3	6	4	4	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	4	3	4	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	2	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic]-------	96	-	1	-	-	-	-	-	-	1	2	3	3	3	12	6	4	10	10	17	12	5	4	2	-	1	-
	White-----M--	15	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	5	-	1	-	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	1	3	5	9	5	4	3	2	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	1	3	2	-	-	1	-	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	1	2	2	2	2	7	3	2	2	2	3	2	-	-	-	-	1	-
77	Alcoholism (ethylism)-------	31	-	-	-	-	-	-	-	-	2	1	5	2	7	3	4	3	-	2	1	-	1	-	-	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	2	2	4	1	2	2	-	2	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	2,380	3	1	-	-	-	2	2	6	5	10	17	31	80	127	195	270	278	353	346	310	180	113	30	11	5	5
	White-----M--	679	1	-	-	-	-	-	-	-	2	1	2	7	13	17	32	69	79	118	126	108	53	43	8	-	-	-
	F--	684	-	-	-	-	-	2	-	-	1	1	3	6	16	18	38	59	61	104	109	118	83	51	11	1	-	2
	Nonwhite--M--	473	1	-	-	-	-	-	1	4	2	3	2	7	23	35	71	58	63	64	50	47	20	11	4	4	2	1
	F--	544	1	1	-	-	-	-	1	2	-	5	10	11	28	57	54	84	75	67	61	37	24	8	7	6	3	2
90-95	Diseases of the heart----------	5,320	1	2	-	1	2	11	21	23	51	48	53	146	216	321	483	548	622	784	698	585	363	232	72	15	4	18
	White-----M--	2,096	-	1	-	-	-	2	4	8	11	11	16	41	75	117	150	215	280	341	307	245	148	100	18	3	-	3
	F--	1,313	1	-	-	-	1	2	4	1	7	9	7	27	30	37	65	90	103	216	213	218	138	107	28	7	1	1
	Nonwhite--M--	1,003	-	-	-	1	1	4	4	9	17	12	10	23	47	85	160	131	126	124	115	61	37	12	15	2	1	6
	F--	908	-	1	-	-	-	3	9	5	16	16	20	55	64	82	108	112	113	103	63	61	40	13	11	3	2	8
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	392	-	-	-	1	1	7	12	12	12	11	6	16	16	19	30	36	37	46	45	28	37	11	5	2	1	1
	White-----M--	128	-	-	-	-	-	-	3	5	4	3	3	6	4	2	5	10	13	16	22	12	16	2	2	-	-	-
	F--	79	-	-	-	-	-	1	2	1	-	4	1	4	2	4	2	2	5	10	16	10	9	4	1	1	-	-
	Nonwhite--M--	84	-	-	-	1	1	4	1	4	2	1	1	3	3	5	14	10	5	12	4	4	5	2	1	1	-	-
	F--	101	-	-	-	-	-	2	6	2	6	3	1	3	7	8	9	14	14	8	3	2	7	3	1	-	1	1
94	Diseases of coronary arteries and angina pectoris---------	1,521	-	-	-	-	-	-	1	1	11	14	16	48	77	118	155	182	238	245	185	123	54	40	5	3	-	5
	White-----M--	825	-	-	-	-	-	-	-	-	5	6	8	16	42	55	76	109	152	141	110	62	21	19	1	1	-	1
	F--	377	-	-	-	-	-	-	1	-	2	2	1	9	9	14	28	30	49	77	54	48	30	20	1	1	-	1
	Nonwhite--M--	168	-	-	-	-	-	-	-	-	2	2	3	6	15	25	33	22	22	14	10	6	3	-	3	1	-	1
	F--	151	-	-	-	-	-	-	-	1	2	4	4	17	11	24	18	21	15	13	11	7	-	1	-	-	-	2
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	3,407	1	2	-	-	1	4	8	10	28	23	31	82	123	184	298	330	347	493	468	434	272	181	62	10	3	12
	White-----M--	1,143	-	1	-	-	-	2	1	3	2	2	5	19	29	60	69	96	115	184	175	171	111	79	15	2	-	2
	F--	857	1	-	-	-	1	1	1	-	5	3	5	14	19	19	35	58	49	129	143	160	98	83	26	5	1	-
	Nonwhite--M--	751	-	-	-	-	-	-	3	5	13	9	6	14	29	55	113	99	99	98	101	51	29	10	11	-	1	5
	F--	656	-	1	-	-	-	1	3	2	8	9	15	35	46	50	81	77	84	82	49	52	33	9	10	3	1	5

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Con.																											
97,102	Arteriosclerosis and high blood pressure*	273	-	-	-	-	-	-	-	-	1	-	1	8	2	7	11	16	22	32	52	38	37	26	16	1	2	1
	White—M	86	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	9	9	19	18	15	5	3	-	1	-
	F	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	7	17	9	12	14	9	1	-	1
	Nonwhite—M	38	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	5	4	9	3	4	2	3	1	-	-	-
	F	72	-	-	-	-	-	-	-	-	1	-	1	4	1	5	6	4	7	7	13	7	8	4	3	-	1	-
107-109, 33	Pneumonia (all forms) and influenza	1,528	398	62	18	16	7	23	17	25	22	39	31	44	45	57	73	52	87	107	104	91	84	72	33	13	2	4
	White—M	398	103	17	3	6	4	6	4	4	4	13	5	8	10	13	13	12	13	29	33	24	34	26	10	2	1	1
	F	398	69	15	7	3	2	7	3	6	3	3	6	8	10	10	8	8	22	35	31	45	34	35	21	6	-	1
	Nonwhite—M	382	120	17	4	4	-	5	4	6	8	10	10	13	13	18	30	20	26	24	24	9	9	5	2	1	-	-
	F	348	106	13	4	3	1	5	6	9	7	13	10	15	12	16	22	12	26	19	16	13	7	6	-	4	1	2
107	Bronchopneumonia	505	197	18	7	6	3	6	5	9	6	8	5	10	11	7	13	8	25	31	33	30	22	27	12	4	2	-
	White—M	137	54	4	-	1	2	2	2	-	2	2	2	1	4	-	4	-	5	8	10	6	9	11	6	1	1	-
	F	135	34	3	3	1	1	1	-	2	1	1	-	2	3	1	3	2	5	10	13	19	10	13	6	1	-	-
	Nonwhite—M	120	59	7	2	2	-	1	1	5	2	3	1	3	1	1	3	2	7	5	8	3	2	1	-	1	-	-
	F	113	50	4	2	2	-	2	2	2	1	2	2	4	3	5	3	4	8	8	2	2	1	2	-	1	1	-
108	Lobar pneumonia	530	82	17	5	2	4	9	7	10	10	16	15	18	18	27	37	28	32	53	40	32	24	25	13	4	-	2
	White—M	149	24	6	2	2	2	2	-	2	1	6	2	3	5	6	6	8	4	18	18	9	12	9	2	-	-	-
	F	136	18	5	1	-	1	3	2	3	2	1	4	3	3	4	2	3	9	16	9	14	10	11	9	2	-	1
	Nonwhite—M	138	22	2	1	-	-	3	1	1	3	4	4	8	6	11	18	14	11	12	8	4	1	2	2	-	-	-
	F	107	18	4	1	-	1	1	4	4	4	5	5	4	4	6	11	3	8	7	5	5	1	3	-	2	-	1
109	Pneumonia (unspecified)	82	23	6	-	2	-	3	-	2	-	4	1	1	4	6	4	3	6	3	2	4	2	3	2	1	-	-
	White—M	22	6	2	-	1	-	1	-	-	-	2	-	-	1	2	2	1	-	-	1	1	-	1	-	1	-	-
	F	15	2	1	-	-	-	1	-	-	-	1	-	-	-	2	1	-	1	1	-	1	-	2	2	-	-	-
	Nonwhite—M	17	8	1	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	1	2	-	-	-	-	-
	F	28	7	2	-	1	-	1	-	2	-	-	-	1	2	1	-	2	5	2	1	1	-	-	-	-	-	-
33	Influenza	409	96	21	6	6	-	5	5	4	6	11	10	15	12	17	19	13	24	20	29	25	36	17	6	4	-	2
	White—M	90	19	5	1	2	-	1	2	2	1	3	1	4	-	5	1	3	4	3	4	8	13	5	2	-	-	1
	F	112	15	6	3	2	-	2	1	1	-	-	2	3	4	3	2	3	7	8	9	11	14	9	4	3	-	-
	Nonwhite—M	107	31	7	1	2	-	1	2	-	3	2	4	2	5	5	8	4	8	7	8	1	4	2	-	-	-	-
	F	100	31	3	1	-	-	1	-	1	2	6	3	6	3	4	8	3	5	2	8	5	5	1	-	1	-	1
117	Ulcer of stomach or duodenum	106	-	-	-	-	-	-	-	1	3	4	3	12	10	13	14	16	6	13	3	3	3	2	-	-	-	-
	White—M	61	-	-	-	-	-	-	-	1	1	2	-	7	5	7	9	9	3	9	2	2	2	2	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-
	Nonwhite—M	35	-	-	-	-	-	-	-	-	2	2	2	4	5	6	5	5	3	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	172	107	19	-	1	1	1	1	1	1	1	1	1	3	2	3	2	5	4	6	4	2	4	2	-	-	-
	White—M	52	32	4	-	-	1	-	1	1	-	-	-	-	2	1	-	1	2	-	2	1	-	2	2	-	-	-
	F	34	21	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	3	1	2	1	-	-	-	-
	Nonwhite—M	44	28	8	-	1	-	1	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	1	-	-	-	-
	F	42	26	5	-	-	-	-	-	-	-	1	1	1	-	-	2	-	1	2	1	2	-	-	-	-	-	-
121	Appendicitis	121	-	1	3	3	1	6	13	8	10	7	5	7	9	13	12	4	6	2	7	3	1	-	-	-	-	-
	White—M	41	-	-	2	2	-	4	4	3	2	2	2	-	3	3	3	2	2	1	4	2	-	-	-	-	-	-
	F	30	-	1	-	-	1	-	3	-	4	3	1	3	2	1	3	2	1	1	2	1	1	-	-	-	-	-
	Nonwhite—M	25	-	-	1	1	-	-	4	4	-	2	-	2	2	5	1	-	2	-	1	-	-	-	-	-	-	-
	F	25	-	-	-	-	-	2	2	1	4	-	2	2	2	4	5	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	167	9	3	-	1	1	1	1	1	2	4	10	6	11	11	19	15	16	21	15	11	5	3	-	-	1	-
	White—M	42	2	-	-	-	1	-	-	1	1	1	1	-	-	1	4	9	5	4	2	4	3	3	-	-	-	-
	F	53	4	-	-	1	-	-	-	-	-	-	4	3	3	1	4	4	5	8	8	5	2	-	-	-	1	-
	Nonwhite—M	32	1	2	-	-	-	1	1	-	-	1	2	-	1	1	8	2	1	6	3	2	-	-	-	-	-	-
	F	40	2	1	-	-	-	-	-	-	1	2	3	3	7	8	3	-	5	3	2	-	-	-	-	-	-	-
124	Cirrhosis of the liver	135	-	-	-	-	-	-	-	1	1	1	7	8	11	10	14	15	22	17	12	8	5	2	1	-	-	-
	White—M	78	-	-	-	-	-	-	-	-	-	-	2	3	9	3	9	8	16	9	7	6	5	1	-	-	-	-
	F	22	-	-	-	-	-	-	-	1	1	-	2	1	-	2	1	2	4	3	3	1	-	1	-	-	-	-
	Nonwhite—M	17	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	2	2	2	1	1	-	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	1	3	4	1	-	1	3	-	3	1	-	-	-	1	-	-	-
126,127	Biliary calculi, etc.*	69	-	-	-	-	-	1	-	1	-	-	2	5	4	6	5	7	5	11	9	7	4	1	1	-	-	-
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	-	5	3	4	1	-	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	-	-	5	2	3	1	3	3	6	3	3	1	1	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	3	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	1	-	-	-	1	-	1	-	-	-
130-132	Nephritis	1,892	2	3	2	5	-	6	3	9	16	29	41	56	72	109	150	152	181	252	245	230	157	121	32	13	3	3
	White—M	607	-	1	1	-	-	2	2	3	2	11	4	11	14	22	36	39	43	90	100	99	59	52	12	4	-	-
	F	442	-	1	-	2	-	2	-	1	5	3	8	10	14	13	14	25	36	51	66	72	56	50	10	3	-	-
	Nonwhite—M	442	1	-	-	3	-	1	-	3	3	4	7	7	18	35	53	54	50	77	45	36	23	9	6	4	2	1
	F	401	1	1	1	-	-	1	1	2	6	11	22	28	26	39	47	34	52	34	34	23	19	10	4	2	1	2
137	Diseases of the prostate	114	-	-	-	-	-	-	-	-	-	-	-	1	1	-	9	4	13	16	28	22	8	6	3	2	-	1
	White—M	62	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	9	18	15	5	6	2	-	-	-
	Nonwhite—M	52	-	-	-	-	-	-	-	-	-	-	-	-	1	-	7	3	10	7	10	7	3	-	1	2	-	1

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Con.																											
140-150	Diseases of pregnancy, etc.*----	209	-	-	-	-	-	-	1	26	49	39	37	40	13	3	-	-	-	-	-	-	-	-	-	-	-	1
	White-----F--	78	-	-	-	-	-	-	-	12	18	13	13	15	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	131	-	-	-	-	-	-	1	14	31	26	24	25	7	2	-	-	-	-	-	-	-	-	-	-	-	1
140,142a, 145A,147	Puerperal septicemia------	71	-	-	-	-	-	-	1	7	22	11	14	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	24	-	-	-	-	-	-	-	3	6	4	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	47	-	-	-	-	-	-	1	4	16	7	9	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,149	Puerperal toxemia	69	-	-	-	-	-	-	-	15	9	15	9	14	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	27	-	-	-	-	-	-	-	8	5	5	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	42	-	-	-	-	-	-	-	7	4	10	6	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	46	-	-	-	-	-	-	-	3	10	9	11	9	3	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----F--	17	-	-	-	-	-	-	-	1	4	2	3	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	29	-	-	-	-	-	-	-	2	6	7	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1
141d,e,f, 145B,150	Other puerperal causes----------	23	-	-	-	-	-	-	-	1	8	4	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	-	-	-	-	-	-	-	-	3	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	13	-	-	-	-	-	-	-	1	5	2	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	265	219	11	4	2	1	8	4	2	5	2	1	2	-	1	-	2	-	1	-	-	-	-	-	-	-	-
	White-----M--	109	95	2	2	-	1	3	1	-	2	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	96	79	6	2	1	-	1	-	1	2	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	31	21	2	-	1	-	3	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	29	24	1	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,531	1,531	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	603	603	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	386	386	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	301	301	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	241	241	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	1,015	1,015	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	381	381	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	269	269	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	203	203	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	162	162	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year------	516	516	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	222	222	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	117	117	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	98	98	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	79	79	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	203	-	-	-	-	-	-	3	7	19	22	26	17	23	21	19	12	12	7	7	5	1	2	-	-	-	-
	White-----M--	143	-	-	-	-	-	-	3	5	12	15	17	12	15	13	14	10	9	5	5	5	1	2	-	-	-	-
	F--	41	-	-	-	-	-	-	-	2	5	4	5	5	5	6	3	2	2	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	2	2	2	-	1	2	1	-	1	1	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide---------	421	-	-	1	-	1	-	4	22	74	69	54	62	50	24	18	11	16	7	4	1	-	-	-	-	-	3
	White-----M--	97	-	-	1	-	-	-	-	4	15	11	8	16	13	9	3	4	7	3	2	1	-	-	-	-	-	-
	F--	22	-	-	-	-	-	-	-	1	3	4	3	2	1	1	1	2	3	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	237	-	-	-	-	-	-	2	14	41	43	30	37	29	12	11	4	6	4	2	-	-	-	-	-	-	2
	F--	65	-	-	-	-	1	-	2	3	15	11	13	7	7	2	3	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,003	66	50	31	30	28	100	106	167	197	180	139	122	106	102	81	80	79	64	73	65	55	49	17	1	4	11
	White-----M--	969	21	14	8	8	8	37	41	89	129	100	81	73	62	52	41	44	35	30	32	17	23	17	4	-	-	3
	F--	361	13	10	6	8	7	20	23	30	21	20	12	12	5	8	8	9	11	18	24	34	24	25	10	1	-	2
	Nonwhite--M--	497	16	18	10	11	7	19	28	40	42	54	40	29	36	31	24	20	26	12	11	10	4	3	1	-	1	4
	F--	176	16	8	7	3	6	24	14	8	5	6	6	8	3	11	8	7	7	4	6	4	4	4	2	-	3	2
170	Motor-vehicle accidents-------	766	5	9	8	6	14	45	37	89	117	102	70	50	41	32	26	32	22	17	20	13	8	1	-	-	-	2
	White-----M--	449	3	4	2	3	5	20	16	44	83	69	44	33	24	17	13	21	10	11	13	6	7	-	-	-	-	-
	F--	110	2	3	2	2	4	9	9	23	9	12	7	6	3	3	4	3	2	2	1	1	1	1	-	-	-	1
	Nonwhite--M--	168	-	2	2	1	4	8	7	18	23	19	19	9	12	10	7	6	8	3	4	5	-	-	-	-	-	1
	F--	40	-	-	2	-	1	8	5	4	2	2	-	2	2	2	2	2	2	1	2	1	-	-	-	-	-	-
169, 171-195	Other accidents--	1,237	61	41	23	24	14	55	69	78	80	78	69	72	65	70	55	48	57	47	53	52	47	48	17	1	4	9
	White-----M--	521	18	10	6	5	3	17	25	45	46	31	37	40	38	35	28	23	25	19	19	11	16	17	4	-	-	3
	F--	251	11	7	4	6	3	11	14	7	12	8	5	6	2	5	4	6	9	16	23	33	23	24	10	1	-	1
	Nonwhite--M--	329	16	16	8	10	3	11	21	22	19	35	21	20	24	21	17	14	18	9	7	5	4	3	1	-	1	3
	F--	136	16	8	5	3	5	16	9	4	3	4	6	6	1	9	6	5	5	3	4	3	4	4	2	-	3	2
162,199, 200	Senility, ill-defined and unknown causes-----	1,872	442	20	11	7	5	9	9	12	21	21	32	53	53	60	95	87	106	138	157	146	131	96	79	38	32	12
	White-----M--	384	73	3	2	2	2	3	3	2	1	2	6	10	12	13	20	19	26	39	39	41	22	22	16	3	2	1
	F--	280	49	4	4	-	-	1	1	2	4	1	3	12	4	3	4	13	16	12	20	35	36	34	24	6	1	1
	Nonwhite--M--	615	184	7	2	1	-	2	4	3	5	7	11	14	14	20	31	27	42	44	55	44	39	17	16	11	10	5
	F--	583	136	6	3	4	3	3	1	5	11	11	12	17	23	24	40	28	22	43	43	26	34	23	23	18	19	5
	All other causes-	1,508	148	39	32	20	20	50	35	47	54	60	86	88	94	103	99	118	90	91	74	76	39	20	15	4	1	5
	White-----M--	484	45	13	9	9	11	15	16	14	13	11	20	22	21	30	22	48	30	36	34	39	15	5	5	-	-	1
	F--	447	33	11	11	9	3	14	9	11	14	15	30	25	22	25	30	29	34	31	23	29	16	10	8	3	1	1
	Nonwhite--M--	280	36	8	7	2	3	12	5	14	11	17	15	13	22	26	26	21	12	12	6	4	4	2	-	-	-	3
	F--	297	34	7	5	1	3	9	5	8	16	17	21	28	29	22	21	20	14	12	11	4	4	3	2	1	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA																											
	All causes	5,737	679	152	54	36	24	70	61	107	166	199	193	210	230	320	412	460	453	468	484	381	279	189	70	22	10	8
	White-----M	3,069	268	44	22	11	9	29	25	42	72	103	90	104	130	205	265	298	272	282	281	216	143	108	35	7	6	3
	F	1,744	224	40	7	15	9	16	19	30	38	52	57	70	70	72	89	119	139	148	164	131	116	76	29	12	2	-
	Nonwhite--M	519	98	31	11	4	3	15	9	19	27	23	26	23	17	28	37	29	26	19	25	19	15	4	5	1	1	4
	F	405	89	37	14	6	3	11	8	16	29	21	20	13	13	15	21	14	16	19	14	15	5	1	1	2	1	1
1,2	Typhoid and paratyphoid fever	5	-	-	-	-	-	-	1	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	6	1	-	1	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	6	1	-	1	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	16	8	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	17	-	-	-	5	-	7	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	8	-	-	-	1	-	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	727	9	14	4	2	2	15	15	24	44	75	76	70	73	72	82	46	45	31	13	11	-	3	1	-	-	-
	White-----M	378	-	3	-	-	1	-	1	1	14	25	27	41	41	56	60	37	29	23	8	8	-	1	-	-	-	-
	F	152	3	2	-	-	-	2	2	10	6	24	27	14	21	7	10	2	9	5	4	2	-	2	-	-	-	-
	Nonwhite--M	102	2	5	3	1	1	10	6	5	9	12	11	7	8	6	4	2	4	3	1	1	-	-	1	-	-	-
	F	97	4	4	1	1	-	3	6	8	15	14	11	8	3	3	8	5	3	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	664	5	7	1	2	1	9	12	20	42	70	71	67	70	68	77	45	42	29	13	10	-	2	1	-	-	-
	White-----M	353	-	2	-	-	-	-	-	1	12	25	26	39	38	53	56	36	28	21	8	7	-	1	-	-	-	-
	F	140	1	-	-	-	-	1	1	10	6	23	25	14	21	6	10	2	8	5	4	2	-	1	-	-	-	-
	Nonwhite--M	90	2	3	1	1	1	7	5	4	9	11	11	6	8	6	4	2	3	3	1	1	-	-	1	-	-	-
	F	81	2	2	-	1	-	1	6	5	15	11	9	8	3	3	7	5	3	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	63	4	7	3	-	1	6	3	4	2	5	5	3	3	4	5	1	3	2	-	1	-	1	-	-	-	-
	White-----M	23	-	1	-	-	1	-	1	-	2	-	1	2	3	3	4	1	1	2	-	1	-	-	-	-	-	-
	F	12	2	2	-	-	-	1	1	-	-	1	2	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M	12	-	2	2	-	-	3	1	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	16	2	2	1	-	-	2	-	3	-	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	23	17	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
	White-----M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	11	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
	F	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	65	8	-	-	-	-	-	-	-	2	-	2	1	2	8	12	9	6	6	4	2	2	-	-	-	-	1
	White-----M	30	1	-	-	-	-	-	-	-	-	-	1	1	-	2	7	4	5	4	3	-	1	-	-	-	-	1
	F	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	1	1	1	1	1	-	-	-	-	-
	Nonwhite--M	16	4	-	-	-	-	-	-	-	1	-	-	-	-	3	4	2	-	1	-	1	-	-	-	-	-	-
	F	9	3	-	-	-	-	-	-	-	1	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	26	7	7	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	12	-	1	-	1	1	2	1	-	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	7	-	1	-	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Con.																											
45-55	Cancer and other malignant tumors	495	-	1	-	-	1	1	-	4	3	5	8	17	16	37	53	68	54	59	66	48	33	14	6	1	-	-
	White-----M--	242	-	-	-	-	-	1	-	3	1	5	2	4	5	13	24	36	31	28	34	30	15	6	4	-	-	-
	F--	226	-	1	-	-	1	-	-	1	2	-	6	11	10	20	22	30	20	30	29	17	16	8	1	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	2	-	1	5	2	1	-	1	-	1	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	2	1	2	1	1	-	1	-	-	-
46	Cancer of the digestive organs and peritoneum--	196	-	-	-	-	-	-	-	1	1	1	3	2	2	9	18	27	25	27	34	24	16	5	1	-	-	-
	White-----M--	114	-	-	-	-	-	-	-	-	1	1	-	1	2	3	11	15	19	13	19	16	8	4	1	-	-	-
	F--	74	-	-	-	-	-	-	-	1	-	-	3	1	-	5	5	11	6	14	13	7	7	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-
48,49	Cancer of female genital organs--	75	-	-	-	-	1	-	-	-	-	-	3	3	8	7	12	7	6	9	4	4	6	4	1	-	-	-
	White-----F--	71	-	-	-	-	1	-	-	-	-	-	3	3	7	7	12	7	5	9	4	4	5	4	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-
50	Cancer of breast-	38	-	-	-	-	-	-	-	-	-	-	-	4	2	4	4	3	6	6	3	3	2	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	4	2	4	3	3	6	6	3	3	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	186	-	1	-	-	-	1	-	3	2	4	2	8	4	17	19	31	17	17	25	17	9	4	4	1	-	-
	White-----M--	128	-	-	-	-	-	1	-	3	-	4	2	3	3	10	13	21	12	15	15	14	7	2	3	-	-	-
	F--	45	-	1	-	-	-	-	-	-	2	-	-	3	1	4	2	9	3	2	9	3	2	2	1	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	1	1	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	6	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	63	-	-	-	-	-	1	1	-	-	-	1	1	2	4	3	12	8	8	10	8	2	2	-	-	-	-
	White-----M--	26	-	-	-	-	-	1	-	-	-	-	1	1	-	2	2	5	2	4	2	5	-	1	-	-	-	-
	F--	33	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	7	6	3	7	3	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	6	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	20	-	-	-	-	-	-	-	-	-	1	1	2	4	4	5	-	2	-	-	1	-	-	-	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	1	1	2	4	3	4	-	2	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	314	2	1	-	-	-	-	1	1	2	2	3	2	8	10	25	35	37	51	44	41	20	21	6	2	-	-
	White-----M--	157	1	-	-	-	-	-	-	-	1	2	1	-	3	2	17	17	22	27	19	21	11	11	2	-	-	-
	F--	138	-	1	-	-	-	-	-	1	1	-	2	2	2	6	6	17	13	21	25	19	9	8	4	1	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	2	-	1	-	2	-	1	-	-
	F--	9	1	-	-	-	-	-	1	-	-	-	-	-	1	1	2	-	2	1	-	-	-	-	-	-	-	-
90-95	Diseases of the heart----------	1,279	1	1	-	-	-	1	6	6	7	9	15	24	38	72	105	136	157	170	179	141	104	74	26	2	3	2
	White-----M--	824	1	-	-	-	-	-	3	3	4	6	10	9	23	52	80	96	103	113	114	85	56	47	14	2	2	1
	F--	372	-	-	-	-	-	-	3	2	1	2	4	11	12	15	15	27	43	49	56	48	46	27	11	-	-	-
	Nonwhite--M--	59	-	1	-	-	-	1	-	-	-	1	-	4	2	4	7	10	10	3	5	8	2	-	1	-	-	-
	F--	24	-	-	-	-	-	-	-	1	2	-	1	-	1	1	3	3	1	5	4	-	-	-	-	-	1	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	80	-	-	-	-	-	1	5	3	3	3	4	9	6	9	12	4	7	5	3	1	3	2	-	-	-	-
	White-----M--	42	-	-	-	-	-	-	2	2	1	2	2	4	-	5	9	3	4	2	3	1	1	1	-	-	-	-
	F--	34	-	-	-	-	-	-	3	1	-	1	2	5	6	4	2	1	3	3	-	-	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	427	1	-	-	-	-	-	-	-	-	2	2	8	17	34	44	61	57	66	55	42	19	13	4	1	-	1
	White-----M--	315	1	-	-	-	-	-	-	-	-	2	2	4	15	28	35	51	41	49	37	25	12	8	4	1	-	-
	F--	87	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	7	13	15	16	15	7	5	-	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	2	1	2	5	2	2	1	2	2	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	1
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	772	-	1	-	-	-	-	1	3	4	4	9	7	15	29	49	71	93	99	121	98	82	59	22	1	3	1
	White-----M--	467	-	-	-	-	-	-	1	1	3	2	6	1	8	19	36	42	58	62	74	59	43	38	10	1	2	1
	F--	251	-	-	-	-	-	-	-	1	1	1	2	4	5	8	10	19	27	31	40	33	37	21	11	-	-	-
	Nonwhite--M--	39	-	1	-	-	-	-	-	-	-	1	-	2	1	2	2	8	8	2	3	8	2	-	1	-	-	-
	F--	15	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	2	-	4	4	-	-	-	-	-	1	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Con.																											
97,102	Arteriosclerosis and high blood pressure*	69	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	1	6	8	7	13	7	10	8	2	1	-
	White—M	38	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	4	6	5	7	3	5	3	-	1	-
	F	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	5	4	5	4	2	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	379	111	34	5	2	2	2	5	7	2	11	9	5	7	12	9	16	28	17	22	25	23	16	5	2	2	-
	White—M	187	42	9	2	1	2	-	-	3	1	5	6	1	4	5	3	8	14	11	15	10	10	9	4	1	1	-
	F	126	38	13	-	1	-	1	2	1	1	5	-	1	1	4	5	4	10	4	4	12	9	7	1	1	1	-
	Nonwhite—M	46	15	4	1	-	-	1	2	2	-	1	1	2	1	3	1	2	3	1	2	1	3	-	-	-	-	-
	F	40	16	8	2	-	-	-	1	1	-	-	2	1	1	-	-	2	1	1	1	2	1	-	-	-	-	-
107	Bronchopneumonia	207	73	21	3	1	1	1	2	3	-	3	3	2	3	3	1	9	14	6	13	18	12	10	4	1	-	-
	White—M	93	27	7	1	-	1	-	-	1	-	2	2	-	2	2	1	4	8	2	10	8	7	4	3	1	-	-
	F	74	27	8	-	1	-	1	2	1	-	1	-	1	-	1	-	2	5	3	2	8	4	6	1	-	-	-
	Nonwhite—M	19	9	2	-	-	-	-	-	1	-	-	-	1	1	-	-	1	1	1	-	1	1	-	-	-	-	-
	F	21	10	4	2	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
108	Lobar pneumonia	89	15	5	1	1	-	-	1	1	1	4	2	3	1	8	6	3	7	8	5	3	7	4	1	1	1	-
	White—M	41	4	1	1	1	-	-	-	1	1	2	1	1	-	3	2	1	2	7	4	1	3	4	1	-	-	-
	F	30	5	3	-	-	-	-	-	-	-	1	-	-	1	3	3	1	4	-	1	2	4	-	-	1	1	-
	Nonwhite—M	12	4	1	-	-	-	-	1	-	-	1	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	F	6	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	37	12	4	1	-	1	1	2	2	-	1	2	-	1	-	-	-	2	-	3	2	2	1	-	-	-	-
	White—M	13	6	-	-	-	1	-	-	1	-	-	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	7	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite—M	10	2	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-
	F	7	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
53	Influenza	46	11	4	-	-	-	-	-	1	1	3	2	-	2	1	2	4	5	3	1	2	2	1	-	-	1	-
	White—M	20	5	1	-	-	-	-	-	-	-	1	1	-	1	-	-	3	3	2	-	1	-	1	-	-	1	-
	F	15	3	1	-	-	-	-	-	-	1	2	-	-	-	-	2	1	1	1	1	1	1	-	-	-	-	-
	Nonwhite—M	5	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	F	6	3	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	38	-	-	-	-	-	-	-	-	-	-	-	4	5	2	4	8	4	3	4	3	1	-	-	-	-	-
	White—M	30	-	-	-	-	-	-	-	-	-	-	-	3	4	2	4	5	3	3	4	2	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	132	94	22	2	4	-	-	-	-	-	-	-	1	2	-	-	1	3	1	-	2	-	-	-	-	-	-
	White—M	44	31	7	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	F	35	29	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite—M	23	16	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	30	18	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
121	Appendicitis	22	-	1	-	-	-	1	2	1	3	-	1	1	3	1	2	2	1	1	1	1	-	-	-	-	-	-
	White—M	11	-	-	-	-	-	-	1	-	-	-	1	-	2	1	2	2	1	-	1	-	-	-	-	-	-	-
	F	8	-	1	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	41	4	1	2	-	-	-	-	-	-	-	-	2	1	2	3	2	5	7	5	1	1	5	-	-	-	-
	White—M	19	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	2	4	4	-	1	2	-	-	-	-
	F	17	1	1	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	3	1	1	-	3	-	-	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	48	-	-	-	-	-	-	-	-	-	1	1	1	3	4	4	11	7	3	6	4	-	1	1	-	1	-
	White—M	28	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	9	3	1	2	3	-	-	1	-	1	-
	F	18	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	4	2	3	1	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	21	1	1	-	-	-	-	-	-	1	-	-	2	1	-	1	3	1	4	2	4	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	1	1	-	-	-	-	-	-	-
	F	9	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	1	3	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
130-132	Nephritis	210	1	2	-	-	-	5	3	-	-	4	3	6	8	11	9	16	23	27	25	19	25	17	1	2	2	1
	White—M	103	-	2	-	-	-	3	-	-	-	2	2	2	2	7	3	11	9	17	12	8	10	11	-	1	-	1
	F	84	1	-	-	-	-	1	3	-	-	1	1	4	5	4	5	3	9	7	12	9	12	5	-	1	1	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	3	1	1	-	1	-	-
	F	14	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	2	2	3	1	2	-	-	-	-	-	-
137	Diseases of the prostate	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	10	7	5	-	-	-	-	-
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	9	7	5	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Con.																											
140-150	Diseases of pregnancy, etc.*	35	-	-	-	-	-	-	-	4	11	5	6	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	23	-	-	-	-	-	-	-	3	5	4	4	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	12	-	-	-	-	-	-	-	1	6	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	14	-	-	-	-	-	-	-	-	5	4	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	9	-	-	-	-	-	-	-	-	2	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	5	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	5	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	5	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	8	-	-	-	-	-	-	-	1	2	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	5	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	3	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	8	-	-	-	-	-	-	-	1	3	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	4	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	4	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	75	66	4	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White--M	33	29	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	36	31	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	243	243	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	116	116	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	93	93	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	159	159	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	78	78	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	65	65	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	84	84	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	38	38	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	28	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	71	-	-	-	-	-	-	1	3	8	5	4	8	7	6	12	8	-	4	1	2	1	1	-	-	-	-
	White--M	52	-	-	-	-	-	-	1	1	5	4	3	5	4	5	8	7	-	4	1	2	1	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	1	2	1	-	3	3	1	3	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	38	-	-	-	-	-	-	-	4	3	9	5	6	3	2	1	3	2	-	-	-	-	-	-	-	-	-
	White--M	20	-	-	-	-	-	-	-	3	2	3	4	2	3	-	-	2	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	13	-	-	-	-	-	-	-	-	1	5	1	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	568	26	25	14	12	10	17	17	38	61	55	30	19	19	39	34	29	21	19	29	19	15	12	4	2	-	2
	White--M	351	13	11	8	4	2	9	12	25	41	44	19	13	16	33	23	16	14	9	17	8	7	6	-	1	-	-
	F	127	6	9	3	7	5	4	5	5	7	7	5	2	2	3	4	7	5	6	9	7	8	6	4	1	-	-
	Nonwhite--M	67	2	3	-	-	2	1	-	7	13	3	5	3	1	3	7	5	1	3	3	3	-	-	-	-	-	2
	F	23	5	2	3	1	1	3	-	1	-	1	1	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-
170	Motor-vehicle accidents	190	2	3	4	4	6	4	4	12	27	21	16	8	6	19	15	11	10	4	7	3	2	2	-	-	-	-
	White--M	134	1	2	2	1	2	2	2	8	21	17	10	7	6	16	12	5	6	3	5	3	2	1	-	-	-	-
	F	40	-	1	2	2	3	2	2	2	5	4	4	1	-	1	1	3	4	-	2	-	-	1	-	-	-	-
	Nonwhite--M	12	1	-	-	-	1	-	-	1	1	-	1	-	-	2	2	2	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	378	24	22	10	8	4	13	13	26	34	34	14	11	13	20	19	18	11	15	22	16	13	10	4	2	-	2
	White--M	217	12	9	6	3	-	7	10	17	20	27	9	6	10	17	11	11	8	6	12	5	5	5	-	1	-	-
	F	87	6	8	1	5	2	2	3	3	2	3	1	1	2	2	3	4	1	6	7	7	8	5	4	1	-	-
	Nonwhite--M	55	1	3	-	-	1	1	-	6	12	3	4	3	1	1	5	3	1	2	3	3	-	-	-	-	-	2
	F	19	5	2	3	-	1	3	-	-	-	1	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	265	49	18	3	-	1	1	1	4	1	2	5	7	6	9	10	10	17	16	31	18	27	9	11	7	1	1
	White--M	107	13	1	-	-	-	-	1	-	-	-	-	1	4	6	4	6	10	5	15	10	17	5	6	2	1	-
	F	36	5	1	-	-	-	-	-	-	-	-	-	2	1	1	3	1	4	3	2	2	2	2	4	3	-	-
	Nonwhite--M	67	21	9	2	-	-	1	-	1	-	-	4	3	-	-	1	2	1	3	9	2	5	1	1	-	-	1
	F	55	10	7	1	-	1	-	-	3	1	2	1	1	1	2	2	1	2	5	5	4	3	1	-	2	-	-
	All other causes	376	31	14	10	5	5	10	1	7	12	14	20	22	19	22	32	43	24	29	25	11	13	4	1	2	-	-
	White--M	210	11	7	4	3	3	6	1	1	2	5	10	13	13	14	19	31	16	19	15	7	6	3	1	-	-	-
	F	113	9	3	-	1	2	2	-	5	6	6	5	8	5	7	9	12	7	9	8	-	6	1	-	2	-	-
	Nonwhite--M	27	3	2	2	-	-	-	-	1	2	1	4	-	1	1	4	-	-	1	2	2	1	-	-	-	-	-
	F	26	8	2	4	1	-	2	-	-	2	2	1	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.–DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS																											
	All causes	14,338	1,283	129	76	64	60	148	167	235	335	355	372	481	541	644	934	1,078	1,233	1,494	1,545	1,370	918	560	221	58	31	18
	White—M	6,105	554	43	27	24	19	55	59	68	113	122	125	168	191	252	391	469	567	697	735	619	441	238	82	21	2	3
	F	4,202	417	48	29	24	22	39	45	61	84	84	86	128	126	139	233	249	284	436	471	493	329	239	109	17	4	6
	Nonwhite—M	2,136	158	19	13	7	11	25	40	49	66	75	79	70	94	129	155	192	213	202	216	161	77	45	14	8	12	6
	F	1,895	154	19	7	9	8	29	23	37	72	74	82	115	130	124	155	168	169	149	123	97	71	38	16	12	13	1
1,2	Typhoid and paratyphoid fever	17	1	-	-	-	-	1	2	2	1	1	-	1	3	1	1	-	1	2	-	-	-	-	-	-	-	-
	White—M	7	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	2	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	17	-	2	5	2	-	2	-	-	1	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	White—M	7	-	-	2	1	-	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	6	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	20	15	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	40	2	6	8	5	8	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	18	-	2	2	2	5	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	-	2	5	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	699	4	2	4	2	2	3	5	33	57	66	56	55	53	49	51	68	60	42	46	24	10	3	1	-	-	3
	White—M	250	-	-	1	-	-	-	2	2	6	9	16	15	20	22	29	35	32	17	24	12	6	2	-	-	-	-
	F	177	1	1	3	2	-	1	1	5	13	21	11	12	12	7	10	12	15	19	16	8	4	1	1	-	-	1
	Nonwhite—M	156	1	1	-	-	1	1	1	15	20	15	15	14	12	12	8	15	11	5	4	3	-	-	-	-	-	2
	F	116	2	-	-	-	1	1	1	11	18	21	14	14	9	8	4	6	2	1	2	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	662	3	-	1	1	1	2	5	32	52	63	56	53	50	47	50	64	58	39	45	23	10	3	1	-	-	3
	White—M	244	-	-	-	-	-	-	2	2	6	9	16	15	20	22	29	33	31	15	24	12	6	2	-	-	-	-
	F	166	-	-	1	1	-	-	1	5	12	20	11	12	12	7	10	12	14	18	15	8	4	1	1	-	-	1
	Nonwhite—M	146	1	-	-	-	-	1	1	14	19	14	15	13	10	12	8	14	11	5	4	2	-	-	-	-	-	2
	F	106	2	-	-	-	1	1	1	11	15	20	14	13	8	6	3	5	2	1	2	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	37	1	2	3	1	1	1	-	1	5	3	-	2	3	2	1	4	2	3	1	1	-	-	-	-	-	-
	White—M	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-
	F	11	1	1	2	1	-	1	-	-	1	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M	10	-	1	-	-	1	-	-	1	1	1	-	1	2	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	3	1	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	15	5	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	-	2	2	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-
	F	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	25	1	-	1	-	2	1	2	-	-	1	4	2	-	-	2	1	1	3	1	3	-	-	-	-	-	-
	White—M	5	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	2	-	-	-	-	-	3	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	1	-	-	-	1	1	-	-	2	1	-	1	-	1	-	-	-	-	-	-
30	Syphilis	148	9	-	-	-	-	-	-	5	1	5	7	9	20	16	19	16	12	15	8	2	2	-	-	-	1	1
	White—M	40	-	-	-	-	-	-	-	1	-	-	2	1	5	4	8	8	2	6	2	1	-	-	-	-	-	-
	F	15	1	-	-	-	-	-	-	2	1	1	-	1	-	1	1	2	1	2	1	-	-	-	-	-	-	1
	Nonwhite—M	60	3	-	-	-	-	-	-	2	-	2	5	1	9	10	6	5	6	5	2	1	2	-	-	-	1	-
	F	33	5	-	-	-	-	-	-	-	-	2	-	6	6	1	4	1	3	2	3	-	-	-	-	-	-	-
35	Measles	27	7	7	2	-	1	2	1	-	-	-	1	2	-	-	-	-	1	1	1	1	-	-	-	-	-	-
	White—M	11	3	1	1	-	-	-	1	-	-	-	1	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	9	2	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	5	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	26	-	1	2	5	1	4	3	2	3	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	-	1	-	1	1	2	2	1	1	-	2	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F	11	-	-	2	2	-	2	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Con.																											
45-55	Cancer and other malignant tumors	1,436	2	2	1	1	2	3	6	3	15	20	29	57	67	113	162	155	188	191	176	137	72	24	7	2	-	1
	White-----M--	550	2	1	1	-	-	1	1	-	9	7	11	12	18	30	54	43	72	90	82	65	36	9	5	1	-	-
	F--	607	-	1	-	1	1	2	1	3	4	11	12	30	29	43	79	73	74	71	67	59	31	14	1	-	-	-
	Nonwhite--M--	118	-	-	-	-	-	-	2	-	-	1	-	1	4	12	15	13	21	16	17	8	4	1	1	1	-	1
	F--	161	-	-	-	-	1	-	2	-	2	1	6	14	16	28	14	26	21	14	10	5	1	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	570	-	-	-	-	1	-	1	-	2	5	7	13	20	42	54	58	95	78	87	70	23	11	2	1	-	-
	White-----M--	249	-	-	-	-	-	-	-	-	1	1	2	7	8	17	22	22	39	40	40	30	12	6	1	1	-	-
	F--	222	-	-	-	-	-	-	-	-	1	4	3	4	7	11	20	22	37	25	38	35	11	4	-	-	-	-
	Nonwhite--M--	62	-	-	-	-	-	-	1	-	-	-	-	-	3	7	10	10	12	7	6	4	-	1	1	-	-	-
	F--	37	-	-	-	-	1	-	-	-	-	-	2	2	2	7	2	4	7	6	3	1	-	-	-	-	-	-
48,49	Cancer of female genital organs--	234	-	-	-	-	-	-	2	1	1	2	9	21	23	31	41	28	25	22	11	8	9	-	-	-	-	-
	White-----F--	150	-	-	-	-	-	-	-	1	-	2	5	12	13	16	32	19	15	15	6	6	8	-	-	-	-	-
	Nonwhite--F--	84	-	-	-	-	-	-	2	-	1	-	4	9	10	15	9	9	10	7	5	2	1	-	-	-	-	-
50	Cancer of breast-	121	-	-	-	-	-	-	-	-	1	3	2	6	10	14	16	20	13	14	12	5	2	3	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-
	F--	94	-	-	-	-	-	-	-	-	1	3	2	5	6	8	15	13	10	14	8	4	2	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	1	3	6	1	6	2	-	2	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	511	2	2	1	1	1	3	3	2	11	10	11	17	14	26	51	49	55	77	66	54	38	10	5	1	-	1
	White-----M--	296	2	1	1	-	-	1	1	-	8	6	9	5	9	13	32	20	32	50	40	35	24	3	4	-	-	-
	F--	141	-	1	-	1	1	2	1	2	2	2	2	9	3	8	12	19	12	17	15	14	10	7	1	-	-	-
	Nonwhite--M--	56	-	-	-	-	-	-	1	-	-	1	-	1	1	5	5	3	9	9	11	4	4	-	-	1	-	1
	F--	18	-	-	-	-	-	-	-	-	1	1	-	2	1	-	2	7	2	1	-	1	-	-	-	-	-	-
58	Acute rheumatic fever----------	20	-	-	-	-	-	3	4	3	2	-	-	-	2	-	-	1	-	-	3	1	1	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
61	Diabetes mellitus	203	-	-	-	-	-	-	1	4	4	4	4	2	6	9	18	13	32	35	33	23	10	4	1	-	-	-
	White-----M--	78	-	-	-	-	-	-	-	1	-	3	1	1	2	3	6	2	17	11	14	10	4	2	1	-	-	-
	F--	86	-	-	-	-	-	-	-	1	4	1	1	1	3	3	5	4	11	19	16	11	5	1	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	3	2	2	2	-	1	-	-	-	-
	F--	24	-	-	-	-	-	-	1	1	-	-	2	-	1	3	4	6	1	3	1	-	1	-	-	-	-	-
63b	Exophthalmic goiter----------	19	-	-	-	-	-	-	-	-	1	2	3	2	-	2	2	3	-	-	1	2	-	-	-	-	-	1
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	1	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1
69	Pellagra (except alcoholic)------	26	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	2	2	4	3	4	1	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	3	2	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	3	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	1	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	10	-	-	-	-	-	1	-	-	-	-	-	2	1	2	2	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,410	1	-	-	1	1	1	4	2	8	5	3	16	25	61	90	128	169	208	214	216	145	81	24	3	1	3
	White-----M--	518	-	-	-	-	-	1	2	-	2	-	-	4	3	13	25	43	66	72	93	79	62	40	11	-	-	-
	F--	461	1	-	-	1	1	-	1	1	1	3	-	-	8	17	23	38	39	71	65	89	57	31	12	-	-	2
	Nonwhite--M--	196	-	-	-	-	-	-	1	-	-	-	-	-	4	12	18	21	36	29	30	29	10	4	-	1	-	1
	F--	237	-	-	-	-	-	-	-	1	5	2	3	12	10	19	24	26	28	36	26	19	16	6	1	2	1	-
90-95	Diseases of the heart----------	3,278	3	1	1	1	-	8	15	13	19	15	28	80	101	146	246	321	373	492	492	402	270	173	59	13	4	1
	White-----M--	1,680	2	-	-	-	-	4	1	4	3	4	9	33	43	73	126	185	210	274	261	185	163	69	28	3	-	-
	F--	857	-	1	1	-	-	1	9	5	6	3	9	16	19	19	44	45	72	128	137	147	75	82	30	8	-	1
	Nonwhite--M--	391	-	-	-	-	-	-	2	3	6	3	3	13	16	24	31	50	44	54	61	45	20	13	-	-	3	-
	F--	350	1	-	-	1	-	3	3	1	4	5	7	18	23	30	45	41	47	36	33	25	12	9	1	4	1	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	186	-	-	-	-	1	5	8	-	3	3	5	8	14	3	18	15	16	17	20	18	13	11	1	-	1	-
	White-----M--	65	-	-	-	-	-	2	-	-	1	1	1	3	4	1	5	5	6	4	9	6	12	4	1	-	-	-
	F--	62	-	-	-	-	1	-	5	-	2	-	1	3	7	1	4	3	3	6	6	9	5	6	-	-	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	2	-	-	1	1	2	-	-	6	4	3	5	4	1	1	1	-	-	-	-
	F--	28	-	-	-	-	-	3	1	-	-	1	2	-	3	1	3	3	4	2	1	2	1	-	-	-	1	-
94	Diseases of coronary arteries and angina pectoris----------	1,015	-	-	-	-	-	-	-	1	1	1	6	24	34	60	99	122	139	166	160	105	57	28	9	3	-	-
	White-----M--	659	-	-	-	-	-	-	-	1	1	1	3	16	19	45	71	83	89	116	97	61	39	11	5	1	-	-
	F--	205	-	-	-	-	-	-	-	-	-	-	3	2	4	3	13	16	29	32	41	33	12	12	4	1	-	-
	Nonwhite--M--	86	-	-	-	-	-	-	-	-	-	-	-	4	7	5	6	14	14	6	15	7	6	2	-	-	-	-
	F--	65	-	-	-	-	-	-	-	-	-	-	-	2	4	7	9	9	7	12	7	4	-	3	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	2,077	3	1	1	1	-	3	7	12	15	11	17	48	53	83	129	184	218	309	312	279	194	134	49	10	3	1
	White-----M--	956	2	-	-	-	-	2	1	3	1	2	5	14	20	27	50	97	115	154	155	118	112	54	22	2	-	-
	F--	590	-	1	1	-	-	1	4	5	4	3	5	11	8	15	27	26	40	90	90	105	58	64	26	5	-	1
	Nonwhite--M--	274	-	-	-	-	-	-	-	3	6	2	2	7	9	19	19	32	27	43	42	37	13	10	-	-	3	-
	F--	257	1	-	-	1	-	-	2	1	4	4	5	16	16	22	33	29	36	22	25	19	11	6	1	3	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Con.																											
97,102	Arteriosclerosis and high blood pressure*	184	-	-	-	-	-	-	-	-	-	-	1	1	-	2	7	8	14	18	27	30	32	17	22	4	1	-
	White—M	76	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	6	10	17	16	10	4	1	1	-
	F	55	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	7	8	6	10	5	11	3	-	-
	Nonwhite—M	29	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	2	3	6	5	2	-	3	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	4	2	3	2	4	2	4	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,025	211	40	14	4	2	9	10	17	9	27	18	20	27	26	43	49	61	65	88	110	76	64	20	7	5	3
	White—M	384	79	16	6	3	-	1	2	6	4	4	4	2	10	12	14	12	20	31	42	46	35	22	8	4	-	1
	F	323	56	10	6	-	-	4	6	3	2	4	4	9	4	4	10	12	14	15	30	52	31	31	11	3	1	1
	Nonwhite—M	150	37	9	-	1	-	1	2	1	-	9	3	3	4	1	14	14	12	11	9	7	4	6	1	-	-	1
	F	168	39	5	2	-	2	3	-	7	3	10	7	6	9	9	5	11	15	8	7	5	6	5	-	-	4	-
107	Bronchopneumonia	333	106	14	6	2	1	5	3	6	2	8	4	10	5	7	6	11	16	13	22	35	20	23	3	3	2	-
	White—M	116	35	6	3	2	-	1	1	1	1	2	1	2	2	3	-	2	4	3	14	12	11	9	-	1	-	-
	F	112	31	2	3	-	-	2	1	1	-	-	2	5	1	1	3	4	4	4	7	18	7	10	3	2	1	-
	Nonwhite—M	52	23	4	-	-	-	-	1	1	-	2	-	2	1	-	3	2	3	5	-	2	1	2	-	-	-	-
	F	53	17	2	-	-	1	2	-	3	1	4	1	1	1	3	-	3	5	1	1	3	1	2	-	-	1	-
108	Lobar pneumonia	371	51	16	2	-	-	1	3	9	4	6	9	6	9	12	23	20	30	34	38	40	28	20	7	1	1	1
	White—M	159	19	8	-	-	-	-	-	4	1	1	2	-	2	6	11	6	12	23	17	20	14	8	3	1	-	1
	F	111	14	5	2	-	-	1	3	2	2	-	1	3	1	3	4	4	5	6	14	19	10	8	4	-	-	-
	Nonwhite—M	44	7	3	-	-	-	-	-	-	-	3	1	1	2	-	5	6	6	3	5	-	-	2	-	-	-	-
	F	57	11	-	-	-	-	-	-	3	1	2	5	2	4	3	3	4	7	2	2	1	4	2	-	-	1	-
109	Pneumonia (unspecified)	96	29	5	4	1	-	1	2	2	-	7	2	1	8	3	4	2	-	2	7	4	5	4	1	-	-	2
	White—M	36	12	-	2	1	-	-	1	1	-	1	-	-	4	1	1	1	-	2	4	2	1	1	1	-	-	-
	F	28	7	2	-	-	-	-	-	-	-	3	1	1	2	-	2	1	-	-	1	1	4	2	-	-	-	1
	Nonwhite—M	13	4	1	-	-	-	-	1	-	-	1	-	-	1	1	1	-	-	-	1	-	-	1	-	-	-	1
	F	19	6	2	2	-	-	1	-	1	-	2	1	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-
33	Influenza	225	25	5	2	1	1	2	2	-	3	6	3	3	5	4	10	16	15	16	21	31	23	17	9	3	2	-
	White—M	73	13	2	1	-	-	-	-	-	2	-	1	-	2	2	2	3	4	3	7	12	9	4	4	2	-	-
	F	72	4	1	1	-	-	1	2	-	-	1	-	-	-	-	1	3	5	5	8	14	10	11	4	1	-	-
	Nonwhite—M	41	3	1	-	1	-	1	-	-	-	3	2	-	-	-	5	6	3	3	3	5	3	1	1	-	-	-
	F	39	5	1	-	-	1	-	-	-	1	2	-	3	3	2	2	4	3	5	3	-	1	1	-	-	2	-
117	Ulcer of stomach or duodenum	77	-	-	-	-	-	-	-	1	-	4	1	3	3	8	7	9	6	13	14	6	2	-	-	-	-	-
	White—M	56	-	-	-	-	-	-	-	1	-	3	-	2	2	6	4	8	5	8	13	3	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	4	-	2	1	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	86	48	9	-	1	-	-	-	-	1	1	2	-	2	3	3	2	2	1	4	4	2	1	-	-	-	-
	White—M	33	20	2	-	1	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	3	1	-	-	-	-	-
	F	25	16	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	2	1	1	1	-	-	-	-
	Nonwhite—M	16	8	3	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	12	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-
121	Appendicitis	75	-	-	-	-	3	9	13	6	3	3	7	5	1	2	6	4	4	4	3	2	-	-	-	-	-	-
	White—M	28	-	-	-	-	1	-	5	2	-	1	2	1	-	-	4	2	3	3	2	-	-	-	-	-	-	-
	F	23	-	-	-	-	2	3	2	3	2	1	3	1	1	2	-	2	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	12	-	-	-	-	-	3	4	1	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	3	2	-	1	1	1	1	-	-	2	-	1	-	1	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	140	6	1	1	-	1	1	2	2	8	5	7	3	7	10	8	9	9	15	23	6	10	5	1	-	-	-
	White—M	48	1	1	-	-	-	-	-	1	4	1	2	2	1	2	4	4	2	5	8	3	5	2	-	-	-	-
	F	48	3	-	-	-	-	1	1	-	1	1	4	-	3	4	2	2	3	5	8	2	4	3	1	-	-	-
	Nonwhite—M	27	2	-	1	-	1	-	-	-	1	2	-	-	2	2	1	1	2	4	6	1	1	-	-	-	-	-
	F	17	-	-	-	-	-	-	1	1	2	1	1	1	1	2	1	2	2	1	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	97	-	-	-	-	-	1	-	-	-	-	1	7	5	6	10	14	12	18	10	8	5	-	-	-	-	-
	White—M	57	-	-	-	-	-	-	-	-	-	-	1	4	5	3	8	7	8	12	5	2	2	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	3	1	3	5	2	-	-	-	-	-
	Nonwhite—M	13	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	2	1	3	2	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	43	-	-	-	-	-	-	-	-	-	-	-	1	4	7	3	5	2	5	6	4	5	1	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	2	1	2	1	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	-	-	-	2	5	1	3	1	3	5	1	3	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
130-132	Nephritis	1,140	3	1	1	-	1	1	4	1	11	7	22	24	46	42	71	102	117	149	189	157	106	59	13	9	3	1
	White—M	433	-	-	-	-	-	1	2	-	2	1	3	6	11	13	17	37	40	51	92	75	46	26	5	5	-	-
	F	298	2	1	1	-	-	-	1	-	6	2	3	6	9	14	17	20	22	43	50	39	40	17	5	-	-	-
	Nonwhite—M	223	1	-	-	-	-	-	-	-	1	1	5	4	8	11	20	21	34	36	31	27	10	7	3	1	1	1
	F	186	-	-	-	-	1	-	1	1	2	3	11	8	18	4	17	24	21	19	16	16	10	9	-	3	2	-
137	Diseases of the prostate	85	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	5	7	13	11	24	13	3	2	1	-	-
	White—M	59	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	9	7	20	9	3	2	-	-	-
	Nonwhite—M	26	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	1	4	4	4	4	-	-	1	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Con.																											
140-150	Diseases of pregnancy, etc.*----	95	-	-	-	-	-	-	-	12	25	13	19	17	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White------F--	59	-	-	-	-	-	-	-	9	15	10	12	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	36	-	-	-	-	-	-	-	3	10	3	7	6	6	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia-------	33	-	-	-	-	-	-	-	3	10	4	5	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	20	-	-	-	-	-	-	-	2	7	3	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	13	-	-	-	-	-	-	-	1	3	1	1	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	29	-	-	-	-	-	-	-	7	6	4	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	17	-	-	-	-	-	-	-	5	1	3	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	12	-	-	-	-	-	-	-	2	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	20	-	-	-	-	-	-	-	2	3	5	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	-	-	-	-	-	-	-	2	3	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	-	-	-	-	-	-	-	-	-	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes----------	13	-	-	-	-	-	-	-	-	6	-	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	9	-	-	-	-	-	-	-	-	4	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations----	138	116	4	4	2	1	2	1	1	3	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	69	58	1	1	1	1	1	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	50	41	3	2	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	615	615	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	301	301	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	223	223	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	50	50	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	41	41	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	401	401	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	184	184	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	154	154	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	26	26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year-------	214	214	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	117	117	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	69	69	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	15	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	114	-	-	-	-	-	1	2	1	11	7	8	10	9	4	15	8	11	7	8	8	1	3	-	-	-	-
	White-----M--	84	-	-	-	-	-	1	2	1	11	4	7	8	4	4	6	4	11	6	8	6	-	1	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	3	1	2	5	-	6	2	-	1	-	1	1	2	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	188	2	-	-	1	-	-	1	4	28	28	32	25	19	12	9	11	9	2	2	1	-	-	-	-	-	-
	White-----M--	55	-	-	-	-	-	-	-	-	6	7	6	10	5	7	3	5	4	-	1	1	-	-	-	-	-	-
	F--	11	1	-	-	-	-	-	-	1	2	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	94	-	-	-	-	-	-	1	3	15	16	18	9	11	4	5	6	4	1	1	-	-	-	-	-	-	-
	F--	26	1	-	-	1	-	-	-	-	5	3	4	5	3	1	1	-	1	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,136	49	30	14	21	18	47	68	94	93	96	67	69	53	46	64	50	41	47	53	48	27	20	18	2	-	1
	White-----M--	600	20	10	5	5	5	22	29	54	56	68	40	42	35	24	41	32	26	30	18	20	7	7	3	-	-	1
	F--	247	14	11	2	11	7	9	15	17	13	10	7	11	3	2	9	3	3	10	24	23	16	12	14	1	-	-
	Nonwhite--M--	205	5	2	6	3	3	8	20	20	17	14	17	14	12	18	9	9	8	5	9	3	2	1	-	-	-	-
	F--	84	10	7	1	2	3	8	4	3	7	4	3	2	3	2	5	6	4	2	2	2	2	-	1	1	-	-
170	Motor-vehicle accidents-------	367	1	3	2	4	4	21	16	36	50	48	23	27	20	14	27	11	19	13	14	9	3	1	-	-	-	1
	White-----M--	235	1	-	1	2	3	10	7	22	35	35	14	15	12	8	19	7	15	10	9	6	2	1	-	-	-	1
	F--	57	-	1	-	2	-	5	4	10	7	7	4	5	2	-	3	-	1	1	2	3	-	-	-	-	-	-
	Nonwhite--M--	61	-	-	1	-	-	4	5	3	8	5	4	7	5	6	3	2	3	2	3	-	-	-	-	-	-	-
	F--	14	-	2	-	-	1	2	-	1	-	1	1	-	1	-	2	2	-	-	-	-	1	-	-	-	-	-
169, 171-195	Other accidents--	769	48	27	12	17	14	26	52	58	43	48	44	42	33	32	37	39	22	34	39	39	24	19	18	2	-	-
	White-----M--	365	19	10	4	3	2	12	22	32	21	33	26	27	23	16	22	25	11	20	9	14	5	6	3	-	-	-
	F--	190	14	10	2	9	7	4	11	7	6	3	3	6	1	2	6	3	2	9	22	20	16	12	14	1	-	-
	Nonwhite--M--	144	5	2	5	3	3	4	15	17	9	9	13	7	7	12	6	7	5	3	6	3	2	1	-	-	-	-
	F--	70	10	5	1	2	2	6	4	2	7	3	2	2	2	2	3	4	4	2	2	2	1	-	1	1	-	-
162,199, 200	Senility, ill-defined and unknown causes----	737	130	5	4	4	2	6	1	11	5	9	7	10	11	19	23	32	32	43	64	79	92	75	44	15	14	-
	White-----M--	225	32	1	1	3	2	1	-	3	1	2	3	2	6	5	3	6	6	16	21	34	30	28	12	6	1	-
	F--	194	34	3	2	-	-	2	-	3	2	-	1	3	-	2	4	8	8	6	11	17	32	32	18	3	3	-
	Nonwhite--M--	163	32	1	-	-	-	3	-	1	1	2	-	2	1	7	5	10	12	10	18	18	16	9	5	4	6	-
	F--	155	32	-	1	1	-	-	1	4	1	5	3	3	4	5	11	8	6	11	14	10	14	6	9	2	4	-
	All other causes-	926	53	15	13	13	14	33	17	18	26	33	42	53	65	51	63	58	65	93	61	67	33	26	9	2	2	1
	White-----M--	372	28	7	5	7	4	15	3	8	6	7	13	18	15	20	28	26	26	45	27	28	15	16	3	1	-	1
	F--	273	15	6	2	1	7	4	5	4	8	9	12	16	25	11	18	14	15	28	22	26	13	6	5	1	-	-
	Nonwhite--M--	135	5	1	4	2	3	5	4	2	4	6	8	5	8	10	8	14	13	11	10	5	2	3	1	-	1	-
	F--	146	5	1	2	3	-	9	5	4	8	11	9	14	17	10	9	4	11	9	2	8	3	1	-	-	1	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA																											
	All causes	94,678	6,705	491	266	257	159	511	424	951	1,534	1,589	1,971	2,552	3,548	4,811	6,186	7,723	9,249	10,427	10,697	10,296	7,597	4,841	1,592	392	64	55
	White—M	52,414	3,576	255	139	138	81	277	249	557	845	809	1,045	1,373	2,074	2,970	3,928	4,907	5,774	6,175	5,701	5,150	3,538	2036	624	130	20	43
	F	37,524	2,801	198	95	108	66	197	149	322	501	573	698	869	1,134	1,461	1,904	2,423	3,100	3,871	4,651	4,918	3,935	2532	926	254	38	4
	Nonwhite—M	3,006	304	21	12	6	10	24	15	37	112	123	152	202	218	238	228	267	262	258	235	134	73	39	21	4	4	7
	F	1,734	224	17	20	7	2	13	11	35	76	84	76	108	122	142	126	126	113	123	110	84	51	34	21	4	4	1
1,2	Typhoid and paratyphoid fever	18	1	1	-	-	-	-	-	3	2	-	-	1	1	-	2	-	1	3	1	2	-	-	-	-	-	-
	White—M	7	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	1	-	-	-	-	-	-
	F	9	1	-	-	-	-	-	-	3	1	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	87	20	9	3	3	2	1	1	10	4	-	1	4	2	4	4	2	7	3	2	1	-	-	-	-	-	4
	White—M	58	14	7	2	2	2	-	-	6	4	-	1	2	2	4	2	2	2	1	1	-	-	-	-	-	-	4
	F	24	6	2	1	1	-	-	1	3	-	-	-	1	-	-	1	-	5	2	-	1	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
8	Scarlet fever	11	-	3	-	-	-	5	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	2	-	-	-	4	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	43	28	10	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	18	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	13	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	92	5	3	9	10	7	20	8	1	1	3	5	2	3	3	7	1	1	2	-	-	1	-	-	-	-	-
	White—M	53	3	2	5	4	4	10	2	-	-	2	3	1	3	3	6	1	1	2	-	-	1	-	-	-	-	-
	F	35	1	1	4	6	3	8	5	1	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	3,959	37	44	26	16	13	29	28	128	298	284	314	308	383	388	364	387	314	257	158	109	57	12	3	1	-	1
	White—M	2,288	17	17	13	5	5	12	9	37	97	86	129	145	231	261	268	296	256	190	111	63	31	9	-	1	-	1
	F	1,083	15	21	9	10	7	10	14	63	121	121	120	103	93	80	53	57	37	45	34	42	22	3	3	-	-	-
	Nonwhite—M	409	5	4	2	-	1	6	4	11	39	44	43	42	46	37	37	30	20	22	12	3	1	-	-	-	-	-
	F	179	-	2	2	1	-	1	1	17	41	33	22	18	13	10	8	4	1	-	1	1	3	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	3,648	17	24	11	9	5	15	22	109	277	263	293	288	361	372	350	365	304	244	148	102	52	12	3	1	-	1
	White—M	2,159	9	9	5	3	2	6	6	34	95	83	123	138	220	252	257	280	249	184	105	60	28	9	-	1	-	1
	F	976	6	12	4	5	3	4	14	54	111	118	116	96	85	78	49	53	35	38	30	38	21	3	3	-	-	-
	Nonwhite—M	363	2	1	1	-	-	5	1	10	35	36	36	37	45	32	36	28	20	22	12	3	1	-	-	-	-	-
	F	150	-	2	1	1	-	-	1	11	36	26	18	17	11	10	8	4	-	-	1	1	2	-	-	-	-	-
14-22	Tuberculosis (other forms)	311	20	20	15	7	8	14	6	19	21	21	21	20	22	16	14	22	10	13	10	7	5	-	-	-	-	-
	White—M	129	8	8	8	2	3	6	3	3	2	3	6	7	11	9	9	16	7	6	6	3	3	-	-	-	-	-
	F	107	9	9	5	5	4	6	-	9	10	3	4	7	8	2	4	4	2	7	4	4	1	-	-	-	-	-
	Nonwhite—M	48	3	3	1	-	1	1	3	1	4	8	7	5	1	5	1	2	-	-	-	-	-	-	-	-	-	-
	F	28	-	-	1	-	-	1	-	6	5	7	4	1	2	-	-	-	1	-	-	-	1	-	-	-	-	-
27	Dysentery	37	11	4	-	2	1	1	-	1	-	2	1	1	-	-	1	-	3	1	3	2	2	-	1	-	-	-
	White—M	20	5	2	-	-	1	1	-	1	-	2	1	-	-	-	1	-	1	-	1	1	2	-	1	-	-	-
	F	17	6	2	-	2	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	7	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	962	30	2	-	-	-	-	-	6	3	6	21	39	85	108	120	135	143	125	73	37	16	7	3	2	-	1
	White—M	639	9	-	-	-	-	-	-	-	1	2	10	12	54	60	86	99	114	92	55	26	12	5	1	-	-	1
	F	149	7	1	-	-	-	-	-	2	2	1	4	7	12	17	17	20	12	19	9	10	3	2	2	2	-	-
	Nonwhite—M	130	9	-	-	-	-	-	-	1	-	2	3	17	16	26	13	10	15	9	7	1	1	-	-	-	-	-
	F	44	5	1	-	-	-	-	-	3	-	1	4	3	3	5	4	6	2	5	2	-	-	-	-	-	-	-
35	Measles	68	12	16	6	7	4	15	3	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White—M	31	5	8	2	4	2	5	-	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	34	5	8	4	2	2	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliocencephalitis (acute)	99	-	2	1	6	4	9	18	7	12	13	15	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	52	-	1	-	4	2	4	9	4	8	7	5	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	44	-	-	1	2	2	5	7	3	4	6	10	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																											
45-55	Cancer and other malignant tumors	12,813	10	10	7	12	8	29	22	36	44	88	177	297	480	778	1,176	1,488	1,761	1,874	1,774	1,390	836	388	108	14	3	3
	White-----M--	6,110	6	4	3	6	5	13	8	28	20	42	65	104	170	305	504	719	873	986	875	741	400	178	48	3	1	3
	F--	6,183	4	5	4	6	3	13	14	8	19	38	96	168	264	429	609	699	815	825	839	628	420	207	57	11	2	-
	Nonwhite--M--	325	-	1	-	-	-	2	-	-	4	2	6	15	19	28	33	49	53	46	39	15	11	-	2	-	-	-
	F--	195	-	-	-	-	-	1	-	-	1	6	10	10	27	16	30	21	20	17	21	6	5	3	1	-	-	-
46	Cancer of the digestive organs and peritoneum--	5,548	1	2	3	3	-	2	-	7	9	15	46	83	147	270	426	599	769	900	896	695	422	178	47	3	2	3
	White-----M--	2,959	-	1	1	2	-	1	-	7	4	10	24	42	74	145	211	350	441	512	467	364	196	77	24	2	1	3
	F--	2,331	1	-	2	1	-	1	-	-	4	2	16	34	54	105	186	217	306	346	398	321	214	99	22	1	1	-
	Nonwhite--M--	191	-	1	-	-	-	-	-	-	1	1	4	6	13	14	16	27	33	33	25	7	9	-	1	-	-	-
	F--	67	-	-	-	-	-	-	-	-	-	2	2	1	6	6	13	5	9	9	6	3	3	2	-	-	-	-
48,49	Cancer of female genital organs--	1,528	-	-	-	1	-	1	3	1	5	17	35	68	107	146	188	207	221	188	140	103	66	28	5	-	-	-
	White-----F--	1,458	-	-	-	1	-	-	3	1	4	14	31	64	90	139	182	202	212	184	132	103	65	28	5	-	-	-
	Nonwhite--F--	70	-	-	-	-	-	1	-	-	1	3	4	4	17	7	6	5	9	4	8	-	1	-	-	-	-	-
50	Cancer of breast-	1,333	2	-	-	-	-	-	-	-	-	9	30	45	78	119	149	166	167	166	163	100	80	41	13	4	1	-
	White-----M--	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	1	2	1	1	-	-	-
	F--	1,289	1	-	-	-	-	-	-	-	-	9	29	42	74	119	142	159	163	161	158	99	77	39	11	4	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	1	3	4	-	6	6	1	2	5	-	1	1	1	-	-	-
45,47, 51-55	Cancer (other sites)----------	4,404	7	8	4	8	8	26	19	28	30	47	68	101	148	243	413	516	584	620	575	492	268	143	43	7	-	-
	White-----M--	3,138	5	3	2	4	5	12	8	21	16	32	41	62	96	160	292	368	430	471	408	376	202	100	23	1	-	-
	F--	1,106	2	5	2	4	3	12	11	7	11	13	20	28	46	66	99	121	134	134	151	105	64	43	19	6	-	-
	Nonwhite--M--	133	-	-	-	-	-	2	-	-	3	1	2	9	6	14	17	22	19	13	14	8	2	-	1	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	1	3	2	-	3	5	5	1	2	2	3	-	-	-	-	-	-
58	Acute rheumatic fever----------	42	1	-	-	-	1	3	7	6	2	3	5	3	3	2	-	1	2	1	1	1	-	-	-	-	-	-
	White-----M--	16	-	-	-	-	-	2	1	1	1	1	3	3	1	1	-	-	1	1	-	-	-	-	-	-	-	-
	F--	21	1	-	-	-	-	-	5	3	1	2	2	-	2	1	-	1	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,931	1	1	-	-	-	1	5	10	18	17	24	17	41	62	105	181	287	338	382	268	143	35	15	2	-	-
	White-----M--	760	1	-	-	-	-	-	2	2	9	5	11	9	17	35	49	69	122	122	139	94	55	10	8	1	-	-
	F--	1,076	-	1	-	-	-	1	2	7	9	11	9	6	19	19	49	98	151	198	212	167	86	23	7	1	-	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	1	2	-	1	3	4	5	4	5	7	1	2	-	-	-	-	-
	F--	60	-	-	-	-	-	-	1	1	-	-	2	2	4	5	3	9	10	13	4	4	-	2	-	-	-	-
63b	Exophthalmic goiter----------	125	-	-	-	-	-	-	-	-	3	6	1	6	5	10	15	19	20	15	11	10	3	1	-	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	4	2	-	2	-	-	-	-	-	-
	F--	98	-	-	-	-	-	-	-	-	3	6	-	4	3	6	11	15	15	13	10	8	3	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	2	4	5	-	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	3	3	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	192	-	-	-	-	1	-	-	1	3	6	11	16	31	29	28	25	19	10	6	3	1	-	1	-	-	1
	White-----M--	144	-	-	-	-	-	-	-	1	2	3	5	12	23	25	20	20	15	7	6	3	-	-	1	-	-	1
	F--	40	-	-	-	-	1	-	-	-	-	3	4	4	7	3	7	5	3	2	-	-	1	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	-	2	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin-----	7,437	4	5	1	-	2	4	-	5	9	16	25	61	143	219	366	556	733	1,038	1,217	1,305	927	378	171	46	5	1
	White-----M--	3,355	2	4	-	-	-	2	-	4	5	8	19	28	65	98	175	260	393	537	544	542	367	229	64	15	2	1
	F--	3,812	1	1	1	-	2	2	-	1	3	6	11	26	64	95	163	262	311	463	632	733	553	345	104	30	3	-
	Nonwhite--M--	152	1	-	-	-	-	-	-	-	1	2	3	6	5	10	14	24	20	22	22	17	3	2	-	-	-	-
	F--	118	-	-	-	-	-	-	-	-	-	-	1	1	9	16	14	10	9	16	19	13	4	2	3	1	-	-
90-95	Diseases of the heart----------	30,506	7	3	3	3	2	11	15	31	53	89	179	378	750	1,344	1,961	2,744	3,591	4,230	4,453	4,484	3,354	1,982	648	156	25	9
	White-----M--	18,001	2	1	3	2	2	5	8	19	33	50	108	233	532	987	1,490	1,960	2,426	2,658	2,483	2,261	1,556	853	259	52	10	8
	F--	11,321	4	2	-	1	-	6	5	11	16	33	60	100	161	281	391	661	1,048	1,429	1,853	2,131	1,749	1,093	370	101	15	-
	Nonwhite--M--	613	1	-	-	-	-	-	-	-	3	2	7	27	32	42	50	80	74	96	81	54	31	20	11	1	-	1
	F--	371	-	-	-	-	-	-	2	1	1	4	4	19	25	34	30	43	43	47	36	38	18	16	8	2	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	1,592	-	-	-	-	-	3	7	22	22	43	54	94	123	162	132	170	190	156	140	137	70	52	14	1	-	-
	White-----M--	790	-	-	-	-	-	2	3	13	15	24	23	41	57	88	73	99	100	76	74	56	24	17	5	-	-	-
	F--	735	-	-	-	-	-	1	2	8	7	18	25	43	53	69	56	64	82	74	64	79	45	35	9	1	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	1	5	7	7	1	-	3	7	2	2	1	-	-	-	-	-	-
	F--	31	-	-	-	-	-	-	2	1	-	-	1	3	6	4	3	4	1	4	-	1	1	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	10,504	4	1	1	-	-	1	3	1	11	11	66	147	341	668	995	1,333	1,539	1,582	1,431	1,206	728	310	100	22	-	3
	White-----M--	7,385	-	-	1	-	-	-	2	1	6	8	53	118	290	573	857	1,036	1,162	1,102	885	709	367	152	50	10	-	3
	F--	2,899	4	1	-	-	-	1	1	-	3	2	12	19	37	74	114	264	347	453	521	485	350	153	46	12	-	-
	Nonwhite--M--	153	-	-	-	-	-	-	-	-	1	-	1	7	8	15	20	22	22	19	19	5	9	3	2	-	-	-
	F--	67	-	-	-	-	-	-	-	-	1	1	-	3	6	6	4	11	8	8	6	7	2	2	2	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	18,410	3	2	2	3	2	7	5	8	20	35	59	139	286	514	834	1,241	1,862	2,492	2,882	3,141	2,556	1,620	534	133	25	6
	White-----M--	9,826	2	1	2	2	2	3	3	5	12	18	32	74	185	326	580	825	1,164	1,480	1,524	1,496	1,165	684	204	42	10	5
	F--	7,887	-	1	-	1	-	4	2	3	6	13	23	38	71	138	221	333	619	902	1,288	1,587	1,354	805	315	88	15	-
	Nonwhite--M--	424	1	-	-	-	-	-	-	-	2	1	1	13	17	26	30	55	45	75	60	48	22	17	9	1	-	1
	F--	273	-	-	-	-	-	-	-	-	-	3	3	13	13	24	23	28	34	35	30	30	15	14	6	2	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con																											
97,102	Arteriosclerosis and high blood pressure*	2,323	-	-	-	-	-	-	-	-	-	1	2	4	3	14	24	57	94	179	348	494	475	406	165	47	9	1
	White—M	1,078	-	-	-	-	-	-	-	-	-	-	-	1	1	5	13	30	52	110	173	246	220	164	45	15	3	-
	F	1,168	-	-	-	-	-	-	-	-	-	1	1	2	2	6	10	23	36	60	164	236	242	236	116	29	3	1
	Nonwhite—M	50	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	5	6	7	11	5	5	3	2	1	-
	F	27	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	3	4	1	8	1	1	1	2	-
107-108, 33	Pneumonia (all forms) and influenza	3,887	712	86	40	31	16	35	18	32	39	46	57	93	138	152	210	219	243	268	332	393	318	258	109	33	6	3
	White—M	2,121	375	40	18	15	5	18	8	17	13	26	33	52	90	99	138	154	165	166	178	191	144	124	36	12	1	3
	F	1,508	254	39	17	12	8	13	10	14	19	19	20	32	39	33	60	54	63	92	134	190	165	126	69	20	3	-
	Nonwhite—M	145	36	3	2	3	2	1	-	-	3	-	2	4	7	14	9	7	9	9	14	6	7	4	1	1	1	-
	F	113	47	4	3	1	-	3	-	1	4	1	2	5	2	6	3	4	6	1	6	6	2	2	3	-	1	-
107	Bronchopneumonia	2,344	522	62	30	21	11	23	10	15	22	25	30	41	63	53	81	87	113	154	209	244	220	189	85	28	5	1
	White—M	1,237	282	30	12	9	4	14	3	11	6	15	17	22	46	36	52	59	79	89	111	109	102	89	27	11	1	1
	F	962	186	28	13	8	5	5	7	4	12	9	11	13	12	14	26	26	30	59	87	129	111	94	54	17	2	-
	Nonwhite—M	72	21	1	2	3	2	1	-	-	2	-	-	2	4	1	2	1	3	5	7	3	6	4	1	-	1	-
	F	73	33	3	3	1	-	3	-	-	2	1	2	4	1	2	1	1	1	1	4	3	1	2	3	-	1	-
108	Lobar pneumonia	1,251	155	16	8	8	4	7	6	9	11	15	24	46	64	86	110	120	113	99	100	117	74	37	16	4	-	2
	White—M	761	77	9	5	5	1	3	3	3	5	8	14	26	39	56	73	91	78	72	56	71	34	22	7	1	-	2
	F	396	53	6	3	3	3	4	3	6	4	7	8	17	23	16	29	21	25	24	35	42	38	15	9	2	-	-
	Nonwhite—M	63	11	1	-	-	-	-	-	-	-	-	2	2	2	12	6	6	6	3	7	3	1	-	-	1	-	-
	F	31	14	-	-	-	-	-	-	-	2	-	-	1	-	2	2	2	4	-	2	1	1	-	-	-	-	-
109	Pneumonia (unspecified)	62	15	-	-	-	1	-	-	1	3	2	-	2	7	3	5	4	1	5	2	5	3	1	2	-	-	-
	White—M	34	9	-	-	-	-	-	-	-	2	-	-	1	2	2	5	3	1	3	-	3	2	1	-	-	-	-
	F	23	5	-	-	-	1	-	-	-	1	2	-	1	3	-	-	1	-	2	2	2	1	-	2	-	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	230	20	8	2	2	-	5	2	7	3	4	3	4	4	10	14	8	16	10	21	27	21	31	6	1	1	-
	White—M	89	7	1	1	1	-	1	2	3	-	3	2	3	3	5	8	1	7	2	11	8	6	12	2	-	-	-
	F	127	10	5	1	1	-	4	-	4	2	1	1	1	1	3	5	6	8	7	10	17	15	19	4	1	1	-
	Nonwhite—M	7	3	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	7	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	2	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	737	3	-	-	-	-	1	-	-	2	7	10	18	40	59	101	91	97	97	87	66	34	19	3	2	-	-
	White—M	572	1	-	-	-	-	-	-	-	2	6	7	16	31	45	85	74	81	77	62	49	23	10	2	1	-	-
	F	147	1	-	-	-	-	1	-	-	-	1	3	2	8	11	14	13	14	19	23	16	10	9	1	1	-	-
	Nonwhite—M	16	1	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	2	1	2	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	505	390	25	6	2	2	5	2	1	2	4	4	3	3	7	5	8	2	10	7	5	6	3	3	-	-	-
	White—M	258	202	13	4	-	1	2	1	-	1	-	3	2	2	6	3	4	1	7	1	-	4	1	-	-	-	-
	F	206	155	9	1	2	-	2	1	1	1	3	1	1	1	1	2	4	1	3	6	4	2	2	3	-	-	-
	Nonwhite—M	26	21	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	15	12	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	315	1	1	4	5	3	11	11	17	13	12	14	20	20	20	17	29	30	23	24	17	15	6	2	-	-	-
	White—M	187	-	-	4	4	2	4	7	10	7	4	8	12	15	13	9	22	21	11	15	9	7	3	-	-	-	-
	F	110	1	1	-	1	1	7	3	6	5	6	5	5	4	5	7	6	7	12	9	6	8	3	2	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	1	-	1	1	-	2	1	1	1	-	2	-	-	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	703	26	5	1	2	2	8	3	3	11	15	17	15	28	50	42	75	68	81	82	87	50	26	3	2	-	1
	White—M	323	13	2	1	1	2	4	3	1	7	5	4	6	8	18	26	38	36	33	37	44	17	12	2	2	-	1
	F	345	12	3	-	1	-	3	-	2	3	10	10	8	17	26	13	30	29	46	44	42	32	13	1	-	-	-
	Nonwhite—M	16	-	-	-	-	-	1	-	-	-	-	-	-	1	3	2	2	2	2	-	1	1	1	-	-	-	-
	F	19	1	-	-	-	-	-	-	-	1	-	3	1	2	3	1	5	1	-	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	1,675	1	-	-	-	-	2	2	3	4	15	52	127	186	220	251	234	180	152	113	79	33	12	8	-	-	1
	White—M	1,036	-	-	-	-	-	2	1	1	2	4	18	56	103	142	162	165	128	106	64	51	19	7	4	-	-	1
	F	581	1	-	-	-	-	-	1	2	2	10	31	57	75	70	83	63	49	43	47	25	14	4	4	-	-	-
	Nonwhite—M	40	-	-	-	-	-	-	-	-	-	1	2	6	7	6	5	6	2	2	1	1	-	1	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	1	8	1	2	1	-	1	1	1	2	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	362	-	-	-	-	-	-	-	1	-	4	6	7	17	27	29	37	47	61	47	39	20	14	5	1	-	-
	White—M	136	-	-	-	-	-	-	-	1	-	-	1	2	5	10	12	15	16	28	16	12	13	4	1	-	-	-
	F	220	-	-	-	-	-	-	-	-	-	4	5	5	12	17	14	21	30	33	31	26	7	10	4	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	4,076	3	1	4	1	8	14	10	13	22	38	65	97	132	194	257	304	449	507	509	570	450	298	111	21	-	-
	White—M	2,071	-	1	1	-	3	6	5	4	8	18	31	49	62	105	129	175	265	269	260	282	209	140	46	3	-	-
	F	1,778	3	-	1	-	2	6	5	9	13	12	25	35	51	63	101	107	160	215	227	272	234	157	62	18	-	-
	Nonwhite—M	115	-	-	1	-	-	-	-	-	-	4	2	5	9	11	17	14	13	11	14	10	3	-	1	-	-	-
	F	112	-	-	1	1	1	2	-	-	1	4	7	8	10	15	10	8	11	12	8	6	4	1	2	-	-	-
137	Diseases of the prostate	473	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	19	44	64	94	95	76	53	16	8	-	-
	White—M	462	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	19	44	62	89	94	74	53	15	8	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	1	2	-	1	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																											
140-150	Diseases of pregnancy, etc.*----	266	-	-	-	-	-	-	1	17	76	67	48	38	17	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	243	-	-	-	-	-	-	1	16	70	61	45	35	13	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	23	-	-	-	-	-	-	-	1	6	6	3	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia------	108	-	-	-	-	-	-	1	5	32	30	19	14	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	98	-	-	-	-	-	-	1	5	29	27	17	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	-	-	-	-	-	-	-	-	3	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	44	-	-	-	-	-	-	-	3	19	11	4	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	38	-	-	-	-	-	-	-	3	17	10	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*------	88	-	-	-	-	-	-	-	6	17	17	22	18	6	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	82	-	-	-	-	-	-	-	5	16	16	21	16	6	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes----------	26	-	-	-	-	-	-	-	3	8	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	25	-	-	-	-	-	-	-	3	8	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations----	1,162	935	44	22	7	8	29	15	9	10	13	12	12	9	11	8	6	3	4	2	1	1	-	-	-	-	1
	White-----M--	622	498	26	11	4	4	14	11	5	5	6	8	9	1	8	4	3	1	2	1	-	-	-	-	-	-	1
	F--	477	385	18	11	3	4	13	2	4	4	7	3	3	4	2	4	3	2	2	1	1	1	-	-	-	-	-
	Nonwhite--M--	37	30	-	-	-	-	2	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	26	22	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year----	3,930	3,930	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	2,108	2,108	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1,535	1,535	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	173	173	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	116	116	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	2,445	2,445	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,298	1,298	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	951	951	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	122	122	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	74	74	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year------	1,485	1,485	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	808	808	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	584	584	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	51	51	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	42	42	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	1,862	-	-	-	-	-	-	5	32	93	101	123	158	181	187	163	167	161	93	94	52	34	13	2	1	-	2
	White-----M--	1,167	-	-	-	-	-	-	3	15	62	54	75	99	129	133	111	129	116	75	71	48	29	13	2	1	-	2
	F--	430	-	-	-	-	-	-	1	16	25	42	39	49	48	48	43	37	40	16	18	3	5	-	-	-	-	-
	Nonwhite--M--	54	-	-	-	-	-	-	1	-	4	4	9	9	3	4	7	1	4	2	5	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	1	2	1	-	1	1	2	2	-	1	-	-	-	-	-	-	-	-	-
165-168	Homicide---------	531	11	4	3	4	1	4	5	24	57	63	70	65	60	57	34	22	15	9	16	4	-	-	-	-	-	3
	White-----M--	276	5	1	1	1	-	2	3	15	26	25	36	31	28	38	19	15	11	7	9	2	-	-	-	-	-	1
	F--	93	3	2	-	2	1	1	2	4	6	11	10	10	15	8	6	4	2	2	3	2	-	-	-	-	-	1
	Nonwhite--M--	126	3	-	-	1	-	-	-	3	19	18	20	18	17	11	7	3	2	-	3	-	-	-	-	-	-	1
	F--	36	-	1	2	-	-	1	-	2	6	9	4	6	2	-	2	-	-	-	1	-	-	-	-	-	-	-
169-195	Accidental deaths	7,937	227	119	74	91	39	175	182	455	618	499	507	503	484	489	492	485	461	476	412	377	366	273	91	22	3	19
	White-----M--	5,427	135	65	42	55	20	110	138	341	472	380	376	373	355	373	392	376	348	326	246	193	165	103	34	5	1	13
	F--	2,120	77	44	21	33	15	54	35	96	116	87	90	98	93	90	80	92	90	134	156	185	187	164	54	17	2	-
	Nonwhite--M--	313	7	7	3	2	4	9	6	16	28	24	36	29	30	23	17	11	22	14	7	7	3	5	-	-	-	5
	F--	77	8	3	8	1	-	2	3	2	4	8	5	3	6	3	3	4	1	2	3	2	1	1	3	-	-	1
170	Motor-vehicle accidents-------	3,770	18	27	25	40	18	80	88	292	420	310	277	264	245	244	275	253	244	248	180	121	77	35	8	-	-	1
	White-----M--	2,739	5	17	14	23	8	52	69	211	324	239	191	190	177	182	206	174	182	189	128	70	54	26	7	-	-	1
	F--	853	10	8	7	15	8	23	15	74	84	59	62	58	50	50	55	50	48	50	49	48	22	7	1	-	-	-
	Nonwhite--M--	147	2	1	-	2	2	4	2	6	10	7	21	14	16	10	12	7	13	9	3	3	1	2	-	-	-	-
	F--	31	1	1	4	-	-	1	2	1	2	5	3	2	2	2	2	2	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	4,167	209	92	49	51	21	95	94	163	198	189	230	239	239	245	217	250	217	228	232	256	289	238	83	22	3	18
	White-----M--	2,888	130	48	28	32	12	58	69	130	148	141	185	183	178	191	186	202	166	137	118	113	111	77	27	5	1	12
	F--	1,267	67	36	14	18	7	31	20	22	32	28	28	40	43	40	25	42	42	84	107	137	175	157	53	17	2	-
	Nonwhite--M--	166	5	6	3	-	2	5	4	10	16	17	15	15	14	13	5	4	9	5	4	4	2	3	-	-	-	5
	F--	46	7	2	4	1	-	1	1	1	2	3	2	1	4	1	1	2	-	2	3	2	1	1	3	-	-	1
162,199, 200	Senility, ill-defined and unknown causes----	516	15	7	-	-	1	3	2	2	7	8	5	8	18	13	5	17	17	25	28	63	98	90	56	16	9	3
	White-----M--	253	5	5	-	-	1	2	1	1	2	6	2	6	10	6	3	15	10	18	12	27	42	41	30	5	1	2
	F--	241	8	2	-	-	-	1	1	1	4	1	3	1	5	6	2	1	6	7	14	36	52	48	25	11	5	1
	Nonwhite--M--	13	1	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	2	-	2	-	1	-	2	-
	F--	9	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	2	1	-	-	1	-
	All other causes-	5,172	284	86	51	55	36	98	61	94	127	162	198	242	279	360	392	415	454	481	438	329	276	166	67	18	4	1
	White-----M--	2,736	160	50	28	31	20	58	29	40	57	66	91	103	130	186	217	244	269	279	248	176	146	76	25	6	1	-
	F--	2,138	102	30	18	22	14	36	31	46	54	70	89	102	123	142	158	146	170	188	182	148	126	84	41	12	3	1
	Nonwhite--M--	167	12	3	3	-	1	1	-	4	10	16	11	19	16	13	8	19	11	8	7	2	1	1	1	-	-	-
	F--	131	10	3	2	2	1	1	1	4	6	10	7	18	10	19	9	6	4	6	1	3	3	5	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO																											
	All causes	12,058	1,180	85	49	40	30	104	92	161	212	232	255	292	372	442	620	806	1,009	1,197	1,348	1,397	1,157	694	228	42	11	3
	White M	8,837	703	34	23	22	20	62	62	103	121	122	133	149	226	257	392	516	606	705	756	738	622	331	107	18	7	2
	F	4,910	447	47	23	18	10	40	28	57	80	92	111	136	137	168	204	265	365	458	555	637	529	356	118	24	4	1
	Nonwhite M	175	12	2	2	-	-	2	1	-	8	12	8	2	3	12	12	13	22	20	24	13	3	3	1	-	-	-
	F	136	18	2	1	-	-	-	1	1	3	6	3	5	6	5	12	12	16	14	13	9	3	4	2	-	-	-
1,2	Typhoid and paratyphoid fever	6	-	-	-	-	-	1	-	-	1	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White M	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	11	1	1	1	2	-	1	-	1	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White M	6	1	1	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	6	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	19	1	-	1	6	3	3	1	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White M	11	1	-	-	4	3	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	1	2	-	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	401	3	2	2	4	2	-	1	7	23	45	36	26	30	39	35	34	27	38	22	16	6	3	-	-	-	-
	White M	250	2	1	1	2	2	-	-	5	7	16	17	13	22	26	22	29	21	28	17	13	5	1	-	-	-	-
	F	126	1	1	1	2	-	-	1	1	11	20	16	12	8	10	12	5	5	9	5	3	1	2	-	-	-	-
	Nonwhite M	19	-	-	-	-	-	-	-	-	3	7	3	-	-	3	1	-	1	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	367	2	1	2	-	1	-	1	6	20	43	34	25	29	36	31	31	26	35	21	16	5	2	-	-	-	-
	White M	224	1	1	1	-	1	-	-	4	5	15	15	12	21	23	20	26	20	25	16	13	4	1	-	-	-	-
	F	119	1	-	1	-	-	-	1	1	11	19	16	12	8	10	10	5	5	9	5	3	1	1	-	-	-	-
	Nonwhite M	18	-	-	-	-	-	-	-	-	2	7	3	-	-	3	1	-	1	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	34	1	1	-	4	1	-	-	1	3	2	2	1	1	3	4	3	1	3	1	-	1	1	-	-	-	-
	White M	26	1	-	-	2	1	-	-	1	2	1	2	1	1	3	2	3	1	3	1	-	1	-	-	-	-	-
	F	7	-	1	-	2	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	15	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-
	White M	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	106	3	-	-	-	-	-	1	-	1	3	2	1	6	9	14	21	10	15	7	5	6	2	-	-	-	-
	White M	72	2	-	-	-	-	-	1	-	-	1	1	1	1	4	10	17	8	12	4	4	4	2	-	-	-	-
	F	25	1	-	-	-	-	-	-	-	1	2	1	-	3	3	2	3	2	2	3	1	1	-	-	-	-	-
	Nonwhite M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
35	Measles	11	5	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White M	7	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	4	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliocencephalitis (acute)	56	-	2	1	-	1	13	6	7	8	7	6	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	White M	35	-	-	1	-	1	10	4	4	4	5	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	-	2	-	-	-	3	1	3	4	2	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Con.																											
45-55	Cancer and other malignant tumors	1,447	1	2	3	1	-	1	4	3	7	7	25	37	42	73	108	137	180	214	238	176	118	53	14	5	-	-
	White-----M--	662	1	1	1	1	-	1	2	-	2	4	8	8	11	23	40	59	87	100	110	99	64	28	9	3	-	-
	F--	748	-	1	2	-	-	-	2	3	5	3	15	29	31	49	58	75	87	106	122	76	54	25	4	2	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	3	5	4	1	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	2	-	-	1	4	-	3	3	2	-	-	-	1	-	-	-
46	Cancer of the digestive organs and peritoneum--	666	-	-	-	-	-	-	1	1	1	3	7	10	12	23	44	54	74	120	124	95	65	23	7	2	-	-
	White-----M--	331	-	-	-	-	-	-	1	-	1	2	3	4	6	12	19	28	40	61	57	54	28	9	4	2	-	-
	F--	314	-	-	-	-	-	-	-	1	-	1	3	6	6	10	23	23	31	54	62	40	37	14	3	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	3	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	153	-	-	-	-	-	-	-	-	3	-	8	12	14	17	14	16	17	14	14	14	7	2	1	-	-	-
	White-----F--	148	-	-	-	-	-	-	-	-	3	-	7	12	14	17	13	16	16	13	14	14	7	2	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-
50	Cancer of breast-	146	-	-	-	-	-	-	-	-	-	2	3	9	8	13	12	21	24	16	19	10	3	5	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	141	-	-	-	-	-	-	-	-	-	2	2	9	8	13	10	21	24	15	19	10	2	5	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	482	1	2	3	1	-	1	3	2	3	2	7	6	8	20	36	46	65	64	81	57	43	23	5	3	-	-
	White-----M--	329	1	1	1	1	-	1	1	-	1	2	4	4	5	11	21	31	47	39	53	45	35	19	5	1	-	-
	F--	145	-	1	2	-	-	-	2	2	2	-	3	2	3	8	12	15	16	24	27	12	8	4	-	2	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	20	-	-	1	-	-	3	3	7	1	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	11	-	-	1	-	-	2	2	4	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	1	3	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	217	-	1	-	-	-	-	-	3	2	-	2	5	7	5	16	27	27	35	20	40	20	5	2	-	-	-
	White-----M--	96	-	1	-	-	-	-	-	1	1	-	2	4	4	3	6	9	12	11	5	22	11	3	1	-	-	-
	F--	116	-	-	-	-	-	-	-	2	1	-	-	1	3	2	10	15	13	24	15	18	9	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	15	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	3	1	-	4	1	-	1	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	3	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	36	-	-	-	-	-	-	-	-	1	1	2	6	4	4	5	6	1	5	1	-	-	-	-	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	1	1	1	2	3	3	4	6	1	4	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	970	1	1	2	-	-	-	-	-	3	1	1	6	21	20	44	61	102	104	157	185	155	77	24	5	-	-
	White-----M--	440	1	-	1	-	-	-	-	-	2	-	-	2	15	10	20	34	50	42	71	79	78	24	10	1	-	-
	F--	495	-	1	1	-	-	-	-	-	1	1	1	4	4	8	20	26	45	58	79	102	77	50	13	4	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	2	4	2	-	1	1	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	3	2	3	2	-	2	-	-	-	-
90-95	Diseases of the heart----------	3,186	6	2	-	1	1	6	8	13	13	20	27	48	75	109	173	253	327	419	489	489	403	213	74	11	5	1
	White-----M--	1,951	4	-	-	1	-	3	3	6	7	10	18	27	52	66	132	182	221	278	300	269	224	102	35	7	3	1
	F--	1,173	1	2	-	-	1	3	5	7	6	10	7	18	23	41	36	64	97	133	177	211	178	108	39	4	2	-
	Nonwhite--M--	33	1	-	-	-	-	-	-	-	-	-	2	2	-	2	4	2	2	2	9	5	1	1	-	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	7	6	3	4	-	2	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	237	-	1	-	1	-	4	7	10	4	12	9	12	19	16	21	18	12	20	25	15	17	10	4	-	-	-
	White-----M--	116	-	-	-	1	-	3	2	5	3	7	7	6	9	4	12	9	4	10	14	7	8	3	2	-	-	-
	F--	119	-	1	-	-	-	1	5	5	1	5	2	6	10	12	9	8	8	10	11	8	9	6	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	1,167	1	-	-	-	-	-	-	-	3	2	8	21	32	52	90	142	159	186	184	149	86	34	16	2	-	-
	White-----M--	848	1	-	-	-	-	-	-	-	1	1	7	15	27	44	77	110	122	135	127	98	58	15	9	1	-	-
	F--	304	-	-	-	-	-	-	-	-	2	1	-	5	5	7	11	29	35	50	54	50	28	18	7	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	1	-	3	1	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	1,782	5	1	-	-	1	2	1	3	6	6	10	15	24	41	62	93	156	213	280	325	300	169	54	9	5	1
	White-----M--	987	3	-	-	-	-	-	1	1	3	2	4	6	16	18	43	63	95	133	159	164	158	84	24	6	3	1
	F--	750	1	1	-	-	1	2	-	2	3	4	5	7	8	22	16	27	53	73	112	153	141	84	30	3	2	-
	Nonwhite--M--	20	1	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	1	2	6	4	1	-	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	7	5	3	4	-	1	-	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Con.																											
97,102	Arteriosclerosis and high blood pressure*	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	12	13	20	44	51	42	22	5	1	-
	White----M--	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	8	14	18	27	21	8	2	-	-
	F--	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	5	6	24	24	21	14	3	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	753	161	24	6	4	4	8	5	7	9	4	11	13	22	26	21	27	43	52	56	76	65	53	30	3	2	1
	White----M--	430	99	6	2	2	2	5	5	2	6	1	6	4	12	15	17	20	28	39	35	38	39	28	17	1	1	-
	F--	305	60	16	3	2	2	2	-	5	3	2	5	9	10	10	4	5	12	13	19	36	45	25	13	2	1	1
	Nonwhite--M--	10	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	2	-	1	1	-	-	-	-	-	-
	F--	8	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-
107	Bronchopneumonia	381	102	13	4	2	1	3	2	5	1	1	2	6	14	5	6	4	14	26	26	40	51	32	17	3	1	-
	White----M--	210	60	3	1	2	1	2	2	1	-	-	-	3	6	4	5	3	13	18	16	18	25	18	7	1	1	-
	F--	165	41	9	2	-	-	-	-	4	1	-	2	3	8	1	1	1	1	8	10	21	26	14	10	2	-	-
	Nonwhite--M--	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
108	Lobar pneumonia	252	32	7	1	1	1	3	2	1	5	2	7	7	4	15	10	19	20	22	25	24	27	12	4	-	-	1
	White----M--	143	17	2	-	-	1	1	2	-	3	-	5	1	3	9	8	14	10	17	16	12	11	8	3	-	-	-
	F--	98	14	5	1	1	-	2	-	1	2	2	2	6	1	5	2	3	7	5	7	11	15	4	1	-	-	1
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
109	Pneumonia (unspecified)	46	18	1	-	1	1	-	-	-	-	-	-	-	1	3	1	2	4	3	1	5	1	1	3	-	-	-
	White----M--	32	14	1	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	3	1	3	-	-	3	-	-	-
	F--	14	4	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	2	-	-	2	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	74	9	3	1	-	1	2	1	1	3	1	2	-	3	3	4	2	5	1	4	7	6	8	6	-	1	-
	White----M--	45	6	-	1	-	-	2	1	1	3	1	1	-	2	-	3	2	3	1	2	5	3	2	4	-	-	-
	F--	28	1	2	-	-	1	-	-	-	-	-	1	-	1	3	1	-	2	-	2	2	3	6	2	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	92	1	-	-	-	-	-	-	-	1	-	2	3	5	1	8	13	12	14	11	12	4	5	-	-	-	-
	White----M--	68	-	-	-	-	-	-	-	-	1	-	1	3	5	-	6	11	9	10	10	6	3	3	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	4	1	6	1	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	115	89	7	4	-	1	1	-	-	-	-	-	1	1	1	1	-	-	1	3	-	1	4	-	-	-	-
	White----M--	72	59	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	-	3	-	-	-	-
	F--	41	29	4	2	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	71	-	-	1	2	1	6	6	3	5	2	3	3	1	5	5	2	8	5	5	5	2	1	-	-	-	-
	White----M--	45	-	-	1	1	1	2	4	1	2	-	1	3	-	5	3	2	6	4	3	4	1	1	-	-	-	-
	F--	24	-	-	-	1	-	4	2	2	3	2	2	-	1	-	2	-	1	-	2	1	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	110	7	-	-	-	-	2	-	-	-	1	7	2	4	4	9	5	13	8	17	10	11	8	2	-	-	-
	White----M--	57	4	-	-	-	-	1	-	-	-	-	2	1	1	1	4	4	6	2	12	6	8	4	1	-	-	-
	F--	52	2	-	-	-	-	1	-	-	-	1	5	1	3	3	5	1	7	6	5	4	3	4	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	120	-	-	-	-	-	-	-	-	-	-	3	6	18	11	14	15	11	13	10	10	8	1	-	-	-	-
	White----M--	68	-	-	-	-	-	-	-	-	-	-	1	2	8	6	11	12	7	8	3	6	4	-	-	-	-	-
	F--	52	-	-	-	-	-	-	-	-	-	-	2	4	10	5	3	3	4	5	7	4	4	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	74	-	-	-	-	-	-	-	1	2	3	3	3	1	3	4	9	12	9	11	5	4	4	-	-	-	-
	White----M--	21	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	1	3	2	5	2	1	1	-	-	-	-
	F--	53	-	-	-	-	-	-	-	1	2	2	2	3	1	1	2	8	9	7	6	3	3	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	722	1	1	1	1	1	1	5	3	2	12	8	8	11	28	19	48	59	88	107	108	111	79	14	6	-	-
	White----M--	391	-	-	1	1	1	-	4	3	1	8	2	6	1	18	10	27	33	51	54	51	63	46	7	3	-	-
	F--	312	1	1	-	-	-	1	1	-	-	4	5	2	7	9	8	19	24	34	49	56	48	33	7	3	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	2	2	2	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	1	2	-	-	-	-	-	-	-
137	Diseases of the prostate	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	10	14	25	10	8	-	-	-	-
	White----M--	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	10	13	24	10	8	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Con.																											
140-150	Diseases of pregnancy, etc.*----	57	-	-	-	-	-	-	-	4	12	13	12	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	55	-	-	-	-	-	-	-	4	12	13	12	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia------	21	-	-	-	-	-	-	-	2	5	2	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	20	-	-	-	-	-	-	-	2	5	2	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	14	-	-	-	-	-	-	-	-	3	4	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	-	-	-	-	-	-	-	-	3	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	19	-	-	-	-	-	-	-	2	3	6	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	19	-	-	-	-	-	-	-	2	3	6	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes---------	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	162	140	7	1	3	-	1	1	2	1	1	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	92	79	3	1	2	-	1	-	1	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	64	56	4	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	654	654	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	390	390	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	250	250	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	434	434	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	254	254	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	173	173	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year------	220	220	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	136	136	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	77	77	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	176	-	-	-	-	-	-	2	4	10	10	14	16	17	13	29	19	17	5	9	6	4	1	-	-	-	-
	White-----M--	138	-	-	-	-	-	-	2	3	6	8	12	12	15	9	21	14	14	4	8	6	3	1	-	-	-	-
	F--	35	-	-	-	-	-	-	-	1	3	2	2	4	2	4	7	5	2	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide---------	61	1	-	-	-	-	-	-	2	10	10	11	2	7	4	1	5	2	-	4	1	1	-	-	-	-	-
	White-----M--	40	-	-	-	-	-	-	-	-	8	4	6	1	6	4	1	4	2	-	3	1	-	-	-	-	-	-
	F--	12	1	-	-	-	-	-	-	2	-	2	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,012	29	22	13	11	6	36	29	71	82	60	48	57	51	37	48	49	48	50	55	80	61	49	17	2	-	1
	White-----M--	692	15	14	5	6	4	24	25	56	62	48	40	40	43	32	40	37	33	32	34	42	34	17	8	-	-	1
	F--	303	13	8	7	5	2	11	4	15	19	11	8	17	8	5	8	11	12	15	19	38	26	31	8	2	-	-
	Nonwhite--M--	9	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	2	2	-	-	1	1	-	-	-	-
	F--	8	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	2	-	-	-	1	-	-	-
170	Motor-vehicle accidents-------	361	2	-	4	2	1	16	14	43	48	32	25	31	18	18	14	20	15	19	17	13	8	1	-	-	-	-
	White-----M--	253	2	-	2	1	1	9	10	33	33	25	21	21	16	15	10	13	11	11	12	11	5	1	-	-	-	-
	F--	96	-	-	2	1	-	6	4	10	14	7	4	10	2	3	4	7	4	8	5	2	3	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	651	27	22	9	9	5	20	15	28	34	28	23	26	33	19	34	29	33	31	38	67	53	48	17	2	-	1
	White-----M--	429	13	14	3	5	3	15	15	23	29	23	19	19	27	17	30	24	22	21	22	31	29	16	8	-	-	1
	F--	207	13	8	5	4	2	5	-	5	5	4	4	7	6	2	4	4	8	7	14	36	23	31	8	2	-	-
	Nonwhite--M--	8	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	-	-	1	1	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	1	-	-	-
162,199, 200	Senility, ill-defined and unknown causes----	222	15	-	1	1	-	-	1	2	1	1	1	-	2	1	1	5	6	7	17	32	49	57	16	5	1	-
	White-----M--	105	6	-	-	1	-	-	-	2	-	-	-	-	2	1	-	3	5	6	8	14	24	25	6	1	1	-
	F--	108	6	-	1	-	-	-	1	-	1	1	1	-	-	-	1	1	1	-	7	17	24	32	10	4	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
	F--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	All other causes-	845	45	10	10	4	10	18	16	21	15	29	27	34	39	43	61	61	86	89	68	70	47	27	13	-	2	-
	White-----M--	459	25	4	6	-	5	11	7	14	8	14	9	17	24	24	39	39	49	52	41	33	19	12	5	-	2	-
	F--	364	19	4	4	4	5	7	8	7	7	13	17	16	14	17	21	20	34	33	27	36	28	15	8	-	-	-
	Nonwhite--M--	12	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	3	3	-	1	-	-	-	-	-	-
	F--	10	-	1	-	-	-	-	-	-	-	2	1	1	1	1	1	1	-	1	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.–DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT																											
	All causes	19,127	1,154	66	48	35	35	91	62	106	177	237	282	365	535	859	1,295	1,731	1,917	2,312	2,481	2,248	1,702	925	361	84	10	9
	White—M	10,215	644	31	25	17	18	63	37	64	80	115	141	189	309	475	764	1,035	1,165	1,316	1,336	1,099	769	356	127	31	1	8
	F	8,424	469	33	23	18	17	28	19	35	82	101	118	153	190	332	487	658	721	952	1,104	1,123	906	563	233	49	9	1
	Nonwhite—M	296	27	-	-	-	-	-	5	6	11	11	12	13	25	31	28	20	20	29	22	18	14	1	1	2	-	-
	F	192	14	2	-	-	-	-	1	1	4	10	11	10	11	21	16	18	11	15	19	8	13	5	-	2	-	-
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	16	3	2	1	-	1	1	2	1	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	9	1	-	1	-	1	1	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	6	2	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	6	1	-	-	-	1	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	589	1	2	-	1	-	2	6	11	35	46	39	44	43	40	75	69	59	57	29	19	7	3	-	1	-	-
	White—M	383	-	-	-	-	-	2	1	5	9	18	16	28	30	32	58	58	46	41	20	12	5	1	-	1	-	-
	F	153	1	2	-	1	-	-	1	4	20	20	16	11	5	6	11	9	13	14	9	7	1	2	-	-	-	-
	Nonwhite—M	32	-	-	-	-	-	-	4	1	3	4	3	3	5	1	5	1	-	1	-	-	1	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	1	3	4	4	2	3	1	1	1	-	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	548	-	2	-	-	-	-	1	8	31	44	37	44	42	38	72	65	57	53	27	17	6	3	-	1	-	-
	White—M	361	-	-	-	-	-	-	-	5	7	17	15	28	29	30	56	54	46	40	19	11	4	1	-	1	-	-
	F	138	-	2	-	-	-	-	1	3	18	19	15	11	5	6	10	9	11	11	8	6	1	2	-	-	-	-
	Nonwhite—M	28	-	-	-	-	-	-	-	1	3	4	3	3	5	1	5	1	-	1	-	-	1	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	1	3	4	4	2	3	1	1	1	-	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	41	1	-	-	1	-	2	5	3	4	2	2	-	1	2	3	4	2	4	2	2	1	-	-	-	-	-
	White—M	22	-	-	-	-	-	2	1	2	2	1	1	-	1	2	2	4	-	1	1	1	1	-	-	-	-	-
	F	15	1	-	-	1	-	-	-	1	2	1	1	-	-	-	1	-	2	3	1	1	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	113	-	-	-	-	-	-	-	1	-	3	2	1	5	13	16	17	16	15	13	7	3	-	1	-	-	-
	White—M	74	-	-	-	-	-	-	-	-	-	-	-	1	4	8	11	9	13	11	10	4	2	-	1	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	1	-	-	-	3	3	6	1	4	3	3	1	-	-	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	1	-	-	2	-	1	1	2	2	2	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	17	-	-	1	-	-	1	4	2	1	2	1	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	13	-	-	-	-	-	1	3	1	1	2	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Con.																											
45-55	Cancer and other malignant tumors	3,032	1	-	4	4	2	7	2	5	8	18	33	55	90	187	268	391	428	450	424	336	213	82	22	2	-	-
	White-----M--	1,517	-	-	2	3	-	5	1	2	4	7	14	17	32	60	127	206	247	248	225	171	104	33	8	1	-	-
	F--	1,469	1	-	2	1	2	2	1	2	4	11	17	37	54	124	138	179	175	197	193	161	105	49	13	1	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	3	4	3	3	2	-	1	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	2	1	3	2	1	4	3	1	3	1	2	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	1,473	-	-	-	-	-	2	-	1	1	6	9	25	31	67	120	182	230	244	219	185	102	38	10	1	-	-
	White-----M--	795	-	-	-	-	-	1	-	1	-	3	5	9	15	29	70	108	143	145	112	86	52	13	2	1	-	-
	F--	661	-	-	-	-	-	1	-	-	1	3	4	16	15	36	50	71	85	96	103	98	49	25	8	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	2	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	1	1	-	-	-	-	-
48,49	Cancer of female genital organs--	272	-	-	-	-	-	-	-	1	1	1	6	10	17	39	26	42	31	35	26	20	13	4	-	-	-	-
	White-----F--	267	-	-	-	-	-	-	-	1	1	1	6	9	17	39	25	40	31	34	26	20	13	4	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	-	-	-	-	-	-	-
50	Cancer of breast-	304	-	-	-	-	-	-	-	-	-	1	4	6	20	34	43	44	27	34	30	23	17	16	3	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-	-
	F--	293	-	-	-	-	-	-	-	-	-	1	2	8	18	34	43	41	25	33	30	22	17	16	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	983	1	-	4	4	2	5	2	3	6	10	14	12	22	47	79	123	140	137	149	108	81	24	9	1	-	-
	White-----M--	717	-	-	2	3	-	4	1	1	4	4	9	6	17	31	57	95	104	102	113	64	52	20	6	-	-	-
	F--	248	1	-	2	1	2	1	1	1	2	6	5	4	4	15	20	27	34	34	34	21	26	4	2	1	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	2	1	1	3	2	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
58	Acute rheumatic fever----------	13	-	-	-	1	-	1	-	2	1	1	-	2	1	-	2	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	1	-	-	-	1	1	1	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	661	-	-	1	-	1	-	1	4	2	1	2	5	6	19	45	89	97	121	104	87	55	17	3	1	-	-
	White-----M--	196	-	-	-	-	1	-	-	-	1	-	1	4	1	7	11	29	23	34	28	27	22	4	3	-	-	-
	F--	447	-	-	1	-	-	-	1	4	1	1	1	-	5	8	29	59	73	85	75	60	30	13	-	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	2	-	-	2	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	1	-	1	-	1	-	-	-	-	-
65b	Exophthalmic goiter----------	18	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	4	2	2	3	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	4	2	2	3	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	51	-	-	-	-	-	-	-	-	-	1	4	6	7	12	4	4	6	2	2	1	-	1	-	-	-	1
	White-----M--	41	-	-	-	-	-	-	-	-	-	1	3	4	5	10	3	3	5	2	2	1	-	1	-	-	-	1
	F--	8	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,582	1	1	2	1	1	1	1	2	2	5	6	16	22	53	76	118	143	229	290	236	204	104	40	7	-	1
	White-----M--	707	-	-	1	1	-	1	-	2	1	-	1	8	8	21	39	62	73	118	123	102	92	37	13	3	-	1
	F--	823	1	1	1	-	1	-	1	-	-	5	2	6	12	28	36	51	69	108	161	132	112	65	27	4	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	1	-	2	-	1	2	-	2	1	1	5	1	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	3	-	2	1	1	-	2	-	-	-	-
90-95	Diseases of the heart----------	6,834	-	-	-	1	2	1	4	11	13	17	43	62	123	291	453	607	742	951	1,070	1,001	776	453	159	44	5	5
	White-----M--	3,815	-	-	-	-	-	1	2	8	6	10	22	41	84	186	311	392	489	544	626	507	339	173	53	16	1	4
	F--	2,882	-	-	-	1	2	-	2	3	6	6	21	17	31	91	127	201	241	366	428	481	424	277	106	26	4	1
	Nonwhite--M--	83	-	-	-	-	-	-	-	-	1	-	-	3	6	11	9	7	9	13	9	9	4	1	-	1	-	-
	F--	54	-	-	-	-	-	-	-	-	-	1	-	1	2	3	6	7	3	8	7	4	9	2	-	1	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	316	-	-	-	-	-	-	3	8	10	9	19	19	20	31	39	41	28	20	24	22	10	9	4	-	-	-
	White-----M--	150	-	-	-	-	-	-	2	6	6	5	7	8	10	8	14	22	18	12	15	8	5	3	1	-	-	-
	F--	162	-	-	-	-	-	1	2	4	4	4	12	9	9	23	25	18	10	8	9	14	5	6	3	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	2,199	-	-	-	-	-	-	-	-	-	3	15	24	72	144	199	288	317	322	329	261	142	53	22	5	-	3
	White-----M--	1,510	-	-	-	-	-	-	-	-	-	2	9	21	56	117	169	214	235	210	213	154	76	21	8	2	-	3
	F--	656	-	-	-	-	-	-	-	-	-	1	6	3	14	21	24	70	79	105	114	105	65	32	14	3	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	3	3	4	2	2	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	3	-	-	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	4,319	-	-	-	1	2	1	1	3	3	5	9	19	31	116	215	278	397	609	717	718	624	391	133	39	5	2
	White-----M--	2,155	-	-	-	-	-	1	-	2	-	3	6	12	18	61	128	156	236	322	398	345	258	149	44	14	1	1
	F--	2,064	-	-	1	2	-	1	1	2	1	3	5	8	47	78	113	152	273	305	362	354	239	89	23	4	1	1
	Nonwhite--M--	57	-	-	-	-	-	-	-	-	1	-	-	2	3	7	6	3	6	9	7	7	4	1	-	1	-	-
	F--	43	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	6	3	5	7	4	8	2	-	1	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Con.																											
97,102	Arteriosclerosis and high blood pressure*	324	-	-	-	-	-	-	-	-	-	-	1	-	3	3	3	9	11	29	36	71	75	49	26	5	2	1
	White----M--	150	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	5	8	16	19	32	36	15	12	1	-	1
	F--	170	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	3	12	16	38	39	34	14	4	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	620	70	13	8	1	2	6	1	3	8	9	4	10	19	12	32	31	44	62	57	86	71	44	20	6	1	-
	White----M--	335	43	5	4	1	2	3	-	3	4	6	1	4	11	7	16	22	25	42	27	49	30	18	10	2	-	-
	F--	271	24	8	4	-	-	3	1	-	3	2	2	6	7	3	14	8	18	19	30	37	41	26	10	4	1	-
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-
	F--	6	2	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	279	41	6	3	1	1	4	-	1	1	2	1	6	6	2	9	9	11	30	33	36	39	19	13	4	1	-
	White----M--	147	26	2	1	1	1	2	-	1	1	2	-	2	3	-	4	7	4	24	13	23	14	10	5	1	-	-
	F--	128	14	4	2	-	-	2	-	-	-	-	1	4	3	1	5	1	6	6	20	13	25	9	8	3	1	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	261	14	2	3	-	-	-	1	2	5	4	3	2	11	9	17	16	32	24	22	46	26	16	4	2	-	-
	White----M--	138	8	2	2	-	-	-	-	2	2	1	1	1	6	6	8	10	20	12	12	24	14	5	3	1	-	-
	F--	114	6	-	1	-	-	-	1	-	2	2	1	1	4	2	8	6	12	11	10	22	12	11	1	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	41	11	4	-	-	-	-	-	-	1	2	-	2	1	1	2	4	1	2	1	-	3	5	1	-	-	-
	White----M--	24	7	-	-	-	-	-	-	-	1	2	-	1	1	1	-	3	1	1	1	-	2	2	1	-	-	-
	F--	16	4	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	1	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	39	4	1	2	-	1	2	-	-	1	1	-	-	1	-	4	2	-	6	1	4	3	4	2	-	-	-
	White----M--	26	4	1	1	-	1	1	-	-	-	1	-	-	1	-	4	2	-	5	1	2	-	1	1	-	-	-
	F--	13	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	2	3	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	135	1	-	-	-	-	-	-	-	-	1	4	2	11	13	20	25	11	16	13	7	11	-	-	-	-	-
	White----M--	111	-	-	-	-	-	-	-	-	-	1	4	2	9	12	16	22	9	13	9	6	8	-	-	-	-	-
	F--	24	1	-	-	-	-	-	-	-	-	-	-	-	2	1	4	3	2	3	4	1	3	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	71	38	2	1	-	-	1	-	-	1	3	1	4	1	3	3	2	3	1	1	2	-	2	2	-	-	-
	White----M--	36	20	1	1	-	-	1	-	-	-	2	1	-	1	2	2	2	1	-	-	1	-	1	-	-	-	-
	F--	32	15	1	-	-	-	-	-	-	1	1	-	4	-	1	1	-	2	1	1	1	-	1	2	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	53	1	-	-	-	-	1	1	1	4	2	1	1	6	6	3	7	4	5	8	3	1	-	-	-	-	-
	White----M--	37	1	-	-	-	-	1	1	-	1	1	1	-	5	5	2	4	4	4	5	1	1	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	1	3	1	-	1	1	1	1	3	-	1	1	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	142	4	-	1	-	-	1	-	2	2	-	1	4	1	3	16	12	10	27	13	24	17	2	2	-	-	-
	White----M--	75	3	-	1	-	-	-	-	1	-	-	-	2	-	1	11	8	3	17	7	10	10	1	-	-	-	-
	F--	65	1	-	-	-	-	1	-	1	1	-	1	2	1	2	5	4	7	10	6	13	7	1	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	275	-	-	-	-	-	1	-	-	1	2	5	11	27	25	32	44	37	39	27	15	7	1	1	-	-	-
	White----M--	178	-	-	-	-	-	1	-	-	-	1	1	5	19	17	20	31	27	29	12	12	3	-	-	-	-	-
	F--	90	-	-	-	-	-	-	-	-	1	1	4	6	8	6	11	11	10	9	14	3	4	1	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	82	-	-	-	-	-	-	1	-	1	-	-	3	4	4	3	15	9	12	9	12	7	2	-	-	-	-
	White----M--	22	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	3	5	-	3	2	1	-	-	-	-
	F--	58	-	-	-	-	-	-	1	-	1	-	-	1	3	2	2	13	6	7	8	8	5	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
130-132	Nephritis	911	1	1	1	2	1	1	1	3	3	12	14	25	22	36	61	73	93	81	137	144	104	61	26	8	-	-
	White----M--	443	1	1	1	2	1	-	-	1	2	4	5	12	13	17	28	38	50	46	78	62	48	21	8	4	-	-
	F--	433	-	-	-	-	-	1	1	1	1	6	9	13	8	11	31	33	38	29	55	80	56	39	18	3	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	1	-	2	-	-	-	6	2	1	1	3	1	1	-	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	4	1	3	1	-	1	-	1	-	-
137	Diseases of the prostate	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	10	14	15	14	8	1	-	-	-
	White----M--	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	10	13	14	14	8	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Con.																											
140-150	Diseases of pregnancy, etc.*	38	-	-	-	-	-	-	-	-	8	14	7	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	White—F	36	-	-	-	-	-	-	-	-	8	13	7	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	14	-	-	-	-	-	-	-	-	4	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	14	-	-	-	-	-	-	-	-	4	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	7	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	15	-	-	-	-	-	-	-	-	2	6	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	13	-	-	-	-	-	-	-	-	2	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	300	242	13	7	6	3	11	2	1	1	3	2	3	2	1	-	-	2	-	1	-	-	-	-	-	-	-
	White—M	149	117	7	5	3	-	6	1	1	1	2	2	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	150	124	6	2	3	3	5	1	-	-	1	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	702	702	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	409	409	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	264	264	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	20	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	454	454	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	251	251	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	183	183	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	15	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	248	248	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	158	158	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	81	81	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	253	-	-	-	-	-	-	1	2	11	15	16	12	32	22	31	33	24	22	21	7	1	3	-	-	-	-
	White—M	184	-	-	-	-	-	-	1	2	6	7	10	5	23	15	22	27	21	18	17	6	1	3	-	-	-	-
	F	67	-	-	-	-	-	-	-	-	5	8	6	6	8	7	9	6	3	4	4	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	31	2	-	-	-	-	1	-	-	7	2	6	2	3	2	1	1	2	2	-	-	-	-	-	-	-	-
	White—M	19	2	-	-	-	-	1	-	-	4	-	4	-	1	2	1	1	2	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	1	1	2	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,013	34	10	9	9	9	28	18	37	38	45	57	33	46	42	58	64	66	72	95	78	70	57	32	5	1	-
	White—M	624	17	7	4	4	6	23	13	27	27	36	39	24	37	30	42	43	51	51	49	32	28	23	9	2	-	-
	F	357	16	3	5	5	3	5	3	8	11	6	13	6	6	10	13	20	14	19	43	46	41	34	23	3	1	-
	Nonwhite—M	24	1	-	-	-	-	-	1	2	-	2	3	3	3	2	2	1	1	-	2	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	1	-	-	1	2	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-
170	Motor-vehicle accidents	264	-	2	2	5	5	9	5	16	24	22	21	14	18	12	12	18	25	19	16	11	5	2	1	-	-	-
	White—M	191	-	1	1	2	3	7	2	13	18	20	15	10	11	8	8	12	19	13	12	9	5	1	1	-	-	-
	F	60	-	1	1	3	2	2	2	3	6	1	4	1	6	3	3	5	6	4	4	2	-	1	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	2	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	749	34	8	7	4	4	19	13	21	14	23	36	19	28	30	46	46	41	53	78	67	65	55	31	5	1	-
	White—M	433	17	6	3	2	3	16	11	14	9	16	24	14	26	22	34	31	32	38	37	23	23	22	8	2	-	-
	F	297	16	2	4	2	1	3	1	5	5	5	9	5	-	7	10	15	8	15	38	44	41	33	23	3	1	-
	Nonwhite—M	15	1	-	-	-	-	-	1	2	-	2	1	-	2	1	1	-	1	-	2	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	142	4	2	1	-	-	1	-	1	-	-	3	2	4	6	5	10	11	9	13	14	22	13	16	4	-	1
	White—M	72	2	1	-	-	-	-	-	1	-	-	2	2	1	5	3	8	7	5	10	4	6	8	5	1	-	1
	F	66	1	1	1	-	-	1	-	-	-	-	1	-	2	1	1	2	4	4	3	10	15	5	11	3	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	1,036	42	19	11	9	12	23	15	15	27	34	29	50	55	64	82	101	88	96	103	82	44	23	10	1	1	-
	White—M	534	25	9	5	3	7	15	11	7	12	17	12	24	22	34	36	61	50	57	55	42	18	8	4	-	-	-
	F	469	15	9	6	6	5	8	4	8	13	15	17	23	30	22	45	38	37	38	47	39	22	15	6	-	1	-
	Nonwhite—M	20	1	-	-	-	-	-	-	-	2	1	-	2	2	3	-	2	1	1	-	1	3	-	-	1	-	-
	F	13	1	1	-	-	-	-	-	-	-	1	-	1	1	5	1	-	-	-	1	-	1	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE																											
	All causes	3,229	202	14	11	7	7	23	11	30	48	42	63	91	114	166	204	264	303	333	423	351	281	165	53	15	2	6
	White-----M	1,522	83	5	5	2	1	14	6	10	20	16	27	38	50	65	92	148	155	189	221	173	132	67	19	2	-	2
	F	1,121	66	5	4	2	5	7	1	9	11	11	11	26	28	46	54	80	95	126	151	137	124	85	26	10	-	1
	Nonwhite--M	341	30	2	1	2	1	2	1	2	8	5	15	18	18	31	41	25	31	21	27	29	16	6	6	2	-	1
	F	245	23	2	1	1	-	-	3	9	9	10	10	9	18	24	17	11	22	17	24	12	9	7	2	1	2	2
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	133	3	2	-	-	-	-	1	5	10	8	6	14	17	9	14	8	8	8	9	5	6	-	-	-	-	-
	White-----M	51	-	-	-	-	-	-	-	-	3	2	2	5	12	2	5	4	3	3	6	2	2	-	-	-	-	-
	F	29	-	1	-	-	-	-	-	-	2	1	2	4	1	1	1	2	3	2	3	2	4	-	-	-	-	-
	Nonwhite--M	28	-	1	-	-	-	-	-	1	2	1	1	5	2	4	5	2	2	1	-	1	-	-	-	-	-	-
	F	25	3	-	-	-	-	-	1	4	3	4	1	-	2	2	3	-	-	2	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	119	1	-	-	-	-	-	1	5	7	7	5	13	17	8	14	7	8	7	9	4	6	-	-	-	-	-
	White-----M	47	-	-	-	-	-	-	-	-	3	1	2	5	12	2	5	3	3	2	6	1	2	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	2	1	2	4	1	1	1	2	3	2	3	2	4	-	-	-	-	-
	Nonwhite--M	24	-	-	-	-	-	-	1	1	1	1	1	4	2	3	5	2	2	1	-	1	-	-	-	-	-	-
	F	20	1	-	-	-	-	-	1	4	1	4	-	-	2	2	3	-	-	2	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	14	2	2	-	-	-	-	-	-	3	1	1	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-
	White-----M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	35	2	-	-	-	-	-	-	-	-	1	1	-	4	4	6	7	4	4	2	-	-	-	-	-	-	-
	White-----M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	3	3	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	-	1	-	-	-	-	-	-	-
	F	11	2	-	-	-	-	-	-	-	-	1	1	-	1	2	1	1	1	1	-	-	-	-	-	-	-	-
35	Measles	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	3	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE-Con.																											
45-55	Cancer and other malignant tumors	373	-	-	-	-	1	-	1	-	3	-	3	11	24	30	33	45	45	53	45	44	21	12	2	-	-	-
	White-----M--	166	-	-	-	-	-	-	1	-	2	-	1	1	4	7	15	17	22	26	28	25	12	5	-	-	-	-
	F--	171	-	-	-	-	-	-	-	-	-	-	1	7	13	19	14	26	19	27	11	18	9	6	1	-	-	-
	Nonwhite--M--	16	-	-	-	-	1	-	-	-	-	-	-	2	1	4	4	1	1	-	1	1	-	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	1	-	1	1	6	-	-	1	3	-	5	-	-	1	1	-	-	-
46	Cancer of the digestive organs and peritoneum--	156	-	-	-	-	-	-	-	-	1	-	1	3	7	11	17	12	18	28	21	23	8	6	-	-	-	-
	White-----M--	76	-	-	-	-	-	-	-	-	1	-	-	-	1	3	6	7	10	16	14	12	5	1	-	-	-	-
	F--	60	-	-	-	-	-	-	-	-	-	-	1	1	3	4	7	4	5	12	4	11	3	5	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	2	1	4	4	1	1	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	53	-	-	-	-	-	-	-	-	1	-	1	4	7	6	2	10	4	5	8	2	-	2	1	-	-	-
	White-----F--	45	-	-	-	-	-	-	-	-	-	-	-	4	5	6	2	10	4	5	6	2	-	1	-	-	-	-
	Nonwhite--F--	8	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	2	-	-	1	1	-	-	-
50	Cancer of breast-	35	-	-	-	-	-	-	-	-	-	-	-	1	1	6	1	8	9	4	2	1	1	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	-	1	5	1	8	8	4	1	1	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	129	-	-	-	-	1	-	1	-	1	-	1	3	9	7	13	15	14	16	14	18	12	4	-	-	-	-
	White-----M--	88	-	-	-	-	-	-	1	-	1	-	1	1	3	3	9	10	11	10	14	13	7	4	-	-	-	-
	F--	35	-	-	-	-	-	-	-	-	-	-	-	2	4	4	4	4	2	6	-	4	5	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	69	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	7	10	14	18	10	2	1	-	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	3	5	3	4	1	-	-	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	5	8	13	4	1	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	7	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	283	-	-	-	-	-	-	-	-	-	-	-	3	6	14	18	19	31	48	46	38	32	22	6	-	-	-
	White-----M--	134	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	13	14	23	25	21	14	8	4	-	-	-
	F--	101	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	5	10	19	15	14	14	13	1	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	-	2	3	5	1	2	-	1	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	-	-	2	5	5	1	5	3	1	2	2	1	-	-	-	-
90-95	Diseases of the heart----------	1,072	1	-	-	-	-	1	1	1	4	3	15	15	22	47	68	106	104	123	180	148	134	72	22	5	-	4
	White-----M--	540	-	-	-	-	-	-	1	-	1	2	7	9	12	21	33	67	56	66	96	70	57	33	6	1	-	2
	F--	366	1	-	-	-	-	1	-	-	-	-	-	3	3	11	15	23	31	43	65	57	60	36	13	4	-	-
	Nonwhite--M--	101	-	-	-	-	-	-	-	-	2	-	3	1	5	6	14	10	11	8	8	15	11	3	3	-	-	1
	F--	65	-	-	-	-	-	-	-	1	1	1	3	2	2	9	4	6	6	6	11	6	6	-	-	-	-	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	51	-	-	-	-	-	1	-	-	1	1	3	3	4	5	6	5	3	6	2	2	5	2	2	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	1	2	1	2	2	2	2	1	4	2	-	-	1	-	-	-	-
	F--	21	-	-	-	-	-	1	-	-	-	-	-	1	1	2	2	2	2	1	-	2	4	1	2	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	323	-	-	-	-	-	-	-	1	1	1	4	4	8	18	28	49	43	35	59	36	24	10	-	-	-	2
	White-----M--	207	-	-	-	-	-	-	-	-	-	1	2	3	6	12	17	36	28	24	39	21	11	5	-	-	-	2
	F--	83	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	9	11	11	18	12	10	4	-	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	1	2	-	5	2	2	-	2	2	2	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	1	1	-	2	-	-	3	1	2	2	-	-	1	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	698	1	-	-	-	-	-	1	-	2	1	6	8	10	24	32	52	58	62	119	110	105	60	20	5	-	2
	White-----M--	313	-	-	-	-	-	-	1	-	1	-	3	5	4	7	14	29	27	38	53	49	46	27	8	1	-	-
	F--	262	1	-	-	-	-	-	-	-	-	-	-	2	2	6	8	12	18	31	47	43	46	31	11	4	-	-
	Nonwhite--M--	76	-	-	-	-	-	-	-	-	1	-	2	-	3	5	7	8	9	8	6	13	8	2	3	-	-	1
	F--	47	-	-	-	-	-	-	-	-	-	1	1	1	1	6	3	3	4	5	11	5	5	-	-	-	-	1

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE-Con.																											
97,102	Arteriosclerosis and high blood pressure*	57	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	3	10	7	12	12	2	4	1	1
	White--M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	3	6	5	1	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	6	5	1	2	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	-	-	1	1
107-109, 33	Pneumonia (all forms) and influenza	130	24	4	3	1	-	1	-	1	-	-	-	4	5	6	6	9	14	7	9	9	11	10	4	2	-	-
	White--M	50	7	1	-	-	-	-	-	1	-	-	-	2	-	2	3	4	7	4	4	4	6	2	2	1	-	-
	F	47	10	1	1	1	-	1	-	-	-	-	-	1	2	1	1	-	4	1	3	4	5	8	2	1	-	-
	Nonwhite--M	23	3	1	1	-	-	-	-	-	-	-	-	-	3	2	2	4	2	2	2	1	-	-	-	-	-	-
	F	10	4	1	1	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	42	10	2	2	1	-	-	-	1	-	-	-	-	-	1	2	1	1	2	2	2	4	7	3	1	-	-
	White--M	12	2	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	1	2	1	1	-	-	-
	F	23	5	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	6	2	1	-	-
	Nonwhite--M	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	59	7	1	-	-	-	1	-	-	-	-	-	3	5	2	2	6	13	5	5	6	1	1	-	1	-	-
	White--M	29	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	7	3	4	3	1	1	-	1	-	-
	F	14	3	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	4	1	-	2	-	-	-	-	-	-
	Nonwhite--M	13	1	-	-	-	-	-	-	-	-	-	-	-	3	2	1	2	1	1	1	1	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	20	3	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	-	-	2	1	4	2	1	-	-	-
	White--M	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	2	-	1	-	-	-
	F	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	17	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	2	4	-	4	1	-	-	-	-	-	-
	White--M	14	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	3	-	4	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	16	7	2	-	1	-	1	-	-	1	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	White--M	6	3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
121	Appendicitis	11	-	-	1	-	-	1	-	-	1	1	-	2	-	-	1	1	1	-	-	1	1	-	-	-	-	-
	White--M	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	29	1	-	-	1	-	1	-	1	-	1	1	2	1	2	3	2	4	2	3	3	1	-	-	-	-	-
	White--M	13	-	-	-	-	-	1	-	-	-	-	-	1	1	-	3	-	2	-	2	2	1	-	-	-	-	-
	F	10	1	-	-	1	-	-	-	1	-	1	1	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	23	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	2	3	2	3	3	1	-	-	-	-
	White--M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	1	1	2	1	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	2	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	2	3	-	1	-	-	-	-
	White--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	2	1	-	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	307	-	-	-	-	-	1	1	2	3	-	4	5	6	13	17	21	34	36	43	44	33	27	12	3	1	1
	White--M	127	-	-	-	-	-	1	-	-	-	-	-	2	1	6	3	9	15	19	20	16	20	11	4	-	-	-
	F	117	-	-	-	-	-	-	-	1	3	-	1	1	1	2	4	10	11	14	17	21	11	11	6	2	-	1
	Nonwhite--M	35	-	-	-	-	-	-	-	-	-	-	2	1	1	2	7	2	4	1	3	5	2	3	2	-	-	-
	F	28	-	-	-	-	-	-	1	1	-	-	1	1	3	3	3	-	4	2	3	2	-	2	-	1	1	-
137	Diseases of the prostate	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	7	5	5	-	-	-	-	-
	White--M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	5	4	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

end of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE-Con.																											
140-150	Diseases of pregnancy, etc.*	9	-	-	-	-	-	-	-	-	1	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	7	-	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	4	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	39	31	1	-	1	-	-	-	2	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	White--M	19	16	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	10	7	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	108	108	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	36	36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	11	11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	74	74	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	30	30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	26	26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	34	34	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	33	-	-	-	-	-	-	-	1	-	4	7	2	1	1	5	2	4	2	4	-	-	-	-	-	-	-
	White--M	23	-	-	-	-	-	-	-	1	-	1	4	-	1	1	3	2	4	2	4	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	2	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	24	-	-	-	-	-	-	-	-	5	3	4	1	2	5	1	-	1	1	1	-	-	-	-	-	-	-
	White--M	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	13	-	-	-	-	-	-	-	-	2	2	3	-	1	4	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	216	8	1	6	3	3	9	4	15	13	10	10	15	13	14	10	14	14	12	16	16	7	3	1	1	-	-
	White--M	142	4	1	3	2	-	7	3	7	11	8	7	10	10	9	8	9	8	8	11	9	4	2	1	-	-	-
	F	41	4	-	3	-	3	-	-	4	2	1	-	1	-	2	-	4	1	2	4	5	3	1	-	1	-	-
	Nonwhite--M	31	-	-	-	1	-	2	1	1	-	1	3	4	3	3	2	1	5	1	1	2	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	76	-	1	1	2	1	2	1	7	8	5	3	4	8	5	7	11	3	2	3	2	-	-	-	-	-	-
	White--M	55	-	1	1	2	-	2	1	3	6	4	3	3	7	3	6	6	1	2	3	1	-	-	-	-	-	-
	F	13	-	-	-	-	1	-	-	4	2	1	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	140	8	-	5	1	2	7	3	6	5	5	7	11	5	9	3	3	11	10	13	14	7	3	1	1	-	-
	White--M	87	4	-	2	-	-	5	2	4	5	4	4	7	3	6	2	3	7	6	8	8	4	2	1	-	-	-
	F	28	4	-	3	-	2	-	-	-	-	-	-	1	-	1	-	-	1	2	4	5	3	1	-	1	-	-
	Nonwhite--M	23	-	-	-	1	-	2	1	1	-	1	3	3	2	2	1	-	3	1	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	21	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	-	2	3	2	4	4	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	3	2	-	-	-
	Nonwhite--M	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	All other causes	164	11	2	1	-	1	6	2	2	5	7	7	9	7	13	13	11	19	11	17	9	11	-	-	-	-	-
	White--M	75	6	1	1	-	-	4	1	1	3	2	3	2	3	6	6	7	10	5	5	5	4	-	-	-	-	-
	F	65	4	1	-	-	1	2	1	1	2	3	2	3	3	5	5	3	7	3	9	4	6	-	-	-	-	-
	Nonwhite--M	10	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	3	1	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	2	2	3	-	1	1	1	1	-	2	-	1	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.–DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA																											
	All causes-------	8,289	767	43	22	10	10	20	23	68	143	182	251	348	419	522	645	721	750	871	798	713	503	330	91	26	9	2
	White-----M--	2,841	258	14	7	3	3	7	8	11	26	36	46	87	126	168	252	295	325	345	259	257	180	104	14	7	2	1
	F--	2,506	182	7	5	1	2	3	4	12	21	36	52	64	77	105	121	174	201	293	328	332	245	177	52	11	-	1
	Nonwhite--M--	1,582	178	14	3	3	4	6	9	18	36	53	85	111	135	146	148	146	110	124	112	60	36	22	8	3	2	-
	F--	1,360	149	8	7	3	1	4	2	27	60	47	68	86	81	103	124	106	114	109	99	64	42	27	17	7	5	-
1,2	Typhoid and paratyphoid fever---	6	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	8	3	-	1	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	486	3	4	4	1	1	-	-	24	55	54	50	58	47	37	38	38	31	20	10	5	6	2	-	-	-	-
	White-----M--	116	1	1	2	-	-	-	-	-	2	4	3	6	18	10	17	19	13	7	5	3	4	1	-	-	-	-
	F--	46	-	-	1	-	-	-	-	-	7	4	9	6	4	3	1	3	2	2	2	-	2	-	-	-	-	-
	Nonwhite--M--	182	1	1	-	1	1	-	-	8	12	22	20	33	19	13	14	12	10	9	3	2	-	1	-	-	-	-
	F--	144	1	2	1	-	-	-	-	16	34	24	18	13	6	11	6	4	6	2	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	441	-	1	1	-	-	-	-	22	50	50	45	56	44	32	37	34	28	19	9	5	6	2	-	-	-	-
	White-----M--	109	-	1	1	-	-	-	-	-	2	4	3	6	17	8	16	18	13	7	5	3	4	1	-	-	-	-
	F--	41	-	-	-	-	-	-	-	-	7	4	8	5	3	3	1	3	1	2	2	-	2	-	-	-	-	-
	Nonwhite--M--	165	-	-	-	-	-	-	-	8	11	20	17	32	18	12	14	10	10	8	2	2	-	1	-	-	-	-
	F--	126	-	-	-	-	-	-	-	14	30	22	17	13	6	9	6	3	4	2	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	47	3	3	3	1	1	-	-	2	5	4	5	2	3	5	1	4	3	1	1	-	-	-	-	-	-	-
	White-----M--	7	1	-	1	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	1	1	-	1	1	-	-	-	1	2	3	1	1	1	-	2	-	1	1	-	-	-	-	-	-	-
	F--	18	1	2	1	-	-	-	-	2	4	2	1	-	-	2	-	1	2	-	-	-	-	-	-	-	-	-
27	Dysentery--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	115	1	-	-	-	-	-	-	-	2	-	5	10	12	17	16	15	13	8	4	6	3	2	-	-	1	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	5	6	5	1	5	2	1	-	-	1	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	1	1	-	-	-	-	-
	Nonwhite--M--	58	1	-	-	-	-	-	-	-	1	-	4	8	8	9	11	6	5	3	1	-	-	1	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	1	-	1	2	4	3	4	3	2	-	-	-	-	-	-	-	-	-
35	Measles----------	7	-	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, policencephalitis (acute)---	4	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																											
45-55	Cancer and other malignant tumors	1,134	1	3	2	1	-	-	1	2	6	9	18	38	53	98	117	148	135	166	135	103	51	36	9	1	1	-
	White-----M--	409	-	1	-	1	-	-	1	-	4	3	1	9	15	22	43	54	59	66	52	38	22	16	1	-	-	-
	F--	422	-	2	1	-	-	-	-	1	-	4	6	12	18	37	35	53	42	64	52	54	21	15	5	-	-	-
	Nonwhite--M--	155	-	-	1	-	-	-	-	1	1	1	4	2	7	17	15	27	19	20	19	8	6	3	2	1	1	-
	F--	149	1	-	-	-	-	-	-	-	1	1	7	15	13	22	24	14	15	16	12	3	2	2	1	-	-	-
46	Cancer of the digestive organs and peritoneum--	488	-	-	-	-	-	-	-	-	1	3	6	6	18	30	48	71	56	79	59	54	29	22	5	1	-	-
	White-----M--	197	-	-	-	-	-	-	-	-	-	1	1	3	7	8	19	31	22	37	22	20	13	13	-	-	-	-
	F--	185	-	-	-	-	-	-	-	-	-	2	1	2	3	6	13	21	14	30	22	28	13	6	4	-	-	-
	Nonwhite--M--	76	-	-	-	-	-	-	-	-	1	-	3	1	4	7	5	13	13	8	10	5	3	2	-	1	-	-
	F--	50	-	-	-	-	-	-	-	-	-	-	1	-	4	9	11	6	7	4	5	1	-	1	1	-	-	-
48,49	Cancer of female genital organs--	154	1	-	-	-	-	-	-	-	-	-	8	15	13	23	17	16	17	11	16	11	3	3	-	-	-	-
	White-----F--	94	-	-	-	-	-	-	-	-	-	-	3	4	6	15	8	12	10	9	12	10	2	3	-	-	-	-
	Nonwhite--F--	60	1	-	-	-	-	-	-	-	-	-	5	11	7	8	9	4	7	2	4	1	1	-	-	-	-	-
50	Cancer of breast-	93	-	-	-	-	-	-	-	-	1	1	2	6	5	15	10	11	8	17	9	4	1	3	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	72	-	-	-	-	-	-	-	-	-	-	1	4	4	12	9	8	7	13	7	3	1	3	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	1	1	1	2	1	3	-	3	-	3	2	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	399	-	3	2	1	-	-	1	2	4	5	2	11	17	30	42	50	54	59	51	34	18	8	4	-	1	-
	White-----M--	209	-	1	-	1	-	-	1	-	4	2	-	6	8	14	23	23	36	29	30	18	9	3	1	-	-	-
	F--	91	-	2	1	-	-	-	-	1	-	2	1	2	5	4	5	12	11	12	11	13	5	3	1	-	-	-
	Nonwhite--M--	78	-	-	1	-	-	-	-	1	-	1	1	1	3	10	10	14	6	11	9	3	3	1	2	-	1	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	1	1	7	1	-	1	1	-	-	-	-
58	Acute rheumatic fever----------	9	-	1	-	1	-	2	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	221	-	-	-	-	-	-	-	2	1	5	1	5	4	9	19	17	36	39	36	28	10	5	3	1	-	-
	White-----M--	64	-	-	-	-	-	-	-	1	-	1	-	2	3	2	6	3	15	12	11	6	1	1	-	-	-	-
	F--	92	-	-	-	-	-	-	-	-	1	2	1	2	1	-	8	6	11	18	15	15	7	2	3	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	4	3	3	4	3	1	-	-	-	-	-
	F--	41	-	-	-	-	-	-	-	1	-	1	-	1	-	4	3	4	7	6	6	4	1	2	-	1	-	-
63b	Exophthalmic goiter----------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	17	-	-	-	-	-	-	-	-	-	1	3	-	3	4	3	1	2	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	581	-	3	-	-	-	-	-	1	-	4	5	10	18	32	61	54	51	88	79	82	55	28	9	-	1	-
	White-----M--	164	-	-	-	-	-	-	-	1	-	1	-	1	3	5	19	18	17	26	24	26	15	7	1	-	-	-
	F--	221	-	1	-	-	-	-	-	-	-	2	1	2	2	6	13	16	16	35	34	42	30	15	6	-	-	-
	Nonwhite--M--	101	-	2	-	-	-	-	-	-	-	1	3	4	9	10	13	9	6	16	11	7	5	2	2	-	1	-
	F--	95	-	-	-	-	-	-	-	-	-	-	1	3	4	11	16	11	12	11	10	7	5	4	-	-	-	-
90-95	Diseases of the heart----------	2,317	-	2	-	1	-	1	1	5	7	13	26	68	100	134	175	253	274	326	324	240	177	135	36	13	4	2
	White-----M--	884	-	2	-	1	-	-	1	1	1	2	5	23	34	53	86	110	121	141	102	92	64	33	4	6	1	1
	F--	723	-	-	-	-	-	-	-	1	2	2	5	9	12	20	22	55	67	99	134	108	85	82	17	2	-	1
	Nonwhite--M--	360	-	-	-	-	-	1	-	-	3	5	8	20	31	41	35	47	42	46	43	14	12	8	3	1	-	-
	F--	350	-	-	-	-	-	-	-	3	1	4	8	16	23	20	32	41	44	40	45	26	16	12	12	4	3	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	114	-	-	-	-	-	-	-	5	3	2	5	9	5	7	8	16	17	7	10	10	4	4	2	-	-	-
	White-----M--	30	-	-	-	-	-	-	-	1	-	-	1	3	1	3	4	4	7	1	3	-	1	1	-	-	-	-
	F--	53	-	-	-	-	-	-	-	1	-	1	1	2	2	3	3	10	6	4	5	8	3	3	1	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	2	1	2	3	2	1	-	1	2	1	-	1	-	-	1	-	-	-
	F--	14	-	-	-	-	-	-	-	3	1	-	1	1	-	-	1	1	2	1	2	1	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	637	-	-	-	-	-	-	-	-	-	1	4	13	34	44	65	105	96	104	71	40	35	21	3	-	-	1
	White-----M--	370	-	-	-	-	-	-	-	-	-	1	2	10	22	29	46	67	59	60	32	25	11	5	-	-	-	1
	F--	183	-	-	-	-	-	-	-	-	-	-	-	-	3	6	10	21	27	30	34	14	21	15	2	-	-	-
	Nonwhite--M--	51	-	-	-	-	-	-	-	-	-	-	2	1	4	6	8	11	6	7	2	1	2	1	-	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	-	2	5	3	1	6	4	7	3	-	1	-	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	1,566	-	2	-	1	-	1	1	-	4	10	17	46	61	83	102	132	161	215	243	190	138	110	31	13	4	1
	White-----M--	484	-	2	-	1	-	-	1	-	1	1	2	10	11	21	36	39	55	80	67	67	52	27	4	6	1	-
	F--	487	-	-	-	-	-	-	-	-	2	1	4	7	7	11	9	24	34	65	95	86	61	64	14	2	-	1
	Nonwhite--M--	292	-	-	-	-	-	1	-	-	1	4	4	16	25	34	27	35	34	38	41	12	10	7	2	1	-	-
	F--	303	-	-	-	-	-	-	-	-	-	4	7	13	18	17	30	34	38	32	40	25	15	12	11	4	3	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																											
97,102	Arteriosclerosis and high blood pressure*	129	-	-	-	-	-	-	-	-	-	-	-	2	3	2	3	5	8	15	14	25	25	18	4	4	1	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	5	4	2	5	9	5	-	-	-	-
	F--	61	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	10	16	13	9	3	4	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	-	3	1	1	1	1	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	4	1	3	2	3	1	-	1	-
107-109, 33	Pneumonia (all forms) and influenza	286	42	3	2	-	-	2	2	1	5	4	11	13	16	12	16	14	21	24	23	26	24	18	5	2	-	-
	White-----M--	95	14	-	-	-	-	-	1	-	1	-	3	4	4	3	4	6	9	10	7	14	9	4	2	-	-	-
	F--	81	5	-	1	-	-	1	-	1	1	1	1	2	2	-	3	3	9	6	10	6	12	12	3	2	-	-
	Nonwhite--M--	66	15	3	-	-	-	1	1	-	2	1	5	4	8	6	4	3	3	3	1	4	-	2	-	-	-	-
	F--	44	8	-	1	-	-	-	-	-	1	2	2	3	2	3	5	2	-	5	5	2	3	-	-	-	-	-
107	Bronchopneumonia	125	32	2	1	-	-	-	1	1	1	1	1	1	4	3	7	3	7	11	8	14	12	10	3	2	-	-
	White-----M--	45	10	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	4	5	3	9	4	4	1	-	-	-
	F--	36	3	-	1	-	-	-	-	1	-	1	-	-	1	-	2	1	2	3	2	3	7	5	2	2	-	-
	Nonwhite--M--	32	14	2	-	-	-	-	1	-	-	-	-	1	3	2	1	2	1	1	1	2	-	1	-	-	-	-
	F--	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	1	-	-	-	-	-
108	Lobar pneumonia	120	4	1	-	-	-	2	-	-	3	3	10	9	9	8	8	10	11	11	12	6	8	4	1	-	-	-
	White-----M--	34	2	-	-	-	-	-	-	-	-	-	2	3	3	1	1	5	4	5	3	2	3	-	-	-	-	-
	F--	31	1	-	-	-	-	1	-	-	1	-	1	1	1	-	1	2	6	2	6	1	3	3	1	-	-	-
	Nonwhite--M--	31	-	1	-	-	-	1	-	-	2	1	5	2	5	4	3	1	1	2	-	2	-	1	-	-	-	-
	F--	24	1	-	-	-	-	-	-	-	-	2	2	3	-	3	3	2	-	2	3	1	2	-	-	-	-	-
109	Pneumonia (unspecified)	29	5	-	-	-	-	-	1	-	1	-	-	1	2	1	1	1	1	-	2	5	3	4	1	-	-	-
	White-----M--	13	1	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	1	-	1	3	1	-	1	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	12	1	-	1	-	-	-	-	-	-	-	-	2	1	-	-	-	2	2	1	1	1	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	47	-	1	-	-	-	-	-	-	-	1	2	4	4	2	5	5	3	6	3	5	3	3	-	-	-	-
	White-----M--	31	-	1	-	-	-	-	-	-	-	1	1	2	1	1	4	1	3	5	3	4	3	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	3	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	80	68	1	-	-	-	-	-	1	-	-	1	-	3	1	1	-	1	2	1	-	-	-	-	-	-	-
	White-----M--	25	18	1	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	12	8	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	25	24	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	22	-	-	-	-	-	-	-	-	1	2	1	2	-	3	4	2	3	-	1	2	1	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	2	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	1	-	1	2	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	75	4	-	-	-	-	-	-	-	1	2	3	4	4	-	9	3	9	9	13	8	3	3	-	-	-	-
	White-----M--	18	1	-	-	-	-	-	-	-	-	-	2	1	1	-	3	-	4	1	4	-	-	1	-	-	-	-
	F--	31	1	-	-	-	-	-	-	-	1	1	-	2	1	-	2	1	4	5	4	5	2	2	-	-	-	-
	Nonwhite--M--	16	1	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	1	1	4	2	1	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	2	1	1	-	-	-	-	-	-
124	Cirrhosis of the liver	111	-	1	-	-	-	-	-	-	1	1	4	9	9	18	13	24	15	6	3	3	4	-	-	-	-	-
	White-----M--	66	-	1	-	-	-	-	-	-	-	-	-	3	5	11	9	16	11	4	2	1	3	-	-	-	-	-
	F--	28	-	-	-	-	-	-	-	-	1	1	3	4	1	3	3	4	3	2	-	2	1	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	1	-	2	4	-	3	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	33	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	5	10	2	4	3	1	1	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	-	-	1	1	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	7	1	4	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
130-132	Nephritis	690	-	-	-	-	-	-	-	1	7	7	20	29	43	52	64	62	64	70	58	78	74	44	11	5	1	-
	White-----M--	195	-	-	-	-	-	-	-	-	2	-	2	5	11	13	15	23	21	22	15	20	24	18	3	1	-	-
	F--	226	-	-	-	-	-	-	-	1	1	1	6	5	9	7	15	11	17	24	22	40	38	21	7	1	-	-
	Nonwhite--M--	123	-	-	-	-	-	-	-	-	1	1	8	6	11	19	20	10	9	13	9	6	6	3	-	1	-	-
	F--	146	-	-	-	-	-	-	-	-	3	5	4	13	12	13	14	18	17	11	12	12	6	2	1	2	1	-
137	Diseases of the prostate	39	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	3	7	3	15	4	3	1	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	2	12	3	3	1	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	1	3	1	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																											
140-150	Diseases of pregnancy, etc.*	31	-	-	-	-	-	-	-	3	8	5	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	23	-	-	-	-	-	-	-	1	7	3	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	12	-	-	-	-	-	-	-	1	4	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	11	-	-	-	-	-	-	-	1	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	12	-	-	-	-	-	-	-	1	2	1	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	9	-	-	-	-	-	-	-	-	2	-	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	4	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	126	107	4	2	-	-	1	1	2	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-
	White—M	48	38	3	-	-	-	-	1	2	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	48	44	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	18	15	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	12	10	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	487	487	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	164	164	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	117	117	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	106	106	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	100	100	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	323	323	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	100	100	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	74	74	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	78	78	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	164	164	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	64	64	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	46	46	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	32	32	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	22	22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	144	-	-	-	-	-	-	-	4	5	17	13	20	13	18	12	15	12	6	6	1	1	1	-	-	-	-
	White—M	77	-	-	-	-	-	-	-	1	3	9	4	10	7	9	7	11	7	3	3	1	1	1	-	-	-	-
	F	42	-	-	-	-	-	-	-	2	1	4	5	4	5	6	4	2	3	3	3	-	-	-	-	-	-	-
	Nonwhite—M	18	-	-	-	-	-	-	-	-	1	4	2	4	1	1	1	2	2	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	112	1	1	-	-	-	-	1	2	19	16	22	15	11	11	7	-	3	-	2	1	-	-	-	-	-	-
	White—M	18	1	-	-	-	-	-	-	-	3	-	2	3	1	3	1	-	3	-	-	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	1	1	-	1	-	1	3	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	66	-	-	-	-	-	-	-	1	7	14	16	10	7	5	5	-	-	-	1	-	-	-	-	-	-	-
	F	19	-	1	-	-	-	-	-	-	9	1	4	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	448	25	6	1	3	4	11	7	12	13	19	25	25	31	31	29	21	20	27	36	45	51	17	8	1	-	-
	White—M	179	7	2	1	-	1	7	3	3	5	12	11	8	13	21	15	8	8	14	9	16	10	4	1	-	-	-
	F	131	1	-	-	1	-	-	-	1	2	3	7	7	4	3	3	4	5	9	20	21	21	13	5	1	-	-
	Nonwhite—M	99	11	3	-	-	2	1	4	6	6	4	5	10	11	6	10	7	2	1	5	4	-	-	1	-	-	-
	F	39	6	1	-	2	1	3	-	2	-	-	2	-	3	1	1	2	5	3	2	4	-	-	1	-	-	-
170	Motor-vehicle accidents	98	-	-	1	2	3	4	2	4	6	8	4	5	11	8	9	5	4	7	6	6	3	-	-	-	-	-
	White—M	51	-	-	1	-	1	1	1	1	2	6	-	4	6	4	7	2	3	5	3	3	1	-	-	-	-	-
	F	15	-	-	-	1	-	-	-	-	1	2	3	-	1	1	1	1	-	1	1	-	2	-	-	-	-	-
	Nonwhite—M	23	-	-	-	-	1	1	1	1	3	-	1	1	3	3	1	2	1	-	2	2	-	-	-	-	-	-
	F	9	-	-	-	1	1	2	-	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
169, 171-195	Other accidents	350	25	6	-	1	1	7	5	8	7	11	21	20	20	23	20	16	16	20	30	39	28	17	8	1	-	-
	White—M	128	7	2	-	-	-	6	2	2	3	6	11	4	7	17	8	6	5	9	6	13	9	4	1	-	-	-
	F	116	1	-	-	-	-	-	-	1	1	1	4	7	3	2	2	3	5	8	19	21	19	13	5	1	-	-
	Nonwhite—M	76	11	3	-	-	1	-	3	5	3	4	4	9	8	3	9	5	1	1	3	2	-	-	1	-	-	-
	F	30	6	1	-	1	-	1	-	-	-	-	2	-	2	1	1	2	5	2	2	3	-	-	1	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	20	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	3	2	5	-	-	-	-
	White—M	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
	F	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	2	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-
	All other causes	491	22	7	6	2	2	2	8	5	10	18	23	30	42	34	49	38	39	39	44	31	26	9	4	1	-	-
	White—M	161	12	1	2	-	1	-	-	2	3	1	9	8	6	8	16	17	15	16	17	12	8	6	1	-	-	-
	F	145	2	2	1	-	1	2	3	-	2	7	4	7	12	12	9	11	16	13	16	11	9	2	2	1	-	-
	Nonwhite—M	98	4	3	1	1	-	-	3	2	2	6	4	7	14	6	10	7	6	4	8	6	3	1	-	-	-	-
	F	87	4	1	2	1	-	-	2	1	3	4	6	8	10	8	14	3	2	6	3	2	6	-	1	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA																											
	All causes	23,005	2,116	173	100	78	57	181	189	326	584	585	682	851	1,096	1,399	1,694	1,846	2,023	2,178	2,198	2,042	1,361	805	297	75	25	44
	White-----M	9,888	811	47	38	29	18	80	63	146	242	195	187	239	366	466	645	834	987	1,097	1,137	1,030	666	389	131	24	3	18
	F	6,508	576	53	31	17	12	41	38	49	110	94	136	190	213	285	329	410	541	684	786	802	574	361	137	33	5	3
	Nonwhite-M	3,649	388	38	22	15	16	40	47	60	116	145	190	227	270	388	416	354	273	226	177	125	61	29	12	10	8	16
	F	2,960	341	35	9	17	11	20	41	71	116	151	169	195	247	282	304	248	222	171	98	85	60	26	17	8	9	7
1,2	Typhoid and paratyphoid fever	11	-	-	-	-	-	-	1	1	-	-	2	1	2	-	-	1	1	1	-	-	-	-	-	-	-	1
	White-----M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	31	9	2	2	4	1	1	1	1	1	-	2	1	1	1	1	-	1	1	-	-	-	-	-	-	-	1
	White-----M	11	3	-	1	2	-	1	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	4	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M	7	2	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1
	F	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	10	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	30	1	7	8	5	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	8	-	1	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	-	6	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	4	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	721	3	4	4	3	2	-	1	25	59	61	67	77	80	73	69	44	43	42	30	19	10	2	-	-	-	3
	White-----M	244	1	-	2	-	-	-	-	2	10	12	8	17	19	28	31	22	28	25	22	13	5	-	-	-	-	1
	F	115	1	2	1	1	-	-	-	3	15	9	11	11	8	10	9	7	5	8	6	2	5	1	-	-	-	-
	Nonwhite-M	214	-	2	1	-	1	-	-	4	13	14	30	31	32	24	27	11	9	8	1	3	-	1	-	-	-	2
	F	148	1	-	-	2	1	-	1	16	21	26	18	18	21	11	2	4	3	1	1	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	674	1	3	1	1	1	-	1	25	55	58	67	72	77	70	65	38	41	40	29	16	8	2	-	-	-	3
	White-----M	225	-	-	-	-	-	-	-	2	8	11	8	17	18	25	30	20	25	25	21	11	3	-	-	-	-	1
	F	106	-	2	1	1	-	-	-	3	14	9	11	10	8	10	9	4	4	6	6	2	5	1	-	-	-	-
	Nonwhite-M	201	-	1	-	-	1	-	-	4	12	12	30	29	30	24	24	11	9	8	1	2	-	1	-	-	-	2
	F	142	1	-	-	-	-	-	1	16	21	26	18	16	21	11	2	3	3	1	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	47	2	1	3	2	1	-	-	-	4	3	-	5	3	3	4	8	2	2	1	3	2	-	-	-	-	-
	White-----M	19	1	-	2	-	-	-	-	-	2	1	-	-	1	3	1	2	1	-	1	2	2	-	-	-	-	-
	F	9	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	3	1	2	-	-	-	-	-	-	-	-
	Nonwhite-M	13	-	1	1	-	-	-	-	-	1	2	-	2	2	-	3	-	-	-	-	1	-	-	-	-	-	-
	F	6	-	-	-	2	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	21	7	1	-	-	-	-	-	-	-	-	-	-	2	-	4	2	1	-	2	1	1	-	-	-	-	-
	White-----M	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	20	-	-	-	-	-	1	-	1	2	1	-	3	-	2	3	-	1	2	1	1	1	-	-	-	-	1
	White-----M	6	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite-M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	1	1	-	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-
30	Syphilis	297	13	1	-	1	-	-	1	3	9	4	16	36	38	35	40	26	23	26	10	7	1	5	1	-	-	1
	White-----M	72	-	-	-	-	-	-	-	1	-	-	2	3	8	3	10	4	9	16	7	5	-	2	1	-	-	1
	F	25	-	1	-	-	-	-	-	1	-	-	-	5	-	3	2	2	5	4	1	1	1	1	-	-	-	-
	Nonwhite-M	143	8	-	-	1	-	-	-	-	4	1	8	18	22	24	25	16	7	5	1	1	-	2	-	-	-	-
	F	57	5	-	-	-	-	-	1	1	5	3	6	12	8	5	3	4	2	1	1	-	-	-	-	-	-	-
35	Measles	27	9	2	2	2	1	4	2	-	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M	6	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	1	1	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite-M	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	2	1	-	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliocephalitis (acute)	43	2	1	-	-	-	10	10	6	4	4	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M	22	-	-	-	-	-	6	6	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	2	1	-	-	-	3	3	-	2	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Con.																											
45-55	Cancer and other malignant tumors	2,549	1	2	3	4	1	4	3	7	12	21	41	82	150	195	239	296	343	337	299	276	148	65	18	1	-	1
	White-----M--	1,063	1	1	-	3	1	1	1	5	2	6	8	11	33	47	69	134	169	157	164	137	82	29	2	-	-	-
	F--	1,065	-	1	3	-	-	2	1	-	8	4	16	41	67	91	96	112	136	145	114	121	57	33	15	1	-	1
	Nonwhite--M--	162	-	-	-	-	-	-	1	-	1	3	3	8	12	17	26	22	15	21	15	11	4	2	1	-	-	-
	F--	259	-	-	-	1	-	1	-	2	1	6	14	22	38	40	48	28	23	14	6	7	5	1	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	955	-	-	-	-	-	-	-	2	2	6	11	17	45	49	73	116	145	146	132	122	57	22	10	-	-	-
	White-----M--	454	-	-	-	-	-	-	-	-	-	3	4	4	19	16	30	58	79	67	78	58	26	11	1	-	-	-
	F--	366	-	-	-	-	-	-	-	-	2	-	4	6	15	15	22	38	51	62	46	57	28	11	9	-	-	-
	Nonwhite--M--	79	-	-	-	-	-	-	-	-	-	1	1	3	6	11	13	11	7	12	6	7	1	-	-	-	-	-
	F--	56	-	-	-	-	-	-	-	2	-	2	2	4	5	7	8	9	8	5	2	-	2	-	-	-	-	-
48,49	Cancer of female genital organs--	404	-	-	-	-	-	1	-	-	5	9	18	31	42	54	56	43	47	31	24	28	4	9	1	1	-	-
	White-----F--	288	-	-	-	-	-	1	-	-	4	3	9	20	23	35	36	34	40	28	21	22	2	8	1	1	-	-
	Nonwhite--F--	116	-	-	-	-	-	-	-	-	1	6	9	11	19	19	20	9	7	3	3	6	2	1	-	-	-	-
50	Cancer of breast-	215	-	-	-	-	-	-	-	-	-	-	2	16	27	30	21	20	24	25	17	17	9	4	2	-	-	1
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	175	-	-	-	-	-	-	-	-	-	-	1	10	21	20	13	18	22	22	16	16	9	4	2	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	1	6	6	10	8	2	2	3	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	975	1	2	3	4	1	3	3	5	5	6	10	18	36	62	89	117	127	135	126	109	78	30	5	-	-	-
	White-----M--	607	1	1	-	3	1	1	1	5	2	3	4	7	14	31	39	76	90	90	85	78	56	18	1	-	-	-
	F--	236	-	1	3	-	-	1	1	-	2	1	2	5	8	21	25	22	23	33	31	26	18	10	3	-	-	-
	Nonwhite--M--	83	-	-	-	-	-	-	1	-	1	2	2	5	6	6	15	11	8	9	9	4	3	2	1	-	-	-
	F--	49	-	-	-	1	-	1	-	-	-	-	2	1	8	4	12	8	6	3	1	1	1	-	-	-	-	-
58	Acute rheumatic fever----------	28	1	-	-	-	-	1	8	1	3	1	-	2	3	2	1	-	2	1	-	-	-	2	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	2	-	1	-	-	1	-	1	-	-	1	1	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	1	-	-	-	-	1	2	1	2	1	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	430	1	-	-	-	-	-	3	6	3	9	9	8	10	23	33	41	44	75	75	51	28	10	1	-	-	-
	White-----M--	165	-	-	-	-	-	-	1	1	1	2	2	1	3	6	10	15	15	32	30	26	15	4	1	-	-	-
	F--	184	1	-	-	-	-	-	1	3	2	2	1	2	1	9	9	12	20	37	42	25	12	5	-	-	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	4	3	2	-	2	4	6	3	4	2	-	1	-	-	-	-	-
	F--	50	-	-	-	-	-	-	1	2	-	1	3	3	6	6	10	8	6	2	1	-	-	1	-	-	-	-
63b	Exophthalmic goiter----------	31	-	-	-	-	-	-	-	-	1	-	1	-	5	3	1	5	5	2	7	1	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	2	-	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	1	-	1	-	2	2	1	3	2	1	4	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	1	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	32	-	1	-	1	-	-	-	-	1	-	-	2	3	2	1	7	4	4	2	-	-	3	-	1	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	1	-	-	-	-
	F--	10	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	-	1	-	-	2	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	14	-	-	-	1	-	-	-	-	1	-	-	1	-	1	1	4	2	1	1	-	-	-	-	1	-	-
77	Alcoholism (ethylism)------	48	-	-	-	-	-	-	-	-	-	2	3	7	8	14	9	4	2	1	-	-	-	-	-	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	2	4	4	7	6	3	-	1	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	1	-	1	3	3	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	2	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	2,209	2	-	-	-	-	3	2	5	6	9	19	37	75	138	195	220	279	308	307	290	183	93	26	7	-	5
	White-----M--	810	-	-	-	-	-	-	-	1	2	2	4	9	17	35	46	79	106	122	136	120	84	36	8	2	-	1
	F--	716	2	-	-	-	-	2	-	1	1	1	5	5	17	27	34	41	79	112	116	133	75	49	14	1	-	1
	Nonwhite--M--	327	-	-	-	-	-	1	1	1	2	2	4	9	16	35	48	57	40	33	35	20	10	6	2	2	-	3
	F--	356	-	-	-	-	-	-	1	2	1	4	6	14	25	41	67	43	54	41	20	17	14	2	2	2	-	-
90-95	Diseases of the heart----------	5,759	3	3	2	1	-	7	8	13	14	34	63	111	213	352	500	619	671	785	797	718	461	240	90	17	8	9
	White-----M--	3,041	-	1	1	1	-	2	3	3	6	12	24	40	104	161	251	333	364	460	450	395	241	133	47	5	1	3
	F--	1,605	3	1	1	-	-	3	1	1	4	6	13	25	25	51	71	119	165	219	271	272	212	98	35	7	3	1
	Nonwhite--M--	837	-	1	-	-	-	-	2	3	1	8	7	20	44	80	117	93	89	60	51	31	12	5	5	3	3	2
	F--	476	-	-	-	-	-	2	2	6	3	8	19	26	40	60	61	74	53	46	25	20	16	6	3	2	1	3
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	300	-	-	-	1	-	5	4	4	8	10	13	20	23	20	31	27	31	23	25	23	20	6	3	-	1	2
	White-----M--	115	-	-	-	1	-	1	1	2	2	4	6	5	13	2	11	9	12	10	13	11	8	2	2	-	-	-
	F--	108	-	-	-	-	-	3	-	-	4	4	5	10	5	8	11	5	10	6	12	11	8	3	1	-	1	1
	Nonwhite--M--	49	-	-	-	-	-	-	2	2	-	2	-	-	3	6	4	12	6	5	-	1	4	1	-	-	-	1
	F--	28	-	-	-	-	-	1	1	-	2	-	2	5	2	4	5	1	3	2	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	2,098	-	-	-	-	-	1	-	2	2	6	22	47	98	139	200	274	254	329	282	232	132	51	19	4	-	2
	White-----M--	1,394	-	-	-	-	-	1	-	-	1	4	11	28	69	98	142	185	165	218	201	147	71	37	13	2	-	1
	F--	477	-	-	-	-	-	-	-	-	-	-	4	3	8	10	18	57	57	95	73	77	55	12	6	2	-	-
	Nonwhite--M--	137	-	-	-	-	-	-	-	-	1	1	2	8	14	18	37	16	22	6	3	5	3	1	-	-	-	-
	F--	88	-	-	-	-	-	-	-	2	-	1	5	8	7	13	3	16	10	10	5	3	3	1	-	-	-	1
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	3,363	3	3	2	-	-	1	4	7	4	18	28	44	92	193	269	318	386	433	490	463	329	183	68	13	7	5
	White-----M--	1,532	-	1	1	-	-	-	2	1	3	4	7	7	22	61	98	139	187	232	236	257	162	94	32	3	1	2
	F--	1,020	3	1	1	-	-	-	1	1	-	2	4	12	12	33	42	57	98	118	186	184	149	81	29	5	2	-
	Nonwhite--M--	451	-	1	-	-	-	-	-	1	-	5	5	12	27	56	76	65	61	49	48	25	5	3	5	3	3	1
	F--	360	-	-	-	-	-	1	1	4	1	7	12	13	31	43	53	57	40	34	20	17	13	5	3	2	1	2

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Con.																											
97,102	Arteriosclerosis and high blood pressure*	349	-	-	-	-	-	-	-	-	1	-	2	1	2	10	10	26	20	30	43	62	54	55	25	8	-	-
	White—M	156	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	11	8	13	18	30	29	28	13	2	-	-
	F	114	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	7	4	18	26	21	24	8	4	-	-
	Nonwhite—M	46	-	-	-	-	-	-	-	-	-	-	-	-	-	5	4	8	3	8	6	4	4	1	2	1	-	-
	F	33	-	-	-	-	-	-	-	-	1	-	1	1	2	3	3	7	2	5	1	2	-	2	2	1	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,087	231	35	18	7	8	17	18	14	17	31	28	32	45	56	58	54	61	58	70	76	70	49	29	4	-	1
	White—M	338	53	10	3	1	-	7	6	2	2	3	7	9	14	5	15	13	31	22	32	37	29	24	12	1	-	-
	F	285	47	6	5	1	3	1	2	3	3	4	3	7	7	8	6	10	10	16	25	26	31	23	15	3	-	-
	Nonwhite—M	255	66	10	6	4	4	6	-	5	4	10	6	8	12	25	26	20	10	12	7	7	6	1	-	-	-	-
	F	229	65	9	4	1	1	3	10	4	8	14	12	8	12	18	11	11	10	8	6	6	4	1	2	-	-	1
107	Bronchopneumonia	415	123	24	11	3	-	10	4	5	6	4	7	8	6	17	15	5	19	18	29	32	31	22	14	2	-	-
	White—M	155	33	6	2	1	-	5	-	2	1	-	3	-	2	3	7	1	14	10	13	20	18	11	3	-	-	-
	F	114	27	4	2	1	-	-	-	-	-	-	2	2	2	3	5	2	2	5	13	11	11	10	10	2	-	-
	Nonwhite—M	75	29	8	4	1	-	4	-	2	2	1	1	3	2	8	2	-	2	3	2	1	1	1	-	-	-	-
	F	71	34	6	3	-	-	1	4	1	3	3	1	3	-	5	1	2	1	-	1	-	1	-	1	-	-	-
108	Lobar pneumonia	297	41	2	4	4	1	3	6	4	4	12	10	14	12	14	29	20	21	19	22	16	19	12	8	1	-	1
	White—M	93	9	1	1	-	-	-	2	-	-	1	1	7	5	1	6	5	9	7	12	6	7	8	4	1	-	-
	F	55	8	-	1	-	-	-	1	1	2	2	1	1	1	-	1	4	5	3	5	4	9	4	2	-	-	-
	Nonwhite—M	76	13	-	2	3	1	1	-	1	-	3	3	2	1	8	16	7	4	4	3	4	2	-	-	-	-	-
	F	73	11	1	-	1	-	2	3	2	2	6	5	4	5	7	6	4	3	5	2	2	1	-	-	-	-	1
109	Pneumonia (unspecified)	143	40	3	2	-	2	1	3	2	3	4	5	6	9	6	1	10	11	5	11	9	6	2	2	-	-	-
	White—M	41	8	-	-	-	-	-	2	-	1	1	1	2	4	1	1	1	6	2	5	4	1	-	1	-	-	-
	F	48	11	2	1	-	1	1	1	1	-	-	-	1	3	3	-	3	3	2	4	3	5	2	1	-	-	-
	Nonwhite—M	31	15	1	-	-	-	-	-	-	1	3	1	2	2	1	-	3	1	-	1	-	-	-	-	-	-	-
	F	23	6	-	1	-	1	-	-	1	1	-	3	1	-	1	-	3	1	1	1	2	-	-	-	-	-	-
33	Influenza	232	27	6	1	-	5	3	5	3	4	11	6	4	18	19	13	19	10	16	8	19	14	13	7	1	-	-
	White—M	49	3	3	-	-	-	2	2	-	-	1	2	-	3	-	1	6	2	3	2	7	3	5	4	-	-	-
	F	48	1	-	1	-	2	-	-	1	1	2	-	3	1	2	-	1	-	6	3	8	6	7	2	1	-	-
	Nonwhite—M	73	9	1	-	-	3	1	-	2	1	3	1	1	7	12	6	10	3	5	1	2	3	-	-	-	-	-
	F	62	14	2	-	-	-	-	3	-	2	5	3	-	7	5	4	2	5	2	2	2	2	1	1	-	-	-
117	Ulcer of stomach or duodenum	129	-	-	-	-	-	-	1	-	-	2	6	11	8	17	16	18	18	9	14	6	1	1	1	-	-	-
	White—M	72	-	-	-	-	-	-	-	-	-	-	4	5	1	8	11	12	9	7	9	3	1	1	1	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	1	1	4	2	-	-	-	-	-	-
	Nonwhite—M	30	-	-	-	-	-	-	-	-	-	-	1	5	4	8	4	3	3	1	1	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	1	-	-	2	1	-	1	-	-	-	5	-	-	1	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	137	83	9	2	1	-	2	2	-	-	1	3	2	3	3	2	8	3	1	3	2	3	3	-	-	-	1
	White—M	43	27	5	-	-	-	1	1	-	-	-	-	-	-	-	1	2	2	-	1	-	1	2	-	-	-	-
	F	40	31	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	2	2	-	-	-	-	-
	Nonwhite—M	33	17	2	-	1	-	-	1	-	-	1	1	1	2	2	-	3	1	-	-	-	-	-	-	-	-	1
	F	21	8	1	1	-	-	1	-	-	-	-	1	1	1	1	1	2	-	1	1	-	-	1	-	-	-	-
121	Appendicitis	103	-	1	1	1	2	2	5	6	7	3	12	7	6	11	8	7	8	2	6	5	3	-	-	-	-	-
	White—M	39	-	-	-	-	1	1	1	3	3	-	5	2	1	2	6	4	5	2	2	1	-	-	-	-	-	-
	F	20	-	1	1	1	-	-	2	-	-	-	-	1	-	2	-	1	1	-	4	4	2	-	-	-	-	-
	Nonwhite—M	24	-	-	-	-	1	-	2	1	3	1	3	2	5	4	-	1	-	-	-	-	1	-	-	-	-	-
	F	20	-	-	-	-	-	1	-	2	1	2	4	2	-	3	2	1	2	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	233	8	1	-	-	1	1	2	-	8	6	13	8	19	18	15	26	22	26	22	20	10	5	-	1	-	1
	White—M	86	2	-	-	-	-	1	-	-	2	1	3	-	3	4	2	6	12	13	15	14	3	5	-	-	-	-
	F	60	-	1	-	-	1	-	-	-	2	2	2	3	7	2	4	7	5	7	5	6	5	-	-	1	-	-
	Nonwhite—M	43	3	-	-	-	-	-	1	-	1	2	5	3	1	5	6	7	3	2	2	-	2	-	-	-	-	-
	F	44	3	-	-	-	-	-	1	-	3	1	3	2	8	7	3	6	2	4	-	-	-	-	-	-	-	1
124	Cirrhosis of the liver	207	-	-	-	-	-	1	1	-	3	3	9	12	9	30	29	22	28	19	21	13	3	2	2	-	-	-
	White—M	119	-	-	-	-	-	1	-	-	-	1	3	7	4	21	18	14	15	8	15	7	3	1	1	-	-	-
	F	51	-	-	-	-	-	-	-	-	2	-	3	4	2	4	4	5	7	8	6	4	-	1	1	-	-	-
	Nonwhite—M	21	-	-	-	-	-	-	-	-	-	-	1	1	2	4	4	2	4	2	-	1	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	1	-	1	2	2	-	1	1	3	1	2	1	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	79	-	-	-	-	-	-	-	-	1	3	3	2	4	4	12	8	8	12	6	7	6	1	2	-	-	-
	White—M	28	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	3	2	6	1	3	3	1	1	-	-	-
	F	45	-	-	-	-	-	-	-	-	-	2	2	-	2	3	7	5	5	6	5	4	3	-	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,475	5	3	-	-	1	5	6	7	9	13	29	34	65	78	136	119	141	164	193	192	142	95	25	11	2	-
	White—M	529	1	2	-	-	-	3	3	4	3	6	4	7	14	18	30	40	45	58	83	91	60	39	12	6	-	-
	F	460	1	-	-	-	1	-	1	2	2	-	8	11	16	13	16	21	33	59	75	72	66	48	11	4	-	-
	Nonwhite—M	285	1	-	-	-	-	2	2	-	2	1	5	9	17	25	47	32	38	28	23	19	8	4	-	1	1	-
	F	221	2	1	-	-	-	-	-	1	2	6	12	7	18	22	43	26	25	19	12	10	8	4	2	-	1	-
137	Diseases of the prostate	101	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	5	9	16	21	17	13	11	3	-	-	-
	White—M	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	12	18	16	12	10	2	-	-	-
	Nonwhite—M	25	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	5	4	3	1	1	1	1	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Con.																											
140-150	Diseases of pregnancy, etc.*	159	-	-	-	-	-	-	-	9	46	39	32	23	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	79	-	-	-	-	-	-	-	2	25	25	13	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	80	-	-	-	-	-	-	-	7	21	14	19	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	44	-	-	-	-	-	-	-	3	11	14	6	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	21	-	-	-	-	-	-	-	-	6	10	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	23	-	-	-	-	-	-	-	3	5	4	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	44	-	-	-	-	-	-	-	4	15	6	11	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	18	-	-	-	-	-	-	-	2	8	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	26	-	-	-	-	-	-	-	2	7	3	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	57	-	-	-	-	-	-	-	1	15	14	13	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	33	-	-	-	-	-	-	-	-	9	8	7	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	24	-	-	-	-	-	-	-	1	6	6	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	14	-	-	-	-	-	-	-	1	5	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	-	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	7	-	-	-	-	-	-	-	1	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	273	242	10	3	1	-	6	3	2	1	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	127	113	2	3	1	-	4	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	100	87	7	-	-	-	1	1	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	26	24	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	18	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	1,223	1,223	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	540	540	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	340	340	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	177	177	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	166	166	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	906	906	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	357	357	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	235	235	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	109	109	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	105	105	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	417	417	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	183	183	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	105	105	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	68	68	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	61	61	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	263	-	-	-	-	-	-	1	7	14	15	27	39	23	31	25	22	16	16	14	7	4	1	-	-	-	1
	White—M	185	-	-	-	-	-	-	1	6	10	6	15	23	13	21	20	20	16	13	13	5	2	1	-	-	-	-
	F	66	-	-	-	-	-	-	-	1	3	5	12	13	8	9	5	2	-	3	1	2	2	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	1	3	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	392	-	-	-	-	-	1	1	20	54	73	64	59	42	28	21	12	9	5	1	2	-	-	-	-	-	-
	White—M	77	-	-	-	-	-	-	-	5	11	8	6	9	8	5	10	7	6	1	1	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	1	-	-	6	2	2	2	1	2	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	235	-	-	-	-	-	-	1	10	27	45	49	36	28	19	10	5	1	3	-	1	-	-	-	-	-	-
	F	63	-	-	-	-	-	-	-	5	10	18	7	12	5	2	1	-	2	-	-	1	-	-	-	-	-	-
169-195	Accidental deaths	2,028	62	40	29	28	22	75	71	153	247	184	141	131	121	106	93	83	87	65	62	75	63	54	24	1	-	13
	White—M	1,065	19	12	11	12	11	34	26	98	173	124	69	65	68	45	51	41	54	38	30	29	23	17	6	-	-	9
	F	398	19	13	9	4	2	16	18	19	16	10	16	23	14	15	13	17	14	12	23	36	37	34	17	1	-	-
	Nonwhite—M	413	13	7	8	4	5	19	17	27	44	35	44	38	32	38	20	19	16	8	7	6	1	2	-	-	-	3
	F	152	11	8	1	6	4	6	10	9	14	15	12	5	7	8	9	6	3	7	2	4	2	1	1	-	-	1
170	Motor-vehicle accidents	714	3	9	9	10	9	23	17	80	112	72	53	55	50	36	35	29	33	22	20	21	12	2	1	-	-	1
	White—M	414	1	2	4	5	6	12	7	49	76	47	24	32	30	14	16	13	21	17	15	13	8	2	-	-	-	-
	F	129	2	4	4	2	1	7	8	14	11	7	8	10	5	5	6	11	6	2	5	6	4	-	1	-	-	-
	Nonwhite—M	124	-	1	1	1	1	3	-	10	19	13	15	11	11	14	11	4	6	2	-	1	-	-	-	-	-	-
	F	47	-	2	-	2	1	1	2	7	6	5	6	2	4	3	2	1	-	1	-	1	-	-	-	-	-	1
169, 171-195	Other accidents	1,314	59	31	20	16	13	52	54	73	135	112	88	76	71	70	58	54	54	43	42	54	51	52	23	1	-	12
	White—M	651	18	10	7	7	5	22	19	49	97	77	45	33	38	31	35	28	33	21	15	16	15	15	6	-	-	9
	F	289	17	9	5	2	1	9	10	5	5	3	8	13	9	10	7	6	8	10	18	30	33	34	16	1	-	-
	Nonwhite—M	289	13	6	7	3	4	16	17	17	25	22	29	27	21	24	9	15	10	6	7	5	1	2	-	-	-	3
	F	105	11	6	1	4	3	5	8	2	8	10	6	3	3	5	7	5	3	6	2	3	2	1	1	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	926	98	12	2	2	-	2	5	5	6	14	14	20	41	45	55	69	63	73	95	88	77	69	36	18	13	4
	White—M	350	14	1	1	-	-	1	-	1	1	4	1	6	11	15	17	28	31	35	42	43	40	31	19	5	2	1
	F	172	8	3	-	-	-	1	1	-	1	2	1	2	4	5	9	7	9	9	19	21	21	28	11	9	1	-
	Nonwhite—M	224	42	5	-	-	-	-	1	2	2	2	5	8	17	16	20	22	13	18	16	16	7	4	1	2	3	2
	F	180	34	3	1	2	-	-	3	2	2	6	7	4	9	9	9	12	10	11	18	8	9	6	5	2	7	1
	All other causes	1,543	105	35	24	18	14	33	33	34	53	51	70	100	109	120	114	100	110	97	97	106	56	39	14	6	2	1
	White—M	555	30	12	12	6	4	14	9	8	13	6	17	16	35	31	32	41	54	50	46	55	32	23	5	3	-	1
	F	452	27	4	6	4	4	6	5	11	14	17	20	29	21	20	36	28	33	32	44	42	21	15	9	2	1	-
	Nonwhite—M	257	28	10	4	5	4	9	13	6	11	11	13	19	19	31	24	19	11	7	5	3	3	-	-	1	1	-
	F	279	20	9	2	3	2	4	6	9	15	17	20	36	34	38	22	11	12	8	2	6	2	1	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA																											
	All causes-------	27,511	3,075	246	137	103	74	244	269	485	742	810	960	1,215	1,262	1,744	2,114	2,241	2,303	2,408	2,479	1,982	1,316	805	291	98	56	52
	White-----M--	9,389	986	53	41	32	24	82	59	145	235	203	237	313	335	477	700	814	900	1,048	1,004	815	464	272	79	21	2	8
	F--	6,878	721	89	34	22	23	58	45	102	114	125	155	218	212	284	319	416	534	697	856	761	556	392	123	35	5	12
	Nonwhite--M--	5,978	746	84	33	23	14	67	74	124	207	243	293	344	337	529	603	566	464	361	335	233	150	71	40	19	16	22
	F--	5,268	622	60	29	26	13	39	51	114	186	239	275	340	378	454	492	445	405	302	284	173	146	80	49	23	33	10
1,2	Typhoid and paratyphoid fever---	11	2	-	-	-	-	-	-	-	1	2	1	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	32	5	6	-	2	-	4	1	6	-	1	1	2	2	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	12	1	4	-	-	-	2	-	1	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	10	3	1	-	1	-	1	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	1	1	-	1	-	1	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	59	38	15	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	7	5	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	8	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	44	6	16	5	7	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	18	1	4	3	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	3	7	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	1	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,070	12	8	3	1	1	8	10	42	100	96	137	116	88	105	93	72	44	63	34	24	9	-	1	-	-	3
	White-----M--	309	1	1	2	-	-	-	1	-	11	10	27	24	26	35	46	37	23	35	15	11	3	-	-	-	-	1
	F--	173	1	4	-	-	1	1	1	6	13	4	14	16	13	17	13	14	8	18	13	10	4	-	-	-	-	2
	Nonwhite--M--	297	6	2	1	-	-	4	3	14	33	34	45	35	29	39	20	11	8	6	6	2	-	-	-	-	-	-
	F--	291	4	1	-	1	-	3	5	22	43	48	51	41	20	15	14	10	5	4	-	1	2	-	1	-	-	-
13	Tuberculosis of respiratory system, etc.*---	984	3	3	-	-	-	5	7	41	93	88	128	109	79	95	93	68	41	63	33	22	9	-	1	-	-	3
	White-----M--	294	-	-	-	-	-	-	-	-	10	10	27	23	23	34	46	35	21	35	15	11	3	-	-	-	-	1
	F--	159	-	1	-	-	-	1	-	6	12	4	12	15	12	15	13	14	8	18	13	9	4	-	-	-	-	2
	Nonwhite--M--	260	1	2	-	-	-	2	3	14	28	31	41	31	24	33	20	11	7	6	5	1	-	-	-	-	-	-
	F--	271	2	-	-	-	-	2	4	21	43	43	48	40	20	13	14	8	5	4	-	1	2	-	1	-	-	-
14-22	Tuberculosis (other forms)---	86	9	5	3	1	1	3	3	1	7	8	9	7	9	10	-	4	3	-	1	2	-	-	-	-	-	-
	White-----M--	15	1	1	2	-	-	-	1	-	1	-	-	1	3	1	-	2	2	-	-	-	-	-	-	-	-	-
	F--	14	1	3	-	-	1	-	1	-	1	-	2	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	37	5	-	1	-	-	2	-	-	5	3	4	4	5	5	-	-	1	-	1	1	-	-	-	-	-	-
	F--	20	2	1	-	1	-	1	1	1	-	5	3	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	35	19	2	-	-	-	1	-	-	1	-	-	1	2	-	1	-	-	1	1	3	1	1	-	-	1	-
	White-----M--	11	5	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-
	F-	8	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-
	Nonwhite--M--	11	7	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
28	Malaria----------	14	1	-	-	1	-	-	-	-	1	1	-	-	3	-	-	1	-	2	1	1	2	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-
30	Syphilis---------	340	15	2	-	-	-	-	2	-	5	18	23	44	42	51	42	30	28	16	7	10	3	-	-	-	-	2
	White-----M--	63	1	-	-	-	-	-	-	-	-	-	-	3	5	5	14	7	12	7	3	5	-	-	-	-	-	1
	F--	21	2	1	-	-	-	-	-	-	-	-	2	3	2	4	2	2	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	168	6	1	-	-	-	-	1	-	2	9	13	28	21	30	19	15	9	5	3	4	1	-	-	-	-	1
	F--	88	6	-	-	-	-	-	1	-	3	9	8	10	14	12	7	6	6	3	1	1	1	-	-	-	-	-
35	Measles----------	40	13	4	6	4	1	5	-	2	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	5	-	3	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	1	-	-	-	1	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	4	2	3	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	4	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	8	-	-	3	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	1	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Con.																											
45-55	Cancer and other malignant tumors	2,440	1	4	4	4	3	7	10	11	20	27	54	123	157	228	277	296	294	293	249	197	104	58	13	2	-	4
	White-----M--	851	-	-	2	1	2	4	5	3	6	7	8	15	30	49	93	102	119	142	108	68	45	24	8	1	-	-
	F--	920	1	3	2	1	-	2	3	1	6	10	18	58	57	87	82	99	110	102	97	101	44	29	4	1	-	2
	Nonwhite--M--	256	-	-	-	1	-	-	1	2	2	2	4	12	11	37	43	35	32	26	22	15	8	2	1	-	-	-
	F--	433	-	1	-	1	1	1	1	5	6	8	24	38	58	55	69	60	34	23	22	13	7	3	-	-	-	2
46	Cancer of the digestive organs and peritoneum--	871	-	1	-	-	1	1	1	3	3	8	11	33	44	69	99	104	116	116	105	83	46	20	6	-	-	1
	White-----M--	343	-	-	-	-	-	1	1	-	2	1	3	6	12	20	35	45	48	66	50	26	18	7	2	-	-	-
	F--	285	-	1	-	-	-	-	-	-	1	5	3	16	10	17	19	26	40	30	38	44	21	10	3	-	-	1
	Nonwhite--M--	126	-	-	-	-	-	-	-	-	-	1	3	7	6	20	24	17	14	11	9	7	5	1	1	-	-	-
	F--	117	-	-	-	-	1	-	-	3	-	1	2	4	16	12	21	16	14	9	8	6	2	2	-	-	-	-
48,49	Cancer of female genital organs--	478	-	-	-	-	-	-	-	1	3	9	21	46	52	63	58	71	45	39	28	28	10	3	-	-	-	2
	White-----F--	291	-	-	-	-	-	-	-	-	1	3	8	20	26	42	28	44	31	28	22	26	8	3	-	-	-	1
	Nonwhite--F--	187	-	-	-	-	-	-	-	1	2	6	13	26	26	21	30	27	14	10	6	2	2	-	-	-	-	1
50	Cancer of breast-	215	-	-	-	-	-	-	-	-	1	-	11	16	21	31	29	23	22	18	18	12	7	5	-	-	-	1
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	148	-	-	-	-	-	-	-	-	1	-	5	10	10	20	23	13	20	15	13	10	4	4	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	65	-	-	-	-	-	-	-	-	-	-	6	5	11	11	6	10	2	2	5	2	3	1	-	-	-	1
45,47, 51-55	Cancer (other sites)----------	876	1	3	4	4	2	6	9	7	13	10	11	28	40	65	91	98	111	121	98	74	41	30	7	2	-	-
	White-----M--	487	-	-	2	1	2	3	4	3	4	6	5	9	18	29	46	57	70	75	56	42	27	17	6	1	-	-
	F--	196	1	2	2	1	-	2	3	1	3	2	2	12	11	8	12	16	19	29	24	21	11	12	1	1	-	-
	Nonwhite--M--	129	-	-	-	1	-	-	1	2	2	1	1	4	5	17	19	18	18	15	13	8	3	1	-	-	-	-
	F--	64	-	1	-	1	-	1	1	1	4	1	3	3	6	11	12	7	4	2	3	3	-	-	-	-	-	-
58	Acute rheumatic fever----------	35	-	-	-	-	-	5	8	2	-	2	2	2	3	3	3	1	1	-	1	1	-	1	-	-	-	-
	White-----M--	10	-	-	-	-	-	1	2	1	-	-	1	1	1	-	1	-	-	-	1	-	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	2	1	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	1	2	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	3	2	-	-	-	1	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	399	-	-	-	-	-	1	3	7	8	9	8	15	11	22	29	44	48	63	63	32	22	12	2	-	-	-
	White-----M--	135	-	-	-	-	-	-	2	1	3	3	3	3	2	4	6	18	18	28	20	12	7	4	1	-	-	-
	F--	150	-	-	-	-	-	-	1	3	3	-	1	3	2	4	9	11	17	25	35	17	14	5	-	-	-	-
	Nonwhite--M--	45	-	-	-	-	-	1	-	1	1	3	2	4	2	5	1	6	5	6	5	2	-	1	-	-	-	-
	F--	69	-	-	-	-	-	-	-	2	1	3	2	5	5	9	13	9	8	4	3	1	1	2	1	-	-	-
63b	Exophthalmic goiter----------	32	-	-	-	-	-	-	-	1	-	1	2	2	1	1	8	4	7	4	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	1	-	-	-	-	-	1	4	2	5	3	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	2	1	1	-	2	1	2	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	93	-	-	-	-	-	-	1	1	-	2	2	2	6	3	3	12	6	12	16	14	3	9	1	-	-	-
	White-----M--	16	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	3	3	2	1	3	-	-	-	-
	F--	51	-	-	-	-	-	-	-	1	-	-	-	2	1	1	2	5	4	7	9	12	2	5	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	5	-	-	1	-	-	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	2	2	-	3	2	-	-	1	2	3	-	-	1	1	-	-	-
77	Alcoholism (ethylism)------	69	-	-	-	-	-	-	-	-	1	4	2	14	17	10	9	7	3	1	-	1	-	-	-	-	-	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	1	2	7	6	4	8	6	3	1	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	1	-	4	9	3	-	-	-	-	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	2,995	1	2	1	-	-	3	3	4	9	24	43	77	130	204	305	353	365	372	428	322	196	105	28	7	7	6
	White-----M--	842	-	2	1	-	-	1	1	-	2	6	8	14	11	22	64	86	92	119	170	133	65	34	9	1	-	1
	F--	782	-	-	-	-	-	1	-	2	-	4	5	11	16	22	34	57	88	132	150	119	80	46	11	3	1	-
	Nonwhite--M--	563	-	-	-	-	-	-	2	1	3	9	12	28	43	77	103	108	88	63	53	32	24	9	3	1	-	4
	F--	709	1	-	-	-	-	1	-	1	4	5	18	24	60	83	104	102	97	58	55	38	27	16	5	2	6	1
90-95	Diseases of the heart----------	5,927	7	2	-	-	-	12	14	31	30	54	102	175	241	429	596	664	697	768	750	616	380	235	77	25	11	11
	White-----M--	2,496	1	1	-	-	-	1	2	12	9	10	17	48	74	156	250	301	343	375	347	281	155	78	19	5	-	1
	F--	1,415	3	1	-	-	-	3	2	3	7	10	13	16	27	39	60	103	130	195	234	234	171	115	37	8	-	4
	Nonwhite--M--	1,055	3	-	-	-	-	3	5	6	4	14	40	47	72	119	169	147	114	102	89	51	27	19	7	5	6	4
	F--	971	-	-	-	-	-	5	5	6	10	20	32	64	68	115	117	113	110	96	80	50	27	23	14	7	5	2
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	339	-	-	-	-	-	7	9	10	11	6	18	14	16	28	39	32	29	35	23	30	13	13	5	1	-	-
	White-----M--	87	-	-	-	-	-	-	-	5	6	1	4	2	6	7	6	6	10	9	8	10	4	2	1	-	-	-
	F--	80	-	-	-	-	-	2	2	1	1	1	3	2	1	6	7	6	4	10	6	14	5	6	2	1	-	-
	Nonwhite--M--	78	-	-	-	-	-	1	3	2	2	2	7	4	4	6	10	9	8	9	2	4	3	1	1	-	-	-
	F--	94	-	-	-	-	-	4	4	2	2	2	4	6	5	9	16	11	7	7	7	2	1	4	1	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	1,789	-	-	-	-	-	-	-	3	4	13	24	53	84	144	224	249	255	242	211	147	74	37	13	7	-	5
	White-----M--	1,055	-	-	-	-	-	-	-	2	-	3	7	29	45	84	140	168	180	149	117	73	35	16	4	2	-	1
	F--	393	-	-	-	-	-	-	-	-	1	2	4	2	6	14	27	37	38	70	64	58	33	15	5	2	-	3
	Nonwhite--M--	199	-	-	-	-	-	-	-	1	1	2	6	12	24	27	37	21	18	13	17	11	3	3	1	1	-	1
	F--	152	-	-	-	-	-	-	-	-	2	6	7	10	9	19	20	23	19	10	13	5	1	3	3	2	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	3,798	7	2	-	-	-	5	5	18	15	35	60	108	141	257	333	383	413	491	516	439	293	185	59	17	11	6
	White-----M--	1,344	1	1	-	-	-	1	2	5	3	6	6	17	23	65	104	127	153	217	222	198	116	60	14	3	-	-
	F--	952	3	1	-	-	-	1	-	2	5	7	6	12	20	19	26	60	88	115	164	162	131	94	30	5	-	1
	Nonwhite--M--	778	3	-	-	-	-	2	2	5	1	10	27	31	44	86	122	117	88	80	70	36	21	15	5	4	6	3
	F--	725	-	-	-	-	-	1	1	6	6	12	21	48	54	87	81	78	84	79	60	43	25	16	10	5	5	2

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Con.																											
97,102	Arteriosclerosis and high blood pressure*	401	-	-	-	-	-	-	-	-	3	3	3	4	4	8	19	31	35	37	80	66	49	38	13	3	3	2
	White—M	126	-	-	-	-	-	-	-	-	2	1	-	1	-	1	4	10	8	14	21	28	20	12	3	-	-	1
	F	117	-	-	-	-	-	-	-	-	1	1	1	-	2	1	1	2	9	11	25	21	14	17	8	2	-	1
	Nonwhite—M	83	-	-	-	-	-	-	-	-	-	-	1	-	-	4	7	11	10	6	19	11	7	3	2	1	1	-
	F	75	-	-	-	-	-	-	-	-	-	1	1	3	2	2	7	8	8	6	15	6	8	6	-	-	2	-
107-109, 33	Pneumonia (all forms) and influenza	1,741	402	63	23	15	5	26	19	23	29	47	47	48	60	92	105	112	100	95	116	86	112	67	30	9	7	3
	White—M	423	92	7	5	1	3	5	4	3	4	7	10	13	10	16	21	31	27	26	36	34	35	16	13	3	-	1
	F	432	79	9	4	2	1	7	3	3	3	7	5	8	5	12	9	15	24	32	49	38	53	42	12	6	3	1
	Nonwhite—M	476	129	27	6	6	1	10	8	7	7	15	11	17	22	40	39	39	26	21	18	7	9	7	2	-	1	-
	F	410	102	20	8	6	-	4	4	10	15	18	21	10	23	24	36	27	23	16	13	7	15	2	3	-	3	1
107	Bronchopneumonia	563	193	24	9	8	2	9	4	3	6	8	11	10	16	15	17	22	22	27	45	25	40	28	14	4	1	-
	White—M	162	47	2	2	1	1	2	2	1	2	-	3	5	2	5	4	9	7	12	15	9	16	9	5	1	-	-
	F	168	41	4	-	1	-	4	1	-	-	1	3	1	3	3	1	6	6	11	25	11	21	14	7	3	1	-
	Nonwhite—M	126	61	11	3	2	1	2	1	2	2	1	2	4	4	4	6	5	2	1	3	3	1	4	1	-	-	-
	F	107	44	7	4	4	-	1	-	-	2	6	3	-	7	3	6	2	7	3	2	2	2	1	1	-	-	-
108	Lobar pneumonia	550	75	13	6	3	1	4	6	11	9	20	23	17	24	42	46	49	41	27	41	31	31	18	6	3	1	2
	White—M	128	16	-	1	-	1	1	1	1	1	8	3	5	3	8	8	13	10	7	12	13	11	2	3	1	-	1
	F	120	13	3	-	1	-	1	-	1	2	2	-	2	1	3	5	7	11	8	13	15	11	15	3	2	-	1
	Nonwhite—M	172	22	8	3	1	-	2	4	2	1	9	8	5	9	23	18	20	14	7	11	1	3	1	-	-	-	-
	F	130	24	2	2	1	-	-	1	7	5	3	12	5	11	8	15	9	6	5	5	2	6	-	-	-	1	-
109	Pneumonia (unspecified)	224	68	9	2	2	2	6	2	5	7	4	6	8	10	8	10	9	11	11	12	10	9	6	4	-	2	-
	White—M	59	16	1	1	-	1	2	-	-	1	-	2	1	3	1	3	2	4	2	5	8	1	2	3	-	-	-
	F	43	8	-	1	-	1	-	1	1	1	1	1	2	1	-	1	1	4	5	4	2	5	3	-	-	-	-
	Nonwhite—M	71	27	4	-	1	-	3	1	3	2	2	-	4	4	5	4	2	2	2	2	-	2	1	-	-	-	-
	F	51	18	4	-	1	-	1	-	1	3	1	3	1	2	2	2	4	1	2	1	-	1	-	1	-	2	-
33	Influenza	404	65	17	6	2	-	7	7	4	7	15	7	13	10	27	32	32	26	30	18	20	32	15	6	2	3	1
	White—M	74	13	4	1	-	-	-	1	1	-	1	2	2	2	2	6	7	6	5	4	4	7	3	2	1	-	-
	F	101	17	2	3	-	-	2	1	1	-	3	1	3	-	6	2	1	3	8	7	10	16	10	2	1	2	-
	Nonwhite—M	107	19	4	-	2	-	3	2	-	2	3	1	4	5	8	11	12	8	11	2	3	3	1	1	-	1	1
	F	122	16	7	2	-	-	2	3	2	5	8	3	4	3	11	13	12	9	6	5	3	6	1	1	-	-	-
117	Ulcer of stomach or duodenum	154	-	-	-	-	-	-	-	1	4	7	6	6	11	20	16	18	21	17	10	11	-	5	-	-	-	1
	White—M	81	-	-	-	-	-	-	-	-	1	2	1	2	7	11	7	7	14	10	7	9	-	3	-	-	-	-
	F	18	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	-	4	4	1	1	-	1	-	-	-	-
	Nonwhite—M	38	-	-	-	-	-	-	-	-	1	3	4	1	2	6	7	8	1	2	2	-	-	-	-	-	-	1
	F	17	-	-	-	-	-	-	-	-	2	1	-	2	1	2	1	3	2	1	-	1	-	1	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	199	127	11	8	2	2	3	-	-	2	4	4	1	4	4	2	4	4	3	6	1	3	2	-	1	1	-
	White—M	45	27	2	2	2	1	2	-	-	1	-	1	-	2	1	-	1	1	-	1	-	-	1	-	-	-	-
	F	41	23	2	-	-	-	-	-	-	1	1	1	1	1	2	-	-	1	1	2	1	2	1	-	1	-	-
	Nonwhite—M	59	44	4	4	-	1	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-
	F	54	33	3	2	-	-	1	-	-	-	2	2	-	1	-	1	2	1	2	3	-	-	-	-	-	1	-
121	Appendicitis	123	-	-	-	2	1	4	5	8	7	4	11	13	7	15	12	8	10	5	5	2	1	2	1	-	-	-
	White—M	39	-	-	-	2	-	1	2	3	3	2	1	4	3	5	1	4	4	1	-	1	-	1	1	-	-	-
	F	27	-	-	-	-	-	1	1	5	2	-	1	-	1	-	5	-	3	2	4	1	-	1	-	-	-	-
	Nonwhite—M	34	-	-	-	-	1	1	-	-	2	1	5	4	2	7	4	2	2	2	1	-	-	-	-	-	-	-
	F	23	-	-	-	-	-	1	2	-	-	1	4	5	1	3	2	2	1	-	-	-	1	-	-	-	-	-
122	Hernia, intestinal obstruction	253	11	2	5	-	2	4	3	7	6	11	15	15	13	20	25	15	27	19	18	18	12	3	2	-	-	-
	White—M	75	3	1	3	-	1	1	1	3	1	3	4	2	2	5	2	3	8	10	9	9	2	1	1	-	-	-
	F	64	2	1	-	-	-	-	1	-	3	1	3	3	4	4	4	4	9	3	7	6	6	2	1	-	-	-
	Nonwhite—M	61	4	-	1	-	1	3	1	1	-	1	4	1	3	6	12	8	6	3	2	2	2	-	-	-	-	-
	F	53	2	-	1	-	-	-	-	3	2	6	4	9	4	5	7	-	4	3	-	1	2	-	-	-	-	-
124	Cirrhosis of the liver	184	-	-	-	-	-	-	1	1	2	8	8	12	18	22	19	24	18	17	20	7	4	1	2	-	-	-
	White—M	85	-	-	-	-	-	-	-	1	-	2	3	4	11	13	6	10	10	10	8	4	3	-	-	-	-	-
	F	48	-	-	-	-	-	-	-	-	-	2	4	4	4	2	2	8	3	4	10	2	1	1	1	-	-	-
	Nonwhite—M	23	-	-	-	-	-	-	-	-	1	1	1	3	-	4	5	3	1	2	1	1	-	-	-	-	-	-
	F	28	-	-	-	-	-	-	1	-	1	3	-	1	3	3	6	3	4	1	1	-	-	-	1	-	-	-
126,127	Biliary calculi, etc.*	84	-	-	-	-	-	-	-	1	2	1	2	1	4	6	15	11	18	8	5	6	-	4	-	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	1	9	2	-	2	-	-	-	-	-	-
	F	47	-	-	-	-	-	-	-	-	1	-	1	1	1	3	8	8	8	5	3	4	-	4	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	1	1	-	-	1	-	3	1	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis	2,549	3	3	4	3	2	7	8	12	20	39	55	68	86	157	180	234	285	310	360	293	216	127	55	12	6	4
	White—M	750	-	1	-	1	-	1	3	1	6	4	4	15	16	33	40	60	80	114	127	105	71	52	14	3	1	-
	F	649	1	1	1	-	1	1	2	3	2	11	10	15	13	28	23	23	45	85	120	107	84	50	21	1	-	1
	Nonwhite—M	618	2	1	1	-	-	4	1	3	5	8	16	12	29	36	63	87	92	61	66	53	38	14	14	6	3	3
	F	532	-	-	2	2	1	1	2	5	7	16	25	26	28	60	54	64	68	50	47	30	23	11	6	2	2	-
137	Diseases of the prostate	153	-	-	-	-	-	-	-	-	-	-	-	1	1	1	10	22	20	26	28	24	13	5	2	-	-	-
	White—M	85	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	9	14	22	16	12	3	2	-	-	-
	Nonwhite—M	68	-	-	-	-	-	-	-	-	-	-	-	1	-	1	9	17	11	12	6	8	1	2	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Con.																											
140-150	Diseases of pregnancy, etc.*	225	-	-	-	-	-	-	4	23	45	56	40	38	17	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	83	-	-	-	-	-	-	-	6	17	18	14	17	10	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	142	-	-	-	-	-	-	4	17	28	38	26	21	7	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	61	-	-	-	-	-	-	1	6	14	14	12	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	-	1	4	6	5	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	37	-	-	-	-	-	-	1	5	10	8	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	67	-	-	-	-	-	-	3	11	14	11	11	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	22	-	-	-	-	-	-	-	3	5	4	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	45	-	-	-	-	-	-	3	8	9	7	7	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	74	-	-	-	-	-	-	-	3	13	24	11	13	9	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	33	-	-	-	-	-	-	-	2	7	7	5	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	41	-	-	-	-	-	-	-	1	6	17	6	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	23	-	-	-	-	-	-	-	3	4	7	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	19	-	-	-	-	-	-	-	3	3	6	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	298	248	11	1	3	4	9	5	3	7	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	123	107	3	-	1	1	3	1	2	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	117	96	6	-	1	1	1	3	1	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	30	25	-	1	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	20	2	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	1,578	1,578	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	594	594	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	414	414	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	300	300	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	270	270	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	982	982	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	347	347	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	176	176	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	180	180	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	596	596	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	247	247	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	135	135	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	124	124	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	230	-	-	-	-	-	-	3	6	18	20	28	25	25	26	23	15	16	13	6	5	1	-	-	-	-	-
	White—M	174	-	-	-	-	-	-	3	2	13	11	22	19	16	20	21	10	14	11	6	5	1	-	-	-	-	-
	F	40	-	-	-	-	-	-	-	4	3	5	5	3	6	4	2	5	1	2	-	-	-	-	-	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	1	3	1	3	1	2	-	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	564	2	1	-	-	-	-	7	29	105	93	77	97	49	42	23	11	5	7	4	5	-	1	-	-	-	8
	White—M	103	1	1	-	-	-	-	-	2	15	14	10	21	9	16	6	3	2	1	1	-	-	-	-	-	-	1
	F	21	1	-	-	-	-	-	2	-	1	2	2	4	1	3	1	1	1	1	-	1	-	-	-	-	-	-
	Nonwhite—M	364	-	-	-	-	-	-	4	17	67	66	56	65	32	20	14	7	2	5	2	3	-	1	-	-	-	3
	F	76	-	-	-	-	-	-	1	10	22	11	9	7	7	3	2	-	-	-	1	1	-	-	-	-	-	2
169-195	Accidental deaths	2,115	106	44	31	34	27	90	110	192	228	168	170	146	99	93	97	88	70	72	74	69	48	36	14	5	2	2
	White—M	1,002	28	14	5	12	9	39	49	95	134	98	90	79	57	29	49	48	36	45	32	29	12	12	-	1	-	-
	F	410	21	11	10	8	11	16	15	40	28	17	24	15	9	13	16	12	11	12	26	29	29	22	11	4	-	-
	Nonwhite—M	503	24	6	9	6	4	25	33	51	55	48	48	38	23	39	26	18	18	10	9	8	2	1	-	-	-	2
	F	200	33	13	7	8	3	10	13	6	11	5	8	14	10	12	6	10	5	5	7	3	5	1	3	-	2	-
170	Motor-vehicle accidents	809	5	9	9	11	9	39	36	84	142	83	79	62	38	38	43	30	25	21	23	18	4	-	-	-	-	1
	White—M	478	2	4	2	3	3	19	20	44	96	58	51	37	23	15	20	18	16	19	15	10	3	-	-	-	-	-
	F	119	-	2	4	6	4	9	8	17	16	6	7	5	4	6	8	3	3	2	5	3	1	-	-	-	-	-
	Nonwhite—M	171	-	-	2	1	-	9	6	20	28	17	18	15	7	13	14	6	6	-	3	5	-	-	-	-	-	1
	F	41	3	3	1	1	2	2	2	3	2	2	3	5	4	4	1	3	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,306	101	35	22	23	18	51	74	108	86	85	91	84	61	55	54	58	45	51	51	51	44	36	14	5	2	1
	White—M	524	26	10	3	9	6	20	29	51	38	40	39	42	34	14	29	30	20	26	17	19	9	12	-	1	-	-
	F	291	21	9	6	2	7	7	7	23	12	11	17	10	5	7	8	9	8	10	21	26	28	22	11	4	-	-
	Nonwhite—M	332	24	8	7	5	4	16	27	31	27	31	30	23	16	26	12	12	12	10	6	3	2	1	-	-	-	1
	F	159	30	10	6	7	1	8	11	3	9	3	5	9	6	8	5	7	5	5	7	3	5	1	3	-	2	-
162,199, 200	Senility, ill-defined and unknown causes	1,156	302	10	6	4	5	6	7	9	22	13	20	31	40	44	64	43	56	71	86	78	89	56	45	27	17	5
	White—M	268	49	2	-	-	-	1	2	1	2	-	2	5	11	15	16	16	20	29	24	27	15	14	8	7	1	1
	F	190	27	3	2	-	1	1	-	1	1	5	3	3	3	1	4	6	10	11	24	17	26	21	14	5	1	-
	Nonwhite—M	365	130	3	1	3	2	4	2	2	7	2	7	11	9	18	24	13	13	16	18	21	27	10	10	8	5	1
	F	333	96	2	3	1	2	-	3	5	12	6	8	12	17	10	20	8	13	15	20	13	21	11	13	9	10	3
	All other causes	1,860	176	40	35	18	16	39	45	63	66	90	94	132	118	135	137	119	125	112	110	89	48	37	5	7	1	3
	White—M	587	61	7	14	6	4	13	20	14	19	19	21	29	29	35	50	44	48	50	43	33	15	13	-	-	-	-
	F	552	33	13	12	6	6	16	9	16	17	21	25	30	30	30	35	38	42	39	45	38	24	19	3	4	-	1
	Nonwhite—M	358	46	10	4	3	3	6	11	15	14	21	21	28	22	33	33	23	23	12	11	11	3	2	1	-	-	2
	F	363	36	10	5	3	3	4	5	18	16	29	27	45	37	37	19	14	12	11	11	7	6	3	1	3	1	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO																											
	All causes	4,585	453	40	14	14	14	39	43	75	79	100	80	97	132	174	264	319	410	461	494	502	393	283	95	22	2	6
	White-----M	2,791	243	21	8	7	10	28	29	52	49	67	49	60	87	113	157	190	256	294	301	301	249	148	51	14	2	5
	F	1,709	203	16	6	7	2	10	12	22	27	32	28	34	40	56	102	122	149	181	186	196	137	112	41	7	-	1
	Nonwhite-M	61	3	2	-	-	-	1	1	-	2	1	1	2	5	3	5	6	5	6	5	3	5	2	2	1	-	-
	F	24	4	1	-	-	2	-	1	1	1	-	2	1	-	2	-	1	-	-	2	2	2	1	1	-	-	-
1,2	Typhoid and paratyphoid fever	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	5	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	4	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	6	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	67	1	-	-	-	2	-	-	-	2	5	10	5	7	-	5	9	10	3	4	2	2	-	-	-	-	-
	White-----M	42	1	-	-	-	1	-	-	-	-	3	3	4	4	-	5	7	8	3	2	-	1	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	2	1	5	1	2	-	-	2	2	-	1	1	-	-	-	-	-	-
	Nonwhite-M	4	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	4	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	57	-	-	-	-	1	-	-	-	2	5	9	5	4	-	5	7	8	3	4	2	2	-	-	-	-	-
	White-----M	34	-	-	-	-	-	-	-	-	-	3	2	4	2	-	5	5	7	3	2	-	1	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	2	1	5	1	2	-	-	2	1	-	1	1	-	-	-	-	-	-
	Nonwhite-M	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	4	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	10	1	-	-	-	1	-	-	-	-	-	1	-	3	-	-	2	2	-	-	-	-	-	-	-	-	-
	White-----M	8	1	-	-	-	1	-	-	-	-	-	1	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	19	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	1	1	3	3	2	-	1	1	-	-	-
	White-----M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	2	2	2	-	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	5	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																											
45-55	Cancer and other malignant tumors	564	1	-	1	-	-	1	2	3	3	4	5	12	17	19	41	71	65	88	88	70	47	19	5	2	-	-
	White-----M--	288	-	-	-	-	-	1	1	2	1	3	3	4	10	7	11	30	28	52	50	38	32	9	4	2	-	-
	F--	265	1	-	1	-	-	-	1	1	2	1	2	7	7	12	29	39	34	35	36	31	15	10	1	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	271	-	-	-	-	-	-	-	-	1	-	2	5	4	9	16	38	36	45	45	37	24	6	3	-	-	-
	White-----M--	141	-	-	-	-	-	-	-	-	-	-	1	3	3	3	6	21	15	26	25	20	12	3	3	-	-	-
	F--	122	-	-	-	-	-	-	-	-	1	-	1	2	1	6	9	15	20	18	18	16	12	3	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	46	-	-	-	-	-	-	-	1	-	1	-	4	-	3	7	12	4	6	3	4	-	1	-	-	-	-
	White-----F--	45	-	-	-	-	-	-	-	1	-	1	-	3	-	3	7	12	4	6	3	4	-	1	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast-	59	-	-	-	-	-	-	-	-	1	-	1	2	3	3	9	9	4	6	9	8	1	3	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	58	-	-	-	-	-	-	-	-	1	-	1	2	3	3	9	9	4	6	9	7	1	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	188	1	-	1	-	-	1	2	2	1	3	2	1	10	4	9	12	21	31	31	21	22	9	2	2	-	-
	White-----M--	146	-	-	-	-	-	1	1	2	1	3	2	1	7	4	5	9	13	26	25	17	20	6	1	2	-	-
	F--	40	1	-	1	-	-	-	1	-	-	-	-	-	3	-	4	3	6	5	6	4	2	3	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	5	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	96	-	-	-	-	-	-	-	-	1	1	1	2	1	3	2	13	8	18	19	15	10	1	-	1	-	-
	White-----M--	39	-	-	-	-	-	-	-	-	1	1	1	2	1	1	1	3	4	5	5	6	6	1	-	1	-	-
	F--	57	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	10	4	13	14	9	4	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	2	1	1	1	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	1	1	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	4	2	2	-	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	2	2	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	404	3	-	-	1	-	1	-	1	1	1	2	3	8	10	23	29	47	48	65	61	52	37	8	2	1	-
	White-----M--	211	1	-	-	1	-	1	-	-	-	-	1	1	3	3	11	15	29	27	34	30	33	14	4	2	1	-
	F--	189	2	-	-	-	-	-	-	1	1	1	1	2	5	5	12	13	18	21	30	31	19	23	4	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart----------	1,266	2	-	-	-	-	1	3	3	3	5	11	15	28	59	84	87	159	161	172	197	145	93	30	8	-	-
	White-----M--	838	2	-	-	-	-	1	1	2	1	2	7	12	18	42	64	68	107	114	112	126	88	49	17	5	-	-
	F--	412	-	-	-	-	-	-	2	1	1	3	4	2	9	17	19	18	52	45	59	69	55	42	12	2	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	2	-	2	1	2	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	82	-	-	-	-	-	-	3	1	2	3	5	4	5	6	7	6	8	11	8	8	4	-	1	-	-	-
	White-----M--	53	-	-	-	-	-	-	1	1	-	1	4	3	2	5	5	4	4	9	4	7	2	-	1	-	-	-
	F--	27	-	-	-	-	-	-	2	-	1	2	1	-	3	1	2	2	4	2	4	1	2	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	447	1	-	-	-	-	-	-	1	-	-	4	5	12	24	45	47	63	59	72	51	36	21	6	-	-	-
	White-----M--	333	1	-	-	-	-	-	-	1	-	-	2	4	11	18	41	39	45	44	55	32	24	11	5	-	-	-
	F--	111	-	-	-	-	-	-	-	-	-	-	2	1	1	6	4	7	18	14	17	19	12	10	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	737	1	-	-	-	-	1	-	1	1	2	2	6	11	29	32	34	88	91	92	138	105	72	23	8	-	-
	White-----M--	452	1	-	-	-	-	1	-	-	1	1	1	5	5	19	18	25	58	61	53	87	62	38	11	5	-	-
	F--	274	-	-	-	-	-	-	-	1	-	1	1	1	5	10	13	9	30	29	38	49	41	32	12	2	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	1	2	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																											
97,102	Arteriosclerosis and high blood pressure*	60	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	2	3	8	13	8	13	6	1	-	-
	White—M	38	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	6	7	5	10	4	1	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	2	6	3	3	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	189	41	9	1	1	1	5	1	3	2	3	2	6	3	5	3	5	8	16	9	20	19	18	7	-	1	-
	White—M	116	20	6	1	-	-	2	1	2	1	2	2	4	1	3	3	5	6	8	5	15	12	13	3	-	1	-
	F	64	17	3	-	1	1	3	-	1	1	1	-	2	2	1	-	-	2	7	3	5	5	5	4	-	-	-
	Nonwhite—M	7	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	88	23	5	1	1	-	1	-	-	1	1	-	1	-	1	1	2	4	6	4	9	9	13	5	-	-	-
	White—M	53	10	5	1	-	-	1	-	-	-	1	-	-	-	-	1	2	2	2	3	8	7	8	2	-	-	-
	F	32	12	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	2	3	1	1	1	5	3	-	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	44	2	-	-	-	-	3	1	2	1	1	1	1	1	4	-	2	3	5	4	7	3	2	1	-	-	-
	White—M	29	1	-	-	-	-	-	1	1	1	1	1	1	-	3	-	2	3	3	1	5	2	2	1	-	-	-
	F	13	1	-	-	-	-	3	-	1	-	-	-	-	1	-	-	-	-	2	2	2	1	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	22	8	2	-	-	1	-	-	-	-	-	1	1	-	-	1	1	-	1	1	1	2	1	-	-	1	-
	White—M	15	6	1	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	1	1	-	1	-	-	1	-
	F	7	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	35	8	2	-	-	-	1	-	1	-	1	-	3	2	-	1	-	1	4	-	3	5	2	1	-	-	-
	White—M	19	3	-	-	-	-	1	-	1	-	-	-	2	1	-	1	-	1	3	-	1	3	2	-	-	-	-
	F	12	2	2	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	2	1	-	1	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	37	-	-	-	-	-	-	-	-	-	-	1	1	3	4	7	6	10	3	2	-	-	-	-	-	-	-
	White—M	30	-	-	-	-	-	-	-	-	-	-	1	1	3	3	6	4	8	2	2	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	16	7	1	-	-	-	-	-	-	1	1	-	-	1	-	1	2	-	-	-	-	2	-	-	-	-	-
	White—M	10	4	1	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-
	F	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	30	-	1	-	2	1	-	-	3	2	5	-	1	2	2	1	3	2	2	2	-	1	-	-	-	-	-
	White—M	19	-	1	-	-	1	-	-	3	1	1	-	-	1	2	1	3	2	1	1	-	1	-	-	-	-	-
	F	11	-	-	-	2	-	-	-	-	1	4	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	39	2	-	-	-	-	3	-	-	1	-	1	1	3	1	7	1	4	8	4	2	1	2	-	-	-	-
	White—M	22	2	-	-	-	-	1	-	-	-	-	1	-	2	-	3	-	3	3	3	2	1	1	-	-	-	-
	F	16	-	-	-	-	-	2	-	-	1	-	-	1	-	1	4	1	1	3	1	-	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	22	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	2	4	-	3	4	-	-	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	4	-	1	3	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	2	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	25	-	-	-	-	-	2	-	-	-	-	2	-	-	-	2	6	3	2	4	2	1	-	1	-	-	-
	White—M	9	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	2	-	3	1	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	5	1	2	1	1	1	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	287	-	-	-	-	-	-	2	1	1	6	3	4	7	10	15	20	28	52	44	36	30	21	5	2	-	-
	White—M	170	-	-	-	-	-	-	1	1	-	5	2	3	5	7	6	9	15	36	27	20	20	11	2	-	-	-
	F	114	-	-	-	-	-	-	1	-	1	1	-	1	2	3	9	10	13	16	16	16	10	10	3	2	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	5	8	6	3	-	-	-
	White—M	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	5	8	6	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																											
140-150	Diseases of pregnancy, etc.*	22	-	-	-	-	-	-	-	3	6	7	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	21	-	-	-	-	-	-	-	3	5	7	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	9	-	-	-	-	-	-	-	1	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	1	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	10	-	-	-	-	-	-	-	2	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	2	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	67	58	5	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	42	38	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	19	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	278	278	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	146	146	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	132	132	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F			...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	187	187	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	98	98	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	89	89	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	91	91	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	48	48	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	43	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	75	-	-	-	-	-	-	-	-	7	10	5	6	7	7	10	1	11	5	3	2	-	-	-	1	-	-
	White—M	58	-	-	-	-	-	-	-	-	6	6	3	4	7	6	7	1	8	4	3	2	-	-	-	1	-	-
	F	15	-	-	-	-	-	-	-	-	1	4	2	2	-	1	2	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	22	-	-	-	1	-	-	-	-	1	5	1	2	-	1	3	4	1	2	-	-	-	-	-	-	-	1
	White—M	15	-	-	-	1	-	-	-	-	1	3	1	1	-	1	1	3	-	2	-	-	-	-	-	-	-	1
	F	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	477	22	20	8	5	4	18	21	46	38	40	25	22	22	27	23	19	16	19	16	20	22	10	7	2	-	3
	White—M	351	10	9	6	2	3	16	19	35	32	39	19	21	18	23	18	15	11	15	11	12	16	4	3	1	-	3
	F	105	12	8	2	3	1	2	1	10	5	1	6	1	2	3	5	3	5	4	7	8	5	6	4	1	-	-
	Nonwhite—M	8	-	2	-	-	-	-	1	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
170	Motor-vehicle accidents	182	-	5	2	2	-	7	6	28	24	21	9	9	7	9	14	5	7	10	8	3	4	1	-	-	-	1
	White—M	142	-	2	2	2	-	5	6	19	20	20	5	9	5	8	9	4	4	9	5	3	4	-	-	-	-	1
	F	39	-	3	-	-	-	2	-	9	3	1	4	-	2	1	5	1	3	1	3	-	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	295	22	15	6	3	4	11	15	18	14	19	16	13	15	18	9	14	9	9	10	17	18	9	7	2	-	2
	White—M	219	10	7	4	-	3	11	13	16	12	19	14	12	13	15	9	11	7	6	6	9	12	4	3	1	-	2
	F	66	12	5	2	3	1	-	1	1	2	-	2	1	-	2	-	2	2	3	4	8	5	5	4	1	-	-
	Nonwhite—M	7	-	2	-	-	-	-	1	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	1
	F	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	149	7	1	-	1	-	1	1	1	-	1	-	-	2	3	5	4	5	3	10	25	30	27	19	2	-	1
	White—M	91	3	1	-	1	-	-	-	1	-	-	-	-	2	3	4	2	4	3	6	19	15	17	9	1	-	-
	F	51	4	-	-	-	-	1	1	-	-	1	-	-	-	-	-	2	-	-	4	5	14	9	8	1	-	1
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	2	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	All other causes	282	21	1	3	2	3	2	8	10	7	6	10	10	16	12	20	30	21	17	28	23	15	14	3	1	-	1
	White—M	159	12	1	1	1	3	2	3	6	3	2	5	3	6	6	8	19	12	9	19	11	10	13	1	-	-	1
	F	122	9	3	2	1	-	-	4	4	4	4	5	7	8	6	12	11	9	8	7	12	5	1	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.–DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS																											
	All causes-------	89,566	5,316	370	212	190	132	514	420	732	1,149	1,199	1,577	2,112	2,974	4,265	6,262	7,846	9,387	9,969	10,559	10,365	7,658	4,623	1,366	304	36	29
	White-----M--	46,669	2,700	161	101	84	67	273	234	382	558	527	739	968	1,455	2,207	3,541	4,557	5,485	5,578	5,544	5,196	3,610	2,061	532	103	4	12
	F--	35,905	2,042	152	88	85	48	169	136	232	357	402	552	737	988	1,361	2,021	2,600	3,277	3,810	4,584	4,874	3,896	2,473	787	181	21	12
	Nonwhite--M--	3,760	330	34	10	7	8	27	30	61	98	132	156	225	281	381	404	382	340	311	236	155	83	42	17	5	3	2
	F--	3,252	244	23	13	14	9	25	20	57	136	138	140	182	250	316	296	307	285	270	195	140	69	47	30	15	8	3
1,2	Typhoid and paratyphoid fever---	12	-	-	1	-	-	-	1	-	1	1	-	3	-	1	1	1	1	-	1	-	-	-	-	-	-	-
	White-----M--	8	-	-	1	-	-	-	1	-	-	-	-	2	-	1	1	1	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	77	11	7	5	3	5	8	4	2	5	3	2	4	1	4	2	5	3	1	1	-	1	-	-	-	-	-
	White-----M--	32	4	5	2	-	3	2	2	1	2	-	1	3	-	1	2	2	1	-	1	-	-	-	-	-	-	-
	F--	32	6	1	3	2	2	4	1	1	2	2	-	-	1	3	-	2	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	9	1	1	-	1	-	2	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	10	-	-	-	-	2	1	2	2	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	1	1	2	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	30	21	4	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	10	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	9	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	32	2	1	3	3	4	8	2	2	3	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	16	1	1	1	2	3	5	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	1	-	1	1	1	3	1	2	2	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	3,014	23	33	14	11	5	22	29	106	226	243	249	253	285	301	303	278	233	172	116	66	33	9	4	-	-	-
	White-----M--	1,540	5	9	4	4	1	10	9	22	47	71	87	121	148	176	200	203	174	122	66	40	14	5	2	-	-	-
	F--	709	12	9	4	2	-	6	6	32	75	77	80	56	60	51	40	44	33	37	41	23	15	4	2	-	-	-
	Nonwhite--M--	406	3	10	2	1	2	4	5	24	28	34	45	41	52	49	44	25	17	11	6	-	3	-	-	-	-	-
	F--	359	3	5	4	4	2	2	9	28	76	61	37	35	25	25	19	6	9	2	3	3	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	2,734	11	14	4	4	3	11	17	88	212	222	228	235	266	288	286	260	218	156	108	61	31	7	4	-	-	-
	White-----M--	1,448	2	4	3	3	-	4	6	17	45	68	81	114	142	173	194	193	166	115	63	37	13	3	2	-	-	-
	F--	640	6	1	-	-	-	5	5	27	72	73	74	52	54	51	38	41	29	33	37	22	14	4	2	-	-	-
	Nonwhite--M--	354	2	6	-	-	2	1	1	22	26	29	38	39	48	44	42	22	16	7	6	-	3	-	-	-	-	-
	F--	292	1	3	1	1	1	1	5	22	69	52	35	30	22	20	12	4	7	1	2	2	1	-	-	-	-	-
14-22	Tuberculosis (other forms)---	260	12	19	10	7	2	11	12	18	14	21	21	18	19	13	17	18	15	16	8	5	2	2	-	-	-	-
	White-----M--	92	3	5	1	1	1	6	3	5	2	3	6	7	6	3	6	10	8	7	3	3	1	2	-	-	-	-
	F--	69	6	8	4	2	-	1	1	5	3	4	6	4	6	-	2	3	4	4	4	1	1	-	-	-	-	-
	Nonwhite--M--	52	1	4	2	1	-	3	4	2	2	5	7	2	4	5	2	3	1	4	-	-	-	-	-	-	-	-
	F--	67	2	2	3	3	1	1	4	6	7	9	2	5	3	5	7	2	2	1	1	1	-	-	-	-	-	-
27	Dysentery--------	25	4	1	-	-	-	1	-	1	1	3	1	-	3	-	1	3	2	1	1	-	1	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	1	-	-	-	1	1	-	-	-	-
	F--	13	4	-	-	-	-	-	-	1	1	2	1	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
28	Malaria----------	14	-	1	-	-	-	-	1	-	3	1	1	1	-	-	-	-	1	1	2	-	-	2	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-
	F--	5	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis----------	758	22	-	-	-	-	-	-	3	8	11	23	38	63	80	121	106	106	85	49	17	19	5	-	-	1	1
	White-----M--	414	5	-	-	-	-	-	-	-	1	4	4	12	31	43	74	63	67	54	30	13	10	3	-	-	-	-
	F--	133	6	-	-	-	-	-	-	1	3	1	6	7	11	16	19	16	15	12	8	4	6	2	-	-	-	-
	Nonwhite--M--	140	7	-	-	-	-	-	-	-	1	2	2	15	16	17	21	17	17	16	6	-	2	-	-	-	1	-
	F--	71	4	-	-	-	-	-	-	2	3	4	11	4	5	4	7	10	7	3	5	-	1	-	-	-	-	1
35	Measles----------	51	5	8	9	6	4	13	-	1	1	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	21	3	4	3	2	-	5	-	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F--	27	2	3	6	3	4	7	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	185	4	4	1	11	9	38	34	27	15	16	12	3	6	1	-	3	1	-	-	-	-	-	-	-	-	-
	White-----M--	106	1	1	1	5	7	23	22	16	8	7	7	3	4	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	73	2	3	-	6	2	12	12	11	7	7	5	-	2	1	-	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	1	-	-	-	-	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Con.																											
45-55	Cancer and other malignant tumors	12,910	3	8	7	9	9	17	18	32	36	63	149	301	484	805	1,307	1,589	1,802	1,808	1,718	1,444	833	377	72	15	2	2
	White-----M--	6,176	3	4	4	3	4	9	10	19	22	24	47	71	135	282	558	760	950	959	902	756	421	192	35	5	-	1
	F--	6,009	-	4	3	6	4	6	8	13	10	31	84	192	295	423	628	722	778	765	766	653	400	174	33	9	1	1
	Nonwhite--M--	345	-	-	-	-	-	-	-	-	2	2	9	11	18	41	59	41	39	49	34	23	9	7	1	-	-	-
	F--	380	-	-	-	-	1	2	-	-	2	6	9	27	36	59	62	66	35	35	16	12	3	4	3	1	1	-
46	Cancer of the digestive organs and peritoneum--	6,004	-	1	-	-	3	1	1	1	7	12	45	87	154	291	511	683	865	937	978	808	405	174	34	4	1	1
	White-----M--	3,189	-	-	-	-	2	-	1	-	5	5	20	29	65	127	282	389	502	532	532	405	200	77	12	3	-	1
	F--	2,533	-	1	-	-	1	-	-	1	2	7	19	45	75	127	189	253	327	362	418	388	203	94	20	1	-	-
	Nonwhite--M--	174	-	-	-	-	-	-	-	-	-	-	5	7	7	22	23	20	24	31	20	12	1	2	-	-	-	-
	F--	108	-	-	-	-	-	1	-	-	-	-	1	6	7	15	17	21	12	12	8	3	1	1	2	-	1	-
48,49	Cancer of female genital organs--	1,508	-	-	-	-	-	-	1	1	3	17	34	67	118	153	247	200	191	170	135	95	44	25	4	3	-	-
	White-----F--	1,343	-	-	-	-	-	-	1	1	2	13	28	55	100	124	220	176	177	157	129	89	44	24	3	2	-	-
	Nonwhite--F--	165	-	-	-	-	-	-	-	-	1	4	6	14	18	29	27	24	14	13	6	6	-	1	1	1	-	-
50	Cancer of breast-	1,263	-	-	-	-	-	-	-	-	1	2	22	74	87	119	164	179	165	135	116	96	67	30	4	2	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	7	3	3	1	1	-	-	-	-
	F--	1,182	-	-	-	-	-	-	-	-	1	2	20	70	81	109	148	167	159	123	112	92	65	27	4	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	60	-	-	-	-	-	-	-	-	-	-	2	4	5	10	14	11	4	5	1	1	1	2	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	4,135	3	7	7	9	6	16	16	30	25	32	48	73	125	242	385	527	581	566	489	445	317	148	30	6	1	1
	White-----M--	2,966	3	4	4	3	2	9	9	19	17	19	27	42	69	155	274	370	446	420	367	348	220	114	23	2	-	-
	F--	951	-	3	3	6	3	6	7	11	5	9	17	24	39	63	71	126	115	123	107	84	88	29	6	4	1	1
	Nonwhite--M--	171	-	-	-	-	-	-	-	-	2	2	4	4	11	19	36	21	15	18	14	11	8	5	1	-	-	-
	F--	47	-	-	-	-	1	1	-	-	1	2	-	3	6	5	4	10	5	5	1	2	1	-	-	-	-	-
58	Acute rheumatic fever----------	54	1	1	1	3	2	7	10	4	2	2	6	2	4	2	-	1	1	1	-	2	2	-	-	-	-	-
	White-----M--	22	1	-	-	1	-	3	3	1	1	1	1	2	2	1	-	-	1	1	-	2	1	-	-	-	-	-
	F--	24	-	1	1	2	-	2	6	3	1	-	5	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,579	1	1	1	-	-	2	4	6	13	23	26	24	49	79	180	301	416	450	448	336	142	62	15	-	-	-
	White-----M--	885	1	1	-	-	-	1	2	3	5	9	9	14	20	24	64	87	148	153	145	123	50	20	6	-	-	-
	F--	1,570	-	-	1	-	-	1	2	3	8	12	15	9	21	40	98	197	252	274	293	207	88	40	9	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	2	-	-	-	4	6	2	3	7	3	1	-	-	-	-	-	-
	F--	96	-	-	-	-	-	-	-	-	-	-	2	1	8	11	12	15	13	16	7	5	4	2	-	-	-	-
63b	Exophthalmic goiter----------	201	-	-	-	-	-	-	-	2	3	2	5	10	17	10	28	23	33	24	19	13	7	1	4	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	1	-	1	1	3	3	6	5	-	6	1	-	-	-	-	-	-	-
	F--	160	-	-	-	-	-	-	-	1	1	2	4	6	12	5	21	18	31	16	18	13	7	1	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	1	1	-	-	2	2	2	1	-	2	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	59	-	-	-	-	-	-	-	-	2	1	2	10	6	10	8	8	3	1	7	1	-	-	-	-	-	-
	White-----M--	46	-	-	-	-	-	-	-	-	-	1	2	5	6	8	6	8	3	-	6	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	4	-	2	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	7,166	6	4	1	2	1	3	3	5	18	20	35	74	123	277	428	596	798	932	1,143	1,196	860	478	131	28	2	2
	White-----M--	3,315	3	3	-	-	1	3	2	3	9	7	15	27	36	102	180	301	403	444	559	571	378	196	57	13	1	1
	F--	3,341	1	1	-	2	-	-	1	1	7	12	15	24	50	115	192	220	324	420	540	587	468	274	71	14	1	1
	Nonwhite--M--	235	1	-	1	-	-	-	-	-	2	-	4	7	14	23	28	38	36	32	19	19	5	3	3	-	-	-
	F--	275	1	-	-	-	-	-	-	1	-	1	1	16	23	37	28	37	35	36	25	19	9	5	-	1	-	-
90-95	Diseases of the heart----------	31,806	3	5	4	1	3	21	37	65	76	122	237	411	790	1,292	2,168	2,947	3,721	4,154	4,506	4,604	3,585	2258	648	146	17	5
	White-----M--	17,461	2	2	4	1	-	10	15	31	30	53	130	223	461	793	1,426	1,903	2,346	2,428	2,407	2,256	1,647	998	242	50	2	1
	F--	12,335	1	2	-	-	2	10	18	21	23	51	72	106	199	286	510	768	1,112	1,484	1,905	2,193	1,852	1,220	380	84	12	4
	Nonwhite--M--	1,036	-	1	-	-	-	-	3	6	9	9	18	43	66	114	141	146	131	123	94	74	31	17	8	4	-	-
	F--	974	-	-	-	-	1	1	1	7	14	9	17	39	64	99	91	110	132	119	100	81	35	23	20	8	3	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	1,547	-	2	-	1	2	11	21	33	30	35	59	74	103	133	127	141	138	168	133	158	103	53	16	2	2	2
	White-----M--	757	-	-	-	1	-	4	9	16	16	13	28	37	43	57	62	73	87	92	65	78	42	23	10	1	-	-
	F--	679	-	1	-	-	1	6	8	12	10	17	28	31	47	61	51	55	46	69	59	78	58	30	6	1	2	2
	Nonwhite--M--	62	-	1	-	-	-	-	3	3	3	3	2	3	6	10	7	7	5	3	4	1	1	-	-	-	-	-
	F--	49	-	-	-	-	1	1	1	2	1	2	1	3	7	5	7	6	-	4	5	1	2	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	7,582	-	-	-	-	-	-	-	-	6	15	56	123	269	453	732	960	1,102	1,118	1,021	880	527	258	51	11	-	-
	White-----M--	5,128	-	-	-	-	-	-	-	-	2	9	41	91	191	358	580	743	793	751	615	523	279	126	22	4	-	-
	F--	2,218	-	-	-	-	-	-	-	-	1	5	10	20	52	56	111	175	284	346	398	351	245	129	28	7	-	-
	Nonwhite--M--	156	-	-	-	-	-	-	-	-	1	1	2	8	21	27	28	33	14	9	6	2	3	1	-	-	-	-
	F--	80	-	-	-	-	-	-	-	-	2	-	3	4	5	12	13	9	11	12	2	4	-	2	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	22,677	3	3	4	-	1	10	16	32	40	72	122	214	418	706	1,309	1,846	2,481	2,868	3,352	3,566	2,935	1,947	581	133	15	3
	White-----M--	11,576	2	2	4	-	-	6	6	15	12	31	61	95	227	378	784	1,087	1,466	1,585	1,727	1,655	1,326	849	210	45	2	1
	F--	9,438	1	1	-	-	1	4	10	9	12	29	34	55	100	169	348	558	782	1,069	1,448	1,764	1,549	1,061	346	76	10	2
	Nonwhite--M--	618	-	-	-	-	-	-	-	3	5	5	14	32	39	77	106	106	112	111	84	71	27	16	6	4	-	-
	F--	845	-	-	-	-	-	-	-	5	11	7	13	32	52	82	71	95	121	103	93	76	33	21	19	8	3	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Con.																											
97,102	Arteriosclerosis and high blood pressure*	1,602	-	-	-	-	-	-	-	-	1	-	2	3	7	10	18	45	81	142	210	345	329	270	107	27	4	1
	White—M	813	-	-	-	-	-	-	-	-	-	-	1	1	2	3	8	26	50	84	103	182	167	135	40	10	-	1
	F	715	-	-	-	-	-	-	-	-	-	-	-	2	1	4	8	14	26	45	91	156	155	130	65	16	2	-
	Nonwhite—M	42	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	2	9	12	4	2	4	1	-	1	-
	F	32	-	-	-	-	-	-	-	-	1	-	-	-	3	1	1	3	3	4	4	3	5	1	1	1	1	-
107-109, 33	Pneumonia (all forms) and influenza	3,085	486	82	27	22	8	31	24	20	32	39	66	92	122	142	193	217	251	238	256	255	244	172	57	6	2	1
	White—M	1,624	218	36	12	7	5	14	9	6	20	19	33	45	66	80	113	130	162	150	138	134	125	74	27	1	-	-
	F	1,075	179	33	13	12	3	13	12	8	8	10	16	26	30	29	46	49	62	72	101	116	111	91	28	5	1	1
	Nonwhite—M	241	46	7	2	1	-	1	2	2	-	7	9	13	18	23	25	29	18	11	11	5	7	2	1	-	1	-
	F	145	43	6	-	2	-	3	1	4	4	3	8	8	8	10	9	9	9	5	6	-	1	5	1	-	-	-
107	Bronchopneumonia	1,634	385	50	16	13	7	24	10	9	14	18	21	32	38	48	77	91	99	110	146	142	141	102	35	4	1	1
	White—M	804	161	21	6	5	4	10	2	4	9	12	14	9	20	26	43	49	53	66	79	74	72	51	13	1	-	-
	F	628	143	18	8	5	3	12	6	4	3	3	4	12	13	11	21	28	30	39	61	65	65	49	21	3	1	1
	Nonwhite—M	116	43	5	2	1	-	-	1	-	-	2	-	6	4	6	11	9	11	3	4	3	4	1	-	-	-	-
	F	86	38	6	-	2	-	2	1	1	2	1	3	5	1	5	2	5	5	2	2	-	-	2	1	-	-	-
108	Lobar pneumonia	1,136	61	15	4	6	1	6	8	5	11	19	35	54	75	82	100	108	131	118	92	84	74	36	10	-	1	-
	White—M	664	30	8	1	1	1	3	4	-	9	6	16	34	39	50	62	72	91	79	50	48	41	12	7	-	-	-
	F	315	25	5	3	5	-	1	3	2	1	6	9	11	15	16	20	16	29	28	32	34	30	22	2	-	-	-
	Nonwhite—M	113	3	2	-	-	-	1	1	2	-	5	8	7	14	13	11	17	7	8	6	2	3	1	1	-	1	-
	F	44	3	-	-	-	-	1	-	1	1	2	2	2	7	3	7	3	4	3	4	-	-	1	-	-	-	-
109	Pneumonia (unspecified)	77	17	-	1	-	-	-	1	2	2	-	2	-	3	7	7	7	8	3	3	6	3	4	-	1	-	-
	White—M	45	12	-	-	-	-	-	-	2	2	-	1	-	3	3	2	6	7	2	1	2	-	2	-	-	-	-
	F	27	5	-	1	-	-	-	1	-	-	-	-	-	-	2	4	1	1	1	1	4	3	2	-	1	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	238	23	17	6	3	-	1	5	4	5	2	8	6	6	5	9	11	13	7	15	23	26	30	12	1	-	-
	White—M	111	15	7	5	1	-	1	3	-	-	1	2	2	4	1	6	3	11	3	8	10	12	9	7	-	-	-
	F	105	6	10	1	2	-	-	2	2	4	1	3	3	2	-	1	4	2	4	7	13	13	19	5	1	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	-	-	-	-	-	-	-	-	-	-
	F	14	2	-	-	-	-	-	-	2	1	-	2	1	-	2	-	1	-	-	-	-	1	2	-	-	-	-
117	Ulcer of stomach or duodenum	537	5	-	-	-	-	-	-	-	3	6	10	21	35	47	55	78	90	71	53	38	16	11	1	-	-	-
	White—M	427	1	-	-	-	-	-	-	-	3	2	7	16	28	37	47	69	75	63	37	21	12	8	1	-	-	-
	F	88	-	-	-	-	-	-	-	-	-	3	1	4	3	7	6	6	14	7	16	14	4	3	-	-	-	-
	Nonwhite—M	12	1	-	-	-	-	-	-	-	-	1	1	-	3	1	1	3	-	1	-	-	-	-	-	-	-	-
	F	10	3	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	300	181	15	3	3	2	7	1	2	2	3	5	9	3	5	5	7	7	5	12	8	7	4	3	1	-	-
	White—M	133	87	6	-	2	1	5	1	-	-	1	2	2	2	1	4	1	4	2	5	3	2	1	1	-	-	-
	F	144	83	6	3	1	1	2	-	2	2	2	3	6	1	2	-	3	2	2	7	5	5	3	2	1	-	-
	Nonwhite—M	11	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	F	12	4	2	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-	-	-	-	-	-	-
121	Appendicitis	359	2	1	3	5	-	19	8	18	22	16	11	25	28	30	27	30	31	32	23	20	6	2	-	-	-	-
	White—M	210	1	1	1	4	-	14	5	7	13	9	8	13	14	18	17	18	20	21	13	10	2	1	-	-	-	-
	F	118	1	-	2	1	-	4	3	9	6	6	1	9	10	8	8	10	10	10	7	9	4	-	-	-	-	-
	Nonwhite—M	17	-	-	-	-	-	1	-	-	2	1	1	1	2	4	-	1	-	-	3	-	-	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	2	1	-	1	2	2	-	2	1	1	1	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	751	31	6	1	2	1	6	2	5	5	12	23	29	31	53	47	73	87	87	90	67	63	25	3	2	-	-
	White—M	349	18	5	-	-	-	1	1	2	1	6	12	15	5	20	17	31	42	44	49	30	34	15	1	-	-	-
	F	337	9	1	1	1	1	4	1	1	3	2	7	10	15	28	25	38	39	40	37	34	27	10	2	1	-	-
	Nonwhite—M	33	3	-	-	-	-	-	-	1	-	1	1	3	3	3	2	2	5	2	3	1	2	-	-	1	-	-
	F	32	1	-	-	1	-	1	-	1	1	3	3	1	8	2	3	2	1	1	1	2	-	-	-	-	-	-
124	Cirrhosis of the liver	991	1	3	-	-	-	-	2	1	3	5	21	44	78	111	128	147	130	121	77	60	39	18	3	1	-	-
	White—M	665	-	1	-	-	-	-	1	-	1	3	11	25	55	71	87	109	93	86	53	36	26	5	2	-	-	-
	F	289	-	2	-	-	-	-	1	1	1	2	7	15	17	31	35	36	36	32	23	23	12	13	1	1	-	-
	Nonwhite—M	21	-	-	-	-	-	-	-	-	-	-	1	4	3	6	3	-	-	2	-	1	1	-	-	-	-	-
	F	16	1	-	-	-	-	-	-	-	1	-	2	-	3	3	1	2	1	1	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	457	-	-	-	-	-	-	-	-	2	4	8	13	30	27	33	64	73	67	48	47	24	13	4	-	-	-
	White—M	138	-	-	-	-	-	-	-	-	-	-	2	2	7	10	13	17	24	23	12	16	8	3	1	-	-	-
	F	313	-	-	-	-	-	-	-	-	2	4	6	11	22	16	18	46	48	44	36	31	16	10	3	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	5,852	2	6	7	6	2	11	13	22	37	47	60	114	158	242	352	408	560	628	786	854	710	434	155	33	3	2
	White—M	2,880	1	-	4	1	1	3	9	7	18	19	26	40	68	97	172	205	290	324	394	409	330	190	59	12	-	1
	F	2,540	1	6	2	4	1	8	4	12	14	14	22	47	48	98	127	153	226	262	355	425	365	236	87	20	2	1
	Nonwhite—M	201	-	-	-	-	-	-	-	2	1	4	2	16	19	21	22	23	22	15	22	11	11	5	5	-	-	-
	F	231	-	-	1	1	-	-	-	1	4	10	10	11	23	26	31	27	22	27	15	9	4	3	4	1	1	-
137	Diseases of the prostate	590	-	-	-	-	-	-	-	1	-	-	-	-	-	2	11	25	43	93	137	133	94	44	7	-	-	-
	White—M	556	-	-	-	-	-	-	-	-	-	-	-	-	-	2	11	24	38	86	130	128	89	43	7	-	-	-
	Nonwhite—M	34	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	5	7	7	7	5	1	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Con.																											
140-150	Diseases of pregnancy, etc.*----	237	-	-	-	-	-	-	1	14	46	58	52	44	20	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	206	-	-	-	-	-	-	1	10	40	47	46	40	20	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	31	-	-	-	-	-	-	-	4	6	11	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia------	94	-	-	-	-	-	-	1	8	17	26	19	17	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	82	-	-	-	-	-	-	1	6	14	22	17	16	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	12	-	-	-	-	-	-	-	2	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	61	-	-	-	-	-	-	-	5	17	15	9	8	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	51	-	-	-	-	-	-	-	3	14	12	7	8	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	-	-	-	-	-	-	-	2	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	71	-	-	-	-	-	-	-	1	9	14	23	18	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	63	-	-	-	-	-	-	-	1	9	11	21	15	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	-	-	-	-	-	-	-	-	-	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes---------	11	-	-	-	-	-	-	-	-	3	3	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	-	-	-	-	-	-	-	-	3	2	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations----	1,084	910	42	18	9	4	15	11	12	15	8	6	11	5	7	4	2	3	1	-	-	-	-	-	-	-	1
	White-----M--	532	445	17	10	2	2	9	4	6	8	3	5	9	2	2	3	1	3	1	-	-	-	-	-	-	-	-
	F--	481	410	20	6	7	2	5	6	4	5	4	1	2	2	4	1	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	44	34	2	-	-	-	1	1	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	21	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	3,186	3,186	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,876	1,876	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1,178	1,178	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	193	193	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	139	139	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	1,989	1,989	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,011	1,011	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	745	745	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	131	131	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	102	102	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year------	1,197	1,197	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	665	665	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	433	433	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	62	62	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	945	-	-	-	-	-	-	2	16	46	50	64	80	72	93	108	99	118	71	59	37	17	10	2	-	-	1
	White-----M--	709	-	-	-	-	-	-	2	10	32	35	42	55	50	67	83	74	97	58	48	33	15	6	1	-	-	1
	F--	211	-	-	-	-	-	-	-	6	13	14	19	19	21	24	23	21	20	12	8	4	2	4	1	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	1	1	3	6	1	2	1	4	1	-	2	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
165-168	Homicide----------	472	3	1	4	1	1	5	4	15	51	71	65	55	55	42	34	27	19	11	5	1	2	-	-	-	-	-
	White-----M--	154	2	-	2	-	-	-	-	4	12	19	21	16	14	18	14	8	12	6	4	1	1	-	-	-	-	-
	F--	51	1	-	-	-	-	4	2	4	8	3	5	4	5	2	5	3	3	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	222	-	-	-	-	1	-	2	6	29	37	32	30	31	20	11	16	4	3	-	-	-	-	-	-	-	-
	F--	45	-	1	2	1	-	1	-	1	2	12	7	5	5	2	4	-	-	-	1	-	1	-	-	-	-	-
169-195	Accidental deaths	5,586	108	75	56	50	42	172	144	268	324	236	259	233	261	295	353	350	381	378	409	459	379	252	86	16	1	9
	White-----M--	3,584	55	33	27	30	22	101	103	201	244	180	184	172	195	211	268	271	270	248	238	247	160	85	27	6	1	5
	F--	1,635	36	32	24	14	13	51	23	51	60	33	46	37	35	47	60	60	87	113	162	205	215	162	58	10	-	1
	Nonwhite--M--	268	9	8	2	3	4	10	12	15	13	22	21	16	22	30	19	13	19	11	8	5	2	2	-	-	-	2
	F--	109	8	2	3	3	3	10	6	1	7	1	8	8	9	7	6	6	5	6	1	2	2	3	1	-	-	1
170	Motor-vehicle accidents-------	1,871	6	8	18	22	17	92	51	124	215	130	115	75	96	100	123	120	147	124	122	96	49	17	4	-	-	-
	White-----M--	1,364	4	3	7	14	10	52	40	88	164	101	80	61	70	70	91	95	104	100	86	77	32	13	4	-	-	-
	F--	403	2	4	8	7	6	29	8	33	43	18	27	8	16	23	28	20	35	20	32	16	16	4	-	-	-	-
	Nonwhite--M--	79	-	1	1	1	1	5	2	4	6	11	5	4	7	6	3	4	7	4	3	3	1	-	-	-	-	-
	F--	25	-	-	2	-	-	6	1	1	2	-	3	2	3	1	1	1	1	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents--	3,725	102	67	38	28	25	80	93	144	109	106	144	158	165	195	230	230	234	254	287	363	330	235	82	16	1	9
	White-----M--	2,220	51	30	20	16	12	49	63	115	80	79	104	111	125	141	177	176	166	148	152	170	128	72	23	6	1	5
	F--	1,232	34	28	16	7	7	22	15	18	17	15	19	29	19	24	32	40	52	93	130	189	199	158	58	10	-	1
	Nonwhite--M--	189	9	7	1	2	3	5	10	11	7	11	16	12	15	24	16	9	12	7	5	2	1	2	-	-	-	2
	F--	84	8	2	1	3	3	4	5	-	5	1	5	6	6	6	5	5	4	6	-	2	2	3	1	-	-	1
162,199, 200	Senility, ill-defined and unknown causes-----	390	23	-	1	2	1	1	2	7	9	7	6	5	11	13	12	22	11	26	22	38	51	67	29	21	-	3
	White-----M--	190	12	-	-	1	1	1	2	3	5	5	2	4	5	8	9	17	6	16	13	18	19	27	11	4	-	1
	F--	175	8	-	1	1	-	-	-	3	3	1	4	1	4	3	3	5	3	6	8	19	28	39	18	15	-	2
	Nonwhite--M--	10	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	2	-	-	2	-	-	-	-	-
	F--	15	1	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	1	2	1	1	2	1	-	2	-	-
	All other causes-	4,345	272	61	43	40	26	105	61	73	138	126	169	199	226	278	336	390	379	367	360	327	213	108	35	8	4	1
	White-----M--	2,121	145	31	23	18	15	52	28	39	70	48	67	67	94	125	157	222	204	198	188	168	97	51	12	2	-	-
	F--	1,876	92	24	17	20	10	46	27	30	50	59	80	100	101	114	147	143	150	153	159	153	114	57	23	5	2	-
	Nonwhite--M--	169	22	3	3	1	-	5	4	1	7	6	6	16	8	17	17	16	18	8	6	4	1	-	-	-	-	-
	F--	179	13	3	-	1	1	2	2	3	11	13	16	16	23	22	15	9	7	8	7	2	1	-	-	1	2	1

*Refer to International List for complete title, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA																											
	All causes	39,034	2,897	221	112	96	75	266	192	395	518	541	622	803	1,103	1,509	2,103	2,775	3,523	4,118	4,874	5,097	3,951	2,500	747	164	22	40
	White—M	20,571	1,447	105	55	53	33	159	116	225	304	263	314	385	547	802	1,154	1,585	1,990	2,293	2,624	2,644	1,939	1,112	340	56	3	23
	F	16,452	1,065	104	43	42	39	69	68	131	171	213	227	323	438	533	740	1,007	1,353	1,648	2,098	2,314	1,939	1,355	386	99	15	13
	Nonwhite—M	1,066	93	7	7	-	2	10	4	23	19	32	37	40	60	88	113	123	89	101	82	59	39	15	11	6	3	3
	F	945	92	5	7	1	2	8	4	16	24	33	44	55	58	86	96	60	91	76	70	50	34	18	10	3	1	1
1,2	Typhoid and paratyphoid fever	11	-	1	-	-	-	-	-	1	-	-	2	-	-	2	1	1	-	1	-	1	1	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	1	-	1	1	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	33	8	3	-	2	1	2	1	1	2	-	1	-	1	3	1	-	3	1	2	-	-	1	-	-	-	-
	White—M	16	2	2	-	1	-	2	1	1	-	-	-	-	1	2	1	-	1	-	1	-	-	1	-	-	-	-
	F	15	5	1	-	1	1	-	-	-	1	-	1	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	5	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	40	26	9	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	20	13	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	11	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	37	2	3	3	7	5	8	3	1	-	1	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	White—M	19	1	1	2	3	2	7	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	-	2	1	4	3	1	2	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,128	12	10	6	-	6	7	9	48	89	90	88	97	72	102	90	101	81	91	43	52	27	7	-	-	-	-
	White—M	565	4	3	1	-	1	3	4	11	29	23	31	51	44	52	62	67	54	67	22	24	11	1	-	-	-	-
	F	390	5	6	4	-	4	2	3	23	39	44	37	29	11	29	20	25	22	19	20	26	16	6	-	-	-	-
	Nonwhite—M	97	1	1	-	-	1	2	-	8	7	7	11	8	12	13	6	9	4	5	1	1	-	-	-	-	-	-
	F	76	2	-	1	-	-	-	2	6	14	16	9	9	5	8	2	-	1	-	-	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,012	7	-	1	-	1	3	6	42	81	85	82	92	67	92	77	93	75	84	42	49	26	7	-	-	-	-
	White—M	516	2	-	1	-	-	2	1	8	27	22	29	49	42	48	54	62	49	64	21	23	11	1	-	-	-	-
	F	347	3	-	-	-	1	-	3	20	36	44	34	28	10	26	17	23	21	16	20	24	15	6	-	-	-	-
	Nonwhite—M	84	-	-	-	-	-	1	-	8	5	7	10	8	10	12	5	8	4	4	1	1	-	-	-	-	-	-
	F	65	2	-	-	-	-	-	2	6	13	12	9	7	5	6	1	-	1	-	-	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	116	5	10	5	-	5	4	3	6	8	5	6	5	5	10	13	8	6	7	1	3	1	-	-	-	-	-
	White—M	49	2	3	-	-	1	1	3	3	2	1	2	2	2	4	8	5	5	3	1	1	-	-	-	-	-	-
	F	43	2	6	4	-	3	2	-	3	3	-	3	1	1	3	3	2	1	3	-	2	1	-	-	-	-	-
	Nonwhite—M	13	1	1	-	-	1	1	-	-	2	-	1	-	2	1	1	1	-	1	-	-	-	-	-	-	-	-
	F	11	-	-	1	-	-	-	-	-	1	4	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	17	8	1	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	1	1	2	-	-	-	-	-
	White—M	13	7	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	391	12	-	-	-	-	1	1	2	5	6	11	26	39	46	44	44	53	43	30	17	7	4	-	-	-	-
	White—M	233	5	-	-	-	-	1	1	-	3	2	6	12	16	30	25	29	41	26	19	12	4	1	-	-	-	-
	F	95	4	-	-	-	-	-	-	2	2	2	4	6	17	6	9	9	5	10	10	4	2	3	-	-	-	-
	Nonwhite—M	41	1	-	-	-	-	-	-	-	-	1	-	4	4	8	8	4	5	3	1	1	1	-	-	-	-	-
	F	22	2	-	-	-	-	-	-	-	-	1	1	4	2	2	2	2	2	4	-	-	-	-	-	-	-	-
35	Measles	51	11	13	7	3	3	9	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
	White—M	29	6	9	2	3	1	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	5	3	3	-	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
	Nonwhite—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliioencephalitis (acute)	49	1	1	2	2	1	15	10	7	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	30	-	-	1	-	1	12	7	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	-	1	-	2	-	3	3	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Con.																											
45-55	Cancer and other malignant tumors	4,839	-	6	2	3	4	6	7	8	21	29	60	99	194	284	417	519	638	620	709	596	386	192	42	9	2	6
	White-----M--	2,176	-	3	1	3	2	5	3	3	12	7	25	25	52	94	165	212	291	300	371	300	191	78	22	2	-	1
	F--	2,471	-	3	1	-	2	1	4	4	9	20	31	65	133	149	219	276	325	294	319	286	185	112	19	7	2	5
	Nonwhite--M--	90	-	-	-	-	-	-	-	1	-	-	-	1	3	6	16	22	6	9	14	4	6	1	1	-	-	-
	F--	102	-	-	-	-	-	-	-	-	-	2	4	8	6	15	17	9	16	9	5	6	4	1	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	2,103	-	-	1	-	-	-	1	1	7	3	15	27	59	75	151	200	289	302	366	298	203	87	13	1	1	3
	White-----M--	1,072	-	-	1	-	-	-	1	-	5	3	9	10	24	36	80	97	165	173	187	140	103	31	6	-	-	1
	F--	963	-	-	-	-	-	-	-	1	2	-	6	14	31	37	57	93	116	122	171	153	95	55	6	1	1	2
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	-	-	1	2	1	9	10	3	4	5	2	2	-	1	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	2	2	1	5	-	5	3	3	3	3	1	-	-	-	-
48,49	Cancer of female genital organs--	622	-	-	-	-	-	-	1	-	3	12	14	29	59	56	78	81	102	72	46	34	21	11	1	1	-	1
	White-----F--	580	-	-	-	-	-	-	1	-	3	12	11	24	57	47	72	77	96	68	46	32	20	11	1	1	-	1
	Nonwhite--F--	42	-	-	-	-	-	-	-	-	-	-	3	5	2	9	6	4	6	4	-	2	1	-	-	-	-	-
50	Cancer of breast-	425	-	-	-	-	-	-	-	-	-	4	9	14	27	34	55	58	51	40	44	42	27	14	3	1	-	2
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	401	-	-	-	-	-	-	-	-	-	2	8	13	25	31	52	54	47	38	43	41	27	14	3	1	-	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	2	1	-	1	3	3	4	4	2	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	1,689	-	6	1	3	4	6	5	7	11	10	22	29	49	99	133	160	196	206	253	222	135	80	25	6	1	-
	White-----M--	1,101	-	3	-	3	2	5	2	3	7	4	16	14	27	58	85	115	126	135	183	160	88	47	16	2	-	-
	F--	527	-	3	1	-	2	1	3	3	4	6	6	14	20	34	38	52	66	66	59	60	43	32	9	4	1	-
	Nonwhite--M--	50	-	-	-	-	-	-	-	1	-	-	-	-	1	5	7	12	3	5	9	2	4	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	-	2	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	38	-	-	2	1	2	3	8	5	-	-	-	3	5	3	2	-	2	-	1	1	-	-	-	-	-	-
	White-----M--	18	-	-	1	-	-	2	2	4	-	-	-	2	1	1	2	-	2	-	1	-	-	-	-	-	-	-
	F--	20	-	-	1	1	2	1	6	1	-	-	-	1	4	2	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	966	-	-	1	-	1	-	2	2	4	7	8	12	25	32	66	91	151	168	179	138	53	18	6	-	1	1
	White-----M--	370	-	-	1	-	-	-	-	1	-	3	3	5	10	15	22	32	47	67	76	55	20	9	4	-	-	-
	F--	554	-	-	-	-	1	-	2	1	4	4	4	5	11	14	36	55	100	96	99	79	31	9	2	-	-	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	2	-	1	2	-	-	-	1	-
	F--	31	-	-	-	-	-	-	-	-	-	-	1	-	4	1	7	4	4	3	4	3	-	-	-	-	-	-
63b	Exophthalmic goiter----------	103	-	-	-	-	-	-	-	-	1	-	3	3	6	7	17	8	14	13	16	8	4	1	-	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	2	-	3	2	-	-	-	-	-	-
	F--	81	-	-	-	-	-	-	-	-	1	-	2	2	3	5	13	6	11	13	13	7	4	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	40	-	-	-	-	-	-	-	-	1	-	3	5	6	11	1	4	3	4	1	1	-	-	-	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	2	2	5	10	1	4	3	4	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	4,338	5	1	2	3	-	-	4	2	6	8	19	34	62	114	178	279	409	562	755	819	620	357	77	15	2	5
	White-----M--	2,062	4	1	2	1	-	-	2	-	2	5	9	14	22	37	62	135	203	280	372	427	299	149	27	5	1	3
	F--	2,064	1	-	-	2	-	-	2	2	3	3	9	16	31	58	92	117	178	253	355	378	305	201	46	9	1	2
	Nonwhite--M--	96	-	-	-	-	-	-	-	-	1	-	-	2	3	8	13	16	11	11	8	8	11	2	1	1	-	-
	F--	116	-	-	-	-	-	-	-	-	-	-	1	2	6	11	11	11	17	18	20	6	5	5	3	-	-	-
90-95	Diseases of the heart----------	11,565	3	6	3	-	6	11	13	28	25	45	84	155	258	408	824	912	1,250	1,506	1,822	1,819	1,393	869	251	56	8	12
	White-----M--	6,610	1	3	-	-	5	5	3	14	14	20	50	88	151	279	426	625	810	876	1,027	988	688	410	118	19	2	8
	F--	4,486	2	2	2	-	1	5	9	9	11	20	30	53	76	85	146	239	376	571	738	811	689	446	126	34	4	1
	Nonwhite--M--	254	-	1	1	-	-	-	1	3	-	3	2	4	13	21	23	32	37	35	35	20	5	9	3	2	2	2
	F--	215	-	-	-	-	-	1	-	2	-	2	2	10	18	21	29	16	27	24	22	20	11	4	4	1	-	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	667	-	-	1	-	1	6	9	10	8	16	22	25	35	37	39	48	66	69	77	93	52	36	13	4	-	-
	White-----M--	328	-	-	-	-	1	3	1	5	4	8	16	13	11	19	19	22	35	36	43	46	23	16	6	1	-	-
	F--	292	-	-	1	-	-	2	7	4	4	7	6	9	18	9	17	24	27	26	31	45	26	19	7	3	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	1	1	-	-	-	2	2	4	-	2	3	3	2	1	-	1	-	-	-	-
	F--	25	-	-	-	-	-	1	-	-	-	1	-	1	4	5	3	-	1	4	1	1	3	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	4,131	1	-	1	-	1	-	-	4	3	8	30	76	125	218	325	432	554	608	675	493	345	166	49	9	3	5
	White-----M--	2,849	-	-	-	-	1	-	-	4	2	2	21	55	92	179	268	339	417	402	457	297	198	79	29	3	1	3
	F--	1,171	1	-	-	-	-	-	-	-	1	6	8	16	21	28	44	75	125	194	207	193	143	84	19	5	1	-
	Nonwhite--M--	72	-	-	1	-	-	-	-	-	-	-	1	1	7	5	8	13	9	9	9	2	2	1	1	-	1	2
	F--	39	-	-	-	-	-	-	-	-	-	-	-	4	5	6	5	5	3	3	2	1	2	2	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	6,767	2	6	1	-	4	5	4	14	14	21	32	54	98	151	260	432	630	829	1,070	1,233	996	667	189	43	5	7
	White-----M--	3,433	1	3	-	-	3	2	2	5	8	10	13	20	48	81	139	254	358	438	527	625	467	315	83	15	1	5
	F--	3,023	1	2	1	-	1	3	2	5	6	7	16	28	37	48	85	140	224	351	500	573	520	343	100	26	3	1
	Nonwhite--M--	160	-	1	-	-	-	-	-	2	-	3	1	1	4	12	15	17	25	23	24	17	3	7	2	2	1	-
	F--	151	-	-	-	-	-	-	-	2	-	1	2	5	9	10	21	11	23	17	19	18	6	2	4	-	-	1

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Con.																											
97,102	Arteriosclerosis and high blood pressure*	1,081	-	-	-	-	-	-	-	1	-	2	1	3	5	7	8	18	33	76	133	252	238	200	79	20	2	3
	White—M	554	-	-	-	-	-	-	-	-	-	1	-	-	3	4	3	8	23	45	73	140	115	98	36	5	-	-
	F	488	-	-	-	-	-	-	-	-	-	-	-	3	-	3	3	9	8	24	55	105	119	101	41	13	2	2
	Nonwhite—M	21	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	6	2	5	2	-	1	1	-	1
	F	18	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	2	1	3	2	2	1	1	1	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,577	316	63	9	8	5	13	11	13	19	15	21	24	38	37	54	70	90	102	137	168	167	128	52	12	4	1
	White—M	742	148	29	4	4	2	6	3	7	8	7	9	9	21	21	22	38	44	56	62	84	73	53	28	3	-	1
	F	700	143	30	3	4	2	7	7	3	6	5	6	11	12	7	15	23	35	41	64	80	90	71	23	8	4	-
	Nonwhite—M	70	14	1	-	-	-	-	-	1	2	3	3	1	5	6	9	7	5	2	5	2	2	1	-	1	-	-
	F	65	11	3	2	-	1	-	1	2	3	-	3	3	-	3	8	2	6	3	8	2	2	3	1	-	-	-
107	Bronchopneumonia	634	195	31	6	6	3	4	2	2	6	7	8	8	16	11	15	14	26	27	43	60	65	46	25	7	1	-
	White—M	291	95	12	3	3	2	-	-	1	2	3	1	3	8	5	3	11	14	15	17	29	26	20	16	2	-	-
	F	281	81	16	2	3	-	4	2	1	1	3	4	4	3	3	7	3	10	11	20	29	36	23	9	5	1	-
	Nonwhite—M	34	10	1	-	-	-	-	-	-	1	1	2	-	5	2	3	-	1	1	4	1	1	1	-	-	-	-
	F	28	9	2	1	-	1	-	-	-	2	-	1	1	-	1	2	-	1	-	2	1	2	2	-	-	-	-
108	Lobar pneumonia	447	50	13	-	1	1	5	5	5	7	4	6	12	8	19	27	33	35	43	44	51	38	26	9	3	1	1
	White—M	239	23	5	-	-	-	3	2	3	3	2	4	3	6	12	14	18	14	28	25	33	22	14	4	-	-	1
	F	159	25	8	-	1	1	2	2	-	3	-	1	8	2	3	3	9	13	13	15	17	16	12	4	2	1	-
	Nonwhite—M	26	1	-	-	-	-	-	-	-	1	2	-	1	-	3	4	6	4	1	1	1	-	-	-	1	-	-
	F	23	1	-	-	-	-	-	1	2	-	-	1	2	-	1	6	-	4	1	3	-	-	-	1	-	-	-
109	Pneumonia (unspecified)	211	48	8	1	1	1	2	2	4	4	2	3	2	5	1	1	10	13	12	23	18	32	14	2	1	1	-
	White—M	111	24	6	1	1	-	1	1	3	2	1	1	1	3	-	-	3	7	8	12	12	15	6	2	1	-	-
	F	90	21	2	-	-	1	1	1	1	2	1	-	1	2	-	1	6	5	3	11	6	16	8	-	-	1	-
	Nonwhite—M	6	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
33	Influenza	285	23	11	2	-	-	2	2	2	2	2	4	2	9	6	11	13	16	20	27	39	32	42	16	1	1	-
	White—M	101	6	6	-	-	-	2	-	-	1	1	3	2	4	4	5	6	9	5	8	10	10	13	6	-	-	-
	F	170	16	4	1	-	-	-	2	1	-	1	1	-	5	1	4	5	7	14	18	28	22	28	10	1	1	-
	Nonwhite—M	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	2	-	1	1	1	-	1	-	-	-	-
117	Ulcer of stomach or duodenum	172	-	-	-	-	-	-	1	1	1	1	3	7	2	12	16	31	30	28	18	8	6	6	1	-	-	-
	White—M	141	-	-	-	-	-	-	1	-	1	1	3	6	2	9	13	27	24	22	13	8	6	5	-	-	-	-
	F	26	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	3	6	6	5	-	-	1	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	199	126	13	2	-	-	2	2	-	1	2	2	3	2	1	3	4	2	6	5	10	5	6	1	1	-	-
	White—M	91	61	6	1	-	-	1	1	-	1	-	-	2	-	-	1	3	-	4	3	3	3	1	-	-	-	-
	F	89	51	7	1	-	-	1	1	-	-	1	1	-	2	1	2	-	2	2	2	7	2	4	1	1	-	-
	Nonwhite—M	6	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	13	10	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
121	Appendicitis	145	-	2	3	1	1	9	5	10	10	5	6	10	11	10	10	17	11	8	10	3	3	-	-	-	-	-
	White—M	88	-	1	2	1	1	3	3	7	6	3	2	5	6	6	6	13	10	7	3	2	1	-	-	-	-	-
	F	46	-	1	1	-	-	3	2	3	3	1	3	4	3	4	3	3	1	1	7	1	2	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	303	11	2	1	-	-	2	3	-	6	4	7	5	12	18	14	21	39	39	34	33	32	14	4	2	-	-
	White—M	133	7	-	-	-	-	2	2	-	2	1	2	-	4	3	5	6	19	22	20	17	11	7	1	2	-	-
	F	159	3	2	1	-	-	-	1	-	4	2	4	5	6	13	9	13	20	16	14	16	20	7	3	-	-	-
	Nonwhite—M	6	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	307	-	-	-	-	-	-	-	1	1	3	5	8	20	30	40	35	34	31	39	34	19	6	1	-	-	-
	White—M	207	-	-	-	-	-	-	-	1	-	1	3	7	13	21	31	26	26	17	23	24	11	3	-	-	-	-
	F	87	-	-	-	-	-	-	-	-	1	2	2	-	4	8	6	9	8	11	16	9	7	3	1	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	-	3	-	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	179	-	-	-	-	-	-	-	-	1	2	4	5	10	15	12	33	22	21	20	18	9	6	1	-	-	-
	White—M	50	-	-	-	-	-	-	-	-	-	2	1	2	2	4	2	14	6	5	9	1	1	-	1	-	-	-
	F	126	-	-	-	-	-	-	-	-	1	-	2	3	8	11	9	19	15	16	11	17	8	6	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	2,948	1	1	1	2	1	8	5	16	9	19	21	40	38	78	138	173	218	320	436	513	474	307	109	16	-	4
	White—M	1,478	-	1	-	2	1	6	3	8	6	7	10	10	15	33	64	93	114	164	225	257	252	144	51	9	-	3
	F	1,315	1	-	1	-	-	2	2	5	3	9	8	22	19	32	53	67	94	128	197	244	209	159	53	6	-	1
	Nonwhite—M	82	-	-	-	-	-	-	-	1	-	2	-	2	1	5	12	8	4	17	7	10	6	2	4	1	-	-
	F	73	-	-	-	-	-	-	-	2	-	1	3	6	3	8	9	5	6	11	7	2	7	2	1	-	-	-
137	Diseases of the prostate	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	8	25	31	43	39	23	5	1	-	-
	White—M	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	24	29	41	39	23	5	1	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Con.																											
140-150	Diseases of pregnancy, etc.*	112	-	-	-	-	-	-	-	13	23	21	26	17	10	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	99	-	-	-	-	-	-	-	12	20	19	21	15	10	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	13	-	-	-	-	-	-	-	1	3	2	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	31	-	-	-	-	-	-	-	5	8	7	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	29	-	-	-	-	-	-	-	5	8	6	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	32	-	-	-	-	-	-	-	3	7	2	7	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	28	-	-	-	-	-	-	-	3	6	2	6	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	37	-	-	-	-	-	-	-	4	6	8	10	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	32	-	-	-	-	-	-	-	4	4	7	8	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	12	-	-	-	-	-	-	-	1	2	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	10	-	-	-	-	-	-	-	-	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	467	408	15	2	4	1	8	4	6	5	1	1	1	2	3	3	3	-	-	-	-	-	-	-	-	-	-
	White—M	261	223	9	1	3	1	4	4	6	2	1	1	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-
	F	191	171	6	1	1	-	4	-	-	3	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	1,552	1,552	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	860	860	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	580	580	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	56	56	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	56	56	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	1,039	1,039	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	549	549	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	407	407	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	46	46	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	513	513	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	311	311	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	173	173	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	19	19	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	501	-	-	-	-	-	-	2	12	20	46	33	47	40	40	48	47	53	42	24	25	14	5	1	-	-	2
	White—M	375	-	-	-	-	-	-	2	6	18	29	22	33	30	25	40	37	36	35	19	23	13	4	1	-	-	2
	F	119	-	-	-	-	-	-	-	6	2	16	10	14	8	14	7	10	16	7	5	2	1	1	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	147	5	2	1	3	1	4	1	4	11	24	18	15	13	17	11	6	5	4	1	-	-	1	-	-	-	-
	White—M	68	3	1	-	-	-	2	1	1	5	11	6	7	6	9	3	3	2	4	1	-	-	1	-	-	-	-
	F	33	1	-	-	3	1	2	-	1	4	4	3	2	2	3	4	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M	39	1	1	1	-	-	-	-	1	2	7	7	4	5	4	4	1	1	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	2	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,790	62	41	34	28	17	95	69	158	193	135	125	115	113	108	135	129	153	172	188	228	239	183	51	15	-	4
	White—M	1,772	37	22	22	21	5	58	55	120	166	105	101	75	82	86	102	91	106	116	112	104	98	63	16	5	-	4
	F	929	24	17	10	7	10	32	14	33	21	24	19	32	25	18	25	32	38	52	72	119	140	120	35	10	-	-
	Nonwhite—M	71	1	2	2	-	1	3	-	5	5	4	5	7	4	4	7	4	8	3	3	2	1	-	-	-	-	-
	F	18	-	-	-	-	1	2	-	-	1	2	-	1	2	-	1	2	1	1	1	3	-	-	-	-	-	-
170	Motor-vehicle accidents	966	1	9	10	14	6	51	27	92	128	89	64	50	43	30	54	50	53	69	43	43	29	9	1	-	-	1
	White—M	722	1	5	8	11	4	28	22	68	106	68	53	29	29	26	40	34	41	53	35	28	21	8	1	-	-	1
	F	213	-	4	2	3	2	21	5	21	16	18	10	17	11	3	10	15	11	14	8	14	7	1	-	-	-	-
	Nonwhite—M	26	-	-	-	-	-	1	-	3	3	2	1	3	3	1	4	1	1	2	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
169, 171-195	Other accidents	1,824	61	32	24	14	11	44	42	66	65	46	61	65	70	78	81	79	100	103	145	185	210	174	50	15	-	3
	White—M	1,050	36	17	14	10	1	30	33	52	58	37	48	46	53	60	62	57	65	63	77	76	77	55	15	5	-	3
	F	716	24	13	8	4	8	11	9	12	5	6	9	15	14	15	15	17	27	38	64	105	133	119	35	10	-	-
	Nonwhite—M	45	1	2	2	-	1	2	-	2	2	2	4	4	1	3	3	3	7	1	3	2	-	-	-	-	-	-
	F	13	-	-	-	-	1	1	-	-	-	1	-	-	2	-	1	2	1	1	1	2	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	424	13	2	1	-	-	3	-	3	3	2	4	4	6	9	13	21	23	39	38	52	70	69	38	10	3	-
	White—M	211	8	-	-	-	-	1	-	3	2	1	2	2	5	5	12	7	16	25	22	28	32	23	14	5	-	-
	F	190	6	2	1	-	-	2	-	-	1	1	2	1	1	1	1	9	6	12	12	21	37	45	23	4	2	-
	Nonwhite—M	12	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	2	1	1	1	-	1	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	1	2	-	1	-	1	1	-
	All other causes	2,293	115	26	28	26	19	56	31	49	54	68	65	63	113	132	153	204	196	195	201	224	142	96	28	7	-	2
	White—M	1,144	59	9	13	9	10	30	17	25	23	29	24	26	55	52	76	107	101	118	116	121	69	38	16	-	-	1
	F	1,014	51	15	11	16	9	19	10	20	28	34	27	31	49	65	64	81	82	74	81	99	70	58	12	7	-	1
	Nonwhite—M	67	3	1	1	-	-	3	3	2	1	3	6	1	4	6	8	12	7	1	3	2	-	-	-	-	-	-
	F	68	2	1	3	1	-	4	1	2	2	2	8	5	5	9	5	4	6	2	1	2	3	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA																											
	All causes	25,758	1,681	107	80	68	63	165	132	224	278	280	328	400	559	632	1,191	1,673	2,077	2,611	3,248	3,715	3,095	2,078	710	147	9	7
	White-----M	14,206	947	57	45	44	34	102	76	146	164	151	171	219	327	463	734	1,028	1,237	1,493	1,813	2,000	1,602	968	320	59	2	4
	F	11,295	711	49	35	24	28	62	55	78	112	123	152	169	222	354	443	621	816	1,089	1,408	1,689	1,471	1,097	390	88	7	2
	Nonwhite-M	152	8	-	-	-	-	1	-	-	1	6	3	8	5	6	9	15	15	22	16	16	16	4	-	-	-	1
	F	105	15	1	-	-	1	-	1	-	1	-	2	4	5	9	5	9	9	7	11	10	6	9	-	-	-	-
1,2	Typhoid and paratyphoid fever	4	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	15	4	1	-	-	2	2	1	-	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M	15	4	1	-	-	2	2	1	-	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	11	-	1	-	3	1	1	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	6	-	1	-	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	1	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	17	15	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	10	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	15	1	2	-	1	-	3	3	1	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M	6	-	-	-	1	-	2	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	9	1	2	-	-	-	1	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	329	-	2	1	1	-	5	4	3	17	18	21	29	27	23	34	29	37	25	27	16	9	1	-	-	-	-
	White-----M	186	-	-	-	1	-	3	2	1	5	5	8	12	20	14	25	21	21	19	15	8	5	1	-	-	-	-
	F	133	-	2	1	-	-	2	2	2	12	12	11	14	6	9	8	8	14	6	12	8	4	-	-	-	-	-
	Nonwhite-M	8	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	291	-	1	-	-	-	2	3	2	16	17	20	29	25	19	32	27	35	22	21	12	7	1	-	-	-	-
	White-----M	169	-	-	-	-	-	1	1	1	5	5	8	12	19	13	23	20	20	18	12	6	4	1	-	-	-	-
	F	112	-	1	-	-	-	1	2	1	11	11	10	14	5	6	8	7	13	4	9	6	3	-	-	-	-	-
	Nonwhite-M	8	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	38	-	1	1	1	-	3	1	1	1	1	1	-	2	4	2	2	2	3	6	4	2	-	-	-	-	-
	White-----M	17	-	-	-	1	-	2	1	-	-	-	-	-	1	1	2	1	1	1	3	2	1	-	-	-	-	-
	F	21	-	1	1	-	-	1	-	1	1	1	1	-	1	3	-	1	1	2	3	2	1	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	13	4	-	-	-	1	-	-	-	-	-	-	2	-	-	-	2	1	-	1	2	-	-	-	-	-	-
	White-----M	10	3	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	1	-	1	1	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	4	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	156	2	-	-	-	-	-	1	-	3	3	3	5	7	18	20	17	18	23	17	11	6	1	1	-	-	-
	White-----M	116	1	-	-	-	-	-	1	-	1	2	2	1	6	15	17	12	14	20	14	5	4	1	-	-	-	-
	F	29	1	-	-	-	-	-	-	-	2	-	1	3	1	2	1	3	3	3	2	5	1	-	1	-	-	-
	Nonwhite-M	9	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	-	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
35	Measles*	24	3	5	3	-	1	3	4	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	8	1	2	1	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	2	3	2	-	1	1	4	1	-		-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliioencephalitis (acute)	53	2	-	1	4	1	12	6	8	5	7	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	31	1	-	1	4	1	8	2	4	3	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	1	-	-	-	-	4	4	4	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Continued																											
45-55	Cancer and other malignant tumors	3,704	3	2	1	2	-	6	3	12	16	17	39	57	102	192	235	357	467	496	544	564	364	162	36	6	-	1
	White-----M--	1,818	1	1	1	1	-	3	1	8	8	5	11	18	34	68	95	158	251	240	283	314	202	97	15	3	-	-
	F--	1,857	2	1	-	1	-	3	2	4	7	12	27	39	67	122	139	195	212	252	258	246	158	65	21	3	-	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	3	1	1	1	1	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	3	2	3	3	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	1,707	2	-	-	-	-	1	-	2	1	7	4	15	26	67	85	162	221	233	286	314	183	83	12	2	-	1
	White-----M--	910	-	-	-	-	-	-	-	2	1	3	2	7	15	33	44	93	141	115	163	158	95	35	2	1	-	-
	F--	784	2	-	-	-	-	1	-	-	-	4	2	8	10	33	40	68	77	115	123	155	86	48	10	1	-	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	-	-	1	-	-	-	-	-
48,49	Cancer of female genital organs--	401	-	-	-	-	-	-	-	1	2	4	15	15	26	48	46	48	39	49	48	38	14	6	2	-	-	-
	White-----F--	395	-	-	-	-	-	-	-	1	2	4	14	15	26	47	46	48	39	49	46	36	14	6	2	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-
50	Cancer of breast-	367	-	-	-	-	-	-	-	-	-	2	9	12	23	26	35	42	57	46	45	29	28	11	2	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
	F--	361	-	-	-	-	-	-	-	-	-	2	9	12	23	25	32	42	57	45	45	29	27	11	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	1,229	1	2	1	2	-	5	3	9	13	4	11	15	27	51	69	105	150	168	165	183	139	82	20	4	-	-
	White-----M--	904	1	1	1	1	-	3	1	6	7	2	9	11	19	34	46	65	110	125	120	156	107	62	13	2	-	-
	F--	317	-	1	-	1	-	2	2	3	5	2	2	4	8	17	21	37	39	43	44	26	31	20	7	2	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
58	Acute rheumatic fever----------	14	-	-	1	-	-	-	6	-	1	-	2	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	2	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	1	-	-	-	4	-	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	673	1	-	1	1	-	2	1	3	4	11	6	5	10	15	42	51	82	111	123	118	60	22	4	-	-	-
	White-----M--	262	-	-	-	1	-	2	-	1	1	3	5	2	4	9	16	25	29	35	51	42	29	5	2	-	-	-
	F--	408	1	-	1	-	-	-	1	2	3	8	1	3	6	6	24	26	53	75	72	76	31	17	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	58	-	-	-	-	-	-	-	-	-	1	-	3	4	3	5	10	7	4	11	5	4	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-
	F--	51	-	-	-	-	-	-	-	-	-	-	-	3	3	3	5	8	7	3	10	5	4	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	21	-	-	-	-	-	-	-	-	-	-	2	1	3	4	1	2	3	2	1	1	1	-	-	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	2	1	3	4	1	2	3	2	1	1	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	2,899	-	3	-	1	-	2	1	3	4	3	8	8	32	45	68	185	222	339	485	594	488	288	81	18	1	-
	White-----M--	1,419	-	-	-	1	-	2	1	2	-	2	4	1	12	20	46	79	102	197	239	292	228	140	41	10	-	-
	F--	1,454	-	3	-	-	-	-	-	1	4	1	4	7	18	24	41	100	118	140	241	299	259	145	40	8	1	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	3	1	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	2	1	2	-	-	2	-	-	-	-
90-95	Diseases of the heart----------	7,874	2	-	-	1	1	8	11	9	15	22	38	69	119	215	369	519	704	946	1,227	1,328	1,195	770	251	51	3	1
	White-----M--	4,675	2	-	-	1	-	2	4	6	5	15	20	45	85	151	284	390	487	573	733	732	633	361	123	23	-	-
	F--	3,112	-	-	-	-	1	6	7	3	9	6	18	19	32	60	82	120	209	359	483	585	551	402	128	28	3	1
	Nonwhite--M--	63	-	-	-	-	-	-	-	-	-	1	-	4	1	2	2	7	6	13	7	8	10	2	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	2	2	1	4	3	1	5	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	472	-	-	-	1	-	5	8	7	5	8	16	14	13	25	23	31	42	53	50	58	61	38	13	1	-	-
	White-----M--	246	-	-	-	1	-	1	3	4	-	7	7	10	5	11	8	22	23	27	27	29	34	19	8	-	-	-
	F--	216	-	-	-	-	-	4	5	3	4	1	9	4	7	12	14	9	18	24	22	29	27	18	5	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	3,260	-	-	-	-	-	-	1	1	4	6	11	29	78	116	217	319	377	467	560	508	318	189	51	8	-	-
	White-----M--	2,282	-	-	-	-	-	-	1	1	3	4	8	20	63	99	185	258	293	326	377	319	192	101	27	5	-	-
	F--	950	-	-	-	-	-	-	-	-	1	1	3	6	14	16	32	56	81	136	180	186	124	87	24	3	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	4	1	4	1	3	2	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	4,142	2	-	-	-	1	3	2	1	6	8	11	26	28	74	129	169	285	426	617	762	816	543	187	42	3	1
	White-----M--	2,147	2	-	-	-	-	1	-	1	2	4	5	15	17	41	91	110	171	220	329	384	407	241	88	18	-	-
	F--	1,946	-	-	-	-	1	2	2	-	4	4	6	9	11	32	36	55	110	199	281	370	400	297	99	24	3	1
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	4	7	5	5	8	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	2	3	1	4	-	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Continued																											
97,102	Arteriosclerosis and high blood pressure*-------	621	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	10	20	36	68	131	136	140	59	11	-	-
	White-----M--	312	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	9	11	19	36	77	65	61	24	5	-	-
	F--	303	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	9	17	31	52	68	79	35	6	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	1,047	143	21	11	7	8	9	8	5	9	4	12	14	20	29	26	40	44	62	88	140	140	138	52	16	1	-
	White-----M--	566	85	12	7	5	4	6	7	5	4	2	8	7	15	15	19	30	27	38	47	69	76	53	23	2	-	-
	F--	472	53	9	4	2	4	3	1	-	5	2	4	7	5	14	7	10	16	24	39	70	64	85	29	14	1	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
107	Bronchopneumonia-	464	96	14	6	5	4	3	4	4	4	2	3	4	8	10	10	14	13	20	34	63	57	57	23	6	-	-
	White-----M--	249	55	6	3	3	3	2	4	4	1	1	1	2	7	6	7	11	8	12	19	30	30	23	11	-	-	-
	F--	209	36	8	3	2	1	1	-	-	3	1	2	2	1	4	3	3	5	8	15	32	27	34	12	6	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
108	Lobar pneumonia--	328	19	4	3	2	3	4	2	-	4	1	2	9	5	14	12	19	21	29	30	49	44	41	8	3	-	-
	White-----M--	186	12	4	2	2	1	2	2	-	3	1	2	5	5	7	9	14	12	16	16	25	27	17	2	-	-	-
	F--	139	7	-	1	-	2	2	-	-	1	-	-	4	-	7	3	5	8	13	12	24	17	24	6	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
109	Pneumonia (unspecified)-------	47	15	-	-	-	-	-	1	-	-	-	1	-	2	2	-	2	1	3	8	6	3	3	-	-	-	-
	White-----M--	28	8	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	1	2	6	4	1	1	-	-	-	-
	F--	19	7	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1	2	2	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	208	13	3	2	-	1	2	1	1	1	1	6	1	5	3	4	5	9	10	16	22	36	37	21	7	1	-
	White-----M--	103	10	2	2	-	-	2	1	1	-	-	4	-	2	-	3	4	6	8	6	10	18	12	10	2	-	-
	F--	105	3	1	-	-	1	-	-	-	1	1	2	1	3	3	1	1	3	2	10	12	18	25	11	5	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	176	-	1	-	-	-	-	-	-	-	1	-	4	5	11	21	27	22	24	19	16	22	2	1	-	-	-
	White-----M--	149	-	1	-	-	-	-	-	-	-	1	-	4	3	10	17	23	19	20	17	14	18	2	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	3	4	2	2	4	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*------	136	78	4	-	3	1	4	-	-	4	1	2	1	3	2	3	3	6	3	4	5	2	5	2	-	-	-
	White-----M--	73	51	1	-	2	-	2	-	-	2	-	2	1	2	1	1	3	2	-	1	1	-	1	-	-	-	-
	F--	61	27	3	-	1	-	1	-	-	2	1	-	-	1	1	2	-	4	3	3	4	2	4	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	102	-	1	6	1	-	5	1	5	4	3	7	2	4	8	7	5	7	8	12	8	4	1	3	-	-	-
	White-----M--	62	-	-	4	-	-	1	-	3	2	-	2	2	3	3	6	4	4	8	10	7	1	-	2	-	-	-
	F--	39	-	1	2	1	-	4	1	2	2	3	5	-	1	4	1	1	3	-	2	1	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	257	7	-	-	1	1	1	-	3	3	3	4	6	5	10	14	18	17	34	24	36	28	13	7	1	-	1
	White-----M--	133	6	-	-	1	1	-	-	-	1	3	1	3	2	5	6	11	8	19	17	22	14	7	5	-	-	1
	F--	101	1	-	-	-	-	1	-	3	2	-	3	3	3	5	8	6	9	14	7	13	14	6	2	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	144	-	-	-	-	-	-	1	-	-	4	2	8	6	12	11	22	15	15	17	19	7	3	2	-	-	-
	White-----M--	104	-	-	-	-	-	-	-	-	-	2	1	7	5	8	10	18	12	10	10	13	5	2	1	-	-	-
	F--	39	-	-	-	-	-	-	1	-	-	2	1	1	1	4	1	4	3	5	6	6	2	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*----------	150	-	-	-	-	-	-	-	-	-	1	2	2	4	8	15	18	17	23	23	16	15	6	-	-	-	-
	White-----M--	52	-	-	-	-	-	-	-	-	-	-	-	-	3	1	5	5	5	12	8	8	5	2	-	-	-	-
	F--	96	-	-	-	-	-	-	-	-	-	1	2	2	1	6	10	13	12	11	15	10	9	4	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
130-132	Nephritis--------	1,457	-	2	-	3	1	2	8	4	14	9	13	22	35	35	65	93	95	150	199	281	205	165	47	7	2	-
	White-----M--	790	-	1	-	2	1	1	3	2	7	4	4	8	19	19	40	57	59	87	106	151	113	77	25	4	-	-
	F--	652	-	1	-	1	-	1	5	2	7	5	9	13	15	15	24	36	34	60	90	129	91	87	22	3	2	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	3	1	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	-	1	-	-	-	-
137	Diseases of the prostate--------	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8	25	37	39	35	29	12	1	-	-
	White-----M--	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8	25	37	39	35	29	12	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Continued																											
140-150	Diseases of pregnancy, etc.*	59	-	-	-	-	-	-	-	4	10	14	15	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	58	-	-	-	-	-	-	-	4	10	14	14	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	23	-	-	-	-	-	-	-	1	2	6	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	22	-	-	-	-	-	-	-	1	2	6	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	16	-	-	-	-	-	-	-	-	5	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	16	-	-	-	-	-	-	-	-	5	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	19	-	-	-	-	-	-	-	3	3	2	4	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	19	-	-	-	-	-	-	-	3	3	2	4	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	359	290	12	7	5	4	9	2	4	5	6	5	2	2	4	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	184	149	6	2	2	-	5	1	3	4	3	4	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F	173	139	6	5	3	4	4	1	1	1	3	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	995	995	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	563	563	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	419	419	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	623	623	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	337	337	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159,160, 161	Other diseases peculiar to first year	372	372	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	226	226	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	140	140	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	327	-	-	-	-	-	-	-	4	11	20	16	23	27	38	40	38	43	18	22	17	6	3	-	1	-	-
	White—M	226	-	-	-	-	-	-	-	4	4	11	13	20	18	27	24	26	28	13	16	13	5	3	-	1	-	-
	F	99	-	-	-	-	-	-	-	-	7	9	3	3	9	10	16	12	15	5	6	3	1	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	46	1	-	1	1	2	1	1	1	1	5	7	5	4	5	2	4	3	1	1	-	-	-	-	-	-	-
	White—M	28	1	-	-	1	2	1	-	1	-	3	1	2	3	4	2	3	2	1	1	-	-	-	-	-	-	-
	F	15	-	-	1	-	-	-	1	-	1	1	5	3	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,638	45	25	26	22	24	56	54	122	119	85	71	67	68	58	75	90	93	103	110	165	147	136	62	12	-	3
	White—M	1,153	26	19	16	15	13	39	44	90	100	62	59	51	39	40	59	65	56	65	65	83	57	47	16	4	-	3
	F	675	17	6	10	7	11	17	9	32	19	21	12	15	9	17	16	24	37	36	45	82	90	89	46	8	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	549	3	4	7	6	12	17	20	67	79	43	27	26	29	19	20	34	32	30	27	26	8	10	2	1	-	-
	White—M	399	2	2	3	5	5	11	13	42	67	30	19	22	25	12	14	24	18	22	24	21	7	9	2	-	-	-
	F	149	1	2	4	1	7	6	7	25	12	13	8	4	4	7	6	10	14	7	3	5	1	1	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,289	42	21	19	16	12	39	34	55	40	42	44	41	39	39	55	56	61	73	83	139	139	126	60	11	-	3
	White—M	754	24	17	13	10	8	28	31	48	33	32	40	29	34	28	45	41	38	43	41	62	50	38	14	4	-	3
	F	526	18	4	6	6	4	11	2	7	7	8	4	11	5	10	10	14	23	29	42	77	89	88	46	7	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	384	1	-	-	-	-	-	-	1	1	-	-	2	1	4	3	2	7	9	31	58	89	98	59	17	1	-
	White—M	179	-	-	-	-	-	-	-	-	-	-	-	2	-	3	3	2	6	6	17	30	41	46	19	3	1	-
	F	203	1	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	1	3	14	28	48	50	40	14	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	All other causes	1,602	84	25	20	10	15	34	15	30	27	41	43	50	60	88	103	122	137	153	156	144	131	75	31	6	1	1
	White—M	846	48	12	12	4	9	20	6	16	13	23	19	24	27	42	53	75	80	83	86	80	65	33	12	3	1	-
	F	739	35	12	8	6	6	14	9	14	14	18	24	25	31	44	48	47	53	68	70	63	66	42	18	3	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	1	-	-	-	-	-	-	-	1
	F	9	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	1	-	1	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS																											
	All causes	18,059	1,217	91	59	26	26	122	127	216	237	213	272	322	438	602	857	1,133	1,542	1,907	2,284	2,438	1,952	1,351	492	114	10	11
	White-----M--	9,669	681	54	28	11	16	64	84	126	146	110	143	167	216	339	494	619	887	1,046	1,254	1,245	1,014	634	242	40	3	6
	F--	7,397	484	32	25	15	8	50	37	71	68	77	105	127	171	213	284	413	560	743	934	1,107	884	680	236	69	4	-
	Nonwhite--M--	530	33	1	3	-	-	4	2	8	12	14	12	14	26	22	36	47	60	78	58	46	26	18	8	1	-	1
	F--	463	19	4	3	-	2	4	4	11	11	12	12	14	25	28	43	54	35	40	38	40	26	19	6	4	3	4
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	11	1	1	2	2	-	-	-	-	-	-	-	-	1	-	3	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	7	1	1	2	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	13	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	12	1	1	1	2	-	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	1	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	307	4	2	-	1	1	-	3	10	21	24	26	16	23	26	30	24	28	24	17	12	9	5	1	-	-	-
	White-----M--	152	1	1	-	1	1	-	1	3	5	6	11	5	9	14	18	16	16	16	13	7	6	1	1	-	-	-
	F--	108	2	-	-	-	-	-	1	2	8	11	14	7	11	10	9	4	6	7	4	5	3	4	-	-	-	-
	Nonwhite--M--	29	1	-	-	-	-	-	1	1	4	5	1	3	3	1	3	3	2	1	-	-	-	-	-	-	-	-
	F--	18	-	1	-	-	-	-	-	4	4	2	-	1	-	1	-	1	4	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	291	2	2	-	-	-	-	3	10	21	21	26	15	22	25	29	23	25	23	17	12	9	5	1	-	-	-
	White-----M--	145	-	1	-	-	-	-	1	3	5	4	11	5	9	13	18	16	15	16	13	7	6	1	1	-	-	-
	F--	103	2	-	-	-	-	-	1	2	8	10	14	7	10	10	8	3	6	6	4	5	3	4	-	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	1	1	4	5	1	2	3	1	3	3	1	1	-	-	-	-	-	-	-	-
	F--	17	-	1	-	-	-	-	-	4	4	2	-	1	-	1	-	1	3	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	16	2	-	-	1	1	-	-	-	-	3	-	1	1	1	1	1	3	1	-	-	-	-	-	-	-	-
	White-----M--	7	1	-	-	1	1	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	143	2	-	-	-	-	-	-	-	-	1	3	2	9	16	18	23	18	14	18	13	-	5	1	-	-	-
	White-----M--	85	-	-	-	-	-	-	-	-	-	-	2	1	5	8	9	13	11	10	15	6	-	5	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	5	-	1	2	4	-	-	1	-	-	-
	Nonwhite--M--	28	2	-	-	-	-	-	-	-	-	-	-	1	2	5	4	3	6	3	-	2	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	2	1	-	1	1	-	-	-	-	-	-
35	Measles	23	4	4	2	1	3	3	1	1	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	12	3	3	1	-	2	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	9	1	1	-	1	-	3	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	91	1	-	2	-	3	26	21	11	8	6	5	2	1	1	1	2	-	-	1	-	-	-	-	-	-	-
	White-----M--	63	-	-	2	-	3	16	14	9	6	4	3	1	1	1	1	1	-	-	1	-	-	-	-	-	-	-
	F--	27	1	-	-	-	-	9	7	2	2	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Con.																											
45-55	Cancer and other malignant tumors	2,412	5	-	1	-	1	5	4	10	13	10	31	44	91	126	177	247	290	337	374	313	197	107	22	6	-	1
	White-----M--	1,111	2	-	-	-	1	2	3	1	6	3	9	16	30	49	69	95	135	154	196	174	102	49	13	2	-	-
	F--	1,175	3	-	1	-	-	3	1	7	5	5	19	26	53	70	94	123	144	167	166	132	87	56	9	4	-	-
	Nonwhite--M--	62	-	-	-	-	-	-	-	-	2	2	3	1	4	3	5	10	7	9	10	1	3	1	-	-	-	1
	F--	64	-	-	-	-	-	-	-	2	-	-	-	1	4	4	9	19	4	7	2	6	5	1	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	1,068	1	-	-	-	-	-	-	3	1	2	10	12	24	36	61	101	123	158	197	171	109	50	6	2	-	1
	White-----M--	536	-	-	-	-	-	-	-	-	-	-	5	5	14	19	27	41	59	77	112	100	53	20	4	-	-	-
	F--	475	1	-	-	-	-	-	-	3	1	1	4	6	7	16	26	50	61	70	77	68	51	29	2	2	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	1	1	1	3	1	5	4	2	7	7	-	3	-	-	-	-	1
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	1	4	1	3	2	1	-	-	-	-
48,49	Cancer of female genital organs--	303	-	-	-	-	-	1	-	1	2	2	5	10	24	20	36	43	42	40	31	30	11	5	-	-	-	-
	White-----F--	280	-	-	-	-	-	1	-	1	2	2	5	9	21	20	32	34	40	39	30	28	11	5	-	-	-	-
	Nonwhite--F--	23	-	-	-	-	-	-	-	-	-	-	-	1	3	-	4	9	2	1	1	2	-	-	-	-	-	-
50	Cancer of breast-	238	-	-	-	-	-	-	-	-	-	-	5	9	21	25	24	24	31	33	23	18	15	7	2	1	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	1	1	-	-	-
	F--	223	-	-	-	-	-	-	-	-	-	-	5	9	20	20	24	22	29	32	23	18	13	6	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	1	-	-	-	2	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	803	4	-	1	-	1	4	4	6	10	6	11	13	22	45	56	79	94	106	123	94	62	45	14	3	-	-
	White-----M--	569	2	-	-	-	1	2	3	1	6	3	4	11	15	29	42	54	75	76	84	74	49	28	8	2	-	-
	F--	197	2	-	1	-	-	2	1	3	2	2	5	2	5	14	12	17	14	26	36	18	12	16	6	1	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	2	1	2	-	1	2	-	6	5	2	3	1	-	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	2	-	-	-	-	1	-	2	2	-	2	-	1	1	-	-	-	-	-
58	Acute rheumatic fever----------	10	-	-	-	1	-	-	2	1	1	-	1	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
	White-----M--	5	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	437	-	-	-	-	1	1	1	4	5	3	6	6	3	10	23	38	55	71	81	70	38	18	2	1	-	-
	White-----M--	161	-	-	-	-	-	1	-	1	2	2	4	3	2	5	12	13	12	27	26	27	15	9	-	-	-	-
	F--	252	-	-	-	-	1	-	1	3	3	1	1	3	1	4	8	22	38	39	50	43	22	9	2	1	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	3	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	3	2	2	-	1	-	-	-	-	-
63b	Exophthalmic goiter----------	39	-	-	-	-	-	-	-	1	1	-	-	1	6	3	2	4	4	8	7	1	1	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	34	-	-	-	-	-	-	-	1	1	-	-	1	4	3	2	3	3	8	6	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	1	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
77	Alcoholism (ethylism)------	8	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	2,049	1	1	1	-	-	-	-	2	2	2	9	9	24	46	65	104	184	249	332	402	335	205	62	12	2	-
	White-----M--	971	1	-	1	-	-	-	-	1	2	-	4	6	10	19	28	48	93	126	166	172	165	95	29	4	1	-
	F--	974	-	1	-	-	-	-	-	1	-	1	4	2	11	23	26	45	79	111	154	212	163	104	30	7	-	-
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	6	5	8	10	11	4	3	1	-	-	-
	F--	52	-	-	-	-	-	-	-	-	-	-	1	1	2	4	9	5	7	4	2	7	3	3	2	1	1	-
90-95	Diseases of the heart----------	5,415	2	2	1	1	-	6	10	15	13	14	42	46	89	177	255	365	568	716	804	904	676	483	182	40	3	1
	White-----M--	3,179	1	2	-	-	-	3	7	12	8	6	27	28	63	137	178	256	377	432	464	483	355	232	96	12	1	-
	F--	1,981	1	-	-	1	-	2	2	3	4	7	10	12	17	31	52	86	161	239	309	392	305	240	78	27	2	-
	Nonwhite--M--	137	-	-	1	-	-	-	-	-	-	-	-	4	4	3	16	11	19	32	12	17	8	4	6	-	-	-
	F--	118	-	-	-	-	-	1	1	-	1	1	5	2	5	6	9	12	11	13	19	12	8	7	3	1	-	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	322	-	-	-	-	-	3	4	10	8	7	11	9	17	10	21	21	25	24	53	42	22	24	9	2	-	-
	White-----M--	180	-	-	-	-	-	3	3	9	5	2	9	6	10	7	11	14	16	11	25	23	10	12	4	-	-	-
	F--	124	-	-	-	-	-	-	1	1	2	5	2	2	5	3	7	7	8	10	26	16	10	12	5	2	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	3	1	2	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	1	1	2	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	2,141	-	-	-	-	-	-	-	-	-	3	15	14	46	110	144	211	301	344	322	300	195	101	29	6	-	-
	White-----M--	1,503	-	-	-	-	-	-	-	-	-	3	9	12	36	98	121	167	224	243	207	186	117	57	22	1	-	-
	F--	579	-	-	-	-	-	-	-	-	-	-	3	2	7	11	18	37	68	89	108	107	75	44	5	5	-	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	5	5	10	1	6	3	-	2	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	3	-	1	1	2	2	4	2	6	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	2,952	2	2	1	1	-	3	6	5	5	4	16	23	26	57	90	133	242	348	429	562	459	358	144	32	3	1
	White-----M--	1,496	1	2	-	-	-	-	4	3	3	1	9	10	17	32	46	75	137	178	232	274	228	163	69	11	1	-
	F--	1,278	1	-	-	1	-	2	1	2	2	2	5	8	5	17	27	42	85	140	175	269	220	184	68	20	2	-
	Nonwhite--M--	90	-	-	1	-	-	-	-	-	-	-	-	3	1	3	11	6	14	19	10	9	5	4	4	-	-	-
	F--	88	-	-	-	-	-	1	1	-	-	1	2	2	3	5	6	10	6	11	12	10	6	7	3	1	-	1

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Con.																											
97,102	Arteriosclerosis and high blood pressure*	417	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	13	21	62	85	102	74	39	11	1	2
	White—M	202	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	7	10	35	41	45	34	21	3	1	2
	F	199	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	6	9	24	42	56	33	18	7	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	4	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	-	1	-	-
107-109, 33	Pneumonia (all forms) and influenza	812	114	16	11	3	3	4	9	6	4	3	10	10	9	6	16	31	33	30	61	59	84	64	20	5	1	-
	White—M	318	59	8	5	2	2	3	3	3	-	2	2	4	6	5	9	17	19	19	35	30	40	33	10	2	-	-
	F	242	40	6	4	1	-	1	5	2	4	-	6	5	2	-	5	11	11	7	24	25	39	30	10	3	1	-
	Nonwhite—M	26	7	-	1	-	-	-	1	1	-	1	2	1	-	1	1	1	2	1	1	3	2	-	-	-	-	-
	F	26	8	2	1	-	1	-	-	-	-	-	-	-	1	-	1	2	1	3	1	1	3	1	-	-	-	-
107	Bronchopneumonia	265	73	10	6	2	1	2	3	3	1	-	2	5	2	2	3	8	8	7	24	31	34	27	10	1	-	-
	White—M	137	37	5	3	2	1	2	-	2	-	-	-	2	-	1	2	4	6	5	12	18	16	14	4	1	-	-
	F	105	25	3	3	-	-	-	2	1	1	-	2	2	1	-	1	3	2	2	10	13	16	12	6	-	-	-
	Nonwhite—M	8	4	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	15	7	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	2	1	-	-	-	-
108	Lobar pneumonia	167	19	1	1	-	-	2	2	3	1	2	4	3	5	3	6	16	10	12	20	14	21	15	5	2	-	-
	White—M	90	12	-	1	-	-	1	1	1	-	2	1	1	4	3	3	9	6	7	11	4	10	8	4	1	-	-
	F	59	7	1	-	-	-	1	1	1	1	-	1	2	1	-	1	6	2	2	9	6	8	7	1	1	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	2	1	-	3	2	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-
109	Pneumonia (unspecified)	31	6	3	-	1	1	-	-	-	1	1	1	1	-	-	1	-	3	1	3	1	3	4	-	-	-	-
	White—M	23	5	3	-	-	1	-	-	-	-	-	-	1	-	-	1	-	2	1	3	1	3	2	-	-	-	-
	F	7	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	149	16	2	4	-	1	-	4	-	1	-	3	1	2	1	6	7	12	10	14	13	26	18	5	2	1	-
	White—M	68	5	-	1	-	-	-	2	-	-	-	1	-	2	1	3	4	5	6	9	7	11	9	2	-	-	-
	F	71	7	2	1	-	-	-	2	-	1	-	2	1	-	-	3	2	6	3	5	6	15	9	3	2	1	-
	Nonwhite—M	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	104	-	-	-	-	-	-	-	-	1	1	1	4	5	6	9	13	13	16	14	10	6	3	-	2	-	-
	White—M	76	-	-	-	-	-	-	-	-	1	-	1	3	3	2	8	7	10	14	11	7	6	2	-	1	-	-
	F	22	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	5	3	2	3	3	-	1	-	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	79	42	4	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	8	5	-	4	4	2	-	-	-
	White—M	43	28	2	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	3	1	-	1	1	1	-	-	-
	F	33	14	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	5	4	-	2	2	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
121	Appendicitis	96	1	2	-	-	2	3	6	7	5	7	2	7	4	9	6	8	5	7	7	6	2	-	-	-	-	-
	White—M	51	1	2	-	-	1	1	3	2	3	4	1	5	3	4	5	4	4	2	4	2	-	-	-	-	-	-
	F	40	-	-	-	-	1	1	3	5	1	3	-	1	1	4	1	4	1	5	3	4	2	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	149	4	-	-	-	1	1	-	-	3	-	6	4	5	10	7	14	12	12	22	20	12	11	3	2	-	-
	White—M	76	1	-	-	-	1	1	-	-	1	-	5	-	1	5	5	6	7	5	11	10	7	7	2	1	-	-
	F	64	3	-	-	-	-	-	-	-	1	-	1	4	4	3	2	7	4	7	10	7	5	4	1	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	113	-	-	-	-	-	-	-	-	-	-	2	5	6	5	10	11	17	19	10	16	7	3	2	-	-	-
	White—M	68	-	-	-	-	-	-	-	-	-	-	2	3	4	4	7	8	14	9	3	11	2	1	-	-	-	-
	F	40	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	1	2	9	6	5	5	2	2	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	97	-	-	-	-	-	-	-	-	-	-	1	2	6	4	4	15	10	15	10	13	9	7	1	-	-	-
	White—M	31	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	4	3	7	3	6	1	2	-	-	-	-
	F	61	-	-	-	-	-	-	-	-	-	-	-	2	4	4	2	8	7	7	7	7	7	5	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-
130-132	Nephritis	1,257	1	2	-	1	-	4	3	4	6	5	12	18	23	20	67	65	108	142	197	221	183	124	40	9	-	2
	White—M	647	-	-	-	-	-	1	1	3	3	3	7	5	9	10	33	29	55	80	107	117	103	55	19	7	-	-
	F	500	1	1	-	1	-	2	2	1	3	1	2	9	11	8	28	25	41	44	73	93	69	65	19	1	-	-
	Nonwhite—M	55	-	1	-	-	-	-	-	-	-	-	3	-	1	-	1	5	9	11	9	6	5	2	1	1	-	-
	F	55	-	-	-	-	-	1	-	-	-	1	-	4	2	2	5	6	3	7	8	5	6	2	1	-	-	2
137	Diseases of the prostate	164	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	12	18	36	32	42	12	6	-	-	-
	White—M	156	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	10	17	32	32	42	12	6	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Con.																											
140-150	Diseases of pregnancy, etc.*	60	-	-	-	-	-	-	-	6	10	15	8	11	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	57	-	-	-	-	-	-	-	6	9	13	8	11	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	25	-	-	-	-	-	-	-	4	1	3	3	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	25	-	-	-	-	-	-	-	4	1	3	3	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	17	-	-	-	-	-	-	-	2	6	2	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	15	-	-	-	-	-	-	-	2	5	1	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	17	-	-	-	-	-	-	-	-	3	9	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	16	-	-	-	-	-	-	-	-	3	8	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	252	205	12	6	4	-	4	5	1	3	4	3	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	133	112	7	1	1	-	1	2	1	3	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	107	84	5	5	3	-	2	3	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	718	718	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	417	417	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	285	285	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	449	449	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	254	254	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	183	183	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	269	269	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	163	163	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	102	102	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	182	-	-	-	-	-	-	1	3	6	6	11	18	22	18	25	21	19	10	12	2	6	2	-	-	-	-
	White—M	133	-	-	-	-	-	-	1	3	4	4	6	14	16	12	19	13	16	7	10	2	4	2	-	-	-	-
	F	45	-	-	-	-	-	-	-	-	2	2	5	4	5	6	6	7	3	2	2	-	1	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	53	2	-	-	-	-	-	-	4	8	7	9	4	5	5	2	3	-	3	-	-	1	1	-	-	-	1
	White—M	16	-	-	-	-	-	-	-	-	1	2	5	1	1	-	-	2	-	2	-	-	1	-	-	-	-	1
	F	17	1	-	-	-	-	-	-	2	2	1	3	2	-	2	2	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite—M	13	1	-	-	-	-	-	-	-	3	2	1	-	4	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	2	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,334	40	27	20	8	7	38	42	95	96	74	51	70	46	50	60	50	59	74	80	106	103	85	38	12	-	3
	White—M	843	19	16	10	6	2	18	33	68	87	58	40	54	33	39	48	33	41	50	44	46	48	33	12	3	-	2
	F	438	17	11	8	2	5	18	7	24	6	14	8	12	10	5	8	14	16	21	35	57	54	52	26	8	-	-
	Nonwhite—M	30	1	-	1	-	-	1	-	1	1	2	2	3	2	5	2	2	2	2	1	1	1	-	-	-	-	-
	F	23	3	-	1	-	-	1	2	2	2	-	1	1	1	1	2	1	-	1	-	2	-	-	-	1	-	1
170	Motor-vehicle accidents	467	7	10	8	1	4	18	9	52	65	39	22	29	20	22	25	20	26	28	20	17	14	9	1	-	-	1
	White—M	333	4	5	5	1	1	10	7	34	58	25	16	21	11	17	19	11	18	20	17	13	13	6	1	-	-	-
	F	113	3	5	3	-	3	7	2	17	6	12	4	6	7	2	4	7	8	7	2	4	1	3	-	-	-	-
	Nonwhite—M	12	-	-	-	-	-	1	-	-	-	2	1	1	1	2	1	2	-	-	1	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	-	-	1	-	-	-	-	-	-	-	1
169, 171-195	Other accidents	867	33	17	12	7	3	20	33	43	31	35	29	41	26	28	35	30	33	46	60	89	89	76	37	12	-	2
	White—M	510	15	11	5	5	1	8	26	34	29	33	24	33	22	22	29	22	23	30	27	33	35	27	11	3	-	2
	F	325	14	6	5	2	2	11	5	7	-	2	4	6	3	3	4	7	8	14	33	53	53	49	26	8	-	-
	Nonwhite—M	18	1	-	1	-	-	-	-	1	1	-	1	2	1	3	1	-	2	2	-	1	1	-	-	-	-	-
	F	14	3	-	1	-	-	1	2	1	1	-	-	-	-	-	1	1	-	-	-	2	-	-	-	1	-	-
162,199, 200	Senility, ill-defined and unknown causes	289	9	2	1	-	-	1	-	1	-	-	1	-	3	2	6	8	8	18	14	35	55	68	45	11	2	1
	White—M	151	4	2	-	-	-	-	-	-	-	-	-	-	1	2	6	6	6	12	6	21	31	29	20	4	-	1
	F	127	3	-	1	-	-	1	-	1	-	-	1	-	1	-	-	2	2	4	8	13	23	36	23	7	1	-
	Nonwhite—M	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-
	All other causes	1,097	50	13	9	2	4	19	16	33	31	31	31	39	43	52	63	79	83	92	117	114	78	68	27	3	-	-
	White—M	533	25	9	5	-	3	12	13	18	14	14	11	16	11	16	31	41	48	42	70	50	39	31	13	1	-	-
	F	514	25	3	4	2	1	6	3	10	17	14	18	21	22	30	29	38	32	47	43	58	39	35	14	2	-	-
	Nonwhite—M	23	-	-	-	-	-	1	-	5	-	1	-	-	3	1	-	-	3	2	4	2	-	1	-	-	-	-
	F	27	-	1	-	-	-	-	-	-	-	2	2	2	7	5	3	-	-	1	-	3	-	1	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY																											
	All causes	27,410	2,900	217	123	112	75	267	231	404	636	589	617	808	869	1,161	1,512	1,666	2,074	2,701	3,047	3,096	2,264	1,368	531	116	22	4
	White-----M	13,515	1,491	99	53	62	36	130	138	204	330	304	311	383	394	569	733	824	1,031	1,401	1,550	1,537	1,089	573	199	44	6	4
	F	10,538	1,153	104	58	43	32	113	76	136	219	192	213	287	292	324	460	531	724	1,005	1,238	1,319	996	691	275	54	5	-
	Nonwhite--M	1,799	146	7	9	5	4	9	11	27	50	54	40	81	102	117	178	162	173	147	145	130	93	54	22	7	6	-
	F	1,558	110	7	3	2	3	15	6	37	37	39	53	57	81	131	141	129	146	150	114	110	86	50	35	11	5	-
1,2	Typhoid and paratyphoid fever	30	-	-	-	2	1	3	2	1	-	1	1	4	2	2	3	-	3	2	2	1	-	-	-	-	-	-
	White-----M	16	-	-	-	-	-	1	-	1	-	-	1	4	2	1	1	-	2	1	1	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	1	2	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M	5	-	-	-	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	39	8	4	3	1	1	2	1	-	2	-	-	5	1	3	1	1	2	4	-	-	-	-	-	-	-	-
	White-----M	17	1	1	3	1	-	1	1	-	-	-	-	3	1	2	-	-	1	2	-	-	-	-	-	-	-	-
	F	20	7	3	-	-	1	-	-	-	2	-	-	1	-	1	1	1	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	12	-	1	1	-	-	3	5	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M	7	-	1	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	47	31	9	1	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	17	11	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	17	6	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	53	8	8	10	5	4	15	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	22	4	2	2	3	1	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	4	5	7	2	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,602	18	13	1	3	3	10	7	74	137	145	150	137	132	121	136	95	102	109	100	60	34	9	5	1	-	-
	White-----M	727	9	7	1	-	2	4	4	16	41	52	66	64	53	72	79	55	53	53	52	27	13	3	1	-	-	-
	F	599	8	6	-	3	-	4	1	33	69	58	59	49	49	29	35	22	35	45	42	25	19	5	3	-	-	-
	Nonwhite--M	168	1	-	-	-	-	1	1	9	12	18	11	16	20	15	20	10	13	7	4	6	2	-	1	1	-	-
	F	108	-	-	-	-	1	1	1	16	15	17	14	8	10	5	2	8	1	4	2	2	-	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,492	6	4	-	1	1	4	4	70	129	142	137	130	128	117	129	91	91	105	86	59	34	8	5	1	-	-
	White-----M	672	4	1	-	-	1	-	2	15	38	51	61	61	51	69	76	51	47	51	50	26	13	3	1	-	-	-
	F	568	1	3	-	1	-	3	1	31	66	58	56	47	48	29	34	22	33	43	41	25	19	4	3	-	-	-
	Nonwhite--M	154	1	-	-	-	-	-	-	9	12	17	9	15	19	15	17	10	10	7	3	6	2	-	1	1	-	-
	F	98	-	-	-	-	-	1	1	15	13	16	11	7	10	4	2	8	1	4	2	2	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	110	12	9	1	2	2	6	3	4	8	3	13	7	4	4	7	4	11	4	4	1	-	1	-	-	-	-
	White-----M	55	5	6	1	-	1	4	2	1	3	1	5	3	2	3	3	4	6	2	2	1	-	-	-	-	-	-
	F	31	7	3	-	2	-	1	-	2	3	-	3	2	1	-	1	-	2	2	1	-	-	1	-	-	-	-
	Nonwhite--M	14	-	-	-	-	-	1	1	-	-	1	2	1	1	-	3	-	3	-	1	-	-	-	-	-	-	-
	F	10	-	-	-	-	1	-	-	1	2	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	42	24	2	1	1	-	1	1	-	1	1	-	-	2	-	2	1	1	1	1	1	1	-	-	-	-	-
	White-----M	20	12	-	-	1	-	-	-	-	1	1	-	-	1	-	1	-	-	1	1	1	-	-	-	-	-	-
	F	21	12	2	1	-	-	1	1	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	6	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	217	13	-	1	-	-	-	1	2	3	5	9	22	28	20	27	19	24	19	9	7	3	3	2	-	-	-
	White-----M	115	5	-	-	-	-	-	1	-	2	2	3	12	10	14	15	12	12	13	6	3	2	2	1	-	-	-
	F	32	5	-	-	-	-	-	-	2	-	1	2	2	5	-	4	1	5	1	1	2	-	-	1	-	-	-
	Nonwhite--M	36	2	-	-	-	-	-	-	-	1	2	2	5	4	3	3	6	6	-	1	1	-	-	-	-	-	-
	F	34	1	-	1	-	-	-	-	-	-	-	2	3	9	3	5	-	1	5	1	1	1	1	-	-	-	-
35	Measles	68	26	3	7	4	2	9	3	3	2	-	1	1	1	-	1	1	1	-	1	2	-	1	-	-	-	-
	White-----M	31	12	1	4	2	2	3	1	-	1	-	1	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-
	F	33	10	2	2	2	-	6	2	3	1	-	-	1	1	-	-	1	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliosencephalitis (acute)	14	3	1	-	-	-	1	3	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	5	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	3	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Con.																											
45-55	Cancer and other malignant tumors	2,805	1	1	2	5	1	13	7	12	21	25	45	98	111	186	250	294	296	375	436	326	182	83	31	5	1	-
	White-----M--	1,156	-	-	-	3	-	10	6	5	10	14	14	21	25	65	92	96	117	156	213	163	97	36	12	1	-	-
	F--	1,394	1	1	2	2	1	3	1	6	10	10	29	63	69	99	121	154	156	183	195	153	76	40	16	3	-	-
	Nonwhite--M--	103	-	-	-	-	-	-	-	-	1	-	-	1	5	6	12	23	14	17	12	2	4	5	-	-	1	-
	F--	152	-	-	-	-	-	-	-	1	-	1	2	11	12	16	25	21	9	19	16	8	5	2	3	1	-	-
46	Cancer of the digestive organs and peritoneum--	1,242	1	-	-	1	-	5	-	4	5	3	9	18	35	72	96	128	138	198	222	170	86	36	12	2	1	-
	White-----M--	570	-	-	-	-	-	3	-	2	3	1	4	5	16	36	46	51	66	88	107	75	44	18	5	-	-	-
	F--	569	1	-	-	1	-	2	-	2	1	1	3	13	11	30	34	62	59	94	103	90	39	17	5	1	-	-
	Nonwhite--M--	54	-	-	-	-	-	-	-	-	1	-	-	-	4	2	8	9	11	9	6	1	1	1	-	-	1	-
	F--	49	-	-	-	-	-	-	-	-	-	1	2	-	4	4	8	6	2	7	6	4	2	-	2	1	-	-
48,49	Cancer of female genital organs--	430	-	-	-	-	-	-	-	1	1	7	14	42	46	48	50	55	42	43	42	19	12	6	2	-	-	-
	White-----F--	377	-	-	-	-	-	-	-	1	1	7	14	35	40	41	42	47	38	37	38	18	11	6	1	-	-	-
	Nonwhite--F--	53	-	-	-	-	-	-	-	-	-	-	-	7	6	7	8	8	4	6	4	1	1	-	1	-	-	-
50	Cancer of breast-	222	-	-	-	-	-	-	-	-	-	1	6	9	8	21	30	26	30	31	27	12	10	8	3	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-
	F--	189	-	-	-	-	-	-	-	-	-	1	6	7	7	16	23	22	30	27	22	11	7	7	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	2	1	4	7	4	-	4	4	1	1	1	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	911	-	1	2	4	1	8	7	7	15	14	16	27	22	45	74	85	86	103	145	125	74	33	14	3	-	-
	White-----M--	582	-	-	-	3	-	7	6	3	7	13	10	16	9	28	46	45	51	68	105	88	51	18	7	1	-	-
	F--	259	-	1	2	1	1	1	1	3	8	1	6	8	11	12	22	23	29	25	32	34	19	10	7	2	-	-
	Nonwhite--M--	49	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	14	3	8	6	1	3	4	-	-	-	-
	F--	21	-	-	-	-	-	-	-	1	-	-	-	2	1	1	2	3	3	2	2	2	1	1	-	-	-	-
58	Acute rheumatic fever----------	16	-	-	1	-	-	1	3	2	3	1	-	-	1	-	1	-	-	1	1	-	1	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	1	2	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	445	-	1	1	1	1	1	3	4	7	12	1	7	13	21	27	30	61	77	73	53	34	15	2	-	-	-
	White-----M--	195	-	-	1	1	1	-	1	2	2	5	1	2	5	11	11	14	23	35	30	28	15	7	-	-	-	-
	F--	204	-	1	-	-	-	1	2	1	5	5	-	4	3	6	13	11	26	41	35	24	17	7	2	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	1	-	1	-	-	3	1	1	1	5	-	2	1	-	-	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	4	7	1	6	-	2	1	-	-	-	-
63b	Exophthalmic goiter----------	32	-	-	-	-	-	-	-	-	-	-	3	1	2	1	7	4	7	2	2	3	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	2	1	2	1	5	1	7	2	2	3	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	18	-	-	-	-	-	-	1	-	-	-	-	1	2	-	2	1	1	4	1	3	1	-	1	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	2	1	1	-	-	1	-	-	-
	F--	8	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	2	-	2	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	44	-	-	-	-	-	1	-	-	-	2	2	8	5	13	5	4	2	1	-	-	-	-	-	-	-	1
	White-----M--	37	-	-	-	-	-	1	-	-	-	2	2	6	5	10	4	4	1	1	-	-	-	-	-	-	-	1
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	2,782	4	1	2	3	-	3	2	6	4	9	9	30	55	93	136	166	257	417	459	498	350	199	58	18	3	-
	White-----M--	1,267	2	1	1	2	-	3	-	2	3	-	3	11	23	31	41	77	106	207	232	253	154	86	21	7	1	-
	F--	1,118	1	-	1	1	-	-	2	2	1	5	1	13	17	29	52	51	100	159	186	200	162	101	27	7	-	-
	Nonwhite--M--	184	1	-	-	-	-	-	-	-	-	3	2	4	9	9	17	21	24	19	22	24	17	5	4	3	-	-
	F--	213	-	-	-	-	-	-	-	2	-	1	3	2	6	24	26	17	27	32	19	21	17	7	6	1	2	-
90-95	Diseases of the heart----------	7,148	4	1	1	1	2	11	23	28	37	38	54	113	179	289	467	584	729	970	1,067	1,143	767	458	150	28	4	-
	White-----M--	3,663	3	-	1	1	-	4	12	14	18	14	27	58	97	160	257	309	403	553	547	556	367	190	58	13	1	-
	F--	2,574	1	-	-	-	2	5	9	12	15	17	15	41	40	58	104	140	192	322	431	495	353	235	74	12	1	-
	Nonwhite--M--	466	-	-	-	-	-	1	-	1	3	-	5	6	20	30	59	70	58	49	53	48	36	17	6	2	2	-
	F--	445	-	1	-	-	-	1	2	1	1	7	7	8	22	41	47	45	76	46	36	44	31	16	12	1	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	472	-	-	-	-	1	9	16	14	11	15	10	18	21	37	29	34	39	49	63	48	38	14	6	-	-	-
	White-----M--	218	-	-	-	-	-	2	10	5	5	6	5	9	9	17	12	17	22	27	28	25	11	7	1	-	-	-
	F--	171	-	-	-	-	1	5	5	7	6	6	3	8	9	10	11	8	4	18	23	17	19	6	5	-	-	-
	Nonwhite--M--	35	-	-	-	-	-	1	-	1	-	-	1	-	1	5	3	3	3	3	7	1	5	1	-	-	-	-
	F--	48	-	-	-	-	-	1	1	1	-	3	1	1	2	5	3	6	10	1	5	5	3	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris-------	1,941	-	-	-	-	-	1	-	2	4	5	18	35	71	107	192	214	251	292	257	265	130	72	19	4	2	-
	White-----M--	1,248	-	-	-	-	-	1	-	1	2	3	9	23	49	78	144	154	175	189	148	148	76	35	10	3	-	-
	F--	569	-	-	-	-	-	-	-	1	1	1	7	9	12	14	29	39	57	95	102	104	52	35	9	1	1	-
	Nonwhite--M--	75	-	-	-	-	-	-	-	-	1	-	1	1	4	12	11	12	10	4	4	11	1	2	-	-	1	-
	F--	49	-	-	-	-	-	-	-	-	-	1	1	2	6	3	8	9	9	4	3	2	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	4,735	4	1	1	1	1	1	7	12	22	18	28	60	87	145	246	316	439	629	747	830	619	372	125	24	2	-
	White-----M--	2,197	3	-	1	1	-	1	2	8	11	5	13	26	39	65	101	138	206	337	371	383	280	148	47	10	1	-
	F--	1,834	1	-	-	-	1	-	4	4	8	10	5	24	19	34	64	93	131	209	308	374	282	194	60	11	-	-
	Nonwhite--M--	356	-	-	-	-	-	-	-	-	2	-	3	5	15	13	45	55	45	42	42	36	30	14	6	2	1	-
	F--	348	-	1	-	-	-	-	1	-	1	3	5	5	14	33	36	30	57	41	28	37	27	16	12	1	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Con.																											
97,102	Arteriosclerosis and high blood pressure*	610	-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	8	28	60	93	123	133	109	40	6	1	-
	White—M	278	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	6	18	23	48	54	64	44	15	3	-	-
	F	258	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	7	25	36	56	56	54	17	2	-	-
	Nonwhite—M	43	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	7	8	7	7	5	4	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	1	6	6	6	4	1	1	-
107-109, 33	Pneumonia (all forms) and influenza	1,773	447	64	21	22	8	30	11	22	27	17	21	38	26	46	50	61	90	117	165	178	145	99	43	18	7	-
	White—M	799	219	29	10	12	4	15	8	7	15	6	8	16	9	21	18	27	45	55	68	87	75	29	10	4	2	-
	F	742	179	29	9	9	4	10	3	9	8	8	9	10	6	9	18	20	33	47	81	76	62	59	29	12	3	-
	Nonwhite—M	113	28	3	1	-	-	2	-	3	1	2	1	6	8	7	7	6	7	6	8	7	2	6	1	-	1	-
	F	119	21	3	1	1	-	3	-	3	3	1	3	6	3	9	7	8	5	9	8	8	6	5	3	2	1	-
107	Bronchopneumonia	694	248	34	11	14	3	8	7	3	7	2	6	7	7	14	13	22	22	29	57	74	45	32	20	8	1	-
	White—M	316	126	17	6	7	-	-	5	1	3	-	4	3	2	7	4	6	12	12	23	37	24	9	6	2	-	-
	F	292	96	16	4	6	3	3	2	2	1	2	2	2	1	2	7	11	7	13	26	32	17	19	11	6	1	-
	Nonwhite—M	37	12	1	-	-	-	2	-	-	1	-	-	1	3	2	1	2	1	2	4	3	-	1	1	-	-	-
	F	49	14	-	1	1	-	3	-	-	2	-	-	1	1	3	1	3	2	2	4	2	4	3	2	-	-	-
108	Lobar pneumonia	471	66	12	4	1	1	11	1	8	9	10	5	19	7	21	23	24	39	41	51	46	39	21	6	5	1	-
	White—M	218	30	6	-	1	1	7	-	2	4	3	1	8	2	9	11	12	18	22	22	25	23	8	2	1	-	-
	F	167	23	2	3	-	-	4	1	3	4	4	3	5	2	4	5	8	13	12	23	15	15	11	4	3	-	-
	Nonwhite—M	49	10	2	1	-	-	-	-	1	-	2	1	3	2	3	4	1	5	4	2	4	1	2	-	-	1	-
	F	37	3	2	-	-	-	-	-	2	1	1	-	3	1	5	3	3	3	3	4	2	-	-	-	1	-	-
109	Pneumonia (unspecified)	307	95	8	6	6	3	6	-	3	3	3	3	5	6	6	6	6	15	21	27	20	20	24	9	4	2	-
	White—M	138	45	4	4	3	2	4	-	2	2	1	1	2	3	4	-	3	8	9	12	11	10	8	-	-	-	-
	F	147	45	4	2	3	1	2	-	1	1	2	2	2	1	1	3	1	7	10	15	8	10	13	9	3	1	-
	Nonwhite—M	11	3	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-	-	-	-	2	-	-	-	-
	F	11	2	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	-	1	-	1	-	1	1	-
33	Influenza	301	38	10	-	1	1	5	3	8	8	2	7	7	6	5	8	9	14	26	30	38	41	22	8	1	3	-
	White—M	127	18	2	-	1	1	4	3	2	6	2	2	3	2	1	3	6	7	12	11	14	18	4	2	1	2	-
	F	136	15	7	-	-	-	1	-	3	2	-	2	1	2	2	3	-	6	12	17	21	20	16	5	-	1	-
	Nonwhite—M	16	3	-	-	-	-	-	-	2	-	-	-	2	1	1	1	1	1	-	2	-	1	1	-	-	-	-
	F	22	2	1	-	-	-	-	-	1	-	-	3	1	1	1	1	2	-	2	-	3	2	1	1	-	-	-
117	Ulcer of stomach or duodenum	141	-	-	-	-	-	1	1	-	2	-	4	12	7	18	8	12	19	16	11	19	7	2	2	-	-	-
	White—M	94	-	-	-	-	-	-	-	-	-	-	2	9	4	12	7	6	13	14	6	16	4	-	1	-	-	-
	F	28	-	-	-	-	-	1	1	-	-	-	1	1	1	1	-	4	3	2	4	3	3	2	1	-	-	-
	Nonwhite—M	15	-	-	-	-	-	-	-	-	2	-	1	1	1	4	1	2	2	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	272	192	19	3	-	2	2	1	-	-	-	-	3	4	1	3	4	5	4	4	5	6	5	6	2	1	-
	White—M	136	92	11	2	-	1	2	1	-	-	-	-	1	2	-	2	2	1	2	1	2	5	2	5	1	1	-
	F	105	77	8	1	-	1	-	-	-	-	-	-	-	1	-	1	1	3	1	3	3	1	2	1	1	-	-
	Nonwhite—M	16	11	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	15	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
121	Appendicitis	103	1	-	1	1	3	3	9	5	7	5	5	5	5	9	7	7	8	4	8	7	1	1	1	-	-	-
	White—M	57	1	-	-	1	1	2	4	3	3	2	3	3	4	4	4	4	7	1	5	3	-	1	1	-	-	-
	F	38	-	-	1	-	2	1	4	2	4	3	2	1	-	4	3	1	1	2	3	3	1	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	168	20	1	1	1	2	1	1	2	3	1	3	6	3	11	15	9	20	17	16	17	10	6	1	1	-	-
	White—M	76	15	1	-	1	2	1	1	-	1	-	1	-	-	5	6	4	4	9	7	9	4	5	-	-	-	-
	F	71	5	-	1	-	-	-	-	1	1	1	2	3	2	4	6	4	12	6	8	7	5	1	1	1	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	1	1	-	-	2	1	-	2	-	1	-	1	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	3	2	-	1	1	-	-	-	-	-
124	Cirrhosis of the liver	195	-	-	-	-	-	-	-	-	-	-	4	9	14	20	24	25	18	27	17	21	10	4	2	-	-	-
	White—M	131	-	-	-	-	-	-	-	-	-	-	2	4	11	13	16	18	13	21	13	11	6	1	2	-	-	-
	F	42	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	4	4	5	3	9	4	3	-	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	3	1	1	1	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	-	-	-	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	113	1	-	-	-	-	-	-	-	1	-	2	2	5	8	6	17	14	15	19	10	9	2	2	-	-	-
	White—M	39	-	-	-	-	-	-	-	-	-	-	1	2	3	2	2	4	4	6	8	3	3	1	-	-	-	-
	F	72	1	-	-	-	-	-	-	-	1	-	1	-	2	6	4	13	9	9	11	7	5	1	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
130-132	Nephritis	1,691	3	2	2	2	1	6	11	8	22	17	23	30	51	52	92	121	126	170	260	275	220	131	57	6	1	-
	White—M	786	2	1	-	2	1	2	5	2	11	8	10	9	18	19	34	45	60	73	134	148	118	56	25	3	-	-
	F	612	-	1	-	-	-	3	5	6	8	7	11	12	22	16	36	40	36	63	90	91	81	57	25	2	-	-
	Nonwhite—M	166	-	-	1	-	-	-	1	-	2	2	-	7	7	7	12	22	17	18	17	25	12	13	3	-	-	-
	F	127	1	-	1	-	-	1	-	-	1	-	2	2	4	10	10	14	13	16	19	11	9	5	4	3	1	-
137	Diseases of the prostate	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	9	16	28	22	33	18	4	-	-	-
	White—M	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	13	23	21	32	17	4	-	-	-
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	5	1	1	1	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Con.																											
140-150	Diseases of pregnancy, etc.*	144	-	-	-	-	-	-	-	17	30	31	28	18	16	4	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	126	-	-	-	-	-	-	-	14	22	27	26	17	16	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	18	-	-	-	-	-	-	-	3	8	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	47	-	-	-	-	-	-	-	6	9	13	7	4	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	38	-	-	-	-	-	-	-	5	5	11	5	4	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	9	-	-	-	-	-	-	-	1	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	40	-	-	-	-	-	-	-	5	14	5	10	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	35	-	-	-	-	-	-	-	4	10	5	10	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	41	-	-	-	-	-	-	-	3	4	10	10	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	38	-	-	-	-	-	-	-	3	4	8	10	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	16	-	-	-	-	-	-	-	3	3	3	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	15	-	-	-	-	-	-	-	2	3	3	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	364	328	7	4	2	1	5	5	2	3	2	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	White—M	187	169	2	1	1	1	3	4	2	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	155	141	3	2	1	-	2	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite—M	11	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	1,474	1,474	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	783	783	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	563	563	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	75	75	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	948	948	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	504	504	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	349	349	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	52	52	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	43	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	526	526	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	214	214	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	23	23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	271	-	-	-	-	-	-	1	9	24	12	20	22	24	34	20	21	28	20	18	10	7	1	-	-	-	-
	White—M	193	-	-	-	-	-	-	1	5	14	8	12	11	19	22	16	16	21	16	16	9	6	1	-	-	-	-
	F	68	-	-	-	-	-	-	-	3	8	4	7	10	5	11	4	4	6	2	2	1	1	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	1	1	2	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	304	4	-	-	-	-	-	2	16	47	52	38	43	22	27	18	11	7	10	4	3	-	-	-	-	-	-
	White—M	171	2	-	-	-	-	-	1	6	26	32	15	25	10	18	9	10	5	10	2	2	-	-	-	-	-	-
	F	33	2	-	-	-	-	-	-	5	7	3	5	1	2	3	2	-	2	-	-	1	-	-	-	-	-	-
	Nonwhite—M	80	-	-	-	-	-	-	1	4	11	14	11	16	8	7	5	1	-	-	2	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	1	3	3	7	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,120	79	43	34	34	26	88	84	148	208	150	126	122	77	80	93	77	90	102	102	122	113	77	34	7	2	2
	White—M	1,372	40	23	15	17	12	42	64	115	167	128	103	96	63	62	66	55	60	60	57	50	40	26	8	1	-	2
	F	585	28	17	18	14	10	39	14	21	29	14	17	16	6	10	11	12	21	30	41	69	68	49	25	5	1	-
	Nonwhite—M	114	6	2	1	2	3	4	5	5	9	7	3	6	6	6	16	8	9	8	3	2	2	-	-	-	1	-
	F	49	5	1	-	1	1	3	1	7	3	1	3	4	2	2	-	2	-	4	1	1	3	2	1	1	-	-
170	Motor-vehicle accidents	729	2	8	7	7	9	25	22	79	136	84	46	51	30	32	39	29	37	29	28	16	10	3	-	-	-	-
	White—M	552	1	4	4	3	6	10	18	63	107	71	38	39	26	23	28	22	27	22	18	13	7	2	-	-	-	-
	F	128	1	4	3	3	2	14	2	12	22	10	5	7	2	6	6	3	7	4	8	3	3	1	-	-	-	-
	Nonwhite—M	41	-	-	-	1	1	1	2	3	6	3	2	3	2	3	5	3	3	2	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	1	-	1	1	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,391	77	35	27	27	17	63	62	69	72	66	80	71	47	48	54	48	53	73	74	108	103	74	34	7	2	2
	White—M	820	39	19	11	14	6	32	46	52	60	57	65	57	37	39	38	33	33	38	39	37	33	24	8	1	-	2
	F	457	27	13	15	11	8	25	12	9	7	4	12	9	4	4	5	9	14	26	33	66	65	48	25	5	1	-
	Nonwhite—M	73	6	2	1	1	2	3	3	2	3	4	1	3	4	3	11	5	6	6	2	2	2	-	-	-	1	-
	F	41	5	1	-	1	1	3	1	6	2	1	2	2	2	2	-	1	-	3	-	1	3	2	1	1	-	-
162,199, 200	Senility, ill-defined and unknown causes	570	97	6	1	2	-	3	-	3	1	3	1	2	6	6	12	7	24	22	45	65	90	93	65	13	2	1
	White—M	270	52	3	1	1	-	1	-	1	-	-	1	1	4	4	4	5	15	10	22	30	48	39	20	6	1	1
	F	251	40	3	-	1	-	1	-	2	1	2	-	-	1	1	3	1	7	9	21	26	35	50	42	5	-	-
	Nonwhite—M	29	2	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	2	2	1	5	5	2	1	1	1	-
	F	20	3	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-	-	1	1	4	2	2	2	1	-	-
	All other causes	1,542	114	30	24	18	17	53	40	38	38	58	63	69	73	91	93	103	102	119	105	121	86	52	25	9	-	-
	White—M	709	57	13	9	11	8	25	17	21	9	29	33	24	23	40	41	52	39	64	57	57	35	26	14	5	-	-
	F	674	48	16	13	6	8	26	20	12	23	24	20	37	37	28	31	41	55	44	40	62	45	25	9	4	-	-
	Nonwhite—M	89	6	-	2	1	-	1	3	2	5	3	3	3	7	11	15	4	7	5	4	1	4	-	2	-	-	-
	F	70	3	1	-	-	1	1	-	3	2	2	7	5	6	12	6	6	1	6	4	1	2	1	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA																											
	All causes	22,030	2,553	210	132	91	64	212	207	324	502	504	562	776	996	1,201	1,565	1,766	2,031	2,164	2,100	1,781	1,116	705	295	95	58	20
	White—M	7,536	744	63	40	31	18	67	68	100	173	149	160	241	320	398	564	625	801	827	801	656	364	224	75	20	3	4
	F	5,421	528	54	30	24	17	47	35	54	70	86	118	134	174	206	274	352	451	600	660	632	425	297	123	25	4	1
	Nonwhite—M	4,837	731	56	35	20	16	65	61	94	128	129	132	210	232	299	413	447	414	393	341	286	160	95	42	17	15	6
	F	4,236	550	37	27	16	13	33	43	76	131	140	152	181	270	298	314	342	365	344	298	207	167	89	55	33	36	9
1,2	Typhoid and paratyphoid fever	22	-	-	2	1	-	-	1	4	1	5	-	-	3	-	2	1	1	1	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	1	-	-	-	1	3	-	2	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	24	6	3	-	-	1	5	2	1	1	-	-	-	2	-	2	-	-	1	-	-	-	-	-	-	-	-
	White—M	8	3	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	1	-	-	-	3	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	4	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
9	Whooping cough	24	15	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	42	2	7	10	5	7	7	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	-	4	4	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	1	2	1	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	11	-	1	3	-	2	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,089	14	3	3	4	-	8	6	46	99	93	101	95	102	97	121	86	79	65	38	16	9	-	3	-	-	1
	White—M	384	7	-	1	-	-	3	-	4	12	15	22	20	34	37	58	44	40	30	25	9	2	-	1	-	-	-
	F	141	-	1	-	-	-	-	-	4	11	14	19	17	11	4	17	9	11	12	6	3	2	-	-	-	-	-
	Nonwhite—M	320	4	1	1	2	-	4	2	9	28	25	27	38	35	34	39	22	23	18	4	2	1	-	1	-	-	-
	F	264	3	1	1	2	-	1	4	29	48	39	33	20	22	22	7	11	5	5	3	2	4	-	1	-	-	1
13	Tuberculosis of respiratory system, etc.*	1,018	6	1	1	2	-	3	4	42	90	91	98	92	99	94	116	82	75	59	36	14	9	-	3	-	-	1
	White—M	345	4	-	1	-	-	-	-	4	11	15	22	19	33	37	56	43	39	27	23	8	2	-	1	-	-	-
	F	132	-	-	-	-	-	-	-	3	10	14	18	17	11	4	16	9	10	10	6	2	2	-	-	-	-	-
	Nonwhite—M	295	-	1	-	1	-	2	-	9	25	24	26	38	35	31	37	20	21	17	4	2	1	-	1	-	-	-
	F	246	2	-	-	1	-	1	4	26	44	38	32	18	20	22	7	10	5	5	3	2	4	-	1	-	-	1
14-22	Tuberculosis (other forms)	71	8	2	2	2	-	5	2	4	9	2	3	3	3	3	5	4	4	6	2	2	-	-	-	-	-	-
	White—M	19	3	-	-	-	-	3	-	-	1	-	-	1	1	-	2	1	1	3	2	1	-	-	-	-	-	-
	F	9	-	1	-	-	-	-	-	1	1	-	1	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-
	Nonwhite—M	25	4	-	1	1	-	2	2	-	3	1	1	-	-	3	2	2	2	1	-	-	-	-	-	-	-	-
	F	18	1	1	1	1	-	-	-	3	4	1	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	21	7	1	-	1	-	-	-	-	1	1	2	-	1	1	1	-	1	2	1	1	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite—M	8	3	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
28	Malaria	22	1	1	2	-	-	-	1	-	1	-	1	1	1	2	2	2	1	1	-	1	4	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	6	-	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	7	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	4	-	-	-	-	-
30	Syphilis	422	33	-	-	-	-	-	-	5	5	6	14	36	66	48	59	45	44	27	14	13	3	2	-	-	-	2
	White—M	92	2	-	-	-	-	-	-	-	-	-	1	6	16	6	12	11	16	11	6	5	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	1	-	-	1	1	2	1	3	1	4	-	-	1	-	-	-	-	-	-
	Nonwhite—M	219	18	-	-	-	-	-	-	3	1	3	7	25	30	33	34	23	18	11	6	4	2	1	-	-	-	-
	F	96	13	-	-	-	-	-	-	1	4	3	5	4	18	8	10	10	6	5	2	3	1	1	-	-	-	2
35	Measles	22	5	1	2	-	-	5	1	3	-	-	-	1	-	-	-	-	2	-	1	-	1	-	-	-	-	-
	White—M	7	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	2	-	1	-	1	-	-	-	-	-
	F	4	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	3	1	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	23	1	1	4	2	2	2	1	2	5	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	10	1	1	1	-	-	-	1	1	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	1	1	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Con.																											
45-55	Cancer and other malignant tumors	2,506	-	1	1	5	1	6	8	8	17	33	52	104	138	200	258	310	341	322	304	217	105	54	17	3	-	1
	White-----M--	908	-	1	-	2	-	3	2	3	3	10	11	21	20	53	79	104	137	142	141	104	47	17	8	-	-	-
	F--	829	-	-	1	1	-	1	2	3	4	8	22	37	57	69	81	95	102	111	94	61	46	28	5	1	-	-
	Nonwhite--M--	342	-	-	-	2	-	2	3	1	4	7	6	17	10	26	44	58	46	38	34	34	3	3	2	1	-	1
	F--	427	-	-	-	-	1	-	1	1	6	8	13	29	51	52	54	53	56	31	35	18	9	6	2	1	-	-
46	Cancer of the digestive organs and peritoneum	961	-	-	1	-	1	-	1	1	5	6	16	34	39	56	94	117	155	141	136	96	36	21	2	2	-	1
	White-----M--	378	-	-	-	-	-	-	-	1	-	2	3	9	9	17	34	40	71	60	58	48	17	8	1	-	-	-
	F--	274	-	-	1	-	-	-	1	-	2	-	4	10	8	17	22	24	36	47	44	32	14	10	1	1	-	-
	Nonwhite--M--	168	-	-	-	-	-	-	-	-	2	3	3	12	5	16	27	26	32	18	13	8	1	1	-	-	-	1
	F--	141	-	-	-	-	1	-	-	-	1	1	6	3	17	6	11	27	16	16	21	8	4	2	-	1	-	-
48,49	Cancer of female genital organs	397	-	-	-	-	-	-	-	2	3	4	11	33	47	56	49	44	48	38	26	13	15	7	1	-	-	-
	White-----F--	230	-	-	-	-	-	-	-	1	1	1	7	12	23	28	24	33	25	29	20	8	13	5	-	-	-	-
	Nonwhite--F--	167	-	-	-	-	-	-	-	1	2	3	4	21	24	28	25	11	23	9	6	5	2	2	1	-	-	-
50	Cancer of breast	178	-	-	-	-	-	-	-	-	1	5	2	16	16	23	22	25	23	13	14	4	12	1	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	128	-	-	-	-	-	-	-	-	-	3	2	11	15	12	15	18	18	11	10	2	9	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	48	-	-	-	-	-	-	-	-	1	2	-	5	1	11	7	7	5	2	3	2	2	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	970	-	1	-	5	-	6	7	5	8	18	23	21	36	65	93	124	115	130	128	104	42	25	13	1	-	-
	White-----M--	529	-	1	-	2	-	3	2	2	3	8	8	12	11	36	45	64	66	82	82	56	30	9	7	-	-	-
	F--	197	-	-	-	1	-	1	1	2	1	4	9	4	11	12	20	20	23	24	20	19	10	12	3	-	-	-
	Nonwhite--M--	173	-	-	-	2	-	2	3	1	2	4	3	5	5	10	17	32	14	20	21	26	1	2	2	1	-	-
	F--	71	-	-	-	-	-	-	1	-	2	2	3	-	9	7	11	8	12	4	5	3	1	2	1	-	-	-
58	Acute rheumatic fever	17	-	-	-	-	1	2	3	2	-	1	1	1	1	-	-	1	-	2	-	-	1	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	1	1	-	-	1	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
61	Diabetes mellitus	358	-	-	-	-	1	1	-	2	2	3	1	5	7	14	34	46	50	73	51	42	18	3	2	1	1	1
	White-----M--	82	-	-	-	-	-	-	-	-	1	-	1	2	1	2	7	6	13	17	12	13	7	-	-	-	-	-
	F--	170	-	-	-	-	1	-	-	1	1	1	-	1	1	5	8	17	30	41	26	24	10	2	1	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	1	-	1	-	1	4	-	2	6	-	2	4	1	1	-	-	-	-	-
	F--	83	-	-	-	-	-	1	-	-	-	1	-	1	1	7	17	17	7	13	9	4	-	1	1	1	1	1
63b	Exophthalmic goiter	30	-	-	-	-	-	-	-	1	-	1	1	5	1	4	4	5	2	1	2	1	-	2	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	-	1	3	-	2	-	1	1	1	1	-	-	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	1	-	1	-	2	4	1	1	-	1	1	-	1	-	-	-	-
69	Pellagra (except alcoholic)	22	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	3	3	3	4	2	2	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	2	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	19	-	-	-	-	-	-	-	-	-	-	2	2	4	2	4	2	2	1	-	-	-	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	-	2	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,778	2	2	1	-	1	2	3	3	1	9	23	35	69	115	166	174	194	259	244	211	142	78	26	12	5	1
	White-----M--	456	-	-	-	-	-	-	2	2	1	3	2	6	16	27	29	43	49	79	64	67	37	21	6	2	-	-
	F--	487	1	2	-	-	1	1	1	-	-	4	5	3	11	24	34	43	40	64	74	75	53	37	11	2	1	-
	Nonwhite--M--	360	-	-	1	-	-	1	-	-	-	-	4	4	15	22	53	37	46	55	49	35	23	8	4	3	-	-
	F--	475	1	-	-	-	-	-	-	1	-	2	12	22	27	42	50	51	59	61	37	34	29	12	5	5	4	1
90-95	Diseases of the heart	5,957	4	4	1	-	-	15	12	19	23	40	48	109	212	323	470	631	761	865	846	704	456	244	109	37	19	5
	White-----M--	2,312	1	2	-	-	-	2	2	7	3	7	16	44	83	141	224	260	322	355	346	247	141	73	21	11	2	2
	F--	1,546	1	-	1	-	-	3	3	1	4	5	8	12	28	32	56	115	144	236	277	268	186	101	56	8	1	-
	Nonwhite--M--	1,100	1	2	-	-	-	5	4	3	8	7	8	21	43	71	110	151	144	151	123	112	71	38	12	8	5	2
	F--	999	1	-	-	-	-	5	3	8	8	21	16	32	58	79	80	105	151	123	100	77	58	32	20	10	11	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart	280	-	-	-	-	-	11	7	6	9	6	8	9	14	16	20	29	22	28	35	28	18	9	4	1	-	-
	White-----M--	73	-	-	-	-	-	1	-	3	1	1	1	5	5	5	7	7	3	9	13	5	5	2	-	-	-	-
	F--	56	-	-	-	-	-	2	2	-	2	-	4	1	3	2	4	2	3	8	8	9	4	1	1	-	-	-
	Nonwhite--M--	57	-	-	-	-	-	5	3	1	1	-	1	-	2	1	3	8	4	5	5	8	6	2	1	1	-	-
	F--	94	-	-	-	-	-	3	2	2	5	5	2	3	4	8	6	12	12	6	9	6	3	4	2	-	-	-
94	Diseases of coronary arteries and angina pectoris	1,440	2	-	-	-	-	-	-	2	4	9	18	32	67	114	151	171	226	225	180	125	60	29	19	3	2	1
	White-----M--	800	-	-	-	-	-	-	-	-	1	2	8	19	43	72	100	94	141	120	99	60	23	11	6	1	-	-
	F--	298	1	-	-	-	-	-	-	-	-	-	3	3	10	11	14	31	34	60	56	35	20	12	8	-	-	-
	Nonwhite--M--	202	1	-	-	-	-	-	-	-	2	3	2	6	6	17	26	30	25	26	18	23	9	4	2	1	1	-
	F--	140	-	-	-	-	-	-	-	2	1	4	5	4	8	14	11	16	26	19	7	7	8	2	3	1	1	1
90b,91, 92a,d,g, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)	4,237	2	4	1	-	-	4	5	11	10	25	22	68	131	193	299	431	513	612	631	551	378	206	86	33	17	4
	White-----M--	1,439	1	2	-	-	-	1	2	4	1	4	7	20	35	64	117	159	178	226	234	182	113	60	15	10	2	2
	F--	1,192	-	-	1	-	-	1	1	1	2	5	1	8	15	19	38	82	107	168	213	224	162	88	47	8	1	-
	Nonwhite--M--	841	-	2	-	-	-	-	1	2	5	4	5	15	35	53	81	113	115	120	100	81	56	32	9	6	4	2
	F--	765	1	-	-	-	-	2	1	4	2	12	9	25	46	57	63	77	113	98	84	64	47	26	15	9	10	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Con.																											
97,102	Arteriosclerosis and high blood pressure*	250	-	-	-	-	-	-	-	-	-	2	1	4	5	3	4	8	15	38	36	42	26	36	16	6	5	1
	White—M	78	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	5	8	13	18	13	10	7	1	-	-
	F	70	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	13	10	10	10	17	3	1	-	-
	Nonwhite—M	39	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	3	6	6	6	1	4	3	2	3	-
	F	63	-	-	-	-	-	-	-	-	-	-	-	3	5	2	2	3	5	11	7	8	4	5	3	2	2	1
107-109, 33	Pneumonia (all forms) and influenza	1,300	374	58	23	12	8	23	26	13	16	22	17	31	29	42	47	65	71	69	83	108	72	54	25	10	2	-
	White—M	341	75	11	7	6	3	7	4	2	1	3	4	9	9	9	11	20	21	25	28	35	25	21	5	-	-	-
	F	305	61	11	3	-	1	4	7	1	4	5	2	8	6	5	6	5	16	19	28	44	26	24	13	5	1	-
	Nonwhite—M	358	136	24	9	3	-	8	7	9	5	5	3	9	5	13	14	22	23	10	13	18	11	8	3	-	-	-
	F	296	102	12	4	3	4	4	8	1	6	9	8	5	9	15	16	18	11	15	14	11	10	1	4	5	1	-
107	Bronchopneumonia	601	224	30	16	4	3	7	10	5	5	8	6	14	11	13	21	26	28	28	28	45	37	17	9	6	-	-
	White—M	163	45	6	5	2	2	2	1	2	-	1	1	3	5	5	4	9	13	11	8	18	15	7	2	-	-	-
	F	139	36	3	2	-	-	1	4	1	-	-	1	4	4	-	6	3	4	7	12	21	12	9	6	3	-	-
	Nonwhite—M	177	83	15	7	1	-	3	2	2	2	3	2	5	1	4	4	8	9	6	7	8	5	1	1	-	-	-
	F	122	60	6	2	1	1	1	3	-	3	4	2	2	1	4	7	6	2	4	3	2	5	-	-	3	-	-
108	Lobar pneumonia	286	48	6	2	3	2	8	7	3	5	7	3	7	9	15	14	17	20	14	29	29	11	19	7	1	-	-
	White—M	86	14	2	-	2	-	3	2	-	-	1	-	3	2	3	4	5	4	6	15	11	1	8	2	-	-	-
	F	72	5	3	1	-	1	3	1	-	3	2	-	2	2	4	-	1	3	3	8	10	5	10	4	1	-	-
	Nonwhite—M	69	18	-	1	-	-	2	2	3	1	2	1	2	2	3	5	6	8	-	2	6	2	2	1	-	-	-
	F	59	11	1	-	1	1	-	2	-	1	2	2	-	3	5	5	5	5	5	4	2	3	1	-	-	-	-
109	Pneumonia (unspecified)	155	45	8	2	2	1	3	3	2	2	3	4	1	1	4	7	8	8	8	9	13	9	7	3	1	1	-
	White—M	44	9	1	-	1	-	1	-	-	1	1	3	1	-	1	2	2	3	3	2	5	5	2	1	-	-	-
	F	35	10	2	-	-	-	-	-	-	-	2	1	-	-	1	-	-	5	4	3	3	2	2	-	-	-	-
	Nonwhite—M	37	11	4	1	1	-	-	1	2	-	-	-	-	-	1	4	4	-	-	1	3	-	3	1	-	-	-
	F	39	15	1	1	-	1	2	2	-	1	-	-	-	1	1	1	2	-	1	3	2	2	-	1	1	1	-
33	Influenza	258	57	14	3	3	2	5	6	3	4	4	4	9	8	10	5	14	15	19	17	21	15	11	6	2	1	-
	White—M	48	7	2	2	1	1	1	1	-	-	-	-	2	2	-	1	4	1	5	5	3	4	6	-	-	-	-
	F	59	10	3	-	-	-	-	2	-	1	1	-	2	-	-	-	1	4	5	5	10	7	3	3	1	1	-
	Nonwhite—M	75	24	5	-	1	-	3	2	2	2	-	-	2	2	5	1	4	6	4	3	3	4	2	-	-	-	-
	F	76	16	4	1	1	1	1	1	1	1	3	4	3	4	5	3	5	4	5	4	5	-	-	3	1	-	-
117	Ulcer of stomach or duodenum	134	-	-	-	-	-	-	1	-	2	5	10	9	12	13	17	16	14	14	11	6	2	2	-	-	-	-
	White—M	82	-	-	-	-	-	-	1	-	1	3	4	6	8	6	10	7	11	12	7	3	2	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	-	-	-	-	-	-
	Nonwhite—M	34	-	-	-	-	-	-	-	-	-	2	4	3	1	6	3	8	1	2	1	2	-	1	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	1	-	2	-	3	1	3	-	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	145	98	9	4	2	-	1	2	-	-	1	1	2	1	2	1	2	3	3	1	4	5	1	2	-	-	-
	White—M	32	18	3	2	1	-	-	1	-	-	-	1	1	1	-	-	-	1	1	-	-	1	-	1	-	-	-
	F	29	15	2	1	-	-	1	-	-	-	1	-	1	-	2	-	1	-	1	1	1	1	-	1	-	-	-
	Nonwhite—M	46	38	2	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-
	F	38	27	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	3	-	-	-	-	-
121	Appendicitis	92	-	2	2	2	1	10	6	6	2	5	1	6	9	8	5	5	7	6	5	4	-	-	-	-	-	-
	White—M	36	-	1	2	2	-	5	1	-	2	-	1	5	4	1	2	2	2	5	1	-	-	-	-	-	-	-
	F	20	-	-	-	-	1	3	-	2	-	2	-	-	1	2	-	2	1	1	2	3	-	-	-	-	-	-
	Nonwhite—M	14	-	1	-	-	-	1	1	3	-	-	-	-	3	1	2	1	1	-	-	-	-	-	-	-	-	-
	F	22	-	-	-	-	-	1	4	1	-	3	-	1	1	4	1	-	3	-	2	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	187	3	1	2	-	1	1	-	4	4	5	10	8	12	12	16	26	16	13	17	16	13	6	1	-	-	-
	White—M	57	-	1	1	-	-	1	-	-	2	1	3	3	1	5	3	8	3	6	4	7	6	2	-	-	-	-
	F	51	1	-	-	-	-	-	-	1	-	2	2	-	2	2	3	8	9	3	6	5	5	2	-	-	-	-
	Nonwhite—M	50	2	-	1	-	1	-	-	2	-	2	1	-	6	3	5	8	3	3	4	4	2	2	1	-	-	-
	F	29	-	-	-	-	-	-	-	1	2	-	4	5	3	2	5	2	1	1	3	-	-	-	-	-	-	-
124	Cirrhosis of the liver	181	3	1	1	-	-	-	2	-	1	1	3	12	14	23	24	21	22	20	13	11	6	3	-	-	-	-
	White—M	88	1	-	-	-	-	-	1	-	1	-	-	5	9	13	13	9	12	10	6	4	4	-	-	-	-	-
	F	43	-	1	-	-	-	-	-	-	-	-	1	2	2	4	5	3	5	7	6	4	2	1	-	-	-	-
	Nonwhite—M	30	1	-	-	-	-	-	-	-	-	-	1	3	1	3	3	8	4	2	1	2	-	1	-	-	-	-
	F	20	1	-	1	-	-	-	1	-	-	1	1	2	2	3	3	1	1	1	-	1	-	1	-	-	-	-
126,127	Biliary calculi, etc.*	69	-	-	-	-	-	-	-	1	-	1	1	3	5	4	4	6	13	9	10	6	1	5	-	-	-	-
	White—M	24	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	9	3	4	2	-	2	-	-	-	-
	F	34	-	-	-	-	-	-	-	1	-	1	-	1	2	2	1	4	4	4	6	4	1	3	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	2	-	-	-	-	-	-	-	-
130-132	Nephritis	1,442	6	2	2	3	1	2	6	12	8	15	27	42	59	85	86	130	163	160	201	190	114	81	26	10	9	2
	White—M	402	1	-	1	2	-	1	2	-	3	4	6	13	12	16	19	34	40	51	64	66	28	31	5	2	1	-
	F	372	4	1	1	-	1	1	1	6	2	2	6	5	10	15	21	15	35	41	58	67	42	27	10	1	-	-
	Nonwhite—M	320	1	1	-	-	-	-	2	1	1	2	6	10	12	24	20	31	47	32	47	36	21	14	5	2	5	-
	F	348	-	-	-	1	-	-	1	5	2	7	9	14	25	30	26	50	41	36	32	21	23	9	6	5	3	2
137	Diseases of the prostate	107	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	4	13	22	22	17	12	10	1	-	-	-
	White—M	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	4	8	13	7	7	1	-	-	-
	Nonwhite—M	62	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	4	8	18	14	4	5	3	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Con.																											
140-150	Diseases of pregnancy, etc.*	139	-	-	-	-	-	-	-	8	30	34	32	24	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----F--	65	-	-	-	-	-	-	-	2	12	20	16	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	74	-	-	-	-	-	-	-	6	18	14	16	13	6	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	47	-	-	-	-	-	-	-	3	12	15	8	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F--	19	-	-	-	-	-	-	-	1	1	9	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	28	-	-	-	-	-	-	-	2	11	6	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	43	-	-	-	-	-	-	-	3	14	10	7	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F--	22	-	-	-	-	-	-	-	1	10	5	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	21	-	-	-	-	-	-	-	2	4	5	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	34	-	-	-	-	-	-	-	-	1	7	12	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F--	19	-	-	-	-	-	-	-	-	-	5	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	15	-	-	-	-	-	-	-	-	1	2	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	15	-	-	-	-	-	-	-	2	3	2	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----F--	5	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	-	-	-	-	-	-	-	2	2	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	283	216	22	5	3	4	4	6	4	10	2	3	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	White----M--	114	92	9	-	1	-	1	4	1	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	91	63	9	5	1	3	2	1	2	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	43	34	1	-	-	1	1	1	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	27	3	-	1	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	1,471	1,471	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White----M--	464	464	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	318	318	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	390	390	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	962	962	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White----M--	322	322	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	211	211	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	232	232	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	197	197	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	509	509	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White----M--	162	162	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	107	107	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	158	158	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	82	82	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	192	-	-	-	-	-	-	1	3	16	17	18	22	29	14	18	10	17	14	6	3	2	-	2	-	-	-
	White----M--	139	-	-	-	-	-	-	-	1	10	11	12	18	25	10	15	6	12	9	6	3	2	-	1	-	-	-
	F--	33	-	-	-	-	-	-	1	2	3	4	3	2	4	3	3	1	4	3	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	3	2	2	2	2	1	-	3	1	1	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
165-168	Homicide	281	6	-	1	-	1	-	3	16	51	40	41	34	26	14	9	2	11	1	-	2	2	1	-	-	-	-
	White----M--	49	1	-	-	-	1	-	-	5	7	6	6	3	7	2	-	1	7	1	-	1	-	1	-	-	-	-
	F--	19	4	-	-	-	-	-	-	1	3	-	2	2	4	-	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	162	1	-	1	-	-	-	3	9	33	29	27	25	12	10	7	1	2	-	-	1	1	-	-	-	-	-
	F--	31	-	-	-	-	-	-	-	1	8	5	6	4	3	2	-	-	1	-	-	-	1	-	-	-	-	-
169-195	Accidental deaths	1,636	70	43	34	23	21	78	82	127	157	107	86	102	86	78	85	64	75	72	73	59	45	39	21	5	1	3
	White----M--	759	12	13	11	10	5	25	34	66	110	69	49	51	43	37	42	30	43	28	23	21	13	14	6	2	-	2
	F--	277	17	10	6	7	4	12	7	14	9	6	10	8	8	8	7	6	13	17	32	22	21	20	11	2	-	-
	Nonwhite--M--	423	23	10	11	4	7	25	27	42	28	28	22	30	29	27	29	21	17	16	11	6	5	2	2	-	-	1
	F--	177	18	10	6	2	5	16	14	5	10	4	5	13	6	6	7	7	2	11	7	10	6	3	2	1	1	-
170	Motor-vehicle accidents	507	2	6	4	7	6	32	25	45	76	40	27	30	31	30	33	20	26	28	17	9	7	4	2	-	-	-
	White----M--	293	1	3	2	4	3	14	15	27	62	23	15	16	12	14	20	10	16	16	7	7	4	1	1	-	-	-
	F--	68	1	1	1	2	1	4	3	6	6	4	4	3	6	4	4	1	5	5	4	-	1	2	-	-	-	-
	Nonwhite--M--	114	-	-	-	1	2	9	5	9	6	13	7	8	11	9	8	8	5	5	4	1	1	1	1	-	-	-
	F--	32	-	2	1	-	-	5	2	3	2	-	1	3	2	3	1	1	-	2	2	1	1	-	-	-	-	-
169, 171-195	Other accidents	1,129	68	37	30	16	15	46	57	82	81	67	59	72	55	48	52	44	49	44	56	50	38	35	19	5	1	3
	White----M--	466	11	10	9	6	2	11	19	39	48	46	34	35	31	23	22	20	27	12	16	14	9	13	5	2	-	2
	F--	209	16	9	5	5	3	8	4	8	3	2	6	5	2	4	3	5	8	12	28	22	20	18	11	2	-	-
	Nonwhite--M--	309	23	10	11	3	5	16	22	33	22	15	15	22	18	18	21	15	12	11	7	5	4	1	1	-	-	1
	F--	145	18	8	5	2	5	11	12	2	8	4	4	10	4	3	6	6	2	9	5	9	5	3	2	1	1	-
162,199, 200	Senility, ill-defined and unknown causes	445	76	4	6	1	-	5	-	1	4	5	2	6	5	15	17	15	19	31	42	47	36	54	28	9	16	1
	White----M--	119	10	2	-	-	-	-	-	1	-	1	-	1	3	5	6	4	10	3	15	16	12	18	10	2	-	-
	F--	76	4	-	3	-	-	1	-	-	-	2	-	1	-	1	2	-	3	6	7	10	4	21	7	3	1	-
	Nonwhite--M--	118	37	1	-	1	-	2	-	-	2	1	1	2	-	4	3	9	3	11	8	11	8	5	5	1	2	1
	F--	132	25	1	3	-	-	2	-	-	2	1	1	2	2	5	6	2	3	11	12	10	12	10	6	3	13	-
	All other causes	1,296	140	39	24	25	13	35	32	31	45	49	63	74	82	79	101	89	91	68	76	56	37	27	16	2	-	2
	White----M--	396	34	12	10	9	4	14	11	7	7	13	19	22	21	25	28	33	30	25	26	20	14	5	3	-	-	-
	F--	354	31	13	6	11	4	9	7	8	14	8	19	17	18	22	22	22	23	18	24	25	15	12	5	2	-	1
	Nonwhite--M--	299	34	9	4	5	4	10	9	7	10	12	8	16	19	18	36	26	21	16	15	7	5	4	3	-	-	1
	F--	247	41	5	4	4	1	2	5	9	14	18	17	19	24	14	15	8	9	9	11	4	3	6	5	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE																											
	All causes	10,058	833	57	31	23	23	70	57	113	128	121	139	161	258	344	478	611	823	1,063	1,301	1,361	1,065	681	258	52	3	4
	White-----M	5,549	475	25	21	13	14	41	34	67	74	69	88	89	141	219	274	370	483	598	739	759	537	292	103	19	2	3
	F	4,474	354	32	10	10	9	29	23	45	54	52	51	71	113	121	204	237	336	460	559	600	527	388	154	33	1	1
	Nonwhite--M	23	1	-	-	-	-	-	-	-	-	-	-	1	3	3	-	3	3	3	3	2	1	-	-	-	-	-
	F	12	3	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	2	-	-	-	1	1	-	-	-
1,2	Typhoid and paratyphoid fever	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	9	2	-	1	1	-	-	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M	5	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	15	7	5	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	5	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	18	-	2	1	3	3	5	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	11	-	2	1	2	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	1	-	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	216	1	-	1	-	1	-	3	10	12	21	10	13	19	28	19	25	20	19	8	4	1	-	1	-	-	-
	White-----M	133	1	-	-	-	-	-	2	1	4	10	5	7	10	19	16	18	16	14	7	3	-	-	-	-	-	-
	F	80	-	-	1	-	1	-	1	8	8	11	5	5	8	9	3	7	4	5	1	1	1	-	1	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	202	1	-	1	-	1	-	1	9	11	18	9	13	17	26	19	25	19	18	8	4	1	-	1	-	-	-
	White-----M	127	1	-	-	-	-	-	1	4	9	9	5	7	10	17	16	18	15	14	7	3	-	-	-	-	-	-
	F	73	-	-	1	-	1	-	1	8	7	9	4	5	6	9	3	7	4	4	1	1	1	-	1	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	14	-	-	-	-	-	-	2	1	1	3	1	-	2	2	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M	6	-	-	-	-	-	-	2	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	49	3	-	-	-	-	-	-	1	-	-	2	1	6	7	4	4	6	6	5	3	-	1	-	-	-	-
	White-----M	33	1	-	-	-	-	-	-	-	-	-	-	1	4	7	3	2	4	5	3	3	-	-	-	-	-	-
	F	16	2	-	-	-	-	-	-	1	-	-	2	-	2	-	1	2	2	1	2	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	12	4	1	-	1	-	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	7	2	-	-	-	-	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	3	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Con.																											
45-55	Cancer and other malignant tumors	1,393	1	1	-	1	2	2	1	2	6	5	19	27	53	64	110	121	173	204	205	202	119	59	13	3	-	-
	White-----M--	664	-	1	-	-	-	2	1	1	1	1	7	7	14	23	40	59	79	97	124	110	69	21	7	-	-	-
	F--	726	1	-	-	1	2	-	-	1	5	4	12	20	39	41	70	61	94	107	81	90	50	38	6	3	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	676	-	-	-	-	-	-	-	-	1	1	7	5	14	24	40	51	100	99	119	118	83	26	6	2	-	-
	White-----M--	370	-	-	-	-	-	-	-	-	-	1	2	2	5	11	22	31	52	53	80	73	29	7	2	-	-	-
	F--	305	-	-	-	-	-	-	-	-	1	-	5	3	9	13	18	20	48	46	39	44	34	19	4	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	179	-	-	-	-	-	-	-	-	1	4	2	8	18	18	23	20	24	25	12	16	5	3	-	-	-	-
	White-----F--	179	-	-	-	-	-	-	-	-	1	4	2	8	18	18	23	20	24	25	12	16	5	3	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast-	124	-	-	-	-	-	-	-	-	1	-	4	7	9	6	17	8	8	17	13	13	10	9	1	1	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	124	-	-	-	-	-	-	-	-	1	-	4	7	9	6	17	8	8	17	13	13	10	9	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	414	1	1	-	1	2	2	1	2	3	-	6	7	12	16	30	42	41	63	61	55	41	21	6	-	-	-
	White-----M--	294	-	1	-	-	-	2	1	1	1	-	5	5	9	12	18	28	27	44	44	37	40	14	5	-	-	-
	F--	118	1	-	-	1	2	-	-	1	2	-	1	2	3	4	12	13	14	19	17	17	1	7	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	7	-	-	1	-	-	-	1	1	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	5	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	255	-	-	-	-	-	1	3	3	2	2	4	3	3	7	14	16	19	41	42	45	28	3	1	-	-	-
	White-----M--	103	-	-	-	-	-	1	2	-	2	1	4	2	2	2	7	4	7	11	23	23	11	1	-	-	-	-
	F--	132	-	-	-	-	-	-	1	3	-	1	-	1	1	5	7	12	12	30	19	22	15	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	14	-	-	-	-	-	-	-	-	-	1	-	1	2	-	7	2	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	1	-	1	2	-	6	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	24	-	-	-	-	-	-	-	1	-	-	3	3	4	6	2	1	3	-	1	-	-	-	-	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	1	-	-	2	3	3	6	2	1	3	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,050	3	1	2	-	-	1	1	2	4	1	3	2	9	21	36	61	76	136	190	203	170	101	24	3	-	-
	White-----M--	502	-	-	1	-	-	1	-	2	4	1	1	1	4	13	15	27	33	67	96	98	77	46	12	3	-	-
	F--	546	3	1	1	-	-	-	1	-	-	-	2	1	5	7	21	34	43	68	94	105	93	55	12	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
90-95	Diseases of the heart----------	3,092	1	2	1	-	-	2	2	4	8	4	12	27	62	96	157	227	290	399	496	524	411	256	98	13	-	-
	White-----M--	1,802	1	-	-	-	-	1	2	3	5	1	9	20	47	70	111	158	190	237	287	297	214	105	37	7	-	-
	F--	1,284	-	2	1	-	-	1	-	1	3	3	3	7	15	25	46	69	99	160	208	227	196	151	61	6	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	202	-	-	-	-	-	1	-	3	3	2	3	5	11	12	14	13	16	26	24	35	19	11	2	2	-	-
	White-----M--	96	-	-	-	-	-	1	-	3	1	-	2	2	7	5	7	7	10	10	14	13	8	4	1	1	-	-
	F--	106	-	-	-	-	-	-	-	-	2	2	1	3	4	7	7	6	6	16	10	22	11	7	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	1,164	-	-	-	-	-	-	-	-	2	1	5	17	39	59	88	123	140	184	189	162	89	54	12	-	-	-
	White-----M--	794	-	-	-	-	-	-	-	-	1	1	3	15	32	49	77	95	107	122	114	96	53	25	4	-	-	-
	F--	369	-	-	-	-	-	-	-	-	1	-	2	2	7	9	11	28	33	62	75	66	36	29	8	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	1,726	1	2	1	-	-	1	2	1	3	1	4	5	12	25	55	91	134	189	283	327	303	191	84	11	-	-
	White-----M--	912	1	-	-	-	-	-	2	-	3	-	4	3	8	16	27	56	73	105	159	188	153	76	32	6	-	-
	F--	809	-	2	1	-	-	1	-	1	-	1	-	2	4	9	28	35	60	82	123	139	149	115	52	5	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Con.																											
97,102	Arteriosclerosis and high blood pressure*	264	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	3	12	15	30	46	72	46	24	7	1	-
	White----M--	137	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	8	9	16	22	34	25	13	3	1	-
	F--	127	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	4	6	14	24	38	21	11	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	476	115	8	4	4	1	3	6	7	4	1	6	2	7	9	11	11	29	35	41	51	54	40	21	6	-	-
	White----M--	261	63	2	3	2	1	1	3	3	2	-	5	2	5	8	11	7	18	26	18	30	30	16	5	-	-	-
	F--	214	52	6	1	2	-	2	3	4	2	1	1	-	2	1	-	4	10	9	23	21	24	24	16	6	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	227	62	5	2	4	1	1	2	4	2	1	2	-	1	2	3	3	13	12	18	28	27	25	9	4	-	-
	White----M--	125	36	1	1	2	1	-	2	2	2	-	2	-	1	2	3	2	8	10	7	15	15	10	3	-	-	-
	F--	102	26	4	1	2	-	1	-	2	-	1	-	-	-	-	-	1	5	2	8	11	12	15	6	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	159	26	1	1	-	-	2	1	-	-	-	4	2	3	6	7	8	14	13	20	16	21	7	6	1	-	-
	White----M--	93	12	-	1	-	-	1	-	-	-	-	3	2	2	5	7	5	9	11	9	11	11	4	-	-	-	-
	F--	65	14	1	-	-	-	1	1	-	-	-	1	-	1	1	-	3	4	2	11	5	10	3	6	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	24	13	1	1	-	-	-	1	1	1	-	-	-	-	1	-	-	-	1	-	3	1	-	-	-	-	-
	White----M--	14	9	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
	F--	10	4	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	66	14	1	-	-	-	-	2	2	1	-	-	-	3	-	1	-	2	9	5	6	5	8	6	1	-	-
	White----M--	29	6	-	-	-	-	-	1	1	-	-	-	-	2	-	1	-	1	5	2	3	3	2	2	-	-	-
	F--	37	8	1	-	-	-	-	1	1	1	-	-	-	1	-	-	-	1	4	3	3	2	6	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	50	-	-	-	-	-	-	-	1	-	-	3	4	2	4	2	9	5	10	3	6	1	-	-	-	-	-
	White----M--	47	-	-	-	-	-	-	-	1	-	-	3	4	2	4	2	9	5	9	2	6	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	51	35	1	-	1	-	-	-	-	-	2	-	1	1	1	-	2	2	1	1	1	-	-	1	1	-	-
	White----M--	28	19	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	-	-	-	1	-	-
	F--	23	16	1	-	-	-	-	-	-	-	2	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	20	-	1	-	-	-	-	-	2	1	2	1	-	3	1	-	-	1	2	2	3	1	-	-	-	-	-
	White----M--	9	-	-	-	-	-	-	-	1	-	1	-	-	3	1	-	-	-	1	-	2	-	-	-	-	-	-
	F--	11	-	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	68	1	1	2	-	-	1	-	-	2	-	-	1	4	2	2	2	4	6	9	12	10	7	2	-	-	-
	White----M--	35	1	1	1	-	-	-	-	-	1	-	-	1	1	2	-	2	3	2	5	6	7	2	-	-	-	-
	F--	32	-	-	1	-	-	1	-	-	1	-	-	-	2	-	2	-	1	4	4	6	3	5	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	55	-	-	-	-	-	-	-	1	-	-	-	3	1	4	6	5	4	10	9	5	3	2	2	-	-	-
	White----M--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	2	7	4	2	3	1	-	-	-	-
	F--	26	-	-	-	-	-	-	-	1	-	-	-	3	1	2	2	1	2	3	5	3	-	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	42	-	-	-	-	-	-	-	-	-	-	1	-	3	2	4	4	3	6	10	3	2	2	2	-	-	-
	White----M--	16	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	2	4	2	1	-	2	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	2	2	4	6	1	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	622	2	-	-	-	2	-	1	7	5	5	2	4	9	12	25	25	57	64	110	107	85	71	18	10	1	-
	White----M--	340	1	-	-	-	2	-	-	4	4	4	2	2	4	9	12	12	33	39	61	69	38	37	4	2	1	-
	F--	274	1	-	-	-	-	-	1	3	1	1	-	2	4	3	13	12	23	24	47	38	47	33	13	8	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
137	Diseases of the prostate	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	3	14	16	8	2	5	-	-	-
	White----M--	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	3	14	16	8	2	5	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Con.																											
140-150	Diseases of pregnancy, etc.*	32	-	-	-	-	-	-	-	1	10	9	5	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	32	-	-	-	-	-	-	-	1	10	9	5	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	8	-	-	-	-	-	-	-	-	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	-	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	8	-	-	-	-	-	-	-	1	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	1	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	15	-	-	-	-	-	-	-	-	4	5	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	15	-	-	-	-	-	-	-	-	4	5	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	151	131	4	2	1	1	4	4	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	78	67	3	2	1	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	73	64	1	-	-	-	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	440	440	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	272	272	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	166	166	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	262	262	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	157	157	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	103	103	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	178	178	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	115	115	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	63	63	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	121	-	-	-	-	-	-	1	3	8	3	7	9	13	12	16	12	11	8	4	7	3	2	1	-	-	1
	White—M	68	-	-	-	-	-	-	1	1	6	2	4	4	8	10	11	10	7	8	4	5	3	2	1	-	-	1
	F	33	-	-	-	-	-	-	-	2	2	1	3	5	5	2	5	2	4	-	-	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	12	-	-	-	-	-	2	-	-	2	2	-	2	1	-	1	1	-	-	1	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	2	-	-	1	2	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	683	31	13	13	7	11	24	25	43	45	37	35	28	26	27	21	33	33	47	46	50	40	29	14	3	-	2
	White—M	462	14	6	10	4	7	15	19	33	37	31	30	25	24	20	15	23	23	34	31	26	19	10	5	-	-	1
	F	215	16	7	3	3	4	9	6	10	8	6	5	3	1	6	6	8	9	13	15	24	21	19	9	3	-	1
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	193	3	4	1	4	3	12	8	23	21	20	15	14	5	4	4	9	4	9	16	7	5	1	1	-	-	-
	White—M	143	2	1	1	2	2	9	5	17	17	15	10	12	4	2	3	6	3	8	12	5	5	1	1	-	-	-
	F	49	1	3	-	2	1	3	3	6	4	5	5	2	-	2	1	3	1	1	4	2	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	490	28	9	12	3	8	12	17	20	24	17	20	14	21	23	17	24	29	38	30	43	35	28	13	3	-	2
	White—M	319	12	5	9	2	5	6	14	16	20	16	20	13	20	18	12	17	20	26	19	21	14	9	4	-	-	1
	F	166	15	4	3	1	3	6	3	4	4	1	-	1	1	4	5	5	8	12	11	22	21	19	9	3	-	1
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	188	16	1	-	-	-	-	1	1	-	2	3	-	3	2	3	4	10	7	17	21	31	38	22	4	1	1
	White—M	87	6	1	-	-	-	-	1	-	-	1	3	-	2	1	2	3	7	3	7	11	12	15	9	2	-	1
	F	100	9	-	-	-	-	-	-	1	-	1	-	-	1	1	1	1	3	4	10	10	19	23	13	2	1	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	584	38	16	3	2	2	17	6	16	18	23	18	24	23	34	36	42	55	44	54	52	28	22	9	2	-	-
	White—M	298	22	8	1	2	-	11	1	9	7	13	10	8	7	17	20	25	34	23	29	27	11	9	3	1	-	-
	F	284	16	8	2	-	2	6	5	7	11	10	8	16	16	16	16	17	21	20	25	25	17	13	6	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND																											
	All causes	21,783	1,713	113	70	59	58	137	104	264	402	404	488	654	916	1,168	1,551	1,789	2,078	2,263	2,373	2,195	1,596	979	299	70	14	6
	White-----M	9,567	724	41	27	21	25	81	48	98	146	128	171	253	366	541	700	840	1,043	1,111	1,114	980	627	376	106	16	2	4
	F	7,670	483	38	23	19	13	41	25	64	87	115	119	155	198	296	405	510	653	823	961	1,033	842	545	176	42	4	-
	Nonwhite--M	2,464	276	15	12	11	12	19	19	45	72	80	99	140	197	196	246	256	220	177	162	96	64	31	5	8	4	2
	F	2,082	230	19	8	8	8	16	12	59	97	81	99	106	155	155	200	183	182	152	136	86	63	27	12	4	4	-
1,2	Typhoid and paratyphoid fever	4	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	20	4	3	1	-	3	2	-	1	-	-	-	-	1	-	2	-	-	1	2	-	-	-	-	-	-	-
	White-----M	3	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	3	2	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M	5	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	15	13	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	6	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	30	3	2	3	3	2	8	2	1	-	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M	20	1	2	2	2	1	6	-	1	-	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	1	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,186	9	11	5	6	2	8	7	65	112	118	116	112	114	115	104	84	57	61	44	23	7	6	-	-	-	-
	White-----M	413	3	3	2	1	-	2	1	2	14	17	21	28	39	52	53	52	37	41	27	13	2	3	-	-	-	-
	F	209	2	5	-	1	-	2	1	11	23	29	26	20	10	7	16	8	14	11	10	7	5	1	-	-	-	-
	Nonwhite--M	320	1	2	2	2	1	2	3	14	21	36	32	43	48	44	25	23	3	7	6	3	-	2	-	-	-	-
	F	244	3	1	1	2	1	2	2	38	54	36	37	21	17	12	10	1	3	2	1	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,115	5	5	2	4	1	3	3	59	99	112	112	108	111	115	99	82	57	59	43	23	7	6	-	-	-	-
	White-----M	398	1	2	1	-	-	-	-	2	13	17	21	28	38	52	51	51	37	40	28	13	2	3	-	-	-	-
	F	199	2	1	-	1	-	1	-	11	23	26	26	20	10	7	15	8	14	11	10	7	5	1	-	-	-	-
	Nonwhite--M	302	-	1	1	1	-	1	2	12	19	35	30	42	47	44	25	22	3	6	6	3	-	2	-	-	-	-
	F	216	2	1	-	2	1	1	1	34	44	34	35	18	16	12	8	1	3	2	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	71	4	6	3	2	1	5	4	6	13	6	4	4	3	-	5	2	-	2	1	-	-	-	-	-	-	-
	White-----M	15	2	1	1	1	-	2	1	-	1	-	-	-	1	-	2	1	-	1	1	-	-	-	-	-	-	-
	F	10	-	4	-	-	-	1	1	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	18	1	1	1	1	1	1	1	2	2	1	2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	28	1	-	1	-	-	1	1	4	10	2	2	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	6	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	294	20	-	1	-	-	1	-	-	6	8	12	13	28	36	43	34	34	28	18	9	4	1	-	-	-	-
	White-----M	92	-	-	-	-	-	-	-	-	3	1	1	1	7	11	17	10	14	11	8	4	3	1	-	-	-	-
	F	37	4	-	-	-	-	-	-	-	1	4	1	1	2	1	6	4	4	4	2	2	1	-	-	-	-	-
	Nonwhite--M	120	12	-	1	-	-	1	-	-	1	2	7	5	14	18	14	15	15	9	4	2	-	-	-	-	-	-
	F	45	4	-	-	-	-	-	-	-	1	1	3	6	5	6	6	5	1	2	4	1	-	-	-	-	-	-
35	Measles	16	2	5	3	-	-	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	6	2	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	6	-	-	-	-	1	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Con.																											
45-55	Cancer and other malignant tumors	2,787	3	2	1	2	2	9	2	13	13	24	44	77	124	188	267	335	392	379	340	290	177	81	20	1	-	1
	White-----M--	1,155	1	1	-	1	-	4	-	6	3	8	17	19	33	59	101	140	185	177	159	131	68	36	5	-	-	1
	F--	1,267	2	1	1	1	-	5	2	3	5	9	14	33	57	97	120	137	151	170	155	144	103	42	15	-	-	-
	Nonwhite--M--	155	-	-	-	-	1	-	-	2	1	2	3	6	8	9	18	29	30	20	12	8	4	2	-	-	-	-
	F--	210	-	-	-	-	1	-	-	2	4	5	10	19	26	23	28	29	26	12	14	7	2	1	-	1	-	-
46	Cancer of the digestive organs and peritoneum--	1,142	1	-	-	-	-	-	-	1	4	5	9	23	43	70	74	137	173	182	154	141	80	37	6	1	-	1
	White-----M--	512	1	-	-	-	-	-	-	1	1	2	5	10	10	30	34	63	89	86	72	61	33	12	1	-	-	1
	F--	473	-	-	-	-	-	-	-	-	1	1	1	3	22	24	23	50	58	76	71	70	45	23	5	-	-	-
	Nonwhite--M--	84	-	-	-	-	-	-	-	-	-	2	3	4	3	9	7	14	16	13	5	5	2	1	-	-	-	-
	F--	73	-	-	-	-	-	-	-	-	2	-	-	6	8	7	10	10	10	7	6	5	-	1	-	1	-	-
48,49	Cancer of female genital organs--	388	-	-	-	-	-	1	-	1	3	6	14	28	25	47	62	37	43	39	41	16	16	6	3	-	-	-
	White-----F--	307	-	-	-	-	-	1	-	-	2	3	6	17	14	37	52	26	34	38	37	16	15	6	3	-	-	-
	Nonwhite--F--	81	-	-	-	-	-	-	-	1	1	3	8	11	11	10	10	11	9	1	4	-	1	-	-	-	-	-
50	Cancer of breast-	301	-	-	-	-	-	-	-	1	-	3	5	8	18	32	30	50	37	29	34	27	24	2	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	F--	268	-	-	-	-	-	-	-	1	-	2	4	8	14	29	28	44	31	26	29	25	24	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	1	1	-	4	3	2	5	5	3	3	2	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	956	2	2	1	2	2	8	2	10	6	10	16	18	38	39	101	111	139	129	111	106	57	36	10	-	-	-
	White-----M--	640	-	1	-	1	-	4	-	5	2	6	12	9	23	29	67	77	95	81	85	70	35	24	4	-	-	-
	F--	219	2	1	1	1	-	4	2	2	2	3	3	3	5	7	7	17	17	28	30	18	33	19	11	6	-	-
	Nonwhite--M--	70	-	-	-	-	1	-	-	2	1	-	-	2	5	-	11	14	14	7	7	3	2	1	-	-	-	-
	F--	27	-	-	-	-	1	-	-	1	1	1	1	2	3	3	6	3	2	1	1	-	1	-	-	-	-	-
58	Acute rheumatic fever----------	16	-	-	-	1	-	4	2	2	2	-	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	539	1	-	-	-	-	-	-	1	3	6	5	2	13	26	34	67	94	88	97	64	21	10	6	-	-	-
	White-----M--	147	-	-	-	-	-	-	-	-	-	2	-	1	6	8	5	16	20	33	28	21	3	1	3	-	-	-
	F--	319	-	-	-	-	-	-	-	1	2	2	4	-	4	12	17	34	66	46	66	39	17	7	2	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	1	-	-	-	1	3	5	2	2	1	1	-	-	2	-	-	-	-
	F--	55	1	-	-	-	-	-	-	-	-	2	1	1	2	3	7	15	6	8	2	4	1	-	1	-	-	-
63b	Exophthalmic goiter----------	7	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	57	-	-	-	-	-	-	-	1	1	-	5	7	11	10	8	6	4	1	3	-	-	-	-	-	-	-
	White-----M--	46	-	-	-	-	-	-	-	-	-	-	4	4	10	10	6	4	4	1	3	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,712	6	1	1	1	-	1	2	-	3	7	11	20	56	71	117	154	199	207	259	279	187	99	24	7	-	-
	White-----M--	630	5	-	1	-	-	1	1	-	-	3	3	8	10	17	33	61	78	77	108	120	66	27	9	2	-	-
	F--	732	1	1	-	1	-	-	1	-	1	2	4	8	11	31	36	45	70	98	109	133	101	63	12	4	-	-
	Nonwhite--M--	169	-	-	-	-	-	-	-	-	1	2	-	2	19	9	18	27	22	20	21	12	9	4	2	1	-	-
	F--	181	-	-	-	-	-	-	-	-	1	-	4	2	16	14	30	21	29	12	21	14	11	5	1	-	-	-
90-95	Diseases of the heart----------	6,963	-	3	-	1	-	2	17	22	23	35	49	106	210	359	517	624	767	939	1,004	941	739	444	122	31	7	1
	White-----M--	3,391	-	1	-	-	-	1	8	6	9	13	21	45	115	206	266	318	446	488	506	420	305	165	43	7	1	1
	F--	2,529	-	-	-	-	-	-	6	10	5	13	11	22	38	68	97	156	209	324	387	450	382	257	71	21	2	-
	Nonwhite--M--	549	-	1	-	1	-	1	1	1	6	2	6	19	27	38	82	87	68	66	62	37	27	12	1	1	3	-
	F--	494	-	1	-	-	-	-	2	5	3	7	11	20	30	47	72	63	44	61	49	34	25	10	7	2	1	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	338	-	-	-	1	-	2	13	11	11	17	13	20	28	31	38	28	20	22	29	24	18	10	2	-	-	-
	White-----M--	125	-	-	-	-	-	1	4	2	6	8	8	4	13	8	15	13	9	11	11	5	6	1	-	-	-	-
	F--	147	-	-	-	-	-	-	6	4	2	6	3	11	12	19	14	10	8	8	14	12	9	8	1	-	-	-
	Nonwhite--M--	24	-	-	-	1	-	1	1	1	1	1	-	-	-	1	3	4	3	-	1	3	1	1	1	-	-	-
	F--	42	-	-	-	-	-	-	2	4	2	2	2	5	3	3	6	1	-	3	3	4	2	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	1,918	-	-	-	-	-	-	-	1	1	5	13	34	93	139	213	225	282	270	257	195	115	61	11	3	-	-
	White-----M--	1,260	-	-	-	-	-	-	-	1	1	3	6	23	70	110	156	143	215	176	160	105	53	30	7	1	-	-
	F--	509	-	-	-	-	-	-	-	-	-	1	1	4	11	16	28	53	54	82	82	85	57	29	4	2	-	-
	Nonwhite--M--	88	-	-	-	-	-	-	-	-	-	-	5	5	7	6	20	16	7	8	7	2	4	1	-	-	-	-
	F--	61	-	-	-	-	-	-	-	-	-	1	1	2	5	7	9	13	6	4	8	3	1	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	4,707	-	3	-	-	-	-	4	10	11	13	23	52	89	189	266	371	465	647	718	722	606	373	109	28	7	1
	White-----M--	2,006	-	1	-	-	-	-	4	3	2	2	7	18	32	88	95	162	222	301	335	310	246	134	36	6	1	1
	F--	1,873	-	-	-	-	-	-	-	6	3	6	7	7	15	33	55	93	147	234	291	353	316	220	66	19	2	-
	Nonwhite--M--	437	-	1	-	-	-	-	-	-	5	1	1	14	20	31	59	67	58	58	54	32	22	10	-	1	3	-
	F--	391	-	1	-	-	-	-	-	1	1	4	8	13	22	37	57	49	38	54	38	27	22	9	7	2	1	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Con.																											
97,102	Arteriosclerosis and high blood pressure*	345	-	-	-	-	-	-	-	1	-	-	2	-	1	5	4	15	19	38	53	59	57	50	29	10	1	1
	White—M	128	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	5	6	15	20	23	16	19	15	4	-	-
	F	133	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	-	2	10	14	28	29	26	13	5	1	-
	Nonwhite—M	45	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	10	5	11	4	4	3	1	-	-	1
	F	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	1	8	8	4	8	2	-	1	-	-
107-109, 33	Pneumonia (all forms) and influenza	833	161	25	6	5	2	7	5	5	11	11	21	32	45	40	49	42	63	53	64	66	63	41	12	4	-	-
	White—M	317	52	10	1	2	1	2	1	4	1	2	7	17	12	13	15	17	31	22	29	31	23	18	6	-	-	-
	F	244	43	6	4	-	1	2	-	-	5	1	3	3	8	6	7	9	14	19	25	24	34	22	6	2	-	-
	Nonwhite—M	145	27	3	1	1	-	1	1	-	1	2	8	6	14	11	20	10	14	6	4	8	4	1	-	2	-	-
	F	127	39	6	-	2	-	2	3	1	4	6	3	6	11	10	7	6	4	6	6	3	2	-	-	-	-	-
107	Bronchopneumonia	384	117	12	3	1	1	5	3	2	2	1	4	11	13	5	20	8	23	22	30	30	35	25	9	2	-	-
	White—M	146	37	6	1	-	1	2	-	2	-	1	2	5	4	3	6	2	12	6	13	15	14	10	4	-	-	-
	F	128	29	2	2	-	-	2	-	-	1	-	1	1	4	-	4	2	4	11	12	14	19	14	5	1	-	-
	Nonwhite—M	50	19	-	-	-	-	-	1	-	-	-	-	1	4	1	7	3	5	3	3	1	-	1	-	1	-	-
	F	60	32	4	-	1	-	1	2	-	1	-	1	4	1	1	3	1	2	2	2	-	2	-	-	-	-	-
108	Lobar pneumonia	317	29	7	-	2	1	2	2	1	7	6	15	16	21	30	22	25	29	23	24	24	17	11	2	1	-	-
	White—M	124	8	2	-	1	-	-	1	-	1	-	4	8	5	9	6	14	15	12	11	12	5	8	2	-	-	-
	F	70	10	3	-	-	1	-	-	-	2	1	2	2	2	3	1	3	5	8	8	5	10	3	-	1	-	-
	Nonwhite—M	68	5	1	-	-	-	1	-	-	1	1	7	5	6	9	11	6	7	1	1	4	2	-	-	-	-	-
	F	55	6	1	-	1	-	1	1	1	3	4	2	1	8	9	4	2	2	2	4	3	-	-	-	-	-	-
109	Pneumonia (unspecified)	46	9	3	-	-	-	-	-	1	1	1	1	2	2	3	2	2	3	3	5	1	5	-	1	1	-	-
	White—M	21	5	-	-	-	-	-	-	1	-	1	1	2	1	-	1	-	1	2	3	-	3	-	-	-	-	-
	F	12	2	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	2	1	1	-	1	-	-	-
	Nonwhite—M	11	2	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	1	-	-	1	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
33	Influenza	86	6	3	3	2	-	-	-	1	1	3	1	3	9	2	5	7	8	5	5	11	6	5	-	-	-	-
	White—M	26	2	2	-	1	-	-	-	1	-	-	-	2	2	1	2	1	3	2	2	4	1	-	-	-	-	-
	F	34	2	1	2	-	-	-	-	-	1	-	-	-	2	1	2	3	4	-	3	4	4	5	-	-	-	-
	Nonwhite—M	16	1	-	1	1	-	-	-	-	-	1	1	-	3	-	1	1	1	1	-	3	1	-	-	-	-	-
	F	10	1	-	-	-	-	-	-	-	-	2	-	1	2	-	-	2	-	2	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	83	1	-	-	-	-	-	-	-	-	2	-	6	6	10	7	12	13	11	6	1	8	-	-	-	-	-
	White—M	63	1	-	-	-	-	-	-	-	-	-	-	5	5	8	6	11	11	8	3	1	4	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	2	2	-	4	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	165	130	6	2	-	-	-	-	2	2	2	2	1	1	1	4	2	3	-	3	1	2	1	-	-	-	-
	White—M	72	58	3	-	-	-	-	-	1	1	1	-	1	1	-	3	-	1	-	2	-	-	-	-	-	-	-
	F	39	28	2	1	-	-	-	-	1	1	1	1	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-
	Nonwhite—M	34	30	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	F	20	14	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-
121	Appendicitis	63	-	-	1	-	-	2	4	3	6	2	1	4	5	3	6	11	3	4	5	1	1	1	-	-	-	-
	White—M	32	-	-	-	-	-	-	3	2	4	1	-	2	1	-	4	8	1	2	3	1	-	-	-	-	-	-
	F	20	-	-	1	-	-	1	-	1	1	1	1	2	2	1	1	1	1	2	2	-	1	1	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	1	1	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	161	6	3	-	-	-	-	1	-	1	-	6	4	5	11	7	25	19	14	17	20	15	5	2	-	-	-
	White—M	68	4	1	-	-	-	-	1	-	-	-	-	2	1	3	3	8	8	11	7	9	6	3	1	-	-	-
	F	57	1	1	-	-	-	-	-	-	-	-	4	1	2	6	-	9	5	3	6	9	7	2	1	-	-	-
	Nonwhite—M	16	1	1	-	-	-	-	-	-	1	-	-	1	-	1	3	3	2	-	1	1	1	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	5	4	-	3	1	1	-	-	-	-	-
124	Cirrhosis of the liver	231	1	-	-	-	-	-	-	-	-	1	10	17	17	33	37	21	31	20	23	13	5	2	-	-	-	-
	White—M	138	-	-	-	-	-	-	-	-	-	1	5	6	8	17	22	17	20	15	16	9	2	-	-	-	-	-
	F	66	1	-	-	-	-	-	-	-	-	-	2	5	8	10	10	4	9	4	5	4	2	2	-	-	-	-
	Nonwhite—M	16	-	-	-	-	-	-	-	-	-	-	2	4	-	4	3	-	2	-	1	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	-	-	1	1	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	73	1	-	-	-	-	-	-	-	1	2	3	1	4	4	5	13	11	5	9	7	2	5	-	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	1	-	1	1	1	3	1	5	2	3	1	1	-	1	-	-	-	-
	F	45	1	-	-	-	-	-	-	-	-	2	1	-	2	-	3	7	9	1	7	6	2	4	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-
130-132	Nephritis	1,773	1	-	1	-	3	6	2	6	11	12	20	42	64	84	110	149	183	233	246	227	170	137	52	10	4	-
	White—M	892	-	-	1	-	1	3	1	3	5	8	6	9	20	22	41	55	70	99	102	107	62	60	17	1	1	-
	F	836	-	-	-	-	-	2	-	2	3	2	2	10	10	17	27	43	50	79	97	96	67	71	32	6	-	-
	Nonwhite—M	222	1	-	-	-	-	1	-	1	3	3	7	13	12	20	22	29	32	23	26	12	12	-	1	3	1	-
	F	223	-	-	-	-	2	-	1	-	-	1	5	10	22	25	20	22	31	32	21	12	9	6	2	-	2	-
137	Diseases of the prostate	93	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	7	11	11	13	16	14	11	2	-	-	-
	White—M	78	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	10	8	11	15	14	10	2	-	-	-
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	3	2	1	-	1	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Con.																											
140-150	Diseases of pregnancy, etc.*----	56	-	-	-	-	-	-	-	3	16	15	13	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	37	-	-	-	-	-	-	-	1	7	13	9	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	19	-	-	-	-	-	-	-	2	9	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia------	19	-	-	-	-	-	-	-	-	9	2	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	-	-	-	-	-	-	-	-	4	1	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	-	-	-	-	-	-	-	-	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	10	-	-	-	-	-	-	-	2	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	-	-	-	-	-	-	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	24	-	-	-	-	-	-	-	1	4	8	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	18	-	-	-	-	-	-	-	1	2	7	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes----------	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	257	214	14	4	-	5	3	2	3	2	1	1	1	3	2	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	134	114	5	2	-	3	2	1	1	-	1	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	90	71	9	2	-	2	1	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	17	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	973	973	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	415	415	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	277	277	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	151	151	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	130	130	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth---	625	625	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	252	252	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	181	181	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	98	98	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	94	94	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year------	348	348	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	163	163	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	96	96	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	36	36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	271	-	-	-	-	-	-	-	5	21	17	23	35	20	26	33	30	19	17	9	7	6	3	-	-	-	-
	White-----M--	170	-	-	-	-	-	-	-	2	14	8	13	20	15	19	17	21	11	14	4	5	4	3	-	-	-	-
	F--	89	-	-	-	-	-	-	-	2	6	9	8	14	4	6	14	9	8	2	4	1	2	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	1	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
165-168	Homicide----------	173	3	-	1	1	-	-	3	9	18	24	28	23	18	19	9	6	3	5	-	-	-	1	-	-	-	2
	White-----M--	33	1	-	-	-	-	-	-	-	1	3	5	5	3	7	3	1	-	2	-	-	-	1	-	-	-	1
	F--	24	1	-	1	-	-	-	1	2	2	4	2	-	5	2	1	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	94	1	-	-	1	-	-	2	7	9	12	16	15	9	9	4	4	2	2	-	-	-	-	-	-	-	1
	F--	22	-	-	-	-	-	-	-	-	6	5	5	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,393	63	15	18	20	27	51	35	88	116	62	79	81	95	64	80	58	70	70	67	94	71	51	13	4	1	-
	White-----M--	780	24	4	9	9	14	27	19	56	81	42	52	49	52	47	58	39	41	41	34	37	25	17	2	1	-	-
	F--	342	17	7	3	5	5	10	4	13	13	6	10	12	11	3	8	11	12	20	28	52	45	33	11	3	-	-
	Nonwhite--M--	189	12	1	3	4	5	8	10	15	14	11	11	16	23	13	9	7	11	6	4	4	1	1	-	-	-	-
	F--	82	10	3	3	2	3	6	2	4	8	3	6	4	9	1	5	1	6	3	1	1	-	-	-	-	1	-
170	Motor-vehicle accidents-------	429	1	1	2	5	12	19	8	44	63	21	26	33	30	22	30	24	23	18	18	19	7	3	-	-	-	-
	White-----M--	290	-	-	1	4	8	14	5	32	50	10	19	19	13	17	21	16	17	14	10	13	6	2	-	-	-	-
	F--	59	-	1	-	1	1	3	1	5	5	6	3	4	4	2	2	5	1	2	7	4	1	1	-	-	-	-
	Nonwhite--M--	53	-	-	1	-	2	1	2	4	7	3	3	9	6	2	4	3	2	2	1	1	-	-	-	-	-	-
	F--	27	1	-	-	-	1	1	-	3	1	2	1	1	8	1	3	-	3	-	-	1	-	-	-	-	-	-
169, 171-195	Other accidents--	964	62	14	16	15	15	32	27	44	53	41	53	48	65	42	50	34	47	52	49	75	64	48	13	4	1	-
	White-----M--	490	24	4	8	5	6	13	14	24	31	32	33	30	40	30	37	23	24	27	24	24	19	15	2	1	-	-
	F--	283	17	6	3	4	4	7	3	8	8	-	7	8	7	1	6	6	11	18	21	48	44	32	11	3	-	-
	Nonwhite--M--	136	12	1	2	4	3	7	8	11	7	8	8	7	17	11	5	4	9	4	3	3	1	1	-	-	-	-
	F--	55	9	3	3	2	2	5	2	1	7	1	5	3	1	-	2	1	3	3	1	-	-	-	-	-	1	-
162,199, 200	Senility, ill-defined and unknown causes----	90	10	2	2	-	-	-	-	2	1	-	1	2	-	5	4	2	3	4	7	12	10	10	10	1	1	1
	White-----M--	36	1	-	1	-	-	-	-	-	-	-	-	1	-	4	2	1	-	4	4	7	5	4	1	-	-	1
	F--	30	4	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	2	-	2	4	3	2	8	1	1	-
	Nonwhite--M--	12	4	1	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	1	2	-	-	-	-
	F--	12	1	1	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	1	1	1	2	1	-	-	-
	All other causes-	1,085	85	20	18	19	10	27	16	30	32	49	32	61	69	72	97	87	77	74	80	64	37	20	7	2	-	-
	White-----M--	465	36	10	6	6	4	10	11	9	8	15	12	26	24	28	40	44	45	38	39	25	19	7	2	1	-	-
	F--	388	21	4	5	10	4	11	3	14	9	15	13	20	18	25	36	28	25	27	35	32	16	12	5	-	-	-
	Nonwhite--M--	128	16	3	3	3	1	3	1	3	10	6	4	7	16	12	12	9	4	7	5	3	-	1	-	1	-	-
	F--	104	12	3	4	2	1	3	1	4	5	13	3	8	11	7	9	6	3	2	1	4	2	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	*MASSACHUSETTS																											
	All causes	51,398	2,904	174	111	88	81	247	174	342	463	552	734	945	1,312	2,049	3,257	4,158	5,094	5,981	6,839	6,478	5,023	2,973	982	257	44	56
	White-----M	26,584	1,706	89	64	48	42	144	105	215	265	277	367	545	776	1,224	1,957	2,512	2,942	3,207	3,368	2,972	2,152	1,152	338	75	5	37
	F	23,903	1,208	81	45	37	37	96	65	115	183	248	344	365	503	780	1,223	1,550	2,059	2,659	3,373	3,438	2,828	1,739	630	181	37	19
	Nonwhite--M	507	40	1	2	2	2	4	2	4	4	17	12	20	20	26	52	58	59	60	59	36	16	5	6	-	-	-
	F	404	30	3	-	1	-	3	2	8	11	10	11	15	13	19	25	38	34	55	39	32	27	17	8	1	2	-
1,2	Typhoid and paratyphoid fever	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	24	5	3	1	2	-	3	-	-	2	-	-	-	-	2	1	-	1	4	-	-	-	-	-	-	-	-
	White-----M	11	4	2	-	2	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	13	1	1	1	-	-	3	-	-	1	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	16	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	10	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	38	1	1	3	5	5	10	5	-	1	2	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	25	1	1	-	3	3	8	2	-	1	2	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	3	2	2	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms)	1,664	5	12	5	6	3	14	13	46	83	115	128	125	141	198	180	169	143	109	70	67	26	4	1	1	-	-
	White-----M	1,072	1	5	2	3	1	6	4	18	26	49	61	79	99	148	146	125	110	82	50	39	13	3	1	1	-	-
	F	503	4	6	3	3	2	6	8	22	49	57	60	36	37	39	28	34	25	25	19	26	13	1	-	-	-	-
	Nonwhite--M	52	-	-	-	-	-	1	-	1	1	4	4	7	4	5	5	8	8	1	1	2	-	-	-	-	-	-
	F	37	-	1	-	-	-	1	1	5	7	5	3	3	1	6	1	2	-	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,563	2	6	4	1	-	5	10	41	79	112	121	120	137	190	171	162	138	105	65	64	24	4	1	1	-	-
	White-----M	1,029	-	3	2	1	-	1	4	16	25	48	58	78	97	143	142	121	108	79	48	38	12	3	1	1	-	-
	F	454	2	3	2	-	-	3	5	19	47	55	57	33	36	37	23	31	22	25	17	24	12	1	-	-	-	-
	Nonwhite--M	48	-	-	-	-	-	1	-	1	1	4	3	6	3	5	5	8	8	1	-	2	-	-	-	-	-	-
	F	32	-	-	-	-	-	-	1	5	6	5	3	3	1	5	1	2	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	101	3	6	1	5	3	9	3	5	4	3	7	5	4	8	9	7	5	4	5	3	2	-	-	-	-	-
	White-----M	43	1	2	-	2	1	5	-	2	1	1	3	1	2	5	4	4	2	3	2	1	1	-	-	-	-	-
	F	49	2	3	1	3	2	3	3	3	2	2	3	3	1	2	5	3	3	-	2	2	1	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	5	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery	8	3	-	-	1	-	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M	4	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	235	3	-	-	-	-	-	1	1	1	2	1	3	17	19	29	32	46	38	21	10	9	2	-	-	-	-
	White-----M	167	1	-	-	-	-	-	1	-	1	1	-	3	12	11	19	25	37	29	14	8	4	1	-	-	-	-
	F	53	2	-	-	-	-	-	-	1	-	1	1	-	2	7	7	5	6	7	7	1	5	1	-	-	-	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	2	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
35	Measles	16	2	6	1	-	-	5	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M	7	1	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	9	1	4	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomeencephalitis (acute)	24	-	-	1	-	-	4	5	2	2	4	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1
	White-----M	18	-	-	-	-	-	4	5	1	2	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1
	F	5	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																											
45-55	Cancer and other malignant tumors	7,760	4	3	6	2	2	15	5	18	18	46	80	120	230	400	668	880	1,054	1,184	1,158	968	570	244	67	11	-	7
	White-----M--	3,623	-	2	3	1	1	6	3	15	10	21	22	39	80	165	293	434	530	596	544	483	238	106	24	5	-	2
	F--	4,027	4	1	3	1	1	9	1	3	8	25	53	78	143	233	384	434	506	572	597	476	327	135	42	6	-	5
	Nonwhite--M--	54	-	-	-	-	-	-	1	-	-	-	1	1	3	1	5	6	7	11	10	5	2	-	1	-	-	-
	F--	56	-	-	-	-	-	-	-	-	-	-	4	2	4	1	6	6	11	5	7	4	3	3	-	-	-	-
46	Cancer of the digestive organs and peritoneum	3,579	-	-	-	1	-	1	1	2	5	14	23	31	73	134	255	401	511	607	575	521	273	116	31	3	-	1
	White-----M--	1,844	-	-	-	1	-	1	1	2	3	6	7	16	37	78	137	227	273	337	281	262	135	46	12	2	-	-
	F--	1,684	-	-	-	-	-	-	-	-	2	8	13	15	35	56	114	168	228	261	284	253	156	70	19	1	-	1
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	4	5	8	3	-	-	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	3	6	4	2	3	2	-	-	-	-	-
48,49	Cancer of female genital organs	639	-	1	-	-	-	-	-	-	2	8	20	31	52	69	99	106	100	106	94	69	52	21	7	2	-	-
	White-----F--	620	-	1	-	-	-	-	-	-	2	8	18	29	48	69	98	104	97	106	92	69	51	19	7	2	-	-
	Nonwhite--F--	19	-	-	-	-	-	-	-	-	-	-	2	2	4	-	1	2	3	-	2	-	1	2	-	-	-	-
50	Cancer of breast	806	-	-	-	-	-	-	-	-	-	2	10	22	41	69	98	76	85	108	118	87	49	28	8	1	-	4
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	1	1	-	-	-	-
	F--	789	-	-	-	-	-	-	-	-	-	2	10	22	41	68	93	75	84	106	115	86	48	26	8	1	-	4
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	2	-	-	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	2,536	4	2	6	1	2	14	4	16	11	22	27	36	64	128	216	297	358	363	371	291	196	79	21	5	-	2
	White-----M--	1,770	-	2	3	-	1	5	2	13	7	15	15	23	43	86	154	207	256	258	262	220	122	59	12	3	-	2
	F--	734	4	-	3	1	1	9	1	3	4	7	12	12	19	40	59	87	97	99	106	68	72	20	8	2	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	1	-	-	-	-	1	2	1	3	3	3	6	2	2	2	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-
58	Acute rheumatic fever	23	-	-	-	-	-	6	3	5	-	1	1	2	-	1	-	-	1	1	-	1	1	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	4	-	2	-	1	-	1	-	1	-	-	1	1	-	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	2	3	3	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,583	-	1	2	1	-	3	3	6	6	9	6	16	20	37	83	153	214	293	279	246	135	60	8	1	-	1
	White-----M--	512	-	1	1	-	-	1	-	-	3	5	4	10	11	21	35	50	72	84	89	72	33	18	2	-	-	-
	F--	1,045	-	-	1	1	-	2	3	5	3	4	1	5	8	13	47	100	139	203	188	171	102	41	6	1	-	1
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	1	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	1	-	-	1	1	1	2	-	1	1	3	1	3	-	1	-	-	-	-
63b	Exophthalmic goiter	42	-	-	-	-	-	-	-	-	-	2	1	4	1	3	2	5	6	6	8	3	1	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	-	-	-	-	-	-	-
	F--	32	-	-	-	-	-	-	-	-	-	1	1	4	1	3	2	2	3	5	6	3	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	110	-	-	-	-	-	1	1	-	-	1	7	12	11	15	17	20	14	6	2	2	-	1	-	-	-	-
	White-----M--	91	-	-	-	-	-	1	1	-	-	-	4	10	10	11	13	16	14	6	2	2	-	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	3	1	1	4	3	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,751	7	2	-	1	1	1	2	2	8	8	13	27	55	117	229	339	474	640	847	810	653	392	83	34	2	4
	White-----M--	1,943	3	1	-	-	-	1	2	2	6	1	6	11	22	47	101	158	212	307	328	322	250	136	18	7	-	2
	F--	2,726	4	1	-	1	1	-	-	-	1	7	7	14	29	67	122	170	254	311	506	481	399	255	65	27	2	2
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	1	-	-	1	3	3	4	4	4	9	7	1	1	-	-	-	-	-
	F--	44	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	7	4	13	6	6	3	1	-	-	-	-
90-95	Diseases of the heart	18,901	3	2	-	3	-	10	13	30	42	57	109	191	346	636	1,192	1,559	2,029	2,485	2,971	2,886	2,352	1,365	462	120	15	23
	White-----M--	10,264	3	1	-	2	-	4	5	15	21	26	70	137	241	441	833	1,068	1,299	1,404	1,538	1,354	1,038	531	175	41	1	16
	F--	8,363	-	1	-	1	-	6	8	15	21	30	39	47	99	185	333	461	695	1,034	1,390	1,504	1,293	822	280	78	14	7
	Nonwhite--M--	146	-	-	-	-	-	-	-	-	-	1	-	4	4	5	16	18	23	23	23	16	8	2	3	-	-	-
	F--	128	-	-	-	-	-	-	-	-	-	-	-	3	2	5	10	12	12	24	20	12	13	10	4	1	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart	976	-	-	-	1	-	7	8	22	21	37	49	52	77	83	111	93	88	75	79	80	45	29	14	4	-	1
	White-----M--	445	-	-	-	1	-	3	2	12	12	15	27	31	37	36	44	50	42	38	33	30	15	11	3	2	-	1
	F--	522	-	-	-	-	-	4	6	10	9	22	22	20	40	44	66	41	45	37	46	50	30	18	11	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	1	-	-
94	Diseases of coronary arteries and angina pectoris	6,077	-	-	-	-	-	-	1	-	2	7	24	85	165	340	577	735	861	940	910	684	470	203	59	6	2	6
	White-----M--	4,109	-	-	-	-	-	-	-	-	-	5	21	73	141	279	474	574	633	621	547	379	240	89	26	2	-	5
	F--	1,910	-	-	-	-	-	-	1	-	2	2	3	10	23	56	93	153	219	313	356	300	228	112	32	4	2	1
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	-	-	-	2	1	3	6	6	5	5	6	3	-	-	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	4	1	1	2	2	2	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)	11,848	3	2	-	2	-	3	4	8	19	13	36	54	104	213	504	731	1,080	1,470	1,982	2,122	1,837	1,133	389	110	13	16
	White-----M--	5,710	3	1	-	1	-	1	3	3	9	6	22	33	63	126	315	444	624	745	958	945	783	431	146	37	1	10
	F--	5,931	-	1	-	1	-	2	1	5	10	6	14	17	36	85	174	267	431	684	988	1,154	1,035	692	237	73	12	6
	Nonwhite--M--	105	-	-	-	-	-	-	-	-	-	1	-	2	3	1	10	10	18	18	17	13	8	2	2	-	-	-
	F--	102	-	-	-	-	-	-	-	-	-	-	-	2	2	1	5	10	7	23	19	10	11	8	4	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																											
97,102	Arteriosclerosis and high blood pressure*	1,065	-	-	-	-	-	-	-	-	1	-	-	2	1	6	16	23	31	67	148	207	230	198	91	32	10	2
	White-----M--	480	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	15	21	37	81	94	98	86	29	5	1	1
	F--	563	-	-	-	-	-	-	-	-	1	-	-	2	1	1	7	7	10	28	61	110	127	110	62	27	8	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	3	-	3	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	1	-	-	1	-
107-109, 33	Pneumonia (all forms) and influenza	2,230	298	42	17	7	8	16	5	21	17	20	33	41	42	82	84	115	138	185	242	266	265	178	83	17	7	1
	White-----M--	1,131	166	16	11	3	3	7	2	13	12	9	18	23	24	52	53	74	78	102	127	119	123	57	30	5	3	1
	F--	1,045	118	25	5	2	4	9	3	8	4	10	13	18	16	26	28	41	59	78	109	141	140	120	52	12	4	-
	Nonwhite--M--	35	7	1	1	2	1	-	-	-	-	1	1	-	2	3	3	-	1	3	4	5	-	-	-	-	-	-
	F--	19	7	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	2	2	1	2	1	1	-	-	-
107	Bronchopneumonia	1,419	227	32	12	5	3	7	4	10	11	11	14	23	15	36	39	54	78	104	151	177	180	134	84	13	5	-
	White-----M--	700	131	12	7	3	1	3	2	8	8	4	8	13	5	21	24	29	46	60	78	79	87	39	26	4	2	-
	F--	664	88	19	4	1	1	4	2	2	2	6	5	10	8	13	15	25	32	43	69	93	101	94	37	9	3	-
	Nonwhite--M--	22	5	1	1	1	1	-	-	-	-	1	-	-	2	2	-	-	-	1	3	4	-	-	-	-	-	-
	F--	13	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-
108	Lobar pneumonia	597	38	5	4	1	1	3	1	5	4	8	16	15	22	37	36	50	53	62	73	73	49	29	9	2	-	1
	White-----M--	324	16	2	3	-	-	1	-	3	3	4	8	8	17	26	26	37	30	31	39	35	22	11	1	-	-	1
	F--	260	21	3	1	-	1	2	1	2	1	4	7	7	5	10	8	13	23	27	32	37	27	18	8	2	-	-
	Nonwhite--M--	9	1	-	-	1	-	-	-	-	-	-	1	-	-	-	2	-	-	2	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	104	23	2	-	-	3	2	-	3	1	-	1	3	2	7	5	7	6	9	10	3	10	3	3	1	-	-
	White-----M--	57	12	1	-	-	1	1	-	1	1	-	1	2	1	5	3	4	2	6	5	1	5	3	1	1	-	-
	F--	43	9	1	-	-	2	1	-	2	-	-	-	1	1	1	2	3	3	3	5	2	5	-	2	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	110	10	3	1	1	1	4	-	3	1	1	2	-	3	2	4	4	1	10	8	13	16	12	7	1	2	-
	White-----M--	50	7	1	1	-	1	2	-	1	-	1	1	-	1	-	-	4	-	5	5	4	9	4	2	-	1	-
	F--	58	2	2	-	1	-	2	-	2	1	-	1	-	2	2	3	-	1	5	3	9	7	8	5	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	341	-	-	-	-	-	1	-	1	1	4	6	11	19	30	48	39	51	43	29	29	23	5	1	-	-	-
	White-----M--	264	-	-	-	-	-	1	-	1	1	3	3	10	16	26	44	32	39	31	22	18	17	-	-	-	-	-
	F--	72	-	-	-	-	-	-	-	-	-	1	2	1	3	3	4	7	12	11	6	10	6	5	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	223	159	8	2	-	-	2	1	-	3	4	2	2	4	8	2	6	6	3	2	6	3	-	-	-	-	-
	White-----M--	131	101	3	2	-	-	1	-	-	3	-	2	1	3	3	1	5	2	1	-	2	1	-	-	-	-	-
	F--	83	49	5	-	-	-	1	1	-	-	4	-	1	1	5	1	1	4	2	2	4	2	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	138	-	-	6	1	6	6	4	5	5	5	4	6	7	9	15	10	13	10	10	9	4	1	1	-	-	-
	White-----M--	78	-	-	4	1	4	2	1	2	3	2	2	4	5	4	7	8	8	8	5	5	1	1	1	-	-	-
	F--	60	-	-	2	-	2	4	3	3	3	3	2	2	2	5	8	2	5	2	5	4	3	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	390	10	-	-	-	1	3	-	2	5	8	7	7	11	18	24	34	34	44	58	59	31	25	6	3	-	-
	White-----M--	194	5	-	-	-	1	3	-	2	2	4	3	6	5	10	12	18	17	20	31	27	20	5	2	1	-	-
	F--	191	5	-	-	-	-	-	-	-	3	4	4	1	6	8	12	14	17	22	26	32	11	20	4	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	577	-	2	-	-	-	-	-	1	1	5	18	42	45	54	73	88	82	61	47	33	19	6	-	-	-	-
	White-----M--	365	-	2	-	-	-	-	-	1	-	2	7	23	33	34	47	61	53	42	29	18	11	2	-	-	-	-
	F--	206	-	-	-	-	-	-	-	-	1	3	11	18	12	20	24	25	29	18	18	15	8	4	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	229	-	1	-	-	-	-	-	-	1	1	3	3	6	9	27	27	48	33	28	23	16	3	-	-	-	-
	White-----M--	63	-	1	-	-	-	-	-	-	1	-	-	2	2	4	6	4	15	10	7	6	4	1	-	-	-	-
	F--	165	-	-	-	-	-	-	-	-	-	1	3	1	4	5	21	23	33	23	21	16	12	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
130-132	Nephritis	2,140	-	-	-	2	3	6	7	15	17	21	24	21	47	80	124	164	204	251	318	323	269	170	54	16	2	2
	White-----M--	1,061	-	-	-	1	1	3	2	9	9	8	12	12	24	43	71	91	104	134	159	144	123	84	20	5	-	2
	F--	1,047	-	-	-	1	2	3	5	6	7	13	12	9	21	35	49	65	95	115	155	178	144	86	33	11	2	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4	2	2	4	-	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	4	3	-	-	1	1	-	1	-	-	-
137	Diseases of the prostate	224	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	10	22	33	52	48	38	17	3	-	-	-
	White-----M--	219	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	10	22	33	51	47	37	15	3	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																											
140-150	Diseases of pregnancy, etc.*	126	-	-	-	-	-	-	-	7	19	32	27	26	12	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	122	-	-	-	-	-	-	-	6	19	29	27	26	12	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	53	-	-	-	-	-	-	-	4	6	14	10	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	53	-	-	-	-	-	-	-	4	6	14	10	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	27	-	-	-	-	-	-	-	1	4	4	7	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	26	-	-	-	-	-	-	-	-	4	4	7	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	29	-	-	-	-	-	-	-	1	4	9	7	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	28	-	-	-	-	-	-	-	1	4	8	7	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	17	-	-	-	-	-	-	-	1	5	5	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	15	-	-	-	-	-	-	-	1	5	3	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	663	563	19	9	5	4	8	7	8	7	8	2	5	1	2	5	5	2	-	1	-	2	-	-	-	-	-
	White—M	346	291	9	7	1	1	7	6	5	5	4	-	1	1	1	1	4	1	-	1	-	-	-	-	-	-	-
	F	309	265	10	2	4	3	1	1	3	2	3	2	4	-	1	4	1	1	-	-	-	2	-	-	-	-	-
	Nonwhite—M	4	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	1,733	1,733	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	1,011	1,011	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	686	686	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	23	23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	1,110	1,110	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	641	641	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	443	443	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	16	16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	623	623	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	370	370	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	243	243	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	468	-	-	-	-	-	-	2	11	29	32	42	39	32	32	58	43	42	32	28	18	1	4	1	-	-	2
	White—M	321	-	-	-	-	-	-	2	9	22	23	19	25	33	25	37	32	29	23	24	12	-	4	-	-	-	2
	F	138	-	-	-	-	-	-	-	2	7	7	23	13	18	7	20	10	12	9	3	5	1	-	1	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1	1	-	1	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	84	2	-	-	-	1	2	-	2	5	4	6	12	9	7	3	2	5	2	1	-	1	-	-	-	-	-
	White—M	41	2	-	-	-	1	1	-	1	2	2	5	8	4	5	2	2	4	1	1	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	1	-	-	3	-	-	2	5	2	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
169-195	Accidental deaths	2,843	64	35	33	29	25	83	60	102	128	95	105	108	104	114	154	162	173	192	244	268	259	207	76	12	1	10
	White—M	1,711	32	25	22	18	11	60	47	86	104	73	80	85	79	86	119	121	120	118	130	110	87	69	16	4	-	9
	F	1,090	30	10	11	11	13	20	12	15	22	20	21	22	24	26	32	35	48	71	113	155	171	138	60	8	1	1
	Nonwhite—M	25	-	-	-	-	1	2	1	1	-	2	3	-	1	-	1	4	3	2	1	3	-	-	-	-	-	-
	F	17	2	-	-	-	-	1	-	-	2	-	1	1	-	2	2	2	2	1	-	-	1	-	-	-	-	-
170	Motor-vehicle accidents	618	1	4	11	23	10	29	15	41	65	50	32	31	20	23	33	38	40	37	46	40	19	7	-	-	-	3
	White—M	459	1	2	8	12	4	19	11	31	53	42	25	24	18	18	26	28	29	31	33	25	12	4	-	-	-	3
	F	153	-	2	3	11	6	9	4	10	12	8	6	6	2	5	7	10	9	6	13	14	7	3	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	2,225	63	31	22	6	15	54	45	61	63	45	73	77	84	91	121	124	133	155	198	228	240	200	76	12	1	7
	White—M	1,252	31	23	14	6	7	41	36	55	51	31	55	61	61	68	93	93	91	87	97	85	75	65	16	4	-	6
	F	937	30	8	8	-	7	11	8	5	10	12	15	16	22	21	25	25	39	65	100	141	164	135	60	8	1	1
	Nonwhite—M	21	-	-	-	-	1	2	1	1	-	2	2	-	1	-	1	4	1	2	1	2	-	-	-	-	-	-
	F	15	2	-	-	-	-	-	-	-	2	-	1	-	-	2	2	2	2	1	-	-	1	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	157	11	1	1	-	-	1	-	1	1	3	3	6	1	6	4	9	10	19	16	6	16	22	9	3	7	1
	White—M	78	7	1	-	-	-	-	-	1	-	3	2	4	1	3	2	6	8	11	8	3	7	9	2	-	-	-
	F	75	4	-	1	-	-	1	-	-	-	-	1	2	-	3	1	3	2	8	8	3	9	13	6	3	6	1
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	All other causes	2,585	102	32	23	21	21	46	37	55	59	63	102	113	126	159	217	261	251	238	257	189	99	69	36	7	-	2
	White—M	1,321	70	15	11	11	15	21	22	32	30	36	47	50	68	77	105	149	142	124	123	86	47	23	15	1	-	1
	F	1,208	31	15	12	9	6	23	14	21	28	23	53	57	57	77	105	107	103	110	133	102	51	46	18	6	-	1
	Nonwhite—M	32	-	-	-	-	-	1	-	1	1	3	1	4	-	3	5	2	6	2	1	1	-	-	1	-	-	-
	F	24	1	2	-	1	-	1	1	1	-	1	1	2	1	2	2	3	-	2	-	-	1	-	2	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.–DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN																											
	All causes	55,167	4,552	299	176	154	123	381	352	531	809	885	993	1,299	1,840	2,655	3,792	4,681	5,376	5,840	6,029	5,805	4,668	2,929	875	193	33	17
	White-----M	29,646	2,415	145	94	75	65	216	192	296	425	416	483	583	959	1,374	2,163	2,821	3,223	3,332	3,262	2,934	2,304	1,538	360	79	8	9
	F	21,898	1,774	131	64	69	48	132	118	163	228	302	337	478	565	881	1,251	1,534	1,868	2,301	2,573	2,703	2,284	1,453	497	109	18	7
	Nonwhite--M	2,001	181	10	10	6	7	19	21	32	71	63	83	135	177	217	234	201	165	108	118	57	43	21	8	2	2	-
	F	1,622	172	13	8	4	3	14	21	40	85	84	90	103	129	173	144	125	115	99	76	51	37	17	10	3	5	1
1,2	Typhoid and paratyphoid fever	6	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	42	9	3	2	4	2	4	2	3	1	3	-	1	1	2	-	2	2	1	-	-	-	-	-	-	-	-
	White-----M	22	4	1	2	3	1	2	1	2	-	1	-	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-
	F	17	5	2	-	1	1	2	-	1	-	1	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	45	30	9	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	18	12	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	13	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	28	-	-	2	5	4	10	-	1	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	16	-	-	2	2	2	6	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	3	2	4	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,891	21	13	13	8	8	12	24	73	161	162	155	155	150	172	192	180	139	107	76	43	17	7	2	-	-	1
	White-----M	980	9	3	2	6	2	8	3	10	34	44	53	66	90	95	130	133	109	83	51	30	15	1	2	-	-	1
	F	431	6	5	3	1	3	1	6	17	51	62	56	44	24	27	26	24	19	20	20	9	2	5	-	-	-	-
	Nonwhite--M	282	2	2	3	-	2	1	5	21	33	24	27	31	28	36	26	18	11	4	3	4	-	1	-	-	-	-
	F	198	4	3	5	1	1	2	10	25	43	32	19	14	8	14	10	5	-	-	2	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,694	7	7	7	3	3	3	20	61	147	147	143	140	138	159	179	170	128	101	67	42	15	4	2	-	-	1
	White-----M	902	3	2	1	2	1	2	2	10	34	39	50	59	83	88	124	128	103	78	46	30	13	1	2	-	-	1
	F	382	2	3	2	-	1	-	5	14	48	59	53	41	22	25	22	22	14	19	18	9	2	2	-	-	-	-
	Nonwhite--M	245	1	-	3	-	-	1	5	16	25	22	23	28	26	34	25	15	11	4	1	4	-	1	-	-	-	-
	F	165	1	2	1	1	1	-	8	21	40	27	17	12	7	12	8	5	-	-	2	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	197	14	6	6	5	5	9	4	12	14	15	12	15	12	13	13	10	11	6	9	1	2	3	-	-	-	-
	White-----M	78	6	1	1	4	1	6	1	-	-	5	3	7	7	7	6	5	6	5	5	-	2	-	-	-	-	-
	F	49	4	2	1	1	2	1	1	3	3	3	3	3	2	2	4	2	5	1	2	1	-	3	-	-	-	-
	Nonwhite--M	37	1	2	-	-	2	-	-	5	8	2	4	3	2	2	1	3	-	-	2	-	-	-	-	-	-	-
	F	33	3	1	4	-	-	2	2	4	3	5	2	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	15	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-
	White-----M	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
	F	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	552	15	1	-	-	-	-	1	3	7	4	14	24	35	64	76	89	72	55	49	26	13	3	-	1	-	-
	White-----M	301	-	1	-	-	-	-	1	-	3	-	4	9	11	34	46	53	45	35	37	17	4	1	-	-	-	-
	F	103	6	-	-	-	-	-	-	2	-	1	4	4	6	10	11	13	11	13	7	7	5	2	-	1	-	-
	Nonwhite--M	102	4	-	-	-	-	-	-	-	1	1	5	10	13	18	16	18	6	6	3	-	1	-	-	-	-	-
	F	46	5	-	-	-	-	-	-	1	3	2	1	1	5	2	3	5	10	1	2	2	3	-	-	-	-	-
35	Measles	47	13	7	6	7	1	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	21	6	1	4	4	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	6	6	2	3	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliioencephalitis (acute)	90	3	1	2	3	5	14	18	16	11	7	5	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	55	2	-	1	1	4	8	12	12	5	4	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	1	-	-	2	1	6	5	3	4	2	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Con.																											
45-55	Cancer and other malignant tumors	7,481	6	7	8	7	9	17	14	24	21	58	106	198	311	514	698	899	1,042	1,021	992	746	498	226	52	5	1	1
	White-----M--	3,631	6	3	5	3	4	7	12	9	13	23	30	50	109	188	322	454	530	532	517	413	260	116	23	2	-	-
	F--	3,472	-	3	2	4	3	9	1	12	6	25	58	122	157	273	337	396	471	451	450	317	232	110	28	3	1	1
	Nonwhite--M--	177	-	-	-	-	1	-	1	2	1	2	3	6	16	16	25	23	28	20	18	9	5	-	1	-	-	-
	F--	201	-	1	1	-	1	1	-	1	1	8	15	20	29	37	14	26	13	18	7	7	1	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	3,294	2	1	2	-	-	1	1	3	4	15	29	39	89	165	249	390	496	513	508	402	236	121	21	3	1	1
	White-----M--	1,789	2	-	2	-	-	1	1	2	4	5	16	22	43	83	129	219	290	286	267	230	115	63	8	1	-	-
	F--	1,369	-	-	-	-	-	-	-	1	-	7	12	13	35	65	103	147	186	207	233	164	122	58	12	2	1	1
	Nonwhite--M--	91	-	-	-	-	-	-	-	-	-	2	1	3	9	7	12	15	15	12	8	5	1	-	1	-	-	-
	F--	45	-	1	-	-	-	-	-	-	-	1	-	1	2	10	5	9	5	8	-	3	-	-	-	-	-	-
48,49	Cancer of female genital organs--	943	-	-	-	-	-	-	-	4	3	12	32	62	71	109	117	122	130	90	87	47	39	17	1	-	-	-
	White-----F--	858	-	-	-	-	-	-	-	4	3	9	23	49	60	91	113	111	124	84	84	44	39	17	1	-	-	-
	Nonwhite--F--	87	-	-	-	-	-	-	-	-	-	3	9	13	11	18	4	11	6	6	3	3	-	-	-	-	-	-
50	Cancer of breast--	698	-	-	-	-	-	1	-	-	-	4	14	48	48	71	73	78	91	79	75	55	36	18	6	1	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	2	-	1	-	1	-	-	-	-	-
	F--	857	-	-	-	-	-	1	-	-	-	4	12	42	38	68	67	76	88	75	72	55	34	18	6	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	2	5	10	3	3	2	1	4	2	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	2,546	4	6	6	7	9	15	13	17	14	27	31	49	103	189	259	308	325	339	322	242	185	70	24	1	-	-
	White-----M--	1,834	4	3	3	3	4	6	11	7	9	18	14	27	66	105	190	235	238	246	249	183	144	53	15	1	-	-
	F--	590	-	3	2	4	3	8	1	7	3	5	11	18	24	49	54	62	73	85	61	54	37	17	9	-	-	-
	Nonwhite--M--	86	-	-	-	-	1	-	1	2	1	-	2	3	7	9	13	8	13	8	10	4	4	-	-	-	-	-
	F--	36	-	-	1	-	1	1	-	1	1	4	4	1	6	6	2	4	1	-	2	1	-	-	-	-	-	-
58	Acute rheumatic fever----------	26	1	-	-	1	1	3	4	4	-	1	1	5	1	-	1	-	-	2	1	-	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	1	2	1	-	-	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	-	1	1	2	2	2	-	1	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,540	1	1	-	-	1	2	4	7	11	11	8	14	29	71	111	195	214	258	270	188	95	42	7	-	-	-
	White-----M--	534	1	1	-	-	1	1	1	2	3	6	5	8	13	19	27	73	76	87	80	84	32	12	2	-	-	-
	F--	928	-	-	-	-	-	1	3	4	6	4	1	3	13	40	70	114	126	161	183	103	61	30	5	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	1	-	-	-	-	-	5	3	1	3	4	1	1	1	-	-	-	-	-
	F--	58	-	-	-	-	-	-	-	-	2	1	2	3	3	7	11	7	9	6	6	-	1	-	-	-	-	-
65b	Exophthalmic goiter----------	117	-	-	-	-	-	-	-	-	-	3	4	3	4	7	17	15	16	19	15	6	6	2	-	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	1	2	1	1	2	6	2	2	3	2	2	-	-	-	-	-	-
	F--	85	-	-	-	-	-	-	-	-	-	1	1	2	3	4	10	12	12	15	13	4	6	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	31	-	-	-	-	-	-	-	-	1	1	1	3	5	8	5	3	2	1	-	1	-	-	-	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	1	1	-	3	3	8	3	3	2	1	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	5,207	9	3	1	2	-	2	6	5	14	14	26	53	91	206	292	396	568	689	792	902	662	373	103	14	2	2
	White-----M--	2,378	6	1	-	-	-	1	2	2	7	5	11	15	38	84	112	180	297	315	384	418	296	162	47	4	1	-
	F--	2,583	3	2	1	2	-	1	4	2	5	6	8	29	35	93	146	184	240	333	384	473	365	205	52	8	-	2
	Nonwhite--M--	107	-	-	-	-	-	-	-	-	2	2	1	2	4	13	13	19	16	11	12	3	6	2	-	1	-	-
	F--	139	-	-	-	-	-	-	-	1	-	1	6	7	14	16	21	13	15	10	12	8	5	4	4	1	1	-
90-95	Diseases of the heart----------	17,740	8	4	1	-	-	12	22	20	39	62	117	248	486	797	1,360	1,716	2,047	2,355	2,400	2,418	2,014	1,184	351	68	5	6
	White-----M--	10,310	7	2	-	-	-	7	6	9	20	31	70	142	303	513	896	1,167	1,372	1,438	1,360	1,246	994	554	140	28	1	4
	F--	6,517	1	2	-	-	-	4	14	9	15	21	29	56	110	176	323	434	580	838	948	1,118	982	612	201	40	3	1
	Nonwhite--M--	501	-	-	1	-	-	1	1	-	1	3	8	30	40	55	84	72	51	38	55	25	21	9	6	-	-	-
	F--	412	-	-	-	-	-	-	1	2	3	7	10	20	33	53	57	43	44	41	37	29	17	9	4	-	1	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	893	-	1	-	-	-	6	15	11	18	17	41	41	51	63	79	85	77	96	89	83	70	38	10	2	-	-
	White-----M--	428	-	-	-	-	-	2	4	5	6	6	21	21	27	24	41	46	41	52	44	30	32	19	6	1	-	-
	F--	409	-	1	-	-	-	3	9	5	10	9	14	16	20	34	27	35	33	38	42	52	37	19	4	1	-	-
	Nonwhite--M--	28	-	-	-	-	-	1	1	-	-	1	3	2	2	3	6	2	2	1	3	-	1	-	-	-	-	-
	F--	28	-	-	-	-	-	-	1	1	2	1	3	2	2	2	5	2	1	5	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	6,377	4	-	-	-	-	2	1	-	3	12	37	101	251	432	682	853	977	957	794	653	378	190	42	5	1	2
	White-----M--	4,520	3	-	-	-	-	2	-	-	3	12	30	74	191	343	542	669	747	658	510	397	221	100	17	-	-	1
	F--	1,654	1	-	-	-	-	-	1	-	-	-	3	16	37	62	111	149	205	287	267	246	151	88	23	5	1	1
	Nonwhite--M--	129	-	-	-	-	-	-	-	-	-	-	1	8	17	20	18	22	16	5	9	7	3	1	2	-	-	-
	F--	74	-	-	-	-	-	-	-	-	-	-	3	3	6	7	11	13	9	7	8	3	3	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	10,470	4	3	1	-	-	4	6	9	18	33	39	106	184	302	599	778	993	1,302	1,517	1,682	1,566	956	299	61	4	4
	White-----M--	5,362	4	2	-	-	-	3	2	4	11	13	19	47	85	146	313	452	584	728	806	819	741	435	117	27	1	3
	F--	4,454	-	1	-	-	-	1	4	4	5	12	12	24	53	80	185	250	342	513	639	820	794	505	174	34	2	-
	Nonwhite--M--	344	-	-	1	-	-	-	-	-	1	2	4	20	21	32	60	48	33	32	43	18	17	8	4	-	-	-
	F--	310	-	-	-	-	-	-	-	1	1	6	4	15	25	44	41	28	34	29	29	25	14	8	4	-	1	1

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Con.																											
97,102	Arteriosclerosis and high blood pressure*	1,006	-	-	-	-	-	-	-	-	-	-	2	2	2	11	13	24	33	70	121	181	221	217	72	32	5	-
	White----M--	510	-	-	-	-	-	-	-	-	-	-	1	-	1	5	6	13	16	42	55	104	111	112	26	15	3	-
	F--	474	-	-	-	-	-	-	-	-	-	-	1	2	1	5	5	10	14	22	65	75	108	102	46	16	2	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	1	2	1	2	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	1	1	-	1	-	-
107-109, 33	Pneumonia (all forms) and influenza	2,124	482	55	26	13	5	25	10	19	27	25	36	38	57	81	106	126	150	140	162	173	165	130	59	10	3	1
	White----M--	1,114	245	24	14	5	2	12	2	15	20	11	19	17	23	36	67	82	88	95	93	76	83	56	21	4	1	1
	F--	823	188	23	11	5	3	10	8	4	6	9	11	10	21	26	20	27	49	37	67	95	79	66	38	6	2	-
	Nonwhite--M--	132	28	4	-	2	-	3	-	-	-	2	4	8	11	16	13	14	12	5	1	2	3	4	-	-	-	-
	F--	55	21	4	1	1	-	-	-	-	1	3	2	3	2	3	6	3	1	3	1	-	-	-	-	-	-	-
107	Bronchopneumonia	927	266	30	16	10	2	14	5	6	13	10	15	10	14	31	21	38	55	51	71	77	77	58	28	7	2	-
	White----M--	473	135	16	8	3	1	7	2	4	9	4	8	4	7	12	12	23	34	32	32	40	41	28	7	3	1	-
	F--	392	100	11	7	4	1	5	3	2	3	4	5	3	7	13	7	9	19	16	37	36	36	28	21	4	1	-
	Nonwhite--M--	46	21	-	-	2	-	2	-	-	-	1	2	2	-	5	-	5	1	1	1	1	-	2	-	-	-	-
	F--	26	10	3	1	1	-	-	-	-	1	1	-	1	-	1	2	1	1	2	1	-	-	-	-	-	-	-
108	Lobar pneumonia	680	73	5	1	3	1	4	-	6	9	7	14	22	28	34	62	66	67	64	61	54	45	43	8	1	-	1
	White----M--	382	42	1	-	2	1	2	-	5	7	5	8	11	12	17	39	46	36	46	39	21	19	17	5	-	-	1
	F--	209	21	4	1	1	-	1	-	1	2	1	4	4	4	6	6	10	22	15	22	32	24	24	3	1	-	-
	Nonwhite--M--	70	4	1	-	-	-	1	-	-	-	1	-	6	11	9	13	8	9	2	-	1	2	2	-	-	-	-
	F--	19	6	-	-	-	-	-	-	-	-	-	2	1	1	2	4	2	-	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	288	100	14	4	-	1	2	3	4	1	2	4	3	10	7	13	10	18	16	13	21	16	16	8	1	1	-
	White----M--	145	46	5	3	-	-	-	-	4	1	1	2	1	3	4	9	6	12	10	11	9	8	9	3	-	-	-
	F--	126	49	5	1	-	1	2	3	-	-	1	-	1	6	3	4	4	4	5	2	12	9	7	5	1	1	-
	Nonwhite--M--	11	2	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-
	F--	6	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	229	43	5	5	-	1	5	2	3	4	6	3	3	5	9	10	12	10	9	17	21	27	13	15	1	-	-
	White----M--	114	22	2	3	-	-	3	-	2	3	1	1	1	1	3	7	7	6	7	11	6	17	4	6	1	-	-
	F--	108	18	3	2	-	1	2	2	1	1	3	2	2	4	4	3	4	4	1	6	15	10	9	9	-	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	328	2	-	-	-	-	-	-	1	2	5	3	11	29	32	39	31	53	41	43	16	13	6	1	-	-	-
	White----M--	258	1	-	-	-	-	-	-	1	1	4	3	4	21	25	35	26	44	34	34	11	8	6	-	-	-	-
	F--	51	-	-	-	-	-	-	-	-	1	-	-	5	4	6	2	3	6	5	9	5	5	-	-	-	-	-
	Nonwhite--M--	15	1	-	-	-	-	-	-	-	-	1	-	1	3	-	2	1	3	2	-	-	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	270	185	21	3	2	-	-	1	3	7	3	1	2	2	6	4	6	1	5	3	4	8	2	1	-	-	-
	White----M--	142	101	9	1	1	-	-	1	-	4	1	-	1	1	1	4	6	-	3	1	2	3	2	-	-	-	-
	F--	114	75	11	2	1	-	-	-	3	2	2	1	1	1	3	-	-	1	2	2	2	4	-	1	-	-	-
	Nonwhite--M--	8	6	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-
121	Appendicitis	238	2	-	2	1	4	8	10	15	14	10	16	8	18	15	23	22	30	14	12	8	4	2	-	-	-	-
	White----M--	128	-	-	1	1	2	5	5	9	8	3	8	1	12	6	12	14	17	9	7	3	4	1	-	-	-	-
	F--	85	2	-	1	-	1	1	4	6	3	6	5	5	3	5	9	7	11	5	5	5	-	1	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	1	1	1	-	-	1	1	2	1	4	2	-	2	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	-	-	3	-	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	460	23	2	1	1	2	5	2	2	6	18	11	21	18	28	26	37	56	43	53	43	35	17	9	1	-	-
	White----M--	215	12	1	-	1	2	5	2	1	1	4	2	4	7	12	9	20	27	26	23	21	25	8	2	-	-	-
	F--	204	8	1	1	-	-	-	-	1	2	8	1	14	7	15	12	15	26	17	29	20	10	9	7	1	-	-
	Nonwhite--M--	18	3	-	-	-	-	-	-	-	-	3	2	1	1	-	3	1	2	-	1	1	-	-	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	3	3	6	2	3	1	2	1	1	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	557	-	-	-	-	-	-	2	2	1	2	12	26	58	60	75	78	66	68	36	36	23	8	3	1	-	-
	White----M--	348	-	-	-	-	-	-	-	-	-	-	5	15	33	33	51	55	48	46	25	20	12	3	1	1	-	-
	F--	179	-	-	-	-	-	-	2	2	-	2	5	9	20	19	19	20	17	21	9	16	11	5	2	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	1	2	4	6	3	3	1	1	2	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	265	-	-	-	-	-	-	-	-	-	6	5	6	9	22	27	48	28	32	23	31	17	8	3	-	-	-
	White----M--	84	-	-	-	-	-	-	-	-	-	-	1	2	1	10	12	13	6	10	6	10	5	1	3	-	-	-
	F--	177	-	-	-	-	-	-	-	-	-	6	4	4	8	11	15	34	18	22	15	21	12	7	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	2,548	2	-	1	2	1	8	11	17	21	25	42	55	81	105	175	202	240	303	340	373	299	181	54	8	1	1
	White----M--	1,309	2	-	-	-	1	4	3	8	11	9	22	27	34	38	65	112	128	163	185	193	154	97	30	3	-	-
	F--	1,060	-	-	1	2	-	4	7	8	7	10	16	21	29	42	66	68	93	126	136	175	139	81	23	5	-	1
	Nonwhite--M--	85	-	-	-	-	-	-	1	1	1	4	1	4	10	10	15	9	6	6	10	2	3	1	-	-	1	-
	F--	84	-	-	-	-	-	-	-	-	2	2	3	3	8	15	9	13	13	8	9	3	3	2	1	-	-	-
137	Diseases of the prostate	275	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	10	20	34	55	55	56	35	4	1	-	-
	White----M--	260	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	18	31	52	52	55	35	4	1	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	3	3	1	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Con.																											
140-150	Diseases of pregnancy, etc.*----	167	-	-	-	-	-	-	-	8	31	47	31	39	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	144	-	-	-	-	-	-	-	7	23	39	28	37	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	23	-	-	-	-	-	-	-	1	8	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia------	68	-	-	-	-	-	-	-	5	12	17	14	17	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	62	-	-	-	-	-	-	-	5	10	14	14	16	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	-	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	33	-	-	-	-	-	-	-	1	7	13	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	27	-	-	-	-	-	-	-	-	3	12	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	46	-	-	-	-	-	-	-	1	8	13	9	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	38	-	-	-	-	-	-	-	1	6	10	8	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	-	-	-	-	-	-	-	-	2	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes----------	20	-	-	-	-	-	-	-	1	4	4	4	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	17	-	-	-	-	-	-	-	1	4	3	2	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations----	871	736	46	14	9	7	12	9	2	8	5	4	2	1	6	5	2	1	1	-	-	1	-	-	-	-	-
	White-----M--	427	362	21	7	3	4	5	2	1	4	4	1	2	1	3	2	2	1	1	-	-	1	-	-	-	-	-
	F--	417	353	24	6	5	3	7	6	1	3	1	2	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	5	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	16	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year----	2,622	2,622	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,435	1,435	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	957	957	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	125	125	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	105	105	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	1,732	1,732	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	917	917	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	662	662	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	82	82	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year------	890	890	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	518	518	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	295	295	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	43	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	34	34	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	608	-	-	-	-	-	-	-	6	33	33	51	50	58	70	57	69	50	48	45	25	10	2	1	-	-	-
	White-----M--	445	-	-	-	-	-	-	-	5	19	26	35	33	38	53	38	54	39	38	37	19	8	2	1	-	-	-
	F--	142	-	-	-	-	-	-	-	1	8	7	13	15	15	14	19	15	9	10	8	6	2	-	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	4	-	2	2	5	1	-	-	2	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	196	3	-	1	2	3	-	3	6	22	25	27	30	27	15	13	8	4	2	2	3	-	-	-	-	-	-
	White-----M--	67	3	-	1	-	-	-	1	4	8	4	9	7	7	3	8	5	3	-	2	2	-	-	-	-	-	-
	F--	28	-	-	-	2	3	-	-	1	-	8	4	1	3	1	1	1	-	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	77	-	-	-	-	-	-	-	1	12	9	9	16	15	8	4	2	1	-	-	-	-	-	-	-	-	-
	F--	24	-	-	-	-	-	-	2	-	2	4	5	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	3,854	120	66	58	47	46	165	141	228	283	218	186	147	184	159	223	231	213	212	215	231	234	162	55	20	6	4
	White-----M--	2,558	60	35	32	29	30	108	98	176	226	185	147	116	142	111	166	173	162	149	114	112	107	51	18	9	-	2
	F--	1,138	52	29	21	15	14	44	35	45	49	26	30	23	28	32	48	47	45	56	98	115	124	109	37	10	4	2
	Nonwhite--M--	130	6	2	5	2	2	9	8	4	5	6	8	7	13	14	8	10	6	5	3	3	-	2	-	1	1	-
	F--	28	2	-	-	1	-	4	-	3	3	1	1	1	1	2	1	1	-	2	-	1	3	-	-	-	1	-
170	Motor-vehicle accidents-------	1,576	9	14	20	14	22	78	51	131	201	147	97	71	92	93	98	100	107	79	57	51	33	9	2	-	-	-
	White-----M--	1,201	6	8	10	12	16	49	32	97	167	127	78	59	70	68	67	72	87	61	47	36	26	5	1	-	-	-
	F--	334	3	6	7	2	6	24	17	33	31	18	17	10	19	18	30	24	18	18	10	13	7	2	1	-	-	-
	Nonwhite--M--	34	-	-	3	-	-	3	2	-	1	2	2	1	2	7	1	4	2	-	-	2	-	2	-	-	-	-
	F--	7	-	-	-	-	-	2	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	2,278	111	52	38	33	24	87	90	97	82	71	89	76	92	66	125	131	106	133	158	180	201	153	53	20	6	4
	White-----M--	1,357	54	27	22	17	14	59	66	79	59	58	69	57	72	43	99	101	75	88	67	76	81	46	17	9	-	2
	F--	804	49	23	14	13	8	20	18	12	18	8	13	13	9	14	18	23	27	38	88	102	117	107	36	10	4	2
	Nonwhite--M--	96	6	2	2	2	2	6	6	4	4	4	6	6	11	7	7	6	4	5	3	1	-	-	-	1	1	-
	F--	21	2	-	-	1	-	2	-	2	1	1	1	-	-	2	1	1	-	2	-	1	3	-	-	-	1	-
162,199, 200	Senility, ill-defined and unknown causes----	667	28	4	2	1	1	1	3	1	3	7	2	5	10	9	22	30	30	53	48	86	105	120	62	24	10	-
	White-----M--	341	16	3	2	-	-	1	2	1	2	6	1	2	6	7	11	18	18	30	32	46	46	57	23	9	2	-
	F--	305	10	1	-	1	1	-	1	-	1	1	1	1	3	1	10	10	9	22	15	40	57	62	38	14	6	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-
	F--	16	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	1	-	-	2	1	1	1	2	-
	All other causes-	3,242	223	54	31	37	23	68	60	64	83	107	126	151	161	189	226	259	297	282	278	208	171	101	36	8	-	1
	White-----M--	1,664	121	35	18	16	10	30	33	28	34	41	48	54	72	83	109	153	177	157	163	112	91	58	17	3	-	1
	F--	1,351	84	17	13	20	11	30	20	30	35	53	56	67	62	82	97	97	108	120	109	94	79	43	19	5	-	-
	Nonwhite--M--	112	8	-	-	-	1	4	2	1	8	5	10	12	13	13	13	5	9	1	4	2	1	-	-	-	-	-
	F--	115	10	2	-	1	1	4	5	5	6	8	12	18	14	11	7	4	3	4	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA																											
	All causes-------	26,937	1,925	136	87	54	50	250	198	234	353	309	365	474	564	949	1,421	1,950	2,398	2,789	3,162	3,501	3,010	1,906	613	127	10	3
	White-----M--	15,501	1,071	69	50	32	27	157	119	140	221	173	207	275	400	560	875	1,202	1,495	1,693	1,820	1,959	1,618	984	286	56	4	2
	F--	11,076	798	63	32	20	20	87	76	87	118	130	150	192	246	375	522	709	975	1,062	1,310	1,517	1,381	915	320	64	6	1
	Nonwhite--M--	198	41	2	1	-	1	5	3	4	8	4	4	2	8	9	9	18	20	15	17	13	6	2	3	3	-	-
	F--	162	15	2	4	2	2	1	-	3	8	2	4	5	10	5	15	21	8	13	15	12	5	4	4	4	-	-
1,2	Typhoid and paratyphoid fever---	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-------	15	2	2	1	2	-	1	1	1	-	2	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	9	1	2	-	1	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	6	1	-	1	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	4	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	16	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
10	Diphtheria-------	41	1	1	1	3	3	8	3	-	2	1	-	-	3	3	3	3	3	1	-	2	-	-	-	-	-	-
	White-----M--	21	-	-	-	2	1	4	2	-	1	1	-	-	-	2	2	2	1	1	-	2	-	-	-	-	-	-
	F--	20	1	1	1	1	2	4	1	-	1	-	-	-	3	1	1	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	585	3	2	2	1	1	5	5	18	36	37	36	30	50	55	61	66	42	45	43	24	15	6	1	1	-	-
	White-----M--	345	1	-	1	1	-	2	1	7	13	20	13	12	27	32	45	47	31	31	28	16	11	6	-	-	-	-
	F--	199	2	2	-	-	-	2	2	7	16	15	22	16	21	20	16	13	9	12	12	7	4	-	1	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	2	2	4	1	-	1	1	2	-	4	1	2	2	1	-	-	-	1	-	-
	F--	17	-	-	1	-	1	1	-	2	3	1	1	1	1	1	-	2	1	-	1	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	535	3	-	1	-	1	2	5	14	33	37	33	26	48	49	59	59	39	41	39	23	15	6	1	1	-	-
	White-----M--	315	1	-	1	-	-	1	1	4	11	20	12	9	27	29	43	41	28	28	26	18	11	6	-	-	-	-
	F--	181	2	-	-	-	-	1	2	6	15	15	20	15	19	17	16	12	9	11	10	8	4	-	1	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	2	2	4	1	-	1	1	2	-	4	1	2	2	1	-	-	-	1	-	-
	F--	15	-	-	-	-	1	-	-	2	3	1	1	1	1	1	-	2	1	-	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	50	-	2	1	1	-	3	-	4	3	-	3	4	2	6	2	7	3	4	4	1	-	-	-	-	-	-
	White-----M--	30	-	-	-	1	-	1	-	3	2	-	1	3	-	3	2	6	3	3	2	-	-	-	-	-	-	-
	F--	18	-	2	-	-	-	1	-	1	1	-	2	1	2	3	-	1	-	1	2	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-------	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-
	White-----M--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria---------	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	189	1	-	-	-	1	-	-	-	2	1	1	4	8	15	20	35	36	28	18	14	3	2	-	-	-	-
	White-----M--	138	1	-	-	-	1	-	-	-	1	1	-	2	6	11	17	27	29	18	9	12	2	1	-	-	-	-
	F--	41	-	-	-	-	-	-	-	-	1	-	1	2	-	3	2	7	5	9	8	1	1	1	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles----------	10	3	1	3	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	1	3	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	216	-	2	6	8	6	45	44	26	18	18	21	10	6	3	-	1	2	-	-	-	-	-	-	-	-	-
	White-----M--	136	-	1	3	6	6	31	29	17	9	5	13	5	4	2	-	-	2	-	-	-	-	-	-	-	-	-
	F--	77	-	1	2	2	-	12	15	9	9	10	8	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Con.																											
45-55	Cancer and other malignant tumors	3,982	6	3	4	4	2	11	11	6	15	27	31	73	124	198	301	428	525	559	554	526	361	179	28	3	-	2
	White-----M--	2,099	3	2	2	3	2	9	7	2	8	11	10	22	52	75	128	208	279	322	329	297	213	99	14	2	-	-
	F--	1,858	3	1	2	1	-	2	4	4	7	16	21	50	70	121	168	217	245	232	223	227	146	80	14	4	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	1	1	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	3	1	3	1	1	1	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	1,887	-	1	-	1	-	1	-	1	2	11	5	15	46	76	115	182	245	296	301	235	197	82	12	3	-	-
	White-----M--	1,101	-	-	-	1	-	1	-	1	1	5	2	8	30	45	56	108	152	190	181	156	102	47	7	1	-	-
	F--	776	-	1	-	-	-	-	-	-	1	6	3	7	14	31	56	74	92	106	119	128	86	45	5	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	1	1	1	-	-	-	-	-
48,49	Cancer of female genital organs--	386	-	-	-	-	-	-	-	1	1	4	8	23	23	38	50	55	54	48	33	21	14	11	2	-	-	-
	White-----F--	377	-	-	-	-	-	-	-	1	1	4	8	22	23	36	49	52	54	46	33	21	14	11	2	-	-	-
	Nonwhite--F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	-	2	-	-	-	-	-	-	-	-
50	Cancer of breast-	408	-	-	-	-	-	-	-	-	1	1	4	14	27	38	44	60	55	48	38	37	27	10	2	2	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-	-
	F--	401	-	-	-	-	-	-	-	-	1	1	4	14	27	38	42	59	54	47	37	37	26	10	2	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	1,301	6	2	4	3	2	10	11	4	11	11	14	21	28	46	82	131	171	167	182	183	123	66	12	1	-	-
	White-----M--	993	3	2	2	2	2	8	8	1	7	6	8	14	22	30	71	99	126	132	147	141	103	52	7	1	-	-
	F--	304	3	-	2	1	-	2	4	3	4	5	6	7	6	16	21	32	45	33	34	41	20	14	5	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	22	-	-	-	1	1	2	4	4	1	1	2	-	1	1	1	2	-	-	-	-	1	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-
	F--	13	-	-	-	1	1	1	3	4	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	743	-	-	-	-	-	1	2	6	3	8	7	8	11	14	29	54	87	110	134	124	101	37	6	1	-	-
	White-----M--	299	-	-	-	-	-	-	2	-	1	4	4	5	6	7	13	28	32	40	42	56	38	17	3	1	-	-
	F--	439	-	-	-	-	-	1	-	6	2	4	3	3	4	7	15	25	55	68	92	68	63	20	3	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	50	-	-	-	-	-	-	-	-	-	1	1	1	1	-	6	8	11	8	7	4	1	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	1	-	-	-	-	-	-	-	-
	F--	43	-	-	-	-	-	-	-	-	-	1	1	1	1	-	4	8	7	7	7	4	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	37	-	-	-	-	-	-	-	-	1	1	-	1	4	10	6	5	4	3	1	1	-	-	-	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	1	-	-	1	1	9	4	5	4	3	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	2,766	3	-	2	-	-	3	5	2	4	3	9	13	35	57	122	201	263	342	427	506	427	263	68	10	1	-
	White-----M--	1,414	1	-	2	-	-	1	2	2	4	1	5	6	14	26	61	99	146	191	214	278	208	120	25	5	1	-
	F--	1,323	2	-	-	-	-	2	3	-	-	-	4	7	20	31	58	95	109	149	209	227	219	141	42	5	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	2	5	1	2	1	-	1	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	1	1	2	-	-	1	-	-	-	-
90-95	Diseases of the heart----------	8,355	3	-	1	1	-	5	10	16	22	28	42	81	142	278	430	659	868	1,036	1,239	1,345	1,147	720	230	49	1	1
	White-----M--	5,159	2	-	1	-	-	2	6	7	9	13	25	58	103	201	309	463	614	674	784	762	623	388	110	25	-	-
	F--	3,115	1	-	-	1	-	4	3	9	12	14	14	22	36	74	113	184	246	355	465	571	521	330	118	20	1	1
	Nonwhite--M--	40	-	-	-	-	-	-	1	-	-	1	2	-	1	2	2	6	5	5	4	5	2	1	1	2	-	-
	F--	41	-	-	-	-	-	-	-	-	1	-	1	1	2	1	6	6	3	2	6	7	1	1	1	2	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	504	-	-	-	1	-	5	6	9	11	9	15	20	24	26	37	45	43	55	44	69	46	26	8	5	-	-
	White-----M--	277	-	-	-	-	-	2	4	6	3	4	6	12	13	11	25	26	25	39	25	33	22	15	4	2	-	-
	F--	221	-	-	-	1	-	3	2	3	7	5	8	8	10	15	12	19	18	16	18	35	24	11	4	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	3,596	1	-	1	-	-	-	-	1	4	10	18	32	78	157	255	370	487	475	548	513	360	208	57	11	-	-
	White-----M--	2,529	-	-	1	-	-	-	-	-	2	6	15	27	61	134	203	293	382	326	374	331	210	125	35	4	-	-
	F--	1,034	1	-	-	-	-	-	-	1	2	4	2	5	15	21	50	76	103	143	172	179	150	82	22	6	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	2	4	-	2	-	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	1	-	-	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	4,265	2	-	-	-	-	1	4	6	7	9	9	29	40	95	138	244	338	506	647	763	741	486	165	33	1	1
	White-----M--	2,353	2	-	-	-	-	-	2	1	4	3	4	19	29	56	81	144	207	309	365	398	391	248	71	19	-	-
	F--	1,860	-	-	-	-	-	1	1	5	3	5	4	9	11	38	51	89	125	196	275	357	347	237	92	12	1	1
	Nonwhite--M--	23	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	5	3	1	4	3	2	-	1	1	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	6	3	-	3	5	1	1	1	1	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Con.																											
97,102	Arteriosclerosis and high blood pressure*------	713	-	-	-	-	-	-	-	-	-	1	-	1	-	5	2	11	17	51	82	126	178	152	71	11	5	-
	White-----M--	393	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	5	8	27	42	76	108	82	33	6	2	-
	F--	315	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	5	9	23	40	48	70	70	38	5	3	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	1,192	168	27	7	5	-	14	10	4	9	11	9	22	12	23	46	49	56	76	106	152	179	145	54	8	-	-
	White-----M--	620	72	13	5	4	-	6	6	3	6	3	8	12	9	17	30	34	31	47	57	71	89	70	26	1	-	-
	F--	539	79	13	2	1	-	8	4	1	3	7	1	10	3	6	16	13	24	28	45	79	88	75	27	6	-	-
	Nonwhite--M--	20	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	1	-	-	-
	F--	13	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	1	1	1	-	-	1	-	-
107	Bronchopneumonia-	668	103	17	6	3	-	5	1	2	5	2	3	9	4	10	18	21	33	39	61	87	108	90	35	6	-	-
	White-----M--	325	42	6	4	2	-	2	-	2	2	-	2	6	3	7	12	16	15	20	32	39	53	41	18	1	-	-
	F--	320	49	11	2	1	-	3	1	-	3	2	1	3	1	3	6	3	17	18	26	47	54	49	16	4	-	-
	Nonwhite--M--	15	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-	-
	F--	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	1	-	-
108	Lobar pneumonia--	300	23	6	1	1	-	1	2	2	2	5	1	5	5	10	19	16	16	29	31	40	39	35	10	1	-	-
	White-----M--	178	12	4	1	1	-	1	2	1	2	1	1	2	5	8	14	10	12	21	19	17	18	20	6	-	-	-
	F--	114	8	1	-	-	-	-	-	1	-	3	-	3	-	2	5	6	4	8	11	22	20	15	4	1	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
109	Pneumonia (unspecified)------	95	27	2	-	-	-	2	1	-	-	2	3	3	1	1	5	4	1	2	6	10	13	10	1	1	-	-
	White-----M--	52	11	1	-	-	-	1	1	-	-	2	3	1	1	-	3	3	1	2	3	5	9	5	-	-	-	-
	F--	41	14	1	-	-	-	1	-	-	-	-	-	2	-	1	2	1	-	-	3	5	4	5	1	1	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	129	15	2	-	1	-	6	6	-	2	2	2	5	2	2	4	8	6	6	8	15	19	10	8	-	-	-
	White-----M--	65	7	2	-	1	-	2	3	-	2	-	2	3	-	2	1	5	3	4	5	10	9	4	2	-	-	-
	F--	64	8	-	-	-	-	4	3	-	-	2	-	2	2	-	3	3	3	2	5	5	10	6	6	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	150	-	-	-	-	-	1	-	-	1	1	1	5	7	12	14	17	21	19	14	22	9	5	1	-	-	-
	White-----M--	115	-	-	-	-	-	1	-	-	1	1	1	5	7	7	13	11	17	15	10	18	5	3	-	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	6	4	4	4	3	4	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*------	100	64	4	2	-	-	1	1	1	3	2	-	1	1	4	1	1	1	1	3	4	1	2	1	1	-	-
	White-----M--	57	39	2	2	-	-	-	-	-	1	-	-	1	1	2	-	1	-	1	3	2	-	1	-	1	-	-
	F--	37	21	2	-	-	-	-	1	1	2	2	-	-	-	2	1	-	-	-	-	2	1	1	1	-	-	-
	Nonwhite--M--	5	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	101	-	1	2	-	2	8	2	8	4	2	1	9	5	11	3	5	10	8	6	6	5	3	-	-	-	-
	White-----M--	68	-	1	1	-	1	5	-	6	3	2	1	6	3	9	3	4	8	5	1	4	3	2	-	-	-	-
	F--	33	-	-	1	-	1	3	2	2	1	-	-	3	2	2	-	1	2	3	5	2	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	219	7	4	-	1	-	4	5	1	4	-	4	2	5	5	11	15	13	33	32	25	24	20	4	-	-	-
	White-----M--	106	5	2	-	1	-	3	2	-	2	-	1	1	4	2	6	7	5	18	15	8	11	11	2	-	-	-
	F--	109	2	2	-	-	-	1	3	1	2	-	3	1	1	3	5	6	8	14	16	17	13	9	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	232	-	1	1	-	-	-	2	-	3	2	5	12	15	20	32	29	23	27	20	17	17	5	1	-	-	-
	White-----M--	152	-	-	1	-	-	-	1	-	2	-	3	8	10	12	23	18	18	18	14	11	10	3	-	-	-	-
	F--	79	-	1	-	-	-	-	1	-	1	2	2	4	4	8	9	11	5	9	6	6	7	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*----------	167	-	-	-	-	-	-	-	-	-	-	1	3	7	7	17	19	25	19	16	24	18	6	3	-	-	-
	White-----M--	55	-	-	-	-	-	-	-	-	-	-	-	2	4	1	3	5	6	7	7	8	7	3	-	-	-	-
	F--	109	-	-	-	-	-	-	-	-	-	-	1	2	3	6	11	14	19	11	9	16	11	3	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	911	1	-	2	1	1	5	7	5	10	9	17	10	26	30	54	74	67	105	115	132	143	72	21	4	-	-
	White-----M--	522	1	-	1	1	1	4	-	4	7	1	12	6	15	17	32	42	36	66	69	75	79	39	12	2	-	-
	F--	380	-	-	1	-	-	1	7	1	3	8	5	4	11	11	22	30	31	38	45	57	62	32	9	2	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	-	-	-	-
137	Diseases of the prostate--------	164	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	7	20	25	37	40	17	9	2	-	-
	White-----M--	161	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	7	20	24	37	40	17	9	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Con.																											
140-150	Diseases of pregnancy, etc.*----	62	-	-	-	-	-	-	-	5	10	16	11	10	7	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	59	-	-	-	-	-	-	-	4	10	16	10	10	6	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia------	22	-	-	-	-	-	-	-	3	5	5	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	21	-	-	-	-	-	-	-	2	5	5	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	14	-	-	-	-	-	-	-	-	1	8	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	14	-	-	-	-	-	-	-	-	1	8	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	26	-	-	-	-	-	-	-	2	4	3	6	4	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	24	-	-	-	-	-	-	-	2	4	3	5	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	443	342	24	9	4	3	16	4	7	7	8	2	4	2	1	1	2	4	1	1	-	1	-	-	-	-	-
	White-----M--	246	185	12	5	3	2	9	3	4	4	8	-	3	2	1	1	1	2	-	1	-	-	-	-	-	-	-
	F--	192	152	12	4	1	1	7	1	3	3	-	2	1	-	-	-	1	2	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,158	1,158	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	660	660	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	476	476	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	16	16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	744	744	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	425	425	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	306	306	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year-------	414	414	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	235	235	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	170	170	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	342	-	-	-	-	-	-	4	2	19	14	18	25	39	29	45	41	36	26	21	11	6	3	3	-	-	-
	White-----M--	270	-	-	-	-	-	-	4	1	13	11	15	16	32	24	38	33	28	18	18	8	6	2	3	-	-	-
	F--	70	-	-	-	-	-	-	-	1	5	3	3	9	7	5	7	8	7	8	3	3	-	1	-	-	-	-
	Nonwhite--M--	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide---------	45	11	-	1	1	-	-	-	3	4	5	5	2	1	1	3	4	1	1	1	1	-	-	-	-	-	-
	White-----M--	24	6	-	-	-	-	-	-	1	1	1	3	1	1	1	2	4	1	1	1	-	-	-	-	-	-	-
	F--	19	5	-	1	1	-	-	-	2	2	4	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,894	48	25	26	16	15	70	56	84	135	72	81	84	71	70	94	83	111	120	134	169	153	127	38	10	1	2
	White-----M--	1,293	27	13	18	7	10	47	42	65	111	65	67	70	61	57	77	73	86	78	77	95	80	47	14	4	-	2
	F--	579	21	12	7	8	5	23	13	18	21	7	13	13	8	13	16	10	21	38	56	72	73	80	24	6	1	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	1	3	-	-	1	2	-	1	-	3	3	1	-	-	-	-	-	-	-
	F--	7	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
170	Motor-vehicle accidents-------	588	3	4	8	7	7	23	13	37	84	46	33	31	26	32	34	31	40	41	40	34	11	3	-	-	-	-
	White-----M--	456	1	2	5	2	5	18	8	25	67	39	22	25	23	25	29	27	35	28	28	30	9	3	-	-	-	-
	F--	121	2	2	3	5	2	5	5	11	14	7	10	6	2	7	4	4	4	11	12	3	2	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	3	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
169, 171-195	Other accidents--	1,306	45	21	18	9	8	47	42	47	51	26	48	53	45	38	60	52	71	79	94	135	142	124	38	10	1	2
	White-----M--	837	26	11	13	5	5	29	34	40	44	26	45	45	38	32	48	46	51	50	49	85	71	44	14	4	-	2
	F--	456	19	10	4	3	3	18	8	7	7	-	3	7	6	6	12	6	17	27	44	69	71	80	24	6	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	1	-	-	-	-	-	-	-
	F--	4	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes----	321	22	2	2	-	2	2	-	1	2	2	3	2	3	4	2	8	14	9	19	38	51	66	45	20	2	-
	White-----M--	160	10	-	-	-	-	1	-	-	2	2	2	1	2	4	2	7	8	6	12	20	24	33	18	5	1	-
	F--	139	7	-	1	-	1	-	-	-	-	-	1	1	1	-	-	-	4	3	4	17	27	32	25	14	1	-
	Nonwhite--M--	10	3	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	12	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	1	2	1	-	-
	All other causes-	1,681	69	33	14	6	13	42	22	34	38	35	57	59	76	86	113	126	150	140	142	189	128	74	29	4	-	-
	White-----M--	919	47	18	8	3	3	28	10	21	21	17	24	32	35	38	57	74	89	91	82	102	60	40	17	2	-	-
	F--	744	19	14	5	2	9	13	12	13	16	18	32	27	40	48	54	52	61	49	60	87	66	34	11	2	-	-
	Nonwhite--M--	11	3	-	-	-	1	1	-	-	-	-	1	-	1	2	1	-	-	-	-	-	1	-	-	-	-	-
	F--	7	-	1	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI																											
	All causes-------	19,417	2,311	208	118	92	75	241	220	406	527	498	584	731	809	1,008	1,212	1,375	1,567	1,840	1,774	1,530	1,044	698	328	116	83	22
	White-----M--	5,333	560	33	35	19	17	53	47	95	110	105	129	140	191	214	331	417	497	599	590	503	314	219	77	14	1	3
	F--	3,797	456	24	24	16	7	45	33	59	61	69	87	106	120	141	150	220	244	371	413	418	314	263	117	30	5	4
	Nonwhite--M--	5,369	699	92	31	28	31	84	78	133	182	185	179	218	203	298	374	394	432	460	454	360	211	119	72	33	31	8
	F--	4,918	576	59	28	29	20	59	62	119	174	159	189	267	295	355	357	344	394	410	317	249	205	97	62	39	46	7
1,2	Typhoid and paratyphoid fever---	10	1	-	-	1	-	-	1	1	1	1	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	24	12	3	2	-	-	-	-	1	1	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	2	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	2	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	31	21	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	6	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	31	2	9	6	2	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	-	7	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	1	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	2	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)------	741	3	9	2	3	1	4	7	43	95	92	84	82	61	45	61	40	32	30	20	13	6	2	3	-	-	3
	White-----M--	153	1	1	1	-	1	-	-	2	5	6	9	14	15	19	21	19	15	11	5	4	1	-	2	-	-	1
	F--	89	-	1	-	-	-	-	-	-	7	11	7	9	10	5	3	6	9	7	6	4	2	1	1	-	-	-
	Nonwhite--M--	253	1	3	-	3	-	2	3	21	33	32	33	32	22	16	21	8	4	8	4	3	2	-	-	-	-	2
	F--	246	1	4	1	-	-	2	4	20	50	43	35	27	14	5	16	7	4	4	5	2	1	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*----	669	1	3	1	-	-	1	4	41	91	84	76	72	54	42	58	39	30	28	19	13	5	2	3	-	-	2
	White-----M--	145	-	-	-	-	-	-	-	2	4	6	9	12	15	19	21	19	14	11	5	4	1	-	2	-	-	1
	F--	81	-	1	-	-	-	-	-	-	7	11	6	7	9	5	1	6	9	6	5	4	2	1	1	-	-	-
	Nonwhite--M--	217	-	1	-	-	-	-	1	19	32	29	31	27	16	14	21	7	3	7	4	3	1	-	-	-	-	1
	F--	226	1	1	1	-	-	1	3	20	48	38	30	26	14	4	15	7	4	4	5	2	1	1	-	-	-	-
14-22	Tuberculosis (other forms)---	72	2	6	1	3	1	3	3	2	4	8	8	10	7	3	3	1	2	2	1	-	1	-	-	-	-	1
	White-----M--	8	1	1	1	-	1	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	36	1	2	-	3	-	2	2	2	1	3	2	5	6	2	-	1	1	1	-	-	1	-	-	-	-	1
	F--	20	-	3	-	-	-	1	1	-	2	5	5	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	28	9	-	1	1	1	-	1	1	-	-	-	1	-	-	2	2	1	2	3	-	2	-	1	-	-	-
	White-----M--	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M--	9	8	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	12	2	-	-	1	-	-	1	1	-	-	-	1	-	-	1	1	1	1	1	-	1	-	-	-	-	-
28	Malaria----------	29	-	2	1	-	1	-	-	2	-	1	2	3	-	2	3	-	5	-	1	4	1	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	12	-	1	-	-	-	-	-	-	-	1	2	1	-	1	1	-	2	-	1	2	-	-	-	-	-	-
	F--	13	-	1	-	-	1	-	-	2	-	-	-	2	-	1	2	-	3	-	-	1	-	-	-	-	-	-
30	Syphilis---------	217	19	-	-	-	1	2	-	4	8	9	12	19	17	27	26	20	17	13	16	3	2	1	1	-	-	-
	White-----M--	32	1	-	-	-	-	-	-	-	-	-	1	2	1	2	5	4	5	4	5	-	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	120	10	-	-	-	1	1	-	-	3	5	8	12	8	18	17	9	11	6	7	2	1	-	1	-	-	-
	F--	61	8	-	-	-	-	1	-	4	5	4	3	5	8	6	4	6	1	2	3	1	-	-	-	-	-	-
35	Measles----------	43	7	8	3	4	1	1	4	1	1	4	1	1	1	-	2	-	2	1	-	1	-	-	-	-	-	-
	White-----M--	9	-	1	2	-	-	-	1	-	-	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	9	-	1	-	-	1	1	-	-	-	1	-	1	-	-	1	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	12	4	5	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	3	1	1	3	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	17	2	3	1	2	-	2	1	1	1	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	10	-	2	1	2	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Con.																											
45-55	Cancer and other malignant tumors	1,674	-	1	-	1	3	6	8	12	16	18	45	64	105	126	156	196	204	214	207	153	73	46	12	4	-	4
	White-----M--	500	-	-	-	-	-	1	2	3	2	3	8	10	18	17	32	68	80	74	83	58	28	9	3	1	-	-
	F--	530	-	1	-	1	2	2	4	2	4	4	13	31	34	41	44	52	51	69	68	51	27	22	4	2	-	1
	Nonwhite--M--	250	-	-	-	-	1	2	2	2	8	4	5	4	9	15	30	28	26	30	35	29	8	8	2	1	-	1
	F--	394	-	-	-	-	-	1	-	5	2	7	19	19	44	53	50	48	47	41	21	15	10	7	3	-	-	2
46	Cancer of the digestive organs and peritoneum--	686	-	-	-	-	-	-	1	2	4	5	5	17	33	42	56	87	95	108	102	67	34	20	5	-	-	3
	White-----M--	239	-	-	-	-	-	-	-	-	1	1	2	6	7	8	15	36	39	43	39	26	12	3	1	-	-	-
	F--	191	-	-	-	-	-	-	-	-	1	-	1	6	8	10	12	16	23	30	37	21	15	10	-	-	-	1
	Nonwhite--M--	138	-	-	-	-	-	-	1	1	2	2	1	3	6	9	14	17	17	20	20	15	3	4	2	-	-	1
	F--	118	-	-	-	-	-	-	-	1	-	2	1	2	12	15	15	18	16	15	6	5	4	3	2	-	-	1
48,49	Cancer of female genital organs--	300	-	-	-	-	-	-	-	3	3	5	22	24	33	43	41	35	27	25	16	12	6	4	-	-	-	1
	White-----F--	128	-	-	-	-	-	-	-	-	1	1	8	13	13	17	18	16	11	11	8	7	2	2	-	-	-	-
	Nonwhite--F--	172	-	-	-	-	-	-	-	3	2	4	14	11	20	26	23	19	16	14	8	5	4	2	-	-	-	1
50	Cancer of breast-	135	-	-	-	-	-	-	-	-	1	2	4	8	12	15	14	17	19	15	7	11	5	3	2	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	78	-	-	-	-	-	-	-	-	1	2	1	6	5	10	7	9	7	11	3	10	3	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	55	-	-	-	-	-	-	-	-	-	-	3	2	7	3	7	8	10	4	4	1	2	1	1	-	-	-
45,47, 51-55	Cancer (other sites)----------	553	-	1	-	1	3	6	7	7	8	6	14	15	27	26	45	57	63	66	82	63	28	19	5	4	-	-
	White-----M--	260	-	-	-	-	-	1	2	3	1	2	6	4	11	9	17	32	40	31	44	32	16	6	2	1	-	-
	F--	133	-	1	-	1	2	2	4	2	1	1	3	6	8	4	7	11	10	17	20	13	7	8	3	2	-	-
	Nonwhite--M--	111	-	-	-	-	1	2	1	1	6	2	4	1	3	6	16	11	8	10	15	14	5	4	-	1	-	-
	F--	49	-	-	-	-	-	1	-	1	-	1	1	4	5	7	5	3	5	8	3	4	-	1	-	-	-	-
58	Acute rheumatic fever----------	18	-	-	-	1	-	3	5	2	2	-	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	1	-	2	1	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	311	2	-	-	1	-	-	2	6	4	7	8	9	10	15	23	31	42	48	42	32	8	13	4	2	-	2
	White-----M--	77	1	-	-	-	-	-	-	1	2	1	-	2	1	2	5	6	10	12	15	11	3	5	-	-	-	-
	F--	114	-	-	-	1	-	-	-	2	-	2	1	2	-	3	8	10	14	24	16	16	3	7	3	1	-	1
	Nonwhite--M--	37	-	-	-	-	-	-	-	1	2	1	2	1	1	3	3	4	7	3	4	3	-	1	-	1	-	-
	F--	83	1	-	-	-	-	-	2	2	-	3	5	4	8	7	7	11	11	9	7	2	2	-	1	-	-	1
63b	Exophthalmic goiter----------	23	-	-	-	-	-	-	-	-	-	1	1	1	3	2	3	2	3	4	1	1	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	1	1	1	2	1	3	-	1	3	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	45	-	-	-	-	-	-	1	-	-	-	1	1	1	4	2	4	8	7	6	1	5	3	1	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	2	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	3	1	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	1	1	-	-	1	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	4	3	3	-	1	-	-	-	-	-
77	Alcoholism (ethylism)------	19	-	-	-	-	-	-	-	-	1	-	5	6	2	1	2	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	1	-	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,803	4	-	-	-	-	2	2	4	6	11	19	31	63	123	138	172	186	255	292	212	141	94	29	12	5	2
	White-----M--	451	1	-	-	-	-	1	-	2	-	3	2	2	9	19	24	42	37	75	100	65	37	24	7	1	-	-
	F--	419	-	-	-	-	-	-	2	1	2	1	4	7	7	18	16	36	30	66	69	68	40	38	10	3	-	1
	Nonwhite--M--	400	2	-	-	-	-	1	-	-	1	4	7	4	13	30	41	45	53	48	61	36	29	12	6	4	2	1
	F--	533	1	-	-	-	-	-	-	1	3	3	6	18	34	56	57	49	66	66	62	43	35	20	6	4	3	-
90-95	Diseases of the heart----------	3,631	4	2	1	-	4	9	18	13	21	18	44	84	120	210	286	346	444	538	485	424	277	183	74	13	11	2
	White-----M--	1,398	1	-	-	-	-	1	3	4	2	3	14	23	34	66	111	158	193	229	189	171	106	63	23	2	-	2
	F--	754	2	1	-	-	-	1	4	3	3	1	5	6	16	23	27	36	65	105	124	132	94	74	27	5	-	-
	Nonwhite--M--	783	1	-	1	-	2	5	5	3	8	3	9	17	30	54	79	81	105	112	110	67	44	26	14	2	5	-
	F--	696	-	1	-	-	2	2	6	3	8	11	16	38	40	67	69	71	81	92	62	54	33	20	10	4	6	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	358	-	-	-	-	3	5	9	5	6	2	8	9	17	25	24	26	38	42	43	41	22	20	9	2	1	1
	White-----M--	85	-	-	-	-	-	1	2	1	1	-	1	2	3	7	4	8	13	15	9	9	4	3	1	-	-	1
	F--	74	-	-	-	-	-	-	1	1	2	-	3	2	3	2	4	2	5	6	9	15	9	7	2	1	-	-
	Nonwhite--M--	106	-	-	-	-	1	2	3	1	1	-	3	2	5	9	7	10	12	11	14	8	7	7	3	-	-	-
	F--	93	-	-	-	-	2	2	3	2	2	2	1	3	6	7	9	6	8	10	11	9	2	3	3	1	1	-
94	Diseases of coronary arteries and angina pectoris---------	935	2	-	-	-	-	-	1	1	2	4	10	26	41	69	92	114	128	148	117	85	56	21	12	5	1	-
	White-----M--	542	1	-	-	-	-	-	1	-	-	1	5	11	20	38	61	79	83	92	64	46	23	10	5	2	-	-
	F--	197	-	-	-	-	-	-	-	-	1	1	-	2	8	9	11	7	24	32	37	28	23	9	3	2	-	-
	Nonwhite--M--	103	1	-	-	-	-	-	-	1	1	-	2	4	7	10	11	15	12	17	7	7	2	1	4	-	1	-
	F--	93	-	-	-	-	-	-	-	-	-	2	3	9	6	12	9	13	9	7	9	4	8	1	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	2,338	2	2	1	-	1	4	8	7	13	12	26	49	62	116	170	206	278	348	325	298	199	142	53	6	9	1
	White-----M--	771	-	-	-	-	-	-	-	3	1	2	8	10	11	21	46	71	97	122	116	116	79	50	17	-	-	1
	F--	483	2	1	-	-	-	1	3	2	-	-	2	2	5	12	12	27	36	67	78	89	62	58	22	2	-	-
	Nonwhite--M--	574	-	-	1	-	1	3	2	1	6	3	4	11	18	35	61	56	81	84	89	52	35	18	7	2	4	-
	F--	510	-	1	-	-	-	-	3	1	6	7	12	28	28	48	51	52	64	75	42	41	23	16	7	2	5	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Con.																											
97,102	Arteriosclerosis and high blood pressure*	255	-	-	-	-	-	-	-	-	-	1	1	4	8	10	10	15	21	29	37	41	34	21	15	5	2	-
	White—M	63	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	11	8	18	10	6	3	-	-	-
	F	58	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	2	3	6	11	11	8	8	2	-	-
	Nonwhite—M	70	-	-	-	-	-	-	-	-	-	1	1	-	1	5	2	8	10	11	11	3	7	5	1	3	1	-
	F	64	-	-	-	-	-	-	-	-	-	-	-	3	5	4	6	4	5	4	12	9	6	2	3	-	1	-
107-109, 33	Pneumonia (all forms) and influenza	1,160	297	52	22	8	5	27	15	13	17	21	24	31	29	44	48	48	47	75	70	79	80	61	31	10	5	1
	White—M	256	45	7	4	1	-	8	3	3	3	4	6	6	5	5	9	8	14	23	22	25	23	23	6	3	-	-
	F	218	44	3	4	1	-	4	-	-	1	3	3	2	5	2	7	4	8	9	21	22	29	29	13	4	-	-
	Nonwhite—M	350	114	24	7	2	4	7	6	4	4	7	8	10	7	19	19	14	10	25	15	20	9	6	8	1	2	-
	F	336	94	18	7	4	1	8	6	6	9	7	9	13	12	18	13	22	15	18	12	12	19	3	4	2	3	1
107	Bronchopneumonia	301	125	20	6	5	1	4	7	1	4	4	3	8	5	6	4	7	7	9	10	17	20	16	9	2	1	-
	White—M	74	19	1	1	1	-	1	3	-	2	2	1	2	2	-	1	4	4	4	3	3	9	5	4	2	-	-
	F	62	21	-	1	1	-	1	-	-	-	1	-	-	-	-	1	-	-	2	5	5	9	10	5	-	-	-
	Nonwhite—M	86	51	10	3	-	1	-	1	-	1	1	-	3	-	2	-	2	1	2	1	5	-	1	-	-	1	-
	F	79	34	9	1	3	-	2	3	1	1	-	2	3	3	4	2	1	2	1	1	4	2	-	-	-	-	-
108	Lobar pneumonia	377	61	8	5	2	-	8	1	5	6	7	11	18	15	16	23	23	23	30	32	28	24	22	8	-	1	-
	White—M	85	10	2	1	-	-	1	-	1	1	1	2	3	2	2	5	3	5	5	11	13	4	12	1	-	-	-
	F	67	7	-	1	-	-	-	-	-	-	1	1	2	1	2	4	3	6	4	8	8	8	8	3	-	-	-
	Nonwhite—M	120	28	3	2	2	-	3	1	1	1	1	4	6	6	9	8	9	5	12	8	3	5	1	2	-	-	-
	F	105	16	3	1	-	-	4	-	3	4	4	4	7	6	3	6	8	7	9	5	4	7	1	2	-	1	-
109	Pneumonia (unspecified)	106	32	6	-	1	1	4	1	2	3	2	5	1	3	6	4	1	6	6	1	7	8	3	3	-	-	-
	White—M	29	5	-	-	-	-	3	-	1	-	-	2	1	-	1	1	-	3	4	1	3	3	1	-	-	-	-
	F	15	4	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	2	4	1	1	-	-	-
	Nonwhite—M	30	9	5	-	-	1	1	-	1	-	1	-	-	-	1	3	-	1	2	-	2	-	1	2	-	-	-
	F	32	14	1	-	1	-	-	1	-	3	1	1	-	2	4	-	1	2	-	-	-	1	-	-	-	-	-
33	Influenza	376	79	18	11	-	3	11	6	5	4	8	5	4	6	16	17	17	11	30	27	27	28	20	11	8	3	1
	White—M	68	11	4	2	-	-	3	-	1	-	1	1	-	1	2	2	1	2	10	7	6	7	5	1	1	-	-
	F	74	12	3	2	-	-	3	-	-	1	1	-	-	3	-	2	1	2	3	8	7	8	10	4	4	-	-
	Nonwhite—M	114	26	6	2	-	2	3	4	2	2	4	2	1	1	7	8	3	3	9	6	10	4	3	4	1	1	-
	F	120	30	5	5	-	1	2	2	2	1	2	2	3	1	7	5	12	4	8	6	4	9	2	2	2	2	1
117	Ulcer of stomach or duodenum	70	-	-	-	-	-	-	-	-	-	4	6	6	8	5	7	7	6	5	9	3	-	3	1	-	-	-
	White—M	30	-	-	-	-	-	-	-	-	-	1	2	1	3	2	3	4	5	3	4	1	-	1	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	3	1	-	2	1	-	-	-
	Nonwhite—M	19	-	-	-	-	-	-	-	-	-	3	2	2	3	2	2	1	1	1	1	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	1	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	96	48	7	2	-	2	3	2	-	-	1	3	1	1	1	2	2	4	7	5	2	1	2	-	-	-	-
	White—M	22	11	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	2	1	2	1	1	1	-	-	-	-
	F	19	10	2	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-
	Nonwhite—M	29	15	2	2	-	1	1	-	-	-	-	1	1	-	-	1	1	1	3	-	-	-	-	-	-	-	-
	F	26	12	3	-	-	-	1	1	-	-	1	1	-	1	-	-	-	1	3	2	-	-	-	-	-	-	-
121	Appendicitis	98	-	-	1	3	1	8	5	10	5	5	5	11	9	4	6	8	5	5	4	1	1	1	-	-	-	-
	White—M	22	-	-	-	1	-	-	1	2	1	1	1	3	2	1	3	2	1	1	1	1	-	-	-	-	-	-
	F	22	-	-	1	-	-	3	2	4	-	1	1	-	2	1	-	-	1	1	3	-	1	1	-	-	-	-
	Nonwhite—M	31	-	-	-	-	1	2	-	-	4	2	3	3	2	2	2	5	3	2	-	-	-	-	-	-	-	-
	F	23	-	-	-	2	-	3	2	4	-	1	-	5	3	-	1	1	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	147	5	2	1	2	1	3	1	2	2	2	3	17	10	15	11	14	11	14	11	5	8	4	2	-	-	1
	White—M	32	2	-	-	1	-	1	-	1	-	-	1	3	-	1	4	2	4	3	3	1	3	2	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	4	-	6	1	2	1	1	1	-	-	-
	Nonwhite—M	46	1	2	-	1	1	1	1	1	1	-	-	6	4	5	1	1	4	4	6	2	3	1	-	-	-	-
	F	47	2	-	1	-	-	1	-	-	1	2	2	6	6	7	4	7	3	1	1	-	1	-	1	-	-	1
124	Cirrhosis of the liver	109	-	1	1	-	-	3	-	-	-	3	3	2	8	11	7	15	15	13	13	11	1	1	-	1	-	-
	White—M	52	-	-	-	-	-	2	-	-	-	-	2	1	5	5	4	3	9	8	8	5	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	1	1	1	3	-	1	-	-	-	-
	Nonwhite—M	32	-	1	-	-	-	1	-	-	-	3	-	-	1	4	2	8	4	4	1	2	1	-	-	-	-	-
	F	13	-	-	1	-	-	-	-	-	-	-	-	1	-	2	1	2	1	-	3	1	-	-	-	1	-	-
126,127	Biliary calculi, etc.*	50	-	-	-	-	-	-	-	-	1	1	2	2	5	8	5	6	1	7	6	2	1	2	1	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	3	2	-	1	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	4	-	4	2	-	1	1	1	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	-	1	1	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	3	5	1	2	-	1	1	-	-	-	-	-	-	-
130-132	Nephritis	1,610	4	3	3	-	1	9	9	12	20	18	30	41	51	74	120	147	169	200	207	206	146	88	40	10	1	3
	White—M	370	1	-	2	-	-	2	2	3	2	-	7	2	7	7	25	21	32	50	54	64	45	37	7	-	-	-
	F	293	1	-	-	-	-	-	2	2	4	5	2	3	7	11	8	19	27	31	41	42	41	28	15	4	-	-
	Nonwhite—M	496	2	2	-	-	1	4	1	3	3	4	8	11	12	20	40	65	53	61	75	67	37	12	8	4	1	2
	F	451	-	1	1	-	-	3	4	4	11	9	13	25	25	36	47	42	57	58	37	33	23	9	10	2	-	1
137	Diseases of the prostate	109	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	4	15	14	22	22	13	6	4	-	-	-
	White—M	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	7	15	10	4	2	-	-	-
	Nonwhite—M	61	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	4	11	8	15	7	3	2	2	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas).

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Con.																											
140-150	Diseases of pregnancy, etc.*	194	-	-	-	-	-	-	2	30	27	36	40	43	14	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	67	-	-	-	-	-	-	-	14	10	9	16	13	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	127	-	-	-	-	-	-	2	16	17	27	24	30	9	1	1	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	63	-	-	-	-	-	-	-	11	12	17	9	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	23	-	-	-	-	-	-	-	4	3	5	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	40	-	-	-	-	-	-	-	7	9	12	4	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	58	-	-	-	-	-	-	1	10	11	5	13	13	4	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	18	-	-	-	-	-	-	-	4	4	-	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	40	-	-	-	-	-	-	1	6	7	5	7	9	4	-	1	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	55	-	-	-	-	-	-	-	6	4	9	14	15	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	20	-	-	-	-	-	-	-	3	3	3	4	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	35	-	-	-	-	-	-	-	3	1	6	10	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	18	-	-	-	-	-	-	1	3	-	5	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	-	-	-	-	-	-	-	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	12	-	-	-	-	-	-	1	-	-	4	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	209	171	8	5	2	1	5	6	2	3	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	82	67	3	2	1	1	-	3	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	75	65	2	2	-	-	3	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	32	26	-	1	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	13	3	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	1,020	1.020	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	373	373	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	201	201	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	167	167	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	619	619	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	221	221	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	189	189	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	111	111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	98	98	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	401	401	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	152	152	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	69	69	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	130	-	-	-	-	-	-	-	11	6	10	13	13	13	16	14	12	7	9	3	2	1	-	-	-	-	-
	White—M	78	-	-	-	-	-	-	-	3	2	5	8	8	10	11	7	6	5	8	3	1	1	-	-	-	-	-
	F	39	-	-	-	-	-	-	-	6	4	4	4	3	3	2	5	5	2	1	-	-	-	-	-	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	2	-	1	1	1	-	3	2	1	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	354	2	-	1	-	-	3	7	27	52	53	46	57	35	20	21	11	6	8	2	1	1	-	-	-	-	1
	White—M	64	1	-	-	-	-	1	1	2	6	11	11	4	9	2	6	3	3	3	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	1	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	240	-	-	1	-	-	1	5	17	36	35	30	51	21	14	13	6	2	4	1	1	1	-	-	-	-	1
	F	42	1	-	-	-	-	1	1	7	9	5	2	2	5	3	2	2	1	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,395	52	43	27	29	18	86	79	134	142	102	87	71	69	59	54	54	62	43	35	45	39	27	9	7	1	1
	White—M	540	9	7	9	8	7	17	22	54	70	54	40	36	49	22	27	21	29	17	14	10	7	8	2	1	-	-
	F	215	12	4	5	8	1	22	9	13	14	9	11	6	5	6	2	6	5	7	6	19	26	14	3	2	-	-
	Nonwhite—M	436	13	19	6	5	6	27	34	48	42	30	30	24	24	22	18	22	18	15	10	10	3	1	4	4	1	-
	F	204	18	13	7	8	4	20	14	19	16	9	6	5	11	9	7	5	10	4	5	6	3	4	-	-	-	1
170	Motor-vehicle accidents	479	5	5	4	11	6	34	28	56	74	43	40	22	28	21	21	23	24	14	8	8	2	-	1	1	-	-
	White—M	235	-	2	3	4	4	6	7	27	41	25	22	12	18	8	13	10	13	9	6	3	1	-	1	-	-	-
	F	71	4	1	1	4	-	16	6	10	7	3	6	4	2	2	1	2	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M	128	-	1	-	1	2	6	11	13	19	11	11	5	7	9	6	8	7	4	2	3	1	-	-	1	-	-
	F	45	1	1	-	2	-	6	4	6	7	4	1	1	1	2	1	3	2	1	-	2	-	-	-	-	-	-
169, 171-195	Other accidents	916	47	38	23	18	12	52	51	78	68	59	47	49	61	38	33	31	38	29	27	37	37	27	8	6	1	1
	White—M	305	9	5	6	4	3	11	15	27	29	29	18	24	31	14	14	11	16	8	8	7	6	8	1	1	-	-
	F	144	8	3	4	4	1	6	3	3	7	6	5	2	3	4	1	4	3	7	6	19	26	14	3	2	-	-
	Nonwhite—M	308	13	18	6	4	4	21	23	35	23	19	19	19	17	13	12	14	11	11	8	7	2	1	4	3	1	-
	F	159	17	12	7	6	4	14	10	13	9	5	5	4	10	7	6	2	8	3	5	4	3	4	-	-	-	1
162,199, 200	Senility, ill-defined and unknown causes	2,633	548	32	17	11	14	21	15	33	46	24	51	61	69	104	119	143	195	226	210	222	167	114	88	48	58	1
	White—M	315	42	3	-	1	1	3	1	3	3	1	5	3	11	7	17	18	25	31	36	32	26	22	18	5	1	-
	F	214	22	3	2	-	-	2	-	2	4	2	1	5	3	4	4	11	13	15	18	29	21	22	22	4	4	1
	Nonwhite—M	1,100	267	18	8	8	5	9	4	14	17	13	15	22	22	40	53	64	88	97	87	87	55	42	25	12	18	-
	F	1,004	217	8	7	2	8	7	10	14	22	8	30	31	33	53	45	50	69	83	69	64	65	28	23	25	33	-
	All other causes	1,080	78	18	19	19	14	36	28	40	49	52	45	64	71	78	75	74	55	71	67	44	35	28	11	6	2	1
	White—M	290	18	1	10	3	8	13	5	6	8	8	7	15	8	21	22	28	16	27	25	17	11	10	4	1	-	-
	F	259	14	5	4	4	1	4	8	8	5	12	13	14	15	17	19	19	12	15	23	14	12	12	5	3	1	-
	Nonwhite—M	283	26	9	3	8	4	16	10	16	17	15	12	10	20	23	18	15	16	15	9	7	7	3	1	1	1	1
	F	248	20	3	2	4	3	3	5	10	19	17	13	25	28	17	16	12	11	14	10	6	5	3	1	1	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.–DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI																											
	All causes	42,451	2,665	165	105	97	58	250	221	384	530	579	694	966	1,317	1,703	2,434	3,165	3,866	4,625	5,444	5,329	4,178	2876	650	189	27	34
	White-----M	21,306	1,367	77	53	46	27	124	130	194	279	286	286	438	585	843	1,245	1,671	2,132	2,470	2,766	2,685	1,999	1,164	365	71	9	14
	F	16,903	965	62	41	41	23	102	64	132	154	198	243	287	432	526	744	1,046	1,300	1,804	2,348	2,436	2,032	1,338	461	99	10	15
	Nonwhite--M	2,301	181	11	6	3	6	11	14	33	46	55	84	126	144	185	250	255	255	205	172	119	73	44	12	3	4	4
	F	1,941	152	15	5	7	2	13	13	25	51	60	81	115	156	149	195	193	179	146	158	89	74	30	12	16	4	1
1,2	Typhoid and paratyphoid fever	11	-	-	-	-	-	1	-	3	-	-	-	-	2	-	-	3	-	-	1	1	-	-	-	-	-	-
	White-----M	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	31	8	3	1	-	1	1	-	3	-	-	-	-	2	1	4	2	2	1	1	1	-	-	-	-	-	-
	White-----M	14	6	3	-	-	1	-	-	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	15	2	-	1	-	-	1	-	1	-	-	-	-	1	1	2	1	2	1	1	1	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	5	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	31	21	3	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	14	1	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	24	1	1	4	3	4	6	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	11	-	-	3	2	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	1	1	1	1	2	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,276	12	7	1	2	2	9	8	38	88	107	100	102	106	98	126	125	93	103	82	36	20	11	-	-	-	-
	White-----M	632	5	3	-	-	-	3	2	7	20	32	30	50	52	52	78	82	56	66	56	25	12	3	-	-	-	-
	F	347	2	1	-	-	1	4	3	15	37	42	38	22	28	23	24	18	18	27	21	12	5	6	-	-	-	-
	Nonwhite--M	179	3	-	-	1	1	1	1	9	11	16	14	21	15	19	17	19	13	9	3	1	3	2	-	-	-	-
	F	118	2	3	1	1	-	1	2	7	20	17	18	9	11	4	7	6	6	1	2	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,195	8	5	1	1	1	4	7	35	82	101	96	100	101	94	117	120	87	97	80	31	16	11	-	-	-	-
	White-----M	597	3	2	-	-	-	-	1	7	19	30	27	50	49	51	74	79	55	62	55	21	9	3	-	-	-	-
	F	323	1	1	-	-	1	3	3	14	35	40	38	21	26	21	21	17	16	26	20	9	4	6	-	-	-	-
	Nonwhite--M	167	3	-	-	-	-	-	1	8	10	14	14	20	15	18	16	18	13	8	3	1	3	2	-	-	-	-
	F	108	1	2	1	1	-	1	2	6	18	17	17	9	11	4	6	6	3	1	2	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	81	4	2	-	1	1	5	1	3	6	6	4	2	5	4	9	5	6	6	2	5	4	-	-	-	-	-
	White-----M	35	2	1	-	-	-	3	1	-	1	2	3	-	3	1	4	3	1	4	1	2	3	-	-	-	-	-
	F	24	1	-	-	-	-	1	-	1	2	2	-	1	2	2	3	1	2	1	1	3	1	-	-	-	-	-
	Nonwhite--M	12	-	-	-	1	1	1	-	1	1	2	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	F	10	1	1	-	-	-	-	-	1	2	-	1	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-
27	Dysentery	30	12	-	-	-	-	2	-	-	-	1	1	2	-	1	-	2	1	3	3	-	1	-	1	-	-	-
	White-----M	10	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	F	11	3	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	1	-	1	-	1	-	1	-	-	-
	Nonwhite--M	8	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	3	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	2	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	464	13	2	-	1	-	1	1	5	3	2	10	19	38	39	62	69	74	58	32	17	11	4	2	-	-	1
	White-----M	219	6	-	-	-	-	-	-	2	1	1	1	7	12	15	30	35	42	39	14	7	4	2	-	-	-	1
	F	80	1	-	-	-	-	-	-	2	1	-	3	3	10	7	7	4	14	10	10	7	1	-	-	-	-	-
	Nonwhite--M	118	4	1	-	1	-	-	1	-	-	1	5	7	8	12	16	27	14	7	6	2	4	1	1	-	-	-
	F	47	2	1	-	-	-	1	-	1	1	-	1	2	8	5	9	3	4	2	2	1	2	1	1	-	-	-
35	Measles	50	16	9	4	5	1	5	1	-	-	1	1	1	1	-	-	-	-	1	1	2	-	-	1	-	-	-
	White-----M	25	9	4	3	2	1	2	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	F	23	6	4	1	3	-	3	-	-	-	1	1	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	97	3	1	4	5	2	21	16	13	11	10	2	4	1	2	-	-	2	-	-	-	-	-	-	-	-	-
	White-----M	57	-	-	2	2	1	14	14	6	6	4	2	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	37	2	-	2	3	1	7	2	6	5	6	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Con.																											
45-55	Cancer and other malignant tumors	5,548	3	5	4	4	3	12	12	15	21	35	59	124	222	299	484	601	659	783	813	723	430	172	50	10	-	5
	White-----M--	2,471	2	3	3	2	2	4	7	7	10	15	18	42	58	111	190	250	298	374	388	371	212	79	20	3	-	2
	F--	2,670	1	2	1	2	1	7	4	5	9	15	25	63	127	151	247	287	302	371	391	333	198	90	29	6	-	3
	Nonwhite--M--	189	-	-	-	-	-	-	-	2	-	2	2	6	11	16	22	29	36	22	17	12	11	1	-	-	-	-
	F--	218	-	-	-	-	-	1	1	1	2	3	14	13	26	21	25	35	23	16	17	7	9	2	1	1	-	-
46	Cancer of the digestive organs and peritoneum--	2,417	-	-	1	-	-	-	1	3	4	7	18	36	58	106	169	243	290	385	435	337	217	78	23	3	-	3
	White-----M--	1,164	-	-	1	-	-	-	1	1	1	3	7	16	23	51	86	119	139	192	218	167	94	33	9	1	-	2
	F--	1,073	-	-	-	-	-	-	-	1	3	2	6	17	25	37	64	94	123	176	197	159	111	42	13	2	-	1
	Nonwhite--M--	109	-	-	-	-	-	-	-	-	-	2	-	2	8	9	12	19	21	12	10	7	8	1	-	-	-	-
	F--	71	-	-	-	-	-	-	-	1	-	-	5	1	4	9	7	11	7	5	10	4	4	2	1	-	-	-
48,49	Cancer of female genital organs--	753	-	-	-	-	-	-	-	-	4	8	18	34	72	68	110	106	85	85	69	51	28	9	4	1	-	1
	White-----F--	670	-	-	-	-	-	-	-	-	2	7	10	26	57	61	99	91	77	82	65	51	27	9	4	1	-	1
	Nonwhite--F--	83	-	-	-	-	-	-	-	-	2	1	8	8	15	7	11	15	8	3	4	-	1	-	-	-	-	-
50	Cancer of breast-	479	-	-	-	-	-	-	-	-	1	2	6	10	32	40	49	60	55	55	68	48	30	17	4	2	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	441	-	-	-	-	-	-	-	-	1	-	5	9	29	37	43	52	51	51	67	47	27	17	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	2	1	1	3	3	6	8	4	4	1	1	3	-	-	1	-	-
45,47, 51-55	Cancer (other sites)----------	1,899	3	5	3	4	3	12	11	12	12	18	17	44	60	85	156	192	229	258	241	287	155	68	19	4	-	1
	White-----M--	1,307	2	3	2	2	2	4	6	6	9	12	11	26	35	60	104	131	159	182	170	204	118	46	11	2	-	-
	F--	486	1	2	1	2	1	7	4	4	3	6	4	11	16	16	41	50	51	62	62	76	33	22	8	2	-	1
	Nonwhite--M--	80	-	-	-	-	-	-	-	2	-	-	2	4	5	7	10	10	15	10	7	5	3	-	-	-	-	-
	F--	26	-	-	-	-	-	1	1	-	-	-	-	3	4	2	1	1	4	4	2	2	1	-	-	-	-	-
58	Acute rheumatic fever----------	28	-	1	2	-	1	3	6	2	3	2	-	1	3	-	2	-	-	-	2	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	1	1	-	1	1	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	10	-	-	1	-	-	2	1	-	2	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	907	-	-	-	1	-	5	3	7	3	8	3	11	15	30	47	87	127	159	175	124	71	24	6	-	-	1
	White-----M--	347	-	-	-	-	-	3	1	3	2	7	1	3	6	12	13	34	48	61	64	46	33	8	1	-	-	1
	F--	508	-	-	-	1	-	2	2	3	1	1	2	6	5	15	24	46	72	87	106	77	38	16	4	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	2	4	-	1	-	-	1	-	-	-
	F--	36	-	-	-	-	-	-	-	1	-	-	-	-	2	3	8	5	5	7	5	-	-	-	-	-	-	-
65b	Exophthalmic goiter----------	80	-	1	-	-	-	-	-	-	1	2	3	3	5	7	10	12	10	9	6	6	3	2	-	-	-	-
	White-----M--	8	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	2	-	-	-	-	-	-	-
	F--	63	-	-	-	-	-	-	-	-	-	1	2	3	3	6	6	10	8	9	4	6	3	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	47	-	-	-	-	-	-	-	-	1	-	3	8	6	9	10	4	2	1	3	-	-	-	-	-	-	-
	White-----M--	37	-	-	-	-	-	-	-	-	1	-	2	6	5	7	7	4	2	1	2	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	4,158	5	5	-	-	-	2	1	4	3	8	13	30	80	114	187	300	378	559	710	748	583	310	101	13	-	4
	White-----M--	1,905	2	4	-	-	-	1	-	2	2	6	9	14	30	37	69	136	190	267	324	358	280	132	37	4	-	1
	F--	1,885	3	-	-	-	-	1	1	1	1	-	2	4	25	48	73	108	136	242	339	350	290	163	58	8	-	2
	Nonwhite--M--	189	-	1	-	-	-	-	-	-	-	-	-	6	8	16	26	25	26	22	19	20	5	10	4	-	-	1
	F--	199	-	-	-	-	-	-	-	1	-	2	2	6	17	13	19	31	26	28	28	10	8	5	2	1	-	-
90-95	Diseases of the heart----------	13,144	2	2	-	2	1	6	17	19	40	36	73	165	255	467	754	1,032	1,399	1,685	2,063	2,075	1,632	1,021	308	69	15	6
	White-----M--	7,075	-	-	-	2	-	1	4	9	21	12	29	82	135	264	476	633	859	980	1,113	1,054	765	471	137	23	4	1
	F--	5,001	1	2	-	-	1	5	10	9	12	16	30	51	59	102	142	258	393	586	837	939	816	520	165	38	6	3
	Nonwhite--M--	559	1	-	-	-	-	-	-	1	5	5	4	13	34	52	74	82	78	71	58	40	18	15	3	1	3	1
	F--	509	-	-	-	-	-	-	3	-	2	3	10	19	27	49	62	59	69	48	55	42	33	15	3	7	2	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	867	-	-	-	1	-	4	10	13	12	15	22	33	42	49	53	78	88	92	96	115	84	39	14	5	-	2
	White-----M--	397	-	-	-	1	-	1	2	5	5	7	7	21	14	17	30	39	45	47	45	52	35	17	7	-	-	-
	F--	372	-	-	-	-	-	3	8	7	4	6	12	10	23	20	15	27	28	34	37	61	47	22	6	4	-	-
	Nonwhite--M--	42	-	-	-	-	-	-	-	1	2	2	1	1	4	2	4	4	9	5	5	-	1	-	-	-	-	1
	F--	56	-	-	-	-	-	-	2	-	1	-	2	1	1	10	4	8	6	6	9	2	1	-	1	1	-	1
94	Diseases of coronary arteries and angina pectoris---------	4,090	-	-	-	-	-	-	-	-	10	9	19	57	116	200	337	445	553	596	659	533	340	158	47	8	-	3
	White-----M--	2,698	-	-	-	-	-	-	-	-	5	3	10	35	83	145	274	323	404	399	398	309	195	90	22	2	-	-
	F--	1,191	-	-	-	-	-	-	-	-	3	3	7	13	16	35	34	90	123	179	242	209	141	85	24	4	-	3
	Nonwhite--M--	127	-	-	-	-	-	-	-	-	1	2	-	3	10	14	21	23	14	13	10	10	1	3	1	1	-	-
	F--	74	-	-	-	-	-	-	-	-	1	1	2	6	7	6	8	9	12	5	9	5	2	-	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	8,187	2	2	-	1	1	2	7	6	18	12	32	75	97	218	364	509	758	997	1,308	1,427	1,208	824	247	56	15	1
	White-----M--	3,980	-	-	-	1	-	-	2	4	11	2	12	28	38	102	172	271	410	534	670	693	534	364	108	21	4	1
	F--	3,438	1	2	-	-	1	2	4	2	5	7	11	28	20	47	93	141	242	373	558	669	628	433	135	30	6	-
	Nonwhite--M--	390	1	-	-	-	-	-	-	-	2	1	3	9	20	36	49	55	55	53	43	30	16	12	2	-	3	-
	F--	379	-	-	-	-	-	-	1	-	-	2	6	12	19	33	50	42	51	37	37	35	30	15	2	5	2	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

[By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Con.																											
97,102	Arteriosclerosis and high blood pressure*	759	-	-	-	-	-	-	-	-	-	2	1	4	9	7	5	16	43	50	91	155	162	144	54	14	2	-
	White----M--	359	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	8	21	26	47	78	76	71	20	3	2	-
	F--	344	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	6	19	20	38	67	80	68	32	8	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	2	3	4	6	5	5	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	1	-	3	4	4	-	1	1	1	2	4	1	-	2	3	-	-
107-109, 33	Pneumonia (all forms) and influenza	2,243	304	41	20	9	6	17	12	17	21	22	40	47	61	76	86	119	131	173	256	370	227	182	82	20	1	3
	White----M--	1,002	127	19	5	4	2	6	6	8	9	11	16	19	26	36	32	49	64	86	111	145	110	63	35	12	1	-
	F--	943	126	16	14	4	3	10	4	6	9	8	15	7	17	18	23	39	44	66	120	112	110	116	46	7	-	3
	Nonwhite--M--	173	24	2	1	-	1	1	2	3	2	1	6	11	11	13	22	19	19	9	11	8	6	1	-	-	-	-
	F--	125	27	4	-	1	-	-	-	-	1	2	3	10	7	9	9	12	4	12	14	5	1	2	1	1	-	-
107	Bronchopneumonia	952	199	24	12	3	3	6	7	3	7	8	13	14	24	17	32	32	33	63	88	120	108	86	35	12	1	2
	White----M--	424	79	12	3	1	2	3	5	-	5	2	5	6	11	6	15	13	12	31	39	60	59	30	16	8	1	-
	F--	414	85	7	8	1	1	3	1	3	2	4	5	1	7	4	9	12	12	27	42	55	45	56	18	4	-	2
	Nonwhite--M--	60	18	2	1	-	-	-	1	-	-	1	2	4	3	1	4	3	6	3	4	3	4	-	-	-	-	-
	F--	54	17	3	-	1	-	-	-	-	-	1	1	3	3	6	4	4	3	2	3	2	-	-	1	-	-	-
108	Lobar pneumonia	930	70	12	4	3	2	6	3	12	11	7	23	26	27	47	44	75	70	85	122	100	92	58	26	4	-	1
	White----M--	426	30	6	1	1	-	1	-	6	4	5	10	10	10	24	14	33	38	41	55	60	39	24	12	2	-	-
	F--	349	27	5	3	2	1	4	2	3	5	1	9	3	8	9	10	19	23	33	50	33	50	32	14	2	-	1
	Nonwhite--M--	97	5	-	-	-	1	1	1	3	1	-	3	6	7	12	16	15	8	5	6	5	2	-	-	-	-	-
	F--	58	8	1	-	-	-	-	-	-	1	1	1	7	2	2	4	8	1	6	11	2	1	2	-	-	-	-
109	Pneumonia (unspecified)	88	13	1	-	1	-	1	1	1	1	1	1	1	1	3	3	2	3	6	9	10	1	3	4	1	-	-
	White----M--	29	5	-	-	-	-	1	-	1	-	-	-	1	1	2	1	-	2	4	4	4	1	1	1	-	-	-
	F--	32	7	1	-	1	-	-	1	-	1	1	1	-	-	1	1	2	-	1	4	5	-	2	3	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
33	Influenza	293	22	4	4	2	1	4	1	1	2	6	3	6	9	9	7	10	25	19	37	40	26	35	17	3	-	-
	White----M--	123	13	1	1	2	-	1	1	1	-	4	1	2	4	4	2	3	12	10	13	21	11	8	6	2	-	-
	F--	148	7	3	3	-	1	3	-	-	1	2	-	3	2	4	3	6	9	5	24	19	15	26	11	1	-	-
	Nonwhite--M--	13	1	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	4	1	-	-	-	1	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	3	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	241	-	-	-	-	-	-	-	4	2	4	3	9	15	22	24	23	33	30	34	21	8	7	2	-	-	-
	White----M--	179	-	-	-	-	-	-	-	3	-	3	3	6	11	18	18	19	26	22	26	15	6	2	1	-	-	-
	F--	45	-	-	-	-	-	-	-	1	1	1	-	2	1	2	3	2	7	6	6	5	2	5	1	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	1	-	-	1	2	1	3	1	-	2	2	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	227	172	11	3	-	-	-	-	-	-	3	1	1	3	1	2	2	6	4	4	5	4	3	2	-	-	-
	White----M--	121	92	6	2	-	-	-	-	-	-	2	1	1	1	-	1	1	3	2	2	2	2	2	1	-	-	-
	F--	77	57	5	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	2	3	2	1	1	-	-	-
	Nonwhite--M--	12	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	12	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
121	Appendicitis	180	-	1	1	2	-	10	6	8	6	9	8	9	13	12	18	16	23	13	8	13	3	1	-	-	-	-
	White----M--	99	-	1	1	2	-	6	4	2	2	4	3	4	7	7	11	12	17	4	3	7	1	1	-	-	-	-
	F--	65	-	-	-	-	-	2	1	6	4	4	3	3	4	4	6	4	5	7	4	6	2	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	2	1	-	-	-	-	1	-	1	1	-	1	2	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	384	13	-	2	1	-	-	2	4	3	9	11	3	18	23	26	33	34	50	61	40	33	12	3	3	-	-
	White----M--	165	5	-	2	1	-	-	2	1	1	2	1	1	8	15	10	9	18	25	28	16	12	6	1	1	-	-
	F--	167	6	-	-	-	-	-	-	3	1	4	7	1	2	5	10	16	13	21	29	22	18	6	1	2	-	-
	Nonwhite--M--	19	1	-	-	-	-	-	-	-	-	2	-	-	2	-	3	1	3	3	3	1	-	-	-	-	-	-
	F--	33	1	-	-	-	-	-	-	-	1	1	3	1	6	3	3	7	-	1	1	1	3	-	1	-	-	-
124	Cirrhosis of the liver	399	2	-	-	-	-	1	3	2	3	4	8	15	28	31	36	55	60	48	38	32	23	8	1	1	-	-
	White----M--	250	1	-	-	-	-	1	-	1	-	2	4	6	18	18	21	39	45	35	22	22	10	3	1	1	-	-
	F--	117	1	-	-	-	-	-	3	1	1	2	3	7	6	7	13	13	10	12	12	8	13	5	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	2	-	1	1	2	4	1	1	3	1	1	1	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	2	-	3	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	207	1	-	-	-	-	-	-	1	1	1	5	4	7	18	20	20	24	24	38	13	25	4	1	-	-	-
	White----M--	76	1	-	-	-	-	-	-	-	-	-	2	1	3	7	7	7	11	11	11	3	9	3	-	-	-	-
	F--	124	-	-	-	-	-	-	-	1	1	1	2	3	4	10	10	12	12	13	27	10	16	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	3,177	2	-	4	3	3	7	5	10	15	21	28	55	89	95	155	230	300	368	455	503	458	288	84	18	1	2
	White----M--	1,528	2	-	4	2	1	5	1	1	8	10	10	19	26	41	65	112	154	180	215	247	228	149	43	7	-	-
	F--	1,289	-	-	-	-	2	2	3	8	6	8	9	16	21	28	46	73	99	150	196	230	209	135	39	8	-	1
	Nonwhite--M--	186	-	-	-	-	-	-	-	-	-	1	3	8	8	12	17	23	27	24	23	18	16	3	1	1	-	1
	F--	174	-	-	-	1	-	-	1	1	1	2	4	12	14	14	27	22	20	14	21	8	7	1	1	2	1	-
137	Diseases of the prostate	241	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	11	19	32	48	46	46	19	11	-	-	-
	White----M--	216	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	6	14	26	43	46	44	19	11	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	5	6	5	-	2	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Con.																											
140-150	Diseases of pregnancy, etc.*----	131	-	-	-	-	-	-	-	12	24	28	35	21	7	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	105	-	-	-	-	-	-	-	8	19	23	31	14	6	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	26	-	-	-	-	-	-	-	4	5	5	4	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia------	35	-	-	-	-	-	-	-	3	5	5	13	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	29	-	-	-	-	-	-	-	2	4	3	11	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	48	-	-	-	-	-	-	-	7	7	12	9	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	38	-	-	-	-	-	-	-	4	5	11	9	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	-	-	-	-	-	-	-	3	2	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	40	-	-	-	-	-	-	-	1	11	9	11	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	33	-	-	-	-	-	-	-	1	10	7	11	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	-	-	-	-	-	-	-	-	1	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes---------	8	-	-	-	-	-	-	-	1	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	478	419	18	4	2	3	7	6	4	4	2	3	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	247	216	10	2	1	2	3	4	2	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	205	180	8	2	1	1	2	2	2	3	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	12	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	11	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,429	1,429	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	758	758	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	485	485	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	107	107	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	79	79	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	929	929	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	488	488	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	308	308	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	74	74	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	59	59	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year------	500	500	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	270	270	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	177	177	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	33	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	20	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	516	-	-	-	-	-	-	2	6	21	22	30	38	55	53	58	56	53	45	41	15	12	8	1	-	-	-
	White-----M--	370	-	-	-	-	-	-	2	2	13	13	17	31	38	35	39	40	43	33	34	14	10	7	1	-	-	-
	F--	126	-	-	-	-	-	-	-	3	6	7	8	7	16	14	18	14	10	12	7	1	2	1	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	2	1	4	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	-	1	1	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	284	5	1	-	1	1	-	1	22	29	36	42	38	37	25	15	11	9	6	3	1	1	-	-	-	-	-
	White-----M--	97	3	-	-	1	1	-	-	9	8	13	10	10	12	10	6	3	4	4	1	1	1	-	-	-	-	-
	F--	31	2	1	-	-	-	-	-	3	3	6	1	4	2	-	-	3	4	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	130	-	-	-	-	-	-	-	8	14	13	26	21	22	12	7	4	1	2	-	-	-	-	-	-	-	-
	F--	26	-	-	-	-	-	-	1	2	4	4	5	3	1	3	2	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,812	69	26	24	33	23	71	85	150	169	134	111	127	121	135	121	149	143	192	214	235	210	183	63	13	2	9
	White-----M--	1,546	30	9	12	16	13	42	59	105	139	97	83	82	80	97	87	101	100	109	110	105	80	58	20	5	1	7
	F--	945	29	11	8	12	6	19	17	33	20	27	20	24	28	22	22	39	29	69	93	120	124	122	43	6	-	2
	Nonwhite--M--	152	4	3	3	1	4	5	8	10	6	8	7	15	8	12	11	9	10	8	10	4	2	2	-	1	1	-
	F--	69	6	3	1	4	-	5	2	2	4	2	1	6	5	4	1	-	4	6	1	6	4	1	-	1	-	-
170	Motor-vehicle accidents-------	830	1	3	2	9	7	24	21	82	99	60	62	44	45	53	45	52	46	48	53	47	17	8	1	-	-	1
	White-----M--	614	1	2	2	6	4	15	15	56	88	46	48	36	34	39	32	37	36	34	33	33	9	6	1	-	-	1
	F--	169	-	1	-	3	2	8	4	22	8	9	12	5	8	10	8	11	9	12	15	13	7	2	-	-	-	-
	Nonwhite--M--	37	-	-	-	-	1	1	2	4	2	5	2	2	1	3	4	4	1	1	4	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	1	1	1	1	-	-	-	-	-
169, 171-195	Other accidents--	1,982	68	23	22	24	16	47	64	68	70	74	49	83	76	82	76	97	97	144	161	188	193	175	62	13	2	8
	White-----M--	1,032	29	7	10	10	9	27	43	49	51	51	35	46	46	58	55	64	64	75	77	72	71	52	19	5	1	6
	F--	776	29	10	8	9	4	11	13	11	12	18	8	19	20	12	14	28	20	57	78	107	117	120	43	6	-	2
	Nonwhite--M--	115	4	3	3	1	3	4	6	6	4	3	5	13	7	9	7	5	9	7	6	4	2	2	-	1	1	-
	F--	59	6	3	1	4	-	5	2	2	3	2	1	5	3	3	-	-	4	5	-	5	3	1	-	1	-	-
162,199, 200	Senility, ill-defined and unknown causes----	490	28	5	-	2	1	2	-	1	4	2	6	9	6	5	21	16	28	24	49	53	78	85	36	22	4	3
	White-----M--	254	14	3	-	-	-	1	-	-	3	2	3	4	6	4	15	10	16	16	29	25	34	42	14	11	1	1
	F--	191	5	-	-	2	-	1	-	1	1	-	2	2	-	1	4	3	6	5	17	25	41	39	21	11	3	1
	Nonwhite--M--	26	5	1	-	-	-	-	-	-	-	-	1	1	-	-	-	3	3	1	2	3	1	3	1	-	-	1
	F--	19	4	1	-	-	1	-	-	-	-	-	-	2	-	-	2	-	3	2	1	-	2	1	-	-	-	-
	All other causes-	2,312	125	22	21	20	6	58	30	33	54	66	94	112	129	125	156	171	212	202	212	193	135	87	41	6	2	-
	White-----M--	1,101	75	10	13	9	1	28	19	19	31	26	38	43	46	54	61	76	98	102	118	98	71	42	22	1	-	-
	F--	967	38	9	5	11	4	27	8	12	13	24	35	42	59	52	60	88	94	87	83	90	60	42	18	5	1	-
	Nonwhite--M--	102	6	2	2	-	-	1	1	-	3	3	8	8	9	9	22	1	12	6	6	1	-	1	1	-	-	-
	F--	142	6	1	1	-	1	2	2	2	7	13	13	19	15	10	13	6	8	7	5	4	4	2	-	-	1	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA																											
	All causes	5,595	448	41	25	27	11	41	34	69	73	86	106	124	161	196	315	448	620	609	653	639	495	256	96	17	3	2
	White-----M	3,386	237	15	11	13	5	23	19	41	43	52	59	73	93	121	196	307	422	369	412	383	279	155	44	12	1	1
	F	1,915	146	18	7	10	5	10	11	18	19	21	39	45	58	63	106	128	179	216	228	235	205	96	46	4	2	-
	Nonwhite--M	185	40	3	1	2	1	5	1	6	5	7	6	2	9	7	12	10	11	16	10	15	8	5	4	1	-	-
	F	109	25	5	6	2	-	3	3	4	6	6	2	4	1	5	1	3	8	8	3	6	5	-	2	-	-	1
1,2	Typhoid and paratyphoid fever	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
10	Diphtheria	5	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	164	4	5	5	1	1	5	1	8	9	12	8	5	5	12	18	22	15	12	8	5	1	2	-	-	-	-
	White-----M	78	-	-	-	-	-	-	-	1	-	3	-	3	1	10	14	19	12	8	4	1	1	1	-	-	-	-
	F	25	-	2	-	-	-	-	1	-	3	1	4	1	3	-	-	-	2	2	3	3	-	-	-	-	-	-
	Nonwhite--M	32	3	1	-	1	1	2	-	4	1	3	2	1	1	1	4	2	1	2	-	1	-	1	-	-	-	-
	F	29	1	2	5	-	-	3	-	3	5	5	2	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	135	1	2	3	-	-	2	-	5	8	11	7	5	4	11	17	21	14	12	7	3	1	1	-	-	-	-
	White-----M	72	-	-	-	-	-	-	-	1	-	3	-	3	1	9	13	16	11	8	3	1	1	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	2	1	3	1	2	-	-	-	2	2	3	1	-	-	-	-	-	-
	Nonwhite--M	23	1	1	-	-	-	-	-	2	1	2	2	1	1	1	4	2	1	2	-	1	-	1	-	-	-	-
	F	23	-	1	3	-	-	2	-	2	5	5	2	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	29	3	3	2	1	1	3	1	3	1	1	1	-	1	1	1	1	1	-	1	2	-	1	-	-	-	-
	White-----M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	1	-	-	-	-
	F	8	-	2	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite--M	9	2	-	-	1	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	47	1	-	-	-	-	-	1	-	1	-	-	2	2	5	4	7	5	10	5	3	1	-	-	-	-	-
	White-----M	32	-	-	-	-	-	-	1	-	1	-	-	2	-	3	1	6	3	7	4	3	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	8	1	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	2	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
35	Measles	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	5	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	4	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Con.																											
45-55	Cancer and other malignant tumors	662	2	2	2	1	-	4	1	4	1	4	7	9	26	26	49	75	109	96	93	82	47	16	5	-	1	-
	White-----M--	342	2	1	1	1	-	1	1	1	1	2	2	4	11	5	19	40	62	45	52	49	29	10	3	-	-	-
	F--	303	-	1	1	-	-	3	-	2	-	2	5	5	15	21	28	32	45	49	39	29	18	5	2	-	1	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	3	1	2	1	3	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	288	1	-	-	-	-	-	-	-	-	-	1	2	9	9	16	31	48	41	55	44	22	6	3	-	-	-
	White-----M--	159	1	-	-	-	-	-	-	-	-	-	-	2	6	2	8	17	31	20	31	24	13	2	2	-	-	-
	F--	119	-	-	-	-	-	-	-	-	-	-	1	-	3	7	8	12	16	20	23	16	9	3	1	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	3	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
48,49	Cancer of female genital organs--	74	-	-	-	-	-	-	-	-	-	1	1	1	5	7	11	10	12	14	4	3	2	2	-	-	-	-
	White-----F--	73	-	-	-	-	-	-	-	-	-	1	1	1	6	7	11	10	11	14	4	3	2	2	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
50	Cancer of breast-	53	-	-	-	-	-	-	-	-	-	-	1	-	3	3	4	6	9	8	8	7	5	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	50	-	-	-	-	-	-	-	-	-	-	1	-	3	3	4	6	9	7	5	7	4	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	247	1	2	2	1	-	4	1	4	1	3	4	6	8	7	18	28	40	33	28	28	18	8	1	-	1	-
	White-----M--	181	1	1	1	1	-	1	1	1	1	2	2	2	5	3	11	23	31	24	21	25	15	8	1	-	-	-
	F--	61	-	1	1	-	-	3	-	2	-	1	2	4	3	4	5	4	9	8	7	3	3	-	-	-	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	137	-	-	-	-	-	-	1	2	-	1	3	-	4	1	5	13	22	29	20	21	5	9	1	-	-	-
	White-----M--	55	-	-	-	-	-	-	-	1	-	1	1	-	4	-	1	7	10	10	4	9	3	4	-	-	-	-
	F--	81	-	-	-	-	-	-	1	1	-	-	2	-	-	1	4	6	11	19	16	12	2	5	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter----------	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	1	1	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	15	-	-	-	-	-	-	-	-	-	1	1	2	1	-	3	-	6	-	1	-	-	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	-	6	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	490	-	1	-	-	-	-	-	-	1	-	1	3	7	8	16	33	60	73	79	84	68	40	12	3	1	-
	White-----M--	258	-	-	-	-	-	-	-	-	-	-	1	3	5	7	8	15	31	45	46	42	32	18	3	2	-	-
	F--	223	-	1	-	-	-	-	-	-	1	-	-	-	2	1	8	18	26	28	33	39	36	21	7	1	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
90-95	Diseases of the heart----------	1,629	-	-	2	-	-	-	2	5	5	4	17	19	30	60	100	152	209	210	253	248	198	78	34	2	1	-
	White-----M--	1,072	-	-	1	-	-	-	-	4	3	2	11	8	19	39	74	114	157	135	169	152	117	47	18	1	1	-
	F--	523	-	-	1	-	-	-	1	1	2	1	6	11	10	18	23	37	48	69	81	90	77	30	16	1	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	1	-	-	1	-	-	-	1	3	1	2	4	3	4	2	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	2	-	2	2	-	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	97	-	-	-	-	-	-	1	4	4	-	5	9	3	7	10	8	8	5	13	12	5	2	1	-	-	-
	White-----M--	49	-	-	-	-	-	-	-	3	2	-	2	3	3	3	4	7	5	2	10	1	2	2	-	-	-	-
	F--	47	-	-	-	-	-	-	1	1	2	-	3	6	-	4	5	1	3	3	3	11	3	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	643	-	-	-	-	-	-	-	-	-	1	7	4	14	31	54	82	110	96	86	70	60	21	7	-	-	-
	White-----M--	462	-	-	-	-	-	-	-	-	-	1	7	3	10	23	42	66	90	66	56	44	36	15	3	-	-	-
	F--	171	-	-	-	-	-	-	-	-	-	-	-	1	4	7	10	15	19	30	29	24	22	6	4	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	2	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	889	-	-	2	-	-	-	1	1	1	3	5	6	13	22	36	62	91	109	154	166	133	55	26	2	1	-
	White-----M--	561	-	-	1	-	-	-	-	1	1	1	2	2	6	13	28	41	62	67	103	107	79	30	15	1	1	-
	F--	305	-	-	1	-	-	-	-	-	-	1	3	4	6	7	8	21	26	36	49	55	52	24	11	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	4	2	2	1	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	2	-	2	1	-	-	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Con.																											
97,102	Arteriosclerosis and high blood pressure*	100	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	10	15	21	26	19	3	1	-	-
	White--M	60	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	6	8	17	15	9	1	-	-	-
	F	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	5	4	13	10	2	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	260	56	11	4	5	1	2	1	2	2	1	4	8	4	11	10	11	20	16	17	22	21	23	6	2	-	-
	White--M	151	18	5	3	1	-	2	1	1	1	1	3	2	3	9	7	8	17	12	12	15	12	15	1	2	-	-
	F	77	18	4	1	2	1	-	-	1	1	-	1	5	-	1	3	3	3	3	4	6	7	8	5	-	-	-
	Nonwhite--M	16	9	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	1	-	-	-	-	-
	F	16	11	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
107	Bronchopneumonia	101	25	6	3	3	1	1	-	-	-	-	1	3	-	1	4	5	5	4	9	10	7	11	1	1	-	-
	White--M	59	9	5	2	-	-	1	-	-	-	-	1	2	-	1	3	3	4	3	7	6	3	8	-	1	-	-
	F	34	9	1	1	2	1	-	-	-	-	-	-	1	-	-	1	2	1	1	2	4	4	3	1	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	83	10	4	-	2	-	-	-	2	2	1	2	2	3	5	4	4	11	9	3	7	5	6	-	1	-	-
	White--M	46	1	-	-	1	-	-	-	1	1	1	1	-	2	3	3	3	10	7	1	5	3	2	-	1	-	-
	F	24	2	2	-	-	-	-	-	1	1	-	1	1	-	1	1	1	1	2	2	2	2	4	-	-	-	-
	Nonwhite--M	9	5	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	51	17	1	1	-	-	1	-	-	-	-	1	2	1	4	2	1	4	-	3	5	2	4	2	-	-	-
	White--M	31	6	-	1	-	-	1	-	-	-	-	1	-	1	4	1	1	3	-	2	4	1	4	1	-	-	-
	F	11	5	1	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	1	-	-	-
	Nonwhite--M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
33	Influenza	25	4	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	3	2	-	7	2	3	-	-	-
	White--M	15	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	2	2	-	5	1	-	-	-	-
	F	8	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	3	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	36	-	-	-	-	-	-	-	-	-	-	1	2	1	2	5	4	7	7	6	1	-	-	-	-	-	-
	White--M	31	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	4	6	7	6	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	34	24	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	1	1	-	1	-	-	-	-
	White--M	10	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-
	F	9	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-
	Nonwhite--M	11	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	24	-	-	-	-	-	1	1	4	-	-	-	-	1	1	1	3	2	3	3	2	1	1	-	-	-	-
	White--M	17	-	-	-	-	-	1	-	2	-	-	-	-	1	-	1	3	2	1	2	2	1	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	56	3	-	-	1	-	-	-	-	1	2	3	2	1	2	4	1	6	6	11	5	5	3	-	-	-	-
	White--M	29	1	-	-	1	-	-	-	-	1	-	-	-	-	1	2	1	3	3	7	3	3	3	-	-	-	-
	F	24	2	-	-	-	-	-	-	-	-	1	3	2	1	1	1	-	2	3	4	2	2	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	53	-	-	-	-	1	-	1	-	-	2	2	3	3	1	8	8	11	2	4	2	3	2	-	-	-	-
	White--M	34	-	-	-	-	-	-	-	-	-	1	1	1	1	1	6	4	9	2	3	2	1	2	-	-	-	-
	F	18	-	-	-	-	1	-	1	-	-	1	1	2	2	-	2	4	1	-	1	-	2	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	32	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	5	3	4	5	5	1	-	-	-	-	-
	White--M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	2	3	-	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	3	2	4	3	2	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	276	1	-	-	-	-	1	3	-	2	4	4	5	6	10	16	18	25	31	48	46	33	18	5	2	-	-
	White--M	160	1	-	-	-	-	-	-	-	1	3	2	2	3	4	9	12	16	16	27	26	19	14	4	1	-	-
	F	101	-	-	-	-	-	1	3	-	-	1	2	3	3	4	7	4	8	11	17	19	14	2	1	1	-	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	4	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-
137	Diseases of the prostate	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	7	5	7	3	1	-	-	-
	White--M	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	5	7	3	1	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Con.																											
140-150	Diseases of pregnancy, etc.*	18	-	-	-	-	-	-	-	-	5	3	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	18	-	-	-	-	-	-	-	-	5	3	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	9	-	-	-	-	-	-	-	-	3	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	-	3	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	67	59	2	-	3	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	41	36	1	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	21	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	256	256	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	149	149	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	148	148	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	84	84	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	57	57	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	108	108	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	65	65	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	33	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	98	-	-	-	-	-	-	-	-	5	7	4	4	13	18	12	10	15	5	1	2	1	1	-	-	-	-
	White—M	76	-	-	-	-	-	-	-	-	4	6	3	3	7	13	10	7	13	5	1	2	1	1	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	1	1	1	-	5	5	2	3	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	22	-	-	1	-	-	1	-	1	2	2	2	1	-	3	2	1	3	1	2	-	-	-	-	-	-	-
	White—M	15	-	-	1	-	-	1	-	-	-	-	2	1	-	3	1	1	3	-	2	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	2	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	517	11	11	7	8	4	10	14	39	33	36	32	32	28	18	27	28	33	33	28	28	30	18	7	1	-	1
	White—M	372	7	6	4	4	3	7	12	29	27	29	24	29	20	14	22	23	20	24	19	18	15	13	2	-	-	1
	F	120	4	4	3	4	1	2	2	8	2	5	6	2	5	2	4	4	11	9	9	10	13	5	5	-	-	-
	Nonwhite—M	22	-	1	-	-	-	1	-	1	3	2	2	1	3	2	-	1	2	-	-	-	2	-	-	1	-	-
	F	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	166	-	1	-	4	1	4	2	19	20	20	16	10	7	5	7	12	18	9	6	2	2	1	-	-	-	-
	White—M	115	-	-	-	2	1	3	1	16	16	13	13	9	3	4	4	9	8	6	4	1	1	1	-	-	-	-
	F	41	-	1	-	2	-	-	1	3	1	5	2	1	2	1	3	3	9	3	2	1	1	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	1	-	-	2	2	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	351	11	10	7	4	3	6	12	20	13	16	16	22	21	13	20	16	15	24	22	26	28	17	7	1	-	1
	White—M	257	7	6	4	2	2	4	11	13	11	16	11	20	17	10	18	14	12	18	15	17	14	12	2	-	-	1
	F	79	4	3	3	2	1	2	1	5	1	-	4	1	3	1	1	1	2	6	7	9	12	5	5	-	-	-
	Nonwhite—M	13	-	1	-	-	-	-	-	1	1	-	1	1	1	2	-	1	1	-	-	-	2	-	-	1	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	168	10	1	1	-	-	1	-	2	-	-	1	4	3	5	3	10	15	10	17	23	27	17	12	6	-	-
	White—M	109	3	-	-	-	-	1	-	-	-	-	-	3	3	4	3	7	12	6	17	17	11	9	7	6	-	-
	F	39	3	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	3	2	-	4	13	7	4	-	-	-
	Nonwhite—M	11	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-	-	1	1	1	-	-	-
	F	9	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	-	-	-	-
	All other causes	367	13	4	2	4	4	9	7	1	5	5	10	14	23	10	24	40	44	44	30	31	20	7	10	-	-	-
	White—M	230	13	1	1	1	2	5	4	1	3	3	8	5	13	5	11	30	33	32	21	16	13	5	4	-	-	-
	F	116	3	3	1	2	2	3	1	-	2	2	1	7	9	4	13	10	10	9	9	13	7	2	3	-	-	-
	Nonwhite—M	11	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	1	-	2	-	-	2	-	-	-
	F	10	1	-	-	1	-	-	2	-	-	-	-	2	-	1	-	-	-	2	-	-	-	-	1	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA																											
	All causes	12,440	846	86	35	26	27	54	87	125	155	160	194	200	270	430	606	819	1,035	1,275	1,616	1,6[illegible]	1,395	928	343	80	8	15
	White—M	6,880	487	47	17	15	15	28	55	72	93	89	111	111	152	236	360	493	609	718	866	871	764	453	164	42	4	8
	F	5,267	327	35	16	11	9	25	32	47	56	65	72	80	108	178	221	298	387	527	728	735	618	472	174	36	4	6
	Nonwhite—M	169	16	1	1	-	2	1	-	4	4	1	6	4	1	10	16	19	22	20	14	12	10	1	3	-	-	1
	F	124	16	3	1	-	1	-	-	2	2	5	5	5	9	6	9	9	17	10	8	7	3	2	2	2	-	-
1,2	Typhoid and paratyphoid fever	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	17	5	2	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	White—M	11	4	1	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	8	-	-	1	-	3	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	177	2	1	2	-	-	-	2	6	10	9	15	14	11	16	11	20	17	18	13	5	3	1	1	-	-	-
	White—M	94	2	-	2	-	-	-	-	1	3	4	8	6	7	8	7	11	8	14	5	5	2	1	-	-	-	-
	F	64	-	-	-	-	-	-	2	3	6	4	6	6	3	7	2	7	6	4	6	-	1	-	1	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	2	2	-	2	-	-	-	-	-	-	-
	F	8	-	1	-	-	-	-	-	1	1	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	160	2	-	1	-	-	-	1	4	9	9	14	14	9	16	9	19	17	17	11	3	3	1	1	-	-	-
	White—M	85	2	-	1	-	-	-	-	-	2	4	8	6	6	8	6	10	8	14	4	3	2	1	-	-	-	-
	F	57	-	-	-	-	-	-	1	2	6	4	5	6	2	7	1	7	6	3	5	-	1	-	1	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	2	2	-	2	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	1	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	17	-	1	1	-	-	-	1	2	1	-	1	-	2	-	2	1	-	1	2	2	-	-	-	-	-	-
	White—M	9	-	-	1	-	-	-	-	1	1	-	-	-	1	-	1	1	-	-	1	2	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	1	1	-	-	1	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White—M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	83	4	-	-	-	-	-	-	-	-	-	-	1	5	8	7	8	12	12	14	7	4	-	1	-	-	-
	White—M	51	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	4	10	8	7	5	4	-	1	-	-	-
	F	21	2	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	2	2	5	2	-	-	-	-	-	-
	Nonwhite—M	9	2	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	2	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
35	Measles	9	1	3	-	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	3	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	55	1	4	3	1	2	6	10	14	6	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	31	1	2	2	1	1	5	3	8	2	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	-	2	1	-	1	1	7	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Con.																											
45-55	Cancer and other malignant tumors	1,754	1	-	2	1	3	3	5	3	4	10	23	31	39	82	152	166	198	246	261	280	181	80	17	4	-	2
	White-----M--	816	1	-	-	1	2	1	4	1	3	3	10	11	6	23	60	75	88	130	133	128	88	38	9	2	-	1
	F--	906	-	-	2	-	-	2	1	2	1	7	13	18	31	59	88	84	107	111	124	132	73	41	7	2	-	1
	Nonwhite--M--	16	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	4	3	2	2	-	2	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	3	-	3	2	-	-	1	1	-	-	-
46	Cancer of the digestive organs and peritoneum	818	1	-	-	-	-	-	1	-	2	1	3	5	6	30	54	64	109	114	131	148	99	37	10	2	-	1
	White-----M--	399	1	-	-	-	-	-	1	-	1	-	2	1	2	14	26	30	48	64	75	69	46	13	5	-	-	1
	F--	401	-	-	-	-	-	-	-	-	1	1	1	3	4	16	25	31	59	46	54	79	51	24	4	2	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	1	-	2	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	1	-	-	-	1	-	-	-
48,49	Cancer of female genital organs	185	-	-	-	-	-	-	-	1	-	-	6	8	13	20	25	23	23	19	20	17	8	2	-	-	-	-
	White-----F--	183	-	-	-	-	-	-	-	1	-	-	6	8	11	20	25	23	23	19	20	17	8	2	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	180	-	-	-	-	-	-	-	-	-	2	2	5	9	16	26	22	15	29	24	16	5	7	1	-	-	1
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	173	-	-	-	-	-	-	-	-	-	2	2	4	9	16	25	19	14	29	24	16	5	6	1	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	571	-	-	2	1	3	3	4	2	2	7	12	13	11	16	47	57	51	84	86	79	49	34	6	2	-	-
	White-----M--	416	-	-	-	1	2	1	3	1	2	3	8	10	4	9	34	45	39	66	58	59	40	25	4	2	-	-
	F--	149	-	-	2	-	-	2	1	1	-	4	4	3	7	7	13	11	11	17	26	20	9	9	2	-	-	-
	Nonwhite--M--	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	6	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	1
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	356	-	-	-	-	-	1	1	2	2	8	3	3	6	10	17	33	40	59	76	52	22	14	6	-	-	1
	White-----M--	144	-	-	-	-	-	1	1	2	1	2	-	2	3	6	8	10	15	22	27	19	16	7	2	-	-	-
	F--	206	-	-	-	-	-	-	-	-	1	5	3	1	3	4	9	22	22	37	48	33	6	7	4	-	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	17	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	4	3	2	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	3	3	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	29	-	-	-	-	-	-	-	1	-	-	-	4	5	1	3	1	5	4	3	-	1	-	-	-	-	1
	White-----M--	24	-	-	-	-	-	-	-	1	-	-	-	1	5	1	3	1	5	4	2	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,392	-	1	-	1	1	-	1	2	4	3	7	6	11	30	40	80	112	161	248	255	224	145	51	6	-	3
	White-----M--	707	-	-	-	-	1	-	1	1	4	1	5	4	5	22	19	44	60	87	122	126	105	70	26	3	-	1
	F--	650	-	1	-	1	-	-	-	1	-	2	2	2	6	6	19	36	45	68	121	119	117	74	25	3	-	2
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	2	7	2	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	5	3	3	3	-	-	-	-	-	-
90-95	Diseases of the heart	3,536	1	-	-	-	-	2	4	11	11	9	22	39	50	113	170	255	362	440	567	557	487	306	105	23	1	1
	White-----M--	2,138	-	-	-	-	-	2	3	5	6	5	12	23	38	78	129	183	249	279	328	310	280	146	46	15	-	1
	F--	1,333	1	-	-	-	-	-	1	6	5	3	6	14	12	31	33	64	101	153	234	243	203	159	56	7	1	-
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	-	-	1	1	-	2	7	5	8	6	3	1	2	-	2	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	1	3	1	-	2	1	3	4	2	2	3	2	1	1	1	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart	203	-	-	-	-	-	1	1	6	2	2	5	11	8	8	16	14	20	19	26	27	20	15	3	1	-	-
	White-----M--	115	-	-	-	-	-	1	1	4	2	-	3	5	2	5	10	8	11	9	20	14	13	6	-	1	-	-
	F--	87	-	-	-	-	-	-	-	2	-	2	1	6	4	3	6	6	9	10	6	13	7	9	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	1,406	-	-	-	-	-	-	-	-	1	2	9	12	25	68	93	151	171	205	233	199	145	67	21	4	-	-
	White-----M--	962	-	-	-	-	-	-	-	-	1	2	5	8	24	56	76	118	137	134	139	120	96	36	9	1	-	-
	F--	423	-	-	-	-	-	-	-	-	-	-	2	3	1	12	13	29	30	69	93	78	49	31	11	2	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	3	2	1	-	-	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)	1,927	1	-	-	-	-	1	3	5	8	5	8	16	19	37	61	90	171	216	308	331	322	224	81	18	1	1
	White-----M--	1,061	-	-	-	-	-	1	2	1	3	3	4	10	12	17	43	57	101	136	169	176	171	104	37	13	-	1
	F--	823	1	-	-	-	-	-	1	4	5	1	3	5	7	16	14	29	62	74	135	152	147	119	42	5	1	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	1	5	4	2	1	2	-	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	3	3	2	2	2	2	1	1	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Con.																											
97,102	Arteriosclerosis and high blood pressure*	231	-	-	-	-	-	-	-	-	-	2	1	-	-	1	4	7	10	10	22	45	61	35	23	10	-	-
	White—M	118	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	6	5	12	26	30	20	9	5	-	-
	F	108	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	3	2	5	10	19	29	15	14	5	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	523	74	19	4	4	2	1	3	7	3	6	8	7	10	16	19	19	25	41	56	75	58	44	17	3	1	1
	White—M	279	40	9	2	3	1	-	3	5	2	5	3	4	4	7	11	13	11	16	31	40	35	22	10	1	1	-
	F	214	24	9	1	1	1	1	-	1	1	1	5	3	4	7	6	3	12	21	24	35	22	22	7	2	-	1
	Nonwhite—M	15	3	-	1	-	-	-	-	1	-	-	-	-	1	1	-	3	1	2	1	-	1	-	-	-	-	-
	F	15	7	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	2	-	-	-	-	-	-	-	-
107	Bronchopneumonia	180	36	4	1	1	-	-	-	1	1	3	3	1	2	3	5	7	8	11	19	26	21	19	6	1	-	1
	White—M	93	19	-	1	1	-	-	-	1	1	3	2	-	-	1	4	4	4	5	9	10	15	9	3	1	-	-
	F	78	13	3	-	-	-	-	-	-	-	-	1	1	2	2	-	2	3	6	10	16	5	10	3	-	-	1
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	134	6	5	-	1	-	-	-	4	-	2	1	1	2	5	5	6	9	15	21	22	17	10	2	-	-	-
	White—M	72	3	2	-	1	-	-	-	3	-	1	-	1	1	1	2	5	3	6	15	15	8	5	-	-	-	-
	F	51	-	3	-	-	-	-	-	-	-	1	1	-	-	3	2	-	6	7	5	7	9	5	2	-	-	-
	Nonwhite—M	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	7	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	109	26	5	2	1	2	1	2	1	-	1	3	5	5	4	4	3	5	5	9	9	7	6	2	1	-	-
	White—M	59	13	3	1	-	1	-	2	-	-	1	-	3	2	3	2	2	4	2	4	5	6	3	2	-	-	-
	F	45	10	2	-	1	1	1	-	1	-	-	3	2	2	1	2	1	1	3	5	4	1	3	-	1	-	-
	Nonwhite—M	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	100	8	5	1	1	-	-	1	1	2	-	1	-	1	4	5	3	3	10	7	18	13	9	7	1	1	-
	White—M	55	5	4	-	1	-	-	1	1	1	-	1	-	1	2	3	2	-	3	3	10	6	5	5	-	1	-
	F	40	1	1	1	-	-	-	-	-	1	-	-	-	-	1	2	-	2	5	4	8	7	4	2	1	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	75	-	-	-	-	-	-	-	-	1	-	1	3	2	7	7	9	19	8	4	8	5	1	-	-	-	-
	White—M	59	-	-	-	-	-	-	-	-	1	-	-	3	2	6	7	7	14	7	4	5	2	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	4	1	-	3	3	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	56	33	3	1	-	1	1	-	1	-	-	3	-	1	-	-	-	2	2	2	2	1	3	-	-	-	-
	White—M	30	18	2	1	-	-	-	-	-	-	-	3	-	1	-	-	-	-	1	1	1	-	2	-	-	-	-
	F	22	13	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	2	1	1	-	1	1	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	50	-	1	-	-	1	2	1	3	2	3	3	2	4	4	4	6	7	4	-	1	-	-	-	-	-	-
	White—M	31	-	1	-	-	1	-	-	3	1	2	-	2	2	1	4	6	4	3	-	1	-	-	-	-	-	-
	F	19	-	-	-	-	-	2	1	-	1	1	3	-	2	3	-	2	3	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	130	4	2	-	-	1	-	-	-	1	2	4	1	5	6	7	13	12	12	14	14	16	10	3	1	-	-
	White—M	68	3	2	-	-	-	-	-	-	-	2	-	-	1	-	3	9	7	7	8	7	10	7	2	-	-	-
	F	58	1	-	-	-	1	-	-	-	1	-	3	1	4	4	4	3	5	5	6	7	8	3	1	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	106	-	-	-	-	-	-	-	-	2	2	6	4	7	8	9	10	10	17	10	6	5	8	2	-	-	-
	White—M	64	-	-	-	-	-	-	-	-	2	1	5	3	6	3	7	7	7	7	7	3	2	3	1	-	-	-
	F	41	-	-	-	-	-	-	-	-	-	1	1	1	1	5	1	3	3	10	3	3	3	5	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	73	-	-	-	-	-	-	-	-	2	-	-	3	3	1	6	10	15	7	9	5	5	5	2	-	-	-
	White—M	29	-	-	-	-	-	-	-	-	1	-	-	1	1	-	5	4	5	3	2	2	2	3	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	1	-	-	2	2	1	1	6	10	4	7	3	3	2	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	753	2	1	1	-	-	-	4	2	7	4	5	11	19	22	25	42	48	79	128	129	104	83	32	5	-	-
	White—M	418	2	1	1	-	-	-	2	2	5	2	1	5	11	13	11	25	31	34	72	69	63	46	21	1	-	-
	F	323	-	-	-	-	-	-	2	-	2	2	3	6	7	8	12	17	15	41	55	60	41	37	11	4	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	4	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
137	Diseases of the prostate	85	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	10	16	19	21	7	4	1	-	-
	White—M	82	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	10	15	19	21	7	4	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Con.																											
140-150	Diseases of pregnancy, etc.*----	29	-	-	-	-	-	-	-	-	5	10	7	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	29	-	-	-	-	-	-	-	-	5	10	7	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia------	6	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	10	-	-	-	-	-	-	-	-	1	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	-	-	-	-	-	-	-	-	1	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	12	-	-	-	-	-	-	-	-	3	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	-	-	-	-	-	-	-	-	3	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes----------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	151	137	7	-	-	-	1	-	2	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	91	85	3	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	59	51	4	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	529	529	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	307	307	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	211	211	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth---	373	373	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	216	216	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	149	149	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year------	156	156	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	91	91	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	62	62	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	163	-	-	-	-	-	-	-	3	7	9	12	11	9	16	16	24	16	12	11	9	4	3	-	1	-	-
	White-----M--	127	-	-	-	-	-	-	-	3	5	9	9	8	6	12	10	18	12	8	10	9	4	3	-	1	-	-
	F--	35	-	-	-	-	-	-	-	-	2	-	3	3	3	4	6	5	4	4	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	27	-	-	-	1	-	-	-	-	4	4	2	5	1	1	3	4	1	-	-	1	-	-	-	-	-	-
	White-----M--	12	-	-	-	1	-	-	-	-	1	1	-	3	1	-	3	1	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	2	1	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	902	21	19	12	8	7	18	41	51	62	47	46	32	39	41	41	44	46	42	51	66	74	67	18	5	1	3
	White-----M--	585	9	13	6	4	4	9	29	32	46	35	39	26	31	33	35	38	38	27	28	35	30	28	7	1	1	3
	F--	299	8	6	5	4	2	8	12	16	15	12	6	6	8	6	6	8	7	14	23	29	44	39	11	4	-	-
	Nonwhite--M--	12	3	-	-	-	1	1	-	2	1	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	F--	5	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
170	Motor-vehicle accidents-------	289	2	2	-	3	3	5	12	31	41	29	21	14	10	22	15	17	10	11	15	12	7	4	-	1	-	2
	White-----M--	213	1	1	-	2	1	3	9	21	32	19	16	10	9	18	13	13	7	8	10	9	5	3	-	1	-	2
	F--	72	1	1	-	1	1	2	3	10	9	10	4	4	1	3	2	4	2	3	5	3	2	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents---	613	19	17	12	5	4	13	29	20	21	18	25	18	29	19	26	27	36	31	36	54	67	63	18	4	1	1
	White-----M--	372	8	12	6	2	3	6	20	11	14	16	23	16	22	15	22	23	31	19	18	26	25	25	7	-	1	1
	F--	227	7	5	5	3	1	6	9	6	6	2	2	2	7	3	4	4	5	11	18	26	42	38	11	4	-	-
	Nonwhite--M--	10	3	-	-	-	-	1	-	2	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	F--	4	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes----	284	3	2	-	-	-	-	-	1	-	2	-	1	2	2	2	5	6	9	19	30	62	76	43	15	4	-
	White-----M--	144	1	2	-	-	-	-	-	1	-	2	-	1	2	2	2	4	3	6	11	13	33	32	19	8	2	-
	F--	135	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	8	16	28	44	23	6	2	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	All other causes-	814	21	21	6	7	6	13	11	15	17	25	21	20	32	41	60	54	65	76	86	76	74	40	18	6	1	2
	White-----M--	404	10	11	3	3	4	7	7	6	9	13	11	7	15	16	31	27	33	38	39	47	37	17	7	4	-	2
	F--	398	11	9	3	4	2	6	4	9	8	11	9	12	13	25	28	27	31	38	47	28	36	23	11	2	1	-
	Nonwhite--M--	5	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.–DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA																											
	All causes	1,502	130	9	12	7	4	12	6	25	24	27	37	59	72	73	115	127	132	177	138	123	104	50	15	3	5	16
	White—M	941	69	7	4	4	2	8	4	14	8	15	19	33	50	49	74	96	96	126	96	75	52	24	5	1	-	10
	F	423	47	1	7	1	1	2	-	6	7	10	15	16	19	15	28	27	29	43	30	39	46	22	9	1	1	1
	Nonwhite—M	68	7	1	1	1	-	1	1	1	3	2	1	7	1	2	8	3	3	5	7	5	1	1	1	-	2	3
	F	70	7	-	-	1	1	1	1	4	6	-	2	3	2	7	5	1	4	3	5	4	5	3	-	1	2	2
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	73	1	1	-	1	-	1	-	3	4	1	2	5	6	4	11	9	5	8	6	2	2	1	-	-	-	-
	White—M	51	-	1	-	-	-	-	-	-	-	-	1	3	4	4	9	9	4	7	5	2	2	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	1	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F	10	-	-	-	1	-	-	-	3	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	66	-	-	-	-	-	-	-	3	4	1	2	5	5	4	10	9	4	8	6	2	2	1	-	-	-	-
	White—M	50	-	-	-	-	-	-	-	-	-	-	1	3	4	4	9	9	4	7	5	2	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	3	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	7	1	1	-	1	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	22	3	-	-	-	-	-	-	-	-	-	1	1	3	3	4	2	2	2	1	-	-	-	-	-	-	-
	White—M	15	1	-	-	-	-	-	-	-	-	-	-	-	3	3	2	2	2	2	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	4	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	3	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Con.																											
45-55	Cancer and other malignant tumors	149	1	-	-	-	-	-	1	1	-	-	1	6	3	15	15	23	18	29	14	13	5	3	1	-	-	-
	White-----M--	76	1	-	-	-	-	-	1	1	-	-	-	2	1	2	9	14	9	18	8	6	4	-	-	-	-	-
	F--	63	-	-	-	-	-	-	-	-	-	-	1	4	2	9	5	9	8	10	5	6	1	3	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	1	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	69	-	-	-	-	-	-	-	-	-	-	-	1	1	4	7	10	9	15	11	8	2	-	1	-	-	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	-	-	1	-	1	6	7	5	8	7	4	2	-	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	7	3	4	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	14	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	2	2	1	-	1	-	1	-	-	-	-
	White-----F--	13	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	2	2	-	-	1	-	1	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
50	Cancer of breast-	18	-	-	-	-	-	-	-	-	-	-	1	3	1	3	3	1	1	1	1	1	1	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	3	1	2	2	1	1	1	1	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	48	1	-	-	-	-	-	1	1	-	-	-	1	1	4	3	10	6	12	2	3	2	1	-	-	-	-
	White-----M--	35	1	-	-	-	-	-	1	1	-	-	-	1	1	1	3	7	4	10	1	2	2	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	2	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
58	Acute rheumatic fever----------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	24	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	4	3	5	2	2	-	1	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	1	2	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	1	1	2	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	11	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	2	1	-	1	1	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	125	1	-	-	-	-	-	-	-	-	-	1	1	3	3	8	8	13	26	16	14	16	12	-	2	-	1
	White-----M--	71	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	8	19	11	6	8	7	-	1	-	1
	F--	44	-	-	-	-	-	-	-	-	-	-	1	-	2	1	5	2	2	7	5	7	7	5	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	1	-	-	1	-	-
90-95	Diseases of the heart----------	407	1	-	-	-	-	-	1	1	-	1	3	6	16	21	28	32	50	72	43	57	42	24	5	-	-	4
	White-----M--	284	-	-	-	-	-	-	-	-	-	1	1	5	11	19	22	25	39	53	33	38	21	12	1	-	-	3
	F--	102	1	-	-	-	-	-	-	1	-	-	2	1	4	1	3	6	10	15	10	16	18	10	4	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	3	-	-	1	-	-	-	-	1
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	3	2	2	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	20	-	-	-	-	-	-	-	1	-	1	1	-	2	1	2	3	2	3	-	3	1	-	-	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	2	1	3	-	2	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	146	-	-	-	-	-	-	-	-	-	-	-	5	4	10	11	11	15	37	15	20	10	7	-	-	-	1
	White-----M--	105	-	-	-	-	-	-	-	-	-	-	-	4	4	10	9	9	12	27	8	14	5	3	-	-	-	-
	F--	35	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	9	7	4	5	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	241	1	-	-	-	-	-	1	-	-	-	2	1	10	10	15	18	33	32	28	34	31	17	5	-	-	3
	White-----M--	164	-	-	-	-	-	-	-	-	-	-	1	1	5	8	11	14	26	23	25	22	15	9	1	-	-	3
	F--	62	1	-	-	-	-	-	-	-	-	-	1	-	4	1	1	3	6	6	3	11	13	8	4	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	1	2	-	-	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Con.																											
97,102	Arteriosclerosis and high blood pressure*	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	2	6	1	2	-	-	-
	White----M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	4	1	2	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	84	19	2	2	-	-	1	-	-	1	-	1	4	1	2	5	9	5	7	5	4	7	3	3	1	1	1
	White----M	41	9	-	-	-	-	1	-	-	-	-	1	1	-	1	2	8	5	4	2	3	2	1	1	-	-	-
	F	30	8	1	2	-	-	-	-	-	1	-	-	1	1	-	3	-	-	2	1	-	4	2	2	1	1	-
	Nonwhite--M	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	1
107	Bronchopneumonia	32	10	1	2	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	1	1	4	2	2	1	1	-
	White----M	17	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	1	1	1	1	-	-	-	-
	F	14	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	2	1	1	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	34	3	-	-	-	-	1	-	-	1	-	-	3	1	1	3	6	3	4	2	2	2	1	1	-	-	-
	White----M	18	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	5	3	3	-	2	1	-	1	-	-	-
	F	8	3	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-
109	Pneumonia (unspecified)	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	1	-	-	-	-	-
	White----M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	8	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	1
	White----M	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
117	Ulcer of stomach or duodenum	10	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	3	2	-	-	-	-	-	-	-	-
	White----M	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	5	-	-	-	-	-	-	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	11	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	2	2	-	-	-	-	-	-
	White----M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	16	-	-	-	-	-	-	-	-	1	-	2	-	2	-	3	1	-	3	1	1	2	-	-	-	-	-
	White----M	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	-	2	1	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	2	-	-	-	-	-	-	-
	White----M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	54	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	4	7	9	16	6	3	1	2	-	-	-
	White----M	32	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	6	4	12	2	2	1	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	5	2	3	1	-	2	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
137	Diseases of the prostate	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	White----M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Con.																											
140-150	Diseases of pregnancy, etc.*	6	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	13	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	75	75	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	43	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	28	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	46	46	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	28	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	16	16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	29	29	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	15	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	41	-	-	-	-	-	-	-	1	1	5	3	3	8	5	4	4	4	-	1	-	1	-	-	-	-	1
	White—M	30	-	-	-	-	-	-	-	-	-	2	3	2	6	5	2	4	4	-	1	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	2	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	9	1	-	-	-	-	-	-	1	-	1	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	186	4	1	6	1	2	3	2	14	14	13	10	13	17	8	21	12	8	6	8	7	9	3	-	-	1	3
	White—M	139	2	1	4	1	1	2	2	11	7	11	8	9	16	7	16	11	6	6	7	4	4	1	-	-	-	2
	F	34	2	-	2	-	1	1	-	2	4	2	1	1	1	-	4	1	1	-	1	3	5	2	-	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	1	3	-	1	3	-	1	1	-	1	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
170	Motor-vehicle accidents	64	-	-	2	-	1	1	2	4	8	6	5	5	7	2	7	5	4	2	-	3	-	-	-	-	-	-
	White—M	48	-	-	1	-	1	1	2	2	4	5	3	3	6	2	6	5	3	2	-	2	-	-	-	-	-	-
	F	10	-	-	1	-	-	-	-	2	1	1	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	122	4	1	4	1	1	2	-	10	6	7	5	8	10	6	14	7	4	4	8	4	9	3	-	-	1	3
	White—M	91	2	1	3	1	-	1	-	9	3	6	5	6	10	5	10	6	3	4	7	2	4	1	-	-	-	2
	F	24	2	-	1	-	1	1	-	-	3	1	-	-	-	-	3	1	1	-	1	2	5	2	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
162,199, 200	Senility, ill-defined and unknown causes	46	3	-	-	1	-	1	-	-	-	-	2	3	2	-	2	4	2	1	8	4	5	2	1	-	1	4
	White—M	29	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	4	1	1	6	3	3	1	1	-	-	3
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1
	Nonwhite—M	6	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-
	F	6	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other causes	86	6	-	2	3	2	2	-	2	1	3	6	5	3	5	5	10	5	5	6	7	4	-	-	-	2	2
	White—M	43	3	-	-	3	1	1	-	-	1	-	4	4	2	4	2	4	1	4	3	4	1	-	-	-	-	1
	F	33	2	-	2	-	-	1	-	2	-	3	2	1	1	1	2	6	3	1	1	2	3	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-
	F	6	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE																											
	All causes	6,049	348	23	15	18	8	27	26	57	50	70	66	119	128	217	302	399	512	658	818	861	673	435	161	41	1	16
	White-----M	3,254	204	11	6	12	4	13	17	38	36	39	37	63	76	133	177	243	311	379	431	449	317	177	61	13	-	7
	F	2,784	142	12	9	6	4	14	9	19	14	31	29	54	51	84	125	155	200	278	386	412	355	258	100	27	1	9
	Nonwhite--M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	1	-	1	-	-	-	-	-
1,2	Typhoid and paratyphoid fever	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	116	-	-	-	1	-	-	-	5	4	8	9	10	9	8	10	14	8	13	10	5	1	-	1	-	-	-
	White-----M	80	-	-	-	1	-	-	-	2	1	6	3	6	8	7	9	10	4	10	8	4	1	-	-	-	-	-
	F	36	-	-	-	-	-	-	-	3	3	2	6	4	1	1	1	4	4	3	2	1	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	105	-	-	-	-	-	-	-	5	4	8	9	10	8	8	10	11	4	11	10	5	1	-	1	-	-	-
	White-----M	73	-	-	-	-	-	-	-	2	1	6	3	6	7	7	9	8	3	8	8	4	1	-	-	-	-	-
	F	32	-	-	-	-	-	-	-	3	3	2	6	4	1	1	1	3	1	3	2	1	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	11	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	3	4	2	-	-	-	-	-	-	-	-
	White-----M	7	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	37	1	-	-	-	-	-	-	-	-	-	1	5	1	5	1	7	4	3	5	4	-	-	-	-	-	-
	White-----M	26	1	-	-	-	-	-	-	-	-	-	1	3	1	4	-	6	2	3	2	3	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	2	-	3	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	7	1	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	15	-	-	1	-	1	4	5	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	8	-	-	1	-	-	2	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Continued																											
45-55	Cancer and other malignant tumors	833	1	1	-	2	-	2	-	1	-	2	6	13	27	38	66	88	84	126	126	118	84	33	11	2	-	2
	White-----M--	386	-	1	-	2	-	1	-	-	-	1	1	4	8	13	27	36	49	56	53	64	51	13	5	-	-	1
	F--	447	1	-	-	-	-	1	-	1	-	1	5	9	19	25	39	52	35	70	73	54	33	20	6	2	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	419	-	-	-	-	-	-	-	-	-	-	1	3	8	13	21	54	38	68	73	66	54	15	4	-	-	1
	White-----M--	210	-	-	-	-	-	-	-	-	-	-	1	1	5	4	10	26	27	29	31	38	30	5	3	-	-	-
	F--	209	-	-	-	-	-	-	-	-	-	-	-	2	3	9	11	28	11	39	42	28	24	10	1	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	98	-	-	-	-	-	-	-	-	-	-	2	5	9	10	11	10	12	11	8	10	1	5	4	-	-	-
	White-----F--	98	-	-	-	-	-	-	-	-	-	-	2	5	9	10	11	10	12	11	8	10	1	5	4	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast--	75	-	-	-	-	-	-	-	-	-	-	2	1	5	4	7	6	9	12	11	8	5	2	1	2	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	74	-	-	-	-	-	-	-	-	-	-	2	1	5	4	7	6	9	11	11	8	5	2	1	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	241	1	1	-	2	-	2	-	1	-	2	1	4	5	11	27	18	25	35	34	34	24	11	2	-	-	1
	White-----M--	175	-	1	-	2	-	1	-	-	-	1	-	3	3	9	17	10	22	26	22	26	21	8	2	-	-	1
	F--	66	1	-	-	-	-	1	-	1	-	1	1	1	2	2	10	8	3	9	12	8	3	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	170	-	1	-	-	-	-	-	-	3	-	2	-	-	1	7	21	16	21	41	36	14	6	-	-	-	1
	White-----M--	57	-	1	-	-	-	-	-	-	2	-	2	-	-	1	1	9	7	8	12	11	4	1	-	-	-	-
	F--	113	-	-	-	-	-	-	-	-	1	-	-	-	-	-	6	12	9	15	29	25	10	5	-	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter----------	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	2	-	2	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	9	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	3	1	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	614	1	-	-	-	-	-	-	1	-	1	1	4	4	26	19	38	56	71	92	134	80	63	15	5	-	3
	White-----M--	283	1	-	-	-	-	-	-	1	-	-	1	2	1	18	7	19	31	38	36	63	33	27	3	1	-	1
	F--	330	-	-	-	-	-	-	-	-	-	1	-	2	3	8	12	19	25	33	56	71	47	36	12	3	-	2
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart----------	2,090	-	-	1	-	1	2	1	1	5	7	6	24	32	75	109	124	207	276	341	350	262	181	62	17	1	5
	White-----M--	1,213	-	-	-	-	1	-	1	1	2	3	3	15	27	52	72	99	148	175	207	176	121	79	23	6	-	2
	F--	873	-	-	1	-	-	2	-	-	3	4	3	8	4	23	37	25	58	101	134	174	140	102	39	11	1	3
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	107	-	-	-	-	-	1	-	-	3	1	1	7	7	9	8	8	10	13	11	13	6	6	3	-	-	-
	White-----M--	50	-	-	-	-	-	-	-	-	1	-	-	4	5	5	2	4	5	7	4	5	2	5	1	-	-	-
	F--	57	-	-	-	-	-	1	-	-	2	1	1	3	2	4	6	4	5	6	7	8	4	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris----------	718	-	-	-	-	-	-	-	-	1	3	3	8	13	36	49	62	89	110	122	108	61	40	10	1	1	1
	White-----M--	478	-	-	-	-	-	-	-	-	1	3	2	7	13	27	37	56	67	77	76	55	28	24	4	-	-	1
	F--	240	-	-	-	-	-	-	-	-	-	-	1	1	-	9	12	6	22	33	46	53	33	16	6	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	1,265	-	-	1	-	1	1	1	1	1	3	2	9	12	30	52	54	108	153	208	229	195	135	49	16	-	4
	White-----M--	665	-	-	-	-	1	-	1	1	-	-	1	4	9	20	33	39	76	91	127	116	91	50	18	6	-	1
	F--	576	-	-	1	-	-	1	-	-	1	3	1	4	2	10	19	15	31	62	81	113	103	85	31	10	-	3
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Continued																											
97,102	Arteriosclerosis and high blood pressure*	217	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	10	23	49	58	38	26	5	-	-
	White-----M--	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	6	9	24	26	18	13	3	-	-
	F--	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	14	25	32	20	13	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	282	38	3	-	3	3	1	1	4	2	2	2	3	6	9	6	13	18	21	23	34	46	27	14	3	-	-
	White-----M--	139	20	1	-	2	1	-	1	2	1	1	2	3	4	5	4	6	7	14	11	23	19	8	4	1	-	-
	F--	141	17	2	-	1	2	1	-	2	1	1	-	-	2	4	2	7	11	6	12	11	28	19	10	2	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
107	Bronchopneumonia	136	22	1	-	1	3	-	-	-	2	-	2	1	2	4	2	6	8	5	14	12	27	13	9	2	-	-
	White-----M--	71	12	1	-	1	1	-	-	-	1	-	2	1	1	2	1	5	3	5	7	10	11	4	3	-	-	-
	F--	64	9	-	-	-	2	-	-	-	1	-	-	-	1	2	1	1	5	-	7	2	16	9	6	2	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	89	5	-	-	1	-	-	1	3	-	2	-	2	3	3	2	6	7	10	8	12	12	7	4	1	-	-
	White-----M--	49	2	-	-	1	-	-	1	2	-	1	-	2	3	2	2	1	3	8	3	8	5	3	1	1	-	-
	F--	40	3	-	-	-	-	-	-	1	-	1	-	-	-	1	-	5	4	2	5	4	7	4	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	27	7	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	2	1	4	4	2	1	-	-	-
	White-----M--	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	-	-	-	-	-
	F--	16	3	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	2	2	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	30	4	1	-	1	-	1	-	1	-	-	-	-	-	1	-	1	2	4	-	6	3	5	-	-	-	-
	White-----M--	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	-	1	-	-	-	-
	F--	21	2	1	-	1	-	1	-	1	-	-	-	-	-	-	-	1	2	2	-	3	3	4	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	42	1	-	-	-	-	-	-	1	-	1	-	3	2	3	5	1	6	7	7	4	1	-	-	-	-	-
	White-----M--	30	1	-	-	-	-	-	-	1	-	-	-	-	1	3	4	1	5	6	5	2	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	-	1	1	2	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	32	25	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-
	White-----M--	18	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F--	14	10	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	19	-	1	1	-	-	-	1	1	-	2	-	1	1	-	4	3	2	-	1	-	1	-	-	-	-	-
	White-----M--	16	-	1	1	-	-	-	1	1	-	2	-	1	1	-	3	1	2	-	1	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	51	1	-	-	-	-	-	-	-	-	-	1	2	3	-	4	3	10	5	3	7	8	2	1	-	-	1
	White-----M--	26	1	-	-	-	-	-	-	-	-	-	1	1	1	-	2	3	2	2	1	5	5	1	-	-	-	1
	F--	25	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	8	3	2	2	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	54	-	-	-	1	-	-	-	-	-	-	2	6	4	4	7	5	4	7	6	3	2	1	1	1	-	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	1	4	3	3	6	3	2	5	5	2	1	-	1	-	-	-
	F--	18	-	-	-	1	-	-	-	-	-	-	1	2	1	1	1	2	2	2	1	1	1	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	29	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	2	3	5	4	5	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	1	1	-	-	-	-	-
	F--	22	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	3	1	1	5	3	4	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	293	1	-	-	-	-	-	-	1	1	2	2	1	3	9	17	13	23	31	49	44	49	31	14	1	-	1
	White-----M--	150	1	-	-	-	-	-	-	1	-	1	2	-	1	2	10	7	6	18	26	28	23	14	7	-	-	1
	F--	141	-	-	-	-	-	-	-	-	1	1	-	1	2	7	7	5	17	13	20	16	26	17	7	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
137	Diseases of the prostate	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	9	6	8	1	-	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	9	6	8	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Continued																											
140-150	Diseases of pregnancy, etc.*	14	-	-	-	-	-	-	-	-	2	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-	7	-
	White—F	14	-	-	-	-	-	-	-	-	2	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	4	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	4	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	4	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	86	71	2	2	1	1	1	-	1	1	2	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	49	41	1	-	-	-	1	-	1	1	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	37	30	1	2	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	172	172	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	103	103	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	68	68	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	101	101	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	59	59	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	41	41	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	44	44	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	27	27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	65	-	-	-	-	-	-	-	2	3	2	3	3	7	3	10	6	7	5	9	5	-	-	-	-	-	-
	White—M	54	-	-	-	-	-	-	-	1	2	2	3	2	6	3	7	5	6	5	7	5	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	1	1	-	-	1	1	-	3	1	1	-	2	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	4	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	350	13	4	7	7	1	11	13	24	22	24	14	17	12	13	12	15	18	23	24	22	22	25	5	1	-	1
	White—M	219	6	2	4	5	1	7	9	20	21	17	13	15	8	11	10	10	12	10	15	8	4	6	3	1	-	1
	F	131	7	2	3	2	-	4	4	4	1	7	1	2	4	2	2	5	6	13	9	14	18	19	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	100	-	2	2	2	-	5	5	11	13	12	5	6	4	5	4	6	6	5	3	4	-	-	-	-	-	-
	White—M	71	-	1	1	1	-	1	3	8	13	8	4	5	3	3	2	4	3	4	3	4	-	-	-	-	-	-
	F	29	-	1	1	1	-	4	2	3	-	4	1	1	1	2	2	2	3	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	250	13	2	5	5	1	6	8	13	9	12	9	11	8	8	8	9	12	18	21	18	22	25	5	1	-	1
	White—M	148	6	1	3	4	1	6	6	12	8	9	9	10	5	8	8	6	9	6	12	4	4	6	3	1	-	1
	F	102	7	1	2	1	-	-	2	1	1	3	-	1	3	-	-	3	3	12	9	14	18	19	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	73	4	-	-	-	-	-	-	-	-	-	1	2	2	2	3	5	3	8	6	6	9	13	4	3	-	2
	White—M	40	3	-	-	-	-	-	-	-	-	-	-	-	2	2	3	4	2	7	3	5	6	3	-	-	-	-
	F	33	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	1	1	3	1	3	10	4	3	-	2
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	313	11	3	2	3	-	3	2	11	4	10	10	17	10	16	16	28	32	26	35	29	23	12	7	3	-	-
	White—M	157	7	1	-	2	-	2	1	6	4	3	3	6	2	5	10	18	16	14	17	18	13	6	2	1	-	-
	F	156	4	2	2	1	-	1	1	5	-	7	7	11	8	11	6	10	16	12	18	11	10	6	5	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY																											
	All causes	46,392	2,715	165	121	86	60	226	174	385	577	595	776	1,079	1,501	2,365	3,428	4,365	4,928	5,514	5,708	5,035	3,702	2018	720	137	26	3
	White-----M	23,601	1,405	83	60	50	34	120	94	184	280	261	335	503	752	1,224	1,966	2,527	2,759	2,963	2,912	2,406	1,579	779	281	37	3	2
	F	19,508	993	53	44	30	20	71	56	106	172	223	299	393	532	851	1,146	1,551	1,886	2,287	2,589	2,488	2,028	1,179	417	91	13	-
	Nonwhite--M	1,734	180	17	9	6	5	11	17	33	62	62	66	81	112	167	170	156	149	147	120	79	43	23	8	4	6	1
	F	1,549	137	12	8	2	1	24	7	42	63	49	76	102	105	123	144	131	124	117	108	62	52	37	14	5	4	-
1,2	Typhoid and paratyphoid fever	6	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M	4	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	38	6	7	2	2	2	3	3	1	-	2	-	1	5	-	2	-	2	-	-	-	-	-	-	-	-	-
	White-----M	23	5	5	1	2	2	-	1	1	-	1	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	12	1	2	-	-	-	3	1	-	-	1	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	5	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	26	18	1	2	-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	White-----M	9	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	9	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	12	-	1	1	3	-	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	5	-	1	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	3	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,647	8	9	9	5	2	10	10	52	120	119	144	170	141	139	173	164	137	103	63	31	27	8	3	-	-	-
	White-----M	830	-	2	4	3	1	2	-	6	31	27	47	68	79	80	118	122	100	64	38	15	18	3	2	-	-	-
	F	429	2	2	3	2	-	1	2	15	35	50	56	51	24	31	30	24	22	28	22	15	8	5	1	-	-	-
	Nonwhite--M	216	3	1	-	-	1	2	3	11	20	23	21	29	25	24	18	13	11	8	2	-	1	-	-	-	-	-
	F	172	3	4	2	-	-	5	5	20	34	19	20	22	13	4	7	5	4	3	1	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,545	5	3	3	1	1	7	7	45	110	113	135	158	136	137	164	162	132	98	62	29	26	8	3	-	-	-
	White-----M	798	-	-	2	1	-	-	-	4	27	26	45	67	77	78	115	121	97	62	38	15	18	3	2	-	-	-
	F	394	-	-	-	-	-	1	2	14	33	47	54	46	23	31	26	23	21	26	21	13	7	5	1	-	-	-
	Nonwhite--M	201	2	-	-	-	1	2	2	10	19	21	17	28	23	24	18	13	11	7	2	-	1	-	-	-	-	-
	F	152	3	3	1	-	-	4	3	17	31	19	19	17	13	4	5	5	3	3	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	102	3	6	6	4	1	3	3	7	10	6	9	12	5	2	9	2	5	5	1	2	1	-	-	-	-	-
	White-----M	32	-	2	2	2	1	2	-	2	4	1	2	1	2	2	3	1	3	2	-	-	-	-	-	-	-	-
	F	35	2	2	3	2	-	-	-	1	2	3	2	5	1	-	4	1	1	2	1	2	1	-	-	-	-	-
	Nonwhite--M	15	1	1	-	-	-	-	1	1	1	2	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	20	-	1	1	-	-	1	2	3	3	-	1	5	-	-	2	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	16	-	-	-	-	-	-	1	-	2	2	-	2	-	-	2	1	1	2	-	3	-	-	-	-	-	-
	White-----M	12	-	-	-	-	-	-	1	-	2	-	-	1	-	-	1	1	1	2	-	3	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	299	5	-	-	-	-	-	1	3	4	3	4	12	22	40	43	49	39	33	21	14	6	-	-	-	-	-
	White-----M	163	-	-	-	-	-	-	1	-	-	1	1	3	9	20	23	32	26	21	12	12	2	-	-	-	-	-
	F	54	3	-	-	-	-	-	-	1	-	1	-	4	4	8	10	6	6	6	3	1	1	-	-	-	-	-
	Nonwhite--M	55	2	-	-	-	-	-	-	1	1	-	3	2	8	7	7	7	6	4	4	1	2	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	1	3	1	-	3	1	5	3	4	1	2	2	-	1	-	-	-	-	-
35	Measles	28	3	2	3	1	2	11	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	17	2	-	3	1	2	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	1	2	-	-	-	5	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	26	-	1	-	2	2	4	3	5	4	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	12	-	-	-	1	1	2	2	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	-	1	-	1	1	2	1	2	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Con.																											
45-55	Cancer and other malignant tumors	7,246	4	4	3	6	3	13	10	18	33	43	89	153	272	506	704	916	986	1,068	1,036	752	427	155	37	5	1	2
	White-----M--	3,539	1	1	2	4	2	6	2	12	19	16	34	53	100	197	334	454	522	569	547	393	196	59	13	1	-	2
	F--	3,359	3	3	1	2	1	5	8	4	9	22	49	83	147	266	323	413	411	466	454	346	227	89	23	4	-	-
	Nonwhite--M--	152	-	-	-	-	-	-	-	2	3	2	-	3	7	17	21	22	25	18	18	6	2	4	1	-	1	-
	F--	196	-	-	-	-	-	2	-	-	2	3	6	14	18	26	26	27	28	15	17	7	2	3	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	3,411	-	1	-	2	1	-	3	3	6	9	27	49	91	202	305	427	487	546	555	394	206	77	19	1	-	-
	White-----M--	1,788	-	-	-	1	-	-	-	2	4	4	13	20	49	103	168	228	274	298	302	212	82	23	4	1	-	-
	F--	1,472	-	1	-	1	1	-	3	1	1	4	13	28	33	84	116	173	186	232	233	175	122	51	14	-	-	-
	Nonwhite--M--	83	-	-	-	-	-	-	-	-	1	1	-	1	3	9	12	15	13	8	12	4	1	2	1	-	-	-
	F--	68	-	-	-	-	-	-	-	-	-	-	1	-	6	6	9	11	14	8	8	3	1	1	-	-	-	-
48,49	Cancer of female genital organs--	738	-	-	-	-	-	1	1	1	4	10	18	34	48	79	88	101	80	99	74	58	27	13	1	1	-	-
	White-----F--	667	-	-	-	-	-	-	1	1	3	7	14	25	43	64	78	94	74	97	70	56	27	11	1	1	-	-
	Nonwhite--F--	71	-	-	-	-	-	1	-	-	1	3	4	9	5	15	10	7	6	2	4	2	-	2	-	-	-	-
50	Cancer of breast-	709	-	-	-	-	-	-	-	-	-	3	10	21	56	88	74	92	90	72	92	62	39	7	3	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	2	1	1	-	-	-	-	-
	F--	676	-	-	-	-	-	-	-	-	-	3	10	19	50	86	70	87	83	72	89	60	37	7	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	2	5	2	2	5	5	-	1	1	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	2,388	4	3	3	4	2	12	6	14	23	21	34	49	77	137	237	296	329	351	315	238	155	58	14	3	1	2
	White-----M--	1,742	1	1	2	3	2	6	2	10	15	12	21	33	50	94	164	226	246	271	243	180	113	36	9	-	-	2
	F--	544	3	2	1	1	-	5	4	2	5	8	12	11	21	32	59	59	68	65	62	55	41	20	5	3	-	-
	Nonwhite--M--	69	-	-	-	-	-	-	-	2	2	1	-	2	4	8	9	7	12	10	6	2	1	2	-	-	1	-
	F--	33	-	-	-	-	-	1	-	-	1	-	1	3	2	3	5	4	3	5	4	1	-	-	-	-	-	-
58	Acute rheumatic fever----------	34	-	-	-	1	2	2	-	1	5	9	7	1	2	3	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	13	-	-	-	1	1	1	-	-	1	3	3	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	16	-	-	-	-	1	-	-	1	4	5	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,403	-	-	-	1	-	2	5	9	6	10	7	6	19	34	98	176	245	266	231	173	80	26	8	1	-	-
	White-----M--	409	-	-	-	1	-	1	3	2	1	9	2	2	10	13	34	50	73	73	62	43	17	9	4	-	-	-
	F--	949	-	-	-	-	-	1	1	6	5	1	4	2	8	17	57	122	167	185	164	127	60	17	4	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	1	-	-	-	-	1	-	2	2	1	1	4	3	1	-	-	-	-	-	-
	F--	29	-	-	-	-	-	-	-	1	-	-	1	1	1	2	5	3	4	4	2	2	3	-	-	-	-	-
63b	Exophthalmic goiter----------	91	-	-	-	-	-	-	-	1	1	1	1	3	6	13	8	11	20	13	9	3	1	-	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	2	3	1	1	-	-	-	-	-	-	-
	F--	77	-	-	-	-	-	-	-	1	-	1	1	3	4	10	7	9	17	12	8	3	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	59	-	-	-	-	-	-	-	-	-	2	8	8	7	8	6	9	4	4	-	1	-	-	-	1	-	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	1	3	4	5	4	6	5	4	3	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	1	4	2	1	-	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	4	-	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
83	Intracranial lesions of vascular origin-----	3,942	7	-	1	-	-	5	2	5	9	17	23	34	91	158	251	322	472	551	681	579	415	240	71	8	-	-
	White-----M--	1,721	7	-	-	-	-	1	1	2	5	5	8	11	29	59	103	144	235	250	326	249	170	91	22	3	-	-
	F--	1,961	-	-	1	-	-	2	1	1	4	8	10	13	47	82	112	147	209	267	321	316	228	142	46	4	-	-
	Nonwhite--M--	130	-	-	-	-	-	-	-	1	-	2	4	2	5	9	20	17	12	20	18	9	8	2	1	-	-	-
	F--	130	-	-	-	-	-	2	-	1	-	2	1	8	10	8	16	14	16	14	16	5	9	5	2	1	-	-
90-95	Diseases of the heart----------	16,249	4	-	-	2	2	14	16	23	53	64	114	219	388	724	1,201	1,668	1,918	2,275	2,378	2,220	1,838	934	324	57	11	1
	White-----M--	8,813	2	-	-	-	2	6	10	10	25	29	53	124	249	452	803	1,099	1,145	1,308	1,240	1,071	684	351	132	16	2	-
	F--	6,622	1	-	-	2	-	4	4	10	23	25	48	68	100	191	305	482	672	857	1,053	1,084	913	556	183	38	3	-
	Nonwhite--M--	398	1	-	-	-	-	-	2	-	2	5	5	12	20	43	45	41	54	55	42	35	18	11	2	2	2	1
	F--	415	-	-	-	-	-	4	-	3	3	5	8	15	19	38	48	46	47	55	43	30	23	16	7	1	4	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	736	-	-	-	1	-	11	14	13	34	41	49	74	55	67	70	68	47	60	60	40	20	11	1	-	-	-
	White-----M--	311	-	-	-	-	-	4	8	7	15	15	20	28	19	27	23	33	21	29	33	13	12	4	-	-	-	-
	F--	371	-	-	-	1	-	3	4	5	17	21	26	41	33	37	42	31	22	25	22	26	7	7	1	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	2	-	1	2	2	3	2	2	1	2	2	4	3	1	1	-	-	-	-	-
	F--	26	-	-	-	-	-	4	-	1	1	3	1	2	1	1	4	2	2	2	2	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	4,762	-	-	-	-	-	-	-	-	4	6	26	79	185	303	543	676	674	726	612	495	273	136	28	6	-	-
	White-----M--	3,209	-	-	-	-	-	-	-	-	2	4	18	64	152	238	421	511	459	490	374	273	119	62	18	4	-	-
	F--	1,416	-	-	-	-	-	-	-	-	1	2	6	7	20	46	102	146	198	220	230	208	147	71	10	2	-	-
	Nonwhite--M--	79	-	-	-	-	-	-	-	-	-	-	1	3	7	13	14	10	9	8	7	2	4	1	-	-	-	-
	F--	58	-	-	-	-	-	-	-	-	1	-	1	5	6	6	6	9	8	8	1	2	3	2	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	10,750	4	-	-	1	2	3	2	10	15	17	39	66	148	354	588	924	1,197	1,489	1,706	1,695	1,345	787	295	51	11	1
	White-----M--	5,293	2	-	-	-	2	2	2	3	8	10	15	32	78	187	359	555	665	769	833	785	553	285	114	12	2	-
	F--	4,835	1	-	-	1	-	1	-	5	5	2	16	20	47	108	161	305	452	612	801	850	759	478	172	36	3	-
	Nonwhite--M--	291	1	-	-	-	-	-	-	-	1	3	2	6	11	28	30	29	43	43	32	32	13	10	2	2	2	1
	F--	331	-	-	-	-	-	-	-	2	1	2	6	8	12	31	38	35	37	45	40	28	20	14	7	1	4	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Con.																											
97,102	Arteriosclerosis and high blood pressure*	946	-	-	-	-	-	-	-	-	1	-	2	3	6	5	13	22	56	70	120	206	211	139	70	18	4	-
	White—M	426	-	-	-	-	-	-	-	-	1	-	1	3	4	3	6	11	22	37	52	103	94	59	24	6	-	-
	F	487	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	10	29	32	60	97	115	79	45	12	2	-
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	4	2	-	1	-	-	2	-
	F	18	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	2	1	4	4	2	-	1	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,550	266	42	15	3	5	13	8	19	24	22	21	43	47	59	108	107	100	123	140	128	146	69	31	9	2	-
	White—M	744	124	18	3	-	1	7	1	12	9	11	7	20	23	26	57	58	64	61	76	64	69	19	11	4	1	-
	F	607	90	14	8	1	4	4	6	4	11	7	10	14	12	13	25	32	27	54	62	61	73	48	20	5	1	-
	Nonwhite—M	115	24	9	1	2	-	1	1	2	1	3	-	3	7	13	17	13	6	7	2	1	2	-	-	-	-	-
	F	84	28	3	3	-	-	1	-	1	3	1	4	6	5	7	8	4	3	1	-	2	2	2	-	-	-	-
107	Bronchopneumonia	729	178	27	9	2	3	7	4	7	9	5	8	12	15	18	39	42	22	52	66	59	80	35	22	6	2	-
	White—M	351	82	8	1	-	1	5	-	4	8	4	3	8	8	8	20	23	18	24	33	29	41	12	9	3	1	-
	F	299	59	11	6	1	2	2	3	2	1	1	2	3	6	6	9	15	4	26	33	29	38	23	13	3	1	-
	Nonwhite—M	46	20	5	-	1	-	-	1	1	1	-	-	-	-	2	8	3	-	2	-	1	1	-	-	-	-	-
	F	33	17	3	2	-	-	-	-	-	1	-	3	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	623	39	6	3	1	1	4	3	8	11	12	11	27	28	34	54	53	68	60	61	53	54	25	6	3	-	-
	White—M	308	22	2	1	-	-	1	1	5	2	5	4	11	12	14	28	29	37	33	38	30	23	7	2	1	-	-
	F	224	13	1	2	-	1	1	2	1	8	5	7	8	5	7	13	13	20	23	21	22	29	16	4	2	-	-
	Nonwhite—M	54	1	3	-	1	-	1	-	1	-	2	-	3	7	8	7	8	6	3	2	-	1	-	-	-	-	-
	F	37	3	-	-	-	-	1	-	1	1	-	-	5	4	5	6	3	3	1	-	1	1	2	-	-	-	-
109	Pneumonia (unspecified)	98	31	1	1	-	1	1	1	2	1	1	-	3	4	4	9	2	9	6	4	5	6	5	1	-	-	-
	White—M	44	14	1	-	-	-	1	-	2	1	-	-	-	3	3	5	-	7	2	2	2	1	-	-	-	-	-
	F	42	10	-	-	-	1	-	1	-	-	-	-	3	1	-	3	2	2	3	2	3	5	5	1	-	-	-
	Nonwhite—M	7	2	-	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	100	18	8	2	-	-	1	-	2	3	4	2	1	-	3	6	10	3	5	9	11	6	4	2	-	-	-
	White—M	41	6	5	1	-	-	-	-	1	-	2	-	1	-	1	4	6	2	2	3	3	4	-	-	-	-	-
	F	42	8	2	-	-	-	1	-	1	2	1	1	-	-	-	1	2	1	2	6	7	1	4	2	-	-	-
	Nonwhite—M	8	1	1	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	-	-	-	-	-	-	-	-
	F	9	3	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	279	-	-	-	-	-	1	-	-	1	5	7	15	16	26	43	43	35	31	23	15	12	6	-	-	-	-
	White—M	228	-	-	-	-	-	1	-	-	-	4	7	14	14	21	35	39	29	25	18	12	6	3	-	-	-	-
	F	40	-	-	-	-	-	-	-	-	1	-	-	1	2	1	5	4	6	5	3	3	6	3	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	-	-	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	161	94	8	4	2	-	3	1	1	2	1	2	5	6	6	3	4	3	5	3	3	2	1	1	1	-	-
	White—M	87	49	6	3	2	-	2	-	1	1	-	1	1	2	5	2	1	2	2	1	2	2	-	1	1	-	-
	F	55	32	1	-	-	-	1	1	-	1	1	1	3	3	-	1	3	1	3	1	1	-	1	-	-	-	-
	Nonwhite—M	13	10	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
121	Appendicitis	175	2	2	4	1	-	7	4	7	5	5	5	10	11	20	12	22	20	16	11	7	4	-	-	-	-	-
	White—M	110	-	1	3	*1	-	3	3	3	5	2	3	7	6	12	9	14	17	8	6	4	3	-	-	-	-	-
	F	54	1	1	1	-	-	4	1	3	-	3	-	2	5	6	3	5	3	7	5	3	1	-	-	-	-	-
	Nonwhite—M	4	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	2	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	363	16	4	3	2	1	3	2	4	5	3	4	8	11	19	26	37	45	37	51	35	25	15	5	2	-	-
	White—M	161	7	2	2	1	1	2	1	-	2	2	-	3	5	8	8	17	22	23	26	15	10	2	2	-	-	-
	F	177	7	1	-	1	-	1	1	3	1	1	3	4	5	9	17	18	20	11	24	19	15	12	3	1	-	-
	Nonwhite—M	13	1	-	1	-	-	-	-	-	2	-	-	1	-	1	-	1	2	2	-	-	-	1	-	1	-	-
	F	12	1	1	-	-	-	-	-	1	-	-	1	-	1	1	1	1	1	1	1	1	-	-	-	-	-	-
124	Cirrhosis of the liver	555	-	-	1	-	-	1	-	4	1	3	11	18	45	57	85	59	86	62	61	32	20	6	3	-	-	-
	White—M	333	-	-	-	-	-	1	-	3	-	-	5	7	19	38	57	40	54	39	35	18	15	1	1	-	-	-
	F	203	-	-	-	-	-	-	-	1	-	3	4	9	25	17	25	19	31	21	23	14	5	5	1	-	-	-
	Nonwhite—M	14	-	-	1	-	-	-	-	-	1	-	2	1	-	2	3	-	-	2	2	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	1	-	-	-
126,127	Biliary calculi, etc.*	203	1	-	-	-	-	-	-	-	2	-	4	4	6	22	22	24	26	33	28	18	10	3	-	-	-	-
	White—M	63	-	-	-	-	-	-	-	-	-	-	-	1	4	7	8	6	10	10	8	4	4	1	-	-	-	-
	F	138	1	-	-	-	-	-	-	-	2	-	4	3	2	14	14	17	16	23	20	14	6	2	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
150-152	Nephritis	2,687	1	4	4	-	1	1	6	13	16	31	37	47	80	135	166	228	256	324	383	370	329	172	70	12	1	-
	White—M	1,239	1	3	3	-	1	-	4	9	11	10	17	21	31	61	72	114	127	150	185	157	148	83	30	1	-	-
	F	1,176	-	1	1	-	-	1	2	3	4	13	9	12	27	51	63	84	104	146	170	192	169	80	35	9	-	-
	Nonwhite—M	128	-	-	-	-	-	-	-	-	-	6	3	5	10	11	15	12	14	15	12	16	3	2	3	-	1	-
	F	144	-	-	-	-	-	-	-	1	1	2	8	9	12	12	16	18	11	13	16	5	9	7	2	2	-	-
137	Diseases of the prostate	195	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	11	20	24	60	37	19	14	5	2	-	-
	White—M	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	18	22	58	35	19	14	5	2	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	2	2	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Con.																											
140-150	Diseases of pregnancy, etc.*----	124	-	-	-	-	-	-	-	7	20	29	34	28	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	105	-	-	-	-	-	-	-	5	17	27	28	24	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	19	-	-	-	-	-	-	-	2	3	2	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia------	50	-	-	-	-	-	-	-	3	9	12	13	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	42	-	-	-	-	-	-	-	1	7	12	10	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	-	-	-	-	-	-	-	2	2	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	36	-	-	-	-	-	-	-	4	8	6	11	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	33	-	-	-	-	-	-	-	4	7	5	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,148, 149	Hemorrhage, trauma or shock*-------	26	-	-	-	-	-	-	-	-	3	5	5	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	21	-	-	-	-	-	-	-	-	3	5	4	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes----------	12	-	-	-	-	-	-	-	-	-	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	9	-	-	-	-	-	-	-	-	-	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	539	462	18	10	2	4	6	4	4	8	5	4	3	2	3	-	2	1	1	-	-	-	-	-	-	-	-
	White-----M--	261	220	9	4	2	2	2	2	3	5	4	1	3	1	1	-	-	1	1	-	-	-	-	-	-	-	-
	F--	241	213	8	5	-	1	3	2	-	1	1	3	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	14	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	15	1	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,618	1,618	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	889	889	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	559	559	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	103	103	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	67	67	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	1,034	1,034	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	551	551	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	349	349	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	81	81	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year------	584	584	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	338	338	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	210	210	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	22	22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	576	-	-	-	-	-	-	1	18	22	34	34	55	39	67	79	55	63	43	27	23	11	2	3	-	-	-
	White-----M--	394	-	-	-	-	-	-	-	10	16	24	20	31	24	47	59	37	47	30	20	15	10	2	2	-	-	-
	F--	159	-	-	-	-	-	-	-	5	4	7	10	19	14	18	20	17	16	13	6	8	1	-	1	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	1	1	1	3	2	5	1	1	-	1	-	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	2	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide---------	107	7	1	1	-	-	-	-	5	9	17	16	13	7	10	8	4	5	2	1	1	-	-	-	-	-	-
	White-----M--	40	3	-	-	-	-	-	-	-	3	4	4	4	2	5	5	3	4	2	1	-	-	-	-	-	-	-
	F--	24	2	1	1	-	-	-	-	1	2	5	2	7	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	30	1	-	-	-	-	-	-	3	3	4	9	1	2	4	3	-	-	-	-	-	-	-	-	-	-	-
	F--	13	1	-	-	-	-	-	-	1	1	4	1	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,495	70	21	27	31	14	69	59	102	139	103	92	99	111	135	166	184	169	189	169	212	172	117	35	8	2	-
	White-----M--	1,522	32	16	15	16	6	45	44	78	98	78	67	71	71	86	123	133	115	125	89	97	63	41	11	-	-	-
	F--	772	25	3	9	7	4	17	7	15	19	14	12	16	22	33	30	37	45	53	76	114	105	75	24	7	2	-
	Nonwhite--M--	159	9	2	2	4	3	4	8	8	19	11	9	10	14	12	9	13	7	7	3	-	3	1	-	1	-	-
	F--	42	4	-	1	2	1	3	-	1	3	-	4	2	4	4	4	1	2	4	1	1	-	-	-	-	-	-
170	Motor-vehicle accidents-------	757	1	5	8	14	6	32	17	48	70	55	32	36	40	55	64	65	55	60	40	29	20	6	1	-	-	-
	White-----M--	541	-	3	4	10	2	22	13	34	56	41	23	25	27	35	46	44	38	47	27	27	12	4	1	-	-	-
	F--	156	1	1	1	3	3	10	2	12	6	8	5	6	7	14	15	17	12	11	12	1	7	2	-	-	-	-
	Nonwhite--M--	53	-	1	1	1	-	-	2	2	7	6	4	4	6	3	3	4	5	2	1	-	1	-	-	-	-	-
	F--	7	-	-	-	-	1	-	-	-	1	-	-	1	-	3	-	-	-	-	-	1	-	-	-	-	-	-
169, 171-195	Other accidents--	1,738	69	16	21	17	8	37	42	54	69	48	60	63	71	80	102	119	114	129	129	183	152	111	34	8	2	-
	White-----M--	981	32	13	11	8	4	23	31	44	42	37	44	46	44	51	77	89	77	78	62	70	51	37	10	-	-	-
	F--	616	24	2	8	4	1	7	5	3	13	6	7	10	15	19	15	20	33	42	64	113	99	73	24	7	2	-
	Nonwhite--M--	106	9	1	1	3	3	4	6	6	12	5	5	6	8	9	6	9	2	5	2	-	2	1	-	1	-	-
	F--	35	4	-	1	2	-	3	-	1	2	-	4	1	4	1	4	1	2	4	1	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes----	248	11	-	-	-	1	1	-	-	2	-	2	2	1	4	4	4	10	16	19	27	44	56	33	8	4	-
	White-----M--	99	4	-	-	-	1	-	-	-	1	-	1	-	1	4	2	4	6	10	7	13	17	16	11	1	-	-
	F--	131	4	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	3	5	11	11	25	37	21	7	4	-
	Nonwhite--M--	14	2	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	1	3	2	-	1	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
	All other causes-	2,442	112	40	31	24	18	53	32	61	80	61	87	116	153	170	203	242	205	224	192	144	102	55	21	5	1	-
	White-----M--	1,199	54	21	15	13	10	32	14	28	38	29	47	51	58	71	98	132	111	127	102	80	31	25	10	2	-	-
	F--	1,045	40	13	13	11	8	15	16	25	26	22	38	48	69	77	94	100	87	92	83	58	68	28	10	3	1	-
	Nonwhite--M--	81	5	4	2	-	-	1	-	2	9	1	4	3	12	11	4	6	5	2	5	2	2	1	-	-	-	-
	F--	117	13	2	1	-	-	5	2	6	7	9	8	14	14	11	7	4	2	3	2	4	1	1	1	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO																											
	All causes	5,436	1,415	117	55	23	25	73	60	81	156	135	162	192	199	221	263	299	332	338	381	362	270	170	67	14	8	18
	White-----M	2,837	663	50	23	9	4	40	25	37	68	70	89	103	113	118	157	161	195	184	232	188	145	83	33	7	6	14
	F	1,977	538	38	11	7	9	26	18	29	53	40	57	63	68	81	90	99	114	131	133	152	107	73	30	7	1	3
	Nonwhite-M	338	109	16	11	4	7	6	9	8	20	13	7	11	11	12	8	10	9	17	11	14	12	9	2	-	1	1
	F	284	105	13	10	3	5	1	8	8	15	12	9	15	7	10	8	9	14	6	5	8	6	5	2	-	-	-
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	5	2	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	22	15	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	13	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	12	-	-	-	1	3	2	1	-	1	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	White-----M	3	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	388	5	6	6	2	3	6	8	14	40	36	33	41	48	30	37	23	19	16	4	8	1	-	-	-	-	2
	White-----M	192	1	-	1	-	-	-	-	2	7	17	19	23	27	17	28	16	13	10	4	5	1	-	-	-	-	1
	F	96	1	2	-	-	-	1	1	4	11	11	8	9	15	10	6	5	6	4	-	1	-	-	-	-	-	1
	Nonwhite-M	58	-	3	3	1	3	5	3	5	13	5	1	4	4	1	2	2	-	1	-	2	-	-	-	-	-	-
	F	42	3	1	2	1	-	-	4	3	9	3	5	5	2	2	1	-	-	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	341	1	-	3	2	1	3	6	11	36	32	30	35	45	30	36	22	18	16	4	7	1	-	-	-	-	2
	White-----M	182	-	-	1	-	-	-	-	1	7	16	19	19	26	17	27	16	13	10	4	4	1	-	-	-	-	1
	F	83	-	-	-	-	-	-	1	3	10	10	6	9	13	10	6	4	5	4	-	1	-	-	-	-	-	1
	Nonwhite-M	44	-	-	1	1	1	3	2	5	12	3	1	3	4	1	2	2	-	1	-	2	-	-	-	-	-	-
	F	32	1	-	1	1	-	-	3	2	7	3	4	4	2	2	1	-	-	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	47	4	6	3	-	2	3	2	3	4	4	3	6	3	-	1	1	1	-	-	1	-	-	-	-	-	-
	White-----M	10	1	-	-	-	-	-	-	1	-	1	-	4	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	13	1	2	-	-	-	1	-	1	1	1	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M	14	-	3	2	-	2	2	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	2	1	1	-	-	-	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	67	59	3	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	White-----M	41	36	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	24	21	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	76	9	-	-	-	-	-	-	1	-	-	-	6	8	6	5	14	8	4	6	6	-	1	1	-	-	1
	White-----M	47	1	-	-	-	-	-	-	-	-	-	-	2	7	5	4	8	6	2	5	5	-	1	1	-	-	-
	F	13	3	-	-	-	-	-	-	-	-	-	-	3	1	-	1	2	1	-	1	-	-	-	-	-	-	1
	Nonwhite-M	10	3	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	-	1	-	1	-	-	-	-	-	-
	F	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-
35	Measles	13	3	6	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	10	2	1	-	-	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	9	2	1	-	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Con.																											
45-55	Cancer and other malignant tumors	400	-	1	-	-	-	-	-	2	3	3	10	14	28	27	43	46	43	53	50	39	22	14	2	-	-	-
	White-----M--	179	-	-	-	-	-	-	-	1	3	1	1	4	9	8	16	21	20	23	30	18	12	11	1	-	-	-
	F--	202	-	1	-	-	-	-	-	1	-	2	7	7	16	17	27	24	21	28	19	20	9	3	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	2	2	-	1	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	3	1	2	-	-	-	-	1	-	-	-	1	-	-	-
46	Cancer of the digestive organs and peritoneum--	202	-	-	-	-	-	-	-	-	-	-	1	6	11	12	17	22	22	35	30	23	13	9	1	-	-	-
	White-----M--	97	-	-	-	-	-	-	-	-	-	-	-	2	3	3	6	13	13	16	20	7	7	7	-	-	-	-
	F--	93	-	-	-	-	-	-	-	-	-	-	1	3	7	8	11	8	7	17	9	15	5	2	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-
48,49	Cancer of female genital organs--	55	-	-	-	-	-	-	-	-	-	1	3	3	5	6	10	9	7	4	4	2	1	-	-	-	-	-
	White-----F--	54	-	-	-	-	-	-	-	-	-	1	3	3	5	5	10	9	7	4	4	2	1	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast-	28	-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	3	2	5	3	2	2	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	3	2	5	3	2	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	115	-	1	-	-	-	-	-	2	3	2	5	4	9	7	12	12	12	9	13	12	6	5	1	-	-	-
	White-----M--	82	-	-	-	-	-	-	-	1	3	1	1	2	6	5	10	8	7	7	10	11	5	4	1	-	-	-
	F--	30	-	1	-	-	-	-	-	1	-	1	3	1	2	2	2	4	5	2	3	1	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	7	1	-	-	1	-	1	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	61	-	-	-	-	-	-	-	3	1	1	1	-	1	2	2	7	12	10	11	7	2	-	1	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	2	5	2	8	5	-	-	-	-	-	-
	F--	35	-	-	-	-	-	-	-	3	-	-	-	-	1	1	2	5	7	8	3	2	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	10	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	1	1	-	1	-	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	1	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	250	1	1	1	-	-	-	-	-	2	1	2	2	8	9	14	17	31	29	41	41	30	11	6	-	2	1
	White-----M--	126	-	1	1	-	-	-	-	-	2	-	-	1	4	4	9	9	12	15	24	19	14	7	2	-	2	-
	F--	110	1	-	-	-	-	-	-	-	-	1	2	1	3	5	4	8	15	11	17	20	13	4	4	-	-	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	2	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	1	1	-	-	-	-	-
90-95	Diseases of the heart----------	800	1	-	-	-	-	6	6	6	7	8	18	23	27	35	51	63	87	91	108	107	93	48	11	4	-	-
	White-----M--	479	1	-	-	-	-	2	3	4	1	4	10	15	16	22	33	48	69	57	65	52	51	22	2	2	-	-
	F--	292	-	-	-	-	-	3	3	2	6	3	7	6	11	12	15	14	13	32	40	49	40	25	9	2	-	-
	Nonwhite--M--	13	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	2	1	2	3	1	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	1	3	1	1	3	1	-	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	77	-	-	-	-	-	4	4	3	3	3	4	3	1	4	5	4	5	9	10	5	7	2	-	1	-	-
	White-----M--	41	-	-	-	-	-	1	2	3	1	1	4	2	1	1	2	4	4	3	3	2	5	1	-	1	-	-
	F--	31	-	-	-	-	-	3	2	-	2	2	-	-	-	2	3	-	1	5	7	2	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	234	-	-	-	-	-	-	-	-	-	1	5	7	12	14	23	26	31	39	22	26	16	10	2	-	-	-
	White-----M--	171	-	-	-	-	-	-	-	-	-	-	4	6	10	12	20	22	26	28	16	12	9	6	-	-	-	-
	F--	60	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	3	5	11	6	14	7	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	489	1	-	-	-	-	2	2	3	4	4	9	13	14	17	23	33	51	43	76	76	70	36	9	3	-	-
	White-----M--	267	1	-	-	-	-	1	1	1	-	3	2	7	5	9	11	22	39	26	46	38	37	15	2	1	-	-
	F--	201	-	-	-	-	-	-	1	2	4	1	6	5	9	8	10	11	7	16	27	33	32	20	7	2	-	-
	Nonwhite--M--	12	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	2	1	2	3	-	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	-	1	2	1	-	-	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Con.																											
97,102	Arteriosclerosis and high blood pressure*	41	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	9	2	11	6	7	-	-	-
	White—M	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	2	8	4	6	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	4	-	3	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	390	196	28	13	4	6	3	2	1	3	2	9	5	4	10	11	11	6	15	20	13	19	4	1	2	1	1
	White—M	194	90	12	5	3	2	2	1	-	-	2	6	3	2	5	4	7	2	8	12	9	13	2	1	1	1	1
	F	140	69	11	3	-	3	1	-	1	2	-	3	1	2	5	6	4	4	5	8	3	6	2	-	1	-	-
	Nonwhite—M	32	19	4	4	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	24	18	1	1	-	-	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
107	Bronchopneumonia	169	102	12	9	2	5	3	-	1	1	-	-	1	2	-	4	2	1	6	8	2	5	-	1	1	1	-
	White—M	77	44	5	3	1	2	2	-	-	-	-	-	1	-	-	2	1	-	4	5	1	4	-	1	-	1	-
	F	53	31	3	2	-	2	1	-	1	-	-	-	-	2	-	2	1	1	1	3	1	1	-	-	1	-	-
	Nonwhite—M	23	14	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	13	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
106	Lobar pneumonia	116	49	6	2	2	1	-	-	-	1	-	3	3	2	6	2	3	3	8	6	7	8	2	-	1	-	1
	White—M	62	23	3	2	2	-	-	-	-	-	-	2	1	2	4	1	2	1	4	3	5	5	-	-	1	-	1
	F	46	21	3	-	-	1	-	-	-	1	-	1	1	-	2	1	1	2	3	3	1	3	2	-	-	-	-
	Nonwhite—M	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	41	25	3	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	1	1	2	2	1	-	-	-	-
	White—M	18	11	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-	-
	F	20	11	2	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	1	-	1	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	64	20	7	2	-	-	-	2	-	1	1	5	1	-	3	4	4	2	-	5	2	4	1	-	-	-	-
	White—M	37	12	3	-	-	-	-	1	-	-	1	4	1	-	1	1	3	1	-	4	1	3	1	-	-	-	-
	F	21	6	3	1	-	-	-	-	-	1	-	1	-	-	2	2	1	1	-	1	1	1	-	-	-	-	-
	Nonwhite—M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	24	-	-	1	-	-	-	-	-	-	-	-	2	1	3	1	3	3	-	8	2	-	-	-	-	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	2	-	5	1	-	-	-	-	-	-
	F	8	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	233	190	17	3	3	1	2	1	-	2	-	-	-	1	1	3	1	2	2	-	1	2	-	-	1	-	-
	White—M	104	91	8	-	-	-	1	1	-	2	-	-	-	-	-	2	-	1	1	-	-	1	-	-	-	-	-
	F	81	65	5	-	1	-	1	-	-	-	-	-	-	1	1	-	1	2	1	-	1	1	-	-	1	-	-
	Nonwhite—M	22	16	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	18	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	28	-	1	1	-	1	5	-	2	1	7	-	1	-	2	2	-	3	2	-	-	-	-	-	-	-	-
	White—M	19	-	1	-	-	-	3	-	1	1	3	-	1	-	2	2	-	3	2	-	-	-	-	-	-	-	-
	F	8	-	-	1	-	1	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	48	7	1	-	-	-	2	1	-	2	1	4	2	3	5	4	2	5	1	2	2	2	2	-	-	-	-
	White—M	18	5	-	-	-	-	1	1	-	1	-	1	-	1	2	-	-	1	-	1	2	1	1	-	-	-	-
	F	26	2	1	-	-	-	1	-	-	1	1	3	2	2	2	3	2	3	1	1	-	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	43	-	-	1	-	-	-	-	-	-	-	1	2	4	1	7	6	7	4	7	2	1	-	-	-	-	-
	White—M	27	-	-	1	-	-	-	-	-	-	-	1	2	3	1	3	5	3	3	4	1	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	4	1	3	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	21	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	5	2	1	2	2	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	-	-	1	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	-	1	2	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	194	1	-	-	-	-	2	2	1	8	2	4	6	5	6	14	12	19	25	19	29	14	16	7	1	1	-
	White—M	110	1	-	-	-	-	-	-	1	4	2	-	2	4	4	8	8	13	14	13	17	7	6	4	1	1	-
	F	76	-	-	-	-	-	2	1	-	4	-	4	3	1	2	5	2	5	11	6	12	6	9	3	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-	-
137	Diseases of the prostate	16	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	6	2	2	-	-	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	6	2	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

end of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Con.																											
140-150	Diseases of pregnancy, etc.*	37	-	-	-	-	-	-	-	3	12	8	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	29	-	-	-	-	-	-	-	3	8	5	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	8	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	9	-	-	-	-	-	-	-	2	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	9	-	-	-	-	-	-	-	-	3	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	14	-	-	-	-	-	-	-	1	4	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	10	-	-	-	-	-	-	-	1	3	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	5	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	94	89	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	49	46	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	37	35	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	394	394	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	185	185	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	172	172	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	20	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	258	256	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	126	126	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	111	111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	138	138	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	59	59	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	61	61	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	38	-	-	-	-	-	-	1	1	1	2	3	2	6	4	3	4	5	-	2	-	1	-	-	-	-	-
	White—M	25	-	-	-	-	-	-	-	-	-	1	3	2	4	1	3	3	5	-	2	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	1	1	-	1	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	37	1	1	-	-	-	-	-	1	5	6	8	3	3	5	3	-	-	1	-	-	-	-	-	-	-	-
	White—M	27	1	-	-	-	-	-	-	1	4	3	8	2	3	2	2	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	476	16	14	14	4	3	17	17	27	49	40	38	37	21	26	23	19	13	21	16	25	10	11	5	-	1	9
	White—M	332	8	11	10	1	-	14	11	19	38	28	31	25	15	20	20	14	9	11	12	12	6	4	3	-	1	9
	F	90	4	3	1	2	1	3	2	5	8	6	3	6	2	3	1	4	1	7	3	12	4	7	2	-	-	-
	Nonwhite—M	39	1	-	2	1	1	-	3	2	3	5	3	3	3	3	2	1	1	3	1	1	-	-	-	-	-	-
	F	15	3	-	1	-	1	-	1	1	-	1	1	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	186	2	3	1	-	-	7	7	13	21	19	14	19	11	17	9	7	8	8	8	9	2	1	-	-	-	-
	White—M	131	2	3	1	-	-	5	3	9	16	12	10	13	7	14	8	5	4	4	6	6	2	1	-	-	-	-
	F	32	-	-	-	-	-	2	1	3	4	4	2	4	1	1	1	2	1	2	1	3	-	-	-	-	-	-
	Nonwhite—M	18	-	-	-	-	-	-	2	1	1	3	1	2	2	2	-	-	1	2	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	290	14	11	13	4	3	10	10	14	28	21	24	18	10	9	14	12	5	13	8	16	8	10	5	-	1	9
	White—M	201	6	8	9	1	-	9	8	10	22	16	21	12	8	6	12	9	5	7	6	6	4	3	3	-	1	9
	F	58	4	3	1	2	1	1	1	2	4	2	1	2	1	2	-	2	-	5	2	9	4	7	2	-	-	-
	Nonwhite—M	21	1	-	2	1	1	-	1	1	2	2	2	1	1	1	2	1	-	1	-	1	-	-	-	-	-	-
	F	10	3	-	1	-	1	-	-	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	853	366	20	7	3	3	9	4	4	7	6	13	16	15	18	23	27	38	42	55	50	49	43	24	5	3	4
	White—M	378	157	8	2	1	-	5	1	1	1	4	5	7	8	6	13	13	19	20	29	24	21	16	12	2	1	3
	F	307	136	4	1	1	-	4	2	2	4	1	6	7	5	6	9	11	14	15	15	19	17	15	9	3	1	-
	Nonwhite—M	90	36	3	1	-	1	-	-	-	1	1	1	1	1	3	1	2	2	6	8	3	7	8	2	-	1	1
	F	77	37	5	3	1	2	-	1	1	1	-	1	1	1	3	-	1	3	1	3	4	3	4	1	-	-	-
	All other causes	339	57	9	6	2	3	12	12	13	10	9	8	19	11	26	13	30	23	13	18	19	11	12	2	1	-	-
	White—M	166	24	6	3	1	1	6	4	6	2	2	2	10	7	14	6	19	10	8	10	9	7	7	1	1	-	-
	F	148	23	2	3	1	2	6	5	4	8	6	6	9	4	10	6	9	12	5	8	9	4	5	1	-	-	-
	Nonwhite—M	13	7	1	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	12	3	-	-	-	-	-	1	3	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK																											
	All causes	152,866	8,345	500	372	293	197	684	540	1,020	1,614	1,853	2,443	3,540	5,273	7,620	11,168	13,989	16,745	18,495	19,314	16,838	12,404	6,853	2,232	433	71	40
	White—M	78,989	4,318	238	199	154	102	388	290	523	749	796	1,101	1,659	2,686	4,136	6,510	8,330	9,593	10,050	9,779	8,161	5,445	2,786	835	136	14	31
	F	65,300	3,188	207	137	115	75	248	189	323	525	693	805	1,320	1,866	2,696	3,829	4,932	6,436	7,782	3,044	8,385	6,745	3,974	1,351	283	45	5
	Nonwhite—M	4,609	480	28	12	12	15	35	40	86	174	182	221	305	406	459	494	392	389	360	227	136	94	42	13	1	2	4
	F	3,968	359	27	24	12	5	33	21	88	166	162	216	256	315	329	335	335	325	303	264	156	120	51	23	13	10	-
1,2	Typhoid and paratyphoid fever	12	-	-	-	-	-	-	1	1	-	-	-	-	2	3	2	-	2	-	-	1	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	121	17	14	6	4	1	10	4	4	2	3	2	7	1	10	8	8	7	9	2	2	-	-	-	-	-	-
	White—M	62	9	7	5	2	1	7	2	1	1	2	-	3	1	2	3	4	5	6	-	1	-	-	-	-	-	-
	F	43	6	5	1	2	-	3	1	3	-	-	-	-	-	6	4	4	2	3	2	1	-	-	-	-	-	-
	Nonwhite—M	13	2	2	-	-	-	-	-	-	1	1	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	11	-	-	-	-	1	5	2	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	63	49	7	2	-	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	30	26	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	20	4	-	-	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	50	3	3	5	7	4	8	5	2	2	1	3	1	2	1	-	1	1	1	-	-	-	-	-	-	-	-
	White—M	28	3	3	4	3	3	4	2	1	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	19	-	-	-	3	1	3	3	1	1	1	2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	5,601	18	21	25	16	6	20	35	147	358	371	451	476	572	531	616	577	515	353	256	145	65	21	6	-	-	-
	White—M	3,160	8	5	14	7	1	7	7	21	75	109	162	199	330	340	443	444	403	260	185	91	36	12	1	-	-	-
	F	1,275	9	6	6	4	2	5	15	39	125	126	146	142	109	91	76	77	78	68	59	48	28	9	5	-	-	-
	Nonwhite—M	667	1	5	3	4	3	2	8	38	70	58	62	81	94	76	77	43	28	18	11	4	1	-	-	-	-	-
	F	479	-	5	2	1	-	6	5	49	88	78	79	54	39	24	20	13	6	7	1	2	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	5,237	9	8	10	7	-	6	23	132	335	343	426	448	543	503	590	551	498	336	244	140	59	20	6	-	-	-
	White—M	3,019	5	2	7	3	-	1	5	18	66	98	157	189	315	333	432	433	398	248	179	88	32	11	1	-	-	-
	F	1,167	4	3	2	3	-	2	9	32	122	121	139	168	104	81	69	67	69	63	53	46	26	9	5	-	-	-
	Nonwhite—M	618	-	1	1	1	-	1	5	35	62	55	56	75	87	66	71	41	27	18	11	4	1	-	-	-	-	-
	F	433	-	2	-	-	-	2	4	47	85	69	74	46	37	23	18	10	6	7	1	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	364	9	13	15	9	6	14	12	15	23	28	25	28	29	28	26	26	17	17	12	5	6	1	-	-	-	-
	White—M	141	3	3	7	4	1	6	2	3	9	11	5	10	15	7	11	11	7	12	6	3	4	1	-	-	-	-
	F	108	5	3	4	1	2	3	6	7	3	5	9	4	5	10	7	10	9	5	6	2	2	-	-	-	-	-
	Nonwhite—M	69	1	4	2	3	3	1	3	3	8	3	6	6	7	10	6	2	1	-	-	-	-	-	-	-	-	-
	F	46	-	3	2	1	-	4	1	2	3	9	5	8	2	1	2	3	-	-	-	-	-	-	-	-	-	-
27	Dysentery	35	3	-	1	1	1	2	-	-	1	1	1	3	1	2	4	2	2	4	1	2	2	1	-	-	-	-
	White—M	11	1	-	-	-	-	1	-	-	1	1	-	2	1	2	1	-	1	-	-	-	-	-	-	-	-	-
	F	21	1	-	1	1	1	-	-	-	-	-	1	1	-	-	3	2	1	3	1	2	2	1	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
28	Malaria	3	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,309	17	-	-	-	-	-	1	2	15	8	23	60	101	167	174	170	194	151	128	60	31	6	1	-	-	-
	White—M	717	3	-	-	-	-	-	-	-	1	2	5	17	37	83	99	102	129	94	82	39	20	3	1	-	-	-
	F	214	5	-	-	-	-	-	1	1	-	1	2	9	14	20	18	25	31	35	28	15	7	2	-	-	-	-
	Nonwhite—M	276	6	-	-	-	-	-	-	1	7	3	10	23	43	49	43	28	23	18	13	4	4	1	-	-	-	-
	F	102	3	-	-	-	-	-	-	-	7	2	6	11	7	15	14	15	11	4	5	2	-	-	-	-	-	-
35	Measles	64	9	10	7	5	4	9	2	2	1	-	1	-	-	2	-	-	-	1	1	-	2	-	-	-	-	-
	White—M	28	8	3	3	3	1	3	2	1	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	32	1	12	3	2	3	6	-	1	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-
	Nonwhite—M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomyelitis (acute)	64	1	-	1	3	2	19	14	8	6	4	-	1	1	3	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	49	1	-	1	1	2	13	14	7	4	2	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-
	F	15	-	-	-	2	-	6	-	1	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Con.																											
45-55	Cancer and other malignant tumors	23,989	15	2	18	13	8	36	32	42	80	130	295	556	906	1,599	2,401	3,101	3,508	3,594	3,304	2,381	1,330	516	107	11	2	2
	White-----M--	11,548	11	2	6	8	5	25	19	31	44	55	94	188	282	601	1,100	1,536	1,838	1,877	1,731	1,216	608	228	37	4	1	1
	F--	11,500	4	-	12	5	2	10	12	10	24	65	177	319	550	879	1,166	1,429	1,539	1,602	1,505	1,126	708	282	65	7	1	1
	Nonwhite--M--	447	-	-	-	-	1	-	-	1	7	3	8	15	20	45	72	68	70	72	32	20	6	4	3	-	-	-
	F--	494	-	-	-	-	-	1	1	-	5	7	16	34	54	74	63	68	61	43	36	19	8	2	2	-	-	-
46	Cancer of the digestive organs and peritoneum--	11,058	4	1	3	-	2	6	5	-	7	23	88	179	290	567	972	1,392	1,699	1,816	1,763	1,298	662	230	44	4	1	1
	White-----M--	5,866	2	1	-	-	-	5	4	-	4	15	36	89	122	298	518	781	965	988	956	663	305	96	14	2	1	1
	F--	4,795	2	-	3	-	2	-	-	-	3	7	47	81	146	234	396	532	660	781	772	617	350	132	29	2	-	-
	Nonwhite--M--	224	-	-	-	-	-	-	-	-	-	-	4	5	8	18	38	43	45	32	16	9	3	2	1	-	-	-
	F--	172	-	-	-	-	-	1	1	-	-	1	2	4	14	17	20	36	29	15	19	9	4	-	-	-	-	-
48,49	Cancer of female genital organs--	2,622	-	-	-	-	-	-	1	1	8	21	61	115	173	311	337	373	335	294	269	164	108	39	9	3	-	-
	White-----F--	2,446	-	-	-	-	-	-	1	1	7	19	52	102	151	270	312	358	319	280	258	160	108	38	7	3	-	-
	Nonwhite--F--	176	-	-	-	-	-	-	-	-	1	2	9	13	22	41	25	15	16	14	11	4	-	1	2	-	-	-
50	Cancer of breast-	2,559	-	-	-	-	-	-	-	-	2	13	42	114	187	248	300	338	330	313	261	196	130	68	14	1	1	1
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	7	2	7	7	10	-	-	-	-	-	-
	F--	2,441	-	-	-	-	-	-	-	-	1	12	39	104	176	234	285	325	318	299	252	184	127	68	14	1	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	78	-	-	-	-	-	-	-	-	1	1	3	10	11	11	11	6	10	7	2	2	3	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	7,750	11	1	15	13	6	30	26	41	63	73	103	148	256	473	792	998	1,144	1,171	1,011	723	430	179	40	3	-	-
	White-----M--	5,642	9	1	6	8	5	20	15	31	40	40	68	99	160	300	578	749	871	882	768	543	303	132	23	2	-	-
	F--	1,817	2	-	9	5	-	10	11	9	13	27	39	32	77	141	173	214	242	242	223	165	123	44	15	1	-	-
	Nonwhite--M--	223	-	-	-	-	1	-	-	1	7	3	4	10	12	27	34	25	25	40	16	11	3	2	2	-	-	-
	F--	68	-	-	-	-	-	-	-	-	3	3	2	7	7	5	7	11	6	7	4	4	1	1	-	-	-	-
58	Acute rheumatic fever----------	98	-	-	1	2	5	10	17	12	8	8	5	14	5	3	2	1	1	2	1	-	-	-	1	-	-	-
	White-----M--	39	-	-	1	1	3	3	8	5	4	2	2	5	1	1	1	-	-	1	-	-	-	-	1	-	-	-
	F--	48	-	-	-	1	2	5	7	5	4	5	3	7	3	1	1	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	2	2	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	5,314	-	-	1	1	2	5	9	8	9	23	29	41	80	155	364	626	868	1,009	979	820	357	113	12	1	2	-
	White-----M--	1,755	-	-	-	-	-	2	3	3	4	10	15	22	37	56	144	210	280	315	300	214	128	30	2	-	-	-
	F--	3,347	-	-	1	1	2	1	5	4	3	12	10	14	27	78	197	382	566	667	661	398	222	83	10	1	2	-
	Nonwhite--M--	49	-	-	-	-	-	2	-	1	-	-	1	1	5	2	6	10	8	8	3	-	2	-	-	-	-	-
	F--	163	-	-	-	-	-	-	1	-	2	1	3	4	11	19	17	24	34	19	15	8	5	-	-	-	-	-
63b	Exophthalmic goiter----------	277	-	-	-	-	-	-	-	2	3	6	8	8	15	26	33	48	49	38	25	13	4	1	-	-	-	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	-	2	2	4	7	13	10	10	2	1	-	-	-	-	-	-	-
	F--	215	-	-	-	-	-	-	-	2	3	5	4	4	11	17	19	35	39	36	22	13	4	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	3	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	1	2	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	259	-	-	-	-	-	-	-	1	1	1	13	29	38	45	36	39	27	14	11	2	2	-	-	-	-	-
	White-----M--	194	-	-	-	-	-	-	-	1	-	1	8	16	27	35	28	30	23	11	10	2	2	-	-	-	-	-
	F--	43	-	-	-	-	-	-	-	-	1	-	2	7	8	6	6	8	3	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	3	6	2	2	2	1	1	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	10,313	5	5	2	3	2	7	7	11	18	25	45	92	196	351	631	883	1,074	1,394	1,738	1,651	1,248	671	207	41	5	1
	White-----M--	4,471	2	1	-	2	1	3	3	5	11	8	24	35	70	149	269	413	522	642	764	710	522	242	57	12	3	1
	F--	5,463	3	4	2	1	-	3	3	5	7	9	14	34	94	175	311	423	505	700	937	922	708	425	147	29	2	-
	Nonwhite--M--	160	-	-	-	-	1	1	-	-	-	2	3	8	15	14	22	22	19	27	14	3	7	2	-	-	-	-
	F--	219	-	-	-	-	-	-	1	1	-	6	4	15	17	13	29	25	28	25	23	18	11	2	3	-	-	-
90-95	Diseases of the heart----------	58,174	7	4	6	5	5	36	55	96	154	189	357	708	1,381	2,354	4,005	5,391	6,931	8,197	8,986	8,160	6,219	3,544	1,120	215	39	10
	White-----M--	31,394	4	2	3	1	2	9	20	45	69	91	188	389	868	1,511	2,601	3,587	4,200	4,651	4,596	3,956	2,672	1,420	430	70	5	8
	F--	24,519	3	1	3	2	3	19	30	41	68	76	122	239	348	625	1,141	1,547	2,440	3,262	4,155	4,068	3,427	2,063	673	137	25	1
	Nonwhite--M--	1,102	-	1	-	-	-	2	2	4	8	6	17	42	83	124	140	131	152	139	107	60	52	25	5	-	1	1
	F--	1,159	-	-	-	2	-	6	3	6	9	16	32	38	84	94	133	126	139	145	129	76	68	36	12	8	8	-
90a, 92b,c, 93a,95b	Chronic rheumatic diseases of the heart----------	2,866	-	-	-	1	3	28	46	68	104	107	174	261	267	324	309	247	198	194	178	157	127	56	15	1	1	-
	White-----M--	1,235	-	-	-	-	2	7	15	32	44	46	79	105	120	143	146	105	96	81	80	70	42	20	1	1	-	-
	F--	1,452	-	-	-	-	1	15	26	27	47	52	80	136	125	155	147	128	95	108	92	84	84	35	14	-	1	-
	Nonwhite--M--	75	-	-	-	-	-	2	2	4	6	3	4	9	9	13	4	6	6	2	4	-	-	1	-	-	-	-
	F--	104	-	-	-	1	-	4	3	5	7	6	11	11	13	13	12	8	1	3	2	3	1	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	15,990	-	-	-	-	-	-	1	3	5	25	85	221	605	1,030	1,685	2,132	2,421	2,426	2,185	1,625	955	422	128	23	5	5
	White-----M--	11,137	-	-	-	-	-	-	-	3	4	18	66	180	500	830	1,368	1,697	1,755	1,635	1,349	955	502	207	55	9	-	4
	F--	4,532	-	-	-	-	-	-	1	-	2	6	10	27	64	145	275	398	636	752	808	656	447	214	73	14	4	-
	Nonwhite--M--	204	-	-	-	-	-	-	-	-	-	1	7	8	27	37	30	21	20	25	15	9	2	1	-	-	-	1
	F--	117	-	-	-	-	-	-	-	-	-	-	2	6	14	18	12	16	10	16	13	5	4	-	-	-	1	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	39,318	7	4	6	4	2	8	8	25	44	57	98	226	509	1,000	2,011	3,012	4,312	5,575	6,623	6,378	5,137	3,066	977	191	33	5
	White-----M--	19,022	4	2	3	1	-	2	5	10	21	27	41	104	246	538	1,087	1,785	2,349	2,935	3,167	2,931	2,128	1,193	374	60	5	4
	F--	18,535	3	1	3	2	2	4	3	14	19	18	32	76	159	325	719	1,021	1,709	2,402	3,255	3,328	2,996	1,814	586	123	20	1
	Nonwhite--M--	823	-	1	-	-	-	-	-	-	2	2	6	25	47	74	106	104	126	112	88	51	50	23	5	-	1	-
	F--	938	-	-	-	1	-	2	-	1	2	10	19	21	57	63	99	102	128	126	113	68	63	36	12	8	7	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Con.																											
97,102	Arteriosclerosis and high blood pressure*	2,988	-	-	-	-	-	-	-	-	1	2	4	6	14	22	39	66	138	219	458	584	634	487	251	61	8	-
	White—M	1,387	-	-	-	-	-	-	-	-	-	-	2	4	8	10	18	34	69	116	219	273	290	222	99	21	2	-
	F	1,506	-	-	-	-	-	-	-	-	1	-	-	1	3	9	16	28	57	92	219	299	335	256	148	38	4	-
	Nonwhite—M	52	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	2	8	8	4	9	3	6	3	1	1	-
	F	43	-	-	-	-	-	-	-	-	-	1	1	1	2	1	3	2	4	3	10	3	6	3	1	1	1	-
107-109, 33	Pneumonia (all forms) and influenza	5,430	777	107	54	29	22	43	38	49	64	57	84	145	190	280	341	338	425	465	481	517	453	315	120	29	5	2
	White—M	2,834	371	47	27	9	10	25	18	26	30	16	37	74	105	148	217	214	276	267	244	267	214	135	47	10	2	-
	F	2,159	280	41	20	17	11	17	14	19	27	34	29	44	55	93	90	102	127	181	220	238	232	177	71	18	2	-
	Nonwhite—M	237	61	10	3	1	1	1	2	1	4	5	12	14	17	24	25	16	13	7	9	4	3	1	1	-	-	2
	F	200	65	9	4	2	-	2	4	3	3	2	6	13	13	15	9	6	9	10	6	8	4	2	1	1	1	-
107	Bronchopneumonia	2,858	607	74	39	15	15	28	17	20	29	25	25	50	69	99	114	96	170	186	238	240	239	176	66	17	3	1
	White—M	1,306	278	34	19	5	9	16	8	11	14	9	11	22	29	49	69	53	101	102	124	116	115	78	28	4	2	-
	F	1,126	218	25	15	7	6	10	7	7	11	14	9	19	32	40	36	36	64	76	109	117	121	96	38	12	1	-
	Nonwhite—M	108	53	7	3	1	-	1	-	-	2	2	3	3	4	5	6	4	4	2	3	1	2	1	-	-	-	1
	F	118	58	8	2	2	-	1	2	2	2	-	2	6	4	5	3	3	1	6	2	6	1	1	-	1	-	-
108	Lobar pneumonia	2,337	107	14	7	10	5	10	17	22	28	26	53	84	112	164	203	216	227	247	215	239	178	107	39	7	-	-
	White—M	1,316	56	3	3	3	1	4	9	13	13	7	24	45	72	92	130	147	154	153	109	132	86	43	14	3	-	-
	F	827	41	9	4	7	3	5	4	7	12	14	17	21	19	44	50	54	56	85	94	103	88	63	23	4	-	-
	Nonwhite—M	119	4	2	-	-	1	-	2	1	2	3	8	11	12	18	18	12	9	5	6	3	1	-	1	-	-	-
	F	75	6	-	-	-	-	1	2	1	1	2	4	7	9	10	5	3	8	4	6	1	3	1	1	-	-	-
109	Pneumonia (unspecified)	123	29	2	-	1	2	3	1	3	6	2	3	5	2	6	9	5	7	10	6	8	6	5	2	-	-	-
	White—M	64	19	2	-	-	-	1	-	2	3	-	1	4	-	2	7	1	6	1	2	8	2	2	1	-	-	-
	F	58	10	-	-	1	2	2	1	1	3	2	2	1	2	3	2	4	1	9	4	-	4	3	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	312	34	17	8	3	-	2	3	4	1	4	3	6	7	11	15	21	21	22	22	30	30	27	13	5	2	1
	White—M	148	18	8	5	1	-	2	1	-	-	-	1	3	4	5	11	13	15	11	9	11	11	12	4	3	-	-
	F	148	11	7	1	2	-	-	2	4	1	4	1	3	2	6	2	8	6	11	13	18	19	15	9	2	1	-
	Nonwhite—M	9	4	1	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
	F	7	1	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-
117	Ulcer of stomach or duodenum	1,123	2	-	-	-	-	-	-	5	7	11	29	43	62	93	147	169	154	151	125	67	40	16	2	-	-	-
	White—M	900	2	-	-	-	-	-	-	4	4	7	19	33	52	81	123	145	131	123	93	46	27	8	2	-	-	-
	F	177	-	-	-	-	-	-	-	1	-	3	5	4	7	7	14	22	19	25	31	18	13	8	-	-	-	-
	Nonwhite—M	32	-	-	-	-	-	-	-	-	2	1	5	4	2	3	5	1	3	2	1	3	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	1	-	-	2	1	2	5	1	1	1	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	502	319	25	5	1	2	2	3	5	7	9	13	11	5	9	14	13	9	13	11	9	8	8	1	-	-	-
	White—M	250	163	15	2	-	-	1	-	1	2	4	7	8	4	4	7	6	7	6	3	5	1	4	-	-	-	-
	F	214	123	9	3	1	2	1	3	4	5	5	6	2	1	5	6	7	2	6	8	3	7	4	1	-	-	-
	Nonwhite—M	26	22	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	F	12	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	508	3	5	12	9	9	19	10	20	22	17	20	21	31	40	61	48	51	37	36	21	6	9	1	-	-	-
	White—M	302	1	4	9	5	7	11	7	14	14	13	8	10	17	20	44	31	28	21	18	11	4	4	1	-	-	-
	F	188	2	1	3	4	2	8	2	6	6	4	10	10	11	17	17	16	20	15	18	10	1	5	-	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	1	-	-	-	2	-	2	1	-	-	3	1	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	2	-	-	1	1	2	-	1	-	-	-	-	1	-	-	-	-	-
122	Hernia, intestinal obstruction	1,275	19	11	4	5	3	5	2	4	4	12	18	34	49	72	92	134	154	163	164	149	114	45	14	3	-	1
	White—M	597	8	6	2	2	1	4	2	1	2	3	8	10	15	29	46	73	83	83	77	65	50	21	6	-	-	-
	F	617	9	5	2	3	2	-	-	2	2	9	5	21	26	36	40	50	70	76	81	80	62	24	8	3	-	1
	Nonwhite—M	30	2	-	-	-	-	1	-	-	-	-	2	2	5	2	2	4	1	3	4	1	1	-	-	-	-	-
	F	31	-	-	-	-	-	-	-	1	-	-	3	1	3	5	4	7	-	1	2	3	1	-	-	-	-	-
124	Cirrhosis of the liver	1,898	4	3	-	-	-	-	2	1	5	18	46	88	184	237	235	264	252	216	155	95	61	25	8	1	-	-
	White—M	1,184	-	-	-	-	-	-	1	1	3	7	23	49	95	156	162	180	181	144	89	52	23	13	5	-	-	-
	F	645	3	3	-	-	-	-	1	-	2	6	20	27	79	69	67	73	65	70	64	43	37	12	3	1	-	-
	Nonwhite—M	48	1	-	-	-	-	-	-	-	-	1	1	8	6	8	5	9	6	2	-	-	1	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	2	2	4	4	4	1	2	-	-	2	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	745	-	-	-	-	-	-	-	2	-	5	8	16	30	48	78	101	114	134	91	57	44	13	6	-	-	-
	White—M	245	-	-	-	-	-	-	-	-	-	-	2	5	6	10	27	41	32	51	33	18	15	3	2	-	-	-
	F	496	-	-	-	-	-	-	-	1	-	5	4	11	24	37	47	57	80	83	57	37	29	10	4	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	3	1	-	1	-	-	-	-	-	-	-
130-132	Nephritis	6,297	5	2	8	11	4	13	19	33	52	68	94	135	242	331	410	510	647	738	868	887	675	395	124	23	1	2
	White—M	3,026	4	2	5	7	2	7	8	10	23	27	36	61	103	148	212	269	328	372	433	429	308	171	53	6	-	2
	F	2,849	1	-	3	4	2	5	11	21	18	29	36	47	91	130	148	200	285	323	405	434	352	218	69	16	1	-
	Nonwhite—M	198	-	-	-	-	-	1	-	1	6	2	9	14	21	31	26	20	18	19	9	14	6	1	-	-	-	-
	F	224	-	-	-	-	-	-	-	1	5	10	13	13	27	22	24	21	16	24	21	10	9	5	2	1	-	-
137	Diseases of the prostate	776	-	-	-	-	-	-	-	-	-	1	-	-	2	2	9	37	66	121	172	181	111	57	13	3	1	-
	White—M	752	-	-	-	-	-	-	-	-	-	1	-	-	2	2	8	34	61	115	169	178	109	56	13	3	1	-
	Nonwhite—M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	6	3	3	2	1	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Con.																											
140-150	Diseases of pregnancy, etc.*	343	-	-	-	-	-	-	-	18	60	85	66	73	28	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	298	-	-	-	-	-	-	-	10	48	80	61	68	27	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	45	-	-	-	-	-	-	-	8	12	15	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	131	-	-	-	-	-	-	-	12	23	34	26	26	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	105	-	-	-	-	-	-	-	7	14	26	23	25	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	26	-	-	-	-	-	-	-	5	9	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	57	-	-	-	-	-	-	-	2	14	16	9	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	53	-	-	-	-	-	-	-	-	13	15	9	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	131	-	-	-	-	-	-	-	3	16	36	28	34	12	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	117	-	-	-	-	-	-	-	2	14	30	26	32	11	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	14	-	-	-	-	-	-	-	1	2	6	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	24	-	-	-	-	-	-	-	1	7	9	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	23	-	-	-	-	-	-	-	1	7	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	1,771	1,431	69	31	19	15	40	23	19	21	19	21	11	9	9	10	6	7	8	2	1	-	-	-	-	-	-
	White—M	872	698	34	13	13	6	22	15	11	9	7	11	5	4	4	4	5	6	3	2	-	-	-	-	-	-	-
	F	814	660	33	16	6	9	14	8	8	12	12	10	4	4	4	6	1	1	5	-	1	-	-	-	-	-	-
	Nonwhite—M	42	37	1	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	43	36	1	1	-	-	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	5,049	5,049	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	2,673	2,673	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1,851	1,851	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	308	308	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	217	217	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	3,229	3,229	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	1,643	1,643	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1,203	1,203	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	218	218	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	165	165	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	1,820	1,820	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	1,030	1,030	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	648	648	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	52	52	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	1,676	-	-	-	-	-	1	1	24	50	90	118	172	162	171	221	175	176	121	82	61	34	14	1	1	-	1
	White—M	1,143	-	-	-	-	-	1	1	14	28	58	66	104	107	117	148	132	138	86	59	48	27	10	-	1	-	-
	F	487	-	-	-	-	-	-	-	9	18	21	46	62	51	50	69	38	39	35	23	13	7	4	1	-	-	1
	Nonwhite—M	31	-	-	-	-	-	-	-	1	2	8	4	3	4	3	3	3	-	-	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	2	3	2	3	-	1	1	2	1	-	-	-	-	-	-	-	-	-
165-168	Homicide	479	24	3	1	1	2	3	6	38	57	76	64	45	42	40	26	19	9	10	5	2	4	2	-	-	-	-
	White—M	181	8	2	1	1	-	2	3	11	18	27	20	16	10	20	15	12	3	8	3	-	1	-	-	-	-	-
	F	73	9	1	-	-	1	-	1	2	7	5	8	7	7	3	5	4	5	1	-	2	3	2	-	-	-	-
	Nonwhite—M	170	1	-	-	-	-	1	1	22	25	34	25	19	18	14	5	3	1	-	1	-	-	-	-	-	-	-
	F	55	6	-	-	-	1	-	1	3	7	10	11	3	7	3	1	-	-	1	1	-	-	-	-	-	-	-
169-195	Accidental deaths	8,314	185	93	97	88	51	244	164	326	396	341	323	335	402	461	537	543	578	624	612	696	621	400	156	22	3	16
	White—M	5,041	98	49	53	48	33	158	115	240	302	227	231	220	288	330	395	408	408	400	328	296	232	130	53	5	-	14
	F	2,766	67	38	30	29	11	86	28	67	53	69	46	77	72	90	109	113	146	203	274	391	377	269	101	16	3	1
	Nonwhite—M	376	13	4	4	6	5	14	21	11	31	38	35	30	35	34	30	17	18	13	6	4	5	1	-	-	-	1
	F	131	7	2	10	5	2	6	-	8	10	7	11	8	7	7	3	5	6	8	4	5	7	-	2	1	-	-
170	Motor-vehicle accidents	2,086	3	5	20	31	26	94	59	144	215	133	109	100	114	124	163	160	162	158	118	91	57	25	4	-	-	1
	White—M	1,551	2	2	15	16	17	64	44	103	177	97	86	72	83	90	121	117	125	100	85	65	48	17	4	-	-	1
	F	447	1	3	5	11	5	25	10	39	29	30	17	19	18	26	35	38	31	32	31	26	8	8	-	-	-	-
	Nonwhite—M	79	-	-	-	2	4	4	5	1	6	5	5	8	11	6	6	4	6	3	2	-	1	-	-	-	-	-
	F	19	-	-	-	2	-	1	-	1	3	1	1	1	2	2	1	1	-	3	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	6,218	182	88	77	57	25	150	105	182	181	208	214	235	288	337	374	383	416	486	494	605	564	375	152	22	3	15
	White—M	3,490	96	47	58	32	16	74	71	137	125	130	145	148	205	240	274	291	283	300	243	231	184	113	49	5	-	13
	F	2,319	66	35	25	18	6	61	18	28	24	39	29	58	54	64	74	75	115	171	243	365	369	261	101	16	3	1
	Nonwhite—M	297	13	4	4	4	1	10	16	10	25	33	30	22	24	28	24	13	12	10	4	4	4	1	-	-	-	1
	F	112	7	2	10	3	2	5	-	7	7	6	10	7	5	5	2	4	6	5	4	5	7	-	2	1	-	-
162,199, 200	Senility, ill-defined and unknown causes	726	58	15	5	6	1	5	2	5	17	24	34	52	60	47	52	44	40	38	35	32	58	54	27	10	2	3
	White—M	382	37	7	4	3	-	3	-	3	7	14	12	27	33	25	34	29	30	25	19	15	24	14	10	4	-	3
	F	283	15	7	-	3	1	2	1	1	8	6	18	19	17	18	9	13	9	9	14	15	34	39	17	6	2	-
	Nonwhite—M	41	4	-	-	-	-	-	-	-	1	4	3	5	4	4	7	2	1	2	2	2	-	-	-	-	-	-
	F	20	2	1	1	-	-	-	1	1	1	-	1	1	6	-	2	-	-	2	-	-	-	1	-	-	-	-
	All other causes	7,200	325	93	80	64	44	141	86	133	192	240	269	357	459	501	619	672	742	669	593	441	279	140	44	12	3	2
	White—M	3,665	179	47	44	38	24	78	39	66	90	102	118	155	177	237	347	378	419	370	321	229	130	60	15	-	-	2
	F	3,091	116	37	31	24	14	51	41	59	80	103	116	137	225	224	243	274	305	277	258	206	148	80	28	11	3	-
	Nonwhite—M	210	20	2	-	1	4	5	3	3	10	14	16	25	27	19	17	9	10	13	8	2	1	-	1	-	-	-
	F	234	10	7	5	1	2	7	3	5	12	21	19	40	30	21	12	11	8	9	6	4	-	-	-	1	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.–DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA																											
	All causes	28,724	3,742	300	162	101	94	314	309	526	816	836	883	1,050	1,193	1,528	1,845	2,050	2,414	2,862	2,772	2,128	1,313	921	351	124	37	53
	White M	11,082	1,329	93	53	32	38	126	122	203	303	281	282	343	396	562	736	810	1,034	1,179	1,165	954	507	368	123	31	3	9
	White F	8,014	995	81	41	27	21	79	66	88	139	141	167	224	261	315	371	480	585	858	967	867	590	424	161	47	10	9
	Nonwhite M	5,112	770	71	41	23	14	59	69	120	193	246	209	249	275	358	401	398	416	430	353	168	104	62	38	18	8	19
	Nonwhite F	4,516	648	55	27	19	21	50	52	115	181	168	225	234	261	293	337	362	379	395	287	139	112	67	29	28	16	16
1,2	Typhoid and paratyphoid fever	8	1	1	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
	White M	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
	White F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	30	6	4	2	1	1	3	3	5	1	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White M	13	3	1	1	1	-	1	2	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White F	11	2	1	1	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite M	4	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	59	43	9	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	10	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	15	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	13	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	21	13	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	46	3	10	10	7	6	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	14	-	5	3	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	18	2	3	3	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	9	-	-	2	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	5	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,182	7	14	6	3	1	2	18	74	137	152	103	114	99	99	109	83	59	45	32	13	8	4	-	-	-	-
	White M	282	-	2	-	1	-	1	1	2	16	21	15	26	26	41	40	33	23	11	11	6	3	3	-	-	-	-
	White F	190	2	1	2	1	-	-	1	10	13	18	16	20	14	14	13	11	14	18	12	6	3	1	-	-	-	-
	Nonwhite M	386	3	7	3	1	1	-	5	27	45	62	43	41	27	29	36	24	13	11	5	1	2	-	-	-	-	-
	Nonwhite F	324	2	4	1	-	-	1	11	35	63	51	29	27	32	15	20	15	9	5	4	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,096	3	2	2	-	-	1	15	68	131	148	99	103	93	93	103	79	56	44	31	13	8	4	-	-	-	-
	White M	264	-	-	-	-	-	-	-	1	15	20	14	25	26	40	38	31	22	10	10	6	3	3	-	-	-	-
	White F	177	1	-	-	-	-	-	-	10	13	17	16	20	12	13	11	11	13	18	12	6	3	1	-	-	-	-
	Nonwhite M	349	1	1	1	-	-	-	4	23	43	61	41	35	23	27	35	23	12	11	5	1	2	-	-	-	-	-
	Nonwhite F	306	1	1	1	-	-	1	11	34	60	50	26	23	32	13	19	14	9	5	4	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	86	4	12	4	3	1	1	3	6	6	4	4	11	6	6	6	4	3	1	1	-	-	-	-	-	-	-
	White M	18	-	2	-	1	-	1	1	1	1	1	1	1	-	1	2	2	1	1	1	-	-	-	-	-	-	-
	White F	13	1	1	2	1	-	-	1	-	-	1	-	-	2	1	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite M	37	2	6	2	1	1	-	1	4	2	1	2	6	4	2	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite F	18	1	3	-	-	-	-	-	1	3	1	1	4	-	2	1	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	13	4	2	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-
	White M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	Nonwhite M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	4	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	8	-	-	-	-	-	1	-	-	2	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-
	White M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite M	3	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	245	26	-	-	-	-	1	3	4	5	8	15	26	23	40	24	25	12	16	9	4	2	-	-	-	-	2
	White M	59	5	-	-	-	-	-	1	-	-	-	-	4	4	6	8	7	6	9	5	3	1	-	-	-	-	-
	White F	18	3	-	-	-	-	-	-	-	-	-	-	-	2	3	2	4	-	3	1	-	-	-	-	-	-	-
	Nonwhite M	119	11	-	-	-	-	1	1	-	1	6	5	16	15	28	13	12	4	2	2	1	-	-	-	-	-	1
	Nonwhite F	49	7	-	-	-	-	-	1	4	4	2	10	6	2	5	1	2	2	2	1	-	1	-	-	-	-	1
35	Measles	43	14	8	2	1	4	8	1	2	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	White M	11	3	1	-	-	1	3	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White F	10	4	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite M	12	5	3	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	10	2	2	1	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	16	1	1	1	1	1	5	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	9	-	-	1	1	1	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	5	-	1	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																											
45-55	Cancer and other malignant tumors	2,523	4	3	3	5	3	12	8	16	17	38	72	103	128	203	275	280	300	345	325	199	99	55	17	8	1	4
	White-----M--	906	3	1	2	4	1	6	3	8	5	12	12	29	33	49	87	81	116	141	144	93	47	24	4	-	-	1
	F--	1,042	1	2	-	1	1	2	4	4	9	14	34	43	54	95	118	125	102	131	131	91	43	22	11	3	-	1
	Nonwhite--M--	232	-	-	-	-	-	2	1	1	1	3	5	6	13	21	30	28	34	42	27	6	3	4	2	2	-	1
	F--	343	-	-	1	-	1	2	-	3	2	9	21	25	28	38	40	46	48	31	23	9	6	5	-	3	1	1
46	Cancer of the digestive organs and peritoneum--	986	2	-	-	-	-	2	-	1	3	10	14	25	41	77	104	104	117	149	154	94	51	21	10	5	1	1
	White-----M--	397	1	-	-	-	-	1	-	1	1	3	4	14	16	24	36	36	53	68	71	37	22	6	3	-	-	-
	F--	368	1	-	-	-	-	-	-	-	2	4	3	3	13	30	40	43	35	45	58	48	24	12	5	2	-	-
	Nonwhite--M--	128	-	-	-	-	-	1	-	-	-	2	4	3	6	12	21	13	17	22	16	5	1	2	2	1	-	-
	F--	93	-	-	-	-	-	-	-	-	-	1	3	5	6	11	7	12	12	14	9	4	4	1	-	2	1	1
48,49	Cancer of female genital organs--	411	-	-	-	-	-	-	-	1	1	10	30	29	33	54	57	53	41	42	32	17	4	2	4	-	-	1
	White-----F--	273	-	-	-	-	-	-	-	-	-	3	16	19	20	36	40	31	19	36	29	16	3	-	4	-	-	1
	Nonwhite--F--	138	-	-	-	-	-	-	-	1	1	7	14	10	13	18	17	22	22	6	3	1	1	2	-	-	-	-
50	Cancer of breast-	232	-	-	-	-	-	-	-	-	1	6	11	17	15	20	32	32	25	27	18	14	4	8	1	1	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	169	-	-	-	-	-	-	-	-	1	5	8	10	10	14	22	30	18	21	11	10	3	5	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	57	-	-	-	-	-	-	-	-	-	1	3	6	3	6	10	2	6	5	7	4	1	2	-	1	-	-
45,47, 51-55	Cancer (other sites)----------	834	2	3	3	5	3	10	8	14	12	12	17	32	39	52	82	91	117	127	121	74	40	24	2	2	-	2
	White-----M--	505	2	1	2	4	1	5	3	7	4	9	8	14	15	25	51	45	63	72	73	56	25	18	1	-	-	1
	F--	232	-	2	-	1	1	2	4	4	6	2	7	11	11	15	16	21	30	29	33	17	13	5	1	1	-	-
	Nonwhite--M--	102	-	-	-	-	-	1	1	1	1	1	1	3	7	9	9	15	16	20	11	1	2	1	-	1	-	1
	F--	55	-	-	1	-	1	2	-	2	1	-	1	4	6	3	6	10	8	6	4	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	35	-	1	-	1	-	6	10	5	1	4	1	1	1	1	-	2	-	-	-	-	1	-	-	-	-	-
	White-----M--	12	-	-	-	1	-	3	2	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	2	-	-	2	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	-	1	-	-	-	2	3	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	498	1	1	-	-	2	6	5	6	10	6	12	11	14	17	37	61	59	96	72	40	27	12	3	-	-	-
	White-----M--	206	1	1	-	-	2	4	-	1	2	3	5	3	5	8	16	16	28	45	34	17	11	2	2	-	-	-
	F--	191	-	-	-	-	-	2	3	2	5	2	3	2	1	3	11	25	26	40	27	18	12	9	-	-	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	2	-	-	2	3	2	2	1	4	2	4	6	4	1	-	1	-	-	-
	F--	67	-	-	-	-	-	-	2	1	3	1	2	3	6	4	9	16	3	7	5	1	3	1	-	-	-	-
63b	Exophthalmic goiter----------	25	-	-	-	-	-	-	-	1	-	-	1	1	4	1	4	-	6	2	3	-	1	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	5	2	1	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	2	-	-	1	-	-	-	-
69	Pellagra (except alcoholic)------	73	-	-	-	-	-	-	-	-	1	-	1	-	2	1	6	4	7	14	16	6	5	3	4	2	-	1
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	3	2	3	1	1	-	-	1
	F--	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	10	12	4	2	2	3	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	3	3	-	-	-	-	-	1	-	-
77	Alcoholism (ethylism)------	67	-	-	-	-	1	-	-	-	-	5	6	15	7	9	10	8	2	1	1	-	-	-	1	1	-	-
	White-----M--	47	-	-	-	-	-	-	-	-	-	1	3	10	5	6	9	8	1	1	1	-	-	-	1	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	2	-	4	2	2	-	-	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	1	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	3,052	4	1	-	-	1	3	2	5	7	11	30	43	104	156	250	282	425	468	481	358	218	134	39	15	4	11
	White-----M--	1,090	-	-	-	-	-	2	1	3	3	2	10	12	19	33	82	82	164	174	213	139	74	59	14	3	-	1
	F--	931	2	1	-	-	1	-	1	2	-	2	3	9	25	32	46	68	99	139	162	156	107	54	13	6	1	2
	Nonwhite--M--	455	2	-	-	-	-	-	-	-	1	3	6	9	22	36	63	61	77	61	48	32	15	11	3	1	1	3
	F--	576	-	-	-	-	-	1	-	-	3	4	11	13	38	55	59	71	85	94	58	31	22	10	9	5	2	5
90-95	Diseases of the heart----------	6,682	8	5	2	2	4	16	25	40	54	61	119	163	243	409	570	666	811	948	917	756	441	287	86	29	9	11
	White-----M--	3,037	4	2	1	-	-	4	7	15	14	17	49	63	95	197	285	344	400	446	401	355	177	119	30	7	1	4
	F--	1,883	3	1	1	-	-	4	5	9	11	13	18	31	45	55	82	100	181	280	336	313	203	139	41	9	1	2
	Nonwhite--M--	931	1	-	-	1	3	4	7	5	12	13	24	39	57	80	111	121	131	118	96	44	29	14	11	5	3	2
	F--	831	-	2	-	1	1	4	6	11	17	18	28	30	46	77	92	101	99	104	84	44	32	15	4	8	4	3
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	411	-	-	-	-	2	11	16	14	21	19	20	21	17	22	21	38	34	41	41	28	18	18	4	4	-	1
	White-----M--	146	-	-	-	-	-	1	6	7	4	3	7	8	2	10	7	20	10	15	11	16	8	10	1	-	-	-
	F--	124	-	-	-	-	-	4	3	4	6	7	5	5	7	6	4	7	13	13	12	11	7	7	-	3	-	-
	Nonwhite--M--	68	-	-	-	-	2	3	4	2	4	2	2	5	4	4	4	7	5	5	9	-	2	1	2	1	-	-
	F--	73	-	-	-	-	-	3	3	1	7	7	6	3	4	2	6	4	6	8	9	1	1	-	1	-	-	1
94	Diseases of coronary arteries and angina pectoris--------	1,983	2	-	-	-	1	-	1	1	6	8	27	43	87	164	211	252	287	298	254	195	80	51	12	2	-	1
	White-----M--	1,209	1	-	-	-	-	-	-	-	3	4	18	28	54	99	140	173	196	192	159	100	36	21	6	1	-	1
	F--	506	1	-	-	-	-	-	-	1	2	1	2	6	11	18	36	38	59	75	98	83	39	30	6	-	-	-
	Nonwhite--M--	157	-	-	-	-	1	-	-	-	1	2	3	5	11	28	19	26	23	17	13	6	1	-	-	1	-	-
	F--	111	-	-	-	-	-	-	1	-	-	1	4	6	11	19	16	15	9	14	5	6	4	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	4,288	6	5	2	2	1	5	8	25	27	34	72	99	139	223	338	376	490	609	622	533	343	218	70	23	9	9
	White-----M--	1,682	3	2	1	-	-	3	1	8	7	10	24	29	39	88	138	151	194	239	252	239	133	88	23	6	1	3
	F--	1,253	2	1	1	-	-	-	2	4	3	5	11	20	27	31	42	55	109	192	226	219	157	102	35	6	1	2
	Nonwhite--M--	706	1	-	-	1	-	1	3	3	7	9	19	29	42	48	88	88	103	96	74	38	26	13	9	3	3	2
	F--	647	-	2	-	1	1	1	2	10	10	10	18	21	31	56	70	62	84	82	70	37	27	15	3	8	4	2

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																											
97,102	Arteriosclerosis and high blood pressure*	429	-	-	-	-	-	-	-	-	-	3	2	5	9	17	17	26	37	55	71	58	54	40	26	6	1	2
	White—M	128	-	-	-	-	-	-	-	-	-	-	1	-	4	6	3	5	7	14	24	23	15	14	12	-	-	-
	F	128	-	-	-	-	-	-	-	-	-	1	1	1	1	4	1	3	6	15	22	23	22	16	8	4	-	-
	Nonwhite—M	83	-	-	-	-	-	-	-	-	-	1	-	1	1	2	6	13	11	12	14	5	7	5	3	1	-	1
	F	90	-	-	-	-	-	-	-	-	-	1	-	3	3	5	7	5	13	14	11	7	10	5	3	1	1	1
107-109, 33	Pneumonia (all forms) and influenza	1,581	547	73	22	18	6	19	21	19	25	18	24	41	38	60	47	69	90	101	98	72	67	58	36	6	5	1
	White—M	473	143	14	5	3	4	6	7	5	6	9	6	8	16	18	16	17	40	35	32	33	26	15	7	2	-	-
	F	422	112	21	4	4	-	4	6	6	6	1	5	8	6	11	7	19	18	21	44	27	30	34	23	2	3	-
	Nonwhite—M	367	163	23	7	4	1	6	4	5	5	5	9	12	7	26	13	16	16	30	13	7	5	3	5	1	1	-
	F	299	129	15	6	7	1	3	4	3	8	3	4	13	9	5	11	17	16	15	9	5	6	6	1	1	1	1
107	Bronchopneumonia	616	273	44	9	6	3	7	8	4	3	5	5	8	7	15	12	15	23	35	33	25	31	25	15	3	2	-
	White—M	182	80	9	3	-	3	3	4	2	-	3	2	2	1	4	3	6	9	9	8	9	10	8	4	-	-	-
	F	163	64	9	1	2	-	1	2	1	2	1	2	2	2	5	2	4	4	9	19	11	13	16	8	2	1	-
	Nonwhite—M	147	82	16	4	2	-	2	-	1	-	-	1	2	2	5	2	-	5	9	4	2	3	1	2	1	1	-
	F	104	47	10	1	2	-	1	2	-	1	1	-	2	2	1	5	5	5	8	2	3	5	-	1	-	-	-
108	Lobar pneumonia	520	113	12	6	3	1	8	7	7	11	8	13	19	19	31	21	34	44	43	40	28	17	20	11	1	2	1
	White—M	162	26	2	2	1	-	3	3	1	3	4	2	3	9	9	5	6	19	20	17	14	8	3	2	-	-	-
	F	121	19	5	-	-	-	1	1	2	1	-	3	3	3	3	4	11	9	6	12	10	8	11	8	-	1	-
	Nonwhite—M	138	34	2	2	1	1	3	2	3	3	3	4	8	3	16	7	13	7	12	8	3	1	1	1	-	-	-
	F	99	34	3	2	1	-	1	1	1	4	1	4	5	4	3	5	4	9	5	3	1	-	5	-	1	1	1
109	Pneumonia (unspecified)	176	83	6	4	4	-	2	2	2	4	2	2	6	6	3	5	2	9	8	12	6	5	2	1	-	-	-
	White—M	43	12	-	-	-	-	-	-	1	1	1	1	1	3	2	3	1	6	2	4	2	3	-	-	-	-	-
	F	41	13	3	2	1	-	-	1	-	-	-	-	3	1	-	1	-	1	2	6	4	2	1	-	-	-	-
	Nonwhite—M	51	32	2	1	1	-	1	1	1	1	-	1	-	2	1	1	-	1	3	1	-	-	-	1	-	-	-
	F	41	26	1	1	2	-	1	-	-	2	1	-	2	-	-	-	1	1	1	1	-	-	1	-	-	-	-
33	Influenza	269	78	11	3	5	2	2	4	6	7	3	4	8	6	11	9	18	14	15	13	13	14	11	9	2	1	-
	White—M	86	25	3	-	2	1	-	-	1	2	1	1	2	3	3	5	4	6	4	3	8	5	4	1	2	-	-
	F	77	16	4	1	1	-	2	2	3	3	-	-	-	-	3	-	4	4	4	7	2	7	6	7	-	1	-
	Nonwhite—M	51	15	3	-	-	-	-	1	-	1	2	3	2	-	4	3	3	3	6	-	2	1	1	1	-	-	-
	F	55	22	1	2	2	1	-	1	2	1	-	-	4	3	1	1	7	1	1	3	1	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	123	-	-	-	-	-	-	-	-	2	6	7	12	12	9	10	13	15	18	8	5	4	1	1	-	-	-
	White—M	74	-	-	-	-	-	-	-	-	-	2	3	6	7	4	8	9	8	14	5	3	4	1	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	1	4	1	2	2	-	-	1	-	-	-
	Nonwhite—M	25	-	-	-	-	-	-	-	-	-	1	2	4	5	4	1	3	2	2	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	247	161	28	10	1	1	5	1	-	3	3	1	1	-	4	5	3	3	4	3	5	2	2	-	-	1	-
	White—M	56	33	7	5	-	-	2	-	-	-	-	-	-	-	3	1	-	-	1	1	1	1	-	-	-	1	-
	F	49	27	7	2	-	-	1	-	-	1	-	-	-	-	-	1	-	2	1	1	4	-	2	-	-	-	-
	Nonwhite—M	76	53	7	2	-	1	1	1	-	1	2	1	1	-	-	-	3	-	1	1	-	1	-	-	-	-	-
	F	66	48	7	1	1	-	1	-	-	1	1	-	-	-	1	3	-	1	1	-	-	-	-	-	-	-	-
121	Appendicitis	113	-	3	4	1	-	5	8	6	10	4	7	6	12	13	4	5	7	6	6	2	1	2	1	-	-	-
	White—M	45	-	1	2	-	-	2	2	2	4	2	4	2	5	5	-	2	4	2	4	1	-	1	-	-	-	-
	F	27	-	1	2	-	-	1	4	1	2	-	-	1	2	2	2	1	2	3	-	-	1	1	1	-	-	-
	Nonwhite—M	22	-	1	-	-	-	2	-	1	2	-	1	1	3	3	2	2	1	1	2	-	-	-	-	-	-	-
	F	19	-	-	-	1	-	-	2	2	2	2	2	2	2	3	-	-	-	-	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	213	12	2	2	3	-	3	1	1	11	7	12	12	10	19	17	14	17	17	20	17	9	4	2	1	-	-
	White—M	65	2	2	1	1	-	1	1	1	-	1	1	1	1	6	5	6	6	9	6	7	5	1	1	-	-	-
	F	66	1	-	-	-	-	1	-	-	5	1	6	4	5	7	4	3	2	4	9	8	3	1	1	1	-	-
	Nonwhite—M	45	5	-	1	2	-	-	-	-	2	1	2	3	3	3	5	3	6	2	3	1	1	2	-	-	-	-
	F	37	4	-	-	-	-	1	-	-	4	4	3	4	1	3	3	2	3	2	2	1	-	-	-	-	-	-
124	Cirrhosis of the liver	159	-	1	-	-	1	-	-	1	2	1	6	17	17	9	19	19	19	19	13	12	3	-	-	-	-	-
	White—M	77	-	-	-	-	-	-	-	-	-	-	3	6	8	7	10	5	12	10	9	6	1	-	-	-	-	-
	F	48	-	1	-	-	1	-	-	1	-	1	2	6	3	1	5	8	4	6	4	4	1	-	-	-	-	-
	Nonwhite—M	20	-	-	-	-	-	-	-	-	1	-	1	2	4	1	2	4	1	1	-	2	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	1	-	-	3	2	-	2	2	2	2	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	48	-	-	-	-	-	-	-	2	-	-	-	3	4	5	7	6	7	7	1	-	1	5	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	1	-	-	-	-	1	3	-	2	-	3	-	-	1	3	-	-	-	-
	F	24	-	-	-	-	-	-	-	1	-	-	-	2	1	2	4	2	6	3	1	-	-	2	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	1	1	-	-	-	-	-	-	-	-
130-132	Nephritis	2,734	3	4	1	2	2	8	11	15	20	28	61	78	105	137	167	238	298	403	403	305	205	157	49	18	5	11
	White—M	888	3	1	-	-	2	1	2	8	10	9	5	13	23	24	40	86	95	124	142	132	74	69	17	8	1	1
	F	730	-	1	1	2	-	2	3	3	3	4	11	17	22	25	19	44	64	97	116	116	86	64	21	4	2	3
	Nonwhite—M	554	-	-	-	-	-	2	3	3	5	6	13	18	26	42	56	50	70	94	78	34	27	11	8	3	1	4
	F	562	-	2	-	-	-	3	3	3	2	9	32	30	34	46	52	58	69	88	67	23	18	13	3	3	1	3
137	Diseases of the prostate	134	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	4	15	26	28	28	15	6	4	1	1	-
	White—M	81	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	15	15	23	13	4	4	1	-	-
	Nonwhite—M	53	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	4	11	11	13	5	2	2	-	-	1	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																											
140-150	Diseases of pregnancy, etc.*	203	-	-	-	-	-	-	3	20	35	38	42	45	19	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	93	-	-	-	-	-	-	1	6	16	20	15	24	11	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	110	-	-	-	-	-	-	2	14	19	18	27	21	8	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	47	-	-	-	-	-	-	3	5	9	9	9	4	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	1	1	4	6	3	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	23	-	-	-	-	-	-	2	4	5	3	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	61	-	-	-	-	-	-	-	9	9	9	11	19	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	23	-	-	-	-	-	-	-	3	4	4	2	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	38	-	-	-	-	-	-	-	6	5	5	9	12	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	70	-	-	-	-	-	-	-	4	12	17	14	16	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	29	-	-	-	-	-	-	-	1	3	9	5	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	41	-	-	-	-	-	-	-	3	9	8	9	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	25	-	-	-	-	-	-	-	2	5	3	8	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	17	-	-	-	-	-	-	-	1	5	1	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	8	-	-	-	-	-	-	-	1	-	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	464	386	23	10	6	1	11	6	6	6	2	1	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	207	172	11	4	1	1	5	3	6	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	171	143	9	4	2	-	2	2	-	2	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	46	36	3	2	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	40	35	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	1,987	1,987	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	795	795	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	554	554	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	342	342	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	296	296	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	1,359	1,359	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	529	529	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	410	410	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	219	219	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	201	201	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	628	628	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	266	266	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	144	144	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	123	123	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	95	95	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	290	-	-	-	-	-	-	2	13	22	35	28	33	33	33	37	19	11	10	6	6	2	-	-	-	-	-
	White—M	207	-	-	-	-	-	-	1	9	15	23	15	23	27	23	27	13	9	10	6	5	1	-	-	-	-	-
	F	59	-	-	-	-	-	-	1	3	4	7	9	7	5	9	6	6	1	-	-	-	1	-	-	-	-	-
	Nonwhite—M	21	-	-	-	-	-	-	-	1	2	5	3	3	1	-	4	-	1	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	362	2	2	-	1	-	1	6	21	63	87	53	40	34	23	11	3	7	1	4	2	-	-	-	-	-	1
	White—M	83	-	-	-	-	-	-	2	4	15	17	10	12	5	6	3	1	6	-	-	2	-	-	-	-	-	-
	F	22	1	1	-	-	-	-	-	2	4	3	5	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	209	-	1	-	1	-	1	3	13	33	53	33	20	22	15	6	2	1	1	3	-	-	-	-	-	-	1
	F	48	1	-	-	-	-	-	1	2	11	14	5	7	4	1	1	-	-	-	1	-	-	-	-	-	-	-
169-195	Accidental deaths	2,385	135	51	40	25	28	124	119	182	285	217	160	137	132	109	95	94	63	84	74	78	55	45	23	6	-	4
	White—M	1,242	48	21	15	10	13	54	67	109	184	130	107	79	71	62	45	44	40	43	27	32	19	11	9	1	-	1
	F	442	27	15	11	7	3	29	16	19	31	21	9	13	19	12	16	18	9	19	27	36	31	33	14	5	-	-
	Nonwhite—M	514	30	9	7	2	5	22	27	43	60	61	31	39	38	31	28	25	11	19	13	7	2	1	-	-	-	3
	F	167	30	6	7	6	7	19	7	11	10	5	13	6	4	4	6	7	3	3	7	3	3	-	-	-	-	-
170	Motor-vehicle accidents	1,052	4	10	14	7	13	66	51	116	179	130	77	75	58	48	47	45	34	39	17	13	5	2	-	-	-	2
	White—M	638	4	5	8	2	7	33	28	76	127	80	53	46	29	29	26	20	20	23	7	11	3	1	-	-	-	-
	F	144	-	2	4	2	1	16	7	14	22	18	3	8	12	6	4	10	5	3	3	1	2	1	-	-	-	-
	Nonwhite—M	218	-	3	1	1	2	12	12	18	25	30	15	20	17	11	14	11	8	9	6	1	-	-	-	-	-	2
	F	52	-	-	1	2	3	5	4	8	5	4	6	1	-	2	3	4	1	2	1	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,313	131	41	26	18	15	58	68	66	106	87	83	62	74	61	48	49	29	45	57	65	50	43	23	6	-	2
	White—M	604	44	16	7	8	6	21	39	33	57	50	54	33	42	33	19	24	20	20	20	21	16	10	9	1	-	1
	F	298	27	13	7	5	2	13	11	5	9	5	6	5	7	6	12	8	4	14	24	35	29	32	14	5	-	-
	Nonwhite—M	296	30	6	6	1	3	10	15	25	35	31	16	19	21	20	14	14	3	10	7	6	2	1	-	-	-	1
	F	115	30	6	6	4	4	14	3	3	5	1	7	5	4	2	3	3	2	1	6	3	3	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	861	229	12	8	4	2	4	4	5	4	10	14	14	22	29	32	38	42	55	70	74	45	67	49	21	8	1
	White—M	277	61	5	2	2	-	2	2	-	1	2	5	7	8	14	11	12	14	26	27	23	12	22	16	5	-	-
	F	246	52	1	1	1	1	1	1	1	1	4	2	3	8	4	7	7	10	9	18	28	22	32	20	11	3	-
	Nonwhite—M	171	65	4	3	1	-	1	1	1	1	1	3	2	6	8	5	10	8	5	14	13	4	5	5	3	1	1
	F	167	51	2	2	-	1	-	-	3	1	3	4	2	4	3	9	7	10	15	11	10	7	8	8	2	4	-
	All other causes	1,803	158	40	34	19	27	63	45	76	92	88	102	124	116	122	86	89	98	116	110	88	47	39	9	10	2	4
	White—M	644	46	15	10	5	12	25	14	25	24	28	25	38	32	38	36	35	46	42	55	48	18	19	5	3	-	-
	F	530	45	9	9	6	8	22	10	17	23	22	24	27	34	32	22	30	27	54	40	31	21	12	3	1	-	1
	Nonwhite—M	320	39	10	11	6	2	8	12	14	19	21	23	24	19	25	16	13	15	13	13	5	4	4	-	2	-	2
	F	309	28	8	4	2	5	8	9	20	26	17	30	35	31	27	12	11	10	7	2	4	4	3	1	4	2	1

*Refer to International List for complete title, table V, Part I.

TABLE 20.–DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA																											
	All causes	5,060	519	39	27	20	16	53	42	69	84	79	70	126	119	171	211	329	413	544	636	604	479	309	98	10	2	11
	White—M	3,052	280	18	16	13	9	29	19	42	61	50	43	77	67	105	124	222	267	331	381	382	283	170	51	5	1	6
	F	1,903	215	16	9	2	5	19	20	22	20	26	23	40	45	63	84	102	140	205	244	218	195	135	46	5	1	3
	Nonwhite—M	69	14	1	1	1	-	3	1	2	2	1	2	5	6	1	2	2	6	7	6	1	1	2	1	-	-	1
	F	56	10	4	1	4	2	2	2	3	1	2	2	4	1	2	1	3	-	1	5	3	-	2	-	-	-	1
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	7	-	-	-	1	1	3	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	1	1	3	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	96	1	2	1	3	3	3	-	8	4	13	6	8	4	7	5	6	6	7	1	6	1	1	-	-	-	-
	White—M	47	1	1	-	-	-	-	-	1	2	6	4	4	2	5	3	4	4	4	1	4	1	-	-	-	-	-
	F	28	-	-	-	-	2	-	-	2	1	6	1	2	2	2	2	2	1	2	-	2	-	1	-	-	-	-
	Nonwhite—M	9	-	-	-	1	-	2	-	2	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	12	-	1	1	2	1	1	-	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	78	-	1	1	2	1	1	-	6	4	12	6	7	4	6	5	5	5	6	1	3	1	1	-	-	-	-
	White—M	41	-	-	-	-	-	-	-	1	2	6	4	3	2	4	3	3	4	4	1	3	1	-	-	-	-	-
	F	23	-	-	-	-	1	-	-	2	1	6	1	2	2	2	2	2	-	1	-	-	-	1	-	-	-	-
	Nonwhite—M	6	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	8	-	1	1	1	-	1	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	18	1	1	-	1	2	2	-	2	-	1	-	1	-	1	-	1	1	1	-	3	-	-	-	-	-	-
	White—M	6	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	29	3	-	-	-	-	-	-	-	1	-	1	2	1	-	1	2	6	6	2	4	-	-	-	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	5	5	2	3	-	-	-	-	-	-
	F	7	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliioencephalitis (acute)	26	-	2	-	-	1	4	3	9	-	1	3	1	1	-	-	2	-	-	1	-	-	-	-	-	-	-
	White—M	10	-	1	-	-	1	1	-	4	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	16	-	1	-	-	-	3	3	4	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Continued																											
45-55	Cancer and other malignant tumors	675	-	2	-	1	-	1	1	3	4	2	6	16	25	36	47	81	83	98	103	84	50	30	2	-	-	-
	White-----M--	365	-	1	-	1	-	1	-	2	2	2	3	5	8	12	22	47	43	53	57	57	34	14	1	-	-	-
	F--	303	-	1	-	-	-	-	1	1	1	-	3	11	17	24	25	32	39	45	44	26	16	16	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	339	-	-	-	-	-	-	-	-	-	-	3	5	10	10	20	38	43	60	53	45	33	18	1	-	-	-
	White-----M--	199	-	-	-	-	-	-	-	-	-	-	2	2	4	6	13	26	22	33	30	32	21	8	-	-	-	-
	F--	137	-	-	-	-	-	-	-	-	-	-	1	3	6	4	7	11	20	27	23	12	12	10	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	56	-	-	-	-	-	-	-	-	1	-	2	3	4	8	4	9	5	7	7	3	2	1	-	-	-	-
	White-----F--	53	-	-	-	-	-	-	-	-	-	-	2	3	4	8	4	9	5	7	5	3	2	1	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
50	Cancer of breast-	57	-	-	-	-	-	-	-	-	-	-	-	4	5	6	8	6	4	5	12	4	1	2	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	55	-	-	-	-	-	-	-	-	-	-	-	4	5	6	8	6	4	5	11	4	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	225	-	2	-	1	-	1	1	3	3	2	1	4	6	12	15	28	31	26	31	32	14	9	1	-	-	-
	White-----M--	164	-	1	-	1	-	1	-	2	2	2	1	3	4	6	9	21	21	20	26	25	13	5	1	-	-	-
	F--	58	-	1	-	-	-	-	1	1	1	-	-	1	2	6	6	6	10	6	5	7	1	4	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	8	-	-	-	-	-	1	3	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	153	-	3	1	-	-	-	3	1	-	1	1	1	2	4	4	10	15	31	34	24	13	5	-	-	-	-
	White-----M--	64	-	2	-	-	-	-	1	-	-	-	-	1	1	3	2	5	6	12	13	11	4	3	-	-	-	-
	F--	85	-	-	1	-	-	-	1	1	-	1	1	-	1	1	2	5	8	18	21	13	9	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter----------	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-	-	-	-	-	-	-	1
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	1
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	478	-	-	-	-	-	1	-	1	2	3	-	5	6	8	12	35	43	70	84	89	72	33	12	1	-	1
	White-----M--	255	-	-	-	-	-	1	-	1	2	2	-	3	3	4	6	21	24	32	48	50	38	14	5	1	-	-
	F--	216	-	-	-	-	-	-	-	-	-	1	-	2	3	4	5	12	18	37	35	38	34	19	7	-	-	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
90-95	Diseases of the heart----------	1,390	-	1	1	-	-	2	1	3	3	5	7	22	18	43	63	96	140	204	244	217	179	109	26	3	-	3
	White-----M--	926	-	1	1	-	-	1	1	2	-	2	4	15	14	32	39	78	106	139	159	139	109	67	14	1	-	2
	F--	454	-	-	-	-	-	1	-	1	3	3	3	7	3	10	24	18	33	62	82	78	70	41	12	2	-	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	64	-	-	-	-	-	2	1	-	3	2	3	9	5	3	6	4	3	7	5	7	2	2	-	-	-	-
	White-----M--	36	-	-	-	-	-	1	1	-	-	1	1	6	4	3	2	2	2	5	3	4	1	-	-	-	-	-
	F--	28	-	-	-	-	-	1	-	-	3	1	2	3	1	-	4	2	1	2	2	3	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	507	-	-	-	-	-	-	-	-	-	-	3	8	5	22	22	46	87	82	84	70	39	30	5	1	-	1
	White-----M--	398	-	-	-	-	-	-	-	-	-	-	2	7	4	18	19	43	69	65	60	53	28	24	5	-	-	1
	F--	104	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	5	17	17	23	17	11	5	-	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 3a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	819	-	1	1	-	-	-	-	3	-	3	1	5	8	18	35	44	50	115	155	140	138	77	21	2	-	2
	White-----M--	492	-	1	1	-	-	-	-	2	-	1	1	2	6	11	18	33	35	69	96	82	80	43	9	1	-	1
	F--	322	-	-	-	-	-	-	-	1	-	2	-	3	2	7	17	11	15	43	57	58	58	34	12	1	-	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Continued																											
97,102	Arteriosclerosis and high blood pressure*	131	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	2	4	9	13	32	27	25	12	2	-	-
	White----M--	83	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	2	5	9	20	18	15	9	1	-	-
	F--	48	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	4	4	12	9	10	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	198	66	6	2	-	-	4	2	2	3	2	2	4	7	4	2	7	10	9	9	20	17	13	5	1	1	-
	White----M--	105	27	2	-	-	-	2	2	2	1	2	1	3	4	1	2	3	8	8	5	12	9	9	2	-	-	-
	F--	64	36	3	2	-	-	2	-	-	2	-	1	1	2	3	-	4	1	1	4	7	8	3	2	1	1	-
	Nonwhite--M--	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
107	Bronchopneumonia	92	41	2	1	-	-	-	2	1	2	1	-	1	-	3	-	4	2	5	3	6	11	4	3	-	-	-
	White----M--	49	19	-	-	-	-	-	2	1	-	1	-	-	-	1	-	2	1	5	2	4	7	3	1	-	-	-
	F--	37	19	1	1	-	-	-	-	-	2	-	-	1	-	2	-	2	1	-	1	1	4	1	1	-	-	-
	Nonwhite--M--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
108	Lobar pneumonia	54	7	2	-	-	-	2	-	1	1	1	-	3	4	-	1	3	5	4	3	9	3	4	1	-	-	-
	White----M--	32	-	1	-	-	-	1	-	1	1	1	-	3	2	-	1	1	5	3	2	6	1	3	-	-	-	-
	F--	20	7	1	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	1	1	3	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
109	Pneumonia (unspecified)	30	12	2	1	-	-	1	-	-	-	-	2	-	1	-	1	-	2	-	1	1	1	3	1	-	1	-
	White----M--	16	6	1	-	-	-	1	-	-	-	-	1	-	1	-	1	-	1	-	1	1	-	1	1	-	-	-
	F--	13	6	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	22	6	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	1	-	2	4	2	2	-	1	-	-
	White----M--	8	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	2	-	-	-	-
	F--	14	4	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	2	3	1	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	24	1	-	-	-	-	-	-	-	2	2	-	1	1	1	1	4	4	1	2	3	1	-	-	-	-	-
	White----M--	22	1	-	-	-	-	-	-	-	1	2	-	1	1	1	1	4	4	-	2	3	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	37	28	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	1	-	-	-
	White----M--	19	14	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	17	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	26	1	-	1	-	2	2	4	2	-	1	-	1	1	-	5	4	-	1	-	1	-	-	-	-	-	-
	White----M--	15	1	-	1	-	1	1	1	2	-	1	-	-	-	-	3	3	-	1	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	1	1	3	-	-	-	-	1	1	-	2	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	37	3	-	2	-	-	-	-	-	1	-	-	2	-	1	2	1	3	4	7	6	3	1	1	-	-	-
	White----M--	20	1	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	2	2	4	5	1	-	1	-	-	-
	F--	15	2	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	3	1	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	35	-	-	-	-	-	-	-	-	-	-	1	2	2	2	3	1	5	5	4	5	3	1	-	-	-	1
	White----M--	23	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	4	4	3	2	2	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	1	3	1	-	-	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127*	Biliary calculi, etc.*	29	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	2	5	6	5	2	-	-	-	-	-
	White----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	3	3	2	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	1	2	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis	221	-	1	3	1	1	1	1	-	1	4	3	3	3	12	15	14	27	33	22	25	26	21	4	-	-	-
	White----M--	129	-	-	1	1	1	-	-	-	1	-	2	2	2	8	7	10	17	16	13	20	15	11	2	-	-	-
	F--	86	-	1	1	-	-	1	1	-	-	4	1	-	1	4	8	4	10	15	8	5	11	9	2	-	-	-
	Nonwhite--M--	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	16	5	10	3	-	-	-	-
	White----M--	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	16	5	10	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Continued																											
140-150	Diseases of pregnancy, etc.*----	16	-	-	-	-	-	-	-	1	3	4	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	-	-	-	-	-	-	-	1	3	4	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia-------	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	9	-	-	-	-	-	-	-	-	1	2	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	8	-	-	-	-	-	-	-	-	1	2	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes----------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	90	74	4	-	-	2	1	1	3	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	55	46	1	-	-	2	-	-	2	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	23	3	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	277	277	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	157	157	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	114	114	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	177	177	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	96	96	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	76	76	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year------	100	100	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	61	61	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	38	38	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	60	-	-	-	-	-	-	-	-	3	3	5	10	8	5	7	6	-	6	3	2	1	1	-	-	-	-
	White-----M--	50	-	-	-	-	-	-	-	-	2	3	5	8	7	5	6	4	-	5	2	1	1	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	8	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1	1	-	-	-	-	-	-	-	-
	White-----M--	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	442	12	10	6	8	5	19	17	30	43	25	23	21	23	19	20	13	22	22	25	23	19	20	13	1	-	3
	White-----M--	300	5	5	5	6	2	12	11	22	38	23	19	17	17	15	15	12	15	17	10	15	5	5	6	1	-	2
	F--	126	6	4	1	1	2	7	4	8	4	1	3	2	4	3	4	1	7	5	15	8	14	15	7	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	1	-	1	1	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	7	1	1	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
170	Motor-vehicle accidents-------	144	2	2	1	2	1	6	4	17	29	12	6	9	9	9	12	5	7	9	2	-	-	-	-	-	-	-
	White-----M--	105	-	1	1	1	1	3	3	11	24	11	5	7	6	7	8	4	4	7	1	-	-	-	-	-	-	-
	F--	36	2	1	-	1	-	3	1	6	4	1	1	1	3	1	4	1	3	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	298	10	8	5	6	4	13	13	13	14	13	17	12	14	10	8	8	15	13	23	23	19	20	13	1	-	3
	White-----M--	195	5	4	4	5	1	9	8	11	14	12	14	10	11	8	7	8	11	10	9	15	5	5	6	1	-	2
	F--	80	4	3	1	-	2	4	3	2	-	-	2	1	1	2	-	-	4	3	14	8	14	15	7	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	-	1	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
162,199, 200	Senility, ill-defined and unknown causes-----	157	11	-	-	1	-	-	-	-	-	1	2	1	2	2	2	7	11	3	15	13	29	36	18	1	1	1
	White-----M--	93	5	-	-	-	-	-	-	-	-	-	1	1	-	1	1	6	9	3	7	8	18	24	8	-	1	-
	F--	54	5	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	-	5	5	10	11	10	1	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	1
	F--	4	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	All other causes-	362	35	6	7	5	1	11	6	6	10	9	8	20	8	18	17	28	24	26	41	37	25	10	4	1	-	1
	White-----M--	205	20	3	4	4	1	6	2	3	6	5	3	11	5	13	10	11	9	17	25	24	15	3	3	1	-	1
	F--	149	13	2	3	1	-	3	4	3	4	4	2	8	3	5	6	17	15	9	16	13	10	7	1	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO																											
	All causes	78,464	5,312	372	204	170	111	440	367	735	1,117	1,096	1,390	1,860	2,258	3,370	4,971	6,179	7,429	8,670	9,661	9,372	7,220	4,360	1,435	289	29	48
	White—M	40,465	2,888	190	110	90	61	260	201	430	549	522	643	845	1,101	1,724	2,752	3,468	4,280	4,733	5,020	4,636	3,365	1,911	577	88	10	31
	F	32,475	2,005	158	79	63	35	154	136	199	370	375	492	684	784	1,130	1,666	2,167	2,715	3,482	4,260	4,430	3,693	2,370	820	189	5	14
	Nonwhite—M	3,094	232	14	7	8	11	19	17	41	93	107	151	163	210	308	342	325	253	257	220	157	92	31	22	4	7	3
	F	2,410	187	10	8	9	4	7	13	65	105	91	104	168	163	208	211	219	181	198	161	149	70	48	16	8	7	-
1,2	Typhoid and paratyphoid fever	16	-	-	-	-	-	1	1	1	2	1	1	3	-	1	2	-	1	-	2	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	57	10	8	1	1	5	4	5	4	1	3	2	1	-	-	1	2	2	3	2	2	-	-	-	-	-	-
	White—M	30	4	4	1	1	3	2	1	4	1	1	1	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-
	F	24	6	3	-	-	1	1	4	-	-	2	1	1	-	-	-	1	1	2	-	1	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	22	1	1	1	1	2	5	5	2	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	White—M	14	1	-	1	-	2	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	1	-	1	-	1	2	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	60	40	10	3	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	26	20	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	16	5	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	51	3	4	6	11	8	13	1	-	1	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	32	3	4	3	7	4	7	1	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	16	-	-	2	3	3	6	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	2,583	16	23	5	7	5	17	15	90	224	242	238	210	223	229	271	225	181	130	120	65	34	9	2	1	-	1
	White—M	1,246	6	10	2	2	3	7	3	18	47	72	89	89	97	122	189	150	120	91	67	38	16	6	1	1	-	-
	F	708	8	7	2	2	2	5	4	23	91	88	74	63	67	40	39	36	37	30	46	24	17	2	-	-	-	1
	Nonwhite—M	375	-	4	1	-	-	1	2	18	33	33	50	38	42	55	36	29	16	8	6	1	1	-	1	-	-	-
	F	254	2	2	-	3	-	4	6	31	53	49	25	20	17	12	7	10	8	1	1	2	-	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	2,370	10	14	1	2	3	9	12	82	200	230	221	195	205	218	257	205	165	123	115	61	31	7	2	1	-	1
	White—M	1,166	3	7	1	-	2	5	2	17	44	70	83	84	89	117	179	141	111	88	65	36	16	4	1	1	-	-
	F	636	5	2	-	-	1	2	2	22	78	66	74	60	60	35	37	31	33	26	43	22	14	2	-	-	-	1
	Nonwhite—M	349	-	3	-	-	-	1	2	16	31	30	45	36	40	54	35	25	14	8	6	1	1	-	1	-	-	-
	F	219	2	2	-	2	-	1	6	27	47	44	19	15	16	12	6	8	7	1	1	2	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	213	6	9	4	5	2	8	3	8	24	12	17	15	18	11	14	20	16	7	5	4	3	2	-	-	-	-
	White—M	80	3	3	1	2	1	2	1	1	3	2	6	5	8	5	10	9	9	3	2	2	-	2	-	-	-	-
	F	72	3	5	2	2	1	3	2	1	13	2	-	3	7	5	2	5	4	4	3	2	3	-	-	-	-	-
	Nonwhite—M	26	-	1	1	-	-	-	-	2	2	3	5	2	2	1	1	4	2	-	-	-	-	-	-	-	-	-
	F	35	-	-	-	1	-	3	-	4	6	5	6	5	1	-	1	2	1	-	-	-	-	-	-	-	-	-
27	Dysentery	13	5	1	1	-	-	-	-	1	1	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	White—M	7	2	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	F	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	785	18	1	-	-	-	-	2	8	2	14	20	51	47	89	120	116	86	103	50	31	20	6	1	-	-	-
	White—M	423	9	1	-	-	-	-	1	3	-	3	3	22	21	42	59	72	58	64	30	17	13	5	-	-	-	-
	F	168	3	-	-	-	-	-	1	2	1	6	7	11	5	17	23	17	18	23	14	12	6	1	1	-	-	-
	Nonwhite—M	133	1	-	-	-	-	-	-	1	1	2	6	11	17	16	29	21	9	12	4	2	1	-	-	-	-	-
	F	61	5	-	-	-	-	-	-	2	-	3	4	7	4	14	9	6	1	4	2	-	-	-	-	-	-	-
35	Measles	27	5	9	3	1	1	5	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	16	4	7	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	1	2	-	1	1	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	59	-	1	2	-	5	22	7	5	4	8	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	37	-	1	1	-	1	18	5	2	2	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	3	3	2	3	2	4	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Continued																											
45-55	Cancer and other malignant tumors	10,628	2	6	4	7	4	18	21	40	57	51	136	273	378	580	1,007	1,254	1,441	1,436	1,561	1,267	702	300	66	13	3	1
	White-----M--	4,784	1	3	2	3	1	11	9	20	28	24	44	72	113	171	412	539	681	726	765	632	343	144	31	6	2	1
	F--	5,323	1	3	2	4	2	7	10	18	22	20	81	181	222	342	530	648	701	654	748	592	345	148	34	7	1	-
	Nonwhite--M--	246	-	-	-	-	-	-	-	1	5	3	6	4	13	23	26	36	35	28	29	22	10	4	1	-	-	-
	F--	275	-	-	-	-	1	-	2	1	2	4	5	16	30	44	39	31	24	28	19	21	4	4	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	4,700	-	-	-	-	-	1	-	2	11	9	35	74	100	191	364	506	686	738	810	670	360	131	25	5	1	1
	White-----M--	2,384	-	-	-	-	-	1	-	1	5	2	14	33	51	81	184	257	357	411	419	333	163	56	12	3	-	1
	F--	2,093	-	-	-	-	-	-	-	1	5	5	19	34	37	89	148	217	272	300	366	321	192	72	12	2	1	-
	Nonwhite--M--	133	-	-	-	-	-	-	-	-	1	2	1	3	4	14	17	23	23	15	13	10	4	2	1	-	-	-
	F--	90	-	-	-	-	-	-	-	-	-	-	1	4	8	7	15	9	14	12	12	6	1	1	-	-	-	-
48,49	Cancer of female genital organs--	1,441	-	1	-	-	-	-	1	2	8	7	33	99	112	151	178	191	182	158	146	98	50	19	3	1	-	-
	White-----F--	1,340	-	1	-	-	-	-	1	2	7	4	30	89	96	131	164	181	179	148	143	93	49	18	3	1	-	-
	Nonwhite--F--	101	-	-	-	-	-	-	-	-	1	3	3	10	16	20	14	10	3	10	3	6	1	1	-	-	-	-
50	Cancer of breast--	1,015	-	-	-	-	-	-	-	1	1	5	15	33	55	78	129	136	148	115	120	96	45	30	7	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	1	2	2	-	-	1	-	-	-	-
	F--	959	-	-	-	-	-	-	-	1	1	4	13	30	52	68	121	129	142	111	116	90	45	28	7	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	44	-	-	-	-	-	-	-	-	-	1	1	2	3	8	7	6	5	2	2	6	-	1	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	3,472	2	5	4	7	4	17	20	35	37	30	53	67	111	159	336	421	445	425	485	402	247	120	31	7	2	-
	White-----M--	2,388	1	3	2	3	1	10	9	19	23	22	29	38	62	88	227	281	323	313	344	299	180	87	19	3	2	-
	F--	931	1	2	2	4	2	7	9	14	9	7	19	28	37	53	97	121	108	95	123	88	59	30	12	4	-	-
	Nonwhite--M--	113	-	-	-	-	-	-	-	1	4	1	5	1	9	9	9	13	12	13	16	12	6	2	-	-	-	-
	F--	40	-	-	-	-	1	-	2	1	1	-	-	-	3	9	3	6	2	4	2	3	2	1	-	-	-	-
58	Acute rheumatic fever----------	57	-	-	-	3	2	11	6	6	2	1	5	4	4	1	1	3	3	-	1	4	-	-	-	-	-	-
	White-----M--	30	-	-	-	1	1	6	1	4	-	1	3	2	3	1	1	2	1	-	1	2	-	-	-	-	-	-
	F--	21	-	-	-	2	-	5	4	1	1	-	1	2	1	-	-	1	1	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,123	-	-	-	1	1	3	6	13	16	15	17	21	24	61	134	237	346	388	375	281	133	42	7	1	-	1
	White-----M--	703	-	-	-	1	-	1	-	7	7	8	9	4	7	17	53	68	108	134	119	100	47	10	2	-	-	1
	F--	1,309	-	-	-	-	1	2	5	4	6	4	6	10	10	39	64	149	224	241	247	177	83	31	5	1	-	-
	Nonwhite--M--	35	-	-	-	-	-	-	1	-	-	3	1	1	-	1	7	4	3	7	4	1	2	-	-	-	-	-
	F--	76	-	-	-	-	-	-	-	2	3	-	1	6	7	4	10	16	11	6	5	3	1	1	-	-	-	-
63b	Exophthalmic goiter----------	195	-	-	-	-	-	-	-	-	1	3	4	5	11	15	18	19	38	26	29	15	10	1	-	-	-	-
	White-----M--	38	-	-	-	-	-	-	-	-	1	-	2	1	1	3	3	5	9	7	5	1	2	-	-	-	-	-
	F--	151	-	-	-	-	-	-	-	-	-	3	1	4	10	11	13	14	29	19	25	13	8	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	3	1	-	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	96	-	-	-	1	-	-	-	-	-	1	9	10	18	15	9	10	8	5	4	3	-	1	-	-	-	2
	White-----M--	75	-	-	-	-	-	-	-	-	-	1	8	8	14	11	8	8	7	4	3	3	-	1	-	-	-	1
	F--	11	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	1	-	-	-	-	-	-	-	-	1
	F--	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	8,193	10	4	3	-	-	5	3	9	10	8	51	84	123	235	368	563	766	1,058	1,410	1,529	1,101	644	184	35	5	4
	White-----M--	3,755	9	3	1	-	-	5	2	7	7	4	8	30	44	82	136	262	403	509	658	713	493	288	74	11	3	3
	F--	3,832	1	1	2	-	-	-	1	1	3	4	16	39	48	105	176	238	311	472	686	765	584	345	108	23	2	1
	Nonwhite--M--	236	-	-	-	-	-	-	-	1	-	-	4	6	10	22	22	27	24	32	46	23	15	3	1	-	-	-
	F--	270	-	-	-	-	-	-	-	-	-	-	3	9	21	26	34	36	28	46	20	28	9	8	1	1	-	-
90-95	Diseases of the heart----------	24,421	6	7	3	2	2	8	33	58	70	101	161	335	546	997	1,589	2,091	2,644	3,320	3,631	3,619	2,856	1,710	519	99	7	7
	White-----M--	13,498	3	2	1	1	1	3	13	31	26	52	81	194	334	640	1,045	1,355	1,700	1,905	1,983	1,844	1,306	750	189	32	2	5
	F--	9,614	3	4	2	1	-	4	19	18	33	37	50	82	137	225	384	569	801	1,261	1,516	1,673	1,490	927	314	61	1	2
	Nonwhite--M--	753	-	1	-	-	1	1	-	3	3	4	13	26	45	82	108	102	86	91	76	59	30	11	7	2	2	-
	F--	556	-	-	-	-	-	-	1	6	8	8	17	33	30	50	52	65	57	63	56	43	30	22	9	4	2	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	1,538	-	1	-	1	-	7	21	37	33	35	57	72	85	111	120	133	137	168	159	155	117	62	23	3	-	1
	White-----M--	716	-	-	-	-	-	3	8	20	14	17	30	32	39	53	57	64	74	81	77	68	50	21	7	1	-	-
	F--	717	-	1	-	1	-	3	13	13	13	17	20	36	37	47	52	56	57	73	74	82	65	40	14	2	-	1
	Nonwhite--M--	60	-	-	-	-	-	1	-	2	-	-	5	3	3	8	8	6	5	8	6	3	2	-	-	-	-	-
	F--	45	-	-	-	-	-	-	-	2	6	1	2	1	6	3	3	7	1	6	2	2	-	1	2	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	8,681	-	-	1	-	-	-	1	4	8	21	53	150	276	523	814	1,016	1,205	1,320	1,245	1,039	607	292	87	15	1	3
	White-----M--	5,780	-	-	-	-	-	-	1	2	2	14	37	113	202	393	637	760	890	866	771	578	322	146	38	6	-	2
	F--	2,555	-	-	1	-	-	-	-	1	6	3	6	17	43	85	123	204	273	426	452	446	272	139	48	8	1	1
	Nonwhite--M--	236	-	-	-	-	-	-	-	-	-	3	3	12	23	32	44	35	24	22	17	12	5	2	1	1	-	-
	F--	110	-	-	-	-	-	-	-	1	-	1	7	8	8	13	10	17	18	6	5	3	8	5	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	14,202	6	6	2	1	2	1	11	17	29	45	51	113	185	363	655	942	1,302	1,832	2,227	2,425	2,132	1,356	409	81	6	3
	White-----M--	7,002	3	2	1	1	1	-	4	9	10	21	14	49	93	194	351	531	736	958	1,135	1,198	934	593	144	25	2	3
	F--	6,342	3	3	1	-	-	1	6	4	14	17	24	29	57	93	209	309	471	762	990	1,145	1,153	748	252	51	-	-
	Nonwhite--M--	457	-	1	-	-	1	-	-	1	3	1	5	11	19	42	56	61	57	61	53	44	23	9	6	1	2	-
	F--	401	-	-	-	-	-	-	1	3	2	6	8	24	16	34	39	41	38	51	49	38	22	16	7	4	2	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Continued																											
97,102	Arteriosclerosis and high blood pressure*	1,665	-	-	-	-	-	-	-	-	-	2	2	6	5	10	18	33	55	131	247	296	389	315	124	30	2	-
	White—M	828	-	-	-	-	-	-	-	-	-	-	1	1	2	4	5	18	29	77	138	158	195	140	47	13	-	-
	F	759	-	-	-	-	-	-	-	-	-	2	1	2	3	4	6	9	18	46	98	128	182	172	72	16	-	-
	Nonwhite—M	41	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	4	3	7	4	7	2	4	-	1	-
	F	37	-	-	-	-	-	-	-	-	-	-	-	3	-	1	3	2	4	5	4	6	5	1	1	1	1	-
107-109, 33	Pneumonia (all forms) and influenza	3,124	522	75	22	15	6	28	16	27	34	31	46	74	78	75	144	186	196	236	299	323	325	231	109	23	1	2
	White—M	1,534	253	35	12	4	3	10	7	15	16	17	20	31	37	39	72	105	122	130	153	147	169	82	45	7	1	2
	F	1,282	208	38	8	9	2	15	8	10	9	8	20	25	21	21	40	48	59	82	123	159	148	144	61	16	-	-
	Nonwhite—M	177	33	-	1	2	-	3	1	-	3	2	5	8	14	8	24	27	9	17	7	8	2	1	2	-	-	-
	F	131	28	2	1	-	1	-	-	2	6	4	1	10	6	7	8	6	6	7	16	9	5	4	1	-	-	-
107	Bronchopneumonia	1,458	335	41	13	6	3	13	7	13	12	11	16	22	20	22	40	50	76	89	141	161	174	114	69	9	-	1
	White—M	713	161	21	6	2	2	4	4	9	7	5	9	8	6	14	15	30	50	49	73	76	86	43	28	4	-	1
	F	622	130	18	6	3	1	8	3	4	5	3	7	8	6	6	17	12	23	34	58	73	82	69	41	5	-	-
	Nonwhite—M	61	21	-	1	1	-	1	-	-	-	1	-	2	5	2	5	6	2	6	1	5	2	-	-	-	-	-
	F	62	23	2	-	-	-	-	-	-	-	2	-	4	3	-	3	2	1	-	9	7	4	2	-	-	-	-
108	Lobar pneumonia	968	89	10	2	2	1	7	5	7	11	11	19	33	37	44	73	90	77	90	109	98	83	47	16	6	-	1
	White—M	506	45	3	2	1	-	4	1	4	6	5	6	14	20	21	43	50	48	54	58	44	49	15	10	2	-	1
	F	334	32	7	-	1	1	3	3	3	1	3	9	9	7	11	10	22	21	25	40	52	33	31	6	4	-	-
	Nonwhite—M	85	9	-	-	-	-	-	1	-	3	1	3	4	7	6	16	15	6	6	6	2	-	-	-	-	-	-
	F	43	3	-	-	-	-	-	-	-	1	2	1	6	3	6	4	3	2	5	5	-	1	1	-	-	-	-
109	Pneumonia (unspecified)	209	56	8	2	1	-	4	-	5	3	2	7	5	8	4	10	13	10	15	11	15	10	16	4	-	-	-
	White—M	103	25	3	1	-	-	1	-	1	2	2	4	3	5	2	5	7	8	8	7	6	5	7	1	-	-	-
	F	90	29	5	1	1	-	2	-	3	-	-	3	1	3	2	4	3	2	5	4	7	5	8	2	-	-	-
	Nonwhite—M	12	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	3	-	2	-	1	-	1	1	-	-	-
	F	4	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
33	Influenza	489	42	16	5	6	2	4	4	2	8	7	4	14	13	5	21	33	33	42	38	49	58	54	20	8	1	-
	White—M	212	22	8	3	1	1	1	2	1	1	5	1	6	6	2	9	18	16	19	15	21	29	17	6	1	1	-
	F	236	17	8	1	4	-	2	2	-	3	2	1	7	5	2	9	11	13	18	21	27	28	36	12	7	-	-
	Nonwhite—M	19	2	-	-	1	-	1	-	-	-	-	2	1	2	-	2	3	1	3	-	-	-	-	1	-	-	-
	F	22	1	-	1	-	1	-	-	1	4	-	-	-	-	1	1	1	3	2	2	1	1	1	1	-	-	-
117	Ulcer of stomach or duodenum	406	-	1	1	-	-	-	-	1	-	4	9	18	19	36	51	51	56	39	50	41	14	11	1	1	-	2
	White—M	311	-	-	-	-	-	-	-	1	-	2	6	14	16	30	45	40	41	29	40	29	9	6	1	-	-	2
	F	72	-	1	1	-	-	-	-	-	-	1	2	3	2	2	4	7	11	9	8	10	5	5	-	1	-	-
	Nonwhite—M	19	-	-	-	-	-	-	-	-	-	1	1	1	1	4	2	3	3	1	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	349	208	25	5	-	3	1	5	4	5	1	5	4	6	5	2	9	11	12	9	5	9	10	4	-	-	1
	White—M	192	121	14	4	-	2	1	3	1	1	1	2	3	3	-	1	6	9	8	4	1	3	2	1	-	-	1
	F	134	72	10	1	-	-	-	2	3	3	-	2	-	2	5	-	3	2	4	5	4	5	8	3	-	-	-
	Nonwhite—M	15	10	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	8	5	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	268	-	4	4	5	-	5	5	13	10	8	10	12	18	24	21	28	34	22	25	10	3	2	4	1	-	-
	White—M	145	-	2	3	3	-	-	1	5	4	1	7	5	11	12	15	17	22	15	13	5	1	-	3	-	-	-
	F	101	-	2	1	2	-	4	3	6	6	4	3	4	5	7	5	9	12	7	12	3	2	2	1	1	-	-
	Nonwhite—M	13	-	-	-	-	-	-	1	-	-	2	-	2	2	3	-	1	-	-	-	2	-	-	-	-	-	-
	F	9	-	-	-	-	-	1	-	2	-	1	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	616	22	7	4	2	1	5	1	2	7	8	11	17	17	28	55	55	62	71	89	59	60	23	9	1	-	-
	White—M	271	11	5	2	1	1	5	1	-	5	3	5	4	3	10	21	26	26	29	45	27	29	8	4	-	-	-
	F	295	9	2	1	1	-	-	-	1	1	3	5	9	9	14	28	23	32	39	39	30	28	15	5	1	-	-
	Nonwhite—M	22	1	-	1	-	-	-	-	-	-	1	-	1	3	1	1	5	1	2	3	1	1	-	-	-	-	-
	F	28	1	-	-	-	-	-	-	1	1	1	1	3	2	3	5	1	3	1	2	1	2	-	-	-	-	-
124	Cirrhosis of the liver	729	-	3	1	-	-	1	1	1	3	5	16	32	44	55	97	90	95	100	79	64	27	10	1	1	-	4
	White—M	473	-	2	-	-	-	1	1	1	1	2	9	20	24	38	67	62	65	65	55	34	16	8	-	-	-	2
	F	231	-	1	1	-	-	-	-	-	2	2	4	11	14	16	30	23	28	33	23	27	11	1	1	1	-	2
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	1	1	1	3	1	-	5	2	1	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	1	1	3	-	1	-	-	-	-
126,127	Biliary calculi, etc.*	372	1	-	-	1	-	-	-	-	1	3	7	7	17	25	32	44	63	60	48	29	16	14	4	-	-	-
	White—M	127	1	-	-	1	-	-	-	-	-	2	-	1	5	6	9	10	22	27	19	11	8	4	1	-	-	-
	F	232	-	-	-	-	-	-	-	-	-	-	6	4	10	18	21	33	40	33	29	18	8	9	3	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	1	1	-	-	-	-	1	-	-	-	-
130-132	Nephritis	4,561	4	2	3	3	4	6	17	14	34	46	44	86	120	191	256	325	433	507	641	699	605	370	132	13	2	4
	White—M	2,249	2	1	2	1	3	2	5	5	21	19	23	33	45	89	118	175	229	267	329	340	300	170	65	4	-	1
	F	1,940	1	1	1	2	1	4	11	6	10	22	8	32	50	62	97	110	159	200	275	332	292	194	61	7	-	2
	Nonwhite—M	190	1	-	-	-	-	-	1	1	2	2	4	8	10	23	20	22	23	26	18	9	8	4	4	2	1	1
	F	182	-	-	-	-	-	-	-	2	1	3	9	13	15	17	21	18	22	14	19	18	5	2	2	-	1	-
137	Diseases of the prostate	382	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	11	23	53	88	80	67	41	13	-	-	-
	White—M	365	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	10	22	50	87	75	65	39	13	-	-	-
	Nonwhite—M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	1	5	2	2	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Continued																											
140-150	Diseases of pregnancy, etc.*----	214	-	-	-	-	-	-	-	8	51	52	50	37	15	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	193	-	-	-	-	-	-	-	7	44	51	44	32	14	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	21	-	-	-	-	-	-	-	1	7	1	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia------	85	-	-	-	-	-	-	-	1	21	18	19	23	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	78	-	-	-	-	-	-	-	1	19	18	17	20	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	-	-	-	-	-	-	-	-	2	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	50	-	-	-	-	-	-	-	3	13	13	13	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	46	-	-	-	-	-	-	-	2	12	13	12	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	57	-	-	-	-	-	-	-	2	10	15	13	8	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	49	-	-	-	-	-	-	-	2	7	14	11	7	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	-	-	-	-	-	-	-	-	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes----------	22	-	-	-	-	-	-	-	2	7	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	20	-	-	-	-	-	-	-	2	6	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	957	822	30	16	13	4	11	5	11	9	6	9	6	3	2	3	2	-	2	-	2	-	-	-	-	-	1
	White-----M--	504	436	17	6	5	2	7	4	8	5	4	4	2	-	1	-	2	-	1	-	-	-	-	-	-	-	-
	F--	403	343	13	10	7	1	4	1	3	2	2	4	4	3	-	3	-	-	1	-	1	-	-	-	-	-	1
	Nonwhite--M--	24	18	-	-	1	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	26	25	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	3,226	3,226	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,803	1,803	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1,167	1,167	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	150	150	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	106	106	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth---	2,032	2,032	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,097	1,097	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	762	762	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	96	96	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	77	77	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year------	1,194	1,194	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	706	706	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	405	405	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	54	54	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	29	29	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	986	-	-	-	-	-	1	1	12	45	54	78	74	86	100	101	121	106	78	54	37	21	12	2	1	-	2
	White-----M--	709	-	-	-	-	-	1	1	10	26	40	46	42	61	68	76	88	85	63	45	27	16	9	2	1	-	2
	F--	248	-	-	-	-	-	-	-	2	16	12	28	29	24	25	24	31	18	15	8	8	5	3	-	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	3	2	3	2	1	6	1	2	3	-	1	2	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	398	6	-	-	-	-	-	5	15	44	55	58	50	31	40	28	18	16	8	8	4	2	-	-	-	-	2
	White-----M--	140	3	-	-	-	-	-	2	8	17	13	14	15	10	15	12	6	10	2	8	1	2	-	-	-	-	2
	F--	49	2	-	-	-	-	-	2	2	6	7	6	3	5	6	2	2	2	3	-	1	-	-	-	-	-	-
	Nonwhite--M--	167	-	-	-	-	-	-	1	3	16	30	32	23	14	17	13	9	4	3	-	2	-	-	-	-	-	-
	F--	32	1	-	-	-	-	-	-	2	5	5	4	9	2	2	1	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	5,339	125	77	75	51	30	160	132	280	373	240	241	247	200	263	296	287	301	380	342	417	389	306	94	23	1	9
	White-----M--	3,364	62	44	42	29	17	116	102	217	265	184	198	172	153	183	217	215	225	243	195	181	142	108	33	5	-	6
	F--	1,676	54	28	26	16	7	37	23	52	61	41	37	47	29	55	50	54	60	120	136	227	239	196	60	18	-	3
	Nonwhite--M--	210	5	3	1	4	5	7	6	6	18	13	10	19	15	22	25	12	13	8	4	5	6	2	-	-	1	-
	F--	89	4	2	6	2	1	-	1	5	9	2	6	9	3	3	4	6	3	9	7	4	2	-	1	-	-	-
170	Motor-vehicle accidents-------	1,879	10	21	21	26	13	74	41	158	238	134	119	115	84	112	106	121	115	132	86	79	43	26	1	-	-	4
	White-----M--	1,408	6	11	12	16	9	53	30	126	183	105	95	76	70	78	76	92	89	96	67	62	29	21	1	-	-	3
	F--	369	4	9	8	8	3	19	10	28	40	24	19	23	9	24	21	21	19	32	18	14	11	3	-	-	-	1
	Nonwhite--M--	72	-	-	-	-	1	2	1	1	12	3	2	10	5	8	7	6	6	1	1	2	2	2	-	-	-	-
	F--	32	-	1	1	1	-	-	-	3	3	2	3	6	-	2	2	2	1	3	-	1	1	-	-	-	-	-
169, 171-195	Other accidents--	3,460	115	56	54	25	17	86	91	122	135	106	122	132	116	151	190	166	186	248	256	338	346	280	93	23	1	5
	White-----M--	1,958	56	33	30	13	8	63	72	91	102	79	93	96	83	105	141	123	138	147	128	119	113	87	32	5	-	3
	F--	1,307	50	19	18	7	4	18	13	24	21	17	16	24	20	31	29	33	41	88	118	213	228	193	60	18	-	2
	Nonwhite--M--	138	5	3	1	4	4	5	5	5	6	10	8	9	10	14	18	6	7	7	3	3	4	-	-	-	1	-
	F--	57	4	1	5	1	1	-	1	2	6	-	3	3	3	1	2	4	2	6	7	3	1	-	1	-	-	-
162,199, 200	Senility, ill-defined and unknown causes----	1,145	48	9	4	2	1	-	2	4	5	4	8	15	22	22	28	47	48	69	97	160	192	197	119	32	6	4
	White-----M--	532	27	3	2	1	1	-	-	1	3	3	4	7	12	12	20	28	24	37	48	78	76	65	51	6	1	2
	F--	519	15	4	2	1	-	-	2	1	1	-	3	6	2	5	5	11	15	26	41	69	109	109	66	24	1	2
	Nonwhite--M--	40	3	1	-	-	-	-	-	-	1	-	-	1	4	2	2	1	4	4	6	5	3	1	1	-	1	-
	F--	54	3	1	-	-	-	-	-	2	-	1	1	1	4	3	1	7	5	2	2	8	4	3	1	2	3	-
	All other causes-	4,339	212	64	37	39	26	109	71	106	103	124	171	176	202	264	314	350	409	431	396	329	245	104	40	14	2	1
	White-----M--	2,212	107	29	21	28	16	52	34	59	43	57	66	70	84	125	162	197	259	248	208	171	114	45	14	2	1	-
	F--	1,816	92	31	15	9	10	50	31	36	48	52	79	78	89	105	119	129	132	161	176	153	126	58	25	12	-	-
	Nonwhite--M--	162	8	3	1	-	-	5	4	5	5	7	12	9	13	16	20	13	12	11	7	4	3	1	1	-	1	1
	F--	149	5	1	-	2	-	2	2	6	7	8	14	19	16	18	13	11	6	11	5	1	2	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA																											
	All causes	18,620	1,639	147	88	66	52	184	165	283	374	377	365	477	597	797	975	1,183	1,439	1,921	2,161	2,226	1,526	1050	381	99	35	13
	White-----M	9,792	819	61	38	28	19	104	85	144	192	199	175	224	287	413	537	688	829	1,050	1,166	1,179	820	502	174	46	8	6
	F	6,609	568	48	31	22	27	53	55	86	109	100	120	165	196	252	279	348	469	667	797	898	617	492	171	34	4	2
	Nonwhite-M	1,163	137	18	9	8	3	15	9	22	34	37	31	34	58	60	92	75	71	102	122	91	55	32	21	15	9	3
	F	1,056	116	20	10	8	3	12	16	31	39	41	39	54	56	72	68	72	70	102	76	58	34	24	15	4	14	2
1,2	Typhoid and paratyphoid fever	7	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	13	3	1	1	-	-	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	6	1	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	-	-	2	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	25	16	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	8	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	26	-	1	6	4	2	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	11	-	-	2	-	2	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	1	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	3	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	708	5	9	3	1	3	6	7	33	65	66	59	68	61	57	56	57	42	54	18	27	7	4	-	-	-	-
	White-----M	309	2	4	1	-	-	3	2	8	13	14	26	26	24	40	33	40	25	17	14	14	2	1	-	-	-	-
	F	192	2	2	1	-	1	-	2	9	19	20	18	23	20	8	12	5	12	21	3	8	5	1	-	-	-	-
	Nonwhite-M	97	1	1	-	1	1	1	1	4	12	16	6	8	10	5	7	7	4	6	1	4	-	1	-	-	-	-
	F	110	-	2	1	-	1	2	2	12	21	16	9	11	7	4	4	5	1	10	-	1	-	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	656	1	5	1	-	1	4	6	30	63	64	58	62	54	55	50	54	41	52	17	27	7	4	-	-	-	-
	White-----M	293	1	3	-	-	-	1	2	7	12	14	26	24	23	39	30	38	25	17	14	14	2	1	-	-	-	-
	F	171	-	-	-	-	-	-	1	8	19	19	17	22	16	8	10	4	11	19	3	8	5	1	-	-	-	-
	Nonwhite-M	89	-	1	-	-	1	1	1	3	11	15	6	6	10	5	7	7	4	6	-	4	-	1	-	-	-	-
	F	103	-	1	1	-	-	2	2	12	21	16	9	10	5	3	3	5	1	10	-	1	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	52	4	4	2	1	2	2	1	3	2	2	1	6	7	2	6	3	1	2	1	-	-	-	-	-	-	-
	White-----M	16	1	1	1	-	-	2	-	1	1	-	-	2	1	1	3	2	-	-	-	-	-	-	-	-	-	-
	F	21	2	2	1	-	1	-	1	1	-	1	1	1	4	-	2	1	1	2	-	-	-	-	-	-	-	-
	Nonwhite-M	8	1	-	-	1	-	-	-	1	1	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	7	-	1	-	-	1	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	10	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-
	White-----M	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite-M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	12	1	-	-	1	-	1	-	1	-	-	1	-	-	1	-	1	1	1	2	1	-	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite-M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
30	Syphilis	197	8	-	-	-	-	-	-	3	-	5	3	8	15	33	19	23	26	26	11	10	3	4	-	-	-	-
	White-----M	124	-	-	-	-	-	-	-	1	-	1	2	5	7	18	15	15	20	17	9	8	3	3	-	-	-	-
	F	26	1	-	-	-	-	-	-	-	-	2	1	2	3	4	-	2	3	5	2	-	-	1	-	-	-	-
	Nonwhite-M	28	2	-	-	-	-	-	-	1	-	-	-	1	1	7	4	6	2	3	-	1	-	-	-	-	-	-
	F	19	5	-	-	-	-	-	-	1	-	2	-	-	4	4	-	-	1	1	-	1	-	-	-	-	-	-
35	Measles	30	5	6	3	2	1	3	5	1	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White-----M	11	2	1	2	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	2	3	-	1	-	2	1	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite-M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	34	-	-	2	-	1	16	10	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	19	-	-	-	-	-	9	5	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	2	-	1	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Con.																											
45-55	Cancer and other malignant tumors	2,263	2	1	1	2	3	4	6	9	13	17	31	59	90	150	196	244	258	276	337	284	160	93	26	1	-	-
	White-----M--	1,030	2	1	1	1	2	2	4	5	6	7	9	17	24	39	79	107	111	141	176	153	86	41	15	1	-	-
	F--	1,058	-	-	-	1	1	2	2	4	6	8	18	33	59	92	99	113	127	112	139	115	68	50	9	-	-	-
	Nonwhite--M--	77	-	-	-	-	-	-	-	-	-	-	1	1	1	2	8	9	12	10	13	13	3	2	2	-	-	-
	F--	98	-	-	-	-	-	-	-	-	1	2	3	8	6	17	10	15	8	13	9	3	3	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	941	-	-	-	1	-	1	1	1	3	4	7	16	26	42	71	109	110	113	164	145	83	31	13	-	-	-
	White-----M--	462	-	-	-	-	-	1	1	-	2	3	3	6	13	14	37	57	56	63	78	77	33	10	8	-	-	-
	F--	413	-	-	-	1	-	-	-	1	1	1	2	8	10	23	29	41	48	44	73	60	47	19	5	-	-	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	3	3	3	6	7	3	2	-	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	1	1	2	5	3	8	3	3	7	1	-	-	-	-	-	-
48,49	Cancer of female genital organs--	301	-	-	-	-	-	-	-	-	2	5	9	18	28	38	37	35	29	32	34	25	4	5	-	-	-	-
	White-----F--	259	-	-	-	-	-	-	-	-	2	3	9	12	24	30	32	31	26	25	33	24	3	5	-	-	-	-
	Nonwhite--F--	42	-	-	-	-	-	-	-	-	-	2	-	6	4	8	5	4	3	7	1	1	1	-	-	-	-	-
50	Cancer of breast-	199	-	-	-	-	-	-	-	-	-	1	6	8	10	26	24	31	26	19	15	16	8	7	2	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	189	-	-	-	-	-	-	-	-	-	1	6	8	10	23	23	29	25	18	14	15	8	7	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	1	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	822	2	1	1	1	3	3	5	8	8	7	9	17	26	44	64	69	93	112	124	98	65	50	11	1	-	-
	White-----M--	567	2	1	1	1	2	1	3	5	4	4	6	11	11	25	42	50	55	78	98	75	53	31	7	1	-	-
	F--	197	-	-	-	-	1	2	2	3	3	3	1	5	15	16	15	12	28	25	19	16	10	19	2	-	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	9	7	7	6	-	-	2	-	-	-
	F--	13	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	1	1	2	-	1	2	-	-	-	-	-
58	Acute rheumatic fever----------	13	-	-	1	-	1	2	3	1	-	-	-	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-
	White-----M--	7	-	-	1	-	1	1	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	351	-	-	1	1	-	1	3	4	5	4	5	8	10	17	17	26	35	50	75	50	22	15	2	-	-	-
	White-----M--	165	-	-	-	1	-	-	2	1	3	1	4	5	3	9	10	13	13	24	31	26	12	7	-	-	-	-
	F--	146	-	-	1	-	-	1	1	2	2	3	-	1	3	4	3	8	17	19	39	23	10	7	2	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	1	-	-	-	2	1	2	2	2	-	2	1	1	-	1	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	3	5	5	4	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	19	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	5	2	1	3	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	3	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
89	Pellagra (except alcoholic)-------	27	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	3	5	3	5	4	2	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1	1	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	3	2	4	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	23	-	-	-	-	-	-	-	-	-	1	2	6	4	3	2	2	1	-	-	-	-	-	-	-	-	2
	White-----M--	20	-	-	-	-	-	-	-	-	-	1	2	5	4	2	2	2	1	-	-	-	-	-	-	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,984	4	1	-	-	2	1	1	4	-	9	7	9	32	69	84	123	174	300	364	328	239	171	49	11	2	-
	White-----M--	951	3	-	-	-	1	-	1	1	-	2	2	4	8	23	35	65	79	147	183	160	125	87	18	7	-	-
	F--	818	1	1	-	-	1	1	-	2	-	5	3	4	16	26	31	38	71	118	154	141	102	74	27	2	-	-
	Nonwhite--M--	97	-	-	-	-	-	-	-	-	-	-	-	1	2	9	6	9	11	15	20	11	4	4	2	2	1	-
	F--	118	-	-	-	-	-	-	-	1	-	2	2	-	6	11	12	11	13	20	7	16	8	6	2	-	1	-
90-95	Diseases of the heart----------	4,575	1	5	2	1	2	5	8	26	15	19	30	61	115	172	287	363	465	669	706	735	471	282	105	22	4	4
	White-----M--	2,718	-	3	1	-	2	4	3	14	5	9	18	31	75	114	196	251	327	414	407	390	258	132	53	8	2	1
	F--	1,470	-	1	1	1	-	1	4	8	8	7	9	14	22	31	52	80	103	203	244	305	181	138	46	9	-	2
	Nonwhite--M--	211	1	1	-	-	-	-	1	2	-	1	-	2	12	14	29	16	15	24	35	26	20	6	2	4	-	-
	F--	176	-	-	-	-	-	-	-	2	2	2	3	14	6	13	10	16	20	28	20	14	12	6	4	1	2	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	262	-	1	-	-	-	4	5	9	4	9	6	9	14	12	18	15	21	31	38	36	12	12	4	1	1	-
	White-----M--	115	-	1	-	-	-	3	1	4	1	5	5	6	11	3	11	5	11	13	15	14	4	2	-	-	-	-
	F--	112	-	-	-	-	-	1	3	3	3	2	1	1	3	6	4	6	6	15	17	20	7	9	4	1	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	1	1	-	-	-	1	-	2	3	3	1	3	2	1	1	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	1	-	2	-	1	-	1	-	1	3	-	4	1	-	-	-	-	1	-
94	Diseases of coronary arteries and angina pectoris--------	1,740	1	1	-	-	-	-	-	1	3	1	8	25	56	88	145	196	230	303	258	234	121	53	13	1	-	2
	White-----M--	1,231	-	-	-	-	-	-	-	1	-	-	4	15	41	72	119	155	181	219	175	133	82	26	8	-	-	-
	F--	444	-	1	-	-	-	-	-	-	2	1	3	5	8	11	19	31	43	76	78	94	38	26	5	1	-	2
	Nonwhite--M--	44	1	-	-	-	-	-	-	-	-	-	-	1	6	4	7	7	3	5	3	6	1	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	1	-	1	4	1	1	-	3	3	3	2	1	-	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	2,573	-	3	2	1	2	1	3	16	8	9	16	27	45	72	124	152	214	335	410	465	338	217	88	20	3	2
	White-----M--	1,372	-	2	1	-	2	1	2	9	4	4	9	10	23	39	66	91	135	182	217	243	172	104	45	8	2	1
	F--	914	-	-	1	1	-	-	1	5	3	4	5	8	11	14	29	43	54	112	149	191	136	103	37	7	-	-
	Nonwhite--M--	147	-	1	-	-	-	-	-	1	-	1	-	-	6	8	19	6	11	16	30	19	18	5	2	4	-	-
	F--	140	-	-	-	-	-	-	-	1	1	-	2	9	5	11	10	12	14	25	14	12	12	5	4	1	1	1

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Con.																											
97,102	Arteriosclerosis and high blood pressure*	335	-	-	-	-	-	-	-	-	-	-	1	2	1	1	4	6	18	45	48	79	53	51	20	4	2	-
	White	173	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	13	21	26	46	27	29	7	1	-	-
	F	136	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	3	4	18	16	31	22	21	13	2	-	-
	Nonwhite	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	3	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	4	3	2	1	1	-	1	2	-
107-109, 33	Pneumonia (all forms) and influenza	967	198	38	15	6	4	12	10	11	11	12	13	15	13	21	25	28	40	60	81	116	110	75	41	9	3	-
	White	451	91	15	8	2	1	6	2	3	4	6	5	6	9	12	15	13	24	29	37	52	52	33	20	4	-	-
	F	350	57	11	4	2	2	2	5	4	4	2	4	5	2	6	4	6	10	21	35	55	49	39	19	2	-	-
	Nonwhite	93	31	6	1	-	-	2	1	-	1	1	2	3	1	-	4	5	4	7	5	5	6	2	1	3	2	-
	F	73	19	6	2	2	1	-	2	4	2	3	2	1	1	3	2	4	2	3	4	4	3	1	1	-	1	-
107	Bronchopneumonia	279	88	15	8	1	2	1	3	1	2	1	3	4	2	7	3	5	7	11	22	28	30	19	13	3	-	-
	White	149	46	3	4	1	1	1	1	1	2	1	1	3	2	4	2	5	7	6	8	15	17	9	7	2	-	-
	F	90	23	5	2	-	1	-	1	-	-	-	1	1	-	2	-	-	-	5	12	12	10	10	5	-	-	-
	Nonwhite	22	12	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	1	-	-
	F	18	7	4	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-
108	Lobar pneumonia	214	30	7	2	1	1	3	5	-	6	6	2	4	8	2	9	7	15	14	18	33	21	12	7	1	2	-
	White	103	17	6	2	-	-	3	1	-	1	3	-	2	3	2	7	1	8	6	9	10	11	7	3	1	-	-
	F	72	5	1	-	-	1	-	3	-	3	1	1	2	1	-	2	3	4	4	5	20	8	4	4	-	-	-
	Nonwhite	23	5	-	-	-	-	-	1	-	1	1	1	-	1	-	-	2	1	4	2	2	1	-	-	-	1	-
	F	16	3	-	-	1	-	-	-	-	1	1	-	-	1	-	-	1	2	-	2	1	1	1	-	-	1	-
109	Pneumonia (unspecified)	281	67	10	1	2	-	4	-	5	1	5	7	4	4	6	9	9	10	20	21	36	26	19	12	2	1	-
	White	125	23	3	-	-	-	2	-	1	1	2	4	1	4	3	3	4	5	9	14	17	12	11	6	-	-	-
	F	101	24	3	1	1	-	1	-	2	-	1	1	1	-	3	2	1	4	7	6	15	14	7	6	1	-	-
	Nonwhite	29	12	2	-	-	-	1	-	-	-	-	1	1	-	-	3	2	1	1	-	2	-	1	-	1	1	-
	F	26	8	2	-	1	-	-	-	2	-	2	1	1	-	-	1	2	-	3	1	2	-	-	-	-	-	-
33	Influenza	193	13	6	4	2	1	4	2	5	2	-	1	3	1	6	4	7	8	15	20	19	33	25	9	3	-	-
	White	74	5	3	2	1	-	2	-	1	-	-	-	-	-	3	3	3	4	8	6	10	12	6	4	1	-	-
	F	87	5	2	1	1	-	1	1	2	1	-	1	1	1	1	-	2	2	5	12	8	17	18	4	1	-	-
	Nonwhite	19	2	1	-	-	-	1	-	-	-	-	-	2	-	-	-	1	2	2	2	-	3	1	1	1	-	-
	F	13	1	-	1	-	1	-	1	2	1	-	-	-	-	2	1	1	-	-	-	1	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	105	-	-	-	-	-	-	-	-	2	3	3	5	4	10	8	13	14	14	14	6	4	5	-	-	-	-
	White	75	-	-	-	-	-	-	-	-	2	1	2	3	3	7	7	10	13	11	9	2	2	3	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	1	1	3	2	4	2	1	-	-	-	-
	Nonwhite	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	1	-	-	1	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	100	56	6	-	-	1	1	-	-	2	2	-	1	1	1	5	2	2	5	3	3	4	3	1	-	-	1
	White	57	35	3	-	-	-	1	-	-	1	2	-	-	-	1	3	-	1	3	1	1	2	3	-	-	-	-
	F	26	15	1	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	1	2	2	1	-	-	-	-	-
	Nonwhite	9	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	1	-	-	1
	F	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
121	Appendicitis	102	-	2	-	2	1	6	3	5	7	8	5	5	6	9	10	6	1	10	7	6	3	-	-	-	-	-
	White	57	-	-	-	-	-	1	2	1	3	6	2	3	1	5	7	4	1	6	7	5	3	-	-	-	-	-
	F	32	-	1	-	1	1	4	-	4	3	1	2	1	4	3	1	1	-	4	-	1	-	-	-	-	-	-
	Nonwhite	5	-	-	-	1	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	1	-	-	-	1	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	153	6	1	-	1	-	5	3	2	4	4	3	5	5	10	6	9	19	16	19	11	14	8	2	-	-	-
	White	63	2	-	-	1	-	3	2	2	-	3	1	1	1	-	2	3	5	8	9	6	8	4	2	-	-	-
	F	66	4	1	-	-	-	1	-	-	2	1	2	3	2	7	3	3	9	6	8	5	6	3	-	-	-	-
	Nonwhite	14	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	3	3	1	2	-	-	1	-	-	-	-
	F	10	-	-	-	-	-	1	1	-	1	-	-	1	2	1	-	-	2	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	139	-	-	-	-	-	-	-	2	3	3	1	4	7	15	8	18	17	20	13	16	7	3	2	-	-	-
	White	84	-	-	-	-	-	-	-	1	2	3	1	1	4	8	3	15	11	13	6	10	4	1	1	-	-	-
	F	44	-	-	-	-	-	-	-	1	-	-	-	2	1	6	4	3	6	6	6	6	2	1	-	-	-	-
	Nonwhite	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	1	1	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	97	1	-	-	-	1	1	-	-	-	1	4	1	1	2	11	11	8	12	12	18	8	3	2	-	-	-
	White	35	-	-	-	-	-	-	-	-	-	-	1	-	-	-	5	2	-	5	6	10	5	1	-	-	-	-
	F	54	1	-	-	-	1	-	-	-	-	1	3	1	1	2	3	8	8	7	4	7	3	2	2	-	-	-
	Nonwhite	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
130-132	Nephritis	1,037	3	1	2	1	-	5	3	8	7	7	7	22	34	35	43	60	86	122	155	189	138	74	24	9	2	-
	White	518	1	-	-	1	-	2	1	4	4	3	3	8	11	16	14	34	48	57	83	96	74	39	12	6	1	-
	F	374	-	1	2	-	-	2	1	4	3	2	3	9	17	7	13	18	27	50	48	75	51	31	8	2	-	-
	Nonwhite	78	1	-	-	-	-	1	-	-	-	1	-	-	4	8	6	5	5	8	13	11	9	2	2	1	1	-
	F	67	1	-	-	-	-	-	1	-	-	1	1	5	2	4	10	3	6	7	11	7	4	2	2	-	-	-
137	Diseases of the prostate	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	3	8	28	32	20	20	2	1	-	-
	White	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	8	26	30	20	19	1	-	-	-
	Nonwhite	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	-	1	1	1	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Con.																											
140-150	Diseases of pregnancy, etc.*	83	-	-	-	-	-	-	-	8	21	18	17	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	66	-	-	-	-	-	-	-	6	19	16	11	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	17	-	-	-	-	-	-	-	2	2	2	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	20	-	-	-	-	-	-	-	3	8	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	15	-	-	-	-	-	-	-	2	6	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	29	-	-	-	-	-	-	-	4	7	6	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	21	-	-	-	-	-	-	-	3	7	4	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	8	-	-	-	-	-	-	-	1	-	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	25	-	-	-	-	-	-	-	1	5	7	3	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	22	-	-	-	-	-	-	-	1	5	7	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	9	-	-	-	-	-	-	-	-	1	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	-	1	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	296	249	12	2	1	3	6	6	2	6	1	1	2	2	-	1	-	-	1	-	1	-	-	-	-	-	-
	White—M	161	133	8	2	-	2	4	2	-	5	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	109	93	3	-	1	1	1	4	2	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	12	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	12	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	871	871	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	453	453	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	321	321	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	52	52	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	45	45	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	596	596	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	316	316	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	229	229	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	25	25	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	26	26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	275	275	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	137	137	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	92	92	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	27	27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	19	19	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	166	-	-	-	-	-	-	1	3	9	11	12	17	16	17	12	24	18	11	9	2	2	2	-	-	-	-
	White—M	135	-	-	-	-	-	-	1	2	6	9	7	11	15	14	10	21	16	9	8	2	2	2	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	2	2	5	5	1	3	1	3	1	2	1	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	128	-	-	-	-	-	-	1	5	15	18	18	14	13	15	10	6	7	2	1	2	1	-	-	-	-	-
	White—M	61	-	-	-	-	-	-	-	4	8	6	6	6	3	8	7	5	5	-	1	1	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	3	-	3	1	1	-	1	1	2	-	-	-	-	-	-	-	-
	Nonwhite—M	46	-	-	-	-	-	-	1	-	7	7	9	5	8	4	3	-	1	-	-	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	2	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,540	60	35	30	30	16	58	61	118	148	114	87	77	61	77	58	52	57	65	59	82	78	61	24	7	1	4
	White—M	959	29	15	14	14	3	34	36	76	110	97	64	59	59	54	43	31	35	39	33	37	39	23	9	3	-	3
	F	413	22	11	9	10	11	16	19	27	25	8	14	12	13	17	10	14	15	17	18	38	37	36	13	1	-	-
	Nonwhite—M	108	4	3	6	4	1	5	2	10	8	7	7	6	7	4	2	4	6	8	6	3	-	1	2	2	-	-
	F	60	5	6	1	2	1	3	4	5	5	2	2	-	2	2	3	3	1	1	2	4	2	1	-	1	1	1
170	Motor-vehicle accidents	539	3	6	5	8	3	21	21	59	97	60	33	28	26	34	28	21	25	22	14	8	8	5	2	-	-	2
	White—M	376	3	3	1	3	1	14	11	36	78	51	25	21	17	20	21	12	17	14	9	7	7	3	1	-	-	1
	F	125	-	3	3	4	2	5	9	16	13	6	3	7	8	11	7	9	7	8	3	1	1	1	-	-	-	-
	Nonwhite—M	25	-	-	1	-	-	2	-	2	4	3	3	-	3	2	-	-	1	-	2	-	-	1	1	-	-	-
	F	13	-	-	-	1	-	-	1	5	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
169, 171-195	Other accidents	1,001	57	29	25	22	13	37	40	59	51	54	54	49	55	43	30	31	32	43	45	74	70	56	22	7	1	2
	White—M	593	26	12	13	11	2	20	25	40	32	46	39	38	42	34	22	19	18	25	24	30	32	20	8	3	-	2
	F	288	22	8	6	6	9	11	10	11	12	2	11	5	7	6	3	5	8	9	15	37	36	35	13	1	-	-
	Nonwhite—M	83	4	3	5	4	1	3	2	8	4	4	4	6	4	2	2	4	5	8	4	3	-	-	1	2	-	-
	F	47	5	6	1	1	1	3	3	-	3	2	-	-	2	1	3	3	1	1	2	4	2	1	-	1	1	-
162,199, 200	Senility, ill-defined and unknown causes	760	66	5	1	-	1	1	1	-	3	2	3	14	12	13	23	18	38	39	82	110	110	115	56	27	18	2
	White—M	366	19	2	-	-	-	-	1	-	1	-	1	4	4	8	14	9	24	25	38	66	61	49	23	12	4	1
	F	248	22	1	-	-	1	-	-	-	-	-	-	4	3	2	1	4	11	7	22	34	42	56	24	12	2	-
	Nonwhite—M	82	16	1	-	-	-	-	-	-	1	2	1	1	1	-	5	1	1	5	15	7	7	6	4	2	5	1
	F	64	9	1	1	-	-	1	-	-	1	-	1	5	4	3	3	4	2	2	7	3	-	4	5	1	7	-
	All other causes	1,298	79	17	14	12	10	36	27	31	36	49	50	59	65	67	83	77	102	108	112	109	64	57	23	8	3	-
	White—M	628	36	8	4	8	4	23	13	17	17	26	16	26	29	35	35	39	50	55	53	62	31	24	12	4	1	-
	F	509	19	7	7	2	5	9	11	10	14	17	25	28	22	27	34	32	40	38	49	40	31	29	7	4	2	-
	Nonwhite—M	87	14	1	1	1	1	3	2	3	2	1	3	2	7	2	10	3	6	9	3	6	1	3	3	-	-	-
	F	74	10	1	2	1	-	1	1	1	3	5	6	3	7	3	4	3	6	6	7	1	1	1	1	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON																											
	All causes	13,318	833	59	38	38	20	88	83	153	226	207	255	323	396	536	738	999	1,285	1,418	1,558	1,623	1,276	816	265	50	4	31
	White--M	7,844	473	30	26	19	11	52	52	92	141	126	153	195	261	335	463	650	820	869	897	882	699	396	132	27	3	20
	F	5,206	329	25	12	18	9	35	27	52	74	68	88	116	117	186	238	330	449	526	642	726	564	416	130	23	-	6
	Nonwhite--M	167	14	4	-	-	-	-	4	5	5	7	11	5	13	10	11	16	8	14	14	8	8	3	1	-	1	5
	F	101	17	-	-	1	-	1	-	4	6	6	3	7	5	5	6	3	8	9	5	7	5	1	2	-	-	-
1,2	Typhoid and paratyphoid fever	6	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	White--M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	14	3	1	1	-	-	3	1	1	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-
	White--M	8	1	1	-	-	-	3	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	6	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	10	-	-	3	1	1	1	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	White--M	8	-	-	2	1	1	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	311	1	2	2	1	-	1	3	10	25	31	22	25	31	32	18	39	22	24	10	4	7	-	1	-	-	-
	White--M	197	-	1	-	-	-	-	-	4	5	15	10	14	21	25	16	27	19	16	9	1	4	-	-	-	-	-
	F	88	-	-	2	1	-	1	2	2	13	14	8	9	6	5	1	9	2	6	1	2	3	-	1	-	-	-
	Nonwhite--M	25	-	1	-	-	-	-	1	4	2	1	4	1	4	1	1	2	1	2	-	-	-	-	-	-	-	-
	F	11	1	-	-	-	-	-	-	-	5	1	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	286	1	1	1	1	-	1	3	8	23	28	20	24	31	29	18	35	19	21	10	4	7	-	1	-	-	-
	White--M	173	-	-	-	-	-	-	-	2	5	14	9	14	21	23	16	24	17	14	9	1	4	-	-	-	-	-
	F	80	-	-	1	1	-	1	2	2	11	13	7	9	6	5	1	8	1	5	1	2	3	-	1	-	-	-
	Nonwhite--M	23	-	1	-	-	-	-	1	4	2	1	4	-	4	-	1	2	1	2	-	-	-	-	-	-	-	-
	F	10	1	-	-	-	-	-	-	-	5	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	25	-	1	1	-	-	-	-	2	2	3	2	1	-	3	-	4	3	3	-	-	-	-	-	-	-	-
	White--M	14	-	1	-	-	-	-	-	2	-	1	1	-	-	2	-	3	2	2	-	-	-	-	-	-	-	-
	F	8	-	-	1	-	-	-	-	-	2	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	120	1	-	-	-	-	-	-	1	1	1	2	7	8	7	10	15	17	17	10	15	3	3	-	1	-	1
	White--M	95	1	-	-	-	-	-	-	-	1	-	1	4	5	5	6	12	17	15	7	13	3	3	-	1	-	1
	F	14	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	2	-	2	2	2	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	1	-	2	2	-	-	1	-	-	1	-	-	-	-	-	-	-
35	Measles	7	1	1	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	9	-	-	-	-	-	-	1	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	6	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Continued																											
45-55	Cancer and other malignant tumors	1,823	-	1	1	2	-	2	2	5	9	10	25	30	52	114	140	204	239	242	238	245	162	77	16	5	-	2
	White-----M--	919	-	-	1	1	-	-	-	2	7	3	8	7	14	37	67	91	125	140	136	154	94	42	6	3	-	1
	F--	873	-	1	-	1	-	2	2	3	2	7	17	22	35	73	71	107	112	98	100	106	67	35	10	2	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	6	1	2	2	2	-	-	-	-	-	1
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	2	-	3	1	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	799	-	-	-	-	-	-	-	-	1	4	8	5	14	36	46	78	110	123	121	122	85	35	9	2	-	-
	White-----M--	461	-	-	-	-	-	-	-	-	1	1	4	1	5	18	30	40	73	81	72	71	44	16	3	1	-	-
	F--	320	-	-	-	-	-	-	-	-	-	3	4	4	7	15	15	34	36	39	47	49	41	19	6	1	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	1	2	2	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-
48,49	Cancer of female genital organs--	189	-	-	-	-	-	-	1	2	-	2	7	11	12	24	26	25	21	19	11	17	7	4	-	-	-	-
	White-----F--	185	-	-	-	-	-	-	1	2	-	2	7	11	11	24	26	25	20	18	11	16	7	4	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-
50	Cancer of breast-	201	-	-	-	-	-	-	-	-	-	1	3	5	11	28	21	26	37	21	19	15	9	6	1	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	1	-	-	-	-	-
	F--	196	-	-	-	-	-	-	-	-	-	1	3	5	11	26	19	24	37	21	19	15	8	6	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	634	-	1	1	2	-	2	1	3	8	3	7	9	15	28	47	75	71	79	87	91	61	32	6	3	-	2
	White-----M--	453	-	-	1	1	-	-	-	2	6	2	4	6	9	19	35	49	52	59	64	63	49	26	3	2	-	1
	F--	172	-	1	-	1	-	2	1	1	2	1	3	2	6	8	11	24	19	20	23	26	11	6	3	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	1	-	-	-	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
58	Acute rheumatic fever----------	10	-	-	-	-	-	2	1	-	2	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	2	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	303	-	1	-	-	1	-	1	2	3	3	1	6	-	4	10	23	44	65	54	35	27	18	4	1	-	-
	White-----M--	119	-	1	-	-	-	-	1	1	-	1	1	4	-	2	2	4	12	25	27	14	10	10	3	1	-	-
	F--	180	-	-	-	-	1	-	-	1	3	2	-	2	-	2	8	18	30	40	27	20	17	8	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	20	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	1	5	3	3	-	2	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	4	3	3	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	32	-	-	-	-	-	-	-	1	-	2	-	6	4	5	1	5	3	3	1	1	-	-	-	-	-	-
	White-----M--	31	-	-	-	-	-	-	-	1	-	2	-	6	3	5	1	5	3	3	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,249	2	2	-	-	1	1	2	1	4	3	7	12	12	35	51	83	117	153	187	250	184	93	41	6	-	2
	White-----M--	545	1	1	-	-	1	1	-	1	-	1	5	6	6	17	27	46	64	81	101	125	100	39	18	3	-	1
	F--	595	1	1	-	-	-	-	2	-	4	2	2	6	6	17	23	36	53	70	84	125	84	54	21	3	-	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	1	-	-	-
90-95	Diseases of the heart----------	3,784	1	-	-	-	-	4	5	6	7	13	21	50	85	142	233	322	489	513	575	550	408	262	78	16	1	5
	White-----M--	2,369	-	-	-	-	-	2	-	1	3	9	12	42	62	111	175	246	349	343	331	299	228	121	42	8	1	4
	F--	1,348	1	-	-	-	-	2	5	4	4	4	6	8	19	27	53	73	134	165	237	247	176	139	36	8	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	3	3	3	5	3	2	2	-	-	-	1
	F--	20	-	-	-	-	-	-	-	1	-	-	1	-	2	2	4	-	3	2	2	1	2	-	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	227	-	-	-	-	-	1	4	4	5	5	10	10	15	19	18	10	21	23	27	26	16	11	2	-	-	-
	White-----M--	113	-	-	-	-	-	-	-	1	1	3	5	7	6	12	9	4	7	19	14	10	8	6	1	-	-	-
	F--	112	-	-	-	-	-	1	4	2	4	2	4	3	9	7	9	6	14	4	13	16	8	5	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	1,709	-	-	-	-	-	1	-	-	2	2	7	26	46	84	155	190	266	273	267	203	132	56	16	2	-	1
	White-----M--	1,231	-	-	-	-	-	-	-	-	2	2	6	23	43	72	113	160	209	196	169	116	79	33	7	1	-	-
	F--	453	-	-	-	-	-	1	-	-	-	-	1	3	3	10	21	28	54	74	97	85	53	23	9	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1	-	-	-	-	-	1
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	1,848	1	-	-	-	-	2	1	2	-	6	4	14	22	39	80	122	202	217	281	321	260	195	60	14	1	4
	White-----M--	1,045	-	-	-	-	-	2	-	-	-	4	1	12	13	27	53	82	133	128	148	173	141	82	34	7	1	4
	F--	773	1	-	-	-	-	-	1	2	-	2	1	2	7	10	23	39	66	87	127	146	115	111	26	7	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	1	1	1	4	2	2	2	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	2	1	2	-	2	-	-	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Continued																											
97,102	Arteriosclerosis and high blood pressure*	293	-	-	-	-	-	-	-	-	-	1	1	1	1	1	4	9	12	27	29	48	60	70	25	3	-	1
	White-----M--	177	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	6	10	18	19	29	36	36	14	1	-	1
	F--	114	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	3	2	8	10	19	23	34	11	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	623	70	12	3	2	1	8	3	4	1	5	12	9	15	11	19	22	35	49	85	86	86	56	21	4	-	5
	White-----M--	353	40	7	1	1	1	4	2	1	-	3	7	3	7	9	10	13	22	29	47	55	50	26	9	3	-	3
	F--	245	21	4	2	1	-	4	1	3	1	2	5	5	5	2	8	9	12	18	35	28	35	30	12	1	-	2
	Nonwhite--M--	15	4	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	2	3	2	-	-	-	-	-	-
	F--	10	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	1	-	-	-	-	-
107	Bronchopneumonia	383	39	5	2	1	-	3	-	1	-	1	4	-	6	1	6	10	21	35	57	58	68	42	16	3	-	4
	White-----M--	208	22	3	-	1	-	1	-	-	-	1	2	-	1	-	1	5	13	18	30	41	38	20	7	2	-	2
	F--	161	11	2	2	-	-	2	-	1	-	-	2	-	3	1	5	4	8	16	24	17	29	22	9	1	-	2
	Nonwhite--M--	9	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	3	-	-	-	-	-	-	-
	F--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
108	Lobar pneumonia	130	9	3	1	-	1	5	1	1	-	2	6	6	6	6	8	10	6	7	23	8	9	7	3	1	-	1
	White-----M--	81	5	1	1	-	1	3	-	1	-	1	3	1	4	6	7	6	5	7	14	4	4	3	2	1	-	1
	F--	45	3	1	-	-	-	2	1	-	-	1	3	5	1	-	1	4	1	-	9	3	5	4	1	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
109	Pneumonia (unspecified)	43	19	3	-	-	-	-	-	1	-	-	-	-	3	2	1	1	1	3	1	5	2	-	1	-	-	-
	White-----M--	23	11	2	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	1	1	2	1	-	-	-	-	-
	F--	16	6	1	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	1	-	2	1	-	1	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	67	3	1	-	1	-	-	2	1	1	2	2	3	-	2	3	1	7	4	4	15	7	7	1	-	-	-
	White-----M--	41	2	1	-	-	-	-	2	-	-	1	2	2	-	2	2	1	3	3	2	8	7	3	-	-	-	-
	F--	23	1	-	-	1	-	-	-	1	1	1	-	-	-	-	1	-	3	1	2	6	-	4	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	76	-	-	-	-	-	-	1	-	-	-	4	3	2	7	9	7	10	13	5	6	4	4	-	-	-	1
	White-----M--	63	-	-	-	-	-	-	1	-	-	-	4	3	2	4	9	6	8	11	5	5	1	3	-	-	-	1
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	2	-	1	3	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	37	20	1	-	-	1	-	-	-	-	1	1	1	2	-	1	-	3	3	1	1	-	1	-	-	-	-
	White-----M--	17	8	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	3	2	1	1	-	-	-	-	-	-
	F--	18	10	1	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	29	1	-	-	-	-	-	5	2	1	2	2	-	2	1	1	3	1	4	1	2	-	1	-	-	-	-
	White-----M--	21	1	-	-	-	-	-	4	2	1	2	-	-	1	1	-	3	1	2	1	2	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	2	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	99	3	-	2	1	-	-	-	1	-	2	1	1	6	3	3	7	15	8	17	16	7	3	3	-	-	-
	White-----M--	51	2	-	2	1	-	-	-	-	-	-	-	1	3	1	1	5	9	6	11	6	-	1	2	-	-	-
	F--	47	1	-	-	-	-	-	-	1	-	2	1	-	3	2	2	2	6	2	5	10	7	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	99	-	-	-	-	-	-	-	-	-	-	-	7	4	18	13	14	9	14	10	4	6	-	-	-	-	-
	White-----M--	66	-	-	-	-	-	-	-	-	-	-	-	2	3	11	11	12	5	10	6	2	4	-	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	5	1	6	2	2	4	3	4	2	2	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	41	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	4	4	5	7	10	-	2	-	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	2	1	2	4	-	1	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	4	5	6	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	949	2	-	-	-	2	2	-	-	4	10	4	9	24	27	51	67	85	119	134	158	133	89	24	2	1	2
	White-----M--	518	2	-	-	-	2	-	-	-	3	5	-	5	12	15	32	36	45	59	81	78	69	54	16	1	1	2
	F--	422	-	-	-	-	-	2	-	-	1	5	4	4	12	11	17	31	39	57	53	80	62	35	8	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
137	Diseases of the prostate	83	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	7	17	21	16	14	2	1	-	-
	White-----M--	83	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	7	17	21	16	14	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Continued																											
140-150	Diseases of pregnancy, etc.*----	31	-	-	-	-	-	-	-	2	8	9	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	28	-	-	-	-	-	-	-	2	8	8	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia------	7	-	-	-	-	-	-	-	1	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	-	-	-	-	-	-	-	1	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	6	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	11	-	-	-	-	-	-	-	-	2	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	9	-	-	-	-	-	-	-	-	2	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes----------	7	-	-	-	-	-	-	-	-	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	169	131	3	-	1	1	4	2	3	6	2	3	3	2	2	2	1	1	2	-	-	-	-	-	-	-	-
	White-----M--	92	73	1	-	-	-	3	1	2	4	1	3	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	74	55	2	-	1	1	1	1	1	2	1	-	2	-	2	2	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	489	489	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	White-----M--	288	288	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F--	194	194	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Nonwhite--M--	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F--	6	6	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
159	Premature birth--	300	300	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	White-----M--	172	172	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F--	127	127	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Nonwhite--M--	-	-	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F--	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
158,160, 161	Other diseases peculiar to first year-------	189	189	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	White-----M--	116	116	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F--	67	67	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Nonwhite--M--	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F--	5	5	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
163,164	Suicide----------	204	-	-	-	-	-	1	2	2	7	10	18	24	23	19	23	20	18	9	17	7	4	-	-	-	-	-
	White-----M--	159	-	-	-	-	-	1	2	-	5	8	13	11	21	15	15	17	17	9	16	5	4	-	-	-	-	-
	F--	41	-	-	-	-	-	-	-	1	-	2	5	13	2	4	8	2	1	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	53	-	-	-	-	-	-	-	3	2	2	2	7	9	9	6	10	-	-	1	-	1	-	-	-	-	1
	White-----M--	27	-	-	-	-	-	-	-	2	1	1	1	2	6	5	2	6	-	-	-	-	1	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	1	-	-	3	3	4	3	3	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
169-195	Accidental deaths	1,289	45	22	16	18	8	34	37	95	112	72	88	83	75	61	76	70	58	61	62	55	50	44	17	2	-	8
	White-----M--	920	25	13	12	8	4	24	29	66	94	62	72	70	68	50	58	59	43	46	38	28	26	13	6	1	-	5
	F--	321	17	9	4	9	4	10	5	28	17	8	13	11	4	10	16	11	13	14	24	27	24	30	11	1	-	1
	Nonwhite--M--	22	1	-	-	-	-	-	3	-	1	1	3	1	3	1	2	-	2	1	-	-	-	1	-	-	-	2
	F--	6	2	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents-------	493	4	4	3	8	3	14	12	57	71	38	26	25	29	23	34	29	27	29	24	19	6	4	1	1	-	2
	White-----M--	362	1	2	3	3	2	9	9	37	57	31	19	19	27	16	22	22	19	23	16	14	6	4	1	-	-	-
	F--	123	3	2	-	4	1	5	2	20	13	7	6	6	2	6	10	7	8	6	8	5	-	-	-	1	-	1
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	1	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	1
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	776	41	18	13	10	5	20	25	38	41	34	62	58	46	38	42	41	31	32	38	36	44	40	16	1	-	6
	White-----M--	558	24	11	9	5	2	15	20	29	37	31	53	51	41	34	36	37	24	23	22	14	20	9	5	1	-	5
	F--	198	14	7	4	5	3	5	3	8	4	1	7	5	2	4	6	4	5	8	16	22	24	30	11	-	-	-
	Nonwhite--M--	15	1	-	-	-	-	-	2	-	-	1	2	1	3	-	-	-	2	1	-	-	-	1	-	-	-	1
	F--	5	2	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes----	283	9	1	-	1	-	-	-	1	1	1	2	2	2	5	8	6	11	14	35	34	65	51	24	7	1	2
	White-----M--	139	3	-	-	1	-	-	-	1	1	-	1	1	2	4	8	6	9	12	13	14	26	20	11	4	1	1
	F--	134	6	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	21	19	35	30	12	3	-	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
	All other causes-	781	47	9	10	10	4	22	15	11	29	22	31	28	34	28	51	62	81	61	59	75	51	28	9	2	1	1
	White-----M--	423	24	2	8	6	1	10	9	5	15	12	13	9	20	12	34	41	53	34	28	45	26	13	3	-	-	-
	F--	340	18	6	2	4	3	11	6	6	14	7	17	19	14	15	16	21	27	25	30	30	25	15	6	2	-	1
	Nonwhite--M--	11	4	1	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-
	F--	7	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA																											
	All causes	107,683	7,196	495	286	245	154	601	551	846	1,437	1,542	1,791	2,514	3,385	5,104	7,151	9,363	11,164	12,710	13,406	12,010	8,772	4,964	1,628	322	36	10
	White—M	55,409	3,836	244	149	138	78	316	300	447	723	728	846	1,216	1,681	2,633	3,938	5,334	6,271	6769	6966	5993	4,074	2125	602	86	8	8
	F	45,172	2,692	199	105	82	63	224	192	278	491	568	698	881	1,179	1,743	2,536	3,316	4,290	5355	5978	5712	4,526	2842	984	217	22	1
	Nonwhite—M	3,833	355	28	16	15	8	38	35	52	102	108	135	211	281	396	372	423	322	337	251	172	99	51	20	4	2	-
	F	3,269	313	24	16	10	5	23	24	69	121	140	112	208	244	332	305	290	281	249	211	133	73	46	22	15	4	1
1,2	Typhoid and paratyphoid fever	22	-	-	-	-	-	-	1	1	1	1	1	3	3	1	2	4	1	2	-	-	-	1	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	1	1	1	2	1	-	1	3	1	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	80	15	9	3	3	1	6	5	-	2	8	2	1	6	4	5	1	3	3	3	-	-	-	-	-	-	-
	White—M	49	11	5	1	2	-	2	3	-	1	4	1	1	6	2	2	1	2	2	3	-	-	-	-	-	-	-
	F	28	4	4	1	1	1	4	2	-	1	3	1	-	-	2	2	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	12	-	2	-	-	1	2	-	1	1	-	-	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	2	-	-	1	2	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	94	67	14	7	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	33	23	5	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	48	35	7	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	6	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	58	1	4	5	6	6	18	8	4	-	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	29	-	3	2	6	1	7	4	2	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	22	1	1	1	-	3	8	4	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	3,697	23	26	10	11	7	16	30	118	296	324	291	342	346	350	350	360	309	201	161	80	36	8	-	-	-	2
	White—M	1,897	8	7	2	7	1	2	6	17	67	103	112	146	182	198	240	257	226	144	103	46	18	3	-	-	-	2
	F	955	8	6	3	2	2	10	8	44	107	136	113	106	74	44	54	45	58	40	46	30	16	3	-	-	-	-
	Nonwhite—M	494	3	6	2	2	4	3	7	16	50	28	37	52	59	89	42	46	20	15	7	3	1	2	-	-	-	-
	F	351	4	7	3	-	-	1	9	41	72	57	29	36	31	19	14	12	5	2	5	1	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	3,408	14	14	9	1	3	9	22	104	274	297	271	317	325	352	323	338	296	193	150	74	32	8	-	-	-	2
	White—M	1,796	6	3	2	-	2	4	13	63	98	107	139	175	193	228	242	216	141	98	44	17	3	-	-	-	-	2
	F	889	4	2	2	-	1	5	8	43	100	127	107	100	70	38	46	42	56	35	41	26	13	3	-	-	-	-
	Nonwhite—M	442	2	4	2	1	2	2	4	11	44	24	32	45	55	65	37	45	19	15	7	3	1	2	-	-	-	-
	F	301	2	5	3	-	-	-	6	37	67	46	25	33	25	16	12	9	5	2	4	1	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	289	9	12	1	10	4	7	8	14	22	27	20	25	21	18	27	22	13	8	11	6	4	-	-	-	-	-
	White—M	101	2	4	-	7	1	-	2	4	4	5	5	7	7	5	12	15	10	3	5	2	1	-	-	-	-	-
	F	86	4	4	1	2	1	5	-	1	7	9	6	6	4	6	8	3	2	5	5	4	3	-	-	-	-	-
	Nonwhite—M	52	1	2	-	1	2	1	3	5	6	4	5	7	4	4	5	1	1	-	-	-	-	-	-	-	-	-
	F	50	2	2	-	-	-	1	3	4	5	9	4	5	6	3	2	3	-	-	1	-	-	-	-	-	-	-
27	Dysentery	24	11	1	-	1	-	-	-	-	-	-	2	1	-	-	2	-	2	1	2	1	-	-	-	-	-	-
	White—M	15	9	-	-	1	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
	F	8	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
28	Malaria	11	-	-	-	-	-	-	-	-	3	2	2	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	3	2	2	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	918	24	2	1	-	-	-	2	9	11	13	23	56	89	119	117	132	119	100	54	25	17	4	-	-	-	1
	White—M	457	5	1	-	-	-	-	-	4	2	1	2	15	41	55	64	66	78	68	34	13	7	1	-	-	-	-
	F	149	2	-	-	-	-	-	2	2	3	5	4	12	11	18	12	25	14	10	11	8	9	1	-	-	-	-
	Nonwhite—M	227	10	-	1	-	-	-	-	2	3	4	11	22	23	35	32	33	20	18	6	4	1	2	-	-	-	-
	F	85	7	1	-	-	-	-	-	1	3	3	6	7	14	11	9	8	7	4	3	-	-	-	-	-	-	1
35	Measles	116	21	33	9	3	6	25	11	3	1	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
	White—M	48	9	15	5	-	3	9	4	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	64	12	15	3	3	3	16	7	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	29	-	1	1	2	-	4	5	7	1	3	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	White—M	17	-	-	-	1	-	1	5	5	1	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	1	1	-	3	-	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																											
45-55	Cancer and other malignant tumors	14,787	3	4	12	11	9	16	38	26	56	89	153	331	559	922	1,364	1,841	2,062	2,244	2,144	1,548	880	382	85	7	1	-
	White-----M--	6,749	1	1	10	7	4	10	23	14	29	32	44	88	166	327	549	865	1,021	1,077	1,090	783	415	163	29	2	-	-
	F--	7,306	2	3	1	3	5	5	15	8	18	49	94	205	333	497	711	876	947	1,075	996	736	454	213	55	4	1	-
	Nonwhite--M--	344	-	-	1	-	-	-	-	2	5	1	2	13	15	35	53	55	45	58	36	14	5	3	1	-	-	-
	F--	388	-	-	-	1	-	1	-	2	4	7	13	25	45	63	52	45	49	34	22	15	6	3	-	1	-	-
46	Cancer of the digestive organs and peritoneum--	6,994	1	-	2	2	1	2	5	3	14	25	40	103	151	351	572	862	1,029	1,193	1,155	817	424	203	37	2	-	-
	White-----M--	3,583	1	-	2	2	-	1	2	1	7	7	17	50	64	156	282	473	573	637	625	399	189	81	13	1	-	-
	F--	3,107	-	-	-	-	1	-	3	1	4	16	20	43	69	160	244	345	405	515	502	407	228	119	24	1	-	-
	Nonwhite--M--	176	-	-	-	-	-	-	-	1	1	1	2	6	8	23	30	30	22	23	19	5	4	1	-	-	-	-
	F--	128	-	-	-	-	-	1	-	-	2	1	1	4	10	12	16	14	29	18	9	6	3	2	-	-	-	-
48,49	Cancer of female genital organs--	1,867	-	-	-	-	-	1	2	2	7	17	45	88	159	191	242	248	251	222	178	131	54	23	5	1	-	-
	White-----F--	1,710	-	-	-	-	-	1	2	1	6	14	34	77	138	164	220	229	238	211	170	125	53	22	5	-	-	-
	Nonwhite--F--	157	-	-	-	-	-	-	-	1	1	3	11	11	21	27	22	19	13	11	8	6	1	1	-	1	-	-
50	Cancer of breast-	1,411	-	-	-	-	-	-	-	-	1	8	21	49	101	138	158	166	180	193	158	114	84	31	7	1	1	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	4	1	1	1	1	-	-	-	-
	F--	1,331	-	-	-	-	-	-	-	-	1	7	21	42	91	120	149	159	173	183	153	112	81	30	7	1	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	61	-	-	-	-	-	-	-	-	-	1	-	7	10	15	8	5	4	5	3	1	2	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	4,515	2	4	10	8	8	13	31	21	34	39	47	91	148	242	392	565	602	636	653	486	318	125	36	3	-	-
	White-----M--	3,149	-	1	8	5	4	9	21	13	22	25	27	38	102	168	265	390	445	436	464	303	225	81	16	1	-	-
	F--	1,158	2	3	1	3	4	4	10	6	7	12	19	43	35	53	98	143	131	166	171	92	92	42	19	2	-	-
	Nonwhite--M--	166	-	-	1	-	-	-	-	1	4	-	-	7	7	12	23	25	23	34	16	9	1	2	1	-	-	-
	F--	42	-	-	-	1	-	-	-	1	1	2	1	3	4	9	6	7	3	-	2	2	-	-	-	-	-	-
58	Acute rheumatic fever----------	123	3	-	1	2	1	17	16	21	11	10	5	8	7	2	5	6	1	1	2	3	-	1	-	-	-	-
	White-----M--	57	2	-	1	1	1	6	8	10	4	5	2	4	4	-	1	3	1	-	1	2	-	1	-	-	-	-
	F--	52	1	-	-	-	-	8	7	8	6	5	2	4	2	2	3	1	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	2	-	2	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	3,325	1	1	-	1	-	2	14	11	17	18	26	28	55	103	236	394	499	635	613	407	191	58	15	-	-	-
	White-----M--	948	-	1	-	-	-	-	6	3	7	8	12	12	20	33	72	105	129	173	169	108	67	20	3	-	-	-
	F--	2,253	1	-	-	1	-	2	8	7	10	9	12	10	27	56	147	271	353	447	432	290	121	38	11	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	6	2	4	1	3	-	-	1	-	-	-
	F--	102	-	-	-	-	-	-	-	1	-	1	1	4	8	13	16	12	15	11	11	6	3	-	-	-	-	-
63b	Exophthalmic goiter----------	193	-	-	-	-	-	-	-	-	3	2	2	6	7	19	30	27	30	29	22	11	3	1	1	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	8	2	4	3	-	1	-	-	-	-	-
	F--	154	-	-	-	-	-	-	-	-	3	1	2	2	5	14	26	16	26	24	18	11	2	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	2	-	1	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	113	-	-	-	-	-	-	-	-	5	2	3	12	21	9	16	18	15	4	6	1	-	1	-	-	-	-
	White-----M--	88	-	-	-	-	-	-	-	-	3	2	2	8	18	7	13	13	11	4	6	1	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	1	-	-	2	2	1	2	3	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	2	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin-----	9,248	6	4	4	1	-	4	3	10	14	26	50	84	165	324	543	805	1,065	1,320	1,522	1,503	1,017	572	159	25	2	-
	White-----M--	4,098	5	2	2	1	-	3	3	5	8	17	19	33	67	118	210	370	502	648	700	681	433	207	80	4	-	-
	F--	4,593	1	2	1	-	-	1	-	3	6	8	23	32	63	149	265	356	510	606	753	779	567	352	94	20	2	-
	Nonwhite--M--	256	-	-	-	-	-	-	-	1	-	1	1	6	13	17	29	37	35	38	35	26	9	5	3	-	-	-
	F--	301	-	-	1	-	-	-	-	1	-	-	7	13	22	40	39	42	38	28	34	17	8	8	2	1	-	-
90-95	Diseases of the heart----------	36,169	11	9	6	4	4	31	69	87	147	192	278	495	833	1,523	2,379	3,296	4,267	5,073	5,488	5,127	3,824	2,177	691	142	13	3
	White-----M--	19,767	9	5	1	3	3	10	25	50	66	93	155	293	504	944	1,508	2,101	2,614	2,876	3,015	2,600	1,734	874	239	40	2	3
	F--	14,608	1	3	4	1	1	17	29	31	75	82	92	135	228	386	654	969	1,425	1,965	2,298	2,388	2,019	1,264	436	95	9	-
	Nonwhite--M--	928	-	-	1	-	-	1	8	2	2	10	12	33	47	102	109	121	121	111	101	74	46	21	4	1	1	-
	F--	866	1	1	-	-	-	3	7	4	4	7	19	34	54	91	108	106	107	121	74	64	25	18	12	6	1	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	1,974	-	1	1	1	2	18	55	51	71	106	104	104	146	151	153	155	175	168	156	167	115	58	15	1	-	-
	White-----M--	939	-	1	-	-	1	6	20	27	31	50	53	50	72	64	74	83	91	88	71	78	54	19	6	-	-	-
	F--	928	-	-	-	1	1	8	20	21	37	53	45	47	65	72	70	62	78	71	80	88	60	39	9	1	-	-
	Nonwhite--M--	61	-	-	1	-	-	1	8	1	1	3	3	4	8	7	5	9	3	5	2	1	1	-	-	-	-	-
	F--	46	-	-	-	-	-	3	7	2	2	-	3	3	3	8	4	1	3	4	3	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	11,173	3	1	-	-	1	-	2	2	24	29	75	203	361	702	1,071	1,434	1,670	1,798	1,628	1,126	652	301	78	9	2	1
	White-----M--	7,560	3	-	-	-	1	-	1	1	11	17	58	150	280	548	813	1,090	1,200	1,171	1,021	670	346	141	35	2	-	1
	F--	3,270	-	-	-	-	-	-	1	1	13	6	12	37	60	102	204	298	429	587	576	439	300	155	41	7	2	-
	Nonwhite--M--	207	-	-	-	-	-	-	-	-	-	4	1	9	12	40	31	32	22	19	20	9	6	1	1	-	-	-
	F--	136	-	1	-	-	-	-	-	-	-	2	4	7	9	12	23	14	19	21	11	8	-	4	1	-	-	-
90b,91, 92d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	23,022	8	7	5	3	1	13	12	34	52	57	99	188	328	670	1,155	1,707	2,422	3,107	3,704	3,834	3,057	1,818	598	132	11	2
	White-----M--	11,268	6	4	1	3	1	4	4	22	24	26	44	93	152	332	621	929	1,323	1,617	1,923	1,852	1,334	714	198	38	2	2
	F--	10,410	1	3	4	-	-	9	8	9	25	23	35	51	103	212	380	609	918	1,307	1,642	1,862	1,659	1,070	386	87	7	-
	Nonwhite--M--	660	-	-	-	-	-	-	-	1	1	3	8	20	29	55	73	80	96	87	79	64	39	20	3	1	1	-
	F--	684	1	-	-	-	-	-	-	2	2	5	12	24	42	71	81	90	85	96	60	56	25	14	11	6	1	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																											
97,102	Arteriosclerosis and high blood pressure*	2,367	-	-	-	-	-	-	-	-	2	4	4	7	12	15	45	71	95	194	324	444	532	394	196	25	3	-
	White—M	1,175	-	-	-	-	-	-	-	-	1	1	1	3	8	4	29	38	52	100	179	229	253	190	63	12	2	-
	F	1,100	-	-	-	-	-	-	-	-	1	2	2	3	3	6	10	22	35	84	135	204	264	207	108	13	1	-
	Nonwhite—M	52	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	3	3	8	6	8	8	5	4	-	-	-
	F	40	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	8	5	2	4	3	7	2	1	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	4,473	780	120	48	32	13	30	37	46	39	46	65	98	115	198	221	310	339	375	398	434	380	243	78	24	4	-
	White—M	2,401	407	55	23	15	4	11	18	25	17	26	34	46	58	113	139	193	207	226	219	231	200	91	37	5	1	-
	F	1,673	299	54	20	13	8	15	18	19	13	14	17	27	28	56	42	73	104	132	160	189	167	146	39	17	3	-
	Nonwhite—M	214	37	6	2	2	-	2	-	2	4	1	8	14	19	14	22	26	16	8	12	11	4	3	1	-	-	-
	F	185	37	5	3	2	1	2	1	-	5	5	6	11	10	15	18	18	12	9	7	3	9	3	1	2	-	-
107	Bronchopneumonia	1,746	443	61	15	10	5	15	17	13	11	17	13	19	28	47	66	104	117	146	142	157	156	102	33	9	-	-
	White—M	915	230	26	7	3	1	7	7	6	5	9	10	6	13	29	43	58	72	91	74	91	76	34	16	1	-	-
	F	653	164	25	5	5	3	5	10	7	2	7	1	5	8	12	11	20	34	47	58	61	75	64	16	8	-	-
	Nonwhite—M	85	25	6	-	1	-	1	-	-	1	-	2	4	3	2	6	13	5	4	7	3	1	1	-	-	-	-
	F	93	24	4	3	1	1	2	-	-	3	1	-	4	4	4	6	13	6	4	3	2	4	3	1	-	-	-
108	Lobar pneumonia	1,672	155	25	15	10	5	9	9	20	21	21	38	49	61	101	101	151	170	150	153	176	128	76	19	7	2	-
	White—M	938	80	14	6	5	-	2	5	10	9	11	16	25	34	62	61	103	102	86	90	91	72	38	12	3	1	-
	F	577	64	10	8	4	5	7	4	8	8	5	10	11	11	23	16	34	58	58	56	78	52	37	7	2	1	-
	Nonwhite—M	95	6	-	1	1	-	-	-	2	3	1	6	9	12	8	13	9	7	3	4	7	2	1	-	-	-	-
	F	62	5	1	-	-	-	-	-	-	1	4	6	4	4	8	11	5	3	3	3	-	2	-	-	2	-	-
109	Pneumonia (unspecified)	416	108	13	10	2	1	3	3	6	2	4	5	10	6	20	25	26	24	37	38	28	23	15	2	3	1	-
	White—M	232	56	6	7	-	1	1	2	3	1	3	3	8	3	11	16	19	16	21	21	17	12	4	1	-	-	-
	F	159	45	7	3	1	-	1	1	3	1	1	2	2	2	6	6	6	6	15	15	11	10	11	-	3	1	-
	Nonwhite—M	16	3	-	-	-	-	1	-	-	-	-	-	-	1	2	3	1	1	-	1	1	1	-	1	-	-	-
	F	9	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-
33	Influenza	639	74	21	8	10	2	3	8	7	5	4	9	20	20	30	29	29	28	42	65	72	73	50	24	5	1	-
	White—M	316	41	9	3	7	2	1	4	6	2	3	5	7	8	11	19	13	17	28	34	32	40	15	8	1	-	-
	F	284	26	12	4	3	-	2	3	1	2	1	4	9	7	15	9	13	6	12	31	39	30	34	16	4	1	-
	Nonwhite—M	18	3	-	1	-	-	-	-	-	-	-	-	1	3	2	-	3	3	1	-	-	-	1	-	-	-	-
	F	21	4	-	-	-	-	-	1	-	1	-	-	3	2	2	1	-	2	1	-	1	3	-	-	-	-	-
117	Ulcer of stomach or duodenum	540	1	-	-	-	1	-	-	2	3	11	13	18	30	89	93	80	68	56	40	33	15	7	-	-	-	-
	White—M	437	-	-	-	-	-	-	-	2	3	8	10	14	22	60	80	72	55	43	30	23	9	6	-	-	-	-
	F	82	1	-	-	-	1	-	-	-	-	-	1	3	7	4	11	6	10	12	9	10	6	1	-	-	-	-
	Nonwhite—M	17	-	-	-	-	-	-	-	-	-	3	2	1	1	4	2	1	2	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	503	356	24	5	4	-	4	3	2	1	8	9	5	4	12	11	3	5	8	5	7	12	13	2	-	-	-
	White—M	249	189	12	3	1	-	2	2	1	1	3	5	3	2	4	3	1	2	3	2	3	4	3	-	-	-	-
	F	206	134	10	1	2	-	1	1	1	-	4	3	1	1	6	6	1	3	5	3	4	7	10	2	-	-	-
	Nonwhite—M	28	18	2	1	-	-	1	-	-	-	-	1	-	1	1	1	1	-	-	-	-	1	-	-	-	-	-
	F	20	15	-	-	1	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	398	4	6	5	4	3	17	12	14	23	24	11	26	36	27	28	37	33	33	22	20	7	4	2	-	-	-
	White—M	218	2	4	2	1	2	12	5	9	11	16	5	14	15	15	14	25	22	16	15	8	4	-	1	-	-	-
	F	155	2	2	3	2	1	4	5	5	11	8	6	7	15	9	11	11	10	16	7	12	3	4	1	-	-	-
	Nonwhite—M	17	-	-	-	1	-	1	2	-	1	-	-	3	4	1	2	1	-	1	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	873	33	4	4	2	1	2	2	9	6	13	19	21	39	46	56	70	107	118	110	89	82	31	8	-	1	-
	White—M	449	17	4	4	1	1	-	-	8	3	8	8	9	16	17	26	43	59	61	55	53	40	13	5	-	-	-
	F	373	14	-	-	-	-	2	2	1	2	2	6	7	21	23	25	21	47	50	52	35	42	18	3	-	-	-
	Nonwhite—M	27	1	-	-	-	-	-	-	2	-	3	3	1	1	3	2	5	1	4	1	-	-	-	-	-	-	-
	F	24	1	-	-	1	-	-	-	-	1	-	2	4	1	3	3	1	-	3	2	1	-	-	-	-	1	-
124	Cirrhosis of the liver	989	1	1	-	-	-	4	2	3	1	13	25	46	63	91	138	128	134	102	120	67	35	11	3	1	-	-
	White—M	614	-	-	-	-	-	2	-	1	-	4	10	26	38	63	90	89	99	65	72	38	12	3	1	1	-	-
	F	343	1	1	-	-	-	2	2	1	1	8	13	16	22	26	42	36	32	33	48	26	23	8	2	-	-	-
	Nonwhite—M	22	-	-	-	-	-	-	-	1	-	-	2	2	2	1	5	3	1	3	-	2	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	2	1	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	517	-	-	-	-	-	2	-	-	5	3	8	19	26	39	53	63	66	85	62	45	25	13	2	1	-	-
	White—M	153	-	-	-	-	-	-	-	-	2	-	3	6	3	6	18	16	21	27	20	19	10	8	-	-	-	-
	F	355	-	-	-	-	-	2	-	-	2	3	5	12	21	31	35	46	45	57	41	26	15	11	2	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	1	-	1	1	-	-	-	-	-	-	-
130-132	Nephritis	6,938	9	6	2	6	6	15	18	36	65	51	84	122	184	291	369	520	646	862	1,052	1,067	860	474	150	39	4	-
	White—M	3,287	5	1	1	4	4	8	10	17	34	24	36	43	72	107	173	270	320	410	499	543	414	211	53	6	1	-
	F	3,224	3	4	-	2	2	6	8	17	27	17	41	49	83	129	162	204	287	398	503	489	422	252	90	28	1	-
	Nonwhite—M	217	1	1	-	-	-	-	-	1	1	2	3	10	11	24	18	29	16	33	21	17	14	6	4	2	1	-
	F	230	-	-	1	-	-	-	-	1	3	8	2	20	18	31	16	17	23	21	29	18	10	5	3	3	1	-
137	Diseases of the prostate	463	-	-	-	-	-	-	-	-	-	1	-	-	2	5	10	13	36	74	91	94	74	47	14	2	-	-
	White—M	438	-	-	-	-	-	-	-	-	-	-	-	-	2	3	7	10	33	72	84	94	72	46	13	2	-	-
	Nonwhite—M	25	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	3	3	2	7	-	2	1	1	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA Continued																											
140-150	Diseases of pregnancy, etc.*	332	-	-	-	-	-	-	-	20	66	71	82	59	30	4	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	295	-	-	-	-	-	-	-	14	59	64	77	51	26	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	37	-	-	-	-	-	-	-	6	7	7	5	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	128	-	-	-	-	-	-	-	11	23	29	32	21	12	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	111	-	-	-	-	-	-	-	8	19	27	29	18	10	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	17	-	-	-	-	-	-	-	3	4	2	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	61	-	-	-	-	-	-	-	5	16	13	15	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	55	-	-	-	-	-	-	-	3	14	11	15	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	6	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	105	-	-	-	-	-	-	-	4	16	19	28	23	13	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	93	-	-	-	-	-	-	-	3	16	16	26	18	12	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	12	-	-	-	-	-	-	-	1	-	3	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	38	-	-	-	-	-	-	-	-	11	10	7	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	36	-	-	-	-	-	-	-	-	10	10	7	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	1,222	1,048	45	16	12	7	16	9	13	9	7	10	12	3	5	4	3	-	-	-	2	1	-	-	-	-	-
	White—M	635	549	18	6	6	5	12	6	5	3	4	5	7	1	3	2	3	-	-	-	-	-	-	-	-	-	-
	F	522	442	26	10	6	1	2	3	8	5	2	4	5	2	2	1	-	-	-	-	2	1	-	-	-	-	-
	Nonwhite—M	36	32	1	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	29	25	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	4,272	4,272	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	2,312	2,312	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1,542	1,542	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	223	223	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	195	195	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	2,762	2,762	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	1,455	1,455	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1,012	1,012	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	153	153	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	142	142	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	1,510	1,510	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	857	857	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	530	530	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	70	70	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	1,145	-	-	-	-	-	-	4	21	53	70	85	79	108	128	144	134	100	85	69	40	15	8	1	-	-	-
	White—M	837	-	-	-	-	-	-	3	10	35	51	54	54	76	91	110	102	77	70	47	37	12	7	1	-	-	-
	F	281	-	-	-	-	-	-	1	9	14	16	27	22	30	36	32	28	21	16	22	3	3	1	-	-	-	-
	Nonwhite—M	17	-	-	-	-	-	-	-	1	3	1	2	3	2	1	1	2	1	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	1	1	2	2	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
165-168	Homicide	299	5	5	1	4	-	4	1	10	31	45	31	47	38	30	11	11	10	6	2	3	2	-	-	-	-	2
	White—M	101	2	3	-	2	-	2	1	5	9	11	6	16	10	10	5	4	5	4	2	1	-	-	-	-	-	1
	F	62	3	2	1	2	-	2	-	-	6	7	5	11	5	8	1	1	2	1	-	2	2	-	-	-	-	1
	Nonwhite—M	103	-	-	-	-	-	-	-	4	10	16	12	15	20	12	4	6	3	1	-	-	-	-	-	-	-	-
	F	33	-	-	-	-	-	-	-	1	6	11	6	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	6,361	133	70	61	75	48	246	176	247	404	294	289	321	272	311	371	426	438	437	459	452	400	282	101	21	5	2
	White—M	4,157	69	43	48	47	26	158	121	190	328	218	219	247	196	236	271	310	324	299	256	224	184	98	35	6	2	2
	F	1,840	46	20	25	19	21	65	41	46	56	44	42	52	35	51	73	90	99	124	193	225	214	178	65	14	2	-
	Nonwhite—M	276	13	4	3	7	1	18	10	10	17	24	24	18	33	17	23	22	11	11	5	1	1	2	-	1	-	-
	F	88	5	3	5	2	-	5	4	1	3	8	4	4	8	7	4	4	4	3	5	2	1	4	1	-	1	-
170	Motor-vehicle accidents	1,900	6	14	26	30	26	118	63	123	237	128	103	99	92	85	94	129	116	149	110	94	36	17	5	-	-	-
	White—M	1,402	5	10	17	20	12	73	45	90	202	98	72	72	59	63	65	98	89	109	87	68	27	16	5	-	-	-
	F	400	1	3	8	6	14	34	14	30	28	22	23	21	15	18	23	27	22	33	23	25	8	1	-	-	-	-
	Nonwhite—M	81	-	-	1	4	-	8	3	2	6	7	7	4	14	4	5	3	4	7	-	1	1	-	-	-	-	-
	F	17	-	1	-	-	-	3	1	1	-	1	1	2	4	-	1	1	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	4,461	127	56	55	45	22	128	113	124	167	166	186	222	180	226	277	297	322	288	349	358	364	265	86	21	5	2
	White—M	2,755	64	33	31	27	14	85	76	100	126	120	147	175	137	173	206	212	235	190	169	156	157	82	30	6	2	2
	F	1,440	45	17	17	13	7	31	27	16	27	22	19	31	20	33	50	63	77	91	179	200	206	177	65	14	2	-
	Nonwhite—M	195	13	4	2	3	1	10	7	8	11	17	17	14	19	13	18	19	7	4	5	-	-	2	-	1	-	-
	F	71	5	2	5	2	-	2	3	-	3	7	3	2	4	7	3	3	3	3	5	2	1	4	1	-	1	-
162,199, 200	Senility, ill-defined and unknown causes	946	21	8	-	-	1	6	2	2	7	10	6	15	17	42	40	49	87	86	107	113	125	111	83	25	3	-
	White—M	514	11	4	-	-	1	2	2	1	4	5	2	12	12	27	27	30	54	51	65	65	57	50	26	6	-	-
	F	354	4	1	-	-	-	-	-	-	1	4	1	1	2	6	10	14	25	25	33	44	65	61	37	17	3	-
	Nonwhite—M	56	4	2	-	-	-	3	-	1	1	-	2	1	3	8	1	4	5	10	6	4	1	-	-	-	-	-
	F	22	2	1	-	-	-	1	-	-	1	1	1	1	-	1	2	1	3	-	3	-	2	-	-	2	-	-
	All other causes	6,019	347	96	65	59	36	113	83	123	153	178	210	249	311	413	504	559	605	574	526	391	238	121	56	10	-	-
	White—M	3,143	191	53	35	31	22	55	45	63	79	79	92	112	135	186	277	334	352	325	296	188	127	46	16	2	-	-
	F	2,484	131	35	26	24	11	47	28	47	62	69	103	103	132	176	198	200	231	230	215	196	104	71	37	8	-	-
	Nonwhite—M	202	10	2	3	2	3	6	7	6	4	12	8	12	24	26	16	15	15	12	6	5	6	1	1	-	-	-
	F	190	15	4	1	2	-	5	3	7	8	18	7	22	20	25	13	9	7	7	9	2	1	3	2	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.–DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND																											
	All causes	8,073	494	29	18	18	11	40	31	55	89	94	103	154	212	344	485	665	889	994	1,097	1,058	668	404	114	26	2	-
	White-----M	4,130	280	19	16	11	8	28	14	32	45	53	46	73	103	202	266	387	503	521	535	489	291	165	37	6	-	-
	F	3,776	196	9	1	6	3	10	16	20	21	39	55	76	100	135	206	263	370	449	541	557	369	236	76	20	2	-
	Nonwhite--M	91	9	1	1	1	-	-	1	2	2	1	1	4	4	4	7	11	8	14	10	7	2	1	-	-	-	-
	F	76	9	-	-	-	-	2	-	1	1	1	1	1	5	3	6	4	7	10	11	5	6	2	1	-	-	-
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	9	2	1	-	-	-	-	1	2	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M	7	2	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	232	2	-	2	1	2	1	-	5	16	19	9	18	24	22	25	18	21	23	15	5	3	1	-	-	-	-
	White-----M	147	1	-	2	1	2	-	-	-	8	8	3	6	18	17	19	12	16	16	11	3	3	1	-	-	-	-
	F	67	1	-	-	-	-	1	-	4	6	11	5	10	2	4	3	4	4	6	4	2	-	-	-	-	-	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	1	-	1	2	2	1	2	2	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	215	-	-	1	-	-	-	-	3	14	18	9	17	24	22	25	16	21	22	14	5	3	1	-	-	-	-
	White-----M	138	-	-	1	-	-	-	-	-	7	8	3	5	18	17	19	11	16	16	10	3	3	1	-	-	-	-
	F	60	-	-	-	-	-	-	-	2	6	10	5	10	2	4	3	3	4	5	4	2	-	-	-	-	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	2	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	17	2	-	1	1	2	1	-	2	2	1	-	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-
	White-----M	9	1	-	1	1	2	-	-	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	7	1	-	-	-	-	1	-	2	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	43	1	-	-	-	-	-	-	-	-	2	-	-	3	2	12	6	5	9	1	1	1	-	-	-	-	-
	White-----M	32	1	-	-	-	-	-	-	-	-	-	-	-	3	-	9	5	5	7	-	1	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliocencephalitis (acute)	7	-	-	2	1	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	4	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Continued																											
45-55	Cancer and other malignant tumors	1,162	-	2	1	-	-	2	4	7	5	3	11	19	47	71	97	133	194	169	184	121	56	32	3	-	1	-
	White-----M--	530	-	1	1	-	-	2	2	5	5	1	4	7	8	37	33	53	97	75	100	55	29	13	2	-	-	-
	F--	619	-	1	-	-	-	-	2	2	-	2	7	12	39	33	64	78	94	90	83	66	26	18	1	-	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	1	2	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	1	1	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	529	-	-	-	-	-	-	1	1	-	2	4	9	14	16	45	49	101	83	100	64	26	13	1	-	-	-
	White-----M--	253	-	-	-	-	-	-	-	1	-	-	-	5	3	13	14	25	57	37	59	29	13	6	1	-	-	-
	F--	260	-	-	-	-	-	-	1	-	-	2	4	4	11	3	31	23	42	43	41	35	13	7	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	128	-	-	-	-	-	-	-	-	-	-	2	3	11	13	13	21	15	18	16	10	2	4	-	-	-	-
	White-----F--	126	-	-	-	-	-	-	-	-	-	-	2	3	11	13	13	21	15	17	16	10	1	4	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
50	Cancer of breast-	118	-	-	-	-	-	-	-	-	-	-	-	3	6	15	10	22	19	14	12	7	7	2	-	-	1	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	115	-	-	-	-	-	-	-	-	-	-	-	3	6	14	10	22	18	14	12	7	7	1	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	387	-	2	1	-	-	2	3	6	5	1	5	4	16	27	29	41	59	54	56	40	21	13	2	-	-	-
	White-----M--	267	-	1	1	-	-	2	2	4	5	1	4	2	5	24	19	28	40	38	41	26	18	7	1	-	-	-
	F--	118	-	1	-	-	-	-	1	2	-	-	1	2	11	3	10	12	19	16	14	14	5	6	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	7	-	-	-	-	-	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	285	-	-	-	-	-	-	1	1	2	1	3	5	3	8	16	31	48	51	54	36	17	7	3	-	-	-
	White-----M--	90	-	-	-	-	-	-	-	-	-	1	2	1	2	4	7	15	13	19	13	10	1	1	1	-	-	-
	F--	187	-	-	-	-	-	-	1	1	1	-	1	2	1	3	9	16	34	31	39	25	15	6	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	1	-	-	-	-	-
63b	Exophthalmic goiter----------	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	14	-	-	-	-	-	-	-	-	-	-	1	-	5	2	2	-	1	1	2	-	-	-	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	-	1	1	2	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	699	-	1	-	-	-	-	-	1	1	1	2	9	7	23	34	61	84	106	121	108	87	42	8	3	-	-
	White-----M--	285	-	1	-	-	-	-	-	1	1	1	1	5	2	6	12	27	40	46	49	42	38	12	-	1	-	-
	F--	405	-	-	-	-	-	-	-	-	-	-	1	4	4	16	22	33	42	57	71	66	49	30	8	2	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart----------	3,025	1	-	-	-	-	2	-	8	3	8	24	35	52	123	173	267	331	428	462	528	313	200	50	16	1	-
	White-----M--	1,585	1	-	-	-	-	2	-	3	1	6	12	16	33	79	114	182	203	236	222	242	129	87	14	3	-	-
	F--	1,385	-	-	-	-	-	-	-	5	2	2	12	19	18	42	53	78	123	184	230	276	181	111	35	13	1	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	2	5	5	6	-	1	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	3	3	5	4	3	1	1	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	129	-	-	-	-	-	-	-	8	2	1	8	9	9	8	12	8	11	11	11	16	11	4	-	-	-	-
	White-----M--	64	-	-	-	-	-	-	-	3	1	-	3	2	6	4	4	5	6	9	7	6	5	3	-	-	-	-
	F--	64	-	-	-	-	-	-	-	5	1	1	5	7	3	4	7	3	5	2	4	10	6	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	921	-	-	-	-	-	-	-	-	1	4	8	13	19	67	99	125	140	148	118	105	48	19	7	-	-	-
	White-----M--	619	-	-	-	-	-	-	-	-	-	4	6	8	16	52	77	104	104	87	62	59	27	10	3	-	-	-
	F--	291	-	-	-	-	-	-	-	-	1	-	2	5	3	15	21	21	36	57	55	43	21	9	4	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)---------	1,975	1	-	-	-	-	2	-	-	-	3	8	13	24	48	62	134	180	269	333	407	254	177	43	16	1	-
	White-----M--	902	1	-	-	-	-	2	-	-	-	2	3	6	11	23	33	73	93	140	153	177	97	74	11	3	-	-
	F--	1,030	-	-	-	-	-	-	-	-	-	1	5	7	12	23	25	54	82	125	173	223	154	101	31	13	1	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	2	2	3	4	-	1	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	2	4	3	3	1	1	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths.

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Continued																											
97,102	Arteriosclerosis and high blood pressure*	114	-	-	-	-	-	-	-	-	-	-	1	1	-	-	5	3	5	6	16	22	26	19	9	1	-	-
	White----M--	52	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	3	4	5	11	9	8	5	1	-	-
	F--	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	2	11	11	17	11	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	270	35	4	3	2	2	2	3	3	-	1	3	6	6	9	6	18	22	21	33	33	25	20	10	2	-	-
	White----M--	147	18	2	3	2	2	1	-	1	-	-	1	5	4	8	2	8	13	11	20	20	12	8	6	-	-	-
	F--	115	13	2	-	-	-	1	3	1	-	1	2	1	2	1	4	10	9	10	11	13	13	12	4	2	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
107	Bronchopneumonia	125	21	1	3	2	1	1	1	1	-	1	-	4	2	1	2	10	7	5	13	14	14	13	6	2	-	-
	White----M--	68	11	1	3	2	1	1	-	1	-	-	-	3	1	1	1	5	2	1	6	12	6	6	4	-	-	-
	F--	55	8	-	-	-	-	-	1	-	-	1	-	1	1	-	1	5	5	4	7	2	8	7	2	2	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	119	9	2	-	-	1	1	1	-	-	-	2	2	2	8	3	8	14	15	19	17	8	6	1	-	-	-
	White----M--	69	5	1	-	-	1	-	-	-	-	-	1	2	2	7	-	3	10	10	13	8	4	2	-	-	-	-
	F--	46	3	1	-	-	-	1	1	-	-	-	1	-	-	1	3	5	4	5	4	9	3	4	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
109	Pneumonia (unspecified)	7	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
	White----M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	19	2	1	-	-	-	-	1	2	-	-	-	-	2	-	-	-	1	-	1	2	4	-	3	-	-	-
	White----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	-	2	-	-	-
	F--	10	1	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	2	2	-	1	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	47	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	3	9	7	5	7	2	4	-	-	-	-
	White----M--	40	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	3	8	6	5	6	1	2	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	20	10	-	-	-	1	-	1	-	-	1	-	-	-	-	-	2	2	1	1	-	1	-	-	-	-	-
	White----M--	12	5	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
	F--	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	19	-	-	-	-	1	-	2	-	3	-	1	1	3	1	1	1	2	2	-	-	1	-	-	-	-	-
	White----M--	13	-	-	-	-	1	-	1	-	3	-	-	-	2	1	1	-	1	2	-	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	54	2	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	6	10	10	12	2	3	-	-	-	-
	White----M--	34	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	6	7	7	2	1	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	4	3	5	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	91	-	-	-	-	-	-	-	1	-	3	1	2	7	7	11	15	12	10	6	13	2	1	-	-	-	-
	White----M--	56	-	-	-	-	-	-	-	-	-	2	-	2	3	4	10	10	9	5	2	6	2	1	-	-	-	-
	F--	34	-	-	-	-	-	-	-	1	-	1	1	-	4	3	1	5	3	4	4	7	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	53	-	-	-	-	-	-	-	-	1	1	1	4	1	4	2	5	7	8	10	4	3	2	-	-	-	-
	White----M--	17	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	3	2	3	1	2	1	-	-	-	-
	F--	35	-	-	-	-	-	-	-	-	1	1	-	2	1	2	2	4	4	6	7	3	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	556	-	-	1	2	1	2	-	-	2	4	10	8	11	23	33	40	58	68	89	86	63	44	12	1	-	-
	White----M--	285	-	-	1	1	-	1	-	-	1	2	5	3	7	9	20	27	33	39	42	41	32	17	4	-	-	-
	F--	262	-	-	-	1	1	1	-	-	1	1	5	4	4	14	11	13	25	24	45	45	31	27	8	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	3	1	-	-	-	-	-	-	-
137	Diseases of the prostate	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	10	4	11	9	4	-	1	-	-
	White----M--	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	10	4	11	9	4	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Continued																											
140-150	Diseases of pregnancy, etc.*	24	-	-	-	-	-	-	-	1	4	5	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	-	1	4	5	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	9	-	-	-	-	-	-	-	1	-	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	1	-	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	9	-	-	-	-	-	-	-	-	2	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	-	2	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	158	112	8	3	2	1	4	2	-	-	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	79	60	6	3	1	1	3	1	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	58	51	2	-	1	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	291	291	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	171	171	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	111	111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	189	189	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	108	108	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	74	74	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	102	102	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	63	63	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	57	-	-	-	-	-	-	-	1	-	5	3	3	1	9	9	4	4	10	3	4	1	-	-	-	-	-
	White—M	42	-	-	-	-	-	-	-	-	-	4	2	1	1	9	7	3	4	7	1	2	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	1	-	1	1	2	-	-	2	1	-	3	1	2	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	11	2	-	-	-	-	-	1	-	1	2	2	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	380	18	6	5	6	2	14	10	14	23	19	11	15	10	12	12	11	29	26	35	38	34	17	11	2	-	-
	White—M	231	9	5	4	3	1	11	7	14	21	17	8	12	6	10	8	8	20	14	20	15	9	7	2	-	-	-
	F	135	7	-	-	2	1	2	2	-	2	1	3	2	3	2	3	3	9	11	15	22	24	10	9	2	-	-
	Nonwhite—M	9	-	1	1	1	-	-	1	-	-	1	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	5	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
170	Motor-vehicle accidents	96	-	-	1	2	2	8	2	6	12	9	4	9	8	2	2	-	7	4	9	5	2	2	-	-	-	-
	White—M	79	-	-	1	-	1	7	2	6	11	9	3	7	4	1	1	-	6	4	8	4	2	2	-	-	-	-
	F	16	-	-	-	2	1	1	-	-	1	-	1	2	3	1	1	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	284	18	6	4	4	-	6	8	8	11	10	7	6	2	10	10	11	22	22	26	33	32	15	11	2	-	-
	White—M	152	9	5	3	3	-	4	5	8	10	8	5	5	2	9	7	8	14	10	12	11	7	5	2	-	-	-
	F	119	7	-	-	-	-	1	2	-	1	1	2	-	-	1	2	3	8	11	14	21	24	10	9	2	-	-
	Nonwhite—M	8	-	1	1	1	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	5	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	24	2	-	-	-	-	-	-	-	-	-	1	1	-	-	2	3	1	-	3	1	3	3	4	-	-	-
	White—M	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	1	1	-	-	-
	F	13	1	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	2	2	3	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	382	14	5	1	4	1	8	5	11	8	17	10	19	27	22	36	35	37	26	43	27	17	5	4	-	-	-
	White—M	193	8	3	1	2	-	5	1	6	5	8	4	11	9	11	13	19	22	13	26	14	9	1	2	-	-	-
	F	180	6	2	-	2	1	3	4	4	3	9	5	8	17	11	23	14	15	12	16	13	8	4	2	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA																											
	All causes	16,351	2,235	205	118	67	57	187	169	297	497	542	553	654	777	1,032	1,270	1,340	1,471	1,430	1,239	985	582	408	151	64	29	12
	White—M	4,941	601	43	19	20	11	40	57	89	141	143	122	155	165	254	372	424	498	567	487	373	184	132	35	6	1	2
	F	3,560	452	36	19	15	10	44	20	47	68	66	77	92	123	141	175	212	286	383	413	380	228	180	70	21	2	-
	Nonwhite—M	4,133	657	79	40	20	21	45	53	85	157	181	177	204	225	309	403	378	358	249	182	133	80	50	15	16	10	6
	F	3,717	525	47	40	12	15	58	39	76	131	152	177	203	284	328	320	326	329	231	157	99	70	46	31	21	16	4
1,2	Typhoid and paratyphoid fever	23	-	-	-	-	-	-	2	1	2	1	2	3	1	-	-	2	5	3	1	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	1	3	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	21	6	-	1	1	-	3	3	4	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	2	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	30	23	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	14	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	29	4	8	6	5	2	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	14	2	4	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	8	1	1	1	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	582	6	3	-	1	1	6	9	26	78	68	87	46	46	41	42	32	19	18	12	10	3	5	-	-	-	2
	White—M	116	1	-	-	-	-	1	-	-	6	11	15	6	7	9	14	12	11	5	7	7	-	3	-	-	-	1
	F	41	-	1	-	-	-	-	-	1	7	1	6	3	3	-	2	7	1	3	2	1	2	1	-	-	-	-
	Nonwhite—M	210	3	1	-	1	-	2	5	12	30	27	35	26	19	16	11	8	4	5	3	-	-	1	-	-	-	1
	F	195	2	1	-	-	1	3	4	13	35	29	31	11	17	16	15	5	3	6	-	2	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	529	5	3	-	1	-	6	8	24	73	62	86	44	42	38	39	30	17	18	12	10	3	5	-	-	-	2
	White—M	113	1	-	-	-	-	1	-	-	5	11	15	6	7	8	13	12	11	5	7	7	-	3	-	-	-	1
	F	38	-	1	-	-	-	-	-	1	7	1	6	3	2	-	2	6	-	3	2	1	2	1	-	-	-	-
	Nonwhite—M	191	3	1	-	1	-	2	4	10	28	23	34	25	16	14	9	7	4	5	3	-	-	1	-	-	-	1
	F	187	1	1	-	-	-	3	4	13	33	27	31	10	17	16	15	5	2	6	-	2	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	33	1	-	-	-	1	-	1	2	5	6	1	2	4	3	3	2	2	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	19	-	-	-	-	-	-	1	2	2	4	1	1	3	2	2	1	-	-	-	-	-	-	-	-	-	-
	F	8	1	-	-	-	1	-	-	-	2	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	16	5	1	-	1	-	1	-	1	1	1	-	-	1	-	2	-	-	1	1	-	-	-	-	-	-	-
	White—M	6	-	1	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	19	1	1	1	-	-	-	-	1	2	3	2	2	-	1	-	2	1	-	1	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
30	Syphilis	250	32	-	-	-	-	-	2	3	6	10	11	23	37	39	51	18	13	18	4	2	1	-	-	-	-	-
	White—M	30	1	-	-	-	-	-	-	-	1	-	-	1	4	3	4	3	4	4	3	2	-	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite—M	131	15	-	-	-	-	-	-	-	2	3	6	15	20	23	20	11	4	10	1	-	1	-	-	-	-	-
	F	82	15	-	-	-	-	-	2	3	3	7	5	6	12	12	6	4	5	2	-	-	-	-	-	-	-	-
35	Measles	30	9	7	1	2	-	6	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	10	4	2	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	3	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	2	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	7	-	2	-	-	1	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																											
45-55	Cancer and other malignant tumors	1,337	1	1	1	2	2	9	2	6	12	22	43	78	97	122	165	171	147	166	125	80	43	28	10	3	1	1
	White-----M--	374	-	1	-	1	-	-	-	3	5	2	7	13	11	20	41	52	50	56	54	29	14	9	4	1	-	1
	F--	489	-	-	-	1	1	4	1	1	3	8	12	27	31	44	46	55	53	72	54	37	20	14	3	2	-	-
	Nonwhite--M--	173	1	-	-	-	1	-	1	1	-	5	5	7	14	18	35	27	17	16	10	8	4	3	-	-	-	-
	F--	301	-	-	1	-	-	4	-	1	4	7	19	31	41	40	43	37	27	22	7	6	5	2	3	-	1	-
46	Cancer of the digestive organs and peritoneum--	495	-	1	-	-	-	2	1	1	2	5	14	19	26	36	58	62	61	76	50	41	19	14	4	3	-	-
	White-----M--	140	-	1	-	-	-	-	-	1	1	-	2	4	5	8	8	19	20	29	18	15	3	3	2	1	-	-
	F--	171	-	-	-	-	-	1	-	-	-	1	5	2	5	7	13	20	16	33	25	20	11	8	2	2	-	-
	Nonwhite--M--	97	-	-	-	-	-	-	1	-	-	3	3	6	5	9	26	12	11	8	5	4	2	2	-	-	-	-
	F--	87	-	-	-	-	-	1	-	-	1	1	4	7	11	12	11	11	14	6	2	2	3	1	-	-	-	-
48,49	Cancer of female genital organs--	263	-	-	-	-	-	-	-	1	2	6	11	32	28	40	36	28	27	18	13	10	4	2	2	-	1	-
	White-----F--	138	-	-	-	-	-	-	-	-	1	4	1	15	12	23	16	15	17	10	9	9	4	2	-	-	-	-
	Nonwhite--F--	125	-	-	-	-	-	-	-	1	1	4	10	17	16	17	20	13	10	8	4	1	-	-	2	-	1	-
50	Cancer of breast-	108	-	-	-	-	-	-	-	-	-	1	5	7	15	12	13	15	9	11	11	5	2	1	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	70	-	-	-	-	-	-	-	-	-	-	3	3	9	7	7	10	8	8	10	3	-	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	1	2	4	6	4	6	5	1	3	1	2	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	471	1	-	1	2	2	6	1	4	8	8	13	20	28	34	58	66	50	61	51	24	18	11	3	-	-	1
	White-----M--	233	-	-	-	1	-	-	-	2	4	2	5	9	6	12	33	33	30	27	36	14	10	6	2	-	-	1
	F--	110	-	-	-	1	1	3	1	1	2	3	3	7	5	7	10	10	12	21	10	5	5	3	-	-	-	-
	Nonwhite--M--	75	1	-	-	-	1	-	-	1	-	2	2	1	9	8	9	15	6	8	5	4	2	1	-	-	-	-
	F--	53	-	-	1	-	-	3	-	-	2	1	3	3	8	7	6	8	2	5	-	1	1	1	1	-	-	-
58	Acute rheumatic fever----------	29	-	-	1	-	-	7	7	4	-	3	-	-	2	-	3	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	16	-	-	1	-	-	4	3	-	-	3	-	-	1	-	2	-	1	-	-	1	-	-	-	-	-	-
61	Diabetes mellitus	259	-	-	-	-	-	3	3	1	4	2	7	7	11	21	22	31	38	46	28	23	9	2	1	-	-	-
	White-----M--	73	-	-	-	-	-	2	2	-	-	2	4	2	2	4	4	9	10	14	8	5	3	1	1	-	-	-
	F--	94	-	-	-	-	-	-	1	-	-	-	1	2	1	2	7	10	14	22	18	10	6	-	-	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	1	-	1	3	-	2	1	2	2	3	2	2	3	1	2	-	-	-	-	-	-
	F--	67	-	-	-	-	-	-	-	-	1	-	-	2	6	13	8	10	12	7	1	6	-	1	-	-	-	-
63b	Exophthalmic goiter----------	16	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	3	1	3	2	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	3	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	41	-	-	-	-	-	-	-	1	-	1	-	1	-	1	3	4	4	4	7	7	6	-	2	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	2	2	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	3	4	2	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	1	3	1	2	-	1	-	-	-
77	Alcoholism (ethylism)-------	38	-	-	-	1	-	-	1	-	-	4	2	9	2	5	7	2	3	1	1	-	-	-	-	-	-	-
	White-----M--	27	-	-	-	-	-	-	1	-	-	2	2	4	1	5	6	1	3	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,808	-	1	-	1	-	14	-	5	10	15	25	60	77	138	184	220	270	223	232	176	85	52	13	10	4	3
	White-----M--	457	-	-	-	1	-	-	-	2	3	-	4	6	7	21	33	45	61	77	82	63	30	19	3	-	-	-
	F--	422	-	-	-	-	-	1	-	1	-	1	4	6	9	19	33	36	59	56	66	63	33	25	6	4	-	-
	Nonwhite--M--	441	-	1	-	-	-	-	-	-	6	1	8	25	24	35	67	73	73	37	42	28	12	4	-	2	2	1
	F--	488	-	-	-	-	-	3	-	2	1	13	9	23	37	63	51	66	77	53	42	22	10	4	4	4	2	2
90-95	Diseases of the heart----------	3,539	3	2	3	1	-	8	14	12	15	33	57	99	157	252	380	427	481	477	395	317	202	133	47	16	5	3
	White-----M--	1,378	-	-	-	-	-	1	2	3	2	11	11	26	41	87	154	176	217	231	167	121	67	47	13	1	-	-
	F--	846	1	1	-	-	-	-	1	4	5	3	8	8	20	23	41	46	87	127	147	147	90	60	20	6	1	-
	Nonwhite--M--	563	-	-	3	1	-	3	5	2	3	6	17	31	42	72	100	110	88	65	40	29	24	10	6	4	1	1
	F--	652	2	1	-	-	-	4	6	3	5	13	21	34	54	70	85	95	89	54	41	20	21	16	8	5	3	2
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	229	-	-	1	-	-	3	12	7	4	10	7	15	13	15	14	16	21	25	16	15	16	12	3	2	1	1
	White-----M--	62	-	-	-	-	-	1	1	2	-	4	3	2	3	5	3	4	3	15	4	4	3	5	-	-	-	-
	F--	54	-	-	-	-	-	-	1	2	2	2	-	2	3	-	3	1	5	3	7	9	7	6	1	-	-	-
	Nonwhite--M--	58	-	-	1	-	-	1	4	1	-	-	3	6	4	6	6	6	6	3	3	1	4	-	1	1	-	1
	F--	55	-	-	-	-	-	1	6	2	2	4	1	5	3	4	2	5	7	4	2	1	2	1	1	1	1	-
94	Diseases of coronary arteries and angina pectoris---------	1,134	1	-	-	-	-	-	-	-	3	9	20	38	47	102	154	149	172	165	113	93	39	23	5	1	-	-
	White-----M--	623	-	-	-	-	-	-	-	-	-	3	7	17	19	54	97	90	110	105	50	50	11	9	1	-	-	-
	F--	254	-	-	-	-	-	-	-	-	1	-	3	3	6	9	18	14	31	48	47	39	21	10	3	1	-	-
	Nonwhite--M--	142	-	-	-	-	-	-	-	-	1	1	7	12	13	20	23	27	15	8	5	3	4	2	1	-	-	-
	F--	115	1	-	-	-	-	-	-	-	1	5	3	6	9	19	16	18	16	4	11	1	3	2	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	2,176	2	2	2	1	-	5	2	5	8	14	30	46	97	135	212	262	289	287	266	209	147	98	39	13	4	2
	White-----M--	693	-	-	-	-	-	-	1	1	2	4	1	7	19	28	54	82	104	111	113	67	53	33	12	1	-	-
	F--	538	1	1	-	-	-	-	-	2	2	1	3	3	11	14	20	31	51	76	93	99	62	44	16	5	1	-
	Nonwhite--M--	463	-	-	2	1	-	2	1	1	2	5	7	13	25	46	71	77	67	54	32	25	16	8	4	3	1	-
	F--	482	1	1	-	-	-	3	-	1	2	4	17	23	42	47	67	72	66	46	28	18	16	13	7	4	2	2

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																											
97,102	Arteriosclerosis and high blood pressure*	302	-	-	-	-	-	-	-	-	3	-	1	4	7	8	20	22	42	54	56	48	28	18	10	1	-	-
	White—M	87	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	5	11	18	14	19	6	5	1	1	-	-
	F	76	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	3	7	10	11	15	9	8	6	-	-	-
	Nonwhite—M	72	-	-	-	-	-	-	-	-	1	-	-	1	3	3	5	10	11	13	6	11	3	4	1	-	-	-
	F	67	-	-	-	-	-	-	-	-	2	-	1	1	1	3	8	4	13	13	5	3	10	1	2	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,042	328	65	33	8	8	19	13	8	21	20	21	31	25	41	45	48	63	58	47	42	30	47	11	5	5	-
	White—M	246	68	19	2	1	2	2	1	1	-	2	3	5	5	8	11	13	17	17	24	14	11	16	3	-	-	-
	F	190	45	4	5	3	1	3	2	-	1	3	4	2	2	6	3	4	10	17	15	18	12	21	7	2	-	-
	Nonwhite—M	341	122	26	12	2	4	7	8	3	12	9	6	15	11	15	16	19	21	13	2	5	4	5	1	1	2	-
	F	265	92	16	14	2	1	7	2	4	8	6	8	9	7	12	15	12	15	11	6	5	3	5	-	2	3	-
107	Bronchopneumonia	388	162	28	11	5	4	3	2	3	-	5	5	5	6	13	6	12	27	21	16	14	12	19	5	2	2	-
	White—M	101	30	10	1	1	-	-	1	1	-	1	-	3	2	5	3	4	12	7	7	3	4	5	1	-	-	-
	F	82	22	1	4	1	1	-	-	-	-	2	2	-	-	3	1	1	4	4	8	8	6	8	4	2	-	-
	Nonwhite—M	118	68	8	1	2	3	2	1	1	-	1	1	1	2	3	1	4	8	5	-	1	1	3	-	-	1	-
	F	87	42	9	5	1	-	1	-	1	-	1	2	1	2	2	1	3	3	5	1	2	1	3	-	-	1	-
108	Lobar pneumonia	367	68	21	15	2	3	8	8	2	12	9	10	16	15	20	27	21	17	28	14	17	13	12	4	1	3	-
	White—M	82	22	6	1	-	1	2	-	-	-	1	2	-	2	2	7	4	2	8	6	5	5	4	2	-	-	-
	F	62	9	2	-	1	-	1	1	-	1	-	-	1	1	2	2	3	4	10	4	8	4	6	2	-	-	-
	Nonwhite—M	135	18	9	8	-	1	2	5	1	8	5	3	12	8	9	12	10	7	6	2	3	3	2	-	-	1	-
	F	88	20	4	6	1	1	3	2	1	3	3	5	3	4	7	6	4	4	4	2	1	1	-	-	1	2	-
109	Pneumonia (unspecified)	70	35	3	-	-	-	5	1	-	-	3	2	2	-	1	1	2	5	-	4	3	-	2	-	1	-	-
	White—M	15	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	4	2	-	1	-	-	-	-
	F	11	6	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite—M	27	15	1	-	-	-	3	1	-	-	3	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	17	10	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-
33	Influenza	217	62	13	7	1	1	3	2	3	9	3	4	8	4	7	11	13	14	9	13	8	5	14	2	1	-	-
	White—M	48	13	3	-	-	1	-	-	-	-	-	1	2	1	1	-	4	1	2	7	4	2	6	-	-	-	-
	F	35	8	-	1	1	-	2	1	-	-	1	1	1	1	-	-	-	2	3	3	1	2	8	1	-	-	-
	Nonwhite—M	61	21	8	3	-	-	-	1	1	4	-	1	-	1	3	3	4	6	2	-	1	-	-	1	1	-	-
	F	73	20	2	3	-	-	1	-	2	5	2	1	5	1	3	8	5	5	2	3	2	1	2	-	-	-	-
117	Ulcer of stomach or duodenum	77	-	-	-	-	-	-	-	-	1	5	9	3	7	9	3	11	2	7	10	7	-	2	-	-	-	1
	White—M	36	-	-	-	-	-	-	-	-	-	3	2	2	5	4	1	6	2	2	5	3	-	1	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	2	3	1	-	1	-	-	-	-
	Nonwhite—M	26	-	-	-	-	-	-	-	-	-	2	6	-	1	4	2	3	-	3	2	2	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	118	77	16	6	1	-	1	-	-	-	-	1	-	1	-	4	1	2	2	1	1	4	-	-	-	-	-
	White—M	25	18	1	1	-	-	1	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	F	17	9	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-
	Nonwhite—M	41	27	6	4	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	F	35	23	5	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	1	-	-	-	-	-
121	Appendicitis	54	-	1	2	-	-	3	2	4	3	4	5	6	2	5	2	4	1	5	3	1	1	-	-	-	-	-
	White—M	14	-	1	1	-	-	-	-	-	-	1	1	2	1	2	-	3	-	1	1	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	2	1	1	2	2	1	-	-	-	-	-	-	3	2	1	1	-	-	-	-	-
	Nonwhite—M	15	-	-	-	-	-	1	1	2	1	1	2	2	1	2	1	-	1	-	-	-	-	-	-	-	-	-
	F	9	-	-	1	-	-	-	-	1	-	-	1	2	-	1	1	1	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	93	6	-	-	-	-	1	1	1	5	3	8	7	11	7	10	3	12	8	4	1	1	4	-	-	-	-
	White—M	25	4	-	-	-	-	1	-	1	1	-	-	1	2	1	1	1	4	3	2	1	1	1	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	2	-	3	3	6	1	1	1	3	2	-	-	-	1	-	-	-	-
	Nonwhite—M	22	-	-	-	-	-	-	-	-	1	-	1	-	3	2	6	1	4	2	-	-	-	2	-	-	-	-
	F	23	2	-	-	-	-	-	1	-	1	3	4	3	-	3	2	-	1	1	2	-	-	-	-	-	-	-
124	Cirrhosis of the liver	77	-	-	-	-	-	-	-	1	-	-	3	7	7	9	16	6	12	4	3	3	2	2	2	-	-	-
	White—M	46	-	-	-	-	-	-	-	-	-	-	3	5	4	7	10	3	7	2	3	2	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	1	-	1	1	2	2	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	3	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	-	-	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	38	-	-	-	-	-	-	1	1	-	1	1	2	2	-	-	11	5	7	6	2	-	1	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	2	2	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	4	-	4	4	2	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	2	-	1	-	-	-	1	-	-	-	-
130-132	Nephritis	1,478	2	-	3	2	1	3	2	10	12	25	34	35	70	118	140	156	203	168	166	154	70	60	26	13	5	-
	White—M	337	1	-	-	2	-	1	-	2	1	4	2	5	12	11	24	25	42	55	48	56	25	16	4	-	1	-
	F	277	-	-	1	-	-	1	-	4	3	2	3	2	7	14	14	17	25	30	52	46	23	21	10	2	-	-
	Nonwhite—M	458	1	-	1	-	-	1	2	2	4	7	13	12	19	49	60	53	79	47	35	32	15	13	5	6	2	-
	F	406	-	-	1	-	1	-	-	2	4	12	16	16	32	44	42	61	57	36	31	20	7	10	7	5	2	-
137	Diseases of the prostate	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	6	9	22	16	4	3	1	1	-	-
	White—M	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	14	13	4	2	1	1	-	-
	Nonwhite—M	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	2	8	3	-	1	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																											
140-150	Diseases of pregnancy, etc.*----	148	-	-	-	-	-	-	2	21	31	31	25	24	10	3	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	53	-	-	-	-	-	-	-	6	13	13	9	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	95	-	-	-	-	-	-	2	15	18	18	16	17	5	3	1	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia------	39	-	-	-	-	-	-	-	8	6	12	7	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	-	-	-	-	-	-	-	1	4	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	26	-	-	-	-	-	-	-	7	2	7	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	47	-	-	-	-	-	-	2	12	10	6	7	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	-	-	-	-	-	-	-	5	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	36	-	-	-	-	-	-	2	7	7	5	7	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	45	-	-	-	-	-	-	-	-	10	11	9	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	24	-	-	-	-	-	-	-	-	5	6	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	21	-	-	-	-	-	-	-	-	5	5	3	7	-	-	1	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes----------	17	-	-	-	-	-	-	-	1	5	2	2	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	12	-	-	-	-	-	-	-	1	4	1	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	194	158	13	5	1	1	1	2	6	3	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	76	64	1	1	-	-	1	2	3	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	70	61	5	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	30	21	5	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	12	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,067	1,067	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	361	361	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	275	275	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	232	232	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	199	199	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	743	743	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	257	257	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	212	212	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	146	146	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	128	128	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year------	324	324	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	104	104	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	63	63	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	86	86	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	124	-	-	-	-	-	-	-	4	19	13	14	13	11	11	12	8	6	6	5	1	1	-	-	-	-	-
	White-----M--	91	-	-	-	-	-	-	-	1	12	10	11	11	7	8	9	5	5	5	5	1	1	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	2	3	2	1	1	3	1	2	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	4	1	1	1	1	2	1	1	1	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	246	2	-	-	-	-	2	3	18	50	58	36	20	18	13	9	9	4	2	-	1	-	-	-	-	-	1
	White-----M--	61	-	-	-	-	-	-	2	3	7	14	7	7	7	3	3	5	3	-	-	-	-	-	-	-	-	-
	F--	12	2	-	-	-	-	-	-	1	2	-	2	-	2	1	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	141	-	-	-	-	-	1	1	11	32	37	20	10	9	9	4	3	1	2	-	-	-	-	-	-	-	1
	F--	32	-	-	-	-	-	1	-	3	9	7	7	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,422	60	32	33	27	30	74	78	113	168	144	93	93	78	76	67	47	39	44	42	26	32	16	9	1	-	-
	White-----M--	605	23	5	4	8	7	20	41	54	92	66	41	40	28	32	27	23	23	28	19	8	9	5	2	-	-	-
	F--	213	11	5	3	5	5	16	7	13	16	18	9	6	12	8	7	4	5	6	11	15	16	9	7	1	-	-
	Nonwhite--M--	435	14	11	14	9	13	18	21	35	46	52	38	39	26	28	24	16	9	6	8	2	5	1	-	-	-	-
	F--	169	12	11	12	5	5	20	9	11	14	10	5	8	12	8	9	4	2	4	4	1	2	1	-	-	-	-
170	Motor-vehicle accidents-------	627	5	6	5	10	10	35	37	62	95	83	45	43	28	35	31	31	21	18	15	6	4	2	-	-	-	-
	White-----M--	299	2	1	-	3	3	14	20	34	50	39	22	17	11	11	13	17	13	12	10	4	2	1	-	-	-	-
	F--	85	-	2	-	3	1	8	7	5	12	11	6	5	5	5	4	3	4	2	1	-	-	1	-	-	-	-
	Nonwhite--M--	189	2	2	1	4	6	7	8	17	25	30	14	18	8	14	13	8	3	3	3	2	1	-	-	-	-	-
	F--	54	1	1	4	-	-	6	2	6	8	3	3	3	4	5	1	3	1	1	1	-	1	-	-	-	-	-
169, 171-195	Other accidents--	795	55	26	28	17	20	39	41	51	73	61	48	50	50	41	36	16	18	26	27	20	28	14	9	1	-	-
	White-----M--	306	21	4	4	5	4	6	21	20	42	27	19	23	17	21	14	6	10	16	9	4	7	4	2	-	-	-
	F--	128	11	3	3	2	4	8	-	8	4	5	3	1	7	3	3	1	1	4	10	15	16	8	7	1	-	-
	Nonwhite--M--	248	12	9	13	5	7	11	13	18	21	22	24	21	18	14	11	8	6	3	5	-	4	1	-	-	-	-
	F--	115	11	10	8	5	5	14	7	5	6	7	2	5	8	3	8	1	1	3	3	1	1	1	-	-	-	-
162,189, 200	Senility, ill-defined and unknown causes----	851	332	15	6	-	4	7	4	8	18	15	16	22	30	41	53	41	46	36	41	34	23	22	17	12	8	-
	White-----M--	103	21	-	3	-	-	-	-	-	3	1	-	4	4	5	8	7	5	5	11	12	4	4	3	2	-	-
	F--	69	14	2	1	-	-	-	-	-	2	2	1	-	2	1	1	3	4	5	4	5	2	10	6	3	1	-
	Nonwhite--M--	364	167	10	1	-	3	5	2	4	4	6	5	4	10	15	26	20	21	13	17	8	11	5	2	3	2	-
	F--	315	130	3	1	-	1	2	2	4	9	6	10	14	14	20	17	11	16	13	9	9	6	3	6	4	5	-
	All other causes-	897	113	35	11	13	7	27	16	36	33	56	47	56	64	68	45	56	46	59	43	31	17	12	2	2	1	1
	White-----M--	258	27	8	2	4	2	6	2	13	6	12	6	12	12	24	13	21	17	31	15	15	7	3	-	-	-	-
	F--	235	26	8	5	4	1	11	3	8	7	10	10	15	16	15	9	13	12	15	19	12	9	6	2	1	-	-
	Nonwhite--M--	197	37	14	1	3	-	3	5	7	6	19	12	10	15	11	14	11	10	8	5	3	-	1	-	-	1	1
	F--	207	23	5	3	2	4	7	6	10	14	15	19	19	21	18	9	11	7	5	4	1	1	2	-	1	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA																											
	All causes-------	5,508	432	41	28	22	18	56	41	72	93	77	87	101	130	184	275	335	475	585	637	665	564	402	129	30	4	5
	White-----M--	3,128	205	15	9	13	5	32	27	41	44	46	50	66	73	107	169	209	304	381	388	378	296	209	65	12	1	3
	F--	2,045	157	18	11	5	8	17	7	17	23	20	28	27	48	63	89	114	151	209	227	287	253	188	59	17	2	-
	Nonwhite--M--	177	38	4	6	3	3	2	2	5	8	5	6	6	5	5	8	8	13	6	17	14	8	2	1	-	1	1
	F--	158	32	4	2	1	2	5	5	9	18	6	3	2	4	9	9	4	7	9	5	6	7	3	4	1	-	1
1,2	Typhoid and paratyphoid fever---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	6	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	172	9	3	2	1	1	5	5	14	23	9	8	6	12	8	12	11	16	9	8	4	4	2	-	-	-	-
	White-----M--	63	1	-	-	-	-	-	1	2	1	4	3	3	5	2	9	8	9	5	4	2	3	1	-	-	-	-
	F--	19	-	-	-	-	-	-	-	1	2	1	1	1	3	3	1	-	1	3	2	-	-	-	-	-	-	-
	Nonwhite--M--	42	5	1	2	-	1	2	-	3	5	1	4	-	3	1	2	3	5	1	1	1	-	1	-	-	-	-
	F--	48	3	2	-	1	-	3	4	8	15	3	-	2	1	2	-	-	1	-	1	1	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*----	156	7	3	1	-	1	4	5	13	21	8	8	6	12	6	12	9	15	8	8	4	4	1	-	-	-	-
	White-----M--	60	1	-	-	-	-	-	1	2	1	3	3	3	5	2	9	7	9	4	4	2	3	1	-	-	-	-
	F--	17	-	-	-	-	-	-	-	1	1	1	1	1	3	2	1	-	1	3	2	-	-	-	-	-	-	-
	Nonwhite--M--	37	3	1	1	-	1	2	-	3	5	1	4	-	3	1	2	2	5	1	1	1	-	-	-	-	-	-
	F--	42	3	2	-	-	-	2	4	7	14	3	-	2	1	1	-	-	-	-	1	1	1	-	-	-	-	-
14-22	Tuberculosis (other forms)---	16	2	-	1	1	-	1	-	1	2	1	-	-	-	2	-	2	1	1	-	-	-	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	6	-	-	-	1	-	1	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery--------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis----------	27	2	-	-	-	-	-	-	-	-	1	-	-	1	3	1	5	5	3	2	2	2	-	-	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	4	5	2	1	1	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles----------	6	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomyelitis (acute)---	36	3	1	-	-	-	9	2	6	10	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	23	2	-	-	-	-	4	2	5	7	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	-	1	-	-	-	4	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Continued																											
45-55	Cancer and other malignant tumors	718	-	2	1	-	-	2	2	1	2	4	5	11	26	37	62	70	95	91	98	107	67	29	5	1	-	-
	White-----M--	375	-	-	1	-	-	2	2	1	1	4	3	4	9	15	26	31	52	54	52	59	41	15	2	1	-	-
	F--	330	-	1	-	-	-	-	-	-	1	-	2	7	17	22	33	39	41	36	44	45	26	14	2	-	-	-
	Nonwhite--M--	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	2	-	-	1	-	-	-
46	Cancer of the digestive organs and peritoneum--	340	-	-	-	-	-	1	-	-	-	-	1	1	9	15	23	28	51	50	51	62	36	10	2	-	-	-
	White-----M--	195	-	-	-	-	-	1	-	-	-	-	-	1	6	10	12	16	30	33	31	31	19	4	1	-	-	-
	F--	138	-	-	-	-	-	-	-	-	-	-	1	-	3	5	9	12	20	16	19	30	17	6	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
48,49	Cancer of female genital organs--	55	-	-	-	-	-	-	-	-	-	-	-	3	3	5	10	6	7	6	6	7	1	1	-	-	-	-
	White-----F--	53	-	-	-	-	-	-	-	-	-	-	-	3	3	5	9	6	7	6	6	6	1	1	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
50	Cancer of breast-	70	-	-	-	-	-	-	-	-	-	-	-	1	4	9	10	13	6	8	5	4	7	2	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	69	-	-	-	-	-	-	-	-	-	-	-	1	4	9	10	13	6	8	5	3	7	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	253	-	2	1	-	-	1	2	1	2	4	4	6	10	8	19	23	31	27	36	34	23	16	2	1	-	-
	White-----M--	180	-	-	1	-	-	1	2	1	1	4	3	3	3	5	14	15	22	21	21	28	22	11	1	1	-	-
	F--	70	-	1	-	-	-	-	-	-	1	-	1	3	7	3	5	8	8	6	14	6	1	5	1	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	7	-	-	-	-	-	1	2	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	120	-	-	-	-	-	2	-	-	1	1	2	5	1	4	5	5	9	21	24	21	14	5	-	-	-	-
	White-----M--	52	-	-	-	-	-	-	-	-	1	-	-	2	1	3	1	1	4	9	13	10	5	2	-	-	-	-
	F--	64	-	-	-	-	-	2	-	-	-	1	2	3	-	1	3	3	5	11	10	11	9	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	14	-	-	-	-	-	-	-	-	-	1	-	2	1	4	1	1	2	-	2	-	-	-	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	1	-	1	1	4	1	1	2	-	2	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	543	-	-	-	-	-	-	1	-	-	1	-	2	6	9	15	30	46	84	84	105	89	59	10	1	-	1
	White-----M--	285	-	-	-	-	-	-	-	-	-	1	-	1	4	2	7	16	23	44	50	54	42	37	3	-	-	1
	F--	252	-	-	-	-	-	-	1	-	-	-	-	1	2	7	7	14	22	40	33	49	46	22	7	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
90-95	Diseases of the heart----------	1,469	1	1	-	-	-	3	1	2	5	6	10	13	18	41	75	94	175	213	228	229	180	126	38	9	1	-
	White-----M--	931	-	1	-	-	-	2	1	1	3	2	5	7	14	26	61	77	124	137	147	130	98	73	17	5	-	-
	F--	511	1	-	-	-	-	1	-	1	-	4	3	4	4	11	14	16	49	72	77	96	81	53	20	3	1	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	1	-	1	2	-	2	-	1	2	-	4	3	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	4	-	-	1	-	1	1	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	67	-	-	-	-	-	2	1	1	3	2	4	1	2	6	1	4	4	8	15	7	3	3	-	-	-	-
	White-----M--	39	-	-	-	-	-	1	1	1	1	1	2	-	-	4	1	3	1	6	9	5	2	1	-	-	-	-
	F--	23	-	-	-	-	-	1	-	-	-	1	-	1	2	1	-	1	3	2	6	2	1	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	558	1	1	-	-	-	-	-	-	-	1	4	4	10	17	47	52	82	96	81	60	51	38	12	1	-	-
	White-----M--	389	-	1	-	-	-	-	-	-	-	1	2	4	9	14	39	44	63	65	55	37	27	22	5	1	-	-
	F--	161	1	-	-	-	-	-	-	-	-	-	2	-	1	2	8	8	19	28	24	22	24	16	6	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	844	-	-	-	-	-	1	-	1	2	3	2	8	6	18	27	38	89	109	132	162	126	85	26	8	1	-
	White-----M--	503	-	-	-	-	-	1	-	-	2	-	1	3	5	8	21	30	60	66	83	88	69	50	12	4	-	-
	F--	327	-	-	-	-	-	-	-	1	-	3	1	3	1	8	6	7	27	42	47	72	56	35	14	3	1	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	-	2	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List - No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Continued																											
97,102	Arteriosclerosis and high blood pressure*	150	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	7	5	14	13	26	37	29	12	1	2	-
	White—M	86	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	10	6	17	23	15	5	1	-	-
	F	61	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	4	7	9	14	14	6	-	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	254	49	7	5	3	3	2	-	6	2	2	3	7	4	6	10	11	12	13	19	17	27	34	11	1	-	-
	White—M	135	15	4	1	2	-	2	-	2	2	1	2	6	3	5	7	4	9	11	14	8	14	15	8	-	-	-
	F	93	22	2	2	-	-	-	-	4	-	-	1	1	1	-	2	6	3	2	4	9	11	19	3	1	-	-
	Nonwhite—M	15	7	1	2	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	11	5	-	-	-	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-
107	Bronchopneumonia	94	31	1	1	1	1	1	-	4	-	1	-	3	-	3	2	1	4	3	6	4	9	12	5	1	-	-
	White—M	43	6	1	-	1	-	1	-	1	-	-	-	2	-	2	1	1	4	3	4	1	5	4	4	-	-	-
	F	40	17	-	-	-	-	-	-	3	-	-	-	1	-	-	1	-	-	-	1	3	4	8	1	1	-	-
	Nonwhite—M	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	6	3	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	87	10	3	4	1	1	-	-	2	-	1	-	2	2	2	8	5	2	5	11	8	6	10	4	-	-	-
	White—M	48	3	1	1	1	-	-	-	1	-	1	-	2	2	2	6	2	1	3	9	4	1	5	3	-	-	-
	F	31	3	1	2	-	-	-	-	1	-	-	-	-	-	-	1	3	1	2	2	4	5	5	1	-	-	-
	Nonwhite—M	7	3	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	32	7	-	-	-	-	-	-	-	2	-	2	-	1	-	-	3	2	3	-	2	6	4	-	-	-	-
	White—M	20	4	-	-	-	-	-	-	-	2	-	1	-	1	-	-	1	2	3	-	1	4	1	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	3	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
33	Influenza	41	1	3	-	1	1	1	-	-	-	-	1	2	1	1	-	2	4	2	2	3	6	8	2	-	-	-
	White—M	24	-	2	-	-	-	1	-	-	-	-	1	2	-	1	-	-	2	2	1	2	4	5	1	-	-	-
	F	15	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	1	1	2	3	1	-	-	-
	Nonwhite—M	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	27	-	-	-	-	-	-	-	-	-	1	-	1	1	2	6	2	4	2	4	4	-	-	-	-	-	-
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	2	4	2	3	3	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	30	12	2	1	1	2	1	-	-	-	-	-	-	-	-	-	-	2	1	2	-	3	2	1	-	-	-
	White—M	8	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	F	17	5	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	3	1	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
121	Appendicitis	27	-	-	-	1	1	4	1	-	-	3	1	1	4	2	2	1	2	1	2	1	-	-	-	-	-	-
	White—M	14	-	-	-	1	1	2	-	-	-	2	-	1	1	2	1	1	-	1	1	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	2	1	-	-	1	1	-	2	-	1	-	2	-	1	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	47	-	-	-	-	-	-	1	-	1	-	-	1	1	4	3	7	5	4	9	6	3	2	-	-	-	-
	White—M	22	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	4	2	4	7	3	-	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	1	-	-	1	1	4	2	2	3	-	2	3	3	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	30	-	-	-	-	1	-	-	-	-	1	-	-	2	-	4	3	7	3	2	4	2	1	-	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	5	1	1	2	1	-	-	-	-	-
	F	12	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	2	2	1	2	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	33	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	4	5	3	5	4	1	2	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	1	1	2	-	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	1	2	3	1	1	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	260	-	-	-	-	-	2	-	1	3	3	1	6	4	5	11	17	22	33	40	51	30	24	5	2	-	-
	White—M	157	-	-	-	-	-	1	-	1	2	1	-	4	1	4	6	11	15	22	26	27	19	12	5	-	-	-
	F	96	-	-	-	-	-	1	-	-	-	2	1	2	3	1	4	6	5	11	14	21	11	12	-	2	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
137	Diseases of the prostate	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	17	7	6	4	3	-	-	-
	White—M	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	16	6	4	4	3	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Continued																											
140-150	Diseases of pregnancy, etc.*	15	-	-	-	-	-	-	-	1	2	2	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	-	-	-	-	-	-	-	1	2	1	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	7	-	-	-	-	-	-	-	1	1	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	1	1	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	7	-	-	-	-	-	-	-	-	1	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	65	52	4	1	1	1	-	1	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	32	27	-	1	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	31	23	4	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	250	250	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	139	139	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	91	91	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	147	147	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	80	80	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	55	55	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	103	103	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	59	59	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	36	36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	69	-	-	-	-	-	-	-	1	3	4	6	5	5	7	8	9	6	7	5	1	1	1	-	-	-	-
	White—M	54	-	-	-	-	-	-	-	1	1	3	4	4	5	6	6	7	5	6	4	1	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	2	1	2	1	-	1	2	2	1	-	1	-	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	8	1	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	459	6	16	9	6	1	15	17	28	31	22	28	30	17	13	22	20	14	33	29	33	34	19	9	6	1	-
	White—M	320	3	8	3	4	-	12	16	25	20	20	24	28	13	11	13	14	12	23	17	24	17	7	4	1	1	-
	F	121	2	8	5	2	1	3	1	2	10	-	3	1	3	2	7	4	1	9	11	9	16	12	4	5	-	-
	Nonwhite—M	14	-	-	1	-	-	-	-	1	1	2	1	1	1	-	2	1	1	-	1	-	1	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-
170	Motor-vehicle accidents	161	-	6	2	1	-	6	6	17	20	13	14	13	4	7	6	6	6	13	8	10	3	2	-	-	-	-
	White—M	127	-	3	1	1	-	5	5	15	11	12	12	12	4	6	4	5	5	10	3	10	2	1	-	-	-	-
	F	30	-	3	1	-	-	1	1	2	9	-	2	1	-	1	1	1	1	2	3	-	-	1	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	298	6	10	7	5	1	9	11	11	11	9	14	17	13	6	16	14	8	20	23	23	31	17	9	6	1	-
	White—M	193	3	5	2	3	-	7	11	10	9	8	12	16	9	5	9	9	7	13	14	14	15	6	4	1	1	-
	F	91	2	5	4	2	1	2	-	-	1	-	1	-	3	1	6	3	-	7	8	9	16	11	4	5	-	-
	Nonwhite—M	11	-	-	1	-	-	-	-	1	1	1	1	1	1	-	1	1	1	-	1	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	227	25	2	1	1	-	1	3	1	2	1	2	1	3	7	8	5	11	12	12	23	30	43	22	7	-	4
	White—M	95	4	-	-	-	-	-	1	-	1	-	-	-	2	4	4	3	6	5	2	9	13	20	15	4	-	2
	F	59	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	3	9	12	20	6	3	-	-
	Nonwhite—M	33	7	1	-	1	-	-	1	1	-	1	-	1	-	1	1	-	2	2	4	4	3	1	1	-	-	1
	F	40	13	1	1	-	-	1	1	-	1	-	1	-	1	2	3	1	3	2	3	1	2	2	-	-	-	1
	All other causes	388	17	3	6	5	6	9	5	10	5	10	11	4	16	25	25	30	31	32	31	39	33	20	13	2	-	-
	White—M	195	9	2	3	4	1	6	2	3	5	3	7	2	9	14	12	14	18	20	20	20	12	7	2	-	-	-
	F	178	7	1	2	1	4	3	2	6	-	6	4	2	6	9	12	16	12	10	10	19	20	13	11	2	-	-
	Nonwhite—M	5	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F	10	1	-	-	-	1	-	-	1	-	1	-	-	1	1	1	-	-	1	1	-	1	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE																											
	All causes-------	27,650	2,974	234	116	91	64	239	213	425	621	705	752	953	1,065	1,326	1,720	2,006	2,252	2,611	3,080	2,765	1,811	1075	377	213	46	16
	White-----M--	11,986	1,368	90	51	31	31	98	99	192	243	275	286	349	423	502	715	886	996	1,158	1,383	1,309	842	444	147	34	6	8
	F--	9,171	941	90	37	37	22	86	66	99	191	188	205	271	271	351	421	531	684	877	1,161	1,087	774	541	173	53	11	3
	Nonwhite--M--	3,356	344	31	15	11	5	36	19	55	99	121	125	165	191	243	329	297	295	309	282	194	97	43	25	12	10	3
	F--	3,137	301	23	13	12	6	19	29	79	88	121	136	168	200	230	255	292	277	267	234	175	98	47	32	14	19	2
1,2	Typhoid and paratyphoid fever---	20	-	-	-	-	-	1	2	3	1	1	4	3	1	-	2	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	1	2	2	-	-	3	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	53	14	8	4	4	2	2	3	3	2	1	1	2	1	1	-	2	-	1	2	-	-	-	-	-	-	-
	White-----M--	29	8	7	2	1	2	1	-	2	-	1	1	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	17	4	1	2	2	-	1	3	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	51	36	9	1	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	15	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	17	6	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	25	3	4	4	3	4	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	2	2	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	1	2	1	2	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,631	12	9	10	3	1	9	19	73	125	150	131	146	132	115	122	111	105	124	104	70	35	21	2	1	-	1
	White-----M--	615	9	2	3	1	1	3	5	7	18	44	49	61	60	51	51	52	43	51	43	31	18	11	1	-	-	-
	F--	572	2	3	4	-	-	2	4	16	57	49	38	42	35	31	44	34	43	61	50	31	15	8	1	1	-	1
	Nonwhite--M--	218	1	3	2	1	-	1	5	17	19	15	23	21	23	22	17	14	12	7	5	7	1	2	-	-	-	-
	F--	226	-	1	1	1	-	3	5	33	31	42	21	22	14	11	10	11	7	5	6	1	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	1,500	4	1	3	1	-	3	13	65	116	138	127	137	127	112	113	104	97	116	100	65	34	21	2	1	-	-
	White-----M--	571	3	-	1	-	-	1	3	6	16	43	49	59	58	49	46	50	40	48	40	30	17	11	1	-	-	-
	F--	537	1	-	-	-	-	2	3	14	53	48	37	40	34	31	43	32	40	56	49	29	15	8	1	1	-	-
	Nonwhite--M--	186	-	1	1	1	-	-	3	14	16	12	21	18	21	22	14	12	10	7	5	5	1	2	-	-	-	-
	F--	206	-	-	1	-	-	-	4	31	31	35	20	20	14	10	10	10	7	5	6	1	1	-	-	-	-	-
14-22	Tuberculosis (other forms)---	131	8	8	7	2	1	6	6	8	9	12	4	9	5	3	9	7	8	8	4	5	1	-	-	-	-	1
	White-----M--	44	6	2	2	1	1	2	2	1	2	1	-	2	2	2	5	2	3	3	3	1	1	-	-	-	-	-
	F--	35	1	3	4	-	-	-	1	2	4	1	1	2	1	-	1	2	3	5	1	2	-	-	-	-	-	1
	Nonwhite--M--	32	1	2	1	-	-	1	2	3	3	3	2	3	2	-	3	2	2	-	-	2	-	-	-	-	-	-
	F--	20	-	1	-	1	-	3	1	2	-	7	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	28	13	2	1	-	-	-	-	-	-	-	-	2	-	1	1	-	1	2	1	2	1	1	-	-	-	-
	White-----M--	13	7	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	1	-	-	-	-
	F--	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-
28	Malaria---------	17	-	-	-	-	-	-	-	-	3	1	1	1	3	1	-	1	3	-	3	-	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	2	-	1	1	2	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
30	Syphilis---------	266	18	2	-	-	-	-	-	8	2	9	19	23	30	24	34	33	22	18	11	9	3	1	-	-	-	-
	White-----M--	85	2	-	-	-	-	-	-	1	1	1	2	7	10	8	11	11	11	7	6	4	2	1	-	-	-	-
	F--	28	1	1	-	-	-	-	-	2	-	2	3	2	2	3	4	3	3	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	94	11	1	-	-	-	-	-	1	1	3	7	8	8	9	15	14	4	9	1	2	-	-	-	-	-	-
	F--	59	4	-	-	-	-	-	-	4	-	3	7	6	10	4	4	5	4	2	2	3	1	-	-	-	-	-
35	Measles---------	42	13	8	2	-	2	4	-	-	-	-	-	2	2	2	-	2	1	1	1	1	-	1	-	-	-	-
	White-----M--	10	4	-	1	-	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	4	5	1	-	-	1	-	-	-	-	-	2	1	2	-	1	-	1	1	-	-	1	-	-	-	-
	Nonwhite--M--	8	3	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliioencephalitis (acute)---	18	-	1	1	-	3	4	4	1	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	8	-	1	-	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	8	-	-	1	-	1	1	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Con.																											
45-55	Cancer and other malignant tumors	2,852	3	3	3	4	4	5	7	16	16	40	65	115	144	211	254	319	352	358	364	307	151	83	23	5	-	-
	White-----M--	1,071	3	1	2	2	3	3	1	7	9	15	17	26	27	55	74	99	137	156	162	143	78	37	12	1	-	-
	F--	1,301	-	1	1	2	1	2	4	6	6	16	34	65	79	101	115	146	154	157	160	131	68	41	9	2	-	-
	Nonwhite--M--	201	-	1	-	-	-	-	1	-	1	3	4	6	6	18	28	32	28	24	21	21	3	2	2	-	-	-
	F--	279	-	-	-	-	-	-	1	3	-	6	10	18	32	36	37	42	33	21	21	12	2	3	-	2	-	-
46	Cancer of the digestive organs and peritoneum--	1,178	1	2	-	1	2	-	2	2	5	13	15	25	32	66	102	129	159	168	189	148	68	39	8	2	-	-
	White-----M--	483	1	1	-	1	1	-	1	-	2	3	8	6	13	27	40	50	63	70	76	66	35	15	4	-	-	-
	F--	507	-	-	-	-	1	-	1	1	3	7	5	13	9	24	30	56	64	73	96	66	33	22	2	1	-	-
	Nonwhite--M--	113	-	1	-	-	-	-	-	-	-	1	2	4	4	7	18	19	17	16	12	10	-	-	2	-	-	-
	F--	75	-	-	-	-	-	-	-	1	-	2	-	2	6	8	14	4	15	9	5	6	-	2	-	1	-	-
48,49	Cancer of female genital organs--	442	-	-	-	-	-	-	1	1	-	6	24	44	52	52	59	54	41	37	32	26	7	6	-	-	-	-
	White-----F--	335	-	-	-	-	-	-	1	-	-	3	19	32	38	33	47	38	31	32	24	24	7	6	-	-	-	-
	Nonwhite--F--	107	-	-	-	-	-	-	-	1	-	3	5	12	14	19	12	16	10	5	8	2	-	-	-	-	-	-
50	Cancer of breast-	241	-	-	-	-	-	-	-	-	-	2	5	14	25	28	22	42	30	21	20	12	12	4	2	2	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	2	-	-	-	-	-
	F--	185	-	-	-	-	-	-	-	-	-	1	5	12	17	24	17	28	26	18	11	11	9	3	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	51	-	-	-	-	-	-	-	-	-	1	-	2	8	3	5	14	4	3	7	1	1	1	-	1	--	-
45,47, 51-55	Cancer (other sites)----------	991	2	1	3	3	2	5	4	13	11	19	21	32	35	65	71	94	122	132	123	121	64	34	13	1	-	-
	White-----M--	583	2	-	2	1	2	3	-	7	7	12	9	20	14	28	34	49	74	86	84	77	41	22	8	1	-	-
	F--	274	-	1	1	2	-	2	2	5	3	5	5	8	15	20	21	24	33	34	29	30	19	10	5	-	-	-
	Nonwhite--M--	88	-	-	-	-	-	-	1	-	1	2	2	2	2	11	10	13	11	8	9	11	3	2	-	-	-	-
	F--	46	-	-	-	-	-	-	1	1	-	-	5	2	4	6	6	8	4	4	1	3	1	-	-	-	-	-
58	Acute rheumatic fever----------	32	-	-	-	3	3	7	4	1	4	1	1	2	-	1	-	1	-	1	-	1	1	-	1	-	-	-
	White-----M--	5	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	17	-	-	-	2	3	2	2	1	3	-	-	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
61	Diabetes mellitus	394	1	-	2	-	-	1	5	3	2	6	2	8	16	15	33	32	48	64	74	59	17	6	-	-	-	-
	White-----M--	145	-	-	1	-	-	1	1	2	2	3	-	4	3	2	14	8	17	23	27	29	4	4	-	-	-	-
	F--	169	-	-	1	-	-	-	4	1	-	2	-	-	4	7	10	17	20	34	31	25	11	2	-	-	-	-
	Nonwhite--M--	30	1	-	-	-	-	-	-	-	-	-	-	-	4	4	4	2	4	2	5	2	2	-	-	-	-	-
	F--	50	-	-	-	-	-	-	-	-	-	1	2	4	5	2	5	5	7	5	11	3	-	-	-	-	-	-
63b	Exophthalmic goiter----------	44	-	-	-	-	-	-	1	-	-	-	1	1	2	5	9	4	9	5	4	3	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	1	-	-	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	2	6	3	3	2	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	1	-	-	-	-	1	2	1	2	1	1	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	60	-	-	-	-	-	-	-	1	-	1	-	1	-	1	4	4	5	11	11	9	6	4	2	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	3	5	5	5	1	1	1	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	2	4	4	3	4	2	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	-	-	-	-
77	Alcoholism (ethylism)------	38	-	-	-	-	-	-	-	-	2	1	3	3	2	8	9	2	1	3	3	-	1	-	-	-	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	2	1	3	3	2	6	6	2	-	3	3	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	2,782	-	2	2	3	-	2	3	2	6	17	19	35	64	110	195	223	288	386	509	439	270	145	43	12	6	1
	White-----M--	1,088	-	1	-	1	-	1	1	-	3	4	8	10	21	27	56	81	110	161	217	193	120	58	11	4	-	-
	F--	1,027	-	1	2	2	-	-	2	1	1	6	2	8	13	35	51	61	92	138	207	176	122	77	24	4	1	1
	Nonwhite--M--	294	-	-	-	-	-	1	-	1	-	5	5	7	8	15	48	33	38	44	36	31	9	5	4	3	1	-
	F--	373	-	-	-	-	-	-	-	-	2	2	4	10	22	33	40	48	48	43	49	39	19	5	4	1	4	-
90-95	Diseases of the heart----------	8,521	9	4	1	3	1	8	22	25	25	52	82	129	191	318	475	599	729	835	1,033	937	569	318	117	27	12	2
	White-----M--	3,165	5	1	-	2	-	1	11	14	6	16	32	59	95	143	246	319	371	406	512	470	253	137	52	10	4	-
	F--	2,022	4	2	-	-	1	3	3	9	7	16	20	30	33	53	70	122	192	250	380	363	254	148	50	10	2	-
	Nonwhite--M--	674	-	-	-	-	-	-	3	-	4	8	11	20	28	63	83	78	88	86	76	57	35	18	6	5	4	1
	F--	660	-	1	1	1	-	2	5	2	8	12	19	20	35	58	76	80	78	93	65	47	27	15	9	2	2	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	495	-	-	-	-	1	5	9	10	9	13	20	17	26	31	33	43	36	47	71	53	31	22	14	3	1	-
	White-----M--	210	-	-	-	-	-	1	4	6	3	3	10	7	10	9	13	13	13	22	38	25	14	12	7	-	-	-
	F--	163	-	-	-	-	1	3	2	3	3	8	6	8	10	9	8	14	8	14	20	15	15	8	5	3	-	-
	Nonwhite--M--	61	-	-	-	-	-	-	1	-	1	1	3	-	2	5	4	10	9	4	8	8	1	2	1	-	1	-
	F--	61	-	-	-	-	-	1	2	1	2	1	1	2	4	8	8	6	6	7	5	5	1	-	1	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	1,940	-	-	-	-	-	-	5	1	2	10	19	40	71	118	168	229	260	266	307	237	138	56	15	2	-	-
	White-----M--	1,195	-	-	-	-	-	-	2	1	-	4	11	26	52	78	126	157	173	165	167	125	66	30	10	2	-	-
	F--	530	-	-	-	-	-	-	1	-	-	2	2	5	5	14	17	41	61	77	118	96	62	25	4	-	-	-
	Nonwhite--M--	110	-	-	-	-	-	-	1	-	-	1	2	6	8	12	12	13	17	11	9	9	7	1	1	-	-	-
	F--	105	-	-	-	-	-	-	1	-	2	3	4	3	6	12	11	18	9	13	13	7	3	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	4,086	9	4	1	3	-	1	8	14	14	29	43	72	94	171	276	327	433	522	655	647	400	240	88	22	11	2
	White-----M--	1,760	5	1	-	2	-	-	5	7	3	9	11	26	33	56	107	149	185	219	307	320	173	95	35	8	4	-
	F--	1,329	4	2	-	-	-	-	-	6	4	6	12	17	18	30	45	67	123	159	242	252	177	115	41	7	2	-
	Nonwhite--M--	503	-	-	-	-	-	-	1	-	3	6	6	14	18	46	67	55	62	71	59	40	27	15	4	5	3	1
	F--	494	-	1	1	1	-	1	2	1	4	8	14	15	25	39	57	56	63	73	47	35	23	15	8	2	2	1

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE--Con.																											
97,102	Arteriosclerosis and high blood pressure*	339	-	-	-	-	-	-	-	-	-	1	2	-	1	5	14	24	27	40	57	57	56	33	15	6	1	-
	White--M	147	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	8	11	21	32	25	25	14	4	2	-	-
	F	115	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	5	3	7	14	24	25	15	9	3	-	-
	Nonwhite--M	38	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	6	7	7	3	4	-	-	1	1	-
	F	39	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	6	7	5	4	5	2	4	2	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,751	394	44	20	13	4	25	8	25	29	25	24	39	39	45	74	81	80	135	179	169	132	111	34	15	6	1
	White--M	672	168	16	9	4	2	10	4	8	9	6	3	7	6	14	28	24	35	47	73	73	61	45	13	5	1	1
	F	592	121	9	7	2	1	10	2	4	10	7	8	8	5	6	13	21	22	45	71	72	56	62	19	8	3	-
	Nonwhite--M	247	47	8	2	3	1	3	1	5	6	7	6	10	10	16	21	17	13	31	17	12	9	1	1	-	-	-
	F	240	58	11	2	4	-	2	1	8	4	5	7	14	18	9	12	19	10	12	18	12	6	3	1	2	2	-
107	Bronchopneumonia	704	242	18	8	6	-	7	-	3	11	6	7	10	10	13	15	28	21	45	67	69	47	43	15	10	3	-
	White--M	270	94	8	5	2	-	2	-	1	3	2	-	1	2	3	5	9	9	18	32	35	21	12	2	4	-	-
	F	271	75	2	2	1	-	4	-	2	4	2	4	3	2	4	2	9	7	20	26	30	22	30	13	5	2	-
	Nonwhite--M	78	33	4	1	1	-	1	-	-	2	2	1	1	1	4	5	5	2	6	4	3	2	-	-	-	-	-
	F	85	40	4	-	2	-	-	-	-	2	-	2	5	5	2	3	5	3	1	5	1	2	1	-	1	1	-
108	Lobar pneumonia	550	73	12	7	1	2	7	4	10	14	9	5	14	15	20	32	25	41	52	61	52	45	34	9	4	2	-
	White--M	229	32	4	3	1	1	5	3	2	5	2	1	3	3	8	14	9	21	20	28	21	21	17	4	-	1	-
	F	157	22	4	2	-	-	-	1	1	5	2	1	2	2	2	4	5	9	15	20	21	17	16	3	3	-	-
	Nonwhite--M	83	6	-	-	-	1	2	-	3	2	3	2	5	5	5	9	5	6	12	6	6	4	-	1	-	-	-
	F	81	13	4	2	-	-	-	-	4	2	2	1	4	5	5	5	6	5	5	7	4	3	1	1	1	1	-
109	Pneumonia (unspecified)	119	26	6	-	-	-	2	-	1	-	4	3	4	4	3	9	8	4	11	14	8	5	5	2	1	-	1
	White--M	51	13	1	-	-	-	-	-	-	-	2	1	1	-	2	3	3	1	4	7	3	2	4	2	1	-	1
	F	37	10	1	-	-	-	2	-	-	-	-	1	2	-	-	3	2	1	3	6	2	3	1	-	-	-	-
	Nonwhite--M	21	2	3	-	-	-	-	-	1	-	1	1	1	3	1	1	2	1	3	1	-	-	-	-	-	-	-
	F	10	1	1	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	1	-	1	-	-	-	-	-	-
33	Influenza	378	53	8	5	6	2	9	4	11	4	6	9	11	10	9	18	20	14	27	37	42	35	29	8	-	1	-
	White--M	122	29	3	1	1	1	3	1	5	1	-	1	2	1	1	6	3	4	5	6	14	17	12	5	-	-	-
	F	127	14	2	3	1	1	4	1	1	1	3	2	1	1	-	4	5	5	7	19	19	14	15	3	-	1	-
	Nonwhite--M	65	6	1	1	2	-	-	1	1	2	1	2	3	1	6	6	5	4	10	6	3	3	1	-	-	-	-
	F	64	4	2	-	2	-	2	1	4	-	2	4	5	7	2	2	7	1	5	6	6	1	1	-	-	-	-
117	Ulcer of stomach or duodenum	162	3	-	-	-	-	-	-	-	3	5	3	13	13	12	18	14	20	17	18	10	4	7	1	-	-	1
	White--M	85	1	-	-	-	-	-	-	-	1	2	-	8	6	5	9	9	13	11	7	5	2	5	1	-	-	-
	F	30	2	-	-	-	-	-	-	-	1	2	-	2	3	1	3	1	1	2	7	1	2	2	-	-	-	-
	Nonwhite--M	23	-	-	-	-	-	-	-	-	1	-	2	2	1	2	2	1	3	3	3	2	-	-	-	-	-	1
	F	24	-	-	-	-	-	-	-	-	-	1	1	1	3	4	4	3	3	1	1	2	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	233	168	16	3	1	1	-	1	3	3	2	2	4	2	2	2	4	3	3	3	1	4	4	1	-	-	-
	White--M	87	62	6	1	-	1	-	1	2	2	1	-	1	-	-	-	2	-	1	3	-	1	3	-	-	-	-
	F	71	53	8	2	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	2	1	1	-	-	-
	Nonwhite--M	36	26	1	-	-	-	-	-	1	-	-	1	2	-	1	-	1	2	1	-	-	-	-	-	-	-	-
	F	39	27	1	-	1	-	-	-	-	1	-	1	1	2	-	1	1	-	1	-	1	1	-	-	-	-	-
121	Appendicitis	116	-	-	-	-	1	7	6	8	7	8	6	5	10	9	9	8	9	9	7	3	4	-	-	-	-	-
	White--M	55	-	-	-	-	1	2	3	2	3	5	3	-	5	2	3	4	7	8	2	3	2	-	-	-	-	-
	F	34	-	-	-	-	-	4	2	3	3	2	1	2	2	4	3	2	2	-	3	-	1	-	-	-	-	-
	Nonwhite--M	14	-	-	-	-	-	1	-	1	1	1	1	2	2	1	1	1	-	-	1	-	1	-	-	-	-	-
	F	13	-	-	-	-	-	-	1	2	-	-	1	1	1	2	2	1	-	1	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	195	16	5	1	2	-	2	1	1	6	8	6	9	8	13	17	19	13	23	11	18	11	3	2	-	-	-
	White--M	69	9	4	1	2	-	1	-	1	1	1	1	3	1	2	4	4	4	9	2	10	7	2	-	-	-	-
	F	57	1	-	-	-	-	1	1	-	2	4	1	1	4	4	4	8	2	9	5	7	2	1	-	-	-	-
	Nonwhite--M	36	2	1	-	-	-	-	-	-	1	2	1	1	1	2	6	6	3	3	4	-	2	-	1	-	-	-
	F	33	4	-	-	-	-	-	-	-	2	1	3	4	2	5	3	1	4	2	-	1	-	-	1	-	-	-
124	Cirrhosis of the liver	152	2	-	-	-	1	1	1	-	1	2	3	6	13	12	18	21	20	17	16	10	5	2	-	-	-	1
	White--M	86	-	-	-	-	-	-	1	-	1	1	2	4	6	5	9	16	11	10	12	5	2	-	-	-	-	1
	F	44	-	-	-	-	-	-	-	-	-	1	1	1	6	4	5	3	4	6	4	4	3	2	-	-	-	-
	Nonwhite--M	15	1	-	-	-	1	1	-	-	-	-	-	-	1	1	3	2	3	1	-	1	-	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	78	-	-	-	-	-	-	-	-	1	-	1	5	3	5	9	13	9	15	4	8	3	1	1	-	-	-
	White--M	24	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	5	4	2	2	2	1	-	-	-	-
	F	48	-	-	-	-	-	-	-	-	1	-	1	4	1	4	8	9	4	7	1	6	1	-	1	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
130-132	Nephritis	1,655	1	4	1	1	-	3	6	7	14	14	25	43	62	86	86	124	153	201	237	233	191	108	40	10	3	2
	White--M	625	1	1	-	-	-	1	1	1	3	5	1	12	14	22	30	46	59	71	90	102	100	47	15	2	-	1
	F	550	-	1	1	-	-	2	4	4	7	5	11	14	16	24	18	28	41	56	89	88	71	50	16	4	-	-
	Nonwhite--M	252	-	2	-	1	-	-	-	1	2	1	4	7	15	18	20	26	28	45	41	20	12	2	4	2	1	-
	F	228	-	-	-	-	-	-	1	1	2	3	9	10	17	22	18	24	25	29	17	23	8	9	5	2	2	1
137	Diseases of the prostate	159	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	6	13	20	42	33	29	10	2	-	-	-
	White--M	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	8	16	31	28	26	9	1	-	-	-
	Nonwhite--M	35	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	5	4	11	5	3	1	1	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Con.																											
140-150	Diseases of pregnancy, etc.*----	142	-	-	-	-	-	-	-	11	29	27	28	32	13	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	99	-	-	-	-	-	-	-	8	22	17	17	22	11	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	43	-	-	-	-	-	-	-	3	7	10	11	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia------	45	-	-	-	-	-	-	-	7	5	12	5	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	24	-	-	-	-	-	-	-	5	1	7	2	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	21	-	-	-	-	-	-	-	2	4	5	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	46	-	-	-	-	-	-	-	2	15	8	12	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	37	-	-	-	-	-	-	-	1	13	5	9	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	-	-	-	-	-	-	-	1	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	35	-	-	-	-	-	-	-	2	6	3	8	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	26	-	-	-	-	-	-	-	2	6	2	3	6	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	-	-	-	-	-	-	-	-	-	1	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes----------	16	-	-	-	-	-	-	-	-	3	4	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	-	-	-	-	-	-	-	-	2	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	315	282	8	4	4	2	4	1	4	2	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	171	155	5	2	2	2	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	110	96	3	1	2	-	3	1	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	16	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	15	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,508	1,508	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	735	735	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	493	493	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	151	151	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	129	129	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	997	997	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	459	459	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	340	340	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	109	109	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	89	89	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year------	511	511	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	276	276	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	153	153	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	42	42	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	40	40	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	250	-	-	-	-	-	-	3	6	15	19	17	23	31	28	30	32	21	12	8	3	2	-	-	-	-	-
	White-----M--	181	-	-	-	-	-	-	1	4	8	11	11	15	22	20	23	26	17	11	8	2	2	-	-	-	-	-
	F--	57	-	-	-	-	-	-	2	2	7	5	6	5	8	7	6	4	3	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide---------	389	3	1	1	-	-	1	1	18	54	59	66	55	47	25	22	12	10	4	6	2	1	-	-	-	-	1
	White-----M--	141	2	1	1	-	-	1	-	5	19	17	26	20	14	10	10	5	4	4	2	-	-	-	-	-	-	-
	F--	38	-	-	-	-	-	-	-	1	7	5	7	1	6	4	1	1	4	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	171	-	-	-	-	-	-	-	6	22	33	26	26	24	11	11	6	2	-	2	1	-	-	-	-	-	1
	F--	39	1	-	-	-	-	-	1	6	6	4	7	8	3	-	-	-	-	-	1	1	1	-	-	-	-	-
169-195	Accidental deaths	1,919	54	51	22	20	20	90	89	155	188	146	115	98	99	88	79	89	58	81	86	95	87	69	30	7	-	3
	White-----M--	1,098	21	25	10	7	8	39	58	109	129	102	89	63	70	57	45	56	28	43	35	36	32	20	11	3	-	3
	F--	482	17	19	2	11	7	30	21	27	31	16	12	14	9	8	13	12	12	18	35	54	47	46	18	3	-	-
	Nonwhite--M--	247	8	4	4	1	1	17	6	16	24	24	11	17	18	18	16	15	15	13	11	2	3	2	1	-	-	-
	F--	92	8	3	6	1	4	4	4	3	5	4	3	4	2	5	5	6	3	7	5	3	5	1	-	1	-	-
170	Motor-vehicle accidents-------	676	3	9	2	7	4	32	38	73	119	76	58	36	38	35	33	38	12	21	17	17	4	-	2	-	-	2
	White-----M--	450	1	6	1	3	3	16	22	50	86	59	44	22	25	23	19	23	7	12	8	14	3	-	1	-	-	2
	F--	128	2	2	1	4	-	12	16	16	15	10	8	10	3	2	5	6	3	5	5	2	1	-	-	-	-	-
	Nonwhite--M--	83	-	-	-	-	-	3	-	6	16	6	6	4	9	8	8	7	2	3	3	1	-	-	1	-	-	-
	F--	15	-	1	-	-	1	1	-	1	2	1	-	-	1	2	1	2	-	1	1	-	-	-	-	-	-	-
169, 171-195	Other accidents--	1,243	51	42	20	13	16	58	51	82	69	70	57	62	61	53	46	51	46	60	69	78	83	69	28	7	-	1
	White-----M--	648	20	19	9	4	5	23	36	59	42	43	45	41	45	34	26	33	21	31	27	22	29	20	10	3	-	1
	F--	354	15	17	1	7	7	18	5	11	16	6	4	4	6	6	8	6	9	13	30	52	46	46	18	3	-	-
	Nonwhite--M--	164	8	4	4	1	1	14	6	10	8	18	5	13	9	10	8	8	13	10	8	1	3	2	-	-	-	-
	F--	77	8	2	6	1	3	3	4	2	3	3	3	4	1	3	4	4	3	6	4	3	5	1	-	1	-	-
162,199, 200	Senility, ill-defined and unknown causes----	1,762	322	19	7	9	6	11	3	9	13	23	36	48	58	64	83	93	106	111	166	185	171	119	55	26	16	3
	White-----M--	693	135	5	2	3	3	2	-	3	4	7	6	15	26	20	37	36	40	43	63	95	79	39	23	6	1	2
	F--	518	93	9	3	3	2	5	2	2	6	7	12	12	7	12	7	16	16	28	47	57	68	64	19	15	5	1
	Nonwhite--M--	299	50	2	1	2	-	3	-	3	2	4	10	15	19	21	22	23	22	17	32	22	11	9	5	1	3	-
	F--	252	44	3	1	1	1	1	1	1	1	5	8	6	6	11	17	18	20	23	24	13	13	7	8	4	7	-
	All other causes-	1,648	99	34	23	17	9	44	22	42	67	82	89	100	96	117	118	132	144	114	99	101	57	28	8	4	2	-
	White-----M--	644	44	11	11	5	4	21	8	18	20	30	27	25	30	48	47	64	59	47	41	47	25	9	2	1	-	-
	F--	541	28	17	5	8	3	13	5	10	16	22	30	33	25	29	30	33	53	47	45	41	22	19	4	3	-	-
	Nonwhite--M--	219	21	4	5	2	2	6	2	3	15	10	12	18	19	19	25	17	16	9	8	5	1	-	-	-	-	-
	F--	244	6	2	2	2	-	4	7	11	16	20	20	24	22	21	16	18	16	11	5	8	9	-	2	-	2	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS																											
	All causes-------	59,706	7,564	731	316	228	162	559	513	1,009	1,496	1,459	1,587	2016	2,292	3,058	3,665	4,211	4,770	5,585	5,732	5,308	3,575	2480	833	233	83	141
	White-----M--	29,263	3,700	340	124	112	70	282	251	473	727	642	672	895	1,015	1,395	1,784	2,260	2,652	2,838	2,835	2,703	1,717	1,192	397	100	23	64
	F--	20,389	2,687	291	133	83	64	199	147	314	424	435	488	587	677	815	942	1,094	1,453	1,926	2,167	2,064	1,617	1,158	464	104	29	27
	Nonwhite--M--	5,491	682	57	34	16	16	39	64	108	180	192	206	257	313	450	543	496	372	467	403	304	126	70	33	19	10	34
	F--	4,563	495	43	25	17	12	39	51	114	165	190	221	277	287	398	396	361	293	354	327	237	115	60	39	10	21	16
1,2	Typhoid and paratyphoid fever---	48	1	1	-	-	1	-	2	2	8	1	3	8	2	3	5	3	2	-	-	5	-	-	1	-	-	-
	White-----M--	22	-	-	-	-	-	-	1	1	5	1	1	2	1	-	3	1	2	-	-	3	-	-	1	-	-	-
	F--	11	-	1	-	-	-	-	1	-	-	-	2	3	-	1	-	1	-	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	1	-	-	-	2	-	-	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
5	Cerebrospinal (meningococcus) meningitis------	58	16	6	4	4	-	6	2	4	2	2	-	1	3	3	1	-	2	2	-	-	-	-	-	-	-	-
	White-----M--	30	8	2	3	2	-	2	2	3	1	1	-	-	2	2	-	-	-	2	-	-	-	-	-	-	-	-
	F--	20	6	3	-	2	-	4	-	1	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	1	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	7	-	-	1	1	-	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	92	65	14	6	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	27	22	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	50	31	11	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	108	18	23	15	11	20	17	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	56	9	15	6	9	9	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	39	6	5	7	1	7	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	1	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	2,923	39	40	12	7	6	12	32	170	313	285	279	270	254	226	225	186	164	165	105	69	29	19	4	-	1	9
	White-----M--	1,322	21	19	5	2	4	8	9	47	84	93	96	112	127	127	119	115	111	96	62	37	12	9	2	-	-	5
	F--	1,055	16	19	6	5	-	2	16	76	155	128	114	105	78	58	56	50	41	47	39	21	12	9	1	-	1	4
	Nonwhite--M--	261	1	-	1	-	2	1	-	17	30	25	30	29	30	31	33	15	5	16	3	8	3	1	-	-	-	-
	F--	265	1	2	-	-	-	1	7	30	44	39	39	24	21	14	17	6	7	6	1	3	2	-	1	-	-	-
13	Tuberculosis of respiratory system, etc.*---	2,721	15	20	3	2	4	6	30	161	292	273	268	258	242	214	218	181	156	155	99	66	26	18	4	-	1	9
	White-----M--	1,226	6	10	3	-	3	4	7	45	78	87	93	106	122	121	117	111	106	90	58	35	9	8	2	-	-	5
	F--	990	9	9	-	2	-	2	16	71	147	126	109	101	73	54	52	50	38	46	37	21	12	9	1	-	1	4
	Nonwhite--M--	255	-	-	-	-	1	-	-	16	27	23	28	27	28	26	33	14	5	13	3	7	3	1	-	-	-	-
	F--	250	-	1	-	-	-	-	7	29	40	37	38	24	19	13	16	6	7	6	1	3	2	-	1	-	-	-
14-22	Tuberculosis (other forms)---	202	24	20	9	5	2	6	2	9	21	12	11	12	12	14	7	5	8	10	6	3	3	1	-	-	-	-
	White-----M--	96	15	9	2	2	1	4	2	2	6	6	3	6	5	6	2	4	5	6	4	2	3	1	-	-	-	-
	F--	65	7	10	6	3	-	-	-	5	8	2	5	4	3	2	4	-	3	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	26	1	-	1	-	1	1	-	1	3	2	2	2	2	5	-	1	-	3	-	1	-	-	-	-	-	-
	F--	15	1	1	-	-	-	1	-	1	4	2	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	252	161	23	5	1	-	6	1	2	4	-	1	3	3	2	5	3	4	9	7	4	3	2	1	1	-	1
	White-----M--	122	86	7	2	1	-	1	-	1	1	-	1	-	-	1	3	-	3	4	5	3	1	-	1	1	-	-
	F--	103	65	14	3	-	-	4	1	1	2	-	-	-	1	1	-	2	1	3	1	1	2	1	-	-	-	-
	Nonwhite--M--	16	6	1	-	-	-	1	-	-	-	-	-	2	1	-	1	-	-	2	-	-	-	1	-	-	-	1
	F--	11	4	1	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-
28	Malaria----------	63	7	5	3	1	1	-	2	1	2	3	2	5	4	4	3	5	4	1	2	5	-	3	-	-	-	-
	White-----M--	27	2	3	1	1	1	-	-	1	1	-	1	3	1	2	-	4	2	-	1	2	-	1	-	-	-	-
	F--	13	1	1	1	-	-	-	1	-	1	1	1	1	-	1	-	-	-	-	-	2	-	2	-	-	-	-
	Nonwhite--M--	17	4	-	1	-	-	-	1	-	-	1	-	1	2	-	2	1	1	1	1	1	-	-	-	-	-	-
	F--	6	-	1	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
30	Syphilis---------	640	63	2	2	1	-	-	1	4	7	12	22	54	44	93	67	72	66	48	40	21	11	3	1	2	-	4
	White-----M--	281	20	1	1	-	-	-	-	1	-	2	4	15	17	35	34	38	33	35	24	10	8	1	1	-	-	1
	F--	90	14	-	1	1	-	-	1	2	4	2	3	6	3	7	6	8	7	5	6	8	1	2	-	2	-	1
	Nonwhite--M--	188	18	1	-	-	-	-	-	-	1	-	7	20	18	42	22	21	20	5	8	1	2	-	-	-	-	2
	F--	81	11	-	-	-	-	-	-	1	2	8	8	13	6	9	5	5	6	3	2	2	-	-	-	-	-	-
35	Measles----------	86	20	29	10	5	2	13	1	3	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	White-----M--	38	17	10	4	2	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	3	15	5	2	2	6	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	6	-	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	7	-	1	1	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	102	3	7	4	9	5	13	16	14	6	8	14	2	-	2	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	58	2	3	2	1	1	9	9	11	3	6	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	1	4	1	6	3	4	5	2	2	2	4	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Con.																											
45-55	Cancer and other malignant tumors	6,424	6	6	10	9	9	20	19	22	34	73	113	206	324	532	618	709	790	874	792	622	363	187	64	13	2	7
	White-----M--	2,706	4	1	4	5	5	10	11	11	18	22	25	50	81	152	217	313	342	406	357	334	198	100	30	8	1	1
	F--	2,916	2	4	5	1	3	8	4	5	9	34	65	113	179	268	289	298	380	383	351	246	155	77	32	3	-	2
	Nonwhite--M--	334	-	-	-	3	-	-	1	6	4	3	3	7	15	36	45	52	35	42	49	20	4	6	-	2	-	1
	F--	468	-	1	1	-	1	2	3	-	3	14	20	36	49	76	67	46	33	43	35	22	6	4	2	-	1	3
46	Cancer of the digestive organs and peritoneum--	2,457	2	-	3	-	1	3	2	3	9	18	21	50	89	163	228	261	314	390	363	280	161	71	16	3	-	6
	White-----M--	1,123	2	-	-	-	1	3	1	2	3	7	5	19	39	48	88	132	151	190	156	149	87	33	5	1	-	1
	F--	1,040	-	-	2	-	-	-	1	-	3	6	10	20	33	77	102	87	134	166	169	112	70	35	11	1	-	1
	Nonwhite--M--	171	-	-	-	-	-	-	-	1	2	2	2	4	9	18	19	29	21	22	23	11	3	3	-	1	-	1
	F--	123	-	-	1	-	-	-	-	-	1	3	4	7	8	20	19	13	8	12	15	8	1	-	-	-	-	3
48,49	Cancer of female genital organs--	799	-	-	-	-	1	-	1	-	2	16	33	48	80	107	90	101	101	78	55	47	24	10	3	1	-	1
	White-----F--	638	-	-	-	-	1	-	-	-	1	11	22	39	60	73	70	81	92	65	47	41	22	9	2	1	-	1
	Nonwhite--F--	161	-	-	-	-	-	-	1	-	1	5	11	9	20	34	20	20	9	13	8	6	2	1	1	-	-	-
50	Cancer of breast-	523	-	-	-	-	-	-	-	-	-	5	15	37	63	74	57	50	57	56	47	35	17	5	4	-	1	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	1	-	1	-	-	-
	F--	438	-	-	-	-	-	-	-	-	-	4	12	27	55	64	44	43	50	48	41	30	14	3	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	79	-	-	-	-	-	-	-	-	-	1	3	10	8	8	12	7	6	8	6	5	2	2	-	-	1	-
45,47, 51-55	Cancer (other sites)----------	2,645	4	6	7	9	7	17	16	19	23	34	44	71	92	188	243	297	318	350	327	260	161	101	41	9	1	-
	White-----M--	1,577	2	1	4	5	4	7	10	9	15	15	20	31	42	102	128	181	190	216	201	185	110	67	24	7	1	-
	F--	800	2	4	3	1	2	8	3	5	5	13	21	27	31	54	73	87	104	104	94	63	49	30	16	1	-	-
	Nonwhite--M--	163	-	-	-	3	-	-	1	5	2	1	1	3	8	18	26	23	14	20	26	9	1	3	-	1	-	-
	F--	105	-	1	-	-	1	2	2	-	1	5	2	10	13	14	16	6	10	10	6	3	1	1	1	-	-	-
58	Acute rheumatic fever----------	54	1	1	1	1	1	9	8	7	5	1	-	-	2	3	3	1	1	2	2	2	3	-	-	-	-	-
	White-----M--	21	1	-	-	1	-	4	5	2	1	1	-	-	-	1	1	-	-	-	2	1	1	-	-	-	-	-
	F--	18	-	-	1	-	-	3	1	2	2	-	-	-	1	1	1	1	1	1	-	1	2	-	-	-	-	-
	Nonwhite--M--	8	-	1	-	-	-	-	1	1	2	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	1	2	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	904	2	2	-	1	-	2	3	8	7	14	13	16	17	47	62	88	117	145	161	128	50	19	2	-	-	-
	White-----M--	338	1	2	-	1	-	1	1	1	2	5	6	4	6	14	21	25	40	50	63	69	17	9	-	-	-	-
	F--	444	1	-	-	-	-	1	1	3	5	7	1	7	7	19	24	39	67	82	85	53	32	9	1	-	-	-
	Nonwhite--M--	41	-	-	-	-	-	-	-	3	-	1	2	1	1	6	2	7	2	2	8	5	1	-	-	-	-	-
	F--	81	-	-	-	-	-	-	1	1	-	1	4	4	3	8	15	17	8	11	5	1	-	1	1	-	-	-
63b	Exophthalmic goiter----------	57	-	-	-	-	-	-	1	1	-	5	3	7	5	9	7	5	5	2	4	1	2	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	-	1	-	2	-	-	-	-	-	-	-
	F--	41	-	-	-	-	-	-	-	-	-	2	2	6	3	6	6	5	4	2	2	1	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	147	2	-	-	-	-	-	1	-	-	1	3	4	4	4	8	4	17	14	30	25	16	11	2	1	-	-
	White-----M--	37	1	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	4	3	12	2	6	3	-	-	-	-
	F--	78	1	-	-	-	-	-	-	-	-	-	2	-	-	2	4	2	7	8	14	20	10	6	1	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	3	1	-	-	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	1	5	3	1	2	-	2	1	-	-	-
77	Alcoholism (ethylism)------	86	-	-	-	-	-	-	-	1	2	4	7	10	14	11	12	8	7	4	2	3	-	-	-	-	-	1
	White-----M--	65	-	-	-	-	-	-	-	1	1	1	3	7	10	10	10	7	6	3	2	3	-	-	-	-	-	1
	F--	12	-	-	-	-	-	-	-	-	-	3	1	1	4	-	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	-	3	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	5,032	13	1	1	2	-	2	4	8	23	27	39	83	141	243	362	442	541	704	811	700	447	317	78	21	4	18
	White-----M--	2,119	8	-	-	1	-	-	3	3	8	10	11	29	42	70	142	169	262	293	363	331	182	147	33	9	-	3
	F--	1,888	4	1	1	1	-	1	-	2	9	5	12	14	42	70	87	131	180	274	342	287	224	151	38	6	2	4
	Nonwhite--M--	431	1	-	-	-	-	-	1	2	3	5	3	12	26	41	52	67	37	60	47	39	17	6	3	2	1	6
	F--	594	-	-	-	-	-	1	-	1	3	7	13	28	31	62	81	75	62	77	59	43	24	13	4	4	1	5
90-95	Diseases of the heart----------	14,039	20	7	5	4	2	23	22	40	52	92	134	287	409	735	1,065	1,392	1,648	1,953	1,936	1,913	1,193	757	251	56	12	31
	White-----M--	7,748	10	2	2	2	1	7	9	21	13	28	59	136	231	423	628	887	1,042	1,110	1,027	1,015	587	353	109	29	4	13
	F--	4,323	7	2	2	-	1	11	10	10	24	35	29	69	79	110	181	257	391	604	692	748	533	376	121	23	3	5
	Nonwhite--M--	1,082	2	1	-	2	-	3	2	3	6	10	24	31	48	98	164	147	124	145	119	84	33	16	8	2	2	8
	F--	886	1	2	1	-	-	2	1	6	9	19	22	51	51	104	92	101	91	94	98	66	40	12	13	2	3	5
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	524	-	-	1	-	-	9	15	20	15	25	18	32	29	32	40	34	48	56	44	44	37	16	7	2	-	-
	White-----M--	240	-	-	1	-	-	1	5	13	2	6	5	9	10	13	19	25	27	26	23	25	20	8	2	-	-	-
	F--	192	-	-	-	-	-	5	9	5	11	15	5	14	9	14	9	6	16	19	11	17	14	8	4	1	-	-
	Nonwhite--M--	48	-	-	-	-	-	2	1	-	2	2	5	4	5	1	9	-	3	7	4	1	-	-	1	1	-	-
	F--	44	-	-	-	-	-	1	-	2	-	2	3	5	5	4	3	3	2	4	6	1	3	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	5,531	5	-	-	1	-	2	1	10	12	30	51	118	205	372	510	686	781	870	693	638	304	168	54	11	-	9
	White-----M--	3,667	3	-	-	-	-	2	-	4	3	12	29	81	148	269	356	518	559	568	422	399	175	79	25	8	-	7
	F--	1,407	-	-	-	-	-	-	-	2	6	10	10	17	34	44	78	109	168	256	234	207	123	82	23	3	-	1
	Nonwhite--M--	277	1	-	-	1	-	-	1	3	1	5	5	10	14	28	48	42	35	30	22	21	2	5	2	-	-	1
	F--	180	1	-	-	-	-	-	-	1	2	3	7	10	9	31	28	17	19	16	15	11	4	2	4	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	7,984	15	7	4	3	2	12	6	10	25	37	65	137	175	331	515	672	819	1,027	1,199	1,231	852	573	190	43	12	22
	White-----M--	3,841	7	2	1	2	1	4	4	4	8	10	25	46	73	141	253	344	456	516	582	591	392	266	82	21	4	6
	F--	2,724	7	2	2	-	1	6	1	3	7	10	14	38	36	52	94	142	207	329	447	524	396	286	94	19	3	4
	Nonwhite--M--	757	1	1	-	1	-	1	-	-	3	3	14	17	29	69	107	105	86	108	93	82	31	11	5	1	2	7
	F--	662	-	2	1	-	-	1	1	3	7	14	12	36	37	69	61	81	70	74	77	54	33	10	9	2	3	5

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Con.																											
97,102	Arteriosclerosis and high blood pressure*	861	-	-	-	-	-	-	-	-	1	1	1	8	13	12	31	39	57	107	134	146	128	121	50	9	3	-
	White----M--	419	-	-	-	-	-	-	-	-	-	-	-	4	1	4	16	19	29	54	62	78	66	63	20	3	-	-
	F--	313	-	-	-	-	-	-	-	-	-	1	-	-	3	2	3	9	15	37	53	46	57	51	30	5	1	-
	Nonwhite--M--	71	-	-	-	-	-	-	-	-	-	-	-	1	2	2	8	6	8	12	12	14	3	2	-	-	1	-
	F--	58	-	-	-	-	-	-	-	-	1	-	1	3	7	4	4	5	5	4	7	8	2	5	-	1	1	-
107-109, 33	Pneumonia (all forms) and influenza	3,155	984	151	51	25	16	43	28	53	40	43	51	73	79	75	99	118	135	177	209	217	221	156	81	18	6	6
	White----M--	1,328	437	79	19	9	4	16	10	18	9	10	19	27	28	26	34	46	61	80	86	94	95	81	28	8	3	1
	F--	1,176	343	50	20	10	9	18	11	16	16	18	8	23	21	17	25	33	42	58	96	94	116	70	50	9	-	3
	Nonwhite--M--	346	105	10	7	2	-	3	4	7	3	6	10	17	21	19	26	23	22	20	15	15	5	2	1	-	2	1
	F--	305	99	12	5	4	3	6	3	12	12	9	14	6	9	13	14	16	10	19	12	14	5	3	2	1	1	1
107	Bronchopneumonia	1,036	434	67	18	9	4	14	6	12	10	3	9	13	20	13	18	25	32	37	54	64	74	67	27	5	1	-
	White----M--	460	208	34	8	2	1	5	3	4	4	-	3	7	7	1	7	10	16	14	19	30	38	27	9	2	1	-
	F--	393	144	22	4	6	2	6	3	5	4	1	2	2	6	4	7	6	11	14	27	25	33	39	17	3	-	-
	Nonwhite--M--	98	45	4	5	-	-	-	-	2	1	2	-	3	5	4	3	4	4	6	4	4	1	-	1	-	-	-
	F--	85	37	7	1	1	1	3	-	1	1	-	4	1	2	4	1	5	1	3	4	5	2	1	-	-	-	-
108	Lobar pneumonia	675	146	21	7	3	3	9	8	15	9	12	15	18	24	23	28	34	44	53	64	45	46	27	16	-	2	1
	White----M--	291	63	11	2	1	-	2	4	6	2	5	8	6	10	6	12	15	24	28	26	19	18	18	4	-	1	-
	F--	235	53	8	3	-	2	5	2	2	4	1	2	4	6	6	6	7	8	17	30	19	28	10	11	-	-	1
	Nonwhite--M--	82	12	-	1	-	-	1	-	3	-	2	3	6	6	8	7	8	8	4	6	4	1	1	-	-	1	-
	F--	67	18	2	1	2	1	1	2	4	3	4	2	-	2	3	3	4	4	4	2	3	1	-	1	-	-	-
109	Pneumonia (unspecified)	862	296	43	15	9	3	13	12	15	15	15	17	27	21	15	30	29	27	46	50	55	50	29	18	7	2	3
	White----M--	358	124	21	5	5	1	6	2	3	1	3	6	9	8	9	10	12	10	26	26	22	19	18	8	4	1	1
	F--	330	112	16	9	3	1	4	5	5	5	7	1	12	7	3	7	11	10	12	21	27	28	10	10	3	-	1
	Nonwhite--M--	98	33	5	-	-	-	1	4	2	2	1	6	5	6	2	11	3	4	5	2	3	2	-	-	-	1	-
	F--	76	27	1	1	1	1	2	1	5	7	4	4	1	2	1	2	3	3	3	1	3	1	1	-	-	-	1
33	Influenza	582	108	20	11	4	8	7	2	11	6	13	10	15	14	24	23	30	32	41	41	53	49	33	20	6	1	2
	White----M--	219	42	13	4	1	2	3	1	5	2	2	2	3	5	10	5	9	11	12	15	23	20	20	7	2	-	-
	F--	218	34	4	4	1	4	3	1	4	3	9	3	5	2	4	5	9	13	15	18	23	27	11	12	3	-	1
	Nonwhite--M--	68	15	1	1	2	-	1	-	-	-	1	1	3	4	5	5	8	6	5	3	4	1	1	-	-	-	1
	F--	77	17	2	2	-	-	-	-	2	1	1	4	4	3	5	8	4	2	9	5	3	1	1	1	1	1	-
117	Ulcer of stomach or duodenum	257	2	1	-	-	-	-	-	-	2	8	7	15	17	22	37	30	38	31	21	15	8	1	-	-	1	1
	White----M--	181	-	1	-	-	-	-	-	-	1	2	5	10	13	16	24	25	31	21	16	10	4	1	-	-	1	-
	F--	31	2	-	-	-	-	-	-	-	-	1	1	1	1	3	4	1	3	4	2	5	3	-	-	-	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	3	-	3	2	2	7	3	3	4	1	-	1	-	-	-	-	1
	F--	15	-	-	-	-	-	-	-	-	1	2	1	1	1	1	2	1	1	2	2	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	1,007	751	86	12	7	2	10	2	1	4	5	6	8	1	4	9	9	10	14	13	25	15	7	5	2	1	-
	White----M--	483	368	45	5	6	1	5	1	-	2	2	3	3	-	2	-	5	3	6	8	6	6	3	1	2	-	-
	F--	400	301	33	7	1	1	3	1	1	2	2	3	3	-	1	3	1	5	5	3	11	5	3	4	-	1	-
	Nonwhite--M--	67	44	5	-	-	-	2	-	-	-	-	-	-	1	1	3	2	-	3	2	1	2	1	-	-	-	-
	F--	57	38	3	-	-	-	-	-	-	-	1	-	2	-	-	3	1	2	-	-	7	-	-	-	-	-	-
121	Appendicitis	248	1	2	4	3	2	11	14	19	9	14	15	14	24	15	22	21	13	13	17	8	4	3	-	-	-	-
	White----M--	116	1	-	2	2	1	7	8	9	-	6	5	5	7	5	12	14	8	6	10	5	3	-	-	-	-	-
	F--	70	-	2	2	1	-	3	2	8	4	3	2	3	9	2	4	5	3	5	5	3	1	3	-	-	-	-
	Nonwhite--M--	33	-	-	-	-	-	1	1	1	3	3	2	2	5	4	3	2	2	2	2	-	-	-	-	-	-	-
	F--	29	-	-	-	-	1	-	3	1	2	2	6	4	3	4	3	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	519	32	8	2	2	6	4	5	7	8	7	22	24	27	33	31	46	47	53	59	50	22	18	5	-	-	1
	White----M--	218	19	6	2	1	4	2	5	2	1	3	5	6	4	9	10	16	19	22	28	27	14	8	2	-	-	1
	F--	199	8	1	-	1	2	1	-	2	4	1	6	13	13	10	14	16	23	22	22	18	7	10	3	-	-	-
	Nonwhite--M--	47	1	1	-	-	-	1	-	1	2	2	2	2	4	6	4	7	3	5	2	3	1	-	-	-	-	-
	F--	55	4	-	-	-	-	-	-	2	1	1	9	3	6	8	3	3	2	4	7	2	-	-	-	-	-	-
124	Cirrhosis of the liver	406	-	-	-	-	-	1	2	2	-	7	9	28	27	41	45	49	51	48	41	31	12	9	2	-	-	1
	White----M--	273	-	-	-	-	-	1	-	-	-	2	7	19	17	28	35	35	39	34	27	15	9	3	1	-	-	1
	F--	97	-	-	-	-	-	-	1	1	-	5	2	8	6	8	8	10	11	7	12	12	1	4	1	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	1	3	4	2	3	-	4	1	2	1	2	-	-	-	-
	F--	13	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	1	1	3	1	2	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	243	-	1	-	-	-	-	1	3	1	1	-	4	17	18	26	24	29	29	29	28	22	7	3	-	-	-
	White----M--	79	-	1	-	-	-	-	-	-	-	-	-	1	6	3	4	10	9	11	13	9	8	3	1	-	-	-
	F--	139	-	-	-	-	-	-	1	3	-	1	-	2	8	13	16	12	18	17	14	18	13	4	1	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	1	2	1	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	1	-	-	1	3	2	4	-	2	-	-	-	1	-	1	-	-	-
130-132	Nephritis	3,133	15	6	6	10	2	17	15	17	26	47	49	78	98	154	197	219	253	385	436	446	292	251	83	12	13	6
	White----M--	1,386	11	2	1	7	-	7	5	5	11	15	14	30	26	58	60	93	126	163	188	237	146	131	41	6	3	-
	F--	1,022	4	4	4	2	2	9	4	4	7	19	21	19	35	39	55	42	73	123	157	140	118	100	32	4	4	1
	Nonwhite--M--	387	-	-	-	1	-	-	4	3	5	4	7	8	19	33	44	46	30	50	52	43	15	10	7	2	1	3
	F--	338	-	-	1	-	-	1	2	5	3	9	7	21	18	24	38	38	24	49	39	26	13	10	3	-	5	2
137	Diseases of the prostate	323	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	12	30	46	70	61	42	42	10	1	1	-
	White----M--	275	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	20	39	61	57	38	39	9	1	-	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	10	7	9	4	4	3	1	-	1	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Con.																											
140-150	Diseases of pregnancy, etc.*	295	-	-	-	-	-	-	1	35	65	56	67	46	25	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	210	-	-	-	-	-	-	-	22	47	44	50	28	19	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	85	-	-	-	-	-	-	1	13	18	12	17	18	6	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	106	-	-	-	-	-	-	1	8	21	21	30	16	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	77	-	-	-	-	-	-	-	4	14	17	23	11	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	29	-	-	-	-	-	-	1	4	7	4	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	76	-	-	-	-	-	-	-	19	17	10	17	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	52	-	-	-	-	-	-	-	12	13	9	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	24	-	-	-	-	-	-	-	7	4	1	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	78	-	-	-	-	-	-	-	6	17	20	12	15	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	62	-	-	-	-	-	-	-	5	14	16	10	11	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	16	-	-	-	-	-	-	-	1	3	4	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	35	-	-	-	-	-	-	-	2	10	5	8	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	19	-	-	-	-	-	-	-	1	6	2	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	16	-	-	-	-	-	-	-	1	4	3	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	815	698	30	13	4	6	17	7	8	3	9	6	3	1	3	2	1	1	-	-	-	1	-	-	-	-	2
	White—M	408	357	13	4	2	4	8	3	4	1	5	2	1	-	1	2	-	-	-	-	-	1	-	-	-	-	-
	F	337	282	15	7	2	2	7	2	4	2	3	3	2	1	2	-	1	1	-	-	-	-	-	-	-	-	1
	Nonwhite—M	38	34	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	32	25	1	2	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	3,668	3,668	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	1,828	1,828	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1,261	1,261	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	360	360	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	219	219	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	2,424	2,424	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	1,157	1,157	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	860	860	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	248	248	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	159	159	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	1,244	1,244	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	671	671	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	401	401	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	112	112	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	60	60	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	632	-	-	-	-	-	-	4	25	45	50	52	73	72	54	69	48	48	31	23	23	9	5	-	-	-	1
	White—M	458	-	-	-	-	-	-	1	10	24	41	27	49	54	39	52	39	42	26	20	21	7	5	-	-	-	1
	F	148	-	-	-	-	-	-	3	13	13	6	22	22	16	14	15	7	6	4	3	2	2	-	-	-	-	-
	Nonwhite—M	18	-	-	-	-	-	-	-	1	5	3	1	1	2	-	2	2	-	1	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	3	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	805	6	1	-	-	-	1	4	43	124	133	112	116	80	80	39	21	21	12	2	3	2	1	-	-	-	4
	White—M	345	3	1	-	-	-	-	2	16	47	48	48	49	32	37	24	11	15	6	2	1	-	1	-	-	-	2
	F	57	2	-	-	-	-	-	-	4	4	5	6	12	7	8	2	1	1	1	-	2	2	-	-	-	-	-
	Nonwhite—M	324	1	-	-	-	-	1	1	15	52	63	47	48	34	32	11	9	5	3	-	-	-	-	-	-	-	2
	F	79	-	-	-	-	-	-	1	8	21	17	11	7	7	3	2	-	-	2	-	-	-	-	-	-	-	-
169-195	Accidental deaths	5,169	147	128	91	66	43	209	227	392	561	377	356	327	287	268	229	222	193	199	218	202	183	130	64	18	5	29
	White—M	3,247	71	61	38	30	21	120	130	245	446	272	261	234	200	176	145	162	138	116	117	85	74	48	28	3	2	24
	F	1,199	40	39	30	23	16	62	52	96	62	45	52	46	37	48	35	26	31	53	73	99	103	78	34	15	3	1
	Nonwhite—M	517	19	16	15	6	4	14	35	36	39	45	35	39	42	32	38	24	20	22	15	10	3	3	1	-	-	4
	F	206	17	10	8	7	2	13	10	15	14	15	8	8	8	12	11	10	4	8	13	8	3	1	1	-	-	-
170	Motor-vehicle accidents	1,821	18	31	18	21	13	88	73	179	285	178	136	124	105	103	91	87	77	77	58	28	15	12	2	-	1	1
	White—M	1,249	7	18	10	11	7	47	43	108	229	126	98	86	70	65	65	61	57	54	39	22	13	9	2	-	1	1
	F	396	10	12	7	7	6	33	26	63	32	26	26	26	18	25	13	12	16	14	15	5	2	2	-	-	-	-
	Nonwhite—M	130	-	-	1	1	-	4	2	4	18	18	9	11	14	11	9	9	4	8	4	1	-	1	-	-	-	-
	F	46	1	1	-	2	-	4	2	4	6	7	3	1	3	2	4	5	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	3,348	129	95	73	45	30	121	154	213	276	199	220	203	182	165	138	135	116	122	160	174	168	118	62	18	4	28
	White—M	1,998	64	43	28	19	14	73	87	137	217	146	163	148	130	111	80	101	81	62	78	63	61	39	26	3	1	23
	F	803	30	27	23	16	10	29	26	33	30	19	26	20	19	23	22	14	15	39	58	94	101	76	34	15	3	1
	Nonwhite—M	387	19	16	14	5	4	10	33	32	21	26	26	28	28	21	29	15	16	14	11	9	3	2	1	-	-	4
	F	160	16	9	8	5	2	9	8	11	8	8	5	7	5	10	7	5	4	7	13	8	3	1	1	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	2,720	358	33	11	10	4	9	13	12	21	23	24	42	56	86	106	135	170	191	261	284	312	271	178	88	29	13
	White—M	1,240	166	15	2	4	1	6	2	4	10	11	6	15	20	51	54	80	100	85	125	109	144	122	69	25	6	8
	F	940	121	15	8	5	3	2	5	4	5	9	8	12	18	11	17	21	36	62	71	115	129	127	89	30	13	4
	Nonwhite—M	318	40	2	-	-	-	-	3	3	4	1	5	7	7	15	25	20	20	31	34	40	22	14	11	11	2	1
	F	222	31	1	1	1	-	1	3	1	2	2	5	8	11	9	10	14	14	13	31	20	17	8	9	2	8	-
	All other causes	4,328	465	119	47	42	31	111	74	103	120	148	177	201	241	273	274	299	305	326	307	269	186	140	48	11	5	6
	White—M	1,949	227	49	20	21	13	58	34	52	37	53	52	81	86	99	128	137	163	167	152	139	90	61	20	5	3	2
	F	1,612	165	52	17	17	11	38	22	31	44	51	68	67	90	92	86	112	104	118	124	108	86	75	26	6	1	1
	Nonwhite—M	402	41	11	6	1	5	9	8	8	17	16	25	21	26	42	38	31	24	28	18	11	9	3	1	-	-	3
	F	365	32	7	4	3	2	6	10	12	22	28	32	32	39	40	22	19	14	13	13	11	1	1	1	-	1	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH																											
	All causes-------	4,785	496	49	28	21	16	57	42	70	104	95	93	131	152	224	251	347	394	467	472	526	416	234	81	10	5	2
	White-----M--	2,714	277	26	13	14	15	36	21	43	67	56	57	71	95	142	167	225	246	298	249	269	196	98	35	4	3	1
	F--	1,978	211	20	15	7	3	19	18	21	36	38	34	58	55	76	77	112	140	170	216	249	215	135	44	6	2	1
	Nonwhite--M--	61	6	1	-	-	-	2	1	3	1	1	1	2	2	4	3	7	5	8	5	7	2	-	-	-	-	-
	F--	32	2	2	-	-	-	-	2	3	-	-	1	-	-	2	4	3	3	1	2	1	3	1	2	-	-	-
1,2	Typhoid and paratyphoid fever---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	6	1	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	6	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	4	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	83	-	-	-	1	-	1	2	4	2	3	3	3	9	6	10	14	10	8	3	4	-	-	-	-	-	-
	White-----M--	60	-	-	-	1	-	-	-	2	-	1	1	1	8	5	8	13	6	8	3	3	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	1	2	1	2	1	1	2	1	4	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	72	-	-	-	-	-	-	2	3	2	3	3	3	9	5	9	12	9	7	3	2	-	-	-	-	-	-
	White-----M--	53	-	-	-	-	-	-	-	1	-	1	1	1	8	5	7	12	5	7	3	2	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	1	2	1	2	1	-	2	-	4	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	11	-	-	-	1	-	1	-	1	-	-	-	-	-	1	1	2	1	1	-	2	-	-	-	-	-	-
	White-----M--	7	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	4	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	30	-	-	-	-	-	-	-	-	-	-	1	1	3	6	3	2	5	4	2	3	-	-	-	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	2	5	3	-	2	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	2	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles----------	5	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)----	9	-	-	-	-	-	3	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	2	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Continued																											
45-55	Cancer and other malignant tumors	529	1	2	1	1	1	-	3	2	2	3	8	20	21	28	39	61	48	89	74	59	40	21	4	1	-	-
	White-----M--	243	1	-	1	1	-	-	1	-	1	1	4	3	6	13	17	19	25	48	37	33	21	7	3	1	-	-
	F--	272	-	2	-	-	1	-	2	2	1	2	4	16	15	15	20	39	22	39	37	23	17	14	1	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	2	-	3	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	235	1	1	-	-	-	-	1	-	-	3	2	5	9	10	12	20	16	43	40	38	23	9	2	-	-	-
	White-----M--	119	1	-	-	-	-	-	1	-	-	1	1	-	3	8	7	4	9	30	20	18	12	2	2	-	-	-
	F--	108	-	1	-	-	-	-	-	-	-	2	1	5	6	2	4	15	6	11	20	17	11	7	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	3	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	62	-	-	-	-	-	-	-	-	-	-	3	5	2	6	7	11	5	11	5	2	4	1	-	-	-	-
	White-----F--	59	-	-	-	-	-	-	-	-	-	-	3	5	2	6	6	10	5	11	5	2	3	1	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
50	Cancer of breast-	46	-	-	-	-	-	-	-	-	-	-	-	3	5	6	4	7	5	8	5	1	2	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	45	-	-	-	-	-	-	-	-	-	-	-	3	5	6	4	7	5	8	5	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	186	-	1	1	1	1	-	2	2	2	-	3	7	5	6	16	23	22	27	24	18	11	11	2	1	-	-
	White-----M--	124	-	-	1	1	-	-	-	-	1	-	3	3	3	5	10	15	16	18	17	15	9	5	1	1	-	-
	F--	60	-	1	-	-	1	-	2	2	1	-	-	3	2	1	6	7	6	9	7	3	2	6	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	4	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	119	-	-	-	-	-	-	1	2	2	-	1	4	2	4	5	10	17	19	17	19	8	7	1	-	-	-
	White-----M--	47	-	-	-	-	-	-	-	-	-	-	1	3	1	2	4	5	8	6	4	7	3	2	1	-	-	-
	F--	71	-	-	-	-	-	-	1	2	2	-	-	1	1	2	1	5	9	13	12	12	5	5	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	4	2	2	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	9	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-	2	-	1	-	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-	2	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	339	-	-	-	1	-	1	-	-	-	1	-	2	2	11	10	23	42	41	66	55	48	26	8	1	-	-
	White-----M--	160	-	-	-	1	-	1	-	-	-	1	-	1	1	6	6	12	24	17	30	20	24	11	5	-	-	-
	F--	175	-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	11	18	24	35	35	24	14	3	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
90-95	Diseases of the heart----------	1,371	-	1	1	-	-	4	3	9	13	7	21	31	38	73	88	120	147	175	167	205	160	81	25	1	1	-
	White-----M--	813	-	-	1	-	-	3	3	4	9	5	10	23	21	47	62	88	99	115	92	114	76	30	10	-	1	-
	F--	537	-	1	-	-	-	1	-	3	4	2	11	7	17	24	25	29	45	58	73	90	82	51	13	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	1	2	2	-	2	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	2	-	-	1	-	-	2	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	154	-	-	-	-	-	2	3	9	11	5	11	11	14	18	10	10	9	15	9	10	4	2	-	-	1	-
	White-----M--	79	-	-	-	-	-	2	3	4	8	3	4	6	7	7	6	7	7	5	3	4	1	1	-	-	1	-
	F--	72	-	-	-	-	-	-	-	3	3	2	7	5	7	11	3	3	2	10	6	6	3	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	487	-	1	-	-	-	-	-	-	-	1	5	13	15	26	48	66	69	74	62	62	33	8	4	-	-	-
	White-----M--	368	-	-	-	-	-	-	-	-	-	1	3	11	10	22	38	53	55	59	44	44	21	3	4	-	-	-
	F--	114	-	1	-	-	-	-	-	-	-	-	2	1	5	3	10	13	13	15	17	18	11	5	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,q, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	730	-	-	1	-	-	2	-	-	2	1	5	7	9	29	30	44	69	86	96	133	123	71	21	1	-	-
	White-----M--	366	-	-	1	-	-	1	-	-	1	1	3	6	4	18	18	28	37	51	45	66	54	26	6	-	-	-
	F--	351	-	-	-	-	-	1	-	-	1	-	2	1	5	10	12	13	30	33	50	66	68	45	13	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	-	2	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Continued																											
97,102	Arteriosclerosis and high blood pressure*	79	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	2	3	5	5	21	20	13	6	1	1	-
	White—M	42	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	4	2	11	9	6	3	1	1	-
	F	37	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	1	10	11	7	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	223	48	10	5	1	-	4	2	3	-	6	4	3	5	8	8	17	14	17	12	21	18	14	3	-	-	-
	White—M	114	22	4	2	1	-	1	1	1	-	3	2	2	2	5	5	11	9	9	9	12	6	5	2	-	-	-
	F	103	25	6	3	-	-	3	1	2	-	3	2	1	3	2	3	6	4	5	3	9	12	9	1	-	-	-
	Nonwhite—M	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	99	27	7	1	1	-	1	1	2	-	1	2	1	2	1	3	6	5	9	7	7	8	6	1	-	-	-
	White—M	51	11	2	1	1	-	1	-	-	-	1	1	1	1	1	2	4	3	4	6	5	3	2	1	-	-	-
	F	46	16	5	-	-	-	-	1	2	-	-	1	-	1	-	1	2	2	3	1	2	5	4	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	72	9	2	2	-	-	2	1	1	-	3	-	2	-	4	4	7	5	4	3	9	7	6	1	-	-	-
	White—M	42	6	1	1	-	-	-	1	1	-	1	-	1	-	2	3	5	3	3	2	5	3	3	1	-	-	-
	F	27	3	1	1	-	-	2	-	-	-	2	-	1	-	1	1	2	1	-	1	4	4	3	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	24	8	1	-	-	-	1	-	-	-	1	2	-	2	1	-	2	2	1	-	2	1	-	-	-	-	-
	White—M	12	4	1	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	-	1	-	-	-	-	-	-
	F	11	3	-	-	-	-	1	-	-	-	1	1	-	1	-	-	1	1	-	-	1	1	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	28	4	-	2	-	-	-	-	-	-	1	-	-	1	2	1	2	2	3	2	3	2	2	1	-	-	-
	White—M	9	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	1	1	1	-	-	-	-	-	-
	F	19	3	-	2	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	1	2	2	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	54	1	-	-	-	-	-	-	-	-	1	-	3	4	9	5	8	9	5	5	4	-	-	-	-	-	-
	White—M	48	1	-	-	-	-	-	-	-	-	-	-	3	4	8	5	8	7	5	4	3	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	26	13	2	1	-	1	-	-	-	-	-	-	1	1	2	2	-	-	1	1	-	-	1	-	-	-	-
	White—M	17	8	-	1	-	1	-	-	-	-	-	-	1	1	1	2	-	-	1	1	-	-	-	-	-	-	-
	F	7	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	14	-	-	-	-	-	1	-	-	1	2	-	-	2	-	-	1	4	1	1	-	-	1	-	-	-	-
	White—M	7	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	2	-	1	-	-	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	45	3	-	1	-	-	-	-	1	-	1	-	1	1	4	1	5	3	9	8	4	3	-	-	-	-	-
	White—M	26	2	-	1	-	-	-	-	1	-	1	-	-	1	1	-	2	2	9	3	1	2	-	-	-	-	-
	F	18	1	-	-	-	-	-	-	-	-	-	-	1	-	3	1	3	1	-	5	2	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	37	-	-	-	-	-	-	-	-	-	-	1	1	4	7	3	7	3	3	3	2	3	-	-	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	6	2	1	-	2	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	1	-	2	4	1	1	1	1	3	-	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	22	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	1	5	1	4	1	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	2	1	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	1	4	1	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	218	-	-	-	-	-	2	2	2	5	3	4	3	9	7	9	15	22	29	31	30	31	11	-	1	2	-
	White—M	126	-	-	-	-	-	2	1	1	1	2	3	2	8	5	7	11	13	18	19	9	16	6	-	1	1	-
	F	92	-	-	-	-	-	-	1	1	4	1	1	1	1	2	2	4	9	11	12	21	15	5	-	-	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	8	5	5	3	3	-	-	-
	White—M	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	8	5	5	3	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Continued																											
140-150	Diseases of pregnancy, etc.*	25	-	-	-	-	-	-	1	1	7	5	4	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	25	-	-	-	-	-	-	1	1	7	5	4	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	10	-	-	-	-	-	-	1	-	3	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	10	-	-	-	-	-	-	1	-	3	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	7	-	-	-	-	-	-	-	1	1	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	1	1	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	8	-	-	-	-	-	-	-	-	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	-	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	80	65	4	1	1	1	-	5	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	50	42	2	1	-	1	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	23	2	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	323	323	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	180	180	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	137	137	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	213	213	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	115	115	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	95	95	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	110	110	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	65	65	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	42	42	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	41	-	-	-	-	-	-	1	3	2	4	4	7	4	5	2	3	2	2	2	-	-	-	-	-	-	-
	White—M	28	-	-	-	-	-	-	-	2	-	3	2	4	2	4	2	3	2	2	2	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	1	-	2	1	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	14	1	-	-	-	-	-	-	-	1	3	-	-	3	1	2	2	-	-	1	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	1	1	-	-	3	-	2	1	-	-	1	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	511	8	19	9	12	7	20	13	31	58	34	30	25	23	26	23	28	21	19	25	29	20	20	7	2	-	2
	White—M	367	6	12	4	8	6	14	10	26	53	31	26	19	20	21	19	22	15	14	12	13	7	7	1	-	-	1
	F	139	2	7	5	4	1	6	3	5	5	3	3	6	3	4	3	6	5	4	13	16	13	13	6	2	-	1
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	185	-	5	3	6	2	8	6	14	32	20	8	8	8	11	7	9	8	8	11	6	3	-	-	-	-	2
	White—M	142	-	3	1	6	1	6	4	11	27	18	6	4	6	9	4	7	7	6	9	3	3	-	-	-	-	1
	F	42	-	2	2	-	1	2	2	3	5	2	2	4	2	2	2	2	1	2	2	3	-	-	-	-	-	1
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	326	8	14	6	6	5	12	7	17	26	14	22	17	15	15	16	19	13	11	14	23	17	20	7	2	-	-
	White—M	225	6	9	3	2	5	8	6	15	26	13	20	15	14	12	15	15	8	8	3	10	4	7	1	-	-	-
	F	97	2	5	3	4	-	4	1	2	-	1	1	2	1	2	1	4	4	2	11	13	13	13	6	2	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	199	7	2	1	-	-	2	-	3	1	-	2	3	1	3	7	11	11	11	11	36	35	26	23	2	1	-
	White—M	94	3	1	-	-	-	-	-	1	-	-	2	1	1	3	3	9	6	7	2	18	14	15	7	1	-	-
	F	95	4	-	1	-	-	2	-	1	1	-	-	2	-	-	3	1	3	4	7	16	21	11	16	1	1	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	2	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other causes	312	19	5	6	4	6	11	6	5	7	16	9	16	13	19	29	15	25	20	24	26	21	8	1	1	-	-
	White—M	174	10	3	2	2	5	8	2	3	-	5	5	5	6	13	16	11	15	14	16	16	11	4	-	-	-	-
	F	131	8	2	4	2	1	2	4	2	7	11	4	11	5	6	10	2	10	6	8	10	10	4	1	1	-	-
	Nonwhite—M	4	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT																											
	All causes	4,140	264	19	17	9	9	22	20	31	45	44	43	67	91	124	202	248	335	486	579	576	479	273	107	23	4	6
	White—M	2,260	154	13	13	3	7	17	12	25	34	21	23	39	50	74	117	147	218	277	319	294	233	109	46	12	1	4
	F	1,877	130	6	4	5	2	5	8	6	11	23	20	28	41	50	85	98	119	208	260	282	245	164	61	11	3	2
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	129	1	-	-	-	-	-	-	2	7	5	7	10	10	12	15	15	16	13	8	5	3	-	-	-	-	-
	White—M	88	1	-	-	-	-	-	-	-	4	1	4	5	3	8	12	12	13	12	6	4	3	-	-	-	-	-
	F	41	-	-	-	-	-	-	-	2	3	4	3	5	7	4	3	3	3	1	2	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	123	-	-	-	-	-	-	-	2	6	5	7	10	10	12	14	15	15	12	8	5	2	-	-	-	-	-
	White—M	84	-	-	-	-	-	-	-	-	4	1	4	5	3	8	11	12	12	12	6	4	2	-	-	-	-	-
	F	39	-	-	-	-	-	-	-	2	2	4	3	5	7	4	3	3	3	-	2	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	6	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-
	White—M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	15	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	4	1	2	-	-	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	2	1	2	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	4	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomyelitis (acute)	5	-	-	-	-	1	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	1	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Con.																											
45-55	Cancer and other malignant tumors	565	1	-	-	-	-	-	1	1	1	4	6	9	22	22	43	55	53	83	100	80	42	30	10	2	-	-
	White-----M--	272	1	-	-	-	-	-	-	1	1	2	1	2	8	9	15	26	27	35	62	39	24	14	4	1	-	-
	F--	293	-	-	-	-	-	-	1	-	-	2	5	7	14	13	28	29	26	48	38	41	18	16	6	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	266	1	-	-	-	-	-	-	-	-	2	2	1	9	7	11	31	29	44	53	33	23	15	5	-	-	-
	White-----M--	147	1	-	-	-	-	-	-	-	-	2	-	-	4	3	8	19	17	23	33	16	13	6	2	-	-	-
	F--	119	-	-	-	-	-	-	-	-	-	-	2	1	5	4	3	12	12	21	20	17	10	9	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	78	-	-	-	-	-	-	-	-	-	1	1	2	6	4	11	5	7	13	9	12	3	4	-	-	-	-
	White-----F--	78	-	-	-	-	-	-	-	-	-	1	1	2	6	4	11	5	7	13	9	12	3	4	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast-	61	-	-	-	-	-	-	-	-	-	-	2	4	3	4	13	7	4	7	6	6	2	1	1	1	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	60	-	-	-	-	-	-	-	-	-	-	2	4	3	4	12	7	4	7	6	6	2	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	160	-	-	-	-	-	-	1	1	1	1	1	2	4	7	8	12	13	19	32	29	14	10	4	1	-	-
	White-----M--	124	-	-	-	-	-	-	-	1	1	-	1	2	4	6	6	7	10	12	29	23	11	8	2	1	-	-
	F--	36	-	-	-	-	-	-	1	-	-	1	-	-	-	1	2	5	3	7	3	6	3	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	109	-	-	-	-	-	-	1	-	-	-	-	-	2	2	9	7	18	16	19	24	8	3	-	-	-	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	7	2	7	8	4	2	-	-	-	-
	F--	72	-	-	-	-	-	-	1	-	-	-	-	-	2	1	7	3	11	14	12	16	4	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	1	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	8	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	1	1	-	-	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	1	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	411	-	-	-	-	-	-	-	-	-	-	-	3	4	6	12	23	33	49	75	98	71	33	12	2	-	-
	White-----M--	177	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	9	20	20	32	39	31	11	5	-	-	-
	F--	233	-	-	-	-	-	-	-	-	-	-	-	1	3	3	8	14	13	29	43	49	39	22	7	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart----------	1,390	-	-	-	-	1	1	2	2	4	3	4	9	18	35	63	90	126	197	234	237	204	110	37	7	2	4
	White-----M--	794	-	-	-	-	1	1	1	2	4	-	3	7	13	27	46	59	89	128	132	118	95	44	17	4	-	3
	F--	594	-	-	-	-	-	-	1	-	-	3	1	2	5	8	17	30	37	68	102	119	109	66	20	3	2	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	82	-	-	-	-	1	-	2	1	3	2	2	3	2	3	7	5	10	9	8	14	6	2	1	1	-	-
	White-----M--	45	-	-	-	-	1	-	1	1	3	-	1	1	2	2	4	1	7	7	3	8	1	1	1	-	-	-
	F--	37	-	-	-	-	-	-	1	-	-	2	1	2	-	1	3	4	3	2	5	6	5	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	449	-	-	-	-	-	-	-	-	-	1	2	5	10	20	42	43	56	76	75	58	39	19	3	-	-	-
	White-----M--	291	-	-	-	-	-	-	-	-	-	-	2	5	8	16	33	32	43	45	47	30	22	7	1	-	-	-
	F--	157	-	-	-	-	-	-	-	-	-	1	-	-	2	4	9	11	13	30	28	28	17	12	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	859	-	-	-	-	-	1	-	1	1	-	-	1	6	12	14	42	60	112	151	165	159	89	33	6	2	4
	White-----M--	458	-	-	-	-	-	1	-	1	1	-	-	1	3	9	9	26	39	76	82	80	72	36	15	4	-	3
	F--	400	-	-	-	-	-	-	-	-	-	-	-	-	3	3	5	15	21	36	69	85	87	53	18	2	2	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT--Con.																											
97,102	Arteriosclerosis and high blood pressure*	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	5	7	10	26	33	22	13	5	-	-
	White--M	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	4	2	14	14	10	6	3	-	-
	F	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	8	12	19	12	7	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	200	35	3	2	1	-	2	2	1	2	1	2	2	1	4	5	9	12	13	24	25	26	21	2	4	-	1
	White--M	117	18	3	2	-	-	1	1	-	1	1	-	1	1	3	4	5	12	9	12	16	16	9	1	1	-	-
	F	83	17	-	-	1	-	1	1	1	1	-	2	1	-	1	1	4	-	4	12	9	10	12	1	3	-	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	82	24	3	-	-	-	2	2	-	-	-	-	2	-	-	2	1	1	4	8	12	11	8	1	1	-	-
	White--M	46	12	3	-	-	-	1	1	-	-	-	-	1	-	-	1	-	1	4	4	7	6	5	-	-	-	-
	F	36	12	-	-	-	-	1	1	-	-	-	-	1	-	-	1	1	-	-	4	5	5	3	1	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	69	7	-	-	-	-	-	-	-	2	1	2	-	-	3	3	5	7	4	13	7	8	7	-	-	-	-
	White--M	42	4	-	-	-	-	-	-	-	1	1	-	-	-	2	3	3	7	3	6	5	5	2	-	-	-	-
	F	27	3	-	-	-	-	-	-	-	1	-	2	-	-	1	-	2	-	1	7	2	3	5	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	13	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	1	3	-	-	-	-	1
	White--M	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	3	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	36	2	-	2	1	-	-	-	1	-	-	-	-	1	-	-	3	2	3	2	5	4	6	1	3	-	-
	White--M	20	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	1	3	2	2	1	1	-	-
	F	16	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	2	2	4	-	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	16	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	2	1	4	-	4	-	1	-	-	-	-
	White--M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	4	-	3	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	12	10	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White--M	6	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	20	-	-	-	-	1	3	2	1	1	-	-	-	3	1	-	1	2	3	1	1	-	-	-	-	-	-
	White--M	10	-	-	-	-	1	2	1	-	-	-	-	-	2	-	-	-	2	1	1	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	1	1	1	-	-	-	1	1	-	1	-	2	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	36	3	-	-	-	-	1	-	1	-	-	-	1	-	4	1	-	3	8	5	4	2	2	1	-	-	-
	White--M	15	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	5	2	3	-	1	-	-	-	-
	F	21	1	-	-	-	-	1	-	-	-	-	-	1	-	3	1	-	3	3	3	1	2	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	22	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	-	1	6	3	1	4	-	-	-	-	-
	White--M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	4	3	1	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	2	-	-	3	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	18	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	4	1	4	1	3	-	-	-	-
	White--M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	4	-	2	-	3	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	183	1	-	-	-	-	-	1	-	-	-	-	-	5	4	13	8	10	24	41	25	27	16	8	-	-	-
	White--M	98	1	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	7	16	19	18	14	8	5	-	-	-
	F	85	-	-	-	-	-	-	1	-	-	-	-	-	4	4	9	3	3	8	22	7	13	8	3	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	5	2	7	1	2	-	-	-
	White--M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	5	2	7	1	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Con.																											
140-150	Diseases of pregnancy, etc.*----	12	-	-	-	-	-	-	-	-	3	4	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	-	-	-	-	-	-	-	-	3	4	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia------	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	6	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes----------	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations----	58	49	5	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	25	21	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	28	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year----	159	159	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	93	93	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	66	66	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	112	112	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	60	60	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	52	52	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year------	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	33	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	45	-	-	-	-	-	-	1	-	2	1	3	3	2	2	6	5	8	6	1	1	4	-	-	-	-	-
	White-----M--	39	-	-	-	-	-	-	1	-	2	1	1	2	2	1	6	5	6	6	1	1	4	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide---------	6	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	271	6	5	6	1	1	10	5	18	18	12	11	14	9	6	11	10	15	14	23	19	28	16	11	1	2	1
	White-----M--	186	4	5	5	-	-	9	4	16	18	10	11	11	8	3	10	9	12	9	14	9	10	5	1	1	1	1
	F--	85	2	-	1	1	1	1	1	2	-	2	-	3	1	3	1	1	3	5	9	10	16	11	10	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents-------	88	-	-	2	-	1	7	2	8	13	8	6	5	4	4	1	4	3	3	8	4	3	1	-	-	1	-
	White-----M--	73	-	-	2	-	-	7	2	6	13	6	6	3	4	1	1	3	3	2	7	2	3	1	-	-	1	-
	F--	15	-	-	-	-	1	-	-	2	-	2	-	2	-	3	-	1	-	1	1	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	183	6	5	4	1	-	3	3	10	5	4	5	9	5	2	10	8	12	11	15	15	23	15	11	1	1	1
	White-----M--	113	4	5	3	-	-	2	2	10	5	4	5	8	4	2	9	6	9	7	7	7	7	4	1	1	-	1
	F--	70	2	-	1	1	-	1	1	-	-	-	-	1	1	-	1	-	3	4	8	8	16	11	10	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes----	53	5	-	1	-	-	-	-	-	-	1	-	1	-	4	2	3	3	1	5	8	5	8	5	1	-	-
	White-----M--	27	-	-	1	-	-	-	-	-	-	1	-	1	-	3	1	1	3	1	4	5	2	1	2	1	-	-
	F--	26	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	3	3	7	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes-	222	11	4	5	3	5	3	4	2	6	9	6	8	10	9	13	7	19	29	20	20	15	7	6	1	-	-
	White-----M--	120	7	2	3	2	4	2	3	2	3	3	1	5	7	7	7	3	9	14	13	10	6	3	3	1	-	-
	F--	102	4	2	2	1	1	1	1	-	3	6	5	3	3	2	6	4	10	15	7	10	9	4	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA																											
	All causes	28,154	2,935	214	133	104	77	224	233	427	680	713	794	952	1,169	1,395	1,848	2,179	2,484	2,858	2,949	2,428	1,890	1,028	445	128	29	60
	White-----M--	11,259	1,167	70	54	37	32	91	99	185	286	268	280	344	431	514	654	883	982	1,203	1,286	1,097	696	393	161	40	2	14
	F--	8,026	809	60	38	28	17	58	48	76	115	138	151	191	239	295	380	489	596	825	1,022	955	750	508	196	47	4	11
	Nonwhite--M--	4,904	545	43	26	22	16	41	53	89	159	177	229	242	257	299	451	470	476	456	360	208	131	63	38	21	9	23
	F--	3,965	414	41	15	17	12	34	33	77	120	130	134	175	242	287	363	357	420	374	281	168	113	64	50	18	14	12
1,2	Typhoid and paratyphoid fever---	6	-	-	-	-	-	-	-	-	2	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	41	9	1	1	2	2	2	6	5	-	1	-	-	3	2	1	3	-	1	2	-	-	-	-	-	-	-
	White-----M--	19	4	-	-	2	1	2	2	4	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-
	F--	13	4	1	1	-	1	-	1	1	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	13	-	-	1	2	-	3	3	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	1	1	-	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	57	40	11	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	10	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	12	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria------	43	2	6	3	7	6	12	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	21	-	4	1	3	3	4	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	1	2	-	3	2	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,300	12	8	7	5	2	4	17	64	109	136	136	113	106	106	103	91	77	69	61	46	19	6	-	-	-	3
	White-----M--	378	2	2	-	1	-	1	2	7	15	23	30	35	36	42	38	34	35	22	26	19	7	1	-	-	-	-
	F--	279	3	2	2	2	-	-	3	13	19	31	16	18	21	21	11	19	16	26	21	25	6	4	-	-	-	-
	Nonwhite--M--	373	2	1	3	1	1	1	4	24	38	41	45	39	31	30	37	25	19	13	10	2	4	1	-	-	-	1
	F--	270	5	3	2	1	1	2	8	20	37	41	45	21	18	13	17	13	7	8	4	-	2	-	-	-	-	2
13	Tuberculosis of respiratory system, etc.*---	1,174	1	3	2	1	-	3	11	52	98	125	128	102	100	102	95	87	74	63	57	43	19	6	-	-	-	2
	White-----M--	355	-	1	-	-	-	-	1	6	14	23	30	33	34	40	36	34	34	20	23	18	7	1	-	-	-	-
	F--	255	-	-	-	-	-	-	2	11	18	26	16	16	21	19	11	19	16	26	20	24	6	4	-	-	-	-
	Nonwhite--M--	326	-	-	1	1	-	1	2	19	33	37	40	33	29	30	31	22	19	11	10	1	4	1	-	-	-	1
	F--	238	1	2	1	-	-	2	6	16	33	39	42	20	16	13	17	12	5	6	4	-	2	-	-	-	-	1
14-22	Tuberculosis (other forms)----	126	11	5	5	4	2	1	6	12	11	11	8	11	6	4	8	4	3	6	4	3	-	-	-	-	-	1
	White-----M--	23	2	1	-	1	-	1	1	1	1	-	-	2	2	2	2	-	1	2	3	1	-	-	-	-	-	-
	F--	24	3	2	2	2	-	-	1	2	1	5	-	2	-	2	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	47	2	1	2	-	1	-	2	5	5	4	5	6	2	-	6	3	-	2	-	1	-	-	-	-	-	-
	F--	32	4	1	1	1	1	-	2	4	4	2	3	1	2	-	-	1	2	2	-	-	-	-	-	-	-	1
27	Dysentery--------	28	13	1	1	-	-	2	-	-	1	1	-	2	-	1	1	-	-	1	-	3	1	-	-	-	-	-
	White-----M--	9	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	12	6	-	1	-	-	1	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria---------	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	337	18	1	-	-	-	1	-	5	6	10	11	35	49	35	42	45	39	17	14	4	2	2	1	-	-	-
	White-----M--	87	1	-	-	-	-	-	-	1	1	1	1	7	6	12	8	16	12	8	7	3	2	-	1	-	-	-
	F--	26	2	-	-	-	-	-	-	-	-	2	1	4	7	2	2	3	1	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	169	12	-	-	-	-	1	-	-	1	4	6	19	27	15	26	25	19	6	6	1	-	1	-	-	-	-
	F--	55	3	1	-	-	-	-	-	4	4	3	3	5	9	6	6	1	7	3	-	-	-	-	-	-	-	-
35	Measles---------	39	10	7	3	3	2	6	2	-	-	-	1	1	-	1	1	-	-	-	-	2	-	-	-	-	-	-
	White-----M--	6	1	1	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	3	4	1	-	1	3	-	-	-	-	1	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	9	4	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	2	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	14	1	-	1	1	-	3	2	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	2	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	-	1	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Con.																											
45-55	Cancer and other malignant tumors	2,768	3	5	7	4	1	11	12	7	19	26	50	82	140	196	294	317	309	422	366	247	158	59	22	6	1	4
	White-----M--	1,006	2	-	4	3	1	4	3	4	6	11	13	16	32	43	77	113	120	171	168	116	66	21	10	1	1	-
	F--	1,115	1	2	2	1	-	4	2	1	6	11	18	34	63	90	110	119	111	158	148	108	80	31	10	3	-	2
	Nonwhite--M--	283	-	1	-	-	-	1	3	-	2	2	7	8	17	20	45	34	40	52	27	14	6	3	-	-	-	1
	F--	364	-	2	1	-	-	2	4	2	5	2	12	24	28	43	82	51	38	41	23	9	6	4	2	2	-	1
46	Cancer of the digestive organs and peritoneum--	1,119	-	-	1	-	-	2	1	-	5	6	18	22	37	67	102	131	118	200	171	120	78	29	5	3	-	3
	White-----M--	441	-	-	1	-	-	-	1	-	1	3	6	7	12	17	31	54	44	88	74	58	29	12	2	1	-	-
	F--	402	-	-	-	-	-	1	-	-	2	1	6	5	9	25	29	38	39	65	68	51	44	15	2	1	-	1
	Nonwhite--M--	151	-	-	-	-	-	1	-	-	2	2	2	4	8	11	26	18	18	30	17	7	3	1	-	-	-	1
	F--	125	-	-	-	-	-	-	-	-	-	-	4	6	8	14	16	21	17	17	12	4	2	1	1	1	-	1
48,49	Cancer of female genital organs--	402	-	-	-	-	-	1	-	-	4	7	10	25	33	45	71	57	39	42	38	14	8	5	1	2	-	-
	White-----F--	276	-	-	-	-	-	1	-	-	2	5	5	13	24	29	45	35	33	32	29	12	7	3	-	1	-	-
	Nonwhite--F--	126	-	-	-	-	-	-	-	-	2	2	5	12	9	16	26	22	6	10	9	2	1	2	1	1	-	-
50	Cancer of breast-	268	-	-	-	-	-	-	-	-	-	1	6	15	23	25	35	29	25	32	27	21	18	7	2	1	-	1
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-	-	-
	F--	201	-	-	-	-	-	-	-	-	-	1	4	12	15	20	23	22	16	21	24	17	15	7	2	1	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	59	-	-	-	-	-	-	-	-	-	-	2	3	7	5	12	6	9	10	1	2	2	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	979	3	5	6	4	1	8	11	7	10	12	16	20	47	59	86	100	127	148	130	92	54	18	14	-	1	-
	White-----M--	559	2	-	3	3	1	4	2	4	5	8	7	9	20	26	46	58	76	82	92	57	36	9	8	-	1	-
	F--	236	1	2	2	1	-	2	2	1	2	4	3	4	15	16	13	24	23	40	27	28	14	6	6	-	-	-
	Nonwhite--M--	130	-	1	-	-	-	-	3	-	-	-	5	4	8	9	19	16	22	22	10	6	3	2	-	-	-	-
	F--	54	-	2	1	-	-	2	4	2	3	-	1	3	4	8	8	2	6	4	1	1	1	1	-	-	-	-
58	Acute rheumatic fever----------	32	3	-	1	-	-	2	4	4	5	5	4	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	1	-	2	1	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	1	-	-	-	-	1	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	1	-	1	-	-	-	1	2	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	541	-	1	-	-	1	3	4	4	7	6	10	9	14	35	25	58	75	99	87	60	26	11	5	2	-	1
	White-----M--	177	-	1	-	-	-	1	2	3	3	2	4	4	6	13	5	17	14	29	37	19	9	5	3	-	-	-
	F--	255	-	-	-	-	1	-	1	1	2	1	3	-	3	9	8	26	42	51	44	40	16	5	1	1	-	-
	Nonwhite--M--	34	-	-	-	-	-	1	-	-	1	3	2	2	4	4	4	2	4	5	1	1	-	-	1	-	-	1
	F--	75	-	-	-	-	-	1	1	-	1	-	1	3	3	9	8	11	15	14	5	-	1	1	-	1	-	-
63b	Exophthalmic goiter----------	50	-	-	-	-	-	-	-	1	-	2	-	2	10	4	4	6	10	5	4	-	1	-	1	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	1	-	1	3	2	3	2	7	4	3	-	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	1	-	1	-	1	7	1	1	3	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	25	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	3	4	7	4	2	-	1	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	1	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	4	2	1	1	-	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	91	-	-	-	-	-	-	-	-	2	5	11	13	16	13	9	7	7	4	4	-	-	-	-	-	-	-
	White-----M--	65	-	-	-	-	-	-	-	-	1	3	5	9	14	9	8	6	6	3	3	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	1	-	3	3	1	1	3	1	1	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	2,869	4	1	3	-	-	2	3	4	13	9	26	43	82	127	232	291	362	390	435	405	230	130	49	14	5	9
	White-----M--	952	2	1	1	-	-	2	2	1	5	2	2	11	21	23	48	96	99	134	170	169	92	47	16	6	-	2
	F--	878	1	-	1	-	-	-	1	2	2	2	7	7	12	26	51	46	95	113	151	165	101	68	21	6	-	-
	Nonwhite--M--	483	1	-	1	-	-	-	-	-	3	2	10	11	16	31	61	71	78	73	54	33	19	5	5	2	3	4
	F--	556	-	-	-	-	-	-	-	1	3	3	7	14	33	47	72	78	90	70	60	38	18	10	7	-	2	3
90-95	Diseases of the heart----------	7,437	1	6	-	3	4	12	17	18	23	42	76	121	233	371	576	752	903	1,008	1,134	932	620	374	160	33	8	10
	White-----M--	3,280	-	2	-	1	2	5	8	3	9	18	32	50	93	168	246	364	423	470	515	411	263	138	56	9	-	4
	F--	2,073	-	2	-	-	-	3	5	7	4	8	13	21	30	49	88	125	188	256	372	373	258	184	71	13	2	1
	Nonwhite--M--	1,147	-	1	-	-	-	3	-	5	4	9	18	29	59	83	143	149	154	157	145	80	54	28	13	7	3	2
	F--	927	1	1	-	2	2	1	4	3	6	7	13	21	51	71	99	114	138	126	102	68	45	23	20	4	3	3
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	396	-	-	-	1	3	7	13	9	8	8	13	17	13	19	29	41	45	38	54	28	30	6	8	3	-	3
	White-----M--	142	-	-	-	-	1	2	6	2	2	5	4	6	6	7	4	17	13	12	22	10	15	3	3	-	-	2
	F--	113	-	-	-	-	-	2	5	5	2	1	3	7	2	7	7	10	11	12	13	11	9	2	3	1	-	-
	Nonwhite--M--	78	-	-	-	-	-	2	-	1	2	1	4	3	3	3	9	9	11	8	11	3	4	1	1	2	-	-
	F--	63	-	-	-	1	2	1	2	1	2	1	2	1	2	2	9	5	10	6	8	4	2	-	1	-	-	1
94	Diseases of coronary arteries and angina pectoris---------	2,202	-	-	-	-	-	2	-	-	3	10	25	51	103	166	245	279	306	324	314	220	87	43	18	4	1	1
	White-----M--	1,380	-	-	-	-	-	1	-	-	2	6	15	33	58	110	165	189	200	207	186	126	51	21	7	2	-	1
	F--	478	-	-	-	-	-	-	-	-	-	2	3	3	13	16	33	39	64	70	99	76	32	17	9	2	-	-
	Nonwhite--M--	205	-	-	-	-	-	1	-	-	-	2	5	10	21	24	33	28	21	28	14	11	2	2	2	-	1	-
	F--	139	-	-	-	-	-	-	-	-	1	-	2	5	11	16	14	23	21	19	15	7	2	3	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	4,839	1	6	-	2	1	3	4	9	12	24	38	53	117	186	302	432	552	646	766	684	503	325	134	26	7	6
	White-----M--	1,768	-	2	-	1	1	2	2	1	5	7	13	11	29	51	77	158	210	251	307	275	197	114	46	7	-	1
	F--	1,482	-	2	-	-	-	1	-	2	2	5	7	11	15	26	48	76	113	174	260	286	217	165	59	10	2	1
	Nonwhite--M--	864	-	1	-	-	-	-	-	4	2	6	9	16	35	56	101	112	122	121	120	66	48	26	10	5	2	2
	F--	725	1	1	-	1	-	-	2	2	3	6	9	15	38	53	76	86	107	100	79	57	41	20	19	4	3	2

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Con.																											
97,102	Arteriosclerosis and high blood pressure*	425	-	-	-	-	-	-	-	-	-	-	1	7	8	8	15	20	29	44	61	73	78	53	21	5	1	1
	White—M	156	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	6	7	10	17	33	33	31	7	3	-	1
	F	122	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	4	12	20	24	30	16	8	1	1	-
	Nonwhite—M	58	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	5	6	8	11	7	11	1	2	-	-	-
	F	89	-	-	-	-	-	-	-	-	-	-	1	6	5	3	4	8	12	14	13	8	4	5	4	1	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,484	402	65	21	14	11	8	13	19	27	25	28	32	43	51	62	85	78	104	110	100	85	67	40	10	3	3
	White—M	504	123	18	12	2	4	2	3	8	8	4	5	7	14	21	18	21	29	36	39	53	33	24	16	2	-	2
	F	418	90	18	5	5	-	3	6	4	7	6	8	6	2	8	16	13	11	37	40	29	41	38	18	7	1	1
	Nonwhite—M	308	101	12	2	5	5	3	2	4	6	6	14	10	14	16	18	19	19	15	13	9	7	3	4	1	-	-
	F	254	88	17	2	2	2	-	2	3	6	9	1	9	13	6	10	12	19	16	18	9	4	2	2	-	2	-
107	Bronchopneumonia	557	216	27	8	6	2	4	6	3	9	3	6	9	9	10	19	24	21	27	36	32	33	27	14	5	-	1
	White—M	197	68	3	4	-	1	2	1	2	3	-	1	2	6	8	9	7	5	8	14	19	16	9	7	2	-	-
	F	152	42	7	2	2	-	1	3	-	2	-	1	2	-	1	5	3	6	10	13	9	16	16	7	3	-	1
	Nonwhite—M	111	53	6	1	4	1	1	2	1	3	2	4	3	-	1	4	9	4	4	5	1	1	1	-	-	-	-
	F	97	53	11	1	-	-	-	-	-	1	1	-	2	3	-	1	5	6	5	4	3	-	1	-	-	-	-
108	Lobar pneumonia	352	51	7	3	3	2	1	2	5	6	14	6	12	21	22	18	18	24	36	32	28	20	14	6	1	-	-
	White—M	114	13	4	1	1	-	-	1	3	2	3	2	4	4	10	1	8	11	9	9	13	7	6	2	-	-	-
	F	99	12	2	1	1	-	-	1	-	3	4	1	1	2	4	7	4	1	16	12	6	9	8	3	1	-	-
	Nonwhite—M	72	12	-	-	-	1	1	-	1	-	2	2	5	9	5	6	4	6	6	4	4	3	-	1	-	-	-
	F	67	14	1	1	1	1	-	-	1	1	5	1	2	6	3	4	2	6	5	7	5	1	-	-	-	-	-
109	Pneumonia (unspecified)	297	103	15	6	3	2	3	4	4	3	4	7	3	8	8	10	11	15	17	22	17	8	8	10	3	1	2
	White—M	111	36	5	4	1	1	-	1	1	-	-	1	1	4	2	3	5	6	8	11	9	3	3	4	-	-	2
	F	84	25	3	1	1	-	2	1	1	1	2	3	1	-	2	3	1	2	6	10	5	4	4	4	2	-	-
	Nonwhite—M	61	23	6	1	-	1	1	-	-	1	1	3	1	3	2	3	3	3	1	1	2	1	1	2	1	-	-
	F	41	19	1	-	1	-	-	2	2	1	1	-	-	1	2	1	2	4	2	-	1	-	-	-	-	1	-
33	Influenza	278	32	16	4	2	5	-	1	7	9	4	7	8	5	11	15	12	18	24	20	23	24	18	10	1	2	-
	White—M	82	6	6	3	-	2	-	-	2	3	1	1	-	-	1	5	1	7	11	5	12	7	6	3	-	-	-
	F	83	11	6	1	1	-	-	1	3	1	-	1	2	-	1	1	5	2	5	5	9	12	10	4	1	1	-
	Nonwhite—M	64	13	-	-	1	2	-	-	2	2	1	5	1	2	8	5	3	6	4	3	2	2	1	1	-	-	-
	F	49	2	4	-	-	1	-	-	-	3	2	-	5	3	1	4	3	3	4	7	-	3	1	2	-	1	-
117	Ulcer of stomach or duodenum	149	1	-	-	-	-	1	-	-	2	4	9	9	12	19	16	15	17	16	19	8	1	-	-	-	-	-
	White—M	86	-	-	-	-	-	1	-	-	-	1	3	2	9	12	10	5	11	11	14	7	-	-	-	-	-	-
	F	19	1	-	-	-	-	-	-	-	1	-	-	3	2	-	4	1	1	-	4	1	1	-	-	-	-	-
	Nonwhite—M	31	-	-	-	-	-	-	-	-	1	2	6	3	1	4	1	6	3	3	1	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	3	2	2	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	228	148	9	3	3	1	2	1	3	-	3	5	1	8	2	5	4	7	4	4	3	7	3	2	-	-	-
	White—M	73	53	1	2	1	-	-	-	-	-	2	1	-	2	-	2	-	2	1	2	-	2	2	-	-	-	-
	F	70	42	4	-	2	1	1	-	1	-	1	3	1	1	-	2	-	1	-	1	2	5	1	1	-	-	-
	Nonwhite—M	48	30	3	1	-	-	-	-	1	-	-	-	-	4	1	1	2	3	1	-	1	-	-	-	-	-	-
	F	37	23	1	-	-	-	1	1	1	-	-	1	-	1	1	-	2	1	2	1	-	-	-	1	-	-	-
121	Appendicitis	85	1	-	-	3	1	-	7	3	6	10	5	7	11	5	5	6	4	2	5	2	1	-	-	1	-	-
	White—M	31	1	-	-	-	-	-	2	-	2	3	-	3	4	3	3	3	2	-	4	-	-	-	-	1	-	-
	F	24	-	-	-	2	1	-	1	-	1	2	1	2	4	1	-	3	1	1	1	2	1	-	-	-	-	-
	Nonwhite—M	23	-	-	-	1	-	-	4	2	2	2	4	2	2	1	1	-	1	1	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	201	4	2	-	1	-	2	1	3	6	6	8	14	8	11	12	13	17	27	23	16	13	12	2	-	-	-
	White—M	69	2	1	-	-	-	1	1	2	1	2	-	2	3	1	4	4	7	10	11	6	5	6	-	-	-	-
	F	64	1	-	-	-	-	-	-	-	1	1	4	5	2	6	2	4	2	7	9	8	6	6	-	-	-	-
	Nonwhite—M	35	-	1	-	1	-	1	-	1	1	1	3	3	-	1	4	3	5	5	3	1	-	-	1	-	-	-
	F	33	1	-	-	-	-	-	-	-	3	2	1	4	3	3	2	2	3	5	-	1	2	-	1	-	-	-
124	Cirrhosis of the liver	166	-	-	-	-	-	3	-	2	-	4	11	9	15	19	23	19	12	18	14	14	2	1	-	-	-	-
	White—M	98	-	-	-	-	-	2	-	-	-	2	7	6	11	8	14	15	6	12	5	8	1	1	-	-	-	-
	F	34	-	-	-	-	-	1	-	1	-	1	2	2	1	5	5	-	3	4	5	4	-	-	-	-	-	-
	Nonwhite—M	26	-	-	-	-	-	-	-	1	-	1	2	1	2	4	3	2	3	2	3	1	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	1	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	90	-	-	-	-	-	-	-	-	1	-	2	3	7	8	8	12	17	9	10	2	9	1	1	-	-	-
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	4	4	2	3	-	2	-	1	-	-	-
	F	49	-	-	-	-	-	-	-	-	-	-	1	-	3	5	3	6	10	5	7	2	6	1	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	1	-	1	-	2	1	2	1	1	2	-	-	1	-	-	-	-	-
130-132	Nephritis	2,070	3	1	-	3	3	3	2	13	10	19	37	51	85	91	138	161	222	286	282	249	200	127	52	18	5	9
	White—M	727	1	1	-	1	3	2	-	8	3	5	12	12	23	13	40	39	76	114	104	110	82	51	19	7	1	-
	F	554	1	-	-	-	-	-	1	1	3	3	4	8	19	15	22	35	34	64	94	81	87	57	21	3	-	1
	Nonwhite—M	424	-	-	-	1	-	-	-	-	2	6	13	13	18	28	37	58	59	58	49	36	17	9	9	3	2	6
	F	365	1	-	-	1	-	1	1	4	2	5	8	18	25	35	39	29	53	50	35	22	14	10	3	5	2	2
137	Diseases of the prostate	141	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	6	16	23	26	32	20	9	3	3	-	-
	White—M	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	10	19	27	17	9	3	1	-	-
	Nonwhite—M	46	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	4	10	13	7	5	3	-	-	2	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Con.																											
140-150	Diseases of pregnancy, etc.*	124	-	-	-	-	-	-	-	17	24	30	22	22	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	72	-	-	-	-	-	-	-	7	14	14	16	15	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	52	-	-	-	-	-	-	-	10	10	16	6	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	39	-	-	-	-	-	-	-	5	5	11	7	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	26	-	-	-	-	-	-	-	2	3	5	6	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	13	-	-	-	-	-	-	-	3	2	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	36	-	-	-	-	-	-	-	10	9	5	4	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	17	-	-	-	-	-	-	-	4	6	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	19	-	-	-	-	-	-	-	6	3	4	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	37	-	-	-	-	-	-	-	2	8	8	9	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	20	-	-	-	-	-	-	-	1	4	3	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	17	-	-	-	-	-	-	-	1	4	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	12	-	-	-	-	-	-	-	-	2	6	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	-	1	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	364	302	14	12	4	4	7	4	4	4	1	1	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	182	154	7	5	1	3	2	1	1	3	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	126	100	4	6	2	1	4	2	2	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	37	30	2	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	18	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	1,618	1,618	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	701	701	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	457	457	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	271	271	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	189	189	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	1,039	1,039	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	447	447	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	304	304	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	171	171	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	117	117	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	579	579	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	254	254	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	153	153	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	100	100	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	72	72	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	337	-	-	-	-	-	1	3	10	17	41	38	40	37	32	28	18	27	24	14	6	1	-	-	-	-	-
	White—M	223	-	-	-	-	-	1	1	7	8	27	26	26	24	23	17	10	16	19	12	5	1	-	-	-	-	-
	F	80	-	-	-	-	-	-	1	2	4	8	6	13	11	8	10	7	7	2	1	-	-	-	-	-	-	-
	Nonwhite—M	29	-	-	-	-	-	-	1	1	3	5	6	1	1	1	1	1	3	3	1	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
165-168	Homicide	336	3	-	2	-	-	1	4	21	69	54	38	38	32	21	20	14	7	4	4	2	1	1	-	-	-	2
	White—M	83	-	-	-	-	-	-	-	3	15	13	5	8	4	7	8	6	4	3	3	2	1	1	-	-	-	-
	F	31	-	-	1	-	-	-	-	5	7	5	2	2	4	-	1	3	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	179	2	-	1	-	-	-	4	8	37	30	26	22	18	13	8	5	2	1	-	-	-	-	-	-	-	2
	F	43	1	-	-	-	-	1	-	5	10	6	5	4	6	1	3	-	1	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,225	69	28	36	29	22	78	77	166	228	191	162	174	122	113	91	88	83	108	103	71	80	57	22	5	2	10
	White—M	1,231	26	13	18	17	6	34	43	111	156	120	98	103	74	75	50	60	38	56	42	32	28	20	6	1	-	4
	F	422	16	4	6	4	7	16	9	18	23	23	15	16	14	13	6	15	18	27	43	31	46	34	12	3	-	3
	Nonwhite—M	433	13	6	9	4	5	13	21	27	41	41	46	48	25	16	28	22	21	18	15	6	1	2	1	-	1	3
	F	139	14	5	3	4	4	15	4	10	8	7	3	7	9	9	7	1	6	7	3	2	5	1	3	1	1	-
170	Motor-vehicle accidents	809	-	4	10	8	9	36	22	75	137	100	76	65	39	48	38	31	29	31	23	12	8	6	-	-	-	2
	White—M	478	-	2	5	7	4	18	11	50	91	62	44	32	26	31	20	17	12	19	10	8	5	6	-	-	-	-
	F	122	-	1	1	1	1	10	5	12	19	13	7	9	3	9	1	8	6	5	7	1	2	-	-	-	-	1
	Nonwhite—M	172	-	1	3	-	4	5	5	8	22	23	23	22	8	4	13	5	9	6	6	3	1	-	-	-	-	1
	F	37	-	-	1	-	-	5	1	5	5	2	2	2	2	4	4	1	2	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,416	69	24	26	21	13	42	55	91	91	91	86	109	83	65	53	67	54	77	80	59	72	51	22	5	2	8
	White—M	753	28	11	13	10	2	18	32	61	65	58	54	71	48	44	30	43	26	37	32	24	23	14	6	1	-	4
	F	300	16	3	5	3	6	6	4	6	4	10	8	7	11	4	5	7	12	22	36	30	44	34	12	3	-	2
	Nonwhite—M	261	13	5	6	4	1	8	16	19	19	18	23	26	17	12	15	17	12	12	9	3	-	2	1	-	1	2
	F	102	14	5	2	4	4	10	3	5	3	5	1	5	7	5	3	-	4	6	3	2	5	1	3	1	1	-
162,199, 200	Senility, ill-defined and unknown causes	675	148	10	4	2	2	4	3	7	10	8	9	10	13	7	23	26	37	35	38	46	84	71	47	27	2	2
	White—M	222	39	1	1	1	2	3	-	2	3	5	3	5	8	4	9	4	14	12	15	20	31	19	13	8	-	-
	F	224	47	3	2	-	-	-	1	1	2	-	-	3	1	-	2	4	7	6	11	16	39	38	29	10	-	2
	Nonwhite—M	120	30	3	1	1	-	1	2	2	1	2	5	1	2	2	6	10	8	11	5	7	6	8	1	5	-	-
	F	109	32	3	-	-	-	-	-	2	4	1	1	1	2	1	6	8	8	6	7	3	8	6	4	4	2	-
	All other causes	1,742	120	37	24	16	14	51	43	43	67	73	89	109	102	113	112	131	124	133	122	100	49	44	16	2	2	6
	White—M	693	42	16	9	4	7	19	20	15	24	21	27	31	40	33	41	55	55	68	84	54	19	17	10	1	-	1
	F	511	28	10	9	5	2	12	12	8	16	16	28	28	27	29	31	34	36	47	42	39	25	24	2	-	-	1
	Nonwhite—M	266	31	6	3	3	3	13	6	12	14	17	13	23	15	22	19	24	15	10	8	1	2	1	1	1	-	3
	F	272	19	5	3	4	2	7	5	8	13	19	21	27	20	29	21	18	18	8	8	6	3	2	3	-	2	1

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON																											
	All causes	22,011	1,734	113	84	50	49	130	107	202	325	328	439	528	657	913	1,243	1,730	2,168	2,392	2,565	2,594	1,967	1,217	374	82	5	15
	White--M	13,094	967	53	45	22	24	77	59	128	198	190	252	296	389	590	781	1,109	1,406	1,535	1,508	1,493	1,074	651	202	34	3	8
	F	8,255	667	48	31	22	23	46	40	58	79	112	158	200	236	288	422	577	715	816	1,010	1,065	868	558	167	46	2	5
	Nonwhite--M	425	58	6	5	3	1	7	2	12	22	14	18	24	20	23	28	34	35	28	33	28	13	7	3	-	-	1
	F	237	42	6	3	3	1	-	6	6	26	12	11	8	12	12	12	10	12	13	14	8	12	3	2	2	-	1
1,2	Typhoid and paratyphoid fever	4	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	19	8	2	3	1	-	-	-	1	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	9	4	-	2	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	4	2	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	15	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	25	1	3	2	2	-	5	-	1	1	-	2	-	1	-	3	2	-	1	1	-	-	-	-	-	-	-
	White--M	13	-	1	1	1	-	3	-	1	1	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	F	11	1	2	1	-	-	2	-	-	-	-	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	738	7	9	7	3	-	9	10	24	53	54	67	60	63	62	57	62	59	51	39	26	11	2	1	2	-	-
	White--M	427	2	2	3	1	-	2	-	5	10	21	33	31	36	45	44	53	50	39	24	20	6	-	-	-	-	-
	F	186	1	4	1	-	-	1	5	10	10	18	25	21	21	12	8	7	8	11	13	5	3	1	-	1	-	-
	Nonwhite--M	67	3	1	1	1	-	6	1	4	11	6	6	7	4	3	5	2	1	-	2	-	2	1	-	-	-	-
	F	58	1	2	2	1	-	-	4	5	22	9	3	1	2	2	-	-	-	1	-	1	-	-	1	1	-	-
13	Tuberculosis of respiratory system, etc.*	679	4	4	2	2	-	6	8	22	49	52	60	57	60	60	52	57	56	49	38	25	11	2	1	2	-	-
	White--M	400	1	1	-	-	-	1	-	4	10	20	30	30	35	44	41	49	46	38	23	19	6	-	-	-	-	-
	F	167	1	2	1	-	-	-	3	9	7	17	23	20	19	11	7	6	7	11	13	5	3	1	-	1	-	-
	Nonwhite--M	59	1	-	1	1	-	5	1	4	10	6	5	6	4	3	4	2	1	-	2	-	2	1	-	-	-	-
	F	53	1	1	-	1	-	-	4	5	22	9	2	1	2	2	-	-	-	-	-	1	-	-	1	1	-	-
14-22	Tuberculosis (other forms)	59	3	5	5	1	-	3	2	2	4	2	7	3	3	2	5	5	3	2	1	1	-	-	-	-	-	-
	White--M	27	1	1	3	1	-	1	-	1	-	1	3	1	1	1	3	4	2	1	1	1	-	-	-	-	-	-
	F	19	-	2	-	-	-	1	2	1	3	1	2	1	2	1	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	2	1	-	-	-	1	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery	5	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	186	1	-	-	-	-	-	1	-	-	1	2	6	11	18	20	25	29	34	20	9	6	-	1	-	-	-
	White--M	119	-	-	-	-	-	-	-	-	-	-	1	2	3	9	18	20	19	23	12	7	5	-	-	-	-	-
	F	42	-	-	-	-	-	-	1	-	-	1	-	4	3	3	1	3	9	8	5	2	1	-	1	-	-	-
	Nonwhite--M	15	-	-	-	-	-	-	-	-	-	-	-	1	3	5	-	2	1	2	1	-	-	-	-	-	-	-
	F	10	1	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	1	2	-	-	-	-	-	-	-
35	Measles	21	4	4	2	1	1	4	1	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	7	1	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	12	3	2	1	1	-	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliioencephalitis (acute)	34	1	1	1	-	2	3	3	5	9	2	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	20	-	1	-	-	-	2	2	3	7	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	1	-	1	-	1	1	1	2	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																											
45-55	Cancer and other malignant tumors	2,808	1	2	4	4	2	3	9	5	10	17	48	50	87	153	225	327	407	408	390	333	191	107	24	1	-	-
	White-----M--	1,443	1	1	2	2	1	3	4	3	9	6	17	13	32	56	84	149	229	239	210	200	111	55	15	1	-	-
	F--	1,319	-	-	2	2	1	-	4	2	1	11	30	36	54	93	137	171	173	162	175	127	77	52	9	-	-	-
	Nonwhite--M--	28	-	1	-	-	-	-	-	-	-	-	-	-	1	3	2	5	2	5	3	4	2	-	-	-	-	-
	F--	18	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	2	3	2	2	2	1	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	1,229	1	-	-	1	-	-	3	-	2	4	13	17	30	42	75	118	182	206	207	175	98	43	11	1	-	-
	White-----M--	733	1	-	-	-	-	-	2	-	2	2	3	5	18	26	43	66	124	135	117	108	52	21	7	1	-	-
	F--	473	-	-	-	1	-	-	1	-	-	2	9	11	11	15	28	47	57	67	88	65	44	22	4	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	1	3	1	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	1	1	1	-	-	-	-	-
48,49	Cancer of female genital organs--	321	-	-	-	-	-	-	-	-	-	3	8	8	24	35	40	46	46	42	27	22	11	7	2	-	-	-
	White-----F--	317	-	-	-	-	-	-	-	-	-	3	8	8	24	34	39	46	45	42	26	22	11	7	2	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-
50	Cancer of breast-	268	-	-	-	-	-	-	-	-	-	2	6	9	11	22	36	47	39	27	30	17	14	7	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	1	1	-	-	-	-	-
	F--	259	-	-	-	-	-	-	-	-	-	2	6	9	11	22	35	47	35	26	30	15	13	7	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	990	-	2	4	3	2	3	6	5	8	8	21	16	22	54	74	116	140	133	126	119	68	50	10	-	-	-
	White-----M--	704	-	1	2	2	1	3	2	3	7	4	14	8	14	30	40	83	102	104	93	91	58	34	8	-	-	-
	F--	270	-	-	2	1	1	-	3	2	1	4	7	8	8	22	34	31	36	27	31	25	9	16	2	-	-	-
	Nonwhite--M--	13	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	2	3	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	16	-	-	-	-	-	1	4	3	1	1	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	11	-	-	-	-	-	1	2	2	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	482	1	1	-	-	1	-	4	4	3	3	9	3	6	10	22	51	64	86	77	73	43	17	3	1	-	-
	White-----M--	187	-	-	-	-	-	-	3	1	1	2	2	2	4	7	9	22	20	27	28	31	18	9	1	-	-	-
	F--	288	1	1	-	-	1	-	-	3	2	1	6	1	1	2	12	29	44	58	49	41	25	8	2	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter----------	43	-	-	-	-	-	-	-	-	-	1	-	1	1	2	7	5	7	6	7	2	3	1	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	-	-	1	-	-	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	3	6	5	7	2	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	85	-	-	-	-	-	-	-	1	-	1	3	5	14	15	11	10	8	7	7	3	-	-	-	-	-	-
	White-----M--	75	-	-	-	-	-	-	-	-	-	-	2	5	12	15	10	10	7	6	7	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	-	1	1	-	2	-	1	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,958	1	-	-	1	-	1	-	3	3	5	13	19	20	47	91	143	209	238	344	333	280	153	45	7	-	2
	White-----M--	1,014	-	-	-	1	-	-	-	3	2	3	5	8	9	23	40	79	119	135	185	173	129	72	26	2	-	-
	F--	917	1	-	-	-	-	1	-	-	1	1	8	11	11	21	50	61	85	101	154	160	146	80	19	4	-	2
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	2	2	2	3	-	3	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	2	-	2	-	-	1	-	-
80-95	Diseases of the heart----------	7,104	3	3	-	-	1	1	5	11	12	28	47	78	139	261	395	647	843	1,033	1,055	1,088	809	476	134	28	2	5
	White-----M--	4,563	-	2	-	-	1	-	-	6	5	14	28	49	98	198	298	456	597	706	665	636	456	257	74	14	2	1
	F--	2,416	2	1	-	-	-	-	5	3	7	14	16	26	38	58	87	177	232	308	371	436	347	213	58	14	-	3
	Nonwhite--M--	89	1	-	-	-	-	1	-	2	-	-	2	3	1	3	8	12	11	12	13	12	3	3	2	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	2	3	7	6	4	3	3	-	-	-	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	363	-	-	-	-	1	1	5	6	10	9	15	18	18	27	27	34	35	46	32	40	32	20	4	2	-	1
	White-----M--	192	-	-	-	-	1	-	-	2	4	2	7	9	9	14	16	22	20	22	15	18	19	8	3	1	-	-
	F--	179	-	-	-	-	-	-	5	2	6	7	6	8	8	12	10	11	15	23	16	22	13	12	1	1	-	1
	Nonwhite--M--	8	-	-	-	-	-	1	-	2	-	-	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	2,875	-	-	-	-	-	-	-	-	-	10	13	39	77	158	237	383	449	463	400	325	196	98	20	5	-	2
	White-----M--	2,193	-	-	-	-	-	-	-	-	-	6	12	30	61	139	200	309	356	357	285	223	132	65	13	4	-	1
	F--	646	-	-	-	-	-	-	-	-	-	4	1	7	15	17	33	70	88	100	107	99	63	33	7	1	-	1
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	4	5	5	5	2	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	3	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	3,846	3	3	-	-	-	-	-	5	2	9	19	21	44	76	131	230	359	524	623	723	581	358	110	21	2	2
	White-----M--	2,178	-	2	-	-	-	-	-	4	1	6	9	10	28	45	82	125	221	327	365	395	305	184	58	9	2	-
	F--	1,591	2	1	-	-	-	-	-	1	1	3	9	11	15	29	44	96	129	185	248	315	271	168	50	12	-	1
	Nonwhite--M--	92	1	-	-	-	-	-	-	-	-	-	1	-	1	2	3	7	6	6	8	10	2	3	2	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	6	2	3	3	3	-	-	-	1

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																											
97,102	Arteriosclerosis and high blood pressure*	379	-	-	-	-	-	-	-	-	-	-	-	1	4	1	2	7	11	29	52	75	83	72	31	10	1	-
	White—M	223	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	5	6	15	30	50	52	38	17	3	1	-
	F	152	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	14	22	23	29	34	14	7	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	876	166	20	13	4	3	10	7	6	6	6	9	16	21	26	28	33	47	44	79	122	102	75	25	7	-	1
	White—M	481	76	10	8	1	1	5	3	3	3	2	6	7	15	19	20	22	33	28	37	72	57	39	12	1	-	1
	F	347	68	7	5	2	2	5	4	3	3	4	2	8	5	6	7	8	11	14	36	49	43	36	13	6	-	-
	Nonwhite—M	28	12	1	-	-	-	-	-	-	-	-	1	1	1	-	-	2	3	2	5	-	-	-	-	-	-	-
	F	20	10	2	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	2	-	-	-	-	-
107	Bronchopneumonia	455	103	10	8	2	2	7	3	3	3	2	5	7	9	7	6	15	18	12	48	59	62	41	17	5	-	1
	White—M	234	52	5	5	1	1	3	2	2	2	-	3	-	7	6	4	7	12	8	18	36	35	15	8	1	-	1
	F	198	38	3	3	-	1	4	1	1	1	2	1	6	2	-	2	8	5	4	27	23	27	26	9	4	-	-
	Nonwhite—M	13	7	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	F	10	6	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
108	Lobar pneumonia	272	33	2	3	2	1	2	3	2	1	4	4	7	9	14	15	13	22	22	22	43	23	21	4	-	-	-
	White—M	169	13	1	3	-	-	1	1	1	-	2	3	6	7	10	11	10	15	13	15	25	14	16	4	-	-	-
	F	84	15	-	-	2	1	1	2	1	1	2	1	1	1	4	3	-	5	7	6	18	8	5	-	-	-	-
	Nonwhite—M	12	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	3	-	-	-	-	-	-	-
	F	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
109	Pneumonia (unspecified)	71	24	6	1	-	-	-	1	-	1	-	-	1	2	2	3	2	4	5	4	8	3	3	-	1	-	-
	White—M	32	8	2	-	-	-	-	-	-	1	-	-	-	-	-	2	2	4	3	3	3	2	2	-	-	-	-
	F	34	12	4	1	-	-	-	1	-	-	-	-	1	2	2	1	-	-	2	1	4	1	1	-	1	-	-
	Nonwhite—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
33	Influenza	78	6	2	1	-	-	1	-	1	1	-	-	1	1	3	4	3	3	5	5	12	14	10	4	1	-	-
	White—M	46	3	2	-	-	-	1	-	-	-	-	-	1	1	3	3	3	2	4	3	8	6	6	-	-	-	-
	F	31	3	-	1	-	-	-	-	1	1	-	-	-	-	-	1	-	1	1	2	4	7	4	4	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	158	1	1	-	-	-	-	-	-	1	1	3	9	5	10	12	24	27	16	21	13	9	4	-	1	-	-
	White—M	131	1	-	-	-	-	-	-	-	1	1	2	6	5	10	10	21	23	13	16	10	7	4	-	1	-	-
	F	23	-	1	-	-	-	-	-	-	-	-	-	3	-	-	2	3	3	1	5	3	2	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	76	47	5	-	-	-	1	3	1	2	2	1	1	1	3	1	1	1	-	1	3	1	1	-	-	-	-
	White—M	37	20	2	-	-	-	1	3	1	-	1	1	1	1	3	1	-	1	-	-	1	-	-	-	-	-	-
	F	34	23	2	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	1	2	1	1	-	-	-	-
	Nonwhite—M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	69	1	-	1	1	-	1	-	4	2	2	1	3	4	2	4	10	7	10	4	8	2	2	-	-	-	-
	White—M	42	1	-	-	-	-	-	-	3	-	1	1	3	3	2	2	5	4	7	4	3	2	1	-	-	-	-
	F	25	-	-	-	1	-	1	-	1	2	1	-	-	1	-	2	4	3	3	-	5	-	1	-	-	-	-
	Nonwhite—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	147	4	5	-	1	-	-	1	2	4	4	5	6	5	2	6	12	15	16	12	14	23	9	1	-	-	-
	White—M	71	2	1	-	-	-	-	1	2	2	1	1	1	1	1	2	7	5	11	4	9	15	4	1	-	-	-
	F	75	2	4	-	1	-	-	-	-	2	3	4	5	4	1	4	5	9	5	8	5	8	5	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	171	-	-	-	1	-	1	-	1	3	1	2	8	15	15	24	22	23	18	14	13	7	2	1	-	-	-
	White—M	107	-	-	-	1	-	-	-	1	1	-	1	4	6	15	13	16	16	10	6	9	5	2	1	-	-	-
	F	62	-	-	-	-	-	1	-	-	1	1	1	4	9	-	11	6	7	8	7	4	2	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	117	-	-	-	-	-	-	-	-	-	-	2	4	3	5	7	18	19	11	14	12	15	7	-	-	-	-
	White—M	45	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	7	5	4	6	4	8	6	-	-	-	-
	F	69	-	-	-	-	-	-	-	-	-	-	1	3	1	4	6	9	14	7	8	8	7	1	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	972	2	-	1	-	1	4	3	5	9	6	14	19	29	36	57	66	100	113	141	137	111	88	29	-	1	-
	White—M	538	1	-	-	-	-	2	-	1	4	1	7	12	12	18	26	43	58	68	80	76	67	48	14	-	-	-
	F	407	-	-	1	-	1	2	3	4	4	5	6	6	15	15	25	21	38	44	60	59	43	39	15	-	1	-
	Nonwhite—M	19	-	-	-	-	-	-	-	-	1	-	1	1	1	2	4	1	3	1	1	2	-	1	-	-	-	-
	F	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	1	-	-	-	-	-
137	Diseases of the prostate	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	5	12	25	27	21	18	3	2	-	-
	White—M	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	5	12	25	27	21	18	3	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																											
140-150	Diseases of pregnancy, etc.*	62	-	-	-	-	-	-	-	3	13	10	19	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	59	-	-	-	-	-	-	-	3	13	10	17	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	16	-	-	-	-	-	-	-	1	3	3	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	16	-	-	-	-	-	-	-	1	3	3	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	12	-	-	-	-	-	-	-	1	4	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	-	-	-	-	-	-	-	1	4	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	26	-	-	-	-	-	-	-	-	5	3	8	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	-	-	5	3	7	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	8	-	-	-	-	-	-	-	1	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	261	228	8	4	4	5	2	1	1	1	1	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	155	136	4	1	2	3	2	-	1	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	100	87	3	3	2	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-161	Diseases peculiar to first year	1,053	1,053	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	611	611	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	397	397	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	23	23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	22	22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	665	665	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	386	386	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	253	253	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	388	388	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	225	225	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	144	144	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	353	-	-	-	-	-	-	1	5	16	13	25	33	40	36	39	37	34	20	26	14	10	4	-	-	-	-
	White—M	264	-	-	-	-	-	-	1	5	10	8	19	20	33	23	29	32	24	14	20	12	10	4	-	-	-	-
	F	79	-	-	-	-	-	-	-	-	4	4	5	11	7	12	9	5	9	5	6	2	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	81	1	-	-	-	-	1	2	2	8	4	10	15	7	11	4	6	3	3	2	1	1	-	-	-	-	-
	White—M	50	1	-	-	-	-	-	2	1	2	4	7	6	5	6	4	4	1	3	2	1	1	-	-	-	-	-
	F	14	-	-	-	-	-	1	-	1	2	-	1	3	2	3	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	4	-	1	5	-	1	-	1	2	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,922	77	32	26	17	23	55	43	94	131	123	107	117	77	111	112	106	115	108	100	118	114	82	24	5	-	5
	White—M	1,394	42	18	19	7	15	39	31	73	117	105	88	90	63	91	92	85	95	86	62	64	54	41	11	2	-	4
	F	465	28	13	5	8	8	16	11	16	9	13	15	21	7	19	16	20	18	20	35	51	59	41	13	3	-	-
	Nonwhite—M	53	5	-	2	1	-	-	1	5	4	5	4	6	5	1	4	1	1	1	2	3	1	-	-	-	-	1
	F	10	2	1	-	1	-	-	-	-	1	-	-	-	2	-	-	-	1	1	1	-	-	-	-	-	-	-
170	Motor-vehicle accidents	633	6	6	7	4	11	21	8	44	72	50	42	40	20	38	40	41	48	33	37	36	20	8	1	-	-	-
	White—M	479	5	2	4	3	8	14	7	33	66	41	32	26	16	24	28	28	37	29	24	29	15	7	1	-	-	-
	F	141	1	4	2	1	3	7	-	11	5	8	9	13	3	13	12	12	10	4	12	5	5	1	-	-	-	-
	Nonwhite—M	12	-	-	1	-	-	-	1	-	1	1	1	1	1	1	-	1	-	-	1	2	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,289	71	26	19	13	12	34	35	50	59	73	65	77	57	73	72	65	67	75	63	82	94	74	23	5	-	5
	White—M	915	37	16	15	4	7	25	24	40	51	64	56	64	47	67	64	57	58	57	38	35	39	34	10	2	-	4
	F	324	27	9	3	7	5	9	11	5	4	5	6	8	4	6	4	8	8	16	23	46	54	40	13	3	-	-
	Nonwhite—M	41	5	-	1	1	-	-	-	5	3	4	3	5	4	-	4	-	1	1	1	1	1	-	-	-	-	1
	F	9	2	1	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	392	20	1	-	-	-	-	-	1	1	1	4	2	8	8	21	22	27	28	31	57	53	60	31	13	1	2
	White—M	232	9	-	-	-	-	-	-	1	-	-	3	2	8	6	18	17	22	20	23	30	16	33	17	5	-	2
	F	147	10	-	-	-	-	-	-	-	1	-	1	-	-	2	3	3	3	8	8	26	35	26	12	8	1	-
	Nonwhite—M	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	1	1	-	-	-
	F	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-
	All other causes	1,256	93	12	19	10	10	28	9	18	35	40	36	53	85	74	92	88	106	100	103	111	72	36	21	5	-	-
	White—M	685	55	8	9	5	2	16	6	11	22	18	17	28	35	39	52	47	65	67	62	55	33	20	10	3	-	-
	F	527	31	4	9	5	7	12	3	6	11	20	17	23	45	33	35	37	36	33	39	54	38	16	11	2	-	-
	Nonwhite—M	28	6	-	-	-	-	-	-	-	1	1	2	-	3	1	3	3	4	-	2	2	-	-	-	-	-	-
	F	16	1	-	1	-	1	-	-	1	1	1	-	2	2	1	2	1	1	-	-	-	1	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA																											
	All causes	16,238	1,990	106	54	65	54	162	157	215	394	392	376	494	633	713	875	1,108	1,304	1,528	1,679	1,643	1,155	710	267	55	15	94
	White-----M	8,695	1,105	49	22	32	33	86	87	125	231	223	192	251	325	351	494	631	736	850	891	857	598	332	123	25	5	41
	F	6,213	763	47	26	28	19	70	59	75	128	140	124	180	206	248	273	355	441	566	701	707	518	352	131	25	6	25
	Nonwhite-M	814	67	5	6	3	2	4	4	9	23	16	30	37	63	73	71	82	77	70	54	56	16	13	7	1	1	22
	F	516	55	5	-	2	-	2	7	6	12	13	30	26	39	41	37	40	50	42	33	23	21	13	6	4	3	6
1,2	Typhoid and paratyphoid fever	10	1	-	-	-	1	-	-	2	-	1	-	1	-	-	-	1	1	-	2	-	-	-	-	-	-	-
	White-----M	4	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	21	5	3	-	1	4	-	2	1	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
	White-----M	11	4	1	-	-	2	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	8	1	1	-	1	1	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	-	2	-	-	-	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	5	-	1	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	33	29	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	15	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	13	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	21	4	3	2	4	-	4	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	11	1	3	1	2	-	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	9	3	-	1	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22*	Tuberculosis (all forms)	718	9	6	2	2	4	8	3	29	68	69	64	60	77	49	50	63	45	44	37	14	9	2	1	-	-	3
	White-----M	325	4	1	1	1	2	5	-	8	16	22	20	27	45	25	31	34	22	25	23	8	2	1	1	-	-	1
	F	299	4	4	1	1	2	3	1	17	40	41	32	28	19	14	10	21	17	18	12	5	6	1	-	-	-	2
	Nonwhite-M	61	-	-	-	-	-	-	-	2	8	2	7	3	11	8	6	7	5	-	1	1	-	-	-	-	-	-
	F	33	1	1	-	-	-	-	2	2	4	4	5	2	2	2	3	1	1	1	1	-	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	650	2	2	1	-	2	1	2	21	64	68	60	57	73	47	45	57	43	41	35	14	9	2	1	-	-	3
	White-----M	297	-	-	-	-	2	1	-	4	15	22	20	26	44	24	28	30	21	24	23	8	2	1	1	-	-	1
	F	271	2	2	1	-	-	-	1	14	38	40	31	27	17	13	9	20	16	16	10	5	6	1	-	-	-	2
	Nonwhite-M	56	-	-	-	-	-	-	-	2	7	2	5	3	11	8	5	6	5	-	1	1	-	-	-	-	-	-
	F	26	-	-	-	-	-	-	1	1	4	4	4	1	1	2	3	1	1	1	1	-	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	68	7	4	1	2	2	7	1	8	4	1	4	3	4	2	5	6	2	3	2	-	-	-	-	-	-	-
	White-----M	28	4	1	1	1	-	4	-	4	1	-	-	1	1	1	3	4	1	1	-	-	-	-	-	-	-	-
	F	28	2	2	-	1	2	3	-	3	2	1	1	1	2	1	1	1	1	2	2	-	-	-	-	-	-	-
	Nonwhite-M	5	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	7	1	1	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	29	22	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1
	White-----M	16	13	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	11	7	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
	Nonwhite-M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	195	13	-	-	-	-	-	2	4	2	5	8	15	30	20	27	22	14	14	14	1	1	-	-	-	-	3
	White-----M	102	7	-	-	-	-	-	2	2	-	1	1	6	15	11	15	12	12	9	8	-	-	-	-	-	-	1
	F	34	5	-	-	-	-	-	-	1	-	2	-	4	5	4	2	3	-	3	3	1	1	-	-	-	-	-
	Nonwhite-M	33	-	-	-	-	-	-	-	-	1	-	2	4	2	4	8	5	2	2	2	-	-	-	-	-	-	1
	F	26	1	-	-	-	-	-	-	1	1	2	5	1	8	1	2	2	-	-	1	-	-	-	-	-	-	1
35	Measles	11	3	3	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M	7	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	4	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomyelitis (acute)	7	2	-	-	1	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Continued																											
45-55	Cancer and other malignant tumors	1,701	-	-	-	-	-	2	3	6	11	23	32	58	76	115	147	182	217	228	255	183	95	48	9	4	-	7
	White-----M--	722	-	-	-	-	-	-	-	3	6	7	12	14	21	34	59	76	100	99	121	90	47	24	3	3	-	3
	F--	881	-	-	-	-	-	2	3	2	5	15	18	40	49	69	76	90	105	118	124	88	45	22	6	1	-	3
	Nonwhite--M--	51	-	-	-	-	-	-	-	1	-	-	1	1	2	6	6	5	7	11	5	3	3	-	-	-	-	-
	F--	47	-	-	-	-	-	-	-	-	-	1	1	3	4	6	6	11	5	-	5	2	-	2	-	-	-	1
46	Cancer of the digestive organs and peritoneum--	698	-	-	-	-	-	-	1	-	-	4	7	10	17	39	51	73	100	116	123	77	52	25	1	1	-	1
	White-----M--	340	-	-	-	-	-	-	-	-	-	1	2	5	9	17	26	39	52	56	66	31	26	9	-	1	-	-
	F--	315	-	-	-	-	-	-	1	-	-	3	5	4	8	19	18	25	42	53	55	43	24	14	1	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	4	5	7	1	2	2	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	1	-	1	1	-	2	-	-	-	1
48,49	Cancer of female genital organs--	274	-	-	-	-	-	-	-	-	2	8	7	26	30	30	33	31	28	26	27	14	8	1	1	-	-	2
	White-----F--	257	-	-	-	-	-	-	-	-	2	7	7	25	29	27	31	27	26	26	24	14	8	1	1	-	-	2
	Nonwhite--F--	17	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	4	2	-	3	-	-	-	-	-	-	-
50	Cancer of breast-	157	-	-	-	-	-	-	-	-	-	1	2	9	11	11	18	19	25	15	22	15	5	3	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	149	-	-	-	-	-	-	-	-	-	1	2	8	9	11	18	17	24	15	21	14	5	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	-	-	1	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	572	-	-	-	-	-	2	2	6	9	10	16	13	18	35	45	59	64	71	83	77	30	19	6	3	-	4
	White-----M--	381	-	-	-	-	-	-	-	3	6	6	10	9	12	17	33	37	47	43	55	59	21	15	3	2	-	3
	F--	160	-	-	-	-	-	2	2	2	3	4	4	3	3	12	9	21	13	24	24	17	8	4	3	1	-	1
	Nonwhite--M--	24	-	-	-	-	-	-	-	1	-	-	1	-	2	5	2	1	2	4	4	1	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	2	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	19	-	-	1	1	-	5	-	2	2	1	1	-	-	-	1	-	-	2	1	-	1	1	-	-	-	-
	White-----M--	11	-	-	-	1	-	3	-	1	-	-	1	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-
	F--	8	-	-	1	-	-	2	-	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	306	-	-	1	-	-	1	4	2	4	2	2	2	13	12	21	30	35	65	59	32	14	9	-	-	-	-
	White-----M--	93	-	-	-	-	-	-	2	1	2	2	1	2	4	1	7	5	10	21	17	7	6	5	-	-	-	-
	F--	187	-	-	-	-	-	1	2	1	2	-	-	-	6	10	8	21	24	37	40	24	7	4	-	-	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	-	3	1	5	3	1	5	2	-	1	-	-	-	-	-
65b	Exophthalmic goiter----------	38	-	-	-	-	-	-	-	-	2	1	1	2	1	7	2	2	4	10	5	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	34	-	-	-	-	-	-	-	-	2	1	-	2	1	6	2	2	4	9	4	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	42	-	-	-	1	-	-	-	-	3	1	1	4	9	4	6	6	3	3	1	-	-	-	-	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	3	1	-	4	4	4	5	6	3	2	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	1	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,484	3	1	1	-	-	3	2	1	5	9	9	24	29	42	79	99	143	212	236	260	180	95	30	4	2	15
	White-----M--	738	2	-	-	-	-	-	1	1	2	6	2	13	14	14	34	48	67	117	126	134	90	44	17	1	2	3
	F--	616	1	1	1	-	-	3	-	-	3	2	5	8	8	16	31	33	55	85	99	113	84	47	12	3	-	6
	Nonwhite--M--	67	-	-	-	-	-	-	1	-	-	-	1	2	3	8	6	9	15	2	5	8	2	2	-	-	-	5
	F--	63	-	-	-	-	-	-	-	-	-	1	1	1	4	6	8	9	6	8	6	5	4	2	1	-	-	1
90-95	Diseases of the heart----------	4,013	4	-	-	1	1	9	16	12	29	27	24	59	119	171	256	358	447	512	608	608	390	231	82	22	3	24
	White-----M--	2,305	4	-	-	1	1	6	11	5	14	12	15	36	69	101	166	230	265	315	339	328	213	108	40	12	1	12
	F--	1,407	-	-	-	-	-	2	4	4	13	14	4	14	36	47	65	97	132	157	235	251	167	114	38	8	-	5
	Nonwhite--M--	181	-	-	-	-	-	-	-	2	2	-	1	4	9	13	19	24	23	26	22	20	3	4	4	-	-	5
	F--	120	-	-	-	-	-	1	1	1	-	1	4	5	5	10	6	7	27	14	12	9	7	4	-	2	2	2
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	265	-	-	-	-	1	6	10	6	14	9	8	16	22	16	11	19	15	25	26	17	26	14	2	1	-	1
	White-----M--	126	-	-	-	-	1	3	7	1	6	5	3	9	10	11	3	7	7	17	11	7	14	4	1	-	-	-
	F--	115	-	-	-	-	-	2	2	4	8	4	3	6	10	5	4	8	7	7	13	9	12	8	1	1	-	1
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	2	1	1	2	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	1	1	1	-	-	2	-	1	-	1	2	-	-	-	1	-	2	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	1,265	1	-	-	-	-	-	-	3	3	1	5	21	42	74	138	152	173	174	187	155	76	38	14	2	-	6
	White-----M--	853	1	-	-	-	-	-	-	3	1	-	4	16	29	54	110	111	125	114	113	94	51	17	6	-	-	4
	F--	350	-	-	-	-	-	-	-	-	2	1	-	3	8	16	24	32	39	50	66	56	24	20	7	2	-	1
	Nonwhite--M--	42	-	-	-	-	-	-	-	-	-	-	1	1	3	2	3	8	6	8	4	2	1	1	1	-	-	1
	F--	20	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	4	2	4	3	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	2,483	3	-	-	1	-	3	6	3	12	17	11	22	55	81	107	187	259	313	395	436	288	179	66	19	3	17
	White-----M--	1,326	3	-	-	1	-	3	4	1	8	7	8	11	30	36	53	112	133	184	215	227	148	88	33	12	1	8
	F--	942	-	-	-	-	-	-	2	-	3	9	1	5	18	26	37	57	87	100	156	186	131	86	30	5	-	3
	Nonwhite--M--	127	-	-	-	-	-	-	-	2	1	-	-	2	5	11	13	14	16	17	16	18	2	3	3	-	-	4
	F--	88	-	-	-	-	-	-	-	-	-	1	2	4	2	8	4	4	23	12	8	5	7	2	-	2	2	2

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Continued																											
97,102	Arteriosclerosis and high blood pressure*	254	-	-	-	-	-	-	-	-	1	1	-	1	2	4	7	8	21	24	30	49	44	37	18	3	1	3
	White—M	131	-	-	-	-	-	-	-	-	1	1	-	1	1	1	2	7	12	12	12	29	23	17	9	1	-	2
	F	104	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	6	7	16	18	21	19	9	2	1	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	4	2	1	-	-	-	-	-	1
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	1	-	1	-	1	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	923	251	28	12	2	7	4	9	10	11	7	11	14	15	22	16	40	34	68	82	102	75	71	26	2	1	3
	White—M	465	125	12	4	1	5	2	4	8	5	4	6	6	7	11	14	18	21	36	43	51	42	31	8	-	-	1
	F	378	104	13	8	1	1	1	4	2	5	2	2	6	5	5	1	17	10	25	35	44	30	38	16	2	-	1
	Nonwhite—M	50	14	2	-	-	1	-	-	-	-	-	2	2	2	5	-	4	2	3	2	6	1	2	-	-	1	1
	F	30	8	1	-	-	-	1	1	-	1	1	1	-	1	1	1	1	1	4	2	1	2	-	2	-	-	-
107	Bronchopneumonia	409	158	19	5	1	2	2	1	1	4	4	1	3	5	6	4	13	14	23	30	33	32	34	13	1	-	-
	White—M	194	75	10	3	-	1	-	-	-	1	3	-	1	2	2	3	6	8	15	13	14	20	13	4	-	-	-
	F	180	68	7	2	1	1	1	1	1	3	1	1	2	2	2	1	6	4	5	16	16	10	20	8	1	-	-
	Nonwhite—M	19	8	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	2	-	1	-	-	-	-
	F	16	7	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	1	-	-	-
108	Lobar pneumonia	282	42	4	4	1	3	2	5	5	4	2	8	6	7	10	10	13	9	28	29	38	23	22	5	-	1	3
	White—M	149	21	1	-	1	2	2	1	4	3	-	6	2	5	3	9	6	7	12	16	21	13	11	2	-	-	1
	F	104	16	2	4	-	-	-	3	1	1	1	1	2	2	3	-	5	2	11	11	15	9	10	2	-	-	1
	Nonwhite—M	22	3	1	-	-	1	-	-	-	-	-	1	2	-	3	-	2	-	2	1	2	1	1	-	-	1	1
	F	7	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	1	1	-	-	-	1	-	-	-
109	Pneumonia (unspecified)	74	33	2	1	-	1	-	-	1	1	1	-	2	2	2	-	3	4	3	2	7	5	2	2	-	-	-
	White—M	44	19	-	1	-	1	-	-	1	1	1	-	2	-	2	-	2	2	3	1	6	1	1	-	-	-	-
	F	25	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	4	1	2	-	-	-
	Nonwhite—M	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	158	18	3	2	-	1	-	3	3	2	-	2	3	1	4	2	11	7	16	21	24	15	13	6	1	-	-
	White—M	78	10	1	-	-	1	-	3	3	-	-	-	1	-	4	2	4	4	6	13	10	8	6	2	-	-	-
	F	69	5	2	2	-	-	-	-	-	1	-	-	2	1	-	-	5	3	9	7	13	7	7	4	1	-	-
	Nonwhite—M	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	64	-	1	-	-	-	-	-	-	-	1	2	-	5	9	6	10	13	7	3	2	2	2	1	-	-	-
	White—M	48	-	1	-	-	-	-	-	-	-	1	2	-	3	6	5	7	11	6	2	1	1	2	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	1	1	1	1	-	1	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	121	95	5	1	1	-	2	1	1	1	-	-	1	-	-	-	1	1	3	3	-	3	2	-	-	-	-
	White—M	65	50	3	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	-
	F	45	35	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	2	-	-	-	-	-
	Nonwhite—M	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	66	1	1	2	1	-	7	1	2	3	1	4	5	7	5	6	3	5	4	2	3	2	-	1	-	-	-
	White—M	38	1	1	-	1	-	4	-	2	3	1	2	3	4	4	4	2	3	-	2	1	-	-	-	-	-	-
	F	21	-	-	2	-	-	3	1	-	-	-	2	1	1	-	2	-	2	2	-	2	2	-	1	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	119	5	2	-	-	2	2	1	-	-	2	7	8	10	7	4	9	7	15	11	13	7	5	2	-	-	-
	White—M	49	5	1	-	-	2	1	-	-	-	-	1	-	1	2	1	4	4	9	7	5	3	1	2	-	-	-
	F	60	-	1	-	-	-	1	1	-	-	2	6	6	7	3	2	4	2	6	4	8	4	4	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	114	-	-	-	-	-	-	-	2	1	3	2	4	9	10	15	15	13	18	9	6	7	-	-	-	-	-
	White—M	65	-	-	-	-	-	-	-	1	1	2	1	1	4	5	9	10	7	12	6	5	1	-	-	-	-	-
	F	42	-	-	-	-	-	-	-	1	-	1	1	3	4	3	4	5	6	6	2	1	5	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	50	-	-	-	-	-	-	-	-	-	-	1	2	5	2	4	6	4	6	6	7	4	1	-	-	-	2
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	1	-	2	1	-	-	-	1
	F	38	-	-	-	-	-	-	-	-	-	-	1	-	4	-	4	5	3	6	5	7	2	-	-	-	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	922	2	1	-	1	3	5	6	3	8	14	15	19	29	36	39	58	85	93	137	158	104	76	23	3	-	4
	White—M	458	-	-	-	1	1	3	2	1	3	6	8	9	13	15	11	32	53	49	68	85	50	38	8	1	-	1
	F	373	2	1	-	-	2	2	3	2	5	7	5	8	7	16	21	18	25	35	58	64	46	34	11	1	-	-
	Nonwhite—M	56	-	-	-	-	-	-	-	-	-	-	-	1	5	1	4	6	5	7	9	6	5	3	2	-	-	2
	F	35	-	-	-	-	-	-	1	-	-	1	2	1	4	4	3	2	2	2	2	3	3	1	2	1	-	1
137	Diseases of the prostate	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	14	16	17	22	6	1	-	-	1
	White—M	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	11	13	16	21	6	1	-	-	1
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	1	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Continued																											
140-150	Diseases of pregnancy, etc.*----	73	-	-	-	-	-	-	-	3	13	14	13	11	15	3	-	-	-	-	-	-	-	-	-	-	-	1
	White-----F--	71	-	-	-	-	-	-	-	3	12	14	13	10	15	3	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia------	20	-	-	-	-	-	-	-	1	1	5	4	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	19	-	-	-	-	-	-	-	1	1	5	4	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	13	-	-	-	-	-	-	-	2	-	4	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	-	-	-	-	-	-	-	2	-	4	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	29	-	-	-	-	-	-	-	-	9	3	6	2	8	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----F--	29	-	-	-	-	-	-	-	-	9	3	6	2	8	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes----------	11	-	-	-	-	-	-	-	-	3	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	-	-	-	-	-	-	-	-	2	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	269	243	5	2	2	1	3	3	3	1	-	1	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	160	142	5	2	-	1	1	3	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	98	92	-	-	1	-	2	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,061	1,061	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	602	602	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	398	398	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	31	31	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	30	30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	698	698	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	402	402	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	255	255	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	21	21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	20	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year------	363	363	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	200	200	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	143	143	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	177	-	-	-	-	-	-	-	8	18	24	13	16	17	15	15	15	15	9	7	3	1	-	-	-	-	1
	White-----M--	138	-	-	-	-	-	-	-	4	11	19	11	11	14	12	13	13	14	7	6	2	1	-	-	-	-	-
	F--	35	-	-	-	-	-	-	-	4	7	5	-	5	3	2	2	2	1	1	1	1	-	-	-	-	-	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide---------	134	-	-	-	-	-	1	-	5	19	18	15	19	17	10	10	8	1	3	-	-	2	-	-	-	-	6
	White-----M--	67	-	-	-	-	-	1	-	2	11	12	5	9	7	5	5	5	-	2	-	-	1	-	-	-	-	2
	F--	22	-	-	-	-	-	-	-	2	-	4	4	3	2	3	2	-	-	-	-	-	1	-	-	-	-	1
	Nonwhite--M--	38	-	-	-	-	-	-	-	1	5	2	4	6	7	2	3	3	1	1	-	-	-	-	-	-	-	3
	F--	7	-	-	-	-	-	-	-	-	3	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,550	47	19	17	26	20	59	57	90	157	120	105	102	92	90	79	85	79	72	42	57	51	42	19	2	1	10
	White-----M--	1,104	22	8	7	15	11	35	40	70	133	104	87	84	74	71	63	66	61	53	27	25	19	16	7	-	-	6
	F--	322	21	8	5	8	9	22	14	18	17	7	10	8	7	5	8	10	10	15	13	28	40	25	12	2	-	-
	Nonwhite--M--	109	3	1	5	2	-	2	3	2	6	9	7	8	11	13	8	9	8	3	1	3	-	1	-	-	-	4
	F--	15	1	2	-	1	-	-	-	-	1	-	1	2	-	1	-	-	-	1	1	1	2	-	-	-	1	-
170	Motor-vehicle accidents-------	406	1	3	1	5	7	22	15	37	76	43	30	27	22	15	20	17	17	21	10	8	5	1	1	-	-	2
	White-----M--	325	1	2	-	3	4	14	11	23	68	39	23	23	16	13	13	14	14	19	9	8	4	1	1	-	-	2
	F--	64	-	1	-	2	3	6	4	14	5	4	4	3	5	1	4	3	1	2	1	-	1	-	-	-	-	-
	Nonwhite--M--	17	-	-	1	-	-	2	-	-	3	-	3	1	1	1	3	-	2	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	1,144	46	16	16	21	13	37	42	53	81	77	75	75	70	75	59	68	62	51	32	49	56	41	18	2	1	8
	White-----M--	779	21	6	7	12	7	21	29	47	65	65	64	61	58	58	50	52	47	34	18	17	15	15	6	-	-	4
	F--	258	21	7	5	6	6	16	10	4	12	3	8	5	2	4	4	7	9	13	12	28	39	25	12	2	-	-
	Nonwhite--M--	92	3	1	4	2	-	-	3	2	3	9	4	7	10	12	5	9	6	3	1	3	-	1	-	-	-	4
	F--	15	1	2	-	1	-	-	-	-	1	-	1	2	-	1	-	-	-	1	1	1	2	-	-	-	1	-
162,199, 200	Senility, ill-defined and unknown causes----	622	101	5	3	3	2	1	3	4	3	5	13	8	11	19	17	18	36	36	61	65	84	66	45	13	6	4
	White-----M--	341	58	1	2	-	2	-	1	2	2	3	6	4	4	12	10	12	26	21	31	40	45	27	22	5	2	3
	F--	246	40	4	1	3	-	1	2	1	1	1	6	4	5	2	5	4	9	12	20	20	36	37	21	6	4	1
	Nonwhite--M--	24	2	-	-	-	-	-	-	-	-	1	1	-	1	3	2	2	1	3	-	4	2	-	1	1	-	-
	F--	11	1	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	1	1	2	1	1	-	-
	All other causes-	978	89	18	10	15	8	41	39	23	30	40	31	59	41	58	64	66	78	67	60	61	46	16	9	2	1	6
	White-----M--	477	48	7	5	6	5	19	18	8	15	17	10	19	17	15	38	40	42	38	33	30	29	7	5	2	-	4
	F--	417	34	9	5	9	3	21	19	14	13	19	14	28	20	35	21	19	26	22	26	29	17	7	4	-	1	2
	Nonwhite--M--	39	2	1	-	-	-	1	-	-	1	2	1	5	2	5	2	3	7	3	1	2	-	1	-	-	-	-
	F--	45	5	1	-	-	-	-	2	1	1	2	6	7	2	3	3	4	3	4	-	-	-	1	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN																											
	All causes	32,345	2,246	144	72	94	50	202	206	262	413	355	481	592	858	1,194	1,822	2,407	3,086	3,438	4,022	4,050	3,436	2,056	709	136	12	2
	White-----M	17,945	1,263	77	34	58	27	114	127	165	246	215	266	330	492	694	1,100	1,426	1,851	2,014	2,204	2,142	1,757	941	336	61	8	2
	F	14,056	942	61	35	35	20	82	75	92	160	130	200	241	347	482	685	955	1,207	1,399	1,801	1,881	1,668	1,109	368	72	9	-
	Nonwhite--M	196	19	5	2	-	3	2	2	3	4	5	9	11	11	8	22	19	18	18	9	14	6	2	2	2	-	-
	F	148	22	1	1	1	-	4	2	2	3	5	6	10	8	10	15	7	10	7	8	13	5	4	3	1	-	-
1,2	Typhoid and paratyphoid fever	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	23	7	5	-	2	1	2	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	13	2	3	-	1	1	1	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	5	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M	4	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	25	21	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	11	9	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	12	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	20	-	-	1	5	3	5	-	-	-	-	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	White-----M	10	-	-	-	4	1	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	1	1	1	2	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	648	1	2	1	2	-	3	5	22	45	37	43	39	53	61	73	74	70	47	29	22	14	5	-	-	-	-
	White-----M	434	1	1	-	2	-	3	-	5	19	13	21	23	39	42	60	61	60	35	21	14	10	4	-	-	-	-
	F	180	-	-	-	-	-	-	4	15	23	21	16	13	12	16	9	11	9	12	8	6	4	1	-	-	-	-
	Nonwhite--M	22	-	-	-	-	-	-	1	2	1	3	3	2	1	2	4	1	1	-	-	1	-	-	-	-	-	-
	F	12	-	1	1	-	-	-	-	-	2	-	3	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	589	1	-	-	1	-	1	5	21	38	36	37	36	49	55	64	67	66	46	27	21	13	4	-	-	-	-
	White-----M	400	1	-	-	1	-	1	-	5	16	13	18	20	37	37	56	57	57	35	20	14	9	3	-	-	-	-
	F	159	-	-	-	-	-	-	4	14	20	20	14	13	10	15	5	8	8	11	7	5	4	1	-	-	-	-
	Nonwhite--M	20	-	-	-	-	-	-	1	2	1	3	2	2	1	2	3	1	1	-	-	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	2	-	3	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	59	-	2	1	1	-	2	-	1	6	1	6	3	4	6	9	7	4	1	2	1	1	1	-	-	-	-
	White-----M	34	-	1	-	1	-	2	-	-	3	-	3	3	2	5	4	4	3	-	1	-	1	1	-	-	-	-
	F	21	-	-	-	-	-	-	-	1	3	1	2	-	2	1	4	3	1	1	1	1	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	6	4	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	172	3	1	-	-	-	-	-	-	1	-	2	3	8	22	14	25	38	18	18	10	6	3	-	-	-	-
	White-----M	113	1	-	-	-	-	-	-	-	-	-	-	2	3	12	10	21	33	10	10	6	4	1	-	-	-	-
	F	45	1	1	-	-	-	-	-	-	1	-	1	-	3	9	2	4	4	7	5	4	1	2	-	-	-	-
	Nonwhite--M	12	1	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	1	3	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
35	Measles	21	5	3	1	-	-	9	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	9	2	2	-	-	-	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	3	1	1	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	88	3	4	1	1	3	23	13	5	9	9	7	3	2	1	-	1	2	-	1	-	-	-	-	-	-	-
	White-----M	51	1	1	1	1	1	15	10	3	1	6	4	3	1	-	-	1	1	-	1	-	-	-	-	-	-	-
	F	37	2	3	-	-	2	8	3	2	8	3	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Con.																											
45-55	Cancer and other malignant tumors	4,836	7	2	1	7	4	13	7	11	21	18	70	84	161	239	390	533	641	664	711	638	401	154	52	5	1	1
	White-----M--	2,415	4	1	-	6	1	7	4	8	13	8	23	24	55	76	168	251	330	365	403	342	217	73	30	4	1	1
	F--	2,380	2	1	1	1	3	6	3	3	8	8	46	58	103	159	217	277	307	298	305	288	184	79	22	1	-	-
	Nonwhite--M--	20	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	-	3	6	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	2	1	2	3	2	3	2	1	1	-	2	-	2	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	2,370	1	-	-	1	-	2	2	-	4	3	18	15	50	83	157	244	324	380	391	379	211	78	25	2	1	1
	White-----M--	1,340	-	-	-	1	-	1	1	-	4	2	8	9	24	35	97	140	192	226	239	207	102	36	13	1	1	1
	F--	1,015	-	-	-	-	-	1	1	-	-	1	8	6	25	46	59	104	130	153	150	169	109	40	12	1	-	-
	Nonwhite--M--	10	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	3	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	2	-	-	-	-
48,49	Cancer of female genital organs--	515	-	-	-	-	-	-	2	1	4	4	19	30	46	46	67	67	67	56	44	33	15	14	-	-	-	-
	White-----F--	506	-	-	-	-	-	-	2	1	4	3	18	28	45	45	66	66	66	56	44	32	15	14	-	-	-	-
	Nonwhite--F--	9	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	1	1	-	-	1	-	-	-	-	-	-
50	Cancer of breast-	474	-	-	-	-	-	-	-	-	1	5	13	17	23	42	60	58	68	53	54	43	24	8	5	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
	F--	466	-	-	-	-	-	-	-	-	1	3	13	17	22	42	60	56	67	53	53	42	24	8	5	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	1,477	6	2	1	6	4	11	3	10	12	6	22	22	42	68	106	164	182	175	222	183	151	54	22	3	-	-
	White-----M--	1,070	4	1	-	5	1	6	3	8	9	5	15	15	31	41	71	110	137	139	163	134	115	37	17	3	-	-
	F--	393	2	1	1	1	3	5	-	2	3	1	7	7	11	25	32	51	44	36	58	45	36	17	5	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	1	3	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-
58	Acute rheumatic fever----------	24	1	-	1	-	2	5	5	1	-	-	3	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	10	1	-	1	-	1	-	3	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	14	-	-	-	-	1	5	2	-	-	-	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,021	-	1	1	1	1	2	4	5	4	6	10	12	13	33	45	103	154	185	169	157	82	28	5	-	-	-
	White-----M--	389	-	1	1	1	-	2	2	2	2	2	5	6	5	13	22	42	61	55	66	62	26	10	3	-	-	-
	F--	627	-	-	-	-	1	-	2	3	2	4	5	5	8	20	21	61	93	129	103	94	56	18	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-
63b	Exophthalmic goiter----------	111	-	-	-	-	-	-	-	1	1	-	2	-	4	10	14	14	21	20	12	7	5	-	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	4	-	2	-	-	-	-	-	-
	F--	97	-	-	-	-	-	-	-	1	1	-	2	-	4	8	12	11	20	16	12	5	5	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	34	-	-	-	-	-	-	-	-	-	3	2	-	3	5	6	3	7	1	2	1	1	-	-	-	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	3	1	-	3	5	6	3	7	1	2	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
83	Intracranial lesions of vascular origin----	3,208	4	1	-	-	-	2	-	4	3	5	10	28	44	74	150	215	315	392	539	600	467	289	55	10	1	-
	White-----M--	1,527	3	-	-	-	-	1	-	3	-	3	5	11	23	32	66	105	163	203	268	274	218	119	26	4	-	-
	F--	1,659	1	1	-	-	-	1	-	1	3	2	5	17	20	40	80	106	150	183	270	325	249	170	29	5	1	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	5	-	-	-	-	-	1	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	1	1	1	-	-	-	-	-	-
90-95	Diseases of the heart----------	10,485	3	4	2	-	3	6	24	19	30	43	58	100	190	323	568	793	1,064	1,351	1,589	1,591	1,452	884	300	63	5	-
	White-----M--	6,177	1	1	1	-	3	1	15	6	18	24	35	70	127	237	422	539	709	852	885	886	759	416	137	33	-	-
	F--	4,234	2	2	1	-	-	4	8	12	12	18	23	26	60	84	140	248	361	492	696	695	689	466	161	29	5	-
	Nonwhite--M--	42	-	1	-	-	-	-	1	-	-	1	-	2	1	-	3	5	9	6	2	4	3	1	2	1	-	-
	F--	32	-	-	-	-	-	1	-	1	-	-	-	2	2	2	3	1	5	1	6	6	1	1	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	624	-	-	1	-	1	5	19	15	11	21	21	29	36	38	54	46	63	59	64	44	52	36	7	2	-	-
	White-----M--	332	-	-	1	-	1	1	12	5	6	11	12	17	21	24	32	22	39	33	35	22	23	11	3	1	-	-
	F--	280	-	-	-	-	-	3	6	9	5	9	9	10	15	14	22	23	22	25	29	22	29	24	3	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	2	1	-	-	-	1	1	-	-	-
	F--	3	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	3,119	1	-	-	-	-	-	-	-	6	6	14	37	76	145	247	367	436	495	461	372	281	136	36	3	-	-
	White-----M--	2,183	-	-	-	-	-	-	-	-	4	3	11	32	64	119	215	279	314	348	292	234	177	77	12	2	-	-
	F--	928	1	-	-	-	-	-	-	-	2	3	3	5	12	26	31	87	118	147	169	137	103	59	24	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	6,742	2	4	1	-	2	1	5	4	13	16	23	34	78	140	267	380	585	797	1,064	1,175	1,119	712	257	58	5	-
	White-----M--	3,662	1	1	-	-	2	-	3	1	8	10	12	21	42	94	175	239	356	471	558	630	559	328	122	30	-	-
	F--	3,026	1	2	1	-	-	1	2	3	5	6	11	11	33	44	87	138	221	320	498	536	557	383	134	27	5	-
	Nonwhite--M--	29	-	1	-	-	-	-	-	-	-	-	-	1	1	-	2	3	5	5	2	4	3	-	1	1	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	3	1	6	5	-	1	-	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Con.																											
97,102	Arteriosclerosis and high blood pressure*	555	-	-	-	-	-	-	-	-	-	-	2	2	2	6	3	8	9	30	47	98	155	128	53	11	1	-
	White—M	273	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	4	3	17	22	49	83	80	23	4	-	-
	F	280	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	4	6	12	25	49	71	88	30	7	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,285	221	28	13	9	2	9	7	15	14	10	26	26	30	33	62	55	81	80	120	142	135	112	46	7	2	-
	White—M	705	113	17	5	3	1	7	2	9	6	6	13	17	17	18	40	39	60	53	70	80	59	44	24	1	1	-
	F	564	104	10	8	6	-	2	5	6	8	4	12	8	13	14	20	15	21	26	50	62	74	67	22	6	1	-
	Nonwhite—M	15	4	1	-	-	1	-	-	-	-	-	1	-	-	1	2	1	-	1	-	-	2	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107.	Bronchopneumonia	644	127	17	6	5	1	2	4	5	5	6	15	8	10	19	22	18	27	32	61	59	83	69	36	5	2	-
	White—M	336	67	10	1	1	1	2	1	1	2	3	9	6	8	7	11	13	21	22	33	31	42	24	18	1	1	-
	F	300	59	6	5	4	-	-	3	4	3	3	6	2	2	11	9	4	8	10	28	28	40	44	18	4	1	-
	Nonwhite—M	8	1	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	1	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	386	52	5	1	3	1	3	2	4	2	2	8	15	11	11	29	25	40	30	42	46	23	23	8	-	-	-
	White—M	241	27	3	1	2	-	2	1	3	-	2	3	11	6	9	21	20	28	20	27	29	9	12	5	-	-	-
	F	138	23	2	-	1	-	1	1	1	2	-	4	3	5	2	8	5	12	9	15	17	13	11	3	-	-	-
	Nonwhite—M	6	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	75	20	2	1	-	-	1	-	1	3	-	3	1	2	-	3	3	6	4	5	6	9	4	-	1	-	-
	White—M	40	8	2	1	-	-	-	-	1	2	-	1	-	-	-	2	3	5	3	5	4	2	1	-	-	-	-
	F	34	11	-	-	-	-	1	-	-	1	-	2	1	2	-	1	-	1	1	-	2	7	3	-	1	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	180	22	4	5	1	-	3	1	5	4	2	-	2	7	3	8	9	8	14	12	31	20	16	2	1	-	-
	White—M	88	11	2	2	-	-	3	-	4	2	1	-	-	3	2	6	3	6	8	5	16	6	7	1	-	-	-
	F	92	11	2	3	1	-	-	1	1	2	1	-	2	4	1	2	6	2	6	7	15	14	9	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	177	-	-	-	-	-	-	-	-	3	1	3	4	13	15	21	23	32	17	20	10	13	2	-	-	-	-
	White—M	141	-	-	-	-	-	-	-	-	2	1	3	2	11	13	17	19	28	15	12	7	10	1	-	-	-	-
	F	35	-	-	-	-	-	-	-	-	1	-	-	1	2	2	4	4	4	2	8	3	3	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	115	72	6	2	2	2	2	1	-	2	1	3	2	2	1	3	2	1	2	-	1	4	-	2	-	-	-
	White—M	58	38	3	1	1	-	1	-	-	-	-	2	1	1	1	3	1	-	1	-	1	2	-	1	-	-	-
	F	55	33	4	1	1	2	1	1	-	2	1	1	1	1	-	-	1	1	1	-	-	2	-	1	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	123	-	2	4	4	-	6	5	4	9	2	6	8	4	6	13	8	16	11	8	5	2	-	-	-	-	-
	White—M	76	-	-	3	2	-	4	3	3	5	1	2	6	4	4	9	1	12	5	6	4	2	-	-	-	-	-
	F	42	-	2	1	2	-	1	2	1	4	1	4	2	-	2	2	6	4	5	2	1	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	258	15	3	-	-	1	4	3	-	5	3	4	9	7	15	25	18	25	19	36	33	16	13	4	-	-	-
	White—M	128	7	1	-	-	-	3	3	-	2	2	1	1	3	9	14	9	9	13	20	15	7	7	2	-	-	-
	F	126	8	1	-	-	1	1	-	-	3	1	2	7	3	6	11	9	16	6	16	18	9	6	2	-	-	-
	Nonwhite—M	3	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	308	-	1	-	-	-	-	-	-	1	1	6	16	18	38	29	44	35	38	39	24	9	5	1	1	-	-
	White—M	218	-	-	-	-	-	-	-	-	-	-	4	12	12	29	22	34	27	29	26	13	6	4	-	-	-	-
	F	86	-	1	-	-	-	-	-	-	1	1	2	4	5	9	7	10	8	9	13	10	3	1	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	196	-	-	-	-	-	-	-	-	2	1	2	4	9	16	22	26	27	25	25	21	11	2	3	-	-	-
	White—M	58	-	-	-	-	-	-	-	-	-	-	-	2	1	4	6	10	10	11	4	8	1	1	-	-	-	-
	F	137	-	-	-	-	-	-	-	-	2	1	2	2	8	12	15	16	17	14	21	13	10	1	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,643	3	1	-	2	-	2	5	5	13	14	24	30	55	47	86	133	156	192	222	261	221	121	42	8	-	-
	White—M	882	3	-	-	2	-	1	1	3	10	8	13	19	25	30	44	78	82	104	114	139	125	62	17	2	-	-
	F	745	-	1	-	-	-	1	4	2	3	6	11	11	28	16	39	55	71	85	108	121	95	59	23	6	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	1	1	-	2	-	-	-
137	Diseases of the prostate	251	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	20	31	53	55	50	23	10	2	-	-
	White—M	250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	20	31	53	55	50	23	10	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Con.																											
140-150	Diseases of pregnancy, etc.*----	108	-	-	-	-	-	-	-	4	24	24	22	24	10	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	105	-	-	-	-	-	-	-	4	24	22	22	24	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia------	44	-	-	-	-	-	-	-	1	11	9	8	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	43	-	-	-	-	-	-	-	1	11	8	8	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	19	-	-	-	-	-	-	-	-	3	7	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	19	-	-	-	-	-	-	-	-	3	7	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-------	39	-	-	-	-	-	-	-	3	7	7	8	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	37	-	-	-	-	-	-	-	3	7	6	8	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes----------	6	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	457	393	18	4	8	1	8	3	5	4	3	4	1	4	2	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	246	209	7	1	8	1	5	1	3	4	2	3	1	3	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	205	179	9	5	2	-	5	1	2	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,290	1,290	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	757	757	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	509	509	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth---	799	799	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	458	458	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	324	324	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year-------	491	491	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	299	299	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	185	185	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	419	-	-	-	-	-	-	2	6	11	22	21	27	43	45	58	53	34	36	29	13	12	6	1	-	-	-
	White-----M--	327	-	-	-	-	-	-	2	4	9	20	15	19	34	35	41	39	28	27	26	11	11	5	1	-	-	-
	F--	90	-	-	-	-	-	-	-	2	2	2	6	8	8	9	17	14	6	9	3	2	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-188	Homicide----------	30	2	-	-	1	1	-	-	-	5	1	3	8	1	2	-	3	1	1	1	-	-	-	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	2	1	2	2	1	1	-	3	-	-	1	-	-	-	-	-	-	-
	F--	13	2	-	-	1	1	-	-	-	2	-	-	4	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189-195	Accidental deaths	2,254	77	30	23	34	12	66	83	122	157	102	97	89	82	101	104	116	120	128	163	164	175	146	53	9	1	-
	White-----M--	1,472	44	16	13	20	7	43	63	96	128	86	80	71	71	84	81	78	90	94	102	72	60	49	20	4	-	-
	F--	748	32	14	10	13	5	21	19	25	26	15	14	14	10	16	19	33	29	31	61	91	114	97	33	5	1	-
	Nonwhite--M--	25	1	-	-	-	-	1	-	-	2	-	3	4	1	1	3	4	1	3	-	1	-	-	-	-	-	-
	F--	9	-	-	-	1	-	1	1	1	1	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
170	Motor-vehicle accidents-------	740	1	10	6	14	5	34	22	61	95	62	44	42	35	48	47	53	46	31	46	23	10	5	-	-	-	-
	White-----M--	561	1	5	4	7	4	21	15	44	79	53	32	32	31	36	33	39	36	23	36	16	8	4	-	-	-	-
	F--	164	-	5	2	6	1	11	7	17	16	6	10	8	4	11	11	13	10	6	10	7	2	1	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	1	-	-	-	-	2	2	-	1	2	1	-	2	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	1,514	76	20	17	20	7	32	61	61	62	40	53	47	47	53	57	63	74	87	117	141	165	141	53	9	1	-
	White-----M--	911	43	11	9	13	3	22	48	52	49	31	48	39	40	48	48	39	54	71	66	56	52	45	20	4	-	-
	F--	584	32	9	8	7	4	10	12	8	10	9	4	6	6	5	8	20	19	25	51	84	112	96	33	5	1	-
	Nonwhite--M--	14	1	-	-	-	-	-	-	-	2	-	1	2	1	-	1	3	1	1	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes----	406	13	1	1	1	-	-	2	-	1	2	5	3	8	2	6	12	12	13	27	53	76	90	58	18	1	1
	White-----M--	219	8	1	1	1	-	-	2	-	1	2	4	2	7	-	4	9	10	10	16	23	42	38	23	7	1	1
	F--	184	4	-	-	-	-	-	-	-	-	-	1	1	1	2	2	3	2	3	11	30	34	52	28	10	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	All other causes-	1,739	99	29	16	14	14	31	35	30	45	45	43	65	89	97	125	139	183	134	162	144	129	45	24	2	-	-
	White-----M--	907	57	21	6	8	10	13	15	17	22	25	25	32	45	42	59	71	106	78	76	78	65	24	13	-	-	-
	F--	808	39	6	8	6	3	17	20	12	23	19	17	32	43	53	64	67	76	56	84	64	64	20	11	2	-	-
	Nonwhite--M--	15	2	-	2	-	1	-	-	1	-	1	-	1	1	-	2	1	-	-	1	2	-	-	-	-	-	-
	F--	9	1	-	-	-	-	1	-	-	-	-	1	-	-	2	-	-	2	-	1	-	-	1	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.–DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING																											
	All causes-------	2,135	205	20	10	5	6	19	32	27	49	46	62	48	62	85	136	191	195	217	210	201	164	95	38	8	1	3
	White-----M--	1,346	124	7	7	1	4	9	19	15	31	30	37	31	43	55	88	122	134	147	133	119	108	58	18	3	-	3
	F--	718	88	11	2	4	2	8	12	10	15	16	18	16	17	27	46	65	55	63	71	77	55	36	19	5	-	-
	Nonwhite--M--	46	5	1	1	-	-	2	1	1	3	-	6	-	2	2	1	3	5	5	3	2	-	1	1	-	1	-
	F--	25	8	1	-	-	-	-	-	1	-	-	1	1	-	1	1	1	1	2	3	3	1	-	-	-	-	-
1,2	Typhoid and paratyphoid fever---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	3	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	28	-	1	-	-	-	1	-	2	1	3	2	2	4	1	3	2	1	2	2	1	-	-	-	-	-	-
	White-----M--	15	-	1	-	-	-	-	-	1	-	1	1	2	1	-	2	2	1	2	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	1	-	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	24	-	-	-	-	-	1	-	1	1	3	1	2	4	1	3	2	1	1	2	1	-	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	1	-	1	-	2	1	-	2	2	1	1	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	4	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-------	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria---------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	23	-	-	-	-	-	-	-	-	-	-	3	1	1	1	3	3	4	4	2	1	-	-	-	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	4	3	2	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomyelitis (acute)---	7	-	-	-	1	-	1	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Con.																											
45-55	Cancer and other malignant tumors	228	-	-	-	-	-	-	1	-	1	5	3	4	4	16	24	32	27	29	34	20	20	7	1	-	-	-
	White-----M--	136	-	-	-	-	-	-	-	-	1	3	2	2	3	7	11	17	17	16	21	13	13	7	1	-	-	-
	F--	89	-	-	-	-	-	-	1	-	-	2	1	2	1	9	13	15	10	11	13	6	5	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	113	-	-	-	-	-	-	-	-	-	2	1	2	-	6	10	19	9	15	19	11	12	6	1	-	-	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	1	-	2	-	4	5	10	5	9	11	7	9	6	1	-	-	-
	F--	41	-	-	-	-	-	-	-	-	-	1	1	-	-	2	5	9	4	5	8	3	3	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
48,49	Cancer of female genital organs--	13	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	4	2	-	1	-	1	-	-	-	-	-
	White-----F--	13	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	4	2	-	1	-	1	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast-	20	-	-	-	-	-	-	-	-	-	-	-	2	1	4	2	2	3	2	2	1	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	2	1	4	2	2	3	1	2	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	82	-	-	-	-	-	-	1	-	1	2	2	-	3	3	11	7	13	12	12	8	6	1	-	-	-	-
	White-----M--	66	-	-	-	-	-	-	-	-	1	2	2	-	3	3	6	7	12	7	10	6	6	1	-	-	-	-
	F--	16	-	-	-	-	-	-	1	-	-	-	-	-	-	-	5	-	1	5	2	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	32	-	-	1	-	-	1	-	1	1	-	1	-	-	-	1	3	5	5	7	6	-	-	-	-	-	-
	White-----M--	14	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	1	1	1	3	4	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	4	4	4	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	9	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	2	1	-	1	-	-	-	-	-	1
	White-----M--	8	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	1	-	1	-	-	-	-	-	1
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	180	1	-	-	-	-	-	-	-	-	1	1	-	4	7	12	12	14	33	30	25	21	14	5	-	-	-
	White-----M--	97	1	-	-	-	-	-	-	-	-	1	-	-	1	4	4	8	5	18	15	12	17	7	4	-	-	-
	F--	77	-	-	-	-	-	-	-	-	-	-	1	-	3	3	8	3	9	13	14	12	3	7	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
90-95	Diseases of the heart----------	597	-	-	-	1	-	-	3	-	1	2	3	9	17	21	45	66	71	83	70	77	75	40	8	4	-	1
	White-----M--	400	-	-	-	-	-	-	1	-	1	-	2	6	13	16	35	46	52	58	47	47	48	22	3	2	-	1
	F--	185	-	-	-	1	-	-	2	-	-	2	1	3	4	4	10	18	16	23	22	29	27	17	4	2	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-	-	-	1	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart----------	42	-	-	-	-	-	-	2	-	-	2	1	3	1	3	5	3	2	2	3	6	5	4	-	-	-	-
	White-----M--	24	-	-	-	-	-	-	1	-	-	-	-	2	1	2	4	2	2	2	-	4	4	-	-	-	-	-
	F--	18	-	-	-	-	-	-	1	-	-	2	1	1	-	1	1	1	-	-	3	2	1	4	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	213	-	-	-	-	-	-	-	-	1	-	2	3	10	10	23	27	32	33	23	22	18	7	1	-	-	1
	White-----M--	166	-	-	-	-	-	-	-	-	1	-	2	2	8	8	20	22	26	24	17	15	15	5	-	-	-	1
	F--	46	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	5	6	8	6	7	3	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)----------	342	-	-	-	1	-	-	1	-	-	-	-	3	6	8	17	36	37	48	44	49	52	28	7	4	-	-
	White-----M--	210	-	-	-	-	-	-	-	-	-	-	-	2	4	6	11	22	24	32	30	28	29	17	3	2	-	-
	F--	121	-	-	-	1	-	-	1	-	-	-	-	1	2	1	6	12	10	15	13	20	23	11	3	2	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	1	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Con.																											
97,102	Arteriosclerosis and high blood pressure*	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	11	3	7	2	-	-	-
	White---M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	8	2	3	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	101	27	2	1	-	-	1	2	1	2	2	3	1	3	-	4	4	8	6	10	9	9	4	2	-	-	-
	White---M--	62	16	1	1	-	-	-	-	1	-	1	2	-	3	-	2	3	8	6	5	4	5	3	1	-	-	-
	F--	34	8	1	-	-	-	1	2	-	2	1	-	1	-	-	2	1	-	-	5	4	4	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	43	16	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	2	4	3	8	3	2	-	-	-
	White---M--	25	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	1	3	2	1	-	-	-
	F--	15	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	2	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	28	3	-	-	-	-	-	1	1	-	1	-	1	1	-	4	-	4	3	5	2	2	-	-	-	-	-
	White---M--	19	3	-	-	-	-	-	-	1	-	1	-	-	1	-	2	-	4	3	2	-	2	-	-	-	-	-
	F--	8	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	3	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	14	7	-	-	-	-	-	1	-	1	-	2	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	White---M--	7	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	7	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	16	1	-	1	-	-	1	-	-	1	-	1	-	2	-	-	2	1	-	-	4	1	1	-	-	-	-
	White---M--	11	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	2	1	-	-	3	-	1	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	17	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	2	3	2	4	-	1	1	-	-	-	-
	White---M--	16	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	2	3	2	3	-	1	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	15	8	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	White---M--	10	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	18	-	-	-	-	1	1	1	1	3	1	2	-	-	1	-	2	2	1	-	1	1	-	-	-	-	-
	White---M--	11	-	-	-	-	1	1	1	1	1	-	1	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	26	-	1	-	-	-	-	2	1	-	-	1	2	1	-	3	-	3	5	2	1	2	2	-	-	-	-
	White---M--	11	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	3	2	-	1	1	-	-	-	-
	F--	13	-	1	-	-	-	-	1	1	-	-	1	1	1	-	1	-	1	2	-	1	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	16	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	4	4	2	2	-	-	-	-	-	-	-
	White---M--	12	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	4	2	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	1	4	-	-	-	-	-	-
	White---M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	130	1	-	-	-	-	1	-	1	1	1	5	2	2	2	7	11	14	13	17	21	13	10	8	-	-	-
	White---M--	87	1	-	-	-	-	-	-	1	-	-	4	1	1	1	4	7	9	11	13	14	9	7	4	-	-	-
	F--	42	-	-	-	-	-	1	-	-	1	1	1	1	-	1	3	4	5	2	4	7	4	3	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-
	White---M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

end of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Con.																											
140-150	Diseases of pregnancy, etc.*	10	-	-	-	-	-	-	-	-	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	10	-	-	-	-	-	-	-	-	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	4	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	28	24	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	11	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	115	115	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	76	76	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	74	74	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	49	49	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	24	24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	41	41	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	27	27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	44	-	-	-	-	-	-	-	1	2	1	3	4	4	4	6	5	7	1	4	1	1	-	-	-	-	-
	White—M	38	-	-	-	-	-	-	-	1	1	1	1	2	4	4	5	5	7	1	4	1	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	10	-	-	-	-	-	-	-	-	-	-	2	3	-	2	-	1	-	2	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	254	11	4	4	1	2	6	14	14	26	27	25	14	14	10	14	18	11	5	10	6	8	3	4	2	-	1
	White—M	195	5	1	3	-	2	4	10	8	21	22	21	12	12	9	13	16	9	5	7	5	5	2	2	-	-	1
	F	56	5	3	1	1	-	2	3	6	5	5	3	2	2	1	1	2	2	-	3	1	3	1	2	2	-	-
	Nonwhite—M	3	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	105	-	1	4	-	-	3	6	10	16	12	13	7	6	3	4	7	6	1	2	3	-	1	-	-	-	-
	White—M	74	-	-	3	-	-	1	3	4	11	9	11	7	5	2	3	6	4	1	1	2	-	1	-	-	-	-
	F	31	-	1	1	-	-	2	3	6	5	3	2	-	1	1	1	1	2	-	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	149	11	3	-	1	2	3	8	4	10	15	12	7	8	7	10	11	5	4	8	3	8	2	4	2	-	1
	White—M	121	5	1	-	-	2	3	7	4	10	13	10	5	7	7	10	10	5	4	6	3	5	1	2	-	-	1
	F	25	5	2	-	1	-	-	-	-	-	2	1	2	1	-	-	1	-	-	2	-	3	1	2	2	-	-
	Nonwhite—M	3	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	52	9	2	-	-	-	1	-	1	-	-	-	-	-	2	1	2	4	3	5	8	3	5	5	-	1	-
	White—M	17	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	3	2	-	3	2	-	-	-
	F	21	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	2	1	5	3	2	3	-	-	-
	Nonwhite—M	8	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-
	F	6	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	132	7	4	2	1	2	2	5	2	4	-	3	4	7	12	8	18	9	15	8	8	5	1	3	2	-	-
	White—M	67	2	1	2	-	1	1	4	1	3	-	-	2	4	6	4	7	6	10	4	4	2	1	1	1	-	-
	F	61	5	3	-	1	1	1	1	-	-	-	3	2	3	6	4	11	3	5	2	4	3	-	2	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	1,395,617	697,323	535,014	88,366	74,914	24,727	8,287	6,144	5,374	4,922
	I.—Infectious and parasitic diseases	87,287	41,038	23,641	13,097	9,511	2,229	529	431	678	591
1	Typhoid fever	349	149	102	58	40	8	2	4	1	1
2	Paratyphoid fever	58	29	13	7	9	1	-	-	1	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	69	37	25	6	1	1	-	-	-	1
6	Cerebrospinal (meningococcus) meningitis	1,257	641	448	96	72	31	12	4	8	7
7	Anthrax (infection by Bacillus anthracis)	7	4	3	-	-	-	-	-	-	-
8	Scarlet fever	198	101	88	5	4	1	1	-	-	-
9	Whooping cough	1,241	420	518	134	169	37	10	8	8	11
10	Diphtheria (infection by C. diphtheriae)	1,259	619	487	84	69	28	13	8	6	1
11	Erysipelas	123	59	50	8	6	5	1	4	-	-
12	Tetanus	585	239	129	145	72	32	6	5	16	5
13-22	Tuberculosis (all forms)	50,911	24,283	13,057	7,603	5,968	1,122	269	195	326	332
13	Tuberculosis of respiratory system, etc.*	46,939	22,832	11,928	6,829	5,350	1,049	253	191	297	318
14	Tuberculosis of meninges, etc.*	1,150	411	329	225	185	25	5	5	10	5
15	Tuberculosis of intestines and peritoneum	578	158	162	105	153	14	-	3	7	4
16	Tuberculosis of vertebral column	439	166	123	93	57	8	3	2	3	-
17	Tuberculosis of bones and joints, etc.*	137	68	30	29	10	1	1	-	-	-
18	Tuberculosis of skin, etc.*	26	6	15	4	1	1	-	-	1	-
19	Tuberculosis of lymphatic system, etc.*	80	24	27	16	13	1	1	-	-	-
20	Tuberculosis of genito-urinary system	367	203	123	27	14	-	-	-	-	-
21	Tuberculosis of other organs	105	45	41	11	8	-	-	-	-	-
22	Disseminated tuberculosis	1,090	370	279	264	177	23	6	4	8	5
23	Leprosy	16	3	8	4	1	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	594	270	209	52	63	14	3	3	3	5
25	Gonococcus infection	150	27	42	18	63	16	-	3	2	11
26	Other diseases due to bacteria (except dysentery)	113	57	24	20	12	2	1	-	-	1
27	Dysentery	952	428	332	117	75	22	7	11	2	2
28	Malaria	341	132	60	79	70	30	8	3	9	10
29	Other diseases due to parasitic protozoa, etc.*	19	12	3	3	1	-	-	-	-	-
30	Syphilis (all forms)	12,955	6,286	1,954	3,248	1,467	317	55	18	165	79
30a	Locomotor ataxia (tabes dorsalis)	486	353	75	40	18	8	2	-	4	2
30b	General paralysis of insane	4,028	2,057	569	1,059	343	31	18	5	7	1
30d	Aneurysm of aorta	2,943	1,740	411	574	218	40	14	3	15	8
30f	Congenital syphilis	624	130	127	218	149	27	3	1	15	8
30c,e,g	Syphilis (other forms)	4,874	2,006	772	1,357	739	211	18	9	124	60
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	390	184	142	32	32	7	2	4	1	-
33	Influenza	8,783	3,327	3,431	1,001	1,024	409	90	112	107	100
34	Smallpox	25	18	6	1	-	-	-	-	-	-
35	Measles	1,310	510	553	130	117	44	10	11	10	13
36	Poliomyelitis and poliencephalitis (acute)	1,845	1,082	681	45	37	22	8	9	2	3
37	Acute infectious encephalitis (lethargic)	642	357	248	23	14	8	5	2	1	-
38	Other diseases due to filtrable viruses	145	63	62	11	9	8	2	1	3	2
39	Typhus fever and typhus-like diseases*	289	153	97	18	21	25	10	8	5	2
40	Ankylostomiasis	8	3	2	3	-	2	1	1	-	-
41	Hydatid disease	10	7	3	-	-	-	-	-	-	-
42	Other diseases caused by helminths	52	22	10	11	9	-	-	-	-	-
43	Mycoses	336	176	99	44	17	8	3	4	1	-
44	Other infectious and parasitic diseases	2,255	1,340	755	91	69	29	10	13	1	5
	II.—Cancer and other tumors	188,003	84,867	88,132	6,037	7,967	2,381	761	909	260	451
45-55	Cancer and other malignant tumors	182,005	82,985	85,322	5,616	7,282	2,261	728	872	253	408
45	Cancer of buccal cavity and pharynx	5,438	4,086	1,034	219	99	87	41	24	12	10
45a	Cancer of lip	613	541	63	5	4	7	6	-	-	1
45b	Cancer of tongue	1,307	976	246	62	23	18	4	6	5	1
45c	Cancer of mouth	760	565	157	24	14	10	5	3	1	1
45d	Cancer of jaw bone	877	614	196	39	28	22	10	6	3	3
45e	Cancer of unspecified parts of buccal cavity	82	65	13	2	2	-	-	-	-	-
45f	Cancer of pharynx	1,799	1,325	359	87	28	32	16	9	3	4
46	Cancer of digestive organs and peritoneum	80,866	41,099	34,508	3,056	2,203	853	326	299	119	109
46a	Cancer of esophagus	3,307	2,331	611	298	67	24	9	10	3	2
46b	Cancer of stomach	25,625	14,627	8,878	1,357	763	292	115	75	62	40
46c	Cancer of duodenum	348	187	138	14	9	2	1	1	-	-
46d	Cancer of rectum and anus	10,037	5,441	4,038	276	282	79	21	33	12	13
46e	Cancer of intestines, etc.*	21,854	9,493	11,409	436	516	197	82	77	15	23
46f	Cancer of liver and biliary passages	10,804	4,438	5,648	368	352	156	54	64	18	20
46g	Cancer of pancreas	6,820	3,664	2,802	214	140	80	37	33	5	5
46h	Cancer of mesentery and peritoneum	1,261	588	594	39	40	10	2	4	2	2
46m	Cancer of other and unspecified sites	810	330	392	54	34	13	5	2	2	4
47	Cancer of respiratory system	15,216	11,286	3,019	697	214	153	87	35	24	7
47a	Cancer of larynx	1,746	1,482	179	74	11	9	5	1	3	-
47b,c	Cancer of trachea and bronchus	3,899	3,120	508	234	37	25	17	1	6	1
47d	Cancer of lung	8,864	6,212	2,143	352	157	111	63	30	12	6
47e	Cancer of pleura	115	72	34	7	2	2	1	1	-	-
47f	Cancer of other respiratory organs	592	400	155	30	7	6	1	2	3	-
48	Cancer of uterus	17,205	...	14,639	...	2,566	346	...	182	...	164
48a	Cancer of cervix	7,396	...	6,246	...	1,150	135	...	82	...	53
48b	Cancer of other and unspecified sites of uterus	8,809	...	8,393	...	1,416	211	...	100	...	111
49	Cancer of other female genital organs	5,441	...	5,132	...	309	51	...	40	...	11
49a,b	Cancer of ovary, fallopian tube, and parametrium	4,696	...	4,437	...	259	46	...	36	...	10
49c-e	Cancer of other female genital organs	745	...	695	...	50	5	...	4	...	1
50	Cancer of breast	17,516	225	16,157	17	1,117	222	2	149	4	67
51	Cancer of male genital organs	11,564	10,689	...	875	...	169	107	...	62	...
51b	Cancer of prostate	10,616	9,813	...	803	...	157	101	...	56	...
51a,c-e	Cancer of other male genital organs	948	876	...	72	...	12	6	...	6	...
52	Cancer of urinary organs	8,746	5,332	2,948	283	183	104	46	33	14	11
52a	Cancer of kidney	2,900	1,730	1,023	87	60	43	22	11	6	4
52b	Cancer of bladder	5,746	3,566	1,873	189	118	60	24	22	8	6
52c	Cancer of other and unspecified sites	100	36	52	7	5	1	-	-	-	1
53	Cancer of skin, etc.*	3,520	2,047	1,351	68	54	72	33	34	5	-

*Refer to International List for complete title, table V, Part I

UNITED STATES AND EACH STATE, 1946

and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
5,737	3,069	1,744	519	405	14,338	6,106	4,202	2,136	1,895	94,678	52,414	37,524	3,006	1,734	12,053	6,837	4,910	175	136	
973	473	215	154	131	1,362	482	346	309	225	5,955	3,461	1,654	583	257	755	472	244	26	13	
3	3	-	-	-	14	5	4	5	-	12	4	6	-	2	5	3	1	1	-	1
2	-	-	1	1	3	2	-	-	1	6	3	3	-	-	1	1	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	2	1	1	-	-	3	3	-	-	-	-	-	-	-	-	5
6	6	-	-	-	17	7	6	3	1	87	58	24	2	3	11	6	5	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
1	1	-	-	-	3	-	3	-	-	11	2	8	1	-	3	2	1	-	-	8
16	3	8	2	3	20	7	7	1	5	43	18	19	1	5	6	4	2	-	-	9
17	6	5	4	2	40	18	16	2	4	92	53	35	3	1	19	11	8	-	-	10
1	-	-	-	1	-	-	-	-	-	3	1	1	-	1	1	1	-	-	-	11
2	2	-	-	-	27	4	7	10	6	25	19	5	1	-	-	-	-	-	-	12
727	376	152	102	97	699	250	177	156	116	3,959	2,288	1,063	409	179	401	250	126	19	6	13-22
664	353	140	90	81	662	244	166	146	106	3,648	2,159	976	363	150	367	224	119	18	6	13
20	1	3	7	9	11	1	6	4	-	85	32	31	15	7	6	4	2	-	-	14
8	2	1	2	3	9	2	2	1	4	38	10	15	7	6	7	6	1	-	-	15
3	2	1	-	-	2	-	-	-	2	32	15	9	7	1	2	1	-	1	-	16
1	1	-	-	-	3	-	-	2	1	8	1	5	1	1	2	1	1	-	-	17
1	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	18
2	-	-	1	1	-	-	-	-	-	6	3	2	-	1	-	-	-	-	-	19
9	8	-	-	1	2	1	1	-	-	30	20	6	3	1	6	6	-	-	-	20
-	-	-	-	-	-	-	-	-	-	9	5	4	-	-	3	2	1	-	-	21
19	9	6	2	2	10	2	2	3	3	101	43	33	13	12	8	6	2	-	-	22
-	-	-	-	-	-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	23
5	2	1	2	-	9	2	1	3	3	27	17	7	1	2	2	2	-	-	-	24
-	-	-	-	-	-	-	-	-	-	16	10	3	-	3	-	-	-	-	-	25
-	-	-	-	-	22	15	5	2	-	-	-	-	-	-	-	-	-	-	-	26
23	3	5	11	4	15	5	4	4	2	37	20	17	-	-	15	9	5	-	1	27
2	-	2	-	-	25	5	3	9	8	7	6	-	1	-	-	-	-	-	-	28
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
65	30	10	16	9	148	40	15	60	33	962	639	149	130	44	106	72	25	5	4	30
-	-	-	-	-	3	-	-	3	-	36	29	5	1	1	6	5	1	-	-	30a
8	5	1	1	1	50	21	2	21	6	247	169	34	40	4	33	27	3	2	1	30b
24	16	4	2	2	20	7	4	8	1	298	216	38	35	9	35	23	9	2	2	30d
8	1	-	4	3	11	-	3	3	5	35	9	10	10	6	3	2	1	-	-	30f
25	8	5	9	3	64	12	6	25	21	346	216	62	44	24	29	15	12	1	1	30c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	3	-	1	2	-	25	11	10	3	1	3	-	2	1	-	32
46	20	15	5	6	225	73	72	41	39	230	89	127	7	7	74	45	28	-	1	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
26	6	7	8	5	27	11	9	5	2	68	31	34	2	1	11	7	4	-	-	35
12	7	3	1	1	26	12	11	2	1	99	52	44	2	1	56	35	20	-	1	36
5	1	4	-	-	8	6	-	1	1	46	29	16	-	1	3	1	2	-	-	37
1	-	1	-	-	3	1	-	1	1	10	7	3	-	-	1	1	-	-	-	38
-	-	-	-	-	3	1	2	-	-	3	1	2	-	-	4	4	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	42
6	3	-	1	2	3	2	1	-	-	48	17	12	16	3	6	5	1	-	-	43
6	4	2	-	-	20	15	1	2	2	129	79	44	3	3	27	13	14	-	-	44
516	251	235	14	16	1,501	561	641	122	177	13,193	6,232	6,416	334	211	1,527	691	797	22	17	
495	242	226	13	14	1,436	550	607	118	161	12,813	6,110	6,183	325	195	1,447	662	748	21	16	45-55
11	8	3	-	-	37	26	9	2	-	349	267	69	13	-	27	22	4	1	-	45
2	2	-	-	-	4	3	1	-	-	43	40	2	1	-	7	5	2	-	-	45a
2	1	1	-	-	5	3	2	-	-	102	77	20	5	-	4	4	-	-	-	45b
2	-	2	-	-	4	4	-	-	-	45	37	8	-	-	-	-	-	-	-	45c
1	1	-	-	-	10	6	3	1	-	34	26	7	1	-	7	6	1	-	-	45d
-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	45e
4	4	-	-	-	14	10	3	1	-	115	77	32	6	-	9	7	1	1	-	45f
196	114	74	4	4	570	249	222	62	37	5,548	2,959	2,331	191	67	666	331	314	15	6	46
6	6	-	-	-	12	5	2	5	-	220	153	55	9	3	17	11	6	-	-	46a
68	41	26	-	1	209	92	70	33	14	1,800	1,092	578	101	29	221	116	97	7	1	46b
-	-	-	-	-	6	4	-	1	1	21	13	7	-	1	5	3	2	-	-	46c
18	11	6	-	1	39	21	10	2	6	768	421	325	14	8	64	34	29	-	1	46d
44	23	20	-	1	144	59	69	10	6	1,379	573	767	23	16	175	76	94	3	2	46e
35	18	14	3	-	103	40	50	6	7	627	290	304	26	7	91	40	47	3	1	46f
20	13	6	1	-	43	22	19	1	1	576	335	227	12	2	81	43	35	2	1	46g
3	2	1	-	-	9	5	1	1	2	97	45	50	1	1	8	6	2	-	-	46h
2	-	1	-	1	5	1	1	3	-	60	37	18	5	-	4	2	2	-	-	46m
49	34	11	2	2	96	63	22	8	3	1,203	910	243	42	8	112	79	30	3	-	47
3	3	-	-	-	6	5	1	-	-	128	109	15	4	-	10	8	2	-	-	47a
6	4	1	1	-	18	11	5	2	-	464	368	79	15	2	20	16	3	1	-	47b,c
40	27	10	1	2	68	44	16	5	3	554	397	131	21	5	77	51	25	1	-	47d
-	-	-	-	-	1	1	-	-	-	5	1	4	-	-	-	-	-	-	-	47e
-	-	-	-	-	3	2	-	1	-	52	35	14	2	1	5	4	-	1	-	47f
57	...	53	...	4	205	...	130	...	75	1,052	...	996	...	56	125	...	120	...	5	48
24	...	23	...	1	70	...	46	...	24	530	...	499	...	31	66	...	63	...	3	48a
33	...	30	...	3	135	...	84	...	51	522	...	497	...	25	59	...	57	...	2	48b
18	...	18	...	-	29	...	20	...	9	476	...	462	...	14	28	...	28	...	-	49
15	...	15	...	-	25	...	18	...	7	440	...	427	...	13	24	...	24	...	-	49a,b
3	...	3	...	-	4	...	2	...	2	36	...	35	...	1	4	...	4	...	-	49c-e
38	-	36	-	2	121	5	84	-	22	1,333	13	1,288	1	31	146	2	141	-	3	50
32	32	...	-	...	108	77	...	31	...	803	776	...	27	...	102	101	...	1	...	51
27	27	...	-	...	101	70	...	31	...	738	714	...	24	...	95	94	...	1	...	51b
5	5	...	-	...	7	7	...	-	...	65	62	...	3	...	7	7	...	-	...	51a,c-e
21	14	5	2	-	64	32	27	3	2	664	439	206	15	4	71	53	18	-	-	52
4	2	2	-	-	27	15	11	-	1	225	146	67	10	2	18	12	6	-	-	52a
17	12	3	2	-	37	17	16	3	1	431	289	135	5	2	53	41	12	-	-	52b
-	-	-	-	-	-	-	-	-	-	8	4	4	-	-	-	-	-	-	-	52c
5	4	1	-	-	52	28	17	6	1	254	145	105	3	1	21	16	5	-	-	53

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
54	Cancer of central nervous system*	3,168	1,798	1,232	75	63	45	19	21	2	3
55	Cancer of other and unspecified organs	13,325	6,423	5,902	526	474	159	67	55	11	26
56,57	Nonmalignant tumors and tumors of unspecified nature	5,998	1,882	3,210	221	685	120	33	37	7	43
56	Nonmalignant tumors (including dermoid cysts)	3,487	676	2,179	77	555	89	19	30	5	37
56a-c	Nonmalignant tumors of female genital organs	2,082	...	1,592	...	490	57	...	23	...	34
56d	Nonmalignant tumors of central nervous system*	813	384	361	39	29	17	9	5	3	-
56e	Nonmalignant tumors of other and unspecified organs	592	292	226	38	36	15	10	2	-	3
57	Tumors of unspecified nature	2,511	1,206	1,031	144	130	31	14	7	4	6
57a-c	Tumors, female genital organs (nature unspecified)	77	...	62	...	15	-	...	-	...	-
57d	Tumors, central nervous system* (nature unspecified)	1,656	836	670	91	59	19	9	4	3	3
57e	Tumors, other organs (nature unspecified)	778	370	299	53	56	12	5	3	1	3
	III.—Rheumatism, diseases of nutrition, etc.*	43,736	14,870	25,393	1,118	2,355	582	160	214	68	140
58	Acute rheumatic fever	1,118	429	440	92	157	24	6	6	5	7
58a	Acute rheumatic pericarditis	46	20	19	4	3	-	-	-	-	-
58b	Acute rheumatic endocarditis	325	133	133	17	42	10	2	2	2	4
58c	Acute rheumatic myocarditis	127	37	50	17	23	2	1	-	1	-
58d	Other acute rheumatic heart diseases	212	83	82	19	28	3	1	1	1	-
58e,f	Other forms of acute rheumatic fever, etc.*	408	156	156	35	61	9	2	3	1	3
59	Chronic rheumatism, other rheumatic diseases	1,803	608	1,051	56	88	39	12	16	3	8
60	Gout	5	5	-	-	-	-	-	-	-	-
61	Diabetes mellitus	34,731	11,968	20,429	715	1,619	335	109	124	34	68
62	Diseases of pituitary gland	138	56	73	4	5	4	2	1	-	1
63	Diseases of thyroid and parathyroid glands	2,859	456	2,153	44	204	33	4	21	-	8
63a	Simple goiter	164	24	120	5	15	2	-	1	-	1
63b	Exophthalmic goiter	2,357	349	1,801	31	176	30	3	20	-	7
63c-e	Other diseases of thyroid and parathyroid glands	338	83	234	8	13	1	1	-	-	-
64	Diseases of thymus gland	1,114	623	373	62	56	25	7	3	4	11
65	Diseases of adrenal glands*	479	205	240	17	17	9	2	3	3	1
66	Other general diseases	431	195	168	38	30	14	2	3	5	4
67	Scurvy	21	9	12	-	-	-	-	-	-	-
68	Beriberi	49	23	16	5	5	-	-	-	-	-
69	Pellagra (except alcoholic)	804	212	373	60	159	96	15	37	13	31
70	Rickets	72	32	18	17	5	1	1	-	-	-
71	Other avitaminoses	112	49	45	8	10	2	-	-	1	1
	IV.—Diseases of the blood and blood-forming organs	10,754	5,493	4,569	353	339	174	77	69	15	13
72	Hemorrhagic conditions	639	292	288	24	35	16	5	9	2	-
73	Anemias (except splenic anemia)	2,772	1,210	1,315	95	152	45	18	16	5	6
73a	Pernicious anemia	1,638	724	821	31	60	21	9	7	2	3
73b-d	Other anemias (except splenic)	1,136	486	494	64	92	24	9	9	3	3
74	Leukemias and aleukemias	6,608	3,651	2,637	204	116	102	53	37	6	6
74a	Leukemias	6,304	3,472	2,520	202	110	98	51	35	6	6
74b	Aleukemias	304	179	117	2	6	4	2	2	-	-
75	Diseases of spleen	486	226	215	24	21	6	-	4	2	-
76	Other diseases of blood and blood-forming organs	249	114	114	6	15	5	1	3	-	1
	V.—Chronic poisoning and intoxication	2,332	1,755	305	210	62	34	18	4	8	4
77	Alcoholism (ethylism)	2,209	1,687	265	199	58	31	17	4	6	4
78	Lead poisoning	46	31	7	6	2	2	1	-	1	-
79	Chronic poisoning by other mineral substances*	77	37	33	5	2	1	-	-	1	-
	VI.—Diseases of the nervous system, etc.*	140,768	61,438	62,194	8,125	9,011	2,708	780	780	550	598
80	Encephalitis (nonepidemic)	1,312	626	484	108	94	20	8	7	3	2
81	Meningitis (not due to meningococcus)	1,992	932	596	268	196	57	18	10	15	14
82	Diseases of spinal cord (see exceptions)*	2,566	1,401	996	110	59	32	11	10	7	4
83	Intracranial lesions of vascular origin	125,646	54,058	56,469	6,978	8,141	2,380	679	684	473	544
83a	Cerebral hemorrhage or effusion*	108,998	46,512	48,864	6,228	7,394	2,256	643	646	443	524
83b,c	Cerebral embolism, thrombosis, and softening	13,414	6,240	6,310	441	423	60	21	24	8	7
83d	Hemiplegia, other paralysis, etc.*	3,234	1,306	1,295	309	324	64	15	14	22	13
84	Mental diseases and deficiency (see exception)*	1,571	549	685	168	169	77	20	32	11	14
85	Epilepsy	2,346	1,160	759	274	153	60	20	10	22	8
86	Convulsions (under 5 years)	357	137	123	50	47	26	5	6	10	5
87	Other diseases of nervous system	4,155	2,127	1,796	121	111	37	10	15	8	4
88	Diseases of organs of vision	43	23	16	3	1	-	-	-	-	-
89	Diseases of ear and mastoid process	780	425	270	45	40	19	9	6	1	3
	VII.—Diseases of the circulatory system	461,687	249,939	174,508	19,769	17,471	5,674	2,209	1,412	1,080	993
90-95	Diseases of the heart (all forms)	429,230	234,332	160,410	18,371	16,117	5,320	2,096	1,313	1,003	908
90	Pericarditis (except acute rheumatic)	520	279	159	48	34	7	2	-	4	1
90a	Chronic rheumatic pericarditis	13	5	7	-	1	-	-	-	-	-
90b	Other pericarditis	507	274	152	48	33	7	2	-	4	1
91	Acute endocarditis (except rheumatic)	1,474	701	452	156	165	29	9	5	8	7
91a,b	Bacterial, acute, and subacute endocarditis	1,316	654	405	127	130	26	8	5	7	6
91c	Endocarditis (unspecified, under 45 years)	158	47	47	29	35	3	1	-	1	1
92	Chronic affections of valves and endocardium	33,825	15,726	13,908	2,184	2,007	781	225	157	196	203
92a	Diseases of aortic valve, etc.*	3,008	1,579	866	315	248	73	18	13	22	20
92b	Diseases of mitral valve, etc.*	13,981	6,238	5,000	862	881	292	101	63	54	74
92c	Chronic rheumatic endocarditis, etc.*	1,962	1,017	830	67	48	19	6	2	8	3
92d	Other chronic endocarditis, etc.*	13,123	6,080	5,564	792	677	387	97	76	110	104
92e	Endocarditis (unspecified, 45 years and over)	1,751	802	848	148	153	10	3	3	2	2
93	Diseases of the myocardium	223,049	107,553	98,166	9,863	9,467	2,529	836	684	535	474
93a	Acute myocarditis (except rheumatic)	3,329	1,502	1,225	307	295	116	39	23	24	30
93b	Myocarditis (unspecified, under 45 years)	430	154	127	63	86	14	2	1	4	7
93c	Chronic rheumatic myocarditis, etc.*	1,142	510	533	47	52	24	6	5	6	7
93d	Other chronic myocarditis, etc.*	201,652	97,123	87,956	8,440	8,133	2,232	753	625	460	394
93e	Other myocarditis (unspecified)	16,496	8,264	6,325	1,006	901	143	36	30	41	36
94	Diseases of coronary arteries, angina pectoris	137,153	93,023	37,995	3,728	2,407	1,521	825	377	168	151
94a	Diseases of coronary arteries	133,175	90,500	36,855	3,552	2,268	1,404	752	348	161	143
94b	Angina pectoris	3,978	2,523	1,140	176	139	117	73	29	7	8

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13	8	4	1	-	34	23	8	1	2	257	149	98	8	2	17	11	6	-	-	54
55	28	21	4	2	120	47	58	5	10	874	452	385	25	12	132	47	82	1	2	55
21	9	9	1	2	65	11	34	4	16	380	122	233	9	16	80	29	49	1	1	56,57
12	3	6	1	2	44	5	22	2	15	292	70	201	6	15	36	11	23	1	1	56
4	...	4	...	-	29	...	16	...	13	150	...	138	...	12	19	...	18	...	1	56a-c
4	2	2	-	-	9	3	4	1	1	94	44	43	5	2	6	4	1	1	-	56d
4	1	-	1	2	6	2	2	1	1	48	26	20	1	1	11	7	4	-	-	56e
9	6	3	-	-	21	6	12	2	1	88	52	32	3	1	44	18	26	-	-	57
-	...	-	...	-	3	...	3	...	-	2	...	2	...	-	1	...	1	...	-	57a-c
5	4	1	-	-	12	5	6	1	-	55	32	20	3	-	26	12	14	-	-	57d
4	2	2	-	-	6	1	3	1	1	31	20	10	-	1	17	6	11	-	-	57e
94	39	48	2	5	316	115	131	21	49	2,459	963	1,364	53	79	296	133	157	3	3	
6	2	3	-	1	20	6	6	2	6	42	16	21	3	2	20	11	9	-	-	58
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	1	1	-	-	-	58a
-	-	-	-	-	4	1	-	1	2	15	10	4	-	1	6	2	4	-	-	58b
1	-	1	-	-	2	2	-	-	-	5	1	3	1	-	1	1	-	-	-	58c
1	-	-	-	1	3	2	1	-	-	11	2	7	1	1	5	4	1	-	-	58d
4	2	2	-	-	10	-	5	1	4	10	3	7	-	-	7	3	4	-	-	58e,f
5	2	3	-	-	19	4	10	2	3	100	31	66	1	2	15	6	9	-	-	59
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	60
63	26	33	1	3	203	78	86	15	24	1,931	760	1,076	35	60	217	96	116	2	3	61
-	-	-	-	-	1	-	-	1	-	12	7	5	-	-	1	1	-	-	-	62
8	1	6	-	1	25	3	13	1	8	158	28	116	5	9	17	6	11	-	-	63
-	-	-	-	-	-	-	-	-	-	9	3	3	2	1	1	-	1	-	-	63a
6	1	4	-	1	19	3	9	-	7	125	17	98	3	7	15	6	9	-	-	63b
2	-	2	-	-	6	-	4	1	1	24	8	15	-	1	1	-	1	-	-	63c-e
9	6	2	1	-	2	2	-	-	-	136	87	40	5	4	16	7	8	1	-	64
-	-	-	-	-	-	-	-	-	-	34	17	14	2	1	2	1	1	-	-	65
2	1	1	-	-	12	8	3	-	1	18	4	13	1	-	5	3	2	-	-	66
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	9	6	2	1	-	-	-	-	-	-	68
-	-	-	-	-	26	10	9	-	7	17	6	11	-	-	2	1	1	-	-	69
-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	70
1	1	-	-	-	3	2	1	-	-	2	1	-	-	1	1	1	-	-	-	71
39	19	17	1	2	101	46	34	9	12	726	372	328	16	10	95	51	43	-	1	
8	4	3	-	1	9	7	1	1	-	42	13	28	1	-	4	2	2	-	-	72
8	2	6	-	-	26	9	10	2	5	151	53	75	1	2	22	12	10	-	-	73
5	2	3	-	-	16	5	7	2	2	72	24	47	-	1	14	7	7	-	-	73a
3	-	3	-	-	10	4	3	-	3	59	29	28	1	1	8	5	3	-	-	73b-d
19	10	7	1	1	62	30	22	6	4	504	280	203	14	7	62	33	28	-	1	74
19	10	7	1	1	61	29	22	6	4	476	261	194	14	7	60	31	28	-	1	74a
-	-	-	-	-	1	1	-	-	-	28	19	9	-	-	2	2	-	-	-	74b
3	2	1	-	-	2	-	-	-	2	36	21	14	-	1	7	4	3	-	-	75
1	1	-	-	-	2	-	1	-	1	13	5	8	-	-	-	-	-	-	-	76
20	18	-	2	-	11	8	2	1	-	200	151	41	8	-	38	27	7	3	1	
20	18	-	2	-	10	7	2	1	-	192	144	40	8	-	36	27	6	3	-	77
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	1	-	1	-	-	78
-	-	-	-	-	1	1	-	-	-	5	4	1	-	-	1	-	-	-	1	79
359	179	150	14	16	1,568	588	501	218	261	8,266	3,803	4,159	176	128	1,128	534	556	18	20	
6	5	1	-	-	16	6	6	2	2	67	33	29	4	1	7	6	1	-	-	80
6	3	1	1	1	25	11	5	6	3	110	60	38	5	7	22	13	8	-	1	81
8	4	2	1	1	15	9	4	2	-	174	95	77	2	-	28	17	10	1	-	82
314	157	138	10	9	1,410	516	461	196	237	7,437	3,355	3,812	152	118	970	440	495	16	19	83
257	124	119	5	9	1,254	458	400	176	220	6,029	2,656	3,162	120	91	874	403	440	13	18	83a
46	27	16	3	-	54	27	22	2	3	1,348	677	616	29	26	77	28	47	2	-	83b,c
11	6	3	2	-	102	31	39	18	14	60	22	34	3	1	19	9	8	1	1	83d
2	-	-	-	2	37	12	8	4	13	63	25	33	4	1	17	9	8	-	-	84
5	2	2	1	-	29	11	8	6	4	103	59	41	3	-	29	19	9	1	-	85
-	-	-	-	-	6	2	3	-	1	2	1	1	-	-	6	2	4	-	-	86
12	5	5	-	2	18	14	3	1	-	250	135	110	4	1	43	24	19	-	-	87
-	-	-	-	-	-	-	-	-	-	5	2	3	-	-	-	-	-	-	-	88
6	3	1	1	1	12	7	3	1	1	55	38	15	2	-	6	4	2	-	-	89
1,370	880	402	63	25	3,505	1,773	923	426	383	33,398	19,439	12,872	674	413	3,454	2,087	1,298	38	31	
1,279	824	372	59	24	3,278	1,680	857	381	350	30,506	18,001	11,521	613	371	3,186	1,951	1,173	33	29	90-95
1	1	-	-	-	12	5	3	2	2	36	24	8	2	2	14	9	4	1	-	90
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	90a
1	1	-	-	-	12	5	3	2	2	35	23	8	2	2	14	9	4	1	-	90b
1	-	-	1	-	33	11	2	7	13	89	53	27	7	2	19	11	6	1	1	91
1	-	-	1	-	32	11	2	7	12	82	50	25	6	1	17	11	4	1	1	91a,b
-	-	-	-	-	1	-	-	-	1	7	3	2	1	1	2	-	2	-	-	91c
91	51	35	2	3	435	165	115	83	72	1,971	1,035	868	41	27	307	170	135	-	2	92
3	1	1	1	-	46	15	8	11	12	252	170	70	9	3	36	24	11	-	1	92a
42	21	19	-	2	151	54	44	28	25	936	444	459	20	14	135	66	68	-	1	92b
6	4	2	-	-	5	2	1	2	-	171	110	57	1	3	22	11	11	-	-	92c
35	22	13	1	-	221	89	61	39	32	574	288	268	11	7	99	58	41	-	-	92d
4	3	-	-	1	12	5	1	3	3	38	23	15	-	-	15	11	4	-	-	92e
604	363	203	25	13	1,173	536	375	130	132	16,643	8,821	7,201	376	245	1,380	747	594	15	24	93
17	7	3	6	1	47	21	14	7	5	118	62	50	3	3	29	18	11	-	-	93a
2	1	1	-	-	2	-	1	1	-	21	11	9	-	1	1	-	1	-	-	93b
8	6	2	-	-	3	3	-	-	-	89	39	47	1	2	15	7	7	-	1	93c
505	296	186	12	11	1,025	469	332	113	111	15,730	8,326	6,825	356	223	1,146	609	504	12	21	93d
72	53	11	7	1	96	43	28	9	16	685	383	270	16	16	189	113	71	3	2	93e
427	315	87	19	6	1,015	659	205	86	65	10,504	7,385	2,899	153	67	1,167	848	304	13	2	94
417	308	85	18	6	910	599	175	77	59	10,352	7,293	2,841	151	67	1,137	821	301	13	2	94a
10	7	2	1	-	105	60	30	9	6	152	92	58	2	-	30	27	3	-	-	94b

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	33,209	17,050	11,730	2,392	2,037	453	199	90	92	72
95a	Functional diseases of heart, etc.*	1,052	539	444	31	38	19	8	8	1	2
95b	Other diseases of heart (rheumatic)	6,461	2,917	2,880	319	345	57	15	9	16	17
95c	Other diseases of heart (not rheumatic)	25,696	13,594	8,406	2,042	1,654	377	176	73	75	53
96	Aneurysm (except of heart and aorta)	1,643	1,101	580	94	68	24	9	4	9	2
97	Arteriosclerosis (except coronary or renal sclerosis)	24,918	11,997	11,214	913	794	209	74	65	22	48
98	Gangrene	396	204	112	41	39	10	3	2	2	3
99	Other diseases of arteries	2,018	1,022	857	63	76	25	9	11	3	3
100	Diseases of veins	1,195	541	543	51	60	12	3	5	2	2
101	Diseases of lymphatic system	60	28	15	13	4	3	1	-	1	1
102	High blood pressure (idiopathic)	1,826	611	727	199	289	64	12	12	16	24
103	Other diseases of circulatory system	201	103	50	24	24	6	2	-	2	2
	VIII.—Diseases of the respiratory system	67,184	32,618	24,308	5,763	4,495	1,324	391	343	312	278
104	Diseases of nasal fossae, accessory sinuses	501	220	151	71	59	15	4	3	4	4
105	Diseases of larynx	272	154	75	24	19	5	3	-	-	2
106	Bronchitis	3,084	1,704	1,134	147	99	55	25	16	9	5
107	Bronchopneumonia (including capillary bronchitis)	27,667	12,809	10,877	2,128	1,853	505	137	135	120	113
108	Lobar pneumonia	20,252	9,987	6,570	2,184	1,531	530	149	136	138	107
109	Pneumonia (unspecified)	5,622	2,500	2,021	617	484	82	22	15	17	28
109A	Atypical or virus pneumonia	918	469	364	48	37	19	9	4	1	5
109B	Pneumonia (all other, unspecified)	4,704	2,031	1,657	569	447	63	13	11	16	23
110	Pleurisy (not tuberculous)	1,248	660	378	134	76	16	6	2	4	4
111	Hemorrhagic infarction, thrombosis, edema*	3,902	1,803	1,764	169	166	51	12	24	8	7
112	Asthma	2,555	1,375	909	143	128	38	15	9	7	5
113	Pulmonary emphysema	254	189	45	15	5	4	1	1	2	-
114	Other diseases of respiratory system (except tuberculosis)	1,827	1,217	384	151	75	25	17	2	3	3
114a,b	Silicosis, other forms of pneumoconioses	490	467	8	14	1	2	1	-	-	1
114c-e	Other diseases of respiratory system (except tuberculosis)	1,337	750	376	137	74	23	16	2	3	2
	IX.—Diseases of the digestive system	61,031	31,999	22,231	3,729	3,072	932	355	211	192	174
115	Diseases of buccal cavity and adnexa, etc.*	1,714	778	632	141	163	41	13	7	10	11
116	Diseases of esophagus	236	123	92	14	7	3	3	-	-	-
117	Ulcer of stomach or duodenum	8,164	6,151	1,326	494	193	106	61	5	35	5
117a	Ulcer of stomach	5,312	3,874	892	393	153	74	37	3	28	5
117b	Ulcer of duodenum	2,852	2,277	434	101	40	32	24	2	6	-
118	Other diseases of stomach (except cancer)	1,435	645	395	208	187	37	13	7	7	10
119	Diarrhea, enteritis, etc.* (under 2 years)	6,019	2,802	2,073	640	504	128	36	23	36	31
120	Diarrhea, enteritis, etc.* (2 years and over)	2,071	877	834	185	175	46	16	11	8	11
121	Appendicitis	5,265	2,822	1,767	389	307	121	41	30	25	25
122	Hernia and intestinal obstruction	11,221	4,979	4,816	720	704	167	42	53	32	40
122a	Hernia	4,782	2,448	1,907	281	146	50	17	14	14	5
122b	Intestinal obstruction	6,439	2,531	2,911	439	558	117	25	39	18	35
123	Other diseases of intestines	1,707	842	675	91	99	22	12	2	3	5
124	Cirrhosis of liver	13,451	8,375	4,262	518	296	135	78	22	17	18
124a	Cirrhosis of liver with mention of alcoholism	1,807	1,279	453	48	27	11	10	-	1	-
124b	Cirrhosis of liver without mention of alcoholism	11,644	7,096	3,809	470	269	124	68	22	16	18
125	Other diseases of liver	1,792	769	768	132	123	26	8	9	4	5
126	Biliary calculi	3,632	1,124	2,408	25	75	33	12	18	1	2
127	Other diseases of gallbladder, biliary ducts	2,518	856	1,503	61	98	36	11	13	7	5
128	Diseases of pancreas (except diabetes mellitus)	897	478	361	37	21	12	5	5	1	1
129	Peritonitis (cause not stated)	889	378	317	74	120	21	4	6	6	5
	X.—Diseases of the genito-urinary system	95,778	46,158	34,742	7,972	6,906	2,144	692	488	523	441
130	Acute nephritis	2,397	1,012	714	318	353	74	22	13	16	23
131	Chronic nephritis	75,256	33,934	28,833	5,826	5,563	1,769	566	421	414	368
131a	Arteriosclerotic kidney	56,095	24,960	22,742	4,269	4,124	1,201	369	284	286	282
131b	Other chronic nephritis	19,161	8,974	7,091	1,657	1,439	568	197	137	128	106
132	Nephritis unspecified (10 years and over)	4,048	1,888	1,301	476	383	49	19	8	12	10
133	Other diseases of kidneys, ureters, etc.*	2,950	1,374	1,189	219	168	47	11	10	12	14
134	Calculi of urinary passages	1,398	872	445	57	24	24	9	14	1	-
135	Diseases of urinary bladder	623	294	225	92	12	10	2	2	5	1
136	Diseases of urethra (except calculus)	309	165	25	112	7	12	-	1	9	2
137	Diseases of prostate	7,361	6,599	...	762	...	114	62	...	52	...
137a	Hypertrophy of prostate	6,288	5,672	...	616	...	93	50	...	43	...
137b	Other diseases of prostate	1,073	927	...	146	...	21	12	...	9	...
138	Diseases of other male genital organs (not venereal)	30	20	...	10	...	3	1	...	2	...
139	Diseases of female genital organs	1,406	...	1,010	...	396	42	...	19	...	23
139a	Diseases of ovaries, fallopian tubes, parametria	804	...	495	...	309	28	...	8	...	20
139b	Diseases of uterus	566	...	491	...	75	11	...	9	...	2
139c	Diseases of other female genital organs*	36	...	24	...	12	3	...	2	...	1
	XI.—Diseases of pregnancy, childbirth, and the puerperium	5,153	...	3,807	...	1,346	209	...	78	...	131
140	Abortion with mention of infection	476	...	329	...	147	23	...	8	...	15
141	Abortion without mention of infection	284	...	206	...	78	8	...	3	...	5
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	84	...	55	...	29	4	...	-	...	4
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	88	...	63	...	25	-	...	-	...	-
141d-f	Other abortions (nonseptic)*	112	...	88	...	24	4	...	3	...	1
142	Ectopic gestation	329	...	211	...	118	13	...	5	...	8
142a	Ectopic gestation, with mention of infection	71	...	50	...	21	1	...	1	...	-
142b	Ectopic gestation, without mention of infection	258	...	161	...	97	12	...	4	...	8
143	Hemorrhage of pregnancy (death before delivery)	59	...	43	...	16	3	...	1	...	2
144	Toxemias of pregnancy (death before delivery)	475	...	321	...	154	17	...	6	...	11
145	Other diseases of pregnancy (death before delivery)*	257	...	197	...	60	10	...	4	...	6
145A	With mention of infection	168	...	129	...	39	5	...	1	...	4
145B	Without mention of infection	89	...	68	...	21	5	...	3	...	2
146	Hemorrhage of childbirth and puerperium	789	...	619	...	170	25	...	10	...	15
147	Infection during childbirth and puerperium	1,056	...	822	...	234	42	...	14	...	28
148	Puerperal toxemias (excluding death before delivery)	737	...	530	...	207	48	...	21	...	27
149	Other accidents and specified conditions of childbirth	395	...	330	...	65	6	...	2	...	4
150	Other and unspecified conditions of childbirth and puerperium	298	...	199	...	97	14	...	4	...	10

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
155	94	47	12	2	610	304	157	83	86	1,263	683	518	34	28	299	166	130	3	-	95
4	3	1	-	-	22	12	7	1	2	34	16	18	-	-	2	2	-	-	-	95a
24	11	11	1	1	27	6	17	1	3	395	196	173	14	12	65	32	33	-	-	95b
127	80	35	11	1	581	286	133	81	81	834	471	327	20	16	232	132	97	3	-	95c
7	5	1	1	-	10	6	2	2	-	354	241	103	4	6	7	5	2	-	-	96
64	35	25	3	1	138	63	42	19	14	2,263	1,053	1,137	47	26	207	103	100	2	2	97
2	2	-	-	-	2	1	-	-	1	19	12	5	-	2	4	2	1	1	-	98
10	8	2	-	-	17	6	6	1	4	102	57	38	3	4	24	9	14	1	-	99
2	1	1	-	-	7	1	2	1	3	83	43	36	2	2	18	13	4	1	-	100
-	-	-	-	-	2	-	-	2	-	2	-	1	-	1	-	-	-	-	-	101
4	3	1	-	-	46	13	13	10	10	60	25	31	3	1	8	4	4	-	-	102
2	2	-	-	-	5	3	1	-	1	9	7	-	2	-	-	-	-	-	-	103
443	225	132	47	39	933	375	291	123	144	4,502	2,519	1,694	163	126	861	505	332	12	12	
8	3	1	2	2	5	4	-	-	1	24	13	7	4	-	5	4	1	-	-	104
3	2	-	1	-	1	-	-	-	1	9	5	2	1	1	2	2	-	-	-	105
25	16	7	-	2	27	12	9	2	4	199	116	68	1	4	28	17	10	-	1	106
207	93	74	19	21	333	118	112	52	53	2,344	1,237	862	72	73	381	210	165	3	3	107
89	41	30	12	6	371	159	111	44	57	1,251	761	396	63	31	252	143	98	7	4	108
37	13	7	10	7	96	36	28	13	19	62	34	23	3	2	46	32	14	-	-	109
2	1	1	-	-	21	14	4	-	3	18	12	6	-	-	6	6	-	-	-	109A
35	12	6	10	7	75	22	24	13	16	44	22	17	3	2	40	26	14	-	-	109B
6	5	1	-	-	10	4	2	2	2	108	65	34	8	1	20	9	8	1	2	110
15	9	6	-	-	42	16	20	4	2	223	104	103	6	10	50	36	12	-	2	111
30	25	3	2	-	28	18	8	3	1	148	79	66	2	1	50	30	19	1	-	112
4	4	-	-	-	1	1	-	-	-	28	23	4	1	-	2	2	-	-	-	113
19	14	3	1	1	19	9	3	3	4	116	82	29	2	3	25	20	5	-	-	114
8	8	-	-	-	2	2	-	-	-	25	24	1	-	-	12	12	-	-	-	114a,b
11	6	3	1	1	17	7	3	3	4	91	58	28	2	3	13	8	5	-	-	114c-e
361	166	112	39	44	671	285	192	107	87	4,685	2,821	1,845	140	79	682	396	288	6	2	
18	10	4	3	1	25	8	8	3	6	99	47	41	6	5	19	8	11	-	-	115
1	-	1	-	-	1	1	-	-	-	28	18	7	3	-	4	2	2	-	-	116
38	30	6	1	1	77	56	10	7	4	737	572	147	16	2	92	68	22	1	1	117
27	21	5	-	1	55	39	6	7	3	429	318	97	12	2	63	45	17	1	-	117a
11	9	1	1	-	22	17	4	-	1	308	254	50	4	-	29	23	5	-	1	117b
8	1	2	3	2	61	17	10	18	16	40	25	13	2	-	13	8	5	-	-	118
116	38	29	20	29	57	22	17	11	7	415	215	164	22	14	98	62	33	1	-	119
16	6	6	3	1	29	11	8	5	5	90	43	42	4	1	19	10	8	1	-	120
22	11	8	1	2	75	26	23	12	14	315	187	110	11	7	71	45	24	2	-	121
41	19	17	3	2	140	48	48	27	17	703	323	345	16	19	110	57	52	-	1	122
10	7	-	1	2	34	12	16	6	-	263	147	121	9	6	38	26	12	-	-	122a
31	12	17	2	-	106	36	32	21	17	420	176	224	7	13	72	31	40	-	1	122b
5	3	1	1	-	16	4	6	5	1	132	75	53	2	2	22	14	8	-	-	123
48	28	18	1	1	97	57	22	13	5	1,675	1,036	581	40	18	120	68	52	-	-	124
4	4	-	-	-	2	2	-	-	-	469	316	140	9	4	13	9	4	-	-	124a
44	24	18	1	1	95	55	22	13	5	1,206	720	441	31	14	107	59	48	-	-	124b
10	6	3	-	1	22	7	8	3	4	171	86	71	9	5	22	11	11	-	-	125
8	3	4	1	-	18	5	12	-	1	220	76	142	1	1	44	12	32	-	-	126
13	3	5	2	3	25	10	13	-	2	142	60	78	2	2	30	9	21	-	-	127
10	5	5	-	-	10	4	5	1	-	90	47	39	3	1	9	5	4	-	-	128
7	3	3	-	1	18	9	2	2	5	29	11	12	3	2	11	7	3	1	-	129
255	135	95	11	14	1,326	629	326	267	204	4,990	2,749	1,974	137	130	855	480	352	15	8	
8	3	4	-	1	57	21	15	13	8	92	49	30	6	7	22	14	7	-	1	130
190	95	74	8	13	1,005	379	289	194	163	3,879	1,961	1,711	106	101	668	359	293	11	5	131
129	61	54	5	9	640	240	169	124	107	2,935	1,442	1,339	81	73	512	265	237	7	3	131a
61	34	20	3	4	365	139	100	70	56	944	519	372	25	28	156	94	56	4	2	131b
12	5	6	1	-	78	33	14	16	15	105	61	37	3	4	32	18	12	1	1	132
8	4	3	1	-	33	15	8	6	4	212	104	100	3	5	38	16	21	1	-	133
4	2	2	-	-	17	11	5	1	-	111	75	31	4	1	3	2	1	-	-	134
2	2	-	-	-	19	11	1	7	-	36	24	9	3	-	6	3	3	-	-	135
1	1	-	-	-	4	-	-	4	-	13	12	-	1	-	-	-	-	-	-	136
24	23	...	1	...	65	59	...	26	...	473	462	...	11	...	70	68	...	2	...	137
17	17	...	-	...	55	39	...	16	...	441	431	...	10	...	59	57	...	2	...	137a
7	6	...	1	...	30	20	...	10	...	32	31	...	1	...	11	11	...	-	...	137b
-	-	...	-	...	-	-	...	-	...	1	1	...	-	...	-	-	...	-	...	138
8	...	6	...	-	28	...	14	...	14	68	...	56	...	12	16	...	15	...	1	139
4	...	4	...	-	16	...	6	...	10	40	...	31	...	9	6	...	5	...	1	139a
2	...	2	...	-	12	...	8	...	4	27	...	24	...	3	10	...	10	...	-	139b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	139c
35	...	23	...	12	95	...	59	...	36	266	...	243	...	23	57	...	55	...	2	
5	...	3	...	2	13	...	9	...	4	30	...	27	...	3	5	...	4	...	1	140
4	...	3	...	1	8	...	7	...	1	14	...	13	...	1	-	...	-	...	-	141
1	...	1	...	-	1	...	-	...	1	1	...	1	...	-	-	...	-	...	-	141a,c
-	...	-	...	-	4	...	4	...	-	3	...	3	...	-	-	...	-	...	-	141b
3	...	2	...	1	3	...	3	...	-	10	...	9	...	1	-	...	-	...	-	141d-f
-	...	-	...	-	3	...	2	...	1	23	...	20	...	3	3	...	3	...	-	142
-	...	-	...	-	-	...	-	...	-	5	...	4	...	1	1	...	1	...	-	142a
-	...	-	...	-	3	...	2	...	1	18	...	16	...	2	2	...	2	...	-	142b
-	...	-	...	-	-	...	-	...	-	4	...	3	...	1	-	...	-	...	-	143
1	...	1	...	-	14	...	10	...	4	13	...	10	...	3	8	...	7	...	1	144
3	...	2	...	1	1	...	1	...	-	5	...	5	...	-	3	...	3	...	-	145
2	...	2	...	-	1	...	1	...	-	3	...	3	...	-	3	...	3	...	-	145A
1	...	-	...	1	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	145B
7	...	4	...	3	8	...	5	...	3	39	...	37	...	2	10	...	10	...	-	146
7	...	4	...	3	19	...	10	...	9	70	...	64	...	6	12	...	12	...	-	147
3	...	3	...	-	14	...	7	...	7	30	...	27	...	3	6	...	6	...	-	148
1	...	1	...	-	5	...	2	...	3	24	...	23	...	1	7	...	7	...	-	149
4	...	2	...	2	10	...	6	...	4	14	...	14	...	-	3	...	3	...	-	150

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	926	346	406	67	107	25	7	7	4	7
151	Carbuncle and furuncle	73	33	22	8	12	2	-	1	-	1
152	Phlegmon and acute abscess	187	78	53	23	23	5	-	1	1	3
153	Other diseases of skin and cellular tissue	666	235	321	38	72	18	7	5	3	3
	XIII.—Diseases of the bones, etc.*	765	384	282	60	39	7	-	2	4	1
154	Osteomyelitis and periostitis	249	140	57	33	19	7	-	2	4	1
155	Other diseases of bones (except tuberculosis)	170	72	90	7	1	-	-	-	-	-
156	Diseases of joints, other organs of movement	346	172	135	20	19	-	-	-	-	-
157	XIV.—Congenital malformations	17,749	9,028	7,486	688	587	265	109	96	31	29
157a-d	Congenital malformations of central nervous system	5,372	2,335	2,726	163	148	81	32	30	8	11
157e,f	Congenital malformations of cardiovascular system	8,464	4,526	3,343	323	272	107	44	42	12	9
157g,h,m	Other congenital malformations	3,913	2,167	1,397	202	147	77	33	24	11	9
	XV.—Diseases peculiar to the first year of life	61,738	31,534	21,562	4,840	3,802	1,531	603	386	301	241
158	Congenital debility (cause not stated)	1,797	776	525	297	199	61	16	10	22	13
159	Premature birth (cause not stated)	39,824	19,806	14,251	3,151	2,616	1,015	381	269	203	162
160	Injury at birth	11,738	6,516	3,977	729	516	301	136	73	52	40
161	Other diseases peculiar to first year of life	8,379	4,436	2,809	663	471	154	70	34	24	26
162	XVI.—Senility	10,027	3,879	4,688	703	757	325	71	109	74	71
	XVII.—Violent or accidental deaths	123,119	75,208	31,395	12,028	3,888	2,636	1,212	424	753	247
163,164	Suicide	16,152	11,631	3,942	443	136	203	143	41	13	6
163	Suicide by poisoning	3,859	2,088	1,663	53	55	29	13	14	-	2
164	Suicide by other means	12,293	9,543	2,279	390	81	174	130	27	13	4
165-168	Homicide[1]	8,784	3,025	973	3,860	926	421	97	22	257	65
166	Homicide by firearms	4,966	1,760	562	2,201	443	249	75	15	129	30
167	Homicide by cutting or piercing instruments	2,159	457	105	1,272	325	123	10	2	84	27
168	Homicide by other means	1,659	808	306	387	158	49	12	5	24	8
169-195	Accidental deaths	98,033	60,487	27,080	7,642	2,824	2,003	969	361	497	176
169	Railway accidents (except collisions with motor vehicles)	2,937	2,191	255	438	53	89	49	4	33	3
170	Motor-vehicle accidents	33,411	23,506	6,779	2,454	672	766	448	110	168	40
170a	Collisions between automobiles and trains	1,703	1,144	432	81	46	31	18	5	9	1
170b	Collisions between automobiles and streetcars	174	100	28	46	-	4	4	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	30,827	21,632	6,268	2,306	621	713	411	104	159	39
170d	Motorcycle accidents (exc. collisions with automobiles)	707	630	51	21	5	18	17	1	-	-
171	Streetcar and other road-transport accidents	734	492	155	63	24	10	3	-	6	1
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	544	363	129	36	16	2	2	-	-	-
171b	Other and unspecified road-transport accidents	190	129	26	27	8	8	1	-	6	1
172	Water-transport accidents	1,055	849	93	103	10	35	22	4	9	-
173	Air-transport accidents	1,851	1,686	125	37	1	31	28	-	3	-
174	Accidents in mines and quarries	1,273	1,146	11	115	1	41	18	-	23	-
175	Agricultural and forestry accidents	2,453	2,109	130	202	12	53	29	1	22	1
175a-c	Agricultural accidents	2,047	1,752	130	154	11	41	25	1	14	1
175d,e	Forestry accidents	406	357	-	48	1	12	4	-	8	-
176	Other accidents involving machinery	1,173	987	42	140	4	33	21	-	12	-
177	Food poisoning	369	143	115	64	47	10	2	1	4	3
178	Accidental absorption of poisonous gas	1,874	1,173	586	103	32	7	5	2	-	-
179	Acute accidental poisoning by solids or liquids	1,536	719	585	149	103	49	12	15	15	7
180	Conflagration	3,017	1,367	898	430	322	72	17	18	20	17
181	Accidental burns (except conflagration)	4,856	2,146	1,698	489	523	159	39	38	39	43
182	Accidental mechanical suffocation	1,605	807	506	157	135	29	12	5	3	9
183	Accidental drowning	5,577	4,007	691	774	105	114	55	11	39	9
184	Accidental injury by firearms	2,816	1,949	291	464	112	96	45	6	34	11
185	Accidental injury by cutting or piercing instruments	317	147	49	76	45	9	-	2	3	4
186	Accidental injury by fall or crushing	23,028	10,199	11,832	642	355	244	93	108	27	18
186a	Accidental injury by fall	22,581	9,852	11,793	583	353	233	86	105	24	18
186b	Accidental injury by crushing	447	347	39	59	2	11	7	1	3	-
187	Cataclysm, etc.*	148	71	45	20	12	11	2	-	5	4
188	Injury by animals (except in agriculture and forestry)	142	104	17	15	6	3	2	-	1	-
189	Hunger or thirst	27	15	4	4	4	3	1	-	2	-
190	Excessive cold	193	139	20	27	7	1	-	-	1	-
191	Excessive heat	182	119	22	33	8	1	-	-	1	-
192	Lightning	231	160	32	29	10	12	5	2	3	2
193	Accidents due to electric currents (except lightning)	725	631	41	49	4	18	14	2	2	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	62	31	18	7	6	5	-	1	1	1
195	Other accidents	6,441	3,592	2,060	558	211	104	47	33	21	3
195a	Sequelae of preventive immunization, etc.*	19	10	7	1	1	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention	47	18	17	5	7	1	-	-	1	-
195d	Obstruction, suffocation, etc.*	1,076	586	364	71	55	15	6	5	4	-
195c,e	Other and unspecified accidents	5,299	2,978	1,692	481	148	88	41	28	16	3
196	Deaths of military personnel during operations of war	20	20	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	1	1	-	-	-	-	-	-	-	-
198	Legal executions	129	44	-	83	2	9	3	-	6	-
	XVIII.—Ill-defined and unknown causes	17,580	6,769	3,785	3,807	3,219	1,547	313	181	541	512
199	Sudden death	1,055	542	217	169	127	81	25	11	26	19
200	Ill-defined and unknown causes	16,525	6,227	3,568	3,638	3,092	1,466	288	170	515	493
200a	Ill-defined causes	8,931	3,425	1,673	1,052	781	512	142	60	162	148
200b,c	Unknown or unspecified causes	8,594	2,802	1,895	2,586	2,311	954	146	110	353	345

*Refer to International List for complete title, table V, Part I.
[1]Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
5	2	1	-	2	9	3	2	2	2	55	21	28	4	2	16	9	7	-	-	
1	-	-	-	1	3	-	-	1	2	2	2	-	-	-	-	-	-	-	-	151
-	-	-	-	-	2	1	-	1	-	12	4	5	1	2	2	1	1	-	-	152
4	2	1	-	1	4	2	2	-	-	41	15	23	3	-	14	8	6	-	-	153
7	3	3	1	-	10	4	5	1	-	40	28	10	1	1	7	5	2	-	-	
2	1	-	1	-	3	2	1	-	-	10	10	-	-	-	2	1	1	-	-	154
-	-	-	-	-	5	2	3	4	-	6	3	3	-	-	2	1	1	-	-	155
5	2	3	-	-	2	-	1	1	-	24	15	7	1	1	3	3	-	-	-	156
75	33	36	4	2	138	69	50	10	9	1,162	622	477	37	26	162	92	64	2	4	157
19	7	11	-	1	28	11	13	3	1	296	130	154	8	4	29	21	7	-	1	157a-d
40	19	19	1	1	76	40	26	4	6	607	352	227	14	14	94	47	43	1	3	157e,f
16	7	6	3	-	34	18	11	3	2	259	140	96	15	8	39	24	14	1	-	157g,h,m
243	116	93	17	17	615	301	223	50	41	3,930	2,106	1,535	173	116	654	390	250	6	8	
13	6	2	3	2	23	7	10	4	2	51	25	18	4	4	18	9	9	-	-	158
159	78	65	8	8	401	184	154	37	26	2,445	1,298	951	122	74	434	254	173	1	6	159
32	20	9	2	1	115	64	32	8	11	868	485	346	21	16	109	72	34	2	1	160
39	12	17	4	6	76	46	27	1	2	566	298	220	26	22	93	55	34	3	1	161
54	30	9	10	5	264	84	92	47	41	340	143	186	7	4	156	66	87	2	1	162
677	423	146	83	25	1,440	741	282	307	110	10,135	6,874	2,643	494	124	1,249	870	350	20	9	
71	52	15	3	1	114	84	24	6	-	1,662	1,167	430	54	11	176	138	35	3	-	163,164
14	8	5	-	1	24	16	8	-	-	480	264	206	6	4	54	39	14	1	-	163
57	44	10	3	-	90	68	16	6	-	1,182	903	224	48	7	122	99	21	2	-	164
38	20	4	13	1	186	55	11	94	26	531	276	93	126	36	61	40	12	8	1	165-168
20	11	2	6	1	123	37	5	64	17	258	132	53	56	17	25	15	7	3	-	166
5	-	2	3	-	43	11	2	23	7	129	55	11	53	10	19	12	2	4	1	167
13	9	-	4	-	20	7	4	7	2	144	89	29	17	9	17	13	3	1	-	168
568	351	127	67	23	1,136	600	247	205	84	7,937	5,427	2,120	313	77	1,012	692	303	9	8	169-195
33	18	-	15	-	34	21	2	7	4	207	169	16	21	1	30	29	1	-	-	169
190	134	40	12	4	367	235	57	61	14	3,770	2,739	853	147	31	361	263	96	1	1	170
6	4	1	1	-	29	16	8	5	-	152	111	31	7	3	26	21	5	-	-	170a
-	-	-	-	-	-	-	-	-	-	32	23	8	1	-	2	2	-	-	-	170b
180	126	39	11	4	333	216	49	55	13	3,508	2,534	809	137	28	324	232	90	1	1	170c
4	4	-	-	-	5	3	-	1	1	78	71	5	2	-	9	8	1	-	-	170d
2	-	-	1	1	5	3	-	2	-	65	49	15	-	1	8	6	1	-	1	171
-	-	-	-	-	-	-	-	-	-	55	39	15	-	1	8	6	1	-	1	171a
2	-	-	1	1	5	3	-	2	-	10	10	-	-	-	-	-	-	-	-	171b
2	1	1	-	-	8	7	1	-	-	70	58	7	5	-	3	3	-	-	-	172
21	16	2	3	-	16	12	4	-	-	242	210	27	5	-	29	28	1	-	-	173
9	9	-	-	-	7	7	-	-	-	18	17	1	-	-	34	33	-	1	-	174
17	11	1	5	-	36	18	2	15	1	119	113	4	2	-	38	34	3	1	-	175
13	9	1	3	-	28	11	2	14	1	89	83	4	2	-	37	33	3	1	-	175a,c
4	2	-	2	-	8	7	-	1	-	30	30	-	-	-	1	1	-	-	-	175d,e
3	3	-	-	-	21	14	-	6	1	87	77	7	3	-	15	15	-	-	-	176
3	1	-	-	2	15	5	3	4	3	15	8	7	-	-	2	1	1	-	-	177
8	6	2	-	-	7	2	2	1	2	120	78	32	10	-	23	18	5	-	-	178
12	2	10	-	-	16	8	8	-	-	178	77	88	11	2	17	8	9	-	-	179
16	10	3	1	2	82	21	20	17	24	183	117	43	14	9	9	7	2	-	-	180
37	14	18	2	3	84	31	24	13	16	289	167	109	9	4	51	19	30	-	2	181
8	1	2	2	3	20	10	7	1	2	128	75	46	4	3	12	10	2	-	-	182
36	22	6	7	1	96	54	10	27	5	384	296	60	26	2	51	36	14	1	-	183
22	19	1	2	-	69	41	6	21	1	112	91	13	7	1	27	21	5	1	-	184
2	1	-	1	-	2	1	-	-	1	11	8	1	1	1	2	-	1	-	1	185
75	34	29	7	5	124	41	70	9	4	1,502	756	696	37	13	241	120	116	3	2	186
70	30	29	7	4	120	39	70	7	4	1,470	726	694	37	13	239	119	115	3	2	186a
5	4	-	-	1	4	2	-	2	-	32	30	2	-	-	2	1	1	-	-	186b
-	-	-	-	-	5	1	1	1	2	3	3	-	-	-	6	4	2	-	-	187
-	-	-	-	-	4	2	2	-	-	6	6	-	-	-	2	2	-	-	-	188
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	189
4	2	1	1	-	3	2	-	1	-	14	13	1	-	-	2	1	1	-	-	190
10	8	-	2	-	9	2	2	4	1	5	-	5	-	-	-	-	-	-	-	191
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	5	4	1	-	-	192
12	11	-	1	-	16	12	1	3	-	43	40	3	-	-	9	8	1	-	-	193
6	1	2	2	1	-	-	-	-	-	5	1	3	1	-	-	-	-	-	-	194
39	26	9	3	1	98	48	25	12	3	360	258	83	10	9	35	22	11	1	1	195
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	195a
-	-	-	-	-	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	195b
10	8	2	-	-	10	6	3	1	-	102	65	27	3	7	13	9	3	-	1	195d
29	18	7	3	1	77	42	21	11	3	254	190	55	7	2	22	13	8	1	-	195c,e
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	4	2	-	2	-	4	3	-	1	-	-	-	-	-	-	198
211	77	27	57	50	473	141	102	116	114	176	110	55	6	5	66	39	21	2	4	
1	-	1	-	-	35	18	4	7	6	5	4	1	-	-	3	3	-	-	-	199
210	77	26	57	50	439	123	98	109	108	171	106	54	6	5	63	36	21	2	4	200
88	59	17	6	6	103	39	26	21	17	76	47	25	1	3	32	17	14	-	1	200a
122	18	9	51	44	336	84	72	88	91	95	59	29	5	2	31	19	7	2	3	200b,c

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	19,127	10,215	8,424	296	192	3,229	1,522	1,121	341	245
	I.—Infectious and parasitic diseases	865	552	241	47	25	213	85	47	37	44
1	Typhoid fever	1	-	1	-	-	-	-	-	-	-
2	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	16	9	6	1	-	4	2	-	-	2
7	Anthrax (infection by Bacillus anthracis)	1	1	-	-	-	-	-	-	-	-
8	Scarlet fever	2	2	-	-	-	-	-	-	-	-
9	Whooping cough	5	2	2	-	1	3	-	1	-	2
10	Diphtheria (infection by C. diphtheriae)	6	1	5	-	-	2	1	1	-	-
11	Erysipelas	1	1	-	-	-	-	-	-	-	-
12	Tetanus	3	2	1	-	-	2	1	1	-	-
13-22	Tuberculosis (all forms)	589	383	153	32	21	133	51	29	28	25
13	Tuberculosis of respiratory system, etc.*	548	361	138	28	21	119	47	28	24	20
14	Tuberculosis of meninges, etc.*	7	5	1	1	-	4	-	1	1	2
15	Tuberculosis of intestines and peritoneum	1	1	-	-	-	3	1	-	-	2
16	Tuberculosis of vertebral column	9	3	4	2	-	1	-	-	1	-
17	Tuberculosis of bones and joints, etc.*	5	3	2	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	1	-	1	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	5	4	1	-	-	1	1	-	-	-
21	Tuberculosis of other organs	1	1	-	-	-	-	-	-	-	-
22	Disseminated tuberculosis	12	5	6	1	-	5	2	-	2	1
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	9	3	5	1	-	-	-	-	-	-
25	Gonococcus infection	-	-	-	-	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	-	1	-	1	1	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	113	74	25	11	3	35	14	3	7	11
30a	Locomotor ataxia (tabes dorsalis)	1	1	-	-	-	1	1	-	-	-
30b	General paralysis of insane	26	15	7	4	-	10	5	-	2	3
30d	Aneurysm of aorta	39	29	7	3	-	8	4	-	3	1
30f	Congenital syphilis	-	-	-	-	-	2	-	-	-	2
30c,e,g	Syphilis (other forms)	47	29	11	4	3	14	4	3	2	5
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	7	5	2	-	-	1	1	-	-	-
33	Influenza	39	26	13	-	-	20	8	8	2	2
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	3	1	2	-	-	2	-	2	-	-
36	Poliomyelitis and poliencephalitis (acute)	17	13	4	-	-	3	1	2	-	-
37	Acute infectious encephalitis (lethargic)	11	5	6	-	-	1	1	-	-	-
38	Other diseases due to filtrable viruses	-	-	-	-	-	-	-	-	-	-
39	Typhus fever and typhus-like diseases*	-	-	-	-	-	3	3	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	1	1	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-	-	-
43	Mycoses	5	4	1	-	-	-	-	-	-	-
44	Other infectious and parasitic diseases	35	19	15	1	-	3	1	-	-	2
	II.—Cancer and other tumors	3,132	1,558	1,525	24	25	387	172	176	17	22
45-55	Cancer and other malignant tumors	3,032	1,517	1,469	23	23	373	166	171	16	20
45	Cancer of buccal cavity and pharynx	111	95	15	1	-	9	6	2	-	1
45a	Cancer of lip	10	9	1	-	-	1	1	-	-	-
45b	Cancer of tongue	29	26	3	-	-	2	1	1	-	-
45c	Cancer of mouth	9	7	2	-	-	-	-	-	-	-
45d	Cancer of jaw bone	12	8	4	-	-	1	-	1	-	-
45e	Cancer of unspecified parts of buccal cavity	4	3	1	-	-	-	-	-	-	-
45f	Cancer of pharynx	47	42	4	1	-	5	4	-	-	1
46	Cancer of digestive organs and peritoneum	1,473	795	661	9	8	156	76	60	14	6
46a	Cancer of esophagus	70	58	12	2	-	3	1	1	1	-
46b	Cancer of stomach	418	240	175	2	1	46	23	13	8	2
46c	Cancer of duodenum	5	4	1	-	-	-	-	-	-	-
46d	Cancer of rectum and anus	228	132	92	3	1	21	11	8	2	-
46e	Cancer of intestines, etc.*	467	218	244	-	5	52	22	27	1	2
46f	Cancer of liver and biliary passages	113	54	58	1	-	20	11	8	1	-
46g	Cancer of pancreas	130	70	58	1	1	10	6	2	1	1
46h	Cancer of mesentery and peritoneum	32	17	15	-	-	3	2	1	-	-
46m	Cancer of other and unspecified sites	10	4	6	-	-	1	-	-	-	1
47	Cancer of respiratory system	268	213	51	4	-	30	28	4	-	-
47a	Cancer of larynx	36	35	1	-	-	6	5	1	-	-
47b,c	Cancer of trachea and bronchus	51	40	10	1	-	7	7	-	-	-
47d	Cancer of lung	167	128	36	3	-	15	12	3	-	-
47e	Cancer of pleura	2	1	1	-	-	-	-	-	-	-
47f	Cancer of other respiratory organs	12	9	3	-	-	2	2	-	-	-
48	Cancer of uterus	188	...	184	...	4	37	...	29	...	8
48a	Cancer of cervix	79	...	77	...	2	13	...	9	...	4
48b	Cancer of other and unspecified sites of uterus	109	...	107	...	2	24	...	20	...	4
49	Cancer of other female genital organs	84	...	83	...	1	16	...	16	...	-
49a,b	Cancer of ovary, fallopian tube, and parametrium	77	...	76	...	1	15	...	15	...	-
49c-e	Cancer of other female genital organs	7	...	7	...	-	1	...	1	...	-
50	Cancer of breast	304	5	293	-	6	35	2	31	-	2
51	Cancer of male genital organs	181	175	...	6	...	24	23	...	1	...
51b	Cancer of prostate	161	156	...	5	...	22	21	...	1	...
51a,c-e	Cancer of other male genital organs	20	19	...	1	...	2	2	...	-	...
52	Cancer of urinary organs	143	88	52	1	2	27	14	11	1	1
52a	Cancer of kidney	49	24	22	1	2	8	5	2	1	-
52b	Cancer of bladder	91	64	27	-	-	19	9	9	-	1
52c	Cancer of other and unspecified sites	3	-	3	-	-	-	-	-	-	-
53	Cancer of skin, etc.*	50	28	22	-	-	9	6	3	-	-

*Refer to International List for complete title, table 4, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,289	2,841	2,506	1,582	1,360	23,005	9,888	6,508	3,649	2,960	27,311	9,389	6,876	5,978	5,268	4,585	2,791	1,709	61	24	
667	166	71	248	182	1,606	488	280	512	326	2,234	592	391	679	572	160	96	47	8	9	
5	1	1	-	3	10	3	2	3	2	8	2	2	3	1	3	2	1	-	-	1
1	-	1	-	-	1	-	-	1	-	3	1	-	-	2	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	3	2	-	1	-	3	2	-	1	-	1	1	-	-	-	5
8	3	2	1	2	31	11	10	7	3	32	12	10	8	2	5	4	1	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	2	1	1	-	-	8
3	1	1	1	-	10	2	2	2	4	59	12	15	18	14	6	1	4	1	-	9
2	-	1	1	-	30	8	15	4	3	44	16	15	6	7	2	1	1	-	-	10
1	-	1	-	-	4	1	3	-	-	2	1	-	1	-	-	-	-	-	-	11
1	1	-	-	-	40	5	2	22	11	34	8	2	18	6	1	1	-	-	-	12
488	116	46	182	144	721	244	115	214	148	1,070	309	173	297	291	67	42	17	4	4	13-22
441	109	41	165	126	674	225	106	201	142	984	294	159	260	271	57	34	16	3	4	13
7	1	-	2	4	9	4	1	3	1	25	6	4	9	6	2	2	-	-	-	14
1	-	-	1	-	14	5	2	4	3	10	1	3	2	4	1	-	1	-	-	15
7	1	1	3	2	4	3	-	-	1	9	-	-	7	2	1	1	-	-	-	16
1	1	-	-	-	3	1	1	1	-	2	-	-	1	1	1	1	-	-	-	17
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	19
3	1	1	1	-	6	3	3	-	-	4	1	2	1	-	1	-	-	1	-	20
3	-	1	1	1	1	1	-	-	-	2	-	-	1	1	-	-	-	-	-	21
25	3	2	9	11	9	2	1	5	1	33	6	5	16	6	4	4	-	-	-	22
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	23
3	3	-	-	-	17	5	6	4	2	21	5	4	6	6	2	1	1	-	-	24
2	-	-	1	1	2	-	-	2	-	2	-	-	-	2	-	-	-	-	-	25
-	-	-	-	-	1	1	-	-	-	2	1	-	1	-	-	-	-	-	-	26
-	-	-	-	-	21	5	5	9	2	35	11	8	11	5	1	-	-	-	1	27
1	-	-	1	-	20	6	2	4	8	14	3	3	2	6	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
115	30	7	58	20	297	72	25	143	57	340	83	21	168	88	19	14	3	1	1	30
3	2	1	-	-	5	2	-	2	1	8	3	-	5	-	2	2	-	-	-	30a
18	6	1	8	3	92	20	7	51	14	126	18	9	63	36	1	1	-	-	-	30b
45	18	2	20	7	72	28	8	28	8	61	23	2	18	18	7	4	2	1	-	30d
1	-	-	1	-	13	-	1	6	6	16	1	2	7	6	-	-	-	-	-	30f
48	6	3	29	10	115	22	9	56	28	129	18	8	75	28	9	7	1	-	1	30c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
2	-	-	-	2	13	6	5	2	-	8	3	5	-	-	-	-	-	-	-	32
12	3	4	1	4	232	48	48	73	62	404	74	101	107	122	35	19	12	2	2	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
7	2	1	1	3	27	6	9	4	8	40	12	6	13	9	5	2	2	-	1	35
4	3	1	-	-	43	22	17	2	2	8	5	3	-	-	2	1	1	-	-	36
-	-	-	-	-	11	3	5	2	1	8	5	3	-	-	4	2	2	-	-	37
1	-	1	-	-	3	2	1	-	-	8	4	2	1	1	-	-	-	-	-	38
-	-	-	-	-	17	12	1	-	4	37	21	8	5	3	1	1	-	-	-	39
-	-	-	-	-	4	1	-	3	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	5	1	-	2	2	3	1	-	-	2	-	-	-	-	-	42
-	-	-	-	-	4	2	2	-	-	7	1	2	3	1	1	-	1	-	-	43
11	3	4	1	3	37	18	4	8	7	41	19	8	10	4	3	3	-	-	-	44
1,181	418	437	161	165	2,678	1,096	1,115	174	293	2,569	859	964	270	476	592	298	283	9	2	
1,134	408	422	155	149	2,549	1,063	1,085	162	259	2,440	831	920	256	433	564	288	265	9	2	45-55
37	26	4	6	1	90	63	18	6	3	105	61	28	12	4	16	10	6	-	-	45
2	2	-	-	-	3	2	1	-	-	12	8	3	1	-	2	2	-	-	-	45a
15	11	2	2	-	14	9	3	1	1	19	10	4	5	-	1	1	-	-	-	45b
6	4	-	1	1	15	7	6	2	-	23	12	8	1	2	3	1	2	-	-	45c
2	2	-	-	-	14	8	4	-	2	13	9	2	1	1	2	1	1	-	-	45d
1	1	-	-	-	1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	45e
11	6	2	3	-	43	36	4	3	-	36	21	10	4	1	8	5	3	-	-	45f
488	197	165	76	50	955	454	366	79	56	871	343	285	126	117	271	141	122	7	1	46
36	22	3	10	1	35	20	4	10	1	52	26	12	8	6	6	6	-	-	-	46a
152	61	35	41	15	282	151	83	35	13	299	115	78	62	44	94	59	32	3	-	46b
1	1	-	-	-	7	4	1	2	-	6	4	-	1	1	-	-	-	-	-	46c
68	26	26	8	8	112	51	39	9	13	69	15	26	13	15	28	13	15	-	-	46d
120	48	52	8	12	269	122	123	8	16	188	69	64	17	18	62	29	30	2	1	46e
48	15	29	-	4	146	63	65	8	10	141	49	57	14	21	47	16	29	2	-	46f
49	20	15	7	7	80	35	38	6	1	91	56	21	4	10	29	17	12	-	-	46g
6	4	2	-	-	15	4	9	-	2	14	5	5	3	1	5	1	4	-	-	46h
8	-	3	2	3	9	4	4	1	-	11	4	2	4	1	-	-	-	-	-	46m
105	61	14	24	6	263	175	62	14	12	193	129	32	24	8	30	19	10	1	-	47
13	7	-	6	-	36	29	5	2	-	21	14	3	4	-	1	1	-	-	-	47a
38	21	5	9	3	55	38	12	3	2	55	44	4	7	-	3	3	-	-	-	47b,c
50	31	9	8	2	157	98	42	8	9	106	66	21	11	8	25	15	9	1	-	47d
1	-	-	-	1	5	1	3	-	1	3	1	-	2	-	1	-	1	-	-	47e
3	2	-	1	-	10	9	-	1	-	8	4	4	-	-	-	-	-	-	-	47f
119	...	66	...	53	336	...	228	...	107	420	...	244	...	176	32	...	31	...	1	48
57	...	31	...	26	130	...	91	...	39	167	...	92	...	75	13	...	13	...	-	48a
62	...	35	...	27	206	...	138	...	68	253	...	152	...	101	19	...	18	...	1	48b
35	...	28	...	7	68	...	59	...	9	58	...	47	...	11	14	...	14	...	-	49
31	...	24	...	7	61	...	52	...	9	48	...	39	...	9	14	...	14	...	-	49a,b
4	...	4	...	-	7	...	7	...	-	10	...	8	...	2	-	...	-	...	-	49c-e
93	2	72	1	18	215	2	175	-	38	215	1	148	1	65	59	1	58	-	-	50
60	40	...	20	...	183	150	...	33	...	131	85	...	46	...	56	56	...	-	...	51
53	35	...	18	...	170	141	...	29	...	119	77	...	42	...	54	54	...	-	...	51b
7	5	...	2	...	13	9	...	4	...	12	8	...	4	...	2	2	...	-	...	51a,c-e
66	33	24	6	3	123	71	39	9	4	112	50	35	14	13	24	17	7	-	-	52
18	9	8	1	-	35	22	11	2	-	38	12	14	7	5	12	7	5	-	-	52a
48	24	16	5	3	87	48	28	7	4	71	38	19	7	7	12	10	2	-	-	52b
-	-	-	-	-	1	1	-	-	-	3	-	2	-	1	-	-	-	-	-	52c
15	7	6	2	-	58	37	17	1	3	76	46	22	4	4	14	12	2	-	-	53

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
54	Cancer of central nervous system*	43	24	19	-	-	10	5	5	-	-
55	Cancer of other and unspecified organs	187	94	89	2	2	20	8	10	-	2
55,57	Nonmalignant tumors and tumors of unspecified nature	100	41	56	1	2	14	6	5	1	2
56	Nonmalignant tumors (including dermoid cysts)	41	13	27	1	-	11	4	5	1	1
56a-c	Nonmalignant tumors of female genital organs	15	...	15	...	-	3	...	2	...	1
56d	Nonmalignant tumors of central nervous system*	14	5	8	1	-	6	4	2	-	-
56e	Nonmalignant tumors of other and unspecified organs	12	8	4	-	-	2	-	1	1	-
57	Tumors of unspecified nature	59	28	29	-	2	3	2	-	-	1
57a-c	Tumors, female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57d	Tumors, central nervous system* (nature unspecified)	40	21	19	-	-	2	1	-	-	1
57e	Tumors, other organs (nature unspecified)	19	7	10	-	2	1	1	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	756	225	511	9	11	78	25	44	4	5
58	Acute rheumatic fever	13	4	9	-	-	1	-	1	-	-
58a	Acute rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
58b	Acute rheumatic endocarditis	3	1	2	-	-	1	-	1	-	-
58c	Acute rheumatic myocarditis	3	-	3	-	-	-	-	-	-	-
58d	Other acute rheumatic heart diseases	3	1	2	-	-	-	-	-	-	-
58e,f	Other forms of acute rheumatic fever, etc.*	4	2	2	-	-	-	-	-	-	-
59	Chronic rheumatism, other rheumatic diseases	22	3	18	-	1	4	1	2	-	1
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	661	196	447	8	10	69	23	39	4	3
62	Diseases of pituitary gland	1	-	1	-	-	-	-	-	-	-
63	Diseases of thyroid and parathyroid glands	23	1	22	-	-	2	-	2	-	-
63a	Simple goiter	1	-	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter	18	1	17	-	-	2	-	2	-	-
63c-e	Other diseases of thyroid and parathyroid glands	4	-	4	-	-	-	-	-	-	-
64	Diseases of thymus gland	11	6	5	-	-	1	1	-	-	-
65	Diseases of adrenal glands*	14	6	8	-	-	1	-	-	-	1
66	Other general diseases	7	6	-	1	-	-	-	-	-	-
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	2	1	-	-	-	-	-	-	-
70	Rickets	-	-	-	-	-	-	-	-	-	-
71	Other avitaminoses	1	1	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	173	92	80	1	-	33	15	14	3	1
72	Hemorrhagic conditions	3	1	2	-	-	2	1	-	-	1
73	Anemias (except splenic anemia)	36	19	17	-	-	10	5	3	2	-
73a	Pernicious anemia	23	12	11	-	-	6	1	3	2	-
73b-d	Other anemias (except splenic)	13	7	6	-	-	4	4	-	-	-
74	Leukemias and aleukemias	123	67	55	1	-	20	8	11	1	-
74a	Leukemias	116	64	51	1	-	17	7	9	1	-
74b	Aleukemias	7	3	4	-	-	3	1	2	-	-
75	Diseases of spleen	8	2	6	-	-	1	1	-	-	-
76	Other diseases of blood and blood-forming organs	3	3	-	-	-	-	-	-	-	-
	V.—Chronic poisoning and intoxication	52	42	8	1	1	7	5	-	2	-
77	Alcoholism (ethylism)	51	41	8	1	1	7	5	-	2	-
78	Lead poisoning	-	-	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	1	1	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	1,735	797	901	19	18	315	145	121	22	27
80	Encephalitis (nonepidemic)	18	12	5	-	1	-	-	-	-	-
81	Meningitis (not due to meningococcus)	15	7	7	1	-	7	1	6	-	-
82	Diseases of spinal cord (see exceptions)*	35	18	16	1	-	5	2	3	-	-
83	Intracranial lesions of vascular origin	1,562	707	823	16	16	283	134	101	21	27
83a	Cerebral hemorrhage or effusion*	1,244	575	642	12	15	250	115	88	21	26
83b,c	Cerebral embolism, thrombosis, and softening	298	120	174	3	1	30	17	13	-	-
83d	Hemiplegia, other paralysis, etc.*	20	12	7	1	-	3	2	-	-	1
84	Mental diseases and deficiency (see exception)*	11	4	6	-	1	1	-	1	-	-
85	Epilepsy	23	11	12	-	-	4	1	3	-	-
86	Convulsions (under 5 years)	5	3	2	-	-	1	1	-	-	-
87	Other diseases of nervous system	53	26	26	1	-	11	5	5	1	-
88	Diseases of organs of vision	-	-	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	13	9	4	-	-	3	1	2	-	-
	VII.—Diseases of the circulatory system	7,250	4,018	3,087	88	57	1,139	571	390	106	72
90-95	Diseases of the heart (all forms)	6,834	3,815	2,862	83	54	1,072	540	366	101	65
90	Pericarditis (except acute rheumatic)	3	2	1	-	-	1	-	1	-	-
90a	Chronic rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
90b	Other pericarditis	3	2	1	-	-	1	-	1	-	-
91	Acute endocarditis (except rheumatic)	8	6	-	2	-	6	4	1	-	1
91a,b	Bacterial, acute, and subacute endocarditis	8	6	-	2	-	6	4	1	-	1
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	-	-	-	-	-	-
92	Chronic affections of valves and endocardium	318	158	154	5	1	110	41	30	27	12
92a	Diseases of aortic valve, etc.*	26	13	10	2	1	3	1	2	-	-
92b	Diseases of mitral valve, etc.*	147	76	70	1	-	28	11	13	2	2
92c	Chronic rheumatic endocarditis, etc.*	29	16	13	-	-	8	3	2	1	2
92d	Other chronic endocarditis, etc.*	107	48	57	2	-	68	26	11	24	7
92e	Endocarditis (unspecified, 45 years and over)	9	5	4	-	-	3	-	2	-	1
93	Diseases of the myocardium	3,982	1,974	1,922	47	39	582	261	234	51	36
93a	Acute myocarditis (except rheumatic)	36	22	14	-	-	16	6	2	6	2
93b	Myocarditis (unspecified, under 45 years)	1	-	1	-	-	1	-	-	1	-
93c	Chronic rheumatic myocarditis, etc.*	23	11	12	-	-	4	1	3	-	-
93d	Other chronic myocarditis, etc.*	3,772	1,862	1,828	45	37	519	238	213	37	31
93e	Other myocarditis (unspecified)	150	79	67	2	2	42	16	16	7	3
94	Diseases of coronary arteries, angina pectoris	2,199	1,510	656	23	10	323	207	83	19	14
94a	Diseases of coronary arteries	2,190	1,503	654	23	10	318	203	83	18	14
94b	Angina pectoris	9	7	2	-	-	5	4	-	1	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
22	11	7	2	2	32	19	12	-	1	42	26	14	-	2	7	5	2	-	-	54
94	31	36	18	9	226	92	88	20	26	217	90	65	29	33	41	27	13	1	-	55
47	10	15	6	16	129	33	50	12	34	129	28	44	14	43	28	10	18	-	-	56,57
16	1	7	-	8	68	3	31	5	29	75	7	30	6	32	12	2	10	-	-	56
11	...	6	...	5	55	...	26	...	29	56	...	26	...	30	8	...	8	...	-	56a-c
4	1	1	-	2	4	1	2	1	-	8	4	2	2	-	3	2	1	-	-	56d
1	-	-	-	1	9	2	3	4	-	11	3	2	4	2	1	-	1	-	-	56e
31	9	8	6	8	61	30	19	7	5	54	21	14	8	11	16	8	8	-	-	57
1	...	-	...	1	1	...	1	...	-	5	...	2	...	3	1	...	1	...	-	57a-c
17	6	6	3	2	36	19	13	3	1	35	17	10	4	4	14	8	6	-	-	57d
13	3	2	3	5	24	11	5	4	4	14	4	2	4	4	1	-	1	-	-	57e
261	76	99	35	51	601	217	244	48	92	664	197	270	73	124	137	58	79	-	-	
9	-	1	5	3	28	8	3	4	13	35	10	7	6	12	5	1	4	-	-	58
-	-	-	-	-	2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	58a
-	-	-	-	-	5	1	-	-	4	7	3	1	3	-	1	-	1	-	-	58b
2	-	-	1	1	5	1	-	1	3	2	-	-	-	2	-	-	-	-	-	58c
1	-	1	-	-	3	-	-	1	2	6	2	1	1	2	2	1	1	-	-	58d
6	-	-	4	2	13	5	2	2	4	19	5	4	2	8	2	-	2	-	-	58e,f
7	2	2	1	2	36	13	17	2	4	40	15	20	2	3	10	8	2	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
221	64	92	24	41	430	165	184	31	50	399	135	150	45	69	96	39	57	-	-	61
1	1	-	-	-	3	1	1	-	1	-	-	-	-	-	2	1	1	-	-	62
4	2	1	-	1	34	7	20	-	7	41	6	21	3	11	15	2	13	-	-	63
-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	63a
2	-	1	-	1	31	6	18	-	7	32	2	17	2	11	14	1	13	-	-	63b
2	2	-	-	-	-	-	-	-	-	9	4	4	1	-	1	1	-	-	-	63c-e
5	3	-	1	1	16	10	4	2	-	22	9	7	3	3	5	3	2	-	-	64
3	2	2	-	1	2	1	1	-	-	9	-	6	3	-	1	1	-	-	-	65
5	2	1	2	-	13	5	2	3	3	8	4	-	-	4	2	2	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	68
3	-	-	2	1	32	5	10	3	14	93	16	51	9	17	-	-	-	-	-	69
-	-	-	-	-	2	-	-	2	-	2	-	1	-	1	-	-	-	-	-	70
1	-	-	-	1	3	-	2	1	-	15	2	7	2	4	1	1	-	-	-	71
57	24	19	7	7	159	74	54	12	19	169	64	66	19	20	37	25	12	-	-	
3	1	1	-	1	11	3	7	-	1	12	6	4	1	1	2	-	2	-	-	72
11	3	4	1	3	62	21	19	7	15	49	11	14	13	11	11	8	3	-	-	73
3	2	1	-	-	31	12	9	3	7	25	7	8	3	7	6	6	-	-	-	73a
8	1	3	1	3	31	9	10	4	8	24	4	6	10	4	5	2	3	-	-	73b-d
40	20	14	5	1	72	47	18	4	3	96	45	41	5	5	16	12	4	-	-	74
38	19	13	5	1	65	41	17	4	3	89	43	37	5	4	16	12	4	-	-	74a
2	1	1	-	-	7	6	1	-	-	7	2	4	-	1	-	-	-	-	-	74b
3	-	-	1	2	9	1	7	1	-	8	2	4	-	2	3	1	2	-	-	75
-	-	-	-	-	5	2	3	-	-	4	-	3	-	1	5	4	1	-	-	76
17	6	4	6	1	52	29	12	7	4	73	39	11	18	5	15	12	1	2	-	
17	6	4	6	1	48	27	10	7	4	69	38	8	18	5	14	12	-	2	-	77
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	78
-	-	-	-	-	3	1	2	-	-	3	-	3	-	-	1	-	1	-	-	79
647	191	239	112	105	2,440	893	781	369	397	3,361	957	892	746	766	451	231	216	3	1	
2	1	1	-	-	25	9	6	3	7	38	12	14	7	5	1	1	-	-	-	80
11	3	1	4	3	53	14	10	18	11	55	22	12	9	12	7	3	4	-	-	81
17	7	6	2	2	32	18	8	1	5	43	16	13	11	3	2	1	1	-	-	82
581	164	221	101	95	2,209	810	716	327	356	2,995	842	782	663	708	404	211	189	3	1	83
476	142	176	80	78	1,923	694	609	293	327	2,681	745	684	608	644	362	190	168	3	1	83a
89	16	39	20	14	203	90	88	14	11	173	63	67	18	25	33	16	17	-	-	83b,c
16	6	6	1	3	83	26	19	20	18	141	34	31	37	39	9	5	4	-	-	83d
3	2	1	-	-	8	4	3	1	-	61	9	19	19	14	4	-	4	-	-	84
8	3	1	2	2	35	11	9	11	4	67	24	19	17	7	13	6	7	-	-	85
-	-	-	-	-	7	1	1	1	4	24	7	5	7	5	1	-	1	-	-	86
21	10	7	2	2	54	20	25	3	6	61	18	25	10	8	17	9	8	-	-	87
-	-	-	-	-	3	-	2	1	-	1	1	-	-	-	-	-	-	-	-	88
4	1	1	1	1	14	6	1	3	4	16	6	3	3	4	2	-	2	-	-	89
2,502	933	805	386	378	6,210	3,248	1,746	694	522	6,432	2,654	1,557	1,158	1,063	1,346	889	441	13	3	
2,317	884	723	360	350	5,759	3,041	1,605	637	476	5,927	2,486	1,415	1,055	971	1,266	838	412	13	3	90-95
2	-	-	1	1	17	7	5	5	-	12	2	3	2	5	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	90a
2	-	-	1	1	17	7	5	5	-	10	2	1	2	5	-	-	-	-	-	90b
9	1	1	5	2	22	9	2	4	7	46	8	8	12	18	6	3	2	1	-	91
9	1	1	5	2	19	8	2	3	6	35	5	5	9	16	4	3	1	-	-	91a,b
-	-	-	-	-	3	1	-	1	1	11	3	3	3	2	2	-	1	1	-	91c
132	37	55	19	21	467	178	136	101	52	530	131	130	135	134	98	67	30	1	-	92
20	8	3	5	4	46	14	10	17	5	76	18	11	32	15	4	1	3	-	-	92a
60	15	33	4	8	177	66	58	37	16	240	56	52	60	72	41	28	13	-	-	92b
13	4	6	2	1	11	3	6	2	-	11	4	2	2	3	8	6	2	-	-	92c
36	10	11	8	7	185	77	47	37	24	167	44	56	36	29	36	26	9	1	-	92d
3	-	2	-	1	48	18	15	8	7	36	9	7	5	15	9	6	3	-	-	92e
1,437	439	458	266	274	2,471	1,106	800	302	263	2,564	927	694	490	453	556	331	220	5	-	93
9	3	2	4	-	69	13	15	19	22	122	18	19	38	47	16	9	7	-	-	93a
3	1	-	2	-	25	2	5	10	8	25	2	4	12	7	-	-	-	-	-	93b
9	2	3	1	3	21	6	9	1	5	10	2	4	3	1	5	4	1	-	-	93c
1,135	352	391	183	209	1,936	900	657	207	172	1,992	771	544	349	328	460	270	185	5	-	93d
281	81	62	76	62	420	185	114	65	56	415	134	123	88	70	75	48	27	-	-	93e
657	370	183	51	33	2,096	1,394	477	137	88	1,789	1,055	383	199	152	447	333	111	2	1	94
630	369	179	51	31	2,007	1,339	461	125	82	1,670	994	353	186	137	428	318	108	1	1	94a
7	1	4	-	2	89	55	16	12	6	119	61	30	13	15	19	15	3	1	-	94b

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	324	165	149	6	4	50	27	17	4	2
95a	Functional diseases of heart, etc.*	7	2	5	-	-	4	2	2	-	-
95b	Other diseases of heart (rheumatic)	117	47	67	2	1	11	5	3	3	-
95c	Other diseases of heart (not rheumatic)	200	116	77	4	3	35	20	12	1	2
96	Aneurysm (except of heart and aorta)	33	21	10	1	1	3	2	-	1	-
97	Arteriosclerosis (except coronary or renal sclerosis)	313	149	162	2	-	53	22	23	3	5
98	Gangrene	4	4	-	-	-	1	1	-	-	-
99	Other diseases of arteries	24	11	12	-	1	4	3	1	-	-
100	Diseases of veins	29	16	13	-	-	2	2	-	-	-
101	Diseases of lymphatic system	1	1	-	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	11	1	8	1	1	4	1	-	1	2
103	Other diseases of circulatory system	1	-	-	1	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	729	397	313	12	7	137	53	50	23	11
104	Diseases of nasal fossae, accessory sinuses	5	2	3	-	-	1	-	-	-	1
105	Diseases of larynx	2	2	-	-	-	1	1	-	-	-
106	Bronchitis	39	26	12	1	-	4	1	2	1	-
107	Bronchopneumonia (including capillary bronchitis)	279	147	126	3	1	42	12	23	5	2
108	Lobar pneumonia	261	138	114	5	4	59	29	14	13	3
109	Pneumonia (unspecified)	41	24	16	-	1	9	1	2	3	3
109A	Atypical or virus pneumonia	9	4	5	-	-	1	1	-	-	-
109B	Pneumonia (all other, unspecified)	32	20	11	-	1	8	-	2	3	3
110	Pleurisy (not tuberculous)	16	9	7	-	-	3	3	-	-	-
111	Hemorrhagic infarction, thrombosis, edema*	53	28	22	3	-	5	1	4	-	-
112	Asthma	18	11	6	-	1	9	4	4	-	1
113	Pulmonary emphysema	1	1	-	-	-	1	-	1	-	-
114	Other diseases of respiratory system (except tuberculosis)	14	9	5	-	-	3	1	-	1	1
114a,b	Silicosis, other forms of pneumoconioses	2	2	-	-	-	1	1	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)	12	7	5	-	-	2	-	-	1	1
	IX.—Diseases of the digestive system	872	516	336	15	5	124	64	39	15	6
115	Diseases of buccal cavity and adnexa, etc.*	10	4	6	-	-	1	-	1	-	-
116	Diseases of esophagus	1	-	1	-	-	1	1	-	-	-
117	Ulcer of stomach or duodenum	135	111	24	-	-	17	14	2	1	-
117a	Ulcer of stomach	70	57	13	-	-	11	8	2	1	-
117b	Ulcer of duodenum	65	54	11	-	-	6	6	-	-	-
118	Other diseases of stomach (except cancer)	8	5	3	-	-	4	3	-	1	-
119	Diarrhea, enteritis, etc.* (under 2 years)	40	21	16	2	1	9	4	1	4	-
120	Diarrhea, enteritis, etc.* (2 years and over)	31	15	16	-	-	7	2	2	1	2
121	Appendicitis	53	37	16	-	-	11	5	4	1	1
122	Hernia and intestinal obstruction	142	75	65	2	-	29	13	10	4	2
122a	Hernia	71	41	29	1	-	11	6	2	2	1
122b	Intestinal obstruction	71	34	36	1	-	18	7	8	2	1
123	Other diseases of intestines	31	14	16	-	1	2	2	-	-	-
124	Cirrhosis of liver	275	178	90	6	1	23	14	7	2	-
124a	Cirrhosis of liver with mention of alcoholism	30	21	7	1	1	-	-	-	-	-
124b	Cirrhosis of liver without mention of alcoholism	245	157	83	5	-	23	14	7	2	-
125	Other diseases of liver	28	10	15	3	-	2	1	1	-	-
126	Biliary calculi	55	15	39	-	1	5	-	5	-	-
127	Other diseases of gallbladder, biliary ducts	27	7	19	-	1	9	3	5	1	-
128	Diseases of pancreas (except diabetes mellitus)	18	11	7	-	-	1	1	-	-	-
129	Peritonitis (cause not stated)	18	13	3	2	-	3	1	1	-	1
	X.—Diseases of the genito-urinary system	1,055	549	466	22	18	344	149	125	39	31
130	Acute nephritis	20	10	6	4	-	6	2	1	1	2
131	Chronic nephritis	867	421	417	13	16	287	120	111	32	24
131a	Arteriosclerotic kidney	724	340	360	11	13	217	94	84	21	18
131b	Other chronic nephritis	143	81	57	2	3	70	26	27	11	6
132	Nephritis unspecified (10 years and over)	24	12	10	1	1	14	5	5	2	2
133	Other diseases of kidneys, ureters, etc.*	35	21	13	1	-	8	4	4	-	-
134	Calculi of urinary passages	16	12	4	-	-	4	1	2	-	1
135	Diseases of urinary bladder	5	3	2	-	-	1	-	1	-	-
136	Diseases of urethra (except calculus)	2	1	1	-	-	-	-	-	-	-
137	Diseases of prostate	72	69	...	3	...	21	17	...	4	...
137a	Hypertrophy of prostate	67	65	...	2	...	21	17	...	4	...
137b	Other diseases of prostate	5	4	...	1	...	-	-	...	-	...
138	Diseases of other male genital organs (not venereal)	-	-	...	-	...	-	-	...	-	...
139	Diseases of female genital organs	14	...	13	...	1	3	...	1	...	2
139a	Diseases of ovaries, fallopian tubes, parametria	5	...	4	...	1	2	...	-	...	2
139b	Diseases of uterus	9	...	9	...	-	1	...	1	...	-
139c	Diseases of other female genital organs*	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	38	...	36	...	2	9	...	7	...	2
140	Abortion with mention of infection	7	...	7	...	-	2	...	1	...	1
141	Abortion without mention of infection	1	...	1	...	-	1	...	1	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	1	...	1	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	-	...	-	...	-	-	...	-	...	-
141d-f	Other abortions (nonseptic)*	1	...	1	...	-	-	...	-	...	-
142	Ectopic gestation	2	...	1	...	1	1	...	-	...	1
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	2	...	1	...	1	1	...	-	...	1
143	Hemorrhage of pregnancy (death before delivery)	1	...	1	...	-	-	...	-	...	-
144	Toxemias of pregnancy (death before delivery)	2	...	2	...	-	2	...	2	...	-
145	Other diseases of pregnancy (death before delivery)*	1	...	1	...	-	1	...	1	...	-
145A	With mention of infection	-	...	-	...	-	1	...	1	...	-
145B	Without mention of infection	1	...	1	...	-	-	...	-	...	-
146	Hemorrhage of childbirth and puerperium	6	...	6	...	-	-	...	-	...	-
147	Infection during childbirth and puerperium	7	...	7	...	-	1	...	1	...	-
148	Puerperal toxemias (excluding death before delivery)	5	...	5	...	-	-	...	-	...	-
149	Other accidents and specified conditions of childbirth	6	...	5	...	1	1	...	1	...	-
150	Other and unspecified conditions of childbirth and puerperium	-	...	-	...	-	-	...	-	...	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
100	37	28	18	19	686	347	185	88	66	986	363	197	217	209	159	104	49	4	2	95
3	3	-	-	-	23	10	12	-	1	31	16	12	-	3	7	4	2	1	-	95a
32	9	11	10	2	91	40	35	9	7	76	25	20	13	18	28	15	11	2	-	95b
65	25	15	8	17	572	297	138	79	58	879	322	165	204	188	124	85	36	1	2	95c
17	5	7	4	1	23	11	7	3	2	22	13	2	6	1	3	3	-	-	-	96
114	30	50	8	16	304	141	106	33	24	330	109	102	63	56	51	36	15	-	-	97
3	1	-	1	1	18	5	4	4	5	14	1	1	6	6	-	-	-	-	-	98
15	5	8	2	-	36	22	11	2	1	41	20	13	5	3	14	9	5	-	-	99
17	6	6	2	3	14	7	4	1	2	17	6	6	3	2	3	1	2	-	-	100
3	-	-	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	101
15	1	1	6	7	45	15	8	13	9	71	17	15	20	19	9	2	7	-	-	102
1	1	-	-	-	11	6	1	1	3	9	2	3	-	4	-	-	-	-	-	103
356	117	100	87	52	1,112	396	302	219	195	1,612	436	416	423	337	210	133	72	5	-	
-	-	-	-	-	11	6	1	4	-	30	4	6	11	9	2	-	2	-	-	104
2	-	-	1	1	4	1	2	1	-	4	2	-	2	-	2	2	-	-	-	105
19	8	7	4	-	55	26	18	5	6	54	20	20	7	7	10	6	4	-	-	106
125	45	36	32	12	415	155	114	75	71	563	162	168	126	107	88	53	32	3	-	107
120	34	31	31	24	297	93	55	76	73	550	128	120	172	130	44	29	13	2	-	108
29	13	10	2	4	143	41	48	31	23	224	59	43	71	51	22	15	7	-	-	109
5	3	2	-	-	20	8	8	3	1	28	11	6	7	4	4	2	2	-	-	109A
24	10	8	2	4	123	33	40	28	22	196	48	57	64	47	18	13	5	-	-	109B
11	3	3	4	1	26	9	5	7	5	23	7	3	5	8	6	5	1	-	-	110
29	8	9	4	8	80	37	32	6	5	76	20	34	11	11	16	10	6	-	-	111
15	3	4	7	1	49	15	18	10	6	55	22	18	9	8	16	10	6	-	-	112
1	1	-	-	-	2	1	1	-	-	3	2	1	-	-	2	1	1	-	-	113
5	2	-	2	1	30	12	8	4	6	30	10	5	9	6	2	2	-	-	-	114
-	-	-	-	-	1	-	1	-	-	2	2	-	-	-	1	1	-	-	-	114a,b
5	2	-	2	1	29	12	7	4	6	28	8	5	9	6	1	1	-	-	-	114c-e
428	176	125	74	53	1,099	436	276	203	184	1,250	423	305	272	250	209	127	79	2	1	
5	1	1	1	2	42	10	10	10	12	60	19	16	10	15	9	4	4	-	1	115
2	1	1	-	-	6	1	4	1	-	6	1	1	3	1	-	-	-	-	-	116
47	31	4	10	2	129	72	16	30	11	154	61	18	38	17	37	30	7	-	-	117
27	15	4	6	2	93	47	10	25	11	119	65	12	31	11	28	22	6	-	-	117a
20	16	-	4	-	36	25	6	5	-	35	16	8	7	6	9	8	1	-	-	117b
11	2	1	5	3	50	8	8	15	18	60	19	8	16	17	9	8	1	-	-	118
69	19	8	24	18	92	32	32	19	9	138	29	25	48	36	8	5	2	1	-	119
11	6	4	1	-	45	11	8	14	12	61	16	16	11	18	8	5	3	-	-	120
22	8	10	2	2	103	39	20	24	20	123	39	27	34	23	30	19	11	-	-	121
75	18	31	16	10	233	86	60	43	44	253	75	64	61	53	38	22	16	1	-	122
32	8	14	9	1	73	40	10	18	5	79	28	20	25	6	16	9	6	1	-	122a
43	10	17	7	9	160	46	50	25	39	174	47	44	36	47	23	13	10	-	-	122b
20	7	9	1	3	28	5	5	6	12	31	10	8	4	9	8	3	5	-	-	123
111	66	28	11	6	207	119	51	21	16	184	85	48	23	28	22	14	8	-	-	124
12	8	2	1	1	19	16	3	-	-	25	16	5	4	-	2	2	-	-	-	124a
99	58	26	10	5	188	103	48	21	16	159	69	43	19	28	20	12	8	-	-	124b
10	3	4	1	2	48	14	10	15	9	50	17	14	7	12	6	4	2	-	-	125
23	8	13	-	2	37	9	24	-	4	26	8	15	1	2	11	3	8	-	-	126
10	1	7	-	2	42	17	21	2	2	58	14	32	5	7	14	6	8	-	-	127
9	3	4	2	-	8	6	2	-	-	13	5	7	-	1	4	3	1	-	-	128
3	2	-	-	1	29	6	5	3	15	33	5	6	11	11	4	1	3	-	-	129
791	238	242	150	161	1,748	654	516	318	260	2,922	890	722	721	589	334	207	124	2	1	
10	2	-	5	3	84	26	16	23	19	145	30	24	41	50	5	3	2	-	-	130
643	188	217	107	131	1,291	470	413	219	189	2,286	686	609	543	448	268	158	107	2	1	131
592	169	205	98	120	981	355	314	162	150	1,599	491	450	363	295	193	113	79	1	-	131a
51	19	12	9	11	310	115	99	57	39	687	195	159	180	153	75	45	28	1	1	131b
37	5	9	11	12	100	33	31	23	13	118	34	16	34	34	14	9	5	-	-	132
35	10	10	8	7	72	23	30	15	4	87	23	33	11	20	2	2	-	-	-	133
13	3	4	4	2	31	18	10	2	1	44	23	17	3	1	-	-	-	-	-	134
3	1	-	2	-	13	5	2	5	1	21	5	4	10	2	1	1	-	-	-	135
3	-	-	3	-	8	1	-	6	1	14	3	-	11	-	1	1	-	-	-	136
39	29	...	10	...	101	76	...	25	...	153	85	...	68	...	33	33	...	-	...	137
34	26	...	8	...	84	65	...	19	...	122	70	...	52	...	27	27	...	-	...	137a
5	3	...	2	...	17	11	...	6	...	31	15	...	16	...	6	6	...	-	...	137b
-	-	...	-	...	2	2	...	-	...	1	1	...	-	...	-	-	...	-	...	138
8	...	2	...	6	46	...	14	...	32	53	...	19	...	34	10	...	10	...	-	139
8	...	2	...	6	32	...	6	...	26	36	...	12	...	24	6	...	6	...	-	139a
-	...	-	...	-	13	...	8	...	5	15	...	6	...	9	4	...	4	...	-	139b
-	...	-	...	-	1	...	-	...	1	2	...	1	...	1	-	...	-	...	-	139c
31	...	8	...	23	159	...	79	...	80	225	...	83	...	142	22	...	21	...	1	
4	...	-	...	4	15	...	8	...	7	15	...	7	...	8	3	...	3	...	-	140
1	...	1	...	-	6	...	4	...	2	20	...	3	...	17	1	...	1	...	-	141
1	...	1	...	-	2	...	2	...	-	8	...	-	...	8	1	...	1	...	-	141a,c
-	...	-	...	-	2	...	1	...	1	8	...	2	...	6	-	...	-	...	-	141b
-	...	-	...	-	2	...	1	...	1	4	...	1	...	3	-	...	-	...	-	141d-f
9	...	-	...	9	12	...	6	...	6	19	...	5	...	14	-	...	-	...	-	142
2	...	-	...	2	-	...	-	...	-	4	...	1	...	3	-	...	-	...	-	142a
7	...	-	...	7	12	...	6	...	6	15	...	4	...	11	-	...	-	...	-	142b
-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	143
1	...	1	...	-	15	...	3	...	12	25	...	9	...	16	3	...	2	...	1	144
4	...	2	...	2	2	...	-	...	2	6	...	2	...	4	1	...	1	...	-	145
1	...	-	...	1	-	...	-	...	-	3	...	2	...	1	1	...	1	...	-	145A
3	...	2	...	1	2	...	-	...	2	3	...	-	...	3	-	...	-	...	-	145B
2	...	1	...	1	32	...	18	...	14	37	...	19	...	18	2	...	2	...	-	146
5	...	1	...	4	29	...	13	...	16	39	...	14	...	25	5	...	5	...	-	147
1	...	-	...	1	27	...	13	...	14	34	...	13	...	21	6	...	6	...	-	148
3	...	2	...	1	11	...	8	...	3	12	...	7	...	5	1	...	1	...	-	149
1	...	-	...	1	10	...	6	...	4	16	...	3	...	13	-	...	-	...	-	150

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	19	6	11	-	2	-	-	-	-	-
151	Carbuncle and furuncle	-	-	-	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	2	1	1	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue	17	5	10	-	2	-	-	-	-	-
	XIII.—Diseases of the bones, etc.*	7	3	3	-	1	1	1	-	-	-
154	Osteomyelitis and periostitis	1	-	1	-	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	2	1	1	-	-	-	-	-	-	-
156	Diseases of joints, other organs of movement	4	2	1	-	1	1	1	-	-	-
157	XIV.—Congenital malformations	300	149	150	1	-	39	19	10	7	3
157a-d	Congenital malformations of central nervous system	141	64	76	1	-	13	5	3	3	2
157e,f	Congenital malformations of cardiovascular system	113	58	55	-	-	18	9	4	4	1
157g,h,m	Other congenital malformations	46	27	19	-	-	8	5	3	-	-
	XV.—Diseases peculiar to the first year of life	702	409	264	20	9	108	47	36	14	11
158	Congenital debility (cause not stated)	8	7	-	1	-	1	-	-	1	-
159	Premature birth (cause not stated)	454	251	183	15	5	74	30	26	8	10
160	Injury at birth	142	88	52	1	1	19	13	5	1	-
161	Other diseases peculiar to first year of life	98	63	29	3	3	14	4	5	4	1
162	XVI.—Senility	61	20	40	1	-	12	1	8	1	2
	XVII.—Violent or accidental deaths	1,300	830	426	34	10	274	169	51	47	7
163,164	Suicide	253	184	67	1	1	33	23	7	2	1
163	Suicide by poisoning	87	52	34	-	1	12	7	4	-	1
164	Suicide by other means	166	132	33	1	-	21	16	3	2	-
165-168	Homicide[1]	31	19	2	9	1	24	4	3	13	4
166	Homicide by firearms	12	7	1	4	-	13	3	3	4	3
167	Homicide by cutting or piercing instruments	6	4	-	1	1	8	1	-	7	-
168	Homicide by other means	13	8	1	4	-	3	-	-	2	1
169-195	Accidental deaths	1,013	624	357	24	8	216	142	41	31	2
169	Railway accidents (except collisions with motor vehicles)	16	14	2	-	-	5	5	-	-	-
170	Motor-vehicle accidents	284	191	60	9	4	76	55	13	8	-
170a	Collisions between automobiles and trains	6	5	1	-	-	4	1	2	1	-
170b	Collisions between automobiles and streetcars	-	-	-	-	-	-	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	249	178	59	8	4	72	54	11	7	-
170d	Motorcycle accidents (exc. collisions with automobiles)	9	8	-	1	-	-	-	-	-	-
171	Streetcar and other road-transport accidents	2	1	1	-	-	1	1	-	-	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	1	-	1	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	1	1	-	-	-	1	1	-	-	-
172	Water-transport accidents	17	14	3	-	-	3	3	-	-	-
173	Air-transport accidents	16	13	2	-	1	7	7	-	-	-
174	Accidents in mines and quarries	-	-	-	-	-	1	-	-	1	-
175	Agricultural and forestry accidents	11	11	-	-	-	7	6	-	1	-
175a-c	Agricultural accidents	10	10	-	-	-	6	5	-	1	-
175d,e	Forestry accidents	1	1	-	-	-	1	1	-	-	-
176	Other accidents involving machinery	8	6	-	2	-	6	3	-	3	-
177	Food poisoning	2	-	2	-	-	1	-	1	-	-
178	Accidental absorption of poisonous gas	50	29	21	-	-	2	2	-	-	-
179	Acute accidental poisoning by solids or liquids	21	17	4	-	-	5	4	1	-	-
180	Conflagration	30	15	13	1	1	9	4	1	4	-
181	Accidental burns (except conflagration)	42	21	17	3	1	11	4	4	2	1
182	Accidental mechanical suffocation	22	11	11	-	-	3	2	1	-	-
183	Accidental drowning	68	59	6	3	-	17	11	-	6	-
184	Accidental injury by firearms	5	5	-	-	-	4	3	-	1	-
185	Accidental injury by cutting or piercing instruments	-	-	-	-	-	1	-	-	1	-
186	Accidental injury by fall or crushing	347	161	181	4	1	39	22	16	1	-
186a	Accidental injury by fall	345	159	181	4	1	39	22	16	1	-
186b	Accidental injury by crushing	2	2	-	-	-	-	-	-	-	-
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	6	4	2	-	-	1	-	-	1	-
191	Excessive heat	-	-	-	-	-	-	-	-	-	-
192	Lightning	-	-	-	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	3	3	-	-	-	4	3	1	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	-	-	-	-	-	1	1	-	-	-
195	Other accidents	83	49	32	2	-	12	6	3	2	1
195a	Sequelae of preventive immunization, etc.*	-	-	-	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention	1	1	-	-	-	1	1	-	-	-
195d	Obstruction, suffocation, etc.*	23	11	11	1	-	4	2	2	-	-
195c,e	Other and unspecified accidents	59	37	21	1	-	7	3	1	2	1
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	3	3	-	-	-	1	-	-	1	-
	XVIII.—Ill-defined and unknown causes	81	52	26	2	1	9	1	3	4	1
199	Sudden death	22	15	7	-	-	-	-	-	-	-
200	Ill-defined and unknown causes	59	37	19	2	1	9	1	3	4	1
200a	Ill-defined causes	46	32	11	2	1	7	1	3	2	1
200b,c	Unknown or unspecified causes	13	5	8	-	-	2	-	-	2	-

*Refer to International List for complete title, table V, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7	2	1	4	-	17	5	7	3	2	25	3	3	7	12	3	1	2	-	-	
1	-	-	1	-	1	1	-	-	-	1	-	-	1	-	1	1	-	-	-	151
1	-	-	1	-	1	-	-	1	-	8	-	1	4	3	1	-	1	-	-	152
5	2	1	2	-	15	4	7	2	2	16	3	2	2	9	1	-	1	-	-	153
3	1	1	1	-	15	7	3	3	2	18	8	4	5	1	1	1	-	-	-	
1	-	-	1	-	5	2	-	1	2	10	3	2	4	1	1	1	-	-	-	154
1	-	1	-	-	3	2	1	-	-	2	-	2	-	-	-	-	-	-	-	155
1	1	-	-	-	7	3	2	2	-	6	5	-	1	-	-	-	-	-	-	156
126	48	48	18	12	273	127	100	26	20	298	123	117	30	28	67	42	24	-	1	157
42	14	23	4	1	75	30	40	4	1	68	16	33	10	9	15	10	5	-	-	157a-d
56	21	15	12	8	124	58	41	14	11	149	70	56	9	14	37	24	13	-	-	157e,f
28	13	10	2	3	74	39	19	6	8	81	37	28	11	5	15	8	6	-	1	157g,h,m
487	164	117	106	100	1,223	540	340	177	166	1,578	594	414	300	270	278	146	132	-	-	
8	3	1	3	1	50	12	7	11	20	95	20	12	38	25	9	3	6	-	-	158
323	100	71	74	78	806	357	235	109	105	982	347	279	176	180	187	98	89	-	-	159
98	38	29	19	12	200	88	59	29	24	330	157	82	48	43	48	27	21	-	-	160
58	23	16	10	9	167	83	39	28	17	171	70	41	38	22	34	18	16	-	-	161
9	2	5	-	2	240	102	73	24	41	282	60	77	67	78	103	60	38	3	2	162
708	276	182	185	65	2,687	1,328	481	660	218	2,925	1,282	471	892	280	574	434	125	12	3	
144	77	42	18	7	263	185	66	9	3	230	174	40	12	4	75	58	15	2	-	163,164
51	15	25	5	6	69	40	27	1	1	28	13	14	-	1	16	8	8	-	-	163
93	62	17	13	1	194	145	39	8	2	202	161	26	12	3	59	50	7	2	-	164
112	18	9	66	19	392	77	17	235	63	564	103	21	364	76	22	15	5	2	-	165-168
52	8	7	32	7	213	52	12	118	31	325	75	13	198	39	14	8	5	1	-	166
36	3	1	24	8	134	11	1	96	26	179	12	1	138	28	1	1	-	-	-	167
24	9	1	10	4	45	14	4	21	6	60	16	7	28	9	7	6	-	1	-	168
448	179	131	99	39	2,028	1,065	398	413	152	2,115	1,002	410	503	200	477	361	105	8	3	169-195
7	3	1	3	-	60	26	5	27	2	81	45	4	29	3	6	5	-	1	-	169
98	51	15	23	9	714	414	129	124	47	609	478	119	171	41	182	142	39	1	-	170
1	-	-	1	-	24	13	6	4	1	45	24	12	3	6	7	4	2	1	-	170a
1	1	-	-	-	1	1	-	-	-	2	-	1	1	-	-	-	-	-	-	170b
93	48	14	22	9	667	381	121	119	46	738	435	105	163	35	174	137	37	-	-	170c
3	2	1	-	-	22	19	2	1	-	24	19	1	4	-	1	1	-	-	-	170d
10	4	2	4	-	6	5	-	1	-	7	3	1	2	1	-	-	-	-	-	171
10	4	2	4	-	2	2	-	-	-	2	1	1	-	-	-	-	-	-	-	171a
-	-	-	-	-	4	3	-	1	-	5	2	-	2	1	-	-	-	-	-	171b
3	1	1	1	-	47	35	2	8	2	26	14	3	9	-	11	11	-	-	-	172
12	10	1	1	-	139	133	6	-	-	32	29	2	1	-	11	10	1	-	-	173
-	-	-	-	-	9	4	-	5	-	3	-	-	3	-	5	5	-	-	-	174
2	2	-	-	-	25	16	-	9	-	59	36	2	19	2	51	48	2	1	-	175
2	2	-	-	-	22	15	-	7	-	50	29	2	17	2	27	24	2	1	-	175a-c
-	-	-	-	-	3	1	-	2	-	9	7	-	2	-	24	24	-	-	-	175d,e
2	-	-	1	1	16	12	-	4	-	29	18	1	10	-	5	5	-	-	-	176
3	-	1	1	1	17	4	3	5	5	23	1	9	5	8	3	2	1	-	-	177
9	2	5	2	-	14	6	5	2	1	20	10	7	3	-	2	1	1	-	-	178
8	2	4	-	2	42	21	11	4	6	46	10	7	16	13	8	3	5	-	-	179
8	2	1	5	-	28	7	7	10	4	129	36	60	15	20	13	7	5	1	-	180
30	10	4	8	8	112	35	23	30	24	160	46	40	35	39	13	10	3	-	-	181
15	4	-	8	3	31	12	11	6	2	54	17	11	8	18	18	14	4	-	-	182
28	14	2	12	-	209	105	24	69	11	120	60	7	48	5	38	30	5	2	1	183
4	-	1	3	-	86	32	9	36	9	128	53	7	55	13	21	19	1	1	-	184
2	2	-	-	-	19	5	1	8	5	10	2	1	5	2	2	1	1	-	-	185
181	61	86	24	10	214	78	103	25	8	249	89	114	27	19	62	29	32	-	1	186
178	59	86	23	10	203	72	102	21	8	238	83	114	22	19	60	28	31	-	1	186a
3	2	-	1	-	11	6	1	4	-	11	6	-	5	-	2	1	1	-	-	186b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	187
-	-	-	-	-	1	1	-	-	-	2	1	-	-	1	-	-	-	-	-	188
-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	189
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	190
-	-	-	-	-	4	3	-	-	1	2	1	-	1	-	-	-	-	-	-	191
1	1	-	-	-	12	9	-	3	-	4	-	-	3	1	-	-	-	-	-	192
-	-	-	-	-	23	14	2	6	1	13	10	-	3	-	3	3	-	-	-	193
-	-	-	-	-	4	3	1	-	-	3	1	-	-	2	-	-	-	-	-	194
25	10	7	3	5	196	85	56	31	24	103	42	14	35	12	21	14	5	1	1	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	195a
-	-	-	-	-	2	-	-	1	1	1	-	-	-	1	-	-	-	-	-	195b
9	4	2	1	2	21	9	6	2	4	17	8	3	2	4	3	2	1	-	-	195d
16	6	5	2	3	173	76	50	28	19	85	34	11	33	7	17	12	3	1	1	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
4	2	-	2	-	4	1	-	3	-	16	3	-	13	-	-	-	-	-	-	198
11	3	3	2	3	686	248	99	200	139	874	208	113	298	255	46	31	13	2	-	
-	-	-	-	-	108	61	18	16	13	100	35	9	26	30	1	1	-	-	-	199
11	3	3	2	3	578	187	81	184	126	774	173	104	272	225	45	30	13	2	-	200
8	2	2	1	3	351	131	55	106	59	241	72	53	62	54	31	20	9	2	-	200a
3	1	1	1	-	227	56	28	78	67	533	101	51	210	171	14	10	4	-	-	200b,c

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	89,566	46,669	35,905	3,760	3,232	39,034	20,571	16,452	1,066	945
	I.—Infectious and parasitic diseases	4,714	2,438	1,228	581	467	2,176	1,114	794	152	116
1	Typhoid fever	10	7	2	1	-	8	6	2	-	-
2	Paratyphoid fever	2	1	1	-	-	3	2	1	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	2	1	1	-	-	6	4	2	-	-
6	Cerebrospinal (meningococcus) meningitis	77	32	32	4	9	33	16	15	2	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	10	7	2	1	-	5	2	3	-	-
9	Whooping cough	30	14	14	1	1	40	20	18	1	1
10	Diphtheria (infection by C. diphtheriae)	32	16	15	-	1	37	19	17	-	1
11	Erysipelas	9	4	5	-	-	3	2	1	-	-
12	Tetanus	12	10	2	-	-	22	14	5	1	2
13-22	Tuberculosis (all forms)	3,014	1,540	709	406	359	1,128	565	390	97	76
13	Tuberculosis of respiratory system, etc.*	2,734	1,448	640	354	292	1,012	516	347	84	65
14	Tuberculosis of meninges, etc.*	91	36	23	11	21	35	13	16	2	4
15	Tuberculosis of intestines and peritoneum	28	6	4	5	13	14	7	2	3	2
16	Tuberculosis of vertebral column	30	10	8	6	6	18	7	7	4	-
17	Tuberculosis of bones and joints, etc.*	8	5	1	2	-	8	5	1	1	1
18	Tuberculosis of skin, etc.*	2	-	1	1	-	1	-	1	-	-
19	Tuberculosis of lymphatic system, etc.*	4	1	-	1	2	1	-	-	-	1
20	Tuberculosis of genito-urinary system	21	11	8	2	-	9	5	3	1	-
21	Tuberculosis of other organs	9	4	2	2	1	4	2	2	-	-
22	Disseminated tuberculosis	87	19	22	22	24	26	10	11	2	3
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	19	8	9	-	2	23	11	9	2	1
25	Gonococcus infection	6	-	4	-	2	2	2	-	-	-
26	Other diseases due to bacteria (except dysentery)	9	5	3	1	-	2	2	-	-	-
27	Dysentery	25	7	13	3	2	17	13	4	-	-
28	Malaria	14	9	5	-	-	3	3	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	1	1	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	758	414	133	140	71	391	233	95	41	22
30a	Locomotor ataxia (tabes dorsalis)	27	22	2	2	1	11	10	1	-	-
30b	General paralysis of insane	308	172	41	73	22	183	104	32	16	11
30d	Aneurysm of aorta	155	97	29	18	11	66	50	11	4	1
30f	Congenital syphilis	23	5	7	7	4	20	9	8	1	2
30c,e,g	Syphilis (other forms)	245	118	54	40	33	131	60	43	20	8
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	22	13	4	5	-	2	-	2	-	-
33	Influenza	238	111	105	8	14	285	101	170	4	10
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	51	21	27	3	-	51	29	19	1	2
36	Poliomyelitis and poliomyelitis (acute)	185	106	73	6	-	49	30	17	2	-
37	Acute infectious encephalitis (lethargic)	23	14	8	1	-	14	8	5	1	-
38	Other diseases due to filtrable viruses	10	4	5	-	1	3	-	3	-	-
39	Typhus fever and typhus-like diseases*	5	4	1	-	-	3	2	1	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	3	2	1	-	-	-	-	-	-	-
43	Mycoses	19	12	5	-	2	3	2	1	-	-
44	Other infectious and parasitic diseases	128	75	49	1	3	43	28	14	-	1
	II.—Cancer and other tumors	13,238	6,258	6,210	351	419	5,017	2,243	2,572	91	111
45-55	Cancer and other malignant tumors	12,910	6,176	6,009	345	380	4,839	2,176	2,471	90	102
45	Cancer of buccal cavity and pharynx	396	315	60	16	5	131	98	30	2	1
45a	Cancer of lip	38	34	3	1	-	25	20	5	-	-
45b	Cancer of tongue	82	63	12	4	3	16	11	4	-	1
45c	Cancer of mouth	38	35	2	1	-	19	16	1	2	-
45d	Cancer of jaw bone	78	60	15	2	1	29	22	7	-	-
45e	Cancer of unspecified parts of buccal cavity	7	7	-	-	-	1	1	-	-	-
45f	Cancer of pharynx	153	116	28	8	1	41	28	13	-	-
46	Cancer of digestive organs and peritoneum	6,004	3,189	2,533	174	108	2,103	1,072	963	40	28
46a	Cancer of esophagus	305	244	41	17	3	54	43	6	5	-
46b	Cancer of stomach	1,815	1,077	636	66	36	599	353	223	13	10
46c	Cancer of duodenum	25	16	9	-	-	14	8	6	-	-
46d	Cancer of rectum and anus	731	421	271	26	13	252	140	102	6	4
46e	Cancer of intestines, etc.*	1,682	781	843	24	34	603	269	320	8	6
46f	Cancer of liver and biliary passages	605	325	453	16	11	334	146	181	2	5
46g	Cancer of pancreas	514	278	212	18	6	199	94	99	4	2
46h	Cancer of mesentery and peritoneum	96	37	50	6	3	32	16	14	2	-
46m	Cancer of other and unspecified sites	31	10	18	1	2	16	3	12	-	1
47	Cancer of respiratory system	1,147	861	219	54	13	305	212	79	12	2
47a	Cancer of larynx	151	126	16	9	-	42	35	5	2	-
47b,c	Cancer of trachea and bronchus	306	240	41	22	3	50	40	5	5	-
47d	Cancer of lung	652	470	152	21	9	198	126	65	5	2
47e	Cancer of pleura	9	6	2	1	-	2	1	1	-	-
47f	Cancer of other respiratory organs	29	19	8	1	1	13	10	3	-	-
48	Cancer of uterus	1,129	...	983	...	146	494	...	458	...	36
48a	Cancer of cervix	413	...	352	...	61	168	...	154	...	14
48b	Cancer of other and unspecified sites of uterus	716	...	631	...	85	326	...	304	...	22
49	Cancer of other female genital organs	379	...	360	...	19	128	...	122	...	6
49a,b	Cancer of ovary, fallopian tube, and parametrium	332	...	318	...	14	111	...	105	...	6
49c-e	Cancer of other female genital organs	47	...	42	...	5	17	...	17	...	-
50	Cancer of breast	1,263	21	1,182	-	60	425	3	401	-	21
51	Cancer of male genital organs	761	719	...	42	...	348	330	...	18	...
51b	Cancer of prostate	697	659	...	38	...	328	310	...	18	...
51a,c-e	Cancer of other male genital organs	64	60	...	4	...	20	20	...	-	...
52	Cancer of urinary organs	675	434	206	19	16	229	131	91	5	2
52a	Cancer of kidney	209	130	71	6	2	76	45	31	-	-
52b	Cancer of bladder	459	301	132	12	14	151	85	59	5	2
52c	Cancer of other and unspecified sites	7	3	3	1	-	2	1	1	-	-
53	Cancer of skin, etc.*	195	139	55	2	-	96	57	38	1	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
25,758	14,206	11,295	152	105	18,059	9,669	7,397	530	463	27,410	13,515	10,538	1,799	1,558	22,030	7,536	5,421	4,837	4,236	
955	556	378	17	4	838	447	291	62	38	2,546	1,171	955	243	177	2,112	602	289	707	514	
3	1	2	-	-	1	1	-	-	-	27	15	8	5	1	18	3	3	4	8	1
1	1	-	-	-	-	-	-	-	-	3	3	-	-	-	4	1	1	-	2	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	1	-	-	-	2	-	2	-	-	1	-	1	-	-	3	1	1	1	-	5
15	15	-	-	-	11	7	4	-	-	39	17	20	-	2	24	8	9	4	3	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
11	6	5	-	-	4	3	1	-	-	12	7	5	-	-	2	-	-	1	1	8
17	5	12	-	-	13	7	5	-	1	47	17	26	1	3	24	3	5	5	11	9
15	6	9	-	-	12	5	6	1	-	53	22	28	2	1	42	15	10	11	6	10
5	2	3	-	-	2	2	-	-	-	5	2	3	-	-	1	-	-	-	1	11
4	3	1	-	-	8	6	2	-	-	13	7	3	1	2	36	7	4	12	13	12
329	186	133	8	2	307	152	108	29	18	1,602	727	599	168	108	1,089	354	141	320	264	13-22
291	169	112	8	2	291	145	103	26	17	1,492	672	568	154	98	1,018	345	132	295	246	13
11	5	6	-	-	5	4	-	1	-	50	24	18	3	5	15	3	3	5	4	14
8	2	6	-	-	3	-	1	2	-	11	4	2	2	3	8	1	4	1	2	15
4	2	2	-	-	2	-	2	-	-	14	6	5	2	1	11	2	-	4	5	16
1	-	1	-	-	1	1	-	-	-	7	5	2	-	-	3	1	-	1	1	17
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	18
1	-	1	-	-	-	-	-	-	-	4	2	-	1	1	2	-	-	2	-	19
6	4	2	-	-	-	-	-	-	-	6	4	1	1	-	4	2	1	-	1	20
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	21
5	3	2	-	-	5	2	2	-	1	16	8	3	5	-	27	9	1	12	5	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	2	2	-	23
13	5	8	-	-	5	4	1	-	-	10	5	5	-	-	12	3	4	2	3	24
-	-	-	-	-	5	1	4	-	-	2	-	2	-	-	-	-	-	-	-	25
-	-	-	-	-	2	1	1	-	-	6	1	4	-	1	8	-	1	7	-	26
13	10	3	-	-	3	1	2	-	-	42	20	21	1	-	21	3	5	8	5	27
4	3	1	-	-	2	1	1	-	-	6	3	1	2	-	22	4	5	6	7	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
156	116	29	9	2	143	85	20	28	10	217	115	32	36	34	422	92	15	219	96	30
15	13	2	-	-	6	5	1	-	-	12	10	1	1	-	7	4	-	3	-	30a
58	40	11	7	-	47	22	8	13	4	89	50	13	14	12	114	27	3	63	21	30b
43	35	6	1	1	51	37	7	6	1	19	12	3	3	1	81	23	8	37	15	30d
3	1	2	-	-	2	-	-	2	-	14	6	5	2	1	35	3	-	19	13	30f
37	27	8	1	1	37	21	4	7	5	83	37	10	16	20	185	35	6	97	47	30,c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
6	4	2	-	-	4	-	4	-	-	5	3	1	-	1	6	1	-	2	3	32
208	103	105	-	-	149	68	71	4	6	301	127	136	16	22	258	48	59	75	76	33
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	34
24	8	16	-	-	23	12	9	-	2	69	31	33	5	-	22	7	4	8	3	35
53	31	22	-	-	91	63	27	-	1	14	5	8	1	-	23	10	6	3	4	36
15	8	7	-	-	16	7	9	-	-	8	5	2	1	-	6	3	-	1	2	37
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	38
-	-	-	-	-	-	-	-	-	-	6	5	1	-	-	8	5	1	1	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	12	-	1	7	4	42
7	6	1	-	-	2	2	-	-	-	9	4	4	1	-	6	2	3	1	-	43
54	36	18	-	-	31	19	12	-	-	46	31	10	3	2	35	19	8	7	1	44
3,811	1,858	1,922	11	22	2,498	1,128	1,223	63	74	2,891	1,174	1,445	107	165	2,600	928	884	356	452	
3,704	1,818	1,857	11	18	2,412	1,111	1,175	62	64	2,805	1,156	1,394	103	152	2,506	908	829	342	427	45-55
104	89	15	-	-	83	59	20	2	2	88	64	20	2	2	81	46	16	6	13	45
31	31	-	-	-	22	17	5	-	-	11	8	3	-	-	11	8	3	-	-	45a
13	10	3	-	-	8	6	2	-	-	24	17	4	2	1	15	9	3	1	2	45b
8	7	1	-	-	12	9	2	1	-	9	7	2	-	-	12	6	3	-	3	45c
20	14	6	-	-	18	12	4	1	1	13	11	2	-	-	19	6	4	3	6	45d
2	2	-	-	-	2	1	1	-	-	1	-	1	-	-	3	1	1	1	-	45e
30	25	5	-	-	21	14	6	-	1	30	21	8	-	1	21	16	2	1	2	45f
1,707	910	784	6	7	1,068	536	475	36	21	1,242	570	569	54	49	961	378	274	168	141	46
54	38	16	-	-	29	22	3	3	1	40	29	3	7	1	46	22	1	19	4	46a
549	339	205	3	2	340	192	129	12	7	386	202	149	18	17	336	139	71	62	64	46b
11	8	5	-	-	5	2	3	-	-	9	6	2	-	1	3	1	-	1	1	46c
183	110	72	-	1	98	53	40	4	1	110	45	58	3	4	83	34	24	12	13	46d
509	225	281	1	2	303	135	152	8	8	306	111	171	14	10	218	80	88	17	33	46e
232	100	129	2	1	173	71	95	5	2	260	106	134	8	12	146	58	49	28	11	46f
123	70	52	-	1	101	55	41	3	2	98	56	36	3	3	86	34	29	14	9	46g
31	16	15	-	-	13	4	8	1	-	16	9	7	-	-	20	4	10	6	-	46h
15	6	9	-	-	6	2	4	-	-	17	6	9	1	1	23	6	2	9	6	46m
202	147	54	-	1	152	111	34	5	2	165	110	45	9	1	268	166	35	52	13	47
13	12	1	-	-	15	14	1	-	-	18	14	2	-	-	24	19	1	4	-	47a
52	43	9	-	-	51	27	2	2	-	34	25	6	3	-	72	49	5	16	2	47b,c
127	85	41	-	1	100	66	29	3	2	107	66	35	5	1	163	93	29	30	11	47d
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	47e
9	6	3	-	-	6	4	2	-	-	6	3	2	1	-	6	4	-	2	-	47f
274	...	270	...	4	232	...	209	...	23	367	...	315	...	52	341	...	191	...	150	48
101	...	100	...	1	84	...	73	...	11	122	...	104	...	18	153	...	85	...	68	48a
173	...	170	...	3	148	...	136	...	12	245	...	211	...	34	188	...	106	...	82	48b
127	...	125	...	2	71	...	71	...	-	63	...	62	...	1	56	...	39	...	17	49
110	...	109	...	1	65	...	65	...	-	50	...	50	...	-	44	...	31	...	13	49a,b
17	...	16	...	1	6	...	6	...	-	13	...	12	...	1	12	...	8	...	4	49c-e
367	4	361	-	2	238	6	223	-	9	222	4	189	-	29	178	1	128	1	48	50
348	348	...	-	...	196	187	...	9	...	182	167	...	15	...	196	138	...	58	...	51
331	331	...	-	...	175	167	...	8	...	170	155	...	15	...	181	125	...	56	...	51b
17	17	...	-	...	21	20	...	1	...	12	12	...	-	...	15	13	...	2	...	51a,c-e
194	119	73	2	-	121	68	47	4	2	115	53	44	11	7	107	40	33	18	16	52
73	39	34	-	-	43	24	17	2	-	45	21	21	2	1	31	10	10	5	6	52a
118	80	36	2	-	77	44	30	2	1	69	31	23	9	6	75	29	23	13	10	52b
3	-	3	-	-	1	-	-	-	1	1	1	-	-	-	1	1	-	-	-	52c
66	38	28	-	-	68	38	30	-	-	90	50	35	2	3	77	42	25	4	6	53

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
54	Cancer of central nervous system*	243	135	94	11	3	59	36	20	3	-
55	Cancer of other and unspecified organs	718	364	317	27	10	521	237	269	9	6
56,57	Nonmalignant tumors and tumors of unspecified nature	328	82	201	6	39	178	67	101	1	9
56	Nonmalignant tumors (including dermoid cysts)	254	48	167	3	36	73	12	53	1	7
56a-c	Nonmalignant tumors of female genital organs	158	...	132	...	26	46	...	40	...	6
56d	Nonmalignant tumors of central nervous system*	61	27	25	3	6	11	3	7	-	1
56e	Nonmalignant tumors of other and unspecified organs	35	21	10	-	4	16	9	6	1	-
57	Tumors of unspecified nature	74	34	34	3	3	105	55	48	-	2
57a-c	Tumors, female genital organs (nature unspecified)	2	...	2	...	-	2	...	2	...	-
57d	Tumors, central nervous system (nature unspecified)	52	24	23	2	3	80	42	37	-	1
57e	Tumors, other organs (nature unspecified)	20	10	9	1	-	23	13	9	-	1
	III.—Rheumatism, diseases of nutrition, etc.*	3,067	1,022	1,885	38	122	1,242	464	725	15	38
58	Acute rheumatic fever	54	22	24	3	5	38	18	20	-	-
58a	Acute rheumatic pericarditis	1	1	-	-	-	2	-	2	-	-
58b	Acute rheumatic endocarditis	19	10	8	-	1	4	2	2	-	-
58c	Acute rheumatic myocarditis	3	-	2	-	1	7	3	4	-	-
58d	Other acute rheumatic heart diseases	10	1	5	2	2	5	3	2	-	-
58e,f	Other forms of acute rheumatic fever, etc.*	21	10	9	1	1	20	10	10	-	-
59	Chronic rheumatism, other rheumatic diseases	87	24	59	3	1	62	24	36	1	1
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,579	885	1,570	28	96	966	370	554	11	31
62	Diseases of pituitary gland	10	3	7	-	-	2	2	-	-	-
63	Diseases of thyroid and parathyroid glands	227	32	180	1	14	122	20	94	2	6
63a	Simple goiter	10	3	6	-	1	6	1	5	-	-
63b	Exophthalmic goiter	201	27	160	1	13	103	15	81	2	5
63c-e	Other diseases of thyroid and parathyroid glands	16	2	14	-	-	13	4	8	-	1
64	Diseases of thymus gland	56	32	20	3	1	24	15	8	1	-
65	Diseases of adrenal glands*	32	14	15	-	3	15	10	5	-	-
66	Other general diseases	14	7	7	-	-	5	1	4	-	-
67	Scurvy	1	-	1	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	2	1	1	-	-
69	Pellagra (except alcoholic)	4	2	-	-	2	3	2	1	-	-
70	Rickets	1	-	1	-	-	1	-	1	-	-
71	Other avitaminoses	2	1	1	-	-	2	1	1	-	-
	IV.—Diseases of the blood and blood-forming organs	759	381	340	17	21	336	181	146	3	6
72	Hemorrhagic conditions	41	15	22	1	3	24	10	14	-	-
73	Anemias (except splenic anemia)	210	84	115	2	9	116	61	52	-	3
73a	Pernicious anemia	128	55	70	-	3	80	43	36	-	1
73b-d	Other anemias (except splenic)	82	29	45	2	6	36	18	16	-	2
74	Leukemias and aleukemias	458	257	179	14	8	183	103	74	3	3
74a	Leukemias	433	245	167	13	8	174	98	70	3	3
74b	Aleukemias	25	12	12	1	-	9	5	4	-	-
75	Diseases of spleen	28	15	13	-	-	6	3	3	-	-
76	Other diseases of blood and blood-forming organs	22	10	11	-	1	7	4	3	-	-
	V.—Chronic poisoning and intoxication	68	52	9	5	2	41	34	3	4	-
77	Alcoholism (ethylism)	59	46	8	4	1	40	33	3	4	-
78	Lead poisoning	4	2	-	1	1	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	5	4	1	-	-	1	1	-	-	-
	VI.—Diseases of the nervous system, etc.*	8,023	3,754	3,693	274	302	4,776	2,289	2,249	112	126
80	Encephalitis (nonepidemic)	61	35	21	2	3	48	24	22	1	1
81	Meningitis (not due to meningococcus)	115	65	26	16	8	54	26	22	4	2
82	Diseases of spinal cord (see exceptions)*	170	90	71	6	3	78	46	30	1	1
83	Intracranial lesions of vascular origin	7,166	3,315	3,341	235	275	4,338	2,062	2,064	96	116
83a	Cerebral hemorrhage or effusion*	6,200	2,846	2,921	195	238	3,911	1,840	1,870	89	112
83b,c	Cerebral embolism, thrombosis, and softening	792	387	337	32	36	307	167	134	3	3
83d	Hemiplegia, other paralysis, etc.*	174	82	83	8	1	120	55	60	4	1
84	Mental diseases and deficiency (see exception)*	49	22	24	1	2	53	19	31	2	1
85	Epilepsy	120	66	41	9	4	51	26	19	3	3
86	Convulsions (under 5 years)	4	3	-	-	1	6	1	3	1	1
87	Other diseases of nervous system	279	125	146	3	5	119	63	53	3	-
88	Diseases of organs of vision	2	2	-	-	-	3	2	1	-	-
89	Diseases of ear and mastoid process	57	31	23	2	1	26	20	4	1	1
	VII.—Diseases of the circulatory system	33,734	18,450	13,181	1,087	1,016	12,804	7,249	5,041	280	234
90-95	Diseases of the heart (all forms)	31,606	17,461	12,335	1,036	974	11,565	6,610	4,486	254	215
90	Pericarditis (except acute rheumatic)	41	28	12	-	1	11	6	5	-	-
90a	Chronic rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
90b	Other pericarditis	41	28	12	-	1	11	6	5	-	-
91	Acute endocarditis (except rheumatic)	100	48	34	12	6	39	21	14	1	3
91a,b	Bacterial, acute, and subacute endocarditis	92	46	29	12	5	35	19	13	1	2
91c	Endocarditis (unspecified, under 45 years)	8	2	5	-	1	4	2	1	-	1
92	Chronic affections of valves and endocardium	2,048	1,046	908	48	46	974	518	403	26	27
92a	Diseases of aortic valve, etc.*	154	100	47	4	3	69	44	21	2	2
92b	Diseases of mitral valve, etc.*	944	475	425	19	25	444	213	202	15	14
92c	Chronic rheumatic endocarditis, etc.*	108	52	51	3	-	40	29	10	-	1
92d	Other chronic endocarditis, etc.*	738	365	335	21	17	359	197	149	5	8
92e	Endocarditis (unspecified, 45 years and over)	106	54	50	1	1	62	35	21	4	2
93	Diseases of the myocardium	19,693	9,951	8,350	686	706	5,298	2,617	2,441	129	109
93a	Acute myocarditis (except rheumatic)	254	128	116	5	5	153	76	71	4	2
93b	Myocarditis (unspecified, under 45 years)	15	7	8	-	-	14	8	4	2	-
93c	Chronic rheumatic myocarditis, etc.*	100	52	40	6	2	23	10	13	-	-
93d	Other chronic myocarditis, etc.*	18,199	9,153	7,727	646	673	4,555	2,231	2,120	107	97
93e	Other myocarditis (unspecified)	1,125	611	459	29	26	551	292	233	16	10
94	Diseases of coronary arteries, angina pectoris	7,582	5,128	2,218	156	80	4,131	2,849	1,171	72	39
94a	Diseases of coronary arteries	7,367	4,974	2,160	155	78	3,969	2,735	1,124	72	38
94b	Angina pectoris	215	154	58	1	2	162	114	47	-	1

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
81	40	40	1	-	41	25	14	1	1	48	31	17	-	-	28	12	10	5	1	54
234	123	107	2	2	142	81	52	5	4	223	107	98	10	8	215	85	78	30	22	55
107	38	65	-	4	76	17	48	1	10	86	18	51	4	13	94	20	35	14	25	56,57
73	16	53	-	4	55	7	38	1	9	55	7	35	2	11	38	3	17	3	15	56
41	...	37	...	4	39	...	31	...	8	36	...	25	...	11	25	...	12	...	13	56a-c
26	14	12	-	-	11	5	5	1	-	12	6	6	-	-	5	1	2	1	1	56d
6	2	4	-	-	5	2	2	-	1	7	1	4	2	-	8	2	3	2	1	56e
34	22	12	-	-	21	10	10	-	1	31	11	16	2	2	56	17	18	11	10	57
-	...	-	...	-	1	...	-	...	1	2	...	2	...	-	2	...	1	...	1	57a-c
24	14	10	-	-	13	9	4	-	-	16	8	7	-	1	36	9	14	8	5	57d
10	8	2	-	-	7	1	6	-	-	13	3	7	2	1	18	8	3	3	4	57e
863	324	531	3	5	562	190	343	12	17	595	243	289	25	38	491	112	213	42	124	
14	5	9	-	-	10	5	2	1	2	16	4	7	4	1	17	7	2	3	5	58
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	58a
4	2	2	-	-	1	1	-	-	-	3	3	-	-	-	1	-	-	-	1	58b
2	-	2	-	-	2	-	1	-	1	3	-	1	2	-	1	1	-	-	-	58c
3	1	2	-	-	3	1	-	1	1	1	-	1	-	-	5	1	2	1	1	58d
5	2	3	-	-	4	3	1	-	-	7	1	3	2	1	10	5	-	2	3	58e,f
55	25	28	1	1	27	6	21	-	-	48	15	28	3	2	20	5	11	-	4	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
673	262	408	2	1	437	161	252	11	13	445	195	204	16	30	358	82	170	23	83	61
2	1	1	-	-	3	1	2	-	-	-	-	-	-	-	1	-	1	-	-	62
73	9	62	-	2	50	8	41	-	1	38	4	30	1	3	33	2	15	3	13	63
3	2	1	-	-	3	1	2	-	-	2	-	2	-	-	1	-	1	-	-	63a
58	6	51	-	1	39	4	34	-	1	32	3	26	1	2	30	2	12	3	13	63b
12	1	10	-	1	8	3	5	-	-	4	1	2	-	1	2	-	2	-	-	63c-e
22	12	9	-	1	17	7	10	-	-	3	2	1	-	-	20	4	4	6	6	64
10	5	5	-	-	3	-	3	-	-	13	4	9	-	-	3	1	1	1	-	65
8	3	5	-	-	6	1	5	-	-	7	6	-	-	1	11	6	2	2	1	66
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	67
1	-	1	-	-	1	-	1	-	-	1	1	-	-	-	4	-	-	1	3	68
3	1	2	-	-	6	1	4	-	1	18	10	8	-	-	22	4	6	3	9	69
1	-	1	-	-	-	-	-	-	-	4	2	1	1	-	1	1	-	-	-	70
1	1	-	-	-	1	-	1	-	-	2	-	1	-	1	1	-	1	-	-	71
250	129	121	-	-	181	102	87	2	-	199	97	95	6	1	141	54	41	28	18	
14	9	5	-	-	5	3	2	-	-	22	10	9	3	-	20	11	7	2	-	72
72	32	40	-	-	71	34	37	-	-	75	34	39	1	1	25	7	6	6	6	73
54	25	29	-	-	44	20	24	-	-	46	22	24	-	-	7	2	1	2	2	73a
18	7	11	-	-	27	14	13	-	-	29	12	15	1	1	18	5	5	4	4	73b-d
145	80	65	-	-	107	59	46	2	-	88	48	38	2	-	73	32	21	16	4	74
134	72	62	-	-	101	55	44	2	-	88	48	38	2	-	71	31	20	16	4	74a
11	8	3	-	-	6	4	2	-	-	-	-	-	-	-	2	1	1	-	-	74b
14	6	8	-	-	6	5	1	-	-	8	4	4	-	-	16	3	4	3	6	75
5	2	3	-	-	2	1	1	-	-	6	1	5	-	-	7	1	3	1	2	76
23	21	2	-	-	8	6	1	-	1	46	38	4	4	-	21	10	2	6	3	
21	21	-	-	-	8	6	1	-	1	44	37	3	4	-	19	10	1	5	3	77
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	78
2	-	2	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	1	-	79
3,270	1,624	1,617	14	15	2,278	1,096	1,059	63	60	3,106	1,426	1,253	201	226	2,004	530	545	415	514	
34	18	16	-	-	20	9	9	-	2	46	21	21	2	2	31	9	6	12	4	80
20	16	4	-	-	20	16	2	1	1	56	23	24	7	2	50	12	11	14	13	81
68	38	29	1	-	47	25	17	4	1	50	25	23	1	1	36	21	11	2	2	82
2,899	1,419	1,454	11	15	2,049	971	974	52	52	2,782	1,267	1,118	184	213	1,778	456	487	360	475	83
2,610	1,275	1,311	11	13	1,839	863	879	49	48	2,448	1,116	973	167	192	1,624	405	432	338	449	83a
260	128	131	-	1	176	88	84	1	3	138	71	61	3	3	98	38	39	10	11	83b,c
29	16	12	-	1	34	20	11	2	1	196	80	84	14	18	58	13	16	12	15	83d
47	24	22	1	-	24	5	15	1	3	27	6	14	4	3	14	2	6	3	3	84
42	22	19	1	-	45	26	15	3	1	46	29	15	1	1	42	12	8	14	8	85
6	3	3	-	-	1	1	-	-	-	10	3	7	-	-	9	2	3	2	2	86
141	74	67	-	-	64	38	24	2	-	73	43	26	1	3	30	9	9	6	6	87
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	88
11	8	3	-	-	8	5	3	-	-	15	8	5	1	1	14	7	4	2	1	89
8,631	5,066	3,471	69	25	5,915	3,430	2,212	146	127	7,834	3,982	2,863	510	479	6,263	2,410	1,626	1,153	1,074	
7,874	4,675	3,112	63	24	5,415	3,179	1,981	137	118	7,148	3,663	2,574	466	445	5,957	2,312	1,546	1,100	999	90-95
6	5	1	-	-	8	5	2	1	-	15	10	3	1	1	3	1	1	-	1	90
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	90a
5	4	1	-	-	8	5	2	1	-	14	10	2	1	1	3	1	1	-	1	90b
34	15	19	-	-	22	10	9	1	2	26	12	10	-	4	27	4	4	10	9	91
31	14	17	-	-	20	9	9	-	2	19	10	8	-	1	24	3	4	9	8	91a,b
3	1	2	-	-	2	1	-	1	-	7	2	2	-	3	3	1	-	1	1	91c
716	360	346	7	3	590	318	237	11	24	883	400	333	64	80	515	137	110	124	130	92
55	29	25	-	1	42	22	15	-	5	93	47	35	6	5	65	17	12	16	20	92a
330	176	148	4	2	230	124	94	7	5	319	132	116	31	40	195	46	35	43	71	92b
39	18	21	-	-	22	13	8	-	1	14	9	5	-	-	9	3	3	1	2	92c
255	120	133	2	-	262	136	111	4	11	385	183	155	19	28	222	65	58	58	41	92d
37	17	19	1	-	34	23	9	-	2	72	35	22	8	7	24	6	10	6	2	92e
3,267	1,691	1,536	30	10	2,269	1,127	1,002	77	63	3,225	1,429	1,307	252	237	3,468	1,203	1,024	639	602	93
35	17	18	-	-	77	39	30	4	4	104	41	34	19	10	48	10	6	19	13	93a
3	2	1	-	-	3	1	1	-	1	17	6	7	2	2	13	1	5	2	5	93b
19	10	9	-	-	24	12	11	1	-	15	6	8	-	1	10	4	3	2	1	93c
3,855	1,473	1,349	25	8	1,975	966	889	65	55	2,625	1,171	1,095	181	178	3,184	1,106	946	578	554	93d
355	189	159	5	2	190	109	71	7	3	464	205	163	50	46	213	82	64	38	29	93e
3,260	2,282	950	22	6	2,141	1,503	579	37	22	1,941	1,248	569	75	49	1,440	800	298	202	140	94
3,162	2,209	927	20	6	2,063	1,449	556	36	22	1,819	1,173	524	74	48	1,394	772	290	197	135	94a
98	73	23	2	-	78	54	23	1	-	122	75	45	1	1	46	28	8	5	5	94b

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	2,342	1,260	813	134	135	1,114	599	452	26	37
95a	Functional diseases of heart, etc.*	37	20	15	1	1	42	19	23	-	-
95b	Other diseases of heart (rheumatic)	397	178	163	34	22	160	76	67	7	10
95c	Other diseases of heart (not rheumatic)	1,908	1,082	635	99	112	912	504	362	19	27
96	Aneurysm (except of heart and aorta)	112	68	36	2	6	32	20	11	1	-
97	Arteriosclerosis (except coronary or renal sclerosis)	1,548	793	686	39	30	1,024	527	463	19	15
98	Gangrene	19	11	6	2	-	11	5	5	1	-
99	Other diseases of arteries	118	57	55	3	3	83	45	36	1	1
100	Diseases of veins	70	34	33	2	1	26	13	13	-	-
101	Diseases of lymphatic system	4	4	-	-	-	2	-	-	2	-
102	High blood pressure (idiopathic)	54	20	29	3	2	57	27	25	2	3
103	Other diseases of circulatory system	3	2	1	-	-	4	2	2	-	-
	VIII.—Diseases of the respiratory system	3,499	1,875	1,206	265	153	1,735	884	698	83	70
104	Diseases of nasal fossae, accessory sinuses	18	9	8	1	-	15	8	6	1	-
105	Diseases of larynx	16	10	5	-	1	8	5	2	1	-
106	Bronchitis	188	110	62	13	3	85	45	34	3	3
107	Bronchopneumonia (including capillary bronchitis)	1,634	804	628	116	86	634	291	281	34	28
108	Lobar pneumonia	1,136	664	315	113	44	447	239	159	26	23
109	Pneumonia (unspecified)	77	45	27	4	1	211	111	90	6	4
109A	Atypical or virus pneumonia	23	14	9	-	-	10	3	7	-	-
109B	Pneumonia (all other, unspecified)	54	31	18	4	1	201	108	83	6	4
110	Pleurisy (not tuberculous)	75	44	25	4	2	25	14	5	4	2
111	Hemorrhagic infarction, thrombosis, edema*	129	56	65	3	5	181	95	78	4	4
112	Asthma	130	72	50	3	5	80	46	31	-	3
113	Pulmonary emphysema	13	8	2	-	3	8	6	-	1	1
114	Other diseases of respiratory system (except tuberculosis)	83	53	19	8	3	41	24	12	3	2
114a,b	Silicosis, other forms of pneumoconioses	11	11	-	-	-	3	3	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)	72	42	19	8	3	38	21	12	3	2
	IX.—Diseases of the digestive system	3,805	2,118	1,458	123	106	1,536	818	639	40	39
115	Diseases of buccal cavity and adnexa, etc.*	95	54	36	2	3	55	23	26	2	4
116	Diseases of esophagus	14	9	3	2	-	5	2	2	1	-
117	Ulcer of stomach or duodenum	557	427	88	12	10	172	141	26	2	3
117a	Ulcer of stomach	359	298	58	8	5	110	87	19	2	2
117b	Ulcer of duodenum	178	139	30	4	5	62	54	7	-	1
118	Other diseases of stomach (except cancer)	45	23	15	4	3	31	13	14	3	1
119	Diarrhea, enteritis, etc.* (under 2 years)	196	93	89	8	6	139	67	58	4	10
120	Diarrhea, enteritis, etc.* (2 years and over)	104	40	55	3	6	60	24	31	2	3
121	Appendicitis	359	210	118	17	14	145	88	46	5	6
122	Hernia and intestinal obstruction	751	349	337	33	32	303	133	159	6	5
122a	Hernia	345	184	145	10	6	125	60	62	2	1
122b	Intestinal obstruction	406	165	192	23	26	178	73	97	4	4
123	Other diseases of intestines	80	27	43	7	3	45	27	16	2	-
124	Cirrhosis of liver	991	665	289	21	16	307	207	87	9	4
124a	Cirrhosis of liver with mention of alcoholism	170	134	28	2	6	16	14	2	-	-
124b	Cirrhosis of liver without mention of alcoholism	821	531	261	19	10	291	193	85	9	4
125	Other diseases of liver	102	40	48	5	9	45	18	26	1	-
126	Biliary calculi	272	79	190	1	2	82	23	57	1	1
127	Other diseases of gallbladder, biliary ducts	185	59	123	2	1	97	27	69	-	1
128	Diseases of pancreas (except diabetes mellitus)	51	32	15	3	1	16	8	8	-	-
129	Peritonitis (cause not stated)	23	11	9	3	-	34	17	14	2	1
	X.—Diseases of the genito-urinary system	6,668	3,442	2,720	256	250	3,317	1,725	1,414	94	84
130	Acute nephritis	72	31	30	7	4	75	40	27	5	3
131	Chronic nephritis	5,420	2,574	2,444	184	218	2,714	1,346	1,230	70	68
131a	Arteriosclerotic kidney	3,647	1,733	1,681	106	127	2,107	1,027	971	52	57
131b	Other chronic nephritis	1,773	841	763	78	91	607	319	259	18	11
132	Nephritis unspecified (10 years and over)	160	75	66	10	9	159	92	58	7	2
133	Other diseases of kidneys, ureters, etc.*	182	100	69	6	7	78	34	40	2	-
134	Calculi of urinary passages	98	67	25	4	2	38	22	15	1	-
135	Diseases of urinary bladder	37	21	12	4	-	20	11	7	2	-
136	Diseases of urethra (except calculus)	29	18	4	7	-	6	5	-	1	-
137	Diseases of prostate	590	556	...	34	...	180	174	...	6	...
137a	Hypertrophy of prostate	554	523	...	31	...	132	126	...	6	...
137b	Other diseases of prostate	36	33	...	3	...	48	48	...	-	...
138	Diseases of other male genital organs (not venereal)	-	-	...	-	...	1	1	...	-	...
139	Diseases of female genital organs	80	...	70	...	10	48	...	37	...	11
139a	Diseases of ovaries, fallopian tubes, parametria	45	...	37	...	8	22	...	15	...	7
139b	Diseases of uterus	33	...	31	...	2	26	...	22	...	4
139c	Diseases of other female genital organs*	2	...	2	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	237	...	206	...	31	112	...	99	...	13
140	Abortion with mention of infection	21	...	15	...	6	11	...	11	...	-
141	Abortion without mention of infection	9	...	8	...	1	7	...	7	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	1	...	1	...	-	1	...	1	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	3	...	3	...	-	3	...	3	...	-
141d-f	Other abortions (nonseptic)*	5	...	4	...	1	3	...	3	...	-
142	Ectopic gestation	19	...	14	...	5	10	...	9	...	1
142a	Ectopic gestation, with mention of infection	5	...	3	...	2	2	...	2	...	-
142b	Ectopic gestation, without mention of infection	14	...	11	...	3	8	...	7	...	1
143	Hemorrhage of pregnancy (death before delivery)	-	...	-	...	-	1	...	1	...	-
144	Toxemias of pregnancy (death before delivery)	14	...	12	...	2	23	...	21	...	2
145	Other diseases of pregnancy (death before delivery)*	11	...	9	...	2	6	...	6	...	-
145A	With mention of infection	8	...	8	...	2	4	...	4	...	-
145B	Without mention of infection	3	...	3	...	-	2	...	2	...	-
146	Hemorrhage of childbirth and puerperium	32	...	28	...	4	20	...	17	...	3
147	Infection during childbirth and puerperium	60	...	58	...	2	14	...	12	...	2
148	Puerperal toxemias (excluding death before delivery)	46	...	38	...	8	8	...	6	...	2
149	Other accidents and specified conditions of childbirth	22	...	21	...	1	5	...	4	...	1
150	Other and unspecified conditions of childbirth and puerperium	3	...	3	...	-	7	...	5	...	2

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas]

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
591	322	260	4	5	385	216	152	10	7	1,058	558	352	74	74	504	167	101	125	111	95
27	14	13	-	-	34	19	15	-	-	22	8	11	1	2	9	3	1	2	3	95a
83	41	38	1	3	46	31	11	2	2	123	71	41	4	7	66	20	15	11	20	95b
481	267	209	3	2	305	166	126	8	5	913	479	300	69	65	429	144	85	112	88	95c
32	15	17	-	-	13	8	4	1	-	14	7	6	-	1	14	7	1	3	3	96
595	301	288	5	1	396	194	188	7	7	566	255	242	41	28	182	67	57	27	31	97
12	10	2	-	-	6	4	2	-	-	17	11	4	-	2	5	-	1	2	2	98
54	28	25	1	-	41	23	17	-	1	25	16	8	1	-	18	9	4	2	3	99
31	20	11	-	-	19	11	8	-	-	17	5	12	-	-	15	4	4	4	3	100
3	2	1	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	2	-	101
26	11	15	-	-	21	8	11	1	1	44	23	18	2	3	68	11	13	12	32	102
4	4	-	-	-	4	3	1	-	-	2	1	1	-	-	2	-	-	1	1	103
1,092	611	469	6	6	642	339	254	28	21	1,762	818	730	112	102	1,272	363	322	329	258	
6	6	-	-	-	3	2	1	-	-	12	5	6	-	1	4	2	-	-	2	104
5	2	3	-	-	1	-	1	-	-	5	3	2	-	-	5	2	1	-	2	105
53	28	24	1	-	51	24	27	-	-	73	38	32	2	1	46	17	19	5	5	106
464	249	209	2	4	285	137	105	8	15	694	316	292	37	49	601	163	139	177	122	107
328	186	139	2	1	167	90	59	13	5	471	218	167	49	37	286	86	72	69	59	108
47	28	19	-	-	31	23	7	1	-	307	138	147	11	11	155	44	35	37	39	109
16	8	8	-	-	12	10	1	1	-	27	15	11	1	-	15	7	6	1	1	109A
31	20	11	-	-	19	13	6	-	-	280	123	136	10	11	140	37	29	36	38	109B
22	11	11	-	-	10	3	6	1	-	15	9	4	2	-	33	6	8	14	5	110
85	46	39	-	-	63	32	30	1	-	89	37	48	4	-	67	18	27	11	11	111
46	33	13	-	-	32	18	13	1	-	65	34	26	3	2	43	15	12	6	10	112
3	3	-	-	-	2	-	-	2	-	4	4	-	-	-	2	2	-	-	-	113
33	19	12	1	1	17	10	5	1	1	27	16	6	4	1	30	8	9	10	3	114
2	2	-	-	-	3	3	-	-	-	6	3	-	3	-	-	-	-	-	-	114a,b
31	17	12	1	1	14	7	5	1	1	21	13	6	1	1	30	8	9	10	3	114c-e
1,078	637	431	4	6	722	387	298	17	20	1,188	623	431	77	57	977	376	223	215	163	
33	17	16	-	-	21	14	7	-	-	42	18	18	5	1	31	10	11	3	7	115
6	3	3	-	-	4	3	1	-	-	3	2	-	-	1	3	2	-	1	-	116
176	149	26	-	1	104	76	22	3	3	141	94	28	15	4	134	82	7	34	11	117
104	88	16	-	-	82	57	20	2	3	104	68	20	12	4	98	52	6	30	10	117a
72	61	10	-	1	22	19	2	1	-	37	26	8	3	-	36	30	1	4	1	117b
21	15	6	-	-	14	10	3	-	1	58	22	23	9	4	37	12	8	8	9	118
82	52	30	-	-	46	30	16	-	-	211	103	85	11	12	107	21	17	40	29	119
54	21	31	1	1	33	13	17	1	2	61	33	20	5	3	38	11	12	6	9	120
102	62	39	-	1	96	51	40	3	2	103	57	38	4	4	92	36	20	14	22	121
237	133	101	2	1	149	76	64	3	6	168	76	71	9	12	187	57	51	50	29	122
99	68	28	2	1	73	47	23	1	2	61	32	22	3	4	61	23	17	18	3	122a
138	65	73	-	-	76	29	41	2	4	107	44	49	6	8	126	34	34	32	26	122b
20	10	10	-	-	14	4	9	-	1	31	18	9	1	3	32	13	5	7	7	123
144	104	39	1	-	113	68	40	5	-	195	131	42	12	10	161	88	43	30	20	124
10	10	-	-	-	3	2	1	-	-	15	14	-	-	1	10	9	-	-	1	124a
154	94	39	1	-	110	66	39	5	-	180	117	42	12	9	171	79	43	30	19	124b
24	8	16	-	-	18	5	11	1	1	34	18	13	3	-	38	12	8	11	7	125
87	28	57	-	2	59	15	41	-	3	65	17	47	-	1	33	12	16	-	5	126
63	24	39	-	-	38	16	20	1	1	48	22	25	-	1	36	12	18	3	3	127
20	6	14	-	-	6	1	5	-	-	14	7	6	1	-	11	5	3	2	1	128
9	5	4	-	-	7	5	2	-	-	14	5	6	2	1	17	3	4	6	4	129
1,745	1,030	700	8	7	1,500	858	540	63	59	1,957	950	676	191	140	1,691	479	413	422	377	
33	16	16	1	-	40	23	15	-	2	72	37	19	9	7	58	15	12	7	24	130
1,341	714	613	7	7	1,179	605	472	51	51	1,443	673	532	132	106	1,284	362	340	282	300	131
1,096	585	499	7	5	759	394	303	27	35	1,000	443	369	104	84	956	260	260	197	239	131a
245	129	114	-	2	420	211	169	24	16	443	230	163	28	22	328	102	80	85	61	131b
83	60	23	-	-	38	19	13	4	2	176	76	61	25	14	100	25	20	31	24	132
38	19	19	-	-	38	20	18	-	-	54	18	27	5	4	66	18	18	20	10	133
27	19	8	-	-	17	12	5	-	-	23	13	9	1	-	20	8	6	6	-	134
10	8	2	-	-	7	2	5	-	-	15	8	4	2	1	14	3	4	7	-	135
3	3	-	-	-	1	1	-	-	-	8	3	2	2	1	9	3	1	5	-	136
191	191	...	-	...	164	156	...	8	...	134	119	...	15	...	107	45	...	62	...	137
182	182	...	-	...	141	134	...	7	...	100	88	...	12	...	81	33	...	48	...	137a
29	29	...	-	...	23	22	...	1	...	34	31	...	3	...	26	12	...	14	...	137b
-	-	...	-	...	-	-	...	-	...	3	3	...	-	...	2	-	...	2	...	138
19	...	19	...	-	16	...	12	...	4	29	...	22	...	7	31	...	12	...	19	139
8	...	8	...	-	9	...	5	...	4	18	...	12	...	6	23	...	7	...	16	139a
11	...	11	...	-	7	...	7	...	-	10	...	10	...	-	7	...	5	...	2	139b
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	1	...	-	...	1	139c
59	...	58	...	1	60	...	57	...	3	144	...	126	...	18	139	...	65	...	74	
5	...	5	...	-	6	...	6	...	-	16	...	14	...	2	10	...	4	...	6	140
2	...	2	...	-	2	...	2	...	-	6	...	6	...	-	7	...	2	...	5	141
2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	141a,c
-	...	-	...	-	1	...	1	...	-	2	...	2	...	-	4	...	-	...	4	141b
-	...	-	...	-	-	...	-	...	-	4	...	4	...	-	3	...	2	...	1	141d-f
3	...	2	...	1	2	...	2	...	-	4	...	1	...	3	5	...	2	...	3	142
2	...	1	...	1	1	...	1	...	-	1	...	-	...	1	1	...	-	...	1	142a
1	...	1	...	-	1	...	1	...	-	3	...	1	...	2	4	...	2	...	2	142b
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	143
4	...	4	...	-	4	...	4	...	-	15	...	13	...	2	16	...	7	...	9	144
1	...	1	...	-	2	...	2	...	-	7	...	6	...	1	7	...	3	...	4	145
1	...	1	...	-	2	...	2	...	-	7	...	6	...	1	4	...	1	...	3	145A
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	3	...	2	...	1	145B
12	...	12	...	-	7	...	6	...	1	23	...	22	...	1	22	...	15	...	7	146
15	...	15	...	-	16	...	16	...	-	23	...	18	...	5	32	...	14	...	18	147
10	...	10	...	-	12	...	10	...	2	25	...	22	...	3	27	...	15	...	12	148
6	...	6	...	-	8	...	8	...	-	11	...	11	...	-	4	...	2	...	2	149
1	...	1	...	-	1	...	1	...	-	12	...	11	...	1	9	...	1	...	8	150

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	43	14	23	2	4	32	11	16	1	4
151	Carbuncle and furuncle	4	2	1	-	1	2	-	1	-	1
152	Phlegmon and acute abscess	10	5	5	-	-	7	4	2	1	-
153	Other diseases of skin and cellular tissue	29	7	17	2	3	23	7	13	-	3
	XIII.—Diseases of the bones, etc.*	38	20	15	2	1	27	13	14	-	-
154	Osteomyelitis and periostitis	14	9	4	1	-	9	5	4	-	-
155	Other diseases of bones (except tuberculosis)	11	5	6	-	-	6	1	5	-	-
156	Diseases of joints, other organs of movement	13	6	5	1	1	12	7	5	-	-
157	XIV.—Congenital malformations	1,084	532	481	44	27	467	261	191	8	7
157a-d	Congenital malformations of central nervous system	341	137	184	15	5	127	64	60	1	2
157e,f	Congenital malformations of cardiovascular system	495	271	195	14	15	247	146	94	4	3
157g,h,m	Other congenital malformations	248	124	102	15	7	93	51	37	3	2
	XV.—Diseases peculiar to the first year of life	3,186	1,676	1,178	193	139	1,552	860	580	56	56
158	Congenital debility (cause not stated)	39	19	18	2	-	39	24	11	4	-
159	Premature birth (cause not stated)	1,989	1,011	745	181	102	1,039	549	407	37	46
160	Injury at birth	722	413	245	39	25	237	147	78	7	5
161	Other diseases peculiar to first year of life	436	233	170	21	12	237	140	84	8	5
162	XVI.—Senility	192	66	113	4	9	215	84	125	2	4
	XVII.—Violent or accidental deaths	7,013	4,447	1,897	512	157	3,440	2,214	1,081	115	30
163,164	Suicide	945	709	211	22	3	501	375	119	4	3
163	Suicide by poisoning	163	93	67	3	-	96	55	40	-	1
164	Suicide by other means	782	616	144	19	3	405	320	79	4	2
165-168	Homicide[1]	472	154	51	222	45	147	66	33	39	9
166	Homicide by firearms	275	93	27	136	19	72	30	21	19	2
167	Homicide by cutting or piercing instruments	113	25	7	85	16	29	10	2	13	4
168	Homicide by other means	84	36	17	21	10	46	26	10	7	3
169-195	Accidental deaths	5,596	3,584	1,635	268	109	2,790	1,772	929	71	18
169	Railway accidents (except collisions with motor vehicles)	216	167	27	18	4	128	102	15	8	3
170	Motor-vehicle accidents	1,871	1,364	403	79	25	966	722	213	26	5
170a	Collisions between automobiles and trains	147	92	45	3	7	98	71	27	-	-
170b	Collisions between automobiles and streetcars	17	14	3	-	-	3	3	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	1,665	1,218	353	76	18	845	630	184	26	5
170d	Motorcycle accidents (exc. collisions with automobiles)	42	40	2	-	-	20	18	2	-	-
171	Streetcar and other road-transport accidents	111	65	34	7	5	11	8	2	1	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	105	62	33	5	5	6	4	1	1	-
171b	Other and unspecified road-transport accidents	6	3	1	2	-	5	4	1	-	-
172	Water-transport accidents	51	41	9	1	-	13	11	1	1	-
173	Air-transport accidents	69	58	4	7	-	35	30	5	-	-
174	Accidents in mines and quarries	77	74	2	1	-	23	21	1	-	1
175	Agricultural and forestry accidents	76	70	6	-	-	76	69	7	-	-
175a-c	Agricultural accidents	75	69	6	-	-	75	68	7	-	-
175d,e	Forestry accidents	1	1	-	-	-	1	1	-	-	-
176	Other accidents involving machinery	66	59	1	6	-	29	23	2	4	-
177	Food poisoning	13	6	6	1	-	7	4	3	-	-
178	Accidental absorption of poisonous gas	68	37	25	3	3	43	32	11	-	-
179	Acute accidental poisoning by solids or liquids	103	59	34	5	5	32	15	15	2	-
180	Conflagration	155	80	53	11	11	41	18	20	2	1
181	Accidental burns (except conflagration)	255	151	84	21	19	122	62	52	7	1
182	Accidental mechanical suffocation	77	36	22	12	7	40	24	15	1	-
183	Accidental drowning	235	180	34	21	-	118	95	15	7	1
184	Accidental injury by firearms	103	81	13	7	2	54	41	12	1	-
185	Accidental injury by cutting or piercing instruments	25	11	5	6	3	7	6	-	-	1
186	Accidental injury by fall or crushing	1,705	836	801	47	21	540	251	281	5	3
186a	Accidental injury by fall	1,683	817	800	45	21	515	229	278	5	3
186b	Accidental injury by crushing	22	19	1	2	-	25	22	3	-	-
187	Cataclysm, etc.*	1	-	1	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	4	4	-	-	-	1	-	1	-	-
189	Hunger or thirst	1	1	-	-	-	-	-	-	-	-
190	Excessive cold	7	6	-	1	-	8	6	1	-	1
191	Excessive heat	9	9	-	-	-	3	1	-	2	-
192	Lightning	9	8	1	-	-	2	2	-	-	-
193	Accidents due to electric currents (except lightning)	36	32	4	-	-	21	19	2	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	1	1	-	-	-	-	-	-	-	-
195	Other accidents	252	168	66	14	4	470	210	255	4	1
195a	Sequelae of preventive immunization, etc.*	1	-	-	1	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention	1	-	-	1	-	2	1	1	-	-
195d	Obstruction, suffocation, etc.*	41	26	11	3	1	18	13	5	-	-
195c,e	Other and unspecified accidents	209	142	55	9	3	450	196	249	4	1
196	Deaths of military personnel during operations of war	-	-	-	-	-	1	1	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	1	-	-	1	-
	XVIII.—Ill-defined and unknown causes	198	124	62	6	6	209	127	65	10	7
199	Sudden death	4	2	1	1	-	4	2	1	1	-
200	Ill-defined and unknown causes	194	122	61	5	6	205	125	64	9	7
200a	Ill-defined causes	83	52	28	2	1	155	98	54	7	6
200b,c	Unknown or unspecified causes	111	70	33	3	5	40	27	10	2	1

*Refer to International List for complete title, table V, Part I.
[1]Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
17	11	4	1	1	13	5	7	1	-	18	4	12	1	1	15	2	1	4	8	
1	1	-	-	-	-	-	-	-	-	7	2	4	-	1	2	-	-	-	2	151
3	1	-	1	1	-	-	-	-	-	3	-	2	1	-	5	1	-	2	2	152
13	9	4	-	-	13	5	7	1	-	8	2	6	-	-	8	1	1	2	4	153
13	6	7	-	-	14	8	6	-	-	16	10	4	2	-	14	6	3	4	1	
3	2	1	-	-	3	2	1	-	-	8	4	2	2	-	5	4	-	1	-	154
2	-	2	-	-	1	1	-	-	-	1	1	-	-	-	2	-	1	1	-	155
8	4	4	-	-	10	5	5	-	-	7	5	2	-	-	7	2	2	2	1	156
359	184	173	2	-	252	133	107	7	5	364	187	155	11	11	263	114	91	43	35	157
92	44	48	-	-	62	36	26	-	-	72	28	42	1	1	76	31	23	11	11	157a-d
186	91	93	2	-	146	76	60	6	4	217	119	84	8	6	142	56	48	18	20	157e,f
81	49	32	-	-	44	21	21	1	1	75	40	29	2	4	65	27	20	14	4	157g,h,m
995	563	419	4	9	718	417	285	12	4	1,474	783	563	75	53	1,471	484	318	390	279	
14	10	4	-	-	23	13	9	1	-	94	44	44	4	2	54	13	8	24	11	158
623	337	279	1	6	449	254	183	9	3	948	504	349	52	43	962	322	211	232	197	159
219	134	82	1	2	148	94	51	2	1	245	136	95	10	4	256	83	63	74	36	160
139	82	54	2	1	98	56	42	-	-	187	99	75	9	4	199	66	38	60	35	161
324	138	184	1	1	181	86	89	4	2	324	137	159	17	11	187	54	43	26	64	162
2,213	1,409	789	12	3	1,569	992	500	46	31	2,700	1,739	686	205	70	2,091	947	329	605	210	
327	226	99	2	-	182	133	45	3	1	271	193	68	9	1	192	139	33	18	2	163,164
56	19	37	-	-	31	11	20	-	-	45	26	18	1	-	19	12	6	-	1	163
271	207	62	2	-	151	122	25	3	1	226	167	50	8	1	173	127	27	18	1	164
46	28	15	3	-	53	16	17	13	7	304	171	33	80	20	261	49	19	162	31	165-168
19	11	5	3	-	33	9	11	10	3	226	130	17	63	16	153	30	12	97	14	166
10	4	6	-	-	10	2	1	3	4	36	16	6	11	3	62	5	1	46	10	167
17	13	4	-	-	10	5	5	-	-	42	25	10	6	1	46	14	6	19	7	168
1,838	1,153	675	7	3	1,334	843	438	30	23	2,120	1,372	585	114	49	1,636	759	277	423	177	169-195
55	44	10	1	-	35	29	5	1	-	94	68	17	7	2	53	25	3	24	1	169
549	399	149	1	-	467	333	113	12	9	729	552	128	41	8	507	293	68	114	32	170
54	41	13	-	-	52	37	15	-	-	30	21	6	2	1	26	14	6	3	3	170a
2	2	-	-	-	1	1	-	-	-	40	2	-	38	-	-	-	-	-	-	170b
486	351	134	1	-	411	292	98	12	9	642	513	121	1	7	472	272	60	111	29	170c
7	5	2	-	-	3	3	-	-	-	17	16	1	-	-	9	7	2	-	-	170d
11	10	1	-	-	4	4	-	-	-	3	2	1	-	-	10	4	2	3	1	171
6	5	1	-	-	2	2	-	-	-	1	-	1	-	-	4	3	-	-	1	171a
5	5	-	-	-	2	2	-	-	-	2	2	-	-	-	6	1	2	3	-	171b
11	9	2	-	-	6	6	-	-	-	14	14	-	-	-	46	26	-	17	3	172
31	30	1	-	-	38	37	1	-	-	13	12	1	-	-	25	25	-	-	-	173
14	13	1	-	-	3	3	-	-	-	119	112	-	7	-	2	1	-	1	-	174
112	107	5	-	-	73	70	2	1	-	70	62	6	2	-	45	25	1	18	1	175
112	107	5	-	-	70	67	2	1	-	57	49	6	2	-	31	19	1	10	1	175a-c
-	-	-	-	-	3	3	-	-	-	13	13	-	-	-	14	6	-	8	-	175d,e
23	21	2	-	-	10	9	1	-	-	16	15	-	1	-	34	20	1	12	1	176
6	1	5	-	-	6	4	-	2	-	13	8	4	-	1	11	3	3	4	1	177
13	6	7	-	-	21	16	5	-	-	19	8	9	2	-	8	2	2	3	1	178
25	13	12	-	-	8	4	4	-	-	26	15	10	-	1	39	7	13	9	10	179
55	36	19	-	-	44	19	18	2	5	88	40	27	12	9	70	15	4	24	27	180
58	34	24	-	-	55	27	27	-	1	114	33	63	10	8	126	44	27	28	27	181
29	14	13	-	2	17	9	7	-	1	51	25	20	4	2	25	1	5	11	8	182
58	51	6	1	-	40	29	8	1	2	109	86	10	10	3	165	82	19	57	7	183
46	41	4	1	-	45	36	5	4	-	84	61	16	5	2	81	35	5	31	10	184
2	1	-	1	-	5	4	-	-	1	11	4	3	4	-	15	3	3	6	3	185
647	251	395	1	-	352	130	218	3	1	430	168	250	4	8	217	78	92	19	28	186
634	241	392	1	-	344	123	218	2	1	422	163	247	4	8	207	74	92	14	27	186a
13	10	3	-	-	8	7	-	1	-	8	5	3	-	-	10	4	-	5	1	186b
1	1	-	-	-	1	-	1	-	-	4	1	3	-	-	4	-	1	2	1	187
2	1	1	-	-	4	4	-	-	-	4	2	2	-	-	7	4	-	2	1	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	189
6	5	-	-	1	4	3	-	1	-	1	1	-	-	-	-	-	-	-	-	190
-	-	-	-	-	6	3	3	-	-	3	3	-	-	-	2	-	-	2	-	191
6	5	1	-	-	9	9	-	-	-	6	4	2	-	-	3	3	-	-	-	192
16	16	-	-	-	13	11	2	-	-	12	12	-	-	-	24	18	-	4	2	193
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	1	194
62	44	17	1	-	68	44	18	3	3	86	63	13	5	5	114	44	27	32	11	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	195a
2	1	1	-	-	-	-	-	-	-	2	1	-	-	1	2	2	-	-	-	195b
20	15	5	-	-	14	7	5	1	1	20	13	5	1	1	18	7	4	4	3	195d
40	28	11	1	-	54	37	13	2	2	64	49	8	4	3	93	35	23	28	7	195c,e
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
2	2	-	-	-	-	-	-	-	-	4	2	-	2	-	2	-	-	2	-	198
60	41	19	-	-	108	65	38	4	1	248	133	92	12	9	258	65	33	92	68	
5	2	3	-	-	12	11	1	-	-	11	8	1	1	1	18	3	1	8	6	199
55	39	16	-	-	96	54	37	4	1	235	125	91	11	8	240	62	32	84	62	200
50	34	16	-	-	58	33	23	1	1	84	51	28	2	3	127	48	25	29	25	200a
5	5	-	-	-	38	21	14	3	-	151	74	63	9	5	113	14	7	55	37	200b,c

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	10,058	5,549	4,474	23	12	21,703	9,567	7,670	2,464	2,082
	I.—Infectious and parasitic diseases	435	253	179	2	1	1,766	625	342	480	319
1	Typhoid fever	2	-	2	-	-	4	3	1	-	-
2	Paratyphoid fever	1	1	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	-	-	1	1	-	-	-
6	Cerebrospinal (meningococcus) meningitis	9	5	4	-	-	20	3	11	5	1
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	1	1	-	-	2	-	1	-	1
9	Whooping cough	15	5	10	-	-	16	3	8	1	3
10	Diphtheria (infection by C. diphtheriae)	18	11	7	-	-	30	20	6	2	2
11	Erysipelas	2	1	1	-	-	4	1	2	1	-
12	Tetanus	2	2	-	-	-	12	4	1	6	1
13-22	Tuberculosis (all forms)	216	133	80	2	1	1,186	413	209	320	244
13	Tuberculosis of respiratory system, etc.*	202	127	73	2	-	1,115	398	199	302	216
14	Tuberculosis of meninges, etc.*	6	4	1	-	1	34	6	8	8	12
15	Tuberculosis of intestines and peritoneum	2	1	1	-	-	11	-	-	3	8
16	Tuberculosis of vertebral column	1	1	-	-	-	12	4	1	4	3
17	Tuberculosis of bones and joints, etc.*	1	-	1	-	-	4	1	-	2	1
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	1	-	-	1	-
20	Tuberculosis of genito-urinary system	-	-	-	-	-	2	2	-	-	-
21	Tuberculosis of other organs	1	-	1	-	-	-	-	-	-	-
22	Disseminated tuberculosis	3	-	3	-	-	7	2	1	-	4
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	3	1	2	-	-	8	4	3	1	-
25	Gonococcus infection	1	-	1	-	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	1	1	-	-	-
27	Dysentery	2	2	-	-	-	6	4	1	1	-
28	Malaria	-	-	-	-	-	1	-	-	1	-
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	49	33	16	-	-	294	92	37	120	45
30a	Locomotor ataxia (tabes dorsalis)	3	3	-	-	-	6	4	1	1	-
30b	General paralysis of insane	19	15	4	-	-	94	55	9	37	13
30d	Aneurysm of aorta	8	6	2	-	-	76	31	5	30	10
30f	Congenital syphilis	4	1	3	-	-	23	-	5	13	5
30c,e,g	Syphilis (other forms)	15	8	7	-	-	95	22	17	39	17
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	6	5	1	-	-	11	6	4	-	1
33	Influenza	66	29	37	-	-	86	26	34	16	10
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	12	7	5	-	-	16	6	4	2	4
36	Poliomyelitis and poliomyelitis (acute)	3	2	1	-	-	6	3	3	-	-
37	Acute infectious encephalitis (lethargic)	4	2	2	-	-	12	3	6	1	2
38	Other diseases due to filtrable viruses	-	-	-	-	-	2	2	-	-	-
39	Typhus fever and typhus-like diseases*	-	-	-	-	-	7	4	1	-	2
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	1	1	-	-	-
43	Mycoses	1	-	1	-	-	3	3	-	-	-
44	Other infectious and parasitic diseases	21	13	8	-	-	38	22	10	3	3
	II.—Cancer and other tumors	1,430	672	755	3	-	2,869	1,182	1,305	160	222
45-55	Cancer and other malignant tumors	1,393	664	726	3	-	2,787	1,155	1,267	155	210
45	Cancer of buccal cavity and pharynx	35	26	9	-	-	89	57	19	8	5
45a	Cancer of lip	11	11	-	-	-	12	10	1	1	-
45b	Cancer of tongue	7	4	3	-	-	20	17	2	1	-
45c	Cancer of mouth	6	5	1	-	-	11	7	2	1	1
45d	Cancer of jaw bone	5	2	3	-	-	18	10	4	4	-
45e	Cancer of unspecified parts of buccal cavity	-	-	-	-	-	-	-	-	-	-
45f	Cancer of pharynx	6	4	2	-	-	28	13	10	1	4
46	Cancer of digestive organs and peritoneum	876	370	505	1	-	1,142	512	473	84	73
46a	Cancer of esophagus	28	16	12	-	-	48	34	5	8	1
46b	Cancer of stomach	163	120	43	-	-	352	178	108	40	26
46c	Cancer of duodenum	8	5	3	-	-	4	3	-	1	-
46d	Cancer of rectum and anus	118	67	51	-	-	144	63	60	13	8
46e	Cancer of intestines, etc.*	230	106	123	1	-	313	116	166	10	21
46f	Cancer of liver and biliary passages	68	23	45	-	-	147	53	83	4	7
46g	Cancer of pancreas	46	28	18	-	-	100	51	38	6	5
46h	Cancer of mesentery and peritoneum	7	3	4	-	-	19	7	7	-	5
46m	Cancer of other and unspecified sites	8	2	6	-	-	15	7	6	2	-
47	Cancer of respiratory system	83	60	23	-	-	265	202	39	20	4
47a	Cancer of larynx	5	4	1	-	-	34	30	2	2	-
47b,c	Cancer of trachea and bronchus	23	18	5	-	-	78	61	7	9	1
47d	Cancer of lung	53	36	17	-	-	142	104	26	9	3
47e	Cancer of pleura	-	-	-	-	-	1	1	-	-	-
47f	Cancer of other respiratory organs	2	2	-	-	-	10	6	4	-	-
48	Cancer of uterus	155	...	155	...	-	296	...	227	...	69
48a	Cancer of cervix	70	...	70	...	-	131	...	103	...	28
48b	Cancer of other and unspecified sites of uterus	85	...	85	...	-	165	...	124	...	41
49	Cancer of other female genital organs	24	...	24	...	-	92	...	80	...	12
49a,b	Cancer of ovary, fallopian tube, and parametrium	22	...	22	...	-	76	...	68	...	8
49c-e	Cancer of other female genital organs	2	...	2	...	-	16	...	12	...	4
50	Cancer of breast	124	-	124	-	-	301	3	268	1	29
51	Cancer of male genital organs	102	100	...	2	...	157	135	...	22	...
51b	Cancer of prostate	98	94	...	2	...	137	117	...	20	...
51a,c-e	Cancer of other male genital organs	6	6	...	-	...	20	18	...	2	...
52	Cancer of urinary organs	64	40	24	-	-	152	87	53	8	3
52a	Cancer of kidney	23	18	5	-	-	39	22	15	1	1
52b	Cancer of bladder	41	22	19	-	-	111	65	36	8	2
52c	Cancer of other and unspecified sites	-	-	-	-	-	2	-	2	-	-
53	Cancer of skin, etc.*	22	15	7	-	-	57	33	21	2	1

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

end of deaths among armed forces overseas)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
51,398	26,584	23,903	507	404	55,167	29,646	21,898	2,001	1,622	28,937	15,501	11,076	198	162	19,417	5,333	3,797	5,369	4,918	
2,304	1,453	741	68	42	3,154	1,662	829	405	268	1,312	789	466	35	22	1,629	323	221	575	510	
1	-	1	-	-	6	2	3	-	1	2	-	2	-	-	10	1	2	2	5	1
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	5
24	11	13	-	-	42	22	17	1	2	15	9	6	-	-	24	4	6	6	8	6
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
2	1	1	-	-	3	2	1	-	-	4	2	2	-	-	3	2	1	-	-	8
16	10	6	-	-	45	18	18	4	5	16	7	8	-	1	31	4	6	10	11	9
38	25	13	-	-	28	16	12	-	-	41	21	20	-	-	31	13	7	8	3	10
4	2	2	-	-	4	1	2	1	-	1	-	1	-	-	3	-	1	1	1	11
5	2	2	1	-	13	7	5	-	1	7	4	2	-	1	20	2	4	11	3	12
1,564	1,072	503	52	37	1,891	980	431	282	198	585	345	199	24	17	741	153	89	253	246	13-22
1,563	1,029	454	48	32	1,694	902	382	245	165	535	315	181	24	15	669	145	81	217	226	13
27	11	13	1	2	65	23	15	15	12	7	3	3	-	1	14	4	-	6	4	14
14	7	5	1	1	18	4	8	-	6	6	3	3	-	-	16	-	2	5	9	15
14	4	9	-	1	23	8	6	5	4	7	5	2	-	-	14	1	3	8	2	16
2	1	1	-	-	6	5	-	1	-	1	1	-	-	-	1	1	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
4	3	1	-	-	7	2	4	1	-	3	1	2	-	-	3	-	1	2	-	19
13	7	5	1	-	25	17	7	-	1	7	5	2	-	-	1	-	-	-	1	20
3	-	3	-	-	1	-	-	1	-	3	1	2	-	-	3	-	2	1	-	21
24	10	12	1	1	52	19	9	14	10	16	11	4	-	1	20	2	-	14	4	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
10	7	3	-	-	34	17	13	2	2	7	4	3	-	-	12	-	3	4	5	24
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	-	3	1	26
8	4	3	-	1	15	7	7	-	1	6	4	2	-	-	28	5	2	9	12	27
-	-	-	-	-	3	3	-	-	-	1	1	-	-	-	29	2	2	12	13	28
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	29
235	167	53	12	3	552	301	103	102	46	189	138	41	8	2	217	32	4	120	61	30
13	11	2	-	-	30	24	6	-	-	12	9	3	-	-	2	2	-	-	-	30a
56	44	10	2	-	146	83	26	31	6	48	41	6	1	-	56	11	-	28	17	30b
95	66	24	3	2	163	99	25	30	9	65	50	11	3	1	30	10	1	12	7	30d
3	1	2	-	-	20	2	8	4	6	5	4	1	-	-	24	1	1	11	11	30f
68	45	15	7	1	193	93	38	37	25	59	34	20	4	1	105	8	2	69	26	30c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
22	11	11	-	-	22	13	9	-	-	8	5	3	-	-	4	-	1	1	2	32
110	50	58	1	1	229	114	106	5	4	129	65	64	-	-	376	68	74	114	120	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
16	7	9	-	-	47	21	24	-	2	10	3	7	-	-	43	9	9	12	13	35
24	18	5	1	-	90	55	28	4	3	216	136	77	2	1	17	10	-	3	4	36
14	6	8	-	-	15	10	5	-	-	15	10	5	-	-	7	5	2	-	-	37
4	2	2	-	-	8	3	4	1	-	-	-	-	-	-	4	1	2	-	1	38
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	5	3	1	1	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	41
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	42
7	4	2	1	-	11	5	4	1	1	4	3	1	-	-	3	2	-	1	-	43
95	50	45	-	-	101	61	36	2	2	55	32	22	1	-	14	6	5	3	-	44
7,985	3,710	4,167	57	61	7,737	3,715	3,617	184	221	4,104	2,146	1,932	8	18	1,760	517	554	261	428	
7,760	3,623	4,027	54	56	7,481	3,631	3,472	177	201	3,982	2,099	1,858	7	18	1,674	500	530	250	394	45-55
275	225	48	2	-	187	160	20	6	1	90	66	24	-	-	62	27	15	9	11	45
27	25	2	-	-	20	20	-	-	-	15	13	2	-	-	3	-	1	1	1	45a
76	59	15	2	-	50	41	5	4	-	13	5	8	-	-	12	6	3	-	3	45b
39	33	6	-	-	25	23	2	-	-	12	9	3	-	-	8	4	2	1	1	45c
44	37	7	-	-	22	19	2	-	1	21	16	5	-	-	9	2	2	2	3	45d
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	45e
85	67	18	-	-	70	57	11	2	-	29	23	6	-	-	29	15	7	4	3	45f
3,579	1,844	1,684	27	24	3,294	1,789	1,369	91	45	1,887	1,101	776	3	7	686	239	191	138	118	46
170	132	31	7	-	127	92	21	12	2	73	58	15	-	-	10	4	2	4	-	46a
1,026	608	395	12	11	1,115	696	374	33	12	746	491	253	2	-	253	86	48	76	43	46b
8	6	2	-	-	12	6	6	-	-	5	3	2	-	-	-	-	-	-	-	46c
507	277	226	3	1	400	225	158	11	6	200	130	68	-	1	65	13	17	11	24	46d
1,120	477	635	2	6	853	402	429	13	9	479	244	232	1	2	149	49	63	15	22	46e
366	154	207	1	4	448	184	243	12	9	204	77	125	-	2	136	50	41	22	23	46f
302	155	145	1	1	239	139	91	5	4	147	78	67	-	2	54	29	15	8	2	46g
43	22	21	-	-	68	34	29	3	2	24	15	9	-	-	13	5	3	2	3	46h
37	13	22	1	1	32	11	18	2	1	9	5	4	-	-	6	3	2	-	1	46m
669	509	148	10	2	642	517	91	26	8	240	195	43	2	-	113	63	23	24	3	47
64	55	9	-	-	81	68	9	2	2	17	15	2	-	-	12	7	3	2	-	47a
107	94	11	2	-	184	154	20	10	-	75	67	7	1	-	23	16	1	6	-	47b,c
477	348	121	6	2	344	270	54	14	6	133	102	32	1	-	75	39	19	14	3	47d
5	3	1	1	-	7	7	-	-	-	5	4	1	-	-	-	-	-	-	-	47e
16	9	6	1	-	26	18	8	-	-	8	7	1	-	-	3	1	-	2	-	47f
594	...	577	...	17	710	...	635	...	75	265	...	257	...	8	258	...	100	...	158	48
238	...	228	...	10	321	...	276	...	45	118	...	114	...	4	112	...	48	...	64	48a
356	...	349	...	7	389	...	359	...	30	147	...	143	...	4	146	...	52	...	94	48b
245	...	243	...	2	233	...	221	...	12	121	...	120	...	1	42	...	28	...	14	49
207	...	206	...	1	210	...	198	...	12	108	...	107	...	1	32	...	23	...	9	49a,b
38	...	37	...	1	23	...	23	...	-	13	...	13	...	-	10	...	5	...	5	49c-e
806	9	789	-	8	698	8	657	-	33	408	5	401	-	2	135	1	78	1	55	50
412	404	...	8	...	494	474	...	20	...	323	322	...	1	...	104	65	...	39	...	51
379	371	...	8	...	454	435	...	19	...	302	301	...	1	...	97	62	...	35	...	51b
33	33	...	-	...	40	39	...	1	...	21	21	...	-	...	7	3	...	4	...	51a,c-e
386	222	162	2	-	378	246	117	11	4	214	160	54	-	-	57	20	21	11	5	52
124	68	55	1	-	115	71	39	2	3	97	73	24	-	-	15	7	5	2	1	52a
259	153	105	1	-	260	173	77	9	1	116	86	29	-	-	40	13	14	9	4	52b
3	1	2	-	-	3	2	1	-	-	2	1	1	-	-	2	-	2	-	-	52c
112	60	51	1	-	103	62	40	-	1	57	27	30	-	-	50	22	21	3	4	53

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
54	Cancer of central nervous system*	14	8	6	-	-	52	31	18	-	3
55	Cancer of other and unspecified organs	94	45	49	-	-	184	95	69	9	11
56,57	Nonmalignant tumors and tumors of unspecified nature	37	8	29	-	-	82	27	38	5	12
56	Nonmalignant tumors (including dermoid cysts)	16	1	15	-	-	46	8	27	2	9
56a-c	Nonmalignant tumors of female genital organs	11	...	11	...	-	17	...	13	...	4
56d	Nonmalignant tumors of central nervous system*	3	1	2	-	-	17	5	7	1	4
56e	Nonmalignant tumors of other and unspecified organs	2	-	2	-	-	12	3	7	1	1
57	Tumors of unspecified nature	21	7	14	-	-	36	19	11	3	3
57a-c	Tumors, female genital organs (nature unspecified)	-	...	-	...	-	1	...	1	...	-
57d	Tumors, central nervous system* (nature unspecified)	16	6	10	-	-	27	15	7	3	2
57e	Tumors, other organs (nature unspecified)	5	1	4	-	-	8	4	3	-	1
	III.—Rheumatism, diseases of nutrition, etc.*	295	126	169	-	-	646	180	368	30	68
58	Acute rheumatic fever	7	5	2	-	-	16	5	5	3	3
58a	Acute rheumatic pericarditis	-	-	-	-	-	1	1	-	-	-
58b	Acute rheumatic endocarditis	3	3	-	-	-	5	2	1	1	1
58c	Acute rheumatic myocarditis	2	1	1	-	-	2	-	2	-	-
58d	Other acute rheumatic heart diseases	-	-	-	-	-	4	2	-	1	1
58e,f	Other forms of acute rheumatic fever, etc.*	2	1	1	-	-	4	-	2	1	1
59	Chronic rheumatism, other rheumatic diseases	19	8	11	-	-	15	5	8	-	2
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	235	103	132	-	-	539	147	319	18	55
62	Diseases of pituitary gland	2	-	2	-	-	-	-	-	-	-
63	Diseases of thyroid and parathyroid glands	19	2	17	-	-	31	5	23	1	2
63a	Simple goiter	1	-	1	-	-	21	1	19	-	1
63b	Exophthalmic goiter	14	1	13	-	-	7	3	3	1	-
63c-e	Other diseases of thyroid and parathyroid glands	4	1	3	-	-	3	1	1	-	1
64	Diseases of thymus gland	5	3	2	-	-	25	12	5	2	6
65	Diseases of adrenal glands*	3	1	2	-	-	7	2	3	2	-
66	Other general diseases	3	2	1	-	-	5	2	2	1	-
67	Scurvy	1	1	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	4	1	2	1	-
70	Rickets	-	-	-	-	-	2	-	-	2	-
71	Other avitaminoses	1	1	-	-	-	2	1	1	-	-
	IV.—Diseases of the blood and blood-forming organs	87	53	34	-	-	127	60	54	8	5
72	Hemorrhagic conditions	6	3	3	-	-	9	3	3	1	2
73	Anemias (except splenic anemia)	22	10	12	-	-	29	9	15	4	1
73a	Pernicious anemia	15	8	7	-	-	9	4	5	-	-
73b-d	Other anemias (except splenic)	7	2	5	-	-	20	5	10	4	1
74	Leukemias and aleukemias	55	38	17	-	-	76	38	34	2	2
74a	Leukemias	52	36	16	-	-	70	36	30	2	2
74b	Aleukemias	3	2	1	-	-	6	2	4	-	-
75	Diseases of spleen	4	2	2	-	-	10	8	1	1	-
76	Other diseases of blood and blood-forming organs	-	-	-	-	-	3	2	1	-	-
	V.—Chronic poisoning and intoxication	25	22	3	-	-	64	48	6	7	3
77	Alcoholism (ethylism)	24	22	2	-	-	57	46	3	6	2
78	Lead poisoning	1	-	1	-	-	5	2	1	1	1
79	Chronic poisoning by other mineral substances*	-	-	-	-	-	2	-	2	-	-
	VI.—Diseases of the nervous system, etc.*	1,149	554	591	2	2	1,890	712	793	190	195
80	Encephalitis (nonepidemic)	7	6	1	-	-	20	12	5	2	1
81	Meningitis (not due to meningococcus)	11	5	6	-	-	25	9	9	2	5
82	Diseases of spinal cord (see exceptions)*	19	8	10	1	-	23	12	6	4	1
83	Intracranial lesions of vascular origin	1,050	502	546	-	2	1,712	630	732	169	181
83a	Cerebral hemorrhage or effusion*	933	443	488	-	2	1,510	544	647	148	171
83b,c	Cerebral embolism, thrombosis, and softening	112	57	55	-	-	154	71	67	12	4
83d	Hemiplegia, other paralysis, etc.*	5	2	3	-	-	48	15	18	9	6
84	Mental diseases and deficiency (see exception)*	12	6	6	-	-	16	5	4	5	2
85	Epilepsy	18	10	7	1	-	21	7	5	6	3
86	Convulsions (under 5 years)	-	-	-	-	-	2	1	-	-	1
87	Other diseases of nervous system	24	14	10	-	-	57	28	26	2	1
88	Diseases of organs of vision	-	-	-	-	-	1	1	-	-	-
89	Diseases of ear and mastoid process	8	3	5	-	-	13	7	6	-	-
	VII.—Diseases of the circulatory system	3,405	1,962	1,437	6	-	7,363	3,540	2,690	598	535
90-95	Diseases of the heart (all forms)	3,092	1,802	1,284	6	-	6,963	3,391	2,529	549	494
90	Pericarditis (except acute rheumatic)	3	-	3	-	-	8	3	2	1	2
90a	Chronic rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
90b	Other pericarditis	3	-	3	-	-	8	3	2	1	2
91	Acute endocarditis (except rheumatic)	9	6	3	-	-	24	14	4	5	1
91a,b	Bacterial, acute, and subacute endocarditis	8	6	2	-	-	24	14	4	5	1
91c	Endocarditis (unspecified, under 45 years)	1	-	1	-	-	-	-	-	-	-
92	Chronic affections of valves and endocardium	320	171	148	1	-	509	195	199	62	53
92a	Diseases of aortic valve, etc.*	25	16	9	-	-	52	23	11	14	4
92b	Diseases of mitral valve, etc.*	118	55	63	-	-	202	72	89	14	27
92c	Chronic rheumatic endocarditis, etc.*	22	13	9	-	-	26	13	10	2	1
92d	Other chronic endocarditis, etc.*	146	81	64	1	-	212	82	82	31	17
92e	Endocarditis (unspecified, 45 years and over)	9	6	3	-	-	17	5	7	1	4
93	Diseases of the myocardium	1,418	730	685	3	-	4,194	1,801	1,700	349	344
93a	Acute myocarditis (except rheumatic)	21	14	7	-	-	58	20	19	10	9
93b	Myocarditis (unspecified, under 45 years)	1	1	-	-	-	6	1	2	-	3
93c	Chronic rheumatic myocarditis, etc.*	12	6	6	-	-	40	18	19	2	3
93d	Other chronic myocarditis, etc.*	1,314	675	636	3	-	3,944	1,694	1,613	319	318
93e	Other myocarditis (unspecified)	70	34	36	-	-	146	70	47	16	11
94	Diseases of coronary arteries, angina pectoris	1,164	794	389	1	-	1,918	1,260	509	88	61
94a	Diseases of coronary arteries	1,092	746	345	1	-	1,863	1,227	492	87	57
94b	Angina pectoris	72	48	24	-	-	55	33	17	1	4

*Refer to International List for complete title, table V. Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
130	79	51	-	-	129	81	43	2	3	84	54	30	-	-	16	10	4	2	-	54
552	271	274	4	3	613	294	279	21	19	293	169	123	1	-	151	53	49	23	26	55
235	87	140	3	5	256	84	145	7	20	122	47	74	1	-	86	17	24	11	34	56,57
119	28	85	2	4	137	16	98	4	19	80	27	52	1	-	41	2	10	3	26	56
61	...	57	...	4	90	...	72	...	18	32	...	32	...	-	32	...	8	...	24	56e-c
39	18	20	1	-	28	8	18	2	-	31	15	16	-	-	1	-	1	-	-	56d
19	10	8	1	-	19	8	8	2	1	17	12	4	1	-	8	2	1	3	2	56e
116	59	55	1	1	119	68	47	3	1	42	20	22	-	-	45	15	14	8	8	57
2	...	2	...	-	6	...	6	...	-	2	...	2	...	-	3	...	2	...	1	57a-c
82	41	39	1	1	69	40	26	3	-	25	12	13	-	-	30	12	10	4	4	57d
32	18	14	-	-	44	28	15	-	1	15	8	7	-	-	12	3	2	4	3	57e
1,766	578	1,157	13	18	1,939	691	1,143	27	78	937	361	569	4	3	451	109	152	60	130	
23	12	11	-	-	26	9	13	1	3	22	7	13	1	1	18	5	2	3	8	58
2	1	1	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	58a
9	4	5	-	-	10	5	4	-	1	8	1	6	-	1	6	2	1	2	1	58b
-	-	-	-	-	2	-	1	-	1	2	1	1	-	-	2	1	-	-	1	58c
6	4	2	-	-	7	3	3	1	-	3	1	1	1	-	1	-	-	-	1	58d
6	3	3	-	-	7	1	5	-	1	6	4	2	-	-	9	2	1	1	5	58e,f
40	11	28	1	-	69	22	45	1	1	63	26	37	-	-	23	8	7	5	3	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
1,583	512	1,045	10	16	1,540	534	928	20	58	743	299	439	3	2	311	77	114	37	83	61
9	2	6	1	-	7	3	3	-	1	1	-	1	-	-	-	-	-	-	-	62
58	11	45	1	1	146	31	104	3	8	67	9	58	-	-	29	3	8	2	16	63
1	-	1	-	-	6	1	3	-	2	4	1	3	-	-	3	-	-	2	1	63a
42	8	32	1	1	117	24	85	2	6	50	7	43	-	-	23	2	8	-	13	63b
15	3	12	-	-	23	6	16	1	-	13	1	12	-	-	3	1	-	-	2	63c-e
18	11	7	-	-	90	55	30	2	3	11	6	5	-	-	5	3	2	-	-	64
14	7	6	-	1	28	19	9	-	-	16	6	10	-	-	2	1	1	-	-	65
9	5	4	-	-	15	7	7	-	1	9	8	1	-	-	15	5	5	5	-	66
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	67
4	3	1	-	-	4	3	1	-	-	2	-	2	-	-	2	-	-	1	1	68
3	1	2	-	-	5	2	2	-	1	2	-	2	-	-	45	7	12	7	19	69
-	-	-	-	-	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	70
5	3	2	-	-	5	3	1	-	1	-	-	-	-	-	1	-	1	-	-	71
372	185	171	3	3	482	259	201	13	9	253	142	109	1	1	110	47	37	15	11	
16	9	7	-	-	23	13	9	1	-	4	2	2	-	-	13	9	4	-	-	72
80	35	44	-	1	130	67	60	-	3	76	35	39	1	1	24	8	5	6	5	73
50	21	28	-	1	81	41	38	-	2	54	29	24	1	-	8	3	3	1	1	73a
30	14	16	-	-	49	26	22	-	1	22	6	15	-	1	18	5	2	5	4	73b-d
253	139	109	3	2	296	165	115	11	5	159	99	60	-	-	63	26	24	7	6	74
232	128	99	3	2	280	156	108	11	5	154	96	58	-	-	63	26	24	7	6	74a
21	11	10	-	-	16	9	7	-	-	5	3	2	-	-	-	-	-	-	-	74b
20	9	11	-	-	19	9	10	-	-	6	3	3	-	-	8	3	3	2	-	75
3	3	-	-	-	14	5	7	1	1	8	3	5	-	-	2	1	1	-	-	76
115	94	16	5	-	34	27	7	-	-	42	33	6	2	1	20	11	1	8	-	
110	91	14	5	-	31	26	5	-	-	37	29	6	1	1	19	10	1	8	-	77
4	3	1	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	78
1	-	1	-	-	3	1	2	-	-	2	1	-	1	-	1	1	-	-	-	79
5,224	2,214	2,918	46	46	5,797	2,680	2,833	132	152	3,118	1,606	1,477	20	15	2,012	508	462	475	567	
27	13	10	3	1	50	25	21	2	2	25	12	12	-	1	28	6	7	10	5	80
48	29	18	-	1	66	27	25	10	4	24	19	4	1	-	40	5	4	22	9	81
96	57	39	-	-	101	55	43	2	1	68	42	26	-	-	13	8	4	-	1	82
4,751	1,943	2,726	38	44	5,207	2,378	2,593	107	139	2,766	1,414	1,323	17	12	1,803	451	419	400	533	83
3,858	1,564	2,235	24	35	4,507	2,054	2,242	86	125	2,418	1,234	1,160	14	10	1,652	399	382	370	501	83a
844	358	464	13	9	593	280	285	15	13	313	160	148	3	2	72	28	21	10	13	83b,c
49	21	27	1	-	107	44	56	6	1	35	20	15	-	-	79	24	16	20	19	83d
30	16	12	2	-	35	18	17	-	-	22	11	11	-	-	33	6	5	13	9	84
101	66	34	1	-	91	44	38	6	3	41	16	25	-	-	43	10	11	20	2	85
3	2	1	-	-	11	6	5	-	-	7	5	1	-	1	10	2	2	2	4	86
147	73	73	1	-	213	121	86	4	2	146	78	68	-	-	29	14	8	5	2	87
-	-	-	-	-	2	-	2	-	-	2	1	-	-	1	4	1	1	2	-	88
21	15	5	1	-	21	6	13	1	1	17	8	7	2	-	9	5	1	1	2	89
20,175	10,847	9,029	159	140	18,986	10,946	7,089	519	432	9,187	5,617	3,484	43	43	3,950	1,477	825	871	777	
18,901	10,264	8,363	146	128	17,740	10,310	6,517	501	412	8,355	5,159	3,115	40	41	3,631	1,398	754	783	696	90-95
11	3	7	1	-	29	14	11	4	-	5	4	1	-	-	7	-	1	2	4	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90a
11	3	7	1	-	29	14	11	4	-	5	4	1	-	-	7	-	1	2	4	90b
39	22	16	-	1	51	27	15	6	3	25	11	13	1	-	25	8	3	5	9	91
38	22	15	-	1	49	26	14	6	3	22	10	11	1	-	24	7	3	5	9	91a,b
1	-	1	-	-	2	1	1	-	-	3	1	2	-	-	1	1	-	-	-	91c
1,144	526	602	6	10	1,445	747	634	34	30	800	434	357	3	6	546	138	109	167	132	92
128	65	57	3	3	99	70	25	2	2	77	51	26	-	-	62	20	8	19	15	92a
488	220	264	2	2	564	257	274	16	17	338	170	164	1	3	300	70	61	92	77	92b
76	38	36	-	2	53	26	26	1	-	76	46	28	1	1	9	1	3	1	4	92c
408	186	219	1	2	654	348	263	13	10	285	153	129	1	2	151	41	32	45	33	92d
44	17	26	-	1	75	46	26	2	1	24	14	10	-	-	24	6	5	10	3	92e
10,303	4,909	5,219	85	90	8,510	4,249	3,702	292	267	3,254	1,777	1,440	16	21	1,628	535	365	368	360	93
88	45	42	-	1	169	85	67	8	9	30	18	12	-	-	36	9	4	10	13	93a
8	4	4	-	-	14	6	4	1	3	3	-	3	-	-	6	1	-	4	1	93b
44	18	26	-	-	35	20	10	3	2	25	17	8	-	-	9	5	-	2	2	93c
9,795	4,683	4,942	83	87	7,512	3,715	3,303	260	234	2,971	1,611	1,323	16	21	1,439	455	334	328	322	93d
368	159	205	2	2	780	423	318	20	19	225	131	94	-	-	138	65	27	24	22	93e
6,077	4,109	1,910	38	20	6,377	4,520	1,654	129	74	3,586	2,529	1,034	15	8	935	542	187	103	93	94
6,024	4,084	1,883	37	20	6,218	4,409	1,611	127	71	3,554	2,506	1,025	15	8	870	501	181	98	90	94a
53	25	27	1	-	159	111	43	2	3	32	23	9	-	-	65	41	16	5	3	94b

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	178	101	76	1	-	310	118	115	44	33
95a	Functional diseases of heart, etc.*	4	2	2	-	-	12	6	6	-	-
95b	Other diseases of heart (rheumatic)	50	122	28	-	-	70	24	29	6	11
95c	Other diseases of heart (not rheumatic)	124	77	46	1	-	228	88	80	38	22
96	Aneurysm (except of heart and aorta)	10	4	6	-	-	12	5	5	1	1
97	Arteriosclerosis (except coronary or renal sclerosis)	256	134	122	-	-	331	124	126	43	38
98	Gangrene	1	1	-	-	-	5	1	3	-	1
99	Other diseases of arteries	16	8	8	-	-	14	6	6	2	-
100	Diseases of veins	21	10	11	-	-	19	7	11	1	-
101	Diseases of lymphatic system	-	-	-	-	-	1	-	1	-	-
102	High blood pressure (idiopathic)	8	3	5	-	-	14	4	7	2	1
103	Other diseases of circulatory system	1	-	1	-	-	4	2	2	-	-
	VIII.—Diseases of the respiratory system	529	297	231	1	-	944	380	266	158	140
104	Diseases of nasal fossae, accessory sinuses	4	2	2	-	-	8	1	1	5	1
105	Diseases of larynx	2	1	1	-	-	6	5	1	-	-
106	Bronchitis	36	19	17	-	-	44	25	14	3	2
107	Bronchopneumonia (including capillary bronchitis)	227	125	102	-	-	384	146	128	50	60
108	Lobar pneumonia	159	93	65	1	-	317	124	70	68	55
109	Pneumonia (unspecified)	24	14	10	-	-	46	21	12	11	2
109A	Atypical or virus pneumonia	8	-	8	-	-	10	5	2	3	-
109B	Pneumonia (all other, unspecified)	16	14	2	-	-	36	16	10	8	2
110	Pleurisy (not tuberculous)	6	3	3	-	-	28	14	6	6	2
111	Hemorrhagic infarction, thrombosis, edema*	25	12	13	-	-	53	17	19	8	9
112	Asthma	33	18	15	-	-	35	17	12	1	5
113	Pulmonary emphysema	1	-	1	-	-	6	3	1	2	-
114	Other diseases of respiratory system (except tuberculosis)	12	10	2	-	-	17	7	2	4	4
114a,b	Silicosis, other forms of pneumoconioses	2	2	-	-	-	2	2	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)	10	8	2	-	-	15	5	2	4	4
	IX.—Diseases of the digestive system	348	199	148	1	-	920	463	282	97	78
115	Diseases of buccal cavity and adnexa, etc.*	18	12	6	-	-	25	11	7	4	3
116	Diseases of esophagus	-	-	-	-	-	6	3	1	2	-
117	Ulcer of stomach or duodenum	50	47	3	-	-	83	63	12	5	3
117a	Ulcer of stomach	35	32	3	-	-	61	45	9	5	2
117b	Ulcer of duodenum	15	15	-	-	-	22	18	3	-	1
118	Other diseases of stomach (except cancer)	16	8	8	-	-	19	11	6	2	-
119	Diarrhea, enteritis, etc.* (under 2 years)	36	19	17	-	-	136	61	30	30	15
120	Diarrhea, enteritis, etc.* (2 years and over)	15	9	6	-	-	29	11	9	4	5
121	Appendicitis	20	9	11	-	-	63	32	20	8	3
122	Hernia and intestinal obstruction	68	35	32	1	-	161	68	57	16	20
122a	Hernia	27	15	11	1	-	86	44	28	8	6
122b	Intestinal obstruction	41	20	21	-	-	75	24	29	8	14
123	Other diseases of intestines	12	7	5	-	-	34	21	9	2	2
124	Cirrhosis of liver	55	29	26	-	-	231	138	66	16	11
124a	Cirrhosis of liver with mention of alcoholism	3	2	1	-	-	38	24	12	-	2
124b	Cirrhosis of liver without mention of alcoholism	52	27	25	-	-	193	114	54	16	9
125	Other diseases of liver	7	3	4	-	-	30	11	12	1	6
126	Biliary calculi	28	8	20	-	-	39	9	27	1	2
127	Other diseases of gallbladder, biliary ducts	14	8	6	-	-	34	12	18	1	3
128	Diseases of pancreas (except diabetes mellitus)	3	1	2	-	-	21	10	6	4	1
129	Peritonitis (cause not stated)	6	4	2	-	-	9	2	2	1	4
	X.—Diseases of the genito-urinary system	718	413	297	3	5	1,958	802	669	254	233
130	Acute nephritis	12	5	6	1	-	37	12	9	7	9
131	Chronic nephritis	597	327	263	2	5	1,704	671	611	210	212
131a	Arteriosclerotic kidney	402	215	181	2	4	1,433	554	532	169	178
131b	Other chronic nephritis	195	112	82	-	1	271	117	79	41	34
132	Nephritis unspecified (10 years and over)	13	8	5	-	-	32	9	16	5	2
133	Other diseases of kidneys, ureters, etc.*	17	10	7	-	-	37	15	13	7	2
134	Calculi of urinary passages	10	7	3	-	-	22	12	8	1	1
135	Diseases of urinary bladder	2	-	2	-	-	9	3	3	2	1
136	Diseases of urethra (except calculus)	1	1	-	-	-	8	2	-	6	-
137	Diseases of prostate	55	55	...	-	...	93	78	...	15	...
137a	Hypertrophy of prostate	46	46	...	-	...	87	74	...	13	...
137b	Other diseases of prostate	9	9	...	-	...	6	4	...	2	...
138	Diseases of other male genital organs (not venereal)	-	-	...	-	...	1	-	...	1	...
139	Diseases of female genital organs	11	...	11	...	-	15	...	9	...	6
139a	Diseases of ovaries, fallopian tubes, parametria	6	...	6	...	-	8	...	3	...	5
139b	Diseases of uterus	5	...	5	...	-	6	...	5	...	1
139c	Diseases of other female genital organs*	-	...	-	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	32	...	32	...	-	58	...	37	...	19
140	Abortion with mention of infection	-	...	-	...	-	8	...	3	...	5
141	Abortion without mention of infection	1	...	1	...	-	2	...	2	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	-	...	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	1	...	1	...	-	-	...	-	...	-
141d-f	Other abortions (nonseptic)*	-	...	-	...	-	2	...	2	...	-
142	Ectopic gestation	2	...	2	...	-	4	...	2	...	2
142a	Ectopic gestation, with mention of infection	1	...	1	...	-	1	...	-	...	1
142b	Ectopic gestation, without mention of infection	1	...	1	...	-	3	...	2	...	1
143	Hemorrhage of pregnancy (death before delivery)	-	...	-	...	-	-	...	-	...	-
144	Toxemias of pregnancy (death before delivery)	1	...	1	...	-	4	...	2	...	2
145	Other diseases of pregnancy (death before delivery)*	1	...	1	...	-	3	...	2	...	1
145A	With mention of infection	1	...	1	...	-	3	...	2	...	1
145B	Without mention of infection	-	...	-	...	-	-	...	-	...	-
146	Hemorrhage of childbirth and puerperium	8	...	8	...	-	14	...	12	...	2
147	Infection during childbirth and puerperium	6	...	6	...	-	7	...	6	...	1
148	Puerperal toxemias (excluding death before delivery)	7	...	7	...	-	6	...	4	...	2
149	Other accidents and specified conditions of childbirth	5	...	5	...	-	7	...	4	...	3
150	Other and unspecified conditions of childbirth and puerperium	1	...	1	...	-	1	...	-	...	1

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,327	695	609	16	7	1,328	753	501	36	38	685	404	270	5	6	490	175	79	138	98	95
20	9	11	-	-	53	35	16	-	2	34	21	13	-	-	9	2	4	1	2	95a
368	169	198	1	2	241	125	99	8	9	65	44	21	-	-	40	9	10	11	10	95b
939	517	402	15	5	1,034	593	386	28	27	586	339	236	5	6	441	164	65	126	86	95c
53	30	21	1	1	58	33	23	1	1	37	21	16	-	-	11	5	-	5	1	96
1,043	472	552	8	11	943	488	436	10	9	674	378	291	3	2	199	57	49	54	39	97
6	4	2	-	-	26	20	6	-	-	5	2	3	-	-	8	1	-	5	2	98
77	35	41	1	-	91	43	42	1	5	39	24	15	-	-	22	5	7	2	8	99
70	33	37	-	-	52	21	24	2	5	31	13	18	-	-	15	3	5	4	3	100
-	-	-	-	-	4	1	2	1	-	4	3	1	-	-	1	1	-	-	-	101
22	8	11	3	-	63	22	38	3	-	39	15	24	-	-	56	6	9	16	25	102
3	1	2	-	-	9	8	1	-	-	3	2	1	-	-	7	1	1	2	3	103
2,554	1,315	1,160	37	22	2,452	1,322	908	148	74	1,350	729	588	21	14	942	234	190	273	245	
14	6	8	-	-	22	14	5	1	2	10	5	4	-	1	10	3	1	4	2	104
3	2	-	-	1	12	9	3	-	-	7	5	2	-	-	2	-	-	2	-	105
112	70	42	-	-	124	70	52	1	1	55	36	19	-	-	26	12	8	2	4	106
1,419	700	684	22	13	927	473	382	46	26	668	325	320	15	8	301	74	62	86	79	107
597	324	260	9	4	680	382	209	70	19	300	178	114	3	5	377	85	67	120	105	108
104	57	43	3	1	288	145	126	11	6	95	52	41	2	-	108	29	15	30	32	109
35	21	13	1	-	26	16	9	1	-	16	7	9	-	-	15	5	3	4	3	109A
69	36	30	2	1	262	129	117	10	6	79	45	32	2	-	91	24	12	26	29	109B
39	29	10	-	1	50	28	15	4	3	28	21	7	-	-	18	2	6	6	4	110
118	48	68	1	1	159	81	66	4	8	112	57	54	1	-	42	9	17	7	9	111
73	42	29	1	1	103	66	29	3	5	46	29	17	-	-	38	10	11	10	5	112
12	9	3	-	-	17	13	4	-	-	4	3	1	-	-	5	4	-	1	-	113
43	29	13	1	-	70	41	17	8	4	25	18	7	-	-	19	6	3	5	5	114
1	1	-	-	-	20	18	-	2	-	1	1	-	-	-	-	-	-	-	-	114a,b
42	28	13	1	-	50	23	17	6	4	24	17	7	-	-	19	6	3	5	5	114c-e
2,201	1,251	917	20	13	2,416	1,332	928	95	61	1,146	655	474	10	7	720	207	137	205	171	
51	27	23	1	-	52	30	17	2	3	30	18	12	-	-	37	8	7	11	11	115
10	6	4	-	-	10	5	5	-	-	7	5	2	-	-	1	-	1	-	-	116
341	264	72	4	1	328	258	51	15	4	150	115	34	1	-	70	30	11	19	10	117
207	158	46	2	1	195	148	32	13	2	76	62	14	-	-	51	20	7	14	10	117a
134	108	26	2	-	133	110	19	2	2	74	53	20	1	-	19	10	4	5	-	117b
18	11	6	-	1	34	23	10	1	-	15	11	4	-	-	32	8	5	9	10	118
167	104	54	7	2	206	110	86	7	3	68	41	23	3	1	55	11	12	17	15	119
56	27	29	-	-	64	32	28	1	3	32	16	14	2	-	41	11	7	12	11	120
138	78	60	-	-	238	128	85	16	9	101	68	33	-	-	98	22	22	31	23	121
390	194	191	3	2	460	215	204	18	23	219	106	109	1	3	147	32	22	46	47	122
210	116	91	2	1	190	97	85	5	3	117	57	56	1	3	40	8	7	16	9	122a
180	78	100	1	1	270	118	119	13	20	102	49	53	-	-	107	24	15	30	38	122b
86	44	40	-	2	58	26	29	1	2	43	22	21	-	-	18	6	3	4	3	123
577	365	206	3	3	557	348	179	23	7	232	152	79	-	1	109	52	12	32	13	124
128	86	41	1	-	26	23	1	2	-	31	26	4	-	1	8	5	-	2	1	124a
449	279	165	2	3	531	325	178	21	7	201	126	75	-	-	101	47	12	30	12	124b
62	26	35	1	-	67	28	33	6	2	41	25	16	-	-	31	7	11	9	4	125
150	41	108	-	1	141	43	94	2	2	117	40	74	1	2	25	5	13	3	4	126
79	22	57	-	-	124	41	83	-	-	50	15	35	-	-	25	6	5	5	9	127
45	23	20	1	1	37	21	14	1	1	24	13	10	1	-	7	4	1	1	1	128
51	19	12	-	-	40	28	10	2	2	17	8	8	1	-	24	3	5	6	10	129
2,589	1,392	1,160	31	16	3,122	1,711	1,191	117	103	1,190	751	425	8	6	1,843	443	315	587	498	
45	18	24	2	1	63	28	22	8	5	25	14	11	-	-	96	15	16	25	40	130
2,029	1,002	999	17	11	2,290	1,172	961	72	85	836	476	352	4	4	1,434	336	261	449	388	131
1,588	767	795	16	10	1,606	795	698	51	62	593	329	258	3	3	967	227	179	292	269	131a
441	235	204	1	1	684	377	263	21	23	243	147	84	1	1	467	109	82	157	119	131b
66	41	24	1	-	195	109	77	5	4	50	32	17	-	1	80	19	16	22	23	132
125	65	54	3	3	144	72	60	11	1	48	30	16	1	1	49	18	9	11	11	133
47	29	15	2	1	48	31	15	2	-	36	26	10	-	-	6	3	-	2	1	134
14	8	6	-	-	33	27	4	2	-	10	7	3	-	-	12	3	1	8	-	135
11	9	1	1	-	12	10	-	2	-	3	3	-	-	-	9	1	-	8	-	136
224	219	...	5	...	275	260	...	15	...	164	161	...	3	...	109	48	...	61	...	137
203	199	...	5	...	202	191	...	11	...	147	145	...	2	...	77	35	...	42	...	137a
21	21	...	-	...	73	69	...	4	...	17	16	...	1	...	32	13	...	19	...	137b
1	1	...	-	...	2	2	...	-	...	2	2	...	-	...	1	-	...	1	...	138
37	...	37	...	-	60	...	52	...	8	16	...	16	...	-	47	...	12	...	35	139
18	...	18	...	-	42	...	34	...	8	4	...	4	...	-	34	...	7	...	27	139a
19	...	19	...	-	16	...	16	...	-	11	...	11	...	-	11	...	3	...	8	139b
-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	2	...	2	...	-	139c
126	...	122	...	4	167	...	144	...	23	62	...	59	...	3	194	...	67	...	127	
14	...	14	...	-	14	...	12	...	2	3	...	3	...	-	10	...	4	...	6	140
6	...	5	...	1	10	...	9	...	1	2	...	2	...	-	8	-	2	-	6	141
2	...	2	...	-	2	...	2	...	-	1	...	1	...	-	4	...	-	...	4	141a,c
1	...	1	...	-	3	...	3	...	-	1	...	1	...	-	3	...	1	...	2	141b
3	...	2	...	1	5	...	4	...	1	-	...	-	...	-	1	...	1	...	-	141d-f
11	...	10	...	1	7	...	1	...	6	5	...	5	...	-	9	...	4	...	5	142
3	...	3	...	-	3	...	1	...	2	1	...	1	...	-	2	...	2	...	-	142a
8	...	7	...	1	4	...	-	...	4	4	...	4	...	-	7	...	2	...	5	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	143
11	...	11	...	-	6	...	4	...	2	2	...	2	...	-	26	...	6	...	20	144
6	...	6	...	-	13	...	11	...	2	3	...	3	...	-	14	...	5	...	9	145
5	...	5	...	-	8	...	7	...	1	3	...	3	...	-	9	...	3	...	6	145A
1	...	1	...	-	5	...	4	...	1	-	...	-	...	-	5	...	2	...	3	145B
13	...	13	...	-	23	...	22	...	1	14	...	12	...	2	34	...	12	...	22	146
31	...	31	...	-	43	...	42	...	1	15	...	14	...	1	42	...	14	...	28	147
14	...	13	...	1	25	...	21	...	4	11	...	11	...	-	28	...	12	...	16	148
7	...	7	...	-	16	...	13	...	3	7	...	7	...	-	10	...	4	...	6	149
13	...	12	...	1	10	...	9	...	1	-	...	-	...	-	12	...	3	...	9	150

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	7	2	5	-	-	8	3	3	2	-
151	Carbuncle and furuncle	1	-	1	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	3	1	2	-	-	4	2	1	1	-
153	Other diseases of skin and cellular tissue	3	1	2	-	-	4	1	2	1	-
	XIII.—Diseases of the bones, etc.*	3	1	2	-	-	10	4	3	1	2
154	Osteomyelitis and periostitis	-	-	-	-	-	4	3	1	-	-
155	Other diseases of bones (except tuberculosis)	1	1	-	-	-	-	-	-	-	-
156	Diseases of joints, other organs of movement	2	-	2	-	-	6	1	2	1	2
157	XIV.—Congenital malformations	151	78	73	-	-	257	134	90	21	12
157a-d	Congenital malformations of central nervous system	63	28	35	-	-	87	45	35	4	3
157e,f	Congenital malformations of cardiovascular system	61	33	28	-	-	119	61	38	13	7
157g,h,m	Other congenital malformations	27	17	10	-	-	51	28	17	4	2
	XV.—Diseases peculiar to the first year of life	440	272	166	-	2	973	415	277	151	130
158	Congenital debility (cause not stated)	10	8	2	-	-	23	7	3	8	5
159	Premature birth (cause not stated)	262	157	103	-	2	625	252	181	98	94
160	Injury at birth	101	67	34	-	-	197	97	55	29	16
161	Other diseases peculiar to first year of life	67	40	27	-	-	128	59	38	16	15
162	XVI.—Senility	113	45	68	-	-	35	10	17	3	5
	XVII.—Violent or accidental deaths	816	558	252	4	2	1,842	983	455	295	109
163,164	Suicide	121	88	33	-	-	271	170	89	7	5
163	Suicide by poisoning	23	11	12	-	-	101	47	50	2	2
164	Suicide by other means	98	77	21	-	-	170	123	39	5	3
165-168	Homicide[1]	12	8	4	-	-	173	33	24	94	22
166	Homicide by firearms	8	5	3	-	-	86	10	11	56	9
167	Homicide by cutting or piercing instruments	1	1	-	-	-	40	6	5	21	8
168	Homicide by other means	3	2	1	-	-	47	17	8	17	5
169-196	Accidental deaths	683	462	215	4	2	1,393	780	342	189	82
169	Railway accidents (except collisions with motor vehicles)	7	7	-	-	-	42	33	2	7	-
170	Motor-vehicle accidents	193	143	49	1	-	429	290	59	53	27
170a	Collisions between automobiles and trains	13	6	7	-	-	12	9	1	-	2
170b	Collisions between automobiles and streetcars	-	-	-	-	-	4	4	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	177	134	42	1	-	402	267	58	53	24
170d	Motorcycle accidents (exc. collisions with automobiles)	3	3	-	-	-	11	10	-	-	1
171	Streetcar and other road-transport accidents	2	2	-	-	-	26	15	6	5	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	-	-	-	-	-	23	13	6	4	-
171b	Other and unspecified road-transport accidents	2	2	-	-	-	3	2	-	1	-
172	Water-transport accidents	20	19	1	-	-	14	9	3	2	-
173	Air-transport accidents	8	7	1	-	-	20	20	-	-	-
174	Accidents in mines and quarries	2	2	-	-	-	7	7	-	-	-
175	Agricultural and forestry accidents	24	23	1	-	-	26	19	1	5	1
175a-c	Agricultural accidents	16	15	1	-	-	24	18	1	4	1
175d,e	Forestry accidents	8	8	-	-	-	2	1	-	1	-
176	Other accidents involving machinery	14	12	2	-	-	14	12	-	2	-
177	Food poisoning	-	-	-	-	-	3	1	-	2	-
178	Accidental absorption of poisonous gas	22	15	5	1	1	38	18	15	3	2
179	Acute accidental poisoning by solids or liquids	7	5	1	1	-	18	7	8	2	1
180	Conflagration	48	34	14	-	-	60	16	9	21	14
181	Accidental burns (except conflagration)	37	18	19	-	-	81	32	24	8	17
182	Accidental mechanical suffocation	14	5	9	-	-	30	15	7	6	2
183	Accidental drowning	48	43	5	-	-	111	64	14	31	2
184	Accidental injury by firearms	16	15	1	-	-	30	18	3	7	2
185	Accidental injury by cutting or piercing instruments	2	-	2	-	-	4	2	-	2	-
186	Accidental injury by fall or crushing	168	75	93	-	-	316	139	157	13	7
186a	Accidental injury by fall	166	73	93	-	-	312	136	157	12	7
186b	Accidental injury by crushing	2	2	-	-	-	4	3	-	1	-
187	Cataclysm, etc.*	-	-	-	-	-	1	1	-	-	-
188	Injury by animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	1	-	-	-	1
190	Excessive cold	8	7	-	1	-	3	-	1	2	-
191	Excessive heat	-	-	-	-	-	2	1	-	1	-
192	Lightning	-	-	-	-	-	3	2	-	1	-
193	Accidents due to electric currents (except lightning)	3	3	-	-	-	6	4	-	2	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	-	-	-	-	-	-	-	-	-	-
195	Other accidents	40	27	12	-	1	108	55	33	14	6
195a	Sequelae of preventive immunization, etc.*	-	-	-	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-
195d	Obstruction, suffocation, etc.*	12	7	5	-	-	27	10	10	4	3
195c,e	Other and unspecified accidents	28	20	7	-	1	81	45	23	10	3
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	5	-	-	5	-
	XVIII.—Ill-defined and unknown causes	75	42	32	1	-	55	26	13	9	7
199	Sudden death	19	11	8	-	-	-	-	-	-	-
200	Ill-defined and unknown causes	56	31	24	1	-	55	26	13	9	7
200a	Ill-defined causes	33	19	14	-	-	31	15	7	5	4
200b,c	Unknown or unspecified causes	23	12	10	1	-	24	11	6	4	3

*Refer to International List for complete title, table V, Part I.
[1]Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
30	11	19	-	-	29	11	14	-	4	14	8	6	-	-	24	4	4	5	11	
2	2	-	-	-	1	-	1	-	-	1	-	1	-	-	5	1	1	2	1	151
7	5	2	-	-	4	2	2	-	-	2	2	-	-	-	6	1	3	-	2	152
21	4	17	-	-	24	9	11	-	4	11	6	5	-	-	13	2	-	3	8	153
27	14	13	-	-	24	17	7	-	-	18	10	8	-	-	12	1	2	4	5	
5	4	1	-	-	6	4	2	-	-	6	3	3	-	-	4	-	-	2	2	154
12	5	7	-	-	6	5	1	-	-	4	2	2	-	-	-	-	-	-	-	155
10	5	5	-	-	12	8	4	-	-	8	5	3	-	-	8	1	2	2	3	156
663	346	309	4	4	871	427	417	8	19	443	246	192	3	2	209	82	75	32	20	157
249	110	138	-	1	331	132	193	2	4	167	77	88	1	1	59	17	26	10	6	157a-d
285	162	117	3	3	357	193	152	3	9	193	118	72	2	1	89	38	36	8	7	157e,f
129	74	54	1	-	183	102	72	3	6	83	51	32	-	-	61	27	13	14	7	157g,h,m
1,733	1,011	686	23	13	2,822	1,435	957	125	105	1,158	660	476	16	6	1,020	373	279	201	167	
12	8	4	-	-	55	29	20	3	3	13	5	7	1	-	64	13	9	27	15	158
1,110	641	443	16	10	1,732	917	662	82	71	744	425	306	10	3	619	221	189	111	98	159
330	194	129	6	1	438	267	136	21	14	258	155	99	2	2	209	84	54	40	31	160
281	168	110	1	2	397	222	139	19	17	143	75	64	3	1	128	55	27	23	23	161
52	15	35	1	1	405	177	220	1	7	207	93	112	-	2	308	59	65	93	91	162
3,377	2,075	1,243	38	21	4,658	3,070	1,308	223	57	2,282	1,538	668	17	9	1,888	682	262	697	247	
468	321	138	8	1	608	445	142	16	5	342	270	70	1	1	130	78	39	12	1	163,164
182	99	79	3	1	109	64	43	1	1	69	44	24	1	-	13	5	7	-	1	163
286	222	59	5	-	499	381	99	15	4	273	226	46	-	1	117	73	32	12	-	164
64	41	15	5	3	196	67	28	77	24	45	24	19	1	1	354	64	8	240	42	165-168
19	10	8	1	-	93	30	17	33	13	17	7	10	-	-	246	46	7	166	27	166
11	3	2	4	2	55	12	1	35	7	3	-	2	1	-	75	7	-	58	10	167
34	28	5	-	1	48	25	10	9	4	25	17	7	-	1	33	11	1	16	5	168
2,843	1,711	1,090	25	17	3,854	2,558	1,138	130	28	1,894	1,293	579	15	7	1,395	540	215	436	204	169-195
50	46	4	-	-	61	51	7	3	-	60	52	5	3	-	60	23	2	28	7	169
618	459	153	4	2	1,576	1,201	334	34	7	588	456	121	8	3	479	235	71	128	45	170
8	5	3	-	-	99	70	29	-	-	51	37	14	-	-	25	8	-	9	8	170a
-	-	-	-	-	4	4	-	-	-	2	2	-	-	-	-	-	-	-	-	170b
595	440	149	4	2	1,450	1,106	303	34	7	552	414	107	8	3	448	221	71	119	37	170c
15	14	1	-	-	23	21	2	-	-	3	3	-	-	-	6	6	-	-	-	170d
20	15	4	1	-	19	16	3	-	-	9	9	-	-	-	4	1	-	2	1	171
14	10	3	1	-	13	11	2	-	-	8	8	-	-	-	-	-	-	-	-	171a
6	5	1	-	-	6	5	1	-	-	1	1	-	-	-	4	1	-	2	1	171b
49	44	4	1	-	15	15	-	-	-	49	43	5	1	-	11	3	-	8	-	172
35	30	5	-	-	52	47	4	1	-	23	22	1	-	-	18	14	2	2	-	173
4	4	-	-	-	14	12	-	2	-	10	10	-	-	-	4	2	-	2	-	174
12	10	2	-	-	76	67	7	1	1	99	90	9	-	-	56	28	-	25	3	175
11	9	2	-	-	63	55	7	-	1	98	89	9	-	-	45	22	-	20	3	175a-c
1	1	-	-	-	13	12	-	1	-	1	1	-	-	-	11	6	-	5	-	175d,e
45	43	1	1	-	39	34	3	2	-	18	17	1	-	-	21	17	-	4	-	176
1	1	-	-	-	4	4	-	-	-	4	3	-	-	1	16	4	3	7	2	177
113	70	43	-	-	51	33	16	1	1	36	27	9	-	-	4	3	-	1	-	178
46	26	18	1	1	36	18	17	1	-	17	9	8	-	-	28	8	4	7	11	179
80	40	35	4	1	151	86	46	17	2	56	34	20	2	-	51	7	6	16	22	180
115	69	45	-	1	148	77	54	14	3	68	33	34	-	1	148	22	28	35	63	181
36	19	17	-	-	64	38	22	4	-	18	8	10	-	-	12	2	2	6	2	182
151	133	15	3	-	254	211	28	14	1	93	80	13	-	-	100	37	5	46	12	183
34	30	2	-	2	77	64	10	1	2	51	47	4	-	-	91	38	4	39	10	184
2	1	1	-	-	11	10	-	1	-	1	-	1	-	-	18	3	3	10	2	185
1,209	527	669	6	7	989	433	522	26	8	584	274	308	1	1	105	40	42	13	10	186
1,192	513	666	6	7	968	418	521	21	8	578	269	307	1	1	97	35	42	10	10	186a
17	14	3	-	-	21	15	1	5	-	6	5	1	-	-	8	5	-	3	-	186b
2	2	-	-	-	4	2	2	-	-	9	6	3	-	-	7	-	3	4	-	187
5	5	-	-	-	3	3	-	-	-	1	1	-	-	-	8	4	-	4	-	188
2	2	-	-	-	-	-	-	-	-	2	1	1	-	-	3	-	-	1	2	189
3	2	-	1	-	7	5	1	1	-	15	13	2	-	-	-	-	-	-	-	190
5	5	-	-	-	4	3	1	-	-	1	1	-	-	-	4	2	-	2	-	191
1	1	-	-	-	6	4	1	1	-	7	7	-	-	-	11	5	2	2	2	192
8	7	1	-	-	28	24	3	1	-	9	8	1	-	-	9	6	-	3	-	193
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	194
197	120	71	3	3	164	99	57	5	3	66	42	23	-	1	126	38	38	40	10	195
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	195a
2	-	1	-	1	4	-	3	-	1	-	-	-	-	-	-	-	-	-	-	195b
43	25	16	1	1	41	18	23	-	-	9	-	9	-	-	8	4	1	3	-	195d
152	95	54	2	1	118	80	31	5	2	57	42	14	-	1	118	34	37	37	10	195c,e
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	9	-	198
105	63	40	2	-	262	164	85	4	9	114	67	27	10	10	2,325	256	149	1,007	913	
9	2	7	-	-	48	28	19	-	1	7	5	2	-	-	98	28	16	32	22	199
96	61	33	2	-	214	136	66	4	8	107	62	25	10	10	2,227	228	133	975	891	200
85	54	29	2	-	152	92	52	3	5	64	47	15	2	-	215	77	23	62	53	200a
11	7	4	-	-	62	44	14	1	3	43	15	10	8	10	2,012	151	110	913	838	200b,c

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	42,451	21,306	16,903	2,301	1,941	5,595	3,386	1,915	185	109
	I.—Infectious and parasitic diseases	2,476	1,199	759	333	185	280	150	51	43	36
1	Typhoid fever	10	4	5	1	-	2	2	-	-	-
2	Paratyphoid fever	1	-	-	-	1	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	7	7	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	31	14	15	2	-	3	2	-	1	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	5	4	1	-	-	-	-	-	-	-
9	Whooping cough	31	8	21	2	-	2	1	-	-	1
10	Diphtheria (infection by C. diphtheriae)	24	11	13	-	-	5	3	2	-	-
11	Erysipelas	1	-	1	-	-	1	1	-	-	-
12	Tetanus	16	6	9	1	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,276	632	347	179	118	164	78	25	32	29
13	Tuberculosis of respiratory system, etc.*	1,195	597	323	167	108	135	72	17	23	23
14	Tuberculosis of meninges, etc.*	14	6	2	4	2	10	-	3	3	4
15	Tuberculosis of intestines and peritoneum	17	3	8	1	5	3	2	1	-	-
16	Tuberculosis of vertebral column	16	8	5	3	-	2	1	1	-	-
17	Tuberculosis of bones and joints, etc.*	6	2	-	1	3	1	-	-	1	-
18	Tuberculosis of skin, etc.*	1	-	1	-	-	1	1	-	-	-
19	Tuberculosis of lymphatic system, etc.*	1	-	1	-	-	2	1	-	1	-
20	Tuberculosis of genito-urinary system	7	3	2	2	-	3	1	2	-	-
21	Tuberculosis of other organs	4	4	-	-	-	-	-	-	-	-
22	Disseminated tuberculosis	15	9	5	1	-	7	-	1	4	2
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	17	8	8	-	1	3	1	1	-	1
25	Gonococcus infection	2	-	-	1	1	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	12	8	3	-	1	1	1	-	-	-
27	Dysentery	30	10	11	8	1	1	-	-	-	1
28	Malaria	6	3	3	-	-	1	1	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	2	2	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	464	219	80	118	47	47	32	5	8	2
30a	Locomotor ataxia (tabes dorsalis)	13	9	3	1	-	7	6	-	-	1
30b	General paralysis of insane	131	52	34	36	9	10	8	1	1	-
30d	Aneurysm of aorta	120	74	13	23	10	8	6	1	1	-
30f	Congenital syphilis	18	8	1	6	3	2	1	-	1	-
30c,e,g	Syphilis (other forms)	182	76	29	52	25	20	11	3	5	1
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	9	3	3	2	1	2	-	2	-	-
33	Influenza	293	123	148	13	9	25	15	8	1	1
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	50	25	23	-	2	3	-	2	1	-
36	Poliomyelitis and polioencephalitis (acute)	97	57	37	1	2	5	4	1	-	-
37	Acute infectious encephalitis (lethargic)	11	7	4	-	-	2	-	2	-	-
38	Other diseases due to filtrable viruses	2	1	1	-	-	1	-	1	-	-
39	Typhus fever and typhus-like diseases*	4	2	2	-	-	5	3	1	-	1
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	1	1	-	-	-
43	Mycoses	9	5	1	2	1	-	-	-	-	-
44	Other infectious and parasitic diseases	66	40	23	3	-	6	5	1	-	-
	II.—Cancer and other tumors	5,718	2,516	2,768	193	241	687	354	315	14	4
45-55	Cancer and other malignant tumors	5,548	2,471	2,670	189	218	662	342	303	14	3
45	Cancer of buccal cavity and pharynx	180	141	29	7	3	19	14	4	1	-
45a	Cancer of lip	22	19	3	-	-	3	3	-	-	-
45b	Cancer of tongue	37	30	4	2	1	4	3	1	-	-
45c	Cancer of mouth	28	24	2	2	-	1	1	-	-	-
45d	Cancer of jaw bone	28	21	4	2	1	5	3	1	1	-
45e	Cancer of unspecified parts of buccal cavity	5	4	1	-	-	-	-	-	-	-
45f	Cancer of pharynx	60	43	15	1	1	6	4	2	-	-
46	Cancer of digestive organs and peritoneum	2,417	1,164	1,073	109	71	288	159	119	9	1
46a	Cancer of esophagus	87	60	10	14	3	11	6	3	2	-
46b	Cancer of stomach	736	408	265	44	19	128	81	44	3	-
46c	Cancer of duodenum	14	2	12	-	-	1	1	-	-	-
46d	Cancer of rectum and anus	256	136	98	9	13	22	12	9	1	-
46e	Cancer of intestines, etc.*	645	281	330	21	13	67	28	36	3	-
46f	Cancer of liver and biliary passages	431	167	241	9	14	32	16	15	-	1
46g	Cancer of pancreas	176	81	78	9	8	23	12	11	-	-
46h	Cancer of mesentery and peritoneum	37	18	17	2	-	2	1	1	-	-
46m	Cancer of other and unspecified sites	35	11	22	1	1	2	2	-	-	-
47	Cancer of respiratory system	488	353	104	27	4	75	59	13	3	-
47a	Cancer of larynx	55	47	7	1	-	6	6	-	-	-
47b,c	Cancer of trachea and bronchus	135	104	14	15	2	19	18	-	1	-
47d	Cancer of lung	277	192	73	10	2	48	33	13	2	-
47e	Cancer of pleura	4	1	3	-	-	-	-	-	-	-
47f	Cancer of other respiratory organs	17	9	7	1	-	2	2	-	-	-
48	Cancer of uterus	574	...	505	...	69	57	...	56	...	1
48a	Cancer of cervix	248	...	211	...	37	19	...	19	...	-
48b	Cancer of other and unspecified sites of uterus	326	...	294	...	32	38	...	37	...	1
49	Cancer of other female genital organs	179	...	165	...	14	17	...	17	...	-
49a,b	Cancer of ovary, fallopian tube, and parametrium	157	...	145	...	12	13	...	13	...	-
49c-e	Cancer of other female genital organs	22	...	20	...	2	4	...	4	...	-
50	Cancer of breast	479	-	441	-	38	53	2	50	-	1
51	Cancer of male genital organs	394	372	...	22	...	34	34	...	-	...
51b	Cancer of prostate	365	345	...	20	...	34	34	...	-	...
51a,c-e	Cancer of other male genital organs	29	27	...	2	...	-	-	...	-	...
52	Cancer of urinary organs	228	136	86	5	1	37	28	9	-	-
52a	Cancer of kidney	74	51	22	1	-	14	10	4	-	-
52b	Cancer of bladder	148	83	61	3	1	23	18	5	-	-
52c	Cancer of other and unspecified sites	6	2	3	1	-	-	-	-	-	-
53	Cancer of skin, etc.*	105	61	42	-	2	8	5	3	-	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
12,440	6,660	5,267	169	124	1,502	941	423	68	70	6,049	3,254	2,784	4	7	46,392	23,601	19,508	1,734	1,549	
518	285	195	26	12	118	78	18	11	11	243	146	96	-	1	2,397	1,225	648	296	218	
3	1	1	1	-	-	-	-	-	-	1	-	1	-	-	3	3	-	-	-	1
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	1	1	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	5
17	11	5	-	1	-	-	-	-	-	3	2	1	-	-	38	23	12	2	1	6
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	7
3	-	3	-	-	-	-	-	-	-	1	1	-	-	-	5	2	3	-	-	8
4	2	2	-	-	2	1	1	-	-	9	3	6	-	-	26	9	9	5	3	9
8	2	6	-	-	1	1	-	-	-	2	-	2	-	-	12	5	7	-	-	10
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	2	-	-	11
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	2	-	12
177	94	64	11	8	73	51	6	6	10	116	80	36	-	-	1,647	830	429	216	172	13-22
160	85	57	11	7	66	50	4	3	9	105	73	32	-	-	1,545	798	394	201	152	13
3	1	1	-	1	3	1	-	1	1	1	1	-	-	-	26	11	8	1	6	14
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	13	5	5	1	2	15
2	1	1	-	-	-	-	-	-	-	4	2	2	-	-	12	3	4	3	2	16
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	1	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	2	19
1	1	-	-	-	-	-	-	-	-	3	2	1	-	-	13	6	7	-	-	20
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	21
5	2	3	-	-	4	-	2	2	-	1	1	-	-	-	30	4	8	9	8	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	23
6	3	3	-	-	2	1	1	-	-	2	2	-	-	-	13	7	5	-	1	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1	1	2	2	25
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
5	3	2	-	-	-	-	-	-	-	1	1	-	-	-	16	12	3	1	-	27
2	2	-	-	-	1	1	-	-	-	2	2	-	-	-	2	2	-	-	-	28
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	29
83	51	21	9	2	22	15	2	5	-	37	26	11	-	-	299	163	54	55	27	30
3	1	-	2	-	-	-	-	-	-	3	3	-	-	-	12	11	1	-	-	30a
29	20	7	2	-	4	4	-	-	-	15	12	3	-	-	97	52	20	18	7	30b
27	20	4	2	1	8	5	2	1	-	4	1	3	-	-	75	49	11	9	6	30d
4	-	2	2	-	3	1	-	2	-	1	1	-	-	-	9	-	7	2	-	30f
20	10	8	1	1	7	5	-	2	-	14	9	5	-	-	106	51	15	26	14	30c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
4	4	-	-	-	-	-	-	-	-	1	-	1	-	-	15	9	6	-	-	32
100	55	40	5	-	8	3	4	-	1	30	8	21	-	1	100	41	42	8	9	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
9	2	6	-	1	4	3	1	-	-	7	3	4	-	-	28	17	10	1	-	35
55	31	24	-	-	3	2	1	-	-	15	8	7	-	-	26	12	13	1	-	36
3	1	2	-	-	-	-	-	-	-	3	2	1	-	-	35	19	14	1	1	37
3	-	3	-	-	-	-	-	-	-	1	-	1	-	-	3	3	-	-	-	38
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	3	2	1	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	42
2	1	1	-	-	-	-	-	-	-	1	-	1	-	-	6	5	1	-	-	43
27	19	8	-	-	1	-	1	-	-	9	6	3	-	-	89	53	33	1	2	44
1,795	830	929	17	19	153	76	67	4	6	861	394	467	-	-	7,430	3,598	3,468	154	210	
1,754	816	906	16	16	149	76	63	4	6	833	386	447	-	-	7,246	3,539	3,359	152	196	45-55
52	44	8	-	-	5	2	3	-	-	25	22	3	-	-	215	185	25	3	2	45
12	12	-	-	-	-	-	-	-	-	3	3	-	-	-	16	14	1	-	1	45a
12	9	3	-	-	2	-	2	-	-	3	3	-	-	-	80	53	5	2	-	45b
4	4	-	-	-	1	-	1	-	-	7	6	1	-	-	30	26	4	-	-	45c
9	8	1	-	-	2	2	-	-	-	5	4	1	-	-	33	27	6	-	-	45d
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	45e
15	11	4	-	-	-	-	-	-	-	7	6	1	-	-	74	63	9	1	1	45f
818	399	401	11	7	69	41	23	4	1	419	210	209	-	-	3,411	1,788	1,472	83	68	46
16	14	1	1	-	2	1	-	1	-	12	8	4	-	-	166	135	19	9	3	46a
258	146	103	8	1	30	22	6	2	-	104	58	46	-	-	984	573	358	38	15	46b
2	-	2	-	-	-	-	-	-	-	1	1	-	-	-	12	5	5	2	-	46c
77	42	33	1	1	2	1	-	-	1	65	37	28	-	-	511	308	182	8	13	46d
234	101	131	-	2	14	5	8	1	-	144	67	77	-	-	997	414	545	16	22	46e
132	49	81	-	2	8	3	5	-	-	52	21	31	-	-	366	149	207	2	8	46f
72	35	35	1	1	9	7	2	-	-	34	15	19	-	-	295	164	120	6	5	46g
18	7	11	-	-	2	2	-	-	-	4	2	2	-	-	40	23	16	-	1	46h
9	5	4	-	-	2	-	2	-	-	3	1	2	-	-	40	17	20	2	1	46m
132	96	34	2	-	13	11	2	-	-	49	34	15	-	-	723	562	128	24	9	47
14	13	1	-	-	1	1	-	-	-	10	9	1	-	-	76	70	4	1	1	47a
41	32	7	2	-	4	4	-	-	-	7	5	2	-	-	199	161	24	9	3	47b,c
73	48	25	-	-	8	6	2	-	-	31	19	12	-	-	416	310	91	12	3	47d
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	47e
4	3	1	-	-	-	-	-	-	-	1	1	-	-	-	30	19	9	2	-	47f
143	...	141	...	2	11	...	10	...	1	70	...	70	...	-	517	...	454	...	63	48
52	...	50	...	2	5	...	4	...	1	31	...	31	...	-	212	...	185	...	27	48a
91	...	91	...	-	6	...	6	...	-	39	...	39	...	-	305	...	269	...	36	48b
42	...	42	...	-	3	...	3	...	-	28	...	28	...	-	221	...	213	...	8	49
37	...	37	...	-	2	...	2	...	-	26	...	26	...	-	181	...	173	...	8	49a,b
5	...	5	...	-	1	...	1	...	-	2	...	2	...	-	40	...	40	...	-	49c-e
180	1	173	-	6	18	-	16	-	2	75	1	74	-	-	709	9	676	-	24	50
143	143	...	-	...	9	9	...	-	...	61	61	...	-	...	367	351	...	16	...	51
131	131	...	-	...	9	9	...	-	...	55	55	...	-	...	332	319	...	13	...	51b
12	12	...	-	...	-	-	...	-	...	6	6	...	-	...	35	32	...	3	...	51a,c-e
79	45	33	1	-	7	5	2	-	-	41	24	17	-	-	402	260	121	13	8	52
33	20	13	-	-	2	2	-	-	-	16	10	6	-	-	106	62	37	5	2	52a
45	25	19	1	-	5	3	2	-	-	25	14	11	-	-	285	197	84	8	6	52b
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	52c
34	18	15	1	-	4	2	2	-	-	13	8	5	-	-	99	62	36	-	1	53

TABLE 21—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
54	Cancer of central nervous system*	103	51	48	2	2	14	6	8	-	-
55	Cancer of other and unspecified organs	401	193	177	17	14	60	36	24	1	-
56,57	Nonmalignant tumors and tumors of unspecified nature	170	45	98	4	23	25	12	12	-	1
56	Nonmalignant tumors (including dermoid cysts)	105	15	66	3	21	10	4	5	-	1
56a-c	Nonmalignant tumors of female genital organs	67	...	48	...	19	6	...	5	...	1
56d	Nonmalignant tumors of central nervous system*	18	8	8	2	2	3	3	-	-	-
56e	Nonmalignant tumors of other and unspecified organs	20	9	10	1	-	1	1	-	-	-
57	Tumors of unspecified nature	65	30	32	1	2	15	8	7	-	-
57a-c	Tumors, female genital organs (nature unspecified)	4	...	4	...	-	-	...	-	...	-
57d	Tumors, central nervous system* (nature unspecified)	41	20	19	1	1	9	6	3	-	-
57e	Tumors, other organs (nature unspecified)	20	10	9	-	1	6	2	4	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	1,149	408	657	23	61	172	66	103	2	1
58	Acute rheumatic fever	28	7	9	2	10	3	1	1	1	-
58a	Acute rheumatic pericarditis	1	-	-	1	-	-	-	-	-	-
58b	Acute rheumatic endocarditis	8	2	3	-	3	2	1	1	-	-
58c	Acute rheumatic myocarditis	7	1	2	-	4	-	-	-	-	-
58d	Other acute rheumatic heart diseases	4	-	1	1	2	-	-	-	-	-
58e,f	Other forms of acute rheumatic fever, etc.*	8	4	3	-	1	1	-	-	1	-
59	Chronic rheumatism, other rheumatic diseases	50	19	29	-	2	11	5	6	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	907	347	508	16	36	137	55	81	1	-
62	Diseases of pituitary gland	2	-	2	-	-	1	-	1	-	-
63	Diseases of thyroid and parathyroid glands	97	12	74	2	9	15	1	14	-	-
63a	Simple goiter	5	-	4	-	1	1	-	1	-	-
63b	Exophthalmic goiter	80	8	63	2	7	12	1	11	-	-
63c-e	Other diseases of thyroid and parathyroid glands	12	4	7	-	1	2	-	2	-	-
64	Diseases of thymus gland	28	13	12	1	2	4	3	-	-	1
65	Diseases of adrenal glands*	12	3	9	-	-	1	1	-	-	-
66	Other general diseases	13	3	8	-	2	-	-	-	-	-
67	Scurvy	1	-	1	-	-	-	-	-	-	-
68	Beriberi	1	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	1	3	-	-	-	-	-	-	-
70	Rickets	4	1	1	2	-	-	-	-	-	-
71	Other avitaminoses	2	1	1	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	319	175	133	4	7	39	25	13	-	1
72	Hemorrhagic conditions	12	8	3	-	1	4	2	1	-	1
73	Anemias (except splenic anemia)	80	30	46	1	3	11	9	2	-	-
73a	Pernicious anemia	57	20	37	-	-	4	4	-	-	-
73b-d	Other anemias (except splenic)	23	10	9	1	3	7	5	2	-	-
74	Leukemias and aleukemias	201	120	76	2	3	20	11	9	-	-
74a	Leukemias	196	116	75	2	3	19	10	9	-	-
74b	Aleukemias	5	4	1	-	-	1	1	-	-	-
75	Diseases of spleen	20	13	6	1	-	2	2	-	-	-
76	Other diseases of blood and blood-forming organs	6	4	2	-	-	2	1	1	-	-
	V.—Chronic poisoning and intoxication	51	39	3	6	3	16	12	3	1	-
77	Alcoholism (ethylism)	47	37	2	5	3	15	12	2	1	-
78	Lead poisoning	2	1	-	1	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	2	1	1	-	-	1	-	1	-	-
	VI.—Diseases of the nervous system, etc.*	4,569	2,121	2,017	207	224	556	300	242	9	5
80	Encephalitis (nonepidemic)	37	22	11	4	-	2	-	1	-	1
81	Meningitis (not due to meningococcus)	45	22	12	5	6	6	3	1	2	-
82	Diseases of spinal cord (see exceptions)*	86	43	38	2	3	10	5	5	-	-
83	Intracranial lesions of vascular origin	4,158	1,905	1,865	189	199	490	258	223	6	3
83a	Cerebral hemorrhage or effusion*	3,618	1,653	1,619	168	178	427	225	193	6	3
83b,c	Cerebral embolism, thrombosis, and softening	385	183	169	19	14	43	21	22	-	-
83d	Hemiplegia, other paralysis, etc.*	155	69	77	2	7	20	12	8	-	-
84	Mental diseases and deficiency (see exception)*	36	16	12	3	5	6	5	1	-	-
85	Epilepsy	50	31	15	1	3	13	10	3	-	-
86	Convulsions (under 5 years)	5	3	2	-	-	3	1	1	1	-
87	Other diseases of nervous system	118	61	48	3	6	22	16	5	-	1
88	Diseases of organs of vision	1	1	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	33	17	14	-	2	4	2	2	-	-
	VII.—Diseases of the circulatory system	14,053	7,515	5,402	594	542	1,761	1,153	574	23	11
90-95	Diseases of the heart (all forms)	13,144	7,075	5,001	559	509	1,629	1,072	523	23	11
90	Pericarditis (except acute rheumatic)	31	19	8	3	1	1	1	-	-	-
90a	Chronic rheumatic pericarditis	3	-	3	-	-	-	-	-	-	-
90b	Other pericarditis	28	19	5	3	1	1	1	-	-	-
91	Acute endocarditis (except rheumatic)	69	40	23	3	3	7	5	2	-	-
91a,b	Bacterial, acute, and subacute endocarditis	84	39	21	2	2	7	5	2	-	-
91c	Endocarditis (unspecified, under 45 years)	5	1	2	1	1	-	-	-	-	-
92	Chronic affections of valves and endocardium	1,377	663	577	63	74	159	91	67	1	-
92a	Diseases of aortic valve, etc.*	126	76	33	11	6	7	2	5	-	-
92b	Diseases of mitral valve, etc.*	670	297	293	32	48	73	39	33	1	-
92c	Chronic rheumatic endocarditis, etc.*	42	24	15	1	2	10	3	7	-	-
92d	Other chronic endocarditis, etc.*	488	237	217	19	15	57	37	20	-	-
92e	Endocarditis (unspecified, 45 years and over)	51	29	19	-	3	12	10	2	-	-
93	Diseases of the myocardium	6,785	3,206	2,918	328	333	652	397	243	6	6
93a	Acute myocarditis (except rheumatic)	127	60	50	9	8	21	13	8	-	-
93b	Myocarditis (unspecified, under 45 years)	14	8	4	1	1	1	-	1	-	-
93c	Chronic rheumatic myocarditis, etc.*	33	16	14	2	1	4	2	2	-	-
93d	Other chronic myocarditis, etc.*	6,093	2,843	2,641	305	304	519	307	203	5	4
93e	Other myocarditis (unspecified)	518	279	209	11	19	107	75	29	1	2
94	Diseases of coronary arteries, angina pectoris	4,090	2,698	1,191	127	74	643	462	171	9	1
94a	Diseases of coronary arteries	3,932	2,592	1,148	123	69	631	455	167	8	1
94b	Angina pectoris	158	106	43	4	5	12	7	4	1	-

*Refer to International List for complete title, table V. Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
28	15	12	1	-	4	3	1	-	-	8	3	5	-	-	114	61	51	1	1	54
103	55	47	-	1	6	3	1	-	2	44	23	21	-	-	468	261	183	12	12	55
41	14	23	1	3	4	-	4	-	-	28	8	20	-	-	184	59	109	2	14	56,57
30	8	19	-	3	4	-	4	-	-	8	1	7	-	-	129	29	86	1	13	56
18	...	15	...	3	3	...	3	...	-	4	...	4	...	-	72	...	59	...	13	56a-c
10	7	3	-	-	-	-	-	-	-	2	-	2	-	-	31	15	16	-	-	56d
2	1	1	-	-	1	-	1	-	-	2	1	1	-	-	26	14	11	1	-	56e
11	6	4	1	-	-	-	-	-	-	20	7	13	-	-	55	30	23	1	1	57
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	57a-c
8	4	3	1	-	-	-	-	-	-	11	6	5	-	-	38	21	15	1	1	57d
2	2	-	-	-	-	-	-	-	-	8	1	7	-	-	17	9	8	-	-	57e
436	168	262	1	5	33	13	14	3	3	203	66	137	-	-	1,656	494	1,102	21	39	
6	1	5	-	-	1	-	1	-	-	3	1	2	-	-	34	13	16	2	3	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58a
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	7	1	4	-	2	58b
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	5	1	3	1	-	58c
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	10	5	4	-	1	58d
2	-	2	-	-	1	-	1	-	-	2	1	1	-	-	12	6	5	1	-	58e,f
33	11	22	-	-	3	1	-	1	1	6	2	4	-	-	43	17	23	2	1	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
356	144	206	1	5	24	10	11	2	1	170	57	113	-	-	1,403	409	949	16	29	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	2	-	2	62
20	2	18	-	-	3	1	2	-	-	17	4	13	-	-	104	16	87	-	1	63
2	-	2	-	-	-	-	-	-	-	2	-	2	-	-	5	2	3	-	-	63a
17	1	16	-	-	3	1	2	-	-	12	4	8	-	-	91	13	77	-	1	63b
1	1	-	-	-	-	-	-	-	-	3	-	3	-	-	8	1	7	-	-	63c-e
6	3	3	-	-	1	-	-	-	1	-	-	-	-	-	34	25	7	1	1	64
6	2	4	-	-	-	-	-	-	-	5	2	3	-	-	13	3	10	-	-	65
6	3	3	-	-	1	1	-	-	-	1	-	1	-	-	13	5	7	-	1	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	67
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	-	-	-	68
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	71
129	62	65	1	1	11	6	5	-	-	42	15	27	-	-	368	185	166	8	9	
8	7	1	-	-	-	-	-	-	-	1	-	1	-	-	19	8	9	1	1	72
38	14	22	1	1	4	2	2	-	-	13	7	6	-	-	85	30	49	2	4	73
24	6	16	1	1	-	-	-	-	-	7	3	4	-	-	48	16	29	1	2	73a
14	8	6	-	-	4	2	2	-	-	6	4	2	-	-	37	14	20	1	2	73b-d
75	40	35	-	-	7	4	3	-	-	26	7	19	-	-	238	138	92	4	4	74
71	37	34	-	-	6	3	3	-	-	26	7	19	-	-	222	128	86	4	4	74a
4	3	1	-	-	1	1	-	-	-	-	-	-	-	-	16	10	6	-	-	74b
6	1	5	-	-	-	-	-	-	-	-	-	-	-	-	19	8	10	1	-	75
2	-	2	-	-	-	-	-	-	-	2	1	1	-	-	7	1	6	-	-	76
29	24	4	1	-	11	6	3	1	1	10	7	3	-	-	60	37	10	9	4	
29	24	4	1	-	11	6	3	1	1	9	7	2	-	-	58	35	10	9	4	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	78
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	79
1,549	791	722	20	16	144	83	49	5	7	670	311	358	1	-	4,437	1,955	2,179	146	157	
10	5	5	-	-	3	2	1	-	-	3	2	1	-	-	34	17	10	1	6	80
16	8	8	-	-	4	2	2	-	-	3	-	3	-	-	60	34	16	3	7	81
33	25	8	-	-	1	1	-	-	-	7	5	2	-	-	117	51	60	3	3	82
1,392	707	650	19	16	125	71	44	4	6	614	283	330	1	-	3,942	1,721	1,961	130	130	83
1,215	615	566	18	16	107	62	35	4	6	516	237	278	1	-	3,286	1,417	1,646	112	111	83a
146	80	65	1	-	15	9	6	-	-	88	42	46	-	-	593	278	280	18	17	83b,c
31	12	19	-	-	3	-	3	-	-	10	4	6	-	-	63	26	35	-	2	83d
13	5	8	-	-	-	-	-	-	-	4	2	2	-	-	59	22	33	-	4	84
24	15	9	-	-	2	-	1	1	-	14	7	7	-	-	56	26	19	7	4	85
2	-	2	-	-	2	2	-	-	-	1	1	-	-	-	4	2	2	-	-	86
57	26	31	-	-	4	3	1	-	-	22	10	12	-	-	143	68	71	2	2	87
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	88
2	-	1	1	-	3	2	-	-	1	1	1	-	-	-	22	14	7	-	1	89
3,823	2,289	1,462	40	32	433	301	110	7	15	2,330	1,331	995	-	4	17,375	9,329	7,185	421	441	
3,536	2,138	1,333	38	27	407	284	102	7	14	2,090	1,213	873	-	4	16,248	8,813	6,622	398	415	90-95
1	1	-	-	-	2	1	-	-	1	4	2	2	-	-	8	4	4	-	-	90
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	90a
1	1	-	-	-	1	-	-	-	1	4	2	2	-	-	8	4	4	-	-	90b
21	10	9	1	1	4	3	1	-	-	3	2	1	-	-	49	22	22	1	4	91
19	10	9	-	-	4	3	1	-	-	2	1	1	-	-	47	22	21	-	4	91a,b
2	-	-	1	1	-	-	-	-	-	1	1	-	-	-	2	-	1	1	-	91c
338	194	131	6	7	36	24	11	1	-	195	110	84	-	1	844	364	410	36	34	92
11	4	6	-	1	5	4	-	1	-	24	19	5	-	-	66	30	22	8	6	92a
148	90	57	-	1	14	10	4	-	-	56	31	25	-	-	305	135	144	14	12	92b
18	15	3	-	-	5	4	1	-	-	14	7	7	-	-	63	21	41	1	-	92c
144	80	58	5	3	10	5	5	-	-	89	50	38	-	1	361	157	179	13	12	92d
17	5	9	1	2	2	1	1	-	-	12	3	9	-	-	49	21	24	-	4	92e
1,381	755	601	15	10	183	126	49	3	5	957	510	444	-	3	9,563	4,672	4,372	240	279	93
33	19	14	-	-	4	2	2	-	-	10	5	5	-	-	99	49	45	3	2	93a
5	3	2	-	-	-	-	-	-	-	1	-	1	-	-	9	5	2	-	2	93b
8	3	5	-	-	-	-	-	-	-	4	2	2	-	-	42	19	20	2	1	93c
1,147	636	493	10	8	154	106	40	3	5	881	471	407	-	3	8,323	3,963	3,909	206	245	93d
188	94	87	5	2	25	18	7	-	-	61	32	29	-	-	1,090	636	396	29	29	93e
1,408	962	423	15	6	146	105	35	2	4	718	478	240	-	-	4,762	3,209	1,416	79	58	94
1,229	830	388	7	4	144	104	34	2	4	702	468	234	-	-	4,725	3,185	1,405	78	57	94a
177	132	35	8	2	2	1	1	-	-	16	10	6	-	-	37	24	11	1	1	94b

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	792	449	284	35	24	167	116	40	7	4
95a	Functional diseases of heart, etc.*	64	40	23	-	1	5	4	1	-	-
95b	Other diseases of heart (rheumatic)	119	60	47	7	5	10	5	5	-	-
95c	Other diseases of heart (not rheumatic)	609	349	214	28	18	152	107	34	7	4
96	Aneurysm (except of heart and aorta)	52	32	15	2	3	5	3	2	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	696	338	320	24	14	89	54	35	-	-
98	Gangrene	13	6	5	-	2	3	3	-	-	-
99	Other diseases of arteries	47	27	19	1	-	17	14	3	-	-
100	Diseases of veins	33	14	15	3	1	6	1	5	-	-
101	Diseases of lymphatic system	2	1	1	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	63	21	24	5	13	11	6	5	-	-
103	Other diseases of circulatory system	3	1	2	-	-	1	-	1	-	-
	VIII.—Diseases of the respiratory system	2,372	1,087	969	182	134	336	210	91	19	16
104	Diseases of nasal fossae, accessory sinuses	4	2	2	-	-	1	-	1	-	-
105	Diseases of larynx	5	1	3	-	1	2	1	1	-	-
106	Bronchitis	96	55	30	7	4	22	15	6	1	-
107	Bronchopneumonia (including capillary bronchitis)	952	424	414	60	54	101	59	34	2	6
108	Lobar pneumonia	930	426	349	97	58	83	46	24	9	4
109	Pneumonia (unspecified)	68	29	32	3	4	51	31	11	4	5
109A	Atypical or virus pneumonia	22	10	12	-	-	15	9	3	-	3
109B	Pneumonia (all other, unspecified)	46	19	20	3	4	36	22	8	4	2
110	Pleurisy (not tuberculous)	41	19	16	2	4	4	4	-	-	-
111	Hemorrhagic infarction, thrombosis, edema*	150	59	85	3	3	31	18	9	3	1
112	Asthma	62	32	25	3	2	11	7	4	-	-
113	Pulmonary emphysema	7	6	1	-	-	7	7	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	57	34	12	7	4	23	22	1	-	-
114a,b	Silicosis, other forms of pneumoconioses	8	6	-	2	-	15	15	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)	49	28	12	5	4	8	7	1	-	-
	IX.—Diseases of the digestive system	1,903	1,010	703	87	103	276	153	97	16	10
115	Diseases of buccal cavity and adnexa, etc.*	51	25	20	2	4	10	5	4	1	-
116	Diseases of esophagus	10	6	3	-	1	1	1	-	-	-
117	Ulcer of stomach or duodenum	241	179	45	14	3	36	31	5	-	-
117a	Ulcer of stomach	164	122	29	10	3	26	23	3	-	-
117b	Ulcer of duodenum	77	57	16	4	-	10	8	2	-	-
118	Other diseases of stomach (except cancer)	49	22	19	4	4	10	6	2	1	1
119	Diarrhea, enteritis, etc.* (under 2 years)	183	98	62	11	12	24	6	5	9	4
120	Diarrhea, enteritis, etc.* (2 years and over)	44	23	15	1	5	10	4	4	2	-
121	Appendicitis	180	99	65	10	6	24	17	6	-	1
122	Hernia and intestinal obstruction	384	165	167	19	33	56	29	24	1	2
122a	Hernia	157	90	55	5	7	18	13	5	-	-
122b	Intestinal obstruction	227	75	112	14	26	38	16	19	1	2
123	Other diseases of intestines	48	23	23	1	1	9	4	5	-	-
124	Cirrhosis of liver	399	250	117	18	14	53	34	18	-	1
124a	Cirrhosis of liver with mention of alcoholism	35	28	4	1	2	3	2	1	-	-
124b	Cirrhosis of liver without mention of alcoholism	364	222	113	17	12	50	32	17	-	1
125	Other diseases of liver	57	22	23	4	8	7	4	1	1	1
126	Biliary calculi	112	39	68	-	5	20	7	13	-	-
127	Other diseases of gallbladder, biliary ducts	95	37	56	1	1	12	3	9	-	-
128	Diseases of pancreas (except diabetes mellitus)	20	8	9	2	1	3	2	1	-	-
129	Peritonitis (cause not stated)	30	14	11	-	5	1	-	-	1	-
	X.—Diseases of the genito-urinary system	3,661	1,847	1,392	225	197	324	199	108	12	5
130	Acute nephritis	91	46	30	6	9	14	9	2	2	1
131	Chronic nephritis	2,992	1,444	1,220	168	160	236	134	91	7	4
131a	Arteriosclerotic kidney	2,051	962	868	112	109	173	95	72	2	4
131b	Other chronic nephritis	941	482	352	56	51	63	39	19	5	-
132	Nephritis unspecified (10 years and over)	94	38	39	12	5	26	17	8	1	-
133	Other diseases of kidneys, ureters, etc.*	112	61	40	8	3	10	8	2	-	-
134	Calculi of urinary passages	53	28	20	1	4	2	1	1	-	-
135	Diseases of urinary bladder	20	12	5	3	-	3	2	1	-	-
136	Diseases of urethra (except calculus)	5	2	-	2	1	-	-	-	-	-
137	Diseases of prostate	241	216	...	25	...	30	28	...	2	...
137a	Hypertrophy of prostate	185	160	...	25	...	20	18	...	2	...
137b	Other diseases of prostate	56	56	...	-	...	10	10	...	-	...
138	Diseases of other male genital organs (not venereal)	-	-	...	-	...	-	-	...	-	...
139	Diseases of female genital organs	53	...	38	...	15	3	...	3	...	-
139a	Diseases of ovaries, fallopian tubes, parametria	30	...	18	...	12	2	...	2	...	-
139b	Diseases of uterus	23	...	20	...	3	1	...	1	...	-
139c	Diseases of other female genital organs*	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	131	...	105	...	26	18	...	18	...	-
140	Abortion with mention of infection	7	...	4	...	3	3	...	3	...	-
141	Abortion without mention of infection	6	...	4	...	2	3	...	3	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	2	...	2	...	-	2	...	2	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	2	...	1	...	1	-	...	-	...	-
141d-f	Other abortions (nonseptic)*	2	...	1	...	1	1	...	1	...	-
142	Ectopic gestation	4	...	3	...	1	2	...	2	...	-
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	1	...	1	...	-
142b	Ectopic gestation, without mention of infection	4	...	3	...	1	1	...	1	...	-
143	Hemorrhage of pregnancy (death before delivery)	3	...	2	...	1	-	...	-	...	-
144	Toxemias of pregnancy (death before delivery)	18	...	15	...	3	1	...	1	...	-
145	Other diseases of pregnancy (death before delivery)*	5	...	5	...	-	2	...	2	...	-
145A	With mention of infection	5	...	5	...	-	2	...	2	...	-
145B	Without mention of infection	-	...	-	...	-	-	...	-	...	-
146	Hemorrhage of childbirth and puerperium	19	...	17	...	2	2	...	2	...	-
147	Infection during childbirth and puerperium	23	...	20	...	3	3	...	3	...	-
148	Puerperal toxemias (excluding death before delivery)	28	...	21	...	7	1	...	1	...	-
149	Other accidents and specified conditions of childbirth	12	...	10	...	2	-	...	-	...	-
150	Other and unspecified conditions of childbirth and puerperium	6	...	4	...	2	1	...	1	...	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
389	216	169	1	3	36	25	6	1	4	213	111	102	-	-	1,022	542	398	42	40	95
26	14	12	-	-	2	1	1	-	-	-	-	-	-	-	24	12	10	-	2	95a
29	7	22	-	-	-	-	-	-	-	33	10	23	-	-	326	136	186	11	13	95b
334	195	135	1	3	34	24	5	1	4	180	101	79	-	-	672	394	222	31	25	95c
14	10	3	-	1	1	1	-	-	-	5	4	1	-	-	74	38	30	5	1	96
214	112	97	2	3	15	11	4	-	-	213	103	110	-	-	907	411	467	13	16	97
8	5	3	-	-	1	-	-	-	1	1	-	1	-	-	10	2	5	1	2	98
22	13	9	-	-	5	3	2	-	-	6	5	1	-	-	61	33	24	1	3	99
11	4	6	-	1	2	1	1	-	-	10	5	5	-	-	33	14	16	1	2	100
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	101
17	6	11	-	-	2	1	1	-	-	4	1	3	-	-	39	15	20	2	2	102
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	103
578	306	245	12	15	93	51	28	9	5	320	170	149	1	-	1,860	923	716	128	93	
5	3	2	-	-	1	-	1	-	-	-	-	-	-	-	9	3	4	1	1	104
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	6	1	4	1	-	105
21	13	7	1	-	3	3	-	-	-	15	8	7	-	-	100	55	35	4	6	106
180	93	78	3	6	32	17	14	1	-	136	71	64	1	-	729	351	299	46	33	107
134	72	51	4	7	34	18	8	4	4	89	49	40	-	-	623	308	224	54	37	108
109	59	45	3	2	10	3	4	2	1	27	11	16	-	-	98	44	42	7	5	109
31	20	10	-	1	2	-	2	-	-	11	5	6	-	-	40	18	18	3	1	109A
78	39	35	3	1	8	3	2	2	1	16	6	10	-	-	58	26	24	4	4	109B
9	6	2	1	-	1	1	-	-	-	2	1	1	-	-	48	29	12	3	4	110
75	34	41	-	-	6	4	-	2	-	31	20	11	-	-	117	57	51	7	2	111
25	13	12	-	-	3	3	-	-	-	15	6	9	-	-	73	37	31	1	4	112
4	2	2	-	-	1	-	1	-	-	-	-	-	-	-	6	5	1	-	-	113
13	9	4	-	-	2	2	-	-	-	5	4	1	-	-	51	33	13	4	1	114
1	1	-	-	-	2	2	-	-	-	2	2	-	-	-	7	6	1	-	-	114a,b
12	8	4	-	-	-	-	-	-	-	3	2	1	-	-	44	27	12	4	1	114c-e
584	326	247	7	4	62	36	20	2	4	252	150	102	-	-	1,986	1,102	758	59	47	
19	7	12	-	-	3	1	2	-	-	3	1	2	-	-	44	27	16	1	-	115
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	6	1	4	-	1	116
75	59	14	1	1	10	7	2	1	-	42	30	12	-	-	279	228	40	8	3	117
43	35	6	1	1	9	7	2	-	-	20	13	7	-	-	185	151	26	5	3	117a
32	24	8	-	-	1	-	-	1	-	22	17	5	-	-	94	77	14	3	-	117b
19	6	13	-	-	-	-	-	-	-	3	3	-	-	-	13	10	3	-	-	118
36	20	14	1	1	6	4	1	-	1	26	15	11	-	-	102	55	33	10	4	119
20	10	8	1	1	-	-	-	-	-	6	3	3	-	-	59	32	22	3	2	120
50	31	19	-	-	5	2	2	-	1	19	16	3	-	-	175	110	54	4	7	121
130	68	58	3	1	11	7	3	1	-	51	26	25	-	-	363	161	177	13	12	122
59	38	20	1	-	6	5	1	-	-	34	18	16	-	-	152	67	78	6	1	122a
71	30	38	2	1	5	2	2	1	-	17	8	9	-	-	211	94	99	7	11	122b
17	13	4	-	-	-	-	-	-	-	4	3	1	-	-	61	32	24	3	2	123
106	64	41	1	-	16	10	5	-	1	54	36	18	-	-	555	333	203	14	5	124
9	8	1	-	-	5	3	2	-	-	8	6	2	-	-	46	25	19	2	-	124a
97	56	40	1	-	11	7	3	-	1	46	30	16	-	-	509	308	184	12	5	124b
19	7	12	-	-	2	-	2	-	-	5	4	1	-	-	44	10	27	1	6	125
47	17	30	-	-	2	-	1	-	1	20	6	14	-	-	145	49	96	-	-	126
26	12	14	-	-	6	4	2	-	-	9	1	8	-	-	56	14	42	1	1	127
8	5	3	-	-	1	1	-	-	-	3	1	2	-	-	41	29	11	-	1	128
9	5	4	-	-	-	-	-	-	-	7	5	2	-	-	21	11	6	1	3	129
897	526	355	12	4	65	35	24	1	5	346	193	151	1	1	3,087	1,517	1,264	150	156	
25	16	8	1	-	1	1	-	-	-	3	3	-	-	-	64	36	20	4	4	130
690	375	304	8	3	50	30	17	1	2	284	145	138	-	1	2,546	1,185	1,133	113	135	131
527	282	237	6	2	39	25	11	1	2	221	109	111	-	1	2,056	921	935	93	107	131a
163	93	67	2	1	11	5	6	-	-	63	36	27	-	-	490	244	198	20	28	131b
38	27	11	-	-	3	1	1	-	1	6	2	3	1	-	77	38	23	11	5	132
23	11	12	-	-	6	-	5	-	1	14	8	6	-	-	85	46	33	3	3	133
16	12	4	-	-	-	-	-	-	-	4	4	-	-	-	54	37	15	2	-	134
10	3	7	-	-	1	-	-	-	1	2	2	-	-	-	28	8	17	2	1	135
1	-	1	-	-	-	-	-	-	-	2	2	-	-	-	8	4	1	3	-	136
85	82	...	3	...	3	3	...	-	...	27	27	...	-	...	195	183	...	12	...	137
73	70	...	3	...	3	3	...	-	...	22	22	...	-	...	180	170	...	10	...	137a
12	12	...	-	...	-	-	...	-	...	5	5	...	-	...	15	13	...	2	...	137b
-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	138
9	...	8	...	1	1	...	1	...	-	4	...	4	...	-	30	...	22	...	8	139
5	...	4	...	1	1	...	1	...	-	1	...	1	...	-	18	...	12	...	6	139a
4	...	4	...	-	-	...	-	...	-	2	...	2	...	-	11	...	9	...	2	139b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	139c
29	...	29	...	-	6	...	3	...	3	14	...	14	...	-	124	...	105	...	19	
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	11	...	8	...	3	140
1	...	1	...	-	-	...	-	...	-	2	...	2	...	-	10	...	8	...	2	141
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	5	...	5	...	-	141a,c
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	2	...	1	...	1	141b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	3	...	2	...	1	141d-f
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	9	...	6	...	3	142
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	2	...	1	...	1	142a
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	7	...	5	...	2	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	4	...	4	...	-	143
3	...	3	...	-	2	...	2	...	-	2	...	2	...	-	12	...	10	...	2	144
2	...	2	...	-	1	...	-	...	1	2	...	2	...	-	4	...	3	...	1	145
1	...	1	...	-	1	...	-	...	1	2	...	2	...	-	2	...	1	...	1	145A
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	145B
4	...	4	...	-	1	...	-	...	1	2	...	2	...	-	8	...	7	...	1	146
3	...	3	...	-	2	...	1	...	1	1	...	1	...	-	35	...	32	...	3	147
6	...	6	...	-	-	...	-	...	-	2	...	2	...	-	19	...	18	...	1	148
7	...	7	...	-	-	...	-	...	-	1	...	1	...	-	5	...	4	...	1	149
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	7	...	5	...	2	150

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	21	10	8	1	2	1	1	-	-	-
151	Carbuncle and furuncle	1	1	-	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	4	2	1	1	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue	16	7	7	-	2	1	1	-	-	-
	XIII.—Diseases of the bones, etc.*	17	7	4	5	1	1	1	-	-	-
154	Osteomyelitis and periostitis	11	4	2	4	1	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	3	1	1	1	-	-	-	-	-	-
156	Diseases of joints, other organs of movement	3	2	1	-	-	1	1	-	-	-
157	XIV.—Congenital malformations	478	247	205	13	13	67	41	24	2	-
157a-d	Congenital malformations of central nervous system	112	48	56	4	4	20	14	6	-	-
157e,f	Congenital malformations of cardiovascular system	265	137	117	7	4	36	22	12	2	-
157g,h,m	Other congenital malformations	101	62	32	2	5	11	5	6	-	-
	XV.—Diseases peculiar to the first year of life	1,429	758	485	107	79	256	149	90	10	7
158	Congenital debility (cause not stated)	53	24	17	9	3	7	3	1	3	-
159	Premature birth (cause not stated)	929	488	308	74	59	148	84	57	3	4
160	Injury at birth	234	126	92	8	8	62	40	19	2	1
161	Other diseases peculiar to first year of life	213	120	68	16	9	39	22	13	2	2
162	XVI.—Senility	259	113	129	10	7	70	43	23	2	2
	XVII.—Violent or accidental deaths	3,814	2,113	1,102	295	104	637	463	147	23	4
163,164	Suicide	516	370	126	11	9	98	76	20	1	1
163	Suicide by poisoning	105	58	44	-	3	10	8	3	-	1
164	Suicide by other means	411	312	82	11	6	88	70	17	1	-
165-168	Homicide[1]	284	97	31	130	26	22	15	7	-	-
166	Homicide by firearms	155	51	16	73	15	14	9	5	-	-
167	Homicide by cutting or piercing instruments	63	14	3	37	9	-	-	-	-	-
168	Homicide by other means	66	32	12	20	2	8	6	2	-	-
169-185	Accidental deaths	2,812	1,646	945	152	69	517	372	120	22	3
169	Railway accidents (except collisions with motor vehicles)	89	72	9	8	-	16	14	-	2	-
170	Motor-vehicle accidents	830	614	169	37	10	166	115	41	9	1
170a	Collisions between automobiles and trains	45	33	12	-	-	9	4	5	-	-
170b	Collisions between automobiles and streetcars	10	6	3	1	-	-	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	758	560	153	35	10	154	108	36	9	1
170d	Motorcycle accidents (exc. collisions with automobiles)	17	15	1	1	-	3	3	-	-	-
171	Streetcar and other road-transport accidents	32	20	10	-	2	-	-	-	-	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	28	18	9	-	1	-	-	-	-	-
171b	Other and unspecified road-transport accidents	4	2	1	-	1	-	-	-	-	-
172	Water-transport accidents	22	20	2	-	-	2	1	1	-	-
173	Air-transport accidents	43	40	3	-	-	12	10	2	-	-
174	Accidents in mines and quarries	9	9	-	-	-	21	21	-	-	-
175	Agricultural and forestry accidents	75	69	4	2	-	36	36	-	-	-
175a-c	Agricultural accidents	71	65	4	2	-	33	33	-	-	-
175d,e	Forestry accidents	4	4	-	-	-	3	3	-	-	-
176	Other accidents involving machinery	22	18	1	3	-	7	7	-	-	-
177	Food poisoning	10	6	2	1	1	2	1	1	-	-
178	Accidental absorption of poisonous gas	35	19	12	3	1	5	4	1	-	-
179	Acute accidental poisoning by solids or liquids	37	13	18	2	4	5	4	1	-	-
180	Conflagration	102	44	28	17	13	10	6	4	-	-
181	Accidental burns (except conflagration)	181	71	84	15	11	21	9	7	4	1
182	Accidental mechanical suffocation	41	18	15	4	4	7	5	2	-	-
183	Accidental drowning	112	88	14	8	2	34	26	5	2	1
184	Accidental injury by firearms	73	57	7	7	2	28	26	2	-	-
185	Accidental injury by cutting or piercing instruments	11	5	2	2	2	1	1	-	-	-
186	Accidental injury by fall or crushing	848	322	490	24	12	108	58	49	2	-
186a	Accidental injury by fall	835	313	488	22	12	108	57	49	2	-
186b	Accidental injury by crushing	13	9	2	2	-	1	1	-	-	-
187	Cataclysm, etc.*	2	1	1	-	-	3	3	-	-	-
188	Injury by animals (except in agriculture and forestry)	4	3	1	-	-	-	-	-	-	-
189	Hunger or thirst	1	1	-	-	-	-	-	-	-	-
190	Excessive cold	7	4	1	2	-	1	1	-	-	-
191	Excessive heat	11	9	1	1	-	1	1	-	-	-
192	Lightning	8	5	3	-	-	6	6	-	-	-
193	Accidents due to electric currents (except lightning)	16	16	-	-	-	1	1	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	1	1	-	-	-	-	-	-	-	-
195	Other accidents	190	101	68	16	5	23	16	4	3	-
195a	Sequelae of preventive immunization, etc.*	-	-	-	-	-	1	-	1	-	-
195b	Other accidents due to medical or surgical intervention	-	-	-	-	-	1	-	-	1	-
195d	Obstruction, suffocation, etc.*	27	16	10	-	1	3	1	1	1	-
195c,e	Other and unspecified accidents	163	85	58	16	4	18	15	2	1	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	2	-	-	2	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	231	141	62	16	12	98	66	16	9	7
199	Sudden death	8	5	1	2	-	4	3	1	-	-
200	Ill-defined and unknown causes	223	136	61	14	12	94	63	15	9	7
200a	Ill-defined causes	124	79	31	8	6	71	57	10	3	1
200b,c	Unknown or unspecified causes	99	57	30	6	6	23	6	5	6	6

*Refer to International List for complete title, table V, Part I.
[1]Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8	3	5	-	-	2	1	1	-	-	2	2	-	-	-	22	8	13	1	-	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	151
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	4	4	-	-	-	152
6	2	4	-	-	2	1	1	-	-	-	-	-	-	-	18	4	13	1	-	153
9	4	5	-	-	-	-	-	-	-	6	3	3	-	-	35	22	8	-	5	
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	11	7	1	-	3	154
3	-	3	-	-	-	-	-	-	-	3	-	3	-	-	11	8	3	-	-	155
4	2	2	-	-	-	-	-	-	-	2	2	-	-	-	13	7	4	-	2	156
151	91	59	-	1	13	8	5	-	-	86	49	37	-	-	539	261	241	18	19	157
35	18	16	-	1	1	-	1	-	-	30	11	19	-	-	202	86	102	7	7	157a-d
75	50	25	-	-	7	5	2	-	-	38	25	13	-	-	230	117	99	5	9	157e,f
41	23	18	-	-	5	3	2	-	-	18	13	5	-	-	107	58	40	6	3	157g,h,m
529	307	211	6	5	75	43	28	2	2	172	103	68	1	-	1,618	889	559	103	67	
6	1	4	1	-	2	1	1	-	-	6	3	3	-	-	24	15	6	2	1	158
373	216	149	4	4	46	28	16	2	-	101	59	41	1	-	1,034	551	349	81	53	159
99	62	35	1	1	11	4	7	-	-	42	28	16	-	-	295	172	110	8	5	160
51	28	23	-	-	16	10	4	-	2	23	15	8	-	-	265	151	94	12	8	161
231	109	119	3	-	10	5	2	3	-	27	8	19	-	-	174	57	108	6	3	162
1,092	724	337	22	9	237	175	43	17	2	419	274	144	-	1	3,179	1,957	955	206	61	
163	127	35	1	-	41	30	8	2	1	65	54	11	-	-	576	394	159	17	6	163,164
31	17	13	1	-	8	5	3	-	-	10	8	2	-	-	225	119	98	3	5	163
132	110	22	-	-	33	25	5	2	1	55	46	9	-	-	351	275	61	14	1	164
27	12	3	9	3	9	5	1	3	-	4	1	2	-	1	107	40	24	30	13	165-168
14	7	3	3	1	5	4	-	1	-	1	-	1	-	-	31	13	8	7	3	166
8	-	-	6	2	1	-	-	1	-	-	-	-	-	-	36	10	4	14	8	167
5	5	-	-	-	3	1	1	1	-	3	1	1	-	1	40	17	12	9	2	168
902	585	299	12	6	186	139	34	12	1	350	219	131	-	-	2,495	1,522	772	159	42	169-195
33	24	9	-	-	15	12	1	2	-	6	6	-	-	-	59	48	7	3	1	169
289	213	72	2	2	64	48	10	6	-	100	71	29	-	-	757	541	156	53	7	170
33	28	5	-	-	1	-	1	-	-	7	3	4	-	-	17	15	-	2	-	170a
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	170b
252	181	67	2	2	62	47	9	6	-	92	67	25	-	-	718	510	153	48	7	170c
3	3	-	-	-	1	1	-	-	-	1	1	-	-	-	20	16	3	1	-	170d
5	3	1	1	-	-	-	-	-	-	2	2	-	-	-	11	8	3	-	-	171
3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	7	6	1	-	-	171a
2	1	1	-	-	-	-	-	-	-	2	2	-	-	-	4	2	2	-	-	171b
-	-	-	-	-	4	2	2	-	-	7	7	-	-	-	21	19	1	-	1	172
19	16	3	-	-	11	9	2	-	-	2	2	-	-	-	40	38	2	-	-	173
2	2	-	-	-	8	8	-	-	-	-	-	-	-	-	12	11	1	-	-	174
58	50	7	1	-	4	4	-	-	-	11	11	-	-	-	23	18	1	4	-	175
58	50	7	1	-	4	4	-	-	-	8	8	-	-	-	23	18	1	4	-	175a-c
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	175d,e
11	11	-	-	-	-	-	-	-	-	3	3	-	-	-	25	20	2	3	-	176
3	1	2	-	-	1	1	-	-	-	-	-	-	-	-	6	2	2	2	-	177
15	8	6	1	-	2	2	-	-	-	8	6	2	-	-	110	73	34	2	1	178
7	4	3	-	-	4	1	2	1	-	8	4	4	-	-	37	22	10	4	1	179
13	9	4	-	-	4	2	1	-	1	6	4	2	-	-	70	30	17	16	7	180
38	17	19	1	1	7	6	1	-	-	17	9	8	-	-	98	63	27	5	3	181
18	11	5	2	-	3	2	1	-	-	9	4	5	-	-	52	25	18	6	3	182
50	39	11	-	-	9	7	1	1	-	23	19	4	-	-	150	106	15	25	4	183
25	20	3	2	-	8	8	-	-	-	10	8	2	-	-	33	25	5	2	1	184
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	7	5	-	-	2	185
259	113	144	1	1	16	8	8	-	-	110	43	67	-	-	835	378	426	21	10	186
259	113	144	1	1	16	8	8	-	-	108	42	66	-	-	829	372	426	21	10	186a
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	6	6	-	-	-	186b
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	187
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
3	2	1	-	-	1	-	-	1	-	2	2	-	-	-	2	2	-	-	-	190
7	3	3	-	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	191
6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	192
7	7	-	-	-	3	3	-	-	-	4	4	-	-	-	15	12	2	1	-	193
1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	194
28	21	5	1	1	20	15	4	1	-	19	11	8	-	-	127	72	42	12	1	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	195a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195b
6	4	1	1	-	3	2	1	-	-	4	1	3	-	-	23	14	7	2	-	195d
22	17	4	-	1	17	13	3	1	-	15	10	5	-	-	103	57	35	10	1	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	198
53	35	16	1	1	36	24	3	3	6	46	32	14	-	-	74	42	23	8	1	
3	2	1	-	-	-	-	-	-	-	12	11	1	-	-	3	3	-	-	-	199
50	33	15	1	1	36	24	3	3	6	34	21	13	-	-	71	39	23	8	1	200
29	20	8	-	1	25	21	1	-	3	24	16	8	-	-	62	32	21	8	1	200a
21	13	7	1	-	11	3	2	3	3	10	5	5	-	-	9	7	2	-	-	200b,c

TABLE 21—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	5,436	2,837	1,977	338	284	152,866	78,989	65,300	4,609	3,968
	I.—Infectious and parasitic diseases	680	356	184	76	64	8,200	4,560	2,007	1,008	625
1	Typhoid fever	1	-	1	-	-	11	5	5	1	-
2	Paratyphoid fever	-	-	-	-	-	1	1	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	1	-	1	-	-	3	2	1	-	-
6	Cerebrospinal (meningococcus) meningitis	5	3	2	-	-	121	82	43	12	4
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	1	-	-	-	11	5	4	1	1
9	Whooping cough	22	13	8	-	1	63	30	29	1	3
10	Diphtheria (infection by C. diphtheriae)	12	3	2	1	6	50	28	19	1	2
11	Erysipelas	1	-	1	-	-	12	6	5	-	1
12	Tetanus	-	-	-	-	-	3	3	-	-	-
13-22	Tuberculosis (all forms)	398	192	96	58	42	5,601	3,160	1,275	687	479
13	Tuberculosis of respiratory system, etc.*	341	182	83	44	32	5,237	3,019	1,167	618	433
14	Tuberculosis of meninges, etc.*	21	-	5	11	5	84	32	22	24	6
15	Tuberculosis of intestines and peritoneum	7	1	-	3	3	47	16	12	10	9
16	Tuberculosis of vertebral column	4	2	2	-	-	40	16	13	6	5
17	Tuberculosis of bones and joints, etc.*	1	-	1	-	-	8	4	2	2	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	2	1	1	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	8	1	5	1	1
20	Tuberculosis of genito-urinary system	3	2	1	-	-	41	21	15	3	2
21	Tuberculosis of other organs	3	1	1	-	1	14	5	6	2	1
22	Disseminated tuberculosis	8	4	3	-	1	120	45	32	21	22
23	Leprosy	-	-	-	-	-	1	-	1	-	-
24	Septicemia and purulent infection (nonpuerperal)	2	-	2	-	-	35	22	11	1	1
25	Gonococcus infection	2	-	1	1	-	19	6	-	4	9
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	67	41	24	-	2	35	11	21	2	1
28	Malaria	1	1	-	-	-	3	2	1	-	-
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	1	-	-	-	1
30	Syphilis (all forms)	76	47	13	10	6	1,309	717	214	276	102
30a	Locomotor ataxia (tabes dorsalis)	2	-	1	1	-	65	48	11	4	2
30b	General paralysis of insane	16	12	4	-	-	428	251	61	96	20
30d	Aneurysm of aorta	10	6	1	1	2	261	175	39	50	17
30f	Congenital syphilis	9	1	3	3	2	25	4	10	8	3
30c,e,g	Syphilis (other forms)	39	28	4	5	2	510	239	93	118	60
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	2	-	2	-	-	37	16	18	2	1
33	Influenza	64	37	21	2	4	312	148	148	9	7
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	13	2	5	3	3	64	28	32	2	2
36	Poliomyelitis and poliocencephalitis (acute)	10	9	1	-	-	64	49	15	-	-
37	Acute infectious encephalitis (lethargic)	-	-	-	-	-	117	64	46	4	3
38	Other diseases due to filtrable viruses	-	-	-	-	-	8	4	2	-	-
39	Typhus fever and typhus-like diseases*	-	-	-	-	-	4	1	3	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	5	3	2	-	-
42	Other diseases caused by helminths	-	-	-	-	-	3	1	2	-	-
43	Mycoses	1	-	1	-	-	27	18	8	1	-
44	Other infectious and parasitic diseases	11	7	3	1	-	282	168	102	4	8
	II.—Cancer and other tumors	417	182	214	10	11	24,607	11,778	11,833	459	537
45-55	Cancer and other malignant tumors	400	179	202	10	9	23,989	11,548	11,500	447	494
45	Cancer of buccal cavity and pharynx	7	4	3	-	-	735	594	114	25	2
45a	Cancer of lip	1	-	1	-	-	54	51	3	-	-
45b	Cancer of tongue	-	-	-	-	-	252	202	39	10	1
45c	Cancer of mouth	1	-	1	-	-	117	94	21	2	-
45d	Cancer of jaw bone	2	1	1	-	-	82	64	15	3	-
45e	Cancer of unspecified parts of buccal cavity	-	-	-	-	-	12	11	1	-	-
45f	Cancer of pharynx	3	3	-	-	-	218	172	35	10	1
46	Cancer of digestive organs and peritoneum	202	97	93	8	4	11,058	5,866	4,796	224	172
46a	Cancer of esophagus	3	1	2	-	-	613	443	117	43	10
46b	Cancer of stomach	92	48	40	3	1	3,222	1,879	1,196	87	60
46c	Cancer of duodenum	2	2	-	-	-	42	25	15	1	1
46d	Cancer of rectum and anus	11	5	5	1	-	1,743	1,011	692	17	23
46e	Cancer of intestines, etc.*	37	12	22	2	1	3,161	1,380	1,705	30	46
46f	Cancer of liver and biliary passages	35	16	16	2	1	1,086	474	574	24	14
46g	Cancer of pancreas	13	9	4	-	-	925	528	367	17	13
46h	Cancer of mesentery and peritoneum	3	1	2	-	-	169	79	83	2	5
46m	Cancer of other and unspecified sites	6	3	2	-	1	97	47	47	3	-
47	Cancer of respiratory system	29	19	8	2	-	2,512	1,992	429	73	18
47a	Cancer of larynx	4	4	-	-	-	347	314	28	5	-
47b,c	Cancer of trachea and bronchus	8	4	3	1	-	661	568	68	23	2
47d	Cancer of lung	14	10	3	1	-	1,399	1,040	308	39	14
47e	Cancer of pleura	1	-	1	-	-	14	9	4	1	-
47f	Cancer of other respiratory organs	2	1	1	-	-	91	61	23	5	2
48	Cancer of uterus	49	...	48	...	1	1,768	...	1,628	...	140
48a	Cancer of cervix	29	...	28	...	1	1,020	...	912	...	108
48b	Cancer of other and unspecified sites of uterus	20	...	20	...	-	748	...	716	...	32
49	Cancer of other female genital organs	6	...	6	...	-	854	...	818	...	36
49a,b	Cancer of ovary, fallopian tube, and parametrium	4	...	4	...	-	752	...	718	...	34
49c-e	Cancer of other female genital organs	2	...	2	...	-	102	...	100	...	2
50	Cancer of breast	28	-	25	-	3	2,559	40	2,441	-	78
51	Cancer of male genital organs	29	29	...	-	...	1,192	1,139	...	53	...
51b	Cancer of prostate	24	24	...	-	...	1,069	1,025	...	44	...
51a,c-e	Cancer of other male genital organs	5	5	...	-	...	123	114	...	9	...
52	Cancer of urinary organs	10	8	2	-	-	1,168	783	352	19	14
52a	Cancer of kidney	5	4	1	-	-	365	242	117	2	4
52b	Cancer of bladder	5	4	1	-	-	785	532	229	16	8
52c	Cancer of other and unspecified sites	-	-	-	-	-	18	9	6	1	2
53	Cancer of skin, etc.*	7	6	1	-	-	362	197	157	6	2

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
28,724	11,082	8,014	5,112	4,516	5,080	3,052	1,903	69	56	78,464	40,485	32,475	3,094	2,410	18,620	9,792	6,609	1,183	1,056	
2,075	560	396	620	499	211	108	74	14	15	4,473	2,236	1,332	552	353	1,353	625	392	167	169	
7	4	-	1	2	1	1	-	-	-	13	5	6	1	1	7	5	1	2	1	1
1	-	1	-	-	-	-	-	-	-	3	1	-	1	1	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	-	1	-	-	1	1	-	-	-	6	3	3	-	-	-	-	-	-	-	5
30	13	11	4	2	4	3	1	-	-	57	30	24	2	1	13	6	5	-	2	6
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	7
3	2	-	-	1	-	-	-	-	-	22	14	8	-	-	6	3	3	-	-	8
59	10	15	13	21	1	1	-	-	-	60	26	26	5	3	25	8	7	2	8	9
46	14	18	9	5	7	7	-	-	-	51	32	16	1	2	26	11	10	3	2	10
7	2	2	3	-	-	-	-	-	-	3	3	-	-	-	1	1	-	-	-	11
10	6	1	1	2	1	-	1	-	-	19	8	5	4	2	6	3	1	2	-	12
1,182	282	190	386	324	96	47	28	9	12	2,583	1,246	708	375	254	708	309	192	97	110	13-22
1,096	264	177	349	306	78	41	23	6	8	2,370	1,166	636	349	219	656	293	171	89	103	13
27	5	4	12	6	9	1	2	2	4	56	21	21	5	9	18	6	8	1	3	14
16	3	1	5	7	1	1	-	-	-	47	13	10	7	17	11	4	3	3	1	15
4	1	1	1	1	-	-	-	-	-	27	9	9	5	4	4	1	2	1	-	16
1	-	-	1	-	2	-	1	1	-	6	6	-	-	-	4	2	1	1	-	17
-	-	-	-	-	1	-	1	-	-	3	-	3	-	-	-	-	-	-	-	18
-	-	-	-	-	1	1	-	-	-	2	-	1	1	-	1	-	-	-	1	19
3	1	1	1	-	2	1	1	-	-	27	12	12	2	1	2	1	1	-	-	20
1	-	1	-	-	-	-	-	-	-	9	6	3	-	-	-	-	-	-	-	21
34	8	5	17	4	2	2	-	-	-	36	13	13	6	4	12	2	6	2	2	22
1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	23
16	8	4	2	2	3	3	-	-	-	27	15	9	1	2	18	6	9	3	-	24
6	-	-	-	6	-	-	-	-	-	6	4	1	-	1	5	1	2	-	2	25
6	3	1	1	1	2	1	1	-	-	2	1	-	-	1	2	2	-	-	-	26
13	2	3	4	4	6	-	1	2	3	13	7	5	1	-	10	6	2	1	1	27
8	2	2	3	1	-	-	-	-	-	3	3	-	-	-	12	3	3	2	4	28
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	1	-	29
245	59	18	119	49	29	19	7	3	-	785	423	168	133	61	197	124	26	28	19	30
1	-	-	1	-	3	3	-	-	-	45	29	13	1	2	6	5	-	-	1	30a
48	9	7	31	1	3	2	1	-	-	265	140	48	57	20	74	58	9	5	2	30b
42	23	4	12	3	11	8	2	1	-	148	89	30	21	8	41	23	7	8	3	30d
30	6	3	13	8	3	-	2	1	-	23	12	5	1	5	9	-	1	2	6	30f
124	21	4	62	37	9	6	2	1	-	304	153	72	53	26	67	38	9	13	7	30,c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
8	3	3	-	2	1	1	-	-	-	17	11	3	2	1	4	-	4	-	-	32
269	86	77	51	55	22	8	14	-	-	489	212	236	19	22	193	74	87	19	13	33
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	34
43	11	10	12	10	-	-	-	-	-	27	16	11	-	-	30	11	13	2	4	35
16	9	5	1	1	26	10	16	-	-	59	37	19	3	-	34	19	12	1	2	36
4	3	-	1	-	2	1	1	-	-	52	31	21	-	-	9	7	1	-	1	37
1	-	-	1	-	-	-	-	-	-	12	5	7	-	-	2	1	1	-	-	38
29	11	15	1	2	-	-	-	-	-	3	2	1	-	-	6	2	2	2	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	41
1	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	42
16	5	3	4	4	3	-	3	-	-	16	12	3	1	-	5	1	3	1	-	43
47	25	15	3	4	6	5	1	-	-	137	85	48	3	1	33	24	8	1	-	44
2,653	931	1,094	246	382	708	377	323	3	5	10,955	4,890	5,507	256	302	2,351	1,050	1,114	79	108	
2,523	906	1,042	232	343	675	365	303	3	4	10,628	4,784	5,323	246	275	2,263	1,030	1,058	77	98	45-55
78	37	28	8	5	20	15	5	-	-	278	210	53	12	3	91	70	17	4	-	45
8	8	-	-	-	4	3	1	-	-	31	30	1	-	-	13	13	-	-	-	45a
10	5	3	1	1	4	3	1	-	-	81	59	18	3	1	7	5	1	1	-	45b
16	6	10	-	-	1	1	-	-	-	36	25	7	4	-	9	4	5	-	-	45c
20	7	9	3	1	1	1	-	-	-	40	29	10	-	1	24	17	6	1	-	45d
-	-	-	-	-	-	-	-	-	-	6	4	1	-	1	-	-	-	-	-	45e
24	11	6	4	3	10	7	3	-	-	84	63	16	5	-	38	31	5	2	-	45f
986	397	368	128	93	339	199	137	2	1	4,700	2,384	2,093	133	90	941	462	413	32	34	46
38	13	12	7	6	11	11	-	-	-	187	136	34	14	3	20	8	8	4	-	46a
346	152	105	55	34	159	110	48	1	-	1,451	875	498	49	29	301	169	112	11	9	46b
4	1	2	1	-	1	-	1	-	-	26	14	11	-	1	9	5	3	1	-	46c
91	44	38	5	4	30	15	15	-	-	583	305	248	16	14	75	40	30	5	-	46d
219	69	108	21	21	63	28	34	1	-	1,326	574	708	19	25	230	84	132	6	8	46e
168	62	62	23	19	46	18	28	-	-	670	253	382	20	15	194	85	88	5	16	46f
97	46	31	13	7	23	15	7	-	1	334	171	151	10	2	92	59	32	-	1	46g
14	6	5	1	2	4	2	2	-	-	69	31	37	1	-	13	7	6	-	-	46h
11	4	5	2	-	2	-	2	-	-	54	25	24	4	1	7	5	2	-	-	46m
175	114	29	17	15	48	36	11	1	-	818	616	159	32	11	151	106	36	7	2	47
20	18	1	3	-	1	1	-	-	-	97	79	11	4	3	10	9	1	-	-	47a
30	19	4	4	3	14	11	2	1	-	229	189	26	13	1	26	20	4	2	-	47b,c
114	71	23	9	11	30	23	7	-	-	452	317	114	14	7	106	73	27	4	2	47d
2	1	-	1	-	-	-	-	-	-	7	7	-	-	-	2	2	-	-	-	47e
9	7	1	-	1	3	1	2	-	-	33	24	8	1	-	7	2	4	1	-	47f
361	...	231	...	130	38	...	36	...	2	1,132	...	1,042	...	90	254	...	212	...	42	48
151	...	99	...	52	15	...	15	...	-	461	...	415	...	46	78	...	57	...	21	48a
210	...	132	...	78	23	...	21	...	2	671	...	627	...	44	176	...	155	...	21	48b
50	...	42	...	8	18	...	17	...	1	309	...	298	...	11	47	...	47	...	-	49
42	...	34	...	8	16	...	15	...	1	252	...	245	...	7	41	...	41	...	-	49a,b
8	...	8	...	-	2	...	2	...	-	57	...	53	...	4	6	...	6	...	-	49c-e
232	4	169	2	57	57	2	55	-	-	1,015	12	959	-	44	199	1	189	-	9	50
184	144	...	40	...	48	48	...	-	...	690	655	...	35	...	188	167	...	21	...	51
163	125	...	38	...	47	47	...	-	...	630	600	...	30	...	169	150	...	19	...	51b
21	19	...	2	...	1	1	...	-	...	60	55	...	5	...	19	17	...	2	...	51a,c-e
97	41	39	9	8	35	24	11	-	-	463	291	158	7	7	90	57	28	3	1	52
37	13	15	5	4	17	12	5	-	-	148	84	62	2	1	35	25	10	-	-	52a
60	28	24	4	4	17	11	6	-	-	307	204	92	5	6	54	32	18	3	1	52b
-	-	-	-	-	1	1	-	-	-	7	3	4	-	-	1	-	1	-	-	52c
81	46	29	3	3	12	6	6	-	-	188	109	79	-	-	85	56	25	3	1	53

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
54	Cancer of central nervous system*	2	1	1	-	-	448	258	172	8	10
55	Cancer of other and unspecified organs	31	15	15	-	1	1,333	679	593	39	22
56,57	Nonmalignant tumors and tumors of unspecified nature	17	3	12	-	2	618	230	333	12	43
56	Nonmalignant tumors (including dermoid cysts)	12	1	10	-	1	404	89	262	7	36
56a-c	Nonmalignant tumors of female genital organs	11	...	10	...	1	222	...	192	...	30
56d	Nonmalignant tumors of central nervous system*	1	1	-	-	-	100	46	46	5	3
56e	Nonmalignant tumors of other and unspecified organs	-	-	-	-	-	82	53	24	2	3
57	Tumors of unspecified nature	5	2	2	-	1	214	151	71	5	7
57a-c	Tumors, female genital organs (nature unspecified)	-	...	-	...	-	4	...	4	...	-
57d	Tumors, central nervous system* (nature unspecified)	2	1	1	-	-	127	79	42	1	5
57e	Tumors, other organs (nature unspecified)	3	1	1	-	1	83	52	25	4	2
	III.—Rheumatism, diseases of nutrition, etc.*	103	41	58	3	1	6,107	2,011	3,845	67	184
58	Acute rheumatic fever	7	3	4	-	-	98	39	48	8	3
58a	Acute rheumatic pericarditis	-	-	-	-	-	8	4	3	1	-
58b	Acute rheumatic endocarditis	1	-	1	-	-	43	17	22	2	2
58c	Acute rheumatic myocarditis	2	1	1	-	-	3	-	2	1	-
58d	Other acute rheumatic heart diseases	1	-	1	-	-	21	9	11	1	-
58e,f	Other forms of acute rheumatic fever, etc.*	3	2	1	-	-	23	9	10	3	1
59	Chronic rheumatism, other rheumatic diseases	7	1	5	1	-	143	43	98	1	1
60	Gout	-	-	-	-	-	2	2	-	-	-
61	Diabetes mellitus	61	26	35	-	-	5,314	1,755	3,347	49	163
62	Diseases of pituitary gland	1	-	-	1	-	20	7	13	-	-
63	Diseases of thyroid and parathyroid glands	6	-	6	-	-	332	61	258	3	10
63a	Simple goiter	1	-	1	-	-	13	-	12	-	1
63b	Exophthalmic goiter	5	-	5	-	-	277	51	215	2	9
63c-e	Other diseases of thyroid and parathyroid glands	-	-	-	-	-	42	10	31	1	-
64	Diseases of thymus gland	10	5	4	1	-	91	56	30	2	3
65	Diseases of adrenal glands*	3	2	-	-	1	56	24	28	1	3
66	Other general diseases	4	2	2	-	-	23	10	12	1	-
67	Scurvy	1	1	-	-	-	2	1	1	-	-
68	Beriberi	-	-	-	-	-	2	-	2	-	-
69	Pellagra (except alcoholic)	3	1	2	-	-	9	5	3	-	1
70	Rickets	-	-	-	-	-	1	-	1	-	-
71	Other avitaminoses	-	-	-	-	-	14	8	4	2	-
	IV.—Diseases of the blood and blood-forming organs	45	21	22	1	1	1,102	590	477	19	16
72	Hemorrhagic conditions	9	4	4	-	1	46	16	26	1	3
73	Anemias (except splenic anemia)	10	3	6	1	-	202	96	96	4	6
73a	Pernicious anemia	5	2	3	-	-	123	49	69	1	4
73b-d	Other anemias (except splenic)	5	1	3	1	-	79	47	27	3	2
74	Leukemias and aleukemias	24	13	11	-	-	793	449	326	11	7
74a	Leukemias	23	12	11	-	-	759	424	318	11	6
74b	Aleukemias	1	1	-	-	-	34	25	8	-	1
75	Diseases of spleen	2	1	1	-	-	41	18	20	3	-
76	Other diseases of blood and blood-forming organs	-	-	-	-	-	20	11	9	-	-
	V.—Chronic poisoning and intoxication	11	9	2	-	-	271	200	49	18	4
77	Alcoholism (ethylism)	10	8	2	-	-	259	194	43	18	4
78	Lead poisoning	1	1	-	-	-	3	3	-	-	-
79	Chronic poisoning by other mineral substances*	-	-	-	-	-	9	3	6	-	-
	VI.—Diseases of the nervous system, etc.*	324	164	140	10	10	11,675	5,192	5,993	215	275
80	Encephalitis (nonepidemic)	10	6	4	-	-	65	39	22	1	3
81	Meningitis (not due to meningococcus)	12	7	4	-	1	149	77	39	18	15
82	Diseases of spinal cord (see exceptions)*	11	6	4	-	1	268	142	115	8	3
83	Intracranial lesions of vascular origin	250	126	110	7	7	10,313	4,471	5,463	160	219
83a	Cerebral hemorrhage or effusion*	219	113	96	5	5	8,441	3,615	4,508	133	187
83b,c	Cerebral embolism, thrombosis, and softening	22	11	9	1	1	1,756	805	895	26	30
83d	Hemiplegia, other paralysis, etc.*	9	2	5	1	1	116	51	62	1	2
84	Mental diseases and deficiency (see exception)*	8	4	4	-	-	128	52	54	9	13
85	Epilepsy	7	4	2	1	-	212	131	60	11	10
86	Convulsions (under 5 years)	3	1	2	-	-	7	4	3	-	-
87	Other diseases of nervous system	12	7	5	-	-	455	231	208	7	9
88	Diseases of organs of vision	-	-	-	-	-	3	1	2	-	-
89	Diseases of ear and mastoid process	11	3	5	2	1	75	44	27	1	3
	VII.—Diseases of the circulatory system	862	516	317	13	16	61,747	33,091	26,272	1,165	1,219
90-95	Diseases of the heart (all forms)	800	479	292	13	16	58,174	31,394	24,519	1,102	1,159
90	Pericarditis (except acute rheumatic)	2	2	-	-	-	40	17	21	1	1
90a	Chronic rheumatic pericarditis	-	-	-	-	-	1	-	-	-	1
90b	Other pericarditis	2	2	-	-	-	39	17	21	1	-
91	Acute endocarditis (except rheumatic)	5	3	2	-	-	104	60	39	4	1
91a,b	Bacterial, acute, and subacute endocarditis	3	3	-	-	-	99	58	36	4	1
91c	Endocarditis (unspecified, under 45 years)	2	-	2	-	-	5	2	3	-	-
92	Chronic affections of valves and endocardium	121	47	65	3	6	3,227	1,514	1,602	52	59
92a	Diseases of aortic valve, etc.*	11	4	5	1	1	197	129	56	8	4
92b	Diseases of mitral valve, etc.*	43	20	18	1	4	1,145	501	601	18	25
92c	Chronic rheumatic endocarditis, etc.*	6	3	3	-	-	322	155	155	7	5
92d	Other chronic endocarditis, etc.*	53	16	36	1	-	1,482	686	753	19	24
92e	Endocarditis (unspecified, 45 years and over)	8	4	3	-	1	81	43	37	-	1
93	Diseases of the myocardium	334	182	137	8	7	36,515	17,570	17,285	764	896
93a	Acute myocarditis (except rheumatic)	9	5	4	-	-	199	87	102	6	4
93b	Myocarditis (unspecified, under 45 years)	4	4	-	-	-	22	13	5	2	2
93c	Chronic rheumatic myocarditis, etc.*	4	2	2	-	-	153	53	91	4	5
93d	Other chronic myocarditis, etc.*	275	151	113	6	5	35,501	17,065	16,813	747	876
93e	Other myocarditis (unspecified)	42	20	18	2	2	640	352	274	5	9
94	Diseases of coronary arteries, angina pectoris	234	171	60	-	3	15,990	11,137	4,532	204	117
94a	Diseases of coronary arteries	222	160	59	-	3	15,875	11,061	4,494	204	116
94b	Angina pectoris	12	11	1	-	-	115	76	38	-	1

*Refer to International List for complete title, table V. Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
60	32	19	6	3	14	8	6	-	-	200	114	79	1	6	19	11	8	-	-	54
219	91	88	19	21	46	27	19	-	-	835	393	403	26	13	198	100	82	7	9	55
130	25	52	14	39	33	12	20	-	1	327	106	184	10	27	88	20	56	2	10	56,57
63	6	24	4	29	16	3	13	-	-	189	41	122	2	24	38	3	28	-	7	56
41	...	12	...	29	11	...	11	...	-	105	...	88	...	17	30	...	24	...	6	56a-c
12	4	6	2	-	2	1	1	-	-	45	25	15	2	3	6	3	2	-	1	56d
10	2	6	2	-	3	2	1	-	-	39	16	19	-	4	2	-	2	-	-	56e
67	19	28	10	10	17	9	7	-	1	138	65	62	8	3	50	17	28	2	3	57
4	...	2	...	2	-	...	-	...	-	2	...	2	...	-	4	...	3	...	1	57a-c
43	17	16	5	5	10	7	2	-	1	93	43	41	7	2	32	12	18	1	1	57d
20	2	10	5	3	7	2	5	-	-	43	22	19	1	1	14	5	7	1	1	57e
737	275	292	53	117	190	84	101	2	3	2,657	880	1,640	46	91	487	210	224	22	31	
35	12	9	4	10	8	6	2	-	-	57	30	21	2	4	13	7	5	-	1	58
2	1	-	-	1	-	-	-	-	-	4	3	-	-	1	-	-	-	-	-	58a
9	4	-	-	5	4	3	1	-	-	14	7	6	1	-	3	2	1	-	-	58b
7	2	-	4	1	1	-	1	-	-	7	2	4	-	1	-	-	-	-	-	58c
4	2	2	-	-	1	1	-	-	-	14	7	5	1	1	2	-	2	-	-	58d
13	3	7	-	3	2	2	-	-	-	18	11	6	-	1	8	5	2	-	1	58e,f
39	10	17	2	10	8	3	5	-	-	120	38	78	1	3	37	13	20	3	1	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
498	206	191	34	67	153	64	85	2	2	2,123	703	1,309	35	76	351	165	146	15	25	61
1	-	1	-	-	-	-	-	-	-	10	7	2	1	-	4	-	4	-	-	62
34	3	17	2	12	8	1	7	-	-	218	42	169	2	5	28	5	19	1	3	63
3	-	1	-	2	-	-	-	-	-	13	2	10	1	-	2	-	2	-	-	63a
25	1	14	1	9	7	1	6	-	-	195	38	151	1	5	19	1	14	1	3	63b
6	2	2	1	1	1	-	1	-	-	10	2	8	-	-	7	4	3	-	-	63c-e
28	13	9	4	2	7	7	-	-	-	59	31	23	3	2	10	4	5	1	-	64
4	-	3	-	1	3	1	2	-	-	29	11	17	1	-	3	-	3	-	-	65
18	9	2	3	4	2	2	-	-	-	22	9	11	1	1	10	5	4	-	1	66
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	1	-	1	-	-	67
1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	68
73	19	41	3	10	-	-	-	-	-	9	3	6	-	-	27	9	17	1	-	69
1	-	-	-	1	1	-	-	-	1	5	5	-	-	-	3	2	-	1	-	70
5	3	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	71
207	84	76	25	22	51	35	16	-	-	580	318	235	16	11	161	85	65	6	5	
20	8	4	3	5	6	3	3	-	-	31	16	15	-	-	10	4	5	-	1	72
45	16	15	5	9	16	13	3	-	-	163	83	74	3	3	44	16	24	3	1	73
26	10	9	3	4	12	10	2	-	-	108	51	55	2	-	25	10	13	2	-	73a
19	6	6	2	5	4	3	1	-	-	55	32	19	1	3	19	6	11	1	1	73b-d
129	55	53	14	7	23	16	7	-	-	336	195	127	8	6	92	56	30	3	3	74
126	52	53	14	7	22	16	6	-	-	325	189	123	8	5	90	56	28	3	3	74a
3	3	-	-	-	1	-	1	-	-	11	6	4	-	1	2	-	2	-	-	74b
8	4	2	1	1	5	3	2	-	-	34	15	15	4	-	6	4	2	-	-	75
5	1	2	2	-	1	-	1	-	-	16	9	4	1	2	8	5	4	-	-	76
67	47	3	11	6	8	7	1	-	-	102	81	11	8	2	25	20	3	1	1	
67	47	3	11	6	8	7	1	-	-	96	75	11	8	2	23	20	2	1	-	77
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	2	-	1	-	1	79
3,453	1,216	1,012	564	661	562	297	255	7	3	9,049	4,200	4,275	274	300	2,255	1,098	908	114	135	
37	13	10	5	8	9	2	6	1	-	67	33	25	4	5	28	16	8	1	3	80
63	20	11	21	11	5	3	1	1	-	104	55	34	11	4	21	14	2	4	1	81
38	19	8	8	3	7	5	2	-	-	145	82	55	4	4	35	19	14	2	-	82
3,052	1,090	931	455	576	478	255	216	4	3	8,193	3,755	3,932	236	270	1,984	951	818	97	118	83
2,790	977	840	430	543	424	221	197	4	2	7,249	3,329	3,470	212	238	1,742	848	720	88	92	83a
189	87	64	18	20	41	29	12	-	-	829	381	404	20	24	91	38	45	2	6	83b,c
73	26	27	7	13	13	5	7	-	1	115	45	58	4	8	145	65	53	7	20	83d
69	14	8	31	16	6	2	4	-	-	60	23	33	-	4	55	23	26	3	3	84
99	22	17	24	36	14	5	9	-	-	150	79	53	10	8	51	25	18	3	5	85
12	3	2	5	2	13	6	6	1	-	14	6	7	-	1	5	3	-	-	2	86
65	26	21	9	9	28	17	11	-	-	278	149	118	8	3	62	37	20	3	2	87
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	1	1	-	-	-	88
18	9	4	5	-	1	1	-	-	-	37	18	17	1	1	13	9	2	1	1	89
7,215	3,215	2,043	1,025	932	1,546	1,024	512	7	3	26,438	14,499	10,521	809	609	4,991	2,938	1,835	223	195	
6,682	3,037	1,883	931	831	1,390	926	454	7	3	24,421	13,498	9,614	753	556	4,575	2,718	1,470	211	176	90-95
8	3	1	2	2	2	2	-	-	-	26	15	7	3	1	9	8	1	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	90a
8	3	1	2	2	2	2	-	-	-	26	15	7	3	1	8	7	1	-	-	90b
21	7	3	6	5	2	1	1	-	-	74	36	31	1	6	26	16	6	2	2	91
18	6	3	4	5	2	1	1	-	-	70	34	30	1	5	21	12	5	2	2	91a,b
3	1	-	2	-	-	-	-	-	-	4	2	1	-	1	5	4	1	-	-	91c
614	218	184	110	102	144	88	55	-	1	2,167	1,034	982	89	62	392	189	152	25	26	92
52	15	10	15	12	10	9	1	-	-	175	101	58	13	3	42	24	10	4	4	92a
275	91	78	49	57	45	26	19	-	-	1,032	465	490	45	32	181	75	75	18	13	92b
22	8	9	4	1	6	3	3	-	-	147	75	63	8	1	12	7	5	-	-	92c
254	104	81	38	31	89	40	28	-	1	691	330	324	18	19	119	71	40	2	6	92d
11	-	6	4	1	14	10	4	-	-	122	63	47	5	7	38	12	22	1	3	92e
2,896	1,093	925	447	431	594	348	245	-	1	11,602	5,636	5,292	348	326	1,683	887	642	76	78	93
75	26	22	12	15	12	8	4	-	-	204	100	82	10	12	43	16	20	2	5	93a
6	-	1	2	3	1	-	1	-	-	18	5	10	1	2	11	5	3	-	3	93b
11	5	8	-	-	2	1	1	-	-	63	32	27	1	3	10	4	5	-	1	93c
2,638	996	854	399	389	514	301	212	-	1	10,376	5,029	4,749	310	288	1,259	685	471	54	49	93d
156	66	42	34	24	65	38	27	-	-	941	470	424	26	21	360	177	143	20	20	93e
1,985	1,209	506	157	111	507	398	104	4	1	8,681	5,780	2,555	236	110	1,740	1,251	444	44	21	94
1,841	1,130	459	148	104	490	388	97	4	1	8,424	5,621	2,468	229	106	1,659	1,177	422	40	20	94a
142	79	47	9	7	17	10	7	-	-	257	159	87	7	4	81	54	22	4	1	94b

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	104	74	28	2	-	2,298	1,098	1,040	77	85
95a	Functional diseases of heart, etc.*	4	2	2	-	-	25	12	11	1	1
95b	Other diseases of heart (rheumatic)	24	16	8	-	-	1,245	526	605	46	68
95c	Other diseases of heart (not rheumatic)	76	58	18	2	-	1,028	558	424	30	16
96	Aneurysm (except of heart and aorta)	2	1	1	-	-	252	157	83	6	6
97	Arteriosclerosis (except coronary or renal sclerosis)	36	25	11	-	-	2,895	1,345	1,468	46	36
98	Gangrene	2	1	1	-	-	8	4	3	-	1
99	Other diseases of arteries	12	5	7	-	-	186	85	95	1	5
100	Diseases of veins	5	2	3	-	-	129	56	64	4	5
101	Diseases of lymphatic system	-	-	-	-	-	3	3	-	-	-
102	High blood pressure (idiopathic)	5	3	2	-	-	93	42	38	6	7
103	Other diseases of circulatory system	-	-	-	-	-	7	5	2	-	-
	VIII.—Diseases of the respiratory system	391	199	139	32	21	6,188	3,300	2,401	274	213
104	Diseases of nasal fossae, accessory sinuses	4	1	3	-	-	40	25	9	5	1
105	Diseases of larynx	3	2	1	-	-	30	21	8	-	1
106	Bronchitis	19	13	5	1	-	309	177	120	9	3
107	Bronchopneumonia (including capillary bronchitis)	169	77	53	23	16	2,658	1,306	1,128	108	118
108	Lobar pneumonia	116	62	46	5	3	2,337	1,316	827	119	75
109	Pneumonia (unspecified)	41	18	20	2	1	123	64	58	1	-
109A	Atypical or virus pneumonia	6	2	4	-	-	43	18	24	1	-
109B	Pneumonia (all other, unspecified)	35	16	16	2	1	80	46	34	-	-
110	Pleurisy (not tuberculous)	4	2	1	1	-	148	79	51	9	7
111	Hemorrhagic infarction, thrombosis, edema*	11	5	6	-	-	193	103	82	5	3
112	Asthma	19	14	4	-	1	206	109	85	7	5
113	Pulmonary emphysema	-	-	-	-	-	39	30	7	2	-
114	Other diseases of respiratory system (except tuberculosis)	5	5	-	-	-	107	70	28	9	-
114a,b	Silicosis, other forms of pneumoconioses	1	1	-	-	-	13	12	1	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)	4	4	-	-	-	94	58	27	9	-
	IX.—Diseases of the digestive system	435	211	170	23	31	6,755	3,851	2,617	174	113
115	Diseases of buccal cavity and adnexa, etc.*	9	6	3	-	-	114	59	41	8	6
116	Diseases of esophagus	-	-	-	-	-	26	16	10	-	-
117	Ulcer of stomach or duodenum	24	16	8	-	-	1,123	900	177	32	14
117a	Ulcer of stomach	19	12	7	-	-	726	574	117	25	10
117b	Ulcer of duodenum	5	4	1	-	-	397	326	60	7	4
118	Other diseases of stomach (except cancer)	7	4	3	-	-	60	41	16	3	-
119	Diarrhea, enteritis, etc.* (under 2 years)	207	96	70	19	22	344	178	132	23	11
120	Diarrhea, enteritis, etc.* (2 years and over)	26	8	11	3	4	158	72	82	3	1
121	Appendicitis	29	19	8	-	1	508	302	168	10	8
122	Hernia and intestinal obstruction	49	18	26	1	3	1,275	597	617	30	31
122a	Hernia	10	2	7	-	1	687	360	303	16	8
122b	Intestinal obstruction	38	16	19	1	2	588	237	314	14	23
123	Other diseases of intestines	4	3	1	-	-	193	94	93	4	2
124	Cirrhosis of liver	43	27	16	-	-	1,898	1,184	645	48	21
124a	Cirrhosis of liver with mention of alcoholism	1	1	-	-	-	342	223	107	9	3
124b	Cirrhosis of liver without mention of alcoholism	42	26	16	-	-	1,556	961	538	39	18
125	Other diseases of liver	9	3	6	-	-	158	86	63	4	5
126	Biliary calculi	13	6	7	-	-	494	151	335	4	4
127	Other diseases of gallbladder, biliary ducts	8	2	6	-	-	251	94	151	1	5
128	Diseases of pancreas (except diabetes mellitus)	1	1	-	-	-	88	43	40	2	3
129	Peritonitis (cause not stated)	8	2	5	-	1	65	34	27	2	2
	X.—Diseases of the genito-urinary system	231	135	85	4	7	7,679	4,044	3,147	237	251
130	Acute nephritis	6	4	2	-	-	77	42	27	5	3
131	Chronic nephritis	162	91	64	3	4	6,075	2,911	2,762	186	216
131a	Arteriosclerotic kidney	111	64	44	1	2	4,724	2,221	2,168	146	189
131b	Other chronic nephritis	51	27	20	2	2	1,351	690	594	40	27
132	Nephritis unspecified (10 years and over)	26	15	10	-	1	145	75	60	7	3
133	Other diseases of kidneys, ureters, etc.*	8	4	3	1	-	272	133	125	7	7
134	Calculi of urinary passages	2	1	1	-	-	166	98	63	3	2
135	Diseases of urinary bladder	1	-	1	-	-	58	21	36	1	-
136	Diseases of urethra (except calculus)	4	4	-	-	-	22	13	4	4	1
137	Diseases of prostate	16	16	...	-	...	776	752	...	24	...
137a	Hypertrophy of prostate	15	15	...	-	...	721	698	...	23	...
137b	Other diseases of prostate	1	1	...	-	...	55	54	...	1	...
138	Diseases of other male genital organs (not venereal)	-	-	...	-	...	1	1	...	-	...
139	Diseases of female genital organs	6	...	4	...	2	87	...	70	...	17
139a	Diseases of ovaries, fallopian tubes, parametria	5	...	3	...	2	53	...	37	...	16
139b	Diseases of uterus	1	...	1	...	-	33	...	32	...	1
139c	Diseases of other female genital organs*	-	...	-	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	37	...	29	...	8	343	...	298	...	45
140	Abortion with mention of infection	4	...	4	...	-	42	...	26	...	16
141	Abortion without mention of infection	5	...	3	...	2	17	...	16	...	1
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	4	...	4	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	2	...	1	...	1	7	...	7	...	-
141d-f	Other abortions (nonseptic)*	3	...	2	...	1	6	...	5	...	1
142	Ectopic gestation	1	...	-	...	1	26	...	20	...	6
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	5	...	5	...	-
142b	Ectopic gestation, without mention of infection	1	...	-	...	1	21	...	15	...	6
143	Hemorrhage of pregnancy (death before delivery)	1	...	-	...	1	4	...	4	...	-
144	Toxemias of pregnancy (death before delivery)	3	...	2	...	1	19	...	19	...	-
145	Other diseases of pregnancy (death before delivery)*	2	...	2	...	-	16	...	13	...	3
145A	With mention of infection	-	...	-	...	-	12	...	9	...	3
145B	Without mention of infection	2	...	2	...	-	4	...	4	...	-
146	Hemorrhage of childbirth and puerperium	8	...	7	...	1	56	...	52	...	4
147	Infection during childbirth and puerperium	5	...	4	...	1	72	...	65	...	7
148	Puerperal toxemias (excluding death before delivery)	6	...	5	...	1	34	...	30	...	4
149	Other accidents and specified conditions of childbirth	2	...	2	...	-	43	...	39	...	4
150	Other and unspecified conditions of childbirth and puerperium	-	...	-	...	-	14	...	14	...	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,160	507	264	209	180	141	89	49	3	-	1,871	997	747	76	51	725	387	225	64	49	95
17	6	4	6	1	8	6	2	-	-	53	28	22	1	2	49	25	23	-	1	95a
103	42	31	15	15	11	6	5	-	-	298	144	137	6	9	58	28	27	2	1	95b
1,040	459	229	188	164	122	77	42	3	-	1,522	825	588	69	40	618	334	175	62	47	95c
27	14	10	2	1	8	6	2	-	-	98	51	34	3	8	14	7	5	1	1	96
361	114	108	67	72	117	72	45	-	-	1,604	807	729	38	30	273	154	104	7	8	97
6	3	2	1	-	1	1	-	-	-	24	13	8	3	-	11	8	3	-	-	98
47	22	16	4	5	7	3	4	-	-	133	67	59	5	2	39	24	13	2	-	99
17	9	3	2	3	7	4	3	-	-	80	32	38	4	6	10	4	6	-	-	100
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	101
68	14	20	16	18	14	11	3	-	-	61	21	30	3	7	82	19	32	1	10	102
5	1	-	2	2	2	1	1	-	-	18	9	9	-	-	6	4	1	1	-	103
1,627	522	438	386	281	240	134	96	5	5	3,389	1,761	1,312	189	127	1,022	505	355	91	71	
31	6	7	9	9	4	3	1	-	-	26	14	10	2	-	9	4	1	2	2	104
15	6	5	3	1	1	1	-	-	-	10	6	3	-	1	-	-	-	-	-	105
59	29	18	10	2	24	13	10	-	1	190	111	70	6	3	44	25	17	2	2	106
616	182	183	147	104	92	49	37	4	2	1,458	713	622	61	62	279	149	90	22	18	107
520	162	121	138	99	54	32	20	-	2	968	506	334	85	43	214	103	72	23	16	108
176	43	41	51	41	30	16	13	1	-	209	103	90	12	4	281	125	101	29	26	109
42	19	14	6	3	4	3	1	-	-	40	23	17	-	-	16	11	4	-	1	109A
134	24	27	45	38	26	13	12	1	-	169	80	73	12	4	265	114	97	29	25	109B
22	7	6	6	3	5	4	1	-	-	60	37	14	6	3	18	10	4	4	-	110
91	42	28	7	14	16	7	9	-	-	209	100	94	7	8	90	43	45	2	-	111
59	26	19	9	5	9	6	3	-	-	124	66	53	4	1	37	23	6	3	5	112
1	1	-	-	-	1	-	1	-	-	16	14	2	-	-	2	1	1	-	-	113
37	18	10	6	3	4	3	1	-	-	119	91	20	6	2	48	24	18	4	2	114
3	3	-	-	-	-	-	-	-	-	54	52	-	2	-	1	1	-	-	-	114a,b
34	15	10	6	3	4	3	1	-	-	65	39	20	4	2	47	23	18	4	2	114c-e
1,091	398	283	228	182	220	136	78	2	4	3,146	1,721	1,240	101	84	858	454	289	59	56	
43	9	10	10	14	6	4	2	-	-	79	40	34	2	3	44	23	13	4	4	115
1	1	-	-	-	-	-	-	-	-	15	8	6	1	-	1	-	1	-	-	116
123	74	16	25	8	24	22	2	-	-	406	311	72	19	4	105	75	19	5	6	117
89	47	12	24	6	9	8	1	-	-	252	183	51	16	2	77	55	14	3	5	117a
34	27	4	1	2	15	14	1	-	-	154	128	21	3	2	28	20	5	2	1	117b
30	10	7	8	5	7	5	2	-	-	48	26	18	1	3	52	28	12	3	9	118
189	40	34	60	55	30	15	14	1	-	233	135	82	10	6	62	38	16	3	5	119
58	16	15	16	11	7	4	3	-	-	116	57	52	5	2	38	19	10	6	3	120
113	45	27	22	19	28	15	11	-	-	268	145	101	13	9	102	57	32	5	8	121
213	65	66	45	37	37	20	15	1	1	616	271	295	22	28	153	63	66	14	10	122
66	33	16	12	5	13	9	3	1	-	281	133	130	8	10	53	20	21	6	6	122a
147	32	50	33	32	24	11	12	-	1	335	138	165	14	18	100	43	45	8	4	122b
42	14	15	10	3	7	5	-	-	2	89	56	29	2	2	23	7	12	2	2	123
159	77	49	20	14	35	23	12	-	-	729	473	231	15	10	139	84	44	8	3	124
19	11	5	2	1	3	3	-	-	-	76	51	20	4	1	7	6	-	1	-	124a
140	66	43	18	13	32	20	12	-	-	653	422	211	11	9	132	78	44	7	3	124b
33	16	9	5	3	7	3	4	-	-	84	33	43	4	4	21	14	3	4	-	125
21	7	11	-	3	18	9	8	-	1	238	80	153	1	4	47	15	27	2	3	126
27	7	13	1	6	11	8	3	-	-	134	47	79	2	6	50	20	27	2	1	127
14	9	4	1	-	1	-	1	-	-	38	19	16	3	1	7	4	3	-	-	128
25	8	8	5	4	4	3	1	-	-	52	20	29	1	2	14	7	4	1	2	129
3,008	1,010	775	630	593	285	184	95	5	1	5,329	2,801	2,108	222	198	1,252	661	423	97	71	
117	37	25	22	33	6	1	5	-	-	102	48	33	11	10	44	21	18	2	3	130
2,501	802	676	511	512	195	115	75	4	1	4,314	2,125	1,846	175	168	804	399	288	66	51	131
1,918	622	510	401	385	135	83	51	1	-	3,378	1,644	1,489	133	132	547	270	206	42	29	131a
583	180	166	110	127	60	32	24	3	1	936	481	377	42	36	257	129	82	24	22	131b
116	49	29	21	17	20	13	6	1	-	145	76	61	4	4	189	98	68	10	13	132
63	23	23	11	6	11	9	2	-	-	178	98	65	6	9	37	16	15	6	-	133
31	17	9	3	2	7	4	3	-	-	87	63	20	3	1	14	9	4	1	-	134
5	-	2	2	1	2	-	2	-	-	30	10	16	4	-	17	6	8	3	-	135
8	1	-	7	-	1	1	-	-	-	18	16	-	2	-	1	-	1	-	-	136
134	81	...	53	...	41	41	...	-	...	382	365	...	17	...	120	112	...	8	...	137
112	71	...	41	...	32	32	...	-	...	325	310	...	15	...	92	86	...	6	...	137a
22	10	...	12	...	9	9	...	-	...	57	55	...	2	...	28	26	...	2	...	137b
-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	1	-	...	1	...	138
33	...	11	...	22	2	...	2	...	-	73	...	67	...	6	25	...	21	...	4	139
22	...	6	...	16	1	...	1	...	-	37	...	32	...	5	16	...	13	...	3	139a
7	...	4	...	3	1	...	1	...	-	35	...	34	...	1	9	...	8	...	1	139b
4	...	1	...	3	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	139c
203	...	93	...	110	16	...	15	...	1	214	...	193	...	21	83	...	66	...	17	
17	...	7	...	10	1	...	1	...	-	22	...	18	...	4	8	...	5	...	3	140
19	...	9	...	10	-	...	-	...	-	12	...	12	...	-	6	...	5	...	1	141
5	...	1	...	4	-	...	-	...	-	4	...	4	...	-	1	...	1	...	-	141a,c
7	...	3	...	4	-	...	-	...	-	4	...	4	...	-	2	...	2	...	-	141b
7	...	5	...	2	-	...	-	...	-	4	...	4	...	-	3	...	2	...	1	141d-f
14	...	5	...	9	3	...	3	...	-	16	...	11	...	5	6	...	5	...	1	142
1	...	-	...	1	-	...	-	...	-	6	...	5	...	1	-	...	-	...	-	142a
13	...	5	...	8	3	...	3	...	-	10	...	6	...	4	6	...	5	...	1	142b
4	...	2	...	2	1	...	1	...	-	2	...	2	...	-	-	...	-	...	-	143
23	...	13	...	10	1	...	1	...	-	23	...	21	...	2	7	...	5	...	2	144
7	...	4	...	3	2	...	2	...	-	18	...	16	...	2	1	...	1	...	-	145
5	...	2	...	3	1	...	1	...	-	10	...	9	...	1	-	...	-	...	-	145A
2	...	2	...	-	1	...	1	...	-	8	...	7	...	1	1	...	1	...	-	145B
33	...	12	...	21	4	...	3	...	1	24	...	21	...	3	8	...	8	...	-	146
24	...	15	...	9	2	...	2	...	-	47	...	45	...	1	12	...	10	...	2	147
33	...	9	...	24	1	...	1	...	-	23	...	21	...	2	21	...	15	...	6	148
13	...	7	...	6	1	...	1	...	-	17	...	16	...	1	9	...	7	...	2	149
16	...	10	...	6	-	...	-	...	-	10	...	9	...	1	5	...	5	...	-	150

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	7	5	1	-	1	80	30	45	2	3
151	Carbuncle and furuncle	-	-	-	-	-	3	2	1	-	-
152	Phlegmon and acute abscess	2	1	-	-	1	12	5	6	-	1
153	Other diseases of skin and cellular tissue	5	4	1	-	-	65	23	38	2	2
	XIII.—Diseases of the bones, etc.*	3	1	1	1	-	89	43	42	2	2
154	Osteomyelitis and periostitis	2	-	1	1	-	29	19	8	-	2
155	Other diseases of bones (except tuberculosis)	1	1	-	-	-	27	9	16	2	-
156	Diseases of joints, other organs of movement	-	-	-	-	-	33	15	18	-	-
157	XIV.—Congenital malformations	94	49	37	6	2	1,771	872	814	42	43
157a-d	Congenital malformations of central nervous system	17	9	7	1	-	608	268	319	12	9
157e,f	Congenital malformations of cardiovascular system	49	24	21	4	-	809	413	350	19	27
157g,h,m	Other congenital malformations	28	16	9	1	2	354	191	145	11	7
	XV.—Diseases peculiar to the first year of life	394	185	172	20	17	5,049	2,673	1,851	308	217
158	Congenital debility (cause not stated)	25	10	9	2	4	30	17	7	2	4
159	Premature birth (cause not stated)	256	126	111	10	9	3,229	1,643	1,203	218	165
160	Injury at birth	60	27	30	3	-	1,093	612	406	46	29
161	Other diseases peculiar to first year of life	53	22	22	5	4	697	401	235	42	19
162	XVI.—Senility	53	27	22	3	1	174	68	104	-	2
	XVII.—Violent or accidental deaths	549	384	99	49	17	10,477	6,372	3,326	578	201
163,164	Suicide	36	25	7	4	-	1,676	1,143	487	31	15
163	Suicide by poisoning	5	3	2	-	-	583	302	266	9	6
164	Suicide by other means	31	22	5	4	-	1,093	841	221	22	9
165-168	Homicide[1]	37	27	2	6	2	479	181	73	170	55
166	Homicide by firearms	18	14	1	2	1	182	79	30	64	9
167	Homicide by cutting or piercing instruments	8	6	-	1	1	161	37	7	91	26
168	Homicide by other means	11	7	1	3	-	136	65	36	15	20
169-195	Accidental deaths	476	332	90	39	15	8,314	5,041	2,766	378	131
169	Railway accidents (except collisions with motor vehicles)	15	11	-	4	-	162	133	20	7	2
170	Motor-vehicle accidents	186	131	32	18	5	2,096	1,551	447	78	19
170a	Collisions between automobiles and trains	12	3	2	4	3	76	50	26	-	-
170b	Collisions between automobiles and streetcars	-	-	-	-	-	12	9	3	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	172	126	30	14	2	1,965	1,457	412	77	19
170d	Motorcycle accidents (exc. collisions with automobiles)	2	2	-	-	-	43	35	6	2	-
171	Streetcar and other road-transport accidents	1	1	-	-	-	156	110	31	10	5
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	-	-	-	-	-	134	91	28	10	5
171b	Other and unspecified road-transport accidents	1	1	-	-	-	22	19	3	-	-
172	Water-transport accidents	-	-	-	-	-	90	76	10	3	1
173	Air-transport accidents	39	36	3	-	-	110	98	9	3	-
174	Accidents in mines and quarries	9	8	1	-	-	8	6	1	1	-
175	Agricultural and forestry accidents	8	7	-	1	-	99	92	7	-	-
175a-c	Agricultural accidents	6	5	-	1	-	92	85	7	-	-
175d,e	Forestry accidents	2	2	-	-	-	7	7	-	-	-
176	Other accidents involving machinery	4	4	-	-	-	80	73	2	5	-
177	Food poisoning	2	2	-	-	-	8	6	1	1	-
178	Accidental absorption of poisonous gas	7	4	3	-	-	366	227	110	22	7
179	Acute accidental poisoning by solids or liquids	7	6	1	-	-	105	55	45	4	1
180	Conflagration	12	7	-	5	-	245	119	99	15	12
181	Accidental burns (except conflagration)	28	16	10	1	1	328	156	137	19	16
182	Accidental mechanical suffocation	1	-	1	-	-	104	66	28	7	3
183	Accidental drowning	24	16	5	2	1	536	429	56	46	5
184	Accidental injury by firearms	23	19	1	2	1	82	66	11	5	-
185	Accidental injury by cutting or piercing instruments	-	-	-	-	-	10	5	2	2	1
186	Accidental injury by fall or crushing	63	33	23	4	3	2,969	1,279	1,557	90	43
186a	Accidental injury by fall	58	30	23	2	3	2,934	1,252	1,557	82	43
186b	Accidental injury by crushing	5	3	-	2	-	35	27	-	8	-
187	Cataclysm, etc.*	-	-	-	-	-	5	3	2	-	-
188	Injury by animals (except in agriculture and forestry)	2	-	-	-	2	7	6	1	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	5	3	-	1	1	6	4	1	1	-
191	Excessive heat	-	-	-	-	-	3	3	-	-	-
192	Lightning	3	3	-	-	-	8	5	3	-	-
193	Accidents due to electric currents (except lightning)	2	2	-	-	-	41	34	5	2	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	2	2	-	-	-	-	-	-	-	-
195	Other accidents	33	21	10	1	1	690	439	181	54	16
195a	Sequelae of preventive immunization, etc.*	-	-	-	-	-	4	3	1	-	-
195b	Other accidents due to medical or surgical intervention	-	-	-	-	-	2	2	-	-	-
195d	Obstruction, suffocation, etc.*	5	5	-	-	-	111	58	46	6	3
195c,e	Other and unspecified accidents	28	16	10	1	1	573	378	134	48	13
196	Deaths of military personnel during operations of war	-	-	-	-	-	4	4	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	4	3	-	1	-
	XVIII.—Ill-defined and unknown causes	800	352	285	87	76	552	314	179	41	18
199	Sudden death	1	1	-	-	-	17	14	3	-	-
200	Ill-defined and unknown causes	799	351	285	87	76	535	300	176	41	18
200a	Ill-defined causes	84	62	18	3	1	286	156	91	30	9
200b,c	Unknown or unspecified causes	715	289	267	84	75	249	144	85	11	9

*Refer to International List for complete title, table V, Part I.
[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. list No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
31	3	11	8	9	6	3	3	-	-	45	20	22	1	2	10	5	3	-	2	
2	-	-	1	1	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	151
6	-	1	2	3	1	-	1	-	-	9	7	1	1	-	2	1	1	-	-	152
23	3	10	5	5	5	3	2	-	-	32	10	20	-	2	8	4	2	-	2	153
15	7	4	3	1	3	2	1	-	-	41	21	17	3	-	8	4	3	-	1	
5	2	1	2	-	1	-	1	-	-	13	8	4	1	-	2	1	-	-	1	154
1	1	-	-	-	1	1	-	-	-	11	3	8	-	-	2	1	1	-	-	155
9	4	3	1	1	1	1	-	-	-	17	10	5	2	-	4	2	2	-	-	156
-																				
464	207	171	46	40	90	55	30	3	2	957	504	403	24	26	296	161	109	12	14	157
107	45	48	6	8	38	21	14	1	2	336	136	177	4	19	64	30	29	4	1	157a-d
252	122	83	31	16	37	23	14	-	-	435	254	166	15	-	157	83	62	4	8	157e,f
105	40	40	9	16	15	11	2	2	-	186	114	60	5	7	75	48	18	4	5	157g,h,m
1,987	795	554	342	296	277	157	114	3	3	3,226	1,803	1,167	150	106	871	453	321	52	45	
70	25	9	17	19	3	1	1	-	1	82	44	31	4	3	49	17	15	10	7	158
1,359	529	410	219	201	177	96	76	3	2	2,032	1,097	762	96	77	596	316	229	25	26	159
299	139	87	45	28	68	41	27	-	-	664	402	221	26	15	126	71	42	7	6	160
259	102	48	61	48	29	19	10	-	-	448	260	153	24	11	100	49	35	10	6	161
208	51	93	24	40	96	55	39	1	1	650	257	362	11	20	398	178	161	35	24	162
3,030	1,535	523	754	218	510	356	135	12	7	6,718	4,218	1,973	403	124	1,837	1,157	451	158	71	
290	207	59	21	3	60	50	9	1	-	986	709	248	26	3	166	135	26	3	2	163,164
44	21	21	2	-	9	8	1	-	-	170	87	78	4	1	23	18	5	-	-	163
246	186	38	19	3	51	42	8	1	-	816	622	170	22	2	143	117	21	3	2	164
362	83	22	209	48	8	6	-	2	-	388	140	49	167	32	128	61	12	46	9	165-168
229	56	12	134	27	1	1	-	-	-	240	88	34	104	18	82	39	7	32	4	168
88	11	1	61	15	2	1	-	1	-	67	10	2	47	8	24	7	1	12	4	167
45	16	9	14	6	5	4	-	1	-	81	44	13	16	8	22	15	4	2	1	168
2,365	1,242	442	514	167	442	300	126	9	7	5,339	3,364	1,676	210	89	1,540	959	413	108	80	169-195
78	37	6	31	4	11	10	-	1	-	192	155	16	19	2	32	23	2	4	3	169
1,052	638	144	218	52	144	105	36	2	1	1,879	1,406	389	72	32	539	376	125	25	13	170
38	31	3	4	-	11	6	4	-	1	157	110	40	3	4	21	16	5	-	-	170a
-	-	-	-	-	-	-	-	-	-	11	8	3	-	-	-	-	-	-	-	170b
987	582	140	213	52	131	97	32	2	-	1,661	1,246	321	68	26	501	344	119	25	13	170c
27	25	1	1	-	2	2	-	-	-	50	42	5	1	2	17	16	1	-	-	170d
7	2	2	3	-	1	1	-	-	-	22	13	5	3	1	5	4	-	1	-	171
1	-	-	1	-	-	-	-	-	-	13	5	4	3	1	-	-	-	-	-	171a
6	2	2	2	-	1	1	-	-	-	9	8	1	-	-	5	4	-	1	-	171b
50	36	2	12	-	1	1	-	-	-	47	40	6	1	-	5	5	-	-	-	172
30	27	2	1	-	6	6	-	-	-	76	71	4	1	-	53	48	2	3	-	173
5	5	-	-	-	4	4	-	-	-	42	40	-	2	-	12	10	-	2	-	174
59	37	4	18	-	34	31	2	1	-	105	101	4	-	-	43	37	3	3	-	175
43	29	4	10	-	34	31	2	1	-	103	99	4	-	-	43	37	3	3	-	175a-c
16	8	-	8	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	175d,e
24	13	-	11	-	5	5	-	-	-	57	52	1	4	-	25	22	2	1	-	176
17	6	2	4	5	-	-	-	-	-	10	7	2	1	-	16	6	8	1	1	177
26	11	1	12	2	14	9	3	1	1	92	65	24	1	2	22	10	7	3	2	178
39	13	10	9	7	4	2	2	-	-	85	49	28	6	2	26	14	9	1	2	179
85	26	15	29	15	21	13	8	-	-	143	66	56	16	5	58	26	11	10	11	180
117	31	38	23	25	27	14	9	2	2	265	139	100	15	11	110	51	34	12	13	181
91	33	20	18	20	9	7	1	-	1	75	42	28	2	3	27	16	7	1	3	182
112	67	11	31	3	25	23	-	1	1	211	166	34	9	2	76	46	21	7	2	183
110	64	7	31	8	15	12	3	-	-	83	60	11	9	3	90	68	6	15	3	184
4	2	-	1	1	-	-	-	-	-	21	13	6	1	1	10	5	5	-	-	185
313	119	154	26	14	93	42	51	-	-	1,475	630	793	31	21	239	104	127	4	4	186
304	112	154	24	14	91	40	51	-	-	1,465	626	791	27	21	234	100	126	4	4	186a
9	7	-	2	-	2	2	-	-	-	10	4	2	4	-	5	4	1	-	-	186b
3	2	1	-	-	1	1	-	-	-	2	1	1	-	-	3	1	1	1	-	187
1	1	-	-	-	1	-	1	-	-	9	7	2	-	-	3	1	1	1	-	188
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	189
3	1	-	2	-	5	4	-	-	1	15	11	3	1	-	1	-	-	1	-	190
2	-	-	2	-	2	2	-	-	-	12	9	1	2	-	6	5	-	1	-	191
15	7	3	4	1	1	1	-	-	-	9	6	3	-	-	3	3	-	-	-	192
23	19	1	3	-	2	2	-	-	-	44	42	2	-	-	11	8	1	2	-	193
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	194
99	45	19	25	10	16	5	10	1	-	366	172	176	14	4	123	71	40	9	3	195
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	195a
1	1	-	-	-	-	-	-	-	-	8	1	6	-	1	2	-	1	1	-	195b
24	7	7	5	5	3	2	1	-	-	46	20	22	3	1	22	11	10	-	1	195d
74	37	12	20	5	13	3	9	1	-	311	151	147	11	2	99	60	29	8	2	195c,e
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	1	1	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
13	3	-	10	-	-	-	-	-	-	2	2	-	-	-	2	1	-	1	-	198
653	226	153	147	127	61	38	15	5	3	495	275	157	29	34	362	188	87	47	40	
64	32	17	11	4	4	3	1	-	-	25	19	4	1	1	14	10	3	1	-	199
589	194	136	136	123	57	35	14	5	3	470	256	153	28	33	348	178	84	46	40	200
269	97	66	60	46	41	31	9	1	-	355	202	112	17	24	176	105	45	14	12	200a
320	97	70	76	77	16	4	5	4	3	115	54	41	11	9	172	73	39	32	28	200b,c

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	13,319	7,944	5,206	167	101	107,683	55,409	45,172	3,833	3,269
	I.—Infectious and parasitic diseases	605	389	160	32	24	6,065	3,095	1,710	764	496
1	Typhoid fever	6	3	1	-	2	18	10	5	2	1
2	Paratyphoid fever	-	-	-	-	-	4	2	-	1	1
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	1	1	-	-	-	2	1	1	-	-
6	Cerebrospinal (meningococcus) meningitis	14	8	6	-	-	80	49	28	1	2
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	1	-	-	12	4	8	-	-
9	Whooping cough	7	4	1	1	1	94	33	48	4	9
10	Diphtheria (infection by C. diphtheriae)	10	8	2	-	-	58	29	22	1	6
11	Erysipelas	-	-	-	-	-	4	4	-	-	-
12	Tetanus	4	3	1	-	-	19	11	5	2	1
13-22	Tuberculosis (all forms)	311	187	88	25	11	3,697	1,897	955	494	351
13	Tuberculosis of respiratory system, etc.*	286	173	80	23	10	3,408	1,796	869	442	301
14	Tuberculosis of meninges, etc.*	4	1	2	1	-	74	25	20	18	11
15	Tuberculosis of intestines and peritoneum	3	2	-	-	1	60	16	20	9	15
16	Tuberculosis of vertebral column	2	1	1	-	-	45	20	8	6	11
17	Tuberculosis of bones and joints, etc.*	1	1	-	-	-	5	2	2	1	-
18	Tuberculosis of skin, etc.*	1	-	-	1	-	4	1	2	1	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	8	-	4	3	1
20	Tuberculosis of genito-urinary system	2	-	2	-	-	31	18	9	1	3
21	Tuberculosis of other organs	-	-	-	-	-	10	3	5	1	1
22	Disseminated tuberculosis	12	9	3	-	-	52	16	16	12	8
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (puerperal)	2	1	1	-	-	33	14	17	-	2
25	Gonococcus infection	-	-	-	-	-	15	-	10	-	5
26	Other diseases due to bacteria (except dysentery)	1	1	-	-	-	-	-	-	-	-
27	Dysentery	3	3	-	-	-	24	15	8	-	1
28	Malaria	-	-	-	-	-	11	11	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	3	3	-	-	-
30	Syphilis (all forms)	120	95	14	3	8	918	457	149	227	85
30a	Locomotor ataxia (tabes dorsalis)	5	4	1	-	-	41	28	9	3	1
30b	General paralysis of insane	33	30	2	1	-	316	156	50	86	24
30d	Aneurysm of aorta	53	42	8	1	2	147	76	17	43	11
30f	Congenital syphilis	1	1	-	-	-	28	7	3	11	7
30c,e,g	Syphilis (other forms)	28	18	3	1	6	388	190	70	84	42
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	8	3	2	1	-	28	16	8	-	4
33	Influenza	67	41	23	1	2	639	316	284	18	21
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	7	4	3	-	-	116	48	64	3	1
36	Poliomyelitis and poliencephalitis (acute)	9	6	3	-	-	29	17	11	1	-
37	Acute infectious encephalitis (lethargic)	5	1	4	-	-	42	26	13	2	1
38	Other diseases due to filtrable viruses	2	1	1	-	-	13	5	8	-	-
39	Typhus fever and typhus-like diseases*	3	3	-	-	-	4	1	2	1	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	3	3	-	-	-
43	Mycoses	2	1	1	-	-	27	13	13	-	1
44	Other infectious and parasitic diseases	24	15	8	1	-	172	110	51	7	4
	II.—Cancer and other tumors	1,872	941	899	21	11	15,274	6,920	7,578	380	416
45-55	Cancer and other malignant tumors	1,823	919	873	21	10	14,787	6,749	7,306	344	388
45	Cancer of buccal cavity and pharynx	59	47	12	-	-	432	326	87	14	5
45a	Cancer of lip	10	8	2	-	-	34	29	5	-	-
45b	Cancer of tongue	17	14	3	-	-	119	89	23	5	2
45c	Cancer of mouth	4	3	1	-	-	75	62	11	2	-
45d	Cancer of jaw bone	8	4	4	-	-	57	43	14	-	-
45e	Cancer of unspecified parts of buccal cavity	1	1	-	-	-	8	3	4	-	1
45f	Cancer of pharynx	19	17	2	-	-	139	100	30	7	2
46	Cancer of digestive organs and peritoneum	799	461	320	14	4	6,994	3,583	3,107	176	128
46a	Cancer of esophagus	25	19	5	1	-	271	205	38	23	5
46b	Cancer of stomach	290	181	100	7	2	2,094	1,204	771	70	49
46c	Cancer of duodenum	3	2	-	1	-	32	12	20	-	-
46d	Cancer of rectum and anus	95	56	38	1	-	957	524	394	17	22
46e	Cancer of intestines, etc.*	188	108	80	-	-	1,961	893	1,020	27	21
46f	Cancer of liver and biliary passages	105	42	57	4	2	963	388	536	23	16
46g	Cancer of pancreas	68	41	27	-	-	505	259	224	13	9
46h	Cancer of mesentery and peritoneum	16	10	6	-	-	128	66	58	1	3
46m	Cancer of other and unspecified sites	9	2	7	-	-	83	32	46	2	3
47	Cancer of respiratory system	132	102	27	3	-	1,170	878	236	48	8
47a	Cancer of larynx	7	7	-	-	-	153	131	14	8	-
47b,c	Cancer of trachea and bronchus	58	46	9	1	-	276	213	44	17	2
47d	Cancer of lung	59	40	17	2	-	667	462	158	21	6
47e	Cancer of pleura	1	-	1	-	-	11	7	4	-	-
47f	Cancer of other respiratory organs	9	9	-	-	-	63	45	16	2	-
48	Cancer of uterus	141	...	137	...	4	1,420	...	1,294	...	126
48a	Cancer of cervix	65	...	63	...	2	540	...	486	...	54
48b	Cancer of other and unspecified sites of uterus	76	...	74	...	2	880	...	808	...	72
49	Cancer of other female genital organs	48	...	48	...	-	447	...	416	...	31
49a,b	Cancer of ovary, fallopian tube, and parametrium	43	...	43	...	-	365	...	340	...	25
49c-e	Cancer of other female genital organs	5	...	5	...	-	82	...	76	...	6
50	Cancer of breast	201	5	196	-	-	1,411	17	1,331	2	61
51	Cancer of male genital organs	135	134	...	1	...	838	785	...	53	...
51b	Cancer of prostate	125	125	...	-	...	776	727	...	49	...
51a,c-e	Cancer of other male genital organs	10	9	...	1	...	62	58	...	4	...
52	Cancer of urinary organs	96	60	35	1	-	729	445	259	17	8
52a	Cancer of kidney	31	17	13	1	-	206	122	73	6	5
52b	Cancer of bladder	63	42	21	-	-	516	320	182	11	3
52c	Cancer of other and unspecified sites	2	1	1	-	-	7	3	4	-	-
53	Cancer of skin, etc.*	41	25	15	1	-	237	133	98	4	2

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,073	4,130	3,776	91	76	16,351	4,941	3,560	4,133	3,717	5,508	3,128	2,045	177	158	27,650	11,986	9,171	3,358	3,137	
341	212	104	18	7	1,265	262	139	475	409	317	150	67	48	51	2,687	999	875	422	391	
-	-	-	-	-	23	5	4	11	3	-	-	-	-	-	20	12	7	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	1	-	-	-	4	1	2	1	-	-	-	-	-	-	1	1	-	-	-	5
9	7	2	-	-	21	8	6	4	3	3	3	-	-	-	53	29	17	4	3	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	2	-	-	8
4	2	2	-	-	30	3	4	14	9	1	-	1	-	-	51	17	28	4	2	9
2	1	-	-	1	29	14	8	2	5	6	4	1	-	1	25	11	13	1	-	10
2	1	1	-	-	2	1	-	-	1	-	-	-	-	-	6	4	2	-	-	11
-	-	-	-	-	10	1	1	4	4	3	2	1	-	-	21	6	5	8	2	12
232	147	67	12	6	562	116	41	210	195	172	63	19	42	48	1,631	615	572	218	226	13-22
215	138	60	11	6	529	113	38	191	187	156	60	17	37	42	1,500	571	537	186	206	13
8	5	3	-	-	2	-	-	2	-	7	2	1	2	2	45	16	13	9	7	14
2	-	2	-	-	14	1	2	6	5	4	-	-	1	3	19	4	6	4	5	15
3	2	-	1	-	1	-	1	-	-	-	-	-	-	-	11	6	1	3	1	16
-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	6	3	3	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	19
-	-	-	-	-	3	1	-	2	-	3	1	1	-	1	10	6	3	-	1	20
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	21
4	2	2	-	-	11	1	-	8	2	1	-	-	1	-	37	7	8	16	6	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	11	-	1	6	4	3	-	3	-	-	19	8	5	-	6	24
-	-	-	-	-	8	-	1	-	7	-	-	-	-	-	7	1	1	1	4	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	6	3	3	4	26
-	-	-	-	-	16	6	2	6	2	1	1	-	-	-	28	13	9	1	5	27
-	-	-	-	-	19	1	6	7	5	1	1	-	-	-	17	9	3	3	2	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	29
43	32	7	4	-	250	30	7	131	82	27	19	4	3	1	266	85	28	94	59	30
1	1	-	-	-	3	1	-	1	1	1	1	-	-	-	5	2	2	-	1	30a
14	10	3	1	-	82	11	3	48	20	8	7	-	-	1	76	30	10	23	13	30b
14	11	2	1	-	44	11	1	21	11	4	2	1	1	-	38	14	4	13	7	30d
2	1	1	-	-	33	1	1	16	15	2	-	-	2	-	22	3	3	11	5	30f
12	9	1	2	-	88	6	2	45	35	12	9	3	-	-	125	36	9	47	33	30c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
2	1	1	-	-	4	1	1	2	-	-	-	-	-	-	13	5	2	2	4	32
19	7	10	2	-	217	48	35	81	73	41	24	15	2	-	378	122	127	65	64	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	30	10	7	6	7	6	-	5	1	-	42	10	20	8	4	35
7	4	3	-	-	7	1	3	1	2	36	23	11	1	1	18	8	8	-	2	36
5	2	3	-	-	2	1	-	1	-	2	1	1	-	-	14	5	7	1	1	37
-	-	-	-	-	7	1	2	2	2	-	-	-	-	-	1	1	-	-	-	38
-	-	-	-	-	9	6	2	-	1	-	-	-	-	-	14	4	9	1	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	3	1	-	1	1	2	2	-	-	-	12	5	1	5	1	43
14	6	8	-	-	21	7	6	5	3	12	7	5	-	-	29	21	4	2	2	44
1,201	541	645	6	9	1,397	383	505	182	327	750	388	349	5	8	2,968	1,103	1,350	205	308	
1,162	530	619	6	7	1,337	374	489	173	301	718	375	330	5	8	2,852	1,071	1,301	201	279	45-55
33	29	4	-	-	44	25	11	3	5	21	18	3	-	-	111	58	36	11	6	45
1	1	-	-	-	5	5	-	-	-	6	6	-	-	-	13	7	6	-	-	45a
8	8	-	-	-	10	2	4	1	3	3	2	1	-	-	26	16	8	1	1	45b
3	2	1	-	-	6	4	1	1	-	-	-	-	-	-	24	14	8	-	2	45c
7	6	1	-	-	12	8	2	-	2	5	4	1	-	-	18	7	8	2	1	45d
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	45e
14	12	2	-	-	11	6	4	1	-	7	6	1	-	-	28	13	5	8	2	45f
529	263	260	4	2	495	140	171	97	87	340	195	138	3	4	1,178	483	507	113	75	46
16	10	6	-	-	27	3	10	8	6	11	7	4	-	-	30	17	7	4	2	46a
154	87	64	1	2	184	59	40	54	31	125	85	38	1	1	434	198	152	56	28	46b
2	1	1	-	-	1	-	-	1	-	2	-	2	-	-	6	2	3	-	1	46c
69	36	33	-	-	37	4	18	4	11	48	27	20	1	-	103	44	43	10	6	46d
177	78	98	1	-	112	28	49	17	18	81	39	40	1	1	270	93	146	15	16	46e
54	20	34	-	-	81	23	34	7	17	47	18	27	-	2	208	83	101	10	14	46f
41	23	17	1	-	46	21	18	5	2	20	16	4	-	-	97	36	40	16	5	46g
9	3	6	-	-	6	2	2	-	2	4	2	2	-	-	15	5	6	2	2	46h
7	5	1	1	-	1	-	-	1	-	2	1	1	-	-	15	5	9	-	1	46m
102	75	26	1	-	104	58	22	17	7	45	34	10	-	1	192	125	38	18	11	47
12	11	1	-	-	12	7	1	2	2	1	1	-	-	-	22	15	4	3	-	47a
23	17	5	1	-	20	13	2	2	3	7	6	1	-	-	51	41	2	7	1	47b,c
65	45	20	-	-	68	37	17	13	1	34	27	6	-	1	107	59	31	7	10	47d
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	2	2	-	-	-	47e
2	2	-	-	-	3	1	1	-	1	2	-	2	-	-	10	8	1	1	-	47f
90	...	88	...	2	233	...	116	...	117	32	...	30	...	2	382	...	285	...	97	48
35	...	35	...	-	96	...	49	...	47	13	...	12	...	1	208	...	153	...	55	48a
55	...	53	...	2	137	...	67	...	70	19	...	18	...	1	174	...	132	...	42	48b
38	...	38	...	-	30	...	22	...	8	23	...	23	...	-	60	...	50	...	10	49
34	...	34	...	-	25	...	18	...	7	18	...	18	...	-	45	...	38	...	7	49a,b
4	...	4	...	-	5	...	4	...	1	5	...	5	...	-	15	...	12	...	3	49c-e
118	-	115	-	3	108	1	70	1	36	70	-	69	-	1	241	5	185	-	51	50
56	56	...	-	...	86	58	...	28	...	52	51	...	1	...	195	162	...	33	...	51
53	53	...	-	...	74	49	...	25	...	45	44	...	1	...	179	147	...	32	...	51b
3	3	...	-	...	12	9	...	3	...	7	7	...	-	...	16	15	...	1	...	51a,c-e
53	33	19	1	-	59	20	22	10	7	31	17	14	-	-	103	46	43	7	7	52
17	12	5	-	-	16	5	7	2	2	13	5	8	-	-	40	19	14	2	5	52a
36	21	14	1	-	38	14	14	5	5	18	12	6	-	-	60	27	26	5	2	52b
-	-	-	-	-	5	1	1	3	-	-	-	-	-	-	3	-	3	-	-	52c
14	6	8	-	-	35	15	15	-	5	17	14	3	-	-	107	67	36	3	1	53

TABLE 21—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
54	Cancer of central nervous system*	26	17	9	-	-	206	127	74	3	2
55	Cancer of other and unspecified organs	145	68	74	1	2	903	455	404	27	17
56,57	Nonmalignant tumors and tumors of unspecified nature	48	22	26	-	1	487	171	272	16	28
56	Nonmalignant tumors (including dermoid cysts)	27	9	17	-	1	270	59	184	5	22
56a-c	Nonmalignant tumors of female genital organs	15	...	14	...	1	152	...	133	...	19
56d	Nonmalignant tumors of central nervous system*	6	5	1	-	-	60	35	24	1	-
56e	Nonmalignant tumors of other and unspecified organs	6	4	2	-	-	58	24	27	4	3
57	Tumors of unspecified nature	22	13	9	-	-	217	112	88	11	6
57a-c	Tumors, female genital organs (nature unspecified)	1	...	1	...	-	3	...	2	...	1
57d	Tumors, central nervous system* (nature unspecified)	18	10	6	-	-	141	77	57	6	1
57e	Tumors, other organs (nature unspecified)	5	3	2	-	-	73	35	29	5	4
	III.—Rheumatism, diseases of nutrition, etc.*	371	144	221	4	2	4,007	1,194	2,642	41	130
58	Acute rheumatic fever	10	5	4	1	-	123	57	52	5	9
58a	Acute rheumatic pericarditis	-	-	-	-	-	6	3	3	-	-
58b	Acute rheumatic endocarditis	5	2	3	-	-	38	14	22	-	2
58c	Acute rheumatic myocarditis	1	1	-	-	-	15	7	5	1	2
58d	Other acute rheumatic heart diseases	1	-	1	-	-	26	15	7	2	2
58e,f	Other forms of acute rheumatic fever, etc.*	3	2	-	1	-	38	18	15	2	3
59	Chronic rheumatism, other rheumatic diseases	14	7	7	-	-	125	48	68	4	5
60	Gout	-	-	-	-	-	1	1	-	-	-
61	Diabetes mellitus	303	119	180	2	2	3,325	948	2,253	22	102
62	Diseases of pituitary gland	-	-	-	-	-	12	7	5	-	-
63	Diseases of thyroid and parathyroid glands	24	4	20	-	-	220	35	172	2	11
63a	Simple goiter	-	-	-	-	-	13	4	8	-	1
63b	Exophthalmic goiter	20	4	16	-	-	193	27	154	2	10
63c-e	Other diseases of thyroid and parathyroid glands	4	-	4	-	-	14	4	10	-	-
64	Diseases of thymus gland	13	8	4	1	-	107	59	45	2	1
65	Diseases of adrenal glands*	4	1	3	-	-	38	18	16	2	2
66	Other general diseases	2	-	2	-	-	31	12	17	2	-
67	Scurvy	-	-	-	-	-	2	1	1	-	-
68	Beriberi	-	-	-	-	-	2	-	2	-	-
69	Pellagra (except alcoholic)	1	-	1	-	-	7	3	4	-	-
70	Rickets	-	-	-	-	-	6	3	2	1	-
71	Other avitaminoses	-	-	-	-	-	8	2	5	1	-
	IV.—Diseases of the blood and blood-forming organs	104	50	52	1	1	778	410	341	13	14
72	Hemorrhagic conditions	2	1	1	-	-	39	18	17	1	3
73	Anemias (except splenic anemia)	25	10	14	1	-	228	101	121	2	4
73a	Pernicious anemia	16	7	9	-	-	141	64	75	1	1
73b-d	Other anemias (except splenic)	9	3	5	1	-	87	37	46	1	3
74	Leukemias and aleukemias	75	39	35	-	1	464	269	179	10	6
74a	Leukemias	70	36	34	-	-	444	259	169	10	6
74b	Aleukemias	5	3	1	-	1	20	10	10	-	-
75	Diseases of spleen	2	-	2	-	-	31	13	17	-	1
76	Other diseases of blood and blood-forming organs	-	-	-	-	-	16	9	7	-	-
	V.—Chronic poisoning and intoxication	34	32	2	-	-	124	95	15	11	3
77	Alcoholism (ethylism)	32	31	1	-	-	113	88	13	9	3
78	Lead poisoning	-	-	-	-	-	6	3	1	2	-
79	Chronic poisoning by other mineral substances*	2	1	1	-	-	5	4	1	-	-
	VI.—Diseases of the nervous system, etc.*	1,404	732	680	6	6	10,445	4,714	5,105	302	324
80	Encephalitis (nonepidemic)	12	7	5	-	-	119	58	53	6	3
81	Meningitis (not due to meningococcus)	23	12	9	1	1	163	85	59	11	8
82	Diseases of spinal cord (see exceptions)*	25	18	7	-	-	250	142	97	9	2
83	Intracranial lesions of vascular origin	1,249	645	595	4	5	9,248	4,098	4,593	256	301
83a	Cerebral hemorrhage or effusion*	1,111	575	528	4	4	7,804	3,438	3,910	205	251
83b,c	Cerebral embolism, thrombosis, and softening	104	54	49	-	1	1,253	568	596	44	45
83d	Hemiplegia, other paralysis, etc.*	34	16	18	-	-	191	92	87	7	5
84	Mental diseases and deficiency (see exception)*	22	11	11	-	-	91	28	57	3	3
85	Epilepsy	19	10	8	1	-	162	87	63	10	2
86	Convulsions (under 5 years)	3	1	2	-	-	26	17	9	-	-
87	Other diseases of nervous system	45	26	19	-	-	336	168	156	7	5
88	Diseases of organs of vision	1	-	1	-	-	1	1	-	-	-
89	Diseases of ear and mastoid process	5	2	3	-	-	49	30	18	1	-
	VII.—Diseases of the circulatory system	4,133	2,603	1,480	29	21	38,947	21,164	15,871	990	922
90-95	Diseases of the heart (all forms)	3,784	2,389	1,348	27	20	38,169	19,767	14,608	928	866
90	Pericarditis (except acute rheumatic)	2	1	1	-	-	46	27	14	2	3
90a	Chronic rheumatic pericarditis	-	-	-	-	-	1	1	-	-	-
90b	Other pericarditis	2	1	1	-	-	45	26	14	2	3
91	Acute endocarditis (except rheumatic)	13	8	4	-	1	115	59	40	9	7
91a,b	Bacterial, acute, and subacute endocarditis	13	8	4	-	1	100	54	34	8	4
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	-	15	5	6	1	3
92	Chronic affections of valves and endocardium	327	180	144	2	1	2,832	1,355	1,318	85	74
92a	Diseases of aortic valve, etc.*	51	32	18	1	-	213	102	81	13	17
92b	Diseases of mitral valve, etc.*	139	76	63	-	-	1,016	482	483	30	21
92c	Chronic rheumatic endocarditis, etc.*	22	12	10	-	-	211	108	95	8	2
92d	Other chronic endocarditis, etc.*	102	54	46	1	1	1,251	587	606	32	26
92e	Endocarditis (unspecified, 45 years and over)	13	6	7	-	-	141	78	53	4	8
93	Diseases of the myocardium	1,401	771	609	13	8	19,787	9,582	9,051	566	588
93a	Acute myocarditis (except rheumatic)	12	10	2	-	-	327	181	129	10	7
93b	Myocarditis (unspecified, under 45 years)	1	1	-	-	-	29	19	8	-	2
93c	Chronic rheumatic myocarditis, etc.*	8	4	4	-	-	101	45	51	4	3
93d	Other chronic myocarditis, etc.*	1,247	681	535	13	8	17,916	8,604	8,255	519	538
93e	Other myocarditis (unspecified)	133	65	68	-	-	1,414	735	608	33	38
94	Diseases of coronary arteries, angina pectoris	1,709	1,251	463	9	6	11,175	7,560	3,270	207	136
94a	Diseases of coronary arteries	1,680	1,214	451	9	6	10,981	7,457	3,206	204	134
94b	Angina pectoris	29	17	12	-	-	192	123	64	3	2

*Refer to International List for complete title, table V. Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
22	12	10	-	-	27	11	9	2	5	16	9	7	-	-	51	26	19	2	4	54
107	56	51	-	-	116	46	31	15	24	71	37	33	1	-	232	99	102	14	17	55
39	11	26	-	2	60	9	16	9	26	32	13	19	-	-	114	32	49	4	29	56,57
25	5	18	-	2	39	2	11	-	26	15	2	13	-	-	69	10	31	2	26	56
15	...	14	...	1	34	...	10	...	24	11	...	11	...	-	43	...	20	-	23	56a-c
7	4	3	-	-	4	2	1	-	1	1	-	1	-	-	17	9	6	1	1	56d
3	1	1	-	1	1	-	-	-	1	3	2	1	-	-	9	1	5	1	2	56e
14	6	8	-	-	21	7	5	9	-	17	11	6	-	-	45	22	18	2	3	57
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57a-c
8	3	5	-	-	17	6	3	8	-	15	10	5	-	-	34	16	15	1	2	57d
6	3	3	-	-	4	1	2	1	-	2	1	1	-	-	11	6	3	1	1	57e
318	103	206	2	7	406	101	148	47	110	164	72	86	2	4	629	219	269	55	86	
7	2	4	-	1	29	2	6	5	16	7	4	3	-	-	32	5	17	3	7	58
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	58a
3	2	1	-	-	6	-	1	1	4	3	2	1	-	-	10	1	5	1	3	58b
-	-	-	-	-	2	-	2	-	-	2	-	2	-	-	6	2	3	1	-	58c
2	-	1	-	1	5	1	-	1	3	-	-	-	-	-	5	-	3	-	2	58d
1	-	1	-	-	16	1	3	3	9	2	2	-	-	-	9	2	6	-	1	58e,f
5	2	3	-	-	21	6	8	1	6	22	8	12	-	2	50	15	23	7	5	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
285	90	187	2	6	259	73	94	25	67	120	52	64	2	2	394	145	169	30	50	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
11	3	8	-	-	22	1	17	-	4	8	3	5	-	-	55	9	29	3	14	63
2	-	2	-	-	3	-	3	-	-	1	-	1	-	-	3	-	1	-	2	63a
6	2	4	-	-	16	1	11	-	4	3	1	2	-	-	44	8	24	2	10	63b
3	1	2	-	-	3	-	3	-	-	4	2	2	-	-	8	1	4	1	2	63c-e
2	1	1	-	-	17	6	4	6	1	4	4	-	-	-	9	5	1	1	2	64
3	1	2	-	-	2	1	1	-	-	2	1	1	-	-	8	3	2	2	1	65
3	2	1	-	-	7	2	-	3	2	1	-	1	-	-	10	6	1	3	-	66
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	68
-	-	-	-	-	41	8	17	3	13	-	-	-	-	-	60	26	24	4	6	69
1	1	-	-	-	5	-	1	4	-	-	-	-	-	-	6	2	2	1	1	70
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	4	3	1	-	-	71
55	27	26	1	1	111	38	41	12	20	63	39	22	-	2	195	94	74	12	15	
1	1	-	-	-	16	4	6	2	4	2	1	1	-	-	15	5	9	1	-	72
15	6	8	-	1	23	8	7	1	7	23	12	9	-	2	53	21	18	4	10	73
9	4	5	-	-	9	3	3	-	3	18	10	7	-	1	31	15	13	-	3	73a
6	2	3	-	1	14	5	4	1	4	5	2	2	-	1	22	6	5	4	7	73b-d
37	19	17	1	-	58	20	26	8	4	34	23	11	-	-	114	64	40	5	5	74
36	19	16	1	-	55	19	24	8	4	33	22	11	-	-	111	63	38	5	5	74a
1	-	1	-	-	3	1	2	-	-	1	1	-	-	-	3	1	2	-	-	74b
2	1	1	-	-	4	2	2	-	-	3	3	-	-	-	9	2	5	2	-	75
-	-	-	-	-	10	4	-	1	5	1	-	1	-	-	4	2	2	-	-	76
14	11	3	-	-	38	27	1	7	3	14	13	-	1	-	40	31	3	4	2	
14	11	3	-	-	38	27	1	7	3	14	13	-	1	-	38	31	1	4	2	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	79
766	321	435	8	2	2,003	511	464	493	535	617	321	285	8	3	3,140	1,238	1,135	347	420	
8	5	3	-	-	23	8	8	3	4	5	4	1	-	-	35	10	13	9	3	80
5	1	4	-	-	47	13	9	14	11	11	4	3	2	2	40	17	13	7	3	81
12	8	4	-	-	14	7	6	1	-	11	5	6	-	-	37	21	8	2	6	82
699	285	405	8	1	1,808	457	422	441	488	543	285	252	5	1	2,782	1,088	1,027	294	373	83
556	230	318	7	1	1,583	397	347	395	444	480	254	220	5	1	2,568	1,011	951	268	338	83a
141	53	87	1	-	155	42	60	26	27	43	22	21	-	-	134	53	50	17	14	83b,c
2	2	-	-	-	70	18	15	20	17	20	9	11	-	-	80	24	26	9	21	83d
5	3	2	-	-	25	4	2	8	11	7	3	4	-	-	82	25	29	13	15	84
2	1	-	-	1	37	9	3	15	10	6	4	2	-	-	63	31	17	12	3	85
-	-	-	-	-	13	2	3	6	2	2	1	1	-	-	9	4	1	1	3	86
30	16	14	-	-	31	11	8	4	8	28	14	14	-	-	66	29	20	5	12	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
5	2	3	-	-	5	-	3	1	1	4	1	2	1	-	26	13	7	4	2	89
3,164	1,653	1,456	28	27	3,891	1,482	935	747	727	1,644	1,033	581	18	12	6,949	3,346	2,166	725	712	
3,025	1,585	1,385	28	27	3,539	1,378	846	663	652	1,469	931	511	16	11	6,521	3,165	2,022	674	660	90-95
1	1	-	-	-	4	-	-	1	3	2	-	1	1	-	26	15	6	4	1	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90a
1	1	-	-	-	4	-	-	1	3	2	-	1	1	-	26	15	6	4	1	90b
3	2	1	-	-	23	6	2	12	3	9	5	4	-	-	31	5	9	8	11	91
2	1	1	-	-	17	5	2	8	2	7	3	4	-	-	27	5	7	8	9	91a,b
1	1	-	-	-	6	1	-	4	1	2	2	-	-	-	4	-	2	-	2	91c
187	92	90	3	2	400	97	91	114	98	109	68	35	3	3	760	298	217	110	135	92
15	5	8	2	-	50	12	3	18	17	9	7	1	1	-	91	41	19	8	23	92a
75	42	33	-	-	174	43	47	45	39	45	28	13	2	2	336	135	102	47	52	92b
12	4	7	1	-	8	6	1	-	1	6	4	2	-	-	33	16	10	5	2	92c
73	34	37	-	2	125	23	30	39	33	42	26	15	-	1	228	87	72	26	43	92d
12	7	5	-	-	43	13	10	12	8	7	3	4	-	-	72	19	14	24	15	92e
1,773	798	942	16	17	1,604	524	437	305	338	624	372	248	2	2	2,844	1,222	1,005	320	297	93
13	7	6	-	-	24	5	2	8	9	9	6	2	-	1	70	23	17	16	14	93a
2	-	2	-	-	18	-	1	4	13	-	-	-	-	-	16	6	4	2	4	93b
1	-	1	-	-	1	-	-	1	-	5	1	4	-	-	21	12	5	2	2	93c
1,699	770	896	16	17	1,315	435	371	239	270	508	309	197	2	-	2,244	962	801	255	226	93d
58	21	37	-	-	246	84	63	53	46	102	56	45	-	1	493	219	178	45	51	93e
921	619	291	7	4	1,134	623	254	142	115	558	389	161	4	4	1,940	1,195	530	110	105	94
904	611	282	7	4	1,019	570	231	121	97	530	369	153	4	4	1,798	1,116	486	102	94	94a
17	8	9	-	-	115	53	23	21	18	28	20	8	-	-	142	79	44	8	11	94b

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	332	198	127	3	4	2,216	1,184	915	59	58
95a	Functional diseases of heart, etc.*	14	8	5	-	1	74	31	39	2	2
95b	Other diseases of heart (rheumatic)	58	21	35	-	2	645	305	299	21	20
95c	Other diseases of heart (not rheumatic)	260	169	87	3	1	1,497	848	577	36	36
96	Aneurysm (except of heart and aorta)	15	10	4	-	1	146	90	41	5	10
97	Arteriosclerosis (except coronary or renal sclerosis)	275	157	106	2	-	2,259	1,132	1,044	48	35
98	Gangrene	5	3	2	-	-	23	13	9	1	-
99	Other diseases of arteries	23	15	8	-	-	145	72	69	2	2
100	Diseases of veins	9	8	1	-	-	86	42	40	1	3
101	Diseases of lymphatic system	-	-	-	-	-	2	-	1	1	-
102	High blood pressure (idiopathic)	18	10	8	-	-	108	43	56	4	5
103	Other diseases of circulatory system	4	1	3	-	-	9	5	3	-	1
	VIII.—Diseases of the respiratory system	708	411	273	15	9	5,104	2,914	1,760	238	192
104	Diseases of nasal fossae, accessory sinuses	5	4	1	-	-	26	10	12	1	3
105	Diseases of larynx	6	5	1	-	-	21	12	5	1	3
106	Bronchitis	26	18	8	-	-	260	155	92	6	7
107	Bronchopneumonia (including capillary bronchitis)	383	208	161	9	5	1,746	915	653	85	93
108	Lobar pneumonia	130	81	45	2	2	1,672	938	577	95	62
109	Pneumonia (unspecified)	43	23	16	3	1	416	232	159	16	9
109A	Atypical or virus pneumonia	9	5	4	-	-	86	53	31	-	2
109B	Pneumonia (all other, unspecified)	34	18	12	3	1	330	179	128	16	7
110	Pleurisy (not tuberculous)	14	8	6	-	-	95	45	35	11	4
111	Hemorrhagic infarction, thrombosis, edema*	51	34	17	-	-	299	155	129	8	7
112	Asthma	32	18	12	1	1	232	154	69	6	3
113	Pulmonary emphysema	2	2	-	-	-	12	10	2	-	-
114	Other diseases of respiratory system (except tuberculosis)	16	10	6	-	-	325	288	27	9	1
114a,b	Silicosis, other forms of pneumoconioses	2	2	-	-	-	231	226	3	2	-
114c-e	Other diseases of respiratory system (except tuberculosis)	14	8	6	-	-	94	62	24	7	1
	IX.—Diseases of the digestive system	466	278	176	10	2	4,436	2,429	1,778	132	97
115	Diseases of buccal cavity and adnexa, etc.*	17	6	8	2	1	120	61	48	8	3
116	Diseases of esophagus	2	1	1	-	-	21	10	11	-	-
117	Ulcer of stomach or duodenum	76	63	12	1	-	540	437	82	17	4
117a	Ulcer of stomach	51	43	7	1	-	334	263	59	9	3
117b	Ulcer of duodenum	25	20	5	-	-	206	174	23	8	1
118	Other diseases of stomach (except cancer)	13	9	4	-	-	72	43	26	2	1
119	Diarrhea, enteritis, etc.* (under 2 years)	21	8	11	2	-	380	201	144	20	15
120	Diarrhea, enteritis, etc.* (2 years and over)	16	9	7	-	-	123	48	62	8	5
121	Appendicitis	29	21	7	1	-	398	218	155	17	8
122	Hernia and intestinal obstruction	99	51	47	1	-	873	449	373	27	24
122a	Hernia	43	24	19	-	-	427	225	183	13	6
122b	Intestinal obstruction	56	27	28	1	-	446	224	190	14	18
123	Other diseases of intestines	21	11	10	-	-	124	68	47	1	8
124	Cirrhosis of liver	99	66	31	2	-	989	614	343	22	10
124a	Cirrhosis of liver with mention of alcoholism	8	4	3	1	-	47	31	11	3	2
124b	Cirrhosis of liver without mention of alcoholism	91	62	28	1	-	942	583	332	19	8
125	Other diseases of liver	18	6	11	-	1	139	71	60	4	4
126	Biliary calculi	18	8	10	-	-	343	101	238	1	3
127	Other diseases of gallbladder, biliary ducts	23	9	14	-	-	174	52	117	-	5
128	Diseases of pancreas (except diabetes mellitus)	10	7	2	1	-	72	29	36	4	3
129	Peritonitis (cause not stated)	4	3	1	-	-	68	27	36	1	4
	X.—Diseases of the genito-urinary system	1,098	629	459	8	2	7,799	3,867	3,417	259	256
130	Acute nephritis	16	9	6	1	-	167	84	69	6	8
131	Chronic nephritis	904	496	401	5	2	8,463	3,017	3,049	193	204
131a	Arteriosclerotic kidney	763	420	336	5	2	5,104	2,329	2,451	157	167
131b	Other chronic nephritis	141	76	65	-	-	1,359	688	598	36	37
132	Nephritis unspecified (10 years and over)	29	13	15	1	-	308	166	106	18	18
133	Other diseases of kidneys, ureters, etc.*	34	14	19	1	-	163	77	74	6	6
134	Calculi of urinary passages	12	10	2	-	-	81	52	25	1	3
135	Diseases of urinary bladder	5	4	1	-	-	32	18	11	3	-
136	Diseases of urethra (except calculus)	2	-	2	-	-	24	15	3	6	-
137	Diseases of prostate	83	83	...	-	...	463	438	...	25	...
137a	Hypertrophy of prostate	75	75	...	-	...	421	397	...	24	...
137b	Other diseases of prostate	8	8	...	-	...	42	41	...	1	...
138	Diseases of other male genital organs (not venereal)	-	-	...	-	...	1	-	...	1	...
139	Diseases of female genital organs	13	...	13	...	-	97	...	80	...	17
139a	Diseases of ovaries, fallopian tubes, parametria	4	...	4	...	-	54	...	39	...	15
139b	Diseases of uterus	9	...	9	...	-	40	...	38	...	2
139c	Diseases of other female genital organs*	-	...	-	...	-	3	...	3	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	31	...	28	...	3	332	...	295	...	37
140	Abortion with mention of infection	3	...	3	...	-	31	...	22	...	9
141	Abortion without mention of infection	1	...	1	...	-	18	...	18	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	5	...	5	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	-	...	-	...	-	4	...	4	...	-
141d-f	Other abortions (nonseptic)*	1	...	1	...	-	9	...	9	...	-
142	Ectopic gestation	2	...	1	...	1	28	...	21	...	7
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	6	...	5	...	1
142b	Ectopic gestation, without mention of infection	2	...	1	...	1	22	...	16	...	6
143	Hemorrhage of pregnancy (death before delivery)	1	...	1	...	-	1	...	1	...	-
144	Toxemias of pregnancy (death before delivery)	1	...	1	...	-	17	...	16	...	1
145	Other diseases of pregnancy (death before delivery)*	2	...	1	...	1	12	...	11	...	1
145A	With mention of infection	1	...	1	...	-	8	...	7	...	1
145B	Without mention of infection	1	...	-	...	1	4	...	4	...	-
146	Hemorrhage of childbirth and puerperium	4	...	4	...	-	55	...	50	...	5
147	Infection during childbirth and puerperium	3	...	3	...	-	83	...	77	...	6
148	Puerperal toxemias (excluding death before delivery)	5	...	5	...	-	38	...	34	...	5
149	Other accidents and specified conditions of childbirth	4	...	3	...	1	23	...	22	...	1
150	Other and unspecified conditions of childbirth and puerperium	5	...	5	...	-	25	...	23	...	2

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
140	73	61	2	4	374	128	62	89	95	167	97	62	6	2	920	430	255	124	111	95
3	1	2	-	-	9	6	2	-	1	10	6	3	1	-	38	20	9	3	4	95a
41	18	23	-	-	46	13	8	12	15	11	6	4	-	1	105	47	46	7	5	95b
96	54	36	2	4	319	109	54	77	79	146	85	55	5	1	779	363	200	114	102	95c
11	8	3	-	-	18	8	4	5	1	3	1	2	-	-	14	7	3	1	3	96
109	50	59	-	-	269	83	69	66	51	142	79	60	2	1	289	134	99	30	26	97
2	1	1	-	-	5	-	1	3	1	2	2	-	-	-	6	2	1	1	2	98
8	4	4	-	-	16	6	6	-	4	17	12	5	-	-	35	14	16	3	2	99
3	2	1	-	-	6	3	1	-	2	3	1	2	-	-	20	8	7	4	1	100
1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	3	1	1	-	1	101
5	2	3	-	-	33	4	7	6	16	8	7	1	-	-	50	13	16	8	13	102
-	-	-	-	-	4	-	1	3	-	-	-	-	-	-	11	2	1	4	4	103
308	175	126	1	6	946	236	190	310	210	280	139	116	13	12	1,623	656	547	223	197	
3	1	2	-	-	14	1	1	4	8	2	1	1	-	-	15	4	7	1	3	104
3	3	-	-	-	3	-	1	1	1	-	-	-	-	-	4	1	2	1	-	105
9	6	3	-	-	35	16	9	7	3	11	5	6	-	-	59	25	20	11	3	106
125	68	55	1	1	398	101	82	118	87	94	43	40	5	6	704	270	271	78	85	107
119	69	46	-	4	367	62	62	135	88	87	48	31	7	1	550	229	157	83	81	108
7	3	4	-	-	70	15	11	27	17	32	20	7	1	4	119	51	37	21	10	109
4	1	3	-	-	11	2	4	4	1	7	6	1	-	-	27	14	11	2	-	109A
3	2	1	-	-	59	13	7	23	16	25	14	6	1	4	92	37	26	19	10	109B
6	3	3	-	-	8	3	1	3	1	3	2	1	-	-	15	8	2	3	1	110
13	8	5	-	-	23	6	10	4	3	31	10	21	-	-	51	19	22	7	3	111
8	5	3	-	-	20	6	9	4	1	16	8	7	-	1	63	24	21	9	9	112
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	113
14	8	5	-	1	18	6	4	7	1	4	2	2	-	-	41	23	8	8	2	114
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	7	6	-	1	-	114a,b
14	8	5	-	1	17	5	4	7	1	3	1	2	-	-	34	17	8	7	2	114c-e
326	192	129	5	-	553	184	123	133	113	228	116	97	8	7	1,161	478	345	171	167	
6	3	3	-	-	24	4	8	6	6	8	2	5	-	1	45	19	9	6	11	115
3	1	2	-	-	1	-	1	-	-	-	-	-	-	-	4	1	2	-	1	116
47	40	6	1	-	77	36	12	26	3	27	23	3	1	-	162	85	30	23	24	117
27	23	3	1	-	58	24	9	22	3	17	14	3	-	-	120	59	21	19	21	117a
20	17	3	-	-	19	12	3	4	-	10	9	-	1	-	42	26	9	4	3	117b
4	2	2	-	-	11	1	2	3	5	7	6	1	-	-	79	13	16	25	25	118
10	5	5	-	-	93	19	13	33	28	14	4	6	2	2	184	68	61	27	28	119
10	7	3	-	-	25	6	4	8	7	16	4	11	-	1	49	19	10	9	11	120
19	13	6	-	-	54	14	16	15	9	27	14	12	1	-	116	55	34	14	13	121
54	34	20	-	-	93	25	23	22	23	47	22	24	-	1	195	69	57	36	33	122
30	21	9	-	-	40	11	9	14	6	28	16	11	-	1	62	28	14	9	11	122a
24	13	11	-	-	53	14	14	8	17	19	6	13	-	-	133	41	43	27	22	122b
7	4	2	1	-	13	5	2	3	3	7	4	2	-	1	29	12	11	5	1	123
91	56	34	1	-	77	46	15	10	6	30	17	12	1	-	152	86	44	15	7	124
7	3	4	-	-	10	8	2	-	-	1	1	-	-	-	13	8	4	1	-	124a
84	53	30	1	-	67	38	13	10	6	29	16	12	1	-	139	78	40	14	7	124b
11	6	5	-	-	23	6	5	3	9	4	2	2	-	-	43	19	12	7	6	125
31	8	23	-	-	19	7	10	-	2	17	8	8	1	-	48	13	32	1	2	126
22	9	12	1	-	19	5	6	1	7	16	7	7	1	1	30	11	16	2	1	127
3	2	1	-	-	11	7	4	-	-	3	-	3	-	-	8	4	3	1	-	128
8	2	5	1	-	13	3	2	3	5	5	3	1	1	-	17	5	8	-	4	129
646	354	282	3	7	1,644	417	298	504	425	327	205	110	8	4	1,927	779	596	296	256	
10	7	3	-	-	37	8	4	13	12	9	5	3	-	1	61	24	16	11	10	130
536	271	256	2	7	1,348	311	261	411	365	232	143	83	4	2	1,475	571	497	209	198	131
427	222	199	2	4	1,090	257	213	321	299	152	95	53	3	1	1,037	410	333	154	140	131a
109	49	57	-	3	258	54	48	90	66	80	48	30	1	1	438	161	164	55	58	131b
10	7	3	-	-	93	18	12	34	29	19	9	10	-	-	119	30	37	32	20	132
18	9	9	-	-	34	15	6	7	6	12	4	7	-	1	37	14	15	2	6	133
8	5	3	-	-	25	17	5	3	-	3	2	1	-	-	15	8	5	1	1	134
7	5	2	-	-	2	1	-	1	-	3	2	1	-	-	17	7	6	3	1	135
3	2	-	1	-	12	3	-	9	-	1	1	-	-	-	5	1	2	2	-	136
47	47	...	-	...	69	44	...	25	...	43	39	...	4	...	159	124	...	35	...	137
44	44	...	-	...	56	36	...	20	...	35	31	...	4	...	134	106	...	28	...	137a
3	3	...	-	...	13	8	...	5	...	8	8	...	-	...	25	18	...	7	...	137b
1	1	...	-	...	1	-	...	1	...	-	-	...	-	...	1	-	...	1	...	139
6	...	6	...	-	23	...	10	...	13	5	...	5	...	-	38	...	18	...	20	139
-	...	-	...	-	14	...	3	...	11	1	...	1	...	-	27	...	11	...	16	139a
6	...	6	...	-	9	...	7	...	2	4	...	4	...	-	11	...	7	...	4	139b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	139c
24	...	24	...	-	148	...	53	...	95	15	...	12	...	3	142	...	99	...	43	
-	...	-	...	-	7	...	4	...	3	2	...	2	...	-	12	...	4	...	8	140
2	...	2	...	-	7	...	2	...	5	1	...	1	...	-	9	...	6	...	3	141
-	...	-	...	-	3	...	1	...	2	-	...	-	...	-	5	...	3	...	2	141a,c
-	...	-	...	-	2	...	-	...	2	1	...	1	...	-	3	...	2	...	1	141b
2	...	2	...	-	2	...	1	...	1	-	...	-	...	-	1	...	1	...	-	141d-f
1	...	1	...	-	3	...	1	...	2	-	...	-	...	-	6	...	2	...	4	142
1	...	1	...	-	1	...	-	...	1	-	...	-	...	-	2	...	1	...	1	142a
-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	4	...	1	...	3	142b
2	...	2	...	-	3	...	-	...	3	-	...	-	...	-	3	...	2	...	1	143
1	...	1	...	-	24	...	4	...	20	-	...	-	...	-	18	...	13	...	5	144
2	...	2	...	-	1	...	-	...	1	-	...	-	...	-	13	...	8	...	5	145
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	9	...	5	...	4	145A
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	4	...	3	...	1	145B
4	...	4	...	-	32	...	20	...	12	3	...	1	...	2	20	...	17	...	3	146
6	...	6	...	-	31	...	9	...	22	5	...	5	...	-	22	...	14	...	8	147
2	...	2	...	-	20	...	6	...	14	-	...	-	...	-	23	...	21	...	2	148
3	...	3	...	-	6	...	3	...	3	3	...	3	...	-	5	...	4	...	1	149
1	...	1	...	-	14	...	4	...	10	1	...	-	...	1	11	...	8	...	3	150

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	9	2	7	-	-	61	24	29	4	4
151	Carbuncle and furuncle	1	-	1	-	-	4	2	2	-	-
152	Phlegmon and acute abscess	1	-	1	-	-	17	9	7	1	-
153	Other diseases of skin and cellular tissue	7	2	5	-	-	40	13	20	3	4
	XIII.—Diseases of the bones, etc.*	14	8	8	-	-	58	21	30	7	-
154	Osteomyelitis and periostitis	3	2	1	-	-	19	10	5	4	-
155	Other diseases of bones (except tuberculosis)	4	1	3	-	-	10	3	7	-	-
156	Diseases of joints, other organs of movement	7	3	4	-	-	29	8	18	3	-
157	XIV.—Congenital malformations	169	92	74	2	1	1.222	635	522	36	29
157a-d	Congenital malformations of central nervous system	34	14	19	-	1	406	175	216	7	8
157e,f	Congenital malformations of cardiovascular system	94	57	36	1	-	582	303	220	21	18
157g,h,m	Other congenital malformations	41	21	19	1	-	254	157	86	8	3
	XV.—Diseases peculiar to the first year of life	489	288	194	1	6	4,272	2.312	1,542	223	195
158	Congenital debility (cause not stated)	11	6	4	-	1	125	68	36	13	8
159	Premature birth (cause not stated)	300	172	127	-	1	2,762	1,455	1,012	153	142
160	Injury at birth	78	47	29	1	1	796	461	282	28	25
161	Other diseases peculiar to first year of life	100	63	34	-	3	589	328	212	29	20
162	XVI.—Senility	177	73	97	4	3	386	169	207	5	5
	XVII.—Violent or accidental deaths	1,528	1,108	379	32	9	7,813	5,101	2,183	397	132
163,164	Suicide	204	159	41	3	1	1,145	837	281	17	10
163	Suicide by poisoning	47	29	18	-	-	277	144	122	5	6
164	Suicide by other means	157	130	23	3	1	868	693	159	12	4
165-168	Homicide[1]	53	27	17	7	2	299	101	62	103	33
166	Homicide by firearms	31	15	13	2	1	140	45	34	50	11
167	Homicide by cutting or piercing instruments	8	3	1	3	1	71	11	10	37	13
168	Homicide by other means	14	9	3	2	-	88	45	18	16	9
169-195	Accidental deaths	1,269	920	321	22	6	6,361	4,157	1,840	276	88
169	Railway accidents (except collisions with motor vehicles)	21	16	1	4	-	226	185	25	14	2
170	Motor-vehicle accidents	493	362	123	7	1	1,900	1,402	400	81	17
170a	Collisions between automobiles and trains	24	22	2	-	-	52	39	11	2	-
170b	Collisions between automobiles and streetcars	2	1	1	-	-	14	7	5	2	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	455	328	119	7	1	1,791	1,317	382	76	16
170d	Motorcycle accidents (exc. collisions with automobiles)	12	11	1	-	-	43	39	2	1	1
171	Streetcar and other road-transport accidents	2	2	-	-	-	79	53	19	6	1
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	1	1	-	-	-	68	47	15	5	1
171b	Other and unspecified road-transport accidents	1	1	-	-	-	11	6	4	1	-
172	Water-transport accidents	27	22	4	-	1	29	26	2	1	-
173	Air-transport accidents	22	21	1	-	-	62	57	4	1	-
174	Accidents in mines and quarries	2	2	-	-	-	348	337	2	9	-
175	Agricultural and forestry accidents	126	121	4	1	-	116	109	7	-	-
175a-c	Agricultural accidents	32	28	4	-	-	110	103	7	-	-
175d,e	Forestry accidents	94	93	-	1	-	6	6	-	-	-
176	Other accidents involving machinery	22	22	-	-	-	92	85	3	4	-
177	Food poisoning	3	1	1	-	1	15	5	7	2	1
178	Accidental absorption of poisonous gas	9	7	2	-	-	175	108	55	10	2
179	Acute accidental poisoning by solids or liquids	13	7	6	-	-	102	50	40	8	4
180	Conflagration	43	25	14	4	-	186	92	57	21	16
181	Accidental burns (except conflagration)	41	23	17	1	-	304	169	109	15	11
182	Accidental mechanical suffocation	17	11	4	-	2	89	51	30	6	2
183	Accidental drowning	80	64	14	1	1	277	216	30	26	5
184	Accidental injury by firearms	34	29	4	1	-	125	96	21	8	-
185	Accidental injury by cutting or piercing instruments	2	2	-	-	-	9	4	2	3	-
186	Accidental injury by fall or crushing	226	113	111	2	-	1,896	877	970	30	19
186a	Accidental injury by fall	212	100	110	2	-	1,882	867	966	30	19
186b	Accidental injury by crushing	14	13	1	-	-	14	10	4	-	-
187	Cataclysm, etc.*	2	1	1	-	-	7	6	1	-	-
188	Injury by animals (except in agriculture and forestry)	1	1	-	-	-	5	5	-	-	-
189	Hunger or thirst	-	-	-	-	-	1	1	-	-	-
190	Excessive cold	1	1	-	-	-	4	3	1	-	-
191	Excessive heat	2	1	1	-	-	5	5	-	-	-
192	Lightning	-	-	-	-	-	9	7	2	-	-
193	Accidents due to electric currents (except lightning)	17	17	-	-	-	39	35	2	2	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	-	-	-	-	-	1	1	-	-	-
195	Other accidents	63	49	13	1	-	260	172	51	29	8
195a	Sequelae of preventive immunization, etc.*	-	-	-	-	-	2	2	-	-	-
195b	Other accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-
195d	Obstruction, suffocation, etc.*	28	19	8	1	-	56	35	13	6	2
195c,e	Other and unspecified accidents	35	30	5	-	-	202	135	38	23	6
196	Deaths of military personnel during operations of war	-	-	-	-	-	2	2	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	1	1	-	-	-
198	Legal executions	2	2	-	-	-	5	3	-	1	1
	XVIII.—Ill-defined and unknown causes	106	66	37	2	1	560	345	147	51	17
199	Sudden death	4	2	2	-	-	3	3	-	-	-
200	Ill-defined and unknown causes	102	64	35	2	1	557	342	147	51	17
200a	Ill-defined causes	64	37	25	1	1	489	304	125	43	17
200b,c	Unknown or unspecified causes	38	27	10	1	-	68	38	22	8	-

*Refer to International List for complete title, table V, Part I.
[1]Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Int. List No.
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6	3	3	-	-	14	1	5	2	6	7	5	2	-	-	24	13	7	-	4	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	-	1	151
3	2	1	-	-	4	-	1	-	3	2	2	-	-	-	5	2	2	-	1	152
2	-	2	-	-	10	1	4	2	3	5	3	2	-	-	15	9	4	-	2	153
3	2	1	-	-	5	1	2	-	2	5	4	-	1	-	18	9	7	1	1	
-	-	-	-	-	1	1	-	-	-	2	1	-	1	-	4	3	1	-	-	154
2	1	1	-	-	1	-	1	-	-	1	1	-	-	-	4	2	2	-	-	155
1	1	-	-	-	3	-	1	-	2	2	2	-	-	-	10	4	4	1	1	156
138	79	58	-	1	194	76	70	30	18	65	32	31	1	1	315	171	110	17	17	157
65	31	33	-	1	54	18	24	7	5	21	8	13	-	-	64	28	32	2	2	157a-d
52	34	18	-	-	97	38	33	16	10	27	13	13	1	-	164	90	60	8	6	157e,f
21	14	7	-	-	43	20	13	7	3	17	11	5	-	1	87	53	18	7	9	157g,h,m
291	171	111	5	4	1,067	361	275	232	199	250	139	91	13	7	1,508	735	493	151	129	
4	2	2	-	-	38	8	5	15	10	7	3	2	1	1	50	23	16	6	5	158
189	108	74	3	4	743	257	212	146	128	147	80	55	9	3	997	459	340	109	89	159
55	35	18	2	-	130	54	27	20	29	55	33	18	2	2	296	172	82	21	21	160
43	26	17	-	-	156	42	31	51	32	41	23	16	1	1	165	81	55	15	14	161
11	3	6	2	-	88	15	28	22	23	109	59	46	2	2	376	129	150	42	55	162
448	277	154	12	5	1,798	758	242	595	203	535	377	137	17	4	2,564	1,422	577	428	137	
57	42	14	1	-	124	91	17	14	2	69	54	14	1	-	250	181	57	7	5	163,164
28	16	10	-	-	13	8	4	-	1	14	8	6	-	-	44	21	19	2	2	163
31	26	4	1	-	111	83	13	14	1	55	46	8	1	-	206	160	38	5	3	164
11	4	5	2	-	246	81	12	141	32	6	2	2	2	-	389	141	38	171	39	165-168
3	1	2	-	-	163	51	8	90	14	3	2	1	-	-	261	103	28	111	19	166
2	-	2	-	-	55	4	-	38	13	-	-	-	-	-	75	18	2	45	12	167
6	3	1	2	-	28	6	4	13	5	3	-	1	2	-	53	22	8	15	8	168
380	231	155	9	5	1,422	605	213	435	169	459	320	121	14	4	1,919	1,098	492	247	92	169-195
4	3	1	-	-	37	16	1	18	2	11	7	1	3	-	72	51	3	15	3	169
96	79	16	1	-	627	299	85	189	54	161	127	30	3	1	676	450	128	83	15	170
-	-	-	-	-	33	15	5	11	2	10	8	2	-	-	24	18	6	-	-	170a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	170b
94	77	16	1	-	586	277	80	177	52	148	117	27	3	1	638	423	120	80	15	170c
2	2	-	-	-	8	7	-	1	-	3	2	1	-	-	12	8	2	2	-	170d
3	1	2	-	-	5	3	-	-	2	4	3	-	1	-	2	2	-	-	-	171
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	171a
-	-	-	-	-	5	3	-	-	2	4	3	-	1	-	1	1	-	-	-	171b
8	6	-	-	-	31	19	2	9	1	3	3	-	-	-	27	20	4	2	1	172
5	4	1	-	-	20	20	-	-	-	11	11	-	-	-	27	27	-	-	-	173
-	-	-	-	-	6	1	-	5	-	3	3	-	-	-	12	11	-	1	-	174
-	-	-	-	-	28	15	-	13	-	27	26	1	-	-	56	47	2	6	1	175
-	-	-	-	-	25	13	-	12	-	27	26	1	-	-	47	39	2	5	1	175a-c
-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	9	8	-	1	-	175d,e
5	3	2	-	-	24	12	1	10	1	2	2	-	-	-	20	14	1	5	-	176
-	-	-	-	-	6	2	1	2	1	3	2	1	-	-	15	5	4	4	2	177
15	5	8	1	1	10	4	3	2	1	4	2	2	-	-	10	7	1	1	1	178
4	2	-	2	-	29	11	2	11	5	6	4	2	-	-	30	15	10	2	3	179
10	8	1	-	1	66	13	8	23	22	11	5	5	-	1	82	26	24	17	15	180
15	9	4	-	2	96	20	20	23	33	21	10	8	3	-	112	37	38	16	21	181
14	6	7	-	1	42	14	8	11	9	3	2	1	-	-	31	13	9	3	6	182
24	21	2	1	-	72	28	5	35	4	31	22	7	2	-	116	70	22	23	1	183
2	1	1	-	-	68	29	12	23	4	20	18	2	-	-	99	63	14	17	5	184
-	-	-	-	-	8	1	1	3	3	1	-	1	-	-	14	8	1	4	1	185
150	61	85	4	-	137	53	54	21	9	111	55	54	1	1	351	143	174	21	13	186
150	61	85	4	-	125	46	54	16	9	111	55	54	1	1	348	138	174	21	13	186a
-	-	-	-	-	12	7	-	5	-	-	-	-	-	-	5	5	-	-	-	186b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	3	4	-	-	187
1	1	-	-	-	2	1	-	1	-	-	-	-	-	-	6	2	2	1	1	188
-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	189
-	-	-	-	-	3	2	-	-	1	2	1	-	1	-	4	3	-	1	-	190
-	-	-	-	-	3	-	1	1	1	-	-	-	-	-	4	3	-	1	-	191
-	-	-	-	-	11	5	-	4	2	2	2	-	-	-	5	2	1	2	-	192
2	2	-	-	-	19	13	2	3	1	4	4	-	-	-	19	17	-	2	-	193
-	-	-	-	-	4	1	-	2	1	-	-	-	-	-	5	4	1	-	-	194
24	19	5	-	-	67	22	7	26	12	17	11	6	-	-	117	55	39	20	3	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195b
10	8	2	-	-	9	3	3	1	2	2	2	-	-	-	18	10	5	2	1	195d
14	11	3	-	-	58	19	4	25	10	15	9	6	-	-	99	45	34	18	2	195c,e
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	5	-	-	5	-	-	-	-	-	-	6	2	-	3	1	198
13	6	7	-	-	763	88	41	542	292	118	36	13	31	38	1,386	564	368	257	197	
1	-	1	-	-	24	8	1	9	6	3	1	2	-	-	92	51	23	13	5	199
12	6	6	-	-	739	80	40	333	286	115	35	11	31	38	1,294	513	345	244	192	200
8	4	4	-	-	279	52	20	103	104	37	26	7	2	2	230	90	40	60	40	200a
4	2	2	-	-	460	28	20	230	182	78	9	4	29	36	1,084	423	305	184	152	200b,c

TABLE 21—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	59,706	29,263	20,389	5,491	4,563	4,785	2,714	1,978	61	32
	I.—Infectious and parasitic diseases	5,376	2,410	1,815	651	500	206	124	71	8	3
1	Typhoid fever	42	19	9	9	5	-	-	-	-	-
2	Paratyphoid fever	6	3	2	1	-	1	1	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	4	-	3	1	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	58	30	20	5	3	6	3	3	-	-
7	Anthrax (infection by Bacillus anthracis)	2	-	2	-	-	-	-	-	-	-
8	Scarlet fever	7	3	4	-	-	1	1	-	-	-
9	Whooping cough	92	27	50	6	9	6	2	4	-	-
10	Diphtheria (infection by C. diphtheriae)	108	56	39	8	5	4	4	-	-	-
11	Erysipelas	7	4	2	1	-	1	-	1	-	-
12	Tetanus	118	54	38	18	8	1	1	-	-	-
13-22	Tuberculosis (all forms)	2,923	1,322	1,055	281	265	83	60	15	6	2
13	Tuberculosis of respiratory system, etc.*	2,721	1,226	990	255	250	72	53	13	4	2
14	Tuberculosis of meninges, etc.*	68	33	25	4	6	3	2	1	-	-
15	Tuberculosis of intestines and peritoneum	21	10	9	1	1	1	1	-	-	-
16	Tuberculosis of vertebral column	9	5	2	2	-	1	-	1	-	-
17	Tuberculosis of bones and joints, etc.*	3	2	-	-	1	1	-	-	1	-
18	Tuberculosis of skin, etc.*	2	1	1	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	3	-	1	1	1	-	-	-	-	-
20	Tuberculosis of genito-urinary system	15	10	3	1	1	-	-	-	-	-
21	Tuberculosis of other organs	1	1	-	-	-	-	-	-	-	-
22	Disseminated tuberculosis	60	34	24	17	5	5	4	-	1	-
23	Leprosy	3	-	2	1	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	48	20	16	3	9	5	3	2	-	-
25	Gonococcus infection	3	-	1	2	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	3	2	-	1	-	2	2	-	-	-
27	Dysentery	252	122	103	16	11	4	3	-	1	-
28	Malaria	63	27	13	17	6	-	-	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	2	1	-	1	-	-	-	-	-	-
30	Syphilis (all forms)	640	281	90	188	81	30	21	7	1	1
30a	Locomotor ataxia (tabes dorsalis)	16	10	3	1	2	1	1	-	-	-
30b	General paralysis of insane	214	94	24	77	19	11	9	1	1	-
30d	Aneurysm of aorta	151	79	20	38	14	10	8	2	-	-
30f	Congenital syphilis	65	20	15	19	11	-	-	-	-	-
30c,e,g	Syphilis (other forms)	194	78	28	53	35	8	3	4	-	1
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	20	8	5	2	5	3	2	1	-	-
33	Influenza	582	219	218	68	77	28	9	19	-	-
34	Smallpox	1	1	-	-	-	-	-	-	-	-
35	Measles	86	38	35	6	7	5	2	3	-	-
36	Poliomyelitis and polioencephalitis (acute)	102	58	38	3	3	9	2	7	-	-
37	Acute infectious encephalitis (lethargic)	16	8	8	2	-	4	2	2	-	-
38	Other diseases due to filtrable viruses	13	8	4	1	-	-	-	-	-	-
39	Typhus fever and typhus-like diseases*	54	25	24	1	4	2	2	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	3	1	-	1	1	-	-	-	-	-
43	Mycoses	24	12	9	3	-	-	-	-	-	-
44	Other infectious and parasitic diseases	94	61	27	5	1	11	4	7	-	-
	II.—Cancer and other tumors	6,719	2,819	3,038	358	504	548	251	283	9	5
45-55	Cancer and other malignant tumors	6,424	2,706	2,918	334	468	529	243	272	9	5
45	Cancer of buccal cavity and pharynx	190	132	44	9	5	12	6	4	2	-
45a	Cancer of lip	19	18	1	-	-	2	2	-	-	-
45b	Cancer of tongue	34	28	4	2	-	2	-	2	-	-
45c	Cancer of mouth	23	11	9	1	2	2	1	1	-	-
45d	Cancer of jaw bone	44	25	11	5	3	2	2	-	-	-
45e	Cancer of unspecified parts of buccal cavity	3	3	-	-	-	1	1	-	-	-
45f	Cancer of pharynx	67	47	19	1	-	3	-	1	2	-
46	Cancer of digestive organs and peritoneum	2,457	1,123	1,040	171	123	235	119	108	7	1
46a	Cancer of esophagus	81	47	18	14	2	2	1	1	-	-
46b	Cancer of stomach	825	421	288	76	40	92	51	35	5	1
46c	Cancer of duodenum	11	6	4	1	-	-	-	-	-	-
46d	Cancer of rectum and anus	184	73	90	10	11	23	10	13	-	-
46e	Cancer of intestines, etc.*	584	224	301	29	30	55	25	29	1	-
46f	Cancer of liver and biliary passages	484	202	227	28	27	31	15	15	1	-
46g	Cancer of pancreas	222	127	76	10	9	22	13	9	-	-
46h	Cancer of mesentery and peritoneum	39	15	21	-	3	5	3	2	-	-
46m	Cancer of other and unspecified sites	27	8	15	3	1	5	1	4	-	-
47	Cancer of respiratory system	539	367	135	22	15	40	27	13	-	-
47a	Cancer of larynx	53	41	8	3	1	1	1	-	-	-
47b,c	Cancer of trachea and bronchus	96	79	11	4	2	14	11	3	-	-
47d	Cancer of lung	370	235	109	15	11	23	15	8	-	-
47e	Cancer of pleura	2	2	-	-	-	-	-	-	-	-
47f	Cancer of other respiratory organs	18	10	7	-	1	2	-	2	-	-
48	Cancer of uterus	636	...	490	...	146	48	...	46	...	2
48a	Cancer of cervix	259	...	205	...	54	21	...	20	...	1
48b	Cancer of other and unspecified sites of uterus	377	...	285	...	92	27	...	26	...	1
49	Cancer of other female genital organs	163	...	148	...	15	14	...	13	...	1
49a,b	Cancer of ovary, fallopian tube, and parametrium	138	...	124	...	14	12	...	11	...	1
49c-e	Cancer of other female genital organs	25	...	24	...	1	2	...	2	...	-
50	Cancer of breast	523	6	438	-	79	46	-	45	-	1
51	Cancer of male genital organs	430	378	...	54	...	32	32	...	-	...
51b	Cancer of prostate	397	348	...	51	...	30	30	...	-	...
51a,c-e	Cancer of other male genital organs	33	30	...	3	...	2	2	...	-	...
52	Cancer of urinary organs	264	145	85	18	16	24	18	6	-	-
52a	Cancer of kidney	114	69	34	7	4	9	6	3	-	-
52b	Cancer of bladder	148	76	49	11	12	15	12	3	-	-
52c	Cancer of other and unspecified sites	2	-	2	-	-	-	-	-	-	-
53	Cancer of skin, etc.*	199	119	69	5	6	6	3	3	-	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,140	2,260	1,877	3	-	28,154	11,259	8,026	4,904	3,965	22,011	13,094	8,255	425	237	16,238	8,695	6,213	814	516	
218	146	72	-	-	2,306	702	496	676	432	1,212	705	344	93	70	1,282	616	489	107	70	
-	-	-	-	-	5	3	-	1	1	4	2	1	1	-	8	3	4	1	-	1
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	5
3	3	-	-	-	41	19	13	4	5	19	9	9	1	-	21	11	8	2	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
2	1	1	-	-	13	5	7	1	-	1	1	-	-	-	9	5	4	-	-	8
5	2	1	-	-	57	12	12	17	16	15	6	8	1	-	33	15	16	1	1	9
2	1	1	-	-	43	21	16	4	2	25	13	11	1	-	21	11	9	1	-	10
-	-	-	-	-	3	2	1	-	-	4	4	-	-	-	2	-	2	-	-	11
1	1	-	-	-	14	5	3	4	2	3	3	-	-	-	3	3	-	-	-	12
129	88	41	-	-	1,300	378	279	373	270	738	427	186	67	58	718	325	299	61	33	13-22
123	84	39	-	-	1,174	355	255	326	238	679	400	167	59	53	650	297	271	56	26	13
-	-	-	-	-	40	11	10	15	4	19	12	4	1	2	26	12	8	2	4	14
-	-	-	-	-	20	2	5	6	7	6	1	3	2	-	14	6	6	-	2	15.
-	-	-	-	-	8	2	-	3	3	5	2	2	1	-	5	1	3	1	-	16
2	1	1	-	-	5	1	-	4	-	-	-	-	-	-	2	-	1	1	-	17
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	18
-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	-	-	-	-	-	19
-	-	-	-	-	9	3	3	3	-	9	3	5	1	-	6	2	4	-	-	20
-	-	-	-	-	3	-	1	2	-	1	-	1	-	-	1	-	-	-	1	21
4	3	1	-	-	39	4	5	14	16	17	8	3	3	3	13	6	6	1	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
4	2	2	-	-	22	11	4	4	3	13	6	7	-	-	10	7	2	1	-	24
-	-	-	-	-	12	1	4	1	6	1	-	-	1	-	-	-	-	-	-	25
-	-	-	-	-	5	1	1	1	2	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	26	9	3	12	4	5	1	3	-	1	29	16	11	2	-	27
-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	29
15	12	3	-	-	337	87	26	169	55	186	119	42	15	10	195	102	34	33	26	30
2	2	-	-	-	7	4	-	3	-	10	7	2	-	1	6	4	2	-	-	30a
8	5	3	-	-	125	30	7	70	18	50	30	13	4	3	79	42	13	14	10	30b
-	-	-	-	-	66	25	5	32	4	58	42	9	4	3	23	15	2	5	1	30d
-	-	-	-	-	20	2	2	12	4	2	-	1	-	1	17	11	5	-	1	30f
5	5	-	-	-	119	26	12	52	29	66	40	17	7	2	70	30	12	14	14	30,c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
2	-	2	-	-	7	2	2	1	2	9	4	4	1	-	3	1	-	-	2	32
36	20	16	-	-	278	82	83	64	49	78	46	31	-	1	158	78	69	5	6	33
-	-	-	-	-	-	-	-	-	-	18	14	4	1	-	-	-	-	-	-	34
4	2	2	-	-	39	6	17	9	7	21	7	12	2	-	11	7	4	-	-	35
5	5	-	-	-	14	7	6	-	1	34	20	13	1	-	7	1	5	-	1	36
1	1	-	-	-	9	6	1	2	-	10	4	6	-	-	7	5	2	-	-	37
1	-	1	-	-	3	1	1	-	1	-	-	-	-	-	3	3	-	-	-	38
-	-	-	-	-	14	8	5	-	1	-	-	-	-	-	4	2	2	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	3	1	2	-	-	42
-	-	-	-	-	6	5	1	-	-	1	1	-	-	-	5	4	1	-	-	43
9	7	2	-	-	49	26	10	8	5	25	18	6	1	-	28	14	13	-	1	44
576	275	301	-	-	2,904	1,032	1,172	294	406	2,898	1,470	1,375	29	22	1,760	741	912	53	54	
565	272	293	-	-	2,768	1,006	1,115	283	364	2,808	1,443	1,319	28	18	1,701	722	861	51	47	45-55
12	10	2	-	-	84	50	20	11	3	68	58	10	-	-	45	30	12	3	-	45
-	-	-	-	-	7	6	1	-	-	6	6	-	-	-	5	4	1	-	-	45a
1	1	-	-	-	16	10	5	-	1	22	16	6	-	-	9	5	2	2	-	45b
4	2	2	-	-	11	5	4	1	1	11	8	3	-	-	9	6	3	-	-	45c
1	1	-	-	-	17	8	5	3	1	10	10	-	-	-	12	8	3	1	-	45d
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	45e
6	6	-	-	-	33	21	5	7	-	18	17	1	-	-	10	7	3	-	-	45f
266	147	119	-	-	1,119	441	402	151	125	1,229	733	473	15	8	698	340	315	27	16	46
5	3	2	-	-	49	19	9	19	2	35	24	10	1	-	15	11	3	1	-	46a
71	46	25	-	-	394	176	106	69	43	471	312	151	6	2	253	141	90	15	7	46b
1	1	-	-	-	3	-	2	-	1	5	3	2	-	-	1	1	-	-	-	46c
40	27	13	-	-	104	42	31	13	18	138	79	57	1	1	70	31	36	1	2	46d
95	48	47	-	-	260	86	127	18	29	292	153	136	1	2	156	61	85	5	5	46e
32	12	20	-	-	179	61	76	21	21	139	74	61	3	1	127	54	67	4	2	46f
17	7	10	-	-	102	46	39	8	9	117	68	46	2	1	53	32	20	1	-	46g
2	1	1	-	-	17	8	6	2	1	17	10	7	-	-	13	7	6	-	-	46h
3	2	1	-	-	11	3	6	1	1	15	10	3	1	1	10	2	8	-	-	46m
21	18	3	-	-	234	157	41	23	13	213	160	48	4	1	127	87	27	9	4	47
1	1	-	-	-	22	17	3	2	-	18	15	3	1	-	15	9	3	1	2	47a
4	4	-	-	-	37	23	6	6	2	65	51	13	1	-	24	17	4	3	-	47b,c
12	11	1	-	-	155	102	28	14	11	116	83	30	2	1	86	59	20	5	2	47d
-	-	-	-	-	5	3	1	1	-	1	1	-	-	-	1	1	-	-	-	47e
4	2	2	-	-	15	12	3	-	-	12	10	2	-	-	1	1	-	-	-	47f
59	...	59	...	-	322	...	211	...	111	228	...	224	...	4	233	...	217	...	16	48
21	...	21	...	-	136	...	89	...	47	90	...	89	...	1	122	...	116	...	6	48a
38	...	38	...	-	186	...	122	...	64	138	...	135	...	3	111	...	101	...	10	48b
19	...	19	...	-	80	...	65	...	15	93	...	93	...	-	41	...	40	...	1	49
13	...	13	...	-	69	...	57	...	12	81	...	81	...	-	35	...	34	...	1	49a,b
6	...	6	...	-	11	...	8	...	3	12	...	12	...	-	6	...	6	...	-	49c-e
61	1	60	-	-	268	8	201	2	59	268	6	259	-	3	157	1	149	-	7	50
49	49	...	-	...	190	148	...	42	...	217	215	...	2	...	126	116	...	10	...	51
46	46	...	-	...	181	142	...	39	...	199	197	...	2	...	119	109	...	10	...	51b
3	3	...	-	...	9	6	...	3	...	18	18	...	-	...	7	7	...	-	...	51a,c-e
33	20	13	-	-	118	57	43	11	7	140	88	49	3	-	63	39	22	-	2	52
8	4	4	-	-	59	32	20	4	3	52	33	18	1	-	25	19	6	-	-	52a
25	16	9	-	-	58	25	23	6	4	87	55	30	2	-	38	20	16	-	2	52b
-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	52.
10	6	4	-	-	66	32	22	6	6	54	36	18	-	-	44	28	15	-	1	53

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
54	Cancer of central nervous system*	120	61	52	4	3	13	7	6	-	-
55	Cancer of other and unspecified organs	903	377	415	51	60	59	31	28	-	-
56,57	Nonmalignant tumors and tumors of unspecified nature	295	113	122	24	36	19	8	11	-	-
58	Nonmalignant tumors (including dermoid cysts)	81	17	41	1	22	6	2	4	-	-
58a-c	Nonmalignant tumors of female genital organs	57	...	36	...	21	4	...	4	...	-
58d	Nonmalignant tumors of central nervous system*	11	8	2	-	1	1	1	-	-	-
58e	Nonmalignant tumors of other and unspecified organs	13	9	3	1	-	1	1	-	-	-
57	Tumors of unspecified nature	214	96	81	23	14	13	6	7	-	-
57a-c	Tumors, female genital organs (nature unspecified)	9	...	7	...	2	-	...	-	...	-
57d	Tumors, central nervous system* (nature unspecified)	150	72	58	18	4	9	4	5	-	-
57e	Tumors, other organs (nature unspecified)	55	24	16	7	8	4	2	2	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	1,382	507	679	65	131	160	61	98	-	1
58	Acute rheumatic fever	54	21	18	8	7	4	3	1	-	-
58a	Acute rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
58b	Acute rheumatic endocarditis	10	4	4	1	1	1	1	-	-	-
58c	Acute rheumatic myocarditis	7	2	1	1	3	-	-	-	-	-
58d	Other acute rheumatic heart diseases	5	2	2	1	-	2	1	1	-	-
58e,f	Other forms of acute rheumatic fever, etc.*	32	13	11	5	3	1	1	-	-	-
59	Chronic rheumatism, other rheumatic diseases	78	26	44	2	6	10	3	7	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	904	338	444	41	81	119	47	71	-	1
62	Diseases of pituitary gland	5	4	1	-	-	2	1	1	-	-
63	Diseases of thyroid and parathyroid glands	71	13	50	1	7	14	4	10	-	-
63a	Simple goiter	4	1	2	-	1	1	-	1	-	-
63b	Exophthalmic goiter	57	10	41	1	5	12	4	8	-	-
63c-e	Other diseases of thyroid and parathyroid glands	10	2	7	-	1	1	-	1	-	-
64	Diseases of thymus gland	43	26	12	2	3	4	2	2	-	-
65	Diseases of adrenal glands*	13	7	5	-	1	3	-	3	-	-
66	Other general diseases	33	15	15	2	1	1	-	1	-	-
67	Scurvy	2	2	-	-	-	-	-	-	-	-
68	Beriberi	4	3	1	-	-	1	1	-	-	-
69	Pellagra (except alcoholic)	147	37	78	7	25	2	-	2	-	-
70	Rickets	13	8	3	2	-	-	-	-	-	-
71	Other avitaminoses	15	7	8	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	473	233	185	30	25	34	21	12	-	1
72	Hemorrhagic conditions	34	18	12	2	2	2	-	1	-	1
73	Anemias (except splenic anemia)	129	52	54	8	15	10	6	4	-	-
73a	Pernicious anemia	50	19	22	2	7	5	3	2	-	-
73b-d	Other anemias (except splenic)	79	33	32	6	8	5	3	2	-	-
74	Leukemias and aleukemias	281	151	105	20	5	19	13	6	-	-
74a	Leukemias	276	147	104	20	5	18	13	5	-	-
74b	Aleukemias	5	4	1	-	-	1	-	1	-	-
75	Diseases of spleen	18	8	7	-	3	1	1	-	-	-
76	Other diseases of blood and blood-forming organs	11	4	7	-	-	2	1	1	-	-
	V.—Chronic poisoning and intoxication	90	68	13	8	1	9	9	-	-	-
77	Alcoholism (ethylism)	86	65	12	8	1	9	9	-	-	-
78	Lead poisoning	1	1	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	3	2	1	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	5,842	2,493	2,175	520	654	396	191	200	2	3
80	Encephalitis (nonepidemic)	98	47	32	8	11	9	7	2	-	-
81	Meningitis (not due to meningococcus)	165	72	64	17	12	5	2	3	-	-
82	Diseases of spinal cord (see exceptions)*	89	47	29	10	3	10	4	5	1	-
83	Intracranial lesions of vascular origin	5,032	2,119	1,888	431	594	338	160	175	1	2
83a	Cerebral hemorrhage or effusion*	4,392	1,851	1,856	357	528	291	137	151	1	2
83b,c	Cerebral embolism, thrombosis, and softening	306	137	128	25	16	37	17	20	-	-
83d	Hemiplegia, other paralysis, etc.*	334	131	104	49	50	10	6	4	-	-
84	Mental diseases and deficiency (see exception)*	114	37	47	16	14	8	4	4	-	-
85	Epilepsy	127	60	34	27	6	7	3	4	-	-
86	Convulsions (under 5 years)	46	15	16	6	9	-	-	-	-	-
87	Other diseases of nervous system	135	75	53	4	3	13	8	4	-	1
88	Diseases of organs of vision	3	2	1	-	-	1	1	-	-	-
89	Diseases of ear and mastoid process	33	19	11	1	2	5	2	3	-	-
	VII.—Diseases of the circulatory system	15,145	8,285	4,715	1,180	865	1,472	869	580	14	9
90-95	Diseases of the heart (all forms)	14,039	7,748	4,323	1,082	886	1,371	813	537	12	9
90	Pericarditis (except acute rheumatic)	19	10	6	2	1	2	2	-	-	-
90a	Chronic rheumatic pericarditis	1	-	1	-	-	-	-	-	-	-
90b	Other pericarditis	18	10	5	2	1	2	2	-	-	-
91	Acute endocarditis (except rheumatic)	70	22	22	11	15	2	1	1	-	-
91a,b	Bacterial, acute, and subacute endocarditis	58	20	19	10	9	2	1	1	-	-
91c	Endocarditis (unspecified, under 45 years)	12	2	3	1	6	-	-	-	-	-
92	Chronic affections of valves and endocardium	845	373	275	100	97	130	63	65	1	1
92a	Diseases of aortic valve, etc.*	84	43	18	13	10	6	4	2	-	-
92b	Diseases of mitral valve, etc.*	335	156	114	34	31	55	25	30	-	-
92c	Chronic rheumatic endocarditis, etc.*	30	15	11	2	2	18	11	6	-	1
92d	Other chronic endocarditis, etc.*	270	114	88	34	34	46	19	26	1	-
92e	Endocarditis (unspecified, 45 years and over)	126	45	44	17	20	5	4	1	-	-
93	Diseases of the myocardium	5,610	2,878	2,030	470	432	606	297	298	4	7
93a	Acute myocarditis (except rheumatic)	140	48	42	20	30	17	10	7	-	-
93b	Myocarditis (unspecified, under 45 years)	37	12	9	5	11	-	-	-	-	-
93c	Chronic rheumatic myocarditis, etc.*	17	5	9	-	3	7	4	3	-	-
93d	Other chronic myocarditis, etc.*	4,352	2,091	1,611	349	301	520	250	260	4	6
93e	Other myocarditis (unspecified)	1,064	522	359	96	87	62	33	28	-	1
94	Diseases of coronary arteries, angina pectoris	5,531	3,667	1,407	277	180	487	368	114	5	-
94a	Diseases of coronary arteries	5,270	3,520	1,341	251	158	476	359	112	5	-
94b	Angina pectoris	261	147	66	26	22	11	9	2	-	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Int. List No.
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
5	2	3	-	-	44	18	18	5	3	63	33	29	-	1	24	13	10	1	-	54
30	19	11	-	-	243	97	92	32	22	235	114	116	4	1	143	68	74	1	-	55
11	3	8	-	-	136	26	57	11	42	88	27	56	1	4	59	19	31	2	7	56,57
4	-	4	-	-	70	4	35	1	30	55	11	39	1	4	36	8	20	2	6	56
2	...	2	...	-	54	...	26	...	28	30	...	26	...	4	23	...	17	...	6	56a-c
2	-	2	-	-	8	2	5	1	-	16	5	10	1	-	10	7	2	1	-	56d
-	-	-	-	-	8	2	4	-	2	9	6	3	-	-	3	1	1	1	-	56e
7	3	4	-	-	66	22	22	10	12	33	16	17	-	-	23	11	11	-	1	57
-	...	-	...	-	1	...	-	...	1	4	...	4	...	-	1	...	-	...	1	57a-c
6	3	3	-	-	48	15	20	5	8	17	12	5	-	-	19	9	10	-	-	57d
1	-	1	-	-	17	7	2	5	3	12	4	8	-	-	3	2	1	-	-	57e
132	46	86	-	-	757	239	345	59	114	638	250	377	7	4	424	132	260	6	26	
1	1	-	-	-	32	9	2	7	14	16	11	5	-	-	19	11	8	-	-	58
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	58a
1	1	-	-	-	9	4	-	2	3	7	6	1	-	-	2	-	2	-	-	58b
-	-	-	-	-	6	2	-	2	2	1	1	-	-	-	1	1	-	-	-	58c
-	-	-	-	-	6	-	1	1	4	4	2	2	-	-	6	5	1	-	-	58d
-	-	-	-	-	11	3	1	2	5	3	1	2	-	-	9	4	5	-	-	58e,f
7	4	3	-	-	52	16	27	3	6	24	6	18	-	-	20	9	10	1	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	60
109	37	72	-	-	541	177	255	34	75	482	187	288	3	4	306	93	187	4	22	61
1	-	1	-	-	4	1	3	-	-	3	1	2	-	-	-	-	-	-	-	62
8	1	7	-	-	62	6	37	3	16	55	12	42	1	-	44	3	39	1	1	63
-	-	-	-	-	5	1	4	-	-	-	-	-	-	-	5	-	5	-	-	63a
7	1	6	-	-	50	5	28	1	16	43	8	34	1	-	38	2	34	1	1	63b
1	-	1	-	-	7	-	5	2	-	12	4	8	-	-	1	1	-	-	-	63c-e
3	1	2	-	-	18	9	6	3	-	34	19	12	3	-	18	9	8	-	1	64
1	-	1	-	-	6	4	2	-	-	15	8	7	-	-	5	2	3	-	-	65
1	1	-	-	-	12	8	-	3	1	5	3	2	-	-	8	3	3	-	2	66
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	25	8	12	4	1	2	2	-	-	-	1	1	-	-	-	69
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	70
1	1	-	-	-	2	-	-	1	1	2	1	1	-	-	2	-	2	-	-	71
26	14	12	-	-	172	71	60	18	23	188	102	85	-	1	132	66	59	4	3	
1	1	-	-	-	21	15	4	-	2	7	2	5	-	-	9	5	4	-	-	72
5	1	4	-	-	43	8	16	7	12	49	25	24	-	-	40	18	20	-	2	73
3	-	3	-	-	13	-	8	2	3	32	15	17	-	-	22	12	9	-	1	73a
2	1	1	-	-	30	8	8	5	9	17	10	7	-	-	18	6	11	-	1	73b-d
18	11	7	-	-	96	44	38	9	5	119	88	30	-	1	75	37	33	4	1	74
17	11	6	-	-	92	43	37	8	4	113	66	47	-	-	75	37	33	4	1	74a
1	-	1	-	-	4	1	1	1	1	6	2	3	-	1	-	-	-	-	-	74b
2	1	1	-	-	11	4	2	2	3	10	5	5	-	-	1	-	1	-	-	75
-	-	-	-	-	1	-	-	-	1	3	2	1	-	-	7	6	1	-	-	76
10	9	1	-	-	96	68	8	15	5	88	76	9	3	-	43	34	4	5	-	
8	8	-	-	-	91	65	6	15	5	85	75	9	1	-	42	33	4	5	-	77
2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	4	2	2	-	-	3	1	-	2	-	1	1	-	-	-	79
458	200	257	1	-	3,236	1,106	967	554	609	2,172	1,137	1,000	21	14	1,671	833	686	78	74	
-	-	-	-	-	45	13	18	11	5	18	11	4	1	2	14	7	7	-	-	80
2	2	-	-	-	55	19	31	11	14	20	10	8	1	1	29	16	9	3	1	81
3	1	2	-	-	57	31	16	7	3	41	25	16	-	-	24	18	4	2	-	82
411	177	233	1	-	2,869	952	878	483	556	1,958	1,014	917	17	10	1,484	738	616	67	63	83
341	151	189	1	-	2,571	823	778	452	518	1,708	868	817	16	7	1,322	651	556	58	57	83a
67	26	41	-	-	166	69	63	16	18	194	118	73	1	2	95	54	34	4	3	83b,c
3	-	3	-	-	132	60	37	15	20	56	28	27	-	1	67	33	26	5	3	83d
4	1	3	-	-	49	15	13	10	11	20	10	10	-	-	17	6	9	-	2	84
9	4	5	-	-	65	25	10	19	11	31	19	12	-	-	36	19	11	2	4	85
1	1	-	-	-	14	4	2	5	3	4	-	3	1	-	9	2	7	-	-	86
25	11	14	-	-	61	38	14	6	3	72	43	27	1	1	46	22	17	4	3	87
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	88
3	3	-	-	-	20	9	6	2	3	7	4	3	-	-	11	4	6	-	1	89
1,537	866	669	2	-	7,980	3,503	2,230	1,218	1,029	7,584	4,849	2,803	94	38	4,330	2,488	1,537	197	130	
1,390	794	594	2	-	7,437	3,290	2,073	1,147	927	7,104	4,563	2,416	89	36	4,013	2,305	1,407	181	120	90-95
1	-	1	-	-	5	4	1	-	-	8	2	6	-	-	9	6	2	1	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90a
1	-	1	-	-	5	4	1	-	-	8	2	6	-	-	9	6	2	1	-	90b
3	3	-	-	-	49	17	8	10	14	26	19	6	1	-	22	14	6	-	2	91
3	3	-	-	-	31	16	7	2	6	24	18	6	-	-	17	11	4	-	2	91a,b
-	-	-	-	-	18	1	1	8	8	2	1	-	1	-	5	3	2	-	-	91c
133	77	56	-	-	701	210	192	172	127	648	361	273	11	3	427	219	171	25	12	92
14	13	1	-	-	73	16	14	25	18	62	38	23	-	1	34	22	5	6	1	92a
53	28	25	-	-	262	94	71	58	39	231	124	102	5	-	146	64	67	9	6	92b
7	5	2	-	-	23	8	7	4	4	30	15	14	-	1	20	12	7	-	1	92c
56	29	27	-	-	266	79	86	60	41	295	165	123	6	1	164	90	65	6	3	92d
3	2	1	-	-	77	13	14	25	25	30	19	11	-	-	63	31	27	4	1	92e
721	375	346	1	-	3,662	1,348	1,179	605	530	3,013	1,668	1,285	41	19	1,779	917	703	87	72	93
1	1	-	-	-	62	16	10	24	12	34	20	13	1	-	29	20	9	-	-	93a
-	-	-	-	-	13	5	-	4	4	5	4	1	-	-	8	4	2	1	1	93b
1	1	-	-	-	7	4	1	-	2	20	9	10	1	-	9	4	4	-	1	93c
674	347	326	1	-	3,015	1,118	1,009	477	411	2,662	1,466	1,141	36	19	1,446	749	573	67	57	93d
45	26	19	-	-	585	205	159	100	101	292	169	120	3	-	287	140	115	19	13	93e
449	291	157	1	-	2,202	1,380	478	205	139	2,875	2,193	646	29	7	1,265	853	350	42	20	94
408	260	145	1	-	2,067	1,304	445	188	130	2,606	2,147	623	29	7	1,211	815	336	40	20	94a
43	31	12	-	-	135	76	33	17	9	69	46	23	-	-	54	38	14	2	-	94b

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	1,964	998	583	222	161	144	82	59	2	- 1
95a	Functional diseases of heart, etc.*	89	40	39	6	4	4	-	4	-	-
95b	Other diseases of heart (rheumatic)	141	64	57	12	8	74	39	33	1	1
95c	Other diseases of heart (not rheumatic)	1,734	894	487	204	149	66	43	22	1	-
96	Aneurysm (except of heart and aorta)	47	23	10	11	3	5	3	1	1	-
97	Arteriosclerosis (except coronary or renal sclerosis)	686	353	244	47	22	73	40	33	-	-
98	Gangrene	30	13	10	5	2	1	-	1	-	-
99	Other diseases of arteries	98	48	38	4	8	10	6	3	1	-
100	Diseases of veins	48	21	16	4	7	3	3	-	-	-
101	Diseases of lymphatic system	1	1	-	-	-	1	1	-	-	-
102	High blood pressure (idiopathic)	195	66	69	24	36	6	2	4	-	-
103	Other diseases of circulatory system	21	12	5	3	1	2	1	1	-	-
	VIII.—Diseases of the respiratory system	3,372	1,485	1,266	345	276	256	145	105	6	-
104	Diseases of nasal fossae, accessory sinuses	25	11	7	4	3	2	2	-	-	-
105	Diseases of larynx	24	11	7	5	1	-	-	-	-	-
106	Bronchitis	164	89	57	10	8	10	6	4	-	-
107	Bronchopneumonia (including capillary bronchitis)	1,036	460	393	98	85	99	51	46	2	-
108	Lobar pneumonia	675	291	235	82	67	72	42	27	3	-
109	Pneumonia (unspecified)	862	358	330	98	76	24	12	11	1	-
109A	Atypical or virus pneumonia	56	22	26	5	3	7	3	4	-	-
109B	Pneumonia (all other, unspecified)	806	336	304	93	73	17	9	7	1	-
110	Pleurisy (not tuberculous)	64	30	26	5	3	1	1	-	-	-
111	Hemorrhagic infarction, thrombosis, edema*	301	125	142	17	17	20	10	10	-	-
112	Asthma	127	59	44	14	10	16	12	4	-	-
113	Pulmonary emphysema	14	8	3	2	1	1	1	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	80	43	22	10	5	11	8	3	-	-
114a,b	Silicosis, other forms of pneumoconioses	2	2	-	-	-	3	3	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)	78	41	22	10	5	8	5	3	-	-
	IX.—Diseases of the digestive system	3,290	1,612	1,139	280	259	229	143	78	4	4
115	Diseases of buccal cavity and adnexa, etc.*	83	32	29	10	12	13	9	4	-	-
116	Diseases of esophagus	5	2	3	-	-	1	-	1	-	-
117	Ulcer of stomach or duodenum	257	181	31	30	15	54	48	5	1	-
117a	Ulcer of stomach	201	155	25	27	14	41	35	5	1	-
117b	Ulcer of duodenum	56	46	6	3	1	13	13	-	-	-
118	Other diseases of stomach (except cancer)	223	91	58	42	32	3	2	-	1	-
119	Diarrhea, enteritis, etc.* (under 2 years)	837	413	334	49	41	15	8	5	1	1
120	Diarrhea, enteritis, etc.* (2 years and over)	170	70	66	18	16	11	9	2	-	-
121	Appendicitis	248	116	70	33	29	14	7	7	-	-
122	Hernia and intestinal obstruction	519	216	199	47	55	45	26	18	1	-
122a	Hernia	152	79	48	13	12	18	11	6	1	-
122b	Intestinal obstruction	367	139	151	34	43	27	15	12	-	-
123	Other diseases of intestines	84	39	29	8	8	5	3	1	-	1
124	Cirrhosis of liver	406	273	97	23	13	37	19	16	-	2
124a	Cirrhosis of liver with mention of alcoholism	18	15	3	-	-	6	4	2	-	-
124b	Cirrhosis of liver without mention of alcoholism	388	258	94	23	13	31	15	14	-	2
125	Other diseases of liver	87	36	41	6	4	4	2	2	-	-
126	Biliary calculi	69	25	41	1	2	12	4	8	-	-
127	Other diseases of gallbladder, biliary ducts	174	54	98	9	13	10	2	8	-	-
128	Diseases of pancreas (except diabetes mellitus)	49	31	16	-	2	2	2	-	-	-
129	Peritonitis (cause not stated)	79	31	27	4	17	3	2	1	-	-
	X.—Diseases of the genito-urinary system	3,811	1,778	1,179	467	387	275	170	105	-	-
130	Acute nephritis	213	87	64	33	29	7	5	2	-	-
131	Chronic nephritis	2,413	1,060	812	286	255	199	115	84	-	-
131a	Arteriosclerotic kidney	1,573	714	545	167	147	141	79	62	-	-
131b	Other chronic nephritis	840	346	267	119	108	58	36	22	-	-
132	Nephritis unspecified (10 years and over)	507	239	146	68	54	12	6	6	-	-
133	Other diseases of kidneys, ureters, etc.*	163	59	68	16	20	15	8	7	-	-
134	Calculi of urinary passages	54	32	21	1	-	6	4	2	-	-
135	Diseases of urinary bladder	32	17	4	9	2	2	2	-	-	-
136	Diseases of urethra (except calculus)	15	8	-	6	1	1	1	-	-	-
137	Diseases of prostate	323	275	...	48	...	29	29	...	-	...
137a	Hypertrophy of prostate	205	174	...	31	...	26	26	...	-	...
137b	Other diseases of prostate	118	101	...	17	...	3	3	...	-	...
138	Diseases of other male genital organs (not venereal)	1	1	...	-	...	-	-	...	-	...
139	Diseases of female genital organs	90	...	64	...	26	4	...	4	...	-
139a	Diseases of ovaries, fallopian tubes, parametria	40	...	27	...	13	1	...	1	...	-
139b	Diseases of uterus	47	...	36	...	11	3	...	3	...	-
139c	Diseases of other female genital organs*	3	...	1	...	2	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	295	...	210	...	85	25	...	25	...	-
140	Abortion with mention of infection	33	...	24	...	9	1	...	1	...	-
141	Abortion without mention of infection	12	...	7	...	5	1	...	1	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	3	...	1	...	2	1	...	1	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	6	...	5	...	1	-	...	-	...	-
141d-f	Other abortions (nonseptic)*	3	...	1	...	2	-	...	-	...	-
142	Ectopic gestation	15	...	10	...	5	2	...	2	...	-
142a	Ectopic gestation, with mention of infection	3	...	2	...	1	1	...	1	...	-
142b	Ectopic gestation, without mention of infection	12	...	8	...	4	1	...	1	...	-
143	Hemorrhage of pregnancy (death before delivery)	1	...	1	...	-	-	...	-	...	-
144	Toxemias of pregnancy (death before delivery)	44	...	31	...	13	3	...	3	...	-
145	Other diseases of pregnancy (death before delivery)*	25	...	18	...	7	3	...	3	...	-
145A	With mention of infection	13	...	9	...	4	3	...	3	...	-
145B	Without mention of infection	12	...	9	...	3	-	...	-	...	-
146	Hemorrhage of childbirth and puerperium	44	...	37	...	7	6	...	6	...	-
147	Infection during childbirth and puerperium	57	...	42	...	15	5	...	5	...	-
148	Puerperal toxemias (excluding death before delivery)	29	...	20	...	9	3	...	3	...	-
149	Other accidents and specified conditions of childbirth	15	...	11	...	4	1	...	1	...	-
150	Other and unspecified conditions of childbirth and puerperium	20	...	9	...	11	-	...	-	...	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
83	48	35	-	-	818	331	215	155	117	534	320	200	7	7	511	296	175	26	14	95
1	1	-	-	-	15	6	8	1	-	24	13	10	1	-	16	8	7	1	-	95a
21	11	10	-	-	104	36	34	16	18	102	44	53	2	3	90	46	37	3	4	95b
61	36	25	-	-	699	289	173	138	99	408	263	137	4	4	405	242	131	22	10	95c
2	2	-	-	-	44	27	12	4	1	34	25	8	-	1	15	6	7	2	-	96
128	59	64	-	-	366	143	104	50	69	344	209	132	4	-	228	118	94	9	7	97
4	4	-	-	-	9	3	1	2	3	5	4	1	-	-	2	2	-	-	-	98
8	3	5	-	-	44	19	15	4	6	42	19	21	1	1	25	14	8	2	1	99
5	2	3	-	-	14	5	6	2	1	15	11	4	-	-	15	5	9	-	1	100
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	1	-	1	-	-	101
5	2	3	-	-	59	13	18	8	20	35	15	20	-	-	28	15	10	2	1	102
-	-	-	-	-	6	3	-	1	2	4	3	1	-	-	5	3	1	1	-	103
206	124	82	-	-	1,493	541	412	293	247	1,042	573	414	34	21	956	489	385	52	30	
4	3	1	-	-	13	5	1	4	3	8	4	3	1	-	7	3	4	-	-	104
2	2	-	-	-	6	2	1	2	1	3	1	2	-	-	11	8	3	-	-	105
12	7	5	-	-	53	19	17	10	7	44	22	21	-	1	36	15	19	2	-	106
82	46	36	-	-	557	197	152	111	97	455	234	198	13	10	409	194	180	19	16	107
69	42	27	-	-	352	114	99	72	67	272	169	84	12	7	282	149	104	22	7	108
13	9	4	-	-	297	111	84	61	41	71	32	34	3	2	74	44	25	4	1	109
4	2	2	-	-	25	11	6	4	4	15	5	10	-	-	10	5	4	-	1	109A
9	7	2	-	-	272	100	78	57	37	56	27	24	3	2	64	39	21	4	-	109B
5	3	2	-	-	22	10	2	6	4	18	8	8	2	-	6	3	3	-	-	110
11	5	6	-	-	72	30	25	8	9	98	55	40	2	1	51	23	25	1	2	111
5	5	-	-	-	71	27	20	9	15	45	27	17	1	-	44	23	14	3	4	112
-	-	-	-	-	5	3	1	1	-	3	2	1	-	-	2	1	1	-	-	113
3	2	1	-	-	45	23	10	9	3	25	19	6	-	-	34	26	7	1	-	114
-	-	-	-	-	3	3	-	-	-	4	4	-	-	-	14	12	1	1	-	114a,b
3	2	1	-	-	42	20	10	9	3	21	15	6	-	-	20	14	6	-	-	114c-e
145	72	73	-	-	1,123	464	310	202	147	858	502	335	15	6	641	324	268	31	18	
5	4	1	-	-	44	17	11	7	9	26	12	13	-	1	27	12	11	1	3	115
-	-	-	-	-	2	-	1	-	1	3	1	1	-	1	4	2	2	-	-	116
16	12	4	-	-	149	86	19	31	13	158	131	23	3	1	64	48	11	5	-	117
11	7	4	-	-	91	49	14	22	6	98	80	14	3	1	45	35	7	3	-	117a
5	5	-	-	-	58	37	5	9	7	60	51	9	-	-	19	13	4	2	-	117b
2	-	2	-	-	40	16	6	11	7	15	9	6	-	-	20	11	8	1	-	118
10	4	6	-	-	157	54	46	33	24	52	22	25	4	1	100	53	37	6	4	119
2	2	-	-	-	71	19	24	15	13	24	15	9	-	-	21	12	8	1	-	120
20	10	10	-	-	85	31	24	23	7	69	42	25	1	1	66	38	21	6	1	121
36	15	21	-	-	201	69	64	35	33	147	71	75	1	-	119	49	60	3	7	122
13	4	9	-	-	81	33	24	17	7	57	34	23	-	-	42	18	22	2	-	122a
23	11	12	-	-	120	36	40	18	26	90	37	52	1	-	77	31	38	1	7	122b
7	5	2	-	-	37	17	10	4	6	25	16	8	1	-	21	4	16	-	1	123
22	13	9	-	-	166	98	34	26	8	171	107	62	1	1	114	65	42	7	-	124
4	4	-	-	-	22	18	3	1	-	22	18	4	-	-	6	6	-	-	-	124a
18	9	9	-	-	144	80	31	25	8	149	89	58	1	1	108	59	42	7	-	124b
3	-	3	-	-	35	12	10	8	5	25	13	12	-	-	22	11	10	1	-	125
12	3	9	-	-	46	14	27	-	5	82	29	52	1	-	27	6	20	-	1	126
6	2	4	-	-	44	9	22	6	7	35	16	17	2	-	23	4	18	-	1	127
2	-	2	-	-	24	17	5	1	1	18	12	5	1	-	7	6	1	-	-	128
2	2	-	-	-	22	5	7	2	8	8	6	2	-	-	6	3	3	-	-	129
223	132	91	-	-	2,353	871	601	494	387	1,183	707	444	23	9	1,080	564	412	66	38	
5	3	2	-	-	64	23	8	15	18	34	19	13	1	1	36	15	15	4	2	130
176	94	82	-	-	1,858	647	523	374	314	904	497	383	17	7	810	406	321	49	28	131
128	63	65	-	-	1,415	482	398	287	248	697	381	302	10	4	556	272	228	36	20	131a
48	31	17	-	-	443	165	125	87	66	207	116	81	7	3	254	134	99	13	8	131b
2	1	1	-	-	148	57	23	35	33	34	22	11	1	-	76	37	31	3	5	132
8	6	2	-	-	52	22	10	14	6	42	24	14	4	-	34	19	12	2	1	133
5	4	1	-	-	32	18	10	4	-	20	18	2	-	-	12	5	7	-	-	134
-	-	-	-	-	14	8	4	2	-	10	3	7	-	-	5	1	4	-	-	135
-	-	-	-	-	5	-	1	4	-	4	4	-	-	-	4	4	-	-	-	136
24	24	...	-	...	141	95	...	46	...	120	120	...	-	...	83	75	...	8	...	137
18	18	...	-	...	123	81	...	42	...	107	107	...	-	...	69	61	...	8	...	137a
6	6	...	-	...	18	14	...	4	...	13	13	...	-	...	14	14	...	-	...	137b
-	-	...	-	...	1	1	...	-	...	-	-	...	-	...	2	2	...	-	...	138
3	...	3	...	-	38	...	22	...	16	15	...	14	...	1	18	...	16	...	2	139
1	...	1	...	-	19	...	9	...	10	9	...	9	...	-	11	...	9	...	2	139a
2	...	2	...	-	15	...	11	...	4	6	...	5	...	1	6	...	6	...	-	139b
-	...	-	...	-	4	...	2	...	2	-	...	-	...	-	1	...	1	...	-	139c
12	...	12	...	-	124	...	72	...	52	62	...	59	...	3	73	...	71	...	2	
-	...	-	...	-	10	...	4	...	6	5	...	5	...	-	7	...	6	...	1	140
-	...	-	...	-	11	...	6	...	5	7	...	6	...	1	3	...	3	...	-	141
-	...	-	...	-	5	...	3	...	2	2	...	2	...	-	-	...	-	...	-	141a,c
-	...	-	...	-	2	...	1	...	1	1	...	1	...	-	-	...	-	...	-	141b
-	...	-	...	-	4	...	2	...	2	4	...	3	...	1	3	...	3	...	-	141d-f
-	...	-	...	-	6	...	3	...	3	5	...	5	...	-	2	...	2	...	-	142
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	142a
-	...	-	...	-	5	...	2	...	3	4	...	4	...	-	2	...	2	...	-	142b
-	...	-	...	-	5	...	2	...	3	3	...	3	...	-	1	...	1	...	-	143
1	...	1	...	-	15	...	7	...	8	3	...	3	...	-	4	...	4	...	-	144
2	...	2	...	-	6	...	5	...	1	4	...	4	...	-	6	...	6	...	-	145
1	...	1	...	-	5	...	4	...	1	3	...	3	...	-	3	...	3	...	-	145A
1	...	1	...	-	1	...	1	...	-	1	...	1	...	-	3	...	3	...	-	145B
3	...	3	...	-	16	...	9	...	7	12	...	11	...	1	16	...	16	...	-	146
2	...	2	...	-	23	...	17	...	6	7	...	7	...	-	10	...	10	...	-	147
1	...	1	...	-	16	...	7	...	9	7	...	7	...	-	9	...	9	...	-	148
3	...	3	...	-	9	...	6	...	3	6	...	5	...	1	10	...	10	...	-	149
	...	-	...	-	7	...	6	...	1	3	...	3	...	-	5	...	4	...	1	150

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	54	25	22	4	3	5	1	4	-	-
151	Carbuncle and furuncle	7	4	3	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	9	3	5	1	-	1	1	-	-	-
153	Other diseases of skin and cellular tissue	38	18	14	3	3	4	-	4	-	-
	XIII.—Diseases of the bones, etc.*	41	20	11	3	7	2	1	1	-	-
154	Osteomyelitis and periostitis	17	9	4	1	3	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	6	2	2	1	1	-	-	-	-	-
156	Diseases of joints, other organs of movement	18	9	5	1	3	2	1	1	-	-
157	XIV.—Congenital malformations	815	408	337	38	32	80	50	29	-	1
157a-d	Congenital malformations of central nervous system	208	83	108	9	8	24	15	9	-	-
157e,f	Congenital malformations of cardiovascular system	386	204	151	15	16	39	24	14	-	1
157g,h,m	Other congenital malformations	221	121	78	14	8	17	11	6	-	-
	XV.—Diseases peculiar to the first year of life	3,668	1,828	1,261	360	219	323	180	137	5	1
158	Congenital debility (cause not stated)	227	110	84	20	13	5	3	2	-	-
159	Premature birth (cause not stated)	2,424	1,157	860	248	159	213	115	95	2	1
160	Injury at birth	554	322	166	44	22	58	32	24	2	-
161	Other diseases peculiar to first year of life	463	239	151	48	25	47	30	16	1	-
162	XVI.—Senility	1,090	416	487	103	84	104	42	60	2	-
	XVII.—Violent or accidental deaths	6,613	4,052	1,404	864	293	566	404	155	6	1
163,164	Suicide	632	458	148	18	8	41	28	12	-	1
163	Suicide by poisoning	133	59	69	1	4	11	6	5	-	-
164	Suicide by other means	499	399	79	17	4	30	22	7	-	1
165-168	Homicide[1]	805	345	57	324	79	14	9	4	1	-
166	Homicide by firearms	486	208	39	199	42	5	4	1	-	-
167	Homicide by cutting or piercing instruments	232	89	7	107	29	4	4	-	-	-
168	Homicide by other means	87	50	11	18	8	5	1	3	1	-
169-195	Accidental deaths	5,169	3,247	1,199	517	206	511	367	139	5	-
169	Railway accidents (except collisions with motor vehicles)	163	124	8	28	3	13	9	2	2	-
170	Motor-vehicle accidents	1,821	1.249	396	130	46	185	142	42	1	-
170a	Collisions between automobiles and trains	78	39	31	5	3	8	6	2	-	-
170b	Collisions between automobiles and streetcars	1	1	-	-	-	-	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	1,696	1,164	364	125	43	174	133	40	1	-
170d	Motorcycle accidents (exc. collisions with automobiles)	46	45	1	-	-	3	3	-	-	-
171	Streetcar and other road-transport accidents	20	14	4	2	-	1	1	-	-	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	7	6	1	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	13	8	3	2	-	1	1	-	-	-
172	Water-transport accidents	26	21	3	2	-	4	4	-	-	-
173	Air-transport accidents	166	153	9	4	-	12	12	-	-	-
174	Accidents in mines and quarries	4	3	1	-	-	27	26	-	1	-
175	Agricultural and forestry accidents	49	37	1	11	-	10	9	1	-	-
175a-c	Agricultural accidents	43	35	1	7	-	9	8	1	-	-
175d,e	Forestry accidents	6	2	-	4	-	1	1	-	-	-
176	Other accidents involving machinery	68	57	1	10	-	6	6	-	-	-
177	Food poisoning	46	13	20	7	6	3	2	-	1	-
178	Accidental absorption of poisonous gas	44	26	12	6	-	5	5	-	-	-
179	Acute accidental poisoning by solids or liquids	96	42	33	13	8	5	4	1	-	-
180	Conflagration	74	26	12	21	15	13	6	7	-	-
181	Accidental burns (except conflagration)	370	165	115	41	49	19	10	9	-	-
182	Accidental mechanical suffocation	65	35	10	12	8	8	8	-	-	-
183	Accidental drowning	397	282	51	57	7	25	21	4	-	-
184	Accidental injury by firearms	292	213	16	50	13	25	23	2	-	-
185	Accidental injury by cutting or piercing instruments	37	20	-	10	7	-	-	-	-	-
186	Accidental injury by fall or crushing	404	229	150	17	8	110	49	61	-	-
186a	Accidental injury by fall	355	187	146	14	8	107	46	61	-	-
186b	Accidental injury by crushing	49	42	4	3	-	3	3	-	-	-
187	Cataclysm, etc.*	41	14	15	7	5	2	2	-	-	-
188	Injury by animals (except in agriculture and forestry)	24	19	1	3	1	2	1	1	-	-
189	Hunger or thirst	3	3	-	-	-	-	-	-	-	-
190	Excessive cold	4	2	-	1	1	1	1	-	-	-
191	Excessive heat	43	27	3	9	4	1	1	-	-	-
192	Lightning	17	10	2	5	-	1	1	-	-	-
193	Accidents due to electric currents (except lightning)	53	45	2	6	-	6	6	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	14	9	5	-	-	-	-	-	-	-
195	Other accidents	828	409	329	65	25	27	18	9	-	-
195a	Sequelae of preventive immunization, etc.*	1	-	1	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention	5	3	1	-	1	-	-	-	-	-
195d	Obstruction, suffocation, etc.*	39	20	13	1	5	7	4	3	-	-
195c,e	Other and unspecified accidents	783	386	314	64	19	20	14	6	-	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	7	2	-	5	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	1,630	824	453	215	138	95	52	35	5	3
199	Sudden death	27	18	8	1	-	2	1	1	-	-
200	Ill-defined and unknown causes	1,603	806	445	214	138	93	51	34	5	3
200a	Ill-defined causes	1,144	576	299	172	97	71	40	27	3	1
200b,c	Unknown or unspecified causes	459	230	146	42	41	22	11	7	2	2

*Refer to International List for complete title, table V, Part I.
[1]Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3	1	2	-	-	32	12	11	1	8	12	6	5	1	-	17	9	6	1	1	
-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	1	-	1	-	-	151
-	-	-	-	-	5	2	1	1	1	5	3	1	1	-	2	-	2	-	-	152
3	1	2	-	-	24	7	10	-	7	7	3	4	-	-	14	9	3	1	1	153
2	1	1	-	-	13	6	2	3	2	12	9	3	-	-	16	9	3	2	2	
1	1	-	-	-	6	3	-	1	2	4	2	2	-	-	5	3	-	1	1	154
-	-	-	-	-	3	1	-	2	-	2	2	-	-	-	3	2	1	-	-	155
1	-	1	-	-	4	2	2	-	-	6	5	1	-	-	8	4	2	1	1	156
58	25	33	-	-	364	182	126	37	19	261	155	100	4	2	269	160	98	7	4	157
21	5	16	-	-	94	38	45	8	3	49	26	21	2	-	73	42	26	3	2	157a-d
24	14	10	-	-	186	100	56	19	11	137	82	54	-	1	123	65	55	2	1	157e,f
13	6	7	-	-	84	44	25	10	5	75	47	25	2	1	73	53	17	2	1	157g,h,m
159	93	66	-	-	1,618	701	457	271	189	1,053	611	397	23	22	1,061	602	398	31	30	
3	1	2	-	-	97	31	22	28	16	17	10	6	1	-	53	33	19	1	-	158
112	60	52	-	-	1,039	447	304	171	117	665	386	253	14	12	698	402	255	21	20	159
29	20	9	-	-	295	147	87	38	23	218	122	86	5	5	195	105	81	3	6	160
15	12	3	-	-	187	76	44	34	33	153	93	52	3	5	115	62	43	6	4	161
18	6	12	-	-	248	75	115	25	33	170	75	91	2	2	208	107	90	7	4	162
322	229	93	-	-	2,908	1,539	533	649	187	2,358	1,710	558	71	19	1,861	1,309	379	150	23	
45	39	6	-	-	337	223	80	29	5	353	264	79	4	6	177	138	35	3	1	163,164
8	6	2	-	-	71	36	33	1	1	121	85	34	1	1	20	9	11	-	-	163
37	33	4	-	-	266	187	47	28	4	232	179	45	3	5	157	129	24	3	1	164
6	4	2	-	-	336	83	31	179	43	81	50	14	14	3	134	67	22	38	7	165-168
3	2	1	-	-	202	58	21	100	23	40	26	6	6	2	84	45	12	22	5	166
-	-	-	-	-	82	10	2	60	10	16	8	2	6	-	23	5	3	14	1	167
3	2	1	-	-	52	15	8	19	10	25	16	6	2	1	27	17	7	2	1	168
271	186	85	-	-	2,225	1,231	422	433	139	1,922	1,394	485	53	10	1,550	1,104	322	109	15	169-195
3	3	-	-	-	64	34	4	25	1	49	45	1	3	-	87	75	4	8	-	169
88	73	15	-	-	809	478	122	172	37	633	479	141	12	1	406	325	64	17	-	170
-	-	-	-	-	17	12	4	-	1	22	15	6	1	-	13	10	3	-	-	170a
-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	170b
86	71	15	-	-	774	451	117	170	36	591	444	135	11	1	384	307	60	17	-	170c
2	2	-	-	-	16	14	-	2	-	19	19	-	-	-	9	8	1	-	-	170d
-	-	-	-	-	13	9	2	1	1	3	2	1	-	-	5	5	-	-	-	171
-	-	-	-	-	8	6	1	1	-	-	-	-	-	-	4	4	-	-	-	171a
-	-	-	-	-	5	3	1	-	1	3	2	1	-	-	1	1	-	-	-	171b
1	1	-	-	-	41	35	1	5	-	40	33	2	5	-	6	6	-	-	-	172
1	1	-	-	-	59	55	3	1	-	43	41	2	-	-	19	18	1	-	-	173
2	2	-	-	-	58	54	-	4	-	10	10	-	-	-	247	203	-	44	-	174
18	18	-	-	-	61	43	5	12	1	97	95	-	2	-	36	34	2	-	-	175
14	14	-	-	-	53	37	5	11	-	33	33	-	-	-	24	22	2	-	-	175a-c
4	4	-	-	-	8	6	-	1	1	64	62	-	2	-	12	12	-	-	-	175d,e
2	2	-	-	-	19	13	-	6	-	28	27	1	-	-	22	18	1	3	-	176
-	-	-	-	-	12	4	4	2	2	6	2	3	1	-	5	4	1	-	-	177
9	8	1	-	-	26	15	8	3	-	72	59	12	1	-	16	10	5	1	-	178
3	3	-	-	-	43	17	9	11	6	24	12	11	1	-	16	10	5	-	1	179
5	2	3	-	-	82	21	15	31	15	75	48	23	4	-	68	36	24	4	4	180
10	6	4	-	-	126	42	31	22	31	50	28	17	2	3	78	35	32	5	6	181
2	2	-	-	-	34	13	6	9	6	27	14	13	-	-	27	15	12	-	-	182
16	12	4	-	-	156	95	8	51	2	163	130	23	9	1	86	73	9	3	1	183
5	4	1	-	-	97	59	5	27	6	52	45	5	2	-	59	44	10	5	-	184
-	-	-	-	-	5	1	1	1	2	1	-	-	-	1	6	3	3	-	-	185
81	31	50	-	-	340	143	158	23	16	363	200	158	5	-	243	115	118	7	3	186
80	30	50	-	-	330	134	158	22	16	355	193	157	5	-	236	110	116	7	3	186a
1	1	-	-	-	10	9	-	1	-	8	7	1	-	-	7	5	2	-	-	186b
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	187
-	-	-	-	-	4	2	-	2	-	2	2	-	-	-	4	4	-	-	-	188
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	189
-	-	-	-	-	6	4	-	1	1	4	2	1	1	-	6	5	-	1	-	190
-	-	-	-	-	2	1	-	1	-	2	1	1	-	-	-	-	-	-	-	191
-	-	-	-	-	17	13	1	1	2	-	-	-	-	-	4	2	2	-	-	192
2	2	-	-	-	14	12	-	2	-	18	17	-	1	-	13	13	-	-	-	193
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	194
21	14	7	-	-	134	65	39	20	10	159	102	49	4	4	90	51	28	11	-	195
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	195a
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	195b
5	3	2	-	-	28	14	9	2	3	41	22	13	3	3	24	10	10	4	-	195d
15	10	5	-	-	106	51	30	18	7	115	77	36	1	1	65	41	17	7	-	195c,e
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	9	1	-	8	-	2	2	-	-	-	-	-	-	-	-	198
35	21	14	-	-	427	147	109	95	76	222	157	56	5	4	414	234	156	17	7	
3	1	2	-	-	55	21	9	12	13	23	15	7	1	-	41	29	12	-	-	199
32	20	12	-	-	372	126	100	63	63	199	142	49	4	4	373	205	144	17	7	200
20	13	7	-	-	139	51	28	37	23	98	72	23	2	1	88	46	37	5	-	200a
12	7	5	-	-	233	75	72	46	40	101	70	26	2	3	285	159	107	12	7	200b,c

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	32,345	17,945	14,056	196	148	2,135	1,346	718	46	25
	I.—Infectious and parasitic diseases	1,312	813	447	37	15	91	58	20	11	2
1	Typhoid fever	3	2	1	-	-	-	-	-	-	-
2	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	2	1	1	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	23	13	10	-	-	3	1	2	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	4	2	-	-	-	-	-	-	-
9	Whooping cough	25	11	13	1	-	2	1	1	-	-
10	Diphtheria (infection by C. diphtheriae)	20	10	9	1	-	3	2	1	-	-
11	Erysipelas	1	1	-	-	-	-	-	-	-	-
12	Tetanus	5	3	2	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	648	434	180	22	12	28	15	7	6	-
13	Tuberculosis of respiratory system, etc.*	589	400	159	20	10	24	12	7	5	-
14	Tuberculosis of meninges, etc.*	18	8	6	2	2	3	2	-	1	-
15	Tuberculosis of intestines and peritoneum	5	4	1	-	-	-	-	-	-	-
16	Tuberculosis of vertebral column	6	4	2	-	-	-	-	-	-	-
17	Tuberculosis of bones and joints, etc.*	5	4	1	-	-	1	1	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	3	2	1	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	13	6	7	-	-	-	-	-	-	-
21	Tuberculosis of other organs	5	3	2	-	-	-	-	-	-	-
22	Disseminated tuberculosis	4	3	1	-	-	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	14	10	4	-	-	1	-	1	-	-
25	Gonococcus infection	2	-	2	-	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	6	3	3	-	-	2	2	-	-	-
28	Malaria	1	1	-	-	-	1	1	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	172	113	45	12	2	23	17	-	5	1
30a	Locomotor ataxia (tabes dorsalis)	10	8	1	-	1	1	1	-	-	-
30b	General paralysis of insane	44	27	13	3	1	8	7	-	1	-
30d	Aneurysm of aorta	56	37	15	4	-	3	3	-	-	-
30f	Congenital syphilis	4	1	2	1	-	-	-	-	-	-
30c,e,g	Syphilis (other forms)	58	40	14	4	-	11	6	-	4	1
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	6	5	1	-	-	-	-	-	-	-
33	Influenza	180	88	92	-	-	16	11	4	-	1
34	Smallpox	1	1	-	-	-	-	-	-	-	-
35	Measles	21	9	11	-	1	-	-	-	-	-
36	Poliomyelitis and poliencephalitis (acute)	88	51	37	-	-	7	4	3	-	-
37	Acute infectious encephalitis (lethargic)	31	20	11	-	-	2	1	1	-	-
38	Other diseases due to filtrable viruses	2	-	1	1	-	-	-	-	-	-
39	Typhus fever and typhus-like diseases*	-	-	-	-	-	2	2	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-	-	-
43	Mycoses	5	3	2	-	-	-	-	-	-	-
44	Other infectious and parasitic diseases	50	30	20	-	-	1	1	-	-	-
	II.—Cancer and other tumors	4,969	2,461	2,466	20	22	239	140	96	1	2
45-55	Cancer and other malignant tumors	4,836	2,415	2,380	20	21	228	136	89	1	2
45	Cancer of buccal cavity and pharynx	114	98	17	-	1	8	6	2	-	-
45a	Cancer of lip	18	15	2	-	1	1	1	-	-	-
45b	Cancer of tongue	21	17	4	-	-	2	1	1	-	-
45c	Cancer of mouth	20	18	2	-	-	1	-	1	-	-
45d	Cancer of jaw bone	17	14	3	-	-	2	2	-	-	-
45e	Cancer of unspecified parts of buccal cavity	2	2	-	-	-	-	-	-	-	-
45f	Cancer of pharynx	36	30	6	-	-	2	2	-	-	-
46	Cancer of digestive organs and peritoneum	2,370	1,340	1,015	10	5	113	70	41	1	1
46a	Cancer of esophagus	105	76	27	2	-	4	4	-	-	-
46b	Cancer of stomach	812	521	286	5	-	54	38	15	-	1
46c	Cancer of duodenum	9	6	3	-	-	1	1	-	-	-
46d	Cancer of rectum and anus	308	194	112	2	-	10	4	5	1	-
46e	Cancer of intestines, etc.*	605	290	314	-	1	19	8	11	-	-
46f	Cancer of liver and biliary passages	275	127	145	-	3	15	9	6	-	-
46g	Cancer of pancreas	209	106	102	-	1	10	6	4	-	-
46h	Cancer of mesentery and peritoneum	31	12	18	1	-	-	-	-	-	-
46m	Cancer of other and unspecified sites	16	8	8	-	-	-	-	-	-	-
47	Cancer of respiratory system	314	235	75	4	-	19	16	3	-	-
47a	Cancer of larynx	42	35	7	-	-	2	2	-	-	-
47b,c	Cancer of trachea and bronchus	73	58	15	-	-	3	3	-	-	-
47d	Cancer of lung	178	126	47	3	-	13	10	3	-	-
47e	Cancer of pleura	4	1	3	-	-	1	1	-	-	-
47f	Cancer of other respiratory organs	17	13	3	1	-	-	-	-	-	-
48	Cancer of uterus	366	...	359	...	7	9	...	9	...	-
48a	Cancer of cervix	149	...	144	...	5	5	...	5	...	-
48b	Cancer of other and unspecified sites of uterus	217	...	215	...	2	4	...	4	...	-
49	Cancer of other female genital organs	149	...	147	...	2	4	...	4	...	-
49a,b	Cancer of ovary, fallopian tube, and parametrium	128	...	127	...	1	4	...	4	...	-
49c-e	Cancer of other female genital organs	21	...	20	...	1	-	...	-	...	-
50	Cancer of breast	474	5	466	-	3	20	-	19	-	1
51	Cancer of male genital organs	328	325	...	3	...	19	19	...	-	...
51b	Cancer of prostate	305	302	...	3	...	15	15	...	-	...
51a,c-e	Cancer of other male genital organs	23	23	...	-	...	4	4	...	-	...
52	Cancer of urinary organs	256	161	92	1	2	9	4	5	-	-
52a	Cancer of kidney	87	47	38	-	2	3	1	2	-	-
52b	Cancer of bladder	168	114	53	1	-	6	3	3	-	-
52c	Cancer of other and unspecified sites	1	-	1	-	-	-	-	-	-	-
53	Cancer of skin, etc.*	70	41	29	-	-	3	2	1	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
54	Cancer of central nervous system*	85	52	33	-	-	5	5	-	-	-
55	Cancer of other and unspecified organs	310	160	147	2	1	19	14	5	-	-
56,57	Nonmalignant tumors and tumors of unspecified nature	133	46	86	-	1	11	4	7	-	-
56	Nonmalignant tumors (including dermoid cysts)	96	24	71	-	1	3	-	3	-	-
56a-c	Nonmalignant tumors of female genital organs	55	...	54	...	1	2	...	2	...	-
56d	Nonmalignant tumors of central nervous system*	25	13	12	-	-	1	-	1	-	-
56e	Nonmalignant tumors of other and unspecified organs	16	11	5	-	-	-	-	-	-	-
57	Tumors of unspecified nature	37	22	15	-	-	8	4	4	-	-
57a-c	Tumors, female genital organs (nature unspecified)	-	...	-	...	-	1	...	1	...	-
57d	Tumors, central nervous system* (nature unspecified)	27	16	11	-	-	4	1	3	-	-
57e	Tumors, other organs (nature unspecified)	10	6	4	-	-	3	3	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	1,277	463	808	2	4	43	15	28	-	-
58	Acute rheumatic fever	24	10	14	-	-	3	-	3	-	-
58a	Acute rheumatic pericarditis	3	1	2	-	-	-	-	-	-	-
58b	Acute rheumatic endocarditis	11	4	7	-	-	1	-	1	-	-
58c	Acute rheumatic myocarditis	1	-	1	-	-	-	-	-	-	-
58d	Other acute rheumatic heart diseases	5	3	2	-	-	1	-	1	-	-
58e,f	Other forms of acute rheumatic fever, etc.*	4	2	2	-	-	1	-	1	-	-
59	Chronic rheumatism, other rheumatic diseases	48	18	29	1	-	2	1	1	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,021	389	627	1	4	32	14	18	-	-
62	Diseases of pituitary gland	4	1	3	-	-	-	-	-	-	-
63	Diseases of thyroid and parathyroid glands	125	18	107	-	-	5	-	5	-	-
63a	Simple goiter	2	-	2	-	-	1	-	1	-	-
63b	Exophthalmic goiter	111	14	97	-	-	4	-	4	-	-
63c-e	Other diseases of thyroid and parathyroid glands	12	4	8	-	-	-	-	-	-	-
64	Diseases of thymus gland	20	11	9	-	-	-	-	-	-	-
65	Diseases of adrenal glands*	21	10	11	-	-	-	-	-	-	-
66	Other general diseases	10	4	6	-	-	1	-	1	-	-
67	Scurvy	1	1	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	1	-	-	-	-	-	-	-
70	Rickets	2	1	1	-	-	-	-	-	-	-
71	Other avitaminoses	-	-	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	280	157	120	3	-	19	11	8	-	-
72	Hemorrhagic conditions	13	5	8	-	-	2	-	2	-	-
73	Anemias (except splenic anemia)	74	45	28	1	-	3	1	2	-	-
73a	Pernicious anemia	49	31	18	-	-	1	-	1	-	-
73b-d	Other anemias (except splenic)	25	14	10	1	-	2	1	1	-	-
74	Leukemias and aleukemias	171	92	77	2	-	11	8	3	-	-
74a	Leukemias	162	85	75	2	-	10	7	3	-	-
74b	Aleukemias	9	7	2	-	-	1	1	-	-	-
75	Diseases of spleen	17	12	5	-	-	1	1	-	-	-
76	Other diseases of blood and blood-forming organs	5	3	2	-	-	2	1	1	-	-
	V.—Chronic poisoning and intoxication	38	34	1	-	1	9	8	-	1	-
77	Alcoholism (ethylism)	34	32	1	-	1	9	8	-	1	-
78	Lead poisoning	-	-	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	2	2	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	3,546	1,716	1,800	18	12	204	106	89	4	5
80	Encephalitis (nonepidemic)	22	9	13	-	-	2	-	2	-	-
81	Meningitis (not due to meningococcus)	40	26	14	-	-	2	1	-	-	1
82	Diseases of spinal cord (see exceptions)*	70	46	22	1	1	5	-	4	-	1
83	Intracranial lesions of vascular origin	3,208	1,527	1,659	12	10	180	97	77	3	3
83a	Cerebral hemorrhage or effusion*	2,952	1,399	1,533	10	10	163	87	70	3	3
83b,c	Cerebral embolism, thrombosis, and softening	237	119	117	1	-	14	9	5	-	-
83d	Hemiplegia, other paralysis, etc.*	19	9	9	1	-	3	1	2	-	-
84	Mental diseases and deficiency (see exception)*	36	9	26	1	-	1	-	1	-	-
85	Epilepsy	47	28	17	2	-	6	4	2	-	-
86	Convulsions (under 5 years)	12	7	4	1	-	-	-	-	-	-
87	Other diseases of nervous system	95	56	38	-	1	7	3	3	1	-
88	Diseases of organs of vision	-	-	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	16	8	7	1	-	1	1	-	-	-
	VII.—Diseases of the circulatory system	11,179	6,523	4,578	43	35	650	419	198	10	3
90-95	Diseases of the heart (all forms)	10,485	6,177	4,254	42	32	597	400	185	9	3
90	Pericarditis (except acute rheumatic)	9	5	3	1	-	-	-	-	-	-
90a	Chronic rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
90b	Other pericarditis	9	5	3	1	-	-	-	-	-	-
91	Acute endocarditis (except rheumatic)	33	21	11	-	1	1	1	-	-	-
91a,b	Bacterial, acute, and subacute endocarditis	33	21	11	-	1	1	1	-	-	-
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	-	-	-	-	-	-
92	Chronic affections of valves and endocardium	896	488	392	8	8	88	55	30	1	-
92a	Diseases of aortic valve, etc.*	71	37	29	2	3	3	3	-	-	-
92b	Diseases of mitral valve, etc.*	370	193	171	4	2	38	20	16	-	-
92c	Chronic rheumatic endocarditis, etc.*	79	45	32	1	1	1	1	-	-	-
92d	Other chronic endocarditis, etc.*	354	201	151	1	1	41	27	13	1	-
92e	Endocarditis (unspecified, 45 years and over)	22	12	9	-	1	5	4	1	-	-
93	Diseases of the myocardium	5,773	3,106	2,626	24	17	261	153	99	6	3
93a	Acute myocarditis (except rheumatic)	81	40	41	-	-	6	5	1	-	-
93b	Myocarditis (unspecified, under 45 years)	10	2	8	-	-	1	1	-	-	-
93c	Chronic rheumatic myocarditis, etc.*	43	21	20	2	-	-	-	-	-	-
93d	Other chronic myocarditis, etc.*	5,325	2,866	2,421	22	16	229	133	88	5	3
93e	Other myocarditis (unspecified)	314	177	136	-	1	25	14	10	1	-
94	Diseases of coronary arteries, angina pectoris	3,119	2,183	928	4	4	213	166	46	1	-
94a	Diseases of coronary arteries	3,089	2,163	918	4	4	206	160	45	1	-
94b	Angina pectoris	30	20	10	-	-	7	6	1	-	-

*Refer to International List for complete title, table V, Part I.

793002 O - 48 - 34

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—continued										
95	Other diseases of heart	655	374	274	5	2	36	25	10	1	-
95a	Functional diseases of heart, etc.*	18	10	8	-	-	3	3	-	-	-
95b	Other diseases of heart (rheumatic)	132	73	57	2	-	5	3	2	-	-
95c	Other diseases of heart (not rheumatic)	505	291	209	3	2	28	19	8	1	-
96	Aneurysm (except of heart and aorta)	37	23	14	-	-	1	-	1	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	528	267	260	-	1	26	15	11	-	-
98	Gangrene	16	9	7	-	-	-	-	-	-	-
99	Other diseases of arteries	49	28	21	-	-	5	3	1	1	-
100	Diseases of veins	35	11	22	1	1	-	-	-	-	-
101	Diseases of lymphatic system	1	1	-	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	27	6	20	-	1	1	1	-	-	-
103	Other diseases of circulatory system	1	1	-	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	1,382	776	584	17	5	120	72	44	1	3
104	Diseases of nasal fossae, accessory sinuses	10	7	3	-	-	1	-	1	-	-
105	Diseases of larynx	6	4	1	1	-	1	-	1	-	-
106	Bronchitis	59	35	23	-	1	6	4	2	-	-
107	Bronchopneumonia (including capillary bronchitis)	644	336	300	8	-	43	25	15	-	3
108	Lobar pneumonia	386	241	138	6	1	28	19	8	1	-
109	Pneumonia (unspecified)	75	40	34	1	-	14	7	7	-	-
109A	Atypical or virus pneumonia	30	15	15	-	-	9	5	4	-	-
109B	Pneumonia (all other, unspecified)	45	25	19	1	-	5	2	3	-	-
110	Pleurisy (not tuberculous)	34	26	8	-	-	3	2	1	-	-
111	Hemorrhagic infarction, thrombosis, edema*	88	38	49	-	1	10	4	6	-	-
112	Asthma	49	27	21	-	1	8	6	2	-	-
113	Pulmonary emphysema	2	2	-	-	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	29	20	7	1	1	6	5	1	-	-
114a,b	Silicosis, other forms of pneumoconioses	7	6	-	1	-	1	1	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)	22	14	7	-	1	5	4	1	-	-
	IX.—Diseases of the digestive system	1,334	762	557	9	6	123	74	45	2	2
115	Diseases of buccal cavity and adnexa, etc.*	45	19	26	-	-	7	5	2	-	-
116	Diseases of esophagus	5	2	3	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	177	141	35	1	-	17	16	-	-	1
117a	Ulcer of stomach	110	88	21	1	-	11	10	-	-	1
117b	Ulcer of duodenum	67	53	14	-	-	6	6	-	-	-
118	Other diseases of stomach (except cancer)	6	3	3	-	-	1	1	-	-	-
119	Diarrhea, enteritis, etc.* (under 2 years)	80	41	37	1	1	9	7	2	-	-
120	Diarrhea, enteritis, etc.* (2 years and over)	35	17	18	-	-	6	3	2	1	-
121	Appendicitis	123	76	42	4	1	18	11	7	-	-
122	Hernia and intestinal obstruction	258	128	126	3	1	26	11	13	1	1
122a	Hernia	109	56	51	2	-	13	8	5	-	-
122b	Intestinal obstruction	149	72	75	1	1	13	3	8	1	1
123	Other diseases of intestines	35	21	14	-	-	5	3	2	-	-
124	Cirrhosis of liver	306	218	86	-	2	16	12	4	-	-
124a	Cirrhosis of liver with mention of alcoholism	42	38	4	-	-	2	1	1	-	-
124b	Cirrhosis of liver without mention of alcoholism	264	180	82	-	2	14	11	3	-	-
125	Other diseases of liver	36	18	18	-	-	2	-	2	-	-
126	Biliary calculi	143	38	104	-	1	10	3	7	-	-
127	Other diseases of gallbladder, biliary ducts	53	20	33	-	-	3	2	1	-	-
128	Diseases of pancreas (except diabetes mellitus)	22	13	9	-	-	1	-	1	-	-
129	Peritonitis (cause not stated)	10	7	3	-	-	2	-	2	-	-
	X.—Diseases of the genito-urinary system	2,034	1,189	826	8	11	142	96	45	1	-
130	Acute nephritis	33	21	12	-	-	4	2	2	-	-
131	Chronic nephritis	1,544	827	702	5	10	121	82	39	-	-
131a	Arteriosclerotic kidney	1,162	608	543	4	7	93	62	31	-	-
131b	Other chronic nephritis	382	219	159	1	3	28	20	8	-	-
132	Nephritis unspecified (10 years and over)	68	34	31	1	-	5	3	1	1	-
133	Other diseases of kidneys, ureters, etc.*	67	33	33	1	-	1	1	-	-	-
134	Calculi of urinary passages	27	15	12	-	-	3	3	-	-	-
135	Diseases of urinary bladder	16	4	12	-	-	1	-	1	-	-
136	Diseases of urethra (except calculus)	5	5	-	-	-	-	-	-	-	-
137	Diseases of prostate	251	250	...	1	...	5	5	...	-	...
137a	Hypertrophy of prostate	238	237	...	1	...	5	5	...	-	...
137b	Other diseases of prostate	13	13	...	-	...	-	-	...	-	...
138	Diseases of other male genital organs (not venereal)	-	-	...	-	...	-	-	...	-	...
139	Diseases of female genital organs	25	...	24	...	1	2	...	2	...	-
139a	Diseases of ovaries, fallopian tubes, parametria	10	...	9	...	1	2	...	2	...	-
139b	Diseases of uterus	15	...	15	...	-	-	...	-	...	-
139c	Diseases of other female genital organs*	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	108	...	105	...	3	10	...	10	...	-
140	Abortion with mention of infection	8	...	8	...	-	-	...	-	...	-
141	Abortion without mention of infection	3	...	3	...	-	2	...	2	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	1	...	1	...	-	1	...	1	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	2	...	2	...	-	1	...	1	...	-
141d-f	Other abortions (nonseptic)*	-	...	-	...	-	-	...	-	...	-
142	Ectopic gestation	9	...	9	...	-	1	...	1	...	-
142a	Ectopic gestation, with mention of infection	2	...	2	...	-	1	...	1	...	-
142b	Ectopic gestation, without mention of infection	7	...	7	...	-	-	...	-	...	-
143	Hemorrhage of pregnancy (death before delivery)	5	...	4	...	1	1	...	1	...	-
144	Toxemias of pregnancy (death before delivery)	2	...	2	...	-	1	...	1	...	-
145	Other diseases of pregnancy (death before delivery)*	8	...	8	...	-	-	...	-	...	-
145A	With mention of infection	4	...	4	...	-	-	...	-	...	-
145B	Without mention of infection	4	...	4	...	-	-	...	-	...	-
146	Hemorrhage of childbirth and puerperium	14	...	14	...	-	1	...	1	...	-
147	Infection during childbirth and puerperium	30	...	29	...	1	3	...	3	...	-
148	Puerperal toxemias (excluding death before delivery)	16	...	16	...	-	-	...	-	...	-
149	Other accidents and specified conditions of childbirth	11	...	10	...	1	1	...	1	...	-
150	Other and unspecified conditions of childbirth and puerperium	2	...	2	...	-	-	...	-	...	-

*Refer to International List for complete title, table V, Part I.

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	14	7	7	-	-	2	1	1	-	-
151	Carbuncle and furuncle	3	2	1	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	2	1	1	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue	9	4	5	-	-	2	1	1	-	-
	XIII.—Diseases of the bones, etc.*	17	9	8	-	-	-	-	-	-	-
154	Osteomyelitis and periostitis	1	1	-	-	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	4	2	2	-	-	-	-	-	-	-
156	Diseases of joints, other organs of movement	12	6	6	-	-	-	-	-	-	-
157	XIV.—Congenital malformations	457	246	205	-	6	28	15	12	1	-
157a-d	Congenital malformations of central nervous system	154	75	77	-	2	2	2	-	-	-
157e,f	Congenital malformations of cardiovascular system	205	111	92	-	2	20	10	9	1	-
157g,h,m	Other congenital malformations	98	60	36	-	2	6	3	3	-	-
	XV.—Diseases peculiar to the first year of life	1,290	757	509	10	14	115	76	37	1	1
158	Congenital debility (cause not stated)	25	15	9	1	-	1	1	-	-	-
159	Premature birth (cause not stated)	799	458	324	7	10	74	49	24	-	1
160	Injury at birth	280	170	105	2	3	24	15	8	1	-
161	Other diseases peculiar to first year of life	186	114	71	-	1	16	11	5	-	-
162	XVI.—Senility	284	129	153	-	2	19	7	11	1	-
	XVII.—Violent or accidental deaths	2,704	1,815	851	29	11	308	238	64	5	1
163,164	Suicide	419	327	90	2	-	44	38	5	1	-
163	Suicide by poisoning	72	45	27	-	-	8	3	5	-	-
164	Suicide by other means	347	282	63	2	-	36	35	-	1	-
165-168	Homicide[1]	30	13	13	2	2	10	5	3	1	1
166	Homicide by firearms	17	8	5	2	2	5	3	2	-	-
167	Homicide by cutting or piercing instruments	3	-	3	-	-	2	-	-	1	1
168	Homicide by other means	10	5	5	-	-	3	2	1	-	-
169-195	Accidental deaths	2,254	1,472	748	25	9	254	195	56	3	-
169	Railway accidents (except collisions with motor vehicles)	44	41	2	1	-	6	6	-	-	-
170	Motor-vehicle accidents	740	561	164	11	4	105	74	31	-	-
170a	Collisions between automobiles and trains	45	31	14	-	-	4	4	-	-	-
170b	Collisions between automobiles and streetcars	1	1	-	-	-	-	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	681	518	148	11	4	100	70	30	-	-
170d	Motorcycle accidents (exc. collisions with automobiles)	13	11	2	-	-	1	-	1	-	-
171	Streetcar and other road-transport accidents	8	6	2	-	-	1	1	-	-	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	4	3	1	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	4	3	1	-	-	1	1	-	-	-
172	Water-transport accidents	41	37	4	-	-	-	-	-	-	-
173	Air-transport accidents	34	34	-	-	-	6	5	1	-	-
174	Accidents in mines and quarries	8	8	-	-	-	8	8	-	-	-
175	Agricultural and forestry accidents	103	91	12	-	-	8	7	1	-	-
175a-c	Agricultural accidents	102	90	12	-	-	8	7	1	-	-
175d,e	Forestry accidents	1	1	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	42	38	2	2	-	4	4	-	-	-
177	Food poisoning	1	1	-	-	-	1	1	-	-	-
178	Accidental absorption of poisonous gas	69	43	25	1	-	10	10	-	-	-
179	Acute accidental poisoning by solids or liquids	13	6	7	-	-	1	1	-	-	-
180	Conflagration	51	37	14	-	-	4	2	2	-	-
181	Accidental burns (except conflagration)	54	27	26	-	1	8	5	3	-	-
182	Accidental mechanical suffocation	51	28	23	-	-	5	2	3	-	-
183	Accidental drowning	114	95	16	3	-	15	13	2	-	-
184	Accidental injury by firearms	57	45	11	-	1	15	13	1	1	-
185	Accidental injury by cutting or piercing instruments	3	3	-	-	-	1	1	-	-	-
186	Accidental injury by fall or crushing	715	292	414	6	3	32	23	9	-	-
186a	Accidental injury by fall	710	287	414	6	3	28	19	9	-	-
186b	Accidental injury by crushing	5	5	-	-	-	4	4	-	-	-
187	Cataclysm, etc.*	2	2	-	-	-	1	1	-	-	-
188	Injury by animals (except in agriculture and forestry)	1	1	-	-	-	1	1	-	-	-
189	Hunger or thirst	1	-	1	-	-	-	-	-	-	-
190	Excessive cold	10	8	2	-	-	2	2	-	-	-
191	Excessive heat	4	4	-	-	-	-	-	-	-	-
192	Lightning	6	4	2	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	16	15	1	-	-	5	5	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	-	-	-	-	-	-	-	-	-	-
195	Other accidents	66	45	20	1	-	15	10	3	2	-
195a	Sequelae of preventive immunization, etc.*	1	-	1	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention	1	-	1	-	-	-	-	-	-	-
195d	Obstruction, suffocation, etc.*	27	17	9	1	-	7	5	1	1	-
195c,e	Other and unspecified accidents	37	28	9	-	-	8	5	2	1	-
196	Deaths of military personnel during operations of war	1	1	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	122	90	31	-	1	33	10	10	7	6
199	Sudden death	30	25	5	-	-	1	-	1	-	-
200	Ill-defined and unknown causes	92	65	26	-	1	32	10	9	7	6
200a	Ill-defined causes	61	46	15	-	-	15	8	7	-	-
200b,c	Unknown or unspecified causes	31	19	11	-	1	17	2	2	7	6

*Refer to International List for complete title, table V, Part I.
[1]Includes figures for infanticide (165).

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
1	UNITED STATES	1,395,617	407	1,257	198	1,241	1,259	50,911	952	341	12,955	1,310	1,845	182,005	1,118
2	ALABAMA	24,727	9	31	1	37	28	1,122	22	30	317	44	22	2,261	24
3	Autauga	150	-	-	-	1	-	6	-	-	3	-	-	17	-
4	Baldwin	294	-	1	-	1	-	11	-	1	1	-	1	23	-
5	Barbour	286	-	-	-	-	-	10	2	-	-	2	-	17	-
6	Bibb	169	-	-	-	-	-	5	-	-	2	1	-	20	-
7	Blount	191	-	-	-	-	2	5	-	-	-	-	1	16	-
8	Bullock	201	-	-	-	-	-	4	-	-	-	1	-	8	1
9	Butler	239	-	-	-	-	1	6	-	-	1	-	1	21	-
10	Calhoun	572	-	3	-	3	-	31	-	-	4	5	1	57	2
11	Anniston	277	-	2	-	-	-	14	-	-	1	4	-	28	1
12	Balance of county	295	-	1	-	3	-	17	-	-	3	1	1	29	1
13	Chambers	317	-	-	-	1	-	6	-	1	1	-	-	26	-
14	Cherokee	127	-	-	-	-	-	5	-	-	-	-	-	16	-
15	Chilton	239	-	-	-	-	-	8	-	-	1	-	-	22	-
16	Choctaw	133	-	-	-	-	1	4	-	-	1	-	-	8	-
17	Clarke	197	-	-	-	-	-	7	-	-	3	-	-	19	-
18	Clay	135	-	-	-	-	-	1	-	-	1	-	-	12	-
19	Cleburne	87	-	1	-	-	-	3	-	-	1	3	-	7	-
20	Coffee	175	-	-	-	-	1	2	-	-	2	-	-	15	-
21	Colbert	295	-	-	-	-	1	19	-	1	2	-	-	34	-
22	Conecuh	168	-	-	-	-	2	3	-	-	2	-	-	17	-
23	Coosa	117	1	-	-	-	-	-	1	-	-	-	-	15	-
24	Covington	302	-	-	-	-	-	7	-	1	1	1	-	29	-
25	Crenshaw	178	-	-	-	-	-	5	-	-	2	-	-	15	1
26	Cullman	303	-	-	-	-	1	9	-	-	1	1	-	27	-
27	Dale	160	-	1	-	-	-	3	-	-	1	-	-	16	1
28	Dallas	626	-	2	-	3	-	25	-	3	9	-	-	63	-
29	Selma	294	-	-	-	3	-	18	-	2	6	-	-	38	-
30	Balance of county	332	-	2	-	-	-	9	-	1	3	-	-	25	-
31	De Kalb	289	1	1	-	1	1	15	-	-	-	-	-	38	1
32	Elmore	288	-	1	-	-	-	11	1	-	2	-	1	32	-
33	Escambia	293	-	-	-	1	1	6	-	-	-	-	-	26	-
34	Etowah	573	-	-	-	1	1	31	1	-	4	1	-	56	-
35	Gadsden	328	-	-	-	1	-	17	1	-	2	1	-	30	-
36	Balance of county	245	-	-	-	-	1	14	-	-	2	-	-	26	-
37	Fayette	136	-	-	-	-	2	6	-	-	-	1	-	18	-
38	Franklin	174	1	-	-	-	1	12	-	-	-	-	-	12	-
39	Geneva	198	-	-	-	-	1	3	-	-	1	1	-	20	1
40	Greene	165	1	-	-	1	-	6	-	-	5	-	-	10	-
41	Hale	203	-	-	-	1	-	10	-	1	5	-	-	16	-
42	Henry	147	-	-	-	-	1	4	-	-	2	-	1	8	-
43	Houston	368	-	-	-	-	-	5	1	-	1	2	1	25	2
44	Dothan	161	-	-	-	-	-	4	-	-	1	1	-	13	-
45	Balance of county	207	-	-	-	-	-	1	1	-	-	1	1	12	2
46	Jackson	271	1	-	-	-	-	15	-	-	-	1	-	23	-
47	Jefferson	4,750	2	3	-	3	2	270	1	2	53	6	5	500	3
48	Bessemer	292	-	-	-	-	-	18	-	-	4	-	-	35	-
49	Birmingham	2,853	-	2	-	1	1	184	1	-	33	4	2	298	2
50	Fairfield	92	-	-	-	-	-	2	-	-	1	-	-	9	-
51	Balance of county	1,523	2	1	-	2	1	66	-	2	15	2	3	158	1
52	Lamar	102	-	-	-	-	-	2	-	-	1	-	-	11	1
53	Lauderdale	338	-	-	1	-	-	23	-	2	1	-	1	34	-
54	Florence	158	-	-	-	-	-	9	-	1	-	-	-	21	-
55	Balance of county	180	-	-	1	-	-	14	-	1	1	-	1	13	-
56	Lawrence	152	-	-	-	-	-	9	-	-	1	-	-	11	-
57	Lee	301	-	3	-	-	-	8	-	-	1	-	-	28	-
58	Limestone	274	-	2	-	1	-	21	1	2	1	-	1	25	-
59	Lowndes	189	-	-	-	-	1	4	-	1	6	-	-	5	-
60	Macon	327	-	1	-	-	-	21	-	-	19	-	-	20	-
61	Madison	588	-	-	-	4	-	46	-	2	4	-	2	51	-
62	Huntsville	242	-	-	-	2	-	22	-	2	2	-	-	20	-
63	Balance of county	346	-	-	-	2	-	24	-	-	2	-	2	31	-
64	Marengo	312	-	-	-	-	-	10	-	-	9	1	-	32	1
65	Marion	159	-	-	-	-	-	3	-	-	-	-	1	17	-
66	Marshall	291	-	-	-	-	2	19	-	-	-	-	-	32	-
67	Mobile	2,028	-	3	-	3	-	108	2	3	79	2	1	150	-
68	Mobile	1,119	-	2	-	2	-	50	1	-	9	1	1	100	-
69	Balance of county	909	-	1	-	1	-	58	1	3	70	1	-	50	-
70	Monroe	231	-	-	-	-	1	6	-	-	2	-	-	19	-
71	Montgomery	1,241	-	1	-	1	-	67	1	2	22	1	-	111	2
72	Montgomery	971	-	1	-	1	-	52	-	1	19	1	-	96	2
73	Balance of county	270	-	-	-	-	-	15	1	1	3	-	-	15	-
74	Morgan	301	-	1	-	-	2	12	-	1	-	-	-	29	-
75	Decatur	112	-	1	-	-	1	5	-	-	-	-	-	18	-
76	Balance of county	189	-	-	-	-	1	7	-	1	-	-	-	11	-
77	Perry	165	-	-	-	-	-	10	-	-	1	1	-	14	-
78	Pickens	201	-	-	-	-	-	9	-	-	3	2	-	11	-
79	Pike	297	-	-	-	1	-	11	-	1	2	1	-	20	-
80	Randolph	194	-	-	-	3	-	-	-	-	1	-	-	20	1
81	Russell	354	-	-	-	2	-	7	-	-	3	3	-	19	-
82	Phenix City	171	-	-	-	-	-	5	-	-	-	-	-	13	-
83	Balance of county	183	-	-	-	2	-	2	-	-	3	3	-	6	-
84	St. Clair	228	-	-	-	-	-	12	-	-	1	-	-	30	-
85	Shelby	209	1	1	-	1	-	8	-	-	3	-	-	24	-
86	Sumter	212	-	-	-	-	-	10	-	1	4	-	-	17	1
87	Talladega	438	-	-	-	1	1	15	-	1	5	4	1	43	1
88	Tallapoosa	238	-	1	-	1	-	6	-	-	-	-	-	30	-
89	Tuscaloosa	920	1	3	-	-	-	63	11	-	31	2	2	69	-
90	Tuscaloosa	499	-	-	-	-	-	33	11	-	24	1	-	27	-
91	Balance of county	421	1	3	-	-	-	30	-	-	7	1	2	42	-
92	Walker	444	-	2	-	2	2	11	-	-	2	-	1	46	3
93	Washington	131	-	-	-	-	-	1	-	3	-	-	-	11	-
94	Wilcox	242	-	-	-	-	-	12	-	1	3	-	-	19	1
95	Winston	105	-	-	-	-	-	9	-	-	-	1	-	9	1

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
34,731	804	125,846	429,230	62,324	8,090	81,701	5,153	79,487	16,152	8,764	33,411	64,622	27,607	162,076	1
335	96	2,380	5,320	1,526	172	1,892	209	1,796	205	421	766	1,237	1,872	2,554	2
1	1	19	17	12	-	7	4	16	1	-	3	6	19	17	3
3	-	24	86	26	1	18	2	21	4	7	16	16	15	36	4
2	3	28	73	20	-	18	9	16	2	1	7	12	36	28	5
-	-	11	36	11	1	8	1	11	1	3	3	10	17	28	6
2	3	26	47	13	1	6	1	11	2	-	6	11	15	23	7
2	1	27	36	8	2	15	2	9	-	1	5	8	51	22	8
2	-	28	66	17	3	16	2	19	-	1	1	8	26	20	9
12	2	52	136	34	2	38	3	54	6	12	22	20	14	59	10
4	-	22	78	19	-	21	1	23	3	9	6	9	6	26	11
8	2	30	58	15	2	17	2	31	3	3	16	11	8	33	12
3	-	51	54	26	1	39	6	22	1	8	8	12	14	37	13
1	-	19	33	3	-	10	-	4	1	2	7	4	11	11	14
6	3	23	59	13	1	14	2	19	4	5	11	7	16	25	15
4	2	13	21	8	-	8	2	14	-	6	5	6	14	16	16
4	-	8	48	11	1	15	2	12	1	3	6	6	35	16	17
2	2	14	21	12	2	11	-	9	1	2	5	12	9	19	18
3	-	10	19	4	1	1	1	6	-	1	2	6	10	8	19
4	1	25	33	14	1	13	-	12	2	-	10	11	12	17	20
2	1	32	69	16	3	10	-	22	1	2	14	19	16	31	21
4	1	12	28	12	2	12	2	11	-	3	8	7	27	15	22
1	1	10	28	6	-	7	-	4	2	-	4	9	16	12	23
13	1	21	65	12	3	24	2	35	3	9	10	24	23	18	24
4	-	18	35	10	1	13	-	12	3	-	7	8	28	16	25
2	1	29	67	20	1	37	2	30	2	3	15	18	10	27	26
3	1	18	43	10	-	9	2	14	-	3	6	11	4	14	27
10	4	61	114	43	7	48	7	31	3	10	9	24	97	53	28
4	3	35	70	23	5	13	4	14	2	5	4	9	12	26	29
6	1	26	44	20	2	39	3	17	1	5	5	15	85	27	30
7	1	23	56	17	1	19	-	30	-	2	8	15	22	30	31
3	-	31	52	14	2	20	4	15	2	3	14	11	39	30	32
1	-	31	63	25	3	23	3	20	4	8	13	19	15	31	33
11	2	50	105	27	4	66	2	63	7	6	30	30	25	50	34
8	1	32	67	13	1	39	1	34	4	4	12	15	16	29	35
3	1	18	38	14	3	27	1	29	3	2	18	15	9	21	36
1	-	12	33	7	-	10	1	11	2	1	3	16	5	7	37
1	1	14	29	26	-	13	-	20	2	-	8	5	14	15	38
4	1	22	49	8	2	20	1	13	2	2	5	10	7	25	39
1	-	9	29	9	2	11	-	7	1	1	3	10	44	15	40
1	-	24	48	15	1	17	3	5	-	4	4	13	19	16	41
3	-	14	27	8	3	10	-	7	3	6	3	11	15	21	42
4	1	50	67	26	5	46	4	30	7	8	17	25	5	36	43
3	-	18	24	10	-	25	3	19	2	5	8	10	2	13	44
1	1	32	43	16	5	21	1	11	5	3	9	15	3	23	45
5	4	30	60	29	4	15	1	21	3	1	13	13	9	23	46
66	14	437	1,043	243	33	303	34	392	51	100	124	241	369	450	47
3	1	28	53	18	4	30	2	31	2	5	4	9	7	28	48
48	7	265	639	132	18	167	19	207	37	66	60	115	267	280	49
-	-	13	25	3	-	7	1	9	-	3	1	6	4	8	50
17	6	131	326	90	11	99	12	145	12	26	59	111	91	134	51
2	1	11	13	8	1	15	1	10	1	1	5	8	1	9	52
3	1	28	63	29	1	24	2	21	1	12	6	18	31	38	53
2	1	13	28	10	-	13	2	13	1	7	2	9	6	30	54
1	-	15	35	19	1	11	-	8	-	5	4	7	25	18	55
3	-	17	28	9	3	11	1	8	1	5	10	5	11	19	56
3	2	25	51	20	3	24	4	19	3	6	10	22	30	39	57
1	-	17	53	18	6	34	1	17	4	2	17	6	20	24	58
-	1	13	43	9	2	5	6	8	-	2	4	9	55	15	59
3	-	37	81	14	1	30	2	7	3	5	4	10	40	29	60
12	1	48	116	34	4	52	6	43	4	6	14	29	39	71	61
7	-	17	43	13	1	20	2	17	2	5	7	12	17	31	62
5	1	31	73	21	3	32	4	26	2	1	7	17	22	40	63
6	3	24	54	28	2	34	5	20	2	3	9	16	30	23	64
2	-	23	21	13	1	11	3	17	1	2	4	9	14	18	65
8	3	19	60	21	1	32	3	27	3	2	8	14	6	31	66
25	13	137	518	130	11	182	14	177	12	43	48	100	50	217	67
20	4	81	319	67	5	107	10	93	9	27	26	51	17	117	68
5	9	56	199	63	6	75	4	84	3	16	22	49	33	100	69
2	4	30	38	21	-	23	2	14	-	3	8	10	32	16	70
12	4	133	336	64	11	72	11	63	8	28	31	54	45	161	71
11	3	107	277	52	10	46	6	47	6	18	19	39	31	126	72
1	1	26	59	12	1	26	5	16	2	10	12	15	14	35	73
2	-	36	51	21	2	27	1	23	3	4	12	17	26	31	74
-	-	12	16	6	-	12	-	9	2	2	3	4	9	12	75
2	-	24	35	15	2	15	1	14	1	2	9	13	17	19	76
1	-	21	21	8	2	13	2	6	-	2	5	4	39	15	77
3	1	28	48	14	1	19	1	5	1	3	5	7	20	20	78
3	1	34	63	13	3	15	2	14	1	6	10	12	24	40	79
4	1	24	32	18	-	39	-	13	2	2	4	10	6	14	80
4	-	47	68	24	4	31	9	22	1	7	7	21	33	42	81
3	-	18	33	11	3	18	5	13	1	2	1	9	8	28	82
1	-	29	35	13	1	13	4	9	-	5	6	12	25	14	83
2	-	22	65	11	-	10	4	11	3	2	13	12	6	24	84
3	-	23	35	15	1	15	3	23	5	7	5	15	9	12	85
1	-	15	24	13	1	28	2	14	-	5	10	18	29	19	86
6	2	46	108	33	3	22	4	35	3	4	12	16	21	51	87
6	2	24	56	15	1	27	1	9	2	4	7	13	13	20	88
11	1	83	202	48	7	47	7	44	10	19	21	53	26	159	89
7	-	35	121	17	5	28	2	19	5	10	6	23	11	114	90
4	1	48	81	31	2	19	5	25	5	9	15	30	15	45	91
4	-	44	88	32	4	23	1	43	4	7	22	27	38	38	92
2	-	8	33	11	-	15	2	16	1	3	3	3	10	9	93
1	3	29	33	13	2	37	1	11	-	2	14	4	40	16	94
2	-	8	23	4	-	5	3	8	-	-	3	5	5	19	95

TABLE 22.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, poliencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
1	ARIZONA	5,737	5	6	1	16	17	727	23	2	65	26	12	495	8
2	Apache	184	1	-	-	3	1	52	2	-	-	6	1	4	-
3	Cochise	323	-	-	-	-	1	24	-	1	2	-	-	39	-
4	Coconino	173	-	-	-	2	-	20	7	-	5	2	1	10	-
5	Gila	227	1	-	-	-	1	28	2	-	2	1	-	24	-
6	Graham	96	-	-	-	-	-	6	1	-	-	2	-	10	-
7	Greenlee	79	-	-	-	-	-	6	-	-	-	1	1	12	-
8	Maricopa	2,479	2	4	-	6	3	293	2	1	38	4	6	232	2
9	Phoenix	1,434	2	2	-	3	-	161	-	-	18	3	2	142	2
10	Balance of county	1,045	-	2	-	3	3	132	2	1	20	1	4	90	-
11	Mohave	60	-	-	-	-	-	1	4	-	-	2	-	5	-
12	Navajo	257	-	-	-	1	5	40	-	-	1	1	-	18	3
13	Pima	968	-	2	1	1	3	178	2	-	7	5	3	80	1
14	Tucson	623	-	-	-	-	1	94	-	-	5	-	2	56	1
15	Balance of county	345	-	2	1	1	2	84	2	-	2	5	1	24	-
16	Pinal	298	-	-	-	2	3	34	3	-	3	-	-	18	-
17	Santa Cruz	78	-	-	-	-	-	4	-	-	2	-	-	9	-
18	Yavapai	317	-	-	-	1	-	24	-	-	4	-	-	28	-
19	Yuma	198	1	-	-	-	-	17	-	-	1	2	-	6	-
20	ARKANSAS	14,338	17	17	3	20	40	699	15	25	148	27	26	1,436	20
21	Arkansas	157	-	-	-	1	-	5	-	-	-	1	-	18	-
22	Ashley	174	-	-	-	-	-	7	-	-	2	-	-	15	-
23	Baxter	75	-	-	1	1	-	5	-	-	-	-	-	11	-
24	Benton	344	1	-	1	-	-	10	-	-	1	1	-	37	-
25	Boone	126	-	-	-	-	-	5	-	-	1	-	-	13	-
26	Bradley	98	-	-	-	-	-	9	1	-	2	-	-	4	-
27	Calhoun	67	-	-	-	-	-	2	-	1	-	-	-	11	-
28	Carroll	135	-	-	-	-	-	2	-	-	-	1	-	16	1
29	Chicot	226	-	-	-	-	1	13	-	-	6	-	1	29	1
30	Clark	154	-	-	-	-	-	6	-	2	1	-	-	13	-
31	Clay	153	-	-	-	-	1	8	-	-	1	2	-	14	-
32	Cleburne	103	1	-	-	-	-	1	-	-	-	-	-	13	-
33	Cleveland	73	-	-	-	-	2	-	-	-	2	-	-	6	-
34	Columbia	165	-	1	-	-	1	9	-	-	1	-	-	14	-
35	Conway	133	-	-	-	-	1	7	-	-	-	-	-	4	1
36	Craighead	343	-	-	-	2	2	13	-	-	2	1	5	42	2
37	Jonesboro	136	-	-	-	1	-	5	-	-	-	-	2	21	1
38	Balance of county	207	-	-	-	1	2	8	-	-	2	1	3	21	1
39	Crawford	158	-	-	-	-	-	6	-	-	-	1	-	26	-
40	Crittenden	405	-	1	-	2	2	24	1	-	3	-	-	43	-
41	Cross	145	-	-	-	-	-	6	-	-	5	-	-	7	1
42	Dallas	100	-	-	-	-	-	10	-	-	-	-	-	13	-
43	Desha	169	-	-	-	-	-	6	2	-	2	1	-	13	-
44	Drew	119	-	-	-	-	-	6	-	-	-	-	-	10	1
45	Faulkner	188	-	-	-	3	2	9	-	-	-	-	-	18	-
46	Franklin	112	-	2	-	-	-	2	-	-	1	-	-	11	-
47	Fulton	57	1	-	-	-	-	5	-	-	-	-	1	4	-
48	Garland	465	-	-	-	-	-	20	-	-	4	-	-	62	-
49	Hot Springs	402	-	-	-	-	-	17	-	-	4	-	-	54	-
50	Balance of county	63	-	-	-	-	-	3	-	-	-	-	-	8	-
51	Grant	41	-	-	-	-	-	-	-	-	-	-	-	3	-
52	Greene	181	1	-	-	-	-	14	1	-	2	-	1	16	-
53	Hempstead	205	-	-	-	1	-	12	-	-	6	1	-	25	1
54	Hot Spring	120	-	-	-	-	-	5	-	-	-	-	-	10	-
55	Howard	109	1	-	-	-	-	6	-	-	2	1	-	8	1
56	Independence	176	-	-	-	-	-	4	-	2	2	-	-	18	-
57	Izard	63	-	-	-	-	-	2	-	-	-	-	-	7	-
58	Jackson	212	-	-	-	-	1	8	-	-	3	1	-	20	-
59	Jefferson	561	-	-	-	-	-	23	-	4	5	-	-	49	1
60	Pine Bluff	355	-	-	-	-	-	10	-	3	3	-	-	33	-
61	Balance of county	226	-	-	-	-	-	13	-	1	2	-	-	16	1
62	Johnson	118	1	1	-	-	-	3	-	-	-	-	1	15	1
63	Lafayette	90	1	-	-	1	-	6	-	-	2	-	-	6	-
64	Lawrence	126	-	1	-	-	2	2	-	-	-	-	-	15	-
65	Lee	192	-	-	-	-	2	10	1	-	-	-	1	12	-
66	Lincoln	118	-	-	-	-	-	5	-	-	3	-	-	8	-
67	Little River	62	-	-	-	-	-	1	-	-	-	-	-	6	-
68	Logan	143	-	1	-	-	-	33	-	-	1	-	1	10	-
69	Lonoke	163	-	-	-	-	1	8	-	2	-	-	-	21	1
70	Madison	66	-	-	-	-	1	3	-	-	-	-	-	11	-
71	Marion	60	-	-	-	-	-	4	-	-	-	-	-	5	-
72	Miller	245	-	1	-	1	2	11	1	-	1	-	-	18	-
73	Texarkana[1]	155	-	-	-	-	2	6	1	-	1	-	-	14	-
74	Balance of county	90	-	1	-	1	-	5	-	-	-	-	-	4	-
75	Mississippi	480	-	-	-	3	1	21	5	3	1	-	-	36	1
76	Blytheville	168	-	-	-	1	1	9	1	1	1	-	-	10	1
77	Balance of county	322	-	-	-	2	-	12	4	2	-	-	-	26	-
78	Monroe	132	-	-	-	-	-	5	-	-	2	1	-	8	-
79	Montgomery	41	-	-	-	-	-	2	-	-	1	1	-	7	1
80	Nevada	119	-	-	-	-	1	5	-	-	2	-	1	20	-
81	Newton	34	-	-	-	-	-	2	-	-	-	-	-	8	-
82	Ouachita	234	2	1	-	1	-	14	1	-	-	-	-	30	-
83	Perry	26	-	-	-	-	1	-	-	-	-	-	-	1	-
84	Phillips	428	2	1	-	-	-	25	-	4	2	1	-	31	1
85	Pike	47	-	-	-	-	-	4	-	-	-	1	-	2	-
86	Poinsett	216	-	-	-	-	3	13	-	1	-	2	1	19	-
87	Polk	143	1	-	-	-	2	2	-	-	1	-	-	10	-
88	Pope	189	-	-	-	-	1	6	-	-	-	2	-	15	1
89	Prairie	58	-	-	-	-	-	2	-	-	-	-	2	8	-
90	Pulaski	2,113	1	3	-	-	3	91	1	2	68	1	4	177	3
91	Little Rock	1,517	-	2	-	-	1	69	1	2	57	1	2	134	-
92	North Little Rock	241	1	-	-	-	-	8	-	-	1	-	1	21	-
93	Balance of county	355	-	1	-	-	2	14	-	-	10	-	1	22	3

[1]Includes data for Texarkana, Ark., only.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued.

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
63	-	314	1,279	379	132	210	35	318	71	38	190	378	265	864	1
-	-	4	11	24	10	2	2	14	-	-	4	11	19	13	2
3	-	22	95	19	5	16	2	12	2	3	5	18	12	44	3
2	-	5	28	12	4	6	3	9	-	3	4	20	13	17	4
4	-	9	59	14	4	8	-	12	5	2	5	16	9	21	5
-	-	7	24	8	1	-	2	6	-	-	7	9	1	12	6
-	-	6	16	3	3	3	1	3	1	1	7	6	3	6	7
30	-	144	593	165	37	102	14	144	36	16	94	145	61	305	8
16	-	93	353	81	21	64	9	73	22	13	55	80	20	199	9
14	-	51	240	84	16	38	5	71	14	3	39	65	41	106	10
-	-	3	15	-	1	4	1	3	-	1	5	5	2	8	11
-	-	5	25	21	20	7	1	24	2	1	6	26	30	20	12
11	-	59	204	57	27	28	4	48	9	3	26	52	31	126	13
8	-	37	150	27	21	21	3	39	8	1	21	32	15	81	14
3	-	22	54	30	6	7	1	9	1	2	5	20	16	45	15
4	-	10	49	19	12	10	2	20	5	1	10	24	46	23	16
1	-	8	21	8	-	1	1	6	4	-	3	2	1	7	17
5	-	22	90	18	3	8	1	11	5	1	10	28	30	30	18
3	-	10	49	13	5	15	1	6	2	6	4	18	7	32	19
203	26	1,410	3,278	1,025	86	1,140	95	753	114	186	367	769	737	1,656	20
3	-	16	49	7	1	10	-	11	1	6	1	7	3	17	21
3	-	21	28	13	1	19	4	4	1	3	7	6	14	26	22
1	-	3	12	10	-	4	-	8	-	1	2	4	4	8	23
5	-	43	89	27	1	21	1	15	8	-	10	16	11	46	24
3	1	11	25	12	-	11	-	9	1	4	5	4	4	17	25
2	-	8	25	7	3	7	-	8	1	1	4	2	5	9	26
1	-	10	21	3	-	5	-	2	-	1	-	3	-	7	27
1	-	23	19	12	-	13	-	7	2	-	2	11	5	20	28
5	-	20	43	7	2	20	1	7	1	2	3	12	31	21	29
-	-	13	43	10	2	15	2	5	-	3	6	8	9	18	30
3	-	10	37	7	2	18	2	12	-	-	2	7	11	16	31
2	1	12	25	4	-	11	2	6	2	1	4	3	3	12	32
1	-	12	14	1	-	1	-	4	-	5	2	5	5	13	33
1	1	20	32	18	1	8	-	5	1	6	10	9	5	22	34
2	-	16	35	7	1	12	2	12	3	-	4	4	10	12	35
3	1	45	68	30	-	16	3	30	6	3	8	17	13	31	36
3	-	21	31	5	-	10	1	8	2	1	1	7	2	14	37
-	1	24	37	25	-	6	2	22	4	2	7	10	11	17	38
1	-	17	33	8	-	11	3	10	2	1	3	7	13	16	39
5	-	36	84	32	2	28	5	12	3	5	10	23	49	35	40
1	-	16	29	13	-	5	1	13	-	3	4	14	8	19	41
3	-	10	27	8	-	6	-	5	-	2	-	4	2	10	42
4	-	13	44	9	1	17	2	9	1	1	4	5	13	22	43
1	-	13	25	12	3	8	1	3	4	1	2	6	8	15	44
3	-	22	47	11	-	9	1	18	2	3	3	8	9	20	45
1	-	9	33	7	-	5	-	8	-	-	4	3	3	23	46
2	-	2	10	3	-	7	1	1	1	-	1	4	10	4	47
8	-	40	131	26	1	45	1	23	5	13	13	28	5	40	48
6	-	32	121	21	-	39	1	20	5	12	12	21	4	33	49
2	-	8	10	5	1	6	-	3	-	1	1	7	1	7	50
1	-	3	13	4	1	3	-	2	2	-	1	3	1	4	51
3	-	22	40	13	-	17	2	12	3	1	6	3	6	18	52
7	-	20	44	12	-	19	4	9	-	-	2	6	9	27	53
3	-	20	24	12	2	6	1	12	-	-	1	6	7	11	54
1	-	10	30	8	1	7	1	5	1	-	2	5	3	16	55
1	-	20	41	17	1	21	-	10	3	1	7	9	2	17	56
2	-	6	15	5	1	6	-	3	-	-	2	3	6	5	57
1	1	24	47	19	3	9	-	15	3	1	9	20	8	19	58
11	-	42	153	39	4	67	3	23	-	14	14	30	29	70	59
6	-	24	98	24	2	45	1	19	-	7	9	16	15	40	60
5	-	18	55	15	2	22	2	4	-	7	5	14	14	30	61
1	-	10	32	6	2	7	1	8	-	-	3	9	2	15	62
-	-	10	26	4	-	6	1	3	2	1	3	6	8	4	63
1	-	15	24	10	3	10	1	10	2	2	5	3	3	17	64
1	-	16	51	5	1	10	3	4	-	6	3	16	29	21	65
1	-	11	28	8	1	9	3	5	1	2	3	8	7	16	66
2	-	2	25	2	1	7	2	2	-	1	1	3	2	5	67
2	-	12	34	5	-	10	-	6	1	-	6	3	6	12	68
2	-	24	33	11	-	16	1	8	-	3	3	11	6	12	69
2	-	6	10	6	-	4	1	2	-	-	-	2	8	10	70
2	-	6	11	12	-	2	1	1	-	-	-	5	2	9	71
2	-	19	50	9	2	23	2	18	1	7	6	17	17	37	72
1	-	12	36	4	2	12	2	13	1	5	5	7	9	22	73
1	-	7	14	5	-	11	-	5	-	2	1	10	8	15	74
7	-	56	82	33	5	46	1	36	2	11	15	24	38	63	75
3	-	20	22	15	3	15	-	14	2	2	3	7	12	25	76
4	-	36	60	18	2	31	1	22	-	9	12	17	26	33	77
3	1	12	32	12	1	9	1	5	-	1	2	15	4	18	78
-	2	-	7	3	1	-	-	3	-	1	1	4	2	5	79
1	2	14	22	5	-	10	1	2	2	2	5	4	1	19	80
2	-	2	7	2	-	6	-	-	-	1	1	-	-	3	81
1	1	16	51	18	6	14	2	16	1	5	10	12	7	25	82
-	1	3	8	2	-	-	-	2	-	-	1	3	1	3	83
6	1	37	94	30	3	49	4	9	2	7	7	28	51	33	84
-	-	3	10	1	-	7	-	1	-	1	5	-	6	6	85
-	-	13	39	13	2	11	1	28	2	3	9	21	13	22	86
3	-	9	32	18	1	5	-	6	3	1	6	8	17	18	87
-	1	14	29	14	1	18	1	9	-	-	6	11	12	28	88
-	-	2	17	4	-	4	-	2	-	-	3	6	2	6	89
27	3	230	530	166	9	186	7	96	15	29	42	96	59	264	90
23	2	164	377	110	4	144	5	49	11	19	22	67	47	204	91
-	-	25	71	25	-	18	1	25	3	3	9	11	1	17	92
4	1	41	82	31	5	24	1	22	1	7	11	18	11	43	93

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	ARKANSAS—Continued														
1	Randolph	93	-	-	-	-	1	2	1	-	-	-	-	8	-
2	St. Francis	282	1	-	-	-	-	23	-	2	-	-	1	38	-
3	Saline	217	-	1	-	-	-	52	-	-	2	-	-	14	-
4	Scott	78	-	-	-	-	1	3	-	1	-	1	-	12	-
5	Searcy	66	-	-	-	-	-	2	-	-	-	-	1	4	-
6	Sebastian	523	-	1	-	1	1	21	-	-	2	1	3	71	-
7	Fort Smith	386	-	1	-	1	1	10	-	-	2	1	2	50	-
8	Balance of county	137	-	-	-	-	-	11	-	-	-	-	1	21	-
9	Sevier	98	-	-	-	-	-	2	-	-	-	-	-	15	-
10	Sharp	52	-	-	-	-	1	1	-	-	-	1	1	6	-
11	Stone	44	-	-	-	-	-	2	-	-	-	-	-	4	-
12	Union	302	-	1	-	-	-	12	-	1	4	3	-	37	-
13	El Dorado	158	-	-	-	-	-	4	-	1	3	2	-	20	-
14	Balance of county	144	-	1	-	-	-	8	-	-	1	1	-	17	-
15	Van Buren	81	-	-	-	1	1	3	-	-	-	-	-	6	-
16	Washington	333	3	1	-	1	-	7	-	-	1	1	-	44	-
17	White	229	-	-	1	-	2	11	-	-	1	-	1	28	1
18	Woodruff	98	-	-	-	1	-	5	-	-	-	-	-	18	-
19	Yell	77	-	-	-	-	-	5	-	-	-	-	-	9	-
20	CALIFORNIA	94,678	18	87	11	43	92	3,959	37	7	962	68	99	12,813	42
21	Alameda	7,035	2	4	-	1	5	278	1	-	41	1	9	978	2
22	Alameda	495	-	-	-	-	1	11	-	-	-	-	2	73	-
23	Albany	109	-	1	-	-	-	1	-	-	-	-	-	10	-
24	Berkeley	1,038	-	-	-	-	-	25	-	-	5	-	2	154	-
25	Oakland	4,181	1	2	-	1	4	172	1	-	33	-	3	578	2
26	San Leandro	208	-	1	-	-	-	5	-	-	-	-	-	32	-
27	Balance of county	1,004	1	-	-	-	-	64	-	-	3	1	2	131	-
28	Alpine	6	-	-	-	-	-	-	-	-	-	-	-	-	-
29	Amador	111	-	-	-	-	-	5	-	-	-	-	-	17	-
30	Butte	626	-	1	-	-	1	23	-	-	6	-	-	83	-
31	Calaveras	94	-	-	-	1	-	6	-	-	2	-	-	13	-
32	Colusa	126	-	-	-	1	-	1	-	-	2	-	-	11	-
33	Contra Costa	1,491	-	-	-	2	3	53	-	-	11	-	2	155	-
34	Richmond	506	-	-	-	2	1	28	-	-	3	-	2	50	-
35	Balance of county	985	-	-	-	-	2	25	-	-	8	-	-	105	-
36	Del Norte	71	-	-	-	-	-	2	-	-	2	-	-	3	-
37	El Dorado	162	-	-	-	-	1	7	-	-	1	-	-	17	-
38	Fresno	2,203	1	2	1	4	4	104	1	-	20	5	2	266	4
39	Fresno	1,202	1	2	-	-	1	78	-	-	12	1	1	166	3
40	Balance of county	1,001	-	-	1	4	3	26	1	-	8	4	1	100	1
41	Glenn	134	-	-	-	-	-	5	-	-	2	-	-	13	-
42	Humboldt	643	-	-	-	-	-	27	-	-	3	-	-	74	-
43	Eureka	311	-	-	-	-	-	17	-	-	-	-	-	43	-
44	Balance of county	332	-	-	-	-	-	10	-	-	3	-	-	31	-
45	Imperial	548	1	5	-	2	-	30	2	-	4	5	1	35	1
46	Brawley	117	1	-	-	2	-	7	-	-	2	4	-	7	-
47	El Centro	106	-	-	-	-	-	2	-	-	-	-	-	9	-
48	Balance of county	325	-	5	-	-	-	21	2	-	2	1	1	19	1
49	Inyo	100	-	-	-	-	-	6	-	-	1	-	-	16	-
50	Kern	1,399	-	4	-	1	3	81	-	-	11	3	3	147	-
51	Bakersfield	381	-	1	-	1	-	13	-	-	3	1	1	42	-
52	Balance of county	1,008	-	3	-	-	3	68	-	-	8	2	2	105	-
53	Kings	366	-	-	-	-	-	19	-	-	2	3	1	47	-
54	Lake	164	-	1	-	-	-	7	-	-	2	-	-	21	-
55	Lassen	131	-	-	-	-	-	3	-	-	1	-	-	24	-
56	Los Angeles	37,796	6	33	6	12	31	1,438	10	4	358	17	45	5,551	16
57	Alhambra	446	-	1	-	-	-	5	-	-	3	-	-	65	-
58	Bell	116	-	1	-	-	-	2	-	-	1	-	-	20	-
59	Belvedere (twp.)[2]	282	-	-	-	1	2	29	-	-	2	1	-	40	-
60	Beverly Hills	206	-	-	-	-	-	2	-	-	1	-	-	37	-
61	Burbank	435	-	1	-	-	-	13	-	-	3	-	1	65	-
62	Compton	241	-	-	-	-	-	4	-	-	1	-	1	33	-
63	Glendale	944	-	1	-	-	-	20	1	-	2	-	1	153	-
64	Huntington Park	314	-	-	-	-	-	7	-	-	-	-	-	43	-
65	Inglewood	413	-	-	-	-	-	7	-	-	2	1	4	66	-
66	Long Beach	2,404	-	1	1	1	1	56	-	-	24	1	4	356	1
67	Los Angeles	21,009	4	20	5	5	21	992	6	2	217	10	23	3,117	10
68	Lynwood	139	-	-	-	-	-	2	-	-	1	-	3	22	-
69	Maywood	101	-	-	-	-	-	1	-	-	1	-	-	16	-
70	Monrovia	202	-	-	-	-	-	20	-	-	1	-	-	28	-
71	Pasadena	1,405	2	2	-	-	1	27	-	1	5	-	-	224	-
72	Pomona	322	-	-	-	-	-	8	-	-	1	-	-	37	1
73	Redondo Beach	176	-	-	-	-	-	4	-	-	2	-	-	25	-
74	San Gabriel	178	-	-	-	-	1	2	-	-	1	-	1	22	-
75	Santa Monica	759	-	1	-	-	-	19	-	-	5	-	1	117	-
76	South Gate	275	-	-	-	-	1	4	-	-	3	-	1	46	-
77	South Pasadena	174	-	-	-	-	-	1	-	-	-	-	-	31	-
78	Whittier	244	-	-	-	-	-	3	-	-	-	-	-	44	-
79	Balance of county	7,009	-	5	-	5	4	310	3	1	82	4	5	944	4
80	Madera	285	-	-	-	-	-	20	-	-	4	-	-	28	1
81	Marin	584	-	-	-	-	-	17	-	-	5	-	-	84	1
82	Mariposa	45	-	-	-	-	-	-	1	-	-	-	-	7	-
83	Mendocino	444	-	-	-	-	1	29	-	-	19	-	1	50	1
84	Merced	474	-	-	-	1	-	29	2	-	1	1	1	55	-
85	Merced	144	-	-	-	-	-	8	1	-	-	1	-	13	-
86	Balance of county	330	-	-	-	1	-	21	1	-	1	-	1	42	-
87	Modoc	113	-	-	-	-	-	3	-	-	-	-	-	14	-
88	Mono	13	-	-	-	-	-	-	-	-	-	-	-	3	-
89	Monterey	819	-	1	-	-	2	32	1	-	7	-	1	108	-
90	Monterey	100	-	-	-	-	-	2	-	-	1	-	1	15	-
91	Salinas	163	-	-	-	-	-	6	-	-	-	-	-	24	-
92	Balance of county	556	-	1	-	-	2	24	1	-	6	-	-	69	-

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
4	-	10	17	11	-	5	-	6	-	1	3	6	4	14	1
3	1	26	36	22	4	19	3	23	-	5	8	21	21	25	2
2	1	15	34	10	1	12	2	16	5	-	4	11	7	28	3
5	1	9	8	8	-	4	1	2	2	1	-	3	13	3	4
-	-	12	12	12	-	2	-	4	-	2	4	2	1	8	5
13	-	49	133	28	2	35	2	26	4	2	18	28	11	71	6
11	-	40	105	13	-	34	2	19	4	2	11	19	3	55	7
2	-	9	28	15	2	1	-	7	-	-	7	9	8	18	8
1	-	9	23	7	1	5	-	8	1	-	2	5	2	17	9
-	-	3	15	4	-	7	-	1	2	-	-	2	4	4	10
-	-	3	14	4	-	2	1	2	-	1	1	1	7	2	11
5	-	24	70	21	2	24	4	15	3	4	8	26	6	32	12
3	-	15	37	11	2	13	2	11	1	3	4	12	-	14	13
2	-	9	33	10	-	11	2	4	2	1	4	14	8	18	14
1	-	5	23	7	1	7	-	4	-	1	2	6	5	8	15
6	1	39	82	26	1	29	1	8	3	2	7	16	13	41	16
1	4	20	56	15	1	23	3	8	2	1	4	13	8	25	17
1	-	8	17	14	-	7	1	3	1	-	1	7	5	9	18
-	1	8	19	4	-	5	-	7	-	-	1	2	3	13	19
1,931	17	7,437	30,506	3,887	505	4,076	266	5,092	1,662	531	3,770	4,167	516	12,077	20
162	2	570	2,480	285	32	350	20	393	101	42	217	254	14	791	21
12	-	37	172	13	3	16	4	57	7	2	14	27	-	44	22
2	-	3	47	6	1	5	1	7	3	-	4	3	1	14	23
32	-	91	378	31	5	85	2	60	13	8	20	36	4	107	24
80	1	342	1,470	167	18	209	10	198	64	28	130	153	6	508	25
10	-	12	76	14	3	7	2	15	1	-	4	6	1	19	26
26	1	85	337	54	2	48	1	56	13	4	45	29	2	99	27
-	-	-	1	1	-	-	-	-	-	-	-	1	2	1	28
2	-	6	32	4	-	3	-	3	1	-	6	8	9	15	29
15	-	58	185	12	1	27	3	40	9	4	27	47	11	73	30
3	-	9	34	4	-	2	1	1	4	-	2	6	1	5	31
4	-	10	27	3	-	26	-	2	2	1	6	11	-	19	32
39	-	110	407	64	5	89	6	172	35	19	80	84	4	152	33
10	-	30	112	21	2	24	4	90	14	11	22	34	1	45	34
29	-	80	295	43	3	64	2	82	21	8	58	50	3	107	35
2	-	6	17	1	-	6	-	2	2	1	6	7	-	14	36
3	-	12	54	6	-	6	1	9	4	1	10	15	-	15	37
41	-	175	568	92	35	94	15	165	37	14	142	120	7	234	38
20	-	103	307	41	11	61	8	73	21	9	59	57	4	163	39
21	-	72	261	51	24	33	7	92	16	5	83	63	3	121	40
4	-	11	36	6	-	13	-	5	2	-	3	13	6	15	41
14	-	59	218	20	-	26	2	25	11	5	34	39	1	86	42
6	-	31	116	8	-	14	1	9	5	1	8	8	-	44	43
8	-	28	102	12	-	12	1	16	6	4	26	31	1	41	44
9	-	19	101	45	13	13	4	55	11	13	50	66	9	54	45
2	-	4	25	12	5	3	-	18	-	-	5	6	3	11	46
1	-	4	19	9	3	3	-	13	3	-	3	20	2	15	47
6	-	11	57	24	5	7	4	24	8	13	42	40	4	28	48
-	-	6	31	2	1	3	-	6	4	-	2	9	-	13	49
10	-	88	375	91	33	40	7	97	27	7	101	81	4	175	50
4	-	27	102	22	13	13	2	27	5	1	28	24	1	50	51
6	-	61	273	69	20	27	5	70	22	6	73	57	3	125	52
12	-	26	97	21	16	8	2	32	6	-	15	22	8	29	53
2	-	14	52	4	1	7	-	6	2	-	5	8	2	30	54
-	-	7	31	6	-	5	-	14	2	-	7	15	-	16	55
836	6	3,036	12,758	1,364	125	1,628	97	1,858	675	202	1,231	1,303	111	5,039	56
15	-	41	167	12	2	23	-	19	5	-	10	23	-	57	57
4	-	12	31	2	1	2	-	6	3	1	6	7	1	16	58
12	-	11	64	18	1	12	3	26	2	1	10	8	-	39	59
6	-	15	81	3	-	15	-	3	7	1	8	6	-	21	60
9	-	33	137	16	1	26	2	31	12	1	16	19	1	48	61
4	-	22	69	8	3	20	-	22	1	-	13	12	-	28	62
13	-	75	370	27	2	50	1	37	15	1	23	34	2	116	63
6	-	37	106	6	4	14	1	12	9	1	11	10	-	47	64
7	-	32	161	10	-	27	-	18	8	2	9	10	2	47	65
45	-	197	606	51	6	111	5	133	48	8	71	102	15	359	66
495	4	1,661	6,845	781	78	874	54	982	395	158	685	732	54	2,901	67
10	-	10	38	5	1	4	-	15	1	-	8	1	-	18	68
2	-	4	26	3	-	9	-	12	2	-	5	4	-	16	69
5	-	21	60	5	1	12	-	10	3	-	7	7	-	22	70
17	1	157	491	56	-	64	2	48	20	-	41	42	6	198	71
7	-	38	113	10	1	20	1	17	3	1	23	8	-	33	72
5	-	13	65	4	1	8	-	8	2	-	7	6	-	24	73
6	-	18	56	4	-	5	1	13	3	-	7	6	3	29	74
27	-	78	262	28	1	27	2	43	16	1	18	23	2	88	75
7	-	16	90	3	1	14	1	18	3	-	15	13	1	38	76
5	-	22	57	8	-	2	-	5	2	1	6	9	-	25	77
8	-	16	85	11	-	16	1	15	2	1	4	10	-	31	78
124	1	505	2,578	293	21	273	22	365	115	24	248	211	24	838	79
7	-	17	78	5	9	7	2	21	3	1	24	15	2	41	80
15	-	60	198	17	1	25	1	37	14	1	16	24	1	67	81
-	-	8	13	1	1	-	-	3	2	-	1	1	-	7	82
7	-	38	128	26	-	15	1	16	10	2	14	20	5	61	83
10	-	38	126	16	5	12	3	30	7	6	42	38	4	47	84
3	-	10	48	8	3	4	2	10	1	3	4	5	1	19	85
7	-	28	78	8	2	8	1	20	6	3	38	33	3	28	86
1	-	11	33	4	-	6	1	16	1	-	4	11	2	6	87
-	-	-	4	-	1	-	-	1	1	1	-	-	2	-	88
18	-	76	229	26	7	29	-	49	15	6	74	33	3	102	89
2	-	19	25	3	-	4	-	4	3	2	5	2	-	12	90
8	-	12	44	5	1	8	-	12	2	-	14	8	-	19	91
8	-	45	160	18	6	17	-	33	10	4	55	23	3	71	92

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, poliocephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	CALIFORNIA—Continued														
1	Napa	953	-	1	-	1	-	69	-	-	29	-	-	90	-
2	Nevada	236	-	-	-	-	-	11	-	-	1	-	-	37	-
3	Orange	1,853	-	2	-	-	2	53	3	-	9	3	-	275	1
4	Anaheim	168	-	-	-	-	-	3	-	-	-	-	-	32	-
5	Fullerton	118	-	-	-	-	-	2	-	-	-	-	-	20	-
6	Santa Ana	473	-	-	-	-	1	18	2	-	2	-	-	57	-
7	Balance of county	1,094	-	2	-	-	1	30	1	-	7	3	-	166	1
8	Placer	376	-	-	-	-	-	51	-	-	2	2	-	51	-
9	Plumas	131	-	-	-	-	-	6	-	-	4	-	-	10	-
10	Riverside	1,445	-	1	-	3	3	88	-	-	13	2	3	158	1
11	Riverside	527	-	-	-	-	1	11	-	-	8	2	2	68	-
12	Balance of county	918	-	1	-	3	2	77	-	-	5	-	1	90	1
13	Sacramento	2,423	1	2	-	3	5	128	-	-	17	2	3	352	-
14	Sacramento	1,711	1	1	-	1	4	102	-	-	14	2	2	261	-
15	Balance of county	712	-	1	-	2	1	26	-	-	3	-	1	91	-
16	San Benito	130	-	-	-	-	-	7	-	-	-	-	-	16	-
17	San Bernardino	2,646	1	2	-	-	3	144	4	1	81	2	2	273	1
18	Ontario	155	-	-	-	-	-	3	-	-	-	-	-	18	-
19	Redlands	220	1	-	-	-	1	-	-	-	-	-	-	35	-
20	San Bernardino	860	-	1	-	-	1	63	2	-	6	1	1	98	-
21	Balance of county	1,411	-	1	-	-	1	78	2	1	75	1	1	122	1
22	San Diego	4,066	2	1	-	-	4	128	-	-	34	5	9	550	-
23	National City	164	1	-	-	-	-	4	-	-	1	1	1	24	-
24	San Diego	2,698	1	1	-	-	2	90	-	-	24	3	4	378	-
25	Balance of county	1,204	-	-	-	-	2	34	-	-	9	1	4	148	-
26	San Francisco, coextensive with San Francisco (city)	9,266	1	13	-	1	12	440	-	1	78	2	6	1,371	3
27	San Joaquin	2,296	-	2	-	1	1	144	2	-	65	-	4	259	1
28	Lodi	163	-	-	-	-	-	1	-	-	1	-	-	26	-
29	Stockton	715	-	-	-	-	-	28	-	-	4	-	1	86	-
30	Balance of county	1,418	-	2	-	1	1	117	2	-	60	-	3	147	1
31	San Luis Obispo	414	-	-	-	-	-	19	-	-	4	1	-	54	-
32	San Mateo	1,320	-	2	1	-	-	57	-	1	13	-	-	181	1
33	Burlingame	96	-	-	-	-	-	1	-	-	-	-	-	14	-
34	Redwood City	111	-	-	-	-	-	3	-	-	-	-	-	18	-
35	San Mateo	405	-	-	1	-	-	8	-	-	2	-	-	74	1
36	Balance of county	708	-	2	-	-	-	45	-	1	11	-	-	75	-
37	Santa Barbara	882	-	1	-	-	-	30	-	-	5	-	-	111	-
38	Santa Barbara	519	-	-	-	-	-	12	-	-	3	-	-	71	-
39	Balance of county	363	-	1	-	-	-	18	-	-	2	-	-	40	-
40	Santa Clara	2,801	-	1	1	1	3	97	3	-	37	1	3	322	2
41	Palo Alto	268	-	-	-	-	-	4	-	-	3	-	-	46	-
42	San Jose	801	-	-	-	1	-	16	1	-	2	-	1	94	1
43	Balance of county	1,732	-	1	1	-	3	77	2	-	32	1	2	182	1
44	Santa Cruz	836	-	1	-	1	-	20	-	-	5	1	-	116	-
45	Santa Cruz	343	-	-	-	-	-	3	-	-	1	-	-	46	-
46	Balance of county	493	-	1	-	1	-	17	-	-	4	1	-	70	-
47	Shasta	310	-	-	-	-	-	13	-	-	2	-	-	36	-
48	Sierra	24	-	-	-	-	-	-	-	-	1	-	-	4	-
49	Siskiyou	281	-	-	-	1	-	8	-	-	1	-	-	31	-
50	Solano	774	-	2	-	-	-	33	-	-	4	1	1	95	-
51	Vallejo	330	-	1	-	-	-	21	-	-	1	-	-	36	-
52	Balance of county	444	-	1	-	-	-	12	-	-	3	1	1	59	-
53	Sonoma	1,090	-	-	-	-	-	36	5	-	4	6	-	120	1
54	Santa Rosa	212	-	-	-	-	-	4	-	-	2	-	-	32	-
55	Balance of county	878	-	-	-	-	-	32	5	-	2	6	-	88	1
56	Stanislaus	936	-	1	1	1	2	16	1	-	3	3	1	120	2
57	Modesto	376	-	1	-	-	2	10	1	-	3	-	1	51	2
58	Balance of county	560	-	-	1	1	-	6	-	-	-	3	-	69	-
59	Sutter	226	-	-	-	-	1	3	-	-	1	-	1	26	-
60	Tehama	184	-	-	-	-	-	2	-	-	-	1	-	24	-
61	Trinity	50	-	-	-	-	-	-	-	-	-	-	-	3	-
62	Tulare	1,092	1	3	1	5	3	43	1	-	3	1	-	127	2
63	Tuolumne	162	-	-	-	-	-	7	-	-	1	-	-	20	-
64	Ventura	934	2	1	-	-	1	59	-	-	33	-	-	96	-
65	San Buenaventura	105	-	-	-	-	-	-	-	-	1	-	-	14	-
66	Balance of county	829	2	1	-	-	1	59	-	-	32	-	-	82	-
67	Yolo	316	-	-	-	-	1	11	-	-	3	-	-	37	-
68	Yuba	252	-	-	-	-	-	11	-	-	4	-	-	28	1
69	COLORADO	12,058	6	11	3	6	19	401	15	-	106	11	56	1,447	20
70	Adams	225	-	-	-	1	-	25	-	-	-	-	1	19	-
71	Alamosa	93	-	-	-	-	-	1	-	-	1	-	-	7	-
72	Arapahoe	312	-	-	-	-	-	21	-	-	1	-	4	41	-
73	Archuleta	21	-	-	-	-	-	-	1	-	-	-	-	2	-
74	Baca	53	-	-	-	-	-	-	-	-	-	-	-	6	-
75	Bent	99	-	-	-	-	-	3	-	-	12	-	1	10	-
76	Boulder	396	-	-	-	-	2	16	-	-	2	1	1	47	1
77	Boulder	188	-	-	-	-	1	11	-	-	1	-	1	23	1
78	Balance of county	208	-	-	-	-	1	5	-	-	1	1	-	24	-
79	Chaffee	77	-	-	-	-	-	-	-	-	-	-	-	11	-
80	Cheyenne	17	-	-	-	-	-	-	-	-	-	-	-	-	-
81	Clear Creek	40	-	-	-	-	-	2	-	-	1	-	-	4	-
82	Conejos	92	-	-	-	-	-	1	1	-	-	-	2	4	-
83	Costilla	39	-	-	-	-	1	1	-	-	-	-	-	4	-
84	Crowley	37	-	-	-	-	2	1	-	-	1	-	-	2	-
85	Custer	13	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Delta	145	-	-	-	1	-	-	-	-	-	-	2	11	-
87	Denver, coextensive with Denver (city)	4,196	1	7	-	-	4	127	-	-	35	2	19	553	7
88	Dolores	10	-	-	-	-	-	-	-	-	-	-	-	1	-
89	Douglas	38	-	-	-	-	-	3	-	-	-	-	-	4	-
90	Eagle	32	-	-	-	-	-	1	-	-	-	-	-	2	-
91	Elbert	37	-	-	-	-	-	-	-	-	-	-	1	3	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
19	3	68	347	53	2	42	2	15	18	-	22	22	13	137	1
7	-	23	77	9	-	4	-	6	8	-	10	12	3	28	2
35	1	171	360	76	20	89	9	105	31	4	95	73	22	194	3
4	-	13	57	3	-	11	1	9	3	1	11	2	1	17	4
2	-	14	31	6	-	3	1	12	2	-	4	9	-	12	5
6	1	46	150	25	10	23	1	24	5	2	18	14	11	57	6
23	-	98	342	42	10	52	6	80	21	1	62	48	10	108	7
5	-	26	108	17	-	5	-	11	8	5	24	24	5	32	8
1	-	3	29	5	-	1	-	8	5	-	8	16	-	35	9
31	-	109	435	83	10	55	2	88	27	7	87	65	8	166	10
14	-	54	170	28	1	19	-	32	9	2	23	24	1	58	11
17	-	55	265	55	9	36	2	56	18	5	64	41	7	108	12
50	-	191	876	88	9	68	4	124	33	12	85	109	8	253	13
37	-	135	625	63	4	53	1	73	22	8	44	68	7	185	14
13	-	56	251	25	5	15	3	51	11	4	41	43	1	68	15
4	-	11	35	10	-	-	1	6	5	-	6	10	-	19	16
50	1	170	786	125	20	97	4	145	45	9	148	134	15	383	17
2	-	8	54	8	2	15	-	12	3	-	13	7	1	9	18
5	-	18	89	6	1	4	1	12	4	-	4	10	2	27	19
22	-	57	222	50	7	40	2	46	14	5	46	46	5	125	20
21	1	87	421	61	10	38	1	75	24	4	85	71	7	222	21
66	-	319	1,204	156	24	262	17	316	74	18	161	179	39	498	22
2	-	10	36	9	-	13	2	15	1	-	6	9	1	28	23
46	-	212	807	97	15	197	8	220	52	10	88	102	27	314	24
18	-	97	361	50	9	52	7	81	21	8	67	68	11	156	25
186	-	647	3,072	418	14	422	17	383	175	69	215	471	32	1,217	26
31	1	143	616	175	17	62	8	100	33	23	118	143	25	322	27
2	-	11	57	4	-	7	1	8	2	1	8	9	-	25	28
13	-	41	212	52	5	18	3	43	13	12	42	52	5	87	29
16	1	91	347	119	12	37	4	49	16	10	68	82	20	210	30
5	-	32	134	20	1	13	2	27	5	1	24	19	1	52	31
22	1	117	403	41	4	55	1	61	33	3	65	65	13	180	32
2	-	9	36	2	-	5	-	3	2	-	1	5	1	15	33
1	-	10	34	2	1	5	-	5	2	2	11	9	-	8	34
5	-	36	127	12	-	12	-	11	4	-	23	15	3	71	35
14	1	62	206	25	3	33	1	42	25	1	30	36	9	86	36
20	-	69	320	32	6	27	3	32	23	5	40	37	6	115	37
12	-	43	189	20	2	16	1	16	11	4	17	18	3	81	38
8	-	26	131	12	4	11	2	16	12	1	23	19	3	34	39
47	-	250	960	106	34	109	5	113	28	9	147	103	13	406	40
8	-	25	105	6	1	6	-	8	2	2	9	12	1	30	41
15	-	82	252	23	10	47	3	55	4	1	59	32	5	97	42
24	-	143	603	77	23	56	2	50	22	6	79	59	7	279	43
21	-	89	286	28	2	35	1	36	15	2	20	32	10	117	44
8	-	33	145	10	1	19	-	17	4	-	4	9	3	40	45
13	-	56	141	16	1	16	1	19	11	2	16	23	7	77	46
5	-	25	97	10	-	23	2	17	8	3	24	19	1	25	47
-	-	1	6	-	-	1	-	1	2	-	-	3	1	4	48
6	-	32	85	4	1	16	2	8	7	2	15	26	-	36	49
8	-	48	215	37	13	20	5	76	14	7	38	52	4	101	50
3	-	17	80	22	7	7	2	47	2	3	20	24	1	36	51
5	-	31	135	15	6	13	3	29	12	4	18	28	3	65	52
23	-	87	372	58	3	70	3	59	18	2	27	41	18	137	53
5	-	26	69	8	-	20	-	14	2	-	1	4	5	20	54
18	-	61	303	50	3	50	3	45	16	2	26	37	13	117	55
12	1	73	301	32	4	51	4	51	13	4	73	57	14	95	56
6	1	25	115	14	1	28	3	16	5	3	21	17	2	48	57
6	-	48	186	18	3	23	1	35	8	1	52	40	12	47	58
5	-	14	68	6	1	7	1	15	5	4	13	24	1	30	59
3	-	19	64	12	-	1	-	7	4	-	11	15	7	14	60
1	-	5	13	2	1	9	-	1	2	-	3	5	-	5	61
20	1	94	263	50	20	42	4	116	9	10	79	63	9	122	62
-	-	18	52	11	-	11	-	11	2	-	5	10	1	13	63
19	-	77	223	68	7	19	2	63	17	3	48	50	21	125	64
3	-	9	32	2	2	1	1	16	1	2	4	4	-	13	65
16	-	68	191	66	5	18	1	47	16	1	44	46	21	112	66
12	-	22	81	11	2	10	-	17	6	3	26	20	17	37	67
1	-	14	85	20	4	11	1	16	1	-	14	17	1	23	68
217	2	970	3,186	753	115	722	57	816	176	81	361	651	222	1,648	69
1	-	17	48	10	-	18	-	12	3	1	9	18	4	38	70
1	-	4	16	10	9	5	1	18	1	-	2	7	-	10	71
7	-	27	78	17	1	19	-	29	5	2	8	9	3	40	72
-	-	1	6	1	-	-	1	1	1	-	-	-	5	2	73
-	-	1	16	3	-	3	2	4	1	-	1	9	-	7	74
-	-	3	32	5	3	6	-	3	-	-	6	4	-	11	75
9	-	33	107	20	1	27	2	18	8	-	15	26	5	55	76
4	-	15	50	6	1	13	1	9	3	-	5	9	4	30	77
5	-	18	57	14	-	14	1	9	5	-	10	17	1	25	78
1	-	4	28	4	-	8	1	2	1	-	4	5	-	8	79
-	-	2	7	-	-	2	-	1	-	1	-	1	-	3	80
1	-	1	10	3	-	2	-	3	1	-	1	4	1	6	81
1	-	8	25	13	5	1	2	10	1	1	3	2	1	11	82
-	-	2	7	3	2	2	-	4	-	-	-	2	1	10	83
1	-	4	7	1	-	2	-	3	-	-	1	4	1	7	84
-	-	1	5	2	-	-	-	-	1	-	-	3	-	1	85
4	-	5	54	10	-	10	1	6	3	-	2	14	1	19	86
83	-	363	1,167	246	20	267	15	217	63	29	91	192	86	602	87
-	-	1	2	1	-	1	-	1	1	-	-	-	-	2	88
-	-	5	10	3	-	3	-	-	1	1	-	3	1	4	89
-	-	2	10	2	-	1	-	4	-	-	2	3	-	5	90
1	-	2	10	2	-	1	-	4	-	-	1	2	-	5	91

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliocephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	COLORADO—Continued														
1	El Paso	776	-	2	-	-	1	36	-	-	4	-	2	107	-
2	Colorado Springs	692	-	1	-	-	1	30	-	-	4	-	1	99	-
3	Balance of county	84	-	1	-	-	-	6	-	-	-	-	1	8	-
4	Fremont	207	-	-	-	-	-	4	-	-	1	-	-	37	-
5	Garfield	93	1	-	-	-	1	-	-	-	-	-	2	9	-
6	Gilpin	14	-	-	-	-	-	1	-	-	-	-	-	-	1
7	Grand	25	-	-	-	-	-	1	1	-	-	-	-	1	-
8	Gunnison	49	-	-	-	-	-	1	-	-	1	-	-	7	-
9	Hinsdale	2	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Huerfano	128	-	-	-	-	-	3	-	-	1	-	1	12	-
11	Jackson	11	-	-	-	-	-	-	-	-	-	-	-	2	1
12	Jefferson	384	-	-	1	-	-	42	-	-	4	-	2	43	1
13	Kiowa	28	-	-	-	-	-	-	-	-	-	-	-	3	-
14	Kit Carson	54	-	-	-	-	-	-	-	-	-	-	-	6	-
15	Lake	77	-	-	-	-	-	-	-	-	-	1	-	2	-
16	La Plata	134	-	-	-	-	-	4	-	-	2	-	-	12	1
17	Larimer	333	-	-	-	-	-	5	-	-	-	1	2	43	-
18	Fort Collins	99	-	-	-	-	-	2	-	-	-	-	-	12	-
19	Balance of county	234	-	-	-	-	-	3	-	-	-	1	2	31	-
20	Las Animas	298	-	-	1	-	-	11	-	-	1	-	-	30	3
21	Trinidad	160	-	-	1	-	-	8	-	-	-	-	-	18	2
22	Balance of county	138	-	-	-	-	-	3	-	-	1	-	-	12	1
23	Lincoln	33	-	-	-	-	-	2	-	-	-	-	-	6	-
24	Logan	150	-	-	-	-	-	2	-	-	-	-	1	28	1
25	Mesa	336	-	1	-	-	-	6	2	-	3	1	3	42	-
26	Grand Junction	186	-	1	-	-	-	4	2	-	3	1	2	23	-
27	Balance of county	150	-	-	-	-	-	2	-	-	-	-	1	19	-
28	Mineral	5	-	-	-	-	-	1	-	-	-	-	-	-	-
29	Moffat	40	-	-	-	-	-	-	-	-	-	-	-	3	-
30	Montezuma	75	-	-	-	-	-	2	-	-	-	-	-	11	-
31	Montrose	131	-	-	-	-	-	2	1	-	-	1	-	16	-
32	Morgan	166	-	-	-	-	1	8	-	-	1	1	-	19	1
33	Otero	240	1	-	1	1	2	8	1	-	-	-	2	26	-
34	Ouray	25	-	-	-	-	-	-	-	-	-	-	-	2	-
35	Park	18	-	-	-	-	-	-	-	-	-	-	-	5	-
36	Phillips	39	-	-	-	-	-	-	-	-	-	-	1	2	-
37	Pitkin	16	-	-	-	-	-	-	-	-	-	-	-	1	-
38	Prowers	106	-	-	-	-	-	1	-	-	-	-	-	18	-
39	Pueblo	1,011	1	-	-	-	1	39	2	-	28	-	2	105	2
40	Pueblo	881	1	-	-	-	-	35	-	-	26	-	2	89	1
41	Balance of county	130	-	-	-	-	1	4	2	-	2	-	-	16	1
42	Rio Blanco	27	-	-	-	-	-	2	-	-	-	-	-	1	-
43	Rio Grande	136	1	1	-	-	-	-	3	-	-	-	-	9	-
44	Routt	73	-	-	-	-	-	-	-	-	1	-	-	9	-
45	Saguache	42	1	-	-	-	-	1	2	-	-	-	-	2	-
46	San Juan	11	-	-	-	-	-	2	-	-	-	-	-	1	-
47	San Miguel	24	-	-	-	-	-	1	-	-	-	-	-	1	-
48	Sedgwick	43	-	-	-	-	-	-	-	-	-	-	1	6	-
49	Summit	19	-	-	-	-	-	-	-	-	-	-	-	5	-
50	Teller	55	-	-	-	1	-	-	-	-	-	-	-	5	-
51	Washington	59	-	-	-	-	-	1	-	-	1	2	1	8	-
52	Weld	509	-	-	-	1	4	13	1	-	4	1	3	56	1
53	Greeley	226	-	-	-	-	-	4	1	-	1	-	-	31	1
54	Balance of county	283	-	-	-	1	4	9	-	-	3	1	3	25	-
55	Yuma	84	-	-	-	1	-	-	-	-	1	-	2	10	-
56	CONNECTICUT	19,127	1	16	2	5	6	589	1	-	113	3	17	3,032	13
57	Fairfield	4,721	1	3	1	1	-	134	-	-	20	1	3	773	5
58	Bridgeport	1,673	1	-	1	-	-	50	-	-	6	-	1	284	2
59	Danbury	331	-	-	-	-	-	3	-	-	3	-	-	42	-
60	Norwalk	475	-	-	-	-	-	12	-	-	1	-	-	94	-
61	Shelton	95	-	-	-	-	-	24	-	-	2	-	-	13	-
62	Stamford	647	-	2	-	-	-	12	-	-	3	-	2	102	1
63	Stratford (town)	165	-	1	-	-	-	1	-	-	1	-	-	24	-
64	Balance of county	1,335	-	-	-	1	-	32	-	-	4	1	-	214	2
65	Hartford	4,693	-	4	1	2	2	174	1	-	28	-	6	819	4
66	Bristol	282	-	1	-	1	-	12	-	-	1	-	-	33	-
67	East Hartford (town)	221	-	-	-	-	-	1	-	-	2	-	-	39	-
68	Hartford	1,819	-	1	1	1	1	76	-	-	15	-	1	312	1
69	New Britain	640	-	1	-	-	-	26	-	-	2	-	-	114	2
70	West Hartford (town)	340	-	-	-	-	-	5	-	-	1	-	3	58	-
71	Balance of county	1,391	-	1	-	-	1	54	1	-	7	-	2	263	1
72	Litchfield	934	-	2	-	-	-	15	-	-	2	-	-	147	1
73	Torrington	249	-	1	-	-	-	7	-	-	1	-	-	46	-
74	Balance of county	685	-	1	-	-	-	8	-	-	1	-	-	101	1
75	Middlesex	892	-	-	-	-	-	35	-	-	18	-	-	118	-
76	Middletown	521	-	-	-	-	-	33	-	-	18	-	-	63	-
77	Balance of county	371	-	-	-	-	-	2	-	-	-	-	-	55	-
78	New Haven	5,324	-	6	-	2	2	154	-	-	29	2	7	834	3
79	Ansonia	193	-	-	-	-	-	2	-	-	-	-	-	32	1
80	Derby	132	-	-	-	-	-	1	-	-	-	1	1	22	-
81	Meriden	417	-	-	-	-	-	34	-	-	2	1	-	65	-
82	Naugatuck	159	-	1	-	-	1	5	-	-	-	-	-	24	-
83	New Haven	1,897	-	1	-	-	-	50	-	-	14	-	3	312	1
84	Wallingford	170	-	-	-	-	-	4	-	-	1	-	1	25	-
85	Waterbury	1,068	-	1	-	-	-	34	-	-	3	-	-	169	-
86	West Haven (town)	258	-	1	-	-	-	3	-	-	3	-	-	41	-
87	Balance of county	1,030	-	2	-	2	1	21	-	-	6	-	2	144	1
88	New London	1,622	-	1	-	-	1	64	-	-	12	-	-	220	-
89	New London	323	-	-	-	-	-	9	-	-	-	-	-	59	-
90	Norwich	391	-	1	-	-	1	28	-	-	1	-	-	59	-
91	Balance of county	908	-	-	-	-	-	27	-	-	11	-	-	102	-
92	Tolland	329	-	-	-	-	-	3	-	-	1	-	-	46	-
93	Windham	612	-	-	-	-	1	10	-	-	3	-	1	73	-
94	Willimantic	143	-	-	-	-	1	3	-	-	-	-	1	11	-
95	Balance of county	469	-	-	-	-	-	7	-	-	3	-	-	62	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 182, 199,200	All other causes	
18	-	72	218	40	3	46	4	61	9	3	18	30	7	95	1
17	-	82	193	38	3	59	4	52	8	2	14	28	6	90	2
1	-	10	25	2	-	7	-	9	1	1	4	2	1	5	3
6	-	22	61	9	1	14	-	10	2	-	5	9	-	26	4
-	-	14	22	2	-	4	-	8	4	-	2	10	2	12	5
1	-	-	1	2	-	2	-	-	-	-	1	2	-	3	6
-	-	3	7	2	-	-	-	2	1	-	1	3	-	3	7
-	-	-	16	4	-	3	-	4	3	-	2	2	-	6	8
-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	9
5	-	7	41	3	5	6	2	9	-	-	3	11	1	18	10
-	-	-	5	-	-	1	-	1	-	-	1	-	-	-	11
7	-	13	84	19	-	41	3	20	7	2	18	22	-	55	12
-	-	2	7	1	1	3	-	2	-	-	1	-	-	8	13
3	-	6	12	2	-	2	-	2	-	-	2	6	1	12	14
-	-	6	19	11	1	4	-	10	3	1	2	4	2	11	15
3	-	11	30	8	1	14	3	11	2	-	5	6	8	13	16
4	1	40	88	15	4	11	-	24	5	2	19	17	6	46	17
2	-	13	25	6	3	3	-	8	-	-	6	5	1	13	18
2	1	27	63	9	1	8	-	16	5	2	13	12	5	33	19
5	-	23	64	31	4	29	3	28	2	3	7	18	3	32	20
3	-	13	29	18	3	16	1	16	2	1	3	4	2	20	21
2	-	10	35	13	1	13	2	12	-	2	4	14	1	12	22
-	-	4	10	1	-	-	-	3	-	-	1	2	1	3	23
5	-	15	38	1	3	12	2	10	3	2	6	11	-	10	24
3	-	31	98	18	1	19	-	21	5	1	14	12	5	50	25
1	-	19	58	6	1	12	-	8	1	1	8	6	2	27	26
2	-	12	40	12	-	7	-	13	4	-	6	6	3	23	27
-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	28
-	-	2	12	3	-	3	-	5	3	-	3	4	-	2	29
2	-	4	17	3	3	-	-	7	-	2	2	4	5	13	30
2	-	10	38	4	1	11	2	16	2	-	4	3	1	19	31
1	1	9	41	10	3	13	2	14	2	-	9	17	-	13	32
7	-	16	66	11	14	11	-	23	1	2	7	12	4	24	33
-	-	3	5	3	-	3	-	1	-	-	3	4	-	1	34
-	-	1	5	1	-	1	-	1	-	-	1	2	-	1	35
1	-	4	8	1	-	1	-	6	2	-	2	3	-	8	36
-	-	-	12	-	-	-	-	-	-	-	-	1	-	2	37
-	-	10	28	4	1	12	-	5	3	1	9	5	-	9	38
18	-	77	234	113	11	32	6	59	12	5	16	55	34	159	39
14	-	72	207	99	7	30	6	50	11	4	14	44	34	135	40
4	-	5	27	14	4	2	-	9	1	1	2	11	-	24	41
-	-	2	3	-	-	-	-	4	2	-	3	4	3	3	42
1	-	6	26	13	13	7	1	20	1	1	5	7	5	16	43
1	-	3	24	5	-	3	1	3	1	-	3	9	2	8	44
-	-	5	1	11	1	4	1	6	1	-	1	2	-	3	45
-	-	-	2	1	-	2	-	-	-	-	-	1	-	2	46
-	-	2	5	1	-	-	-	3	1	-	-	3	-	7	47
-	-	4	13	-	-	1	-	6	1	-	3	1	2	5	48
1	-	1	7	-	-	-	-	-	-	-	-	2	2	1	49
-	-	8	9	1	-	2	1	6	-	-	4	4	9	5	50
2	-	2	17	3	-	2	-	4	-	-	4	5	-	7	51
7	-	42	132	29	3	16	1	55	5	1	25	24	6	79	52
3	-	24	56	14	-	9	-	21	1	1	9	8	4	38	53
4	-	18	76	15	3	7	1	34	4	-	16	16	2	41	54
4	-	4	16	10	-	9	-	4	1	-	3	6	3	10	55
661	3	1,562	6,834	620	71	911	38	1,002	253	31	264	749	142	2,188	56
142	1	407	1,721	186	13	194	9	222	62	10	69	195	27	521	57
58	-	127	670	47	6	49	5	89	15	5	17	71	3	166	58
8	1	33	117	8	2	33	-	18	5	-	3	10	2	43	59
11	-	48	168	17	1	16	1	19	4	2	8	11	2	60	60
4	-	8	29	-	-	3	1	5	3	-	1	2	-	-	61
28	-	61	213	23	-	40	-	33	8	2	7	36	2	72	62
4	-	16	68	7	1	5	-	15	4	1	3	3	2	9	63
29	-	114	456	84	3	48	2	43	23	-	30	62	16	171	64
168	-	317	1,645	123	25	224	8	251	64	7	64	194	17	545	65
3	-	18	93	10	1	19	1	19	3	-	6	17	-	44	66
5	-	12	87	5	3	5	1	16	2	-	2	11	1	29	67
83	-	102	696	42	8	66	1	80	27	5	17	72	6	205	68
23	-	48	210	14	4	47	1	38	14	2	4	25	-	64	69
9	-	30	116	9	3	17	1	28	-	-	7	12	-	41	70
45	-	106	443	43	6	70	3	70	18	-	28	57	10	162	71
43	1	75	319	29	2	53	2	56	22	-	14	36	14	101	72
16	1	15	76	6	-	10	1	12	5	-	5	10	-	37	73
27	-	60	243	23	2	43	1	44	17	-	9	26	14	64	74
25	-	88	311	46	2	40	2	33	9	3	5	54	2	101	75
12	-	49	173	38	2	21	1	18	4	2	1	24	-	61	76
13	-	39	138	7	-	19	1	15	5	1	4	30	2	40	77
202	1	469	1,857	161	20	243	13	304	53	9	78	177	62	536	78
7	-	16	79	6	-	14	-	13	4	-	1	5	1	12	79
3	1	13	41	4	-	8	-	12	-	-	1	12	-	12	80
19	-	46	131	15	-	14	-	15	-	3	4	9	-	59	81
2	-	10	54	6	1	6	-	10	6	-	3	7	3	20	82
82	-	148	680	59	8	89	4	90	13	2	28	65	30	218	83
3	-	27	61	3	-	3	-	6	1	-	5	8	3	19	84
38	-	89	338	40	6	48	6	84	19	1	14	33	4	141	85
12	-	30	96	8	-	14	-	12	2	-	2	7	2	25	86
36	-	90	377	20	5	47	3	62	8	3	20	31	19	130	87
54	-	118	618	46	7	104	2	88	22	1	19	58	15	172	88
17	-	22	128	5	1	12	1	20	3	-	3	14	-	29	89
8	-	28	127	8	2	40	-	23	4	1	4	11	1	44	90
29	-	68	363	33	4	52	1	45	15	-	12	33	14	99	91
7	-	24	139	7	-	24	1	12	6	1	3	14	2	37	92
20	-	64	224	22	2	29	1	36	15	-	12	21	3	75	93
3	-	12	59	2	1	15	-	10	7	-	1	6	-	12	94
17	-	52	166	20	1	14	1	26	9	-	11	15	3	62	95

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
1	DELAWARE	3,229	-	4	-	3	2	133	1	-	35	2	3	373	1
2	Kent	542	-	-	-	-	1	10	-	-	3	1	-	52	-
3	New Castle	2,065	-	2	-	1	-	96	1	-	27	1	2	264	-
4	Wilmington	1,322	-	2	-	-	-	57	-	-	15	1	1	181	-
5	Balance of county	743	-	-	-	1	-	39	1	-	12	-	1	83	-
6	Sussex	622	-	2	-	2	1	27	-	-	5	-	1	57	1
7	DISTRICT OF COLUMBIA	8,289	6	8	-	3	2	488	-	1	115	7	4	1,134	9
8	FLORIDA	23,005	11	31	1	10	30	721	21	20	297	27	43	2,549	28
9	Alachua	440	1	1	-	1	-	12	-	1	2	2	-	43	-
10	Gainesville	193	-	1	-	-	-	10	-	-	1	-	-	21	-
11	Balance of county	247	1	-	-	1	-	2	-	1	1	2	-	22	-
12	Baker	56	-	-	-	-	1	3	-	-	2	-	-	5	-
13	Bay	243	-	-	-	1	-	4	-	1	1	-	-	21	-
14	Panama City	144	-	-	-	1	-	3	-	1	-	-	-	11	-
15	Balance of county	99	-	-	-	-	-	1	-	-	1	-	-	10	-
16	Bradford	127	-	-	-	-	-	2	-	-	1	-	-	5	-
17	Brevard	213	-	-	-	-	1	8	-	-	1	-	1	24	2
18	Broward	522	-	-	-	1	1	12	2	-	4	3	2	68	-
19	Fort Lauderdale	240	-	-	-	-	1	6	-	-	1	2	1	28	-
20	Balance of county	282	-	-	-	1	-	6	2	-	3	1	1	40	-
21	Calhoun	69	-	-	-	-	1	2	-	-	-	-	-	4	-
22	Charlotte	36	-	-	-	-	-	1	-	-	1	-	-	8	-
23	Citrus	43	-	-	-	-	-	-	-	-	-	1	-	1	-
24	Clay	124	-	-	-	-	-	-	-	-	-	-	-	11	1
25	Collier	33	-	-	-	-	-	1	-	-	-	-	-	4	-
26	Columbia	167	-	-	1	-	-	6	-	-	2	-	-	10	-
27	Dade	3,357	2	5	-	1	2	118	2	1	37	1	8	443	3
28	Miami	2,184	-	4	-	1	1	84	1	1	26	-	5	296	1
29	Miami Beach	305	1	-	-	-	-	5	-	-	1	1	1	40	-
30	Balance of county	868	1	1	-	-	1	29	1	-	10	-	2	107	2
31	De Soto	64	-	-	-	-	-	1	-	-	-	-	-	9	-
32	Dixie	28	-	-	-	-	-	-	-	-	-	1	-	2	-
33	Duval	2,679	1	2	-	1	1	122	2	2	20	1	5	236	6
34	Jacksonville	2,246	1	1	-	1	1	101	2	2	20	1	5	195	6
35	Balance of county	433	-	1	-	-	-	21	-	-	-	-	-	41	-
36	Escambia	848	-	3	-	-	4	36	2	-	9	-	1	94	-
37	Pensacola	524	-	3	-	-	2	22	1	-	8	-	1	57	-
38	Balance of county	324	-	-	-	-	2	14	1	-	1	-	-	37	-
39	Flagler	44	-	-	-	-	-	1	-	-	-	-	-	2	-
40	Franklin	50	1	-	-	-	-	-	-	1	-	-	-	1	-
41	Gadsden	640	3	1	-	1	1	30	3	-	112	-	-	41	3
42	Gilchrist	46	-	-	-	-	-	-	-	-	-	-	1	2	-
43	Glades	14	-	-	-	-	-	-	-	-	1	-	-	1	-
44	Gulf	49	-	-	-	-	-	2	-	-	-	-	1	6	-
45	Hamilton	91	-	-	-	1	-	4	-	2	-	-	-	2	-
46	Hardee	88	-	-	-	-	-	2	-	-	-	1	1	12	-
47	Hendry	41	-	-	-	-	-	2	-	1	-	-	-	2	-
48	Hernando	64	-	-	-	-	-	1	-	-	1	-	-	4	-
49	Highlands	99	-	-	-	-	-	2	-	-	1	-	-	16	-
50	Hillsborough	2,107	2	7	-	-	5	81	-	1	16	1	5	248	4
51	Tampa	1,424	1	3	-	-	3	62	-	-	13	1	1	180	4
52	Balance of county	683	1	4	-	-	2	19	-	1	3	-	4	68	-
53	Holmes	115	-	-	-	-	1	3	-	-	2	1	-	12	-
54	Indian River	122	-	-	-	-	2	3	-	-	1	-	-	15	1
55	Jackson	256	-	-	-	-	-	12	-	1	2	1	-	20	1
56	Jefferson	119	-	-	-	-	-	-	1	1	2	-	1	7	1
57	Lafayette	32	-	-	-	-	-	1	1	-	-	1	-	5	-
58	Lake	334	-	1	-	1	1	10	-	1	4	-	-	33	1
59	Lee	219	-	-	-	-	1	8	-	-	-	-	-	29	-
60	Fort Myers	166	-	-	-	-	1	6	-	-	-	-	-	21	-
61	Balance of county	53	-	-	-	-	-	-	-	-	-	-	-	8	-
62	Leon	301	-	-	-	-	-	4	-	-	1	-	1	20	-
63	Tallahassee	164	-	-	-	-	-	2	-	-	-	-	-	10	-
64	Balance of county	137	-	-	-	-	-	2	-	-	1	-	1	10	-
65	Levy	112	-	-	-	-	-	2	-	-	-	-	-	10	-
66	Liberty	37	-	-	-	-	1	-	-	-	-	-	-	3	-
67	Madison	159	-	-	-	-	-	5	-	1	2	1	-	10	-
68	Manatee	315	-	-	-	-	1	3	1	3	2	-	-	42	-
69	Marion	363	-	2	-	1	1	9	-	1	2	-	1	25	-
70	Martin	62	-	-	-	-	-	1	-	-	1	-	-	4	-
71	Monroe	182	-	-	-	-	-	6	1	-	-	-	4	29	-
72	Key West	172	-	-	-	-	-	4	1	-	-	-	4	27	-
73	Balance of county	10	-	-	-	-	-	2	-	-	-	-	-	2	-
74	Nassau	114	-	-	-	-	-	1	-	-	-	-	-	13	-
75	Okaloosa	125	-	-	-	-	-	1	-	-	-	-	1	7	-
76	Okeechobee	20	-	-	-	-	-	1	-	-	-	-	-	1	-
77	Orange	952	1	1	-	-	-	32	-	-	8	-	1	118	-
78	Orlando	633	1	1	-	-	-	20	-	-	5	-	1	84	-
79	Balance of county	319	-	-	-	-	-	12	-	-	3	-	-	34	-
80	Osceola	185	-	-	-	-	-	5	-	-	1	-	-	18	-
81	Palm Beach	920	-	2	-	1	-	26	3	-	10	4	-	107	1
82	West Palm Beach	425	-	-	-	-	-	12	-	-	6	-	-	51	-
83	Balance of county	495	-	2	-	1	-	14	3	-	4	4	-	56	1
84	Pasco	206	-	1	-	-	1	6	-	-	2	-	-	30	-
85	Pinellas	1,671	-	1	-	-	-	40	1	-	11	2	2	251	-
86	Clearwater	175	-	1	-	-	-	7	-	-	1	-	-	22	-
87	St. Petersburg	1,123	-	-	-	-	-	22	1	-	10	1	2	172	-
88	Balance of county	373	-	-	-	-	-	11	-	-	-	1	-	57	-
89	Polk	1,019	-	1	-	-	4	27	-	1	17	1	2	111	1
90	Lakeland	292	-	-	-	-	-	9	-	-	3	-	2	36	-
91	Balance of county	727	-	1	-	-	4	18	-	1	14	1	-	75	1
92	Putnam	234	-	-	-	-	-	4	1	-	2	1	-	26	-
93	St. Johns	248	-	-	-	-	-	5	1	-	4	-	1	36	-
94	St. Augustine	193	-	-	-	-	-	2	-	-	3	-	1	30	-
95	Balance of county	55	-	-	-	-	-	3	1	-	1	-	-	6	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
69	-	283	1,072	130	16	307	9	147	33	24	76	140	21	345	1
19	-	57	208	16	2	66	-	17	6	5	10	14	5	50	2
42	-	181	677	90	10	172	5	90	20	13	45	86	10	230	3
32	-	117	401	64	7	114	4	59	17	8	25	60	6	151	4
10	-	64	276	26	3	58	1	31	3	5	20	26	4	79	5
8	-	45	187	24	4	69	4	40	7	6	21	40	6	65	6
221	3	581	2,317	286	80	690	31	613	144	112	98	350	20	966	7
430	32	2,209	5,759	1,087	137	1,475	159	1,496	263	392	714	1,514	926	2,823	8
11	-	53	107	26	6	31	3	26	6	10	14	18	18	48	9
5	-	21	53	7	1	12	-	13	2	5	3	10	7	21	10
6	-	32	54	19	5	19	3	13	4	5	11	8	11	27	11
-	-	3	10	3	-	5	2	2	-	2	1	2	2	13	12
3	1	18	40	20	3	15	4	33	2	8	16	19	7	28	13
2	-	10	29	8	1	10	4	17	1	5	8	13	4	16	14
1	1	8	11	12	2	3	-	16	1	3	8	6	3	12	15
2	-	10	37	15	3	8	-	5	1	1	2	17	6	12	16
6	1	32	43	15	-	8	-	7	4	4	9	14	7	26	17
10	1	49	126	15	1	30	5	47	6	16	20	32	9	62	18
7	-	17	73	7	-	17	-	17	5	8	4	14	2	30	19
3	1	32	53	8	1	13	5	30	1	8	16	18	7	32	20
1	-	8	21	3	1	2	1	6	2	3	2	2	2	8	21
-	-	5	10	-	-	2	-	1	1	-	-	-	4	3	22
1	-	8	13	1	-	2	1	2	-	3	2	3	1	6	23
1	1	23	24	3	-	6	-	7	3	1	5	23	3	12	24
-	-	-	6	-	-	4	2	5	-	2	-	4	2	3	25
1	1	18	30	9	2	10	-	13	1	2	5	14	8	34	26
58	-	259	1,008	137	15	160	20	207	60	51	111	168	48	432	27
35	-	174	625	88	11	108	14	125	45	30	59	111	32	307	28
8	-	22	132	15	1	15	1	15	4	-	5	9	1	28	29
15	-	63	251	34	3	37	5	67	11	21	47	48	15	97	30
2	-	8	13	1	-	11	-	2	-	1	2	6	-	8	31
-	-	3	11	1	-	-	-	2	-	-	1	2	2	3	32
55	1	256	582	145	12	134	21	207	22	74	106	147	184	334	33
49	1	222	501	124	11	115	18	172	18	64	79	103	143	280	34
6	-	34	81	21	1	19	3	35	4	10	27	44	41	44	35
12	2	80	214	44	7	38	7	84	11	15	27	51	18	89	36
11	-	48	153	29	4	23	2	47	7	6	8	28	8	56	37
1	2	32	61	15	3	15	5	37	4	9	19	23	10	33	38
1	-	6	7	1	-	6	-	2	-	2	-	7	6	3	39
1	-	6	10	1	-	2	-	3	-	1	1	4	11	7	40
7	2	44	173	40	3	54	7	16	1	3	5	23	19	48	41
-	-	6	8	5	-	5	1	1	1	2	1	4	3	6	42
-	-	5	3	-	-	-	-	-	-	-	-	3	-	1	43
-	-	4	7	7	-	2	-	3	-	1	3	4	5	4	44
2	-	8	17	11	3	7	1	6	1	2	1	6	4	13	45
1	-	10	17	5	1	3	1	6	-	1	2	5	8	12	46
-	-	4	10	2	1	1	1	5	-	2	1	2	1	8	47
1	1	7	21	2	-	3	1	6	2	-	2	4	-	8	48
-	1	9	23	7	-	7	1	7	1	2	5	5	4	8	49
40	6	174	494	85	19	179	9	179	26	34	62	99	88	255	50
28	4	124	343	56	3	121	5	107	16	28	30	53	60	178	51
12	2	50	141	29	16	58	4	72	10	6	32	46	28	77	52
1	1	8	28	3	-	13	1	6	1	2	6	5	5	16	53
1	-	13	27	2	-	5	1	6	1	3	7	15	8	11	54
2	-	34	47	15	1	15	3	20	2	3	7	22	17	31	55
2	-	18	9	8	-	9	3	2	-	1	5	9	34	6	56
1	-	3	5	-	-	1	-	3	-	-	2	2	1	6	57
3	1	35	70	22	1	39	3	20	1	7	10	21	10	39	58
7	-	18	56	5	1	19	3	12	3	2	2	16	4	35	59
6	-	15	45	4	1	13	1	9	1	1	2	13	2	25	60
1	-	3	11	1	-	6	2	3	2	1	-	3	2	10	61
8	2	17	59	13	3	52	3	24	2	8	9	15	23	37	62
6	1	13	34	6	2	32	2	9	1	2	7	9	4	24	63
2	1	4	25	7	1	20	1	15	1	6	2	6	19	13	64
4	-	23	15	5	1	6	-	10	1	1	7	6	4	17	65
-	-	8	5	3	-	4	1	-	-	-	-	2	7	3	66
1	-	18	36	11	1	18	1	10	2	1	3	5	8	24	67
6	-	35	89	13	-	26	-	19	2	-	9	11	15	38	68
7	-	33	100	26	2	35	6	24	4	3	9	24	13	35	69
1	-	5	16	-	-	9	-	7	1	2	5	3	1	6	70
3	-	12	32	20	1	7	-	16	1	2	4	8	16	20	71
3	-	12	31	20	1	7	-	16	-	2	4	5	16	19	72
-	-	-	1	-	-	-	-	-	1	-	-	3	-	1	73
-	-	14	29	4	-	7	2	6	-	4	9	6	8	11	74
3	-	10	18	12	-	11	2	9	5	-	6	13	16	11	75
-	-	2	4	2	-	-	-	1	-	-	1	5	1	2	76
19	-	90	294	43	2	56	3	57	20	12	27	39	14	115	77
15	-	64	195	25	1	33	1	37	14	7	17	21	10	81	78
4	-	26	99	18	1	23	2	20	6	5	10	18	4	34	79
5	1	20	54	8	3	13	1	4	1	2	5	11	9	24	80
15	1	82	227	48	5	44	6	74	11	21	37	54	34	107	81
6	-	39	112	20	-	26	2	30	6	9	14	23	11	58	82
9	1	43	115	28	5	18	4	44	5	12	23	31	23	49	83
4	-	20	50	5	2	13	3	8	2	1	8	20	1	29	84
41	1	198	514	38	6	81	7	68	27	8	24	68	43	239	85
3	-	28	44	3	-	3	2	12	1	1	2	11	4	30	86
32	1	123	362	27	5	60	2	36	22	7	15	40	26	157	87
6	-	47	108	8	1	18	3	20	4	-	7	17	13	52	88
24	-	101	256	46	11	58	7	86	3	19	31	60	43	128	89
9	-	27	74	15	3	17	1	19	1	4	7	20	5	40	90
15	-	74	182	31	8	42	6	47	2	15	24	40	38	88	91
3	-	15	62	13	3	18	2	21	-	4	7	15	10	27	92
7	1	19	61	10	2	21	2	10	3	2	5	21	9	28	93
6	-	12	51	9	1	18	2	8	3	2	4	14	4	23	94
1	1	7	10	1	1	3	-	2	-	-	1	7	5	5	95

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	FLORIDA—Continued														
1	St. Lucie	130	-	1	-	-	-	4	-	-	2	-	-	8	-
2	Santa Rosa	156	-	-	-	-	-	3	-	-	1	-	-	13	2
3	Sarasota	231	-	-	-	-	-	4	-	-	2	-	1	27	-
4	Sarasota	183	-	-	-	-	-	4	-	-	2	-	-	26	-
5	Balance of county	48	-	-	-	-	-	-	-	-	-	-	1	1	-
6	Seminole	238	-	-	-	-	-	8	-	-	3	-	-	29	-
7	Sanford	128	-	-	-	-	-	5	-	-	2	-	-	18	-
8	Balance of county	110	-	-	-	-	-	3	-	-	1	-	-	11	-
9	Sumter	108	-	-	-	-	-	3	-	1	-	-	1	10	-
10	Suwannee	169	-	-	-	-	-	4	-	-	1	1	-	17	-
11	Taylor	82	-	-	-	-	-	2	-	-	-	-	1	9	-
12	Union	76	-	-	-	-	-	9	-	-	1	1	-	7	-
13	Volusia	759	-	-	-	-	-	11	-	-	2	2	1	91	1
14	Daytona Beach	333	-	-	-	-	-	9	-	-	1	-	-	37	-
15	Balance of county	426	-	-	-	-	-	2	-	-	1	2	1	54	1
16	Wakulla	33	-	1	-	-	-	1	-	-	-	-	-	4	-
17	Walton	117	-	-	-	-	-	5	-	-	-	-	-	16	-
18	Washington	102	-	1	-	-	-	1	-	-	-	-	-	12	-
19	GEORGIA	27,511	11	32	1	59	44	1,070	35	14	340	40	8	2,440	35
20	Appling	82	-	-	-	-	-	3	-	-	-	-	-	7	1
21	Atkinson	37	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Bacon	64	-	-	-	-	-	2	-	-	-	-	-	6	-
23	Baker	28	-	-	-	-	-	1	-	-	-	-	-	3	-
24	Baldwin	906	-	-	-	-	1	122	-	-	117	-	1	33	-
25	Banks	43	-	-	-	-	-	2	-	-	1	-	-	3	-
26	Barrow	110	-	1	-	-	-	-	-	-	-	-	-	9	-
27	Bartow	260	-	3	-	1	-	12	2	-	3	-	-	23	1
28	Ben Hill	141	-	-	-	-	-	1	-	1	-	-	-	10	-
29	Berrien	102	-	1	-	-	-	2	-	-	-	-	-	6	-
30	Bibb	938	-	2	-	2	-	39	1	-	16	-	-	86	-
31	Macon	809	-	1	-	2	-	33	1	-	16	-	-	69	-
32	Balance of county	129	-	1	-	-	-	6	-	-	-	-	-	17	-
33	Blackley	89	-	-	-	-	-	3	-	-	1	-	-	6	-
34	Brantley	51	-	-	-	-	1	1	-	-	-	-	-	6	-
35	Brooks	160	-	-	-	-	-	7	-	2	1	2	-	11	-
36	Bryan	58	-	-	-	-	-	3	-	-	-	-	-	4	-
37	Bulloch	197	1	-	-	-	-	4	-	-	1	-	-	8	-
38	Burke	201	-	-	-	-	-	1	1	-	4	1	-	13	-
39	Butts	91	-	-	-	-	-	1	-	1	-	-	-	6	-
40	Calhoun	89	-	-	-	-	-	1	-	-	3	-	-	5	-
41	Camden	61	-	-	-	-	-	4	-	-	-	-	-	5	-
42	Candler	50	-	-	-	-	-	2	-	-	-	-	-	6	-
43	Carroll	261	-	-	-	3	2	9	-	-	-	-	-	25	-
44	Catoosa	68	-	-	-	1	-	4	-	-	-	-	-	8	-
45	Charlton	36	-	-	-	1	1	-	-	-	-	-	-	7	-
46	Chatham	1,547	-	1	-	1	1	65	1	1	14	3	-	139	2
47	Savannah	1,293	-	1	-	1	1	52	1	1	11	1	-	117	2
48	Balance of county	254	-	-	-	-	-	13	-	-	3	2	-	21	-
49	Chattahoochee	39	-	-	-	-	-	1	-	-	-	-	1	3	-
50	Chattooga	119	-	-	-	-	-	17	-	-	-	-	-	16	-
51	Cherokee	152	-	-	-	-	-	3	-	-	2	-	-	15	-
52	Clarke	293	-	-	-	2	-	10	1	-	5	-	-	30	-
53	Athens	236	-	-	-	2	-	9	-	-	4	-	-	28	-
54	Balance of county	57	-	-	-	-	-	1	1	-	1	-	-	2	-
55	Clay	61	-	-	-	-	-	-	-	-	-	-	-	4	-
56	Clayton	81	-	-	-	-	-	3	1	-	1	2	-	9	-
57	Clinch	33	-	-	-	-	-	1	-	-	-	-	-	1	-
58	Cobb	348	-	1	-	-	-	11	-	1	1	1	-	42	1
59	Coffee	200	-	-	-	1	1	7	-	-	1	3	1	12	-
60	Colquitt	209	-	-	-	-	1	6	2	-	2	-	-	17	-
61	Moultrie	112	-	-	-	-	1	2	1	-	-	-	-	10	-
62	Balance of county	97	-	-	-	-	-	4	1	-	2	-	-	7	-
63	Columbia	70	-	-	-	-	-	-	-	-	1	-	-	6	-
64	Cook	95	-	-	-	2	-	3	-	-	2	-	-	9	-
65	Coweta	193	-	-	-	1	1	3	-	-	1	-	-	19	-
66	Crawford	35	-	1	-	-	-	-	-	-	-	-	-	1	-
67	Crisp	152	-	-	-	2	-	5	1	-	3	-	-	5	-
68	Dade	47	-	-	-	-	-	4	-	-	-	-	-	3	-
69	Dawson	20	-	-	-	-	-	1	-	-	-	-	-	2	-
70	Decatur	209	-	-	-	-	1	3	-	-	3	2	-	9	-
71	De Kalb	755	-	-	-	-	-	35	1	-	5	-	-	89	-
72	Atlanta (part)	249	-	-	-	-	-	9	-	-	1	-	-	32	-
73	Decatur	155	-	-	-	-	-	8	-	-	-	-	-	17	-
74	Balance of county	351	-	-	-	-	-	18	1	-	4	-	-	40	-
75	Dodge	108	-	-	-	-	2	3	-	-	-	1	-	6	1
76	Dooly	125	-	-	-	-	-	1	-	-	-	-	-	8	-
77	Dougherty	335	-	1	-	1	-	9	1	-	8	2	-	24	-
78	Albany	279	-	1	-	1	-	8	1	-	6	2	-	22	-
79	Balance of county	56	-	-	-	-	-	1	-	-	2	-	-	2	-
80	Douglas	68	-	-	-	-	-	1	-	-	-	-	-	4	-
81	Early	126	1	1	-	-	-	11	-	-	1	-	-	12	-
82	Echols	20	-	-	-	-	-	-	-	-	-	-	-	1	-
83	Effingham	91	-	1	-	-	-	2	-	-	-	-	-	8	-
84	Elbert	134	-	-	-	1	-	6	-	-	-	-	-	15	-
85	Emanuel	159	1	-	-	-	2	2	-	-	1	1	1	12	1
86	Evans	52	-	-	-	-	-	2	-	-	-	-	-	7	1
87	Fannin	122	1	-	-	-	1	6	-	-	-	-	-	9	-
88	Fayette	64	1	-	-	-	-	-	-	-	-	-	-	7	-
89	Floyd	420	-	-	-	1	-	29	-	-	6	-	-	54	1
90	Rome	242	-	-	-	1	-	12	-	-	4	-	-	37	-
91	Balance of county	178	-	-	-	-	-	17	-	-	2	-	-	17	1
92	Forsyth	71	-	-	-	-	-	2	-	-	-	-	-	4	-
93	Franklin	101	-	1	-	-	1	5	-	-	-	-	-	2	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
4	2	21	24	4	1	10	1	16	-	4	3	10	6	8	1
4	-	11	21	8	1	9	-	10	2	4	5	33	7	22	2
4	2	27	56	13	-	9	1	8	5	2	14	10	16	30	3
4	2	20	46	10	-	7	1	5	2	2	9	8	11	26	4
-	-	7	10	3	-	2	-	3	3	-	5	4	5	4	5
6	1	24	50	5	6	26	3	13	2	3	9	14	8	28	6
4	1	11	32	4	2	15	1	7	1	2	5	4	2	12	7
2	-	13	18	1	4	11	2	6	1	1	4	10	6	16	8
3	-	9	19	6	1	11	1	6	2	2	2	10	9	12	9
5	-	20	52	9	-	5	2	7	1	2	3	12	6	22	10
1	-	19	7	5	1	6	-	4	-	-	2	5	7	13	11
2	-	9	12	5	-	4	-	1	1	3	2	4	3	12	12
13	-	80	230	35	2	58	1	34	3	19	17	39	15	105	13
5	-	36	104	16	1	32	-	12	1	9	6	16	1	47	14
8	-	44	126	19	1	26	1	22	2	10	11	23	14	58	15
1	1	2	5	-	-	1	-	-	1	1	-	3	6	6	16
2	-	10	19	8	2	16	1	3	1	-	1	6	12	15	17
1	-	11	26	10	1	6	1	3	1	1	5	4	7	11	18
398	93	2,995	5,927	1,741	199	2,549	225	1,876	230	564	809	1,306	1,156	3,313	19
2	2	8	18	5	-	10	-	3	-	3	1	2	8	9	20
3	-	7	8	3	1	1	1	4	-	1	3	-	1	4	21
1	-	9	19	8	-	4	2	3	1	-	-	2	-	7	22
-	-	2	7	3	-	2	-	3	-	-	1	1	2	3	23
10	2	56	135	76	5	60	1	14	5	6	4	10	30	218	24
-	-	3	14	1	1	5	-	7	-	1	-	1	2	2	25
3	1	15	22	4	-	17	1	12	1	2	4	6	2	10	26
2	-	20	38	20	4	40	3	27	3	4	9	8	8	29	27
1	-	23	43	7	-	8	1	16	-	-	2	8	7	13	28
1	2	10	23	5	1	10	2	8	3	3	4	1	4	16	29
14	1	81	216	41	5	109	9	58	7	22	24	32	76	97	30
11	1	74	191	33	4	96	8	48	7	20	21	29	58	86	31
3	-	7	25	8	1	13	1	10	-	2	3	3	18	11	32
1	-	7	13	13	-	11	1	7	-	3	2	7	4	10	33
-	-	5	7	4	1	8	1	4	-	-	2	1	4	6	34
1	2	15	23	8	1	23	4	11	-	3	7	7	8	24	35
2	-	10	11	5	1	2	1	5	-	-	2	4	-	8	36
8	1	23	50	13	2	14	2	16	3	2	2	11	7	29	37
3	1	28	34	17	-	24	2	12	-	7	3	12	12	26	38
4	-	9	10	10	-	14	1	2	1	-	4	8	6	14	39
-	-	14	26	7	-	8	-	5	1	2	2	2	3	9	40
1	-	7	14	3	-	1	1	2	-	2	5	4	7	5	41
-	-	9	4	2	-	5	1	-	3	1	1	5	4	7	42
7	3	15	67	13	2	19	-	22	2	5	10	18	9	30	43
1	-	4	10	5	-	-	1	15	1	1	4	3	2	8	44
-	-	1	8	2	-	5	-	1	-	1	1	1	3	4	45
20	2	174	384	96	6	134	15	132	18	39	37	84	12	167	46
19	1	148	323	82	4	116	11	109	14	30	28	71	9	142	47
1	1	26	61	14	2	18	4	23	4	9	11	13	3	25	48
-	1	3	4	2	-	-	1	3	-	2	7	6	1	4	49
1	-	6	27	4	3	11	-	5	1	2	3	6	5	13	50
6	1	14	31	17	-	7	-	13	1	1	8	11	6	18	51
5	-	26	65	10	2	51	3	24	3	7	7	10	2	30	52
5	-	23	50	9	2	35	1	18	3	7	3	7	2	28	53
-	-	3	13	1	-	18	2	6	-	-	4	3	-	2	54
2	-	8	9	4	-	3	1	3	1	1	4	4	11	6	55
2	-	7	14	7	-	6	-	8	1	1	1	5	4	9	56
1	-	3	9	2	-	2	-	2	-	1	1	-	5	5	57
5	2	31	79	23	3	29	6	27	2	6	16	26	4	31	58
2	-	27	33	15	1	7	1	23	2	4	4	14	13	28	59
1	-	26	41	14	1	18	2	18	2	3	8	8	9	30	60
-	-	17	17	11	-	10	1	13	1	2	3	5	4	14	61
1	-	9	24	3	1	8	1	5	1	1	5	3	5	16	62
-	-	13	14	6	-	9	2	1	1	1	3	7	2	4	63
-	-	12	15	7	1	7	-	9	2	4	2	5	4	11	64
3	1	24	42	11	2	16	2	13	2	2	11	9	10	20	65
1	-	6	10	1	-	-	1	3	1	1	-	2	5	2	66
2	-	16	25	12	2	16	2	13	1	3	4	11	9	20	67
-	-	3	5	4	1	1	-	7	-	2	3	4	3	7	68
-	-	3	2	2	-	-	-	1	1	2	2	-	3	1	69
3	-	36	38	12	4	15	1	10	1	5	5	20	10	31	70
23	4	65	188	36	3	67	4	34	11	7	13	36	28	106	71
8	2	27	65	12	-	23	-	10	3	4	7	12	3	31	72
3	2	16	41	6	2	18	1	6	3	-	1	7	7	17	73
12	-	22	82	18	1	26	3	18	5	3	5	17	18	58	74
-	-	17	22	8	-	8	1	2	-	1	6	5	12	15	75
4	-	16	23	15	1	13	1	9	1	3	3	9	3	15	76
4	2	37	67	15	2	39	3	17	5	11	6	28	15	38	77
4	2	34	58	11	1	31	2	14	5	9	6	20	10	31	78
-	-	3	9	4	1	8	1	3	-	2	-	8	5	7	79
1	-	4	19	4	-	6	1	4	1	-	5	7	2	9	80
1	-	6	34	8	1	14	-	4	-	4	5	9	4	10	81
-	-	2	5	-	-	1	-	4	1	3	1	1	-	1	82
5	1	13	21	3	1	6	-	8	-	1	2	8	3	8	83
1	-	16	19	9	1	25	3	8	1	-	6	5	5	13	84
1	2	15	28	6	3	18	3	11	1	6	1	7	10	26	85
2	-	5	15	5	-	2	1	3	-	-	-	4	-	5	86
1	-	12	35	9	-	3	-	10	1	1	3	7	10	13	87
1	1	10	7	2	1	5	-	3	-	1	2	5	10	8	88
9	1	46	63	15	3	45	1	42	1	7	12	19	9	56	89
7	-	29	34	9	3	30	1	25	-	3	3	13	2	29	90
2	1	17	29	6	-	15	-	17	1	4	9	6	7	27	91
-	1	6	12	4	2	8	-	5	2	2	5	3	6	9	92
-	-	13	16	14	-	17	1	2	-	3	3	6	6	11	93

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	GEORGIA—Continued														
1	Fulton	4,272	-	5	-	5	2	206	6	1	29	2	1	489	2
2	Atlanta (part)[3]	3,430	-	4	-	4	1	164	5	1	29	2	-	416	2
3	Atlanta (total)[3]	3,879	-	4	-	4	1	173	5	1	30	2	-	448	2
4	District 1511, Center Hill[3]														
5	East Point	98	-	-	-	-	-	2	-	-	-	-	-	4	-
6	Balance of county	744	-	1	-	1	1	40	1	-	-	-	1	69	-
7	Gilmer	67	-	-	-	-	1	2	-	-	-	-	-	3	-
8	Glascock	33	-	1	-	-	1	-	-	-	1	-	-	1	-
9	Glynn	294	-	-	-	-	-	8	-	-	4	-	-	17	-
10	Brunswick	230	-	-	-	-	-	6	-	-	3	-	-	13	-
11	Balance of county	64	-	-	-	-	-	2	-	-	1	-	-	4	-
12	Gordon	107	-	1	-	-	-	4	-	-	-	-	-	9	-
13	Grady	132	-	-	-	-	1	2	1	-	-	-	-	11	-
14	Greene	137	-	-	-	-	1	4	-	-	-	1	-	12	1
15	Gwinnett	217	-	-	-	-	1	2	1	-	-	-	-	27	1
16	Habersham	121	-	-	-	1	1	8	-	-	3	-	-	8	-
17	Hall	232	1	-	-	-	1	6	-	-	1	-	-	14	1
18	Gainesville	116	-	-	-	-	1	4	-	-	-	-	-	10	-
19	Balance of county	116	1	-	-	-	-	2	-	-	1	-	-	4	1
20	Hancock	93	-	-	-	-	-	3	-	-	1	-	-	4	-
21	Haralson	86	-	-	-	1	-	3	-	-	-	1	1	4	-
22	Harris	109	-	1	-	1	-	2	1	-	-	-	-	9	-
23	Hart	76	-	-	-	-	-	-	-	-	-	-	-	4	-
24	Heard	58	-	-	-	1	-	1	2	-	-	1	-	7	-
25	Henry	119	-	-	-	-	-	7	-	-	1	-	-	13	-
26	Houston	127	-	-	-	2	1	3	-	-	2	-	-	10	-
27	Irwin	76	-	-	-	-	-	-	-	-	-	-	-	9	-
28	Jackson	135	1	-	-	-	-	1	-	-	-	1	-	13	-
29	Jasper	90	-	-	-	-	-	4	-	-	-	1	-	6	-
30	Jeff Davis	64	-	1	-	-	-	2	-	-	-	-	-	6	-
31	Jefferson	113	-	-	-	-	-	4	1	-	-	-	-	10	1
32	Jenkins	123	-	-	-	-	-	7	-	-	2	1	-	6	1
33	Johnson	69	-	-	-	-	-	1	-	-	-	-	-	4	-
34	Jones	60	-	-	-	-	-	3	-	-	1	-	-	6	-
35	Lamar	107	-	-	-	-	-	2	-	-	-	-	-	9	-
36	Lanier	21	-	-	-	-	-	-	-	-	-	-	-	5	-
37	Laurens	288	-	-	-	-	1	5	2	1	2	-	-	17	1
38	Lee	64	-	-	-	-	-	-	-	-	1	-	-	4	-
39	Liberty	68	-	-	-	1	-	3	-	-	-	1	-	6	1
40	Lincoln	22	-	-	-	-	-	1	-	-	-	-	-	4	-
41	Long	25	-	-	-	-	-	2	-	-	1	-	-	1	-
42	Lowndes	289	-	-	-	-	-	9	-	-	1	-	-	23	-
43	Valdosta	185	-	-	-	-	-	6	-	-	1	-	-	14	-
44	Balance of county	104	-	-	-	-	-	3	-	-	-	-	-	9	-
45	Lumpkin	45	-	-	-	-	-	1	-	-	-	-	-	2	-
46	McDuffie	78	-	-	-	-	-	2	-	-	-	-	-	7	-
47	McIntosh	60	-	-	-	-	-	1	-	-	-	-	-	3	-
48	Macon	136	-	-	-	1	1	2	-	-	2	-	-	12	-
49	Madison	89	-	-	-	1	-	-	-	-	1	-	-	5	-
50	Marion	58	-	-	-	-	-	3	-	-	1	-	-	2	-
51	Meriwether	168	1	1	-	-	-	3	-	-	1	-	-	17	-
52	Miller	65	-	-	-	-	1	1	-	-	1	-	-	3	1
53	Mitchell	179	-	-	-	1	1	4	1	-	2	-	-	13	1
54	Monroe	112	-	-	-	-	-	8	-	-	1	-	-	13	-
55	Montgomery	42	-	-	-	-	-	-	-	-	-	1	-	4	-
56	Morgan	104	-	-	-	1	-	2	-	-	3	-	-	7	1
57	Murray	84	-	-	-	-	1	3	-	-	1	-	-	7	-
58	Muscogee	791	-	3	-	4	1	32	1	-	5	2	-	59	2
59	Columbus	674	-	1	-	2	-	22	1	-	5	2	-	55	2
60	Balance of county	117	-	2	-	2	1	10	-	-	-	-	-	4	-
61	Newton	140	-	-	-	1	-	4	-	-	-	-	-	18	-
62	Oconee	63	-	1	-	-	-	1	-	-	2	-	-	3	-
63	Oglethorpe	80	-	-	-	1	1	1	-	-	1	-	-	7	-
64	Paulding	79	-	-	-	-	-	4	-	-	-	1	-	10	1
65	Peach	118	-	-	-	-	-	4	-	-	1	-	-	10	-
66	Pickens	57	1	-	-	-	-	-	-	-	-	-	-	4	1
67	Pierce	72	-	-	-	-	2	1	-	-	2	-	-	7	-
68	Pike	88	-	-	-	-	-	2	-	-	-	-	-	10	-
69	Polk	201	-	-	-	-	-	7	2	-	1	-	-	13	-
70	Pulaski	59	-	-	-	1	-	1	-	-	-	-	-	4	-
71	Putnam	78	-	-	-	-	-	1	-	-	-	-	-	5	-
72	Quitman	24	-	-	-	-	-	2	-	-	-	-	-	-	-
73	Rabun	30	-	-	-	-	-	-	-	-	1	-	-	6	-
74	Randolph	133	-	-	-	-	-	1	-	-	2	-	-	12	1
75	Richmond	995	1	-	-	1	-	62	-	1	23	4	-	123	1
76	Augusta	845	1	-	-	1	-	56	-	1	21	1	-	104	1
77	Balance of county	150	-	-	-	-	-	6	-	-	2	3	-	19	-
78	Rockdale	66	-	-	-	-	-	1	-	-	-	-	-	6	-
79	Schley	44	-	-	-	-	-	1	-	-	-	-	-	5	-
80	Screven	94	-	-	-	-	1	4	-	1	-	-	-	8	-
81	Seminole	72	-	-	-	-	-	1	-	2	-	-	-	9	-
82	Spalding	273	-	1	-	1	-	4	1	-	-	1	-	31	1
83	Griffin	182	-	1	-	1	-	2	1	-	-	1	-	20	1
84	Balance of county	91	-	-	-	-	-	2	-	-	-	-	-	11	-
85	Stephens	69	-	-	-	-	-	3	-	-	-	-	-	4	-
86	Stewart	94	-	-	-	-	-	1	-	-	1	-	-	8	-
87	Sumter	268	-	-	-	1	-	9	-	-	3	-	-	28	-
88	Talbot	79	-	-	-	-	-	1	1	-	1	-	-	10	1
89	Taliaferro	48	-	-	-	-	-	2	-	-	-	-	-	2	-
90	Tattnall	105	-	-	-	-	-	2	-	-	5	-	-	3	1
91	Taylor	62	-	-	-	2	-	-	-	-	-	-	-	2	-
92	Telfair	82	-	-	-	1	-	5	1	-	-	-	-	3	-
93	Terrell	159	-	-	-	-	-	4	-	-	1	-	-	6	-

[3]Figures for District 1511, Center Hill. are included in those for Atlanta.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
71	8	439	1,059	218	25	388	12	290	38	115	115	162	69	515	1
58	6	351	857	159	20	301	9	213	29	108	94	133	50	416	2
64	8	378	922	171	20	324	9	223	32	112	101	145	53	447	3
															4
4	-	7	23	13	-	12	-	14	1	-	3	2	3	10	5
11	2	81	179	46	5	75	3	63	8	7	16	27	16	89	6
-	2	5	12	5	1	8	1	7	1	1	2	6	2	8	7
-	-	9	5	2	-	2	-	-	-	-	1	5	2	3	8
2	-	22	58	29	13	30	5	38	1	7	6	10	9	35	9
1	-	14	45	25	12	24	5	34	1	6	6	5	4	26	10
1	-	8	13	4	1	6	-	4	-	1	-	5	5	9	11
2	1	11	22	9	-	6	-	9	3	-	7	4	5	14	12
3	-	20	17	9	4	10	-	14	2	-	4	7	10	17	13
1	-	14	26	17	2	16	2	3	1	2	4	4	9	17	14
1	2	24	49	13	2	18	1	18	3	4	9	11	7	23	15
5	3	15	25	8	1	6	1	8	-	-	1	9	5	13	16
2	1	19	45	17	-	28	1	13	1	1	14	20	21	25	17
1	-	7	24	4	-	15	1	6	-	1	8	9	9	16	18
1	1	12	21	13	-	13	-	7	1	-	6	11	12	9	19
1	-	19	20	6	-	9	1	5	-	1	3	5	6	8	20
-	-	8	15	5	-	15	-	5	-	6	4	2	6	10	21
-	1	15	30	5	-	16	2	2	1	1	3	7	2	10	22
2	-	9	18	14	1	10	-	6	-	1	4	-	3	4	23
3	-	10	4	7	1	5	3	1	-	1	3	1	2	5	24
4	-	14	25	10	-	14	2	4	-	4	1	3	11	6	25
2	1	5	46	9	2	2	3	11	-	2	4	7	1	14	26
-	-	5	17	5	2	7	2	7	-	2	3	8	3	6	27
1	1	17	24	14	-	12	1	13	1	2	7	3	6	17	28
1	5	9	24	1	2	2	-	1	-	2	2	13	8	9	29
1	-	7	11	8	-	10	2	1	-	-	5	2	3	5	30
5	-	14	23	7	1	10	6	6	1	-	4	8	3	11	31
5	1	18	22	8	1	9	-	4	-	3	2	4	11	18	32
1	-	15	13	6	2	5	2	4	3	-	1	1	6	5	33
2	1	9	5	5	2	10	-	2	2	3	3	1	2	3	34
2	-	12	18	8	1	19	1	7	1	2	3	9	7	5	35
-	-	6	2	1	-	-	-	-	-	1	-	-	4	2	36
1	1	23	68	22	-	37	2	18	1	2	9	10	25	40	37
1	-	17	14	4	-	3	1	2	1	1	2	2	4	7	38
-	-	8	13	2	2	4	-	6	-	1	5	3	2	10	39
-	-	2	2	-	-	3	-	-	2	-	1	-	2	5	40
1	-	3	8	1	-	1	-	1	-	-	-	-	4	2	41
3	-	30	45	11	4	36	4	13	3	9	10	14	42	32	42
2	-	19	25	7	4	27	3	11	1	7	5	10	21	22	43
1	-	11	20	4	-	9	1	2	2	2	5	4	21	10	44
-	-	7	9	3	-	6	-	5	-	1	4	2	-	5	45
-	-	11	16	4	-	5	2	2	1	5	6	7	2	8	46
-	-	4	20	4	-	2	1	4	1	2	-	4	3	11	47
1	-	20	23	11	1	12	2	12	-	3	4	10	6	13	48
2	2	11	24	5	1	15	-	4	-	1	2	3	2	10	49
-	-	8	10	2	2	9	-	-	1	2	2	-	13	3	50
1	2	22	31	8	-	25	2	12	1	11	6	5	7	12	51
-	-	6	18	4	-	9	1	4	-	2	-	6	3	5	52
2	-	20	33	12	2	21	4	12	-	3	6	8	14	19	53
1	-	11	21	7	-	22	2	4	-	3	1	3	6	9	54
-	-	6	13	4	-	5	-	-	1	-	1	1	1	5	55
2	2	12	18	12	2	9	-	3	1	3	2	3	13	8	56
2	1	6	15	5	-	6	-	5	-	3	4	5	5	15	57
9	2	81	174	45	6	54	4	90	9	14	25	45	25	99	58
8	2	71	153	37	6	46	4	72	8	11	20	35	21	90	59
1	-	10	21	8	-	8	-	18	1	3	5	10	4	9	60
1	-	12	30	12	1	8	2	7	-	7	7	5	7	18	61
-	-	6	17	6	-	10	-	3	-	-	2	2	-	10	62
3	-	9	22	1	-	11	1	5	-	1	1	1	8	6	63
2	-	11	11	8	-	9	-	2	3	-	2	2	3	10	64
1	-	13	37	8	1	4	2	6	-	2	4	4	14	7	65
1	-	5	9	2	-	12	1	5	-	-	4	4	1	7	66
3	1	7	14	2	-	4	2	8	-	-	1	6	5	7	67
1	-	17	14	8	-	10	-	6	3	1	2	4	1	9	68
1	-	21	47	22	-	23	-	15	1	2	4	12	4	26	69
1	-	4	10	5	-	9	-	3	1	3	2	3	6	6	70
-	-	13	20	7	3	4	1	3	1	1	5	1	4	9	71
-	-	2	4	4	-	1	-	1	-	-	-	3	1	6	72
-	-	1	7	2	-	2	-	3	-	1	1	2	1	3	73
-	-	12	36	6	-	8	3	11	1	4	2	6	9	19	74
16	5	122	262	52	8	58	3	40	11	17	25	46	4	112	75
13	5	104	234	44	5	44	2	29	8	14	19	43	2	93	76
3	-	18	28	8	1	14	1	11	3	3	6	3	2	19	77
1	-	8	21	5	1	8	-	3	-	4	-	1	3	4	78
-	-	5	12	-	1	3	1	2	-	-	2	5	2	5	79
-	-	16	15	5	-	8	4	10	-	1	5	5	3	8	80
-	-	10	19	2	1	2	1	3	1	1	1	10	1	8	81
3	2	29	57	15	1	27	5	14	-	6	16	10	15	33	82
2	1	21	47	10	1	18	5	8	-	2	11	4	4	21	83
1	1	8	10	5	-	9	-	6	-	4	5	6	11	12	84
-	-	4	13	9	1	5	-	7	-	2	4	5	2	10	85
1	-	7	16	7	-	2	1	5	1	2	-	8	4	30	86
4	-	38	72	16	1	17	4	12	3	3	2	8	11	36	87
-	-	16	16	8	-	7	-	2	-	3	1	2	4	6	88
2	-	6	3	4	-	8	1	2	-	-	2	4	6	6	89
3	1	11	23	4	1	7	-	4	-	-	3	4	5	26	90
-	-	13	18	5	-	3	-	5	-	3	1	4	3	3	91
-	-	10	22	6	-	8	1	4	-	5	1	2	6	7	92
2	1	29	39	9	2	19	1	8	1	4	1	5	20	7	93

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, poliioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	GEORGIA—Continued														
1	Thomas	296	-	2	-	1	1	11	1	-	5	-	-	26	-
2	Thomasville	156	-	2	-	1	1	9	-	-	2	-	-	10	-
3	Balance of county	138	-	-	-	-	-	2	1	-	3	-	-	16	-
4	Tift	151	-	-	-	3	2	3	-	-	1	-	-	6	-
5	Toombs	120	-	-	-	-	-	4	-	-	-	1	-	9	-
6	Towns	17	-	-	-	-	-	-	-	-	-	-	-	2	-
7	Treutlen	42	-	-	-	-	-	1	-	-	-	-	-	6	-
8	Troup	400	-	-	-	1	-	11	-	-	6	-	-	38	-
9	La Grange	184	-	-	-	-	-	5	-	-	4	-	-	16	-
10	Balance of county	216	-	-	-	1	-	6	-	-	2	-	-	22	-
11	Turner	55	-	-	-	-	-	1	-	-	-	-	-	4	-
12	Twiggs	67	-	-	-	-	-	3	-	-	-	-	-	5	-
13	Union	34	-	-	-	1	-	-	-	-	-	-	-	-	-
14	Upson	208	1	-	-	-	1	6	-	-	1	1	1	18	1
15	Walker	213	-	-	-	1	-	8	-	-	1	-	-	26	-
16	Walton	168	-	-	-	-	1	3	-	-	1	-	-	9	-
17	Ware	261	-	-	-	-	-	6	-	-	1	1	-	21	-
18	Waycross	184	-	-	-	-	-	5	-	-	1	1	-	17	-
19	Balance of county	77	-	-	-	-	-	1	-	-	-	-	-	4	-
20	Warren	95	-	-	-	-	-	-	1	-	2	-	-	7	1
21	Washington	189	-	-	-	-	-	5	-	1	1	-	-	14	2
22	Wayne	97	-	-	-	1	-	1	-	-	1	-	-	6	-
23	Webster	30	-	-	-	-	-	1	-	-	-	-	-	2	-
24	Wheeler	47	-	-	-	-	-	-	-	-	1	-	-	4	-
25	White	31	-	1	-	-	-	-	-	-	-	-	-	3	-
26	Whitfield	217	-	-	1	1	2	16	-	-	-	-	-	31	-
27	Dalton	119	-	-	-	-	-	11	-	-	-	-	-	17	-
28	Balance of county	98	-	-	1	1	2	5	-	-	-	-	-	14	-
29	Wilcox	45	-	-	-	1	-	3	-	1	-	-	1	4	-
30	Wilkes	113	-	-	-	-	-	2	-	-	3	1	-	3	-
31	Wilkinson	77	-	-	-	-	-	3	-	-	-	-	-	6	-
32	Worth	126	-	-	-	-	1	5	-	-	-	-	-	8	1
33	IDAHO	4,585	3	5	2	6	2	67	1	-	19	5	2	564	5
34	Ada	545	-	-	-	-	-	11	-	-	1	-	-	81	-
35	Boise City	367	-	-	-	-	-	10	-	-	1	-	-	53	-
36	Balance of county	178	-	-	-	-	-	1	-	-	-	-	-	28	-
37	Adams	28	-	-	-	-	1	-	-	-	-	-	-	3	-
38	Bannock	312	-	-	-	2	-	4	-	-	2	-	-	37	-
39	Pocatello	227	-	-	-	2	-	4	-	-	2	-	-	28	-
40	Balance of county	85	-	-	-	-	-	-	-	-	-	-	-	9	-
41	Bear Lake	76	-	-	-	1	-	-	-	-	-	-	-	11	-
42	Benewah	67	-	-	-	-	-	1	-	-	-	-	-	10	-
43	Bingham	211	1	-	-	-	-	3	1	-	2	-	-	15	-
44	Blaine	38	-	-	-	-	-	1	-	-	-	-	-	2	-
45	Boise	15	-	-	-	-	-	-	-	-	-	-	-	1	-
46	Bonner	149	-	-	-	-	-	1	-	-	2	-	-	19	-
47	Bonneville	176	-	-	-	-	-	2	-	-	-	1	-	22	1
48	Idaho Falls	126	-	-	-	-	-	2	-	-	-	1	-	15	1
49	Balance of county	50	-	-	-	-	-	-	-	-	-	-	-	7	-
50	Boundary	50	-	-	-	-	-	1	-	-	-	-	-	2	-
51	Butte	17	-	-	-	-	-	-	-	-	-	-	-	3	-
52	Camas	9	-	-	-	-	-	-	-	-	-	-	-	2	-
53	Canyon	449	1	-	-	-	1	7	-	-	1	-	1	61	-
54	Nampa	167	-	-	-	-	-	-	-	-	-	-	-	21	-
55	Balance of county	282	1	-	-	-	1	7	-	-	1	-	1	40	-
56	Caribou	17	-	-	-	-	-	1	-	-	-	1	-	1	-
57	Cassia	91	-	-	-	-	-	2	-	-	-	-	-	15	-
58	Clark	5	-	-	-	-	-	-	-	-	-	-	-	2	-
59	Clearwater	106	-	-	-	-	-	1	-	-	2	1	-	16	-
60	Custer	29	-	-	-	-	-	1	-	-	-	-	-	1	-
61	Elmore	42	-	-	-	-	-	1	-	-	-	-	-	7	-
62	Franklin	49	-	-	-	1	-	-	-	-	-	-	-	9	-
63	Fremont	73	-	-	-	-	-	1	-	-	-	-	-	8	-
64	Gem	75	-	-	-	-	-	2	-	-	-	-	-	11	-
65	Gooding	74	-	-	-	-	-	1	-	-	-	-	-	11	-
66	Idaho	103	-	-	-	-	-	1	-	-	-	-	-	13	-
67	Jefferson	67	-	-	-	-	-	-	-	-	1	-	-	5	1
68	Jerome	67	-	-	-	-	-	-	-	-	-	-	-	10	-
69	Kootenai	231	-	-	-	-	-	7	-	-	1	-	1	28	1
70	Coeur d'Alene	140	-	-	-	-	-	3	-	-	-	-	1	20	-
71	Balance of county	91	-	-	-	-	-	4	-	-	1	-	-	8	1
72	Latah	156	1	-	-	-	-	2	-	-	1	-	-	19	-
73	Lemhi	69	-	1	-	-	-	-	-	-	2	-	-	9	-
74	Lewis	45	-	1	-	1	-	-	-	-	-	1	-	4	-
75	Lincoln	31	-	-	-	-	-	-	-	-	-	-	-	2	-
76	Madison	66	-	-	-	-	-	-	-	-	-	-	-	3	-
77	Minidoka	63	-	-	1	-	-	1	-	-	-	-	-	6	-
78	Nez Perce	196	-	1	-	-	-	3	-	-	1	-	-	16	1
79	Lewiston	138	-	1	-	-	-	2	-	-	1	-	-	11	1
80	Balance of county	58	-	-	-	-	-	1	-	-	-	-	-	5	-
81	Oneida	41	-	1	-	-	-	-	-	-	-	-	-	3	-
82	Owyhee	34	-	-	-	-	-	-	-	-	1	-	-	6	-
83	Payette	76	-	-	-	-	-	-	-	-	-	-	-	11	-
84	Power	28	-	-	-	-	-	-	-	-	-	-	-	6	-
85	Shoshone	177	-	1	-	-	-	8	-	-	1	1	-	21	-
86	Teton	10	-	-	-	-	-	1	-	-	-	-	-	3	-
87	Twin Falls	304	-	-	1	1	-	3	-	-	1	-	-	36	1
88	Twin Falls	155	-	-	1	1	-	1	-	-	-	-	-	20	-
89	Balance of county	149	-	-	-	-	-	2	-	-	1	-	-	16	1
90	Valley	29	-	-	-	-	-	-	-	-	-	-	-	3	-
91	Washington	89	-	-	-	-	-	-	-	-	-	-	-	10	-
92	Yellowstone National Park (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
5	1	30	52	25	3	26	3	25	-	8	11	11	9	40	1
3	-	22	33	14	1	10	-	14	-	6	5	4	2	19	2
2	1	8	19	11	2	16	3	11	-	2	6	7	7	21	3
3	-	18	25	6	2	21	1	6	2	2	12	9	7	22	4
4	-	16	29	9	2	13	-	10	-	-	2	3	1	17	5
-	-	6	-	3	-	-	-	2	-	-	-	1	-	3	6
-	-	12	5	4	-	4	-	1	1	-	2	-	1	5	7
5	2	54	79	27	5	31	4	40	1	3	12	23	16	42	8
3	1	25	36	13	5	16	1	15	1	3	5	11	6	18	9
2	1	29	43	14	-	15	3	25	-	-	7	12	10	24	10
-	-	6	13	1	-	9	1	2	-	1	1	3	6	7	11
1	-	4	13	5	-	7	1	4	-	3	3	4	8	6	12
1	-	3	8	5	-	2	-	3	-	-	1	3	4	5	13
5	-	8	43	14	2	17	2	17	6	3	11	14	12	24	14
1	-	21	49	7	2	12	-	28	2	2	1	10	13	29	15
1	1	18	36	14	-	6	4	18	2	4	5	11	11	23	16
2	1	37	64	18	2	28	2	17	1	5	4	8	11	32	17
2	1	22	46	13	2	21	1	8	-	5	4	6	7	22	18
-	-	15	18	5	-	7	1	9	1	-	-	2	4	10	19
-	1	11	19	9	2	15	-	9	2	2	2	2	4	6	20
2	2	27	29	10	1	13	1	19	1	2	8	9	12	30	21
2	-	11	20	5	-	6	2	10	-	3	3	9	4	13	22
-	2	1	7	4	-	7	-	1	1	-	1	1	1	1	23
-	-	9	10	5	1	5	-	2	1	1	3	2	1	2	24
-	-	2	4	2	-	5	-	3	1	-	4	1	1	4	25
5	2	11	33	13	1	17	1	26	2	3	12	5	8	27	26
1	1	6	20	10	-	7	1	18	2	1	5	2	2	15	27
4	1	5	13	3	1	10	-	8	-	2	7	3	6	12	28
-	-	6	9	3	-	4	-	1	-	2	2	1	3	4	29
-	-	25	18	4	1	13	-	9	1	3	5	6	8	9	30
1	-	8	10	6	-	12	1	2	2	7	4	3	1	11	31
-	-	14	17	15	4	19	4	7	-	4	-	7	9	11	32
96	-	404	1,266	189	16	287	22	345	75	22	182	295	149	556	33
14	-	35	189	23	2	20	4	30	12	3	18	29	11	62	34
8	-	27	125	18	1	15	2	20	9	3	9	21	4	41	35
6	-	8	64	5	1	5	2	10	3	-	9	8	7	21	36
-	-	-	5	1	1	4	1	4	-	-	2	2	-	4	37
4	-	29	47	19	2	19	2	33	5	4	16	28	18	41	38
4	-	14	36	15	2	16	1	23	3	4	8	22	13	30	39
-	-	15	11	4	-	3	1	10	2	-	8	6	5	11	40
2	-	3	20	6	-	13	-	1	-	-	4	9	1	5	41
2	-	9	15	1	1	4	-	1	-	-	5	8	2	8	42
7	-	13	66	14	-	16	1	4	1	-	3	15	24	25	43
2	-	1	13	1	-	6	-	2	2	-	1	3	-	4	44
-	-	2	4	-	-	1	-	-	-	-	-	3	2	2	45
7	-	16	54	5	-	3	-	11	2	-	2	11	2	14	46
5	-	24	45	4	-	9	-	28	3	-	7	7	3	15	47
4	-	16	31	4	-	7	-	22	2	-	1	5	2	13	48
1	-	8	14	-	-	2	-	6	1	-	6	2	1	2	49
-	-	5	20	2	1	-	-	5	-	-	2	3	1	8	50
1	-	1	4	-	-	1	1	1	1	-	2	-	-	2	51
-	-	3	-	1	-	1	-	-	-	-	-	-	1	1	52
8	-	48	114	12	1	42	3	32	9	4	21	14	7	62	53
4	-	22	41	6	1	14	3	10	2	1	10	3	1	28	54
4	-	26	73	6	-	28	-	22	7	3	11	11	6	34	55
-	-	-	5	-	-	-	-	3	-	-	2	1	-	3	56
3	-	4	25	5	1	4	-	7	1	-	4	9	1	12	57
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	58
2	-	15	22	5	-	8	-	3	3	-	-	14	4	10	59
-	-	1	12	-	-	1	-	3	2	-	1	1	3	3	60
2	-	1	9	2	-	-	-	5	2	-	2	2	1	8	61
2	-	1	9	2	-	6	-	5	1	-	4	1	2	6	62
-	-	4	16	6	1	5	1	5	-	-	1	6	6	13	63
1	-	5	25	1	-	1	1	7	-	-	4	4	1	12	64
2	-	8	18	1	-	6	1	4	-	-	2	7	2	11	65
2	-	10	26	7	-	5	-	6	-	1	3	7	4	18	66
1	-	3	23	4	-	3	2	13	1	-	-	3	-	7	67
1	-	5	19	4	-	1	-	6	1	-	6	4	-	10	68
6	-	32	80	7	-	3	-	17	3	2	5	13	5	20	69
3	-	22	42	5	-	3	-	10	3	1	4	6	1	16	70
3	-	10	38	2	-	-	-	7	-	1	1	7	4	4	71
3	-	16	47	8	1	8	-	11	2	-	8	11	3	15	72
2	-	5	18	2	-	8	-	5	-	1	-	4	5	7	73
-	-	3	19	4	-	2	-	2	1	-	1	1	1	4	74
-	-	5	8	-	-	1	-	1	-	-	2	4	1	7	75
-	-	6	19	-	-	3	-	12	-	-	6	7	4	6	76
-	-	5	21	1	-	7	-	3	1	-	5	-	1	11	77
4	-	24	56	11	1	7	-	16	1	-	8	15	7	24	78
3	-	20	40	5	1	5	-	8	1	-	5	10	4	20	79
1	-	4	16	6	-	2	-	8	-	-	3	5	3	4	80
4	-	3	14	1	1	2	-	4	-	-	2	2	1	3	81
1	-	2	9	-	-	3	-	4	-	-	-	3	-	5	82
1	-	8	15	3	-	8	2	9	1	-	3	8	-	7	83
-	-	1	2	3	-	2	2	3	-	-	1	-	3	5	84
1	-	12	47	5	1	6	-	9	10	3	11	11	6	23	85
-	-	-	3	2	-	-	-	-	-	-	-	1	-	-	86
6	-	27	77	10	2	26	1	22	7	4	13	15	10	41	87
2	-	15	38	5	2	18	-	12	4	1	6	8	4	17	88
4	-	12	39	5	-	8	1	10	3	3	7	7	6	24	89
-	-	4	7	-	-	1	-	1	1	-	2	5	-	5	90
-	-	5	21	6	-	21	-	7	2	-	3	3	5	6	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
1	ILLINOIS	89,586	12	77	10	30	32	3,014	25	14	758	51	185	12,910	54
2	Adams	820	-	-	-	-	-	17	1	-	3	-	2	100	-
3	Quincy	569	-	-	-	-	-	12	-	-	2	-	1	76	-
4	Balance of county	251	-	-	-	-	-	5	1	-	1	-	1	24	-
5	Alexander	261	1	1	-	-	-	13	-	-	5	1	-	29	-
6	Cairo	178	-	1	-	-	-	8	-	-	2	1	-	17	-
7	Balance of county	83	1	-	-	-	-	5	-	-	3	-	-	12	-
8	Bond	141	-	-	-	-	-	-	-	-	1	-	-	24	-
9	Boone	177	-	-	-	-	-	-	-	-	-	-	-	24	-
10	Brown	84	-	-	-	-	-	5	-	-	-	-	-	8	-
11	Bureau	407	-	-	-	-	-	3	-	1	-	-	4	51	1
12	Calhoun	66	-	-	-	-	-	1	-	-	-	-	-	9	-
13	Carroll	212	-	-	-	-	-	-	1	-	-	-	-	20	-
14	Cass	182	-	-	-	-	-	2	-	-	2	-	-	29	-
15	Champaign	660	-	-	-	-	-	7	-	-	7	-	1	89	1
16	Champaign	239	-	-	-	-	-	4	-	-	4	-	-	27	-
17	Urbana	166	-	-	-	-	-	1	-	-	3	-	-	30	-
18	Balance of county	255	-	-	-	-	-	2	-	-	-	-	1	32	1
19	Christian	361	1	-	-	1	-	3	-	-	1	-	2	59	-
20	Clark	190	-	-	-	-	-	4	-	-	-	-	-	29	-
21	Clay	180	-	-	-	-	-	1	-	-	-	-	-	20	-
22	Clinton	232	-	-	-	-	-	1	-	-	1	-	2	41	-
23	Centralia (part)	3	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Balance of county	229	-	-	-	-	-	1	-	-	1	-	2	41	-
25	Coles	450	-	1	-	1	-	6	1	-	2	2	1	63	-
26	Mattoon	204	-	1	-	-	-	2	1	-	1	1	-	35	-
27	Balance of county	246	-	-	-	1	-	4	-	-	1	1	1	28	-
28	Cook	46,042	2	45	-	10	16	1,945	9	2	260	17	73	7,164	31
29	Berwyn	443	-	1	-	-	-	6	-	-	2	-	-	80	-
30	Blue Island	183	-	-	-	-	-	5	-	-	4	-	-	29	-
31	Brookfield	104	-	-	-	-	-	2	-	-	1	-	1	16	-
32	Calumet City	94	-	-	-	-	-	2	-	-	-	-	-	7	-
33	Chicago	38,511	2	40	-	9	15	1,739	8	2	167	14	54	6,052	28
34	Chicago Heights	208	-	1	-	-	-	6	-	-	3	-	1	28	1
35	Cicero	527	-	-	-	-	-	8	-	-	1	-	-	98	-
36	Elgin (part)	8	-	-	-	-	-	2	-	-	-	-	-	1	-
37	Elmwood Park	83	-	-	-	-	-	2	-	-	-	-	-	13	-
38	Evanston	609	-	-	-	-	-	13	1	-	6	-	4	115	-
39	Forest Park	182	-	-	-	1	-	1	-	-	-	-	1	26	-
40	Harvey	167	-	1	-	-	-	3	-	-	-	-	-	22	-
41	La Grange	125	-	-	-	-	-	2	-	-	-	-	-	32	-
42	Maywood	247	-	-	-	-	-	5	-	-	-	-	1	36	-
43	Melrose Park	103	-	-	-	-	-	2	-	-	-	-	-	16	-
44	Oak Park	693	-	1	-	-	-	3	-	-	-	-	1	116	-
45	Park Ridge	97	-	-	-	-	-	1	-	-	-	-	1	23	1
46	Wilmette	163	-	-	-	-	-	1	-	-	3	-	2	23	-
47	Winnetka	85	-	-	-	-	-	-	-	-	-	-	-	20	-
48	Balance of county	3,412	-	1	-	-	1	142	-	-	73	3	7	411	1
49	Crawford	213	-	1	-	-	-	3	-	-	1	-	1	34	-
50	Cumberland	118	-	-	-	-	-	1	-	-	4	-	-	19	-
51	De Kalb	393	1	-	-	-	-	6	-	-	2	-	-	58	-
52	De Witt	203	-	-	-	-	-	2	-	-	-	-	2	28	-
53	Douglas	179	-	-	-	-	-	1	-	-	-	-	-	21	-
54	Du Page	1,039	-	1	-	-	-	23	-	-	3	-	4	159	-
55	Elmhurst	144	-	-	-	-	-	1	-	-	-	-	2	30	-
56	Balance of county	895	-	1	-	-	-	22	-	-	3	-	2	129	-
57	Edgar	296	-	-	-	-	-	8	-	-	2	-	2	43	1
58	Edwards	109	1	-	-	-	-	3	-	-	-	-	2	13	-
59	Effingham	205	-	-	-	-	-	4	-	-	1	-	-	33	-
60	Fayette	268	-	-	-	-	1	4	1	-	-	-	1	33	-
61	Ford	160	-	-	-	-	-	1	-	-	-	-	-	29	-
62	Franklin	524	-	-	-	-	-	20	-	1	1	-	-	71	-
63	West Frankfort	125	-	-	-	-	-	4	-	1	-	-	-	19	-
64	Balance of county	399	-	-	-	-	-	16	-	-	1	-	-	52	-
65	Fulton	453	1	-	-	-	-	6	-	-	-	-	1	61	-
66	Canton	143	-	-	-	-	-	2	-	-	-	-	-	27	-
67	Balance of county	310	1	-	-	-	-	4	-	-	-	-	1	34	-
68	Gallatin	112	-	1	-	-	-	-	-	-	-	1	-	13	-
69	Greene	204	-	-	-	-	-	5	-	-	1	-	-	24	-
70	Grundy	217	-	-	-	-	-	3	-	-	2	-	-	29	1
71	Hamilton	119	-	-	-	-	-	7	-	-	-	-	-	11	-
72	Hancock	293	-	-	-	-	-	-	-	-	3	-	-	28	-
73	Hardin	80	-	-	1	-	-	10	-	1	-	-	-	7	-
74	Henderson	80	-	-	-	-	-	2	-	-	-	-	-	6	-
75	Henry	481	-	1	-	-	-	10	-	1	2	-	-	62	-
76	Kewanee	204	-	-	-	-	-	6	-	1	-	-	-	26	-
77	Balance of county	277	-	1	-	-	-	4	-	-	2	-	-	36	-
78	Iroquois	318	1	-	-	-	-	1	-	-	1	-	-	43	-
79	Jackson	390	-	-	-	1	1	5	-	1	3	-	-	51	-
80	Jasper	155	-	-	-	-	-	2	-	-	-	1	1	24	-
81	Jefferson	350	-	-	-	-	-	10	-	-	2	1	5	46	-
82	Mount Vernon	164	-	-	-	-	-	6	-	-	1	1	5	19	-
83	Balance of county	186	-	-	-	-	-	4	-	-	1	-	-	27	-
84	Jersey	132	-	-	-	-	-	-	-	-	1	-	-	16	-
85	Jo Daviess	262	-	-	-	-	-	2	-	-	-	-	1	47	-
86	Johnson	105	-	1	-	-	-	2	-	-	-	-	-	13	-
87	Kane	1,907	1	-	-	1	1	54	-	-	45	-	5	226	-
88	Aurora	569	-	-	-	-	-	11	-	-	3	-	1	79	-
89	Elgin (part)	864	-	-	-	-	1	25	-	-	41	-	1	73	-
90	Elgin (total)	872	-	-	-	-	1	27	-	-	41	-	1	74	-
91	Balance of county	474	1	-	-	1	-	18	-	-	1	-	3	74	-
92	Kankakee	1,439	-	5	-	1	-	124	1	-	124	-	1	122	-
93	Kankakee	255	-	1	-	-	-	6	-	-	-	-	1	44	-
94	Balance of county	1,184	-	4	-	1	-	118	1	-	124	-	-	78	-
95	Kendall	118	-	-	-	-	-	1	-	-	-	-	-	16	1
96	Knox	647	-	-	-	-	-	4	-	-	3	-	-	98	1
97	Galesburg	399	-	-	-	-	-	4	-	-	3	-	-	57	1
98	Balance of county	248	-	-	-	-	-	-	-	-	-	-	-	41	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
2,579	4	7,166	31,806	3,085	300	5,652	237	4,270	945	472	1,871	3,725	390	9,892	1
28	-	95	307	13	1	55	-	44	9	3	5	26	3	108	2
25	-	58	198	10	1	39	-	35	5	2	3	19	3	80	3
3	-	37	109	3	-	16	-	9	4	1	2	7	-	28	4
3	-	36	76	15	1	12	3	15	4	1	7	11	5	22	5
3	-	25	53	10	1	11	1	12	1	1	2	9	4	16	6
-	-	11	23	5	-	1	2	3	3	-	5	2	1	6	7
3	-	15	49	6	1	17	-	10	1	-	1	2	1	10	8
3	-	15	76	1	1	4	-	11	-	-	5	14	2	21	9
3	-	8	29	3	-	11	-	5	-	-	1	6	-	5	10
8	-	44	159	10	3	28	-	16	6	-	11	18	-	44	11
1	-	11	25	-	1	2	-	7	-	1	-	2	-	6	12
5	-	25	80	4	-	16	1	11	3	-	9	8	3	26	13
4	-	24	49	5	1	16	-	11	2	1	4	11	1	20	14
13	-	71	221	18	3	47	3	44	5	6	16	31	5	72	15
5	-	23	80	7	3	16	1	14	3	5	5	8	3	31	16
4	-	12	54	6	-	10	-	18	1	-	1	5	2	19	17
4	-	36	87	5	-	21	2	12	1	1	10	18	-	22	18
12	-	29	121	11	1	28	-	21	5	-	5	24	-	37	19
4	-	14	65	2	-	26	1	8	1	-	2	8	-	26	20
4	-	19	69	8	1	8	2	8	2	-	2	14	-	22	21
8	-	23	74	2	2	13	-	17	5	-	6	10	-	27	22
-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	23
8	-	23	73	2	2	11	-	17	5	-	6	10	-	27	24
10	-	56	142	7	2	52	-	20	6	-	14	17	-	47	25
4	-	26	62	5	2	19	-	9	2	-	5	5	-	24	26
6	-	30	80	2	-	33	-	11	4	-	9	12	-	23	27
1,438	2	3,160	17,318	1,601	72	2,802	115	2,051	451	331	819	1,846	49	4,813	28
21	-	30	168	12	1	24	-	21	7	-	12	9	1	48	29
7	-	18	71	2	-	17	1	4	3	-	3	7	-	12	30
3	-	6	41	3	-	7	-	7	3	-	1	3	-	10	31
5	-	7	35	2	2	4	-	81	3	-	3	2	-	14	32
1,216	2	2,622	14,380	1,401	62	2,391	97	1,747	373	317	653	1,415	33	3,672	33
5	-	16	66	9	-	7	-	10	1	5	7	8	-	32	34
23	-	34	222	10	1	38	1	22	4	-	10	11	1	43	35
-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	36
6	-	8	35	-	-	-	-	6	4	-	2	1	-	8	37
13	-	45	232	11	-	35	1	21	6	1	18	25	-	62	38
6	-	14	59	5	-	23	1	7	1	2	1	5	1	28	39
7	-	14	84	8	-	14	-	7	1	-	3	5	-	16	40
6	-	10	42	4	-	1	1	11	-	-	-	2	1	13	41
9	-	25	89	3	-	15	2	16	-	-	5	11	-	30	42
5	-	2	30	4	-	5	2	7	1	-	4	5	1	19	43
19	-	58	266	12	1	54	6	37	3	-	10	20	4	82	44
-	-	13	28	1	-	6	-	5	2	-	2	5	-	9	45
3	-	13	75	4	-	9	-	3	3	-	1	3	2	18	46
6	-	6	31	1	-	2	-	3	2	-	-	4	-	10	47
78	-	221	1,384	109	5	149	3	108	33	6	81	104	5	487	48
-	-	26	70	4	-	21	-	6	3	-	1	8	2	32	49
1	-	13	32	3	-	14	-	7	-	-	3	4	-	17	50
14	-	33	132	12	4	41	1	28	5	-	9	9	1	37	51
8	-	12	75	4	-	16	1	14	4	-	3	9	-	25	52
7	-	15	46	4	-	36	-	10	-	-	7	6	1	25	53
28	-	96	356	29	2	55	3	59	12	1	37	52	3	116	54
5	-	5	59	1	-	4	-	14	2	-	3	6	-	12	55
23	-	91	297	28	2	51	3	45	10	1	34	46	3	104	56
8	-	32	93	9	2	25	1	14	4	-	4	9	5	34	57
2	-	6	45	3	-	6	-	3	2	-	3	5	6	9	58
3	-	9	68	5	-	22	-	13	3	-	7	12	1	24	59
6	-	27	79	10	2	21	2	20	6	2	9	10	3	31	60
4	-	9	63	1	-	13	-	6	2	1	5	4	-	22	61
16	-	47	142	16	2	39	3	31	4	3	16	37	9	66	62
3	-	9	34	1	-	5	1	8	-	1	3	14	2	20	63
13	-	38	108	15	2	34	2	23	4	2	13	23	7	46	64
8	-	28	170	5	2	37	-	22	10	1	13	18	7	63	65
4	-	9	52	-	-	14	-	12	1	1	4	5	-	12	66
4	-	19	118	5	2	23	-	10	9	-	9	13	7	51	67
2	-	4	39	6	1	6	-	15	1	1	6	2	3	11	68
13	-	16	68	6	1	13	1	9	2	-	4	10	5	26	69
7	-	26	78	6	-	9	1	9	1	-	7	15	2	21	70
3	-	12	49	2	-	5	1	8	1	-	2	5	5	8	71
3	-	49	103	14	1	16	1	10	3	-	7	7	1	47	72
5	-	8	14	4	-	6	1	3	-	1	1	3	3	11	73
6	-	11	32	1	-	4	-	2	2	-	2	8	1	3	74
14	-	45	163	15	1	37	-	24	9	3	5	26	3	60	75
6	-	13	78	3	1	20	-	10	4	1	2	8	3	22	76
8	-	32	85	12	-	17	-	14	5	2	3	18	-	38	77
15	-	27	103	5	1	21	-	22	2	-	11	22	3	40	78
6	-	48	125	8	1	28	3	21	5	1	11	22	11	40	79
7	-	8	43	7	-	29	-	4	3	-	1	6	1	18	80
5	-	32	114	15	2	17	-	17	2	1	15	22	14	30	81
1	-	13	52	5	1	8	-	10	1	1	8	8	6	18	82
4	-	19	82	10	1	9	-	7	1	-	7	14	8	12	83
7	-	10	34	4	2	18	-	8	2	2	4	4	3	17	84
9	-	29	79	11	3	11	1	11	4	-	8	18	3	25	85
3	-	9	27	3	1	10	-	4	1	1	4	5	-	21	86
41	-	163	626	161	5	87	2	93	18	4	45	95	3	231	87
22	-	53	194	16	3	38	1	48	5	2	14	17	1	63	88
10	-	67	299	130	-	23	1	18	5	1	11	56	1	101	89
10	-	67	299	130	-	24	1	19	6	1	12	57	1	101	90
9	-	43	133	15	2	28	-	29	8	1	20	22	1	67	91
31	-	59	612	66	7	24	2	24	6	-	15	50	4	161	92
4	-	28	104	8	3	10	1	10	-	-	5	5	2	23	93
27	-	31	508	58	4	14	1	14	6	-	10	45	2	138	94
4	-	5	31	3	1	13	1	7	2	-	4	9	1	19	95
17	-	59	248	20	2	48	2	17	10	1	9	31	5	72	96
13	-	34	152	14	1	26	2	9	3	-	6	21	3	50	97
4	-	25	96	6	1	22	-	8	7	1	3	10	2	22	98

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	ILLINOIS—Continued														
1	Lake	1,315	-	1	1	-	6	29	1	1	28	1	5	186	-
2	Highland Park	115	-	-	-	-	-	-	-	-	2	-	-	12	-
3	Waukegan	349	-	1	1	-	3	13	1	-	6	1	1	52	-
4	Balance of county	852	-	-	-	-	3	16	-	1	20	-	4	122	-
5	La Salle	1,062	-	-	-	1	-	16	-	-	7	-	1	161	3
6	La Salle	147	-	-	-	-	-	2	-	-	-	-	-	23	-
7	Ottawa	170	-	-	-	-	-	3	-	-	1	-	1	23	1
8	Streator	196	-	-	-	1	-	2	-	-	4	-	-	27	-
9	Balance of county	549	-	-	-	-	-	9	-	-	2	-	-	88	2
10	Lawrence	215	-	-	-	-	-	3	-	-	2	-	-	32	-
11	Lee	573	-	1	-	-	-	45	2	-	6	16	3	55	-
12	Dixon	132	-	-	-	-	-	4	-	-	2	-	1	25	-
13	Balance of county	441	-	1	-	-	-	41	2	-	4	16	2	30	-
14	Livingston	368	-	-	-	1	-	12	-	-	2	-	1	52	-
15	Logan	379	-	-	1	-	-	18	-	-	4	-	1	42	1
16	Lincoln	205	-	-	-	-	-	17	-	-	1	-	-	23	-
17	Balance of county	174	-	-	1	-	-	1	-	-	3	-	1	19	1
18	McDonough	321	-	-	-	-	-	8	-	-	1	-	-	56	-
19	McHenry	461	-	1	-	1	-	7	-	-	-	-	-	70	1
20	McLean	856	-	-	-	-	-	14	-	-	3	-	-	110	-
21	Bloomington	432	-	-	-	-	-	6	-	-	3	-	-	64	-
22	Balance of county	424	-	-	-	-	-	8	-	-	-	-	-	46	-
23	Macon	907	-	1	-	2	-	17	-	-	8	2	1	118	-
24	Decatur	678	-	1	-	1	-	15	-	-	4	1	-	82	-
25	Balance of county	229	-	-	-	1	-	2	-	-	4	1	1	36	-
26	Macoupin	502	-	1	-	-	-	4	-	-	3	-	1	90	-
27	Madison	1,802	-	2	1	1	-	58	-	-	33	1	7	186	1
28	Alton	378	-	-	-	-	-	11	-	-	1	-	1	50	1
29	Granite City	205	-	-	-	1	-	7	-	-	4	-	-	20	-
30	Balance of county	1,219	-	2	1	-	-	40	-	-	28	1	6	116	-
31	Marion	397	-	-	-	-	-	10	-	-	-	2	4	59	1
32	Centralia (part)	154	-	-	-	-	-	4	-	-	-	-	3	17	-
33	Centralia (total)	157	-	-	-	-	-	4	-	-	-	-	3	17	-
34	Balance of county	243	-	-	-	-	-	6	-	-	-	2	1	42	1
35	Marshall	145	-	1	-	-	-	2	-	-	-	-	-	20	-
36	Mason	197	-	-	-	-	-	5	-	-	2	-	-	27	-
37	Massac	149	-	-	-	-	-	3	1	-	1	-	-	24	-
38	Menard	102	-	-	-	-	-	2	-	-	-	-	1	8	-
39	Mercer	197	-	-	-	-	-	1	-	-	1	-	3	18	-
40	Monroe	113	-	-	-	-	-	1	-	-	-	-	-	15	-
41	Montgomery	374	-	-	-	-	-	1	-	-	1	-	-	52	1
42	Morgan	696	-	-	-	-	-	21	-	-	14	2	-	59	-
43	Jacksonville	529	-	-	-	-	-	16	-	-	14	2	-	38	-
44	Balance of county	167	-	-	-	-	-	5	-	-	-	-	-	21	-
45	Moultrie	141	-	-	-	-	-	1	-	-	-	-	-	15	-
46	Ogle	322	-	-	-	-	-	1	1	-	-	-	1	52	-
47	Peoria	1,913	-	2	-	2	-	56	-	-	38	1	1	273	1
48	Peoria	1,199	-	1	-	1	-	30	-	-	12	-	-	188	1
49	Balance of county	714	-	1	-	1	-	26	-	-	26	1	1	85	-
50	Perry	229	1	-	-	-	-	-	-	-	1	-	-	32	-
51	Piatt	142	-	-	-	-	-	-	-	-	1	-	-	22	-
52	Pike	247	-	-	-	-	-	4	-	-	-	-	1	28	-
53	Pope	70	-	-	1	-	-	1	-	-	1	-	1	4	-
54	Pulaski	156	-	-	-	-	-	8	-	-	-	-	-	18	-
55	Putnam	39	-	-	-	-	-	-	-	-	-	-	-	4	-
56	Randolph	334	-	-	-	1	-	11	1	-	9	-	2	41	-
57	Richland	153	-	-	-	-	1	3	-	-	2	-	-	17	-
58	Rock Island	1,458	-	1	-	-	-	38	-	-	18	-	2	190	-
59	East Moline	356	-	-	-	-	-	23	-	-	15	-	-	25	-
60	Moline	385	-	-	-	-	-	1	-	-	3	-	1	58	-
61	Rock Island	517	-	1	-	-	-	8	-	-	-	-	-	82	-
62	Balance of county	200	-	-	-	-	-	4	-	-	-	-	1	25	-
63	St. Clair	1,929	1	1	2	1	-	50	1	-	6	-	8	243	2
64	Belleville	326	-	-	-	-	-	2	-	-	-	-	2	48	1
65	East St. Louis	909	-	1	-	-	-	38	1	-	3	-	2	124	1
66	Balance of county	614	1	-	2	1	-	10	-	-	3	-	4	71	-
67	Saline	404	-	-	-	1	-	14	-	1	3	2	-	52	-
68	Harrisburg	132	-	-	-	-	-	5	-	-	1	1	-	16	-
69	Balance of county	272	-	-	-	1	-	9	-	1	2	1	-	36	-
70	Sangamon	1,299	-	2	1	1	-	43	2	-	11	-	2	196	1
71	Springfield	904	-	1	-	1	-	17	2	-	8	-	1	135	1
72	Balance of county	395	-	1	1	-	-	26	-	-	3	-	1	61	-
73	Schuyler	125	-	-	1	-	-	3	-	-	-	-	-	17	-
74	Scott	87	-	-	-	-	-	2	-	-	-	-	-	4	-
75	Shelby	259	-	-	-	-	-	3	-	2	2	-	1	24	-
76	Stark	98	-	-	-	-	-	-	-	-	-	-	1	17	-
77	Stephenson	451	-	-	-	-	-	5	-	1	-	1	9	68	-
78	Freeport	285	-	-	-	-	-	3	-	1	-	1	4	46	-
79	Balance of county	166	-	-	-	-	-	2	-	-	-	-	5	22	-
80	Tazewell	504	-	2	-	-	1	10	1	-	3	-	-	81	-
81	Pekin	177	-	1	-	-	-	5	-	-	2	-	-	27	-
82	Balance of county	327	-	1	-	-	1	5	1	-	1	-	-	54	-
83	Union	487	1	1	-	-	-	27	1	-	16	-	1	27	-
84	Vermilion	1,046	-	-	-	3	2	37	-	-	25	-	2	153	1
85	Danville	463	-	-	-	-	1	11	-	-	1	-	1	86	-
86	Balance of county	583	-	-	-	3	1	26	-	-	24	-	1	67	1
87	Wabash	145	-	-	-	-	1	2	-	-	1	-	1	18	-
88	Warren	253	-	1	-	-	-	1	-	-	3	-	-	31	-
89	Washington	163	-	1	-	-	-	1	-	-	-	-	-	23	-
90	Wayne	196	-	-	-	-	-	5	-	1	-	-	-	28	-
91	White	190	-	-	-	-	-	4	-	-	-	-	2	15	-
92	Whiteside	426	-	-	-	-	1	3	-	-	2	-	-	88	1
93	Sterling	130	-	-	-	-	-	1	-	-	-	-	-	18	-
94	Balance of county	296	-	-	-	-	1	2	-	-	2	-	-	50	1
95	Will	1,261	-	1	-	-	-	29	-	-	11	-	5	187	1
96	Joliet	699	-	-	-	-	-	14	-	-	7	-	4	112	1
97	Balance of county	562	-	1	-	-	-	15	-	-	4	-	1	75	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
33	-	103	403	52	4	80	5	76	22	2	31	78	5	182	1
2	-	9	47	3	1	3	1	1	3	-	1	9	2	19	2
6	-	29	97	10	2	19	1	27	9	-	4	23	-	42	3
25	-	65	259	39	1	58	3	48	10	2	26	46	3	101	4
38	-	99	381	22	4	82	1	56	9	-	22	43	7	109	5
4	-	10	60	4	-	9	-	9	-	-	3	5	1	17	6
8	-	9	59	2	2	24	-	10	-	-	3	7	-	17	7
6	-	21	65	7	-	10	-	13	1	-	3	9	2	25	8
20	-	59	197	9	2	39	1	24	8	-	13	22	4	50	9
7	-	28	75	6	2	16	1	8	2	3	8	5	-	17	10
15	-	37	130	41	8	31	1	51	5	1	9	17	3	96	11
5	-	8	43	4	-	5	1	13	2	-	4	4	1	10	12
10	-	29	87	37	8	26	-	38	3	1	5	13	2	86	13
9	-	45	115	10	1	24	-	21	4	-	11	21	1	38	14
13	-	26	89	24	6	35	-	30	4	-	8	17	3	57	15
6	-	11	37	13	3	26	-	21	2	-	3	10	1	31	16
7	-	15	52	11	3	9	-	9	2	-	5	7	2	26	17
7	-	49	99	8	2	8	2	10	3	-	8	15	11	34	18
16	-	58	156	18	1	26	3	24	2	-	9	20	1	47	19
27	-	98	292	20	12	53	3	42	12	3	22	34	7	104	20
8	-	54	147	9	7	18	1	24	6	2	7	20	3	53	21
19	-	44	145	11	5	35	2	18	6	1	15	14	4	51	22
36	-	76	314	22	3	43	4	54	7	1	28	37	9	124	23
28	-	56	236	16	2	31	4	46	6	1	20	28	9	93	24
8	-	20	78	6	1	12	-	8	1	-	8	11	-	31	25
11	-	54	161	19	2	27	2	24	7	1	8	22	3	62	26
34	-	172	570	61	30	78	5	106	21	12	78	97	27	221	27
4	-	31	129	10	7	20	2	33	3	2	12	25	4	32	28
6	-	17	67	4	1	10	-	11	4	-	13	14	5	21	29
24	-	124	374	47	22	48	3	62	14	10	53	58	18	168	30
8	-	42	105	18	4	27	4	22	1	2	10	19	8	51	31
4	-	17	45	6	-	10	1	7	-	2	4	9	2	23	32
4	-	17	46	6	-	12	1	7	-	2	4	9	2	23	33
4	-	25	60	12	4	17	3	15	1	-	6	10	6	28	34
2	-	16	57	4	1	8	1	4	-	-	11	2	-	16	35
4	-	21	72	3	1	12	-	8	3	1	4	7	2	25	36
2	-	15	49	8	-	8	-	9	1	-	3	3	8	14	37
1	-	14	44	1	-	12	1	2	3	-	1	2	1	9	38
8	-	26	74	4	2	10	-	11	4	-	6	7	2	20	39
4	-	16	32	3	-	14	1	1	1	-	1	7	-	17	40
11	1	42	130	15	1	38	-	14	6	1	9	17	2	32	41
14	-	74	260	32	-	33	2	11	3	1	10	45	2	93	42
13	-	47	228	25	-	21	-	6	3	1	7	35	1	72	43
1	-	27	52	7	-	12	2	5	-	-	3	10	1	21	44
8	-	20	54	5	-	8	-	6	2	-	6	2	-	14	45
9	-	43	108	11	1	15	-	15	4	1	5	15	2	38	46
56	-	116	593	53	15	121	5	83	17	11	35	115	2	317	47
38	-	74	381	31	15	89	5	67	11	10	20	57	-	168	48
18	-	42	212	22	-	32	-	16	6	1	15	58	2	149	49
9	-	25	70	3	1	18	1	18	2	2	2	11	6	27	50
10	-	12	49	1	2	15	-	5	1	-	4	4	-	16	51
7	-	36	100	4	2	7	-	8	1	-	6	12	2	29	52
2	-	8	23	4	-	8	1	3	1	-	1	2	-	9	53
1	-	20	43	8	2	9	1	14	-	3	2	5	-	22	54
1	-	7	13	2	-	1	-	-	1	-	-	2	2	6	55
8	-	31	96	9	1	24	-	14	6	2	14	17	3	44	56
4	-	9	54	1	1	5	2	19	5	1	3	8	2	16	57
32	1	120	540	53	9	64	1	81	19	5	28	85	4	169	58
5	-	18	148	37	1	7	-	3	-	-	3	30	-	41	59
9	1	36	136	3	1	25	-	27	6	3	8	22	1	44	60
12	-	46	188	10	6	23	-	37	9	-	10	23	3	59	61
6	-	20	68	3	1	9	1	14	4	2	7	10	-	25	62
53	-	177	612	78	17	137	5	120	29	16	46	85	22	217	63
5	-	33	95	8	1	29	-	19	5	-	7	11	4	55	64
28	-	94	308	51	14	61	5	64	10	15	16	42	6	105	65
20	-	50	208	19	2	47	-	37	14	1	23	32	12	57	66
8	-	36	118	13	5	37	2	16	2	2	14	21	7	52	67
2	-	6	42	1	-	20	2	5	1	-	6	6	2	16	68
4	-	30	76	12	5	17	-	11	1	2	8	15	5	36	69
32	-	106	397	49	-	104	4	67	20	4	30	69	15	143	70
21	-	84	286	31	-	72	4	53	13	3	21	46	11	93	71
11	-	22	111	18	-	32	-	14	7	1	9	23	4	50	72
3	-	15	44	7	-	9	1	2	3	-	1	2	1	16	73
1	-	7	45	3	-	2	-	7	1	-	3	2	-	10	74
4	-	20	120	4	-	22	-	9	4	-	8	12	-	24	75
4	-	7	34	5	1	5	1	5	1	-	3	5	-	9	76
12	-	43	189	10	1	32	2	12	4	-	6	11	3	62	77
7	-	24	107	4	1	19	2	7	3	-	4	6	1	45	78
5	-	19	62	6	-	13	-	5	1	-	2	5	2	17	79
8	-	52	161	10	5	37	3	34	10	2	8	26	-	50	80
2	-	25	47	3	2	9	2	16	8	-	5	12	-	11	81
6	-	27	114	7	3	28	1	18	2	2	3	14	-	39	82
5	-	29	104	5	-	9	2	13	5	1	8	34	3	194	83
29	-	86	337	25	4	87	3	41	7	5	34	50	4	111	84
7	-	33	139	9	2	38	1	23	4	2	23	30	1	51	85
22	-	53	198	16	2	49	2	18	3	3	11	20	3	60	86
5	-	19	52	3	-	7	-	12	2	1	3	6	-	12	87
8	-	20	99	8	-	30	-	8	3	2	1	18	1	19	88
4	-	22	65	2	1	12	-	5	1	1	2	7	1	15	89
5	-	27	71	9	2	3	-	9	5	5	2	4	1	19	90
7	-	19	68	9	2	10	-	7	1	1	9	15	3	18	91
15	-	27	150	22	3	28	2	20	4	-	8	25	3	44	92
4	-	10	52	5	1	10	1	6	2	-	-	5	-	15	93
11	-	17	98	17	2	18	1	14	2	-	8	20	3	29	94
37	-	95	408	47	1	101	5	67	10	6	50	62	3	135	95
20	-	51	213	28	1	53	3	44	5	5	24	33	2	79	96
17	-	44	195	19	-	48	2	23	5	1	26	29	1	56	97

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliocephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	ILLINOIS—Continued														
1	Williamson	463	-	-	-	-	-	18	-	1	2	-	1	57	2
2	Winnebago	1,228	-	-	1	-	1	26	-	-	3	-	4	199	-
3	Rockford	881	-	-	1	-	-	23	-	-	1	-	2	148	-
4	Balance of county	347	-	-	-	-	1	3	-	-	2	-	2	51	-
5	Woodford	183	-	-	-	-	-	1	-	-	1	-	1	23	-
6	INDIANA	39,034	11	33	5	40	37	1,128	17	3	391	51	49	4,839	38
7	Adams	221	-	1	-	-	-	2	-	-	1	-	-	25	-
8	Allen	1,625	1	1	-	2	-	50	-	-	11	1	-	209	1
9	Fort Wayne	1,273	-	-	-	1	-	36	-	-	9	1	-	167	1
10	Balance of county	352	1	1	-	1	-	14	-	-	2	-	-	42	-
11	Bartholomew	325	-	-	-	-	2	9	1	-	2	-	-	33	-
12	Columbus	150	-	-	-	-	-	1	1	-	2	-	-	18	-
13	Balance of county	175	-	-	-	-	2	8	-	-	-	-	-	15	-
14	Benton	110	-	-	-	-	-	2	-	-	-	-	-	14	-
15	Blackford	140	-	-	-	-	-	1	1	-	3	-	-	13	-
16	Boone	257	-	-	-	1	-	8	1	-	1	-	1	37	-
17	Brown	51	-	-	-	-	-	1	1	-	-	1	-	2	-
18	Carroll	167	-	-	-	-	-	-	1	-	4	1	-	23	-
19	Cass	637	-	-	-	-	-	36	-	-	26	-	-	58	-
20	Logansport	280	-	-	-	-	-	6	-	-	1	-	-	30	-
21	Balance of county	357	-	-	-	-	-	30	-	-	25	-	-	28	-
22	Clark	407	-	1	-	1	2	15	-	-	5	-	1	45	-
23	Jeffersonville	194	-	-	-	-	-	8	-	-	5	-	-	21	-
24	Balance of county	213	-	1	-	1	2	7	-	-	-	-	1	24	-
25	Clay	251	1	-	-	1	-	4	-	1	1	1	1	42	1
26	Clinton	320	-	-	-	-	-	6	-	-	1	-	-	37	-
27	Frankfort	166	-	-	-	-	-	4	-	-	-	-	-	24	-
28	Balance of county	154	-	-	-	-	-	2	-	-	1	-	-	13	-
29	Crawford	117	-	-	-	-	-	7	-	-	-	1	-	16	-
30	Daviess	278	-	-	-	1	-	8	-	-	2	-	-	28	-
31	Dearborn	259	1	1	-	-	-	7	-	-	3	2	-	34	-
32	Decatur	264	-	-	-	-	-	5	-	-	2	1	-	30	-
33	De Kalb	303	-	-	-	-	2	6	-	-	-	-	-	42	-
34	Delaware	798	1	1	-	-	1	12	-	-	10	2	-	96	-
35	Muncie	554	-	1	-	-	1	11	-	-	7	2	-	71	-
36	Balance of county	244	1	-	-	-	-	1	-	-	3	-	-	25	-
37	Dubois	227	1	-	-	-	-	2	1	-	-	1	-	20	-
38	Elkhart	779	-	1	-	3	-	6	-	-	3	-	1	127	-
39	Elkhart	372	-	-	-	-	-	5	-	-	-	-	1	67	-
40	Goshen	126	-	-	-	-	-	-	-	-	-	-	-	20	-
41	Balance of county	281	-	1	-	3	-	3	-	-	3	-	-	40	-
42	Fayette	196	-	-	-	-	-	7	-	-	1	-	-	19	1
43	Connersville	135	-	-	-	-	-	6	-	-	1	-	-	12	1
44	Balance of county	61	-	-	-	-	-	1	-	-	-	-	-	7	-
45	Floyd	442	-	1	-	2	-	10	-	-	1	3	-	52	4
46	New Albany	332	-	1	-	2	-	4	-	-	1	2	-	47	4
47	Balance of county	110	-	-	-	-	-	6	-	-	-	1	-	5	-
48	Fountain	202	-	-	-	-	-	7	-	-	-	2	-	30	-
49	Franklin	173	-	-	-	-	1	10	-	-	2	-	-	18	1
50	Fulton	199	-	-	-	-	-	2	-	-	1	-	-	30	-
51	Gibson	286	-	-	-	-	-	6	-	-	2	-	-	35	-
52	Grant	708	-	1	-	-	-	30	-	1	26	-	-	99	1
53	Marion	368	-	-	-	-	-	12	-	-	1	-	-	57	-
54	Balance of county	340	-	1	-	-	-	18	-	1	25	-	-	42	1
55	Greene	326	-	1	-	-	-	2	-	-	1	-	-	53	1
56	Hamilton	300	1	-	-	-	-	7	-	-	2	-	-	42	-
57	Hancock	219	-	-	-	-	-	2	-	-	1	-	-	26	-
58	Harrison	165	-	-	-	-	-	2	-	-	-	1	-	22	-
59	Hendricks	249	-	-	-	-	-	6	-	-	-	-	1	33	-
60	Henry	466	-	-	-	-	2	13	-	-	4	2	-	45	2
61	New Castle	164	-	-	-	-	-	9	-	-	3	1	-	15	-
62	Balance of county	302	-	-	-	-	2	4	-	-	1	1	-	30	2
63	Howard	509	-	-	-	2	2	13	-	-	2	-	2	56	-
64	Kokomo	361	-	-	-	2	-	11	-	-	1	-	2	42	-
65	Balance of county	148	-	-	-	-	2	2	-	-	1	-	-	14	-
66	Huntington	404	-	1	-	-	-	3	-	-	2	-	-	47	-
67	Huntington	208	-	1	-	-	-	2	-	-	2	-	-	27	-
68	Balance of county	196	-	-	-	-	-	1	-	-	-	-	-	20	-
69	Jackson	255	-	-	-	-	2	8	-	-	-	1	-	33	2
70	Jasper	169	-	-	-	1	1	2	-	-	1	-	3	19	-
71	Jay	259	-	-	-	-	-	3	-	-	2	-	-	28	-
72	Jefferson	361	-	-	-	-	-	16	-	-	9	3	-	18	1
73	Jennings	141	-	-	-	-	-	9	-	-	1	-	1	13	1
74	Johnson	310	-	-	-	-	1	3	-	-	1	1	-	28	-
75	Knox	463	-	-	1	2	-	15	-	-	4	3	-	56	-
76	Vincennes	228	-	-	-	1	-	7	-	-	3	2	-	28	-
77	Balance of county	235	-	-	1	1	-	8	-	-	1	1	-	30	-
78	Kosciusko	376	-	-	-	2	-	3	-	-	-	-	-	45	-
79	Lagrange	172	-	-	-	-	-	1	-	-	1	-	-	18	1
80	Lake	2,812	-	3	2	3	-	132	1	-	14	-	3	402	1
81	East Chicago	521	-	-	-	-	-	29	1	-	2	-	-	72	-
82	Gary	1,156	-	2	-	1	-	60	-	-	6	-	2	176	1
83	Hammond	614	-	1	2	1	-	21	-	-	1	-	-	84	-
84	Whiting	84	-	-	-	-	-	3	-	-	-	-	-	15	-
85	Balance of county	437	-	-	-	1	-	19	-	-	5	-	1	53	-
86	La Porte	764	-	2	-	2	-	20	-	-	7	-	1	101	-
87	La Porte	275	-	1	-	-	-	6	-	-	1	-	1	35	-
88	Michigan City	302	-	1	-	2	-	10	-	-	6	-	-	39	-
89	Balance of county	187	-	-	-	-	-	4	-	-	-	-	-	27	-
90	Lawrence	363	-	-	-	-	1	8	2	-	2	1	-	37	1
91	Bedford	153	-	-	-	-	-	1	2	-	1	1	-	14	1
92	Balance of county	210	-	-	-	-	1	7	-	-	1	-	-	23	-
93	Madison	919	-	-	-	2	-	26	-	-	6	-	1	107	-
94	Anderson	462	-	-	-	1	-	5	-	-	4	-	1	55	-
95	Elwood	120	-	-	-	-	-	9	-	-	-	-	-	25	-
96	Balance of county	337	-	-	-	1	-	12	-	-	2	-	-	27	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
10	-	52	131	11	3	40	3	28	7	5	12	20	5	55	1
29	-	111	359	46	4	81	5	87	16	2	32	63	12	147	2
21	-	77	260	32	-	53	4	65	8	1	22	42	9	112	3
8	-	34	99	14	4	28	1	22	8	1	10	21	3	35	4
5	-	19	72	5	-	16	-	11	2	-	3	4	3	17	5
966	3	4,338	11,565	1,577	199	2,948	112	2,019	501	147	966	1,824	424	4,803	6
7	-	23	60	25	-	13	-	21	-	-	12	10	-	21	7
42	-	183	498	69	11	136	3	79	19	6	38	68	9	208	8
34	-	135	390	46	9	104	3	57	18	6	21	56	7	172	9
8	-	28	108	23	2	32	-	22	1	-	17	12	2	36	10
7	-	49	101	14	1	13	1	20	3	2	2	13	9	43	11
2	-	20	51	5	1	6	1	12	-	1	1	5	3	20	12
5	-	29	50	9	-	7	-	8	3	1	1	8	6	23	13
3	-	15	33	3	-	12	-	4	-	-	3	6	-	15	14
4	-	18	47	7	-	10	-	3	2	-	3	6	1	21	15
4	-	44	72	1	1	26	-	9	4	-	1	12	6	30	16
1	-	6	20	3	2	5	1	1	-	-	2	2	-	3	17
7	-	21	41	2	1	19	1	7	1	-	4	12	1	21	18
13	-	65	217	23	2	53	-	16	8	3	4	37	4	72	19
9	-	26	101	11	2	30	-	12	3	1	3	15	2	28	20
4	-	39	116	12	-	23	-	4	5	2	1	22	2	44	21
14	-	27	119	15	5	29	5	32	2	-	9	25	5	50	22
4	-	12	54	2	2	19	3	17	1	-	3	7	4	32	23
10	-	15	65	13	3	10	2	15	1	-	6	18	1	18	24
6	-	30	54	10	3	44	-	12	2	-	3	10	-	24	25
4	-	44	84	12	4	37	1	13	9	-	5	16	6	41	26
3	-	24	41	5	2	17	1	4	5	-	3	9	2	22	27
1	-	20	43	7	2	20	-	9	4	-	2	7	4	19	28
2	-	13	37	5	1	7	-	5	2	1	3	9	-	9	29
5	-	29	76	21	2	27	1	20	7	-	5	11	5	32	30
11	-	24	73	4	2	20	-	13	6	-	9	16	5	28	31
10	-	42	82	5	-	22	1	10	2	-	5	11	1	35	32
9	-	37	93	9	3	26	1	16	5	-	8	15	5	26	33
15	-	91	230	38	1	42	5	45	6	2	25	42	12	121	34
9	-	63	158	27	1	30	2	36	4	-	21	28	9	73	35
6	-	28	72	11	-	12	3	9	2	2	4	14	3	48	36
9	-	36	62	6	3	19	2	12	1	-	10	9	5	28	37
34	-	88	228	40	1	41	2	51	11	-	17	31	5	87	38
17	-	30	110	19	1	24	-	23	5	-	7	14	2	47	39
3	-	17	34	2	-	4	-	14	3	-	3	6	1	19	40
14	-	41	84	19	-	13	2	14	3	-	7	11	2	21	41
4	-	22	56	13	1	7	-	12	5	1	2	10	5	30	42
3	-	14	41	5	1	7	-	7	3	1	-	8	3	22	43
1	-	8	15	8	-	-	-	5	2	-	2	2	2	8	44
10	-	39	152	16	5	20	2	24	11	5	12	25	1	47	45
10	-	29	114	12	4	11	2	15	8	5	10	16	-	35	46
-	-	10	38	4	1	9	-	9	3	-	2	9	1	12	47
3	-	20	56	5	2	28	2	6	3	-	7	8	1	24	48
1	-	20	50	10	1	21	-	6	1	-	8	8	2	13	49
5	-	23	56	7	-	24	-	7	4	2	5	12	6	15	50
5	-	32	92	7	2	22	1	16	6	1	10	18	2	29	51
20	-	82	201	19	5	75	1	30	4	1	17	22	3	70	52
8	-	43	108	7	3	44	1	24	1	1	9	11	2	36	53
12	-	39	93	12	2	31	-	6	3	-	8	11	1	34	54
7	-	35	90	12	1	41	4	11	4	-	10	17	2	34	55
7	-	27	94	7	1	23	-	13	7	-	16	19	2	32	56
5	-	23	72	8	-	23	-	12	3	1	6	8	-	29	57
6	-	21	29	6	-	26	-	5	5	1	5	10	8	18	58
10	-	31	73	9	-	13	1	7	3	-	9	14	-	39	59
13	-	62	137	22	5	25	2	30	8	1	9	18	12	54	60
6	-	23	44	4	2	8	-	14	3	1	2	4	6	19	61
7	-	39	93	18	3	17	2	18	5	-	7	14	6	35	62
16	-	61	147	30	6	43	-	29	3	1	12	16	6	62	63
10	-	36	114	18	6	29	-	24	2	1	11	7	3	42	64
6	-	25	33	12	-	14	-	5	1	-	1	9	3	20	65
12	-	54	136	8	-	28	1	8	11	-	7	18	7	61	66
6	-	20	73	3	-	12	1	4	4	-	4	8	6	35	67
6	-	34	63	5	-	16	-	4	7	-	3	10	1	26	68
6	-	25	61	12	2	25	-	10	3	1	8	16	3	37	69
7	-	23	33	7	-	13	2	9	4	1	13	9	-	21	70
11	-	26	92	14	2	15	2	15	2	-	5	19	2	23	71
4	-	26	115	12	3	26	-	8	6	1	5	14	2	94	72
2	-	23	27	4	1	13	-	7	3	-	4	8	2	22	73
9	-	50	89	12	1	23	2	10	4	1	14	16	4	41	74
23	-	52	133	22	-	35	1	25	6	3	11	27	5	39	75
13	-	52	64	5	-	15	-	16	2	-	9	14	1	18	76
10	-	20	69	17	-	20	1	9	4	3	2	13	4	21	77
9	-	38	125	15	1	42	1	15	6	1	6	25	4	38	78
6	-	23	56	11	1	14	-	6	2	-	6	11	1	14	79
70	-	285	744	177	19	103	16	207	34	20	66	122	53	335	80
9	-	46	124	38	4	16	4	33	5	7	15	31	21	64	81
33	-	108	270	77	8	39	7	92	17	12	36	39	11	157	82
17	-	60	185	28	6	31	5	41	9	1	17	29	11	64	83
3	-	3	25	4	1	3	-	10	1	-	4	6	-	6	84
8	-	48	140	30	-	14	-	31	2	-	14	17	10	44	85
16	-	78	234	24	3	59	2	45	12	7	14	28	25	84	86
3	-	37	84	9	1	16	1	20	1	1	3	13	10	32	87
10	-	24	94	7	1	25	1	13	6	2	6	10	10	35	88
3	-	17	56	8	1	18	-	12	5	4	5	5	5	17	89
5	2	38	100	14	2	22	1	32	6	1	10	22	2	54	90
3	-	16	47	4	2	8	1	17	2	-	1	8	-	24	91
2	2	22	53	10	-	14	-	15	4	1	9	14	2	30	92
24	-	108	279	28	5	53	2	65	10	3	32	45	19	104	93
15	-	43	143	16	1	18	1	46	5	3	15	23	6	60	94
2	-	10	27	1	1	13	-	3	1	-	6	8	4	10	95
7	-	55	109	11	3	21	1	16	4	-	11	14	9	34	96

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	INDIANA—Continued														
1	Marion	5,665	1	8	-	6	5	222	1	-	86	7	17	711	7
2	Indianapolis	4,992	1	8	-	6	4	164	1	-	83	6	14	646	6
3	Balance of county	673	-	-	-	-	1	58	-	-	3	1	3	65	1
4	Marshall	267	-	-	-	-	-	1	-	1	2	-	-	45	-
5	Martin	67	-	-	-	-	1	3	-	-	-	-	-	10	-
6	Miami	305	-	-	1	1	-	6	-	-	-	-	-	42	-
7	Peru	148	-	-	-	1	-	5	-	-	-	-	-	23	-
8	Balance of county	157	-	-	1	-	-	1	-	-	-	-	-	19	-
9	Monroe	337	-	-	-	-	-	13	2	-	3	4	-	46	-
10	Bloomington	181	-	-	-	-	-	7	-	-	2	1	-	32	-
11	Balance of county	156	-	-	-	-	-	6	2	-	1	3	-	14	-
12	Montgomery	355	-	-	-	-	-	4	1	-	4	-	-	46	1
13	Crawfordsville	178	-	-	-	-	-	4	1	-	3	-	-	18	1
14	Balance of county	177	-	-	-	-	-	-	-	-	1	-	-	28	-
15	Morgan	274	-	2	-	-	-	7	-	-	-	2	-	32	1
16	Newton	107	-	-	-	-	1	2	-	-	-	-	1	13	-
17	Noble	281	-	-	-	-	-	5	-	-	-	-	-	27	-
18	Ohio	58	-	-	-	-	-	1	-	-	1	-	-	11	-
19	Orange	208	1	-	-	2	-	7	-	-	2	-	-	28	-
20	Owen	150	-	-	-	-	-	3	-	-	1	-	-	15	-
21	Parke	190	-	1	-	-	-	8	-	-	-	1	-	21	-
22	Perry	132	-	1	-	-	-	6	1	-	3	-	-	14	-
23	Pike	182	-	-	-	1	-	3	-	-	1	-	-	21	-
24	Porter	297	-	-	-	-	-	6	-	-	1	-	-	41	1
25	Posey	198	-	1	-	-	2	10	-	-	2	-	-	29	-
26	Pulaski	87	-	-	-	-	-	1	-	-	1	-	-	11	-
27	Putnam	246	-	-	-	-	-	5	-	-	1	-	-	38	-
28	Randolph	308	-	-	-	-	-	9	-	-	6	-	-	34	-
29	Ripley	195	-	-	-	-	-	4	-	-	-	-	-	25	-
30	Rush	262	-	-	-	-	-	8	-	-	1	-	1	31	-
31	St. Joseph	1,561	-	1	-	-	-	55	-	-	4	-	2	209	-
32	Mishawaka	275	-	-	-	-	-	6	-	-	1	-	-	35	-
33	South Bend	986	-	1	-	-	-	37	-	-	2	-	1	126	-
34	Balance of county	300	-	-	-	-	-	12	-	-	1	-	1	48	-
35	Scott	105	-	1	-	1	-	3	-	-	1	-	-	11	-
36	Shelby	300	-	-	-	-	-	10	-	-	2	1	-	31	1
37	Shelbyville	135	-	-	-	-	-	6	-	-	2	1	-	10	-
38	Balance of county	165	-	-	-	-	-	4	-	-	-	-	-	21	1
39	Spencer	153	-	-	-	-	1	2	-	-	-	1	-	20	-
40	Starke	148	-	-	-	-	-	4	-	-	1	-	1	24	-
41	Steuben	178	-	-	-	-	-	2	-	-	-	-	1	26	-
42	Sullivan	304	-	-	-	1	-	5	1	-	1	-	-	34	-
43	Switzerland	98	-	-	-	-	-	2	-	-	-	-	-	10	-
44	Tippecanoe	650	-	-	-	-	1	12	-	-	4	3	4	77	1
45	Lafayette	430	-	-	-	-	1	6	-	-	3	3	4	47	1
46	Balance of county	220	-	-	-	-	-	6	-	-	1	-	-	30	-
47	Tipton	163	-	-	-	-	1	5	-	-	-	-	-	24	-
48	Union	69	-	-	-	-	-	2	-	-	-	-	-	9	-
49	Vanderburgh	1,561	-	1	-	2	5	56	1	-	30	-	-	181	1
50	Evansville	1,224	-	1	-	1	4	42	1	-	13	-	-	154	-
51	Balance of county	337	-	-	-	1	1	14	-	-	17	-	-	27	1
52	Vermillion	217	-	1	-	-	-	4	-	-	-	-	-	25	-
53	Vigo	1,223	2	-	-	-	1	24	-	-	9	3	1	161	-
54	Terre Haute	885	1	-	-	-	-	18	-	-	7	2	1	134	-
55	Balance of county	338	1	-	-	-	1	6	-	-	2	1	-	27	-
56	Wabash	321	-	-	-	-	-	6	-	-	2	-	-	35	1
57	Warren	80	-	-	-	-	-	2	-	-	1	-	-	9	-
58	Warrick	232	-	-	-	-	1	4	-	-	1	1	-	36	1
59	Washington	179	-	-	-	-	-	5	-	-	-	-	-	20	1
60	Wayne	916	1	1	-	1	1	33	-	-	46	-	2	93	3
61	Richmond	395	-	1	-	1	-	8	-	-	3	-	2	49	2
62	Balance of county	521	1	-	-	-	1	25	-	-	43	-	-	44	1
63	Wells	244	-	-	-	-	-	2	1	-	2	-	-	29	-
64	White	180	-	-	1	-	-	1	-	-	2	-	1	16	-
65	Whitley	197	-	-	-	-	-	4	-	-	2	-	2	30	-
66	IOWA	25,758	4	15	11	17	15	329	13	4	156	24	53	3,704	14
67	Adair	116	-	-	1	-	-	1	-	-	-	-	2	17	-
68	Adams	80	-	-	-	-	-	-	-	1	-	-	-	10	-
69	Allamakee	189	-	-	-	-	-	2	-	-	1	-	-	37	-
70	Appanoose	275	-	-	-	-	-	-	-	-	3	-	-	58	-
71	Audubon	113	-	-	-	-	1	-	-	-	-	-	-	14	-
72	Benton	231	-	-	-	-	-	1	-	-	2	-	-	34	-
73	Black Hawk	819	-	-	-	1	-	9	-	-	1	-	2	102	-
74	Waterloo	486	-	-	-	1	-	7	-	-	1	-	2	60	-
75	Balance of county	333	-	-	-	-	-	2	-	-	-	-	-	42	-
76	Boone	365	-	-	-	-	-	13	-	-	1	6	-	55	-
77	Boone	183	-	-	-	-	-	-	-	-	-	3	-	31	-
78	Balance of county	182	-	-	-	-	-	13	-	-	1	3	-	24	-
79	Bremer	176	-	-	-	-	-	2	-	-	-	-	2	22	1
80	Buchanan	353	-	1	1	-	-	5	-	-	9	-	1	36	-
81	Buena Vista	178	-	-	-	-	-	-	1	-	2	-	1	32	-
82	Butler	155	-	-	-	1	-	1	-	-	-	-	-	21	1
83	Calhoun	156	-	-	-	-	-	2	-	-	-	1	-	16	-
84	Carroll	221	-	-	-	-	-	-	-	-	-	1	1	41	-
85	Cass	183	-	-	-	-	-	2	-	-	-	-	1	28	-
86	Cedar	159	-	-	-	1	-	1	-	-	-	-	-	29	-
87	Cerro Gordo	425	-	-	-	-	1	4	-	-	3	1	-	49	-
88	Mason City	287	-	-	-	-	-	3	-	-	3	1	-	34	-
89	Balance of county	138	-	-	-	-	1	1	-	-	-	-	-	15	-
90	Cherokee	250	1	-	-	-	-	11	1	-	10	-	-	31	-
91	Chickasaw	131	-	-	-	-	-	2	-	-	-	-	-	15	-
92	Clarke	98	-	-	-	-	-	-	-	-	-	-	-	10	-
93	Clay	153	-	-	-	-	-	1	-	-	-	-	-	21	-
94	Clayton	238	-	-	-	-	-	1	-	-	-	-	1	37	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
125	-	605	1,656	205	31	446	8	305	55	39	131	245	18	725	1
113	-	537	1,458	181	27	384	7	278	50	38	112	229	15	624	2
12	-	68	198	24	4	62	1	27	5	1	19	16	3	101	3
6	-	39	85	15	-	15	1	13	3	-	7	14	1	39	4
1	-	7	14	12	-	8	1	2	1	-	6	10	2	9	5
12	-	44	83	11	2	36	-	6	5	-	7	15	3	31	6
5	-	20	41	5	-	14	-	4	1	-	3	5	2	19	7
7	-	24	42	6	2	22	-	2	4	-	4	10	1	12	8
8	-	44	87	16	1	27	1	19	1	3	9	13	6	34	9
6	-	19	50	7	-	12	-	9	-	2	3	9	2	20	10
2	-	25	37	9	1	15	1	10	1	1	6	4	4	14	11
12	-	50	110	10	-	31	-	19	3	-	5	16	2	41	12
6	-	24	55	4	-	18	-	9	1	-	2	9	-	23	13
6	-	26	55	6	-	13	-	10	2	-	3	7	2	18	14
10	-	24	91	12	1	18	-	16	5	1	4	17	7	24	15
3	-	5	31	5	-	14	1	4	1	-	5	3	1	17	16
4	-	40	86	8	-	25	1	14	4	-	6	9	1	41	17
2	-	11	14	4	-	3	-	-	1	-	1	2	-	7	18
4	-	18	64	6	-	15	2	7	3	1	9	9	6	24	19
6	-	22	37	5	1	28	-	6	4	-	4	8	1	9	20
3	-	22	64	9	1	17	-	4	5	-	6	10	3	15	21
1	-	15	33	9	1	7	-	3	2	-	3	9	3	21	22
3	-	24	53	7	2	11	-	4	3	-	4	14	2	29	23
5	-	22	87	13	1	23	-	16	4	-	13	20	6	38	24
5	-	21	54	11	-	16	1	7	3	1	3	6	1	25	25
-	-	9	26	2	-	6	-	6	2	-	2	6	-	15	26
8	-	29	74	8	1	12	-	5	7	-	6	12	3	37	27
6	-	30	97	10	1	38	-	15	4	-	5	13	8	32	28
3	1	18	62	10	1	14	1	12	3	1	5	8	2	25	29
1	-	52	78	10	-	22	1	14	2	1	3	12	1	24	30
50	-	137	548	63	5	71	8	92	24	5	45	59	14	169	31
11	-	20	108	10	1	9	1	17	7	2	11	6	4	26	32
32	-	93	350	39	3	44	5	56	12	3	24	41	6	111	33
7	-	24	90	14	1	18	2	19	5	-	10	12	4	32	34
2	-	11	32	8	-	3	-	7	-	-	6	1	-	18	35
4	-	36	85	7	2	34	1	15	5	1	4	19	5	37	36
-	-	22	36	4	1	17	-	5	1	1	2	9	3	13	37
4	-	14	47	3	1	17	1	10	4	-	2	10	2	24	38
-	-	23	40	3	1	17	-	8	2	-	4	8	1	22	39
5	-	19	41	8	2	7	1	7	2	-	7	6	1	12	40
5	-	22	68	5	-	8	-	4	4	-	9	6	2	16	41
7	-	42	100	12	1	33	-	11	2	1	7	15	2	29	42
1	-	18	36	4	-	10	1	4	-	-	-	3	1	8	43
15	-	64	240	11	5	27	3	42	8	-	11	32	5	85	44
12	-	47	164	6	4	18	2	28	5	-	5	17	4	53	45
3	-	17	76	5	1	9	1	14	3	-	6	15	1	32	46
5	-	18	51	5	-	15	-	3	1	-	5	7	-	23	47
1	-	6	29	2	-	2	-	2	-	-	-	6	-	10	48
26	-	177	425	59	5	122	3	84	17	10	32	54	37	233	49
24	-	136	350	45	3	102	3	72	14	8	30	44	10	167	50
2	-	41	75	14	2	20	-	12	3	2	2	10	27	66	51
7	-	26	66	10	2	15	2	7	2	-	8	9	-	33	52
29	-	95	408	48	6	108	2	65	13	7	21	64	4	152	53
21	-	71	294	35	3	66	2	50	6	4	12	44	2	112	54
8	-	24	114	13	3	42	-	15	7	3	9	20	2	40	55
11	-	56	80	11	1	27	-	13	7	1	8	19	3	40	56
2	-	7	17	4	-	6	1	7	3	1	3	4	-	13	57
5	-	35	64	12	3	15	1	13	-	-	4	14	-	22	58
4	-	22	55	7	2	20	1	9	1	1	6	9	2	14	59
21	-	105	242	35	4	48	2	42	8	5	15	35	8	167	60
13	-	54	112	18	2	35	1	29	4	4	6	12	3	34	61
8	-	51	130	17	2	13	1	13	4	1	7	23	3	133	62
9	-	30	72	11	3	28	1	12	6	-	2	11	-	25	63
3	-	18	61	6	-	23	-	9	5	1	4	12	2	15	64
3	-	28	53	5	1	14	-	7	4	-	4	16	4	20	65
673	3	2,899	7,874	1,047	136	1,457	59	1,354	327	46	549	1,289	384	3,302	66
2	-	17	34	7	2	2	-	9	-	-	2	4	2	14	67
2	-	13	26	3	-	3	-	4	2	2	1	5	2	6	68
3	-	22	48	9	1	11	-	11	2	1	1	11	4	25	69
2	-	39	80	16	-	12	1	11	5	-	1	14	3	30	70
1	-	10	36	5	-	7	-	2	3	-	8	6	1	19	71
9	-	27	69	6	-	19	-	16	2	-	6	15	2	23	72
31	-	106	250	26	6	61	1	50	15	3	17	39	13	88	73
19	-	58	154	14	5	40	1	38	7	3	8	22	1	45	74
12	-	48	96	12	1	21	-	12	6	-	9	17	12	43	75
13	-	40	91	31	5	10	-	14	6	-	10	19	1	50	76
11	-	28	52	6	1	7	-	4	3	-	5	14	-	18	77
2	-	12	39	25	4	3	-	10	3	-	3	5	1	32	78
14	-	28	50	7	-	6	1	6	1	-	5	10	1	20	79
7	-	25	109	19	1	21	-	10	4	-	4	8	-	92	80
7	-	22	42	9	1	7	-	13	1	-	7	11	-	22	81
5	-	23	41	10	1	3	-	10	2	-	3	15	1	17	82
5	-	17	47	3	1	13	1	9	2	-	3	13	3	20	83
2	-	22	62	9	-	11	2	15	2	-	6	15	2	30	84
1	-	21	60	3	-	14	-	10	2	-	7	5	3	26	85
5	-	14	47	11	-	9	1	2	4	-	3	7	6	19	86
12	-	40	134	21	1	31	1	41	5	1	8	16	3	53	87
8	-	33	93	15	-	13	1	31	1	-	5	9	-	36	88
3	-	7	41	6	1	18	-	10	4	1	3	7	3	17	89
6	-	25	56	15	1	14	-	11	-	-	6	10	17	35	90
6	-	18	37	8	-	6	-	10	1	-	5	5	1	19	91
3	-	12	25	8	-	10	-	3	-	1	2	4	2	16	92
3	-	12	58	3	-	7	-	13	-	-	3	9	1	22	93
4	-	31	72	13	1	21	1	7	2	-	2	11	4	30	94

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	IOWA—Continued														
1	Clinton	598	1	-	1	-	-	7	-	-	3	-	1	89	-
2	Clinton	402	-	-	1	-	-	6	-	-	1	-	-	53	-
3	Balance of county	196	1	-	-	-	-	1	-	-	2	-	1	36	-
4	Crawford	187	-	-	-	-	-	1	-	-	-	-	-	35	-
5	Dallas	231	-	-	-	-	-	2	-	-	1	-	-	22	-
6	Davis	100	-	-	-	-	-	-	-	-	-	-	-	22	-
7	Decatur	128	-	-	-	-	-	2	1	-	-	1	-	18	-
8	Delaware	161	-	-	-	-	-	2	-	-	-	-	1	22	-
9	Des Moines	456	-	-	-	-	-	12	-	-	2	-	-	67	-
10	Burlington	363	-	-	-	-	-	11	-	-	1	-	-	52	-
11	Balance of county	93	-	-	-	-	-	1	-	-	1	-	-	15	-
12	Dickinson	100	-	-	-	-	-	-	-	-	1	-	-	18	-
13	Dubuque	808	-	2	1	-	-	12	-	-	4	-	-	98	-
14	Dubuque	592	-	2	1	-	-	12	-	-	3	-	-	69	-
15	Balance of county	216	-	-	-	-	-	-	-	-	1	-	-	29	-
16	Emmet	117	-	-	-	-	-	1	-	-	-	-	1	23	-
17	Fayette	302	-	-	-	-	-	1	-	-	2	-	1	43	-
18	Floyd	204	-	-	1	-	-	2	-	-	-	-	-	23	-
19	Franklin	156	-	-	1	1	-	1	-	-	-	1	-	26	-
20	Fremont	124	-	-	-	-	1	1	-	-	-	1	-	18	-
21	Greene	169	-	-	-	-	-	2	-	-	-	-	-	19	-
22	Grundy	106	-	-	-	-	-	-	-	-	1	-	-	14	-
23	Guthrie	153	-	-	-	-	-	-	-	-	1	-	-	21	-
24	Hamilton	168	-	-	-	1	2	1	-	1	-	1	1	30	-
25	Hancock	128	-	-	-	-	-	1	-	-	-	1	1	22	-
26	Hardin	210	-	-	-	-	-	2	-	-	2	-	-	37	-
27	Harrison	223	-	-	1	-	-	2	-	-	1	-	-	22	-
28	Henry	364	-	-	-	-	-	10	1	-	10	-	2	31	1
29	Howard	89	-	-	-	-	-	1	-	-	-	-	-	10	-
30	Humboldt	100	-	-	-	-	-	1	-	-	-	-	-	13	-
31	Ida	79	-	1	-	-	-	2	-	-	-	-	-	9	-
32	Iowa	175	-	-	-	-	-	2	-	-	1	-	-	33	-
33	Jackson	189	-	-	-	-	1	1	-	-	-	-	-	25	-
34	Jasper	305	-	-	-	1	-	4	-	-	1	1	-	37	-
35	Newton	139	-	-	-	-	-	2	-	-	1	-	-	14	-
36	Balance of county	166	-	-	-	1	-	2	-	-	-	1	-	23	-
37	Jefferson	146	-	-	-	1	1	1	-	-	-	-	-	17	-
38	Johnson	344	-	-	-	-	-	23	-	-	-	-	-	51	-
39	Iowa City	215	-	-	-	-	-	5	-	-	-	-	-	33	-
40	Balance of county	129	-	-	-	-	-	18	-	-	-	-	-	18	-
41	Jones	202	-	-	-	-	-	2	-	-	1	-	1	39	-
42	Keokuk	175	-	-	-	-	-	-	-	-	-	-	-	31	-
43	Kossuth	215	-	1	-	-	-	-	2	-	2	-	-	27	2
44	Lee	472	-	-	-	-	-	8	-	-	-	-	-	53	-
45	Fort Madison	149	-	-	-	-	-	4	-	-	-	-	-	20	-
46	Keokuk	210	-	-	-	-	-	3	-	-	-	-	-	18	-
47	Balance of county	113	-	-	-	-	-	1	-	-	-	-	-	15	-
48	Linn	1,005	-	1	-	1	-	15	-	-	7	-	-	150	-
49	Cedar Rapids	717	-	1	-	-	-	12	-	-	7	-	-	111	-
50	Balance of county	288	-	-	-	1	-	3	-	-	-	-	-	39	-
51	Louisa	96	-	-	-	-	-	1	-	-	-	-	-	15	-
52	Lucas	156	-	-	-	-	-	-	-	-	-	-	-	26	-
53	Lyon	108	-	-	-	-	-	-	-	-	1	-	2	17	-
54	Madison	122	-	-	-	-	-	1	-	-	-	-	-	17	-
55	Mahaska	275	-	-	-	1	-	4	-	-	-	1	-	32	-
56	Oskaloosa	138	-	-	-	-	-	4	-	-	-	-	-	12	-
57	Balance of county	137	-	-	-	1	-	-	-	-	-	1	-	20	-
58	Marion	282	-	1	-	-	-	4	-	-	14	-	-	35	-
59	Marshall	347	-	-	-	-	2	3	1	-	2	-	-	52	-
60	Marshalltown	208	-	-	-	-	2	2	-	-	2	-	-	35	-
61	Balance of county	139	-	-	-	-	-	1	1	-	-	-	-	17	-
62	Mills	173	-	-	-	-	-	5	-	-	2	-	-	29	-
63	Mitchell	137	-	1	-	-	-	1	-	-	-	-	-	20	-
64	Monona	138	-	-	-	-	-	3	-	-	-	-	-	23	-
65	Monroe	138	1	-	-	-	-	1	-	-	1	-	1	16	-
66	Montgomery	167	-	-	-	-	-	1	-	-	-	-	-	30	1
67	Muscatine	359	-	-	2	1	-	5	-	-	3	-	-	52	-
68	Muscatine	243	-	-	2	-	-	5	-	-	3	-	-	30	-
69	Balance of county	116	-	-	-	1	-	-	-	-	-	-	-	22	-
70	O'Brien	160	-	1	-	-	-	2	-	1	1	-	1	23	1
71	Osceola	66	-	-	-	-	-	1	-	-	-	-	-	12	-
72	Page	386	-	-	-	-	-	20	-	-	10	-	-	43	-
73	Palo Alto	141	-	-	-	-	1	1	-	-	-	-	-	17	-
74	Plymouth	208	-	-	-	-	-	1	-	-	1	1	1	30	-
75	Pocahontas	124	-	-	-	-	-	2	-	-	-	-	-	13	1
76	Polk	2,083	-	2	-	-	-	27	1	-	22	-	13	322	3
77	Des Moines	1,801	-	2	-	-	-	25	1	-	18	-	12	286	3
78	Balance of county	282	-	-	-	-	-	2	-	-	4	-	1	36	-
79	Pottawattamie	639	-	1	-	1	-	10	-	-	-	-	-	92	-
80	Council Bluffs	448	-	-	-	-	-	9	-	-	-	-	-	64	-
81	Balance of county	191	-	1	-	1	-	1	-	-	-	-	-	28	-
82	Poweshiek	177	-	-	1	-	-	1	-	1	-	-	-	30	-
83	Ringgold	90	-	-	-	-	-	1	-	-	-	-	-	11	-
84	Sac	122	-	-	-	-	-	2	-	-	-	-	2	21	-
85	Scott	970	-	-	-	3	-	14	2	-	6	-	4	135	-
86	Davenport	786	-	-	-	3	-	12	2	-	5	-	4	117	-
87	Balance of county	184	-	-	-	-	-	2	-	-	1	-	-	18	-
88	Shelby	130	-	-	-	-	-	-	-	-	-	-	-	22	-
89	Sioux	207	-	-	-	-	-	1	1	-	-	-	4	39	-
90	Story	303	-	-	-	-	-	3	-	-	1	-	1	44	-
91	Ames	119	-	-	-	-	-	1	-	-	-	-	1	16	-
92	Balance of county	184	-	-	-	-	-	2	-	-	1	-	-	28	-
93	Tama	195	-	-	-	-	-	-	-	-	1	-	-	31	1
94	Taylor	149	-	-	-	2	-	1	-	-	-	1	-	19	-
95	Union	176	-	-	-	-	-	3	-	-	-	-	-	37	-
96	Van Buren	134	-	-	-	-	-	3	-	-	3	-	-	22	1

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
20	-	67	187	23	5	37	-	32	10	1	14	26	8	66	1
15	-	46	131	17	4	24	-	25	4	1	9	20	3	42	2
5	-	21	56	6	1	15	-	7	6	-	5	6	5	24	3
3	-	19	43	9	1	10	1	13	4	-	5	12	9	22	4
5	-	21	78	12	1	13	-	8	1	-	7	17	2	41	5
-	-	12	37	8	-	3	-	7	-	-	3	3	2	3	6
5	-	15	32	9	-	15	-	4	1	-	3	8	3	13	7
3	-	13	59	7	1	12	-	7	1	-	5	4	9	15	8
10	-	57	129	15	1	32	-	21	4	-	7	27	4	68	9
8	-	47	98	11	1	24	-	19	3	-	6	24	3	55	10
2	-	10	31	4	-	8	-	2	1	-	1	3	1	13	11
1	-	14	36	4	1	5	1	6	1	-	-	4	2	6	12
30	-	67	262	27	14	33	-	47	10	-	21	49	17	114	13
23	-	38	210	17	11	22	-	35	8	-	15	36	5	85	14
7	-	29	52	10	3	11	-	12	2	-	6	13	12	29	15
3	-	11	24	3	-	7	1	8	1	-	4	8	3	19	16
9	-	41	80	14	-	29	-	8	6	-	8	21	6	35	17
8	-	24	67	10	-	5	1	8	2	-	10	18	2	25	18
3	-	11	45	12	6	8	-	13	2	-	4	3	1	18	19
4	-	9	42	4	1	8	-	5	2	1	3	5	3	16	20
4	-	23	60	3	1	10	-	5	2	-	4	3	3	30	21
2	-	13	39	5	-	2	-	6	2	-	4	4	3	11	22
3	-	24	51	5	-	8	-	8	2	-	7	4	5	16	23
-	-	20	53	4	-	11	-	8	3	-	6	10	-	16	24
5	-	12	34	6	-	4	-	10	3	-	1	8	1	19	25
6	-	21	71	11	-	9	-	8	2	-	4	8	3	26	26
3	-	16	82	10	-	16	1	10	5	-	8	19	1	26	27
10	-	30	101	22	3	26	-	6	7	-	4	14	25	61	28
8	-	13	22	5	-	7	-	4	-	-	2	4	-	13	29
5	-	14	25	4	-	4	-	6	2	-	3	9	-	14	30
3	-	11	22	2	1	5	1	3	-	-	3	4	-	12	31
3	-	9	53	3	-	14	1	12	5	-	6	8	1	24	32
4	-	13	69	8	3	14	-	19	1	1	4	5	-	21	33
10	-	43	96	15	-	15	-	17	2	2	9	23	1	28	34
5	-	16	45	7	-	8	-	12	1	1	3	12	1	11	35
5	-	27	51	8	-	7	-	5	1	1	6	11	-	17	36
6	-	28	42	9	-	9	-	2	2	-	7	5	2	14	37
11	-	49	96	13	2	16	-	18	7	3	2	12	1	40	38
7	-	27	65	6	1	11	-	15	3	3	2	7	1	29	39
4	-	22	31	7	1	5	-	3	4	-	-	5	-	11	40
7	-	19	57	6	2	9	-	12	5	2	3	14	2	22	41
4	-	13	57	7	2	11	-	10	2	-	1	7	8	22	42
4	-	15	63	3	-	17	-	21	-	-	7	13	2	36	43
9	-	50	176	15	-	35	2	30	3	-	9	23	1	58	44
4	-	16	57	4	-	8	2	10	-	-	1	3	-	20	45
5	-	20	72	8	-	20	-	15	3	-	4	14	-	28	46
-	-	14	47	3	-	7	-	5	-	-	4	6	1	10	47
29	-	130	277	26	12	47	3	63	15	1	22	58	18	130	48
20	-	91	194	20	9	34	3	49	10	-	16	41	3	97	49
9	-	39	83	6	3	13	-	15	5	1	6	17	15	33	50
2	-	14	31	7	1	5	-	2	1	-	-	3	-	14	51
4	-	21	44	3	2	14	1	10	2	-	-	8	1	20	52
1	-	17	29	6	-	5	-	5	-	-	3	4	2	16	53
4	-	21	49	4	-	3	-	2	1	-	4	3	2	11	54
8	-	38	89	13	1	27	2	5	3	-	1	13	1	36	55
6	-	23	38	7	1	20	1	3	-	-	-	8	-	15	56
2	-	15	51	6	-	7	1	2	3	-	1	5	1	21	57
3	-	30	87	15	1	22	1	11	4	1	3	12	1	37	58
7	-	45	106	17	1	18	-	23	1	-	9	7	6	47	59
3	-	23	67	8	1	7	-	17	1	-	4	4	4	28	60
4	-	22	39	9	-	11	-	6	-	-	5	3	2	19	61
4	-	19	50	11	3	5	-	7	-	-	4	13	1	20	62
5	-	12	49	3	-	5	-	10	-	-	-	8	-	23	63
3	-	19	39	5	-	7	-	6	2	-	2	11	2	16	64
4	1	18	53	5	2	4	-	7	1	-	5	6	2	10	65
4	-	22	55	5	-	4	2	5	3	-	2	7	10	16	66
7	-	36	121	8	3	39	-	14	4	2	6	18	2	36	67
6	-	21	80	5	3	29	-	9	4	1	2	14	1	28	68
1	-	15	41	3	-	10	-	5	-	1	4	4	1	8	69
6	-	23	37	5	-	9	-	9	2	-	2	6	10	21	70
1	-	5	22	1	-	4	2	3	2	-	2	4	3	4	71
11	-	41	74	19	-	8	-	9	1	3	2	16	30	99	72
3	-	24	44	4	-	4	1	7	5	-	8	7	-	15	73
8	-	18	65	10	1	11	1	8	6	-	4	12	2	28	74
5	-	15	53	7	1	9	-	4	-	-	4	3	3	24	75
46	1	236	693	75	11	60	7	118	20	8	42	103	16	259	76
41	1	200	591	64	8	55	6	103	19	5	32	85	12	232	77
5	-	36	102	11	3	5	1	15	1	1	10	18	4	27	78
15	-	60	231	30	6	30	4	26	5	2	10	39	6	71	79
8	-	45	165	21	3	24	3	14	3	2	6	25	3	53	80
7	-	15	66	9	3	6	1	12	2	-	4	14	3	18	81
6	-	20	47	10	1	17	1	10	3	1	5	5	-	18	82
1	-	9	25	3	-	4	-	7	5	-	2	5	1	16	83
4	-	17	25	3	-	13	-	7	2	-	3	7	1	15	84
22	-	91	306	31	8	39	4	68	15	6	23	53	15	125	85
18	-	75	246	25	7	36	4	51	10	5	16	38	13	99	86
4	-	16	60	6	1	3	-	17	5	1	7	15	2	26	87
2	-	19	42	1	-	5	-	14	2	-	2	5	2	14	88
6	-	19	58	9	2	13	1	13	2	-	5	8	1	25	89
6	-	32	103	8	-	17	-	20	5	1	6	11	5	40	90
4	-	10	41	2	-	6	-	12	2	-	2	4	3	15	91
2	-	22	62	6	-	11	-	8	3	1	4	7	2	25	92
5	-	28	75	11	1	10	-	9	4	-	2	4	-	13	93
2	-	20	51	5	-	17	-	5	2	-	-	3	1	20	94
3	-	22	62	3	-	5	1	9	1	1	4	7	-	18	95
2	-	29	40	5	-	3	-	2	-	-	-	7	1	16	96

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	IOWA—Continued														
1	Wapello	452	-	-	-	-	2	6	1	-	2	-	-	59	-
2	Ottumwa	325	-	-	-	-	1	4	1	-	1	-	-	42	-
3	Balance of county	127	-	-	-	-	1	2	-	-	1	-	-	17	-
4	Warren	157	-	1	-	-	-	-	-	-	1	-	-	23	-
5	Washington	235	-	1	1	-	-	1	-	-	1	1	-	31	-
6	Wayne	159	-	-	-	-	1	5	-	-	-	-	-	20	-
7	Webster	421	-	1	-	1	-	2	1	-	-	1	-	62	1
8	Fort Dodge	265	-	1	-	1	-	2	-	-	-	-	-	39	-
9	Balance of county	156	-	-	-	-	-	-	1	-	-	1	-	23	1
10	Winnebago	104	-	-	-	-	1	-	-	-	-	-	-	21	-
11	Winneshiek	198	-	-	-	-	-	1	-	-	1	1	-	27	-
12	Woodbury	1,058	1	-	-	-	-	8	-	-	9	3	3	164	-
13	Sioux City	873	1	-	-	-	-	8	-	-	8	3	2	133	-
14	Balance of county	185	-	-	-	-	-	-	-	-	1	-	1	31	-
15	Worth	91	-	-	-	-	-	2	-	-	-	-	-	14	-
16	Wright	172	-	-	-	-	1	2	-	-	2	-	1	25	-
17	KANSAS	18,059	1	11	4	13	12	307	3	2	143	23	91	2,412	10
18	Allen	224	-	-	-	-	-	2	-	-	-	-	-	27	-
19	Anderson	109	-	-	-	-	-	1	-	-	-	-	1	14	1
20	Atchison	253	-	-	-	-	-	7	-	-	2	-	1	26	-
21	Atchison	184	-	-	-	-	-	7	-	-	1	-	-	21	-
22	Balance of county	69	-	-	-	-	-	-	-	-	1	-	1	5	-
23	Barber	65	-	-	-	-	-	-	-	-	1	-	-	10	-
24	Barton	210	-	-	-	-	-	1	-	-	1	1	2	27	-
25	Bourbon	263	-	1	-	-	-	2	-	-	-	-	2	30	-
26	Fort Scott	183	-	1	-	-	-	2	-	-	-	-	2	25	-
27	Balance of county	80	-	-	-	-	-	-	-	-	-	-	-	5	-
28	Brown	158	-	-	-	-	-	2	-	-	-	1	-	24	-
29	Butler	253	-	-	-	-	-	1	-	-	1	-	2	31	-
30	El Dorado	111	-	-	-	-	-	1	-	-	1	-	-	12	-
31	Balance of county	148	-	-	-	-	-	-	-	-	-	-	2	19	-
32	Chase	47	-	-	-	-	-	1	-	-	-	-	-	7	-
33	Chautauqua	78	-	-	-	-	-	-	-	-	-	-	-	7	-
34	Cherokee	296	-	-	-	1	-	21	-	-	1	-	3	36	1
35	Cheyenne	32	-	-	-	-	-	-	-	-	-	-	-	5	-
36	Clark	24	-	-	-	-	-	-	-	-	-	-	-	1	-
37	Clay	128	-	-	-	-	-	1	-	-	2	-	-	19	-
38	Cloud	205	-	-	-	-	-	3	-	-	1	-	-	26	-
39	Coffey	95	-	-	-	-	-	2	-	-	1	-	2	13	-
40	Comanche	19	-	-	-	-	-	-	-	-	-	-	-	3	-
41	Cowley	424	-	-	1	1	-	12	-	-	1	3	-	58	-
42	Arkansas City	144	-	-	-	1	-	2	-	-	-	-	-	21	-
43	Balance of county	280	-	-	1	-	-	10	-	-	1	3	-	37	-
44	Crawford	501	1	-	-	-	2	8	-	-	3	1	3	72	-
45	Pittsburg	198	-	-	-	-	2	4	-	-	2	1	-	22	-
46	Balance of county	303	1	-	-	-	-	4	-	-	1	-	3	50	-
47	Decatur	48	-	-	-	-	-	-	-	-	-	-	-	6	-
48	Dickinson	268	-	2	-	-	-	-	-	-	-	-	-	43	-
49	Doniphan	110	-	-	-	-	-	2	-	-	-	-	-	16	-
50	Douglas	289	-	-	-	-	-	1	-	-	2	1	1	39	-
51	Lawrence	200	-	-	-	-	-	1	-	-	2	1	1	27	-
52	Balance of county	89	-	-	-	-	-	-	-	-	-	-	-	12	-
53	Edwards	56	-	-	-	-	-	-	-	-	-	-	-	8	-
54	Elk	66	-	-	-	-	-	1	-	-	-	-	-	11	-
55	Ellis	116	-	-	-	-	-	2	-	-	-	-	1	13	-
56	Ellsworth	101	-	-	-	-	-	-	-	-	-	-	1	15	-
57	Finney	87	-	-	-	-	-	-	-	-	-	-	1	10	-
58	Ford	184	-	-	-	-	-	3	-	-	1	1	1	32	-
59	Franklin	251	-	-	-	1	-	4	-	-	-	1	6	39	-
60	Ottawa	152	-	-	-	1	-	2	-	-	-	-	4	20	-
61	Balance of county	99	-	-	-	-	-	2	-	-	-	1	2	19	-
62	Geary	132	-	-	-	-	-	-	-	-	-	-	1	12	-
63	Gove	35	-	-	-	-	-	-	-	-	-	-	-	5	-
64	Graham	36	-	1	-	-	-	-	-	-	1	-	-	3	-
65	Grant	18	-	-	-	-	-	-	-	-	-	-	-	2	-
66	Gray	30	-	-	-	-	-	-	-	-	-	-	1	4	-
67	Greeley	15	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Greenwood	136	-	-	-	1	-	-	-	-	-	-	1	19	-
69	Hamilton	38	-	-	1	-	-	1	-	-	-	-	-	1	-
70	Harper	112	-	-	-	-	-	1	1	-	-	-	-	13	-
71	Harvey	212	-	-	-	-	-	1	-	-	3	-	-	33	-
72	Newton	133	-	-	-	-	-	-	-	-	3	-	-	21	-
73	Balance of county	79	-	-	-	-	-	1	-	-	-	-	-	12	-
74	Haskell	13	-	-	-	-	-	-	-	-	-	-	-	-	-
75	Hodgeman	20	-	-	-	-	-	-	-	-	-	-	1	2	-
76	Jackson	130	-	-	-	-	-	1	-	-	-	-	-	21	-
77	Jefferson	121	-	1	-	-	-	-	-	-	1	-	1	13	-
78	Jewell	81	-	-	1	-	-	-	-	-	-	-	1	11	1
79	Johnson	281	-	-	-	-	-	2	-	-	-	-	5	45	-
80	Kearny	15	-	-	-	-	-	-	-	-	-	-	-	1	-
81	Kingman	93	-	-	-	-	-	-	-	-	-	-	-	10	-
82	Kiowa	27	-	-	-	-	-	-	-	-	-	-	-	2	-
83	Labette	339	-	-	-	-	-	7	-	1	4	-	1	30	-
84	Parsons	168	-	-	-	-	-	3	-	-	3	-	-	15	-
85	Balance of county	171	-	-	-	-	-	4	-	1	1	-	1	15	-
86	Lane	23	-	-	-	-	-	1	-	-	-	1	1	-	-
87	Leavenworth	518	-	1	-	1	-	31	-	-	17	2	-	81	-
88	Leavenworth	277	-	-	-	-	-	8	-	-	3	2	-	43	-
89	Balance of county	241	-	1	-	1	-	23	-	-	14	-	-	38	-
90	Lincoln	62	-	-	-	-	-	-	-	-	-	-	-	12	-
91	Linn	137	-	-	-	-	-	1	-	-	1	-	3	13	-
92	Logan	37	-	-	-	-	-	-	-	-	-	1	-	6	-
93	Lyon	298	-	-	-	-	-	3	-	-	-	-	3	43	-
94	Emporia	213	-	-	-	-	-	2	-	-	-	-	3	32	-
95	Balance of county	85	-	-	-	-	-	1	-	-	-	-	-	11	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
15	-	43	134	20	1	57	-	20	4	3	6	22	2	55	1
11	-	27	102	13	-	45	-	15	2	2	5	17	1	38	2
4	-	16	32	7	1	12	-	5	2	1	1	5	1	19	3
2	1	26	55	6	-	8	-	3	5	-	1	10	-	15	4
5	-	32	61	15	1	16	1	8	4	-	7	12	3	34	5
5	-	14	51	5	-	21	-	6	3	-	1	9	3	15	6
12	-	41	114	17	5	30	3	31	5	-	8	13	6	67	7
6	-	25	71	10	4	21	1	22	2	-	4	8	4	44	8
6	-	16	43	7	1	9	2	9	3	-	4	5	2	23	9
5	-	13	28	4	-	5	-	5	1	-	2	4	2	13	10
6	-	25	61	5	-	15	1	9	5	-	3	11	1	26	11
26	-	110	313	46	6	54	4	61	14	1	27	59	15	134	12
18	-	88	259	42	5	48	4	52	12	1	23	45	6	115	13
8	-	22	54	4	1	6	-	9	2	-	4	14	9	19	14
1	-	12	20	6	-	10	1	8	2	-	2	4	-	9	15
3	-	12	61	2	-	5	-	8	6	-	7	15	5	17	16
437	6	2,049	5,415	612	79	1,257	60	970	182	53	467	867	289	2,284	17
4	-	28	77	9	1	18	1	10	-	-	8	14	4	21	18
3	1	14	40	2	-	2	1	3	-	-	2	6	3	15	19
9	-	19	87	12	-	29	4	15	4	1	8	12	2	15	20
8	-	9	65	6	-	22	4	10	4	-	6	11	-	10	21
1	-	10	22	6	-	7	-	5	-	1	2	1	2	5	22
1	-	8	24	1	1	5	-	2	-	1	2	3	1	5	23
4	-	25	64	5	1	19	-	16	2	-	10	5	1	26	24
7	-	27	103	6	3	21	2	20	2	-	2	5	2	28	25
3	-	18	63	5	-	18	2	18	1	-	1	5	1	20	26
4	-	9	40	1	3	5	-	2	1	-	1	-	1	8	27
4	-	15	66	8	-	8	-	3	4	-	1	4	4	14	28
6	1	28	65	8	1	20	-	6	4	-	8	13	4	38	29
6	-	8	37	3	-	7	-	3	3	-	6	4	2	18	30
2	1	20	48	5	1	13	-	3	1	-	2	9	2	20	31
1	-	5	17	1	1	3	-	2	2	-	6	-	-	1	32
-	-	11	26	-	-	15	-	3	1	-	2	3	1	9	33
4	-	37	84	4	2	24	-	10	1	1	3	14	4	45	34
1	-	4	5	2	-	4	-	1	-	-	1	1	-	8	35
-	-	4	6	2	-	1	-	2	-	-	-	2	1	5	36
2	-	20	38	3	1	7	-	3	-	-	3	5	6	18	37
2	-	25	70	5	1	18	1	11	2	1	8	9	-	20	38
1	-	11	27	1	-	5	-	6	4	-	-	4	6	10	39
1	-	5	5	1	1	1	-	1	-	-	-	-	-	1	40
13	-	38	136	19	-	26	-	24	5	1	12	23	8	43	41
7	-	11	53	5	-	11	-	7	1	-	3	8	2	12	42
6	-	27	83	14	-	15	-	17	4	1	9	15	6	31	43
11	-	67	192	14	2	23	1	22	9	-	5	15	2	48	44
5	-	28	86	5	-	2	-	16	3	-	3	5	-	14	45
6	-	39	106	9	2	21	1	6	6	-	2	10	2	34	46
-	-	3	15	1	-	4	-	4	4	-	1	4	-	6	47
13	-	27	88	9	-	25	1	11	2	-	5	11	2	27	48
1	-	12	30	2	-	9	1	6	1	2	4	6	3	15	49
8	-	35	90	7	-	15	1	14	2	3	7	12	4	47	50
6	-	23	61	3	-	14	1	11	2	3	1	6	3	34	51
2	-	12	29	4	-	1	-	3	-	-	6	6	1	13	52
-	-	8	16	3	-	4	-	1	4	-	2	2	1	7	53
1	-	8	13	5	-	9	-	3	-	-	-	3	2	10	54
5	-	17	27	2	-	6	3	17	1	-	6	4	-	12	55
3	-	14	33	3	-	3	-	2	1	-	2	6	2	16	56
1	-	7	18	4	-	8	-	7	-	-	5	13	2	11	57
8	-	19	39	8	1	18	-	11	-	-	6	11	-	27	58
4	-	23	76	9	1	28	-	9	1	-	3	16	2	28	59
2	-	12	52	6	1	16	-	5	-	-	3	8	-	20	60
2	-	11	24	3	-	12	-	4	1	-	-	8	2	8	61
3	-	9	39	4	1	16	-	5	2	1	5	10	1	23	62
1	-	2	6	1	-	3	-	3	1	-	2	2	-	9	63
1	-	3	8	1	-	2	-	3	-	-	1	2	3	7	64
-	-	1	1	1	-	2	-	2	1	-	2	3	-	3	65
-	-	3	4	2	1	1	-	6	-	-	-	4	-	4	66
-	-	3	4	-	-	-	-	2	-	-	-	4	1	1	67
3	1	14	52	4	1	4	1	3	1	-	5	8	2	16	68
-	-	3	11	2	-	3	-	5	-	-	3	3	1	4	69
2	-	12	30	2	-	17	-	6	1	-	8	7	1	11	70
8	-	21	65	3	-	7	-	17	4	1	4	12	6	27	71
5	-	15	42	1	-	4	-	11	3	1	3	8	2	14	72
3	-	6	23	2	-	3	-	6	1	-	1	4	4	13	73
-	-	-	4	-	1	-	-	2	-	-	-	3	-	3	74
-	-	1	6	-	-	2	-	1	-	-	1	2	1	3	75
4	-	21	47	2	-	6	1	2	-	-	1	6	2	16	76
2	-	15	51	5	-	6	-	4	-	-	1	4	1	16	77
4	-	10	24	4	-	4	-	1	-	-	2	6	2	10	78
6	-	20	83	12	1	28	2	19	3	-	7	7	4	37	79
-	-	-	5	1	-	1	-	3	-	-	1	2	-	1	80
2	-	15	33	1	-	8	-	7	1	-	2	3	2	9	81
-	-	3	12	-	-	3	-	3	1	-	-	-	-	3	82
10	-	41	95	14	-	19	-	12	5	-	8	12	3	77	83
4	-	19	47	4	-	7	-	7	3	-	1	4	2	49	84
6	-	22	48	10	-	12	-	5	2	-	7	8	1	28	85
1	-	1	6	-	-	1	-	2	-	-	1	1	1	6	86
16	-	43	138	14	-	52	1	20	7	2	8	13	2	69	87
10	-	25	77	9	-	36	1	14	5	1	4	7	-	32	88
6	-	18	61	6	-	16	-	6	2	1	4	6	2	37	89
-	-	6	19	4	-	9	-	2	-	-	-	2	-	8	90
4	-	23	36	5	1	13	-	4	2	-	8	9	1	13	91
1	-	3	10	1	1	3	-	3	1	-	2	3	1	1	92
6	-	35	79	12	-	32	1	18	1	1	12	12	7	33	93
5	-	30	56	5	-	24	1	10	-	-	11	9	3	22	94
1	-	5	23	7	-	8	-	8	1	1	1	3	4	11	95

793002 O - 48 - 36

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, poliioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	KANSAS—Continued														
1	McPherson	239	-	-	-	-	-	1	-	-	-	-	-	23	-
2	Marion	178	-	-	-	-	-	1	-	-	-	-	2	28	1
3	Marshall	210	-	-	-	-	1	3	-	-	2	1	-	42	-
4	Meade	48	-	-	-	-	-	1	-	-	-	-	-	2	-
5	Miami	321	-	-	-	-	-	10	-	-	19	-	2	33	-
6	Mitchell	124	-	1	-	-	-	-	-	-	-	-	-	13	-
7	Montgomery	546	-	-	-	-	-	4	-	-	4	-	3	69	-
8	Coffeyville	170	-	-	-	-	-	2	-	-	1	-	-	20	-
9	Independence	180	-	-	-	-	-	2	-	-	2	-	1	21	-
10	Balance of county	196	-	-	-	-	-	-	-	-	1	-	2	28	-
11	Morris	116	-	-	-	1	-	-	-	-	-	-	-	15	-
12	Morton	18	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Nemaha	151	-	-	-	-	-	-	-	-	-	1	1	23	-
14	Neosho	244	-	-	-	-	-	-	-	-	3	-	1	28	-
15	Chanute	140	-	-	-	-	-	-	-	-	1	-	-	17	-
16	Balance of county	104	-	-	-	-	-	-	-	-	2	-	1	11	-
17	Ness	36	-	-	-	-	-	-	-	-	-	-	-	3	-
18	Norton	105	-	-	-	1	-	27	-	-	-	1	-	10	-
19	Osage	144	-	-	-	1	-	2	-	-	1	-	1	17	-
20	Osborne	89	-	-	-	-	-	2	1	-	-	-	-	16	-
21	Ottawa	79	-	-	-	-	-	1	-	-	1	-	-	16	-
22	Pawnee	168	-	-	-	-	-	3	-	-	9	-	-	18	-
23	Phillips	88	-	-	-	-	-	1	-	-	-	-	1	14	-
24	Pottawatomie	108	-	-	-	-	-	2	-	-	-	-	-	17	-
25	Pratt	120	-	-	-	-	-	-	-	-	4	-	-	12	-
26	Rawlins	30	-	-	-	-	-	-	-	-	-	-	-	5	-
27	Reno	467	-	-	1	1	-	2	-	-	5	1	4	57	-
28	Hutchinson	338	-	-	-	1	-	1	-	-	5	1	3	42	-
29	Balance of county	129	-	-	1	-	-	1	-	-	-	-	1	15	-
30	Republic	115	-	-	-	-	-	1	-	-	1	-	-	21	-
31	Rice	140	-	-	-	-	-	-	-	-	2	-	-	21	1
32	Riley	206	-	-	-	-	-	1	-	1	1	-	1	23	-
33	Manhattan	142	-	-	-	-	-	1	-	-	1	-	1	18	-
34	Balance of county	64	-	-	-	-	-	-	-	1	-	-	-	5	-
35	Rooks	66	-	-	-	-	-	-	-	-	-	-	-	7	-
36	Rush	59	-	-	-	-	-	1	-	-	-	-	-	6	-
37	Russell	80	-	-	-	-	-	3	-	-	-	-	3	16	-
38	Saline	307	-	-	-	-	-	3	-	-	3	1	-	52	-
39	Saline	242	-	-	-	-	-	2	-	-	2	-	-	42	-
40	Balance of county	65	-	-	-	-	-	1	-	-	1	1	-	10	-
41	Scott	41	-	-	-	-	-	-	-	-	-	-	1	2	-
42	Sedgwick	1,586	-	1	-	1	1	34	-	-	10	1	6	251	1
43	Wichita	1,359	-	1	-	1	1	24	-	-	8	1	4	222	1
44	Balance of county	227	-	-	-	-	-	10	-	-	2	-	2	29	-
45	Seward	56	-	-	-	-	-	-	-	-	-	-	-	6	-
46	Shawnee	1,148	-	1	-	1	1	18	-	-	13	2	8	128	-
47	Topeka	809	-	-	-	1	1	10	-	-	4	2	6	102	-
48	Balance of county	339	-	1	-	-	-	8	-	-	9	-	2	26	-
49	Sheridan	36	-	1	-	-	-	-	-	-	-	-	-	1	-
50	Sherman	65	-	-	-	-	1	-	-	-	-	-	1	7	-
51	Smith	96	-	-	-	-	-	1	-	-	-	-	-	19	-
52	Stafford	88	-	-	-	-	1	1	-	-	1	-	-	8	-
53	Stanton	12	-	-	-	-	-	-	-	-	-	-	-	1	-
54	Stevens	25	-	-	-	-	-	-	-	-	-	-	-	2	-
55	Sumner	224	-	-	-	-	-	2	-	-	2	-	-	26	-
56	Thomas	68	-	-	-	-	-	-	-	-	-	-	2	8	-
57	Trego	39	-	-	-	-	-	2	-	-	-	-	-	5	-
58	Wabaunsee	57	-	-	-	-	-	-	-	-	-	-	-	10	-
59	Wallace	14	-	-	-	-	-	-	-	-	-	-	-	3	-
60	Washington	129	-	-	-	-	-	-	-	-	-	1	-	12	-
61	Wichita	17	-	-	-	-	-	-	-	-	-	-	-	1	-
62	Wilson	183	-	1	-	-	2	2	-	-	1	-	-	22	1
63	Woodson	80	-	-	-	-	-	1	-	-	-	-	1	12	-
64	Wyandotte	1,582	-	-	-	2	3	51	1	-	17	1	7	231	3
65	Kansas City	1,406	-	-	-	2	3	48	1	-	15	1	5	211	3
66	Balance of county	176	-	-	-	-	-	3	-	-	2	-	2	20	-
67	KENTUCKY	27,410	30	39	12	47	53	1,602	42	6	217	69	14	2,805	16
68	Adair	162	-	-	-	1	1	15	-	-	-	-	-	12	-
69	Allen	152	-	-	-	-	-	11	-	-	1	2	-	14	-
70	Anderson	86	1	-	-	-	-	5	-	-	-	-	-	8	-
71	Ballard	95	-	-	-	-	-	4	1	-	-	-	-	9	-
72	Barren	247	1	-	-	-	-	18	-	-	2	-	-	22	-
73	Bath	88	-	-	-	-	1	9	-	-	1	1	-	12	-
74	Bell	410	2	-	-	-	-	23	2	-	-	-	-	36	2
75	Middlesborough	181	1	-	-	-	-	13	-	-	-	-	-	13	-
76	Balance of county	229	1	-	-	-	-	10	2	-	-	-	-	23	2
77	Boone	117	-	-	-	-	-	5	-	-	2	1	-	9	-
78	Bourbon	219	-	-	1	-	1	9	-	-	-	-	-	22	-
79	Boyd	398	-	1	-	3	-	23	-	-	2	-	-	33	-
80	Ashland	267	-	1	-	2	-	15	-	-	2	-	-	23	-
81	Balance of county	121	-	-	-	1	-	8	-	-	-	-	-	10	-
82	Boyle	173	-	-	-	-	-	7	-	-	2	-	-	9	-
83	Bracken	90	-	-	-	-	-	1	-	-	-	-	-	12	-
84	Breathitt	107	3	-	-	-	2	11	-	-	2	1	-	1	-
85	Breckinridge	175	-	1	-	1	-	9	-	-	-	2	1	18	-
86	Bullitt	87	-	1	-	-	-	4	-	-	-	-	-	6	-
87	Butler	97	-	-	-	-	-	4	-	-	-	-	-	17	-
88	Caldwell	143	1	-	-	-	1	8	-	-	-	6	-	16	-
89	Calloway	168	-	1	-	-	-	8	-	-	-	1	1	18	-
90	Campbell	841	-	2	-	-	1	26	-	-	5	1	-	111	1
91	Fort Thomas	110	-	-	-	-	-	2	-	-	1	-	-	17	1
92	Newport	384	-	1	-	-	-	15	-	-	3	1	-	44	-
93	Balance of county	347	-	1	-	-	1	9	-	-	1	-	-	50	-
94	Carlisle	80	-	-	-	-	-	3	-	-	-	-	-	10	-
95	Carroll	119	-	-	-	-	-	3	-	-	-	-	-	17	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms), and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
5	-	28	68	8	-	29	-	14	1	-	11	10	5	38	1
2	-	25	50	11	1	8	-	7	2	-	10	9	3	16	2
7	-	28	70	8	1	9	-	8	1	1	4	5	-	19	3
2	-	10	14	5	-	1	-	2	2	-	2	1	1	3	4
7	-	38	82	7	1	26	-	8	4	-	3	9	10	62	5
2	-	20	29	8	-	9	-	7	1	-	-	9	3	22	6
12	1	77	177	22	4	32	4	21	5	3	6	26	12	64	7
3	-	26	56	7	1	15	1	5	-	3	3	9	3	15	8
3	1	26	57	6	1	9	1	11	1	-	2	9	2	25	9
6	-	25	64	9	2	8	2	5	4	-	1	8	7	24	10
4	-	23	30	3	-	6	-	8	1	-	4	5	3	13	11
-	-	-	5	-	-	1	-	1	-	-	2	4	2	3	12
8	-	22	47	4	-	7	1	8	1	2	3	5	2	16	13
4	-	27	90	9	-	7	1	10	4	3	5	20	10	22	14
4	-	13	49	6	-	5	-	9	-	1	4	10	6	15	15
-	-	14	41	3	-	2	1	1	4	2	1	10	4	7	16
3	-	8	7	-	1	2	-	1	-	1	1	2	-	7	17
2	-	7	27	1	-	8	-	2	1	-	3	3	1	11	18
2	-	16	57	7	-	5	-	1	1	-	3	12	-	18	19
5	-	15	19	1	-	4	2	2	1	-	1	6	1	13	20
1	-	10	24	1	1	5	-	2	1	-	-	8	2	6	21
4	-	14	27	13	1	9	-	2	3	-	3	6	1	53	22
2	-	10	21	1	-	10	-	9	1	3	2	3	1	9	23
2	-	7	33	5	1	12	-	3	1	-	3	5	1	14	24
8	-	11	38	3	2	8	-	12	1	-	3	5	-	13	25
1	-	3	9	1	-	3	-	2	2	-	1	2	-	1	26
13	-	70	128	5	2	31	2	30	3	1	15	23	3	70	27
9	-	52	92	5	-	24	1	23	1	1	12	14	2	49	28
4	-	18	36	-	2	7	1	7	2	-	3	9	1	21	29
3	-	6	47	2	-	8	-	5	1	-	4	4	2	10	30
-	-	17	40	4	-	8	2	6	4	1	6	8	1	19	31
6	-	22	58	3	-	15	1	22	2	-	1	11	9	29	32
4	-	12	45	3	-	10	1	16	1	-	1	7	1	20	33
2	-	10	13	-	-	5	-	6	1	-	-	4	8	9	34
1	-	6	20	2	2	10	-	3	-	-	1	1	1	12	35
1	-	5	23	1	-	3	1	1	-	-	3	5	-	9	36
1	-	8	20	2	-	4	-	6	3	-	4	2	1	7	37
10	-	33	72	6	1	12	2	22	2	2	9	18	13	46	38
7	-	25	55	5	1	8	2	21	1	2	7	11	9	42	39
3	-	8	17	1	-	4	-	1	1	-	2	7	4	4	40
-	-	4	6	2	-	2	-	10	-	-	2	4	1	7	41
38	-	142	445	86	6	96	11	130	14	5	41	66	24	176	42
33	-	127	373	74	6	85	10	119	12	5	30	47	18	157	43
5	-	15	72	12	-	11	1	11	2	-	11	19	6	19	44
2	-	5	14	1	1	5	1	4	-	1	3	2	-	11	45
22	-	161	356	37	9	69	5	54	9	5	18	59	32	140	46
16	-	111	258	23	8	58	4	47	7	3	13	44	10	83	47
6	-	50	98	14	3	11	1	7	2	2	5	15	22	57	48
-	-	2	11	2	-	4	1	2	-	-	2	4	1	5	49
4	-	8	15	-	-	2	-	7	1	-	1	9	1	8	50
3	-	19	27	2	-	6	-	3	1	-	1	4	1	9	51
3	-	8	27	1	-	7	-	5	1	-	4	3	6	12	52
1	-	1	2	1	-	-	-	-	-	-	-	1	2	3	53
-	-	1	7	1	-	1	1	3	-	-	2	2	-	5	54
4	-	28	64	6	1	8	1	8	6	-	13	14	6	35	55
2	-	8	23	2	-	3	-	6	-	-	-	3	-	11	56
2	1	2	9	1	-	1	-	2	2	-	3	3	2	4	57
2	-	8	14	-	1	5	-	1	2	-	5	2	-	7	58
-	-	2	6	-	-	-	-	-	1	-	-	1	-	1	59
7	-	19	41	6	2	12	-	5	2	-	-	1	5	16	60
-	-	1	6	-	-	2	-	1	1	-	-	2	-	3	61
2	-	24	58	4	1	12	1	5	-	-	3	7	1	36	62
1	-	8	28	4	-	2	-	2	2	-	2	7	-	10	63
32	1	160	459	62	16	110	1	97	4	10	48	80	10	176	64
30	1	138	385	55	16	99	-	89	4	10	41	75	8	166	65
2	-	22	74	7	-	11	1	8	-	-	7	5	2	10	66
445	18	2,782	7,148	1,773	272	1,681	144	1,838	271	304	729	1,391	570	3,082	
3	2	14	46	8	1	9	-	18	2	2	2	4	3	19	67
3	-	25	53	2	1	9	1	14	-	-	-	4	5	7	68
1	1	10	25	5	-	6	-	4	-	-	4	3	2	11	69
3	-	5	28	4	1	2	-	4	-	2	3	8	7	14	70
7	-	24	63	18	3	27	1	19	-	-	7	6	2	27	71
-	-	7	21	11	-	3	1	7	1	-	4	2	1	6	72
10	1	17	77	35	10	25	3	49	-	6	9	33	20	50	73
4	-	10	39	12	3	11	-	28	-	4	5	10	6	22	74
6	1	7	38	23	7	14	3	21	-	2	4	23	14	28	75
5	-	9	42	2	1	4	2	4	4	-	3	9	-	15	76
2	-	24	75	11	1	21	2	11	4	2	4	9	5	15	77
8	-	39	120	29	5	22	2	32	1	1	7	16	5	39	78
6	-	27	85	18	4	12	2	24	-	1	4	12	4	25	79
2	-	12	35	11	1	10	-	8	1	-	3	4	1	14	80
1	-	22	50	11	2	12	3	15	2	2	1	10	2	22	81
-	-	13	34	5	-	8	1	5	-	1	1	2	1	6	82
-	-	13	25	5	1	6	1	3	-	5	4	11	5	8	83
-	-	16	56	7	5	13	1	12	2	-	3	9	4	15	84
2	-	4	30	7	-	4	-	9	2	-	3	5	2	8	85
4	-	12	16	5	2	5	1	6	-	-	2	5	5	11	86
2	1	14	36	7	-	5	-	7	2	2	5	6	7	17	87
6	1	21	52	8	2	6	-	10	1	2	3	3	2	22	88
24	-	95	288	34	3	35	4	48	13	9	11	43	3	104	89
1	-	16	34	1	-	5	-	6	1	-	-	4	1	20	90
13	-	41	121	17	2	16	2	22	6	5	6	27	1	41	91
10	-	38	113	16	1	14	2	20	6	4	5	12	1	43	92
3	-	14	18	8	-	3	-	2	4	1	3	3	-	8	93
-	-	16	39	6	1	4	-	11	1	1	4	2	2	12	94
															95

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY; AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	KENTUCKY—Continued														
1	Carter	169	-	-	1	1	1	1	1	-	-	1	-	18	-
2	Casey	113	-	-	-	-	-	15	-	-	-	-	-	12	-
3	Christian	686	-	-	-	-	-	67	-	-	25	1	1	59	-
4	Hopkinsville	200	-	-	-	-	-	5	-	-	2	-	-	25	-
5	Balance of county	486	-	-	-	-	-	62	-	-	23	1	1	34	-
6	Clark	209	-	-	-	-	-	14	-	-	1	-	-	26	-
7	Clay	113	-	-	-	-	-	5	-	-	-	-	-	7	-
8	Clinton	86	-	-	-	-	-	4	-	-	-	-	-	6	-
9	Crittenden	132	-	-	-	-	-	12	-	-	1	1	-	9	-
10	Cumberland	82	-	-	-	-	-	13	1	-	-	-	-	10	-
11	Daviess	535	-	-	-	-	7	8	1	-	-	1	1	52	-
12	Owensboro	354	-	-	-	-	5	6	1	-	-	1	1	32	-
13	Balance of county	181	-	-	-	-	2	2	-	-	-	-	-	20	-
14	Edmonson	81	-	-	1	-	-	3	-	-	-	2	-	8	-
15	Elliott	39	-	-	-	-	-	2	-	-	-	-	-	3	-
16	Estill	115	1	-	-	-	-	13	-	-	-	1	-	8	-
17	Fayette	1,280	-	2	-	-	-	114	-	1	51	1	-	125	-
18	Lexington	978	-	2	-	-	-	89	-	-	39	1	-	94	-
19	Balance of county	302	-	-	-	-	-	25	-	1	12	-	-	31	-
20	Fleming	143	-	-	-	-	-	7	-	-	-	-	-	17	-
21	Floyd	307	-	1	-	-	4	31	-	-	1	-	-	20	-
22	Franklin	250	-	-	-	1	-	12	2	-	-	2	-	22	1
23	Frankfort	160	-	-	-	-	-	11	2	-	-	1	-	11	1
24	Balance of county	90	-	-	-	1	-	1	-	-	-	1	-	11	-
25	Fulton	144	1	-	-	1	1	3	-	-	1	-	-	20	-
26	Gallatin	52	-	-	-	-	-	5	1	-	-	-	-	6	-
27	Garrard	103	-	1	-	-	1	8	-	-	-	-	-	14	-
28	Grant	134	-	1	-	-	-	5	-	-	1	-	-	17	-
29	Graves	292	-	-	1	2	-	19	-	-	1	1	-	36	-
30	Grayson	169	-	-	-	-	-	12	1	-	-	-	-	21	-
31	Green	101	1	-	-	-	1	5	-	-	-	-	1	5	-
32	Greenup	207	-	1	1	-	3	11	-	-	-	-	-	20	-
33	Hancock	72	-	-	-	-	-	1	-	-	-	-	-	8	-
34	Hardin	278	-	-	-	-	2	14	1	1	1	2	1	28	-
35	Harlan	442	4	4	1	1	2	19	2	-	6	1	-	26	-
36	Harrison	173	-	-	-	-	-	12	-	-	-	-	-	22	-
37	Hart	161	-	-	-	-	1	11	1	-	-	1	-	14	-
38	Henderson	327	-	-	-	1	-	5	-	-	5	-	-	29	-
39	Henderson	198	-	-	-	-	-	1	-	-	4	-	-	15	-
40	Balance of county	129	-	-	-	1	-	4	-	-	1	-	-	14	-
41	Henry	131	1	-	-	-	1	9	-	-	2	-	-	14	-
42	Hickman	88	-	-	-	-	-	4	-	1	-	1	-	14	-
43	Hopkins	422	3	-	-	1	1	13	-	1	2	1	1	48	-
44	Jackson	69	-	-	1	-	-	4	1	-	-	-	-	1	-
45	Jefferson	5,165	2	14	1	7	1	320	3	-	49	7	1	592	2
46	Louisville	4,328	2	14	1	6	1	244	3	-	23	6	1	514	2
47	Balance of county	837	-	-	-	1	-	76	-	-	26	1	-	78	-
48	Jessamine	113	-	-	-	-	1	4	-	-	2	-	-	15	-
49	Johnson	176	-	-	-	-	-	17	1	-	-	-	-	18	-
50	Kenton	1,003	-	-	-	1	1	41	-	-	7	4	-	141	1
51	Covington	702	-	-	-	1	-	31	-	-	6	3	-	101	1
52	Balance of county	301	-	-	-	-	1	10	-	-	1	1	-	40	-
53	Knott	81	-	-	-	-	-	3	1	-	-	-	-	5	1
54	Knox	228	1	-	-	1	-	15	3	-	-	-	-	16	-
55	Larue	78	-	1	-	-	-	4	1	-	1	-	-	7	1
56	Laurel	201	-	-	-	2	1	8	1	-	1	-	-	24	-
57	Lawrence	125	-	-	-	-	-	6	-	-	-	-	-	7	-
58	Lee	51	-	-	-	-	-	4	-	-	-	-	-	2	-
59	Leslie	57	-	-	-	1	-	2	-	-	-	-	-	2	-
60	Letcher	298	1	1	1	-	-	10	-	-	2	-	-	19	-
61	Lewis	150	-	-	-	-	1	8	2	-	-	1	-	8	-
62	Lincoln	173	-	-	-	-	1	8	-	-	1	1	-	20	-
63	Livingston	95	1	-	-	-	-	5	-	1	-	-	-	7	-
64	Logan	254	-	1	-	-	-	16	-	-	1	-	2	35	1
65	Lyon	84	-	-	-	-	-	4	-	-	-	2	-	8	1
66	McCracken	511	1	-	1	1	-	25	2	-	7	1	1	58	1
67	Paducah	368	1	-	-	1	-	20	1	-	4	1	-	40	1
68	Balance of county	143	-	-	1	-	-	5	1	-	3	-	1	18	-
69	McCreary	117	-	-	-	-	1	10	-	-	-	-	-	10	-
70	McLean	114	-	-	-	-	-	7	-	-	1	1	-	16	-
71	Madison	290	-	-	-	-	1	22	1	-	-	-	-	32	1
72	Magoffin	84	1	-	-	3	-	2	-	-	-	2	-	4	-
73	Marion	154	1	-	-	-	1	8	-	-	-	-	-	16	-
74	Marshall	126	-	-	-	1	-	10	-	-	-	-	-	16	-
75	Martin	51	-	-	-	1	-	4	-	-	-	1	-	8	-
76	Mason	227	-	-	-	1	-	12	-	-	1	1	-	24	1
77	Meade	86	-	-	-	1	-	2	-	-	-	-	-	9	1
78	Menifee	43	-	-	-	1	-	2	-	-	-	-	-	5	-
79	Mercer	151	-	-	-	-	-	7	-	-	-	-	-	52	-
80	Metcalfe	85	-	-	-	-	-	11	-	-	-	3	-	11	-
81	Monroe	107	-	-	-	-	-	13	-	-	-	1	-	6	-
82	Montgomery	136	-	-	-	-	3	5	-	-	-	2	-	12	-
83	Morgan	71	-	-	-	-	-	6	-	-	-	-	-	6	-
84	Muhlenberg	343	2	-	1	1	-	13	1	-	1	-	-	37	1
85	Nelson	197	-	1	-	-	-	13	-	-	-	-	-	19	-
86	Nicholas	98	-	-	-	-	-	4	-	-	-	1	-	10	-
87	Ohio	184	1	-	-	-	-	9	-	-	-	-	-	17	-
88	Oldham	108	-	-	-	1	-	6	-	-	1	-	-	11	-
89	Owen	98	-	-	-	-	-	6	-	-	1	-	-	6	-
90	Owsley	45	-	1	-	-	1	7	-	-	-	-	-	3	-
91	Pendleton	129	-	-	-	1	-	6	-	-	-	-	-	12	-
92	Perry	282	-	2	-	-	2	14	-	-	4	-	-	15	-
93	Pike	507	-	1	-	7	3	37	5	-	4	-	-	39	-
94	Powell	58	-	-	-	-	-	7	-	-	-	-	-	1	-
95	Pulaski	297	-	-	-	-	1	13	1	-	3	-	-	37	-
96	Robertson	28	-	-	-	-	-	1	-	-	-	-	-	2	-
97	Rockcastle	70	-	-	-	-	-	7	-	-	-	-	-	6	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
1	-	18	46	19	2	2	1	15	2	1	4	8	10	16	1
2	-	10	23	9	1	10	-	7	-	1	2	5	5	11	2
5	-	79	101	44	5	63	3	22	2	7	13	26	8	155	3
3	-	21	47	8	1	28	1	9	1	4	3	12	4	26	4
2	-	58	54	36	4	35	2	13	1	3	10	14	4	129	5
2	-	21	52	14	2	19	2	15	6	2	2	15	2	14	6
2	1	1	26	10	5	4	2	16	-	5	4	9	6	10	7
1	-	10	12	3	2	5	-	2	-	1	2	4	1	13	8
3	-	17	33	8	1	12	-	8	2	2	3	5	4	11	9
-	-	6	24	2	1	2	1	4	2	-	6	5	1	4	10
7	-	58	136	26	6	50	5	46	3	2	18	33	13	62	11
5	-	41	101	15	4	34	3	30	1	2	7	17	9	39	12
2	-	17	35	11	2	16	2	16	2	-	11	16	4	23	13
1	-	7	16	5	-	9	1	9	1	-	2	5	1	10	14
-	-	4	9	4	-	-	1	1	1	1	2	4	3	3	15
2	-	14	22	6	-	6	-	13	1	1	-	6	7	14	16
23	1	115	372	85	12	54	2	39	7	12	23	55	20	166	17
16	1	84	285	64	9	43	2	27	6	12	13	41	19	131	18
7	-	31	87	21	3	11	-	12	1	-	10	14	1	35	19
3	-	24	37	11	-	8	1	10	1	1	3	4	1	15	20
5	-	20	43	36	-	11	4	26	6	10	12	34	13	30	21
9	-	19	58	22	5	10	-	13	2	3	12	14	7	36	22
6	-	12	36	12	4	7	-	8	2	2	8	9	3	25	23
3	-	7	22	10	1	3	-	5	-	1	4	5	4	11	24
2	-	21	34	9	-	12	-	12	1	2	2	7	3	12	25
-	-	5	14	1	-	3	-	4	1	1	2	1	2	6	26
1	-	11	26	9	-	10	-	5	2	2	1	1	1	10	27
2	-	18	46	5	-	4	-	3	3	-	8	11	-	10	28
4	-	40	81	21	-	15	1	14	1	-	10	12	3	30	29
2	-	29	27	13	2	9	1	13	2	1	9	5	5	17	30
2	-	13	32	7	-	8	-	9	-	2	4	5	-	6	31
2	2	12	53	13	-	14	-	21	4	2	4	6	11	27	32
1	-	7	21	3	2	7	-	9	1	-	1	3	2	6	33
9	1	18	53	21	-	20	2	20	2	2	24	14	12	30	34
6	-	31	77	37	13	28	4	52	2	16	10	53	12	35	35
6	-	33	51	12	2	4	-	2	3	1	3	9	3	10	36
3	-	10	41	10	1	19	2	6	2	-	9	11	7	12	37
6	-	40	98	12	5	38	4	17	1	5	16	17	2	26	38
2	-	25	63	6	2	28	2	12	1	2	7	9	2	17	39
4	-	15	35	6	3	10	2	5	-	3	9	8	-	9	40
3	-	18	30	11	1	5	-	5	1	2	6	6	2	14	41
-	-	6	30	2	-	2	1	4	3	-	-	5	3	12	42
10	1	54	106	27	7	29	1	19	6	4	10	26	8	43	43
1	-	10	15	11	3	3	1	3	-	-	2	6	4	3	44
93	2	472	1,532	274	64	310	22	308	58	58	107	173	42	651	45
79	2	393	1,337	196	54	281	21	272	55	54	77	137	33	520	46
14	-	79	195	78	10	29	1	36	3	4	30	36	9	131	47
2	-	11	24	5	1	9	-	7	3	2	2	4	3	18	48
1	-	16	31	18	1	8	2	18	2	2	1	10	4	26	49
32	-	88	337	37	3	62	3	67	13	2	20	35	9	99	50
25	-	60	234	24	2	45	1	52	8	2	16	22	6	62	51
7	-	28	103	13	1	17	2	15	5	-	4	13	3	37	52
1	-	9	12	9	-	1	1	5	-	1	8	7	4	13	53
2	1	23	44	35	3	14	2	21	1	-	7	12	11	16	54
-	-	7	20	6	-	11	1	2	1	-	2	1	1	11	55
2	-	27	45	16	2	21	1	14	-	4	6	12	2	12	56
2	-	10	31	10	-	18	1	12	2	2	2	8	2	12	57
-	-	6	14	8	-	-	1	1	-	3	1	4	-	7	58
1	-	7	10	2	1	1	-	6	1	8	2	5	5	3	59
5	-	22	59	21	6	22	6	48	5	1	8	31	9	21	60
2	-	22	24	8	5	7	1	9	1	1	3	17	3	27	61
1	-	20	31	13	1	20	-	11	2	2	8	8	3	22	62
1	-	13	28	5	-	10	1	3	-	-	4	5	2	9	63
2	-	26	62	8	1	13	2	16	2	2	4	8	8	44	64
1	-	8	18	4	-	10	1	4	1	1	1	9	1	10	65
8	-	61	161	34	2	16	1	28	5	4	9	23	5	56	66
5	-	47	112	25	2	12	-	22	4	4	4	17	2	43	67
3	-	14	49	9	-	4	1	6	1	-	5	6	3	13	68
-	-	18	19	10	1	5	1	16	1	1	4	7	8	5	69
-	-	10	25	7	3	14	2	4	2	-	1	3	3	15	70
5	-	21	76	20	4	20	3	14	4	6	12	12	8	30	71
1	-	12	13	16	-	2	1	7	-	2	2	4	7	5	72
1	-	21	27	15	1	14	-	18	2	1	4	9	-	15	73
3	-	15	34	16	-	4	-	3	3	-	4	6	-	11	74
-	-	3	10	3	-	2	1	2	-	2	3	2	3	6	75
3	-	12	71	17	-	14	1	12	3	-	5	12	7	30	76
2	-	7	23	10	3	3	1	9	1	1	-	3	1	9	77
-	-	4	9	5	-	4	1	4	-	1	2	1	2	2	78
4	-	21	32	5	1	5	-	9	1	1	6	5	5	17	79
2	-	12	20	3	-	9	-	1	-	-	-	4	2	7	80
-	-	8	27	12	1	4	-	10	1	-	2	3	7	12	81
1	-	16	36	6	1	13	-	9	1	3	5	2	-	21	82
1	-	5	14	7	-	2	-	3	-	1	-	4	13	9	83
2	1	38	70	36	6	18	-	35	2	5	10	22	6	35	84
3	-	12	52	17	2	10	-	20	1	1	9	19	5	13	85
1	-	12	32	7	1	3	1	3	2	1	5	4	1	10	86
1	1	24	63	14	1	11	-	12	1	-	2	13	3	11	87
1	-	20	25	3	-	9	2	2	2	2	4	10	2	7	88
2	-	12	27	5	1	2	1	4	-	-	2	6	2	21	89
-	-	9	4	4	3	1	1	-	-	1	1	2	2	5	90
3	-	18	41	5	2	7	-	6	4	-	4	6	1	13	91
4	1	21	45	16	7	9	5	48	3	5	15	32	8	28	92
6	-	45	77	44	3	27	2	62	9	9	14	55	16	42	93
2	-	4	1	5	-	1	1	10	-	2	6	1	7	10	94
3	-	23	86	28	5	8	-	15	3	1	15	14	9	32	95
-	-	3	77	1	-	6	-	2	-	-	1	-	1	4	96
1	-	6	10	4	2	5	-	7	1	5	3	5	2	6	97

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	KENTUCKY—Continued														
1	Rowan	87	-	-	-	-	-	8	-	-	-	1	-	3	-
2	Russell	104	-	-	-	1	-	5	-	-	-	-	-	6	-
3	Scott	157	-	-	-	-	-	6	-	-	1	-	-	15	-
4	Shelby	193	-	-	-	-	-	12	-	-	1	-	-	19	-
5	Simpson	127	-	-	-	-	-	8	-	-	-	1	-	9	-
6	Spencer	67	-	1	-	-	-	6	-	-	-	-	-	2	-
7	Taylor	130	-	-	-	-	-	12	-	-	-	-	-	15	-
8	Todd	134	-	-	-	1	-	8	1	-	3	1	-	14	-
9	Trigg	122	-	-	-	-	-	9	-	-	1	1	1	12	-
10	Trimble	42	-	-	-	-	-	2	-	-	-	-	-	5	-
11	Union	142	-	-	-	-	-	5	1	-	1	-	-	14	-
12	Warren	405	-	-	1	1	1	25	1	-	1	-	2	44	-
13	Bowling Green	213	-	-	-	1	1	13	-	-	1	-	-	23	-
14	Balance of county	192	-	-	1	-	-	12	1	-	-	-	2	21	-
15	Washington	108	-	-	-	-	-	8	-	-	4	-	-	12	-
16	Wayne	108	-	-	-	-	1	9	-	-	-	4	-	5	-
17	Webster	192	-	-	-	-	-	9	-	-	1	-	-	26	-
18	Whitley	260	-	-	-	-	-	11	-	1	1	1	-	26	-
19	Wolfe	73	-	-	-	-	-	4	-	-	-	-	-	4	-
20	Woodford	102	-	-	-	-	-	4	2	-	1	-	-	11	-
21	LOUISIANA	22,030	22	24	2	24	42	1,089	21	22	422	22	23	2,506	17
22	Acadia	365	1	3	-	2	1	14	-	-	2	-	-	45	-
23	Allen	123	-	-	-	-	-	9	-	1	2	-	-	15	-
24	Ascension	180	-	-	-	-	-	11	-	-	1	-	-	17	-
25	Assumption	160	1	1	-	1	-	5	-	-	4	-	-	19	-
26	Avoyelles	271	-	-	-	-	2	7	-	1	2	-	-	35	-
27	Beauregard	139	-	-	-	-	1	5	-	-	-	1	-	10	-
28	Bienville	167	-	-	-	-	1	9	2	-	1	1	-	22	1
29	Bossier	238	1	-	-	-	-	12	-	-	6	1	-	22	-
30	Caddo	1,426	2	-	-	6	2	73	1	3	17	2	1	171	4
31	Shreveport	1,052	-	-	-	3	1	49	1	1	12	1	1	125	4
32	Balance of parish	374	2	-	-	3	1	24	-	2	5	1	-	46	-
33	Calcasieu	562	-	-	-	-	1	18	2	-	4	-	1	67	-
34	Lake Charles	318	-	-	-	-	-	6	-	-	2	-	-	37	-
35	Balance of parish	244	-	-	-	-	1	12	2	-	2	-	1	30	-
36	Caldwell	84	-	-	-	-	-	1	-	-	1	-	-	8	1
37	Cameron	41	-	-	-	-	-	-	-	-	-	-	-	2	-
38	Catahoula	85	-	-	-	-	-	3	-	-	-	-	-	5	-
39	Claiborne	194	1	-	-	-	-	13	-	-	5	-	1	14	-
40	Concordia	135	-	-	-	-	-	5	-	-	11	-	-	12	1
41	De Soto	236	-	-	-	-	-	6	-	1	1	1	-	33	-
42	East Baton Rouge	938	-	6	1	3	1	43	2	1	15	-	2	100	-
43	Baton Rouge	390	-	-	-	1	1	20	1	-	8	-	-	45	-
44	Balance of parish	548	-	6	1	2	-	23	1	1	7	-	2	55	-
45	East Carroll	138	-	-	-	-	-	5	-	1	2	-	-	13	-
46	East Feliciana	438	1	-	-	-	-	54	1	-	74	-	-	25	1
47	Evangeline	210	-	-	-	-	1	15	-	2	1	-	-	16	1
48	Franklin	204	1	-	-	-	1	11	-	-	1	1	-	19	-
49	Grant	119	-	-	-	-	1	2	-	-	1	-	-	16	-
50	Iberia	356	-	-	-	-	1	8	-	-	4	-	-	44	1
51	New Iberia	158	-	-	-	-	-	3	-	-	3	-	-	23	1
52	Balance of parish	198	-	-	-	-	1	5	-	-	1	-	-	21	-
53	Iberville	259	-	-	-	-	-	12	-	-	3	-	2	23	-
54	Jackson	322	-	1	-	-	1	12	-	-	8	-	1	35	-
55	Jefferson	301	-	-	-	-	-	5	-	-	3	1	-	47	-
56	Gretna	81	-	-	-	-	-	1	-	-	-	-	-	11	-
57	Balance of parish	220	-	-	-	-	-	4	-	-	3	1	-	36	-
58	Jefferson Davis	197	-	-	-	-	-	6	-	-	2	-	-	21	-
59	Lafayette	427	1	1	-	-	2	24	1	2	8	-	-	45	-
60	Lafayette	246	-	1	-	-	1	17	-	-	4	-	-	25	-
61	Balance of parish	181	1	-	-	-	1	7	1	2	4	-	-	20	-
62	Lafourche	275	-	-	-	-	1	9	-	-	4	-	-	29	2
63	La Salle	100	1	-	-	-	1	8	-	-	2	-	-	13	-
64	Lincoln	183	-	1	-	-	-	10	-	-	1	1	-	25	-
65	Livingston	105	-	1	-	-	-	5	-	-	1	-	-	17	-
66	Madison	166	-	-	-	1	-	13	-	-	2	-	-	6	-
67	Morehouse	226	1	-	-	2	1	5	1	-	4	-	-	23	-
68	Natchitoches	327	1	1	-	-	1	15	-	-	1	3	-	33	1
69	Orleans, coextensive with New Orleans	5,686	2	4	-	4	5	341	6	-	108	1	5	775	1
70	Ouachita	622	-	1	-	-	-	41	-	2	4	-	1	72	-
71	Monroe	413	-	1	-	-	-	20	-	2	4	-	-	38	-
72	Balance of parish	209	-	-	-	-	-	21	-	-	-	-	1	34	-
73	Plaquemines	90	-	-	-	-	1	3	-	-	6	-	-	11	1
74	Pointe Coupee	195	-	-	-	-	-	5	-	-	3	-	-	30	-
75	Rapides	902	1	-	-	-	2	59	-	-	49	1	-	79	-
76	Alexandria	337	-	-	-	-	1	12	-	-	9	1	-	39	-
77	Balance of parish	565	1	-	-	-	1	47	-	-	40	-	-	40	-
78	Red River	109	-	-	-	-	-	2	-	-	3	1	-	10	-
79	Richland	218	2	-	-	-	-	9	-	1	3	-	1	26	-
80	Sabine	165	-	-	-	-	-	2	-	2	1	1	-	17	-
81	St. Bernard	53	-	-	-	-	-	1	-	-	1	-	-	8	-
82	St. Charles	83	-	-	-	-	-	1	-	-	3	-	-	10	-
83	St. Helena	53	-	-	-	-	-	5	-	-	1	-	-	3	-
84	St. James	126	-	-	-	-	-	2	-	-	1	-	-	8	-
85	St. John the Baptist	124	-	-	-	1	-	3	-	-	1	-	-	14	-
86	St. Landry	597	1	1	-	2	3	30	-	1	6	1	1	58	-
87	St. Martin	187	-	-	1	-	1	17	1	-	1	-	-	16	-
88	St. Mary	297	-	-	-	-	1	8	1	1	5	-	-	38	-
89	St. Tammany	235	-	-	-	-	1	8	-	-	1	-	-	30	1
90	Tangipahoa	380	1	-	-	1	-	22	-	-	7	-	3	37	-
91	Tensas	139	-	-	-	-	-	8	-	-	4	1	-	17	-
92	Terrebonne	296	-	2	-	-	1	6	-	-	2	-	-	39	-
93	Union	159	-	1	-	-	-	1	-	2	1	1	-	8	-
94	Vermilion	237	1	-	-	1	2	15	2	-	-	-	-	28	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
1	-	7	28	5	-	1	-	7	-	1	9	4	4	8	1
1	-	15	19	12	1	9	2	3	-	2	3	3	5	17	2
2	-	30	43	10	-	9	1	3	2	1	4	15	-	15	3
2	-	19	60	13	1	7	-	13	2	2	10	4	2	26	4
2	-	10	24	13	1	10	1	13	-	2	3	8	5	17	5
1	-	7	14	3	-	1	-	12	2	-	5	4	-	9	6
3	-	12	27	5	1	13	1	8	-	3	2	4	5	19	7
1	-	16	37	12	-	11	-	6	1	1	3	6	1	11	8
1	-	21	28	6	1	4	-	11	1	1	1	6	5	12	9
-	-	2	18	2	-	-	1	4	1	-	1	-	-	6	10
2	-	21	45	4	1	8	-	6	1	1	6	7	5	14	11
5	-	44	99	26	3	44	-	25	2	5	10	22	6	38	12
4	-	23	55	15	2	24	-	11	1	5	4	7	2	21	13
1	-	21	44	11	1	20	-	14	1	-	6	15	4	17	14
3	-	4	42	6	1	2	-	1	1	-	4	6	1	13	15
-	-	7	32	7	-	4	-	2	2	3	4	11	4	13	16
1	-	25	46	3	1	26	2	13	2	3	4	12	1	17	17
2	-	34	53	25	5	28	1	14	-	6	8	12	7	25	18
-	-	4	13	5	-	2	2	10	-	3	3	2	11	10	19
-	-	11	42	6	1	3	-	6	-	1	1	4	-	9	20
358	22	1,778	5,957	1,300	145	1,442	139	1,754	192	261	507	1,129	445	2,365	21
9	-	15	93	25	11	23	4	31	2	2	8	18	13	43	22
2	-	12	36	7	-	9	2	11	1	1	3	4	1	8	23
1	-	19	58	11	1	6	2	14	-	2	-	9	9	19	24
4	-	10	55	9	2	5	-	14	-	-	4	10	3	13	25
4	-	29	84	14	-	12	3	16	5	2	10	15	2	28	26
1	1	7	34	6	2	18	1	19	1	-	5	11	5	11	27
4	1	16	31	7	1	17	1	18	-	-	5	8	11	10	28
3	-	32	49	17	-	17	1	23	3	1	12	17	1	20	29
18	1	123	307	64	12	143	7	144	15	26	35	66	13	170	30
15	1	96	236	45	8	92	6	115	10	19	29	39	10	133	31
3	-	27	71	19	4	51	1	29	5	7	6	27	3	37	32
8	-	31	129	27	6	50	4	60	7	13	18	32	10	74	33
4	-	17	80	13	1	33	2	34	3	8	12	21	5	40	34
4	-	14	49	14	5	17	2	26	4	5	6	11	5	34	35
1	-	2	18	5	-	8	-	7	1	-	5	8	7	11	36
1	-	5	16	3	-	1	-	5	2	3	-	2	-	1	37
1	-	15	23	3	-	7	1	2	-	4	1	7	1	12	38
1	-	16	50	13	2	11	2	11	-	8	7	9	11	19	39
-	-	10	24	4	1	20	-	10	-	-	6	11	8	12	40
1	1	23	73	14	4	6	2	12	-	7	3	18	3	27	41
17	3	73	226	62	-	64	6	80	12	8	26	35	31	121	42
7	1	32	101	20	-	33	1	25	5	6	10	15	5	53	43
10	2	41	125	42	-	31	5	55	7	2	16	20	26	68	44
1	-	32	35	8	2	6	1	7	-	2	4	5	3	11	45
2	-	15	176	19	4	10	2	4	2	2	5	13	1	27	46
1	-	15	39	18	4	14	2	17	6	3	8	17	9	21	47
4	2	25	36	22	-	14	1	15	1	2	6	12	4	26	48
-	-	14	31	7	1	7	-	10	2	-	6	5	1	14	49
8	2	30	80	22	2	26	3	36	5	2	6	17	4	55	50
6	1	10	35	7	1	12	1	21	4	-	3	5	-	21	51
2	1	20	45	15	1	14	2	15	1	2	3	11	4	34	52
2	-	37	67	13	2	20	3	20	-	2	9	16	2	26	53
7	-	20	65	15	1	11	6	48	2	2	11	21	20	35	54
5	-	25	98	12	2	28	1	7	5	5	6	19	6	28	55
1	-	9	24	2	1	7	-	4	1	-	1	6	2	11	56
4	-	16	74	10	1	19	1	3	4	5	5	13	4	17	57
4	-	17	61	12	2	8	1	18	-	2	5	8	2	28	58
4	-	24	82	32	7	19	1	38	7	2	12	13	16	86	59
1	-	15	52	15	6	12	-	18	2	2	8	11	6	50	60
3	-	9	30	17	1	7	1	20	5	-	4	2	10	36	61
8	-	14	74	25	5	22	1	17	2	3	10	9	5	35	62
2	-	6	26	6	-	4	1	6	3	-	3	7	5	6	63
5	1	15	45	11	2	18	1	7	1	-	3	10	4	22	64
3	-	10	24	8	-	3	-	6	1	4	5	9	4	6	65
3	-	10	43	3	1	4	3	9	1	3	8	10	27	21	66
2	-	14	66	17	1	16	4	14	1	2	8	1	22	23	67
2	-	20	89	19	-	17	5	39	3	3	9	11	21	33	68
127	2	480	1,896	279	15	368	20	380	45	68	94	281	19	580	69
11	1	49	178	31	4	51	1	60	5	9	12	32	5	52	70
7	-	36	126	20	2	38	1	39	5	7	9	18	4	36	71
4	1	13	52	11	2	13	-	21	-	2	3	14	1	16	72
1	1	5	22	7	1	-	3	9	-	-	-	6	6	10	73
1	-	23	55	10	-	11	-	19	1	3	2	9	6	15	74
15	-	68	236	49	3	61	3	76	4	17	14	45	23	98	75
6	-	33	94	10	1	30	3	29	2	7	6	14	4	36	76
9	-	35	142	38	2	31	-	47	2	10	8	31	19	62	77
1	-	17	8	8	-	8	1	13	-	1	5	7	3	20	78
5	-	31	50	19	2	6	1	16	2	3	3	16	1	21	79
3	-	19	33	12	-	11	1	12	1	2	6	13	8	21	80
-	-	3	24	1	-	3	-	3	-	-	1	3	-	4	81
1	-	8	19	11	1	2	1	8	-	2	1	5	-	10	82
-	-	2	12	4	1	2	2	1	-	4	4	1	3	8	83
1	2	7	40	12	5	8	-	10	-	1	-	8	-	21	84
1	-	13	32	13	2	4	1	7	-	-	2	7	1	22	85
10	-	47	120	55	6	37	7	71	13	6	14	25	29	53	86
2	-	11	48	15	4	7	2	16	3	-	3	20	1	18	87
6	-	25	76	28	4	30	-	15	2	5	7	17	3	25	88
4	-	14	74	22	-	15	2	18	1	1	5	13	2	23	89
5	1	38	102	31	4	14	2	34	4	6	8	20	1	39	90
-	-	18	37	8	1	3	1	8	1	1	3	10	4	16	91
3	-	12	82	27	6	20	3	30	2	2	7	17	7	28	92
-	2	13	42	10	1	25	2	11	4	-	5	8	1	21	93
6	-	12	44	21	2	15	2	25	4	-	3	8	12	34	94

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	LOUISIANA—Continued														
1	Vernon	187	-	-	-	-	1	6	-	-	-	-	-	18	-
2	Washington	326	-	-	-	-	1	17	-	-	2	-	2	35	-
3	Bogalusa	167	-	-	-	-	1	7	-	-	2	-	-	19	-
4	Balance of parish	159	-	-	-	-	-	10	-	-	-	-	2	16	-
5	Webster	258	1	-	-	-	-	10	1	-	3	2	1	28	-
6	West Baton Rouge	104	-	-	-	-	-	2	-	1	7	-	-	8	-
7	West Carroll	116	-	-	-	-	1	5	-	-	2	1	-	16	-
8	West Feliciana	75	1	-	-	-	1	5	-	-	3	-	-	6	-
9	Winn	117	-	-	-	-	1	2	-	-	3	-	1	13	1
10	MAINE	10,058	3	9	2	15	18	216	2	-	49	12	3	1,393	7
11	Androscoggin	693	-	-	-	-	1	20	-	-	4	1	1	119	-
12	Auburn	188	-	-	-	-	1	1	-	-	2	-	-	13	-
13	Lewiston	442	-	-	-	-	-	10	-	-	1	1	-	76	-
14	Balance of county	263	-	-	-	-	-	9	-	-	1	-	1	30	-
15	Aroostook	738	-	2	-	3	1	23	-	-	-	-	1	79	2
16	Cumberland	1,859	2	-	-	4	1	32	-	-	10	5	-	276	1
17	Portland	931	-	-	-	2	-	18	-	-	5	3	-	140	1
18	South Portland	203	1	-	-	-	-	6	-	-	1	1	-	37	-
19	Westbrook	125	1	-	-	-	-	-	-	-	1	-	-	10	-
20	Balance of county	600	-	-	-	2	1	8	-	-	3	1	-	89	-
21	Franklin	238	-	-	-	-	-	6	-	-	-	-	-	36	-
22	Hancock	387	-	-	-	-	-	10	-	-	1	1	-	64	-
23	Kennebec	1,029	1	1	1	1	9	26	1	-	14	1	1	124	-
24	Augusta	264	-	-	-	-	3	12	-	-	10	-	-	26	-
25	Waterville	169	-	-	-	1	4	6	-	-	-	-	-	26	-
26	Balance of county	596	1	1	1	-	2	8	1	-	4	1	1	72	-
27	Knox	366	-	-	-	-	1	8	1	-	2	-	-	65	1
28	Lincoln	226	-	-	-	-	-	1	-	-	2	-	-	31	-
29	Oxford	439	-	2	-	-	-	11	-	-	1	1	-	69	-
30	Penobscot	1,294	-	1	-	1	1	37	-	-	8	1	-	153	1
31	Bangor	503	-	-	-	-	-	25	-	-	6	-	-	54	1
32	Balance of county	791	-	1	-	1	1	12	-	-	2	1	-	99	-
33	Piscataquis	213	-	-	-	-	-	3	-	-	-	-	-	25	-
34	Sagadahoc	255	-	1	-	2	-	-	-	-	1	-	-	27	-
35	Bath	127	-	1	-	-	-	-	-	-	-	-	-	14	-
36	Balance of county	128	-	-	-	2	-	-	-	-	1	-	-	13	-
37	Somerset	481	-	-	-	1	2	21	-	-	1	1	-	59	-
38	Waldo	259	-	-	-	-	1	3	-	-	2	-	-	32	-
39	Washington	429	-	1	-	2	1	6	-	-	1	-	-	65	1
40	York	954	-	1	1	1	-	9	-	-	2	1	-	169	1
41	Biddeford	177	-	-	-	-	-	3	-	-	-	-	-	35	-
42	Balance of county	777	-	1	1	1	-	6	-	-	2	1	-	134	1
43	MARYLAND	21,783	4	20	2	15	30	1,186	6	1	294	16	6	2,787	16
44	Allegany	900	-	-	-	1	-	20	-	-	2	-	-	103	1
45	Cumberland	504	-	-	-	-	-	8	-	-	-	-	-	57	1
46	Balance of county	396	-	-	-	1	-	12	-	-	2	-	-	46	-
47	Anne Arundel	888	-	1	-	-	2	60	-	-	49	-	-	93	2
48	Annapolis	166	-	-	-	-	-	11	-	-	1	-	-	23	-
49	Balance of county	722	-	1	-	-	2	49	-	-	48	-	-	70	2
50	Baltimore	1,865	-	2	-	-	3	90	1	-	27	1	-	236	-
51	District 12[2]	152	-	-	-	-	-	4	-	-	2	-	-	23	-
52	District 13[2]	87	-	-	-	-	1	3	-	-	-	-	-	20	-
53	Balance of county	1,626	-	2	-	-	2	83	1	-	25	1	-	193	-
54	Baltimore (city)	10,438	1	13	1	2	20	641	3	1	124	7	4	1,434	9
55	Calvert	125	-	-	-	1	-	5	-	-	3	-	-	19	-
56	Caroline	237	-	-	-	1	-	7	-	-	4	-	-	25	-
57	Carroll	615	-	1	-	1	-	69	-	-	16	-	-	88	-
58	Cecil	389	-	-	-	-	-	18	-	-	26	1	-	35	-
59	Charles	205	-	1	-	-	-	9	-	-	5	-	-	23	-
60	Dorchester	363	-	-	-	-	1	13	1	-	4	-	-	38	-
61	Cambridge	146	-	-	-	-	-	4	-	-	-	-	-	18	-
62	Balance of county	217	-	-	-	-	1	9	1	-	4	-	-	20	-
63	Frederick	666	1	1	-	3	2	36	1	-	6	-	-	81	1
64	Frederick	192	-	1	-	-	-	10	-	-	1	-	-	26	1
65	Balance of county	474	1	-	-	3	2	26	1	-	5	-	-	55	-
66	Garrett	180	-	-	-	-	-	1	-	-	-	-	-	21	-
67	Harford	418	-	-	-	1	1	15	-	-	3	1	-	58	-
68	Howard	186	-	-	-	-	1	4	-	-	-	-	-	25	-
69	Kent	180	-	1	-	-	-	4	-	-	1	-	-	25	-
70	Montgomery	880	1	-	-	-	-	16	-	-	2	1	-	108	1
71	Prince Georges	953	-	-	1	2	-	67	-	-	8	2	2	119	1
72	Queen Annes	146	-	-	-	-	-	7	-	-	1	1	-	17	-
73	St. Marys	201	-	-	-	1	-	11	-	-	-	-	-	19	-
74	Somerset	284	-	-	-	-	-	15	-	-	1	1	-	26	-
75	Talbot	237	-	-	-	1	-	7	-	-	2	1	-	27	-
76	Washington	772	-	-	-	-	-	24	-	-	8	-	-	103	-
77	Hagerstown	424	-	-	-	-	-	10	-	-	5	-	-	61	-
78	Balance of county	348	-	-	-	-	-	14	-	-	3	-	-	42	-
79	Wicomico	445	1	-	-	-	-	30	-	-	2	-	-	57	-
80	Salisbury	201	-	-	-	-	-	15	-	-	-	-	-	30	-
81	Balance of county	244	1	-	-	-	-	15	-	-	2	-	-	27	-
82	Worcester	290	-	-	-	1	-	17	-	-	-	-	-	27	1
83	MASSACHUSETTS	51,398	2	24	2	16	38	1,664	8	-	235	16	24	7,760	23
84	Barnstable	521	-	-	-	-	-	10	-	-	2	-	-	78	-
85	Berkshire	1,416	-	2	-	1	-	28	-	-	3	-	1	202	1
86	Adams (town)	139	-	1	-	-	-	3	-	-	1	-	-	22	-
87	North Adams	255	-	1	-	-	-	4	-	-	-	-	-	43	1
88	Pittsfield	593	-	-	-	-	-	15	-	-	1	-	1	78	-
89	Balance of county	429	-	-	-	1	-	6	-	-	1	-	-	59	-

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
2	-	12	30	13	-	23	-	29	5	1	8	14	4	21	1
6	1	22	93	27	1	17	8	26	2	3	13	20	2	28	2
5	-	11	50	9	-	5	4	16	-	2	8	9	1	18	3
1	1	11	43	18	1	12	4	10	2	1	5	11	1	10	4
2	-	28	58	12	3	11	3	30	-	6	8	12	6	33	5
2	-	13	22	3	1	10	1	9	-	1	4	8	1	11	6
2	-	7	29	8	-	6	-	13	-	2	2	9	2	11	7
1	-	6	25	4	-	5	-	2	1	-	2	5	3	5	8
1	-	14	28	5	-	7	-	8	1	1	3	6	7	15	9
235	-	1,050	3,092	476	51	622	32	591	121	12	193	490	188	1,176	10
14	-	104	293	38	6	60	2	46	6	2	19	37	11	109	11
3	-	28	69	9	3	10	-	10	-	1	4	8	4	22	12
7	-	57	128	20	2	35	-	17	3	-	9	17	4	55	13
4	-	19	96	9	1	15	2	19	3	1	6	12	3	32	14
11	-	67	172	52	18	44	6	69	7	-	25	49	22	85	15
43	-	207	594	74	6	92	5	128	24	1	29	97	31	197	16
21	-	110	303	36	2	39	2	59	11	-	12	56	20	91	17
2	-	19	63	9	1	11	1	18	2	-	2	9	1	19	18
3	-	21	34	6	-	13	-	14	2	-	2	6	1	11	19
17	-	57	194	23	3	29	2	37	9	1	13	26	9	76	20
6	-	24	74	11	2	7	3	17	6	-	5	9	4	28	21
10	-	47	129	5	-	24	-	16	6	-	7	13	5	49	22
11	-	97	330	58	3	78	4	53	15	2	16	49	5	128	23
3	-	28	70	19	1	22	-	20	3	-	1	16	-	30	24
4	-	19	51	9	1	5	2	11	2	-	1	10	2	15	25
4	-	50	209	30	1	51	2	22	10	2	14	23	3	83	26
7	-	34	133	12	-	25	-	13	8	1	2	12	8	33	27
2	-	29	67	13	-	19	1	9	5	-	2	9	7	29	28
16	-	55	122	19	1	18	-	27	5	-	12	27	5	48	29
47	-	106	391	56	2	87	6	70	7	2	29	73	43	172	30
17	-	42	161	23	1	20	2	18	4	1	8	21	15	84	31
30	-	64	230	33	1	67	4	52	3	1	21	52	28	88	32
8	-	13	68	8	2	22	1	7	6	1	1	17	8	23	33
10	-	17	92	20	-	13	1	10	1	1	2	9	7	41	34
5	-	8	51	11	-	6	-	4	-	-	-	3	2	21	35
4	-	9	41	9	-	7	1	6	1	1	2	6	5	20	36
10	-	55	140	26	1	24	1	23	9	1	17	30	4	55	37
7	-	29	71	14	2	28	-	21	1	-	4	7	12	24	38
11	-	62	129	17	2	26	-	27	4	-	8	17	5	43	39
22	-	104	287	53	6	55	2	55	11	1	15	35	11	112	40
2	-	20	58	9	-	8	-	7	1	-	2	6	-	28	41
20	-	84	229	44	6	47	2	48	10	1	13	29	11	86	42
539	4	1,712	6,963	833	165	1,773	56	1,230	271	173	429	964	90	2,198	43
29	-	69	288	29	5	93	1	61	11	-	21	34	2	130	44
14	-	45	173	14	2	54	-	32	8	-	7	15	1	73	45
15	-	24	115	15	3	39	1	28	3	-	14	19	1	57	46
17	-	61	271	32	5	46	1	43	6	6	24	43	7	119	47
4	-	11	64	6	3	6	-	6	1	3	3	5	3	16	48
13	-	50	207	26	2	40	1	37	5	3	21	38	4	103	49
47	-	132	670	56	11	99	8	138	35	6	41	104	1	157	50
4	-	6	32	9	2	8	1	25	3	2	5	15	-	11	51
-	-	6	37	1	-	2	-	1	-	1	1	7	-	7	52
43	-	120	601	46	9	89	7	112	32	3	35	82	1	139	53
269	-	700	3,470	415	82	844	25	558	126	107	141	396	27	1,018	54
3	-	14	38	5	1	5	-	10	-	1	3	7	2	8	55
6	-	25	82	3	1	30	2	12	1	4	6	5	1	22	56
15	-	63	175	36	2	34	1	16	3	3	10	30	4	88	57
4	-	35	109	18	1	25	3	16	9	-	12	16	5	36	58
5	1	15	57	2	4	19	-	19	6	1	9	11	2	16	59
18	-	46	114	18	-	35	1	13	-	2	6	15	1	37	60
6	-	17	45	4	-	20	1	4	-	1	2	7	-	17	61
12	-	29	69	14	-	15	-	9	-	1	4	8	1	20	62
22	-	93	197	16	4	54	2	27	14	2	16	36	4	47	63
3	-	29	64	2	-	13	-	8	4	1	8	8	1	12	64
19	-	64	133	14	4	41	2	19	10	1	8	28	3	35	65
5	-	13	63	6	2	12	1	14	2	1	1	14	2	22	66
5	-	61	104	23	1	25	1	26	2	1	22	16	4	48	67
6	-	16	72	10	4	6	-	8	1	1	8	8	1	16	68
1	1	11	56	2	2	17	-	8	1	3	4	17	-	26	69
20	-	63	290	39	7	69	2	56	19	7	16	35	5	103	70
22	1	45	208	35	22	141	1	76	11	10	23	50	3	83	71
3	-	14	51	5	1	13	-	5	3	1	2	7	3	12	72
3	1	14	36	12	2	15	2	18	1	1	13	23	1	28	73
4	-	22	56	11	1	53	-	16	5	3	7	11	2	30	74
12	-	29	75	9	1	16	2	14	1	-	6	7	2	25	75
8	-	90	289	28	2	53	1	42	9	3	15	39	8	70	76
3	-	51	165	14	1	29	1	23	3	3	3	18	-	34	77
5	-	39	104	14	1	24	-	19	6	-	12	21	8	36	78
7	-	48	130	12	2	40	2	17	3	7	13	27	3	44	79
2	-	23	59	5	1	21	2	6	1	5	6	13	-	12	80
5	-	25	71	7	1	19	-	11	2	2	7	14	3	32	81
8	-	33	82	11	2	29	-	17	3	3	10	13	-	33	82
1,583	3	4,751	18,901	2,230	223	2,140	128	2,396	468	64	618	2,225	157	5,701	83
19	-	56	174	28	2	29	-	23	5	-	12	23	5	55	84
49	1	126	515	55	1	91	3	69	24	-	19	71	3	151	85
7	-	6	51	2	-	10	-	5	3	-	2	7	1	18	86
10	1	21	93	7	-	18	-	12	3	-	2	14	-	25	87
21	-	55	190	25	1	48	3	35	11	-	10	30	-	69	88
11	-	44	181	21	-	15	-	17	7	-	5	20	2	39	89

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	MASSACHUSETTS—Con.														
1	Bristol	4,493	-	1	-	2	1	153	-	-	15	3	-	762	1
2	Attleboro	279	-	-	-	-	-	13	-	-	1	-	-	38	-
3	Fairhaven (town)	129	-	1	-	1	-	3	-	-	-	-	-	21	-
4	Fall River	1,531	-	-	-	-	-	69	-	-	5	2	-	384	1
5	New Bedford	1,176	-	-	-	-	-	34	-	-	2	-	-	162	-
6	North Attleborough (town)	114	-	-	-	-	-	1	-	-	-	-	-	20	-
7	Taunton	612	-	-	-	1	1	20	-	-	5	-	-	61	-
8	Balance of county	652	-	-	-	-	-	13	-	-	2	1	-	96	-
9	Dukes	97	-	-	-	-	-	1	-	-	1	-	-	11	-
10	Essex	5,994	-	5	2	4	3	161	-	-	17	6	1	898	2
11	Amesbury (town)	143	-	-	-	-	-	4	-	-	-	1	-	23	-
12	Andover (town)	115	-	-	-	-	-	1	-	-	-	-	-	14	-
13	Beverly	293	-	-	-	-	-	2	-	-	-	-	-	43	-
14	Danvers (town)	397	-	-	-	-	-	26	-	-	6	-	-	18	-
15	Gloucester	277	-	1	-	-	-	6	-	-	1	-	1	44	-
16	Haverhill	599	-	-	-	-	2	16	-	-	2	-	-	105	1
17	Lawrence	972	-	1	1	1	1	28	-	-	2	2	-	146	-
18	Lynn	1,174	-	-	-	-	-	23	-	-	1	2	-	174	1
19	Marblehead (town)	130	-	-	-	1	-	1	-	-	-	-	-	29	-
20	Methuen (town)	215	-	-	-	-	-	3	-	-	-	-	-	39	-
21	Newburyport	196	-	1	1	-	-	4	-	-	-	-	-	34	-
22	Peabody	225	-	-	-	-	-	5	-	-	2	-	-	38	-
23	Salem	450	-	1	-	1	-	13	-	-	1	-	-	64	-
24	Saugus (town)	143	-	-	-	-	-	3	-	-	-	-	-	12	-
25	Swampscott (town)	95	-	-	-	-	-	2	-	-	1	-	-	16	-
26	Balance of county	580	-	1	-	1	-	29	-	-	1	1	-	99	-
27	Franklin	587	-	-	-	-	-	5	-	-	1	-	-	89	-
28	Greenfield (town)	195	-	-	-	-	-	1	-	-	1	-	-	35	-
29	Balance of county	392	-	-	-	-	-	4	-	-	-	-	-	54	-
30	Hampden	3,625	1	2	-	1	2	104	1	-	10	1	2	557	2
31	Chicopee	362	1	-	-	-	-	6	-	-	1	-	-	51	-
32	Holyoke	613	-	1	-	-	-	19	1	-	2	-	-	84	-
33	Springfield	1,671	-	-	-	-	-	39	-	-	6	1	-	261	2
34	West Springfield (town)	153	-	-	-	-	-	1	-	-	-	-	-	29	-
35	Westfield	239	-	-	-	-	-	26	-	-	-	-	1	53	-
36	Balance of county	587	-	1	-	1	2	13	-	-	1	-	1	79	-
37	Hampshire	1,076	1	-	-	-	1	27	-	-	15	-	-	125	1
38	Easthampton (town)	94	-	-	-	-	1	1	-	-	-	-	-	14	-
39	Northampton	558	-	-	-	-	-	18	-	-	14	-	-	57	1
40	Balance of county	424	1	-	-	-	-	8	-	-	1	-	-	54	-
41	Middlesex	10,872	-	5	-	2	13	299	1	-	50	2	6	1,730	6
42	Arlington (town)	419	-	-	-	-	-	8	-	-	1	-	1	64	-
43	Belmont (town)	209	-	-	-	-	-	3	-	-	-	-	-	38	-
44	Cambridge	1,419	-	-	-	-	-	44	-	-	5	1	1	249	-
45	Everett	364	-	-	-	-	-	7	-	-	1	-	-	61	-
46	Framingham (town)	252	-	-	-	-	-	5	-	-	1	-	-	41	-
47	Lexington (town)	312	-	-	-	-	-	25	-	-	5	-	-	27	-
48	Lowell	1,285	-	1	-	1	2	30	-	-	8	1	-	206	-
49	Malden	621	-	2	-	-	-	16	-	-	2	-	-	99	-
50	Marlborough	193	-	-	-	-	-	-	-	-	-	-	-	24	-
51	Medford	626	-	-	-	-	-	7	-	-	-	-	-	88	-
52	Melrose	302	-	-	-	-	-	6	1	-	1	-	-	57	-
53	Natick (town)	204	-	-	-	-	-	3	-	-	-	-	1	31	-
54	Newton	790	-	-	-	-	-	14	-	-	-	-	2	133	-
55	Reading (town)	140	-	-	-	-	-	2	-	-	-	-	-	25	-
56	Somerville	1,032	-	-	-	1	7	27	-	-	4	-	-	160	4
57	Stoneham (town)	132	-	-	-	-	-	3	-	-	-	-	-	15	-
58	Wakefield (town)	189	-	-	-	-	1	3	-	-	-	-	-	29	1
59	Waltham	489	-	1	-	-	-	46	-	-	5	-	-	66	-
60	Watertown (town)	274	-	-	-	-	-	8	-	-	-	-	-	57	-
61	Winchester (town)	111	-	-	-	-	-	2	-	-	-	-	-	27	-
62	Woburn	199	-	-	-	-	-	6	-	-	-	-	-	26	-
63	Balance of county	1,310	-	1	-	-	3	34	-	-	17	-	1	198	1
64	Nantucket	58	-	-	-	-	-	1	-	-	1	-	-	11	-
65	Norfolk	3,745	-	-	-	-	1	121	2	-	18	1	3	579	3
66	Braintree (town)	183	-	-	-	-	-	11	-	-	-	-	-	23	-
67	Brookline (town)	666	-	-	-	-	-	12	-	-	-	-	1	116	-
68	Dedham (town)	138	-	-	-	-	-	2	-	-	1	-	-	15	-
69	Milton (town)	205	-	-	-	-	-	2	-	-	-	-	-	41	-
70	Needham (town)	124	-	-	-	-	-	-	-	-	-	-	1	20	-
71	Norwood (town)	165	-	-	-	-	-	3	-	-	1	-	-	26	-
72	Quincy	716	-	-	-	-	-	20	-	-	2	1	1	110	-
73	Wellesley (town)	114	-	-	-	-	-	2	-	-	-	-	-	26	-
74	Weymouth (town)	258	-	-	-	-	-	3	-	-	-	-	-	42	1
75	Balance of county	1,176	-	-	-	-	1	66	2	-	14	-	-	160	2
76	Plymouth	2,106	-	1	-	-	2	42	-	-	14	1	-	315	1
77	Brockton	719	-	-	-	-	1	9	-	-	3	-	-	109	1
78	Plymouth (town)	162	-	-	-	-	-	3	-	-	3	-	-	30	-
79	Balance of county	1,225	-	1	-	-	1	30	-	-	8	1	-	176	-
80	Suffolk	10,736	-	2	-	4	12	495	1	-	56	1	5	1,562	4
81	Boston	9,757	-	2	-	3	11	470	1	-	54	1	5	1,367	4
82	Chelsea	509	-	-	-	1	1	14	-	-	1	-	-	105	-
83	Revere	299	-	-	-	-	-	6	-	-	1	-	-	51	-
84	Winthrop (town)	171	-	-	-	-	-	5	-	-	-	-	-	19	-
85	Worcester	6,072	-	6	-	2	3	217	3	-	32	1	6	821	2
86	Athol (town)	109	-	-	-	-	-	-	-	-	-	-	-	13	1
87	Clinton (town)	161	-	-	-	-	-	-	-	-	-	-	-	24	-
88	Fitchburg	444	-	1	-	-	-	11	-	-	1	-	-	70	-
89	Gardner	297	-	-	-	-	-	10	-	-	2	-	-	30	-
90	Leominster	255	-	-	-	-	1	4	-	-	2	-	-	40	-
91	Milford (town)	195	-	1	-	-	-	1	-	-	-	-	-	35	-
92	Northbridge (town)	84	-	-	-	-	-	-	-	-	-	-	-	16	-
93	Southbridge (town)	176	-	1	-	1	-	3	-	-	1	-	-	33	-
94	Webster (town)	128	-	-	-	-	-	2	-	-	-	1	-	32	-
95	Worcester	2,502	-	3	-	-	2	88	3	-	18	-	5	343	1
96	Balance of county	1,722	-	-	-	1	-	98	-	-	10	-	1	186	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
165	1	393	1,631	175	15	252	13	207	47	7	49	146	19	435	1
17	-	27	99	4	-	17	1	18	6	-	1	9	2	28	2
5	1	15	47	7	-	3	-	7	1	-	1	4	1	11	3
56	-	124	481	48	9	82	4	70	10	3	17	44	2	120	4
47	-	114	435	57	3	57	4	53	11	2	8	41	4	142	5
3	-	16	47	2	-	6	2	5	2	-	3	1	-	6	6
11	-	37	297	32	2	18	1	17	6	1	8	27	5	62	7
26	-	60	225	25	1	49	1	39	11	1	11	20	5	66	8
-	-	12	37	4	-	4	-	3	2	-	-	7	-	15	9
196	-	817	2,208	261	29	279	11	264	53	6	77	228	25	641	10
7	-	12	54	12	-	9	-	5	1	-	1	2	-	12	11
3	-	10	50	7	-	6	-	4	-	-	-	7	-	13	12
11	-	43	95	14	1	21	1	13	4	-	4	14	2	25	13
4	-	31	157	55	1	5	-	5	4	-	5	17	4	59	14
10	-	16	114	9	3	17	-	11	3	-	2	10	3	26	15
24	-	61	215	21	-	24	-	18	4	1	10	31	5	49	16
27	-	96	360	30	4	44	4	53	11	1	17	35	1	113	17
48	-	148	414	42	6	62	3	51	9	3	10	35	2	140	18
2	-	17	41	8	-	4	-	8	4	-	1	3	1	10	19
7	-	17	82	14	-	9	-	7	2	-	4	9	-	22	20
10	-	23	62	8	1	9	-	8	1	-	-	12	3	19	21
8	-	23	83	8	5	5	-	13	4	-	2	5	-	24	22
8	-	31	186	11	6	17	2	30	2	1	7	15	1	53	23
4	-	19	62	3	-	2	1	11	-	-	1	6	1	18	24
4	-	20	29	2	-	5	-	7	-	-	-	3	-	6	25
19	-	50	204	17	2	40	-	20	4	-	13	24	2	53	26
12	-	64	205	28	7	53	1	23	10	-	11	21	7	50	27
2	-	19	61	14	5	15	-	8	1	-	2	11	1	19	28
10	-	45	144	14	2	38	1	15	9	-	9	10	6	51	29
114	-	341	1,341	134	9	155	7	168	38	2	41	140	13	439	30
16	-	32	135	17	-	29	1	17	5	-	4	13	-	54	31
30	-	54	254	24	-	23	-	29	7	1	6	25	-	53	32
39	-	174	640	51	7	64	1	78	16	1	20	53	8	210	33
3	-	12	60	5	1	2	1	7	3	-	6	7	2	14	34
7	-	25	62	6	-	9	2	9	1	-	2	12	1	23	35
19	-	44	190	31	1	28	2	28	6	-	3	30	2	105	36
29	-	101	448	41	5	33	2	39	9	-	18	44	11	126	37
2	-	13	31	5	-	5	-	9	-	-	2	4	-	7	38
14	-	41	279	21	1	12	1	8	5	-	5	17	7	57	39
13	-	47	138	15	4	16	1	22	4	-	11	23	4	62	40
309	1	1,097	3,996	433	46	440	37	520	89	12	138	484	24	1,142	41
9	-	48	149	12	-	17	-	17	3	1	9	19	1	40	42
6	-	26	76	7	-	10	-	10	3	-	1	15	-	14	43
48	-	120	493	55	8	42	10	80	9	-	17	67	-	170	44
12	1	45	121	15	4	23	3	19	2	-	4	10	1	35	45
8	-	23	97	6	2	8	1	14	1	1	6	11	1	26	46
12	-	37	107	29	-	4	-	2	3	-	1	27	1	32	47
37	-	140	433	55	3	77	4	59	2	4	16	46	12	148	48
15	-	62	233	19	1	31	-	23	2	1	9	32	1	74	49
7	-	21	85	10	-	4	-	6	1	-	3	6	-	26	50
19	-	67	262	20	5	23	3	35	4	-	5	28	-	60	51
8	-	23	119	11	1	11	1	8	2	-	1	16	1	35	52
8	-	27	78	9	2	3	2	13	2	1	6	4	-	14	53
27	-	90	288	30	3	28	2	35	9	-	5	35	-	89	54
4	-	11	56	2	1	6	-	5	2	-	2	5	-	19	55
29	-	112	368	39	6	55	7	54	11	2	15	42	1	88	56
4	-	11	52	4	1	6	-	8	-	1	2	10	1	14	57
4	-	20	73	8	-	11	-	15	3	-	2	6	1	12	58
11	-	51	164	26	-	16	-	22	5	-	6	21	-	49	59
6	-	25	99	10	1	11	-	18	2	-	-	7	-	30	60
4	-	12	44	2	-	4	-	1	-	-	2	7	-	6	61
7	-	16	78	2	-	11	2	11	-	-	6	15	-	19	62
24	-	100	521	62	8	39	2	65	23	1	20	55	3	142	63
1	-	8	26	1	-	2	-	1	-	-	-	3	-	3	64
114	-	346	1,347	176	6	148	6	161	33	2	53	173	8	444	65
-	-	23	81	8	-	8	-	7	1	-	3	8	-	10	66
33	-	62	241	31	-	27	-	16	4	-	6	31	-	86	67
4	-	17	48	7	-	4	-	12	1	-	2	6	-	19	68
7	-	19	80	3	-	6	-	12	7	-	2	8	-	18	69
5	-	12	47	4	1	3	-	5	2	1	3	3	-	17	70
4	-	13	57	7	1	11	1	9	2	-	2	6	1	21	71
21	-	67	290	18	4	27	1	37	2	-	12	29	-	74	72
6	-	4	40	4	-	2	1	10	3	-	1	6	-	9	73
7	-	26	99	4	-	16	2	14	3	-	4	10	-	27	74
27	-	103	364	90	-	44	1	39	8	1	18	66	7	163	75
68	-	226	783	84	5	77	6	78	21	4	30	94	17	237	76
26	-	95	251	25	1	21	2	28	5	3	12	24	3	100	77
2	-	15	63	7	-	6	-	4	2	1	2	12	-	12	78
40	-	116	469	52	4	50	4	46	14	-	16	58	14	125	79
323	-	857	3,824	536	67	339	31	522	65	22	97	504	17	1,370	80
292	-	763	3,471	487	60	295	28	475	75	22	86	470	12	1,283	81
15	-	48	182	27	2	15	1	20	1	-	6	16	2	52	82
13	-	26	114	17	3	16	-	15	4	-	4	11	2	16	83
3	-	20	57	5	2	13	2	12	5	-	1	7	1	19	84
184	-	517	2,366	274	31	258	9	318	52	9	73	287	8	593	85
3	-	14	44	6	-	4	-	5	3	-	1	2	-	12	86
7	-	20	63	7	1	6	-	10	-	-	3	10	-	10	87
18	-	45	169	18	2	19	-	20	4	-	3	24	-	39	88
9	-	19	109	21	2	18	1	14	2	-	1	19	-	40	89
6	-	22	104	9	2	2	-	17	4	1	4	11	-	26	90
5	-	21	73	8	1	16	-	7	-	-	1	5	-	21	91
1	-	4	44	-	1	4	-	3	-	-	2	2	-	8	92
9	-	15	53	6	1	10	-	11	5	3	-	9	-	15	93
4	-	15	38	3	1	5	-	10	-	-	3	3	1	10	94
74	-	195	986	128	16	76	4	132	23	2	25	119	2	259	95
48	-	147	663	69	4	98	4	89	11	3	30	83	5	153	96

Table 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	38	45-55	58
1	MICHIGAN	55,167	6	42	3	45	28	1,891	15	3	552	47	90	7,481	26
2	Alcona	51	-	-	-	-	-	2	-	-	1	-	-	6	-
3	Alger	90	-	-	-	-	-	1	-	-	2	-	-	13	-
4	Allegan	514	-	-	-	-	-	6	-	-	-	-	-	86	-
5	Alpena	214	-	-	-	-	-	2	-	-	3	-	-	30	-
6	Alpena	164	-	-	-	-	-	2	-	-	2	-	-	23	-
7	Balance of county	50	-	-	-	-	-	-	-	-	1	-	-	7	-
8	Antrim	122	-	-	-	-	-	-	-	-	-	-	-	17	-
9	Arenac	103	-	-	-	-	-	3	-	-	-	-	-	20	-
10	Baraga	87	-	-	-	-	1	2	-	-	1	-	-	9	-
11	Barry	265	-	-	-	1	1	1	-	-	1	-	-	35	-
12	Bay	724	-	-	-	3	-	6	-	-	3	-	-	83	-
13	Bay City	503	-	-	-	1	-	5	-	-	3	-	-	59	-
14	Balance of county	221	-	-	-	2	-	1	-	-	-	-	-	24	-
15	Benzie	105	-	-	-	-	-	1	-	-	-	-	-	4	-
16	Berrien	1,080	-	1	-	-	2	25	-	-	10	-	-	151	1
17	Benton Harbor	223	-	-	-	-	-	9	-	-	1	-	-	27	-
18	Niles	135	-	-	-	-	-	4	-	-	3	-	-	12	-
19	Balance of county	722	-	1	-	-	2	12	-	-	6	-	-	112	1
20	Branch	366	-	1	-	-	-	7	-	-	-	1	1	39	-
21	Calhoun	1,147	1	1	-	3	2	34	-	-	20	-	1	131	1
22	Battle Creek	577	1	-	-	1	2	12	-	-	6	-	1	78	1
23	Balance of county	570	-	1	-	2	-	22	-	-	14	-	-	53	-
24	Cass	309	-	-	-	-	-	2	-	-	2	-	1	36	-
25	Charlevoix	167	-	1	-	-	-	4	-	-	1	-	-	17	-
26	Cheboygan	151	-	-	-	-	-	-	-	-	-	-	-	20	-
27	Chippewa	272	-	-	-	-	-	4	-	-	1	-	-	30	-
28	Sault Ste. Marie	180	-	-	-	-	-	2	-	-	1	-	-	19	-
29	Balance of county	92	-	-	-	-	-	2	-	-	-	-	-	11	-
30	Clare	95	-	-	-	-	-	-	-	-	-	-	-	9	-
31	Clinton	277	-	2	-	-	-	3	-	-	1	-	1	38	-
32	Crawford	52	-	-	-	-	-	-	-	-	2	-	-	3	-
33	Delta	362	-	-	-	-	-	6	-	-	1	1	-	64	-
34	Escanaba	183	-	-	-	-	-	3	-	-	-	1	-	24	-
35	Balance of county	179	-	-	-	-	-	3	-	-	1	-	-	40	-
36	Dickinson	249	-	-	-	-	-	6	-	-	1	-	-	40	-
37	Iron Mountain	133	-	-	-	-	-	5	-	-	1	-	-	25	-
38	Balance of county	115	-	-	-	-	-	1	-	-	-	-	-	15	-
39	Eaton	409	-	1	-	-	-	5	-	-	3	-	1	47	-
40	Emmet	206	-	-	-	-	-	4	-	-	-	-	-	18	-
41	Genesee	1,940	-	-	1	2	-	36	-	-	17	-	4	247	1
42	Flint	1,335	-	-	1	2	-	32	-	-	14	-	1	163	1
43	Balance of county	605	-	-	-	-	-	4	-	-	3	-	3	84	-
44	Gladwin	83	-	-	-	-	-	-	-	-	1	-	1	2	-
45	Gogebic	345	-	1	-	-	1	16	-	-	-	-	-	42	-
46	Ironwood	106	-	1	-	-	-	5	-	-	-	-	-	10	-
47	Balance of county	239	-	-	-	-	1	11	-	-	-	-	-	32	-
48	Grand Traverse	516	-	-	-	-	-	20	-	-	20	1	-	38	-
49	Traverse City	137	-	-	-	-	-	2	-	-	-	-	-	16	-
50	Balance of county	379	-	-	-	-	-	18	-	-	20	1	-	22	-
51	Gratiot	396	-	1	-	-	1	2	-	-	-	-	-	54	-
52	Hillsdale	345	-	-	-	-	-	-	-	-	1	-	-	48	-
53	Houghton	558	-	-	-	3	-	22	-	-	2	-	1	90	-
54	Huron	311	-	-	-	-	-	2	-	-	-	-	-	40	-
55	Ingham	1,313	-	-	-	1	-	18	-	-	5	1	-	180	-
56	Lansing	819	-	-	-	1	-	5	-	-	3	-	-	129	-
57	Balance of county	494	-	-	-	-	-	13	-	-	2	1	-	51	-
58	Ionia	452	-	-	-	-	-	19	-	-	-	1	-	57	-
59	Iosco	98	2	-	-	1	-	3	-	-	-	-	-	8	-
60	Iron	220	-	1	-	-	-	8	-	-	-	-	-	27	-
61	Isabella	233	-	-	-	-	-	1	-	-	-	-	-	25	-
62	Jackson	1,134	-	-	-	2	1	25	-	-	7	1	2	178	1
63	Jackson	652	-	-	-	-	-	19	-	-	5	-	2	104	-
64	Balance of county	482	-	-	-	2	1	6	-	-	2	1	-	74	1
65	Kalamazoo	1,340	-	3	-	-	-	40	2	-	26	-	-	167	-
66	Kalamazoo	943	-	1	-	-	-	29	1	-	23	-	-	120	-
67	Balance of county	397	-	2	-	-	-	11	1	-	3	-	-	47	-
68	Kalkaska	40	-	-	-	1	-	-	-	-	-	-	-	4	-
69	Kent	2,687	-	1	-	2	-	44	1	-	14	-	1	368	1
70	Grand Rapids	1,802	-	1	-	2	-	25	-	-	8	-	-	249	-
71	Balance of county	885	-	-	-	-	-	19	1	-	6	-	1	119	1
72	Keweenaw	36	-	1	-	-	-	1	-	-	-	-	-	3	-
73	Lake	60	-	-	-	-	-	1	-	-	1	-	-	6	-
74	Lapeer	384	-	-	-	-	-	14	-	-	3	1	-	43	-
75	Leelanau	74	-	-	-	-	-	2	-	-	1	-	-	9	-
76	Lenawee	672	-	-	-	1	1	12	-	-	1	-	-	88	-
77	Adrian	224	-	-	-	-	-	1	-	-	-	-	-	30	-
78	Balance of county	448	-	-	-	1	1	11	-	-	1	-	-	58	-
79	Livingston	267	-	-	-	-	-	19	-	-	1	-	1	33	-
80	Luce	211	-	-	-	-	-	12	-	-	11	-	-	16	-
81	Mackinac	68	-	-	-	-	-	-	-	-	-	-	-	15	1
82	Macomb	1,079	-	-	-	3	-	27	1	-	6	2	4	142	1
83	Mount Clemens	216	-	-	-	-	-	6	-	-	2	-	1	17	-
84	St. Clair Shores	68	-	-	-	-	-	1	-	-	-	-	1	17	-
85	Balance of county	775	-	-	-	3	-	20	1	-	4	2	2	108	1
86	Manistee	181	-	-	1	-	-	3	-	-	-	-	-	19	-
87	Marquette	467	-	1	-	-	-	16	-	-	2	-	1	75	-
88	Marquette	161	-	-	-	-	-	2	-	-	1	-	-	29	-
89	Balance of county	306	-	1	-	-	-	14	-	-	1	-	1	46	-
90	Mason	210	-	-	-	-	-	4	-	-	3	2	-	22	-
91	Mecosta	219	-	-	-	1	-	2	-	-	1	1	1	25	-
92	Menominee	238	-	-	-	-	-	14	1	-	-	-	1	32	-
93	Menominee	123	-	-	-	-	-	1	-	-	-	-	-	17	-
94	Balance of county	115	-	-	-	-	-	13	1	-	-	-	1	15	-
95	Midland	230	-	1	-	-	-	3	-	-	2	1	1	24	-
96	Midland	110	-	-	-	-	-	2	-	-	1	-	-	12	-
97	Balance of county	120	-	1	-	-	-	1	-	-	1	1	1	12	-
98	Missaukee	72	-	-	-	-	-	2	-	-	-	1	-	7	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
1,540	5	5,207	17,740	2,124	270	2,548	167	3,493	608	196	1,576	2,278	667	6,519	1
1	-	3	21	-	1	3	-	3	-	-	2	4	-	4	2
3	-	3	17	3	-	5	1	4	6	1	8	4	4	15	3
19	-	74	169	8	3	19	1	23	8	-	12	20	5	61	4
7	-	18	72	8	4	11	-	18	1	1	5	11	1	22	5
5	-	13	57	7	4	10	-	12	1	1	2	9	1	15	6
2	-	5	15	1	-	1	-	6	-	-	3	2	-	7	7
3	-	22	48	3	1	1	-	5	1	-	2	2	1	16	8
4	-	6	32	4	-	4	1	14	1	-	2	4	2	6	9
1	-	3	24	3	1	4	-	6	2	-	3	8	7	12	10
1	-	38	89	8	-	14	1	3	3	-	8	12	4	37	11
26	-	61	243	28	3	47	4	58	11	1	23	28	11	85	12
18	-	45	174	19	3	28	4	37	8	1	15	17	10	56	13
8	-	16	69	9	-	19	-	21	3	-	8	11	1	29	14
4	-	11	39	8	-	6	-	7	1	1	1	6	1	15	15
31	-	113	331	46	5	62	4	57	17	3	35	62	12	112	16
9	-	23	52	10	2	9	1	21	4	1	12	19	1	22	17
4	-	17	48	4	-	9	1	9	3	1	3	4	1	12	18
18	-	73	231	32	3	44	2	27	10	1	20	39	10	78	19
12	-	42	123	23	-	22	-	10	-	-	10	16	17	42	20
25	2	125	372	49	4	46	2	63	17	4	46	44	20	134	21
13	1	50	202	17	1	21	1	40	4	2	22	19	6	76	22
12	1	75	170	32	3	25	1	23	13	2	24	25	14	58	23
8	-	36	123	6	2	13	2	8	3	-	13	13	2	39	24
1	-	24	56	5	1	7	1	13	1	1	4	9	3	18	25
3	-	15	61	8	-	5	1	7	1	-	1	9	1	19	26
16	-	27	86	11	-	21	-	17	3	2	7	13	5	29	27
9	-	17	57	7	-	15	-	16	-	-	5	10	2	22	28
7	-	10	29	4	-	8	-	1	3	2	2	3	3	7	29
7	-	12	29	4	1	7	-	4	1	-	2	5	1	13	30
4	-	35	68	13	1	33	1	10	3	-	9	21	8	26	31
-	-	6	15	2	1	2	-	7	-	-	-	2	-	12	32
13	-	34	109	18	5	12	-	24	4	-	11	25	3	32	33
7	-	20	57	9	2	7	-	13	2	-	2	13	1	22	34
6	-	14	52	9	3	5	-	11	2	-	9	12	2	10	35
7	-	25	78	14	1	5	4	18	2	-	10	10	3	24	36
4	-	14	33	9	-	3	3	10	2	-	6	5	1	12	37
3	-	11	45	5	1	2	1	8	-	-	4	5	2	12	38
6	-	53	119	11	2	24	-	24	8	-	15	17	20	53	39
2	-	32	92	7	1	5	1	11	3	-	2	8	2	18	40
51	-	166	571	82	10	94	9	160	19	8	77	77	22	286	41
35	-	108	401	56	6	62	7	112	10	6	55	49	17	199	42
16	-	60	170	26	4	32	2	48	9	2	22	28	5	87	43
2	-	8	36	6	-	4	-	11	1	-	3	3	-	5	44
4	-	50	117	7	3	13	-	21	3	-	14	20	4	29	45
1	-	17	37	1	1	7	-	7	2	-	3	4	1	9	46
3	-	33	80	6	2	6	-	14	1	-	11	16	3	20	47
17	-	32	216	38	1	19	-	13	6	1	5	29	3	57	48
3	-	10	49	5	-	5	-	11	4	1	3	9	1	18	49
14	-	22	167	33	1	14	-	2	2	-	2	20	2	39	50
9	1	44	138	13	1	18	1	16	5	-	10	23	7	52	51
11	-	41	114	9	1	16	1	16	4	-	6	18	11	48	52
16	-	57	176	15	2	22	1	21	2	2	10	33	14	69	53
7	-	44	94	13	1	13	-	19	3	-	15	11	2	47	54
43	-	139	429	50	5	58	4	95	12	-	51	66	18	158	55
32	-	83	268	17	1	38	3	52	5	-	34	36	6	106	56
11	-	56	161	13	4	20	1	43	7	-	17	30	12	52	57
9	-	64	143	23	-	12	-	26	11	1	10	24	8	44	58
3	-	4	46	3	-	9	1	1	-	-	2	5	1	9	59
1	-	20	67	11	-	17	-	10	4	1	3	16	4	30	60
3	-	28	84	13	2	11	-	13	4	-	10	12	3	24	61
27	-	132	348	39	7	37	6	66	17	2	33	42	15	146	62
17	-	79	194	25	1	22	4	38	10	2	13	20	8	89	63
10	-	53	154	14	6	15	2	28	7	-	20	22	7	57	64
28	-	112	516	47	5	56	4	51	18	-	30	51	46	138	65
20	-	71	376	32	3	33	2	40	9	-	14	35	29	105	66
8	-	41	140	15	2	23	2	11	9	-	16	16	17	33	67
-	-	9	10	2	-	4	-	-	2	-	2	2	1	3	68
94	-	317	906	56	7	126	6	152	16	2	74	119	24	356	69
66	-	227	592	33	6	88	4	122	12	2	48	86	14	217	70
28	-	90	314	23	1	38	2	30	4	-	26	33	10	139	71
-	-	3	7	2	1	1	-	2	1	-	1	2	7	4	72
3	-	5	17	3	-	11	-	2	-	1	2	-	1	7	73
9	-	32	89	34	4	15	2	34	3	-	16	21	10	54	74
3	-	3	26	4	1	9	-	3	1	-	2	2	1	7	75
18	-	95	180	17	5	30	1	29	14	3	25	30	27	95	76
5	-	30	60	8	1	12	1	17	4	-	13	8	11	25	77
13	-	65	120	9	4	18	-	12	10	3	12	24	16	70	78
9	-	20	95	10	1	6	1	14	5	-	12	13	3	24	79
4	-	17	82	7	1	12	1	4	1	-	3	9	4	27	80
-	-	3	28	1	-	2	-	3	1	-	3	2	1	8	81
34	-	104	307	40	2	64	1	101	20	3	43	59	12	103	82
6	-	21	64	7	-	12	1	20	2	-	9	14	3	31	83
3	-	11	31	4	-	2	-	7	1	1	1	2	1	5	84
25	-	72	212	29	2	50	-	74	17	2	33	43	8	67	85
7	-	28	73	2	-	4	-	8	2	-	4	9	3	18	86
11	-	62	129	15	2	26	2	23	2	-	9	29	12	50	87
5	-	22	43	6	-	11	-	7	1	-	4	16	1	13	88
6	-	40	86	9	2	15	2	16	1	-	5	13	11	37	89
6	-	20	81	9	3	11	-	4	3	-	9	5	5	23	90
12	-	21	72	7	4	9	1	10	1	-	9	12	2	20	91
8	-	25	73	11	2	7	1	14	3	-	8	12	1	25	92
5	-	16	39	7	-	5	-	6	2	-	3	4	1	17	93
3	-	9	34	4	2	2	1	8	1	-	5	8	-	8	94
1	-	22	67	7	3	16	1	20	2	-	11	14	9	25	95
-	-	13	28	4	2	9	1	10	1	-	7	5	5	10	96
1	-	9	39	3	1	7	-	10	1	-	4	9	4	15	97
1	-	8	30	7	-	1	-	4	1	-	3	3	-	4	98

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	MICHIGAN—Continued														
1	Monroe	587	-	1	-	1	-	8	-	-	5	-	-	70	1
2	Monroe	231	-	-	-	1	-	2	-	-	2	-	-	25	1
3	Balance of county	356	-	1	-	-	-	6	-	-	3	-	-	45	-
4	Montcalm	350	-	-	-	-	-	2	-	-	1	-	4	47	-
5	Montmorency	40	-	-	-	-	-	1	-	-	-	-	-	4	-
6	Muskegon	1,019	-	1	-	1	1	33	2	-	12	-	-	126	-
7	Muskegon	567	-	1	-	-	1	11	2	-	4	-	-	68	-
8	Muskegon Heights	132	-	-	-	-	-	5	-	-	3	-	-	20	-
9	Balance of county	320	-	-	-	1	-	17	-	-	5	-	-	38	-
10	Newaygo	235	-	-	-	1	-	2	-	-	2	-	-	39	1
11	Oakland	2,549	1	1	-	3	3	68	-	-	36	6	11	320	-
12	Birmingham	82	-	-	-	-	-	-	-	-	-	-	1	16	-
13	Ferndale	209	-	-	-	1	-	7	-	-	2	1	1	38	-
14	Pontiac	828	1	-	-	2	1	27	-	-	25	2	-	89	-
15	Royal Oak	245	-	-	-	-	-	5	-	-	2	-	2	29	-
16	Balance of county	1,186	-	1	-	-	2	29	-	-	7	3	7	148	-
17	Ocoma	166	-	-	-	-	-	-	-	-	1	-	-	24	-
18	Ogemaw	94	-	-	-	-	-	1	-	-	-	-	-	15	-
19	Ontonagon	147	-	-	-	-	-	5	-	-	-	-	-	18	-
20	Osceola	161	-	-	-	-	-	1	-	-	-	-	-	16	-
21	Oscoda	27	-	-	-	-	-	-	-	-	1	-	-	5	-
22	Otsego	68	-	-	-	-	-	7	-	-	1	-	-	5	-
23	Ottawa	583	-	1	1	-	-	5	-	-	2	-	1	99	-
24	Holland	157	-	-	-	-	-	1	-	-	-	-	-	30	-
25	Balance of county	426	-	1	1	-	-	4	-	-	2	-	1	69	-
26	Presque Isle	99	-	-	-	-	-	3	-	-	-	-	-	11	-
27	Roscommon	49	-	-	-	-	-	1	-	-	-	-	-	3	-
28	Saginaw	1,342	-	-	-	-	2	36	-	-	8	2	4	181	-
29	Saginaw	931	-	-	-	-	1	16	-	-	7	-	1	129	-
30	Balance of county	411	-	-	-	-	1	20	-	-	1	2	3	52	-
31	St. Clair	922	-	1	-	-	1	14	1	-	6	-	1	103	-
32	Port Huron	419	-	1	-	-	1	9	1	-	5	-	-	43	-
33	Balance of county	503	-	-	-	-	-	5	-	-	1	-	1	60	-
34	St. Joseph	408	-	-	-	-	-	8	-	1	4	-	-	48	-
35	Sanilac	336	-	-	-	-	1	4	-	-	-	-	-	34	2
36	Schoolcraft	107	-	-	-	-	1	2	-	-	-	-	-	18	-
37	Shiawassee	460	-	2	-	1	2	4	-	-	2	1	-	69	-
38	Owosso	167	-	-	-	-	1	1	-	-	2	-	-	22	-
39	Balance of county	293	-	2	-	1	1	3	-	-	-	1	-	47	-
40	Tuscola	435	-	-	-	-	-	16	-	-	3	1	-	51	-
41	Van Buren	459	-	-	-	-	1	2	-	-	4	-	-	70	-
42	Washtenaw	1,173	-	-	-	-	-	32	1	-	38	-	2	145	1
43	Ann Arbor	398	-	-	-	-	-	5	1	-	1	-	1	60	-
44	Ypsilanti	152	-	-	-	-	-	1	-	-	1	-	1	13	1
45	Balance of county	633	-	-	-	-	-	26	-	-	36	-	-	72	-
46	Wayne	19,228	2	18	-	14	6	1,122	5	2	247	23	43	2,855	13
47	Dearborn	457	-	2	-	1	-	12	-	1	1	1	5	69	-
48	Detroit	14,355	1	13	-	11	2	915	5	1	146	15	28	2,037	11
49	Ecorse	87	-	-	-	-	1	4	-	-	-	-	-	13	1
50	Grosse Pointe Park	78	-	-	-	-	-	1	-	-	-	-	-	17	-
51	Hamtramck	386	-	-	-	-	-	25	-	-	4	-	1	49	-
52	Highland Park	530	-	-	-	-	-	8	-	-	3	1	4	74	-
53	Lincoln Park	100	-	-	-	-	1	3	-	-	1	-	-	12	-
54	River Rouge	131	-	-	-	-	2	2	-	-	2	-	-	20	1
55	Wyandotte	251	-	1	-	-	-	3	-	-	3	-	1	39	-
56	Balance of county	2,873	1	2	-	2	-	149	-	-	87	6	4	525	-
57	Wexford	228	-	-	-	-	-	2	1	-	1	-	1	25	1
58	MINNESOTA	26,937	2	15	4	16	41	585	6	1	189	10	216	3,982	22
59	Aitkin	123	-	-	-	-	-	2	-	-	1	-	2	13	-
60	Anoka	287	-	-	-	-	-	8	-	-	4	-	9	41	-
61	Becker	242	-	-	-	-	1	2	-	-	-	-	5	24	-
62	Beltrami	259	-	1	-	-	-	10	-	-	3	-	3	29	2
63	Benton	119	-	-	-	-	-	-	-	-	1	-	2	15	1
64	St. Cloud (part)	20	-	-	-	-	-	-	-	-	1	-	-	1	-
65	Balance of county	99	-	-	-	-	-	-	-	-	-	-	2	14	1
66	Big Stone	86	-	-	-	-	-	-	-	-	-	-	-	15	-
67	Blue Earth	373	-	1	-	2	-	3	-	-	1	-	1	61	-
68	Mankato	215	-	-	-	1	-	3	-	-	1	-	1	35	-
69	Balance of county	158	-	1	-	1	-	-	-	-	-	-	-	26	-
70	Brown	229	-	-	-	-	-	5	-	-	-	-	-	31	-
71	Carlton	296	-	-	-	-	-	5	-	-	5	-	-	27	1
72	Carver	145	-	-	-	-	-	4	-	-	-	-	-	17	-
73	Cass	190	-	-	-	-	2	25	-	-	1	1	-	33	-
74	Chippewa	139	-	-	-	-	-	8	-	-	1	-	3	24	1
75	Chisago	141	-	-	-	-	-	1	-	-	1	-	1	16	-
76	Clay	206	-	-	-	-	1	2	-	-	-	-	-	24	-
77	Clearwater	98	-	-	-	-	-	1	-	-	-	-	-	8	-
78	Cook	10	-	-	-	-	-	-	-	-	-	-	-	1	-
79	Cottonwood	131	-	-	-	-	-	-	-	-	-	-	2	32	-
80	Crow Wing	317	-	-	-	1	-	9	-	-	3	2	-	44	-
81	Brainerd	178	-	-	-	1	-	5	-	-	1	-	-	31	-
82	Balance of county	139	-	-	-	-	-	4	-	-	2	2	-	13	-
83	Dakota	369	-	-	-	-	1	2	-	-	2	-	3	49	-
84	South St. Paul	87	-	-	-	-	-	-	-	-	-	-	2	15	-
85	Balance of county	282	-	-	-	-	1	2	-	-	2	-	1	34	-
86	Dodge	95	-	-	-	-	-	1	-	-	1	-	1	13	-
87	Douglas	177	-	-	-	-	1	3	-	-	-	-	4	25	-
88	Faribault	215	-	-	-	-	-	1	-	-	-	1	-	37	1
89	Fillmore	246	1	-	-	-	-	1	-	-	-	-	1	41	-
90	Freeborn	259	-	1	-	-	-	2	-	-	2	1	-	36	-
91	Albert Lea	129	-	1	-	-	-	-	-	-	1	1	-	19	-
92	Balance of county	130	-	-	-	-	-	2	-	-	1	-	-	17	-
93	Goodhue	319	-	-	-	-	1	2	-	-	-	-	3	69	-
94	Grant	80	-	-	-	-	-	1	-	-	-	-	1	15	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
26	-	48	176	29	2	29	2	48	10	-	18	30	11	72	1
11	-	16	61	10	-	12	1	32	4	-	7	14	2	30	2
15	-	32	115	19	2	17	1	16	6	-	11	16	9	42	3
6	-	30	108	21	2	21	4	21	4	-	7	16	10	46	4
-	-	3	21	-	1	2	-	3	-	-	1	1	-	3	5
45	-	94	269	51	8	51	2	80	9	7	36	40	19	132	6
29	-	59	146	35	4	31	2	45	4	7	20	18	5	75	7
5	-	10	41	5	1	1	-	17	2	-	4	2	1	15	8
11	-	25	82	11	3	19	-	18	3	-	12	20	13	42	9
3	-	30	70	9	1	16	2	14	1	-	3	9	1	32	10
55	-	218	790	86	20	113	11	206	33	8	100	119	31	310	11
1	-	10	29	1	1	5	1	5	-	-	-	1	1	10	12
4	-	20	60	7	-	12	-	18	-	1	10	5	-	22	13
10	-	61	257	25	9	32	5	66	11	3	35	40	11	114	14
4	-	28	76	11	1	8	-	27	5	-	6	13	4	25	15
36	-	99	368	42	9	56	5	90	17	4	49	60	15	139	16
4	-	24	41	6	-	5	-	15	-	-	4	6	5	31	17
3	-	11	26	1	1	4	-	-	-	-	6	11	3	12	18
5	-	14	41	10	1	11	2	7	2	1	2	10	-	17	19
3	-	22	55	10	1	7	-	4	1	-	11	10	3	17	20
-	-	3	9	1	-	-	-	1	-	-	1	3	-	3	21
3	-	5	18	1	-	4	-	4	-	-	5	2	1	12	22
13	-	53	201	14	1	27	-	41	3	-	16	19	15	71	23
4	-	17	48	5	-	6	-	11	-	-	3	3	8	21	24
9	-	36	153	9	1	21	-	30	3	-	13	16	7	50	25
2	-	15	19	5	-	5	-	5	1	-	5	4	3	21	26
1	-	5	19	3	-	4	-	3	-	-	3	3	-	4	27
31	-	140	372	59	18	64	3	122	11	1	42	49	16	181	28
25	-	106	255	40	11	46	2	73	9	1	25	34	9	141	29
5	-	34	117	19	7	18	1	49	2	-	17	15	7	40	30
32	-	92	330	42	5	62	-	53	11	1	32	50	5	80	31
18	-	38	151	16	2	28	-	20	4	-	12	24	3	43	32
14	-	54	179	26	3	34	-	33	7	1	20	26	2	37	33
17	-	51	124	13	1	29	-	13	6	1	12	17	4	59	34
9	-	56	106	14	3	16	-	17	3	1	8	11	10	41	35
1	-	6	46	-	-	6	-	8	1	-	4	4	2	8	36
5	-	41	133	25	6	40	2	33	3	-	12	24	3	51	37
-	-	16	46	10	2	20	-	15	1	-	5	7	-	19	38
6	-	25	87	15	4	20	2	18	2	-	7	17	3	32	39
6	-	46	147	19	1	25	1	21	6	-	12	17	4	59	40
12	1	49	175	10	1	18	1	11	3	1	12	24	12	52	41
18	-	111	381	46	4	44	4	81	15	4	34	48	18	146	42
8	-	41	106	17	2	21	-	36	3	-	14	9	5	58	43
-	-	12	52	5	-	4	2	26	-	1	7	8	2	16	44
10	-	56	223	24	2	19	2	19	12	3	13	31	11	72	45
578	1	1,449	6,185	773	81	804	65	1,292	200	133	437	616	74	2,190	46
16	-	27	171	12	1	11	1	54	6	1	14	14	3	34	47
433	1	1,103	4,675	535	65	642	53	972	161	116	303	448	49	1,613	48
-	-	7	22	3	-	3	-	13	-	1	1	8	1	9	49
4	-	6	28	2	-	5	-	6	-	-	-	1	-	8	50
14	-	18	120	19	1	16	1	32	9	2	1	6	2	46	51
18	-	51	179	15	-	30	1	31	5	-	16	9	4	81	52
2	-	10	21	2	1	2	-	17	3	1	5	7	1	11	53
1	-	13	35	4	1	6	2	12	1	3	2	8	1	15	54
12	-	8	69	9	2	10	-	18	4	-	12	21	2	37	55
78	-	206	865	172	10	79	7	137	11	9	83	93	11	336	56
6	-	38	85	3	1	10	-	10	1	-	9	9	3	22	57
743	2	2,766	8,355	1,192	100	911	62	1,601	342	45	588	1,306	321	3,514	58
6	-	16	42	8	-	3	-	5	3	1	-	4	-	17	59
5	-	24	104	11	1	9	-	10	4	1	4	21	2	29	60
2	-	32	78	12	4	9	1	26	3	-	5	15	4	19	61
13	-	14	79	9	-	5	-	14	5	-	4	10	24	34	62
2	-	11	36	3	2	5	-	5	2	-	10	4	4	15	63
1	-	1	6	-	-	1	-	1	1	-	1	1	1	4	64
1	-	10	30	3	2	4	-	4	1	-	9	3	3	11	65
3	-	2	23	4	-	8	-	10	3	-	1	7	1	11	66
7	-	38	110	18	4	18	1	23	6	1	7	23	9	39	67
3	-	23	60	9	-	7	-	15	4	1	6	11	6	29	68
4	-	15	50	9	4	11	1	8	2	-	1	12	3	10	69
6	-	32	59	8	-	16	1	14	2	-	3	12	1	38	70
8	-	18	90	9	-	9	1	15	3	-	7	14	2	82	71
4	-	14	52	3	1	6	-	7	-	3	6	9	-	19	72
3	-	22	47	14	3	3	1	9	1	2	-	4	1	18	73
1	-	14	35	10	-	10	-	11	-	-	4	6	1	10	74
7	-	19	38	5	-	8	-	5	1	-	4	8	1	26	75
6	-	31	57	8	1	13	-	11	6	1	5	19	2	21	76
2	-	14	38	5	-	3	1	4	-	-	3	5	-	14	77
-	-	4	4	-	-	-	-	-	-	-	-	-	-	1	78
3	-	21	39	2	-	3	1	3	2	-	3	1	2	17	79
8	-	46	84	16	1	14	-	23	6	-	7	17	8	28	80
2	-	23	52	12	-	10	-	12	2	-	4	6	2	15	81
6	-	23	32	4	1	4	-	11	4	-	3	11	6	13	82
12	-	42	121	13	1	8	1	22	5	-	15	15	2	55	83
4	-	9	29	2	1	-	1	8	-	-	5	3	-	8	84
8	-	33	92	11	-	8	-	14	5	-	10	12	2	47	85
2	-	13	28	4	-	5	-	8	2	-	2	4	2	9	86
3	-	19	62	6	-	2	-	10	1	-	1	7	3	28	87
4	-	24	60	11	-	9	2	16	1	-	8	15	1	24	88
7	-	38	93	9	-	14	-	6	5	1	3	6	1	19	89
6	-	31	74	8	2	10	-	26	5	1	3	10	1	40	90
5	-	15	39	5	1	3	-	13	2	1	2	4	-	17	91
1	-	16	35	3	1	7	-	13	3	-	1	6	1	23	92
8	-	49	59	10	1	18	-	24	5	-	11	13	6	43	93
4	-	9	25	3	-	4	-	3	1	-	2	5	1	6	94

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	MINNESOTA—Continued														
1	Hennepin	5,784	-	4	1	1	7	162	2	-	46	-	60	853	3
2	Minneapolis	4,995	-	3	1	1	7	93	2	-	40	-	46	741	3
3	Balance of county	789	-	1	-	-	-	69	-	-	6	-	14	112	-
4	Houston	132	-	1	-	-	-	1	-	-	-	-	1	12	-
5	Hubbard	106	-	-	-	-	2	3	-	-	-	-	1	11	-
6	Isanti	156	-	-	-	1	-	3	-	-	1	-	2	15	-
7	Itasca	307	-	1	-	-	2	11	-	-	2	-	2	51	1
8	Jackson	105	-	-	-	-	-	1	-	-	-	-	-	16	-
9	Kanabec	84	-	-	-	-	-	-	-	-	-	-	1	8	-
10	Kandiyohi	308	-	-	-	1	-	29	-	-	5	-	-	39	1
11	Kittson	120	-	-	-	-	-	-	-	-	1	-	-	11	-
12	Koochiching	137	-	-	-	-	-	1	-	-	-	-	4	25	-
13	Lac qui Parle	113	-	-	-	-	-	1	-	-	-	-	-	18	1
14	Lake	79	-	1	-	-	1	-	-	1	1	-	-	11	-
15	Lake of the Woods	37	-	-	-	-	-	-	-	-	-	-	-	2	-
16	Le Sueur	170	-	-	-	-	-	-	-	-	-	-	1	29	-
17	Lincoln	105	-	-	-	-	-	1	-	-	-	-	-	15	-
18	Lyon	194	-	-	-	-	-	2	-	-	2	-	3	24	-
19	McLeod	209	-	-	-	-	-	1	-	-	-	-	-	34	-
20	Mahnomen	50	-	-	-	-	-	1	1	-	1	-	-	8	-
21	Marshall	140	-	-	-	-	-	3	-	-	-	-	2	19	-
22	Martin	200	-	-	-	-	-	1	-	-	1	-	2	24	-
23	Meeker	149	-	-	-	1	-	2	-	-	-	-	1	19	-
24	Mille Lacs	148	-	-	-	-	-	2	-	-	3	-	6	25	-
25	Morrison	214	1	-	-	-	1	2	-	-	-	-	1	31	-
26	Mower	314	-	-	-	-	-	4	-	-	1	1	2	49	1
27	Austin	163	-	-	-	-	-	1	-	-	-	1	-	27	1
28	Balance of county	151	-	-	-	-	-	3	-	-	1	-	2	22	-
29	Murray	82	-	-	-	1	-	-	-	-	-	-	-	19	-
30	Nicollet	419	-	-	-	-	-	20	-	-	13	-	-	29	-
31	Nobles	179	-	-	-	-	-	4	-	-	1	2	2	24	1
32	Norman	120	-	-	-	-	-	3	-	-	1	-	-	15	-
33	Olmsted	605	-	-	1	-	-	17	-	-	16	-	5	70	1
34	Rochester	488	-	-	-	-	-	16	-	-	16	-	2	55	1
35	Balance of county	119	-	-	1	-	-	1	-	-	-	-	3	15	-
36	Otter Tail	648	-	-	-	-	3	18	1	-	1	-	5	77	-
37	Fergus Falls	314	-	-	-	-	2	17	-	-	1	-	-	29	-
38	Balance of county	332	-	-	-	-	1	1	1	-	-	-	5	48	-
39	Pennington	111	-	-	-	-	-	6	-	-	-	-	1	13	-
40	Pine	186	-	-	-	-	-	1	-	-	1	-	2	25	-
41	Pipestone	97	-	-	-	-	-	-	-	-	-	-	-	17	-
42	Polk	339	-	1	-	1	-	10	-	-	1	-	3	44	-
43	Pope	102	-	-	-	-	-	2	-	-	-	-	2	16	1
44	Ramsey	3,273	-	2	2	2	3	81	1	-	23	-	21	646	2
45	St. Paul	3,023	-	2	2	2	3	55	1	-	20	-	21	612	1
46	Balance of county	250	-	-	-	-	-	6	-	-	3	-	-	34	1
47	Red Lake	58	-	-	-	-	1	-	-	-	-	-	2	10	-
48	Redwood	170	-	-	-	1	2	1	-	-	-	-	2	29	-
49	Renville	169	-	-	-	-	-	3	-	-	1	-	1	31	-
50	Rice	356	-	-	-	-	1	9	-	-	3	-	2	34	-
51	Faribault	217	-	-	-	-	1	8	-	-	3	-	2	17	-
52	Balance of county	139	-	-	-	-	-	1	-	-	-	-	-	17	-
53	Rock	88	-	-	-	-	-	1	-	-	-	-	-	20	-
54	Roseau	103	-	-	-	-	-	3	-	-	-	-	2	12	-
55	St. Louis	2,117	-	2	-	1	6	56	-	-	21	1	13	327	-
56	Duluth	1,123	-	-	-	-	4	22	-	-	18	-	5	185	-
57	Hibbing	154	-	-	-	1	1	5	-	-	-	-	2	22	-
58	Virginia	145	-	-	-	-	-	-	-	-	1	1	2	23	-
59	Balance of county	695	-	2	-	-	1	29	-	-	2	-	4	97	-
60	Scott	152	-	-	-	-	-	3	-	-	1	-	1	16	-
61	Sherburne	87	-	-	-	-	-	1	-	-	-	-	-	12	-
62	St. Cloud (part)	14	-	-	-	-	-	-	-	-	-	-	-	2	-
63	Balance of county	73	-	-	-	-	-	1	-	-	-	-	-	10	-
64	Sibley	132	-	-	-	-	-	1	-	-	-	-	-	11	-
65	Stearns	519	-	-	-	1	2	9	-	-	11	-	5	65	2
66	St. Cloud (part)	200	-	-	-	-	1	6	-	-	7	-	3	27	1
67	St. Cloud (total)	234	-	-	-	-	1	6	-	-	8	-	3	30	1
68	Balance of county	319	-	-	-	1	1	3	-	-	4	-	2	38	1
69	Steele	189	-	-	-	-	-	3	-	-	-	-	-	34	-
70	Stevens	75	-	-	-	-	-	2	-	-	1	-	2	9	-
71	Swift	148	-	-	-	1	-	-	-	-	-	-	1	32	1
72	Todd	248	-	-	-	-	-	4	-	-	2	-	3	28	-
73	Traverse	67	-	-	-	-	1	2	-	-	-	-	-	12	-
74	Wabasha	168	-	-	-	-	-	3	-	-	-	-	-	18	-
75	Wadena	117	-	-	-	-	1	3	-	-	-	-	-	12	-
76	Waseca	139	-	-	-	-	-	2	-	-	-	1	1	21	-
77	Washington	252	-	-	-	-	-	1	-	-	-	-	2	37	-
78	Watonwan	117	-	-	-	1	-	1	-	-	-	-	2	15	-
79	Wilkin	75	-	-	-	-	-	-	-	-	1	-	-	13	-
80	Winona	369	-	-	-	-	1	4	1	-	-	-	1	56	-
81	Winona	257	-	-	-	-	-	3	1	-	-	-	1	40	-
82	Balance of county	112	-	-	-	-	1	1	-	-	-	-	-	16	-
83	Wright	231	-	-	-	-	-	1	-	-	-	-	3	29	-
84	Yellow Medicine	122	-	-	-	-	-	1	-	-	1	-	2	18	1
85	MISSISSIPPI	19,417	10	24	3	31	31	741	28	29	217	43	17	1,674	18
86	Adams	327	-	-	-	-	-	9	-	2	4	-	1	21	-
87	Natchez	216	-	-	-	-	-	7	-	1	2	-	-	17	-
88	Balance of county	111	-	-	-	-	-	2	-	1	2	-	1	4	-
89	Alcorn	255	-	1	-	-	2	13	-	-	2	-	-	25	-
90	Amite	156	-	-	-	-	-	6	-	-	2	-	-	9	-
91	Attala	245	-	-	-	-	-	-	7	2	-	2	-	18	-
92	Benton	61	-	-	-	-	-	-	-	1	-	-	-	7	-
93	Bolivar	631	-	-	-	2	2	28	1	7	4	-	4	65	-
94	Calhoun	133	-	-	-	-	-	3	-	-	1	1	-	13	-
95	Carroll	134	1	-	-	-	-	5	-	-	2	-	-	13	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
175	1	554	1,958	261	24	133	10	302	75	13	107	267	37	728	1
154	1	472	1,740	231	21	118	10	283	66	13	84	242	31	612	2
21	-	82	218	30	3	15	-	39	9	-	23	25	6	116	3
3	-	17	37	5	-	7	1	10	-	-	3	8	7	19	4
2	-	10	30	3	2	4	-	8	-	-	3	10	4	13	5
6	-	24	40	10	-	5	-	2	1	-	4	12	2	28	6
11	-	21	78	13	3	1	2	21	3	-	11	19	3	51	7
3	-	16	35	5	1	-	-	9	1	-	2	4	-	12	8
4	-	15	27	4	-	3	1	6	1	-	3	1	-	10	9
9	-	22	96	17	-	11	1	13	1	1	6	7	6	41	10
3	-	4	32	4	-	8	1	18	2	-	4	8	9	15	11
4	-	9	32	10	2	4	-	6	4	-	4	10	2	20	12
2	-	7	42	5	-	7	1	1	1	-	5	11	-	11	13
3	-	7	24	1	-	4	-	3	2	1	1	6	-	12	14
2	-	4	8	3	-	1	-	2	-	-	2	5	-	8	15
2	-	16	52	6	-	13	1	10	1	-	8	7	-	24	16
3	-	15	22	7	1	3	1	19	-	-	3	3	1	11	17
7	-	23	56	6	1	14	-	10	3	-	3	11	8	33	18
4	-	32	50	7	-	12	1	6	-	-	8	6	6	42	19
-	-	1	19	1	1	-	-	2	-	-	2	5	-	8	20
1	-	13	45	5	-	8	-	11	2	1	3	6	2	19	21
5	-	29	57	11	1	5	1	16	3	-	2	10	5	27	22
4	-	19	37	4	1	7	1	10	2	-	4	11	3	23	23
4	-	11	41	5	1	9	-	12	1	-	1	9	5	13	24
8	-	26	55	5	-	6	1	20	2	1	4	12	2	36	25
8	-	41	89	10	2	4	-	21	5	-	12	7	17	40	26
5	-	19	42	6	1	2	-	20	3	-	6	2	9	18	27
3	-	22	47	4	1	2	-	1	2	-	6	5	8	22	28
1	-	1	22	7	-	1	-	7	1	-	2	3	3	14	29
8	-	38	220	12	-	15	2	10	2	-	3	16	2	29	30
6	-	15	59	4	-	2	-	16	3	1	9	7	3	20	31
4	-	17	36	6	-	2	-	5	1	-	4	6	1	19	32
7	1	74	134	84	-	14	-	28	6	2	6	27	6	106	33
5	1	57	105	82	-	7	-	18	6	2	3	17	5	88	34
2	-	17	29	2	-	7	-	10	-	-	3	10	1	18	35
16	-	56	192	51	3	39	1	21	6	-	12	33	6	105	36
8	-	14	96	33	1	27	1	7	2	-	-	14	3	59	37
8	-	42	96	18	2	12	-	14	4	-	12	19	3	46	38
5	-	11	29	5	-	6	-	8	1	-	3	6	2	15	39
4	-	17	60	13	1	9	2	12	5	-	4	10	1	19	40
3	-	12	29	3	-	6	-	8	-	-	1	6	1	11	41
11	-	56	81	11	2	5	1	21	4	-	6	20	3	58	42
5	-	13	25	4	-	2	-	4	-	-	3	4	3	18	43
105	-	274	1,032	136	7	93	10	216	34	4	64	132	16	397	44
102	-	258	932	124	7	85	8	205	34	4	59	118	14	354	45
3	-	16	100	12	-	8	2	11	-	-	5	14	2	33	46
2	-	7	8	4	-	2	-	6	-	-	4	7	-	5	47
2	-	20	54	4	1	12	-	10	-	-	3	8	1	20	48
5	-	21	47	7	-	7	-	6	-	-	2	12	-	26	49
6	-	27	83	32	1	25	1	28	3	-	6	18	4	73	50
4	-	13	41	27	1	20	1	23	-	-	3	8	1	44	51
2	-	14	42	5	-	5	-	5	3	-	3	10	3	29	52
2	-	6	22	3	-	1	-	7	-	-	5	8	4	9	53
-	-	9	36	2	-	3	-	10	1	1	1	3	1	19	54
60	-	196	736	82	11	34	3	130	47	2	49	110	10	240	55
26	-	118	385	35	3	18	1	62	18	1	24	51	3	144	56
2	-	7	51	6	4	2	-	18	1	-	6	6	1	19	57
7	-	11	49	3	-	2	-	14	3	-	2	10	-	17	58
25	-	60	251	18	4	12	2	36	25	1	17	43	6	60	59
7	-	19	42	7	1	6	-	4	1	-	9	13	1	21	60
2	-	8	37	-	1	4	-	2	5	-	1	-	1	13	61
-	-	-	5	-	-	2	-	-	2	-	-	-	1	2	62
2	-	8	32	-	1	2	-	2	3	-	1	-	-	11	63
6	-	15	44	5	-	8	-	5	2	1	4	6	2	22	64
12	-	48	153	24	3	21	4	44	2	-	9	26	4	74	65
5	-	17	60	8	1	10	2	12	1	-	3	9	-	27	66
6	-	18	71	8	1	13	2	13	4	-	4	10	2	33	67
7	-	31	93	16	2	11	2	32	1	-	6	17	4	47	68
4	-	27	46	12	1	13	1	10	2	-	6	4	2	24	69
4	-	6	18	1	1	3	-	6	-	-	-	7	-	15	70
1	-	11	35	8	-	5	-	9	2	-	3	9	9	21	71
6	-	24	81	6	1	14	-	21	3	1	8	10	4	32	72
3	-	8	21	3	-	-	-	4	1	-	6	1	1	4	73
4	-	14	65	8	1	10	-	9	5	-	3	9	1	17	74
3	-	13	23	6	-	10	-	11	4	1	2	8	2	18	75
4	-	14	57	8	1	3	-	15	4	-	3	11	-	14	76
7	-	23	90	5	1	10	-	11	7	-	3	19	2	34	77
2	-	14	46	1	-	7	3	1	-	3	4	5	3	9	78
-	-	8	18	5	-	3	-	8	1	-	-	6	3	9	79
12	-	57	100	8	1	23	-	18	3	-	10	16	13	45	80
10	-	45	74	2	-	16	-	9	1	-	8	11	9	27	81
2	-	12	26	6	1	7	-	9	2	-	2	5	4	18	82
7	-	43	60	11	1	10	-	7	3	-	4	5	5	22	83
2	-	11	34	5	-	4	1	7	1	1	3	6	3	21	84
311	45	1,803	3,631	1,160	96	1,610	194	1,229	130	354	479	916	2,633	1,960	85
3	-	23	77	26	5	38	3	21	1	-	9	14	44	27	86
3	-	18	49	20	4	30	2	17	-	-	8	10	9	19	87
-	-	5	28	5	1	8	1	4	1	-	1	4	35	8	88
4	-	32	42	14	-	8	4	31	1	3	10	15	7	41	89
1	1	7	42	11	4	13	-	10	1	3	4	4	23	15	90
2	-	20	58	23	2	20	4	19	2	4	7	10	24	21	91
3	-	7	7	4	-	5	1	2	-	1	1	2	15	5	92
6	3	52	96	41	2	60	7	22	1	19	11	21	134	43	93
2	-	10	39	13	-	4	1	3	-	7	5	4	18	9	94
1	-	12	25	8	-	14	3	3	-	2	1	11	23	10	95

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	MISSISSIPPI—Continued														
1	Chickasaw	146	-	-	-	-	-	3	1	-	-	2	1	14	1
2	Choctaw	110	-	1	-	-	-	2	-	-	-	-	-	10	-
3	Claiborne	116	-	-	-	-	-	4	-	-	1	-	-	16	-
4	Clarke	177	-	-	-	1	1	9	2	1	1	-	-	17	-
5	Clay	167	-	-	-	-	-	3	-	-	1	3	-	13	-
6	Coahoma	453	1	-	-	1	-	22	-	2	2	-	-	34	-
7	Clarksdale	160	-	-	-	-	-	5	-	1	1	-	-	19	-
8	Balance of county	293	1	-	-	1	-	17	-	1	1	-	-	15	-
9	Copiah	289	-	-	-	-	-	10	-	-	-	1	-	31	-
10	Covington	113	-	-	-	-	-	3	-	-	-	-	-	5	-
11	De Soto	226	-	-	-	-	-	10	1	-	2	-	-	18	1
12	Forrest	405	-	1	-	2	-	9	3	-	3	1	1	33	-
13	Hattiesburg	281	-	1	-	1	-	5	2	-	2	-	1	27	-
14	Balance of county	124	-	-	-	1	-	4	1	-	1	1	-	6	-
15	Franklin	97	-	-	-	-	1	2	-	1	1	-	-	7	-
16	George	69	1	-	-	-	-	1	-	-	-	-	-	4	-
17	Greene	65	-	1	-	-	-	1	-	-	1	-	-	8	1
18	Grenada	196	-	-	1	-	-	8	-	-	1	-	-	17	1
19	Hancock	93	-	-	-	-	1	3	-	-	-	-	-	8	-
20	Harrison	636	-	-	1	1	1	21	-	1	12	2	-	68	2
21	Biloxi	223	-	-	-	-	-	9	-	-	2	1	-	29	1
22	Gulfport	204	-	-	-	1	-	7	-	-	7	-	-	19	-
23	Balance of county	209	-	-	1	-	1	5	-	1	3	1	-	20	1
24	Hinds	1,045	-	1	-	-	-	48	3	2	11	2	2	119	-
25	Jackson	697	-	1	-	-	-	17	2	1	8	-	2	95	-
26	Balance of county	348	-	-	-	-	-	31	1	1	3	2	-	24	-
27	Holmes	331	-	-	-	-	-	13	-	1	6	-	-	26	1
28	Humphreys	226	-	1	-	2	-	12	1	-	2	3	-	11	-
29	Issaquena	47	-	-	-	1	-	2	-	-	1	-	-	2	-
30	Itawamba	103	-	-	-	-	-	3	-	-	1	-	-	14	-
31	Jackson	241	-	-	-	-	-	7	-	-	1	-	-	23	-
32	Jasper	140	-	-	-	1	1	4	-	1	-	2	-	19	-
33	Jefferson	127	-	-	-	-	-	4	-	-	2	-	-	13	-
34	Jefferson Davis	144	-	-	-	-	2	2	-	-	2	-	-	15	-
35	Jones	376	1	-	-	-	2	12	1	2	2	2	-	31	1
36	Laurel	196	-	-	-	-	2	7	-	-	2	2	-	15	1
37	Balance of county	180	1	-	-	-	-	5	1	2	-	-	-	18	-
38	Kemper	143	-	-	-	-	-	6	-	-	-	-	-	7	1
39	Lafayette	178	-	1	-	-	-	7	-	-	1	-	-	11	-
40	Lamar	80	-	-	-	-	-	1	-	-	-	-	-	7	1
41	Lauderdale	727	1	1	-	-	-	21	1	-	7	-	2	63	-
42	Meridian	489	1	1	-	-	-	14	-	-	7	-	1	45	-
43	Balance of county	238	-	-	-	-	-	7	1	-	-	-	1	18	-
44	Lawrence	119	-	-	-	-	-	3	1	-	1	-	-	14	-
45	Leake	174	2	1	-	3	-	6	-	-	1	5	1	22	-
46	Lee	327	-	-	-	-	2	15	-	-	4	1	1	29	-
47	Leflore	480	-	1	-	-	-	28	1	2	3	-	-	31	-
48	Greenwood	189	-	1	-	-	-	9	-	1	2	-	-	15	-
49	Balance of county	291	-	-	-	-	-	19	1	1	1	-	-	16	-
50	Lincoln	255	-	1	-	1	-	6	-	-	1	-	-	28	-
51	Lowndes	335	-	-	-	-	1	9	-	-	1	1	-	28	-
52	Columbus	182	-	-	-	-	1	4	-	-	-	1	-	19	-
53	Balance of county	153	-	-	-	-	-	5	-	-	1	-	-	9	-
54	Madison	333	1	-	-	-	-	21	-	-	2	1	-	12	-
55	Marion	193	-	2	-	-	-	3	-	-	-	1	-	18	-
56	Marshall	232	-	-	-	-	-	7	-	1	2	-	-	27	-
57	Monroe	316	-	1	-	-	1	12	-	-	-	1	-	38	1
58	Montgomery	146	-	-	-	-	-	5	-	-	1	-	-	19	-
59	Neshoba	197	-	1	-	2	1	6	-	1	-	1	1	20	-
60	Newton	205	-	1	-	-	-	6	-	-	-	-	-	20	-
61	Noxubee	222	-	1	-	-	-	10	1	-	5	-	-	16	-
62	Oktibbeha	171	-	-	-	-	-	11	1	-	5	-	-	17	-
63	Panola	260	-	1	-	-	1	10	-	-	3	1	-	19	1
64	Pearl River	166	-	-	-	-	2	10	-	-	1	-	-	20	-
65	Perry	62	-	-	-	-	1	3	-	-	-	-	-	5	-
66	Pike	358	-	-	-	-	1	11	-	-	1	-	1	32	1
67	Pontotoc	157	-	1	1	-	-	10	1	-	-	-	-	17	-
68	Prentiss	179	-	-	-	-	1	8	-	-	-	-	-	10	1
69	Quitman	227	-	1	-	-	1	11	1	-	1	-	-	19	-
70	Rankin	585	-	-	-	1	1	34	3	-	59	-	-	24	-
71	Scott	192	-	-	-	1	1	7	1	-	1	1	-	13	-
72	Sharkey	125	-	-	-	-	-	3	-	-	3	-	-	11	-
73	Simpson	171	-	-	-	1	-	9	-	-	2	1	-	18	-
74	Smith	115	-	-	-	1	-	5	-	-	1	-	1	5	-
75	Stone	66	-	-	-	-	1	1	-	-	-	-	-	5	-
76	Sunflower	432	-	1	-	4	1	23	-	-	5	1	-	20	-
77	Tallahatchie	313	-	1	-	-	-	17	-	-	4	2	-	19	2
78	Tate	149	-	-	-	-	-	10	-	-	1	-	-	8	-
79	Tippah	132	-	1	-	-	-	6	-	-	-	-	-	16	-
80	Tishomingo	114	-	-	-	-	-	1	-	1	-	-	-	10	-
81	Tunica	232	-	-	-	-	-	15	-	-	3	-	-	15	-
82	Union	158	-	-	-	-	-	6	-	-	1	-	-	16	-
83	Walthall	125	-	-	-	2	-	5	1	-	3	-	-	9	-
84	Warren	452	-	1	-	1	1	16	-	3	6	1	-	37	-
85	Vicksburg	321	-	1	-	1	-	12	-	2	5	-	-	29	-
86	Balance of county	131	-	-	-	-	1	4	-	1	1	1	-	8	-
87	Washington	687	2	-	-	-	1	15	1	-	6	1	-	69	1
88	Greenville	315	1	-	-	-	-	5	1	-	2	-	-	38	1
89	Balance of county	372	1	-	-	-	1	10	-	-	4	1	-	31	-
90	Wayne	118	-	-	-	1	-	4	-	-	-	-	-	11	-
91	Webster	82	-	-	-	-	-	3	-	-	-	-	-	9	-
92	Wilkinson	163	-	-	-	-	-	7	-	-	3	-	-	12	-
93	Winston	190	-	-	-	-	-	10	-	-	-	1	1	20	-
94	Yalobusha	148	-	-	-	1	-	4	-	-	5	-	-	12	-
95	Yazoo	356	-	-	-	1	-	5	-	-	4	4	-	19	1

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
6	-	15	36	6	-	4	-	9	-	2	7	11	17	11	1
1	-	9	18	8	-	11	1	6	3	3	3	2	19	13	2
1	-	2	28	12	-	9	2	2	1	-	-	4	29	5	3
1	-	16	35	11	1	15	3	12	-	1	3	8	24	15	4
2	1	14	40	8	2	16	1	13	1	-	-	6	23	20	5
6	-	39	84	19	2	48	3	16	1	8	3	16	104	42	6
3	-	15	38	5	-	21	1	6	1	1	1	9	16	17	7
3	-	24	46	14	2	27	2	10	-	7	2	7	88	25	8
9	-	23	57	14	2	32	1	9	5	3	8	17	21	46	9
5	-	8	19	6	2	9	2	10	1	3	2	10	10	18	10
1	2	37	30	22	3	11	-	13	-	5	3	9	38	20	11
3	1	50	92	33	-	31	3	34	4	8	18	15	18	42	12
2	1	30	58	21	-	25	3	26	2	6	12	10	13	33	13
1	-	20	34	12	-	6	-	8	2	2	6	5	5	9	14
2	-	5	17	8	1	9	-	2	2	3	3	8	16	9	15
2	2	4	6	9	-	11	-	11	-	-	1	2	7	8	16
1	-	9	12	2	1	5	1	6	-	1	2	3	3	7	17
1	-	17	34	17	3	27	4	11	-	1	4	9	24	16	18
-	-	12	23	4	2	7	1	4	1	1	1	5	7	13	19
11	-	44	167	38	5	36	5	47	5	16	14	38	23	78	20
3	-	12	67	12	-	5	2	23	-	2	7	7	9	32	21
3	-	16	40	16	2	16	2	20	3	6	5	11	4	26	22
5	-	16	60	10	3	15	1	4	2	8	2	20	10	20	23
23	1	83	187	43	1	126	11	71	15	7	13	45	118	113	24
18	-	55	127	25	1	80	8	62	8	5	10	28	64	80	25
5	1	28	60	18	-	46	3	9	7	2	3	17	54	33	26
2	1	19	57	25	2	19	6	17	1	9	4	15	65	42	27
1	2	14	29	9	-	30	1	8	-	9	9	13	55	15	28
-	-	11	5	1	-	-	-	1	-	1	-	6	8	8	29
1	1	10	23	9	-	4	2	10	1	-	3	3	13	5	30
8	-	16	49	15	-	19	3	37	3	5	6	20	10	19	31
3	-	26	17	3	-	10	-	10	-	1	5	6	14	17	32
2	-	9	28	8	-	26	3	6	-	3	1	3	13	6	33
3	1	14	26	7	1	12	-	8	1	2	4	6	25	13	34
9	1	59	56	27	2	33	4	34	5	10	20	13	19	30	35
6	-	33	35	12	2	14	2	17	2	6	9	9	8	12	36
3	1	26	21	15	-	19	2	17	3	4	11	4	11	18	37
4	1	20	30	9	1	9	1	8	1	3	2	9	20	11	38
5	-	24	28	13	-	30	-	9	2	6	5	6	23	7	39
1	-	5	15	7	-	8	-	5	-	-	3	4	12	11	40
11	1	68	165	41	3	50	7	59	7	14	24	34	75	72	41
9	-	50	127	24	3	25	5	47	6	5	10	15	41	53	42
2	1	18	38	17	-	25	2	12	1	9	14	19	34	19	43
1	-	12	15	7	1	8	3	11	1	3	4	7	23	4	44
3	-	23	20	9	1	18	4	7	3	4	3	8	15	15	45
3	1	24	58	20	-	30	3	24	2	4	7	22	41	36	46
3	4	47	74	30	3	49	4	18	3	10	16	18	84	51	47
2	-	19	39	12	2	17	1	9	1	4	7	6	17	25	48
1	4	28	35	18	1	32	3	9	2	6	9	12	67	28	49
9	2	17	87	16	3	22	3	24	-	1	13	8	11	22	50
7	-	28	61	10	2	23	1	18	2	3	12	16	81	31	51
3	-	22	36	5	1	14	-	14	1	1	4	10	25	21	52
4	-	6	25	5	1	9	1	4	1	2	8	6	56	10	53
6	1	38	39	27	1	27	3	29	5	5	5	15	88	27	54
2	1	14	45	5	1	11	6	17	3	4	3	10	26	21	55
3	1	17	35	16	1	20	4	11	1	2	4	8	57	15	56
5	-	26	51	22	2	32	2	27	2	3	5	16	44	25	57
3	1	15	33	8	-	15	1	2	1	2	11	7	12	12	58
6	-	23	32	13	3	17	4	9	-	5	6	14	18	14	59
2	-	17	36	13	3	6	4	21	-	7	2	6	32	29	60
1	1	15	34	13	1	22	4	14	1	7	3	8	50	15	61
6	2	16	36	5	-	16	1	6	-	2	5	9	17	16	62
5	-	27	49	13	-	25	2	14	4	2	8	14	35	26	63
2	-	14	29	10	1	8	1	25	-	3	7	8	8	17	64
2	-	4	11	4	-	8	-	6	-	-	1	4	3	10	65
4	-	24	94	20	2	33	3	24	1	11	12	18	28	37	66
2	1	15	28	9	-	11	-	11	4	2	3	7	14	20	67
3	2	16	33	17	2	11	2	17	4	2	10	7	13	20	68
5	2	16	29	18	1	14	5	14	2	8	2	15	46	16	69
4	-	70	119	36	1	17	2	7	3	6	10	12	62	114	70
5	-	15	36	8	-	13	1	10	1	4	3	15	21	25	71
2	-	10	14	4	2	10	1	7	3	6	4	8	24	13	72
3	1	24	27	10	1	17	3	10	-	5	2	8	15	14	73
1	-	14	22	12	-	7	1	9	1	3	4	7	6	15	74
1	-	2	23	4	-	3	1	5	-	2	1	-	10	7	75
7	1	36	71	28	3	25	6	19	2	10	10	26	96	37	76
7	-	17	62	15	-	29	5	11	1	10	6	22	52	31	77
4	-	18	35	4	2	16	2	8	1	6	3	7	13	11	78
3	-	21	34	2	-	5	-	15	-	2	2	10	3	12	79
4	-	14	18	7	1	12	-	11	-	1	5	6	6	17	80
3	-	29	33	14	3	20	-	7	1	3	12	11	48	15	81
5	-	16	38	4	2	13	-	16	-	3	5	8	12	13	82
2	-	8	25	7	-	5	3	14	3	2	3	4	17	12	83
1	-	44	76	27	-	38	5	22	2	10	5	25	77	54	84
1	-	34	55	18	-	33	5	19	2	6	4	13	37	44	85
-	-	10	21	9	-	5	-	3	-	4	1	12	40	10	86
13	2	77	108	27	2	37	8	31	1	12	14	30	146	83	87
3	1	45	58	12	1	16	6	23	-	3	8	9	38	44	88
10	1	32	50	15	1	21	2	8	1	9	6	21	108	39	89
3	-	9	11	9	-	19	1	12	-	-	6	7	16	9	90
1	2	10	22	5	1	4	1	7	3	-	3	2	2	7	91
3	-	10	24	6	-	7	1	15	-	4	3	7	48	13	92
6	1	9	41	20	-	16	1	19	1	4	5	7	5	23	93
1	-	17	35	10	1	19	-	11	-	-	3	2	11	16	94
2	-	40	49	23	2	35	4	15	2	7	9	21	76	37	95

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
1	MISSOURI	42,451	11	31	5	31	24	1,276	30	6	464	50	97	5,548	28
2	Adair	219	-	1	-	-	-	4	-	-	1	-	1	25	-
3	Kirksville	148	-	1	-	-	-	2	-	-	1	-	1	18	-
4	Balance of county	71	-	-	-	-	-	2	-	-	-	-	-	7	-
5	Andrew	121	-	-	-	-	-	1	-	-	2	-	-	14	-
6	Atchison	115	-	-	-	-	-	2	-	-	-	-	-	13	-
7	Audrain	232	-	-	-	-	-	6	-	-	2	-	-	20	1
8	Barry	229	-	-	-	1	-	5	-	-	1	4	1	29	1
9	Barton	126	1	-	-	-	-	1	-	-	-	-	-	12	-
10	Bates	219	-	-	-	-	-	3	-	-	1	-	1	24	1
11	Benton	107	-	1	-	-	-	4	-	-	-	-	-	11	-
12	Bollinger	78	-	-	-	-	-	1	-	1	-	-	-	11	-
13	Boone	364	-	-	-	-	-	10	1	1	2	-	2	51	-
14	Columbia	229	-	-	-	-	-	6	-	-	1	-	1	28	-
15	Balance of county	155	-	-	-	-	-	4	1	1	1	-	1	23	-
16	Buchanan	1,309	-	2	-	3	-	45	2	-	36	4	-	130	-
17	St. Joseph	1,180	-	2	-	3	-	42	1	-	36	2	-	121	-
18	Balance of county	129	-	-	-	-	-	3	1	-	-	2	-	9	-
19	Butler	326	-	-	-	1	-	15	1	-	2	-	-	38	1
20	Poplar Bluff	167	-	-	-	-	-	5	-	-	2	-	-	20	1
21	Balance of county	159	-	-	-	1	-	10	1	-	-	-	-	18	-
22	Caldwell	139	-	-	-	-	-	2	-	-	1	-	1	17	-
23	Callaway	476	-	-	-	-	-	13	-	-	25	1	-	29	-
24	Camden	84	-	-	-	-	1	3	-	-	-	-	-	8	-
25	Cape Girardeau	389	-	-	-	2	1	6	1	-	2	1	1	39	-
26	Cape Girardeau	219	-	-	-	1	1	5	-	-	2	-	-	21	-
27	Balance of county	170	-	-	-	1	-	1	1	-	-	1	1	18	-
28	Carroll	191	-	-	-	2	-	6	-	-	-	-	-	22	-
29	Carter	46	-	-	-	-	-	2	-	-	-	-	-	2	-
30	Cass	227	-	-	-	-	-	1	-	-	1	-	-	22	-
31	Cedar	137	-	-	-	-	-	3	-	-	1	-	-	13	-
32	Chariton	157	-	-	-	-	1	2	-	-	-	-	-	20	-
33	Christian	100	-	-	-	-	-	2	-	-	-	1	-	15	-
34	Clark	111	-	-	-	-	-	3	-	-	-	-	-	16	-
35	Clay	362	-	-	-	1	-	11	-	-	-	1	6	33	1
36	Clinton	171	-	-	-	-	-	2	-	-	-	-	1	21	-
37	Cole	299	1	-	-	-	-	5	-	-	9	-	-	34	-
38	Jefferson City	201	1	-	-	-	-	3	-	-	9	-	-	24	-
39	Balance of county	98	-	-	-	-	-	2	-	-	-	-	-	10	-
40	Cooper	171	-	-	-	-	-	1	-	-	3	-	1	28	-
41	Crawford	101	-	-	-	-	-	4	-	-	1	-	-	13	-
42	Dade	98	-	-	-	-	-	3	-	-	1	-	-	16	-
43	Dallas	108	-	-	-	-	-	1	-	-	1	-	-	11	-
44	Daviess	168	-	-	-	-	-	3	-	-	-	-	-	24	-
45	De Kalb	109	-	-	-	-	1	-	-	-	-	-	1	12	-
46	Dent	107	-	-	-	-	-	3	-	-	-	-	-	17	1
47	Douglas	98	-	-	-	-	1	3	-	-	-	-	-	11	-
48	Dunklin	382	-	-	-	1	-	16	-	-	2	1	1	33	-
49	Franklin	348	-	-	-	1	-	9	-	-	-	-	2	42	-
50	Gasconade	113	-	-	-	-	-	-	-	-	1	-	1	11	-
51	Gentry	135	-	-	-	-	-	1	-	-	1	-	-	23	-
52	Greene	987	-	-	-	3	-	19	1	-	8	3	1	130	-
53	Springfield	707	-	-	-	-	-	14	1	-	6	1	-	96	-
54	Balance of county	280	-	-	-	3	-	5	-	-	2	2	1	34	-
55	Grundy	196	-	-	-	-	-	3	-	-	-	-	1	29	-
56	Harrison	166	-	-	-	-	-	-	-	-	1	-	-	18	-
57	Henry	261	-	-	-	1	-	4	1	-	2	6	-	41	-
58	Hickory	54	-	-	-	-	-	-	-	-	-	-	-	8	-
59	Holt	111	-	-	-	-	-	1	-	-	-	1	-	13	-
60	Howard	150	-	-	-	-	-	5	1	-	5	1	1	13	-
61	Howell	218	1	-	-	-	-	7	-	-	3	-	-	15	-
62	Iron	111	-	-	-	-	-	1	-	1	1	-	-	15	-
63	Jackson	6,100	1	5	-	3	7	179	1	-	72	4	27	844	3
64	Independence	276	-	-	-	-	-	2	-	-	4	-	2	39	-
65	Kansas City	5,248	1	5	-	3	7	171	1	-	61	4	22	727	3
66	Balance of county	576	-	-	-	-	-	6	-	-	7	-	3	76	-
67	Jasper	1,046	-	-	-	-	2	59	-	-	9	3	2	127	-
68	Carthage	165	-	-	-	-	-	7	-	-	1	-	-	21	-
69	Joplin (part)	539	-	-	-	-	-	22	-	-	5	1	2	71	-
70	Joplin (total)	541	-	-	-	-	-	22	-	-	5	1	2	71	-
71	Balance of county	342	-	-	-	-	2	30	-	-	3	2	-	35	-
72	Jefferson	324	-	-	-	-	-	11	-	-	1	-	1	50	-
73	Johnson	232	-	-	-	-	-	2	-	-	2	-	-	27	-
74	Knox	86	-	-	-	-	-	1	-	-	2	-	-	13	-
75	Laclede	197	-	-	-	-	-	3	-	-	-	1	1	23	-
76	Lafayette	298	-	-	-	2	-	5	-	-	-	-	1	39	1
77	Lawrence	317	1	-	-	-	-	51	-	-	-	-	1	34	-
78	Lewis	163	-	-	-	-	-	4	-	-	-	-	-	19	-
79	Lincoln	146	-	-	-	-	-	7	-	-	-	-	1	16	-
80	Linn	287	-	-	-	-	-	6	-	-	-	-	1	33	-
81	Livingston	207	-	-	-	1	-	-	-	-	-	2	-	21	-
82	McDonald	133	-	-	-	-	-	2	-	1	-	1	1	15	-
83	Macon	236	-	-	-	-	-	7	-	-	1	-	-	32	1
84	Madison	83	-	-	-	-	-	5	1	1	-	-	-	10	-
85	Maries	45	-	-	-	-	-	-	-	-	-	-	-	3	-
86	Marion	394	-	-	-	-	2	6	-	-	-	-	-	52	-
87	Hannibal	294	-	-	-	-	1	6	-	-	-	-	-	43	-
88	Balance of county	100	-	-	-	-	1	-	-	-	-	-	-	9	-
89	Mercer	94	-	-	1	-	-	2	-	-	2	-	-	16	-
90	Miller	120	-	-	-	-	1	1	-	-	-	-	-	13	-
91	Mississippi	192	-	-	-	-	-	12	-	-	1	-	-	22	-
92	Moniteau	115	-	-	-	-	-	2	-	-	2	-	2	12	-
93	Monroe	152	-	-	-	-	-	2	-	-	-	-	1	18	-
94	Montgomery	138	-	1	-	-	-	3	-	-	-	-	-	22	-
95	Morgan	112	-	-	-	-	-	2	-	-	-	-	1	16	-
96	New Madrid	279	-	1	-	1	-	11	3	-	2	1	-	29	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 182, 198,200	All other causes	
907	4	4,158	13,144	2,243	227	3,177	131	1,907	516	284	830	1,982	490	4,850	1
5	-	20	48	10	-	28	1	14	3	1	4	13	5	37	2
4	-	15	29	5	-	19	1	11	3	1	3	9	1	24	3
1	-	5	19	5	-	9	-	3	-	-	1	4	2	13	4
3	-	20	35	4	-	7	-	8	3	-	5	4	1	14	5
2	-	9	35	5	-	5	1	3	6	-	1	12	-	21	6
6	-	20	76	8	2	24	1	9	3	2	7	17	6	22	7
1	-	25	63	9	3	17	1	16	1	-	5	10	2	34	8
3	-	14	46	9	-	5	-	6	-	-	1	13	3	12	9
3	-	31	62	18	1	25	1	4	3	-	5	15	2	19	10
4	-	19	23	2	-	8	-	3	5	-	4	8	-	15	11
1	-	6	28	4	-	4	1	-	-	2	4	6	2	7	12
7	-	52	108	8	2	38	1	26	9	3	12	14	5	32	13
3	-	34	64	5	2	17	1	18	5	3	10	9	5	17	14
4	-	18	44	3	-	21	-	8	4	-	2	5	-	15	15
28	-	140	454	83	2	60	2	58	10	3	30	64	4	149	16
27	-	123	409	77	1	55	1	49	9	3	24	55	4	138	17
1	-	17	45	6	1	5	1	9	1	-	6	9	-	13	18
8	-	20	85	28	2	31	2	30	1	4	8	18	6	24	19
4	-	13	45	13	1	19	1	13	-	3	4	8	2	12	20
4	-	7	40	15	1	12	1	17	1	1	4	10	4	12	21
1	-	18	48	9	-	10	-	4	1	-	3	4	1	19	22
-	-	39	191	71	-	23	-	12	4	1	6	19	6	36	23
1	-	12	20	5	-	8	-	4	-	1	5	3	3	10	24
11	-	42	110	17	6	30	3	30	3	2	5	24	5	48	25
4	-	20	61	9	4	20	2	20	1	2	3	14	4	25	26
7	-	22	49	8	2	10	1	10	2	-	2	10	1	23	27
-	-	19	55	15	-	12	-	7	1	-	8	11	2	31	28
2	-	3	6	9	-	2	-	2	-	-	-	3	2	13	29
6	-	26	64	10	-	21	1	11	3	2	5	14	3	37	30
2	-	12	44	16	-	13	-	2	4	1	2	6	2	16	31
3	-	18	61	3	-	12	1	7	-	1	4	4	3	17	32
-	-	9	32	8	1	7	-	6	2	-	4	3	-	10	33
-	-	18	36	5	-	6	1	5	2	-	1	4	2	12	34
4	-	45	117	16	-	23	3	10	8	1	14	22	4	44	35
3	-	19	62	6	-	8	1	8	3	1	2	4	1	29	36
8	-	30	82	12	2	30	1	26	8	3	8	13	2	25	37
3	-	19	58	10	1	18	-	17	4	3	6	8	-	17	38
5	-	11	24	2	1	12	1	9	4	-	2	5	2	8	39
6	-	28	40	13	1	9	-	9	3	1	2	11	-	15	40
2	-	10	30	8	-	5	1	3	1	-	5	6	1	11	41
6	-	11	22	6	2	7	-	-	-	-	1	1	6	16	42
1	-	11	27	7	-	17	1	8	3	-	2	9	1	10	43
5	-	22	39	4	2	25	-	5	2	1	8	4	8	16	44
2	-	15	34	4	-	5	2	4	1	-	-	10	5	13	45
1	-	16	26	5	-	11	-	4	2	-	-	3	2	16	46
-	-	11	33	6	-	9	1	8	-	1	4	2	3	5	47
9	-	44	86	16	-	31	2	32	4	4	9	24	7	40	48
10	-	35	101	18	1	29	-	16	6	-	8	15	3	52	49
3	-	20	38	6	1	11	-	6	-	-	5	1	-	9	50
6	-	10	44	5	-	17	-	3	4	1	1	5	-	14	51
26	-	111	269	44	6	79	2	48	13	3	23	58	11	129	52
19	-	79	200	32	6	57	1	37	6	3	14	40	6	89	53
7	-	32	69	12	-	22	1	11	7	-	9	18	5	40	54
3	-	10	59	14	1	8	-	12	1	-	5	10	1	39	55
8	-	17	64	14	1	14	1	5	2	-	7	4	-	12	56
3	-	28	83	11	-	23	-	6	3	-	5	12	2	30	57
-	-	6	17	2	-	8	-	1	-	-	1	2	-	9	58
2	-	26	31	3	-	8	-	1	3	-	4	4	3	11	59
-	-	12	54	6	-	17	-	5	4	1	-	9	1	15	60
2	-	27	59	19	-	18	-	14	2	1	7	11	5	27	61
3	-	13	26	16	2	4	1	8	1	-	3	3	3	10	62
131	2	513	1,919	381	23	358	17	320	81	65	118	299	47	680	63
7	-	29	77	17	1	16	-	11	3	1	8	20	2	37	64
111	1	413	1,662	333	21	308	15	279	65	61	99	255	31	589	65
13	1	71	180	31	1	34	2	30	13	3	11	24	14	54	66
23	-	89	316	48	2	92	5	45	15	6	30	44	14	115	67
1	-	12	59	5	-	24	1	4	1	-	6	11	3	9	68
16	-	41	162	26	-	45	3	28	8	6	12	19	3	68	69
16	-	41	163	26	-	45	3	28	8	6	12	19	3	70	70
6	-	36	95	17	2	23	1	13	6	-	12	14	8	37	71
6	-	22	113	17	2	9	1	13	6	-	9	26	7	30	72
1	-	27	89	6	3	13	-	12	3	1	3	13	1	29	73
3	-	9	33	1	-	6	-	-	-	-	1	4	-	13	74
1	-	24	61	13	1	19	-	9	6	1	4	12	2	16	75
7	-	39	98	15	1	27	-	9	3	-	4	10	3	34	76
5	-	40	90	15	1	20	-	3	4	-	1	5	9	37	77
7	-	13	54	6	-	21	-	7	2	-	4	7	1	18	78
4	-	19	54	5	-	11	-	4	2	-	-	7	-	16	79
4	-	41	94	12	3	27	1	4	2	-	6	13	5	35	80
5	-	27	75	14	1	10	-	7	5	-	5	11	-	23	81
3	-	17	43	10	-	7	-	3	3	-	4	9	2	12	82
10	-	32	73	9	1	15	1	8	4	-	6	8	4	24	83
2	-	9	17	8	-	9	-	4	2	-	1	3	3	8	84
2	-	5	12	5	-	4	-	1	-	-	1	4	1	7	85
13	-	40	137	17	2	31	-	22	6	1	3	20	5	37	86
9	-	27	108	9	1	23	-	16	2	1	2	14	1	31	87
4	-	13	29	8	1	8	-	6	4	-	1	6	4	6	88
1	-	10	31	3	-	8	1	2	-	2	3	2	-	10	89
2	-	13	28	11	-	23	-	6	1	-	1	6	1	13	90
4	-	27	40	11	1	17	-	19	2	3	8	12	1	12	91
3	-	18	34	4	1	3	-	7	-	-	1	7	1	18	92
4	-	23	58	8	-	8	1	6	1	-	1	10	5	16	93
3	-	13	42	5	2	25	-	3	1	-	3	4	1	10	94
1	-	18	23	8	-	9	-	6	1	1	5	8	1	12	95
1	-	27	70	26	2	13	4	24	2	4	16	12	12	18	96

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	MISSOURI—Continued														
1	Newton	252	-	3	-	-	-	5	-	-	1	1	-	31	-
2	Joplin (part)	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Balance of county	250	-	3	-	-	-	5	-	-	1	1	-	31	-
4	Nodaway	237	-	1	-	-	-	-	-	-	2	2	-	24	-
5	Oregon	98	-	-	-	-	-	3	2	-	-	-	-	13	-
6	Osage	84	-	-	-	-	-	-	-	-	-	-	-	11	-
7	Ozark	65	-	-	-	-	-	2	-	-	-	-	-	6	-
8	Pemiscot	348	-	-	-	2	-	18	1	-	4	-	-	28	-
9	Perry	124	-	-	-	-	-	2	-	-	-	-	-	11	-
10	Pettis	386	2	-	-	-	-	6	-	-	4	-	3	44	-
11	Sedalia	284	1	-	-	-	-	4	-	-	4	-	2	29	-
12	Balance of county	102	1	-	-	-	-	2	-	-	-	-	1	15	-
13	Phelps	189	-	-	-	-	-	3	-	-	-	-	-	18	-
14	Pike	238	-	-	-	-	-	3	-	-	1	-	1	31	-
15	Platte	135	-	-	-	-	-	1	-	-	2	1	-	16	-
16	Polk	188	-	-	-	-	-	5	1	-	1	1	-	16	-
17	Pulaski	120	-	-	-	-	-	3	-	-	-	-	2	14	-
18	Putnam	115	-	-	-	1	-	2	-	-	-	-	-	16	-
19	Ralls	81	-	-	1	-	-	2	-	-	-	-	-	11	1
20	Randolph	292	-	-	-	-	-	8	-	-	-	1	-	51	-
21	Moberly	180	-	-	-	-	-	7	-	-	-	1	-	30	-
22	Balance of county	112	-	-	-	-	-	1	-	-	-	-	-	21	-
23	Ray	223	-	-	-	-	-	2	-	-	1	-	-	24	-
24	Reynolds	51	-	-	-	-	-	1	-	1	-	-	-	6	-
25	Ripley	102	-	-	-	-	-	4	-	-	-	-	1	13	-
26	St. Charles	282	-	1	-	-	-	5	1	-	2	2	-	27	-
27	St. Charles	135	-	1	-	-	-	2	1	-	1	1	-	12	-
28	Balance of county	147	-	-	-	-	-	3	-	-	1	1	-	15	-
29	St. Clair	97	-	-	-	-	-	1	-	-	-	-	-	14	-
30	St. Francois	436	1	-	-	-	-	17	-	-	14	-	-	51	-
31	St. Louis	3,059	1	3	-	-	-	162	3	-	28	1	10	449	-
32	Clayton	327	-	-	-	-	-	4	-	-	7	-	1	38	-
33	Kirkwood	160	-	-	-	-	-	1	-	-	-	-	1	24	-
34	Maplewood	123	1	-	-	-	-	1	-	-	1	-	-	23	-
35	Richmond Heights	112	-	-	-	-	-	2	-	-	-	-	-	23	-
36	University City	252	-	1	-	-	-	2	-	-	1	-	-	42	-
37	Webster Groves	154	-	-	-	-	-	3	1	-	-	-	-	15	-
38	Balance of county	1,931	-	2	-	-	-	149	2	-	19	1	8	284	-
39	St. Louis (city)	10,344	-	10	1	1	4	306	7	-	165	-	11	1,557	12
40	Ste. Genevieve	90	-	-	-	-	-	2	-	-	-	-	-	12	-
41	Saline	340	-	-	-	1	-	19	-	-	2	-	1	56	-
42	Schuyler	69	-	-	-	-	-	2	-	-	1	-	-	12	-
43	Scotland	64	-	-	-	-	-	3	-	-	1	-	1	12	-
44	Scott	250	-	-	-	1	-	8	-	-	-	-	-	29	1
45	Shannon	65	-	-	-	-	-	2	-	-	-	-	-	3	-
46	Shelby	162	-	-	-	-	-	1	-	-	-	-	-	27	1
47	Stoddard	246	1	-	-	2	-	8	-	-	1	1	1	19	-
48	Stone	74	-	-	-	-	-	5	-	-	-	1	-	6	2
49	Sullivan	149	-	-	-	-	-	1	-	-	1	-	-	22	-
50	Taney	98	-	1	-	-	-	4	-	-	-	-	-	16	-
51	Texas	200	-	-	2	-	-	7	1	-	1	-	-	20	-
52	Vernon	435	-	1	-	-	-	12	-	-	20	1	1	48	-
53	Warren	95	-	-	-	-	-	1	-	-	1	1	1	13	-
54	Washington	107	-	-	-	-	2	4	1	-	-	-	-	13	-
55	Wayne	69	-	-	-	-	-	4	-	-	-	-	-	11	-
56	Webster	137	1	-	-	-	-	3	-	-	1	-	-	18	-
57	Worth	58	-	-	-	-	-	-	-	-	-	-	1	10	-
58	Wright	143	-	-	-	-	1	4	-	-	-	1	-	18	-
59	MONTANA	5,595	2	3	-	2	5	164	1	1	47	3	5	662	3
60	Beaverhead	77	-	-	-	-	-	3	-	-	-	-	-	12	-
61	Big Horn	87	-	-	-	-	-	10	-	-	2	-	-	3	-
62	Blaine	85	-	-	-	1	-	3	1	-	-	-	-	8	-
63	Broadwater	19	-	-	-	-	-	-	-	-	-	-	-	-	-
64	Carbon	135	-	-	-	-	-	3	-	-	-	-	-	21	-
65	Carter	23	-	-	-	-	-	-	-	-	-	-	-	4	-
66	Cascade	504	-	1	-	-	-	10	-	-	7	-	-	69	-
67	Great Falls	451	-	-	-	-	-	8	-	-	7	-	-	65	-
68	Balance of county	53	-	1	-	-	-	2	-	-	-	-	-	4	-
69	Chouteau	43	-	-	-	-	-	-	-	-	-	-	1	3	-
70	Custer	68	-	-	-	-	-	1	-	-	-	-	-	11	-
71	Daniels	28	-	-	-	-	-	-	-	-	-	-	-	4	-
72	Dawson	75	-	-	-	-	-	-	-	-	-	-	-	13	-
73	Deer Lodge	328	-	-	-	-	1	16	-	-	13	-	-	29	-
74	Anaconda	139	-	-	-	-	1	2	-	-	1	-	-	22	-
75	Balance of county	189	-	-	-	-	-	14	-	-	12	-	-	7	-
76	Fallon	24	-	-	-	-	-	-	-	-	-	-	-	6	-
77	Fergus	152	-	-	-	-	-	-	-	-	1	-	-	17	-
78	Flathead	280	-	-	-	-	-	2	-	-	3	-	1	26	-
79	Gallatin	171	1	-	-	-	-	1	-	-	-	-	-	15	-
80	Garfield	27	-	-	-	-	-	-	-	-	-	-	-	3	-
81	Glacier	110	-	1	-	-	1	20	-	-	4	1	-	2	-
82	Golden Valley	12	-	-	-	-	-	-	-	-	-	-	-	5	-
83	Granite	27	-	-	-	-	-	1	-	-	-	-	-	4	-
84	Hill	112	-	-	-	-	1	6	-	-	-	-	-	14	-
85	Jefferson	46	-	-	-	-	-	3	-	-	-	-	-	6	-
86	Judith Basin	18	1	-	-	-	-	-	-	-	-	-	-	3	-
87	Lake	120	-	-	-	-	-	4	-	-	2	-	-	15	-
88	Lewis and Clark	326	-	-	-	-	-	11	-	-	2	-	1	41	-
89	Helena	242	-	-	-	-	-	8	-	-	1	-	1	32	-
90	Balance of county	84	-	-	-	-	-	3	-	-	1	-	-	9	-
91	Liberty	17	-	-	-	-	-	-	-	-	-	-	-	-	-
92	Lincoln	86	-	-	-	-	-	1	-	-	-	-	-	10	-
93	McCone	17	-	-	-	-	-	-	-	-	-	-	-	2	-
94	Madison	36	-	-	-	-	-	-	-	1	-	-	-	5	-
95	Meagher	18	-	-	-	-	-	-	-	-	-	-	-	1	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 182, 199,200	All other causes	
4	-	23	69	5	2	21	2	17	5	2	11	15	7	28	1
-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2
4	-	23	68	5	2	21	2	17	5	2	11	15	7	27	3
3	-	35	75	12	1	16	2	8	4	-	6	10	9	27	4
-	-	9	28	8	1	7	-	3	1	2	-	3	-	18	5
5	-	7	25	6	-	9	-	7	1	-	2	5	-	6	6
5	-	4	16	5	-	4	2	4	1	-	1	3	3	9	7
4	-	39	58	17	1	26	3	20	3	10	17	35	23	38	8
2	-	19	28	6	1	24	-	7	1	-	1	6	3	13	9
4	-	40	137	12	2	32	2	17	3	1	11	15	2	49	10
3	-	28	105	10	2	25	2	12	2	-	7	12	1	35	11
1	-	12	32	2	-	7	-	5	1	1	4	3	1	14	12
5	-	14	55	16	3	18	-	7	3	2	6	8	1	30	13
5	-	23	76	12	1	28	-	6	4	1	4	7	1	34	14
3	-	9	48	7	-	9	-	1	-	-	8	7	8	15	15
2	1	24	75	10	-	11	-	4	1	-	3	4	5	24	16
3	-	11	22	14	-	10	2	6	-	3	3	8	4	15	17
1	-	10	34	4	-	30	-	4	1	-	4	4	-	4	18
5	-	7	25	3	1	9	-	2	-	-	1	5	1	7	19
4	-	31	88	23	-	15	-	11	3	1	2	14	10	30	20
4	-	23	45	13	-	10	-	8	3	1	1	11	6	17	21
-	-	8	43	10	-	5	-	3	-	-	1	3	4	13	22
6	-	33	74	19	1	19	-	5	3	-	3	10	2	21	23
1	-	3	14	3	-	3	1	4	1	-	2	2	-	9	24
2	-	13	13	14	2	5	-	8	1	1	1	6	2	16	25
13	-	25	104	7	3	26	-	10	4	-	2	11	-	39	26
8	-	11	45	4	1	12	-	9	1	-	2	6	-	18	27
5	-	14	59	3	2	14	-	1	3	-	-	5	-	21	28
-	-	14	24	9	1	12	1	2	2	1	2	2	1	11	29
7	-	34	141	28	2	24	-	15	4	-	5	13	3	77	30
62	1	259	1,017	99	9	225	12	124	36	13	60	122	39	324	31
7	-	30	110	12	1	20	1	4	4	2	16	21	6	43	32
1	-	13	47	5	-	12	-	7	2	1	6	12	2	26	33
4	-	12	37	2	1	9	-	4	5	-	-	3	2	18	34
3	-	7	38	4	-	4	1	8	2	1	2	4	3	10	35
7	-	26	102	10	2	12	1	5	1	-	1	10	2	27	36
2	1	12	61	6	-	12	1	10	2	-	2	9	2	15	37
38	-	159	622	60	5	156	8	86	20	9	33	63	22	185	38
249	-	859	3,321	440	97	783	30	440	112	116	141	448	41	1,193	39
6	-	9	25	2	-	10	1	4	2	-	3	3	-	11	40
4	-	44	89	21	2	20	1	17	3	-	3	11	5	41	41
3	-	10	21	3	-	4	-	2	-	-	-	3	-	8	42
-	-	6	19	3	-	7	-	-	1	-	-	4	1	6	43
4	-	22	72	17	3	20	1	19	-	1	5	12	6	29	44
3	-	9	14	10	1	3	1	3	2	-	-	1	4	9	45
8	-	28	41	10	-	13	-	2	2	-	4	2	1	24	46
2	-	22	69	15	4	14	3	21	1	4	6	13	11	28	47
-	-	13	16	3	2	8	-	2	-	1	-	2	2	11	48
3	-	18	48	9	-	15	-	8	1	-	1	3	8	11	49
-	-	5	29	12	-	5	1	6	1	-	4	6	-	8	50
5	-	20	53	12	2	21	-	7	4	-	6	5	9	25	51
7	-	45	140	17	1	23	1	8	8	-	3	28	12	59	52
5	-	9	28	4	-	15	-	-	1	-	1	7	-	8	53
-	-	12	34	8	-	2	1	6	1	-	2	6	1	14	54
2	-	15	13	11	-	3	-	7	3	-	3	8	1	8	55
2	-	17	32	18	-	14	-	4	1	-	2	7	2	15	56
1	-	3	25	-	-	8	-	3	1	-	-	4	-	2	57
3	-	22	32	14	-	9	-	5	2	-	2	5	4	21	58
137	-	490	1,629	260	34	276	18	323	98	22	166	351	168	725	59
2	-	8	15	3	-	4	-	3	3	-	1	8	3	12	60
-	-	2	18	8	1	1	-	9	1	1	3	5	14	9	61
1	-	6	21	8	2	1	-	8	3	-	2	5	2	13	62
-	-	1	6	2	-	4	-	1	-	-	1	1	3	-	63
5	-	7	42	5	2	10	1	2	7	-	6	3	2	19	64
-	-	2	7	-	-	1	-	2	-	-	3	1	1	2	65
9	-	35	168	28	2	32	2	23	11	1	8	35	2	80	66
8	-	32	151	27	2	31	2	22	8	1	5	26	1	55	67
1	-	3	17	2	-	1	-	1	3	-	3	9	1	5	68
-	-	2	11	3	-	9	-	1	-	-	2	3	3	5	69
4	-	7	30	2	-	1	-	1	-	-	5	2	3	21	70
-	-	1	11	-	-	-	-	2	1	-	1	2	-	6	71
-	-	3	30	1	-	2	-	8	-	1	3	7	1	4	72
5	-	42	57	27	1	12	-	10	2	-	3	20	16	74	73
1	-	20	36	4	-	4	-	9	1	-	2	6	6	24	74
4	-	22	21	23	1	8	-	1	1	-	1	14	10	50	75
-	-	1	5	1	-	-	-	3	1	-	1	1	2	3	76
3	-	13	53	5	1	7	1	11	3	-	8	10	2	17	77
6	-	29	72	17	1	9	1	18	8	3	7	17	3	37	78
5	-	13	58	7	1	8	1	4	4	-	6	9	12	26	79
-	-	4	11	-	-	1	-	1	1	1	2	1	-	2	80
1	-	4	15	10	5	3	-	8	3	-	6	8	3	17	81
-	-	1	3	1	-	-	-	-	-	-	-	1	-	1	82
-	-	3	6	-	-	2	-	2	-	2	1	1	-	5	83
3	-	5	32	9	2	4	-	11	2	-	4	10	1	8	84
-	-	3	19	2	-	1	-	2	-	-	1	2	2	5	85
2	-	-	2	2	-	-	1	2	1	-	1	-	-	3	86
1	-	10	29	10	2	6	-	9	1	-	2	12	4	13	87
7	-	21	116	6	1	31	1	17	4	2	13	10	8	34	88
7	-	13	91	4	1	21	1	12	3	1	9	8	6	23	89
-	-	8	25	2	-	10	-	5	1	1	4	2	2	11	90
-	-	2	5	-	-	2	-	2	-	-	-	1	2	3	91
2	-	8	23	3	1	4	-	7	4	-	2	8	1	12	92
-	-	2	5	-	-	-	-	-	-	-	-	1	1	6	93
-	-	5	5	2	1	1	-	1	-	-	2	-	7	6	94
4	-	-	7	-	-	1	-	-	-	-	1	2	1	1	95

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	MONTANA—Continued														
1	Mineral	18	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Missoula	319	-	-	-	-	-	2	-	-	1	1	1	41	-
3	Missoula	279	-	-	-	-	-	2	-	-	1	-	1	35	-
4	Balance of county	40	-	-	-	-	-	-	-	-	-	1	-	6	-
5	Musselshell	49	-	-	-	-	-	-	-	-	-	-	-	7	-
6	Park	132	-	-	-	-	-	1	-	-	1	-	-	16	-
7	Petroleum	9	-	-	-	-	-	-	-	-	-	-	-	2	-
8	Phillips	46	-	-	-	-	1	-	-	-	2	-	-	6	-
9	Pondera	58	-	-	-	-	-	2	-	-	-	-	-	6	-
10	Powder River	13	-	-	-	-	-	-	-	-	-	-	-	2	-
11	Powell	72	-	-	-	-	-	-	-	-	1	1	-	12	-
12	Prairie	16	-	-	-	-	-	-	-	-	-	-	-	2	-
13	Ravalli	122	-	-	-	1	-	1	-	-	-	-	-	17	-
14	Richland	62	-	-	-	-	-	1	-	-	-	-	-	4	-
15	Roosevelt	86	-	-	-	-	-	9	-	-	1	-	-	5	-
16	Rosebud	84	-	-	-	-	-	11	-	-	-	-	-	5	2
17	Sanders	65	-	-	-	-	1	-	-	-	1	-	-	9	-
18	Sheridan	58	-	-	-	-	-	-	-	-	-	-	-	3	-
19	Silver Bow	613	-	1	-	-	-	33	-	-	3	-	-	90	-
20	Butte	534	-	-	-	-	-	27	-	-	3	-	-	84	-
21	Balance of county	79	-	1	-	-	-	6	-	-	-	-	-	6	-
22	Stillwater	43	-	-	-	-	-	-	-	-	1	-	-	8	-
23	Sweet Grass	41	-	-	-	-	-	-	-	-	-	-	-	9	1
24	Teton	48	-	-	-	-	-	-	-	-	-	-	-	3	-
25	Toole	51	-	-	-	-	-	-	-	-	1	-	-	8	-
26	Treasure	7	-	-	-	-	-	-	-	-	-	-	-	1	-
27	Valley	83	-	-	-	-	-	1	-	-	-	-	1	9	-
28	Wheatland	31	-	-	-	-	-	-	-	-	-	-	-	2	-
29	Wibaux	14	-	-	-	-	-	1	-	-	-	-	-	-	-
30	Yellowstone	386	-	-	-	-	-	7	-	-	1	-	-	40	-
31	Billings	314	-	-	-	-	-	6	-	-	1	-	-	31	-
32	Balance of county	72	-	-	-	-	-	1	-	-	-	-	-	9	-
33	Yellowstone National Park (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	NEBRASKA	12,440	3	17	3	4	8	177	5	2	83	9	55	1,754	6
35	Adams	359	-	-	-	-	-	6	-	-	7	-	5	41	-
36	Hastings	170	-	-	-	-	-	-	-	-	2	-	3	23	-
37	Balance of county	189	-	-	-	-	-	6	-	-	5	-	2	18	-
38	Antelope	108	-	-	-	-	-	-	-	-	-	-	-	11	-
39	Arthur	5	-	-	-	-	-	-	-	-	-	-	-	-	1
40	Banner	11	-	-	-	-	-	1	-	-	-	-	-	1	-
41	Blaine	8	-	-	-	-	-	-	-	-	-	-	-	1	-
42	Boone	111	-	-	-	-	1	1	-	1	-	-	-	16	-
43	Box Butte	110	-	1	-	-	-	2	-	-	1	1	-	14	-
44	Boyd	48	-	-	-	-	-	-	-	-	-	-	-	6	-
45	Brown	56	-	-	-	-	-	1	-	-	-	-	-	8	-
46	Buffalo	270	1	2	-	1	1	12	-	-	1	-	-	33	-
47	Burt	114	-	1	-	-	-	-	-	-	-	-	4	8	-
48	Butler	109	-	-	-	-	-	1	-	-	-	-	-	18	-
49	Cass	181	-	-	-	-	-	1	-	-	-	-	-	19	-
50	Cedar	111	-	1	-	-	1	-	-	-	1	-	-	21	-
51	Chase	36	-	-	-	-	-	-	-	-	-	-	-	5	-
52	Cherry	71	-	-	-	-	-	1	-	-	1	-	-	8	-
53	Cheyenne	79	-	-	-	-	-	-	-	-	1	-	-	14	-
54	Clay	124	-	-	-	-	-	-	-	-	-	-	1	14	-
55	Colfax	89	-	-	-	-	-	-	-	-	-	-	-	15	-
56	Cuming	99	-	-	-	-	-	-	-	-	-	-	1	13	-
57	Custer	151	-	-	-	-	-	1	-	-	-	-	-	18	-
58	Dakota	68	-	-	-	-	-	-	-	-	-	1	-	7	-
59	Dawes	117	-	-	-	-	-	2	-	-	-	-	3	14	-
60	Dawson	175	-	-	-	-	1	1	1	-	-	-	-	30	-
61	Deuel	27	-	-	-	-	-	-	-	-	-	-	-	4	-
62	Dixon	73	-	-	-	-	-	-	-	-	-	-	-	10	-
63	Dodge	217	-	-	-	-	-	-	-	-	2	1	-	42	-
64	Fremont	122	-	-	-	-	-	-	-	-	1	1	-	21	-
65	Balance of county	95	-	-	-	-	-	-	-	-	1	-	-	21	-
66	Douglas	2,728	1	5	1	1	2	63	1	-	20	1	11	379	2
67	Omaha	2,584	1	5	1	1	2	63	1	-	20	1	11	358	2
68	Balance of county	144	-	-	-	-	-	-	-	-	-	-	-	21	-
69	Dundy	36	-	-	-	-	-	-	-	-	-	-	-	3	-
70	Fillmore	105	-	-	-	-	-	1	-	-	1	-	-	11	-
71	Franklin	79	-	-	-	-	-	1	-	-	2	-	3	12	-
72	Frontier	44	-	-	-	-	-	1	-	-	-	-	-	7	-
73	Furnas	102	-	-	-	-	-	-	-	-	-	-	-	15	-
74	Gage	313	-	1	-	-	-	7	-	-	-	-	1	44	1
75	Beatrice	128	-	1	-	-	-	1	-	-	-	-	1	21	-
76	Balance of county	185	-	-	-	-	-	6	-	-	-	-	-	23	1
77	Garden	33	-	-	-	-	-	-	-	-	-	-	-	2	-
78	Garfield	32	-	-	-	-	-	-	-	-	-	-	-	4	-
79	Gosper	21	-	-	-	-	-	-	-	-	1	-	-	3	-
80	Grant	8	-	-	-	-	-	-	-	-	-	-	-	2	-
81	Greeley	39	-	-	-	-	-	-	-	-	-	-	-	8	-
82	Hall	316	-	-	-	2	-	2	-	-	-	-	-	50	-
83	Grand Island	242	-	-	-	2	-	2	-	-	-	-	-	39	-
84	Balance of county	74	-	-	-	-	-	-	-	-	-	-	-	11	-
85	Hamilton	102	-	-	-	-	-	1	1	-	-	-	-	18	-
86	Harlan	53	-	-	-	-	-	1	-	-	-	-	-	8	-
87	Hayes	13	-	-	-	-	-	-	-	-	-	-	-	1	-
88	Hitchcock	43	-	-	-	-	-	-	-	-	1	-	1	6	-
89	Holt	130	-	-	1	-	-	2	-	-	-	2	-	21	-
90	Hooker	11	-	-	-	-	1	-	-	-	-	-	-	1	-
91	Howard	58	-	-	-	-	-	-	-	-	-	-	-	7	-
92	Jefferson	139	-	-	-	-	-	-	-	-	-	-	1	15	-
93	Johnson	75	-	-	-	-	-	-	-	-	-	-	-	16	-
94	Kearney	69	1	-	-	-	-	3	-	-	-	-	-	14	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
1	-	4	6	1	-	-	-	-	1	-	-	4	-	-	1
10	-	36	80	16	-	16	2	18	4	2	12	23	18	36	2
9	-	34	78	16	-	14	2	14	4	2	8	13	14	32	3
1	-	2	2	-	-	2	-	4	-	-	4	10	4	4	4
4	-	4	18	4	-	-	-	1	1	-	3	4	-	3	5
2	-	11	53	6	1	5	2	2	3	-	2	5	-	22	6
-	-	2	1	-	-	1	-	-	-	-	-	2	1	-	7
-	-	6	17	-	-	1	-	1	2	-	3	4	-	3	8
3	-	7	13	1	3	1	-	8	1	-	-	3	-	8	9
-	-	1	5	1	-	-	-	-	-	-	1	1	-	2	10
1	-	6	9	3	-	3	-	6	3	1	2	10	5	9	11
-	-	1	7	-	-	1	-	2	-	-	-	-	-	3	12
1	-	6	52	2	-	4	-	10	2	-	3	6	2	15	13
1	-	5	18	3	-	6	1	8	1	-	1	9	-	4	14
1	-	5	25	3	-	4	-	5	-	-	4	9	5	10	15
1	-	8	24	5	1	3	-	6	1	1	5	3	4	4	16
6	-	10	15	2	-	3	-	1	3	-	2	5	-	7	17
1	-	12	14	1	-	5	-	2	-	-	1	7	2	10	18
15	-	49	199	11	4	40	1	32	7	4	11	33	10	70	19
12	-	45	159	11	4	35	1	32	6	4	10	27	10	64	20
3	-	4	40	-	-	5	-	-	1	-	1	6	-	6	21
1	-	6	13	1	-	-	3	1	-	-	2	2	-	8	22
1	-	8	5	3	-	3	-	3	-	1	1	1	-	5	23
1	-	6	12	3	-	-	-	3	1	-	5	2	4	6	24
4	-	1	8	3	-	6	-	5	1	1	3	4	2	4	25
1	-	-	3	-	-	-	1	-	1	-	-	-	-	-	26
8	-	9	21	3	-	4	-	4	2	-	2	8	1	10	27
-	-	3	10	1	-	1	-	1	-	-	4	2	-	7	28
1	-	2	3	1	-	1	-	1	1	-	1	-	-	2	29
13	-	40	116	23	2	11	3	35	3	1	3	20	15	53	30
12	-	33	96	20	2	9	3	26	2	1	2	11	11	48	31
1	-	7	20	3	-	2	-	9	1	-	1	9	4	5	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
356	3	1,392	3,536	523	56	753	29	680	163	27	289	513	284	1,610	34
6	-	48	121	11	1	21	-	18	1	-	4	16	6	47	35
5	-	27	51	5	1	9	-	16	-	-	3	8	3	14	36
1	-	21	70	6	-	12	-	2	1	-	1	8	3	33	37
3	-	11	44	7	-	8	2	3	1	-	2	3	1	12	38
-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	39
-	-	1	3	-	1	1	-	-	1	-	-	-	-	2	40
-	-	-	3	1	-	1	-	-	-	-	1	-	-	1	41
1	-	15	25	6	-	5	-	3	-	-	7	5	6	19	42
3	-	15	26	13	6	3	1	7	-	-	6	6	1	4	43
4	-	4	14	4	1	1	-	3	1	-	1	3	-	6	44
1	-	9	17	3	-	1	-	2	1	-	-	5	1	7	45
7	-	21	76	18	2	23	-	11	3	1	12	6	12	27	46
5	-	14	25	3	-	10	-	6	2	-	4	8	4	20	47
2	-	18	28	3	-	7	1	3	1	-	4	6	5	12	48
5	-	30	60	5	1	7	-	7	3	-	3	12	8	20	49
4	-	10	31	4	1	11	1	9	-	-	1	5	2	8	50
1	-	2	13	1	-	3	-	2	-	-	-	5	1	3	51
-	-	5	25	4	-	4	-	5	-	-	1	3	2	12	52
3	-	5	19	1	-	4	-	9	2	-	7	3	-	11	53
3	-	17	39	4	1	12	-	5	-	-	1	9	4	14	54
5	-	8	21	2	1	1	-	4	2	-	5	7	2	16	55
2	-	17	29	1	-	11	-	5	2	-	3	6	-	9	56
2	-	22	48	6	1	5	1	7	2	-	3	7	7	21	57
1	-	6	27	6	1	2	-	3	-	-	1	3	-	10	58
4	-	14	28	2	-	6	1	8	1	-	7	5	3	19	59
6	-	9	44	4	1	15	-	15	-	-	8	14	5	20	60
1	-	4	5	1	-	2	-	2	-	-	1	2	2	3	61
-	-	7	31	1	-	3	-	4	4	-	-	-	2	11	62
5	-	24	52	9	3	26	-	7	3	-	5	10	6	22	63
4	-	13	29	6	-	17	-	3	1	-	2	7	5	12	64
1	-	11	23	3	3	9	-	4	2	-	3	3	1	10	65
80	-	290	813	125	10	127	5	152	33	18	31	145	45	369	66
75	-	278	781	115	10	114	5	147	30	18	28	136	38	344	67
5	-	12	32	8	-	13	-	5	3	-	5	9	6	25	68
1	-	5	7	2	-	3	-	3	2	1	2	2	-	5	69
3	1	27	22	3	-	6	-	2	4	-	2	4	1	17	70
3	-	4	24	3	-	5	-	4	-	-	4	2	1	11	71
1	1	7	15	1	2	2	-	2	-	-	-	3	1	1	72
2	-	13	29	-	-	9	-	6	-	-	3	4	1	20	73
12	-	39	91	15	-	10	-	11	6	-	2	18	4	51	74
4	-	16	38	6	-	8	-	4	2	-	-	8	1	20	75
8	-	23	53	9	-	5	-	7	4	-	2	10	3	31	76
-	-	5	13	2	-	3	-	1	-	-	1	-	2	4	77
2	-	2	13	1	-	1	-	3	-	-	-	1	1	4	78
-	-	2	5	1	-	3	-	-	1	-	-	2	1	2	79
1	-	-	3	-	-	-	-	1	-	-	-	1	-	-	80
-	-	6	9	2	-	4	-	3	-	-	-	2	4	3	81
14	-	35	79	18	2	16	2	21	7	-	11	19	2	36	82
12	-	28	55	13	2	13	2	19	4	-	7	13	1	30	83
2	-	7	24	5	-	3	-	2	3	-	4	6	1	6	84
3	-	18	26	5	-	12	-	6	-	-	3	2	1	6	85
1	-	11	13	1	-	4	-	4	2	-	1	-	3	4	86
-	-	3	5	1	-	-	-	2	-	-	-	-	-	1	87
4	-	3	12	2	-	3	-	2	1	-	-	-	1	7	88
3	-	12	35	9	1	4	-	8	1	-	6	6	3	16	89
-	-	-	6	-	-	-	-	-	-	-	-	-	2	1	90
4	-	2	23	3	-	3	-	2	-	-	1	3	2	8	91
1	-	27	41	7	3	15	-	7	1	-	3	2	5	11	92
2	-	13	18	3	-	2	-	4	1	-	1	3	2	10	93
1	-	3	18	1	-	11	-	3	-	-	2	2	2	8	94

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	NEBRASKA—Continued														
1	Keith	65	-	-	-	-	-	-	-	-	-	-	2	5	-
2	Keya Paha	14	-	-	-	-	-	-	-	-	-	-	-	3	-
3	Kimball	30	-	-	-	-	-	1	-	-	-	-	2	5	-
4	Knox	139	-	-	-	-	-	2	-	-	1	-	-	26	1
5	Lancaster	1,109	-	-	-	-	-	28	-	1	19	1	3	166	-
6	Lincoln	867	-	-	-	-	-	9	-	1	8	1	3	140	-
7	Balance of county	222	-	-	-	-	-	19	-	-	11	-	-	26	-
8	Lincoln	191	-	1	-	-	1	2	1	-	-	-	-	22	-
9	North Platte	115	-	1	-	-	1	2	1	-	-	-	-	16	-
10	Balance of county	76	-	-	-	-	-	-	-	-	-	-	-	6	-
11	Logan	9	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Loup	9	-	-	-	-	-	-	-	-	-	-	-	2	-
13	McPherson	5	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Madison	300	-	-	-	-	-	8	-	-	6	-	-	54	-
15	Norfolk	109	-	-	-	-	-	2	-	-	-	-	-	20	-
16	Balance of county	191	-	-	-	-	-	6	-	-	6	-	-	34	-
17	Merrick	84	-	1	-	-	-	2	-	-	-	-	2	15	-
18	Morrill	47	-	-	-	-	-	1	1	-	-	-	-	3	-
19	Nance	61	-	-	-	-	-	-	-	-	-	-	-	9	-
20	Nemaha	86	-	-	-	-	-	1	-	-	3	1	-	10	-
21	Nuckolls	93	-	-	-	-	-	-	-	-	-	-	1	12	1
22	Otoe	167	-	-	-	-	-	2	-	-	-	1	-	32	-
23	Pawnee	86	-	-	-	-	-	-	-	-	-	-	1	8	-
24	Perkins	36	-	-	-	-	-	-	-	-	-	-	-	2	-
25	Phelps	88	-	2	-	-	-	1	-	-	-	-	-	10	-
26	Pierce	80	-	-	-	-	-	-	-	-	-	-	-	16	-
27	Platte	172	-	-	-	-	-	1	-	-	2	-	2	26	-
28	Polk	100	-	-	-	-	-	2	-	-	-	-	-	21	-
29	Red Willow	109	-	-	-	-	-	-	-	-	-	-	-	19	-
30	Richardson	170	-	-	-	-	-	1	-	-	-	-	2	23	-
31	Rock	20	-	-	-	-	-	-	-	-	-	-	-	1	-
32	Saline	140	-	-	-	-	-	3	-	-	-	-	-	18	-
33	Sarpy	79	-	-	-	-	-	-	-	-	1	-	-	10	-
34	Saunders	184	-	-	-	-	-	-	-	-	-	-	1	23	-
35	Scotts Bluff	260	-	2	1	-	-	3	-	-	4	-	3	31	-
36	Scottsbluff	118	-	1	-	-	-	1	-	-	2	-	2	17	-
37	Balance of county	142	-	1	1	-	-	2	-	-	2	-	1	14	-
38	Seward	112	-	-	-	-	-	-	-	-	-	-	-	24	-
39	Sheridan	67	-	-	-	-	-	-	-	-	2	-	2	9	-
40	Sherman	51	-	-	-	-	-	-	-	-	-	-	1	11	-
41	Sioux	28	-	-	-	-	-	-	-	-	-	-	-	5	-
42	Stanton	45	-	-	-	-	-	-	-	-	1	-	-	6	-
43	Thayer	92	-	-	-	-	-	-	-	-	-	-	-	14	-
44	Thomas	12	-	-	-	-	-	-	-	-	-	-	-	1	-
45	Thurston	87	-	-	-	-	-	5	-	-	5	-	-	14	-
46	Valley	86	-	-	-	-	-	-	-	-	-	-	1	10	-
47	Washington	126	-	-	-	-	-	1	-	-	-	-	1	16	-
48	Wayne	84	-	-	-	-	-	1	-	-	-	-	-	8	-
49	Webster	74	-	-	-	-	-	-	-	-	-	-	-	9	-
50	Wheeler	10	-	-	-	-	-	-	-	-	-	-	-	3	-
51	York	157	-	-	-	-	-	-	-	-	-	-	-	16	-
52	NEVADA	1,502	-	-	-	2	1	73	-	1	22	4	3	149	1
53	Churchill	64	-	-	-	-	-	2	-	-	1	-	-	2	-
54	Clark	301	-	-	-	-	-	22	-	-	5	1	3	24	-
55	Douglas	28	-	-	-	-	-	-	-	-	-	-	-	5	-
56	Elko	116	-	-	-	-	-	5	-	-	-	-	-	14	-
57	Esmeralda	14	-	-	-	-	-	2	-	-	-	-	-	2	-
58	Eureka	13	-	-	-	-	-	1	-	-	-	-	-	2	-
59	Humboldt	63	-	-	-	-	-	1	-	-	-	-	-	5	-
60	Lander	22	-	-	-	1	-	-	-	-	1	-	-	-	-
61	Lincoln	30	-	-	-	-	-	3	-	-	1	-	-	2	-
62	Lyon	47	-	-	-	-	-	-	-	-	1	-	-	7	-
63	Mineral	59	-	-	-	-	-	1	-	-	-	-	-	4	1
64	Nye	50	-	-	-	1	-	12	-	-	-	-	-	4	-
65	Ormsby	40	-	-	-	-	-	1	-	-	-	-	-	2	-
66	Pershing	36	-	-	-	-	-	1	-	-	-	-	-	3	-
67	Storey	14	-	-	-	-	-	1	-	-	1	-	-	-	-
68	Washoe	520	-	-	-	-	-	20	-	1	12	3	-	62	-
69	Reno	398	-	-	-	-	-	17	-	1	9	1	-	50	-
70	Balance of county	122	-	-	-	-	-	3	-	-	3	2	-	12	-
71	White Pine	85	-	-	-	-	1	1	-	-	-	-	-	11	-
72	NEW HAMPSHIRE	6,049	2	3	1	9	2	116	1	2	37	7	15	833	3
73	Belknap	294	-	-	1	-	-	2	-	-	1	-	1	37	-
74	Laconia	176	-	-	-	-	-	1	-	-	1	-	-	25	-
75	Balance of county	118	-	-	1	-	-	1	-	-	-	-	1	12	-
76	Carroll	199	-	-	-	2	-	1	-	-	-	-	-	33	-
77	Cheshire	401	-	-	-	1	1	3	-	-	1	-	1	51	1
78	Keene	157	-	-	-	-	-	-	-	-	-	-	-	21	1
79	Balance of county	244	-	-	-	1	1	3	-	-	1	-	1	30	-
80	Coos	391	1	-	-	3	-	2	-	-	1	2	-	54	-
81	Berlin	166	1	-	-	1	-	2	-	-	1	1	-	20	-
82	Balance of county	225	-	-	-	2	-	-	-	-	-	1	-	34	-
83	Grafton	512	-	1	-	-	-	18	-	-	4	-	-	61	-
84	Hillsborough	1,723	1	-	-	1	-	35	-	1	4	2	10	264	1
85	Manchester	685	1	-	-	1	-	22	-	1	3	-	8	133	1
86	Nashua	352	-	-	-	-	-	2	-	-	1	2	2	64	-
87	Balance of county	486	-	-	-	-	-	11	-	-	-	-	-	67	-
88	Merrimack	1,000	-	1	-	2	-	25	-	-	22	1	3	119	-
89	Concord	633	-	-	-	-	-	16	-	-	22	-	3	65	-
90	Balance of county	367	-	1	-	2	-	9	-	-	-	1	-	54	-
91	Rockingham	735	-	-	-	-	-	13	1	1	3	1	-	96	-
92	Portsmouth	201	-	-	-	-	-	2	1	-	2	1	-	35	-
93	Balance of county	534	-	-	-	-	-	11	-	1	1	-	-	61	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
4	-	5	13	3	1	4	-	8	-	2	4	7	-	7	1
-	-	-	4	2	-	1	-	-	1	-	-	1	1	1	2
-	-	1	8	1	-	3	1	3	1	-	1	-	-	3	3
4	-	20	34	5	1	10	-	4	2	-	3	5	6	15	4
19	1	121	312	52	2	54	3	53	13	-	18	44	31	168	5
17	1	89	264	36	2	49	3	49	10	-	16	37	20	122	6
2	-	22	48	16	-	5	-	4	3	-	2	7	11	46	7
6	-	22	39	11	1	13	-	13	4	-	7	10	5	33	8
2	-	10	23	7	1	7	-	8	1	-	4	4	4	23	9
4	-	12	16	4	-	6	-	5	3	-	3	6	1	10	10
-	-	-	4	-	-	-	-	2	-	-	1	-	-	2	11
-	-	1	2	1	-	-	-	-	-	-	1	-	-	2	12
-	-	1	1	-	-	-	-	1	-	1	-	-	-	1	13
11	-	29	84	11	-	16	-	13	3	-	10	8	13	34	14
4	-	6	26	3	-	10	-	9	2	-	6	5	3	13	15
7	-	23	58	8	-	6	-	4	1	-	4	3	10	21	16
2	-	11	18	1	-	4	-	4	-	-	4	5	1	14	17
-	-	2	14	2	-	2	-	8	-	-	4	2	-	8	18
2	-	7	14	3	1	7	1	4	2	-	1	2	2	6	19
3	-	4	30	6	1	6	-	6	1	-	1	2	-	11	20
4	-	8	30	5	-	6	-	4	3	-	4	3	-	12	21
6	-	18	50	7	-	4	1	8	5	-	7	5	1	20	22
1	-	11	18	5	-	11	-	5	1	-	1	8	3	12	23
-	-	3	6	1	-	2	-	9	-	-	3	3	1	6	24
3	-	11	28	6	-	7	-	4	1	-	1	7	2	5	25
2	-	3	13	4	-	8	-	6	3	-	1	3	2	19	26
4	-	25	41	5	-	16	2	11	1	-	4	10	4	18	27
2	-	8	27	1	-	2	1	4	3	-	2	4	4	19	28
3	-	19	25	3	1	4	-	7	1	-	5	5	3	14	29
6	-	22	52	4	-	16	-	8	3	1	5	12	3	12	30
-	-	-	12	2	-	-	1	-	-	-	1	1	-	2	31
10	-	15	40	2	1	15	-	5	2	-	1	5	7	16	32
4	-	4	24	3	-	1	-	6	1	-	3	8	2	12	33
8	-	21	40	7	1	19	1	15	1	-	3	12	2	30	34
10	-	30	62	16	3	8	-	19	3	1	11	23	2	28	35
4	-	17	29	6	-	5	-	8	2	-	4	7	-	13	36
6	-	13	33	10	3	3	-	11	1	1	7	16	2	15	37
6	-	17	25	3	1	8	-	6	2	-	-	8	-	12	38
-	-	6	20	3	1	3	-	4	2	-	-	3	1	11	39
1	-	2	19	1	-	3	1	5	-	-	-	1	1	5	40
-	-	1	12	-	-	2	-	1	-	-	2	1	-	4	41
1	-	5	16	1	-	1	-	5	2	1	1	2	-	3	42
-	-	10	27	4	1	8	1	4	3	-	4	3	4	9	43
1	-	-	3	-	-	1	-	-	-	-	-	1	-	5	44
3	-	11	22	6	1	5	-	2	-	-	-	7	1	5	45
2	-	7	25	4	-	6	2	9	1	-	-	5	2	12	46
4	-	16	35	1	-	8	-	6	4	1	4	2	7	20	47
1	-	13	23	1	-	6	-	5	3	-	2	4	6	11	48
4	-	6	22	1	-	13	-	-	1	-	3	2	3	10	49
-	-	-	2	1	-	-	-	1	-	-	1	-	-	2	50
7	-	12	63	4	-	14	-	7	1	-	4	9	-	20	51
24	-	125	407	84	6	54	6	88	41	9	64	122	46	170	52
-	-	7	23	2	-	4	-	3	1	-	1	6	2	10	53
1	-	27	65	14	-	9	-	31	11	2	22	23	9	32	54
1	-	2	9	-	-	2	-	3	1	-	2	-	-	3	55
6	-	5	22	4	2	2	-	8	5	1	3	18	11	12	56
-	-	1	5	-	-	1	-	-	1	-	-	1	-	1	57
-	-	-	-	2	-	1	-	-	-	-	1	3	1	2	58
1	-	5	20	6	-	3	-	5	1	-	-	5	4	7	59
-	-	2	11	-	-	2	-	-	-	-	-	2	-	3	60
-	-	2	7	2	-	2	-	-	-	-	1	5	2	3	61
-	-	3	11	1	1	1	1	-	1	1	4	1	4	10	62
2	-	5	11	6	1	-	1	5	-	-	5	4	4	9	63
1	-	5	14	3	-	2	-	-	-	-	1	3	1	3	64
-	-	3	12	3	-	-	-	2	-	-	4	3	-	10	65
-	-	1	11	5	1	-	-	-	4	-	1	6	-	3	66
-	-	1	6	2	-	1	-	-	-	-	-	-	2	-	67
9	-	51	159	28	1	21	4	27	14	3	17	34	6	48	68
6	-	41	117	22	1	20	2	21	9	3	16	24	2	36	69
3	-	10	42	6	-	1	2	6	5	-	1	10	4	12	70
3	-	5	21	6	-	3	-	6	2	2	2	8	-	14	71
170	-	614	2,090	282	32	293	14	258	65	4	100	250	73	773	72
5	-	31	114	7	3	15	-	15	2	-	5	14	3	38	73
-	-	13	70	5	3	10	-	10	1	-	3	9	3	22	74
5	-	18	44	2	-	5	-	5	1	-	2	5	-	16	75
6	-	23	69	8	1	6	-	5	5	-	4	7	1	28	76
12	-	60	135	10	1	20	1	22	-	1	9	23	2	46	77
7	-	21	57	2	-	8	1	10	-	1	1	9	-	18	78
5	-	39	78	8	1	12	-	12	-	-	8	14	2	28	79
8	-	33	116	19	2	40	-	20	5	-	9	24	8	44	80
2	-	16	53	6	1	12	-	13	4	-	4	9	4	16	81
6	-	17	63	13	1	28	-	7	1	-	5	15	4	28	82
17	-	58	169	31	2	19	-	23	7	-	8	20	25	49	83
47	-	158	573	77	16	76	8	90	21	1	26	46	17	248	84
25	-	74	319	42	16	40	4	48	12	-	11	18	5	101	85
11	-	32	103	14	-	19	2	24	3	-	7	14	5	47	86
11	-	52	151	21	-	17	2	18	6	1	8	14	7	100	87
33	-	88	363	58	1	41	1	23	11	-	9	48	4	147	88
22	-	47	232	44	-	14	1	10	8	-	4	31	1	113	89
11	-	41	131	14	1	27	-	13	3	-	5	17	3	54	90
20	-	76	268	43	-	37	-	31	7	-	14	36	3	85	91
6	-	18	68	12	-	8	-	9	1	-	2	10	1	25	92
14	-	58	200	31	-	29	-	22	6	-	12	26	2	60	93

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, poliioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	NEW HAMPSHIRE—Con.														
1	Strafford	515	-	1	-	-	1	14	-	-	-	1	-	89	-
2	Dover	173	-	-	-	-	-	5	-	-	-	1	-	27	-
3	Rochester	134	-	1	-	-	-	4	-	-	-	-	-	20	-
4	Balance of county	208	-	-	-	-	1	5	-	-	-	-	-	42	-
5	Sullivan	279	-	-	-	-	-	3	-	-	1	-	-	29	1
6	Claremont (town)	124	-	-	-	-	-	1	-	-	1	-	-	14	-
7	Balance of county	155	-	-	-	-	-	2	-	-	-	-	-	15	1
8	NEW JERSEY	46,392	6	38	5	26	12	1,647	16	2	299	28	26	7,246	34
9	Atlantic	1,725	-	1	-	-	3	52	-	-	10	-	-	231	1
10	Atlantic City	913	-	-	-	-	-	30	-	-	3	-	-	127	-
11	Pleasantville	125	-	-	-	-	-	3	-	-	1	-	-	17	1
12	Balance of county	687	-	1	-	-	3	19	-	-	6	-	-	87	-
13	Bergen	3,945	2	2	-	2	-	89	-	1	22	1	5	694	-
14	Bergenfield	108	-	-	-	-	-	1	-	-	-	-	1	17	-
15	Cliffside Park	111	-	-	-	-	-	1	-	-	1	-	-	22	-
16	Englewood	186	1	-	-	1	-	4	-	-	1	-	-	32	-
17	Garfield	184	-	-	-	-	-	9	-	-	-	-	-	32	-
18	Hackensack	354	-	-	-	-	-	6	-	-	3	-	-	52	-
19	Lodi	78	-	-	-	-	-	3	-	-	1	-	-	14	-
20	Lyndhurst (twp.)[2]	152	-	-	-	-	-	1	-	-	-	-	-	30	-
21	Ridgefield Park	83	-	-	-	-	-	1	-	-	-	-	-	13	-
22	Ridgewood	155	-	1	-	-	-	3	-	-	2	-	1	26	-
23	Rutherford	164	-	-	-	-	-	5	-	-	2	-	-	31	-
24	Teaneck (twp.)[2]	227	-	-	-	-	-	3	-	-	3	-	-	45	-
25	Balance of county	2,143	1	1	-	1	-	52	-	1	9	1	3	380	-
26	Burlington	1,206	-	1	-	3	-	33	-	-	11	1	1	181	-
27	Burlington	121	-	1	-	-	-	1	-	-	2	-	-	19	-
28	Balance of county	1,085	-	-	-	3	-	32	-	-	9	1	1	162	-
29	Camden	2,850	-	5	1	2	1	82	-	-	18	3	1	452	1
30	Camden	1,203	-	3	-	2	1	35	-	-	8	2	1	198	1
31	Collingswood	172	-	-	-	-	-	2	-	-	-	-	-	39	-
32	Gloucester City	152	-	-	-	-	-	3	-	-	-	-	-	23	-
33	Pennsauken (twp.)[2]	155	-	1	-	-	-	8	-	-	-	-	-	28	-
34	Balance of county	1,168	-	1	1	-	-	34	-	-	10	1	-	164	-
35	Cape May	487	-	-	-	-	1	17	1	-	2	2	-	74	-
36	Cumberland	957	-	-	1	2	-	27	1	-	5	2	-	125	-
37	Bridgeton	244	-	-	-	1	-	6	-	-	1	-	-	32	-
38	Millville	188	-	-	1	-	-	5	-	-	1	-	-	30	-
39	Balance of county	525	-	-	-	1	-	16	1	-	3	2	-	63	-
40	Essex	9,011	1	10	-	2	-	377	1	-	43	3	8	1,465	7
41	Belleville	223	-	-	-	-	-	2	1	-	-	-	-	47	-
42	Bloomfield	396	-	-	-	-	-	7	-	-	2	1	-	63	-
43	East Orange	763	-	-	-	-	-	21	-	-	2	-	1	125	2
44	Irvington	522	-	-	-	-	-	10	-	-	1	1	-	102	-
45	Maplewood (twp.)[2]	197	-	-	-	-	-	3	-	-	-	-	-	33	-
46	Millburn (twp.)[2]	82	-	-	-	-	-	1	-	-	-	-	-	12	-
47	Montclair	449	-	1	-	-	-	8	-	-	1	-	-	88	-
48	Newark	4,734	1	7	-	1	-	248	-	-	22	-	6	735	5
49	Nutley	195	-	-	-	-	-	2	-	-	1	-	-	33	-
50	Orange	414	-	1	-	-	-	14	-	-	3	-	1	73	-
51	South Orange	148	-	-	-	-	-	1	-	-	-	1	-	31	-
52	West Orange	221	-	-	-	1	-	9	-	-	-	-	-	37	-
53	Balance of county	667	-	1	-	-	-	51	-	-	11	-	-	86	-
54	Gloucester	779	1	2	-	-	1	16	-	1	1	-	-	107	-
55	Hudson	6,913	-	4	-	3	2	296	2	-	52	3	1	1,144	10
56	Bayonne	639	-	-	-	-	-	19	-	-	1	1	-	116	2
57	Harrison	107	-	-	-	-	-	3	-	-	-	-	-	17	-
58	Hoboken	606	-	-	-	-	-	18	-	-	6	-	-	60	1
59	Jersey City	3,304	-	1	-	3	1	163	2	-	15	1	1	554	3
60	Kearny	363	-	-	-	-	-	3	-	-	2	-	-	62	-
61	North Bergen (twp.)[2]	360	-	1	-	-	-	4	-	-	-	1	-	51	1
62	Union City	552	-	2	-	-	1	22	-	-	2	-	-	113	1
63	Weehawken (twp.)[2]	194	-	-	-	-	-	5	-	-	-	-	-	33	1
64	West New York	313	-	-	-	-	-	14	-	-	-	-	-	48	1
65	Balance of county	475	-	-	-	-	-	45	-	-	6	-	-	60	-
66	Hunterdon	404	-	-	-	-	-	11	-	-	1	-	-	59	-
67	Mercer	2,442	-	2	1	1	-	127	-	-	20	1	-	365	2
68	Trenton	1,547	-	1	1	1	-	60	-	-	17	-	-	214	1
69	Balance of county	895	-	1	-	-	-	67	-	-	3	1	-	151	1
70	Middlesex	2,051	1	5	1	-	4	66	-	-	7	2	2	318	3
71	Carteret	86	-	-	-	-	-	3	-	-	-	-	-	10	-
72	New Brunswick	378	-	-	-	-	2	17	-	-	3	-	1	50	-
73	Perth Amboy	356	-	2	1	-	-	13	-	-	1	1	1	58	1
74	South River	78	-	-	-	-	-	2	-	-	-	-	-	15	-
75	Woodbridge (twp.)[2]	232	-	3	-	-	-	8	-	-	1	-	-	28	-
76	Balance of county	921	1	-	-	-	2	23	-	-	2	1	-	155	2
77	Monmouth	2,572	-	2	-	1	-	89	7	-	29	4	3	350	2
78	Asbury Park	205	-	-	-	-	-	15	-	-	-	-	-	31	-
79	Long Branch	214	-	-	-	-	-	5	-	-	2	1	-	38	-
80	Neptune (twp.)[2]	215	-	1	-	-	-	3	-	-	2	-	-	30	1
81	Red Bank	148	-	-	-	-	-	1	-	-	-	1	1	29	-
82	Balance of county	1,790	-	1	-	1	-	65	7	-	25	2	2	224	1
83	Morris	1,916	-	-	-	3	-	114	3	-	51	1	2	234	1
84	Dover	113	-	-	-	-	-	3	1	-	-	-	-	16	-
85	Morristown	219	-	-	-	-	-	6	-	-	1	-	1	44	-
86	Balance of county	1,584	-	-	-	3	-	105	2	-	50	1	1	174	1
87	Ocean	549	-	-	-	1	-	11	-	-	1	-	-	89	-
88	Passaic	3,134	-	-	-	2	-	95	-	-	9	-	1	510	4
89	Clifton	419	-	-	-	-	-	10	-	-	2	-	-	65	-
90	Hawthorne	106	-	-	-	-	-	1	-	-	-	-	-	17	-
91	Passaic	613	-	-	-	-	-	14	-	-	2	-	1	100	-
92	Paterson	1,465	-	-	-	1	-	37	-	-	4	-	-	239	3
93	Balance of county	531	-	-	-	1	-	33	-	-	1	-	-	89	1

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
10	-	83	167	14	4	31	3	18	4	1	11	22	8	53	1
4	-	27	56	-	1	8	-	7	2	1	5	7	-	22	2
2	-	12	46	8	1	8	-	5	1	-	3	9	2	12	3
4	-	24	65	6	2	15	3	6	1	-	3	6	6	19	4
12	-	24	116	15	2	8	1	11	3	1	5	10	2	35	5
4	-	11	47	9	1	3	1	5	2	1	-	5	-	19	6
8	-	13	69	6	1	5	-	6	1	-	5	5	2	16	7
1,403	2	3,942	16,248	1,550	161	2,687	124	2,157	576	107	757	1,738	248	5,307	8
53	-	167	544	55	4	219	6	74	23	2	26	61	15	176	9
30	-	89	302	35	3	94	4	38	10	-	12	35	11	90	10
5	-	9	35	4	-	21	-	10	3	-	2	4	-	10	11
18	-	69	207	16	1	104	4	28	10	2	12	22	4	76	12
141	-	337	1,373	96	9	206	3	192	51	5	60	144	23	467	13
6	-	8	38	2	1	5	-	9	3	-	2	2	1	12	14
5	-	12	41	2	-	1	-	6	2	-	-	3	-	15	15
4	-	17	74	6	1	11	-	10	1	-	1	6	-	16	16
10	-	14	55	7	-	6	1	10	3	-	5	5	-	27	17
19	-	31	127	6	-	23	-	17	4	1	7	8	6	44	18
2	-	7	22	2	-	4	1	10	-	-	-	1	-	11	19
7	-	9	49	8	1	10	1	10	-	-	2	5	-	19	20
2	-	11	30	1	-	4	-	-	1	-	3	1	1	15	21
4	-	18	60	1	-	10	-	2	1	-	2	4	-	20	22
2	-	11	66	5	1	10	-	4	2	-	2	9	-	14	23
7	-	14	78	8	-	10	-	14	3	-	2	12	2	26	24
73	-	185	733	48	5	112	-	100	31	4	34	88	13	288	25
40	-	112	406	48	9	91	6	52	9	3	26	39	8	126	26
3	-	13	49	3	1	5	-	6	-	-	2	1	2	13	27
37	-	99	357	45	8	86	6	46	9	3	24	38	6	113	28
79	-	235	988	97	10	242	10	127	37	9	54	109	7	302	29
39	-	101	387	47	4	75	5	56	17	4	25	57	4	133	30
2	-	20	63	2	1	12	2	4	2	-	3	8	-	12	31
6	-	9	49	6	1	21	-	7	2	1	2	3	1	18	32
4	-	6	49	3	-	22	-	7	1	1	3	6	-	16	33
28	-	99	420	39	4	112	3	53	15	3	21	35	2	123	34
10	-	44	166	12	5	21	-	17	11	1	10	25	3	65	35
22	-	132	308	39	6	82	4	54	10	2	18	33	6	98	36
4	-	30	68	9	3	19	2	18	5	-	4	16	1	25	37
7	-	23	67	3	-	17	-	11	1	-	1	3	1	17	38
11	-	79	175	27	3	26	2	25	4	2	13	14	4	56	39
292	-	688	3,269	257	21	506	22	429	102	33	119	331	42	983	40
8	-	17	75	2	1	15	-	15	4	-	6	9	3	18	41
14	-	39	129	15	-	42	-	15	7	-	5	9	2	46	42
25	-	70	300	23	1	41	-	33	5	-	4	20	2	88	43
20	-	40	187	14	3	29	-	20	10	-	2	12	3	68	44
6	-	19	81	5	1	6	-	7	4	-	2	3	2	25	45
3	-	10	39	-	1	3	-	2	3	-	-	1	-	7	46
7	-	41	164	20	2	28	1	19	9	-	3	18	-	39	47
167	-	327	1,651	132	9	249	18	259	42	30	80	214	23	508	48
4	-	17	66	8	-	14	-	12	4	1	2	4	-	27	49
15	-	35	158	7	1	13	1	19	3	1	5	14	4	46	50
4	-	11	58	2	1	11	-	4	3	-	3	1	1	16	51
5	-	12	67	4	-	14	-	11	-	1	2	6	-	32	52
14	-	50	274	25	1	41	2	13	8	-	5	20	2	63	53
26	-	80	246	24	3	82	-	38	7	3	24	36	3	78	54
214	-	524	2,638	232	21	287	19	351	72	12	75	257	18	696	55
23	-	43	223	23	3	35	3	49	2	2	14	23	1	56	56
3	-	6	42	-	1	8	-	5	-	1	-	1	1	19	57
24	-	29	246	26	5	17	4	36	7	-	2	24	6	75	58
92	-	282	1,224	113	10	131	8	154	37	6	31	141	6	325	59
8	-	29	154	2	-	21	-	20	4	1	8	11	1	37	60
16	-	24	140	8	-	7	2	22	2	1	9	18	-	43	61
18	-	46	202	20	1	22	1	26	10	-	4	7	2	52	62
7	-	13	79	13	-	9	-	2	2	-	1	12	-	17	63
9	-	25	110	15	-	14	-	26	5	-	2	8	1	35	64
14	-	27	218	12	1	23	1	11	3	1	4	12	-	37	65
3	-	31	155	15	-	23	-	14	7	2	10	22	7	44	66
60	-	207	753	117	25	130	10	131	34	6	46	93	10	301	67
45	-	133	476	89	21	75	8	81	23	5	27	61	7	201	68
15	-	74	277	28	4	55	2	50	11	1	19	32	3	100	69
51	1	202	680	82	3	100	5	101	31	2	42	92	12	240	70
2	-	9	31	4	-	2	-	6	1	-	1	6	-	11	71
11	-	48	115	24	-	20	-	15	3	-	11	20	-	38	72
5	-	31	128	10	1	24	1	12	4	-	4	16	1	41	73
1	-	11	29	2	-	1	-	3	1	-	2	3	-	8	74
9	-	24	77	9	1	12	1	15	5	1	5	12	-	21	75
23	1	79	300	33	1	41	3	50	17	1	19	35	11	121	76
67	-	194	962	89	7	192	8	87	27	7	49	104	34	258	77
8	-	13	78	3	-	16	-	6	2	-	5	4	1	23	78
9	-	18	81	16	-	9	-	10	2	-	2	5	1	17	79
5	-	33	68	7	-	14	2	6	3	-	5	11	-	24	80
5	-	9	52	5	-	6	1	10	1	1	2	8	-	16	81
40	-	121	683	58	7	147	5	55	19	6	35	76	32	178	82
47	1	147	648	52	12	88	2	48	21	4	25	57	9	346	83
3	-	5	49	4	-	7	1	1	1	-	2	6	-	14	84
6	-	16	73	8	-	11	-	8	2	2	7	7	3	24	85
38	1	126	526	40	12	70	1	39	18	2	16	44	6	308	86
21	-	53	187	22	1	30	-	20	9	1	19	22	3	59	87
117	-	284	1,096	84	7	153	14	139	42	8	50	103	8	408	88
12	-	39	182	8	-	21	3	30	8	2	5	8	2	44	89
7	-	7	34	3	-	9	-	5	3	-	1	5	1	13	90
25	-	59	206	17	2	28	4	32	9	3	11	21	1	78	91
57	-	141	522	41	5	70	7	48	17	3	28	50	2	190	92
16	-	38	172	15	-	25	-	24	7	-	5	19	2	83	93

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliocephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	NEW JERSEY—Continued														
1	Salem	464	1	-	-	1	-	10	-	-	3	-	-	65	-
2	Somerset	868	-	1	1	1	-	27	-	-	17	1	-	115	-
3	North Plainfield	98	-	-	-	-	-	-	-	-	-	-	-	16	-
4	Balance of county	770	-	1	1	1	-	27	-	-	17	1	-	99	-
5	Sussex	369	-	-	-	-	-	1	1	-	1	-	-	62	-
6	Union	3,170	-	2	-	1	-	95	-	-	14	3	2	540	1
7	Cranford (twp.)[2]	123	-	-	-	-	-	2	-	-	-	-	-	22	-
8	Elizabeth	1,121	-	1	-	1	-	29	-	-	4	2	1	198	1
9	Hillside (twp.)[2]	142	-	-	-	-	-	4	-	-	1	-	-	27	-
10	Linden	164	-	-	-	-	-	4	-	-	2	-	-	22	-
11	Plainfield	467	-	-	-	-	-	15	-	-	2	-	-	79	-
12	Rahway	210	-	1	-	-	-	2	-	-	-	-	-	35	-
13	Roselle	106	-	-	-	-	-	3	-	-	3	-	-	17	-
14	Summit	180	-	-	-	-	-	4	-	-	-	-	1	25	-
15	Union (twp.)[2]	171	-	-	-	-	-	6	-	-	2	-	-	35	-
16	Westfield	160	-	-	-	-	-	2	-	-	-	-	-	25	-
17	Balance of county	326	-	-	-	-	-	24	-	-	-	1	-	55	-
18	Warren	580	-	1	-	1	-	12	-	-	4	1	-	68	2
19	Phillipsburg	214	-	1	-	-	-	5	-	-	2	-	-	25	1
20	Balance of county	366	-	-	-	1	-	7	-	-	2	1	-	43	1
21	NEW MEXICO	5,436	1	5	1	22	12	388	67	1	76	13	10	400	7
22	Bernalillo	954	-	-	1	8	1	99	12	-	8	2	2	65	1
23	Albuquerque	447	-	-	-	2	-	59	3	-	3	1	2	32	-
24	Balance of county	507	-	-	1	6	1	40	9	-	5	1	-	33	1
25	Catron	28	-	-	-	-	-	-	-	-	-	-	-	-	-
26	Chaves	242	-	1	-	-	-	14	1	-	2	2	-	20	-
27	Roswell	169	-	1	-	-	-	12	-	-	2	1	-	17	-
28	Balance of county	73	-	-	-	-	-	2	1	-	-	1	-	3	-
29	Colfax	161	-	1	-	-	-	7	1	-	2	-	1	14	-
30	Curry	160	-	-	-	1	-	2	1	-	1	-	1	14	-
31	Clovis	109	-	-	-	1	-	2	1	-	1	-	1	8	-
32	Balance of county	51	-	-	-	-	-	-	-	-	-	-	-	6	-
33	De Baca	26	-	-	-	-	-	1	-	-	-	-	-	1	-
34	Dona Ana	294	-	-	-	-	-	19	2	-	2	-	1	21	1
35	Eddy	227	-	1	-	-	-	9	-	-	3	1	-	23	1
36	Grant	179	-	-	-	4	-	25	-	-	2	-	-	14	-
37	Guadalupe	60	-	-	-	-	-	1	1	-	1	-	1	6	-
38	Harding	29	-	-	-	-	-	3	-	-	-	-	-	3	-
39	Hidalgo	52	-	-	-	-	-	4	-	-	1	1	-	4	-
40	Lea	119	-	-	-	-	-	3	-	-	2	-	-	16	-
41	Hobbs	56	-	-	-	-	-	-	-	-	1	-	-	6	-
42	Balance of county	63	-	-	-	-	-	3	-	-	1	-	-	10	-
43	Lincoln	76	-	-	-	-	-	19	-	-	-	-	-	3	-
44	Luna	65	-	-	-	-	-	5	-	-	-	-	-	9	-
45	McKinley	292	-	-	-	-	3	46	2	-	3	1	-	7	-
46	Mora	103	-	-	-	-	-	3	3	1	-	-	1	1	-
47	Otero	99	-	1	-	-	-	3	-	-	2	-	-	2	-
48	Quay	111	-	-	-	-	1	3	1	-	-	-	-	13	-
49	Rio Arriba	248	-	-	-	3	-	6	6	-	-	-	-	12	-
50	Roosevelt	92	-	-	-	1	-	3	1	-	1	-	-	17	-
51	Sandoval	163	-	-	-	-	-	8	3	-	2	1	-	5	-
52	San Juan	163	-	-	-	-	2	20	-	-	3	4	-	11	-
53	San Miguel	407	-	1	-	-	1	22	11	-	33	-	-	23	2
54	Santa Fe	323	1	-	-	3	-	28	12	-	5	-	2	34	-
55	Santa Fe	242	1	-	-	3	-	26	9	-	2	-	2	30	-
56	Balance of county	81	-	-	-	-	-	2	3	-	3	-	-	4	-
57	Sierra	70	-	-	-	-	-	3	1	-	2	-	-	11	-
58	Socorro	105	-	-	-	-	-	9	4	-	-	-	-	8	-
59	Taos	166	-	-	-	1	-	7	2	-	-	1	-	10	-
60	Torrance	96	-	-	-	-	1	4	1	-	-	-	-	12	1
61	Union	72	-	-	-	-	-	4	-	-	-	-	-	9	1
62	Valencia	254	-	-	-	1	3	8	2	-	1	-	1	12	-
63	NEW YORK	152,866	12	121	11	63	50	5,601	35	3	1,309	64	64	23,989	98
64	Albany	2,625	-	2	-	-	-	94	-	-	11	1	-	377	1
65	Albany	1,749	-	1	-	-	-	67	-	-	5	1	-	231	-
66	Cohoes	235	-	-	-	-	-	9	-	-	3	-	-	34	-
67	Watervliet	165	-	-	-	-	-	2	-	-	-	-	-	27	1
68	Balance of county	676	-	1	-	-	-	16	-	-	3	-	-	85	-
69	Allegany	447	-	-	-	2	1	4	-	-	3	-	-	58	1
70	Broome	2,011	-	3	-	2	-	45	-	-	24	3	-	298	3
71	Binghamton	1,157	-	2	-	1	-	30	-	-	22	-	-	189	1
72	Endicott	197	-	-	-	-	-	1	-	-	1	-	-	25	-
73	Johnson City	211	-	1	-	-	-	2	-	-	1	-	-	38	-
74	Balance of county	446	-	-	-	1	-	12	-	-	-	3	-	66	2
75	Cattaraugus	863	-	-	-	-	1	27	1	-	2	-	1	112	-
76	Olean	276	-	-	-	-	-	3	-	-	1	-	1	43	-
77	Balance of county	587	-	-	-	-	1	24	1	-	1	-	-	69	-
78	Cayuga	906	-	2	-	-	-	9	-	-	1	-	-	112	-
79	Auburn	428	-	2	-	-	-	4	-	-	1	-	-	67	-
80	Balance of county	378	-	-	-	-	-	5	-	-	-	-	-	45	-
81	Chautauqua	1,458	-	1	1	1	-	22	-	-	4	1	-	181	2
82	Dunkirk	182	-	-	-	-	-	4	-	-	-	-	-	22	-
83	Jamestown	496	-	-	-	1	-	5	-	-	1	-	-	54	-
84	Balance of county	780	-	1	1	-	-	13	-	-	3	1	-	105	2
85	Chemung	944	-	1	1	2	-	17	-	-	4	1	-	128	-
86	Elmira	654	-	1	-	2	-	11	-	-	4	-	-	94	-
87	Balance of county	290	-	-	1	-	-	6	-	-	-	1	-	34	-
88	Chenango	510	-	-	1	-	-	3	-	-	3	1	-	65	-
89	Clinton	545	-	1	-	2	-	11	-	-	4	-	1	69	-
90	Plattsburgh	196	-	1	-	-	-	-	-	-	-	-	-	21	-
91	Balance of county	349	-	-	-	2	-	11	-	-	4	-	1	48	-

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
6	-	52	137	25	4	21	1	36	9	2	19	25	2	45	1
27	-	90	272	40	4	56	3	46	7	-	9	38	5	109	2
5	-	16	34	4	-	6	-	4	-	-	-	2	-	11	3
22	-	74	238	36	4	50	2	42	7	-	9	36	5	98	4
15	-	34	124	15	-	18	2	18	4	-	10	15	1	48	5
92	-	271	1,102	128	6	128	7	164	58	5	57	113	29	352	6
3	-	4	50	6	1	6	-	8	3	-	3	5	1	11	7
29	-	97	403	50	2	35	2	49	16	3	15	42	7	134	8
1	-	10	53	5	-	9	-	7	5	1	1	3	1	14	9
9	-	10	52	7	-	7	1	13	5	-	4	5	1	22	10
13	-	45	156	18	-	18	2	16	2	-	12	15	9	65	11
4	-	22	78	6	-	9	1	15	4	1	5	7	4	18	12
2	-	6	37	4	-	4	-	12	3	-	2	5	-	8	13
11	-	21	62	10	-	9	-	6	4	-	1	3	-	23	14
4	-	12	50	6	-	10	1	14	5	-	2	10	1	13	15
5	-	16	65	5	1	8	-	9	3	-	3	6	2	10	16
11	-	28	96	11	2	13	-	19	8	-	9	12	3	34	17
20	-	58	214	21	4	32	1	19	5	-	9	19	3	86	18
6	-	23	78	6	-	15	-	7	1	-	1	6	2	35	19
14	-	35	136	15	4	17	1	12	4	-	8	13	1	51	20
61	3	250	800	390	233	194	37	488	36	37	186	290	853	575	21
13	-	40	151	48	49	47	8	100	7	7	39	60	80	106	22
8	-	20	90	18	12	20	2	48	4	5	18	22	18	60	23
5	-	20	61	30	37	27	6	52	3	2	21	38	62	46	24
-	-	2	4	1	-	1	1	3	-	-	-	2	9	5	25
2	-	20	46	22	11	12	2	32	-	1	5	15	6	28	26
2	-	15	33	12	7	8	2	19	-	-	4	9	3	22	27
-	-	5	13	10	4	4	-	13	-	1	1	6	3	6	28
2	-	7	28	10	10	7	3	22	-	-	7	9	13	17	29
6	-	8	39	11	3	12	1	15	-	-	10	11	2	22	30
4	-	3	22	10	3	9	1	12	-	-	7	7	1	16	31
2	-	5	17	1	-	3	-	3	-	-	3	4	1	6	32
-	-	1	5	1	-	-	-	2	-	-	1	1	4	9	33
5	-	24	45	27	17	7	1	36	2	3	11	18	23	29	34
3	1	10	28	16	10	11	1	27	1	3	10	17	21	30	35
3	-	6	32	18	7	10	-	9	6	1	-	12	13	17	36
-	-	1	6	5	1	6	-	2	1	1	-	5	11	11	37
-	-	-	3	2	1	-	-	1	-	-	3	3	9	1	38
-	-	4	7	2	3	1	-	3	2	-	1	2	7	10	39
3	-	5	26	3	2	3	1	12	1	2	8	14	3	15	40
1	-	2	13	2	1	1	1	7	-	2	5	4	3	7	41
2	-	3	13	1	1	2	-	5	1	-	3	10	-	8	42
-	-	4	12	3	1	4	-	6	1	-	3	6	4	10	43
1	1	4	20	1	1	1	-	6	-	-	3	2	4	7	44
1	-	5	16	35	28	4	4	21	2	3	19	15	53	23	45
1	-	4	12	10	5	4	1	3	-	-	1	5	42	6	46
3	-	5	19	13	2	2	-	10	2	1	5	12	12	5	47
1	-	7	28	10	1	3	-	9	-	-	6	5	7	16	48
1	-	1	21	25	22	3	4	25	1	2	7	4	91	16	49
-	-	10	15	4	1	1	1	8	1	-	2	4	5	17	50
3	-	8	9	7	6	2	-	8	-	-	4	13	76	8	51
-	-	10	23	21	8	7	-	14	-	3	4	6	17	10	52
2	-	18	42	41	12	16	1	23	1	3	6	13	97	39	53
6	-	13	42	14	10	7	1	34	2	3	15	14	33	44	54
6	-	11	34	12	9	4	-	29	1	3	8	12	11	29	55
-	-	2	8	2	1	3	1	5	1	-	7	2	22	15	56
1	-	4	20	4	-	-	-	4	-	-	1	3	6	10	57
2	1	7	20	6	3	5	-	3	1	-	2	4	20	10	58
1	-	8	15	4	2	6	3	14	1	1	5	7	61	17	59
-	-	4	10	5	4	2	-	13	1	1	2	-	19	18	60
-	-	5	22	3	2	2	-	3	-	2	2	2	9	6	61
1	-	5	34	17	11	8	4	22	3	-	4	6	96	15	62
5,314	9	10,313	58,174	5,430	502	6,297	343	6,820	1,676	479	2,096	6,218	726	17,049	63
75	-	224	1,184	118	10	154	4	134	20	4	29	83	8	314	64
41	-	127	709	73	5	106	2	96	13	4	16	51	6	195	65
9	-	20	98	8	-	7	1	9	1	-	1	12	-	23	66
3	-	13	70	8	2	7	1	5	-	-	2	2	-	22	67
22	-	64	287	27	3	34	-	24	6	-	10	18	2	74	68
16	-	53	140	10	1	26	2	22	5	-	11	24	9	59	69
74	-	180	695	75	12	81	6	118	19	1	36	84	4	258	70
41	-	94	391	53	5	51	3	56	6	-	16	51	4	161	71
14	-	28	54	5	3	6	-	19	2	-	5	7	-	27	72
6	-	21	77	6	-	5	1	18	3	-	2	8	-	22	73
13	-	37	163	11	4	19	2	25	8	1	13	18	-	48	74
24	-	93	285	30	1	37	5	45	12	3	14	44	1	125	75
7	-	28	78	10	1	15	3	14	3	1	7	16	-	45	76
17	-	65	207	20	-	22	2	31	9	2	7	28	1	80	77
19	-	99	288	30	4	50	-	28	4	-	10	30	3	119	78
10	-	49	143	17	3	31	-	14	1	-	5	12	1	68	79
9	-	50	145	13	1	19	-	12	3	-	5	18	2	51	80
48	2	175	521	45	5	62	3	70	20	1	31	61	4	197	81
7	-	22	66	5	-	5	1	12	2	-	5	6	-	25	82
17	-	62	182	20	2	25	1	22	9	-	2	21	-	72	83
24	2	91	273	20	3	32	1	36	9	1	24	34	4	100	84
27	-	102	339	18	5	39	4	47	10	1	25	56	1	116	85
23	-	62	227	13	5	25	4	28	7	1	18	35	-	94	86
4	-	40	112	5	-	14	-	19	3	-	7	21	1	22	87
16	-	38	162	17	1	73	1	22	4	-	18	32	1	52	88
19	-	47	188	17	4	22	1	42	5	1	11	28	4	68	89
9	-	19	66	8	2	5	-	20	-	-	6	9	2	28	90
10	-	28	122	9	2	17	1	22	5	1	5	19	2	40	91

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	NEW YORK—Continued														
1	Columbia	558	-	1	-	-	-	15	-	-	5	-	-	91	1
2	Hudson	174	-	-	-	-	-	2	-	-	1	-	-	30	-
3	Balance of county	384	-	1	-	-	-	13	-	-	4	-	-	61	1
4	Cortland	409	-	-	-	1	-	4	-	-	-	1	-	47	-
5	Cortland	217	-	-	-	-	-	1	-	-	-	-	-	28	-
6	Balance of county	192	-	-	-	1	-	3	-	-	-	1	-	19	-
7	Delaware	491	-	1	1	-	-	5	-	-	1	2	-	66	1
8	Dutchess	2,187	-	-	-	-	2	128	14	-	50	-	-	215	-
9	Beacon	185	-	-	-	-	-	8	-	-	2	-	-	24	-
10	Poughkeepsie	556	-	-	-	-	1	8	-	-	4	-	-	70	-
11	Balance of county	1,448	-	-	-	-	1	112	14	-	44	-	-	121	-
12	Erie	9,204	-	9	-	7	16	423	-	1	78	6	2	1,349	9
13	Buffalo	6,484	-	5	-	3	15	324	-	1	48	5	1	999	7
14	Kenmore	196	-	-	-	-	-	1	-	-	-	-	-	33	-
15	Lackawanna	250	-	1	-	-	-	16	-	-	1	-	-	51	-
16	Tonawanda	215	-	-	-	-	-	7	-	-	2	1	-	38	1
17	Balance of county	2,059	-	3	-	4	1	75	-	-	27	-	1	248	1
18	Essex	451	-	-	-	1	-	32	-	-	-	-	-	51	1
19	Franklin	568	-	-	-	-	1	71	-	-	-	-	-	51	-
20	Fulton	639	-	1	-	4	3	9	-	-	2	-	1	86	-
21	Gloversville	328	-	1	-	1	3	3	-	-	-	-	-	48	-
22	Johnstown	154	-	-	-	2	-	3	-	-	1	-	1	22	-
23	Balance of county	157	-	-	-	1	-	3	-	-	1	-	-	16	-
24	Genesee	472	-	1	-	1	-	15	-	-	3	-	1	58	-
25	Batavia	204	-	-	-	1	-	7	-	-	1	-	1	30	-
26	Balance of county	268	-	1	-	-	-	8	-	-	2	-	-	28	-
27	Greene	391	-	-	-	-	-	4	-	1	1	-	-	65	-
28	Hamilton	42	-	-	1	-	-	1	-	-	2	-	-	5	-
29	Herkimer	743	-	-	-	1	-	15	-	-	3	-	-	106	1
30	Little Falls	140	-	-	-	-	-	2	-	-	1	-	-	21	-
31	Balance of county	603	-	-	-	1	-	13	-	-	2	-	-	85	1
32	Jefferson	1,040	-	1	-	-	-	18	-	-	7	-	-	140	1
33	Watertown	427	-	-	-	-	-	12	-	-	5	-	-	56	-
34	Balance of county	613	-	1	-	-	-	6	-	-	2	-	-	84	1
35	Lewis	274	-	-	-	1	-	4	-	-	-	-	-	35	-
36	Livingston	512	-	2	-	1	-	17	-	-	5	-	-	54	-
37	Madison	524	-	-	-	-	-	7	1	-	1	1	1	55	-
38	Oneida	130	-	-	-	-	-	-	-	-	-	-	-	15	-
39	Balance of county	394	-	-	-	-	-	7	-	-	1	1	1	40	-
40	Monroe	5,068	1	5	-	-	1	159	1	-	41	4	-	799	2
41	Irondequoit (town)	164	-	1	-	-	-	2	-	-	-	-	-	31	-
42	Rochester	3,785	1	3	-	-	1	119	1	-	28	2	-	594	2
43	Balance of county	1,109	-	1	-	-	-	38	-	-	13	2	-	174	-
44	Montgomery	710	-	-	-	5	-	16	-	-	1	-	-	101	-
45	Amsterdam	379	-	-	-	3	-	8	-	-	-	-	-	58	-
46	Balance of county	331	-	-	-	2	-	8	-	-	1	-	-	43	-
47	Nassau	4,130	-	4	-	-	2	81	-	-	15	1	2	726	3
48	Floral Park	121	-	-	-	-	-	2	-	-	-	-	-	26	-
49	Freeport	190	-	-	-	-	-	3	-	-	-	-	-	30	-
50	Garden City	120	-	-	-	-	-	-	-	-	1	-	-	26	-
51	Glen Cove	139	-	-	-	-	1	1	-	-	-	-	-	19	-
52	Hempstead	526	-	-	-	-	-	4	-	-	5	-	1	84	-
53	Lynbrook	140	-	-	-	-	-	1	-	-	-	-	-	24	-
54	Mineola	128	-	-	-	-	-	2	-	-	-	-	-	21	-
55	Rockville Centre	218	-	-	-	-	-	1	-	-	1	-	-	48	-
56	Valley Stream	158	-	-	-	-	-	1	-	-	-	-	-	29	-
57	Balance of county	2,392	-	4	-	-	1	68	-	-	8	1	1	419	3
58	New York City[4]	78,353	8	58	3	10	19	3,254	6	1	652	23	34	13,596	58
59	Niagara	1,704	-	4	1	-	-	47	1	-	6	-	2	236	1
60	Lockport	329	-	1	-	-	-	6	-	-	1	-	-	37	1
61	Niagara Falls	754	-	2	-	-	-	19	1	-	3	-	1	110	-
62	North Tonawanda	195	-	1	-	-	-	5	-	-	-	-	-	31	-
63	Balance of county	426	-	-	1	-	-	17	-	-	2	-	1	58	-
64	Oneida	3,140	1	2	-	2	-	98	2	-	39	5	-	373	2
65	Rome	487	-	-	-	1	-	16	2	-	3	-	-	45	1
66	Utica	1,531	1	1	-	-	-	25	-	-	16	-	-	195	1
67	Balance of county	1,122	-	1	-	1	-	57	-	-	20	5	-	133	-
68	Onondaga	3,325	-	2	-	1	-	88	1	-	22	1	3	470	1
69	Syracuse	2,256	-	-	-	-	-	47	1	-	15	-	1	335	1
70	Balance of county	1,069	-	2	-	1	-	41	-	-	7	1	2	135	-
71	Ontario	732	-	-	-	-	-	24	-	-	15	-	-	108	1
72	Geneva	191	-	-	-	-	-	5	-	-	1	-	-	28	-
73	Balance of county	541	-	-	-	-	-	19	-	-	14	-	-	80	1
74	Orange	1,875	-	1	1	1	1	57	1	-	24	-	-	243	-
75	Middletown	481	-	-	-	-	-	23	1	-	15	-	-	43	-
76	Newburgh	472	-	-	-	-	1	16	-	-	1	-	-	78	-
77	Balance of county	922	-	1	1	1	-	18	-	-	8	-	-	122	-
78	Orleans	371	-	-	-	-	-	5	-	-	1	-	-	60	-
79	Oswego	922	-	-	-	-	2	11	-	-	1	-	-	112	-
80	Fulton	157	-	-	-	-	-	1	-	-	1	-	-	18	-
81	Oswego	287	-	-	-	-	-	2	-	-	-	-	-	41	-
82	Balance of county	478	-	-	-	-	2	8	-	-	-	-	-	53	-
83	Otsego	641	-	-	-	-	-	15	-	-	4	-	2	87	1
84	Oneonta	164	-	-	-	-	-	2	-	-	2	-	-	23	1
85	Balance of county	477	-	-	-	-	-	13	-	-	2	-	2	64	-
86	Putnam	213	-	-	-	-	-	4	-	-	-	1	-	37	-
87	Rensselaer	1,631	-	3	-	1	-	46	-	-	9	1	-	206	-
88	Rensselaer	131	-	-	-	-	-	2	-	-	1	-	-	16	-
89	Troy	1,060	-	2	-	-	-	32	-	-	6	-	-	125	-
90	Balance of county	440	-	1	-	1	-	12	-	-	2	1	-	65	-
91	Rockland	1,225	-	2	-	-	-	36	4	-	37	-	-	123	-
92	St. Lawrence	1,274	1	1	-	7	-	18	-	-	18	-	-	143	-
93	Massena	117	-	-	-	1	-	2	-	-	1	-	-	11	-
94	Ogdensburg	382	-	1	-	-	-	9	-	-	15	-	-	36	-
95	Balance of county	775	1	-	-	6	-	8	-	-	2	-	-	96	-

[4]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 182, 199,200	All other causes	
21	-	46	210	12	1	33	1	18	3	2	17	34	1	48	1
8	-	17	58	5	-	6	-	8	1	1	8	16	1	14	2
13	-	29	152	7	1	27	1	10	2	1	11	18	-	32	3
10	-	51	133	17	-	38	2	22	8	-	7	20	2	46	4
4	-	27	64	11	-	22	2	16	2	-	5	11	-	24	5
6	-	24	69	6	-	16	-	6	6	-	2	9	2	22	6
8	-	62	169	14	2	21	2	33	5	-	12	28	5	53	7
55	1	176	772	99	6	106	4	50	14	3	25	85	6	378	8
5	-	21	59	7	1	14	-	6	3	-	4	5	1	25	9
16	1	58	197	14	2	41	2	25	6	2	6	32	2	69	10
34	-	97	516	78	3	51	2	19	5	1	15	48	3	282	11
303	-	745	3,289	297	38	391	26	465	72	24	152	319	18	1,165	12
224	-	520	2,311	208	25	286	19	302	52	18	82	211	12	806	13
10	-	17	78	6	-	8	-	11	1	-	2	5	1	23	14
4	-	15	74	12	3	5	3	21	-	2	12	8	-	42	15
4	-	22	67	8	2	4	-	20	1	-	3	7	1	27	16
61	-	171	759	63	8	88	4	111	18	4	53	83	4	267	17
17	-	38	153	9	3	24	1	27	6	-	4	16	1	45	18
16	-	39	201	19	3	34	1	33	4	1	11	21	3	59	19
34	-	56	256	24	1	27	1	25	8	-	7	22	1	71	20
22	-	31	119	21	1	11	1	13	5	-	1	9	-	38	21
7	-	9	65	-	-	10	-	8	2	-	2	7	-	15	22
5	-	16	72	3	-	6	-	4	1	-	4	6	1	18	23
10	-	50	153	19	-	21	-	30	6	1	18	20	5	60	24
3	-	20	51	6	-	11	-	16	3	-	10	11	2	31	25
7	-	30	102	13	-	10	-	14	3	1	8	9	3	29	26
11	-	44	158	8	-	13	2	7	5	1	9	17	2	43	27
-	-	8	11	5	-	1	-	2	-	-	1	2	1	2	28
22	-	60	283	21	5	36	1	38	6	-	7	41	9	88	29
6	-	10	46	3	1	2	-	11	2	-	2	13	2	18	30
16	-	50	237	18	4	34	1	27	4	-	5	28	7	70	31
36	-	122	371	21	3	50	3	60	21	-	13	48	5	117	32
15	-	39	149	11	4	24	-	26	7	-	3	18	2	56	33
21	-	83	222	10	2	26	3	34	14	-	10	30	3	61	34
7	-	24	105	7	1	14	-	17	3	2	9	12	1	32	35
18	-	47	145	30	-	22	3	18	6	2	11	25	4	102	36
12	-	57	212	17	2	25	2	31	10	1	10	28	3	51	37
3	-	14	44	2	-	10	-	14	4	-	3	11	-	10	38
9	-	43	168	15	2	15	2	17	6	1	7	15	3	41	39
147	-	432	1,915	163	12	191	6	227	80	9	86	184	6	587	40
6	-	14	58	3	-	9	-	13	6	-	2	9	-	10	41
105	-	302	1,548	115	10	135	4	160	62	8	60	137	3	385	42
36	-	116	309	45	2	47	2	54	12	1	24	38	3	192	43
36	-	65	251	24	1	27	1	35	6	1	10	35	5	90	44
21	-	40	133	14	1	9	1	20	3	1	1	19	1	46	45
15	-	25	118	10	-	18	-	15	3	-	9	16	4	44	46
131	-	303	1,521	130	9	179	13	191	71	10	85	174	21	458	47
3	-	9	45	3	1	5	-	4	4	-	2	1	-	16	48
4	-	14	75	2	-	3	2	16	2	2	2	8	-	27	49
3	-	11	45	5	-	-	1	6	2	2	1	5	1	11	50
9	-	9	55	5	-	4	1	3	1	-	3	13	1	14	51
14	-	36	172	16	2	24	2	45	8	2	13	33	4	61	52
3	-	11	44	2	2	5	1	7	1	-	11	5	1	22	53
5	-	11	41	6	-	7	-	3	-	-	1	6	1	22	54
11	-	10	95	8	-	8	1	3	4	-	1	7	1	18	55
2	-	9	62	6	-	11	1	8	5	1	-	6	1	16	56
77	-	183	887	76	4	112	4	96	44	3	51	90	11	251	57
3,079	3	3,731	30,652	2,953	256	2,688	167	3,418	852	366	791	3,216	457	8,002	58
57	-	132	582	58	8	101	4	130	21	5	47	67	5	189	59
16	-	30	114	14	1	15	-	20	1	-	11	14	2	45	60
29	-	62	242	29	3	43	2	66	9	2	21	34	1	75	61
2	-	9	71	4	2	13	1	19	2	1	6	6	1	21	62
10	-	31	155	11	2	30	1	25	9	2	9	13	1	48	63
92	-	190	1,254	155	18	164	14	136	24	4	48	150	11	356	64
8	-	22	176	57	6	18	3	33	5	-	5	27	4	55	65
53	-	102	594	60	8	94	8	79	13	3	23	67	4	184	66
31	-	66	484	38	4	52	3	24	6	1	20	56	3	117	67
90	-	316	1,203	100	14	158	10	187	35	8	73	132	10	400	68
65	-	209	837	63	12	107	6	126	25	4	45	82	7	268	69
25	-	107	366	37	2	51	4	61	10	4	28	50	3	132	70
24	-	86	260	29	1	24	1	18	4	-	13	30	5	89	71
6	-	27	68	7	-	7	-	7	-	-	2	9	1	23	72
18	-	59	192	22	1	17	1	11	4	-	11	21	4	86	73
36	-	186	724	44	7	114	6	73	21	2	27	63	12	231	74
7	-	36	200	10	2	39	1	15	1	-	5	10	2	71	75
7	-	50	160	12	1	22	1	24	5	1	5	19	1	68	76
22	-	100	364	22	4	53	4	34	15	1	17	34	9	92	77
8	-	47	137	6	2	9	-	12	5	-	11	20	1	47	78
20	-	113	335	28	9	59	1	41	10	-	29	36	2	113	79
2	-	19	58	5	2	12	-	6	2	-	4	3	1	23	80
10	-	26	105	9	3	19	1	8	2	-	5	19	-	37	81
8	-	68	172	14	4	28	-	27	6	-	20	14	1	53	82
21	-	77	223	24	1	24	3	32	8	-	16	30	3	70	83
9	-	19	51	7	-	6	1	7	3	-	3	12	1	17	84
12	-	58	172	17	1	18	2	25	5	-	13	18	2	53	85
7	-	15	76	9	-	22	2	7	2	1	5	10	-	15	86
55	-	148	648	60	3	122	3	55	12	1	18	57	3	180	87
7	-	13	38	2	-	23	-	9	1	-	-	4	1	14	88
35	-	98	451	43	2	62	3	29	7	1	8	31	2	123	89
13	-	37	159	15	1	37	-	17	4	-	10	22	-	43	90
41	-	82	517	68	3	47	2	41	9	2	19	45	1	146	91
20	-	151	483	29	5	46	1	73	15	-	27	59	10	166	92
1	-	7	41	9	1	10	-	18	1	-	1	4	-	9	93
5	-	48	185	2	1	9	1	11	3	-	5	5	1	45	94
14	-	96	257	18	3	27	-	44	11	-	21	50	9	112	95

Table 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, poliioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	NEW YORK—Continued														
1	Saratoga	860	-	-	-	2	-	10	-	-	5	-	-	132	2
2	Saratoga Springs	182	-	-	-	-	-	1	-	-	2	-	-	28	2
3	Balance of county	678	-	-	-	2	-	9	-	-	3	-	-	104	-
4	Schenectady	1,398	-	1	-	-	-	40	2	-	6	1	-	218	-
5	Schenectady	995	-	1	-	-	-	22	2	-	3	-	-	146	-
6	Balance of county	403	-	-	-	-	-	18	-	-	3	1	-	72	-
7	Schoharie	297	-	-	-	1	-	6	-	-	1	-	-	40	-
8	Schuyler	173	-	1	-	-	-	1	-	-	-	-	-	16	-
9	Seneca	602	-	-	-	-	-	66	-	-	12	1	1	64	-
10	Steuben	1,118	-	1	-	1	-	19	-	-	5	4	1	145	1
11	Corning	195	-	-	-	-	-	6	-	-	1	-	-	22	-
12	Hornell	196	-	-	-	1	-	1	-	-	-	-	-	26	-
13	Balance of county	727	-	1	-	-	-	12	-	-	4	4	1	97	1
14	Suffolk	3,720	-	1	-	2	-	271	-	-	140	-	3	400	1
15	Sullivan	520	-	-	-	-	-	17	-	-	3	-	-	64	-
16	Tioga	419	-	-	-	2	-	5	-	-	2	-	-	41	-
17	Tompkins	517	-	-	-	-	-	13	-	-	-	-	-	77	-
18	Ithaca	269	-	-	-	-	-	3	-	-	-	-	-	51	-
19	Balance of county	248	-	-	-	-	-	10	-	-	-	-	-	26	-
20	Ulster	1,172	1	-	-	-	-	28	-	-	3	-	1	193	1
21	Kingston	410	-	-	-	-	-	9	-	-	1	-	-	82	1
22	Balance of county	762	1	-	-	-	-	19	-	-	2	-	1	111	-
23	Warren	523	-	-	-	1	-	15	-	-	4	-	1	66	-
24	Glens Falls	313	-	-	-	1	-	8	-	-	3	-	-	40	-
25	Balance of county	210	-	-	-	-	-	7	-	-	1	-	1	26	-
26	Washington	541	-	-	-	-	-	10	-	-	-	1	-	71	-
27	Wayne	652	-	-	-	-	-	5	-	-	2	3	1	100	-
28	Westchester	5,578	-	9	-	1	1	130	2	-	23	1	4	986	2
29	Mamaroneck	120	-	1	-	-	-	4	-	-	-	-	-	16	-
30	Mount Vernon	633	-	1	-	-	-	11	-	-	3	-	1	105	-
31	New Rochelle	805	-	-	-	-	-	10	-	-	7	-	-	120	-
32	Ossining	154	-	-	-	-	-	5	-	-	1	-	-	19	-
33	Peekskill	181	-	-	-	-	-	4	-	-	2	-	-	24	-
34	Port Chester	247	-	-	-	-	-	2	-	-	3	-	-	36	-
35	Scarsdale	106	-	-	-	-	-	1	-	-	-	-	-	17	-
36	White Plains	450	-	2	-	-	-	12	-	-	2	-	1	81	1
37	Yonkers	1,300	-	5	-	1	-	35	1	-	1	1	1	196	-
38	Balance of county	1,782	-	-	-	-	1	46	1	-	4	-	1	382	1
39	Wyoming	349	-	-	-	-	-	4	-	-	3	-	-	50	1
40	Yates	229	-	-	1	-	-	1	-	-	1	-	2	32	-
41	NORTH CAROLINA	28,724	8	30	3	59	46	1,182	13	8	245	43	16	2,523	35
42	Alamance	400	1	-	-	1	-	13	-	-	1	-	-	37	-
43	Burlington	134	-	-	-	-	-	4	-	-	1	-	-	14	-
44	Balance of county	266	1	-	-	1	-	9	-	-	-	-	-	23	-
45	Alexander	111	-	-	-	-	1	2	-	-	2	-	-	12	-
46	Alleghany	60	-	-	-	-	-	2	-	-	-	1	-	5	-
47	Anson	226	-	1	-	-	1	7	-	-	-	1	2	22	-
48	Ashe	116	-	-	-	-	-	3	-	-	-	2	-	10	1
49	Avery	86	-	-	-	1	-	2	-	-	-	-	-	4	-
50	Beaufort	341	-	-	-	1	2	11	-	1	1	-	-	27	-
51	Bertie	208	-	-	-	-	-	10	1	1	-	-	-	12	-
52	Bladen	221	-	-	-	-	-	4	-	-	-	-	-	14	-
53	Brunswick	130	-	1	-	-	-	3	-	-	-	1	-	10	1
54	Buncombe	1,005	-	1	-	1	2	129	-	-	8	2	2	107	1
55	Asheville	535	-	1	-	-	-	29	-	-	5	2	-	73	-
56	Balance of county	470	-	-	-	1	2	100	-	-	3	-	2	34	1
57	Burke	345	2	1	-	1	2	14	-	-	4	-	-	22	-
58	Cabarrus	371	-	-	-	-	1	7	-	-	1	-	-	35	-
59	Concord	105	-	-	-	-	-	-	-	-	1	-	-	13	-
60	Balance of county	266	-	-	-	-	1	7	-	-	-	-	-	22	-
61	Caldwell	266	-	1	-	-	3	8	-	-	2	1	-	28	1
62	Camden	54	-	-	-	1	-	1	-	-	-	-	-	2	-
63	Carteret	185	-	-	-	-	-	3	-	-	1	-	-	26	2
64	Caswell	113	-	-	-	-	-	2	-	-	1	-	-	9	-
65	Catawba	389	1	1	-	3	1	3	-	-	-	-	1	33	-
66	Hickory	109	-	-	-	-	1	3	-	-	-	-	-	11	-
67	Balance of county	280	1	1	-	3	-	-	-	-	-	-	1	27	-
68	Chatham	183	-	-	-	3	-	3	-	-	1	-	-	14	-
69	Cherokee	140	-	1	-	2	-	2	-	-	-	-	-	11	-
70	Chowan	94	-	-	-	-	-	8	1	-	-	1	-	7	-
71	Clay	34	-	-	-	1	-	1	-	-	-	-	-	4	-
72	Cleveland	361	1	-	-	1	-	10	1	-	2	2	-	40	-
73	Shelby	108	1	-	-	-	-	4	1	-	-	1	-	13	-
74	Balance of county	253	-	-	-	1	-	6	-	-	2	1	-	27	-
75	Columbus	386	-	-	-	-	-	7	-	-	6	1	-	30	-
76	Craven	315	-	-	-	-	-	17	-	-	1	-	1	16	1
77	New Bern	133	-	-	-	-	-	8	-	-	1	-	1	9	1
78	Balance of county	182	-	-	-	-	-	9	-	-	-	-	-	7	-
79	Cumberland	571	-	-	-	2	1	27	-	-	4	-	-	36	-
80	Fayetteville	306	-	-	-	1	1	12	-	-	3	-	-	19	-
81	Balance of county	265	-	-	-	1	-	15	-	-	1	-	-	17	-
82	Currituck	44	-	-	-	-	-	3	-	-	-	-	-	4	1
83	Dare	57	-	-	-	-	-	1	-	-	-	-	-	3	-
84	Davidson	365	-	2	-	1	-	6	-	-	6	-	-	40	1
85	Lexington	93	-	1	-	-	-	-	-	-	1	-	-	11	-
86	Thomasville	75	-	-	-	-	-	1	-	-	2	-	-	5	-
87	Balance of county	197	-	1	-	1	-	5	-	-	3	-	-	24	1
88	Davie	95	-	-	-	-	-	4	-	-	-	-	-	16	-
89	Duplin	279	-	-	-	-	1	11	-	1	-	-	-	24	-
90	Durham	685	-	-	-	-	-	33	-	-	10	-	-	80	-
91	Durham	512	-	-	-	-	-	15	-	-	9	-	-	45	-
92	Balance of county	173	-	-	-	-	-	18	-	-	1	-	-	15	-
93	Edgecombe	389	-	-	-	2	1	26	-	-	4	-	-	27	1
94	Rocky Mount (part)	104	-	-	-	1	-	3	-	-	2	-	-	9	-
95	Balance of county	285	-	-	-	1	1	23	-	-	2	-	-	18	1

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
17	1	82	324	21	1	57	3	34	11	2	23	50	4	79	1
5	-	16	76	5	-	8	-	4	3	1	8	10	2	11	2
12	1	66	249	16	1	49	3	30	8	1	15	40	2	68	3
66	-	129	514	36	3	62	2	60	17	-	11	46	2	182	4
51	-	83	374	29	1	46	2	51	11	-	8	29	1	135	5
15	-	46	140	7	2	16	-	9	6	-	3	17	1	47	6
10	-	29	115	6	-	12	1	12	5	-	6	14	-	39	7
2	-	9	93	4	-	15	1	5	2	-	3	6	-	15	8
12	-	39	220	17	-	18	-	11	1	-	9	32	11	88	9
30	-	107	364	42	4	84	2	58	15	1	28	58	10	138	10
6	-	20	57	10	1	14	-	13	4	-	8	6	-	27	11
6	-	22	66	4	1	22	-	11	-	1	3	11	2	19	12
18	-	65	241	28	2	48	2	34	11	-	17	41	8	92	13
94	1	264	1,523	111	8	116	4	94	45	7	67	127	8	433	14
17	-	58	190	12	-	41	1	16	8	-	9	20	1	63	15
14	-	45	152	13	-	23	1	24	4	-	10	22	1	60	16
14	-	45	185	12	3	32	1	26	8	-	9	28	3	61	17
10	-	22	84	5	1	20	-	18	4	-	4	11	-	36	18
4	-	23	101	7	2	12	1	8	4	-	5	17	3	25	19
38	-	140	402	25	1	81	1	34	11	-	20	42	10	140	20
11	-	45	133	8	-	20	1	10	1	-	10	17	2	59	21
27	-	95	269	17	1	61	-	24	10	-	10	25	8	81	22
13	-	43	199	11	1	33	1	37	5	-	11	26	1	55	23
5	-	22	127	7	1	16	-	27	4	-	6	15	-	31	24
8	-	21	72	4	-	17	1	10	1	-	5	11	1	24	25
9	-	51	199	27	1	35	-	12	11	1	7	24	5	77	26
20	-	69	225	25	1	29	-	26	14	-	12	19	1	100	27
175	1	418	2,116	191	19	246	15	270	58	10	62	191	12	635	28
5	-	7	55	3	-	7	-	5	1	-	3	2	-	11	29
24	-	45	235	25	3	29	3	39	2	4	6	15	1	81	30
22	1	48	231	25	3	23	2	22	2	2	10	18	-	59	31
5	-	15	52	6	1	15	-	5	2	-	2	9	-	17	32
2	-	14	67	7	1	13	2	11	1	-	3	7	-	23	33
20	-	17	90	7	-	14	-	19	1	-	3	6	1	28	34
2	-	8	45	3	3	3	-	5	2	-	2	4	-	11	35
11	-	35	165	21	1	18	1	15	9	3	2	15	2	53	36
46	-	91	528	55	1	42	2	60	14	1	11	55	3	160	37
38	-	138	648	39	6	82	5	89	24	-	20	60	5	192	38
14	-	44	108	13	-	14	1	16	5	-	3	19	3	51	39
7	-	31	71	7	-	24	-	7	3	1	3	8	-	30	40
498	73	3,052	6,682	1,581	247	2,734	203	2,451	290	362	1,052	1,313	861	3,114	41
9	-	49	106	20	4	33	5	33	4	3	13	18	10	40	42
2	-	12	32	2	-	17	1	11	3	1	8	4	4	18	43
7	-	37	74	18	4	16	4	22	1	2	5	14	6	22	44
1	-	11	8	15	-	14	1	11	1	-	6	6	12	8	45
1	-	12	11	5	1	6	-	-	-	1	2	3	2	8	46
7	-	19	58	16	-	15	-	12	-	2	8	6	24	25	47
1	-	15	26	11	1	2	-	11	1	1	3	5	12	11	48
4	-	10	17	4	-	3	1	16	-	-	7	3	1	13	49
3	3	40	85	32	1	36	7	24	6	3	8	13	9	28	50
3	3	27	50	9	6	18	2	18	1	-	4	12	14	17	51
4	1	22	42	7	1	29	4	25	3	3	16	22	7	17	52
-	-	17	33	6	1	13	3	14	1	1	2	7	3	13	53
21	7	92	244	37	4	62	3	78	11	10	33	43	20	87	54
13	2	55	136	22	2	33	2	38	6	8	13	31	13	51	55
8	5	37	108	15	2	29	1	40	5	2	20	12	7	36	56
2	2	34	82	19	-	27	2	25	1	9	10	25	8	43	57
7	1	33	100	18	2	32	4	38	6	5	14	13	25	29	58
1	-	14	25	4	2	8	-	10	3	1	6	5	3	9	59
6	1	19	75	14	-	24	4	28	3	4	8	8	22	20	60
2	-	32	43	27	2	18	-	28	2	3	12	11	7	37	61
1	-	12	17	5	-	3	-	3	-	-	1	1	-	7	62
1	-	34	33	17	-	14	-	15	2	1	4	14	3	15	63
-	-	17	24	3	1	12	-	10	-	2	4	4	6	18	64
5	1	32	114	11	1	34	2	34	8	3	17	28	17	36	65
1	1	12	30	4	-	7	2	7	-	2	3	5	7	13	66
4	-	20	84	7	1	27	-	27	6	1	14	23	10	23	67
6	-	15	40	11	2	26	1	16	2	3	4	4	9	23	68
4	-	8	29	10	5	1	-	17	1	3	7	12	17	10	69
-	1	12	17	8	2	6	-	6	1	-	5	4	2	13	70
-	-	5	5	2	-	2	-	2	-	-	-	2	3	7	71
5	2	45	84	15	3	25	4	31	4	3	22	20	11	30	72
-	1	14	23	1	1	5	1	8	4	2	10	6	3	9	73
5	1	31	61	14	2	20	3	23	-	1	12	14	8	21	74
6	1	57	51	26	6	42	6	31	3	6	17	24	39	27	75
5	1	35	43	16	4	66	3	26	5	3	16	27	2	27	76
2	-	11	20	6	1	32	-	9	2	3	2	9	1	15	77
3	1	24	23	10	3	34	3	17	3	-	14	18	1	12	78
7	-	56	128	36	3	47	7	51	7	18	38	36	11	56	79
4	-	30	60	20	3	31	3	28	4	11	15	15	8	38	80
3	-	26	68	16	-	16	4	23	3	7	23	21	3	18	81
-	-	2	12	2	-	5	-	2	-	-	3	2	2	6	82
-	-	-	20	-	-	6	-	6	1	-	4	7	8	1	83
5	2	46	72	18	2	48	3	37	3	2	13	15	5	38	84
-	1	19	13	2	2	8	1	12	1	1	3	3	3	10	85
2	-	7	14	6	-	17	1	6	1	-	3	2	-	8	86
3	1	20	45	10	-	22	1	19	1	1	7	10	2	20	87
-	1	7	18	3	1	17	-	4	-	-	6	5	1	12	88
6	-	46	64	17	2	19	2	25	6	2	12	12	6	23	89
20	2	58	206	18	4	64	3	58	7	10	33	25	3	71	90
16	-	43	153	15	4	50	3	45	7	10	22	21	2	52	91
4	2	15	53	3	-	14	-	15	-	-	11	4	1	19	92
8	-	34	84	19	3	41	3	41	6	5	7	26	11	40	93
2	-	6	26	2	-	14	1	10	2	2	2	11	-	11	94
6	-	28	58	17	3	27	2	31	4	3	5	15	11	29	95

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	NORTH CAROLINA—Con.														
1	Forsyth	1,041	-	-	-	-	1	47	-	-	11	1	1	105	1
2	Winston-Salem	698	-	-	-	-	1	32	-	-	6	1	1	63	1
3	Balance of county	343	-	-	-	-	-	15	-	-	5	-	-	42	-
4	Franklin	202	-	-	-	-	-	5	-	-	1	1	-	19	-
5	Gaston	580	-	-	-	-	-	11	-	-	3	-	-	65	3
6	Gastonia	185	-	-	-	-	-	1	-	-	3	-	-	19	1
7	Balance of county	395	-	-	-	-	-	10	-	-	-	-	-	46	2
8	Gates	96	-	-	-	-	-	2	-	-	-	1	-	4	-
9	Graham	39	-	-	-	-	-	3	-	-	-	-	-	6	-
10	Granville	221	-	-	-	-	1	12	-	-	-	-	-	22	-
11	Greene	96	-	-	-	-	-	7	-	-	-	-	-	3	-
12	Guilford	1,305	-	3	-	-	-	44	-	-	10	1	-	131	-
13	Greensboro	607	-	1	-	-	-	17	-	-	5	-	-	58	-
14	High Point	287	-	2	-	-	-	5	-	-	-	-	-	35	-
15	Balance of county	411	-	-	-	-	-	22	-	-	5	1	-	38	-
16	Halifax	447	-	1	-	2	-	21	-	-	1	2	-	35	1
17	Harnett	349	-	-	-	1	1	10	1	-	2	1	1	35	1
18	Haywood	250	-	1	-	2	-	4	-	-	2	1	-	22	-
19	Henderson	262	-	-	-	1	1	7	-	-	1	-	-	30	-
20	Hertford	167	-	-	-	-	-	11	-	-	-	-	-	13	-
21	Hoke	170	-	-	-	1	-	49	-	-	-	-	-	9	-
22	Hyde	55	-	-	-	-	-	2	-	1	-	-	-	6	-
23	Iredell	412	-	-	-	-	1	5	-	-	3	-	-	37	1
24	Statesville	141	-	-	-	-	-	2	-	-	1	-	-	11	-
25	Balance of county	271	-	-	-	-	1	3	-	-	2	-	-	26	1
26	Jackson	132	-	-	-	-	-	2	-	-	-	1	-	14	-
27	Johnston	432	-	1	-	-	-	15	-	-	6	-	-	37	-
28	Jones	80	-	2	-	-	2	1	-	-	3	-	-	4	-
29	Lee	151	-	-	-	-	-	6	-	-	1	1	-	16	-
30	Lenoir	360	-	-	-	1	1	11	1	-	1	1	-	33	-
31	Kinston	165	-	-	-	-	-	3	1	-	1	-	-	20	-
32	Balance of county	195	-	-	-	1	1	8	-	-	-	1	-	13	-
33	Lincoln	141	-	-	-	-	1	2	-	-	1	-	-	13	-
34	McDowell	120	-	-	-	-	-	2	-	-	-	-	-	12	-
35	Macon	112	-	-	-	1	-	1	-	-	-	-	-	12	-
36	Madison	150	-	1	-	-	-	1	-	-	1	1	-	18	-
37	Martin	192	-	-	-	-	-	14	-	-	2	1	-	11	-
38	Mecklenburg	1,344	-	1	-	3	-	46	-	1	17	-	-	107	1
39	Charlotte	949	-	1	-	3	-	29	-	1	13	-	-	75	-
40	Balance of county	395	-	-	-	-	-	17	-	-	4	-	-	32	1
41	Mitchell	102	-	-	-	-	1	4	-	-	-	-	-	14	1
42	Montgomery	135	-	-	-	-	1	2	-	-	-	-	2	14	1
43	Moore	224	-	-	1	3	1	2	-	-	-	-	-	24	-
44	Nash	485	-	1	-	3	-	22	-	-	2	3	-	43	2
45	Rocky Mount (part)	141	-	-	-	-	-	5	-	-	1	1	-	10	-
46	Rocky Mount (total)	245	-	-	-	1	-	8	-	-	3	1	-	19	-
47	Balance of county	344	-	1	-	3	-	17	-	-	1	2	-	33	2
48	New Hanover	611	-	-	-	1	-	28	-	-	2	1	1	44	1
49	Wilmington	476	-	-	-	1	-	23	-	-	2	1	1	30	1
50	Balance of county	135	-	-	-	-	-	5	-	-	-	-	-	14	-
51	Northampton	196	-	-	-	1	-	12	-	-	1	-	-	17	-
52	Onslow	188	-	-	-	1	-	2	-	-	-	-	-	12	-
53	Orange	209	-	-	-	-	-	7	-	-	1	-	1	25	1
54	Pamlico	91	-	1	-	-	-	4	-	-	1	-	-	6	-
55	Pasquotank	201	-	-	-	-	-	9	-	2	3	-	-	15	-
56	Elizabeth City	134	-	-	-	-	-	7	-	1	3	-	-	12	-
57	Balance of county	67	-	-	-	-	-	2	-	1	-	-	-	3	-
58	Pender	151	-	-	-	-	-	5	-	-	3	-	-	9	-
59	Perquimans	87	-	-	-	-	-	2	-	-	-	-	-	10	-
60	Person	157	-	-	-	-	1	9	-	-	-	-	-	13	-
61	Pitt	476	-	-	-	2	-	36	2	-	10	-	-	28	-
62	Greenville	114	-	-	-	-	-	11	-	-	2	-	-	8	-
63	Balance of county	362	-	-	-	2	-	25	2	-	8	-	-	20	-
64	Polk	92	-	-	-	-	-	-	-	-	-	-	-	15	-
65	Randolph	324	-	2	-	1	-	4	-	-	3	-	-	28	-
66	Richmond	320	-	1	-	1	-	10	-	-	1	-	-	19	3
67	Robeson	625	-	-	1	4	1	21	-	-	5	2	1	52	2
68	Rockingham	403	-	-	-	-	1	13	-	-	1	1	-	47	-
69	Reidsville	110	-	-	-	-	-	6	-	-	-	-	-	17	-
70	Balance of county	293	-	-	-	-	1	7	-	-	1	1	-	30	-
71	Rowan	495	1	2	-	-	-	8	-	1	7	-	1	39	-
72	Salisbury	164	-	-	-	-	-	2	-	-	7	-	1	15	-
73	Balance of county	331	1	2	-	-	-	6	-	1	-	-	-	24	-
74	Rutherford	293	-	-	-	1	-	9	-	-	1	-	-	40	-
75	Sampson	360	-	-	-	-	-	9	-	-	3	1	-	21	-
76	Scotland	244	1	-	-	2	-	7	-	-	1	4	-	19	-
77	Stanly	259	-	-	-	-	1	9	-	-	2	-	-	32	-
78	Stokes	135	-	-	-	-	1	5	1	-	1	-	-	18	-
79	Surry	312	-	-	-	-	1	7	-	-	1	-	-	35	2
80	Swain	62	-	-	-	-	1	6	-	-	-	-	-	9	-
81	Transylvania	104	-	-	-	-	-	3	1	-	-	1	-	11	-
82	Tyrrell	57	-	1	-	-	-	1	-	-	-	-	-	5	-
83	Union	297	1	-	-	2	3	6	1	-	1	1	-	29	1
84	Vance	290	-	-	-	-	1	17	1	-	4	-	-	20	-
85	Wake	1,109	-	1	1	2	-	51	-	-	13	1	2	95	1
86	Raleigh	684	-	1	1	2	-	39	-	-	11	-	2	59	-
87	Balance of county	425	-	-	-	-	-	12	-	-	2	1	-	36	1
88	Warren	179	-	-	-	-	2	3	-	-	-	1	-	15	-
89	Washington	108	-	-	-	1	-	1	-	-	1	-	-	7	-
90	Watauga	103	-	-	-	-	-	-	-	-	-	-	-	15	-
91	Wayne	793	-	-	-	1	2	79	1	-	49	-	-	38	-
92	Goldsboro	171	-	-	-	1	2	11	-	-	-	-	-	18	-
93	Balance of county	622	-	-	-	-	-	68	1	-	49	-	-	20	-
94	Wilkes	284	-	-	-	-	2	5	-	-	1	-	-	25	1
95	Wilson	440	-	1	-	-	1	35	1	-	6	1	-	27	1
96	Wilson	214	-	-	-	-	-	23	1	-	5	1	-	11	-
97	Balance of county	226	-	1	-	-	1	12	-	-	1	-	-	16	1

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
21	4	108	279	55	5	89	5	89	10	5	29	27	9	141	1
15	3	79	190	35	5	57	4	62	6	5	16	20	5	91	2
6	1	27	89	20	-	32	1	27	4	-	13	7	4	50	3
1	1	21	41	11	3	30	4	12	4	3	13	4	5	28	4
7	4	69	144	26	4	34	1	50	5	6	25	45	24	54	5
2	3	18	45	9	1	10	-	16	3	3	11	20	3	17	6
5	1	51	99	17	3	24	1	34	2	3	14	25	21	37	7
-	1	19	27	5	1	5	-	11	3	1	2	2	3	9	8
1	-	4	5	1	-	3	-	5	-	2	-	4	3	2	9
2	-	23	51	21	3	38	1	15	3	3	4	5	2	15	10
1	-	7	20	-	-	17	2	16	-	1	6	5	2	9	11
31	1	108	343	58	9	141	9	110	14	21	48	60	10	153	12
19	-	44	156	30	4	60	7	49	3	17	16	32	3	86	13
7	-	27	83	8	3	41	1	22	5	1	9	11	3	24	14
5	1	37	104	20	2	40	1	39	6	3	23	17	4	43	15
7	-	47	88	24	9	70	6	35	-	3	11	20	15	49	16
6	2	32	71	15	3	55	1	26	2	6	14	19	12	32	17
6	2	14	64	21	-	22	1	25	1	-	12	9	11	30	18
4	1	28	69	13	1	29	-	15	5	1	10	9	7	30	19
1	-	21	39	7	1	20	-	14	-	-	2	6	8	24	20
3	-	10	27	10	5	13	3	16	-	1	3	8	4	8	21
-	-	6	13	3	-	6	-	1	-	-	5	4	5	3	22
9	1	56	137	16	1	45	3	20	2	1	5	16	6	47	23
5	-	17	49	8	-	14	1	6	1	-	2	6	1	16	24
3	1	39	88	8	1	31	2	14	1	1	3	10	5	31	25
3	-	6	20	8	-	21	2	16	1	2	8	5	10	13	26
-	2	66	95	17	5	41	3	55	3	9	11	13	20	33	27
1	-	10	12	5	-	10	-	6	-	-	1	4	8	11	28
4	-	7	45	10	2	11	2	16	1	2	5	12	-	10	29
9	1	39	66	24	2	39	7	41	7	6	11	28	4	27	30
6	1	20	34	7	1	14	4	18	3	2	5	14	1	10	31
3	-	19	32	17	1	25	3	23	4	4	6	14	3	17	32
4	-	16	35	8	-	16	1	14	1	1	3	7	5	13	33
3	-	13	24	10	-	13	-	15	-	2	6	6	4	10	34
1	-	10	31	6	-	13	-	9	-	-	6	9	7	6	35
3	-	10	39	5	1	12	3	11	1	-	4	12	9	18	36
5	-	21	51	15	1	9	2	17	-	2	2	12	6	21	37
32	1	135	357	84	5	111	5	133	12	30	38	59	11	155	38
23	-	92	269	50	1	74	5	96	7	28	28	43	7	104	39
9	1	43	88	34	4	37	-	37	5	2	10	16	4	51	40
4	-	8	23	5	-	5	2	3	-	-	3	5	15	9	41
2	-	17	25	9	1	6	1	7	3	1	8	3	11	21	42
-	-	26	61	14	1	25	-	9	2	3	10	12	5	25	43
11	-	63	97	34	5	50	1	39	11	6	21	15	11	45	44
5	-	18	31	7	-	16	-	10	5	-	6	9	1	16	45
7	-	24	57	9	-	30	1	20	7	2	8	20	1	27	46
6	-	45	66	27	5	34	1	29	6	6	15	6	10	29	47
15	-	53	157	28	3	51	2	76	5	8	13	26	16	80	48
13	-	43	119	22	3	44	2	60	5	5	8	21	12	60	49
2	-	10	38	6	-	7	-	16	-	3	5	5	4	20	50
6	-	23	41	10	1	26	2	11	5	3	3	6	3	25	51
5	-	24	30	9	3	23	2	19	4	3	11	15	1	24	52
2	1	16	59	10	3	22	-	18	1	4	9	11	3	15	53
4	1	16	13	3	1	6	-	8	1	-	3	2	5	16	54
2	-	26	48	11	2	24	3	15	3	2	1	15	4	16	55
2	-	16	29	4	-	17	-	12	2	1	-	10	4	14	56
-	-	10	19	7	2	7	3	3	1	1	1	5	-	2	57
4	-	23	31	16	4	8	-	6	1	2	5	11	9	14	58
2	-	12	31	4	-	6	2	4	-	-	2	2	1	9	59
-	-	7	44	10	-	16	1	17	3	2	4	7	2	21	60
11	-	49	105	32	10	37	4	48	2	6	22	20	18	34	61
3	-	10	33	8	2	4	-	8	-	3	4	4	4	10	62
8	-	39	72	24	8	33	4	40	2	3	18	16	14	24	63
1	4	12	23	2	-	3	-	3	-	1	3	5	1	19	64
5	1	47	70	17	2	40	-	39	4	1	14	11	11	24	65
6	3	32	77	23	7	37	1	20	4	5	14	21	6	29	66
8	-	71	118	52	5	53	7	50	4	15	30	28	27	68	67
10	2	42	107	11	-	31	3	42	6	7	17	14	6	42	68
1	-	13	28	2	-	11	1	10	3	4	2	3	1	8	69
9	2	29	79	9	-	20	2	32	3	3	15	11	5	34	70
8	1	56	124	22	5	51	5	33	4	3	20	31	10	63	71
2	-	16	47	6	1	22	-	9	1	-	5	8	2	20	72
6	1	40	77	16	4	29	5	24	3	3	15	23	8	43	73
5	-	34	72	14	2	32	1	22	3	-	9	12	8	28	74
4	-	49	78	21	3	38	3	36	5	5	21	10	8	45	75
1	-	28	59	16	3	16	3	19	2	6	14	15	14	16	76
10	-	24	67	14	2	11	4	32	2	5	7	6	7	24	77
1	-	17	17	9	1	12	1	11	5	-	6	7	2	20	78
10	1	26	83	10	1	25	1	35	5	2	15	10	10	32	79
-	-	4	8	4	1	4	2	3	1	2	1	3	4	7	80
1	-	24	24	6	1	6	-	7	-	-	2	7	2	6	81
-	-	-	2	3	3	24	1	2	1	-	3	1	2	8	82
5	-	24	60	18	2	52	1	23	3	5	12	11	7	29	83
3	-	29	74	21	10	23	1	27	3	5	6	10	7	28	84
17	-	140	288	60	10	80	10	82	18	19	32	31	4	151	85
10	-	78	191	38	2	43	7	34	14	6	15	17	-	113	86
7	-	62	97	21	8	37	3	48	4	13	17	14	4	38	87
3	2	20	29	21	1	21	-	19	1	3	5	1	6	26	88
3	-	20	26	7	1	10	-	5	-	-	3	2	14	7	89
1	-	9	19	7	1	6	1	9	2	1	2	9	8	13	90
5	3	64	143	35	12	38	4	33	2	10	19	18	26	211	91
2	-	21	47	12	1	8	2	6	-	4	5	5	2	24	92
3	3	43	96	23	11	30	2	27	2	6	14	13	24	187	93
3	1	37	61	13	1	31	2	29	2	6	19	8	11	26	94
7	-	28	67	27	15	64	4	38	6	11	19	21	19	41	95
4	-	16	33	15	5	32	2	16	3	6	8	8	8	17	96
3	-	12	34	12	10	32	2	22	3	5	11	13	11	24	97

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	NORTH CAROLINA—Con.														
1	Yadkin	108	-	-	-	-	-	2	-	-	-	-	-	13	-
2	Yancey	84	-	1	-	-	-	3	-	-	-	1	-	6	-
3	NORTH DAKOTA	5,080	1	4	-	1	7	96	6	-	29	-	25	675	8
4	Adams	38	-	-	-	-	-	-	-	-	-	-	-	-	1
5	Barnes	152	-	-	-	-	-	-	-	-	-	-	1	26	-
6	Benson	84	-	-	-	-	-	9	-	-	-	-	-	7	1
7	Billings	5	-	-	-	-	-	-	-	-	-	-	-	1	-
8	Bottineau	134	-	1	-	-	-	-	-	-	-	-	4	15	-
9	Bowman	23	-	-	-	1	-	-	-	-	-	-	-	2	-
10	Burke	52	-	-	-	-	-	-	-	-	-	-	-	13	-
11	Burleigh	210	-	1	-	-	1	1	-	-	3	-	-	35	-
12	Bismarck	163	-	1	-	-	1	-	-	-	2	-	-	31	-
13	Balance of county	47	-	-	-	-	-	1	-	-	1	-	-	4	-
14	Cass	467	-	1	-	-	1	8	-	-	4	-	4	75	-
15	Fargo	324	-	-	-	-	1	6	-	-	4	-	-	52	-
16	Balance of county	143	-	1	-	-	-	2	-	-	-	-	4	23	-
17	Cavalier	103	-	-	-	-	1	-	-	-	-	-	-	12	-
18	Dickey	71	-	-	-	-	-	1	-	-	1	-	-	5	-
19	Divide	57	-	-	-	-	-	1	-	-	-	-	-	8	-
20	Dunn	67	-	-	-	-	-	2	-	-	1	-	-	7	-
21	Eddy	45	-	-	-	-	-	-	-	-	-	-	-	5	-
22	Emmons	58	-	-	-	-	-	-	-	-	-	-	-	5	-
23	Foster	45	-	-	-	-	-	2	-	-	-	-	-	12	-
24	Golden Valley	22	-	-	-	-	-	-	-	-	-	-	-	5	-
25	Grand Forks	334	-	-	-	-	-	5	-	-	-	-	-	34	1
26	Grand Forks	208	-	-	-	-	-	3	-	-	-	-	-	13	1
27	Balance of county	126	-	-	-	-	-	2	-	-	-	-	-	21	-
28	Grant	48	-	-	-	-	-	-	-	-	-	-	-	4	1
29	Griggs	38	-	-	-	-	-	-	-	-	-	-	-	2	-
30	Hettinger	50	-	-	-	-	-	-	-	-	-	-	-	8	-
31	Kidder	47	-	-	-	-	-	-	-	-	-	-	-	9	-
32	La Moure	65	-	-	-	-	-	-	-	-	-	-	1	4	-
33	Logan	34	-	-	-	-	-	1	-	-	-	-	-	3	-
34	McHenry	98	-	-	-	-	-	1	-	-	-	-	-	23	-
35	McIntosh	63	-	-	-	-	-	-	-	-	-	-	-	5	-
36	McKenzie	47	-	-	-	-	-	-	-	-	-	-	2	6	-
37	McLean	99	-	-	-	-	-	4	-	-	2	-	-	14	-
38	Mercer	60	-	-	-	-	-	-	-	-	1	-	-	4	-
39	Morton	135	-	-	-	-	-	1	-	-	-	-	-	20	-
40	Mountrail	55	-	-	-	-	-	1	-	-	-	-	1	7	-
41	Nelson	80	-	-	-	-	-	1	-	-	-	-	-	11	-
42	Oliver	12	-	-	-	-	-	-	-	-	-	-	-	1	-
43	Pembina	116	-	-	-	-	1	1	-	-	1	-	1	8	-
44	Pierce	83	-	-	-	-	-	2	-	-	-	-	1	13	-
45	Ramsey	131	-	-	-	-	-	2	-	-	-	-	-	16	-
46	Ransom	65	-	-	-	-	-	1	-	-	1	-	1	9	-
47	Renville	42	-	-	-	-	-	-	-	-	-	-	-	7	-
48	Richland	153	-	-	-	-	-	1	-	-	1	-	3	22	-
49	Rolette	126	-	-	-	-	-	19	5	-	2	-	-	10	1
50	Sargent	63	1	-	-	-	-	1	-	-	-	-	-	7	-
51	Sheridan	39	-	-	-	-	-	-	-	-	-	-	-	7	-
52	Sioux	33	-	-	-	-	-	7	-	-	-	-	1	4	-
53	Slope	11	-	-	-	-	-	-	-	-	-	-	-	1	-
54	Stark	118	-	-	-	-	-	-	-	-	-	-	-	19	1
55	Steele	51	-	-	-	-	-	-	-	-	-	-	2	4	-
56	Stutsman	319	-	-	-	-	1	10	-	-	7	-	1	42	-
57	Towner	46	-	-	-	-	-	1	-	-	-	-	1	5	-
58	Traill	78	-	1	-	-	1	3	-	-	-	-	-	12	-
59	Walsh	198	-	-	-	-	1	5	-	-	2	-	1	25	1
60	Ward	277	-	-	-	-	-	-	1	-	3	-	1	33	-
61	Minot	162	-	-	-	-	-	-	1	-	3	-	-	19	-
62	Balance of county	115	-	-	-	-	-	-	-	-	-	-	1	14	-
63	Wells	83	-	-	-	-	-	4	-	-	-	-	-	16	-
64	Williams	152	-	-	-	-	-	1	-	-	-	-	-	27	1
65	OHIO	78,464	16	57	22	60	51	2,583	13	3	785	27	59	10,628	57
66	Adams	198	-	-	-	-	-	5	-	-	-	-	-	24	-
67	Allen	917	-	1	-	-	1	31	-	-	20	1	-	100	1
68	Lima	574	-	1	-	-	1	15	-	-	13	1	-	67	-
69	Balance of county	343	-	-	-	-	-	16	-	-	7	-	-	33	1
70	Ashland	354	1	-	-	-	-	3	-	-	3	-	-	41	-
71	Ashland	155	-	-	-	-	-	2	-	-	-	-	-	24	-
72	Balance of county	199	1	-	-	-	-	1	-	-	3	-	-	17	-
73	Ashtabula	806	-	1	2	-	-	15	-	-	6	-	-	114	1
74	Ashtabula	246	-	1	-	-	-	7	-	-	2	-	-	35	-
75	Balance of county	560	-	-	2	-	-	8	-	-	4	-	-	79	1
76	Athens	576	-	-	-	-	-	19	-	-	20	-	-	55	-
77	Auglaize	324	-	1	-	-	-	4	-	-	1	-	-	49	-
78	Belmont	980	-	1	2	-	-	13	-	-	5	-	1	114	1
79	Bellaire	158	-	-	-	-	-	2	-	-	-	-	-	18	-
80	Martins Ferry	163	-	-	-	-	-	3	-	-	2	-	1	16	1
81	Balance of county	659	-	1	2	-	-	8	-	-	3	-	-	80	-
82	Brown	244	-	-	-	-	-	8	-	-	1	1	-	32	-
83	Butler	1,293	1	1	-	2	2	72	-	1	11	1	1	144	2
84	Hamilton	650	-	1	-	1	-	47	-	1	7	-	1	69	-
85	Middletown	333	1	-	-	1	-	15	-	-	3	1	-	35	1
86	Balance of county	310	-	-	-	-	2	10	-	-	1	-	-	40	1
87	Carroll	180	-	-	-	1	1	3	-	-	-	-	-	32	-
88	Champaign	301	-	-	-	-	1	5	-	-	-	-	-	25	-
89	Clark	1,229	-	1	-	2	2	44	-	-	16	-	-	159	-
90	Springfield	918	-	1	-	2	2	32	-	-	16	-	-	114	-
91	Balance of county	311	-	-	-	-	-	12	-	-	-	-	-	45	-
92	Clermont	374	-	1	-	1	-	9	-	-	2	-	-	41	-
93	Clinton	331	-	-	-	-	-	7	-	-	1	-	-	35	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
3	2	12	35	7	1	10	-	5	-	-	3	4	6	5	1
1	2	4	17	3	-	12	1	4	-	-	6	2	11	10	2
153	-	478	1,390	198	37	221	16	367	60	8	144	298	157	700	3
-	-	9	7	1	-	2	-	6	-	1	-	4	1	6	4
6	-	22	46	7	2	3	-	10	3	-	6	5	-	15	5
3	-	10	22	2	1	4	1	5	2	-	2	8	1	6	6
-	-	-	2	-	-	-	-	-	1	-	-	-	-	1	7
8	-	26	42	1	-	4	-	7	3	-	2	8	1	12	8
-	-	3	6	1	-	1	-	-	-	-	2	2	1	4	9
2	-	4	9	1	1	1	-	3	1	-	4	1	1	11	10
8	-	13	69	12	1	3	-	17	4	2	8	9	2	21	11
6	-	10	53	8	1	2	-	14	2	2	6	7	2	15	12
2	-	3	16	4	-	1	-	3	2	-	2	2	-	6	13
13	-	43	137	18	5	15	1	33	3	1	8	15	14	68	14
9	-	28	97	9	5	13	1	27	2	1	5	10	11	43	15
4	-	15	40	9	-	2	-	6	1	-	3	5	3	25	16
2	-	7	43	5	2	4	1	2	1	-	3	6	5	9	17
4	-	8	20	4	1	3	-	4	2	-	2	4	-	12	18
-	-	6	18	2	1	3	-	6	-	-	1	4	4	3	19
-	-	5	11	3	1	4	-	8	2	-	2	7	5	9	20
1	-	2	11	4	-	8	1	6	-	-	-	2	2	5	21
2	-	7	11	-	-	4	-	7	-	-	5	4	3	10	22
4	-	6	6	5	-	1	-	2	-	-	1	1	1	4	23
-	-	1	4	1	-	1	-	1	-	-	2	4	-	3	24
9	-	33	84	11	2	25	3	25	6	1	3	16	24	52	25
5	-	20	55	9	2	17	2	21	2	1	2	10	7	38	26
4	-	13	29	2	-	8	1	4	4	-	1	6	17	14	27
2	-	6	9	2	2	5	-	3	1	-	-	3	1	9	28
-	-	7	11	2	-	3	-	2	-	-	2	1	2	6	29
-	-	1	18	3	2	2	-	4	-	-	4	1	1	8	30
2	-	-	14	3	-	-	-	6	1	-	-	1	2	9	31
5	-	5	31	2	-	2	3	4	-	-	1	1	1	5	32
-	-	4	10	1	2	2	-	2	-	-	-	2	1	6	33
2	-	8	23	5	-	4	-	6	1	-	3	5	1	16	34
3	-	2	15	2	-	2	1	5	1	-	-	8	6	13	35
1	-	4	16	3	-	-	-	2	-	-	2	1	1	9	36
4	-	6	25	7	2	1	1	4	1	1	6	7	4	10	37
2	-	4	13	3	-	6	-	5	1	-	4	8	3	6	38
5	-	8	36	4	1	11	-	8	1	-	6	6	2	26	39
3	-	5	12	4	1	2	-	4	2	-	3	-	-	10	40
3	-	6	16	-	-	8	-	9	-	-	2	8	5	11	41
-	-	-	4	-	1	-	1	1	-	-	-	-	-	4	42
2	-	11	32	3	1	13	-	8	-	-	2	7	7	18	43
3	-	6	24	6	-	5	-	5	-	-	1	4	2	11	44
4	-	14	32	6	1	8	-	16	1	-	5	11	3	12	45
2	-	9	19	1	-	2	-	4	-	-	6	1	5	4	46
2	-	3	11	1	-	1	-	4	-	-	1	1	2	9	47
5	-	19	48	2	2	6	-	8	2	1	2	10	3	18	48
1	-	9	22	11	2	3	-	9	-	-	3	11	5	13	49
2	-	9	19	3	-	3	1	2	-	-	4	3	1	7	50
3	-	4	10	5	1	1	-	2	-	-	1	-	2	3	51
1	-	2	1	3	-	-	-	4	-	1	1	2	5	1	52
-	-	3	5	-	-	-	-	1	-	-	-	-	1	-	53
3	-	8	29	1	-	5	-	11	3	-	5	8	2	23	54
2	-	7	12	-	-	1	-	5	-	-	1	7	1	9	55
6	-	19	101	9	-	15	1	16	6	-	5	30	2	48	56
3	-	9	5	1	-	-	-	5	1	-	1	4	2	8	57
1	-	7	19	-	-	3	-	5	2	-	5	3	2	14	58
6	-	22	64	7	-	10	-	14	2	-	3	10	5	18	59
8	-	25	85	12	-	6	-	23	4	-	9	12	7	48	60
4	-	17	48	6	-	1	-	16	1	-	2	8	6	30	61
4	-	8	37	6	-	5	-	7	3	-	7	4	1	18	62
2	-	5	17	3	2	4	1	4	-	-	3	8	1	13	63
3	-	16	34	5	-	3	-	14	2	-	2	14	4	26	64
2,123	9	8,193	24,421	3,124	349	4,561	214	4,183	986	388	1,879	3,460	1,145	9,068	85
2	-	25	56	6	1	24	1	12	4	-	5	10	1	22	66
36	-	80	278	20	7	80	4	65	11	1	26	25	16	113	67
27	-	40	177	11	4	49	2	54	6	-	11	14	10	71	68
9	-	40	101	9	3	51	2	11	5	1	15	11	6	42	69
8	1	42	124	9	-	14	-	19	14	1	10	13	12	39	70
3	-	19	40	2	-	7	-	11	8	-	8	8	6	19	71
5	1	23	84	7	-	7	-	8	6	1	4	5	6	20	72
32	-	96	262	28	2	59	1	36	12	1	14	35	10	79	73
15	-	30	73	5	-	19	-	15	4	1	5	8	2	24	74
17	-	66	189	23	2	40	1	21	8	-	9	27	8	55	75
18	-	49	171	23	3	37	1	19	3	6	10	33	18	91	76
7	-	36	113	14	6	26	-	14	3	-	7	14	2	27	77
22	-	89	314	43	5	80	1	57	12	4	24	62	23	107	78
7	-	17	52	6	-	14	-	7	1	1	4	8	6	15	79
4	-	13	52	7	1	10	-	9	2	1	5	8	3	25	80
11	-	59	210	30	4	56	1	41	9	2	15	46	14	67	81
3	-	43	73	11	3	17	-	6	8	1	6	9	5	17	82
30	-	140	366	49	10	75	3	78	21	10	39	71	15	148	83
15	-	64	207	30	1	30	-	43	4	4	13	29	6	77	84
7	-	42	75	8	4	26	2	21	12	5	13	22	3	38	85
8	-	34	84	11	5	19	1	14	5	1	13	20	8	35	86
4	-	16	43	9	-	25	1	5	1	-	7	9	3	20	87
6	-	38	96	16	4	21	4	17	3	1	8	16	5	35	88
38	-	175	340	46	4	84	10	56	17	1	25	53	10	148	89
26	-	145	240	36	3	64	10	40	14	1	18	36	8	100	90
10	-	30	100	10	1	20	-	16	3	-	7	17	2	38	91
13	1	34	142	14	2	23	-	9	8	-	8	18	13	35	92
6	-	53	121	14	-	12	-	15	-	-	9	14	7	37	93

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	OHIO—Continued														
1	Columbiana	1,059	-	2	-	2	1	43	-	1	4	-	-	131	2
2	East Liverpool	292	-	1	-	-	-	20	-	-	1	-	-	31	1
3	Salem	147	-	-	-	1	-	5	-	-	1	-	-	28	-
4	Balance of county	620	-	1	-	1	1	18	-	1	2	-	-	72	1
5	Coshocton	366	-	-	-	-	-	-	-	-	3	1	-	50	-
6	Coshocton	170	-	-	-	-	-	-	-	-	2	-	-	19	-
7	Balance of county	196	-	-	-	-	-	-	-	-	1	1	-	31	-
8	Crawford	431	-	-	1	1	1	6	-	-	2	-	-	53	1
9	Cuyahoga	12,945	1	13	1	3	1	527	-	-	124	3	31	2,067	5
10	Cleveland	10,077	1	13	1	3	1	474	-	-	104	3	22	1,587	2
11	Cleveland Heights	371	-	-	-	-	-	2	-	-	3	-	1	60	1
12	East Cleveland	327	-	-	-	-	-	3	-	-	1	-	-	49	1
13	Euclid	203	-	-	-	-	-	1	-	-	-	-	1	42	-
14	Garfield Heights	131	-	-	-	-	-	2	-	-	2	-	1	13	-
15	Lakewood	575	-	-	-	-	-	10	-	-	3	-	-	111	-
16	Parma	132	-	-	-	-	-	-	-	-	1	-	-	22	1
17	Shaker Heights	155	-	-	-	-	-	-	-	-	-	-	1	36	-
18	Balance of county	974	-	-	-	-	-	35	-	-	10	-	5	147	-
19	Darke	395	1	-	-	-	1	9	-	-	-	-	-	50	-
20	Defiance	245	-	-	-	-	-	3	-	-	-	-	-	31	1
21	Delaware	330	-	-	-	-	-	2	-	-	3	-	1	44	-
22	Erie	575	-	1	-	1	-	8	-	-	6	-	-	90	-
23	Sandusky	312	-	-	-	1	-	4	-	-	2	-	-	56	-
24	Balance of county	263	-	1	-	-	-	4	-	-	4	-	-	34	-
25	Fairfield	533	2	-	-	-	-	11	-	-	1	-	-	68	1
26	Lancaster	268	1	-	-	-	-	7	-	-	1	-	-	35	-
27	Balance of county	265	1	-	-	-	-	4	-	-	-	-	-	33	1
28	Fayette	264	-	-	1	-	-	3	-	-	-	-	-	39	-
29	Franklin	4,864	-	4	1	1	5	182	-	-	59	-	2	664	5
30	Columbus	4,038	-	3	1	-	5	148	-	-	52	-	2	551	4
31	Balance of county	826	-	1	-	1	-	34	-	-	7	-	-	113	1
32	Fulton	257	-	-	-	-	-	4	-	-	1	-	-	21	-
33	Gallia	402	-	-	-	2	-	34	-	-	5	-	-	35	-
34	Geauga	221	-	-	-	-	-	5	-	-	-	1	-	31	2
35	Greene	454	-	-	-	1	-	6	1	-	4	1	-	52	1
36	Xenia	182	-	-	-	-	-	3	-	-	1	-	-	25	-
37	Balance of county	272	-	-	-	1	-	3	1	-	3	1	-	27	1
38	Guernsey	574	-	-	-	-	1	5	-	-	14	-	-	62	-
39	Cambridge	216	-	-	-	-	1	1	-	-	1	-	-	27	-
40	Balance of county	358	-	-	-	-	-	4	-	-	13	-	-	35	-
41	Hamilton	7,880	-	7	-	4	1	335	1	-	101	3	7	1,115	8
42	Cincinnati	6,228	-	4	-	2	-	292	-	-	88	3	3	860	6
43	Norwood	269	-	-	-	-	-	6	-	-	1	-	1	44	-
44	Balance of county	1,383	-	3	-	2	1	37	1	-	12	-	3	211	2
45	Hancock	498	-	-	1	2	-	4	-	-	2	-	-	54	-
46	Findlay	271	-	-	1	2	-	3	-	-	1	-	-	25	-
47	Fostoria (part)	24	-	-	-	-	-	-	-	-	-	-	-	2	-
48	Balance of county	203	-	-	-	-	-	1	-	-	1	-	-	27	-
49	Hardin	423	-	-	-	-	-	6	-	-	3	-	-	43	1
50	Harrison	171	-	-	-	-	-	2	-	-	-	-	-	27	-
51	Henry	277	-	-	-	-	-	4	-	-	-	-	-	26	-
52	Highland	324	-	-	-	-	-	6	-	-	1	-	-	25	1
53	Hocking	228	-	-	-	2	-	5	-	-	1	1	-	39	-
54	Holmes	170	-	-	1	-	-	1	-	-	-	-	-	10	-
55	Huron	488	-	-	-	2	-	3	-	-	3	-	-	78	-
56	Jackson	295	-	-	1	2	1	5	-	-	3	-	-	36	1
57	Jefferson	866	1	1	1	3	2	15	-	-	2	-	1	114	4
58	Steubenville	393	1	1	-	1	-	6	-	-	-	-	1	51	4
59	Balance of county	473	-	-	1	2	2	9	-	-	2	-	-	63	-
60	Knox	372	-	-	-	-	-	11	-	-	1	1	-	41	-
61	Mount Vernon	176	-	-	-	-	-	2	-	-	-	-	-	24	-
62	Balance of county	196	-	-	-	-	-	9	-	-	1	1	-	17	-
63	Lake	546	-	-	-	-	1	11	-	-	1	-	2	73	-
64	Painesville	168	-	-	-	-	-	5	-	-	-	-	-	15	-
65	Balance of county	378	-	-	-	-	1	6	-	-	1	-	2	58	-
66	Lawrence	461	-	2	1	6	-	14	2	-	6	-	-	59	-
67	Ironton	203	-	-	-	-	-	3	1	-	2	-	-	31	-
68	Balance of county	258	-	2	1	6	-	11	1	-	4	-	-	28	-
69	Licking	806	-	-	-	-	2	15	-	-	3	1	-	104	-
70	Newark	414	-	-	-	-	2	11	-	-	2	-	-	49	-
71	Balance of county	392	-	-	-	-	-	4	-	-	1	1	-	55	-
72	Logan	360	-	-	-	-	-	5	1	-	2	-	-	45	-
73	Lorain	1,300	-	1	-	1	1	27	-	-	10	-	-	193	2
74	Elyria	309	-	1	-	-	-	6	-	-	3	-	-	50	-
75	Lorain	465	-	-	-	-	-	5	-	-	5	-	-	68	2
76	Balance of county	526	-	-	-	1	1	16	-	-	2	-	-	75	-
77	Lucas	4,169	-	1	-	2	2	186	1	-	52	1	3	561	3
78	Toledo	3,775	-	1	-	1	2	176	-	-	51	-	2	518	3
79	Balance of county	394	-	-	-	1	-	10	1	-	1	1	1	43	-
80	Madison	269	-	-	-	1	1	12	-	-	-	-	-	29	-
81	Mahoning	2,323	1	1	-	1	3	90	-	-	12	1	-	325	2
82	Campbell	71	-	-	-	-	-	4	-	-	-	-	-	11	-
83	Struthers	57	-	-	-	-	-	2	-	-	-	-	-	7	-
84	Youngstown (part)	1,799	1	1	-	1	2	51	-	-	11	1	-	254	2
85	Youngstown (total)	1,801	1	1	-	1	2	51	-	-	11	1	-	254	2
86	Balance of county	396	-	-	-	-	1	33	-	-	1	-	-	53	-
87	Marion	550	-	2	-	-	-	16	-	-	4	-	-	59	-
88	Marion	367	-	1	-	-	-	12	-	-	2	-	-	40	-
89	Balance of county	183	-	1	-	-	-	4	-	-	2	-	-	19	-
90	Medina	389	-	-	-	2	1	3	-	-	3	-	-	43	-
91	Meigs	255	-	-	-	-	-	7	-	-	1	-	-	26	-
92	Mercer	295	-	-	-	-	-	5	-	-	-	-	-	34	-
93	Miami	655	-	-	-	-	-	8	-	-	3	-	-	91	-
94	Piqua	214	-	-	-	-	-	4	-	-	2	-	-	35	-
95	Balance of county	441	-	-	-	-	-	4	-	-	1	-	-	56	-
96	Monroe	196	-	-	1	-	-	1	-	-	1	-	-	21	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 198,200	All other causes	
30	-	105	353	42	5	61	3	49	8	5	32	32	16	132	1
10	-	27	90	13	2	16	1	12	3	1	5	13	8	37	2
5	-	15	47	6	-	7	1	6	2	-	4	4	1	14	3
15	-	63	215	23	3	38	1	31	3	4	23	15	7	91	4
12	-	36	123	15	1	18	-	22	6	2	7	22	3	45	5
7	-	17	66	7	-	7	-	8	1	1	3	11	2	19	6
5	-	19	57	8	1	11	-	14	5	1	4	11	1	26	7
13	1	58	130	11	3	24	2	22	9	1	16	24	4	48	8
378	2	1,115	4,158	537	49	558	35	684	155	86	233	491	249	1,439	9
298	1	804	3,140	450	45	446	31	582	107	84	166	365	218	1,149	10
13	-	58	152	7	1	13	-	9	3	-	8	7	4	29	11
8	1	41	127	10	-	10	1	13	5	-	7	10	4	36	12
7	-	16	66	7	1	2	-	10	5	1	4	9	6	25	13
4	-	10	40	4	-	7	-	8	3	-	1	23	1	12	14
15	-	63	202	19	-	28	1	22	7	-	10	22	7	55	15
6	-	19	35	5	-	5	-	6	2	-	7	7	-	16	16
5	-	11	72	3	-	3	-	3	3	-	3	8	-	7	17
22	-	93	324	32	2	44	2	51	20	1	27	40	9	110	18
6	-	56	139	14	-	33	1	9	7	1	10	14	3	41	19
2	-	16	81	10	2	40	2	12	4	-	8	5	2	26	20
8	-	48	113	10	2	19	1	9	-	2	9	17	3	39	21
7	-	72	183	18	2	39	2	26	4	2	19	28	14	53	22
4	-	36	99	13	1	19	1	15	3	2	5	19	4	28	23
3	-	36	84	5	1	20	1	11	1	-	14	9	10	25	24
14	-	76	173	20	2	31	1	28	4	1	12	22	6	60	25
5	-	39	85	10	1	17	1	17	2	-	7	11	2	27	26
9	-	37	88	10	1	14	-	11	2	1	5	11	4	33	27
5	-	34	77	11	-	13	1	15	-	-	13	10	5	37	28
125	-	578	1,352	186	19	265	7	286	52	29	117	186	72	657	29
103	-	465	1,133	159	17	204	6	235	43	28	98	151	56	544	30
22	-	93	219	27	2	61	1	51	9	1	19	35	16	113	31
6	-	25	90	9	4	20	-	13	4	-	16	16	3	25	32
8	-	33	93	21	-	25	-	10	7	-	3	16	3	107	33
5	-	18	78	8	-	15	1	16	2	-	10	14	-	15	34
16	-	69	139	13	2	17	3	25	4	4	23	19	2	52	35
9	-	27	61	3	-	10	-	8	2	2	6	6	-	19	36
7	-	42	78	10	2	7	3	17	2	2	17	13	2	33	37
22	-	54	175	35	10	30	1	27	8	-	8	27	5	90	38
6	-	24	75	12	2	13	1	16	4	-	1	8	1	23	39
16	-	30	100	23	8	17	-	11	4	-	7	19	4	67	40
202	2	744	2,606	329	27	448	21	344	111	63	125	326	102	848	41
150	1	600	2,036	278	26	367	14	256	81	54	97	266	78	656	42
7	-	24	101	5	-	18	-	14	4	2	3	8	5	26	43
35	1	120	469	46	1	63	7	74	26	7	25	52	19	166	44
15	-	60	159	10	3	26	4	35	8	1	14	20	23	57	45
6	-	31	98	7	2	10	-	19	2	-	7	12	17	28	46
2	-	1	6	1	-	1	-	4	-	-	3	-	-	4	47
7	-	28	55	2	1	15	4	12	6	1	4	8	8	25	48
13	-	55	132	20	2	21	6	17	7	1	20	12	4	60	49
4	-	14	50	11	-	17	-	7	2	1	1	14	5	16	50
6	-	37	97	9	1	19	1	19	3	-	7	10	2	36	51
5	-	59	101	22	1	13	-	18	5	2	6	23	4	32	52
1	-	23	70	10	-	13	-	18	3	1	7	15	1	18	53
1	-	22	63	8	1	7	1	8	2	-	2	17	1	25	54
15	-	49	154	10	1	42	-	17	4	1	19	27	13	50	55
6	-	35	73	12	1	40	-	15	2	-	7	19	9	27	56
30	-	100	261	26	11	72	4	46	14	5	15	50	8	80	57
13	-	45	120	14	4	31	2	20	6	3	7	23	3	37	58
17	-	55	141	12	7	41	2	26	8	2	8	27	5	43	59
11	-	44	97	17	1	26	1	24	7	-	11	19	8	52	60
3	-	21	48	8	-	8	-	16	2	-	3	9	7	25	61
8	-	23	49	9	1	18	1	8	5	-	8	10	1	27	62
20	-	62	161	20	3	34	-	28	15	-	17	20	8	70	63
10	-	22	47	1	1	12	-	4	2	-	10	6	1	32	64
10	-	40	114	19	3	22	-	24	13	-	7	14	7	38	65
9	-	39	120	19	5	28	2	28	6	7	19	29	4	56	66
5	-	23	41	13	1	16	-	9	1	1	9	17	1	29	67
4	-	16	79	6	4	12	2	19	5	6	10	12	3	27	68
28	-	99	259	33	4	60	4	29	7	3	12	46	3	94	69
15	-	54	135	17	2	26	3	15	2	2	6	21	-	52	70
13	-	45	124	16	2	34	1	14	5	1	6	25	3	42	71
6	-	45	112	23	2	40	-	14	3	-	8	17	7	50	72
31	-	120	431	49	9	81	4	82	6	3	30	59	15	145	73
8	-	28	104	11	4	18	-	18	2	-	5	9	3	39	74
13	-	41	153	17	3	36	1	30	1	2	11	22	8	47	75
10	-	51	174	21	2	27	3	34	3	1	14	28	4	59	76
108	-	390	1,307	142	12	224	11	237	47	18	100	185	67	513	77
98	-	346	1,184	125	11	199	11	220	43	15	79	168	61	463	78
10	-	44	123	17	1	25	-	17	4	1	21	17	6	50	79
11	-	35	65	11	2	17	-	15	3	-	16	16	13	22	80
68	-	260	738	105	6	109	6	109	19	18	50	93	25	281	81
-	-	8	21	4	-	1	-	4	2	-	4	3	-	9	82
4	-	7	21	2	-	4	-	1	-	-	3	1	-	5	83
53	-	190	591	88	4	92	5	90	15	16	31	75	22	213	84
53	-	190	591	88	4	93	5	90	15	16	31	76	22	213	85
11	-	55	115	11	2	12	1	14	2	2	12	14	3	54	86
11	-	51	187	26	3	42	-	41	5	-	17	25	8	53	87
6	-	39	140	16	2	27	-	31	2	-	13	15	6	35	88
5	-	12	47	10	1	15	-	10	3	-	4	10	2	18	89
7	-	50	102	18	3	28	-	24	7	1	16	17	4	60	90
8	-	27	88	15	-	18	1	8	3	1	4	14	5	31	91
13	-	18	90	12	-	23	-	26	4	-	9	14	7	40	92
24	-	76	198	21	4	47	2	37	10	1	19	28	3	83	93
4	-	27	65	8	2	12	-	15	2	1	1	9	2	25	94
20	-	49	133	13	2	35	2	22	8	-	18	19	1	58	95
4	-	39	41	7	-	26	-	7	6	-	2	10	1	29	96

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	OHIO—Continued														
1	Montgomery	3,499	2	2	2	2	4	169	1	-	68	2	4	461	1
2	Dayton	2,731	2	2	1	2	3	133	-	-	55	2	3	361	1
3	Balance of county	768	-	-	1	-	1	36	1	-	11	-	1	100	-
4	Morgan	165	-	-	-	-	-	11	-	-	1	-	-	22	-
5	Morrow	192	1	-	-	-	-	1	-	-	-	-	-	25	-
6	Muskingum	798	-	-	1	-	-	16	-	-	7	-	-	102	-
7	Zanesville	514	-	-	-	-	-	11	-	-	5	-	-	69	-
8	Balance of county	284	-	-	1	-	-	5	-	-	2	-	-	33	-
9	Noble	131	-	-	-	-	-	-	-	-	2	-	-	20	-
10	Ottawa	245	-	-	-	-	-	5	-	-	-	-	-	33	-
11	Paulding	165	-	-	1	-	-	2	-	-	1	-	-	16	-
12	Perry	326	-	-	-	-	-	3	-	-	-	-	-	51	-
13	Pickaway	376	-	-	-	-	-	25	3	-	6	-	-	41	-
14	Pike	143	-	-	-	1	2	5	-	-	2	-	-	14	-
15	Portage	499	-	2	1	-	2	4	-	-	3	-	-	71	-
16	Preble	275	-	-	-	-	-	1	-	-	1	-	-	29	-
17	Putnam	260	-	-	-	-	-	4	-	-	1	1	-	31	-
18	Richland	857	1	1	1	1	-	20	-	-	6	-	-	113	1
19	Mansfield	473	1	1	-	1	-	15	-	-	2	-	-	65	1
20	Balance of county	384	-	-	1	-	-	5	-	-	4	-	-	48	-
21	Ross	580	-	-	-	-	2	24	2	1	23	-	-	58	1
22	Chillicothe	246	-	-	-	-	2	10	-	-	1	-	-	25	-
23	Balance of county	334	-	-	-	-	-	14	2	1	22	-	-	31	1
24	Sandusky	448	1	-	2	-	-	9	-	-	3	1	-	51	-
25	Fremont	147	-	-	1	-	-	4	-	-	-	-	-	22	-
26	Balance of county	301	1	-	1	-	-	5	-	-	3	1	-	29	-
27	Scioto	763	1	-	-	4	5	23	-	-	7	2	-	91	1
28	Portsmouth	420	-	-	-	1	1	12	-	-	5	1	-	56	-
29	Balance of county	363	1	-	-	3	4	11	-	-	2	1	-	35	1
30	Seneca	585	-	1	-	2	-	6	-	-	1	-	-	76	1
31	Fostoria (part)	145	-	-	-	2	-	2	-	-	-	-	-	28	-
32	Fostoria (total)	189	-	-	-	2	-	2	-	-	-	-	-	30	-
33	Tiffin	217	-	1	-	-	-	4	-	-	1	-	-	25	1
34	Balance of county	223	-	-	-	-	-	-	-	-	-	-	-	23	-
35	Shelby	236	-	-	-	-	-	4	-	-	2	-	2	29	-
36	Stark	2,636	-	2	-	-	2	153	1	-	47	-	-	380	-
37	Alliance	288	-	-	-	-	-	12	-	-	1	-	-	34	-
38	Canton	1,227	-	1	-	-	1	30	-	-	7	-	-	184	-
39	Massillion	346	-	1	-	-	-	8	-	-	1	-	-	43	-
40	Balance of county	995	-	-	-	-	1	103	1	-	38	-	-	99	-
41	Summit	3,425	1	2	-	-	1	110	-	-	36	1	2	491	4
42	Akron	2,383	1	-	-	-	-	87	-	-	17	1	2	348	4
43	Barberton	259	-	-	-	-	-	11	-	-	3	-	-	38	-
44	Cuyahoga Falls	194	-	-	-	-	-	5	-	-	3	-	-	27	-
45	Balance of county	589	-	2	-	-	1	27	-	-	13	-	-	78	-
46	Trumbull	1,235	-	1	-	1	1	32	-	-	9	2	-	184	1
47	Niles	132	-	-	-	-	-	1	-	-	-	1	-	16	-
48	Warren	495	-	1	-	-	-	14	-	-	4	1	-	70	-
49	Youngstown (part)	2	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Balance of county	606	-	-	-	1	1	17	-	-	5	-	-	98	1
51	Tuscarawas	792	1	2	-	1	-	12	-	-	4	-	1	105	1
52	New Philadelphia	166	-	-	-	-	-	1	-	-	-	-	1	29	-
53	Balance of county	626	1	2	-	1	-	11	-	-	4	-	-	76	1
54	Union	227	-	-	-	-	-	2	-	-	2	-	-	30	-
55	Van Wert	287	-	-	-	-	-	4	-	-	2	-	1	40	-
56	Vinton	124	-	-	-	1	-	5	-	-	1	-	-	19	-
57	Warren	333	-	-	-	-	-	9	-	-	1	1	-	38	-
58	Washington	513	-	2	-	1	-	9	-	-	2	-	-	71	-
59	Marietta	225	-	-	-	-	-	3	-	-	1	-	-	34	-
60	Balance of county	288	-	2	-	1	-	6	-	-	1	-	-	37	-
61	Wayne	532	-	-	-	-	-	16	-	-	4	-	-	83	1
62	Wooster	140	-	-	-	-	-	3	-	-	-	-	-	23	-
63	Balance of county	392	-	-	-	-	-	13	-	-	4	-	-	60	1
64	Williams	279	-	-	-	-	-	3	-	-	5	-	-	46	-
65	Wood	490	-	-	-	1	-	7	-	-	2	-	-	64	-
66	Wyandot	220	-	-	-	-	-	6	-	-	1	-	-	41	-
67	OKLAHOMA	18,620	7	13	6	25	26	708	10	12	197	30	34	2,263	13
68	Adair	118	-	-	-	-	-	12	-	-	1	-	-	12	-
69	Alfalfa	114	-	-	-	1	-	1	-	-	1	-	-	12	-
70	Atoka	109	-	-	-	-	-	4	-	-	1	-	-	16	-
71	Beaver	56	-	-	-	-	-	2	-	-	-	-	-	4	-
72	Beckham	163	1	-	-	-	-	7	-	-	-	1	-	15	-
73	Blaine	157	-	-	-	-	-	9	-	-	5	-	-	12	-
74	Bryan	261	-	-	-	-	-	5	-	1	2	2	-	32	-
75	Durant	113	-	-	-	-	-	2	-	-	-	-	-	10	-
76	Balance of county	148	-	-	-	-	-	3	-	1	2	2	-	22	-
77	Caddo	323	-	1	-	-	-	20	-	-	1	2	3	45	-
78	Canadian	231	-	-	-	-	1	2	-	-	3	-	-	30	-
79	El Reno	135	-	-	-	-	1	1	-	-	1	-	-	21	-
80	Balance of county	96	-	-	-	-	-	1	-	-	2	-	-	9	-
81	Carter	362	-	-	2	1	-	9	-	-	3	-	-	60	-
82	Ardmore	220	-	-	-	1	-	5	-	-	1	-	-	37	-
83	Balance of county	142	-	-	2	-	-	4	-	-	2	-	-	23	-
84	Cherokee	165	1	-	-	-	1	12	-	-	3	-	-	16	-
85	Choctaw	160	-	1	-	1	-	6	1	-	1	-	-	14	-
86	Cimarron	20	-	-	-	-	-	1	-	-	-	-	-	-	-
87	Cleveland	412	-	-	-	-	-	24	-	-	36	-	-	29	-
88	Norman	345	-	-	-	-	-	23	-	-	36	-	-	22	-
89	Balance of county	67	-	-	-	-	-	1	-	-	-	-	-	7	-
90	Coal	81	-	-	-	-	-	4	-	-	-	-	-	9	-
91	Comanche	316	-	-	-	2	-	10	-	-	2	2	-	37	-
92	Lawton	213	-	-	-	-	-	5	-	-	2	1	-	26	-
93	Balance of county	103	-	-	-	2	-	5	-	-	-	1	-	11	-
94	Cotton	95	-	-	-	-	-	-	-	-	-	-	-	14	-
95	Craig	315	-	1	-	-	-	12	-	-	30	-	-	22	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
101	1	311	1,029	114	11	195	5	243	44	38	118	146	29	398	1
81	-	232	765	92	8	170	5	204	30	33	91	111	22	322	2
20	1	79	264	22	3	25	-	39	14	5	27	35	7	76	3
5	-	15	51	2	-	22	-	1	2	-	2	7	6	18	4
5	-	33	51	9	2	17	1	7	-	1	3	5	2	29	5
26	-	108	244	31	8	46	2	41	7	1	12	44	16	86	6
13	-	69	156	21	7	30	2	29	6	1	4	23	13	55	7
13	-	39	88	10	1	16	-	12	1	-	8	21	3	31	8
3	-	25	36	5	-	7	-	4	2	1	3	4	2	17	9
9	-	28	100	8	-	3	-	9	1	2	6	6	5	30	10
-	-	13	49	6	-	22	-	7	4	-	11	10	4	19	11
7	-	48	103	14	2	21	1	20	4	1	4	19	1	27	12
10	-	42	79	29	6	34	2	17	4	-	4	24	12	38	13
2	-	19	36	7	1	5	-	8	-	2	6	3	7	23	14
12	-	65	172	17	1	23	-	20	1	-	14	30	2	59	15
9	-	35	107	10	1	14	-	9	6	1	9	12	-	31	16
9	-	23	93	17	4	19	1	9	1	-	8	13	5	21	17
24	-	98	252	27	5	63	1	51	8	5	18	47	6	108	18
10	-	50	139	17	4	31	-	26	3	4	12	28	1	61	19
14	-	48	113	10	1	32	1	25	5	1	6	18	5	47	20
7	-	60	146	20	5	35	2	43	11	2	15	24	26	75	21
3	-	27	67	9	2	7	2	27	4	-	6	7	15	32	22
4	-	33	79	11	3	28	-	16	7	2	9	17	11	43	23
12	-	49	154	12	1	27	-	20	5	2	19	25	3	52	24
2	-	16	50	3	-	10	-	6	2	1	5	11	-	14	25
10	-	33	104	9	1	17	-	14	3	1	14	14	3	38	26
23	-	67	237	56	14	46	5	47	7	5	29	33	6	74	27
14	-	39	143	27	6	15	3	16	5	4	10	15	4	43	28
9	-	28	94	29	8	31	2	31	2	1	19	18	2	31	29
16	-	59	214	22	4	25	1	37	8	2	14	21	11	66	30
6	-	12	45	2	-	10	-	9	2	2	2	6	1	16	31
8	-	13	51	3	-	11	-	13	2	2	5	6	1	20	32
6	-	24	82	8	1	9	-	20	-	-	5	4	3	23	33
4	-	23	87	12	3	6	1	8	4	-	7	11	7	27	34
7	-	27	81	13	-	6	-	15	3	-	12	11	2	22	35
84	1	294	887	120	6	114	9	152	38	10	61	129	30	336	36
8	-	27	75	9	-	18	-	17	6	-	5	17	2	37	37
43	1	125	389	55	1	39	4	77	17	5	30	55	19	144	38
8	-	40	96	17	1	21	4	18	3	4	8	15	1	57	39
25	-	102	327	39	4	36	1	40	12	1	18	42	8	98	40
111	-	297	1,066	138	9	209	14	231	65	15	81	146	17	378	41
83	-	193	730	100	8	151	9	164	44	12	60	103	10	276	42
6	-	26	60	7	1	10	1	24	5	1	3	15	3	25	43
10	-	17	69	6	-	11	1	13	3	1	2	7	1	18	44
12	-	61	167	25	-	37	3	30	13	1	16	21	3	59	45
29	-	118	368	55	2	70	5	105	13	7	35	62	13	122	46
3	-	17	39	6	-	7	1	11	1	-	4	11	-	14	47
8	-	44	155	17	1	25	1	44	8	5	8	24	4	61	48
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	49
18	-	57	174	32	1	37	3	50	4	2	23	26	9	47	50
15	-	100	251	28	5	44	3	43	10	2	13	44	9	98	51
2	-	22	53	1	-	11	-	6	5	-	2	7	2	24	52
13	-	78	198	27	5	33	3	37	5	2	11	37	7	74	53
5	-	37	60	13	-	13	1	4	5	1	7	16	8	23	54
7	-	38	90	10	1	29	1	14	1	1	9	8	2	29	55
-	-	20	24	7	-	16	-	7	3	-	1	5	5	10	56
9	-	48	111	8	3	22	1	18	7	-	9	22	3	22	57
12	-	80	161	22	2	29	-	19	7	1	10	27	11	47	58
10	-	40	70	9	1	7	-	8	3	-	2	11	6	20	59
2	-	40	91	13	1	22	-	11	4	1	8	16	5	27	60
11	-	61	154	25	2	29	2	29	7	2	16	24	2	64	61
2	-	17	46	1	-	5	-	12	2	-	2	9	-	18	62
9	-	44	108	24	2	24	2	17	5	2	14	15	2	46	63
3	-	44	74	12	2	13	1	11	3	-	8	11	9	34	64
11	-	47	153	15	2	26	1	19	8	2	28	24	4	76	65
4	-	22	72	4	-	11	1	9	3	-	7	8	7	24	66
351	27	1,984	4,575	967	100	1,037	83	1,167	166	128	539	1,001	760	2,391	67
1	-	14	20	9	1	3	-	11	1	1	4	6	9	13	68
5	-	13	27	6	2	7	1	4	2	-	6	9	5	12	69
-	-	10	21	5	2	7	1	13	-	3	2	6	5	13	70
-	-	6	20	3	-	6	-	2	-	-	2	2	2	7	71
4	-	17	47	8	-	10	-	13	-	-	2	6	7	25	72
2	-	12	46	13	1	6	1	6	2	1	3	6	9	23	73
3	-	26	61	12	2	15	1	16	3	-	14	17	18	31	74
1	-	10	35	3	-	7	-	9	-	-	6	10	7	13	75
2	-	16	26	9	2	8	1	7	3	-	8	7	11	18	76
8	2	41	52	14	1	14	3	27	3	2	8	19	10	47	77
3	-	28	70	10	1	3	-	8	4	2	12	18	7	29	78
2	-	19	37	7	1	2	-	7	2	1	4	8	6	15	79
1	-	9	33	3	-	1	-	1	2	1	8	10	1	14	80
8	1	40	108	26	-	21	2	19	2	1	7	8	12	32	81
4	1	24	68	16	-	15	2	9	-	-	4	6	8	21	82
4	-	16	42	10	-	6	-	10	2	1	3	2	4	11	83
4	-	25	35	14	-	6	1	7	2	1	6	10	8	13	84
4	-	19	46	9	1	20	-	5	1	1	5	8	3	14	85
1	-	2	6	1	-	1	-	2	-	-	-	2	2	2	86
6	2	61	82	14	-	10	4	8	3	-	8	9	21	115	87
4	2	47	46	9	-	9	3	7	2	-	2	9	16	108	88
2	-	14	16	5	-	1	1	1	1	-	6	-	5	7	89
3	-	8	22	3	-	6	-	2	-	1	2	3	8	10	90
5	-	32	77	17	5	13	-	38	2	3	8	19	13	31	91
3	-	19	57	10	4	10	-	22	2	2	5	14	7	24	92
2	-	13	20	7	1	3	-	16	-	1	3	5	6	7	93
-	-	12	19	5	-	9	2	5	2	1	4	4	5	13	94
2	-	37	62	11	3	12	1	12	1	-	5	7	37	60	95

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	OKLAHOMA—Continued														
1	Creek	433	-	-	-	2	1	16	1	-	2	-	2	55	-
2	Sapulpa	157	-	-	-	2	-	4	1	-	2	-	1	14	-
3	Balance of county	276	-	-	-	-	1	12	-	-	-	-	1	41	-
4	Custer	181	-	-	-	-	-	13	-	-	-	-	-	17	1
5	Delaware	104	1	-	1	1	-	4	-	-	1	-	1	11	-
6	Dewey	71	-	-	-	1	-	1	-	-	-	-	-	15	-
7	Ellis	73	-	-	-	-	-	-	-	-	1	-	-	7	-
8	Garfield	489	1	-	-	-	2	19	-	-	3	-	-	56	-
9	Enid	347	1	-	-	-	2	19	-	-	3	-	-	40	-
10	Balance of county	142	-	-	-	-	-	-	-	-	-	-	-	16	-
11	Garvin	215	-	-	-	-	-	10	-	-	3	-	-	21	-
12	Grady	293	-	-	-	1	-	8	-	-	2	-	-	39	-
13	Chickasha	157	-	-	-	-	-	4	-	-	2	-	-	21	-
14	Balance of county	136	-	-	-	1	-	4	-	-	-	-	-	18	-
15	Grant	110	-	-	-	1	-	2	-	-	-	-	-	22	-
16	Greer	119	-	-	-	-	-	2	-	-	-	1	1	14	-
17	Harmon	60	-	-	-	-	-	2	-	-	-	-	-	7	-
18	Harper	47	-	-	-	-	-	-	-	-	1	-	-	8	-
19	Haskell	83	-	-	-	-	-	6	1	-	1	1	-	11	-
20	Hughes	204	-	-	-	-	-	8	-	-	-	-	-	30	-
21	Jackson	142	-	-	-	-	2	4	-	-	-	-	-	21	1
22	Jefferson	90	-	-	-	-	-	3	-	-	-	-	-	12	-
23	Johnston	71	-	-	-	-	-	6	-	-	1	-	-	7	-
24	Kay	421	-	-	-	1	-	8	-	-	6	-	-	49	-
25	Ponca City	145	-	-	-	-	-	2	-	-	1	-	-	18	-
26	Balance of county	276	-	-	-	1	-	6	-	-	5	-	-	31	-
27	Kingfisher	92	-	-	-	-	-	4	-	-	-	-	-	5	-
28	Kiowa	162	1	-	-	-	2	5	-	-	3	-	-	20	-
29	Latimer	91	-	-	-	-	-	13	-	-	1	-	-	12	-
30	Le Flore	281	-	-	-	-	-	9	-	-	-	-	-	33	-
31	Lincoln	232	-	-	-	-	-	4	-	-	-	1	-	21	-
32	Logan	250	-	-	-	-	-	7	-	-	-	-	1	39	-
33	Guthrie	159	-	-	-	-	-	6	-	-	-	-	1	23	-
34	Balance of county	91	-	-	-	-	-	1	-	-	-	-	-	16	-
35	Love	52	-	-	-	-	-	1	-	-	-	-	-	7	-
36	McClain	73	-	-	-	-	-	2	-	-	-	-	-	16	-
37	McCurtain	247	-	-	-	2	1	15	-	1	2	1	-	21	2
38	McIntosh	181	1	-	-	-	1	11	-	1	1	2	-	17	-
39	Major	72	-	-	-	-	-	1	-	-	-	-	-	9	-
40	Marshall	78	-	-	-	-	-	2	-	-	-	-	1	14	-
41	Mayes	153	-	-	-	-	-	7	-	-	-	-	-	24	1
42	Murrey	134	-	-	-	-	-	4	1	-	1	-	1	22	-
43	Muskogee	680	-	1	-	-	2	47	-	1	15	1	-	64	-
44	Muskogee	391	-	1	-	-	2	16	-	1	2	1	-	44	-
45	Balance of county	289	-	-	-	-	-	31	-	-	13	-	-	20	-
46	Noble	116	-	-	-	-	-	4	-	-	2	-	2	18	-
47	Nowata	136	-	-	-	-	-	2	-	1	-	-	1	19	-
48	Okfuskee	168	-	-	-	-	-	12	1	-	-	1	-	19	1
49	Oklahoma	2,207	-	1	1	2	5	82	1	-	14	3	6	279	1
50	Oklahoma City	1,875	-	-	1	2	4	57	1	-	13	2	5	238	1
51	Balance of county	332	-	1	-	-	1	5	-	-	1	1	1	41	-
52	Okmulgee	413	1	3	-	1	-	17	-	-	1	1	1	56	-
53	Okmulgee	197	-	-	-	1	-	7	-	-	1	-	1	26	-
54	Balance of county	216	1	3	-	-	-	10	-	-	-	1	-	30	-
55	Osage	283	-	1	-	-	1	8	-	-	1	-	1	36	-
56	Ottawa	327	-	1	-	-	-	39	-	-	1	-	2	33	1
57	Pawnee	144	-	-	1	2	-	3	-	-	-	-	-	19	1
58	Payne	286	-	-	-	-	-	7	2	-	2	1	1	41	-
59	Stillwater	122	-	-	-	-	-	4	1	-	-	1	1	13	-
60	Balance of county	164	-	-	-	-	-	3	1	-	2	-	-	28	-
61	Pittsburg	423	-	-	-	1	2	16	1	1	3	-	-	46	1
62	McAlester	183	-	-	-	-	1	7	-	1	2	-	-	15	1
63	Balance of county	240	-	-	-	1	1	9	1	-	1	-	-	31	-
64	Pontotoc	285	-	-	-	-	-	10	-	-	2	1	1	29	-
65	Ada	169	-	-	-	-	-	3	-	-	2	-	1	13	-
66	Balance of county	116	-	-	-	-	-	7	-	-	-	1	-	16	-
67	Pottawatomie	403	-	-	-	-	-	14	-	-	-	-	-	51	-
68	Shawnee	216	-	-	-	-	-	7	-	-	-	-	-	31	-
69	Balance of county	187	-	-	-	-	-	7	-	-	-	-	-	20	-
70	Pushmataha	103	-	-	-	-	-	2	-	-	-	-	-	13	-
71	Roger Mills	59	-	-	-	-	1	3	-	-	-	-	-	8	-
72	Rogers	180	-	-	-	1	2	4	-	-	-	-	2	21	-
73	Seminole	322	-	-	-	-	-	6	-	-	1	-	1	47	-
74	Seminole	99	-	-	-	-	-	1	-	-	-	-	1	15	-
75	Wewoka	74	-	-	-	-	-	2	-	-	-	-	-	6	-
76	Balance of county	149	-	-	-	-	-	3	-	-	1	-	-	26	-
77	Sequoyah	171	-	2	-	1	-	12	-	-	3	1	-	17	1
78	Stephens	216	-	-	-	-	1	7	-	-	2	-	-	26	-
79	Texas	74	-	-	-	-	-	-	-	-	-	-	-	9	-
80	Tillman	129	-	-	-	-	-	4	-	-	2	-	-	22	-
81	Tulsa	1,838	-	1	-	2	1	55	1	5	17	5	3	260	2
82	Tulsa	1,516	-	-	-	-	1	40	1	5	15	4	2	214	1
83	Balance of county	322	-	1	-	2	-	15	-	-	2	1	1	46	1
84	Wagoner	128	-	-	-	1	-	7	-	-	-	1	-	17	-
85	Washington	245	-	-	1	-	-	4	-	1	4	-	2	19	-
86	Bartlesville	158	-	-	-	-	-	4	-	1	3	-	1	11	-
87	Balance of county	87	-	-	1	-	-	-	-	-	1	-	1	8	-
88	Washita	135	-	-	-	-	-	5	-	-	1	-	-	19	-
89	Woods	124	-	-	-	-	-	1	-	-	3	-	-	17	-
90	Woodward	263	-	-	-	-	-	20	-	-	5	2	1	17	-
91	OREGON	13,318	6	14	1	7	10	311	3	-	120	7	9	1,623	10
92	Baker	200	-	-	-	-	1	7	-	-	1	1	-	27	-
93	Benton	176	-	-	-	-	-	4	-	-	2	-	-	23	1
94	Clackamas	653	-	-	-	-	2	14	-	-	3	1	2	103	1

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
6	2	50	117	23	1	15	3	25	7	1	7	31	13	53	1
3	-	19	47	7	-	8	1	10	2	1	5	6	7	17	2
3	2	31	70	16	1	7	2	15	5	-	2	25	6	36	3
7	-	13	43	10	-	7	-	9	2	-	6	7	7	39	4
-	-	13	23	8	1	7	-	4	5	-	4	6	2	11	5
-	-	7	19	3	-	1	-	4	2	-	3	7	1	7	6
1	-	11	26	3	1	2	-	4	-	-	-	6	2	9	7
12	1	44	147	27	-	31	-	34	2	1	8	28	13	60	8
9	1	22	107	21	-	18	-	27	2	1	4	19	8	43	9
3	-	22	40	6	-	13	-	7	-	-	4	9	5	17	10
2	-	29	50	12	-	11	-	18	-	-	11	14	10	24	11
4	1	30	67	16	1	16	2	19	1	2	8	17	14	45	12
1	1	13	35	12	-	8	1	15	1	-	3	8	5	27	13
3	-	17	32	4	1	8	1	4	-	2	5	9	9	18	14
1	-	10	39	-	-	9	-	2	-	-	5	6	4	9	15
3	3	10	26	3	-	6	-	12	3	2	2	6	9	16	16
2	-	6	19	4	-	1	2	4	1	-	1	7	1	3	17
1	-	5	19	-	1	1	1	-	-	-	1	1	-	8	18
2	-	10	15	4	-	7	-	4	2	3	2	4	5	5	19
2	-	15	59	18	1	17	-	17	3	2	1	6	9	16	20
4	-	12	27	12	2	10	-	8	2	3	9	4	2	19	21
1	-	9	17	5	1	6	-	9	-	1	5	4	3	14	22
1	1	10	16	4	-	3	-	4	-	-	1	3	3	11	23
11	-	42	128	12	1	31	-	23	1	3	13	24	10	58	24
2	-	9	49	3	-	14	-	8	1	2	7	6	2	21	25
9	-	33	79	9	1	17	-	15	-	1	6	18	8	37	26
4	-	11	32	5	-	6	-	4	-	-	-	3	3	15	27
1	-	20	48	5	1	7	1	12	1	1	3	9	5	17	28
2	1	6	17	9	-	7	-	7	-	-	2	2	5	7	29
3	-	31	57	16	-	14	2	28	4	1	7	25	11	40	30
4	1	29	73	10	-	10	-	20	3	-	14	11	8	23	31
6	-	27	68	11	1	9	2	11	2	1	9	14	3	41	32
3	-	17	43	8	1	5	1	8	1	1	6	7	2	26	33
3	-	10	23	3	-	4	1	3	1	-	3	7	1	15	34
-	-	6	7	2	-	1	1	2	-	-	1	10	2	12	35
1	-	6	11	5	-	3	-	6	-	1	2	5	4	11	36
6	1	39	43	19	3	9	1	18	3	4	7	8	18	23	37
3	-	11	28	19	2	11	2	18	-	2	4	14	11	22	38
4	-	9	16	7	-	6	-	4	-	-	-	7	1	8	39
2	1	6	20	3	-	7	-	3	1	-	1	6	1	10	40
3	-	22	31	8	1	14	1	9	1	2	3	5	6	15	41
2	-	15	38	9	-	8	1	6	2	3	4	3	3	11	42
8	1	74	158	27	7	44	5	36	9	3	14	41	43	79	43
8	1	45	97	17	4	22	1	26	5	2	12	23	13	48	44
-	-	29	61	10	3	22	4	10	4	1	2	18	30	31	45
2	-	17	24	5	-	7	1	6	-	-	2	6	8	12	46
2	-	17	31	5	-	10	-	5	-	-	16	8	8	11	47
3	1	14	37	14	3	11	1	6	2	-	2	10	6	24	48
47	3	230	597	90	23	92	8	163	25	21	82	114	50	287	49
34	2	195	522	76	18	79	7	136	21	17	66	94	41	243	50
13	1	35	75	14	5	13	1	27	4	4	16	20	9	44	51
8	-	36	93	34	-	22	3	19	5	5	14	22	13	58	52
1	-	16	44	17	-	10	-	13	3	1	10	10	9	27	53
7	-	20	49	17	-	12	3	6	2	4	4	12	4	31	54
9	-	35	63	14	1	11	1	25	4	-	10	15	10	37	55
4	-	26	63	30	1	28	-	20	2	-	10	19	14	33	56
4	-	17	45	10	-	14	1	3	3	-	2	2	5	12	57
5	-	28	57	11	3	30	2	24	-	2	4	12	16	38	58
2	-	12	34	9	1	10	1	11	-	1	-	9	4	8	59
3	-	16	23	2	2	20	1	13	-	1	4	3	12	30	60
4	1	32	102	25	2	24	5	27	4	9	10	26	24	57	61
2	-	15	55	4	1	7	1	12	3	7	6	7	7	29	62
2	1	17	47	21	1	17	4	15	1	2	4	19	17	28	63
10	1	24	66	16	2	14	1	23	3	3	10	14	11	44	64
8	1	15	44	9	2	5	-	14	3	3	6	6	4	30	65
2	-	9	22	7	-	9	1	9	-	-	4	8	7	14	66
5	-	59	120	24	2	9	-	24	-	1	5	23	15	51	67
4	-	32	64	13	2	2	-	11	-	1	2	12	5	30	68
1	-	27	56	11	-	7	-	13	-	-	3	11	10	21	69
1	1	18	17	5	-	7	1	9	-	-	2	6	9	12	70
1	-	7	12	3	2	1	1	4	1	-	3	-	3	9	71
5	-	15	57	10	1	5	-	7	3	2	5	13	8	19	72
4	-	23	64	19	2	19	1	24	1	1	19	20	27	43	73
1	-	8	15	7	-	6	-	7	1	1	9	6	9	12	74
1	-	4	18	4	1	7	-	6	-	-	4	3	6	12	75
2	-	11	31	8	1	6	1	11	-	-	6	11	12	19	76
4	1	17	32	5	-	12	1	6	-	2	8	9	21	16	77
3	-	23	59	10	-	16	2	17	-	1	3	9	4	33	78
3	-	7	17	3	-	6	1	3	1	1	6	4	-	13	79
2	-	6	24	5	3	17	-	5	-	2	5	11	4	17	80
37	1	185	479	81	7	118	7	118	21	21	48	111	48	204	81
31	1	152	409	61	7	94	6	95	20	17	42	86	40	172	82
6	-	33	70	20	-	24	1	23	1	4	6	25	8	32	83
1	-	15	28	7	-	4	2	11	1	2	4	6	3	18	84
12	-	32	55	13	3	22	2	16	1	2	2	14	9	31	85
10	-	21	37	8	1	14	1	11	-	2	1	6	7	19	86
2	-	11	18	5	2	8	1	5	1	-	1	8	2	12	87
1	-	22	41	6	1	8	-	3	-	-	4	7	6	11	88
4	-	14	38	5	-	16	1	5	2	-	2	7	1	8	89
2	-	24	51	18	-	8	-	12	2	-	5	10	24	62	90
303	1	1,249	3,784	623	37	949	31	658	204	53	493	776	283	1,553	91
7	-	16	60	6	1	23	-	5	5	1	7	6	7	19	92
3	-	25	50	4	-	22	-	13	5	-	5	5	1	13	93
17	-	83	149	21	1	78	1	34	7	2	25	37	21	71	94

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	OREGON—Continued														
1	Clatsop	281	-	-	-	-	-	5	-	-	1	-	-	37	-
2	Astoria	168	-	-	-	-	-	2	-	-	-	-	-	24	-
3	Balance of county	113	-	-	-	-	-	3	-	-	1	-	-	13	-
4	Columbia	174	-	-	-	-	-	5	-	-	-	1	-	20	-
5	Coos	342	-	2	-	-	1	8	-	-	-	-	-	41	-
6	Crook	54	-	-	-	-	-	-	-	-	-	-	-	9	-
7	Curry	60	-	-	-	-	1	-	-	-	-	-	-	5	-
8	Deschutes	156	-	-	-	-	-	2	1	-	1	-	-	19	-
9	Bend	95	-	-	-	-	-	-	-	-	-	-	-	15	-
10	Balance of county	61	-	-	-	-	-	2	1	-	1	-	-	4	-
11	Douglas	340	-	-	-	-	-	4	-	-	7	1	-	44	2
12	Gilliam	30	-	-	-	-	-	-	-	-	-	-	-	5	-
13	Grant	57	-	-	-	-	-	1	-	-	-	-	-	6	-
14	Harney	43	-	-	-	-	-	-	-	-	-	-	-	4	-
15	Hood River	102	-	-	-	-	-	-	-	-	-	-	1	9	-
16	Jackson	489	-	-	-	-	1	6	-	-	3	1	1	61	1
17	Medford	219	-	-	-	-	-	4	-	-	1	-	-	27	-
18	Balance of county	270	-	-	-	-	1	2	-	-	2	1	1	34	1
19	Jefferson	25	-	-	-	-	-	2	-	-	-	-	-	3	-
20	Josephine	222	-	-	-	-	-	3	-	-	2	-	-	35	-
21	Klamath	330	3	-	-	-	-	13	-	-	4	-	-	37	-
22	Klamath Falls	221	2	-	-	-	-	7	-	-	2	-	-	26	-
23	Balance of county	109	1	-	-	-	-	6	-	-	2	-	-	11	-
24	Lake	37	-	-	-	-	-	-	-	-	-	-	-	3	-
25	Lane	791	-	4	1	1	-	13	-	-	6	-	4	113	2
26	Eugene	450	-	2	1	-	-	5	-	-	3	-	3	66	2
27	Balance of county	341	-	2	-	1	-	8	-	-	3	-	1	47	-
28	Lincoln	154	-	-	-	-	-	-	-	-	-	-	-	25	-
29	Linn	375	-	1	-	2	-	3	-	-	-	-	-	37	-
30	Malheur	150	-	-	-	1	-	2	-	-	-	-	-	12	-
31	Marion	1,294	1	1	-	1	-	53	-	-	21	1	-	141	-
32	Salem	868	-	-	-	-	-	32	-	-	17	-	-	71	-
33	Balance of county	426	1	1	-	1	-	21	-	-	4	1	-	70	-
34	Morrow	46	-	-	-	-	-	-	-	-	-	-	-	5	-
35	Multnomah	4,915	2	6	-	1	3	134	2	-	53	-	1	755	2
36	Portland	4,182	2	2	-	1	3	117	1	-	44	-	1	660	2
37	Balance of county	733	-	4	-	-	-	17	1	-	9	-	-	95	-
38	Polk	172	-	-	-	-	-	4	-	-	-	-	-	30	-
39	Sherman	12	-	-	-	-	-	-	-	-	-	-	-	2	-
40	Tillamook	120	-	-	-	-	-	-	-	-	1	-	-	22	-
41	Umatilla	400	-	-	-	-	-	8	-	-	11	1	-	39	1
42	Union	177	-	-	-	-	-	2	-	-	-	-	-	18	-
43	Wallowa	52	-	-	-	-	-	2	-	-	-	-	-	5	-
44	Wasco	167	-	-	-	-	-	8	-	-	2	-	-	23	-
45	Washington	392	-	-	-	-	1	4	-	-	1	-	-	59	-
46	Wheeler	24	-	-	-	-	-	-	-	-	-	-	-	2	-
47	Yamhill	306	-	-	-	1	-	4	-	-	1	-	-	44	-
48	PENNSYLVANIA	107,683	22	80	12	94	58	3,697	24	11	918	116	29	14,787	123
49	Adams	363	-	2	-	1	-	2	-	-	3	1	-	52	1
50	Allegheny	14,932	2	14	-	4	4	556	-	2	166	4	2	2,144	11
51	Bellevue	124	-	-	-	-	-	3	-	-	-	-	-	20	1
52	Braddock	173	-	-	-	1	-	10	-	-	1	-	-	20	-
53	Carnegie	128	-	-	-	-	1	5	-	-	-	-	-	19	1
54	Clairton	152	-	-	-	-	-	7	-	-	-	1	-	21	1
55	Coraopolis	92	-	-	-	-	-	3	-	-	-	-	-	14	-
56	Dormont	99	-	-	-	-	-	1	-	-	-	-	-	15	1
57	Duquesne	179	-	-	-	-	-	4	-	-	1	-	-	29	-
58	Harrison (twp.)[2]	85	-	-	-	-	-	4	-	-	-	-	-	13	-
59	Homestead	123	-	-	-	-	-	6	-	1	3	-	-	17	-
60	McKees Rocks	217	-	-	-	-	-	10	-	-	3	-	-	28	-
61	McKeesport	504	-	3	-	-	-	15	-	-	1	-	-	73	1
62	Mount Lebanon (twp.)[2]	147	-	-	-	-	-	2	-	-	-	-	1	18	-
63	Munhall	126	-	-	-	-	-	3	-	-	1	-	-	24	-
64	North Braddock	133	-	-	-	1	-	2	-	-	1	-	-	21	-
65	Pittsburgh	7,608	1	6	-	-	2	321	-	1	63	3	-	1,112	4
66	Shaler (twp.)[2]	59	-	-	-	-	-	1	-	-	-	-	-	5	-
67	Stowe (twp.)[2]	9	-	-	-	-	-	1	-	-	-	-	-	1	-
68	Swissvale	150	-	-	-	-	-	2	-	-	1	-	-	23	-
69	Wilkinsburg	348	-	-	-	-	-	6	-	-	-	-	-	47	-
70	Balance of county	4,476	1	5	-	2	1	150	-	-	91	-	1	824	2
71	Armstrong	729	-	1	-	1	-	16	-	-	3	1	-	93	2
72	Beaver	1,443	1	1	-	4	-	43	-	1	12	-	-	207	3
73	Aliquippa	202	-	-	-	-	-	10	-	-	3	-	-	42	-
74	Ambridge	151	-	-	-	-	-	6	-	-	3	-	-	19	1
75	Beaver Falls	189	-	-	-	1	-	4	-	-	2	-	-	28	-
76	Ellwood City (part)	9	-	-	-	-	-	1	-	-	-	-	-	-	-
77	Balance of county	892	1	1	-	3	-	22	-	1	4	-	-	118	2
78	Bedford	400	-	-	-	2	-	5	-	-	-	2	-	54	-
79	Berks	2,854	-	2	1	-	2	115	1	-	16	4	1	405	4
80	Reading	1,342	-	2	-	-	-	35	-	-	9	2	-	213	4
81	Balance of county	1,512	-	-	1	-	2	80	1	-	7	2	1	192	-
82	Blair	1,540	-	1	-	1	1	22	-	-	12	3	-	210	1
83	Altoona	898	-	-	-	1	-	11	-	-	3	2	-	126	1
84	Balance of county	642	-	1	-	-	1	11	-	-	9	1	-	84	-
85	Bradford	626	-	1	1	3	1	9	-	-	-	2	-	80	-
86	Bucks	1,187	-	1	-	1	-	27	-	-	5	1	1	164	1
87	Bristol	125	-	-	-	-	-	6	-	-	-	-	-	17	-
88	Balance of county	1,062	-	1	-	1	-	21	-	-	5	1	1	147	1
89	Butler	925	1	2	-	-	-	6	-	-	3	1	-	111	-
90	Butler	269	-	1	-	-	-	4	-	-	2	-	-	37	-
91	Balance of county	656	1	1	-	-	-	2	-	-	1	1	-	74	-

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 182, 199,200	All other causes	
5	-	28	92	1	3	16	-	15	4	1	11	19	5	38	1
2	-	20	55	-	3	13	-	7	3	1	5	9	1	23	2
3	-	8	37	1	-	3	-	8	1	-	6	10	4	15	3
3	-	21	51	6	1	9	1	14	2	1	10	13	3	13	4
7	-	28	124	10	2	26	-	9	4	2	14	31	7	26	5
2	-	4	8	2	-	4	-	6	1	-	2	7	2	7	6
-	-	5	27	2	-	2	-	1	1	1	3	2	2	8	7
4	-	12	51	2	-	8	1	15	3	1	7	9	3	17	8
3	-	8	35	1	-	5	-	7	3	1	2	2	1	12	9
1	-	4	16	1	-	3	1	8	-	-	5	7	2	5	10
5	-	37	104	7	2	13	-	13	8	1	16	33	5	38	11
-	-	1	7	2	1	3	-	2	1	2	-	-	2	4	12
1	-	10	19	1	-	5	1	1	-	-	1	6	-	5	13
2	-	6	13	3	-	1	-	2	-	-	-	5	2	5	14
2	-	9	34	3	-	8	1	9	-	-	7	7	3	9	15
8	-	41	171	13	2	46	3	20	7	1	23	25	7	48	16
4	-	27	70	10	1	18	1	12	3	-	8	7	2	24	17
4	-	14	101	3	1	28	2	8	4	1	15	18	5	24	18
-	-	2	5	4	1	1	-	1	-	-	4	1	-	1	19
7	1	17	70	7	-	20	-	8	5	-	7	8	4	28	20
10	-	27	80	10	-	11	1	27	6	5	18	29	2	47	21
8	-	20	56	7	-	9	1	16	3	4	8	16	2	34	22
2	-	7	24	3	-	2	-	11	3	1	10	13	-	13	23
1	-	4	7	-	1	7	-	4	2	-	3	2	-	3	24
12	-	62	220	37	2	72	3	43	16	5	46	58	17	54	25
7	-	44	121	22	-	48	1	25	7	1	18	28	13	33	26
5	-	18	99	15	2	24	2	18	9	4	28	30	4	21	27
2	-	9	53	2	-	5	2	13	2	-	8	10	4	19	28
7	-	36	112	14	1	35	-	27	5	3	22	26	9	35	29
3	-	14	34	5	1	17	-	13	5	-	8	12	7	16	30
36	-	104	291	194	5	65	3	33	12	1	36	51	42	202	31
24	-	59	187	178	1	50	3	14	7	-	13	30	37	145	32
12	-	45	104	16	4	15	-	19	5	1	23	21	5	57	33
-	-	7	9	4	-	6	-	3	1	1	1	2	1	6	34
120	-	473	1,442	188	8	301	12	244	78	21	133	257	95	584	35
109	-	375	1,269	153	6	248	11	202	68	16	114	216	51	511	36
11	-	98	173	35	2	53	1	42	10	5	19	41	44	73	37
2	-	19	49	6	-	20	-	8	4	-	13	9	1	7	38
-	-	-	3	-	-	2	-	2	-	-	1	-	-	2	39
2	-	18	33	5	-	6	-	7	-	-	6	9	3	8	40
6	-	30	96	14	3	22	-	14	6	2	13	29	12	93	41
5	-	19	45	7	-	20	-	12	3	-	6	16	1	23	42
1	-	4	20	-	-	1	-	1	-	-	5	6	1	6	43
8	-	8	52	6	1	26	-	3	-	-	3	7	2	18	44
10	-	43	117	19	-	23	1	21	8	-	11	17	8	49	45
-	-	1	2	1	-	3	-	1	-	-	1	3	2	8	46
5	-	46	84	17	1	22	1	14	3	2	17	19	2	23	47
3,325	7	9,248	36,169	4,473	503	6,938	332	5,494	1,145	299	1,900	4,461	946	12,472	48
8	-	44	107	11	1	44	-	22	2	-	11	17	2	32	49
401	-	1,326	4,892	704	48	887	60	725	158	53	222	583	284	1,680	50
2	-	7	41	3	1	9	-	9	1	-	1	5	1	20	51
3	-	8	53	3	3	10	-	16	2	3	1	8	1	30	52
1	-	13	39	5	-	3	1	10	1	-	2	6	2	19	53
4	-	11	43	13	-	11	3	10	1	1	5	5	2	13	54
-	-	8	24	7	-	9	-	7	-	-	2	4	1	13	55
1	-	13	36	2	-	11	-	5	1	-	-	5	-	8	56
7	-	14	59	10	-	8	1	5	3	1	1	9	5	22	57
5	-	5	24	-	-	5	1	5	1	-	2	3	1	16	58
7	-	10	34	6	-	9	1	11	-	1	-	6	3	8	59
8	-	23	66	10	-	11	1	11	2	-	1	11	6	26	60
10	-	52	165	25	1	31	3	34	5	7	8	13	3	54	61
2	-	6	71	4	-	15	-	5	1	-	-	6	3	13	62
4	-	8	49	6	1	8	1	7	-	-	-	2	2	10	63
6	-	18	37	5	-	2	-	3	2	-	3	7	2	23	64
201	-	707	2,495	395	25	415	31	349	77	33	108	288	194	797	65
2	-	8	18	2	-	2	-	8	-	-	1	2	1	9	66
-	-	1	2	-	-	-	-	-	-	-	-	-	1	3	67
3	-	21	54	4	-	5	-	8	-	-	3	8	3	15	68
3	-	38	110	20	-	29	1	15	7	-	6	11	3	52	69
132	-	355	1,472	184	17	294	16	207	54	7	78	204	50	529	70
24	-	59	243	40	3	37	3	52	6	1	13	39	7	85	71
36	-	141	394	57	8	84	7	101	10	4	47	72	9	201	72
4	-	11	53	12	3	6	1	10	1	-	9	13	2	22	73
5	-	14	49	2	-	4	-	11	3	1	6	5	-	22	74
9	-	18	44	6	-	13	3	13	3	1	5	6	2	31	75
1	-	-	4	-	-	-	-	-	-	-	1	-	-	2	76
17	-	98	244	37	5	61	3	67	3	2	26	48	5	124	77
10	-	34	118	17	2	44	2	26	5	-	18	15	6	40	78
119	-	257	1,046	108	10	148	3	100	26	-	43	89	33	321	79
61	-	119	492	57	2	56	2	46	18	-	11	45	12	156	80
58	-	158	554	51	8	92	1	54	8	-	32	44	21	165	81
53	-	134	512	51	4	134	10	77	18	7	37	59	4	189	82
36	-	78	320	27	1	74	7	41	9	5	18	28	3	107	83
17	-	56	192	24	3	60	3	36	9	2	19	31	1	82	84
16	-	51	258	25	4	36	2	28	9	1	16	22	2	59	85
44	-	111	402	39	7	75	4	61	15	6	20	38	11	153	86
4	-	12	31	2	1	6	-	9	3	-	1	5	2	26	87
40	-	99	371	37	6	69	4	52	12	6	19	33	9	127	88
19	-	123	294	39	3	61	2	59	12	-	30	49	4	106	89
8	-	27	86	14	2	20	1	15	2	-	5	14	1	30	90
11	-	96	208	25	1	41	1	44	10	-	25	35	3	76	91

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, poliioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	PENNSYLVANIA—Con.														
1	Cambria	1,913	1	-	-	6	1	97	-	1	15	1	1	221	5
2	Johnstown	798	1	-	-	1	1	25	-	1	9	1	-	92	2
3	Balance of county	1,115	-	-	-	5	-	72	-	-	6	-	1	129	3
4	Cameron	52	-	-	-	-	-	1	-	-	-	-	-	6	-
5	Carbon	678	-	-	-	1	-	20	-	-	5	2	-	88	1
6	Centre	492	-	2	-	4	1	5	-	-	2	2	-	72	2
7	Chester	1,862	-	1	-	2	2	84	2	-	15	8	1	212	2
8	Coatesville	157	-	-	-	-	-	4	-	-	4	-	-	22	-
9	Phoenixville	135	-	-	-	-	1	7	-	-	-	-	-	15	-
10	West Chester	207	-	-	-	1	-	7	-	-	1	-	-	31	-
11	Balance of county	1,163	-	1	-	1	1	66	2	-	10	8	1	144	2
12	Clarion	396	-	-	-	-	-	3	1	-	-	-	-	44	-
13	Clearfield	816	-	1	-	-	1	12	-	-	4	1	-	90	1
14	Du Bois	152	-	1	-	-	-	5	-	-	2	-	-	18	-
15	Balance of county	664	-	-	-	-	1	7	-	-	2	1	-	72	1
16	Clinton	373	-	-	-	-	-	8	-	-	1	1	1	47	1
17	Lock Haven	128	-	-	-	-	-	2	-	-	-	1	1	19	1
18	Balance of county	245	-	-	-	-	-	6	-	-	1	-	-	28	-
19	Columbia	570	-	-	-	-	-	14	-	-	1	1	1	76	1
20	Berwick	153	-	-	-	-	-	8	-	-	1	-	-	22	-
21	Balance of county	417	-	-	-	-	-	6	-	-	-	1	1	54	1
22	Crawford	876	-	1	-	-	3	12	-	-	3	3	-	117	-
23	Meadville	216	-	-	-	-	1	7	-	-	1	-	-	25	-
24	Balance of county	660	-	1	-	-	2	5	-	-	2	3	-	92	-
25	Cumberland	858	1	-	-	-	2	15	-	-	8	1	-	115	1
26	Carlisle	182	-	-	-	-	-	5	-	-	2	-	-	18	-
27	Balance of county	676	1	-	-	-	2	10	-	-	6	1	-	97	1
28	Dauphin	2,335	1	1	-	4	4	90	1	-	28	1	1	320	3
29	Harrisburg	1,126	-	1	-	2	2	36	-	-	5	-	-	165	-
30	Steelton	138	-	-	-	-	-	12	-	-	-	-	-	22	-
31	Balance of county	1,071	1	-	-	2	2	42	1	-	23	1	1	133	3
32	Delaware	3,316	1	4	-	-	3	105	-	-	12	1	2	508	4
33	Chester	706	-	-	-	-	1	42	-	-	5	1	-	102	1
34	Darby	127	-	-	-	-	-	7	-	-	-	-	-	12	-
35	Haverford (twp.)[2]	183	-	-	-	-	-	3	-	-	-	-	-	42	-
36	Lansdowne	140	-	-	-	-	-	5	-	-	-	-	-	28	-
37	Upper Darby (twp.)[2]	606	-	2	-	-	-	12	-	-	1	-	-	93	-
38	Balance of county	1,554	1	2	-	-	2	36	-	-	6	-	2	231	3
39	Elk	278	-	-	-	-	-	4	-	-	1	1	-	33	-
40	Erie	2,182	-	-	1	3	-	70	6	-	9	1	-	293	1
41	Erie	1,397	-	-	-	2	-	45	6	-	5	1	-	192	-
42	Balance of county	785	-	-	1	1	-	24	-	-	4	-	-	101	1
43	Fayette	1,741	-	2	1	2	2	52	-	-	10	-	-	214	1
44	Connellsville	161	-	-	-	-	-	6	-	-	2	-	-	28	-
45	Uniontown	269	-	-	-	-	-	5	-	-	3	-	-	34	-
46	Balance of county	1,311	-	2	1	2	2	41	-	-	5	-	-	152	1
47	Forest	61	-	-	1	-	-	1	-	-	-	-	-	9	-
48	Franklin	758	-	-	-	1	1	62	-	-	8	1	-	102	-
49	Chambersburg	171	-	-	-	-	-	6	-	-	-	1	-	29	-
50	Waynesboro	112	-	-	-	-	-	2	-	-	2	-	-	16	-
51	Balance of county	475	-	-	-	1	1	54	-	-	8	-	-	57	-
52	Fulton	78	-	-	-	-	-	-	-	-	-	-	-	10	-
53	Greene	436	-	-	-	1	1	12	-	-	1	-	-	56	-
54	Huntingdon	430	-	1	-	2	-	13	-	-	2	-	-	52	2
55	Indiana	658	-	1	-	-	-	15	1	-	3	-	-	84	1
56	Indiana	107	-	1	-	-	-	3	-	-	-	-	-	15	-
57	Balance of county	551	-	-	-	-	-	12	1	-	3	-	-	69	1
58	Jefferson	504	-	-	-	-	-	3	-	-	-	-	-	51	-
59	Juniata	161	-	2	-	-	-	6	-	-	1	-	-	16	-
60	Lackawanna	3,205	1	2	-	1	1	112	-	-	7	1	-	445	-
61	Carbondale	236	-	-	-	-	-	3	-	-	-	-	-	35	-
62	Dickson City	98	-	-	-	-	-	9	-	-	1	-	-	11	-
63	Dunmore	235	-	-	-	-	-	7	-	-	-	-	-	30	-
64	Old Forge	78	-	-	-	-	-	6	-	-	-	-	-	13	-
65	Scranton	1,560	1	2	-	-	-	42	-	-	5	1	-	226	-
66	Balance of county	1,000	-	-	-	1	1	45	-	-	1	-	-	130	-
67	Lancaster	2,376	1	1	1	4	1	54	1	-	16	2	-	298	6
68	Columbia	148	-	-	-	2	1	5	-	-	2	-	-	16	-
69	Lancaster	788	-	-	1	2	-	22	-	-	10	-	-	110	-
70	Balance of county	1,440	1	1	-	-	-	27	1	-	4	2	-	172	6
71	Lawrence	909	-	-	-	1	-	11	-	-	1	-	-	135	-
72	Ellwood City (part)	89	-	-	-	-	-	2	-	-	-	-	-	11	-
73	Ellwood City (total)	98	-	-	-	-	-	3	-	-	-	-	-	11	-
74	New Castle	516	-	-	-	-	-	8	-	-	-	-	-	79	-
75	Balance of county	304	-	-	-	1	-	1	-	-	1	-	-	45	-
76	Lebanon	779	-	1	-	4	1	9	-	1	5	5	-	88	1
77	Lebanon	380	-	-	-	2	-	2	-	-	4	2	-	54	1
78	Balance of county	399	-	1	-	2	1	7	-	1	1	3	-	34	-
79	Lehigh	2,102	1	2	-	-	-	47	-	1	44	2	-	300	2
80	Allentown	1,234	1	1	-	-	-	28	-	-	40	2	-	179	-
81	Bethlehem (part)	144	-	-	-	-	-	1	-	-	-	-	-	26	-
82	Balance of county	724	-	1	-	-	-	18	-	1	4	-	-	95	2
83	Luzerne	4,055	-	2	-	4	2	146	-	1	16	9	2	521	9
84	Hanover (twp.)[2]	29	-	-	-	-	-	-	-	-	1	-	-	2	-
85	Hazleton	403	-	-	-	1	-	8	-	-	1	1	1	63	-
86	Kingston	213	-	-	-	-	-	5	-	1	-	2	-	40	1
87	Nanticoke	226	-	-	-	-	1	10	-	-	-	1	-	20	1
88	Pittston	184	-	-	-	-	-	8	-	-	-	-	-	25	1
89	Plains (twp.)[2]	103	-	1	-	-	-	9	-	-	-	-	-	13	1
90	Plymouth	159	-	-	-	-	-	7	-	-	-	-	-	17	1
91	Wilkes-Barre	948	-	-	-	-	1	30	-	-	3	2	1	114	2
92	Balance of county	1,790	-	1	-	3	-	69	-	-	11	3	-	227	2

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
64	-	156	607	78	7	94	8	166	15	4	31	97	17	220	1
23	-	67	259	31	3	52	3	75	6	1	8	37	8	92	2
41	-	89	348	47	4	42	5	91	9	3	23	60	9	126	3
1	-	4	24	-	-	1	1	3	-	-	-	1	2	8	4
26	-	45	245	26	2	52	1	30	3	1	19	26	4	81	5
9	-	51	174	20	-	20	1	28	7	-	10	22	-	60	6
38	-	151	506	75	6	124	3	86	20	3	33	76	9	203	7
2	-	20	45	8	1	8	-	11	4	1	4	7	1	15	8
7	-	15	37	4	2	12	-	9	3	-	2	7	1	13	9
7	-	15	67	46	1	14	2	23	2	1	2	6	1	20	10
22	-	101	357	57	2	90	1	43	11	1	25	56	6	155	11
10	-	47	103	23	1	45	2	19	3	1	19	24	1	50	12
32	-	87	248	33	7	71	2	52	9	-	20	31	9	105	13
7	-	19	35	7	-	9	2	13	3	-	4	3	6	18	14
25	-	68	213	26	7	62	-	39	6	-	16	28	3	87	15
12	-	51	104	18	-	13	1	21	4	1	11	18	2	58	16
4	-	16	33	3	-	1	-	10	1	1	6	1	-	28	17
8	-	35	71	15	-	12	1	11	3	-	5	17	2	30	18
22	-	48	181	29	2	46	5	23	13	-	14	27	7	59	19
8	-	8	51	11	-	5	1	7	2	-	6	8	3	11	20
14	-	39	130	18	2	41	4	16	11	-	8	19	4	48	21
21	-	98	317	32	1	35	5	36	15	2	19	37	8	111	22
6	-	25	76	9	-	3	3	16	4	2	5	5	3	25	23
15	-	73	241	23	1	32	2	20	11	-	14	32	5	86	24
25	-	85	295	33	4	60	3	43	14	-	20	33	3	97	25
1	-	23	64	8	2	17	1	13	3	-	4	5	1	15	26
24	-	62	231	25	2	43	3	30	11	-	16	28	2	82	27
82	1	187	772	96	8	230	10	90	22	9	37	78	15	244	28
43	-	78	398	40	4	111	5	51	10	8	22	31	8	105	29
6	-	13	34	10	2	13	-	6	1	1	2	5	-	11	30
33	1	98	339	46	2	106	5	33	11	-	13	42	7	128	31
94	-	244	1,158	117	16	220	12	188	46	10	53	136	19	363	32
10	-	48	196	31	6	43	4	76	14	7	16	29	4	72	33
5	-	10	47	6	-	8	-	10	-	-	-	5	1	16	34
2	-	12	65	6	-	21	2	4	6	-	1	7	-	12	35
3	-	12	53	2	-	10	-	4	2	-	1	5	2	13	36
23	-	43	229	10	3	37	2	33	10	-	9	30	3	66	37
51	-	121	568	62	7	101	4	61	14	3	26	60	9	184	38
9	-	29	89	5	1	24	2	17	3	-	10	13	1	36	39
55	-	230	721	79	49	103	4	135	19	2	51	77	24	249	40
42	-	127	462	56	41	71	2	100	13	2	26	48	10	145	41
13	-	103	259	23	8	32	2	35	6	-	25	29	14	104	42
52	-	194	518	93	8	120	7	107	27	6	38	113	13	161	43
-	-	15	57	10	-	9	1	8	2	-	2	8	-	13	44
7	-	30	83	11	-	19	1	22	3	2	5	17	2	25	45
45	-	149	378	72	8	92	5	77	22	4	31	88	11	123	46
-	-	8	19	3	-	5	-	1	-	-	2	5	-	7	47
27	-	80	224	35	-	73	4	29	6	-	16	21	2	66	48
4	-	23	59	5	-	14	2	6	2	-	-	4	2	14	49
6	-	13	38	5	-	5	-	3	1	-	1	3	-	17	50
17	-	44	127	25	-	54	2	20	3	-	15	14	-	35	51
4	-	7	23	4	-	10	-	4	1	-	1	4	2	8	52
13	-	43	108	22	1	38	-	39	11	3	14	23	1	49	53
10	-	51	133	17	4	30	3	23	4	2	6	21	7	47	54
11	-	63	215	28	5	28	2	38	10	-	19	40	7	87	55
2	-	14	32	4	1	3	-	3	1	-	2	11	1	14	56
9	-	49	183	24	4	25	2	35	9	-	17	29	6	73	57
19	-	47	163	24	1	48	-	33	5	-	8	24	2	78	58
5	-	20	38	7	-	24	1	4	1	-	5	5	2	24	59
99	-	233	1,116	131	17	192	8	145	21	4	58	139	25	449	60
3	-	14	83	7	5	19	2	16	-	-	5	5	1	38	61
2	-	9	21	4	1	7	-	1	2	-	1	7	5	15	62
5	-	16	80	12	-	27	-	5	1	1	5	8	-	38	63
1	-	7	19	2	-	5	-	4	1	-	1	5	1	13	64
60	-	124	539	63	7	83	5	79	11	2	25	65	8	212	65
28	-	63	374	43	4	51	1	40	6	1	19	49	10	133	66
94	-	256	852	85	3	128	2	122	29	1	47	72	10	290	67
5	-	19	53	5	1	6	-	10	3	-	1	6	-	13	68
33	-	83	269	25	1	35	1	48	9	1	9	23	4	102	69
58	-	154	530	55	1	87	1	64	17	-	37	43	6	175	70
34	-	83	292	39	4	30	4	53	12	-	21	52	12	125	71
1	-	8	25	5	-	4	-	7	1	-	4	1	1	19	72
2	-	8	29	5	-	4	-	7	1	-	5	1	1	21	73
28	-	51	155	18	-	19	3	32	6	-	11	33	6	67	74
5	-	24	112	16	4	7	1	14	5	-	6	18	5	39	75
24	-	65	259	35	6	86	1	38	8	2	21	22	4	93	76
15	-	29	123	15	2	38	1	22	5	1	6	7	3	48	77
9	-	36	136	20	4	48	-	18	3	1	15	15	1	45	78
77	1	184	748	63	9	111	8	89	28	1	33	76	10	265	79
41	1	92	450	41	3	56	2	48	15	1	16	49	5	163	80
9	-	16	45	3	1	13	1	9	1	-	1	6	-	12	81
27	-	76	253	19	5	42	5	32	12	-	16	21	5	90	82
138	-	288	1,311	174	29	264	12	226	35	5	51	221	58	531	83
2	-	1	7	2	-	1	-	1	1	-	-	4	3	4	84
16	-	30	126	23	3	17	1	40	3	1	-	17	2	49	85
3	-	9	65	9	3	20	-	9	3	-	7	6	3	27	86
8	-	13	57	10	-	14	1	20	1	-	2	17	9	41	87
3	-	14	68	10	2	10	1	10	-	1	3	10	4	14	88
5	-	6	51	8	1	6	-	6	1	-	2	3	-	10	89
8	-	9	46	11	2	15	-	11	-	-	2	9	1	20	90
30	-	73	338	26	3	70	4	58	7	2	4	50	15	115	91
63	-	133	573	75	15	111	5	71	19	1	31	105	21	251	92

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, poliocephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	PENNSYLVANIA—Con.														
1	Lycoming	1,102	-	-	-	1	-	13	-	-	1	-	-	135	2
2	Williamsport	547	-	-	-	1	-	10	-	-	1	-	-	74	-
3	Balance of county	555	-	-	-	-	-	3	-	-	-	-	-	61	2
4	McKean	551	-	-	-	-	-	11	-	-	2	2	-	74	-
5	Bradford	207	-	-	-	-	-	3	-	-	2	1	-	20	-
6	Balance of county	344	-	-	-	-	-	8	-	-	-	1	-	54	-
7	Mercer	1,070	1	-	-	2	-	25	-	-	5	-	-	163	1
8	Farrell	103	-	-	-	1	-	5	-	-	-	-	-	25	1
9	Sharon	271	-	-	-	-	-	9	-	-	2	-	-	40	-
10	Balance of county	696	1	-	-	1	-	11	-	-	3	-	-	98	-
11	Mifflin	434	-	-	-	1	1	9	-	-	2	1	-	37	2
12	Lewistown	199	-	-	-	-	-	3	-	-	1	-	-	18	-
13	Balance of county	235	-	-	-	1	1	6	-	-	1	1	-	19	2
14	Monroe	367	-	-	-	-	-	4	-	-	2	2	-	52	-
15	Montgomery	3,221	-	1	-	-	-	131	-	1	39	7	2	435	1
16	Abington (twp.)[2]	140	-	-	-	-	-	6	-	-	-	-	-	24	-
17	Cheltenham (twp.)[2]	185	-	-	-	-	-	2	-	-	1	-	-	28	-
18	Conshohocken	85	-	1	-	-	-	4	-	-	1	1	-	10	-
19	Lower Merion (twp.)[2]	363	-	-	-	-	-	8	-	-	1	1	1	66	-
20	Norristown	743	-	-	-	-	-	64	-	-	27	1	-	78	1
21	Pottstown	232	-	-	-	-	-	7	-	-	2	1	-	32	-
22	Balance of county	1,473	-	-	-	-	-	40	-	1	7	3	1	197	-
23	Montour	280	-	-	-	2	-	19	-	-	14	-	1	23	-
24	Northampton	1,718	-	1	-	1	1	49	-	-	14	2	-	250	-
25	Bethlehem (part)	418	-	-	-	-	-	13	-	-	1	-	-	69	-
26	Bethlehem (total)	562	-	-	-	-	-	14	-	-	1	-	-	95	-
27	Easton	522	-	1	-	-	-	8	-	-	4	-	-	74	-
28	Balance of county	778	-	-	-	1	1	28	-	-	9	2	-	107	-
29	Northumberland	1,298	1	-	1	1	1	35	-	-	5	4	1	161	2
30	Mount Carmel	178	-	-	-	-	-	5	-	-	1	1	-	24	1
31	Shamokin	264	-	-	-	-	1	14	-	-	1	1	1	35	-
32	Sunbury	201	-	-	-	-	-	4	-	-	1	1	-	19	1
33	Balance of county	655	1	-	1	1	-	12	-	-	2	1	-	83	-
34	Perry	239	-	-	-	-	-	1	-	-	-	-	-	35	-
35	Philadelphia, coextensive with Philadelphia (city)	23,820	6	19	2	9	6	1,127	7	-	312	16	4	3,523	31
36	Pike	106	-	-	-	-	-	-	-	-	-	-	-	20	-
37	Potter	240	-	-	-	-	-	2	-	-	2	-	-	31	-
38	Schuylkill	2,456	-	5	-	2	4	85	-	1	9	6	2	283	5
39	Mahanoy City	168	-	-	-	1	-	7	-	-	-	-	-	24	-
40	Pottsville	314	-	1	-	-	-	7	-	-	3	-	-	29	-
41	Shenandoah	227	-	-	-	-	-	11	-	1	2	-	-	26	-
42	Tamaqua	148	-	-	-	1	-	6	-	-	1	1	-	24	-
43	Balance of county	1,599	-	4	-	-	4	54	-	-	3	5	2	180	5
44	Snyder	274	-	-	-	-	-	10	1	-	1	1	-	26	-
45	Somerset	770	1	3	1	3	2	14	-	1	7	1	1	87	-
46	Sullivan	77	-	-	-	-	-	-	-	-	-	-	-	10	-
47	Susquehanna	358	-	-	-	-	-	11	-	-	-	2	-	57	-
48	Tioga	436	-	-	-	2	-	4	-	-	-	2	1	57	1
49	Union	238	-	1	-	-	-	7	-	-	-	-	1	20	-
50	Venango	707	-	-	-	1	2	30	-	-	3	1	-	87	1
51	Oil City	223	-	-	-	-	1	3	-	-	2	-	-	32	-
52	Balance of county	484	-	-	-	1	1	27	-	-	1	1	-	55	1
53	Warren	677	-	-	-	-	-	18	-	-	17	-	-	74	-
54	Warren	182	-	-	-	-	-	3	-	-	-	-	-	34	-
55	Balance of county	495	-	-	-	-	-	15	-	-	17	-	-	40	-
56	Washington	1,886	-	-	-	3	3	40	-	-	5	-	-	284	2
57	Canonsburg	104	-	-	-	1	-	4	-	-	-	-	-	14	-
58	Charleroi	111	-	-	-	-	-	1	-	-	-	-	-	17	-
59	Donora	93	-	-	-	-	-	1	-	-	-	-	-	15	-
60	Washington	364	-	-	-	2	2	4	-	-	-	-	-	44	-
61	Balance of county	1,214	-	-	-	-	1	30	-	-	5	-	-	194	2
62	Wayne	351	1	-	-	-	-	27	-	-	5	-	-	43	-
63	Westmoreland	2,897	1	1	-	8	3	98	2	-	30	-	3	363	5
64	Arnold	60	-	-	-	-	-	2	-	-	-	-	-	10	-
65	Greensburg	181	-	-	-	-	-	5	-	-	1	-	-	26	1
66	Jeannette	153	-	-	-	1	1	1	-	-	-	-	-	16	-
67	Latrobe	110	-	-	-	-	-	-	-	-	1	-	-	15	-
68	Monessen	158	-	-	-	1	1	2	-	-	1	-	-	27	-
69	New Kensington	222	-	-	-	1	-	11	-	-	2	-	2	34	1
70	Vandergrift	93	-	-	-	-	-	-	-	-	-	-	-	6	-
71	Balance of county	1,820	1	1	-	5	1	77	2	-	25	-	1	249	3
72	Wyoming	187	-	-	-	-	-	5	-	-	-	-	-	28	-
73	York	1,874	-	-	2	1	1	38	1	1	5	6	-	266	3
74	Hanover	178	-	-	-	-	-	5	-	1	7	-	-	14	-
75	York	757	-	-	1	-	1	19	-	-	4	1	-	113	2
76	Balance of county	939	-	-	1	1	-	14	1	-	1	5	-	139	1
77	RHODE ISLAND	8,073	-	9	-	4	2	232	-	-	43	-	7	1,162	7
78	Bristol	259	-	-	-	-	-	9	-	-	-	-	-	40	-
79	Bristol (town)	123	-	-	-	-	-	7	-	-	-	-	-	18	-
80	Balance of county	136	-	-	-	-	-	2	-	-	-	-	-	22	-
81	Kent	636	-	3	-	1	1	12	-	-	1	-	-	107	1
82	Warwick	314	-	2	-	-	-	7	-	-	1	-	-	53	1
83	West Warwick (town)	170	-	1	-	1	1	3	-	-	-	-	-	25	-
84	Balance of county	152	-	-	-	-	-	2	-	-	2	-	-	29	-
85	Newport	548	-	-	-	-	1	16	-	-	4	-	-	80	-
86	Newport	348	-	-	-	-	1	10	-	-	2	-	-	51	-
87	Balance of county	198	-	-	-	-	-	6	-	-	2	-	-	29	-
88	Providence	6,277	-	6	-	3	-	189	-	-	37	-	7	884	6
89	Central Falls	210	-	-	-	-	-	3	-	-	1	-	1	28	-
90	Cranston	895	-	1	-	-	-	31	-	-	16	-	-	108	1

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
46	-	131	412	27	5	50	3	47	13	2	23	47	4	140	1
17	-	50	169	13	3	22	2	30	7	2	14	25	3	76	2
29	-	73	223	14	2	28	1	17	6	-	9	22	1	64	3
16	1	61	177	22	-	32	1	40	7	1	14	21	4	85	4
11	-	24	67	6	-	9	1	16	2	1	1	11	2	30	5
5	1	37	110	16	-	23	-	24	5	-	13	10	2	35	6
28	-	124	301	49	1	92	2	57	13	-	23	50	4	129	7
7	-	3	25	3	-	7	-	6	1	-	2	6	-	11	8
6	-	37	81	10	-	13	2	24	4	-	4	8	-	31	9
15	-	84	195	36	1	72	-	27	8	-	17	36	4	87	10
15	-	35	149	25	4	38	-	36	3	-	13	14	8	41	11
5	-	17	77	10	1	14	-	13	2	-	7	9	1	21	12
10	-	18	72	15	3	24	-	23	1	-	6	5	7	20	13
8	-	40	131	6	3	27	2	15	5	-	6	17	9	38	14
106	-	265	1,135	103	12	250	9	144	41	7	59	132	24	317	15
6	-	5	59	1	-	5	-	11	-	-	3	6	1	13	16
10	-	9	92	4	-	9	-	4	1	-	1	12	1	11	17
2	-	4	31	2	-	2	-	6	1	-	3	-	1	16	18
10	-	37	124	7	-	22	2	15	5	1	3	17	2	41	19
23	-	61	256	32	2	40	-	24	5	3	14	37	8	67	20
9	-	17	71	3	1	25	2	22	4	1	5	9	1	20	21
46	-	132	502	54	9	147	5	62	25	2	30	51	10	149	22
7	-	21	115	18	-	7	-	9	1	-	2	13	-	28	23
73	-	161	561	59	11	83	7	91	33	1	23	69	11	217	24
17	-	33	140	12	5	17	3	29	10	-	6	18	2	43	25
26	-	49	185	15	6	30	4	38	11	-	7	24	2	55	26
21	-	54	163	19	2	29	1	28	8	1	2	22	2	63	27
35	-	74	258	28	4	37	3	34	15	-	15	29	7	91	28
44	-	100	458	55	12	102	4	63	10	1	32	83	4	118	29
7	-	12	58	8	1	15	1	8	-	-	2	13	1	20	30
8	-	20	102	8	1	18	-	10	2	-	4	13	2	23	31
10	-	17	63	5	7	23	1	14	3	-	3	15	-	14	32
19	-	51	235	34	3	46	2	31	5	1	23	42	1	61	33
10	-	31	78	8	-	21	1	17	3	1	4	6	-	23	34
728	2	1,572	8,511	981	112	1,545	54	1,124	219	137	271	850	126	2,526	35
8	-	7	32	4	-	13	-	3	1	-	2	6	-	10	36
6	1	25	82	13	5	10	-	17	3	1	3	13	7	19	37
99	-	187	810	89	8	191	12	107	21	1	40	124	24	341	38
11	-	10	54	7	2	13	-	9	1	-	2	7	-	20	39
12	-	23	101	9	1	26	3	28	3	-	2	13	3	50	40
9	-	18	79	12	-	16	2	16	1	-	2	9	-	23	41
6	-	8	59	4	-	9	1	4	-	-	1	9	1	13	42
61	-	128	517	57	5	127	6	50	16	1	33	86	20	235	43
14	-	24	84	16	2	22	-	13	4	1	6	7	4	38	44
21	-	87	255	28	2	45	3	44	6	1	15	37	3	100	45
4	-	12	25	2	1	2	-	2	1	-	1	4	1	12	46
10	-	34	102	19	2	17	2	11	2	3	9	21	10	46	47
3	-	40	160	19	1	24	-	18	9	-	11	28	4	52	48
12	-	17	92	9	2	14	2	13	2	-	7	14	1	24	49
14	-	64	228	32	1	28	-	49	9	-	19	30	7	101	50
5	-	25	81	1	1	5	-	15	4	-	5	9	6	28	51
9	-	39	147	31	-	23	-	34	5	-	14	21	1	73	52
17	1	67	228	35	2	33	1	20	9	1	7	36	6	105	53
5	1	20	58	3	1	8	-	8	2	-	2	5	2	30	54
12	-	47	170	32	1	25	1	12	7	1	5	31	4	75	55
54	-	207	532	95	5	111	3	124	24	2	39	105	15	233	56
7	-	13	32	6	-	3	-	10	-	-	2	3	-	9	57
8	-	7	27	4	-	9	2	11	1	-	4	3	1	16	58
4	-	10	22	7	-	8	1	6	3	-	1	4	2	9	59
9	-	56	97	19	1	22	-	23	6	2	6	25	4	42	60
26	-	121	354	59	4	69	-	74	14	-	26	70	8	157	61
6	-	29	114	13	1	34	-	18	5	-	5	11	-	39	62
77	-	277	884	155	16	159	13	163	32	5	76	125	22	359	63
2	-	7	26	1	-	2	2	5	-	-	1	1	-	2	64
7	-	22	82	8	1	8	-	8	-	-	6	5	1	20	65
5	-	19	53	8	2	8	1	4	1	-	8	6	3	16	66
1	-	15	36	5	-	6	-	7	2	-	2	7	-	13	67
4	-	18	44	6	-	12	1	14	2	-	2	5	2	16	68
3	-	21	63	8	1	10	3	20	1	2	3	6	1	29	69
5	-	13	23	4	-	4	-	10	1	-	5	2	3	17	70
50	-	162	578	115	12	109	6	95	25	3	49	93	12	246	71
10	-	12	56	13	3	7	2	7	-	-	7	6	4	27	72
52	-	203	628	63	11	108	6	103	15	5	41	75	6	234	73
5	-	27	57	6	-	9	1	16	1	-	4	5	-	27	74
23	-	74	244	23	4	44	3	42	5	3	16	29	3	103	75
24	-	102	327	34	7	55	2	45	9	2	21	41	3	104	76
285	-	699	3,025	270	20	556	24	429	57	11	96	284	24	827	77
11	-	29	75	10	1	30	-	15	1	-	4	8	-	26	78
7	-	14	37	3	1	17	-	6	1	-	1	3	-	8	79
4	-	15	38	7	-	13	-	9	-	-	3	5	-	18	80
18	-	59	226	30	-	38	3	29	6	1	13	23	1	63	81
9	-	23	123	18	-	15	2	12	3	-	8	11	-	26	82
8	-	16	56	7	-	14	-	11	-	1	1	4	-	21	83
1	-	20	47	5	-	9	1	6	3	-	4	8	1	16	84
18	-	51	197	17	-	33	3	26	6	1	6	23	3	61	85
13	-	31	129	8	-	19	3	18	3	-	4	17	3	36	86
5	-	20	68	9	-	14	-	8	3	1	2	6	-	25	87
230	-	531	2,408	199	18	431	18	334	41	8	64	222	16	625	88
4	-	15	89	7	1	14	1	13	4	1	-	8	1	19	89
32	-	59	380	40	5	44	-	29	5	1	2	45	-	98	90

793002 O - 48 - 40

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	RHODE ISLAND—Con.														
	Providence—Continued														
1	Cumberland (town)	98	-	-	-	-	-	1	-	-	-	-	-	9	-
2	East Providence (town)	304	-	-	-	-	-	12	-	-	1	-	-	49	-
3	Johnston (town)	81	-	1	-	-	-	1	-	-	-	-	-	9	-
4	Lincoln (town)	115	-	-	-	-	-	1	-	-	1	-	2	13	-
5	North Providence (town)	98	-	-	-	-	-	-	-	-	-	-	-	14	-
6	Pawtucket	853	-	-	-	-	-	21	-	-	2	-	1	110	1
7	Providence	2,796	-	4	-	3	-	85	-	-	14	-	1	415	4
8	Woonsocket	470	-	-	-	-	-	5	-	-	1	-	2	78	-
9	Balance of county	357	-	-	-	-	-	29	-	-	1	-	-	47	-
10	Washington	355	-	-	-	-	-	6	-	-	1	-	-	51	-
11	Westerly (town)	116	-	-	-	-	-	2	-	-	-	-	-	20	-
12	Balance of county	239	-	-	-	-	-	4	-	-	1	-	-	31	-
13	SOUTH CAROLINA	16,351	23	21	-	30	29	562	16	18	250	30	7	1,337	29
14	Abbeville	171	-	-	-	-	1	5	-	-	2	1	-	15	1
15	Aiken	461	-	1	-	-	-	13	-	1	3	4	-	40	-
16	Allendale	105	2	-	-	-	-	3	-	-	-	-	-	5	-
17	Anderson	653	-	1	-	1	5	12	1	-	1	-	-	58	3
18	Anderson	280	-	1	-	1	1	5	-	-	-	-	-	27	1
19	Balance of county	373	-	-	-	-	4	7	1	-	1	-	-	31	2
20	Bamberg	147	1	-	-	-	-	6	-	-	1	2	-	13	-
21	Barnwell	132	1	-	-	-	-	3	-	-	1	-	-	15	1
22	Beaufort	219	-	2	-	-	-	13	1	-	2	1	-	19	3
23	Berkeley	220	-	-	-	-	-	4	1	-	6	-	-	10	-
24	Calhoun	104	-	-	-	1	-	2	-	-	1	-	-	3	-
25	Charleston	1,457	1	1	-	-	2	53	-	1	36	-	1	127	3
26	Charleston	823	1	1	-	-	1	39	-	-	29	-	-	80	1
27	Balance of county	634	-	-	-	-	1	14	-	1	7	-	1	47	2
28	Cherokee	231	-	-	-	1	1	6	-	-	1	1	-	26	1
29	Chester	274	2	-	-	2	-	8	-	-	1	3	-	18	-
30	Chesterfield	243	-	-	-	-	2	8	-	-	4	1	1	22	-
31	Clarendon	233	1	-	-	3	-	5	-	1	-	-	-	18	-
32	Colleton	237	-	-	-	-	-	13	-	-	4	-	-	24	-
33	Darlington	405	-	1	-	1	1	12	-	-	3	-	1	34	-
34	Dillon	219	-	-	-	2	-	6	-	-	-	1	-	20	-
35	Dorchester	212	1	1	-	-	1	7	-	-	4	-	-	19	2
36	Edgefield	128	-	-	-	-	-	1	-	-	-	1	-	9	-
37	Fairfield	140	-	-	-	-	-	3	-	-	1	-	-	12	-
38	Florence	608	-	-	-	6	-	38	2	2	5	-	-	38	-
39	Florence	206	-	-	-	2	-	10	-	-	3	-	-	17	-
40	Balance of county	402	-	-	-	4	-	28	2	2	2	-	-	21	-
41	Georgetown	207	-	-	-	-	-	9	-	1	2	-	-	20	-
42	Greenville	1,190	1	1	-	2	2	36	3	-	9	3	-	139	-
43	Greenville	466	1	-	-	1	-	12	-	-	7	1	-	34	-
44	Balance of county	724	-	1	-	1	2	24	3	-	2	2	-	105	-
45	Greenwood	337	-	-	-	1	1	4	2	-	4	2	-	28	-
46	Greenwood	141	-	-	-	1	1	1	1	-	1	-	-	15	-
47	Balance of county	196	-	-	-	-	-	3	1	-	3	2	-	13	-
48	Hampton	149	1	-	-	-	1	7	-	-	1	-	-	12	-
49	Horry	372	-	2	-	-	1	15	-	1	7	2	-	27	1
50	Jasper	109	-	-	-	-	1	1	-	-	1	-	-	9	-
51	Kershaw	239	-	-	-	-	-	7	-	-	3	1	-	15	3
52	Lancaster	241	-	-	-	-	-	7	-	-	-	-	1	19	-
53	Laurens	321	-	1	-	1	1	5	1	-	-	-	-	27	-
54	Lee	183	-	-	-	-	-	7	-	-	2	-	-	9	-
55	Lexington	343	-	-	-	-	-	9	-	-	3	-	1	35	-
56	McCormick	94	-	-	-	-	-	2	1	-	-	-	-	7	-
57	Marion	264	1	1	-	-	-	9	-	2	6	1	-	18	1
58	Marlboro	321	-	2	-	2	-	8	-	1	5	-	-	28	-
59	Newberry	230	-	-	-	1	-	7	-	-	2	-	-	17	-
60	Oconee	238	-	-	-	-	1	6	-	-	1	-	-	20	-
61	Orangeburg	576	5	-	-	-	-	14	-	4	4	-	-	37	4
62	Orangeburg	149	-	-	-	-	-	7	-	-	1	-	-	14	1
63	Balance of county	427	5	-	-	-	-	7	-	4	3	-	-	23	3
64	Pickens	219	-	-	-	-	3	2	-	-	2	-	-	23	-
65	Richland	1,473	-	1	-	1	1	95	-	1	94	3	-	108	2
66	Columbia	936	-	-	-	1	-	41	-	1	25	1	-	81	2
67	Balance of county	537	-	1	-	-	1	54	-	-	69	2	-	27	-
68	Saluda	108	-	-	-	-	-	2	-	-	-	-	-	8	-
69	Spartanburg	1,002	1	4	-	1	1	32	1	-	7	1	-	76	1
70	Spartanburg	332	-	1	-	1	-	14	-	-	3	-	-	28	-
71	Balance of county	670	1	3	-	-	1	18	1	-	4	1	-	48	1
72	Sumter	474	2	2	-	1	1	28	-	-	8	1	-	29	1
73	Sumter	179	-	2	-	-	1	13	-	-	4	1	-	11	1
74	Balance of county	295	2	-	-	1	-	13	-	-	4	-	-	18	-
75	Union	239	-	-	-	-	2	7	-	1	1	-	1	21	-
76	Williamsburg	346	-	-	-	2	-	15	2	3	1	1	-	24	1
77	York	478	3	-	-	1	-	9	1	-	11	-	1	36	1
78	Rock Hill	140	-	-	-	-	-	3	-	-	2	-	-	12	-
79	Balance of county	338	3	-	-	1	-	6	1	-	9	-	1	24	1
80	SOUTH DAKOTA	5,508	-	3	1	1	6	172	1	1	27	6	36	718	7
81	Armstrong	1	-	-	-	-	-	-	-	-	-	-	-	-	-
82	Aurora	44	-	-	-	-	-	-	-	-	-	-	-	7	1
83	Beadle	139	-	-	-	-	-	4	-	-	-	-	1	17	-
84	Huron	91	-	-	-	-	-	2	-	-	-	-	1	12	-
85	Balance of county	48	-	-	-	-	-	2	-	-	-	-	-	5	-
86	Bennett	33	-	-	-	-	-	-	-	-	1	-	2	4	-
87	Bon Homme	83	-	-	-	-	1	-	-	-	-	-	-	12	-
88	Brookings	121	-	-	-	-	-	2	-	-	-	-	1	18	-
89	Brown	279	-	-	-	-	-	2	-	-	1	-	4	34	1
90	Aberdeen	185	-	-	-	-	-	2	-	-	1	-	4	25	-
91	Balance of county	94	-	-	-	-	-	-	-	-	-	-	-	9	1

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
6	-	13	33	4	1	8	1	5	-	-	1	3	-	13	1
10	-	22	109	10	-	28	1	19	4	-	1	12	-	28	2
3	-	7	38	4	-	4	1	4	-	-	-	4	-	5	3
2	-	23	33	4	-	12	1	6	-	-	1	2	-	8	4
3	-	10	40	1	-	7	2	5	1	-	3	3	-	9	5
28	-	51	362	25	3	66	2	49	2	1	9	22	1	97	6
115	-	270	1,020	79	6	179	5	150	18	3	36	104	10	275	7
13	-	35	176	17	1	37	3	41	4	2	4	13	1	37	8
14	-	26	128	8	1	32	1	13	3	-	7	6	3	38	9
8	-	29	119	14	1	24	-	25	3	1	9	8	4	52	10
4	-	7	39	3	-	7	-	7	1	-	2	1	1	22	11
4	-	22	80	11	1	17	-	18	2	1	7	7	3	30	12
259	41	1,808	3,539	1,042	118	1,478	148	1,261	124	246	627	795	851	1,661	13
3	-	19	49	16	-	8	1	17	4	1	4	3	8	13	14
7	2	62	95	34	6	44	3	21	6	11	23	21	20	44	15
2	-	12	26	6	-	13	1	4	1	4	5	2	9	10	16
18	5	67	159	48	2	78	3	67	6	6	13	28	16	56	17
7	1	34	68	17	-	37	3	25	1	3	3	12	4	29	18
11	4	33	91	31	2	41	-	42	5	3	10	16	12	26	19
3	-	21	28	8	-	10	2	7	1	1	8	8	8	19	20
3	1	16	27	7	4	17	1	6	-	2	3	8	5	11	21
-	-	22	42	11	1	17	1	7	-	2	6	10	31	28	22
4	3	28	32	10	3	21	4	11	1	6	13	20	30	13	23
2	-	7	19	8	2	19	-	8	-	3	3	3	15	8	24
22	1	125	292	67	10	80	6	142	9	27	65	90	181	115	25
15	1	72	177	49	6	52	3	79	7	15	26	43	67	60	26
7	-	53	115	19	4	28	3	65	2	12	39	47	114	55	27
5	1	32	62	16	-	10	1	8	2	4	12	5	9	27	28
12	-	45	59	15	-	28	2	23	3	3	5	12	11	22	29
4	-	23	46	23	3	17	3	32	2	2	9	11	8	22	30
4	-	24	58	17	1	14	3	16	-	2	11	11	25	19	31
5	-	28	43	7	1	15	2	7	-	2	10	9	39	28	32
1	2	40	91	33	2	44	6	44	3	5	16	20	13	32	33
5	2	25	50	6	6	19	1	19	2	4	8	15	10	18	34
5	-	25	24	17	2	35	2	12	1	3	10	12	13	16	35
2	-	25	23	6	2	15	-	3	1	-	4	5	14	17	36
-	-	11	28	14	3	27	2	7	2	1	5	5	11	8	37
5	2	73	133	37	4	33	6	60	5	9	22	28	32	68	38
3	-	27	46	11	1	12	1	18	3	2	5	8	7	30	39
2	2	46	87	26	3	21	5	42	2	7	17	20	25	38	40
3	2	33	44	16	1	13	-	13	-	3	5	12	15	15	41
18	4	110	298	76	6	71	9	122	17	18	40	65	13	127	42
7	-	42	123	31	2	27	4	54	4	10	20	20	5	61	43
11	4	68	175	45	4	44	5	68	13	8	20	45	8	66	44
11	1	42	86	21	1	42	3	20	5	3	19	17	2	22	45
6	1	14	40	8	-	14	1	11	-	2	4	10	2	8	46
5	-	28	46	13	1	28	2	9	5	1	15	7	-	14	47
1	1	6	41	7	-	24	1	10	-	2	3	11	5	14	48
2	-	54	56	23	1	22	6	55	1	6	13	27	16	34	49
2	-	8	23	2	1	12	1	2	1	3	3	7	21	11	50
3	-	26	62	13	-	24	4	13	2	4	5	15	13	26	51
4	-	14	54	17	3	41	3	23	4	1	5	12	7	26	52
2	-	43	80	23	1	33	3	20	3	7	5	20	10	35	53
3	-	27	40	11	1	10	2	10	-	4	9	14	23	11	54
11	-	42	92	20	-	33	2	26	2	-	18	10	7	32	55
1	-	8	7	8	1	19	2	8	1	-	2	6	8	13	56
2	-	42	53	18	2	21	2	19	-	12	13	11	9	21	57
5	-	34	63	28	6	28	6	42	3	6	14	12	6	22	58
5	-	32	49	16	1	21	3	18	2	3	19	5	8	21	59
3	3	40	46	28	1	24	5	13	1	3	5	13	4	21	60
3	-	64	116	44	1	65	2	52	2	8	29	23	50	49	61
-	-	16	32	14	-	17	-	17	1	1	7	5	3	13	62
3	-	48	84	30	1	48	2	35	1	7	22	18	47	36	63
7	4	30	44	21	1	12	5	15	4	3	9	11	3	20	64
19	5	128	268	81	13	132	10	86	10	18	45	60	25	267	65
12	-	92	197	58	9	86	4	68	6	12	28	38	21	153	66
7	5	36	71	23	4	46	6	18	4	6	17	22	4	114	67
3	-	16	31	7	-	12	1	2	3	-	10	6	4	3	68
10	2	111	258	55	6	110	4	81	7	18	44	44	10	117	69
3	-	30	79	6	3	62	1	32	-	11	4	15	2	37	70
7	2	81	179	49	3	48	3	49	7	7	40	29	8	80	71
9	-	53	103	31	8	46	7	30	2	8	16	23	23	44	72
2	-	16	39	8	-	19	3	13	1	3	9	9	5	19	73
7	-	37	64	23	8	27	4	17	1	5	7	14	18	25	74
7	-	28	64	12	5	25	3	15	-	3	12	7	6	19	75
4	-	28	58	29	1	34	9	17	2	4	11	11	46	43	76
9	-	59	117	29	5	40	5	28	3	11	18	27	9	55	77
3	-	14	32	11	2	15	1	7	1	3	7	7	1	19	78
6	-	45	85	18	3	25	4	21	2	8	11	20	8	36	79
120	-	543	1,469	254	30	260	15	315	69	6	161	298	227	762	80
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	81
1	-	3	16	1	-	4	-	2	-	-	-	5	1	3	82
4	-	17	42	4	-	8	1	7	5	-	4	4	2	19	83
2	-	10	27	2	-	5	-	7	3	-	4	2	1	13	84
2	-	7	15	2	-	3	1	-	2	-	-	2	1	6	85
-	-	1	6	1	-	-	-	-	-	-	1	-	14	3	86
3	-	12	20	5	-	2	-	4	2	-	2	5	7	8	87
5	-	10	28	8	1	7	-	9	2	-	4	8	4	20	88
5	-	36	74	12	1	10	-	23	4	-	6	21	5	40	89
3	-	23	50	8	1	8	-	17	2	-	3	16	3	19	90
2	-	13	24	4	-	2	-	6	2	-	3	5	2	21	91

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	SOUTH DAKOTA—Con.														
1	Brule	64	-	-	-	-	-	1	-	-	-	-	-	8	-
2	Buffalo	12	-	-	-	-	-	5	-	-	-	-	-	2	-
3	Butte	83	-	-	-	-	-	3	-	-	-	1	-	10	-
4	Campbell	27	-	-	-	-	-	-	-	-	-	-	-	3	-
5	Charles Mix	104	-	-	-	-	-	4	-	-	-	-	-	15	-
6	Clark	81	-	-	-	-	-	-	-	-	-	-	-	10	-
7	Clay	84	-	-	-	-	-	1	-	-	1	-	-	8	-
8	Codington	145	-	-	-	-	-	1	-	-	1	-	1	27	1
9	Watertown	111	-	-	-	-	-	1	-	-	1	-	1	19	-
10	Balance of county	34	-	-	-	-	-	-	-	-	-	-	-	8	1
11	Corson	48	-	-	-	-	-	2	-	-	1	-	-	4	-
12	Custer	53	-	-	-	-	-	4	-	-	-	1	-	8	-
13	Davison	148	-	-	-	-	-	2	-	-	1	-	-	16	-
14	Mitchell	118	-	-	-	-	-	2	-	-	-	-	-	12	-
15	Balance of county	30	-	-	-	-	-	-	-	-	1	-	-	4	-
16	Day	103	-	-	-	-	-	-	-	-	-	-	-	15	-
17	Deuel	60	-	-	-	-	-	1	-	-	-	-	-	15	-
18	Dewey	31	-	-	-	-	-	5	-	-	1	-	-	2	-
19	Douglas	35	-	-	-	-	-	1	-	-	-	-	-	4	-
20	Edmunds	48	-	-	-	-	-	-	-	-	-	-	-	5	-
21	Fall River	139	-	-	-	-	-	11	-	-	1	1	-	19	-
22	Faulk	42	-	-	-	-	-	1	-	-	-	-	-	6	-
23	Grant	75	-	-	-	-	-	-	1	-	-	-	5	12	-
24	Gregory	87	-	-	-	-	-	1	-	-	-	-	2	12	-
25	Haakon	32	-	-	-	-	-	1	-	-	-	-	-	6	-
26	Hamlin	72	-	1	-	-	-	-	-	-	-	-	-	9	-
27	Hand	62	-	-	-	-	-	-	-	-	-	-	-	3	-
28	Hanson	44	-	-	-	-	-	1	-	-	-	-	-	2	-
29	Harding	18	-	-	-	-	-	-	-	-	-	-	1	1	-
30	Hughes	78	-	-	-	-	-	5	-	-	-	-	1	8	1
31	Hutchinson	85	-	-	-	-	-	-	-	-	-	-	-	14	1
32	Hyde	30	-	-	-	-	-	2	-	-	-	-	-	4	-
33	Jackson	15	-	-	-	-	-	-	-	-	-	-	-	3	-
34	Jerauld	28	-	-	-	-	-	-	-	-	-	-	-	3	-
35	Jones	21	-	-	-	-	-	1	-	-	-	-	-	2	-
36	Kingsbury	90	-	-	-	-	-	2	-	-	-	-	-	15	-
37	Lake	100	-	-	-	1	1	-	-	-	1	-	1	19	-
38	Lawrence	151	-	-	-	-	-	8	-	-	2	1	1	14	-
39	Lincoln	115	-	-	-	-	-	1	-	-	-	-	1	16	-
40	Lyman	40	-	-	-	-	-	1	-	-	-	-	-	5	1
41	McCook	68	-	-	-	-	-	-	-	-	-	-	-	12	-
42	McPherson	47	-	-	-	-	-	-	-	-	-	-	2	11	-
43	Marshall	68	-	-	-	-	-	2	-	-	-	-	-	8	-
44	Meade	93	-	-	-	-	-	1	-	-	3	-	2	11	-
45	Mellette	35	-	-	-	-	-	6	-	-	-	-	1	3	-
46	Miner	46	-	-	-	-	-	-	-	-	-	-	-	12	-
47	Minnehaha	530	-	1	-	-	2	7	-	-	3	-	1	70	-
48	Sioux Falls	405	-	1	-	-	2	6	-	-	3	-	1	56	-
49	Balance of county	125	-	-	-	-	-	1	-	-	-	-	-	14	-
50	Moody	96	-	-	1	-	-	-	-	1	-	-	-	19	-
51	Pennington	224	-	-	-	-	-	17	-	-	-	1	1	23	-
52	Rapid City	178	-	-	-	-	-	16	-	-	-	-	1	15	-
53	Balance of county	46	-	-	-	-	-	1	-	-	-	1	-	8	-
54	Perkins	67	-	-	-	-	-	-	-	-	-	-	2	10	-
55	Potter	34	-	-	-	-	-	-	-	-	1	-	-	6	-
56	Roberts	115	-	-	-	-	-	8	-	-	1	-	1	11	-
57	Sanborn	29	-	-	-	-	-	1	-	-	-	-	-	3	-
58	Shannon	68	-	-	-	-	-	15	-	-	-	-	-	2	-
59	Spink	137	-	-	-	-	-	10	-	-	-	-	-	13	-
60	Stanley	21	-	-	-	-	-	-	-	-	-	-	-	6	-
61	Sully	9	-	-	-	-	-	-	-	-	-	-	-	2	-
62	Todd	56	-	-	-	-	-	13	-	-	-	-	-	1	-
63	Tripp	63	-	-	-	-	1	1	-	-	-	-	2	8	-
64	Turner	111	-	1	-	-	-	2	-	-	1	-	-	17	-
65	Union	71	-	-	-	-	-	-	-	-	-	-	-	8	1
66	Walworth	55	-	-	-	-	-	-	-	-	-	-	1	12	-
67	Washabaugh	13	-	-	-	-	-	2	-	-	-	-	1	-	-
68	Washington	3	-	-	-	-	-	1	-	-	-	-	-	-	-
69	Yankton	276	-	-	-	-	1	9	-	-	7	-	-	30	-
70	Ziebach	27	-	-	-	-	-	4	-	-	-	1	1	2	-
71	TENNESSEE	27,650	20	53	3	51	25	1,631	28	17	266	42	18	2,852	32
72	Anderson	296	-	-	-	-	-	9	-	-	2	-	-	39	-
73	Bedford	224	1	-	-	1	-	8	-	-	-	1	1	20	-
74	Benton	90	-	-	-	-	2	5	-	-	-	-	-	9	2
75	Bledsoe	74	-	-	-	-	-	2	-	-	-	-	-	8	-
76	Blount	378	-	2	-	-	2	24	-	-	-	-	-	44	1
77	Bradley	252	-	-	-	1	1	18	2	1	1	-	-	26	1
78	Cleveland	130	-	-	-	1	-	9	1	1	-	-	-	19	-
79	Balance of county	122	-	-	-	-	1	9	1	-	1	-	-	7	1
80	Campbell	233	-	-	-	-	1	21	-	-	1	-	1	23	-
81	Cannon	80	-	1	-	1	-	4	-	-	-	-	-	3	1
82	Carroll	240	-	-	-	-	-	13	-	-	-	1	-	27	-
83	Carter	288	-	2	-	-	-	11	-	-	-	-	1	25	1
84	Cheatham	94	-	-	-	-	-	6	-	-	-	-	-	6	-
85	Chester	86	-	-	-	-	-	4	-	-	-	-	-	9	1
86	Claiborne	164	-	-	-	-	1	14	-	-	-	-	-	16	-
87	Clay	52	-	-	-	-	-	3	-	-	-	-	-	7	-
88	Cocke	222	-	-	-	-	1	18	1	-	-	-	-	17	-
89	Coffee	188	-	-	-	2	-	17	-	-	-	1	-	12	-
90	Crockett	138	-	-	-	-	-	6	-	-	-	2	-	17	-
91	Cumberland	103	-	-	-	1	1	3	-	-	1	-	-	11	-
92	Davidson	3,024	2	7	-	1	-	176	2	1	41	2	1	316	4
93	Nashville	2,149	2	7	-	1	-	98	1	1	12	1	-	236	4
94	Balance of county	875	-	-	-	-	-	78	1	-	29	1	1	80	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
2	-	8	20	2	-	5	-	-	-	-	3	4	2	9	1
-	-	-	1	-	-	1	-	1	-	-	-	1	-	1	2
1	-	3	24	5	1	2	1	10	3	1	-	5	4	9	3
-	-	3	8	1	-	1	-	2	1	-	-	3	-	5	4
1	-	13	19	7	-	4	-	7	1	-	2	7	9	15	5
2	-	6	20	4	1	5	-	7	1	-	2	12	5	6	6
2	-	8	27	7	2	10	-	3	-	-	5	2	2	6	7
1	-	22	35	6	-	15	-	7	3	-	5	5	-	15	8
1	-	14	29	5	-	12	-	6	2	-	4	5	-	11	9
-	-	8	6	1	-	3	-	1	1	-	1	-	-	4	10
1	-	1	6	2	1	2	-	2	-	-	4	3	15	4	11
1	-	11	7	3	-	5	-	1	1	-	4	3	1	3	12
2	-	12	42	4	1	1	-	10	5	-	9	13	4	26	13
2	-	10	35	2	1	1	-	8	4	-	6	10	3	22	14
-	-	2	7	2	-	-	-	2	1	-	3	3	1	4	15
1	-	15	30	4	1	3	1	14	-	-	2	4	1	12	16
4	-	3	11	4	1	4	-	3	-	-	1	-	1	12	17
-	-	2	10	3	-	-	-	2	-	-	-	2	1	3	18
2	-	4	13	2	-	1	-	-	1	-	1	-	2	4	19
1	-	4	17	3	-	2	-	4	2	-	2	4	-	4	20
3	-	12	34	6	1	7	-	4	1	-	6	4	6	23	21
1	-	3	17	3	-	1	-	1	-	-	-	2	1	6	22
2	-	5	22	2	1	7	-	3	-	-	1	1	1	12	23
3	-	9	17	6	-	2	1	13	1	-	-	5	3	12	24
-	-	1	10	2	-	4	-	-	-	-	-	3	1	4	25
1	-	15	19	7	-	2	-	3	-	-	1	3	2	9	26
2	-	3	16	-	1	7	-	6	2	-	7	4	3	8	27
1	-	2	17	4	1	2	-	-	2	-	-	1	1	10	28
1	-	1	4	-	1	3	-	-	-	-	-	1	2	1	29
-	-	7	22	1	-	5	-	8	-	-	1	4	1	14	30
1	-	8	17	4	-	2	-	9	4	-	-	5	4	16	31
1	-	4	8	3	-	-	-	1	-	-	-	1	-	6	32
-	-	1	7	-	-	1	-	2	-	-	-	-	1	-	33
1	-	3	8	2	-	2	1	-	-	-	-	-	4	2	34
1	-	1	7	-	1	2	-	3	-	-	-	-	-	3	35
4	-	7	29	5	-	3	-	2	-	-	4	6	-	13	36
1	-	8	25	5	-	3	-	3	2	1	6	2	2	19	37
3	-	15	45	5	-	5	1	4	-	1	1	10	1	34	38
4	-	21	24	3	1	8	-	6	1	-	4	7	4	14	39
1	-	3	15	-	-	3	1	2	-	-	2	2	2	2	40
2	-	8	14	1	1	2	-	5	-	-	3	4	3	13	41
1	-	3	13	1	1	1	-	4	-	-	-	1	2	7	42
-	-	5	26	7	-	3	1	4	1	1	2	2	-	6	43
1	-	8	31	1	-	7	-	4	2	1	-	3	8	10	44
-	-	-	6	4	-	2	2	1	-	-	1	1	5	3	45
1	-	5	14	-	-	3	1	-	3	-	1	2	1	3	46
13	-	61	152	26	2	24	-	33	8	-	22	24	12	69	47
8	-	45	119	20	1	13	-	23	7	-	18	19	6	55	48
5	-	16	33	6	1	11	-	10	1	-	4	5	4	14	49
5	-	8	20	4	-	9	-	4	2	-	1	2	3	17	50
8	-	30	52	7	-	9	1	6	2	-	10	18	9	30	51
6	-	24	47	6	-	6	1	6	1	-	6	12	8	23	52
2	-	6	5	1	-	3	-	-	1	-	4	6	1	7	53
1	-	7	19	2	-	2	1	2	-	-	4	2	2	13	54
-	-	4	8	3	-	-	-	2	-	-	2	1	-	7	55
1	-	9	36	9	-	7	-	8	2	-	4	3	3	12	56
-	-	1	10	3	-	1	-	2	-	-	1	2	-	5	57
1	-	2	3	9	4	1	1	10	-	1	1	4	13	1	58
1	-	10	40	5	1	2	-	13	-	-	5	6	-	23	59
1	-	1	6	-	-	1	-	1	-	-	-	2	-	3	60
-	-	2	1	-	1	1	-	-	1	-	-	1	-	-	61
1	-	2	3	2	1	-	-	2	-	-	-	3	22	6	62
3	-	6	17	3	-	2	1	4	2	-	2	4	1	6	63
2	-	11	37	1	1	6	-	4	-	-	4	7	3	14	64
-	-	9	17	6	-	-	-	3	-	-	2	10	2	12	65
1	-	1	16	1	-	2	-	4	-	-	1	5	1	10	66
-	-	-	4	1	-	-	-	-	-	-	-	-	3	2	67
-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	68
7	-	18	82	10	-	14	-	11	2	-	4	17	13	51	69
-	-	1	9	2	-	-	-	-	-	-	1	1	2	3	70
394	60	2,782	6,521	1,751	233	1,655	142	1,823	250	389	676	1,243	1,762	2,931	71
9	1	14	46	25	2	12	6	48	3	6	9	11	17	37	72
5	-	25	47	13	2	36	3	11	-	1	6	9	15	19	73
-	-	6	26	9	-	1	-	2	-	-	4	2	15	7	74
-	-	6	13	7	-	3	-	11	1	1	1	3	10	8	75
9	1	40	92	27	2	17	1	37	1	3	4	20	14	37	76
3	1	26	50	18	1	12	-	29	-	6	8	17	8	22	77
2	-	10	31	5	-	7	-	12	-	6	6	6	3	11	78
1	1	16	19	13	1	5	-	17	-	-	2	11	5	11	79
1	-	20	42	18	2	17	-	24	1	8	9	13	7	24	80
-	1	9	24	5	-	-	-	5	2	2	-	5	11	6	81
3	3	24	59	9	2	34	2	17	2	3	3	7	15	16	82
5	1	24	71	24	-	14	2	43	2	4	8	11	14	25	83
1	-	7	22	6	1	4	-	7	6	-	4	5	8	11	84
1	-	10	13	6	-	9	1	7	2	2	1	4	4	12	85
1	1	13	53	12	6	2	3	3	2	-	4	6	10	17	86
3	1	4	10	-	-	1	-	2	-	3	3	2	7	6	87
3	-	15	40	14	-	21	2	20	1	3	10	14	19	23	88
4	2	21	40	18	2	6	1	13	1	1	7	5	15	20	89
-	-	20	30	4	1	16	1	6	1	1	6	9	2	16	90
-	1	7	14	6	-	6	-	6	1	1	4	4	15	21	91
58	3	285	723	171	22	173	6	163	35	67	86	121	188	370	92
43	2	204	522	124	13	132	3	136	20	51	70	103	115	248	93
15	1	81	201	47	9	41	3	27	15	16	16	18	73	122	94

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	TENNESSEE—Continued														
1	Decatur	84	-	-	-	-	-	6	-	-	-	-	-	7	-
2	De Kalb	109	-	-	-	-	-	14	-	-	1	-	-	17	-
3	Dickson	181	-	-	-	1	-	23	1	-	1	-	-	25	-
4	Dyer	299	-	-	-	1	-	10	1	1	3	-	1	22	-
5	Dyersburg	105	-	-	-	-	-	3	-	1	1	-	1	7	-
6	Balance of county	194	-	-	-	1	-	7	1	-	2	-	-	15	-
7	Fayette	231	2	-	-	-	1	5	1	-	1	1	-	19	-
8	Fentress	77	-	-	-	1	-	5	-	-	1	1	1	8	-
9	Franklin	207	-	-	-	5	-	12	1	-	-	1	-	28	1
10	Gibson	426	-	1	-	1	1	19	1	2	-	-	-	51	-
11	Giles	266	-	-	-	-	-	15	1	1	-	-	-	29	-
12	Grainger	125	-	1	-	-	-	17	-	-	-	-	-	16	-
13	Greene	349	-	1	-	-	1	22	-	-	2	1	-	21	-
14	Grundy	101	-	-	-	1	-	4	-	-	-	-	-	10	-
15	Hamblen	210	-	1	-	-	-	17	-	-	2	-	-	13	-
16	Hamilton	1,965	-	7	-	-	2	133	-	-	19	2	1	215	3
17	Chattanooga	1,527	-	6	-	-	-	99	-	-	17	2	-	164	3
18	Balance of county	438	-	1	-	-	2	34	-	-	2	-	1	51	-
19	Hancock	86	1	1	-	-	-	10	-	-	-	-	-	5	-
20	Hardeman	427	-	-	-	-	-	27	-	-	34	-	-	26	-
21	Hardin	103	-	1	-	-	-	9	-	1	-	1	-	16	-
22	Hawkins	225	1	-	-	-	-	14	-	-	-	-	1	23	-
23	Haywood	250	-	1	-	-	-	26	-	-	5	1	1	13	-
24	Henderson	129	-	-	-	-	-	6	-	-	1	-	1	12	-
25	Henry	288	-	-	-	1	-	14	-	1	2	-	-	28	-
26	Hickman	114	-	1	-	-	-	7	-	-	-	-	-	17	-
27	Houston	45	-	-	-	-	-	6	-	-	-	-	-	8	-
28	Humphreys	71	-	-	-	-	-	6	-	-	-	1	-	4	-
29	Jackson	118	-	-	-	1	-	12	-	-	1	1	-	20	-
30	Jefferson	160	-	-	-	-	1	14	-	-	1	-	-	18	-
31	Johnson	90	-	-	-	-	-	2	-	-	1	-	-	7	1
32	Knox	2,027	1	5	-	2	3	98	2	1	40	-	1	212	4
33	Knoxville	1,222	1	5	-	1	1	39	-	-	13	-	1	139	3
34	Balance of county	805	-	-	-	1	2	59	2	1	27	-	-	73	1
35	Lake	86	-	1	-	-	-	3	-	-	1	-	-	5	-
36	Lauderdale	204	-	1	-	2	-	13	-	-	-	1	-	29	-
37	Lawrence	192	1	-	1	-	-	13	-	-	-	-	-	27	-
38	Lewis	42	-	-	-	2	-	3	-	-	-	-	-	6	-
39	Lincoln	260	-	3	-	1	-	15	-	1	-	1	-	28	1
40	Loudon	183	-	-	1	-	-	12	-	-	2	-	-	15	-
41	McMinn	270	-	-	-	1	1	13	1	-	3	-	-	22	1
42	McNairy	156	-	-	-	-	-	7	1	-	-	-	-	26	-
43	Macon	122	1	-	-	1	-	13	-	-	-	-	-	14	-
44	Madison	550	-	1	-	1	1	33	1	-	5	2	-	64	-
45	Jackson	340	-	1	-	1	-	24	-	-	3	1	-	42	-
46	Balance of county	210	-	-	-	-	1	9	1	-	2	1	-	22	-
47	Marion	144	-	-	-	-	1	5	-	-	-	-	1	17	-
48	Marshall	193	-	-	-	-	-	14	-	-	1	-	2	15	-
49	Maury	405	-	-	-	-	-	14	1	-	2	3	-	44	1
50	Columbia	126	-	-	-	-	-	9	-	-	2	1	-	9	-
51	Balance of county	279	-	-	-	-	-	5	1	-	-	2	-	35	1
52	Meigs	44	1	-	-	-	-	2	-	-	-	-	-	3	1
53	Monroe	210	-	-	-	-	-	19	-	-	1	-	-	20	1
54	Montgomery	332	1	-	-	1	-	18	-	-	1	-	-	22	-
55	Clarksville	156	-	-	-	-	-	7	-	-	1	-	-	9	-
56	Balance of county	176	1	-	-	1	-	11	-	-	-	-	-	13	-
57	Moore	41	-	-	-	-	-	-	-	-	-	-	-	8	-
58	Morgan	89	-	-	-	-	-	4	-	1	-	-	-	4	-
59	Obion	290	-	-	-	-	-	9	-	-	-	-	-	28	-
60	Overton	67	-	-	-	-	-	8	-	-	-	-	-	8	-
61	Perry	52	-	-	-	1	-	4	-	-	-	1	-	6	-
62	Pickett	23	-	-	-	1	-	2	-	-	-	-	-	1	-
63	Polk	114	-	1	-	2	-	7	-	-	-	-	-	9	-
64	Putnam	166	-	-	1	1	-	17	-	-	-	2	-	11	-
65	Rhea	124	-	-	-	3	-	9	-	-	1	-	-	14	-
66	Roane	231	-	1	-	3	-	15	-	-	-	-	-	20	-
67	Robertson	267	-	1	-	1	-	17	-	1	1	3	-	24	1
68	Rutherford	397	-	-	-	-	-	12	1	-	16	1	-	39	-
69	Scott	115	2	-	-	1	1	6	1	-	-	1	-	11	-
70	Sequatchie	23	-	-	-	-	-	2	-	-	-	-	-	2	-
71	Sevier	194	1	1	-	-	-	9	-	-	1	1	-	15	1
72	Shelby	4,003	-	6	-	3	1	227	4	4	51	2	4	415	1
73	Memphis	3,181	-	5	-	2	1	176	3	2	39	1	3	336	1
74	Balance of county	822	-	1	-	1	-	51	1	2	12	1	1	79	-
75	Smith	109	-	-	-	-	-	10	-	-	-	-	-	7	-
76	Stewart	86	-	-	-	-	-	5	-	-	-	1	-	9	-
77	Sullivan	536	2	2	-	-	1	25	1	1	2	1	-	53	1
78	Bristol[5]	123	-	1	-	-	-	3	-	-	-	-	-	10	-
79	Kingsport	139	1	-	-	-	-	8	-	-	1	-	-	17	-
80	Balance of county	274	1	1	-	-	1	14	1	1	1	1	-	26	1
81	Sumner	273	-	-	-	-	-	19	2	-	1	1	-	33	-
82	Tipton	205	-	-	-	-	-	2	1	-	4	-	-	24	-
83	Trousdale	56	-	-	-	-	-	4	-	-	1	-	-	7	-
84	Unicoi	116	-	1	-	-	-	4	-	-	-	-	-	12	-
85	Union	62	1	-	-	-	-	2	1	-	-	-	-	7	-
86	Van Buren	31	-	-	-	1	-	-	-	-	-	-	-	3	-
87	Warren	183	1	-	-	-	-	13	-	-	-	-	-	22	-
88	Washington	479	-	-	-	2	-	24	-	-	8	-	-	58	-
89	Johnson City	244	-	-	-	1	-	12	-	-	8	-	-	27	-
90	Balance of county	235	-	-	-	1	-	12	-	-	-	-	-	31	-
91	Wayne	101	-	-	-	-	-	11	-	-	-	1	-	13	1
92	Weakley	289	-	-	-	-	-	17	-	-	-	-	-	37	1
93	White	137	1	-	-	1	1	14	-	-	-	-	-	10	-
94	Williamson	232	-	1	-	-	-	9	-	-	2	3	-	28	1
95	Wilson	236	-	1	-	1	-	12	-	-	1	-	-	32	-

[5]Includes data for Bristol, Tenn., only.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
1	-	12	15	7	-	2	1	5	-	1	2	6	11	8	1
-	-	5	44	7	-	4	1	2	-	-	-	3	2	9	2
2	1	15	39	11	1	15	2	8	-	1	3	6	15	11	3
3	1	24	76	17	1	34	3	24	-	4	10	14	18	31	4
-	-	7	26	3	-	11	1	12	-	2	8	5	5	12	5
3	1	17	50	14	1	23	2	12	-	2	2	9	13	19	6
2	-	13	42	29	3	20	4	14	-	3	8	10	35	20	7
1	-	12	20	4	-	3	-	4	-	-	4	4	5	3	8
3	1	26	39	21	2	9	-	15	2	-	1	12	8	30	9
5	-	45	105	27	2	45	1	33	1	5	12	21	15	35	10
4	-	30	56	19	1	22	1	14	7	4	8	12	15	27	11
2	-	12	28	5	-	7	-	-	1	1	2	4	16	13	12
5	1	37	108	21	4	13	4	27	-	2	12	16	22	29	13
2	1	8	22	4	1	10	-	9	2	-	3	9	8	7	14
-	1	26	38	19	-	11	2	17	2	2	14	11	12	22	15
25	3	187	447	153	22	109	4	141	17	42	52	98	87	196	16
21	1	142	354	116	17	90	3	98	13	40	39	78	70	154	17
4	2	45	93	37	5	19	1	43	4	2	13	20	17	42	18
-	-	6	12	5	-	4	-	-	1	1	-	6	9	5	19
3	-	28	62	32	1	23	3	10	1	2	7	14	52	102	20
-	-	13	21	5	1	10	-	1	1	1	3	3	10	6	21
8	2	25	43	20	-	8	3	14	-	1	11	14	23	16	22
1	-	20	38	15	2	29	3	11	1	2	6	9	45	20	23
3	-	19	35	4	-	7	-	11	4	1	3	5	9	8	24
3	-	38	92	13	-	14	2	11	1	1	5	10	9	23	25
-	-	7	18	13	1	10	-	8	-	2	2	5	4	19	26
1	-	5	6	5	-	2	-	1	1	1	-	2	7	1	27
1	-	10	15	4	2	2	-	4	2	1	1	6	7	5	28
1	-	6	22	18	2	4	-	3	3	-	5	9	4	6	29
1	-	18	24	7	-	6	-	13	1	1	6	10	15	24	30
2	-	8	19	13	-	10	1	5	-	-	4	3	10	4	31
30	4	156	588	109	25	119	8	132	18	38	31	87	76	257	32
22	1	87	339	62	15	74	5	103	11	33	16	59	43	149	33
8	3	69	249	47	10	45	3	29	7	5	15	28	33	88	34
1	-	8	14	3	-	3	1	10	-	4	3	8	7	14	35
2	-	17	27	14	1	18	-	12	4	4	5	11	17	26	36
4	-	10	52	2	1	15	3	12	3	1	7	8	13	19	37
-	-	5	6	1	1	4	-	3	-	2	1	1	2	5	38
1	1	33	61	14	3	13	3	9	5	2	1	15	26	23	39
2	3	18	49	13	-	11	2	8	-	1	5	10	13	18	40
3	-	28	71	21	3	19	4	21	3	2	6	9	11	27	41
4	1	24	27	9	2	4	1	8	1	1	3	10	13	14	42
1	1	13	23	8	-	9	1	5	1	-	1	2	20	8	43
11	-	72	123	27	6	33	1	35	4	6	10	23	37	54	44
10	-	43	77	16	1	17	1	19	2	4	4	15	20	39	45
1	-	29	46	11	5	16	-	16	2	2	6	8	17	15	46
1	-	17	24	9	3	10	-	13	1	1	7	8	15	11	47
5	-	30	47	9	2	10	1	13	3	3	3	16	6	13	48
6	-	69	107	25	1	28	1	22	4	7	4	10	13	43	49
1	-	18	34	7	1	6	-	10	1	4	-	4	6	13	50
5	-	51	73	18	-	22	1	12	3	3	4	6	7	30	51
-	1	3	8	2	1	-	1	4	-	1	3	5	3	5	52
6	-	23	37	24	2	7	-	20	1	4	5	7	13	20	53
8	2	39	90	23	2	18	-	22	1	2	13	21	15	33	54
3	1	24	50	15	-	9	-	11	1	2	-	8	3	12	55
5	1	15	40	8	2	9	-	11	-	-	13	13	12	21	56
-	-	5	14	3	-	1	1	1	-	-	-	3	1	4	57
-	-	12	18	10	-	11	-	3	-	1	3	3	11	8	58
-	-	45	81	20	1	15	2	11	3	2	9	20	15	29	59
1	-	6	18	-	-	1	-	4	-	3	2	3	7	6	60
1	-	6	5	5	-	6	-	-	-	-	4	1	5	7	61
-	-	2	2	2	-	2	1	1	-	-	-	2	5	2	62
-	-	11	22	9	1	5	1	7	5	2	6	6	11	9	63
1	-	29	33	12	-	8	2	11	3	-	4	9	6	16	64
-	-	10	21	7	4	12	1	5	-	6	6	5	5	15	65
3	1	24	41	20	6	30	-	24	1	4	6	8	5	17	66
5	2	36	81	9	1	28	-	12	3	-	1	9	6	27	67
7	-	43	99	23	2	14	3	21	7	6	7	21	17	48	68
-	-	6	20	11	2	4	-	12	-	3	4	6	16	9	69
-	-	5	6	1	-	2	-	-	-	-	2	1	-	2	70
2	2	16	25	17	6	16	5	18	2	2	6	10	14	14	71
67	5	405	990	206	50	197	18	276	35	55	77	152	257	495	72
58	4	293	821	164	39	154	12	214	27	49	64	113	188	412	73
9	1	112	169	42	11	43	6	62	8	6	13	39	69	83	74
2	1	14	19	2	1	11	-	10	-	1	5	2	14	10	75
2	1	5	21	5	-	4	-	3	1	-	1	5	10	15	76
11	-	45	123	39	3	28	4	52	5	9	15	29	29	55	77
2	-	14	34	2	1	4	1	9	1	3	5	6	6	21	78
4	-	15	21	9	-	6	1	20	1	2	6	7	8	12	79
5	-	16	68	28	2	18	2	23	3	4	4	15	15	22	80
3	-	43	72	20	1	12	-	12	3	2	5	12	9	23	81
1	-	18	50	12	-	6	-	18	2	5	2	8	25	27	82
1	1	2	14	2	-	11	-	3	-	-	1	1	2	6	83
3	-	8	31	8	1	7	1	6	2	1	4	5	8	14	84
1	-	5	20	6	-	2	1	3	1	-	1	2	6	3	85
-	-	1	8	-	1	-	-	1	-	-	-	3	11	2	86
1	-	19	47	7	2	3	1	16	1	1	4	8	25	12	87
7	1	40	138	37	1	21	4	32	4	2	7	19	20	46	88
3	-	25	78	20	1	9	1	12	-	-	5	10	7	25	89
4	1	23	60	17	-	12	3	20	4	2	2	9	13	21	90
1	2	8	15	6	-	7	-	8	-	2	5	8	7	6	91
-	1	41	71	15	1	24	4	13	6	4	3	11	15	25	92
1	-	14	43	8	1	4	1	8	-	2	6	6	13	3	93
3	1	28	59	17	2	9	1	16	2	5	7	14	7	19	94
-	2	30	59	11	2	18	1	8	6	1	6	10	15	20	95

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
1	TEXAS	59,706	48	58	7	92	108	2,923	252	63	640	86	102	6,424	54
2	Anderson	337	-	-	-	-	2	14	-	-	4	-	2	26	-
33	Palestine	176	-	-	-	-	-	8	-	-	4	-	1	17	-
4	Balance of county	161	-	-	-	-	2	6	-	-	-	-	1	9	-
5	Andrews	14	-	-	-	-	-	1	-	-	-	-	-	1	-
6	Angelina	268	1	-	-	-	-	9	1	2	-	-	1	27	-
7	Aransas	29	-	-	-	-	-	2	-	-	-	-	-	1	-
8	Archer	46	-	-	-	-	-	1	-	-	-	-	-	1	-
9	Armstrong	11	-	-	-	-	-	1	-	-	-	-	1	1	-
10	Atascosa	162	-	-	-	1	2	14	3	-	-	-	-	11	-
11	Austin	156	1	1	-	-	-	3	-	-	1	-	-	17	-
12	Bailey	36	-	-	-	-	-	-	1	-	2	-	-	3	-
13	Bandera	35	-	-	-	-	-	3	-	-	-	-	-	3	-
14	Bastrop	220	-	-	-	1	-	6	-	1	5	-	-	28	1
15	Baylor	52	-	-	-	-	-	-	-	-	-	-	-	7	-
16	Bee	191	-	-	-	4	1	12	1	-	2	-	-	25	-
17	Bell	467	-	1	-	1	2	17	1	-	1	2	3	56	-
18	Temple	189	-	-	-	-	-	8	1	-	-	-	1	20	-
19	Balance of county	278	-	1	-	1	2	9	-	-	1	2	2	36	-
20	Bexar	4,086	1	7	-	10	7	352	9	1	59	9	14	428	3
21	San Antonio	3,494	1	6	-	10	6	300	7	1	24	7	13	387	2
22	Balance of county	592	-	1	-	-	1	52	2	-	35	2	1	41	1
23	Blanco	51	-	-	-	1	-	-	-	-	-	-	-	2	-
24	Borden	3	-	-	-	-	-	-	-	-	-	-	-	1	-
25	Bosque	139	-	-	-	-	-	5	-	-	-	-	-	14	-
26	Bowie	472	4	-	-	-	1	15	-	1	3	2	1	54	-
27	Texarkana[a]	233	2	-	-	-	1	10	-	-	1	1	-	30	-
28	Balance of county	239	2	-	-	-	-	5	-	1	2	1	1	24	-
29	Brazoria	284	-	1	1	-	1	11	1	-	2	-	-	24	-
30	Brazos	249	-	-	-	1	2	10	2	-	-	-	1	21	-
31	Bryan	141	-	-	-	1	2	5	2	-	-	-	-	7	-
32	Balance of county	108	-	-	-	-	-	5	-	-	-	-	1	14	-
33	Brewster	70	-	-	-	-	2	6	1	-	1	-	-	7	-
34	Briscoe	26	-	-	-	-	-	1	-	-	-	-	1	2	-
35	Brooks	63	1	-	-	1	-	5	-	-	-	-	-	7	-
36	Brown	252	-	-	-	-	-	4	-	-	1	-	1	31	-
37	Brownwood	171	-	-	-	-	-	3	-	-	1	-	1	20	-
38	Balance of county	81	-	-	-	-	-	1	-	-	-	-	-	11	-
39	Burleson	128	-	-	-	-	-	7	1	-	-	-	-	18	1
40	Burnet	79	-	-	-	-	-	4	-	-	1	-	-	11	-
41	Caldwell	254	-	-	-	-	-	23	2	-	1	-	-	26	-
42	Calhoun	56	-	-	-	1	-	5	1	-	1	-	-	8	-
43	Callahan	90	-	-	-	-	-	4	-	-	-	-	-	8	-
44	Cameron	1,084	2	4	-	4	3	74	33	2	9	7	-	85	-
45	Brownsville	347	1	1	-	1	-	32	4	-	2	1	-	32	-
46	Harlingen	210	-	-	-	2	2	16	7	-	-	-	-	18	-
47	Balance of county	527	1	3	-	1	1	28	22	2	7	6	-	35	-
48	Camp	81	-	-	-	-	-	5	-	-	1	-	-	7	-
49	Carson	45	-	-	-	-	-	1	-	-	-	-	-	4	-
50	Cass	213	-	-	-	-	-	10	-	-	-	-	-	22	-
51	Castro	10	-	-	-	-	-	-	-	-	-	-	-	1	-
52	Chambers	46	-	-	-	-	-	-	1	-	1	-	-	4	-
53	Cherokee	508	1	1	-	-	-	50	3	3	39	1	-	47	-
54	Childress	98	-	-	-	-	-	2	-	-	1	-	-	7	-
55	Clay	73	-	-	-	-	-	2	-	-	1	-	-	12	-
56	Cochran	25	-	-	-	-	-	-	-	-	-	-	-	7	-
57	Coke	17	-	-	-	-	-	1	-	-	-	-	-	-	-
58	Coleman	140	1	-	-	-	-	2	-	-	-	-	-	22	-
59	Collin	349	-	-	-	-	1	15	-	-	1	-	-	33	-
60	Collingsworth	69	-	-	-	-	-	3	-	-	-	-	-	7	-
61	Colorado	165	-	-	-	-	-	3	1	-	2	1	-	21	-
62	Comal	157	-	-	-	3	-	11	-	-	-	-	-	14	-
63	Comanche	154	-	-	-	-	-	3	-	-	-	-	-	28	1
64	Concho	50	1	-	-	-	-	3	-	-	-	-	-	7	-
65	Cooke	180	-	-	-	-	-	1	-	-	-	-	-	27	-
66	Coryell	135	-	-	-	-	-	4	-	-	-	-	-	14	-
67	Cottle	49	-	-	-	1	-	-	-	-	2	3	1	5	-
68	Crane	14	-	-	-	-	-	-	-	-	-	-	-	1	-
69	Crockett	14	-	-	-	-	-	-	-	-	-	-	-	1	-
70	Crosby	48	-	-	-	-	1	-	-	-	-	-	-	2	-
71	Culberson	11	-	-	-	-	-	-	-	-	-	-	-	2	-
72	Dallam	59	-	-	-	-	-	1	-	-	-	-	2	5	-
73	Dallas	4,236	2	5	1	1	1	172	2	1	31	-	9	485	5
74	Dallas	3,262	2	5	-	1	-	132	2	1	28	-	7	375	3
75	Highland Park	99	-	-	-	-	-	2	-	-	-	-	-	11	-
76	University Park	113	-	-	-	-	-	1	-	-	-	-	1	22	-
77	Balance of county	762	-	-	1	-	1	37	-	-	3	-	1	77	2
78	Dawson	121	-	1	-	-	1	3	-	-	-	-	1	11	-
79	Deaf Smith	57	-	-	-	-	-	-	-	-	-	-	-	6	-
80	Delta	59	-	-	-	-	-	-	-	-	1	-	-	7	-
81	Denton	298	1	1	-	-	-	6	2	-	-	-	-	32	-
82	Denton	135	1	-	-	-	-	1	-	-	-	-	-	14	-
83	Balance of county	163	-	1	-	-	-	5	2	-	-	-	-	18	-
84	De Witt	248	1	-	-	-	1	10	-	-	1	2	-	25	-
85	Dickens	49	-	-	-	-	-	1	-	-	-	-	-	7	1
86	Dimmit	92	-	-	-	1	-	10	3	-	-	3	-	7	-
87	Donley	55	-	-	-	-	-	2	-	-	-	-	-	7	-
88	Duval	112	-	-	-	1	1	15	2	-	1	-	-	10	-
89	Eastland	259	-	-	-	-	-	9	-	-	1	-	-	40	-
90	Ector	145	-	1	-	-	-	7	-	-	1	-	-	15	-
91	Edwards	20	1	-	-	-	-	-	-	-	1	1	-	3	-
92	Ellis	461	-	1	-	-	-	17	1	-	3	-	1	65	-
93	El Paso	1,527	1	4	-	4	2	120	3	-	12	9	3	142	3
94	El Paso	1,209	-	2	-	3	2	102	1	-	11	7	-	120	3
95	Balance of county	318	1	2	-	1	-	18	2	-	1	2	3	22	-

[a]Includes data for Texarkana, Tex., only.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
904	147	5,032	14,039	3,155	1,007	3,133	295	4,485	632	805	1,821	3,348	2,720	7,328	1
6	3	25	114	9	1	11	1	12	2	6	6	27	21	45	2
-	-	7	75	3	-	8	-	9	-	4	3	7	6	24	3
6	3	18	39	6	1	3	1	3	2	2	3	20	15	21	4
-	-	-	2	-	-	1	-	2	-	1	2	2	-	2	5
2	3	18	74	9	2	17	-	20	3	7	6	26	6	34	6
2	-	2	7	3	2	4	-	-	1	-	1	1	1	2	7
3	-	5	16	3	-	3	-	3	-	-	-	2	5	4	8
-	-	-	5	-	-	-	-	-	-	-	-	2	-	1	9
5	-	16	35	20	4	4	1	15	2	2	3	7	6	11	10
2	-	17	52	8	-	8	-	9	3	2	-	7	4	21	11
-	-	2	13	2	-	-	-	2	1	-	4	1	-	5	12
1	-	7	8	4	-	2	-	2	-	1	2	-	1	1	13
3	-	20	56	6	-	13	1	18	-	1	8	15	7	30	14
-	-	8	12	4	-	5	-	2	2	-	-	5	1	6	15
2	1	19	34	7	3	9	2	13	2	3	4	8	10	29	16
9	-	39	123	13	4	22	3	35	5	4	15	34	24	53	17
3	-	21	47	7	-	10	1	20	1	1	1	12	12	23	18
6	-	18	76	6	4	12	2	15	4	3	14	22	12	30	19
67	5	281	874	242	119	204	21	335	39	53	118	179	164	485	20
50	2	232	731	215	109	161	21	313	32	50	99	143	140	422	21
7	3	49	143	27	10	43	-	22	7	3	19	36	24	63	22
1	-	5	11	-	-	14	-	-	1	-	2	3	4	7	23
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	24
1	-	10	35	6	1	11	1	9	2	-	6	9	4	25	25
5	2	40	98	19	3	32	4	21	3	11	22	41	27	63	26
5	1	20	52	8	1	14	2	11	2	7	11	18	10	28	27
-	1	20	46	11	2	18	2	10	1	4	11	25	17	35	28
3	-	24	58	16	4	13	4	24	5	5	13	17	21	36	29
3	-	30	55	22	6	28	3	18	-	1	6	9	7	26	30
2	-	18	33	9	3	19	2	11	-	1	4	5	4	13	31
1	-	12	22	13	3	7	1	7	-	-	2	4	3	13	32
-	-	2	11	2	5	1	1	8	-	3	-	10	-	10	33
-	1	1	4	4	-	2	-	1	-	-	3	4	-	2	34
1	2	6	11	4	1	2	-	4	-	-	3	2	3	11	35
6	1	29	76	10	1	8	2	13	3	1	10	10	6	39	36
3	-	15	57	5	1	5	2	6	2	1	7	8	4	30	37
3	1	14	19	5	-	3	-	7	1	-	3	2	2	9	38
2	-	8	37	2	2	6	-	5	2	3	5	7	14	8	39
3	-	8	22	1	-	3	-	2	1	2	3	5	4	9	40
5	1	19	58	14	9	16	2	18	1	1	8	14	4	32	41
2	-	3	18	3	-	1	-	2	-	-	1	6	2	4	42
-	-	9	36	3	1	4	-	2	-	-	1	5	3	14	43
9	2	55	138	98	87	22	8	86	7	12	38	52	128	119	44
3	-	18	50	34	38	10	3	19	2	7	4	11	31	43	45
3	1	18	26	13	15	7	2	17	1	1	6	9	21	25	46
3	1	19	62	51	34	5	3	50	4	4	28	32	76	51	47
3	1	7	28	4	-	-	-	8	-	1	-	8	1	7	48
3	-	2	12	1	-	3	-	4	1	-	3	3	1	7	49
5	-	26	62	6	-	11	1	12	3	3	6	12	10	24	50
-	-	2	1	-	1	-	-	-	-	-	2	1	-	2	51
-	-	4	16	4	-	2	-	2	1	1	-	5	1	4	52
5	3	66	101	22	4	31	1	17	1	4	11	18	17	62	53
1	2	7	19	4	1	4	-	11	1	3	2	10	6	17	54
2	-	7	21	5	-	5	1	7	1	-	1	1	-	7	55
-	-	1	9	4	-	1	-	1	-	-	-	2	-	-	56
1	1	2	6	1	-	1	-	-	-	-	2	1	-	1	57
1	-	18	34	7	-	11	1	7	-	1	7	6	4	18	58
5	1	42	115	13	2	19	-	21	1	5	7	14	15	39	59
1	-	8	17	3	2	2	-	6	1	1	-	3	4	11	60
3	1	23	47	6	1	12	-	3	3	1	1	9	9	18	61
3	-	18	29	9	10	6	3	14	3	-	-	8	5	21	62
1	-	13	48	6	1	8	1	3	2	-	9	8	3	19	63
1	-	2	11	3	-	4	-	3	-	1	3	2	6	3	64
3	1	20	39	10	-	11	-	7	2	2	6	11	14	26	65
-	1	17	40	4	-	8	-	4	2	1	8	3	11	18	66
-	-	5	15	1	-	2	1	4	-	-	2	5	1	1	67
-	-	3	1	-	-	-	1	2	-	-	2	-	1	3	68
1	-	1	3	1	-	-	-	2	-	-	2	-	-	3	69
-	-	1	22	3	-	4	-	2	1	1	3	5	-	3	70
-	-	1	-	-	2	-	-	-	-	-	3	3	-	-	71
-	-	2	8	1	2	7	-	8	3	1	4	5	1	9	72
77	6	379	1,160	166	65	188	14	355	53	104	103	218	74	557	73
58	4	298	894	134	52	152	12	270	40	83	65	163	52	429	74
-	1	13	40	2	-	3	-	6	2	4	2	2	-	11	75
1	-	10	38	3	1	3	-	7	2	2	2	4	1	15	76
18	1	58	188	27	12	30	2	72	11	15	34	49	21	102	77
-	-	12	28	1	2	3	1	18	3	1	4	13	3	17	78
1	-	-	12	1	2	3	-	7	2	-	7	4	2	10	79
2	-	7	15	2	-	3	1	3	-	-	1	6	3	8	80
11	2	37	83	10	-	9	1	15	5	1	13	21	11	37	81
6	-	17	38	4	-	3	-	8	-	1	9	9	7	17	82
5	2	20	45	6	-	6	1	7	5	-	4	12	4	20	83
3	-	24	69	14	4	14	1	16	2	1	9	7	15	29	84
2	-	4	11	2	1	3	-	3	-	-	3	3	1	7	85
1	-	2	12	10	2	1	1	11	-	-	3	1	4	20	86
2	-	9	16	1	-	3	-	2	1	-	1	3	2	6	87
-	-	8	18	6	4	9	-	6	2	-	3	5	7	14	88
2	2	25	79	14	1	9	-	9	3	-	12	14	12	27	89
-	-	6	15	4	2	3	1	31	3	3	12	24	7	10	90
-	-	1	5	1	-	1	-	-	-	-	1	2	2	1	91
7	1	50	121	34	2	21	4	29	-	5	13	27	17	42	92
18	-	77	286	131	48	64	10	130	26	8	50	76	94	206	93
17	-	67	244	99	36	58	9	96	22	5	28	44	62	171	94
1	-	10	42	32	12	6	1	34	4	3	22	32	32	35	95

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	TEXAS—Continued														
1	Erath	185	-	-	-	-	-	7	-	-	1	-	-	20	-
2	Falls	269	-	-	-	2	1	13	2	-	3	-	-	38	1
3	Fannin	313	-	-	-	-	1	2	-	3	1	-	-	41	-
4	Fayette	246	-	1	-	-	-	2	1	-	6	-	-	33	1
5	Fisher	66	-	-	-	-	-	3	-	-	-	-	-	5	-
6	Floyd	49	-	-	-	-	-	-	-	-	-	-	-	9	1
7	Foard	42	-	-	-	-	-	1	-	-	-	-	-	5	-
8	Fort Bend	246	-	-	-	-	1	20	4	-	-	1	-	21	-
9	Franklin	45	-	-	-	-	-	1	-	-	-	-	-	6	-
10	Freestone	158	-	-	-	-	-	10	-	2	1	-	-	24	-
11	Frio	94	-	-	-	3	-	9	1	-	1	1	-	2	-
12	Gaines	34	-	-	-	-	-	1	-	-	-	-	-	5	-
13	Galveston	928	2	2	1	2	1	40	2	3	12	1	2	107	-
14	Galveston	731	2	1	1	2	-	29	2	2	10	1	1	81	-
15	Balance of county	197	-	1	-	-	1	11	-	1	2	-	1	16	-
16	Garza	47	-	-	-	-	-	2	-	-	-	-	-	4	-
17	Gillespie	107	-	-	-	-	-	2	-	-	-	-	-	12	-
18	Glasscock	7	-	-	-	-	-	-	-	-	-	-	-	2	-
19	Goliad	60	-	-	-	-	1	6	-	-	-	-	-	1	-
20	Gonzales	232	-	-	-	-	-	17	-	-	-	1	-	21	-
21	Gray	167	-	-	-	-	-	1	-	-	1	-	1	22	-
22	Pampa	121	-	-	-	-	-	-	-	-	1	-	1	20	-
23	Balance of county	46	-	-	-	-	-	1	-	-	-	-	-	2	-
24	Grayson	629	-	1	-	-	1	8	-	-	6	-	-	85	-
25	Denison	197	-	1	-	-	-	1	-	-	2	-	-	27	-
26	Sherman	204	-	-	-	-	-	3	-	-	2	-	-	30	-
27	Balance of county	228	-	-	-	-	1	4	-	-	2	-	-	28	-
28	Gregg	460	-	-	-	-	1	17	1	-	5	-	1	52	1
29	Longview	180	-	-	-	-	-	9	-	-	1	-	1	18	-
30	Balance of county	280	-	-	-	-	1	8	1	-	4	-	-	34	1
31	Grimes	148	-	-	-	-	-	3	1	-	-	-	-	12	-
32	Guadalupe	227	-	-	-	-	1	10	-	-	1	-	1	24	-
33	Hale	139	-	-	-	1	2	3	1	-	1	-	1	10	-
34	Hall	89	-	-	-	-	1	-	-	-	-	-	-	8	-
35	Hamilton	92	-	-	-	-	-	1	-	-	-	-	-	20	-
36	Hansford	26	-	-	-	-	-	-	-	-	1	-	-	3	-
37	Hardeman	99	1	-	-	-	-	1	-	-	-	-	-	12	-
38	Hardin	130	-	-	-	-	1	4	-	-	3	-	1	14	-
39	Harris	5,368	2	5	1	2	5	283	5	3	52	2	7	662	1
40	Houston	4,625	2	5	1	1	4	263	4	2	46	1	5	587	1
41	Balance of county	743	-	-	-	1	1	20	1	1	6	1	2	75	-
42	Harrison	418	5	1	-	-	-	16	-	2	9	-	1	44	-
43	Marshall	227	3	1	-	-	-	12	-	1	3	-	1	28	-
44	Balance of county	191	2	-	-	-	-	4	-	1	6	-	-	16	-
45	Hartley	21	-	-	-	-	-	2	-	-	-	-	-	2	-
46	Haskell	91	-	-	-	-	-	1	-	-	-	-	-	15	1
47	Hays	173	-	-	-	2	1	11	-	-	-	-	1	13	-
48	Hemphill	29	-	-	-	-	-	1	1	-	-	-	-	6	-
49	Henderson	201	2	-	-	2	-	8	-	-	-	-	-	26	1
50	Hidalgo	1,460	2	1	-	11	7	122	62	15	18	4	2	79	-
51	McAllen	212	-	-	-	-	1	14	5	1	1	-	-	11	-
52	Balance of county	1,248	2	1	-	11	6	108	57	14	17	4	2	68	-
53	Hill	283	-	-	-	-	1	6	2	1	2	-	-	30	-
54	Hockley	70	-	-	-	1	1	1	-	-	-	-	-	8	-
55	Hood	47	-	-	-	1	-	1	-	-	-	-	-	8	-
56	Hopkins	218	-	-	-	-	2	3	-	-	-	1	-	27	-
57	Houston	191	-	1	-	-	-	8	-	1	1	-	1	13	-
58	Howard	194	-	-	-	-	2	9	2	-	4	-	-	25	-
59	Big Spring	147	-	-	-	-	2	5	1	-	-	-	-	22	-
60	Balance of county	47	-	-	-	-	-	4	1	-	4	-	-	3	-
61	Hudspeth	33	-	-	-	-	-	-	1	-	-	2	-	2	-
62	Hunt	416	-	-	-	-	-	3	-	-	3	-	-	50	1
63	Greenville	182	-	-	-	-	-	-	-	-	2	-	-	23	-
64	Balance of county	234	-	-	-	-	-	3	-	-	1	-	-	27	1
65	Hutchinson	119	-	-	-	1	-	3	1	-	-	-	-	11	-
66	Borger	90	-	-	-	1	-	1	1	-	-	-	-	9	-
67	Balance of county	29	-	-	-	-	-	2	-	-	-	-	-	2	-
68	Irion	13	-	-	-	-	-	-	-	-	-	-	-	1	-
69	Jack	65	-	-	-	-	-	1	-	-	-	-	-	6	-
70	Jackson	90	-	1	-	-	-	4	-	-	1	-	-	8	-
71	Jasper	145	-	-	-	-	-	4	1	-	-	-	-	16	-
72	Jeff Davis	10	-	-	-	-	-	1	-	-	-	-	-	-	-
73	Jefferson	1,359	-	1	-	1	2	68	3	1	11	-	2	169	1
74	Beaumont	736	-	-	-	1	1	34	2	-	9	-	1	83	1
75	Port Arthur	387	-	-	-	-	1	13	1	-	1	-	1	53	-
76	Balance of county	236	-	1	-	-	-	21	-	1	1	-	-	33	-
77	Jim Hogg	39	-	-	-	-	-	4	-	-	-	-	-	4	-
78	Jim Wells	144	-	-	-	-	-	11	4	-	2	-	-	7	-
79	Johnson	310	-	-	-	-	1	7	1	-	-	-	-	45	-
80	Cleburne	157	-	-	-	-	1	3	-	-	-	-	-	22	-
81	Balance of county	153	-	-	-	-	-	4	1	-	-	-	-	23	-
82	Jones	186	-	-	-	-	-	4	-	-	-	-	-	22	-
83	Karnes	135	-	-	-	1	-	13	-	-	-	-	-	15	-
84	Kaufman	550	-	-	-	2	-	32	2	-	27	1	1	38	-
85	Terrell	340	-	-	-	1	-	27	2	-	25	1	-	15	-
86	Balance of county	210	-	-	-	1	-	5	-	-	2	-	1	25	-
87	Kendall	61	-	-	-	-	-	4	-	-	-	-	-	5	-
88	Kenedy	8	-	-	-	-	-	3	-	-	-	-	-	-	-
89	Kent	12	-	-	-	-	-	1	-	-	-	-	-	-	-
90	Kerr	167	-	-	-	-	-	50	-	-	2	-	-	21	-
91	Kimble	31	-	-	-	-	-	1	-	-	-	-	-	1	-
92	King	2	-	-	-	-	-	-	-	-	-	-	-	-	-
93	Kinney	19	-	-	-	-	-	-	-	-	-	-	-	1	-
94	Kleberg	140	-	-	-	-	-	8	1	-	3	-	1	10	-
95	Knox	57	-	-	-	-	-	1	-	-	-	-	-	4	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
3	-	16	50	9	1	7	-	16	4	2	6	11	10	22	1
2	-	27	57	16	2	38	1	13	-	4	5	7	13	24	2
6	4	46	89	18	-	27	1	14	1	-	4	18	12	25	3
5	-	16	55	8	2	27	-	19	2	1	3	8	20	38	4
3	-	3	15	2	2	6	-	9	-	1	-	4	3	10	5
-	1	13	11	1	1	-	-	1	1	-	2	3	-	5	6
2	-	7	10	-	2	3	-	3	-	-	-	4	4	1	7
7	1	14	46	20	3	12	2	18	1	7	6	14	8	40	8
1	-	3	13	-	3	2	-	4	1	-	2	1	5	3	9
5	1	19	37	7	1	6	-	7	-	1	2	12	9	14	10
1	-	1	12	11	13	4	2	5	-	-	3	11	4	10	11
-	-	2	9	2	-	2	-	4	-	-	1	4	1	3	12
23	-	88	280	23	5	31	4	67	13	10	27	57	35	90	13
16	-	76	234	20	4	24	-	43	11	9	11	46	20	75	14
7	-	12	46	3	1	7	4	24	2	1	16	11	15	15	15
-	-	3	9	3	1	4	-	6	-	-	-	6	2	8	16
-	1	12	33	1	-	11	-	3	2	2	4	11	3	10	17
-	-	-	2	-	-	1	-	-	-	1	1	-	-	-	18
-	1	12	15	2	1	4	-	2	1	1	1	-	1	11	19
1	-	20	59	21	2	18	2	12	2	1	3	10	15	27	20
3	-	14	34	8	1	8	-	18	2	-	8	18	8	22	21
2	-	10	18	5	1	7	-	15	1	-	6	14	6	14	22
1	-	4	16	3	-	1	-	1	1	-	2	4	2	8	23
12	1	65	162	30	4	49	3	38	10	8	18	42	18	68	24
3	1	18	47	13	2	25	-	8	3	6	6	11	3	20	25
5	-	18	58	7	-	12	1	14	4	1	4	17	6	22	26
4	-	29	57	10	2	12	2	16	3	1	8	14	9	26	27
4	1	42	96	33	2	28	1	27	6	12	32	27	16	55	28
2	-	20	40	8	1	13	-	6	1	5	11	10	6	28	29
2	1	22	56	25	1	15	1	21	5	7	21	17	10	27	30
3	-	16	40	11	1	10	2	8	2	3	1	10	8	15	31
1	-	21	41	8	12	27	-	16	3	2	5	11	14	29	32
3	-	12	32	10	2	3	-	9	1	-	4	12	6	26	33
1	1	10	22	4	-	2	-	7	-	3	2	10	6	12	34
3	1	6	20	2	-	6	-	4	-	-	8	3	5	15	35
1	-	1	6	1	-	-	1	3	-	-	1	1	1	6	36
-	1	18	16	8	1	1	1	7	1	-	4	3	8	16	37
1	-	15	30	5	-	5	3	15	1	1	6	7	4	14	38
85	6	455	1,318	231	46	231	25	474	78	135	153	268	185	650	39
76	6	406	1,159	193	37	194	22	381	65	123	106	215	145	575	40
9	-	49	159	38	9	37	3	93	13	12	47	53	39	75	41
11	2	38	84	27	1	28	4	24	4	7	14	21	29	46	42
6	2	19	47	15	1	16	-	11	2	3	8	10	13	25	43
5	-	19	37	12	-	12	4	13	2	4	6	11	16	21	44
-	-	1	5	-	-	3	-	1	-	1	1	1	2	2	45
1	-	6	17	4	5	-	-	4	2	2	5	6	5	17	46
4	-	17	29	17	4	8	-	17	3	2	5	11	7	21	47
1	-	4	9	-	-	1	-	2	-	-	1	-	2	1	48
1	2	14	50	9	1	26	-	14	1	1	5	7	8	23	49
11	5	61	155	146	95	30	9	174	10	18	48	105	108	161	50
2	1	15	34	20	9	5	1	25	1	1	8	16	15	26	51
9	4	46	121	126	86	25	8	149	9	17	40	89	94	135	52
7	1	40	74	14	4	19	1	8	-	3	9	11	15	35	53
1	-	5	21	2	-	2	1	5	-	1	4	6	2	9	54
2	-	5	12	2	-	4	-	2	1	-	2	1	-	6	55
3	-	20	56	16	2	11	2	9	1	1	6	8	15	35	56
1	2	18	55	8	6	12	2	6	-	1	6	12	9	28	57
1	1	8	46	7	2	4	-	23	3	2	7	15	11	22	58
1	1	5	36	6	2	4	-	20	3	2	5	10	7	15	59
-	-	3	10	1	-	-	-	3	-	-	2	5	4	7	60
-	-	-	2	6	2	1	-	7	-	1	4	1	2	2	61
5	1	34	118	23	2	36	3	25	2	4	10	21	15	60	62
2	1	14	52	7	1	13	2	17	1	3	6	7	8	23	63
3	-	20	66	16	1	23	1	8	1	1	4	14	7	37	64
3	-	13	25	1	2	9	-	21	1	3	5	7	-	13	65
3	-	10	18	1	1	7	-	17	1	2	4	4	-	10	66
-	-	3	7	-	1	2	-	4	-	1	1	3	-	3	67
-	-	1	4	-	-	-	-	4	1	1	1	-	-	-	68
2	-	4	16	4	-	3	1	3	1	1	5	5	1	12	69
2	-	6	23	3	3	6	-	5	1	-	2	5	7	13	70
1	-	14	35	10	-	15	-	10	2	-	7	8	2	22	71
-	-	-	3	-	1	1	-	2	-	1	-	-	-	1	72
25	2	106	328	82	6	86	7	130	23	17	45	57	17	169	73
17	1	60	176	50	3	49	3	66	11	9	24	23	8	104	74
5	1	34	85	18	3	24	4	42	7	6	15	21	4	48	75
3	-	12	67	14	-	13	-	22	5	2	6	13	5	17	76
-	-	1	6	3	3	-	2	4	-	1	2	1	6	3	77
1	-	13	20	4	15	7	2	13	-	-	4	9	14	18	78
6	3	48	82	15	1	9	1	12	2	3	8	22	10	34	79
2	-	27	44	6	1	6	-	8	-	2	3	13	4	15	80
4	3	21	38	9	-	3	1	4	2	1	5	9	6	19	81
1	2	23	51	7	1	9	2	15	3	-	5	6	9	26	82
1	-	11	23	15	2	5	-	6	-	1	1	8	19	14	83
7	3	47	135	18	6	35	2	18	-	4	12	27	13	120	84
2	2	28	73	8	3	26	1	9	-	1	6	12	5	95	85
5	1	19	62	10	3	9	1	9	-	3	6	15	8	25	86
-	-	5	16	-	1	4	-	1	3	-	4	3	4	11	87
-	-	-	2	-	-	-	-	-	-	-	1	1	-	1	88
-	-	2	4	1	-	1	-	-	-	-	1	-	-	2	89
2	-	5	31	5	1	5	1	3	1	1	2	3	13	21	90
1	-	2	7	1	2	1	-	3	2	-	1	1	2	6	91
-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	92
-	1	4	3	1	-	-	2	3	-	-	-	-	1	3	93
4	1	7	25	12	8	8	-	16	1	-	3	3	9	20	94
-	-	10	12	2	2	4	1	4	2	-	2	9	-	5	95

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	TEXAS—Continued														
1	Lamar	402	-	-	-	1	-	11	-	-	4	-	-	47	2
2	Paris	235	-	-	-	1	-	6	-	-	2	-	-	27	2
3	Balance of county	167	-	-	-	-	-	5	-	-	2	-	-	20	-
4	Lamb	111	-	-	-	-	-	1	-	-	-	-	1	12	-
5	Lampasas	108	-	-	-	-	-	5	-	-	-	-	-	12	-
6	La Salle	76	-	-	-	-	1	5	10	-	1	-	-	4	-
7	Lavaca	205	-	-	-	-	-	7	-	-	-	1	-	30	-
8	Lee	92	-	-	-	-	-	2	-	-	-	-	-	7	-
9	Leon	123	-	-	-	-	1	3	-	-	1	1	-	20	-
10	Liberty	223	-	-	-	-	-	7	-	1	3	-	-	35	-
11	Limestone	219	-	-	-	-	-	8	-	1	2	-	-	20	-
12	Lipscomb	42	-	-	-	-	-	1	-	-	-	1	-	5	-
13	Live Oak	73	-	-	-	-	1	3	-	-	-	-	-	5	-
14	Llano	48	-	-	-	-	-	2	-	-	-	-	-	5	-
15	Loving	1	-	-	-	-	-	-	-	-	-	-	-	-	-
16	Lubbock	442	-	-	-	-	2	12	1	-	4	-	1	53	3
17	Lubbock	354	-	-	-	-	1	5	1	-	4	-	1	46	2
18	Balance of county	88	-	-	-	-	1	7	-	-	-	-	-	7	1
19	Lynn	69	-	-	-	-	-	1	1	-	-	-	-	5	1
20	McCulloch	93	1	-	-	-	-	5	-	-	-	-	-	14	-
21	McLennan	1,110	-	-	-	-	2	43	1	1	30	-	2	123	-
22	Waco	709	-	-	-	-	2	22	-	-	5	-	-	88	-
23	Balance of county	401	-	-	-	-	-	21	1	1	25	-	2	34	-
24	McMullen	5	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Madison	76	-	-	-	-	-	4	-	-	-	-	1	5	-
26	Marion	106	-	-	-	-	-	4	-	-	1	-	-	11	-
27	Martin	20	-	-	-	-	-	1	-	-	-	-	-	3	-
28	Mason	44	-	-	-	-	-	3	2	-	-	-	-	3	-
29	Matagorda	162	-	-	-	-	1	5	-	-	2	-	-	16	-
30	Maverick	101	-	-	-	1	-	10	-	-	1	1	-	8	-
31	Medina	184	-	-	-	2	-	15	1	-	-	-	-	19	1
32	Menard	32	-	-	-	-	-	1	-	-	-	-	-	3	2
33	Midland	115	-	-	-	-	-	2	-	-	4	-	1	15	-
34	Milam	258	-	-	-	1	-	17	1	-	1	-	-	37	1
35	Mills	42	1	-	-	-	-	-	-	-	-	-	-	4	-
36	Mitchell	90	-	-	-	-	-	5	-	-	-	-	-	6	-
37	Montague	156	-	-	-	-	-	2	-	-	1	-	1	24	-
38	Montgomery	226	-	-	-	-	2	6	3	4	-	1	-	16	2
39	Moore	46	-	-	-	-	-	-	-	-	-	-	-	3	-
40	Morris	70	-	-	-	-	-	3	1	-	1	-	-	9	-
41	Motley	29	-	-	-	-	-	-	-	-	-	-	-	5	-
42	Nacogdoches	233	-	-	-	-	-	9	-	-	-	-	-	25	-
43	Navarro	399	1	-	-	2	-	6	2	-	2	-	1	57	1
44	Corsicana	200	-	-	-	1	-	5	1	-	1	-	-	10	1
45	Balance of county	199	1	-	-	1	-	1	1	-	1	-	1	27	-
46	Newton	72	1	-	1	-	-	1	-	-	1	-	-	12	1
47	Nolan	157	-	-	-	-	-	5	-	-	1	-	-	17	-
48	Sweetwater	116	-	-	-	-	-	4	-	-	1	-	-	14	-
49	Balance of county	41	-	-	-	-	-	1	-	-	-	-	-	3	-
50	Nueces	1,033	1	-	-	2	2	77	9	-	12	1	6	91	-
51	Corpus Christi	699	1	-	-	1	1	45	3	-	11	1	5	72	-
52	Balance of county	334	-	-	-	1	1	32	6	-	1	-	1	19	-
53	Ochiltree	24	-	-	-	-	-	-	-	-	-	-	-	3	-
54	Oldham	14	-	-	-	-	-	-	-	-	-	-	-	4	-
55	Orange	250	1	-	-	-	1	4	-	-	-	-	-	22	2
56	Palo Pinto	174	-	-	-	-	1	4	1	-	2	-	-	24	-
57	Panola	134	-	1	-	-	-	5	-	-	-	1	-	15	-
58	Parker	166	-	-	-	-	-	4	-	1	-	-	-	13	-
59	Parmer	24	-	-	-	-	-	1	-	-	-	-	-	3	-
60	Pecos	58	-	-	-	-	-	5	-	-	-	-	-	5	-
61	Polk	164	-	-	-	-	2	4	-	1	-	-	-	15	-
62	Potter	507	-	-	1	1	5	12	-	-	8	-	2	57	1
63	Amarillo (part)	487	-	-	-	1	5	12	-	-	8	-	2	56	1
64	Amarillo (total)	487	-	-	-	1	5	12	-	-	8	-	2	56	1
65	Balance of county	20	-	-	1	-	-	-	-	-	-	-	-	1	-
66	Presidio	67	-	-	-	-	-	3	1	-	-	-	-	3	-
67	Rains	21	1	-	-	-	-	-	-	-	-	-	-	1	-
68	Randall	28	-	-	-	-	-	-	-	-	1	-	-	3	-
69	Amarillo (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	Balance of county	28	-	-	-	-	-	-	-	-	1	-	-	3	-
71	Reagan	19	-	-	-	-	-	1	-	-	-	-	-	5	-
72	Real	12	-	-	-	-	-	-	-	-	-	-	-	1	-
73	Red River	205	-	1	-	-	-	8	-	2	1	-	-	19	-
74	Reeves	86	-	-	1	-	-	1	-	-	-	-	-	11	-
75	Refugio	67	-	-	-	-	-	2	-	-	2	-	-	3	-
76	Roberts	9	-	-	-	-	-	-	-	-	-	-	-	2	-
77	Robertson	197	-	-	-	-	-	8	-	-	4	1	-	20	-
78	Rockwall	52	-	-	-	-	-	1	-	-	1	-	-	5	-
79	Runnels	144	-	-	-	1	-	2	1	-	1	-	-	18	-
80	Rusk	302	-	-	-	-	-	10	-	-	-	-	1	30	1
81	Sabine	59	-	-	-	-	-	-	-	1	-	-	-	7	-
82	San Augustine	76	-	-	-	-	-	-	-	1	-	-	-	4	-
83	San Jacinto	47	-	-	-	-	-	1	-	-	1	-	-	1	-
84	San Patricio	300	-	-	-	2	3	29	4	-	4	-	-	20	-
85	San Saba	85	-	-	-	-	-	2	-	-	-	-	1	8	-
86	Schleicher	25	-	-	-	-	1	-	-	-	-	-	-	4	-
87	Scurry	77	-	-	-	-	-	1	1	-	-	-	-	9	-
88	Shackelford	35	-	-	-	-	-	1	-	-	-	-	-	8	-
89	Shelby	196	-	-	-	-	-	6	-	-	1	-	-	30	1
90	Sherman	18	-	-	-	-	-	-	-	-	-	-	-	2	-
91	Smith	574	-	-	-	-	1	19	-	-	5	2	1	57	2
92	Tyler	327	-	-	-	-	-	8	-	-	3	-	1	40	1
93	Balance of county	247	-	-	-	-	1	11	-	-	2	2	-	17	1
94	Somervell	26	-	-	-	-	-	2	-	-	-	-	-	5	-
95	Starr	103	1	-	-	1	-	7	1	-	4	1	-	3	-
96	Stephens	85	-	-	-	-	-	3	1	-	-	-	-	15	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
5	1	51	87	30	2	47	1	28	5	-	7	19	17	42	1
1	1	31	53	17	2	31	1	8	2	-	1	11	10	28	2
4	-	20	34	13	-	16	-	15	3	-	6	8	7	14	3
1	-	11	29	7	-	8	1	5	1	2	7	6	5	14	4
1	-	12	38	4	1	7	-	5	2	2	2	8	2	7	5
-	-	8	8	2	3	6	1	3	1	1	1	5	4	12	6
7	-	13	44	7	1	41	-	11	4	1	-	6	9	23	7
3	-	5	32	-	1	6	1	8	-	1	1	10	5	10	8
1	-	10	23	9	-	14	2	7	2	-	-	8	6	15	9
6	-	11	44	13	1	11	2	12	1	3	7	25	18	23	10
4	1	25	55	15	1	18	2	8	-	2	5	17	15	20	11
-	-	5	12	3	-	1	-	2	1	-	2	3	2	4	12
1	-	6	16	4	1	3	2	14	2	1	3	1	5	5	13
1	-	3	21	-	-	2	-	2	1	-	1	4	2	4	14
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	15
6	1	36	87	24	7	15	5	53	4	5	21	30	12	60	16
4	-	29	69	19	7	14	5	37	4	3	21	20	10	52	17
2	1	7	18	5	-	1	-	16	-	2	-	10	2	8	18
1	-	2	9	10	4	3	1	3	-	-	3	5	5	15	19
-	1	18	17	8	1	3	2	5	-	-	4	3	3	8	20
17	2	100	322	42	4	64	4	75	13	13	30	50	49	123	21
14	1	58	212	19	3	38	1	58	6	10	19	38	38	76	22
3	1	42	110	23	1	26	3	17	7	3	11	12	11	47	23
-	-	1	2	-	-	-	-	-	-	-	-	-	1	1	24
1	-	6	18	-	2	10	2	-	3	-	-	3	6	15	25
2	-	12	25	7	-	9	1	6	2	1	4	5	4	12	26
-	-	1	6	2	-	-	-	3	-	1	1	-	-	2	27
-	-	3	16	2	-	5	1	-	-	-	1	2	2	4	28
-	-	13	32	5	4	7	-	12	1	2	7	15	22	18	29
4	-	5	15	8	14	9	-	5	-	1	2	3	-	14	30
1	1	14	21	16	18	7	2	7	1	2	7	9	22	18	31
1	-	2	11	1	1	-	-	-	-	-	-	-	3	7	32
3	1	1	18	6	4	5	1	17	-	2	6	9	6	15	33
2	2	24	54	11	2	24	-	5	3	-	2	20	19	32	34
-	-	3	15	1	-	9	-	2	-	-	-	3	-	4	35
2	-	6	25	3	-	2	1	7	1	-	-	5	4	13	36
3	1	16	39	10	-	12	-	8	2	1	3	10	5	18	37
2	1	18	51	14	1	15	1	14	5	7	11	11	18	23	38
1	-	3	14	1	-	1	2	6	-	-	7	1	2	5	39
1	1	8	15	4	-	5	-	3	1	-	1	6	1	10	40
-	-	1	5	3	-	4	-	5	-	-	3	1	-	2	41
3	-	22	60	10	-	10	-	9	2	2	6	29	18	28	42
4	2	75	86	20	2	19	3	24	1	2	9	20	23	57	43
1	1	45	42	13	2	7	2	14	1	1	6	10	9	27	44
3	1	30	44	7	-	12	1	10	-	1	3	10	14	30	45
2	-	12	8	10	-	4	1	2	-	1	1	4	6	4	46
2	-	12	37	6	2	4	-	22	1	1	10	7	12	18	47
-	-	7	31	4	-	4	-	20	1	1	8	5	3	13	48
2	-	5	6	2	2	-	-	2	-	-	2	2	9	5	49
6	1	52	219	47	36	38	8	121	17	10	32	91	47	107	50
5	1	35	164	26	17	29	6	90	13	9	15	50	20	79	51
1	-	17	55	21	19	9	2	31	4	1	17	41	27	28	52
-	-	1	8	-	-	-	-	3	-	1	2	1	-	5	53
-	-	-	-	1	-	1	-	-	-	-	6	1	-	1	54
3	-	16	50	21	-	10	1	32	2	4	10	29	13	29	55
2	2	23	54	5	2	8	-	6	1	-	6	7	11	15	56
4	-	14	15	11	-	9	1	3	-	2	7	14	10	22	57
2	1	13	46	7	-	13	1	7	1	-	2	12	19	24	58
1	-	-	4	1	1	3	-	1	1	1	-	3	2	2	59
1	-	1	12	5	-	2	2	1	1	3	-	9	5	6	60
3	1	15	49	5	1	13	-	10	-	2	4	9	8	22	61
6	2	41	125	25	1	23	1	59	-	8	21	28	15	65	62
6	2	40	125	25	1	21	1	57	-	8	18	25	14	59	63
6	2	40	125	25	1	21	1	57	-	8	18	25	14	59	64
-	-	1	-	-	-	2	-	2	-	-	3	3	1	6	65
-	-	3	8	3	2	1	-	10	2	3	3	7	8	10	66
2	1	2	4	5	-	-	-	2	-	-	1	2	-	-	67
-	-	3	15	-	-	1	-	1	1	-	-	-	1	2	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	3	15	-	-	1	-	1	1	-	-	-	1	2	70
-	-	-	4	1	-	-	-	-	-	1	1	3	1	2	71
-	-	4	2	-	-	1	-	-	-	-	1	1	1	1	72
2	2	19	51	10	1	21	1	7	2	1	4	11	12	30	73
-	-	6	12	11	3	3	-	8	-	1	6	3	5	15	74
-	1	2	20	2	1	5	1	6	2	2	4	5	2	7	75
-	-	1	1	-	-	-	-	2	-	-	1	-	1	1	76
1	-	26	40	13	1	15	2	6	2	3	5	10	13	27	77
2	-	4	11	6	-	5	-	1	-	2	-	3	4	7	78
-	-	21	25	8	1	7	-	16	1	-	4	8	7	23	79
5	-	15	79	32	2	11	3	17	4	3	21	20	8	40	80
-	-	4	19	2	-	4	1	3	-	2	1	5	4	6	81
4	-	10	12	8	-	6	-	3	-	2	5	8	4	9	82
1	1	5	9	7	-	4	2	4	-	-	-	1	4	6	83
3	-	15	65	11	15	12	1	35	2	2	8	16	20	33	84
1	-	3	21	9	2	1	-	4	1	-	5	9	9	9	85
-	-	3	5	-	1	-	-	3	-	1	1	1	-	5	86
2	-	5	27	6	1	1	1	4	1	-	2	6	4	6	87
-	-	2	13	-	-	2	-	1	-	1	-	2	1	4	88
2	-	10	39	12	2	16	1	14	2	2	8	10	16	24	89
-	-	2	3	1	-	1	-	2	-	-	3	4	-	-	90
6	2	45	148	28	1	52	3	40	2	14	25	33	18	70	91
3	2	28	91	12	1	26	2	22	1	11	9	18	12	36	92
3	-	17	57	16	-	26	1	18	1	3	16	15	6	34	93
-	-	1	7	3	-	2	-	1	-	1	2	-	-	2	94
1	-	6	10	9	5	2	1	4	2	2	5	5	19	14	95
2	-	3	19	2	-	6	-	8	-	1	3	4	1	17	96

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	TEXAS—Continued														
1	Sterling	13	-	-	-	-	-	1	1	-	-	-	-	4	-
2	Stonewall	16	-	-	-	-	-	-	-	-	-	-	-	3	-
3	Sutton	26	-	-	-	-	-	2	-	-	-	-	-	5	-
4	Swisher	46	-	-	-	-	-	1	-	-	-	-	-	3	-
5	Tarrant	2,554	2	4	-	-	1	93	2	1	19	-	5	310	1
6	Fort Worth	2,188	2	4	-	-	-	73	2	1	16	-	4	272	1
7	Balance of county	366	-	-	-	-	1	20	-	-	3	-	1	38	-
8	Taylor	470	1	2	-	-	1	29	1	-	3	-	-	47	-
9	Abilene	320	1	1	-	-	1	16	1	-	1	-	-	38	-
10	Balance of county	150	-	1	-	-	-	13	-	-	2	-	-	9	-
11	Terrell	20	-	-	-	-	-	-	-	-	-	1	-	2	-
12	Terry	78	-	1	-	1	1	1	-	-	1	-	-	8	1
13	Throckmorton	17	-	-	-	-	-	1	-	-	-	-	-	4	-
14	Titus	141	-	-	-	-	-	3	1	-	3	-	-	19	1
15	Tom Green	393	1	1	-	2	1	33	5	-	4	-	-	49	2
16	San Angelo	333	-	1	-	2	1	27	5	-	4	-	-	42	2
17	Balance of county	60	1	-	-	-	-	6	-	-	-	-	-	7	-
18	Travis	1,421	2	-	-	2	1	78	3	-	77	2	1	120	-
19	Austin	1,274	2	-	-	-	1	70	3	-	76	1	1	103	-
20	Balance of county	147	-	-	-	2	-	8	-	-	1	1	-	17	-
21	Trinity	112	-	-	-	-	-	3	-	1	1	-	-	16	-
22	Tyler	77	-	-	-	-	-	4	1	-	-	1	-	6	-
23	Upshur	167	-	-	-	-	-	10	1	1	-	1	-	17	-
24	Upton	37	-	-	-	-	-	1	-	-	-	-	-	3	-
25	Uvalde	129	-	-	-	-	-	14	-	-	-	1	1	16	-
26	Val Verde	202	-	1	-	-	-	14	2	-	2	-	-	16	-
27	Del Rio	193	-	1	-	-	-	14	2	-	2	-	-	16	-
28	Balance of county	9	-	-	-	-	-	-	-	-	-	-	-	-	-
29	Van Zandt	177	-	-	-	-	-	8	-	2	-	-	-	25	-
30	Victoria	231	-	-	-	1	1	10	1	-	2	-	-	24	-
31	Victoria	160	-	-	-	1	1	8	-	-	2	-	-	16	-
32	Balance of county	71	-	-	-	-	-	2	1	-	-	-	-	8	-
33	Walker	152	1	-	-	-	-	6	-	1	-	-	1	16	-
34	Waller	104	-	-	-	-	-	5	-	-	1	1	-	11	-
35	Ward	76	-	-	-	-	1	2	-	-	1	-	-	8	-
36	Washington	234	-	2	-	-	1	9	-	1	2	-	-	28	-
37	Webb	558	-	1	-	-	2	42	10	-	10	8	-	47	-
38	Laredo	534	-	1	-	-	2	40	10	-	10	8	-	45	-
39	Balance of county	24	-	-	-	-	-	2	-	-	-	-	-	2	-
40	Wharton	285	-	-	-	-	1	11	-	-	5	1	-	31	1
41	Wheeler	86	-	-	-	-	1	1	-	-	1	-	-	14	-
42	Wichita	815	-	1	-	1	1	37	-	-	22	-	2	87	-
43	Wichita Falls	435	-	-	-	1	1	18	-	-	-	-	1	62	-
44	Balance of county	380	-	1	-	-	-	19	-	-	22	-	1	25	-
45	Wilbarger	122	-	-	-	-	-	6	-	-	2	-	-	18	-
46	Willacy	194	-	-	-	1	-	18	7	-	1	-	1	7	-
47	Williamson	363	-	-	-	1	1	22	1	-	2	2	1	51	1
48	Wilson	144	-	-	-	-	2	18	-	-	-	-	3	14	-
49	Winkler	35	-	-	-	-	-	2	-	-	1	-	-	1	-
50	Wise	166	-	-	-	-	-	3	-	-	-	-	1	11	-
51	Wood	185	-	1	-	-	-	8	-	1	2	1	-	11	-
52	Yoakum	8	-	-	-	-	-	-	-	-	-	-	-	1	-
53	Young	127	-	-	-	-	-	8	-	-	-	-	1	16	1
54	Zapata	39	-	-	-	-	-	1	-	-	-	-	1	-	1
55	Zavala	107	-	-	-	1	1	10	-	-	1	2	-	7	-
56	UTAH	4,785	1	5	1	6	4	83	4	-	30	5	9	529	4
57	Beaver	41	-	-	-	-	-	-	-	-	-	-	-	4	-
58	Box Elder	138	-	-	-	-	-	-	-	-	-	-	-	10	-
59	Cache	209	-	-	-	-	-	2	-	-	-	-	1	25	-
60	Logan	111	-	-	-	-	-	2	-	-	-	-	1	16	-
61	Balance of county	98	-	-	-	-	-	-	-	-	-	-	-	9	-
62	Carbon	147	-	-	-	-	2	2	-	-	2	-	-	14	-
63	Daggett	3	-	-	-	-	-	-	-	-	-	-	-	-	-
64	Davis	151	-	1	-	-	-	2	-	-	-	1	-	18	-
65	Duchesne	51	-	-	-	-	-	1	-	-	1	-	-	3	1
66	Emery	28	-	-	-	-	-	-	-	-	-	-	-	1	-
67	Garfield	34	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Grand	15	-	-	-	-	-	-	-	-	-	-	-	2	-
69	Iron	72	-	-	-	2	-	-	-	-	1	-	-	4	-
70	Juab	64	-	-	-	-	1	-	-	-	-	-	-	8	-
71	Kane	22	-	-	-	-	-	-	-	-	-	-	-	3	-
72	Millard	77	-	-	-	-	-	2	2	-	-	-	-	7	-
73	Morgan	19	-	-	-	-	-	-	-	-	-	-	-	1	-
74	Piute	14	-	-	-	-	-	-	-	-	-	-	-	1	-
75	Rich	10	-	1	-	-	-	-	-	-	-	-	-	-	-
76	Salt Lake	1,949	1	3	1	2	1	39	2	-	10	-	5	261	3
77	Salt Lake City	1,522	1	1	1	2	1	27	2	-	9	-	4	210	1
78	Balance of county	427	-	2	-	-	-	12	-	-	1	-	1	51	2
79	San Juan	25	-	-	-	-	-	3	-	-	-	-	-	1	-
80	Sanpete	136	-	-	-	-	-	1	-	-	1	-	1	11	-
81	Sevier	78	-	-	-	-	-	-	-	-	-	-	-	8	-
82	Summit	68	-	-	-	-	-	3	-	-	1	-	-	9	-
83	Tooele	84	-	-	-	-	-	1	-	-	-	-	-	7	-
84	Uintah	72	-	-	-	1	-	1	-	-	-	-	1	7	-
85	Utah	601	-	1	-	1	-	8	-	-	10	2	-	55	-
86	Provo	239	-	-	-	1	-	8	-	-	9	-	-	18	-
87	Balance of county	362	-	1	-	-	-	-	-	-	1	2	-	37	-
88	Wasatch	45	-	-	-	-	-	-	-	-	-	-	1	3	-
89	Washington	86	-	-	-	-	-	-	-	-	-	-	-	13	-
90	Wayne	13	-	-	-	-	-	-	-	-	-	-	-	1	-
91	Weber	534	-	-	-	-	-	18	-	-	4	2	-	52	-
92	Ogden	419	-	-	-	-	-	17	-	-	4	-	-	42	-
93	Balance of county	115	-	-	-	-	-	1	-	-	-	2	-	10	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
1	-	-	2	-	-	-	-	1	-	-	1	1	-	1	1
-	-	2	2	-	-	2	-	1	1	-	1	2	1	1	2
-	-	2	7	-	-	-	-	1	-	-	1	1	1	6	3
2	-	4	20	1	-	3	-	3	1	1	3	2	-	2	4
44	6	256	720	117	12	122	3	194	37	51	70	121	76	287	5
40	6	221	612	105	8	98	3	177	31	50	55	97	58	252	6
4	-	35	108	12	4	24	-	17	6	1	15	24	18	35	7
7	1	35	99	22	3	25	-	43	4	2	10	30	9	96	8
6	-	20	75	16	2	14	-	39	3	2	7	21	6	50	9
1	1	15	24	6	1	11	-	4	1	-	3	9	3	46	10
1	-	1	4	3	-	-	-	4	-	1	-	-	2	1	11
3	1	1	16	4	-	2	1	8	1	-	12	4	-	11	12
-	-	3	4	-	-	-	-	1	1	-	1	-	2	-	13
1	-	14	32	7	1	8	1	8	1	1	3	9	14	14	14
4	-	26	90	12	7	16	2	44	6	9	7	24	20	28	15
3	-	19	81	10	7	12	2	41	4	9	6	17	14	24	16
1	-	7	9	2	-	4	-	3	2	-	1	7	6	4	17
18	8	99	322	76	23	80	2	104	8	23	31	54	94	193	18
17	8	91	300	62	20	69	1	87	6	22	27	45	85	177	19
1	-	8	22	14	3	11	1	17	2	1	4	9	9	16	20
2	-	11	26	3	1	9	1	2	1	1	3	10	4	17	21
3	-	5	19	3	-	7	-	6	3	1	3	3	1	11	22
2	1	18	54	3	-	13	1	10	-	3	4	11	2	15	23
1	-	-	13	2	-	2	1	-	1	1	1	5	3	3	24
-	1	8	25	10	3	2	-	14	1	2	8	6	6	11	25
1	1	10	43	21	13	6	2	24	2	2	5	8	9	20	26
1	1	10	43	21	13	6	2	24	2	1	3	4	7	20	27
-	-	-	-	-	-	-	-	-	-	1	2	4	2	-	28
3	-	19	43	6	-	18	2	7	-	-	10	10	5	19	29
1	-	16	48	13	2	24	1	25	2	1	1	13	10	35	30
-	-	12	31	10	2	16	1	19	1	1	1	9	4	25	31
1	-	4	17	3	-	8	-	6	1	-	-	4	6	10	32
2	-	12	38	3	3	5	3	6	4	6	5	10	13	17	33
1	-	14	34	6	2	4	1	2	-	-	-	6	7	9	34
4	-	3	18	2	1	3	-	9	1	1	3	11	1	7	35
7	-	17	62	7	-	21	1	7	5	-	2	10	18	34	36
8	-	38	67	54	30	11	4	57	1	3	8	30	47	82	37
8	-	34	63	54	29	11	4	56	-	3	7	24	44	81	38
-	-	2	4	-	1	-	-	1	1	-	1	6	3	1	39
5	1	40	61	13	1	18	1	20	5	2	9	17	16	28	40
2	1	5	27	-	-	2	1	4	1	1	5	4	6	10	41
16	2	86	202	44	8	36	1	41	10	11	13	37	25	132	42
10	-	40	102	20	6	21	1	35	7	9	6	23	12	60	43
6	2	48	100	24	2	15	-	6	3	2	7	14	13	72	44
-	1	10	41	4	1	4	-	6	-	-	9	6	4	10	45
3	-	7	15	21	11	6	2	32	2	2	8	17	11	22	46
8	-	20	97	14	3	24	-	22	4	5	11	20	18	35	47
1	1	16	23	3	4	-	2	7	2	2	2	7	19	18	48
-	-	2	8	2	-	2	1	6	-	-	6	4	-	-	49
6	-	14	56	8	-	7	1	8	1	-	7	11	9	23	50
1	3	19	34	10	1	19	1	13	2	1	11	14	6	28	51
1	-	-	-	-	-	1	-	-	-	1	-	3	-	1	52
4	-	10	51	2	-	5	-	5	1	-	7	6	3	12	53
-	1	1	7	2	6	-	-	2	-	-	-	4	6	7	54
3	-	2	16	13	15	2	-	12	1	2	-	3	5	11	55
119	2	338	1,371	223	26	216	25	403	41	14	185	326	199	613	56
3	-	2	9	3	-	5	-	4	-	-	1	4	1	5	57
2	-	10	49	8	2	3	-	12	-	-	7	12	3	20	58
2	-	22	59	3	1	8	-	23	-	-	7	15	12	29	59
1	-	9	33	3	1	4	-	15	-	-	1	5	8	12	60
1	-	13	26	-	-	4	-	8	-	-	6	10	4	17	61
-	-	5	50	5	4	3	-	13	2	-	6	18	6	15	62
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	63
3	-	10	43	3	-	6	1	15	1	-	13	16	4	14	64
3	-	4	17	2	-	4	-	7	-	-	3	1	1	3	65
2	-	3	8	1	-	3	-	-	-	-	1	3	2	4	66
-	-	2	9	2	-	2	-	2	-	-	4	3	5	5	67
-	-	1	4	-	-	1	-	4	-	-	-	1	-	2	68
-	-	2	24	3	1	4	1	9	-	-	4	5	4	8	69
2	-	3	12	4	-	1	-	7	-	-	1	3	6	16	70
1	-	2	4	-	-	1	1	3	-	1	2	3	-	1	71
1	-	4	11	2	-	4	-	10	2	-	6	2	15	9	72
-	-	2	8	-	-	-	1	2	1	-	-	2	-	2	73
-	-	1	7	-	-	-	-	1	-	-	-	1	-	3	74
-	-	-	4	-	-	1	-	-	-	-	-	1	2	1	75
49	1	137	553	101	7	94	6	157	11	11	69	96	84	245	76
36	1	113	442	74	5	70	4	114	8	8	54	77	60	197	77
13	-	24	111	27	2	24	2	43	3	3	15	19	24	48	78
1	-	1	2	3	-	3	1	1	-	-	-	1	6	2	79
7	-	20	45	6	-	5	3	8	3	-	4	6	2	13	80
2	-	4	25	1	-	7	-	7	1	-	3	4	2	14	81
2	-	4	14	4	-	4	-	5	-	-	1	3	3	15	82
5	-	2	25	3	1	6	-	14	-	1	3	7	1	8	83
3	-	1	19	3	1	1	-	12	2	-	2	8	1	9	84
14	1	48	172	36	2	23	3	42	6	-	23	53	19	82	85
7	1	19	79	16	-	3	1	17	1	-	8	13	8	30	86
7	-	29	93	20	2	20	2	25	5	-	15	40	11	52	87
-	-	5	12	4	-	3	4	2	-	-	-	6	-	5	88
3	-	2	22	4	-	6	1	5	-	-	4	11	3	12	89
1	-	2	3	1	-	-	1	1	-	-	1	1	1	-	90
13	-	39	160	21	7	20	2	36	12	1	20	40	16	71	91
11	-	31	126	18	5	16	1	35	10	1	13	30	10	49	92
2	-	8	34	3	2	4	1	1	2	-	7	10	6	22	93

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
1	VERMONT	4,140	1	3	2	3	2	129	-	-	15	4	5	585	1
2	Addison	190	-	-	-	-	-	1	-	-	-	-	-	23	-
3	Bennington	259	-	-	-	-	-	8	-	-	-	1	-	44	-
4	Caledonia	272	-	-	-	1	1	6	-	-	-	-	1	43	-
5	Chittenden	514	-	-	-	-	-	12	-	-	2	-	1	59	-
6	Burlington	303	-	-	-	-	-	7	-	-	1	-	-	33	-
7	Balance of county	211	-	-	-	-	-	5	-	-	1	-	1	26	-
8	Essex	81	-	-	-	-	-	1	-	-	-	-	-	11	-
9	Franklin	299	1	-	-	-	-	5	-	-	2	-	-	51	-
10	Grand Isle	37	-	-	-	-	-	-	-	-	-	-	-	1	-
11	Lamoille	125	-	-	1	-	-	2	-	-	-	-	-	16	-
12	Orange	170	-	-	-	1	-	2	-	-	-	-	1	22	-
13	Orleans	262	-	-	1	1	-	2	-	-	-	-	1	42	1
14	Rutland	553	-	2	-	-	-	25	-	-	1	-	-	70	-
15	Rutland	228	-	2	-	-	-	8	-	-	1	-	-	33	-
16	Balance of county	325	-	-	-	-	-	17	-	-	-	-	-	37	-
17	Washington	589	-	-	-	-	-	52	-	-	9	1	-	64	-
18	Barre	115	-	-	-	-	-	10	-	-	1	1	-	16	-
19	Balance of county	474	-	-	-	-	-	42	-	-	8	-	-	48	-
20	Windham	402	-	-	-	-	-	6	-	-	1	1	-	49	-
21	Windsor	407	-	1	-	-	1	7	-	-	-	1	1	70	-
22	VIRGINIA[7]	28,154	6	41	13	57	43	1,300	28	3	337	39	14	2,768	32
23	Accomack	403	-	-	-	2	1	19	-	-	3	-	-	42	-
24	Albemarle	233	-	-	-	-	-	14	-	-	-	-	-	26	-
25	Alleghany	183	-	-	-	1	-	8	-	-	-	-	-	20	-
26	Amelia	87	-	-	-	-	-	4	-	-	1	-	-	10	-
27	Amherst	207	-	-	2	2	-	10	-	-	1	-	-	20	-
28	Appomattox	77	-	-	-	-	-	-	-	-	-	-	-	5	-
29	Arlington[6]	586	1	-	-	-	-	18	-	-	2	1	4	78	-
30	Augusta	471	-	-	-	1	1	16	1	-	4	-	-	46	-
31	Bath	61	-	-	-	-	-	1	-	-	-	-	-	8	-
32	Bedford	269	-	-	-	1	-	4	-	-	2	-	-	30	-
33	Bland	39	-	2	-	-	-	2	-	-	-	-	-	4	-
34	Botetourt	125	-	1	-	-	1	3	-	-	-	1	-	16	-
35	Brunswick	177	-	-	-	1	-	7	-	-	2	-	-	10	-
36	Buchanan	184	-	1	1	1	1	8	1	-	2	1	1	12	-
37	Buckingham	128	-	-	-	-	-	3	-	-	2	-	-	9	1
38	Campbell	216	-	-	-	1	-	3	-	-	2	-	-	26	-
39	Caroline	128	-	1	1	1	-	5	-	-	-	-	-	9	-
40	Carroll	146	-	-	-	1	-	4	-	-	-	-	-	20	-
41	Charles City	37	-	-	-	-	-	4	-	-	-	-	-	2	-
42	Charlotte	131	-	-	-	-	-	7	-	-	2	-	-	16	-
43	Chesterfield	259	-	1	-	-	-	19	-	-	2	1	-	37	-
44	Clarke	67	-	-	-	2	-	3	-	-	2	-	-	7	-
45	Craig	34	-	-	-	-	-	2	-	-	1	-	-	2	-
46	Culpeper	155	-	-	-	2	-	2	-	-	3	-	-	18	-
47	Cumberland	74	-	-	-	2	-	2	-	-	-	-	-	5	-
48	Dickenson	130	-	3	-	-	-	4	-	-	1	-	-	6	-
49	Dinwiddie	520	-	-	-	-	-	59	3	-	75	-	-	14	3
50	Elizabeth City	260	-	-	-	1	1	13	-	-	6	-	-	27	1
51	Essex	79	-	-	-	-	-	-	-	-	-	-	-	4	-
52	Fairfax	418	-	-	-	-	-	9	-	-	2	-	1	53	-
53	Fauquier	201	-	-	-	-	1	8	-	-	1	1	-	23	-
54	Floyd	112	-	-	-	-	1	5	-	-	-	-	-	18	-
55	Fluvanna	53	-	-	-	-	-	-	-	-	1	-	-	9	-
56	Franklin	182	-	-	-	-	7	8	-	-	1	-	-	20	-
57	Frederick	134	-	-	-	-	-	5	-	-	-	3	-	15	-
58	Giles	146	-	-	1	2	-	3	1	-	-	-	-	8	-
59	Gloucester	108	-	1	-	-	-	5	-	-	-	-	-	12	-
60	Goochland	93	-	-	-	-	-	12	-	-	1	-	-	5	-
61	Grayson	170	-	1	-	1	-	6	-	-	1	-	-	17	-
62	Greene	52	-	1	-	-	-	2	-	-	-	-	-	4	-
63	Greensville	120	-	-	-	-	-	8	2	-	2	2	-	7	1
64	Halifax	373	-	1	-	1	1	14	2	-	3	1	-	27	-
65	Hanover	176	-	-	-	1	-	9	-	-	2	1	-	13	-
66	Henrico	244	-	-	-	-	-	9	-	-	-	-	-	35	-
67	Henry	207	-	-	-	1	1	9	-	-	-	-	-	19	1
68	Highland	43	-	-	-	-	-	1	-	-	-	-	-	4	-
69	Isle of Wight	145	1	-	-	-	-	9	-	-	1	-	-	14	1
70	James City	41	-	-	-	-	-	3	-	-	-	-	-	7	-
71	King and Queen	82	-	-	-	-	-	7	-	-	-	-	-	9	-
72	King George	55	-	-	-	-	-	2	1	-	-	-	-	3	-
73	King William	68	-	-	-	1	-	5	-	-	2	-	-	6	-
74	Lancaster	120	-	-	-	2	-	4	-	-	-	-	1	14	-
75	Lee	268	-	-	1	-	-	19	2	-	-	-	-	27	1
76	Loudoun	242	-	-	-	1	-	6	-	-	1	-	-	18	-
77	Louisa	144	-	-	-	1	-	6	-	-	3	1	-	12	-
78	Lunenburg	139	-	-	-	1	-	5	1	-	-	-	-	13	-
79	Madison	67	-	-	-	-	-	1	-	-	1	-	-	8	-
80	Mathews	92	-	1	-	-	-	2	-	-	-	-	-	11	-
81	Mecklenburg	268	-	-	1	4	-	11	1	-	1	1	-	22	2
82	Middlesex	88	-	-	-	-	-	-	-	-	-	-	-	6	-
83	Montgomery	204	-	-	-	1	-	11	-	-	-	-	-	16	-
84	Nansemond	236	-	-	-	-	-	21	-	-	1	1	-	15	1
85	Nelson	127	-	-	-	1	-	2	-	-	3	-	-	12	-
86	New Kent	32	-	-	-	-	-	1	-	-	-	-	-	2	-
87	Norfolk	532	-	1	-	-	1	20	-	-	5	2	1	41	-
88	Northampton	224	-	-	-	1	-	10	2	-	-	-	-	18	2
89	Northumberland	107	-	-	-	-	-	2	-	-	-	-	-	10	-
90	Nottoway	188	-	2	-	-	-	26	-	-	4	-	-	7	-
91	Orange	112	-	1	-	-	-	5	-	-	-	-	-	12	-
92	Page	148	-	-	-	-	-	4	-	-	-	-	-	14	-
93	Patrick	131	-	1	-	-	1	1	-	-	1	-	-	9	-
94	Pittsylvania	511	-	-	-	1	1	22	1	-	2	-	-	52	1
95	Powhatan	38	-	-	-	-	-	-	-	-	-	-	-	2	-

[7]Cities of Virginia are independent, each having the same status as a county. See list of independent cities following counties of this State.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
109	-	411	1,390	200	12	183	12	217	45	6	88	183	53	501	1
5	-	22	67	8	-	7	1	13	4	-	3	9	1	26	2
13	-	23	86	14	1	4	-	7	1	-	5	14	1	37	3
2	-	36	92	17	2	13	1	16	4	-	7	9	2	19	4
17	-	43	182	20	-	13	1	43	3	1	10	21	3	83	5
12	-	21	105	10	-	7	1	34	1	1	4	12	2	52	6
5	-	22	77	10	-	6	-	9	2	-	6	9	1	31	7
2	-	1	29	5	-	3	-	-	1	-	1	-	1	6	8
5	-	32	99	10	1	13	1	19	3	-	5	16	8	28	9
-	-	3	15	1	-	6	-	1	-	-	-	1	-	9	10
5	-	15	42	8	-	4	-	7	1	-	-	13	-	11	11
6	-	19	58	7	1	11	1	14	2	1	3	5	-	16	12
2	-	25	72	11	1	23	3	11	8	1	9	11	4	33	13
13	-	50	193	23	2	21	1	21	4	1	13	24	11	78	14
7	-	17	81	7	1	12	-	13	1	-	4	12	1	28	15
6	-	33	112	16	1	9	1	8	5	1	9	12	10	50	16
12	-	51	199	31	3	23	-	27	3	1	9	24	6	74	17
6	-	8	37	6	-	6	-	8	-	-	2	4	1	9	18
6	-	43	162	25	3	17	-	19	3	1	7	20	5	65	19
12	-	47	136	21	1	22	1	16	5	-	13	20	9	42	20
15	-	44	120	24	-	20	2	22	6	1	10	16	7	39	21
541	25	2,869	7,437	1,484	229	2,070	124	1,982	337	338	809	1,416	675	3,140	22
9	-	50	122	17	2	20	2	23	5	6	13	19	8	40	23
7	-	34	60	5	2	10	-	16	2	4	7	14	9	23	24
3	-	19	54	10	-	6	2	15	5	-	8	12	-	22	25
-	-	7	22	4	1	10	-	7	-	-	3	4	2	12	26
3	-	17	58	27	2	7	1	12	1	-	4	6	8	26	27
2	-	9	19	4	2	7	-	4	-	-	3	6	5	11	28
9	1	41	153	19	8	41	3	58	20	6	18	26	4	75	29
8	-	40	139	39	7	25	1	26	6	5	18	20	8	60	30
2	1	2	14	3	-	9	1	2	-	-	4	1	-	13	31
4	-	41	78	18	2	20	-	13	3	-	3	13	6	30	32
1	-	3	8	2	-	3	-	1	-	1	3	1	6	2	33
2	-	17	35	4	1	4	1	14	1	3	7	3	1	10	34
8	1	27	52	11	-	3	1	11	1	-	8	7	11	16	35
4	-	11	20	15	3	7	-	31	1	1	6	22	18	16	36
3	-	28	34	7	-	5	-	9	2	-	3	3	2	16	37
3	2	22	46	9	3	19	-	24	5	1	6	12	9	23	38
3	-	20	43	5	-	5	-	12	1	-	4	3	5	10	39
6	1	16	28	7	3	8	2	11	4	1	5	9	5	15	40
1	-	4	8	3	-	3	-	3	-	-	1	2	4	2	41
2	-	16	30	10	1	12	-	7	-	1	7	5	5	10	42
8	-	25	63	12	1	18	1	12	4	2	9	12	5	27	43
-	-	7	14	1	-	10	-	4	1	-	3	4	4	5	44
1	-	2	14	1	-	4	-	2	1	-	-	1	1	2	45
4	-	20	60	7	1	7	-	8	2	2	4	3	1	11	46
1	-	10	16	6	2	7	1	4	1	1	1	7	1	7	47
2	-	4	24	13	-	6	1	20	1	1	5	13	8	18	48
4	-	29	185	16	4	14	1	9	3	1	1	10	1	88	49
4	-	33	56	10	1	30	-	22	3	4	6	16	3	23	50
3	-	9	19	3	1	9	-	6	1	-	5	3	2	14	51
10	-	36	130	18	2	21	3	27	8	3	16	30	4	44	52
5	-	25	58	8	-	12	-	10	3	2	11	7	8	20	53
1	-	19	23	4	1	9	-	7	4	-	2	4	3	11	54
-	-	6	18	1	-	1	-	3	-	1	3	2	1	7	55
-	-	20	39	13	2	8	2	13	2	4	9	7	10	17	56
3	-	14	40	8	2	8	-	10	1	-	6	1	3	15	57
2	-	14	36	12	2	6	1	14	1	1	9	8	5	20	58
1	-	18	18	2	-	24	1	2	-	-	3	8	1	12	59
1	-	6	24	5	1	7	1	4	1	3	3	5	3	11	60
2	-	19	49	7	1	11	4	13	1	1	4	10	7	15	61
1	-	10	14	3	1	2	-	2	1	1	-	3	2	5	62
2	-	11	37	13	-	7	2	7	1	1	6	5	-	6	63
4	-	51	95	24	5	23	3	16	2	6	16	14	26	38	64
5	-	23	56	16	2	7	-	9	3	1	9	7	1	13	65
4	-	20	63	13	2	17	-	17	1	1	12	20	5	25	66
2	1	14	47	20	3	13	2	16	2	4	9	8	12	23	67
-	-	8	10	5	-	2	-	4	-	1	1	3	1	3	68
2	-	19	27	7	-	11	1	9	3	2	6	11	3	18	69
-	-	6	5	1	-	4	-	1	-	-	2	4	1	7	70
-	-	14	16	5	1	7	1	5	-	1	2	5	2	7	71
1	-	6	14	2	-	7	-	5	1	1	-	3	1	8	72
2	-	7	19	3	-	7	1	2	-	1	3	2	4	3	73
-	-	11	42	8	1	9	1	3	1	-	6	6	2	9	74
1	2	27	58	17	1	13	2	28	2	4	1	11	19	32	75
5	-	26	63	11	-	22	-	17	7	1	6	20	12	26	76
4	-	21	41	8	-	11	-	8	-	-	3	9	4	12	77
4	-	19	36	10	1	5	-	8	1	4	8	5	5	15	78
2	-	5	21	4	1	3	1	3	1	-	3	4	4	5	79
1	-	9	30	5	-	10	-	3	1	-	1	3	-	15	80
2	-	33	62	9	3	27	-	17	4	5	10	7	17	29	81
2	-	6	23	4	-	16	-	2	1	4	3	6	4	11	82
3	-	17	37	8	5	23	-	22	4	2	10	23	5	17	83
1	-	28	47	19	1	22	2	18	2	5	9	16	1	26	84
3	-	13	33	4	1	6	1	11	1	1	12	2	5	16	85
-	-	5	8	1	1	5	1	-	1	-	-	2	1	4	86
15	-	68	137	18	4	30	9	60	4	4	19	42	2	49	87
6	-	22	62	10	-	12	4	11	1	9	5	16	11	22	88
1	-	16	34	3	1	5	-	2	1	-	6	6	6	14	89
2	-	16	45	4	1	14	-	14	4	3	14	7	8	17	90
1	-	13	45	2	-	4	-	10	-	1	-	4	3	11	91
3	-	18	32	6	6	29	1	7	1	1	3	6	3	14	92
2	-	13	31	8	3	11	-	12	2	1	6	9	9	11	93
8	-	51	100	35	8	47	5	48	8	12	21	18	13	57	94
-	-	4	16	1	-	3	1	1	-	-	4	2	-	4	95

[a]Classified as urban under a special rule in the 1940 census.

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	VIRGINIA[7]—Continued														
1	Prince Edward	137	-	-	-	-	-	2	-	-	3	-	-	5	-
2	Prince George	141	-	2	1	1	-	7	-	-	2	-	-	12	1
3	Prince William	151	-	-	-	-	-	2	-	-	1	1	-	18	-
4	Princess Anne	324	-	3	-	-	-	48	-	-	4	1	1	25	-
5	Pulaski	219	-	-	-	2	-	13	-	-	-	1	-	16	-
6	Rappahannock	69	-	-	-	-	-	2	1	-	-	-	-	6	-
7	Richmond	77	1	-	-	1	-	6	-	-	-	3	-	5	-
8	Roanoke	429	-	-	-	-	-	23	-	-	22	1	1	39	-
9	Rockbridge	203	-	-	-	-	-	11	-	-	1	-	-	15	-
10	Rockingham	291	-	-	-	-	3	10	-	-	-	-	-	32	-
11	Russell	186	-	-	-	-	1	4	-	-	1	1	-	11	-
12	Scott	217	-	1	-	2	2	16	-	-	1	2	-	19	-
13	Shenandoah	222	-	2	-	-	-	9	1	-	1	1	-	22	-
14	Smyth	333	-	-	-	-	-	18	-	-	6	-	-	23	-
15	Southampton	253	-	-	-	1	-	18	-	-	3	2	-	15	1
16	Spotsylvania	101	-	-	-	1	-	4	-	-	-	-	-	5	-
17	Stafford	97	-	-	-	1	-	1	-	-	-	-	-	16	-
18	Surry	71	-	-	-	-	-	5	-	-	1	-	-	8	-
19	Sussex	117	-	-	-	-	-	9	-	-	-	-	-	13	-
20	Tazewell	374	-	-	-	-	1	15	-	-	3	1	-	42	-
21	Warren	95	-	-	-	-	-	2	-	-	-	1	-	9	-
22	Warwick	148	-	-	-	-	1	3	-	-	-	-	-	11	-
23	Washington	299	-	-	-	1	2	10	1	-	-	-	-	25	-
24	Westmoreland	116	-	-	-	-	-	8	-	-	-	-	-	14	-
25	Wise	420	-	3	1	1	2	23	-	1	6	-	-	40	2
26	Wythe	165	-	-	-	-	-	4	-	-	-	-	-	17	-
27	York	103	-	-	-	-	3	2	-	-	1	-	-	12	-
	Independent Cities[9]														
28	Alexandria	396	-	-	-	-	-	13	-	-	7	1	-	52	-
29	Bristol[10]	123	-	-	-	-	-	8	-	-	1	-	-	15	1
30	Buena Vista	51	-	-	-	-	-	3	-	-	-	-	-	6	-
31	Charlottesville	228	-	-	-	-	-	15	-	-	2	-	-	22	-
32	Clifton Forge	71	-	-	-	-	-	2	-	-	-	-	-	11	-
33	Danville	364	-	1	-	-	5	9	-	-	-	-	-	34	-
34	Fredericksburg	106	-	-	-	-	-	4	-	-	1	-	-	16	-
35	Hampton	117	-	-	-	1	-	5	-	-	-	-	-	12	-
36	Harrisonburg	126	-	-	-	-	-	6	-	-	1	-	-	13	-
37	Hopewell	77	-	-	-	-	-	4	-	-	1	-	-	5	-
38	Lynchburg	460	1	-	1	1	-	15	-	-	4	-	-	57	-
39	Martinsville	94	-	1	-	-	-	4	-	-	-	-	-	7	-
40	Newport News	559	-	3	-	-	-	26	-	-	4	-	-	51	-
41	Norfolk	1,958	1	3	2	2	1	64	6	1	28	1	4	189	4
42	Petersburg	406	-	2	-	-	-	25	-	-	1	2	-	34	-
43	Portsmouth	854	-	-	-	1	1	31	-	-	11	1	-	65	1
44	Radford	69	-	-	-	-	-	1	-	-	2	-	-	3	1
45	Richmond	2,462	-	1	-	2	-	122	1	-	27	-	-	323	5
46	Roanoke	755	1	-	1	-	1	30	-	-	9	1	-	93	1
47	South Norfolk	77	-	-	-	-	1	4	-	-	-	-	-	10	-
48	Staunton	372	-	-	-	-	-	29	-	-	16	-	-	26	-
49	Suffolk	159	-	-	-	-	-	12	-	-	1	-	-	9	-
50	Williamsburg	263	-	-	-	-	-	29	-	-	11	-	-	16	-
51	Winchester	159	-	-	-	-	-	2	-	1	2	1	-	26	-
52	WASHINGTON	22,011	4	19	1	15	25	738	5	-	186	21	34	2,808	16
53	Adams	41	-	-	-	-	-	1	-	-	-	-	-	5	-
54	Asotin	101	-	-	-	-	-	1	-	-	1	-	-	17	-
55	Benton	155	-	-	-	-	-	3	-	-	-	-	2	14	1
56	Chelan	354	-	2	-	-	1	9	-	-	2	-	2	41	-
57	Wenatchee	173	-	-	-	-	-	6	-	-	2	-	1	21	-
58	Balance of county	181	-	2	-	-	1	3	-	-	-	-	1	20	-
59	Clallam	237	-	-	-	-	-	9	-	-	-	-	-	28	1
60	Clark	701	-	1	-	-	-	27	-	-	5	-	1	90	2
61	Vancouver	410	-	-	-	-	-	15	-	-	1	-	1	59	1
62	Balance of county	291	-	1	-	-	-	12	-	-	4	-	-	31	1
63	Columbia	51	-	-	-	-	-	-	-	-	-	-	-	4	-
64	Cowlitz	327	-	1	-	-	1	11	-	-	1	1	1	39	1
65	Longview	144	-	-	-	-	1	1	-	-	1	-	1	21	-
66	Balance of county	183	-	1	-	-	-	10	-	-	-	1	-	18	1
67	Douglas	44	-	-	-	-	-	1	-	-	-	-	-	6	-
68	Ferry	27	-	-	-	-	-	-	-	-	1	1	1	5	-
69	Franklin	91	-	-	-	-	-	1	-	-	-	-	-	6	-
70	Garfield	30	-	-	-	-	-	2	-	-	-	-	-	4	-
71	Grant	87	-	-	-	-	-	2	-	-	-	-	1	10	-
72	Grays Harbor	602	-	-	-	-	-	22	-	-	10	1	-	86	-
73	Aberdeen	324	-	-	-	-	-	4	-	-	6	-	-	60	-
74	Hoquiam	83	-	-	-	-	-	2	-	-	2	-	-	10	-
75	Balance of county	195	-	-	-	-	-	16	-	-	2	1	-	16	-
76	Island	86	-	-	-	-	-	3	-	-	-	-	-	11	-
77	Jefferson	93	1	-	-	-	-	2	1	-	1	-	-	10	-
78	King	6,966	-	6	-	2	10	250	2	-	44	2	14	968	3
79	Seattle	5,451	-	4	-	-	8	204	2	-	38	-	12	761	3
80	Balance of county	1,515	-	2	-	2	2	46	-	-	6	2	2	187	-
81	Kitsap	678	-	-	-	2	-	25	1	-	7	-	2	78	2
82	Bremerton	344	-	-	-	-	-	7	1	-	3	-	1	48	1
83	Balance of county	334	-	-	-	2	-	18	-	-	4	-	1	30	1
84	Kittitas	218	-	-	-	1	-	1	-	-	-	-	1	25	-
85	Klickitat	80	-	-	-	-	-	1	-	-	-	-	-	13	-
86	Lewis	471	-	-	-	-	4	8	-	-	4	-	1	62	1
87	Lincoln	102	-	-	-	-	-	-	-	-	-	1	-	10	-
88	Mason	118	-	-	-	-	-	5	-	-	-	-	-	12	-
89	Okanogan	225	-	1	-	-	1	4	-	-	-	1	-	35	-
90	Pacific	146	-	-	-	1	-	5	-	-	2	1	-	23	-

footnote on p. 616.

[9]Those having populations of 10,000 or more include: Alexandria, Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic). 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
2	-	20	40	9	1	18	1	7	-	2	5	4	6	12	1
3	-	7	29	4	1	21	3	11	5	2	4	12	2	11	2
3	-	12	35	7	2	13	1	4	3	1	9	10	4	25	3
2	-	40	113	13	1	19	-	6	4	2	8	16	1	17	4
7	-	13	50	10	3	31	1	19	3	3	8	14	7	18	5
3	-	12	17	4	1	5	2	3	2	-	3	2	3	3	6
2	-	10	24	3	1	7	-	3	1	-	1	2	2	5	7
4	-	42	136	25	3	26	-	32	2	3	11	11	9	39	8
7	1	14	58	8	2	19	-	15	4	3	5	8	6	26	9
6	-	22	74	22	3	22	1	19	5	1	8	16	8	39	10
2	1	19	46	17	4	10	-	14	2	2	3	10	14	24	11
2	1	20	45	22	3	12	-	16	1	6	3	8	16	19	12
7	-	21	52	9	2	33	1	13	1	1	2	17	6	21	13
10	1	28	98	40	3	20	1	15	3	1	11	13	4	38	14
5	-	28	52	15	1	24	1	27	4	4	6	14	9	23	15
2	-	12	40	5	-	7	1	3	-	-	4	7	-	10	16
2	-	5	32	7	-	7	-	2	-	2	8	2	2	10	17
1	1	9	17	4	-	8	-	3	-	-	1	3	3	7	18
1	-	9	24	6	3	18	2	5	2	1	4	4	6	10	19
8	1	35	68	18	2	27	-	46	3	4	11	29	17	43	20
2	-	9	23	10	1	5	-	7	-	1	2	5	-	18	21
2	-	19	34	7	3	12	2	14	3	3	9	11	2	12	22
6	4	31	81	25	4	23	-	25	2	4	6	4	12	33	23
3	-	15	29	1	2	14	-	12	-	-	-	11	2	5	24
8	-	21	80	19	5	36	4	48	7	5	14	31	27	38	25
5	-	15	43	8	1	13	1	15	-	1	5	14	2	22	26
4	-	11	25	5	1	12	-	4	2	-	4	3	4	10	27
4	1	20	117	13	2	21	3	35	8	7	13	23	8	48	28
2	1	11	32	7	2	5	2	11	1	1	2	5	2	14	29
-	-	-	14	5	-	3	1	6	-	-	-	6	3	4	30
4	-	20	70	5	-	5	-	25	6	1	4	9	9	31	31
3	-	7	26	1	1	2	-	1	3	1	-	2	1	10	32
8	1	47	67	24	5	49	4	35	3	3	6	14	10	39	33
1	-	9	32	2	-	6	-	12	1	-	2	7	-	13	34
3	-	10	35	2	-	8	1	8	2	-	4	11	-	15	35
4	-	7	33	6	2	24	-	12	1	-	2	5	1	9	36
2	-	5	17	5	-	9	1	6	1	2	8	5	1	7	37
17	-	55	131	13	1	29	-	42	2	8	9	21	4	50	38
2	-	5	27	5	3	8	-	11	2	-	3	5	3	8	39
8	-	52	128	27	3	60	2	63	9	8	7	28	12	68	40
29	-	200	574	101	12	108	7	128	23	43	45	126	7	251	41
8	-	49	83	37	3	43	1	26	3	1	11	18	9	50	42
11	-	98	148	34	8	64	2	49	5	12	15	30	2	65	43
1	-	5	17	3	2	8	-	11	-	-	3	3	-	9	44
61	1	263	689	98	13	186	7	127	32	47	43	77	35	302	45
26	-	63	188	33	2	57	1	54	10	5	24	25	12	118	46
2	1	6	20	6	-	6	-	5	1	-	2	2	-	11	47
5	1	26	149	31	1	8	1	12	5	2	3	23	-	34	48
3	-	15	31	6	1	6	-	12	1	10	3	7	-	22	49
4	-	11	87	16	3	6	1	2	2	1	1	30	1	42	50
3	-	15	43	7	1	17	-	19	-	-	2	5	2	13	51
482	2	1,958	7,104	876	76	972	62	1,314	353	81	633	1,289	392	2,545	52
1	-	6	11	1	-	5	-	2	1	-	1	6	-	1	53
2	-	10	25	7	-	7	-	3	1	-	4	6	5	12	54
3	-	6	46	8	1	3	1	28	2	-	8	19	-	10	55
5	-	30	104	17	5	13	1	24	4	-	14	23	10	47	56
3	-	11	53	7	4	8	-	9	1	-	6	10	5	26	57
2	-	19	51	10	1	5	1	15	3	-	8	13	5	21	58
3	-	20	88	4	-	18	-	12	4	-	8	18	3	21	59
14	-	58	195	23	-	41	1	68	16	3	25	43	12	75	60
10	-	42	108	13	-	25	-	43	9	3	12	21	2	47	61
4	-	17	89	10	-	16	1	25	7	-	13	22	10	28	62
2	-	9	17	3	-	3	-	2	-	1	3	1	2	4	63
6	-	25	108	9	2	9	2	25	3	-	14	25	8	37	64
3	-	13	44	5	2	5	2	10	1	-	8	5	-	21	65
3	-	12	62	4	-	4	-	15	2	-	6	20	8	16	66
1	-	6	10	2	-	2	-	4	4	1	-	3	2	2	67
-	-	-	11	1	1	1	-	-	1	-	-	3	-	1	68
2	-	10	22	2	-	7	-	16	2	1	3	10	1	8	69
-	-	3	8	1	-	3	1	2	-	-	2	1	-	3	70
2	-	7	21	5	1	3	-	5	1	-	5	8	7	9	71
15	-	57	169	20	2	23	3	41	9	2	19	40	15	68	72
11	-	35	84	10	2	14	2	16	3	1	6	17	6	47	73
-	-	7	20	5	-	5	-	8	3	-	3	6	4	8	74
4	-	15	65	5	-	4	1	17	3	1	10	17	5	13	75
2	-	13	23	3	-	2	-	3	5	1	2	5	1	12	76
5	-	9	28	5	-	2	-	4	-	-	4	10	-	11	77
135	1	541	2,571	210	10	241	20	389	141	31	167	350	32	826	78
106	-	398	2,018	153	9	182	19	301	112	28	119	278	24	652	79
29	1	143	553	57	1	59	1	88	29	3	48	72	8	174	80
13	-	72	187	19	4	22	4	71	8	1	19	53	10	78	81
7	-	31	88	10	1	11	3	42	4	1	6	22	2	55	82
6	-	41	99	9	3	11	1	29	4	-	13	31	8	23	83
5	-	19	60	10	-	11	1	20	2	1	9	29	2	21	84
3	-	10	18	3	-	5	-	3	1	1	1	7	4	10	85
11	-	53	153	15	1	22	1	26	6	1	17	27	12	46	86
2	-	8	32	5	1	13	-	5	1	-	7	6	1	10	87
2	-	10	38	7	-	5	-	2	-	-	6	14	3	14	88
1	-	18	56	10	2	13	-	20	2	-	12	19	10	20	89
3	-	18	46	6	-	1	1	4	-	-	4	16	3	12	90

News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

[10]Includes data for Bristol, Va., only.

793002 O - 48 - 41

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	WASHINGTON—Con.														
1	Pend Oreille	49	-	-	-	1	-	-	-	-	-	1	-	7	-
2	Pierce	2,636	2	1	-	-	3	118	-	-	56	3	-	309	-
3	Tacoma	1,608	1	1	-	-	-	46	-	-	19	2	-	227	-
4	Balance of county	1,028	1	-	-	-	3	72	-	-	37	1	-	82	-
5	San Juan	35	-	-	-	-	-	-	-	-	-	-	-	5	-
6	Skagit	702	-	-	-	-	-	48	1	-	12	1	1	62	-
7	Skamania	28	-	-	-	-	-	-	-	-	-	-	-	3	-
8	Snohomish	1,058	-	1	-	2	-	27	-	-	4	-	2	145	1
9	Everett	467	-	1	-	-	-	9	-	-	2	-	1	81	-
10	Balance of county	591	-	-	-	2	-	18	-	-	2	-	1	64	1
11	Spokane	2,387	-	5	-	2	-	66	-	-	19	1	3	295	3
12	Spokane	1 717	-	4	-	2	-	26	-	-	7	1	3	229	2
13	Balance of county	670	-	1	-	-	-	40	-	-	12	-	-	66	1
14	Stevens	174	-	-	-	-	-	1	-	-	1	-	-	21	-
15	Thurston	390	1	1	-	1	-	6	-	-	4	-	-	59	-
16	Olympia	228	1	-	-	-	-	5	-	-	3	-	-	32	-
17	Balance of county	162	-	1	-	1	-	1	-	-	1	-	-	27	-
18	Wahkiakum	32	-	-	-	-	-	-	-	-	-	-	-	3	-
19	Walla Walla	425	-	-	-	-	-	27	-	-	2	2	-	55	-
20	Walla Walla	320	-	-	-	-	-	26	-	-	2	2	-	37	-
21	Balance of county	105	-	-	-	-	-	1	-	-	-	-	-	18	-
22	Whatcom	732	-	-	-	1	2	16	-	-	3	1	1	89	-
23	Bellingham	398	-	-	-	-	2	7	-	-	1	1	-	52	-
24	Balance of county	334	-	-	-	1	-	9	-	-	2	-	1	37	-
25	Whitman	240	-	-	1	-	-	3	-	-	-	1	-	28	1
26	Yakima	1,092	-	-	-	2	3	35	-	-	7	3	1	125	-
27	Yakima	494	-	-	-	-	3	7	-	-	4	1	1	75	-
28	Balance of county	598	-	-	-	2	-	28	-	-	3	2	-	50	-
29	WEST VIRGINIA	16,238	10	21	9	33	21	718	29	-	195	11	7	1,701	19
30	Barbour	154	1	-	-	-	-	8	1	-	1	-	-	15	-
31	Berkeley	293	-	-	-	-	-	9	-	-	-	-	-	39	-
32	Martinsburg	208	-	-	-	-	-	6	-	-	-	-	-	30	-
33	Balance of county	85	-	-	-	-	-	3	-	-	-	-	-	9	-
34	Boone	198	-	-	-	-	-	8	-	-	-	-	-	12	-
35	Braxton	122	-	-	-	-	-	4	1	-	-	-	1	14	-
36	Brooke	205	-	1	-	-	-	6	-	-	1	-	-	38	-
37	Cabell	1,073	-	2	-	-	1	68	2	-	22	-	3	120	1
38	Huntington (part)	894	-	2	-	-	-	61	2	-	21	-	3	104	1
39	Huntington (total)	940	-	2	-	-	-	66	2	-	21	-	3	110	1
40	Balance of county	179	-	-	-	-	1	7	-	-	1	-	-	18	-
41	Calhoun	63	-	-	-	-	-	2	-	-	1	-	1	7	1
42	Clay	106	-	-	-	-	1	1	1	-	-	-	-	6	-
43	Doddridge	79	-	-	-	-	-	-	-	-	1	-	-	7	-
44	Fayette	607	1	-	1	1	1	40	3	-	8	1	-	50	1
45	Gilmer	82	-	-	-	-	-	3	1	-	1	-	-	7	-
46	Grant	73	1	-	-	-	-	1	-	-	-	-	-	5	1
47	Greenbrier	330	-	-	-	3	-	16	-	-	1	-	-	32	-
48	Hampshire	112	-	-	-	-	-	4	-	-	1	-	-	17	-
49	Hancock	237	-	1	-	1	-	12	-	-	2	-	-	34	-
50	Hardy	74	-	-	-	-	1	3	-	-	-	-	-	7	-
51	Harrison	691	-	-	-	2	-	22	1	-	4	1	-	89	-
52	Clarksburg	327	-	-	-	-	-	13	-	-	1	-	-	46	-
53	Balance of county	364	-	-	-	2	-	9	1	-	3	1	-	43	-
54	Jackson	128	-	-	-	-	-	3	-	-	1	-	-	17	-
55	Jefferson	189	-	1	-	1	-	7	-	-	-	-	-	19	1
56	Kanawha	1,640	-	2	-	2	-	76	7	-	13	-	-	170	4
57	Charleston	708	-	1	-	1	-	31	1	-	8	-	-	77	2
58	South Charleston	74	-	-	-	-	-	4	-	-	-	-	-	10	-
59	Balance of county	858	-	1	-	1	-	41	6	-	5	-	-	83	2
60	Lewis	393	-	-	-	-	-	41	-	-	25	1	-	33	-
61	Lincoln	159	-	1	1	-	1	4	-	-	1	-	-	17	-
62	Logan	493	-	1	-	-	1	45	-	-	3	-	-	31	-
63	McDowell	733	-	-	-	1	1	30	-	-	20	-	-	55	-
64	Marion	613	-	-	-	-	-	18	1	-	3	-	-	75	-
65	Fairmont	271	-	-	-	-	-	6	1	-	1	-	-	35	-
66	Balance of county	342	-	-	-	-	-	12	-	-	2	-	-	40	-
67	Marshall	318	-	1	-	1	-	6	-	-	2	-	-	44	-
68	Moundsville	127	-	-	-	-	-	2	-	-	1	-	-	20	-
69	Balance of county	191	-	1	-	1	-	4	-	-	1	-	-	24	-
70	Mason	174	-	1	-	-	-	8	-	-	10	-	-	17	1
71	Mercer	553	1	1	-	2	-	26	4	-	8	-	-	59	1
72	Bluefield[11]	205	1	1	-	-	-	10	-	-	4	-	-	29	-
73	Balance of county	348	-	-	-	2	-	16	4	-	4	-	-	30	1
74	Mineral	216	1	-	-	2	-	9	-	-	1	1	-	15	-
75	Mingo	327	-	-	-	2	3	13	2	-	5	-	-	32	-
76	Monongalia	477	1	-	-	-	-	7	-	-	5	-	-	65	1
77	Morgantown	230	1	-	-	-	-	3	-	-	4	-	-	25	1
78	Balance of county	247	-	-	-	-	-	4	-	-	1	-	-	40	-
79	Monroe	112	-	-	-	-	-	5	1	-	1	-	-	8	-
80	Morgan	84	-	-	-	-	-	6	-	-	-	-	-	5	-
81	Nicholas	156	-	-	-	-	-	2	1	-	-	-	1	11	-
82	Ohio	802	1	2	-	3	2	20	-	-	8	-	-	101	1
83	Wheeling	701	1	2	-	1	1	18	-	-	7	-	-	95	1
84	Balance of county	101	-	-	-	2	1	2	-	-	1	-	-	6	-
85	Pendleton	111	1	-	-	-	-	6	-	-	-	-	-	10	-
86	Pleasants	62	-	-	-	-	-	1	-	-	1	-	-	8	-
87	Pocahontas	122	-	-	-	-	-	7	-	-	3	-	-	15	-
88	Preston	219	1	1	-	-	-	18	-	-	3	-	-	21	-
89	Putnam	135	-	1	-	-	-	4	-	-	-	1	-	6	-
90	Raleigh	605	-	1	3	2	3	38	2	-	2	-	1	61	1
91	Beckley	160	-	1	1	-	-	9	-	-	-	-	-	23	1
92	Balance of county	445	-	-	2	2	3	29	2	-	2	-	1	38	-

[11] Includes data for Bluefield, W. Va., only.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 118,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
1	-	8	11	2	-	4	-	1	-	-	2	6	1	4	1
52	1	219	630	101	8	149	4	151	46	13	62	132	66	310	2
36	-	155	496	37	3	111	4	91	37	11	25	82	35	189	3
16	1	64	334	64	5	38	-	60	9	2	37	50	31	121	4
2	-	5	13	1	-	-	-	-	1	-	-	1	-	7	5
15	-	56	203	52	2	19	-	28	7	-	14	39	33	111	6
-	-	3	14	-	-	1	-	2	1	-	-	2	-	2	7
26	-	139	355	37	4	39	1	53	10	5	41	48	16	102	8
9	-	69	137	16	-	17	-	24	-	2	18	18	9	64	9
17	-	70	218	21	4	22	1	29	10	3	23	30	7	48	10
61	-	221	760	127	15	139	6	119	40	12	43	127	17	286	11
46	-	166	568	84	14	108	3	88	33	10	34	82	11	196	12
15	-	55	212	43	1	31	3	31	7	2	9	45	6	90	13
2	-	18	47	17	2	8	1	8	1	-	11	18	3	15	14
10	-	34	120	15	-	16	1	20	7	-	14	20	16	45	15
6	-	20	75	9	-	9	1	18	3	-	7	4	7	28	16
4	-	14	45	6	-	7	-	2	4	-	7	16	9	17	17
-	-	1	9	2	2	-	-	4	-	-	1	4	-	6	18
15	-	42	101	10	1	26	3	23	3	-	11	17	28	59	19
12	-	33	74	7	1	22	2	17	2	-	10	12	15	46	20
3	-	9	27	3	-	4	1	6	1	-	1	5	13	13	21
24	-	87	200	35	2	35	3	38	6	-	16	51	32	90	22
7	-	53	107	12	1	17	2	24	3	-	9	29	20	51	23
17	-	34	93	23	1	18	1	14	3	-	7	22	12	39	24
6	-	22	73	9	1	12	1	18	5	-	12	10	10	27	25
30	-	84	303	72	9	49	6	70	12	7	52	72	27	123	26
14	-	40	147	22	5	26	3	25	6	3	17	25	8	62	27
16	-	44	156	50	4	23	3	45	6	4	35	47	19	61	28
306	1	1,484	4,013	923	121	922	73	1,330	177	134	406	1,144	622	1,808	29
1	-	15	37	7	-	10	-	12	4	-	3	14	8	17	30
5	-	23	90	14	3	27	-	27	-	-	7	15	2	32	31
4	-	18	59	10	1	19	-	21	-	-	4	9	2	25	32
1	-	5	31	4	2	8	-	6	-	-	3	8	-	7	33
-	-	12	41	15	4	9	1	30	2	-	8	17	16	23	34
2	-	15	26	10	1	7	-	11	3	1	4	9	3	10	35
4	-	11	56	8	-	10	-	16	2	-	11	16	4	21	36
16	-	73	302	61	15	37	6	95	10	6	19	64	15	135	37
15	-	65	239	50	12	31	5	78	9	6	15	43	14	118	38
15	-	59	246	54	12	34	5	80	9	6	17	45	14	129	39
1	-	8	63	11	3	6	1	17	1	-	4	21	1	17	40
-	-	8	14	2	-	1	-	8	2	-	1	3	7	5	41
1	-	4	15	10	1	7	1	14	1	2	8	11	16	6	42
-	-	13	33	2	-	2	1	2	1	-	2	3	3	9	43
10	1	47	123	24	4	33	2	52	9	9	19	65	19	83	44
-	-	7	17	3	1	6	3	8	2	1	-	9	6	7	45
1	-	13	14	2	-	8	-	8	-	-	2	4	9	4	46
11	-	32	67	17	1	25	5	26	3	8	10	27	16	30	47
6	-	16	31	10	-	8	-	6	3	-	1	3	2	4	48
7	-	17	83	6	2	14	1	16	2	-	5	11	3	20	49
2	-	14	16	3	-	4	-	4	-	-	2	4	8	6	50
13	-	91	194	35	5	35	1	47	100	4	10	42	15	70	51
8	-	41	97	11	2	8	-	29	3	2	4	17	4	41	52
5	-	50	97	24	3	27	1	18	7	2	6	25	11	29	53
3	-	12	25	11	2	12	2	9	-	-	8	3	4	16	54
7	-	16	60	8	-	21	-	10	3	1	5	8	3	18	55
23	-	134	366	109	31	94	7	135	16	22	54	111	79	185	56
11	-	68	181	44	13	31	-	55	9	10	18	32	28	86	57
3	-	5	16	3	4	5	-	5	-	1	2	4	2	10	58
9	-	60	169	62	14	58	7	75	7	11	34	75	49	89	59
1	-	32	88	23	2	13	2	16	8	2	5	10	27	64	60
2	-	8	45	7	-	7	2	15	2	2	-	10	18	18	61
6	-	33	72	27	7	15	4	77	3	10	21	57	17	63	62
12	-	53	145	53	9	28	4	79	4	23	16	90	26	84	63
15	-	61	150	28	3	44	3	45	11	1	9	45	15	86	64
7	-	20	79	10	-	16	1	21	7	-	3	23	8	33	65
8	-	41	71	18	3	28	2	24	4	1	6	22	7	53	66
8	-	33	83	16	1	19	-	18	6	1	9	29	9	32	67
6	-	14	34	8	-	4	-	4	1	-	4	9	5	15	68
2	-	19	49	8	1	15	-	14	5	1	5	20	4	17	69
2	-	19	43	15	2	12	-	7	1	-	2	12	6	16	70
12	-	49	152	25	3	24	4	56	4	5	9	34	16	58	71
5	-	18	50	4	1	10	-	18	1	4	2	16	6	25	72
7	-	31	102	21	2	14	4	38	3	1	7	18	10	33	73
7	-	15	58	16	-	24	4	18	-	1	7	13	-	24	74
9	-	21	55	18	3	17	2	42	3	5	12	31	15	37	75
14	-	37	124	43	5	14	3	37	6	4	11	33	17	50	76
8	-	18	66	19	-	5	3	17	2	1	6	12	8	51	77
6	-	19	58	24	5	9	-	20	4	3	5	21	9	19	78
1	-	15	34	7	-	14	-	9	-	-	4	6	1	6	79
1	-	8	21	8	-	8	-	7	1	-	2	8	-	9	80
2	-	17	25	3	-	5	-	16	2	1	10	18	14	27	81
28	-	70	243	22	3	70	1	39	9	1	22	57	8	91	82
24	-	63	212	20	3	59	-	35	6	1	19	50	7	76	83
4	-	7	31	2	-	11	1	4	3	-	3	7	1	15	84
-	-	3	35	4	1	8	2	10	2	1	2	12	5	9	85
4	-	6	16	3	-	3	-	5	2	-	2	7	2	2	86
1	-	13	28	5	1	8	1	9	1	-	1	4	6	19	87
8	-	24	62	12	1	5	1	8	3	-	4	21	9	19	88
3	-	18	44	13	-	6	1	5	1	-	1	6	6	19	89
7	-	43	151	34	3	32	2	77	5	7	18	45	15	54	90
4	-	8	46	5	-	11	-	21	2	1	4	7	6	9	91
3	-	34	105	29	3	21	2	56	3	5	12	38	9	45	92

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	WEST VIRGINIA—Con.														
1	Randolph	249	-	1	-	-	2	14	-	-	3	3	-	24	-
2	Ritchie	111	-	-	-	1	-	1	-	-	-	-	-	10	1
3	Roane	261	-	-	1	-	-	19	-	-	19	-	-	21	-
4	Summers	195	-	1	-	-	-	8	-	-	2	-	-	19	-
5	Taylor	199	-	-	-	-	-	5	1	-	3	-	-	19	1
6	Tucker	119	-	-	-	-	-	2	-	-	2	-	-	15	-
7	Tyler	124	-	-	-	-	-	3	-	-	-	1	-	13	-
8	Upshur	197	-	-	-	-	-	3	-	-	-	-	-	18	2
9	Wayne	242	1	-	-	2	4	11	-	-	1	-	-	23	-
10	Huntington (part)	46	-	-	-	-	-	5	-	-	-	-	-	6	-
11	Balance of county	196	1	-	-	2	4	6	-	-	1	-	-	17	-
12	Webster	138	-	-	-	2	-	2	-	-	-	2	-	4	-
13	Wetzel	165	-	1	1	-	-	3	-	-	1	-	-	20	-
14	Wirt	73	-	-	-	-	-	3	-	-	1	-	-	12	-
15	Wood	629	-	-	-	1	-	21	-	-	3	-	-	96	-
16	Parkersburg	385	-	-	-	1	-	12	-	-	1	-	-	50	-
17	Balance of county	244	-	-	-	-	-	9	-	-	2	-	-	46	-
18	Wyoming	196	-	1	2	4	-	16	-	-	2	-	-	13	1
19	WISCONSIN	32,345	3	23	6	25	20	648	6	1	172	21	88	4,836	24
20	Adams	79	-	-	-	-	-	-	-	-	-	-	1	3	-
21	Ashland	243	-	-	-	-	1	11	-	-	2	-	3	38	-
22	Ashland	148	-	-	-	-	-	9	-	-	-	-	1	29	-
23	Balance of county	95	-	-	-	-	1	2	-	-	2	-	2	9	-
24	Barron	319	-	-	-	-	-	8	-	-	1	-	6	52	-
25	Bayfield	135	-	-	-	-	-	2	-	-	1	-	1	17	-
26	Brown	824	-	1	-	-	-	13	1	-	3	-	4	115	-
27	Green Bay	497	-	-	-	-	-	5	-	-	2	-	2	78	-
28	Balance of county	327	-	1	-	-	-	8	1	-	1	-	2	37	-
29	Buffalo	147	-	-	-	1	-	1	-	-	2	1	-	26	-
30	Burnett	114	-	-	-	-	-	2	-	-	-	-	3	17	-
31	Calumet	175	-	-	-	-	1	1	-	-	1	-	-	25	-
32	Chippewa	421	-	-	-	1	-	12	-	-	3	2	1	54	-
33	Chippewa Falls	140	-	-	-	1	-	3	-	-	1	1	-	19	-
34	Balance of county	281	-	-	-	-	-	9	-	-	2	1	1	35	-
35	Clark	299	-	1	-	-	-	6	-	-	-	1	2	44	-
36	Columbia	378	-	-	-	-	1	8	-	-	1	-	-	60	-
37	Crawford	171	-	-	-	-	-	2	-	-	1	-	-	17	-
38	Dane	1,435	-	-	-	-	1	23	-	-	17	-	4	204	-
39	Madison	706	-	-	-	-	1	9	-	-	5	-	3	119	-
40	Balance of county	729	-	-	-	-	-	14	-	-	12	-	1	85	-
41	Dodge	553	-	1	-	1	-	7	-	-	2	-	1	74	1
42	Beaver Dam	143	-	-	-	-	-	1	-	-	1	-	-	18	-
43	Watertown (part)	25	-	-	-	-	-	-	-	-	-	-	-	4	1
44	Balance of county	385	-	1	-	1	-	6	-	-	1	-	1	52	-
45	Door	173	-	-	-	-	-	4	-	-	3	-	-	35	-
46	Douglas	564	-	3	-	2	2	25	-	-	5	-	3	83	-
47	Superior	437	-	1	-	1	2	9	-	-	3	-	2	64	-
48	Balance of county	127	-	2	-	1	-	16	-	-	2	-	1	19	-
49	Dunn	258	-	-	-	-	-	2	-	-	-	-	-	50	-
50	Eau Claire	462	-	-	-	-	-	5	-	-	6	2	2	67	-
51	Eau Claire	312	-	-	-	-	-	4	-	-	4	2	2	37	-
52	Balance of county	150	-	-	-	-	-	1	-	-	2	-	-	30	-
53	Florence	34	-	-	-	-	-	1	-	-	1	-	-	4	-
54	Fond du Lac	708	-	-	-	1	-	8	1	-	4	-	1	108	-
55	Fond du Lac	351	-	-	-	-	-	4	-	-	2	-	-	47	-
56	Balance of county	357	-	-	-	1	-	4	1	-	2	-	1	58	-
57	Forest	98	-	-	-	-	-	-	-	-	1	-	-	13	-
58	Grant	454	1	1	-	-	-	3	-	-	-	-	-	55	-
59	Green	253	-	-	-	1	-	2	-	-	2	-	1	49	1
60	Green Lake	173	-	-	-	-	-	-	-	-	-	-	-	29	-
61	Iowa	239	-	-	-	-	-	6	-	-	1	-	2	31	-
62	Iron	96	-	-	-	-	-	5	-	-	-	-	-	2	-
63	Jackson	163	-	-	-	-	-	3	-	-	-	-	-	26	-
64	Jefferson	494	-	-	1	-	2	9	-	-	2	-	-	73	-
65	Watertown (part)	123	-	-	-	-	-	1	-	-	-	-	-	17	-
66	Watertown (total)	148	-	-	-	-	-	1	-	-	-	-	-	21	1
67	Balance of county	371	-	-	1	-	2	8	-	-	2	-	-	56	-
68	Juneau	191	-	-	-	-	1	1	-	-	-	-	2	32	-
69	Kenosha	564	-	-	-	-	-	9	-	-	1	-	2	100	1
70	Kenosha	424	-	-	-	-	-	7	-	-	1	-	1	77	1
71	Balance of county	140	-	-	-	-	-	2	-	-	-	-	1	23	-
72	Kewaunee	138	-	-	-	-	-	4	-	-	-	-	-	23	-
73	La Crosse	613	-	-	-	2	-	10	-	-	4	1	2	90	-
74	La Crosse	427	-	-	-	1	-	7	-	-	2	1	2	61	-
75	Balance of county	186	-	-	-	1	-	3	-	-	2	-	-	29	-
76	Lafayette	178	-	-	-	-	-	1	-	-	1	-	-	28	-
77	Langlade	203	-	-	-	1	-	2	-	-	-	-	-	31	1
78	Lincoln	259	-	-	-	-	-	2	-	-	-	-	-	34	-
79	Manitowoc	606	-	-	-	-	-	18	-	-	1	-	4	103	1
80	Manitowoc	279	-	-	-	-	-	6	-	-	1	-	2	49	-
81	Two Rivers	84	-	-	-	-	-	5	-	-	-	-	-	15	-
82	Balance of county	243	-	-	-	-	-	7	-	-	-	-	2	39	1
83	Marathon	666	-	-	-	-	-	3	2	-	1	-	2	97	3
84	Wausau	311	-	-	-	-	-	-	-	-	1	-	-	50	1
85	Balance of county	355	-	-	-	-	-	3	2	-	-	-	2	47	2
86	Marinette	370	-	-	-	-	-	7	-	-	2	1	1	47	1
87	Marinette	168	-	-	-	-	-	2	-	-	-	-	-	25	-
88	Balance of county	202	-	-	-	-	-	5	-	-	2	1	1	22	1
89	Marquette	95	-	-	-	-	-	-	-	-	-	-	-	14	-
90	Milwaukee	8,023	-	8	3	8	4	248	-	1	67	9	10	1,328	5
91	Cudahy	86	-	-	-	-	-	2	-	-	-	-	1	15	-
92	Milwaukee	6,268	-	6	3	7	3	207	-	1	44	6	7	1,051	4
93	Shorewood	124	-	-	-	-	-	1	-	-	-	-	-	24	-
94	South Milwaukee	98	-	-	-	1	1	4	-	-	-	-	-	17	1
95	Wauwatosa	273	-	-	-	-	-	5	-	-	2	1	1	38	-
96	West Allis	336	-	1	-	-	-	5	-	-	-	-	1	59	-
97	Balance of county	838	-	1	-	-	-	24	-	-	21	2	-	124	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
7	-	23	65	9	1	11	3	17	-	1	4	18	16	27	1
4	-	11	30	9	-	13	-	5	-	1	1	3	8	13	2
7	-	22	48	25	2	21	-	13	3	-	5	8	14	33	3
3	-	24	48	15	-	10	-	20	5	1	-	8	7	24	4
2	-	26	56	15	-	11	-	12	2	1	4	10	11	20	5
2	-	12	30	5	-	10	-	5	2	3	1	4	9	17	6
2	-	13	33	14	-	3	-	9	1	-	6	6	1	19	7
4	-	26	54	15	1	7	2	11	1	-	5	4	17	27	8
2	-	18	59	12	1	13	-	14	3	2	3	12	25	36	9
-	-	4	7	4	-	3	-	2	-	-	2	2	-	11	10
2	-	14	52	8	1	10	-	12	3	2	1	10	25	25	11
1	-	4	20	13	1	11	2	19	4	-	10	13	18	12	12
3	-	25	42	12	1	19	-	15	-	-	5	15	10	12	13
1	-	6	19	10	-	3	-	2	-	-	1	4	3	8	14
10	-	99	186	18	-	32	-	38	6	2	9	34	10	64	15
7	-	63	126	12	-	22	-	21	3	2	8	15	6	38	16
3	-	36	60	6	-	10	-	17	3	-	1	19	4	28	17
5	-	24	39	12	-	12	-	19	3	5	8	17	3	10	18
1,021	1	3,208	10,485	1,285	115	1,643	108	1,747	419	30	740	1,514	406	3,750	19
6	-	11	23	10	-	-	1	6	1	-	3	3	2	9	20
6	-	36	63	9	2	15	2	12	8	2	1	5	6	21	21
1	-	24	39	5	-	10	1	7	4	-	1	3	4	10	22
5	-	12	24	4	2	5	1	5	4	2	-	2	2	11	23
6	-	32	78	20	-	11	1	21	4	-	8	13	11	47	24
6	-	9	52	3	-	7	1	5	2	-	4	7	4	14	25
16	-	85	240	32	5	30	3	65	11	-	21	49	24	106	26
14	-	58	144	17	2	17	2	37	6	-	13	27	14	59	27
2	-	27	96	15	3	13	1	28	5	-	8	22	10	47	28
2	-	19	36	10	-	13	-	7	1	-	3	10	1	14	29
5	-	20	31	6	-	3	-	3	3	1	2	5	-	13	30
6	-	19	52	4	1	13	-	11	2	-	5	8	1	25	31
11	-	45	107	23	5	19	-	28	10	-	9	15	17	59	32
2	-	19	43	2	-	6	-	12	1	-	1	7	5	17	33
9	-	26	64	21	5	13	-	16	9	-	8	8	12	42	34
10	-	35	84	21	-	19	-	7	4	-	15	11	8	31	35
15	-	40	109	11	2	24	-	15	3	-	13	26	7	41	36
3	-	15	58	6	-	14	3	18	1	-	4	10	-	19	37
38	-	142	468	87	5	65	3	72	28	3	43	75	9	149	38
21	-	75	191	33	4	28	2	48	19	3	20	37	5	83	39
17	-	67	277	54	1	37	1	24	9	-	23	38	4	65	40
10	-	58	187	18	-	38	1	32	8	-	14	20	8	72	41
3	-	17	47	4	-	9	1	11	-	-	4	7	5	15	42
-	-	1	8	2	-	4	-	1	-	-	-	1	-	3	43
7	-	40	132	12	-	25	-	20	8	-	10	12	3	54	44
3	-	11	44	3	2	10	1	6	-	-	10	9	2	30	45
11	-	47	182	29	1	24	3	25	4	2	14	38	1	60	46
9	-	37	149	25	-	18	3	22	3	2	14	31	1	41	47
2	-	10	33	4	1	6	-	3	1	-	-	7	-	19	48
11	-	32	55	9	-	22	1	14	3	-	8	18	3	30	49
13	-	48	149	11	3	26	3	42	5	-	5	20	8	47	50
13	-	41	98	8	2	14	2	32	4	-	3	12	4	30	51
-	-	7	51	3	1	12	1	10	1	-	2	8	4	17	52
2	-	4	9	1	-	1	-	4	1	-	-	2	1	3	53
17	-	78	216	16	2	54	3	34	5	-	17	29	11	106	54
10	-	40	114	10	2	30	1	17	2	-	7	13	1	51	55
7	-	38	102	6	-	24	2	17	3	-	10	16	10	55	56
-	-	12	32	8	2	-	1	1	1	-	4	6	1	16	57
20	-	52	140	25	-	22	-	23	4	-	10	21	17	60	58
10	-	36	77	6	-	9	-	12	3	-	3	14	3	24	59
4	-	20	49	7	1	12	-	9	-	-	2	12	1	27	60
7	-	26	69	11	-	17	-	6	1	-	9	14	2	37	61
1	-	13	40	3	-	4	-	3	6	-	1	7	2	9	62
3	-	19	60	5	-	1	-	8	2	-	5	11	8	12	63
22	-	45	155	17	3	39	1	15	5	-	8	21	4	72	64
7	-	12	45	5	-	8	1	4	3	-	1	4	-	15	65
7	-	13	53	7	-	12	1	5	3	-	1	5	-	18	66
15	-	33	110	12	3	31	-	11	2	-	7	17	4	57	67
2	-	13	73	9	-	8	-	10	4	1	6	7	2	20	68
21	-	39	191	18	1	32	1	30	8	-	25	38	3	44	69
19	-	28	144	14	-	23	-	22	6	-	18	27	2	34	70
2	-	11	47	4	1	9	1	8	2	-	7	11	1	10	71
1	-	14	33	9	-	6	1	7	3	-	7	2	6	22	72
33	-	59	198	27	-	35	3	23	7	1	11	29	7	71	73
24	-	40	138	19	-	24	3	14	6	-	10	20	6	49	74
9	-	19	60	8	-	11	-	9	1	1	1	9	1	22	75
5	-	17	61	7	-	10	-	12	4	-	2	8	2	20	76
7	-	22	49	13	-	18	-	18	4	-	5	11	-	21	77
7	-	37	83	9	1	9	1	24	1	-	5	12	-	34	78
34	-	60	183	11	1	25	3	26	8	1	12	33	12	70	79
19	-	24	90	5	-	13	2	10	2	1	2	12	7	34	80
4	-	3	25	-	-	-	-	6	2	-	4	6	2	12	81
11	-	33	68	6	1	12	1	10	4	-	6	15	3	24	82
28	-	73	189	31	3	35	-	44	5	-	23	31	11	85	83
17	-	36	87	15	-	23	-	19	1	-	4	13	7	37	84
11	-	37	102	16	3	12	-	25	4	-	19	18	4	48	85
14	-	42	114	23	-	14	-	19	5	-	11	17	4	48	86
6	-	15	54	14	-	7	-	6	2	-	6	7	3	21	87
8	-	27	60	9	-	7	-	13	3	-	5	10	1	27	88
-	-	7	30	3	-	9	1	7	4	-	3	5	1	11	89
268	1	664	2,861	285	22	361	30	436	97	7	120	302	22	856	90
2	-	6	23	5	-	5	1	9	2	-	1	1	1	12	91
209	1	486	2,226	225	16	284	24	340	78	5	94	247	18	676	92
6	-	11	42	3	1	3	-	5	-	-	1	5	1	21	93
4	-	6	35	1	1	4	-	8	1	-	2	-	-	12	94
8	-	32	98	6	3	19	-	19	1	-	2	12	-	26	95
10	-	31	117	11	-	12	1	23	5	1	3	13	2	41	96
29	-	92	320	34	1	34	4	32	10	1	17	24	-	68	97

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, poliioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	WISCONSIN—Continued														
1	Monroe	303	-	-	-	-	1	9	-	-	-	-	-	42	2
2	Oconto	224	-	-	-	-	1	4	-	-	-	-	1	33	-
3	Oneida	194	-	-	-	-	-	1	-	-	2	-	3	29	-
4	Outagamie	650	-	-	-	-	-	10	-	-	2	-	-	98	1
5	Appleton	309	-	-	-	-	-	6	-	-	2	-	-	47	-
6	Balance of county	341	-	-	-	-	-	4	-	-	-	-	-	51	1
7	Ozaukee	179	-	-	-	-	-	2	-	-	-	-	1	33	-
8	Pepin	75	-	-	-	-	-	1	-	-	-	-	-	11	-
9	Pierce	224	-	-	-	-	-	1	-	-	1	-	1	26	-
10	Polk	236	-	2	1	-	-	3	-	-	-	-	-	24	1
11	Portage	308	-	-	-	1	-	6	1	-	-	-	-	52	1
12	Stevens Point	140	-	-	-	-	-	4	-	-	-	-	-	21	1
13	Balance of county	168	-	-	-	1	-	2	1	-	-	-	-	31	-
14	Price	163	-	-	-	-	-	5	-	-	-	-	-	25	-
15	Racine	981	-	2	-	-	1	19	-	-	4	-	7	135	1
16	Racine	684	-	1	-	-	1	10	-	-	4	-	5	103	-
17	Balance of county	297	-	1	-	-	-	9	-	-	-	-	2	32	1
18	Richland	176	-	-	-	-	-	1	-	-	-	-	-	20	1
19	Rock	862	-	-	-	-	1	13	-	-	2	-	1	140	-
20	Beloit	287	-	-	-	-	1	6	-	-	-	-	-	47	-
21	Janesville	270	-	-	-	-	-	3	-	-	1	-	1	44	-
22	Balance of county	305	-	-	-	-	-	4	-	-	1	-	-	49	-
23	Rusk	150	-	-	-	-	-	1	-	-	-	-	1	19	-
24	St. Croix	263	1	1	-	-	-	6	-	-	1	-	3	44	-
25	Sauk	366	-	-	-	5	-	4	-	-	1	-	-	41	-
26	Sawyer	145	-	-	-	-	-	5	-	-	1	-	1	23	-
27	Shawano	354	-	-	-	-	-	6	-	-	1	1	2	43	-
28	Sheboygan	766	-	-	-	-	-	25	1	-	1	-	2	98	-
29	Sheboygan	410	-	-	-	-	-	18	-	-	1	-	2	53	-
30	Balance of county	356	-	-	-	-	-	7	1	-	-	-	-	45	-
31	Taylor	163	1	-	-	-	1	1	-	-	-	-	1	13	-
32	Trempealeau	243	-	-	-	-	1	4	-	-	-	1	-	28	-
33	Vernon	302	-	-	-	1	1	1	-	-	1	-	1	49	-
34	Vilas	73	-	-	-	-	-	2	-	-	-	-	-	11	-
35	Walworth	453	-	1	-	-	-	8	-	-	3	-	-	67	-
36	Washburn	108	-	-	-	-	-	1	-	-	-	-	-	19	-
37	Washington	298	-	1	-	-	-	2	-	-	1	-	-	39	1
38	Waukesha	704	-	-	-	-	-	15	-	-	3	-	2	120	-
39	Waukesha	195	-	-	-	-	-	5	-	-	2	-	-	35	-
40	Balance of county	509	-	-	-	-	-	10	-	-	1	-	2	85	-
41	Waupaca	408	-	-	-	-	-	6	-	-	-	-	1	54	-
42	Waushara	198	-	-	1	-	-	4	-	-	1	-	-	23	-
43	Winnebago	1,021	-	-	-	-	-	4	-	-	10	1	2	127	1
44	Menasha	97	-	-	-	-	-	1	-	-	1	1	1	12	-
45	Neenah	94	-	-	-	-	-	-	-	-	-	-	-	11	1
46	Oshkosh	494	-	-	-	-	-	2	-	-	-	-	-	70	-
47	Balance of county	336	-	-	-	-	-	1	-	-	9	-	1	34	-
48	Wood	391	-	1	-	-	-	4	-	-	1	1	-	55	1
49	Marshfield	120	-	1	-	-	-	1	-	-	-	1	-	15	-
50	Wisconsin Rapids	102	-	-	-	-	-	1	-	-	1	-	-	17	-
51	Balance of county	169	-	-	-	-	-	2	-	-	-	-	-	23	1
52	WYOMING	2,135	-	3	-	2	3	28	2	1	23	-	7	229	3
53	Albany	104	-	1	-	-	-	1	-	-	-	-	-	10	-
54	Laramie	85	-	1	-	-	-	1	-	-	-	-	-	9	-
55	Balance of county	19	-	-	-	-	-	-	-	-	-	-	-	1	-
56	Big Horn	89	-	-	-	-	-	4	-	-	-	-	1	11	-
57	Campbell	34	-	-	-	-	-	-	-	-	-	-	-	4	-
58	Carbon	136	-	1	-	1	-	1	1	-	1	-	1	12	1
59	Converse	62	-	-	-	-	-	-	-	-	1	-	-	6	-
60	Crook	32	-	-	-	-	-	-	-	-	-	-	-	3	-
61	Fremont	134	-	-	-	-	-	5	-	-	1	-	-	14	-
62	Goshen	79	-	-	-	-	-	-	-	-	-	-	-	7	-
63	Hot Springs	61	-	-	-	-	1	-	-	-	-	-	-	10	-
64	Johnson	35	-	-	-	-	-	-	-	-	-	-	-	5	1
65	Laramie	287	-	-	-	-	-	7	-	-	6	-	1	38	-
66	Cheyenne	241	-	-	-	-	-	6	-	-	4	-	1	35	-
67	Balance of county	46	-	-	-	-	-	1	-	-	2	-	-	3	-
68	Lincoln	67	-	-	-	-	-	1	-	-	-	-	-	5	-
69	Natrona	251	-	-	-	-	2	1	-	-	1	-	-	23	-
70	Casper	221	-	-	-	-	2	1	-	-	1	-	-	20	-
71	Balance of county	30	-	-	-	-	-	-	-	-	-	-	-	3	-
72	Niobrara	32	-	-	-	-	-	-	-	-	-	-	-	3	-
73	Park	78	-	-	-	-	-	-	-	-	1	-	-	8	-
74	Platte	68	-	-	-	-	-	-	-	-	-	-	-	3	-
75	Sheridan	214	-	-	-	-	-	2	-	-	7	-	1	21	1
76	Sheridan	159	-	-	-	-	-	1	-	-	-	-	1	12	1
77	Balance of county	55	-	-	-	-	-	1	-	-	7	-	-	9	-
78	Sublette	18	-	-	-	-	-	-	-	-	-	-	1	3	-
79	Sweetwater	162	-	1	-	-	-	4	1	1	1	-	1	24	-
80	Teton	18	-	-	-	-	-	-	-	-	-	-	1	-	-
81	Uinta	97	-	-	-	-	-	1	-	-	4	-	-	5	-
82	Washakie	36	-	-	-	-	-	1	-	-	-	-	-	4	-
83	Weston	40	-	-	-	1	-	-	-	-	-	-	-	8	-
84	Yellowstone National Park (part)	1	-	-	-	-	-	-	-	-	-	-	-	1	-
85	Yellowstone National Park (total)	1	-	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise,

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
15	-	39	87	10	1	15	1	17	3	-	7	8	6	40	1
9	-	14	77	10	-	8	1	6	2	-	5	15	6	32	2
5	-	21	52	7	-	16	1	16	2	-	4	7	4	24	3
11	-	62	188	26	-	51	2	43	11	-	20	23	8	94	4
6	-	24	96	8	-	34	2	13	7	-	12	10	4	38	5
5	-	38	92	18	-	17	-	30	4	-	8	13	4	56	6
5	-	13	58	4	-	16	-	12	3	-	1	9	-	22	7
3	-	10	22	6	-	5	1	4	2	-	-	1	-	9	8
8	-	34	76	7	1	8	1	8	3	1	3	19	3	25	9
5	-	24	80	10	1	15	2	9	4	-	8	15	1	31	10
9	-	26	91	16	1	14	1	24	1	-	11	19	6	28	11
7	-	4	45	8	1	6	1	14	-	-	6	10	1	11	12
2	-	22	46	8	-	8	-	10	1	-	5	9	5	17	13
4	-	22	57	4	1	10	-	6	3	-	7	4	1	14	14
30	-	90	342	39	4	41	6	73	18	-	26	35	4	104	15
27	-	65	229	22	3	34	4	41	14	-	18	22	4	77	16
3	-	25	113	17	1	7	2	32	4	-	8	13	-	27	17
5	-	22	52	10	-	8	-	9	1	-	2	12	3	20	18
29	-	85	265	33	4	48	3	42	12	4	16	44	9	111	19
14	-	27	91	10	-	13	1	13	4	1	4	15	2	38	20
8	-	32	73	10	1	13	2	14	5	2	6	13	4	38	21
7	-	26	101	13	3	22	-	15	3	1	6	18	3	35	22
6	-	14	39	6	-	11	1	12	4	-	4	9	5	18	23
7	-	36	75	3	-	11	-	8	1	-	12	20	4	30	24
14	-	38	116	11	4	20	-	10	5	-	9	21	15	52	25
1	-	12	53	4	2	4	2	9	3	1	6	4	1	13	26
11	-	29	113	12	1	19	1	28	4	-	17	24	6	36	27
22	-	101	274	22	6	27	4	27	11	[illegible]	14	37	6	88	28
11	-	50	138	17	4	8	1	17	6	-	10	20	6	48	29
11	-	51	136	5	2	19	3	10	5	-	4	17	-	40	30
4	-	18	53	10	2	8	1	10	5	3	2	11	2	17	31
7	-	23	84	12	2	6	2	16	2	-	3	14	5	33	32
7	-	27	111	10	2	15	-	14	4	-	6	12	8	32	33
-	-	5	21	1	-	3	-	7	1	1	4	6	1	10	34
11	-	49	164	14	-	24	1	22	6	-	13	17	4	49	35
-	-	12	37	5	-	6	-	2	-	2	6	10	1	7	36
10	-	49	90	18	2	7	-	13	1	-	5	17	2	40	37
24	-	72	208	26	3	32	2	37	10	-	18	28	13	91	38
12	-	21	46	7	1	5	-	14	3	-	3	5	5	31	39
12	-	51	162	19	2	27	2	23	7	-	15	23	8	60	40
20	-	48	118	14	2	19	2	22	2	-	11	18	23	50	41
8	-	31	58	12	2	6	-	4	-	-	3	17	2	24	42
35	-	86	373	48	8	83	1	46	12	-	18	45	13	108	43
5	-	5	35	2	-	7	-	5	1	-	-	8	1	12	44
3	-	9	31	5	1	10	1	6	3	-	4	1	1	7	45
17	-	42	194	19	4	31	-	23	5	-	7	19	11	50	46
10	-	30	113	22	3	35	-	12	3	-	7	17	-	39	47
14	-	40	111	19	4	13	4	31	7	-	8	21	12	44	48
6	-	19	39	3	-	1	1	8	1	-	2	7	1	14	49
2	-	7	30	5	1	2	2	6	4	-	-	4	4	16	50
6	-	14	42	11	3	10	1	17	2	-	6	10	7	14	51
32	-	180	597	101	15	130	10	143	44	10	105	149	52	287	52
1	-	5	27	3	1	6	1	10	4	-	10	10	3	11	53
1	-	4	22	3	1	6	1	10	2	-	6	4	3	11	54
-	-	1	5	-	-	-	-	-	2	-	4	6	-	-	55
2	-	5	24	1	-	3	1	7	1	-	8	8	4	11	56
1	-	4	12	-	1	1	-	1	-	-	2	-	2	6	57
1	-	5	49	4	1	11	-	12	5	1	6	8	2	12	58
3	-	3	21	2	-	5	-	1	-	-	3	4	-	13	59
2	-	6	7	-	1	2	-	2	-	-	1	5	-	3	60
1	-	7	26	9	3	9	-	5	3	-	6	9	15	21	61
1	-	9	19	8	2	9	1	9	1	-	2	4	4	3	62
-	-	7	17	2	-	1	1	8	1	1	4	-	1	7	63
1	-	4	11	1	-	2	-	1	2	-	1	2	1	5	64
6	-	26	62	10	2	17	-	20	6	2	19	13	4	48	65
6	-	17	53	9	2	14	-	17	5	2	14	10	4	42	66
-	-	9	9	1	-	3	-	3	1	-	5	3	-	6	67
-	-	9	19	1	1	3	1	3	-	-	3	10	2	9	68
4	-	18	79	7	-	18	1	13	5	2	12	24	1	40	69
3	-	18	74	7	-	16	-	12	5	2	7	17	1	35	70
1	-	-	5	-	-	2	1	1	-	-	5	7	-	5	71
1	-	1	9	-	-	7	-	3	-	-	2	2	1	3	72
1	-	7	17	4	-	5	-	6	-	1	9	10	1	8	73
2	-	3	32	2	2	12	-	5	-	-	2	1	-	4	74
1	-	21	72	12	-	11	1	4	8	2	4	13	1	32	75
1	-	14	56	9	-	10	1	3	7	2	3	10	1	27	76
-	-	7	16	3	-	1	-	1	1	-	1	3	-	5	77
-	-	-	4	-	-	-	1	-	1	1	4	1	-	2	78
1	-	15	36	17	1	2	1	20	1	-	5	14	7	9	79
-	-	2	6	2	-	2	-	2	-	-	-	1	-	2	80
2	-	19	28	11	-	1	-	3	4	-	-	6	2	11	81
1	-	1	7	4	-	-	-	5	1	-	2	3	1	6	82
-	-	3	13	1	-	3	1	3	1	-	-	3	-	3	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85

city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky total figures for Yellowstone National Park are shown under Wyoming.

TABLE 23.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH: UNITED STATES AND EACH STATE, 1946

(By place of residence. Exclusive of stillbirths. Detailed age shown for the United States only)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES													
Under 1 year	111,063	8,987	8,186	8,402	8,198	8,844	8,612	8,996	9,463	9,405	10,229	10,257	11,486
White	92,510	7,169	6,609	6,803	6,841	7,427	7,246	7,525	7,894	7,917	8,637	8,633	9,709
Nonwhite	18,553	1,818	1,577	1,499	1,355	1,417	1,366	1,471	1,569	1,488	1,592	1,624	1,777
Under 1 day	37,603	2,535	2,344	2,636	2,847	3,218	3,286	3,440	3,535	3,515	3,555	3,351	3,341
White	32,564	2,133	2,006	2,275	2,469	2,792	2,866	2,998	3,045	3,043	3,088	2,914	2,937
Nonwhite	5,039	402	339	361	378	426	420	444	490	472	467	437	404
1 day	11,406	770	709	810	779	922	928	1,010	1,137	1,054	1,112	1,061	1,115
White	9,905	644	604	698	687	811	818	873	986	923	981	919	961
Nonwhite	1,501	126	104	112	92	111	110	137	151	131	131	142	154
2 days	7,095	494	464	479	456	559	547	606	696	657	725	687	725
White	6,165	409	404	418	402	480	479	523	612	568	630	601	639
Nonwhite	930	85	60	61	54	79	68	83	84	89	95	86	86
3 to 6 days	9,944	769	669	684	718	730	729	839	952	874	979	954	1,046
White	8,264	634	539	552	601	620	603	700	810	742	806	791	867
Nonwhite	1,680	135	130	132	117	110	126	139	142	132	173	163	181
7 to 13 days	6,227	517	428	415	375	433	481	490	594	608	599	616	671
White	4,917	393	337	329	310	341	381	383	436	481	501	485	540
Nonwhite	1,310	124	91	86	65	92	100	107	158	127	98	131	131
14 to 20 days	3,719	318	269	262	231	254	228	294	316	337	367	408	435
White	2,971	237	225	200	184	207	190	225	248	263	298	335	359
Nonwhite	748	81	44	62	47	47	38	69	68	74	69	73	76
21 to 29 days	3,085	290	215	196	207	195	225	235	258	263	292	337	372
White	2,461	230	167	147	171	153	182	188	204	213	238	265	305
Nonwhite	624	60	48	49	36	42	43	49	54	50	54	72	67
Under 1 month	79,079	5,693	5,096	5,482	5,613	6,311	6,424	6,914	7,488	7,308	7,829	7,413	7,708
White	67,247	4,680	4,281	4,619	4,824	5,404	5,519	5,886	6,341	6,233	6,542	6,309	6,609
Nonwhite	11,832	1,013	815	863	789	907	905	1,028	1,147	1,075	1,087	1,104	1,099
1 month	7,258	647	607	566	500	544	457	483	467	551	729	756	951
White	5,781	496	449	450	401	434	365	380	374	458	599	605	770
Nonwhite	1,477	151	158	116	99	110	92	103	93	93	130	151	181
2 months	5,258	528	463	448	432	367	355	295	299	377	492	517	685
White	4,150	394	350	347	329	284	284	246	242	289	395	423	567
Nonwhite	1,108	134	113	101	103	83	71	49	57	88	97	94	118
3 months	4,153	447	395	354	333	332	229	237	241	255	348	394	588
White	3,287	333	289	266	258	280	171	191	196	196	278	340	489
Nonwhite	866	114	106	88	75	52	58	46	45	59	70	54	99
4 months	3,186	354	329	286	247	245	222	192	221	175	222	289	404
White	2,489	264	242	230	189	204	180	143	164	146	178	223	328
Nonwhite	697	90	87	56	58	41	42	49	57	29	46	66	76
5 months	2,573	306	283	240	207	199	167	156	160	170	193	201	291
White	2,033	231	220	190	162	155	126	122	125	150	145	167	240
Nonwhite	540	75	63	50	45	44	41	34	35	20	48	34	51
6 months	2,238	221	248	239	196	206	176	168	105	115	155	183	226
White	1,761	170	180	177	162	154	149	130	76	95	126	150	192
Nonwhite	477	51	68	62	34	52	27	38	29	20	29	33	34
7 months	1,938	217	184	202	181	163	156	141	134	114	119	147	180
White	1,551	175	149	157	140	130	117	117	105	90	97	119	155
Nonwhite	387	42	35	45	41	33	39	24	29	24	22	28	25
8 months	1,675	182	185	199	141	148	141	110	96	112	103	106	150
White	1,303	131	144	157	104	118	113	84	76	76	84	83	131
Nonwhite	372	51	41	42	37	30	28	26	20	36	19	23	19
9 months	1,423	150	143	139	152	132	116	115	84	95	99	86	112
White	1,113	118	111	112	116	104	88	90	63	76	81	74	80
Nonwhite	310	32	32	27	36	28	28	25	21	19	18	12	32
10 months	1,188	119	131	138	109	122	84	92	81	65	68	92	87
White	945	86	102	109	92	101	66	71	64	54	55	78	67
Nonwhite	243	33	29	29	17	21	18	21	17	11	13	14	20
11 months	1,094	123	122	109	85	75	85	93	85	68	72	73	104
White	850	91	92	89	64	59	68	65	66	54	59	62	81
Nonwhite	244	32	30	20	21	16	17	28	19	14	13	11	23
ALABAMA													
Under 1 year	3,025	309	272	243	215	217	209	228	284	258	235	256	299
White	1,663	146	144	123	128	129	118	118	174	141	125	144	173
Nonwhite	1,362	163	128	120	87	88	91	110	110	117	110	112	126
Under 1 month	2,140	196	161	141	150	163	174	174	220	197	172	187	205
White	1,256	95	98	81	96	107	99	97	141	113	92	115	124
Nonwhite	884	101	65	60	54	56	75	77	79	84	80	72	81
ARIZONA													
Under 1 year	679	60	51	62	55	35	28	32	26	31	88	88	123
White	492	48	39	41	37	23	16	19	15	20	65	75	94
Nonwhite	187	12	12	21	18	12	12	13	11	11	23	13	29
Under 1 month	332	35	28	36	30	6	8	10	14	12	49	49	55
White	273	30	23	30	19	5	6	7	10	11	42	45	45
Nonwhite	59	5	5	6	11	1	2	3	4	1	7	4	10
ARKANSAS													
Under 1 year	1,283	130	113	108	89	95	99	119	101	94	100	121	114
White	971	98	84	79	61	72	75	100	70	72	75	96	89
Nonwhite	312	32	29	29	28	23	24	19	31	22	25	25	25
Under 1 month	845	73	63	59	48	69	69	94	78	76	73	76	67
White	677	58	53	43	38	53	56	84	54	61	59	60	58
Nonwhite	168	15	10	16	10	16	13	10	24	15	14	16	9
CALIFORNIA													
Under 1 year	6,705	486	482	432	456	528	535	540	616	611	631	677	711
White	6,177	439	450	394	424	475	495	506	566	558	591	628	651
Nonwhite	528	47	32	38	32	53	40	34	50	53	40	49	60
Under 1 month	4,910	321	345	287	329	406	408	419	488	477	468	478	484
White	4,532	294	325	264	308	362	379	389	448	437	439	447	440
Nonwhite	378	27	20	23	21	44	29	30	40	40	29	31	44
COLORADO													
Under 1 year	1,180	95	75	85	87	107	90	85	84	135	122	105	100
White	1,150	93	74	91	86	104	84	82	84	131	120	104	97
Nonwhite	30	2	1	4	1	3	6	3	-	4	2	1	3
Under 1 month	802	61	44	70	61	75	70	68	61	76	75	72	69
White	782	59	44	66	60	73	66	67	61	74	74	71	67
Nonwhite	20	2	-	4	1	2	4	1	-	2	1	1	2

TABLE 23.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths. Detailed age shown for the United States only)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT													
Under 1 year	1,154	87	88	76	84	88	102	85	89	107	96	109	143
White	1,113	82	85	75	82	86	97	84	84	105	89	105	139
Nonwhite	41	5	3	1	2	2	5	1	5	2	7	4	4
Under 1 month	879	62	66	60	62	65	77	73	69	88	81	72	104
White	849	57	65	60	61	64	73	73	65	86	75	69	101
Nonwhite	30	5	1	-	1	1	4	-	4	2	6	3	3
DELAWARE													
Under 1 year	202	20	16	17	14	13	23	17	19	12	18	13	20
White	149	16	8	12	12	9	17	11	14	10	12	12	16
Nonwhite	53	4	8	5	2	4	6	6	5	2	6	1	4
Under 1 month	138	9	8	9	9	7	18	14	17	9	14	8	16
White	106	9	4	7	8	5	13	8	14	8	10	7	13
Nonwhite	32	-	4	2	1	2	5	6	3	1	4	1	3
DISTRICT OF COLUMBIA													
Under 1 year	767	52	53	61	54	72	60	77	85	84	68	66	55
White	440	33	33	42	25	39	37	39	49	30	37	43	33
Nonwhite	327	19	20	19	29	33	23	38	36	34	31	23	22
Under 1 month	602	43	45	48	40	53	49	60	62	53	56	54	39
White	353	27	30	31	25	29	30	35	35	22	32	35	24
Nonwhite	249	16	15	17	17	24	19	25	27	31	24	19	15
FLORIDA													
Under 1 year	2,116	181	154	169	122	179	170	170	186	159	191	208	228
White	1,387	115	82	110	79	116	108	109	123	107	141	147	150
Nonwhite	729	66	72	59	43	63	62	61	63	52	50	61	78
Under 1 month	1,537	120	95	106	84	124	127	132	148	125	151	162	163
White	1,069	77	54	76	60	85	85	88	103	85	119	119	118
Nonwhite	468	43	41	30	24	39	42	44	45	40	32	43	45
GEORGIA													
Under 1 year	3,075	281	240	233	217	240	228	222	257	272	250	319	316
White	1,707	143	119	127	113	143	125	143	140	154	146	179	175
Nonwhite	1,368	138	121	106	104	97	103	79	117	118	104	140	141
Under 1 month	2,154	168	135	157	144	174	152	172	203	216	195	217	221
White	1,272	91	76	88	81	109	98	115	118	127	121	124	124
Nonwhite	882	77	59	69	63	65	54	57	85	89	74	93	97
IDAHO													
Under 1 year	453	34	26	36	34	31	40	37	29	44	46	46	50
White	446	33	25	34	34	31	39	37	29	43	45	46	50
Nonwhite	7	1	1	2	-	-	1	-	-	1	1	-	-
Under 1 month	338	26	13	27	29	24	28	28	26	34	33	31	39
White	337	26	13	26	29	24	28	28	26	34	33	31	39
Nonwhite	1	-	-	1	-	-	-	-	-	-	-	-	-
ILLINOIS													
Under 1 year	5,316	375	374	449	397	433	427	429	432	439	536	472	553
White	4,742	328	346	402	354	384	382	384	386	394	475	411	496
Nonwhite	574	47	28	47	43	49	45	45	46	45	61	61	57
Under 1 month	4,015	252	248	315	280	333	344	352	383	349	414	362	403
White	3,609	220	227	291	255	298	307	316	326	312	370	318	369
Nonwhite	406	32	21	24	25	35	37	36	37	37	44	44	34
INDIANA													
Under 1 year	2,697	194	195	187	204	211	206	226	241	229	236	254	314
White	2,512	173	183	177	192	197	188	206	228	212	223	235	298
Nonwhite	185	21	12	10	12	14	18	20	13	17	13	19	16
Under 1 month	1,947	129	115	123	132	154	158	163	196	186	190	189	212
White	1,816	115	109	115	124	145	144	150	186	174	180	174	200
Nonwhite	131	14	6	8	8	9	14	13	10	12	10	15	12
IOWA													
Under 1 year	1,691	116	104	121	117	137	125	129	170	137	139	175	211
White	1,658	113	104	119	115	134	122	129	168	137	138	172	207
Nonwhite	23	3	-	2	2	3	3	-	2	-	1	3	4
Under 1 month	1,279	76	64	79	95	111	104	110	138	117	107	126	152
White	1,266	75	64	77	94	111	101	110	136	117	107	123	151
Nonwhite	13	1	-	2	1	-	3	-	2	-	-	3	1
KANSAS													
Under 1 year	1,217	107	94	78	76	97	102	117	100	119	104	109	114
White	1,165	100	91	77	69	95	99	110	97	115	98	105	109
Nonwhite	52	7	3	1	7	2	3	7	3	4	6	4	5
Under 1 month	898	72	66	50	54	71	81	96	74	94	84	76	80
White	870	69	65	49	51	70	79	90	72	92	80	74	79
Nonwhite	28	3	1	1	3	1	2	6	2	2	4	2	1
KENTUCKY													
Under 1 year	2,900	230	211	225	204	191	229	218	257	254	267	270	344
White	2,644	206	185	209	183	181	207	205	227	228	[illegible]	250	310
Nonwhite	256	24	26	16	21	10	22	13	30	26	14	20	34
Under 1 month	1,904	139	124	132	137	134	148	144	174	177	174	188	233
White	1,742	127	111	122	123	127	136	138	152	155	168	173	210
Nonwhite	162	12	13	10	14	7	12	6	22	22	6	15	23
LOUISIANA													
Under 1 year	2,553	250	191	190	170	180	204	219	251	214	221	245	218
White	1,272	111	76	84	77	85	104	109	126	119	128	133	120
Nonwhite	1,281	139	115	106	93	95	100	110	125	95	93	112	98
Under 1 month	1,802	164	121	105	111	128	147	167	195	169	168	172	157
White	949	73	52	50	52	66	81	86	104	95	102	101	87
Nonwhite	853	91	69	55	59	60	66	81	91	74	66	71	70

TABLE 23.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths. Detailed age shown for the United States only)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE													
Under 1 year	833	75	58	55	86	70	59	70	63	84	70	91	92
White	829	75	58	55	85	70	59	70	63	83	69	90	92
Nonwhite	4	-	-	-	1	-	-	-	-	1	1	1	-
Under 1 month	578	47	33	28	44	51	42	53	51	54	56	68	51
White	576	47	33	28	44	51	42	53	51	53	56	67	51
Nonwhite	2	-	-	-	-	-	-	-	-	1	-	1	-
MARYLAND													
Under 1 year	1,713	147	136	120	147	133	139	128	150	145	175	134	159
White	1,207	105	93	88	103	97	93	87	111	107	120	96	107
Nonwhite	506	42	43	32	44	36	46	41	39	38	55	38	52
Under 1 month	1,214	91	85	73	94	87	107	101	117	117	131	103	108
White	873	69	64	61	68	61	77	72	84	86	88	72	71
Nonwhite	341	22	21	12	26	26	30	29	33	31	43	31	37
MASSACHUSETTS													
Under 1 year	2,984	204	207	232	224	263	256	242	270	258	280	260	288
White	2,914	198	199	224	221	257	250	238	264	253	275	255	280
Nonwhite	70	6	8	8	3	6	6	4	6	5	5	5	8
Under 1 month	2,206	131	128	163	159	194	203	192	224	222	210	192	188
White	2,164	127	124	159	157	189	198	189	220	219	208	190	184
Nonwhite	42	4	4	4	2	5	5	3	4	3	2	2	4
MICHIGAN													
Under 1 year	4,552	333	321	334	325	391	393	375	389	373	431	409	478
White	4,189	305	289	307	290	361	369	343	358	347	403	368	449
Nonwhite	363	28	32	27	35	30	24	32	31	26	28	41	29
Under 1 month	3,331	209	213	230	217	269	300	312	319	307	314	305	336
White	3,069	189	190	209	195	254	281	283	297	288	293	275	315
Nonwhite	262	20	23	21	22	15	19	29	22	19	21	30	21
MINNESOTA													
Under 1 year	1,925	125	136	159	154	148	163	157	172	166	162	182	201
White	1,869	119	126	155	149	147	158	153	171	163	158	179	191
Nonwhite	56	6	10	4	5	1	5	4	1	3	4	3	10
Under 1 month	1,482	88	100	116	118	116	141	131	140	131	129	142	130
White	1,454	85	95	115	116	115	137	129	139	131	127	140	125
Nonwhite	28	3	5	1	2	1	4	2	1	-	2	2	5
MISSISSIPPI													
Under 1 year	2,311	243	187	202	153	189	152	198	189	160	196	194	248
White	1,036	89	75	85	67	92	71	89	83	79	101	94	111
Nonwhite	1,275	154	112	117	86	97	81	109	106	81	95	100	137
Under 1 month	1,566	134	99	121	93	133	109	150	142	124	151	144	166
White	813	61	55	58	53	75	56	76	68	65	86	77	83
Nonwhite	753	73	44	63	40	58	53	74	74	59	65	67	83
MISSOURI													
Under 1 year	2,665	216	211	204	177	200	196	207	238	224	234	239	319
White	2,332	195	194	186	159	176	169	180	201	192	204	207	289
Nonwhite	333	21	17	38	18	24	27	27	37	32	30	32	30
Under 1 month	1,869	132	107	119	133	148	133	152	182	174	181	185	223
White	1,654	123	98	91	125	134	119	133	157	151	159	161	203
Nonwhite	215	9	9	28	8	14	14	19	25	23	22	24	20
MONTANA													
Under 1 year	448	34	30	31	22	39	28	48	34	41	50	40	51
White	383	28	29	29	18	29	26	40	28	32	42	39	43
Nonwhite	65	6	1	2	4	10	2	8	6	9	8	1	8
Under 1 month	321	21	20	26	17	25	22	36	26	28	40	27	33
White	298	19	20	25	15	22	21	35	22	26	36	27	30
Nonwhite	23	2	-	1	2	3	1	1	4	2	4	-	3
NEBRASKA													
Under 1 year	846	62	45	55	75	57	67	80	91	48	81	92	93
White	814	62	43	53	73	57	65	75	87	47	75	91	86
Nonwhite	32	-	2	2	2	-	2	5	4	1	6	1	7
Under 1 month	641	42	34	38	58	47	49	65	77	43	60	67	61
White	624	42	32	37	56	47	48	63	74	42	57	67	59
Nonwhite	17	-	2	1	2	-	1	2	3	1	3	-	2
NEVADA													
Under 1 year	130	4	5	15	8	6	6	9	18	10	14	17	18
White	116	4	5	15	8	5	4	7	16	10	12	16	14
Nonwhite	14	-	-	-	-	1	2	2	2	-	2	1	4
Under 1 month	88	4	3	9	6	5	4	5	14	5	12	9	12
White	81	4	3	9	6	5	4	4	12	5	10	9	10
Nonwhite	7	-	-	-	-	-	-	1	2	-	2	-	2
NEW HAMPSHIRE													
Under 1 year	348	25	22	19	23	23	32	32	26	38	26	34	48
White	346	25	22	19	23	23	32	32	26	37	25	34	48
Nonwhite	2	-	-	-	-	-	-	-	-	1	1	-	-
Under 1 month	234	16	10	7	11	21	22	21	22	30	20	25	29
White	233	16	10	7	11	21	22	21	22	30	19	25	29
Nonwhite	1	-	-	-	-	-	-	-	-	-	1	-	-
NEW JERSEY													
Under 1 year	2,715	208	183	201	194	219	222	213	229	268	274	232	272
White	2,398	178	155	175	167	198	202	189	201	250	246	197	240
Nonwhite	317	30	28	26	27	21	20	24	28	18	28	35	32
Under 1 month	2,031	141	114	135	137	165	179	167	183	220	213	189	189
White	1,826	123	99	118	124	152	168	152	162	206	192	158	172
Nonwhite	205	18	15	17	13	13	11	15	21	14	21	30	17

TABLE 23.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths. Detailed age shown for the United States only)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO													
Under 1 year	1,415	86	80	92	83	89	89	125	147	175	159	125	165
White	1,201	69	67	80	66	71	78	109	123	145	134	112	147
Nonwhite	214	17	13	12	17	18	11	16	24	30	25	13	18
Under 1 month	650	50	44	50	46	48	50	80	58	61	50	67	66
White	566	41	41	41	40	36	45	55	51	53	44	58	61
Nonwhite	84	9	3	9	6	12	5	5	7	8	6	9	5
NEW YORK													
Under 1 year	8,345	700	569	630	686	649	645	699	737	662	798	783	806
White	7,506	638	505	554	610	579	577	636	661	589	719	707	731
Nonwhite	839	62	64	76	56	70	68	63	76	73	80	76	75
Under 1 month	6,391	506	409	457	485	489	500	564	624	551	634	614	548
White	5,769	467	370	402	452	444	445	516	562	487	571	555	498
Nonwhite	612	39	39	55	33	45	55	48	62	64	63	59	50
NORTH CAROLINA													
Under 1 year	3,742	370	318	277	254	272	288	262	290	273	372	349	417
White	2,324	217	182	173	153	166	174	165	188	175	233	225	273
Nonwhite	1,418	153	136	104	101	106	114	97	102	98	139	124	144
Under 1 month	2,509	190	187	182	164	185	201	204	231	201	256	237	271
White	1,686	118	114	119	105	128	143	135	160	138	176	161	189
Nonwhite	823	72	73	63	59	57	58	69	71	63	80	76	82
NORTH DAKOTA													
Under 1 year	519	35	38	35	44	45	35	36	45	40	58	57	51
White	495	35	35	33	40	43	33	36	42	37	57	54	50
Nonwhite	24	-	3	2	4	2	2	-	3	3	1	3	1
Under 1 month	368	23	27	25	30	33	25	30	39	28	46	38	26
White	355	23	25	24	29	31	24	30	37	25	45	36	26
Nonwhite	13	-	2	1	1	2	1	-	2	1	1	2	-
OHIO													
Under 1 year	5,312	386	367	407	418	453	407	430	450	495	487	490	522
White	4,893	340	335	372	376	426	378	402	424	455	450	449	486
Nonwhite	419	46	32	35	42	27	29	28	26	40	37	41	36
Under 1 month	3,980	248	234	276	309	341	321	349	369	404	385	376	368
White	3,670	220	210	255	279	321	294	327	348	372	358	347	339
Nonwhite	310	28	24	21	30	20	27	22	21	32	27	29	29
OKLAHOMA													
Under 1 year	1,639	156	142	120	117	101	119	122	138	132	152	152	188
White	1,386	124	125	96	103	91	110	103	121	108	124	128	153
Nonwhite	253	32	17	24	14	10	9	19	17	24	28	24	35
Under 1 month	1,123	88	77	74	85	73	89	91	108	100	116	102	120
White	986	74	69	66	77	67	82	73	96	89	97	92	104
Nonwhite	137	14	8	8	8	6	7	18	12	11	19	10	16
OREGON													
Under 1 year	833	55	68	67	61	79	63	78	61	60	81	66	94
White	802	54	64	64	58	76	62	75	61	56	78	63	91
Nonwhite	31	1	4	3	3	3	1	3	-	4	3	3	3
Under 1 month	614	39	47	47	42	59	51	65	53	48	60	49	56
White	603	39	47	47	42	58	51	62	53	45	58	48	55
Nonwhite	11	-	-	-	-	1	-	3	-	1	2	3	1
PENNSYLVANIA													
Under 1 year	7,196	523	481	533	598	628	587	610	572	632	649	669	714
White	6,528	475	436	479	548	554	543	552	516	569	597	609	650
Nonwhite	668	48	45	54	50	74	44	58	56	63	52	60	64
Under 1 month	5,259	349	297	331	391	444	464	490	486	503	517	499	488
White	4,790	324	271	294	361	392	428	446	440	455	472	457	450
Nonwhite	469	25	26	37	30	52	36	44	46	48	45	42	38
RHODE ISLAND													
Under 1 year	494	32	24	39	36	41	41	51	34	46	52	43	55
White	476	31	23	37	33	40	41	48	33	46	50	40	54
Nonwhite	18	1	1	2	3	1	-	3	1	-	2	3	1
Under 1 month	383	26	17	29	28	30	33	42	28	35	42	34	39
White	371	26	16	29	27	29	33	39	27	35	40	32	38
Nonwhite	12	-	1	-	1	1	-	3	1	-	2	2	1
SOUTH CAROLINA													
Under 1 year	2,235	210	218	170	180	170	157	151	197	186	213	186	197
White	1,053	83	85	83	91	82	77	75	106	91	106	84	90
Nonwhite	1,182	127	133	87	89	88	80	76	91	95	107	102	107
Under 1 month	1,496	114	125	108	124	108	104	110	155	138	156	124	132
White	765	48	57	58	66	56	56	63	84	75	78	57	69
Nonwhite	731	66	68	50	58	52	48	47	71	63	78	67	63
SOUTH DAKOTA													
Under 1 year	432	43	29	35	40	29	28	32	31	36	43	46	40
White	362	35	23	32	31	26	23	28	27	28	36	40	33
Nonwhite	70	8	6	3	9	3	5	4	4	8	7	6	7
Under 1 month	307	28	15	20	29	22	23	23	24	28	36	33	26
White	272	26	12	19	24	19	20	23	22	23	31	30	23
Nonwhite	35	2	3	1	5	3	3	-	2	5	5	3	3
TENNESSEE													
Under 1 year	2,974	258	243	238	225	215	254	235	232	247	275	255	299
White	2,329	200	192	187	173	169	201	161	163	199	222	204	258
Nonwhite	645	58	51	51	52	46	53	72	69	48	53	51	41
Under 1 month	2,036	157	134	152	150	148	181	182	172	193	189	193	185
White	1,629	126	114	126	119	122	148	128	124	153	155	153	161
Nonwhite	407	31	20	26	31	26	33	54	48	40	34	40	24

TABLE 23.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths. Detailed age shown for the United States only)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TEXAS													
Under 1 year	7,564	836	538	588	562	679	589	697	644	602	631	679	721
White	6,387	523	435	479	489	593	505	596	544	499	528	574	622
Nonwhite	1,177	113	101	109	73	86	84	101	100	103	103	105	99
Under 1 month	4,795	358	283	341	310	382	352	467	484	459	445	442	472
White	4,010	297	234	282	261	318	294	400	404	380	365	371	404
Nonwhite	785	61	49	59	49	64	58	67	80	79	80	71	68
UTAH													
Under 1 year	496	41	39	51	47	32	38	35	46	39	44	40	44
White	488	40	39	48	47	31	38	35	45	39	44	39	43
Nonwhite	8	1	-	3	-	1	-	-	1	-	-	1	1
Under 1 month	388	28	25	38	33	29	32	30	41	35	33	30	34
White	381	27	25	36	33	28	32	30	40	35	33	29	33
Nonwhite	7	1	-	2	-	1	-	-	1	-	-	1	1
VERMONT													
Under 1 year	284	25	14	23	19	24	17	23	20	31	23	27	38
White	284	25	14	23	19	24	17	23	20	31	23	27	38
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 1 month	209	11	12	16	16	16	11	18	16	26	20	19	28
White	209	11	12	16	16	16	11	18	16	26	20	19	28
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year	2,935	285	217	234	197	238	218	237	223	252	267	258	309
White	1,976	179	138	160	124	154	151	148	153	187	187	185	210
Nonwhite	959	106	79	74	73	84	67	89	70	65	80	73	99
Under 1 month	2,021	177	127	158	125	178	169	166	167	195	182	175	202
White	1,451	120	92	115	88	122	126	107	122	152	137	128	142
Nonwhite	570	57	35	43	37	56	43	59	45	43	45	47	60
WASHINGTON													
Under 1 year	1,734	139	156	123	144	140	132	143	146	125	172	145	170
White	1,634	129	146	117	135	133	127	124	140	120	164	135	164
Nonwhite	100	9	10	6	9	7	5	19	6	5	8	10	6
Under 1 month	1,315	101	109	84	113	101	103	112	125	102	142	107	116
White	1,263	95	108	80	108	97	102	98	122	97	140	101	115
Nonwhite	52	6	1	4	5	4	1	14	3	5	2	6	1
WEST VIRGINIA													
Under 1 year	1,990	160	175	148	164	168	148	147	162	170	169	193	186
White	1,868	152	160	140	157	156	139	139	150	162	157	183	173
Nonwhite	122	8	15	8	7	12	9	8	12	8	12	10	13
Under 1 month	1,375	98	102	102	112	128	112	110	125	119	118	133	120
White	1,295	91	93	98	108	121	106	105	115	115	110	124	109
Nonwhite	80	5	9	4	4	7	6	5	8	4	8	9	11
WISCONSIN													
Under 1 year	2,246	147	182	177	162	188	151	153	175	206	219	221	266
White	2,205	144	179	173	158	187	146	153	173	203	215	211	263
Nonwhite	41	3	3	4	4	1	5	-	2	3	3	10	3
Under 1 month	1,644	92	130	120	127	137	117	120	149	164	162	155	171
White	1,613	90	129	116	125	136	113	120	147	161	159	148	169
Nonwhite	31	2	1	4	2	1	4	-	2	3	3	7	2
WYOMING													
Under 1 year	205	18	10	7	16	12	16	23	17	22	24	16	24
White	192	16	10	6	16	11	15	23	15	22	22	13	23
Nonwhite	13	2	-	1	-	1	1	-	2	-	2	3	1
Under 1 month	143	10	8	3	12	4	13	20	13	14	19	12	15
White	140	10	8	3	12	4	12	20	12	14	19	11	15
Nonwhite	3	-	-	-	-	-	1	-	1	-	-	1	-

TABLE 24. DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	WHITE			NONWHITE		
		Total	Male	Female	Total	Male	Female
UNITED STATES							
Under 1 year	111,063	92,510	53,704	38,806	18,553	10,244	8,309
Under 1 month	79,079	67,247	39,427	27,820	11,832	6,638	5,194
Alabama							
Under 1 year	3,025	1,663	992	671	1,362	744	618
Under 1 month	2,140	1,258	758	498	884	501	383
Arizona							
Under 1 year	679	492	268	224	187	98	89
Under 1 month	332	273	150	123	59	26	33
Arkansas							
Under 1 year	1,283	971	554	417	312	158	154
Under 1 month	845	677	400	277	168	88	80
California							
Under 1 year	6,705	6,177	3,576	2,601	528	304	224
Under 1 month	4,910	4,532	2,625	1,907	378	224	154
Colorado							
Under 1 year	1,180	1,150	703	447	30	12	18
Under 1 month	802	782	466	316	20	7	13
Connecticut							
Under 1 year	1,154	1,113	644	469	41	27	14
Under 1 month	879	849	493	356	30	20	10
Delaware							
Under 1 year	202	149	83	66	53	30	23
Under 1 month	138	106	63	43	32	19	13
District of Columbia							
Under 1 year	767	440	258	182	327	178	149
Under 1 month	602	353	208	145	249	136	113
Florida							
Under 1 year	2,116	1,387	811	576	729	388	341
Under 1 month	1,537	1,069	646	423	468	255	213
Georgia							
Under 1 year	3,075	1,707	986	721	1,368	746	622
Under 1 month	2,154	1,272	740	532	882	476	406
Idaho							
Under 1 year	453	446	243	203	7	3	4
Under 1 month	358	357	185	152	1	-	1
Illinois							
Under 1 year	5,316	4,742	2,700	2,042	574	330	244
Under 1 month	4,015	3,609	2,078	1,531	406	235	171
Indiana							
Under 1 year	2,697	2,512	1,447	1,065	185	93	92
Under 1 month	1,947	1,816	1,077	739	131	65	66
Iowa							
Under 1 year	1,681	1,658	947	711	23	8	15
Under 1 month	1,279	1,266	720	546	13	4	9
Kansas							
Under 1 year	1,217	1,165	681	484	52	33	19
Under 1 month	898	870	505	365	28	23	5
Kentucky							
Under 1 year	2,900	2,644	1,491	1,153	256	146	110
Under 1 month	1,904	1,742	994	748	162	90	72
Louisiana							
Under 1 year	2,553	1,272	744	528	1,281	731	550
Under 1 month	1,802	949	571	378	853	493	360
Maine							
Under 1 year	833	829	475	354	4	1	3
Under 1 month	578	576	328	248	2	-	2
Maryland							
Under 1 year	1,713	1,207	724	483	506	276	230
Under 1 month	1,214	873	524	349	341	191	150
Massachusetts							
Under 1 year	2,984	2,914	1,706	1,208	70	40	30
Under 1 month	2,206	2,164	1,273	891	42	25	17
Michigan							
Under 1 year	4,552	4,189	2,415	1,774	363	191	172
Under 1 month	3,331	3,069	1,786	1,283	262	131	131
Minnesota							
Under 1 year	1,925	1,869	1,071	798	56	41	15
Under 1 month	1,482	1,454	838	616	28	21	7
Mississippi							
Under 1 year	2,311	1,036	580	456	1,275	699	576
Under 1 month	1,566	813	464	349	753	419	334
Missouri							
Under 1 year	2,665	2,332	1,367	965	333	181	152
Under 1 month	1,869	1,654	987	687	215	116	99
Montana							
Under 1 year	448	383	237	146	65	40	25
Under 1 month	321	298	188	110	23	14	9
Nebraska							
Under 1 year	846	814	487	327	32	16	16
Under 1 month	641	624	373	251	17	9	8
Nevada							
Under 1 year	130	116	69	47	14	7	7
Under 1 month	88	81	51	30	7	3	4
New Hampshire							
Under 1 year	348	346	204	142	2	2	-
Under 1 month	234	233	139	94	1	1	-
New Jersey							
Under 1 year	2,715	2,398	1,405	993	317	180	137
Under 1 month	2,051	1,826	1,091	735	205	119	86
New Mexico							
Under 1 year	1,415	1,201	663	538	214	109	105
Under 1 month	650	566	304	262	84	45	39
New York							
Under 1 year	8,345	7,506	4,318	3,188	839	480	359
Under 1 month	6,381	5,769	3,318	2,451	612	346	266
North Carolina							
Under 1 year	3,742	2,324	1,329	995	1,418	770	648
Under 1 month	2,509	1,686	974	712	823	456	367
North Dakota							
Under 1 year	519	495	280	215	24	14	10
Under 1 month	368	355	208	147	13	9	4
Ohio							
Under 1 year	5,312	4,893	2,888	2,005	419	232	187
Under 1 month	3,980	3,670	2,194	1,476	310	175	135
Oklahoma							
Under 1 year	1,639	1,386	818	568	253	137	116
Under 1 month	1,123	986	579	407	137	78	59
Oregon							
Under 1 year	833	802	473	329	31	14	17
Under 1 month	614	603	359	244	11	4	7
Pennsylvania							
Under 1 year	7,196	6,528	3,836	2,692	668	355	313
Under 1 month	5,259	4,790	2,839	1,951	469	254	215
Rhode Island							
Under 1 year	494	476	280	196	18	9	9
Under 1 month	383	371	217	154	12	7	5
South Carolina							
Under 1 year	2,235	1,053	601	452	1,182	657	525
Under 1 month	1,498	765	424	341	731	416	315
South Dakota							
Under 1 year	432	362	205	157	70	38	32
Under 1 month	307	272	161	111	35	19	16
Tennessee							
Under 1 year	2,974	2,329	1,388	941	645	344	301
Under 1 month	2,036	1,629	978	651	407	223	184
Texas							
Under 1 year	7,564	6,387	3,700	2,687	1,177	682	495
Under 1 month	4,795	4,010	2,369	1,641	785	468	317
Utah							
Under 1 year	496	488	277	211	8	6	2
Under 1 month	388	381	216	165	7	5	2
Vermont							
Under 1 year	284	284	154	130	-	-	-
Under 1 month	209	209	114	95	-	-	-
Virginia							
Under 1 year	2,935	1,976	1,167	809	959	545	414
Under 1 month	2,021	1,451	877	574	570	341	229
Washington							
Under 1 year	1,734	1,634	967	667	100	58	42
Under 1 month	1,315	1,263	758	505	52	29	23
West Virginia							
Under 1 year	1,990	1,868	1,105	763	122	67	55
Under 1 month	1,375	1,295	776	519	80	39	41
Wisconsin							
Under 1 year	2,246	2,205	1,263	942	41	19	22
Under 1 month	1,644	1,613	943	670	31	12	19
Wyoming							
Under 1 year	205	192	124	68	13	5	8
Under 1 month	143	140	98	42	3	1	2

TABLE 25.—DEATHS UNDER 1 YEAR BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1946

(By place of residence. Exclusive of stillbirths)

AREA AND RACE	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES	111,063	37,603	11,406	7,095	9,944	6,227	3,719	3,085	79,079	7,258	5,258	4,153	3,186	2,573	2,238	1,938	1,675	1,423	1,188	1,094
White	92,510	32,564	9,905	6,165	8,264	4,917	2,971	2,461	67,247	5,781	4,150	3,287	2,489	2,033	1,761	1,551	1,303	1,113	945	850
Nonwhite	18,553	5,039	1,501	930	1,680	1,310	748	624	11,832	1,477	1,108	866	697	540	477	387	372	310	243	244
Alabama	3,025	1,028	248	163	296	210	106	89	2,140	199	151	103	89	61	48	45	59	50	36	44
White	1,663	666	155	95	159	95	47	39	1,256	93	61	46	39	30	27	22	23	23	17	26
Nonwhite	1,362	362	93	68	137	115	59	50	884	106	90	57	50	31	21	23	36	27	19	18
Arizona	678	135	42	30	46	33	26	20	332	48	43	49	61	31	35	23	14	18	13	12
White	492	119	36	25	33	26	22	12	273	34	27	31	42	18	22	14	12	4	7	8
Nonwhite	187	16	6	5	13	7	4	8	59	14	16	18	19	13	13	9	2	14	6	4
Arkansas	1,283	330	178	63	111	75	46	42	845	84	69	64	44	42	30	28	25	21	18	13
White	971	280	145	53	78	55	29	37	677	60	49	48	27	26	20	17	15	11	13	8
Nonwhite	312	50	33	10	33	20	17	5	168	24	20	16	17	16	10	11	10	10	5	5
California	6,705	2,652	598	476	513	316	186	169	4,910	387	294	239	179	148	139	130	89	56	79	55
White	6,177	2,443	564	446	474	284	173	148	4,532	357	270	217	166	132	123	119	84	51	74	52
Nonwhite	528	209	34	30	39	32	13	21	378	30	24	22	13	16	16	11	5	5	5	3
Colorado	1,180	431	94	70	87	64	33	23	802	85	60	47	34	38	32	20	19	17	12	14
White	1,150	420	92	68	83	63	33	23	782	84	60	45	34	37	30	20	19	14	11	14
Nonwhite	30	11	2	2	4	1	-	-	20	1	-	2	-	1	2	-	-	3	1	-
Connecticut	1,154	463	129	66	98	54	27	22	879	61	47	44	29	16	13	21	12	13	7	12
White	1,113	447	124	65	92	53	26	22	849	57	46	41	28	16	13	20	11	13	7	12
Nonwhite	41	16	5	1	6	1	1	-	30	4	1	3	1	-	-	1	1	-	-	-
Delaware	202	66	25	6	20	11	5	5	138	20	5	9	4	6	4	6	3	5	1	1
White	149	52	19	5	16	7	4	3	106	13	4	5	4	4	2	4	2	4	1	-
Nonwhite	53	14	6	1	4	4	1	2	32	7	1	4	-	2	2	2	1	1	-	1
District of Columbia	767	291	91	50	65	47	31	27	602	45	20	15	22	14	6	5	11	13	10	4
White	440	187	52	29	45	18	15	7	353	21	15	8	10	6	4	3	5	8	5	2
Nonwhite	327	104	39	21	20	29	16	20	249	24	5	7	12	8	2	2	6	5	5	2
Florida	2,116	720	205	126	206	150	77	53	1,537	124	93	70	66	53	41	39	33	24	22	14
White	1,387	529	156	89	130	62	45	38	1,069	70	52	38	34	31	27	21	18	11	10	6
Nonwhite	729	191	49	37	76	88	32	15	468	54	41	32	32	22	14	18	15	13	12	8
Georgia	3,075	975	290	173	321	197	107	101	2,154	204	141	112	98	77	66	46	54	50	37	36
White	1,707	605	189	116	174	79	53	56	1,272	100	61	44	52	32	26	25	27	25	22	21
Nonwhite	1,368	370	91	57	147	118	54	45	882	104	80	68	46	45	40	21	27	25	15	15
Idaho	453	153	57	35	47	22	16	8	338	21	19	17	16	12	5	6	4	2	5	8
White	446	153	57	35	46	22	16	8	337	21	19	16	16	11	4	6	2	1	5	8
Nonwhite	7	-	-	-	1	-	-	-	1	-	-	1	-	1	1	-	2	1	-	-
Illinois	5,316	1,981	623	358	515	241	141	156	4,015	339	217	139	109	104	83	79	57	70	53	51
White	4,742	1,791	569	328	454	214	121	132	3,609	301	182	122	95	85	75	69	51	63	47	43
Nonwhite	574	190	54	30	61	27	20	24	406	38	35	17	14	19	8	10	6	7	6	8
Indiana	2,697	886	297	204	246	154	83	77	1,947	170	108	102	74	64	58	42	54	30	23	25
White	2,512	846	276	190	225	141	73	65	1,816	158	100	96	68	59	50	42	51	28	21	23
Nonwhite	185	40	21	14	21	13	10	12	131	12	8	6	6	5	8	-	3	2	2	2
Iowa	1,681	599	178	123	142	103	60	54	1,279	112	64	46	42	25	25	26	19	16	11	16
White	1,658	593	176	121	140	103	60	53	1,266	109	61	43	42	25	24	26	19	16	11	16
Nonwhite	23	6	2	2	2	-	-	1	13	3	3	3	-	-	1	-	-	-	-	-
Kansas	1,217	446	136	80	107	60	39	30	898	57	59	43	22	30	25	12	23	16	19	13
White	1,165	431	131	78	105	59	36	30	870	52	55	40	21	28	23	10	21	15	19	11
Nonwhite	52	15	5	2	2	1	3	-	28	5	4	3	1	2	2	2	2	1	-	2
Kentucky	2,900	825	277	148	236	197	131	90	1,904	233	162	129	88	83	57	68	68	35	34	39
White	2,644	750	258	136	219	173	127	79	1,742	211	152	116	80	73	52	65	59	32	31	31
Nonwhite	256	75	19	12	17	24	4	11	162	22	10	13	8	10	5	3	9	3	3	8
Louisiana	2,553	909	188	126	249	175	96	59	1,802	181	118	100	68	58	47	40	34	44	34	27
White	1,272	542	102	70	133	58	27	17	949	71	50	31	32	27	22	22	14	24	19	11
Nonwhite	1,281	367	86	56	116	117	69	42	853	110	68	69	36	31	25	18	20	20	15	16
Maine	833	280	78	42	62	53	36	27	578	54	52	30	32	20	19	11	8	8	11	10
White	829	280	77	42	61	53	36	27	578	54	51	30	32	20	19	10	8	8	11	10
Nonwhite	4	-	1	-	1	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-
Maryland	1,713	548	157	112	172	93	71	61	1,214	135	80	66	42	29	28	35	30	23	18	15
White	1,207	419	123	85	107	48	47	44	873	83	55	46	31	22	17	26	19	14	10	11
Nonwhite	506	129	34	27	65	45	24	17	341	52	25	20	11	7	9	9	11	9	8	4
Massachusetts	2,984	1,086	298	213	277	144	99	89	2,206	187	149	105	60	47	52	36	42	36	38	26
White	2,914	1,064	296	208	275	140	96	85	2,164	178	146	101	59	47	47	34	40	35	37	26
Nonwhite	70	22	2	5	2	4	3	4	42	9	3	4	1	-	5	2	2	1	1	-
Michigan	4,552	1,560	509	321	431	243	158	109	3,331	272	212	164	132	80	86	60	57	62	50	46
White	4,189	1,435	468	303	395	222	143	103	3,069	255	197	153	121	74	76	50	49	60	48	39
Nonwhite	363	125	41	18	36	21	15	6	262	17	15	11	11	6	10	10	8	2	4	7
Minnesota	1,925	789	225	120	164	85	58	41	1,482	117	67	61	39	38	24	29	19	15	20	14
White	1,869	775	220	116	162	83	57	41	1,454	113	65	57	36	33	21	27	17	15	18	13
Nonwhite	56	14	5	4	2	2	1	-	28	4	2	4	3	5	3	2	2	-	2	1
Mississippi	2,311	759	203	119	195	144	78	68	1,566	137	123	84	83	61	61	59	36	35	27	19
White	1,036	450	108	64	84	59	28	20	813	55	35	26	25	15	17	16	7	12	7	8
Nonwhite	1,275	309	95	55	111	85	50	48	753	102	88	58	58	46	44	43	29	23	20	11
Missouri	2,665	886	238	165	212	171	110	87	1,869	200	112	88	78	68	58	47	46	37	29	33
White	2,332	775	222	151	187	148	95	76	1,654	178	93	71	66	57	48	40	40	32	25	28
Nonwhite	333	111	16	14	25	23	15	11	215	22	19	17	12	11	10	7	6	5	4	5

TABLE 25.—DEATHS UNDER 1 YEAR BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND RACE	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
Montana	448	160	39	30	38	26	17	11	321	24	20	12	14	16	8	10	8	6	2	7
White	383	152	38	27	34	21	16	10	298	19	15	8	6	9	7	7	4	4	1	5
Nonwhite	65	8	1	3	4	5	1	1	23	5	5	4	8	7	1	3	4	2	1	2
Nebraska	846	351	91	52	66	39	23	19	641	42	33	33	17	21	10	12	17	4	6	10
White	814	339	90	51	65	37	23	19	624	40	32	31	15	20	10	12	14	4	5	7
Nonwhite	32	12	1	1	1	2	-	-	17	2	1	2	2	1	-	-	3	-	1	3
Nevada	130	45	15	5	12	7	1	3	88	8	9	6	4	2	5	1	2	3	1	1
White	116	43	12	5	10	7	1	3	81	7	9	5	3	2	4	1	2	2	-	-
Nonwhite	14	2	3	-	2	-	-	-	7	1	-	1	1	-	1	-	-	1	1	1
New Hampshire	348	117	20	23	43	13	4	14	234	27	17	16	14	9	6	6	8	3	6	2
White	346	116	20	23	43	13	4	14	233	27	17	15	14	9	6	6	8	3	6	2
Nonwhite	2	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
New Jersey	2,715	992	338	185	246	129	65	76	2,031	155	129	86	68	54	46	41	27	29	30	19
White	2,398	891	300	169	229	119	50	68	1,826	133	108	68	55	42	38	37	23	25	26	17
Nonwhite	317	101	38	16	17	10	15	8	205	22	21	18	13	12	8	4	4	4	4	2
New Mexico	1,415	273	65	51	82	81	52	46	650	146	100	120	104	53	56	48	46	39	20	23
White	1,201	260	50	36	65	73	43	39	565	129	84	98	82	49	48	43	34	35	17	16
Nonwhite	214	13	15	15	17	8	9	7	84	17	16	22	22	14	8	5	12	4	3	7
New York	8,345	3,060	1,035	582	770	432	262	220	6,381	476	358	247	185	154	133	113	86	86	69	58
White	7,506	2,781	930	535	705	386	239	193	5,769	413	324	219	158	134	118	101	77	78	63	52
Nonwhite	839	299	105	47	65	46	23	27	612	63	34	28	27	20	15	12	9	8	5	6
North Carolina	3,742	1,147	385	217	300	197	136	127	2,509	304	227	174	129	84	68	63	61	45	36	42
White	2,324	835	264	156	188	107	75	81	1,686	166	115	99	66	42	45	29	27	19	13	17
Nonwhite	1,418	312	121	61	112	90	61	66	823	138	112	75	63	42	23	34	34	26	23	25
North Dakota	519	190	45	30	38	32	24	9	368	39	20	22	17	20	6	4	5	5	6	7
White	495	187	44	29	37	28	21	9	355	38	17	20	17	18	6	3	5	4	5	7
Nonwhite	24	3	1	1	1	4	3	-	13	1	3	2	-	2	-	1	-	1	1	-
Ohio	5,312	1,956	587	402	467	278	154	136	3,980	306	204	164	113	110	96	106	68	75	45	45
White	4,893	1,783	545	378	434	249	145	128	3,670	288	187	151	105	104	88	94	58	67	42	39
Nonwhite	419	163	42	24	33	29	9	10	310	18	17	13	8	6	8	12	10	8	3	6
Oklahoma	1,639	535	198	88	136	87	41	38	1,123	116	89	66	45	39	47	38	22	20	19	15
White	1,386	477	182	70	113	73	35	36	986	88	72	56	32	34	34	29	13	13	17	12
Nonwhite	253	58	16	18	23	14	6	2	137	28	17	10	13	5	13	9	9	7	2	3
Oregon	833	322	88	61	62	38	19	24	614	53	38	35	23	13	23	13	7	5	5	4
White	802	320	86	59	60	37	19	22	603	51	37	31	21	9	21	12	6	4	3	4
Nonwhite	31	2	2	2	2	1	-	2	11	2	1	4	2	4	2	1	1	1	2	-
Pennsylvania	7,198	2,445	782	489	667	400	263	213	5,259	447	304	259	190	134	147	117	105	96	73	65
White	6,528	2,210	724	451	612	359	238	196	4,790	397	276	233	186	124	132	105	99	86	65	55
Nonwhite	668	235	58	38	55	41	25	17	469	50	28	26	24	10	15	12	6	10	8	10
Rhode Island	494	174	73	51	43	19	15	8	383	25	15	15	11	13	8	8	5	1	7	3
White	476	170	69	49	42	19	15	7	371	24	14	14	11	13	7	8	4	1	7	2
Nonwhite	18	4	4	2	1	-	-	1	12	1	1	1	-	-	1	-	1	-	-	1
South Carolina	2,235	695	203	121	227	124	70	56	1,496	174	125	100	82	56	49	46	30	30	22	25
White	1,053	382	122	59	99	55	26	22	765	68	39	35	30	20	21	21	15	15	7	17
Nonwhite	1,182	313	81	62	128	69	44	34	731	106	86	65	52	36	28	25	15	15	15	8
South Dakota	432	149	50	26	33	27	13	9	307	27	17	12	10	14	9	5	9	9	6	7
White	362	135	44	22	29	22	11	9	272	21	11	12	7	9	8	3	8	7	2	2
Nonwhite	70	14	6	4	4	5	2	-	35	6	6	-	3	5	1	2	1	2	4	5
Tennessee	2,974	938	247	170	268	209	117	87	2,036	245	160	124	75	68	70	49	46	41	30	30
White	2,329	770	203	129	221	158	82	66	1,629	190	120	86	60	53	40	35	36	32	24	24
Nonwhite	645	168	44	41	47	51	35	21	407	55	40	38	15	15	30	14	10	9	6	6
Texas	7,564	1,890	807	419	728	495	247	209	4,795	504	443	361	294	259	227	183	179	111	108	100
White	6,387	1,617	692	360	613	380	188	160	4,010	420	380	317	254	228	194	161	151	97	96	79
Nonwhite	1,177	273	115	59	115	115	59	49	785	84	63	44	40	31	33	22	28	14	12	21
Utah	486	187	61	47	55	19	10	9	388	22	21	16	11	8	5	5	4	3	8	5
White	488	182	61	47	54	18	10	9	381	22	21	16	11	8	5	5	4	3	7	5
Nonwhite	8	5	-	-	1	1	-	-	7	-	-	-	-	-	-	-	-	-	1	-
Vermont	284	100	27	11	28	27	7	9	209	15	20	4	5	10	6	2	5	2	2	4
White	284	100	27	11	28	27	7	9	209	15	20	4	5	10	6	2	5	2	2	4
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,935	961	262	176	262	170	108	83	2,021	204	157	120	107	77	69	52	36	33	29	30
White	1,976	730	176	125	168	124	74	54	1,451	117	84	78	67	52	37	27	16	17	14	16
Nonwhite	959	231	86	50	94	46	34	29	570	87	73	42	40	25	32	25	20	16	15	14
Washington	1,734	646	182	137	155	89	59	47	1,315	99	71	53	47	29	27	28	21	15	14	14
White	1,634	617	178	132	151	86	54	45	1,263	87	58	45	42	27	25	28	20	14	13	12
Nonwhite	100	29	4	5	4	3	5	2	52	12	13	8	5	2	2	1	1	1	1	2
West Virginia	1,990	562	209	139	181	127	86	71	1,375	162	97	91	48	56	46	34	22	25	20	14
White	1,868	529	195	133	172	118	81	67	1,295	149	90	87	43	53	42	34	22	22	18	13
Nonwhite	122	33	14	6	9	9	5	4	80	13	7	4	5	3	4	-	-	3	2	1
Wisconsin	2,246	817	227	161	200	113	75	51	1,644	134	111	83	55	50	27	37	35	36	17	16
White	2,205	804	223	157	196	110	74	49	1,613	133	108	82	54	48	27	37	34	36	17	16
Nonwhite	41	13	4	4	4	3	1	2	31	1	3	1	2	2	-	-	1	-	-	-
Wyoming	205	73	16	14	19	7	11	3	143	12	8	8	6	9	4	3	5	5	1	1
White	192	72	15	14	19	6	11	3	140	11	6	6	5	8	3	3	5	4	1	-
Nonwhite	13	1	1	-	-	1	-	-	3	1	2	2	1	1	1	-	-	1	-	1

TABLE 26.–DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1946

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
UNITED STATES													
Under 1 year	111,063	92,510	18,553	22,042	9,782	64,737	8,161	1,887	134	2,073	274	1,761	202
Under 1 day	37,603	32,564	5,039	4,756	2,025	26,027	2,828	1,010	89	144	40	627	57
1 to 6 days	28,445	24,334	4,111	3,067	1,918	19,869	2,087	649	32	342	35	407	39
7 to 13 days	6,227	4,917	1,310	1,189	669	3,444	600	76	4	139	24	69	13
14 to 29 days	8,804	5,432	1,372	1,637	748	3,394	578	79	5	248	30	74	11
1 to 11 months	31,984	25,263	6,721	11,393	4,422	12,003	2,068	63	4	1,200	145	584	82
ALABAMA													
Under 1 year	3,025	1,663	1,362	888	1,008	876	337	18	9	44	5	37	3
Under 1 day	1,028	666	362	223	244	411	112	9	4	2	2	21	-
1 to 6 days	707	409	298	142	210	244	83	7	3	5	2	11	-
7 to 13 days	210	95	115	52	84	40	29	-	1	3	1	-	-
14 to 29 days	195	86	109	46	82	30	26	1	1	8	-	1	-
1 to 11 months	885	407	478	225	388	151	87	1	-	26	-	4	3
ARIZONA													
Under 1 year	679	492	187	164	75	294	101	9	-	-	-	25	11
Under 1 day	135	119	16	24	2	84	13	3	-	-	-	8	1
1 to 6 days	118	94	24	14	10	66	13	5	-	-	-	9	1
7 to 13 days	33	26	7	4	4	20	3	1	-	-	-	1	-
14 to 29 days	46	34	12	10	8	22	4	-	-	-	-	2	-
1 to 11 months	347	219	128	112	51	102	68	-	-	-	-	5	9
ARKANSAS													
Under 1 year	1,283	971	312	414	244	510	63	1	-	20	-	26	5
Under 1 day	330	280	50	107	35	164	14	-	-	-	-	9	1
1 to 6 days	352	276	76	86	51	174	24	-	-	4	-	12	1
7 to 13 days	75	55	20	32	18	21	2	-	-	-	-	2	-
14 to 29 days	88	66	22	34	19	29	3	-	-	3	-	-	-
1 to 11 months	438	294	144	155	121	122	20	1	-	13	-	3	3
CALIFORNIA													
Under 1 year	6,705	6,177	528	865	101	4,920	409	139	3	118	10	135	5
Under 1 day	2,652	2,443	209	94	19	2,189	185	92	1	6	-	62	4
1 to 6 days	1,587	1,484	103	47	10	1,350	90	40	2	23	1	24	-
7 to 13 days	316	284	32	33	4	228	27	5	-	10	1	8	-
14 to 29 days	355	321	34	62	8	239	24	2	-	13	2	5	-
1 to 11 months	1,795	1,645	150	629	60	914	83	-	-	66	6	36	1
COLORADO													
Under 1 year	1,180	1,150	30	347	9	736	21	-	-	56	-	11	-
Under 1 day	431	420	11	66	1	347	10	-	-	5	-	2	-
1 to 6 days	251	243	8	31	1	205	7	-	-	5	-	2	-
7 to 13 days	64	63	1	24	-	32	1	-	-	7	-	-	-
14 to 29 days	56	56	-	21	-	25	-	-	-	9	-	1	-
1 to 11 months	378	368	10	205	7	127	3	-	-	30	-	6	-
CONNECTICUT													
Under 1 year	1,154	1,113	41	100	5	968	34	3	1	5	-	37	1
Under 1 day	463	447	16	11	2	433	14	2	-	-	-	1	-
1 to 6 days	313	301	12	2	1	297	10	1	-	1	-	-	1
7 to 13 days	54	53	1	3	-	49	1	-	-	1	-	-	-
14 to 29 days	49	48	1	2	-	44	1	-	-	1	-	1	-
1 to 11 months	275	264	11	82	2	145	8	-	1	2	-	35	-
DELAWARE													
Under 1 year	202	149	53	22	18	125	34	-	-	1	-	1	1
Under 1 day	66	52	14	3	2	48	12	-	-	-	-	1	-
1 to 6 days	51	40	11	2	3	38	7	-	-	-	-	-	1
7 to 13 days	11	7	4	2	2	4	2	-	-	1	-	-	-
14 to 29 days	10	7	3	2	1	5	2	-	-	-	-	-	-
1 to 11 months	64	43	21	13	10	30	11	-	-	-	-	-	-
DISTRICT OF COLUMBIA													
Under 1 year	767	440	327	24	33	286	247	55	15	67	32	8	-
Under 1 day	291	187	104	7	7	148	84	31	11	-	2	1	-
1 to 6 days	206	126	80	1	3	95	71	22	4	7	2	1	-
7 to 13 days	47	18	29	2	1	12	25	1	-	3	3	-	-
14 to 29 days	58	22	36	3	2	11	33	-	-	8	1	-	-
1 to 11 months	165	87	78	11	20	20	34	1	-	49	24	6	-
FLORIDA													
Under 1 year	2,116	1,387	729	229	453	1,086	254	17	3	1	-	52	19
Under 1 day	720	529	191	63	101	433	83	8	-	-	-	25	7
1 to 6 days	537	375	162	35	94	319	62	4	3	1	-	16	3
7 to 13 days	150	82	68	14	43	66	21	1	-	-	-	1	4
14 to 29 days	130	83	47	11	30	66	17	2	-	-	-	2	-
1 to 11 months	579	318	261	106	185	202	71	2	-	-	-	8	5

TABLE 26.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
GEORGIA													
Under 1 year	3,075	1,707	1,368	534	998	1,047	356	21	1	55	3	50	10
Under 1 day	975	605	370	129	220	429	145	12	1	2	-	33	4
1 to 6 days	774	479	295	96	213	357	78	7	-	8	-	11	4
7 to 13 days	197	79	118	27	95	50	23	-	-	2	-	-	-
14 to 29 days	208	109	99	55	75	44	24	1	-	9	-	-	-
1 to 11 months	921	435	486	227	395	167	86	1	-	34	3	6	2
IDAHO													
Under 1 year	453	446	7	85	4	335	3	2	-	-	-	24	-
Under 1 day	153	153	-	12	-	125	-	2	-	-	-	14	-
1 to 6 days	139	138	1	6	1	126	-	-	-	-	-	6	-
7 to 13 days	22	22	-	1	-	19	-	-	-	-	-	2	-
14 to 29 days	24	24	-	5	-	18	-	-	-	-	-	1	-
1 to 11 months	115	109	6	61	3	47	3	-	-	-	-	1	-
ILLINOIS													
Under 1 year	5,316	4,742	574	686	110	3,788	454	109	2	93	-	66	8
Under 1 day	1,961	1,791	190	130	28	1,582	157	70	2	-	-	9	3
1 to 6 days	1,496	1,351	145	62	14	1,233	131	34	-	13	-	9	-
7 to 13 days	241	214	27	34	3	169	24	4	-	5	-	2	-
14 to 29 days	297	253	44	46	8	194	35	-	-	13	-	-	1
1 to 11 months	1,301	1,133	168	414	57	608	107	1	-	62	-	48	4
INDIANA													
Under 1 year	2,697	2,512	185	570	59	1,771	119	44	-	113	1	14	6
Under 1 day	886	846	40	135	16	685	23	19	-	1	-	6	1
1 to 6 days	747	691	56	64	5	582	50	21	-	19	-	5	1
7 to 13 days	154	141	13	27	2	105	9	1	-	8	-	-	2
14 to 29 days	160	138	22	39	8	86	13	2	-	11	-	-	1
1 to 11 months	750	696	54	305	28	313	24	1	-	74	1	3	1
IOWA													
Under 1 year	1,681	1,658	23	254	9	1,326	14	11	-	21	-	46	-
Under 1 day	599	593	6	58	1	509	5	6	-	-	-	20	-
1 to 6 days	443	437	6	22	-	401	6	2	-	2	-	10	-
7 to 13 days	103	103	-	8	-	88	-	2	-	4	-	3	-
14 to 29 days	134	133	1	30	1	99	-	-	-	3	-	1	-
1 to 11 months	402	392	10	136	7	231	3	1	-	12	-	12	-
KANSAS													
Under 1 year	1,217	1,165	52	201	27	927	24	4	-	5	-	29	1
Under 1 day	446	431	15	55	4	358	10	-	-	-	-	18	1
1 to 6 days	323	314	9	20	2	286	7	4	-	-	-	4	-
7 to 13 days	60	59	1	6	1	52	-	-	-	1	-	-	-
14 to 29 days	69	66	3	10	2	55	1	-	-	1	-	-	-
1 to 11 months	319	295	24	110	18	176	6	-	-	3	-	6	-
KENTUCKY													
Under 1 year	2,900	2,644	256	1,376	162	1,159	92	11	-	93	-	15	2
Under 1 day	825	750	75	334	46	401	29	7	-	2	-	6	-
1 to 6 days	661	613	48	255	31	345	16	3	-	5	-	5	1
7 to 13 days	197	173	24	101	9	62	14	-	-	9	-	1	1
14 to 29 days	221	206	15	112	6	80	9	-	-	14	-	-	-
1 to 11 months	996	902	94	574	70	271	24	1	-	53	-	3	-
LOUISIANA													
Under 1 year	2,553	1,272	1,281	277	636	954	637	-	-	-	-	41	8
Under 1 day	909	542	367	67	142	452	223	-	-	-	-	23	2
1 to 6 days	563	305	258	45	115	248	141	-	-	-	-	12	2
7 to 13 days	175	58	117	15	52	42	65	-	-	-	-	1	-
14 to 29 days	155	44	111	17	55	27	56	-	-	-	-	-	-
1 to 11 months	751	323	428	133	272	185	152	-	-	-	-	5	4
MAINE													
Under 1 year	833	829	4	264	3	538	1	6	-	8	-	13	-
Under 1 day	280	280	-	53	-	221	-	2	-	-	-	4	-
1 to 6 days	182	180	2	21	1	153	1	2	-	-	-	4	-
7 to 13 days	53	53	-	12	-	38	-	1	-	1	-	1	-
14 to 29 days	63	63	-	24	-	36	-	1	-	1	-	1	-
1 to 11 months	255	253	2	154	2	90	-	-	-	6	-	3	-
MARYLAND													
Under 1 year	1,713	1,207	506	244	197	926	300	9	-	22	7	6	2
Under 1 day	548	419	129	53	57	356	72	8	-	1	-	1	-
1 to 6 days	441	315	126	29	29	282	97	1	-	3	-	-	-
7 to 13 days	93	48	45	4	8	43	36	-	-	1	1	-	-
14 to 29 days	132	91	41	20	7	63	34	-	-	6	-	2	-
1 to 11 months	499	334	165	138	96	182	61	-	-	11	6	3	2

TABLE 26.–DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1946–Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
MASSACHUSETTS													
Under 1 year	2,984	2,914	70	373	9	2,130	51	129	6	260	4	22	-
Under 1 day	1,086	1,064	22	63	1	903	14	65	5	31	2	2	-
1 to 6 days	788	779	9	25	2	648	6	45	1	55	-	6	-
7 to 13 days	144	140	4	10	1	106	3	6	-	19	-	-	-
14 to 29 days	188	181	7	32	1	102	6	4	-	41	-	2	-
1 to 11 months	778	750	28	243	4	372	22	9	-	114	2	12	-
MICHIGAN													
Under 1 year	4,552	4,189	363	701	55	3,123	196	105	5	139	96	121	11
Under 1 day	1,560	1,435	125	109	10	1,219	89	53	2	21	22	33	2
1 to 6 days	1,261	1,166	95	55	6	1,011	61	40	2	31	24	29	2
7 to 13 days	243	222	21	21	1	190	12	4	-	5	8	2	-
14 to 29 days	267	246	21	48	3	180	8	4	-	8	9	6	1
1 to 11 months	1,221	1,120	101	468	35	523	26	4	1	74	33	51	6
MINNESOTA													
Under 1 year	1,925	1,869	56	241	11	1,526	44	31	-	22	1	49	-
Under 1 day	789	775	14	49	1	683	13	22	-	2	-	19	-
1 to 6 days	509	498	11	16	1	462	10	6	-	2	-	12	-
7 to 13 days	85	83	2	9	-	70	2	2	-	-	-	2	-
14 to 29 days	99	98	1	21	-	71	1	1	-	5	-	-	-
1 to 11 months	443	415	28	146	9	240	18	-	-	13	1	16	-
MISSISSIPPI													
Under 1 year	2,311	1,036	1,275	357	1,065	651	187	10	-	-	-	18	23
Under 1 day	759	450	309	141	242	293	58	7	-	-	-	9	9
1 to 6 days	517	256	261	65	212	184	43	2	-	-	-	5	6
7 to 13 days	144	59	85	18	71	40	13	-	-	-	-	1	1
14 to 29 days	146	48	98	25	91	22	7	1	-	-	-	-	-
1 to 11 months	745	223	522	108	449	112	66	-	-	-	-	3	7
MISSOURI													
Under 1 year	2,665	2,332	333	681	104	1,482	216	67	9	80	3	22	1
Under 1 day	886	775	111	189	19	548	84	30	7	2	-	6	1
1 to 6 days	615	560	55	114	18	412	35	18	2	10	-	6	-
7 to 13 days	171	148	23	38	8	97	15	7	-	5	-	1	-
14 to 29 days	197	171	26	53	7	99	18	10	-	9	1	-	-
1 to 11 months	796	678	118	287	52	326	64	2	-	54	2	9	
MONTANA													
Under 1 year	448	383	65	47	24	324	40	1	-	1	-	10	1
Under 1 day	160	152	8	12	1	136	7	-	-	-	-	4	-
1 to 6 days	107	99	8	5	2	92	6	1	-	-	-	1	-
7 to 13 days	26	21	5	3	2	17	2	-	-	-	-	1	1
14 to 29 days	28	26	2	1	1	23	1	-	-	-	-	2	-
1 to 11 months	127	85	42	26	18	56	24	-	-	1	-	2	-
NEBRASKA													
Under 1 year	846	814	32	126	13	653	19	5	-	2	-	28	-
Under 1 day	351	339	12	31	1	295	11	3	-	-	-	10	-
1 to 6 days	209	206	3	20	1	173	2	2	-	1	-	10	-
7 to 13 days	39	37	2	8	-	27	2	-	-	1	-	1	-
14 to 29 days	42	42	-	4	-	37	-	-	-	-	-	1	-
1 to 11 months	205	190	15	63	11	121	4	-	-	-	-	6	-
NEVADA													
Under 1 year	130	116	14	18	7	96	7	-	-	-	-	2	-
Under 1 day	45	43	2	3	1	40	1	-	-	-	-	-	-
1 to 6 days	32	27	5	1	3	25	2	-	-	-	-	1	-
7 to 13 days	7	7	-	-	-	7	-	-	-	-	-	-	-
14 to 29 days	4	4	-	-	-	4	-	-	-	-	-	-	-
1 to 11 months	42	35	7	14	3	20	4	-	-	-	-	1	-
NEW HAMPSHIRE													
Under 1 year	348	346	2	60	-	253	2	15	-	8	-	10	-
Under 1 day	117	116	1	7	-	97	1	9	-	-	-	3	-
1 to 6 days	86	86	-	1	-	74	-	4	-	3	-	4	-
7 to 13 days	13	13	-	3	-	9	-	-	-	1	-	-	-
14 to 29 days	18	18	-	1	-	15	-	1	-	1	-	-	-
1 to 11 months	114	113	1	48	-	58	1	1	-	3	-	3	-
NEW JERSEY													
Under 1 year	2,715	2,398	317	241	65	1,894	215	176	25	45	4	42	8
Under 1 day	992	891	101	50	3	734	79	97	19	1	-	9	-
1 to 6 days	769	698	71	18	8	607	61	57	1	7	-	9	1
7 to 13 days	129	119	10	7	1	99	8	8	1	1	-	4	-
14 to 29 days	141	118	23	10	5	93	12	8	3	4	3	3	-
1 to 11 months	684	572	112	156	48	361	55	6	1	32	1	17	7

TABLE 26.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
NEW MEXICO													
Under 1 year	1,415	1,201	214	690	106	455	104	-	-	2	-	54	4
Under 1 day	273	260	13	106	7	144	6	-	-	-	-	10	-
1 to 6 days	198	151	47	58	27	79	18	-	-	1	-	13	2
7 to 13 days	81	73	8	36	3	34	5	-	-	1	-	2	-
14 to 29 days	98	82	16	53	12	24	4	-	-	-	-	5	-
1 to 11 months	765	635	130	437	57	174	71	-	-	-	-	24	2
NEW YORK													
Under 1 year	8,345	7,506	839	800	114	6,076	686	335	20	144	14	151	5
Under 1 day	3,080	2,781	299	145	19	2,410	264	164	15	24	1	38	-
1 to 6 days	2,387	2,170	217	54	5	1,939	206	119	4	36	1	22	1
7 to 13 days	432	386	46	20	2	336	41	15	-	8	2	7	1
14 to 29 days	482	432	50	73	8	320	39	16	1	14	1	9	1
1 to 11 months	1,964	1,737	227	508	80	1,071	136	21	-	62	9	75	2
NORTH CAROLINA													
Under 1 year	3,742	2,324	1,418	841	1,001	1,419	405	2	-	21	-	41	12
Under 1 day	1,147	835	312	225	192	586	118	-	-	1	-	23	2
1 to 6 days	902	608	294	132	183	459	110	1	-	4	-	12	1
7 to 13 days	197	107	90	38	67	68	21	-	-	-	-	1	2
14 to 29 days	263	136	127	77	101	54	24	-	-	3	-	2	2
1 to 11 months	1,233	638	595	369	458	252	132	1	-	13	-	3	5
NORTH DAKOTA													
Under 1 year	519	495	24	118	7	371	17	2	-	-	-	4	-
Under 1 day	190	187	3	23	-	162	3	2	-	-	-	-	-
1 to 6 days	113	110	3	14	-	95	3	-	-	-	-	1	-
7 to 13 days	32	28	4	7	1	18	3	-	-	-	-	3	-
14 to 29 days	33	30	3	14	1	16	2	-	-	-	-	-	-
1 to 11 months	151	140	11	60	5	80	6	-	-	-	-	-	-
OHIO													
Under 1 year	5,312	4,893	419	1,080	111	3,395	267	150	11	211	27	57	3
Under 1 day	1,956	1,793	163	257	18	1,427	127	72	9	18	6	19	3
1 to 6 days	1,456	1,357	99	146	22	1,111	72	48	2	37	3	15	-
7 to 13 days	278	249	29	44	8	179	17	7	-	18	4	1	-
14 to 29 days	290	271	19	83	10	148	7	8	-	25	2	7	-
1 to 11 months	1,332	1,223	109	550	53	530	44	15	-	113	12	15	-
OKLAHOMA													
Under 1 year	1,639	1,386	253	417	165	923	84	2	-	-	-	44	4
Under 1 day	535	477	58	116	28	336	28	2	-	-	-	23	2
1 to 6 days	422	365	57	75	35	276	21	-	-	-	-	14	1
7 to 13 days	87	73	14	24	11	48	3	-	-	-	-	1	-
14 to 29 days	79	71	8	24	6	45	1	-	-	-	-	2	1
1 to 11 months	516	400	116	178	85	218	31	-	-	-	-	4	-
OREGON													
Under 1 year	833	802	31	112	7	595	17	16	1	48	3	31	3
Under 1 day	322	320	2	12	-	282	1	11	1	1	-	14	-
1 to 6 days	211	205	6	2	-	188	6	5	-	4	-	6	-
7 to 13 days	38	37	1	3	-	28	1	-	-	4	-	2	-
14 to 29 days	43	41	2	12	1	25	1	-	-	4	-	-	-
1 to 11 months	219	199	20	83	6	72	8	-	-	35	3	9	3
PENNSYLVANIA													
Under 1 year	7,196	6,528	668	1,182	115	5,066	507	79	11	123	30	78	5
Under 1 day	2,445	2,210	235	292	25	1,841	200	38	7	8	3	31	-
1 to 6 days	1,938	1,787	151	148	15	1,580	133	28	3	14	-	17	-
7 to 13 days	400	359	41	59	5	292	33	1	1	2	2	5	-
14 to 29 days	476	434	42	91	7	328	31	5	-	8	4	4	-
1 to 11 months	1,937	1,738	199	592	63	1,027	110	7	-	91	21	21	5
RHODE ISLAND													
Under 1 year	494	476	18	66	8	251	4	130	6	7	-	22	-
Under 1 day	174	170	4	20	2	87	-	60	2	-	-	3	-
1 to 6 days	167	160	7	2	2	93	1	61	4	3	-	1	-
7 to 13 days	19	19	-	2	-	11	-	3	-	2	-	1	-
14 to 29 days	23	22	1	6	-	10	1	6	-	-	-	-	-
1 to 11 months	111	105	6	36	4	50	2	-	-	2	-	17	-
SOUTH CAROLINA													
Under 1 year	2,235	1,053	1,182	353	886	688	283	-	-	4	-	8	3
Under 1 day	695	382	313	90	199	290	112	-	-	-	-	2	2
1 to 6 days	551	280	271	71	202	205	69	-	-	1	-	3	-
7 to 13 days	124	55	69	18	49	36	19	-	-	1	-	-	1
14 to 29 days	126	48	78	23	60	24	18	-	-	-	-	1	-
1 to 11 months	739	288	451	151	386	133	65	-	-	2	-	2	-

TABLE 26.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
SOUTH DAKOTA													
Under 1 year	432	362	70	96	29	252	40	-	-	-	-	14	1
Under 1 day	149	135	14	26	4	103	10	-	-	-	-	6	-
1 to 6 days	109	95	14	6	7	87	6	-	-	-	-	2	1
7 to 13 days	27	22	5	7	2	15	3	-	-	-	-	-	-
14 to 29 days	22	20	2	7	-	13	2	-	-	-	-	-	-
1 to 11 months	125	90	35	50	16	34	19	-	-	-	-	6	-
TENNESSEE													
Under 1 year	2,974	2,329	645	1,008	307	1,187	321	21	-	53	15	60	2
Under 1 day	938	770	168	250	57	478	109	13	-	2	1	27	1
1 to 6 days	685	553	132	174	64	345	68	7	-	8	-	19	-
7 to 13 days	209	158	51	94	18	62	32	-	-	1	1	1	-
14 to 29 days	204	148	56	80	20	58	34	-	-	9	2	1	-
1 to 11 months	938	700	238	410	148	244	78	1	-	33	11	12	1
TEXAS													
Under 1 year	7,564	6,387	1,177	2,793	630	3,330	516	90	-	91	12	83	19
Under 1 day	1,890	1,617	273	414	115	1,118	152	47	-	11	-	27	6
1 to 6 days	1,954	1,665	289	520	137	1,072	143	34	-	14	2	25	7
7 to 13 days	495	380	115	194	58	173	56	4	-	6	1	3	-
14 to 29 days	456	348	108	182	44	171	59	4	-	9	3	2	2
1 to 11 months	2,769	2,377	392	1,503	276	796	106	1	-	51	6	26	4
UTAH													
Under 1 year	496	488	8	72	2	382	5	9	1	-	-	25	-
Under 1 day	187	182	5	16	1	148	3	6	1	-	-	12	-
1 to 6 days	163	162	1	5	-	146	1	2	-	-	-	9	-
7 to 13 days	19	18	1	2	-	15	1	1	-	-	-	-	-
14 to 29 days	19	19	-	4	-	14	-	-	-	-	-	1	-
1 to 11 months	108	107	1	45	1	59	-	-	-	-	-	3	-
VERMONT													
Under 1 year	284	284	-	56	-	225	-	1	-	1	-	1	-
Under 1 day	100	100	-	9	-	90	-	-	-	-	-	1	-
1 to 6 days	66	66	-	5	-	60	-	-	-	1	-	-	-
7 to 13 days	27	27	-	-	-	27	-	-	-	-	-	-	-
14 to 29 days	16	16	-	7	-	8	-	1	-	-	-	-	-
1 to 11 months	75	75	-	35	-	40	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year	2,935	1,976	959	667	660	1,227	280	23	5	28	6	31	8
Under 1 day	961	730	231	191	129	513	98	12	2	3	1	11	3
1 to 6 days	699	469	230	111	151	345	76	6	1	2	-	5	2
7 to 13 days	170	124	46	43	29	72	16	1	1	3	-	5	-
14 to 29 days	191	128	63	55	48	68	13	-	-	3	1	2	1
1 to 11 months	914	525	389	267	303	229	79	4	1	17	4	8	2
WASHINGTON													
Under 1 year	1,734	1,634	100	213	28	1,356	66	8	-	3	-	54	6
Under 1 day	646	617	29	19	2	581	25	6	-	-	-	11	2
1 to 6 days	474	461	13	7	1	440	12	-	-	1	-	13	-
7 to 13 days	89	86	3	8	1	76	2	-	-	1	-	1	-
14 to 29 days	106	99	7	17	3	75	3	1	-	-	-	6	1
1 to 11 months	419	371	48	162	21	184	24	1	-	1	-	23	3
WEST VIRGINIA													
Under 1 year	1,990	1,868	122	907	75	943	47	-	-	4	-	14	-
Under 1 day	562	529	33	212	19	312	14	-	-	-	-	5	-
1 to 6 days	529	500	29	208	19	285	10	-	-	2	-	5	-
7 to 13 days	127	118	9	62	4	55	5	-	-	-	-	1	-
14 to 29 days	157	148	9	81	7	66	2	-	-	-	-	1	-
1 to 11 months	615	573	42	344	26	225	16	-	-	2	-	2	-
WISCONSIN													
Under 1 year	2,246	2,205	41	338	6	1,747	33	31	-	64	1	25	1
Under 1 day	817	804	13	46	2	735	11	20	-	-	-	3	-
1 to 6 days	588	576	12	23	1	533	11	10	-	9	-	1	-
7 to 13 days	113	110	3	10	-	95	3	1	-	4	-	-	-
14 to 29 days	126	123	3	19	-	99	2	-	-	5	1	-	-
1 to 11 months	602	592	10	240	3	285	6	-	-	46	-	21	1
WYOMING													
Under 1 year	205	192	13	44	11	145	2	-	-	-	-	3	-
Under 1 day	73	72	1	9	-	61	1	-	-	-	-	2	-
1 to 6 days	49	48	1	6	-	42	1	-	-	-	-	-	-
7 to 13 days	7	6	1	-	1	5	-	-	-	-	-	1	-
14 to 29 days	14	14	-	5	-	9	-	-	-	-	-	-	-
1 to 11 months	62	52	10	24	10	28	-	-	-	-	-	-	-

TABLE 27.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: UNITED STATES, 1946

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALL CAUSES	111,063	8,987	8,186	8,402	8,196	8,844	8,612	8,996	9,483	9,405	10,229	10,257	11,486
Cerebrospinal (meningococcus) meningitis---6	270	33	30	28	26	19	15	8	12	17	22	22	32
Scarlet fever---8	6	-	2	-	-	-	1	-	-	-	-	2	1
Whooping cough---9	869	81	71	61	71	70	86	70	93	67	67	57	75
Diphtheria (infection by C. diphtheriae)---10	84	10	8	8	2	4	4	8	6	7	11	9	9
Tuberculosis (all forms)---13-22	406	34	36	37	49	38	46	38	34	23	20	19	32
Tuberculosis of the respiratory system, etc.*---13	182	18	17	19	17	19	26	16	14	10	9	7	10
Tuberculosis of the meninges, etc.*---14	128	9	11	8	16	9	11	13	11	8	10	7	13
Tuberculosis (other forms)---15-22	98	7	8	10	16	10	9	9	9	5	1	5	9
Dysentery---27	480	19	25	22	41	59	57	55	57	47	46	27	25
Malaria---28	12	1	1	-	3	1	1	1	2	2	-	-	-
Syphilis---30	538	52	49	38	43	33	41	46	51	34	47	48	51
Measles---35	297	15	31	65	58	56	35	12	2	4	3	6	10
Diseases of the thymus gland---64	934	79	82	83	66	64	62	54	80	70	91	87	116
Meningitis (not due to meningococcus)---81	506	47	52	56	37	41	37	35	24	23	45	44	65
Intracranial lesions of vascular origin---83	140	8	10	4	18	12	17	9	12	10	13	12	15
Convulsions---86	256	35	17	19	18	22	20	23	28	16	22	21	17
Diseases of the ear and mastoid process---89	169	22	16	13	16	14	14	4	8	10	14	11	27
Diseases of the heart---90-95	156	11	9	19	14	15	15	9	12	13	10	14	15
Pneumonia (all forms) and influenza---107-109,33	12,657	1,599	1,505	1,229	953	818	638	581	577	665	963	1,263	1,866
Bronchopneumonia, etc.*---107	7,502	815	787	698	600	501	400	391	360	416	603	784	1,147
Lobar pneumonia---108	2,187	254	276	222	160	153	114	104	110	116	174	217	287
Pneumonia (unspecified)---109	1,725	231	196	145	113	107	81	64	83	104	131	180	290
Influenza---33	1,243	299	246	164	80	57	43	22	24	29	55	82	142
Other diseases of respiratory system---104-106,110-114	901	97	82	95	73	68	47	47	59	45	68	82	138
Ulcer of stomach or duodenum---117	26	3	1	6	2	-	-	3	4	-	6	1	-
Diarrhea, enteritis, etc.*---119	5,498	418	353	375	394	502	522	532	527	505	493	474	403
Intestinal obstruction---122b	441	34	22	31	30	54	46	38	34	30	34	42	46
Other diseases of digestive system---115,116,118,121,123-129	483	44	51	36	47	44	46	28	30	46	30	38	43
Nephritis---130,131	106	14	10	12	8	9	2	1	6	13	9	11	11
Congenital malformations---157	14,912	1,100	1,043	1,080	1,107	1,189	1,070	1,160	1,255	1,343	1,457	1,513	1,595
Diseases peculiar to first year of life---158-161	61,738	4,241	3,906	4,306	4,464	5,089	5,216	5,567	5,859	5,734	5,929	5,607	5,820
Congenital debility---158	1,797	155	135	138	131	136	118	165	150	164	162	166	177
Premature birth---159	39,824	2,712	2,472	2,765	2,903	3,422	3,477	3,639	3,757	3,688	3,709	3,563	3,717
Injury at birth---160	11,738	759	738	801	838	909	993	1,054	1,108	1,114	1,223	1,081	1,121
Other diseases peculiar to first year of life---161	8,379	616	561	602	592	622	628	709	844	768	835	797	805
Asphyxia (cause not specified), atelectasis---161a	4,825	341	298	338	312	378	356	408	507	462	482	475	468
Infection of the umbilicus, etc.*---161b,c	3,554	275	263	264	280	244	272	301	337	306	353	322	337
Homicide---165-168	134	11	8	17	17	12	8	12	10	15	8	9	7
Accidental deaths---169-195	2,915	304	251	239	202	170	184	194	190	205	292	300	384
Accidental mechanical suffocation---182	1,344	149	126	113	102	75	70	66	73	99	123	143	205
Other accidental deaths---169-181,183-195	1,571	155	125	126	100	95	114	128	117	106	169	157	179
Ill-defined and unknown causes---199,200	4,129	494	375	360	293	274	250	293	317	290	345	366	472
All other causes	2,000	175	140	163	146	162	132	170	174	171	184	172	211

*Refer to International List for complete title, table V, Part I.

793002

TABLE 28.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1946

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ALL RACES, BOTH SEXES------All causes	111,063	37,603	11,406	7,095	9,944	6,227	3,719	3,085	78,079	7,258	5,258	4,153	3,186	2,573	2,238	1,938	1,675	1,423	1,188	1,094
Cerebrospinal (meningococcus) meningitis--6	270	1	-	-	3	4	5	7	20	20	28	24	30	30	20	29	16	23	18	12
Scarlet fever----------8	6	-	-	-	-	-	-	1	1	-	-	-	1	-	-	3	1	-	-	-
Whooping cough----------9	869	-	1	-	-	1	11	36	49	172	142	117	85	49	65	47	45	30	39	29
Diphtheria (infection by C. diphtherine)-10	84	1	-	-	1	-	2	4	8	7	5	10	2	3	10	10	6	5	10	8
Tuberculosis (all forms)----------13-22	406	2	-	1	2	4	-	1	10	9	13	27	24	43	33	57	45	54	51	40
Tuberculosis of the resp. sys. etc.*---13	182	1	-	-	1	2	-	1	5	4	6	12	10	18	14	25	19	30	22	17
Tuberculosis of the meninges, etc.*----14	126	1	-	-	1	-	-	-	2	-	3	7	7	16	10	15	16	16	18	16
Tuberculosis (other forms)----------15-22	98	-	-	1	-	2	-	-	3	5	4	8	7	9	9	17	10	8	11	7
Dysentery----------27	480	2	-	1	4	13	23	19	62	48	45	57	62	54	45	27	33	18	13	16
Malaria----------28	12	-	-	1	-	1	-	-	2	-	3	2	1	-	3	-	-	-	1	-
Syphilis----------30	538	144	40	29	34	29	21	18	315	88	54	24	12	10	9	4	11	6	1	4
Measles----------35	297	2	1	1	1	3	3	8	19	22	19	14	11	29	29	20	36	41	38	19
Diseases of the thymus gland----------64	934	77	64	58	63	43	29	37	371	142	135	95	71	34	30	14	13	9	9	11
Meningitis (not due to meningococcus)----81	506	-	-	-	16	30	16	15	77	46	47	37	58	42	37	52	36	32	32	30
Intracranial lesions of vascular origin--83	140	1	3	2	1	2	2	1	12	39	24	12	12	9	5	8	7	5	4	3
Convulsions----------86	256	8	10	16	37	26	10	6	113	29	26	16	14	18	4	13	9	4	6	4
Diseases of the ear and mastoid process--89	169	1	-	-	-	3	3	3	10	15	18	16	13	18	13	17	10	11	12	16
Diseases of the heart----------90-95	156	8	9	5	6	13	5	6	52	21	18	11	10	11	6	8	5	6	3	5
Pneumonia (all forms) and influenza----------107-109,33	12,657	120	165	239	594	578	600	591	2,887	1,795	1,570	1,360	1,070	890	769	612	517	480	363	344
Bronchopneumonia, etc.*----------107	7,502	81	120	155	382	360	391	392	1,881	1,104	921	818	624	490	410	336	280	246	210	182
Lobar pneumonia----------108	2,187	13	18	36	82	101	77	81	408	302	252	251	179	164	147	126	108	98	71	81
Pneumonia (unspecified)----------109	1,725	21	25	45	106	87	93	81	458	253	234	180	145	108	98	73	65	43	40	38
Influenza----------33	1,243	5	2	3	24	30	39	37	140	136	163	131	122	128	114	77	74	73	42	43
Other diseases of respiratory system----------104-106,110-114	901	35	19	26	27	36	35	52	230	121	108	103	65	66	47	51	30	24	29	27
Ulcer of stomach or duodenum----------117	26	-	-	2	4	3	3	2	14	6	-	1	1	-	-	1	-	1	1	1
Diarrhea, enteritis, etc.*----------119	5,498	6	11	15	52	311	518	443	1,356	989	648	515	431	349	319	263	248	163	118	98
Intestinal obstruction----------122b	441	-	-	-	-	-	-	-	-	72	43	49	48	43	44	41	31	37	15	18
Other diseases of digestive system----------115,116,118,121,123-129	463	5	6	11	34	31	28	27	142	64	44	36	42	31	32	26	17	19	15	15
Nephritis----------130,131	106	5	2	5	7	5	7	4	35	18	12	5	4	6	6	5	4	3	3	3
Congenital malformations----------157	14,912	3,325	1,143	1,007	1,835	1,256	750	678	9,994	1,340	877	612	459	345	299	268	224	190	167	137
Diseases peculiar to first year-----158-161	61,738	32,725	9,512	5,341	6,529	3,232	1,309	783	59,431	1,096	458	229	145	80	67	67	49	52	32	32
Congenital debility----------158	1,797	364	122	87	149	124	103	84	1,053	250	179	96	61	31	28	32	21	21	13	12
Premature birth----------159	39,824	22,707	6,053	3,003	3,548	2,243	893	492	38,939	601	142	68	28	14	5	9	6	6	4	2
Injury at birth----------160	11,738	6,407	1,965	1,229	1,305	396	120	86	11,508	79	34	17	16	13	16	16	11	15	9	4
Other diseases peculiar to first year-161	8,379	3,227	1,372	1,022	1,527	469	193	121	7,931	166	103	48	40	22	18	10	11	10	6	14
Asphyxia (cause not specified), atelectasis----------161a	4,825	2,421	995	574	457	122	60	39	4,668	57	39	17	15	11	7	2	2	2	2	3
Infection of the umbilicus, etc.*-161b,c	3,554	806	377	448	1,070	347	133	82	3,263	109	64	31	25	11	11	8	9	8	4	11
Homicide----------165-168	134	63	7	3	2	5	2	2	104	6	5	5	2	-	4	3	3	1	1	-
Accidental deaths----------169-195	2,915	97	49	46	102	94	72	120	580	461	429	353	228	173	148	119	107	102	93	122
Accidental mechanical suffocation-----182	1,344	23	21	11	28	43	38	63	227	299	273	218	120	77	47	29	19	12	12	11
Other accidental deaths---169-181,183-195	1,571	74	28	35	74	51	34	57	353	162	156	135	108	96	101	90	88	90	81	111
Ill-defined and unknown causes------199,200	4,129	853	308	227	427	307	179	161	2,462	437	317	252	175	129	86	79	66	49	47	30
All other causes----------	2,000	102	56	59	163	197	86	60	723	195	170	151	110	111	108	114	106	78	65	68
ALL RACES, MALE----------All causes	63,948	21,835	6,749	4,335	5,812	3,483	2,073	1,778	46,065	4,279	3,012	2,289	1,741	1,404	1,206	1,066	892	758	644	594
Cerebrospinal (meningococcus) meningitis--6	150	-	-	-	1	2	4	4	11	13	21	13	13	16	9	15	7	15	7	10
Scarlet fever----------8	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Whooping cough----------9	405	-	1	-	-	-	6	19	26	78	76	48	46	25	32	16	18	15	18	10
Diphtheria (infection by C. diphtheriae)-10	42	-	-	-	-	-	-	2	2	4	2	7	1	1	6	5	2	3	4	5
Tuberculosis (all forms)----------13-22	209	2	-	1	2	3	-	1	9	3	8	14	12	19	19	24	23	27	25	26
Tuberculosis of the resp. sys. etc.*---13	89	1	-	-	1	1	-	1	4	2	3	6	6	6	8	10	8	15	10	11
Tuberculosis of the meninges, etc.*----14	68	1	-	-	1	-	-	-	2	-	2	3	4	7	6	7	10	7	10	10
Tuberculosis (other forms)----------15-22	52	-	-	1	-	2	-	-	3	1	3	5	2	6	5	7	5	5	5	5
Dysentery----------27	288	1	-	-	2	8	13	14	38	37	24	27	38	29	24	19	19	13	9	11
Malaria----------28	7	-	-	1	-	1	-	-	2	-	1	2	-	-	2	-	-	-	-	-
Syphilis----------30	309	81	22	15	21	24	15	10	188	45	33	17	5	7	2	4	4	3	-	1
Measles----------35	181	2	1	1	-	3	2	6	15	13	9	9	6	20	14	14	19	26	24	12
Diseases of the thymus gland----------64	573	39	43	40	34	22	13	25	216	101	83	50	46	23	12	10	11	5	5	5
Meningitis (not due to meningococcus)----81	294	-	-	-	14	18	9	6	49	27	29	21	26	25	21	21	22	22	13	18
Intracranial lesions of vascular origin--83	89	1	1	1	1	1	1	-	6	27	10	11	7	9	3	5	3	2	4	2
Convulsions----------86	144	6	5	11	22	13	5	4	66	18	15	10	8	10	1	4	5	4	2	1
Diseases of the ear and mastoid process--89	105	1	-	-	-	1	2	1	5	8	9	8	9	12	9	12	7	5	9	12
Diseases of the heart----------90-95	94	4	7	2	4	8	3	5	33	10	15	4	6	9	3	3	3	4	1	3
Pneumonia (all forms) and influenza----------107-109,33	7,009	62	94	142	326	317	333	343	1,617	1,065	897	756	579	460	426	347	272	239	187	164
Bronchopneumonia, etc.*----------107	4,180	50	70	94	220	198	210	232	1,064	656	527	455	335	246	236	183	154	134	115	85
Lobar pneumonia----------108	1,204	6	10	21	44	59	45	49	234	179	147	129	100	81	74	76	55	49	35	45
Pneumonia (unspecified)----------109	936	5	12	26	53	54	52	39	241	148	127	97	80	63	46	44	32	21	20	17
Influenza----------33	679	1	2	1	9	16	26	23	78	82	96	75	64	70	70	44	31	35	17	17
Other diseases of respiratory system----------104-106,110-114	533	18	12	17	16	23	24	31	141	69	68	59	39	36	27	23	20	15	20	16
Ulcer of stomach or duodenum----------117	14	-	-	2	2	3	1	2	10	2	-	-	-	-	-	-	-	1	1	-
Diarrhea, enteritis, etc.*----------119	3,164	3	5	10	29	176	289	249	761	800	383	306	244	201	182	145	137	87	61	57
Intestinal obstruction----------122b	264	-	-	-	-	-	-	-	-	44	27	31	23	24	26	26	18	19	11	15
Other diseases of digestive system----------115,116,118,121,123-129	268	3	2	8	20	18	17	18	86	24	31	14	24	20	17	20	8	9	9	6
Nephritis----------130,131	69	3	1	4	3	4	5	3	23	13	5	2	2	4	4	5	4	2	3	2
Congenital malformations----------157	8,167	1,722	671	620	1,046	687	424	376	5,526	787	483	327	232	188	141	125	113	86	87	72
Diseases peculiar to first year-----158-161	36,374	19,263	5,622	3,251	3,875	1,820	717	488	35,016	647	272	128	82	44	42	40	30	30	20	23
Congenital debility----------158	1,073	244	67	50	92	74	54	52	633	152	108	54	39	14	14	16	14	13	9	9
Premature birth----------159	22,957	13,328	3,467	1,735	1,968	1,218	464	276	22,456	344	78	40	14	8	3	5	5	2	2	2
Injury at birth----------160	7,245	3,822	1,238	812	842	245	85	57	7,101	52	22	9	8	6	12	12	7	8	6	2
Other diseases peculiar to first year-161	5,099	1,869	850	654	973	283	114	83	4,826	99	68	25	21	16	13	7	4	7	3	10
Asphyxia (cause not specified), atelectasis----------161a	2,916	1,422	612	351	292	87	35	25	2,824	37	24	8	7	6	5	2	1	1	-	1
Infection of the umbilicus, etc.*-161b,c	2,183	447	238	303	681	196	79	58	2,002	62	44	17	14	10	8	5	3	6	3	9
Homicide----------165-168	72	40	5	3	2	3	-	1	54	4	3	2	1	-	2	2	3	-	1	-
Accidental deaths----------169-195	1,647	57	28	33	59	62	33	61	333	276	225	184	128	102	83	67	53	62	61	73
Accidental mechanical suffocation-----182	752	9	11	10	15	24	20	29	118	171	142	117	73	45	27	21	11	9	8	10
Other accidental deaths---169-181,183-195	895	48	17	23	44	38	13	32	215	105	83	67	55	57	56	46	42	53	53	63
Ill-defined and unknown causes------199,200	2,326	481	192	131	235	170	98	69	1,394	249	183	147	98	88	44	46	34	24	26	15
All other causes----------	1,149	46	37	42	100	116	59	38	438	118	94	92	65	54	55	67	57	38	36	35

*Refer to International List for complete title, table V, Part I.

TABLE 28.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1946—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ALL RACES. FEMALE----------All causes	47,115	15,768	4,657	2,760	4,132	2,744	1,646	1,307	33,014	2,978	2,246	1,864	1,445	1,169	1,032	872	783	667	544	500
Cerebrospinal (meningococcus) meningitis--6	120	1	-	-	2	2	1	3	9	7	7	11	17	14	11	14	9	8	11	2
Scarlet fever----------8	4	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	1	-	-	-
Whooping cough----------9	464	-	-	-	-	1	5	17	23	97	66	69	39	24	33	31	27	15	21	19
Diphtheria (infection by C. diphtheriae)-10	42	1	-	-	1	-	2	2	6	3	3	3	1	2	4	5	4	2	6	3
Tuberculosis (all forms)----------13-22	197	-	-	-	-	1	-	-	1	6	5	13	12	24	14	33	22	27	26	14
Tuberculosis of the resp. sys. etc.*---13	93	-	-	-	-	1	-	-	1	2	3	6	4	12	6	15	11	15	12	6
Tuberculosis of the meninges, etc.*----14	58	-	-	-	-	-	-	-	-	-	1	4	3	9	4	8	6	9	8	6
Tuberculosis (other forms)----------15-22	46	-	-	-	-	-	-	-	-	4	1	3	5	3	4	10	5	3	6	2
Dysentery----------27	192	1	-	1	2	5	10	5	24	11	21	30	24	25	21	8	14	5	4	5
Malaria----------28	5	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	1	-
Syphilis----------30	229	63	18	14	13	5	6	8	127	43	21	7	7	3	7	-	7	3	1	3
Measles----------35	116	-	-	-	1	-	1	2	4	9	10	5	5	9	15	6	17	15	14	7
Diseases of the thymus gland----------64	361	38	21	18	29	21	16	12	155	41	46	45	25	11	18	4	2	4	4	6
Meningitis (not due to meningococcus)----81	212	-	-	-	2	12	7	7	28	19	18	16	32	17	16	11	14	10	19	12
Intracranial lesions of vascular origin--83	51	-	2	1	-	1	1	1	6	12	14	1	5	-	2	3	4	3	-	1
Convulsions----------86	112	2	5	5	15	13	5	2	47	11	11	6	6	8	3	9	4	-	4	3
Diseases of the ear and mastoid process--89	64	-	-	-	-	2	1	2	5	7	9	8	4	6	4	5	3	6	3	4
Diseases of the heart----------90-95	62	4	2	3	2	5	2	1	19	11	3	7	4	2	3	5	2	2	2	2
Pneumonia (all forms) and influenza----------107-109,33	5,648	58	71	97	268	261	257	248	1,270	730	673	624	491	430	343	265	245	221	176	180
Bronchopneumonia, etc.*----------107	3,312	31	50	61	162	172	181	160	817	448	394	363	289	244	174	153	126	112	95	97
Lobar pneumonia----------108	983	7	8	15	38	42	32	32	174	123	105	122	79	83	73	50	53	49	36	36
Pneumonia (unspecified)----------109	789	16	13	19	53	33	41	42	217	105	107	83	65	45	52	29	23	22	20	21
Influenza----------33	564	4	-	2	15	14	13	14	62	54	67	56	58	58	44	33	43	38	25	26
Other diseases of respiratory system----------104-106,110-114	368	17	7	9	11	13	11	21	89	52	40	44	26	30	20	28	10	9	9	11
Ulcer of stomach or duodenum----------117	12	-	-	-	2	-	2	-	4	4	-	1	1	-	-	1	-	-	-	1
Diarrhea, enteritis, etc.*----------119	2,334	3	6	5	23	135	229	194	595	389	285	209	187	148	137	118	111	76	57	42
Intestinal obstruction----------122b	177	-	-	-	-	-	-	-	-	28	16	18	25	19	18	15	13	18	4	3
Other diseases of digestive system----------115,116,118,121,123-129	215	2	4	3	14	13	11	9	56	40	13	22	18	11	15	8	9	10	6	9
Nephritis----------130,131	37	2	1	1	4	1	2	1	12	5	7	3	2	2	2	-	-	1	2	1
Congenital malformations----------157	6,745	1,603	472	387	789	589	326	302	4,468	553	394	285	227	157	158	143	111	104	80	65
Diseases peculiar to first year-----158-161	25,364	13,462	3,890	2,090	2,654	1,412	592	315	24,415	449	186	101	63	36	25	27	19	22	12	9
Congenital debility----------158	724	140	55	37	57	50	49	32	420	98	73	42	22	17	14	16	7	8	4	3
Premature birth----------159	16,867	9,379	2,586	1,268	1,580	1,025	429	216	16,483	257	66	28	14	6	2	4	1	4	2	-
Injury at birth----------160	4,493	2,585	727	417	463	151	35	29	4,407	27	12	8	8	7	4	4	4	7	3	2
Other diseases peculiar to first year-161	3,280	1,358	522	368	554	186	79	38	3,105	67	35	23	19	6	5	3	7	3	3	4
Asphyxia (cause not specified), atelectasis----------161a	1,909	999	383	223	185	35	25	14	1,844	20	15	9	8	5	2	-	1	1	2	2
Infection of the umbilicus, etc.*-161b,c	1,371	359	139	145	389	151	54	24	1,261	47	20	14	11	1	3	3	6	2	1	2
Homicide----------165-168	62	43	2	-	-	2	2	1	50	2	2	3	1	-	2	1	-	1	-	-
Accidental deaths----------169-195	1,268	40	21	13	43	32	39	59	247	185	204	169	100	71	65	52	54	40	32	49
Accidental mechanical suffocation-----182	592	14	10	1	13	19	18	34	109	128	131	101	47	32	20	8	8	3	4	1
Other accidental deaths---169-181,183-195	676	26	11	12	30	13	21	25	138	57	73	68	53	39	45	44	46	37	28	48
Ill-defined and unknown causes------199,200	1,803	372	116	96	194	137	81	72	1,068	188	134	105	77	63	42	33	32	25	21	15
All other causes----------	851	56	19	17	63	81	27	22	285	77	76	59	45	57	53	47	49	40	29	34
WHITE, BOTH SEXES----------All causes	92,510	32,564	9,905	5,165	8,264	4,917	2,971	2,461	67,247	5,781	4,150	3,287	2,489	2,033	1,761	1,551	1,303	1,113	945	850
Cerebrospinal (meningococcus) meningitis--6	238	1	-	-	3	3	5	7	19	19	22	23	27	27	17	28	12	16	17	11
Scarlet fever----------8	6	-	-	-	-	-	-	1	1	-	-	-	1	-	-	3	1	-	-	-
Whooping cough----------9	667	-	-	-	-	-	8	27	35	146	115	91	59	37	47	37	30	21	28	21
Diphtheria (infection by C. diphtheriae)-10	65	1	-	-	-	-	1	2	4	5	4	9	1	2	7	9	4	4	8	8
Tuberculosis (all forms)----------13-22	271	1	-	1	2	3	-	-	7	6	7	18	17	22	25	38	29	36	39	27
Tuberculosis of the resp. sys. etc.*---13	118	-	-	-	1	1	-	-	2	3	2	9	5	7	9	16	15	19	19	12
Tuberculosis of the meninges, etc.*----14	65	1	-	-	1	-	-	-	2	-	2	3	6	9	9	10	8	10	14	12
Tuberculosis (other forms)----------15-22	68	-	-	1	-	2	-	-	3	3	3	6	6	6	7	12	6	7	6	3
Dysentery----------27	392	2	-	-	2	12	16	14	46	39	34	47	53	47	35	22	30	14	11	14
Malaria----------28	7	-	-	1	-	-	-	-	1	-	1	1	1	-	2	-	-	-	1	-
Syphilis----------30	193	39	14	11	10	6	13	8	101	38	17	8	8	5	4	2	4	3	-	3
Measles----------35	227	2	-	1	-	2	1	8	14	11	15	9	8	21	23	15	31	32	33	15
Diseases of the thymus gland----------64	835	73	61	50	55	56	24	31	330	130	121	86	66	30	23	13	13	5	8	10
Meningitis (not due to meningococcus)----81	390	-	-	-	9	23	13	12	57	41	39	28	43	31	28	24	26	23	26	24
Intracranial lesions of vascular origin--83	124	1	2	2	1	2	2	1	11	35	23	10	9	7	5	7	7	3	4	3
Convulsions----------86	176	5	8	12	22	15	8	6	76	20	20	13	8	12	3	9	5	4	5	1
Diseases of the ear and mastoid process--89	147	1	-	-	-	3	3	3	10	12	17	15	12	16	13	14	9	9	11	9
Diseases of the heart----------90-95	135	7	7	5	4	11	5	6	45	19	17	9	8	10	5	7	4	5	2	4
Pneumonia (all forms) and influenza----------107-109,33	9,497	97	137	190	459	422	458	441	2,204	1,348	1,165	1,046	792	668	562	467	375	355	263	252
Bronchopneumonia, etc.*----------107	5,730	61	101	126	294	269	297	293	1,441	844	689	636	474	374	314	259	212	193	158	136
Lobar pneumonia----------108	1,634	13	12	27	68	77	64	65	326	224	194	181	133	117	104	97	75	80	47	56
Pneumonia (unspecified)----------109	1,306	19	22	36	83	58	74	63	355	191	166	141	110	89	71	56	39	28	29	31
Influenza----------33	827	4	2	1	14	18	23	20	82	89	116	88	75	88	73	55	49	54	29	29
Other diseases of respiratory system----------104-106,110-114	718	20	13	23	16	28	27	41	168	96	87	88	54	52	39	47	26	20	21	20
Ulcer of stomach or duodenum----------117	19	-	-	1	2	2	2	2	9	5	-	1	1	-	-	1	-	1	1	-
Diarrhea, enteritis, etc.*----------119	4,473	6	7	9	41	241	428	357	1,089	828	533	411	340	287	254	218	197	136	97	83
Intestinal obstruction----------122b	373	-	-	-	-	-	-	-	-	58	35	40	45	37	35	36	29	30	14	14
Other diseases of digestive system----------115,116,118,121,123-129	384	3	6	10	25	22	21	19	106	54	33	28	38	25	27	24	14	15	10	10
Nephritis----------130,131	86	4	1	4	6	5	6	3	29	16	8	4	2	5	6	2	4	3	4	3
Congenital malformations----------157	13,674	3,144	1,067	940	1,709	1,160	695	631	9,346	1,249	805	557	422	318	283	244	204	174	151	121
Diseases peculiar to first year-----158-161	53,096	28,531	8,359	4,712	5,527	2,560	1,027	602	51,318	827	361	179	108	67	56	53	38	40	26	23
Congenital debility----------158	1,301	288	90	65	98	83	74	60	758	174	139	78	40	23	20	22	16	14	10	7
Premature birth----------159	34,057	19,701	5,295	2,629	2,956	1,749	697	372	33,399	446	108	48	22	14	3	6	3	4	3	1
Injury at birth----------160	10,493	5,723	1,770	1,109	1,168	337	96	80	10,283	69	29	17	15	12	16	16	11	13	8	4
Other diseases peculiar to first year-161	7,245	2,819	1,204	909	1,305	391	160	90	6,878	138	85	36	31	18	17	9	8	9	5	11
Asphyxia (cause not specified), atelectasis----------161a	4,218	2,086	886	526	402	102	54	30	4,086	52	35	12	11	9	6	2	1	1	2	1
Infection of the umbilicus, etc.*-161b,c	3,027	733	318	383	903	289	106	60	2,792	86	50	24	20	9	11	7	7	8	3	10
Homicide----------165-168	107	69	6	3	1	4	2	1	86	4	5	5	1	-	2	1	2	-	1	-
Accidental deaths----------169-195	2,334	68	36	36	75	69	62	105	451	365	358	285	176	135	119	90	84	78	83	98
Accidental mechanical suffocation-----182	1,082	13	15	7	19	32	32	55	173	229	227	177	100	62	38	28	16	10	11	11
Other accidental deaths---169-181,183-195	1,252	55	21	29	56	37	30	50	278	136	131	118	78	73	81	62	68	68	72	87
Ill-defined and unknown causes------199,200	2,025	394	134	103	183	149	75	80	1,118	248	168	139	89	75	44	40	35	21	25	13
All other causes----------	1,651	95	47	51	112	139	69	53	566	162	140	127	88	97	97	100	90	65	56	63

*Refer to International List for complete title, table V, Part I.

TABLE 28.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1946—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
WHITE, MALE----------All causes	53,704	18,974	5,908	3,800	4,654	2,759	1,678	1,454	39,427	3,442	2,408	1,841	1,365	1,112	952	862	701	599	524	471
Cerebrospinal (meningococcus) meningitis--6	133	-	-	-	1	2	4	4	11	12	18	13	12	14	7	15	5	10	7	9
Scarlet fever----------8	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Whooping cough----------9	316	-	-	-	-	-	4	15	19	65	64	37	32	20	22	11	12	11	16	7
Diphtheria (infection by C. diphtheriae)-10	34	-	-	-	-	-	-	1	1	3	2	7	1	-	4	4	2	2	3	5
Tuberculosis (all forms)----------13-22	142	1	-	1	2	2	-	-	6	1	5	7	8	11	16	17	14	21	20	16
Tuberculosis of the resp. sys. etc.*---13	61	-	-	-	1	-	-	-	1	1	1	3	4	4	6	6	6	12	10	7
Tuberculosis of the meninges, etc.*----14	47	1	-	-	1	-	-	-	2	-	2	1	3	3	6	6	5	5	7	7
Tuberculosis (other forms)----------15-22	34	-	-	1	-	2	-	-	3	-	2	3	1	4	4	5	3	4	3	2
Dysentery----------27	229	1	-	-	1	7	9	11	29	30	16	22	31	25	17	16	17	9	7	10
Malaria----------28	3	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
Syphilis----------30	102	20	6	6	7	5	10	3	57	17	9	6	3	4	1	2	2	1	-	-
Measles----------35	136	2	-	1	-	2	1	6	12	7	7	7	3	14	11	11	15	20	20	9
Diseases of the thymus gland----------64	520	37	42	33	32	19	10	22	195	94	82	47	41	20	9	10	11	2	5	4
Meningitis (not due to meningococcus)----81	231	-	-	-	8	14	7	7	36	25	25	15	19	18	15	17	16	18	12	15
Intracranial lesions of vascular origin--83	79	1	1	1	1	1	1	-	6	24	10	9	5	7	3	5	3	1	4	2
Convulsions----------86	103	4	4	8	15	8	4	4	47	13	10	9	5	5	1	3	3	4	2	1
Diseases of the ear and mastoid process--89	90	1	-	-	-	1	2	1	5	7	8	8	9	10	9	10	6	4	8	3
Diseases of the heart----------90-95	80	3	5	2	3	7	3	5	28	9	14	4	5	8	2	2	2	3	1	2
Pneumonia (all forms) and influenza----------107-109,33	5,334	49	60	114	254	238	259	286	1,260	802	575	594	430	338	317	267	200	187	138	128
Bronchopneumonia, etc.*----------107	3,238	37	60	79	170	142	164	179	831	501	408	363	255	181	183	142	114	107	83	70
Lobar pneumonia----------108	921	6	7	14	38	46	39	42	192	138	113	98	72	54	54	60	42	39	28	33
Pneumonia (unspecified)----------109	708	5	11	21	41	39	39	33	189	113	88	76	58	51	37	34	22	15	14	11
Influenza----------33	467	1	2	-	5	11	17	12	48	50	66	57	45	52	43	31	22	26	13	14
Other diseases of respiratory system----------104-106,110-114	432	11	7	14	11	13	17	26	105	58	56	52	34	28	22	20	17	12	17	11
Ulcer of stomach or duodenum----------117	11	-	-	1	1	2	1	2	7	2	-	-	-	-	-	-	-	1	1	-
Diarrhea, enteritis, etc.*----------119	2,583	3	3	6	23	132	237	200	604	502	318	249	190	167	144	123	113	75	49	49
Intestinal obstruction----------122b	228	-	-	-	-	-	-	-	-	36	23	26	22	21	22	23	17	15	11	12
Other diseases of digestive system----------115,116,118,121,123-129	215	2	2	7	15	13	13	12	64	19	25	11	24	16	16	18	6	6	6	4
Nephritis----------130,131	56	2	-	3	3	4	4	2	18	12	4	1	-	4	4	2	4	2	3	2
Congenital malformations----------157	7,801	1,622	626	580	970	616	399	352	5,165	738	443	298	212	175	133	113	101	79	78	66
Diseases peculiar to first year-----158-161	31,534	18,884	4,983	2,900	3,296	1,457	572	378	30,470	491	220	105	61	37	36	35	23	24	15	17
Congenital debility----------158	776	179	50	37	56	48	40	41	451	104	83	48	25	11	10	12	11	9	6	6
Premature birth----------159	19,806	11,628	3,087	1,535	1,847	961	371	218	19,425	261	61	28	11	8	2	4	3	1	1	1
Injury at birth----------160	6,516	3,436	1,121	740	755	215	67	54	6,388	43	18	9	7	5	12	12	7	7	6	2
Other diseases peculiar to first year-161	4,436	1,643	745	588	838	233	94	65	4,206	63	58	20	18	13	12	7	2	7	2	8
Asphyxia (cause not specified), atelectasis----------161a	2,581	1,239	544	329	261	75	32	19	2,499	35	23	6	6	5	4	2	-	1	-	-
Infection of the umbilicus, etc.*-161b,c	1,855	404	201	259	577	158	62	46	1,707	48	35	14	12	8	8	5	2	6	2	8
Homicide----------165-168	58	35	4	3	1	3	-	-	46	3	3	2	-	-	1	-	2	-	1	-
Accidental deaths----------169-195	1,350	39	22	24	44	47	30	56	262	229	191	158	107	82	67	50	43	51	57	59
Accidental mechanical suffocation-----182	618	2	8	6	12	18	17	25	88	138	121	99	57	38	22	20	9	7	8	10
Other accidental deaths---169-181,183-195	732	37	14	18	32	29	13	31	174	91	70	59	44	43	45	30	34	44	49	49
Ill-defined and unknown causes------199,200	1,155	213	90	60	94	86	44	45	632	144	105	74	61	38	22	28	19	10	15	7
All other causes----------	947	44	33	35	72	74	47	36	341	99	75	79	55	50	50	59	48	31	30	30
WHITE, FEMALE----------All causes	39,806	13,590	3,997	2,365	3,410	2,158	1,293	1,007	27,820	2,339	1,742	1,446	1,124	921	809	689	602	514	421	379
Cerebrospinal (meningococcus) meningitis--6	105	1	-	-	2	1	1	3	8	7	4	10	15	13	10	13	7	6	10	2
Scarlet fever----------8	4	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	1	-	-	-
Whooping cough----------9	351	-	-	-	-	-	4	12	16	81	51	54	27	17	25	26	18	10	12	14
Diphtheria (infection by C. diphtheriae)-10	31	1	-	-	-	-	1	1	3	2	2	2	-	2	3	5	2	2	5	3
Tuberculosis (all forms)----------13-22	129	-	-	-	-	1	-	-	1	5	2	11	9	11	9	21	15	15	19	11
Tuberculosis of the resp. sys. etc.*---13	57	-	-	-	-	1	-	-	1	2	1	6	1	3	3	10	9	7	9	5
Tuberculosis of the meninges. etc.*----14	38	-	-	-	-	-	-	-	-	-	-	2	3	6	3	4	3	5	7	5
Tuberculosis (other forms)----------15-22	34	-	-	-	-	-	-	-	-	3	1	3	5	2	3	7	3	3	3	1
Dysentery----------27	163	1	-	-	1	5	7	3	17	9	18	25	22	22	18	6	13	5	4	4
Malaria----------28	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-
Syphilis----------30	91	19	8	5	3	1	3	5	44	21	8	2	5	1	3	-	2	2	-	3
Measles----------35	91	-	-	-	-	-	-	2	2	4	8	2	5	7	12	4	16	12	13	6
Diseases of the thymus gland----------64	315	36	18	17	23	17	14	9	135	36	39	39	25	10	14	3	2	3	3	6
Meningitis (not due to meningococcus)----81	159	-	-	-	1	9	6	5	21	16	14	13	24	13	13	7	10	5	14	9
Intracranial lesions of vascular origin--83	45	-	1	1	-	1	1	1	5	11	13	1	4	-	2	2	4	2	-	1
Convulsions----------86	73	1	4	4	7	7	4	2	29	7	10	4	3	7	2	6	2	-	3	-
Diseases of the ear and mastoid process--89	57	-	-	-	-	2	1	2	5	5	9	7	3	6	4	4	3	5	3	3
Diseases of the heart----------90-95	55	4	2	3	1	4	2	1	17	10	3	5	3	2	3	5	2	2	1	2
Pneumonia (all forms) and influenza----------107-109,33	4,163	48	57	76	205	184	199	175	944	546	490	452	362	330	245	200	175	168	127	124
Bronchopneumonia, etc.*----------107	2,492	24	41	47	124	127	133	114	610	343	281	273	219	193	131	117	98	86	75	66
Lobar pneumonia----------108	713	7	5	13	30	31	25	23	134	86	81	83	61	63	50	37	33	41	21	23
Pneumonia (unspecified)----------109	598	14	11	15	42	19	35	30	166	78	78	65	52	38	34	22	17	13	15	20
Influenza----------33	360	3	-	1	9	7	6	8	34	39	50	31	30	36	30	24	27	28	16	15
Other diseases of respiratory system----------104-106,110-114	286	9	6	9	5	9	10	15	63	38	31	36	20	24	17	27	9	8	4	9
Ulcer of stomach or duodenum----------117	8	-	-	-	1	-	1	-	2	3	-	1	1	-	-	1	-	-	-	-
Diarrhea, enteritis, etc.*----------119	1,890	3	4	3	18	109	191	157	485	326	215	162	150	120	110	95	84	61	48	34
Intestinal obstruction----------122b	145	-	-	-	-	-	-	-	-	22	12	14	23	16	13	13	12	15	3	2
Other diseases of digestive system----------115,116,118,121,123-129	189	1	4	3	10	9	8	7	42	35	8	17	14	9	11	6	8	9	4	6
Nephritis----------130,131	30	2	1	1	3	1	2	1	11	4	4	3	2	1	2	-	-	1	1	1
Congenital malformations----------157	6,273	1,522	441	360	739	544	296	279	4,181	511	362	259	210	143	150	131	103	95	73	55
Diseases peculiar to first year-----158-161	21,582	11,647	3,376	1,812	2,231	1,103	455	224	20,848	336	141	74	47	30	20	18	15	16	11	6
Congenital debility----------158	525	109	40	28	42	35	34	19	307	70	56	30	15	12	10	10	5	5	4	1
Premature birth----------159	14,251	8,075	2,228	1,094	1,309	788	326	154	13,974	185	47	20	11	6	1	2	-	3	2	-
Injury at birth----------160	3,977	2,287	649	369	413	122	29	26	3,895	26	11	8	8	7	4	4	4	6	2	2
Other diseases peculiar to first year-161	2,809	1,176	459	321	467	156	66	25	2,672	55	27	16	13	5	5	2	6	2	3	3
Asphyxia (cause not specified), atelectasis----------161a	1,637	847	342	197	141	27	22	11	1,587	17	12	6	5	4	2	-	1	-	2	1
Infection of the umbilicus, etc.*-161b,c	1,172	329	117	124	326	131	44	14	1,085	38	15	10	8	1	3	2	5	2	1	2
Homicide----------165-168	49	34	2	-	-	1	2	1	40	1	2	3	1	-	1	1	-	-	-	-
Accidental deaths----------169-195	984	29	14	12	31	22	32	49	189	136	167	137	77	53	52	40	41	27	26	39
Accidental mechanical suffocation-----182	464	11	7	1	7	14	15	30	85	91	106	78	43	23	16	8	7	3	3	1
Other accidental deaths---169-181,183-195	520	18	7	11	24	8	17	19	104	45	61	59	34	30	36	32	34	24	23	38
Ill-defined and unknown causes------199,200	870	181	44	43	89	63	31	35	486	104	63	65	38	37	22	12	16	11	10	6
All other causes----------	704	51	14	16	40	65	22	17	225	63	65	48	33	47	47	41	42	34	26	33

*Refer to International List for complete title, table V, Part I.

TABLE 28.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1946—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEGRO, BOTH SEXES----------All causes	17,480	4,858	1,448	870	1,609	1,262	720	598	11,365	1,383	1,020	782	619	481	432	352	341	272	216	217
Cerebrospinal (meningococcus) meningitis--6	31	-	-	-	-	1	-	-	1	1	6	1	3	3	3	1	3	7	1	1
Scarlet fever----------8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----------9	188	-	1	-	-	1	3	8	13	26	26	26	23	12	15	9	14	7	11	7
Diphtheria (infection by C. diphtheriae)-10	19	-	-	-	1	-	1	2	4	2	1	1	1	1	3	1	2	1	2	-
Tuberculosis (all forms)----------13-22	108	1	-	-	-	1	-	1	3	2	4	8	6	18	6	13	15	13	8	10
Tuberculosis of the resp. sys. etc.*---13	50	1	-	-	-	1	-	1	3	1	3	3	4	11	5	5	4	7	1	5
Tuberculosis of the meninges, etc.*----14	32	-	-	-	-	-	-	-	-	-	1	4	1	5	-	3	8	5	2	3
Tuberculosis (other forms)----------15-22	24	-	-	-	-	-	-	-	-	1	-	1	1	2	1	5	3	1	5	4
Dysentery----------27	71	-	-	1	2	1	6	5	15	9	8	6	7	6	9	4	2	3	2	-
Malaria----------28	5	-	-	-	-	1	-	-	1	-	2	1	-	-	1	-	-	-	-	-
Syphilis----------30	322	98	25	13	21	22	8	10	197	47	36	16	4	5	4	2	6	3	1	1
Measles----------35	59	-	1	-	1	1	2	-	5	10	3	4	3	7	6	2	4	8	5	2
Diseases of the thymus gland----------64	93	4	3	7	7	7	5	5	38	11	13	9	5	4	6	1	-	4	1	1
Meningitis (not due to meningococcus)----81	110	-	-	-	7	5	3	3	18	5	8	8	14	11	9	8	8	9	6	6
Intracranial lesions of vascular origin--83	15	-	1	-	-	-	-	-	1	4	1	2	2	2	-	1	-	2	-	-
Convulsions----------86	74	3	2	4	14	11	2	-	36	8	6	3	4	4	1	4	4	-	1	3
Diseases of the ear and mastoid process--89	16	-	-	-	-	-	-	-	-	3	1	1	1	2	-	2	-	-	1	5
Diseases of the heart----------90-95	20	1	2	-	2	2	-	-	7	2	1	2	2	1	-	1	1	1	1	1
Pneumonia (all forms) and influenza----------107-109,33	2,930	22	26	42	132	150	134	141	647	415	372	305	259	199	193	135	136	95	91	85
Bronchopneumonia, etc.*----------107	1,640	19	18	25	86	87	88	95	418	242	211	164	139	100	89	72	84	49	48	44
Lobar pneumonia----------108	509	-	6	8	13	23	13	14	77	74	54	64	43	43	39	27	32	13	22	21
Pneumonia (unspecified)----------109	381	2	2	8	23	29	18	16	98	55	60	35	31	18	26	15	15	14	8	6
Influenza----------33	400	1	-	1	10	11	15	16	54	44	47	40	46	38	39	21	25	19	13	14
Other diseases of respiratory system----------104-106,110-114	170	15	6	2	10	8	8	10	69	24	21	13	10	11	7	4	4	4	6	7
Ulcer of stomach or duodenum----------117	7	-	-	1	2	1	1	-	5	1	-	-	-	-	-	-	-	-	-	1
Diarrhea, enteritis, etc.*----------119	924	-	4	6	11	66	87	84	258	151	109	85	70	55	55	41	45	21	19	15
Intestinal obstruction----------122b	66	-	-	-	-	-	-	-	-	14	8	8	3	6	9	4	2	7	1	4
Other diseases of digestive system----------115,116,118,121,123-129	89	2	-	1	9	8	7	8	35	9	9	6	3	6	4	2	3	2	5	5
Nephritis----------130,131	18	1	1	1	-	-	1	1	5	1	4	1	2	1	-	3	-	-	1	-
Congenital malformations----------157	968	168	72	61	117	90	54	43	605	81	69	54	34	24	14	23	17	16	15	16
Diseases peculiar to first year------158-161	8,337	4,046	1,121	602	964	855	273	177	7,838	263	89	46	31	12	11	14	9	11	6	7
Congenital debility----------158	462	95	30	20	48	39	29	24	285	72	33	15	16	7	8	10	3	6	3	4
Premature birth----------159	5,609	2,915	741	365	575	482	190	116	5,386	153	34	19	5	-	2	3	3	2	1	1
Injury at birth----------160	1,191	654	189	113	131	57	22	6	1,172	10	4	-	1	1	-	-	-	2	1	-
Other diseases peculiar to first year-161	1,075	362	161	104	210	77	32	29	995	28	18	12	9	4	1	1	3	1	1	2
Asphyxia (cause not specified), atelectasis----------161a	576	316	104	46	51	20	6	9	552	5	4	5	4	2	1	-	1	1	-	1
Infection of the umbilicus, etc.*-161b,c	499	66	57	58	159	57	26	20	443	23	14	7	5	2	-	1	2	-	1	1
Homicide----------165-168	27	14	1	-	1	1	-	1	18	2	-	-	1	-	2	2	1	1	-	-
Accidental deaths----------169-195	546	27	13	10	26	22	9	15	122	88	67	54	48	36	28	28	22	21	9	23
Accidental mechanical suffocation-----182	251	10	6	4	9	10	5	8	52	65	44	40	20	14	9	1	3	2	1	-
Other accidental deaths---169-181,183-195	295	17	7	6	17	12	4	7	70	23	23	14	28	22	19	27	19	19	8	23
Ill-defined and unknown causes------199,200	1,957	450	161	112	232	150	100	78	1,283	171	129	101	63	41	35	35	28	23	15	13
All other causes----------	331	6	8	7	50	58	16	6	151	33	27	23	20	14	11	12	15	13	8	4
NEGRO, MALE----------All causes	9,660	2,762	813	497	926	694	383	309	6,384	783	560	405	334	258	229	185	172	134	107	109
Cerebrospinal (meningococcus) meningitis--6	16	-	-	-	-	-	-	-	-	1	3	-	1	2	2	-	1	5	-	1
Scarlet fever----------8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----------9	84	-	1	-	-	-	2	3	6	10	12	11	13	5	9	4	6	3	2	3
Diphtheria (infection by C. diphtheriae)-10	8	-	-	-	-	-	-	1	1	1	-	-	-	1	2	1	-	1	1	-
Tuberculosis (all forms)----------13-22	51	1	-	-	-	1	-	1	3	1	2	6	3	7	2	4	8	5	3	7
Tuberculosis of the resp. sys. etc.*---13	21	1	-	-	-	1	-	1	3	1	2	3	1	2	2	1	2	2	-	2
Tuberculosis of the meninges, etc.*----14	18	-	-	-	-	-	-	-	-	-	-	2	1	4	-	1	5	2	1	2
Tuberculosis (other forms)----------15-22	12	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	1	2	3
Dysentery----------27	48	-	-	-	1	1	4	3	9	7	6	3	5	3	8	3	1	3	2	-
Malaria----------28	4	-	-	-	-	1	-	-	1	-	1	1	-	-	1	-	-	-	-	-
Syphilis----------30	193	58	16	5	11	18	5	7	120	26	24	11	2	3	1	2	1	2	-	1
Measles----------35	36	-	1	-	-	1	1	-	3	5	1	1	3	5	3	-	4	5	4	2
Diseases of the thymus gland----------64	48	2	1	6	2	3	3	2	19	6	6	3	5	3	2	-	-	3	-	1
Meningitis (not due to meningococcus)----81	58	-	-	-	6	2	2	1	11	2	4	5	6	7	6	4	5	4	1	3
Intracranial lesions of vascular origin--83	10	-	-	-	-	-	-	-	-	3	-	2	2	2	-	-	-	1	-	-
Convulsions----------86	36	2	1	3	6	5	1	-	18	4	5	1	2	3	-	1	2	-	-	-
Diseases of the ear and mastoid process--89	10	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	1	4
Diseases of the heart----------90-95	13	1	2	-	1	1	-	-	5	1	1	-	1	1	-	1	1	1	-	1
Pneumonia (all forms) and influenza----------107-109,33	1,552	13	14	23	70	76	70	71	337	243	204	147	141	110	101	75	68	44	48	34
Bronchopneumonia, etc.*----------107	885	13	10	12	49	44	43	50	221	145	109	83	76	55	50	39	37	24	31	15
Lobar pneumonia----------108	256	-	3	6	5	12	6	6	38	38	30	27	27	28	17	15	12	6	9	11
Pneumonia (unspecified)----------109	205	-	1	4	12	15	12	4	48	31	35	19	20	11	8	9	10	5	4	5
Influenza----------33	206	-	-	1	4	5	9	11	30	29	30	18	18	18	28	12	9	9	4	3
Other diseases of respiratory system----------104-106,110-114	96	7	5	2	4	4	7	5	34	11	12	7	4	7	4	3	3	3	3	5
Ulcer of stomach or duodenum----------117	3	-	-	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*----------119	520	-	2	4	6	42	50	48	152	92	62	43	45	27	33	19	20	9	10	8
Intestinal obstruction----------122b	35	-	-	-	-	-	-	-	-	8	4	5	1	3	4	2	1	4	-	3
Other diseases of digestive system----------115,116,118,121,123-129	50	1	-	1	5	5	4	6	22	5	5	2	-	4	1	2	2	2	3	2
Nephritis----------130,131	13	1	1	1	-	-	1	1	5	1	1	1	2	-	-	3	-	-	-	-
Congenital malformations----------157	528	92	41	35	73	46	25	22	334	46	39	29	19	11	7	12	10	7	8	6
Diseases peculiar to first year------158-161	4,677	2,298	622	337	559	351	141	89	4,397	154	49	22	17	6	6	5	6	5	5	5
Congenital debility----------158	278	64	16	13	34	24	14	11	176	46	21	5	10	2	4	4	2	3	3	2
Premature birth----------159	3,064	1,850	392	196	310	249	90	57	2,944	83	15	12	3	-	1	1	2	1	1	1
Injury at birth----------160	700	369	113	67	87	29	17	3	685	9	3	-	1	1	-	-	-	1	-	-
Other diseases peculiar to first year-161	635	215	101	61	128	49	20	18	592	16	10	5	3	3	1	-	2	-	1	2
Asphyxia (cause not specified), atelectasis----------161a	320	175	64	22	28	12	3	6	310	2	1	2	1	1	1	-	1	-	-	1
Infection of the umbilicus, etc.*-161b,c	315	40	37	39	100	37	17	12	282	14	9	3	2	2	-	-	1	-	1	1
Homicide----------165-168	,14	5	1	-	1	-	-	1	8	1	-	-	1	-	1	2	1	-	-	-
Accidental deaths----------169-195	276	17	6	9	15	13	3	5	68	40	31	24	25	20	15	17	10	10	3	13
Accidental mechanical suffocation-----182	128	7	3	4	3	6	3	4	30	29	20	17	16	6	5	1	2	2	-	-
Other accidental deaths---169-181,183-195	148	10	3	5	12	7	-	1	38	11	11	7	9	14	10	16	8	8	3	13
Ill-defined and unknown causes------199,200	1,085	262	95	63	137	81	53	41	732	95	69	68	28	22	18	16	13	10	7	7
All other causes----------	196	2	4	7	28	42	11	2	96	19	18	13	8	4	5	8	9	7	6	3

*Refer to International List for complete title, table V, Part I.

TABLE 28.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1946—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEGRO, FEMALE----All causes	7,820	2,096	635	373	683	568	337	289	4,981	600	460	377	285	223	203	187	169	138	109	108
Cerebrospinal (meningococcus) meningitis--6	15	-	-	-	-	1	-	-	1	-	3	1	2	1	1	1	2	2	1	-
Scarlet fever----8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----9	105	-	-	-	-	1	1	5	7	16	14	15	10	7	6	5	8	4	9	4
Diphtheria (infection by C. diphtheriae)-10	11	-	-	-	1	-	1	1	3	1	1	1	1	-	1	-	2	-	1	-
Tuberculosis (all forms)----13-22	55	-	-	-	-	-	-	-	-	1	2	2	3	11	4	9	7	8	5	3
Tuberculosis of the resp. sys. etc.*---13	29	-	-	-	-	-	-	-	-	-	1	-	3	9	3	4	2	5	1	1
Tuberculosis of the meninges, etc.*----14	14	-	-	-	-	-	-	-	-	-	1	2	-	1	-	2	3	3	1	1
Tuberculosis (other forms)----15-22	12	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	2	-	3	1
Dysentery----27	23	-	-	1	1	-	2	2	6	2	2	3	2	3	3	1	1	-	-	-
Malaria----28	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Syphilis----30	129	40	9	8	10	4	3	3	77	21	12	5	2	2	3	-	5	1	1	-
Measles----35	23	-	-	-	1	-	1	-	2	5	2	3	-	2	3	2	-	3	1	-
Diseases of the thymus gland----64	45	2	2	1	5	4	2	3	19	5	7	6	-	1	4	1	-	1	1	-
Meningitis (not due to meningococcus)----81	52	-	-	-	1	3	1	2	7	3	4	3	8	4	3	4	3	5	5	3
Intracranial lesions of vascular origin--83	5	-	1	-	-	-	-	-	1	1	1	-	-	-	-	1	-	1	-	-
Convulsions----86	38	1	1	1	8	8	1	-	18	4	1	2	2	1	1	3	2	-	1	3
Diseases of the ear and mastoid process--89	8	-	-	-	-	-	-	-	-	2	-	1	1	-	-	1	-	-	-	1
Diseases of the heart----90-95	7	-	-	-	1	1	-	-	2	1	-	2	1	-	-	-	-	-	1	-
Pneumonia (all forms) and influenza----107-109,33	1,378	9	12	19	62	74	64	70	310	172	168	156	118	89	92	60	68	51	43	51
Bronchopneumonia, etc.*----107	755	6	8	13	37	43	45	45	197	97	102	81	63	45	39	33	27	25	17	29
Lobar pneumonia----108	253	-	3	2	8	11	7	8	39	36	24	37	16	17	22	12	20	7	13	10
Pneumonia (unspecified)----109	176	2	1	4	11	14	6	12	50	24	25	16	11	7	18	6	5	9	4	1
Influenza----33	194	1	-	-	6	6	6	5	24	15	17	22	28	20	13	9	16	10	9	11
Other diseases of respiratory system----104-106,110-114	74	8	1	-	6	4	1	5	25	13	9	6	6	4	3	1	1	1	3	2
Ulcer of stomach or duodenum----117	4	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	1
Diarrhea, enteritis, etc.*----119	404	-	2	2	5	24	37	36	106	59	47	42	25	28	22	22	25	12	9	7
Intestinal obstruction----122b	31	-	-	-	-	-	-	-	-	6	4	3	2	3	5	2	1	3	1	1
Other diseases of digestive system----115,116,118,121,123-129	39	1	-	-	4	3	3	2	13	4	4	4	3	2	3	-	1	-	2	3
Nephritis----130,131	5	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	1	-
Congenital malformations----157	440	76	31	26	44	44	29	21	271	35	30	25	15	13	7	11	7	9	7	10
Diseases peculiar to first year----158-161	3,660	1,748	499	265	405	304	132	88	3,441	109	40	24	14	6	5	9	3	6	1	2
Congenital debility----158	184	31	14	7	14	15	15	13	109	26	12	10	6	5	4	6	1	3	-	2
Premature birth----159	2,545	1,265	349	169	265	233	100	61	2,442	70	19	7	2	-	1	2	1	1	-	-
Injury at birth----160	491	285	76	46	44	28	5	3	487	1	1	-	-	-	-	-	-	1	1	-
Other diseases peculiar to first year-161	440	167	60	43	82	28	12	11	403	12	8	7	6	1	-	1	1	1	-	-
Asphyxia (cause not specified), atelectasis----161a	256	141	40	24	23	8	3	3	242	3	3	3	3	1	-	-	-	1	-	-
Infection of the umbilicus, etc.*-161b,c	184	26	20	19	59	20	9	8	161	9	5	4	3	-	-	1	1	-	-	-
Homicide----165-168	13	9	-	-	-	1	-	-	10	1	-	-	-	-	1	-	-	1	-	-
Accidental deaths----169-195	270	10	7	1	11	9	6	10	54	49	36	30	23	16	13	11	12	11	6	10
Accidental mechanical suffocation----182	123	3	3	-	6	4	2	4	22	36	24	23	4	8	4	-	1	-	1	-
Other accidental deaths---169-181,183-195	147	7	4	1	5	5	4	6	32	12	12	7	19	8	9	11	11	11	5	10
Ill-defined and unknown causes----199,200	852	188	66	49	95	69	47	37	551	76	60	33	35	19	17	19	15	13	8	6
All other causes----	135	4	4	-	22	16	5	4	55	14	9	10	12	10	6	4	6	6	2	1
OTHER RACES, BOTH SEXES----All causes	1,073	181	53	60	71	48	28	26	467	94	89	84	78	59	45	35	31	38	27	27
Cerebrospinal (meningococcus) meningitis--6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Scarlet fever----8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----9	13	-	-	-	-	-	-	1	1	-	1	-	3	-	3	1	1	2	-	1
Diphtheria (infection by C. diphtheriae)-10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)----13-22	29	-	-	-	-	-	-	-	-	1	2	1	1	3	2	6	1	5	4	3
Tuberculosis of the resp. sys. etc.*---13	14	-	-	-	-	-	-	-	-	-	1	-	1	-	-	4	-	4	2	2
Tuberculosis of the meninges, etc.*----14	9	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	2	1
Tuberculosis (other forms)----15-22	6	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	-	-	-
Dysentery----27	17	-	-	-	-	-	1	-	1	-	3	4	2	1	1	1	1	1	-	2
Malaria----28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----30	23	7	1	5	3	1	-	-	17	3	1	-	-	-	1	-	1	-	-	-
Measles----35	11	-	-	-	-	-	-	-	-	1	1	1	-	1	-	3	1	1	-	2
Diseases of the thymus gland----64	6	-	-	1	1	-	-	1	3	1	1	-	-	-	1	-	-	-	-	-
Meningitis (not due to meningococcus)----81	6	-	-	-	-	2	-	-	2	-	-	1	1	-	-	-	2	-	-	-
Intracranial lesions of vascular origin--83	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Convulsions----86	6	-	-	-	1	-	-	-	1	1	-	-	2	2	-	-	-	-	-	-
Diseases of the ear and mastoid process--89	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2
Diseases of the heart----90-95	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Pneumonia (all forms) and influenza----107-109,33	230	1	2	7	3	6	8	9	36	32	33	31	19	23	14	10	6	10	9	7
Bronchopneumonia, etc.*----107	132	1	1	4	2	4	6	4	22	18	21	18	11	16	7	5	4	4	4	2
Lobar pneumonia----108	44	-	-	1	1	1	-	2	5	4	4	6	3	4	4	2	1	5	2	4
Pneumonia (unspecified)----109	38	-	1	1	-	-	1	2	5	7	8	4	4	1	1	2	1	1	3	1
Influenza----33	16	-	-	1	-	1	1	1	4	3	-	3	1	2	2	1	-	-	-	-
Other diseases of respiratory system----104-106,110-114	13	-	-	1	1	-	-	1	3	1	-	2	1	3	1	-	-	-	2	-
Ulcer of stomach or duodenum----117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*----119	101	-	-	-	-	4	3	2	9	10	6	19	21	7	10	4	6	6	2	1
Intestinal obstruction----122b	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Other diseases of digestive system----115,116,118,121,123-129	10	-	-	-	-	1	-	-	1	1	2	2	1	-	1	-	-	2	-	-
Nephritis----130,131	2	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Congenital malformations----157	70	13	4	6	9	6	1	4	43	10	3	1	3	3	2	1	3	-	1	-
Diseases peculiar to first year----158-161	305	148	32	27	38	17	9	4	275	8	8	4	6	1	-	-	2	1	-	2
Congenital debility----158	34	1	2	2	3	2	-	-	10	4	7	3	5	1	-	-	2	1	-	1
Premature birth----159	158	91	17	9	17	12	6	2	154	2	-	1	1	-	-	-	-	-	-	-
Injury at birth----160	54	30	6	7	6	2	2	-	53	-	1	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year-161	59	26	7	9	12	1	1	2	58	-	-	-	-	-	-	-	-	-	-	1
Asphyxia (cause not specified), atelectasis----161a	31	19	5	2	4	-	-	-	30	-	-	-	-	-	-	-	-	-	-	1
Infection of the umbilicus, etc.*-161b,c	28	7	2	7	8	1	1	2	28	-	-	-	-	-	-	-	-	-	-	-
Homicide----165-168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental deaths----169-195	35	2	-	-	1	3	1	-	7	8	4	4	2	2	1	1	1	3	1	1
Accidental mechanical suffocation----182	11	-	-	-	-	1	1	-	2	5	2	1	-	1	-	-	-	-	-	-
Other accidental deaths---169-181,183-195	24	2	-	-	1	2	-	-	5	3	2	3	2	1	1	1	1	3	1	1
Ill-defined and unknown causes----199,200	167	9	13	12	12	8	4	3	61	18	20	12	13	13	7	4	3	5	7	4
All other causes----	18	1	1	1	1	-	1	1	6	-	3	1	2	-	-	2	1	-	1	2

*Refer to International List for complete title, table V, Part I.

TABLE 28.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1946—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
OTHER RACES, MALE----------All causes	584	99	28	38	32	30	12	15	254	54	44	43	42	34	25	19	19	23	13	14
Cerebrospinal (meningococcus) meningitis--6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Scarlet fever----------8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----------9	5	-	-	-	-	-	-	1	1	-	-	-	1	-	1	1	-	1	-	-
Diphtheria (infection by C. diphtheriae)-10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)----------13-22	16	-	-	-	-	-	-	-	-	1	1	1	1	1	1	3	1	1	2	3
Tuberculosis of the resp. sys. etc.*---13	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	2
Tuberculosis of the meninges, etc.*----14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1
Tuberculosis (other forms)----------15-22	6	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	-	-	-
Dysentery----------27	11	-	-	-	-	-	-	-	-	-	2	2	2	1	1	-	1	1	-	1
Malaria----------28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----------30	14	3	-	4	3	1	-	-	11	2	-	-	-	-	-	-	1	-	-	-
Measles----------35	9	-	-	-	-	-	-	-	-	1	1	1	-	1	-	3	-	1	-	1
Diseases of the thymus gland----------64	5	-	-	1	-	-	-	1	2	1	1	-	-	-	1	-	-	-	-	-
Meningitis (not due to meningococcus)----81	5	-	-	-	-	2	-	-	2	-	-	1	1	-	-	-	1	-	-	-
Intracranial lesions of vascular origin--83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions----------86	5	-	-	-	1	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-
Diseases of the ear and mastoid process--89	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2
Diseases of the heart----------90-95	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Pneumonia (all forms) and influenza----------107-109,33	123	-	-	5	2	3	4	6	20	20	18	15	8	12	8	5	4	8	3	2
Bronchopneumonia, etc.*----------107	67	-	-	3	1	2	3	3	12	10	10	9	4	10	3	2	3	3	1	-
Lobar pneumonia----------108	27	-	-	1	1	1	-	1	4	3	4	4	1	1	3	1	1	4	-	1
Pneumonia (unspecified)----------109	23	-	-	1	-	-	1	2	4	4	4	2	2	1	1	1	-	1	2	1
Influenza----------33	6	-	-	-	-	-	-	-	-	3	-	-	1	1	1	1	-	-	-	-
Other diseases of respiratory system----------104-106,110-114	5	-	-	1	1	-	-	-	2	-	-	-	1	1	1	-	-	-	-	-
Ulcer of stomach or duodenum----------117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*----------119	61	-	-	-	-	2	2	1	5	6	3	14	9	7	5	3	4	3	2	-
Intestinal obstruction----------122b	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other diseases of digestive system----------115,116,118,121,123-129	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-
Nephritis----------130,131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations----------157	38	8	4	5	3	5	-	2	27	3	1	-	1	2	1	-	2	-	1	-
Diseases peculiar to first year-----158-161	163	81	17	14	20	12	4	1	149	2	3	1	4	1	-	-	1	1	-	1
Congenital debility----------158	19	1	1	-	2	2	-	-	6	2	2	1	4	1	-	-	1	1	-	1
Premature birth----------159	87	52	8	4	11	8	3	1	87	-	-	-	-	-	-	-	-	-	-	-
Injury at birth----------160	29	17	4	5	-	1	1	-	28	-	1	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year-161	28	11	4	5	7	1	-	-	28	-	-	-	-	-	-	-	-	-	-	-
Asphyxia (cause not specified), atelectasis----------161a	15	8	4	-	3	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-
Infection of the umbilicus, etc.*-161b,c	13	3	-	5	4	1	-	-	13	-	-	-	-	-	-	-	-	-	-	-
Homicide----------165-168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental deaths----------169-195	21	1	-	-	-	2	-	-	3	7	3	2	2	-	1	-	-	1	1	1
Accidental mechanical suffocation-----182	6	-	-	-	-	-	-	-	-	4	1	1	-	-	-	-	-	-	-	-
Other accidental deaths---169-181,183-195	15	1	-	-	-	2	-	-	3	3	2	1	2	-	1	-	-	1	1	1
Ill-defined and unknown causes-------199,200	86	6	7	8	2	3	1	3	30	10	9	5	9	6	4	2	2	4	4	1
All other causes----------	6	-	-	-	-	-	1	-	1	-	1	-	2	-	-	-	-	-	-	2
OTHER RACES, FEMALE--------All causes	489	82	25	22	39	18	16	11	213	40	44	41	36	25	20	16	12	15	14	13
Cerebrospinal (meningococcus) meningitis--6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever----------8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----------9	8	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	1	1	-	1
Diphtheria (infection by C. diphtheriae)-10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)----------13-22	13	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	-	4	2	-
Tuberculosis of the resp. sys. etc.*---13	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	2	-
Tuberculosis of the meninges, etc.*----14	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	-	-
Tuberculosis (other forms)----------15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery----------27	6	-	-	-	-	-	1	-	1	-	1	2	-	-	-	1	-	-	-	1
Malaria----------28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----------30	9	4	1	1	-	-	-	-	6	1	1	-	-	-	1	-	-	-	-	-
Measles----------35	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Diseases of the thymus gland----------64	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)----81	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Intracranial lesions of vascular origin--83	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Convulsions----------86	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of the ear and mastoid process--89	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the heart----------90-95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) and influenza----------107-109,33	107	1	2	2	1	3	4	3	16	12	15	16	11	11	6	5	2	2	6	5
Bronchopneumonia, etc.*----------107	65	1	1	1	1	2	3	1	10	8	11	9	7	6	4	3	1	1	3	2
Lobar pneumonia----------108	17	-	-	-	-	-	-	1	1	1	-	2	2	3	1	1	-	1	2	3
Pneumonia (unspecified)----------109	15	-	1	-	-	-	-	-	1	3	4	2	2	-	-	1	1	-	1	-
Influenza----------33	10	-	-	1	-	1	1	1	4	-	-	3	-	2	1	-	-	-	-	-
Other diseases of respiratory system----------104-106,110-114	8	-	-	-	-	-	-	1	1	1	-	2	-	2	-	-	-	-	2	-
Ulcer of stomach or duodenum----------117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*----------119	40	-	-	-	-	2	1	1	4	4	3	5	12	-	5	1	2	3	-	1
Intestinal obstruction----------122b	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other diseases of digestive system----------115,116,118,121,123-129	7	-	-	-	-	1	-	-	1	1	1	1	1	-	1	-	-	1	-	-
Nephritis----------130,131	2	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Congenital malformations----------157	32	5	-	1	6	1	1	2	16	7	2	1	2	1	1	1	1	-	-	-
Diseases peculiar to first year-----158-161	142	67	15	13	18	5	5	3	126	4	5	3	2	-	-	-	1	-	-	1
Congenital debility----------158	15	-	1	2	1	-	-	-	4	2	5	2	1	-	-	-	1	-	-	-
Premature birth----------159	71	39	9	5	6	4	3	1	67	2	-	1	1	-	-	-	-	-	-	-
Injury at birth----------160	25	13	2	2	6	1	1	-	25	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year-161	31	15	3	4	5	-	1	2	30	-	-	-	-	-	-	-	-	-	-	1
Asphyxia (cause not specified), atelectasis----------161a	16	11	1	2	1	-	-	-	15	-	-	-	-	-	-	-	-	-	-	1
Infection of the umbilicus, etc.*-161b,c	15	4	2	2	4	-	1	2	15	-	-	-	-	-	-	-	-	-	-	-
Homicide----------165-168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental deaths----------169-195	14	1	-	-	1	1	1	-	4	1	1	2	-	2	-	1	1	2	-	-
Accidental mechanical suffocation-----182	5	-	-	-	-	1	1	-	2	1	1	-	-	1	-	-	-	-	-	-
Other accidental deaths---169-181,183-195	9	1	-	-	1	-	-	-	2	-	-	2	-	1	-	1	1	2	-	-
Ill-defined and unknown causes-------199,200	81	3	6	4	10	5	3	-	31	8	11	7	4	7	3	2	1	1	3	3
All other causes----------	12	1	1	1	1	-	-	1	5	-	2	1	-	-	-	2	1	-	1	-

*Refer to International List for complete title, table V, Part I.

TABLE 29.-DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY RACE, IN URBAN AND RURAL AREAS: UNITED STATES, 1946

(By place of residence. Exclusive of stillbirths)

RACE AND CAUSE OF DEATH	Total deaths under 1 year	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
ALL RACES---All causes	111,063	66,585	29,467	13,891	10,005	13,222	44,478
Cerebrospinal (meningococcus) meningitis---6	270	159	80	36	18	25	111
Scarlet fever---8	6	3	1	-	1	1	3
Whooping cough---9	869	356	110	75	75	96	513
Diphtheria (infection by C. diphtheriae)---10	84	35	12	10	5	8	49
Tuberculosis (all forms)---13-22	406	250	132	44	32	42	156
Tuberculosis of the respiratory system, etc.*---13	182	117	64	21	13	19	65
Tuberculosis of the meninges, etc.*---14	126	72	30	14	12	16	54
Tuberculosis (other forms)---15-22	98	61	38	9	7	7	37
Dysentery---27	480	198	35	34	41	88	282
Malaria---28	12	6	-	-	1	5	6
Syphilis---30	539	326	131	65	55	75	212
Measles---35	297	108	31	30	16	31	189
Diseases of the thymus gland---64	934	563	219	130	96	118	371
Meningitis (not due to meningococcus)---81	506	287	118	61	50	58	219
Intracranial lesions of vascular origin---83	140	71	37	11	5	18	69
Convulsions---86	256	82	15	12	13	42	174
Diseases of the ear and mastoid process---89	169	89	42	16	14	17	80
Diseases of the heart---90-95	156	75	30	17	10	18	81
Pneumonia (all forms) and influenza---107-109,33	12,657	6,417	2,680	1,336	988	1,405	6,240
Bronchopneumonia, etc.*---107	7,502	4,164	1,989	835	560	780	3,338
Lobar pneumonia---108	2,187	1,087	387	241	187	272	1,100
Pneumonia (unspecified)---109	1,725	714	206	161	145	202	1,011
Influenza---33	1,243	452	108	99	96	149	791
Other diseases of respiratory system---104-106,110-114	901	498	238	98	68	94	403
Ulcer of stomach or duodenum---117	26	20	13	5	2	-	6
Diarrhea, enteritis, etc.*---119	5,498	3,258	1,467	682	439	670	2,240
Intestinal obstruction---122b	441	244	100	57	39	48	197
Other diseases of digestive system---115,116,118,121,123-129	483	260	113	51	36	60	223
Nephritis---130,131	106	62	19	10	17	16	44
Congenital malformations---157	14,912	9,531	4,401	2,002	1,409	1,719	5,381
Diseases peculiar to first year of life---158-161	61,738	40,054	18,074	8,332	5,969	7,679	21,684
Congenital debility---158	1,797	780	234	178	130	238	1,017
Premature birth---159	39,824	26,185	11,974	5,503	3,818	4,890	13,639
Injury at birth---160	11,738	7,602	3,355	1,486	1,234	1,527	4,136
Other diseases peculiar to first year of life---161	8,379	5,487	2,511	1,165	787	1,024	2,892
Asphyxia (cause not specified), atelectasis---161a	4,825	3,352	1,625	692	454	581	1,473
Infection of the umbilicus, etc.*---161b,c	3,554	2,135	886	473	333	443	1,419
Homicide---165-168	134	87	47	14	14	12	47
Accidental deaths---169-195	2,915	1,516	651	326	225	314	1,399
Accidental mechanical suffocation---182	1,344	692	319	136	103	145	652
Other accidental deaths---169-181,183-195	1,571	824	332	201	122	169	747
Ill-defined and unknown causes---199,200	4,129	941	222	177	197	345	3,188
All other causes---	2,000	1,089	439	280	170	220	911
WHITE---All causes	92,510	56,535	23,985	11,949	8,853	11,748	35,975
Cerebrospinal (meningococcus) meningitis---6	238	148	76	34	17	21	90
Scarlet fever---8	6	3	1	-	1	1	3
Whooping cough---9	667	273	73	58	59	83	394
Diphtheria (infection by C. diphtheriae)---10	65	27	8	9	3	7	38
Tuberculosis (all forms)---13-22	271	168	81	30	25	32	103
Tuberculosis of the respiratory system, etc.*---13	118	76	39	14	9	14	42
Tuberculosis of the meninges, etc.*---14	85	50	17	10	10	13	35
Tuberculosis (other forms)---15-22	68	42	25	6	6	5	26
Dysentery---27	392	166	25	30	36	75	226
Malaria---28	7	4	-	-	1	3	3
Syphilis---30	193	120	38	18	27	37	73
Measles---35	227	90	26	28	11	27	137
Diseases of the thymus gland---64	835	496	190	112	88	106	339
Meningitis (not due to meningococcus)---81	390	219	85	45	41	48	171
Intracranial lesions of vascular origin---83	124	64	31	10	5	18	60
Convulsions---86	176	63	10	8	11	34	113
Diseases of the ear and mastoid process---89	147	78	36	15	11	16	69
Diseases of the heart---90-95	135	62	23	13	9	17	73
Pneumonia (all forms) and influenza---107-109,33	9,487	4,902	1,983	1,004	786	1,139	4,585
Bronchopneumonia, etc.*---107	5,730	3,195	1,458	635	450	652	2,535
Lobar pneumonia---108	1,634	819	295	179	129	216	815
Pneumonia (unspecified)---109	1,306	568	158	126	118	166	738
Influenza---33	827	320	82	64	69	105	507
Other diseases of respiratory system---104-106,110-114	718	408	168	81	56	83	310
Ulcer of stomach or duodenum---117	19	14	7	5	2	-	5
Diarrhea, enteritis, etc.*---119	4,473	2,716	1,173	589	371	583	1,757
Intestinal obstruction---122b	373	201	76	47	33	45	172
Other diseases of digestive system---115,116,118,121,123-129	384	220	68	47	33	52	164
Nephritis---130,131	86	51	15	9	14	13	35
Congenital malformations---157	13,874	8,864	3,989	1,695	1,542	1,638	5,010
Diseases peculiar to first year of life---158-161	53,096	34,414	14,718	7,253	5,433	7,010	18,682
Congenital debility---158	1,301	579	170	120	105	184	722
Premature birth---159	34,057	22,275	9,594	4,756	3,465	4,460	11,782
Injury at birth---160	10,493	6,787	2,859	1,349	1,153	1,426	3,706
Other diseases peculiar to first year of life---161	7,245	4,773	2,095	1,028	710	940	2,472
Asphyxia (cause not specified), atelectasis---161a	4,218	2,913	1,338	607	420	548	1,305
Infection of the umbilicus, etc.*---161b,c	3,027	1,660	757	421	290	392	1,167
Homicide---165-168	107	68	34	12	11	11	39
Accidental deaths---169-195	2,334	1,217	496	274	189	258	1,117
Accidental mechanical suffocation---182	1,082	555	240	105	93	117	527
Other accidental deaths---169-181,183-195	1,252	662	256	169	96	141	590
Ill-defined and unknown causes---199,200	2,025	576	141	109	112	214	1,449
All other causes---	1,651	903	364	216	146	177	748

*Refer to International List for complete title, table V, Part I.

TABLE 29.-DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY RACE, IN URBAN AND RURAL AREAS: UNITED STATES, 1946—Continued

(By place of residence. Exclusive of stillbirths)

RACE AND CAUSE OF DEATH	Total deaths under 1 year	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
NONWHITE—All causes	18,553	10,050	5,482	1,942	1,152	1,474	8,503
Cerebrospinal (meningococcus) meningitis—6	32	11	4	2	1	4	21
Scarlet fever—8	-	-	-	-	-	-	-
Whooping cough—9	202	83	37	17	16	13	119
Diphtheria (infection by C. diphtheriae)—10	19	8	4	1	2	1	11
Tuberculosis (all forms)—13-22	135	82	51	14	7	10	53
Tuberculosis of the respiratory system, etc.*—13	64	41	25	7	4	5	23
Tuberculosis of the meninges, etc.*—14	41	22	13	4	2	3	19
Tuberculosis (other forms)—15-22	30	19	13	3	1	2	11
Dysentery—27	88	32	10	4	5	13	56
Malaria—28	5	2	-	-	-	2	3
Syphilis—30	345	206	93	47	28	38	139
Measles—35	70	18	5	4	5	4	52
Diseases of the thymus gland—54	99	67	29	18	8	12	32
Meningitis (not due to meningococcus)—81	116	68	33	16	9	10	48
Intracranial lesions of vascular origin—83	16	7	6	1	-	-	9
Convulsions—86	80	19	5	4	2	8	61
Diseases of the ear and mastoid process—89	22	11	6	1	3	1	11
Diseases of the heart—90-95	21	13	7	4	1	1	8
Pneumonia (all forms) and influenza—107-109,33	3,160	1,515	697	332	222	264	1,645
Bronchopneumonia, etc.*—107	1,772	969	551	200	110	128	803
Lobar pneumonia—108	553	268	92	62	58	56	285
Pneumonia (unspecified)—109	419	146	48	35	27	36	273
Influenza—33	416	132	28	35	27	44	284
Other diseases of respiratory system—104-106,110-114	183	90	50	17	12	11	93
Ulcer of stomach or duodenum—117	7	6	6	-	-	-	1
Diarrhea, enteritis, etc.*—119	1,025	542	294	93	68	87	483
Intestinal obstruction—122b	68	43	24	10	6	3	25
Other diseases of digestive system—115,116,118,121,123-129	99	40	25	4	3	8	59
Nephritis—130,131	20	11	4	1	3	3	9
Congenital malformations—157	1,038	667	412	107	67	81	371
Diseases peculiar to first year of life—158-161	8,642	5,640	3,356	1,079	536	669	3,002
Congenital debility—158	496	201	84	58	25	54	295
Premature birth—159	5,767	3,910	2,380	747	353	430	1,857
Injury at birth—160	1,245	815	496	137	81	101	430
Other diseases pecular to first year of life—161	1,134	714	416	137	77	84	420
Asphyxia (cause not specified), atelectasis—161a	607	439	287	85	34	33	168
Infection of the umbilicus, etc.*—161b,c	527	275	129	52	43	51	252
Homicide—165-168	27	19	13	2	3	1	8
Accidental deaths—169-195	581	299	155	52	36	56	282
Accidental mechanical suffocation—182	262	137	79	20	10	28	125
Other accidental deaths—169-181,183-195	319	162	76	32	26	28	157
Ill-defined and unknown causes—199,200	2,104	365	81	68	85	131	1,739
All other causes	349	186	75	44	24	43	163

*Refer to International List for complete title, table V, Part I.