U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
OVETA CULP HOBBY, SECRETARY

PUBLIC HEALTH SERVICE
LEONARD A. SCHEELE, SURGEON GENERAL

VITAL STATISTICS OF THE UNITED STATES

1952

VOLUME II

MORTALITY DATA

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, National Office of Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1955

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. - Price $4.00

NATIONAL OFFICE OF VITAL STATISTICS

HALBERT L. DUNN, M. D., *Chief*

ROBERT D. GROVE, *Assistant Chief*

HERBERT P. DUNNING, *Executive Officer*

CARL C. DAUER, M. D., *Medical Adviser*

IWAO M. MORIYAMA, *Mortality Analysis*

SAM SHAPIRO, *Natality Analysis*

HUGH CARTER, *Marriage and Divorce Analysis*

MONROE G. SIRKEN, *Actuarial Analysis*

HAZEL V. AUNE, *National Consulting Service*

FRANK S. MORRISON, *International Vital Statistics Cooperation*

SIDNEY BINDER, *Statistical Processing*

PREFACE

This is one of two volumes presenting final vital statistics for the United States, its Territories, and certain possessions for the year 1952. Their subject matter consists of vital events that occurred in these areas during the year—marriages, divorces, births, fetal deaths, infant deaths, and deaths among the general population.

This annual report is organized as follows:

Volume I. Introduction and Summary Tables
Tables for Alaska, Hawaii, Puerto Rico, and Virgin Islands, and Marriage, Divorce, Natality, Fetal Mortality, and Infant Mortality Data

Volume II. Mortality Data

In using statistics from either volume, it is recommended that reference be made to the explanatory text in Volume I, which describes the sources and limitations of the data.

CONTENTS

Total Deaths (Exclusive of fetal deaths)

Table		Page
42.	Deaths by State of occurrence distributed according to State of residence: United States and each State, 1952	2
43.	Deaths by month, race, and sex: United States and each State, 1952	5
44.	Deaths by specified race and sex: United States and each State, 1952	11
45.	Deaths by race and sex for metropolitan and nonmetropolitan counties: United States and each State, 1952	12
46.	Deaths by age for metropolitan and nonmetropolitan counties: United States and each State, 1952	14
47.	Deaths and death rates for each cause, by race and sex: United States, 1952	16
47.	Supplement: Deaths from ~~nontransport~~ accidents by race, sex, and place of accident: United States, 1952	32
48.	Deaths from 256 selected causes, by month: United States, 1952	36
49.	Deaths from 256 selected causes, by specified race and sex: United States, 1952	42
50.	Deaths from 256 selected causes, by age, race, and sex: United States, 1952	50
51.	Deaths from 256 selected causes, by race and sex: United States and each State, 1952	96
52A.	Deaths from 64 selected causes, by age, race, and sex: United States, 1952	164
52B.	Deaths from 64 selected causes, by age, race, and sex: Each State, 1952	174
53.	Deaths from 64 selected causes: United States and each State, 1952	370
54.	Deaths from selected causes: United States, each State and county; and metropolitan and nonmetropolitan counties in each State, 1952	374
55.	Deaths from specified infective diseases: United States, each State and county, 1952	452

Symbols

Class or item not applicable (3 dots)	...
Data not available (3 dashes)	- - -
Quantity is zero, in frequency tables (1 dash)	-
Quantity is zero, in rate or percent tables (1 cipher)	0
If rate or percent is more than 0, but less than 0.05	0.0
If both frequency and population base are zero in rate or percent tables (1 dash)	-

TOTAL DEATHS
(Exclusive of fetal deaths)

Table 42. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1952

(Exclusive of fetal deaths and of deaths among armed forces overseas. Unit of residence is defined as the county of which the decedent was a resident)

STATE OF OCCURRENCE	Total deaths occurring in State	Deaths of residents occurring in county of residence	DEATHS OF NONRESIDENTS														
			Total	Intra-state non-residents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	1,496,838	1,276,065	220,773	173,536	47,237	850	349	861	1,529	403	746	158	788	1,131	935	425	3,293
Alabama	27,109	23,676	3,433	2,747	686	...	1	11	16	-	2	-	3	125	168	1	19
Arizona	7,777	6,541	1,236	480	756	2	...	17	151	16	4	-	2	4	5	12	75
Arkansas	15,616	12,535	3,081	2,285	796	9	3	...	17	7	2	1	-	5	3	1	39
California	108,645	97,442	11,203	9,581	1,622	10	122	19	...	47	9	3	5	20	3	28	121
Colorado	13,284	10,058	3,226	2,435	791	2	15	8	62	...	2	1	3	4	3	8	43
Connecticut	19,915	17,730	2,185	1,663	522	1	1	1	3	-	...	1	1	10	5	-	3
Delaware	3,646	3,099	547	263	284	-	-	-	-	-	3	...	2	1	-	-	1
District of Columbia	9,104	7,692	1,412	...	1,412	6	-	2	9	2	4	1	...	14	8	-	7
Florida	30,739	25,466	5,273	2,622	2,651	94	3	5	30	11	76	3	25	...	187	-	229
Georgia	30,870	24,902	5,968	4,860	1,108	265	1	5	7	2	3	-	4	270	...	-	17
Idaho	4,724	3,810	914	641	273	1	4	1	24	4	-	-	1	-	-	...	3
Illinois	92,826	80,936	11,890	9,974	1,916	14	14	23	66	16	3	-	5	46	8	1	...
Indiana	41,005	34,854	6,151	4,943	1,208	10	1	11	14	1	1	-	2	15	4	-	387
Iowa	26,584	21,180	5,404	4,390	1,014	-	1	1	30	5	1	-	1	5	2	1	344
Kansas	19,734	15,569	4,165	2,982	1,183	-	7	12	31	44	2	-	2	4	1	-	37
Kentucky	28,206	23,504	4,702	3,629	1,073	11	2	3	10	2	3	-	4	12	15	1	71
Louisiana	24,913	19,540	5,373	4,688	685	27	1	66	18	2	2	-	-	22	11	-	22
Maine	9,869	8,561	1,308	1,050	258	-	1	-	1	-	12	-	6	5	-	1	-
Maryland	24,160	19,489	4,671	3,207	1,464	5	-	5	12	4	12	50	472	41	12	-	6
Massachusetts	51,413	45,867	5,546	4,601	945	1	2	1	4	1	151	1	7	20	7	-	8
Michigan	59,092	50,886	8,206	7,275	931	9	1	15	29	1	2	2	7	26	3	2	140
Minnesota	28,303	22,222	6,081	4,823	1,258	1	2	2	41	9	-	-	1	5	3	3	124
Mississippi	20,521	17,157	3,364	2,797	567	114	-	31	6	1	2	-	2	17	12	-	25
Missouri	45,243	36,170	9,073	7,100	1,973	4	6	114	43	15	4	-	5	12	8	3	801
Montana	5,967	4,748	1,219	982	237	-	2	1	25	7	1	-	-	-	1	10	3
Nebraska	13,024	10,483	2,541	2,054	487	-	2	-	27	26	-	-	4	1	1	3	15
Nevada	1,889	1,434	455	132	323	1	9	1	162	7	-	1	-	2	-	7	8
New Hampshire	6,222	5,185	1,037	585	452	-	-	-	2	-	14	-	2	7	-	-	2
New Jersey	50,542	43,970	6,572	5,014	1,558	1	-	-	14	1	28	11	19	35	6	-	10
New Mexico	5,559	4,358	1,201	674	527	3	51	14	84	31	2	-	1	5	1	2	22
New York	160,642	144,128	16,514	13,677	2,837	7	4	3	49	3	258	14	26	92	19	1	43
North Carolina	32,275	27,056	5,219	4,295	924	14	2	1	7	1	8	1	17	70	52	-	10
North Dakota	4,909	3,460	1,449	1,142	307	-	-	1	5	-	-	-	1	-	-	-	4
Ohio	83,728	73,771	9,957	8,162	1,795	14	6	2	30	3	2	-	2	47	6	1	57
Oklahoma	19,231	15,631	3,600	3,097	503	1	12	53	36	11	1	1	1	1	3	1	19
Oregon	14,562	11,982	2,580	2,036	544	1	3	3	123	6	1	-	1	1	-	68	4
Pennsylvania	110,498	98,137	12,361	10,311	2,050	5	3	2	23	1	11	57	23	42	7	3	34
Rhode Island	8,247	7,393	854	544	310	-	1	-	1	-	73	-	-	2	-	-	2
South Carolina	18,492	15,976	2,516	2,001	515	15	-	-	4	1	6	-	4	32	104	-	3
South Dakota	5,825	4,226	1,599	1,255	344	1	1	-	11	8	-	-	-	1	-	2	5
Tennessee	30,365	25,629	4,736	2,951	1,785	160	4	304	16	5	-	-	1	44	218	-	30
Texas	65,077	55,055	10,022	8,566	1,456	26	34	111	103	22	5	1	3	24	19	3	60
Utah	5,361	4,395	966	679	287	-	17	-	47	23	-	-	-	3	-	85	5
Vermont	4,159	3,409	750	453	297	-	-	-	-	-	16	-	1	4	-	-	2
Virginia	30,101	21,936	8,165	6,804	1,361	6	2	2	18	2	15	8	97	16	19	3	23
Washington	23,260	20,055	3,205	2,362	843	6	3	7	81	9	1	-	-	6	7	169	7
West Virginia	17,118	13,695	3,423	2,432	991	1	-	-	-	1	3	1	23	3	1	-	3
Wisconsin	33,988	29,105	4,883	4,004	879	1	2	3	13	4	-	-	1	9	2	-	395
Wyoming	2,499	1,962	537	288	249	1	3	-	24	41	1	-	1	1	1	5	3

Table 42. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1952—Continued

(Exclusive of fetal deaths and of deaths among armed forces overseas. Unit of residence is defined as the county of which the decedent was a resident)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	1,528	1,025	1,031	1,243	480	291	1,285	1,119	1,320	814	801	1,841	275	556	136	405	2,557	397	2,944
Alabama	7	2	1	10	15	-	-	4	10	2	85	12	1	-	-	-	4	-	5
Arizona	22	14	15	4	7	1	4	6	28	26	3	17	10	11	3	-	10	73	26
Arkansas	8	4	16	6	28	-	-	-	9	4	19	159	1	5	-	-	-	5	5
California	22	51	28	4	12	5	8	30	47	41	6	56	23	27	84	2	27	27	101
Colorado	7	26	110	3	5	-	2	2	15	11	3	43	8	77	4	1	5	69	16
Connecticut	2	1	-	-	-	16	3	108	4	3	2	-	1	-	-	12	26	-	245
Delaware	1	-	-	-	-	2	90	2	-	-	-	-	-	-	1	1	75	-	8
District of Columbia	4	2	3	7	2	3	661	9	7	-	1	6	1	1	-	2	10	-	39
Florida	99	17	10	37	9	28	32	107	217	34	18	26	1	2	2	21	160	2	517
Georgia	10	5	2	11	8	2	9	5	15	2	7	7	-	-	-	-	7	-	33
Idaho	2	4	2	-	-	-	1	-	-	1	-	4	18	3	9	-	1	5	2
Illinois	482	134	20	65	15	2	7	14	131	27	27	323	5	16	-	1	9	2	45
Indiana	...	7	13	174	3	-	1	3	157	10	13	26	1	3	-	1	3	1	20
Iowa	17	...	16	2	2	-	-	1	10	75	1	147	2	148	-	-	3	2	7
Kansas	8	21	...	6	2	-	-	1	9	8	-	663	1	39	-	-	6	3	2
Kentucky	262	2	7	...	4	-	2	3	29	6	7	13	-	1	-	-	6	2	19
Louisiana	3	8	3	5	...	-	2	6	7	1	180	14	-	6	2	-	3	2	13
Maine	3	-	1	-	-	...	3	104	3	1	-	-	-	-	-	60	11	-	22
Maryland	8	2	4	8	4	4	...	10	7	2	2	6	-	-	-	2	41	-	77
Massachusetts	3	2	2	2	1	82	8	...	10	1	1	4	-	-	1	159	22	-	167
Michigan	113	9	4	16	2	2	1	9	...	16	2	20	2	2	-	2	12	1	32
Minnesota	28	208	14	1	3	1	-	1	48	...	2	23	33	34	1	-	3	1	10
Mississippi	2	3	2	8	156	-	1	2	12	-	...	14	1	2	-	1	1	-	7
Missouri	40	104	493	20	8	1	1	8	20	11	16	...	2	21	-	-	2	4	9
Montana	2	6	1	1	2	-	1	2	4	12	-	3	...	8	-	1	-	3	-
Nebraska	4	176	66	1	1	-	1	1	7	13	4	20	1	...	-	-	1	1	1
Nevada	2	4	5	1	2	-	1	1	4	7	1	5	2	4	...	-	1	1	14
New Hampshire	1	-	-	1	-	88	1	159	-	-	-	1	-	-	-	...	10	-	35
New Jersey	3	1	3	3	1	6	38	21	12	3	-	1	1	3	3	3	...	-	643
New Mexico	8	11	14	3	5	-	1	-	7	8	2	13	1	1	-	1	2	...	14
New York	12	6	3	12	10	20	40	160	43	8	6	8	1	2	1	15	1,199	1	...
North Carolina	5	1	1	12	4	-	23	10	10	2	5	3	1	-	-	2	16	-	75
North Dakota	-	6	3	-	-	-	-	-	3	175	-	2	30	-	-	-	-	2	1
Ohio	217	4	10	342	4	2	13	8	207	7	1	12	-	2	-	1	6	1	68
Oklahoma	4	5	96	6	2	-	1	3	9	3	7	44	-	4	2	-	1	8	11
Oregon	2	4	5	1	1	-	1	1	2	8	-	1	21	10	4	-	1	1	7
Pennsylvania	23	2	5	9	3	9	134	20	28	3	-	14	1	4	1	2	781	3	363
Rhode Island	2	-	-	-	-	4	1	171	1	1	-	1	-	-	-	2	5	-	22
South Carolina	5	-	2	4	1	2	6	6	4	1	1	3	-	1	-	-	11	-	32
South Dakota	-	68	2	1	-	-	-	-	3	59	-	8	12	53	-	1	1	-	2
Tennessee	12	8	3	233	16	1	3	1	35	1	344	43	-	1	-	2	1	-	20
Texas	23	23	35	13	123	2	3	11	26	23	24	35	2	12	1	-	13	162	39
Utah	1	1	-	-	-	-	-	2	-	3	-	2	2	2	14	-	-	7	5
Vermont	-	-	-	-	-	1	-	80	1	-	-	-	-	-	-	104	12	-	58
Virginia	16	6	4	31	10	5	88	15	12	3	6	6	-	3	1	5	37	-	79
Washington	3	7	-	4	6	1	2	4	7	17	4	11	55	2	-	1	3	2	11
West Virginia	9	-	-	172	1	-	90	1	5	1	-	1	-	-	1	-	3	1	6
Wisconsin	19	54	-	4	1	-	1	6	94	171	1	16	3	10	-	-	6	-	10
Wyoming	2	6	7	-	1	1	-	1	1	3	-	5	31	36	1	-	-	5	1

Table 42. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1952—Continued

(Exclusive of fetal deaths and of deaths among armed forces overseas. Unit of residence is defined as the county of which the decedent was a resident)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																		Total deaths of residents
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	908	369	2,080	985	587	2,508	303	593	359	914	1,337	197	235	1,497	604	1,020	972	253	1,496,838
Alabama	15	2	16	5	1	8	-	20	1	88	19	-	-	1	-	5	1	-	27,273
Arizona	3	5	18	21	18	18	2	1	5	6	44	11	1	5	6	5	15	4	7,370
Arkansas	1	3	11	162	3	2	-	1	1	37	213	-	-	-	1	-	4	1	15,681
California	6	12	59	49	139	41	2	2	12	14	87	52	1	6	106	6	28	12	108,552
Colorado	4	4	16	25	13	8	-	3	6	1	55	17	-	4	15	-	5	57	12,896
Connecticut	2	-	8	1	-	20	27	-	-	-	1	1	8	2	1	1	-	1	20,139
Delaware	1	-	-	-	-	78	1	4	-	2	1	-	-	8	1	1	-	-	3,520
District of Columbia	30	1	13	2	-	43	2	7	-	6	6	-	1	469	1	14	4	2	8,480
Florida	23	4	200	3	2	181	15	29	4	35	24	1	14	37	4	16	57	-	29,219
Georgia	64	1	27	1	2	18	2	192	1	51	14	-	3	19	4	3	9	-	30,697
Idaho	-	1	-	1	46	-	-	-	1	-	9	29	-	-	83	1	2	10	4,876
Illinois	3	5	54	12	4	22	4	1	7	33	25	3	1	8	7	7	197	2	94,203
Indiana	3	2	224	3	2	17	-	2	3	19	10	1	-	16	3	9	12	-	41,325
Iowa	1	11	12	5	7	4	-	1	71	2	5	1	-	2	9	1	56	2	26,595
Kansas	3	2	13	189	5	3	-	-	4	3	32	1	-	3	10	2	2	2	19,582
Kentucky	12	-	237	5	2	17	-	8	-	177	9	2	2	46	-	57	2	-	28,376
Louisiana	6	-	6	7	1	6	-	2	1	6	212	-	-	1	2	3	5	1	24,708
Maine	-	1	2	-	-	6	4	1	-	-	-	-	9	1	-	-	-	-	9,902
Maryland	30	1	29	1	1	241	-	14	-	9	10	1	2	195	-	134	-	-	23,981
Massachusetts	4	-	14	-	1	26	177	1	1	3	7	-	32	5	-	3	2	1	51,587
Michigan	4	1	189	1	3	25	2	2	1	23	12	-	2	4	2	6	171	1	59,481
Minnesota	-	187	15	13	7	6	-	1	109	4	18	1	-	1	20	1	267	6	27,859
Mississippi	3	1	15	5	-	6	-	4	1	73	27	2	-	4	1	1	2	-	20,755
Missouri	6	3	15	72	5	9	1	1	6	19	38	3	-	3	4	3	10	-	45,111
Montana	-	28	4	1	11	1	-	2	6	1	3	4	-	-	39	-	4	37	6,005
Nebraska	2	4	9	5	2	1	-	-	38	1	7	1	-	1	4	4	3	28	13,093
Nevada	1	1	3	2	9	5	-	-	1	-	6	28	-	1	8	2	2	1	1,702
New Hampshire	-	-	1	-	-	5	6	-	-	-	-	-	112	-	-	-	4	1	6,175
New Jersey	10	-	10	1	-	607	9	7	-	4	5	-	2	21	-	10	2	-	51,541
New Mexico	3	-	8	24	4	8	-	2	2	7	149	1	-	4	3	2	3	-	5,429
New York	23	2	60	5	7	475	28	20	2	11	27	4	38	41	5	14	8	1	160,749
North Carolina	...	-	18	1	1	23	3	211	1	63	3	-	2	223	3	15	2	2	32,259
North Dakota	-	...	2	5	1	-	-	-	44	1	6	-	-	-	5	-	8	2	4,971
Ohio	11	2	...	5	1	282	1	-	-	25	14	1	-	13	3	352	10	-	84,013
Oklahoma	-	-	4	...	3	4	-	-	1	5	132	-	-	1	1	-	3	3	19,713
Oregon	-	3	3	9	...	5	-	-	2	1	7	4	-	3	223	-	2	1	14,605
Pennsylvania	14	-	252	3	2	...	5	6	-	5	7	-	2	26	3	100	9	-	110,956
Rhode Island	1	-	2	-	-	10	...	-	-	1	-	-	2	1	-	1	2	1	8,240
South Carolina	204	-	9	1	-	16	1	...	1	12	2	-	-	13	-	8	-	-	18,570
South Dakota	-	63	-	2	-	3	-	-	...	-	3	5	-	-	2	-	8	19	5,840
Tennessee	67	-	28	9	2	9	-	18	-	...	23	-	-	110	1	10	2	-	29,494
Texas	21	1	31	305	5	26	3	3	7	24	...	1	1	16	7	4	15	5	64,958
Utah	-	-	2	5	4	1	-	-	1	1	1	...	-	2	6	1	2	42	5,271
Vermont	2	-	1	-	-	6	6	-	-	-	-	-	...	2	-	-	1	-	4,097
Virginia	311	2	30	5	2	85	2	20	-	123	18	1	-	...	-	214	10	-	30,237
Washington	10	7	14	8	264	21	-	4	7	15	19	8	-	3	...	4	17	6	23,021
West Virginia	3	-	378	-	-	103	-	2	-	1	1	-	-	174	1	...	1	-	17,147
Wisconsin	1	6	13	2	2	5	-	1	2	2	11	2	-	2	2	-	...	2	34,081
Wyoming	-	3	5	4	5	2	-	-	9	-	15	11	-	-	8	-	3	...	2,503

NOTE.—For discussion of rules for residence allocation, see text in Volume I, "Vital Statistics of the United States, 1952."

Table 43. Deaths by Month, Race, and Sex: United States and Each State, 1952

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,496,838	132,784	126,322	138,487	124,977	123,246	127,427	120,516	112,914	110,581	123,998	123,109	132,477
Male	853,927	75,300	71,404	78,483	70,999	70,295	71,894	68,767	64,992	63,948	71,236	70,510	76,099
Female	642,911	57,484	54,918	60,004	53,978	52,951	55,533	51,749	47,922	46,633	52,762	52,599	56,378
White	1,315,022	116,810	110,963	121,581	110,208	108,717	111,362	105,714	99,264	97,266	108,924	108,224	115,989
Male	753,571	66,456	62,973	69,087	62,815	62,347	63,162	60,658	57,460	56,447	62,940	62,292	66,934
Female	561,451	50,354	47,990	52,494	47,393	46,370	48,200	45,056	41,804	40,819	45,984	45,932	49,055
Nonwhite	181,816	15,974	15,359	16,906	14,769	14,529	16,065	14,802	13,650	13,315	15,074	14,885	16,488
Male	100,356	8,844	8,431	9,396	8,184	7,948	8,732	8,109	7,532	7,501	8,296	8,218	9,165
Female	81,460	7,130	6,928	7,510	6,585	6,581	7,333	6,693	6,118	5,814	6,778	6,667	7,323
ALABAMA	27,273	2,341	2,413	2,531	2,200	2,206	2,467	2,243	1,958	1,925	2,209	2,235	2,545
Male	15,351	1,295	1,325	1,417	1,255	1,221	1,405	1,258	1,087	1,122	1,211	1,305	1,450
Female	11,922	1,046	1,088	1,114	945	985	1,062	985	871	803	998	930	1,095
White	15,961	1,326	1,417	1,440	1,302	1,323	1,479	1,304	1,168	1,121	1,268	1,352	1,461
Male	9,356	769	799	823	775	762	885	770	674	684	744	808	863
Female	6,605	557	618	617	527	561	594	534	494	437	524	544	598
Nonwhite	11,312	1,015	996	1,091	898	883	988	939	790	804	941	883	1,084
Male	5,995	526	526	594	460	459	520	488	413	438	467	497	587
Female	5,317	489	470	497	418	424	468	451	377	366	474	386	497
ARIZONA	7,370	679	629	685	552	604	571	533	573	540	605	711	688
Male	4,622	437	379	431	345	372	352	327	367	332	386	451	443
Female	2,748	242	250	254	207	232	219	206	206	208	219	260	245
White	6,187	579	545	582	465	523	466	442	488	449	477	588	583
Male	3,954	373	336	371	304	327	301	279	316	279	311	378	379
Female	2,233	206	209	211	161	196	165	163	172	170	166	210	204
Nonwhite	1,183	100	84	103	87	81	105	91	85	91	128	123	105
Male	668	64	43	60	41	45	51	48	51	53	75	73	64
Female	515	36	41	43	46	36	54	43	34	38	53	50	41
ARKANSAS	15,681	1,418	1,371	1,523	1,361	1,238	1,367	1,265	1,164	1,116	1,291	1,274	1,293
Male	9,203	808	798	875	821	744	761	725	684	667	785	758	777
Female	6,478	610	573	648	540	494	606	540	480	449	506	516	516
White	11,205	1,004	976	1,119	941	862	965	902	833	788	949	915	951
Male	6,733	588	581	645	591	539	561	529	498	474	573	572	582
Female	4,472	416	395	474	350	323	404	373	335	314	376	343	369
Nonwhite	4,476	414	395	404	420	376	402	363	331	328	342	359	342
Male	2,470	220	217	230	230	205	200	196	186	193	212	186	195
Female	2,006	194	178	174	190	171	202	167	145	135	130	173	147
CALIFORNIA	108,552	10,236	9,185	9,883	8,802	8,914	8,191	8,652	8,493	8,456	8,736	9,075	9,929
Male	63,168	5,976	5,359	5,711	5,091	5,236	4,762	5,062	4,906	4,906	5,115	5,255	5,789
Female	45,384	4,260	3,826	4,172	3,711	3,678	3,429	3,590	3,587	3,550	3,621	3,820	4,140
White	102,502	9,688	8,644	9,327	8,344	8,417	7,738	8,162	7,999	7,989	8,249	8,572	9,373
Male	59,446	5,631	5,020	5,364	4,794	4,936	4,489	4,758	4,607	4,616	4,832	4,947	5,452
Female	43,056	4,057	3,624	3,963	3,550	3,481	3,249	3,404	3,392	3,373	3,417	3,625	3,921
Nonwhite	6,050	548	541	556	458	497	453	490	494	467	487	503	556
Male	3,722	345	339	347	297	300	273	304	299	290	283	308	337
Female	2,328	203	202	209	161	197	180	186	195	177	204	195	219
COLORADO	12,896	1,155	1,063	1,122	1,032	1,069	1,066	1,073	956	1,005	1,096	1,094	1,165
Male	7,416	658	591	660	587	609	608	617	558	590	637	631	670
Female	5,480	497	472	462	445	460	458	456	398	415	459	463	495
White	12,577	1,119	1,039	1,093	989	1,049	1,031	1,052	941	979	1,072	1,065	1,148
Male	7,241	641	583	643	558	597	588	608	551	575	622	615	660
Female	5,336	478	456	450	431	452	443	444	390	404	450	450	488
Nonwhite	319	36	24	29	43	20	35	21	15	26	24	29	17
Male	175	17	8	17	29	12	20	9	7	15	15	16	10
Female	144	19	16	12	14	8	15	12	8	11	9	13	7
CONNECTICUT	20,139	1,828	1,751	1,809	1,780	1,673	1,669	1,641	1,473	1,496	1,636	1,672	1,711
Male	11,165	1,014	970	1,016	1,006	916	906	894	821	838	895	941	948
Female	8,974	814	781	793	774	757	763	747	652	658	741	731	763
White	19,569	1,788	1,695	1,748	1,749	1,611	1,618	1,591	1,433	1,460	1,591	1,629	1,656
Male	10,862	993	937	989	989	880	869	874	799	820	871	918	923
Female	8,707	795	758	759	760	731	749	717	634	640	720	711	733
Nonwhite	570	40	56	61	31	62	51	50	40	36	45	43	55
Male	303	21	33	27	17	36	37	20	22	18	24	23	25
Female	267	19	23	34	14	26	14	30	18	18	21	20	30
DELAWARE	3,520	307	271	312	276	320	332	285	243	272	267	315	320
Male	2,020	180	144	189	160	200	192	172	114	158	154	188	169
Female	1,500	127	127	123	116	120	140	113	129	114	113	127	151
White	2,892	256	230	252	230	265	274	241	198	216	209	247	274
Male	1,650	147	121	150	136	167	154	147	93	123	119	146	147
Female	1,242	109	109	102	94	98	120	94	105	93	90	101	127
Nonwhite	628	51	41	60	46	55	58	44	45	56	58	68	46
Male	370	33	23	39	24	33	38	25	21	35	35	42	22
Female	258	18	18	21	22	22	20	19	24	21	23	26	24
DISTRICT OF COLUMBIA	8,480	732	715	825	696	652	689	773	641	639	696	701	721
Male	4,644	414	401	443	365	348	392	445	339	364	369	355	409
Female	3,836	318	314	382	331	304	297	328	302	275	327	346	312
White	5,186	472	417	516	453	400	443	471	364	387	405	424	434
Male	2,823	262	234	280	231	202	263	262	199	215	217	217	241
Female	2,363	210	183	236	222	198	180	209	165	172	188	207	193
Nonwhite	3,294	260	298	309	243	252	246	302	277	252	291	277	287
Male	1,821	152	167	163	134	146	129	183	140	149	152	138	168
Female	1,473	108	131	146	109	106	117	119	137	103	139	139	119

Table 43. Deaths by Month, Race, and Sex: United States and Each State, 1952—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA	29,219	2,581	2,531	2,603	2,434	2,334	2,442	2,272	2,277	2,213	2,279	2,448	2,805
Male	17,506	1,557	1,513	1,556	1,473	1,363	1,436	1,342	1,387	1,332	1,359	1,467	1,721
Female	11,713	1,024	1,018	1,047	961	971	1,006	930	890	881	920	981	1,084
White	21,700	1,928	1,881	1,942	1,821	1,735	1,786	1,664	1,723	1,625	1,668	1,816	2,111
Male	13,276	1,178	1,135	1,191	1,127	1,038	1,058	1,002	1,058	996	1,025	1,131	1,337
Female	8,424	750	746	751	694	697	728	662	665	629	643	685	774
Nonwhite	7,519	653	650	661	613	599	656	608	554	588	611	632	694
Male	4,230	379	378	365	346	325	378	340	329	336	334	336	384
Female	3,289	274	272	296	267	274	278	268	225	252	277	296	310
GEORGIA	30,697	2,718	2,473	2,800	2,523	2,461	2,883	2,396	2,260	2,322	2,575	2,540	2,746
Male	17,579	1,535	1,377	1,636	1,434	1,453	1,604	1,361	1,298	1,353	1,482	1,483	1,563
Female	13,118	1,183	1,096	1,164	1,089	1,008	1,279	1,035	962	969	1,093	1,057	1,183
White	18,395	1,587	1,454	1,674	1,529	1,495	1,684	1,456	1,386	1,363	1,573	1,566	1,628
Male	10,892	934	831	1,024	892	896	968	855	844	815	932	947	954
Female	7,503	653	623	650	637	599	716	601	542	548	641	619	674
Nonwhite	12,302	1,131	1,019	1,126	994	966	1,199	940	874	959	1,002	974	1,118
Male	6,687	601	546	612	542	557	636	506	464	538	550	536	609
Female	5,615	530	473	514	452	409	563	434	420	421	452	438	509
IDAHO	4,876	456	413	393	385	405	416	365	373	381	444	403	442
Male	3,060	279	264	236	253	239	262	224	239	250	278	260	276
Female	1,816	177	149	157	132	166	154	141	134	131	166	143	166
White	4,774	448	396	389	371	400	406	355	367	375	433	399	435
Male	2,990	274	250	234	245	235	256	218	236	244	268	258	272
Female	1,784	174	146	155	126	165	150	137	131	131	165	141	163
Nonwhite	102	8	17	4	14	5	10	10	6	6	11	4	7
Male	70	5	14	2	8	4	6	6	3	6	10	2	4
Female	32	3	3	2	6	1	4	4	3	-	1	2	3
ILLINOIS	94,203	8,185	7,828	8,651	7,881	7,785	8,270	7,611	7,151	6,901	7,805	7,837	8,298
Male	53,788	4,728	4,353	4,907	4,379	4,461	4,807	4,351	4,113	3,932	4,501	4,480	4,776
Female	40,415	3,457	3,475	3,744	3,502	3,324	3,463	3,260	3,038	2,969	3,304	3,357	3,522
White	85,973	7,422	7,165	7,883	7,219	7,142	7,583	6,929	6,527	6,276	7,141	7,120	7,566
Male	49,161	4,270	3,992	4,470	4,027	4,095	4,400	3,979	3,755	3,585	4,128	4,085	4,375
Female	36,812	3,152	3,173	3,413	3,192	3,047	3,183	2,950	2,772	2,691	3,013	3,035	3,191
Nonwhite	8,230	763	663	768	662	643	687	682	624	625	664	717	732
Male	4,627	458	361	437	352	366	407	372	358	347	373	395	401
Female	3,603	305	302	331	310	277	280	310	266	278	291	322	331
INDIANA	41,325	3,559	3,477	3,863	3,561	3,420	3,557	3,381	3,049	3,017	3,447	3,388	3,606
Male	23,456	2,034	2,009	2,176	1,987	1,916	2,004	1,911	1,790	1,731	1,991	1,855	2,052
Female	17,869	1,525	1,468	1,687	1,574	1,504	1,553	1,470	1,259	1,286	1,456	1,533	1,554
White	38,955	3,347	3,272	3,627	3,343	3,228	3,396	3,186	2,861	2,838	3,248	3,221	3,388
Male	22,115	1,919	1,900	2,044	1,865	1,804	1,912	1,799	1,678	1,619	1,874	1,760	1,941
Female	16,840	1,428	1,372	1,583	1,478	1,424	1,484	1,387	1,183	1,219	1,374	1,461	1,447
Nonwhite	2,370	212	205	236	218	192	161	195	188	179	199	167	218
Male	1,341	115	109	132	122	112	92	112	112	112	117	95	111
Female	1,029	97	96	104	96	80	69	83	76	67	82	72	107
IOWA	26,595	2,336	2,284	2,496	2,314	2,203	2,245	2,083	2,012	2,007	2,200	2,041	2,374
Male	15,259	1,357	1,303	1,374	1,326	1,287	1,273	1,208	1,168	1,159	1,253	1,160	1,391
Female	11,336	979	981	1,122	988	916	972	875	844	848	947	881	983
White	26,304	2,310	2,264	2,478	2,276	2,184	2,212	2,070	1,993	1,976	2,181	2,016	2,344
Male	15,088	1,346	1,290	1,363	1,300	1,274	1,255	1,200	1,157	1,142	1,243	1,144	1,374
Female	11,216	964	974	1,115	976	910	957	870	836	834	938	872	970
Nonwhite	291	26	20	18	38	19	33	13	19	31	19	25	30
Male	171	11	13	11	26	13	18	8	11	17	10	16	17
Female	120	15	7	7	12	6	15	5	8	14	9	9	13
KANSAS	19,582	1,829	1,709	1,706	1,544	1,594	1,903	1,559	1,485	1,439	1,607	1,496	1,711
Male	11,241	1,035	944	988	887	941	1,035	896	867	847	934	872	995
Female	8,341	794	765	718	657	653	868	663	618	592	673	624	716
White	18,547	1,739	1,621	1,619	1,458	1,499	1,815	1,480	1,410	1,374	1,525	1,407	1,600
Male	10,681	986	905	940	841	890	992	854	826	807	888	820	932
Female	7,866	753	716	679	617	609	823	626	584	567	637	587	668
Nonwhite	1,035	90	88	87	86	95	88	79	75	65	82	89	111
Male	560	49	39	48	46	51	43	42	41	40	46	52	63
Female	475	41	49	39	40	44	45	37	34	25	36	37	48
KENTUCKY	28,376	2,544	2,469	2,795	2,260	2,286	2,518	2,330	1,974	2,092	2,431	2,264	2,413
Male	16,121	1,430	1,375	1,572	1,242	1,330	1,393	1,329	1,145	1,230	1,426	1,287	1,362
Female	12,255	1,114	1,094	1,223	1,018	956	1,125	1,001	829	862	1,005	977	1,051
White	25,112	2,269	2,180	2,485	2,010	2,019	2,191	2,033	1,743	1,863	2,157	2,009	2,153
Male	14,335	1,278	1,224	1,397	1,115	1,177	1,213	1,162	1,016	1,103	1,279	1,149	1,222
Female	10,777	991	956	1,088	895	842	978	871	727	760	878	860	931
Nonwhite	3,264	275	289	310	250	267	327	297	231	229	274	255	260
Male	1,786	152	151	175	127	153	180	167	129	127	147	138	140
Female	1,478	123	138	135	123	114	147	130	102	102	127	117	120
LOUISIANA	24,708	2,118	2,136	2,264	1,989	1,959	2,094	1,977	1,921	1,757	2,101	2,125	2,267
Male	14,111	1,206	1,217	1,354	1,129	1,065	1,128	1,127	1,113	1,016	1,202	1,206	1,328
Female	10,597	912	919	910	860	874	966	850	808	741	899	919	939
White	14,444	1,250	1,220	1,352	1,127	1,163	1,181	1,139	1,154	1,059	1,259	1,222	1,318
Male	8,531	745	721	817	644	674	667	673	691	639	755	713	792
Female	5,913	505	499	535	483	489	514	466	463	420	504	509	526
Nonwhite	10,264	868	916	912	862	796	913	838	767	698	842	903	949
Male	5,580	461	496	537	485	411	461	454	422	377	447	493	536
Female	4,684	407	420	375	377	385	452	384	345	321	395	410	413

Table 43. Deaths by Month, Race, and Sex: United States and Each State, 1952—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE	9,902	854	831	860	909	864	735	825	743	710	854	814	903
Male	5,613	497	473	471	528	468	417	471	425	406	482	468	507
Female	4,289	357	358	389	381	396	318	354	318	304	372	346	396
White	9,873	848	830	856	906	860	733	822	742	709	853	812	902
Male	5,594	493	472	468	526	466	415	469	425	405	481	467	507
Female	4,279	355	358	388	380	394	318	353	317	304	372	345	395
Nonwhite	29	6	1	4	3	4	2	3	1	1	1	2	1
Male	19	4	1	3	2	2	2	2	-	1	1	1	-
Female	10	2	-	1	1	2	-	1	1	-	-	1	1
MARYLAND	23,981	2,090	2,090	2,337	1,910	1,913	2,068	2,098	1,712	1,773	2,003	1,884	2,103
Male	13,338	1,149	1,062	1,320	1,056	1,099	1,127	1,148	997	1,028	1,103	1,058	1,191
Female	10,643	941	1,028	1,017	854	814	941	950	715	745	900	826	912
White	19,165	1,669	1,654	1,867	1,523	1,529	1,636	1,719	1,358	1,413	1,570	1,526	1,701
Male	10,631	897	849	1,049	834	894	887	929	780	815	873	872	952
Female	8,534	772	805	818	689	635	749	790	578	598	697	654	749
Nonwhite	4,816	421	436	470	387	384	432	379	354	360	433	358	402
Male	2,707	252	213	271	222	205	240	219	217	213	230	186	239
Female	2,109	169	223	199	165	179	192	160	137	147	203	172	163
MASSACHUSETTS	51,587	4,696	4,306	5,263	4,676	4,372	4,312	4,028	3,700	3,577	4,208	3,850	4,599
Male	27,647	2,561	2,299	2,746	2,480	2,312	2,278	2,165	1,999	1,940	2,309	2,077	2,481
Female	23,940	2,135	2,007	2,517	2,196	2,060	2,034	1,863	1,701	1,637	1,899	1,773	2,118
White	50,659	4,614	4,236	5,164	4,593	4,285	4,233	3,953	3,620	3,504	4,155	3,791	4,511
Male	27,142	2,517	2,261	2,681	2,439	2,261	2,233	2,129	1,959	1,905	2,283	2,044	2,430
Female	23,517	2,097	1,975	2,483	2,154	2,024	2,000	1,824	1,661	1,599	1,872	1,747	2,081
Nonwhite	928	82	70	99	83	87	79	75	80	73	53	59	88
Male	505	44	38	65	41	51	45	36	40	35	26	33	51
Female	423	38	32	34	42	36	34	39	40	38	27	26	37
MICHIGAN	59,481	5,046	4,922	5,440	4,864	4,912	4,934	4,689	4,723	4,525	5,160	4,967	5,299
Male	34,660	2,932	2,822	3,129	2,735	2,869	2,818	2,829	2,812	2,700	3,045	2,889	3,080
Female	24,821	2,114	2,100	2,311	2,129	2,043	2,116	1,860	1,911	1,825	2,115	2,078	2,219
White	55,105	4,680	4,547	5,061	4,507	4,553	4,579	4,337	4,373	4,179	4,802	4,605	4,882
Male	32,176	2,749	2,629	2,893	2,537	2,677	2,608	2,617	2,612	2,493	2,843	2,683	2,835
Female	22,929	1,931	1,918	2,168	1,970	1,876	1,971	1,720	1,761	1,686	1,959	1,922	2,047
Nonwhite	4,376	366	375	379	357	359	355	352	350	346	358	362	417
Male	2,484	183	193	236	198	192	210	212	200	207	202	206	245
Female	1,892	183	182	143	159	167	145	140	150	139	156	156	172
MINNESOTA	27,859	2,493	2,143	2,437	2,423	2,394	2,170	2,239	2,181	2,232	2,370	2,373	2,404
Male	16,283	1,456	1,244	1,413	1,412	1,400	1,277	1,292	1,272	1,334	1,432	1,372	1,379
Female	11,576	1,037	899	1,024	1,011	994	893	947	909	898	938	1,001	1,025
White	27,529	2,462	2,121	2,403	2,393	2,361	2,150	2,218	2,154	2,211	2,340	2,338	2,378
Male	16,092	1,439	1,231	1,394	1,394	1,385	1,264	1,285	1,256	1,321	1,414	1,347	1,362
Female	11,437	1,023	890	1,009	999	976	886	933	898	890	926	991	1,016
Nonwhite	330	31	22	34	30	33	20	21	27	21	30	35	26
Male	191	17	13	19	18	15	13	7	16	13	18	25	17
Female	139	14	9	15	12	18	7	14	11	8	12	10	9
MISSISSIPPI	20,755	1,737	1,751	1,963	1,778	1,667	1,854	1,682	1,465	1,484	1,743	1,734	1,897
Male	11,696	970	957	1,113	1,000	936	1,007	951	813	863	1,024	999	1,083
Female	9,059	767	794	850	778	731	847	731	652	621	719	735	834
White	9,453	786	772	871	825	751	835	755	687	688	790	806	887
Male	5,634	454	433	538	481	464	468	460	415	417	500	492	512
Female	3,819	332	339	333	344	287	367	295	272	271	290	314	375
Nonwhite	11,302	951	979	1,092	953	916	1,019	927	778	796	953	928	1,010
Male	6,062	516	524	575	519	472	539	491	398	446	524	507	551
Female	5,240	435	455	517	434	444	480	436	380	350	429	421	459
MISSOURI	45,111	4,044	3,845	4,153	3,635	3,613	4,441	3,618	3,268	3,253	3,696	3,612	3,933
Male	25,509	2,279	2,166	2,359	2,082	2,029	2,409	2,026	1,846	1,904	2,103	2,040	2,266
Female	19,602	1,765	1,679	1,794	1,553	1,584	2,032	1,592	1,422	1,349	1,593	1,572	1,667
White	40,607	3,673	3,486	3,766	3,262	3,265	3,948	3,258	2,921	2,921	3,338	3,276	3,493
Male	23,026	2,068	1,968	2,161	1,867	1,851	2,168	1,841	1,648	1,706	1,903	1,843	2,002
Female	17,581	1,605	1,518	1,605	1,395	1,414	1,780	1,417	1,273	1,215	1,435	1,433	1,491
Nonwhite	4,504	371	359	387	373	348	493	360	347	332	358	336	440
Male	2,483	211	198	198	215	178	241	185	198	198	200	197	264
Female	2,021	160	161	189	158	170	252	175	149	134	158	139	176
MONTANA	6,005	525	453	526	525	530	507	495	465	467	513	508	491
Male	3,906	329	298	341	342	337	329	340	318	316	324	327	305
Female	2,099	196	155	185	183	193	178	155	147	151	189	181	186
White	5,738	494	437	494	498	514	479	474	446	442	495	491	474
Male	3,768	313	293	324	329	327	314	329	308	302	316	317	296
Female	1,970	181	144	170	169	187	165	145	138	140	179	174	178
Nonwhite	267	31	16	32	27	16	28	21	19	25	18	17	17
Male	138	16	5	17	13	10	15	11	10	14	8	10	9
Female	129	15	11	15	14	6	13	10	9	11	10	7	8
NEBRASKA	13,093	1,129	1,086	1,265	1,099	1,026	1,227	1,022	993	946	1,006	1,135	1,159
Male	7,521	650	637	724	618	593	707	603	580	527	581	646	655
Female	5,572	479	449	541	481	433	520	419	413	419	425	489	504
White	12,756	1,105	1,062	1,233	1,063	1,000	1,198	990	976	920	979	1,102	1,128
Male	7,328	641	624	705	595	577	683	588	567	516	565	628	639
Female	5,428	464	438	528	468	423	515	402	409	404	414	474	489
Nonwhite	337	24	24	32	36	26	29	32	17	26	27	33	31
Male	193	9	13	19	23	16	24	15	13	11	16	18	16
Female	144	15	11	13	13	10	5	17	4	15	11	15	15

Table 43. Deaths by Month, Race, and Sex: United States and Each State, 1952—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA	1,702	172	147	140	135	118	137	139	117	139	154	159	145
Male	1,152	120	101	94	86	86	90	96	75	87	112	106	99
Female	550	52	46	46	49	32	47	43	42	52	42	53	46
White	1,570	159	139	123	130	105	121	127	106	130	141	150	139
Male	1,079	114	97	84	84	77	79	90	69	84	102	102	97
Female	491	45	42	39	46	28	42	37	37	46	39	48	42
Nonwhite	132	13	8	17	5	13	16	12	11	9	13	9	6
Male	73	6	4	10	2	9	11	6	6	3	10	4	2
Female	59	7	4	7	3	4	5	6	5	6	3	5	4
NEW HAMPSHIRE	6,175	537	530	566	554	548	516	486	438	468	538	500	494
Male	3,489	315	297	312	324	306	264	280	245	260	311	282	293
Female	2,686	222	233	254	230	242	252	206	193	208	227	218	201
White	6,168	535	529	566	554	548	516	485	437	468	537	500	493
Male	3,483	313	296	312	324	306	264	279	244	260	310	282	293
Female	2,685	222	233	254	230	242	252	206	193	208	227	218	200
Nonwhite	7	2	1	-	-	-	-	1	1	-	1	-	1
Male	6	2	1	-	-	-	-	1	1	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
NEW JERSEY	51,541	4,757	4,418	4,653	4,325	4,145	4,459	4,174	3,709	3,739	4,280	4,318	4,564
Male	28,485	2,625	2,412	2,490	2,373	2,320	2,500	2,305	2,141	2,085	2,295	2,417	2,522
Female	23,056	2,132	2,006	2,163	1,952	1,825	1,959	1,869	1,568	1,654	1,985	1,901	2,042
White	47,643	4,386	4,115	4,279	4,018	3,857	4,148	3,836	3,421	3,434	3,954	3,996	4,199
Male	26,369	2,427	2,239	2,288	2,206	2,162	2,321	2,129	1,984	1,930	2,131	2,239	2,313
Female	21,274	1,959	1,876	1,991	1,812	1,695	1,827	1,707	1,437	1,504	1,823	1,757	1,886
Nonwhite	3,898	371	303	374	307	288	311	338	288	305	326	322	365
Male	2,116	198	173	202	167	158	179	176	157	155	164	178	209
Female	1,782	173	130	172	140	130	132	162	131	150	162	144	156
NEW MEXICO	5,429	506	455	434	425	434	435	382	473	460	504	450	471
Male	3,259	296	262	254	263	266	272	229	287	277	303	276	274
Female	2,170	210	193	180	162	168	163	153	186	183	201	174	197
White	4,836	446	409	397	375	381	391	332	409	403	448	416	429
Male	2,917	263	238	235	228	241	247	203	249	237	272	254	250
Female	1,919	183	171	162	147	140	144	129	160	166	176	162	179
Nonwhite	593	60	46	37	50	53	44	50	64	57	56	34	42
Male	342	33	24	19	35	25	25	26	38	40	31	22	24
Female	251	27	22	18	15	28	19	24	26	17	25	12	18
NEW YORK	160,749	14,260	13,651	14,593	13,581	13,524	13,639	13,113	11,834	11,934	13,418	13,137	14,065
Male	88,815	7,714	7,466	7,999	7,460	7,482	7,454	7,252	6,641	6,704	7,457	7,240	7,946
Female	71,934	6,546	6,185	6,594	6,121	6,042	6,185	5,861	5,193	5,230	5,961	5,897	6,119
White	150,488	13,417	12,806	13,648	12,722	12,724	12,751	12,342	11,054	11,119	12,509	12,256	13,140
Male	83,136	7,253	7,004	7,487	6,979	7,037	6,963	6,830	6,202	6,222	6,973	6,766	7,420
Female	67,352	6,164	5,802	6,161	5,743	5,687	5,788	5,512	4,852	4,897	5,536	5,490	5,720
Nonwhite	10,261	843	845	945	859	800	888	771	780	815	909	881	925
Male	5,679	461	462	512	481	445	491	422	439	482	484	474	526
Female	4,582	382	383	433	378	355	397	349	341	333	425	407	399
NORTH CAROLINA	32,259	2,684	2,731	3,092	2,578	2,658	3,080	2,739	2,378	2,240	2,553	2,748	2,778
Male	18,565	1,571	1,543	1,703	1,464	1,516	1,747	1,602	1,381	1,335	1,500	1,584	1,619
Female	13,694	1,113	1,188	1,389	1,114	1,142	1,333	1,137	997	905	1,053	1,164	1,159
White	21,252	1,740	1,844	1,981	1,724	1,753	2,000	1,846	1,611	1,460	1,677	1,827	1,789
Male	12,593	1,036	1,081	1,115	1,023	1,024	1,160	1,091	977	901	1,008	1,083	1,094
Female	8,659	704	763	866	701	729	840	755	634	559	669	744	695
Nonwhite	11,007	944	887	1,111	854	905	1,080	893	767	780	876	921	989
Male	5,972	535	462	588	441	492	587	511	404	434	492	501	525
Female	5,035	409	425	523	413	413	493	382	363	346	384	420	464
NORTH DAKOTA	4,971	397	383	435	407	430	422	433	415	361	447	409	432
Male	3,062	240	250	281	242	262	261	273	254	244	269	237	249
Female	1,909	157	133	154	165	168	161	160	161	117	178	172	183
White	4,835	382	372	424	399	413	409	420	406	354	435	402	419
Male	2,992	233	242	278	237	253	257	265	248	239	264	232	244
Female	1,843	149	130	146	162	160	152	155	158	115	171	170	175
Nonwhite	136	15	11	11	8	17	13	13	9	7	12	7	13
Male	70	7	8	3	5	9	4	8	6	5	5	5	5
Female	66	8	3	8	3	8	9	5	3	2	7	2	8
OHIO	84,013	7,356	6,993	7,898	6,985	7,049	7,106	6,521	6,386	6,315	7,075	6,915	7,414
Male	47,336	4,070	3,903	4,409	3,946	3,979	3,966	3,653	3,675	3,597	4,015	3,909	4,214
Female	36,677	3,286	3,090	3,489	3,039	3,070	3,140	2,868	2,711	2,718	3,060	3,006	3,200
White	77,756	6,794	6,465	7,345	6,488	6,495	6,601	6,037	5,923	5,821	6,522	6,441	6,824
Male	43,787	3,757	3,592	4,110	3,648	3,679	3,681	3,385	3,410	3,323	3,692	3,644	3,866
Female	33,969	3,037	2,873	3,235	2,840	2,816	2,920	2,652	2,513	2,498	2,830	2,797	2,958
Nonwhite	6,257	562	528	553	497	554	505	484	463	494	553	474	590
Male	3,549	313	311	299	298	300	285	268	265	274	323	265	348
Female	2,708	249	217	254	199	254	220	216	198	220	230	209	242
OKLAHOMA	19,713	1,832	1,768	1,784	1,624	1,548	1,720	1,693	1,528	1,312	1,503	1,633	1,748
Male	11,685	1,056	1,067	1,084	982	896	994	1,030	880	755	911	989	1,041
Female	8,028	776	721	700	642	652	726	663	648	557	592	644	707
White	17,294	1,599	1,555	1,566	1,430	1,369	1,509	1,484	1,355	1,147	1,316	1,440	1,524
Male	10,351	923	937	958	865	797	886	921	786	673	810	876	917
Female	6,943	676	618	608	565	572	623	563	569	474	506	562	607
Nonwhite	2,419	233	233	218	194	179	211	209	173	165	187	193	224
Male	1,334	133	130	126	117	99	108	109	94	82	101	111	124
Female	1,085	100	103	92	77	80	103	100	79	83	86	82	100

Table 43. Deaths by Month, Race, and Sex: United States and Each State, 1952—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON	14,605	1,361	1,167	1,367	1,227	1,227	1,176	1,141	1,097	1,123	1,157	1,261	1,301
Male	8,884	795	718	818	744	747	723	707	675	683	715	766	793
Female	5,721	566	449	549	483	480	453	434	422	440	442	495	508
White	14,339	1,337	1,146	1,347	1,215	1,205	1,155	1,125	1,074	1,106	1,125	1,227	1,277
Male	8,716	784	705	805	737	733	710	699	662	671	693	743	774
Female	5,623	553	441	542	478	472	445	426	412	435	432	484	503
Nonwhite	266	24	21	20	12	22	21	16	23	17	32	34	24
Male	168	11	13	13	7	14	13	8	13	12	22	23	19
Female	98	13	8	7	5	8	8	8	10	5	10	11	5
PENNSYLVANIA	110,956	9,989	9,465	10,623	9,445	9,304	9,387	8,605	8,216	8,034	9,186	9,089	9,613
Male	61,816	5,432	5,297	5,848	5,206	5,219	5,190	4,779	4,586	4,501	5,207	5,163	5,388
Female	49,140	4,557	4,168	4,775	4,239	4,085	4,197	3,826	3,630	3,533	3,979	3,926	4,225
White	103,368	9,318	8,811	9,865	8,812	8,688	8,732	8,007	7,644	7,474	8,562	8,465	8,990
Male	57,590	5,054	4,916	5,449	4,867	4,874	4,826	4,432	4,270	4,194	4,839	4,826	5,043
Female	45,778	4,264	3,895	4,416	3,945	3,814	3,906	3,575	3,374	3,280	3,723	3,639	3,947
Nonwhite	7,588	671	654	758	633	616	655	598	572	560	624	624	623
Male	4,226	378	381	399	339	345	364	347	316	307	368	337	345
Female	3,362	293	273	359	294	271	291	251	256	253	256	287	278
RHODE ISLAND	8,240	723	692	740	731	705	654	686	577	616	655	682	779
Male	4,388	398	379	400	375	383	337	356	307	351	328	353	421
Female	3,852	325	313	340	356	322	317	330	270	265	327	329	358
White	8,093	710	675	728	713	692	645	675	562	609	639	675	770
Male	4,312	394	370	394	365	375	333	350	297	348	319	349	418
Female	3,781	316	305	334	348	317	312	325	265	261	320	326	352
Nonwhite	147	13	17	12	18	13	9	11	15	7	16	7	9
Male	76	4	9	6	10	8	4	6	10	3	9	4	3
Female	71	9	8	6	8	5	5	5	5	4	7	3	6
SOUTH CAROLINA	18,570	1,643	1,521	1,662	1,586	1,532	1,741	1,526	1,380	1,262	1,476	1,533	1,708
Male	10,559	920	865	953	917	835	976	886	775	745	831	876	980
Female	8,011	723	656	709	669	697	765	640	605	517	645	657	728
White	9,664	822	799	878	835	800	908	803	693	725	753	790	858
Male	5,758	469	479	537	506	452	535	506	402	455	450	452	515
Female	3,906	353	320	341	329	348	373	297	291	270	303	338	343
Nonwhite	8,906	821	722	784	751	732	833	723	687	537	723	743	850
Male	4,801	451	386	416	411	383	441	380	373	290	381	424	465
Female	4,105	370	336	368	340	349	392	343	314	247	342	319	385
SOUTH DAKOTA	5,840	538	485	499	498	495	470	505	439	459	500	504	448
Male	3,546	332	293	312	308	295	289	286	274	284	305	312	256
Female	2,294	206	192	187	190	200	181	219	165	175	195	192	192
White	5,562	512	463	481	473	476	445	485	413	423	474	483	434
Male	3,379	316	278	302	294	289	271	273	255	267	289	295	250
Female	2,183	196	185	179	179	187	174	212	158	156	185	188	184
Nonwhite	278	26	22	18	25	19	25	20	26	36	26	21	14
Male	167	16	15	10	14	6	18	13	19	17	16	17	6
Female	111	10	7	8	11	13	7	7	7	19	10	4	8
TENNESSEE	29,494	2,479	2,594	2,777	2,456	2,381	2,832	2,420	2,187	2,151	2,386	2,370	2,461
Male	16,690	1,437	1,447	1,595	1,416	1,335	1,554	1,337	1,233	1,253	1,335	1,361	1,387
Female	12,804	1,042	1,147	1,182	1,040	1,046	1,278	1,083	954	898	1,051	1,009	1,074
White	22,695	1,908	2,008	2,155	1,909	1,859	2,128	1,844	1,704	1,680	1,813	1,790	1,897
Male	13,124	1,121	1,136	1,248	1,119	1,064	1,203	1,054	993	1,011	1,043	1,053	1,079
Female	9,571	787	872	907	790	795	925	790	711	669	770	737	818
Nonwhite	6,799	571	586	622	547	522	704	576	483	471	573	580	564
Male	3,566	316	311	347	297	271	351	283	240	242	292	308	308
Female	3,233	255	275	275	250	251	353	293	243	229	281	272	256
TEXAS	64,958	5,618	5,447	5,735	5,117	5,066	5,379	5,361	5,727	4,595	5,447	5,364	6,102
Male	38,285	3,304	3,222	3,385	3,088	3,023	3,141	3,086	3,270	2,747	3,211	3,219	3,589
Female	26,673	2,314	2,225	2,350	2,029	2,043	2,238	2,275	2,457	1,848	2,236	2,145	2,513
White	53,863	4,646	4,543	4,703	4,283	4,185	4,483	4,447	4,735	3,837	4,533	4,447	5,021
Male	32,215	2,772	2,711	2,792	2,615	2,536	2,669	2,602	2,738	2,315	2,712	2,728	3,025
Female	21,648	1,874	1,832	1,911	1,668	1,649	1,814	1,845	1,997	1,522	1,821	1,719	1,996
Nonwhite	11,095	972	904	1,032	834	881	896	914	992	758	914	917	1,081
Male	6,070	532	511	593	473	487	472	484	532	432	499	491	564
Female	5,025	440	393	439	361	394	424	430	460	326	415	426	517
UTAH	5,271	509	429	479	431	454	422	463	414	390	423	458	399
Male	3,140	309	251	272	257	266	280	268	244	235	260	264	234
Female	2,131	200	178	207	174	188	142	195	170	155	163	194	165
White	5,136	497	421	467	423	442	413	447	396	380	416	446	388
Male	3,046	299	244	264	251	258	272	255	232	228	257	257	229
Female	2,090	198	177	203	172	184	141	192	164	152	159	189	159
Nonwhite	135	12	8	12	8	12	9	16	18	10	7	12	11
Male	94	10	7	8	6	8	8	13	12	7	3	7	5
Female	41	2	1	4	2	4	1	3	6	3	4	5	6
VERMONT	4,097	344	326	377	369	367	362	304	297	311	373	306	361
Male	2,330	174	184	205	206	217	218	184	185	155	218	170	214
Female	1,767	170	142	172	163	150	144	120	112	156	155	136	147
White	4,094	344	326	377	369	367	362	303	297	310	373	305	361
Male	2,328	174	184	205	206	217	218	184	185	154	218	169	214
Female	1,766	170	142	172	163	150	144	119	112	156	155	136	147
Nonwhite	3	-	-	-	-	-	-	1	-	1	-	1	-
Male	2	-	-	-	-	-	-	-	-	1	-	1	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-

Table 43. Deaths by Month, Race, and Sex: United States and Each State, 1952—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA	30,237	2,639	2,640	2,977	2,516	2,410	2,510	2,557	2,175	2,210	2,481	2,441	2,681
Male	17,233	1,461	1,510	1,898	1,450	1,339	1,373	1,457	1,313	1,270	1,440	1,399	1,523
Female	13,004	1,178	1,130	1,279	1,066	1,071	1,137	1,100	862	940	1,041	1,042	1,158
White	20,951	1,822	1,869	2,095	1,760	1,690	1,722	1,729	1,490	1,540	1,707	1,714	1,813
Male	12,059	1,021	1,075	1,196	1,029	934	935	993	926	900	996	999	1,055
Female	8,892	801	794	899	731	756	787	736	564	640	711	715	758
Nonwhite	9,286	817	771	882	756	720	788	828	685	670	774	727	868
Male	5,174	440	435	502	421	405	438	464	387	370	444	400	468
Female	4,112	377	336	380	335	315	350	364	298	300	330	327	400
WASHINGTON	23,021	2,021	1,770	2,044	1,980	1,973	1,768	1,874	1,818	1,764	1,890	2,051	2,068
Male	13,958	1,249	1,057	1,242	1,203	1,169	1,060	1,154	1,098	1,046	1,143	1,249	1,288
Female	9,063	772	713	802	777	804	708	720	720	718	747	802	780
White	22,362	1,958	1,727	1,993	1,928	1,914	1,710	1,822	1,769	1,707	1,839	1,988	2,007
Male	13,527	1,210	1,030	1,206	1,169	1,130	1,021	1,120	1,064	1,012	1,108	1,208	1,249
Female	8,835	748	697	787	759	784	689	702	705	695	731	780	758
Nonwhite	659	63	43	51	52	59	58	52	49	57	51	63	61
Male	431	39	27	36	34	39	39	34	34	34	35	41	39
Female	228	24	16	15	18	20	19	18	15	23	16	22	22
WEST VIRGINIA	17,147	1,530	1,571	1,616	1,443	1,331	1,425	1,326	1,315	1,288	1,468	1,375	1,459
Male	10,163	874	901	953	844	808	831	802	777	773	910	816	874
Female	6,984	656	670	663	599	523	594	524	538	515	558	559	585
White	15,864	1,412	1,464	1,480	1,342	1,233	1,333	1,224	1,209	1,192	1,357	1,285	1,333
Male	9,398	806	838	871	792	755	778	731	711	718	840	758	800
Female	6,466	606	626	609	550	478	555	493	498	474	517	527	533
Nonwhite	1,283	118	107	136	101	98	92	102	106	96	111	90	126
Male	765	68	63	82	52	53	53	71	66	55	70	58	74
Female	518	50	44	54	49	45	39	31	40	41	41	32	52
WISCONSIN	34,081	3,013	2,761	3,267	2,934	2,926	2,652	2,736	2,533	2,682	2,921	2,706	2,950
Male	19,578	1,687	1,563	1,870	1,710	1,654	1,547	1,544	1,478	1,602	1,651	1,564	1,708
Female	14,503	1,326	1,198	1,397	1,224	1,272	1,105	1,192	1,055	1,080	1,270	1,142	1,242
White	33,592	2,967	2,707	3,226	2,897	2,884	2,618	2,698	2,490	2,646	2,884	2,672	2,903
Male	19,298	1,659	1,529	1,847	1,696	1,633	1,524	1,524	1,451	1,580	1,629	1,551	1,675
Female	14,294	1,308	1,178	1,379	1,201	1,251	1,094	1,174	1,039	1,066	1,255	1,121	1,228
Nonwhite	489	46	54	41	37	42	34	38	43	36	37	34	47
Male	280	28	34	23	14	21	23	20	27	22	22	13	33
Female	209	18	20	18	23	21	11	18	16	14	15	21	14
WYOMING	2,503	240	213	224	221	207	207	197	208	183	185	204	214
Male	1,626	155	136	149	142	128	138	127	140	114	128	128	141
Female	877	85	77	75	79	79	69	70	68	69	57	76	73
White	2,429	236	209	216	212	204	203	193	201	176	183	194	202
Male	1,589	153	133	146	139	126	138	126	137	109	126	123	133
Female	840	83	76	70	73	78	65	67	64	67	57	71	69
Nonwhite	74	4	4	8	9	3	4	4	7	7	2	10	12
Male	37	2	3	3	3	2	-	1	3	5	2	5	8
Female	37	2	1	5	6	1	4	3	4	2	-	5	4

Table 44. Deaths by Specified Race and Sex: United States and Each State, 1952

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	1,496,838	853,927	642,911	753,571	561,451	95,723	78,972	2,450	1,975	1,038	168	741	265	404	80
Alabama	27,273	15,351	11,922	9,356	6,605	5,994	5,315	-	1	1	-	-	1	-	-
Arizona	7,370	4,622	2,748	3,954	2,233	202	137	446	372	11	5	6	-	3	1
Arkansas	15,681	9,203	6,478	6,733	4,472	2,466	2,002	3	2	-	1	-	-	1	1
California	108,552	63,168	45,384	59,446	43,056	2,339	1,883	213	135	447	111	457	168	266	31
Colorado	12,896	7,416	5,480	7,241	5,336	129	117	17	16	3	-	26	11	-	-
Connecticut	20,139	11,165	8,974	10,862	8,707	288	266	2	1	8	-	1	-	4	-
Delaware	3,520	2,020	1,500	1,650	1,242	363	255	2	2	2	-	-	-	3	1
District of Columbia	8,480	4,644	3,836	2,823	2,363	1,801	1,470	3	1	14	1	-	1	3	-
Florida	29,219	17,506	11,713	13,276	8,424	4,212	3,280	9	9	3	-	1	-	5	-
Georgia	30,697	17,579	13,118	10,892	7,503	6,683	5,611	2	2	2	1	-	-	-	1
Idaho	4,876	3,060	1,816	2,990	1,784	15	6	41	23	2	-	10	3	2	-
Illinois	94,203	53,788	40,415	49,161	36,812	4,495	3,575	9	7	71	6	38	14	14	1
Indiana	41,325	23,456	17,869	22,115	16,840	1,335	1,028	3	1	1	-	2	-	-	-
Iowa	26,595	15,259	11,336	15,088	11,216	165	115	5	4	-	1	-	-	1	-
Kansas	19,582	11,241	8,341	10,681	7,866	542	466	13	8	1	1	1	-	3	-
Kentucky	28,376	16,121	12,255	14,335	10,777	1,785	1,476	-	2	1	-	-	-	-	-
Louisiana	24,708	14,111	10,597	8,531	5,913	5,567	4,680	7	4	4	-	-	-	2	-
Maine	9,902	5,613	4,289	5,594	4,279	9	6	10	3	-	-	-	-	-	1
Maryland	23,981	13,338	10,643	10,631	8,534	2,702	2,109	-	-	4	-	-	-	1	-
Massachusetts	51,587	27,647	23,940	27,142	23,517	443	411	4	3	43	3	-	1	15	5
Michigan	59,481	34,660	24,821	32,176	22,929	2,399	1,844	57	40	17	3	2	1	9	4
Minnesota	27,859	16,283	11,576	16,092	11,437	113	71	66	64	7	-	5	2	-	2
Mississippi	20,755	11,696	9,059	5,634	3,819	6,050	5,229	8	10	4	1	-	-	-	-
Missouri	45,111	25,509	19,602	23,026	17,581	2,476	2,018	3	-	4	-	-	1	-	2
Montana	6,005	3,906	2,099	3,768	1,970	8	7	115	121	7	-	7	1	1	-
Nebraska	13,093	7,521	5,572	7,328	5,428	162	110	26	33	3	-	1	1	1	-
Nevada	1,702	1,152	550	1,079	491	31	22	36	36	4	-	-	1	2	-
New Hampshire	6,175	3,489	2,686	3,483	2,685	4	-	1	-	-	-	1	1	-	-
New Jersey	51,541	28,485	23,056	26,369	21,274	2,092	1,773	7	5	12	1	3	1	2	2
New Mexico	5,429	3,259	2,170	2,917	1,919	61	20	279	231	2	-	-	-	-	-
New York	160,749	88,815	71,934	83,136	67,352	5,325	4,515	58	36	229	17	40	5	27	9
North Carolina	32,259	18,565	13,694	12,593	8,659	5,850	4,945	122	88	-	-	-	1	-	1
North Dakota	4,971	3,062	1,909	2,992	1,843	7	4	61	61	2	-	-	1	-	-
Ohio	84,013	47,336	36,677	43,787	33,969	3,518	2,699	3	1	19	1	7	4	2	3
Oklahoma	19,713	11,685	8,028	10,351	6,943	1,012	813	318	272	3	-	1	-	-	-
Oregon	14,605	8,884	5,721	8,716	5,623	87	47	38	40	13	4	24	6	6	1
Pennsylvania	110,956	61,816	49,140	57,590	45,778	4,179	3,357	9	1	28	2	9	-	1	2
Rhode Island	8,240	4,388	3,852	4,312	3,781	71	67	2	4	3	-	-	-	-	-
South Carolina	18,570	10,559	8,011	5,758	3,906	4,799	4,096	1	9	-	-	-	-	1	-
South Dakota	5,840	3,546	2,294	3,379	2,183	4	2	162	108	1	1	-	-	-	-
Tennessee	29,494	16,690	12,804	13,124	9,571	3,563	3,230	1	-	2	2	-	-	-	1
Texas	64,958	38,285	26,673	32,215	21,648	6,050	5,021	2	2	12	1	4	-	2	1
Utah	5,271	3,140	2,131	3,046	2,090	25	5	30	26	6	-	32	10	1	-
Vermont	4,097	2,330	1,767	2,328	1,766	2	1	-	-	-	-	-	-	-	-
Virginia	30,237	17,233	13,004	12,059	8,892	5,156	4,106	7	4	8	2	2	-	1	-
Washington	23,021	13,958	9,063	13,527	8,835	175	88	146	102	24	3	61	26	25	9
West Virginia	17,147	10,163	6,984	9,398	6,466	765	518	-	-	-	-	-	-	-	-
Wisconsin	34,081	19,578	14,503	19,298	14,294	187	145	85	61	8	-	-	2	-	1
Wyoming	2,503	1,626	877	1,589	840	17	11	18	24	2	-	-	2	-	-

Table 45. Deaths by Race and Sex for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1952

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	ALL RACES			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
UNITED STATES	1,496,838	853,927	642,911	1,315,022	753,571	561,451	181,816	100,356	81,460
Metropolitan counties	868,717	488,741	379,976	772,397	435,552	336,845	96,320	53,189	43,131
Nonmetropolitan counties	628,121	365,186	262,935	542,625	318,019	224,606	85,496	47,167	38,329
Alabama	27,273	15,351	11,922	15,961	9,356	6,605	11,312	5,995	5,317
Metropolitan counties	9,782	5,534	4,248	5,277	3,107	2,170	4,505	2,427	2,078
Nonmetropolitan counties	17,491	9,817	7,674	10,684	6,249	4,435	6,807	3,568	3,239
Arizona	7,370	4,622	2,748	6,187	3,954	2,233	1,183	668	515
Metropolitan counties	3,183	2,015	1,168	2,926	1,869	1,057	257	146	111
Nonmetropolitan counties	4,187	2,607	1,580	3,261	2,085	1,176	926	522	404
Arkansas	15,681	9,203	6,478	11,205	6,733	4,472	4,476	2,470	2,006
Metropolitan counties	1,844	1,058	786	1,247	740	507	597	318	279
Nonmetropolitan counties	13,837	8,145	5,692	9,958	5,993	3,965	3,879	2,152	1,727
California	108,552	63,168	45,384	102,502	59,446	43,056	6,050	3,722	2,328
Metropolitan counties	87,886	50,279	37,607	82,823	37,223	35,600	5,063	3,056	2,007
Nonmetropolitan counties	20,666	12,889	7,777	19,679	12,223	7,456	987	666	321
Colorado	12,896	7,416	5,480	12,577	7,241	5,336	319	175	144
Metropolitan counties	6,527	3,651	2,876	6,289	3,527	2,762	238	124	114
Nonmetropolitan counties	6,369	3,765	2,604	6,288	3,714	2,574	81	51	30
Connecticut	20,139	11,165	8,974	19,569	10,862	8,707	570	303	267
Metropolitan counties	15,832	8,774	7,058	15,320	8,500	6,820	512	274	238
Nonmetropolitan counties	4,307	2,391	1,916	4,249	2,362	1,887	58	29	29
Delaware	3,520	2,020	1,500	2,892	1,650	1,242	628	370	258
Metropolitan counties	2,292	1,312	980	1,952	1,094	858	340	218	122
Nonmetropolitan counties	1,228	708	520	940	556	384	288	152	136
District of Columbia	8,480	4,644	3,836	5,186	2,823	2,363	3,294	1,821	1,473
Florida	29,219	17,506	11,713	21,700	13,276	8,424	7,519	4,230	3,289
Metropolitan counties	14,325	8,609	5,716	11,574	7,089	4,485	2,751	1,520	1,231
Nonmetropolitan counties	14,894	8,897	5,997	10,126	6,187	3,939	4,768	2,710	2,058
Georgia	30,697	17,579	13,118	18,395	10,892	7,503	12,302	6,687	5,615
Metropolitan counties	11,297	6,337	4,960	6,818	3,972	2,846	4,479	2,365	2,114
Nonmetropolitan counties	19,400	11,242	8,158	11,577	6,920	4,657	7,823	4,322	3,501
Idaho	4,876	3,060	1,816	4,774	2,990	1,784	102	70	32
Nonmetropolitan counties	4,876	3,060	1,816	4,774	2,990	1,784	102	70	32
Illinois	94,203	53,788	40,415	85,973	49,161	36,812	8,230	4,627	3,603
Metropolitan counties	66,842	38,245	28,597	59,284	33,990	25,294	7,558	4,255	3,303
Nonmetropolitan counties	27,361	15,543	11,818	26,689	15,171	11,518	672	372	300
Indiana	41,325	23,456	17,869	38,955	22,115	16,840	2,370	1,341	1,029
Metropolitan counties	17,784	10,101	7,683	15,758	8,954	6,804	2,026	1,147	879
Nonmetropolitan counties	23,541	13,355	10,186	23,197	13,161	10,036	344	194	150
Iowa	26,595	15,259	11,336	26,304	15,088	11,216	291	171	120
Metropolitan counties	7,055	4,035	3,020	6,852	3,921	2,931	203	114	89
Nonmetropolitan counties	19,540	11,224	8,316	19,452	11,167	8,285	88	57	31
Kansas	19,582	11,241	8,341	18,547	10,681	7,866	1,035	560	475
Metropolitan counties	5,274	2,936	2,338	4,669	2,626	2,043	605	310	295
Nonmetropolitan counties	14,308	8,305	6,003	13,878	8,055	5,823	430	250	180
Kentucky	28,376	16,121	12,255	25,112	14,335	10,777	3,264	1,786	1,478
Metropolitan counties	9,036	4,971	4,065	7,569	4,159	3,410	1,467	812	655
Nonmetropolitan counties	19,340	11,150	8,190	17,543	10,176	7,367	1,797	974	823
Louisiana	24,708	14,111	10,597	14,444	8,531	5,913	10,264	5,580	4,684
Metropolitan parishes	10,121	5,640	4,481	6,333	3,617	2,716	3,788	2,023	1,765
Nonmetropolitan parishes	14,587	8,471	6,116	8,111	4,914	3,197	6,476	3,557	2,919
Maine	9,902	5,613	4,289	9,873	5,594	4,279	29	19	10
Metropolitan counties	1,862	1,010	852	1,856	1,007	849	6	3	3
Nonmetropolitan counties	8,040	4,603	3,437	8,017	4,587	3,430	23	16	7
Maryland	23,981	13,338	10,643	19,165	10,631	8,534	4,816	2,707	2,109
Metropolitan counties	17,040	9,464	7,576	13,381	7,393	5,988	3,659	2,071	1,588
Nonmetropolitan counties	6,941	3,874	3,067	5,784	3,238	2,546	1,157	636	521
Massachusetts	51,587	27,647	23,940	50,659	27,142	23,517	928	505	423
Metropolitan counties	50,306	26,927	23,379	49,402	26,435	22,967	904	492	412
Nonmetropolitan counties	1,281	720	561	1,257	707	550	24	13	11
Michigan	59,481	34,660	24,821	55,105	32,176	22,929	4,376	2,484	1,892
Metropolitan counties	37,634	21,875	15,759	33,828	19,722	14,106	3,806	2,153	1,653
Nonmetropolitan counties	21,847	12,785	9,062	21,277	12,454	8,823	570	331	239
Minnesota	27,859	16,283	11,576	27,529	16,092	11,437	330	191	139
Metropolitan counties	12,776	7,282	5,494	12,569	7,156	5,413	207	126	81
Nonmetropolitan counties	15,083	9,001	6,082	14,960	8,936	6,024	123	65	58
Mississippi	20,755	11,696	9,059	9,453	5,634	3,819	11,302	6,062	5,240
Metropolitan counties	1,298	705	593	561	336	225	737	369	368
Nonmetropolitan counties	19,457	10,991	8,466	8,892	5,298	3,594	10,565	5,693	4,872
Missouri	45,111	25,509	19,602	40,607	23,026	17,581	4,504	2,483	2,021
Metropolitan counties	23,995	13,366	10,629	20,503	11,460	9,043	3,492	1,906	1,586
Nonmetropolitan counties	21,116	12,143	8,973	20,104	11,566	8,538	1,012	577	435

Table 45. Deaths by Race and Sex for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1952—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	ALL RACES			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Montana	6,005	3,906	2,099	5,738	3,768	1,970	267	138	129
Nonmetropolitan counties	6,005	3,906	2,099	5,738	3,768	1,970	267	138	129
Nebraska	13,093	7,521	5,572	12,756	7,328	5,428	337	193	144
Metropolitan counties	4,233	2,352	1,881	3,969	2,202	1,767	264	150	114
Nonmetropolitan counties	8,860	5,169	3,691	8,787	5,126	3,661	73	43	30
Nevada	1,702	1,152	550	1,570	1,079	491	132	73	59
Nonmetropolitan counties	1,702	1,152	550	1,570	1,079	491	132	73	59
New Hampshire	6,175	3,489	2,686	6,168	3,483	2,685	7	6	1
Metropolitan counties	1,775	960	815	1,773	958	815	2	2	-
Nonmetropolitan counties	4,400	2,529	1,871	4,395	2,525	1,870	5	4	1
New Jersey	51,541	28,485	23,056	47,643	26,369	21,274	3,898	2,116	1,782
Metropolitan counties	45,589	25,102	20,487	42,166	23,261	18,905	3,423	1,841	1,582
Nonmetropolitan counties	5,952	3,383	2,569	5,477	3,108	2,369	475	275	200
New Mexico	5,429	3,259	2,170	4,836	2,917	1,919	593	342	251
Metropolitan counties	1,084	654	430	1,041	626	415	43	28	15
Nonmetropolitan counties	4,345	2,605	1,740	3,795	2,291	1,504	550	314	236
New York	160,749	88,815	71,934	150,488	83,136	67,352	10,261	5,679	4,582
Metropolitan counties	132,564	73,157	59,407	122,661	67,700	54,961	9,903	5,457	4,446
Nonmetropolitan counties	28,185	15,658	12,527	27,827	15,436	12,391	358	222	136
North Carolina	32,259	18,565	13,694	21,252	12,593	8,659	11,007	5,972	5,035
Metropolitan counties	7,118	4,010	3,108	4,668	2,708	1,960	2,450	1,302	1,148
Nonmetropolitan counties	25,141	14,555	10,586	16,584	9,885	6,699	8,557	4,670	3,887
North Dakota	4,971	3,062	1,909	4,835	2,992	1,843	136	70	66
Nonmetropolitan counties	4,971	3,062	1,909	4,835	2,992	1,843	136	70	66
Ohio	84,013	47,336	36,677	77,756	43,787	33,969	6,257	3,549	2,708
Metropolitan counties	55,502	31,357	24,145	49,823	28,150	21,673	5,679	3,207	2,472
Nonmetropolitan counties	28,511	15,979	12,532	27,933	15,637	12,296	578	342	236
Oklahoma	19,713	11,685	8,028	17,294	10,351	6,943	2,419	1,334	1,085
Metropolitan counties	5,065	2,910	2,155	4,449	2,561	1,888	616	349	267
Nonmetropolitan counties	14,648	8,775	5,873	12,845	7,790	5,055	1,803	985	818
Oregon	14,605	8,884	5,721	14,339	8,716	5,623	266	168	98
Metropolitan counties	6,610	3,920	2,690	6,447	3,815	2,632	163	105	58
Nonmetropolitan counties	7,995	4,964	3,031	7,892	4,901	2,991	103	63	40
Pennsylvania	110,956	61,816	49,140	103,368	57,590	45,778	7,588	4,226	3,362
Metropolitan counties	86,283	48,039	38,244	79,043	44,013	35,030	7,240	4,026	3,214
Nonmetropolitan counties	24,673	13,777	10,896	24,325	13,577	10,748	348	200	148
Rhode Island	8,240	4,388	3,852	8,093	4,312	3,781	147	76	71
Metropolitan counties	7,289	3,865	3,424	7,177	3,808	3,369	112	57	55
Nonmetropolitan counties	951	523	428	916	504	412	35	19	16
South Carolina	18,570	10,559	8,011	9,664	5,758	3,906	8,906	4,801	4,105
Metropolitan counties	4,772	2,707	2,065	2,733	1,620	1,113	2,039	1,087	952
Nonmetropolitan counties	13,798	7,852	5,946	6,931	4,138	2,793	6,867	3,714	3,153
South Dakota	5,840	3,546	2,294	5,562	3,379	2,183	278	167	111
Metropolitan counties	658	369	289	657	368	289	1	1	-
Nonmetropolitan counties	5,182	3,177	2,005	4,905	3,011	1,894	277	166	111
Tennessee	29,494	16,690	12,804	22,695	13,124	9,571	6,799	3,566	3,233
Metropolitan counties	12,564	6,928	5,636	8,344	4,780	3,564	4,220	2,148	2,072
Nonmetropolitan counties	16,930	9,762	7,168	14,351	8,344	6,007	2,579	1,418	1,161
Texas	64,958	38,285	26,673	53,863	32,215	21,648	11,095	6,070	5,025
Metropolitan counties	29,501	17,184	12,317	24,360	14,374	9,986	5,141	2,810	2,331
Nonmetropolitan counties	35,457	21,101	14,356	29,503	17,841	11,662	5,954	3,260	2,694
Utah	5,271	3,140	2,131	5,136	3,046	2,090	135	94	41
Metropolitan counties	2,891	1,683	1,208	2,820	1,623	1,197	71	60	11
Nonmetropolitan counties	2,380	1,457	923	2,316	1,423	893	64	34	30
Vermont	4,097	2,330	1,767	4,094	2,328	1,766	3	2	1
Nonmetropolitan counties	4,097	2,330	1,767	4,094	2,328	1,766	3	2	1
Virginia	30,237	17,233	13,004	20,951	12,059	8,892	9,286	5,174	4,112
Metropolitan counties	10,627	5,940	4,687	7,322	4,128	3,194	3,305	1,812	1,493
Nonmetropolitan counties	19,610	11,293	8,317	13,629	7,931	5,698	5,981	3,362	2,619
Washington	23,021	13,958	9,063	22,362	13,527	8,835	659	431	228
Metropolitan counties	13,189	7,862	5,327	12,789	7,595	5,194	400	267	133
Nonmetropolitan counties	9,832	6,096	3,736	9,573	5,932	3,641	259	164	95
West Virginia	17,147	10,163	6,984	15,864	9,398	6,466	1,283	765	518
Metropolitan counties	5,532	3,271	2,261	5,097	3,027	2,070	435	244	191
Nonmetropolitan counties	11,615	6,892	4,723	10,767	6,371	4,396	848	521	327
Wisconsin	34,081	19,578	14,503	33,592	19,298	14,294	489	280	209
Metropolitan counties	13,400	7,701	5,699	13,081	7,515	5,566	319	186	133
Nonmetropolitan counties	20,681	11,877	8,804	20,511	11,783	8,728	170	94	76
Wyoming	2,503	1,626	877	2,429	1,589	840	74	37	37
Nonmetropolitan counties	2,503	1,626	877	2,429	1,589	840	74	37	37

NOTE.—The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census, except in New England where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census. The category "nonmetropolitan counties" includes all other counties in the State.

Table 46. Deaths by Age for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1952

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
UNITED STATES	1,496,838	109,413	19,499	15,803	27,196	41,284	75,782	148,992	258,840	353,596	320,715	124,630	1,088
Metropolitan counties	868,717	57,154	9,533	7,598	12,961	23,383	46,207	95,441	165,198	210,462	175,122	65,146	512
Nonmetropolitan counties	628,121	52,259	9,966	8,205	14,235	17,901	29,575	53,551	93,642	143,134	145,593	59,484	576
Alabama	27,273	3,073	576	471	787	1,095	1,695	3,148	4,343	5,745	4,492	1,590	58
Metropolitan counties	9,782	981	191	160	269	422	763	1,346	1,767	2,036	1,416	421	10
Nonmetropolitan counties	17,491	2,092	385	311	518	673	1,132	1,802	2,576	3,709	3,076	1,169	48
Arizona	7,370	1,089	260	128	254	337	531	848	1,141	1,302	1,045	418	17
Metropolitan counties	3,183	360	72	41	100	139	248	380	540	620	489	192	2
Nonmetropolitan counties	4,187	729	188	87	154	198	283	468	601	682	556	226	15
Arkansas	15,681	1,235	309	261	443	469	844	1,532	2,550	3,605	3,261	1,165	7
Metropolitan counties	1,844	149	34	17	37	48	115	241	341	414	322	126	-
Nonmetropolitan counties	13,837	1,086	275	244	406	421	729	1,291	2,209	3,191	2,939	1,039	7
California	108,552	6,909	1,269	991	1,917	3,127	5,980	11,459	18,780	26,101	22,763	9,199	57
Metropolitan counties	87,886	5,354	974	757	1,384	2,410	4,811	9,483	15,393	21,167	18,605	7,533	15
Nonmetropolitan counties	20,666	1,555	295	234	533	717	1,169	1,976	3,387	4,934	4,158	1,666	42
Colorado	12,896	1,198	208	147	265	345	561	1,071	1,863	2,875	3,035	1,319	9
Metropolitan counties	6,527	562	90	61	120	180	292	597	1,031	1,494	1,471	624	5
Nonmetropolitan counties	6,369	636	118	86	145	165	269	474	832	1,381	1,564	695	4
Connecticut	20,139	964	166	121	205	401	892	1,790	3,725	5,305	4,659	1,900	11
Metropolitan counties	15,832	772	125	91	151	327	721	1,445	3,008	4,246	3,541	1,399	6
Nonmetropolitan counties	4,307	192	41	30	54	74	171	345	717	1,059	1,118	501	5
Delaware	3,520	242	36	33	53	97	204	373	596	825	760	298	3
Metropolitan counties	2,292	152	19	20	29	57	134	257	449	530	473	171	1
Nonmetropolitan counties	1,228	90	17	13	24	40	70	116	147	295	287	127	2
District of Columbia	8,480	669	89	62	144	299	658	1,239	1,513	1,726	1,512	561	8
Florida	29,219	2,532	440	346	599	1,045	1,930	3,596	5,195	6,510	5,123	1,885	18
Metropolitan counties	14,325	1,018	156	140	243	499	936	1,859	2,753	3,284	2,533	897	7
Nonmetropolitan counties	14,894	1,514	284	206	356	546	994	1,737	2,442	3,226	2,590	988	11
Georgia	30,697	3,177	594	443	899	1,440	2,438	3,952	5,262	6,002	4,856	1,614	20
Metropolitan counties	11,297	1,036	193	131	293	562	995	1,707	2,109	2,188	1,599	482	2
Nonmetropolitan counties	19,400	2,141	401	312	606	878	1,443	2,245	3,153	3,814	3,257	1,132	18
Idaho	4,876	422	85	103	120	163	216	396	691	1,129	1,121	422	8
Nonmetropolitan counties	4,876	422	85	103	120	163	216	396	691	1,129	1,121	422	8
Illinois	94,203	5,093	951	866	1,426	2,297	4,595	9,570	17,980	23,397	20,237	7,780	11
Metropolitan counties	66,842	3,823	682	583	1,014	1,752	3,676	7,712	13,978	16,622	12,363	4,631	6
Nonmetropolitan counties	27,361	1,270	269	283	412	545	919	1,858	4,002	6,775	7,874	3,149	5
Indiana	41,325	2,798	492	471	711	1,065	1,764	3,633	6,477	9,795	10,052	4,033	34
Metropolitan counties	17,784	1,421	213	203	287	543	896	1,936	3,137	4.185	3,655	1,298	10
Nonmetropolitan counties	23,541	1,377	279	268	424	522	868	1,697	3,340	5,610	6,397	2,735	24
Iowa	26,595	1,575	263	270	398	534	836	1,763	3,904	6,212	7,417	3,418	5
Metropolitan counties	7,055	471	84	84	102	169	278	565	1,183	1,700	1,697	721	1
Nonmetropolitan counties	19,540	1,104	179	186	296	365	558	1,198	2,721	4,512	5,720	2,697	4
Kansas	19,582	1,238	227	179	343	428	710	1,461	2,709	4,582	5,284	2,392	9
Metropolitan counties	5,274	472	67	55	89	170	253	505	802	1,203	1,135	519	4
Nonmetropolitan counties	14,308	766	160	124	254	258	457	976	1,907	3,379	4,149	1,873	5
Kentucky	28,376	2,614	501	414	669	900	1,437	2,596	4,159	6,090	6,450	2,534	12
Metropolitan counties	9,036	661	113	100	139	269	517	1,031	1,591	1,996	1,918	699	2
Nonmetropolitan counties	19,340	1,953	388	314	530	631	920	1,565	2,568	4,094	4,532	1,835	10
Louisiana	24,708	2,668	483	378	598	908	1,508	2,979	4,185	5,436	4,118	1,433	14
Metropolitan parishes	10,121	857	141	107	186	376	674	1,434	1,988	2,238	1,614	502	4
Nonmetropolitan parishes	14,587	1,811	342	271	412	532	834	1,545	2,197	3,198	2,504	931	10
Maine	9,902	635	116	102	126	184	340	691	1,481	2,286	2,763	1,174	4
Metropolitan counties	1,862	108	23	14	16	35	70	133	277	440	519	227	-
Nonmetropolitan counties	8,040	527	93	88	110	149	270	558	1,204	1,846	2,244	947	4
Maryland	23,981	1,706	334	238	440	789	1,480	2,671	4,364	5,377	4,775	1,753	54
Metropolitan counties	17,040	1,153	233	170	281	590	1,127	2,076	3,345	3,783	3,124	1,128	30
Nonmetropolitan counties	6,941	553	101	68	159	199	353	595	1,019	1,594	1,651	625	24
Massachusetts	51,587	2,461	417	364	464	889	1,923	4,381	9,265	13,193	12,892	5,074	264
Metropolitan counties	50,306	2,405	401	350	448	860	1,890	4,285	9,062	12,883	12,550	4,916	256
Nonmetropolitan counties	1,281	56	16	14	16	29	33	96	203	310	342	158	8
Michigan	59,481	4,719	730	679	1,057	1,615	2,991	6,158	11,030	13,665	12,028	4,794	15
Metropolitan counties	37,634	3,272	479	411	660	1,154	2,148	4,480	7,716	8,360	6,465	2,483	6
Nonmetropolitan counties	21,847	1,447	251	268	397	461	843	1,678	3,314	5,305	5,563	2,311	9
Minnesota	27,859	1,729	354	360	461	529	975	2,152	4,544	6,661	6,881	3,210	3
Metropolitan counties	12,776	786	146	138	164	259	477	1,106	2,362	3,199	2,855	1,282	2
Nonmetropolitan counties	15,083	943	208	222	297	270	498	1,046	2,182	3,462	4,026	1,928	1
Mississippi	20,755	2,621	482	348	610	766	1,239	2,090	2,935	4,402	3,767	1,470	25
Metropolitan counties	1,298	183	25	18	39	46	84	150	189	265	194	104	1
Nonmetropolitan counties	19,457	2,438	457	330	571	720	1,155	1,940	2,746	4,137	3,573	1,366	24
Missouri	45,111	2,572	471	405	698	971	1,845	4,120	7,184	10,802	11,309	4,699	35
Metropolitan counties	23,995	1,426	238	179	323	583	1,166	2,649	4,289	5,825	5,243	2,065	9
Nonmetropolitan counties	21,116	1,146	233	226	375	388	679	1,471	2,895	4,977	6,066	2,634	26
Montana	6,005	451	105	64	140	185	295	474	1,008	1,467	1,288	521	7
Nonmetropolitan counties	6,005	451	105	64	140	185	295	474	1,008	1,467	1,288	521	7

Table 46. Deaths by Age for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1952—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nebraska	13,093	794	142	131	222	276	450	936	1,918	3,145	3,452	1,624	3
Metropolitan counties	4,233	273	43	38	52	99	165	388	746	1,018	946	463	2
Nonmetropolitan counties	8,860	521	99	93	170	177	285	548	1,172	2,127	2,506	1,161	1
Nevada	1,702	155	22	9	47	71	121	210	313	390	262	92	10
Nonmetropolitan counties	1,702	155	22	9	47	71	121	210	313	390	262	92	10
New Hampshire	6,175	279	48	40	73	102	197	482	1,008	1,468	1,721	745	12
Metropolitan counties	1,775	86	21	8	16	35	52	141	332	431	479	168	6
Nonmetropolitan counties	4,400	193	27	32	57	67	145	341	676	1,037	1,242	577	6
New Jersey	51,541	2,613	433	330	582	1,142	2,503	5,513	10,480	13,166	10,842	3,935	2
Metropolitan counties	45,589	2,321	392	292	498	1,036	2,278	5,011	9,402	11,590	9,381	3,386	2
Nonmetropolitan counties	5,952	292	41	38	84	106	225	502	1,078	1,576	1,461	549	-
New Mexico	5,429	1,150	208	132	228	262	323	459	706	883	737	334	7
Metropolitan counties	1,084	203	28	26	28	67	71	112	168	182	134	64	1
Nonmetropolitan counties	4,345	947	180	106	200	195	252	347	538	701	603	270	6
New York	160,749	7,859	1,412	1,060	1,806	3,496	7,361	17,229	32,180	41,853	34,117	12,339	37
Metropolitan counties	132,564	6,438	1,125	843	1,466	2,987	6,455	15,099	27,730	34,915	26,512	8,971	23
Nonmetropolitan counties	28,185	1,421	287	217	340	509	906	2,130	4,450	6,938	7,605	3,368	14
North Carolina	32,259	3,968	609	490	1,026	1,465	2,277	3,676	5,107	6,710	5,256	1,667	8
Metropolitan counties	7,118	745	100	91	167	279	574	968	1,253	1,438	1,108	394	1
Nonmetropolitan counties	25,141	3,223	509	399	859	1,186	1,703	2,708	3,854	5,272	4,148	1,273	7
North Dakota	4,971	428	85	83	117	131	217	367	731	1,171	1,158	478	5
Nonmetropolitan counties	4,971	428	85	83	117	131	217	367	731	1,171	1,158	478	5
Ohio	84,013	5,611	900	758	1,318	2,038	3,844	7,810	14,246	20,115	19,508	7,837	28
Metropolitan counties	55,502	3,926	599	467	816	1,448	2,841	5,773	10,326	13,381	11,600	4,312	13
Nonmetropolitan counties	28,511	1,685	301	291	502	590	1,003	2,037	3,920	6,734	7,908	3,525	15
Oklahoma	19,713	1,439	304	257	397	545	850	1,698	2,966	4,356	4,894	1,959	48
Metropolitan counties	5,065	501	95	63	90	152	272	568	850	1,046	1,007	417	4
Nonmetropolitan counties	14,648	938	209	194	307	393	578	1,130	2,116	3,310	3,887	1,542	44
Oregon	14,605	958	171	174	251	380	670	1,349	2,313	3,578	3,319	1,426	16
Metropolitan counties	6,610	337	53	71	80	132	274	567	1,121	1,741	1,548	678	8
Nonmetropolitan counties	7,995	621	118	103	171	248	396	782	1,192	1,837	1,771	748	8
Pennsylvania	110,956	6,194	1,075	890	1,516	2,444	5,146	10,927	20,828	28,174	24,884	8,846	32
Metropolitan counties	86,283	4,826	788	654	1,116	1,933	4,131	8,916	16,856	21,927	18,640	6,470	26
Nonmetropolitan counties	24,673	1,368	287	236	400	511	1,015	2,011	3,972	6,247	6,244	2,376	6
Rhode Island	8,240	390	83	62	83	117	306	748	1,523	2,248	1,981	698	1
Metropolitan counties	7,289	335	70	47	77	97	274	674	1,380	1,993	1,745	596	1
Nonmetropolitan counties	951	55	13	15	6	20	32	74	143	255	236	102	-
South Carolina	18,570	2,564	464	314	604	939	1,552	2,508	3,280	3,462	2,164	714	5
Metropolitan counties	4,772	629	116	74	143	228	450	712	854	867	526	172	1
Nonmetropolitan counties	13,798	1,935	348	240	461	711	1,102	1,796	2,426	2,595	1,638	542	4
South Dakota	5,840	506	101	75	147	133	206	453	861	1,381	1,383	592	2
Metropolitan counties	658	60	9	7	9	9	25	50	117	140	163	69	-
Nonmetropolitan counties	5,182	446	92	68	138	124	181	403	744	1,241	1,220	523	2
Tennessee	29,494	2,742	510	382	696	1,034	1,814	2,989	4,552	6,567	6,083	2,122	3
Metropolitan counties	12,564	1,131	197	140	282	460	909	1,620	2,199	2,703	2,164	757	2
Nonmetropolitan counties	16,930	1,611	313	242	414	574	905	1,369	2,353	3,864	3,919	1,365	1
Texas	64,958	7,739	1,335	973	1,818	2,473	3,903	6,783	10,260	13,367	11,867	4,418	22
Metropolitan counties	29,501	3,622	565	445	785	1,319	2,029	3,580	4,980	5,754	4,691	1,729	2
Nonmetropolitan counties	35,457	4,117	770	528	1,033	1,154	1,874	3,203	5,280	7,613	7,176	2,689	20
Utah	5,271	575	107	105	158	187	295	437	802	1,152	1,019	428	6
Metropolitan counties	2,891	281	41	47	70	86	150	249	487	682	556	240	2
Nonmetropolitan counties	2,380	294	66	58	88	101	145	188	315	470	463	188	4
Vermont	4,097	219	57	39	54	71	140	315	568	985	1,123	514	12
Nonmetropolitan counties	4,097	219	57	39	54	71	140	315	568	985	1,123	514	12
Virginia	30,237	3,147	461	355	716	1,112	1,936	3,289	4,984	6,551	5,634	2,006	46
Metropolitan counties	10,627	1,051	138	89	213	428	774	1,379	1,933	2,244	1,764	605	9
Nonmetropolitan counties	19,610	2,096	323	266	503	684	1,162	1,910	3,051	4,307	3,870	1,401	37
Washington	23,021	1,541	282	245	402	578	1,069	1,993	3,801	5,823	5,134	2,140	13
Metropolitan counties	13,189	841	145	125	185	342	593	1,145	2,242	3,387	2,966	1,209	9
Nonmetropolitan counties	9,832	700	137	120	217	236	476	848	1,559	2,436	2,168	931	4
West Virginia	17,147	1,690	316	254	436	612	994	1,586	2,518	3,760	3,572	1,352	57
Metropolitan counties	5,532	540	94	71	128	200	348	549	852	1,250	1,068	420	12
Nonmetropolitan counties	11,615	1,150	222	183	308	412	646	1,037	1,666	2,510	2,504	932	45
Wisconsin	34,081	2,200	374	365	581	689	1,363	2,825	5,604	8,311	8,253	3,515	1
Metropolitan counties	13,400	917	126	108	222	297	613	1,324	2,547	3,369	2,831	1,045	1
Nonmetropolitan counties	20,681	1,283	248	257	359	392	750	1,501	3,057	4,942	5,422	2,470	-
Wyoming	2,503	262	42	36	91	109	158	247	407	490	464	193	4
Nonmetropolitan counties	2,503	262	42	36	91	109	158	247	407	490	464	193	4

NOTE.—The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census, except in New England where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census. The category "nonmetropolitan counties" includes all other counties in the State.

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1952

(Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 estimated midyear population in each specified group, excluding armed forces overseas. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1952, and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	1,496,838	753,571	561,451	100,356	81,460	961.0	1,095.1	797.1	1,250.1	960.8
	I. Infective and parasitic diseases										
	Tuberculosis of respiratory system (001-008)										
001	Respiratory tuberculosis with mention of occupational disease of lung	528	493	1	31	3	0.3	0.7	0.0	0.4	0.0
002	Pulmonary tuberculosis	21,060	10,872	4,420	3,637	2,131	13.5	15.8	6.3	45.3	25.1
003	Pleural tuberculosis	259	123	71	41	24	0.2	0.2	0.1	0.5	0.3
.0	Pleurisy specified as tuberculous	111	58	22	20	11	0.1	0.1	0.0	0.2	0.1
.1	Pleurisy with effusion without mention of cause	148	65	49	21	13	0.1	0.1	0.1	0.3	0.2
004	Primary tuberculosis complex with symptoms	12	3	6	1	2	0.0	0.0	0.0	0.0	0.0
005	Tracheobronchial glandular tuberculosis with symptoms	4	3	1	-	-	0.0	0.0	0.0	0	0
007	Other respiratory tuberculosis	24	15	6	2	1	0.0	0.0	0.0	0.0	0.0
008	Tuberculosis, unspecified site	599	256	166	109	68	0.4	0.4	0.2	1.4	0.8
	Tuberculosis, other forms (010-019)										
010	Tuberculosis of meninges and central nervous system	767	232	190	195	150	0.5	0.3	0.3	2.4	1.8
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	150	43	37	38	32	0.1	0.1	0.1	0.5	0.4
012	Tuberculosis of bones and joints, active or unspecified	199	80	59	41	19	0.1	0.1	0.1	0.5	0.2
.0	Active or unspecified tuberculosis of vertebral column	137	53	44	28	12	0.1	0.1	0.1	0.3	0.1
.1	Active or unspecified tuberculosis of hip	14	10	2	-	2	0.0	0.0	0.0	0	0.0
.2	Active or unspecified tuberculosis of knee	3	1	1	-	1	0.0	0.0	0.0	0	0.0
.3	Active or unspecified tuberculosis of other and unspecified bones and joints	45	16	12	13	4	0.0	0.0	0.0	0.2	0.0
013	Late effects of tuberculosis of bones and joints	3	1	-	2	-	0.0	0.0	0	0.0	0
.0	Late effects of tuberculosis of vertebral column	2	1	-	1	-	0.0	0.0	0	0.0	0
.1-.3	Late effects of tuberculosis of all other and unspecified bones and joints	1	-	-	1	-	0.0	0	0	0.0	0
014	Tuberculosis of skin and subcutaneous cellular tissue	8	1	3	4	-	0.0	0.0	0.0	0.0	0
015	Tuberculosis of lymphatic system	39	10	8	8	13	0.0	0.0	0.0	0.1	0.2
016	Tuberculosis of genito-urinary system	228	118	81	22	7	0.1	0.2	0.1	0.3	0.1
017	Tuberculosis of adrenal glands	32	17	7	7	1	0.0	0.0	0.0	0.1	0.0
018	Tuberculosis of other organs	31	9	6	9	7	0.0	0.0	0.0	0.1	0.1
019	Disseminated tuberculosis	678	206	134	186	152	0.4	0.3	0.2	2.3	1.8
.1	Acute miliary tuberculosis, unspecified	49	15	11	15	8	0.0	0.0	0.0	0.2	0.1
.2	Other forms of disseminated tuberculosis	629	191	123	171	144	0.4	0.3	0.2	2.1	1.7
	Syphilis and its sequelae (020-029)										
020	Congenital syphilis	135	29	33	39	34	0.1	0.0	0.0	0.5	0.4
.0	Interstitial keratitis	2	1	-	-	1	0.0	0.0	0	0	0.0
.1	Juvenile neurosyphilis	8	3	4	1	-	0.0	0.0	0.0	0.0	0
.2	Other congenital syphilis	125	25	29	38	33	0.1	0.0	0.0	0.5	0.4
021	Early syphilis	1	-	1	-	-	0.0	0	0.0	0	0
022	Aneurysm of aorta	1,643	1,010	275	260	98	1.1	1.5	0.4	3.2	1.2
023	Other cardiovascular syphilis	2,073	966	286	603	218	1.3	1.4	0.4	7.5	2.6
024	Tabes dorsalis	143	95	20	20	8	0.1	0.1	0.0	0.2	0.1
025	General paralysis of insane	925	450	146	242	87	0.6	0.7	0.2	3.0	1.0
026	Other syphilis of central nervous system	617	275	100	157	85	0.4	0.4	0.1	2.0	1.0
027	Other forms of late syphilis	91	38	21	21	11	0.1	0.1	0.0	0.3	0.1
028	Latent syphilis	12	5	1	4	2	0.0	0.0	0.0	0.0	0.0
029	Syphilis, unqualified	79	25	11	23	20	0.1	0.0	0.0	0.3	0.2
	Gonococcal infection and other venereal diseases (030-039)										
030	Acute or unspecified gonorrhea	12	4	2	3	3	0.0	0.0	0.0	0.0	0.0
031	Chronic gonococcal infection of genito-urinary system	10	-	2	-	8	0.0	0	0.0	0	0.1
033	Gonococcal infection of eye	1	-	-	1	-	0.0	0	0	0.0	0
035	Late effects of gonococcal infection	22	8	1	12	1	0.0	0.0	0.0	0.1	0.0
036	Chancroid	1	1	-	-	-	0.0	0.0	0	0	0
037	Lymphogranuloma venereum	25	-	3	6	16	0.0	0	0.0	0.1	0.2
038	Granuloma inguinale, venereal	11	1	2	4	4	0.0	0.0	0.0	0.0	0.0
039	Other and unspecified venereal diseases	1	-	-	1	-	0.0	0	0	0.0	0
	Infectious diseases commonly arising in intestinal tract (040-049)										
040	Typhoid fever*	78	25	17	19	17	0.1	0.0	0.0	0.2	0.2
041	Paratyphoid fever	10	-	6	3	1	0.0	0	0.0	0.0	0.0
042	Other Salmonella infections	32	15	11	3	3	0.0	0.0	0.0	0.0	0.0
044	Brucellosis (undulant fever)	23	11	10	1	1	0.0	0.0	0.0	0.0	0.0
045	Bacillary dysentery	334	121	83	70	60	0.2	0.2	0.1	0.9	0.7
.0	Flexner-Boyd group	7	4	2	1	-	0.0	0.0	0.0	0.0	0
.2	Shiga	28	8	11	6	3	0.0	0.0	0.0	0.1	0.0
.4	Bacillary, other, and unspecified	299	109	70	63	57	0.2	0.2	0.1	0.8	0.7
046	Amebiasis	136	51	55	24	6	0.1	0.1	0.1	0.3	0.1
048	Unspecified forms of dysentery	467	162	158	75	72	0.3	0.2	0.2	0.9	0.8
049	Food poisoning (infection and intoxication)	162	66	44	24	28	0.1	0.1	0.1	0.3	0.3
.0	Staphylococcal	2	1	1	-	-	0.0	0.0	0.0	0	0
.1	Botulism	14	6	6	1	1	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	146	59	37	23	27	0.1	0.1	0.1	0.3	0.3
	Other bacterial diseases (050-064)										
050	Scarlet fever*	74	32	39	2	1	0.0	0.0	0.1	0.0	0.0
051	Streptococcal sore throat*	277	126	106	26	19	0.2	0.2	0.2	0.3	0.2
052	Erysipelas	52	30	18	2	2	0.0	0.0	0.0	0.0	0.0
053	Septicemia and pyemia	726	344	245	66	71	0.5	0.5	0.3	0.8	0.8
.0	Streptococcus	72	34	24	9	5	0.0	0.0	0.0	0.1	0.1
.1	Staphylococcus	79	45	26	1	7	0.1	0.1	0.0	0.0	0.1
.2	Pneumococcus	24	10	8	3	3	0.0	0.0	0.0	0.0	0.0
.3	Other specified organism	31	21	9	1	-	0.0	0.0	0.0	0.0	0
.4	Organism unspecified	520	234	178	52	56	0.3	0.3	0.3	0.6	0.7

*Deaths occurring 1 year or more after onset of disease are shown separately at end of table.

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1952—Continued

(See headnote on p. 16)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	I. Infective and parasitic diseases—Continued										
	Other bacterial diseases (050-064)— Continued										
055	Diphtheria*	217	85	76	33	23	0.1	0.1	0.1	0.4	0.3
056	Whooping cough*	402	99	107	97	99	0.3	0.1	0.2	1.2	1.2
.0	Without mention of pneumonia	176	46	52	35	43	0.1	0.1	0.1	0.4	0.5
.1	With pneumonia	226	53	55	62	56	0.1	0.1	0.1	0.8	0.7
057	Meningococcal infections*	1,386	653	532	102	99	0.9	0.9	0.8	1.3	1.2
.0	Meningococcal meningitis	770	342	298	62	68	0.5	0.5	0.4	0.8	0.8
.1	Acute and unspecified meningococcemia	616	311	234	40	31	0.4	0.5	0.3	0.5	0.4
059	Tularemia	8	4	1	2	1	0.0	0.0	0.0	0.0	0.0
060	Leprosy	4	4	-	-	-	0.0	0.0	0	0	0
061	Tetanus	360	140	71	91	58	0.2	0.2	0.1	1.1	0.7
062	Anthrax	3	3	-	-	-	0.0	0.0	0	0	0
063	Gas gangrene	33	20	5	4	4	0.0	0.0	0.0	0.0	0.0
064	Other bacterial diseases	7	-	4	2	1	0.0	0	0.0	0.0	0.0
	Spirochetal diseases, except syphilis (070-074)										
070	Vincent's infection	17	7	3	6	1	0.0	0.0	0.0	0.1	0.0
072	Leptospirosis icterohemorrhagica (Weil's disease)	12	6	3	1	2	0.0	0.0	0.0	0.0	0.0
074	Other spirochetal and leptospirochetal infections	1	-	1	-	-	0.0	0	0.0	0	0
	Diseases attributable to viruses (080-096)										
080	Acute poliomyelitis	3,145	1,769	1,239	84	53	2.0	2.6	1.8	1.0	0.6
.0	Specified as bulbar or polioencephalitis	2,320	1,316	919	49	36	1.5	1.9	1.3	0.6	0.4
.1	With other paralysis	95	56	33	6	-	0.1	0.1	0.0	0.1	0
.3	Unspecified	730	397	287	29	17	0.5	0.6	0.4	0.4	0.2
081	Late effects of acute poliomyelitis	110	53	45	4	8	0.1	0.1	0.1	0.0	0.1
082	Acute infectious encephalitis	471	209	200	33	29	0.3	0.3	0.3	0.4	0.3
A	Arthropod-borne encephalitis	65	26	23	6	10	0.0	0.0	0.0	0.1	0.1
B	Other acute encephalitis	406	183	177	27	19	0.3	0.3	0.3	0.3	0.2
083	Late effects of acute infectious encephalitis	162	84	68	6	4	0.1	0.1	0.1	0.1	0.0
.0	Postencephalitic Parkinsonism	120	60	52	4	4	0.1	0.1	0.1	0.0	0.0
.1	Postencephalitic personality and character disorders	1	1	-	-	-	0.0	0.0	0	0	0
.2	Postencephalitic psychosis	12	6	5	1	-	0.0	0.0	0.0	0.0	0
.3	Other postencephalitic conditions	29	17	11	1	-	0.0	0.0	0.0	0.0	0
085	Measles*	618	230	238	65	85	0.4	0.3	0.3	0.8	1.0
.0	Without mention of pneumonia	270	102	114	27	27	0.2	0.1	0.2	0.3	0.3
.1	With pneumonia	348	128	124	38	58	0.2	0.2	0.2	0.5	0.7
086	Rubella (German measles)*	31	11	16	2	2	0.0	0.0	0.0	0.0	0.0
087	Chickenpox*	101	54	36	5	6	0.1	0.1	0.1	0.1	0.1
088	Herpes zoster	53	25	28	-	-	0.0	0.0	0.0	0	0
089	Mumps	55	33	14	6	2	0.0	0.0	0.0	0.1	0.0
092	Infectious hepatitis	794	333	349	57	55	0.5	0.5	0.5	0.7	0.6
093	Glandular fever (infectious mononucleosis)	19	11	7	-	1	0.0	0.0	0.0	0	0.0
094	Rabies	24	10	8	4	2	0.0	0.0	0.0	0.0	0.0
096	Other diseases attributable to viruses	342	144	151	23	24	0.2	0.2	0.2	0.3	0.3
.0	Herpes febrilis	13	5	5	2	1	0.0	0.0	0.0	0.0	0.0
.2	Psittacosis and ornithosis	5	2	-	1	2	0.0	0.0	0	0.0	0.0
.9	Other	324	137	146	20	21	0.2	0.2	0.2	0.2	0.2
	Typhus and other rickettsial diseases (100-108)										
102	Brill's disease, not specified as louse- or flea-borne typhus	1	1	-	-	-	0.0	0.0	0	0	0
104	Tick-borne typhus*	20	13	5	-	2	0.0	0.0	0.0	0	0.0
A	Rocky Mountain spotted fever	20	13	5	-	2	0.0	0.0	0.0	0	0.0
107	Typhus, unspecified	6	4	2	-	-	0.0	0.0	0.0	0	0
108	Other rickettsial diseases	2	2	-	-	-	0.0	0.0	0	0	0
	Malaria (110-117)										
112	Falciparum malaria (malignant tertian)	1	-	-	1	-	0.0	0	0	0.0	0
113	Ovale malaria	1	-	1	-	-	0.0	0	0.0	0	0
116	Other and unspecified forms of malaria	23	10	3	5	5	0.0	0.0	0.0	0.1	0.1
	Other infective and parasitic diseases (120-138)										
122	Other protozoal diseases	14	7	5	1	1	0.0	0.0	0.0	0.0	0.0
123	Schistosomiasis	3	3	-	-	-	0.0	0.0	0	0	0
124	Other trematode infestation	1	1	-	-	-	0.0	0.0	0	0	0
125	Hydatid disease	6	2	3	1	-	0.0	0.0	0.0	0.0	0
126	Other cestode infestation	9	5	3	1	-	0.0	0.0	0.0	0.0	0
127	Filariasis	1	1	-	-	-	0.0	0.0	0	0	0
128	Trichiniasis	10	2	6	1	1	0.0	0.0	0.0	0.0	0.0
129	Ankylostomiasis	4	4	-	-	-	0.0	0.0	0	0	0
130	Infestation with worms of other, mixed, and unspecified type	69	14	14	18	23	0.0	0.0	0.0	0.2	0.3
131	Dermatophytosis	4	4	-	-	-	0.0	0.0	0	0	0
132	Actinomycosis	25	16	6	3	-	0.0	0.0	0.0	0.0	0
133	Coccidioidomycosis	60	20	14	20	6	0.0	0.0	0.0	0.2	0.1
134	Other fungus infections	264	131	94	19	20	0.2	0.2	0.1	0.2	0.2
.0	Blastomycosis	27	16	7	3	1	0.0	0.0	0.0	0.0	0.0
.1	Cryptococcosis (torulosis)	46	26	15	2	3	0.0	0.0	0.0	0.0	0.0
.2	Histoplasmosis	51	32	14	3	2	0.0	0.0	0.0	0.0	0.0
.3	Moniliasis	82	38	29	5	10	0.1	0.1	0.0	0.1	0.1
.4	Sporotrichosis	2	-	-	1	1	0.0	0	0	0.0	0.0
.5	Other	56	19	29	5	3	0.0	0.0	0.0	0.1	0.0
135	Scabies	1	1	-	-	-	0.0	0.0	0	0	0
138	Other infective and parasitic diseases	145	40	48	25	32	0.1	0.1	0.1	0.3	0.4

*Deaths occurring 1 year or more after onset of disease are shown separately at end of table.

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1952—Continued

(See headnote on p. 16)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms										
	Malignant neoplasm of buccal cavity and pharynx (140-148)										
140	Malignant neoplasm of lip	407	357	41	4	5	0.3	0.5	0.1	0.0	0.1
141	Malignant neoplasm of tongue	1,192	879	216	69	28	0.8	1.3	0.3	0.9	0.3
142	Malignant neoplasm of salivary gland	463	249	180	22	12	0.3	0.4	0.3	0.3	0.1
.0	Mixed salivary gland tumor	46	20	23	2	1	0.0	0.0	0.0	0.0	0.0
.1	Other	417	229	157	20	11	0.3	0.3	0.2	0.2	0.1
143	Malignant neoplasm of floor of mouth	232	184	28	14	6	0.1	0.3	0.0	0.2	0.1
144	Malignant neoplasm of other parts of mouth and mouth unspecified	763	513	198	35	17	0.5	0.7	0.3	0.4	0.2
145	Malignant neoplasm of oral mesopharynx	348	266	55	20	7	0.2	0.4	0.1	0.2	0.1
146	Malignant neoplasm of nasopharynx	358	233	79	37	9	0.2	0.3	0.1	0.5	0.1
147	Malignant neoplasm of hypopharynx	140	117	13	8	2	0.1	0.2	0.0	0.1	0.0
148	Malignant neoplasm of pharynx, unspecified	1,126	841	185	76	24	0.7	1.2	0.3	0.9	0.3
	Malignant neoplasm of digestive organs and peritoneum (150-159)										
150	Malignant neoplasm of esophagus	4,061	2,758	772	429	102	2.6	4.0	1.1	5.3	1.2
151	Malignant neoplasm of stomach	23,466	13,109	7,900	1,649	808	15.1	19.1	11.2	20.5	9.5
152	Malignant neoplasm of small intestine, including duodenum	704	338	316	26	24	0.5	0.5	0.4	0.3	0.3
153	Malignant neoplasm of large intestine, except rectum	23,482	10,145	12,107	576	654	15.1	14.7	17.2	7.2	7.7
154	Malignant neoplasm of rectum	10,332	5,486	4,135	366	345	6.6	8.0	5.9	4.6	4.1
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	4,946	1,804	2,841	149	152	3.2	2.6	4.0	1.9	1.8
156	Malignant neoplasm of liver (secondary and unspecified)	5,522	2,426	2,543	331	222	3.5	3.5	3.6	4.1	2.6
A	Not stated whether primary or secondary	4,881	2,135	2,263	289	194	3.1	3.1	3.2	3.6	2.3
B	Secondary	641	291	280	42	28	0.4	0.4	0.4	0.5	0.3
157	Malignant neoplasm of pancreas	9,791	5,260	3,787	462	282	6.3	7.6	5.4	5.8	3.3
158	Malignant neoplasm of peritoneum	790	365	370	28	27	0.5	0.5	0.5	0.3	0.3
159	Malignant neoplasm of unspecified digestive organs	785	331	339	66	49	0.5	0.5	0.5	0.8	0.6
	Malignant neoplasm of respiratory system (160-165)										
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	579	291	220	58	10	0.4	0.4	0.3	0.7	0.1
161	Malignant neoplasm of larynx	1,873	1,586	149	120	18	1.2	2.3	0.2	1.5	0.2
162	Malignant neoplasm of trachea, and of bronchus and lung specified as primary	9,716	7,751	1,251	606	108	6.2	11.3	1.8	7.5	1.3
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	11,866	8,867	2,242	597	160	7.6	12.9	3.2	7.4	1.9
164	Malignant neoplasm of mediastinum	296	203	70	14	9	0.2	0.3	0.1	0.2	0.1
165	Malignant neoplasm of thoracic organs (secondary)	415	251	134	13	17	0.3	0.4	0.2	0.2	0.2
	Malignant neoplasm of breast and genito-urinary organs (170-181)										
170	Malignant neoplasm of breast	19,892	201	18,289	27	1,375	12.8	0.3	26.0	0.3	16.2
171	Malignant neoplasm of cervix uteri	8,329	...	6,819	...	1,510	5.3	...	9.7	...	17.8
172	Malignant neoplasm of corpus uteri	1,112	...	1,015	...	97	0.7	...	1.4	...	1.1
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	71	...	58	...	13	0.0	...	0.1	...	0.2
174	Malignant neoplasm of uterus, unspecified	5,752	...	4,774	...	978	3.7	...	6.8	...	11.5
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament	6,277	...	5,898	...	379	4.0	...	8.4	...	4.5
176	Malignant neoplasm of other and unspecified female genital organs	741	...	670	...	71	0.5	...	1.0	...	0.8
177	Malignant neoplasm of prostate	12,181	11,004	...	1,177	...	7.8	16.0	...	14.7	...
178	Malignant neoplasm of testis	613	588	...	25	...	0.4	0.9	...	0.3	...
179	Malignant neoplasm of other and unspecified male genital organs	303	245	...	58	...	0.2	0.4	...	0.7	...
180	Malignant neoplasm of kidney	3,929	2,317	1,377	145	90	2.5	3.4	2.0	1.8	1.1
181	Malignant neoplasm of bladder and other urinary organs	6,750	4,339	1,971	267	173	4.3	6.3	2.8	3.3	2.0
	Malignant neoplasm of other and unspecified sites (190-199)										
190	Malignant melanoma of skin	1,451	779	640	19	13	0.9	1.1	0.9	0.2	0.2
191	Other malignant neoplasm of skin	1,918	1,124	712	48	34	1.2	1.6	1.0	0.6	0.4
192	Malignant neoplasm of eye	357	186	157	8	6	0.2	0.3	0.2	0.1	0.1
193	Malignant neoplasm of brain and other parts of nervous system	4,869	2,789	1,822	146	112	3.1	4.1	2.6	1.8	1.3
194	Malignant neoplasm of thyroid gland	939	309	566	18	46	0.6	0.4	0.8	0.2	0.5
195	Malignant neoplasm of other endocrine glands	359	197	136	10	16	0.2	0.3	0.2	0.1	0.2
196	Malignant neoplasm of bone (including jaw bone)	2,045	1,103	779	92	71	1.3	1.6	1.1	1.1	0.8
197	Malignant neoplasm of connective tissue	593	315	234	25	19	0.4	0.5	0.3	0.3	0.2
198	Secondary and unspecified malignant neoplasm of lymph nodes	311	190	95	18	8	0.2	0.3	0.1	0.2	0.1
A	Not stated whether primary or secondary	219	133	69	11	6	0.1	0.2	0.1	0.1	0.1
B	Secondary	92	57	26	7	2	0.1	0.1	0.0	0.1	0.0
199	Malignant neoplasm of other and unspecified sites	11,865	5,156	5,654	457	618	7.6	7.5	8.0	5.7	7.3
A	Of other specified sites, not stated to be secondary	3,036	1,183	1,587	105	161	1.9	1.7	2.3	1.3	1.9
B	Of unspecified site, not stated to be secondary	719	279	317	48	75	0.5	0.4	0.5	0.6	0.9
C	Of small intestine, including duodenum, specified as secondary	9	6	3	-	-	0.0	0.0	0.0	0	0
D	Of large intestine, except rectum, specified as secondary	123	50	66	3	4	0.1	0.1	0.1	0.0	0.0
E	Of brain and other parts of nervous system specified as secondary	191	115	65	5	6	0.1	0.2	0.1	0.1	0.1
F	Of bone (including jaw bone), specified as secondary	214	114	85	12	3	0.1	0.2	0.1	0.1	0.0
G	Specified as secondary of any other site except liver, thoracic organs, and lymph nodes	1,284	463	691	41	89	0.8	0.7	1.0	0.5	1.0
H	Generalized and secondary malignant neoplasm of multiple specified sites with primary site not indicated	3,514	1,743	1,542	104	125	2.3	2.5	2.2	1.3	1.5
M	Generalized or disseminated malignant neoplasm with no site specified	2,795	1,203	1,298	139	155	1.8	1.7	1.8	1.7	1.8
	Neoplasms of lymphatic and hematopoietic tissues (200-205)										
200	Lymphosarcoma and reticulosarcoma	4,008	2,206	1,590	129	83	2.6	3.2	2.3	1.6	1.0
.0	Reticulum cell sarcoma	657	380	245	24	8	0.4	0.6	0.3	0.3	0.1
.1	Lymphosarcoma	2,779	1,525	1,113	84	57	1.8	2.2	1.6	1.0	0.7
.2	Other primary malignant neoplasms of lymphoid tissue	572	301	232	21	18	0.4	0.4	0.3	0.3	0.2

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1952—Continued

(See headnote on p. 16)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Neoplasms of lymphatic and hematopoietic tissues (200-205)—Con.										
201	Hodgkin's disease	2,793	1,620	976	126	71	1.8	2.4	1.4	1.6	0.8
202	Other forms of lymphoma (reticulosis)	679	384	257	25	13	0.4	0.6	0.4	0.3	0.2
.0	Giant follicular lymphoma (Brill-Symmer's disease)	56	34	21	-	1	0.0	0.0	0.0	0	0.0
.1	Other	623	350	236	25	12	0.4	0.5	0.3	0.3	0.1
203	Multiple myeloma (plasmocytoma)	1,571	806	606	98	61	1.0	1.2	0.9	1.2	0.7
204	Leukemia and aleukemia	9,841	5,291	3,961	321	268	6.3	7.7	5.6	4.0	3.2
.0	Lymphatic leukemia	4,073	2,276	1,567	134	96	2.6	3.3	2.2	1.7	1.1
.1	Myeloid leukemia	3,021	1,543	1,269	107	102	1.9	2.2	1.8	1.3	1.2
.2	Monocytic leukemia	648	364	264	7	13	0.4	0.5	0.4	0.1	0.2
.3	Acute leukemia, unspecified type	884	455	387	26	16	0.6	0.7	0.5	0.3	0.2
.4	Other and unspecified leukemia	1,215	653	474	47	41	0.8	0.9	0.7	0.6	0.5
205	Mycosis fungoides	55	31	18	3	3	0.0	0.0	0.0	0.0	0.0
	Benign neoplasm (210-229)										
210	Benign neoplasm of buccal cavity and pharynx	8	3	3	1	1	0.0	0.0	0.0	0.0	0.0
211	Benign neoplasm of other parts of digestive system	224	118	86	11	9	0.1	0.2	0.1	0.1	0.1
212	Benign neoplasm of respiratory system	70	31	26	6	7	0.0	0.0	0.0	0.1	0.1
213	Benign neoplasm of breast	4	-	-	-	4	0.0	0	0	0	0.0
214	Uterine fibromyoma	753	...	429	...	324	0.5	...	0.6	...	3.8
215	Other benign neoplasm of uterus	91	...	75	...	16	0.1	...	0.1	...	0.2
216	Benign neoplasm of ovary	293	...	245	...	48	0.2	...	0.3	...	0.6
217	Benign neoplasm of other female genital organs	15	...	11	...	4	0.0	...	0.0	...	0.0
218	Benign neoplasm of male genital organs	4	3	...	1	...	0.0	0.0	...	0.0	...
219	Benign neoplasm of kidney and other urinary organs	52	33	14	2	3	0.0	0.0	0.0	0.0	0.0
220	Benign melanoma of skin	1	-	-	-	1	0.0	0	0	0	0.0
221	Pilonidal cyst	4	3	1	-	-	0.0	0.0	0.0	0	0
222	Other benign neoplasm of skin	4	-	2	-	2	0.0	0	0.0	0	0.0
223	Benign neoplasm of brain and other parts of nervous system	862	392	398	33	39	0.6	0.6	0.6	0.4	0.5
224	Benign neoplasm of endocrine glands	195	89	71	19	16	0.1	0.1	0.1	0.2	0.2
225	Benign neoplasm of bone and cartilage	53	24	21	6	2	0.0	0.0	0.0	0.1	0.0
226	Lipoma	21	10	8	1	2	0.0	0.0	0.0	0.0	0.0
227	Other benign neoplasm of muscular and connective tissue	24	5	14	1	4	0.0	0.0	0.0	0.0	0.0
228	Hemangioma and lymphangioma	101	40	45	11	5	0.1	0.1	0.1	0.1	0.1
229	Benign neoplasm of other and unspecified organs and tissues	35	11	19	-	5	0.0	0.0	0.0	0	0.1
	Neoplasm of unspecified nature (230-239)										
230	Neoplasm of unspecified nature of digestive organs	251	115	110	10	16	0.2	0.2	0.2	0.1	0.2
231	Neoplasm of unspecified nature of respiratory organs	196	123	53	15	5	0.1	0.2	0.1	0.2	0.1
232	Neoplasm of unspecified nature of breast	3	-	3	-	-	0.0	0	0.0	0	0
233	Neoplasm of unspecified nature of uterus	16	...	12	...	4	0.0	...	0.0	...	0.0
234	Neoplasm of unspecified nature of ovary	16	...	11	...	5	0.0	...	0.0	...	0.1
235	Neoplasm of unspecified nature of other female genital organs	1	...	1	...	-	0.0	...	0.0	...	0
236	Neoplasm of unspecified nature of other genito-urinary organs	71	36	29	1	5	0.0	0.1	0.0	0.0	0.1
237	Neoplasm of unspecified nature of brain and other parts of nervous system	1,515	731	605	99	80	1.0	1.1	0.9	1.2	0.9
238	Neoplasm of unspecified nature of skin and musculoskeletal system	27	12	11	2	2	0.0	0.0	0.0	0.0	0.0
239	Neoplasm of unspecified nature of other and unspecified organs	223	75	122	11	15	0.1	0.1	0.2	0.1	0.2
	III. Allergic, endocrine system, metabolic, and nutritional diseases										
	Allergic disorders (240-245)										
240	Hay fever	2	-	2	-	-	0.0	0	0.0	0	0
241	Asthma	6,943	4,243	2,057	358	285	4.5	6.2	2.9	4.5	3.4
242	Angioneurotic edema	20	11	5	1	3	0.0	0.0	0.0	0.0	0.0
243	Urticaria	5	1	2	1	1	0.0	0.0	0.0	0.0	0.0
244	Allergic eczema	4	3	-	1	-	0.0	0.0	0	0.0	0
245	Other allergic disorders	37	16	14	4	3	0.0	0.0	0.0	0.0	0.0
	Diseases of thyroid gland (250-254)										
250	Simple goiter	73	11	46	5	11	0.0	0.0	0.1	0.1	0.1
251	Nontoxic nodular goiter	67	17	38	1	11	0.0	0.0	0.1	0.0	0.1
252	Thyrotoxicosis with or without goiter	1,123	173	801	16	133	0.7	0.3	1.1	0.2	1.6
.0	Toxic diffuse goiter	995	158	705	15	117	0.6	0.2	1.0	0.2	1.4
.1	Toxic nodular goiter	128	15	96	1	16	0.1	0.0	0.1	0.0	0.2
253	Myxedema and cretinism	163	45	109	2	7	0.1	0.1	0.2	0.0	0.1
254	Other diseases of thyroid gland	56	13	36	2	5	0.0	0.0	0.1	0.0	0.1
	Diabetes mellitus (260)										
260	Diabetes mellitus	25,474	9,167	13,984	790	1,533	16.4	13.3	19.9	9.8	18.1
	Diseases of other endocrine glands (270-277)										
270	Disorders of pancreatic internal secretion other than diabetes mellitus	34	12	14	5	3	0.0	0.0	0.0	0.1	0.0
271	Diseases of parathyroid gland	37	14	19	1	3	0.0	0.0	0.0	0.0	0.0
272	Diseases of pituitary gland	188	89	78	9	12	0.1	0.1	0.1	0.1	0.1
273	Diseases of thymus gland	558	298	168	50	42	0.4	0.4	0.2	0.6	0.5
274	Diseases of adrenal glands	374	169	170	24	11	0.2	0.2	0.2	0.3	0.1
277	Polyglandular dysfunction and other diseases of endocrine glands	61	14	43	-	4	0.0	0.0	0.1	0	0.0
	Avitaminoses, and other metabolic diseases (280-289)										
280	Beriberi	26	15	8	2	1	0.0	0.0	0.0	0.0	0.0
281	Pellagra	184	28	94	20	42	0.1	0.0	0.1	0.2	0.5

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1952—Continued

(See headnote on p. 16)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	III. Allergic endocrine system, metabolic, and nutritional diseases—Continued										
	Avitaminoses, and other metabolic diseases (280-289)—Continued										
282	Scurvy	18	7	7	3	1	0.0	0.0	0.0	0.0	0.0
283	Active rickets	24	7	2	9	6	0.0	0.0	0.0	0.1	0.1
284	Late effects of rickets	3	-	3	-	-	0.0	0	0.0	0	0
285	Osteomalacia	10	6	4	-	-	0.0	0.0	0.0	0	0
286	Other avitaminoses and nutritional deficiency states	675	265	269	86	55	0.4	0.4	0.4	1.1	0.6
.0	Steatorrhea and sprue	66	28	33	4	1	0.0	0.0	0.0	0.0	0.0
.1-.4	Other vitamin deficiency states	4	2	2	-	-	0.0	0.0	0.0	0	0
.5	Malnutrition, unqualified	478	185	173	74	46	0.3	0.3	0.2	0.9	0.5
.6	Other and multiple deficiency states	127	50	61	8	8	0.1	0.1	0.1	0.1	0.1
287	Obesity, not specified as of endocrine origin	27	5	15	-	7	0.0	0.0	0.0	0	0.1
288	Gout	23	22	1	-	-	0.0	0.0	0.0	0	0
289	Other metabolic diseases	299	163	117	11	8	0.2	0.2	0.2	0.1	0.1
	IV. Diseases of the blood and blood-forming organs										
	Diseases of blood and blood-forming organs (290-299)										
290	Pernicious and other hyperchromic anemias	1,687	727	874	42	44	1.1	1.1	1.2	0.5	0.5
.0	Pernicious anemia	1,601	690	834	39	38	1.0	1.0	1.2	0.5	0.4
.1	Subacute combined degeneration of spinal cord	43	19	21	1	2	0.0	0.0	0.0	0.0	0.0
.2	Other hyperchromic anemias	43	18	19	2	4	0.0	0.0	0.0	0.0	0.0
291	Iron deficiency anemias (hypochromic anemias)	70	31	29	8	2	0.0	0.0	0.0	0.1	0.0
292	Other anemias of specified type	1,202	496	477	125	104	0.8	0.7	0.7	1.6	1.2
.0	Familial acholuric jaundice	1	-	1	-	-	0.0	0	0.0	0	0
.1	Acute hemolytic anemia	31	14	13	1	3	0.0	0.0	0.0	0.0	0.0
.2	Other hemolytic anemias	143	62	63	11	7	0.1	0.1	0.1	0.1	0.1
.3	Leuko-erythroblastic anemia	46	25	17	2	2	0.0	0.0	0.0	0.0	0.0
.4	Aplastic anemia	828	390	381	33	24	0.5	0.6	0.5	0.4	0.3
.5	Nonregenerative anemia	5	3	1	1	-	0.0	0.0	0.0	0.0	0
.6	Sickle cell anemia	146	-	1	77	68	0.1	0	0.0	1.0	0.8
.7	Other specified anemias	2	2	-	-	-	0.0	0.0	0	0	0
293	Anemia of unspecified type	1,028	378	459	78	113	0.7	0.5	0.7	1.0	1.3
294	Polycythemia	266	155	104	3	4	0.2	0.2	0.1	0.0	0.0
295	Hemophilia	75	58	3	11	3	0.0	0.1	0.0	0.1	0.0
296	Purpura and other hemorrhagic conditions	607	258	298	15	36	0.4	0.4	0.4	0.2	0.4
297	Agranulocytosis	118	55	60	2	1	0.1	0.1	0.1	0.0	0.0
298	Diseases of spleen	278	121	130	16	11	0.2	0.2	0.2	0.2	0.1
.0	Hepatolienal fibrosis	175	68	91	10	6	0.1	0.1	0.1	0.1	0.1
.1	Other	103	53	39	6	5	0.1	0.1	0.1	0.1	0.1
299	Other diseases of blood and blood-forming organs	173	79	71	13	10	0.1	0.1	0.1	0.2	0.1
	V. Mental, psychoneurotic, and personality disorders										
	Psychoses (300-309)										
300	Schizophrenic disorders (dementia praecox)	280	101	115	28	36	0.2	0.1	0.2	0.3	0.4
301	Manic-depressive reaction	108	20	41	33	14	0.1	0.0	0.1	0.4	0.2
302	Involutional melancholia	26	8	18	-	-	0.0	0.0	0.0	0	0
303	Paranoia and paranoid states	5	2	3	-	-	0.0	0.0	0.0	0	0
304	Senile psychosis	819	336	401	27	55	0.5	0.5	0.6	0.3	0.6
305	Presenile psychosis	83	30	52	1	-	0.1	0.0	0.1	0.0	0
307	Alcoholic psychosis	338	259	21	51	7	0.2	0.4	0.0	0.6	0.1
309	Other and unspecified psychoses	185	68	75	14	28	0.1	0.1	0.1	0.2	0.3
	Psychoneurotic disorders (310-318)										
310	Anxiety reaction without mention of somatic symptoms	3	2	1	-	-	0.0	0.0	0.0	0	0
311	Hysterical reaction without mention of anxiety reaction	28	6	20	2	-	0.0	0.0	0.0	0.0	0
314	Neurotic-depressive reaction	2	-	2	-	-	0.0	0	0.0	0	0
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	5	2	-	2	1	0.0	0.0	0	0.0	0.0
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	4	1	2	1	-	0.0	0.0	0.0	0.0	0
318	Psychoneurotic disorders, other, mixed, and unspecified types	31	9	12	6	4	0.0	0.0	0.0	0.1	0.0
	Disorders of character, behavior, and intelligence (320-326)										
320	Pathological personality	2	1	1	-	-	0.0	0.0	0.0	0	0
321	Immature personality	1	1	-	-	-	0.0	0.0	0	0	0
322	Alcoholism	2,265	1,562	268	325	110	1.5	2.3	0.4	4.0	1.3
.0	Acute	802	542	96	123	41	0.5	0.8	0.1	1.5	0.5
.1	Chronic	883	614	110	123	36	0.6	0.9	0.2	1.5	0.4
.2	Unspecified	580	406	62	79	33	0.4	0.6	0.1	1.0	0.4
323	Other drug addiction	73	37	22	14	-	0.0	0.1	0.0	0.2	0
325	Mental deficiency	200	94	79	16	11	0.1	0.1	0.1	0.2	0.1
	VI. Diseases of the nervous system and sense organs										
	Vascular lesions affecting central nervous system (330-334)										
330	Subarachnoid hemorrhage	4,277	1,826	1,849	288	314	2.7	2.7	2.6	3.6	3.7
331	Cerebral hemorrhage	110,233	46,210	49,695	6,742	7,586	70.8	67.2	70.6	84.0	89.5
332	Cerebral embolism and thrombosis	31,448	14,667	14,373	1,254	1,154	20.2	21.3	20.4	15.6	13.6
333	Spasm of cerebral arteries	13	7	5		1	0.0	0.0	0.0	0	0.0
334	Other and ill-defined vascular lesions affecting central nervous system	20,360	8,399	8,646	1,571	1,744	13.1	12.2	12.3	19.6	20.6

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1952—Continued

(See headnote on p. 16)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs—Continued										
	Inflammatory diseases of central nervous system (340-345)										
340	Meningitis, except meningococcal and tuberculous	1,918	796	591	290	241	1.2	1.2	0.8	3.6	2.8
.0	H. influenza	319	153	97	34	35	0.2	0.2	0.1	0.4	0.4
.1	Pneumococcus	379	145	113	65	56	0.2	0.2	0.2	0.8	0.7
.2	Due to other specified organism	173	67	73	17	16	0.1	0.1	0.1	0.2	0.2
.3	Unspecified cause	1,047	431	308	174	134	0.7	0.6	0.4	2.2	1.6
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	33	18	10	3	2	0.0	0.0	0.0	0.0	0.0
342	Intracranial and intraspinal abscess	259	145	70	34	10	0.2	0.2	0.1	0.4	0.1
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	740	323	287	71	59	0.5	0.5	0.4	0.9	0.7
344	Late effects of intracranial abscess or pyogenic infection	547	248	214	36	49	0.4	0.4	0.3	0.4	0.6
A	Hydrocephalus, not otherwise specified	373	172	130	32	39	0.2	0.2	0.2	0.4	0.5
B	Other late effects of intracranial abscess or pyogenic infection	174	76	84	4	10	0.1	0.1	0.1	0.0	0.1
345	Multiple sclerosis	1,531	689	780	35	27	1.0	1.0	1.1	0.4	0.3
	Other diseases of central nervous system (350-357)										
350	Paralysis agitans	2,396	1,264	1,074	35	23	1.5	1.8	1.5	0.4	0.3
351	Cerebral spastic infantile paralysis	654	321	253	48	32	0.4	0.5	0.4	0.6	0.4
352	Other cerebral paralysis	814	332	277	104	101	0.5	0.5	0.4	1.3	1.2
353	Epilepsy	2,325	1,100	752	308	165	1.5	1.6	1.1	3.8	1.9
.0	Petit mal	13	3	7	2	1	0.0	0.0	0.0	0.0	0.0
.1	Grand mal	284	133	104	26	21	0.2	0.2	0.1	0.3	0.2
.2	Status epilepticus	562	265	186	71	40	0.4	0.4	0.3	0.9	0.5
.3	Other and unspecified	1,466	699	455	209	103	0.9	1.0	0.6	2.6	1.2
354	Migraine	4	1	3	-	-	0.0	0.0	0.0	0	0
355	Other diseases of brain	775	381	302	65	27	0.5	0.6	0.4	0.8	0.3
356	Motor neurone disease and muscular atrophy	1,062	604	397	30	31	0.7	0.9	0.6	0.4	0.4
.0	Progressive muscular atrophy	304	158	118	13	15	0.2	0.2	0.2	0.2	0.2
.1	Amyotrophic lateral sclerosis	728	432	266	16	14	0.5	0.6	0.4	0.2	0.2
.2	Spinal type of muscular atrophy	27	12	12	1	2	0.0	0.0	0.0	0.0	0.0
.3	Other and unspecified manifestations	3	2	1	-	-	0.0	0.0	0.0	0	0
357	Other diseases of spinal cord	200	87	80	20	13	0.1	0.1	0.1	0.2	0.2
	Diseases of nerves and peripheral ganglia (360-369)										
360	Facial paralysis	3	2	1	-	-	0.0	0.0	0.0	0	0
361	Trigeminal neuralgia	27	13	13	1	-	0.0	0.0	0.0	0.0	0
362	Brachial neuritis	1	-	1	-	-	0.0	0	0.0	0	0
363	Sciatica	2	1	-	-	1	0.0	0.0	0	0	0.0
364	Polyneuritis and polyradiculitis	118	67	40	6	5	0.1	0.1	0.1	0.1	0.1
365	Erythredema polyneuritica	1	-	-	1	-	0.0	0	0	0.0	0
366	Other and unspecified forms of neuralgia and neuritis	31	10	15	4	2	0.0	0.0	0.0	0.0	0.0
367	Other diseases of cranial nerves	17	7	8	2	-	0.0	0.0	0.0	0.0	0
368	Other diseases of peripheral nerves except autonomic	21	8	7	2	4	0.0	0.0	0.0	0.0	0.0
369	Diseases of peripheral autonomic nervous system	1	-	1	-	-	0.0	0	0.0	0	0
	Inflammatory diseases of eye (370-379)										
372	Hordeolum (sty)	1	-	1	-	-	0.0	0	0.0	0	0
373	Iritis	1	-	1	-	-	0.0	0	0.0	0	0
376	Other inflammation of uveal tract	4	3	1	-	-	0.0	0.0	0.0	0	0
377	Inflammation of optic nerve and retina	2	1	1	-	-	0.0	0.0	0.0	0	0
378	Inflammation of lachrymal glands and ducts	4	2	2	-	-	0.0	0.0	0.0	0	0
379	Other inflammatory diseases of eye	2	1	-	1	-	0.0	0.0	0	0.0	0
	Other diseases and conditions of eye (380-389)										
380	Refractive errors	1	1	-	-	-	0.0	0.0	0	0	0
382	Corneal opacity	1	-	1	-	-	0.0	0	0.0	0	0
384	Strabismus	11	8	3	-	-	0.0	0.0	0.0	0	0
385	Cataract	44	16	22	2	4	0.0	0.0	0.0	0.0	0.0
386	Detachment of retina	5	4	-	1	-	0.0	0.0	0	0.0	0
387	Glaucoma	15	3	9	2	1	0.0	0.0	0.0	0.0	0.0
388	Other diseases of eye	5	3	-	1	1	0.0	0.0	0	0.0	0.0
389	Blindness	1	-	-	1	-	0.0	0	0	0.0	0
	Diseases of ear and mastoid process (390-398)										
390	Otitis externa	2	2	-	-	-	0.0	0.0	0	0	0
391	Otitis media without mention of mastoiditis	340	161	112	30	37	0.2	0.2	0.2	0.4	0.4
.0	Acute	71	31	30	5	5	0.0	0.0	0.0	0.1	0.1
.1	Chronic	49	33	9	5	2	0.0	0.0	0.0	0.1	0.0
.2	Unspecified	220	97	73	20	30	0.1	0.1	0.1	0.2	0.4
392	Otitis media with mastoiditis	53	26	22	3	2	0.0	0.0	0.0	0.0	0.0
.0	Acute	15	8	6	-	1	0.0	0.0	0.0	0	0.0
.1	Chronic	17	9	7	1	-	0.0	0.0	0.0	0.0	0
.2	Unspecified	21	9	9	2	1	0.0	0.0	0.0	0.0	0.0
393	Mastoiditis without mention of otitis media	70	37	25	5	3	0.0	0.1	0.0	0.1	0.0
.0	Acute	12	4	6	1	1	0.0	0.0	0.0	0.0	0.0
.1	Chronic	18	11	5	2	-	0.0	0.0	0.0	0.0	0
.2	Unspecified	40	22	14	2	2	0.0	0.0	0.0	0.0	0.0
394	Other inflammatory diseases of ear	6	3	2	1	-	0.0	0.0	0.0	0.0	0
395	Ménière's disease	2	1	1	-	-	0.0	0.0	0.0	0	0
396	Other diseases of ear and mastoid process	4	4	-	-	-	0.0	0.0	0	0	0
	VII. Diseases of the circulatory system										
	Rheumatic fever (400-402)										
400	Rheumatic fever without mention of heart involvement	248	92	103	25	28	0.2	0.1	0.1	0.3	0.3

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1952—Continued

(See headnote on p. 16)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Rheumatic fever (400-402)—Continued										
401	Rheumatic fever with heart involvement	1,307	535	489	125	158	0.8	0.8	0.7	1.6	1.9
.0	Active rheumatic pericarditis	125	64	40	14	7	0.1	0.1	0.1	0.2	0.1
.1	Active rheumatic endocarditis	205	81	74	24	26	0.1	0.1	0.1	0.3	0.3
.2	Active rheumatic myocarditis	113	41	47	9	16	0.1	0.1	0.1	0.1	0.2
.3	Active rheumatic fever with other and multiple types of heart involvement	864	349	328	78	109	0.6	0.5	0.5	1.0	1.3
402	Chorea	28	9	17	2	-	0.0	0.0	0.0	0.0	0
.0	Without mention of heart involvement	16	5	10	1	-	0.0	0.0	0.0	0.0	0
.1	With heart involvement	12	4	7	1	-	0.0	0.0	0.0	0.0	0
	Chronic rheumatic heart disease (410-416)										
410	Diseases of mitral valve	8,023	3,582	3,549	450	442	5.2	5.2	5.0	5.6	5.2
411	Diseases of aortic valve specified as rheumatic	888	646	209	26	7	0.6	0.9	0.3	0.3	0.1
412	Diseases of tricuspid valve	25	15	5	1	4	0.0	0.0	0.0	0.0	0.0
413	Diseases of pulmonary valve specified as rheumatic	6	3	3	-	-	0.0	0.0	0.0	0	0
414	Other endocarditis specified as rheumatic	1,192	554	547	48	43	0.8	0.8	0.8	0.6	0.5
415	Other myocarditis specified as rheumatic	763	350	339	37	37	0.5	0.5	0.5	0.5	0.4
416	Other heart disease specified as rheumatic	8,857	3,922	4,163	362	410	5.7	5.7	5.9	4.5	4.8
	Arteriosclerotic and degenerative heart disease (420-422)										
420	Arteriosclerotic heart disease, including coronary disease	352,135	213,533	118,257	11,991	8,354	226.1	310.3	167.9	149.4	98.5
.0	Arteriosclerotic heart disease, so described	118,784	60,869	50,673	4,029	3,213	76.3	88.5	71.9	50.2	37.9
.1	Heart disease specified as involving coronary arteries	231,709	151,696	67,070	7,866	5,077	148.8	220.4	95.2	98.0	59.9
.2	Angina pectoris without mention of coronary disease	1,642	968	514	96	64	1.1	1.4	0.7	1.2	0.8
421	Chronic endocarditis not specified as rheumatic	9,044	4,244	3,422	741	637	5.8	6.2	4.9	9.2	7.5
.0	Of mitral valve, specified as nonrheumatic	859	384	348	57	70	0.6	0.6	0.5	0.7	0.8
.1	Of aortic valve, not specified as rheumatic	1,739	963	464	188	124	1.1	1.4	0.7	2.3	1.5
.2	Of tricuspid valve, specified as nonrheumatic	1	1	-	-	-	0.0	0.0	0	0	0
.3	Of pulmonary valve, not specified as rheumatic	14	8	4	1	1	0.0	0.0	0.0	0.0	0.0
.4	Other and ill-defined, not specified as rheumatic	6,431	2,888	2,606	495	442	4.1	4.2	3.7	6.2	5.2
422	Other myocardial degeneration	67,640	31,059	29,797	3,613	3,171	43.4	45.1	42.3	45.0	37.4
.0	Fatty degeneration	89	29	47	4	9	0.1	0.0	0.1	0.0	0.1
.1	With arteriosclerosis	34,520	15,698	15,958	1,582	1,282	22.2	22.8	22.7	19.7	15.1
.2	Other	33,031	15,332	13,792	2,027	1,880	21.2	22.3	19.6	25.2	22.2
	Other diseases of heart (430-434)										
430	Acute and subacute endocarditis	817	402	261	81	73	0.5	0.6	0.4	1.0	0.9
.0	Acute and subacute bacterial endocarditis	649	348	204	54	43	0.4	0.5	0.3	0.7	0.5
.1	Other acute endocarditis	168	54	57	27	30	0.1	0.1	0.1	0.3	0.4
431	Acute myocarditis not specified as rheumatic	2,042	898	727	216	201	1.3	1.3	1.0	2.7	2.4
432	Acute pericarditis specified as nonrheumatic	36	23	8	4	1	0.0	0.0	0.0	0.0	0.0
433	Functional disease of heart	2,459	1,207	1,079	91	82	1.6	1.8	1.5	1.1	1.0
.0	Heart block	559	325	189	25	20	0.4	0.5	0.3	0.3	0.2
.1	Other disorders of heart rhythm	1,891	876	888	65	62	1.2	1.3	1.3	0.8	0.7
.2	Other functional diseases of heart	9	6	2	1	-	0.0	0.0	0.0	0.0	0
434	Other and unspecified diseases of heart	17,303	8,960	5,027	1,964	1,352	11.1	13.0	7.1	24.5	15.9
.0	Kyphoscoliotic heart disease	75	33	36	2	4	0.0	0.0	0.1	0.0	0.0
.1	Congestive heart failure	4,601	2,060	1,673	484	384	3.0	3.0	2.4	6.0	4.5
.2	Left ventricular failure	892	484	290	65	53	0.6	0.7	0.4	0.8	0.6
.3	Other and unspecified disease of heart	11,735	6,383	3,028	1,413	911	7.5	9.3	4.3	17.6	10.7
	Hypertensive disease (440-447)										
440	Essential benign hypertension with heart disease	1,464	502	647	151	164	0.9	0.7	0.9	1.9	1.9
441	Essential malignant hypertension with heart disease	1,052	373	371	153	155	0.7	0.5	0.5	1.9	1.8
442	Hypertensive heart disease with arteriolar nephrosclerosis	23,825	9,942	9,650	2,213	2,020	15.3	14.4	13.7	27.6	23.8
443	Other and unspecified hypertensive heart disease	57,570	20,323	25,867	5,348	6,032	37.0	29.5	36.7	66.6	71.1
444	Essential benign hypertension without mention of heart	2,526	848	1,028	290	360	1.6	1.2	1.5	3.6	4.2
445	Essential malignant hypertension without mention of heart	1,407	503	349	278	277	0.9	0.7	0.5	3.5	3.3
446	Hypertension with arteriolar nephrosclerosis without mention of heart	6,353	2,873	2,473	530	477	4.1	4.2	3.5	6.6	5.6
447	Other hypertensive disease without mention of heart	2,220	806	1,102	152	160	1.4	1.2	1.6	1.9	1.9
	Diseases of arteries (450-456)										
450	General arteriosclerosis	31,685	14,487	15,051	1,153	994	20.3	21.1	21.4	14.4	11.7
.0	Without mention of gangrene	29,667	13,394	14,320	1,055	898	19.0	19.5	20.3	13.1	10.6
.1	With gangrene	2,018	1,093	731	98	96	1.3	1.6	1.0	1.2	1.1
451	Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm	3,016	2,042	710	153	111	1.9	3.0	1.0	1.9	1.3
452	Other aneurysm, except of heart and aorta	347	192	114	25	16	0.2	0.3	0.2	0.3	0.2
453	Peripheral vascular disease	376	274	78	15	9	0.2	0.4	0.1	0.2	0.1
.0	Raynaud's disease	35	18	14	2	1	0.0	0.0	0.0	0.0	0.0
.1	Thrombo-angiitis obliterans	295	229	52	8	6	0.2	0.3	0.1	0.1	0.1
.3	Other	46	27	12	5	2	0.0	0.0	0.0	0.1	0.0
454	Arterial embolism and thrombosis	313	147	136	14	16	0.2	0.2	0.2	0.2	0.2
455	Gangrene of unspecified cause	220	101	76	22	21	0.1	0.1	0.1	0.3	0.2
456	Other diseases of arteries	730	257	369	24	80	0.5	0.4	0.5	0.3	0.9
	Diseases of veins and other diseases of circulatory system (460-468)										
460	Varicose veins of lower extremities	249	104	121	9	15	0.2	0.2	0.2	0.1	0.2
461	Hemorrhoids	103	76	18	9	-	0.1	0.1	0.0	0.1	0
462	Varicose veins of other specified sites	285	169	102	11	3	0.2	0.2	0.1	0.1	0.0
463	Phlebitis and thrombophlebitis of lower extremities	614	280	284	21	29	0.4	0.4	0.4	0.3	0.3
464	Phlebitis and thrombophlebitis of other sites	408	185	192	14	17	0.3	0.3	0.3	0.2	0.2
465	Pulmonary embolism and infarction	1,142	574	397	90	81	0.7	0.8	0.6	1.1	1.0

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1952—Continued

(See headnote on p. 16)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of veins and other diseases of circulatory system (460-468)—Continued										
466	Other venous embolism and thrombosis	622	302	256	29	35	0.4	0.4	0.4	0.4	0.4
467	Other diseases of circulatory system	347	189	95	32	31	0.2	0.3	0.1	0.4	0.4
.0	Hypotension	68	32	14	12	10	0.0	0.0	0.0	0.1	0.1
.1	Diseases of capillaries	17	10	7	-	-	0.0	0.0	0.0	0	0
.2	Other and unspecified circulatory diseases	262	147	74	20	21	0.2	0.2	0.1	0.2	0.2
468	Certain diseases of lymph nodes and lymph channels	96	37	31	16	12	0.1	0.1	0.0	0.2	0.1
	VIII. Diseases of the respiratory system										
	Acute upper respiratory infections (470-475)										
470	Acute nasopharyngitis (common cold)	175	57	59	33	26	0.1	0.1	0.1	0.4	0.3
471	Acute sinusitis	25	13	9	1	2	0.0	0.0	0.0	0.0	0.0
472	Acute pharyngitis	136	55	56	12	13	0.1	0.1	0.1	0.1	0.2
473	Acute tonsillitis	138	55	42	20	21	0.1	0.1	0.1	0.2	0.2
474	Acute laryngitis and tracheitis	200	91	76	17	16	0.1	0.1	0.1	0.2	0.2
475	Acute upper respiratory infection of multiple or unspecified sites	393	152	154	42	45	0.3	0.2	0.2	0.5	0.5
	Influenza (480-483)										
480	Influenza with pneumonia*	2,823	948	948	468	459	1.8	1.4	1.3	5.8	5.4
481	Influenza with other respiratory manifestations, and influenza unqualified*	2,542	1,085	1,037	206	214	1.6	1.6	1.5	2.6	2.5
482	Influenza with digestive manifestations, but without respiratory symptoms	261	86	118	33	24	0.2	0.1	0.2	0.4	0.3
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	5	3	2	-	-	0.0	0.0	0.0	0	0
	Pneumonia (490-493)										
490	Lobar pneumonia*	12,422	5,965	3,754	1,649	1,054	8.0	8.7	5.3	20.5	12.4
491	Bronchopneumonia*	20,101	8,979	7,316	2,131	1,675	12.9	13.0	10.4	26.5	19.8
492	Primary atypical pneumonia*	3,792	1,779	1,418	326	269	2.4	2.6	2.0	4.1	3.2
493	Pneumonia, other and unspecified*	4,319	1,804	1,424	581	510	2.8	2.6	2.0	7.2	6.0
	Bronchitis (500-502)										
500	Acute bronchitis	1,038	469	374	112	83	0.7	0.7	0.5	1.4	1.0
501	Bronchitis, unqualified	737	329	278	69	61	0.5	0.5	0.4	0.9	0.7
502	Chronic bronchitis	1,195	810	307	54	24	0.8	1.2	0.4	0.7	0.3
.0	Bronchitis with emphysema	327	290	28	7	2	0.2	0.4	0.0	0.1	0.0
.1	Other	868	520	279	47	22	0.6	0.8	0.4	0.6	0.3
	Other diseases of respiratory system (510-527)										
510	Hypertrophy of tonsils and adenoids	346	150	136	32	28	0.2	0.2	0.2	0.4	0.3
.0	Without mention of tonsillectomy or adenoidectomy	42	17	13	7	5	0.0	0.0	0.0	0.1	0.1
.1	With tonsillectomy or adenoidectomy	304	133	123	25	23	0.2	0.2	0.2	0.3	0.3
511	Peritonsillar abscess (quinsy)	27	11	8	3	5	0.0	0.0	0.0	0.0	0.1
512	Chronic pharyngitis and nasopharyngitis	4	2	2	-	-	0.0	0.0	0.0	0	0
513	Chronic sinusitis	104	54	35	12	3	0.1	0.1	0.0	0.1	0.0
514	Deflected nasal septum	1	1	-	-	-	0.0	0.0	0	0	0
515	Nasal polyp	2	2	-	-	-	0.0	0.0	0	0	0
516	Chronic laryngitis	4	2	1	1	-	0.0	0.0	0.0	0.0	0
517	Other diseases of upper respiratory tract	213	88	75	28	22	0.1	0.1	0.1	0.3	0.3
518	Empyema	189	120	39	23	7	0.1	0.2	0.1	0.3	0.1
519	Pleurisy	236	118	70	29	19	0.2	0.2	0.1	0.4	0.2
.0	Without mention of effusion or tuberculosis	161	81	41	24	15	0.1	0.1	0.1	0.3	0.2
.1	With effusion with mention of a bacterial cause other than tuberculosis	3	2	-	1	-	0.0	0.0	0	0.0	0
.2	Other specified forms of effusion, except tuberculous	72	35	29	4	4	0.0	0.1	0.0	0.0	0.0
520	Spontaneous pneumothorax	68	43	13	10	2	0.0	0.1	0.0	0.1	0.0
521	Abscess of lung	526	307	97	102	20	0.3	0.4	0.1	1.3	0.2
522	Pulmonary congestion and hypostasis	1,497	671	666	90	70	1.0	1.0	0.9	1.1	0.8
523	Pneumoconiosis due to silica and silicates (occupational)	1,358	1,305	13	39	1	0.9	1.9	0.0	0.5	0.0
.0	Silicosis	650	615	10	25	-	0.4	0.9	0.0	0.3	0
.1	Anthracosilicosis	551	543	1	7	-	0.4	0.8	0.0	0.1	0
.2	Asbestosis	14	12	2	-	-	0.0	0.0	0.0	0	0
.3	Other, including pneumoconiosis unspecified	143	135	-	7	1	0.1	0.2	0	0.1	0.0
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	65	63	1	1	-	0.0	0.1	0.0	0.0	0
525	Other chronic interstitial pneumonia	1,600	978	434	113	75	1.0	1.4	0.6	1.4	0.9
526	Bronchiectasis	2,168	1,407	650	82	29	1.4	2.0	0.9	1.0	0.3
527	Other diseases of lung and pleural cavity	2,938	2,139	550	175	74	1.9	3.1	0.8	2.2	0.9
.0	Pulmonary collapse (1 year and over)	121	59	45	9	8	0.1	0.1	0.1	0.1	0.1
.1	Emphysema without mention of bronchitis	1,914	1,627	204	72	11	1.2	2.4	0.3	0.9	0.1
.2	Other	903	453	301	94	55	0.6	0.7	0.4	1.2	0.6
	IX. Diseases of the digestive system										
	Diseases of buccal cavity and esophagus (530-539)										
530	Dental caries	15	8	5	1	1	0.0	0.0	0.0	0.0	0.0
531	Abscesses of supporting structures of teeth	35	17	10	5	3	0.0	0.0	0.0	0.1	0.0
532	Other inflammatory diseases of supporting structures of teeth	88	32	27	17	12	0.1	0.0	0.0	0.2	0.1
533	Disorders of occlusion, eruption, and tooth development	1	1	-	-	-	0.0	0.0	0	0	0
535	Other diseases of teeth and supporting structures	69	28	27	9	5	0.0	0.0	0.0	0.1	0.1
536	Stomatitis	18	5	6	2	5	0.0	0.0	0.0	0.0	0.1

*Deaths occurring 1 year or more after onset of disease are shown separately at end of table.

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1952—Continued

(See headnote on p. 16)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	IX. Diseases of the digestive system—Continued										
	Diseases of buccal cavity and esophagus (530-539)—Continued										
537	Diseases of salivary glands	48	16	29	3	-	0.0	0.0	0.0	0.0	0
538	Other diseases of buccal cavity	29	11	7	5	6	0.0	0.0	0.0	0.1	0.1
539	Diseases of esophagus	416	248	129	28	11	0.3	0.4	0.2	0.3	0.1
	Diseases of stomach and duodenum (540-545)										
540	Ulcer of stomach	4,537	3,253	871	315	98	2.9	4.7	1.2	3.9	1.2
.0	Without mention of perforation	2,824	2,032	552	173	67	1.8	3.0	0.8	2.2	0.8
.1	With perforation	1,713	1,221	319	142	31	1.1	1.8	0.5	1.8	0.4
541	Ulcer of duodenum	4,233	3,284	704	198	47	2.7	4.8	1.0	2.5	0.6
.0	Without mention of perforation	2,607	2,065	413	105	24	1.7	3.0	0.6	1.3	0.3
.1	With perforation	1,626	1,219	291	93	23	1.0	1.8	0.4	1.2	0.3
542	Gastrojejunal ulcer	149	120	21	6	2	0.1	0.2	0.0	0.1	0.0
.0	Without mention of perforation	101	83	12	4	2	0.1	0.1	0.0	0.0	0.0
.1	With perforation	48	37	9	2	-	0.0	0.1	0.0	0.0	0
543	Gastritis and duodenitis	299	133	88	42	36	0.2	0.2	0.1	0.5	0.4
544	Disorders of function of stomach	268	73	63	60	72	0.2	0.1	0.1	0.7	0.8
.0	Disorders of gastric secretion	6	1	4	1	-	0.0	0.0	0.0	0.0	0
.1	Disorders of gastric motility	46	19	13	7	7	0.0	0.0	0.0	0.1	0.1
.2	Other	216	53	46	52	65	0.1	0.1	0.1	0.6	0.8
545	Other diseases of stomach and duodenum	339	197	100	29	13	0.2	0.3	0.1	0.4	0.2
	Appendicitis (550-553)										
550	Acute appendicitis	2,453	1,301	747	239	166	1.6	1.9	1.1	3.0	2.0
.0	Without mention of peritonitis	454	262	134	37	21	0.3	0.4	0.2	0.5	0.2
.1	With peritonitis	1,999	1,039	613	202	145	1.3	1.5	0.9	2.5	1.7
551	Appendicitis, unqualified	212	104	76	18	14	0.1	0.2	0.1	0.2	0.2
552	Other appendicitis	33	18	9	3	3	0.0	0.0	0.0	0.0	0.0
553	Other diseases of appendix	12	9	1	1	1	0.0	0.0	0.0	0.0	0.0
	Hernia of abdominal cavity (560,561)										
560	Hernia of abdominal cavity without mention of obstruction	1,333	727	493	79	34	0.9	1.1	0.7	1.0	0.4
.0	Inguinal	310	249	15	45	1	0.2	0.4	0.0	0.6	0.0
.1	Femoral	20	7	12	-	1	0.0	0.0	0.0	0	0.0
.2	Umbilical	211	78	112	9	12	0.1	0.1	0.2	0.1	0.1
.3	Ventral (incisional)	213	67	128	5	13	0.1	0.1	0.2	0.1	0.2
.4	Other specified site	442	219	206	10	7	0.3	0.3	0.3	0.1	0.1
.5	Unspecified site	137	107	20	10	-	0.1	0.2	0.0	0.1	0
561	Hernia of abdominal cavity with obstruction	2,457	1,183	1,009	173	92	1.6	1.7	1.4	2.2	1.1
.0	Inguinal	813	586	108	110	9	0.5	0.9	0.2	1.4	0.1
.1	Femoral	302	77	211	4	10	0.2	0.1	0.3	0.0	0.1
.2	Umbilical	261	64	163	10	24	0.2	0.1	0.2	0.1	0.3
.3	Ventral (incisional)	413	97	281	7	28	0.3	0.1	0.4	0.1	0.3
.4	Other specified site	166	62	88	10	6	0.1	0.1	0.1	0.1	0.1
.5	Unspecified site	502	297	158	32	15	0.3	0.4	0.2	0.4	0.2
	Other diseases of intestines and peritoneum (570-578)										
570	Intestinal obstruction without mention of hernia	4,691	2,002	1,997	333	359	3.0	2.9	2.8	4.1	4.2
.0	Intussusception	255	133	67	36	19	0.2	0.2	0.1	0.4	0.2
.1	Paralytic ileus	248	119	94	17	18	0.2	0.2	0.1	0.2	0.2
.2	Mesenteric infarction	1,091	570	429	49	43	0.7	0.8	0.6	0.6	0.5
.3	Volvulus	684	316	264	61	43	0.4	0.5	0.4	0.8	0.5
.4	Impaction of intestine	191	70	103	11	7	0.1	0.1	0.1	0.1	0.1
.5	Other	2,222	794	1,040	159	229	1.4	1.2	1.5	2.0	2.7
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	6,265	2,269	1,801	1,225	970	4.0	3.3	2.6	15.3	11.4
.0	Ages between 4 weeks and 2 years	4,869	1,731	1,265	1,065	808	3.1	2.5	1.8	13.3	9.5
.1	Ages 2 years and over	1,396	538	536	160	162	0.9	0.8	0.8	2.0	1.9
572	Chronic enteritis and ulcerative colitis	2,179	980	1,068	59	72	1.4	1.4	1.5	0.7	0.8
.0	Regional enteritis	132	75	42	9	6	0.1	0.1	0.1	0.1	0.1
.1	Diverticulitis	1,184	540	596	26	22	0.8	0.8	0.8	0.3	0.3
.2	Ulcerative colitis	742	319	376	14	33	0.5	0.5	0.5	0.2	0.4
.3	Other	121	46	54	10	11	0.1	0.1	0.1	0.1	0.1
573	Functional disorders of intestines	61	25	18	12	6	0.0	0.0	0.0	0.1	0.1
574	Anal fissure and fistula	19	10	5	1	3	0.0	0.0	0.0	0.0	0.0
575	Abscess of anal and rectal regions	92	40	31	15	6	0.1	0.1	0.0	0.2	0.1
576	Peritonitis	518	238	198	47	35	0.3	0.3	0.3	0.6	0.4
577	Peritoneal adhesion	53	24	21	-	8	0.0	0.0	0.0	0	0.1
578	Other diseases of intestines and peritoneum	1,569	812	541	119	97	1.0	1.2	0.8	1.5	1.1
	Diseases of liver, gallbladder, and pancreas (580-587)										
580	Acute and subacute yellow atrophy of liver	657	272	299	37	49	0.4	0.4	0.4	0.5	0.6
581	Cirrhosis of liver	15,934	9,858	4,895	751	430	10.2	14.3	6.9	9.4	5.1
.0	Without mention of alcoholism	11,945	7,252	3,843	527	323	7.7	10.5	5.5	6.6	3.8
.1	With alcoholism	3,989	2,606	1,052	224	107	2.6	3.8	1.5	2.8	1.3
582	Suppurative hepatitis and liver abscess	108	58	35	9	6	0.1	0.1	0.0	0.1	0.1
583	Other diseases of liver	586	262	240	44	40	0.4	0.4	0.3	0.5	0.5
584	Cholelithiasis	3,918	1,325	2,486	25	82	2.5	1.9	3.5	0.3	1.0
585	Cholecystitis without mention of calculi	1,985	735	1,129	44	77	1.3	1.1	1.6	0.5	0.9
586	Other diseases of gallbladder and biliary ducts	804	294	461	12	37	0.5	0.4	0.7	0.1	0.4
587	Diseases of pancreas	1,655	875	613	101	66	1.1	1.3	0.9	1.3	0.8
.0	Acute pancreatitis	1,134	591	413	82	48	0.7	0.9	0.6	1.0	0.6
.1	Chronic pancreatitis	162	100	53	5	4	0.1	0.1	0.1	0.1	0.0
.2	Other diseases of pancreas	359	184	147	14	14	0.2	0.3	0.2	0.2	0.2

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1952—Continued

(See headnote on p. 16)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	X. Diseases of the genito-urinary system										
	Nephritis and nephrosis (590-594)										
590	Acute nephritis	1,845	761	618	237	229	1.2	1.1	0.9	3.0	2.7
591	Nephritis with edema, including nephrosis	1,286	577	454	124	131	0.8	0.8	0.6	1.5	1.5
592	Chronic nephritis	16,589	7,242	6,040	1,718	1,589	10.7	10.5	8.6	21.4	18.7
593	Nephritis not specified as acute or chronic	3,892	1,598	1,282	498	514	2.5	2.3	1.8	6.2	6.1
594	Other renal sclerosis	276	107	81	53	35	0.2	0.2	0.1	0.7	0.4
	Other diseases of urinary system (600-609)										
600	Infections of kidney	3,691	1,597	1,481	319	294	2.4	2.3	2.1	4.0	3.5
.0	Pyelitis, pyelocystitis, and pyelonephritis	3,516	1,502	1,435	304	275	2.3	2.2	2.0	3.8	3.2
.1	Abscess of kidney and perirenal tissue	114	62	32	8	12	0.1	0.1	0.0	0.1	0.1
.2	Other	61	33	14	7	7	0.0	0.0	0.0	0.1	0.1
601	Hydronephrosis	258	132	93	25	8	0.2	0.2	0.1	0.3	0.1
602	Calculi of kidney and ureter	986	506	408	39	33	0.6	0.7	0.6	0.5	0.4
603	Other diseases of kidney and ureter	369	167	143	34	25	0.2	0.2	0.2	0.4	0.3
604	Calculi of other parts of urinary system	122	92	20	9	1	0.1	0.1	0.0	0.1	0.0
605	Cystitis	340	170	125	32	13	0.2	0.2	0.2	0.4	0.2
606	Other diseases of bladder	222	138	50	28	6	0.1	0.2	0.1	0.3	0.1
607	Urethritis (nonvenereal)	7	4	2	1	-	0.0	0.0	0.0	0.0	0
608	Stricture of urethra	197	113	1	81	2	0.1	0.2	0.0	1.0	0.0
609	Other diseases of urethra	122	66	19	32	5	0.1	0.1	0.0	0.4	0.1
	Diseases of male genital organs (610-617)										
610	Hyperplasia of prostate	6,286	5,607	...	679	...	4.0	8.1	...	8.5	...
611	Prostatitis	523	422	...	101	...	0.3	0.6	...	1.3	...
612	Other diseases of prostate	99	87	...	12	...	0.1	0.1	...	0.1	...
613	Hydrocele	17	13	...	4	...	0.0	0.0	...	0.0	...
614	Orchitis and epididymitis	6	6	...	-	...	0.0	0.0	...	0	...
615	Redundant prepuce and phimosis	10	7	...	3	...	0.0	0.0	...	0.0	...
616	Sterility, male	1	1	...	-	...	0.0	0.0	...	0	...
617	Other diseases of male genital organs	40	27	...	13	...	0.0	0.0	...	0.2	...
	Diseases of breast, ovary, fallopian tube, and parametrium (620-626)										
620	Chronic cystic disease of breast	1	-	-	-	1	0.0	0	0	0	0.0
621	Other diseases of breast	13	2	8	1	2	0.0	0.0	0.0	0.0	0.0
622	Acute salpingitis and oophoritis	11	...	7	...	4	0.0	...	0.0	...	0.0
623	Chronic salpingitis and oophoritis	15	...	8	...	7	0.0	...	0.0	...	0.1
624	Salpingitis and oophoritis, unqualified	115	...	62	...	53	0.1	...	0.1	...	0.6
625	Other diseases of ovary and fallopian tube	23	...	18	...	5	0.0	...	0.0	...	0.1
626	Diseases of parametrium and pelvic peritoneum (female)	141	...	73	...	68	0.1	...	0.1	...	0.8
	Diseases of uterus and other female genital organs (630-637)										
630	Infective diseases of uterus, vagina, and vulva	57	...	45	...	12	0.0	...	0.1	...	0.1
631	Uterovaginal prolapse	210	...	201	...	9	0.1	...	0.3	...	0.1
632	Malposition of uterus	11	...	11	...	-	0.0	...	0.0	...	0
633	Other diseases of uterus	132	...	106	...	26	0.1	...	0.2	...	0.3
634	Disorders of menstruation	12	...	11	...	1	0.0	...	0.0	...	0.0
635	Menopausal symptoms	6	...	5	...	1	0.0	...	0.0	...	0.0
637	Other diseases of female genital organs	30	...	26	...	4	0.0	...	0.0	...	0.0
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium										
	Complications of pregnancy (640-649)										
640	Pyelitis and pyelonephritis of pregnancy	11	...	7	...	4	0.0	...	0.0	...	0.0
641	Other infections of gentio-urinary tract during pregnancy	15	...	8	...	7	0.0	...	0.0	...	0.1
642	Toxemias of pregnancy*	767	...	455	...	312	0.5	...	0.6	...	3.7
.0	Hypertensive disease arising during pregnancy	43	...	18	...	25	0.0	...	0.0	...	0.3
.1	Renal disease arising during pregnancy	114	...	70	...	44	0.1	...	0.1	...	0.5
.2	Preeclampsia of pregnancy	58	...	30	...	28	0.0	...	0.0	...	0.3
.3	Eclampsia of pregnancy	309	...	186	...	123	0.2	...	0.3	...	1.5
.4	Hyperemesis gravidarum	15	...	12	...	3	0.0	...	0.0	...	0.0
.5	Other	228	...	139	...	89	0.1	...	0.2	...	1.0
643	Placenta praevia	9	...	6	...	3	0.0	...	0.0	...	0.0
644	Other hemorrhage of pregnancy	15	...	7	...	8	0.0	...	0.0	...	0.1
645	Ectopic pregnancy*	172	...	72	...	100	0.1	...	0.1	...	1.2
.0	Without mention of sepsis	152	...	66	...	86	0.1	...	0.1	...	1.0
.1	With sepsis	20	...	6	...	14	0.0	...	0.0	...	0.2
646	Anemia of pregnancy	7	...	5	...	2	0.0	...	0.0	...	0.0
647	Pregnancy with malposition of fetus in uterus	1	...	1	...	-	0.0	...	0.0	...	0
648	Other complications arising from pregnancy	81	...	55	...	26	0.1	...	0.1	...	0.3
.0	Threatened abortion	2	...	1	...	1	0.0	...	0.0	...	0.0
.1	Hydatidiform mole	4	...	4	...	-	0.0	...	0.0	...	0
.2	Placental abnormalities not classified elsewhere	14	...	9	...	5	0.0	...	0.0	...	0.1
.3	Other	61	...	41	...	20	0.0	...	0.1	...	0.2
	Abortion (650-652)										
650	Abortion without mention of sepsis or toxemia	96	...	64	...	32	0.1	...	0.1	...	0.4
.0	Spontaneous or unspecified	54	...	30	...	24	0.0	...	0.0	...	0.3
.1	Induced for medical or legal indications	13	...	11	...	2	0.0	...	0.0	...	0.0
.2	Induced for other reasons	27	...	21	...	6	0.0	...	0.0	...	0.1
.3	Other	2	...	2	...	-	0.0	...	0.0	...	0

*Deaths occurring 1 year or more after onset of disease are shown separately at end of table.

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1952—Continued

(See headnote on p. 16)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium—Continued										
	Abortion (650-652)—Continued										
651	Abortion with sepsis*	191	...	113	...	78	0.1	...	0.2	...	0.9
.0	Spontaneous or unspecified	117	...	56	...	61	0.1	...	0.1	...	0.7
.1	Induced for medical or legal indications	5	...	4	...	1	0.0	...	0.0	...	0.0
.2	Induced for other reasons	67	...	52	...	15	0.0	...	0.1	...	0.2
.3	Other	2	...	1	...	1	0.0	...	0.0	...	0.0
652	Abortion with toxemia, without mention of sepsis	33	...	19	...	14	0.0	...	0.0	...	0.2
.0	Spontaneous or unspecified	23	...	12	...	11	0.0	...	0.0	...	0.1
.1	Induced for medical or legal indications	3	...	2	...	1	0.0	...	0.0	...	0.0
.2	Induced for other reasons	7	...	5	...	2	0.0	...	0.0	...	0.0
	Delivery without complication (660)										
660	Delivery without complication*	108	...	71	...	37	0.1	...	0.1	...	0.4
	Delivery with specified complication (670-678)										
670	Delivery complicated by placenta praevia or antepartum hemorrhage*	162	...	105	...	57	0.1	...	0.1	...	0.7
671	Delivery complicated by retained placenta*	37	...	24	...	13	0.0	...	0.0	...	0.2
672	Delivery complicated by other postpartum hemorrhage*	216	...	136	...	80	0.1	...	0.2	...	0.9
673	Delivery complicated by abnormality of bony pelvis	9	...	7	...	2	0.0	...	0.0	...	0.0
674	Delivery complicated by disproportion or malposition of fetus	56	...	41	...	15	0.0	...	0.1	...	0.2
675	Delivery complicated by prolonged labor of other origin	48	...	37	...	11	0.0	...	0.1	...	0.1
676	Delivery with laceration of perineum, without mention of other laceration*	1	...	1	...	-	0.0	...	0.0	...	0
677	Delivery with other trauma*	85	...	64	...	21	0.1	...	0.1	...	0.2
678	Delivery with other complications of childbirth	39	...	29	...	10	0.0	...	0.0	...	0.1
	Complications of the puerperium (680-689)										
680	Puerperal urinary infection without other sepsis	5	...	3	...	2	0.0	...	0.0	...	0.0
681	Sepsis of childbirth and the puerperium*	76	...	37	...	39	0.0	...	0.1	...	0.5
682	Puerperal phlebitis and thrombosis*	69	...	48	...	21	0.0	...	0.1	...	0.2
684	Puerperal pulmonary embolism	119	...	87	...	32	0.1	...	0.1	...	0.4
685	Puerperal eclampsia	94	...	62	...	32	0.1	...	0.1	...	0.4
686	Other forms of puerperal toxemia	12	...	10	...	2	0.0	...	0.0	...	0.0
687	Cerebral hemorrhage in the puerperium*	53	...	37	...	16	0.0	...	0.1	...	0.2
688	Other and unspecified complications of the puerperium	23	...	13	...	10	0.0	...	0.0	...	0.1
	XII. Diseases of the skin and cellular tissue										
	Infections of skin and subcutaneous tissue (690-698)										
690	Boil and carbuncle	45	23	13	6	3	0.0	0.0	0.0	0.1	0.0
691	Cellulitis of finger and toe	1	1	-	-	-	0.0	0.0	0	0	0
692	Other cellulitis and abscess without mention of lymphangitis	199	92	65	21	21	0.1	0.1	0.1	0.3	0.2
693	Other cellulitis and abscess with lymphangitis	8	4	2	1	1	0.0	0.0	0.0	0.0	0.0
694	Acute lymphadenitis	6	2	2	1	1	0.0	0.0	0.0	0.0	0.0
695	Impetigo	1	1	-	-	-	0.0	0.0	0	0	0
698	Other local infections of skin and subcutaneous tissue	54	20	21	5	8	0.0	0.0	0.0	0.1	0.1
	Other diseases of skin and subcutaneous tissue (700-716)										
701	Eczema	29	14	8	5	2	0.0	0.0	0.0	0.1	0.0
702	Occupational dermatitis	3	3	-	-	-	0.0	0.0	0	0	0
703	Other dermatitis	41	18	16	4	3	0.0	0.0	0.0	0.0	0.0
704	Pemphigus	200	88	84	10	18	0.1	0.1	0.1	0.1	0.2
705	Erythematous conditions	230	68	110	10	42	0.1	0.1	0.2	0.1	0.5
706	Psoriasis and similar disorders	4	3	-	-	1	0.0	0.0	0	0	0.0
708	Pruritus and related conditions	3	3	-	-	-	0.0	0.0	0	0	0
709	Corns and callosities	2	2	-	-	-	0.0	0.0	0	0	0
710	Other hypertrophic and atrophic conditions of skin	186	57	106	9	14	0.1	0.1	0.2	0.1	0.2
711	Other dermatoses	3	1	2	-	-	0.0	0.0	0.0	0	0
712	Diseases of nail	1	-	1	-	-	0.0	0	0.0	0	0
714	Diseases of sweat and sebaceous glands	1	1	-	-	-	0.0	0.0	0	0	0
715	Chronic ulcer of skin	221	61	111	21	28	0.1	0.1	0.2	0.3	0.3
716	Other diseases of skin	13	5	6	1	1	0.0	0.0	0.0	0.0	0.0
	XIII. Diseases of the bones and organs of movement										
	Arthritis and rheumatism, except rheumatic fever (720-727)										
720	Acute arthritis due to pyogenic organisms	32	16	9	4	3	0.0	0.0	0.0	0.0	0.0
722	Rheumatoid arthritis and allied conditions	929	288	562	31	48	0.6	0.4	0.8	0.4	0.6
.0	Rheumatoid arthritis	919	283	558	31	47	0.6	0.4	0.8	0.4	0.6
.1	Spondylitis ankylopoietica	9	5	3	-	1	0.0	0.0	0.0	0	0.0
.2	Chronic rheumatoid nodular fibrositis	1	-	1	-	-	0.0	0	0.0	0	0
723	Osteo-arthritis (arthrosis) and allied conditions	386	132	228	10	16	0.2	0.2	0.3	0.1	0.2
.0	Osteo-arthritis (arthrosis)	368	121	222	10	15	0.2	0.2	0.3	0.1	0.2
.1	Spondylitis osteo-arthritica (spondylarthrosis)	18	11	6	-	1	0.0	0.0	0.0	0	0.0
724	Other specified forms of arthritis	11	4	3	1	3	0.0	0.0	0.0	0.0	0.0
725	Arthritis, unspecified	364	125	190	19	30	0.2	0.2	0.3	0.2	0.4
726	Muscular rheumatism	16	5	10	1	-	0.0	0.0	0.0	0.0	0
727	Rheumatism unspecified	44	18	18	4	4	0.0	0.0	0.0	0.0	0.0
	Osteomyelitis and other diseases of bone and joint (730-738)										
730	Osteomyelitis and periostitis	173	89	42	24	18	0.1	0.1	0.1	0.3	0.2
.0	Acute osteomyelitis	7	1	3	2	1	0.0	0.0	0.0	0.0	0.0
.1	Chronic osteomyelitis	56	31	12	11	2	0.0	0.0	0.0	0.1	0.0
.2	Unspecified osteomyelitis	108	57	25	11	15	0.1	0.1	0.0	0.1	0.2
.3	Periostitis without mention of osteomyelitis	2	-	2	-	-	0.0	0	0.0	0	0

*Deaths occurring 1 year or more after onset of disease are shown separately at end of table.

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1952—Continued

(See headnote on p. 16)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII. Diseases of the bones and organs of movement—Continued										
	Osteomyelitis and other diseases of bone and joint (730-738)—Continued										
731	Osteitis deformans	99	39	50	7	3	0.1	0.1	0.1	0.1	0.0
732	Osteochondrosis	2	1	-	1	-	0.0	0.0	0	0.0	0
733	Other diseases of bone	162	48	103	2	9	0.1	0.1	0.1	0.0	0.1
734	Internal derangement of knee joint	4	3	1	-	-	0.0	0.0	0.0	0	0
735	Displacement of intervertebral disc	71	49	16	6	-	0.0	0.1	0.0	0.1	0
737	Ankylosis of joint	11	5	2	3	1	0.0	0.0	0.0	0.0	0.0
738	Other diseases of joint	23	8	9	1	5	0.0	0.0	0.0	0.0	0.1
	Other diseases of musculoskeletal system (740-749)										
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	9	5	3	1	-	0.0	0.0	0.0	0.0	0
744	Other diseases of muscle, tendon, and fascia	693	392	245	28	28	0.4	0.6	0.3	0.3	0.3
.0	Myasthenia gravis	242	98	118	8	18	0.2	0.1	0.2	0.1	0.2
.1	Inborn defect of muscle	408	270	112	18	8	0.3	0.4	0.2	0.2	0.1
.2	Other	43	24	15	2	2	0.0	0.0	0.0	0.0	0.0
745	Curvature of spine	78	36	38	3	1	0.1	0.1	0.1	0.0	0.0
748	Clubfoot	7	4	2	1	-	0.0	0.0	0.0	0.0	0
749	Other deformities	15	10	4	-	1	0.0	0.0	0.0	0	0.0
	XIV. Congenital malformations										
	Congenital malformations (750-759)										
750	Monstrosity	974	368	561	18	27	0.6	0.5	0.8	0.2	0.3
751	Spina bifida and meningocele	1,772	671	1,017	46	38	1.1	1.0	1.4	0.6	0.4
752	Congenital hydrocephalus	1,816	827	783	109	97	1.2	1.2	1.1	1.4	1.1
753	Other congenital malformations of nervous system and sense organs	657	305	284	36	32	0.4	0.4	0.4	0.4	0.4
.0	Congenital cataract	3	-	1	2	-	0.0	0	0.0	0.0	0
.1	Other	654	305	283	34	32	0.4	0.4	0.4	0.4	0.4
754	Congenital malformations of circulatory system	8,849	4,517	3,422	512	398	5.7	6.6	4.9	6.4	4.7
.0	Tetralogy of Fallot	343	175	140	13	15	0.2	0.3	0.2	0.2	0.2
.1	Patent ductus arteriosus (Botalli)	414	191	177	24	22	0.3	0.3	0.3	0.3	0.3
.2	Interventricular septal defect	465	218	205	20	22	0.3	0.3	0.3	0.2	0.3
.3	Interauricular septal defect	537	265	215	32	25	0.3	0.4	0.3	0.4	0.3
.4	Other and unspecified malformations of heart	6,193	3,160	2,369	379	285	4.0	4.6	3.4	4.7	3.4
.5	Coarctation of aorta	267	166	81	14	6	0.2	0.2	0.1	0.2	0.1
.6	Other circulatory malformations	630	342	235	30	23	0.4	0.5	0.3	0.4	0.3
755	Cleft palate and harelip	166	84	54	16	12	0.1	0.1	0.1	0.2	0.1
756	Congenital malformations of digestive system	2,381	1,276	848	154	103	1.5	1.9	1.2	1.9	1.2
.0	Congenital hypertrophic pyloric stenosis	179	100	52	19	8	0.1	0.1	0.1	0.2	0.1
.1	Imperforate anus	185	122	38	18	7	0.1	0.2	0.1	0.2	0.1
.2	Other	2,017	1,054	758	117	88	1.3	1.5	1.1	1.5	1.0
757	Congenital malformations of genito-urinary system	1,352	750	487	68	47	0.9	1.1	0.7	0.8	0.6
.0	Undescended testicle	2	2	...	-	...	0.0	0.0	...	0	...
.1	Polycystic disease of kidney	827	421	340	32	34	0.5	0.6	0.5	0.4	0.4
.2	Congenital malformations of external genital organs	23	13	7	3	-	0.0	0.0	0.0	0.0	0
.3	Other	500	314	140	33	13	0.3	0.5	0.2	0.4	0.2
758	Congenital malformations of bone and joint	307	140	127	21	19	0.2	0.2	0.2	0.3	0.2
759	Other and unspecified congenital malformations, not elsewhere classified	1,494	729	569	128	68	1.0	1.1	0.8	1.6	0.8
.0	Of respiratory system	486	263	168	39	16	0.3	0.4	0.2	0.5	0.2
.1	Of skin	19	8	6	5	-	0.0	0.0	0.0	0.1	0
.2	Of muscle	139	73	58	7	1	0.1	0.1	0.1	0.1	0.0
.3	Other and unspecified	850	385	337	77	51	0.5	0.6	0.5	1.0	0.6
	XV. Certain diseases of early infancy										
	Birth injuries, asphyxia, and infections of newborn (760-769)										
760	Intracranial and spinal injury at birth	4,920	2,576	1,400	577	367	3.2	3.7	2.0	7.2	4.3
.0	Without mention of immaturity	3,488	1,822	983	412	271	2.2	2.6	1.4	5.1	3.2
.5	With immaturity	1,432	754	417	165	96	0.9	1.1	0.6	2.1	1.1
761	Other birth injury	6,890	3,571	2,556	448	315	4.4	5.2	3.6	5.6	3.7
.0	Without mention of immaturity	2,226	1,061	778	238	149	1.4	1.5	1.1	3.0	1.8
.5	With immaturity	4,664	2,510	1,778	210	166	3.0	3.6	2.5	2.6	2.0
762	Postnatal asphyxia and atelectasis	15,547	7,874	4,963	1,544	1,166	10.0	11.4	7.0	19.2	13.8
.0	Without mention of immaturity	5,760	2,912	1,804	585	459	3.7	4.2	2.6	7.3	5.4
.5	With immaturity	9,787	4,962	3,159	959	707	6.3	7.2	4.5	11.9	8.3
763	Pneumonia of newborn	2,943	1,170	853	548	372	1.9	1.7	1.2	6.8	4.4
.0	Without mention of immaturity	2,022	777	571	405	269	1.3	1.1	0.8	5.0	3.2
.5	With immaturity	921	393	282	143	103	0.6	0.6	0.4	1.8	1.2
764	Diarrhea of newborn	773	299	199	144	131	0.5	0.4	0.3	1.8	1.5
.0	Without mention of immaturity	589	228	149	111	101	0.4	0.3	0.2	1.4	1.2
.5	With immaturity	184	71	50	33	30	0.1	0.1	0.1	0.4	0.4
765	Ophthalmia neonatorum	1	1	-	-	-	0.0	0.0	0	0	0
.0	Without mention of immaturity	1	1	-	-	-	0.0	0.0	0	0	0
766	Pemphigus neonatorum	21	9	12	-	-	0.0	0.0	0.0	0	0
.0	Without mention of immaturity	18	8	10	-	-	0.0	0.0	0.0	0	0
.5	With immaturity	3	1	2	-	-	0.0	0.0	0.0	0	0
767	Umbilical sepsis	91	34	23	19	15	0.1	0.0	0.0	0.2	0.2
.0	Without mention of immaturity	83	33	19	17	14	0.1	0.0	0.0	0.2	0.2
.5	With immaturity	8	1	4	2	1	0.0	0.0	0.0	0.0	0.0
768	Other sepsis of newborn	265	128	72	39	26	0.2	0.2	0.1	0.5	0.3
.0	Without mention of immaturity	162	74	51	25	12	0.1	0.1	0.1	0.3	0.1
.5	With immaturity	103	54	21	14	14	0.1	0.1	0.0	0.2	0.2

325797 O - 55 - 3

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1952—Continued

(See headnote on p. 16)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XV. Certain diseases of early infancy—Continued										
	Birth injuries, asphyxia, and infections of newborn (760-769)—Continued										
769	Neonatal disorders arising from maternal toxemia	492	208	181	63	40	0.3	0.3	0.3	0.8	0.5
.0-.4	Without mention of immaturity	277	110	89	48	30	0.2	0.2	0.1	0.6	0.4
.0	Attributed to "toxemia of pregnancy"	213	82	65	41	25	0.1	0.1	0.1	0.5	0.3
.1	Attributed to maternal diabetes	37	18	17	2	-	0.0	0.0	0.0	0.0	0
.2	Attributed to maternal rubella	4	3	1	-	-	0.0	0.0	0.0	0	0
.4	Attributed to other or unspecified maternal toxemia	23	7	6	5	5	0.0	0.0	0.0	0.1	0.1
.5-.9	With immaturity	215	98	92	15	10	0.1	0.1	0.1	0.2	0.1
.5	Attributed to "toxemia of pregnancy"	161	68	72	11	10	0.1	0.1	0.1	0.1	0.1
.6	Attributed to maternal diabetes	30	20	9	1	-	0.0	0.0	0.0	0.0	0
.7	Attributed to maternal rubella	3	1	2	-	-	0.0	0.0	0.0	0	0
.9	Attributed to other or unspecified maternal toxemia	21	9	9	3	-	0.0	0.0	0.0	0.0	0
	Other diseases peculiar to early infancy (770-776)										
770	Hemolytic disease of newborn (erythroblastosis)	2,633	1,430	1,011	120	72	1.7	2.1	1.4	1.5	0.8
.0	Erythroblastosis, without mention of nervous affection or immaturity	1,952	1,079	728	92	53	1.3	1.6	1.0	1.1	0.6
.1	Kernicterus, without mention of immaturity	166	104	54	5	3	0.1	0.2	0.1	0.1	0.0
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	12	7	5	-	-	0.0	0.0	0.0	0	0
.5	Erythroblastosis, without mention of nervous affection but with immaturity	476	226	217	18	15	0.3	0.3	0.3	0.2	0.2
.6	Kernicterus, with immaturity	26	13	7	5	1	0.0	0.0	0.0	0.1	0.0
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	1	1	-	-	-	0.0	0.0	0	0	0
771	Hemorrhagic disease of newborn	876	404	272	122	78	0.6	0.6	0.4	1.5	0.9
.0	Without mention of immaturity	585	256	178	87	64	0.4	0.4	0.3	1.1	0.8
.5	With immaturity	291	148	94	35	14	0.2	0.2	0.1	0.4	0.2
772	Nutritional maladjustment	952	286	237	241	188	0.6	0.4	0.3	3.0	2.2
.0	Without mention of immaturity	655	202	172	167	114	0.4	0.3	0.2	2.1	1.3
.5	With immaturity	297	84	65	74	74	0.2	0.1	0.1	0.9	0.9
773	Ill-defined diseases peculiar to early infancy	2,757	1,254	849	357	297	1.8	1.8	1.2	4.4	3.5
.0	Without mention of immaturity	684	259	176	135	114	0.4	0.4	0.2	1.7	1.3
.5	With immaturity	2,073	995	673	222	183	1.3	1.4	1.0	2.8	2.2
774	Immaturity with mention of any other subsidiary condition	1,305	536	457	170	142	0.8	0.8	0.6	2.1	1.7
776	Immaturity unqualified	23,193	10,322	7,769	2,753	2,349	14.9	15.0	11.0	34.3	27.7
	XVI. Symptoms, senility, and ill-defined conditions										
	Symptoms referable to systems or organs (780-789)										
780	Certain symptoms referable to nervous system and special senses	180	64	54	38	24	0.1	0.1	0.1	0.5	0.3
.0	Coma and stupor	22	10	5	3	4	0.0	0.0	0.0	0.0	0.0
.2	Convulsions	140	48	43	31	18	0.1	0.1	0.1	0.4	0.2
.3	Jacksonian epilepsy	9	4	3	2	-	0.0	0.0	0.0	0.0	0
.4-.9	Other specified symptoms referable to nervous system and special senses	9	2	3	2	2	0.0	0.0	0.0	0.0	0.0
781	Other symptoms referable to nervous system and special senses	30	9	17	1	3	0.0	0.0	0.0	0.0	0.0
782	Symptoms referable to cardiovascular and lymphatic system	2,213	1,161	570	295	187	1.4	1.7	0.8	3.7	2.2
.0	Precordial pain	5	2	-	2	1	0.0	0.0	0	0.0	0.0
.1	Palpitation	1	1	-	-	-	0.0	0.0	0	0	0
.2	Tachycardia	9	4	3	1	1	0.0	0.0	0.0	0.0	0.0
.3	Pallor and cyanosis (not of newborn)	2	1	1	-	-	0.0	0.0	0.0	0	0
.4	Acute heart failure, undefined	2,080	1,118	534	267	161	1.3	1.6	0.8	3.3	1.9
.5	Syncope or collapse	12	6	1	3	2	0.0	0.0	0.0	0.0	0.0
.6	Edema and dropsy (not of newborn)	43	6	8	15	14	0.0	0.0	0.0	0.2	0.2
.7	Enlargement of lymph node	2	1	1	-	-	0.0	0.0	0.0	0	0
.8	Splenomegaly	5	2	3	-	-	0.0	0.0	0.0	0	0
.9	Shock without mention of trauma	54	20	19	7	8	0.0	0.0	0.0	0.1	0.1
783	Symptoms referable to respiratory system	202	100	53	29	20	0.1	0.1	0.1	0.4	0.2
.0	Epistaxis	17	8	5	1	3	0.0	0.0	0.0	0.0	0.0
.1	Hemoptysis	159	82	44	21	12	0.1	0.1	0.1	0.3	0.1
.2	Dyspnea	8	2	1	2	3	0.0	0.0	0.0	0.0	0.0
.3-.7	Other symptoms referable to respiratory system	18	8	3	5	2	0.0	0.0	0.0	0.1	0.0
784	Symptoms referable to upper gastro-intestinal tract	186	98	62	15	11	0.1	0.1	0.1	0.2	0.1
785	Symptoms referable to abdomen and lower gastro-intestinal system	188	70	43	36	39	0.1	0.1	0.1	0.4	0.5
.2	Jaundice	84	31	15	23	15	0.1	0.0	0.0	0.3	0.2
.6	Diarrhea, age 2 years and over	62	20	16	8	18	0.0	0.0	0.0	0.1	0.2
.0,.1, .3-.5, .7-.9	Other symptoms referable to abdomen and lower gastro-intestinal system	42	19	12	5	6	0.0	0.0	0.0	0.1	0.1
786	Symptoms referable to genito-urinary system	40	25	5	10	-	0.0	0.0	0.0	0.1	0
788	Other general symptoms	150	48	43	39	20	0.1	0.1	0.1	0.5	0.2
.0-.5	Other specified general symptoms	38	15	11	8	4	0.0	0.0	0.0	0.1	0.0
.6	Acidosis	19	3	7	8	1	0.0	0.0	0.0	0.1	0.0
.8	Pyrexia of unknown origin	90	30	25	22	13	0.1	0.0	0.0	0.3	0.2
.9	Other specified symptoms not classifiable elsewhere	3	-	-	1	2	0.0	0	0	0.0	0.0
789	Abnormal urinary constituents of unspecified cause	14	10	2	2	-	0.0	0.0	0.0	0.0	0
	Senility and ill-defined diseases (790-795)										
790	Nervousness and debility	37	13	13	4	7	0.0	0.0	0.0	0.0	0.1
791	Headache	1	1	-	-	-	0.0	0.0	0	0	0
792	Uremia, unqualified	519	256	169	56	38	0.3	0.4	0.2	0.7	0.4
794	Senility without mention of psychosis	4,790	1,696	2,210	396	488	3.1	2.5	3.1	4.9	5.8
795	Ill-defined and unknown causes of mortality	13,400	4,830	2,433	3,336	2,801	8.6	7.0	3.5	41.6	33.0
.0	Other ill-defined conditions	610	244	166	120	80	0.4	0.4	0.2	1.5	0.9
.2	Sudden death (cause unknown)	567	243	94	123	107	0.4	0.4	0.1	1.5	1.3
.3	Found dead (cause unknown)	500	240	92	110	58	0.3	0.3	0.1	1.4	0.7
.4	Died without sign of disease	4,026	1,813	687	879	647	2.6	2.6	1.0	10.9	7.6
.5	Other, unknown, and unspecified causes	7,697	2,290	1,394	2,104	1,909	4.9	3.3	2.0	26.2	22.5

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1952—Continued

(See headnote on p. 16)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence										
	Railway accidents (E800-E802)										
E800	Railway accident involving railroad employee	338	316	1	21	-	0.2	0.5	0.0	0.3	0
E801	Railway accident involving passenger	90	63	9	18	-	0.1	0.1	0.0	0.2	0
E802	Railway accident involving other and unspecified person	1,332	899	125	284	24	0.9	1.3	0.2	3.5	0.3
	Motor-vehicle traffic accidents (E810-E825)										
E810	Motor-vehicle traffic accident involving collision with railway train	1,429	988	351	69	21	0.9	1.4	0.5	0.9	0.2
E811	Motor-vehicle traffic accident involving collision with streetcar	32	20	7	5	-	0.0	0.0	0.0	0.1	0
E812	Motor-vehicle traffic accident to pedestrian	8,308	5,326	1,747	920	315	5.3	7.7	2.5	11.5	3.7
E813	Motor-vehicle traffic accident to pedal cyclist	374	306	28	40	-	0.2	0.4	0.0	0.5	0
E814	Motor-vehicle traffic accident to rider or passenger of motorcycle, in collision with nonmotor vehicle or object	50	44	2	3	1	0.0	0.1	0.0	0.0	0.0
E815	Motor-vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	462	402	37	21	2	0.3	0.6	0.1	0.3	0.0
E816	Other motor-vehicle traffic accident involving two or more motor vehicles	9,900	6,270	2,778	634	218	6.4	9.1	3.9	7.9	2.6
E817	Motor-vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle	1	-	1	-	-	0.0	0	0.0	0	0
E818	Motor-vehicle traffic accident involving collision with animal or animal-drawn vehicle	80	51	13	12	4	0.1	0.1	0.0	0.1	0.0
E819	Motor-vehicle traffic accident involving collision with fixed or unspecified object	2,047	1,402	448	151	46	1.3	2.0	0.6	1.9	0.5
E820	Motor-vehicle traffic accident while boarding and alighting	45	24	20	1	-	0.0	0.0	0.0	0.0	0
E821	Motor-vehicle traffic accident to rider of motorcycle not involving collision	325	298	18	9	-	0.2	0.4	0.0	0.1	0
E822	Motor-vehicle traffic accident involving overturning in roadway	1,631	1,145	273	188	25	1.0	1.7	0.4	2.3	0.3
E823	Motor-vehicle traffic accident involving running off roadway	6,346	4,525	1,084	593	144	4.1	6.6	1.5	7.4	1.7
E824	Other noncollision motor-vehicle traffic accident	900	541	192	114	53	0.6	0.8	0.3	1.4	0.6
E825	Motor-vehicle traffic accident of unspecified nature	4,894	3,099	1,066	572	157	3.1	4.5	1.5	7.1	1.9
	Motor-vehicle nontraffic accidents (E830-E835)										
E830	Motor-vehicle nontraffic accident to pedestrian	582	373	144	53	12	0.4	0.5	0.2	0.7	0.1
E832	Motor-vehicle nontraffic accident to rider or passenger of motorcycle	13	13	-	-	-	0.0	0.0	0	0	0
E833	Other motor-vehicle nontraffic accident involving two or more motor vehicles	17	17	-	-	-	0.0	0.0	0	0	0
E834	Motor-vehicle nontraffic accident while boarding and alighting	14	11	3	-	-	0.0	0.0	0.0	0	0
E835	Motor-vehicle nontraffic accident of other and unspecified nature	344	255	43	41	5	0.2	0.4	0.1	0.5	0.1
	Other road-vehicle accidents (E840-E845)										
E840	Streetcar accident to pedestrian	70	40	23	7	-	0.0	0.1	0.0	0.1	0
E841	Other streetcar accident, except collision with motor vehicle	15	5	5	4	1	0.0	0.0	0.0	0.0	0.0
E842	Accident to pedestrian caused by pedal cycle	17	11	3	2	1	0.0	0.0	0.0	0.0	0.0
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	56	41	11	4	-	0.0	0.1	0.0	0.0	0
E844	Accident to pedestrian caused by other nonmotor road vehicle	18	10	3	4	1	0.0	0.0	0.0	0.0	0.0
E845	Other nonmotor road-vehicle accidents	271	193	31	42	5	0.2	0.3	0.0	0.5	0.1
	Water-transport accidents (E850-E858)										
E850	Submersion of occupant of small boat	1,132	868	94	151	19	0.7	1.3	0.1	1.9	0.2
E851	Other water-transport injury by submersion	123	103	2	18	-	0.1	0.1	0.0	0.2	0
E852	Fall on stairs and ladders in water transport	8	7	1	-	-	0.0	0.0	0.0	0	0
E853	Other falls from one level to another in water transport	48	44	1	3	-	0.0	0.1	0.0	0.0	0
E855	Unspecified falls in water transport	6	3	1	2	-	0.0	0.0	0.0	0.0	0
E856	Machinery accident in water transport	20	19	-	1	-	0.0	0.0	0	0.0	0
E857	Other specified accidents in water transport	96	81	4	11	-	0.1	0.1	0.0	0.1	0
E858	Water-transport accident of unspecified cause	4	3	1	-	-	0.0	0.0	0.0	0	0
	Aircraft accidents (E860-E866)										
E860	Accident to personnel in military aircraft	217	211	-	6	-	0.1	0.3	0	0.1	0
E861	Injury to occupant by accident to commerical "transport" aircraft	85	68	17	-	-	0.1	0.1	0.0	0	0
E863	Injury to occupant by accident to other aircraft	150	130	15	5	-	0.1	0.2	0.0	0.1	0
E864	Aircraft accident at airfield to person not in aircraft	16	12	3	1	-	0.0	0.0	0.0	0.0	0
E865	Aircraft accident elsewhere to person not in aircraft	26	15	11	-	-	0.0	0.0	0.0	0	0
E866	Other and unspecified aircraft accidents	1,100	1,002	60	35	3	0.7	1.5	0.1	0.4	0.0
	Accidental poisoning by solid and liquid substances (E870-E888)										
E870	Accidental poisoning by morphine and other opium derivatives	25	9	8	5	3	0.0	0.0	0.0	0.1	0.0
E871	Accidental poisoning by barbituric acid and derivatives	327	137	179	8	3	0.2	0.2	0.3	0.1	0.0
E872	Accidental poisoning by aspirin and salicylates	113	47	49	7	10	0.1	0.1	0.1	0.1	0.1
E873	Accidental poisoning by bromides	16	7	8	-	1	0.0	0.0	0.0	0	0.0
E874	Accidental poisoning by other analgesic and soporific drugs	95	47	43	3	2	0.1	0.1	0.1	0.0	0.0
E875	Accidental poisoning by sulphonamides	2	2	-	-	-	0.0	0.0	0	0	0
E876	Accidental poisoning by strychnine	24	14	9	1	-	0.0	0.0	0.0	0.0	0
E877	Accidental poisoning by belladonna, hyoscine, and atropine	5	4	1	-	-	0.0	0.0	0.0	0	0
E878	Accidental poisoning by other and unspecified drugs	72	28	34	6	4	0.0	0.0	0.0	0.1	0.0
E879	Accidental poisoning by noxious foodstuffs	19	13	3	3	-	0.0	0.0	0.0	0.0	0
E880	Accidental poisoning by alcohol	239	147	14	52	26	0.2	0.2	0.0	0.6	0.3
E881	Accidental poisoning by petroleum products	122	45	18	37	22	0.1	0.1	0.0	0.5	0.3
E882	Accidental poisoning by industrial solvents	46	33	5	7	1	0.0	0.0	0.0	0.1	0.0
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	72	32	12	16	12	0.0	0.0	0.0	0.2	0.1
E884	Accidental poisoning by mercury and its compounds	13	5	4	2	2	0.0	0.0	0.0	0.0	0.0
E885	Accidental poisoning by lead and its compounds	57	10	11	19	17	0.0	0.0	0.0	0.2	0.2

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1952—Continued

(See headnote on p. 16)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued										
	Accidental poisoning by solid and liquid substances (E870-E888)—Continued										
E886	Accidental poisoning by arsenic and antimony, and their compounds	49	21	17	8	3	0.0	0.0	0.0	0.1	0.0
E887	Accidental poisoning by fluorides	5	3	2	-	-	0.0	0.0	0.0	0	0
E888	Accidental poisoning by other and unspecified solid and liquid substances	139	61	36	23	19	0.1	0.1	0.1	0.3	0.2
	Accidental poisoning by gases and vapors (E890-E895)										
E890	Accidental poisoning by utility (illuminating) gas	699	395	241	45	18	0.4	0.6	0.3	0.6	0.2
E891	Accidental poisoning by motor-vehicle exhaust gas	332	262	45	17	8	0.2	0.4	0.1	0.2	0.1
E892	Accidental poisoning by other carbon monoxide gas	234	150	66	13	5	0.2	0.2	0.1	0.2	0.1
E893	Accidental poisoning by cyanide gas	4	3	-	1	-	0.0	0.0	0	0.0	0
E894	Accidental poisoning by other specified gases and vapors	90	68	15	6	1	0.1	0.1	0.0	0.1	0.0
E895	Accidental poisoning by unspecified gases and vapors	38	26	10	2	-	0.0	0.0	0.0	0.0	0
	Accidental falls (E900-E904)										
E900	Fall on stairs	2,770	1,473	1,122	114	61	1.8	2.1	1.6	1.4	0.7
E901	Fall from ladders	354	303	30	19	2	0.2	0.4	0.0	0.2	0.0
E902	Other falls from one level to another	4,182	2,467	1,314	294	107	2.7	3.6	1.9	3.7	1.3
E903	Fall on same level	4,627	1,678	2,796	77	76	3.0	2.4	4.0	1.0	0.9
E904	Unspecified falls	9,012	3,407	5,187	226	192	5.8	5.0	7.4	2.8	2.3
	Other accidents (E910-E936)										
E910	Blow from falling object	1,391	1,129	44	213	5	0.9	1.6	0.1	2.7	0.1
E911	Accident caused by vehicle	170	147	3	20	-	0.1	0.2	0.0	0.2	0
E912	Accident caused by machinery	2,083	1,801	81	192	9	1.3	2.6	0.1	2.4	0.1
E913	Accident caused by cutting and piercing instruments	165	81	29	44	11	0.1	0.1	0.0	0.5	0.1
E914	Accident caused by electric current	1,056	913	59	80	4	0.7	1.3	0.1	1.0	0.0
E915	Accident caused by explosion of pressure vessel	69	57	2	9	1	0.0	0.1	0.0	0.1	0.0
E916	Accident caused by fire and explosion of combustible material	6,922	2,851	1,993	1,064	1,014	4.4	4.1	2.8	13.3	12.0
E917	Accident caused by hot substance, corrosive liquid, and steam	836	349	248	123	116	0.5	0.5	0.4	1.5	1.4
E919	Accident caused by firearm	2,210	1,635	184	300	91	1.4	2.4	0.3	3.7	1.1
E920	Foreign body entering eye and adnexa	1	-	1	-	-	0.0	0	0.0	0	0
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,144	567	371	121	85	0.7	0.8	0.5	1.5	1.0
E922	Inhalation and ingestion of other object causing obstruction or suffocation	290	132	106	29	23	0.2	0.2	0.2	0.4	0.3
E923	Foreign body entering other orifice	147	67	53	18	9	0.1	0.1	0.1	0.2	0.1
E924	Accidental mechanical suffocation in bed and cradle	1,266	522	385	187	172	0.8	0.8	0.5	2.3	2.0
E925	Accidental mechanical suffocation in other and unspecifed circumstances	510	331	85	63	31	0.3	0.5	0.1	0.8	0.4
E926	Lack of care of infants under 1 year of age	70	22	12	24	12	0.0	0.0	0.0	0.3	0.1
E927	Accidents caused by bites and stings of venomous animals and insects	44	24	9	9	2	0.0	0.0	0.0	0.1	0.0
E928	Other accidents caused by animals	236	173	32	28	3	0.2	0.3	0.0	0.3	0.0
E929	Accidental drowning and submersion	5,346	3,672	724	857	93	3.4	5.3	1.0	10.7	1.1
E930	High and low air pressure	4	2	1	1	-	0.0	0.0	0.0	0.0	0
E931	Excessive heat and insolation	1,401	743	371	185	102	0.9	1.1	0.5	2.3	1.2
E932	Excessive cold	225	134	41	39	11	0.1	0.2	0.1	0.5	0.1
E933	Hunger, thirst, and exposure	297	150	37	65	45	0.2	0.2	0.1	0.8	0.5
E934	Cataclysm	299	131	108	35	25	0.2	0.2	0.2	0.4	0.3
E935	Lightning	212	131	34	35	12	0.1	0.2	0.0	0.4	0.1
E936	Other and unspecified accidents	1,802	1,188	327	210	77	1.2	1.7	0.5	2.6	0.9
	Complications due to nontherapeutic medical and surgical procedures (E940-E946)										
E940	Generalized vaccinia following vaccination	1	-	1	-	-	0.0	0	0.0	0	0
E941	Postvaccinal encephalitis	2	1	1	-	-	0.0	0.0	0.0	0	0
E943	Postimmunization jaundice and hepatitis	2	1	1	-	-	0.0	0.0	0.0	0	0
E944	Other complications of prophylactic inoculation	13	9	3	-	1	0.0	0.0	0.0	0	0.0
E945	Complications of anesthesia for nontherapeutic purpose	6	1	3	1	1	0.0	0.0	0.0	0.0	0.0
E946	Other complications due to nontherapeutic medical and surgical procedures	23	8	7	2	6	0.0	0.0	0.0	0.0	0.1
	Therapeutic misadventure and late complications of therapeutic procedures (E950-E959)										
E950	Therapeutic misadventure in surgical treatment	268	103	106	23	36	0.2	0.1	0.2	0.3	0.4
E951	Therapeutic misadventure in infusion or transfusion	84	40	33	8	3	0.1	0.1	0.0	0.1	0.0
E952	Therapeutic misadventure in local applications	1	-	1	-	-	0.0	0	0.0	0	0
E953	Therapeutic misadventure in administration of drugs or biologicals	71	31	33	2	5	0.0	0.0	0.0	0.0	0.1
E954	Therapeutic misadventure in anesthesia	57	18	29	4	6	0.0	0.0	0.0	0.0	0.1
E955	Other and unspecified therapeutic misadventure	12	3	5	3	1	0.0	0.0	0.0	0.0	0.0
E956	Late complication of surgical operation	104	25	66	2	11	0.1	0.0	0.1	0.0	0.1
E957	Late complication of amputation stump	3	2	1	-	-	0.0	0.0	0.0	0	0
E958	Late complication of irradiation	6	1	5	-	-	0.0	0.0	0.0	0	0
E959	Late complications of other forms of treatment	5	-	5	-	-	0.0	0	0.0	0	0
	Late effects of injury and poisoning (E960-E965)										
E960	Late effect of motor-vehicle accident	58	37	15	5	1	0.0	0.1	0.0	0.1	0.0
E961	Late effect of accidental poisoning	12	7	3	1	1	0.0	0.0	0.0	0.0	0.0
E962	Late effect of other accidental injury	434	215	175	34	10	0.3	0.3	0.2	0.4	0.1
E963	Late effect of self-inflicted injury	4	2	1	1	-	0.0	0.0	0.0	0.0	0
E964	Late effect of injury purposely inflicted by another person (not in war)	13	5	-	6	2	0.0	0.0	0	0.1	0.0
E965	Late effects of injuries due to war operations	36	32	-	4	-	0.0	0.0	0	0.0	0

4244
256
4500

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1952—Continued

(See headnote on p. 16)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued										
	Suicide and self-inflicted injury (E970-E979)										
E970	Suicide and self-inflicted poisoning by analgesic and soporific substances	751	296	445	6	4	0.5	0.4	0.6	0.1	0.0
A	Suicide by morphine and other opium derivatives	22	11	11	-	-	0.0	0.0	0.0	0	0
B	Suicide by barbituric acid and derivatives	621	244	368	5	4	0.4	0.4	0.5	0.1	0.0
C	Suicide by acetylsalicylic acid	7	1	6	-	-	0.0	0.0	0.0	0	0
D	Suicide by methyl salicylate	4	2	2	-	-	0.0	0.0	0.0	0	0
E	Suicide by other salicylates	3	-	2	1	-	0.0	0	0.0	0.0	0
F	Suicide by bromides	2	1	1	-	-	0.0	0.0	0.0	0	0
H	Suicide by other analgesic and soporific substances	82	32	50	-	-	0.1	0.0	0.1	0	0
M	Suicide by unspecified drugs	10	5	5	-	-	0.0	0.0	0.0	0	0
E971	Suicide and self-inflicted poisoning by other solid and liquid substances	805	421	336	22	26	0.5	0.6	0.5	0.3	0.3
A	Suicide by poisoning with strychnine	66	35	28	1	2	0.0	0.1	0.0	0.0	0.0
B	Suicide by phenol compounds	84	52	29	3	-	0.1	0.1	0.0	0.0	0
C	Suicide by lye and potash	47	21	20	1	5	0.0	0.0	0.0	0.0	0.1
D	Suicide by cresol compounds	33	9	21	2	1	0.0	0.0	0.0	0.0	0.0
E	Suicide by mercury and its compounds	52	13	35	1	3	0.0	0.0	0.0	0.0	0.0
F	Suicide by arsenic and its compounds	113	67	40	6	-	0.1	0.1	0.1	0.1	0
G	Suicide by fluorides	32	14	15	1	2	0.0	0.0	0.0	0.0	0.0
H	Suicide by other and unspecified solid and liquid substances	378	210	148	7	13	0.2	0.3	0.2	0.1	0.2
E972	Suicide and self-inflicted poisoning by gases in domestic use	520	288	224	6	2	0.3	0.4	0.3	0.1	0.0
E973	Suicide and self-inflicted poisoning by other gases	1,111	961	146	4	-	0.7	1.4	0.2	0.0	0
A	Suicide by motor-vehicle exhaust gas	964	835	125	4	-	0.6	1.2	0.2	0.0	0
B	Suicide by other motor exhaust gas	5	5	-	-	-	0.0	0.0	0	0	0
C	Suicide by other carbon monoxide	115	103	12	-	-	0.1	0.1	0.0	0	0
D	Suicide by other poisonous gases	27	18	9	-	-	0.0	0.0	0.0	0	0
E974	Suicide and self-inflicted injury by hanging and strangulation	3,358	2,474	771	95	18	2.2	3.6	1.1	1.2	0.2
E975	Suicide and self-inflicted injury by submersion (drowning)	656	341	267	38	10	0.4	0.5	0.4	0.5	0.1
E976	Suicide and self-inflicted injury by firearms and explosives	7,013	5,908	807	264	34	4.5	8.6	1.1	3.3	0.4
E977	Suicide and self-inflicted injury by cutting and piercing instruments	530	415	93	18	4	0.3	0.6	0.1	0.2	0.0
E978	Suicide and self-inflicted injury by jumping from high place	533	338	163	25	7	0.3	0.5	0.2	0.3	0.1
E979	Suicide and self-inflicted injury by other and unspecified means	286	180	86	12	8	0.2	0.3	0.1	0.1	0.1
	Homicide and injury purposely inflicted by other persons (not in war) (E980-E985)										
E980	Nonaccidental poisoning by another person	46	25	13	6	2	0.0	0.0	0.0	0.1	0.0
E981	Assault by firearms and explosives	4,244	1,390	530	1,879	445	2.7	2.0	0.8	23.4	5.2
E982	Assault by cutting and piercing instruments	1,986	325	110	1,257	294	1.3	0.5	0.2	15.7	3.5
E983	Assault by other means	1,426	654	285	319	168	0.9	1.0	0.4	4.0	2.0
E984	Injury by intervention of police	256	128	2	125	1	0.2	0.2	0.0	1.6	0.0
E985	Execution	83	35	-	48	-	0.1	0.1	0	0.6	0
	Injury resulting from operations of war (E990-E999)										
E991	Injury due to war operations by gunshot	2	2	-	-	-	0.0	0.0	0	0	0
E998	Injury due to war operations by other and unspecified means	6	5	-	1	-	0.0	0.0	0	0.0	0

NOTE.—Deaths reported as occurring 1 year or more after onset of specified diseases, ordinarily acute in nature are as follows:

CAUSE OF DEATH	Total	WHITE		NONWHITE		CAUSE OF DEATH	Total	WHITE		NONWHITE	
		Male	Female	Male	Female			Male	Female	Male	Female
Typhoid fever—040	3	2	1	-	-	Pneumonia, other and unspecified—493	25	19	3	1	2
Scarlet fever—050	46	21	25	-	-	Toxemias of pregnancy—642	30	...	25	...	5
Streptococcal sore throat—051	13	5	8	-	-	Ectopic pregnancy—645	2	...	2	...	-
Diphtheria—055	9	7	2	-	-	Abortion with sepsis—651	1	...	1	...	-
Whooping cough—056	7	1	6	-	-	Delivery without complication—660	2	...	1	...	1
Meningococcal infections—057	3	-	2	-	1	Deliveries complicated by placenta praevia or antepartum hemorrhage—670	1	...	-	...	1
Measles—085	7	2	5	-	-	Delivery complicated by retained placenta—671	1	...	1	...	-
Rubella (German measles)—086	1	-	1	-	-	Delivery complicated by other postpartum hemorrhage—672	1	...	1	...	-
Chickenpox—087	1	-	-	-	1	Delivery with laceration of perineum, without mention of other laceration—676	1	...	1	...	-
Tick-borne typhus—104	1	1	-	-	-	Delivery with other trauma—677	1	...	1	...	-
Influenza with pneumonia—480	5	3	1	1	-	Sepsis of childbirth and the puerperium—681	2	...	1	...	1
Influenza with other respiratory manifestations, and influenza unqualified—481	41	27	12	1	1	Puerperal phlebitis and thrombosis—682	2	...	2	...	-
Lobar pneumonia—490	13	8	5	-	-	Cerebral hemorrhage in the puerperium—687	1	...	1	...	-
Bronchopneumonia—491	11	6	5	-	-						
Primary atypical pneumonia—492	9	7	2	-	-						

Table 47. Supplement: Deaths From Nontransport Accidents by Race, Sex, and Place of Accident: United States, 1952

(Exclusive of deaths among armed forces overseas. Includes three-digit categories (E870-E936). Numbers under places of accident are four-digit subcategory numbers of the International List)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), RACE, AND SEX	Total	Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Accidental poisoning by solid and liquid substances (E870-E888)											
E870	Accidental poisoning by morphine and other opium derivatives	25	5	-	-	-	-	-	7	-	2	11
	White-----Male----	9	1	-	-	-	-	-	3	-	-	5
	Female--	8	2	-	-	-	-	-	3	-	-	3
	Nonwhite--Male----	5	1	-	-	-	-	-	1	-	1	2
	Female--	3	1	-	-	-	-	-	-	-	1	1
E871	Accidental poisoning by barbituric acid and derivatives	327	198	2	-	1	-	1	18	9	6	92
	White-----Male----	137	75	-	-	-	-	1	16	3	4	38
	Female--	179	117	-	-	1	-	-	2	6	2	51
	Nonwhite--Male----	8	6	2	-	-	-	-	-	-	-	-
	Female--	3	-	-	-	-	-	-	-	-	-	3
E872	Accidental poisoning by aspirin and salicylates	113	65	-	-	-	-	-	1	1	-	46
	White-----Male----	47	25	-	-	-	-	-	1	1	-	20
	Female--	49	28	-	-	-	-	-	-	-	-	21
	Nonwhite--Male----	7	5	-	-	-	-	-	-	-	-	2
	Female--	10	7	-	-	-	-	-	-	-	-	3
E873	Accidental poisoning by bromides	16	8	-	-	-	-	-	-	2	-	6
	White-----Male----	7	4	-	-	-	-	-	-	1	-	2
	Female--	8	4	-	-	-	-	-	-	-	-	4
	Nonwhite--Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	1	-	-	-	-	-	-	-	1	-	-
E874	Accidental poisoning by other analgesic and soporific drugs	95	50	-	-	-	-	3	1	3	2	36
	White-----Male----	47	20	-	-	-	-	1	1	2	2	21
	Female--	43	28	-	-	-	-	2	-	-	-	13
	Nonwhite--Male----	3	1	-	-	-	-	-	-	-	-	2
	Female--	2	1	-	-	-	-	-	-	1	-	-
E875	Accidental poisoning by sulphonamides	2	1	-	-	-	-	-	-	1	-	-
	White-----Male----	2	1	-	-	-	-	-	-	1	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E876	Accidental poisoning by strychnine	24	12	2	-	-	-	-	-	-	-	10
	White-----Male----	14	6	1	-	-	-	-	-	-	-	7
	Female--	9	6	-	-	-	-	-	-	-	-	3
	Nonwhite--Male----	1	-	1	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by belladonna, hyoscine, and atropine	5	2	-	-	-	-	-	-	-	-	3
	White-----Male----	4	1	-	-	-	-	-	-	-	-	3
	Female--	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs	72	41	-	-	-	-	-	1	-	2	28
	White-----Male----	28	16	-	-	-	-	-	1	-	2	9
	Female--	34	19	-	-	-	-	-	-	-	-	15
	Nonwhite--Male----	6	3	-	-	-	-	-	-	-	-	3
	Female--	4	3	-	-	-	-	-	-	-	-	1
E879	Accidental poisoning by noxious foodstuffs	19	6	1	-	-	1	-	-	-	1	10
	White-----Male----	13	5	1	-	-	1	-	-	-	1	5
	Female--	3	1	-	-	-	-	-	-	-	-	2
	Nonwhite--Male----	3	-	-	-	-	-	-	-	-	-	3
	Female--	-	-	-	-	-	-	-	-	-	-	-
E880	Accidental poisoning by alcohol	239	46	1	-	3	-	3	2	15	13	156
	White-----Male----	147	22	1	-	2	-	3	2	14	11	92
	Female--	14	4	-	-	-	-	-	-	-	-	10
	Nonwhite--Male----	52	10	-	-	1	-	-	-	1	2	38
	Female--	26	10	-	-	-	-	-	-	-	-	16
E881	Accidental poisoning by petroleum products	122	93	1	-	1	-	1	1	-	1	24
	White-----Male----	45	35	1	-	1	-	1	1	-	1	5
	Female--	18	13	-	-	-	-	-	-	-	-	5
	Nonwhite--Male----	37	28	-	-	-	-	-	-	-	-	9
	Female--	22	17	-	-	-	-	-	-	-	-	5
E882	Accidental poisoning by industrial solvents	46	18	-	-	6	-	-	2	2	4	14
	White-----Male----	33	15	-	-	3	-	-	2	1	3	9
	Female--	5	2	-	-	1	-	-	-	-	-	2
	Nonwhite--Male----	7	1	-	-	2	-	-	-	1	1	2
	Female--	1	-	-	-	-	-	-	-	-	-	1
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	72	39	-	-	1	-	2	1	6	2	21
	White-----Male----	32	16	-	-	1	-	1	-	3	-	11
	Female--	12	6	-	-	-	-	1	-	2	-	3
	Nonwhite--Male----	16	9	-	-	-	-	-	-	1	2	4
	Female--	12	8	-	-	-	-	-	1	-	-	3
E884	Accidental poisoning by mercury and its compounds	13	5	-	-	-	-	-	-	-	-	8
	White-----Male----	5	-	-	-	-	-	-	-	-	-	5
	Female--	4	2	-	-	-	-	-	-	-	-	2
	Nonwhite--Male----	2	2	-	-	-	-	-	-	-	-	-
	Female--	2	1	-	-	-	-	-	-	-	-	1
E885	Accidental poisoning by lead and its compounds	57	17	1	-	4	-	-	1	-	2	32
	White-----Male----	10	2	1	-	2	-	-	-	-	-	5
	Female--	11	5	-	-	-	-	-	-	-	-	6
	Nonwhite--Male----	19	4	-	-	2	-	-	1	-	-	12
	Female--	17	6	-	-	-	-	-	-	-	2	9
E886	Accidental poisoning by arsenic and antimony, and their compounds	49	30	5	-	-	-	1	-	-	-	13
	White-----Male----	21	9	3	-	-	-	1	-	-	-	8
	Female--	17	13	1	-	-	-	-	-	-	-	3
	Nonwhite--Male----	8	5	1	-	-	-	-	-	-	-	2
	Female--	3	3	-	-	-	-	-	-	-	-	-

See footnotes on p. 35.

Table 47. Supplement: Deaths From Nontransport Accidents by Race, Sex, and Place of Accident: United States, 1952—Continued

(See headnote on p. 32)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), RACE, AND SEX	Total	Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Accidental poisoning by solid and liquid substances (E870-E888)—Con.											
E887	Accidental poisoning by fluorides	5	1	-	-	-	-	-	-	-	-	4
	White--Male	3	-	-	-	-	-	-	-	-	-	3
	Female	2	1	-	-	-	-	-	-	-	-	1
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E888	Accidental poisoning by other and unspecified solid and liquid substances	139	61	3	-	2	-	2	4	4	2	61
	White--Male	61	19	3	-	1	-	2	3	3	1	29
	Female	36	18	-	-	1	-	-	1	-	1	15
	Nonwhite--Male	23	12	-	-	-	-	-	-	1	-	10
	Female	19	12	-	-	-	-	-	-	-	-	7
	Accidental poisoning by gases and vapors (E890-E895)											
E890	Accidental poisoning by utility (illuminating) gas	699	618	-	-	3	-	-	49	-	11	18
	White--Male	395	348	-	-	2	-	-	30	-	6	9
	Female	241	215	-	-	1	-	-	15	-	4	6
	Nonwhite--Male	45	38	-	-	-	-	-	3	-	1	3
	Female	18	17	-	-	-	-	-	1	-	-	-
E891	Accidental poisoning by motor-vehicle exhaust gas	332	149	6	2	35	-	65	21	1	37	16
	White--Male	262	125	4	2	31	-	42	16	1	28	13
	Female	45	15	1	-	1	-	19	3	-	4	2
	Nonwhite--Male	17	7	1	-	1	-	4	2	-	2	-
	Female	8	2	-	-	2	-	-	-	-	3	1
E892	Accidental poisoning by other carbon monoxide gas	234	153	3	3	10	-	-	22	-	6	37
	White--Male	150	92	3	3	10	-	-	12	-	6	24
	Female	66	48	-	-	-	-	-	8	-	-	10
	Nonwhite--Male	13	8	-	-	-	-	-	2	-	-	3
	Female	5	5	-	-	-	-	-	-	-	-	-
E893	Accidental poisoning by cyanide gas	4	-	2	-	1	-	-	-	-	-	1
	White--Male	3	-	1	-	1	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	1	-	1	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E894	Accidental poisoning by other specified gases and vapors	90	22	5	6	23	-	-	4	1	13	16
	White--Male	68	13	5	6	20	-	-	3	1	10	10
	Female	15	7	-	-	2	-	-	1	-	1	4
	Nonwhite--Male	6	1	-	-	1	-	-	-	-	2	2
	Female	1	1	-	-	-	-	-	-	-	-	-
E895	Accidental poisoning by unspecified gases and vapors	38	17	2	-	7	-	1	2	-	4	5
	White--Male	26	8	2	-	6	-	1	2	-	4	3
	Female	10	8	-	-	-	-	-	-	-	-	2
	Nonwhite--Male	2	1	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Accidental falls (E900-E904)											
E900	Fall on stairs	2,770	2,152	8	-	20	4	28	293	70	116	79
	White--Male	1,473	1,066	5	-	16	4	20	219	35	73	35
	Female	1,122	944	2	-	4	-	6	59	31	35	41
	Nonwhite--Male	114	91	1	-	-	-	2	13	1	6	-
	Female	61	51	-	-	-	-	-	2	3	2	3
E901	Fall from ladders	354	185	30	2	45	-	9	20	3	45	15
	White--Male	303	148	30	2	44	-	8	17	3	42	9
	Female	30	28	-	-	-	-	-	-	-	1	1
	Nonwhite--Male	19	8	-	-	1	-	1	3	-	2	4
	Female	2	1	-	-	-	-	-	-	-	-	1
E902	Other falls from one level to another	4,182	1,868	153	43	331	31	143	213	592	664	144
	White--Male	2,467	850	137	39	299	29	112	154	263	500	84
	Female	1,314	818	6	1	5	1	15	38	301	80	49
	Nonwhite--Male	294	120	8	3	27	-	14	18	20	76	8
	Female	107	80	2	-	-	1	2	3	8	8	3
E903	Fall on same level	4,627	2,927	31	2	32	10	736	78	560	129	122
	White--Male	1,678	772	23	1	27	6	472	46	217	65	49
	Female	2,796	2,073	8	1	3	4	224	31	330	53	69
	Nonwhite--Male	77	28	-	-	2	-	31	-	8	6	2
	Female	76	54	-	-	-	-	9	1	5	5	2
E904	Unspecified falls	9,012	4,729	45	11	94	20	394	189	781	199	2,550
	White--Male	3,407	1,446	30	8	81	17	291	114	315	127	978
	Female	5,187	3,093	11	-	4	2	66	67	448	52	1,444
	Nonwhite--Male	226	66	3	3	9	1	35	5	10	16	78
	Female	192	124	1	-	-	-	2	3	8	4	50
	Other accidents (E910-E936)											
E910	Blow from falling object	1,391	133	134	359	256	3	70	30	8	349	49
	White--Male	1,129	102	115	327	209	2	51	23	5	263	32
	Female	44	18	9	1	1	1	3	3	-	6	2
	Nonwhite--Male	213	11	10	31	46	-	13	4	3	80	15
	Female	5	2	-	-	-	-	3	-	-	-	-
E911	Accident caused by vehicle	170	-	-	139	28	-	-	2	1	-	-
	White--Male	147	-	-	123	23	-	-	1	-	-	-
	Female	3	-	-	-	1	-	-	1	1	-	-
	Nonwhite--Male	20	-	-	16	4	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E912	Accident caused by machinery	2,083	83	831	78	540	20	206	33	2	228	62
	White--Male	1,801	56	729	76	459	11	188	27	1	199	55
	Female	81	13	42	-	4	6	7	2	-	3	4
	Nonwhite--Male	192	13	56	2	76	3	10	3	1	26	2
	Female	9	1	4	-	1		1	1	-	-	1

See footnotes on p. 35.

Table 47. Supplement: Deaths From Nontransport Accidents by Race, Sex, and Place of Accident: United States, 1952—Continued

(See headnote on p. 32)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), RACE, AND SEX	Total	Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Other accidents (E910-E936)—Continued											
E913	Accident caused by cutting and piercing instruments	165	79	9	1	11	2	4	6	2	18	33
	White-----Male----	81	35	7	1	6	2	2	4	1	8	15
	Female--	29	19	1	-	-	-	-	-	-	2	7
	Nonwhite--Male----	44	18	1	-	5	-	2	2	1	7	8
	Female--	11	7	-	-	-	-	-	-	-	1	3
E914	Accident caused by electric current	1,056	227	105	21	195	6	183	38	8	211	62
	White-----Male----	913	166	96	18	176	4	159	34	8	197	55
	Female--	59	49	2	-	-	1	2	-	-	2	3
	Nonwhite--Male----	80	9	7	3	19	1	22	4	-	12	3
	Female--	4	3	-	-	-	-	-	-	-	-	1
E915	Accident caused by explosion of pressure vessel	69	6	3	4	46	-	-	2	3	4	1
	White-----Male----	57	3	3	3	39	-	-	2	3	4	-
	Female--	2	-	-	-	1	-	-	-	-	-	1
	Nonwhite--Male----	9	2	-	1	6	-	-	-	-	-	-
	Female--	1	1	-	-	-	-	-	-	-	-	-
E916	Accident caused by fire and explosion of combustible material	6,922	5,656	163	34	299	18	51	206	103	222	170
	White-----Male----	2,851	1,964	117	33	258	13	33	145	56	156	76
	Female--	1,993	1,805	18	-	6	2	3	40	39	28	52
	Nonwhite--Male----	1,064	925	20	1	35	3	10	18	6	30	16
	Female--	1,014	962	8	-	-	-	5	3	2	8	26
E917	Accident caused by hot substance, corrosive liquid, and steam	836	457	12	2	60	-	3	10	29	22	241
	White-----Male----	349	158	7	2	47	-	2	5	16	15	97
	Female--	248	159	2	-	-	-	-	3	11	3	70
	Nonwhite--Male----	123	64	1	-	13	-	1	2	2	2	38
	Female--	116	76	2	-	-	-	-	-	-	2	36
E918	Accident caused by radiation	-	-	-	-	-	-	-	-	-	-	-
	White-----Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E919	Accident caused by firearm	2,210	927	285	30	32	6	117	47	2	469	295
	White-----Male----	1,635	606	261	28	31	6	87	33	-	409	174
	Female--	184	129	6	-	-	-	7	5	-	19	18
	Nonwhite--Male----	300	134	17	2	1	-	17	5	2	40	82
	Female--	91	58	1	-	-	-	6	4	-	1	21
E920	Foreign body entering eye and adnexa	1	-	-	-	-	-	-	-	-	-	1
	White-----Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite--Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,144	497	1	-	2	2	5	20	68	24	525
	White-----Male----	567	232	1	-	2	1	4	13	33	14	267
	Female--	371	176	-	-	-	1	-	5	22	9	158
	Nonwhite--Male----	121	54	-	-	-	-	1	-	6	1	59
	Female--	85	35	-	-	-	-	-	2	7	-	41
E922	Inhalation and ingestion of other object causing obstruction or suffocation	290	122	1	-	2	-	1	2	12	1	149
	White-----Male----	132	61	1	-	1	-	1	1	8	-	59
	Female--	106	41	-	-	-	-	-	1	3	-	61
	Nonwhite--Male----	29	11	-	-	1	-	-	-	-	1	16
	Female--	23	9	-	-	-	-	-	-	1	-	13
E923	Foreign body entering other orifice	147	44	-	-	-	1	1	-	9	-	92
	White-----Male----	67	18	-	-	-	1	1	-	6	-	41
	Female--	53	20	-	-	-	-	-	-	2	-	31
	Nonwhite--Male----	18	2	-	-	-	-	-	-	1	-	15
	Female--	9	4	-	-	-	-	-	-	-	-	5
E924	Accidental mechanical suffocation in bed and cradle	1,266	1,117	-	-	-	2	6	9	11	38	83
	White-----Male----	522	461	-	-	-	1	2	7	5	18	28
	Female--	385	344	-	-	-	1	4	2	3	9	22
	Nonwhite--Male----	187	168	-	-	-	-	-	-	1	3	15
	Female--	172	144	-	-	-	-	-	-	2	8	18
E925	Accidental mechanical suffocation in other and unspecified circumstances	510	153	20	51	44	3	29	11	10	70	119
	White-----Male----	331	89	18	49	38	2	18	5	5	59	48
	Female--	85	33	-	-	-	-	2	5	4	3	38
	Nonwhite--Male----	63	18	2	2	6	1	8	1	1	8	16
	Female--	31	13	-	-	-	-	1	-	-	-	17
E926	Lack of care of infants under 1 year of age	70	13	-	-	-	-	1	-	2	3	51
	White-----Male----	22	4	-	-	-	-	-	-	-	1	17
	Female--	12	2	-	-	-	-	-	-	1	-	9
	Nonwhite--Male----	24	4	-	-	-	-	1	-	-	2	17
	Female--	12	3	-	-	-	-	-	-	1	-	8
E927	Accidents caused by bites and stings of venomous animals and insects	44	9	6	-	-	-	1	2	2	4	20
	White-----Male----	24	6	3	-	-	-	1	1	1	3	9
	Female--	9	2	1	-	-	-	-	-	-	-	6
	Nonwhite--Male----	9	1	2	-	-	-	-	1	1	1	3
	Female--	2	-	-	-	-	-	-	-	-	-	2
E928	Other accidents caused by animals	236	39	150	-	3	4	4	1	1	7	27
	White-----Male----	173	25	121	-	3	4	2	1	1	3	13
	Female--	32	10	13	-	-	-	2	-	-	1	6
	Nonwhite--Male----	28	2	15	-	-	-	-	-	-	3	8
	Female--	3	2	1	-	-	-	-	-	-	-	-
E929	Accidental drowning and submersion	5,346	352	307	117	56	211	25	16	17	3,913	332
	White-----Male----	3,672	160	206	75	45	150	18	10	12	2,773	203
	Female--	724	136	46	15	3	33	3	4	1	441	42
	Nonwhite--Male----	857	23	46	24	8	27	2	2	4	649	72
	Female--	93	13	9	3	-	1	2	-	-	50	15

See footnotes on p. 35.

Table 47. Supplement: Deaths From Nontransport Accidents by Race, Sex, and Place of Accident: United States, 1952—Continued

(See headnote on p. 32)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), RACE, AND SEX	Total	Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Other accidents (E910-E936)—Continued											
E930	High and low air pressure	4	-	-	-	-	-	-	-	-	3	1
	White-----Male----	2	-	-	-	-	-	-	-	-	1	1
	Female--	1	-	-	-	-	-	-	-	-	1	-
	Nonwhite--Male----	1	-	-	-	-	-	-	-	-	1	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E931	Excessive heat and insolation	1,401	102	30	-	20	-	23	10	22	33	1,161
	White-----Male----	743	42	19	-	10	-	12	10	12	23	615
	Female--	371	28	2	-	-	-	5	-	2	3	331
	Nonwhite--Male----	185	23	8	-	10	-	6	-	5	7	126
	Female--	102	9	1	-	-	-	-	-	3	-	89
E932	Excessive cold	225	26	12	2	2	-	24	-	1	60	98
	White-----Male----	134	12	9	2	2	-	14	-	-	40	55
	Female--	41	6	2	-	-	-	4	-	1	7	21
	Nonwhite--Male----	39	6	1	-	-	-	6	-	-	10	16
	Female--	11	2	-	-	-	-	-	-	-	3	6
E933	Hunger, thirst, and exposure	297	8	6	-	3	-	3	-	1	36	240
	White-----Male----	150	5	3	-	3	-	3	-	-	23	113
	Female--	37	2	-	-	-	-	-	-	1	4	30
	Nonwhite--Male----	65	1	-	-	-	-	-	-	-	5	59
	Female--	45	-	3	-	-	-	-	-	-	4	38
E934	Cataclysm	299	186	12	-	1	1	17	11	-	32	39
	White-----Male----	131	79	6	-	1	1	4	5	-	23	12
	Female--	108	86	3	-	-	-	6	5	-	6	2
	Nonwhite--Male----	35	13	1	-	-	-	6	-	-	2	13
	Female--	25	8	2	-	-	-	1	1	-	1	12
E935	Lightning	212	45	78	-	2	3	9	6	-	41	28
	White-----Male----	131	16	59	-	2	3	6	4	-	26	15
	Female--	34	20	7	-	-	-	-	1	-	4	2
	Nonwhite--Male----	35	5	10	-	-	-	2	1	-	9	8
	Female--	12	4	2	-	-	-	1	-	-	2	3
E936	Other and unspecified accidents	1,802	325	57	27	141	40	159	68	132	182	671
	White-----Male----	1,188	186	49	25	115	31	103	54	66	146	413
	Female--	327	89	6	-	-	4	21	8	56	11	132
	Nonwhite--Male----	210	30	1	2	25	4	29	4	8	22	85
	Female--	77	20	1	-	1	1	6	2	2	3	41

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 48. Deaths From 256 Selected Causes, by Month: United States, 1952

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALL CAUSES	1,496,838	132,784	126,322	138,487	124,977	123,246	127,427	120,516	112,914	110,581	123,998	123,109	132,477
I. Infective and parasitic diseases	41,639	3,913	3,748	4,040	3,632	3,420	3,487	3,318	3,520	3,529	3,351	2,940	2,941
Tuberculosis, all forms 001-019	24,621	2,583	2,427	2,648	2,343	2,218	2,090	1,845	1,674	1,694	1,780	1,627	1,692
Tuberculosis of respiratory system 001-008	22,486	2,373	2,220	2,449	2,134	2,028	1,916	1,678	1,483	1,548	1,623	1,485	1,537
Tuberculosis of meninges and central nervous system 010	767	84	83	66	76	64	58	68	59	45	50	56	58
Tuberculosis of intestines, peritoneum, and mesenteric glands 011	150	14	7	15	14	16	10	9	17	15	10	11	12
Tuberculosis of vertebral column 012.0,013.0	139	8	11	13	15	12	12	6	15	11	14	6	16
Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	63	9	3	9	8	6	4	7	3	3	5	3	3
Tuberculosis of genito-urinary system 016	228	22	22	20	13	22	19	16	16	20	19	21	16
Tuberculosis of lymphatic system and other organs 014,015,017,018	110	9	12	12	11	7	11	7	13	9	6	3	10
Disseminated tuberculosis 019	678	64	69	64	72	63	58	52	58	43	53	42	40
Syphilis and its sequelae 020-029	5,719	523	514	534	509	480	530	456	406	398	428	458	483
Congenital syphilis 020	135	13	14	16	13	18	9	8	6	11	9	9	9
Early syphilis 021	1	-	-	-	-	1	-	-	-	-	-	-	-
Aneurysm of aorta 022	1,643	157	141	155	148	118	123	120	113	128	153	142	145
Other cardiovascular syphilis 023	2,073	187	193	188	187	177	188	186	154	139	144	150	180
Tabes dorsalis 024	143	12	16	14	13	8	11	10	9	7	13	15	15
General paralysis of insane 025	925	84	78	77	76	66	118	74	70	69	57	77	79
Other syphilis of central nervous system 026	617	58	55	59	56	68	63	48	39	38	35	52	46
Other syphilis 027-029	182	12	17	25	16	24	18	10	15	6	17	13	9
Gonococcal infection 030-035	45	7	1	2	4	7	4	2	4	5	2	5	2
Typhoid fever 040	78	6	8	6	2	4	9	10	8	9	7	2	7
Paratyphoid fever 041	10	1	-	1	-	-	1	2	2	1	-	-	2
Other Salmonella infections 042	32	2	5	2	-	2	4	4	3	3	1	5	1
Cholera 043	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever) 044	23	1	-	3	2	2	2	5	4	3	-	-	1
Dysentery, all forms 045-048	937	64	48	47	42	69	124	109	126	92	87	71	58
Food poisoning (infection and intoxication) 049	162	13	15	17	12	8	14	14	12	15	12	13	17
Scarlet fever 050	74	3	13	8	9	9	7	6	4	1	2	5	7
Streptococcal sore throat 051	277	17	29	24	22	22	17	22	29	19	19	31	26
Erysipelas 052	52	5	3	9	4	2	6	2	3	5	-	6	7
Septicemia and pyemia 053	726	59	65	61	61	52	60	68	63	54	64	66	53
Diphtheria 055	217	24	29	13	13	7	9	11	11	25	35	29	11
Whooping cough 056	402	49	34	38	45	31	49	36	32	22	25	21	20
Meningococcal infections 057	1,386	176	168	200	124	98	88	88	54	59	95	114	122
Plague 058	-	-	-	-	-	-	-	-	-	-	-	-	-
Tularemia 059	8	-	3	-	2	1	2	-	-	-	-	-	-
Leprosy 060	4	1	-	-	-	1	-	1	-	1	-	-	-
Tetanus 061	360	15	21	24	33	33	40	40	46	29	28	26	25
Anthrax 062	3	-	-	-	-	-	-	-	-	-	-	1	2
Acute poliomyelitis 080	3,145	47	34	40	27	39	96	341	807	836	533	221	124
Late effects of acute poliomyelitis 081	110	12	10	9	5	12	7	7	6	7	16	10	9
Acute infectious encephalitis 082	471	43	35	47	35	32	41	41	53	52	33	30	29
Late effects of acute infectious encephalitis 083	162	14	9	13	21	11	25	17	7	14	10	12	9
Smallpox 084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles 085	618	49	77	97	120	107	79	28	8	9	8	12	24
Yellow fever 091	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis 092	794	61	73	77	67	66	66	50	57	73	67	61	76
Rabies 094	24	2	2	-	3	2	3	2	2	3	1	4	-
Tick-borne typhus 104	20	-	-	-	-	4	7	4	4	1	-	-	-
Rocky Mountain spotted fever 104A	20	-	-	-	-	4	7	4	4	1	-	-	-
Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus, other and unspecified, and other rickettsial diseases 100-103,105-108	9	1	-	1	2	-	1	-	1	1	1	1	-
Malaria 110-117	25	2	-	-	1	2	-	8	9	1	-	1	1
Schistosomiasis 123	3	-	-	-	1	-	-	1	1	-	-	-	-
Hydatid disease 125	6	1	2	1	-	1	-	-	-	-	-	1	-
Filariasis 127	1	-	-	-	-	-	1	-	-	-	-	-	-
Ankylostomiasis 129	4	-	-	1	-	-	1	1	1	-	-	-	-
Other diseases due to helminths 124,126,128,130	89	10	11	9	4	6	8	6	5	4	11	6	9
All other infective and parasitic diseases 036-039,054,063-074,086-090,093,095,096,120-122,131-138	1,222	122	112	108	119	92	96	91	78	93	86	101	124
II. Neoplasms	228,410	19,041	18,173	19,538	18,558	19,264	19,460	18,797	18,943	18,295	19,657	19,091	19,593
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	223,277	18,625	17,758	19,086	18,154	18,809	19,032	18,359	18,527	17,900	19,182	18,668	19,177
Malignant neoplasm of buccal cavity and pharynx 140-148	5,029	429	417	398	451	391	425	402	423	427	432	418	416
Malignant neoplasm of lip 140	407	31	30	36	26	35	32	31	32	35	45	40	34
Malignant neoplasm of tongue 141	1,192	102	104	83	107	87	111	101	108	105	92	91	101
Malignant neoplasm of other and unspecified parts of buccal cavity 142-144	1,458	132	131	123	128	112	126	111	108	126	120	132	107
Malignant neoplasm of pharynx 145-148	1,972	164	152	156	190	157	154	159	175	161	175	155	174
Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	83,238	6,967	6,529	7,100	6,734	7,103	7,068	6,897	6,965	6,761	7,049	6,921	7,144
Malignant neoplasm of esophagus 150	4,061	336	301	343	346	332	347	361	337	327	340	356	335
Malignant neoplasm of stomach 151	23,466	1,942	1,875	2,056	1,917	1,957	1,978	1,934	2,034	1,876	1,977	1,989	1,931

Table 48. Deaths From 256 Selected Causes, by Month: United States, 1952—Continued

(See headnote on p. 36)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
II. Neoplasms—Continued													
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued													
Malignant neoplasm of digestive organs and peritoneum—Continued													
Malignant neoplasm of intestine, except rectum----------152,153	24,186	2,005	1,908	1,994	1,997	2,076	2,090	1,982	1,994	1,965	2,033	2,023	2,119
Malignant neoplasm of rectum----------154	10,332	885	770	889	812	917	882	883	853	821	852	866	902
Malignant neoplasm of biliary passages and of liver (stated to be primary site)----------155	4,946	418	392	422	397	410	421	399	409	423	419	398	438
Malignant neoplasm of liver not specified whether primary or secondary----------156A	4,881	418	390	427	394	468	410	381	380	391	433	387	402
Malignant neoplasm of pancreas----------157	9,791	824	764	830	770	835	804	824	824	815	871	763	867
Malignant neoplasm of peritoneum and of unspecified digestive organs----------158,159	1,575	139	129	139	101	108	136	133	134	143	124	139	150
Malignant neoplasm of respiratory system-----160-164	24,330	2,052	1,917	1,998	1,999	2,063	2,059	1,953	2,046	1,911	2,141	2,058	2,133
Malignant neoplasm of larynx----------161	1,873	147	162	168	134	155	152	170	156	143	161	168	157
Malignant neoplasm of trachea, and of bronchus and lung specified as primary----------162	9,716	822	764	789	782	816	832	780	819	751	845	866	850
Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary-163	11,866	1,006	911	976	1,008	1,016	987	935	1,005	957	1,068	957	1,040
Malignant neoplasm of other parts of respiratory system----------160,164	875	77	80	65	75	76	88	68	66	60	67	67	86
Malignant neoplasm of breast----------170	19,892	1,662	1,618	1,723	1,617	1,622	1,621	1,601	1,635	1,577	1,795	1,712	1,709
Malignant neoplasm of genital organs---------171-179	35,379	2,919	2,863	3,081	2,879	3,002	3,067	2,975	2,841	2,723	3,060	2,913	3,056
Malignant neoplasm of cervix uteri----------171	8,329	662	629	714	698	715	698	701	679	634	729	750	720
Malignant neoplasm of other and unspecified parts of uterus----------172-174	6,935	560	596	621	553	569	604	601	565	536	597	553	580
Malignant neoplasm of ovary, fallopian tube, and broad ligament----------175	6,277	495	539	515	507	549	543	524	524	501	565	491	524
Malignant neoplasm of other and unspecified female genital organs----------176	741	66	56	79	49	69	62	62	62	63	57	50	66
Malignant neoplasm of prostate----------177	12,181	1,047	979	1,071	990	1,018	1,076	1,002	946	927	1,047	1,003	1,075
Malignant neoplasm of testis, and of other and unspecified male genital organs----------178,179	916	89	64	81	82	82	84	85	65	62	65	66	91
Malignant neoplasm of urinary organs---------180,181	10,679	922	871	923	862	881	858	885	887	841	889	906	954
Malignant neoplasm of kidney----------180	3,929	343	307	344	329	345	308	334	302	301	320	332	364
Malignant neoplasm of bladder and other urinary organs----------181	6,750	579	564	579	533	536	550	551	585	540	569	574	590
Malignant neoplasm of other and unspecified sites----------156B,165,190-199	25,783	2,099	2,033	2,237	2,033	2,152	2,352	2,108	2,135	2,123	2,220	2,148	2,143
Malignant neoplasm of skin----------190,191	3,369	246	272	299	249	308	319	293	271	253	299	273	287
Malignant neoplasm of eye----------192	357	28	42	33	37	21	33	30	31	27	24	28	23
Malignant neoplasm of brain and other parts of nervous system----------193	4,869	371	378	409	392	415	441	397	431	414	408	379	434
Malignant neoplasm of thyroid gland----------194	939	78	75	85	81	76	92	84	76	74	73	71	74
Malignant neoplasm of bone (including jaw bone)----------196	2,045	166	164	184	176	157	194	161	165	171	172	163	172
Malignant neoplasm of connective tissue--------197	593	43	55	54	37	58	64	41	40	51	44	48	58
Malignant neoplasm of other specified sites, not stated to be secondary----------195,198A,199A	3,614	329	278	321	301	259	318	279	299	292	317	319	302
Malignant neoplasm of unspecified sites----------156B,165,198B,199B-M	9,997	838	769	852	760	858	891	823	822	841	883	867	793
Leukemia and aleukemia----------204	9,841	843	788	894	813	825	816	800	802	764	804	827	865
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues----------200-203,205	9,106	732	722	732	766	770	766	738	793	773	792	765	757
Lymphosarcoma and reticulosarcoma----------200	4,008	302	301	319	350	336	320	322	361	348	379	340	330
Hodgkin's disease----------201	2,793	221	232	222	242	255	256	231	236	241	212	221	224
Other neoplasms of lymphatic and hematopoietic tissues----------202,203,205	2,305	209	189	191	174	179	190	185	196	184	201	204	203
Benign neoplasms and neoplasms of unspecified nature----------210-239	5,133	416	415	452	404	455	428	438	416	395	475	423	416
Benign neoplasms of female genital organs--214-217	1,152	91	99	105	93	84	100	131	102	91	92	81	83
Benign neoplasm of brain and other parts of nervous system----------223	862	73	65	80	68	84	80	65	57	64	80	74	72
Other benign neoplasms-----210-213,218-222,224-229	800	61	71	77	64	64	58	55	78	71	69	70	62
Neoplasm of unspecified nature of female genital organs----------233-235	33	2	4	3	3	4	2	2	2	1	3	5	2
Neoplasm of unspecified nature of brain and other parts of nervous system----------237	1,515	117	117	126	120	147	135	134	107	111	153	124	124
Other neoplasms of unspecified nature----------230-232,236,238,239	771	72	59	61	56	72	53	51	70	57	78	69	73
III. Allergic, endocrine system, metabolic, and nutritional diseases----------	36,508	3,400	3,231	3,505	3,096	2,900	3,102	2,952	2,611	2,547	2,882	2,984	3,298
Asthma----------241	6,943	701	670	728	608	554	516	475	473	451	555	552	660
Nontoxic goiter----------250,251	140	7	14	19	10	12	9	11	14	11	17	6	10
Thyrotoxicosis with or without goiter----------252	1,123	118	109	120	96	102	110	99	67	71	76	78	77
Myxedema, cretinism, and other diseases of thyroid gland----------253,254	219	26	17	21	23	18	13	16	13	12	19	21	20
Diabetes mellitus----------260	25,474	2,296	2,193	2,357	2,158	2,028	2,214	2,122	1,856	1,814	2,033	2,106	2,297
Diseases of thymus gland----------273	558	77	50	45	44	31	51	46	34	44	36	59	41

Table 48. Deaths From 256 Selected Causes, by Month: United States, 1952—Continued

(See headnote on p. 36)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
III. Allergic, endocrine system, metabolic, and nutritional diseases—Continued													
Diseases of adrenal glands----------274	374	24	42	49	29	30	32	30	29	21	22	31	35
Pellagra----------281	184	15	18	19	22	16	20	13	11	11	10	15	14
All other avitaminoses and nutritional deficiency states----------280,282-286	756	60	67	63	48	58	74	76	57	61	61	65	66
Other allergic, endocrine, and metabolic diseases--------240,242-245,270-272,275-277,287-289	737	76	51	84	58	51	63	64	57	51	53	51	78
IV. Diseases of the blood and blood-forming organs----------	5,504	481	470	517	438	460	488	433	472	417	476	426	426
Anemias----------290-293	3,987	342	330	355	308	314	363	316	343	327	343	319	327
Pernicious and other hyperchromic anemias------290	1,687	162	127	160	128	129	174	118	139	131	148	137	134
Anemias of other and unspecified type------291-293	2,300	180	203	195	180	185	189	198	204	196	195	182	193
Purpura and other hemorrhagic conditions---------296	607	65	57	68	51	53	55	51	48	26	53	38	42
All other diseases of blood and blood-forming organs----------294,295,297-299	910	74	83	94	79	93	70	66	81	64	80	69	57
V. Mental, psychoneurotic, and personality disorders----------	4,458	433	343	406	371	356	400	369	309	311	358	380	422
Senile psychosis----------304	819	90	82	87	72	60	80	55	50	54	65	65	59
Alcoholic psychosis----------307	338	28	23	21	29	41	31	35	24	19	28	24	35
Other psychoses----------300-303,305,306,308,309	687	82	44	64	47	65	68	58	43	53	56	50	57
Alcoholism----------322	2,265	213	178	200	194	161	189	184	160	155	177	218	236
Mental deficiency----------325	200	11	7	22	14	18	20	26	21	15	14	14	18
Psychoneuroses and other disorders of personality----------310-321,323,324,326	149	9	9	12	15	11	12	11	11	15	18	9	17
VI. Diseases of the nervous system and sense organs----------	180,385	16,545	15,329	16,736	15,113	14,647	15,778	14,490	13,013	12,881	14,667	14,882	16,304
Vascular lesions affecting central nervous system----------330-334	166,331	15,283	14,160	15,459	13,897	13,589	14,403	13,280	12,003	11,884	13,582	13,728	15,063
Subarachnoid hemorrhage----------330	4,277	376	403	379	343	381	320	300	299	335	360	375	406
Cerebral hemorrhage----------331	110,233	10,198	9,291	10,344	9,413	9,046	9,531	8,771	7,911	7,704	9,122	9,150	9,752
Cerebral embolism and thrombosis----------332	31,448	2,751	2,563	2,850	2,468	2,521	2,666	2,571	2,351	2,400	2,511	2,617	3,179
Other vascular lesions affecting central nervous system----------333,334	20,373	1,958	1,903	1,886	1,673	1,641	1,886	1,638	1,442	1,445	1,589	1,586	1,726
Meningitis, except meningococcal and tuberculous-340	1,918	191	173	195	174	133	157	122	117	108	136	182	230
Multiple sclerosis----------345	1,531	116	113	135	124	106	170	148	105	110	123	131	150
Paralysis agitans----------350	2,396	225	182	181	208	168	283	236	186	171	164	168	204
Cerebral spastic infantile paralysis----------351	654	60	72	61	70	48	54	45	31	38	53	57	65
Epilepsy----------353	2,325	211	185	214	207	202	223	201	180	179	187	175	161
Inflammatory diseases of eye----------370-379	14	1	-	2	1	2	1	-	3	-	2	1	1
Cataract----------385	44	4	3	4	1	3	2	3	3	7	5	4	5
Glaucoma----------387	15	-	-	1	-	2	2	1	2	2	3	-	2
Otitis media and mastoiditis----------391-393	463	62	46	61	48	33	35	28	20	19	32	35	44
Other diseases of nervous system and sense organs-341-344,352,354-369,380-384,386,388-390,394-398	4,694	392	395	423	383	361	448	426	363	363	360	401	379
VII. Diseases of the circulatory system------	609,783	55,055	52,705	58,028	51,845	50,975	50,909	47,548	43,604	43,467	50,280	50,305	55,062
Rheumatic fever----------400-402	1,583	134	149	128	131	146	147	137	133	118	107	116	137
Diseases of heart----------410-443	555,141	50,056	47,779	52,614	47,181	46,487	46,212	43,181	39,709	39,687	46,003	45,987	50,245
Chronic rheumatic heart disease----------410-416	19,754	1,794	1,742	1,887	1,687	1,688	1,662	1,555	1,381	1,341	1,625	1,585	1,807
Diseases of mitral valve----------410	8,023	763	697	746	675	716	692	634	533	510	659	658	740
Diseases of aortic valve specified as rheumatic----------411	888	85	80	89	66	71	59	64	57	60	83	79	95
Diseases of tricuspid valve----------412	25	4	2	3	-	1	2	2	2	4	1	2	2
Diseases of pulmonary valve and other endocarditis specified as rheumatic-------413,414	1,198	106	113	103	110	96	107	111	69	82	105	97	99
Other diseases of heart specified as rheumatic----------415,416	9,620	836	850	946	836	804	802	744	720	685	777	749	871
Arteriosclerotic heart disease, including coronary disease----------420	352,135	31,191	29,717	32,584	29,604	29,363	28,715	27,374	25,791	25,805	29,726	29,618	32,647
Arteriosclerotic heart disease so described--420.0	118,784	10,599	10,202	11,561	10,170	9,823	9,974	9,201	8,399	8,443	9,802	9,696	10,914
Heart disease specified as involving coronary arteries----------420.1	231,709	20,437	19,362	20,883	19,298	19,403	18,623	18,034	17,277	17,245	19,785	19,774	21,588
Angina pectoris without mention of coronary disease----------420.2	1,642	155	153	140	136	137	118	139	115	117	139	148	145
Chronic endocarditis not specified as rheumatic----------421	9,044	901	791	866	781	784	741	725	609	605	719	740	762
Of mitral valve, specified as nonrheumatic---421.0	859	76	59	94	79	68	78	67	61	48	73	63	93
Of aortic valve, not specified as rheumatic--421.1	1,739	157	138	150	158	165	131	129	118	117	154	165	157
Of other valves, not specified as rheumatic----------421.2-421.4	6,446	668	594	642	544	551	532	529	430	440	492	512	512
Other myocardial degeneration----------422	67,640	6,523	6,151	6,814	5,905	5,678	5,871	5,144	4,499	4,521	5,341	5,435	5,758
With arteriosclerosis----------422.1	34,520	3,244	3,050	3,418	3,094	2,875	3,093	2,622	2,251	2,352	2,796	2,763	2,962
Without mention of arteriosclerosis----422.0,422.2	33,120	3,279	3,101	3,396	2,811	2,803	2,778	2,522	2,248	2,169	2,545	2,672	2,796
Other diseases of heart----------430-434	22,657	2,064	1,999	2,183	1,881	1,812	1,851	1,787	1,675	1,588	1,876	1,848	2,093
Acute and subacute endocarditis----------430	817	61	58	74	72	68	66	71	68	82	62	59	76
Acute myocarditis not specified as rheumatic---431	2,042	182	188	185	181	168	180	184	127	147	166	170	164
Acute pericarditis specified as nonrheumatic---432	36	5	5	3	9	3	2	2	3	1	-	1	2

Table 48. Deaths From 256 Selected Causes, by Month: United States, 1952—Continued

(See headnote on p. 36)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VII. Diseases of the circulatory system—Con.													
Diseases of heart—Continued													
Other diseases of heart—Continued													
Functional disease of heart----------433	2,459	233	218	220	211	205	207	209	184	174	194	202	202
Other and unspecified diseases of heart--------434	17,303	1,583	1,530	1,701	1,408	1,368	1,396	1,321	1,293	1,184	1,454	1,416	1,649
Hypertension with heart disease----------440-443	83,911	7,583	7,379	8,260	7,323	7,162	7,372	6,596	5,754	5,827	6,716	6,761	7,178
Hypertensive heart disease with arteriolar nephrosclerosis----------442	23,825	2,159	2,162	2,410	2,004	2,063	2,137	1,941	1,618	1,663	1,803	1,866	1,999
Essential hypertension with heart disease, other and unspecified hypertensive heart disease----------440,441,443	60,086	5,424	5,217	5,850	5,319	5,099	5,235	4,655	4,136	4,164	4,913	4,895	5,179
Hypertension without mention of heart--------444-447	12,506	1,107	1,118	1,229	1,046	1,019	1,092	970	912	857	977	1,052	1,127
Hypertension with arteriolar nephrosclerosis without mention of heart----------446	6,353	548	581	630	554	549	527	482	460	425	524	533	540
Essential hypertension and other hypertensive disease without mention of heart------444,445,447	6,153	559	537	599	492	470	565	488	452	432	453	519	587
Diseases of arteries----------450-456	36,687	3,420	3,341	3,693	3,137	2,976	3,165	2,919	2,560	2,506	2,915	2,839	3,216
General arteriosclerosis----------450	31,685	2,987	2,904	3,252	2,712	2,555	2,762	2,507	2,218	2,118	2,487	2,435	2,748
Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm----------451	3,016	262	263	267	258	252	217	235	190	229	276	257	310
Gangrene of unspecified cause----------455	220	17	20	25	13	22	24	24	13	18	11	11	22
Other arterial diseases----------452-454,456	1,766	154	154	149	154	147	162	153	139	141	141	136	136
Diseases of veins and other diseases of circulatory system----------460-468	3,866	338	318	364	350	347	293	341	290	299	278	311	337
VIII. Diseases of the respiratory system-----	61,648	6,888	6,857	8,395	5,633	4,276	4,180	3,445	3,132	3,144	4,360	5,082	6,256
Acute upper respiratory infections----------470-475	1,067	112	115	118	91	82	64	51	53	70	94	108	109
Influenza----------480-483	5,631	658	1,038	1,523	652	296	187	115	92	112	219	296	443
Pneumonia, except pneumonia of newborn--------490-493	40,634	4,718	4,402	5,182	3,679	2,743	2,770	2,328	2,085	2,080	2,889	3,448	4,310
Lobar pneumonia----------490	12,422	1,541	1,343	1,644	1,112	832	792	633	639	596	895	1,071	1,324
Bronchopneumonia----------491	20,101	2,252	2,160	2,474	1,800	1,373	1,441	1,248	1,046	1,076	1,433	1,686	2,112
Primary atypical pneumonia----------492	3,792	417	407	521	378	271	253	208	203	193	274	297	370
Pneumonia, other and unspecified----------493	4,319	508	492	543	389	267	284	239	197	215	287	394	504
Acute bronchitis----------500	1,038	127	144	134	89	70	64	40	30	37	95	93	115
Bronchitis, chronic and unqualified----------501,502	1,932	228	193	247	154	121	142	109	110	101	158	179	190
Hypertrophy of tonsils and adenoids----------510	346	23	23	37	35	46	55	19	11	14	20	30	33
Empyema and abscess of lung----------518,521	715	69	54	78	59	65	62	56	64	38	62	48	60
Pleurisy----------519	236	21	22	20	19	25	12	13	16	13	17	32	26
All other respiratory diseases---511-517,520,522-527	10,049	932	866	1,056	855	828	824	714	671	679	806	848	970
IX. Diseases of the digestive system---------	58,138	4,900	4,685	4,762	4,500	4,642	4,984	5,221	4,848	4,630	5,125	4,865	4,976
Diseases of teeth and supporting structures--530-535	208	20	10	20	20	23	21	17	14	16	17	20	10
Ulcer of stomach----------540	4,537	442	387	367	378	352	336	327	349	334	418	416	431
Ulcer of duodenum----------541	4,233	383	340	364	331	372	346	305	322	344	378	355	393
Gastritis and duodenitis----------543	299	24	22	22	23	21	27	29	23	32	31	20	25
Appendicitis----------550-553	2,710	207	214	240	220	205	267	302	262	219	197	187	190
Hernia and intestinal obstruction--------560,561,570	8,481	722	688	698	694	718	694	828	697	655	694	700	693
Gastro-enteritis and colitis, except diarrhea of newborn----------571,572	8,444	611	608	544	491	514	892	882	809	834	878	724	657
Cirrhosis of liver----------581	15,934	1,401	1,356	1,378	1,280	1,260	1,264	1,297	1,276	1,197	1,394	1,368	1,463
Without mention of alcoholism----------581.0	11,945	1,064	1,036	1,028	920	933	959	965	942	897	1,045	1,059	1,097
With alcoholism----------581.1	3,989	337	320	350	360	327	305	332	334	300	349	309	366
Cholelithiasis and cholecystitis----------584,585	5,903	491	460	480	457	553	533	589	484	429	477	456	494
Other diseases of digestive system--536-539,542,544,545,573-580,582,583,586,587	7,389	599	600	649	606	624	604	645	612	570	641	619	620
X. Diseases of the genito-urinary system-----	37,961	3,349	3,270	3,572	3,342	3,176	3,302	3,083	2,824	2,763	3,016	2,981	3,283
Nephritis and nephrosis----------590-594	23,888	2,226	2,107	2,319	2,169	2,020	2,056	1,847	1,691	1,674	1,855	1,860	2,064
Acute nephritis----------590	1,845	165	151	183	179	165	165	143	133	126	136	137	162
Nephritis with edema, including nephrosis------591	1,286	111	111	117	120	97	115	93	106	95	100	121	100
Chronic and unspecified nephritis and other renal sclerosis----------592-594	20,757	1,950	1,845	2,019	1,870	1,758	1,776	1,611	1,452	1,453	1,619	1,602	1,802
Infections of kidney----------600	3,691	257	324	317	292	282	346	338	303	286	303	312	331
Calculi of urinary system----------602,604	1,108	84	80	109	84	96	101	87	86	90	102	93	96
Other diseases of urinary system-----601,603,605-609	1,515	141	131	135	106	116	125	153	119	113	105	127	144
Hyperplasia of prostate----------610	6,286	526	516	564	546	541	542	517	499	489	529	474	543
Other diseases of male genital organs--------611-617	696	62	53	59	70	49	63	67	65	52	55	44	57
Diseases of breast----------620,621	14	-	-	-	1	3	4	2	2	2	-	-	-
Diseases of female genital organs----------622,637	763	53	59	69	74	69	65	72	59	57	67	71	48
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	2,610	213	210	231	190	241	241	225	252	229	223	187	168
Sepsis of pregnancy, childbirth, and puerperium----------640,641,681,682,684	290	23	24	25	21	23	29	21	23	30	31	20	20
Toxemias of pregnancy and puerperium, except abortion with toxemia----------642,685,686	873	68	64	90	71	88	77	80	86	68	65	67	49
Hemorrhage of pregnancy and childbirth----------643,644,670-672	439	39	41	27	24	46	50	44	41	48	40	21	18
Ectopic pregnancy----------645	172	17	14	19	9	13	18	13	16	9	13	14	17
Abortion without mention of sepsis or toxemia----650	96	5	7	11	10	7	7	7	11	9	12	5	5
Abortion with sepsis----------651	191	13	15	19	15	17	17	15	22	16	20	16	6
Abortion with toxemia, without mention of sepsis-652	33	3	3	4	4	2	2	3	1	4	3	-	4
Other complications of pregnancy, childbirth, and puerperium----------646-649,660,673-680,683,687-689	516	45	42	36	36	45	41	42	52	45	39	44	49

Table 48. Deaths From 256 Selected Causes, by Month: United States, 1952—Continued

(See headnote on p. 36)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XII. Diseases of the skin and cellular tissue	1,251	118	111	100	97	101	117	115	100	87	126	79	100
Infections of skin and subcutaneous tissue---690-698	314	29	29	20	24	28	24	36	29	23	33	17	22
Other diseases of skin and subcutaneous tissue---700-716	937	89	82	80	73	73	93	79	71	64	93	62	78
XIII. Diseases of the bones and organs of movement	3,129	297	269	317	249	253	313	245	217	227	210	249	283
Arthritis and spondylitis---720-725	1,722	158	160	179	147	135	175	117	121	120	120	131	159
Muscular rheumatism and rheumatism, unspecified---726,727	60	8	6	6	3	2	3	8	3	9	3	4	5
Osteomyelitis and periostitis---730	173	15	11	18	17	15	21	20	14	10	9	13	10
Ankylosis and acquired musculoskeletal deformities---737,745-749	111	7	6	9	4	12	10	13	9	8	6	11	16
All other diseases of musculoskeletal system---731-736,738-744	1,063	109	86	105	78	89	104	87	70	80	72	90	93
XIV. Congenital malformations	19,768	1,738	1,594	1,660	1,657	1,558	1,682	1,643	1,623	1,543	1,751	1,648	1,671
Spina bifida and meningocele---751	1,772	155	142	136	141	135	160	149	135	139	161	158	161
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	2,473	220	206	220	226	174	236	194	209	186	199	196	207
Congenital malformations of circulatory system---754	8,849	810	702	756	754	686	753	694	715	690	777	765	747
Other congenital malformations---750,755-759	6,674	553	544	548	536	563	533	606	564	528	614	529	556
XV. Certain diseases of early infancy	63,659	5,088	4,585	4,984	5,043	5,363	5,719	5,952	5,647	5,491	5,507	5,031	5,249
Birth injuries---760,761	11,810	978	914	954	944	1,025	986	1,070	1,021	1,001	1,004	931	982
Postnatal asphyxia and atelectasis---762	15,547	1,174	1,148	1,147	1,249	1,328	1,434	1,507	1,357	1,369	1,351	1,173	1,310
Infections of newborn---763-768	4,094	312	318	338	262	285	304	357	373	383	442	373	347
Hemolytic disease of newborn (erythroblastosis)--770	2,633	208	188	216	196	217	218	239	270	233	223	213	212
All other defined diseases of early infancy---769,771,772	2,320	212	165	176	159	168	196	216	219	227	216	184	182
Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	27,255	2,204	1,852	2,153	2,233	2,340	2,581	2,563	2,407	2,278	2,271	2,157	2,216
XVI. Symptoms, senility, and ill-defined conditions	21,950	1,963	1,924	2,112	1,787	1,672	1,894	1,724	1,572	1,570	1,769	1,856	2,107
Senility without mention of psychosis---794	4,790	434	423	504	382	363	402	402	344	304	410	367	455
Symptoms, ill-defined and unknown causes---780-793,795	17,160	1,529	1,501	1,608	1,405	1,309	1,492	1,322	1,228	1,266	1,359	1,489	1,652
XVII. Accidents, poisonings, and violence	119,837	9,362	8,818	9,584	9,426	9,942	11,371	10,956	10,227	9,450	10,240	10,123	10,338
Accidents---E800-E962	96,172	7,431	7,018	7,533	7,330	7,806	9,350	8,925	8,238	7,546	8,342	8,250	8,403
Railway accidents---E800-E802	1,760	131	95	135	143	151	167	187	170	170	158	128	125
Motor-vehicle accidents---E810-E835	37,794	2,625	2,631	2,699	2,676	3,100	3,119	3,142	3,618	3,352	3,652	3,598	3,582
Motor-vehicle traffic accidents---E810-E825	36,824	2,569	2,582	2,632	2,589	3,017	3,006	3,046	3,527	3,242	3,558	3,522	3,534
Motor-vehicle traffic accident involving collision with railway train---E810	1,429	157	135	140	82	104	87	97	80	105	143	154	145
Motor-vehicle traffic accident to pedestrian---E812	8,308	731	658	596	635	630	587	535	626	678	775	816	1,041
Other motor-vehicle traffic accidents involving collision---E811,E813-E819	12,946	821	878	905	920	1,079	1,066	1,176	1,383	1,169	1,172	1,194	1,163
Motor-vehicle noncollision traffic accidents---E820-E824	9,247	513	575	630	606	813	837	823	980	851	989	898	732
Motor-vehicle traffic accident of unspecified nature---E825	4,894	347	336	361	346	391	429	415	458	419	479	460	453
Motor-vehicle nontraffic accidents---E830-E835	970	56	49	67	87	83	113	96	91	110	94	76	48
Other road-vehicle accidents---E840-E845	447	29	22	27	25	48	45	44	56	40	55	34	22
Water-transport accidents---E850-E858	1,437	57	45	74	123	201	215	234	170	97	73	88	60
Aircraft accidents---E860-E866	1,594	101	121	109	186	87	147	161	143	99	116	164	160
Accidental poisoning by solid and liquid substances---E870-E888	1,440	123	103	119	130	118	138	128	134	111	114	98	124
Accidental poisoning by gases and vapors---E890-E895	1,397	254	164	154	104	82	48	18	43	44	105	189	192
Accidental falls---E900-E904	20,945	1,828	1,714	1,826	1,742	1,672	1,804	1,767	1,606	1,693	1,787	1,705	1,801
Fall from one level to another---E900-E902	7,306	531	521	577	572	615	678	684	668	674	623	569	594
Fall on same level---E903	4,627	498	451	457	410	361	392	346	305	312	358	342	395
Unspecified falls---E904	9,012	799	742	792	760	696	734	737	633	707	806	794	812
Blow from falling object---E910	1,391	126	114	112	129	124	110	103	128	141	117	89	98
Accident caused by machinery---E912	2,083	114	122	140	204	229	201	206	198	181	219	140	129
Accident caused by electric current---E914	1,056	54	68	43	72	94	133	155	143	116	76	56	46
Accident caused by fire and explosion of combustible material---E916	6,922	824	757	771	585	466	327	295	272	335	719	735	836
Accident caused by hot substance, corrosive liquid, steam, and radiation---E917,E918	836	89	77	76	84	71	47	61	34	53	78	70	96
Accident caused by firearm---E919	2,210	206	123	134	114	133	149	159	170	197	245	325	255
Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	1,434	140	144	136	117	109	86	95	88	111	127	133	148
Accidental drowning---E929	5,346	133	194	240	365	568	1,289	1,135	648	305	195	129	145
Excessive heat and insolation---E931	1,401	2	-	4	2	7	795	462	90	31	5	1	2

Table 48. Deaths From 256 Selected Causes, by Month: United States, 1952—Continued

(See headnote on p. 36)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence—Continued													
Accidents—Continued													
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures----------E940-E959	658	56	52	47	55	66	61	58	53	55	54	49	52
All other accidents----------E911,E913, E915,E920,E923-E928,E930,E932-E936,E960-E962	6,021	539	472	687	474	480	469	515	474	415	447	519	530
Suicide----------E963,E970-E979	15,567	1,325	1,214	1,398	1,493	1,442	1,310	1,303	1,224	1,179	1,230	1,207	1,242
Suicide by poisoning----------E970-E973	3,187	275	236	274	303	300	249	249	268	237	265	266	265
Suicide by hanging and strangulation----------E974	3,358	263	288	293	328	335	300	310	247	263	248	243	240
Suicide by firearms and explosives----------E976	7,013	614	552	640	652	626	588	581	558	515	568	523	596
Suicide by all other means-----E963,E975,E977-E979	2,009	173	138	191	210	181	173	163	151	164	149	175	141
Homicide----------E964,E980-E985	8,054	599	585	650	600	693	707	723	759	720	667	663	688
Assault by firearms and explosives----------E981	4,244	311	327	344	290	357	380	386	372	367	331	403	376
Assault by cutting and piercing instruments---E982	1,986	142	137	152	159	168	168	174	224	190	176	144	152
Assault by other means----------E964,E980,E983	1,485	114	96	125	122	132	129	131	123	142	133	99	139
Injury by intervention of police----------E984	256	26	17	22	14	28	23	22	33	19	18	15	19
Execution----------E985	83	6	8	7	15	8	7	10	7	2	9	2	2
Injury resulting from operations of war----------E965,E990-E999	44	7	1	3	3	1	4	5	6	5	1	3	5

Table 49. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		ALL CAUSES	1,496,838	853,927	642,911
2		I. Infective and parasitic diseases	41,839	27,406	14,433
3		Tuberculosis, all forms 001-019	24,621	16,815	7,806
4	A 1	Tuberculosis of respiratory system 001-008	22,486	15,586	6,900
5	A 2	Tuberculosis of meninges and central nervous system 010	767	427	340
6	A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	150	81	69
7	A 4 pt.	Tuberculosis of vertebral column 012.0,013.0	139	83	56
8	A 4 pt.	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	63	41	22
9	A 5 pt.	Tuberculosis of genito-urinary system 016	228	140	88
10	A 5 pt.	Tuberculosis of lymphatic system and other organs 014,015,017,018	110	65	45
11	A 5 pt.	Disseminated tuberculosis 019	678	392	286
12		Syphilis and its sequelae 020-029	5,719	4,262	1,457
13	A 6	Congenital syphilis 020	135	68	67
14	A 7	Early syphilis 021	1	-	1
15	A 10 pt.	Aneurysm of aorta 022	1,643	1,270	373
16	A 10 pt.	Other cardiovascular syphilis 023	2,073	1,569	504
17	A 8	Tabes dorsalis 024	143	115	28
18	A 9	General paralysis of insane 025	925	692	233
19	A 10 pt.	Other syphilis of central nervous system 026	617	432	185
20	A 10 pt.	Other syphilis 027-029	182	116	66
21	A 11	Gonococcal infection 030-035	45	28	17
22	A 12	Typhoid fever 040	78	44	34
23	A 13 pt.	Paratyphoid fever 041	10	3	7
24	A 13 pt.	Other Salmonella infections 042	32	18	14
25	A 14	Cholera 043	-	-	-
26	A 15	Brucellosis (undulant fever) 044	23	12	11
27	A 16	Dysentery, all forms 045-048	937	503	434
28	A 43 pt.	Food poisoning (infection and intoxication) 049	162	90	72
29	A 17	Scarlet fever 050	74	34	40
30	A 18	Streptococcal sore throat 051	277	152	125
31	A 19	Erysipelas 052	52	32	20
32	A 20	Septicemia and pyemia 053	726	410	316
33	A 21	Diphtheria 055	217	118	99
34	A 22	Whooping cough 056	402	196	206
35	A 23	Meningococcal infections 057	1,386	755	631
36	A 24	Plague 058	-	-	-
37	A 43 pt.	Tularemia 059	8	6	2
38	A 25	Leprosy 060	4	4	-
39	A 26	Tetanus 061	360	231	129
40	A 27	Anthrax 062	3	3	-
41	A 28	Acute poliomyelitis 080	3,145	1,853	1,292
42	A 30 pt.	Late effects of acute poliomyelitis 081	110	57	53
43	A 29	Acute infectious encephalitis 082	471	242	229
44	A 30	Late effects of acute infectious encephalitis 083	162	90	72
45	A 31	Smallpox 084	-	-	-
46	A 32	Measles 085	618	295	323
47	A 33	Yellow fever 091	-	-	-
48	A 34	Infectious hepatitis 092	794	390	404
49	A 35	Rabies 094	24	14	10
50	A 36 pt.	Tick-borne typhus 104	20	13	7
51		Rocky Mountain spotted fever 104A	20	13	7
52		Other forms of tick-borne typhus 104B	-	-	-
53	A 36 pt.	Typhus, other and unspecified, and other rickettsial diseases 100-103,105-108	9	7	2
54	A 37	Malaria 110-117	25	16	9
55	A 38	Schistosomiasis 123	3	3	-
56	A 39	Hydatid disease 125	6	3	3
57	A 40	Filariasis 127	1	1	-
58	A 41	Ankylostomiasis 129	4	4	-
59	A 42	Other diseases due to helminths 124,126,128,130	89	42	47
60	A 43 pt.	All other infective and parasitic diseases 036-039,054,063-074,086-090,093,095,096,120-122,131-138	1,222	660	562
61		II. Neoplasms	228,410	116,891	111,519
62		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	223,277	114,807	108,470
63	A 44	Malignant neoplasm of buccal cavity and pharynx 140-148	5,029	3,924	1,105
64		Malignant neoplasm of lip 140	407	361	46
65		Malignant neoplasm of tongue 141	1,192	948	244
66		Malignant neoplasm of other and unspecified parts of buccal cavity 142-144	1,458	1,017	441
67		Malignant neoplasm of pharynx 145-148	1,972	1,598	374
68		Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	83,238	45,771	37,467
69	A 45	Malignant neoplasm of esophagus 150	4,061	3,187	874
70	A 46	Malignant neoplasm of stomach 151	23,466	14,758	8,708
71	A 47	Malignant neoplasm of intestine, except rectum 152,153	24,186	11,085	13,101
72	A 48	Malignant neoplasm of rectum 154	10,332	5,852	4,480
73	A 57 pt.	Malignant neoplasm of biliary passages and of liver (stated to be primary site) 155	4,946	1,953	2,993
74	A 57 pt.	Malignant neoplasm of liver not specified whether primary or secondary 156A	4,881	2,424	2,457
75	A 57 pt.	Malignant neoplasm of pancreas 157	9,791	5,722	4,069
76	A 57 pt.	Malignant neoplasm of peritoneum and of unspecified digestive organs 158,159	1,575	790	785
77		Malignant neoplasm of respiratory system 160-164	24,330	20,093	4,237
78	A 49	Malignant neoplasm of larynx 161	1,873	1,706	167
79	A 50 pt.	Malignant neoplasm of trachea, and of bronchus and lung specified as primary 162	9,716	8,357	1,359
80	A 50 pt.	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary 163	11,866	9,464	2,402
81	A 57 pt.	Malignant neoplasm of other parts of respiratory system 160,164	875	566	309
82	A 51	Malignant neoplasm of breast 170	19,892	228	19,664
83		Malignant neoplasm of genital organs 171-179	35,379	13,097	22,282
84	A 52	Malignant neoplasm of cervix uteri 171	8,329	...	8,329
85	A 53	Malignant neoplasm of other and unspecified parts of uterus 172-174	6,935	...	6,935
86	A 57 pt.	Malignant neoplasm of ovary, fallopian tube, and broad ligament 175	6,277	...	6,277
87	A 57 pt.	Malignant neoplasm of other and unspecified female genital organs 176	741	...	741
88	A 54	Malignant neoplasm of prostate 177	12,181	12,181	...
89	A 57 pt.	Malignant neoplasm of testis, and of other and unspecified male genital organs 178,179	916	916	...

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1952

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,315,022	753,571	561,451	174,695	95,723	78,972	4,425	2,450	1,975	1,206	1,038	168	1,006	741	265	484	404	80	1
30,938	20,640	10,298	10,154	6,331	3,823	518	242	276	112	102	10	63	48	15	54	43	11	2
17,678	12,482	5,196	6,403	4,018	2,385	375	169	206	85	78	7	45	39	6	35	29	6	3
16,436	11,765	4,671	5,607	3,558	2,049	299	134	165	78	73	5	38	32	6	28	24	4	4
422	232	190	291	166	125	42	20	22	3	2	1	3	3	-	6	4	2	5
80	43	37	61	33	28	8	4	4	-	-	-	-	-	-	1	1	-	6
98	54	44	38	26	12	2	2	-	-	-	-	1	1	-	-	-	-	7
42	27	15	18	11	7	1	1	-	2	2	-	-	-	-	-	-	-	8
199	118	81	23	16	7	3	3	-	-	-	-	3	3	-	-	-	-	9
61	37	24	47	26	21	2	2	-	-	-	-	-	-	-	-	-	-	10
340	206	134	318	182	136	18	3	15	2	1	1	-	-	-	-	-	-	11
3,787	2,893	894	1,877	1,326	551	26	18	8	15	14	1	7	5	2	7	6	1	12
62	29	33	66	35	31	7	4	3	-	-	-	-	-	-	-	-	-	13
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
1,285	1,010	275	350	254	96	1	-	1	4	3	1	-	-	-	3	3	-	15
1,252	966	286	798	582	216	9	8	1	7	7	-	4	3	1	3	3	-	16
115	95	20	25	17	8	1	1	-	1	1	-	1	1	-	-	-	-	17
596	450	146	325	240	85	3	2	1	-	-	-	-	-	-	1	-	1	18
375	275	100	233	151	82	4	2	2	3	3	-	2	1	1	-	-	-	19
101	68	33	80	47	33	1	1	-	-	-	-	-	-	-	-	-	-	20
17	12	5	27	15	12	-	-	-	1	1	-	-	-	-	-	-	-	21
42	25	17	35	19	16	1	-	1	-	-	-	-	-	-	-	-	-	22
6	-	6	2	2	-	2	1	1	-	-	-	-	-	-	-	-	-	23
26	15	11	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
21	11	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	26
630	334	296	277	153	124	29	15	14	1	1	-	-	-	-	-	-	-	27
110	66	44	52	24	28	-	-	-	-	-	-	-	-	-	-	-	-	28
71	32	39	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	29
232	126	106	45	26	19	-	-	-	-	-	-	-	-	-	-	-	-	30
48	30	18	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	31
589	344	245	131	65	66	5	1	4	-	-	-	1	-	1	-	-	-	32
161	85	76	52	31	21	1	-	1	1	1	-	-	-	-	2	1	1	33
206	99	107	185	94	91	9	3	6	1	-	1	-	-	-	1	-	1	34
1,185	653	532	190	98	92	8	2	6	1	1	-	2	1	1	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
5	4	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	37
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
211	140	71	147	90	57	2	1	1	-	-	-	-	-	-	-	-	-	39
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
3,008	1,769	1,239	121	73	48	10	7	3	2	2	-	2	1	1	2	1	1	41
98	53	45	12	4	8	-	-	-	-	-	-	-	-	-	-	-	-	42
409	209	200	55	28	27	5	4	1	1	-	1	-	-	-	1	1	-	43
152	84	68	10	6	4	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
468	230	238	121	53	68	28	12	16	-	-	-	1	-	1	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
682	333	349	98	51	47	7	3	4	3	3	-	3	-	3	1	-	1	48
18	10	8	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	49
18	13	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	50
18	13	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
14	10	4	11	6	5	-	-	-	-	-	-	-	-	-	-	-	-	54
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
5	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	56
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
45	22	23	44	20	24	-	-	-	-	-	-	-	-	-	-	-	-	59
972	532	440	232	114	118	10	6	4	1	1	-	2	2	-	5	5	-	60
209,314	107,644	101,670	18,401	8,783	9,618	252	113	139	187	161	26	212	153	59	44	37	7	61
205,035	105,790	99,245	17,564	8,564	9,000	247	111	136	182	156	26	210	153	57	39	33	6	62
4,634	3,639	995	364	259	105	6	4	2	20	18	2	4	3	1	1	1	-	63
398	357	41	9	4	5	-	-	-	-	-	-	-	-	-	-	-	-	64
1,095	879	216	93	67	26	1	1	-	2	1	1	1	-	1	-	-	-	65
1,352	946	406	105	70	35	-	-	-	1	1	-	-	-	-	-	-	-	66
1,789	1,457	332	157	118	39	5	3	2	17	16	1	3	3	-	1	1	-	67
76,561	41,731	34,830	6,348	3,795	2,553	107	56	51	79	76	3	129	101	28	14	12	2	68
3,530	2,758	772	515	416	99	2	-	2	4	4	-	10	9	1	-	-	-	69
21,009	13,109	7,900	2,318	1,546	772	44	29	15	25	23	2	65	48	17	5	3	2	70
22,906	10,483	12,423	1,240	569	671	15	8	7	10	10	-	10	10	-	5	5	-	71
9,621	5,486	4,135	679	343	336	9	6	3	8	7	1	15	10	5	-	-	-	72
4,645	1,804	2,841	273	131	142	10	1	9	10	10	-	7	6	1	1	1	-	73
4,398	2,135	2,263	452	265	187	11	5	6	15	15	-	3	2	1	2	2	-	74
9,047	5,260	3,787	711	439	272	13	5	8	5	5	-	15	13	2	-	-	-	75
1,405	696	709	160	86	74	3	2	1	2	2	-	4	3	1	1	1	-	76
22,630	18,698	3,932	1,630	1,333	297	17	10	7	28	27	1	21	21	-	4	4	-	77
1,735	1,586	149	132	114	18	1	1	-	3	3	-	2	2	-	-	-	-	78
9,002	7,751	1,251	691	587	104	5	2	3	11	10	1	6	6	-	1	1	-	79
11,109	8,867	2,242	721	564	157	8	5	3	13	13	-	12	12	-	3	3	-	80
784	494	290	86	68	18	3	2	1	1	1	-	1	1	-	-	-	-	81
18,490	201	18,289	1,386	27	1,359	7	-	7	3	-	3	6	-	6	-	-	-	82
31,071	11,837	19,234	4,232	1,240	2,992	49	13	36	10	4	6	15	2	13	2	1	1	83
6,819	...	6,819	1,477	...	1,477	22	...	22	2	...	2	8	...	8	1	...	1	84
5,847	...	5,847	1,078	...	1,078	6	...	6	3	...	3	1	...	1	-	...	-	85
5,898	...	5,898	366	...	366	8	...	8	1	...	1	4	...	4	-	...	-	86
670	...	670	71	...	71	-	...	-	-	...	-	-	...	-	-	...	-	87
11,004	11,004	...	1,159	1,159	...	12	12	...	3	3	...	2	2	...	1	1	...	88
833	833	...	81	81	...	1	1	...	1	1	...	-	-	...	-	-	...	89

325797 O - 55 - 4

Table 49. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		II. Neoplasms—Continued			
		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued			
1	A 57 pt.	Malignant neoplasm of urinary organs----------180,181	10,679	7,068	3,611
2		Malignant neoplasm of kidney----------180	3,929	2,462	1,467
3		Malignant neoplasm of bladder and other urinary organs----------181	6,750	4,606	2,144
4		Malignant neoplasm of other and unspecified sites----------156B,165,190-199	25,783	13,586	12,197
5	A 55	Malignant neoplasm of skin----------190,191	3,369	1,970	1,399
6	A 57 pt.	Malignant neoplasm of eye----------192	357	194	163
7	A 57 pt.	Malignant neoplasm of brain and other parts of nervous system----------193	4,869	2,935	1,934
8	A 57 pt.	Malignant neoplasm of thyroid gland----------194	939	327	612
9	A 56 pt.	Malignant neoplasm of bone (including jaw bone)----------196	2,045	1,195	850
10	A 56 pt.	Malignant neoplasm of connective tissue----------197	593	340	253
11	A 57 pt.	Malignant neoplasm of other specified sites, not stated to be secondary----------195,198A,199A	3,614	1,639	1,975
12	A 57 pt.	Malignant neoplasm of unspecified sites----------156B,165,198B,199B-M	9,997	4,986	5,011
13	A 58	Leukemia and aleukemia----------204	9,841	5,612	4,229
14	A 59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues----------200-203,205	9,106	5,428	3,678
15		Lymphosarcoma and reticulosarcoma----------200	4,008	2,335	1,673
16		Hodgkin's disease----------201	2,793	1,746	1,047
17		Other neoplasms of lymphatic and hematopoietic tissues----------202,203,205	2,305	1,347	958
18	A 60	Benign neoplasms and neoplasms of unspecified nature----------210-239	5,133	2,084	3,049
19		Benign neoplasms of female genital organs----------214-217	1,152	...	1,152
20		Benign neoplasm of brain and other parts of nervous system----------223	862	425	437
21		Other benign neoplasms----------210-213,218-222,224-229	800	429	371
22		Neoplasm of unspecified nature of female genital organs----------233-235	33	...	33
23		Neoplasm of unspecified nature of brain and other parts of nervous system----------237	1,515	830	685
24		Other neoplasms of unspecified nature----------230-232,236,238,239	771	400	371
25		III. Allergic, endocrine system, metabolic, and nutritional diseases----------	36,508	16,215	20,293
26	A 66 pt.	Asthma----------241	6,943	4,601	2,342
27	A 61	Nontoxic goiter----------250,251	140	34	106
28	A 62	Thyrotoxicosis with or without goiter----------252	1,123	189	934
29	A 66 pt.	Myxedema, cretinism, and other diseases of thyroid gland----------253,254	219	62	157
30	A 63	Diabetes mellitus----------260	25,474	9,957	15,517
31	A 66 pt.	Diseases of thymus gland----------273	558	348	210
32	A 66 pt.	Diseases of adrenal glands----------274	374	193	181
33	A 64 pt.	Pellagra----------281	184	48	136
34	A 64 pt.	All other avitaminoses and nutritional deficiency states----------280,282-286	756	400	356
35	A 66 pt.	Other allergic, endocrine, and metabolic diseases----------240,242-245,270-272,275-277,287-289	737	383	354
36		IV. Diseases of the blood and blood-forming organs----------	5,504	2,671	2,833
37	A 65	Anemias----------290-293	3,987	1,885	2,102
38		Pernicious and other hyperchromic anemias----------290	1,687	769	918
39		Anemias of other and unspecified type----------291-293	2,300	1,116	1,184
40	A 66 pt.	Purpura and other hemorrhagic conditions----------296	607	273	334
41	A 66 pt.	All other diseases of blood and blood-forming organs----------294,295,297-299	910	513	397
42		V. Mental, psychoneurotic, and personality disorders----------	4,458	3,059	1,399
43	A 67 pt.	Senile psychosis----------304	819	363	456
44	A 67 pt.	Alcoholic psychosis----------307	338	310	28
45	A 67 pt.	Other psychoses----------300-303,305,306,308,309	687	305	382
46	A 68 pt.	Alcoholism----------322	2,265	1,887	378
47	A 69	Mental deficiency----------325	200	110	90
48	A 68 pt.	Psychoneuroses and other disorders of personality----------310-321,323,324,326	149	84	65
49		VI. Diseases of the nervous system and sense organs----------	180,385	88,799	91,586
50	A 70	Vascular lesions affecting central nervous system----------330-334	166,331	80,964	85,367
51		Subarachnoid hemorrhage----------330	4,277	2,114	2,163
52		Cerebral hemorrhage----------331	110,233	52,952	57,281
53		Cerebral embolism and thrombosis----------332	31,448	15,921	15,527
54		Other vascular lesions affecting central nervous system----------333,334	20,373	9,977	10,396
55	A 71	Meningitis, except meningococcal and tuberculous----------340	1,918	1,086	832
56	A 72	Multiple sclerosis----------345	1,531	724	807
57	A 78 pt.	Paralysis agitans----------350	2,396	1,299	1,097
58	A 78 pt.	Cerebral spastic infantile paralysis----------351	654	369	285
59	A 73	Epilepsy----------353	2,325	1,408	917
60	A 74	Inflammatory diseases of eye----------370-379	14	8	6
61	A 75	Cataract----------385	44	18	26
62	A 76	Glaucoma----------387	15	5	10
63	A 77	Otitis media and mastoiditis----------391-393	463	262	201
64	A 78 pt.	Other diseases of nervous system and sense organs----------341-344,352,354-369,380-384,386,388-390,394-398	4,694	2,656	2,038
65		VII. Diseases of the circulatory system----------	609,783	356,149	253,634
66	A 79	Rheumatic fever----------400-402	1,583	788	795
67		Diseases of heart----------410-443	555,141	328,028	227,113
68	A 80	Chronic rheumatic heart disease----------410-416	19,754	9,996	9,758
69		Diseases of mitral valve----------410	8,023	4,032	3,991
70		Diseases of aortic valve specified as rheumatic----------411	888	672	216
71		Diseases of tricuspid valve----------412	25	16	9
72		Diseases of pulmonary valve and other endocarditis specified as rheumatic----------413,414	1,198	605	593
73		Other diseases of heart specified as rheumatic----------415,416	9,620	4,671	4,949
74	A 81 pt.	Arteriosclerotic heart disease, including coronary disease----------420	352,135	225,524	126,611
75		Arteriosclerotic heart disease so described----------420.0	118,784	64,898	53,886
76		Heart disease specified as involving coronary arteries----------420.1	231,709	159,562	72,147
77		Angina pectoris without mention of coronary disease----------420.2	1,642	1,064	578

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1952—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
10,004	6,656	3,348	651	395	256	12	6	6	5	4	1	5	5	-	2	2	-	1
3,694	2,317	1,377	220	136	84	10	5	5	2	1	1	2	2	-	1	1	-	2
6,310	4,339	1,971	431	259	172	2	1	1	3	3	-	3	3	-	1	1	-	3
23,899	12,690	11,209	1,804	846	958	33	14	19	20	17	3	17	11	6	10	8	2	4
3,255	1,903	1,352	109	63	46	3	2	1	2	2	-	-	-	-	-	-	-	5
343	186	157	12	8	4	2	-	2	-	-	-	-	-	-	-	-	-	6
4,611	2,789	1,822	238	135	103	7	3	4	5	3	2	4	2	2	4	3	1	7
875	309	566	63	17	46	-	-	-	-	-	-	-	-	-	1	1	-	8
1,882	1,103	779	155	85	70	4	4	-	1	1	-	2	1	1	1	1	-	9
549	315	234	44	25	19	-	-	-	-	-	-	-	-	-	-	-	-	10
3,305	1,513	1,792	301	121	180	2	1	1	3	3	-	2	1	1	1	-	1	11
9,079	4,572	4,507	882	392	490	15	4	11	9	8	1	9	7	2	3	3	-	12
9,252	5,291	3,961	554	299	255	11	6	5	10	4	6	10	9	1	4	3	1	13
8,494	5,047	3,447	595	370	225	5	2	3	7	6	1	3	1	2	2	2	-	14
3,796	2,206	1,590	204	121	83	-	-	-	5	5	-	1	1	-	2	2	-	15
2,596	1,620	976	193	125	68	1	-	1	1	1	-	2	-	2	-	-	-	16
2,102	1,221	881	198	124	74	4	2	2	1	-	1	-	-	-	-	-	-	17
4,279	1,854	2,425	837	219	618	5	2	3	5	5	-	2	-	2	5	4	1	18
760	...	760	390	...	390	-	...	-	-	...	-	1	...	1	1	...	1	19
790	392	398	69	30	39	-	-	-	2	2	-	-	-	-	1	1	-	20
680	370	310	117	56	61	-	-	-	2	2	-	-	-	-	1	1	-	21
24	...	24	9	...	9	-	...	-	-	...	-	-	...	-	-	...	-	22
1,336	731	605	175	97	78	3	1	2	-	-	-	-	-	-	1	1	-	23
689	361	328	77	36	41	2	1	1	1	1	-	1	-	1	1	1	-	24
32,920	14,814	18,106	3,444	1,313	2,131	67	27	40	41	33	8	23	16	7	13	12	1	25
6,300	4,243	2,057	619	341	278	6	2	4	8	7	1	7	5	2	3	3	-	26
112	28	84	28	6	22	-	-	-	-	-	-	-	-	-	-	-	-	27
974	173	801	141	15	126	3	-	3	3	-	3	1	-	1	1	1	-	28
203	58	145	16	4	12	-	-	-	-	-	-	-	-	-	-	-	-	29
23,151	9,167	13,984	2,222	727	1,495	52	21	31	27	25	2	13	9	4	9	8	1	30
466	298	168	86	47	39	3	1	2	1	-	1	2	2	-	-	-	-	31
339	169	170	34	23	11	1	1	-	-	-	-	-	-	-	-	-	-	32
122	28	94	61	20	41	-	-	-	1	-	1	-	-	-	-	-	-	33
593	300	293	160	97	63	2	2	-	1	1	-	-	-	-	-	-	-	34
660	350	310	77	33	44	-	-	-	-	-	-	-	-	-	-	-	-	35
4,863	2,358	2,505	616	301	315	19	7	12	2	2	-	2	2	-	2	1	1	36
3,471	1,632	1,839	495	242	253	15	6	9	2	2	-	2	2	-	2	1	1	37
1,601	727	874	85	42	43	1	-	1	-	-	-	-	-	-	-	-	-	38
1,870	905	965	410	200	210	14	6	8	2	2	-	2	2	-	2	1	1	39
556	258	298	48	15	33	3	-	3	-	-	-	-	-	-	-	-	-	40
836	468	368	73	44	29	1	1	-	-	-	-	-	-	-	-	-	-	41
3,672	2,539	1,133	750	491	259	31	24	7	4	4	-	-	-	-	1	1	-	42
737	336	401	78	25	53	4	2	2	-	-	-	-	-	-	-	-	-	43
280	259	21	57	50	7	1	1	-	-	-	-	-	-	-	-	-	-	44
533	229	304	153	75	78	-	-	-	-	-	-	-	-	-	1	1	-	45
1,830	1,562	268	407	302	105	25	20	5	3	3	-	-	-	-	-	-	-	46
173	94	79	26	15	11	1	1	-	-	-	-	-	-	-	-	-	-	47
119	59	60	29	24	5	-	-	-	1	1	-	-	-	-	-	-	-	48
157,749	77,802	79,947	22,102	10,658	11,444	251	131	120	108	87	21	134	85	49	41	36	5	49
145,677	71,109	74,568	20,212	9,560	10,652	182	101	81	103	84	19	121	77	44	36	33	3	50
3,675	1,826	1,849	578	277	301	6	2	4	5	3	2	9	3	6	4	3	1	51
95,905	46,210	49,695	14,019	6,533	7,486	128	71	57	75	62	13	84	55	29	22	21	1	52
29,040	14,667	14,373	2,337	1,201	1,136	27	16	11	17	14	3	17	14	3	10	9	1	53
17,057	8,406	8,651	3,278	1,549	1,729	21	12	9	6	5	1	11	5	6	-	-	-	54
1,387	796	591	504	278	226	25	11	14	1	1	-	-	-	-	1	-	1	55
1,469	689	780	61	34	27	1	1	-	-	-	-	-	-	-	-	-	-	56
2,338	1,264	1,074	53	32	21	1	-	1	1	1	-	3	2	1	-	-	-	57
574	321	253	77	47	30	2	-	2	-	-	-	1	1	-	-	-	-	58
1,852	1,100	752	459	301	158	13	6	7	-	-	-	1	1	-	-	-	-	59
13	7	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	60
38	16	22	5	2	3	1	-	1	-	-	-	-	-	-	-	-	-	61
12	3	9	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	62
383	224	159	69	34	35	10	4	6	1	-	1	-	-	-	-	-	-	63
4,006	2,273	1,733	658	367	291	16	8	8	2	1	1	8	4	4	4	3	1	64
553,139	325,620	227,519	55,128	29,418	25,710	704	415	289	394	354	40	282	226	56	136	116	20	65
1,245	636	609	325	145	180	10	6	4	2	1	1	-	-	-	1	-	1	66
504,466	300,538	203,928	49,296	26,463	22,833	635	386	249	359	323	36	257	207	50	128	111	17	67
17,887	9,072	8,815	1,807	890	917	33	16	17	15	11	4	7	5	2	5	2	3	68
7,131	3,582	3,549	863	437	426	17	7	10	6	4	2	3	2	1	3	-	3	69
855	646	209	31	24	7	-	-	-	1	1	-	1	1	-	-	-	-	70
20	15	5	3	-	3	1	-	1	1	1	-	-	-	-	-	-	-	71
1,107	557	550	85	44	41	4	3	1	1	-	1	1	1	-	-	-	-	72
8,774	4,272	4,502	825	385	440	11	6	5	6	5	1	2	1	1	2	2	-	73
331,790	213,533	118,257	19,520	11,335	8,185	345	236	109	223	206	17	174	139	35	83	75	8	74
111,542	60,869	50,673	6,975	3,832	3,143	101	59	42	90	80	10	55	40	15	21	18	3	75
218,766	151,696	67,070	12,390	7,409	4,981	239	175	64	133	126	7	119	99	20	62	57	5	76
1,482	968	514	155	94	61	5	2	3	-	-	-	-	-	-	-	-	-	77

Table 49. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		VII. Diseases of the circulatory system—Continued			
		Diseases of heart—Continued			
1	A 81 pt.	Chronic endocarditis not specified as rheumatic---421	9,044	4,985	4,059
2		Of mitral valve, specified as nonrheumatic---421.0	859	441	418
3		Of aortic valve, not specified as rheumatic---421.1	1,739	1,151	588
4		Of other valves, not specified as rheumatic---421.2-421.4	6,446	3,393	3,053
5	A 81 pt.	Other myocardial degeneration---422	67,640	34,672	32,968
6		With arteriosclerosis---422.1	34,520	17,280	17,240
7		Without mention of arteriosclerosis---422.0,422.2	33,120	17,392	15,728
8	A 82	Other diseases of heart---430-434	22,657	13,846	8,811
9		Acute and subacute endocarditis---430	817	483	334
10		Acute myocarditis not specified as rheumatic---431	2,042	1,114	928
11		Acute pericarditis specified as nonrheumatic---432	36	27	9
12		Functional disease of heart---433	2,459	1,298	1,161
13		Other and unspecified diseases of heart---434	17,303	10,924	6,379
14	A 83	Hypertension with heart disease---440-443	83,911	39,005	44,906
15		Hypertensive heart disease with arteriolar nephrosclerosis---442	23,825	12,155	11,670
16		Essential hypertension with heart disease, other and unspecified hypertensive heart disease---440,441,443	60,086	26,850	33,236
17	A 84	Hypertension without mention of heart---444-447	12,506	6,280	6,226
18		Hypertension with arteriolar nephrosclerosis without mention of heart---446	6,353	3,403	2,950
19		Essential hypertension and other hypertensive disease without mention of heart---444,445,447	6,153	2,877	3,276
20	A 85	Diseases of arteries---450-456	36,687	18,906	17,781
21		General arteriosclerosis---450	31,685	15,640	16,045
22		Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm---451	3,016	2,195	821
23		Gangrene of unspecified cause---455	220	123	97
24		Other arterial diseases---452-454,456	1,766	948	818
25	A 86	Diseases of veins and other diseases of circulatory system---460-468	3,866	2,147	1,719
26		VIII. Diseases of the respiratory system---	61,648	36,635	25,013
27	A 87	Acute upper respiratory infections---470-475	1,067	548	519
28	A 88	Influenza---480-483	5,631	2,829	2,802
29		Pneumonia, except pneumonia of newborn---490-493	40,634	23,214	17,420
30	A 89	Lobar pneumonia---490	12,422	7,614	4,808
31	A 90	Bronchopneumonia---491	20,101	11,110	8,991
32	A 91 pt.	Primary atypical pneumonia---492	3,792	2,105	1,687
33	A 91 pt.	Pneumonia, other and unspecified---493	4,319	2,385	1,934
34	A 92	Acute bronchitis---500	1,038	581	457
35	A 93	Bronchitis, chronic and unqualified---501,502	1,932	1,262	670
36	A 94	Hypertrophy of tonsils and adenoids---510	346	182	164
37	A 95	Empyema and abscess of lung---518,521	715	552	163
38	A 96	Pleurisy---519	236	147	89
39	A 97	All other respiratory diseases---511-517,520,522-527	10,049	7,320	2,729
40		IX. Diseases of the digestive system---	58,138	34,914	23,224
41	A 98	Diseases of teeth and supporting structures---530-535	208	118	90
42	A 99	Ulcer of stomach---540	4,537	3,568	969
43	A 100	Ulcer of duodenum---541	4,233	3,482	751
44	A 101	Gastritis and duodenitis---543	299	175	124
45	A 102	Appendicitis---550-553	2,710	1,693	1,017
46	A 103	Hernia and intestinal obstruction---560,561,570	8,481	4,497	3,984
47	A 104	Gastro-enteritis and colitis, except diarrhea of newborn---571,572	8,444	4,533	3,911
48	A 105	Cirrhosis of liver---581	15,934	10,609	5,325
49		Without mention of alcholism---581.0	11,945	7,779	4,166
50		With alcoholism---581.1	3,989	2,830	1,159
51	A 106	Cholelithiasis and cholecystitis---584,585	5,903	2,129	3,774
52	A 107	Other diseases of digestive system---536-539,542,544,545,573-580,582,583,586,587	7,389	4,110	3,279
53		X. Diseases of the genito-urinary system---	37,961	23,485	14,476
54		Nephritis and nephrosis---590-594	23,888	12,915	10,973
55	A 108	Acute nephritis---590	1,845	998	847
56	A 109 pt.	Nephritis with edema, including nephrosis---591	1,286	701	585
57	A 109 pt	Chronic and unspecified nephritis and other renal sclerosis---592-594	20,757	11,216	9,541
58	A 110	Infections of kidney---600	3,691	1,916	1,775
59	A 111	Calculi of urinary system---602,604	1,108	646	462
60	A 114 pt.	Other diseases of urinary system---601,603,605-609	1,515	1,023	492
61	A 112	Hyperplasia of prostate---610	6,286	6,286	...
62	A 114 pt.	Other diseases of male genital organs---611-617	696	696	...
63	A 113	Diseases of breast---620,621	14	3	11
64	A 114 pt.	Diseases of female genital organs---622-637	763	...	763
65		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium---	2,610	...	2,610
66	A 115	Sepsis of pregnancy, childbirth, and puerperium---640,641,681,682,684	290	...	290
67	A 116 pt.	Toxemias of pregnancy and puerperium, except abortion with toxemia---642,685,686	873	...	873
68	A 117	Hemorrhage of pregnancy and childbirth---643,644,670-672	439	...	439
69	A 120 pt.	Ectopic pregnancy---645	172	...	172
70	A 118	Abortion without mention of sepsis or toxemia---650	96	...	96
71	A 119	Abortion with sepsis---651	191	...	191
72	A 116 pt.	Abortion with toxemia, without mention of sepsis---652	33	...	33
73	A 120 pt.	Other complications of pregnancy, childbirth, and puerperium---646-649,660,673-680,683,687-689	516	...	516
74		XII. Diseases of the skin and cellular tissue---	1,251	561	690
75	A 121	Infections of skin and subcutaneous tissue---690-698	314	177	137
76	A 126 pt.	Other diseases of skin and subcutaneous tissue---700-716	937	384	553
77		XIII. Diseases of the bones and organs of movement---	3,129	1,424	1,705
78	A 122	Arthritis and spondylitis---720-725	1,722	630	1,092
79	A 123	Muscular rheumatism and rheumatism, unspecified---726,727	60	28	32
80	A 124	Osteomyelitis and periostitis---730	173	113	60
81	A 125	Ankylosis and acquired musculoskeletal deformities---737,745-749	111	62	49
82	A 126 pt.	All other diseases of musculoskeletal system---731-736,738-744	1,063	591	472

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1952—Continued

(Causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
7,666	4,244	3,422	1,354	727	627	14	5	9	7	7	-	2	1	1	1	1	-	1
732	384	348	126	57	69	1	-	1	-	-	-	-	-	-	-	-	-	2
1,427	963	464	308	186	122	2	-	2	2	2	-	-	-	-	-	-	-	3
5,507	2,897	2,610	920	484	436	11	5	6	5	5	-	2	1	1	1	1	-	4
60,856	31,059	29,797	6,629	3,499	3,130	74	42	32	38	34	4	27	24	3	16	14	1	5
31,656	15,698	15,958	2,797	1,534	1,263	33	18	15	18	16	2	11	10	1	5	4	1	6
29,200	15,361	13,839	3,832	1,965	1,867	41	24	17	20	18	2	16	14	2	11	10	1	7
18,592	11,490	7,102	3,985	2,309	1,676	59	30	29	11	9	2	5	5	-	5	3	2	8
663	402	261	152	80	72	1	-	1	1	1	-	-	-	-	-	-	-	9
1,625	898	727	410	213	197	1	-	1	3	1	2	1	1	-	2	1	1	10
31	23	8	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	11
2,286	1,207	1,079	165	85	80	7	5	2	-	-	-	-	-	-	1	1	-	12
13,987	8,960	5,027	3,253	1,927	1,326	50	25	25	7	7	-	4	4	-	2	1	1	13
67,675	31,140	36,535	16,001	7,703	8,298	110	57	53	65	56	9	42	33	9	18	16	2	14
19,592	9,942	9,650	4,170	2,168	2,002	38	23	15	14	14	-	9	7	2	2	1	1	15
48,083	21,198	26,885	11,831	5,535	6,296	72	34	38	51	42	9	33	26	7	16	15	1	16
9,982	5,030	4,952	2,507	1,238	1,269	5	2	3	7	7	-	4	3	1	1	-	1	17
5,346	2,873	2,473	998	525	473	5	2	3	2	2	-	2	1	1	-	-	-	18
4,636	2,157	2,479	1,509	713	796	-	-	-	5	5	-	2	2	-	1	-	1	19
34,034	17,500	16,534	2,553	1,345	1,208	50	20	30	24	21	3	21	16	5	5	4	1	20
29,538	14,487	15,051	2,065	1,104	961	48	19	29	16	15	1	15	12	3	3	3	-	21
2,752	2,042	710	251	142	109	1	1	-	6	5	1	4	4	-	2	1	1	22
177	101	76	43	22	21	-	-	-	-	-	-	-	-	-	-	-	-	23
1,567	870	697	194	77	117	1	-	1	2	1	1	2	-	2	-	-	-	24
3,412	1,916	1,496	447	227	220	4	1	3	2	2	-	-	-	-	1	1	-	25
50,303	30,141	20,162	10,707	6,127	4,580	504	260	244	68	59	9	38	29	9	28	19	9	26
819	423	396	228	117	111	18	7	11	-	-	-	1	-	1	1	1	-	27
4,227	2,122	2,105	1,372	687	685	30	18	12	1	1	-	1	1	-	-	-	-	28
32,439	18,527	13,912	7,679	4,394	3,285	415	212	203	52	45	7	28	21	7	21	15	6	29
9,719	5,965	3,754	2,577	1,582	995	96	44	52	17	14	3	4	2	2	9	7	2	30
16,295	8,979	7,316	3,550	1,977	1,573	194	103	91	32	28	4	22	18	4	8	5	3	31
3,197	1,779	1,418	568	312	256	19	8	11	2	2	-	2	1	1	4	3	1	32
3,228	1,804	1,424	984	523	461	106	57	49	1	1	-	-	-	-	-	-	-	33
843	469	374	189	109	80	5	3	2	-	-	-	1	-	1	-	-	-	34
1,724	1,139	585	199	119	80	8	3	5	1	1	-	-	-	-	-	-	-	35
286	150	136	56	29	27	3	2	1	-	-	-	1	1	-	-	-	-	36
563	427	136	143	118	25	4	2	2	3	3	-	1	1	-	1	1	-	37
188	118	70	46	27	19	1	1	-	1	1	-	-	-	-	-	-	-	38
9,214	6,766	2,448	795	527	268	20	12	8	10	8	2	5	5	-	5	2	3	39
51,107	30,847	20,260	6,451	3,717	2,734	432	217	215	75	69	6	36	31	5	37	33	4	40
155	86	69	51	32	19	2	-	2	-	-	-	-	-	-	-	-	-	41
4,124	3,253	871	392	296	96	7	5	2	6	6	-	5	5	-	3	3	-	42
3,988	3,284	704	222	177	45	6	6	-	10	10	-	4	2	2	3	3	-	43
221	133	88	75	40	35	2	1	1	-	-	-	-	-	-	1	1	-	44
2,265	1,432	833	431	252	179	11	6	5	1	1	-	1	1	-	1	1	-	45
7,411	3,912	3,499	1,028	565	463	31	11	20	5	4	1	3	3	-	3	2	1	46
6,118	3,249	2,869	2,053	1,134	919	260	143	117	2	-	2	8	5	3	3	2	1	47
14,753	9,858	4,895	1,061	664	397	59	27	32	34	33	1	11	11	-	16	16	-	48
11,095	7,252	3,843	770	471	299	41	18	23	25	24	1	7	7	-	7	7	-	49
3,658	2,606	1,052	291	193	98	18	9	9	9	9	-	4	4	-	9	9	-	50
5,675	2,060	3,615	191	55	136	26	5	21	7	5	2	3	3	-	1	1	-	51
6,397	3,580	2,817	947	502	445	28	13	15	10	10	-	1	1	-	6	4	2	52
30,840	19,442	11,398	6,951	3,922	3,029	99	62	37	35	31	4	19	14	5	17	14	3	53
18,760	10,285	8,475	5,012	2,547	2,465	62	36	26	28	25	3	13	11	2	13	11	2	54
1,379	761	618	457	231	226	7	5	2	1	-	1	1	1	-	-	-	-	55
1,031	577	454	247	120	127	8	4	4	-	-	-	-	-	-	-	-	-	56
16,350	8,947	7,403	4,308	2,196	2,112	47	27	20	27	25	2	12	10	2	13	11	2	57
3,078	1,597	1,481	592	310	282	14	5	9	1	1	-	4	1	3	2	2	-	58
1,026	598	428	78	45	33	-	-	-	3	2	1	-	-	-	1	1	-	59
1,223	790	433	283	224	59	5	5	-	2	2	-	2	2	-	-	-	-	60
5,607	5,607	...	665	665	...	13	13	...	1	1	...	-	-	...	-	-	...	61
563	563	...	130	130	...	3	3	...	-	-	...	-	-	...	-	-	...	62
10	2	8	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	63
573	...	573	187	...	187	2	...	2	-	...	-	-	...	-	1	...	1	64
1,624	...	1,624	942	...	942	34	...	34	2	...	2	5	...	5	3	...	3	65
187	...	187	98	...	98	5	...	5	-	...	-	-	...	-	-	...	-	66
527	...	527	330	...	330	14	...	14	-	...	-	1	...	1	1	...	1	67
278	...	278	152	...	152	7	...	7	1	...	1	1	...	1	-	...	-	68
72	...	72	96	...	96	1	...	1	-	...	-	2	...	2	1	...	1	69
64	...	64	32	...	32	-	...	-	-	...	-	-	...	-	-	...	-	70
113	...	113	76	...	76	1	...	1	-	...	-	-	...	-	1	...	1	71
19	...	19	14	...	14	-	...	-	-	...	-	-	...	-	-	...	-	72
364	...	364	144	...	144	6	...	6	1	...	1	1	...	1	-	...	-	73
1,014	467	547	231	90	141	3	1	2	-	-	-	2	2	-	1	1	-	74
246	143	103	67	33	34	1	1	-	-	-	-	-	-	-	-	-	-	75
768	324	444	164	57	107	2	-	2	-	-	-	2	2	-	1	1	-	76
2,812	1,277	1,535	309	142	167	4	1	3	3	3	-	-	-	-	1	1	-	77
1,557	565	992	162	64	98	2	-	2	1	1	-	-	-	-	-	-	-	78
51	23	28	7	3	4	1	1	-	-	-	-	-	-	-	1	1	-	79
131	89	42	42	24	18	-	-	-	-	-	-	-	-	-	-	-	-	80
101	55	46	9	6	3	-	-	-	1	1	-	-	-	-	-	-	-	81
972	545	427	89	45	44	1	-	1	1	1	-	-	-	-	-	-	-	82

Table 49. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		XIV. Congenital malformations	19,768	10,775	8,993
2	A 127	Spina bifida and meningocele 751	1,772	717	1,055
3	A 129 pt.	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	2,473	1,277	1,196
4	A 128	Congenital malformations of circulatory system 754	8,849	5,029	3,820
5	A 129 pt.	Other congenital malformations 750,755-759	6,674	3,752	2,922
6		XV. Certain diseases of early infancy	63,659	37,247	26,412
7	A 130	Birth injuries 760,761	11,810	7,172	4,638
8	A 131	Postnatal asphyxia and atelectasis 762	15,547	9,418	6,129
9	A 132	Infections of newborn 763-768	4,094	2,391	1,703
10	A 133	Hemolytic disease of newborn (erythroblastosis) 770	2,633	1,550	1,083
11	A 134	All other defined diseases of early infancy 769,771,772	2,320	1,324	996
12	A 135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified 773-776	27,255	15,392	11,863
13		XVI. Symptoms, senility, and ill-defined conditions	21,950	12,638	9,312
14	A 136	Senility without mention of psychosis 794	4,790	2,092	2,698
15	A 137	Symptoms, ill-defined and unknown causes 780-793,795	17,160	10,546	6,614
16		XVII. Accidents, poisonings, and violence	119,837	85,058	34,779
17		Accidents E800-E962	96,172	66,697	29,475
18	AE 139 pt.	Railway accidents E800-E802	1,760	1,601	159
19	AE 138	Motor-vehicle accidents E810-E835	37,794	28,536	9,258
20		Motor-vehicle traffic accidents E810-E825	36,824	27,773	9,051
21		Motor-vehicle traffic accident involving collision with railway train E810	1,429	1,057	372
22		Motor-vehicle traffic accident to pedestrian E812	8,308	6,246	2,062
23		Other motor-vehicle traffic accidents involving collision E811,E813-E819	12,946	9,361	3,585
24		Motor-vehicle noncollision traffic accidents E820-E824	9,247	7,438	1,809
25		Motor-vehicle traffic accident of unspecified nature E825	4,894	3,671	1,223
26		Motor-vehicle nontraffic accidents E830-E835	970	763	207
27	AE 139 pt.	Other road-vehicle accidents E840-E845	447	363	84
28	AE 139 pt.	Water-transport accidents E850-E859	1,437	1,314	123
29	AE 139 pt.	Aircraft accidents E860-E866	1,594	1,485	109
30	AE 140 pt.	Accidental poisoning by solid and liquid substances E870-E888	1,440	862	578
31	AE 140 pt.	Accidental poisoning by gases and vapors E890-E895	1,397	988	409
32	AE 141	Accidental falls E900-E904	20,945	10,058	10,887
33		Fall from one level to another E900-E902	7,306	4,670	2,636
34		Fall on same level E903	4,627	1,755	2,872
35		Unspecified falls E904	9,012	3,633	5,379
36	AE 147 pt.	Blow from falling object E910	1,391	1,342	49
37	AE 142	Accident caused by machinery E912	2,083	1,993	90
38	AE 147 pt.	Accident caused by electric current E914	1,056	993	63
39	AE 143	Accident caused by fire and explosion of combustible material E916	6,922	3,915	3,007
40	AE 144	Accident caused by hot substance, corrosive liquid, steam, and radiation E917,E918	836	472	364
41	AE 145	Accident caused by firearm E919	2,210	1,935	275
42	AE 147 pt.	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	1,434	849	585
43	AE 146	Accidental drowning E929	5,346	4,529	817
44	AE 147 pt.	Excessive heat and insolation E931	1,401	928	473
45	AE 147 pt.	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures E940-E959	658	288	370
46	AE 147 pt.	All other accidents E911,E913,E915,E920,E923-E928,E930,E932-E936,E960-E962	6,021	4,246	1,775
47	AE 148	Suicide E963,E970-E979	15,567	12,115	3,452
48		Suicide by poisoning E970-E973	3,187	2,004	1,183
49		Suicide by hanging and strangulation E974	3,358	2,569	789
50		Suicide by firearms and explosives E976	7,013	6,172	841
51		Suicide by all other means E963,E975,E977-E979	2,009	1,370	639
52	AE 149	Homicide E964,E980-E985	8,054	6,202	1,852
53		Assault by firearms and explosives E981	4,244	3,269	975
54		Assault by cutting and piercing instruments E982	1,986	1,582	404
55		Assault by other means E964,E980,E983	1,485	1,015	470
56		Injury by intervention of police E984	256	253	3
57		Execution E985	83	83	-
58	AE 150	Injury resulting from operations of war E965,E990-E999	44	44	-

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1952—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
17,819	9,667	8,152	1,835	1,044	791	63	33	30	25	14	11	19	14	5	7	3	4	1
1,688	671	1,017	78	42	36	4	3	1	-	-	-	2	1	1	-	-	-	2
2,199	1,132	1,067	264	141	123	7	3	4	3	1	2	-	-	-	-	-	-	3
7,939	4,517	3,422	848	479	369	30	14	16	16	9	7	12	9	3	4	1	3	4
5,993	3,347	2,646	645	382	263	22	13	9	6	4	2	5	4	1	3	2	1	5
50,956	30,102	20,854	12,267	6,895	5,372	317	176	141	42	31	11	45	19	26	32	24	8	6
10,103	6,147	3,956	1,641	984	657	42	26	16	5	4	1	11	4	7	8	7	1	7
12,83	7,874	4,963	2,619	1,491	1,128	55	34	21	14	8	6	13	5	8	9	6	3	8
2,800	1,641	1,159	1,228	715	513	56	26	30	6	6	-	2	1	1	2	2	-	9
2,441	1,430	1,011	183	111	72	6	6	-	2	2	-	-	-	-	1	1	-	10
1,588	898	690	696	411	285	34	13	21	1	1	-	1	1	-	-	-	-	11
21,187	12,112	9,075	5,900	3,183	2,717	124	71	53	14	10	4	18	8	10	12	8	4	12
14,055	8,381	5,674	7,495	4,037	3,458	380	205	175	11	8	3	6	5	1	3	2	1	13
3,906	1,696	2,210	832	373	459	48	19	29	2	2	-	2	2	-	-	-	-	14
10,149	6,685	3,464	6,663	3,664	2,999	332	186	146	9	6	3	4	3	1	3	2	1	15
101,897	71,830	30,067	16,912	12,454	4,458	747	536	211	97	80	17	120	97	23	64	61	3	16
83,393	57,605	25,788	11,946	8,469	3,477	632	452	180	56	47	9	95	76	19	50	48	2	17
1,413	1,278	135	305	283	22	38	36	2	2	2	-	1	1	-	1	1	-	18
33,365	25,110	8,255	4,052	3,142	910	277	202	75	17	14	3	54	40	14	29	28	1	19
32,50	24,441	8,065	3,951	3,054	897	270	198	72	16	14	2	52	38	14	29	28	1	20
1,339	988	351	81	62	19	4	2	2	-	-	-	3	3	-	2	2	-	21
7,073	5,326	1,747	1,136	845	291	74	55	19	4	3	1	18	14	4	3	3	-	22
11,809	8,495	3,314	1,039	789	250	47	35	12	10	9	1	23	16	7	18	17	1	23
8,120	6,533	1,587	1,011	820	191	100	72	28	2	2	-	8	5	3	6	6	-	24
4,165	3,099	1,066	684	538	146	45	34	11	-	-	-	-	-	-	-	-	-	25
859	669	190	101	88	13	7	4	3	1	-	1	2	2	-	-	-	-	26
376	300	76	62	55	7	9	8	1	-	-	-	-	-	-	-	-	-	27
1,232	1,128	104	196	177	19	7	7	-	1	1	-	1	1	-	-	-	-	28
1,544	1,438	106	44	41	3	2	2	-	2	2	-	2	2	-	-	-	-	29
1,118	665	453	302	183	119	12	6	6	1	1	-	4	4	-	3	3	-	30
1,281	904	377	106	77	29	7	5	2	-	-	-	3	2	1	-	-	-	31
19,777	9,328	10,449	1,094	681	413	45	25	20	16	13	3	8	6	2	5	5	-	32
6,709	4,243	2,466	562	401	161	16	11	5	12	9	3	5	4	1	2	2	-	33
4,474	1,678	2,796	140	69	71	11	6	5	1	1	-	-	-	-	1	1	-	34
8,594	3,407	5,187	392	211	181	18	8	10	3	3	-	3	2	1	2	2	-	35
1,173	1,129	44	213	208	5	5	5	-	-	-	-	-	-	-	-	-	-	36
1,882	1,801	81	193	185	8	5	4	1	-	-	-	2	2	-	1	1	-	37
972	913	59	81	78	3	3	2	1	-	-	-	-	-	-	-	-	-	38
4,844	2,851	1,993	2,007	1,025	982	62	31	31	6	5	1	3	3	-	-	-	-	39
597	349	248	231	120	111	7	3	4	-	-	-	-	-	-	1	-	1	40
1,819	1,635	184	375	290	85	14	8	6	-	-	-	2	2	-	-	-	-	41
1,176	699	477	246	142	104	6	4	2	2	1	1	4	3	1	-	-	-	42
4,396	3,672	724	885	797	88	49	45	4	5	5	-	8	7	1	3	3	-	43
1,114	743	371	281	180	101	5	4	1	1	1	-	-	-	-	-	-	-	44
543	243	300	111	41	70	1	1	-	1	1	-	-	-	-	2	2	-	45
4,771	3,419	1,352	1,162	764	398	78	54	24	2	1	1	3	3	-	5	5	-	46
14,963	11,624	3,339	507	411	96	35	27	8	33	29	4	24	20	4	5	4	1	47
3,117	1,966	1,151	62	32	30	1	-	1	5	4	1	2	2	-	-	-	-	48
3,245	2,474	771	70	60	10	8	7	1	16	13	3	19	15	4	-	-	-	49
6,715	5,908	807	270	239	31	20	18	2	5	5	-	-	-	-	3	2	1	50
1,886	1,276	610	105	80	25	6	2	4	7	7	-	3	3	-	2	2	-	51
3,502	2,562	940	4,455	3,570	885	79	56	23	8	4	4	1	1	-	9	9	-	52
1,920	1,390	530	2,279	1,848	431	36	26	10	6	2	4	1	1	-	2	2	-	53
435	325	110	1,534	1,242	292	13	11	2	1	1	-	-	-	-	3	3	-	54
982	684	298	468	307	161	30	19	11	1	1	-	-	-	-	4	4	-	55
130	128	2	126	125	1	-	-	-	-	-	-	-	-	-	-	-	-	56
35	35	-	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	57
39	39	-	4	4	-	1	1	-	-	-	-	-	-	-	-	-	-	58

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		ALL CAUSES	1,496,838	109,413	8,069	4,841	3,589	3,000	128,912	9,034	6,769	11,853
2		Male	853,927	62,762	4,362	2,694	1,994	1,651	73,463	5,269	4,175	7,921
3		Female	642,911	46,651	3,707	2,147	1,595	1,349	55,449	3,765	2,594	3,932
4		White—Male	753,571	48,986	3,250	2,093	1,610	1,359	57,298	4,438	3,502	6,530
5		Female	561,451	35,766	2,791	1,635	1,270	1,068	42,530	3,122	2,118	2,983
6		Negro—Male	95,723	13,056	1,010	549	352	273	15,242	787	629	1,310
7		Female	78,972	10,302	799	464	296	264	12,125	599	456	899
8		Other—Male	4,633	718	102	52	32	19	923	44	44	81
9		Female	2,488	583	117	48	29	17	794	44	20	50
10		I. Infective and parasitic diseases	41,839	2,484	1,058	740	480	408	5,170	1,291	837	941
11		White—Male	20,640	906	421	298	204	174	2,003	621	375	337
12		Female	10,298	772	331	232	167	160	1,662	475	318	279
13		Negro—Male	6,331	380	146	90	52	35	703	97	63	123
14		Female	3,823	336	124	94	40	29	623	80	71	172
15		Other—Male	435	46	16	9	9	6	86	4	5	10
16		Female	312	44	20	17	8	4	93	14	5	20
17	001-019	Tuberculosis, all forms	24,621	222	245	170	92	73	802	137	116	397
18		White—Male	12,482	52	75	54	28	24	233	50	27	56
19		Female	5,196	55	60	42	30	22	209	30	26	91
20		Negro—Male	4,018	40	58	29	15	9	151	21	19	94
21		Female	2,385	43	38	30	9	11	131	26	36	129
22		Other—Male	315	18	7	5	4	4	38	2	5	8
23		Female	225	14	7	10	6	3	40	8	3	19
24	001-008	Tuberculosis of respiratory system	22,486	97	88	50	25	21	281	44	69	339
25		White—Male	11,765	24	25	15	6	6	76	12	12	44
26		Female	4,671	24	24	13	6	2	69	8	16	76
27		Negro—Male	3,558	19	18	5	7	2	51	10	10	82
28		Female	2,049	15	15	10	4	6	50	10	27	113
29		Other—Male	263	11	2	1	2	2	18	-	2	8
30		Female	180	4	4	6	-	3	17	4	2	16
31	010	Tuberculosis of meninges and central nervous system	767	71	117	89	49	38	364	67	26	26
32		White—Male	232	14	40	35	17	12	118	27	10	6
33		Female	190	18	29	18	17	15	97	18	7	6
34		Negro—Male	166	12	29	17	7	6	71	5	4	6
35		Female	125	14	14	12	2	3	45	13	4	7
36		Other—Male	29	6	3	4	2	2	17	1	1	-
37		Female	25	7	2	3	4	-	16	3	-	1
38	011	Tuberculosis of intestines, peritoneum, and mesenteric glands	150	2	2	2	1	1	8	2	-	2
39		White—Male	43	1	-	1	1	-	3	2	-	-
40		Female	37	-	-	-	-	1	1	-	-	-
41		Negro—Male	33	-	-	1	-	-	1	-	-	-
42		Female	28	-	-	-	-	-	-	-	-	2
43		Other—Male	5	-	2	-	-	-	2	-	-	-
44		Female	4	1	-	-	-	-	1	-	-	-
45	012.0,013.0	Tuberculosis of vertebral column	139	2	-	1	-	1	4	3	4	4
46		White—Male	54	-	-	-	-	-	-	1	2	1
47		Female	44	1	-	1	-	1	3	1	-	2
48		Negro—Male	26	-	-	-	-	-	-	1	1	1
49		Female	12	-	-	-	-	-	-	-	1	-
50		Other—Male	3	1	-	-	-	-	1	-	-	-
51		Female	-	-	-	-	-	-	-	-	-	-
52	012.1-	Tuberculosis of other bones and joints	63	-	-	-	1	-	1	2	4	3
53	012.3,	White—Male	27	-	-	-	1	-	1	1	1	-
54	013.1-	Female	15	-	-	-	-	-	-	1	-	-
55	013.3	Negro—Male	11	-	-	-	-	-	-	-	3	2
56		Female	7	-	-	-	-	-	-	-	-	1
57		Other—Male	3	-	-	-	-	-	-	-	-	-
58		Female	-	-	-	-	-	-	-	-	-	-
59	016	Tuberculosis of genito-urinary system	228	1	-	-	-	-	1	-	2	2
60		White—Male	118	-	-	-	-	-	-	-	1	1
61		Female	81	1	-	-	-	-	1	-	-	1
62		Negro—Male	16	-	-	-	-	-	-	-	-	-
63		Female	7	-	-	-	-	-	-	-	-	-
64		Other—Male	6	-	-	-	-	-	-	-	1	-
65		Female	-	-	-	-	-	-	-	-	-	-
66	014,015,	Tuberculosis of lymphatic system and other organs	110	2	-	-	-	1	3	1	3	3
67	017,018	White—Male	37	-	-	-	-	-	-	1	-	1
68		Female	24	-	-	-	-	-	-	-	1	2
69		Negro—Male	26	1	-	-	-	1	2	-	-	-
70		Female	21	1	-	-	-	-	1	-	1	-
71		Other—Male	2	-	-	-	-	-	-	-	1	-
72		Female	-	-	-	-	-	-	-	-	-	-
73	019	Disseminated tuberculosis	678	47	38	28	16	11	140	18	8	18
74		White—Male	206	13	10	3	3	6	35	6	1	3
75		Female	134	11	7	10	7	3	38	2	2	4
76		Negro—Male	182	8	11	6	1	-	26	5	1	3
77		Female	136	13	9	8	3	2	35	3	3	6
78		Other—Male	4	-	-	-	-	-	-	1	-	-
79		Female	16	2	1	1	2	-	6	1	1	2
80	020-029	Syphilis and its sequelae	5,719	92	4	2	2	1	101	3	5	18
81		White—Male	2,893	17	-	1	-	-	18	1	1	7
82		Female	894	15	1	1	1	1	19	1	1	4
83		Negro—Male	1,326	32	-	-	1	-	33	-	2	1
84		Female	551	21	3	-	-	-	24	1	1	6
85		Other—Male	43	4	-	-	-	-	4	-	-	-
86		Female	12	3	-	-	-	-	3	-	-	-
87	020	Congenital syphilis	135	90	3	2	2	1	98	1	2	7
88		White—Male	29	17	-	1	-	-	18	-	-	3
89		Female	33	15	-	1	1	1	18	-	1	2
90		Negro—Male	35	31	-	-	1	-	32	-	1	-
91		Female	31	20	3	-	-	-	23	1	-	2
92		Other—Male	4	4	-	-	-	-	4	-	-	-
93		Female	3	3	-	-	-	-	3	-	-	-

Age, Race, and Sex: United States, 1952

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
15,343	18,761	22,523	30,940	44,842	62,056	86,936	115,154	143,686	172,792	180,804	177,389	143,326	82,312	33,332	7,489	1,497	1,088	1
10,200	11,712	13,333	18,059	27,155	38,710	54,953	74,157	90,693	104,195	101,391	93,562	70,609	36,990	13,417	2,814	488	661	2
5,143	7,049	9,190	12,881	17,687	23,346	31,983	40,997	52,993	68,597	79,413	83,827	72,717	45,322	19,915	4,675	1,009	427	3
8,194	9,072	10,279	14,112	21,931	32,358	46,028	64,806	81,347	94,528	93,571	87,747	66,764	35,047	12,686	2,543	301	489	4
3,631	5,054	6,462	9,343	13,112	17,964	24,602	34,086	45,993	60,880	73,085	79,272	69,635	43,338	19,032	4,294	602	313	5
1,899	2,508	2,954	3,798	5,055	6,139	8,576	9,033	8,955	9,212	7,381	5,501	3,660	1,823	680	255	172	154	6
1,426	1,901	2,638	3,443	4,486	5,282	7,255	6,791	6,873	7,576	6,179	4,455	2,987	1,919	846	361	391	104	7
107	132	100	149	169	213	349	318	391	455	439	314	185	120	51	16	15	18	8
86	94	90	95	89	100	126	120	127	141	149	120	95	65	37	20	16	10	9
1,345	1,941	2,017	2,293	2,677	2,957	3,454	3,533	3,760	3,520	2,681	1,799	1,050	387	128	26	3	29	10
366	601	662	836	1,095	1,477	1,869	2,130	2,447	2,234	1,692	1,065	564	189	53	13	2	9	11
407	639	590	623	615	501	532	528	623	698	653	546	381	148	67	11	1	1	12
216	326	371	463	617	668	733	637	504	372	217	122	53	30	5	-	-	11	13
314	322	362	337	312	280	273	194	137	165	79	49	36	12	1	1	-	3	14
19	21	12	17	22	18	37	37	40	40	29	12	13	7	1	1	-	4	15
25	32	20	17	16	13	10	7	9	11	11	5	3	1	1	-	-	1	16
846	1,273	1,478	1,776	2,038	2,158	2,382	2,409	2,479	2,316	1,818	1,210	677	232	45	7	2	23	17
146	279	413	640	854	1,154	1,406	1,545	1,718	1,520	1,185	727	377	119	20	5	2	6	18
192	366	392	466	445	347	324	345	362	438	442	367	248	83	20	2	-	1	19
195	295	321	375	482	452	461	383	295	230	118	71	26	16	3	-	-	10	20
278	286	323	264	225	175	157	101	67	90	45	29	15	6	1	-	-	1	21
15	19	12	15	18	17	25	29	28	33	20	11	9	7	-	-	-	4	22
20	28	17	16	14	13	9	6	9	5	8	5	2	1	1	-	-	1	23
735	1,171	1,365	1,858	1,900	2,022	2,250	2,287	2,360	2,197	1,723	1,155	639	220	43	7	2	19	24
130	262	389	603	811	1,113	1,356	1,490	1,665	1,460	1,139	699	357	115	19	5	2	6	25
167	344	370	447	411	316	304	319	326	409	405	349	234	79	19	2	-	1	26
154	264	288	343	448	415	427	356	272	208	115	66	24	14	3	-	-	8	27
255	256	291	239	204	151	132	91	62	83	39	25	13	6	1	-	-	1	28
11	17	12	11	16	15	23	26	26	32	18	11	9	6	-	-	-	2	29
18	28	15	15	10	12	8	5	9	5	7	5	2	-	1	-	-	1	30
29	41	36	36	31	27	28	11	11	17	7	3	4	1	-	-	-	2	31
3	8	6	12	9	9	9	3	4	5	3	-	-	-	-	-	-	-	32
12	10	5	5	4	4	5	1	5	4	3	1	3	-	-	-	-	-	33
9	10	15	8	10	7	7	3	2	6	-	1	1	-	-	-	-	1	34
3	12	9	8	5	6	7	3	-	1	1	1	-	-	-	-	-	-	35
2	1	-	2	1	1	-	1	-	1	-	-	-	-	-	-	-	1	36
-	-	1	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	37
9	8	13	6	17	18	10	8	8	12	14	7	3	3	1	-	-	1	38
2	-	1	1	2	4	2	4	4	8	3	2	3	2	-	-	-	-	39
1	1	3	-	5	4	3	2	1	2	8	4	-	1	1	-	-	-	40
3	2	3	4	4	6	4	1	3	2	-	-	-	-	-	-	-	-	41
3	5	6	1	4	4	-	1	-	-	1	1	-	-	-	-	-	-	42
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	43
-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	44
11	10	5	11	8	8	11	14	20	7	11	6	2	-	-	-	-	-	45
3	1	2	7	2	4	5	7	7	3	5	4	-	-	-	-	-	-	46
1	-	2	2	4	1	1	4	10	3	6	2	2	-	-	-	-	-	47
5	6	-	1	2	3	2	1	3	-	-	-	-	-	-	-	-	-	48
1	3	1	1	-	-	2	2	-	1	-	-	-	-	-	-	-	-	49
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	5	1	4	2	3	4	5	7	8	6	6	2	-	-	-	-	52
-	-	1	-	2	-	1	2	-	5	3	5	3	2	-	-	-	-	53
-	-	1	-	1	2	-	1	3	1	2	1	2	-	-	-	-	-	54
-	-	1	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	55
-	-	2	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	56
-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
9	9	11	16	21	25	31	30	23	21	13	7	7	-	-	-	-	-	59
3	4	6	7	12	7	19	16	12	13	8	4	5	-	-	-	-	-	60
3	2	4	4	7	14	9	12	7	7	5	3	2	-	-	-	-	-	61
1	1	1	2	2	3	2	1	2	1	-	-	-	-	-	-	-	-	62
1	1	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	63
1	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
7	8	6	7	9	5	12	10	8	11	7	3	3	3	1	-	-	-	66
-	1	2	-	2	3	3	6	3	5	4	3	2	-	1	-	-	-	67
-	4	1	1	3	-	-	1	3	3	3	-	1	1	-	-	-	-	68
5	2	1	3	3	-	4	3	1	1	-	-	-	1	-	-	-	-	69
2	1	2	3	1	2	5	-	1	2	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
46	26	37	41	48	51	37	45	44	44	35	23	13	3	-	-	-	1	73
5	3	6	10	14	14	11	17	23	21	20	10	7	-	-	-	-	-	74
8	5	6	7	10	6	2	5	7	9	10	7	4	2	-	-	-	-	75
18	10	12	13	12	18	14	17	12	12	2	4	1	1	-	-	-	1	76
13	8	12	11	11	11	9	4	2	2	3	2	1	-	-	-	-	-	77
-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	78
2	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	79
24	30	57	145	287	492	715	800	919	867	621	354	184	62	27	3	-	5	80
5	7	15	20	84	12[illegible]	300	414	544	542	383	222	95	32	13	1	-	2	81
7	4	6	19	45	55	95	97	130	139	110	78	51	20	12	1	-	-	82
4	6	19	65	106	181	231	215	184	122	89	39	19	7	2	-	-	1	83
8	12	17	41	49	68	83	67	52	57	29	15	16	3	-	-	-	2	84
-	-	-	-	2	1	5	6	9	4	8	-	3	-	-	1	-	-	85
-	1	-	-	1	-	1	1	-	3	2	-	-	-	-	-	-	-	86
6	2	1	1	3	4	1	2	4	1	-	1	-	1	-	-	-	-	87
-	1	1	-	2	1	-	-	2	-	-	-	-	1	-	-	-	-	88
4	1	-	1	-	2	1	1	1	1	-	-	-	-	-	-	-	-	89
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	90
2	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
		Syphilis and its sequelae—Continued										
1	021	Early syphilis	1	-	-	-	-	-	-	-	-	-
2		White--Male	-	-	-	-	-	-	-	-	-	-
3		Female	1	-	-	-	-	-	-	-	-	-
4		Negro--Male	-	-	-	-	-	-	-	-	-	-
5		Female	-	-	-	-	-	-	-	-	-	-
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	022	Aneurysm of aorta	1,643	-	-	-	-	-	-	-	-	4
9		White--Male	1,010	-	-	-	-	-	-	-	-	3
10		Female	275	-	-	-	-	-	-	-	-	1
11		Negro--Male	254	-	-	-	-	-	-	-	-	-
12		Female	96	-	-	-	-	-	-	-	-	-
13		Other--Male	6	-	-	-	-	-	-	-	-	-
14		Female	2	-	-	-	-	-	-	-	-	-
15	023	Other cardiovascular syphilis	2,073	1	1	-	-	-	2	-	-	2
16		White--Male	966	-	-	-	-	-	-	-	-	1
17		Female	286	-	1	-	-	-	1	-	-	1
18		Negro--Male	582	1	-	-	-	-	1	-	-	-
19		Female	216	-	-	-	-	-	-	-	-	-
20		Other--Male	21	-	-	-	-	-	-	-	-	-
21		Female	2	-	-	-	-	-	-	-	-	-
22	024	Tabes dorsalis	143	-	-	-	-	-	-	-	-	-
23		White--Male	95	-	-	-	-	-	-	-	-	-
24		Female	20	-	-	-	-	-	-	-	-	-
25		Negro--Male	17	-	-	-	-	-	-	-	-	-
26		Female	8	-	-	-	-	-	-	-	-	-
27		Other--Male	3	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	025	General paralysis of insane	925	-	-	-	-	-	-	1	2	2
30		White--Male	450	-	-	-	-	-	-	1	1	-
31		Female	146	-	-	-	-	-	-	-	-	-
32		Negro--Male	240	-	-	-	-	-	-	-	1	-
33		Female	85	-	-	-	-	-	-	-	-	2
34		Other--Male	2	-	-	-	-	-	-	-	-	-
35		Female	2	-	-	-	-	-	-	-	-	-
36	026	Other syphilis of central nervous system	617	-	-	-	-	-	-	-	-	2
37		White--Male	275	-	-	-	-	-	-	-	-	-
38		Female	100	-	-	-	-	-	-	-	-	-
39		Negro--Male	151	-	-	-	-	-	-	-	-	1
40		Female	82	-	-	-	-	-	-	-	-	1
41		Other--Male	6	-	-	-	-	-	-	-	-	-
42		Female	3	-	-	-	-	-	-	-	-	-
43	027-029	Other syphilis	182	1	-	-	-	-	1	1	1	1
44		White--Male	68	-	-	-	-	-	-	-	-	-
45		Female	33	-	-	-	-	-	-	1	-	-
46		Negro--Male	47	-	-	-	-	-	-	-	-	-
47		Female	33	1	-	-	-	-	1	-	1	1
48		Other--Male	1	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	030-035	Gonococcal infection	45	1	-	-	-	-	1	-	-	1
51		White--Male	12	-	-	-	-	-	-	-	-	-
52		Female	5	-	-	-	-	-	-	-	-	-
53		Negro--Male	15	1	-	-	-	-	1	-	-	-
54		Female	12	-	-	-	-	-	-	-	-	1
55		Other--Male	1	-	-	-	-	-	-	-	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	040	Typhoid fever	78	2	1	1	-	-	4	4	2	6
58		White--Male	25	-	-	-	-	-	-	-	1	1
59		Female	17	-	1	-	-	-	1	1	-	-
60		Negro--Male	19	1	-	-	-	-	1	-	-	2
61		Female	16	1	-	1	-	-	2	3	1	3
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	1	-	-	-	-	-	-	-	-	-
64	041	Paratyphoid fever	10	1	-	-	-	-	1	2	-	-
65		White--Male	-	-	-	-	-	-	-	-	-	-
66		Female	6	1	-	-	-	-	1	2	-	-
67		Negro--Male	2	-	-	-	-	-	-	-	-	-
68		Female	-	-	-	-	-	-	-	-	-	-
69		Other--Male	1	-	-	-	-	-	-	-	-	-
70		Female	1	-	-	-	-	-	-	-	-	-
71	042	Other Salmonella infections	32	6	1	-	-	-	7	-	-	-
72		White--Male	15	1	-	-	-	-	1	-	-	-
73		Female	11	1	1	-	-	-	2	-	-	-
74		Negro--Male	3	2	-	-	-	-	2	-	-	-
75		Female	3	2	-	-	-	-	2	-	-	-
76		Other--Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	043	Cholera	-	-	-	-	-	-	-	-	-	-
79		White--Male	-	-	-	-	-	-	-	-	-	-
80		Female	-	-	-	-	-	-	-	-	-	-
81		Negro--Male	-	-	-	-	-	-	-	-	-	-
82		Female	-	-	-	-	-	-	-	-	-	-
83		Other--Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	044	Brucellosis (undulant fever)	23	-	-	2	-	-	2	-	-	-
86		White--Male	11	-	-	-	-	-	-	-	-	-
87		Female	10	-	-	-	-	-	-	-	-	-
88		Negro--Male	1	-	-	1	-	-	1	-	-	-
89		Female	1	-	-	1	-	-	1	-	-	-
90		Other--Male	-	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-
92	045-048	Dysentery, all forms	937	517	54	32	17	12	632	18	11	5
93		White--Male	334	181	17	11	5	4	218	8	5	2
94		Female	296	147	13	6	5	4	175	6	4	2
95		Negro--Male	153	91	10	8	4	1	114	3	1	-
96		Female	124	77	12	6	2	3	100	1	-	1
97		Other--Male	16	11	1	-	1	-	13	-	-	-
98		Female	14	10	1	1	-	-	12	-	1	-

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
2	5	11	24	53	105	169	217	274	259	239	143	86	31	19	2	-	-	8
-	3	2	3	22	40	86	140	186	185	165	98	51	19	7	-	-	-	9
1	1	2	5	3	9	13	26	39	39	50	34	28	12	11	1	-	-	10
1	-	3	14	22	38	51	36	35	28	15	8	2	-	1	-	-	-	11
-	1	4	2	5	18	17	15	12	6	8	3	5	-	-	-	-	-	12
-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	1	-	-	13
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	14
2	7	17	59	112	177	284	312	379	323	219	107	45	17	4	-	-	5	15
-	-	2	11	25	58	94	152	207	194	129	59	22	7	3	-	-	2	16
-	-	2	5	17	16	42	34	46	52	32	22	10	5	1	-	-	-	17
1	2	7	26	46	74	107	97	99	50	41	22	6	2	-	-	-	1	18
1	5	6	17	22	29	39	27	21	24	11	4	5	3	-	-	-	2	19
-	-	-	-	1	-	1	2	6	3	6	-	2	-	-	-	-	-	20
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	21
-	-	4	-	2	11	10	18	24	28	14	20	9	3	-	-	-	-	22
-	-	1	-	1	6	5	13	19	19	9	17	4	1	-	-	-	-	23
-	-	-	-	1	1	2	2	4	3	2	1	4	-	-	-	-	-	24
-	-	1	-	-	3	1	2	1	4	2	-	1	2	-	-	-	-	25
-	-	2	-	-	1	1	1	-	1	-	2	-	-	-	-	-	-	26
-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
4	9	10	35	64	121	149	123	120	133	78	45	17	7	4	1	-	-	29
2	3	5	3	19	56	71	59	68	79	44	25	7	3	3	1	-	-	30
1	1	-	6	16	17	19	14	18	21	17	12	2	2	-	-	-	-	31
-	2	4	16	21	40	47	41	24	19	12	5	5	2	1	-	-	-	32
1	3	1	10	8	8	11	8	10	13	4	3	3	-	-	-	-	-	33
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	35
8	2	11	18	42	63	76	105	93	98	47	30	19	3	-	-	-	-	36
2	-	3	2	12	22	34	42	49	55	24	21	8	1	-	-	-	-	37
1	-	2	2	5	8	15	16	17	16	6	8	5	1	-	-	-	-	38
1	-	4	7	13	23	17	31	19	16	12	2	4	1	-	-	-	-	39
4	1	2	7	12	9	10	12	7	10	4	1	2	-	-	-	-	-	40
-	-	-	-	-	1	-	3	1	-	1	-	-	-	-	-	-	-	41
-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	42
2	5	3	8	11	11	26	23	25	24	24	8	8	-	-	-	-	-	43
1	-	1	1	3	4	10	8	13	10	12	2	3	-	-	-	-	-	44
-	1	-	-	3	2	3	4	5	6	3	3	2	-	-	-	-	-	45
1	2	-	2	4	2	8	7	6	5	7	2	1	-	-	-	-	-	46
-	2	2	5	1	3	5	4	1	3	2	1	1	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
2	-	1	6	9	1	4	5	5	6	3	-	-	1	-	-	-	-	50
-	-	-	-	2	1	1	2	1	4	1	-	-	-	-	-	-	-	51
-	-	-	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	52
-	-	-	-	4	-	2	3	3	1	1	-	-	-	-	-	-	-	53
2	-	1	4	2	-	1	-	-	-	1	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
8	4	9	5	1	11	4	4	4	6	2	2	1	1	-	-	-	-	57
3	1	2	3	1	5	-	3	1	2	1	1	-	-	-	-	-	-	58
3	3	1	-	-	1	2	-	1	2	1	-	-	1	-	-	-	-	59
1	-	5	1	-	2	2	1	2	1	-	1	-	-	-	-	-	-	60
1	-	1	1	-	3	-	-	-	-	-	-	1	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	63
1	-	-	-	1	-	1	1	-	1	-	1	1	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	66
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	70
-	-	1	3	2	2	-	4	3	3	3	1	3	-	-	-	-	-	71
-	-	1	1	1	1	-	4	1	2	2	1	-	-	-	-	-	-	72
-	-	-	1	1	1	-	-	1	1	1	-	3	-	-	-	-	-	73
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	74
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	1	-	2	-	1	2	1	4	4	2	3	1	-	-	-	-	-	85
-	1	-	-	-	1	1	1	2	3	-	2	-	-	-	-	-	-	86
-	-	-	2	-	-	1	-	2	1	2	1	1	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
11	4	10	9	16	14	18	22	29	31	22	35	19	20	9	2	-	-	92
3	-	4	2	7	4	9	10	9	12	10	15	8	4	3	1	-	-	93
5	3	4	3	2	3	7	10	13	12	9	16	6	10	6	-	-	-	94
1	1	1	3	5	4	1	1	4	4	1	2	4	3	-	-	-	-	95
2	-	1	1	1	3	1	1	3	2	1	2	-	3	-	1	-	-	96
-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	98

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	049	Food poisoning (infection and intoxication)	162	16	9	14	7	7	53	4	2	1
2		White--Male	66	5	5	3	2	3	18	-	1	-
3		Female	44	3	2	3	2	-	10	2	1	-
4		Negro--Male	24	4	2	2	1	3	12	-	-	-
5		Female	28	4	-	6	2	1	13	2	-	1
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	050	Scarlet fever	74	3	2	1	1	1	8	7	9	5
9		White--Male	32	1	-	-	-	-	1	4	1	3
10		Female	39	2	-	1	1	1	5	3	7	2
11		Negro--Male	2	-	1	-	-	-	1	-	1	-
12		Female	1	-	1	-	-	-	1	-	-	-
13		Other--Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	051	Streptococcal sore throat	277	36	14	16	14	9	89	23	13	11
16		White--Male	126	13	7	6	9	4	39	7	7	9
17		Female	106	14	4	6	4	4	32	12	5	1
18		Negro--Male	26	6	2	3	1	1	13	2	-	-
19		Female	19	3	1	1	-	-	5	2	1	1
20		Other--Male	-	-	-	-	-	-	-	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	052	Erysipelas	52	7	1	-	-	-	8	1	1	-
23		White--Male	30	4	1	-	-	-	5	-	-	-
24		Female	18	1	-	-	-	-	1	1	-	-
25		Negro--Male	2	1	-	-	-	-	1	-	-	-
26		Female	2	1	-	-	-	-	1	-	1	-
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	053	Septicemia and pyemia	726	246	45	29	15	11	346	19	22	10
30		White--Male	344	105	23	12	8	4	152	7	6	5
31		Female	245	81	16	10	5	5	117	8	12	2
32		Negro--Male	65	30	2	4	2	-	38	1	2	1
33		Female	66	26	3	3	-	2	34	3	2	2
34		Other--Male	1	-	1	-	-	-	1	-	-	-
35		Female	5	4	-	-	-	-	4	-	-	-
36	055	Diphtheria	217	12	26	20	22	28	108	39	16	3
37		White--Male	85	2	6	6	8	9	31	13	5	2
38		Female	76	5	9	9	4	12	39	15	7	-
39		Negro--Male	31	4	7	4	2	3	20	8	2	-
40		Female	21	1	4	1	5	3	14	3	2	1
41		Other--Male	2	-	-	-	1	1	2	-	-	-
42		Female	2	-	-	-	2	-	2	-	-	-
43	056	Whooping cough	402	262	77	26	10	8	383	10	2	3
44		White--Male	99	59	25	6	3	2	95	3	-	-
45		Female	107	65	18	11	1	3	98	2	1	3
46		Negro--Male	94	69	14	4	3	2	92	2	-	-
47		Female	91	65	16	4	3	1	89	2	-	-
48		Other--Male	3	2	1	-	-	-	3	-	-	-
49		Female	8	2	3	1	-	-	6	1	1	-
50	057	Meningococcal infections	1,386	395	225	143	89	55	907	141	72	57
51		White--Male	653	192	114	76	45	22	449	55	32	25
52		Female	532	159	86	44	34	27	350	61	26	19
53		Negro--Male	98	17	12	14	6	3	52	13	8	7
54		Female	92	24	11	8	3	3	49	11	6	6
55		Other--Male	4	2	-	-	1	-	3	-	-	-
56		Female	7	1	2	1	-	-	4	1	-	-
57	058	Plague	-	-	-	-	-	-	-	-	-	-
58		White--Male	-	-	-	-	-	-	-	-	-	-
59		Female	-	-	-	-	-	-	-	-	-	-
60		Negro--Male	-	-	-	-	-	-	-	-	-	-
61		Female	-	-	-	-	-	-	-	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	059	Tularemia	8	-	-	-	-	-	-	-	-	-
65		White--Male	4	-	-	-	-	-	-	-	-	-
66		Female	1	-	-	-	-	-	-	-	-	-
67		Negro--Male	2	-	-	-	-	-	-	-	-	-
68		Female	1	-	-	-	-	-	-	-	-	-
69		Other--Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	060	Leprosy	4	-	-	-	-	-	-	-	-	-
72		White--Male	4	-	-	-	-	-	-	-	-	-
73		Female	-	-	-	-	-	-	-	-	-	-
74		Negro--Male	-	-	-	-	-	-	-	-	-	-
75		Female	-	-	-	-	-	-	-	-	-	-
76		Other--Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	061	Tetanus	360	94	10	8	8	4	124	43	34	12
79		White--Male	140	19	2	2	4	2	29	24	14	5
80		Female	71	16	3	1	1	-	21	6	7	1
81		Negro--Male	90	31	3	2	1	2	39	9	9	4
82		Female	57	27	2	3	2	-	34	4	4	2
83		Other--Male	1	1	-	-	-	-	1	-	-	-
84		Female	1	-	-	-	-	-	-	-	-	-
85	062	Anthrax	3	-	-	-	-	-	-	-	-	-
86		White--Male	3	-	-	-	-	-	-	-	-	-
87		Female	-	-	-	-	-	-	-	-	-	-
88		Negro--Male	-	-	-	-	-	-	-	-	-	-
89		Female	-	-	-	-	-	-	-	-	-	-
90		Other--Male	-	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-
92	080	Acute poliomyelitis	3,145	116	117	128	101	118	580	567	413	313
93		White--Male	1,769	56	61	67	57	65	306	330	226	190
94		Female	1,239	50	42	44	36	48	220	217	171	109
95		Negro--Male	73	9	10	7	3	4	33	15	8	4
96		Female	48	-	3	8	4	1	16	4	8	7
97		Other--Male	11	1	-	1	1	-	3	1	-	2
98		Female	5	-	1	1	-	-	2	-	-	1

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
4	3	4	3	5	5	11	9	10	13	6	13	10	2	4	-	-	-	1
2	-	-	-	3	3	7	6	5	3	5	5	3	2	3	-	-	-	2
-	2	2	1	2	1	2	1	5	3	-	7	4	-	1	-	-	-	3
-	-	1	1	-	-	2	1	-	4	1	1	1	-	-	-	-	-	4
2	1	1	1	-	1	-	1	-	3	-	-	2	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
5	3	6	1	4	6	2	6	7	2	2	-	1	-	-	-	-	-	8
3	1	1	1	1	4	1	2	6	1	2	-	-	-	-	-	-	-	9
2	2	5	-	3	2	1	4	1	1	-	-	1	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
7	10	11	7	10	10	8	15	9	7	16	11	9	5	3	3	-	-	15
4	6	4	4	7	4	1	8	6	4	4	4	5	2	-	1	-	-	16
2	3	3	1	1	4	2	5	2	3	11	7	4	3	3	2	-	-	17
-	1	4	1	-	1	2	1	-	-	1	-	-	-	-	-	-	-	18
1	-	-	1	2	1	3	1	1	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	1	1	3	3	8	4	-	2	12	4	2	2	-	-	22
-	-	-	-	-	-	3	3	3	2	-	1	9	2	-	2	-	-	23
-	-	-	-	1	1	-	-	5	1	-	1	3	2	2	-	-	-	24
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
15	21	13	15	21	23	34	32	35	37	20	32	14	10	6	1	-	-	29
7	7	1	8	8	8	20	18	24	25	12	20	7	6	2	1	-	-	30
4	8	8	7	10	10	7	8	6	8	7	10	6	3	4	-	-	-	31
3	1	2	-	-	2	1	3	4	2	1	2	1	1	-	-	-	-	32
1	5	2	-	2	3	6	3	1	2	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	5	3	5	6	3	8	4	8	4	2	3	-	-	-	-	-	-	36
-	4	2	1	3	3	5	4	6	4	1	1	-	-	-	-	-	-	37
-	-	1	3	3	-	3	-	2	-	1	2	-	-	-	-	-	-	38
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
32	17	10	13	20	22	19	17	20	16	13	6	3	1	-	-	-	-	50
15	8	5	4	5	9	7	9	9	9	6	4	2	-	-	-	-	-	51
11	6	3	5	8	6	8	6	9	6	6	2	-	-	-	-	-	-	52
1	2	1	2	4	4	2	-	-	-	1	-	-	1	-	-	-	-	53
3	-	1	2	3	3	2	2	2	1	-	-	1	-	-	-	-	-	54
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	1	2	-	1	1	-	-	1	-	1	1	-	-	-	-	-	-	64
-	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	66
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	71
-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
8	6	4	5	9	14	18	15	20	21	14	9	3	1	-	-	-	-	78
3	2	1	1	3	7	9	4	11	12	10	5	-	-	-	-	-	-	79
3	2	-	2	4	4	3	4	2	5	2	3	2	-	-	-	-	-	80
-	1	1	2	-	2	6	5	5	2	2	1	1	1	-	-	-	-	81
1	1	2	-	2	1	-	2	2	2	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	85
-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
282	431	281	133	72	21	22	15	7	4	4	-	-	-	-	-	-	-	92
139	243	165	84	39	13	12	9	6	4	3	-	-	-	-	-	-	-	93
135	174	114	48	29	8	8	4	1	-	1	-	-	-	-	-	-	-	94
3	4	1	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	95
3	7	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	96
1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	97
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases--Continued										
1	081	Late effects of acute poliomyelitis	110	-	2	1	1	3	7	9	14	19
2		White--Male	53	-	-	1	-	2	3	6	7	8
3		Female	45	-	-	-	1	1	2	1	5	7
4		Negro--Male	4	-	2	-	-	-	2	-	1	1
5		Female	8	-	-	-	-	-	-	2	1	3
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	082	Acute infectious encephalitis	471	88	41	23	18	10	180	36	21	13
9		White--Male	209	38	22	10	6	3	79	17	10	5
10		Female	200	36	15	11	11	4	77	16	9	8
11		Negro--Male	28	6	1	1	-	2	10	2	-	-
12		Female	27	6	2	-	-	1	9	1	2	-
13		Other--Male	5	1	1	1	1	-	4	-	-	-
14		Female	2	1	-	-	-	-	1	-	-	-
15	083	Late effects of acute infectious encephalitis	162	-	1	-	1	1	3	1	1	1
16		White--Male	84	-	1	-	-	1	2	1	-	1
17		Female	68	-	-	-	1	-	1	-	1	-
18		Negro--Male	6	-	-	-	-	-	-	-	-	-
19		Female	4	-	-	-	-	-	-	-	-	-
20		Other--Male	-	-	-	-	-	-	-	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	084	Smallpox	-	-	-	-	-	-	-	-	-	-
23		White--Male	-	-	-	-	-	-	-	-	-	-
24		Female	-	-	-	-	-	-	-	-	-	-
25		Negro--Male	-	-	-	-	-	-	-	-	-	-
26		Female	-	-	-	-	-	-	-	-	-	-
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	085	Measles	618	142	119	78	34	30	403	118	29	16
30		White--Male	230	61	38	26	13	9	147	48	11	5
31		Female	238	41	40	30	13	16	140	51	12	9
32		Negro--Male	53	13	14	5	3	2	37	10	5	-
33		Female	68	15	18	13	5	2	53	7	1	2
34		Other--Male	12	4	4	2	-	1	11	-	-	-
35		Female	17	8	5	2	-	-	15	2	-	-
36	091	Yellow fever	-	-	-	-	-	-	-	-	-	-
37		White--Male	-	-	-	-	-	-	-	-	-	-
38		Female	-	-	-	-	-	-	-	-	-	-
39		Negro--Male	-	-	-	-	-	-	-	-	-	-
40		Female	-	-	-	-	-	-	-	-	-	-
41		Other--Male	-	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	092	Infectious hepatitis	794	28	9	8	11	14	70	35	25	25
44		White--Male	333	9	5	4	5	5	28	16	9	8
45		Female	349	10	3	4	3	7	27	11	14	15
46		Negro--Male	51	5	1	-	3	1	10	3	2	2
47		Female	47	3	-	-	-	-	3	3	-	-
48		Other--Male	6	1	-	-	-	-	1	-	-	-
49		Female	8	-	-	-	-	1	1	2	-	-
50	094	Rabies	24	-	-	1	-	1	2	7	2	1
51		White--Male	10	-	-	1	-	1	2	2	1	-
52		Female	8	-	-	-	-	-	-	1	1	1
53		Negro--Male	4	-	-	-	-	-	-	3	-	-
54		Female	2	-	-	-	-	-	-	1	-	-
55		Other--Male	-	-	-	-	-	-	-	-	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	104	Tick-borne typhus	20	1	-	2	1	-	4	4	1	-
58		White--Male	13	-	-	1	-	-	1	3	-	-
59		Female	5	-	-	1	1	-	2	1	1	-
60		Negro--Male	-	-	-	-	-	-	-	-	-	-
61		Female	2	1	-	-	-	-	1	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	104A	Rocky Mountain spotted fever	20	1	-	2	1	-	4	4	1	-
65		White--Male	13	-	-	1	-	-	1	3	-	-
66		Female	5	-	-	1	1	-	2	1	1	-
67		Negro--Male	-	-	-	-	-	-	-	-	-	-
68		Female	2	1	-	-	-	-	1	-	-	-
69		Other--Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	104B	Other forms of tick-borne typhus	-	-	-	-	-	-	-	-	-	-
72		White--Male	-	-	-	-	-	-	-	-	-	-
73		Female	-	-	-	-	-	-	-	-	-	-
74		Negro--Male	-	-	-	-	-	-	-	-	-	-
75		Female	-	-	-	-	-	-	-	-	-	-
76		Other--Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	100-103,	Typhus, etc.,* and other rickettsial diseases	9	-	-	-	-	-	-	-	2	-
79	105-108	White--Male	7	-	-	-	-	-	-	-	1	-
80		Female	2	-	-	-	-	-	-	-	1	-
81		Negro--Male	-	-	-	-	-	-	-	-	-	-
82		Female	-	-	-	-	-	-	-	-	-	-
83		Other--Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	110-117	Malaria	25	1	2	-	1	-	4	1	-	-
86		White--Male	10	1	-	-	1	-	2	-	-	-
87		Female	4	-	-	-	-	-	-	1	-	-
88		Negro--Male	6	-	-	-	-	-	-	-	-	-
89		Female	5	-	2	-	-	-	2	-	-	-
90		Other--Male	-	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-
92	123	Schistosomiasis	3	-	-	-	-	-	-	-	-	1
93		White--Male	3	-	-	-	-	-	-	-	-	1
94		Female	-	-	-	-	-	-	-	-	-	-
95		Negro--Male	-	-	-	-	-	-	-	-	-	-
96		Female	-	-	-	-	-	-	-	-	-	-
97		Other--Male	-	-	-	-	-	-	-	-	-	-
98		Female	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
10	13	5	9	9	4	2	1	2	2	1	1	1	-	-	-	-	1	1
5	4	2	6	2	3	1	-	2	1	1	1	-	-	-	-	-	1	2
5	9	2	3	6	1	1	1	-	1	-	-	1	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
14	21	18	16	19	22	24	18	27	15	12	9	4	2	-	-	-	-	8
7	6	3	8	8	13	10	8	15	8	5	4	1	2	-	-	-	-	9
5	11	12	5	7	8	8	5	10	7	6	3	3	-	-	-	-	-	10
1	2	1	1	1	1	3	4	1	-	-	1	-	-	-	-	-	-	11
1	2	1	2	3	-	2	1	1	-	1	1	-	-	-	-	-	-	12
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	13
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	3	2	11	15	19	21	22	24	22	12	2	3	-	-	-	-	-	15
-	1	2	5	7	7	10	15	12	11	7	2	1	-	-	-	-	-	16
-	2	-	5	6	8	11	5	11	11	5	-	2	-	-	-	-	-	17
-	-	-	-	1	4	-	1	-	-	-	-	-	-	-	-	-	-	18
-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
5	4	8	5	2	4	5	1	2	5	2	2	5	2	-	-	-	-	29
1	1	3	3	1	1	3	-	1	-	2	-	3	-	-	-	-	-	30
2	3	5	2	1	1	1	-	1	4	-	2	2	2	-	-	-	-	31
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	32
2	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
40	52	52	61	45	57	70	44	53	50	31	36	33	7	7	-	1	-	43
10	18	21	21	15	22	33	19	27	26	11	19	19	6	5	-	-	-	44
23	26	23	28	23	26	26	15	21	21	17	17	12	1	2	-	1	-	45
3	4	5	3	1	4	5	6	1	-	1	-	1	-	-	-	-	-	46
3	3	2	8	6	5	4	4	3	1	1	-	1	-	-	-	-	-	47
1	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	48
-	1	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	49
-	2	1	1	4	1	-	2	-	-	1	-	-	-	-	-	-	-	50
-	2	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	51
-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	1	-	-	1	2	1	1	1	2	-	1	1	-	-	-	-	-	57
-	-	-	-	1	2	1	1	1	1	-	1	1	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	1	-	-	1	2	1	1	1	2	-	1	1	-	-	-	-	-	64
-	-	-	-	1	2	1	1	1	1	-	1	1	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	1	1	-	-	2	3	-	-	-	-	-	-	-	78
-	-	-	-	-	1	-	-	-	2	3	-	-	-	-	-	-	-	79
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
1	2	1	-	2	1	1	-	2	4	5	1	-	-	-	-	-	-	85
-	-	1	-	-	1	-	-	1	1	3	1	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	87
1	1	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	88
-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	125	Hydatid disease	6	-	-	-	-	1	1	-	-	-
2		White--------Male----	2	-	-	-	-	-	-	-	-	-
3		Female--	3	-	-	-	-	1	1	-	-	-
4		Negro--------Male----	1	-	-	-	-	-	-	-	-	-
5		Female--	-	-	-	-	-	-	-	-	-	-
6		Other--------Male----	-	-	-	-	-	-	-	-	-	-
7		Female--	-	-	-	-	-	-	-	-	-	-
8	127	Filariasis	1	-	-	-	-	-	-	-	-	-
9		White--------Male----	1	-	-	-	-	-	-	-	-	-
10		Female--	-	-	-	-	-	-	-	-	-	-
11		Negro--------Male----	-	-	-	-	-	-	-	-	-	-
12		Female--	-	-	-	-	-	-	-	-	-	-
13		Other--------Male----	-	-	-	-	-	-	-	-	-	-
14		Female--	-	-	-	-	-	-	-	-	-	-
15	129	Ankylostomiasis	4	-	-	1	-	-	1	-	1	-
16		White--------Male----	4	-	-	1	-	-	1	-	1	-
17		Female--	-	-	-	-	-	-	-	-	-	-
18		Negro--------Male----	-	-	-	-	-	-	-	-	-	-
19		Female--	-	-	-	-	-	-	-	-	-	-
20		Other--------Male----	-	-	-	-	-	-	-	-	-	-
21		Female--	-	-	-	-	-	-	-	-	-	-
22	124,126,	Other diseases due to helminths	89	5	12	18	12	3	50	6	3	1
23	128,130	White--------Male----	22	1	1	4	-	-	6	2	1	-
24		Female--	23	1	2	5	2	1	11	1	1	-
25		Negro--------Male----	20	1	3	4	6	1	15	1	1	-
26		Female--	24	2	6	5	4	1	18	2	-	1
27		Other--------Male----	-	-	-	-	-	-	-	-	-	-
28		Female--	-	-	-	-	-	-	-	-	-	-
29	Residual[1]	All other infective and parasitic diseases	1,222	191	41	16	23	18	289	56	20	22
30		White--------Male----	532	89	18	6	10	14	137	24	8	4
31		Female--	440	69	15	3	11	3	101	25	5	5
32		Negro--------Male----	114	17	4	2	1	1	25	4	2	7
33		Female--	118	14	2	4	1	-	21	2	5	6
34		Other--------Male----	14	1	1	-	-	-	2	1	-	-
35		Female--	4	1	1	1	-	-	3	-	-	-
36		II. Neoplasms	228,410	440	346	446	514	442	2,188	1,179	736	964
37		White--------Male----	107,644	193	159	213	267	216	1,048	601	344	491
38		Female--	101,670	183	150	191	201	197	922	465	302	363
39		Negro--------Male----	8,783	31	19	23	23	12	108	63	47	52
40		Female--	9,618	27	16	15	19	15	92	43	39	51
41		Other--------Male----	464	3	1	2	3	1	10	3	1	4
42		Female--	231	3	1	2	1	1	8	4	3	3
43	140-205	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	223,277	291	301	404	478	414	1,888	1,073	653	872
44		White--------Male----	105,790	123	143	195	248	203	912	556	308	457
45		Female--	99,245	126	128	173	189	186	802	417	268	324
46		Negro--------Male----	8,564	20	15	18	22	11	86	56	39	42
47		Female--	9,000	17	13	14	15	12	71	37	34	44
48		Other--------Male----	453	2	1	2	3	1	9	3	1	3
49		Female--	225	3	1	2	1	1	8	4	3	2
50	140-148	Malignant neoplasm of buccal cavity and pharynx	5,029	-	-	-	2	1	3	7	3	8
51		White--------Male----	3,639	-	-	-	2	1	3	2	-	4
52		Female--	995	-	-	-	-	-	-	3	3	3
53		Negro--------Male----	259	-	-	-	-	-	-	1	-	1
54		Female--	105	-	-	-	-	-	-	1	-	-
55		Other--------Male----	26	-	-	-	-	-	-	-	-	-
56		Female--	5	-	-	-	-	-	-	-	-	-
57	140	Of lip	407	-	-	-	-	-	-	-	-	-
58		White--------Male----	357	-	-	-	-	-	-	-	-	-
59		Female--	41	-	-	-	-	-	-	-	-	-
60		Negro--------Male----	4	-	-	-	-	-	-	-	-	-
61		Female--	5	-	-	-	-	-	-	-	-	-
62		Other--------Male----	-	-	-	-	-	-	-	-	-	-
63		Female--	-	-	-	-	-	-	-	-	-	-
64	141	Of tongue	1,192	-	-	-	-	-	-	-	-	-
65		White--------Male----	879	-	-	-	-	-	-	-	-	-
66		Female--	216	-	-	-	-	-	-	-	-	-
67		Negro--------Male----	67	-	-	-	-	-	-	-	-	-
68		Female--	28	-	-	-	-	-	-	-	-	-
69		Other--------Male----	2	-	-	-	-	-	-	-	-	-
70		Female--	2	-	-	-	-	-	-	-	-	-
71	142-144	Of other and unspecified parts of buccal cavity	1,458	-	-	-	-	-	-	4	2	1
72		White--------Male----	946	-	-	-	-	-	-	-	-	-
73		Female--	406	-	-	-	-	-	-	2	2	1
74		Negro--------Male----	70	-	-	-	-	-	-	1	-	-
75		Female--	35	-	-	-	-	-	-	1	-	-
76		Other--------Male----	1	-	-	-	-	-	-	-	-	-
77		Female--	-	-	-	-	-	-	-	-	-	-
78	145-148	Of pharynx	1,972	-	-	-	2	1	3	3	1	7
79		White--------Male----	1,457	-	-	-	2	1	3	2	-	4
80		Female--	332	-	-	-	-	-	-	1	1	2
81		Negro--------Male----	118	-	-	-	-	-	-	-	-	1
82		Female--	39	-	-	-	-	-	-	-	-	-
83		Other--------Male----	23	-	-	-	-	-	-	-	-	-
84		Female--	3	-	-	-	-	-	-	-	-	-
85	150-156A,	Malignant neoplasm of digestive organs and peritoneum	83,238	30	17	12	13	7	79	17	17	51
86	157-159	White--------Male----	41,731	13	12	3	7	5	40	9	7	20
87		Female--	34,830	13	4	9	2	1	29	5	8	22
88		Negro--------Male----	3,795	2	-	-	2	1	5	3	-	3
89		Female--	2,553	2	1	-	1	-	4	-	2	6
90		Other--------Male----	245	-	-	-	1	-	1	-	-	-
91		Female--	84	-	-	-	-	-	-	-	-	-
92	150	Of esophagus	4,061	-	-	-	-	-	-	-	-	-
93		White--------Male----	2,758	-	-	-	-	-	-	-	-	-
94		Female--	772	-	-	-	-	-	-	-	-	-
95		Negro--------Male----	416	-	-	-	-	-	-	-	-	-
96		Female--	99	-	-	-	-	-	-	-	-	-
97		Other--------Male----	13	-	-	-	-	-	-	-	-	-
98		Female--	3	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 49.

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	1	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	3
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	15
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	4	1	4	1	3	2	2	4	-	2	1	1	1	-	-	-	-	22
2	1	-	2	1	1	1	1	2	-	-	-	1	1	-	-	-	-	23
-	2	1	-	-	1	-	1	2	-	2	1	-	-	-	-	-	-	24
-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	25
1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
25	29	35	56	73	57	75	79	77	72	61	63	64	36	25	8	-	-	29
9	8	12	21	40	22	27	41	33	32	32	28	32	13	7	2	-	-	30
8	12	7	18	13	12	21	16	36	29	28	28	31	22	17	6	-	-	31
2	7	7	7	7	8	13	11	4	5	-	4	-	1	-	-	-	-	32
5	2	8	8	12	15	13	10	3	5	1	2	-	-	-	-	-	-	33
1	-	-	2	1	-	1	1	1	1	-	1	1	-	1	-	-	-	34
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1,194	1,988	3,257	5,451	8,956	13,421	18,967	25,585	30,254	32,823	30,440	25,244	15,998	7,273	2,006	329	48	109	36
590	846	1,148	1,629	2,917	4,905	7,712	11,992	15,365	17,165	15,610	12,783	8,049	3,439	822	133	14	41	37
454	907	1,634	2,938	4,676	6,676	8,721	11,085	12,498	13,273	13,138	11,334	7,361	3,572	1,107	173	19	52	38
74	78	121	215	436	709	1,071	1,279	1,298	1,242	875	617	313	129	37	11	2	6	39
72	149	340	649	890	1,076	1,398	1,161	1,016	1,024	725	456	250	118	37	11	11	10	40
1	4	5	11	19	39	40	38	56	97	68	39	17	9	2	-	1	-	41
3	4	9	9	18	16	25	30	21	22	24	15	8	6	1	1	1	-	42
1,085	1,825	3,019	5,069	8,468	12,911	18,504	25,097	29,778	32,430	30,146	24,994	15,842	7,184	1,966	320	48	105	43
551	777	1,079	1,531	2,796	4,767	7,538	11,799	15,157	17,006	15,480	12,686	7,991	3,412	806	127	14	40	44
408	842	1,534	2,771	4,437	6,417	8,515	10,855	12,275	13,083	12,991	11,198	7,269	3,515	1,084	171	19	50	45
65	68	115	199	417	679	1,051	1,257	1,285	1,231	871	610	312	128	36	10	2	5	46
58	131	279	549	781	997	1,335	1,120	984	992	713	447	245	114	37	11	11	10	47
1	4	3	11	19	35	40	36	56	96	68	39	17	9	2	-	1	-	48
2	3	9	8	18	16	25	30	21	22	23	14	8	6	1	1	1	-	49
17	31	28	83	133	273	430	593	706	765	694	605	373	184	73	11	4	5	50
9	15	12	44	72	194	287	449	568	569	517	436	272	124	47	7	3	5	51
1	11	8	24	33	38	87	83	95	139	148	141	91	56	26	4	1	-	52
6	2	7	8	15	21	41	43	35	36	15	18	9	1	-	-	-	-	53
1	2	1	6	9	16	9	13	5	20	11	8	1	2	-	-	-	-	54
-	1	-	-	4	4	6	4	3	1	1	1	-	1	-	-	-	-	55
-	-	-	1	-	-	-	1	-	-	2	1	-	-	-	-	-	-	56
1	2	3	6	10	17	11	24	44	44	55	72	57	37	16	4	3	1	57
1	2	2	5	10	15	10	21	41	38	51	60	51	30	15	2	2	1	58
-	-	1	-	-	1	1	2	2	3	4	11	5	7	1	2	1	-	59
-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	60
-	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
2	4	6	17	33	63	105	144	173	180	168	157	76	45	17	1	-	1	64
1	-	3	11	13	47	71	113	145	137	131	114	50	31	10	1	-	1	65
1	4	2	2	10	7	15	17	19	33	30	32	23	14	7	-	-	-	66
-	-	-	4	4	6	17	12	8	4	1	8	3	-	-	-	-	-	67
-	-	1	-	5	3	2	2	-	6	4	3	-	-	-	-	-	-	68
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	70
-	6	5	29	34	50	133	165	197	233	210	169	124	67	25	2	1	1	71
-	3	3	12	16	32	76	114	141	157	140	115	81	39	14	1	1	1	72
-	2	1	13	12	11	41	29	45	58	60	51	40	26	11	1	-	-	73
-	1	1	1	4	4	10	16	9	10	8	2	3	-	-	-	-	-	74
-	-	-	3	2	3	5	6	2	8	2	1	-	2	-	-	-	-	75
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
14	19	14	31	56	143	181	260	292	308	261	207	116	35	15	4	-	2	78
7	10	4	16	33	100	130	201	241	237	195	147	90	24	8	3	-	2	79
-	5	4	9	11	19	30	35	29	45	54	47	23	9	7	1	-	-	80
6	1	6	3	7	11	14	15	17	20	6	8	2	1	-	-	-	-	81
1	2	-	2	2	9	2	4	3	5	5	3	1	-	-	-	-	-	82
-	1	-	-	3	4	5	4	2	1	1	1	-	1	-	-	-	-	83
-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	84
104	226	519	976	2,031	3,543	5,594	8,667	11,294	13,500	13,270	11,422	7,601	3,285	841	137	19	45	85
50	97	207	410	885	1,632	2,591	4,415	6,054	7,347	6,908	5,681	3,606	1,379	306	62	4	21	86
31	94	246	423	814	1,371	2,106	3,288	4,282	5,125	5,618	5,255	3,724	1,796	501	68	9	15	87
11	17	31	76	174	300	511	584	579	589	419	273	140	57	16	3	-	4	88
12	17	33	59	145	219	361	351	339	372	269	175	117	43	16	4	4	5	89
-	1	-	6	5	16	21	18	30	56	43	30	10	6	1	-	1	-	90
-	-	2	2	8	5	4	11	10	11	13	8	4	4	1	-	1	-	91
2	3	13	24	81	224	321	506	596	663	653	464	331	140	30	3	2	5	92
1	1	7	9	31	123	186	348	415	485	481	347	227	79	13	2	-	3	93
-	2	3	6	18	32	47	68	99	109	132	91	92	53	16	1	2	1	94
-	-	1	7	23	51	70	80	71	45	33	20	10	3	1	-	-	1	95
1	-	2	2	9	16	18	8	9	20	5	5	1	3	-	-	-	-	96
-	-	-	-	-	2	-	1	1	3	2	1	1	2	-	-	-	-	97
-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	98

325797 O - 55 - 5

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.*—Con.										
		Malignant neoplasm of digestive organs and peritoneum—Con.										
1	151	Of stomach	23,466	4	1	-	1	1	7	2	1	4
2		White--Male	13,109	2	-	-	-	-	2	1	-	2
3		Female	7,900	1	1	-	1	-	3	1	1	2
4		Negro--Male	1,546	-	-	-	-	1	1	-	-	-
5		Female	772	1	-	-	-	-	1	-	-	-
6		Other--Male	103	-	-	-	-	-	-	-	-	-
7		Female	36	-	-	-	-	-	-	-	-	-
8	152,153	Of intestine, except rectum	24,186	2	1	1	3	1	8	2	2	20
9		White--Male	10,483	-	1	-	2	1	4	-	2	7
10		Female	12,423	1	-	1	-	-	2	1	-	9
11		Negro--Male	569	1	-	-	1	-	2	1	-	2
12		Female	671	-	-	-	-	-	-	-	-	2
13		Other--Male	33	-	-	-	-	-	-	-	-	-
14		Female	7	-	-	-	-	-	-	-	-	-
15	154	Of rectum	10,332	2	1	1	-	-	4	1	1	8
16		White--Male	5,486	1	1	-	-	-	2	1	1	3
17		Female	4,135	-	-	1	-	-	1	-	-	3
18		Negro--Male	343	1	-	-	-	-	1	-	-	-
19		Female	336	-	-	-	-	-	-	-	-	2
20		Other--Male	23	-	-	-	-	-	-	-	-	-
21		Female	9	-	-	-	-	-	-	-	-	-
22	155	Of biliary passages and of liver (stated to be primary site)	4,946	5	4	-	1	1	11	5	2	7
23		White--Male	1,804	2	3	-	1	1	7	3	1	1
24		Female	2,841	3	1	-	-	-	4	1	1	3
25		Negro--Male	131	-	-	-	-	-	-	1	-	1
26		Female	142	-	-	-	-	-	-	-	-	2
27		Other--Male	18	-	-	-	-	-	-	-	-	-
28		Female	10	-	-	-	-	-	-	-	-	-
29	156A	Of liver not specified whether primary or secondary	4,881	10	8	5	3	1	27	3	4	2
30		White--Male	2,135	4	6	1	2	1	14	1	1	2
31		Female	2,263	5	2	4	-	-	11	2	2	-
32		Negro--Male	265	-	-	-	-	-	-	-	-	-
33		Female	187	1	-	-	1	-	2	-	1	-
34		Other--Male	24	-	-	-	-	-	-	-	-	-
35		Female	7	-	-	-	-	-	-	-	-	-
36	157	Of pancreas	9,791	2	-	-	-	-	2	1	3	2
37		White--Male	5,260	1	-	-	-	-	1	1	1	1
38		Female	3,787	1	-	-	-	-	1	-	1	1
39		Negro--Male	439	-	-	-	-	-	-	-	-	-
40		Female	272	-	-	-	-	-	-	-	1	-
41		Other--Male	23	-	-	-	-	-	-	-	-	-
42		Female	10	-	-	-	-	-	-	-	-	-
43	158,159	Of peritoneum and of unspecified digestive organs	1,575	5	2	5	5	3	20	3	4	8
44		White--Male	696	3	1	2	2	2	10	2	1	4
45		Female	709	2	-	3	1	1	7	-	3	4
46		Negro--Male	86	-	-	-	1	-	1	1	-	-
47		Female	74	-	1	-	-	-	1	-	-	-
48		Other--Male	8	-	-	-	1	-	1	-	-	-
49		Female	2	-	-	-	-	-	-	-	-	-
50	160-164	Malignant neoplasm of respiratory system	24,330	7	-	3	2	5	17	7	9	20
51		White--Male	18,698	2	-	2	2	3	9	5	2	8
52		Female	3,932	5	-	-	-	2	7	1	5	6
53		Negro--Male	1,333	-	-	-	-	-	-	1	2	3
54		Female	297	-	-	1	-	-	1	-	-	3
55		Other--Male	62	-	-	-	-	-	-	-	-	-
56		Female	8	-	-	-	-	-	-	-	-	-
57	161	Of larynx	1,873	-	-	-	-	-	-	-	1	2
58		White--Male	1,586	-	-	-	-	-	-	-	-	1
59		Female	149	-	-	-	-	-	-	-	1	-
60		Negro--Male	114	-	-	-	-	-	-	-	-	1
61		Female	18	-	-	-	-	-	-	-	-	-
62		Other--Male	6	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	162	Of trachea, and of bronchus and lung specified as primary	9,716	1	-	-	-	-	1	-	1	2
65		White--Male	7,751	-	-	-	-	-	-	-	-	1
66		Female	1,251	1	-	-	-	-	1	-	1	-
67		Negro--Male	587	-	-	-	-	-	-	-	-	-
68		Female	104	-	-	-	-	-	-	-	-	1
69		Other--Male	19	-	-	-	-	-	-	-	-	-
70		Female	4	-	-	-	-	-	-	-	-	-
71	163	Of lung and bronchus, unspecified as primary or secondary	11,866	4	-	1	2	4	11	3	5	9
72		White--Male	8,867	2	-	1	2	3	8	2	2	3
73		Female	2,242	2	-	-	-	1	3	1	2	4
74		Negro--Male	564	-	-	-	-	-	-	-	1	-
75		Female	157	-	-	-	-	-	-	-	-	2
76		Other--Male	33	-	-	-	-	-	-	-	-	-
77		Female	3	-	-	-	-	-	-	-	-	-
78	160,164	Of other parts of respiratory system	875	2	-	2	-	1	5	4	2	7
79		White--Male	494	-	-	1	-	-	1	3	-	3
80		Female	290	2	-	-	-	1	3	-	1	2
81		Negro--Male	68	-	-	-	-	-	-	1	1	2
82		Female	18	-	-	1	-	-	1	-	-	-
83		Other--Male	4	-	-	-	-	-	-	-	-	-
84		Female	1	-	-	-	-	-	-	-	-	-
85	170	Malignant neoplasm of breast	19,892	3	-	1	-	2	6	1	2	1
86		White--Male	201	1	-	-	-	-	1	-	-	-
87		Female	18,289	2	-	1	-	2	5	1	1	1
88		Negro--Male	27	-	-	-	-	-	-	-	-	-
89		Female	1,359	-	-	-	-	-	-	-	1	-
90		Other--Male	-	-	-	-	-	-	-	-	-	-
91		Female	16	-	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
12	41	133	217	515	878	1,471	2,273	3,033	3,894	3,964	3,441	2,291	999	236	35	6	13	1
6	16	54	87	250	438	751	1,292	1,865	2,346	2,276	1,931	1,192	476	99	17	3	5	2
5	17	57	86	155	272	384	627	827	1,151	1,392	1,308	985	485	119	16	1	6	3
-	5	12	26	67	99	207	237	219	262	194	116	69	21	9	1	-	1	4
1	3	8	15	40	60	118	104	109	104	77	70	40	13	7	1	-	1	5
-	-	-	1	1	6	9	7	11	26	21	14	3	2	1	-	1	-	6
-	-	2	2	2	3	2	6	2	5	4	2	2	2	1	-	1	-	7
49	94	198	334	634	1,048	1,600	2,341	3,142	3,746	3,827	3,375	2,392	1,023	291	47	7	6	8
26	45	79	139	239	415	600	972	1,443	1,814	1,746	1,493	983	358	93	20	1	4	9
14	39	104	164	331	537	845	1,192	1,519	1,744	1,925	1,784	1,350	642	190	26	3	2	10
4	3	4	17	21	40	60	76	86	92	75	43	28	13	2	-	-	-	11
5	7	11	14	42	55	89	99	89	89	75	48	29	7	6	1	3	-	12
-	-	-	-	-	1	5	2	5	7	5	5	2	1	-	-	-	-	13
-	-	-	-	1	-	1	-	-	-	1	2	-	2	-	-	-	-	14
14	33	63	141	301	460	728	1,121	1,460	1,686	1,509	1,381	890	405	86	27	2	11	15
7	12	23	60	131	202	346	596	802	1,005	878	719	466	184	29	14	-	5	16
4	13	29	68	132	202	289	423	551	575	564	611	395	206	55	10	1	3	17
2	5	5	4	17	27	35	48	58	45	38	36	12	7	1	1	-	1	18
1	3	6	8	19	28	55	51	43	56	23	13	14	8	1	2	1	2	19
-	-	-	1	-	1	3	2	3	5	4	1	3	-	-	-	-	-	20
-	-	-	-	2	-	-	1	3	-	2	1	-	-	-	-	-	-	21
8	12	22	56	88	181	301	601	779	867	845	626	355	138	38	2	-	2	22
3	4	7	25	30	66	117	240	299	329	313	202	102	42	11	-	-	2	23
2	4	12	19	39	86	152	315	434	494	497	412	245	92	27	2	-	-	24
2	1	3	6	10	14	12	26	19	21	10	3	1	1	-	-	-	-	25
1	3	-	4	6	14	18	19	21	19	19	6	7	3	-	-	-	-	26
-	-	-	2	1	1	2	1	3	3	3	2	-	-	-	-	-	-	27
-	-	-	-	2	-	-	-	3	1	3	1	-	-	-	-	-	-	28
5	16	33	56	132	225	328	456	622	795	765	696	434	208	60	12	-	2	29
1	6	12	16	54	94	137	182	299	383	350	307	175	77	19	5	-	-	30
3	7	16	28	53	92	121	211	263	328	361	355	239	125	38	7	-	1	31
1	2	5	5	12	22	45	39	36	44	22	20	7	3	2	-	-	-	32
-	1	-	5	10	16	24	17	22	32	27	13	12	3	1	-	-	1	33
-	-	-	2	2	1	1	4	2	8	3	1	-	-	-	-	-	-	34
-	-	-	-	1	-	-	3	-	-	2	-	1	-	-	-	-	-	35
7	13	40	111	235	449	744	1,236	1,451	1,615	1,476	1,238	768	303	82	8	2	5	36
4	6	18	60	127	256	414	718	839	893	769	587	392	133	36	2	-	2	37
1	5	19	39	71	127	227	397	493	616	630	596	352	158	45	5	2	1	38
1	1	-	8	22	40	70	73	76	59	39	29	11	7	1	1	-	1	39
1	-	3	4	14	24	31	47	40	39	34	18	11	4	-	-	-	1	40
-	1	-	-	1	2	1	1	2	4	3	6	1	1	-	-	-	-	41
-	-	-	-	-	-	1	-	1	4	1	2	1	-	-	-	-	-	42
7	14	17	37	45	78	101	133	211	234	231	201	140	69	18	3	-	1	43
2	7	7	14	23	38	40	67	92	92	95	95	69	30	6	2	-	-	44
2	7	6	13	15	23	41	55	96	108	117	98	66	35	11	1	-	1	45
1	-	1	3	2	7	12	5	14	21	8	6	2	2	-	-	-	-	46
2	-	3	7	5	6	8	6	6	13	9	2	3	2	1	-	-	-	47
-	-	-	-	-	2	-	-	3	-	2	-	-	-	-	-	-	-	48
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	49
42	64	154	374	849	1,632	2,657	3,951	4,494	4,113	2,904	1,829	809	316	73	9	-	7	50
26	40	90	233	588	1,206	2,082	3,213	3,686	3,285	2,172	1,276	533	202	35	4	-	3	51
12	15	42	84	141	230	322	419	563	594	612	489	248	101	34	4	-	3	52
2	6	17	36	99	162	208	258	207	165	84	51	17	9	4	1	-	1	53
2	3	5	19	21	27	41	53	29	47	25	12	6	3	-	-	-	-	54
-	-	-	2	-	6	3	8	9	21	9	1	2	1	-	-	-	-	55
-	-	-	-	-	1	1	-	-	1	2	-	3	-	-	-	-	-	56
1	2	7	18	39	114	168	264	324	329	262	193	101	41	6	-	-	1	57
-	1	4	14	24	87	138	232	286	283	222	164	89	36	5	-	-	-	58
1	-	2	3	5	13	13	10	14	26	23	21	11	4	1	-	-	1	59
-	-	1	-	7	13	14	19	19	15	15	8	1	1	-	-	-	-	60
-	1	-	1	3	1	3	3	4	1	1	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	1	4	1	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
13	25	69	162	382	680	1,156	1,716	1,879	1,620	1,030	608	252	90	23	3	-	4	64
9	19	47	102	282	517	929	1,440	1,567	1,342	803	455	160	62	12	2	-	2	65
3	2	14	35	50	72	109	138	206	190	186	131	78	24	9	1	-	1	66
-	4	6	17	43	76	103	119	94	62	29	19	9	3	2	-	-	1	67
1	-	2	7	7	13	13	16	10	21	6	3	3	1	-	-	-	-	68
-	-	-	1	-	1	2	3	2	4	4	-	2	-	-	-	-	-	69
-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	70
17	25	58	173	399	783	1,258	1,890	2,168	2,047	1,502	925	403	154	29	5	-	2	71
8	14	27	108	267	564	969	1,489	1,758	1,596	1,084	604	258	90	13	2	-	1	72
7	9	19	39	79	137	180	249	314	337	362	292	134	57	14	2	-	1	73
1	1	9	17	45	65	83	117	78	79	34	21	5	5	2	1	-	-	74
1	1	3	8	8	13	25	30	13	23	18	7	3	2	-	-	-	-	75
-	-	-	1	-	4	1	5	5	12	4	1	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	77
11	12	20	21	29	55	75	81	123	117	110	103	53	31	15	1	-	-	78
9	6	12	9	15	38	46	52	75	64	63	53	26	14	5	-	-	-	79
1	4	7	7	7	8	20	22	29	41	41	45	25	16	10	1	-	-	80
1	1	1	2	4	8	8	3	16	9	6	3	2	-	-	-	-	-	81
-	1	-	3	3	-	-	4	2	2	-	2	-	-	-	-	-	-	82
-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	83
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	84
17	117	378	845	1,483	1,940	2,310	2,588	2,498	2,228	2,103	1,659	988	491	190	32	4	11	85
-	1	2	6	5	9	12	20	25	15	44	32	17	10	1	1	-	-	86
9	93	331	723	1,315	1,781	2,086	2,394	2,314	2,088	1,967	1,548	940	469	182	30	1	10	87
-	-	1	2	-	2	3	3	4	2	5	2	2	-	1	-	-	-	88
8	23	42	113	159	147	205	169	153	123	87	77	29	12	6	1	3	1	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	2	1	4	1	4	2	2	-	-	-	-	-	-	-	-	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.*—Con.										
1	171-179	Malignant neoplasm of genital organs	35,379	2	10	3	8	5	28	11	14	48
2		White--------Male----	11,837	1	3	2	3	3	12	5	1	21
3		Female--	19,234	-	4	1	5	2	12	5	11	21
4		Negro--------Male----	1,240	1	-	-	-	-	1	-	1	1
5		Female--	2,992	-	2	-	-	-	2	1	1	5
6		Other--------Male----	20	-	1	-	-	-	1	-	-	-
7		Female--	56	-	-	-	-	-	-	-	-	-
8	171	Of cervix uteri	8,329	-	1	-	-	-	1	1	-	3
9		White--------Female--	6,819	-	-	-	-	-	-	-	-	2
10		Negro--------Female--	1,477	-	1	-	-	-	1	1	-	1
11		Other--------Female--	33	-	-	-	-	-	-	-	-	-
12	172-174	Of other and unspecified parts of uterus	6,935	-	-	-	1	1	2	1	-	6
13		White--------Female--	5,847	-	-	-	1	1	2	1	-	4
14		Negro--------Female--	1,078	-	-	-	-	-	-	-	-	2
15		Other--------Female--	10	-	-	-	-	-	-	-	-	-
16	175	Of ovary, fallopian tube, and broad ligament	6,277	-	1	1	3	-	5	4	11	17
17		White--------Female--	5,898	-	1	1	3	-	5	4	10	15
18		Negro--------Female--	366	-	-	-	-	-	-	-	1	2
19		Other--------Female--	13	-	-	-	-	-	-	-	-	-
20	176	Of other and unspecified female genital organs	741	-	4	-	1	1	6	-	1	-
21		White--------Female--	670	-	3	-	1	1	5	-	1	-
22		Negro--------Female--	71	-	1	-	-	-	1	-	-	-
23		Other--------Female--	-	-	-	-	-	-	-	-	-	-
24	177	Of prostate	12,181	1	3	1	-	1	6	1	1	3
25		White--------Male----	11,004	-	3	1	-	1	5	1	1	3
26		Negro--------Male----	1,159	1	-	-	-	-	1	-	-	-
27		Other--------Male----	18	-	-	-	-	-	-	-	-	-
28	178,179	Of testis, and of other and unspecified male genital organs	916	1	1	1	3	2	8	4	1	19
29		White--------Male----	833	1	-	1	3	2	7	4	-	18
30		Negro--------Male----	81	-	-	-	-	-	-	-	1	1
31		Other--------Male----	2	-	1	-	-	-	1	-	-	-
32	180,181	Malignant neoplasm of urinary organs	10,679	16	28	31	44	43	162	66	11	9
33		White--------Male----	6,656	7	11	11	19	16	64	24	6	5
34		Female--	3,348	4	14	17	23	22	80	31	3	2
35		Negro--------Male----	395	4	3	1	-	2	10	3	-	1
36		Female--	256	-	-	2	2	2	6	8	2	1
37		Other--------Male----	17	-	-	-	-	1	1	-	-	-
38		Female--	7	1	-	-	-	-	1	-	-	-
39	180	Of kidney	3,929	13	27	30	39	42	151	63	11	8
40		White--------Male----	2,317	5	10	10	16	15	56	21	6	4
41		Female--	1,377	4	14	17	21	22	78	31	3	2
42		Negro--------Male----	136	3	3	1	-	2	9	3	-	1
43		Female--	84	-	-	2	2	2	6	8	2	1
44		Other--------Male----	9	-	-	-	-	1	1	-	-	-
45		Female--	6	1	-	-	-	-	1	-	-	-
46	181	Of bladder and other urinary organs	6,750	3	1	1	5	1	11	3	-	1
47		White--------Male----	4,339	2	1	1	3	1	8	3	-	1
48		Female--	1,971	-	-	-	2	-	2	-	-	-
49		Negro--------Male----	259	1	-	-	-	-	1	-	-	-
50		Female--	172	-	-	-	-	-	-	-	-	-
51		Other--------Male----	8	-	-	-	-	-	-	-	-	-
52		Female--	1	-	-	-	-	-	-	-	-	-
53	156B,165, 190-199	Malignant neoplasm of other and unspecified sites	25,783	85	90	126	134	89	524	328	258	305
54		White--------Male----	12,690	48	50	62	60	41	261	165	119	162
55		Female--	11,209	28	33	51	59	38	209	127	109	116
56		Negro--------Male----	846	4	3	5	10	5	27	21	15	15
57		Female--	958	5	3	6	3	5	22	10	13	11
58		Other--------Male----	50	-	-	1	1	-	2	2	1	1
59		Female--	30	-	1	1	1	-	3	3	1	-
60	190,191	Of skin	3,369	2	2	4	1	-	9	5	5	13
61		White--------Male----	1,903	1	1	1	1	-	4	3	3	6
62		Female--	1,352	1	1	2	-	-	4	1	2	7
63		Negro--------Male----	63	-	-	1	-	-	1	-	-	-
64		Female--	46	-	-	-	-	-	-	1	-	-
65		Other--------Male----	4	-	-	-	-	-	-	-	-	-
66		Female--	1	-	-	-	-	-	-	-	-	-
67	192	Of eye	357	3	3	17	13	2	38	10	2	2
68		White--------Male----	186	1	2	8	5	1	17	4	2	2
69		Female--	157	2	1	7	5	1	16	6	-	-
70		Negro--------Male----	8	-	-	-	2	-	2	-	-	-
71		Female--	4	-	-	2	-	-	2	-	-	-
72		Other--------Male----	-	-	-	-	-	-	-	-	-	-
73		Female--	2	-	-	-	1	-	1	-	-	-
74	193	Of brain and other parts of nervous system	4,869	42	56	80	87	64	329	230	142	105
75		White--------Male----	2,789	26	34	41	39	31	171	130	60	49
76		Female--	1,822	11	18	32	39	26	126	76	68	46
77		Negro--------Male----	135	3	2	2	7	2	16	15	6	5
78		Female--	103	2	1	3	1	5	12	6	7	5
79		Other--------Male----	11	-	-	1	1	-	2	2	-	-
80		Female--	9	-	1	1	-	-	2	1	1	-
81	194	Of thyroid gland	939	-	-	-	1	1	2	-	1	4
82		White--------Male----	309	-	-	-	-	-	-	-	-	1
83		Female--	566	-	-	-	1	1	2	-	1	2
84		Negro--------Male----	17	-	-	-	-	-	-	-	-	-
85		Female--	46	-	-	-	-	-	-	-	-	1
86		Other--------Male----	1	-	-	-	-	-	-	-	-	-
87		Female--	-	-	-	-	-	-	-	-	-	-
88	196	Of bone (including jaw bone)	2,045	3	5	3	3	8	22	39	72	119
89		White--------Male----	1,103	1	3	1	1	4	10	9	35	66
90		Female--	779	2	1	2	2	3	10	25	28	43
91		Negro--------Male----	85	-	-	-	-	1	1	4	5	7
92		Female--	70	-	1	-	-	-	1	1	3	2
93		Other--------Male----	7	-	-	-	-	-	-	-	1	1
94		Female--	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
158	352	631	1,147	1,669	2,325	2,981	3,511	4,059	4,606	4,799	4,375	2,851	1,401	351	36	7	19	1
67	86	103	85	69	90	197	492	1,000	1,683	2,343	2,527	1,844	948	238	16	3	7	2
72	211	384	807	1,268	1,773	2,210	2,530	2,542	2,414	2,059	1,559	865	371	97	11	2	10	3
4	4	5	6	14	39	82	121	206	216	197	189	92	48	9	4	1	-	4
15	49	137	246	313	416	485	358	303	283	193	95	45	32	6	4	1	2	5
-	-	-	1	-	-	-	1	2	4	4	2	4	-	1	-	-	-	6
-	2	2	2	5	7	7	9	6	6	3	3	1	2	-	1	-	-	7
32	155	306	637	823	1,044	1,128	1,026	868	799	645	479	243	108	25	3	-	3	8
24	126	226	471	642	807	898	843	739	680	567	449	224	91	25	2	-	3	9
8	28	78	164	178	233	227	179	127	114	76	28	18	15	-	1	-	-	10
-	1	2	2	3	4	3	4	2	5	2	2	1	2	-	-	-	-	11
21	49	92	202	349	495	686	870	1,018	991	838	663	405	180	52	7	2	6	12
16	35	56	144	256	375	510	736	883	862	751	609	385	165	47	5	1	4	13
5	14	36	58	92	118	175	132	133	129	86	53	20	15	5	2	1	2	14
-	-	-	-	1	2	1	2	2	-	1	1	-	-	-	-	-	-	15
33	53	118	196	391	620	836	945	889	811	637	415	197	81	14	4	-	-	16
31	47	100	174	354	564	765	902	850	774	614	403	191	79	14	2	-	-	17
2	5	18	22	36	55	68	40	37	36	23	12	6	2	-	1	-	-	18
-	1	-	-	1	1	3	3	2	1	-	-	-	-	-	1	-	-	19
1	5	7	20	23	37	52	56	76	102	135	100	66	36	12	2	1	3	20
1	3	2	18	16	27	37	49	70	98	127	98	65	36	11	2	1	3	21
-	2	5	2	7	10	15	7	6	4	8	2	1	-	1	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	4	4	4	21	73	235	546	1,149	1,842	2,477	2,663	1,903	979	240	18	4	7	24
1	3	3	2	16	40	161	433	955	1,627	2,278	2,479	1,810	932	230	14	3	7	25
-	1	1	2	5	33	74	112	192	211	195	182	89	47	9	4	1	-	26
-	-	-	-	-	-	-	1	2	4	4	2	4	-	1	-	-	-	27
70	86	104	88	62	56	44	68	59	61	67	55	37	17	8	2	-	-	28
66	83	100	83	53	50	36	59	45	56	65	48	34	16	8	2	-	-	29
4	3	4	4	9	6	8	9	14	5	2	7	3	1	-	-	-	-	30
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
17	35	42	120	223	401	730	1,107	1,508	1,749	1,643	1,407	909	404	116	16	-	4	32
5	12	21	51	134	257	466	734	1,013	1,159	1,017	848	538	231	64	6	-	1	33
9	17	18	47	57	95	184	271	401	504	544	512	344	167	50	10	-	2	34
3	5	3	11	18	31	41	67	63	48	46	27	16	2	-	-	-	-	35
-	1	-	11	13	17	38	30	29	35	30	17	11	4	2	-	-	1	36
-	-	-	-	1	-	1	3	1	3	4	3	-	-	-	-	-	-	37
-	-	-	-	-	1	-	2	1	-	2	-	-	-	-	-	-	-	38
17	26	35	77	124	225	353	495	641	638	473	334	168	72	13	3	-	2	39
5	8	18	44	77	155	234	328	410	386	257	173	95	33	5	1	-	1	40
9	12	14	25	30	48	93	138	198	231	197	151	71	36	8	2	-	-	41
3	5	3	5	10	15	14	17	23	10	10	7	1	-	-	-	-	-	42
-	1	-	3	6	6	11	9	8	9	7	2	1	3	-	-	-	1	43
-	-	-	-	1	-	1	2	1	2	-	1	-	-	-	-	-	-	44
-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	45
-	9	7	43	99	176	377	612	867	1,111	1,170	1,073	741	332	103	13	-	2	46
-	4	3	7	57	102	232	406	603	773	760	675	443	198	59	5	-	-	47
-	5	4	22	27	47	91	133	203	273	347	361	273	131	42	8	-	2	48
-	-	-	6	8	16	27	50	40	38	36	20	15	2	-	-	-	-	49
-	-	-	8	7	11	27	21	21	26	23	15	10	1	2	-	-	-	50
-	-	-	-	-	-	-	1	-	1	4	2	-	-	-	-	-	-	51
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	52
315	425	598	815	1,173	1,700	2,249	2,768	3,074	3,204	2,821	2,362	1,637	853	284	72	13	5	53
162	202	289	347	554	790	1,075	1,413	1,609	1,653	1,400	1,149	811	397	100	26	4	2	54
126	187	254	391	481	719	929	1,145	1,241	1,346	1,277	1,124	770	433	176	42	5	2	55
17	15	19	30	44	73	97	104	117	108	69	36	26	7	3	2	1	-	56
8	19	32	47	87	114	135	101	98	86	69	50	29	16	5	2	3	1	57
1	1	1	-	7	3	7	2	7	7	5	2	1	-	-	-	-	-	58
1	1	3	-	-	1	6	3	2	4	1	1	-	-	-	-	-	-	59
31	66	96	151	149	185	234	266	331	338	398	401	338	214	102	29	7	1	60
19	42	53	72	82	103	121	143	212	210	252	227	192	108	36	12	3	-	61
12	24	42	69	63	68	97	109	106	115	138	164	142	103	65	17	4	-	62
-	-	1	4	3	7	7	9	11	7	5	6	1	1	-	-	-	-	63
-	-	-	6	1	5	8	5	2	6	1	4	3	2	1	-	-	1	64
-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	65
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	66
4	-	6	5	14	21	34	35	43	36	38	30	16	18	2	3	-	-	67
-	-	2	2	6	10	19	23	25	18	19	17	8	10	1	1	-	-	68
4	-	4	3	7	11	13	11	17	15	18	13	8	8	1	2	-	-	69
-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	70
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	73
136	175	256	292	378	507	608	611	518	357	136	50	22	14	3	-	-	-	74
70	87	136	150	218	290	373	379	322	225	80	25	12	10	2	-	-	-	75
51	77	108	122	137	190	205	220	181	122	55	24	10	3	1	-	-	-	76
11	3	5	12	9	18	14	7	10	3	1	-	-	-	-	-	-	-	77
3	7	5	8	10	9	15	5	3	6	-	1	-	1	-	-	-	-	78
-	1	-	-	4	-	1	-	-	1	-	-	-	-	-	-	-	-	79
1	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	80
6	9	10	17	28	31	74	111	156	152	128	113	58	35	2	2	-	-	81
1	4	4	7	12	14	31	38	49	47	41	36	16	7	1	-	-	-	82
5	4	5	9	12	15	31	59	95	97	82	74	42	28	1	2	-	-	83
-	-	-	-	1	-	2	5	4	4	1	-	-	-	-	-	-	-	84
-	1	1	1	3	2	9	9	8	4	4	3	-	-	-	-	-	-	85
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
56	55	44	42	70	112	148	167	216	258	237	188	131	49	14	5	1	-	88
38	20	22	19	43	53	58	93	121	172	132	100	75	24	10	3	-	-	89
16	26	20	18	17	51	63	61	77	71	94	78	52	23	4	1	1	-	90
-	7	-	2	4	3	13	8	9	9	6	4	3	-	-	-	-	-	91
1	1	1	3	6	5	14	4	8	5	5	6	1	2	-	1	-	-	92
1	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	93
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.*—Con.										
		Malignant neoplasm of other and unspecified sites—Con.										
1	197	Of connective tissue	593	6	6	5	3	2	22	10	6	13
2		White--Male	315	4	3	2	1	-	10	3	4	12
3		Female	234	2	3	2	2	1	10	7	-	-
4		Negro--Male	25	-	-	1	-	1	2	-	2	-
5		Female	19	-	-	-	-	-	-	-	-	1
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	195,198A,	Of other specified sites, not stated to be secondary	3,614	23	11	15	15	6	70	25	17	31
9	199A	White--Male	1,513	12	5	7	8	3	35	11	8	16
10		Female	1,792	9	4	6	6	3	28	9	7	11
11		Negro--Male	121	-	1	1	-	-	2	2	-	3
12		Female	180	2	1	1	1	-	5	1	2	1
13		Other--Male	5	-	-	-	-	-	-	-	-	-
14		Female	3	-	-	-	-	-	-	2	-	-
15	156B,165,	Of unspecified sites	9,997	6	7	2	11	6	32	9	13	18
16	198B,	White--Male	4,572	3	2	2	5	2	14	5	7	10
17	199B-M	Female	4,507	1	5	-	4	3	13	3	3	7
18		Negro--Male	392	1	-	-	1	1	3	-	2	-
19		Female	490	1	-	-	1	-	2	1	1	1
20		Other--Male	22	-	-	-	-	-	-	-	-	-
21		Female	14	-	-	-	-	-	-	-	-	-
22	204	Leukemia and aleukemia	9,841	125	126	203	244	237	935	518	257	262
23		White--Male	5,291	43	58	100	141	116	458	272	134	152
24		Female	3,961	61	53	86	89	114	403	213	99	91
25		Negro--Male	299	9	8	11	9	2	39	19	13	8
26		Female	255	8	7	4	4	4	27	12	9	9
27		Other--Male	22	2	-	1	1	-	4	1	-	1
28		Female	13	2	-	1	-	1	4	1	2	1
29	200-203,205	Lymphosarcoma, etc.*	9,106	23	30	25	31	25	134	118	82	168
30		White--Male	5,047	8	9	15	14	18	64	74	39	85
31		Female	3,447	13	20	8	11	5	57	31	29	62
32		Negro--Male	370	-	1	1	1	1	4	8	8	10
33		Female	225	2	-	1	5	1	9	5	6	9
34		Other--Male	11	-	-	-	-	-	-	-	-	1
35		Female	6	-	-	-	-	-	-	-	-	1
36	200	Lymphosarcoma and reticulosarcoma	4,008	6	14	17	24	17	78	74	45	66
37		White--Male	2,206	5	7	11	12	12	47	46	19	37
38		Female	1,590	1	6	5	9	3	24	20	19	19
39		Negro--Male	121	-	1	1	1	1	4	5	4	7
40		Female	83	-	-	-	2	1	3	3	3	3
41		Other--Male	8	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	201	Hodgkin's disease	2,793	2	1	1	5	2	11	30	26	86
44		White--Male	1,620	-	-	1	1	1	3	21	16	42
45		Female	976	1	1	-	1	1	4	5	6	36
46		Negro--Male	125	-	-	-	-	-	-	2	3	3
47		Female	68	1	-	-	3	-	4	2	1	4
48		Other--Male	1	-	-	-	-	-	-	-	-	-
49		Female	3	-	-	-	-	-	-	-	-	1
50	202,203,205	Other neoplasms of lymphatic and hematopoietic tissues	2,305	15	15	7	2	6	45	14	11	16
51		White--Male	1,221	3	2	3	1	5	14	7	4	6
52		Female	881	11	13	3	1	1	29	6	4	7
53		Negro--Male	124	-	-	-	-	-	-	1	1	-
54		Female	74	1	-	1	-	-	2	-	2	2
55		Other--Male	2	-	-	-	-	-	-	-	-	1
56		Female	3	-	-	-	-	-	-	-	-	-
57	210-239	Benign neoplasms and neoplasms of unspecified nature	5,133	149	45	42	36	28	300	106	83	92
58		White--Male	1,854	70	16	18	19	13	136	45	36	34
59		Female	2,425	57	22	18	12	11	120	48	34	39
60		Negro--Male	219	11	4	5	1	1	22	7	8	10
61		Female	618	10	3	1	4	3	21	6	5	7
62		Other--Male	11	1	-	-	-	-	1	-	-	1
63		Female	6	-	-	-	-	-	-	-	-	1
64	214-217	Benign neoplasms of female genital organs	1,152	-	-	-	1	-	1	-	-	7
65		White--Female	760	-	-	-	1	-	1	-	-	4
66		Negro--Female	390	-	-	-	-	-	-	-	-	3
67		Other--Female	2	-	-	-	-	-	-	-	-	-
68	223	Benign neoplasm of brain and other parts of nervous system	862	22	10	10	5	3	50	24	24	17
69		White--Male	392	12	6	6	3	1	28	11	11	9
70		Female	398	9	3	3	2	1	18	12	11	7
71		Negro--Male	30	1	-	1	-	-	2	1	1	1
72		Female	39	-	1	-	-	1	2	-	1	-
73		Other--Male	3	-	-	-	-	-	-	-	-	-
74		Female	-	-	-	-	-	-	-	-	-	-
75	210-213,	Other benign neoplasms	800	65	11	5	6	6	93	15	16	15
76	218-222,	White--Male	370	22	-	3	6	2	33	5	6	7
77	224-229	Female	310	29	9	1	-	3	42	6	5	8
78		Negro--Male	56	8	-	1	-	1	10	2	3	-
79		Female	61	6	2	-	-	-	8	2	2	-
80		Other--Male	3	-	-	-	-	-	-	-	-	-
81		Female	-	-	-	-	-	-	-	-	-	-
82	233-235	Neoplasm of unspecified nature of female genital organs	33	-	-	-	-	-	-	-	-	-
83		White--Female	24	-	-	-	-	-	-	-	-	-
84		Negro--Female	9	-	-	-	-	-	-	-	-	-
85		Other--Female	-	-	-	-	-	-	-	-	-	-
86	237	Neoplasm of unspecified nature of brain, etc.*	1,515	27	17	26	24	16	110	62	43	44
87		White--Male	731	16	6	9	10	8	49	26	19	14
88		Female	605	7	7	13	9	6	42	28	18	17
89		Negro--Male	97	1	4	3	1	-	9	4	4	8
90		Female	78	3	-	1	4	2	10	4	2	4
91		Other--Male	2	-	-	-	-	-	-	-	-	-
92		Female	2	-	-	-	-	-	-	-	-	1

*For complete category title, see table 49.

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
18	16	24	16	32	51	54	62	59	65	58	42	27	13	4	-	-	1	1
6	9	13	7	17	28	26	41	31	34	27	22	14	8	2	-	-	1	2
11	5	6	7	13	18	21	17	26	28	27	19	12	5	2	-	-	-	3
1	1	3	2	-	4	1	1	1	3	3	-	1	-	-	-	-	-	4
-	1	2	-	2	1	6	3	1	-	1	1	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
36	36	50	70	134	188	268	378	394	466	458	437	323	156	63	11	3	-	8
18	16	16	23	48	65	95	151	168	217	204	190	142	65	20	5	-	-	9
16	16	31	43	65	80	136	188	192	223	223	228	167	83	41	5	-	-	10
2	1	-	1	6	12	15	17	19	15	10	7	5	2	-	1	1	-	11
-	3	3	3	15	31	19	22	15	9	21	11	9	6	2	-	2	-	12
-	-	-	-	-	-	3	-	-	2	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	14
28	68	112	222	368	605	829	1,138	1,357	1,532	1,368	1,101	722	354	94	22	2	3	15
10	24	43	67	128	227	352	545	681	730	645	532	352	165	28	5	1	1	16
11	35	38	120	167	286	363	480	547	675	640	524	337	180	61	15	-	2	17
3	3	10	9	20	29	44	56	62	66	42	19	16	4	3	1	-	-	18
4	6	20	26	50	61	63	53	61	55	37	24	16	5	2	1	1	-	19
-	-	-	-	3	1	2	1	6	3	3	2	1	-	-	-	-	-	20
-	-	1	-	-	1	5	3	-	3	1	-	-	-	-	-	-	-	21
206	235	279	320	406	463	682	805	980	1,100	1,022	741	435	159	23	6	-	7	22
114	121	127	152	210	234	340	441	540	650	591	413	247	81	9	4	-	1	23
77	92	123	128	161	188	286	319	391	405	398	315	178	74	12	2	-	6	24
7	10	11	11	17	17	22	27	33	29	19	8	7	1	1	-	-	-	25
8	11	16	26	17	22	31	18	13	13	13	4	3	2	1	-	-	-	26
-	1	2	1	1	2	1	-	3	3	1	-	-	1	-	-	-	-	27
-	-	-	2	-	-	2	-	-	-	-	1	-	-	-	-	-	-	28
209	340	390	389	501	634	871	1,107	1,165	1,165	890	594	239	91	15	1	1	2	29
118	203	228	203	279	355	488	622	662	645	488	324	123	40	6	1	-	-	30
71	122	128	144	167	222	305	406	446	468	368	255	109	48	6	-	1	2	31
15	9	21	19	36	34	46	50	41	38	17	6	3	3	2	-	-	-	32
4	6	13	22	17	19	30	27	15	13	16	9	4	-	1	-	-	-	33
-	-	-	1	1	4	1	-	1	1	1	-	-	-	-	-	-	-	34
1	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	35
64	84	108	138	194	273	377	482	555	529	445	304	131	50	9	1	1	-	36
40	45	57	68	105	154	212	261	333	293	252	145	65	23	3	1	-	-	37
14	34	44	56	73	98	141	196	201	222	182	153	61	27	5	-	1	-	38
9	2	4	4	6	9	17	13	15	11	5	4	2	-	-	-	-	-	39
1	3	3	9	9	8	6	12	6	2	6	2	3	-	1	-	-	-	40
-	-	-	1	1	4	1	-	-	1	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
137	242	261	203	227	198	221	259	243	248	181	136	56	24	4	-	-	-	43
74	150	159	112	136	122	136	156	130	139	98	83	31	10	2	-	-	-	44
54	82	78	71	66	62	68	84	101	100	73	50	24	12	-	-	-	-	45
5	7	15	11	20	11	10	13	9	6	5	1	-	2	2	-	-	-	46
3	3	9	9	5	3	7	5	2	3	5	2	1	-	-	-	-	-	47
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	48
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	49
8	14	21	48	80	163	273	366	367	388	264	154	52	17	2	-	-	2	50
4	8	12	23	38	79	140	205	199	213	138	96	27	7	1	-	-	-	51
3	6	6	17	28	62	96	126	144	146	113	52	24	9	1	-	-	2	52
1	-	2	4	10	14	19	24	17	21	7	1	1	1	-	-	-	-	53
-	-	1	4	3	8	17	10	7	8	5	5	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	55
-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	56
109	163	238	382	488	510	463	488	476	393	294	250	156	89	40	9	-	4	57
39	69	69	98	121	138	174	193	208	159	130	97	58	27	16	6	-	1	58
46	65	100	167	239	259	206	230	223	190	147	136	92	57	23	2	-	2	59
9	10	6	16	19	30	20	22	13	11	4	7	1	1	1	1	-	1	60
14	18	61	100	109	79	63	41	32	32	12	9	5	4	-	-	-	-	61
-	-	2	-	-	4	-	2	-	1	-	-	-	-	-	-	-	-	62
1	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	63
15	30	87	156	193	190	120	77	66	74	50	38	26	16	5	1	-	-	64
12	20	44	77	112	131	81	51	49	57	44	31	24	16	5	1	-	-	65
3	9	43	78	81	59	39	26	17	17	6	7	2	-	-	-	-	-	66
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
24	44	41	78	74	90	96	109	88	52	25	18	6	1	-	-	-	1	68
11	23	13	37	31	39	43	50	42	20	11	9	3	1	-	-	-	-	69
11	20	21	34	36	41	45	52	40	26	13	7	3	-	-	-	-	1	70
-	1	3	2	3	5	1	4	3	1	-	2	-	-	-	-	-	-	71
2	-	3	5	4	4	7	3	3	4	1	-	-	-	-	-	-	-	72
-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
15	22	24	47	57	58	57	75	89	75	54	42	24	11	9	-	-	2	75
6	7	12	25	24	22	27	34	48	37	35	21	11	4	5	-	-	1	76
4	9	6	13	17	25	21	30	32	30	19	20	12	6	4	-	-	1	77
2	3	1	4	6	6	2	6	4	5	-	1	1	-	-	-	-	-	78
3	3	5	5	10	3	7	4	5	3	-	-	-	1	-	-	-	-	79
-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
1	-	2	1	3	4	2	2	5	4	3	2	2	2	-	-	-	-	82
-	-	2	-	3	3	1	2	4	1	3	2	2	1	-	-	-	-	83
1	-	-	1	-	1	1	-	1	3	-	-	-	1	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
50	64	74	87	133	146	148	169	161	115	60	35	10	3	-	-	-	1	86
20	38	41	32	53	68	80	82	84	68	30	20	5	2	-	-	-	-	87
18	15	24	38	65	52	54	74	71	43	28	13	5	-	-	-	-	-	88
7	6	2	8	7	15	9	9	3	2	-	2	-	1	-	-	-	1	89
4	5	6	9	8	10	5	4	3	2	2	-	-	-	-	-	-	-	90
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	91
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Benign neoplasms and neoplasms of unspecified nature—Con.										
1	230-232,	Other neoplasms of unspecified nature	771	35	7	1	-	3	46	5	-	9
2	236,238,	White--Male	361	20	4	-	-	2	26	3	-	4
3	239	Female	328	12	3	1	-	1	17	2	-	3
4		Negro--Male	36	1	-	-	-	-	1	-	-	1
5		Female	41	1	-	-	-	-	1	-	-	-
6		Other--Male	3	1	-	-	-	-	1	-	-	1
7		Female	2	-	-	-	-	-	-	-	-	-
8		III. Allergic, endocrine system, metabolic, and nutritional diseases	36,508	802	167	101	49	45	1,164	126	150	168
9		White--Male	14,814	425	77	53	24	17	596	53	53	45
10		Female	18,106	238	57	33	20	20	368	49	69	91
11		Negro--Male	1,313	75	21	8	4	3	111	11	9	16
12		Female	2,131	59	10	6	1	5	81	12	18	15
13		Other--Male	88	2	2	1	-	-	5	-	1	-
14		Female	56	3	-	-	-	-	3	1	-	1
15	241	Asthma	6,943	91	32	31	19	11	184	24	19	35
16		White--Male	4,243	45	16	13	10	5	89	11	5	7
17		Female	2,057	32	11	9	6	2	60	8	12	19
18		Negro--Male	341	11	2	6	3	1	23	2	1	3
19		Female	278	3	2	3	-	3	11	3	1	6
20		Other--Male	17	-	1	-	-	-	1	-	-	-
21		Female	7	-	-	-	-	-	-	-	-	-
22	250,251	Nontoxic goiter	140	4	-	-	-	-	4	-	-	1
23		White--Male	28	4	-	-	-	-	4	-	-	-
24		Female	84	-	-	-	-	-	-	-	-	1
25		Negro--Male	6	-	-	-	-	-	-	-	-	-
26		Female	22	-	-	-	-	-	-	-	-	-
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	252	Thyrotoxicosis with or without goiter	1,123	-	-	-	-	-	-	1	-	6
30		White--Male	173	-	-	-	-	-	-	-	-	-
31		Female	801	-	-	-	-	-	-	-	-	4
32		Negro--Male	15	-	-	-	-	-	-	1	-	1
33		Female	126	-	-	-	-	-	-	-	-	1
34		Other--Male	1	-	-	-	-	-	-	-	-	-
35		Female	7	-	-	-	-	-	-	-	-	-
36	253,254	Myxedema, cretinism, and other diseases of thyroid gland	219	21	4	1	-	1	27	1	3	2
37		White--Male	58	6	1	1	-	1	9	-	2	2
38		Female	145	11	2	-	-	-	13	1	-	-
39		Negro--Male	4	1	1	-	-	-	2	-	-	-
40		Female	12	3	-	-	-	-	3	-	1	-
41		Other--Male	-	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	260	Diabetes mellitus	25,474	26	30	19	7	7	89	52	98	104
44		White--Male	9,167	15	18	12	2	2	49	19	30	30
45		Female	13,984	10	10	5	5	5	35	26	47	56
46		Negro--Male	727	-	2	1	-	-	3	2	5	9
47		Female	1,495	-	-	1	-	-	1	5	16	8
48		Other--Male	63	-	-	-	-	-	-	-	-	-
49		Female	38	1	-	-	-	-	1	-	-	1
50	273	Diseases of thymus gland	558	457	32	12	8	7	516	16	5	4
51		White--Male	298	252	15	7	4	2	280	7	3	1
52		Female	168	129	11	4	3	3	150	6	1	2
53		Negro--Male	47	38	4	-	1	-	43	2	1	1
54		Female	39	34	2	-	-	2	38	-	-	-
55		Other--Male	3	2	-	1	-	-	3	-	-	-
56		Female	3	2	-	-	-	-	2	1	-	-
57	274	Diseases of adrenal glands	374	78	10	3	2	4	97	8	8	2
58		White--Male	169	48	7	1	-	-	56	5	4	1
59		Female	170	25	3	2	2	3	35	1	2	1
60		Negro--Male	23	3	-	-	-	1	4	1	1	-
61		Female	11	2	-	-	-	-	2	1	-	-
62		Other--Male	1	-	-	-	-	-	-	-	1	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	281	Pellagra	184	1	-	-	-	-	1	-	-	-
65		White--Male	28	-	-	-	-	-	-	-	-	-
66		Female	94	-	-	-	-	-	-	-	-	-
67		Negro--Male	20	-	-	-	-	-	-	-	-	-
68		Female	41	1	-	-	-	-	1	-	-	-
69		Other--Male	-	-	-	-	-	-	-	-	-	-
70		Female	1	-	-	-	-	-	-	-	-	-
71	280,282-286	All other avitaminoses and nutritional deficiency states	756	59	41	18	5	5	128	12	6	2
72		White--Male	300	24	12	8	3	3	50	4	2	-
73		Female	293	10	12	8	1	1	32	3	3	2
74		Negro--Male	97	17	11	-	-	1	29	3	1	-
75		Female	63	8	5	2	1	-	16	2	-	-
76		Other--Male	3	-	1	-	-	-	1	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	Residual[1]	Other allergic, endocrine, and metabolic diseases	737	65	18	17	8	10	118	12	11	12
79		White--Male	350	31	8	11	5	4	59	7	7	4
80		Female	310	21	8	5	3	6	43	4	4	6
81		Negro--Male	33	5	1	1	-	-	7	-	-	2
82		Female	44	8	1	-	-	-	9	1	-	-
83		Other--Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 49.

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
4	3	10	13	28	22	40	56	67	73	102	115	88	56	26	8	-	-	1
2	1	3	4	13	9	24	27	34	34	54	47	39	20	11	6	-	-	2
1	1	3	5	6	7	4	21	27	33	40	63	46	34	14	1	-	-	3
-	-	-	2	3	4	8	3	3	3	4	2	-	-	1	1	-	-	4
1	1	4	2	6	2	4	4	3	3	3	2	3	2	-	-	-	-	5
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	7
270	373	527	664	912	1,359	2,200	3,295	4,819	6,020	5,751	4,589	2,680	1,123	253	38	7	20	8
87	114	196	251	390	569	902	1,378	1,973	2,441	2,246	1,897	1,066	433	98	16	1	9	9
126	187	230	263	326	527	871	1,492	2,422	3,134	3,166	2,489	1,501	630	136	18	2	9	10
23	22	43	43	63	86	139	132	155	165	128	87	49	20	8	-	2	1	11
30	48	55	101	129	170	275	275	256	255	194	105	59	36	10	4	2	1	12
-	1	-	2	3	4	11	9	8	18	12	9	2	2	1	-	-	-	13
4	1	3	4	1	3	2	9	5	7	5	2	3	2	-	-	-	-	14
53	72	121	176	219	366	516	760	1,013	1,156	922	689	383	176	49	8	-	2	15
12	12	26	59	88	187	313	512	710	825	615	430	238	79	21	4	-	-	16
28	32	67	73	89	120	131	179	240	267	256	230	133	83	25	3	-	2	17
7	11	13	15	19	33	46	39	37	40	32	12	6	2	-	-	-	-	18
6	17	14	28	23	25	25	25	23	22	17	12	5	12	2	1	-	-	19
-	-	-	1	-	1	-	3	2	2	2	4	-	-	1	-	-	-	20
-	-	1	-	-	-	1	2	1	-	-	1	1	-	-	-	-	-	21
-	3	2	9	11	9	13	9	15	15	19	8	17	2	2	1	-	-	22
-	-	-	2	1	2	4	2	5	2	3	3	-	-	-	-	-	-	23
-	1	1	2	7	5	6	5	9	9	15	4	14	2	2	1	-	-	24
-	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	25
-	2	1	3	2	1	3	2	-	3	1	1	3	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
14	24	25	37	52	79	129	131	169	170	136	91	46	11	2	-	-	-	29
2	5	3	5	14	18	26	24	25	21	15	11	4	-	-	-	-	-	30
8	10	14	21	27	46	78	94	126	134	115	76	37	9	2	-	-	-	31
-	-	-	1	1	1	4	3	1	1	-	-	-	1	-	-	-	-	32
2	8	6	9	10	13	20	10	17	14	6	4	5	1	-	-	-	-	33
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34
2	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	35
2	3	2	6	10	9	16	17	37	35	24	12	7	4	1	1	-	-	36
-	2	1	-	1	2	7	4	10	10	5	1	1	1	-	-	-	-	37
2	1	-	5	7	7	8	12	26	25	17	10	6	3	1	1	-	-	38
-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	39
-	-	1	1	1	-	1	1	1	-	2	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
166	224	316	366	509	787	1,403	2,226	3,452	4,474	4,473	3,629	2,091	819	159	19	2	16	43
61	85	142	160	243	318	500	772	1,156	1,506	1,534	1,398	766	317	64	10	-	7	44
71	110	121	128	149	294	599	1,148	1,973	2,630	2,694	2,085	1,248	469	86	6	2	7	45
14	10	29	20	35	43	79	73	109	109	80	58	32	10	6	-	-	1	46
18	18	24	54	78	127	215	220	204	206	151	82	41	20	3	3	-	1	47
-	1	-	1	3	3	9	6	6	16	10	5	2	1	-	-	-	-	48
2	-	-	3	1	2	1	7	4	7	4	1	2	2	-	-	-	-	49
4	4	3	1	3	-	-	1	-	-	-	-	1	-	-	-	-	-	50
2	-	1	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	51
2	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
6	11	16	20	29	22	27	27	28	30	19	16	5	3	-	-	-	-	57
2	3	6	6	12	8	10	11	12	16	8	6	2	1	-	-	-	-	58
4	7	9	10	12	11	13	14	14	12	11	9	3	2	-	-	-	-	59
-	1	-	3	2	3	3	1	1	2	-	1	-	-	-	-	-	-	60
-	-	1	1	3	-	1	1	1	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	1	3	3	6	4	8	11	8	24	34	30	30	15	5	1	-	-	64
-	-	-	-	-	-	-	1	1	4	5	6	9	2	-	-	-	-	65
-	-	-	-	2	2	4	3	3	13	18	19	16	10	3	1	-	-	66
-	-	-	1	-	-	1	3	-	2	4	5	2	1	1	-	-	-	67
-	1	3	2	4	2	3	4	4	5	6	-	3	2	1	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	70
1	7	5	12	19	16	19	37	41	48	80	97	92	84	35	8	5	2	71
-	2	1	4	7	5	6	10	26	20	38	35	42	30	13	2	1	2	72
-	5	4	7	6	9	5	12	8	16	26	47	39	46	17	6	-	-	73
1	-	-	1	3	2	2	8	4	7	8	10	9	6	1	-	2	-	74
-	-	-	-	3	-	5	7	3	5	8	5	2	1	4	-	2	-	75
-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
24	24	34	34	54	67	69	76	56	68	44	17	8	9	-	-	-	-	78
8	5	16	15	22	29	36	41	28	37	23	7	3	3	-	-	-	-	79
11	17	13	16	26	33	27	25	23	28	14	9	5	6	-	-	-	-	80
1	-	1	-	1	3	4	5	2	3	4	-	-	-	-	-	-	-	81
4	2	4	3	5	2	2	5	3	-	3	1	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		IV. Diseases of the blood and blood-forming organs	5,504	272	118	47	34	37	508	122	80	91
2		White--Male	2,358	108	40	23	16	17	206	43	35	31
3		Female	2,505	72	31	13	7	13	136	51	26	41
4		Negro--Male	301	49	27	5	5	4	90	18	9	5
5		Female	315	39	17	5	4	3	68	8	7	12
6		Other--Male	12	1	2	1	-	-	4	2	-	2
7		Female	13	3	1	-	-	-	4	-	3	-
8	290-293	Anemias	3,987	141	89	29	16	26	301	86	52	42
9		White--Male	1,632	45	23	11	7	9	95	25	14	11
10		Female	1,839	33	24	9	2	11	79	37	22	21
11		Negro--Male	242	32	24	3	4	4	67	15	9	2
12		Female	253	27	15	5	3	2	52	7	4	7
13		Other--Male	11	1	2	1	-	-	4	2	-	1
14		Female	10	3	1	-	-	-	4	-	3	-
15	290	Pernicious and other hyperchromic anemias	1,687	6	3	2	-	-	11	1	2	2
16		White--Male	727	1	1	1	-	-	3	-	2	-
17		Female	874	3	1	1	-	-	5	-	-	2
18		Negro--Male	42	1	-	-	-	-	1	1	-	-
19		Female	43	1	1	-	-	-	2	-	-	-
20		Other--Male	-	-	-	-	-	-	-	-	-	-
21		Female	1	-	-	-	-	-	-	-	-	-
22	291-293	Anemias of other and unspecified type	2,300	135	86	27	16	26	290	85	50	40
23		White--Male	905	44	22	10	7	9	92	25	12	11
24		Female	965	30	23	8	2	11	74	37	22	19
25		Negro--Male	200	31	24	3	4	4	66	14	9	2
26		Female	210	26	14	5	3	2	50	7	4	7
27		Other--Male	11	1	2	1	-	-	4	2	-	1
28		Female	9	3	1	-	-	-	4	-	3	-
29	296	Purpura and other hemorrhagic conditions	607	66	17	10	11	6	110	20	13	22
30		White--Male	256	32	9	8	5	4	58	10	7	6
31		Female	298	23	6	2	4	1	36	9	4	13
32		Negro--Male	15	7	1	-	1	-	9	-	-	1
33		Female	33	4	1	-	1	1	7	1	2	2
34		Other--Male	-	-	-	-	-	-	-	-	-	-
35		Female	3	-	-	-	-	-	-	-	-	-
36	294,295,	All other diseases of blood and blood-forming organs	910	65	12	8	7	5	97	16	15	27
37	297-299	White--Male	468	31	8	4	6	4	53	8	14	14
38		Female	368	16	1	2	1	1	21	5	-	7
39		Negro--Male	44	10	2	2	-	-	14	3	-	2
40		Female	29	8	1	-	-	-	9	-	1	3
41		Other--Male	1	-	-	-	-	-	-	-	-	1
42		Female	-	-	-	-	-	-	-	-	-	-
43		V. Mental, psychoneurotic, and personality disorders	4,458	80	14	10	12	6	122	15	12	42
44		White--Male	2,539	36	4	5	9	3	57	6	9	13
45		Female	1,133	41	8	3	2	2	56	6	2	11
46		Negro--Male	491	1	-	2	1	-	4	1	1	12
47		Female	259	2	1	-	-	1	4	2	-	6
48		Other--Male	29	-	1	-	-	-	1	-	-	-
49		Female	7	-	-	-	-	-	-	-	-	-
50	304	Senile psychosis	819	-	-	-	-	-	-	-	-	-
51		White--Male	336	-	-	-	-	-	-	-	-	-
52		Female	401	-	-	-	-	-	-	-	-	-
53		Negro--Male	25	-	-	-	-	-	-	-	-	-
54		Female	53	-	-	-	-	-	-	-	-	-
55		Other--Male	2	-	-	-	-	-	-	-	-	-
56		Female	2	-	-	-	-	-	-	-	-	-
57	307	Alcoholic psychosis	338	-	-	-	-	-	-	-	1	-
58		White--Male	259	-	-	-	-	-	-	-	1	-
59		Female	21	-	-	-	-	-	-	-	-	-
60		Negro--Male	50	-	-	-	-	-	-	-	-	-
61		Female	7	-	-	-	-	-	-	-	-	-
62		Other--Male	1	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	300-303,	Other psychoses	687	-	-	1	-	1	2	-	1	12
65	305,306,	White--Male	229	-	-	-	-	-	-	-	1	1
66	308,309	Female	304	-	-	1	-	1	2	-	-	6
67		Negro--Male	75	-	-	-	-	-	-	-	-	2
68		Female	78	-	-	-	-	-	-	-	-	3
69		Other--Male	1	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	322	Alcoholism	2,265	-	-	-	-	-	-	-	-	11
72		White--Male	1,562	-	-	-	-	-	-	-	-	4
73		Female	268	-	-	-	-	-	-	-	-	-
74		Negro--Male	302	-	-	-	-	-	-	-	-	5
75		Female	105	-	-	-	-	-	-	-	-	2
76		Other--Male	23	-	-	-	-	-	-	-	-	-
77		Female	5	-	-	-	-	-	-	-	-	-
78	325	Mental deficiency	200	80	14	8	12	5	119	15	9	14
79		White--Male	94	36	4	5	9	3	57	6	6	6
80		Female	79	41	8	2	2	1	54	6	2	3
81		Negro--Male	15	1	-	1	1	-	3	1	1	4
82		Female	11	2	1	-	-	1	4	2	-	1
83		Other--Male	1	-	1	-	-	-	1	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	310-321,	Psychoneuroses and other disorders of personality	149	-	-	1	-	-	1	-	1	5
86	323,324,	White--Male	59	-	-	-	-	-	-	-	1	2
87	326	Female	60	-	-	-	-	-	-	-	-	2
88		Negro--Male	24	-	-	1	-	-	1	-	-	1
89		Female	5	-	-	-	-	-	-	-	-	-
90		Other--Male	1	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
113	90	109	116	143	199	249	303	431	574	694	736	538	298	95	13	-	2	1
35	29	30	37	41	67	105	138	206	292	308	346	248	118	37	5	-	1	2
37	36	49	44	72	90	108	142	190	246	351	374	279	172	52	8	-	1	3
17	10	13	12	13	21	18	8	15	15	12	11	9	2	3	-	-	-	4
24	14	17	23	17	19	18	14	18	18	22	5	2	6	3	-	-	-	5
-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	6
-	1	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	7
79	54	66	64	78	118	148	163	278	410	543	636	489	281	84	13	-	2	8
23	16	15	13	18	34	52	67	122	213	236	297	230	113	32	5	-	1	9
20	19	27	23	37	51	66	78	128	168	274	324	248	160	48	8	-	1	10
16	8	9	10	10	15	15	6	12	13	11	11	9	2	2	-	-	-	11
20	11	15	18	13	16	15	11	15	14	21	4	2	6	2	-	-	-	12
-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	13
-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	14
10	7	6	9	14	28	46	43	114	197	300	365	302	181	41	7	-	1	15
2	3	1	2	5	8	19	13	45	106	126	160	143	73	15	1	-	-	16
2	2	3	2	8	15	17	25	57	81	164	199	155	104	26	6	-	1	17
2	-	1	2	-	3	7	1	6	6	3	4	4	1	-	-	-	-	18
4	2	1	3	1	2	3	4	6	3	7	2	-	3	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	21
69	47	60	55	64	90	102	120	164	213	243	271	187	100	43	6	-	1	22
21	13	14	11	13	26	33	54	77	107	110	137	87	40	17	4	-	1	23
18	17	24	21	29	36	49	53	71	87	110	125	93	56	22	2	-	-	24
14	8	8	8	10	12	8	5	6	7	8	7	5	1	2	-	-	-	25
16	9	14	15	12	14	12	7	9	11	14	2	2	3	2	-	-	-	26
-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	27
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	28
20	22	24	29	29	32	26	42	50	45	58	30	21	10	4	-	-	-	29
7	3	8	13	6	11	11	19	25	20	29	13	5	5	2	-	-	-	30
11	13	15	12	19	19	13	21	23	23	28	16	16	5	2	-	-	-	31
-	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	32
2	3	1	3	4	2	1	1	1	1	1	1	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	35
14	14	19	23	36	49	75	98	103	119	93	70	28	7	7	-	-	-	36
5	10	7	11	17	22	42	52	59	59	43	36	13	-	3	-	-	-	37
6	4	7	9	16	20	29	43	39	55	49	34	15	7	2	-	-	-	38
1	-	4	1	3	6	2	1	3	2	1	-	-	-	1	-	-	-	39
2	-	1	2	-	1	2	2	2	3	-	-	-	-	1	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
75	143	230	378	465	501	481	367	320	285	233	233	236	187	84	30	6	13	43
35	52	113	213	284	312	319	257	211	189	122	121	110	73	27	8	2	6	44
13	27	50	73	82	94	84	65	73	57	74	84	103	105	54	17	2	1	45
15	40	40	62	62	64	50	30	26	28	18	12	11	5	1	2	1	6	46
11	20	26	27	31	30	21	12	9	10	14	16	12	3	2	2	1	-	47
-	4	1	2	5	-	6	3	1	1	4	-	-	1	-	-	-	-	48
1	-	-	1	1	1	1	-	-	-	1	-	-	-	-	1	-	-	49
-	-	-	-	-	-	1	7	13	46	114	159	193	170	80	30	6	-	50
-	-	-	-	-	-	-	1	3	20	49	70	91	66	26	8	2	-	51
-	-	-	-	-	-	1	4	6	19	48	69	88	95	52	17	2	-	52
-	-	-	-	-	-	-	-	-	5	4	4	3	5	1	2	1	-	53
-	-	-	-	-	-	-	2	4	2	11	16	11	3	1	2	1	-	54
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	56
-	10	31	45	49	54	61	40	25	12	5	3	1	-	-	-	-	1	57
-	3	20	31	37	41	52	31	22	11	5	3	1	-	-	-	-	1	58
-	1	3	1	2	7	3	3	1	-	-	-	-	-	-	-	-	-	59
-	5	7	12	8	6	4	5	2	1	-	-	-	-	-	-	-	-	60
-	-	1	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	61
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
33	36	44	66	61	58	79	69	71	57	36	24	23	11	3	-	-	1	64
13	9	16	25	18	17	23	29	26	18	9	12	7	4	1	-	-	-	65
7	13	16	25	27	28	37	34	38	26	18	9	10	7	1	-	-	-	66
5	8	6	8	5	3	7	1	3	10	7	3	6	-	-	-	-	1	67
8	6	6	8	10	10	12	5	4	3	2	-	-	-	1	-	-	-	68
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
34	81	142	254	343	373	322	232	196	153	67	35	9	2	-	-	-	11	71
18	37	74	153	221	247	236	186	154	133	56	29	7	2	-	-	-	5	72
4	9	26	40	52	52	35	18	19	5	3	3	1	-	-	-	-	1	73
8	19	24	41	46	54	38	22	21	10	5	3	1	-	-	-	-	5	74
3	13	17	17	19	19	7	3	1	4	-	-	-	-	-	-	-	-	75
-	3	1	2	4	-	5	3	1	1	3	-	-	-	-	-	-	-	76
1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	77
3	4	3	5	5	5	3	1	5	2	-	3	4	-	-	-	-	-	78
2	2	1	2	2	2	-	1	2	-	-	3	2	-	-	-	-	-	79
1	-	-	2	-	2	2	-	3	2	-	-	2	-	-	-	-	-	80
-	1	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	81
-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
5	12	10	8	7	11	15	18	10	15	11	9	6	4	1	-	-	-	85
2	1	2	2	6	5	8	9	4	7	3	4	2	1	-	-	-	-	86
1	4	5	5	1	5	6	6	6	5	5	3	2	3	1	-	-	-	87
2	7	3	1	-	-	-	2	-	2	2	2	1	-	-	-	-	-	88
-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	89
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		VI. Diseases of the nervous system and sense organs----	180,385	1,494	515	346	224	177	2,756	591	395	522
2		White--------Male----	77,802	652	201	154	98	85	1,190	288	176	246
3		Female--	79,947	439	209	120	83	62	913	225	160	174
4		Negro--------Male----	10,658	202	58	43	19	15	337	37	33	54
5		Female--	11,444	177	38	23	20	13	271	36	25	47
6		Other--------Male----	339	8	2	4	2	1	17	2	-	-
7		Female--	195	16	7	2	2	1	28	3	1	1
8	330-334	Vascular lesions affecting central nervous system----------	166,331	182	57	44	35	22	340	112	83	145
9		White--------Male----	71,109	87	25	20	16	14	162	54	35	62
10		Female--	74,568	39	24	16	13	7	99	39	35	54
11		Negro--------Male----	9,560	32	4	4	1	-	41	11	6	14
12		Female--	10,652	23	4	4	5	1	37	8	7	14
13		Other--------Male----	295	1	-	-	-	-	1	-	-	-
14		Female--	147	-	-	-	-	-	-	-	-	1
15	330	Subarachnoid hemorrhage----------	4,277	48	7	6	6	5	72	24	26	73
16		White--------Male----	1,826	26	4	4	3	3	40	13	11	30
17		Female--	1,849	7	3	2	2	2	16	9	10	32
18		Negro--------Male----	277	9	-	-	-	-	9	1	1	4
19		Female--	301	6	-	-	1	-	7	1	4	6
20		Other--------Male----	11	-	-	-	-	-	-	-	-	-
21		Female--	13	-	-	-	-	-	-	-	-	1
22	331	Cerebral hemorrhage----------	110,233	86	25	13	10	9	143	42	41	50
23		White--------Male----	46,210	37	12	5	5	5	64	19	16	21
24		Female--	49,695	21	11	6	3	3	44	15	19	15
25		Negro--------Male----	6,533	15	2	1	-	-	18	5	4	8
26		Female--	7,486	13	-	1	2	1	17	3	2	6
27		Other--------Male----	209	-	-	-	-	-	-	-	-	-
28		Female--	100	-	-	-	-	-	-	-	-	-
29	332	Cerebral embolism and thrombosis----------	31,448	20	3	4	2	3	32	13	5	7
30		White--------Male----	14,667	9	1	2	1	2	15	5	1	2
31		Female--	14,373	5	2	1	1	1	10	5	2	4
32		Negro--------Male----	1,201	4	-	1	-	-	5	1	1	1
33		Female--	1,136	1	-	-	-	-	1	2	1	-
34		Other--------Male----	53	1	-	-	-	-	1	-	-	-
35		Female--	18	-	-	-	-	-	-	-	-	-
36	333,334	Other vascular lesions affecting central nervous system-----	20,373	28	22	21	17	5	93	33	11	15
37		White--------Male----	8,406	15	8	9	7	4	43	17	7	9
38		Female--	8,651	6	8	7	7	1	29	10	4	3
39		Negro--------Male----	1,549	4	2	2	1	-	9	4	-	1
40		Female--	1,729	3	4	3	2	-	12	2	-	2
41		Other--------Male----	22	-	-	-	-	-	-	-	-	-
42		Female--	16	-	-	-	-	-	-	-	-	-
43	340	Meningitis, except meningococcal and tuberculous----------	1,918	645	176	113	51	39	1,024	103	44	38
44		White--------Male----	796	262	62	56	20	19	419	50	14	13
45		Female--	591	190	57	27	19	13	306	35	21	13
46		Negro--------Male----	278	92	31	17	5	3	148	8	8	6
47		Female--	226	87	22	12	4	4	129	8	1	6
48		Other--------Male----	12	4	2	1	2	-	9	1	-	-
49		Female--	15	10	2	-	1	-	13	1	-	-
50	345	Multiple sclerosis----------	1,531	1	-	1	-	-	2	1	1	14
51		White--------Male----	689	1	-	-	-	-	1	-	1	6
52		Female--	780	-	-	1	-	-	1	-	-	5
53		Negro--------Male----	34	-	-	-	-	-	-	1	-	-
54		Female--	27	-	-	-	-	-	-	-	-	3
55		Other--------Male----	1	-	-	-	-	-	-	-	-	-
56		Female--	-	-	-	-	-	-	-	-	-	-
57	350	Paralysis agitans----------	2,396	-	-	-	-	-	-	-	-	-
58		White--------Male----	1,264	-	-	-	-	-	-	-	-	-
59		Female--	1,074	-	-	-	-	-	-	-	-	-
60		Negro--------Male----	32	-	-	-	-	-	-	-	-	-
61		Female--	21	-	-	-	-	-	-	-	-	-
62		Other--------Male----	3	-	-	-	-	-	-	-	-	-
63		Female--	2	-	-	-	-	-	-	-	-	-
64	351	Cerebral spastic infantile paralysis----------	654	52	63	63	44	33	255	133	64	57
65		White--------Male----	321	28	28	26	23	17	122	62	28	33
66		Female--	253	10	31	27	17	12	97	56	27	17
67		Negro--------Male----	47	10	2	8	1	3	24	6	5	5
68		Female--	30	4	1	1	3	1	10	8	4	2
69		Other--------Male----	1	-	-	1	-	-	1	-	-	-
70		Female--	2	-	1	-	-	-	1	1	-	-
71	353	Epilepsy----------	2,325	23	17	26	34	29	129	84	101	165
72		White--------Male----	1,100	13	7	14	14	12	60	41	45	87
73		Female--	752	4	7	8	12	11	42	33	41	47
74		Negro--------Male----	301	4	2	1	4	3	14	5	9	16
75		Female--	158	1	1	2	4	3	11	4	6	15
76		Other--------Male----	7	-	-	-	-	-	-	1	-	-
77		Female--	7	1	-	1	-	-	2	-	-	-
78	370-379	Inflammatory diseases of eye----------	14	1	-	1	-	-	2	-	-	1
79		White--------Male----	7	-	-	1	-	-	1	-	-	-
80		Female--	6	1	-	-	-	-	1	-	-	-
81		Negro--------Male----	1	-	-	-	-	-	-	-	-	1
82		Female--	-	-	-	-	-	-	-	-	-	-
83		Other--------Male----	-	-	-	-	-	-	-	-	-	-
84		Female--	-	-	-	-	-	-	-	-	-	-
85	385	Cataract----------	44	-	-	1	-	-	1	-	-	-
86		White--------Male----	16	-	-	-	-	-	-	-	-	-
87		Female--	22	-	-	1	-	-	1	-	-	-
88		Negro--------Male----	2	-	-	-	-	-	-	-	-	-
89		Female--	3	-	-	-	-	-	-	-	-	-
90		Other--------Male----	-	-	-	-	-	-	-	-	-	-
91		Female--	1	-	-	-	-	-	-	-	-	-
92	387	Glaucoma----------	15	-	-	-	-	-	-	-	-	-
93		White--------Male----	3	-	-	-	-	-	-	-	-	-
94		Female--	9	-	-	-	-	-	-	-	-	-
95		Negro--------Male----	2	-	-	-	-	-	-	-	-	-
96		Female--	1	-	-	-	-	-	-	-	-	-
97		Other--------Male----	-	-	-	-	-	-	-	-	-	-
98		Female--	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
667	879	1,302	2,010	3,467	5,450	8,550	11,893	16,408	23,049	27,317	29,725	24,937	13,996	5,177	1,005	171	118	1
288	380	500	696	1,196	1,982	3,120	5,070	7,430	10,623	12,522	13,415	10,872	5,601	1,823	314	31	39	2
220	299	445	716	1,169	1,923	2,996	4,204	6,166	9,281	12,243	14,464	12,852	7,719	3,073	596	68	41	3
80	90	154	249	467	705	1,100	1,312	1,356	1,502	1,202	904	598	296	105	38	18	21	4
72	102	200	338	612	820	1,294	1,265	1,396	1,574	1,272	862	588	361	166	54	53	16	5
3	4	2	6	16	11	21	32	39	44	55	45	19	14	8	-	-	1	6
4	4	1	5	7	9	19	10	21	25	23	15	8	5	2	3	1	-	7
265	421	775	1,431	2,778	4,674	7,734	10,984	15,344	21,819	26,165	28,739	24,405	13,756	5,096	991	170	104	8
101	167	268	451	888	1,612	2,751	4,631	6,870	9,973	11,924	12,896	10,605	5,494	1,793	310	31	31	9
90	149	249	478	916	1,627	2,687	3,848	5,753	8,806	11,762	14,043	12,610	7,600	3,028	589	68	38	10
38	39	90	195	392	637	1,024	1,245	1,290	1,449	1,160	880	582	290	102	37	18	20	11
35	62	165	301	562	781	1,236	1,220	1,374	1,526	1,245	863	582	353	163	52	52	14	12
-	2	2	3	14	8	19	30	38	42	52	42	19	14	8	-	-	1	13
1	2	1	3	6	9	17	10	19	23	22	15	7	5	2	3	1	-	14
113	191	270	375	491	475	495	445	374	313	226	171	94	35	12	1	-	1	15
47	90	104	127	206	198	227	208	159	126	102	72	43	17	6	-	-	-	16
41	68	108	175	204	196	205	188	174	153	107	92	47	17	6	1	-	-	17
14	13	20	27	40	35	29	27	24	18	9	3	2	-	-	-	-	1	18
11	19	37	43	37	43	30	20	17	13	6	4	2	1	-	-	-	-	19
-	-	-	1	4	1	-	-	-	3	2	-	-	-	-	-	-	-	20
-	1	1	2	-	2	4	2	-	-	-	-	-	-	-	-	-	-	21
114	181	403	867	1,888	3,452	5,758	7,912	10,781	14,956	17,488	18,773	15,307	8,441	2,890	568	101	77	22
41	68	134	253	565	1,150	1,977	3,276	4,739	6,725	7,745	8,276	6,594	3,314	1,018	174	19	22	23
37	57	117	251	598	1,221	2,093	2,861	4,155	6,135	8,074	9,312	7,923	4,671	1,696	336	37	28	24
17	18	51	138	288	479	750	867	871	974	792	567	383	187	67	25	10	14	25
18	35	99	222	426	591	913	879	969	1,076	825	581	390	256	102	30	34	12	26
-	2	2	2	7	6	15	23	28	28	37	28	14	10	6	-	-	1	27
1	1	-	1	4	5	10	6	19	18	15	9	3	3	1	3	1	-	28
21	26	43	96	186	397	806	1,570	2,660	4,061	5,163	5,993	5,559	3,198	1,326	245	32	9	29
5	6	18	40	64	169	367	783	1,368	2,050	2,578	2,851	2,466	1,334	452	82	6	5	30
7	16	15	32	57	124	219	495	917	1,625	2,255	2,894	2,914	1,781	827	153	18	3	31
6	2	3	12	25	49	104	163	205	189	156	124	90	46	15	2	2	-	32
3	2	7	12	35	54	112	122	163	185	159	111	85	36	31	8	6	1	33
-	-	-	-	3	1	2	7	7	8	12	9	2	1	-	-	-	-	34
-	-	-	-	2	-	2	-	-	4	3	4	2	-	1	-	-	-	35
17	23	59	93	213	350	675	1,057	1,529	2,489	3,288	3,802	3,445	2,082	868	177	37	17	36
8	3	12	31	53	95	180	364	604	1,072	1,499	1,697	1,502	829	317	54	6	4	37
5	8	9	20	57	86	170	304	507	893	1,326	1,745	1,726	1,131	499	99	13	7	38
1	6	16	18	39	74	141	188	190	268	203	186	107	57	20	10	6	5	39
3	6	22	24	64	93	181	199	225	252	255	167	105	60	30	14	12	1	40
-	-	-	-	-	-	2	-	3	3	1	5	3	3	2	-	-	-	41
-	-	-	-	-	2	1	2	-	1	4	2	2	2	-	-	-	-	42
29	35	42	62	71	66	91	71	66	68	42	34	19	9	2	-	-	2	43
10	8	19	25	28	31	40	32	32	25	20	15	9	4	1	-	-	1	44
8	6	7	20	18	16	24	26	22	30	14	15	5	3	1	-	-	1	45
5	11	9	8	13	15	17	8	7	6	4	1	3	1	-	-	-	-	46
6	10	7	9	11	4	10	5	4	6	4	3	2	1	-	-	-	-	47
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	49
17	44	100	116	161	186	167	174	157	128	123	75	41	15	7	1	-	1	50
7	15	37	45	59	82	71	78	72	71	68	45	19	7	4	-	-	1	51
7	24	61	68	95	98	88	92	79	49	53	26	22	8	3	1	-	-	52
-	2	-	1	4	4	3	3	5	7	2	2	-	-	-	-	-	-	53
3	3	2	2	3	2	5	1	1	1	-	1	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
1	2	7	16	22	38	47	124	261	496	548	499	228	88	15	2	-	2	57
1	-	1	5	12	21	24	66	136	257	302	267	121	44	3	2	-	2	58
-	2	5	9	7	13	18	51	121	226	239	225	106	42	10	-	-	-	59
-	-	1	-	2	3	4	5	3	6	3	2	1	1	1	-	-	-	60
-	-	-	2	1	1	1	2	1	5	3	3	-	1	1	-	-	-	61
-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	63
33	33	18	14	8	7	3	5	8	4	5	2	3	-	1	-	-	1	64
21	15	11	6	6	2	-	1	5	3	3	1	-	-	1	-	-	1	65
10	14	5	8	2	5	1	2	3	1	1	1	3	-	-	-	-	-	66
2	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	67
-	2	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
205	230	222	198	214	197	140	103	93	91	59	41	31	14	6	-	-	2	71
93	113	94	66	105	103	59	48	51	58	30	21	15	6	4	-	-	1	72
68	68	68	81	54	63	55	33	24	17	23	17	13	4	1	-	-	-	73
24	28	42	36	33	21	18	16	16	12	4	2	2	2	1	-	-	-	74
18	18	18	12	21	9	8	6	1	4	2	1	1	2	-	-	-	1	75
-	1	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	76
2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	1	-	-	-	-	-	1	1	2	-	-	1	3	2	-	-	-	78
-	-	-	-	-	-	-	1	1	1	-	-	-	2	1	-	-	-	79
-	1	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	1	-	1	1	7	9	6	9	8	-	1	-	-	-	85
-	-	-	-	-	-	-	1	2	4	2	4	3	-	-	-	-	-	86
-	-	-	-	-	-	1	-	3	3	4	4	5	-	1	-	-	-	87
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	88
-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	1	1	2	1	-	1	5	1	1	2	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	93
-	-	-	-	-	-	1	-	1	-	1	3	-	1	2	-	-	-	94
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	95
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VI. Diseases of the nervous system and sense organs—Continued										
1	391-393	Otitis media and mastoiditis	463	160	34	15	6	3	218	25	19	16
2		White--Male	224	67	14	6	-	1	88	14	9	11
3		Female	159	49	16	3	5	1	74	9	8	4
4		Negro--Male	34	17	2	4	-	-	23	1	-	1
5		Female	35	23	1	-	-	1	25	-	1	-
6		Other--Male	4	2	-	1	-	-	3	-	-	-
7		Female	7	2	1	1	1	-	5	1	1	-
8	Residual[1]	Other diseases of nervous system and sense organs	4,694	430	168	82	54	51	785	133	83	86
9		White--Male	2,273	194	65	31	25	22	337	67	44	34
10		Female	1,733	146	74	37	17	18	292	53	28	34
11		Negro--Male	367	47	17	9	8	6	87	5	5	11
12		Female	291	39	9	4	4	3	59	8	6	7
13		Other--Male	16	1	-	1	-	1	3	-	-	-
14		Female	14	3	3	-	-	1	7	-	-	-
15		VII. Diseases of the circulatory system	609,783	379	106	59	47	61	652	357	477	732
16		White--Male	325,620	166	40	26	19	26	277	128	147	300
17		Female	227,519	119	34	16	17	21	207	136	196	238
18		Negro--Male	29,418	50	21	9	6	4	90	52	55	79
19		Female	25,710	40	10	7	5	10	72	39	75	108
20		Other--Male	1,111	2	-	-	-	-	2	2	3	4
21		Female	405	2	1	1	-	-	4	-	1	3
22	400-402	Rheumatic fever	1,583	12	11	4	20	25	72	201	266	119
23		White--Male	636	5	3	1	5	9	23	64	79	53
24		Female	609	1	5	1	7	9	23	79	112	38
25		Negro--Male	145	2	3	1	3	-	9	28	25	19
26		Female	180	4	-	1	5	7	17	28	46	8
27		Other--Male	7	-	-	-	-	-	-	2	3	-
28		Female	6	-	-	-	-	-	-	-	1	1
29	410-443	Diseases of heart	555,141	302	79	47	24	29	481	140	182	527
30		White--Male	300,538	133	29	22	11	15	210	56	65	224
31		Female	203,928	95	25	13	10	9	152	50	65	160
32		Negro--Male	26,463	39	15	8	3	3	68	23	29	58
33		Female	22,833	32	9	4	-	2	47	11	23	79
34		Other--Male	1,027	1	-	-	-	-	1	-	-	4
35		Female	352	2	1	-	-	-	3	-	-	2
36	410-416	Chronic rheumatic heart disease	19,754	4	1	2	3	-	10	31	84	289
37		White--Male	9,072	1	-	1	2	-	4	13	26	132
38		Female	8,815	1	-	-	1	-	2	7	34	88
39		Negro--Male	890	2	1	-	-	-	3	6	13	30
40		Female	917	-	-	1	-	-	1	5	11	36
41		Other--Male	34	-	-	-	-	-	-	-	-	2
42		Female	26	-	-	-	-	-	-	-	-	1
43	410	Diseases of mitral valve	8,023	4	1	-	2	-	7	10	14	70
44		White--Male	3,582	1	-	-	2	-	3	5	3	40
45		Female	3,549	1	-	-	-	-	1	3	7	18
46		Negro--Male	437	2	1	-	-	-	3	-	3	3
47		Female	426	-	-	-	-	-	-	2	1	7
48		Other--Male	13	-	-	-	-	-	-	-	-	1
49		Female	16	-	-	-	-	-	-	-	-	1
50	411	Diseases of aortic valve specified as rheumatic	888	...	-	-	-	-	-	-	5	4
51		White--Male	646	...	-	-	-	-	-	-	4	2
52		Female	209	...	-	-	-	-	-	-	-	1
53		Negro--Male	24	...	-	-	-	-	-	-	-	1
54		Female	7	...	-	-	-	-	-	-	1	-
55		Other--Male	2	...	-	-	-	-	-	-	-	-
56		Female	-	...	-	-	-	-	-	-	-	-
57	412	Diseases of tricuspid valve	25	-	-	-	-	-	-	-	-	-
58		White--Male	15	-	-	-	-	-	-	-	-	-
59		Female	5	-	-	-	-	-	-	-	-	-
60		Negro--Male	-	-	-	-	-	-	-	-	-	-
61		Female	3	-	-	-	-	-	-	-	-	-
62		Other--Male	1	-	-	-	-	-	-	-	-	-
63		Female	1	-	-	-	-	-	-	-	-	-
64	413,414	Diseases of pulmonary valve, etc.,* specified as rheumatic	1,198	...	-	1	-	-	1	1	8	25
65		White--Male	557	...	-	-	-	-	-	-	4	13
66		Female	550	...	-	-	-	-	-	1	3	5
67		Negro--Male	44	...	-	-	-	-	-	-	1	3
68		Female	41	...	-	1	-	-	1	-	-	3
69		Other--Male	4	...	-	-	-	-	-	-	-	1
70		Female	2	...	-	-	-	-	-	-	-	-
71	415,416	Other diseases of heart specified as rheumatic	9,620	-	-	1	1	-	2	20	57	190
72		White--Male	4,272	-	-	1	-	-	1	8	15	77
73		Female	4,502	-	-	-	1	-	1	3	24	64
74		Negro--Male	385	-	-	-	-	-	-	6	9	23
75		Female	440	-	-	-	-	-	-	3	9	26
76		Other--Male	14	-	-	-	-	-	-	-	-	-
77		Female	7	-	-	-	-	-	-	-	-	-
78	420	Arteriosclerotic heart disease, including coronary disease	352,135	49	7	6	4	1	67	20	22	54
79		White--Male	213,533	24	4	2	2	-	32	7	8	27
80		Female	118,257	14	2	3	1	1	21	9	8	16
81		Negro--Male	11,335	6	-	1	1	-	8	3	4	4
82		Female	8,185	5	1	-	-	-	6	1	2	7
83		Other--Male	656	-	-	-	-	-	-	-	-	-
84		Female	169	-	-	-	-	-	-	-	-	-
85	420.0	Arteriosclerotic heart disease so described	118,784	8	3	2	-	-	13	3	3	10
86		White--Male	60,869	7	1	1	-	-	9	2	1	5
87		Female	50,673	1	1	1	-	-	3	1	1	4
88		Negro--Male	3,832	-	-	-	-	-	-	-	1	1
89		Female	3,143	-	1	-	-	-	1	-	-	-
90		Other--Male	197	-	-	-	-	-	-	-	-	-
91		Female	70	-	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
16	11	10	20	14	21	17	21	13	9	12	13	4	1	1	2	-	-	1
9	9	6	11	9	12	11	9	6	5	7	5	-	1	1	1	-	-	2
5	1	2	5	2	8	6	11	5	3	4	7	4	-	-	1	-	-	3
1	1	2	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	4
-	-	-	3	2	1	-	-	1	1	-	1	-	-	-	-	-	-	5
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
101	102	128	153	198	260	349	407	457	423	356	308	196	109	44	9	1	6	8
46	53	64	87	89	119	164	203	255	226	166	159	99	43	15	1	-	2	9
32	34	48	47	75	93	115	141	155	145	142	123	83	60	26	5	-	2	10
10	7	9	8	22	25	33	31	33	22	28	16	10	2	1	1	-	1	11
10	7	7	9	11	21	33	30	14	29	17	10	3	4	2	2	1	1	12
2	1	-	1	-	2	2	2	-	1	2	-	-	-	-	-	-	-	13
1	-	-	1	1	-	2	-	-	-	1	-	1	-	-	-	-	-	14
1,131	1,928	3,570	7,025	13,665	22,168	34,688	49,999	65,683	82,114	89,035	90,606	76,362	45,302	18,908	4,229	751	401	15
444	767	1,626	3,711	8,007	13,824	21,426	31,623	40,250	47,111	47,360	45,179	35,373	19,129	7,171	1,418	160	189	16
371	651	898	1,593	2,744	4,369	7,106	11,667	18,432	27,322	35,179	40,525	37,709	24,262	10,957	2,497	325	135	17
136	209	473	795	1,462	2,018	3,246	3,737	3,819	4,093	3,432	2,554	1,707	879	338	123	81	40	18
172	286	562	892	1,409	1,891	2,771	2,838	2,995	3,387	2,850	2,165	1,453	952	408	177	172	36	19
3	7	7	21	31	48	107	98	154	158	160	131	82	55	22	7	8	1	20
5	8	4	13	12	18	32	36	33	43	54	52	38	25	12	7	5	-	21
90	100	89	90	105	89	69	72	61	61	49	25	9	12	3	-	-	1	22
26	42	39	45	50	46	30	41	31	28	20	7	4	4	3	-	-	1	23
40	40	30	29	40	30	27	20	24	28	23	14	5	7	-	-	-	-	24
7	6	7	5	9	7	6	6	2	4	3	1	-	1	-	-	-	-	25
15	12	12	11	5	5	5	5	4	1	3	3	-	-	-	-	-	-	26
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	27
1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	28
891	1,547	3,050	6,262	12,635	20,800	32,972	47,579	62,333	77,371	82,586	82,124	66,664	37,944	14,939	3,207	543	364	29
378	653	1,485	3,460	7,620	13,189	20,614	30,369	38,422	44,626	44,159	41,048	30,976	15,971	5,660	1,066	114	173	30
288	503	738	1,371	2,448	4,004	6,670	11,027	17,435	25,691	32,557	36,718	32,831	20,357	8,652	1,888	222	121	31
116	160	396	665	1,297	1,837	3,005	3,444	3,521	3,762	3,120	2,254	1,489	751	267	99	65	37	32
124	218	422	733	1,230	1,708	2,551	2,611	2,776	3,103	2,551	1,932	1,270	800	335	145	132	32	33
2	7	7	21	30	45	101	94	148	151	149	126	68	45	16	4	7	1	34
3	6	2	12	10	17	31	34	31	38	50	46	30	20	9	5	3	-	35
427	655	859	1,264	1,763	1,872	2,093	2,314	1,986	1,834	1,458	1,268	911	443	160	24	5	4	36
195	263	388	584	818	869	975	1,098	994	871	650	581	382	169	52	5	-	3	37
152	296	352	556	778	822	927	1,058	829	807	683	598	468	243	98	12	4	1	38
38	31	48	56	79	83	104	82	76	69	70	44	32	17	4	5	-	-	39
41	61	69	60	83	91	81	74	79	84	51	40	28	13	6	2	1	-	40
-	1	1	2	3	5	4	1	7	-	3	4	1	-	-	-	-	-	41
1	3	1	6	2	2	2	1	1	3	1	1	-	1	-	-	-	-	42
116	209	296	433	622	618	732	791	784	808	716	729	583	330	128	20	5	2	43
55	77	122	185	274	269	314	345	385	376	328	357	265	132	40	5	-	2	44
44	106	134	220	296	283	328	362	303	321	299	297	267	170	78	8	4	-	45
6	10	14	12	24	28	49	43	48	53	52	37	27	16	4	5	-	-	46
11	14	26	11	26	35	39	41	45	55	34	35	24	11	6	2	1	-	47
-	-	-	2	-	1	2	-	3	-	2	2	-	-	-	-	-	-	48
-	2	-	3	2	2	-	-	-	3	1	1	-	1	-	-	-	-	49
7	17	29	49	75	87	118	169	124	101	45	36	17	3	2	-	-	-	50
6	10	24	41	56	75	91	120	93	69	22	24	6	2	1	-	-	-	51
1	5	3	5	12	10	24	45	27	31	21	11	11	1	1	-	-	-	52
-	2	1	3	5	2	1	4	2	1	2	-	-	-	-	-	-	-	53
-	-	1	-	2	-	2	-	1	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	1	1	3	4	2	2	4	-	2	3	2	-	1	-	-	-	57
-	-	1	1	2	4	-	-	3	-	1	1	2	-	-	-	-	-	58
-	-	-	-	1	-	1	-	1	-	-	1	-	-	1	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	62
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	63
30	47	57	95	109	120	130	118	127	109	95	60	45	13	5	2	-	1	64
18	20	19	50	49	56	65	57	57	65	44	20	12	6	1	-	-	1	65
8	20	24	36	52	56	57	57	59	40	47	40	32	7	4	2	-	-	66
4	2	7	6	4	5	5	1	4	1	1	-	-	-	-	-	-	-	67
-	4	5	3	4	3	3	3	6	3	2	-	1	-	-	-	-	-	68
-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	69
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	70
274	382	476	686	954	1,043	1,111	1,234	947	816	600	440	264	97	24	2	-	1	71
116	156	222	307	437	465	505	576	456	361	255	179	97	29	10	-	-	-	72
99	165	191	295	417	473	517	594	439	415	316	249	158	65	14	2	-	1	73
28	17	26	35	46	48	49	34	22	14	15	7	5	1	-	-	-	-	74
30	43	37	46	51	53	37	28	27	26	14	5	3	2	-	-	-	-	75
-	-	-	-	3	4	2	1	3	-	-	-	1	-	-	-	-	-	76
1	1	-	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	77
170	432	1,267	3,207	7,483	13,592	22,163	33,110	43,514	52,705	54,028	51,065	38,618	20,816	7,810	1,552	227	213	78
79	255	818	2,308	5,648	10,284	16,268	24,029	29,651	33,252	31,199	27,470	19,082	9,263	3,126	548	58	121	79
47	70	190	412	875	1,872	3,553	6,441	11,124	16,578	20,408	21,838	18,386	10,880	4,435	925	99	70	80
19	56	142	267	557	826	1,352	1,601	1,564	1,613	1,327	925	596	302	109	28	22	10	81
23	47	111	205	381	575	910	955	1,070	1,128	963	742	506	327	126	47	42	11	82
1	3	6	13	16	29	71	64	92	110	101	64	36	34	10	1	4	1	83
1	1	-	2	6	6	9	20	13	24	30	26	12	10	4	3	2	-	84
8	27	65	189	649	1,505	3,367	6,581	10,850	15,967	19,964	21,993	19,619	11,878	4,845	1,028	146	74	85
5	20	43	130	448	986	2,129	4,235	6,480	9,015	10,434	10,856	8,958	4,919	1,795	328	40	31	86
2	3	10	25	77	274	701	1,618	3,383	5,803	8,405	10,209	9,977	6,549	2,879	651	63	35	87
1	3	5	19	61	136	287	419	555	635	593	480	342	184	72	18	15	5	88
-	1	7	13	58	102	235	286	407	482	483	398	319	203	91	29	25	3	89
-	-	-	2	2	5	13	18	18	24	36	33	20	20	5	-	1	-	90
-	-	-	-	3	2	2	5	7	8	13	17	3	3	3	2	2	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
		Diseases of heart—Continued										
		Arteriosclerotic heart disease, including coronary disease—Continued										
1	420.1	Heart disease specified as involving coronary arteries	231,709	41	4	4	4	1	54	17	19	43
2		White--Male	151,696	17	3	1	2	-	23	5	7	21
3		Female	67,070	13	1	2	1	1	18	8	7	12
4		Negro--Male	7,409	6	-	1	1	-	8	3	3	3
5		Female	4,981	5	-	-	-	-	5	1	2	7
6		Other--Male	457	-	-	-	-	-	-	-	-	-
7		Female	96	-	-	-	-	-	-	-	-	-
8	420.2	Angina pectoris without mention of coronary disease	1,642	-	-	-	-	-	-	-	-	1
9		White--Male	968	-	-	-	-	-	-	-	-	1
10		Female	514	-	-	-	-	-	-	-	-	-
11		Negro--Male	94	-	-	-	-	-	-	-	-	-
12		Female	61	-	-	-	-	-	-	-	-	-
13		Other--Male	2	-	-	-	-	-	-	-	-	-
14		Female	3	-	-	-	-	-	-	-	-	-
15	421	Chronic endocarditis not specified as rheumatic	9,044	35	6	6	2	-	49	11	10	18
16		White--Male	4,244	16	1	2	1	-	20	5	5	5
17		Female	3,422	12	2	3	1	-	18	3	2	6
18		Negro--Male	727	2	3	1	-	-	6	2	2	3
19		Female	627	5	-	-	-	-	5	1	1	3
20		Other--Male	14	-	-	-	-	-	-	-	-	1
21		Female	10	-	-	-	-	-	-	-	-	-
22	421.0	Of mitral valve, specified as nonrheumatic	859	2	-	-	-	-	2	-	-	-
23		White--Male	384	1	-	-	-	-	1	-	-	-
24		Female	348	1	-	-	-	-	1	-	-	-
25		Negro--Male	57	-	-	-	-	-	-	-	-	-
26		Female	69	-	-	-	-	-	-	-	-	-
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	1	-	-	-	-	-	-	-	-	-
29	421.1	Of aortic valve, not specified as rheumatic	1,739	3	-	-	-	-	3	-	4	2
30		White--Male	963	1	-	-	-	-	1	-	2	-
31		Female	464	-	-	-	-	-	-	-	-	1
32		Negro--Male	186	1	-	-	-	-	1	-	1	1
33		Female	122	1	-	-	-	-	1	-	1	-
34		Other--Male	2	-	-	-	-	-	-	-	-	-
35		Female	2	-	-	-	-	-	-	-	-	-
36	421.2-421.4	Of other valves, not specified as rheumatic	6,446	30	6	6	2	-	44	11	6	16
37		White--Male	2,897	14	1	2	1	-	18	5	3	5
38		Female	2,610	11	2	3	1	-	17	3	2	5
39		Negro--Male	484	1	3	1	-	-	5	2	1	2
40		Female	436	4	-	-	-	-	4	1	-	3
41		Other--Male	12	-	-	-	-	-	-	-	-	1
42		Female	7	-	-	-	-	-	-	-	-	-
43	422	Other myocardial degeneration	67,640	44	11	12	7	8	82	26	28	48
44		White--Male	31,059	16	2	8	3	5	34	7	13	18
45		Female	29,797	18	6	2	3	3	32	11	10	14
46		Negro--Male	3,499	6	3	2	1	-	12	4	3	8
47		Female	3,130	3	-	-	-	-	3	4	2	8
48		Other--Male	114	1	-	-	-	-	1	-	-	-
49		Female	41	-	-	-	-	-	-	-	-	-
50	422.1	With arteriosclerosis	34,520	3	2	1	-	2	8	2	2	3
51		White--Male	15,698	2	-	1	-	2	5	-	2	1
52		Female	15,958	-	2	-	-	-	2	2	-	1
53		Negro--Male	1,534	-	-	-	-	-	-	-	-	-
54		Female	1,263	1	-	-	-	-	1	-	-	1
55		Other--Male	48	-	-	-	-	-	-	-	-	-
56		Female	19	-	-	-	-	-	-	-	-	-
57	422.0,422.2	Without mention of arteriosclerosis	33,120	41	9	11	7	6	74	24	26	45
58		White--Male	15,361	14	2	7	3	3	29	7	11	17
59		Female	13,839	18	4	2	3	3	30	9	10	13
60		Negro--Male	1,965	6	3	2	1	-	12	4	3	8
61		Female	1,867	2	-	-	-	-	2	4	2	7
62		Other--Male	66	1	-	-	-	-	1	-	-	-
63		Female	22	-	-	-	-	-	-	-	-	-
64	430-434	Other diseases of heart	22,657	169	52	20	6	19	268	51	31	98
65		White--Male	11,490	75	21	9	3	10	118	24	12	37
66		Female	7,102	50	14	5	4	4	77	19	9	31
67		Negro--Male	2,309	23	8	4	1	3	39	8	4	12
68		Female	1,676	19	8	2	-	2	31	-	6	17
69		Other--Male	47	-	-	-	-	-	-	-	-	-
70		Female	33	2	1	-	-	-	3	-	-	1
71	430	Acute and subacute endocarditis	817	13	5	-	1	5	24	10	6	18
72		White--Male	402	6	1	-	1	3	11	5	4	7
73		Female	261	7	4	-	-	1	12	2	1	7
74		Negro--Male	80	-	-	-	-	1	1	3	-	2
75		Female	72	-	-	-	-	-	-	-	1	2
76		Other--Male	1	-	-	-	-	-	-	-	-	-
77		Female	1	-	-	-	-	-	-	-	-	-
78	431	Acute myocarditis not specified as rheumatic	2,042	21	13	8	2	2	46	7	6	16
79		White--Male	898	8	7	4	-	-	19	2	2	8
80		Female	727	7	4	1	1	-	13	4	3	2
81		Negro--Male	213	1	-	1	1	2	5	1	-	3
82		Female	197	3	1	2	-	-	6	-	1	3
83		Other--Male	3	-	-	-	-	-	-	-	-	-
84		Female	4	2	1	-	-	-	3	-	-	-
85	432	Acute pericarditis specified as nonrheumatic	36	1	1	-	-	1	3	2	1	-
86		White--Male	23	1	-	-	-	1	2	1	-	-
87		Female	8	-	-	-	-	-	-	1	-	-
88		Negro--Male	4	-	1	-	-	-	1	-	-	-
89		Female	1	-	-	-	-	-	-	-	1	-
90		Other--Male	-	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
161	398	1,197	2,995	6,797	12,002	18,695	26,397	32,474	36,505	33,763	28,845	18,827	8,850	2,931	520	81	138	1
74	233	772	2,168	5,179	9,241	14,070	19,710	23,055	24,088	20,594	16,478	10,037	4,302	1,314	218	18	89	2
45	64	179	382	794	1,587	2,838	4,798	7,687	10,708	11,895	11,548	8,330	4,288	1,539	272	36	35	3
18	53	137	243	489	680	1,058	1,166	998	965	723	437	250	116	37	10	7	5	4
22	44	103	189	319	466	664	662	654	643	470	342	186	124	35	18	17	8	5
1	3	6	11	13	24	58	46	74	85	65	31	16	14	5	1	3	1	6
1	1	-	2	3	4	7	15	6	16	16	9	8	6	1	1	-	-	7
1	7	5	23	37	85	101	132	190	233	301	227	172	88	34	4	-	1	8
-	2	3	10	21	57	69	84	116	149	171	136	87	42	17	2	-	1	9
-	3	1	5	4	11	14	25	54	67	108	81	79	43	17	2	-	-	10
-	-	-	5	7	10	7	16	11	13	11	8	4	2	-	-	-	-	11
1	2	1	3	4	7	11	7	9	3	10	2	1	-	-	-	-	-	12
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	14
18	28	41	118	198	283	433	665	883	1,167	1,274	1,437	1,246	770	311	62	14	8	15
7	11	13	45	77	129	197	343	499	590	643	685	525	316	105	18	2	4	16
6	9	11	31	61	71	95	177	215	375	486	611	623	401	183	33	3	2	17
3	4	7	20	30	42	78	72	105	105	77	84	54	20	5	5	1	2	18
2	4	10	22	29	40	62	71	63	91	65	55	42	31	17	5	8	-	19
-	-	-	-	1	1	1	-	1	3	2	1	1	-	1	1	-	-	20
-	-	-	-	-	-	-	2	-	3	1	1	1	2	-	-	-	-	21
-	2	2	5	10	15	23	46	52	128	128	158	147	88	45	8	-	-	22
-	-	1	-	5	5	12	22	26	70	60	85	45	33	17	2	-	-	23
-	1	-	2	3	3	2	14	11	38	50	57	87	50	25	4	-	-	24
-	1	1	-	-	3	2	4	10	9	7	7	10	1	1	1	-	-	25
-	-	-	3	2	4	7	6	5	11	11	9	5	3	2	1	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	28
3	3	12	31	67	78	127	184	239	245	230	231	156	65	28	6	3	2	29
1	3	6	17	35	48	69	114	153	133	145	109	67	47	10	2	-	1	30
-	-	2	5	13	9	19	34	40	70	66	87	68	33	15	1	1	-	31
1	-	2	4	9	16	27	19	31	20	13	23	14	3	-	-	-	1	32
1	-	2	5	9	5	12	17	15	21	4	12	7	2	3	3	2	-	33
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	35
15	23	27	82	121	190	283	435	592	794	916	1,048	943	597	238	48	11	6	36
6	8	6	28	37	76	116	207	320	387	438	491	413	236	78	14	2	3	37
6	8	9	24	45	59	74	129	164	267	370	467	468	318	143	28	2	2	38
2	3	4	16	21	23	49	49	64	76	57	54	30	16	4	4	1	1	39
1	4	8	14	18	31	43	48	43	59	50	34	30	26	12	1	6	-	40
-	-	-	-	-	1	1	-	1	3	1	1	1	-	1	1	-	-	41
-	-	-	-	-	-	-	2	-	2	-	1	1	1		-	-	-	42
70	88	228	334	690	1,024	1,761	2,820	4,391	6,993	9,668	12,257	12,890	8,838	4,142	1,028	182	52	43
27	27	81	143	267	454	775	1,311	2,245	3,605	4,824	5,777	5,931	3,635	1,496	331	36	22	44
16	29	45	71	157	248	434	802	1,366	2,435	3,910	5,712	6,403	4,887	2,503	617	78	17	45
12	9	42	47	136	156	275	393	412	519	502	400	294	153	59	29	27	7	46
15	22	60	71	129	165	267	306	347	416	404	346	238	154	81	48	38	6	47
-	-	-	1	1	1	6	6	17	17	21	18	16	4	2	1	2	-	48
-	1	-	1	-	-	4	2	4	1	7	4	8	5	1	2	1	-	49
9	7	31	59	138	253	487	930	1,797	3,233	5,075	6,725	7,415	5,242	2,389	599	86	30	50
2	2	7	22	45	94	178	414	935	1,591	2,557	3,163	3,438	2,173	842	199	16	12	51
3	3	5	16	15	44	110	252	543	1,194	2,078	3,187	3,700	2,915	1,481	360	37	10	52
1	1	8	10	44	57	114	153	180	249	251	194	149	71	24	12	11	5	53
3	1	11	11	34	58	83	110	133	195	173	169	111	78	41	26	21	3	54
-	-	-	-	-	-	1	1	6	4	12	10	11	2	-	-	1	-	55
-	-	-	-	-	-	1	-	-	-	4	2	6	3	1	2	-	-	56
61	81	197	275	552	771	1,274	1,890	2,594	3,760	4,593	5,532	5,475	3,596	1,753	429	96	22	57
25	25	74	121	222	360	597	897	1,310	2,014	2,267	2,614	2,493	1,462	654	132	20	10	58
13	26	40	55	142	204	324	550	823	1,241	1,832	2,525	2,703	1,972	1,022	257	41	7	59
11	8	34	37	92	99	161	240	232	270	251	206	145	82	35	17	16	2	60
12	21	49	60	95	107	184	196	214	221	231	177	127	76	40	22	17	3	61
-	-	-	1	1	1	5	5	11	13	9	8	5	2	2	1	1	-	62
-	1	-	1	-	-	3	2	4	1	3	2	2	2	-	-	1	-	63
152	198	297	489	770	1,088	1,523	1,831	2,481	2,948	3,001	2,948	2,343	1,360	577	149	36	18	64
55	62	105	183	372	559	758	1,040	1,394	1,654	1,641	1,502	1,106	572	231	50	8	7	65
34	65	68	123	146	199	281	371	598	816	975	1,161	1,066	656	314	77	14	2	66
29	33	59	79	129	186	287	261	314	277	222	160	106	70	16	10	4	4	67
32	35	64	100	120	139	191	153	166	195	157	111	60	60	12	12	10	5	68
1	2	-	2	3	2	1	4	4	5	6	10	3	2	2	-	-	-	69
1	1	1	2	-	3	5	2	5	1	-	4	2	-	2	-	-	-	70
31	37	39	47	56	63	82	78	89	88	56	51	27	11	2	2	-	-	71
17	13	14	16	25	31	37	45	54	51	31	23	14	3	-	1	-	-	72
8	12	10	20	19	18	21	24	25	24	17	22	11	5	2	1	-	-	73
2	6	5	4	6	9	17	4	5	6	5	1	2	2	-	-	-	-	74
4	6	10	7	6	4	7	5	5	6	3	5	-	1	-	-	-	-	75
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	76
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	77
19	28	35	52	74	73	119	148	177	209	281	266	229	174	57	17	8	1	78
5	13	11	21	30	33	50	62	84	102	128	123	102	74	22	5	2	-	79
9	8	10	12	16	14	27	30	51	63	107	122	107	84	32	9	3	1	80
3	2	7	7	14	11	25	31	21	27	24	10	11	7	2	1	1	-	81
2	4	7	12	14	15	17	25	20	15	22	11	9	9	1	2	2	-	82
-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	83
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	2	2	3	2	2	4	8	-	4	3	-	-	-	-	-	85
-	-	-	1	1	3	2	1	3	6	-	2	1	-	-	-	-	-	86
-	-	-	1	1	-	-	-	-	2	-	1	2	-	-	-	-	-	87
-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
		Diseases of heart—Continued										
		Other diseases of heart—Continued										
1	433	Functional disease of heart	2,459	24	3	1	-	1	29	4	1	13
2		White--Male	1,207	12	1	1	-	-	14	2	-	5
3		Female	1,079	7	1	-	-	1	9	2	-	6
4		Negro--Male	85	5	1	-	-	-	6	-	-	2
5		Female	80	-	-	-	-	-	-	-	1	-
6		Other--Male	6	-	-	-	-	-	-	-	-	-
7		Female	2	-	-	-	-	-	-	-	-	-
8	434	Other and unspecified diseases of heart	17,303	110	30	11	5	10	166	28	17	51
9		White--Male	8,960	48	12	4	2	6	72	14	6	17
10		Female	5,027	29	5	4	3	2	43	10	5	16
11		Negro--Male	1,927	17	6	3	-	-	26	4	4	5
12		Female	1,326	16	7	-	-	2	25	-	2	12
13		Other--Male	37	-	-	-	-	-	-	-	-	-
14		Female	26	-	-	-	-	-	-	-	-	1
15	440-443	Hypertension with heart disease	83,911	1	2	1	-	1	5	1	7	20
16		White--Male	31,140	1	1	-	-	-	2	-	1	5
17		Female	36,535	-	1	-	-	1	2	1	2	5
18		Negro--Male	7,703	-	-	-	-	-	-	-	3	1
19		Female	8,298	-	-	1	-	-	1	-	1	8
20		Other--Male	162	-	-	-	-	-	-	-	-	1
21		Female	73	-	-	-	-	-	-	-	-	-
22	442	Hypertensive heart disease with arteriolar nephrosclerosis	23,825	1	1	-	-	-	2	-	1	7
23		White--Male	9,942	1	-	-	-	-	1	-	-	3
24		Female	9,650	-	1	-	-	-	1	-	-	1
25		Negro--Male	2,188	-	-	-	-	-	-	-	1	-
26		Female	2,002	-	-	-	-	-	-	-	-	3
27		Other--Male	45	-	-	-	-	-	-	-	-	-
28		Female	18	-	-	-	-	-	-	-	-	-
29	440,441,443	Essential hypertension with heart disease, etc.*	60,086	-	1	1	-	1	3	1	6	13
30		White--Male	21,198	-	1	-	-	-	1	-	1	2
31		Female	26,885	-	-	-	-	1	1	1	2	4
32		Negro--Male	5,535	-	-	-	-	-	-	-	2	1
33		Female	6,296	-	-	1	-	-	1	-	1	5
34		Other--Male	117	-	-	-	-	-	-	-	-	1
35		Female	55	-	-	-	-	-	-	-	-	-
36	444-447	Hypertension without mention of heart	12,506	-	1	-	1	-	2	3	4	7
37		White--Male	5,030	-	1	-	1	-	2	-	1	2
38		Female	4,952	-	-	-	-	-	-	2	2	-
39		Negro--Male	1,238	-	-	-	-	-	-	1	1	-
40		Female	1,269	-	-	-	-	-	-	-	-	5
41		Other--Male	12	-	-	-	-	-	-	-	-	-
42		Female	5	-	-	-	-	-	-	-	-	-
43	446	Hypertension with arteriolar nephrosclerosis, etc.*	6,353	-	1	-	1	-	2	1	1	3
44		White--Male	2,873	-	1	-	1	-	2	-	-	1
45		Female	2,473	-	-	-	-	-	-	1	1	-
46		Negro--Male	525	-	-	-	-	-	-	-	-	-
47		Female	473	-	-	-	-	-	-	-	-	2
48		Other--Male	5	-	-	-	-	-	-	-	-	-
49		Female	4	-	-	-	-	-	-	-	-	-
50	444,445,447	Essential hypertension, other hypertensive disease, etc.*	6,153	-	-	-	-	-	-	2	3	4
51		White--Male	2,157	-	-	-	-	-	-	-	1	1
52		Female	2,479	-	-	-	-	-	-	1	1	-
53		Negro--Male	713	-	-	-	-	-	-	1	1	-
54		Female	796	-	-	-	-	-	-	-	-	3
55		Other--Male	7	-	-	-	-	-	-	-	-	-
56		Female	1	-	-	-	-	-	-	-	-	-
57	450-456	Diseases of arteries	36,687	5	2	1	-	3	11	6	20	59
58		White--Male	17,500	2	2	1	-	2	7	2	2	11
59		Female	16,534	2	-	-	-	1	3	4	14	35
60		Negro--Male	1,345	1	-	-	-	-	1	-	-	1
61		Female	1,208	-	-	-	-	-	-	-	4	12
62		Other--Male	61	-	-	-	-	-	-	-	-	-
63		Female	39	-	-	-	-	-	-	-	-	-
64	450	General arteriosclerosis	31,685	-	-	-	-	-	-	1	-	1
65		White--Male	14,487	-	-	-	-	-	-	1	-	1
66		Female	15,051	-	-	-	-	-	-	-	-	-
67		Negro--Male	1,104	-	-	-	-	-	-	-	-	-
68		Female	961	-	-	-	-	-	-	-	-	-
69		Other--Male	49	-	-	-	-	-	-	-	-	-
70		Female	33	-	-	-	-	-	-	-	-	-
71	451	Aortic aneurysm specified as nonsyphilitic, etc.*	3,016	-	-	-	-	1	1	-	-	2
72		White--Male	2,042	-	-	-	-	1	1	-	-	2
73		Female	710	-	-	-	-	-	-	-	-	-
74		Negro--Male	142	-	-	-	-	-	-	-	-	-
75		Female	109	-	-	-	-	-	-	-	-	-
76		Other--Male	11	-	-	-	-	-	-	-	-	-
77		Female	2	-	-	-	-	-	-	-	-	-
78	455	Gangrene of unspecified cause	220	1	-	-	-	-	1	-	-	1
79		White--Male	101	-	-	-	-	-	-	-	-	-
80		Female	76	1	-	-	-	-	1	-	-	-
81		Negro--Male	22	-	-	-	-	-	-	-	-	-
82		Female	21	-	-	-	-	-	-	-	-	1
83		Other--Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	452-454,456	Other arterial diseases	1,766	4	2	1	-	2	9	5	20	55
86		White--Male	870	2	2	1	-	1	6	1	2	8
87		Female	697	1	-	-	-	1	2	4	14	35
88		Negro--Male	77	1	-	-	-	-	1	-	-	1
89		Female	117	-	-	-	-	-	-	-	4	11
90		Other--Male	1	-	-	-	-	-	-	-	-	-
91		Female	4	-	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
12	11	15	33	44	107	149	199	284	345	358	399	235	141	58	21	1	-	1
4	5	8	14	23	62	70	116	149	175	164	195	114	57	26	4	-	-	2
1	4	3	12	12	31	55	66	109	150	179	195	119	81	30	15	-	-	3
4	1	1	2	3	8	12	9	11	9	6	4	1	1	2	2	1	-	4
3	1	3	5	6	6	11	7	13	10	7	4	1	2	-	-	-	-	5
-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	6
-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	7
90	122	208	355	594	842	1,171	1,404	1,927	2,298	2,306	2,228	1,849	1,034	460	109	27	17	8
29	31	72	131	293	430	599	816	1,104	1,320	1,318	1,159	875	438	183	40	6	7	9
16	41	45	78	98	136	178	251	413	577	672	821	827	486	250	52	11	1	10
20	24	46	66	106	158	233	216	276	235	187	144	92	60	12	7	2	4	11
23	24	44	76	94	114	156	116	128	164	125	91	50	48	11	10	8	5	12
1	2	-	2	3	2	1	3	2	1	4	9	3	2	2	-	-	-	13
1	-	1	2	-	2	4	2	4	1	-	4	2	-	2	-	-	-	14
54	146	358	850	1,731	2,941	4,999	6,839	9,078	11,724	13,157	13,149	10,656	5,717	1,939	392	79	69	15
15	35	80	197	438	694	1,641	2,548	3,639	4,654	5,202	5,033	3,950	2,016	650	114	10	16	16
13	34	72	178	431	792	1,380	2,178	3,303	4,680	6,095	6,798	5,885	3,290	1,119	224	24	29	17
15	27	98	196	366	544	909	1,035	1,050	1,179	922	641	407	189	74	22	11	14	18
11	49	108	275	488	698	1,040	1,052	1,051	1,189	911	638	396	215	93	31	33	10	19
-	1	-	3	6	7	18	19	27	16	16	29	11	5	1	1	1	-	20
-	-	-	1	2	6	11	7	8	6	11	10	7	2	2	-	-	-	21
20	57	121	259	491	674	1,105	1,506	2,082	2,891	3,492	3,974	3,746	2,235	898	202	42	20	22
4	18	34	59	132	225	404	592	884	1,261	1,510	1,768	1,683	946	352	56	5	5	23
4	10	25	65	123	183	274	424	666	1,003	1,467	1,808	1,799	1,157	493	124	17	6	24
6	15	36	60	104	120	210	261	277	336	286	206	145	58	24	12	5	6	25
6	14	26	74	130	146	210	221	245	289	222	180	111	72	27	9	14	3	26
-	-	-	1	2	-	4	6	7	2	4	9	6	2	-	1	1	-	27
-	-	-	-	-	-	3	2	3	-	3	3	2	-	2	-	-	-	28
34	89	237	591	1,240	2,267	3,894	5,333	6,996	8,833	9,665	9,175	6,910	3,482	1,041	190	37	49	29
11	17	46	138	306	669	1,237	1,956	2,755	3,393	3,692	3,265	2,267	1,070	298	58	5	11	30
9	24	47	113	308	609	1,106	1,754	2,637	3,677	4,628	4,990	4,086	2,133	626	100	7	23	31
9	12	62	136	262	424	699	774	773	843	636	435	262	131	50	10	6	8	32
5	35	82	201	358	552	830	831	806	900	689	458	285	143	66	22	19	7	33
-	1	-	2	4	7	14	13	20	14	12	20	5	3	1	-	-	-	34
-	-	-	1	2	6	8	5	5	6	8	7	5	2	-	-	-	-	35
47	119	220	378	521	675	732	847	1,000	1,328	1,548	1,762	1,659	1,100	428	95	24	7	36
17	28	36	89	166	258	287	363	428	580	654	790	682	433	170	37	4	3	37
10	26	49	91	119	175	182	242	347	488	682	811	844	596	230	45	10	1	38
8	32	49	96	109	117	138	122	123	124	100	83	74	35	14	8	3	1	39
12	32	86	102	127	124	124	118	100	133	111	77	56	36	13	4	7	2	40
-	-	-	-	-	1	1	2	1	2	1	1	1	-	1	1	-	-	41
-	1	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	42
15	40	85	149	193	261	336	399	504	692	841	949	910	638	256	63	12	3	43
7	13	16	44	70	95	132	185	218	341	400	480	435	286	116	28	3	1	44
3	10	16	38	42	75	88	110	190	242	357	397	413	326	132	27	4	1	45
2	6	22	35	41	45	58	57	58	58	42	39	35	15	4	4	3	1	46
3	10	31	32	40	45	58	47	36	49	42	33	25	11	4	3	2	-	47
-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	1	-	-	48
-	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	49
32	79	135	229	328	414	396	448	496	636	707	813	749	462	172	32	12	4	50
10	15	20	45	96	163	155	178	210	239	254	310	247	147	54	9	1	2	51
7	16	33	53	77	100	94	132	157	246	325	414	431	270	98	18	6	-	52
6	26	27	61	68	72	80	65	65	66	58	44	39	20	10	4	-	-	53
9	22	55	70	87	79	66	71	64	84	69	44	31	25	9	1	5	2	54
-	-	-	-	-	-	1	2	-	1	1	1	-	-	1	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	56
65	111	119	151	228	382	617	1,097	1,811	2,855	4,413	6,281	7,739	6,114	3,482	917	182	27	57
17	31	38	58	87	216	343	633	1,095	1,630	2,305	3,120	3,566	2,665	1,311	312	41	10	58
38	57	47	55	71	90	139	242	470	897	1,728	2,805	3,896	3,232	2,049	557	92	13	59
4	6	12	15	32	37	70	129	150	180	199	199	136	88	55	16	13	2	60
6	16	21	23	37	37	60	90	91	139	167	147	122	114	59	28	33	2	61
-	-	-	-	-	1	5	1	4	5	10	4	13	10	5	2	1	-	62
-	1	1	-	1	1	-	2	1	4	4	6	6	5	3	2	2	-	63
6	5	13	19	47	101	272	541	1,108	2,165	3,794	5,756	7,378	5,959	3,413	902	178	26	64
1	1	3	9	17	52	141	265	574	1,128	1,908	2,798	3,371	2,584	1,276	307	40	10	65
4	1	7	2	7	20	50	125	345	743	1,548	2,622	3,744	3,167	2,016	548	90	12	66
1	1	2	6	12	16	37	83	113	163	182	188	131	85	54	15	13	2	67
-	2	1	2	11	13	42	66	73	123	146	139	114	108	59	28	32	2	68
-	-	-	-	-	-	2	-	2	5	6	4	12	10	5	2	1	-	69
-	-	-	-	-	-	-	2	1	3	4	5	6	5	3	2	2	-	70
3	21	22	38	56	151	195	365	503	515	451	358	225	78	28	2	2	-	71
3	9	10	18	26	100	122	260	394	393	306	221	123	41	12	-	1	-	72
-	7	3	7	8	21	34	60	66	104	124	126	96	35	16	2	1	-	73
-	3	5	8	10	12	24	27	29	8	7	6	3	-	-	-	-	-	74
-	2	4	5	11	17	13	17	12	10	10	4	2	2	-	-	-	-	75
-	-	-	-	-	1	2	1	2	-	4	-	1	-	-	-	-	-	76
-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	77
-	-	1	3	4	5	7	16	19	18	26	36	38	21	15	7	2	-	78
-	-	1	2	1	-	1	7	11	9	13	21	15	10	8	2	-	-	79
-	-	-	-	1	2	5	5	4	4	6	12	16	9	6	4	1	-	80
-	-	-	-	2	2	-	3	1	2	5	2	2	1	1	1	-	-	81
-	-	-	1	-	1	1	1	3	3	2	1	5	1	-	-	1	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
56	85	83	91	121	125	143	175	181	157	142	131	98	56	26	6	-	1	85
13	21	24	29	43	64	79	101	116	100	78	80	57	30	15	3	-	-	86
34	49	37	46	55	47	50	52	55	46	50	45	40	21	11	3	-	1	87
3	2	5	1	8	7	9	16	7	7	5	3	-	2	-	-	-	-	88
6	12	16	15	15	6	4	6	3	3	9	3	1	3	-	-	-	-	89
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	90
-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
1	460-468	Diseases of veins and other diseases of circulatory system----	3,866	60	13	7	2	4	86	7	5	20
2		White--------Male----	1,916	26	5	2	2	-	35	6	-	10
3		Female--	1,496	21	4	2	-	2	29	1	3	5
4		Negro--------Male----	227	8	3	-	-	1	12	-	-	1
5		Female--	220	4	1	2	-	1	8	-	2	4
6		Other--------Male----	4	1	-	-	-	-	1	-	-	-
7		Female--	3	-	-	1	-	-	1	-	-	-
8		VIII. Diseases of the respiratory system----------	61,648	11,165	1,950	824	513	379	14,831	865	395	405
9		White--------Male----	30,141	4,104	704	318	214	169	5,509	370	152	162
10		Female--	20,162	3,281	671	277	178	128	4,535	336	139	135
11		Negro--------Male----	6,127	1,911	285	119	55	45	2,415	87	49	51
12		Female--	4,580	1,604	235	94	53	32	2,018	63	50	53
13		Other--------Male----	367	138	23	11	7	2	181	7	2	3
14		Female--	271	127	32	5	6	3	173	2	3	1
15	470-475	Acute upper respiratory infections----------	1,067	431	117	65	31	25	669	51	20	14
16		White--------Male----	423	155	57	28	15	8	263	21	7	10
17		Female--	396	137	39	27	11	11	225	20	10	3
18		Negro--------Male----	117	67	12	4	3	3	89	4	2	-
19		Female--	111	61	8	6	1	2	78	6	1	1
20		Other--------Male----	8	4	-	-	1	1	6	-	-	-
21		Female--	12	7	1	-	-	-	8	-	-	-
22	480-483	Influenza----------	5,631	820	150	63	35	29	1,097	83	63	64
23		White--------Male----	2,122	247	51	20	13	10	341	26	28	24
24		Female--	2,105	210	42	14	13	8	287	36	19	22
25		Negro--------Male----	667	192	35	14	6	7	254	13	7	10
26		Female--	685	158	22	13	2	4	199	8	9	8
27		Other--------Male----	20	9	-	2	-	-	11	-	-	-
28		Female--	12	4	-	-	1	-	5	-	-	-
29	490-493	Pneumonia, except pneumonia of newborn----------	40,634	8,284	1,401	542	319	205	10,751	475	240	247
30		White--------Male----	18,527	2,984	474	192	118	94	3,862	201	91	97
31		Female--	13,912	2,403	482	178	111	64	3,238	180	82	84
32		Negro--------Male----	4,394	1,446	210	93	36	26	1,811	53	28	29
33		Female--	3,285	1,228	187	66	43	18	1,542	35	35	35
34		Other--------Male----	293	116	22	8	6	1	153	5	1	1
35		Female--	223	107	26	5	5	2	145	1	3	1
36	490	Lobar pneumonia----------	12,422	1,270	258	104	51	42	1,725	94	76	72
37		White--------Male----	5,965	443	76	36	18	20	593	33	25	26
38		Female--	3,754	390	73	32	15	8	518	34	23	21
39		Negro--------Male----	1,582	224	60	22	8	7	321	12	13	9
40		Female--	995	173	42	11	7	7	240	14	14	16
41		Other--------Male----	67	17	3	2	1	-	23	-	-	-
42		Female--	59	23	4	1	2	-	30	1	1	-
43	491	Bronchopneumonia----------	20,101	4,829	613	312	193	113	6,260	256	96	108
44		White--------Male----	8,979	1,734	279	111	65	45	2,234	118	37	48
45		Female--	7,316	1,363	297	100	72	43	1,875	97	40	44
46		Negro--------Male----	1,977	881	106	55	22	14	1,078	24	7	9
47		Female--	1,573	735	99	40	29	10	913	15	11	6
48		Other--------Male----	154	65	15	2	2	1	85	2	1	1
49		Female--	102	51	17	4	3	-	75	-	-	-
50	492	Primary atypical pneumonia----------	3,792	925	160	46	37	32	1,200	56	35	29
51		White--------Male----	1,779	376	71	18	20	15	500	28	19	9
52		Female--	1,418	319	55	20	11	11	416	22	9	10
53		Negro--------Male----	312	110	17	4	3	5	139	3	3	4
54		Female--	256	103	17	3	3	1	127	1	4	6
55		Other--------Male----	14	5	-	1	-	-	6	2	-	-
56		Female--	13	12	-	-	-	-	12	-	-	-
57	493	Pneumonia, other and unspecified----------	4,319	1,260	170	80	38	18	1,566	69	33	38
58		White--------Male----	1,804	431	48	27	15	14	535	22	10	14
59		Female--	1,424	331	57	26	13	2	429	27	10	9
60		Negro--------Male----	523	231	27	12	3	-	273	14	5	7
61		Female--	461	217	29	12	4	-	262	5	6	7
62		Other--------Male----	58	29	4	3	3	-	39	1	-	-
63		Female--	49	21	5	-	-	2	28	-	2	1
64	500	Acute bronchitis----------	1,038	369	113	56	31	20	589	38	9	10
65		White--------Male----	469	153	50	33	19	9	264	19	8	6
66		Female--	374	119	44	18	8	9	198	14	1	4
67		Negro--------Male----	109	54	9	-	3	1	67	3	-	-
68		Female--	80	39	8	5	1	1	54	2	-	-
69		Other--------Male----	3	3	-	-	-	-	3	-	-	-
70		Female--	3	1	2	-	-	-	3	-	-	-
71	501,502	Bronchitis, chronic and unqualified----------	1,932	293	67	30	21	16	427	26	8	4
72		White--------Male----	1,139	119	28	13	14	9	183	13	1	3
73		Female--	585	92	24	14	4	3	137	11	5	1
74		Negro--------Male----	119	47	9	2	1	2	61	1	2	-
75		Female--	80	32	4	1	2	2	41	1	-	-
76		Other--------Male----	4	2	-	-	-	-	2	-	-	-
77		Female--	5	1	2	-	-	-	3	-	-	-
78	510	Hypertrophy of tonsils and adenoids----------	346	3	5	21	44	51	124	129	18	10
79		White--------Male----	150	1	1	10	24	26	62	58	3	-
80		Female--	136	-	4	9	15	21	49	53	7	4
81		Negro--------Male----	29	1	-	2	3	1	7	8	5	3
82		Female--	27	1	-	-	2	2	5	8	3	3
83		Other--------Male----	3	-	-	-	-	-	-	2	-	-
84		Female--	1	-	-	-	-	1	1	-	-	-
85	518,521	Empyema and abscess of lung----------	715	26	2	2	1	2	33	3	4	9
86		White--------Male----	427	13	1	1	-	-	15	1	1	4
87		Female--	136	7	1	1	1	-	10	-	1	2
88		Negro--------Male----	118	4	-	-	-	-	4	2	1	1
89		Female--	25	1	-	-	-	2	3	-	1	2
90		Other--------Male----	7	1	-	-	-	-	1	-	-	-
91		Female--	2	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
38	51	92	144	176	222	298	404	478	499	439	414	291	132	56	10	2	2	1
6	13	28	59	84	115	152	217	274	247	222	214	145	56	27	3	1	2	2
15	25	34	47	66	70	88	136	156	218	189	177	133	70	26	7	1	-	3
1	5	9	14	15	20	27	36	23	23	10	17	8	4	2	-	-	-	4
15	8	21	23	10	17	31	14	24	11	18	6	5	2	1	-	-	-	5
-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	6
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
447	588	759	1,068	1,481	1,885	2,541	3,336	4,236	5,041	5,570	6,042	5,686	3,823	1,929	545	129	46	8
176	214	292	429	686	1,059	1,450	2,080	2,795	3,076	3,103	3,185	2,725	1,662	785	196	23	14	9
132	160	198	262	346	379	447	630	839	1,285	1,867	2,428	2,635	1,978	1,045	312	65	9	10
71	107	140	221	276	274	405	384	360	387	328	241	177	79	38	17	10	10	11
64	102	121	142	160	159	225	222	223	255	238	167	127	89	49	17	27	9	12
1	3	2	7	10	7	11	17	13	30	22	13	17	8	7	1	2	3	13
3	2	6	7	3	7	3	3	6	8	12	10	5	7	5	2	2	1	14
12	16	16	16	15	12	19	18	23	25	29	34	33	25	10	8	2	-	15
2	12	7	9	7	5	8	6	10	10	10	14	10	8	3	1	-	-	16
7	2	5	2	4	4	8	6	13	11	14	17	19	12	6	6	2	-	17
-	1	1	3	3	-	2	3	-	-	3	2	1	3	-	-	-	-	18
3	1	3	2	1	3	1	2	-	3	1	1	1	2	1	-	-	-	19
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	20
-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	21
39	51	68	87	125	151	191	213	303	414	524	639	670	507	243	67	23	9	22
11	21	16	27	43	55	70	83	137	177	207	258	279	201	90	23	5	-	23
14	17	23	19	30	47	30	60	73	133	213	306	327	266	136	36	10	1	24
6	7	11	19	26	22	46	25	49	41	40	43	37	17	5	2	4	3	25
8	6	18	22	26	26	45	45	42	61	60	30	25	21	11	6	4	5	26
-	-	-	-	-	-	-	-	-	2	2	1	2	1	1	-	-	-	27
-	-	-	-	-	1	-	-	2	-	2	1	-	1	-	-	-	-	28
277	377	513	702	990	1,203	1,554	1,841	2,329	2,936	3,481	4,065	4,068	2,727	1,371	383	76	28	29
109	127	198	275	444	653	812	1,006	1,361	1,602	1,796	2,065	1,934	1,188	552	138	8	8	30
75	93	124	154	225	229	299	398	558	862	1,269	1,708	1,903	1,420	746	219	39	7	31
47	76	107	161	199	200	277	270	243	273	235	156	122	50	31	15	5	6	32
42	77	79	99	111	109	156	152	155	167	155	119	95	56	33	10	20	3	33
1	2	1	7	9	6	7	13	9	25	16	10	10	7	4	1	2	3	34
3	2	4	6	2	6	3	2	3	7	10	7	4	6	5	-	2	1	35
113	179	227	348	472	597	761	790	966	1,123	1,284	1,361	1,134	714	290	77	9	10	36
42	54	83	138	211	334	410	434	561	626	682	704	555	311	113	26	1	3	37
28	37	43	59	91	90	123	137	204	287	433	545	508	368	154	44	4	3	38
25	42	65	95	108	115	144	144	117	130	104	66	39	14	11	5	1	2	39
17	43	34	50	57	54	82	67	78	68	55	41	31	20	8	1	3	2	40
-	2	-	1	5	2	2	7	6	7	6	3	1	-	1	1	-	-	41
1	1	2	5	-	2	-	1	-	5	4	2	-	1	3	-	-	-	42
109	128	182	239	335	381	555	708	958	1,321	1,582	2,026	2,224	1,521	822	228	51	11	43
48	49	71	91	155	190	285	397	577	703	807	1,026	1,041	663	342	89	5	3	44
28	38	55	67	83	95	128	166	241	425	610	867	1,062	790	446	130	27	2	45
14	17	24	41	62	57	92	80	88	109	87	68	67	31	13	3	4	2	46
18	23	30	34	32	34	45	59	49	71	67	57	46	27	17	6	12	1	47
-	-	1	5	2	3	4	5	2	12	8	5	6	6	2	-	2	2	48
1	1	1	1	1	2	1	1	1	1	3	3	2	4	2	-	1	1	49
35	31	64	63	92	118	134	181	228	255	295	331	314	201	102	27	1	-	50
12	8	31	22	39	67	63	93	133	154	147	165	154	82	42	10	1	-	51
14	12	19	19	31	32	35	58	64	78	119	152	150	112	53	13	-	-	52
4	5	7	11	11	13	22	19	18	13	14	8	7	3	5	3	-	-	53
5	6	7	10	10	6	13	11	12	10	14	5	3	3	2	1	-	-	54
-	-	-	1	-	-	1	-	1	-	1	1	-	1	-	-	-	-	55
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	56
20	39	40	52	91	107	104	162	177	237	320	347	396	291	157	51	15	7	57
7	16	13	24	39	62	54	82	90	119	160	170	184	132	55	13	1	2	58
5	6	7	9	20	12	13	37	49	72	107	144	183	150	93	32	8	2	59
4	12	11	14	18	15	19	27	20	21	30	14	9	2	2	4	-	2	60
2	5	8	5	12	15	16	15	16	18	19	16	15	6	6	2	5	-	61
1	-	-	-	2	1	-	1	-	6	1	1	3	-	1	-	-	1	62
1	-	1	-	-	2	2	-	2	1	3	2	2	1	-	-	1	-	63
11	11	8	18	11	22	18	27	29	35	41	52	41	36	25	5	1	1	64
6	6	2	6	3	10	8	16	22	20	22	17	16	8	9	-	1	-	65
1	3	2	6	5	6	4	4	5	9	16	27	24	25	15	5	-	-	66
1	2	4	4	3	2	5	7	2	2	-	4	1	-	1	-	-	1	67
3	-	-	2	-	4	1	-	-	4	3	4	-	3	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
1	7	12	15	35	40	76	108	176	211	239	211	174	89	54	14	4	1	71
1	2	4	6	24	25	59	77	138	154	146	130	96	42	27	7	1	-	72
-	3	5	3	7	6	6	22	26	47	76	74	76	44	27	7	2	-	73
-	-	-	3	1	8	9	5	6	6	11	3	1	2	-	-	-	-	74
-	2	3	2	3	1	1	4	5	4	6	4	-	1	-	-	1	1	75
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	76
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	77
11	14	6	11	4	5	1	1	5	4	1	-	1	-	1	-	-	-	78
5	5	2	4	1	4	-	1	1	4	-	-	-	-	-	-	-	-	79
6	4	2	2	2	1	-	-	3	-	1	-	1	-	1	-	-	-	80
-	2	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	81
-	2	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	82
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
11	23	22	34	50	53	44	93	102	73	76	48	25	10	1	1	-	-	85
8	5	10	11	24	31	24	62	81	52	51	26	13	6	1	1	-	-	86
2	6	3	13	5	8	6	12	9	13	18	17	9	2	-	-	-	-	87
1	9	4	9	16	12	13	18	8	7	5	4	3	1	-	-	-	-	88
-	3	4	1	3	2	1	-	2	1	1	-	-	1	-	-	-	-	89
-	-	1	-	1	-	-	1	2	-	1	-	-	-	-	-	-	-	90
-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VIII. Diseases of the respiratory system—Continued										
1	519	Pleurisy	236	10	2	1	-	-	13	1	1	3
2		White--Male	118	3	-	-	-	-	3	-	-	2
3		Female	70	5	1	-	-	-	6	-	1	-
4		Negro--Male	27	-	1	1	-	-	2	-	-	1
5		Female	19	2	-	-	-	-	2	1	-	-
6		Other--Male	2	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	Residual[1]	All other respiratory diseases	10,049	929	93	44	31	31	1,128	59	32	44
9		White--Male	6,766	429	42	21	11	13	516	31	13	16
10		Female	2,448	308	34	16	15	12	385	22	13	15
11		Negro--Male	527	100	9	3	3	5	120	3	4	7
12		Female	268	82	6	3	2	1	94	2	1	4
13		Other--Male	27	3	1	1	-	-	5	-	1	2
14		Female	13	7	1	-	-	-	8	1	-	-
15		IX. Diseases of the digestive system	58,138	5,914	799	273	172	128	7,286	369	210	241
16		White--Male	30,847	2,278	314	97	77	56	2,822	186	93	99
17		Female	20,260	1,613	264	94	63	41	2,075	122	77	92
18		Negro--Male	3,717	1,054	96	40	18	12	1,220	30	21	24
19		Female	2,734	754	77	32	12	16	891	28	17	25
20		Other--Male	350	119	25	6	-	2	152	2	2	1
21		Female	230	96	23	4	2	1	126	1	-	-
22	530-535	Diseases of teeth and supporting structures	208	1	-	-	2	2	5	3	3	1
23		White--Male	86	1	-	-	1	1	3	2	2	-
24		Female	69	-	-	-	1	1	2	1	-	1
25		Negro--Male	32	-	-	-	-	-	-	-	1	-
26		Female	19	-	-	-	-	-	-	-	-	-
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	2	-	-	-	-	-	-	-	-	-
29	540	Ulcer of stomach	4,537	29	5	3	2	2	41	4	3	4
30		White--Male	3,253	12	2	1	1	1	17	2	2	1
31		Female	871	3	1	2	1	1	8	2	1	-
32		Negro--Male	296	11	1	-	-	-	12	-	-	2
33		Female	96	2	1	-	-	-	3	-	-	1
34		Other--Male	19	1	-	-	-	-	1	-	-	-
35		Female	2	-	-	-	-	-	-	-	-	-
36	541	Ulcer of duodenum	4,233	19	-	-	-	-	19	1	1	1
37		White--Male	3,284	10	-	-	-	-	10	1	-	-
38		Female	704	4	-	-	-	-	4	-	1	-
39		Negro--Male	177	5	-	-	-	-	5	-	-	1
40		Female	45	-	-	-	-	-	-	-	-	-
41		Other--Male	21	-	-	-	-	-	-	-	-	-
42		Female	2	-	-	-	-	-	-	-	-	-
43	543	Gastritis and duodenitis	299	25	6	-	4	2	37	5	2	2
44		White--Male	133	5	3	-	1	2	11	1	2	2
45		Female	88	8	2	-	2	-	12	3	-	-
46		Negro--Male	40	9	-	-	1	-	10	1	-	-
47		Female	35	3	-	-	-	-	3	-	-	-
48		Other--Male	2	-	1	-	-	-	1	-	-	-
49		Female	1	-	-	-	-	-	-	-	-	-
50	550-553	Appendicitis	2,710	17	16	36	37	26	132	131	89	97
51		White--Male	1,432	8	10	15	22	14	69	72	36	44
52		Female	833	4	5	16	12	10	47	34	36	39
53		Negro--Male	252	3	-	3	1	1	8	14	10	8
54		Female	179	1	1	1	2	1	6	9	6	5
55		Other--Male	9	-	-	1	-	-	1	1	1	1
56		Female	5	1	-	-	-	-	1	1	-	-
57	560,561,570	Hernia and intestinal obstruction	8,481	953	80	33	18	12	1,096	24	28	29
58		White--Male	3,912	472	28	16	14	5	535	15	16	12
59		Female	3,499	328	26	8	2	3	367	5	6	5
60		Negro--Male	565	93	21	6	1	3	124	1	-	4
61		Female	463	51	4	3	1	1	60	3	5	8
62		Other--Male	20	3	-	-	-	-	3	-	1	-
63		Female	22	6	1	-	-	-	7	-	-	-
64	571,572	Gastro-enteritis and colitis, except diarrhea of newborn	8,444	4,342	587	134	65	43	5,171	104	38	29
65		White--Male	3,249	1,535	219	38	25	13	1,830	42	17	15
66		Female	2,869	1,098	188	41	18	9	1,354	38	15	12
67		Negro--Male	1,134	866	67	24	13	7	977	11	3	1
68		Female	919	642	67	23	8	11	751	12	3	1
69		Other--Male	150	114	24	4	-	2	144	1	-	-
70		Female	123	87	22	4	1	1	115	-	-	-
71	581	Cirrhosis of liver	15,934	45	11	5	5	3	69	18	22	26
72		White--Male	9,858	15	3	2	3	1	24	10	7	6
73		Female	4,895	23	7	3	2	1	36	6	10	16
74		Negro--Male	664	3	1	-	-	-	4	1	3	1
75		Female	397	3	-	-	-	1	4	1	2	3
76		Other--Male	87	-	-	-	-	-	-	-	-	-
77		Female	33	1	-	-	-	-	1	-	-	-
78	581.0	Without mention of alcoholism	11,945	44	11	5	5	3	68	18	21	25
79		White--Male	7,252	15	3	2	3	1	24	10	7	5
80		Female	3,843	22	7	3	2	1	35	6	9	16
81		Negro--Male	471	3	1	-	-	-	4	1	3	1
82		Female	299	3	-	-	-	1	4	1	2	3
83		Other--Male	56	-	-	-	-	-	-	-	-	-
84		Female	24	1	-	-	-	-	1	-	-	-
85	581.1	With alcoholism	3,989	1	-	-	-	-	1	-	1	1
86		White--Male	2,606	-	-	-	-	-	-	-	-	1
87		Female	1,052	1	-	-	-	-	1	-	1	-
88		Negro--Male	193	-	-	-	-	-	-	-	-	-
89		Female	98	-	-	-	-	-	-	-	-	-
90		Other--Male	31	-	-	-	-	-	-	-	-	-
91		Female	9	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 49.

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2	7	3	8	16	14	25	13	24	32	23	24	14	9	3	1	-	-	1
2	1	-	3	5	6	12	8	14	20	15	14	5	5	3	-	-	-	2
-	2	2	4	3	4	7	2	4	9	6	8	8	3	-	1	-	-	3
-	1	-	-	4	3	6	2	4	-	2	1	-	1	-	-	-	-	4
-	3	1	1	4	1	-	-	2	2	-	1	1	-	-	-	-	-	5
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
83	82	111	177	235	385	613	1,022	1,245	1,311	1,156	969	660	420	221	66	23	7	8
32	35	53	88	135	270	457	821	1,031	1,037	856	659	372	204	100	26	8	6	9
27	30	32	59	65	74	87	126	148	201	254	271	268	206	114	38	12	1	10
16	9	13	19	24	27	47	54	47	58	32	28	12	5	1	-	1	-	11
8	8	11	11	11	13	19	19	17	13	12	8	5	5	4	1	2	-	12
-	-	-	-	-	1	3	2	2	2	2	2	3	-	2	-	-	-	13
-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	14
401	653	1,091	1,987	2,981	3,990	4,787	5,658	5,937	6,389	5,744	4,826	3,237	1,632	564	99	20	36	15
150	254	451	970	1,596	2,276	2,792	3,496	3,592	3,784	3,212	2,503	1,564	721	238	31	5	12	16
144	245	389	650	948	1,226	1,380	1,695	1,852	2,190	2,249	2,117	1,557	866	299	63	9	15	17
45	60	112	198	217	262	348	279	279	222	161	123	71	25	11	2	3	4	18
53	86	122	154	201	191	226	159	179	161	98	67	38	17	14	2	3	2	19
1	3	6	8	10	22	32	21	27	24	20	12	1	2	1	1	-	2	20
8	5	11	7	9	13	9	8	8	8	4	4	6	1	1	-	-	1	21
3	6	5	11	17	10	24	14	28	26	17	18	12	4	1	-	-	-	22
1	1	1	6	5	5	8	4	12	13	12	7	4	-	-	-	-	-	23
2	3	3	3	7	2	8	4	9	6	3	9	2	3	1	-	-	-	24
-	-	-	-	4	1	4	4	3	4	2	2	6	1	-	-	-	-	25
-	2	1	2	-	2	4	2	3	3	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	28
20	30	56	124	214	314	431	585	591	671	564	427	291	124	29	9	-	5	29
9	16	32	80	150	232	313	450	463	503	416	285	186	72	19	2	-	3	30
5	7	12	16	28	39	52	89	88	124	120	119	98	46	9	7	-	1	31
6	3	7	24	22	30	50	35	29	34	21	16	2	2	-	-	-	1	32
-	2	5	4	12	11	14	8	11	8	3	5	5	3	1	-	-	-	33
-	2	-	-	2	1	2	3	-	2	3	2	-	1	-	-	-	-	34
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	35
15	37	80	148	235	313	436	534	584	595	497	377	227	89	34	7	-	3	36
11	25	59	106	169	249	345	444	475	479	392	288	148	58	21	4	-	-	37
1	4	10	23	42	43	57	52	85	97	93	78	70	28	11	3	-	2	38
2	6	8	11	18	16	25	31	15	16	7	7	8	1	-	-	-	-	39
-	2	3	8	4	3	7	6	3	1	2	2	1	2	1	-	-	-	40
-	-	-	-	2	2	2	1	6	1	3	2	-	-	1	-	-	1	41
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	42
6	6	5	10	11	16	20	31	25	32	25	24	24	9	6	2	1	-	43
4	2	1	3	4	8	14	19	13	17	12	5	7	6	1	1	-	-	44
-	1	1	2	1	1	3	3	6	10	8	15	13	3	5	1	-	-	45
1	2	1	2	3	3	1	4	3	3	2	2	2	-	-	-	-	-	46
1	1	2	2	3	3	2	5	3	2	3	2	2	-	-	-	1	-	47
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
78	89	80	113	144	170	229	246	227	272	193	201	131	68	16	1	2	1	50
31	41	35	53	67	97	131	137	125	158	121	101	72	30	11	-	1	-	51
23	27	25	25	34	38	48	68	71	82	62	82	51	36	4	-	-	1	52
8	9	5	22	25	15	32	29	23	17	6	13	5	2	1	-	-	-	53
13	12	13	13	18	19	18	12	8	14	4	4	3	-	-	1	1	-	54
1	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	55
2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
51	83	115	171	246	306	454	591	759	973	1,061	1,015	806	474	163	30	2	4	57
20	21	34	52	76	117	189	280	346	489	553	498	368	214	62	11	2	2	58
19	31	40	61	104	122	157	232	304	375	457	458	401	243	93	18	-	1	59
5	8	20	19	30	34	56	46	55	58	27	38	23	10	5	1	-	1	60
6	23	21	39	35	30	49	31	51	44	22	17	10	6	3	-	-	-	61
-	-	-	-	-	-	2	2	2	4	2	4	-	-	-	-	-	-	62
1	-	-	-	1	3	1	-	1	3	-	-	4	1	-	-	-	-	63
73	62	81	117	110	183	201	233	300	321	402	414	314	186	86	10	6	3	64
34	32	33	47	48	77	91	126	149	138	161	172	123	74	37	2	1	-	65
28	23	36	46	40	77	72	90	114	148	205	224	178	110	46	8	3	2	66
4	4	3	9	8	16	20	8	21	15	16	7	7	2	1	-	1	-	67
5	3	8	15	14	11	17	8	16	18	18	9	6	-	2	-	1	1	68
-	-	-	-	-	2	-	-	-	1	2	-	-	-	-	-	-	-	69
2	-	1	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	70
52	157	405	893	1,453	1,914	2,082	2,195	1,970	1,797	1,289	857	476	186	52	7	3	11	71
11	65	160	459	839	1,151	1,308	1,490	1,348	1,249	823	515	261	99	26	2	-	5	72
25	62	158	315	470	605	587	584	506	481	409	313	202	82	20	4	1	3	73
6	11	44	70	74	84	102	76	76	39	38	18	9	3	1	-	2	2	74
9	15	34	41	63	59	62	31	25	20	11	8	3	1	5	-	-	-	75
-	1	3	5	2	12	19	11	14	8	6	2	1	1	-	1	-	1	76
1	3	6	3	5	3	4	3	1	-	2	1	-	-	-	-	-	-	77
45	89	250	547	911	1,327	1,491	1,613	1,528	1,471	1,103	767	436	170	50	7	2	6	78
10	34	102	269	528	769	918	1,084	1,011	984	686	450	241	90	26	2	-	2	79
23	37	94	198	291	450	442	443	423	431	366	294	184	76	18	4	1	2	80
3	6	29	48	46	55	69	54	58	33	34	14	7	2	1	-	1	2	81
8	9	21	27	40	45	47	25	23	17	11	7	3	1	5	-	-	-	82
-	1	1	4	1	5	12	6	12	6	4	1	1	1	-	1	-	-	83
1	2	3	1	5	3	3	1	1	-	2	1	-	-	-	-	-	-	84
7	68	155	346	542	587	591	582	442	326	186	90	40	16	2	-	1	5	85
1	31	58	190	311	382	390	406	337	265	137	65	20	9	-	-	-	3	86
2	25	64	117	179	155	145	141	83	50	43	19	18	6	2	-	-	1	87
3	5	15	22	28	29	33	22	18	6	4	4	2	1	-	-	1	-	88
1	6	13	14	23	14	15	6	2	3	-	1	-	-	-	-	-	-	89
-	-	2	1	1	7	7	5	2	2	2	1	-	-	-	-	-	1	90
-	1	3	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		IX. Diseases of the digestive system—Continued										
1	584,585	Cholelithiasis and cholecystitis	5,903	3	1	-	-	-	4	1	-	2
2		White--Male	2,060	1	-	-	-	-	1	1	-	1
3		Female	3,615	2	1	-	-	-	3	-	-	1
4		Negro--Male	55	-	-	-	-	-	-	-	-	-
5		Female	136	-	-	-	-	-	-	-	-	-
6		Other--Male	14	-	-	-	-	-	-	-	-	-
7		Female	23	-	-	-	-	-	-	-	-	-
8	Residual[1]	Other diseases of digestive system	7,389	480	93	62	39	38	712	78	24	50
9		White--Male	3,580	219	49	25	10	19	322	40	11	18
10		Female	2,817	143	34	24	25	16	242	33	8	18
11		Negro--Male	502	64	6	7	2	1	80	2	4	7
12		Female	445	52	4	5	1	2	64	3	1	7
13		Other--Male	28	1	-	1	-	-	2	-	-	-
14		Female	17	1	-	-	1	-	2	-	-	-
15		X. Diseases of the genito-urinary system	37,961	176	62	76	83	72	469	283	223	317
16		White--Male	19,442	93	22	36	47	33	231	126	103	128
17		Female	11,398	49	17	27	26	25	144	115	89	122
18		Negro--Male	3,922	24	14	5	8	7	58	22	13	26
19		Female	3,029	7	7	7	2	7	30	18	15	38
20		Other--Male	121	2	1	1	-	-	4	2	2	1
21		Female	49	1	1	-	-	-	2	-	1	2
22	590-594	Nephritis and nephrosis	23,888	91	51	66	79	69	356	254	196	264
23		White--Male	10,285	46	18	34	45	32	175	120	90	107
24		Female	8,475	30	14	21	24	24	113	95	79	99
25		Negro--Male	2,547	11	12	5	8	6	42	21	11	23
26		Female	2,465	3	5	5	2	7	22	17	13	32
27		Other--Male	83	1	1	1	-	-	3	1	2	1
28		Female	33	-	1	-	-	-	1	-	1	2
29	590	Acute nephritis	1,845	43	28	15	19	20	125	68	51	64
30		White--Male	761	25	8	4	12	8	57	27	24	27
31		Female	618	12	7	6	4	4	33	24	20	20
32		Negro--Male	231	4	7	1	3	4	19	6	4	4
33		Female	226	2	4	4	-	4	14	10	3	12
34		Other--Male	6	-	1	-	-	-	1	1	-	-
35		Female	3	-	1	-	-	-	1	-	-	1
36	591	Nephritis with edema, including nephrosis	1,286	20	10	24	31	21	106	60	25	29
37		White--Male	577	7	4	12	16	12	51	35	10	13
38		Female	454	6	4	9	11	8	38	20	10	8
39		Negro--Male	120	5	1	1	4	1	12	4	2	-
40		Female	127	1	1	1	-	-	3	1	2	7
41		Other--Male	4	1	-	1	-	-	2	-	-	-
42		Female	4	-	-	-	-	-	-	-	1	1
43	592-594	Chronic and unspecified nephritis and other renal sclerosis	20,757	28	13	27	29	28	125	126	120	171
44		White--Male	8,947	14	6	18	17	12	67	58	56	67
45		Female	7,403	12	3	6	9	12	42	51	49	71
46		Negro--Male	2,196	2	4	3	1	1	11	11	5	19
47		Female	2,112	-	-	-	2	3	5	6	8	13
48		Other--Male	73	-	-	-	-	-	-	-	2	1
49		Female	26	-	-	-	-	-	-	-	-	-
50	600	Infections of kidney	3,691	42	4	8	3	1	58	22	14	32
51		White--Male	1,597	17	2	1	1	-	21	4	6	15
52		Female	1,481	16	-	5	2	1	24	16	6	12
53		Negro--Male	310	6	1	-	-	-	7	-	1	2
54		Female	282	1	1	2	-	-	4	1	1	3
55		Other--Male	9	1	-	-	-	-	1	1	-	-
56		Female	12	1	-	-	-	-	1	-	-	-
57	602,604	Calculi of urinary system	1,108	1	-	-	-	-	1	1	1	2
58		White--Male	598	1	-	-	-	-	1	-	1	-
59		Female	428	-	-	-	-	-	-	1	-	2
60		Negro--Male	45	-	-	-	-	-	-	-	-	-
61		Female	33	-	-	-	-	-	-	-	-	-
62		Other--Male	3	-	-	-	-	-	-	-	-	-
63		Female	1	-	-	-	-	-	-	-	-	-
64	601,603,	Other diseases of urinary system	1,515	36	7	2	1	1	47	6	7	10
65	605-609	White--Male	790	25	2	1	1	1	30	2	5	6
66		Female	433	3	3	1	-	-	7	3	1	2
67		Negro--Male	224	5	1	-	-	-	6	1	1	1
68		Female	59	3	1	-	-	-	4	-	-	1
69		Other--Male	9	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	610	Hyperplasia of prostate	6,286	-	-	-	-	-	-	-	-	-
72		White--Male	5,607	-	-	-	-	-	-	-	-	-
73		Negro--Male	665	-	-	-	-	-	-	-	-	-
74		Other--Male	14	-	-	-	-	-	-	-	-	-
75	611-617	Other diseases of male genital organs	696	6	-	-	-	1	7	-	1	-
76		White--Male	563	4	-	-	-	-	4	-	1	-
77		Negro--Male	130	2	-	-	-	1	3	-	-	-
78		Other--Male	3	-	-	-	-	-	-	-	-	-
79	620,621	Diseases of breast	14	-	-	-	-	-	-	-	-	-
80		White--Male	2	-	-	-	-	-	-	-	-	-
81		Female	8	-	-	-	-	-	-	-	-	-
82		Negro--Male	1	-	-	-	-	-	-	-	-	-
83		Female	3	-	-	-	-	-	-	-	-	-
84		Other--Male	-	-	-	-	-	-	-	-	-	-
85		Female	-	-	-	-	-	-	-	-	-	-
86	622-637	Diseases of female genital organs	763	-	-	-	-	-	-	-	4	9
87		White--Female	573	-	-	-	-	-	-	-	3	7
88		Negro--Female	187	-	-	-	-	-	-	-	1	2
89		Other--Female	3	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 49.

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
13	35	57	94	166	269	389	572	743	901	943	823	512	266	94	14	2	3	1
2	6	10	30	56	102	133	192	282	319	336	298	175	78	31	7	-	-	2
10	28	40	55	98	147	226	359	424	546	582	512	328	184	60	7	2	3	3
-	1	-	1	2	5	10	1	11	7	8	4	4	-	1	-	-	-	4
-	-	6	4	7	12	16	18	22	21	14	8	3	4	1	-	-	-	5
-	-	-	1	1	-	2	1	1	6	2	-	-	-	-	-	-	-	6
1	-	1	3	2	3	2	1	3	2	1	1	2	-	1	-	-	-	7
90	148	207	306	385	495	521	657	710	801	753	670	444	226	83	19	4	6	8
27	45	86	134	182	238	260	354	379	419	386	334	220	90	30	2	1	2	9
31	59	64	104	124	152	170	214	245	321	310	307	214	131	50	15	3	2	10
13	16	24	40	31	58	48	45	43	29	34	16	5	4	2	1	-	-	11
19	26	29	26	45	41	37	38	37	30	21	12	5	1	1	1	-	1	12
-	-	2	2	3	3	5	3	4	1	2	1	-	-	-	-	-	-	13
-	2	2	-	-	3	1	3	2	1	-	-	-	-	-	-	-	1	14
490	676	899	1,068	1,412	1,758	2,236	2,693	3,315	4,142	4,818	5,017	4,362	2,484	998	230	45	26	15
231	282	328	358	497	679	905	1,149	1,558	2,230	2,711	3,012	2,658	1,531	595	108	12	10	16
156	210	314	357	456	552	630	830	1,018	1,154	1,398	1,428	1,274	731	327	82	8	3	17
37	60	92	141	191	260	372	397	435	486	443	375	305	134	42	20	8	5	18
64	115	157	203	257	256	310	302	288	262	248	183	121	86	34	19	16	7	19
1	6	3	5	5	6	14	12	12	7	15	19	3	2	-	1	1	-	20
1	3	5	4	6	5	5	3	4	3	3	-	1	-	-	-	-	1	21
405	512	653	814	1,064	1,316	1,627	1,862	2,174	2,446	2,750	2,784	2,375	1,323	524	141	33	15	22
201	239	267	305	409	532	684	757	939	1,089	1,198	1,261	1,072	568	217	45	5	5	23
120	144	212	247	310	379	429	584	714	842	1,060	1,117	1,016	594	249	64	7	1	24
34	50	73	121	140	195	246	250	264	284	265	228	171	81	25	13	6	4	25
48	71	96	134	195	203	253	259	246	226	218	167	114	80	33	18	15	5	26
1	6	1	5	5	5	11	10	8	3	7	11	2	-	-	1	-	-	27
1	2	4	2	5	2	4	2	3	2	2	-	-	-	-	-	-	-	28
71	70	80	86	100	126	117	116	159	147	146	118	107	58	26	9	1	-	29
28	26	26	25	41	49	53	55	63	64	65	51	48	20	9	3	-	-	30
22	20	28	30	27	33	33	27	55	47	51	51	47	32	15	3	-	-	31
8	7	9	19	16	25	18	18	20	25	15	7	6	2	1	2	-	-	32
13	15	15	12	15	19	13	16	21	11	15	9	6	4	1	1	1	-	33
-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
28	31	51	59	85	64	93	100	96	106	112	104	83	35	15	3	-	1	36
12	11	18	23	36	31	42	45	41	49	51	54	32	14	9	-	-	-	37
4	6	18	19	21	22	21	29	35	46	46	44	41	17	6	3	-	-	38
4	6	6	9	9	5	13	9	9	9	9	5	8	1	-	-	-	-	39
8	7	8	8	19	6	17	16	10	2	6	1	2	3	-	-	-	1	40
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	41
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	42
306	411	522	669	879	1,126	1,417	1,646	1,919	2,193	2,492	2,562	2,185	1,230	483	129	32	14	43
161	202	223	257	332	452	589	657	835	976	1,082	1,156	992	534	199	42	5	5	44
94	118	166	198	262	324	375	528	624	749	963	1,022	928	545	228	58	7	1	45
22	37	58	93	115	165	215	223	235	250	241	216	157	78	24	11	6	4	46
27	49	73	114	161	178	223	227	215	213	197	157	106	73	32	17	14	4	47
1	3	-	5	4	5	11	10	7	3	7	11	2	-	-	1	-	-	48
1	2	2	2	5	2	4	1	3	2	2	-	-	-	-	-	-	-	49
44	61	106	106	152	198	258	314	366	408	458	436	374	182	78	18	-	6	50
18	25	37	28	44	74	90	131	153	183	231	222	180	96	31	7	-	1	51
20	24	40	37	57	69	90	117	144	160	180	182	169	78	45	9	-	2	52
2	5	10	9	24	28	36	44	38	36	22	20	19	4	2	1	-	-	53
4	7	18	30	27	25	40	21	29	26	24	11	5	3	-	1	-	2	54
-	-	1	-	-	-	1	-	1	2	-	1	-	1	-	-	-	-	55
-	-	-	2	-	2	1	1	1	1	1	-	1	-	-	-	-	1	56
9	18	25	39	49	68	108	134	152	146	127	114	67	27	17	2	-	1	57
6	7	13	16	24	33	53	71	78	91	67	64	45	16	10	1	-	1	58
3	7	7	17	18	27	43	45	64	52	57	46	20	11	7	1	-	-	59
-	2	3	1	5	4	7	10	6	1	3	2	1	-	-	-	-	-	60
-	1	2	5	2	4	5	7	3	2	-	1	1	-	-	-	-	-	61
-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	62
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
8	16	28	29	61	66	86	126	141	181	202	186	164	97	38	14	2	-	64
5	10	9	9	17	30	27	58	69	107	118	111	95	57	18	7	-	-	65
2	4	11	6	20	14	22	33	38	43	62	54	51	34	19	6	1	-	66
1	2	4	8	18	17	30	24	30	27	15	17	17	4	-	1	-	-	67
-	-	3	6	6	4	5	10	4	4	4	3	1	2	1	-	1	-	68
-	-	1	-	-	1	2	1	-	-	3	1	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	1	2	1	5	15	85	179	377	838	1,128	1,329	1,210	765	296	44	8	3	71
-	1	2	-	3	7	42	119	295	716	1,002	1,232	1,129	727	283	40	7	2	72
-	-	-	1	2	8	43	60	80	121	121	93	80	37	13	4	1	1	73
-	-	-	-	-	-	-	-	2	1	5	4	1	1	-	-	-	-	74
1	-	2	1	2	11	19	22	41	60	112	138	154	75	38	9	2	1	75
1	-	-	-	-	3	9	13	24	42	95	122	137	67	36	8	-	1	76
-	-	2	1	2	8	10	9	17	17	17	15	17	8	2	1	1	-	77
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	78
-	2	1	-	1	1	2	-	-	5	-	-	1	1	-	-	-	-	79
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	80
-	1	1	-	-	1	-	-	-	3	-	-	1	1	-	-	-	-	81
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
23	66	82	78	78	83	51	56	64	58	41	30	17	14	7	2	-	-	86
11	30	43	50	51	62	46	51	58	54	39	29	17	13	7	2	-	-	87
12	36	38	28	26	20	5	5	6	4	2	1	-	1	-	-	-	-	88
-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	89

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	2,610	...	...	...	...	...	...	...	8	250
2		White--Female	1,624	...	...	...	...	...	...	...	-	130
3		Negro--Female	942	...	...	...	...	...	...	...	8	119
4		Other--Female	44	...	...	...	...	...	...	...	-	1
5	640,641,	Sepsis of pregnancy, childbirth, and puerperium	290	...	...	...	...	...	...	...	2	27
6	681,682,	White--Female	187	...	...	...	...	...	...	...	-	10
7	684	Negro--Female	98	...	...	...	...	...	...	...	2	17
8		Other--Female	5	...	...	...	...	...	...	...	-	-
9	642,685,686	Toxémias of pregnancy and puerperium, etc.*	873	...	...	...	...	...	...	...	5	123
10		White--Female	527	...	...	...	...	...	...	...	-	59
11		Negro--Female	330	...	...	...	...	...	...	...	5	63
12		Other--Female	16	...	...	...	...	...	...	...	-	1
13	643,644,	Hemorrhage of pregnancy and childbirth	439	...	...	...	...	...	...	...	-	27
14	670-672	White--Female	278	...	...	...	...	...	...	...	-	14
15		Negro--Female	152	...	...	...	...	...	...	...	-	13
16		Other--Female	9	...	...	...	...	...	...	...	-	-
17	645	Ectopic pregnancy	172	...	...	...	...	...	...	...	-	8
18		White--Female	72	...	...	...	...	...	...	...	-	4
19		Negro--Female	96	...	...	...	...	...	...	...	-	4
20		Other--Female	4	...	...	...	...	...	...	...	-	-
21	650	Abortion without mention of sepsis or toxemia	96	...	...	...	...	...	...	...	-	5
22		White--Female	64	...	...	...	...	...	...	...	-	3
23		Negro--Female	32	...	...	...	...	...	...	...	-	2
24		Other--Female	-	...	...	...	...	...	...	...	-	-
25	651	Abortion with sepsis	191	...	...	...	...	...	...	...	-	18
26		White--Female	113	...	...	...	...	...	...	...	-	8
27		Negro--Female	76	...	...	...	...	...	...	...	-	10
28		Other--Female	2	...	...	...	...	...	...	...	-	-
29	652	Abortion with toxemia, without mention of sepsis	33	...	...	...	...	...	...	...	-	2
30		White--Female	19	...	...	...	...	...	...	...	-	2
31		Negro--Female	14	...	...	...	...	...	...	...	-	-
32		Other--Female	-	...	...	...	...	...	...	...	-	-
33	Residual[1]	Other complications of pregnancy, childbirth, and puerperium	516	...	...	...	...	...	...	...	1	40
34		White--Female	364	...	...	...	...	...	...	...	-	30
35		Negro--Female	144	...	...	...	...	...	...	...	1	10
36		Other--Female	8	...	...	...	...	...	...	...	-	-
37		XII. Diseases of the skin and cellular tissue	1,251	69	19	5	3	2	98	11	14	25
38		White--Male	467	30	7	2	1	1	41	5	2	6
39		Female	547	22	6	2	-	-	30	5	10	7
40		Negro--Male	90	9	4	-	-	-	13	-	-	4
41		Female	141	8	2	1	2	1	14	1	2	8
42		Other--Male	4	-	-	-	-	-	-	-	-	-
43		Female	2	-	-	-	-	-	-	-	-	-
44	690-698	Infections of skin and subcutaneous tissue	314	30	4	2	2	2	40	2	1	5
45		White--Male	143	9	3	1	-	1	14	1	-	3
46		Female	103	12	1	-	-	-	13	-	1	-
47		Negro--Male	33	3	-	-	-	-	3	-	-	1
48		Female	34	6	-	1	2	1	10	1	-	1
49		Other--Male	1	-	-	-	-	-	-	-	-	-
50		Female	-	-	-	-	-	-	-	-	-	-
51	700-716	Other diseases of skin and subcutaneous tissue	937	39	15	3	1	-	58	9	13	20
52		White--Male	324	21	4	1	1	-	27	4	2	3
53		Female	444	10	5	2	-	-	17	5	9	7
54		Negro--Male	57	6	4	-	-	-	10	-	-	3
55		Female	107	2	2	-	-	-	4	-	2	7
56		Other--Male	3	-	-	-	-	-	-	-	-	-
57		Female	2	-	-	-	-	-	-	-	-	-
58		XIII. Diseases of the bones and organs of movement	3,129	111	21	15	5	10	162	22	49	69
59		White--Male	1,277	54	12	6	3	4	79	10	31	55
60		Female	1,535	49	8	6	2	3	68	10	12	9
61		Negro--Male	142	5	1	-	-	2	8	1	2	3
62		Female	167	3	-	3	-	1	7	1	4	2
63		Other--Male	5	-	-	-	-	-	-	-	-	-
64		Female	3	-	-	-	-	-	-	-	-	-
65	720-725	Arthritis and spondylitis	1,722	-	1	-	1	2	4	3	5	4
66		White--Male	565	-	1	-	1	1	3	-	-	1
67		Female	992	-	-	-	-	1	1	2	2	2
68		Negro--Male	64	-	-	-	-	-	-	-	2	-
69		Female	98	-	-	-	-	-	-	1	1	1
70		Other--Male	1	-	-	-	-	-	-	-	-	-
71		Female	2	-	-	-	-	-	-	-	-	-
72	726,727	Muscular rheumatism and rheumatism, unspecified	60	-	-	-	-	-	-	-	-	-
73		White--Male	23	-	-	-	-	-	-	-	-	-
74		Female	28	-	-	-	-	-	-	-	-	-
75		Negro--Male	3	-	-	-	-	-	-	-	-	-
76		Female	4	-	-	-	-	-	-	-	-	-
77		Other--Male	2	-	-	-	-	-	-	-	-	-
78		Female	-	-	-	-	-	-	-	-	-	-
79	730	Osteomyelitis and periostitis	173	2	-	1	-	1	4	-	-	1
80		White--Male	89	-	-	-	-	-	-	-	-	1
81		Female	42	-	-	-	-	-	-	-	-	-
82		Negro--Male	24	1	-	-	-	1	2	-	-	-
83		Female	18	1	-	1	-	-	2	-	-	-
84		Other--Male	-	-	-	-	-	-	-	-	-	-
85		Female	-	-	-	-	-	-	-	-	-	-
86	737,745-749	Ankylosis and acquired musculoskeletal deformities	111	17	3	3	-	-	23	2	7	2
87		White--Male	55	7	2	1	-	-	10	1	4	1
88		Female	46	7	1	2	-	-	10	-	2	1
89		Negro--Male	6	2	-	-	-	-	2	1	-	-
90		Female	3	1	-	-	-	-	1	-	1	-
91		Other--Male	1	-	-	-	-	-	-	-	-	-
92		Female	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
483	565	595	480	181	25	6	6	1	2	3	3	1	1	-	-	-	-	1
283	381	361	305	121	21	6	6	1	2	3	2	1	1	-	-	-	-	2
184	174	226	170	56	4	-	-	-	-	-	1	-	-	-	-	-	-	3
16	10	8	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
56	59	65	56	18	4	1	1	1	-	-	-	-	-	-	-	-	-	5
31	43	42	40	14	4	1	1	1	-	-	-	-	-	-	-	-	-	6
24	15	22	16	2	-	-	-	-	-	-	-	-	-	-	-	-	-	7
1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	8
163	168	169	150	73	11	2	4	-	2	1	2	-	-	-	-	-	-	9
100	111	102	87	47	10	2	4	-	2	1	2	-	-	-	-	-	-	10
57	54	65	61	24	1	-	-	-	-	-	-	-	-	-	-	-	-	11
6	3	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	12
73	94	126	92	26	1	-	-	-	-	-	-	-	-	-	-	-	-	13
40	63	87	59	15	-	-	-	-	-	-	-	-	-	-	-	-	-	14
29	30	36	32	11	1	-	-	-	-	-	-	-	-	-	-	-	-	15
4	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
36	39	49	29	9	-	1	-	-	-	1	-	-	-	-	-	-	-	17
17	17	16	11	5	-	1	-	-	-	1	-	-	-	-	-	-	-	18
18	21	32	17	4	-	-	-	-	-	-	-	-	-	-	-	-	-	19
1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
20	25	19	16	8	1	-	1	-	-	1	-	-	-	-	-	-	-	21
11	20	11	11	5	1	-	1	-	-	1	-	-	-	-	-	-	-	22
9	5	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
37	52	38	31	14	1	-	-	-	-	-	-	-	-	-	-	-	-	25
17	35	22	21	9	1	-	-	-	-	-	-	-	-	-	-	-	-	26
20	16	16	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
6	7	10	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	29
3	6	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	30
3	1	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
92	121	119	100	32	6	2	-	-	-	-	1	1	1	-	-	-	-	33
64	86	77	73	25	5	2	-	-	-	-	-	1	1	-	-	-	-	34
24	32	41	27	7	1	-	-	-	-	-	1	-	-	-	-	-	-	35
4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
32	43	41	43	64	77	89	86	107	113	103	111	98	58	34	4	-	-	37
4	8	9	10	15	27	35	38	46	48	50	50	42	19	11	1	-	-	38
18	21	23	22	27	31	31	40	48	46	37	48	43	34	23	3	-	-	39
3	4	-	2	6	7	10	1	4	11	8	9	6	2	-	-	-	-	40
7	9	9	9	16	12	12	6	9	7	8	3	6	3	-	-	-	-	41
-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	42
-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	43
4	7	7	10	10	14	25	23	31	31	30	23	28	14	8	1	-	-	44
1	2	4	6	3	6	12	14	11	15	19	13	12	4	3	-	-	-	45
1	4	1	2	3	3	5	7	15	7	6	9	13	7	5	1	-	-	46
2	1	-	1	2	3	4	1	2	7	3	-	1	2	-	-	-	-	47
-	-	2	1	2	2	4	1	3	2	2	1	1	1	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
28	36	34	33	54	63	64	63	76	82	73	88	70	44	26	3	-	-	51
3	6	5	4	12	21	23	24	35	33	31	37	30	15	8	1	-	-	52
17	17	22	20	24	28	26	33	33	39	31	39	30	27	18	2	-	-	53
1	3	-	1	4	4	6	-	2	4	5	9	5	-	-	-	-	-	54
7	9	7	8	14	10	8	5	6	5	6	2	5	2	-	-	-	-	55
-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	56
-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	57
71	52	69	69	120	89	182	205	265	374	420	352	304	182	53	15	2	3	58
41	18	30	28	58	39	91	101	106	141	157	120	103	57	7	4	-	1	59
17	21	24	25	41	37	62	74	133	200	237	211	184	121	38	9	1	1	60
9	4	8	7	10	4	18	13	12	15	10	10	6	1	1	-	-	-	61
4	9	7	9	11	8	10	15	13	17	15	11	11	2	7	2	1	1	62
-	-	-	-	-	1	-	2	-	-	1	-	-	1	-	-	-	-	63
-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	64
12	9	23	17	50	39	79	116	166	247	291	249	222	133	41	7	2	3	65
4	2	10	2	22	13	32	51	57	82	92	77	68	41	4	3	-	1	66
4	3	6	8	19	22	27	52	95	144	181	158	141	88	31	4	1	1	67
3	2	3	2	1	1	11	4	7	7	8	7	4	1	1	-	-	-	68
1	2	4	5	8	3	8	9	7	13	10	7	9	2	5	-	1	1	69
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	70
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	71
-	-	1	4	2	3	3	6	3	3	9	11	6	6	2	1	-	-	72
-	-	1	1	1	2	2	3	1	2	1	4	1	3	1	-	-	-	73
-	-	-	1	1	-	1	2	2	1	5	5	5	3	1	1	-	-	74
-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	75
-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	76
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
4	3	3	6	10	7	24	15	11	20	21	14	17	11	1	1	-	-	79
-	-	3	3	5	2	13	7	4	13	16	9	8	4	1	-	-	-	80
3	3	-	1	1	2	5	2	4	1	3	4	5	7	-	1	-	-	81
1	-	-	2	3	1	5	3	1	4	-	-	2	-	-	-	-	-	82
-	-	-	-	1	2	1	3	2	2	2	1	2	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
3	4	6	5	9	8	7	5	4	8	7	5	4	2	-	-	-	-	86
2	2	2	2	7	6	4	3	2	5	2	1	1	-	-	-	-	-	87
1	2	2	2	2	1	3	1	2	3	5	4	3	2	-	-	-	-	88
-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XIII. Diseases of the bones and organs of movement--Continued										
1	731-736,	All other diseases of musculoskeletal system	1,063	92	17	11	4	7	131	17	37	62
2	738-744	White--Male	545	47	9	5	2	3	66	9	27	52
3		Female	427	42	7	4	2	2	57	8	8	6
4		Negro--Male	45	2	1	-	-	1	4	-	-	3
5		Female	44	1	-	2	-	1	4	-	2	1
6		Other--Male	1	-	-	-	-	-	-	-	-	-
7		Female	1	-	-	-	-	-	-	-	-	-
8		XIV. Congenital malformations	19,768	15,185	933	373	257	180	16,928	420	231	218
9		White--Male	9,667	7,449	421	176	104	79	8,229	192	112	110
10		Female	8,152	6,260	396	150	121	81	7,008	179	94	79
11		Negro--Male	1,044	806	58	23	13	13	913	24	9	14
12		Female	791	585	50	18	17	6	676	23	14	12
13		Other--Male	64	48	4	4	1	-	57	2	2	1
14		Female	50	37	4	2	1	1	45	-	-	2
15	751	Spina bifida and meningocele	1,772	1,607	78	18	14	6	1,723	13	10	10
16		White--Male	671	615	22	9	3	1	650	1	4	7
17		Female	1,017	913	54	9	9	5	990	12	6	3
18		Negro--Male	42	38	2	-	1	-	41	-	-	-
19		Female	36	35	-	-	1	-	36	-	-	-
20		Other--Male	4	4	-	-	-	-	4	-	-	-
21		Female	2	2	-	-	-	-	2	-	-	-
22	752,753	Congenital hydrocephalus, etc.*	2,473	1,792	246	97	71	46	2,252	90	37	26
23		White--Male	1,132	813	113	46	34	22	1,028	40	19	15
24		Female	1,067	789	109	43	29	20	990	30	12	7
25		Negro--Male	141	99	10	2	1	3	115	12	3	2
26		Female	123	82	14	6	6	1	109	8	3	2
27		Other--Male	4	4	-	-	-	-	4	-	-	-
28		Female	6	5	-	-	1	-	6	-	-	-
29	754	Congenital malformations of circulatory system	8,849	6,854	418	163	117	75	7,627	201	129	130
30		White--Male	4,517	3,596	189	75	38	31	3,929	95	60	57
31		Female	3,422	2,565	170	62	62	33	2,892	82	59	56
32		Negro--Male	479	373	30	14	6	7	430	11	3	8
33		Female	369	277	22	8	10	4	321	11	7	7
34		Other--Male	33	23	3	3	1	-	30	2	-	-
35		Female	29	20	4	1	-	-	25	-	-	2
36	750,755-759	Other congenital malformations	6,674	4,932	191	95	55	53	5,326	116	55	52
37		White--Male	3,347	2,425	97	46	29	25	2,622	56	29	31
38		Female	2,646	1,993	63	36	21	23	2,136	55	17	13
39		Negro--Male	382	296	16	7	5	3	327	1	3	4
40		Female	263	191	14	4	-	1	210	4	4	3
41		Other--Male	23	17	1	1	-	-	19	-	2	1
42		Female	13	10	-	1	-	1	12	-	-	-
43		XV. Certain diseases of early infancy	63,659	63,632	16	2	5	1	63,656	2	1	-
44		White--Male	30,102	30,088	11	-	-	-	30,099	2	1	-
45		Female	20,854	20,844	3	1	5	1	20,854	-	-	-
46		Negro--Male	6,895	6,895	-	-	-	-	6,895	-	-	-
47		Female	5,372	5,370	1	1	-	-	5,372	-	-	-
48		Other--Male	250	250	-	-	-	-	250	-	-	-
49		Female	186	185	1	-	-	-	186	-	-	-
50	760,761	Birth injuries	11,810	11,810	-	-	-	-	11,810	-	-	-
51		White--Male	6,147	6,147	-	-	-	-	6,147	-	-	-
52		Female	3,956	3,956	-	-	-	-	3,956	-	-	-
53		Negro--Male	984	984	-	-	-	-	984	-	-	-
54		Female	657	657	-	-	-	-	657	-	-	-
55		Other--Male	41	41	-	-	-	-	41	-	-	-
56		Female	25	25	-	-	-	-	25	-	-	-
57	762	Postnatal asphyxia and atelectasis	15,547	15,543	2	1	1	-	15,547	-	-	-
58		White--Male	7,874	7,872	2	-	-	-	7,874	-	-	-
59		Female	4,963	4,962	-	-	1	-	4,963	-	-	-
60		Negro--Male	1,491	1,491	-	-	-	-	1,491	-	-	-
61		Female	1,128	1,127	-	1	-	-	1,128	-	-	-
62		Other--Male	53	53	-	-	-	-	53	-	-	-
63		Female	38	38	-	-	-	-	38	-	-	-
64	763-768	Infections of newborn	4,094	4,094	-	-	-	-	4,094	-	-	-
65		White--Male	1,641	1,641	-	-	-	-	1,641	-	-	-
66		Female	1,159	1,159	-	-	-	-	1,159	-	-	-
67		Negro--Male	715	715	-	-	-	-	715	-	-	-
68		Female	513	513	-	-	-	-	513	-	-	-
69		Other--Male	35	35	-	-	-	-	35	-	-	-
70		Female	31	31	-	-	-	-	31	-	-	-
71	770	Hemolytic disease of newborn (erythroblastosis)	2,633	2,618	6	1	4	1	2,630	2	1	-
72		White--Male	1,430	1,422	5	-	-	-	1,427	2	1	-
73		Female	1,011	1,004	1	1	4	1	1,011	-	-	-
74		Negro--Male	111	111	-	-	-	-	111	-	-	-
75		Female	72	72	-	-	-	-	72	-	-	-
76		Other--Male	9	9	-	-	-	-	9	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	769,771,772	All other defined diseases of early infancy	2,320	2,319	1	-	-	-	2,320	-	-	-
79		White--Male	898	897	1	-	-	-	898	-	-	-
80		Female	690	690	-	-	-	-	690	-	-	-
81		Negro--Male	411	411	-	-	-	-	411	-	-	-
82		Female	285	285	-	-	-	-	285	-	-	-
83		Other--Male	15	15	-	-	-	-	15	-	-	-
84		Female	21	21	-	-	-	-	21	-	-	-
85	773-776	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	27,255	27,248	7	-	-	-	27,255	-	-	-
86		White--Male	12,112	12,109	3	-	-	-	12,112	-	-	-
87		Female	9,075	9,073	2	-	-	-	9,075	-	-	-
88		Negro--Male	3,183	3,183	-	-	-	-	3,183	-	-	-
89		Female	2,717	2,716	1	-	-	-	2,717	-	-	-
90		Other--Male	97	97	-	-	-	-	97	-	-	-
91		Female	71	70	1	-	-	-	71	-	-	-

*For complete category title, see table 49.

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
52	36	36	37	49	32	69	63	81	96	92	73	55	30	9	6	-	-	1
35	14	14	20	23	16	40	37	42	39	46	29	25	9	1	1	-	-	2
9	13	16	13	18	12	26	17	30	51	43	40	30	21	6	3	-	-	3
5	2	4	1	6	1	2	6	4	4	1	2	-	-	-	-	-	-	4
3	7	2	3	2	3	1	2	4	2	2	2	-	-	2	2	-	-	5
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	7
175	178	168	185	212	220	215	174	150	103	76	69	31	11	2	1	-	1	8
86	94	89	103	110	117	109	89	70	49	37	43	19	8	1	-	-	-	9
73	67	58	70	76	85	91	71	71	50	37	26	11	3	1	1	-	1	10
11	5	11	6	12	8	10	10	6	4	1	-	-	-	-	-	-	-	11
5	11	8	6	14	9	5	4	2	-	1	-	1	-	-	-	-	-	12
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	14
5	1	1	3	1	1	1	2	1	-	-	-	-	-	-	-	-	-	15
2	1	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	16
2	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	17
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
19	9	6	10	5	10	2	2	2	2	1	-	-	-	-	-	-	-	22
10	3	1	4	4	4	2	1	-	1	-	-	-	-	-	-	-	-	23
6	4	3	6	1	5	-	-	1	1	1	-	-	-	-	-	-	-	24
3	1	2	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	25
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
106	111	108	77	86	57	66	41	37	34	22	10	4	2	-	-	-	1	29
56	62	53	44	45	26	24	23	11	14	9	5	2	2	-	-	-	-	30
43	42	44	31	33	25	38	13	23	20	13	5	2	-	-	-	-	1	31
5	2	4	1	3	3	4	3	2	-	-	-	-	-	-	-	-	-	32
2	4	5	1	5	3	-	2	1	-	-	-	-	-	-	-	-	-	33
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
45	57	53	95	120	152	146	129	110	67	53	59	27	9	2	1	-	-	36
18	28	34	55	60	86	82	63	59	34	28	38	17	6	1	-	-	-	37
22	21	11	30	42	55	53	58	46	29	23	21	9	3	1	1	-	-	38
2	2	5	5	9	4	6	6	3	4	1	-	-	-	-	-	-	-	39
3	6	3	5	9	6	5	2	1	-	1	-	1	-	-	-	-	-	40
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		XVI. Symptoms, senility, and ill-defined conditions	21,950	3,353	243	113	76	51	3,836	111	81	140
2		White--Male	8,381	826	56	31	17	14	944	29	28	45
3		Female	5,674	587	57	27	14	11	696	26	23	31
4		Negro--Male	4,037	1,024	61	17	21	10	1,133	37	10	34
5		Female	3,458	815	43	26	20	13	917	16	17	25
6		Other--Male	220	59	15	4	4	2	84	2	3	3
7		Female	180	42	11	8	-	1	62	1	-	2
8	794	Senility without mention of psychosis	4,790	-	-	-	-	-	-	-	-	-
9		White--Male	1,696	-	-	-	-	-	-	-	-	-
10		Female	2,210	-	-	-	-	-	-	-	-	-
11		Negro--Male	373	-	-	-	-	-	-	-	-	-
12		Female	459	-	-	-	-	-	-	-	-	-
13		Other--Male	23	-	-	-	-	-	-	-	-	-
14		Female	29	-	-	-	-	-	-	-	-	-
15	780-793,795	Symptoms, ill-defined and unknown causes	17,160	3,353	243	113	76	51	3,836	111	81	140
16		White--Male	6,685	826	56	31	17	14	944	29	28	45
17		Female	3,464	587	57	27	14	11	696	26	23	31
18		Negro--Male	3,664	1,024	61	17	21	10	1,133	37	10	34
19		Female	2,999	815	43	26	20	13	917	16	17	25
20		Other--Male	197	59	15	4	4	2	84	2	3	3
21		Female	151	42	11	8	-	1	62	1	-	2
22		XVII. Accidents, poisonings, and violence	119,837	3,857	1,702	1,411	1,115	1,001	9,086	3,270	2,870	6,728
23		White--Male	71,830	1,578	761	655	508	465	3,967	1,778	1,841	4,462
24		Female	30,067	1,197	549	443	364	303	2,856	922	601	1,181
25		Negro--Male	12,454	542	199	165	127	111	1,144	307	308	813
26		Female	4,458	476	168	132	101	112	989	229	94	206
27		Other--Male	774	40	10	9	6	5	70	16	23	52
28		Female	254	24	15	7	9	5	60	18	3	14
29	E800-E962	Accidents	96,172	3,730	1,670	1,394	1,093	984	8,871	3,216	2,764	6,000
30		White--Male	57,605	1,522	743	650	498	456	3,869	1,754	1,784	4,142
31		Female	25,788	1,154	539	435	358	298	2,784	907	575	1,067
32		Negro--Male	8,469	532	196	162	124	110	1,124	299	292	587
33		Female	3,477	460	167	132	99	110	968	222	87	143
34		Other--Male	623	38	10	8	5	5	66	16	23	49
35		Female	210	24	15	7	9	5	60	18	3	12
36	E800-E802	Railway accidents	1,760	4	11	14	6	3	38	31	36	69
37		White--Male	1,278	2	8	6	1	3	20	20	25	47
38		Female	135	1	2	5	1	-	9	5	3	6
39		Negro--Male	283	-	1	2	3	-	6	3	8	9
40		Female	22	1	-	-	1	-	2	1	-	1
41		Other--Male	40	-	-	1	-	-	1	2	-	6
42		Female	2	-	-	-	-	-	-	-	-	-
43	E810-E835	Motor-vehicle accidents	37,794	308	430	448	387	378	1,951	1,342	953	3,640
44		White--Male	25,110	144	214	233	192	197	980	744	599	2,488
45		Female	8,255	128	167	156	136	118	705	424	264	802
46		Negro--Male	3,142	17	20	46	33	32	148	111	61	237
47		Female	910	15	23	13	21	26	98	48	21	84
48		Other--Male	284	2	5	-	2	3	12	7	7	22
49		Female	93	2	1	-	3	2	8	8	1	7
50	E810-E825	Motor-vehicle traffic accidents	36,824	295	262	366	344	355	1,622	1,269	934	3,596
51		White--Male	24,441	136	123	185	175	186	805	711	584	2,452
52		Female	8,065	126	100	127	119	110	582	407	263	801
53		Negro--Male	3,054	16	14	42	28	29	129	109	59	232
54		Female	897	14	21	12	18	25	90	47	21	83
55		Other--Male	278	2	3	-	2	3	10	7	6	21
56		Female	89	1	1	-	2	2	6	8	1	7
57	E810	Motor-vehicle traffic accident with railway train*	1,429	9	5	10	4	12	40	25	38	157
58		White--Male	988	5	1	6	3	7	22	11	19	100
59		Female	351	3	3	4	1	4	15	13	17	46
60		Negro--Male	62	-	1	-	-	-	1	1	-	7
61		Female	19	1	-	-	-	1	2	-	2	3
62		Other--Male	7	-	-	-	-	-	-	-	-	1
63		Female	2	-	-	-	-	-	-	-	-	-
64	E812	Motor-vehicle traffic accident to pedestrian	8,308	7	112	170	211	212	712	805	271	231
65		White--Male	5,326	1	50	93	107	110	361	454	172	137
66		Female	1,747	3	41	49	65	59	217	225	65	57
67		Negro--Male	845	2	7	24	23	22	78	79	25	21
68		Female	291	-	13	4	14	19	50	39	7	12
69		Other--Male	75	-	1	-	2	1	4	2	2	2
70		Female	24	1	-	-	-	1	2	6	-	2
71	E811,E813-E819	Other motor-vehicle traffic accidents, etc.*	12,946	142	71	78	52	59	402	263	378	1,365
72		White--Male	8,495	71	35	39	22	35	202	146	254	951
73		Female	3,314	64	30	30	25	18	167	99	97	319
74		Negro--Male	789	2	4	7	3	4	20	11	20	63
75		Female	250	4	2	2	1	1	10	3	4	26
76		Other--Male	77	1	-	-	-	-	1	3	3	5
77		Female	21	-	-	-	1	1	2	1	-	1
78	E820-E824	Motor-vehicle noncollision traffic accidents	9,247	75	52	79	65	47	318	124	178	1,279
79		White--Male	6,533	35	28	37	37	24	161	58	107	904
80		Female	1,587	30	16	33	24	18	121	46	58	262
81		Negro--Male	820	4	1	4	1	1	11	13	7	73
82		Female	191	5	4	5	2	2	18	4	4	28
83		Other--Male	85	1	2	-	-	2	5	2	1	10
84		Female	31	-	1	-	1	-	2	1	1	2
85	E825	Motor-vehicle traffic accident of unspecified nature	4,894	62	22	29	12	25	150	72	69	564
86		White--Male	3,099	24	9	10	6	10	59	42	32	360
87		Female	1,066	26	10	11	4	11	62	24	26	117
88		Negro--Male	538	8	1	7	1	2	19	5	7	68
89		Female	146	4	2	1	1	2	10	1	4	14
90		Other--Male	34	-	-	-	-	-	-	-	-	3
91		Female	11	-	-	-	-	-	-	-	-	2

*For complete category title, see table 49.

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
203	263	320	442	627	801	1,091	1,133	1,326	1,692	1,874	1,946	2,178	1,804	1,280	488	236	78	1
68	83	106	160	266	322	475	543	647	783	816	886	902	646	405	160	34	33	2
31	51	59	99	101	146	145	161	224	296	435	574	805	787	694	219	58	13	3
45	52	64	88	156	181	258	249	250	324	322	257	251	163	72	33	44	14	4
55	70	85	90	101	146	199	168	187	275	270	204	192	182	89	67	92	11	5
2	3	4	2	2	4	7	7	7	10	22	15	13	13	7	5	3	2	6
2	4	2	3	1	2	7	5	11	4	9	10	15	13	13	4	5	5	7
-	-	-	-	-	-	6	15	38	102	301	580	1,095	1,135	989	356	168	5	8
-	-	-	-	-	-	-	4	10	19	102	247	426	414	318	126	28	2	9
-	-	-	-	-	-	-	2	5	25	89	227	499	561	575	174	53	-	10
-	-	-	-	-	-	3	5	14	27	43	55	79	65	38	17	26	1	11
-	-	-	-	-	-	3	4	9	30	63	45	85	83	46	35	56	-	12
-	-	-	-	-	-	-	-	-	1	4	5	3	3	3	1	3	-	13
-	-	-	-	-	-	-	-	-	-	-	1	3	9	9	3	2	2	14
203	263	320	442	627	801	1,085	1,118	1,288	1,590	1,573	1,366	1,083	669	291	132	68	73	15
68	83	106	160	266	322	475	539	637	764	714	639	476	232	87	34	6	31	16
31	51	59	99	101	146	145	159	219	271	346	347	306	226	119	45	5	13	17
45	52	64	88	156	181	255	244	236	297	279	202	172	98	34	16	18	13	18
55	70	85	90	101	146	196	164	178	245	207	159	107	99	43	32	36	11	19
2	3	4	2	2	4	7	7	7	9	18	10	10	10	4	4	-	2	20
2	4	2	3	1	2	7	5	11	4	9	9	12	4	4	1	3	3	21
8,246	8,401	7,569	7,661	7,479	7,156	7,200	6,888	6,674	6,551	6,045	6,091	5,628	3,751	1,821	437	79	206	22
5,593	5,330	4,699	4,681	4,773	4,703	4,718	4,722	4,651	4,362	3,625	3,144	2,469	1,421	613	136	17	125	23
1,149	1,152	1,140	1,303	1,312	1,307	1,392	1,398	1,403	1,646	2,018	2,622	2,939	2,209	1,159	285	44	31	24
1,117	1,441	1,312	1,296	1,067	872	798	565	436	346	224	179	104	58	19	9	3	36	25
295	384	341	293	270	211	218	156	145	166	145	121	91	52	26	5	13	8	26
76	75	58	68	46	51	62	40	33	25	30	19	17	6	2	-	-	5	27
16	19	19	20	11	12	12	9	6	6	3	6	8	5	2	2	2	1	28
6,786	6,182	5,371	5,220	5,177	4,958	5,038	4,991	4,905	5,068	4,958	5,427	5,209	3,586	1,777	430	78	160	29
4,953	4,381	3,732	3,493	3,475	3,322	3,272	3,370	3,289	3,207	2,755	2,598	2,113	1,276	577	131	17	95	30
932	809	739	840	859	849	950	1,026	1,104	1,389	1,844	2,526	2,892	2,193	1,151	284	43	25	31
657	737	666	683	626	589	581	427	346	290	193	161	97	56	19	8	3	28	32
170	184	176	144	172	155	178	134	136	162	138	119	88	51	26	5	13	6	33
63	59	43	49	36	35	48	29	25	16	25	17	12	5	2	-	-	5	34
11	12	15	11	9	8	9	5	5	4	3	6	7	5	2	2	2	1	35
89	126	145	139	159	149	173	133	142	109	71	72	35	22	5	1	-	16	36
53	91	100	101	115	103	132	104	120	82	51	51	28	16	5	-	-	14	37
5	6	3	6	8	11	7	7	13	15	12	11	4	2	-	1	-	1	38
25	22	35	27	34	28	30	21	7	9	5	8	3	3	-	-	-	-	39
-	3	-	1	-	4	2	1	1	3	1	1	-	1	-	-	-	-	40
5	4	6	4	2	3	2	-	1	-	2	1	-	-	-	-	-	1	41
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
4,475	3,641	2,796	2,613	2,330	2,127	2,201	2,141	1,994	1,916	1,556	1,133	650	235	46	7	1	46	43
3,325	2,593	1,917	1,707	1,549	1,370	1,329	1,395	1,309	1,325	1,062	775	439	148	26	4	-	26	44
659	525	460	506	473	437	553	526	506	451	401	296	173	69	12	2	1	10	45
348	389	314	301	236	229	221	157	137	97	64	42	25	11	5	1	-	8	46
95	91	82	62	49	68	66	45	30	33	15	11	7	4	-	-	-	1	47
39	34	13	28	15	19	27	15	12	7	13	5	4	2	2	-	-	1	48
9	9	10	9	8	4	5	3	-	3	1	4	2	1	1	-	-	-	49
4,404	3,575	2,751	2,561	2,279	2,082	2,161	2,104	1,959	1,888	1,533	1,113	642	232	45	7	1	46	50
3,267	2,541	1,882	1,664	1,509	1,335	1,303	1,365	1,281	1,303	1,042	761	434	147	25	4	-	26	51
652	520	455	505	469	434	546	523	504	446	401	295	170	67	12	2	1	10	52
342	381	309	293	230	223	215	153	133	96	62	38	25	11	5	1	-	8	53
95	91	82	62	49	67	65	45	29	33	15	11	7	4	-	-	-	1	54
39	34	13	28	14	19	27	15	12	7	12	5	4	2	2	-	-	1	55
9	8	10	9	8	4	5	3	-	3	1	3	2	1	1	-	-	-	56
159	129	122	108	105	106	85	107	77	69	65	26	8	3	-	-	-	-	57
115	103	82	72	75	69	59	76	58	52	51	20	1	3	-	-	-	-	58
32	15	29	28	23	28	23	24	18	15	13	5	7	-	-	-	-	-	59
10	8	8	4	6	5	3	6	1	2	-	-	-	-	-	-	-	-	60
2	1	3	2	-	2	-	1	-	-	-	1	-	-	-	-	-	-	61
-	2	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	62
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	63
203	220	242	293	321	408	524	607	713	828	770	608	382	131	25	5	1	8	64
128	150	132	169	201	257	310	401	477	604	550	431	273	92	19	4	-	4	65
27	27	35	56	52	55	105	113	146	150	162	142	84	24	3	-	1	1	66
33	35	56	54	51	65	73	59	67	55	39	23	17	10	1	1	-	3	67
9	6	14	10	11	26	26	25	17	15	10	8	4	2	-	-	-	-	68
6	2	2	2	4	4	10	7	6	4	8	4	3	2	1	-	-	-	69
-	-	3	2	2	1	-	2	-	-	1	-	1	1	1	-	-	-	70
1,686	1,377	1,027	966	938	794	836	776	662	567	403	279	141	51	14	-	-	21	71
1,222	992	710	615	607	489	480	482	419	376	240	173	95	27	4	-	-	11	72
312	238	195	241	240	226	251	239	206	167	146	92	41	23	9	-	-	6	73
108	101	85	84	70	51	68	38	25	13	14	10	4	-	1	-	-	3	74
32	34	30	20	17	17	23	12	9	7	3	1	1	1	-	-	-	-	75
10	9	6	6	3	9	10	4	3	3	-	1	-	-	-	-	-	1	76
2	3	1	-	1	2	4	1	-	1	-	2	-	-	-	-	-	-	77
1,625	1,274	922	811	582	493	414	360	282	221	164	104	59	24	4	2	-	7	78
1,269	924	666	558	413	357	276	259	195	144	115	73	33	15	2	-	-	4	79
170	155	116	121	94	64	82	70	63	58	44	28	23	9	-	2	-	1	80
128	152	108	96	58	60	42	24	21	16	4	2	2	-	2	-	-	1	81
32	24	24	18	10	11	9	5	1	2	-	-	-	-	-	-	-	1	82
22	14	3	13	4	1	4	2	2	-	1	-	1	-	-	-	-	-	83
4	5	5	5	3	-	1	-	-	1	-	1	-	-	-	-	-	-	84
751	575	438	383	333	281	302	254	225	203	131	96	52	23	2	-	-	10	85
533	372	292	250	213	163	178	147	132	127	86	64	32	10	-	-	-	7	86
111	85	80	59	60	61	85	77	71	56	36	28	15	11	-	-	-	2	87
63	85	52	55	45	42	29	26	19	10	5	3	2	1	1	-	-	1	88
20	26	11	12	11	11	7	2	2	9	2	1	2	1	-	-	-	-	89
1	7	2	6	3	3	3	2	1	-	2	-	-	-	1	-	-	-	90
3	-	1	1	1	1	-	-	-	1	-	-	1	-	-	-	-	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
		Accidents—Continued										
		Motor-vehicle accidents—Continued										
1	E830-E835	Motor-vehicle nontraffic accidents	970	13	168	82	43	23	329	53	19	44
2		White--------Male----	669	8	91	48	17	11	175	33	15	36
3		Female--	190	2	67	29	17	8	123	17	1	1
4		Negro--------Male----	88	1	6	4	5	3	19	2	2	5
5		Female--	13	1	2	1	3	1	8	1	-	1
6		Other--------Male----	6	-	2	-	-	-	2	-	1	1
7		Female--	4	1	-	-	1	-	2	-	-	-
8	E840-E845	Other road-vehicle accidents	447	3	2	4	6	3	18	39	60	35
9		White--------Male----	300	-	1	2	4	2	9	29	37	23
10		Female--	76	-	1	1	1	1	4	5	14	9
11		Negro--------Male----	55	1	-	1	1	-	3	2	7	2
12		Female--	7	-	-	-	-	-	-	3	1	-
13		Other--------Male----	8	2	-	-	-	-	2	-	1	-
14		Fmale--	1	-	-	-	-	-	-	-	-	1
15	E850-E858	Water-transport accidents	1,437	2	4	4	6	8	24	48	74	129
16		White--------Male----	1,128	1	2	2	5	4	14	38	51	93
17		Female--	104	1	2	2	1	3	9	6	11	10
18		Negro--------Male----	177	-	-	-	-	1	1	1	10	21
19		Female--	19	-	-	-	-	-	-	2	2	3
20		Other--------Male----	9	-	-	-	-	-	-	1	-	2
21		Female--	-	-	-	-	-	-	-	-	-	-
22	E860-E866	Aircraft accidents	1,594	4	5	3	3	5	20	12	11	78
23		White--------Male----	1,438	2	3	1	3	2	11	7	8	64
24		Female--	106	2	2	1	-	1	6	4	3	6
25		Negro--------Male----	41	-	-	1	-	1	2	-	-	7
26		Female--	3	-	-	-	-	1	1	-	-	-
27		Other--------Male----	6	-	-	-	-	-	-	1	-	1
28		Female--	-	-	-	-	-	-	-	-	-	-
29	E870-E888	Accidental poisoning by solid and liquid substances	1,440	60	202	120	42	19	443	17	2	30
30		White--------Male----	665	18	74	43	11	7	153	9	1	16
31		Female--	453	25	43	44	16	4	132	3	-	7
32		Negro--------Male----	183	8	49	13	7	6	83	2	-	3
33		Female--	119	8	32	18	7	2	67	3	1	2
34		Other--------Male----	14	1	1	1	-	-	3	-	-	1
35		Female--	6	-	3	1	1	-	5	-	-	1
36	E890-E895	Accidental poisoning by gases and vapors	1,397	19	12	16	7	8	62	21	17	94
37		White--------Male----	904	10	6	6	4	3	29	8	5	51
38		Female--	377	7	6	8	2	4	27	11	11	37
39		Negro--------Male----	77	2	-	1	-	-	3	1	-	4
40		Female--	29	-	-	1	1	1	3	1	1	2
41		Other--------Male----	7	-	-	-	-	-	-	-	-	-
42		Female--	3	-	-	-	-	-	-	-	-	-
43	E900-E904	Accidental falls	20,945	180	105	68	39	45	437	115	95	142
44		White--------Male----	9,328	71	40	34	20	17	182	70	67	113
45		Female--	10,449	55	39	23	16	20	153	32	20	15
46		Negro--------Male----	681	23	12	5	3	6	49	8	6	10
47		Female--	413	24	11	3	-	2	40	3	2	3
48		Other--------Male----	49	2	2	1	-	-	5	1	-	1
49		Female--	25	5	1	2	-	-	8	1	-	-
50	E900-E902	Fall from one level to another	7,306	137	79	46	28	38	328	79	64	119
51		White--------Male----	4,243	55	29	29	15	14	142	49	45	95
52		Female--	2,466	42	34	11	12	16	115	21	14	12
53		Negro--------Male----	401	18	7	4	1	6	36	5	4	8
54		Female--	161	17	7	2	-	2	28	3	1	3
55		Other--------Male----	26	2	1	-	-	-	3	-	-	1
56		Female--	9	3	1	-	-	-	4	1	-	-
57	E903	Fall on same level	4,827	3	8	2	1	2	16	14	10	2
58		White--------Male----	1,678	1	3	-	-	2	6	11	7	1
59		Female--	2,796	1	2	2	-	-	5	2	2	-
60		Negro--------Male----	69	-	2	-	1	-	3	1	1	1
61		Female--	71	1	1	-	-	-	2	-	-	-
62		Other--------Male----	8	-	-	-	-	-	-	-	-	-
63		Female--	5	-	-	-	-	-	-	-	-	-
64	E904	Unspecified falls	9,012	40	18	20	10	5	93	22	21	21
65		White--------Male----	3,407	15	8	5	5	1	34	10	15	17
66		Female--	5,187	12	3	10	4	4	33	9	4	3
67		Negro--------Male----	211	5	3	1	1	-	10	2	1	1
68		Female--	181	6	3	1	-	-	10	-	1	-
69		Other--------Male----	15	-	1	1	-	-	2	1	-	-
70		Female--	11	2	-	2	-	-	4	-	-	-
71	E910	Blow from falling object	1,391	2	12	11	11	11	47	35	15	56
72		White--------Male----	1,129	-	8	8	8	8	32	23	11	46
73		Female--	44	1	3	2	3	2	11	10	1	2
74		Negro--------Male----	208	-	1	-	-	1	2	1	3	8
75		Female--	5	1	-	-	-	-	1	1	-	-
76		Other--------Male----	5	-	-	1	-	-	1	-	-	-
77		Female--	-	-	-	-	-	-	-	-	-	-
78	E912	Accident caused by machinery	2,083	1	17	24	22	17	81	51	88	134
79		White--------Male----	1,801	-	10	16	15	14	55	35	74	113
80		Female--	81	1	7	5	5	3	21	11	5	4
81		Negro--------Male----	185	-	-	1	2	-	3	3	9	15
82		Female--	8	-	-	2	-	-	2	1	-	2
83		Other--------Male----	7	-	-	-	-	-	-	-	-	-
84		Female--	1	-	-	-	-	-	-	1	-	-
85	E914	Accident caused by electric current	1,056	13	14	14	8	4	53	14	32	72
86		White--------Male----	913	9	9	11	4	3	36	8	26	70
87		Female--	59	4	3	3	4	1	15	3	3	-
88		Negro--------Male----	78	-	1	-	-	-	1	3	3	1
89		Female--	3	-	-	-	-	-	-	-	-	-
90		Other--------Male----	2	-	-	-	-	-	-	-	-	1
91		Female--	1	-	1	-	-	-	1	-	-	-

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
71	66	45	52	51	45	40	37	35	28	23	20	8	3	1	-	-	-	1
58	52	35	43	40	35	26	30	28	22	20	14	5	1	1	-	-	-	2
7	5	5	1	4	3	7	3	2	5	-	1	3	2	-	-	-	-	3
6	8	5	8	6	6	6	4	4	1	2	4	-	-	-	-	-	-	4
-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	5
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	6
-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	7
12	9	11	10	15	14	24	29	40	39	33	33	21	5	-	-	-	-	8
9	7	6	4	11	10	16	20	28	25	23	25	15	3	-	-	-	-	9
2	1	2	2	1	2	2	2	5	8	5	5	5	2	-	-	-	-	10
1	-	1	4	2	2	6	6	6	6	4	3	-	-	-	-	-	-	11
-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	12
-	-	2	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
156	179	138	152	151	110	91	76	50	24	19	9	2	2	-	-	-	3	15
123	144	105	113	122	87	82	65	39	22	17	7	2	2	-	-	-	2	16
15	10	9	11	5	6	4	4	4	-	-	-	-	-	-	-	-	-	17
14	22	19	25	21	17	5	7	7	2	2	2	-	-	-	-	-	1	18
4	1	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
430	343	302	159	92	53	36	20	19	5	2	3	3	-	-	-	-	6	22
386	318	289	146	82	47	30	19	15	4	2	2	2	-	-	-	-	6	23
17	20	10	11	9	6	6	1	4	1	-	1	1	-	-	-	-	-	24
25	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
56	65	101	112	136	134	96	74	72	39	33	13	10	4	2	-	-	1	29
17	20	47	62	65	85	43	44	43	24	22	5	4	3	2	-	-	-	30
20	23	30	35	46	36	36	27	21	13	11	6	6	1	-	-	-	-	31
10	10	14	9	19	9	12	2	6	2	-	1	-	-	-	-	-	1	32
8	10	10	6	6	3	1	-	1	-	-	1	-	-	-	-	-	-	33
1	2	-	-	-	1	4	1	1	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
90	86	76	98	119	127	100	105	75	96	80	73	50	23	4	1	-	-	36
58	53	53	75	85	82	75	78	57	60	52	39	22	18	3	1	-	-	37
26	26	14	16	22	33	14	15	11	29	22	32	25	5	1	-	-	-	38
2	6	7	3	10	8	7	7	6	6	4	1	2	-	-	-	-	-	39
4	1	2	2	1	4	3	2	1	1	1	-	-	-	-	-	-	-	40
-	-	-	1	-	-	1	3	-	-	-	1	1	-	-	-	-	-	41
-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	42
175	230	256	352	491	617	714	892	1,156	1,547	2,070	3,058	3,703	2,890	1,550	381	60	14	43
125	145	172	233	345	441	482	591	726	844	896	1,130	1,235	912	480	119	13	7	44
18	31	25	53	69	101	138	217	339	612	1,087	1,844	2,406	1,938	1,050	257	38	6	45
25	46	47	52	48	54	68	63	48	49	33	32	21	13	4	2	2	1	46
6	7	10	11	23	16	22	18	37	38	47	47	38	21	15	3	6	-	47
1	-	1	3	6	3	4	3	6	3	6	3	1	2	-	-	-	-	48
-	1	1	-	-	2	-	-	-	1	1	2	2	4	1	-	1	-	49
125	153	164	215	303	339	396	507	593	619	682	818	858	568	291	70	13	2	50
93	107	111	149	222	250	287	362	436	407	379	392	360	233	103	18	2	1	51
10	14	13	31	31	50	58	97	111	169	274	394	482	326	185	50	8	1	52
18	27	29	29	35	29	39	40	31	28	12	19	7	2	1	1	1	-	53
3	5	10	4	12	7	9	6	12	13	13	12	9	6	2	1	2	-	54
1	-	1	2	3	3	3	2	3	1	3	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	56
7	16	15	40	51	83	104	119	191	331	503	817	958	812	408	103	24	3	57
1	4	11	22	32	61	65	67	103	150	179	270	308	233	109	32	5	1	58
1	6	-	8	12	14	28	42	75	169	310	535	634	571	294	71	15	2	59
2	5	3	6	4	5	5	7	4	4	5	2	5	4	1	-	1	-	60
3	-	-	3	3	3	5	3	7	7	8	9	10	2	3	-	3	-	61
-	-	-	1	-	-	1	-	2	1	1	1	-	1	-	-	-	-	62
-	1	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	63
43	61	77	97	137	195	214	266	372	597	885	1,423	1,887	1,510	851	208	23	9	64
31	34	50	62	91	130	130	162	187	287	338	468	567	446	268	69	6	5	65
7	11	12	14	26	37	52	78	153	274	503	915	1,290	1,041	571	136	15	3	66
5	14	15	17	9	20	24	16	13	17	16	11	9	7	2	1	-	1	67
-	2	-	4	8	6	8	9	18	18	26	26	19	13	10	2	1	-	68
-	-	-	-	3	-	-	1	1	1	2	2	1	1	-	-	-	-	69
-	-	-	-	-	2	-	-	-	-	-	1	1	2	-	-	1	-	70
64	132	150	127	152	139	149	129	90	52	22	18	12	2	-	-	-	-	71
55	111	123	100	117	109	119	112	78	45	21	15	11	1	-	-	-	-	72
1	2	4	2	3	2	-	1	1	1	1	2	-	-	-	-	-	-	73
8	18	23	25	30	27	28	16	10	6	-	1	1	1	-	-	-	-	74
-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	75
-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
119	148	172	201	190	170	173	184	151	106	51	45	12	5	-	-	-	2	78
99	124	155	171	160	146	153	165	140	101	51	44	9	4	-	-	-	2	79
5	4	2	7	4	3	3	7	1	-	-	1	2	1	-	-	-	-	80
14	20	14	22	26	19	15	10	10	4	-	-	1	-	-	-	-	-	81
1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	82
-	-	1	1	-	2	1	2	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
96	152	146	107	98	95	77	43	29	18	11	7	2	1	1	-	-	2	85
90	136	129	90	90	79	63	35	27	18	9	4	2	-	-	-	-	1	86
3	2	4	4	2	3	7	4	2	-	2	3	-	1	1	-	-	-	87
3	12	11	13	6	13	7	4	-	-	-	-	-	-	-	-	-	1	88
-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

325797 O - 55 - 7

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence--Continued										
		Accidents--Continued										
1	E916	Accident caused by fire and explosion, etc.*	6,922	331	259	292	273	256	1,411	515	178	153
2		White--Male	2,851	79	66	79	75	57	356	143	62	62
3		Female	1,993	81	55	78	86	81	381	187	77	49
4		Negro--Male	1,025	82	69	63	53	53	320	64	14	17
5		Female	982	80	65	67	56	62	330	114	24	24
6		Other--Male	39	6	-	2	1	1	10	1	1	-
7		Female	32	3	4	3	2	2	14	6	-	1
8	E917,E918	Accident caused by hot substance, etc.*	836	45	95	55	35	28	258	27	9	9
9		White--Male	349	14	40	22	9	7	92	3	1	2
10		Female	248	18	25	19	17	13	92	10	4	6
11		Negro--Male	120	7	16	6	5	2	36	3	1	1
12		Female	111	5	13	8	3	6	35	9	3	-
13		Other--Male	3	1	-	-	-	-	1	-	-	-
14		Female	5	-	1	-	1	-	2	2	-	-
15	E919	Accident caused by firearm	2,210	6	11	18	25	21	81	145	293	337
16		White--Male	1,635	3	4	11	8	14	40	80	228	255
17		Female	184	2	3	1	7	3	16	28	20	22
18		Negro--Male	290	1	1	2	5	-	9	26	39	49
19		Female	85	-	2	4	4	3	13	10	4	6
20		Other--Male	10	-	-	-	-	1	1	1	1	4
21		Female	6	-	1	-	1	-	2	-	1	1
22	E921,E922	Inhalation and ingestion of food or other object, etc.*	1,434	915	123	52	28	13	1,131	25	10	7
23		White--Male	699	435	58	21	10	9	533	14	4	4
24		Female	477	301	44	16	14	3	378	9	5	2
25		Negro--Male	142	93	10	8	2	-	113	2	-	1
26		Female	104	76	10	6	2	1	95	-	1	-
27		Other--Male	8	7	1	-	-	-	8	-	-	-
28		Female	4	3	-	1	-	-	4	-	-	-
29	E929	Accidental drowning	5,346	48	228	181	122	108	687	570	688	782
30		White--Male	3,672	18	129	122	87	82	438	399	439	535
31		Female	724	18	86	45	25	22	196	95	98	61
32		Negro--Male	797	7	7	7	7	1	29	60	122	171
33		Female	88	5	4	6	1	3	19	15	18	6
34		Other--Male	60	-	-	1	1	-	2	1	10	9
35		Female	5	-	2	-	1	-	3	-	1	-
36	E931	Excessive heat and insolation	1,401	71	8	6	7	4	96	3	4	14
37		White--Male	743	32	5	4	4	2	47	1	2	9
38		Female	371	13	2	1	2	1	19	1	-	1
39		Negro--Male	180	8	1	-	1	1	11	-	-	2
40		Female	101	17	-	1	-	-	18	1	1	2
41		Other--Male	5	1	-	-	-	-	1	-	1	-
42		Female	1	-	-	-	-	-	-	-	-	-
43	E940-E959	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*	658	17	5	5	10	3	40	24	5	11
44		White--Male	243	9	3	2	4	1	19	8	-	4
45		Female	300	5	1	3	4	1	14	14	2	3
46		Negro--Male	41	1	-	-	1	1	3	1	-	2
47		Female	70	-	1	-	1	-	2	1	3	2
48		Other--Male	4	2	-	-	-	-	2	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	Residual[1]	All other accidents	6,021	1,701	127	59	56	50	1,993	182	194	208
51		White--Male	3,419	675	63	27	34	24	823	115	144	147
52		Female	1,352	491	48	22	18	17	596	49	34	25
53		Negro--Male	764	282	8	6	1	5	302	8	9	27
54		Female	398	228	6	3	2	3	242	9	5	6
55		Other--Male	63	14	1	1	1	-	17	1	2	2
56		Female	25	11	1	-	-	1	13	-	-	1
57	E963,E970-E979	Suicide	15,567	-	-	-	-	-	-	1	39	295
58		White--Male	11,624	-	-	-	-	-	-	1	25	213
59		Female	3,339	-	-	-	-	-	-	-	7	65
60		Negro--Male	411	-	-	-	-	-	-	-	5	12
61		Female	96	-	-	-	-	-	-	-	2	5
62		Other--Male	80	-	-	-	-	-	-	-	-	-
63		Female	17	-	-	-	-	-	-	-	-	-
64	E970-E973	Suicide by poisoning	3,187	-	-	-	-	-	-	-	-	53
65		White--Male	1,966	-	-	-	-	-	-	-	-	21
66		Female	1,151	-	-	-	-	-	-	-	-	29
67		Negro--Male	32	-	-	-	-	-	-	-	-	1
68		Female	30	-	-	-	-	-	-	-	-	2
69		Other--Male	6	-	-	-	-	-	-	-	-	-
70		Female	2	-	-	-	-	-	-	-	-	-
71	E974	Suicide by hanging and strangulation	3,358	-	-	-	-	-	-	1	15	62
72		White--Male	2,474	-	-	-	-	-	-	1	11	55
73		Female	771	-	-	-	-	-	-	-	2	5
74		Negro--Male	60	-	-	-	-	-	-	-	2	2
75		Female	10	-	-	-	-	-	-	-	-	-
76		Other--Male	35	-	-	-	-	-	-	-	-	-
77		Female	8	-	-	-	-	-	-	-	-	-
78	E976	Suicide by firearms and explosives	7,013	-	-	-	-	-	-	-	23	164
79		White--Male	5,908	-	-	-	-	-	-	-	14	125
80		Female	807	-	-	-	-	-	-	-	4	28
81		Negro--Male	239	-	-	-	-	-	-	-	3	8
82		Female	31	-	-	-	-	-	-	-	2	3
83		Other--Male	25	-	-	-	-	-	-	-	-	-
84		Female	3	-	-	-	-	-	-	-	-	-
85	E963,E975, E977-E979	Suicide by all other means	2,009	-	-	-	-	-	-	-	1	16
86		White--Male	1,276	-	-	-	-	-	-	-	-	12
87		Female	610	-	-	-	-	-	-	-	1	3
88		Negro--Male	80	-	-	-	-	-	-	-	-	1
89		Female	25	-	-	-	-	-	-	-	-	-
90		Other--Male	14	-	-	-	-	-	-	-	-	-
91		Female	4	-	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
203	295	303	376	365	366	369	356	333	402	359	381	313	140	61	11	11	21	1
83	140	151	196	181	190	186	188	159	181	159	180	133	61	27	1	3	9	2
69	75	72	92	93	100	76	90	88	111	108	131	113	52	19	6	1	3	3
21	41	50	60	58	47	59	43	47	52	42	31	30	12	8	2	1	6	4
29	39	26	23	31	25	47	34	36	55	49	35	31	15	7	1	5	2	5
-	-	3	4	2	4	1	1	-	3	1	4	4	-	-	-	-	-	6
1	-	1	1	-	-	-	-	3	-	-	-	2	-	-	1	1	1	7
12	22	32	23	34	36	22	40	36	59	64	65	33	33	17	3	-	2	8
7	12	16	8	15	23	11	16	20	27	25	29	17	15	8	1	-	1	9
2	4	4	5	5	4	5	8	4	17	25	23	9	13	7	1	-	-	10
1	5	7	8	10	4	2	9	4	8	7	5	3	3	1	1	-	1	11
2	1	5	2	4	5	3	7	7	7	7	7	4	2	1	-	-	-	12
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	13
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	14
194	184	158	139	159	125	98	89	72	54	45	25	7	2	2	-	-	1	15
126	130	110	107	110	93	87	82	63	50	42	23	6	1	1	-	-	1	16
22	14	13	9	13	10	7	2	4	-	1	1	1	-	1	-	-	-	17
36	31	26	16	27	13	3	5	3	4	2	1	-	-	-	-	-	-	18
9	8	9	6	9	8	1	-	1	-	-	-	-	1	-	-	-	-	19
1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	21
17	12	14	12	21	22	24	26	17	22	27	22	12	6	3	2	1	1	22
7	4	8	6	11	12	13	13	12	15	15	14	5	5	1	2	1	-	23
5	7	4	5	7	8	5	11	3	3	10	6	6	1	2	-	-	-	24
4	1	2	-	3	2	4	2	1	2	2	1	1	-	-	-	-	1	25
1	-	-	1	-	-	2	-	1	2	-	1	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
372	307	244	231	228	227	240	182	190	125	96	73	52	20	5	-	-	27	29
247	202	167	142	164	158	181	143	162	100	70	52	39	10	5	-	-	19	30
33	22	20	27	21	30	24	20	17	14	16	11	10	7	-	-	-	2	31
83	74	45	55	30	36	29	19	8	10	7	9	3	2	-	-	-	5	32
1	2	4	4	8	3	4	-	1	1	2	-	-	-	-	-	-	-	33
8	6	8	3	5	-	2	-	2	-	1	1	-	1	-	-	-	1	34
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
25	29	39	65	73	102	112	123	115	134	118	128	103	71	33	10	1	3	36
18	14	19	34	47	67	67	73	72	76	59	52	44	29	9	2	-	2	37
2	4	4	4	8	7	11	17	21	45	50	61	52	36	22	6	-	-	38
4	9	11	23	9	25	27	21	13	8	5	4	3	4	-	1	-	-	39
1	2	4	4	9	3	6	11	9	4	4	11	4	2	2	1	1	1	40
-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	42
15	25	38	42	52	53	45	49	58	67	52	40	26	13	3	-	-	-	43
3	7	7	15	14	17	18	21	25	31	19	16	12	7	-	-	-	-	44
10	11	19	17	25	23	18	22	24	27	31	19	13	5	3	-	-	-	45
1	3	3	3	4	4	1	4	5	2	2	2	-	1	-	-	-	-	46
1	4	9	7	9	8	8	2	4	6	-	3	1	-	-	-	-	-	47
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
186	197	250	262	312	292	294	300	266	254	249	229	163	112	45	14	4	15	50
122	130	158	183	192	203	185	206	194	177	160	135	88	41	10	1	-	5	51
18	22	40	28	45	27	34	45	36	42	62	73	66	60	33	11	3	3	52
32	25	34	37	52	52	57	31	28	23	14	18	4	6	1	1	-	3	53
7	12	11	11	20	7	11	13	7	11	12	2	3	5	1	-	1	2	54
7	7	5	3	3	2	5	3	-	1	1	1	1	-	-	-	-	2	55
-	1	2	-	-	1	2	2	1	-	-	-	1	-	-	1	-	-	56
586	950	1,073	1,298	1,427	1,589	1,672	1,576	1,555	1,323	974	603	386	155	41	7	1	16	57
399	621	696	893	1,020	1,146	1,253	1,203	1,246	1,062	806	509	339	138	34	5	-	15	58
135	241	302	331	355	398	367	327	269	239	152	87	41	13	7	1	1	1	59
31	66	54	48	34	28	35	31	29	16	12	5	2	2	-	1	-	-	60
8	16	17	13	11	7	6	5	3	-	1	1	-	1	-	-	-	-	61
9	5	1	9	6	9	11	8	7	6	3	1	4	1	-	-	-	-	62
4	1	3	4	1	1	-	2	1	-	-	-	-	-	-	-	-	-	63
124	233	299	338	370	368	373	316	248	204	127	84	33	12	2	-	-	3	64
65	145	172	197	229	229	239	203	166	129	78	53	27	9	1	-	-	3	65
50	81	113	130	133	134	129	110	80	73	49	30	6	3	1	-	-	-	66
2	4	7	4	3	3	5	-	1	2	-	-	-	-	-	-	-	-	67
6	3	6	4	4	2	-	2	-	-	-	1	-	-	-	-	-	-	68
-	-	1	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	69
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
95	130	143	197	262	305	374	404	439	360	228	158	110	46	23	2	1	3	71
68	93	95	134	178	198	268	286	334	287	175	136	92	41	18	2	-	2	72
17	27	37	54	78	96	95	108	91	68	49	20	15	2	5	-	1	1	73
7	7	9	1	4	5	6	5	5	2	2	2	-	1	-	-	-	-	74
-	1	-	2	1	2	-	-	3	-	-	-	-	1	-	-	-	-	75
2	2	-	4	1	4	5	3	5	3	2	-	3	1	-	-	-	-	76
1	-	2	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	77
310	482	515	627	634	719	729	630	644	558	451	277	164	68	7	3	-	8	78
231	334	373	482	519	605	632	560	593	515	427	259	155	66	7	3	-	8	79
51	98	111	103	87	94	75	48	35	34	16	15	7	1	-	-	-	-	80
20	41	25	35	19	16	18	19	16	8	6	2	2	1	-	-	-	-	81
1	5	5	4	5	2	1	2	-	-	1	-	-	-	-	-	-	-	82
7	3	-	3	4	1	3	1	-	1	1	1	-	-	-	-	-	-	83
-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	84
57	105	116	136	161	197	196	226	224	201	168	84	79	29	9	2	-	2	85
35	49	56	80	94	114	114	154	153	131	126	61	65	22	8	-	-	2	86
17	35	41	44	57	74	68	61	63	64	38	22	13	7	1	1	-	-	87
2	14	13	8	8	4	6	7	7	4	4	1	-	-	-	1	-	-	88
1	7	6	3	1	1	5	1	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	4	3	3	1	2	-	-	1	-	-	-	-	-	90
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
1	E964,E980-	Homicide	8,054	127	32	17	22	17	215	53	67	433
2	E985	White--Male	2,562	56	18	5	10	9	98	23	32	107
3		Female	940	43	10	8	6	5	72	15	19	49
4		Negro--Male	3,570	10	3	3	3	1	20	8	11	214
5		Female	885	16	1	-	2	2	21	7	5	58
6		Other--Male	70	2	-	1	1	-	4	-	-	3
7		Female	27	-	-	-	-	-	-	-	-	2
8	E981	Assault by firearms and explosives	4,244	9	8	2	4	8	31	17	45	232
9		White--Male	1,390	4	4	1	-	4	13	10	19	57
10		Female	530	4	2	1	1	3	11	4	14	29
11		Negro--Male	1,848	-	2	-	2	-	4	2	10	109
12		Female	431	1	-	-	-	1	2	1	2	34
13		Other--Male	31	-	-	-	1	-	1	-	-	2
14		Female	14	-	-	-	-	-	-	-	-	1
15	E982	Assault by cutting and piercing instruments	1,986	11	2	3	2	-	18	5	6	119
16		White--Male	325	3	1	-	1	-	5	-	3	21
17		Female	110	3	1	1	-	-	5	3	-	9
18		Negro--Male	1,242	2	-	2	-	-	4	-	1	67
19		Female	292	3	-	-	1	-	4	2	2	21
20		Other--Male	15	-	-	-	-	-	-	-	-	1
21		Female	2	-	-	-	-	-	-	-	-	-
22	E964,E980,	Assault by other means	1,485	107	22	12	16	9	166	31	15	47
23	E983	White--Male	684	49	13	4	9	5	80	13	9	13
24		Female	298	36	7	6	5	2	56	8	5	11
25		Negro--Male	307	8	1	1	1	1	12	6	-	19
26		Female	161	12	1	-	1	1	15	4	1	3
27		Other--Male	24	2	-	1	-	-	3	-	-	-
28		Female	11	-	-	-	-	-	-	-	-	1
29	E984	Injury by intervention of police	256	-	-	-	-	-	-	-	1	33
30		White--Male	128	-	-	-	-	-	-	-	1	16
31		Female	2	-	-	-	-	-	-	-	-	-
32		Negro--Male	125	-	-	-	-	-	-	-	-	17
33		Female	1	-	-	-	-	-	-	-	-	-
34		Other--Male	-	-	-	-	-	-	-	-	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	E985	Execution	83	-	-	-	-	-	-	-	-	2
37		White--Male	35	-	-	-	-	-	-	-	-	-
38		Female	-	-	-	-	-	-	-	-	-	-
39		Negro--Male	48	-	-	-	-	-	-	-	-	2
40		Female	-	-	-	-	-	-	-	-	-	-
41		Other--Male	-	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	E965,E990-	Injury resulting from operations of war	44	-	-	-	-	-	-	-	-	-
44	E999	White--Male	39	-	-	-	-	-	-	-	-	-
45		Female	-	-	-	-	-	-	-	-	-	-
46		Negro--Male	4	-	-	-	-	-	-	-	-	-
47		Female	-	-	-	-	-	-	-	-	-	-
48		Other--Male	1	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1952—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
868	1,261	1,119	1,138	874	609	486	314	210	159	112	61	33	10	3	-	-	29	1
235	321	267	291	277	235	189	142	113	92	63	37	17	7	2	-	-	14	2
82	102	99	132	98	60	75	43	30	18	22	9	6	3	1	-	-	5	3
429	637	590	565	407	255	182	107	60	40	19	13	5	-	-	-	-	8	4
117	184	148	136	87	49	34	17	6	4	6	1	3	-	-	-	-	2	5
4	11	14	9	4	7	3	3	1	3	2	1	1	-	-	-	-	-	6
1	6	1	5	1	3	3	2	-	2	-	-	1	-	-	-	-	-	7
457	705	623	640	493	329	263	166	102	66	36	13	13	3	1	-	-	9	8
125	203	164	175	171	137	104	79	58	35	23	7	5	2	-	-	-	3	9
62	61	67	85	59	37	41	23	14	10	5	2	3	1	1	-	-	1	10
216	337	316	297	220	127	96	53	27	18	5	4	3	-	-	-	-	4	11
54	95	69	75	39	23	20	9	2	1	3	-	1	-	-	-	-	1	12
-	6	7	5	3	2	1	1	1	1	-	-	1	-	-	-	-	-	13
-	3	-	3	1	3	1	1	-	1	-	-	-	-	-	-	-	-	14
272	355	308	306	199	148	95	58	38	26	17	6	4	1	1	-	-	4	15
54	38	35	36	27	34	27	16	12	8	5	1	1	-	1	-	-	1	16
10	13	12	13	9	7	9	4	7	3	4	-	1	1	-	-	-	-	17
158	232	201	211	140	96	49	35	19	13	7	5	1	-	-	-	-	3	18
47	68	58	44	23	10	8	3	-	1	-	-	1	-	-	-	-	-	19
3	3	2	2	-	1	1	-	-	1	1	-	-	-	-	-	-	-	20
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	21
75	127	135	155	156	115	114	83	66	65	57	41	15	6	1	-	-	15	22
26	43	48	62	65	55	51	43	40	47	34	28	11	5	1	-	-	10	23
10	28	19	34	30	16	25	15	9	5	13	7	2	1	-	-	-	4	24
21	31	41	38	36	24	30	17	13	9	6	4	-	-	-	-	-	-	25
16	21	21	17	24	16	6	5	4	2	3	1	1	-	-	-	-	1	26
1	2	5	2	1	4	1	2	-	1	1	1	-	-	-	-	-	-	27
1	2	1	2	-	-	1	1	-	1	-	-	1	-	-	-	-	-	28
45	57	34	30	19	14	10	4	4	1	1	1	1	-	-	-	-	1	29
26	29	15	12	10	8	4	2	3	1	-	1	-	-	-	-	-	-	30
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	31
19	28	18	18	8	6	6	1	1	-	1	-	1	-	-	-	-	1	32
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
19	17	19	7	7	3	4	3	-	1	1	-	-	-	-	-	-	-	36
4	8	5	6	4	1	3	2	-	1	1	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
15	9	14	1	3	2	1	1	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
6	8	6	5	1	-	4	7	4	1	1	-	-	-	-	-	-	1	43
6	7	4	4	1	-	4	7	3	1	1	-	-	-	-	-	-	1	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	1,496,838	753,571	561,451	100,356	81,460	27,273	9,356	6,605	5,995	5,317
2	I. Infective and parasitic diseases	41,839	20,640	10,298	6,766	4,135	972	284	163	299	226
3	Tuberculosis, all forms 001-019	24,621	12,482	5,196	4,333	2,610	572	168	92	181	131
4	Tuberculosis of respiratory system 001-008	22,486	11,765	4,671	3,821	2,229	519	159	84	161	115
5	Tuberculosis of meninges and central nervous system 010	767	232	190	195	150	19	5	1	8	5
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	150	43	37	38	32	7	1	3	2	1
7	Tuberculosis of vertebral column 012.0,013.0	139	54	44	29	12	1	-	-	1	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	63	27	15	14	7	2	-	1	1	-
9	Tuberculosis of genito-urinary system 016	228	118	81	22	7	4	1	-	1	2
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	110	37	24	28	21	2	-	-	1	1
11	Disseminated tuberculosis 019	678	206	134	186	152	18	2	3	6	7
12	Syphilis and its sequelae 020-029	5,719	2,893	894	1,369	563	113	28	7	52	26
13	Congenital syphilis 020	135	29	33	39	34	7	1	-	3	3
14	Early syphilis 021	1	-	1	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	1,643	1,010	275	260	98	26	6	2	14	4
16	Other cardiovascular syphilis 023	2,073	966	286	603	218	36	3	2	22	9
17	Tabes dorsalis 024	143	95	20	20	8	4	2	-	1	1
18	General paralysis of insane 025	925	450	146	242	87	19	11	2	5	1
19	Other syphilis of central nervous system 026	617	275	100	157	85	13	5	1	4	3
20	Other syphilis 027-029	182	68	33	48	33	8	-	-	3	5
21	Gonococcal infection 030-035	45	12	5	16	12	1	-	-	1	-
22	Typhoid fever 040	78	25	17	19	17	3	1	1	1	-
23	Paratyphoid fever 041	10	-	6	3	1	-	-	-	-	-
24	Other Salmonella infections 042	32	15	11	3	3	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	23	11	10	1	1	-	-	-	-	-
27	Dysentery, all forms 045-048	937	334	296	169	138	25	9	3	11	2
28	Food poisoning (infection and intoxication) 049	162	66	44	24	28	13	6	2	1	4
29	Scarlet fever 050	74	32	39	2	1	-	-	-	-	-
30	Streptococcal sore throat 051	277	126	106	26	19	8	1	2	1	4
31	Erysipelas 052	52	30	18	2	2	3	1	-	1	1
32	Septicemia and pyemia 053	726	344	245	66	71	9	5	2	1	1
33	Diphtheria 055	217	85	76	33	23	20	4	4	6	6
34	Whooping cough 056	402	99	107	97	99	24	1	2	8	13
35	Meningococcal infections 057	1,386	653	532	102	99	36	9	18	7	2
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	8	4	1	2	1	-	-	-	-	-
38	Leprosy 060	4	4	-	-	-	-	-	-	-	-
39	Tetanus 061	360	140	71	91	58	21	3	2	5	11
40	Anthrax 062	3	3	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	3,145	1,769	1,239	84	53	18	8	5	3	2
42	Late effects of acute poliomyelitis 081	110	53	45	4	8	4	2	-	-	2
43	Acute infectious encephalitis 082	471	209	200	33	29	10	4	2	2	2
44	Late effects of acute infectious encephalitis 083	162	84	68	6	4	3	2	1	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	618	230	238	65	85	40	12	9	7	12
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	794	333	349	57	55	16	5	4	5	2
49	Rabies 094	24	10	8	4	2	-	-	-	-	-
50	Tick-borne typhus 104	20	13	5	-	2	1	1	-	-	-
51	Rocky Mountain spotted fever 104A	20	13	5	-	2	1	1	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	9	7	2	-	-	-	-	-	-	-
54	Malaria 110-117	25	10	4	6	5	2	1	-	-	1
55	Schistosomiasis 123	3	3	-	-	-	-	-	-	-	-
56	Hydatid disease 125	6	2	3	1	-	-	-	-	-	-
57	Filariasis 127	1	1	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	4	4	-	-	-	1	1	-	-	-
59	Other diseases due to helminths 124,126,128,130	89	22	23	20	24	2	-	2	-	-
60	All other infective and parasitic diseases Residual[1]	1,222	532	440	128	122	27	12	5	6	4
61	II. Neoplasms	228,410	107,644	101,670	9,247	9,849	3,103	1,067	1,101	385	550
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	223,277	105,790	99,245	9,017	9,225	3,009	1,050	1,068	374	517
63	Malignant neoplasm of buccal cavity and pharynx 140-148	5,029	3,639	995	285	110	83	40	27	11	5
64	Of lip 140	407	357	41	4	5	2	-	1	-	1
65	Of tongue 141	1,192	879	216	69	28	18	7	6	4	1
66	Of other and unspecified parts of buccal cavity 142-144	1,458	946	406	71	35	28	15	9	2	2
67	Of pharynx 145-148	1,972	1,457	332	141	42	35	18	11	5	1
68	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	83,238	41,731	34,830	4,040	2,637	855	307	271	156	121
69	Of esophagus 150	4,061	2,758	772	429	102	26	7	5	12	2
70	Of stomach 151	23,466	13,109	7,900	1,649	808	293	115	60	72	46
71	Of intestine, except rectum 152,153	24,186	10,483	12,423	602	678	226	72	102	27	25
72	Of rectum 154	10,332	5,486	4,135	366	345	80	24	34	9	13
73	Of biliary passages and of liver (stated to be primary site) 155	4,946	1,804	2,841	149	152	89	27	32	17	13
74	Of liver not specified whether primary or secondary 156A	4,881	2,135	2,263	289	194	24	8	2	8	6
75	Of pancreas 157	9,791	5,260	3,787	462	282	96	49	29	9	9
76	Of peritoneum and of unspecified digestive organs 158,159	1,575	696	709	94	76	21	5	7	2	7
77	Malignant neoplasm of respiratory system 160-164	24,330	18,698	3,932	1,395	305	287	179	48	47	13
78	Of larynx 161	1,873	1,586	149	120	18	22	13	4	5	-
79	Of trachea, and of bronchus and lung specified as primary 162	9,716	7,751	1,251	606	108	212	139	32	32	9
80	Of lung and bronchus, unspecified as primary or secondary 163	11,866	8,867	2,242	597	160	38	20	9	6	3
81	Of other parts of respiratory system 160,164	875	494	290	72	19	15	7	3	4	1
82	Malignant neoplasm of breast 170	19,892	201	18,289	27	1,375	242	2	163	2	75

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7,370	3,954	2,233	668	515	15,681	6,733	4,472	2,470	2,006	108,552	59,446	43,056	3,722	2,328	12,896	7,241	5,336	175	144	1
510	240	105	87	78	774	291	191	180	112	2,916	1,728	753	293	142	309	173	109	18	9	2
358	188	62	57	51	492	197	115	112	68	1,810	1,131	407	182	90	166	93	56	12	5	3
327	179	58	47	43	463	185	108	107	63	1,680	1,074	369	156	81	147	85	49	8	5	4
22	8	2	6	6	14	4	3	4	3	42	16	16	7	3	8	4	2	2	-	5
4	-	1	2	1	2	2	-	-	-	9	3	2	2	2	-	-	-	-	-	6
1	-	-	1	-	1	-	1	-	-	6	1	4	1	-	1	1	-	-	-	7
-	-	-	-	-	1	-	-	-	1	5	4	-	1	-	-	-	-	-	-	8
1	1	-	-	-	3	2	1	-	-	19	11	6	2	-	6	1	4	1	-	9
-	-	-	-	-	2	1	-	-	1	12	5	2	5	-	-	-	-	-	-	10
3	-	1	1	1	6	3	2	1	-	37	17	8	8	4	4	2	1	1	-	11
50	26	6	12	6	67	27	7	24	9	408	253	75	65	15	34	19	11	4	-	12
3	-	1	2	-	2	-	-	2	-	10	2	6	1	1	3	2	1	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
9	6	1	2	-	16	8	4	3	1	113	78	18	13	4	11	6	5	-	-	15
26	12	3	7	4	30	11	2	12	5	195	123	35	29	8	14	8	3	3	-	16
2	1	-	1	-	-	-	-	-	-	13	10	1	2	-	-	-	-	-	-	17
2	2	-	-	-	11	5	1	4	1	32	19	6	7	-	3	2	1	-	-	18
5	4	-	-	1	8	3	-	3	2	34	15	5	12	2	2	-	1	1	-	19
3	1	1	-	1	-	-	-	-	-	11	6	4	1	-	1	1	-	-	-	20
1	1	-	-	-	1	-	-	1	-	5	2	1	-	2	-	-	-	-	-	21
-	-	-	-	-	3	-	-	1	2	3	2	1	-	-	-	-	-	-	-	22
1	-	-	1	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	-	1	-	-	1	-	-	-	1	2	2	-	-	-	-	-	-	-	-	26
18	6	4	3	5	38	12	5	14	7	34	18	13	2	1	12	7	4	-	1	27
1	-	1	-	-	17	6	5	2	4	6	2	4	-	-	2	2	-	-	-	28
-	-	-	-	-	1	-	-	-	1	3	1	2	-	-	1	-	-	1	-	29
5	2	3	-	-	6	1	4	1	-	5	5	-	-	-	4	4	-	-	-	30
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	1	-	1	-	-	31
5	2	1	1	1	12	3	5	3	1	45	30	9	2	4	12	9	3	-	-	32
1	-	1	-	-	5	2	2	-	1	17	9	7	1	-	1	1	-	-	-	33
7	1	1	1	4	12	1	2	3	6	16	3	6	4	3	1	-	1	-	-	34
4	2	2	-	-	24	10	12	1	1	89	44	37	4	4	13	6	6	1	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
1	-	1	-	-	11	3	2	4	2	10	7	3	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
28	5	15	5	3	33	11	11	6	5	212	120	87	3	2	22	13	9	-	-	41
1	-	1	-	-	3	1	1	1	-	5	-	5	-	-	1	-	1	-	-	42
4	2	1	1	-	7	3	3	1	-	37	19	11	4	3	9	6	3	-	-	43
-	-	-	-	-	-	-	-	-	-	9	6	3	-	-	2	1	1	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
9	1	-	3	5	4	1	3	-	-	15	5	8	-	2	7	5	1	-	1	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
7	2	4	-	1	4	1	2	1	-	73	28	37	2	6	6	2	3	-	1	48
-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	2	-	2	-	-	4	2	1	1	-	1	-	1	-	-	59
8	2	1	3	2	20	7	7	2	4	99	36	31	22	10	13	4	8	-	1	60
818	409	358	29	22	2,023	844	746	207	226	17,001	8,102	8,080	465	354	1,910	936	934	23	17	61
799	407	342	28	22	1,964	822	727	205	210	16,613	7,932	7,896	454	331	1,858	920	900	22	16	62
14	12	2	-	-	45	25	10	9	1	368	266	74	20	8	38	29	9	-	-	63
4	3	1	-	-	7	7	-	-	-	25	22	2	-	1	6	6	-	-	-	64
1	1	-	-	-	7	4	3	-	-	107	86	15	4	2	11	7	4	-	-	65
4	4	-	-	-	11	3	6	1	1	91	55	30	3	3	10	8	2	-	-	66
5	4	1	-	-	20	11	1	8	-	145	103	27	13	2	11	8	3	-	-	67
307	157	125	16	9	680	294	234	97	55	5,894	2,959	2,624	224	87	692	374	305	8	5	68
14	8	5	1	-	19	11	3	4	1	286	194	63	23	6	19	17	1	-	1	69
75	46	23	5	1	236	109	59	46	22	1,665	925	618	89	33	242	132	103	5	2	70
85	40	40	3	2	180	77	76	14	13	1,672	730	904	23	15	177	83	91	1	2	71
39	20	16	2	1	69	23	30	9	7	735	378	320	23	14	61	32	29	-	-	72
24	8	13	-	3	52	20	22	3	7	413	151	245	12	5	65	35	30	-	-	73
25	12	11	1	1	29	13	7	7	2	212	88	110	11	3	20	7	12	1	-	74
38	19	16	3	-	83	35	34	11	3	788	439	305	35	9	96	63	32	1	-	75
7	4	1	1	1	12	6	3	3	-	123	54	59	8	2	12	5	7	-	-	76
116	95	17	4	-	198	140	36	15	7	1,912	1,504	323	75	10	197	158	34	4	1	77
8	6	2	-	-	22	19	2	1	-	123	113	5	4	1	17	16	1	-	-	78
53	46	5	2	-	127	84	26	12	5	952	774	139	33	6	121	96	24	1	-	79
50	40	8	2	-	39	31	5	2	1	762	576	149	34	3	48	38	6	3	1	80
5	3	2	-	-	10	6	3	-	1	75	41	30	4	-	11	8	3	-	-	81
41	-	39	-	2	131	3	101	-	27	1,651	15	1,572	1	63	171	1	167	-	3	82

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	35,379	11,837	19,234	1,260	3,048	709	174	261	63	211
2	Of cervix uteri----------171	8,329	...	6,819	...	1,510	203	...	104	...	99
3	Of other and unspecified parts of uterus----------172-174	6,935	...	5,847	...	1,088	171	...	89	...	82
4	Of ovary, fallopian tube, and broad ligament----------175	6,277	...	5,898	...	379	83	...	60	...	23
5	Of other and unspecified female genital organs----------176	741	...	670	...	71	15	...	8	...	7
6	Of prostate----------177	12,181	11,004	...	1,177	...	225	163	...	62	...
7	Of testis, and of other and unspecified male genital organs----178,179	916	833	...	83	...	12	11	...	1	...
8	Malignant neoplasm of urinary organs----------180,181	10,679	6,656	3,348	412	263	109	43	40	14	12
9	Of kidney----------180	3,929	2,317	1,377	145	90	42	17	17	4	4
10	Of bladder and other urinary organs----------181	6,750	4,339	1,971	267	173	67	26	23	10	8
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	25,783	12,690	11,209	896	988	455	183	174	44	54
12	Of skin----------190,191	3,369	1,903	1,352	67	47	74	35	30	5	4
13	Of eye----------192	357	186	157	8	6	7	2	4	1	-
14	Of brain and other parts of nervous system----------193	4,869	2,789	1,822	146	112	91	47	34	6	4
15	Of thyroid gland----------194	939	309	566	18	46	15	4	7	-	4
16	Of bone (including jaw bone)----------196	2,045	1,103	779	92	71	28	7	13	4	4
17	Of connective tissue----------197	593	315	234	25	19	8	3	1	2	2
18	Of other specified sites, not stated to be secondary-----195,198A,199A	3,614	1,513	1,792	126	183	74	25	29	8	12
19	Of unspecified sites----------156B,165,198B,199B-M	9,997	4,572	4,507	414	504	158	60	56	18	24
20	Leukemia and aleukemia----------204	9,841	5,291	3,961	321	268	153	72	53	17	11
21	Lymphosarcoma, etc.*----------200-203,205	9,106	5,047	3,447	381	231	116	50	31	20	15
22	Lymphosarcoma and reticulosarcoma----------200	4,008	2,206	1,590	129	83	44	22	12	4	6
23	Hodgkin's disease----------201	2,793	1,620	976	126	71	39	15	11	7	6
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	2,305	1,221	861	126	77	33	13	8	9	3
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	5,133	1,854	2,425	230	624	94	17	33	11	33
26	Benign neoplasms of female genital organs----------214-217	1,152	...	760	...	392	31	...	12	...	19
27	Benign neoplasm of brain and other parts of nervous system---------223	862	392	398	33	39	11	5	3	-	3
28	Other benign neoplasms----------210-213,218-222,224-229	800	370	310	59	61	12	3	1	4	4
29	Neoplasm of unspecified nature of female genital organs--------233-235	33	...	24	...	9	3	...	1	...	2
30	Neoplasm of unspecified nature of brain, etc.*----------237	1,515	731	605	99	80	22	6	9	5	2
31	Other neoplasms of unspecified nature----------230-232,236,238,239	771	361	328	39	43	15	3	7	2	3
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	36,508	14,814	18,106	1,401	2,187	501	156	177	63	105
33	Asthma----------241	6,943	4,243	2,057	358	285	101	49	25	18	9
34	Nontoxic goiter----------250,251	140	28	84	6	22	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----------252	1,123	173	801	16	133	17	-	9	-	8
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	219	58	145	4	12	1	-	1	-	-
37	Diabetes mellitus----------260	25,474	9,167	13,984	790	1,533	314	87	118	34	75
38	Diseases of thymus gland----------273	558	298	168	50	42	10	4	1	3	2
39	Diseases of adrenal glands----------274	374	169	170	24	11	5	2	1	2	-
40	Pellagra----------281	184	28	94	20	42	21	3	11	4	3
41	All other avitaminoses and nutritional deficiency states-----280,282-286	756	300	293	100	63	22	8	8	2	4
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	737	350	310	33	44	10	3	3	-	4
43	IV. Diseases of the blood and blood-forming organs----------	5,504	2,358	2,505	313	328	116	35	30	23	28
44	Anemias----------290-293	3,987	1,632	1,839	253	263	85	23	21	18	23
45	Pernicious and other hyperchromic anemias----------290	1,687	727	874	42	44	14	8	4	1	1
46	Anemias of other and unspecified type----------291-293	2,300	905	965	211	219	71	15	17	17	22
47	Purpura and other hemorrhagic conditions----------296	607	258	298	15	36	14	4	7	2	1
48	All other diseases of blood and blood-forming organs-----294,295,297-299	910	468	368	45	29	17	8	2	3	4
49	V. Mental, psychoneurotic, and personality disorders----------	4,458	2,539	1,133	520	266	129	58	25	39	7
50	Senile psychosis----------304	819	336	401	27	55	13	3	7	-	3
51	Alcoholic psychosis----------307	338	259	21	51	7	2	2	-	-	-
52	Other psychoses----------300-303,305,306,308,309	687	229	304	76	78	62	17	13	29	3
53	Alcoholism----------322	2,265	1,562	268	325	110	47	34	2	10	1
54	Mental deficiency----------325	200	94	79	16	11	3	1	2	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	149	59	60	25	5	2	1	1	-	-
56	VI. Diseases of the nervous system and sense organs----------	180,385	77,802	79,947	10,997	11,639	3,651	1,055	955	773	868
57	Vascular lesions affecting central nervous system----------330-334	166,331	71,109	74,568	9,855	10,799	3,354	970	886	684	814
58	Subarachnoid hemorrhage----------330	4,277	1,826	1,849	288	314	53	20	21	8	4
59	Cerebral hemorrhage----------331	110,233	46,210	49,695	6,742	7,586	2,362	678	594	491	599
60	Cerebral embolism and thrombosis----------332	31,448	14,667	14,373	1,254	1,154	340	137	111	40	52
61	Other vascular lesions affecting central nervous system--------333,334	20,373	8,406	8,651	1,571	1,745	599	135	160	145	159
62	Meningitis, except meningococcal and tuberculous----------340	1,918	796	591	290	241	55	13	11	18	13
63	Multiple sclerosis----------345	1,531	689	780	35	27	11	6	1	3	1
64	Paralysis agitans----------350	2,396	1,264	1,074	35	23	15	9	4	2	-
65	Cerebral spastic infantile paralysis----------351	654	321	253	48	32	25	7	6	9	3
66	Epilepsy----------353	2,325	1,100	752	308	165	62	14	12	23	13
67	Inflammatory diseases of eye----------370-379	14	7	6	1	-	-	-	-	-	-
68	Cataract----------385	44	16	22	2	4	-	-	-	-	-
69	Glaucoma----------387	15	3	9	2	1	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	463	224	159	38	42	9	4	2	3	-
71	Other diseases of nervous system and sense organs----------Residual[1]	4,694	2,273	1,733	383	305	120	32	33	31	24
72	VII. Diseases of the circulatory system----------	609,783	325,620	227,519	30,529	26,115	9,043	3,495	2,246	1,745	1,557
73	Rheumatic fever----------400-402	1,583	636	609	152	186	52	8	18	14	12
74	Diseases of heart----------410-443	555,141	300,538	203,928	27,490	23,185	8,139	3,209	2,003	1,554	1,373
75	Chronic rheumatic heart disease----------410-416	19,754	9,072	8,815	924	943	238	76	63	51	48
76	Diseases of mitral valve----------410	8,023	3,582	3,549	450	442	123	31	30	37	25
77	Diseases of aortic valve specified as rheumatic----------411	888	646	209	26	7	3	1	1	1	-
78	Diseases of tricuspid valve----------412	25	15	5	1	4	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	1,198	557	550	48	43	10	3	4	1	2
80	Other diseases of heart specified as rheumatic----------415,416	9,620	4,272	4,502	399	447	102	41	28	12	21

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
131	42	78	2	9	384	108	158	40	78	2,458	834	1,501	31	92	295	106	181	3	5	1
36	...	34	...	2	101	...	65	...	36	616	...	561	...	55	80	...	78	...	2	2
23	...	21	...	2	82	...	50	...	32	391	...	375	...	16	46	...	44	...	2	3
26	...	21	...	5	52	...	42	...	10	522	...	504	...	18	56	...	55	...	1	4
2	...	2	...	-	1	...	1	...	-	64	...	61	...	3	4	...	4	...	-	5
40	38	...	2	...	140	100	...	40	...	795	768	...	27	...	104	101	...	3	...	6
4	4	...	-	...	8	8	...	-	...	70	66	...	4	...	5	5	...	-	...	7
33	21	11	1	-	92	46	30	9	7	837	539	269	18	11	94	57	34	2	1	8
10	7	3	-	-	32	17	8	5	2	304	185	109	5	5	36	25	11	-	-	9
23	14	8	1	-	60	29	22	4	5	533	354	160	13	6	58	32	23	2	1	10
93	44	45	2	2	268	119	103	22	24	1,932	976	879	41	36	179	91	86	1	1	11
14	8	6	-	-	45	20	23	1	1	273	161	109	3	-	29	15	14	-	-	12
2	1	1	-	-	4	1	2	1	-	28	17	11	-	-	2	1	1	-	-	13
19	8	10	-	1	48	28	16	1	3	421	250	156	8	7	35	18	15	1	1	14
2	-	2	-	-	5	2	1	-	2	84	32	49	1	2	14	2	12	-	-	15
9	5	3	1	-	29	12	10	4	3	108	57	47	3	1	10	9	1	-	-	16
-	-	-	-	-	3	1	1	-	1	41	23	16	1	1	9	6	3	-	-	17
15	5	9	1	-	60	19	29	6	6	213	102	105	-	6	18	11	7	-	-	18
32	17	14	-	1	74	36	21	9	8	764	334	386	25	19	62	29	33	-	-	19
36	18	15	3	-	103	55	35	9	4	830	445	344	25	16	101	51	48	2	-	20
28	18	10	-	-	63	32	20	4	7	731	394	310	19	8	91	53	36	2	-	21
16	8	8	-	-	21	11	5	1	4	348	185	152	10	1	41	24	17	-	-	22
6	6	-	-	-	23	10	9	2	2	201	114	77	5	5	32	16	14	2	-	23
6	4	2	-	-	19	11	6	1	1	182	95	81	4	2	18	13	5	-	-	24
19	2	16	1	-	59	22	19	2	16	388	170	184	11	23	52	16	34	1	1	25
5	...	5	...	-	18	...	7	...	11	66	...	53	...	13	15	...	15	...	-	26
5	1	4	-	-	3	3	-	-	-	107	57	44	2	4	16	7	9	-	-	27
2	-	2	-	-	9	5	2	-	2	55	27	25	2	1	9	5	4	-	-	28
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	29
4	-	3	1	-	24	13	8	2	1	99	55	36	4	4	8	3	4	-	1	30
3	1	2	-	-	5	1	2	-	2	60	31	25	3	1	4	1	2	1	-	31
251	150	77	17	7	271	110	109	25	27	1,908	843	938	70	57	294	158	126	5	5	32
129	97	24	8	-	63	41	13	6	3	487	302	154	19	12	105	67	31	4	3	33
1	1	-	-	-	-	-	-	-	-	4	1	1	-	2	-	-	-	-	-	34
4	1	1	-	2	10	-	9	-	1	63	9	45	1	8	8	5	3	-	-	35
1	1	-	-	-	-	-	-	-	-	13	5	7	1	-	3	1	2	-	-	36
92	36	45	6	5	164	61	70	13	20	1,178	447	662	38	31	156	75	79	1	1	37
6	5	1	-	-	3	-	3	-	-	44	23	14	6	1	3	2	1	-	-	38
6	3	3	-	-	1	1	-	-	-	25	7	16	2	-	6	3	3	-	-	39
1	-	1	-	-	8	1	3	2	2	1	-	-	-	1	-	-	-	-	-	40
8	4	1	3	-	16	6	6	3	1	41	22	16	3	-	8	3	4	-	1	41
3	2	1	-	-	6	-	5	1	-	52	27	23	-	2	5	2	3	-	-	42
27	9	15	2	1	43	16	14	5	8	303	134	148	10	11	44	19	24	-	1	43
15	7	5	2	1	35	15	9	5	6	209	79	114	8	8	33	16	16	-	1	44
4	2	1	1	-	12	4	3	4	1	78	33	43	1	1	8	5	2	-	1	45
11	5	4	1	1	23	11	6	1	5	131	46	71	7	7	25	11	14	-	-	46
5	1	4	-	-	5	1	3	-	1	42	24	17	-	1	5	2	3	-	-	47
7	1	6	-	-	3	-	2	-	1	52	31	17	2	2	6	1	5	-	-	48
26	19	3	3	1	41	15	12	9	5	380	270	91	13	6	52	32	19	1	-	49
2	-	1	1	-	8	-	6	1	1	70	44	25	-	1	15	4	10	1	-	50
1	1	-	-	-	1	-	-	1	-	42	37	4	1	-	3	3	-	-	-	51
1	-	1	-	-	8	4	2	-	2	39	16	17	5	1	6	1	5	-	-	52
22	18	1	2	1	21	11	3	7	-	205	159	35	7	4	26	23	3	-	-	53
-	-	-	-	-	1	-	-	-	1	13	8	5	-	-	2	1	1	-	-	54
-	-	-	-	-	2	-	1	-	1	11	6	5	-	-	-	-	-	-	-	55
558	272	216	35	35	2,011	734	668	301	308	12,539	5,673	6,219	332	315	1,413	694	680	22	17	56
494	248	197	26	23	1,869	683	627	273	286	11,573	5,164	5,829	301	279	1,310	631	643	20	16	57
15	8	4	1	2	30	10	16	2	2	380	153	197	14	16	28	16	11	-	1	58
318	156	129	20	13	1,251	476	421	164	190	6,487	2,785	3,382	168	152	945	450	469	12	14	59
116	67	44	2	3	196	93	69	17	17	3,526	1,697	1,651	101	77	224	110	111	3	-	60
45	17	20	3	5	392	104	121	90	77	1,180	529	599	18	34	113	55	52	5	1	61
24	9	5	4	6	26	2	10	8	6	153	84	48	7	14	13	8	5	-	-	62
2	2	-	-	-	5	3	1	-	1	98	47	50	-	1	10	6	4	-	-	63
2	-	2	-	-	10	4	3	2	1	195	116	77	1	1	18	10	8	-	-	64
5	4	-	-	1	3	1	1	1	-	33	17	15	1	-	7	4	2	-	1	65
11	4	5	1	1	27	11	7	5	4	130	64	53	8	5	23	13	10	-	-	66
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	1	1	-	-	-	68
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	69
5	1	1	1	2	6	3	3	-	-	34	18	12	-	4	3	2	1	-	-	70
15	4	6	3	2	65	27	16	12	10	317	161	131	14	11	28	19	7	2	-	71
2,015	1,235	660	71	49	5,383	2,584	1,474	710	615	46,099	26,331	17,964	1,093	711	4,803	2,795	1,917	44	47	72
10	4	3	1	2	27	7	8	8	4	88	44	37	5	2	34	19	15	-	-	73
1,800	1,123	572	63	42	4,896	2,384	1,327	644	541	41,151	23,924	15,648	970	609	4,271	2,538	1,649	41	43	74
93	51	36	2	4	152	56	47	26	23	1,564	796	707	27	34	246	119	124	1	2	75
33	19	13	-	1	89	36	15	20	18	624	302	296	11	15	120	56	62	1	1	76
9	8	1	-	-	1	1	-	-	-	155	122	32	1	-	10	9	1	-	-	77
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	78
4	3	1	-	-	5	1	3	-	1	92	45	38	5	4	23	12	11	-	-	79
47	21	21	2	3	57	18	29	6	4	690	324	341	10	15	93	42	50	-	1	80

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	352,135	213,533	118,257	11,991	8,354	4,011	1,967	1,023	567	454
2	Arteriosclerotic heart disease so described----------420.0	118,784	60,869	50,673	4,029	3,213	1,084	467	320	160	137
3	Heart disease specified as involving coronary arteries----------420.1	231,709	151,696	67,070	7,866	5,077	2,872	1,473	690	397	312
4	Angina pectoris without mention of coronary disease----------420.2	1,642	968	514	96	64	55	27	13	10	5
5	Chronic endocarditis not specified as rheumatic----------421	9,044	4,244	3,422	741	637	233	62	49	64	58
6	Of mitral valve, specified as nonrheumatic----------421.0	859	384	348	57	70	10	3	2	3	2
7	Of aortic valve, not specified as rheumatic----------421.1	1,739	963	464	188	124	39	15	4	14	6
8	Of other valves, not specified as rheumatic----------421.2-421.4	6,446	2,897	2,610	496	443	184	44	43	47	50
9	Other myocardial degeneration----------422	67,640	31,059	29,797	3,613	3,171	926	286	250	202	188
10	With arteriosclerosis----------422.1	34,520	15,698	15,958	1,582	1,282	388	111	110	96	71
11	Without mention of arteriosclerosis----------422.0,422.2	33,120	15,361	13,839	2,031	1,889	538	175	140	106	117
12	Other diseases of heart----------430-434	22,657	11,490	7,102	2,356	1,709	573	241	108	137	87
13	Acute and subacute endocarditis----------430	817	402	261	81	73	8	2	-	1	5
14	Acute myocarditis not specified as rheumatic----------431	2,042	898	727	216	201	64	16	19	16	13
15	Acute pericarditis specified as nonrheumatic----------432	36	23	8	4	1	1	-	-	1	-
16	Functional disease of heart----------433	2,459	1,207	1,079	91	82	30	14	9	5	2
17	Other and unspecified diseases of heart----------434	17,303	8,960	5,027	1,964	1,352	470	209	80	114	67
18	Hypertension with heart disease----------440-443	83,911	31,140	36,535	7,865	8,371	2,158	577	510	533	538
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	23,825	9,942	9,650	2,213	2,020	677	204	148	176	149
20	Essential hypertension with heart disease, etc.*----------440,441,443	60,086	21,198	26,885	5,652	6,351	1,481	373	362	357	389
21	Hypertension without mention of heart----------444-447	12,506	5,030	4,952	1,250	1,274	337	77	89	86	85
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	6,353	2,873	2,473	530	477	102	36	30	20	16
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	6,153	2,157	2,479	720	797	235	41	59	66	69
24	Diseases of arteries----------450-456	36,687	17,500	16,534	1,406	1,247	437	173	119	80	65
25	General arteriosclerosis----------450	31,685	14,487	15,051	1,153	994	354	129	101	65	59
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	3,016	2,042	710	153	111	47	28	8	9	2
27	Gangrene of unspecified cause----------455	220	101	76	22	21	5	1	1	2	1
28	Other arterial diseases----------452-454,456	1,766	870	697	78	121	31	15	9	4	3
29	Diseases of veins and other diseases of circulatory system--------460-468	3,866	1,916	1,496	231	223	78	28	17	11	22
30	VIII. Diseases of the respiratory system----------	61,648	30,141	20,162	6,494	4,851	1,482	417	328	372	365
31	Acute upper respiratory infections----------470-475	1,067	423	396	125	123	26	5	5	9	7
32	Influenza----------480-483	5,631	2,122	2,105	707	697	284	71	70	68	75
33	Pneumonia, except pneumonia of newborn----------490-493	40,634	18,527	13,912	4,687	3,508	946	241	201	248	256
34	Lobar pneumonia----------490	12,422	5,965	3,754	1,649	1,054	351	92	60	96	103
35	Bronchopneumonia----------491	20,101	8,979	7,316	2,131	1,675	404	102	92	108	102
36	Primary atypical pneumonia----------492	3,792	1,779	1,418	326	269	104	34	34	16	20
37	Pneumonia, other and unspecified----------493	4,319	1,804	1,424	581	510	87	13	15	28	31
38	Acute bronchitis----------500	1,038	469	374	112	83	16	6	3	5	2
39	Bronchitis, chronic and unqualified----------501,502	1,932	1,139	585	123	85	45	16	12	9	8
40	Hypertrophy of tonsils and adenoids----------510	346	150	136	32	28	8	4	1	1	2
41	Empyema and abscess of lung----------518,521	715	427	136	125	27	16	8	-	3	5
42	Pleurisy----------519	236	118	70	29	19	4	-	1	2	1
43	All other respiratory diseases----------Residual[1]	10,049	6,766	2,448	554	281	137	66	35	27	9
44	IX. Diseases of the digestive system----------	58,138	30,847	20,260	4,067	2,964	884	279	231	210	164
45	Diseases of teeth and supporting structures----------530-535	208	86	69	32	21	5	1	1	2	1
46	Ulcer of stomach----------540	4,537	3,253	871	315	98	59	28	7	17	7
47	Ulcer of duodenum----------541	4,233	3,284	704	198	47	33	14	6	8	5
48	Gastritis and duodenitis----------543	299	133	88	42	36	8	1	1	2	4
49	Appendicitis----------550-553	2,710	1,432	833	261	184	50	11	14	16	9
50	Hernia and intestinal obstruction----------560,561,570	8,481	3,912	3,499	585	485	141	34	32	34	41
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	8,444	3,249	2,869	1,284	1,042	226	47	45	79	55
52	Cirrhosis of liver----------581	15,934	9,858	4,895	751	430	154	78	45	24	7
53	Without mention of alcoholism----------581.0	11,945	7,252	3,843	527	323	147	74	45	21	7
54	With alcoholism----------581.1	3,989	2,606	1,052	224	107	7	4	-	3	-
55	Cholelithiasis and cholecystitis----------584,585	5,903	2,060	3,615	69	159	69	17	44	3	5
56	Other diseases of digestive system----------Residual[1]	7,389	3,580	2,817	530	462	139	48	36	25	30
57	X. Diseases of the genito-urinary system----------	37,961	19,442	11,398	4,043	3,078	1,057	312	209	320	216
58	Nephritis and nephrosis----------590-594	23,888	10,285	8,475	2,630	2,498	720	184	156	200	180
59	Acute nephritis----------590	1,845	761	618	237	229	73	21	21	17	14
60	Nephritis with edema, including nephrosis----------591	1,286	577	454	124	131	21	5	6	6	4
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	20,757	8,947	7,403	2,269	2,138	626	158	129	177	162
62	Infections of kidney----------600	3,691	1,597	1,481	319	294	97	26	26	24	21
63	Calculi of urinary system----------602,604	1,108	598	428	48	34	25	5	14	4	2
64	Other diseases of urinary system----------601,603,605-609	1,515	790	433	233	59	32	6	5	18	3
65	Hyperplasia of prostate----------610	6,286	5,607	...	679	...	142	77	...	65	...
66	Other diseases of male genital organs----------611-617	698	563	...	133	...	23	14	...	9	...
67	Diseases of breast----------620,621	14	2	8	1	3	-	-	-	-	-
68	Diseases of female genital organs----------622-637	763	...	573	...	190	18	...	8	...	10
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	2,610	...	1,624	...	986	137	...	40	...	97
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	290	...	187	...	103	15	...	2	...	13
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	873	...	527	...	346	55	...	18	...	37
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	439	...	278	...	161	29	...	8	...	21
73	Ectopic pregnancy----------645	172	...	72	...	100	5	...	2	...	3
74	Abortion without mention of sepsis or toxemia----------650	96	...	64	...	32	3	...	2	...	1
75	Abortion with sepsis----------651	191	...	113	...	78	9	...	1	...	8
76	Abortion with toxemia, without mention of sepsis----------652	33	...	19	...	14	2	...	-	...	2
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	516	...	364	...	152	19	...	7	...	12

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,094	740	313	27	14	2,739	1,587	691	257	204	29,585	18,637	10,042	603	303	2,880	1,854	975	27	24	1
319	203	102	10	4	679	346	213	63	57	10,432	5,754	4,342	207	129	940	545	379	8	8	2
774	537	211	17	9	2,038	1,230	472	192	144	19,086	12,840	5,678	396	172	1,931	1,304	592	19	16	3
1	-	-	-	1	22	11	6	2	3	67	43	22	-	2	9	5	4	-	-	4
11	8	3	-	-	128	43	31	23	31	437	242	177	11	7	74	41	33	-	-	5
1	-	1	-	-	17	5	6	1	5	61	33	27	1	-	7	5	2	-	-	6
6	5	1	-	-	16	5	2	5	4	154	107	41	2	4	10	6	4	-	-	7
4	3	1	-	-	95	33	23	17	22	222	102	109	8	3	57	30	27	-	-	8
261	146	100	12	3	423	172	150	58	43	3,653	1,711	1,796	91	55	422	212	206	-	4	9
145	79	55	8	3	154	65	60	16	13	2,184	1,019	1,089	42	34	184	81	102	-	1	10
116	67	45	4	-	269	107	90	42	30	1,469	692	707	49	21	238	131	104	-	3	11
129	76	35	8	10	460	210	87	94	69	770	406	321	33	10	108	65	39	3	1	12
4	2	2	-	-	25	5	3	8	9	74	42	28	4	-	11	7	4	-	-	13
5	3	2	-	-	25	9	3	5	8	76	31	34	9	2	8	4	4	-	-	14
-	-	-	-	-	-	-	-	-	-	6	3	3	-	-	1	-	1	-	-	15
12	6	6	-	-	30	12	8	6	4	139	71	66	2	-	19	8	10	1	-	16
108	65	25	8	10	380	184	73	75	48	475	259	190	18	8	69	46	20	2	1	17
212	102	85	14	11	994	316	321	186	171	5,142	2,132	2,605	205	200	541	247	272	10	12	18
64	30	28	2	4	246	78	77	49	42	995	462	446	49	38	238	121	111	4	2	19
148	72	57	12	7	748	238	244	137	129	4,147	1,670	2,159	156	162	303	126	161	6	10	20
58	38	15	3	2	157	51	45	25	36	733	333	325	40	35	95	39	53	1	2	21
30	23	7	-	-	52	20	16	7	9	432	212	187	17	16	58	27	29	1	1	22
28	15	8	3	2	105	31	29	18	27	301	121	138	23	19	37	12	24	-	1	23
135	64	65	3	3	260	127	79	30	24	3,829	1,869	1,833	68	59	351	169	179	1	2	24
111	48	57	3	3	221	105	73	26	17	3,240	1,495	1,659	51	35	292	131	158	1	2	25
15	11	4	-	-	18	8	4	4	2	461	312	119	16	14	44	30	14	-	-	26
-	-	-	-	-	2	1	-	-	1	5	3	2	-	-	-	-	-	-	-	27
9	5	4	-	-	19	13	2	-	4	123	59	53	1	10	15	8	7	-	-	28
12	6	5	1	-	43	15	15	3	10	298	161	121	10	6	52	30	21	1	-	29
509	243	133	70	63	877	317	243	176	141	4,090	2,389	1,378	205	118	919	540	353	15	11	30
10	3	2	3	2	11	3	4	3	1	43	20	18	2	3	8	2	6	-	-	31
22	10	9	2	1	124	34	41	25	24	124	66	44	5	9	67	27	40	-	-	32
322	117	94	57	54	592	205	159	123	105	2,730	1,498	997	149	86	662	376	264	13	9	33
80	28	26	11	15	226	77	48	58	43	682	451	177	35	19	133	75	53	2	3	34
152	66	39	23	24	235	85	59	45	46	1,628	843	643	94	48	472	269	187	10	6	35
40	13	20	4	3	80	29	34	11	6	300	143	129	12	16	37	22	14	1	-	36
50	10	9	19	12	51	14	18	9	10	120	61	48	8	3	20	10	10	-	-	37
9	2	5	1	1	6	1	3	1	1	67	38	24	3	2	12	4	6	-	2	38
23	14	5	2	2	24	9	7	4	4	124	81	38	2	3	13	7	6	-	-	39
2	-	-	2	-	3	1	1	1	-	32	12	16	2	2	7	5	2	-	-	40
3	3	-	-	-	11	4	1	5	1	55	37	11	6	1	11	6	5	-	-	41
3	1	2	-	-	-	-	-	-	-	12	7	1	4	-	1	-	1	-	-	42
115	93	16	3	3	106	60	27	14	5	903	630	229	32	12	138	113	23	2	-	43
497	191	139	80	87	566	215	154	119	78	5,111	3,011	1,792	201	107	670	372	277	11	10	44
1	-	-	-	1	3	2	-	-	1	9	5	3	1	-	2	-	2	-	-	45
25	18	6	-	1	47	23	9	12	3	425	324	84	14	3	48	38	9	1	-	46
20	13	5	2	-	30	19	4	6	1	479	379	77	19	4	71	56	13	1	1	47
-	-	-	-	-	14	2	3	5	4	15	8	5	1	1	-	-	-	-	-	48
17	8	6	2	1	32	12	9	6	5	141	82	45	9	5	32	16	14	2	-	49
52	21	18	4	9	74	21	30	11	12	517	248	244	13	12	93	49	40	1	3	50
215	51	40	63	61	127	29	27	42	29	452	232	175	26	19	149	74	69	3	3	51
86	49	27	4	6	82	44	23	12	3	2,134	1,259	742	92	41	123	78	41	2	2	52
80	45	26	4	5	65	32	21	9	3	1,117	622	425	47	23	91	55	33	1	2	53
6	4	1	-	1	17	12	2	3	-	1,017	637	317	45	18	32	23	8	1	-	54
29	8	18	1	2	51	19	27	-	5	378	149	212	9	8	82	27	55	-	-	55
52	23	19	4	6	106	44	22	25	15	561	325	205	17	14	70	34	34	1	1	56
148	75	49	14	10	696	283	153	154	106	1,992	1,215	617	104	56	315	197	107	5	6	57
90	39	34	10	7	515	189	120	108	98	1,060	548	410	63	39	187	106	76	2	3	58
9	5	2	2	-	56	27	14	8	7	77	44	27	3	3	19	10	9	-	-	59
11	4	4	2	1	17	9	3	4	1	69	39	25	2	3	11	5	5	-	1	60
70	30	28	6	6	442	153	103	96	90	914	465	358	58	33	157	91	62	2	2	61
14	4	8	-	2	39	16	17	4	2	300	153	126	11	10	45	25	17	1	2	62
6	3	2	1	-	9	3	6	-	-	59	42	13	2	2	12	6	6	-	-	63
5	4	1	-	-	16	7	4	3	2	96	57	28	10	1	12	8	4	-	-	64
27	24	...	3	...	83	56	...	27	...	414	397	...	17	...	48	46	...	2	...	65
1	1	...	-	...	24	12	...	12	...	19	18	...	1	...	6	6	...	-	...	66
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	67
5	...	4	...	1	10	...	6	...	4	43	...	39	...	4	5	...	4	...	1	68
19	...	11	...	8	44	...	19	...	25	143	...	108	...	35	29	...	29	...	-	69
3	...	1	...	2	9	...	5	...	4	13	...	13	...	-	4	...	4	...	-	70
5	...	2	...	3	13	...	3	...	10	42	...	34	...	8	11	...	11	...	-	71
2	...	-	...	2	13	...	7	...	6	15	...	13	...	2	5	...	5	...	-	72
-	...	-	...	-	2	...	-	...	2	16	...	5	...	11	4	...	4	...	-	73
1	...	1	...	-	-	...	-	...	-	15	...	12	...	3	2	...	2	...	-	74
2	...	2	...	-	1	...	1	...	-	18	...	11	...	7	-	...	-	...	-	75
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	76
6	...	5	...	1	6	...	3	...	3	22	...	18	...	4	3	...	3	...	-	77

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	1,251	467	547	94	143	32	13	7	6	6
2	Infections of skin and subcutaneous tissue---690-698	314	143	103	34	34	11	4	2	4	1
3	Other diseases of skin and subcutaneous tissue---700-716	937	324	444	60	109	21	9	5	2	5
4	XIII. Diseases of the bones and organs of movement	3,129	1,277	1,535	147	170	88	27	33	15	13
5	Arthritis and spondylitis---720-725	1,722	565	992	65	100	59	18	26	7	8
6	Muscular rheumatism and rheumatism, unspecified---726,727	60	23	28	5	4	2	1	-	1	-
7	Osteomyelitis and periostitis---730	173	89	42	24	18	4	-	-	3	1
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	111	55	46	7	3	4	1	3	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	1,063	545	427	46	45	19	7	4	4	4
10	XIV. Congenital malformations	19,768	9,667	8,152	1,108	841	377	139	132	63	43
11	Spina bifida and meningocele---751	1,772	671	1,017	46	38	34	12	19	2	1
12	Congenital hydrocephalus, etc.*---752,753	2,473	1,132	1,067	145	129	59	17	17	14	11
13	Congenital malformations of circulatory system---754	8,849	4,517	3,422	512	398	158	58	58	21	21
14	Other congenital malformations---750,755-759	6,674	3,347	2,646	405	276	126	52	38	26	10
15	XV. Certain diseases of early infancy	63,659	30,102	20,854	7,145	5,558	1,629	527	348	413	341
16	Birth injuries---760,761	11,810	6,147	3,956	1,025	682	268	105	58	66	39
17	Postnatal asphyxia and atelectasis---762	15,547	7,874	4,963	1,544	1,166	348	133	91	55	69
18	Infections of newborn---763-768	4,094	1,641	1,159	750	544	126	30	24	41	31
19	Hemolytic disease of newborn (erythroblastosis)---770	2,633	1,430	1,011	120	72	41	11	15	11	4
20	All other defined diseases of early infancy---769,771,772	2,320	898	690	426	306	93	27	18	27	21
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	27,255	12,112	9,075	3,280	2,788	753	221	142	213	177
22	XVI. Symptoms, senility, and ill-defined conditions	21,950	8,381	5,674	4,257	3,638	1,455	323	181	490	461
23	Senility without mention of psychosis---794	4,790	1,696	2,210	396	488	163	28	32	43	60
24	Symptoms, ill-defined and unknown causes---780-793,795	17,160	6,685	3,464	3,861	3,150	1,292	295	149	447	401
25	XVII. Accidents, poisonings, and violence	119,837	71,830	30,067	13,228	4,712	2,617	1,169	399	779	270
26	Accidents---E800-E962	96,172	57,605	25,788	9,092	3,687	2,013	948	347	522	196
27	Railway accidents---E800-E802	1,760	1,278	135	323	24	46	30	-	15	1
28	Motor-vehicle accidents---E810-E835	37,794	25,110	8,255	3,426	1,003	829	464	121	205	39
29	Motor-vehicle traffic accidents---E810-E825	36,824	24,441	8,065	3,332	986	802	447	118	200	37
30	Motor-vehicle traffic accident with railway train*---E810	1,429	988	351	69	21	37	22	5	8	2
31	Motor-vehicle traffic accident to pedestrian---E812	8,308	5,326	1,747	920	315	167	71	23	58	15
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	12,946	8,495	3,314	866	271	265	166	54	39	6
33	Motor-vehicle noncollision traffic accidents---E820-E824	9,247	6,533	1,587	905	222	283	160	30	80	13
34	Motor-vehicle traffic accident of unspecified nature---E825	4,894	3,099	1,066	572	157	50	28	6	15	1
35	Motor-vehicle nontraffic accidents---E830-E835	970	669	190	94	17	27	17	3	5	2
36	Other road-vehicle accidents---E840-E845	447	300	76	63	8	13	7	1	5	-
37	Water-transport accidents---E850-E858	1,437	1,128	104	186	19	56	37	7	12	-
38	Aircraft accidents---E860-E866	1,594	1,438	106	47	3	31	26	1	4	-
39	Accidental poisoning by solid and liquid substances---E870-E888	1,440	665	453	197	125	50	17	7	15	11
40	Accidental poisoning by gases and vapors---E890-E895	1,397	904	377	84	32	9	3	5	1	-
41	Accidental falls---E900-E904	20,945	9,328	10,449	730	438	210	80	100	23	7
42	Fall from one level to another---E900-E902	7,306	4,243	2,466	427	170	65	32	17	15	1
43	Fall on same level---E903	4,627	1,678	2,796	77	76	60	21	35	2	2
44	Unspecified falls---E904	9,012	3,407	5,187	226	192	85	27	48	6	4
45	Blow from falling object---E910	1,391	1,129	44	213	5	41	17	1	22	1
46	Accident caused by machinery---E912	2,083	1,801	81	192	9	54	38	3	12	1
47	Accident caused by electric current---E914	1,056	913	59	80	4	31	19	2	9	1
48	Accident caused by fire and explosion, etc.*---E916	6,922	2,851	1,993	1,064	1,014	220	43	44	62	71
49	Accident caused by hot substance, etc.*---E917,E918	836	349	248	123	116	22	4	5	5	8
50	Accident caused by firearm---E919	2,210	1,635	184	300	91	71	33	4	25	9
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	1,434	699	477	150	108	29	11	4	7	7
52	Accidental drowning---E929	5,346	3,672	724	857	93	109	45	14	44	6
53	Excessive heat and insolation---E931	1,401	743	371	185	102	32	13	5	9	5
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	658	243	300	45	70	7	2	2	1	2
55	All other accidents---Residual[1]	6,021	3,419	1,352	827	423	153	59	21	46	27
56	Suicide---E963,E970-E979	15,567	11,624	3,339	491	113	199	134	38	21	6
57	Suicide by poisoning---E970-E973	3,187	1,966	1,151	38	32	19	8	8	1	2
58	Suicide by hanging and strangulation---E974	3,358	2,474	771	95	18	12	8	3	1	-
59	Suicide by firearms and explosives---E976	7,013	5,908	807	264	34	145	104	22	15	4
60	Suicide by all other means---E963,E975,E977-E979	2,009	1,276	610	94	29	23	14	5	4	-
61	Homicide---E964,E980-E985	8,054	2,562	940	3,640	912	405	87	14	236	68
62	Assault by firearms and explosives---E981	4,244	1,390	530	1,879	445	219	61	8	116	34
63	Assault by cutting and piercing instruments---E982	1,986	325	110	1,257	294	117	14	-	77	26
64	Assault by other means---E964,E980,E983	1,485	684	298	331	172	46	9	6	23	8
65	Injury by intervention of police---E984	256	128	2	125	1	19	2	-	17	-
66	Execution---E985	83	35	-	48	-	4	1	-	3	-
67	Injury resulting from operations of war---E965,E990-E999	44	39	-	5	-	-	-	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3	1	1	-	1	15	6	2	3	4	77	33	37	2	5	11	4	7	-	-	1
2	1	1	-	-	3	-	1	2	-	25	14	11	-	-	1	-	1	-	-	2
1	-	-	-	1	12	6	1	1	4	52	19	26	2	5	10	4	6	-	-	3
20	8	10	1	1	55	25	22	3	5	207	81	120	2	4	34	16	17	1	-	4
13	6	5	1	1	39	16	17	3	3	108	26	80	-	2	20	9	11	-	-	5
-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	6
-	-	-	-	-	1	-	-	-	1	5	2	3	-	-	3	1	1	1	-	7
2	-	2	-	-	1	1	-	-	-	7	3	3	1	-	1	1	-	-	-	8
5	2	3	-	-	13	8	4	-	1	86	50	34	-	2	10	5	5	-	-	9
148	73	60	8	7	163	78	57	17	11	1,395	696	593	69	37	178	90	85	-	3	10
14	6	7	1	-	12	6	6	-	-	68	21	44	1	2	8	5	3	-	-	11
17	7	9	1	-	23	9	7	2	5	143	64	67	9	3	22	10	12	-	-	12
60	30	23	3	4	75	39	26	6	4	686	349	276	40	21	78	35	40	-	3	13
57	30	21	3	3	53	24	18	9	2	498	262	206	19	11	70	40	30	-	-	14
479	226	151	59	43	590	260	157	96	77	4,337	2,305	1,588	258	186	688	402	273	7	6	15
77	36	31	7	3	99	54	20	17	8	999	555	380	41	23	148	88	58	1	1	16
92	50	26	8	8	123	60	35	14	14	1,291	719	416	87	69	207	119	84	1	3	17
39	12	12	12	3	62	25	10	17	10	223	117	72	17	17	50	30	18	1	1	18
16	11	5	-	-	15	7	4	1	3	179	105	65	5	4	26	22	4	-	-	19
30	14	7	4	5	29	11	5	9	4	103	51	36	12	4	24	12	12	-	-	20
225	103	70	28	24	262	103	83	38	38	1,542	758	619	96	69	233	131	97	4	1	21
324	148	53	73	50	561	150	110	153	148	445	252	166	16	11	46	24	21	1	-	22
43	17	19	3	4	144	42	49	28	25	115	43	65	4	3	15	4	11	-	-	23
281	131	34	70	46	417	108	61	125	123	330	209	101	12	8	31	20	10	1	-	24
1,018	655	192	119	52	1,568	805	341	312	110	9,609	6,383	2,464	589	173	1,181	789	358	22	12	25
825	529	160	96	40	1,333	700	307	231	95	7,363	4,896	1,915	417	135	942	617	301	17	7	26
25	13	-	12	-	22	11	2	9	-	133	113	4	13	3	24	23	1	-	-	27
379	247	77	38	17	484	311	83	73	17	3,674	2,494	906	210	64	388	260	116	9	3	28
369	240	75	37	17	460	294	79	70	17	3,579	2,422	889	205	63	376	250	114	9	3	29
16	12	4	-	-	12	10	1	1	-	137	95	34	6	2	15	12	2	1	-	30
66	40	8	14	4	85	51	11	17	6	828	560	195	51	22	55	39	16	-	-	31
141	87	47	4	3	108	75	25	7	1	1,577	1,033	426	95	23	140	84	52	3	1	32
132	90	15	18	9	75	47	17	9	2	952	680	207	50	15	139	95	38	4	2	33
14	11	1	1	1	180	111	25	36	8	85	54	27	3	1	27	20	6	1	-	34
10	7	2	1	-	24	17	4	3	-	95	72	17	5	1	12	10	2	-	-	35
6	4	1	1	-	6	3	-	2	1	30	19	11	-	-	10	8	1	1	-	36
2	1	-	1	-	24	18	4	1	1	111	93	11	5	2	4	4	-	-	-	37
38	37	-	1	-	16	14	-	2	-	258	230	19	7	2	29	24	4	1	-	38
12	7	3	-	2	26	13	4	7	2	173	79	80	12	2	11	6	5	-	-	39
13	9	4	-	-	5	2	3	-	-	135	91	38	6	-	13	9	4	-	-	40
72	33	30	8	1	156	58	81	9	8	1,004	521	430	37	16	186	84	99	3	-	41
21	14	3	3	1	39	23	8	8	-	375	245	100	22	8	74	47	26	1	-	42
16	4	9	3	-	25	9	14	-	2	145	58	83	2	2	59	18	39	2	-	43
35	15	18	2	-	92	26	59	1	6	484	218	247	13	6	53	19	34	-	-	44
11	9	1	1	-	34	31	1	2	-	72	64	5	3	-	14	13	1	-	-	45
15	13	-	2	-	27	17	4	6	-	108	98	2	8	-	19	16	2	1	-	46
18	18	-	-	-	11	11	-	-	-	66	57	6	3	-	11	11	-	-	-	47
54	22	18	6	8	181	49	47	45	40	452	241	155	38	18	52	35	16	-	1	48
10	5	2	2	1	19	5	7	4	3	35	19	12	1	3	5	2	3	-	-	49
18	12	2	1	3	48	32	1	11	4	117	103	7	6	1	30	27	3	-	-	50
11	7	1	2	1	16	1	5	4	6	124	64	40	10	10	27	17	8	1	1	51
51	35	8	7	1	70	40	8	21	1	396	310	56	28	2	49	34	15	-	-	52
15	10	2	2	1	9	6	1	1	1	40	33	3	3	1	2	2	-	-	-	53
4	2	2	-	-	3	1	2	-	-	60	18	32	6	4	8	2	5	-	1	54
71	45	9	12	5	176	77	54	34	11	375	249	98	21	7	60	40	18	1	1	55
122	91	23	5	3	105	73	27	4	1	1,743	1,231	448	55	9	193	143	48	1	1	56
23	13	10	-	-	11	5	6	-	-	555	322	227	6	-	55	35	20	-	-	57
14	11	1	2	-	11	8	3	-	-	288	200	59	22	7	38	24	13	1	-	58
70	61	7	2	-	71	55	13	3	-	675	558	98	18	1	83	75	7	-	1	59
15	6	5	1	3	12	5	5	1	1	225	151	64	9	1	17	9	8	-	-	60
71	35	9	18	9	128	30	7	77	14	498	252	101	116	29	44	27	9	4	4	61
36	16	7	11	2	73	17	5	42	9	200	99	39	49	13	22	13	4	3	2	62
11	3	2	3	3	32	3	-	24	5	103	34	14	47	8	11	5	4	-	2	63
22	15	-	3	4	18	10	2	6	-	158	90	47	13	8	10	9	1	-	-	64
2	1	-	1	-	3	-	-	3	-	25	20	1	4	-	1	-	-	1	-	65
-	-	-	-	-	2	-	-	2	-	12	9	-	3	-	-	-	-	-	-	66
-	-	-	-	-	2	2	-	-	-	5	4	-	1	-	2	2	-	-	-	67

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	20,139	10,862	8,707	303	267	3,520	1,650	1,242	370	258
2	I. Infective and parasitic diseases	397	258	101	26	12	89	39	19	18	13
3	Tuberculosis, all forms 001-019	248	173	55	16	4	53	21	11	13	8
4	Tuberculosis of respiratory system 001-008	232	163	50	15	4	47	19	11	11	6
5	Tuberculosis of meninges and central nervous system 010	4	1	2	1	-	3	1	-	1	1
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	-	-	-	-	-	-	-	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	1	1	-	-	-	-	-	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	5	4	1	-	-	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017.018	2	1	1	-	-	-	-	-	-	-
11	Disseminated tuberculosis 019	4	3	1	-	-	3	1	-	1	1
12	Syphilis and its sequelae 020-029	60	38	7	8	7	15	9	1	4	1
13	Congenital syphilis 020	1	-	-	1	-	1	-	-	1	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	20	16	2	-	2	5	5	-	-	-
16	Other cardiovascular syphilis 023	29	20	3	3	3	4	2	-	2	-
17	Tabes dorsalis 024	1	-	1	-	-	-	-	-	-	-
18	General paralysis of insane 025	2	-	-	2	-	2	-	1	1	-
19	Other syphilis of central nervous system 026	6	1	1	2	2	3	2	-	-	1
20	Other syphilis 027-029	1	1	-	-	-	-	-	-	-	-
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	-	-	-	-	-	-	-	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	1	-	1	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	-	-	-	-	-	-	-	-	-	-
28	Food poisoning (infection and intoxication) 049	-	-	-	-	-	-	-	-	-	-
29	Scarlet fever 050	1	-	1	-	-	-	-	-	-	-
30	Streptococcal sore throat 051	3	2	1	-	-	-	-	-	-	-
31	Erysipelas 052	1	-	1	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	11	6	5	-	-	3	1	1	-	1
33	Diphtheria 055	-	-	-	-	-	-	-	-	-	-
34	Whooping cough 056	-	-	-	-	-	1	-	1	-	-
35	Meningococcal infections 057	13	8	4	-	1	1	-	1	-	-
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	1	1	-	-	-	1	-	-	-	1
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	21	13	8	-	-	7	3	3	1	-
42	Late effects of acute poliomyelitis 081	1	-	1	-	-	-	-	-	-	-
43	Acute infectious encephalitis 082	4	1	3	-	-	1	1	-	-	-
44	Late effects of acute infectious encephalitis 083	3	1	2	-	-	-	-	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	5	2	3	-	-	1	-	-	-	1
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	12	7	5	-	-	3	3	-	-	-
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	1	-	-	-	1
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	1	-	-	-	1
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	12	6	4	2	-	2	1	1	-	-
61	II. Neoplasms	3,783	1,933	1,759	45	46	498	227	202	47	22
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	3,707	1,890	1,731	45	41	489	222	198	47	22
63	Malignant neoplasm of buccal cavity and pharynx 140-148	107	83	22	-	2	10	8	1	1	-
64	Of lip 140	3	3	-	-	-	-	-	-	-	-
65	Of tongue 141	23	17	5	-	1	1	1	-	-	-
66	Of other and unspecified parts of buccal cavity 142-144	29	19	10	-	-	4	3	-	1	-
67	Of pharynx 145-148	52	44	7	-	1	5	4	1	-	-
68	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	1,423	755	632	26	10	179	85	65	21	8
69	Of esophagus 150	93	74	12	6	1	10	8	1	1	-
70	Of stomach 151	364	216	140	7	1	60	25	19	13	3
71	Of intestine, except rectum 152,153	429	179	240	4	6	52	21	25	3	3
72	Of rectum 154	216	127	86	2	1	20	14	4	1	1
73	Of biliary passages and of liver (stated to be primary site) 155	80	36	44	-	-	13	7	6	-	-
74	Of liver not specified whether primary or secondary 156A	53	22	28	3	-	6	4	1	1	-
75	Of pancreas 157	167	91	72	3	1	16	6	7	2	1
76	Of peritoneum and of unspecified digestive organs 158,159	21	10	10	1	-	2	-	2	-	-
77	Malignant neoplasm of respiratory system 160-164	428	348	72	8	-	55	33	13	9	-
78	Of larynx 161	41	37	4	-	-	3	1	-	2	-
79	Of trachea, and of bronchus and lung specified as primary 162	112	89	19	4	-	23	15	3	5	-
80	Of lung and bronchus, unspecified as primary or secondary 163	258	210	44	4	-	29	17	10	2	-
81	Of other parts of respiratory system 160,164	17	12	5	-	-	-	-	-	-	-
82	Malignant neoplasm of breast 170	342	2	329	-	11	29	-	27	-	2

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,480	2,823	2,363	1,821	1,473	29,219	13,276	8,424	4,230	3,289	30,697	10,892	7,503	6,687	5,615	4,876	2,990	1,784	70	32	1
350	87	35	151	77	922	330	133	285	174	972	268	170	322	212	104	64	33	3	4	2
250	58	21	116	55	504	193	60	155	96	464	134	64	157	109	43	32	6	1	4	3
218	57	18	99	44	471	185	54	146	86	420	127	62	137	94	39	29	5	1	4	4
7	-	-	4	3	13	3	2	5	3	10	3	-	2	5	2	2	-	-	-	5
3	-	-	2	1	5	2	1	2	-	6	1	1	3	1	-	-	-	-	-	6
2	-	-	2	-	3	1	2	-	-	5	1	-	4	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	8
4	1	1	2	-	1	1	-	-	-	3	2	-	1	-	1	1	-	-	-	9
-	-	-	-	-	-	-	-	-	-	3	-	-	-	3	1	-	1	-	-	10
16	-	2	7	7	11	1	1	2	7	16	-	1	10	5	-	-	-	-	-	11
62	16	6	28	12	151	51	14	65	21	143	34	8	63	38	8	6	2	-	-	12
1	-	-	1	-	7	-	2	1	4	6	-	1	1	4	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	14
26	9	3	9	5	56	25	6	17	8	38	16	2	17	3	4	3	1	-	-	15
20	4	2	11	3	52	14	3	31	4	45	7	1	23	14	1	1	-	-	-	16
1	-	-	1	-	3	3	-	-	-	2	-	-	1	1	-	-	-	-	-	17
8	-	1	3	4	12	3	-	7	2	32	9	2	12	9	1	1	-	-	-	18
6	3	-	3	-	13	4	2	6	1	14	2	1	6	5	1	1	-	-	-	19
-	-	-	-	-	8	2	1	3	2	6	-	1	3	2	-	-	-	-	-	20
-	-	-	-	-	3	-	-	1	2	2	-	-	1	1	-	-	-	-	-	21
1	1	-	-	-	2	1	-	-	1	3	-	-	3	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
2	1	-	1	-	1	1	-	-	-	2	1	-	-	1	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	23	6	1	7	9	45	2	13	17	13	1	-	-	1	-	27
-	-	-	-	-	5	1	-	3	1	13	7	3	2	1	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	29
1	-	1	-	-	4	1	2	1	-	19	5	5	5	4	1	-	1	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	31
2	1	-	1	-	21	4	7	7	3	20	7	5	3	5	7	2	5	-	-	32
1	-	-	-	1	7	2	2	3	-	16	7	5	3	1	-	-	-	-	-	33
1	-	-	1	-	5	-	1	1	3	23	1	2	13	7	1	-	1	-	-	34
10	4	3	1	2	31	15	6	4	6	51	19	14	10	8	2	-	2	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	26	3	2	14	7	17	2	3	10	2	1	1	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
6	3	1	-	2	41	17	16	7	1	27	12	9	6	-	22	14	8	-	-	41
-	-	-	-	-	5	4	-	1	-	3	-	1	-	2	1	1	-	-	-	42
1	-	-	1	-	12	6	3	-	3	18	7	5	3	3	3	-	3	-	-	43
2	1	-	1	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
2	1	-	-	1	10	1	2	3	4	22	5	7	4	6	2	1	-	1	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
5	1	3	-	1	17	9	5	2	1	31	10	10	8	3	2	1	1	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	5	4	1	-	-	-	-	-	-	-	53
-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	58
-	-	-	-	-	9	1	-	4	4	3	1	-	1	1	-	-	-	-	-	59
4	-	-	1	3	38	11	11	6	10	42	9	14	12	7	7	5	2	-	-	60
1,349	432	462	238	217	4,299	1,974	1,617	327	381	3,553	1,233	1,295	438	587	664	362	293	7	2	61
1,308	425	452	229	202	4,179	1,937	1,570	319	353	3,442	1,214	1,258	427	543	649	353	287	7	2	62
37	18	5	9	5	101	69	23	5	4	80	40	23	11	6	12	6	6	-	-	63
1	1	-	-	-	7	7	-	-	-	6	5	1	-	-	3	2	1	-	-	64
7	3	-	2	2	14	10	3	-	1	8	5	-	-	3	1	-	1	-	-	65
12	5	4	3	-	30	16	11	1	2	27	11	9	5	2	4	2	2	-	-	66
17	9	1	4	3	50	36	9	4	1	39	19	13	6	1	4	2	2	-	-	67
487	172	137	112	66	1,320	624	474	136	86	1,083	395	355	184	149	229	132	94	3	-	68
62	23	7	30	2	67	39	5	17	6	53	26	7	9	11	6	6	-	-	-	69
101	36	27	23	15	350	169	104	47	30	342	129	87	79	47	72	52	18	2	-	70
147	54	55	17	21	363	163	167	19	14	272	92	110	29	41	58	26	32	-	-	71
61	24	17	15	5	163	81	61	13	8	93	32	34	8	19	26	14	12	-	-	72
19	7	7	-	5	57	27	23	4	3	104	30	41	19	14	19	7	12	-	-	73
23	4	6	7	6	125	51	49	13	12	33	12	8	10	3	14	6	7	1	-	74
64	22	16	18	8	164	79	55	18	12	160	68	54	27	11	32	20	12	-	-	75
10	2	2	2	4	31	15	10	5	1	26	6	14	3	3	2	1	1	-	-	76
159	102	18	34	5	551	416	83	45	7	325	207	51	55	12	46	35	9	2	-	77
16	12	-	2	2	41	31	5	4	1	27	19	3	3	2	4	3	1	-	-	78
80	53	4	21	2	196	153	29	13	1	245	158	40	37	10	15	11	4	-	-	79
58	34	14	9	1	295	221	43	26	5	39	23	7	9	-	26	20	4	2	-	80
5	3	-	2	-	19	11	6	2	-	14	7	1	6	-	1	1	-	-	-	81
129	-	92	-	37	323	6	269	-	48	271	2	190	1	78	53	4	49	-	-	82

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	499	186	297	5	11	88	26	48	3	11
2	Of cervix uteri----------171	90	...	84	...	6	19	...	14	...	5
3	Of other and unspecified parts of uterus----------172-174	94	...	93	...	1	24	...	22	...	2
4	Of ovary, fallopian tube, and broad ligament----------175	114	...	110	...	4	15	...	12	...	3
5	Of other and unspecified female genital organs----------176	10	...	10	...	-	1	...	-	...	1
6	Of prostate----------177	170	166	...	4	...	28	25	...	3	...
7	Of testis, and of other and unspecified male genital organs----178,179	21	20	...	1	...	1	1	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	174	113	58	2	1	34	18	11	5	-
9	Of kidney----------180	65	41	24	-	-	14	7	4	3	-
10	Of bladder and other urinary organs----------181	109	72	34	2	1	20	11	7	2	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	406	217	180	3	6	53	26	21	5	1
12	Of skin----------190,191	42	25	16	-	1	2	2	-	-	-
13	Of eye----------192	4	2	2	-	-	-	-	-	-	-
14	Of brain and other parts of nervous system----------193	68	43	24	1	-	10	5	4	1	-
15	Of thyroid gland----------194	16	4	12	-	-	-	-	-	-	-
16	Of bone (including jaw bone)----------196	23	9	14	-	-	6	4	2	-	-
17	Of connective tissue----------197	13	9	4	-	-	2	1	-	1	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	50	22	28	-	-	8	5	2	1	-
19	Of unspecified sites----------156B,165,198B,199B-M	190	103	80	2	5	25	9	13	2	1
20	Leukemia and aleukemia----------204	148	79	69	-	-	15	10	5	-	-
21	Lymphosarcoma, etc.*----------200-203,205	180	107	72	1	-	26	16	7	3	-
22	Lymphosarcoma and reticulosarcoma----------200	68	38	30	-	-	12	6	4	2	-
23	Hodgkin's disease----------201	55	34	21	-	-	8	7	1	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	57	35	21	1	-	6	3	2	1	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	76	43	28	-	5	9	5	4	-	-
26	Benign neoplasms of female genital organs----------214-217	10	...	7	...	3	2	...	2	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	5	3	2	-	-	2	1	1	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	14	9	4	-	1	1	1	-	-	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	1	...	1	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	34	22	11	-	1	4	3	1	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	12	9	3	-	-	-	-	-	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	491	220	262	4	5	107	34	56	3	14
33	Asthma----------241	71	46	22	1	2	18	11	5	2	-
34	Nontoxic goiter----------250,251	1	-	1	-	-	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----------252	15	5	10	-	-	2	1	1	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	1	-	1	-	-	-	-	-	-	-
37	Diabetes mellitus----------260	375	147	222	3	3	80	19	48	1	12
38	Diseases of thymus gland----------273	2	2	-	-	-	2	1	1	-	-
39	Diseases of adrenal glands----------274	5	3	2	-	-	1	-	-	-	1
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	6	4	2	-	-	3	2	-	-	1
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	15	13	2	-	-	1	-	1	-	-
43	IV. Diseases of the blood and blood-forming organs----------	61	33	25	1	2	15	4	10	1	-
44	Anemias----------290-293	41	24	16	1	-	7	1	6	-	-
45	Pernicious and other hyperchromic anemias----------290	18	11	7	-	-	5	-	5	-	-
46	Anemias of other and unspecified type----------291-293	23	13	9	1	-	2	1	1	-	-
47	Purpura and other hemorrhagic conditions----------296	5	1	3	-	1	3	1	1	1	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	15	8	6	-	1	5	2	3	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	93	62	26	3	2	10	5	-	3	2
50	Senile psychosis----------304	24	10	14	-	-	1	1	-	-	-
51	Alcoholic psychosis----------307	4	2	2	-	-	-	-	-	-	-
52	Other psychoses----------300-303,305,306,308,309	11	5	6	-	-	-	-	-	-	-
53	Alcoholism----------322	48	41	3	3	1	9	4	-	3	2
54	Mental deficiency----------325	4	3	-	-	1	-	-	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	2	1	1	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	2,369	1,034	1,274	28	33	395	166	167	39	23
57	Vascular lesions affecting central nervous system----------330-334	2,218	955	1,207	25	31	365	152	158	35	20
58	Subarachnoid hemorrhage----------330	80	35	39	4	2	4	1	3	-	-
59	Cerebral hemorrhage----------331	1,357	583	736	16	22	232	97	93	24	18
60	Cerebral embolism and thrombosis----------332	591	256	326	3	6	90	41	39	9	1
61	Other vascular lesions affecting central nervous system--------333,334	190	81	106	2	1	39	13	23	2	1
62	Meningitis, except meningococcal and tuberculous----------340	19	7	10	2	-	5	1	-	1	3
63	Multiple sclerosis----------345	21	12	9	-	-	3	1	2	-	-
64	Paralysis agitans----------350	34	14	18	1	1	9	6	3	-	-
65	Cerebral spastic infantile paralysis----------351	7	4	3	-	-	-	-	-	-	-
66	Epilepsy----------353	17	9	7	-	1	2	2	-	-	-
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	-	-	-	-	-	-	-	-	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	1	-	1	-	-	3	2	-	1	-
71	Other diseases of nervous system and sense organs----------Residual[1]	52	33	19	-	-	8	2	4	2	-
72	VII. Diseases of the circulatory system----------	8,936	4,945	3,812	84	95	1,542	780	554	110	98
73	Rheumatic fever----------400-402	13	7	6	-	-	2	1	1	-	-
74	Diseases of heart----------410-443	8,266	4,634	3,472	75	85	1,418	728	505	97	88
75	Chronic rheumatic heart disease----------410-416	271	131	133	5	2	61	22	31	3	5
76	Diseases of mitral valve----------410	77	32	45	-	-	29	10	16	1	2
77	Diseases of aortic valve specified as rheumatic----------411	19	12	7	-	-	1	1	-	-	-
78	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	16	7	8	-	1	1	-	1	-	-
80	Other diseases of heart specified as rheumatic----------415,416	159	80	73	5	1	30	11	14	2	3

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
177	24	89	17	47	742	204	359	56	123	757	162	320	79	196	112	58	51	1	2	1
56	...	33	...	23	216	...	151	...	65	270	...	162	...	108	26	...	25	...	1	2
33	...	22	...	11	149	...	103	...	46	149	...	79	...	70	10	...	10	...	-	3
44	...	32	...	12	101	...	92	...	9	85	...	70	...	15	16	...	16	...	-	4
3	...	2	...	1	16	...	13	...	3	12	...	9	...	3	1	...	-	...	1	5
33	20	...	13	...	241	191	...	50	...	228	153	...	75	...	57	56	...	1	...	6
8	4	...	4	...	19	13	...	6	...	13	9	...	4	...	2	2	...	-	...	7
68	27	18	9	14	219	138	51	18	12	147	61	48	20	18	32	22	10	-	-	8
21	11	5	2	3	60	40	17	-	3	54	20	19	9	6	14	9	5	-	-	9
47	16	13	7	11	159	98	34	18	9	93	41	29	11	12	18	13	5	-	-	10
145	40	60	26	19	584	288	194	40	62	495	205	188	51	51	84	44	40	-	-	11
15	8	6	-	1	92	65	20	3	4	91	53	33	3	2	12	5	7	-	-	12
1	-	1	-	-	8	4	3	-	1	7	2	4	-	1	1	-	1	-	-	13
24	9	10	5	-	69	42	23	2	2	94	44	33	10	7	23	11	12	-	-	14
7	2	4	-	1	14	5	6	-	3	8	3	5	-	-	3	1	2	-	-	15
8	2	2	3	1	27	13	8	3	3	41	14	15	7	5	7	5	2	-	-	16
4	-	1	2	1	6	4	2	-	-	13	7	1	2	3	1	-	1	-	-	17
24	4	10	6	4	82	30	33	8	11	79	26	39	6	8	10	7	3	-	-	18
62	15	26	10	11	286	125	99	24	38	162	56	58	23	25	27	15	12	-	-	19
48	24	14	8	2	181	93	71	12	5	150	76	49	9	16	51	35	15	1	-	20
58	18	19	14	7	158	99	46	7	6	134	66	34	17	17	30	17	13	-	-	21
27	11	10	4	2	64	48	15	1	-	52	25	14	6	7	13	8	5	-	-	22
15	3	5	6	1	59	30	20	4	5	40	23	4	7	6	9	6	3	-	-	23
16	4	4	4	4	35	21	11	2	1	42	18	16	4	4	8	3	5	-	-	24
41	7	10	9	15	120	37	47	8	28	111	19	37	11	44	15	9	6	-	-	25
9	...	2	...	7	38	...	14	...	24	43	...	8	...	35	1	...	1	...	-	26
7	1	1	3	2	13	6	6	1	-	20	7	10	2	1	2	1	1	-	-	27
5	-	2	1	2	25	9	8	4	4	13	3	7	1	2	2	1	1	-	-	28
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	29
15	5	2	5	3	33	16	15	2	-	26	8	7	7	4	8	5	3	-	-	30
5	1	3	-	1	11	6	4	1	-	8	1	5	1	1	2	2	-	-	-	31
153	46	52	17	38	652	253	240	65	94	715	245	213	94	163	136	73	60	2	1	32
22	9	4	4	5	157	90	32	20	15	142	70	25	24	23	35	26	8	1	-	33
2	-	-	-	2	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	34
4	-	2	-	2	13	2	7	1	3	28	8	12	-	8	8	1	7	-	-	35
-	-	-	-	-	2	-	1	1	-	2	-	1	-	1	2	1	1	-	-	36
114	33	45	10	26	407	140	170	31	66	424	143	121	55	105	79	41	36	1	1	37
4	-	-	2	2	9	2	5	1	1	6	2	1	2	1	1	-	1	-	-	38
2	1	-	1	-	5	1	2	1	1	10	5	3	1	1	2	1	1	-	-	39
-	-	-	-	-	8	1	4	2	1	45	5	29	4	7	-	-	-	-	-	40
2	1	-	-	1	29	10	11	7	1	39	7	14	7	11	4	1	3	-	-	41
3	2	1	-	-	22	7	8	1	6	17	5	6	1	5	5	2	3	-	-	42
23	8	8	2	5	120	39	47	13	21	116	37	37	20	22	12	9	3	-	-	43
12	3	4	1	4	88	25	31	12	20	88	24	27	19	18	12	9	3	-	-	44
-	-	-	-	-	27	6	15	2	4	22	6	5	6	5	7	6	1	-	-	45
12	3	4	1	4	61	19	16	10	16	66	18	22	13	13	5	3	2	-	-	46
3	1	2	-	-	10	3	6	-	1	10	4	3	-	3	-	-	-	-	-	47
8	4	2	1	1	22	11	10	1	-	18	9	7	1	1	-	-	-	-	-	48
30	7	10	11	2	81	34	29	14	4	132	51	18	34	29	16	6	7	3	-	49
-	-	-	-	-	10	3	6	1	-	13	3	4	1	5	6	2	4	-	-	50
11	1	2	7	1	2	2	-	-	-	1	1	-	-	-	1	-	-	1	-	51
4	1	2	-	1	14	4	6	4	-	13	3	1	2	7	3	1	2	-	-	52
13	5	4	4	-	51	24	16	7	4	99	42	12	30	15	4	2	-	2	-	53
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	1	-	-	54
2	-	2	-	-	4	1	1	2	-	4	2	1	-	1	1	1	-	-	-	55
900	244	342	147	167	3,560	1,350	1,219	494	497	4,855	1,473	1,281	1,077	1,024	607	324	279	2	2	56
798	220	310	120	148	3,280	1,254	1,121	441	464	4,502	1,351	1,202	985	964	558	296	260	1	1	57
40	7	7	11	15	91	33	36	7	15	139	49	36	26	28	12	8	4	-	-	58
480	122	200	68	90	2,280	850	738	331	361	3,178	935	813	724	706	381	188	193	-	-	59
217	76	79	31	31	561	248	232	51	30	606	233	213	81	79	110	64	46	-	-	60
61	15	24	10	12	348	123	115	52	58	579	134	140	154	151	55	36	17	1	1	61
16	1	3	3	9	62	15	16	18	13	54	16	7	17	14	1	-	1	-	-	62
7	-	6	1	-	13	8	4	-	1	26	14	8	4	-	9	4	5	-	-	63
11	5	6	-	-	38	20	17	1	-	23	12	8	2	1	8	6	2	-	-	64
4	1	2	1	-	9	3	4	1	1	16	5	3	6	2	4	4	-	-	-	65
22	4	4	10	4	39	10	11	13	5	82	25	17	28	12	6	4	2	-	-	66
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	68
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	69
1	-	-	-	1	9	1	5	1	2	12	4	3	1	4	1	1	-	-	-	70
41	13	11	12	5	107	38	40	18	11	139	46	33	33	27	19	9	8	1	1	71
3,523	1,264	997	662	600	10,678	5,574	3,080	1,133	891	10,342	4,156	2,524	2,002	1,660	1,793	1,137	636	13	7	72
6	1	2	3	-	34	7	9	7	11	45	13	9	7	16	5	1	4	-	-	73
3,260	1,197	906	610	547	9,658	5,150	2,725	1,014	769	9,218	3,763	2,239	1,766	1,450	1,618	1,046	554	12	6	74
100	37	31	14	18	332	140	131	32	29	259	85	54	64	56	101	48	53	-	-	75
30	8	15	1	6	141	57	53	15	16	136	39	28	39	30	42	17	25	-	-	76
6	5	-	1	-	17	16	1	-	-	12	10	1	1	-	4	4	-	-	-	77
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	-	-	-	78
6	2	3	1	-	15	6	7	2	-	12	5	1	4	2	10	4	6	-	-	79
58	22	13	11	12	159	61	70	15	13	98	31	24	20	23	43	21	22	-	-	80

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	6,090	3,625	2,357	49	59	772	462	244	31	35
2	Arteriosclerotic heart disease so described----------420.0	2,866	1,504	1,310	14	38	218	107	92	10	9
3	Heart disease specified as involving coronary arteries----------420.1	3,220	2,117	1,047	35	21	551	352	152	21	26
4	Angina pectoris without mention of coronary disease----------420.2	4	4	-	-	-	3	3	-	-	-
5	Chronic endocarditis not specified as rheumatic----------421	49	23	26	-	-	27	7	6	9	5
6	Of mitral valve, specified as nonrheumatic----------421.0	5	3	2	-	-	-	-	-	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	16	7	9	-	-	5	1	3	-	1
8	Of other valves, not specified as rheumatic----------421.2-421.4	28	13	15	-	-	22	6	3	9	4
9	Other myocardial degeneration----------422	714	330	377	5	2	215	95	89	21	10
10	With arteriosclerosis----------422.1	534	253	275	5	1	133	51	63	11	8
11	Without mention of arteriosclerosis----------422.0,422.2	180	77	102	-	1	82	44	26	10	2
12	Other diseases of heart----------430-434	154	101	46	2	5	38	24	5	2	7
13	Acute and subacute endocarditis----------430	15	8	6	-	1	1	-	1	-	-
14	Acute myocarditis not specified as rheumatic----------431	13	7	4	2	-	1	-	-	-	1
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	-	-	-	-	-
16	Functional disease of heart----------433	21	12	9	-	-	3	3	-	-	-
17	Other and unspecified diseases of heart----------434	105	74	27	-	4	33	21	4	2	6
18	Hypertension with heart disease----------440-443	988	424	533	14	17	305	118	130	31	26
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	266	130	128	3	5	114	55	44	9	6
20	Essential hypertension with heart disease, etc.*----------440,441,443	722	294	405	11	12	191	63	86	22	20
21	Hypertension without mention of heart----------444-447	141	70	67	3	1	28	12	10	2	4
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	89	46	41	2	-	20	9	7	1	3
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	52	24	26	1	1	8	3	3	1	1
24	Diseases of arteries----------450-456	455	197	244	5	9	88	38	38	6	6
25	General arteriosclerosis----------450	389	155	224	5	5	78	31	37	6	4
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	44	27	15	-	2	4	4	-	-	-
27	Gangrene of unspecified cause----------455	-	-	-	-	-	1	-	-	-	1
28	Other arterial diseases----------452-454,456	22	15	5	-	2	5	3	1	-	1
29	Diseases of veins and other diseases of circulatory system--------460-468	61	37	23	1	-	6	1	-	5	-
30	VIII. Diseases of the respiratory system----------	541	315	208	8	10	162	69	38	33	22
31	Acute upper respiratory infections----------470-475	15	5	10	-	-	3	-	2	-	1
32	Influenza----------480-483	13	3	10	-	-	10	2	2	5	1
33	Pneumonia, except pneumonia of newborn----------490-493	342	187	143	3	9	114	46	23	26	19
34	Lobar pneumonia----------490	116	63	50	1	2	52	23	8	14	7
35	Bronchopneumonia----------491	147	75	65	1	6	40	17	9	6	8
36	Primary atypical pneumonia----------492	34	19	15	-	-	7	3	1	-	3
37	Pneumonia, other and unspecified----------493	45	30	13	1	1	15	3	5	6	1
38	Acute bronchitis----------500	18	10	7	1	-	2	-	2	-	-
39	Bronchitis, chronic and unqualified----------501,502	23	14	9	-	-	6	3	2	1	-
40	Hypertrophy of tonsils and adenoids----------510	4	3	1	-	-	1	1	-	-	-
41	Empyema and abscess of lung----------518,521	11	9	1	1	-	1	1	-	-	-
42	Pleurisy----------519	4	2	2	-	-	-	-	-	-	-
43	All other respiratory diseases----------Residual[1]	111	82	25	3	1	25	16	7	1	1
44	IX. Diseases of the digestive system----------	824	475	321	19	9	129	52	45	21	11
45	Diseases of teeth and supporting structures----------530-535	4	1	3	-	-	-	-	-	-	-
46	Ulcer of stomach----------540	63	43	17	2	1	14	7	2	3	2
47	Ulcer of duodenum----------541	63	51	12	-	-	10	5	2	2	1
48	Gastritis and duodenitis----------543	1	-	1	-	-	2	-	1	1	-
49	Appendicitis----------550-553	29	16	10	2	1	6	2	2	1	1
50	Hernia and intestinal obstruction----------560,561,570	103	52	45	3	3	23	8	10	3	2
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	55	29	24	2	-	7	4	1	2	-
52	Cirrhosis of liver----------581	300	189	103	5	3	34	17	12	4	1
53	Without mention of alcoholism----------581.0	223	142	75	5	1	32	16	11	4	1
54	With alcoholism----------581.1	77	47	28	-	2	2	1	1	-	-
55	Cholelithiasis and cholecystitis----------584,585	89	29	59	-	1	10	2	7	-	1
56	Other diseases of digestive system----------Residual[1]	117	65	47	5	-	23	7	8	5	3
57	X. Diseases of the genito-urinary system----------	396	246	133	6	11	87	42	30	7	8
58	Nephritis and nephrosis----------590-594	228	123	94	2	9	59	26	24	2	7
59	Acute nephritis----------590	13	8	5	-	-	5	3	2	-	-
60	Nephritis with edema, including nephrosis----------591	7	6	1	-	-	1	1	-	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	208	109	88	2	9	53	22	22	2	7
62	Infections of kidney----------600	48	28	18	1	1	6	2	3	1	-
63	Calculi of urinary system----------602,604	8	6	2	-	-	3	1	1	-	1
64	Other diseases of urinary system----------601,603,605-609	24	14	9	1	-	4	3	-	1	-
65	Hyperplasia of prostate----------610	71	69	...	2	...	12	9	...	3	...
66	Other diseases of male genital organs----------611-617	6	6	...	-	...	1	1	...	-	...
67	Diseases of breast----------620,621	1	-	1	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	10	...	9	...	1	2	...	2	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	9	...	8	...	1	7	...	6	...	1
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	4	...	4	...	-	1	...	1	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	3	...	3	...	-	-	...	-	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	1	...	1	...	-	1	...	-	...	1
73	Ectopic pregnancy----------645	-	...	-	...	-	1	...	1	...	-
74	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	1	...	1	...	-
75	Abortion with sepsis----------651	1	...	-	...	1	-	...	-	...	-
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	-	...	-	...	-	3	...	3	...	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,562	778	459	191	134	6,036	3,769	1,589	417	263	4,556	2,402	1,162	569	423	978	702	266	7	3	1
496	199	162	74	61	1,615	880	528	129	78	871	387	267	116	101	223	129	92	1	1	2
1,065	578	297	117	73	4,370	2,865	1,048	280	177	3,639	1,994	882	446	317	743	566	170	6	1	3
1	1	-	-	-	53	24	13	8	8	46	21	13	7	5	12	7	4	-	1	4
41	13	15	3	10	174	50	42	49	33	193	37	40	67	49	20	14	6	-	-	5
8	1	5	1	1	7	3	1	3	-	27	2	6	8	11	1	1	-	-	-	6
11	5	4	-	2	38	16	6	10	6	56	11	10	22	13	6	5	1	-	-	7
22	7	6	2	7	129	31	35	36	27	110	24	24	37	25	13	8	5	-	-	8
660	172	172	160	156	881	359	321	118	83	1,065	344	264	269	188	212	117	93	2	-	9
227	60	83	49	35	485	199	185	55	46	527	178	123	152	74	103	64	39	-	-	10
433	112	89	111	121	396	160	136	63	37	538	166	141	117	114	109	53	54	2	-	11
88	33	13	29	13	730	373	170	111	76	840	261	154	239	186	90	56	31	1	2	12
4	1	1	1	1	16	5	3	2	6	29	7	8	10	4	4	3	1	-	-	13
3	1	1	1	-	47	14	12	6	15	78	12	12	27	27	5	2	3	-	-	14
1	1	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	15
3	1	1	-	1	39	21	13	2	3	34	15	11	2	6	11	5	6	-	-	16
77	29	10	27	11	625	330	142	101	52	699	227	123	200	149	70	46	21	1	2	17
809	164	216	213	216	1,503	459	472	287	285	2,305	634	565	558	548	217	109	105	2	1	18
326	79	91	89	67	495	173	156	89	77	723	240	182	155	146	80	41	38	1	-	19
483	85	125	124	149	1,008	286	316	198	208	1,582	394	383	403	402	137	68	67	1	1	20
67	8	15	21	23	281	100	82	44	55	455	138	103	113	101	31	16	15	-	-	21
34	4	5	12	13	150	68	43	20	19	159	52	37	43	27	16	10	6	-	-	22
33	4	10	9	10	131	32	39	24	36	296	86	66	70	74	15	6	9	-	-	23
161	51	65	23	22	618	276	244	50	48	544	218	148	95	83	121	66	53	1	1	24
112	34	50	13	15	483	196	216	35	36	457	172	140	76	69	98	54	43	1	-	25
30	14	7	5	4	94	67	14	7	6	48	30	3	9	6	11	6	5	-	-	26
-	-	-	-	-	4	1	-	3	-	10	4	-	2	4	-	-	-	-	-	27
19	3	8	5	3	37	12	14	5	6	29	12	5	8	4	12	6	5	-	1	28
29	7	9	5	8	87	41	20	18	8	80	24	25	21	10	18	8	10	-	-	29
367	126	79	98	64	1,271	481	253	305	232	1,591	422	329	462	378	194	121	62	9	2	30
1	-	1	-	-	31	10	5	11	5	44	10	13	5	16	9	2	6	1	-	31
7	1	1	4	1	143	29	24	48	42	213	42	36	62	73	12	8	3	1	-	32
273	92	55	75	51	788	253	167	200	168	1,062	240	227	346	249	133	79	46	6	2	33
108	34	16	40	18	256	77	47	77	55	364	87	73	122	82	36	23	10	2	1	34
134	50	29	28	27	379	129	85	84	81	425	103	98	129	95	49	27	19	3	-	35
13	4	3	4	2	76	23	19	22	12	126	25	34	43	24	12	10	2	-	-	36
18	4	7	3	4	77	24	16	17	20	147	25	22	52	48	36	19	15	1	1	37
3	1	2	-	-	12	7	-	4	1	14	4	2	5	3	2	1	1	-	-	38
10	1	6	2	1	34	19	5	6	4	39	18	7	5	9	4	3	1	-	-	39
3	-	-	-	3	6	4	-	2	-	12	1	2	6	3	3	2	1	-	-	40
9	3	2	3	1	24	11	3	10	-	13	5	1	5	2	1	1	-	-	-	41
3	2	-	-	1	6	2	-	3	1	7	4	-	1	2	2	1	1	-	-	42
58	26	12	14	6	227	146	49	21	11	187	98	41	27	21	28	24	3	1	-	43
352	145	73	84	50	1,272	579	346	204	143	1,101	391	256	246	208	172	106	62	2	2	44
-	-	-	-	-	4	2	1	-	1	10	3	2	3	2	-	-	-	-	-	45
25	12	3	9	1	88	59	7	18	4	87	52	10	19	6	18	15	3	-	-	46
18	13	2	3	-	73	52	13	7	1	52	37	5	8	2	15	14	1	-	-	47
-	-	-	-	-	9	1	1	4	3	10	2	2	3	3	2	1	1	-	-	48
8	-	-	3	5	58	24	11	17	6	73	29	11	17	16	11	6	5	-	-	49
52	11	11	22	8	198	71	59	34	34	168	48	41	39	40	37	19	18	-	-	50
26	4	4	9	9	217	52	57	66	42	264	51	39	88	86	15	9	5	-	1	51
141	75	27	26	13	325	184	89	32	20	188	100	48	25	15	33	25	8	-	-	52
113	60	20	21	12	283	162	79	26	16	115	55	34	16	10	25	19	6	-	-	53
28	15	7	5	1	42	22	10	6	4	73	45	14	9	5	8	6	2	-	-	54
22	6	13	1	2	106	43	56	1	6	71	18	44	2	7	18	5	12	-	1	55
60	24	13	11	12	194	91	52	25	26	178	51	54	42	31	23	12	9	2	-	56
186	57	38	50	41	862	361	193	170	138	1,183	363	224	341	255	127	84	41	1	1	57
97	20	22	27	28	512	179	118	104	111	839	234	166	229	210	84	48	34	1	1	58
5	1	3	-	1	68	17	17	14	20	116	28	17	34	37	3	2	1	-	-	59
12	1	4	4	3	36	14	11	7	4	25	4	2	4	15	8	3	4	1	-	60
80	18	15	23	24	408	148	90	83	87	698	202	147	191	158	73	43	29	-	1	61
28	5	8	7	8	105	38	34	25	8	98	20	27	26	25	11	9	2	-	-	62
8	4	3	-	1	34	14	15	-	5	41	16	16	6	3	1	-	1	-	-	63
14	5	3	6	-	51	25	12	13	1	39	11	7	17	4	7	6	1	-	-	64
29	23	...	6	...	117	93	...	24	...	124	76	...	48	...	21	21	...	-	...	65
4	-	...	4	...	16	12	...	4	...	21	6	...	15	...	-	-	...	-	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
6	...	2	...	4	27	...	14	...	13	21	...	8	...	13	3	...	3	...	-	68
12	...	3	...	9	58	...	25	...	33	123	...	35	...	88	11	...	10	...	1	69
-	...	-	...	-	8	...	4	...	4	6	...	1	...	5	1	...	1	...	-	70
3	...	1	...	2	23	...	11	...	12	44	...	15	...	29	7	...	6	...	1	71
2	...	-	...	2	10	...	3	...	7	28	...	10	...	18	2	...	2	...	-	72
3	...	1	...	2	2	...	-	...	2	12	...	1	...	11	-	...	-	...	-	73
-	...	-	...	-	2	...	1	...	1	3	...	-	...	3	-	...	-	...	-	74
3	...	1	...	2	3	...	-	...	3	6	...	2	...	4	-	...	-	...	-	75
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	76
1	...	-	...	1	10	...	6	...	4	23	...	6	...	17	1	...	1	...	-	77

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	19	7	11	-	1	1	-	1	-	-
2	Infections of skin and subcutaneous tissue---690-698	4	2	1	-	1	-	-	-	-	-
3	Other diseases of skin and subcutaneous tissue---700-716	15	5	10	-	-	1	-	1	-	-
4	XIII. Diseases of the bones and organs of movement	25	11	14	-	-	8	2	4	1	1
5	Arthritis and spondylitis---720-725	8	2	6	-	-	4	1	3	-	-
6	Muscular rheumatism and rheumatism, unspecified---726,727	-	-	-	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis---730	1	1	-	-	-	1	-	-	-	1
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	3	-	3	-	-	-	-	-	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	13	8	5	-	-	3	1	1	1	-
10	XIV. Congenital malformations	254	143	102	4	5	52	22	21	5	4
11	Spina bifida and meningocele---751	16	4	12	-	-	4	-	4	-	-
12	Congenital hydrocephalus, etc.*---752,753	49	28	20	-	1	4	3	-	-	1
13	Congenital malformations of circulatory system---754	95	52	38	3	2	24	12	8	3	1
14	Other congenital malformations---750,755-759	94	59	32	1	2	20	7	9	2	2
15	XV. Certain diseases of early infancy	625	353	220	32	20	142	65	31	23	23
16	Birth injuries---760,761	99	61	32	2	4	22	9	8	4	1
17	Postnatal asphyxia and atelectasis---762	239	128	90	12	9	52	26	13	8	5
18	Infections of newborn---763-768	19	11	6	2	-	8	1	2	1	4
19	Hemolytic disease of newborn (erythroblastosis)---770	37	24	13	-	-	2	2	-	-	-
20	All other defined diseases of early infancy---769,771,772	7	5	1	1	-	1	-	-	-	1
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	224	124	78	15	7	57	27	8	10	12
22	XVI. Symptoms, senility, and ill-defined conditions	79	34	39	5	1	15	6	6	1	2
23	Senility without mention of psychosis---794	18	1	17	-	-	9	3	5	1	-
24	Symptoms, ill-defined and unknown causes---780-793,795	61	33	22	5	1	6	3	1	-	2
25	XVII. Accidents, poisonings, and violence	1,237	793	392	38	14	261	137	52	58	14
26	Accidents---E800-E962	980	621	320	28	11	201	107	40	43	11
27	Railway accidents---E800-E802	11	8	2	1	-	4	4	-	-	-
28	Motor-vehicle accidents---E810-E835	252	179	60	9	4	71	41	11	16	3
29	Motor-vehicle traffic accidents---E810-E825	247	176	58	9	4	69	40	11	15	3
30	Motor-vehicle traffic accident with railway train*---E810	5	3	2	-	-	-	-	-	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	85	58	23	2	2	13	9	2	1	1
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	66	47	16	3	-	27	17	7	3	-
33	Motor-vehicle noncollision traffic accidents---E820-E824	65	51	8	4	2	24	10	2	10	2
34	Motor-vehicle traffic accident of unspecified nature---E825	26	17	9	-	-	5	4	-	1	-
35	Motor-vehicle nontraffic accidents---E830-E835	5	3	2	-	-	2	1	-	1	-
36	Other road-vehicle accidents---E840-E845	2	1	1	-	-	-	-	-	-	-
37	Water-transport accidents---E850-E858	19	17	2	-	-	12	5	-	4	3
38	Aircraft accidents---E860-E866	12	12	-	-	-	5	5	-	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	17	10	7	-	-	6	2	1	3	-
40	Accidental poisoning by gases and vapors---E890-E895	49	32	14	2	1	3	-	-	3	-
41	Accidental falls---E900-E904	361	184	170	5	2	39	21	14	3	1
42	Fall from one level to another---E900-E902	129	86	40	3	-	18	13	4	1	-
43	Fall on same level---E903	38	13	24	1	-	11	4	6	1	-
44	Unspecified falls---E904	194	85	106	1	2	10	4	4	1	1
45	Blow from falling object---E910	10	10	-	-	-	-	-	-	-	-
46	Accident caused by machinery---E912	12	12	-	-	-	2	1	-	1	-
47	Accident caused by electric current---E914	8	8	-	-	-	3	3	-	-	-
48	Accident caused by fire and explosion, etc.*---E916	60	35	20	3	2	23	8	8	4	3
49	Accident caused by hot substance, etc.*---E917,E918	10	5	5	-	-	1	1	-	-	-
50	Accident caused by firearm---E919	5	3	2	-	-	4	4	-	-	-
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	18	10	7	-	1	1	-	1	-	-
52	Accidental drowning---E929	59	46	9	4	-	13	6	1	6	-
53	Excessive heat and insolation---E931	9	6	3	-	-	7	4	2	1	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	17	11	4	2	-	-	-	-	-	-
55	All other accidents---Residual[1]	49	32	14	2	1	7	2	2	2	1
56	Suicide---E963,E970-E979	219	153	63	3	-	59	27	10	1	1
57	Suicide by poisoning---E970-E973	95	56	38	1	-	7	6	1	-	-
58	Suicide by hanging and strangulation---E974	48	38	10	-	-	3	2	1	-	-
59	Suicide by firearms and explosives---E976	46	39	6	1	-	21	15	4	1	1
60	Suicide by all other means---E963,E975,E977-E979	30	20	9	1	-	8	4	4	-	-
61	Homicide---E964,E980-E985	37	18	9	7	3	21	3	2	14	2
62	Assault by firearms and explosives---E981	14	6	4	2	2	8	3	-	5	-
63	Assault by cutting and piercing instruments---E982	10	3	3	4	-	9	-	1	6	2
64	Assault by other means---E964,E980,E983	12	8	2	1	1	3	-	1	2	-
65	Injury by intervention of police---E984	1	1	-	-	-	1	-	-	1	-
66	Execution---E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3	1	2	-	-	21	6	6	3	6	35	7	8	9	11	4	1	2	1	-	1
-	-	-	-	-	2	1	-	-	1	12	2	3	3	4	1	-	1	-	-	2
3	1	2	-	-	19	5	6	3	5	23	5	5	6	7	3	1	1	1	-	3
18	4	5	5	4	69	28	30	5	6	55	11	28	7	9	20	10	10	-	-	4
8	1	3	2	2	35	12	16	3	4	37	7	18	5	7	16	7	9	-	-	5
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	6
1	-	-	1	-	5	2	2	1	-	1	-	-	-	1	1	1	-	-	-	7
1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	8
8	3	2	2	1	28	14	12	1	1	16	4	10	2	-	3	2	1	-	-	9
116	32	44	20	20	391	168	133	49	41	399	161	136	60	42	96	55	40	-	1	10
8	2	5	1	-	27	6	17	2	2	43	19	21	2	1	2	1	1	-	-	11
14	3	6	3	2	43	14	19	5	5	60	21	20	11	8	9	3	6	-	-	12
54	13	16	12	13	184	86	57	22	19	164	69	52	26	17	54	30	24	-	-	13
40	14	17	4	5	137	62	40	20	15	132	52	43	21	16	31	21	9	-	1	14
430	125	74	132	99	1,480	518	363	339	260	1,721	582	388	396	355	249	155	91	3	-	15
91	30	14	31	16	252	103	71	49	29	260	114	63	46	37	47	28	18	1	-	16
165	36	25	57	47	353	138	68	90	57	368	165	90	52	61	43	25	17	1	-	17
17	5	2	6	4	93	24	11	28	30	153	39	21	58	35	13	11	2	-	-	18
9	3	2	4	-	44	26	11	4	3	42	18	18	4	2	15	11	4	-	-	19
6	2	1	3	-	60	11	10	24	15	103	20	21	35	27	8	5	2	1	-	20
142	49	30	31	32	678	216	192	144	126	795	226	175	201	193	123	75	48	-	-	21
11	4	3	3	1	727	239	141	206	141	728	159	100	247	222	93	52	31	3	7	22
-	-	-	-	-	127	41	41	24	21	153	23	34	51	45	38	19	16	1	2	23
11	4	3	3	1	600	198	100	182	120	575	136	66	196	177	55	33	15	2	5	24
657	241	136	201	79	2,756	1,342	569	618	227	3,076	1,333	461	932	350	578	431	124	21	2	25
507	193	111	141	62	2,061	1,014	466	423	158	2,298	1,048	393	590	267	490	368	107	13	2	26
3	1	-	2	-	24	8	3	11	2	44	18	5	20	1	8	7	-	1	-	27
119	49	21	34	15	906	495	200	161	50	967	528	162	211	66	193	133	48	10	2	28
119	49	21	34	15	879	480	194	156	49	939	518	159	197	65	184	124	48	10	2	29
-	-	-	-	-	28	15	10	2	1	29	15	8	5	1	4	2	2	-	-	30
53	18	9	19	7	165	86	32	34	13	158	70	21	43	24	26	19	6	1	-	31
23	12	5	5	1	234	130	66	31	7	193	117	39	25	12	46	29	15	2	-	32
23	10	3	5	5	181	96	26	43	16	173	98	26	44	5	50	37	6	5	2	33
20	9	4	5	2	271	153	60	46	12	386	218	65	80	23	58	37	19	2	-	34
-	-	-	-	-	27	15	6	5	1	28	10	3	14	1	9	9	-	-	-	35
4	2	1	1	-	7	6	1	-	-	14	7	1	6	-	4	2	2	-	-	36
9	6	1	2	-	46	33	1	12	-	40	20	3	14	3	10	8	2	-	-	37
12	11	-	1	-	82	77	4	1	-	29	24	1	4	-	14	13	1	-	-	38
7	4	-	2	1	33	11	9	9	4	60	22	8	20	10	6	2	4	-	-	39
2	1	-	1	-	29	16	9	3	1	11	4	1	3	3	10	8	2	-	-	40
152	56	61	24	11	280	105	137	18	20	268	96	121	22	29	64	40	24	-	-	41
63	30	13	13	7	75	35	21	10	9	86	43	18	18	7	28	20	8	-	-	42
11	4	6	1	-	53	20	29	1	3	50	14	27	3	6	14	9	5	-	-	43
78	22	42	10	4	152	50	87	7	8	132	39	76	1	16	22	11	11	-	-	44
8	1	-	7	-	21	10	-	11	-	36	14	2	20	-	24	24	-	-	-	45
3	-	1	2	-	23	9	1	11	2	54	33	1	20	-	26	26	-	-	-	46
1	-	-	1	-	38	29	-	9	-	35	26	3	5	1	4	4	-	-	-	47
34	8	5	11	10	133	30	27	37	39	217	54	37	55	71	23	17	6	-	-	48
3	1	-	1	1	22	3	1	10	8	22	5	3	6	8	-	-	-	-	-	49
3	-	-	2	1	61	36	6	15	4	93	49	8	28	8	21	20	1	-	-	50
8	1	1	5	1	28	8	8	7	5	40	8	10	9	13	8	3	5	-	-	51
26	16	2	8	-	178	77	25	69	7	120	58	4	52	6	33	28	4	1	-	52
41	18	6	10	7	11	4	1	5	1	55	21	4	22	8	-	-	-	-	-	53
5	1	1	2	1	23	7	10	3	3	10	3	2	3	2	2	1	1	-	-	54
67	17	11	25	14	116	50	23	31	12	183	58	17	70	38	40	32	7	1	-	55
74	39	19	12	4	351	256	73	19	3	267	204	44	14	5	75	57	16	2	-	56
18	6	9	2	1	87	53	30	2	2	38	26	10	1	1	11	7	4	-	-	57
13	10	1	1	1	36	26	8	2	-	25	18	4	2	1	6	5	1	-	-	58
21	15	2	3	1	184	148	24	12	-	181	147	22	10	2	51	41	8	2	-	59
22	8	7	6	1	44	29	11	3	1	23	13	8	1	1	7	4	3	-	-	60
76	9	6	48	13	343	71	30	176	66	511	81	24	328	78	13	6	1	6	-	61
22	3	-	15	4	182	38	17	97	30	305	62	18	184	41	11	5	1	5	-	62
24	-	3	17	4	93	11	3	56	23	126	7	1	99	19	1	1	-	-	-	63
25	5	3	12	5	58	19	10	16	13	62	9	5	30	18	1	-	-	1	-	64
3	-	-	3	-	6	2	-	4	-	8	1	-	7	-	-	-	-	-	-	65
2	1	-	1	-	4	1	-	3	-	10	2	-	8	-	-	-	-	-	-	66
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	67

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	94,203	49,161	36,812	4,627	3,603	41,325	22,115	16,840	1,341	1,029
2	I. Infective and parasitic diseases	2,474	1,304	534	412	224	1,071	584	340	104	43
3	Tuberculosis, all forms 001-019	1,575	831	262	315	167	515	265	157	69	24
4	Tuberculosis of respiratory system 001-008	1,411	782	230	274	125	459	247	135	58	19
5	Tuberculosis of meninges and central nervous system 010	67	12	11	20	24	20	6	8	4	2
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	14	6	3	2	3	5	2	3	-	-
7	Tuberculosis of vertebral column 012.0,013.0	11	7	1	1	2	1	-	1	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	2	-	2	-	-	1	1	-	-	-
9	Tuberculosis of genito-urinary system 016	19	12	6	-	1	10	4	5	-	1
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	8	3	4	1	-	-	-	-	-	-
11	Disseminated tuberculosis 019	43	9	5	17	12	19	5	5	7	2
12	Syphilis and its sequelae 020-029	334	189	52	66	27	194	126	36	23	9
13	Congenital syphilis 020	1	-	-	1	-	4	2	-	-	2
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	106	81	14	9	2	57	35	17	3	2
16	Other cardiovascular syphilis 023	107	57	16	27	7	57	42	3	9	3
17	Tabes dorsalis 024	6	5	-	1	-	7	6	1	-	-
18	General paralysis of insane 025	81	36	13	24	8	35	22	7	5	1
19	Other syphilis of central nervous system 026	28	9	6	4	9	28	17	6	4	1
20	Other syphilis 027-029	5	1	3	-	1	6	2	2	2	-
21	Gonococcal infection 030-035	2	-	1	1	-	1	1	-	-	-
22	Typhoid fever 040	1	-	-	-	1	1	-	-	1	-
23	Paratyphoid fever 041	1	-	1	-	-	-	-	-	-	-
24	Other Salmonella infections 042	1	-	-	1	-	1	1	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	1	-	1	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	18	7	11	-	-	11	8	2	1	-
28	Food poisoning (infection and intoxication) 049	2	2	-	-	-	3	2	1	-	-
29	Scarlet fever 050	2	1	1	-	-	4	3	1	-	-
30	Streptococcal sore throat 051	14	9	4	1	-	8	4	3	-	1
31	Erysipelas 052	2	1	1	-	-	1	1	-	-	-
32	Septicemia and pyemia 053	16	4	9	1	2	27	14	10	1	2
33	Diphtheria 055	2	-	2	-	-	6	3	3	-	-
34	Whooping cough 056	6	3	2	1	-	12	7	2	2	1
35	Meningococcal infections 057	81	35	24	14	8	40	18	20	1	1
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	1	1	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	9	5	2	-	2	12	9	3	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	253	146	97	4	6	118	63	51	3	1
42	Late effects of acute poliomyelitis 081	5	4	1	-	-	3	2	1	-	-
43	Acute infectious encephalitis 082	19	9	9	1	-	9	4	5	-	-
44	Late effects of acute infectious encephalitis 083	6	4	2	-	-	4	3	1	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	26	14	8	1	3	31	14	17	-	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	37	13	20	2	2	16	6	8	-	2
49	Rabies 094	1	-	-	1	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	2	1	-	1	-	-	-	-	-	-
55	Schistosomiasis 123	1	1	-	-	-	-	-	-	-	-
56	Hydatid disease 125	1	-	1	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	1	1	-	-	-	5	2	2	-	1
60	All other infective and parasitic diseases Residual[1]	54	23	23	2	6	49	28	17	3	1
61	II. Neoplasms	15,229	7,436	6,767	524	502	5,927	2,821	2,819	144	143
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	15,005	7,360	6,641	518	486	5,819	2,779	2,767	143	130
63	Malignant neoplasm of buccal cavity and pharynx 140-148	337	259	62	11	5	117	83	21	12	1
64	Of lip 140	22	17	5	-	-	8	7	-	1	-
65	Of tongue 141	78	60	11	5	2	34	22	9	3	-
66	Of other and unspecified parts of buccal cavity 142-144	104	71	29	3	1	24	20	3	1	-
67	Of pharynx 145-148	133	111	17	3	2	51	34	9	7	1
68	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	5,924	3,123	2,396	242	163	2,189	1,096	988	64	41
69	Of esophagus 150	343	255	46	32	10	73	50	15	5	3
70	Of stomach 151	1,622	960	524	93	45	531	318	183	25	5
71	Of intestine, except rectum 152,153	1,741	777	880	41	43	681	292	364	11	14
72	Of rectum 154	792	428	307	32	25	264	139	108	11	6
73	Of biliary passages and of liver (stated to be primary site) 155	343	138	196	4	5	129	52	76	-	1
74	Of liver not specified whether primary or secondary 156A	340	144	173	14	9	204	81	115	4	4
75	Of pancreas 157	659	383	230	24	22	260	143	106	7	4
76	Of peritoneum and of unspecified digestive organs 158,159	84	38	40	2	4	47	21	21	1	4
77	Malignant neoplasm of respiratory system 160-164	1,725	1,339	281	95	10	596	452	117	21	6
78	Of larynx 161	129	114	6	9	-	44	36	7	1	-
79	Of trachea, and of bronchus and lung specified as primary 162	685	555	75	53	2	194	154	30	7	3
80	Of lung and bronchus, unspecified as primary or secondary 163	854	641	175	31	7	336	248	74	11	3
81	Of other parts of respiratory system 160,164	57	29	25	2	1	22	14	6	2	-
82	Malignant neoplasm of breast 170	1,292	15	1,196	1	80	495	7	470	-	18

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
26,595	15,088	11,216	171	120	19,582	10,681	7,866	560	475	28,376	14,335	10,777	1,786	1,478	24,708	8,531	5,913	5,580	4,684	1
538	339	190	8	1	391	225	128	25	13	1,395	708	496	109	82	961	288	122	333	218	2
183	123	57	2	1	161	96	45	15	5	855	433	300	69	53	557	203	65	175	114	3
168	113	52	2	1	150	92	42	11	5	787	402	279	61	45	514	197	63	156	98	4
4	2	2	-	-	4	1	1	2	-	32	13	10	6	3	20	3	2	8	7	5
-	-	-	-	-	-	-	-	-	-	4	1	1	1	1	-	-	-	-	-	6
1	1	-	-	-	1	-	1	-	-	4	4	-	-	-	1	-	-	-	1	7
2	1	1	-	-	-	-	-	-	-	5	4	-	-	1	1	-	-	-	1	8
-	-	-	-	-	2	2	-	-	-	11	5	5	-	1	1	-	-	1	-	9
2	2	-	-	-	-	-	-	-	-	1	-	-	1	-	3	-	-	2	1	10
6	4	2	-	-	4	1	1	2	-	11	4	5	-	2	17	3	-	8	6	11
82	59	18	5	-	71	45	14	7	5	97	36	17	27	17	183	34	5	102	42	12
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	9	-	-	5	4	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
37	28	8	1	-	25	18	3	2	2	16	9	4	2	1	43	15	1	19	8	15
23	17	4	2	-	22	13	6	2	1	33	8	4	15	6	79	7	2	49	21	16
-	-	-	-	-	5	1	2	1	1	-	-	-	-	-	1	-	-	1	-	17
13	7	5	1	-	7	4	2	1	-	23	8	2	5	8	21	4	1	15	1	18
7	5	1	1	-	10	7	1	1	1	17	8	4	3	2	22	6	1	10	5	19
2	2	-	-	-	2	2	-	-	-	5	2	1	2	-	8	2	-	3	3	20
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	1	1	-	-	21
-	-	-	-	-	-	-	-	-	-	5	2	1	2	-	3	-	-	2	1	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	26
13	3	10	-	-	4	2	2	-	-	57	26	27	1	3	20	2	8	5	5	27
2	1	1	-	-	1	-	1	-	-	6	4	2	-	-	4	-	1	1	2	28
4	3	1	-	-	2	1	1	-	-	2	2	-	-	-	-	-	-	-	-	29
5	4	1	-	-	5	4	1	-	-	8	5	1	1	1	2	1	-	1	-	30
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	31
7	2	5	-	-	6	3	2	1	-	17	7	7	1	2	20	5	5	6	4	32
2	1	1	-	-	1	1	-	-	-	10	6	4	-	-	5	1	1	1	2	33
-	-	-	-	-	4	1	2	-	1	16	9	5	1	1	16	-	2	7	7	34
16	11	5	-	-	13	7	6	-	-	75	37	35	2	1	29	9	6	4	10	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	1	1	37
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	38
2	1	1	-	-	2	2	-	-	-	7	4	3	-	-	18	5	2	7	4	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
162	104	57	1	-	68	37	30	1	-	128	72	51	3	2	31	13	14	4	-	41
1	1	-	-	-	3	1	2	-	-	4	3	1	-	-	1	1	-	-	-	42
10	4	6	-	-	12	6	6	-	-	10	6	3	1	-	8	2	5	-	1	43
1	1	-	-	-	1	1	-	-	-	5	3	2	-	-	2	1	-	-	1	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
6	3	3	-	-	5	3	2	-	-	31	15	15	-	1	9	-	2	3	4	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
14	5	9	-	-	4	3	1	-	-	18	10	7	-	1	6	2	1	1	2	48
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	49
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	-	-	1	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	18	1	-	10	7	59
27	12	15	-	-	26	11	13	1	1	32	19	13	-	-	18	4	2	3	9	60
4,187	2,163	1,990	13	21	2,791	1,336	1,321	64	70	3,649	1,575	1,762	153	159	3,486	1,271	1,071	585	559	61
4,102	2,128	1,942	12	20	2,721	1,309	1,288	61	63	3,553	1,545	1,710	150	148	3,372	1,242	1,031	574	525	62
62	44	18	-	-	57	46	11	-	-	88	41	36	8	3	96	61	18	11	6	63
16	14	2	-	-	12	10	2	-	-	8	6	2	-	-	3	3	-	-	-	64
13	9	4	-	-	10	9	1	-	-	21	10	8	2	1	22	16	3	1	2	65
16	9	7	-	-	14	10	4	-	-	35	12	19	3	1	31	13	9	6	3	66
17	12	5	-	-	21	17	4	-	-	24	13	7	3	1	40	29	6	4	1	67
1,553	873	670	6	4	1,009	511	450	28	20	1,314	579	619	73	43	1,112	401	288	264	159	68
50	40	10	-	-	36	21	13	1	1	49	30	9	10	-	46	18	3	16	9	69
425	278	143	2	2	274	159	97	14	4	351	176	133	25	17	379	132	73	127	47	70
498	233	264	1	-	296	127	158	5	6	410	154	232	11	13	263	85	111	27	40	71
174	108	64	1	1	109	53	49	2	5	123	64	46	8	5	112	32	35	19	26	72
113	40	72	-	1	64	25	36	1	2	74	22	45	5	2	31	11	9	7	4	73
83	40	42	1	-	77	35	40	1	1	166	68	87	8	3	101	42	21	26	12	74
184	123	60	1	-	136	80	51	4	1	118	56	54	6	2	149	75	27	30	17	75
26	11	15	-	-	17	11	6	-	-	23	9	13	-	1	31	6	9	12	4	76
361	285	71	2	3	239	188	41	9	1	315	210	74	24	7	479	297	47	114	21	77
21	19	2	-	-	15	13	2	-	-	34	25	5	4	-	29	21	-	6	2	78
122	102	19	1	-	68	58	5	5	-	69	51	13	4	1	179	108	15	50	6	79
200	153	44	1	2	143	109	29	4	1	186	119	48	14	5	257	160	30	54	13	80
18	11	6	-	1	13	8	5	-	-	26	15	8	2	1	14	8	2	4	-	81
390	3	383	-	4	245	4	231	1	9	273	3	246	1	23	245	1	174	-	70	82

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	2,354	782	1,362	52	158	1,000	359	589	14	38
2	Of cervix uteri----------171	477	...	398	...	79	222	...	212	...	10
3	Of other and unspecified parts of uterus----------172-174	520	...	463	...	57	212	...	196	...	16
4	Of ovary, fallopian tube, and broad ligament----------175	463	...	445	...	18	172	...	160	...	12
5	Of other and unspecified female genital organs----------176	60	...	56	...	4	21	...	21	...	-
6	Of prostate----------177	784	734	...	50	...	341	330	...	11	...
7	Of testis, and of other and unspecified male genital organs----178,179	50	48	...	2	...	32	29	...	3	...
8	Malignant neoplasm of urinary organs----------180,181	769	474	257	29	9	273	173	90	7	3
9	Of kidney----------180	264	143	108	11	2	102	61	40	-	1
10	Of bladder and other urinary organs----------181	505	331	149	18	7	171	112	50	7	2
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	1,425	732	612	51	30	695	358	298	20	19
12	Of skin----------190,191	181	99	75	7	-	73	44	27	2	-
13	Of eye----------192	25	13	11	1	-	12	7	5	-	-
14	Of brain and other parts of nervous system----------193	333	184	126	15	8	119	82	34	1	2
15	Of thyroid gland----------194	50	18	31	1	-	23	9	12	2	-
16	Of bone (including jaw bone)----------196	134	72	52	4	6	60	37	21	2	-
17	Of connective tissue----------197	34	15	17	2	-	19	11	6	1	1
18	Of other specified sites, not stated to be secondary-----195,198A,199A	200	93	90	7	10	121	43	70	3	5
19	Of unspecified sites----------156B,165,198B,199B-M	468	238	210	14	6	268	125	123	9	11
20	Leukemia and aleukemia----------204	554	303	224	13	14	247	131	111	2	3
21	Lymphosarcoma, etc.*----------200-203,205	625	333	251	24	17	207	120	83	3	1
22	Lymphosarcoma and reticulosarcoma----------200	311	156	140	5	10	94	56	38	-	-
23	Hodgkin's disease----------201	185	108	65	8	4	60	34	25	-	1
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	129	69	46	11	3	53	30	20	3	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	224	76	126	6	16	108	42	52	1	13
26	Benign neoplasms of female genital organs----------214-217	64	...	52	...	12	31	...	20	...	11
27	Benign neoplasm of brain and other parts of nervous system---------223	60	25	32	1	2	21	12	9	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	42	19	19	2	2	12	7	4	-	1
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	1	...	1	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	31	17	13	1	-	31	17	13	1	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	27	15	10	2	-	12	6	5	-	1
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	2,126	861	1,135	48	82	1,089	495	530	22	42
33	Asthma----------241	377	229	125	8	15	198	127	58	6	7
34	Nontoxic goiter----------250,251	5	3	1	-	1	5	2	3	-	-
35	Thyrotoxicosis with or without goiter----------252	76	9	61	1	5	42	6	33	1	2
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	17	3	14	-	-	6	3	3	-	-
37	Diabetes mellitus----------260	1,528	563	880	34	51	760	319	400	11	30
38	Diseases of thymus gland----------273	30	16	9	1	4	11	7	3	-	1
39	Diseases of adrenal glands----------274	22	10	9	-	3	12	5	6	1	-
40	Pellagra----------281	1	1	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	20	8	10	2	-	30	12	15	1	2
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	50	19	26	2	3	25	14	9	2	-
43	IV. Diseases of the blood and blood-forming organs----------	322	150	154	13	5	178	76	96	2	4
44	Anemias----------290-293	251	110	125	11	5	142	57	79	2	4
45	Pernicious and other hyperchromic anemias----------290	136	57	73	4	2	73	31	39	1	2
46	Anemias of other and unspecified type----------291-293	115	53	52	7	3	69	26	40	1	2
47	Purpura and other hemorrhagic conditions----------296	28	12	15	1	-	14	6	8	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	43	28	14	1	-	22	13	9	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	159	97	48	11	3	96	58	27	8	3
50	Senile psychosis----------304	28	10	16	2	-	13	4	9	-	-
51	Alcoholic psychosis----------307	20	19	1	-	-	3	3	-	-	-
52	Other psychoses----------300-303,305,306,308,309	23	6	16	1	-	13	5	8	-	-
53	Alcoholism----------322	82	60	11	8	3	51	36	5	7	3
54	Mental deficiency----------325	4	2	2	-	-	11	7	3	1	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	2	-	2	-	-	5	3	2	-	-
56	VI. Diseases of the nervous system and sense organs----------	10,562	4,748	5,012	373	429	5,716	2,730	2,674	150	162
57	Vascular lesions affecting central nervous system----------330-334	9,794	4,397	4,651	348	398	5,305	2,494	2,520	138	153
58	Subarachnoid hemorrhage----------330	204	88	89	11	16	82	42	35	1	4
59	Cerebral hemorrhage----------331	6,742	2,988	3,239	231	284	3,731	1,725	1,802	99	105
60	Cerebral embolism and thrombosis----------332	1,741	831	779	75	56	845	408	396	21	20
61	Other vascular lesions affecting central nervous system---------333,334	1,107	490	544	31	42	647	319	287	17	24
62	Meningitis, except meningococcal and tuberculous----------340	90	39	32	10	9	48	30	14	2	2
63	Multiple sclerosis----------345	102	34	67	1	-	53	26	27	-	-
64	Paralysis agitans----------350	156	78	74	2	2	79	49	30	-	-
65	Cerebral spastic infantile paralysis----------351	30	8	17	2	3	20	13	7	-	-
66	Epilepsy----------353	124	57	61	4	2	61	38	18	4	1
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	1	-	1	-	-
68	Cataract----------385	1	-	1	-	-	2	-	1	-	1
69	Glaucoma----------387	-	-	-	-	-	1	1	-	-	-
70	Otitis media and mastoiditis----------391-393	26	13	12	-	1	6	2	4	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	239	122	97	6	14	140	77	52	6	5
72	VII. Diseases of the circulatory system----------	42,196	22,919	16,253	1,577	1,447	16,986	9,447	6,775	433	331
73	Rheumatic fever----------400-402	75	34	32	5	4	38	17	19	-	2
74	Diseases of heart----------410-443	39,236	21,556	14,890	1,458	1,332	15,310	8,652	5,959	397	302
75	Chronic rheumatic heart disease----------410-416	1,264	619	544	48	53	566	263	263	25	15
76	Diseases of mitral valve----------410	554	280	237	21	16	254	122	113	11	8
77	Diseases of aortic valve specified as rheumatic----------411	46	35	10	-	1	15	12	3	-	-
78	Diseases of tricuspid valve----------412	2	1	-	1	-	1	-	1	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	74	43	30	1	-	37	18	19	-	-
80	Other diseases of heart specified as rheumatic----------415,416	588	260	267	25	36	259	111	127	14	7

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
705	331	371	1	2	437	154	251	8	24	625	212	347	20	46	589	118	223	85	163	1
119	...	118	...	1	95	...	82	...	13	164	...	142	...	22	177	...	96	...	81	2
107	...	107	...	-	82	...	75	...	7	128	...	109	...	19	129	...	70	...	59	3
136	...	135	...	1	90	...	86	...	4	88	...	84	...	4	73	...	53	...	20	4
11	...	11	...	-	8	...	8	...	-	13	...	12	...	1	7	...	4	...	3	5
313	312	...	1	...	151	143	...	8	...	207	188	...	19	...	192	110	...	82	...	6
19	19	...	-	...	11	11	...	-	...	25	24	...	1	...	11	8	...	3	...	7
186	128	57	1	-	124	77	43	2	2	149	82	59	3	5	139	74	33	14	18	8
75	46	28	1	-	52	35	15	1	1	65	31	32	1	1	52	25	20	2	5	9
111	82	29	-	-	72	42	28	1	1	84	51	27	2	4	87	49	13	12	13	10
460	244	211	1	4	346	193	140	7	6	481	247	205	14	15	437	168	169	49	51	11
59	36	23	-	-	54	38	16	-	-	77	41	35	1	-	60	29	27	4	-	12
5	4	1	-	-	5	3	2	-	-	10	4	5	1	-	5	4	1	-	-	13
73	41	32	-	-	62	39	23	-	-	81	49	27	2	3	50	22	20	6	2	14
20	6	14	-	-	14	4	10	-	-	20	5	13	1	1	14	4	8	-	2	15
46	30	16	-	-	19	14	5	-	-	37	27	10	-	-	24	11	7	3	3	16
14	8	6	-	-	12	8	4	-	-	9	5	3	-	1	5	1	2	1	1	17
60	27	31	-	2	54	26	26	2	-	86	42	42	1	1	65	20	24	6	15	18
183	92	88	1	2	126	61	54	5	6	161	74	70	8	9	214	77	80	29	28	19
207	118	86	1	2	156	71	80	5	-	172	92	75	1	4	149	67	40	19	23	20
178	102	75	-	1	108	65	41	1	1	136	79	49	6	2	126	55	39	18	14	21
91	49	42	-	-	54	32	22	-	-	56	32	20	3	1	50	26	9	6	9	22
31	19	12	-	-	37	24	11	1	1	54	36	17	1	-	42	18	13	7	4	23
56	34	21	-	1	17	9	8	-	-	26	11	12	2	1	34	11	17	5	1	24
85	35	48	1	1	70	27	33	3	7	96	30	52	3	11	114	29	40	11	34	25
10	...	10	...	-	19	...	15	...	4	29	...	20	...	9	26	...	9	...	17	26
9	4	5	-	-	10	6	1	1	2	12	3	9	-	-	13	2	5	1	5	27
16	6	10	-	-	18	9	7	1	1	13	10	3	-	-	11	3	4	1	3	28
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	29
40	21	17	1	1	11	6	5	-	-	32	13	14	3	2	54	20	19	8	7	30
9	4	5	-	-	12	6	5	1	-	10	4	6	-	-	9	4	2	1	2	31
650	308	335	3	4	510	224	251	12	23	647	255	297	35	60	591	167	218	81	125	32
139	92	46	1	-	87	51	31	3	2	149	78	54	8	9	114	61	21	20	12	33
1	-	1	-	-	4	1	3	-	-	6	-	4	1	1	1	-	-	-	1	34
26	4	21	-	1	16	6	10	-	-	28	3	21	-	4	15	2	5	-	8	35
5	2	3	-	-	4	2	2	-	-	-	-	-	-	-	4	-	3	-	1	36
440	192	245	1	2	347	139	183	5	20	407	150	191	24	42	401	89	180	42	90	37
8	6	1	1	-	19	9	8	2	-	11	7	2	-	2	5	2	-	1	2	38
8	3	5	-	-	10	5	4	1	-	6	2	4	-	-	5	1	-	2	2	39
1	-	1	-	-	1	-	1	-	-	5	1	3	-	1	8	-	3	3	2	40
9	4	5	-	-	10	3	6	1	-	28	11	14	2	1	27	9	3	10	5	41
13	5	7	-	1	12	8	3	-	1	7	3	4	-	-	11	3	3	3	2	42
130	64	65	-	1	119	62	54	1	2	130	72	48	6	4	101	32	23	21	25	43
97	47	50	-	-	92	44	45	1	2	106	56	40	6	4	72	16	16	16	24	44
62	29	33	-	-	47	23	24	-	-	45	28	15	-	2	17	3	8	1	5	45
35	18	17	-	-	45	21	21	1	2	61	28	25	6	2	55	13	8	15	19	46
12	5	7	-	-	8	5	3	-	-	11	7	4	-	-	16	9	4	2	1	47
21	12	8	-	1	19	13	6	-	-	13	9	4	-	-	13	7	3	3	-	48
70	40	28	2	-	53	38	12	1	2	69	41	17	8	3	51	25	9	7	10	49
34	16	17	1	-	20	10	9	-	1	19	9	5	3	2	10	2	4	2	2	50
4	4	-	-	-	3	3	-	-	-	4	4	-	-	-	2	1	-	-	1	51
13	5	8	-	-	8	6	2	-	-	8	3	4	-	1	8	2	2	-	4	52
13	13	-	-	-	19	18	-	1	-	33	24	4	5	-	27	18	2	4	3	53
4	2	2	-	-	1	1	-	-	-	3	1	2	-	-	1	1	-	-	-	54
2	-	1	1	-	2	-	1	-	1	2	-	2	-	-	3	1	1	1	-	55
4,208	2,160	2,007	22	19	2,813	1,349	1,326	61	77	3,521	1,624	1,468	208	221	2,676	697	681	630	668	56
3,908	1,985	1,884	20	19	2,605	1,248	1,220	61	76	3,250	1,500	1,350	189	211	2,411	617	606	565	623	57
69	39	28	1	1	38	20	14	2	2	72	39	22	10	1	51	16	13	12	10	58
2,686	1,344	1,315	15	12	1,785	839	850	39	57	2,251	1,025	951	123	152	1,915	457	456	466	536	59
704	369	328	3	4	430	223	193	10	4	490	241	205	22	22	222	88	74	30	30	60
449	233	213	1	2	352	166	163	10	13	437	195	172	34	36	223	56	63	57	47	61
12	7	5	-	-	16	11	5	-	-	33	15	15	2	1	70	11	15	25	19	62
52	27	25	-	-	34	15	19	-	-	22	10	8	4	-	9	1	5	1	2	63
72	42	30	-	-	43	19	24	-	-	36	15	20	1	-	29	16	11	1	1	64
11	8	3	-	-	9	6	3	-	-	11	5	5	1	-	14	2	9	2	1	65
49	25	23	1	-	26	15	11	-	-	55	28	15	7	5	44	14	14	11	5	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	2	-	-	1	1	68
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	69
8	4	4	-	-	2	1	1	-	-	5	3	2	-	-	4	1	1	2	-	70
95	62	32	1	-	76	34	41	-	1	109	48	53	4	4	92	35	20	21	16	71
10,832	6,362	4,358	70	42	7,645	4,393	2,911	185	156	10,461	5,497	3,691	673	600	9,397	3,599	2,305	1,848	1,645	72
16	11	5	-	-	13	5	8	-	-	31	14	11	4	2	24	4	2	5	13	73
9,693	5,783	3,807	63	40	6,804	3,998	2,504	165	137	9,462	5,030	3,281	609	542	8,600	3,386	2,090	1,664	1,460	74
316	163	145	4	4	221	107	103	6	5	306	155	125	14	12	166	52	44	31	39	75
138	76	60	2	-	134	65	61	4	4	116	59	43	8	6	79	20	18	19	22	76
22	18	4	-	-	6	5	-	1	-	7	6	1	-	-	4	1	1	2	-	77
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
18	8	9	-	1	10	4	6	-	-	12	9	3	-	-	8	6	1	-	1	79
137	60	72	2	3	71	33	36	1	1	171	81	78	6	6	75	25	24	10	16	80

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	23,814	14,523	8,074	725	492	9,348	5,878	3,144	202	124
2	Arteriosclerotic heart disease so described----------420.0	8,549	4,381	3,501	351	316	2,736	1,415	1,192	81	48
3	Heart disease specified as involving coronary arteries----------420.1	15,164	10,079	4,538	374	173	6,548	4,426	1,927	120	75
4	Angina pectoris without mention of coronary disease----------420.2	101	63	35	-	3	64	37	25	1	1
5	Chronic endocarditis not specified as rheumatic----------421	484	252	204	16	12	261	151	99	7	4
6	Of mitral valve, specified as nonrheumatic----------421.0	72	32	38	2	-	18	9	6	1	2
7	Of aortic valve, not specified as rheumatic----------421.1	76	47	22	5	2	40	27	12	1	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	336	173	144	9	10	203	115	81	5	2
9	Other myocardial degeneration----------422	7,032	3,203	3,188	298	343	1,923	892	945	45	41
10	With arteriosclerosis----------422.1	3,036	1,389	1,561	45	41	808	352	417	21	18
11	Without mention of arteriosclerosis----------422.0,422.2	3,996	1,614	1,627	253	302	1,115	540	528	24	23
12	Other diseases of heart----------430-434	1,537	929	450	85	73	628	327	271	12	18
13	Acute and subacute endocarditis----------430	69	36	24	6	3	22	8	10	1	3
14	Acute myocarditis not specified as rheumatic----------431	175	82	78	8	7	78	34	35	3	6
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	3	3	-	-	-
16	Functional disease of heart----------433	111	59	51	-	1	100	53	43	2	2
17	Other and unspecified diseases of heart----------434	1,182	752	297	71	62	425	229	183	6	7
18	Hypertension with heart disease----------440-443	5,105	2,030	2,430	286	359	2,584	1,141	1,237	106	100
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	1,123	507	526	44	46	1,484	709	703	36	36
20	Essential hypertension with heart disease, etc.*----------440,441,443	3,982	1,523	1,904	242	313	1,100	432	534	70	64
21	Hypertension without mention of heart----------444-447	763	326	315	56	66	357	159	168	16	14
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	512	231	194	41	46	176	80	80	8	8
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	251	95	121	15	20	181	79	88	8	6
24	Diseases of arteries----------450-456	1,911	907	918	50	36	1,181	566	585	18	12
25	General arteriosclerosis----------450	1,670	754	844	46	26	1,085	504	554	16	11
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	134	100	26	3	5	50	36	12	1	1
27	Gangrene of unspecified cause----------455	11	6	5	-	-	5	1	4	-	-
28	Other arterial diseases----------452-454,456	96	47	43	1	5	41	25	15	1	-
29	Diseases of veins and other diseases of circulatory system--------460-468	211	96	98	8	9	100	53	44	2	1
30	VIII. Diseases of the respiratory system----------	3,546	1,866	1,191	296	193	1,610	896	587	71	56
31	Acute upper respiratory infections----------470-475	43	18	23	1	1	22	13	9	-	-
32	Influenza----------480-483	152	79	68	2	3	203	111	80	5	7
33	Pneumonia, except pneumonia of newborn----------490-493	2,647	1,321	905	247	174	1,016	529	385	57	45
34	Lobar pneumonia----------490	617	341	188	50	38	356	195	119	28	14
35	Bronchopneumonia----------491	1,741	805	615	188	133	479	239	193	22	25
36	Primary atypical pneumonia----------492	189	114	66	8	1	132	64	56	6	6
37	Pneumonia, other and unspecified----------493	100	61	36	1	2	49	31	17	1	-
38	Acute bronchitis----------500	83	36	28	11	8	22	14	7	-	1
39	Bronchitis, chronic and unqualified----------501,502	120	79	37	4	-	59	39	18	1	1
40	Hypertrophy of tonsils and adenoids----------510	18	9	6	3	-	10	3	6	1	-
41	Empyema and abscess of lung----------518,521	46	23	16	7	-	19	12	4	3	-
42	Pleurisy----------519	22	13	6	2	1	7	3	2	1	1
43	All other respiratory diseases----------Residual[1]	415	288	102	19	6	252	172	76	3	1
44	IX. Diseases of the digestive system----------	3,395	1,926	1,221	156	92	1,474	818	561	54	41
45	Diseases of teeth and supporting structures----------530-535	12	4	7	-	1	5	3	1	1	-
46	Ulcer of stomach----------540	263	183	59	17	4	110	83	20	5	2
47	Ulcer of duodenum----------541	287	219	48	15	5	81	62	16	2	1
48	Gastritis and duodenitis----------543	12	6	5	1	-	6	4	2	-	-
49	Appendicitis----------550-553	179	97	56	17	9	86	49	30	4	3
50	Hernia and intestinal obstruction----------560,561,570	491	242	218	18	13	228	118	93	9	8
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	310	141	124	28	17	200	93	88	13	6
52	Cirrhosis of liver----------581	1,054	703	283	42	26	401	271	107	10	13
53	Without mention of alcoholism----------581.0	682	459	188	19	16	344	228	98	5	13
54	With alcoholism----------581.1	372	244	95	23	10	57	43	9	5	-
55	Cholelithiasis and cholecystitis----------584,585	436	160	266	2	8	164	50	112	1	1
56	Other diseases of digestive system----------Residual[1]	351	171	155	16	9	193	85	92	9	7
57	X. Diseases of the genito-urinary system----------	2,573	1,390	892	167	124	1,048	608	365	46	29
58	Nephritis and nephrosis----------590-594	1,665	765	695	106	99	646	315	275	33	23
59	Acute nephritis----------590	82	42	31	5	4	47	20	22	2	3
60	Nephritis with edema, including nephrosis----------591	86	36	36	6	8	36	17	13	4	2
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	1,497	687	628	95	87	563	278	240	27	18
62	Infections of kidney----------600	224	93	92	23	16	95	48	43	1	3
63	Calculi of urinary system----------602,604	72	41	31	-	-	30	19	9	2	-
64	Other diseases of urinary system----------601,603,605-609	88	49	30	8	1	43	22	16	4	1
65	Hyperplasia of prostate----------610	433	405	...	28	...	180	175	...	5	...
66	Other diseases of male genital organs----------611-617	39	37	...	2	...	30	29	...	1	...
67	Diseases of breast----------620,621	-	-	-	-	-	1	-	1	-	-
68	Diseases of female genital organs----------622-637	52	...	44	...	8	23	...	21	...	2
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	95	...	70	...	25	52	...	44	...	8
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	13	...	10	...	3	6	...	5	...	1
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	31	...	20	...	11	18	...	15	...	3
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	11	...	9	...	2	7	...	7	...	-
73	Ectopic pregnancy----------645	13	...	7	...	6	3	...	2	...	1
74	Abortion without mention of sepsis or toxemia----------650	3	...	3	...	-	1	...	1	...	-
75	Abortion with sepsis----------651	7	...	7	...	-	3	...	3	...	-
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	17	...	14	...	3	14	...	11	...	3

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,509	4,206	2,243	39	21	4,299	2,792	1,372	80	55	5,041	3,061	1,532	256	192	5,075	2,451	1,307	780	537	1
1,543	843	684	10	6	1,102	606	456	24	16	1,375	742	497	79	57	1,964	766	647	300	251	2
4,924	3,336	1,544	29	15	3,175	2,172	908	56	39	3,609	2,281	1,020	175	133	3,082	1,673	654	472	283	3
42	27	15	-	-	22	14	8	-	-	57	38	15	2	2	29	12	6	8	3	4
209	117	90	1	1	179	102	70	5	2	244	112	118	8	6	167	43	30	58	36	5
22	17	5	-	-	10	7	3	-	-	11	4	5	2	-	16	1	1	6	8	6
33	20	12	1	-	32	16	13	2	1	29	16	11	-	2	33	9	2	13	9	7
154	80	73	-	1	137	79	54	3	1	204	92	102	6	4	118	33	27	39	19	8
1,194	595	587	8	4	837	408	388	25	16	1,065	462	452	73	78	792	254	184	194	160	9
556	270	283	2	1	405	186	204	9	6	450	203	190	24	33	369	114	80	109	66	10
638	325	304	6	3	432	222	184	16	10	615	259	262	49	45	423	140	104	85	94	11
363	199	160	3	1	317	164	129	13	11	767	398	241	70	58	481	164	92	127	98	12
9	4	5	-	-	7	3	3	1	-	21	8	9	2	2	15	3	5	4	3	13
22	14	8	-	-	29	17	12	-	-	82	40	10	22	10	20	8	2	5	5	14
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	15
63	30	33	-	-	54	28	24	1	1	39	20	17	1	1	38	12	12	7	7	16
269	151	114	3	1	227	116	90	11	10	623	328	205	45	45	407	140	73	111	83	17
1,102	503	582	8	9	951	425	442	36	48	2,039	842	813	188	196	1,919	422	433	474	590	18
411	205	202	2	2	314	162	131	6	15	627	274	217	73	63	295	75	60	81	79	19
691	298	380	6	7	637	263	311	30	33	1,412	568	596	115	133	1,624	347	373	393	511	20
216	96	116	2	2	196	88	98	5	5	249	99	106	24	20	294	44	67	92	91	21
119	63	55	1	-	107	55	46	4	2	122	47	46	19	10	83	14	28	26	15	22
97	33	61	1	2	89	33	52	1	3	127	52	60	5	10	211	30	39	66	76	23
841	435	402	4	-	571	266	280	13	12	656	317	271	35	33	416	148	131	68	69	24
753	379	371	3	-	500	223	255	13	9	596	279	259	30	28	337	105	123	53	56	25
42	27	15	-	-	38	26	11	-	1	24	17	4	1	2	46	31	4	7	4	26
8	6	2	-	-	2	1	1	-	-	5	2	1	1	1	5	2	-	2	1	27
38	23	14	1	-	31	16	13	-	2	31	19	7	3	2	28	10	4	6	8	28
66	37	28	1	-	61	36	21	2	2	63	37	22	1	3	63	17	15	19	12	29
992	562	410	14	6	704	367	291	23	23	1,534	728	646	88	72	1,184	324	244	315	301	30
24	13	11	-	-	17	9	7	-	1	13	6	7	-	-	16	2	9	1	4	31
108	52	55	1	-	112	53	51	4	4	222	100	100	9	13	156	22	28	54	52	32
642	357	270	10	5	407	201	175	16	15	1,042	484	440	65	53	777	191	160	217	209	33
181	104	72	3	2	119	51	60	4	4	329	161	117	30	21	185	45	44	54	42	34
294	164	123	5	2	209	106	85	10	8	450	206	206	21	17	414	102	78	112	122	35
79	37	41	1	-	56	31	20	2	3	65	29	29	4	3	60	11	14	22	13	36
88	52	34	1	1	23	13	10	-	-	198	88	88	10	12	118	33	24	29	32	37
10	6	4	-	-	14	5	9	-	-	16	9	5	1	1	14	5	1	3	5	38
36	24	11	1	-	20	10	9	1	-	45	22	20	3	-	40	15	9	10	6	39
10	3	7	-	-	3	2	1	-	-	2	-	2	-	-	5	1	3	-	1	40
7	5	1	1	-	1	-	1	-	-	14	7	3	4	-	20	9	1	9	1	41
6	3	3	-	-	3	1	2	-	-	4	3	1	-	-	4	3	-	-	1	42
149	99	48	1	1	127	86	36	2	3	176	97	68	6	5	152	76	33	21	22	43
832	515	303	10	4	707	393	284	17	13	1,036	518	408	60	50	914	358	226	183	147	44
3	3	-	-	-	4	4	-	-	-	2	-	1	-	1	-	-	-	-	-	45
75	58	14	2	1	61	42	17	-	2	70	40	22	8	-	63	34	8	15	6	46
79	66	12	1	-	53	42	10	1	-	65	48	14	2	1	43	28	5	10	-	47
2	2	-	-	-	8	3	4	1	-	6	3	1	-	2	6	4	-	1	1	48
41	28	13	-	-	40	27	12	1	-	48	26	16	2	4	29	11	6	6	6	49
136	75	59	2	-	130	68	54	2	6	159	72	63	14	10	141	50	42	30	19	50
77	38	34	3	2	80	44	31	3	2	263	119	114	17	13	202	31	39	71	61	51
165	124	40	1	-	149	92	51	5	1	193	122	58	7	6	205	116	47	20	22	52
139	101	37	1	-	122	72	45	4	1	164	96	56	6	6	169	93	41	17	18	53
26	23	3	-	-	27	20	6	1	-	29	26	2	1	-	36	23	6	3	4	54
131	54	77	-	-	96	28	67	1	-	103	33	63	3	4	66	24	35	1	6	55
123	67	54	1	1	86	43	38	3	2	127	55	56	7	9	159	60	44	29	26	56
618	398	207	4	9	676	431	187	34	24	807	430	242	81	54	749	209	162	223	155	57
372	204	158	2	8	419	226	145	25	23	536	242	186	58	50	484	134	108	119	123	58
25	14	11	-	-	28	14	10	3	1	39	17	12	6	4	45	8	11	13	13	59
15	9	5	-	1	19	9	8	2	-	30	12	15	2	1	20	6	4	4	6	60
332	181	142	2	7	372	203	127	20	22	467	213	159	50	45	419	120	93	102	104	61
40	18	21	-	1	37	20	17	-	-	61	29	25	7	-	91	21	35	17	18	62
16	10	6	-	-	20	13	6	1	-	21	9	11	1	-	12	5	4	2	1	63
25	16	8	1	-	27	20	4	2	1	33	18	9	4	2	36	7	4	22	3	64
139	138	...	1	...	140	135	...	5	...	120	111	...	9	...	89	34	...	55	...	65
12	12	...	-	...	18	17	...	1	...	23	21	...	2	...	16	8	...	8	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
14	...	14	...	-	15	...	15	...	-	13	...	11	...	2	21	...	11	...	10	68
22	...	22	...	-	32	...	31	...	1	56	...	52	...	4	77	...	21	...	56	69
5	...	5	...	-	5	...	5	...	-	3	...	3	...	-	10	...	6	...	4	70
6	...	6	...	-	12	...	12	...	-	23	...	21	...	2	29	...	6	...	23	71
-	...	-	...	-	3	...	3	...	-	11	...	11	...	-	11	...	4	...	7	72
-	...	-	...	-	3	...	2	...	1	-	...	-	...	-	5	...	-	...	5	73
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	2	...	-	...	2	74
1	...	1	...	-	1	...	1	...	-	2	...	2	...	-	7	...	3	...	4	75
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	2	...	-	...	2	76
9	...	9	...	-	7	...	7	...	-	15	...	13	...	2	11	...	2	...	9	77

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	52	20	21	7	4	35	14	18	1	2
2	Infections of skin and subcutaneous tissue---690-698	9	6	1	2	-	6	3	2	1	-
3	Other diseases of skin and subcutaneous tissue---700-716	43	14	20	5	4	29	11	16	-	2
4	XIII. Diseases of the bones and organs of movement	150	64	82	1	3	86	33	49	3	1
5	Arthritis and spondylitis---720-725	69	21	45	-	3	47	13	32	1	1
6	Muscular rheumatism and rheumatism, unspecified---726,727	2	1	1	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis---730	17	11	6	-	-	1	1	-	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	5	2	3	-	-	2	1	1	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	57	29	27	1	-	36	18	16	2	-
10	XIV. Congenital malformations	1,004	480	444	53	27	574	299	250	16	9
11	Spina bifida and meningocele---751	97	37	54	4	2	52	23	29	-	-
12	Congenital hydrocephalus, etc.*---752,753	136	59	66	10	1	70	33	36	-	1
13	Congenital malformations of circulatory system---754	447	230	180	24	13	272	148	109	11	4
14	Other congenital malformations---750,755-759	324	154	144	15	11	180	95	76	5	4
15	XV. Certain diseases of early infancy	3,144	1,533	1,052	339	220	1,628	882	556	109	81
16	Birth injuries---760,761	612	309	220	52	31	286	164	108	12	4
17	Postnatal asphyxia and atelectasis---762	1,170	579	383	127	81	351	200	119	19	13
18	Infections of newborn---763-768	194	77	45	47	25	97	40	41	9	7
19	Hemolytic disease of newborn (erythroblastosis)---770	147	85	58	3	1	84	55	26	3	-
20	All other defined diseases of early infancy---769,771,772	69	44	15	4	6	48	24	18	4	2
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	952	439	331	106	76	760	399	244	62	55
22	XVI. Symptoms, senility, and ill-defined conditions	471	232	201	27	11	229	115	95	6	13
23	Senility without mention of psychosis---794	280	121	143	11	5	99	40	55	-	4
24	Symptoms, ill-defined and unknown causes---780-793,795	191	111	58	16	6	130	75	40	6	9
25	XVII. Accidents, poisonings, and violence	6,705	4,135	1,735	623	212	3,526	2,239	1,054	172	61
26	Accidents---E800-E962	5,423	3,360	1,502	398	163	2,872	1,806	910	113	43
27	Railway accidents---E800-E802	153	114	19	18	2	77	61	8	8	-
28	Motor-vehicle accidents---E810-E835	2,200	1,475	526	155	44	1,245	851	333	47	14
29	Motor-vehicle traffic accidents---E810-E825	2,160	1,442	522	152	44	1,228	839	328	47	14
30	Motor-vehicle traffic accident with railway train*---E810	95	73	21	1	-	78	53	24	1	-
31	Motor-vehicle traffic accident to pedestrian---E812	546	355	128	53	10	212	139	54	16	3
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	938	604	249	64	21	571	384	162	15	10
33	Motor-vehicle noncollision traffic accidents---E820-E824	476	343	96	26	11	277	201	63	12	1
34	Motor-vehicle traffic accident of unspecified nature---E825	105	67	28	8	2	90	62	25	3	-
35	Motor-vehicle nontraffic accidents---E830-E835	40	33	4	3	-	17	12	5	-	-
36	Other road-vehicle accidents---E840-E845	27	18	4	3	2	13	10	3	-	-
37	Water-transport accidents---E850-E858	91	68	5	16	2	21	19	1	1	-
38	Aircraft accidents---E860-E866	47	44	2	1	-	19	17	2	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	84	38	36	7	3	35	19	11	1	4
40	Accidental poisoning by gases and vapors---E890-E895	80	58	14	6	2	30	20	7	3	-
41	Accidental falls---E900-E904	1,286	622	600	44	20	712	310	380	14	8
42	Fall from one level to another---E900-E902	499	298	162	27	12	216	126	78	9	3
43	Fall on same level---E903	253	101	145	5	2	279	96	177	2	4
44	Unspecified falls---E904	534	223	293	12	6	217	88	125	3	1
45	Blow from falling object---E910	50	44	1	5	-	29	26	1	2	-
46	Accident caused by machinery---E912	126	114	1	9	2	79	71	6	2	-
47	Accident caused by electric current---E914	57	50	7	-	-	36	35	1	-	-
48	Accident caused by fire and explosion, etc.*---E916	364	170	86	49	59	158	76	61	14	7
49	Accident caused by hot substance, etc.*---E917,E918	36	18	9	2	7	17	10	5	2	-
50	Accident caused by firearm---E919	106	77	13	15	1	47	39	6	2	-
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	52	26	21	4	1	36	20	14	-	2
52	Accidental drowning---E929	290	205	44	39	2	123	103	13	7	-
53	Excessive heat and insolation---E931	78	47	26	4	1	36	22	12	2	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	21	6	12	1	2	26	8	12	2	4
55	All other accidents---Residual[1]	275	166	76	20	13	133	89	34	6	4
56	Suicide---E963,E970-E979	869	650	193	22	4	494	367	120	5	2
57	Suicide by poisoning---E970-E973	132	78	50	3	1	87	51	35	-	1
58	Suicide by hanging and strangulation---E974	237	172	58	5	2	129	79	50	-	-
59	Suicide by firearms and explosives---E976	369	316	41	11	1	224	207	14	3	-
60	Suicide by all other means---E963,E975,E977-E979	131	84	44	3	-	54	30	21	2	1
61	Homicide---E964,E980-E985	409	121	40	203	45	160	66	24	54	16
62	Assault by firearms and explosives---E981	217	67	23	108	19	75	31	17	19	8
63	Assault by cutting and piercing instruments---E982	101	16	1	65	19	49	11	4	28	6
64	Assault by other means---E964,E980,E983	68	32	16	13	7	26	15	3	6	2
65	Injury by intervention of police---E984	18	4	-	14	-	9	8	-	1	-
66	Execution---E985	5	2	-	3	-	1	1	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	4	4	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
30	10	19	-	1	20	8	12	-	-	19	8	8	1	2	24	8	6	3	7	1
7	3	4	-	-	6	4	2	-	-	2	-	2	-	-	7	4	1	1	1	2
23	7	15	-	1	14	4	10	-	-	17	8	6	1	2	17	4	5	2	6	3
57	29	28	-	-	54	20	34	-	-	87	34	48	4	1	36	9	11	6	10	4
27	14	13	-	-	33	10	23	-	-	58	23	32	2	1	20	4	6	3	7	5
1	-	1	-	-	1	-	1	-	-	2	1	1	-	-	-	-	-	-	-	6
3	2	1	-	-	1	1	-	-	-	2	1	1	-	-	2	1	-	1	-	7
3	1	2	-	-	-	-	-	-	-	4	2	2	-	-	1	1	-	-	-	8
23	12	11	-	-	19	9	10	-	-	21	7	12	2	-	13	3	5	2	3	9
360	189	169	2	-	266	140	117	4	5	412	211	168	18	15	339	128	93	68	50	10
44	18	26	-	-	21	9	11	-	1	36	16	19	-	1	21	5	12	2	2	11
53	30	23	-	-	34	19	14	1	-	41	20	18	1	2	53	21	14	9	9	12
154	87	67	-	-	135	70	61	1	3	201	106	76	11	8	162	69	40	32	21	13
109	54	53	2	-	76	42	31	2	1	134	69	55	6	4	103	33	27	25	18	14
954	568	373	10	3	780	421	300	32	27	1,366	673	551	84	58	1,536	411	278	495	352	15
212	129	82	-	1	198	116	76	5	1	207	117	75	11	4	266	75	58	71	62	16
219	129	85	4	1	189	96	77	8	8	333	174	129	18	12	347	118	63	108	58	17
33	17	14	2	-	55	37	14	2	2	114	55	51	5	3	127	28	16	52	31	18
65	40	25	-	-	41	22	19	-	-	49	26	20	3	-	46	18	15	7	6	19
26	13	12	1	-	26	18	5	1	2	83	33	38	8	4	73	10	9	27	27	20
399	240	155	3	1	271	132	109	16	14	580	268	238	39	35	677	162	117	230	168	21
158	77	77	1	3	362	219	126	12	5	484	217	217	29	21	391	87	75	123	106	22
98	37	59	-	2	90	36	53	1	-	185	62	107	9	7	102	20	30	22	30	23
60	40	18	1	1	272	183	73	11	5	299	155	110	20	14	289	67	45	101	76	24
1,957	1,304	635	12	6	1,659	1,055	481	89	34	2,703	1,744	658	229	72	2,195	918	368	659	250	25
1,600	1,026	562	9	3	1,386	864	433	62	27	2,162	1,380	579	144	59	1,763	770	321	471	201	26
26	22	4	-	-	25	17	4	4	-	49	37	4	8	-	28	9	1	16	2	27
536	402	133	1	-	555	374	146	28	7	829	594	176	46	13	649	361	93	154	41	28
514	385	128	1	-	545	368	143	27	7	813	586	170	44	13	632	355	87	150	40	29
32	24	8	-	-	48	38	10	-	-	22	14	8	-	-	21	9	6	6	-	30
73	54	18	1	-	62	36	16	6	4	169	119	37	10	3	161	80	22	41	18	31
181	132	49	-	-	245	151	85	9	-	196	142	46	7	1	205	129	30	39	7	32
94	73	21	-	-	156	122	23	9	2	162	123	32	6	1	127	79	11	29	8	33
134	102	32	-	-	34	21	9	3	1	264	188	47	21	8	118	58	18	35	7	34
22	17	5	-	-	10	6	3	1	-	16	8	6	2	-	17	6	6	4	1	35
9	7	2	-	-	6	5	1	-	-	10	8	1	1	-	6	4	1	-	1	36
7	6	1	-	-	9	7	2	-	-	17	16	1	-	-	79	44	6	28	1	37
14	13	1	-	-	30	29	1	-	-	11	11	-	-	-	34	32	1	1	-	38
17	10	7	-	-	17	13	2	2	-	31	12	15	1	3	28	7	6	9	6	39
25	20	5	-	-	29	23	5	1	-	24	15	5	4	-	4	2	2	-	-	40
499	196	302	1	-	313	133	173	3	4	440	207	206	19	8	252	86	120	21	25	41
92	61	31	-	-	100	55	42	2	1	115	77	27	10	1	83	43	21	9	10	42
99	37	61	1	-	116	40	74	1	1	55	21	31	2	1	18	7	9	-	2	43
308	98	210	-	-	97	38	57	-	2	270	109	148	7	6	151	36	90	12	13	44
10	8	1	1	-	16	11	3	2	-	57	51	2	4	-	25	14	-	11	-	45
87	82	4	1	-	53	49	2	2	-	46	40	3	3	-	46	33	-	12	1	46
29	28	-	1	-	17	12	3	2	-	21	19	2	-	-	27	23	2	2	-	47
80	46	31	3	-	98	47	37	7	7	135	57	45	13	20	215	40	26	81	68	48
22	11	11	-	-	10	5	4	-	1	40	14	18	7	1	25	6	4	7	8	49
38	35	2	-	1	37	30	3	2	2	68	59	4	5	-	57	27	7	16	7	50
21	8	12	-	1	14	10	4	-	-	33	12	17	3	1	33	5	8	16	4	51
69	58	11	-	-	74	54	14	3	3	109	83	14	9	3	98	33	13	47	5	52
11	8	2	1	-	12	7	5	-	-	43	22	16	2	3	8	4	-	1	3	53
14	7	7	-	-	8	3	4	-	1	11	6	1	2	2	21	3	7	6	5	54
86	59	26	-	1	63	35	20	6	2	188	117	49	17	5	128	37	24	43	24	55
317	258	59	-	-	210	166	36	8	-	288	226	51	7	4	161	113	30	17	1	56
44	28	16	-	-	22	15	7	-	-	30	21	7	-	2	15	8	7	-	-	57
99	78	21	-	-	38	27	10	1	-	51	38	12	1	-	16	10	5	1	-	58
145	133	12	-	-	132	113	13	6	-	178	149	23	4	2	109	80	15	13	1	59
29	19	10	-	-	18	11	6	1	-	29	18	9	2	-	21	15	3	3	-	60
40	20	14	3	3	61	23	12	19	7	251	136	28	78	9	271	35	17	171	48	61
20	9	7	2	2	35	13	8	10	4	181	97	22	57	5	137	21	8	85	23	62
2	-	1	1	-	9	1	1	5	2	28	9	4	14	1	85	4	1	66	14	63
16	9	6	-	1	13	7	3	2	1	33	24	2	4	3	40	7	8	14	11	64
1	1	-	-	-	3	1	-	2	-	7	5	-	2	-	7	3	-	4	-	65
1	1	-	-	-	1	1	-	-	-	2	1	-	1	-	2	-	-	2	-	66
-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	67

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	9,902	5,594	4,279	19	10	23,981	10,631	8,534	2,707	2,109
2	I. Infective and parasitic diseases	181	110	69	1	1	934	344	156	277	157
3	Tuberculosis, all forms 001-019	102	67	33	1	1	642	240	85	203	114
4	Tuberculosis of respiratory system 001-008	91	62	28	-	1	600	232	78	186	104
5	Tuberculosis of meninges and central nervous system 010	1	-	1	-	-	18	4	5	4	5
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	2	-	2	-	-	1	-	1	-	-
7	Tuberculosis of vertebral column 012.0,013.0	-	-	-	-	-	3	1	-	1	1
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	2	1	1	-	-	5	2	1	2	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	2	1	-	1	-	1	-	-	1	-
11	Disseminated tuberculosis 019	4	3	1	-	-	14	1	-	9	4
12	Syphilis and its sequelae 020-029	14	9	5	-	-	161	57	20	63	21
13	Congenital syphilis 020	2	1	1	-	-	1	-	-	-	1
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	3	2	1	-	-	40	21	9	7	3
16	Other cardiovascular syphilis 023	4	3	1	-	-	62	15	4	32	11
17	Tabes dorsalis 024	1	1	-	-	-	2	1	1	-	-
18	General paralysis of insane 025	1	1	-	-	-	33	7	3	19	4
19	Other syphilis of central nervous system 026	2	1	1	-	-	19	11	3	4	1
20	Other syphilis 027-029	1	-	1	-	-	4	2	-	1	1
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	-	-	-	-	-	-	-	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	1	-	-	1	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	-	-	-	-	-	7	2	1	2	2
28	Food poisoning (infection and intoxication) 049	-	-	-	-	-	2	-	-	1	1
29	Scarlet fever 050	-	-	-	-	-	-	-	-	-	-
30	Streptococcal sore throat 051	2	1	1	-	-	2	1	1	-	-
31	Erysipelas 052	-	-	-	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	5	3	2	-	-	17	4	5	3	5
33	Diphtheria 055	-	-	-	-	-	1	-	-	-	1
34	Whooping cough 056	1	-	1	-	-	-	-	-	-	-
35	Meningococcal infections 057	11	3	8	-	-	38	17	21	-	-
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	1	1	-	-	-	3	1	-	-	2
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	19	13	6	-	-	14	6	8	-	-
42	Late effects of acute poliomyelitis 081	1	1	-	-	-	1	1	-	-	-
43	Acute infectious encephalitis 082	3	-	3	-	-	2	1	1	-	-
44	Late effects of acute infectious encephalitis 083	1	-	1	-	-	2	2	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	8	5	3	-	-	10	1	4	-	5
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	6	4	2	-	-	9	3	2	3	1
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	1	1	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	1	1	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	2	1	-	-	1
60	All other infective and parasitic diseases Residual[1]	7	3	4	-	-	19	6	8	1	4
61	II. Neoplasms	1,646	838	805	1	2	3,590	1,553	1,505	280	252
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	1,619	830	786	1	2	3,497	1,523	1,470	273	231
63	Malignant neoplasm of buccal cavity and pharynx 140-148	37	30	7	-	-	88	61	13	12	2
64	Of lip 140	4	4	-	-	-	7	6	1	-	-
65	Of tongue 141	8	6	2	-	-	23	13	6	4	-
66	Of other and unspecified parts of buccal cavity 142-144	12	9	3	-	-	19	13	3	3	-
67	Of pharynx 145-148	13	11	2	-	-	39	29	3	5	2
68	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	633	320	312	1	-	1,198	537	488	110	63
69	Of esophagus 150	18	8	10	-	-	62	37	10	14	1
70	Of stomach 151	159	103	56	-	-	333	168	103	44	18
71	Of intestine, except rectum 152,153	214	89	125	-	-	362	153	172	15	22
72	Of rectum 154	88	45	42	1	-	150	69	62	10	9
73	Of biliary passages and of liver (stated to be primary site) 155	31	9	22	-	-	57	14	39	3	1
74	Of liver not specified whether primary or secondary 156A	45	22	23	-	-	76	31	31	10	4
75	Of pancreas 157	69	39	30	-	-	134	61	57	11	5
76	Of peritoneum and of unspecified digestive organs 158,159	9	5	4	-	-	24	4	14	3	3
77	Malignant neoplasm of respiratory system 160-164	149	120	29	-	-	444	339	43	53	9
78	Of larynx 161	7	5	2	-	-	32	26	1	3	2
79	Of trachea, and of bronchus and lung specified as primary 162	38	36	2	-	-	132	107	8	16	1
80	Of lung and bronchus, unspecified as primary or secondary 163	99	76	23	-	-	270	199	33	32	6
81	Of other parts of respiratory system 160,164	5	3	2	-	-	10	7	1	2	-
82	Malignant neoplasm of breast 170	137	1	135	-	1	336	1	300	1	34

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
51,587	27,142	23,517	505	423	59,481	32,176	22,929	2,484	1,892	27,859	16,092	11,437	191	139	20,755	5,634	3,819	6,062	5,240	1
1,015	698	265	32	20	1,447	801	373	186	87	574	343	200	22	9	772	166	72	301	233	2
718	504	171	28	15	787	445	143	140	59	205	136	54	10	5	418	103	34	153	128	3
679	487	155	25	12	701	405	124	122	50	188	130	46	8	4	381	98	33	137	113	4
7	2	3	-	2	23	11	3	6	3	2	1	-	1	-	15	4	-	4	7	5
3	1	1	-	1	4	1	-	1	2	1	-	1	-	-	3	-	-	2	1	6
4	3	1	-	-	5	2	1	1	1	2	-	2	-	-	1	-	-	1	-	7
3	2	-	1	-	1	-	1	-	-	1	1	-	-	-	2	-	-	1	1	8
7	3	3	1	-	10	5	5	-	-	3	2	1	-	-	1	-	1	-	-	9
1	1	-	-	-	6	2	1	1	2	3	1	1	1	-	2	-	-	1	1	10
14	5	8	1	-	37	19	8	9	1	5	1	3	-	1	13	1	-	7	5	11
103	77	22	3	1	197	123	33	28	13	84	53	19	10	2	92	13	2	57	20	12
-	-	-	-	-	3	1	-	1	1	1	-	1	-	-	5	-	1	3	1	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
50	37	11	2	-	71	51	8	8	4	32	20	11	1	-	23	8	1	10	4	15
32	22	10	-	-	64	36	13	12	3	29	17	5	7	-	34	4	-	23	7	16
2	2	-	-	-	9	8	1	-	-	2	-	1	1	-	2	-	-	2	-	17
10	10	-	-	-	31	17	4	6	4	12	9	1	1	1	9	-	-	7	2	18
8	5	1	1	1	17	9	6	1	1	7	6	-	-	1	10	1	-	8	1	19
1	1	-	-	-	2	1	1	-	-	1	1	-	-	-	9	-	-	4	5	20
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	2	1	-	1	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	1	-	2	5	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	-	1	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	26
15	13	2	-	-	10	1	8	1	-	2	-	2	-	-	72	5	7	34	26	27
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	9	4	-	2	3	28
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	29
2	1	1	-	-	10	2	5	1	2	4	2	2	-	-	4	1	1	1	1	30
2	-	2	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	31
25	15	9	-	1	38	27	9	1	1	16	10	6	-	-	13	4	3	3	3	32
2	1	1	-	-	2	1	1	-	-	5	3	2	-	-	2	-	1	1	-	33
5	4	1	-	-	8	4	1	1	2	2	-	2	-	-	30	2	3	10	15	34
27	17	9	1	-	53	28	22	2	1	21	13	7	-	1	11	-	2	3	6	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
4	3	1	-	-	6	3	2	1	-	2	1	1	-	-	21	6	2	8	5	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
21	13	7	-	1	214	113	98	1	2	197	107	87	2	1	29	13	6	7	3	41
4	3	1	-	-	4	3	1	-	-	3	1	2	-	-	1	-	-	1	-	42
6	3	3	-	-	14	4	9	-	1	6	2	4	-	-	5	-	-	2	3	43
2	1	1	-	-	6	1	5	-	-	4	2	2	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
20	13	7	-	-	17	6	6	3	2	5	3	2	-	-	10	1	1	4	4	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
23	10	12	-	1	30	10	13	5	2	6	3	3	-	-	9	1	3	3	2	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	1	1	49
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	50
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
1	1	-	-	-	3	2	1	-	-	-	-	-	-	-	4	-	-	1	3	59
31	18	12	-	1	40	24	14	1	1	9	4	5	-	-	24	7	6	7	4	60
8,832	4,384	4,307	82	59	9,519	4,710	4,223	296	290	4,715	2,457	2,215	23	20	2,284	668	657	421	538	61
8,649	4,293	4,219	80	57	9,298	4,623	4,119	284	272	4,628	2,420	2,166	23	19	2,196	652	639	410	495	62
212	167	37	5	3	200	158	30	9	3	79	64	14	1	-	53	29	9	7	8	63
9	7	2	-	-	23	21	2	-	-	15	15	-	-	-	6	3	2	-	1	64
47	37	9	-	1	50	39	6	4	1	14	12	2	-	-	4	3	1	-	-	65
72	55	17	1	1	48	33	12	2	1	26	21	5	-	-	19	8	4	3	4	66
84	70	9	4	1	79	65	10	3	1	24	16	7	1	-	24	15	2	4	3	67
3,423	1,770	1,591	39	23	3,420	1,812	1,434	110	64	1,861	1,041	803	11	6	762	228	204	187	143	68
193	152	37	4	-	151	112	27	11	1	90	72	16	2	-	35	17	4	11	3	69
873	492	367	8	6	983	598	319	42	24	600	376	219	4	1	255	65	56	79	55	70
1,128	489	617	12	10	989	462	497	14	16	490	230	257	-	3	189	58	67	33	31	71
492	281	203	6	2	413	230	166	11	6	207	128	78	1	-	70	18	21	14	17	72
162	54	104	3	1	192	59	123	4	6	122	41	79	2	-	26	8	10	6	2	73
157	81	71	3	2	249	117	115	12	5	76	35	41	-	-	85	24	15	23	23	74
374	204	166	2	2	381	210	152	14	5	247	142	101	2	2	85	36	23	17	9	75
44	17	26	1	-	62	24	35	2	1	29	17	12	-	-	17	2	8	4	3	76
923	744	163	15	1	1,028	799	170	48	11	372	302	70	-	-	208	126	20	53	9	77
83	69	13	-	1	68	58	5	4	1	26	23	3	-	-	13	7	-	5	1	78
231	198	25	8	-	366	307	37	18	4	124	101	23	-	-	78	53	9	14	2	79
577	460	111	6	-	557	410	117	24	6	204	164	40	-	-	105	64	8	27	6	80
32	17	14	1	-	37	24	11	2	-	18	14	4	-	-	12	2	3	7	-	81
830	7	817	-	6	774	10	723	-	41	454	6	443	1	4	162	-	93	1	68	82

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	287	148	139	-	-	570	160	304	31	75
2	Of cervix uteri----------171	59	...	59	...	-	162	...	124	...	38
3	Of other and unspecified parts of uterus----------172-174	46	...	46	...	-	120	...	94	...	26
4	Of ovary, fallopian tube, and broad ligament----------175	30	...	30	...	-	89	...	78	...	11
5	Of other and unspecified female genital organs----------176	4	...	4	...	-	8	...	8	...	-
6	Of prostate----------177	138	138	...	-	...	176	148	...	28	...
7	Of testis, and of other and unspecified male genital organs----178,179	10	10	...	-	...	15	12	...	3	...
8	Malignant neoplasm of urinary organs----------180,181	83	56	27	-	-	145	95	33	13	4
9	Of kidney----------180	29	20	9	-	-	55	35	13	7	-
10	Of bladder and other urinary organs----------181	54	36	18	-	-	90	60	20	6	4
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	197	98	98	-	1	426	177	187	29	33
12	Of skin----------190,191	20	12	8	-	-	48	24	21	2	1
13	Of eye----------192	5	2	3	-	-	4	3	1	-	-
14	Of brain and other parts of nervous system----------193	22	17	5	-	-	69	39	24	5	1
15	Of thyroid gland----------194	9	4	5	-	-	11	3	6	-	2
16	Of bone (including jaw bone)----------196	20	12	8	-	-	36	17	13	5	1
17	Of connective tissue----------197	3	2	1	-	-	10	6	3	-	1
18	Of other specified sites, not stated to be secondary-----195,198A,199A	31	12	19	-	-	70	23	38	3	6
19	Of unspecified sites----------156B,165,198B,199B-M	87	37	49	-	1	178	62	81	14	21
20	Leukemia and aleukemia----------204	45	27	18	-	-	126	64	49	7	6
21	Lymphosarcoma, etc.*----------200-203,205	51	30	21	-	-	164	89	53	17	5
22	Lymphosarcoma and reticulosarcoma----------200	16	10	6	-	-	71	39	23	7	2
23	Hodgkin's disease----------201	16	11	5	-	-	57	37	18	1	1
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	19	9	10	-	-	36	13	12	9	2
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	27	8	19	-	-	93	30	35	7	21
26	Benign neoplasms of female genital organs----------214-217	7	...	7	...	-	17	...	8	...	9
27	Benign neoplasm of brain and other parts of nervous system---------223	4	2	2	-	-	14	6	6	1	1
28	Other benign neoplasms----------210-213,218-222,224-229	2	1	1	-	-	15	6	3	3	3
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	2	...	-	...	2
30	Neoplasm of unspecified nature of brain, etc.*----------237	8	5	3	-	-	29	12	11	3	3
31	Other neoplasms of unspecified nature----------230-232,236,238,239	6	-	6	-	-	16	6	7	-	3
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	226	110	116	-	-	614	237	286	31	60
33	Asthma----------241	56	36	20	-	-	113	70	22	5	16
34	Nontoxic goiter----------250,251	-	-	-	-	-	2	-	1	-	1
35	Thyrotoxicosis with or without goiter----------252	3	1	2	-	-	11	-	10	-	1
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	3	-	3	-	-	1	-	1	-	-
37	Diabetes mellitus----------260	141	62	79	-	-	454	150	238	24	42
38	Diseases of thymus gland----------273	6	3	3	-	-	5	5	-	-	-
39	Diseases of adrenal glands----------274	5	2	3	-	-	9	2	6	1	-
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	6	3	3	-	-	6	3	2	1	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	6	3	3	-	-	13	7	6	-	-
43	IV. Diseases of the blood and blood-forming organs----------	47	18	28	1	-	77	23	31	12	11
44	Anemias----------290-293	27	11	16	-	-	46	11	17	10	8
45	Pernicious and other hyperchromic anemias----------290	14	6	8	-	-	6	2	2	-	2
46	Anemias of other and unspecified type----------291-293	13	5	8	-	-	40	9	15	10	6
47	Purpura and other hemorrhagic conditions----------296	9	3	5	1	-	10	3	5	1	1
48	All other diseases of blood and blood-forming organs-----294,295,297-299	11	4	7	-	-	21	9	9	1	2
49	V. Mental, psychoneurotic, and personality disorders----------	24	16	8	-	-	74	37	17	18	2
50	Senile psychosis----------304	4	-	4	-	-	-	-	-	-	-
51	Alcoholic psychosis----------307	1	-	1	-	-	5	2	1	2	-
52	Other psychoses----------300-303,305,306,308,309	2	2	-	-	-	10	3	5	2	-
53	Alcoholism----------322	14	12	2	-	-	57	31	10	14	2
54	Mental deficiency----------325	2	1	1	-	-	2	1	1	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	1	1	-	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	1,246	591	651	3	1	2,287	849	960	237	241
57	Vascular lesions affecting central nervous system----------330-334	1,163	542	618	3	-	2,053	748	894	200	211
58	Subarachnoid hemorrhage----------330	14	3	11	-	-	111	44	42	14	11
59	Cerebral hemorrhage----------331	822	379	440	3	-	1,399	479	620	145	155
60	Cerebral embolism and thrombosis----------332	225	112	113	-	-	348	165	146	18	19
61	Other vascular lesions affecting central nervous system--------333,334	102	48	54	-	-	195	60	86	23	26
62	Meningitis, except meningococcal and tuberculous----------340	9	6	3	-	-	26	11	4	5	6
63	Multiple sclerosis----------345	6	4	2	-	-	24	9	12	2	1
64	Paralysis agitans----------350	14	5	9	-	-	41	18	18	4	1
65	Cerebral spastic infantile paralysis----------351	4	2	2	-	-	10	5	2	2	1
66	Epilepsy----------353	23	16	7	-	-	37	15	7	11	4
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	-	-	-	-	-	1	1	-	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	4	2	2	-	-	22	4	4	7	7
71	Other diseases of nervous system and sense organs----------Residual[1]	23	14	8	-	1	73	38	19	6	10
72	VII. Diseases of the circulatory system----------	4,262	2,525	1,729	4	4	10,616	4,912	3,962	930	812
73	Rheumatic fever----------400-402	6	5	1	-	-	27	12	5	4	6
74	Diseases of heart----------410-443	3,845	2,314	1,525	3	3	9,833	4,623	3,631	848	731
75	Chronic rheumatic heart disease----------410-416	142	83	59	-	-	304	136	119	31	18
76	Diseases of mitral valve----------410	63	40	23	-	-	114	51	42	11	10
77	Diseases of aortic valve specified as rheumatic----------411	6	6	-	-	-	14	10	2	2	-
78	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	5	3	2	-	-	12	3	7	1	1
80	Other diseases of heart specified as rheumatic----------415,416	68	34	34	-	-	164	72	68	17	7

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,132	415	697	10	10	1,466	520	817	36	93	673	311	359	3	-	454	64	128	81	181	1
207	...	201	...	6	331	...	285	...	46	104	...	104	...	-	147	...	64	...	83	2
218	...	215	...	3	297	...	263	...	34	97	...	97	...	-	115	...	33	...	82	3
253	...	252	...	1	240	...	232	...	8	143	...	143	...	-	37	...	26	...	11	4
29	...	29	...	-	42	...	37	...	5	15	...	15	...	-	10	...	5	...	5	5
407	397	...	10	...	512	478	...	34	...	302	299	...	3	...	134	60	...	74	...	6
18	18	...	-	...	44	42	...	2	...	12	12	...	-	...	11	4	...	7	...	7
456	292	159	1	4	461	293	140	18	10	223	158	62	1	2	67	21	22	15	9	8
152	102	47	-	3	159	98	52	8	1	115	83	30	1	1	26	9	8	4	5	9
304	190	112	1	1	302	195	88	10	9	108	75	32	-	1	41	12	14	11	4	10
998	505	482	5	6	1,123	571	487	35	30	496	253	235	4	4	328	128	102	41	57	11
112	61	51	-	-	117	58	56	1	2	48	26	22	-	-	43	25	14	1	3	12
10	6	4	-	-	14	10	4	-	-	8	4	3	-	1	1	-	-	1	-	13
163	89	71	2	1	234	135	86	7	6	117	60	55	1	1	51	25	13	7	6	14
34	12	22	-	-	32	15	16	-	1	18	5	13	-	-	8	3	3	-	2	15
82	52	30	-	-	98	55	38	3	2	33	19	12	2	-	32	11	10	5	6	16
23	14	9	-	-	16	10	5	1	-	15	10	5	-	-	11	4	5	2	-	17
140	62	76	1	1	158	82	82	5	9	57	25	32	-	-	62	23	17	11	11	18
434	209	219	2	4	454	226	200	18	10	200	104	93	1	2	120	37	40	14	29	19
334	190	139	3	2	425	234	163	15	13	244	144	97	2	1	95	31	32	16	16	20
341	203	134	2	2	401	226	155	13	7	226	141	83	-	2	67	25	29	9	4	21
137	78	57	2	-	141	83	54	3	1	78	49	29	-	-	27	14	9	3	1	22
110	70	40	-	-	109	65	40	3	1	67	45	21	-	1	28	8	11	6	3	23
94	55	37	-	2	151	78	61	7	5	81	47	33	-	1	12	3	9	-	-	24
183	91	88	2	2	221	87	104	12	18	87	37	49	-	1	88	16	18	11	43	25
26	...	25	...	1	50	...	38	...	12	8	...	7	...	1	30	...	7	...	23	26
13	8	5	-	-	36	21	14	1	-	27	15	12	-	-	10	1	5	1	3	27
27	18	8	1	-	49	23	18	5	3	18	8	10	-	-	11	3	1	2	5	28
1	...	1	...	-	-	...	-	...	-	3	...	3	...	-	-	...	-	...	-	29
82	50	32	-	-	56	26	24	4	2	16	8	8	-	-	26	8	3	6	9	30
34	15	17	1	1	30	17	10	2	1	15	6	9	-	-	11	4	2	2	3	31
1,364	586	749	12	17	1,934	847	978	44	65	690	324	358	3	5	363	88	101	67	107	32
264	182	75	4	3	367	240	109	14	4	126	76	48	-	2	62	20	14	18	10	33
4	2	2	-	-	6	1	5	-	-	4	-	4	-	-	2	-	-	1	1	34
18	2	16	-	-	69	15	51	-	3	14	3	11	-	-	18	1	3	2	12	35
10	3	7	-	-	11	3	8	-	-	5	1	4	-	-	1	-	1	-	-	36
1,021	367	632	8	14	1,322	504	745	19	54	500	222	273	2	3	245	56	77	36	76	37
5	4	1	-	-	65	34	21	7	3	5	3	2	-	-	3	1	-	1	1	38
9	7	2	-	-	23	10	11	2	-	9	3	6	-	-	4	3	1	-	-	39
1	-	1	-	-	1	-	1	-	-	1	1	-	-	-	6	2	1	1	2	40
13	5	8	-	-	32	17	14	1	-	10	7	2	1	-	15	1	2	7	5	41
19	14	5	-	-	38	23	13	1	1	16	8	8	-	-	7	4	2	1	-	42
191	77	109	2	3	287	125	145	8	9	147	73	72	-	2	56	19	12	15	10	43
138	50	85	2	1	216	93	109	8	6	108	52	55	-	1	41	11	10	12	8	44
62	20	41	-	1	105	48	55	-	2	58	24	34	-	-	8	2	3	2	1	45
76	30	44	2	-	111	45	54	8	4	50	28	21	-	1	33	9	7	10	7	46
20	10	10	-	-	34	16	15	-	3	18	10	8	-	-	6	2	1	2	1	47
33	17	14	-	2	37	16	21	-	-	21	11	9	-	1	9	6	1	1	1	48
108	81	25	1	1	119	73	40	3	3	136	92	39	4	1	57	15	10	11	21	49
-	-	-	-	-	31	12	19	-	-	62	36	24	1	1	19	5	5	-	9	50
12	12	-	-	-	9	9	-	-	-	12	12	-	-	-	1	1	-	-	-	51
11	3	6	1	1	15	5	9	-	1	14	7	7	-	-	18	2	5	2	9	52
72	61	11	-	-	51	43	4	3	1	33	29	2	2	-	14	7	-	6	1	53
12	5	7	-	-	9	3	5	-	1	10	6	3	1	-	1	-	-	-	1	54
1	-	1	-	-	4	1	3	-	-	5	2	3	-	-	4	-	-	3	1	55
6,103	2,646	3,344	59	54	7,162	3,304	3,372	231	255	3,965	2,001	1,936	16	12	2,592	643	554	644	751	56
5,617	2,378	3,143	49	47	6,616	3,018	3,151	206	241	3,661	1,832	1,806	11	12	2,393	588	516	589	700	57
164	69	86	4	5	164	68	70	8	18	94	46	48	-	-	45	15	13	12	5	58
3,743	1,538	2,156	22	27	4,412	1,949	2,178	132	153	2,461	1,239	1,204	8	10	1,623	381	341	410	491	59
1,366	614	724	18	10	1,232	623	537	31	41	596	293	301	1	1	214	76	56	45	37	60
344	157	177	5	5	808	378	366	35	29	510	254	253	2	1	511	116	106	122	167	61
53	25	23	2	3	67	33	22	8	4	18	13	5	-	-	37	4	3	13	17	62
57	27	29	-	1	52	21	29	1	1	37	15	21	1	-	6	3	1	-	2	63
90	51	39	-	-	117	69	45	1	2	60	33	27	-	-	19	10	8	1	-	64
21	17	3	1	-	16	3	12	-	1	42	20	21	1	-	12	4	1	3	4	65
85	52	26	5	2	84	44	35	4	1	45	25	18	2	-	37	10	6	13	8	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	67
1	-	1	-	-	3	1	2	-	-	2	1	1	-	-	-	-	-	-	-	68
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	69
13	8	5	-	-	17	12	3	1	1	7	4	3	-	-	10	3	2	3	2	70
165	88	74	2	1	190	103	73	10	4	93	58	34	1	-	76	20	17	21	18	71
23,270	12,468	10,496	162	144	23,455	13,465	8,608	778	604	11,217	6,813	4,299	59	46	6,404	2,191	1,350	1,579	1,284	72
27	10	16	1	-	70	32	34	2	2	31	13	18	-	-	29	4	3	8	14	73
21,275	11,543	9,456	145	131	21,295	12,374	7,657	712	552	10,058	6,201	3,766	54	37	5,859	2,045	1,217	1,438	1,159	74
786	330	446	5	5	843	412	377	23	31	385	192	188	2	3	198	56	34	48	60	75
283	109	171	2	1	341	167	153	8	13	210	99	108	1	2	130	35	25	35	35	76
30	24	5	1	-	39	32	6	1	-	37	22	13	1	1	2	-	-	2	-	77
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	78
24	13	11	-	-	46	17	26	2	1	34	18	16	-	-	13	4	3	4	2	79
449	184	259	2	4	416	196	191	12	17	104	53	51	-	-	52	17	6	7	22	80

325797 O - 55 - 9

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	2,514	1,622	888	3	1	4,786	2,716	1,645	242	183
2	Arteriosclerotic heart disease so described----------420.0	698	387	311	-	-	1,210	582	498	74	56
3	Heart disease specified as involving coronary arteries----------420.1	1,779	1,217	558	3	1	3,555	2,120	1,142	166	127
4	Angina pectoris without mention of coronary disease----------420.2	37	18	19	-	-	21	14	5	2	-
5	Chronic endocarditis not specified as rheumatic----------421	84	45	39	-	-	143	58	51	18	16
6	Of mitral valve, specified as nonrheumatic----------421.0	13	9	4	-	-	18	7	6	3	2
7	Of aortic valve, not specified as rheumatic----------421.1	8	6	2	-	-	23	8	11	3	1
8	Of other valves, not specified as rheumatic----------421.2-421.4	63	30	33	-	-	102	43	34	12	13
9	Other myocardial degeneration----------422	507	266	240	-	1	2,002	856	810	180	156
10	With arteriosclerosis----------422.1	258	140	118	-	-	1,606	687	664	142	113
11	Without mention of arteriosclerosis----------422.0,422.2	249	126	122	-	1	396	169	146	38	43
12	Other diseases of heart----------430-434	114	71	43	-	-	224	101	71	33	19
13	Acute and subacute endocarditis----------430	7	6	1	-	-	13	8	2	3	-
14	Acute myocarditis not specified as rheumatic----------431	15	10	5	-	-	35	10	11	9	5
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	-	-	-	-	-
16	Functional disease of heart----------433	8	7	1	-	-	23	13	9	1	-
17	Other and unspecified diseases of heart----------434	84	48	36	-	-	153	70	49	20	14
18	Hypertension with heart disease----------440-443	484	227	256	-	1	2,374	756	935	344	339
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	152	83	69	-	-	665	237	238	93	97
20	Essential hypertension with heart disease, etc.*----------440,441,443	332	144	187	-	1	1,709	519	697	251	242
21	Hypertension without mention of heart----------444-447	88	37	50	-	1	208	65	75	34	34
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	58	25	32	-	1	109	37	36	16	20
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	30	12	18	-	-	99	28	39	18	14
24	Diseases of arteries----------450-456	296	155	140	1	-	506	190	240	39	37
25	General arteriosclerosis----------450	270	136	133	1	-	438	158	215	35	30
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	14	11	3	-	-	38	23	10	3	2
27	Gangrene of unspecified cause----------455	1	1	-	-	-	3	1	2	-	-
28	Other arterial diseases----------452-454,456	11	7	4	-	-	27	8	13	1	5
29	Diseases of veins and other diseases of circulatory system-------460-468	27	14	13	-	-	42	22	11	5	4
30	VIII. Diseases of the respiratory system----------	360	210	148	2	-	911	389	240	172	110
31	Acute upper respiratory infections----------470-475	6	4	2	-	-	27	8	9	5	5
32	Influenza----------480-483	38	18	20	-	-	51	18	17	8	8
33	Pneumonia, except pneumonia of newborn----------490-493	227	125	100	2	-	601	236	164	122	79
34	Lobar pneumonia----------490	60	32	28	-	-	234	88	57	54	35
35	Bronchopneumonia----------491	111	59	50	2	-	236	92	70	44	30
36	Primary atypical pneumonia----------492	43	26	17	-	-	59	27	22	6	4
37	Pneumonia, other and unspecified----------493	13	8	5	-	-	72	29	15	18	10
38	Acute bronchitis----------500	8	5	3	-	-	16	6	3	3	4
39	Bronchitis, chronic and unqualified----------501,502	17	10	7	-	-	41	22	10	5	4
40	Hypertrophy of tonsils and adenoids----------510	-	-	-	-	-	5	2	2	1	-
41	Empyema and abscess of lung----------518,521	5	3	2	-	-	14	7	3	4	-
42	Pleurisy----------519	1	1	-	-	-	2	1	-	1	-
43	All other respiratory diseases----------Residual[1]	58	44	14	-	-	154	89	32	23	10
44	IX. Diseases of the digestive system----------	316	177	136	2	1	912	457	281	102	72
45	Diseases of teeth and supporting structures----------530-535	1	1	-	-	-	-	-	-	-	-
46	Ulcer of stomach----------540	37	33	4	-	-	72	52	14	5	1
47	Ulcer of duodenum----------541	23	15	8	-	-	44	31	7	4	2
48	Gastritis and duodenitis----------543	3	3	-	-	-	7	2	2	1	2
49	Appendicitis----------550-553	18	13	5	-	-	40	23	11	5	1
50	Hernia and intestinal obstruction----------560,561,570	53	25	28	-	-	149	61	65	13	10
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	28	17	10	1	-	132	41	30	29	32
52	Cirrhosis of liver----------581	68	35	32	-	1	272	165	69	25	13
53	Without mention of alcoholism----------581.0	59	29	29	-	1	218	133	53	21	11
54	With alcoholism----------581.1	9	6	3	-	-	54	32	16	4	2
55	Cholelithiasis and cholecystitis----------584,585	43	13	30	-	-	70	22	45	2	1
56	Other diseases of digestive system----------Residual[1]	42	22	19	1	-	126	60	38	18	10
57	X. Diseases of the genito-urinary system----------	307	182	125	-	-	550	229	169	83	69
58	Nephritis and nephrosis----------590-594	188	96	92	-	-	370	131	128	55	56
59	Acute nephritis----------590	15	6	9	-	-	22	10	5	4	3
60	Nephritis with edema, including nephrosis----------591	7	5	2	-	-	22	9	8	3	2
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	166	85	81	-	-	326	112	115	48	51
62	Infections of kidney----------600	31	12	19	-	-	47	15	19	8	5
63	Calculi of urinary system----------602,604	11	4	7	-	-	20	10	8	2	-
64	Other diseases of urinary system----------601,603,605-609	8	6	2	-	-	21	8	6	5	2
65	Hyperplasia of prostate----------610	59	59	...	-	...	74	63	...	11	...
66	Other diseases of male genital organs----------611-617	5	5	...	-	...	4	2	...	2	...
67	Diseases of breast----------620,621	-	-	-	-	-	1	-	-	-	1
68	Diseases of female genital organs----------622-637	5	...	5	...	-	13	...	8	...	5
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	12	...	12	...	-	39	...	22	...	17
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	1	...	1	...	-	3	...	1	...	2
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	2	...	2	...	-	10	...	7	...	3
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	6	...	6	...	-	4	...	3	...	1
73	Ectopic pregnancy----------645	1	...	1	...	-	8	...	4	...	4
74	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	5	...	3	...	2
75	Abortion with sepsis----------651	-	...	-	...	-	3	...	1	...	2
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	2	...	2	...	-	6	...	3	...	3

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
15,135	8,865	6,103	96	71	13,819	8,902	4,320	371	226	6,843	4,576	2,216	30	21	2,652	1,291	598	427	336	1
6,123	3,028	3,010	48	37	4,040	2,168	1,701	97	74	1,292	694	589	7	2	786	322	207	144	113	2
8,972	5,816	3,074	48	34	9,743	6,713	2,604	274	152	5,531	3,867	1,622	23	19	1,836	948	385	281	222	3
40	21	19	-	-	36	21	15	-	-	20	15	5	-	-	30	21	6	2	1	4
280	137	139	2	2	391	221	151	12	7	207	127	79	-	1	149	26	32	59	32	5
35	15	20	-	-	25	14	11	-	-	24	15	9	-	-	20	3	6	6	5	6
72	48	22	1	1	59	43	12	2	2	61	49	12	-	-	38	6	9	18	5	7
173	74	97	1	1	307	164	128	10	5	122	63	58	-	1	91	17	17	35	22	8
2,045	959	1,060	14	12	2,551	1,247	1,176	70	58	908	473	430	3	2	750	196	161	228	165	9
1,212	539	658	9	6	1,086	514	534	21	17	465	232	230	2	1	256	74	72	64	46	10
833	420	402	5	6	1,465	733	642	49	41	443	241	200	1	1	494	122	89	164	119	11
544	294	240	6	4	906	486	358	38	24	438	258	173	7	-	498	159	75	154	110	12
27	18	9	-	-	34	16	15	2	1	10	6	3	1	-	5	1	1	1	2	13
71	32	37	1	1	121	45	49	15	12	17	10	7	-	-	22	4	5	8	5	14
3	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	15
61	27	33	1	-	115	62	52	1	-	85	40	44	1	-	27	10	4	6	7	16
382	214	161	4	3	635	362	242	20	11	326	202	119	5	-	444	144	65	139	96	17
2,485	958	1,468	22	37	2,785	1,106	1,275	198	206	1,277	575	680	12	10	1,612	317	317	522	456	18
369	181	178	5	5	691	314	316	33	28	208	109	95	1	3	472	100	99	162	111	19
2,116	777	1,290	17	32	2,094	792	959	165	178	1,069	466	585	11	7	1,140	217	218	360	345	20
379	175	194	7	3	425	197	180	26	22	256	135	115	2	4	217	44	46	67	60	21
227	110	112	4	1	198	107	72	13	6	66	38	25	1	2	73	17	14	25	17	22
152	65	82	3	2	227	90	108	13	16	190	97	90	1	2	144	27	32	42	43	23
1,428	662	748	8	10	1,535	793	691	30	21	793	424	361	3	5	256	85	71	60	40	24
1,251	541	695	6	9	1,315	648	634	21	12	680	353	320	2	5	208	66	61	50	31	25
114	84	28	1	1	135	105	23	3	4	55	42	12	1	-	26	13	4	6	3	26
8	4	4	-	-	12	5	5	2	-	9	5	4	-	-	6	2	1	1	2	27
55	33	21	1	-	73	35	29	4	5	49	24	25	-	-	16	4	5	3	4	28
161	78	82	1	-	130	69	46	8	7	79	40	39	-	-	43	13	13	6	11	29
1,788	1,060	683	30	15	2,265	1,264	719	182	100	975	573	376	19	7	937	206	157	335	239	30
22	11	11	-	-	34	16	15	1	2	26	14	10	1	1	27	-	4	16	7	31
34	13	20	1	-	124	68	50	3	3	50	26	24	-	-	196	36	22	72	66	32
1,233	687	510	24	12	1,544	821	504	141	78	664	372	273	14	5	559	106	79	224	150	33
358	221	125	8	4	586	319	169	73	25	196	132	60	2	2	180	33	27	81	39	34
645	338	294	11	2	593	292	212	51	38	331	170	151	8	2	203	44	30	77	52	35
121	63	52	3	3	162	98	51	8	5	40	20	18	2	-	62	15	10	21	16	36
109	65	39	2	3	203	112	72	9	10	97	50	44	2	1	114	14	12	45	43	37
29	15	14	-	-	32	19	12	1	-	13	6	6	-	1	10	2	2	4	2	38
86	62	23	1	-	80	45	20	9	6	42	31	11	-	-	21	5	12	1	3	39
4	3	1	-	-	15	4	9	-	2	3	3	-	-	-	9	3	2	2	2	40
19	17	2	-	-	40	23	9	6	2	11	7	3	1	-	11	5	3	1	2	41
7	5	2	-	-	6	4	1	1	-	3	3	-	-	-	2	1	1	-	-	42
354	247	100	4	3	390	264	99	20	7	163	111	49	3	-	102	48	32	15	7	43
2,150	1,279	838	18	15	2,335	1,316	861	95	63	948	572	364	4	8	712	195	118	224	175	44
3	-	3	-	-	10	5	3	2	-	3	-	3	-	-	18	-	1	9	8	45
175	128	44	3	-	173	127	37	8	1	71	56	15	-	-	49	21	8	16	4	46
233	193	37	2	1	192	138	41	12	1	84	64	19	-	1	32	21	4	6	1	47
6	5	1	-	-	13	7	4	1	1	2	2	-	-	-	5	1	-	2	2	48
114	67	42	3	2	116	64	38	8	6	40	25	15	-	-	38	11	2	16	9	49
303	151	149	2	1	366	197	147	13	9	142	86	54	1	1	106	24	13	39	30	50
165	77	84	-	4	285	131	109	24	21	91	44	44	2	1	236	30	29	91	86	51
682	450	225	3	4	614	378	209	16	11	226	155	68	1	2	102	50	20	20	12	52
494	319	170	2	3	528	321	184	14	9	188	127	58	1	2	88	40	19	17	12	53
188	131	55	1	1	86	57	25	2	2	38	28	10	-	-	14	10	1	3	-	54
188	69	117	1	1	223	75	144	2	2	162	67	93	-	2	43	13	23	1	6	55
281	139	136	4	2	343	194	129	9	11	127	73	53	-	1	83	24	18	24	17	56
1,133	688	418	12	15	1,450	836	465	79	70	558	359	191	2	6	863	174	130	338	221	57
628	334	282	5	7	865	434	333	46	52	306	164	137	2	3	660	109	107	238	206	58
49	26	23	-	-	53	20	26	3	4	24	14	10	-	-	62	10	12	19	21	59
33	16	16	-	1	64	36	17	4	7	23	10	12	1	-	33	5	2	18	8	60
546	292	243	5	6	748	378	290	39	41	259	140	115	1	3	565	94	93	201	177	61
175	91	74	2	8	150	72	64	11	3	49	25	24	-	-	36	13	9	10	4	62
35	25	10	-	-	46	28	14	2	2	19	11	8	-	-	7	3	3	1	-	63
62	34	27	1	-	66	42	16	4	4	34	21	11	-	2	25	2	8	13	2	64
187	183	...	4	...	239	225	...	14	...	120	120	...	-	...	100	41	...	59	...	65
21	21	...	-	...	37	35	...	2	...	18	18	...	-	...	23	6	...	17	...	66
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	67
24	...	24	...	-	47	...	38	...	9	11	...	10	...	1	12	...	3	...	9	68
54	...	46	...	8	83	...	66	...	17	29	...	27	...	2	121	...	15	...	106	69
6	...	4	...	2	10	...	7	...	3	4	...	4	...	-	13	...	2	...	11	70
14	...	13	...	1	25	...	21	...	4	5	...	5	...	-	64	...	6	...	58	71
11	...	10	...	1	14	...	9	...	5	8	...	6	...	2	21	...	2	...	19	72
4	...	3	...	1	3	...	1	...	2	3	...	3	...	-	5	...	1	...	4	73
3	...	2	...	1	1	...	1	...	-	1	...	1	...	-	3	...	2	...	1	74
3	...	3	...	-	6	...	5	...	1	1	...	1	...	-	7	...	1	...	6	75
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	76
13	...	11	...	2	23	...	21	...	2	7	...	7	...	-	8	...	1	...	7	77

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	8	1	7	-	-	16	7	7	1	1
2	Infections of skin and subcutaneous tissue---690-698	2	-	2	-	-	4	2	1	1	-
3	Other diseases of skin and subcutaneous tissue---700-716	6	1	5	-	-	12	5	6	-	1
4	XIII. Diseases of the bones and organs of movement	17	11	6	-	-	44	14	18	7	5
5	Arthritis and spondylitis---720-725	8	3	5	-	-	24	7	10	3	4
6	Muscular rheumatism and rheumatism, unspecified---726,727	2	2	-	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis---730	1	1	-	-	-	3	2	-	1	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	2	2	-	-	-	1	-	1	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	4	3	1	-	-	16	5	7	3	1
10	XIV. Congenital malformations	127	63	63	1	-	317	137	121	28	31
11	Spina bifida and meningocele---751	18	6	12	-	-	21	6	12	2	1
12	Congenital hydrocephalus, etc.*---752,753	15	7	8	-	-	46	24	15	3	4
13	Congenital malformations of circulatory system---754	63	28	35	-	-	142	59	52	17	14
14	Other congenital malformations---750,755-759	31	22	8	1	-	108	48	42	6	12
15	XV. Certain diseases of early infancy	377	220	156	1	-	1,008	425	280	170	133
16	Birth injuries---760,761	68	44	24	-	-	191	89	61	25	16
17	Postnatal asphyxia and atelectasis---762	91	52	39	-	-	214	95	59	32	28
18	Infections of newborn---763-768	25	13	12	-	-	80	32	10	20	18
19	Hemolytic disease of newborn (erythroblastosis)---770	15	9	6	-	-	44	24	17	2	1
20	All other defined diseases of early infancy---769,771,772	16	8	8	-	-	27	7	5	10	5
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	162	94	67	1	-	452	178	128	81	65
22	XVI. Symptoms, senility, and ill-defined conditions	102	57	45	-	-	116	51	35	14	16
23	Senility without mention of psychosis---794	62	30	32	-	-	22	5	13	1	3
24	Symptoms, ill-defined and unknown causes---780-793,795	40	27	13	-	-	94	46	22	13	13
25	XVII. Accidents, poisonings, and violence	644	465	175	3	1	1,876	967	444	345	120
26	Accidents---E800-E962	511	358	150	2	1	1,494	775	368	259	92
27	Railway accidents---E800-E802	4	4	-	-	-	28	17	3	7	1
28	Motor-vehicle accidents---E810-E835	149	113	34	1	1	513	304	101	88	20
29	Motor-vehicle traffic accidents---E810-E825	139	104	33	1	1	503	297	99	87	20
30	Motor-vehicle traffic accident with railway train*---E810	8	8	-	-	-	4	4	-	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	58	41	16	-	1	175	92	34	40	9
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	30	24	6	-	-	145	85	37	20	3
33	Motor-vehicle noncollision traffic accidents---E820-E824	34	24	10	-	-	107	72	12	19	4
34	Motor-vehicle traffic accident of unspecified nature---E825	9	7	1	1	-	72	44	16	8	4
35	Motor-vehicle nontraffic accidents---E830-E835	10	9	1	-	-	10	7	2	1	-
36	Other road-vehicle accidents---E840-E845	5	3	2	-	-	7	3	3	1	-
37	Water-transport accidents---E850-E858	22	21	1	-	-	44	33	2	7	2
38	Aircraft accidents---E860-E866	15	15	-	-	-	15	14	-	1	-
39	Accidental poisoning by solid and liquid substances---E870-E888	8	7	1	-	-	30	13	3	10	4
40	Accidental poisoning by gases and vapors---E890-E895	7	5	2	-	-	23	12	5	3	3
41	Accidental falls---E900-E904	120	55	65	-	-	329	132	158	30	9
42	Fall from one level to another---E900-E902	46	31	15	-	-	147	75	50	17	5
43	Fall on same level---E903	25	8	17	-	-	45	14	30	-	1
44	Unspecified falls---E904	49	16	33	-	-	137	43	78	13	3
45	Blow from falling object---E910	10	10	-	-	-	14	6	1	5	2
46	Accident caused by machinery---E912	8	7	1	-	-	27	20	1	6	-
47	Accident caused by electric current---E914	3	3	-	-	-	15	12	-	3	-
48	Accident caused by fire and explosion, etc.*---E916	46	33	13	-	-	112	39	23	24	26
49	Accident caused by hot substance, etc.*---E917,E918	6	4	2	-	-	14	4	3	3	4
50	Accident caused by firearm---E919	19	17	2	-	-	35	25	2	6	2
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	16	10	6	-	-	38	16	15	5	2
52	Accidental drowning---E929	44	35	8	1	-	109	65	5	37	2
53	Excessive heat and insolation---E931	2	-	2	-	-	53	21	20	9	3
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	1	-	1	-	-	16	7	5	1	3
55	All other accidents---Residual[1]	26	16	10	-	-	72	32	18	13	9
56	Suicide---E963,E970-E979	123	101	22	-	-	239	167	56	10	6
57	Suicide by poisoning---E970-E973	21	15	6	-	-	53	33	16	-	4
58	Suicide by hanging and strangulation---E974	22	19	3	-	-	56	36	16	4	-
59	Suicide by firearms and explosives---E976	62	58	4	-	-	101	77	19	4	1
60	Suicide by all other means---E963,E975,E977-E979	18	9	9	-	-	29	21	5	2	1
61	Homicide---E964,E980-E985	9	5	3	1	-	143	25	20	76	22
62	Assault by firearms and explosives---E981	7	5	2	-	-	67	10	12	34	11
63	Assault by cutting and piercing instruments---E982	-	-	-	-	-	49	2	4	35	8
64	Assault by other means---E964,E980,E983	2	-	1	1	-	25	11	4	7	3
65	Injury by intervention of police---E984	-	-	-	-	-	1	1	-	-	-
66	Execution---E985	-	-	-	-	-	1	1	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
53	25	25	1	2	46	16	23	2	5	24	9	15	-	-	29	7	5	5	12	1
11	7	3	-	1	12	6	6	-	-	5	2	3	-	-	9	1	-	2	6	2
42	18	22	1	1	34	10	17	2	5	19	7	12	-	-	20	6	5	3	6	3
94	40	52	1	1	131	58	67	4	2	75	24	51	-	-	35	10	12	4	9	4
46	15	31	-	-	75	32	41	1	1	46	11	35	-	-	24	6	12	1	5	5
4	1	3	-	-	2	2	-	-	-	-	-	-	-	-	2	-	-	1	1	6
3	1	1	-	1	6	2	2	1	1	2	1	1	-	-	3	1	-	1	1	7
5	-	5	-	-	6	2	3	1	-	1	1	-	-	-	1	-	-	-	1	8
36	23	12	1	-	42	20	21	1	-	26	11	15	-	-	5	3	-	1	1	9
604	318	274	5	7	977	501	394	45	37	474	255	218	1	-	200	75	45	48	32	10
79	33	45	-	1	103	36	62	2	3	48	18	30	-	-	14	8	3	2	1	11
67	25	39	1	2	121	57	56	5	3	58	32	26	-	-	21	5	8	2	6	12
272	164	104	2	2	448	231	167	25	25	215	120	94	1	-	82	29	25	17	11	13
186	96	86	2	2	305	177	109	13	6	153	85	68	-	-	83	33	9	27	14	14
1,567	881	630	29	27	2,852	1,445	1,046	210	151	1,060	622	421	10	7	1,211	315	198	392	306	15
263	156	104	1	2	519	273	189	32	25	243	146	94	2	1	210	72	41	65	32	16
446	252	162	18	14	634	332	233	44	25	181	114	64	2	1	199	64	45	50	40	17
69	37	30	1	1	122	58	46	11	7	40	24	16	-	-	104	17	7	41	39	18
80	43	37	-	-	150	83	59	4	4	75	43	30	2	-	28	11	3	8	6	19
33	20	11	2	-	93	45	27	10	11	22	12	10	-	-	88	14	8	38	28	20
676	373	286	7	10	1,334	654	492	109	79	499	283	207	4	5	582	137	94	190	161	21
300	171	120	5	4	455	237	195	12	11	196	117	75	2	2	2,272	228	160	963	921	22
27	11	16	-	-	174	76	93	3	2	103	48	51	2	2	160	20	29	53	58	23
273	160	104	5	4	281	161	102	9	9	93	69	24	-	-	2,112	208	131	910	863	24
2,961	1,740	1,136	54	31	4,964	3,178	1,354	309	123	2,076	1,458	580	26	12	1,847	634	223	715	275	25
2,525	1,423	1,034	40	28	4,032	2,573	1,167	211	81	1,738	1,189	515	23	11	1,452	522	190	509	231	26
28	23	5	-	-	51	39	6	6	-	40	37	2	1	-	18	8	1	8	1	27
549	408	127	9	5	1,865	1,289	458	91	27	605	449	141	10	5	564	269	66	181	48	28
535	396	125	9	5	1,837	1,277	445	88	27	584	438	132	10	4	543	263	60	175	45	29
9	4	5	-	-	101	75	23	3	-	42	33	8	-	1	15	9	5	1	-	30
214	155	51	6	2	411	282	96	24	9	116	94	19	1	2	127	41	14	55	17	31
109	88	21	-	-	710	464	207	32	7	206	146	59	1	-	210	110	31	50	19	32
112	86	24	1	1	394	302	64	23	5	171	133	29	8	1	148	84	7	50	7	33
91	63	24	2	2	221	154	55	6	6	49	32	17	-	-	43	19	3	19	2	34
14	12	2	-	-	28	12	13	3	-	21	11	9	-	1	21	6	6	6	3	35
8	3	5	-	-	11	8	3	-	-	9	7	2	-	-	7	-	-	7	-	36
30	26	3	1	-	96	87	6	2	1	30	28	2	-	-	20	9	1	7	3	37
25	20	5	-	-	40	36	3	1	-	21	21	-	-	-	11	9	-	2	-	38
40	28	9	-	3	45	18	20	5	2	23	14	7	1	1	23	12	3	4	4	39
47	28	18	1	-	44	29	9	3	3	20	17	3	-	-	1	1	-	-	-	40
1,127	463	654	7	3	883	402	440	28	13	475	232	239	3	1	143	45	59	17	22	41
285	150	131	4	-	244	161	63	15	5	163	103	58	2	-	37	15	10	8	4	42
157	65	91	1	-	97	40	56	1	-	154	57	96	1	-	15	5	5	1	4	43
685	248	432	2	3	542	201	321	12	8	158	72	85	-	1	91	25	44	8	14	44
14	12	2	-	-	33	31	-	2	-	18	17	1	-	-	35	14	-	20	1	45
15	15	-	-	-	78	67	5	5	1	71	67	4	-	-	38	22	4	12	-	46
14	12	2	-	-	32	30	2	-	-	17	14	3	-	-	29	22	-	6	1	47
175	83	76	7	9	226	109	78	22	17	95	50	41	3	1	191	17	24	68	82	48
22	9	11	1	1	40	21	14	3	2	10	7	3	-	-	36	4	2	16	14	49
23	21	1	1	-	79	69	4	6	-	53	47	5	-	1	81	27	4	39	11	50
35	20	12	2	1	54	26	23	4	1	20	10	9	1	-	19	6	6	4	3	51
157	124	25	5	3	189	150	25	13	1	92	74	14	4	-	96	29	6	52	9	52
21	11	8	1	1	18	11	4	2	1	2	2	-	-	-	13	5	-	7	1	53
42	19	22	1	-	21	4	13	2	2	13	6	7	-	-	12	2	2	1	7	54
153	98	49	4	2	227	147	54	16	10	124	90	32	-	2	115	21	12	58	24	55
388	295	86	6	1	715	545	145	14	11	299	246	51	2	-	116	72	22	15	7	56
112	72	39	-	1	122	85	33	1	3	60	47	13	-	-	7	1	4	1	1	57
121	101	19	1	-	193	134	55	3	1	79	65	13	1	-	10	6	2	2	-	58
83	76	6	1	-	297	259	26	8	4	124	110	14	-	-	80	52	12	11	5	59
72	46	22	4	-	103	67	31	2	3	36	24	11	1	-	19	13	4	1	1	60
48	22	16	8	2	217	60	42	84	31	38	22	14	1	1	279	40	11	191	37	61
14	5	6	3	-	75	24	17	24	10	14	9	5	-	-	164	23	9	113	19	62
12	3	3	4	2	77	8	5	48	16	5	1	3	1	-	73	5	-	57	11	63
21	13	7	1	-	64	27	20	12	5	18	11	6	-	1	31	9	2	13	7	64
1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	8	2	-	6	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	66
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	45,111	23,026	17,581	2,483	2,021	6,005	3,768	1,970	138	129
2	I. Infective and parasitic diseases	1,217	662	292	175	88	128	68	27	15	18
3	Tuberculosis, all forms 001-019	690	377	143	128	42	77	40	11	11	15
4	Tuberculosis of respiratory system 001-008	648	359	132	117	40	64	36	9	7	12
5	Tuberculosis of meninges and central nervous system 010	14	2	6	4	2	5	-	1	2	2
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	4	2	-	2	-	-	-	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	5	3	-	2	-	-	-	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	2	1	1	-	-	1	1	-	-	-
9	Tuberculosis of genito-urinary system 016	5	3	2	-	-	2	1	-	1	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	1	-	-	1	-	-	-	-	-	-
11	Disseminated tuberculosis 019	11	7	2	2	-	5	2	1	1	1
12	Syphilis and its sequelae 020-029	203	113	36	33	21	19	11	5	2	1
13	Congenital syphilis 020	6	3	1	1	1	1	-	-	1	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	44	23	5	6	10	11	7	3	-	1
16	Other cardiovascular syphilis 023	76	46	11	14	5	1	1	-	-	-
17	Tabes dorsalis 024	7	4	1	2	-	1	1	-	-	-
18	General paralysis of insane 025	34	18	10	5	1	2	1	1	-	-
19	Other syphilis of central nervous system 026	25	14	5	4	2	1	-	1	-	-
20	Other syphilis 027-029	11	5	3	1	2	2	1	-	1	-
21	Gonococcal infection 030-035	1	-	1	-	-	-	-	-	-	-
22	Typhoid fever 040	1	-	1	-	-	1	-	-	-	1
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	2	1	1	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	32	17	12	1	2	-	-	-	-	-
28	Food poisoning (infection and intoxication) 049	5	3	2	-	-	-	-	-	-	-
29	Scarlet fever 050	7	5	2	-	-	-	-	-	-	-
30	Streptococcal sore throat 051	21	12	6	2	1	2	1	1	-	-
31	Erysipelas 052	4	2	2	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	14	6	5	1	2	2	2	-	-	-
33	Diphtheria 055	7	4	3	-	-	1	-	1	-	-
34	Whooping cough 056	17	8	5	1	3	-	-	-	-	-
35	Meningococcal infections 057	31	17	8	2	4	4	3	1	-	-
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	10	4	3	2	1	1	-	-	1	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	78	49	23	2	4	9	6	3	-	-
42	Late effects of acute poliomyelitis 081	2	1	1	-	-	1	-	1	-	-
43	Acute infectious encephalitis 082	17	7	9	-	1	2	2	-	-	-
44	Late effects of acute infectious encephalitis 083	4	3	1	-	-	1	1	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	7	1	5	-	1	4	1	2	-	1
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	22	9	8	1	4	1	-	1	-	-
49	Rabies 094	1	1	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	2	1	1	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	2	1	1	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	1	1	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	38	20	14	2	2	3	1	1	1	-
61	II. Neoplasms	6,649	3,078	3,057	256	258	805	470	318	10	7
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	6,510	3,036	2,986	248	240	790	461	312	10	7
63	Malignant neoplasm of buccal cavity and pharynx 140-148	181	144	25	10	2	12	9	2	1	-
64	Of lip 140	16	16	-	-	-	3	3	-	-	-
65	Of tongue 141	33	27	4	2	-	4	2	2	-	-
66	Of other and unspecified parts of buccal cavity 142-144	50	38	8	2	2	-	-	-	-	-
67	Of pharynx 145-148	82	63	13	6	-	5	4	-	1	-
68	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	2,434	1,170	1,071	114	79	289	167	116	4	2
69	Of esophagus 150	101	62	24	15	-	14	11	2	1	-
70	Of stomach 151	639	352	225	37	25	87	58	26	3	-
71	Of intestine, except rectum 152,153	752	309	405	14	24	83	42	40	-	1
72	Of rectum 154	286	154	113	8	11	30	16	14	-	-
73	Of biliary passages and of liver (stated to be primary site) 155	179	57	110	6	6	21	8	12	-	1
74	Of liver not specified whether primary or secondary 156A	179	86	77	11	5	18	12	6	-	-
75	Of pancreas 157	275	142	106	20	7	35	19	16	-	-
76	Of peritoneum and of unspecified digestive organs 158,159	23	8	11	3	1	1	1	-	-	-
77	Malignant neoplasm of respiratory system 160-164	695	509	132	49	5	98	86	9	1	2
78	Of larynx 161	59	45	7	7	-	8	8	-	-	-
79	Of trachea, and of bronchus and lung specified as primary 162	277	209	46	22	-	42	39	2	-	1
80	Of lung and bronchus, unspecified as primary or secondary 163	335	246	67	18	4	45	39	4	1	1
81	Of other parts of respiratory system 160,164	24	9	12	2	1	3	-	3	-	-
82	Malignant neoplasm of breast 170	589	8	544	-	37	42	2	40	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13,093	7,328	5,428	193	144	1,702	1,079	491	73	59	6,175	3,483	2,685	6	1	51,541	26,369	21,274	2,116	1,782	1
292	177	98	9	8	49	28	11	7	3	90	59	31	-	-	1,243	688	272	182	101	2
79	51	13	7	8	28	18	3	4	3	47	33	14	-	-	844	483	152	136	73	3
72	47	12	7	6	25	18	1	3	3	44	31	13	-	-	786	464	140	121	61	4
2	-	1	-	1	1	-	1	-	-	-	-	-	-	-	19	4	4	5	6	5
3	2	-	-	1	-	-	-	-	-	1	1	-	-	-	5	1	2	2	-	6
2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	6	3	2	-	1	7
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	3	2	-	1	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1	1	2	2	10
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	15	4	3	5	3	11
38	32	6	-	-	6	5	1	-	-	24	16	8	-	-	175	99	25	38	13	12
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	3	-	-	2	1	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
4	3	1	-	-	1	1	-	-	-	8	7	1	-	-	47	32	7	6	2	15
12	12	-	-	-	3	2	1	-	-	8	5	3	-	-	76	40	9	22	5	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	4	-	1	-	17
18	13	5	-	-	1	1	-	-	-	5	2	3	-	-	17	10	4	2	1	18
3	3	-	-	-	-	-	-	-	-	1	-	1	-	-	23	10	5	5	3	19
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	4	3	-	-	1	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	2	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	-	1	-	-	2	1	-	1	-	-	-	-	-	-	11	7	-	3	1	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	28
3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	29
5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
2	2	-	-	-	1	-	-	1	-	1	-	1	-	-	18	8	9	1	-	32
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	33
4	3	-	1	-	-	-	-	-	-	1	-	1	-	-	3	1	2	-	-	34
6	4	2	-	-	1	-	1	-	-	5	3	2	-	-	20	12	6	1	1	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
3	2	1	-	-	-	-	-	-	-	1	1	-	-	-	7	6	-	1	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
111	61	49	1	-	6	2	4	-	-	4	2	2	-	-	45	24	19	-	2	41
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	42
7	3	4	-	-	1	1	-	-	-	1	-	1	-	-	11	4	5	-	2	43
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	8	4	4	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
2	-	2	-	-	1	-	-	1	-	2	1	1	-	-	14	5	9	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
14	8	6	-	-	-	-	-	-	-	3	2	1	-	-	37	17	18	-	2	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	59
9	3	6	-	-	2	-	2	-	-	1	1	-	-	-	34	11	18	1	4	60
2,082	1,041	998	27	16	214	129	74	4	7	1,039	557	481	1	-	9,221	4,563	4,163	224	271	61
2,037	1,024	973	26	14	207	127	69	4	7	1,022	548	473	1	-	9,037	4,499	4,067	217	254	62
41	30	11	-	-	4	3	1	-	-	23	21	2	-	-	199	158	32	5	4	63
12	10	2	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	64
7	5	2	-	-	2	2	-	-	-	9	9	-	-	-	48	37	8	1	2	65
11	5	6	-	-	1	-	1	-	-	4	3	1	-	-	63	44	14	3	2	66
11	10	1	-	-	1	1	-	-	-	10	9	1	-	-	84	73	10	1	-	67
838	429	390	13	6	74	47	23	2	2	397	217	179	1	-	3,567	1,876	1,523	103	65	68
34	22	11	1	-	2	2	-	-	-	17	11	6	-	-	180	131	34	13	2	69
220	139	75	4	2	24	17	5	1	1	117	69	47	1	-	915	532	335	32	16	70
282	118	158	5	1	13	6	6	1	-	118	52	66	-	-	1,115	505	570	20	20	71
94	55	38	-	1	12	7	5	-	-	66	39	27	-	-	539	305	212	12	10	72
49	18	29	1	1	1	1	-	-	-	21	9	12	-	-	175	86	84	1	4	73
40	16	23	1	-	3	2	1	-	-	14	8	6	-	-	207	99	98	6	4	74
102	52	49	1	-	14	8	5	-	1	38	25	13	-	-	361	179	159	14	9	75
17	9	7	-	1	5	4	1	-	-	6	4	2	-	-	75	39	31	5	-	76
162	118	40	4	-	31	26	2	1	2	103	81	22	-	-	1,153	938	161	44	10	77
12	11	1	-	-	1	1	-	-	-	13	12	1	-	-	83	75	4	4	-	78
76	58	17	1	-	9	8	-	-	1	34	29	5	-	-	377	311	40	22	4	79
67	46	19	2	-	21	17	2	1	1	49	36	13	-	-	665	535	107	17	6	80
7	3	3	1	-	-	-	-	-	-	7	4	3	-	-	28	17	10	1	-	81
180	2	177	-	1	11	-	9	-	2	76	1	75	-	-	895	10	835	-	50	82

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	1,083	366	592	35	90	125	55	68	-	2
2	Of cervix uteri----------171	250	...	204	...	46	19	...	18	...	1
3	Of other and unspecified parts of uterus----------172-174	226	...	201	...	25	16	...	15	...	1
4	Of ovary, fallopian tube, and broad ligament----------175	189	...	172	...	17	33	...	33	...	-
5	Of other and unspecified female genital organs----------176	17	...	15	...	2	2	...	2	...	-
6	Of prostate----------177	373	341	...	32	...	52	52	...	-	...
7	Of testis, and of other and unspecified male genital organs----178,179	28	25	...	3	...	3	3	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	298	187	97	12	2	35	27	7	1	-
9	Of kidney----------180	116	73	39	4	-	17	12	4	1	-
10	Of bladder and other urinary organs----------181	182	114	58	8	2	18	15	3	-	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	729	370	326	15	18	111	68	40	2	1
12	Of skin----------190,191	91	48	43	-	-	14	9	4	1	-
13	Of eye----------192	12	6	6	-	-	3	2	1	-	-
14	Of brain and other parts of nervous system----------193	113	63	47	3	-	17	11	6	-	-
15	Of thyroid gland----------194	21	6	10	5	-	4	3	1	-	-
16	Of bone (including jaw bone)----------196	64	32	26	3	3	9	5	4	-	-
17	Of connective tissue----------197	18	11	7	-	-	1	1	-	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	97	46	49	1	1	18	9	9	-	-
19	Of unspecified sites----------156B,165,198B,199B-M	313	158	138	3	14	45	28	15	1	1
20	Leukemia and aleukemia----------204	259	141	108	8	2	47	25	22	-	-
21	Lymphosarcoma, etc.*----------200-203,205	242	141	91	5	5	31	22	8	1	-
22	Lymphosarcoma and reticulosarcoma----------200	127	75	47	3	2	16	11	5	-	-
23	Hodgkin's disease----------201	73	43	28	1	1	6	4	2	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	42	23	16	1	2	9	7	1	1	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	139	42	71	8	18	15	9	6	-	-
26	Benign neoplasms of female genital organs----------214-217	40	...	31	...	9	2	...	2	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	28	13	12	2	1	2	1	1	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	15	7	3	3	2	1	1	-	-	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	2	...	1	...	1	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	33	15	14	-	4	5	4	1	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	21	7	10	3	1	5	3	2	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	1,018	399	542	33	44	150	69	77	1	3
33	Asthma----------241	194	118	55	13	8	36	20	15	-	1
34	Nontoxic goiter----------250,251	2	-	2	-	-	1	-	1	-	-
35	Thyrotoxicosis with or without goiter----------252	41	3	34	1	3	6	2	4	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	10	4	6	-	-	-	-	-	-	-
37	Diabetes mellitus----------260	706	251	413	13	29	96	43	51	1	1
38	Diseases of thymus gland----------273	14	6	4	3	1	3	-	2	-	1
39	Diseases of adrenal glands----------274	8	2	5	1	-	1	1	-	-	-
40	Pellagra----------281	3	1	1	-	1	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	23	7	13	1	2	4	2	2	-	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	17	7	9	1	-	3	1	2	-	-
43	IV. Diseases of the blood and blood-forming organs----------	186	75	94	9	8	21	12	7	2	-
44	Anemias----------290-293	137	57	70	5	5	15	9	4	2	-
45	Pernicious and other hyperchromic anemias----------290	75	32	41	1	1	5	3	2	-	-
46	Anemias of other and unspecified type----------291-293	62	25	29	4	4	10	6	2	2	-
47	Purpura and other hemorrhagic conditions----------296	24	8	13	-	3	3	-	3	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	25	10	11	4	-	3	3	-	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	134	64	45	18	7	20	14	2	3	1
50	Senile psychosis----------304	41	15	21	2	3	5	3	1	-	1
51	Alcoholic psychosis----------307	7	2	1	3	1	4	4	-	-	-
52	Other psychoses----------300-303,305,306,308,309	16	6	9	-	1	-	-	-	-	-
53	Alcoholism----------322	57	36	7	12	2	10	7	-	3	-
54	Mental deficiency----------325	3	1	2	-	-	1	-	1	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	10	4	5	1	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	5,870	2,674	2,697	225	274	719	427	277	7	8
57	Vascular lesions affecting central nervous system----------330-334	5,450	2,451	2,540	204	255	652	383	257	6	6
58	Subarachnoid hemorrhage----------330	107	53	45	5	4	11	6	4	-	1
59	Cerebral hemorrhage----------331	3,456	1,545	1,651	116	144	478	277	194	3	4
60	Cerebral embolism and thrombosis----------332	1,013	467	454	37	55	89	57	31	1	-
61	Other vascular lesions affecting central nervous system--------333,334	874	386	390	46	52	74	43	28	2	1
62	Meningitis, except meningococcal and tuberculous----------340	61	31	16	11	3	9	4	4	-	1
63	Multiple sclerosis----------345	39	19	20	-	-	10	6	4	-	-
64	Paralysis agitans----------350	80	45	35	-	-	12	9	3	-	-
65	Cerebral spastic infantile paralysis----------351	26	11	14	1	-	4	3	1	-	-
66	Epilepsy----------353	57	32	19	2	4	11	6	4	-	1
67	Inflammatory diseases of eye----------370-379	1	1	-	-	-	-	-	-	-	-
68	Cataract----------385	1	-	-	-	1	-	-	-	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	16	4	12	-	-	1	1	-	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	139	80	41	7	11	20	15	4	1	-
72	VII. Diseases of the circulatory system----------	18,388	9,797	7,045	784	762	2,202	1,444	702	32	24
73	Rheumatic fever----------400-402	58	18	26	6	8	6	3	2	1	-
74	Diseases of heart----------410-443	16,691	9,013	6,331	693	654	1,995	1,326	621	29	19
75	Chronic rheumatic heart disease----------410-416	647	325	250	34	38	70	38	31	1	-
76	Diseases of mitral valve----------410	355	169	135	22	29	32	11	20	1	-
77	Diseases of aortic valve specified as rheumatic----------411	18	14	3	-	1	1	-	1	-	-
78	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	35	22	12	-	1	6	5	1	-	-
80	Other diseases of heart specified as rheumatic----------415,416	239	120	100	12	7	31	22	9	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
332	157	168	3	4	27	13	13	-	1	186	84	102	-	-	1,234	386	730	27	91	1
54	...	54	...	-	8	...	7	...	1	42	...	42	...	-	236	...	195	...	41	2
55	...	51	...	4	1	...	1	...	-	29	...	29	...	-	295	...	257	...	38	3
58	...	58	...	-	5	...	5	...	-	30	...	30	...	-	269	...	257	...	12	4
5	...	5	...	-	-	...	-	...	-	1	...	1	...	-	21	...	21	...	-	5
152	149	...	3	...	12	12	...	-	...	78	78	...	-	...	382	355	...	27	...	6
8	8	...	-	...	1	1	...	-	...	6	6	...	-	...	31	31	...	-	...	7
108	69	36	2	1	11	8	3	-	-	60	37	23	-	-	473	318	135	12	8	8
56	32	22	2	-	3	3	-	-	-	15	9	6	-	-	144	88	49	5	2	9
52	37	14	-	1	8	5	3	-	-	45	28	17	-	-	329	230	86	7	6	10
184	100	80	3	1	34	21	12	1	-	100	56	44	-	-	867	442	398	11	16	11
28	12	16	-	-	2	2	-	-	-	10	6	4	-	-	107	59	44	2	2	12
4	4	-	-	-	-	-	-	-	-	1	-	1	-	-	8	5	3	-	-	13
45	27	18	-	-	3	3	-	-	-	21	16	5	-	-	180	107	69	1	3	14
6	3	3	-	-	1	1	-	-	-	4	2	2	-	-	35	13	20	1	1	15
19	15	4	-	-	3	3	-	-	-	9	8	1	-	-	71	44	26	-	1	16
1	-	1	-	-	1	-	1	-	-	2	2	-	-	-	22	11	11	-	-	17
32	14	17	1	-	4	2	2	-	-	18	7	11	-	-	108	48	58	-	2	18
49	25	21	2	1	20	10	9	1	-	35	15	20	-	-	336	155	167	7	7	19
99	62	36	-	1	10	8	2	-	-	42	23	19	-	-	329	171	147	5	6	20
93	57	35	1	-	5	1	4	-	-	35	28	7	-	-	320	200	106	10	4	21
37	22	15	-	-	4	1	3	-	-	14	11	3	-	-	143	97	39	5	2	22
37	27	10	-	-	-	-	-	-	-	11	11	-	-	-	98	58	36	4	-	23
19	8	10	1	-	1	-	1	-	-	10	6	4	-	-	79	45	31	1	2	24
45	17	25	1	2	7	2	5	-	-	17	9	8	-	-	184	64	96	7	17	25
9	...	7	...	2	1	...	1	...	-	1	...	1	...	-	49	...	37	...	12	26
12	5	6	1	-	-	-	-	-	-	3	1	2	-	-	31	8	19	1	3	27
6	2	4	-	-	1	-	1	-	-	2	2	-	-	-	34	17	15	2		28
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	29
11	7	4	-	-	4	2	2	-	-	8	4	4	-	-	49	28	17	2	2	30
6	3	3	-	-	1	-	1	-	-	3	2	1	-	-	21	11	8	2	-	31
381	182	192	5	2	32	21	9	2	-	175	91	84	-	-	1,408	522	802	36	48	32
78	53	25	-	-	12	7	4	1	-	46	32	14	-	-	194	122	60	5	7	33
3	-	3	-	-	-	-	-	-	-	1	1	-	-	-	3	-	1	1	1	34
16	3	13	-	-	-	-	-	-	-	2	-	2	-	-	37	8	28	-	1	35
2	1	1	-	-	-	-	-	-	-	3	2	1	-	-	7	1	6	-	-	36
265	116	143	4	2	14	8	5	1	-	116	53	63	-	-	1,086	358	670	22	36	37
2	2	-	-	-	3	3	-	-	-	-	-	-	-	-	32	13	13	4	2	38
2	1	1	-	-	1	1	-	-	-	2	1	1	-	-	10	4	6	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
3	2	1	-	-	-	-	-	-	-	2	2	-	-	-	22	8	12	1	1	41
10	4	5	1	-	2	2	-	-	-	3	-	3	-	-	17	8	6	3	-	42
61	25	36	-	-	9	2	5	-	2	26	10	16	-	-	158	65	76	6	11	43
45	18	27	-	-	6	2	3	-	1	21	9	12	-	-	112	49	50	4	9	44
25	11	14	-	-	-	-	-	-	-	12	4	8	-	-	47	23	23	1	-	45
20	7	13	-	-	6	2	3	-	1	9	5	4	-	-	65	26	27	3	9	46
6	3	3	-	-	1	-	-	-	1	3	1	2	-	-	22	5	16	-	1	47
10	4	6	-	-	2	-	2	-	-	2	-	2	-	-	24	11	10	2	1	48
32	21	10	1	-	16	10	4	-	2	9	4	5	-	-	166	90	43	25	8	49
9	4	5	-	-	1	-	1	-	-	2	1	1	-	-	32	13	17	1	1	50
3	2	-	1	-	1	1	-	-	-	-	-	-	-	-	23	17	-	5	1	51
2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	28	8	15	2	3	52
16	12	4	-	-	14	9	3	-	2	5	3	2	-	-	70	45	8	14	3	53
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	7	6	1	-	-	54
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6	1	2	3	-	55
1,807	874	891	18	24	171	86	74	6	5	780	366	413	1	-	5,650	2,361	2,877	199	213	56
1,645	791	817	15	22	158	83	68	4	3	719	338	380	1	-	5,226	2,154	2,689	185	198	57
22	8	14	-	-	3	2	-	-	1	16	8	8	-	-	129	63	56	5	5	58
1,051	496	529	10	16	109	60	44	3	2	479	225	254	-	-	3,197	1,303	1,647	118	129	59
323	155	159	4	5	27	14	12	1	-	164	76	87	1	-	1,281	548	656	35	42	60
249	132	115	1	1	19	7	12	-	-	60	29	31	-	-	619	240	330	27	22	61
11	3	4	2	2	2	-	2	-	-	4	1	3	-	-	45	21	17	3	4	62
21	11	10	-	-	1	-	1	-	-	4	-	4	-	-	71	35	34	-	2	63
41	21	20	-	-	-	-	-	-	-	14	9	5	-	-	92	39	52	-	1	64
9	7	2	-	-	1	-	1	-	-	3	3	-	-	-	15	11	3	-	1	65
18	11	7	-	-	3	1	-	1	1	15	7	8	-	-	62	25	25	8	4	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
4	2	2	-	-	-	-	-	-	-	3	1	2	-	-	10	7	2	-	1	70
57	28	28	1	-	6	2	2	1	1	18	7	11	-	-	127	68	54	3	2	71
5,323	3,123	2,098	59	43	593	418	154	13	8	2,766	1,585	1,178	3	-	23,236	12,454	9,485	674	623	72
17	9	7	-	1	-	-	-	-	-	3	1	2	-	-	36	16	12	4	4	73
4,821	2,870	1,861	53	37	552	389	145	12	6	2,469	1,443	1,023	3	-	21,474	11,632	8,658	615	569	74
175	91	81	3	-	27	12	13	1	1	63	23	40	-	-	835	349	428	27	31	75
97	47	49	1	-	13	6	6	1	-	32	14	18	-	-	239	102	117	9	11	76
9	7	1	1	-	1	-	1	-	-	1	1	-	-	-	32	18	12	1	1	77
1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	78
12	8	4	-	-	2	-	2	-	-	6	2	4	-	-	66	29	34	1	2	79
56	28	27	1	-	10	6	4	-	-	24	6	18	-	-	498	200	265	16	17	80

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	9,423	5,755	3,186	265	217	1,159	851	287	12	9
2	Arteriosclerotic heart disease so described----------420.0	2,890	1,522	1,195	97	76	204	132	65	3	4
3	Heart disease specified as involving coronary arteries----------420.1	6,464	4,196	1,962	167	139	951	715	222	9	5
4	Angina pectoris without mention of coronary disease----------420.2	69	37	29	1	2	4	4	-	-	-
5	Chronic endocarditis not specified as rheumatic----------421	443	239	168	14	22	33	17	14	1	1
6	Of mitral valve, specified as nonrheumatic----------421.0	49	17	25	-	7	3	1	1	-	1
7	Of aortic valve, not specified as rheumatic----------421.1	87	61	16	8	2	8	6	2	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	307	161	127	6	13	22	10	11	1	-
9	Other myocardial degeneration----------422	2,794	1,330	1,339	67	58	338	198	132	4	4
10	With arteriosclerosis----------422.1	1,224	571	617	24	12	98	54	43	-	1
11	Without mention of arteriosclerosis----------422.0,422.2	1,570	759	722	43	46	240	144	89	4	3
12	Other diseases of heart----------430-434	746	360	271	65	50	174	122	48	3	1
13	Acute and subacute endocarditis----------430	15	8	6	1	-	5	4	1	-	-
14	Acute myocarditis not specified as rheumatic----------431	70	36	23	6	5	26	18	8	-	-
15	Acute pericarditis specified as nonrheumatic----------432	2	-	2	-	-	-	-	-	-	-
16	Functional disease of heart----------433	81	42	37	-	2	13	6	7	-	-
17	Other and unspecified diseases of heart----------434	578	274	203	58	43	130	94	32	3	1
18	Hypertension with heart disease----------440-443	2,638	1,004	1,117	248	269	221	100	109	8	4
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	744	362	314	30	38	82	35	38	6	3
20	Essential hypertension with heart disease, etc.*----------440,441,443	1,894	642	803	218	231	139	65	71	2	1
21	Hypertension without mention of heart----------444-447	392	165	154	36	37	32	16	15	-	1
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	217	107	80	17	13	11	6	4	-	1
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	175	58	74	19	24	21	10	11	-	-
24	Diseases of arteries----------450-456	1,137	543	492	42	60	147	87	55	2	3
25	General arteriosclerosis----------450	978	457	440	34	47	132	77	50	2	3
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	93	56	21	7	9	5	3	2	-	-
27	Gangrene of unspecified cause----------455	5	2	2	-	1	3	2	1	-	-
28	Other arterial diseases----------452-454,456	61	28	29	1	3	7	5	2	-	-
29	Diseases of veins and other diseases of circulatory system-------460-468	110	58	42	7	3	22	12	9	-	1
30	VIII. Diseases of the respiratory system----------	2,026	997	728	185	116	263	148	85	17	13
31	Acute upper respiratory infections----------470-475	29	10	14	3	2	4	3	1	-	-
32	Influenza----------480-483	227	96	109	8	14	23	12	8	2	1
33	Pneumonia, except pneumonia of newborn----------490-493	1,346	644	491	132	79	155	72	59	15	9
34	Lobar pneumonia----------490	512	246	172	58	36	35	16	17	1	1
35	Bronchopneumonia----------491	548	257	215	50	26	67	29	28	8	2
36	Primary atypical pneumonia----------492	172	92	61	11	8	11	7	4	-	-
37	Pneumonia, other and unspecified----------493	114	49	43	13	9	42	20	10	6	6
38	Acute bronchitis----------500	25	14	9	-	2	3	1	2	-	-
39	Bronchitis, chronic and unqualified----------501,502	73	45	22	4	2	7	4	3	-	-
40	Hypertrophy of tonsils and adenoids----------510	6	4	2	-	-	4	3	1	-	-
41	Empyema and abscess of lung----------518,521	28	15	4	6	3	-	-	-	-	-
42	Pleurisy----------519	3	2	1	-	-	2	2	-	-	-
43	All other respiratory diseases----------Residual[1]	289	167	76	32	14	65	51	11	-	3
44	IX. Diseases of the digestive system----------	1,781	945	650	111	75	234	127	93	5	9
45	Diseases of teeth and supporting structures----------530-535	13	6	6	-	1	2	1	1	-	-
46	Ulcer of stomach----------540	135	95	33	5	2	22	18	4	-	-
47	Ulcer of duodenum----------541	105	80	18	7	-	19	17	1	1	-
48	Gastritis and duodenitis----------543	9	3	4	2	-	1	1	-	-	-
49	Appendicitis----------550-553	86	40	31	9	6	14	11	2	-	1
50	Hernia and intestinal obstruction----------560,561,570	292	147	117	15	13	43	16	26	-	1
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	247	106	87	28	26	24	10	7	3	4
52	Cirrhosis of liver----------581	472	301	134	26	11	40	24	15	-	1
53	Without mention of alcoholism----------581.0	380	236	115	19	10	35	22	13	-	-
54	With alcoholism----------581.1	92	65	19	7	1	5	2	2	-	1
55	Cholelithiasis and cholecystitis----------584,585	210	68	138	2	2	29	7	21	-	1
56	Other diseases of digestive system----------Residual[1]	212	99	82	17	14	40	22	16	1	1
57	X. Diseases of the genito-urinary system----------	1,331	710	427	109	85	161	110	46	2	3
58	Nephritis and nephrosis----------590-594	874	411	334	68	61	109	71	36	-	2
59	Acute nephritis----------590	54	22	23	5	4	11	8	3	-	-
60	Nephritis with edema, including nephrosis----------591	53	22	27	2	2	1	1	-	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	767	367	284	61	55	97	62	33	-	2
62	Infections of kidney----------600	124	53	50	7	14	11	6	4	-	1
63	Calculi of urinary system----------602,604	33	17	13	1	2	5	3	2	-	-
64	Other diseases of urinary system----------601,603,605-609	38	15	13	8	2	5	4	1	-	-
65	Hyperplasia of prostate----------610	218	195	...	23	...	25	25	...	-	...
66	Other diseases of male genital organs----------611-617	20	18	...	2	...	3	1	...	2	...
67	Diseases of breast----------620,621	1	1	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	23	...	17	...	6	3	...	3	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	63	...	48	...	15	8	...	7	...	1
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	9	...	6	...	3	1	...	1	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	15	...	11	...	4	2	...	2	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	10	...	9	...	1	2	...	2	...	-
73	Ectopic pregnancy----------645	6	...	3	...	3	1	...	-	...	1
74	Abortion without mention of sepsis or toxemia----------650	2	...	1	...	1	-	...	-	...	-
75	Abortion with sepsis----------651	6	...	6	...	-	-	...	-	...	-
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	15	...	12	...	3	2	...	2	...	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,989	1,938	1,003	26	22	379	288	80	8	3	1,744	1,085	658	1	-	13,576	8,025	4,949	355	247	1
533	271	241	9	12	105	71	28	4	2	690	383	306	1	-	5,560	2,785	2,504	150	121	2
2,432	1,653	752	17	10	274	217	52	4	1	1,043	693	350	-	-	7,990	5,224	2,435	205	126	3
24	14	10	-	-	-	-	-	-	-	11	9	2	-	-	26	16	10	-	-	4
70	36	34	-	-	11	7	4	-	-	57	32	25	-	-	214	99	93	10	12	5
6	2	4	-	-	-	-	-	-	-	15	11	4	-	-	17	5	10	1	1	6
14	8	6	-	-	4	4	-	-	-	11	6	5	-	-	41	27	6	4	4	7
50	26	24	-	-	7	3	4	-	-	31	15	16	-	-	156	67	77	5	7	8
741	389	338	8	6	60	40	19	-	1	225	128	97	-	-	3,720	1,902	1,613	96	109	9
298	163	130	3	2	23	16	7	-	-	134	82	52	-	-	1,896	916	876	50	54	10
443	226	208	5	4	37	24	12	-	1	91	46	45	-	-	1,824	986	737	46	55	11
270	167	95	5	3	26	18	5	2	1	58	35	22	1	-	385	206	145	16	18	12
7	4	3	-	-	-	-	-	-	-	1	1	-	-	-	27	18	7	1	1	13
13	6	7	-	-	3	1	2	-	-	3	2	1	-	-	47	24	21	-	2	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
52	31	21	-	-	3	2	1	-	-	12	4	8	-	-	53	24	28	1	-	16
198	126	64	5	3	20	15	2	2	1	42	28	13	1	-	258	140	89	14	15	17
576	249	310	11	6	49	24	24	1	-	322	140	181	1	-	2,744	1,051	1,430	111	152	18
255	127	123	4	1	25	12	12	1	-	65	31	34	-	-	756	322	359	41	34	19
321	122	187	7	5	24	12	12	-	-	257	109	147	1	-	1,988	729	1,071	70	118	20
90	41	45	4	-	4	3	1	-	-	49	23	26	-	-	416	187	192	20	17	21
45	21	22	2	-	1	1	-	-	-	24	12	12	-	-	250	123	105	12	10	22
45	20	23	2	-	3	2	1	-	-	25	11	14	-	-	166	64	87	8	7	23
359	183	171	2	3	32	22	7	1	2	226	104	122	-	-	1,170	549	563	30	28	24
314	154	156	1	3	24	17	4	1	2	203	89	114	-	-	1,000	451	505	23	21	25
27	21	5	1	-	4	3	1	-	-	16	10	6	-	-	104	71	24	6	3	26
3	1	2	-	-	-	-	-	-	-	2	1	1	-	-	2	1	1	-	-	27
15	7	8	-	-	4	2	2	-	-	5	4	1	-	-	64	26	33	1	4	28
36	20	14	-	2	5	4	1	-	-	19	14	5	-	-	140	70	60	5	5	29
488	249	214	12	13	72	46	19	3	4	212	133	79	-	-	1,651	830	588	143	90	30
7	2	2	1	2	-	-	-	-	-	10	5	5	-	-	28	12	6	6	4	31
70	28	39	1	2	3	2	1	-	-	15	9	6	-	-	34	15	16	3	-	32
310	154	141	6	9	40	22	11	3	4	136	80	56	-	-	1,196	559	456	110	71	33
64	28	31	2	3	18	11	5	-	2	42	22	20	-	-	410	199	151	44	16	34
179	86	84	4	5	13	5	4	2	2	41	22	19	-	-	642	290	248	56	48	35
27	16	11	-	-	4	2	2	-	-	33	23	10	-	-	126	62	51	8	5	36
40	24	15	-	1	5	4	-	1	-	20	13	7	-	-	18	8	6	2	2	37
4	-	3	1	-	3	1	2	-	-	4	2	2	-	-	40	16	17	3	4	38
17	10	7	-	-	4	2	2	-	-	5	3	2	-	-	53	28	17	5	3	39
3	2	1	-	-	-	-	-	-	-	4	4	-	-	-	12	4	5	1	2	40
1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	15	10	1	4	-	41
3	3	-	-	-	-	-	-	-	-	1	-	1	-	-	9	5	4	-	-	42
73	49	21	3	-	21	18	3	-	-	36	29	7	-	-	264	181	66	11	6	43
474	291	172	4	7	78	45	25	5	3	257	155	101	1	-	2,157	1,202	789	96	70	44
4	3	1	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	1	-	45
32	27	4	-	1	10	7	3	-	-	27	22	5	-	-	192	146	28	16	2	46
36	32	3	-	1	4	3	1	-	-	25	23	2	-	-	155	119	29	7	-	47
1	-	1	-	-	-	-	-	-	-	3	1	2	-	-	5	5	-	-	-	48
38	26	11	1	-	1	-	-	-	1	16	10	6	-	-	87	41	33	9	4	49
86	46	38	1	1	9	3	5	-	1	42	22	20	-	-	315	140	149	18	8	50
57	31	25	1	-	6	4	1	1	-	27	14	13	-	-	187	85	63	14	25	51
88	70	14	1	3	29	17	9	2	1	65	40	25	-	-	745	460	258	14	13	52
50	37	10	-	3	18	12	5	1	-	52	28	24	-	-	608	378	217	7	6	53
38	33	4	1	-	11	5	4	1	1	13	12	1	-	-	137	82	41	7	7	54
70	26	43	-	1	8	5	1	2	-	25	10	15	-	-	240	84	143	5	8	55
62	30	32	-	-	11	6	5	-	-	26	12	13	1	-	229	121	86	12	10	56
326	205	106	8	7	32	22	9	1	-	168	119	49	-	-	1,073	596	343	60	74	57
183	89	83	5	6	21	13	7	1	-	94	55	39	-	-	655	304	260	40	51	58
13	9	4	-	-	1	1	-	-	-	3	1	2	-	-	33	16	14	1	2	59
8	2	6	-	-	1	1	-	-	-	4	3	1	-	-	42	21	13	2	6	60
162	78	73	5	6	19	11	7	1	-	87	51	36	-	-	580	267	233	37	43	61
24	12	11	-	1	2	1	1	-	-	23	16	7	-	-	109	50	41	5	13	62
8	5	3	-	-	1	1	-	-	-	7	6	1	-	-	40	22	16	1	1	63
10	9	1	-	-	2	2	-	-	-	7	6	1	-	-	35	18	12	4	1	64
85	83	...	2	...	5	5	...	-	...	32	32	...	-	...	198	189	...	9	...	65
8	7	...	1	...	-	-	...	-	...	4	4	...	-	...	14	13	...	1	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	67
8	...	8	...	-	1	...	1	...	-	1	...	1	...	-	21	...	14	...	7	68
15	...	13	...	2	3	...	2	...	1	5	...	5	...	-	65	...	49	...	16	69
2	...	2	...	-	2	...	1	...	1	1	...	1	...	-	7	...	5	...	2	70
4	...	3	...	1	-	...	-	...	-	-	...	-	...	-	23	...	17	...	6	71
3	...	3	...	-	-	...	-	...	-	2	...	2	...	-	9	...	8	...	1	72
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	3	...	2	...	1	73
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	3	...	1	...	2	74
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	2	...	2	...	-	75
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	4	...	2	...	2	76
5	...	4	...	1	1	...	1	...	-	-	...	-	...	-	14	...	12	...	2	77

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	31	13	12	3	3	8	5	3	-	-
2	Infections of skin and subcutaneous tissue 690-698	9	6	2	1	-	2	2	-	-	-
3	Other diseases of skin and subcutaneous tissue 700-716	22	7	10	2	3	6	3	3	-	-
4	XIII. Diseases of the bones and organs of movement	112	49	54	4	5	10	7	3	-	-
5	Arthritis and spondylitis 720-725	76	27	44	1	4	4	1	3	-	-
6	Muscular rheumatism and rheumatism, unspecified 726,727	-	-	-	-	-	1	1	-	-	-
7	Osteomyelitis and periostitis 730	4	2	1	1	-	-	-	-	-	-
8	Ankylosis and acquired musculoskeletal deformities 737,745-749	1	-	1	-	-	-	-	-	-	-
9	All other diseases of musculoskeletal system 731-736,738-744	31	20	8	2	1	5	5	-	-	-
10	XIV. Congenital malformations	512	283	194	23	12	88	52	35	1	-
11	Spina bifida and meningocele 751	49	20	28	1	-	3	1	2	-	-
12	Congenital hydrocephalus, etc.* 752,753	59	29	27	2	1	7	5	2	-	-
13	Congenital malformations of circulatory system 754	245	146	82	10	7	48	27	20	1	-
14	Other congenital malformations 750,755-759	159	88	57	10	4	30	19	11	-	-
15	XV. Certain diseases of early infancy	1,454	693	496	152	113	269	153	97	8	11
16	Birth injuries 760,761	282	156	102	17	7	51	36	14	-	1
17	Postnatal asphyxia and atelectasis 762	338	165	117	35	21	56	30	21	2	3
18	Infections of newborn 763-768	97	38	40	13	6	13	9	2	1	1
19	Hemolytic disease of newborn (erythroblastosis) 770	74	41	27	5	1	14	6	8	-	-
20	All other defined diseases of early infancy 769,771,772	54	17	20	11	6	7	2	4	1	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified 773-776	609	276	190	71	72	128	70	48	4	6
22	XVI. Symptoms, senility, and ill-defined conditions	607	343	185	51	28	228	149	55	7	17
23	Senility without mention of psychosis 794	135	44	81	3	7	71	35	26	2	8
24	Symptoms, ill-defined and unknown causes 780-793,795	472	299	104	48	21	157	114	29	5	9
25	XVII. Accidents, poisonings, and violence	3,732	2,244	1,015	345	128	691	513	136	28	14
26	Accidents E800-E962	3,039	1,812	907	216	104	585	437	112	22	14
27	Railway accidents E800-E802	45	31	7	7	-	19	16	-	3	-
28	Motor-vehicle accidents E810-E835	1,119	779	239	75	26	241	176	48	10	7
29	Motor-vehicle traffic accidents E810-E825	1,099	760	239	74	26	232	169	46	10	7
30	Motor-vehicle traffic accident with railway train* E810	32	19	13	-	-	5	4	-	1	-
31	Motor-vehicle traffic accident to pedestrian E812	227	156	40	22	9	25	21	4	-	-
32	Other motor-vehicle traffic accidents, etc.* E811,E813-E819	474	319	117	30	8	67	43	16	7	1
33	Motor-vehicle noncollision traffic accidents E820-E824	301	229	48	17	7	117	88	22	1	6
34	Motor-vehicle traffic accident of unspecified nature E825	65	37	21	5	2	18	13	4	1	-
35	Motor-vehicle nontraffic accidents E830-E835	20	19	-	1	-	9	7	2	-	-
36	Other road-vehicle accidents E840-E845	17	11	3	3	-	4	3	-	1	-
37	Water-transport accidents E850-E858	27	19	3	4	1	8	8	-	-	-
38	Aircraft accidents E860-E866	18	16	2	-	-	12	12	-	-	-
39	Accidental poisoning by solid and liquid substances E870-E888	33	16	12	4	1	9	2	5	-	2
40	Accidental poisoning by gases and vapors E890-E895	31	15	13	2	1	13	12	1	-	-
41	Accidental falls E900-E904	788	353	395	23	17	82	46	34	-	2
42	Fall from one level to another E900-E902	247	143	85	14	5	26	19	7	-	-
43	Fall on same level E903	187	74	107	4	2	16	8	8	-	-
44	Unspecified falls E904	354	136	203	5	10	40	19	19	-	2
45	Blow from falling object E910	21	19	-	2	-	24	23	1	-	-
46	Accident caused by machinery E912	71	66	2	3	-	31	29	1	-	1
47	Accident caused by electric current E914	34	28	2	4	-	6	6	-	-	-
48	Accident caused by fire and explosion, etc.* E916	232	103	74	32	23	31	19	11	1	-
49	Accident caused by hot substance, etc.* E917,E918	26	13	5	7	1	2	2	-	-	-
50	Accident caused by firearm E919	69	53	6	9	1	23	20	1	2	-
51	Inhalation and ingestion of food or other object, etc.* E921,E922	30	18	12	-	-	7	6	1	-	-
52	Accidental drowning E929	112	86	14	11	1	23	17	4	1	1
53	Excessive heat and insolation E931	195	86	78	12	19	1	1	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.* E940-E959	17	7	6	1	3	2	1	1	-	-
55	All other accidents Residual[1]	154	93	34	17	10	47	38	4	4	1
56	Suicide E963,E970-E979	445	353	87	4	1	87	64	20	3	-
57	Suicide by poisoning E970-E973	74	54	19	-	1	14	7	7	-	-
58	Suicide by hanging and strangulation E974	71	53	18	-	-	5	4	1	-	-
59	Suicide by firearms and explosives E976	232	207	22	3	-	58	49	7	2	-
60	Suicide by all other means E963,E975,E977-E979	68	39	28	1	-	10	4	5	1	-
61	Homicide E964,E980-E985	246	77	21	125	23	18	11	4	3	-
62	Assault by firearms and explosives E981	148	42	15	79	12	8	5	2	1	-
63	Assault by cutting and piercing instruments E982	51	7	2	35	7	1	-	-	1	-
64	Assault by other means E964,E980,E983	33	20	4	5	4	8	5	2	1	-
65	Injury by intervention of police E984	13	8	-	5	-	1	1	-	-	-
66	Execution E985	1	-	-	1	-	-	-	-	-	-
67	Injury resulting from operations of war E965,E990-E999	2	2	-	-	-	1	1	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
12	6	6	-	-	1	1	-	-	-	6	3	3	-	-	44	14	29	-	1	1
4	3	1	-	-	-	-	-	-	-	1	1	-	-	-	10	3	6	-	1	2
8	3	5	-	-	1	1	-	-	-	5	2	3	-	-	34	11	23	-	-	3
30	14	15	-	1	3	1	1	-	1	15	7	8	-	-	77	25	46	1	5	4
17	6	11	-	-	1	1	-	-	-	5	2	3	-	-	35	8	26	-	1	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
1	-	1	-	-	2	-	1	-	1	2	2	-	-	-	6	3	2	-	1	7
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	8	5	2	1	-	8
12	8	3	-	1	-	-	-	-	-	6	2	4	-	-	28	9	16	-	3	9
163	86	68	4	5	28	11	11	4	2	58	28	30	-	-	545	258	241	26	20	10
10	4	5	1	-	-	-	-	-	-	10	4	6	-	-	51	16	33	1	1	11
22	8	12	-	2	3	2	-	1	-	9	5	4	-	-	72	35	31	4	2	12
83	46	34	2	1	16	5	7	3	1	22	13	9	-	-	212	112	87	7	6	13
48	28	17	1	2	9	4	4	-	1	17	6	11	-	-	210	95	90	14	11	14
507	290	192	17	8	96	44	37	9	6	167	97	69	-	1	1,649	801	563	159	126	15
95	56	33	4	2	19	11	7	1	-	40	24	16	-	-	318	179	102	26	11	16
114	65	42	5	2	28	14	9	1	4	43	26	16	-	1	489	250	155	46	38	17
26	16	8	2	-	7	2	-	4	1	12	6	6	-	-	99	52	28	15	4	18
20	8	12	-	-	2	1	1	-	-	5	1	4	-	-	75	31	39	3	2	19
12	6	5	-	1	1	1	-	-	-	2	1	1	-	-	50	28	16	2	4	20
240	139	92	6	3	39	15	20	3	1	65	39	26	-	-	618	261	223	67	67	21
94	50	41	3	-	46	32	10	-	4	41	29	12	-	-	127	50	62	8	7	22
40	16	22	2	-	19	11	6	-	2	7	1	6	-	-	57	17	34	2	4	23
54	34	19	1	-	27	21	4	-	2	34	28	6	-	-	70	33	28	6	3	24
1,006	694	278	26	8	259	183	46	19	11	361	240	121	-	-	3,071	1,850	846	277	98	25
833	560	252	15	6	189	137	30	14	8	276	173	103	-	-	2,473	1,476	711	209	77	26
13	11	1	1	-	5	3	-	2	-	3	3	-	-	-	36	29	3	3	1	27
313	225	76	9	3	84	61	16	6	1	84	56	28	-	-	855	587	173	71	24	28
302	214	76	9	3	84	61	16	6	1	78	54	24	-	-	837	575	169	69	24	29
24	17	6	1	-	1	1	-	-	-	3	3	-	-	-	23	18	3	2	-	30
41	29	8	3	1	10	5	3	2	-	17	12	5	-	-	288	202	60	20	6	31
127	84	40	3	-	26	22	3	-	1	17	13	4	-	-	303	205	68	21	9	32
95	73	20	1	1	23	18	4	1	-	33	22	11	-	-	177	124	25	22	6	33
15	11	2	1	1	24	15	6	3	-	8	4	4	-	-	46	26	13	4	3	34
11	11	-	-	-	-	-	-	-	-	6	2	4	-	-	18	12	4	2	-	35
6	6	-	-	-	1	1	-	-	-	-	-	-	-	-	5	4	1	-	-	36
4	4	-	-	-	1	1	-	-	-	8	8	-	-	-	22	16	2	4	-	37
13	13	-	-	-	11	11	-	-	-	3	3	-	-	-	42	34	7	1	-	38
9	5	4	-	-	3	2	1	-	-	5	3	2	-	-	33	17	10	3	3	39
19	14	5	-	-	6	4	2	-	-	4	2	2	-	-	63	39	17	5	2	40
211	99	111	-	1	20	16	4	-	-	91	40	51	-	-	680	312	331	23	14	41
77	47	29	-	1	6	6	-	-	-	27	16	11	-	-	282	167	95	12	8	42
61	22	39	-	-	5	4	1	-	-	30	8	22	-	-	147	62	79	6	-	43
73	30	43	-	-	9	6	3	-	-	34	16	18	-	-	251	83	157	5	6	44
12	9	2	1	-	3	3	-	-	-	1	1	-	-	-	24	21	-	3	-	45
44	42	2	-	-	2	1	-	1	-	6	5	1	-	-	22	19	-	3	-	46
13	12	1	-	-	2	2	-	-	-	4	4	-	-	-	18	16	-	2	-	47
36	24	10	2	-	10	7	2	-	1	11	5	6	-	-	193	79	62	35	17	48
4	2	2	-	-	5	4	1	-	-	2	-	2	-	-	15	6	6	1	2	49
14	11	3	-	-	4	3	-	1	-	8	8	-	-	-	23	23	-	-	-	50
14	8	5	1	-	5	1	2	-	2	4	2	2	-	-	24	12	7	2	3	51
43	32	10	1	-	10	8	-	2	-	23	18	5	-	-	153	111	16	24	2	52
9	8	1	-	-	-	-	-	-	-	2	1	1	-	-	119	73	31	13	2	53
4	1	3	-	-	-	-	-	-	-	2	2	-	-	-	30	11	16	1	2	54
52	34	16	-	2	17	9	2	2	4	15	12	3	-	-	116	67	29	15	5	55
150	120	24	6	-	57	40	13	4	-	77	62	15	-	-	466	333	114	15	4	56
24	16	8	-	-	22	16	5	1	-	18	10	8	-	-	124	74	45	3	2	57
39	29	10	-	-	6	2	2	2	-	18	17	1	-	-	155	121	31	2	1	58
75	66	4	5	-	25	18	6	1	-	35	30	5	-	-	120	103	9	8	-	59
12	9	2	1	-	4	4	-	-	-	6	5	1	-	-	67	35	29	2	1	60
22	13	2	5	2	13	6	3	1	3	8	5	3	-	-	131	40	21	53	17	61
13	7	2	2	2	7	2	3	1	1	5	3	2	-	-	36	11	7	10	8	62
3	-	-	3	-	1	-	-	-	1	1	1	-	-	-	35	4	3	25	3	63
5	5	-	-	-	4	3	-	-	1	2	1	1	-	-	49	20	11	12	6	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	2	-	6	-	65
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	3	3	-	-	-	66
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	67

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	5,429	2,917	1,919	342	251	160,749	83,136	67,352	5,679	4,582
2	I. Infective and parasitic diseases	308	119	100	39	50	3,766	2,125	772	570	299
3	Tuberculosis, all forms--001-019	170	64	48	25	33	2,639	1,542	445	433	219
4	Tuberculosis of respiratory system--001-008	149	61	44	18	26	2,431	1,470	387	388	186
5	Tuberculosis of meninges and central nervous system--010	13	-	4	5	4	68	21	14	24	9
6	Tuberculosis of intestines, peritoneum, and mesenteric glands--011	1	1	-	-	-	13	4	4	2	3
7	Tuberculosis of vertebral column--012.0,013.0	-	-	-	-	-	19	7	9	2	1
8	Tuberculosis of other bones and joints--012.1-012.3,013.1-013.3	1	1	-	-	-	8	3	2	3	-
9	Tuberculosis of genito-urinary system--016	1	-	-	1	-	25	12	12	1	-
10	Tuberculosis of lymphatic system and other organs--014,015,017,018	-	-	-	-	-	16	6	5	1	4
11	Disseminated tuberculosis--019	5	1	-	1	3	59	19	12	12	16
12	Syphilis and its sequelae--020-029	29	15	6	3	5	499	278	75	92	54
13	Congenital syphilis--020	4	-	2	-	2	3	1	1	-	1
14	Early syphilis--021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta--022	8	5	2	1	-	105	75	14	9	7
16	Other cardiovascular syphilis--023	12	7	1	2	2	219	109	31	55	24
17	Tabes dorsalis--024	-	-	-	-	-	16	11	2	1	2
18	General paralysis of insane--025	1	1	-	-	-	88	51	16	13	8
19	Other syphilis of central nervous system--026	3	1	1	-	1	56	27	9	12	8
20	Other syphilis--027-029	1	1	-	-	-	12	4	2	2	4
21	Gonococcal infection--030-035	-	-	-	-	-	10	3	-	6	1
22	Typhoid fever--040	4	2	2	-	-	5	1	3	1	-
23	Paratyphoid fever--041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections--042	-	-	-	-	-	2	2	-	-	-
25	Cholera--043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)--044	-	-	-	-	-	1	-	1	-	-
27	Dysentery, all forms--045-048	27	7	9	6	5	10	5	4	1	-
28	Food poisoning (infection and intoxication)--049	1	-	1	-	-	-	-	-	-	-
29	Scarlet fever--050	1	-	1	-	-	6	2	4	-	-
30	Streptococcal sore throat--051	3	1	2	-	-	16	7	7	2	-
31	Erysipelas--052	1	1	-	-	-	5	3	2	-	-
32	Septicemia and pyemia--053	2	2	-	-	-	53	23	24	2	4
33	Diphtheria--055	-	-	-	-	-	5	2	2	1	-
34	Whooping cough--056	2	-	1	1	-	4	4	-	-	-
35	Meningococcal infections--057	6	3	2	-	1	89	44	36	5	4
36	Plague--058	-	-	-	-	-	-	-	-	-	-
37	Tularemia--059	-	-	-	-	-	-	-	-	-	-
38	Leprosy--060	-	-	-	-	-	-	-	-	-	-
39	Tetanus--061	2	-	2	-	-	12	9	2	1	-
40	Anthrax--062	-	-	-	-	-	2	2	-	-	-
41	Acute poliomyelitis--080	38	18	20	-	-	111	57	48	5	1
42	Late effects of acute poliomyelitis--081	-	-	-	-	-	12	7	5	-	-
43	Acute infectious encephalitis--082	2	-	2	-	-	43	20	17	3	3
44	Late effects of acute infectious encephalitis--083	-	-	-	-	-	34	18	14	-	2
45	Smallpox--084	-	-	-	-	-	-	-	-	-	-
46	Measles--085	11	2	1	3	5	48	21	20	3	4
47	Yellow fever--091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis--092	6	2	2	1	1	82	36	36	9	1
49	Rabies--094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus--104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever--104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus--104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases--100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria--110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis--123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease--125	-	-	-	-	-	-	-	-	-	-
57	Filariasis--127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis--129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths--124,126,128,130	-	-	-	-	-	4	2	2	-	-
60	All other infective and parasitic diseases--Residual[1]	3	2	1	-	-	74	37	25	6	6
61	II. Neoplasms	555	252	283	10	10	28,747	14,260	12,987	746	754
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	532	243	271	9	9	28,224	14,031	12,754	730	709
63	Malignant neoplasm of buccal cavity and pharynx--140-148	13	6	7	-	-	636	457	131	36	12
64	Of lip--140	1	-	1	-	-	29	25	3	-	1
65	Of tongue--141	1	-	1	-	-	199	154	33	10	2
66	Of other and unspecified parts of buccal cavity--142-144	6	3	3	-	-	192	126	52	10	4
67	Of pharynx--145-148	5	3	2	-	-	216	152	43	16	5
68	Malignant neoplasm of digestive organs and peritoneum--150-156A,157-159	182	91	83	4	4	11,179	5,863	4,757	347	212
69	Of esophagus--150	12	4	7	-	1	609	429	122	52	6
70	Of stomach--151	75	43	28	2	2	3,039	1,762	1,075	138	64
71	Of intestine, except rectum--152,153	36	12	23	-	1	3,341	1,524	1,713	48	56
72	Of rectum--154	13	7	5	1	-	1,651	923	664	34	30
73	Of biliary passages and of liver (stated to be primary site)--155	7	2	5	-	-	680	253	408	8	11
74	Of liver not specified whether primary or secondary--156A	17	9	7	1	-	352	163	159	22	8
75	Of pancreas--157	22	14	8	-	-	1,267	699	506	33	29
76	Of peritoneum and of unspecified digestive organs--158,159	-	-	-	-	-	240	110	110	12	8
77	Malignant neoplasm of respiratory system--160-164	53	35	17	1	-	3,558	2,920	487	121	30
78	Of larynx--161	1	1	-	-	-	287	252	18	15	2
79	Of trachea, and of bronchus and lung specified as primary--162	19	13	6	-	-	1,791	1,524	206	51	10
80	Of lung and bronchus, unspecified as primary or secondary--163	32	21	10	1	-	1,390	1,089	236	50	15
81	Of other parts of respiratory system--160,164	1	-	1	-	-	90	55	27	5	3
82	Malignant neoplasm of breast--170	40	2	37	-	1	2,780	31	2,636	2	111

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
32,259	12,593	8,659	5,972	5,035	4,971	2,992	1,843	70	66	84,013	43,787	33,969	3,549	2,708	19,713	10,351	6,943	1,334	1,085	1
924	257	151	301	215	98	50	34	4	10	2,069	1,086	581	267	135	565	274	149	70	72	2
548	143	70	186	149	53	27	14	4	8	1,116	559	286	186	85	321	157	72	46	46	3
500	134	64	167	135	41	22	10	4	5	995	517	250	158	70	303	153	67	43	40	4
10	2	-	2	6	3	2	-	-	1	37	11	12	8	6	3	1	-	1	1	5
5	-	1	1	3	-	-	-	-	-	5	1	2	2	-	5	1	2	-	2	6
3	-	1	1	1	1	1	-	-	-	9	4	3	1	1	-	-	-	-	-	7
2	1	-	1	-	-	-	-	-	-	4	1	2	1	-	2	-	1	-	1	8
8	5	-	2	1	-	-	-	-	-	17	9	7	1	-	2	-	1	1	-	9
1	-	-	1	-	1	-	1	-	-	6	2	-	2	2	-	-	-	-	-	10
19	1	4	11	3	7	2	3	-	2	43	14	10	13	6	6	2	1	1	2	11
106	25	13	47	21	8	3	4	-	1	385	219	76	59	31	80	46	15	12	7	12
3	-	-	2	1	1	-	-	-	1	7	2	5	-	-	1	1	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
32	10	4	14	4	4	2	2	-	-	99	68	12	14	5	23	14	9	-	-	15
32	8	5	12	7	1	-	1	-	-	154	74	30	32	18	24	16	-	5	3	16
1	1	-	-	-	-	-	-	-	-	10	7	2	-	1	3	2	1	-	-	17
19	1	3	12	3	-	-	-	-	-	65	41	14	7	3	17	7	4	4	2	18
15	5	1	4	5	1	-	1	-	-	37	21	8	4	4	10	5	1	2	2	19
4	-	-	3	1	1	1	-	-	-	13	6	5	2	-	2	1	-	1	-	20
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	21
3	-	1	2	-	-	-	-	-	-	3	2	1	-	-	2	1	1	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	23
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	-	1	-	-	1	1	-	-	-	3	1	2	-	-	-	-	-	-	-	26
29	4	6	12	7	1	-	1	-	-	10	1	7	1	1	18	7	5	2	4	27
13	5	1	4	3	-	-	-	-	-	7	3	3	1	-	5	3	-	1	1	28
4	-	4	-	-	-	-	-	-	-	10	7	3	-	-	-	-	-	-	-	29
9	1	2	5	1	3	2	1	-	-	11	6	5	-	-	3	-	2	1	-	30
-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	-	-	-	-	-	31
21	7	7	7	-	2	-	2	-	-	40	22	15	2	1	10	4	4	-	2	32
9	2	2	5	-	1	1	-	-	-	7	2	4	1	-	1	1	-	-	-	33
5	-	1	2	2	-	-	-	-	-	12	8	3	1	-	6	2	1	-	3	34
42	19	12	7	4	3	1	1	-	1	93	51	34	5	3	17	9	7	1	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
20	4	-	11	5	3	1	2	-	-	16	9	5	-	2	7	1	2	1	3	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
21	12	6	2	1	15	9	6	-	-	172	106	60	4	2	46	26	19	-	1	41
3	-	1	-	2	-	-	-	-	-	4	2	1	-	1	3	-	3	-	-	42
8	2	1	3	2	2	2	-	-	-	35	18	16	-	1	4	3	1	-	-	43
3	2	1	-	-	-	-	-	-	-	10	5	5	-	-	5	1	4	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
22	6	10	4	2	2	1	1	-	-	22	13	9	-	-	3	1	-	2	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
10	6	1	-	3	3	2	1	-	-	49	18	27	3	1	8	4	3	-	1	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	49
4	3	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	50
4	3	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
3	-	1	1	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
6	-	1	-	5	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	59
30	14	8	2	6	1	-	1	-	-	56	29	17	4	6	22	7	9	3	3	60
3,484	1,254	1,378	359	493	748	406	334	3	5	13,308	6,320	6,180	402	406	3,122	1,437	1,424	121	140	61
3,370	1,224	1,336	348	462	736	400	329	3	4	13,071	6,239	6,055	393	384	3,057	1,413	1,390	118	136	62
69	38	22	8	1	16	10	6	-	-	284	224	47	9	4	60	35	17	5	3	63
5	3	1	1	-	4	4	-	-	-	36	31	3	1	1	6	6	-	-	-	64
12	8	2	2	-	3	3	-	-	-	62	54	5	3	-	10	7	2	1	-	65
25	10	14	1	-	6	2	4	-	-	80	60	18	1	1	22	12	6	3	1	66
27	17	5	4	1	3	1	2	-	-	106	79	21	4	2	22	10	9	1	2	67
1,069	420	378	153	118	293	176	114	3	-	4,935	2,488	2,162	169	116	1,051	490	466	52	43	68
71	31	17	17	6	9	7	2	-	-	222	166	39	16	1	39	18	18	2	1	69
335	139	89	68	39	120	82	36	2	-	1,313	780	431	64	38	323	176	112	24	11	70
270	97	123	24	26	58	27	31	-	-	1,509	670	774	40	25	263	103	143	9	8	71
91	36	35	9	11	22	16	6	-	-	596	313	260	12	11	95	40	40	9	6	72
98	33	41	12	12	24	8	16	-	-	308	92	199	4	13	46	16	27	1	2	73
19	7	5	4	3	10	4	6	-	-	344	151	177	8	8	125	54	61	3	7	74
162	73	56	15	18	44	27	17	-	-	557	276	239	25	17	140	72	57	3	8	75
23	4	12	4	3	6	5	-	1	-	86	40	43	-	3	20	11	8	1	-	76
292	194	44	37	17	57	48	9	-	-	1,335	1,037	214	68	16	320	216	84	14	6	77
24	20	2	2	-	1	1	-	-	-	102	92	3	6	1	19	19	-	-	-	78
210	143	27	30	10	14	11	3	-	-	497	407	59	27	4	95	64	23	7	1	79
36	22	7	4	3	38	33	5	-	-	687	510	137	32	8	196	127	57	7	5	80
22	9	8	1	4	4	3	1	-	-	49	28	15	3	3	10	6	4	-	-	81
284	4	214	1	65	63	1	60	-	2	1,155	8	1,096	2	49	207	5	188	-	14	82

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	85	31	51	1	2	3,738	1,231	2,233	73	201
2	Of cervix uteri----------171	24	...	23	...	1	811	...	696	...	115
3	Of other and unspecified parts of uterus----------172-174	23	...	23	...	-	649	...	606	...	43
4	Of ovary, fallopian tube, and broad ligament----------175	5	...	4	...	1	883	...	844	...	39
5	Of other and unspecified female genital organs----------176	1	...	1	...	-	91	...	87	...	4
6	Of prostate----------177	30	29	...	1	...	1,206	1,138	...	68	...
7	Of testis, and of other and unspecified male genital organs----178,179	2	2	...	-	...	98	93	...	5	...
8	Malignant neoplasm of urinary organs----------180,181	22	13	8	-	1	1,387	899	428	32	28
9	Of kidney----------180	10	8	1	-	1	524	319	182	12	11
10	Of bladder and other urinary organs----------181	12	5	7	-	-	863	580	246	20	17
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	77	28	46	2	1	2,682	1,389	1,172	51	70
12	Of skin----------190,191	8	3	5	-	-	328	195	126	2	5
13	Of eye----------192	2	2	-	-	-	32	12	19	1	-
14	Of brain and other parts of nervous system----------193	17	7	8	2	-	575	337	214	11	13
15	Of thyroid gland----------194	1	-	1	-	-	115	32	76	1	6
16	Of bone (including jaw bone)----------196	7	2	5	-	-	219	122	91	2	4
17	Of connective tissue----------197	-	-	-	-	-	70	37	32	1	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	13	5	8	-	-	261	102	147	5	7
19	Of unspecified sites----------156B,165,198B,199B-M	29	9	19	-	1	1,082	552	467	28	35
20	Leukemia and aleukemia----------204	29	22	7	-	-	1,123	619	455	30	19
21	Lymphosarcoma, etc.*----------200-203,205	31	15	15	1	-	1,141	622	455	38	26
22	Lymphosarcoma and reticulosarcoma----------200	13	6	7	-	-	530	286	227	11	6
23	Hodgkin's disease----------201	11	5	6	-	-	347	194	131	14	8
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	7	4	2	1	-	264	142	97	13	12
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	23	9	12	1	1	523	229	233	16	45
26	Benign neoplasms of female genital organs----------214-217	5	...	5	...	-	106	...	75	...	31
27	Benign neoplasm of brain and other parts of nervous system---------223	1	1	-	-	-	106	57	44	3	2
28	Other benign neoplasms----------210-213,218-222,224-229	3	1	2	-	-	87	45	32	7	3
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	3	...	3	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	7	2	3	1	1	126	66	48	5	7
31	Other neoplasms of unspecified nature----------230-232,236,238,239	7	5	2	-	-	95	61	31	1	2
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	108	48	53	2	5	4,019	1,565	2,239	79	136
33	Asthma----------241	26	17	9	-	-	593	371	187	18	17
34	Nontoxic goiter----------250,251	-	-	-	-	-	17	4	9	1	3
35	Thyrotoxicosis with or without goiter----------252	7	-	4	-	3	112	17	91	-	4
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	-	-	-	-	-	16	3	12	-	1
37	Diabetes mellitus----------260	54	22	29	1	2	3,108	1,085	1,866	52	105
38	Diseases of thymus gland----------273	2	1	1	-	-	51	28	17	4	2
39	Diseases of adrenal glands----------274	3	1	1	1	-	28	14	13	1	-
40	Pellagra----------281	2	-	2	-	-	2	-	2	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	7	5	2	-	-	19	8	8	1	2
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	7	2	5	-	-	73	35	34	2	2
43	IV. Diseases of the blood and blood-forming organs----------	37	16	17	1	3	436	190	208	19	19
44	Anemias----------290-293	20	6	11	1	2	287	119	144	14	10
45	Pernicious and other hyperchromic anemias----------290	3	2	1	-	-	143	54	84	2	3
46	Anemias of other and unspecified type----------291-293	17	4	10	1	2	144	65	60	12	7
47	Purpura and other hemorrhagic conditions----------296	5	2	2	-	1	60	22	29	3	6
48	All other diseases of blood and blood-forming organs-----294,295,297-299	12	8	4	-	-	89	49	35	2	3
49	V. Mental, psychoneurotic, and personality disorders----------	19	7	5	7	-	472	249	113	80	30
50	Senile psychosis----------304	3	2	1	-	-	9	1	8	-	-
51	Alcoholic psychosis----------307	1	1	-	-	-	58	38	5	13	2
52	Other psychoses----------300-303,305,306,308,309	2	2	-	-	-	102	25	57	7	13
53	Alcoholism----------322	13	2	4	7	-	264	164	35	50	15
54	Mental deficiency----------325	-	-	-	-	-	12	8	4	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	27	13	4	10	-
56	VI. Diseases of the nervous system and sense organs----------	398	201	178	11	8	15,484	6,644	8,119	348	373
57	Vascular lesions affecting central nervous system----------330-334	348	178	161	6	3	14,282	6,057	7,615	288	322
58	Subarachnoid hemorrhage----------330	3	2	1	-	-	512	211	254	22	25
59	Cerebral hemorrhage----------331	235	123	105	4	3	8,867	3,705	4,821	150	191
60	Cerebral embolism and thrombosis----------332	50	23	26	1	-	3,432	1,496	1,787	76	73
61	Other vascular lesions affecting central nervous system--------333,334	60	30	29	1	-	1,471	645	753	40	33
62	Meningitis, except meningococcal and tuberculous----------340	15	4	7	3	1	156	73	52	15	16
63	Multiple sclerosis----------345	4	2	2	-	-	159	57	99	1	2
64	Paralysis agitans----------350	5	4	1	-	-	254	121	128	2	3
65	Cerebral spastic infantile paralysis----------351	1	-	1	-	-	40	16	21	1	2
66	Epilepsy----------353	4	2	1	1	-	209	108	60	27	14
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	1	-	1	-	-
68	Cataract----------385	-	-	-	-	-	2	2	-	-	-
69	Glaucoma----------387	-	-	-	-	-	2	-	2	-	-
70	Otitis media and mastoiditis----------391-393	6	2	-	1	3	54	29	21	2	2
71	Other diseases of nervous system and sense organs----------Residual[1]	15	9	5	-	1	325	181	120	12	12
72	VII. Diseases of the circulatory system----------	1,226	774	413	28	11	75,518	40,296	31,662	1,795	1,765
73	Rheumatic fever----------400-402	16	9	5	2	-	144	66	64	3	11
74	Diseases of heart----------410-443	1,085	701	351	22	11	70,478	37,942	29,239	1,679	1,618
75	Chronic rheumatic heart disease----------410-416	80	43	36	1	-	2,588	1,128	1,298	80	82
76	Diseases of mitral valve----------410	35	23	12	-	-	727	319	384	13	11
77	Diseases of aortic valve specified as rheumatic----------411	3	2	1	-	-	92	60	27	3	2
78	Diseases of tricuspid valve----------412	-	-	-	-	-	1	-	-	-	1
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	5	1	3	1	-	166	74	82	5	5
80	Other diseases of heart specified as rheumatic----------415,416	37	17	20	-	-	1,602	675	805	59	63

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
732	178	328	60	166	114	63	50	-	1	2,123	735	1,211	55	122	563	196	299	23	45	1
261	...	161	...	100	14	...	13	...	1	484	...	435	...	49	119	...	98	...	21	2
128	...	85	...	43	8	...	8	...	-	436	...	394	...	42	148	...	125	...	23	3
97	...	78	...	19	28	...	28	...	-	365	...	338	...	27	70	...	69	...	1	4
8	...	4	...	4	1	...	1	...	-	48	...	44	...	4	7	...	7	...	-	5
223	165	...	58	...	59	59	...	-	...	740	689	...	51	...	208	186	...	22	...	6
15	13	...	2	...	4	4	...	-	...	50	46	...	4	...	11	10	...	1	...	7
140	52	60	16	12	47	33	14	-	-	583	376	181	16	10	132	80	43	3	6	8
65	21	34	5	5	19	12	7	-	-	203	120	72	7	4	46	23	18	2	3	9
75	31	26	11	7	28	21	7	-	-	380	256	109	9	6	86	57	25	1	3	10
468	198	186	36	48	71	35	36	-	-	1,529	732	705	43	49	449	251	176	9	13	11
81	43	34	1	3	11	5	6	-	-	158	85	67	3	3	71	43	24	3	1	12
10	4	6	-	-	-	-	-	-	-	19	9	10	-	-	7	3	4	-	-	13
107	53	43	7	4	15	8	7	-	-	300	169	113	9	9	59	39	20	-	-	14
14	4	5	1	4	3	1	2	-	-	68	23	41	1	3	18	7	9	-	2	15
43	15	15	7	6	8	4	4	-	-	126	68	53	3	2	45	31	13	-	1	16
16	5	8	1	2	3	-	3	-	-	35	17	15	1	2	9	3	6	-	-	17
53	24	17	6	6	10	6	4	-	-	234	94	127	4	9	68	37	25	3	3	18
144	50	58	13	23	21	11	10	-	-	589	267	279	22	21	172	88	75	3	6	19
185	73	68	22	22	39	19	20	-	-	609	362	225	14	8	156	80	69	5	2	20
131	67	36	15	13	36	15	20	-	1	518	277	214	17	10	119	60	48	7	4	21
45	21	15	4	5	12	6	6	-	-	199	101	93	3	2	44	19	20	2	3	22
45	26	9	6	4	7	2	5	-	-	175	101	66	5	3	42	25	13	3	1	23
41	20	12	5	4	17	7	9	-	1	144	75	55	9	5	33	16	15	2	-	24
114	30	42	11	31	12	6	5	-	1	237	81	125	9	22	65	24	34	3	4	25
30	...	10	...	20	2	...	2	...	-	61	...	48	...	13	17	...	14	...	3	26
16	4	9	3	-	3	2	1	-	-	44	19	20	3	2	10	3	6	1	-	27
21	9	6	3	3	-	-	-	-	-	53	32	16	2	3	6	3	3	-	-	28
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	29
32	15	12	2	3	2	2	-	-	-	50	21	25	2	2	22	12	8	2	-	30
15	2	5	3	5	5	2	2	-	1	28	9	15	2	2	9	6	2	-	1	31
611	212	220	72	107	143	73	66	1	3	2,615	1,000	1,454	60	101	456	212	179	29	36	32
139	67	38	19	15	23	17	5	1	-	429	265	126	17	21	100	58	36	4	2	33
6	1	4	1	-	-	-	-	-	-	9	1	8	-	-	3	-	2	-	1	34
14	2	7	-	5	6	1	5	-	-	87	15	65	1	6	14	3	7	1	3	35
5	1	3	-	1	3	2	1	-	-	11	1	8	1	1	3	1	1	-	1	36
388	124	150	40	74	102	47	53	-	2	1,977	663	1,209	36	69	292	130	117	18	27	37
13	5	3	2	3	6	4	1	-	1	19	11	8	-	-	5	5	-	-	-	38
3	2	1	-	-	-	-	-	-	-	22	13	7	1	1	2	1	-	1	-	39
12	1	6	-	5	-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	40
23	5	7	8	3	-	-	-	-	-	22	13	8	1	-	23	7	11	5	-	41
8	4	1	2	1	3	2	1	-	-	39	18	15	3	3	11	7	3	-	1	42
112	38	37	16	21	24	11	13	-	-	313	155	149	4	5	69	31	25	6	7	43
73	25	22	12	14	17	8	9	-	-	226	108	111	3	4	60	30	19	6	5	44
21	7	9	3	2	10	5	5	-	-	106	49	56	-	1	24	11	10	2	1	45
52	18	13	9	12	7	3	4	-	-	120	59	55	3	3	36	19	9	4	4	46
16	6	6	-	4	5	2	3	-	-	30	16	14	-	-	5	-	3	-	2	47
23	7	9	4	3	2	1	1	-	-	57	31	24	1	1	4	1	3	-	-	48
153	74	23	32	24	31	23	8	-	-	216	124	60	23	9	124	66	34	11	13	49
16	4	6	2	4	19	13	6	-	-	32	11	20	-	1	62	30	23	1	8	50
7	3	-	4	-	3	3	-	-	-	25	18	2	5	-	2	2	-	-	-	51
21	4	5	4	8	4	2	2	-	-	26	10	13	3	-	21	11	6	2	2	52
95	58	6	21	10	5	5	-	-	-	118	77	18	15	8	31	19	3	6	3	53
14	5	6	1	2	-	-	-	-	-	12	7	5	-	-	1	1	-	-	-	54
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	7	3	2	2	-	55
4,510	1,571	1,431	714	794	670	384	274	4	8	10,941	5,057	5,140	351	393	2,662	1,292	1,070	156	144	56
4,186	1,451	1,350	648	737	605	341	256	2	6	10,110	4,615	4,818	313	364	2,442	1,197	981	137	127	57
101	44	31	12	14	6	3	3	-	-	270	117	117	19	17	37	18	17	2	-	58
2,842	945	900	477	520	404	226	173	1	4	6,923	3,153	3,309	204	257	1,664	794	700	88	82	59
609	254	233	58	64	98	53	43	1	1	1,858	869	873	59	57	332	176	120	21	15	60
634	208	186	101	139	97	59	37	-	1	1,059	476	519	31	33	409	209	144	26	30	61
45	10	5	17	13	7	6	1	-	-	110	57	34	12	7	41	17	14	7	3	62
15	10	4	-	1	10	8	1	1	-	112	54	55	1	2	18	9	8	-	1	63
24	9	12	1	2	7	3	4	-	-	143	70	71	1	1	29	14	15	-	-	64
17	11	3	3	-	4	3	1	-	-	43	30	9	2	2	7	4	2	1	-	65
89	27	15	25	22	13	9	4	-	-	129	74	41	9	5	28	13	11	1	3	66
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	1	-	-	-	1	68
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
18	6	7	1	4	3	1	-	1	1	24	16	6	1	1	5	1	3	-	1	70
115	46	35	19	15	21	13	7	-	1	266	139	104	12	11	91	37	36	10	8	71
11,814	5,239	3,143	1,839	1,593	1,920	1,194	695	24	7	34,122	18,679	13,446	1,107	890	6,900	4,047	2,226	352	275	72
55	12	14	13	16	5	3	1	1	-	64	24	34	3	3	27	13	8	3	3	73
10 813	4,864	2,834	1,690	1,425	1,708	1,071	609	21	7	30,403	16,915	11,745	982	761	6,219	3,709	1,959	314	237	74
314	154	89	40	31	61	31	28	2	-	1,136	525	526	39	46	187	99	64	15	9	75
139	70	35	22	12	27	13	14	-	-	517	245	231	18	23	77	35	24	9	9	76
9	6	3	-	-	4	4	-	-	-	52	36	14	2	-	10	9	1	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	78
19	8	7	3	1	3	1	1	1	-	53	19	29	4	1	10	6	4	-	-	79
147	70	44	15	18	27	13	13	1	-	514	225	252	15	22	89	48	35	6	-	80

325797 O - 55 - 10

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	629	447	167	10	5	51,228	29,815	19,662	969	782
2	Arteriosclerotic heart disease so described----------420.0	181	114	58	5	4	25,172	12,568	11,605	498	501
3	Heart disease specified as involving coronary arteries----------420.1	442	327	109	5	1	25,984	17,200	8,032	471	281
4	Angina pectoris without mention of coronary disease----------420.2	6	6	-	-	-	72	47	25	-	-
5	Chronic endocarditis not specified as rheumatic----------421	31	20	11	-	-	689	364	295	18	12
6	Of mitral valve, specified as nonrheumatic----------421.0	1	1	-	-	-	59	31	26	1	1
7	Of aortic valve, not specified as rheumatic----------421.1	6	6	-	-	-	91	54	30	6	1
8	Of other valves, not specified as rheumatic----------421.2-421.4	24	13	11	-	-	539	279	239	11	10
9	Other myocardial degeneration----------422	124	69	53	2	-	6,441	2,915	3,201	177	148
10	With arteriosclerosis----------422.1	33	19	14	-	-	4,554	1,993	2,301	142	118
11	Without mention of arteriosclerosis----------422.0,422.2	91	50	39	2	-	1,887	922	900	35	30
12	Other diseases of heart----------430-434	85	59	23	1	2	792	434	309	26	23
13	Acute and subacute endocarditis----------430	5	4	1	-	-	67	35	23	5	4
14	Acute myocarditis not specified as rheumatic----------431	1	1	-	-	-	125	50	72	-	3
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	2	2	-	-	-
16	Functional disease of heart----------433	7	4	3	-	-	96	42	53	-	1
17	Other and unspecified diseases of heart----------434	72	50	19	1	2	502	305	161	21	15
18	Hypertension with heart disease----------440-443	136	63	61	8	4	8,740	3,286	4,474	409	571
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	48	18	20	6	4	1,210	522	593	42	53
20	Essential hypertension with heart disease, etc.*----------440,441,443	88	45	41	2	-	7,530	2,764	3,861	367	518
21	Hypertension without mention of heart----------444-447	32	13	18	1	-	1,089	500	479	48	62
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	11	5	6	-	-	750	354	332	30	34
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	21	8	12	1	-	339	146	147	18	28
24	Diseases of arteries----------450-456	82	50	30	2	-	3,521	1,640	1,756	59	66
25	General arteriosclerosis----------450	61	35	25	1	-	3,067	1,347	1,621	43	56
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	12	9	2	1	-	303	216	72	13	2
27	Gangrene of unspecified cause----------455	-	-	-	-	-	8	5	3	-	-
28	Other arterial diseases----------452-454,456	9	6	3	-	-	143	72	60	3	8
29	Diseases of veins and other diseases of circulatory system-------460-468	11	1	9	1	-	286	148	124	6	8
30	VIII. Diseases of the respiratory system----------	380	175	137	35	33	5,675	3,002	2,060	403	210
31	Acute upper respiratory infections----------470-475	7	2	3	1	1	87	41	37	6	3
32	Influenza----------480-483	34	17	15	1	1	162	69	79	10	4
33	Pneumonia, except pneumonia of newborn----------490-493	271	114	96	32	29	4,243	2,107	1,627	333	176
34	Lobar pneumonia----------490	80	38	29	6	7	1,431	776	476	125	54
35	Bronchopneumonia----------491	112	42	35	18	17	2,544	1,189	1,038	199	118
36	Primary atypical pneumonia----------492	26	15	9	2	-	192	98	84	7	3
37	Pneumonia, other and unspecified----------493	53	19	23	6	5	76	44	29	2	1
38	Acute bronchitis----------500	4	4	-	-	-	138	73	46	11	8
39	Bronchitis, chronic and unqualified----------501,502	12	4	8	-	-	143	94	47	2	-
40	Hypertrophy of tonsils and adenoids----------510	2	-	1	-	1	28	11	15	-	2
41	Empyema and abscess of lung----------518,521	1	-	1	-	-	56	34	14	7	1
42	Pleurisy----------519	-	-	-	-	-	21	11	9	1	-
43	All other respiratory diseases----------Residual[1]	49	34	13	1	1	797	562	186	33	16
44	IX. Diseases of the digestive system----------	362	177	111	46	28	6,360	3,669	2,286	251	154
45	Diseases of teeth and supporting structures----------530-535	-	-	-	-	-	8	3	4	1	-
46	Ulcer of stomach----------540	15	11	4	-	-	623	460	128	28	7
47	Ulcer of duodenum----------541	16	11	4	1	-	573	463	85	20	5
48	Gastritis and duodenitis----------543	3	2	1	-	-	23	14	8	-	1
49	Appendicitis----------550-553	21	14	6	1	-	271	155	91	11	14
50	Hernia and intestinal obstruction----------560,561,570	42	23	18	1	-	812	416	348	28	20
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	152	57	33	40	22	529	243	258	10	18
52	Cirrhosis of liver----------581	37	25	10	1	1	2,229	1,338	717	122	52
53	Without mention of alcoholism----------581.0	29	18	10	-	1	1,590	937	550	69	34
54	With alcoholism----------581.1	8	7	-	1	-	639	401	167	53	18
55	Cholelithiasis and cholecystitis----------584,585	34	12	19	1	2	685	241	424	6	14
56	Other diseases of digestive system----------Residual[1]	42	22	16	1	3	607	336	223	25	23
57	X. Diseases of the genito-urinary system----------	132	81	45	4	2	3,012	1,729	1,060	127	96
58	Nephritis and nephrosis----------590-594	79	37	38	3	1	1,756	846	776	69	65
59	Acute nephritis----------590	5	2	2	1	-	89	45	36	4	4
60	Nephritis with edema, including nephrosis----------591	6	3	2	1	-	109	56	46	5	2
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	68	32	34	1	1	1,558	745	694	60	59
62	Infections of kidney----------600	7	2	3	1	1	314	141	143	16	14
63	Calculi of urinary system----------602,604	2	1	1	-	-	111	67	39	4	1
64	Other diseases of urinary system----------601,603,605-609	8	7	1	-	-	131	72	46	10	3
65	Hyperplasia of prostate----------610	32	32	...	-	...	600	575	...	25	...
66	Other diseases of male genital organs----------611-617	2	2	...	-	...	29	27	...	2	...
67	Diseases of breast----------620,621	-	-	-	-	-	2	1	-	1	-
68	Diseases of female genital organs----------622-637	2	...	2	...	-	69	...	56	...	13
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	28	...	21	...	7	164	...	122	...	42
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	4	...	3	...	1	22	...	21	...	1
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	11	...	7	...	4	38	...	30	...	8
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	6	...	5	...	1	28	...	26	...	2
73	Ectopic pregnancy----------645	-	...	-	...	-	13	...	4	...	9
74	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	8	...	4	...	4
75	Abortion with sepsis----------651	1	...	1	...	-	19	...	11	...	8
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	4	...	3	...	1
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	6	...	5	...	1	32	...	23	...	9

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
5,551	3,044	1,446	651	410	1,090	732	341	13	4	19,589	12,080	6,636	564	309	4,036	2,635	1,146	147	108	1
1,195	540	402	146	107	288	173	110	2	3	6,054	3,078	2,689	177	110	920	526	330	38	26	2
4,282	2,458	1,025	499	300	791	551	229	10	1	13,466	8,956	3,928	386	196	3,073	2,080	803	108	82	3
74	46	19	6	3	11	8	2	1	-	69	46	19	1	3	43	29	13	1	-	4
194	67	46	41	40	37	20	16	1	-	465	228	211	14	12	81	37	28	10	6	5
20	5	7	4	4	4	2	2	-	-	51	22	25	2	2	8	3	2	1	2	6
34	13	5	7	9	3	2	1	-	-	106	53	48	4	1	14	7	1	4	2	7
140	49	34	30	27	30	16	13	1	-	308	153	138	8	9	59	27	25	5	2	8
1,127	442	358	171	156	184	93	88	3	-	3,768	1,812	1,782	82	92	570	298	213	32	27	9
558	230	172	79	77	65	29	35	1	-	1,985	985	923	37	40	184	98	69	6	11	10
569	212	186	92	79	119	64	53	2	-	1,783	827	859	45	52	386	200	144	26	16	11
897	375	170	199	153	98	66	31	1	-	1,116	580	428	64	44	502	291	148	38	25	12
8	4	-	4	-	6	5	1	-	-	39	21	7	10	1	7	2	5	-	-	13
16	5	3	5	3	6	5	1	-	-	94	37	39	10	8	25	12	11	1	1	14
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	15
55	21	17	10	7	9	4	4	1	-	250	138	90	16	6	45	18	21	3	3	16
818	345	150	180	143	77	52	25	-	-	732	384	292	27	29	424	259	110	34	21	17
2,730	782	725	588	635	238	129	105	1	3	4,329	1,690	2,162	219	258	843	349	360	72	62	18
1,024	337	262	218	207	62	35	27	-	-	1,516	649	733	62	72	274	127	105	27	15	19
1,706	445	463	370	428	176	94	78	1	3	2,813	1,041	1,429	157	186	569	222	255	45	47	20
326	111	80	65	70	60	34	25	1	-	811	340	371	46	54	174	67	72	17	18	21
145	48	41	29	27	24	13	10	1	-	501	227	213	29	32	47	22	14	7	4	22
181	63	39	36	43	36	21	15	-	-	310	113	158	17	22	127	45	58	10	14	23
551	217	202	64	68	137	82	54	1	-	2,606	1,278	1,200	63	65	414	225	162	13	14	24
455	175	173	52	55	118	71	46	1	-	2,319	1,110	1,104	52	53	356	184	149	11	12	25
50	27	11	6	6	8	7	1	-	-	165	107	43	7	8	26	17	8	1	-	26
3	1	1	1	-	3	1	2	-	-	16	10	6	-	-	4	3	-	1	-	27
43	14	17	5	7	8	3	5	-	-	106	51	47	4	4	28	21	5	-	2	28
69	35	13	7	14	10	4	6	-	-	238	122	96	13	7	66	33	25	5	3	29
1,656	452	411	404	389	163	95	56	3	9	3,000	1,593	1,049	240	118	923	411	326	99	87	30
61	17	8	19	17	11	5	6	-	-	60	33	21	3	3	15	6	7	-	2	31
247	49	75	61	62	6	4	2	-	-	337	162	158	11	6	146	52	49	23	22	32
1,085	272	252	275	286	99	61	29	1	8	1,773	870	661	160	82	572	250	206	61	55	33
286	82	59	80	65	41	26	14	-	1	563	296	178	68	21	162	75	56	18	13	34
473	110	114	121	128	38	23	10	-	5	885	419	343	75	48	194	85	66	25	18	35
112	34	34	14	30	3	2	1	-	-	166	77	70	12	7	65	32	22	4	7	36
214	46	45	60	63	17	10	4	1	2	159	78	70	5	6	151	58	62	14	17	37
25	8	7	5	5	4	-	1	2	1	54	29	19	6	-	11	5	3	-	3	38
35	11	12	5	7	7	4	3	-	-	102	67	29	6	-	27	14	7	3	3	39
6	2	2	2	-	2	-	2	-	-	19	12	6	-	1	11	3	5	1	2	40
26	9	3	12	2	1	1	-	-	-	37	27	7	2	1	7	5	2	-	-	41
5	1	1	3	-	3	1	2	-	-	11	5	2	2	2	2	1	1	-	-	42
166	83	51	22	10	30	19	11	-	-	607	388	146	50	23	132	75	46	11	-	43
1,114	416	243	265	190	182	103	69	5	5	3,258	1,809	1,250	117	82	733	354	254	66	59	44
5	2	-	2	1	-	-	-	-	-	10	6	4	-	-	5	1	2	2	-	45
71	41	11	13	6	15	12	2	-	1	222	169	43	7	3	62	45	10	5	2	46
42	29	5	8	-	11	9	2	-	-	209	162	38	6	3	40	38	1	1	-	47
9	-	2	4	3	4	4	-	-	-	21	12	6	2	1	8	3	-	3	2	48
53	25	9	11	8	9	4	3	1	1	179	100	56	15	8	63	36	16	7	4	49
153	53	38	38	24	33	15	16	-	2	470	222	224	15	9	123	46	57	10	10	50
374	75	53	140	106	21	11	7	2	1	370	166	166	26	12	98	35	32	15	16	51
183	106	43	21	13	35	26	8	1	-	986	638	299	27	22	123	71	36	11	5	52
144	80	36	17	11	30	21	8	1	-	772	487	249	21	15	111	60	35	11	5	53
39	26	7	4	2	5	5	-	-	-	214	151	50	6	7	12	11	1	-	-	54
81	28	46	2	5	32	10	22	-	-	352	122	224	1	5	95	25	60	3	7	55
143	57	36	26	24	22	12	9	1	-	439	212	190	18	19	116	54	40	9	13	56
1,004	316	210	266	212	96	60	35	-	1	2,010	1,098	697	114	101	629	327	179	74	49	57
712	197	151	184	180	60	31	28	-	1	1,135	504	508	55	68	391	167	137	46	41	58
36	7	5	11	13	2	1	1	-	-	94	43	41	3	7	42	17	15	6	4	59
49	18	8	10	13	2	-	2	-	-	75	27	37	4	7	11	3	5	-	3	60
627	172	138	163	154	56	30	25	-	1	966	434	430	48	54	338	147	117	40	34	61
80	20	32	14	14	6	3	3	-	-	264	122	97	24	21	52	19	22	6	5	62
30	13	13	2	2	3	2	1	-	-	59	34	20	4	1	14	7	6	1	-	63
41	9	9	17	6	5	4	1	-	-	101	59	32	7	3	22	12	8	2	-	64
112	69	...	43	...	20	20	...	-	...	370	350	...	20	...	122	105	...	17	...	65
14	8	...	6	...	-	-	...	-	...	33	29	...	4	...	19	17	...	2	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
15	...	5	...	10	2	...	2	...	-	48	...	40	...	8	9	...	6	...	3	68
113	...	39	...	74	6	...	5	...	1	86	...	75	...	11	38	...	25	...	13	69
13	...	2	...	11	2	...	2	...	-	8	...	7	...	1	4	...	2	...	2	70
48	...	19	...	29	1	...	1	...	-	27	...	24	...	3	10	...	4	...	6	71
19	...	7	...	12	-	...	-	...	-	14	...	14	...	-	11	...	7	...	4	72
3	...	-	...	3	-	...	-	...	-	8	...	6	...	2	2	...	2	...	-	73
-	...	-	...	-	-	...	-	...	-	3	...	3	...	-	-	...	-	...	-	74
10	...	2	...	8	1	...	1	...	-	2	...	2	...	-	4	...	4	...	-	75
2	...	-	...	2	-	...	-	...	-	3	...	2	...	1	-	...	-	...	-	76
18	...	9	...	9	2	...	1	...	1	21	...	17	...	4	7	...	6	...	1	77

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	8	4	3	1	-	132	54	62	5	11
2	Infections of skin and subcutaneous tissue 690-698	1	-	1	-	-	29	12	12	3	2
3	Other diseases of skin and subcutaneous tissue 700-716	7	4	2	1	-	103	42	50	2	9
4	XIII. Diseases of the bones and organs of movement	9	4	4	-	1	247	90	140	12	5
5	Arthritis and spondylitis 720-725	7	2	4	-	1	94	24	66	4	-
6	Muscular rheumatism and rheumatism, unspecified 726,727	-	-	-	-	-	4	1	3	-	-
7	Osteomyelitis and periostitis 730	-	-	-	-	-	16	11	4	-	1
8	Ankylosis and acquired musculoskeletal deformities 737,745-749	-	-	-	-	-	15	9	5	1	-
9	All other diseases of musculoskeletal system 731-736,738-744	2	2	-	-	-	118	45	62	7	4
10	XIV. Congenital malformations	114	48	59	3	4	1,801	904	776	67	54
11	Spina bifida and meningocele 751	11	2	8	1	-	171	75	91	3	2
12	Congenital hydrocephalus, etc.* 752,753	6	1	4	-	1	231	106	107	9	9
13	Congenital malformations of circulatory system 754	57	27	27	1	2	762	389	316	32	25
14	Other congenital malformations 750,755-759	40	18	20	1	1	637	334	262	23	18
15	XV. Certain diseases of early infancy	544	295	199	26	24	4,991	2,420	1,742	458	371
16	Birth injuries 760,761	72	38	32	1	1	903	520	286	46	51
17	Postnatal asphyxia and atelectasis 762	100	51	44	2	3	1,390	705	438	132	115
18	Infections of newborn 763-768	55	27	14	6	8	322	140	110	49	23
19	Hemolytic disease of newborn (erythroblastosis) 770	22	13	8	1	-	217	114	95	3	5
20	All other defined diseases of early infancy 769,771,772	30	15	6	2	7	108	45	47	7	7
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified 773-776	265	151	95	14	5	2,053	896	766	221	170
22	XVI. Symptoms, senility, and ill-defined conditions	500	236	148	69	47	742	372	242	81	47
23	Senility without mention of psychosis 794	29	11	14	2	2	76	29	46	-	1
24	Symptoms, ill-defined and unknown causes 780-793,795	471	225	134	67	45	666	343	196	81	46
25	XVII. Accidents, poisonings, and violence	701	480	143	60	18	9,183	5,567	2,762	638	216
26	Accidents E800-E962	586	404	121	45	16	7,355	4,380	2,368	440	167
27	Railway accidents E800-E802	9	8	-	1	-	155	122	14	16	3
28	Motor-vehicle accidents E810-E835	296	215	47	22	12	2,239	1,572	505	124	38
29	Motor-vehicle traffic accidents E810-E825	281	204	46	21	10	2,203	1,543	499	123	38
30	Motor-vehicle traffic accident with railway train* E810	4	4	-	-	-	56	37	18	-	1
31	Motor-vehicle traffic accident to pedestrian E812	50	30	10	7	3	810	560	172	57	21
32	Other motor-vehicle traffic accidents, etc.* E811,E813-E819	78	57	15	4	2	659	457	173	24	5
33	Motor-vehicle noncollision traffic accidents E820-E824	116	86	19	7	4	556	406	110	31	9
34	Motor-vehicle traffic accident of unspecified nature E825	33	27	2	3	1	122	83	26	11	2
35	Motor-vehicle nontraffic accidents E830-E835	15	11	1	1	2	36	29	6	1	-
36	Other road-vehicle accidents E840-E845	8	4	-	3	1	22	16	5	1	-
37	Water-transport accidents E850-E858	-	-	-	-	-	114	100	7	7	-
38	Aircraft accidents E860-E866	15	13	2	-	-	87	75	10	2	-
39	Accidental poisoning by solid and liquid substances E870-E888	3	2	1	-	-	84	37	36	7	4
40	Accidental poisoning by gases and vapors E890-E895	17	10	7	-	-	168	100	57	7	4
41	Accidental falls E900-E904	53	23	26	3	1	2,653	1,229	1,270	108	46
42	Fall from one level to another E900-E902	16	10	4	2	-	1,082	602	391	65	24
43	Fall on same level E903	11	2	9	-	-	885	305	554	13	13
44	Unspecified falls E904	26	11	13	1	1	686	322	325	30	9
45	Blow from falling object E910	5	4	-	1	-	57	54	-	2	1
46	Accident caused by machinery E912	18	18	-	-	-	93	88	1	4	-
47	Accident caused by electric current E914	2	1	-	1	-	50	41	5	4	-
48	Accident caused by fire and explosion, etc.* E916	19	8	9	2	-	483	214	189	51	29
49	Accident caused by hot substance, etc.* E917,E918	3	2	1	-	-	55	26	18	6	5
50	Accident caused by firearm E919	31	25	5	1	-	56	51	2	2	1
51	Inhalation and ingestion of food or other object, etc.* E921,E922	17	8	9	-	-	71	40	24	4	3
52	Accidental drowning E929	36	30	3	3	-	469	340	63	60	6
53	Excessive heat and insolation E931	-	-	-	-	-	94	51	38	3	2
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.* E940-E959	2	2	-	-	-	64	28	29	1	6
55	All other accidents Residual[1]	52	31	11	8	2	341	196	95	31	19
56	Suicide E963,E970-E979	72	51	18	2	1	1,387	1,019	329	33	6
57	Suicide by poisoning E970-E973	8	4	4	-	-	364	219	138	5	2
58	Suicide by hanging and strangulation E974	7	2	3	1	1	481	374	95	11	1
59	Suicide by firearms and explosives E976	52	40	11	1	-	293	266	21	6	-
60	Suicide by all other means E963,E975,E977-E979	5	5	-	-	-	249	160	75	11	3
61	Homicide E964,E980-E985	43	25	4	13	1	438	165	65	165	43
62	Assault by firearms and explosives E981	26	15	3	8	-	119	60	20	29	10
63	Assault by cutting and piercing instruments E982	4	2	-	2	-	179	32	16	108	23
64	Assault by other means E964,E980,E983	10	5	1	3	1	113	54	29	20	10
65	Injury by intervention of police E984	3	3	-	-	-	25	18	-	7	-
66	Execution E985	-	-	-	-	-	2	1	-	1	-
67	Injury resulting from operations of war E965,E990-E999	-	-	-	-	-	3	3	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
25	4	9	4	8	6	2	3	1	-	68	29	33	2	4	13	3	7	2	1	1
8	3	4	-	1	4	1	2	1	-	20	12	4	2	2	2	2	-	-	-	2
17	1	5	4	7	2	1	1	-	-	48	17	29	-	2	11	1	7	2	1	3
91	32	36	12	11	19	11	8	-	-	169	78	82	4	5	63	24	32	3	4	4
54	16	29	4	5	9	4	5	-	-	88	29	55	1	3	37	12	24	-	1	5
2	1	1	-	-	-	-	-	-	-	1	-	1	-	-	4	2	1	1	-	6
6	1	1	3	1	2	1	1	-	-	11	6	4	1	-	2	1	1	-	-	7
3	2	-	1	-	1	1	-	-	-	4	3	1	-	-	-	-	-	-	-	8
26	12	5	4	5	7	5	2	-	-	65	40	21	2	2	20	9	6	2	3	9
519	221	181	73	44	89	42	44	2	1	1,206	630	504	38	34	256	132	99	14	11	10
56	22	27	3	4	9	3	6	-	-	100	36	63	1	-	15	5	8	1	1	11
65	24	21	12	8	8	4	3	-	1	154	75	72	1	6	31	12	14	2	3	12
227	111	72	30	14	35	15	18	2	-	548	300	206	23	19	114	60	43	7	4	13
171	64	61	28	18	37	20	17	-	-	404	219	163	13	9	96	55	34	4	3	14
2,093	677	477	508	431	261	161	90	4	6	3,360	1,729	1,152	268	211	856	402	305	96	53	15
358	147	76	85	50	49	36	12	-	1	650	351	234	43	22	162	71	58	17	16	16
395	147	95	87	66	68	42	21	2	3	933	518	284	74	57	175	96	57	14	8	17
164	24	27	57	56	8	4	3	-	1	202	101	65	21	15	56	19	16	14	7	18
52	25	17	8	2	17	11	5	1	-	163	81	69	5	8	36	21	12	3	-	19
95	18	12	39	26	8	4	3	1	-	108	50	44	10	4	26	7	11	4	4	20
1,029	316	250	232	231	111	64	46	-	1	1,304	628	456	115	105	401	188	151	44	18	21
754	215	148	228	163	68	40	23	4	1	853	396	284	103	70	518	261	157	55	45	22
105	32	39	14	20	32	14	17	-	1	176	64	104	4	4	169	69	72	13	15	23
649	183	109	214	143	36	26	6	4	-	677	332	180	99	66	349	192	85	42	30	24
3,282	1,615	522	879	266	447	337	86	15	9	6,419	4,004	1,833	449	133	1,786	1,078	452	180	76	25
2,550	1,274	445	620	211	389	269	79	12	9	5,228	3,229	1,628	273	98	1,500	904	405	127	64	26
44	23	2	18	1	12	11	-	1	-	98	77	6	15	-	36	21	6	8	1	27
1,190	669	204	259	58	155	116	36	1	2	2,167	1,506	513	112	36	588	386	142	48	12	28
1,161	656	197	252	56	146	110	33	1	2	2,120	1,470	504	110	36	565	367	139	48	12	29
28	15	4	8	1	13	9	4	-	-	124	84	35	4	1	30	20	9	1	-	30
251	109	49	74	19	11	6	3	-	2	474	350	91	29	4	59	41	7	8	3	31
407	234	85	67	21	56	45	11	-	-	734	504	184	34	12	146	98	40	5	3	32
401	253	42	92	14	58	45	12	1	-	459	320	96	29	14	105	69	18	16	2	33
74	45	17	11	1	8	5	3	-	-	329	212	98	14	5	226	139	65	18	4	34
29	13	7	7	2	9	6	3	-	-	47	36	9	2	-	22	19	3	-	-	35
10	3	1	6	-	1	1	-	-	-	14	11	2	1	-	12	11	1	-	-	36
44	30	1	13	-	8	7	1	-	-	46	41	5	-	-	8	7	1	-	-	37
52	47	3	2	-	6	4	-	2	-	60	54	5	1	-	22	21	1	-	-	38
51	17	12	11	11	2	2	-	-	-	55	26	21	5	3	23	9	9	3	2	39
14	8	2	4	-	8	4	4	-	-	88	62	18	5	3	16	8	4	3	1	40
269	93	126	26	24	51	29	22	-	-	1,501	636	801	46	18	280	118	141	10	11	41
111	47	33	19	12	27	20	7	-	-	525	308	181	29	7	48	31	9	6	2	42
100	28	61	1	10	12	6	6	-	-	335	108	220	5	2	41	12	27	-	2	43
58	18	32	6	2	12	3	9	-	-	641	220	400	12	9	191	75	105	4	7	44
40	19	3	18	-	5	5	-	-	-	49	43	-	6	-	11	10	-	1	-	45
59	41	2	15	1	22	22	-	-	-	91	84	2	5	-	40	38	1	1	-	46
24	19	-	5	-	4	3	1	-	-	47	46	-	1	-	22	19	-	3	-	47
186	51	19	62	54	29	14	8	3	4	304	165	101	23	15	130	60	31	17	22	48
20	7	4	3	6	3	2	-	-	1	24	14	7	3	-	19	11	4	2	2	49
66	42	4	13	7	14	14	-	-	-	73	53	9	6	5	51	38	4	5	4	50
60	20	9	20	11	10	9	-	-	1	65	35	22	5	3	17	7	6	3	1	51
157	75	17	64	1	34	28	3	3	-	213	161	26	23	3	79	51	16	10	2	52
67	29	5	26	7	-	-	-	-	-	54	36	16	1	1	25	11	12	1	1	53
20	9	6	2	3	1	-	1	-	-	42	16	23	1	2	9	3	5	1	-	54
177	72	25	53	27	24	18	3	2	1	237	163	51	14	9	112	75	21	11	5	55
338	251	54	27	6	53	45	7	1	-	863	676	165	17	5	164	125	30	8	1	56
38	22	15	-	1	5	3	2	-	-	147	103	41	2	1	28	20	8	-	-	57
22	16	6	-	-	17	14	3	-	-	215	154	57	3	1	21	16	2	3	-	58
251	198	25	26	2	30	27	2	1	-	376	326	42	8	-	104	82	16	5	1	59
27	15	8	1	3	1	1	-	-	-	125	93	25	4	3	11	7	4	-	-	60
393	89	23	232	49	5	3	-	2	-	327	98	40	159	30	119	48	17	43	11	61
252	64	16	141	31	3	1	-	2	-	182	50	25	91	16	79	33	10	28	8	62
81	9	2	59	11	-	-	-	-	-	66	10	2	47	7	26	9	1	13	3	63
45	13	5	20	7	2	2	-	-	-	62	31	13	11	7	14	6	6	2	-	64
13	3	-	10	-	-	-	-	-	-	14	6	-	8	-	-	-	-	-	-	65
2	-	-	2	-	-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	66
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	-	2	-	67

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	14,605	8,716	5,623	168	98	110,956	57,590	45,778	4,226	3,362
2	I. Infective and parasitic diseases	263	154	93	11	5	2,859	1,621	696	369	183
3	Tuberculosis, all forms 001-019	150	90	46	9	5	1,825	1,066	360	267	132
4	Tuberculosis of respiratory system 001-008	140	86	42	9	3	1,688	1,017	325	233	113
5	Tuberculosis of meninges and central nervous system 010	3	1	1	-	1	43	10	13	13	7
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	-	-	-	-	-	11	1	3	4	3
7	Tuberculosis of vertebral column 012.0,013.0	-	-	-	-	-	9	3	3	3	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	2	1	1	-	-
9	Tuberculosis of genito-urinary system 016	3	1	2	-	-	13	8	5	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	2	1	1	-	-	8	4	3	1	-
11	Disseminated tuberculosis 019	2	1	-	-	1	51	22	7	13	9
12	Syphilis and its sequelae 020-029	36	25	10	1	-	423	236	89	74	24
13	Congenital syphilis 020	1	-	1	-	-	2	1	-	-	1
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	13	9	4	-	-	157	93	37	24	3
16	Other cardiovascular syphilis 023	14	10	3	1	-	123	59	24	28	12
17	Tabes dorsalis 024	-	-	-	-	-	9	4	4	-	1
18	General paralysis of insane 025	2	2	-	-	-	83	53	15	12	3
19	Other syphilis of central nervous system 026	6	4	2	-	-	39	21	7	8	3
20	Other syphilis 027-029	-	-	-	-	-	10	5	2	2	1
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	-	-	-	-	-	2	1	1	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	3	2	1	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	1	1	-	-	-
27	Dysentery, all forms 045-048	4	1	3	-	-	10	5	3	1	1
28	Food poisoning (infection and intoxication) 049	3	3	-	-	-	1	-	1	-	-
29	Scarlet fever 050	1	-	1	-	-	5	3	2	-	-
30	Streptococcal sore throat 051	4	2	2	-	-	12	4	8	-	-
31	Erysipelas 052	1	1	-	-	-	4	2	2	-	-
32	Septicemia and pyemia 053	4	2	2	-	-	50	29	16	5	-
33	Diphtheria 055	3	2	1	-	-	4	3	1	-	-
34	Whooping cough 056	2	-	2	-	-	16	4	4	4	4
35	Meningococcal infections 057	15	7	8	-	-	77	40	30	3	4
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	1	1	-	-	-	10	9	-	1	-
40	Anthrax 062	-	-	-	-	-	1	1	-	-	-
41	Acute poliomyelitis 080	19	13	6	-	-	142	87	53	2	-
42	Late effects of acute poliomyelitis 081	2	-	2	-	-	1	1	-	-	-
43	Acute infectious encephalitis 082	2	1	1	-	-	52	26	23	2	1
44	Late effects of acute infectious encephalitis 083	1	1	-	-	-	18	6	11	1	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	3	-	2	1	-	49	22	20	2	5
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	2	-	2	-	-	65	30	28	2	5
49	Rabies 094	-	-	-	-	-	2	1	1	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	2	-	2	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	1	-	1	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	4	1	3	-	-
60	All other infective and parasitic diseases Residual[1]	10	5	5	-	-	79	41	26	5	7
61	II. Neoplasms	2,165	1,156	968	24	17	17,681	8,490	8,167	537	487
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	2,111	1,140	932	23	16	17,253	8,333	7,948	521	451
63	Malignant neoplasm of buccal cavity and pharynx 140-148	35	26	9	-	-	406	324	59	19	4
64	Of lip 140	3	3	-	-	-	23	22	1	-	-
65	Of tongue 141	2	1	1	-	-	108	81	18	7	2
66	Of other and unspecified parts of buccal cavity 142-144	17	13	4	-	-	105	81	19	4	1
67	Of pharynx 145-148	13	9	4	-	-	170	140	21	8	1
68	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	739	425	305	8	1	7,056	3,643	3,048	228	137
69	Of esophagus 150	29	22	7	-	-	364	266	57	33	8
70	Of stomach 151	233	155	73	4	1	1,887	1,101	681	82	23
71	Of intestine, except rectum 152,153	185	90	92	3	-	2,187	944	1,166	35	42
72	Of rectum 154	89	42	47	-	-	941	533	363	26	19
73	Of biliary passages and of liver (stated to be primary site) 155	40	16	23	1	-	397	152	232	6	7
74	Of liver not specified whether primary or secondary 156A	41	20	21	-	-	416	186	207	10	13
75	Of pancreas 157	108	71	37	-	-	736	401	282	35	18
76	Of peritoneum and of unspecified digestive organs 158,159	14	9	5	-	-	128	60	60	1	7
77	Malignant neoplasm of respiratory system 160-164	221	181	34	6	-	1,769	1,384	277	89	19
78	Of larynx 161	18	16	2	-	-	171	146	12	12	1
79	Of trachea, and of bronchus and lung specified as primary 162	93	83	7	3	-	608	484	77	39	8
80	Of lung and bronchus, unspecified as primary or secondary 163	103	78	22	3	-	930	717	169	34	10
81	Of other parts of respiratory system 160,164	7	4	3	-	-	60	37	19	4	-
82	Malignant neoplasm of breast 170	189	1	182	2	4	1,520	12	1,439	2	67

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,240	4,312	5,781	76	71	18,570	5,758	3,906	4,801	4,105	5,840	3,379	2,183	167	111	29,494	13,124	9,571	3,566	3,233	1
163	94	61	5	3	644	143	70	265	166	175	90	41	23	21	1,255	523	376	214	142	2
100	65	30	3	2	360	73	31	154	102	74	34	8	18	14	883	370	288	130	95	3
93	62	27	3	1	312	69	28	132	83	65	31	6	17	11	796	333	264	118	81	4
3	2	1	-	-	13	1	1	5	6	2	1	-	-	1	42	23	11	4	4	5
-	-	-	-	-	4	-	-	-	4	-	-	-	-	-	7	1	1	3	2	6
-	-	-	-	-	4	-	1	3	-	2	-	1	1	-	6	2	3	-	1	7
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	1	1	-	-	8
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	2	1	-	1	-	9
-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	2	1	-	-	1	10
3	-	2	-	1	22	2	-	11	9	5	2	1	-	2	26	8	8	4	6	11
24	14	8	1	1	91	23	3	53	12	16	10	6	-	-	112	35	7	49	21	12
1	1	-	-	-	7	-	1	4	2	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
3	-	3	-	-	19	6	1	10	2	10	5	5	-	-	21	10	1	5	5	15
11	7	2	1	1	28	8	-	15	5	4	3	1	-	-	43	8	3	24	8	16
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	17
4	3	1	-	-	25	7	-	18	-	1	1	-	-	-	29	10	2	11	6	18
3	2	1	-	-	6	1	1	2	2	1	1	-	-	-	15	5	-	8	2	19
1	-	1	-	-	6	1	-	4	1	-	-	-	-	-	3	1	1	1	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	21
-	-	-	-	-	6	-	-	2	4	-	-	-	-	-	4	2	-	1	1	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	26
8	1	7	-	-	20	4	-	10	6	4	1	-	1	2	28	9	7	5	7	27
-	-	-	-	-	6	1	1	-	4	-	-	-	-	-	5	2	-	2	1	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	8	3	1	2	2	-	-	-	-	-	7	6	1	-	-	30
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2	2	-	-	-	31
1	-	1	-	-	14	3	4	1	6	4	3	1	-	-	11	6	1	2	2	32
-	-	-	-	-	13	3	4	5	1	3	1	1	-	1	8	4	3	1	-	33
-	-	-	-	-	24	-	1	16	7	1	1	-	-	-	20	5	4	6	5	34
2	1	1	-	-	22	10	3	4	5	5	2	-	1	2	39	16	21	-	2	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
1	1	-	-	-	5	-	-	3	2	1	1	-	-	-	8	1	3	4	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
9	4	5	-	-	15	8	4	2	1	48	30	17	1	-	30	21	7	2	-	41
-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	42
1	-	1	-	-	3	1	1	1	-	2	-	-	1	1	9	3	4	2	-	43
2	2	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	-	-	1	-	14	1	6	2	5	4	1	1	1	1	39	17	13	4	5	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
5	1	4	-	-	9	3	5	-	1	3	1	2	-	-	14	5	9	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	-	-	1	49
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	54
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	5	-	1	2	2	-	-	-	-	-	1	1	-	-	-	59
7	3	4	-	-	21	7	3	6	5	7	4	3	-	-	28	14	7	5	2	60
1,415	701	695	9	10	1,802	554	600	288	360	879	461	391	14	13	3,716	1,508	1,580	283	345	61
1,380	684	679	8	9	1,752	547	582	281	342	866	456	383	14	13	3,604	1,489	1,528	273	314	62
41	38	3	-	-	30	15	8	4	3	18	13	3	1	1	89	54	21	10	4	63
5	5	-	-	-	3	3	-	-	-	4	4	-	-	-	9	8	1	-	-	64
15	14	1	-	-	8	3	2	1	2	2	1	1	-	-	14	1	11	2	-	65
13	12	1	-	-	9	3	5	-	1	6	5	1	-	-	29	16	7	4	2	66
8	7	1	-	-	10	6	1	3	-	6	3	1	1	1	37	29	2	4	2	67
545	281	255	5	4	578	186	163	134	95	341	186	146	5	4	1,190	520	472	112	86	68
27	21	6	-	-	45	14	7	18	6	15	12	3	-	-	56	30	14	10	2	69
136	82	48	4	2	190	54	36	67	33	121	76	41	2	2	364	177	114	48	25	70
187	81	105	1	-	138	41	60	17	20	82	36	45	1	-	324	121	157	19	27	71
84	49	35	-		49	12	14	10	13	35	19	15	-	1	101	46	38	9	8	72
25	6	19	-	-	22	9	9	1	3	21	9	12	-	-	56	24	25	4	3	73
26	10	15	-	1	44	11	13	6	14	12	5	6	1	-	98	38	44	8	8	74
45	24	21	-	-	73	36	20	13	4	47	28	18	-	1	163	70	68	13	12	75
15	8	6	-	1	17	9	4	2	2	8	1	6	1	-	28	14	12	1	1	76
152	123	27	2	-	191	118	34	30	9	65	52	10	2	1	329	228	62	27	12	77
14	13	1	-	-	9	6	1	2	-	2	1	-	1	-	24	17	5	2	-	78
42	38	3	1	-	57	36	11	9	1	38	32	5	1	-	117	85	12	15	5	79
92	71	21	-	-	114	72	20	15	7	20	15	4	-	1	180	124	40	9	7	80
4	1	2	1	-	11	4	2	4	1	5	4	1	-	-	8	2	5	1	-	81
147	2	141	-	4	160	-	103	1	56	68	-	68	-	-	315	2	265	4	44	82

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	325	151	168	1	5	2,501	799	1,506	66	130
2	Of cervix uteri----------171	61	...	59	...	2	571	...	512	...	59
3	Of other and unspecified parts of uterus----------172-174	49	...	48	...	1	593	...	539	...	54
4	Of ovary, fallopian tube, and broad ligament----------175	54	...	53	...	1	405	...	392	...	13
5	Of other and unspecified female genital organs----------176	9	...	8	...	1	67	...	63	...	4
6	Of prostate----------177	143	142	...	1	...	799	738	...	61	...
7	Of testis, and of other and unspecified male genital organs----178,179	9	9	...	-	...	66	61	...	5	...
8	Malignant neoplasm of urinary organs----------180,181	109	75	34	-	-	841	551	249	26	15
9	Of kidney----------180	53	34	19	-	-	293	176	98	11	8
10	Of bladder and other urinary organs----------181	56	41	15	-	-	548	375	151	15	7
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	274	156	109	4	5	1,772	874	802	46	50
12	Of skin----------190,191	30	22	8	-	-	241	138	94	5	4
13	Of eye----------192	3	2	1	-	-	25	13	12	-	-
14	Of brain and other parts of nervous system----------193	60	37	22	-	1	300	174	112	7	7
15	Of thyroid gland----------194	9	4	5	-	-	80	23	52	2	3
16	Of bone (including jaw bone)----------196	15	11	3	1	-	164	96	61	4	3
17	Of connective tissue----------197	11	7	4	-	-	32	21	11	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	42	20	19	2	1	270	110	148	5	7
19	Of unspecified sites----------156B,165,198B,199B-M	104	53	47	1	3	660	299	312	23	26
20	Leukemia and aleukemia----------204	123	72	50	-	1	685	354	298	17	16
21	Lymphosarcoma, etc.*----------200-203,205	96	53	41	2	-	703	392	270	28	13
22	Lymphosarcoma and reticulosarcoma----------200	45	24	19	2	-	322	168	135	15	4
23	Hodgkin's disease----------201	27	18	9	-	-	222	132	81	5	4
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	24	11	13	-	-	159	92	54	8	5
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	54	16	36	1	1	428	157	219	16	36
26	Benign neoplasms of female genital organs----------214-217	7	...	6	...	1	97	...	74	...	23
27	Benign neoplasm of brain and other parts of nervous system---------223	11	3	8	-	-	46	21	23	1	1
28	Other benign neoplasms----------210-213,218-222,224-229	6	2	3	1	-	53	25	25	-	3
29	Neoplasm of unspecified nature of female genital organs---------233-235	-	...	-	...	-	5	...	4	...	1
30	Neoplasm of unspecified nature of brain, etc.*----------237	25	8	17	-	-	164	80	68	10	6
31	Other neoplasms of unspecified nature----------230-232,236,238,239	5	3	2	-	-	63	31	25	5	2
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	287	141	143	2	1	3,309	1,263	1,840	73	133
33	Asthma----------241	69	44	24	-	1	562	359	176	17	10
34	Nontoxic goiter----------250,251	1	1	-	-	-	12	2	8	1	1
35	Thyrotoxicosis with or without goiter----------252	9	1	8	-	-	94	9	73	1	11
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	3	1	2	-	-	21	4	15	-	2
37	Diabetes mellitus----------260	186	84	100	2	-	2,456	804	1,503	47	102
38	Diseases of thymus gland----------273	9	6	3	-	-	39	23	13	1	2
39	Diseases of adrenal glands----------274	-	-	-	-	-	37	21	14	1	1
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	3	2	1	-	-	43	22	17	3	1
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	7	2	5	-	-	45	19	21	2	3
43	IV. Diseases of the blood and blood-forming organs----------	43	19	23	-	1	401	166	202	15	18
44	Anemias----------290-293	32	16	15	-	1	275	108	145	8	14
45	Pernicious and other hyperchromic anemias----------290	10	6	4	-	-	122	50	71	-	1
46	Anemias of other and unspecified type----------291-293	22	10	11	-	1	153	58	74	8	13
47	Purpura and other hemorrhagic conditions----------296	2	-	2	-	-	54	20	30	1	3
48	All other diseases of blood and blood-forming organs-----294,295,297-299	9	3	6	-	-	72	38	27	6	1
49	V. Mental, psychoneurotic, and personality disorders----------	50	36	12	2	-	237	144	67	20	6
50	Senile psychosis----------304	8	4	4	-	-	59	25	32	2	-
51	Alcoholic psychosis----------307	4	3	1	-	-	15	12	-	2	1
52	Other psychoses----------300-303,305,306,308,309	8	3	5	-	-	32	14	15	3	-
53	Alcoholism----------322	29	26	1	2	-	120	89	14	13	4
54	Mental deficiency----------325	1	-	1	-	-	7	4	3	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	4	-	3	-	1
56	VI. Diseases of the nervous system and sense organs----------	1,782	888	882	9	5	12,733	5,702	6,219	399	413
57	Vascular lesions affecting central nervous system----------330-334	1,656	813	831	7	5	11,719	5,226	5,765	341	387
58	Subarachnoid hemorrhage----------330	60	34	26	-	-	281	114	136	14	17
59	Cerebral hemorrhage----------331	1,114	543	563	5	3	7,464	3,309	3,705	199	251
60	Cerebral embolism and thrombosis----------332	344	164	177	2	1	2,509	1,188	1,198	69	54
61	Other vascular lesions affecting central nervous system--------333,334	138	72	65	-	1	1,465	615	726	59	65
62	Meningitis, except meningococcal and tuberculous----------340	13	6	7	-	-	118	46	48	17	7
63	Multiple sclerosis----------345	21	8	13	-	-	146	63	75	4	4
64	Paralysis agitans----------350	20	14	6	-	-	218	108	107	2	1
65	Cerebral spastic infantile paralysis----------351	2	1	1	-	-	35	13	21	-	1
66	Epilepsy----------353	23	13	8	2	-	135	69	52	10	4
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	1	-	1	-	-
68	Cataract----------365	-	-	-	-	-	6	2	4	-	-
69	Glaucoma----------387	-	-	-	-	-	2	-	2	-	-
70	Otitis media and mastoiditis----------391-393	7	6	1	-	-	29	15	12	2	-
71	Other diseases of nervous system and sense organs----------Residual[1]	40	25	15	-	-	324	160	132	23	9
72	VII. Diseases of the circulatory system----------	5,970	3,743	2,150	52	25	48,599	26,011	20,066	1,338	1,184
73	Rheumatic fever----------400-402	15	8	6	1	-	150	75	65	5	5
74	Diseases of heart----------410-443	5,323	3,359	1,898	42	24	44,316	23,987	18,070	1,203	1,056
75	Chronic rheumatic heart disease----------410-416	208	103	103	1	1	1,759	784	875	46	54
76	Diseases of mitral valve----------410	69	26	43	-	-	642	277	333	14	18
77	Diseases of aortic valve specified as rheumatic----------411	10	8	2	-	-	56	39	15	2	-
78	Diseases of tricuspid valve----------412	-	-	-	-	-	6	5	1	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	21	7	14	-	-	146	69	67	4	6
80	Other diseases of heart specified as rheumatic----------415,416	108	62	44	1	1	909	394	459	26	30

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
161	66	94	1	-	368	64	132	55	117	138	67	68	1	2	723	222	329	50	122	1
32	...	32	...	-	108	...	56	...	52	26	...	25	...	1	229	...	168	...	61	2
29	...	29	...	-	103	...	47	...	56	19	...	19	...	-	126	...	77	...	49	3
28	...	28	...	-	33	...	26	...	7	22	...	21	...	1	84	...	72	...	12	4
5	...	5	...	-	5	...	3	...	2	3	...	3	...	-	12	...	12	...	-	5
60	59	...	1	...	109	60	...	49	...	64	63	...	1	...	248	205	...	43	...	6
7	7	...	-	...	10	4	...	6	...	4	4	...	-	...	24	17	...	7	...	7
68	45	23	-	-	65	27	17	16	5	61	41	19	1	-	156	74	58	19	5	8
25	16	9	-	-	17	10	2	3	2	29	17	12	-	-	66	31	25	7	3	9
43	29	14	-	-	48	17	15	13	3	32	24	7	1	-	90	43	33	12	2	10
168	72	95	-	1	211	76	77	20	38	97	49	41	3	4	491	218	211	33	29	11
14	11	3	-	-	32	13	13	1	5	5	2	3	-	-	84	40	39	4	1	12
2	2	-	-	-	5	3	1	1	-	3	1	1	-	1	10	3	6	-	1	13
14	8	6	-	-	36	18	11	3	4	19	12	6	1	-	92	53	35	2	2	14
9	3	6	-	-	7	-	3	-	4	2	-	2	-	-	11	1	9	1	-	15
16	9	7	-	-	19	6	6	4	3	4	1	3	-	-	45	21	16	5	3	16
3	-	2	-	1	1	1	-	-	-	5	5	-	-	-	14	7	5	2	-	17
31	11	20	-	-	38	12	15	4	7	15	7	6	1	1	65	26	32	4	3	18
79	28	51	-	-	73	23	28	7	15	44	21	20	1	2	170	67	69	15	19	19
43	29	14	-	-	76	32	22	8	14	44	27	16	1	-	159	72	71	10	6	20
55	28	27	-	-	73	29	26	13	5	34	21	12	-	1	152	99	39	8	6	21
26	11	15	-	-	35	11	12	8	4	10	4	6	-	-	64	46	17	-	1	22
18	10	8	-	-	24	12	8	4	-	12	7	4	-	1	54	36	11	4	3	23
11	7	4	-	-	14	6	6	1	1	12	10	2	-	-	34	17	11	4	2	24
35	17	16	1	1	50	7	18	7	18	13	5	8	-	-	112	19	52	10	31	25
4	...	4	...	-	21	...	7	...	14	2	...	2	...	-	33	...	17	...	16	26
2	2	-	-	-	9	3	3	1	2	5	2	3	-	-	12	4	4	1	3	27
3	2	-	1	-	9	2	4	2	1	1	1	-	-	-	21	4	5	3	9	28
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	29
19	9	10	-	-	9	2	3	4	-	1	-	1	-	-	33	7	17	6	3	30
7	4	2	-	1	2	-	1	-	1	4	2	2	-	-	12	4	8	-	-	31
290	110	178	-	2	389	123	103	62	101	164	77	83	3	1	511	193	191	47	80	32
36	23	13	-	-	57	26	9	13	9	28	20	7	1	-	119	64	34	12	9	33
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	3	34
4	1	3	-	-	15	2	5	2	6	3	-	3	-	-	17	1	9	3	4	35
2	-	2	-	-	4	2	1	-	1	-	-	-	-	-	2	-	2	-	-	36
238	80	156	-	2	256	80	76	32	68	119	52	64	2	1	294	101	113	24	56	37
-	-	-	-	-	17	5	3	5	4	4	1	3	-	-	3	2	1	-	-	38
-	-	-	-	-	4	2	1	1	-	3	2	1	-	-	5	2	3	-	-	39
-	-	-	-	-	11	-	4	-	7	-	-	-	-	-	13	3	8	1	1	40
4	3	1	-	-	16	3	1	8	4	2	1	1	-	-	37	11	16	5	5	41
4	3	1	-	-	9	3	3	1	2	5	1	4	-	-	18	9	5	2	2	42
32	13	18	-	1	65	14	21	15	15	34	22	12	-	-	102	49	32	16	5	43
21	9	11	-	1	52	9	17	12	14	25	16	9	-	-	73	33	21	14	5	44
9	5	4	-	-	14	3	8	3	-	10	7	3	-	-	19	10	6	3	-	45
12	4	7	-	1	38	6	9	9	14	15	9	6	-	-	54	23	15	11	5	46
3	2	1	-	-	5	3	2	-	-	-	-	-	-	-	10	9	1	-	-	47
8	2	6	-	-	8	2	2	3	1	9	6	3	-	-	19	7	10	2	-	48
18	14	4	-	-	64	22	4	20	18	17	14	2	1	-	120	66	33	13	8	49
-	-	-	-	-	6	-	-	-	6	3	2	1	-	-	27	8	18	1	-	50
1	1	-	-	-	2	1	-	1	-	3	3	-	-	-	4	3	-	1	-	51
4	1	3	-	-	13	3	1	4	5	2	2	-	-	-	22	10	6	1	5	52
13	12	1	-	-	37	16	2	13	6	8	7	-	1	-	57	39	6	9	3	53
-	-	-	-	-	4	1	-	2	1	1	-	1	-	-	5	2	2	1	-	54
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	5	4	1	-	-	55
906	425	461	10	10	2,539	690	581	636	632	759	401	346	7	5	4,013	1,568	1,443	484	518	56
846	391	436	10	9	2,338	633	538	571	596	708	374	324	6	4	3,675	1,411	1,343	442	479	57
16	9	7	-	-	55	15	16	9	15	11	6	5	-	-	95	35	31	12	17	58
535	240	282	8	5	1,566	392	377	391	406	490	244	240	3	3	2,564	982	955	310	317	59
244	117	123	-	4	422	144	103	88	87	101	61	38	2	-	506	209	201	51	45	60
51	25	24	2	-	295	82	42	83	88	106	63	41	1	1	510	185	156	69	100	61
5	3	1	-	1	41	10	7	16	8	10	4	5	1	-	64	25	14	13	12	62
6	2	4	-	-	4	1	3	-	-	9	5	4	-	-	23	12	10	1	-	63
15	7	8	-	-	20	12	5	2	1	11	6	5	-	-	42	23	13	3	3	64
4	2	2	-	-	7	1	1	3	2	4	3	1	-	-	21	10	6	3	2	65
8	7	1	-	-	59	14	11	20	14	4	2	1	-	1	51	31	8	9	3	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	69
1	1	-	-	-	8	1	3	3	1	1	1	-	-	-	15	9	2	-	4	70
21	12	9	-	-	61	17	13	21	10	12	6	6	-	-	120	47	46	13	14	71
3,925	2,081	1,781	35	28	6,365	2,288	1,434	1,392	1,251	2,166	1,366	762	21	17	9,931	4,809	3,122	1,034	966	72
4	-	4	-	-	38	3	8	12	15	6	1	4	1	-	36	15	10	8	3	73
3,607	1,943	1,607	30	27	5,717	2,095	1,297	1,220	1,105	1,934	1,239	664	17	14	9,051	4,457	2,821	919	854	74
114	57	54	-	3	154	31	35	37	51	67	27	39	-	1	300	133	92	35	40	75
42	24	18	-	-	85	10	25	18	32	31	11	20	-	-	161	68	51	21	21	76
7	5	2	-	-	2	1	-	1	-	4	3	1	-	-	14	11	3	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
4	1	3	-	-	6	3	-	-	3	5	3	2	-	-	15	6	2	2	5	79
61	27	31	-	3	61	17	10	18	16	27	10	16	-	1	110	48	36	12	14	80

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	3,602	2,445	1,122	25	10	26,958	16,233	9,720	602	403
2	Arteriosclerotic heart disease so described----------420.0	990	623	358	4	5	8,884	4,446	4,055	216	167
3	Heart disease specified as involving coronary arteries----------420.1	2,604	1,817	761	21	5	18,003	11,744	5,638	385	236
4	Angina pectoris without mention of coronary disease----------420.2	8	5	3	-	-	71	43	27	1	-
5	Chronic endocarditis not specified as rheumatic----------421	67	50	17	-	-	881	405	408	32	36
6	Of mitral valve, specified as nonrheumatic----------421.0	8	4	4	-	-	82	37	41	2	2
7	Of aortic valve, not specified as rheumatic----------421.1	18	14	4	-	-	143	72	43	15	13
8	Of other valves, not specified as rheumatic----------421.2-421.4	41	32	9	-	-	656	296	324	15	21
9	Other myocardial degeneration----------422	329	189	136	4	-	6,526	3,111	3,089	156	170
10	With arteriosclerosis----------422.1	153	97	55	1	-	3,475	1,668	1,677	66	64
11	Without mention of arteriosclerosis----------422.0,422.2	176	92	81	3	-	3,051	1,443	1,412	90	106
12	Other diseases of heart----------430-434	271	158	109	3	1	1,526	819	606	60	41
13	Acute and subacute endocarditis----------430	9	5	4	-	-	56	28	19	3	6
14	Acute myocarditis not specified as rheumatic----------431	10	6	3	-	1	228	131	88	6	3
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	2	1	1	-	-
16	Functional disease of heart----------433	36	18	18	-	-	196	99	93	3	1
17	Other and unspecified diseases of heart----------434	216	129	84	3	-	1,044	560	405	48	31
18	Hypertension with heart disease----------440-443	846	414	411	9	12	6,666	2,635	3,372	307	352
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	342	183	155	2	2	2,337	1,020	1,144	92	81
20	Essential hypertension with heart disease, etc.*----------440,441,443	504	231	256	7	10	4,329	1,615	2,228	215	271
21	Hypertension without mention of heart----------444-447	68	30	37	1	-	825	348	365	49	63
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	25	16	9	-	-	468	216	204	15	33
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	43	14	28	1	-	357	132	161	34	30
24	Diseases of arteries----------450-456	524	322	194	7	1	2,992	1,450	1,425	66	51
25	General arteriosclerosis----------450	449	276	166	7	-	2,644	1,263	1,298	50	33
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	47	33	14	-	-	202	126	54	11	11
27	Gangrene of unspecified cause----------455	2	-	2	-	-	20	7	9	3	1
28	Other arterial diseases----------452-454,456	26	13	12	-	1	126	54	64	2	6
29	Diseases of veins and other diseases of circulatory system--------460-468	40	24	15	1	-	316	151	141	15	9
30	VIII. Diseases of the respiratory system----------	621	369	236	8	8	4,739	2,809	1,441	305	184
31	Acute upper respiratory infections----------470-475	8	3	4	-	1	47	27	17	2	1
32	Influenza----------480-483	31	16	15	-	-	382	196	165	7	14
33	Pneumonia, except pneumonia of newborn----------490-493	434	252	171	6	5	2,738	1,388	965	244	141
34	Lobar pneumonia----------490	77	46	29	1	1	959	527	284	101	47
35	Bronchopneumonia----------491	291	164	118	5	4	1,189	558	446	113	72
36	Primary atypical pneumonia----------492	21	12	9	-	-	313	167	120	16	10
37	Pneumonia, other and unspecified----------493	45	30	15	-	-	277	136	115	14	12
38	Acute bronchitis----------500	9	3	6	-	-	104	41	41	13	9
39	Bronchitis, chronic and unqualified----------501,502	20	15	5	-	-	132	86	38	5	3
40	Hypertrophy of tonsils and adenoids----------510	4	2	1	-	1	25	15	8	1	1
41	Empyema and abscess of lung----------518,521	8	5	3	-	-	47	36	6	4	1
42	Pleurisy----------519	2	1	1	-	-	23	8	12	2	1
43	All other respiratory diseases----------Residual[1]	105	72	30	2	1	1,241	1,012	189	27	13
44	IX. Diseases of the digestive system----------	529	323	195	4	7	4,134	2,261	1,632	139	102
45	Diseases of teeth and supporting structures----------530-535	1	-	1	-	-	11	6	5	-	-
46	Ulcer of stomach----------540	57	44	12	1	-	295	226	57	9	3
47	Ulcer of duodenum----------541	54	42	12	-	-	299	231	52	11	5
48	Gastritis and duodenitis----------543	4	4	-	-	-	28	12	15	-	1
49	Appendicitis----------550-553	25	16	8	1	-	168	98	60	6	4
50	Hernia and intestinal obstruction----------560,561,570	81	41	39	-	1	708	338	325	24	21
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	51	27	22	1	1	417	185	192	26	14
52	Cirrhosis of liver----------581	128	78	48	-	2	1,167	729	374	35	29
53	Without mention of alcoholism----------581.0	103	62	40	-	1	1,006	616	338	31	21
54	With alcoholism----------581.1	25	16	8	-	1	161	113	36	4	8
55	Cholelithiasis and cholecystitis----------584,585	51	28	20	1	2	500	172	318	2	8
56	Other diseases of digestive system----------Residual[1]	77	43	33	-	1	541	264	234	26	17
57	X. Diseases of the genito-urinary system----------	285	193	84	5	3	2,794	1,493	996	163	142
58	Nephritis and nephrosis----------590-594	162	92	63	4	3	1,923	864	814	131	114
59	Acute nephritis----------590	14	8	6	-	-	147	74	60	9	4
60	Nephritis with edema, including nephrosis----------591	13	7	5	1	-	99	53	36	6	4
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	135	77	52	3	3	1,677	737	718	116	106
62	Infections of kidney----------600	31	22	9	-	-	209	90	89	14	16
63	Calculi of urinary system----------602,604	7	6	1	-	-	81	43	35	-	3
64	Other diseases of urinary system----------601,603,605-609	10	6	4	-	-	90	60	22	7	1
65	Hyperplasia of prostate----------610	62	61	...	1	...	411	402	...	9	...
66	Other diseases of male genital organs----------611-617	6	6	...	-	...	36	34	...	2	...
67	Diseases of breast----------620,621	-	-	-	-	-	1	-	1	-	-
68	Diseases of female genital organs----------622-637	7	...	7	...	-	43	...	35	...	8
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	11	...	9	...	2	145	...	118	...	27
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	-	...	-	...	-	16	...	14	...	2
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	7	...	5	...	2	41	...	32	...	9
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	1	...	1	...	-	16	...	14	...	2
73	Ectopic pregnancy----------645	1	...	1	...	-	7	...	2	...	5
74	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	7	...	6	...	1
75	Abortion with sepsis----------651	1	...	1	...	-	17	...	13	...	4
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	2	...	2	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	1	...	1	...	-	39	...	35	...	4

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,609	1,503	1,068	22	16	2,891	1,486	683	414	308	1,352	918	415	13	6	4,672	2,757	1,399	299	217	1
1,231	598	619	6	8	449	158	139	83	69	304	187	113	4	-	1,282	608	480	131	63	2
1,367	899	444	16	8	2,380	1,299	527	323	231	1,044	730	299	9	6	3,334	2,114	904	163	153	3
11	6	5	-	-	62	29	17	8	8	4	1	3	-	-	56	35	15	5	1	4
30	14	16	-	-	150	38	25	46	41	24	15	7	-	2	202	71	46	39	46	5
4	1	3	-	-	11	5	2	3	1	-	-	-	-	-	29	14	8	2	5	6
7	4	3	-	-	29	8	5	11	5	7	5	1	-	1	45	15	7	14	9	7
19	9	10	-	-	110	25	18	32	35	17	10	6	-	1	128	42	31	23	32	8
271	132	133	4	2	587	143	172	133	139	217	134	80	1	2	1,244	503	472	139	130	9
161	75	82	3	1	317	75	93	67	82	93	58	33	1	1	451	188	183	40	40	10
110	57	51	1	1	270	68	79	66	57	124	76	47	-	1	793	315	289	99	90	11
60	35	24	1	-	350	84	52	128	86	94	55	36	2	1	717	308	175	128	106	12
1	1	-	-	-	11	1	1	4	5	1	1	-	-	-	13	5	3	1	4	13
6	4	2	-	-	34	9	1	12	12	4	3	1	-	-	74	24	19	17	14	14
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	15
9	4	5	-	-	20	5	6	2	7	13	6	7	-	-	54	20	21	5	8	16
44	26	17	1	-	284	69	44	110	61	76	45	28	2	1	576	259	132	105	80	17
523	202	312	3	6	1,585	313	330	462	480	180	90	87	1	2	1,916	685	637	279	315	18
166	78	86	-	2	573	105	92	172	204	82	53	29	-	-	498	196	175	67	60	19
357	124	226	3	4	1,012	208	238	290	276	98	37	58	1	2	1,418	489	462	212	255	20
83	35	45	2	1	200	37	39	72	52	43	26	17	-	-	295	96	81	59	59	21
47	23	24	-	-	75	15	21	25	14	14	10	4	-	-	102	39	23	19	21	22
36	12	21	2	1	125	22	18	47	38	29	16	13	-	-	193	57	58	40	38	23
209	92	115	2	-	371	134	86	84	67	169	92	71	3	3	460	215	170	39	36	24
193	84	107	2	-	317	101	84	72	60	144	76	62	3	3	378	166	148	33	31	25
8	6	2	-	-	36	22	2	9	3	12	10	2	-	-	37	23	10	2	2	26
1	-	1	-	-	1	-	-	-	1	2	2	-	-	-	5	2	1	1	1	27
7	2	5	-	-	17	11	-	3	3	11	4	7	-	-	40	24	11	3	2	28
22	11	10	1	-	39	19	4	4	12	14	8	6	-	-	89	26	40	9	14	29
207	118	86	2	1	1,011	222	169	326	294	207	115	76	12	4	1,434	600	513	176	145	30
2	-	2	-	-	30	4	8	8	10	5	5	-	-	-	22	8	11	1	2	31
1	1	-	-	-	157	18	26	55	58	23	12	10	1	-	227	76	79	37	35	32
134	67	65	1	1	671	140	101	227	203	123	61	47	11	4	937	389	347	111	90	33
44	25	17	1	1	234	48	30	84	72	27	15	7	4	1	336	140	112	47	37	34
55	24	31	-	-	323	71	56	100	96	48	22	22	3	1	464	189	182	52	41	35
19	11	8	-	-	51	11	10	16	14	18	10	8	-	-	80	31	37	5	7	36
16	7	9	-	-	63	10	5	27	21	30	14	10	4	2	57	29	16	7	5	37
8	4	4	-	-	27	3	5	12	7	4	2	2	-	-	18	5	5	4	4	38
15	15	-	-	-	15	2	5	2	6	6	4	2	-	-	38	18	14	4	2	39
4	1	3	-	-	4	-	-	2	2	2	2	-	-	-	4	2	1	1	-	40
1	1	-	-	-	7	3	-	4	-	-	-	-	-	-	20	11	5	4	-	41
5	4	1	-	-	1	-	-	1	-	-	-	-	-	-	7	1	1	3	2	42
37	25	11	1	-	99	52	24	15	8	44	29	15	-	-	161	90	50	11	10	43
365	226	137	-	2	644	185	120	201	138	218	121	73	16	8	1,036	481	323	121	111	44
-	-	-	-	-	3	2	-	1	-	1	1	-	-	-	3	2	1	-	-	45
30	22	8	-	-	52	23	4	19	6	10	8	1	1	-	77	53	11	9	4	46
37	32	5	-	-	20	12	4	3	1	12	10	2	-	-	78	59	13	4	2	47
1	1	-	-	-	2	-	1	-	1	3	1	2	-	-	8	2	2	1	3	48
21	12	9	-	-	35	6	6	14	9	14	9	5	-	-	57	22	18	8	9	49
42	24	18	-	-	76	19	17	24	16	48	28	18	2	-	152	71	53	15	13	50
35	19	15	-	1	272	45	35	108	84	33	15	3	11	4	209	76	66	32	35	51
114	74	39	-	1	73	38	14	14	7	42	26	12	1	3	212	121	55	24	12	52
75	49	25	-	1	62	33	11	11	7	37	21	12	1	3	174	99	45	20	10	53
39	25	14	-	-	11	5	3	3	-	5	5	-	-	-	38	22	10	4	2	54
37	19	18	-	-	42	22	18	-	2	33	12	21	-	-	80	22	48	4	6	55
48	23	25	-	-	69	18	21	18	12	22	11	9	1	1	160	53	56	24	27	56
166	102	61	1	2	681	176	114	215	176	123	92	29	1	1	922	431	251	125	115	57
97	54	41	1	1	476	105	77	152	142	59	43	16	-	-	611	250	189	74	98	58
5	4	1	-	-	40	13	3	16	8	7	5	2	-	-	54	21	15	8	10	59
4	1	3	-	-	17	5	4	4	4	6	4	2	-	-	25	9	9	3	4	60
88	49	37	1	1	419	87	70	132	130	46	34	12	-	-	532	220	165	63	84	61
24	9	14	-	1	55	14	16	10	15	14	9	4	-	1	83	32	30	10	11	62
9	7	2	-	-	24	9	12	2	1	4	1	3	-	-	16	7	8	1	-	63
6	3	3	-	-	17	3	2	11	1	5	2	3	-	-	47	22	10	10	5	64
27	27	...	-	...	70	39	...	31	...	33	32	...	1	...	131	105	...	26	...	65
2	2	...	-	...	15	6	...	9	...	5	5	...	-	...	19	15	...	4	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	67
1	...	1	...	-	24	...	7	...	17	3	...	3	...	-	14	...	13	...	1	68
8	...	7	...	1	98	...	17	...	81	12	...	9	...	3	90	...	58	...	32	69
1	...	1	...	-	11	...	3	...	8	2	...	1	...	1	9	...	5	...	4	70
1	...	1	...	-	29	...	4	...	25	3	...	3	...	-	34	...	22	...	12	71
1	...	1	...	-	24	...	5	...	19	1	...	1	...	-	11	...	9	...	2	72
-	...	-	...	-	5	...	-	...	5	1	...	1	...	-	10	...	5	...	5	73
-	...	-	...	-	6	...	1	...	5	-	...	-	...	-	3	...	1	...	2	74
-	...	-	...	-	6	...	2	...	4	2	...	1	...	1	5	...	4	...	1	75
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	76
5	...	4	...	1	17	...	2	...	15	2	...	1	...	1	17	...	12	...	5	77

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	9	4	5	-	-	94	38	43	2	11
2	Infections of skin and subcutaneous tissue---690-698	3	2	1	-	-	21	8	10	1	2
3	Other diseases of skin and subcutaneous tissue---700-716	6	2	4	-	-	73	30	33	1	9
4	XIII. Diseases of the bones and organs of movement	31	16	15	-	-	211	101	93	7	10
5	Arthritis and spondylitis---720-725	17	8	9	-	-	114	44	63	3	4
6	Muscular rheumatism and rheumatism, unspecified---726,727	1	-	1	-	-	7	5	2	-	-
7	Osteomyelitis and periostitis---730	3	2	1	-	-	16	10	3	1	2
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	1	1	-	-	-	9	6	2	1	-
9	All other diseases of musculoskeletal system---731-736,738-744	9	5	4	-	-	65	36	23	2	4
10	XIV. Congenital malformations	208	119	84	4	1	1,324	659	572	45	48
11	Spina bifida and meningocele---751	5	2	3	-	-	146	56	88	1	1
12	Congenital hydrocephalus, etc.*---752,753	33	19	13	1	-	178	99	69	7	3
13	Congenital malformations of circulatory system---754	98	57	39	2	-	589	298	241	21	29
14	Other congenital malformations---750,755-759	72	41	29	1	1	411	206	174	16	15
15	XV. Certain diseases of early infancy	577	321	245	8	3	3,814	1,932	1,335	318	229
16	Birth injuries---760,761	146	79	63	2	2	770	402	282	59	27
17	Postnatal asphyxia and atelectasis---762	129	81	47	1	-	891	470	305	75	41
18	Infections of newborn---763-768	18	12	6	-	-	208	89	71	21	27
19	Hemolytic disease of newborn (erythroblastosis)---770	33	22	11	-	-	163	89	63	4	7
20	All other defined diseases of early infancy---769,771,772	8	4	3	1	-	127	66	37	16	6
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	243	123	115	4	1	1,655	814	577	143	121
22	XVI. Symptoms, senility, and ill-defined conditions	232	123	104	3	2	768	423	259	52	34
23	Senility without mention of psychosis---794	130	57	72	1	-	183	70	102	2	9
24	Symptoms, ill-defined and unknown causes---780-793,795	102	66	32	2	2	585	353	157	50	25
25	XVII. Accidents, poisonings, and violence	1,542	1,113	375	36	18	7,114	4,477	2,042	444	151
26	Accidents---E800-E962	1,252	911	304	25	12	5,810	3,622	1,765	305	118
27	Railway accidents---E800-E802	14	12	-	2	-	108	86	4	18	-
28	Motor-vehicle accidents---E810-E835	475	345	114	11	5	1,834	1,333	396	81	24
29	Motor-vehicle traffic accidents---E810-E825	450	325	112	8	5	1,806	1,309	393	80	24
30	Motor-vehicle traffic accident with railway train*---E810	16	12	4	-	-	36	26	10	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	80	57	20	2	1	534	380	129	18	7
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	157	107	44	2	4	597	430	136	21	10
33	Motor-vehicle noncollision traffic accidents---E820-E824	136	104	30	2	-	397	306	61	27	3
34	Motor-vehicle traffic accident of unspecified nature---E825	61	45	14	2	-	242	167	57	14	4
35	Motor-vehicle nontraffic accidents---E830-E835	25	20	2	3	-	28	24	3	1	-
36	Other road-vehicle accidents---E840-E845	5	5	-	-	-	37	24	8	4	1
37	Water-transport accidents---E850-E858	41	36	3	2	-	52	44	4	4	-
38	Aircraft accidents---E860-E866	17	15	2	-	-	70	55	13	1	1
39	Accidental poisoning by solid and liquid substances---E870-E888	9	5	4	-	-	76	39	28	4	5
40	Accidental poisoning by gases and vapors---E890-E895	19	15	2	1	1	109	69	31	7	2
41	Accidental falls---E900-E904	202	104	95	1	2	1,825	824	939	39	23
42	Fall from one level to another---E900-E902	75	52	21	-	2	774	421	316	23	14
43	Fall on same level---E903	31	10	21	-	-	302	119	175	5	3
44	Unspecified falls---E904	96	42	53	1	-	749	284	448	11	6
45	Blow from falling object---E910	73	71	2	-	-	121	116	-	5	-
46	Accident caused by machinery---E912	41	40	-	1	-	115	100	7	8	-
47	Accident caused by electric current---E914	11	11	-	-	-	59	57	1	1	-
48	Accident caused by fire and explosion, etc.*---E916	72	43	27	2	-	372	187	118	35	32
49	Accident caused by hot substance, etc.*---E917,E918	5	5	-	-	-	54	27	20	4	3
50	Accident caused by firearm---E919	35	31	3	-	1	89	80	6	2	1
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	38	20	18	-	-	95	52	30	9	4
52	Accidental drowning---E929	95	75	17	2	1	291	206	43	38	4
53	Excessive heat and insolation---E931	2	2	-	-	-	121	79	29	7	6
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	5	2	3	-	-	37	12	18	2	5
55	All other accidents---Residual[1]	93	74	14	3	2	345	232	70	36	7
56	Suicide---E963,E970-E979	238	175	54	6	3	1,021	764	222	31	4
57	Suicide by poisoning---E970-E973	62	41	19	1	1	188	105	78	3	2
58	Suicide by hanging and strangulation---E974	32	22	8	1	1	303	219	74	9	1
59	Suicide by firearms and explosives---E976	115	92	19	3	1	379	338	30	10	1
60	Suicide by all other means---E963,E975,E977-E979	29	20	8	1	-	151	102	40	9	-
61	Homicide---E964,E980-E985	51	26	17	5	3	281	90	55	107	29
62	Assault by firearms and explosives---E981	21	8	7	4	2	114	30	31	42	11
63	Assault by cutting and piercing instruments---E982	12	9	2	1	-	73	9	5	47	12
64	Assault by other means---E964,E980,E983	16	7	8	-	1	84	46	19	13	6
65	Injury by intervention of police---E984	1	1	-	-	-	7	4	-	3	-
66	Execution---E985	1	1	-	-	-	3	1	-	2	-
67	Injury resulting from operations of war---E965,E990-E999	1	1	-	-	-	2	1	-	1	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3	-	2	1	-	25	4	7	7	7	7	4	3	-	-	21	7	4	4	6	1
1	-	-	1	-	8	-	1	4	3	2	-	2	-	-	5	2	-	-	3	2
2	-	2	-	-	17	4	6	3	4	5	4	1	-	-	16	5	4	4	3	3
13	7	6	-	-	44	11	10	10	13	17	10	7	-	-	69	31	25	7	6	4
5	2	3	-	-	35	8	9	7	11	9	3	6	-	-	52	24	22	3	3	5
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	1	-	-	-	1	6
1	1	-	-	-	4	1	-	2	1	2	2	-	-	-	6	2	-	3	1	7
1	1	-	-	-	1	-	1	-	-	1	1	-	-	-	2	1	1	-	-	8
6	3	3	-	-	2	2	-	-	-	5	4	1	-	-	8	4	2	1	1	9
103	54	48	-	1	269	79	100	52	38	115	66	46	1	2	375	178	148	25	24	10
24	8	16	-	-	27	9	13	3	2	8	3	5	-	-	35	10	22	2	1	11
9	8	1	-	-	29	5	6	13	5	17	7	10	-	-	42	18	17	2	5	12
35	21	13	-	1	105	36	28	19	22	47	27	19	-	1	149	76	61	7	5	13
35	17	18	-	-	108	29	53	17	9	43	29	12	1	1	149	74	48	14	13	14
243	128	98	11	6	1,260	358	245	366	291	303	156	128	9	10	1,493	686	447	198	162	15
44	29	13	1	1	207	75	53	50	29	61	35	24	1	1	246	121	83	16	26	16
59	31	24	2	2	229	86	59	52	32	61	35	25	1	-	297	159	77	38	23	17
13	7	5	1	-	120	21	17	52	30	20	8	5	3	4	100	33	25	25	17	18
5	2	3	-	-	36	12	9	12	3	19	10	9	-	-	55	34	15	4	2	19
9	5	4	-	-	93	13	9	39	32	6	2	2	1	1	61	27	21	10	3	20
113	54	49	7	3	575	151	98	161	165	136	66	63	3	4	734	312	226	105	91	21
22	13	9	-	-	758	100	53	336	269	114	44	26	28	16	1,900	623	449	422	406	22
6	3	3	-	-	52	6	17	7	22	42	18	17	3	4	147	51	70	10	16	23
16	10	6	-	-	706	94	36	329	247	72	26	9	25	12	1,753	572	379	412	390	24
361	226	129	2	4	1,912	789	258	610	255	530	340	149	31	10	2,506	1,371	576	397	162	25
295	183	107	1	4	1,542	638	232	459	213	454	286	131	28	9	1,976	1,109	495	242	130	26
4	2	2	-	-	24	8	-	15	1	5	3	1	1	-	42	28	3	11	-	27
79	52	25	1	1	713	358	89	200	66	174	107	44	16	7	789	515	165	79	30	28
77	50	25	1	1	701	354	88	195	64	165	100	42	16	7	767	503	159	75	30	29
-	-	-	-	-	23	9	3	7	4	3	2	-	-	1	24	18	3	2	1	30
36	21	14	1	-	130	53	15	45	17	12	6	5	1	-	177	99	40	26	12	31
18	11	6	-	1	105	59	16	19	11	77	49	21	2	5	286	186	65	23	12	32
12	10	2	-	-	100	51	12	32	5	49	28	12	8	1	202	145	32	21	4	33
11	8	3	-	-	343	182	42	92	27	24	15	4	5	-	78	55	19	3	1	34
2	2	-	-	-	12	4	1	5	2	9	7	2	-	-	22	12	6	4	-	35
-	-	-	-	-	10	1	-	8	1	5	4	-	1	-	10	7	1	2	-	36
2	2	-	-	-	24	12	1	11	-	3	3	-	-	-	27	23	2	2	-	37
3	3	-	-	-	17	16	-	1	-	5	5	-	-	-	28	27	-	1	-	38
4	2	1	-	1	32	11	5	8	8	5	3	2	-	-	28	11	4	9	4	39
27	18	8	-	1	7	3	4	-	-	4	4	-	-	-	13	7	3	1	2	40
94	40	53	-	1	134	43	61	19	11	95	42	52	1	-	311	113	159	21	18	41
31	21	9	-	1	44	19	10	11	4	29	15	13	1	-	92	44	31	11	6	42
35	12	23	-	-	9	3	4	1	1	18	7	11	-	-	74	28	37	5	4	43
28	7	21	-	-	81	21	47	7	6	48	20	28	-	-	145	41	91	5	8	44
1	1	-	-	-	22	11	1	10	-	4	4	-	-	-	30	22	4	4	-	45
-	-	-	-	-	17	10	-	7	-	29	26	3	-	-	44	36	1	7	-	46
2	2	-	-	-	15	11	2	2	-	3	3	-	-	-	43	32	3	8	-	47
11	5	6	-	-	172	26	26	49	71	32	20	10	2	-	149	51	40	30	28	48
2	1	1	-	-	20	7	3	4	6	3	1	2	-	-	26	11	8	1	6	49
5	5	-	-	-	49	23	5	20	1	13	12	1	-	-	60	40	10	7	3	50
7	6	1	-	-	12	3	2	5	2	8	6	2	-	-	31	14	10	3	4	51
22	21	1	-	-	93	43	11	37	2	22	15	4	3	-	90	57	11	17	5	52
3	1	2	-	-	40	17	9	6	8	2	2	-	-	-	38	13	7	10	8	53
5	3	2	-	-	8	4	2	-	2	2	1	1	-	-	6	2	2	-	2	54
24	19	5	-	-	133	31	11	57	34	40	25	9	4	2	211	100	62	29	20	55
54	35	18	1	-	133	100	15	17	1	61	46	14	-	1	225	166	49	8	2	56
23	14	9	-	-	16	11	4	1	-	7	4	2	-	1	22	11	11	-	-	57
12	7	4	1	-	9	8	-	1	-	19	13	6	-	-	27	21	6	-	-	58
10	8	2	-	-	96	76	7	13	-	32	28	4	-	-	157	124	26	6	1	59
9	6	3	-	-	12	5	4	2	1	3	1	2	-	-	19	10	6	2	1	60
12	8	4	-	-	237	51	11	134	41	15	8	4	3	-	303	95	32	146	30	61
6	4	2	-	-	153	39	9	87	18	13	8	3	2	-	176	65	22	71	18	62
3	2	1	-	-	53	2	1	36	14	1	-	-	1	-	69	7	5	52	5	63
3	2	1	-	-	17	5	1	3	8	1	-	1	-	-	44	16	4	17	7	64
-	-	-	-	-	7	2	-	4	1	-	-	-	-	-	14	7	1	6	-	65
-	-	-	-	-	7	3	-	4	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	67

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	64,958	32,215	21,648	6,070	5,025	5,271	3,046	2,090	94	41
2	I. Infective and parasitic diseases	2,652	1,296	847	318	191	129	74	36	14	5
3	Tuberculosis, all forms 001-019	1,339	681	427	146	85	51	31	6	11	3
4	Tuberculosis of respiratory system 001-008	1,195	616	379	129	71	41	28	5	6	2
5	Tuberculosis of meninges and central nervous system 010	70	34	24	8	4	5	1	1	3	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	6	5	1	-	-	1	-	-	1	-
7	Tuberculosis of vertebral column 012.0,013.0	7	3	2	1	1	1	1	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	5	1	2	2	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	8	3	3	1	1	1	-	-	1	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	2	1	-	-	1	1	1	-	-	-
11	Disseminated tuberculosis 019	46	18	16	5	7	1	-	-	-	1
12	Syphilis and its sequelae 020-029	326	164	42	95	25	13	9	2	2	-
13	Congenital syphilis 020	20	7	6	4	3	1	1	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	99	71	10	14	4	4	3	1	-	-
16	Other cardiovascular syphilis 023	111	41	18	44	8	3	1	1	1	-
17	Tabes dorsalis 024	6	4	-	2	-	-	-	-	-	-
18	General paralysis of insane 025	46	25	3	13	5	4	4	-	-	-
19	Other syphilis of central nervous system 026	30	11	3	12	4	1	-	-	1	-
20	Other syphilis 027-029	14	5	2	6	1	-	-	-	-	-
21	Gonococcal infection 030-035	1	-	-	1	-	-	-	-	-	-
22	Typhoid fever 040	7	4	3	-	-	1	1	-	-	-
23	Paratyphoid fever 041	2	-	2	-	-	-	-	-	-	-
24	Other Salmonella infections 042	3	-	3	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	2	-	1	1	-	-	-	-	-	-
27	Dysentery, all forms 045-048	236	116	91	12	17	2	-	1	1	-
28	Food poisoning (infection and intoxication) 049	20	6	7	4	3	-	-	-	-	-
29	Scarlet fever 050	3	1	2	-	-	3	1	2	-	-
30	Streptococcal sore throat 051	13	3	9	-	1	3	3	-	-	-
31	Erysipelas 052	3	2	-	1	-	-	-	-	-	-
32	Septicemia and pyemia 053	63	23	21	7	12	12	6	5	-	1
33	Diphtheria 055	21	6	10	2	3	3	3	-	-	-
34	Whooping cough 056	58	15	24	9	10	-	-	-	-	-
35	Meningococcal infections 057	79	36	31	6	6	4	-	4	-	-
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	2	2	-	-	-	-	-	-	-	-
39	Tetanus 061	61	24	18	10	9	-	-	-	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	240	142	85	5	8	20	11	9	-	-
42	Late effects of acute poliomyelitis 081	6	1	5	-	-	1	1	-	-	-
43	Acute infectious encephalitis 082	16	7	8	-	1	2	2	-	-	-
44	Late effects of acute infectious encephalitis 083	4	1	2	1	-	1	1	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	20	4	12	2	2	3	-	3	-	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	34	20	10	1	3	6	2	3	-	1
49	Rabies 094	5	1	3	1	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	2	1	1	-	-	-	-	-	-	-
54	Malaria 110-117	2	1	1	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	2	1	1	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	82	34	28	14	6	4	3	1	-	-
61	II. Neoplasms	9,034	4,093	3,742	559	640	670	344	314	7	5
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	8,728	3,972	3,608	547	601	646	330	304	7	5
63	Malignant neoplasm of buccal cavity and pharynx 140-148	191	126	44	18	3	10	9	1	-	-
64	Of lip 140	17	15	2	-	-	2	2	-	-	-
65	Of tongue 141	34	19	9	5	1	4	4	-	-	-
66	Of other and unspecified parts of buccal cavity 142-144	42	24	15	3	-	3	2	1	-	-
67	Of pharynx 145-148	98	68	18	10	2	1	1	-	-	-
68	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	2,793	1,343	1,081	207	162	214	104	104	4	2
69	Of esophagus 150	134	74	38	16	6	6	5	1	-	-
70	Of stomach 151	866	450	263	98	55	73	43	27	2	1
71	Of intestine, except rectum 152,153	662	296	312	22	32	64	28	35	1	-
72	Of rectum 154	236	93	99	16	28	25	13	11	-	1
73	Of biliary passages and of liver (stated to be primary site) 155	145	55	78	8	4	13	1	11	1	-
74	Of liver not specified whether primary or secondary 156A	312	131	141	25	15	3	1	2	-	-
75	Of pancreas 157	365	207	125	19	14	29	13	16	-	-
76	Of peritoneum and of unspecified digestive organs 158,159	73	37	25	3	8	1	-	1	-	-
77	Malignant neoplasm of respiratory system 160-164	1,018	728	179	89	22	70	57	12	1	-
78	Of larynx 161	73	58	6	9	-	4	3	-	1	-
79	Of trachea, and of bronchus and lung specified as primary 162	279	218	40	16	5	53	44	9	-	-
80	Of lung and bronchus, unspecified as primary or secondary 163	622	425	121	59	17	9	7	2	-	-
81	Of other parts of respiratory system 160,164	44	27	12	5	-	4	3	1	-	-
82	Malignant neoplasm of breast 170	677	6	572	2	97	43	-	43	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,097	2,328	1,766	2	1	30,237	12,059	8,892	5,174	4,112	23,021	13,527	8,835	431	228	17,147	9,398	6,466	765	518	1
84	57	27	-	-	1,086	346	211	314	215	497	312	143	26	16	576	291	204	51	30	2
58	42	16	-	-	663	215	121	179	148	260	165	64	20	11	321	159	108	33	21	3
55	41	14	-	-	598	198	117	155	128	235	157	56	14	8	288	150	89	29	20	4
2	1	1	-	-	21	3	2	10	6	9	2	3	3	1	17	3	11	3	-	5
-	-	-	-	-	2	1	-	1	-	1	-	-	1	-	2	2	-	-	-	6
-	-	-	-	-	1	-	-	1	-	5	-	3	1	1	2	1	1	-	-	7
-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	8
-	-	-	-	-	5	2	2	1	-	2	2	-	-	-	5	2	3	-	-	9
-	-	-	-	-	4	1	-	2	1	4	1	1	1	1	2	-	2	-	-	10
1	-	1	-	-	31	10	-	9	12	3	2	1	-	-	5	1	2	1	1	11
2	2	-	-	-	149	35	15	72	27	79	59	17	2	1	69	38	12	15	4	12
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	38	18	4	14	2	24	20	4	-	-	18	9	5	4	-	15
1	1	-	-	-	35	6	3	19	7	35	26	6	2	1	16	10	2	2	2	16
-	-	-	-	-	3	1	-	2	-	4	3	1	-	-	4	3	-	-	1	17
1	1	-	-	-	36	5	5	18	8	7	4	3	-	-	11	6	3	2	-	18
-	-	-	-	-	32	4	3	16	9	8	5	3	-	-	13	7	1	5	-	19
-	-	-	-	-	3	1	-	1	1	1	1	-	-	-	7	3	1	2	1	20
-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	21
-	-	-	-	-	2	-	-	1	1	3	3	-	-	-	-	-	-	-	-	22
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	23
-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	-	1	-	-	28	4	4	9	11	5	2	3	-	-	19	10	7	2	-	27
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-	3	-	-	28
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	1	-	1	-	-	29
-	-	-	-	-	12	6	5	1	-	2	2	-	-	-	11	7	3	-	1	30
-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	31
1	1	-	-	-	18	9	2	2	5	8	7	1	-	-	7	5	2	-	-	32
-	-	-	-	-	12	2	4	2	4	5	4	-	1	-	2	-	2	-	-	33
4	-	4	-	-	16	5	7	3	1	1	-	1	-	-	12	6	5	-	1	34
5	4	1	-	-	46	19	10	8	9	15	8	6	-	1	43	22	21	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	12	3	2	7	-	-	-	-	-	-	1	-	1	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
3	3	-	-	-	30	16	13	1	-	62	38	23	-	1	32	17	14	-	1	41
-	-	-	-	-	5	2	2	-	1	1	-	1	-	-	2	1	1	-	-	42
2	-	2	-	-	9	4	2	3	-	5	2	1	2	-	8	3	4	-	1	43
-	-	-	-	-	3	1	-	2	-	2	2	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
2	2	-	-	-	23	6	7	9	1	4	1	2	1	-	14	7	7	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
2	2	-	-	-	21	8	6	6	1	15	6	8	-	1	10	4	5	1	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	50
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	3	1	2	-	-	59
4	1	3	-	-	26	7	8	7	4	24	10	13	-	1	15	9	5	-	1	60
626	309	317	-	-	3,727	1,408	1,472	421	426	3,596	1,912	1,608	38	38	2,265	1,091	1,023	70	81	61
615	301	314	-	-	3,637	1,388	1,424	409	416	3,522	1,887	1,563	38	34	2,201	1,070	988	68	75	62
6	5	1	-	-	89	55	11	17	6	64	50	14	-	-	41	33	7	-	1	63
1	1	-	-	-	5	4	-	1	-	7	7	-	-	-	3	3	-	-	-	64
1	1	-	-	-	21	12	1	6	2	18	14	4	-	-	12	9	3	-	-	65
3	2	1	-	-	27	18	7	2	-	24	17	7	-	-	13	11	2	-	-	66
1	1	-	-	-	36	21	3	8	4	15	12	3	-	-	13	10	2	-	1	67
248	133	115	-	-	1,260	476	459	189	136	1,233	718	485	17	13	782	407	327	29	19	68
5	4	1	-	-	70	31	15	20	4	54	40	13	-	1	30	18	8	4	-	69
65	45	20	-	-	381	155	104	86	36	390	251	125	10	4	223	129	77	13	4	70
73	28	45	-	-	326	95	163	21	47	321	158	159	1	3	207	91	109	4	3	71
36	24	12	-	-	125	48	47	14	16	162	103	53	4	2	83	43	33	3	4	72
19	6	13	-	-	60	20	31	3	6	73	26	44	1	2	55	26	26	1	2	73
14	6	8	-	-	88	32	31	16	9	62	30	32	-	-	82	47	33	-	2	74
30	16	14	-	-	173	85	53	19	16	154	97	55	1	1	90	47	36	4	3	75
6	4	2	-	-	37	10	15	10	2	17	13	4	-	-	12	6	5	-	1	76
46	38	8	-	-	407	273	64	52	18	362	302	55	5	-	215	170	31	11	3	77
-	-	-	-	-	26	19	1	5	1	21	18	2	1	-	19	17	2	-	-	78
15	12	3	-	-	128	94	15	14	5	151	132	17	2	-	87	77	6	3	1	79
31	26	5	-	-	238	154	45	29	10	178	147	29	2	-	106	73	23	8	2	80
-	-	-	-	-	15	6	3	4	2	12	5	7	-	-	3	3	-	-	-	81
62	1	61	-	-	309	1	251	1	56	315	7	305	-	3	175	-	167	-	8	82

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	1,426	436	707	91	192	106	42	64	-	-
2	Of cervix uteri----------171	366	...	289	...	77	22	...	22	...	-
3	Of other and unspecified parts of uterus----------172-174	285	...	196	...	89	20	...	20	...	-
4	Of ovary, fallopian tube, and broad ligament----------175	230	...	210	...	20	19	...	19	...	-
5	Of other and unspecified female genital organs----------176	18	...	12	...	6	3	...	3	...	-
6	Of prostate----------177	486	401	...	85	...	38	38	...	-	...
7	Of testis, and of other and unspecified male genital organs----178,179	41	35	...	6	...	4	4	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	378	220	119	25	14	25	14	9	2	-
9	Of kidney----------180	157	89	57	8	3	10	6	3	1	-
10	Of bladder and other urinary organs----------181	221	131	62	17	11	15	8	6	1	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	1,435	675	611	67	82	109	57	49	-	3
12	Of skin----------190,191	241	143	87	9	2	11	7	4	-	-
13	Of eye----------192	18	13	4	-	1	-	-	-	-	-
14	Of brain and other parts of nervous system----------193	202	120	69	8	5	26	13	12	-	1
15	Of thyroid gland----------194	35	15	18	-	2	4	1	3	-	-
16	Of bone (including jaw bone)----------196	95	45	37	8	5	13	3	10	-	-
17	Of connective tissue----------197	26	14	8	3	1	3	3	-	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	209	83	101	7	18	10	5	5	-	-
19	Of unspecified sites----------156B,165,198B,199B-M	609	242	287	32	48	42	25	15	-	2
20	Leukemia and aleukemia----------204	444	240	170	17	17	41	26	15	-	-
21	Lymphosarcoma, etc.*----------200-203,205	366	198	125	31	12	28	21	7	-	-
22	Lymphosarcoma and reticulosarcoma----------200	163	94	56	11	2	13	10	3	-	-
23	Hodgkin's disease----------201	102	53	36	8	5	7	5	2	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	101	51	33	12	5	8	6	2	-	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	306	121	134	12	39	24	14	10	-	-
26	Benign neoplasms of female genital organs----------214-217	48	...	25	...	23	1	...	1	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	34	16	18	-	-	6	5	1	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	23	9	12	1	1	4	1	3	-	-
29	Neoplasm of unspecified nature of female genital organs---------233-235	4	...	2	...	2	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	118	62	41	7	8	10	6	4	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	79	34	36	4	5	3	2	1	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	1,363	563	588	73	139	142	58	82	1	1
33	Asthma----------241	266	162	74	16	14	22	15	7	-	-
34	Nontoxic goiter----------250,251	13	2	9	-	2	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----------252	29	5	16	-	8	4	-	4	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	17	3	11	1	2	-	-	-	-	-
37	Diabetes mellitus----------260	869	313	424	39	93	108	38	69	-	1
38	Diseases of thymus gland----------273	29	17	7	2	3	1	1	-	-	-
39	Diseases of adrenal glands----------274	14	6	8	-	-	-	-	-	-	-
40	Pellagra----------281	21	6	7	2	6	1	-	-	1	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	70	32	18	11	9	1	-	1	-	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	35	17	14	2	2	5	4	1	-	-
43	IV. Diseases of the blood and blood-forming organs----------	280	116	121	23	20	23	13	9	1	-
44	Anemias----------290-293	219	88	92	20	19	14	6	7	1	-
45	Pernicious and other hyperchromic anemias----------290	62	29	30	1	2	4	2	2	-	-
46	Anemias of other and unspecified type----------291-293	157	59	62	19	17	10	4	5	1	-
47	Purpura and other hemorrhagic conditions----------296	25	10	15	-	-	1	1	-	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	36	18	14	3	1	8	6	2	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	151	71	48	18	14	16	5	11	-	-
50	Senile psychosis----------304	39	10	22	3	4	2	-	2	-	-
51	Alcoholic psychosis----------307	3	2	-	1	-	1	1	-	-	-
52	Other psychoses----------300-303,305,306,308,309	27	8	10	2	7	5	-	5	-	-
53	Alcoholism----------322	65	44	8	10	3	5	4	1	-	-
54	Mental deficiency----------325	7	3	3	1	-	3	-	3	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	10	4	5	1	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	7,272	2,958	2,830	675	809	532	260	264	5	3
57	Vascular lesions affecting central nervous system----------330-334	6,598	2,652	2,579	607	760	480	228	245	5	2
58	Subarachnoid hemorrhage----------330	173	75	68	15	15	11	2	9	-	-
59	Cerebral hemorrhage----------331	4,483	1,790	1,777	390	526	322	150	167	4	1
60	Cerebral embolism and thrombosis----------332	889	417	354	57	61	111	56	54	1	-
61	Other vascular lesions affecting central nervous system--------333,334	1,053	370	380	145	158	36	20	15	-	1
62	Meningitis, except meningococcal and tuberculous----------340	108	46	33	15	14	7	3	3	-	1
63	Multiple sclerosis----------345	38	16	18	2	2	4	3	1	-	-
64	Paralysis agitans----------350	91	57	32	1	1	7	4	3	-	-
65	Cerebral spastic infantile paralysis----------351	42	17	20	3	2	1	1	-	-	-
66	Epilepsy----------353	91	40	35	14	2	9	6	3	-	-
67	Inflammatory diseases of eye----------370-379	2	1	1	-	-	1	1	-	-	-
68	Cataract----------385	-	-	-	-	-	1	-	1	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	16	9	6	1	-	-	-	-	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	286	120	106	32	28	22	14	8	-	-
72	VII. Diseases of the circulatory system----------	21,859	11,843	6,653	1,858	1,505	1,854	1,108	720	18	8
73	Rheumatic fever----------400-402	52	18	21	5	8	13	6	6	-	1
74	Diseases of heart----------410-443	19,936	10,987	5,948	1,673	1,328	1,699	1,020	655	17	7
75	Chronic rheumatic heart disease----------410-416	472	232	184	28	28	127	67	58	2	-
76	Diseases of mitral valve----------410	209	96	85	15	13	24	14	9	1	-
77	Diseases of aortic valve specified as rheumatic----------411	23	17	6	-	-	5	3	2	-	-
78	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	16	7	6	2	1	15	8	7	-	-
80	Other diseases of heart specified as rheumatic----------415,416	224	112	87	11	14	83	42	40	1	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
102	40	62	-	-	673	174	296	69	134	586	254	321	3	8	418	142	241	4	31	1
22	...	22	...	-	182	...	109	...	73	114	...	110	...	4	125	...	106	...	19	2
18	...	18	...	-	136	...	91	...	45	94	...	92	...	2	94	...	89	...	5	3
17	...	17	...	-	99	...	88	...	11	111	...	109	...	2	37	...	32	...	5	4
5	...	5	...	-	13	...	8	...	5	10	...	10	...	-	16	...	14	...	2	5
38	38	...	-	...	230	163	...	67	...	237	235	...	2	...	136	132	...	4	...	6
2	2	...	-	...	13	11	...	2	...	20	19	...	1	...	10	10	...	-	...	7
38	24	14	-	-	155	79	49	19	8	191	140	47	2	2	92	54	32	4	2	8
11	7	4	-	-	50	21	19	8	2	62	37	21	2	2	42	24	16	2	-	9
27	17	10	-	-	105	58	30	11	6	129	103	26	-	-	50	30	16	2	2	10
59	29	30	-	-	458	207	180	38	33	423	215	198	6	4	291	150	119	13	9	11
3	2	1	-	-	53	28	23	2	-	57	34	22	1	-	43	27	14	-	2	12
2	1	1	-	-	6	4	1	1	-	2	2	-	-	-	4	2	2	-	-	13
10	5	5	-	-	89	48	30	5	6	93	51	39	1	2	62	43	15	4	-	14
5	3	2	-	-	6	2	2	1	1	21	6	15	-	-	12	4	8	-	-	15
2	-	2	-	-	35	14	13	4	4	20	11	9	-	-	29	12	14	2	1	16
2	1	1	-	-	15	4	8	2	1	10	7	3	-	-	4	2	2	-	-	17
7	2	5	-	-	83	37	36	5	5	64	28	34	-	2	54	23	25	3	3	18
28	15	13	-	-	171	70	67	18	16	156	76	76	4	-	83	37	39	4	3	19
24	16	8	-	-	139	64	58	6	11	184	107	69	5	3	113	67	41	3	2	20
30	15	15	-	-	147	59	56	18	14	164	94	69	-	1	74	47	23	4	-	21
15	7	8	-	-	61	22	27	5	7	87	50	36	-	1	36	22	12	2	-	22
10	4	6	-	-	47	23	15	9	-	45	29	16	-	-	22	14	6	2	-	23
5	4	1	-	-	39	14	14	4	7	32	15	17	-	-	16	11	5	-	-	24
11	8	3	-	-	90	20	48	12	10	74	25	45	-	4	64	21	35	2	6	25
-	...	-	...	-	18	...	12	...	6	10	...	6	...	4	12	...	9	...	3	26
3	2	1	-	-	6	2	4	-	-	18	5	13	-	-	7	4	2	-	1	27
3	1	2	-	-	21	2	13	6	-	11	4	7	-	-	8	3	4	1	-	28
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	29
1	1	-	-	-	34	14	13	4	3	23	10	13	-	-	19	8	9	1	1	30
4	4	-	-	-	11	2	6	2	1	12	6	6	-	-	18	6	11	-	1	31
96	41	55	-	-	576	173	241	61	101	298	-	286	6	6	449	190	216	21	22	32
15	8	7	-	-	125	54	44	17	10	127	86	38	-	3	113	65	35	9	4	33
1	1	-	-	-	3	-	2	-	1	3	1	2	-	-	3	1	2	-	-	34
5	1	4	-	-	19	1	11	-	7	23	4	17	1	1	16	3	10	-	3	35
2	-	2	-	-	4	1	2	-	1	6	1	5	-	-	1	1	-	-	-	36
72	30	42	-	-	367	102	156	37	72	373	161	206	4	2	282	103	156	10	13	37
-	-	-	-	-	3	1	-	1	1	12	10	1	1	-	12	7	3	-	2	38
-	-	-	-	-	12	5	4	2	1	12	3	9	-	-	4	1	2	1	-	39
-	-	-	-	-	6	2	2	-	2	-	-	-	-	-	1	-	1	-	-	40
1	1	-	-	-	21	4	11	3	3	7	4	3	-	-	9	5	3	1	-	41
-	-	-	-	-	16	3	9	1	3	15	10	5	-	-	8	4	4	-	-	42
11	4	7	-	-	96	31	38	14	13	74	34	36	4	-	69	31	30	4	4	43
9	3	6	-	-	66	18	25	11	12	49	25	22	2	-	50	18	25	4	3	44
5	2	3	-	-	19	8	8	1	2	19	11	8	-	-	20	7	10	2	1	45
4	1	3	-	-	47	10	17	10	10	30	14	14	2	-	30	11	15	2	2	46
1	-	1	-	-	12	4	7	1	-	8	4	4	-	-	6	4	1	-	1	47
1	1	-	-	-	18	9	6	2	1	17	5	10	2	-	13	9	4	-	-	48
9	8	1	-	-	132	61	22	34	15	87	61	20	3	3	63	45	15	2	1	49
1	-	1	-	-	10	3	5	1	1	4	1	3	-	-	11	6	4	-	1	50
2	2	-	-	-	3	1	-	2	-	7	5	1	1	-	3	3	-	-	-	51
2	2	-	-	-	17	4	8	1	4	9	-	8	1	-	5	2	3	-	-	52
3	3	-	-	-	82	51	3	21	7	58	50	4	1	3	37	29	6	2	-	53
-	-	-	-	-	14	1	2	8	3	7	4	3	-	-	3	2	1	-	-	54
1	1	-	-	-	6	1	4	1	-	2	1	1	-	-	4	3	1	-	-	55
540	274	265	1	-	4,112	1,363	1,314	713	722	3,075	1,574	1,442	39	20	2,036	1,053	847	73	63	56
513	260	252	1	-	3,795	1,242	1,219	642	692	2,839	1,443	1,341	38	17	1,861	954	784	68	55	57
21	14	7	-	-	135	53	40	22	20	75	30	43	2	-	51	23	23	1	4	58
296	141	155	-	-	2,579	812	794	456	517	1,883	930	920	25	8	1,350	685	573	51	41	59
145	84	61	-	-	525	208	218	56	43	508	287	208	10	3	216	112	94	8	2	60
51	21	29	1	-	556	169	167	108	112	373	196	170	1	6	244	134	94	8	8	61
5	3	2	-	-	46	17	15	10	4	22	10	10	-	2	26	14	8	2	2	62
1	-	1	-	-	28	11	9	6	2	40	17	23	-	-	23	11	11	1	-	63
7	4	3	-	-	39	18	18	3	-	37	21	16	-	-	16	10	5	1	-	64
-	-	-	-	-	12	8	3	-	1	13	8	5	-	-	12	5	6	-	1	65
3	3	-	-	-	73	24	13	26	10	40	24	16	-	-	34	19	11	1	3	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	69
1	1	-	-	-	8	1	2	5	-	7	4	2	1	-	8	6	2	-	-	70
9	2	7	-	-	111	42	35	21	13	77	47	29	-	1	53	33	18	-	2	71
1,799	1,056	742	1	-	11,520	5,046	3,405	1,676	1,393	9,349	5,800	3,389	104	56	6,291	3,551	2,308	260	172	72
4	3	1	-	-	47	14	8	8	17	24	12	12	-	-	26	16	8	2	-	73
1,595	954	640	1	-	10,306	4,606	3,043	1,466	1,191	8,406	5,296	2,967	93	50	5,728	3,267	2,079	234	148	74
61	29	32	-	-	325	120	105	57	43	291	159	124	2	6	241	116	116	5	4	75
30	13	17	-	-	146	49	42	31	24	123	60	57	1	5	103	49	50	3	1	76
3	1	2	-	-	18	9	6	2	1	17	13	4	-	-	8	6	2	-	-	77
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	78
3	1	2	-	-	18	8	7	2	1	12	5	7	-	-	16	7	8	1	-	79
25	14	11	-	-	143	54	50	22	17	138	80	56	1	1	113	54	55	1	3	80

325797 O - 55 - 11

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	12,426	7,629	3,499	742	556	1,036	688	334	11	3
2	Arteriosclerotic heart disease so described----------420.0	2,677	1,414	977	160	126	358	202	151	3	2
3	Heart disease specified as involving coronary arteries----------420.1	9,635	6,162	2,493	560	420	674	483	182	8	1
4	Angina pectoris without mention of coronary disease----------420.2	114	53	29	22	10	4	3	1	-	-
5	Chronic endocarditis not specified as rheumatic----------421	242	108	65	31	38	18	12	6	-	-
6	Of mitral valve, specified as nonrheumatic----------421.0	21	7	6	2	6	-	-	-	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	58	37	8	5	8	3	3	-	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	163	64	51	24	24	15	9	6	-	-
9	Other myocardial degeneration----------422	1,974	948	706	181	139	192	108	81	2	1
10	With arteriosclerosis----------422.1	630	308	240	45	37	82	45	36	1	-
11	Without mention of arteriosclerosis----------422.0,422.2	1,344	640	466	136	102	110	63	45	1	1
12	Other diseases of heart----------430-434	2,016	1,037	477	310	192	68	41	27	-	-
13	Acute and subacute endocarditis----------430	44	20	13	4	7	4	4	-	-	-
14	Acute myocarditis not specified as rheumatic----------431	130	63	27	17	23	14	8	6	-	-
15	Acute pericarditis specified as nonrheumatic----------432	1	-	-	1	-	-	-	-	-	-
16	Functional disease of heart----------433	146	69	61	9	7	16	5	11	-	-
17	Other and unspecified diseases of heart----------434	1,695	885	376	279	155	34	24	10	-	-
18	Hypertension with heart disease----------440-443	2,806	1,033	1,017	381	375	258	104	149	2	3
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	703	288	223	109	83	79	40	36	1	2
20	Essential hypertension with heart disease, etc.*----------440,441,443	2,103	745	794	272	292	179	64	113	1	1
21	Hypertension without mention of heart----------444-447	553	212	186	73	82	28	14	14	-	-
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	171	79	52	17	23	11	4	7	-	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	382	133	134	56	59	17	10	7	-	-
24	Diseases of arteries----------450-456	1,136	533	443	92	68	95	56	38	1	-
25	General arteriosclerosis----------450	948	436	376	81	55	76	42	33	1	-
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	81	47	29	2	3	12	10	2	-	-
27	Gangrene of unspecified cause----------455	16	7	5	3	1	-	-	-	-	-
28	Other arterial diseases----------452-454,456	91	43	33	6	9	7	4	3	-	-
29	Diseases of veins and other diseases of circulatory system-------460-468	182	93	55	15	19	19	12	7	-	-
30	VIII. Diseases of the respiratory system----------	3,159	1,396	1,124	365	274	213	137	68	8	-
31	Acute upper respiratory infections----------470-475	60	19	21	10	10	2	1	1	-	-
32	Influenza----------480-483	430	156	183	48	43	14	8	6	-	-
33	Pneumonia, except pneumonia of newborn----------490-493	1,972	827	713	247	185	120	69	45	6	-
34	Lobar pneumonia----------490	486	187	177	64	58	29	25	3	1	-
35	Bronchopneumonia----------491	689	302	255	76	56	49	23	23	3	-
36	Primary atypical pneumonia----------492	150	69	52	15	14	16	7	9	-	-
37	Pneumonia, other and unspecified----------493	647	269	229	92	57	26	14	10	2	-
38	Acute bronchitis----------500	42	19	13	7	3	4	2	2	-	-
39	Bronchitis, chronic and unqualified----------501,502	101	55	28	13	5	11	6	5	-	-
40	Hypertrophy of tonsils and adenoids----------510	15	7	6	2	-	3	1	2	-	-
41	Empyema and abscess of lung----------518,521	37	24	4	6	3	1	-	-	1	-
42	Pleurisy----------519	9	4	1	1	3	-	-	-	-	-
43	All other respiratory diseases----------Residual[1]	493	285	155	31	22	58	50	7	1	-
44	IX. Diseases of the digestive system----------	2,837	1,425	998	235	179	205	104	95	4	2
45	Diseases of teeth and supporting structures----------530-535	14	4	3	7	-	1	-	1	-	-
46	Ulcer of stomach----------540	127	83	24	13	7	25	18	7	-	-
47	Ulcer of duodenum----------541	137	110	19	8	-	13	10	3	-	-
48	Gastritis and duodenitis----------543	14	5	4	4	1	1	-	1	-	-
49	Appendicitis----------550-553	96	45	30	11	10	5	1	3	-	1
50	Hernia and intestinal obstruction----------560,561,570	401	160	160	45	36	30	17	13	-	-
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	897	407	361	70	59	22	9	13	-	-
52	Cirrhosis of liver----------581	540	349	137	36	18	48	28	17	3	-
53	Without mention of alcoholism----------581.0	470	302	123	31	14	29	18	10	1	-
54	With alcoholism----------581.1	70	47	14	5	4	19	10	7	2	-
55	Cholelithiasis and cholecystitis----------584,585	211	70	127	1	13	28	9	18	-	1
56	Other diseases of digestive system----------Residual[1]	400	192	133	40	35	32	12	19	1	-
57	X. Diseases of the genito-urinary system----------	1,831	841	500	274	216	117	84	31	1	1
58	Nephritis and nephrosis----------590-594	1,198	452	381	187	178	69	46	21	1	1
59	Acute nephritis----------590	130	46	40	22	22	8	5	3	-	-
60	Nephritis with edema, including nephrosis----------591	62	26	18	9	9	8	7	1	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	1,006	380	323	156	147	53	34	17	1	1
62	Infections of kidney----------600	151	63	61	11	16	21	12	9	-	-
63	Calculi of urinary system----------602,604	48	21	19	5	3	-	-	-	-	-
64	Other diseases of urinary system----------601,603,605-609	77	35	22	16	4	4	3	1	-	-
65	Hyperplasia of prostate----------610	272	229	...	43	...	21	21	...	-	...
66	Other diseases of male genital organs----------611-617	53	41	...	12	...	2	2	...	-	...
67	Diseases of breast----------620,621	2	-	1	-	1	-	-	-	-	-
68	Diseases of female genital organs----------622-637	30	...	16	...	14	-	...	-	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	205	...	147	...	58	11	...	10	...	1
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	17	...	12	...	5	1	...	1	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	78	...	58	...	20	3	...	3	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	35	...	24	...	11	3	...	2	...	1
73	Ectopic pregnancy----------645	10	...	4	...	6	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----------650	7	...	7	...	-	1	...	1	...	-
75	Abortion with sepsis----------651	17	...	12	...	5	-	...	-	...	-
76	Abortion with toxemia, without mention of sepsis----------652	2	...	-	...	2	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	39	...	30	...	9	3	...	3	...	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,102	710	392	-	-	5,845	3,183	1,579	629	454	5,781	3,923	1,775	61	22	3,287	2,110	1,016	119	42	1
423	235	188	-	-	1,776	783	606	218	169	1,510	848	641	14	7	951	542	350	42	17	2
660	463	197	-	-	4,019	2,373	959	404	283	4,253	3,061	1,130	47	15	2,311	1,551	659	76	25	3
19	12	7	-	-	50	27	14	7	2	18	14	4	-	-	25	17	7	1	-	4
33	11	22	-	-	231	69	57	62	43	286	150	123	5	8	144	75	62	3	4	5
4	3	1	-	-	13	8	1	2	2	6	3	3	-	-	10	6	4	-	-	6
9	4	5	-	-	43	19	5	10	9	31	22	9	-	-	26	14	12	-	-	7
20	4	16	-	-	175	42	51	50	32	249	125	111	5	8	108	55	46	3	4	8
212	120	91	1	-	1,371	492	469	225	185	713	382	319	9	3	789	373	359	35	22	9
111	64	47	-	-	709	261	242	114	92	281	151	130	-	-	334	155	150	18	11	10
101	56	44	1	-	662	231	227	111	93	432	231	189	9	3	455	218	209	17	11	11
39	20	19	-	-	484	176	161	82	65	393	230	155	5	3	318	187	114	8	9	12
4	3	1	-	-	11	4	3	1	3	14	11	3	-	-	8	1	6	-	1	13
4	4	-	-	-	27	10	7	5	5	21	11	8	-	2	17	9	7	-	1	14
-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	1	1	-	-	-	15
3	2	1	-	-	55	26	24	1	4	64	34	29	1	-	37	22	14	-	1	16
28	11	17	-	-	389	135	127	74	53	293	173	115	4	1	255	154	87	8	6	17
148	64	84	-	-	2,050	566	672	411	401	942	452	471	11	8	949	406	412	64	67	18
39	15	24	-	-	775	252	261	147	115	323	168	151	-	4	296	136	125	21	14	19
109	49	60	-	-	1,275	314	411	264	286	619	284	320	11	4	653	270	287	43	53	20
34	17	17	-	-	327	100	81	70	76	156	78	71	5	2	151	69	58	11	13	21
27	14	13	-	-	146	52	33	37	24	61	35	25	1	-	79	35	28	8	8	22
7	3	4	-	-	181	48	48	33	52	95	43	46	4	2	72	34	30	3	5	23
155	77	78	-	-	750	284	247	121	98	675	361	305	6	3	350	180	147	13	10	24
144	73	71	-	-	649	228	233	105	83	567	285	274	5	3	306	151	134	13	8	25
7	2	5	-	-	59	39	6	10	4	73	52	20	1	-	17	14	2	-	1	26
-	-	-	-	-	10	5	-	-	5	1	1	-	-	-	5	3	2	-	-	27
4	2	2	-	-	32	12	8	6	6	34	23	11	-	-	22	12	9	-	1	28
11	5	6	-	-	90	42	26	11	11	88	53	34	-	1	36	19	16	-	1	29
185	112	73	-	-	1,533	510	415	341	267	818	489	274	35	20	951	491	390	46	24	30
1	-	1	-	-	30	11	5	5	9	13	9	4	-	-	18	9	8	1	-	31
18	5	13	-	-	238	66	76	49	47	42	30	10	1	1	185	73	102	7	3	32
116	71	45	-	-	981	286	264	242	189	525	288	192	28	17	559	277	235	30	17	33
31	23	8	-	-	253	94	56	70	33	96	56	34	5	1	172	75	74	16	7	34
54	34	20	-	-	444	117	138	101	88	295	160	110	15	10	286	150	116	12	8	35
15	6	9	-	-	87	27	25	17	18	61	35	20	2	4	41	21	18	1	1	36
16	8	8	-	-	197	48	45	54	50	73	37	28	6	2	60	31	27	1	1	37
2	1	1	-	-	17	5	5	4	3	11	6	5	-	-	10	4	6	-	-	38
7	6	1	-	-	42	27	10	4	1	30	19	10	1	-	27	16	9	2	-	39
-	-	-	-	-	5	1	3	-	1	6	3	3	-	-	3	1	1	1	-	40
1	-	1	-	-	21	12	4	4	1	14	8	4	2	-	7	5	2	-	-	41
1	-	1	-	-	7	2	2	1	2	4	2	1	-	1	1	-	1	-	-	42
39	29	10	-	-	192	100	46	32	14	173	124	45	3	1	141	106	26	5	4	43
123	67	56	-	-	1,036	410	286	198	142	750	435	285	21	9	626	341	250	21	14	44
1	-	1	-	-	6	1	3	-	2	3	1	2	-	-	2	1	1	-	-	45
10	8	2	-	-	65	40	9	11	5	72	56	14	2	-	47	36	9	2	-	46
15	12	3	-	-	48	34	7	6	1	60	48	9	2	1	39	31	7	1	-	47
1	-	1	-	-	6	2	1	3	-	-	-	-	-	-	2	1	1	-	-	48
5	3	2	-	-	63	22	17	15	9	30	21	8	1	-	29	14	13	1	1	49
25	16	9	-	-	185	64	58	32	31	139	68	67	2	2	93	45	41	5	2	50
9	3	6	-	-	227	51	46	77	53	72	35	28	7	2	139	75	55	6	3	51
19	11	8	-	-	207	118	52	26	11	175	113	55	6	1	135	88	43	3	1	52
16	8	8	-	-	153	91	37	18	7	130	83	43	3	1	115	74	38	3	-	53
3	3	-	-	-	54	27	15	8	4	45	30	12	3	-	20	14	5	-	1	54
22	6	16	-	-	76	18	43	7	8	84	27	55	-	2	62	16	43	-	3	55
16	8	8	-	-	153	60	50	21	22	115	66	47	1	1	78	34	37	3	4	56
102	66	36	-	-	851	319	200	191	141	488	295	171	18	4	460	266	142	36	16	57
58	30	28	-	-	582	191	142	131	118	289	149	123	13	4	307	162	107	24	14	58
4	2	2	-	-	37	8	7	13	9	23	8	11	2	2	27	12	7	3	5	59
3	3	-	-	-	25	7	9	2	7	19	12	6	-	1	16	9	6	1	-	60
51	25	26	-	-	520	176	126	116	102	247	129	106	11	1	264	141	94	20	9	61
7	4	3	-	-	89	25	35	17	12	66	36	28	2	-	31	13	16	2	-	62
9	5	4	-	-	32	15	11	3	3	13	8	5	-	-	13	5	8	-	-	63
-	-	-	-	-	20	6	6	5	3	22	13	9	-	-	14	7	5	1	1	64
26	26	...	-	...	108	75	...	33	...	86	84	...	2	...	75	69	...	6	...	65
1	1	...	-	...	9	7	...	2	...	6	5	...	1	...	13	10	...	3	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	...	1	...	-	11	...	6	...	5	6	...	6	...	-	7	...	6	...	1	68
3	...	3	...	-	72	...	30	...	42	14	...	13	...	1	37	...	29	...	8	69
-	...	-	...	-	8	...	3	...	5	2	...	1	...	1	1	...	1	...	-	70
1	...	1	...	-	16	...	10	...	6	5	...	5	...	-	11	...	9	...	2	71
-	...	-	...	-	9	...	1	...	8	3	...	3	...	-	8	...	8	...	-	72
-	...	-	...	-	3	...	1	...	2	-	...	-	...	-	2	...	-	...	2	73
1	...	1	...	-	3	...	1	...	2	1	...	1	...	-	2	...	1	...	1	74
-	...	-	...	-	8	...	-	...	8	-	...	-	...	-	4	...	3	...	1	75
-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	1	...	1	...	-	76
1	...	1	...	-	23	...	12	...	11	3	...	3	...	-	8	...	6	...	2	77

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	60	17	23	9	11	6	4	1	1	-
2	Infections of skin and subcutaneous tissue---690-698	16	6	4	4	2	1	1	-	-	-
3	Other diseases of skin and subcutaneous tissue---700-716	44	11	19	5	9	5	3	1	1	-
4	XIII. Diseases of the bones and organs of movement	178	84	76	6	12	12	5	6	1	-
5	Arthritis and spondylitis---720-725	91	33	47	3	8	5	1	3	1	-
6	Muscular rheumatism and rheumatism, unspecified---726,727	10	3	7	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis---730	14	8	3	1	2	1	1	-	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	7	5	1	1	-	-	-	-	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	56	35	18	1	2	6	3	3	-	-
10	XIV. Congenital malformations	986	482	404	52	48	111	62	49	-	-
11	Spina bifida and meningocele---751	88	35	47	1	5	7	3	4	-	-
12	Congenital hydrocephalus, etc.*---752,753	110	47	48	6	9	8	3	5	-	-
13	Congenital malformations of circulatory system---754	434	228	162	23	21	58	33	25	-	-
14	Other congenital malformations---750,755-759	354	172	147	22	13	38	23	15	-	-
15	XV. Certain diseases of early infancy	4,252	2,029	1,476	408	339	347	203	139	1	4
16	Birth injuries---760,761	669	347	224	52	46	62	38	23	-	1
17	Postnatal asphyxia and atelectasis---762	775	403	265	59	48	95	58	36	-	1
18	Infections of newborn---763-768	348	157	116	46	29	16	7	9	-	-
19	Hemolytic disease of newborn (erythroblastosis)---770	132	72	53	5	2	25	14	11	-	-
20	All other defined diseases of early infancy---769,771,772	233	103	92	20	18	14	6	8	-	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	2,095	947	726	226	196	135	80	52	1	2
22	XVI. Symptoms, senility, and ill-defined conditions	1,934	859	568	282	225	261	157	91	8	5
23	Senility without mention of psychosis---794	573	208	231	58	76	69	24	42	2	1
24	Symptoms, ill-defined and unknown causes---780-793,795	1,361	651	337	224	149	192	133	49	6	4
25	XVII. Accidents, poisonings, and violence	6,905	4,142	1,503	915	345	622	428	164	24	6
26	Accidents---E800-E962	5,481	3,377	1,293	550	261	538	363	150	20	5
27	Railway accidents---E800-E802	77	61	1	15	-	5	5	-	-	-
28	Motor-vehicle accidents---E810-E835	2,592	1,743	558	224	67	241	148	73	17	3
29	Motor-vehicle traffic accidents---E810-E825	2,500	1,677	539	218	66	234	143	72	16	3
30	Motor-vehicle traffic accident with railway train*---E810	99	69	24	4	2	3	1	2	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	404	261	83	48	12	45	30	14	1	-
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	1,130	719	291	89	31	106	60	34	9	3
33	Motor-vehicle noncollision traffic accidents---E820-E824	751	553	118	65	15	67	44	19	4	-
34	Motor-vehicle traffic accident of unspecified nature---E825	116	75	23	12	6	13	8	3	2	-
35	Motor-vehicle nontraffic accidents---E830-E835	92	66	19	6	1	7	5	1	1	-
36	Other road-vehicle accidents---E840-E845	25	20	3	2	-	3	3	-	-	-
37	Water-transport accidents---E850-E858	40	34	3	3	-	7	7	-	-	-
38	Aircraft accidents---E860-E866	140	133	5	2	-	8	8	-	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	83	40	22	14	7	2	2	-	-	-
40	Accidental poisoning by gases and vapors---E890-E895	37	25	8	3	1	2	2	-	-	-
41	Accidental falls---E900-E904	675	294	345	21	15	85	34	49	1	1
42	Fall from one level to another---E900-E902	199	116	67	12	4	32	17	14	1	-
43	Fall on same level---E903	139	53	81	2	3	36	13	23	-	-
44	Unspecified falls---E904	337	125	197	7	8	17	4	12	-	1
45	Blow from falling object---E910	55	41	-	14	-	15	15	-	-	-
46	Accident caused by machinery---E912	96	82	4	10	-	21	19	2	-	-
47	Accident caused by electric current---E914	75	68	5	2	-	11	9	1	-	1
48	Accident caused by fire and explosion, etc.*---E916	538	207	141	91	99	20	10	10	-	-
49	Accident caused by hot substance, etc.*---E917,E918	40	14	13	8	5	2	2	-	-	-
50	Accident caused by firearm---E919	204	144	19	35	6	26	24	2	-	-
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	55	37	11	3	4	9	6	3	-	-
52	Accidental drowning---E929	309	222	43	36	8	41	35	5	1	-
53	Excessive heat and insolation---E931	55	23	11	12	9	-	-	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	26	10	10	1	5	2	1	1	-	-
55	All other accidents---Residual[1]	359	179	91	54	35	38	33	4	1	-
56	Suicide---E963,E970-E979	626	465	130	26	5	71	57	11	3	-
57	Suicide by poisoning---E970-E973	89	47	38	3	1	16	11	4	1	-
58	Suicide by hanging and strangulation---E974	82	54	22	6	-	9	8	1	-	-
59	Suicide by firearms and explosives---E976	407	337	55	12	3	42	34	6	2	-
60	Suicide by all other means---E963,E975,E977-E979	48	27	15	5	1	4	4	-	-	-
61	Homicide---E964,E980-E985	797	299	80	339	79	13	8	3	1	1
62	Assault by firearms and explosives---E981	475	183	55	192	45	9	4	3	1	1
63	Assault by cutting and piercing instruments---E982	208	56	9	116	27	1	1	-	-	-
64	Assault by other means---E964,E980,E983	94	50	16	21	7	2	2	-	-	-
65	Injury by intervention of police---E984	12	9	-	3	-	1	1	-	-	-
66	Execution---E985	8	1	-	7	-	-	-	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3	1	2	-	-	34	10	10	4	10	8	5	3	-	-	18	9	8	1	-	1
1	1	-	-	-	9	5	-	1	3	2	2	-	-	-	4	3	1	-	-	2
2	-	2	-	-	25	5	10	3	7	6	3	3	-	-	14	6	7	1	-	3
8	2	5	-	1	92	31	38	10	13	43	20	23	-	-	35	18	15	-	2	4
6	-	5	-	1	84	21	28	6	9	19	7	12	-	-	16	6	10	-	-	5
-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	2	1	1	-	-	6
-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	4	2	1	-	1	7
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	8
2	2	-	-	-	24	9	9	2	4	20	12	8	-	-	13	9	3	-	1	9
55	33	22	-	-	488	208	157	72	51	308	160	133	8	7	286	150	127	7	2	10
10	6	4	-	-	35	13	15	5	2	19	7	10	1	1	37	14	23	-	-	11
5	3	2	-	-	70	32	23	7	8	30	15	13	1	1	31	16	15	-	-	12
23	14	9	-	-	213	86	64	38	25	158	78	75	2	3	134	74	55	3	2	13
17	10	7	-	-	170	77	55	22	16	101	60	35	4	2	84	46	34	4	-	14
134	69	65	-	-	1,761	647	462	377	275	976	553	356	41	26	891	491	322	40	38	15
31	17	14	-	-	264	106	75	50	33	179	103	65	7	4	165	95	61	5	4	16
33	23	10	-	-	396	157	113	72	54	278	171	85	17	5	206	111	78	9	8	17
6	2	4	-	-	141	44	23	40	34	42	21	17	1	3	60	33	20	3	4	18
8	3	5	-	-	54	29	17	5	3	56	31	24	-	1	35	21	14	-	-	19
7	1	6	-	-	98	23	21	36	18	18	8	8	1	1	45	22	17	3	3	20
49	23	26	-	-	808	288	213	174	133	403	219	157	15	12	380	209	132	20	19	21
32	21	11	-	-	371	114	82	97	78	245	141	95	7	2	438	251	164	15	8	22
10	6	4	-	-	90	24	36	9	21	72	33	36	2	1	110	55	54	1	-	23
22	15	7	-	-	281	90	46	88	57	173	108	59	5	1	328	196	110	14	8	24
287	208	79	-	-	2,750	1,382	509	651	208	2,115	1,456	558	81	20	1,656	1,129	376	118	33	25
230	160	70	-	-	2,149	1,045	434	493	177	1,680	1,147	450	68	15	1,370	933	323	86	28	26
4	4	-	-	-	39	19	2	15	3	19	16	1	2	-	44	30	5	8	1	27
78	59	19	-	-	852	475	142	191	44	625	427	159	31	8	457	338	89	17	13	28
74	56	18	-	-	828	462	137	185	44	607	410	158	31	8	448	330	88	17	13	29
13	11	2	-	-	22	12	4	3	3	19	13	5	1	-	12	11	1	-	-	30
11	11	-	-	-	177	82	33	43	19	132	84	37	9	2	111	79	25	4	3	31
19	14	5	-	-	198	119	39	34	6	216	139	69	8	-	113	84	25	3	1	32
21	13	8	-	-	193	117	19	51	6	164	127	28	7	2	116	89	16	5	6	33
10	7	3	-	-	238	132	42	54	10	76	47	19	6	4	96	67	21	5	3	34
4	3	1	-	-	24	13	5	6	-	18	17	1	-	-	9	8	1	-	-	35
3	3	-	-	-	8	4	-	3	1	8	8	-	-	-	6	5	1	-	-	36
4	4	-	-	-	47	30	2	15	-	58	47	7	4	-	8	6	-	2	-	37
1	1	-	-	-	32	26	-	6	-	68	62	5	1	-	17	16	1	-	-	38
1	1	-	-	-	54	19	11	14	10	24	13	7	4	-	17	8	6	1	2	39
8	5	3	-	-	14	9	4	1	-	37	29	7	1	-	17	10	5	2	-	40
51	22	29	-	-	318	118	147	35	18	329	168	157	3	1	215	104	102	8	1	41
14	8	6	-	-	108	52	34	17	5	118	79	37	2	-	83	54	26	3	-	42
10	5	5	-	-	62	16	39	3	4	64	35	28	1	-	39	15	24	-	-	43
27	9	18	-	-	148	50	74	15	9	147	54	92	-	1	93	35	52	5	1	44
8	6	2	-	-	50	35	1	14	-	35	32	1	2	-	107	94	1	12	-	45
7	6	1	-	-	48	36	1	11	-	54	54	-	-	-	25	25	-	-	-	46
2	2	-	-	-	24	20	-	4	-	17	16	1	-	-	28	23	3	2	-	47
11	7	4	-	-	204	49	36	64	55	78	44	28	4	2	125	59	59	4	3	48
1	1	-	-	-	20	4	3	8	5	13	6	5	1	1	34	13	14	4	3	49
13	12	1	-	-	47	24	4	13	6	36	34	1	1	-	39	35	2	2	-	50
6	3	3	-	-	53	16	22	9	6	58	32	24	-	2	21	15	5	-	1	51
21	17	4	-	-	133	74	12	43	4	114	79	24	10	1	68	47	12	8	1	52
1	1	-	-	-	37	18	5	12	2	4	3	1	-	-	13	11	2	-	-	53
-	-	-	-	-	11	1	8	1	1	6	4	2	-	-	2	-	1	1	-	54
10	6	4	-	-	158	68	34	34	22	97	73	20	4	-	127	94	15	15	3	55
55	48	7	-	-	337	255	54	25	3	370	273	91	6	-	177	136	38	3	-	56
7	5	2	-	-	51	33	18	-	-	127	86	41	-	-	23	13	10	-	-	57
8	8	-	-	-	47	35	10	2	-	56	40	13	3	-	22	16	6	-	-	58
33	31	2	-	-	195	160	17	17	1	149	122	24	3	-	115	96	16	3	-	59
7	4	3	-	-	44	27	9	6	2	38	25	13	-	-	17	11	6	-	-	60
2	-	2	-	-	262	80	21	133	28	65	36	17	7	5	108	59	15	29	5	61
-	-	-	-	-	160	49	17	76	18	34	18	12	3	1	65	36	11	16	2	62
-	-	-	-	-	55	7	1	41	6	8	5	-	2	1	17	7	-	8	2	63
2	-	2	-	-	39	19	3	13	4	22	12	5	2	3	23	14	4	4	1	64
-	-	-	-	-	7	5	-	2	-	1	1	-	-	-	3	2	-	1	-	65
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	67

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	34,081	19,298	14,294	280	209	2,503	1,589	840	37	37
2	I. Infective and parasitic diseases	578	339	211	21	7	61	35	17	4	5
3	Tuberculosis, all forms 001-019	228	155	61	11	1	19	8	4	4	3
4	Tuberculosis of respiratory system 001-008	213	148	53	11	1	17	8	4	4	1
5	Tuberculosis of meninges and central nervous system 010	5	1	4	-	-	-	-	-	-	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	1	-	1	-	-	-	-	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	1	1	-	-	-	-	-	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	5	3	2	-	-	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	-	-	-	-	-	-	-	-	-	-
11	Disseminated tuberculosis 019	3	2	1	-	-	2	-	-	-	2
12	Syphilis and its sequelae 020-029	72	43	25	3	1	12	10	1	-	1
13	Congenital syphilis 020	-	-	-	-	-	-	-	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	18	11	7	-	-	6	5	1	-	-
16	Other cardiovascular syphilis 023	32	19	9	3	1	1	1	-	-	-
17	Tabes dorsalis 024	8	7	1	-	-	1	1	-	-	-
18	General paralysis of insane 025	5	3	2	-	-	4	3	-	-	1
19	Other syphilis of central nervous system 026	8	3	5	-	-	-	-	-	-	-
20	Other syphilis 027-029	1	-	1	-	-	-	-	-	-	-
21	Gonococcal infection 030-035	1	-	1	-	-	-	-	-	-	-
22	Typhoid fever 040	1	-	1	-	-	-	-	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	6	3	1	2	-	-	-	-	-	-
28	Food poisoning (infection and intoxication) 049	-	-	-	-	-	3	1	2	-	-
29	Scarlet fever 050	1	-	1	-	-	1	-	1	-	-
30	Streptococcal sore throat 051	7	1	6	-	-	1	1	-	-	-
31	Erysipelas 052	2	-	2	-	-	1	1	-	-	-
32	Septicemia and pyemia 053	13	6	7	-	-	-	-	-	-	-
33	Diphtheria 055	2	1	-	-	1	-	-	-	-	-
34	Whooping cough 056	3	-	3	-	-	-	-	-	-	-
35	Meningococcal infections 057	28	10	14	4	-	-	-	-	-	-
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	2	2	-	-	-	-	-	-	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	131	78	53	-	-	17	10	7	-	-
42	Late effects of acute poliomyelitis 081	2	1	1	-	-	-	-	-	-	-
43	Acute infectious encephalitis 082	14	7	7	-	-	3	1	2	-	-
44	Late effects of acute infectious encephalitis 083	7	5	2	-	-	-	-	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	7	4	2	-	1	2	1	-	-	1
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	18	7	8	1	2	1	1	-	-	-
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	33	16	16	-	1	1	1	-	-	-
61	II. Neoplasms	5,668	2,939	2,673	35	21	336	180	154	2	-
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	5,569	2,894	2,626	33	16	324	178	144	2	-
63	Malignant neoplasm of buccal cavity and pharynx 140-148	146	113	33	-	-	4	4	-	-	-
64	Of lip 140	12	9	3	-	-	-	-	-	-	-
65	Of tongue 141	41	34	7	-	-	-	-	-	-	-
66	Of other and unspecified parts of buccal cavity 142-144	37	26	11	-	-	-	-	-	-	-
67	Of pharynx 145-148	56	44	12	-	-	4	4	-	-	-
68	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	2,287	1,266	997	18	6	117	64	52	1	-
69	Of esophagus 150	108	95	11	2	-	7	7	-	-	-
70	Of stomach 151	704	440	259	5	-	41	23	17	1	-
71	Of intestine, except rectum 152,153	636	311	317	6	2	32	12	20	-	-
72	Of rectum 154	303	179	121	1	2	11	7	4	-	-
73	Of biliary passages and of liver (stated to be primary site) 155	123	39	84	-	-	9	4	5	-	-
74	Of liver not specified whether primary or secondary 156A	128	58	67	2	1	4	2	2	-	-
75	Of pancreas 157	249	128	118	2	1	12	8	4	-	-
76	Of peritoneum and of unspecified digestive organs 158,159	36	16	20	-	-	1	1	-	-	-
77	Malignant neoplasm of respiratory system 160-164	483	390	84	9	-	32	28	4	-	-
78	Of larynx 161	54	47	7	-	-	3	2	1	-	-
79	Of trachea, and of bronchus and lung specified as primary 162	171	140	24	7	-	14	12	2	-	-
80	Of lung and bronchus, unspecified as primary or secondary 163	240	193	45	2	-	12	11	1	-	-
81	Of other parts of respiratory system 160,164	18	10	8	-	-	3	3	-	-	-
82	Malignant neoplasm of breast 170	545	2	543	-	-	29	-	29	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	806	363	435	1	7	60	24	36	-	-
2	Of cervix utéri----------171	160	...	155	...	5	12	...	12	...	-
3	Of other and unspecified parts of uterus----------172-174	100	...	99	...	1	12	...	12	...	-
4	Of ovary, fallopian tube, and broad ligament----------175	166	...	165	...	1	12	...	12	...	-
5	Of other and unspecified female genital organs----------176	16	...	16	...	-	-	...	-	...	-
6	Of prostate----------177	336	335	...	1	...	24	24	...	-	...
7	Of testis, and of other and unspecified male genital organs----178,179	28	28	...	-	...	-	-	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	271	188	79	2	2	19	17	2	-	-
9	Of kidney----------180	92	57	33	1	1	6	5	1	-	-
10	Of bladder and other urinary organs----------181	179	131	46	1	1	13	12	1	-	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	547	290	255	1	1	41	25	15	1	-
12	Of skin----------190,191	58	33	25	-	-	7	3	4	-	-
13	Of eye----------192	10	2	8	-	-	1	1	-	-	-
14	Of brain and other parts of nervous system----------193	131	74	56	1	-	7	6	1	-	-
15	Of thyroid gland----------194	25	8	17	-	-	2	1	1	-	-
16	Of bone (including jaw bone)----------196	48	31	17	-	-	-	-	-	-	-
17	Of connective tissue----------197	14	4	10	-	-	4	4	-	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	71	39	31	-	1	2	2	-	-	-
19	Of unspecified sites----------156B,165,198B,199B-M	190	99	91	-	-	18	8	9	1	-
20	Leukemia and aleukemia----------204	255	141	114	-	-	14	9	5	-	-
21	Lymphosarcoma, etc.*----------200-203,205	229	141	86	2	-	8	7	1	-	-
22	Lymphosarcoma and reticulosarcoma----------200	111	67	43	1	-	4	4	-	-	-
23	Hodgkin's disease----------201	67	41	25	1	-	1	1	-	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	51	33	18	-	-	3	2	1	-	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	99	45	47	2	5	12	2	10	-	-
26	Benign neoplasms of female genital organs----------214-217	18	...	17	...	1	3	...	3	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	26	12	11	2	1	1	-	1	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	26	18	6	-	2	1	1	-	-	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	12	6	6	-	-	5	1	4	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	17	9	7	-	1	2	-	2	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	890	380	494	8	8	65	38	25	1	1
33	Asthma----------241	138	90	45	1	2	14	10	4	-	-
34	Nontoxic goiter----------250,251	3	2	1	-	-	1	-	1	-	-
35	Thyrotoxicosis with or without goiter----------252	28	5	23	-	-	7	2	5	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	5	4	1	-	-	-	-	-	-	-
37	Diabetes mellitus----------260	665	256	397	6	6	36	21	14	-	1
38	Diseases of thymus gland----------273	12	5	7	-	-	4	4	-	-	-
39	Diseases of adrenal glands----------274	10	5	5	-	-	1	1	-	-	-
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	8	2	6	-	-	2	-	1	1	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	21	11	9	1	-	-	-	-	-	-
43	IV. Diseases of the blood and blood-forming organs----------	150	78	72	-	-	7	4	3	-	-
44	Anemias----------290-293	117	56	61	-	-	5	3	2	-	-
45	Pernicious and other hyperchromic anemias----------290	73	31	42	-	-	2	1	1	-	-
46	Anemias of other and unspecified type----------291-293	44	25	19	-	-	3	2	1	-	-
47	Purpura and other hemorrhagic conditions----------296	12	6	6	-	-	-	-	-	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	21	16	5	-	-	2	1	1	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	85	65	20	-	-	11	9	2	-	-
50	Senile psychosis----------304	14	4	10	-	-	2	2	-	-	-
51	Alcoholic psychosis----------307	12	12	-	-	-	-	-	-	-	-
52	Other psychoses----------300-303,305,306,308,309	11	7	4	-	-	3	2	1	-	-
53	Alcoholism----------322	37	36	1	-	-	5	4	1	-	-
54	Mental deficiency----------325	10	5	5	-	-	-	-	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	1	1	-	-	-	1	1	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	4,447	2,209	2,203	20	15	268	141	124	2	1
57	Vascular lesions affecting central nervous system----------330-334	4,137	2,044	2,064	16	13	246	128	116	2	-
58	Subarachnoid hemorrhage----------330	91	48	42	-	1	5	4	1	-	-
59	Cerebral hemorrhage----------331	2,860	1,390	1,446	15	9	181	87	94	-	-
60	Cerebral embolism and thrombosis----------332	626	345	278	1	2	36	22	12	2	-
61	Other vascular lesions affecting central nervous system--------333,334	560	261	298	-	1	24	15	9	-	-
62	Meningitis, except meningococcal and tuberculous----------340	39	20	17	1	1	1	1	-	-	-
63	Multiple sclerosis----------345	57	30	27	-	-	8	4	4	-	-
64	Paralysis agitans----------350	49	25	24	-	-	4	4	-	-	-
65	Cerebral spastic infantile paralysis----------351	16	9	7	-	-	2	1	1	-	-
66	Epilepsy----------353	62	33	26	2	1	4	1	3	-	-
67	Inflammatory diseases of eye----------370-379	2	2	-	-	-	-	-	-	-	-
68	Cataract----------385	2	1	1	-	-	-	-	-	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	9	6	3	-	-	1	1	-	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	74	39	34	1	-	2	1	-	-	1
72	VII. Diseases of the circulatory system----------	14,410	8,415	5,861	57	57	839	566	258	8	7
73	Rheumatic fever----------400-402	33	18	14	-	1	1	-	1	-	-
74	Diseases of heart----------410-443	13,071	7,721	5,246	53	51	779	531	234	7	7
75	Chronic rheumatic heart disease----------410-416	490	241	236	6	7	48	26	21	-	1
76	Diseases of mitral valve----------410	185	89	92	3	1	23	12	10	-	1
77	Diseases of aortic valve specified as rheumatic----------411	22	12	10	-	-	2	1	1	-	-
78	Diseases of tricuspid valve----------412	1	-	1	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	48	21	25	1	1	3	2	1	-	-
80	Other diseases of heart specified as rheumatic----------415,416	234	119	108	2	5	20	11	9	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	8,566	5,479	3,027	34	26	475	368	104	3	-
2	Arteriosclerotic heart disease so described----------420.0	2,897	1,542	1,329	11	15	99	65	34	-	-
3	Heart disease specified as involving coronary arteries----------420.1	5,651	3,924	1,693	23	11	375	302	70	3	-
4	Angina pectoris without mention of coronary disease----------420.2	18	13	5	-	-	1	1	-	-	-
5	Chronic endocarditis not specified as rheumatic----------421	208	118	87	1	2	18	11	6	1	-
6	Of mitral valve, specified as nonrheumatic----------421.0	9	7	2	-	-	1	-	1	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	36	18	16	1	1	4	3	1	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	163	93	69	-	1	13	8	4	1	-
9	Other myocardial degeneration----------422	1,952	985	959	3	5	133	68	59	2	4
10	With arteriosclerosis----------422.1	1,054	514	536	1	3	46	23	20	1	2
11	Without mention of arteriosclerosis----------422.0,422.2	898	471	423	2	2	87	45	39	1	2
12	Other diseases of heart----------430-434	346	212	132	1	1	29	19	8	-	2
13	Acute and subacute endocarditis----------430	23	13	9	-	1	1	-	1	-	-
14	Acute myocarditis not specified as rheumatic----------431	29	12	17	-	-	3	2	-	-	1
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	-	-	-	-	-
16	Functional disease of heart----------433	61	28	33	-	-	8	4	4	-	-
17	Other and unspecified diseases of heart----------434	233	159	73	1	-	17	13	3	-	1
18	Hypertension with heart disease----------440-443	1,509	686	805	8	10	76	39	36	1	-
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	472	242	223	2	5	44	20	23	1	-
20	Essential hypertension with heart disease, etc.*----------440,441,443	1,037	444	582	6	5	32	19	13	-	-
21	Hypertension without mention of heart----------444-447	230	117	112	-	1	7	4	2	1	-
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	106	63	42	-	1	3	2	1	-	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	124	54	70	-	-	4	2	1	1	-
24	Diseases of arteries----------450-456	988	506	476	2	4	42	22	20	-	-
25	General arteriosclerosis----------450	871	427	438	2	4	34	16	18	-	-
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	75	54	21	-	-	5	5	-	-	-
27	Gangrene of unspecified cause----------455	6	1	5	-	-	-	-	-	-	-
28	Other arterial diseases----------452-454,456	36	24	12	-	-	3	1	2	-	-
29	Diseases of veins and other diseases of circulatory system-------460-468	88	53	33	2	-	10	9	1	-	-
30	VIII. Diseases of the respiratory system----------	1,140	680	422	24	14	112	77	27	2	6
31	Acute upper respiratory infections----------470-475	32	17	15	-	-	-	-	-	-	-
32	Influenza----------480-483	103	54	45	3	1	11	7	3	-	1
33	Pneumonia, except pneumonia of newborn----------490-493	706	397	280	19	10	69	46	16	2	5
34	Lobar pneumonia----------490	203	121	74	7	1	26	16	7	1	2
35	Bronchopneumonia----------491	385	207	160	10	8	22	18	3	1	-
36	Primary atypical pneumonia----------492	81	50	30	-	1	5	2	3	-	-
37	Pneumonia, other and unspecified----------493	37	19	16	2	-	16	10	3	-	3
38	Acute bronchitis----------500	38	18	19	1	-	1	1	-	-	-
39	Bronchitis, chronic and unqualified----------501,502	47	33	12	-	2	4	2	2	-	-
40	Hypertrophy of tonsils and adenoids----------510	8	4	4	-	-	1	-	1	-	-
41	Empyema and abscess of lung----------518,521	14	12	2	-	-	1	-	1	-	-
42	Pleurisy----------519	7	5	2	-	-	-	-	-	-	-
43	All other respiratory diseases----------Residual[1]	185	140	43	1	1	25	21	4	-	-
44	IX. Diseases of the digestive system----------	1,216	753	436	11	16	120	82	34	2	2
45	Diseases of teeth and supporting structures----------530-535	11	9	1	-	1	2	1	1	-	-
46	Ulcer of stomach----------540	116	97	19	-	-	10	10	-	-	-
47	Ulcer of duodenum----------541	93	77	16	-	-	13	10	2	1	-
48	Gastritis and duodenitis----------543	3	1	2	-	-	2	2	-	-	-
49	Appendicitis----------550-553	69	48	15	2	4	9	6	2	-	1
50	Hernia and intestinal obstruction----------560,561,570	193	105	82	3	3	26	16	10	-	-
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	132	70	54	3	5	15	7	6	1	1
52	Cirrhosis of liver----------581	296	197	97	1	1	15	13	2	-	-
53	Without mention of alcoholism----------581.0	257	168	87	1	1	13	12	1	-	-
54	With alcoholism----------581.1	39	29	10	-	-	2	1	1	-	-
55	Cholelithiasis and cholecystitis----------584,585	155	66	88	1	-	11	4	7	-	-
56	Other diseases of digestive system----------Residual[1]	148	83	62	1	2	17	13	4	-	-
57	X. Diseases of the genito-urinary system----------	711	492	206	7	6	75	50	24	-	1
58	Nephritis and nephrosis----------590-594	408	241	158	4	5	50	31	18	-	1
59	Acute nephritis----------590	29	15	14	-	-	2	1	1	-	-
60	Nephritis with edema, including nephrosis----------581	18	12	5	-	1	4	4	-	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	361	214	139	4	4	44	26	17	-	1
62	Infections of kidney----------600	62	38	22	1	1	5	2	3	-	-
63	Calculi of urinary system----------602,604	22	15	7	-	-	2	-	2	-	-
64	Other diseases of urinary system----------601,603,605-609	25	17	6	2	-	5	5	-	-	-
65	Hyperplasia of prostate----------610	167	167	...	-	...	10	10	...	-	...
66	Other diseases of male genital organs----------611-617	14	14	...	-	...	2	2	...	-	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	13	...	13	...	-	1	...	1	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	44	...	39	...	5	2	...	2	...	-
70	Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	4	...	3	...	1	-	...	-	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	19	...	17	...	2	1	...	1	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	8	...	7	...	1	-	...	-	...	-
73	Ectopic pregnancy----------645	3	...	2	...	1	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----------650	1	...	1	...	-	-	...	-	...	-
75	Abortion with sepsis----------651	1	...	1	...	-	-	...	-	...	-
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	8	...	8	...	-	1	...	1	...	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1952—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	30	13	15	2	-	2	1	1	-	-
2	Infections of skin and subcutaneous tissue---690-698	9	5	4	-	-	1	1	-	-	-
3	Other diseases of skin and subcutaneous tissue---700-716	21	8	11	2	-	1	-	1	-	-
4	XIII. Diseases of the bones and organs of movement	56	23	33	-	-	10	7	3	-	-
5	Arthritis and spondylitis---720-725	34	11	23	-	-	4	1	3	-	-
6	Muscular rheumatism and rheumatism, unspecified---726,727	1	-	1	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis---730	-	-	-	-	-	-	-	-	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	1	-	1	-	-	1	1	-	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	20	12	8	-	-	5	5	-	-	-
10	XIV. Congenital malformations	499	244	248	3	4	39	25	13	-	1
11	Spina bifida and meningocele---751	52	18	34	-	-	4	2	2	-	-
12	Congenital hydrocephalus, etc.*---752,753	82	40	41	-	1	4	3	1	-	-
13	Congenital malformations of circulatory system---754	197	112	80	2	3	15	12	2	-	1
14	Other congenital malformations---750,755-759	168	74	93	1	-	16	8	8	-	-
15	XV. Certain diseases of early infancy	1,345	762	525	24	34	163	91	67	-	5
16	Birth injuries---760,761	294	183	104	1	6	34	19	15	-	-
17	Postnatal asphyxia and atelectasis---762	278	156	111	3	8	36	20	16	-	-
18	Infections of newborn---763-768	65	25	34	3	3	13	4	6	-	3
19	Hemolytic disease of newborn (erythroblastosis)---770	54	33	20	-	1	11	6	4	-	1
20	All other defined diseases of early infancy---769,771,772	29	14	12	1	2	5	2	2	-	1
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	625	351	244	16	14	64	40	24	-	-
22	XVI. Symptoms, senility, and ill-defined conditions	247	126	116	3	2	30	14	8	3	5
23	Senility without mention of psychosis---794	154	67	85	1	1	9	4	4	1	-
24	Symptoms, ill-defined and unknown causes---780-793,795	93	59	31	2	1	21	10	4	2	5
25	XVII. Accidents, poisonings, and violence	2,565	1,780	700	65	20	363	269	78	13	3
26	Accidents---E800-E962	2,115	1,440	611	50	14	306	229	64	10	3
27	Railway accidents---E800-E802	24	20	3	1	-	5	5	-	-	-
28	Motor-vehicle accidents---E810-E835	922	685	199	29	9	111	87	17	5	2
29	Motor-vehicle traffic accidents---E810-E825	892	663	191	29	9	110	86	17	5	2
30	Motor-vehicle traffic accident with railway train*---E810	54	39	15	-	-	4	4	-	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	165	127	29	7	2	6	6	-	-	-
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	220	148	62	7	3	44	33	11	-	-
33	Motor-vehicle noncollision traffic accidents---E820-E824	200	162	29	6	3	43	35	4	4	-
34	Motor-vehicle traffic accident of unspecified nature---E825	253	187	56	9	1	13	8	2	1	2
35	Motor-vehicle nontraffic accidents---E830-E835	30	22	8	-	-	1	1	-	-	-
36	Other road-vehicle accidents---E840-E845	9	7	2	-	-	4	3	1	-	-
37	Water-transport accidents---E850-E858	33	31	-	2	-	2	2	-	-	-
38	Aircraft accidents---E860-E866	22	19	3	-	-	17	15	2	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	9	7	1	1	-	4	2	1	1	-
40	Accidental poisoning by gases and vapors---E890-E895	23	14	6	2	1	20	11	9	-	-
41	Accidental falls---E900-E904	524	245	272	3	4	37	22	14	-	1
42	Fall from one level to another---E900-E902	213	132	78	2	1	20	14	6	-	-
43	Fall on same level---E903	173	55	116	-	2	10	3	7	-	-
44	Unspecified falls---E904	138	58	78	1	1	7	5	1	-	1
45	Blow from falling object---E910	27	25	2	-	-	9	8	1	-	-
46	Accident caused by machinery---E912	59	53	5	1	-	11	11	-	-	-
47	Accident caused by electric current---E914	14	13	1	-	-	3	3	-	-	-
48	Accident caused by fire and explosion, etc.*---E916	118	74	41	3	-	12	11	1	-	-
49	Accident caused by hot substance, etc.*---E917,E918	10	4	5	1	-	1	1	-	-	-
50	Accident caused by firearm---E919	37	29	8	-	-	11	9	1	1	-
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	26	17	8	1	-	10	7	2	1	-
52	Accidental drowning---E929	115	99	14	2	-	26	17	8	1	-
53	Excessive heat and insolation---E931	1	-	1	-	-	-	-	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	9	4	5	-	-	1	-	1	-	-
55	All other accidents---Residual[1]	133	94	35	4	-	22	15	6	1	-
56	Suicide---E963,E970-E979	392	318	71	2	1	42	33	9	-	-
57	Suicide by poisoning---E970-E973	63	45	17	-	1	3	1	2	-	-
58	Suicide by hanging and strangulation---E974	124	102	22	-	-	6	4	2	-	-
59	Suicide by firearms and explosives---E976	151	136	14	1	-	29	26	3	-	-
60	Suicide by all other means---E963,E975,E977-E979	54	35	18	1	-	4	2	2	-	-
61	Homicide---E964,E980-E985	57	21	18	13	5	15	7	5	3	-
62	Assault by firearms and explosives---E981	29	10	10	6	3	13	6	4	3	-
63	Assault by cutting and piercing instruments---E982	10	4	2	3	1	1	1	-	-	-
64	Assault by other means---E964,E980,E983	18	7	6	4	1	1	-	1	-	-
65	Injury by intervention of police---E984	-	-	-	-	-	-	-	-	-	-
66	Execution---E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

Table 52A. Deaths From 64 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Abbreviated List number[1]	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		ALL CAUSES	1,496,838	109,413	8,069	4,841	3,589	3,000	128,912	9,034	6,769	11,853
2		White--M--	753,571	48,986	3,250	2,093	1,610	1,359	57,298	4,438	3,502	6,530
3		F--	561,451	35,766	2,791	1,635	1,270	1,068	42,530	3,122	2,118	2,983
4		Nonwhite--M--	100,356	13,776	1,112	601	384	292	16,165	831	673	1,391
5		F--	81,460	10,885	916	512	325	281	12,919	643	476	949
6		Tuberculosis, all forms (001-019)	24,621	222	245	170	92	73	802	137	116	397
7		White--M--	12,482	52	75	54	28	24	233	50	27	56
8		F--	5,196	55	60	42	30	22	209	30	26	91
9		Nonwhite--M--	4,333	58	65	34	19	13	189	23	24	102
10		F--	2,610	57	45	40	15	14	171	34	39	148
11	B 1	Tuberculosis of respiratory system (001-008)	22,486	97	88	50	25	21	281	44	69	339
12		White--M--	11,765	24	25	15	6	6	76	12	12	44
13		F--	4,671	24	24	13	6	2	69	8	16	76
14		Nonwhite--M--	3,821	30	20	6	9	4	69	10	12	90
15		F--	2,229	19	19	16	4	9	67	14	29	129
16	B 2	Tuberculosis, other forms (010-019)	2,135	125	157	120	67	52	521	93	47	58
17		White--M--	717	28	50	39	22	18	157	38	15	12
18		F--	525	31	36	29	24	20	140	22	10	15
19		Nonwhite--M--	512	28	45	28	10	9	120	13	12	12
20		F--	381	38	26	24	11	5	104	20	10	19
21	B 3	Syphilis and its sequelae (020-029)	5,719	92	4	2	2	1	101	3	5	18
22		White--M--	2,893	17	-	1	-	-	18	1	1	7
23		F--	894	15	1	1	1	1	19	1	1	4
24		Nonwhite--M--	1,369	36	-	-	1	-	37	-	2	1
25		F--	563	24	3	-	-	-	27	1	1	6
26	B 4	Typhoid fever (040)	78	2	1	1	-	-	4	4	2	6
27		White--M--	25	-	-	-	-	-	-	-	1	1
28		F--	17	-	1	-	-	-	1	1	-	-
29		Nonwhite--M--	19	1	-	-	-	-	1	-	-	2
30		F--	17	1	-	1	-	-	2	3	1	3
31	B 6	Dysentery, all forms (045-048)	937	517	54	32	17	12	632	18	11	5
32		White--M--	334	181	17	11	5	4	218	8	5	2
33		F--	296	147	13	6	5	4	175	6	4	2
34		Nonwhite--M--	169	102	11	8	5	1	127	3	1	-
35		F--	138	87	13	7	2	3	112	1	1	1
36	B 7	Scarlet fever and streptococcal sore throat (050,051)	351	39	16	17	15	10	97	30	22	16
37		White--M--	158	14	7	6	9	4	40	11	8	12
38		F--	145	16	4	7	5	5	37	15	12	3
39		Nonwhite--M--	28	6	3	3	1	1	14	2	1	-
40		F--	20	3	2	1	-	-	6	2	1	1
41	B 8	Diphtheria (055)	217	12	26	20	22	28	108	39	16	3
42		White--M--	85	2	6	6	8	9	31	13	5	2
43		F--	76	5	9	9	4	12	39	15	7	-
44		Nonwhite--M--	33	4	7	4	3	4	22	8	2	-
45		F--	23	1	4	1	7	3	16	3	2	1
46	B 9	Whooping cough (056)	402	262	77	26	10	8	383	10	2	3
47		White--M--	99	59	25	6	3	2	95	3	-	-
48		F--	107	65	18	11	1	3	98	2	1	3
49		Nonwhite--M--	97	71	15	4	3	2	95	2	-	-
50		F--	99	67	19	5	3	1	95	3	1	-
51	B 10	Meningococcal infections (057)	1,386	395	225	143	89	55	907	141	72	57
52		White--M--	653	192	114	76	45	22	449	55	32	25
53		F--	532	159	86	44	34	27	350	61	26	19
54		Nonwhite--M--	102	19	12	14	7	3	55	13	8	7
55		F--	99	25	13	9	3	3	53	12	6	6
56	B 12	Acute poliomyelitis (080)	3,145	116	117	128	101	118	580	567	413	313
57		White--M--	1,769	56	61	67	57	65	306	330	226	190
58		F--	1,239	50	42	44	36	48	220	217	171	109
59		Nonwhite--M--	84	10	10	8	4	4	36	16	8	6
60		F--	53	-	4	9	4	1	18	4	8	8
61	B 13	Smallpox (084)	-	-	-	-	-	-	-	-	-	-
62		White--M--	-	-	-	-	-	-	-	-	-	-
63		F--	-	-	-	-	-	-	-	-	-	-
64		Nonwhite--M--	-	-	-	-	-	-	-	-	-	-
65		F--	-	-	-	-	-	-	-	-	-	-
66	B 14	Measles (085)	618	142	119	78	34	30	403	118	29	16
67		White--M--	230	61	38	26	13	9	147	48	11	5
68		F--	238	41	40	30	13	16	140	51	12	9
69		Nonwhite--M--	65	17	18	7	3	3	48	10	5	-
70		F--	85	23	23	15	5	2	68	9	1	2
71	B 15	Typhus and other rickettsial diseases (100-108)	29	1	-	2	1	-	4	4	3	-
72		White--M--	20	-	-	1	-	-	1	3	1	-
73		F--	7	-	-	1	1	-	2	1	2	-
74		Nonwhite--M--	-	-	-	-	-	-	-	-	-	-
75		F--	2	1	-	-	-	-	1	-	-	-

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Age, Race, and Sex: United States, 1952

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
15,343	18,761	22,523	30,940	44,842	62,056	86,936	115,154	143,686	172,792	180,804	177,389	143,326	82,312	33,332	7,489	1,497	1,088	1
8,194	9,072	10,279	14,112	21,931	32,358	46,028	64,806	81,347	94,528	93,571	87,747	66,764	35,047	12,686	2,543	301	489	2
3,631	5,054	6,462	9,343	13,112	17,964	24,602	34,086	45,993	60,880	73,085	79,272	69,635	43,338	19,032	4,294	602	313	3
2,006	2,640	3,054	3,947	5,224	6,352	8,925	9,351	9,346	9,667	7,820	5,815	3,845	1,943	731	271	187	172	4
1,512	1,995	2,728	3,538	4,575	5,382	7,361	6,911	7,000	7,717	6,328	4,555	3,082	1,984	883	381	407	114	5
846	1,273	1,478	1,776	2,038	2,158	2,382	2,409	2,479	2,316	1,818	1,210	677	232	45	7	2	23	6
146	279	413	640	854	1,154	1,406	1,545	1,718	1,520	1,185	727	377	119	20	5	2	6	7
192	366	392	468	445	347	324	345	362	438	442	367	248	83	20	2	-	1	8
210	314	333	390	500	469	486	412	323	263	138	82	35	23	3	-	-	14	9
298	314	340	280	239	188	166	107	76	95	53	34	17	7	2	-	-	2	10
735	1,171	1,365	1,658	1,900	2,022	2,250	2,287	2,360	2,197	1,723	1,155	639	220	43	7	2	19	11
130	262	389	603	811	1,113	1,356	1,490	1,665	1,460	1,139	699	357	115	19	5	2	6	12
167	344	370	447	411	316	304	319	326	409	405	349	234	79	19	2	-	1	13
165	281	300	354	464	430	450	382	298	240	133	77	33	20	3	-	-	10	14
273	284	306	254	214	163	140	96	71	88	46	30	15	6	2	-	-	2	15
111	102	113	118	138	136	132	122	119	119	95	55	38	12	2	-	-	4	16
16	17	24	37	43	41	50	55	53	60	46	28	20	4	1	-	-	-	17
25	22	22	19	34	31	20	26	36	29	37	18	14	4	1	-	-	-	18
45	33	33	36	36	39	36	30	25	23	5	5	2	3	-	-	-	4	19
25	30	34	26	25	25	26	11	5	7	7	4	2	1	-	-	-	-	20
24	30	57	145	287	492	715	800	919	867	621	354	184	62	27	3	-	5	21
5	7	15	20	84	187	300	414	544	542	383	222	95	32	13	1	-	2	22
7	4	6	19	45	55	95	97	130	139	110	78	51	20	12	1	-	-	23
4	6	19	65	108	182	236	221	193	126	97	39	22	7	2	1	-	1	24
8	13	17	41	50	68	84	68	52	60	31	15	16	3	-	-	-	2	25
8	4	9	5	1	11	4	4	4	6	2	2	1	1	-	-	-	-	26
3	1	2	3	1	5	-	3	1	2	1	1	-	-	-	-	-	-	27
3	3	1	-	-	1	2	-	1	2	1	-	-	1	-	-	-	-	28
1	-	5	1	-	2	2	1	2	1	-	1	-	-	-	-	-	-	29
1	-	1	1	-	3	-	-	-	1	-	-	1	-	-	-	-	-	30
11	4	10	9	16	14	18	22	29	31	22	35	19	20	9	2	-	-	31
3	-	4	2	7	4	9	10	9	12	10	15	8	4	3	1	-	-	32
5	3	4	3	2	3	7	10	13	12	9	16	6	10	6	-	-	-	33
1	1	1	3	6	4	1	1	4	5	2	2	4	3	-	-	-	-	34
2	-	1	1	1	3	1	1	3	2	1	2	1	3	-	1	-	-	35
12	13	17	8	14	16	10	21	16	9	18	11	10	5	3	3	-	-	36
7	7	5	5	8	8	2	10	12	5	6	4	5	2	-	1	-	-	37
4	5	8	1	4	6	3	9	3	4	11	7	5	3	3	2	-	-	38
-	1	4	1	-	1	2	1	-	-	1	-	-	-	-	-	-	-	39
1	-	-	1	2	1	3	1	1	-	-	-	-	-	-	-	-	-	40
-	5	3	5	6	3	8	4	8	4	2	3	-	-	-	-	-	-	41
-	4	2	1	3	3	5	4	6	4	1	1	-	-	-	-	-	-	42
-	-	1	3	3	-	3	-	2	-	1	2	-	-	-	-	-	-	43
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
32	17	10	13	20	22	19	17	20	16	13	6	3	1	-	-	-	-	51
15	8	5	4	5	9	7	9	9	9	6	4	2	-	-	-	-	-	52
11	6	3	5	8	6	8	6	9	6	6	2	-	-	-	-	-	-	53
2	2	1	2	4	4	2	-	-	-	1	-	-	1	-	-	-	-	54
4	1	1	2	3	3	2	2	2	1	-	-	1	-	-	-	-	-	55
282	431	281	133	72	21	22	15	7	4	4	-	-	-	-	-	-	-	56
139	243	165	84	39	13	12	9	6	4	3	-	-	-	-	-	-	-	57
135	174	114	48	29	8	8	4	1	-	1	-	-	-	-	-	-	-	58
4	6	1	1	3	-	1	2	-	-	-	-	-	-	-	-	-	-	59
4	8	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
5	4	8	5	2	4	5	1	2	5	2	2	5	2	-	-	-	-	66
1	1	3	3	1	1	3	-	1	-	2	-	3	-	-	-	-	-	67
2	3	5	2	1	1	1	-	1	4	-	2	2	2	-	-	-	-	68
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	69
2	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	70
-	1	-	-	1	3	2	1	1	4	3	1	1	-	-	-	-	-	71
-	-	-	-	1	3	1	1	1	3	3	1	1	-	-	-	-	-	72
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75

Table 52A Deaths From 64 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Abbreviated List number[1]	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	B 16	Malaria (110-117)	25	1	2	-	1	-	4	1	-	-
2		White M	10	1	-	-	1	-	2	-	-	-
3		F	4	-	-	-	-	-	-	1	-	-
4		Nonwhite M	6	-	-	-	-	-	-	-	-	-
5		F	5	-	2	-	-	-	2	-	-	-
6	B 17	All other infective and parasitic diseases (030-039, 041,042,044,049,052-054,059-074,081-083,086-096,120-138)	4,311	683	172	121	96	73	1,145	219	146	107
7		White M	1,882	271	78	44	35	35	463	99	58	37
8		F	1,547	219	57	37	37	22	372	74	56	39
9		Nonwhite M	461	102	21	17	15	10	165	24	17	15
10		F	421	91	16	23	9	6	145	22	15	16
11	B 18	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	223,277	291	301	404	478	414	1,888	1,073	653	872
12		White M	105,790	123	143	195	248	203	912	556	308	457
13		F	99,245	126	128	173	189	186	802	417	268	324
14		Nonwhite M	9,017	22	16	20	25	12	95	59	40	45
15		F	9,225	20	14	16	16	13	79	41	37	46
16		Malignant neoplasm of buccal cavity and pharynx (140-148)	5,029	-	-	-	2	1	3	7	3	8
17		White M	3,639	-	-	-	2	1	3	2	-	4
18		F	995	-	-	-	-	-	-	3	3	3
19		Nonwhite M	285	-	-	-	-	-	-	1	-	1
20		F	110	-	-	-	-	-	-	1	-	-
21		Malignant neoplasm of digestive organs and peritoneum (150-156A,157-159)	83,238	30	17	12	13	7	79	17	17	51
22		White M	41,731	13	12	3	7	5	40	9	7	20
23		F	34,830	13	4	9	2	1	29	5	8	22
24		Nonwhite M	4,040	2	-	-	3	1	6	3	-	3
25		F	2,637	2	1	-	1	-	4	-	2	6
26		Malignant neoplasm of respiratory system (160-164)	24,330	7	-	3	2	5	17	7	9	20
27		White M	18,698	2	-	2	2	3	9	5	2	8
28		F	3,932	5	-	-	-	2	7	1	5	6
29		Nonwhite M	1,395	-	-	-	-	-	-	1	2	3
30		F	305	-	-	1	-	-	1	-	-	3
31		Malignant neoplasm of breast (170)	19,892	3	-	1	-	2	6	1	2	1
32		White M	201	1	-	-	-	-	1	-	-	-
33		F	18,289	2	-	1	-	2	5	1	1	1
34		Nonwhite M	27	-	-	-	-	-	-	-	-	-
35		F	1,375	-	-	-	-	-	-	-	1	-
36		Malignant neoplasm of genital organs (171-179)	35,379	2	10	3	8	5	28	11	14	48
37		White M	11,837	1	3	2	3	3	12	5	1	21
38		F	19,234	-	4	1	5	2	12	5	11	21
39		Nonwhite M	1,260	1	1	-	-	-	2	-	1	1
40		F	3,048	-	2	-	-	-	2	1	1	5
41		Malignant neoplasm of urinary organs (180,181)	10,679	16	28	31	44	43	162	66	11	9
42		White M	6,656	7	11	11	19	16	64	24	6	5
43		F	3,348	4	14	17	23	22	80	31	3	2
44		Nonwhite M	412	4	3	1	-	3	11	3	-	1
45		F	263	1	-	2	2	2	7	8	2	1
46		Malignant neoplasm of other and unspecified sites (156B,165,190-199)	25,783	85	90	126	134	89	524	328	258	305
47		White M	12,690	48	50	62	60	41	261	165	119	162
48		F	11,209	28	33	51	59	38	209	127	109	116
49		Nonwhite M	896	4	3	6	11	5	29	23	16	16
50		F	988	5	4	7	4	5	25	13	14	11
51		Leukemia and aleukemia (204)	9,841	125	126	203	244	237	935	518	257	262
52		White M	5,291	43	58	100	141	116	458	272	134	152
53		F	3,961	61	53	86	89	114	403	213	99	91
54		Nonwhite M	321	11	8	12	10	2	43	20	13	9
55		F	268	10	7	5	4	5	31	13	11	10
56		Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	9,106	23	30	25	31	25	134	118	82	168
57		White M	5,047	8	9	15	14	18	64	74	39	85
58		F	3,447	13	20	8	11	5	57	31	29	62
59		Nonwhite M	381	-	1	1	1	1	4	8	8	11
60		F	231	2	-	1	5	1	9	5	6	10
61	B 19	Benign neoplasms and neoplasms of unspecified nature (210-239)	5,133	149	45	42	36	28	300	106	83	92
62		White M	1,854	70	16	18	19	13	136	45	36	34
63		F	2,425	57	22	18	12	11	120	48	34	39
64		Nonwhite M	230	12	4	5	1	1	23	7	8	11
65		F	624	10	3	1	4	3	21	6	5	8
66	B 20	Diabetes mellitus (260)	25,474	26	30	19	7	7	89	52	98	104
67		White M	9,167	15	18	12	2	2	49	19	30	30
68		F	13,984	10	10	5	5	5	35	26	47	56
69		Nonwhite M	790	-	2	1	-	-	3	2	5	9
70		F	1,533	1	-	1	-	-	2	5	16	9
71	B 21	Anemias (290-293)	3,987	141	89	29	16	26	301	86	52	42
72		White M	1,632	45	23	11	7	9	95	25	14	11
73		F	1,839	33	24	9	2	11	79	37	22	21
74		Nonwhite M	253	33	26	4	4	4	71	17	9	3
75		F	263	30	16	5	3	2	56	7	7	7

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Age, Race, and Sex: United States, 1952—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1	2	1	-	2	1	1	-	2	4	5	1	-	-	-	-	-	-	1
-	-	1	-	-	1	-	-	1	1	3	1	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	3
1	1	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	4
-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	5
124	156	143	192	218	211	268	239	273	254	171	174	150	64	44	11	1	1	6
47	51	47	73	92	89	124	125	139	132	89	89	73	32	17	5	-	1	7
48	74	56	75	78	73	80	57	101	90	71	72	69	29	26	6	1	-	8
12	16	19	16	16	24	38	35	22	17	6	10	5	3	1	-	-	-	9
17	15	21	28	32	25	26	22	11	15	5	3	3	-	-	-	-	-	10
1,085	1,825	3,019	5,069	8,468	12,911	18,504	25,097	29,778	32,430	30,146	24,994	15,842	7,184	1,966	320	48	105	11
551	777	1,079	1,531	2,796	4,767	7,538	11,799	15,157	17,006	15,480	12,686	7,991	3,412	806	127	14	40	12
408	842	1,534	2,771	4,437	6,417	8,515	10,855	12,275	13,083	12,991	11,198	7,269	3,515	1,084	171	19	50	13
66	72	118	210	436	714	1,091	1,293	1,341	1,327	939	649	329	137	38	10	3	5	14
60	134	288	557	799	1,013	1,360	1,150	1,005	1,014	736	461	253	120	38	12	12	10	15
17	31	28	83	133	273	430	593	706	765	694	605	373	184	73	11	4	5	16
9	15	12	44	72	194	287	449	568	569	517	436	272	124	47	7	3	5	17
1	11	8	24	33	38	87	83	95	139	148	141	91	56	26	4	1	-	18
6	3	7	8	19	25	47	47	38	37	16	19	9	2	-	-	-	-	19
1	2	1	7	9	16	9	14	5	20	13	9	1	2	-	-	-	-	20
104	226	519	976	2,031	3,543	5,594	8,667	11,294	13,500	13,270	11,422	7,601	3,285	841	137	19	45	21
50	97	207	410	885	1,632	2,591	4,415	6,054	7,347	6,908	5,681	3,606	1,379	306	62	4	21	22
31	94	246	423	814	1,371	2,106	3,288	4,282	5,125	5,618	5,255	3,724	1,796	501	68	9	15	23
11	18	31	82	179	316	532	602	609	645	462	303	150	63	17	3	1	4	24
12	17	35	61	153	224	365	362	349	383	282	183	121	47	17	4	5	5	25
42	64	154	374	849	1,632	2,657	3,951	4,494	4,113	2,904	1,829	809	316	73	9	-	7	26
26	40	90	233	588	1,206	2,082	3,213	3,686	3,285	2,172	1,276	533	202	35	4	-	3	27
12	15	42	84	141	230	322	419	563	594	612	489	248	101	34	4	-	3	28
2	6	17	38	99	168	211	266	216	186	93	52	19	10	4	1	-	1	29
2	3	5	19	21	28	42	53	29	48	27	12	9	3	-	-	-	-	30
17	117	378	845	1,483	1,940	2,310	2,588	2,498	2,228	2,103	1,659	988	491	190	32	4	11	31
-	1	2	6	5	9	12	20	25	15	44	32	17	10	1	1	-	-	32
9	93	331	723	1,315	1,781	2,086	2,394	2,314	2,088	1,967	1,548	940	469	182	30	1	10	33
-	-	1	2	-	2	3	3	4	2	5	2	2	-	1	-	-	-	34
8	23	44	114	163	148	209	171	155	123	87	77	29	12	6	1	3	1	35
158	352	631	1,147	1,669	2,325	2,981	3,511	4,059	4,606	4,799	4,375	2,851	1,401	351	36	7	19	36
67	86	103	85	69	90	197	492	1,000	1,683	2,343	2,527	1,844	948	238	16	3	7	37
72	211	384	807	1,268	1,773	2,210	2,530	2,542	2,414	2,059	1,559	865	371	97	11	2	10	38
4	4	5	7	14	39	82	122	208	220	201	191	96	48	10	4	1	-	39
15	51	139	248	318	423	492	367	309	289	196	98	46	34	6	5	1	2	40
17	35	42	120	223	401	730	1,107	1,508	1,749	1,643	1,407	909	404	116	16	-	4	41
5	12	21	51	134	257	466	734	1,013	1,159	1,017	848	538	231	64	6	-	1	42
9	17	18	47	57	95	184	271	401	504	544	512	344	167	50	10	-	2	43
3	5	3	11	19	31	42	70	64	51	50	30	16	2	-	-	-	-	44
-	1	-	11	13	18	38	32	30	35	32	17	11	4	2	-	-	1	45
315	425	598	815	1,173	1,700	2,249	2,768	3,074	3,204	2,821	2,362	1,637	853	284	72	13	5	46
162	202	289	347	554	790	1,075	1,413	1,609	1,653	1,400	1,149	811	397	100	26	4	2	47
126	187	254	391	481	719	929	1,145	1,241	1,346	1,277	1,124	770	433	176	42	5	2	48
18	16	20	30	51	76	104	106	124	115	74	38	27	7	3	2	1	-	49
9	20	35	47	87	115	141	104	100	90	70	51	29	16	5	2	3	1	50
206	235	279	320	406	463	682	805	980	1,100	1,022	741	435	159	23	6	-	7	51
114	121	127	152	210	234	340	441	540	650	591	413	247	81	9	4	-	1	52
77	92	123	128	161	188	286	319	391	405	398	315	178	74	12	2	-	6	53
7	11	13	12	18	19	23	27	36	32	20	8	7	2	1	-	-	-	54
8	11	16	28	17	22	33	18	13	13	13	5	3	2	1	-	-	-	55
209	340	390	389	501	634	871	1,107	1,165	1,165	890	594	239	91	15	1	1	2	56
118	203	228	203	279	355	488	622	662	645	438	324	123	40	6	1	-	-	57
71	122	128	144	167	222	305	406	446	468	368	255	109	48	6	-	1	2	58
15	9	21	20	37	38	47	50	42	39	18	6	3	3	2	-	-	-	59
5	6	13	22	18	19	31	29	15	13	16	9	4	-	1	-	-	-	60
109	163	238	382	488	510	463	488	476	393	294	250	156	89	40	9	-	4	61
39	69	69	98	121	138	174	193	208	159	130	97	58	27	16	6	-	1	62
46	65	100	167	239	259	206	230	223	190	147	136	92	57	23	2	-	2	63
9	10	8	16	19	34	20	24	13	12	4	7	1	1	1	1	-	1	64
15	19	61	101	109	79	63	41	32	32	13	10	5	4	-	-	-	-	65
166	224	316	366	509	787	1,403	2,226	3,452	4,474	4,473	3,629	2,091	819	159	19	2	16	66
61	85	142	160	243	318	500	772	1,156	1,506	1,534	1,398	766	317	64	10	-	7	67
71	110	121	128	149	294	599	1,148	1,973	2,630	2,694	2,085	1,248	469	86	6	2	7	68
14	11	29	21	38	46	88	79	115	125	90	63	34	11	6	-	-	1	69
20	18	24	57	79	129	216	227	208	213	155	83	43	22	3	3	-	1	70
79	54	66	64	78	118	148	163	278	410	543	636	489	281	84	13	-	2	71
23	16	15	13	18	34	52	67	122	213	236	297	230	113	32	5	-	1	72
20	19	27	23	37	51	66	78	128	168	274	324	248	160	48	8	-	1	73
16	8	9	10	10	16	15	7	13	13	12	11	9	2	2	-	-	-	74
20	11	15	18	13	17	15	11	15	16	21	4	2	6	2	-	-	-	75

Table 52A. Deaths From 64 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Abbreviated List number[1]	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	B 23	Meningitis, except meningococcal and tuberculous (340)	1,918	645	176	113	51	39	1,024	103	44	38
2		White M	796	262	62	56	20	19	419	50	14	13
3		F	591	190	57	27	19	13	306	35	21	13
4		Nonwhite M	290	96	33	18	7	3	157	9	8	6
5		F	241	97	24	12	5	4	142	9	1	6
6		Major cardiovascular-renal diseases (330-334, 400-468, 592-594)	796,871	589	176	130	111	111	1,117	595	680	1,048
7		White M	405,676	267	71	64	52	52	506	240	238	429
8		F	309,490	170	61	38	39	40	348	226	280	363
9		Nonwhite M	42,653	87	29	16	8	5	145	76	71	117
10		F	39,052	65	15	12	12	14	118	53	91	139
11		Diseases of cardiovascular system (330-334, 400-468)	776,114	561	163	103	82	83	992	469	560	877
12		White M	396,729	253	65	46	35	40	439	182	182	362
13		F	302,087	158	58	32	30	28	306	175	231	292
14		Nonwhite M	40,384	85	25	13	7	4	134	65	64	97
15		F	36,914	65	15	12	10	11	113	47	83	126
16	B 22	Vascular lesions affecting central nervous system (330-334)	166,331	182	57	44	35	22	340	112	83	145
17		White M	71,109	87	25	20	16	14	162	54	35	62
18		F	74,568	39	24	16	13	7	99	39	35	54
19		Nonwhite M	9,855	33	4	4	1	-	42	11	6	14
20		F	10,799	23	4	4	5	1	37	8	7	15
21	B 24	Rheumatic fever (400-402)	1,583	12	11	4	20	25	72	201	266	119
22		White M	636	5	3	1	5	9	23	64	79	53
23		F	609	1	5	1	7	9	23	79	112	38
24		Nonwhite M	152	2	3	1	3	-	9	30	28	19
25		F	186	4	-	1	5	7	17	28	47	9
26		Diseases of heart (410-443)	555,141	302	79	47	24	29	481	140	182	527
27		White M	300,538	133	29	22	11	15	210	56	65	224
28		F	203,928	95	25	13	10	9	152	50	65	160
29		Nonwhite M	27,490	40	15	8	3	3	69	23	29	62
30		F	23,185	34	10	4	-	2	50	11	23	81
31	B 25	Chronic rheumatic heart disease (410-416)	19,754	4	1	2	3	-	10	31	84	289
32		White M	9,072	1	-	1	2	-	4	13	26	132
33		F	8,815	1	-	-	1	-	2	7	34	88
34		Nonwhite M	924	2	1	-	-	-	3	6	13	32
35		F	943	-	-	1	-	-	1	5	11	37
36	B 26 pt.	Arteriosclerotic heart disease, including coronary disease (420)	352,135	49	7	6	4	1	67	20	22	54
37		White M	213,533	24	4	2	2	-	32	7	8	27
38		F	118,257	14	2	3	1	1	21	9	8	16
39		Nonwhite M	11,991	6	-	1	1	-	8	3	4	4
40		F	8,354	5	1	-	-	-	6	1	2	7
41	B 26 pt.	Nonrheumatic chronic endocarditis and other myocardial degeneration (421, 422)	76,684	79	17	18	9	8	131	37	38	66
42		White M	35,303	32	3	10	4	5	54	12	18	23
43		F	33,219	30	8	5	4	3	50	14	12	20
44		Nonwhite M	4,354	9	6	3	1	-	19	6	5	12
45		F	3,808	8	-	-	-	-	8	5	3	11
46	B 27	Other diseases of heart (430-434)	22,657	169	52	20	8	19	268	51	31	98
47		White M	11,490	75	21	9	3	10	118	24	12	37
48		F	7,102	50	14	5	4	4	77	19	9	31
49		Nonwhite M	2,356	23	8	4	1	3	39	8	4	12
50		F	1,709	21	9	2	-	2	34	-	6	18
51	B 28	Hypertension with heart disease (440-443)	83,911	1	2	1	-	1	5	1	7	20
52		White M	31,140	1	1	-	-	-	2	-	1	5
53		F	36,535	-	1	-	-	1	2	1	2	5
54		Nonwhite M	7,865	-	-	-	-	-	-	-	3	2
55		F	8,371	-	-	1	-	-	1	-	1	8
56	B 29	Hypertension without mention of heart (444-447)	12,506	-	1	-	1	-	2	3	4	7
57		White M	5,030	-	1	-	1	-	2	-	1	2
58		F	4,952	-	-	-	-	-	-	2	2	-
59		Nonwhite M	1,250	-	-	-	-	-	-	1	1	-
60		F	1,274	-	-	-	-	-	-	-	-	5
61	B 46 pt.	General arteriosclerosis (450)	31,685	-	-	-	-	-	-	1	-	1
62		White M	14,487	-	-	-	-	-	-	1	-	1
63		F	15,051	-	-	-	-	-	-	-	-	-
64		Nonwhite M	1,153	-	-	-	-	-	-	-	-	-
65		F	994	-	-	-	-	-	-	-	-	-
66	B 46 pt.	Other diseases of circulatory system (451-468)	8,868	65	15	8	2	7	97	12	25	78
67		White M	4,929	28	7	3	2	2	42	7	2	20
68		F	2,979	23	4	2	-	3	32	5	17	40
69		Nonwhite M	484	10	3	-	-	1	14	-	-	2
70		F	476	4	1	3	-	1	9	-	6	16
71	B 38 pt.	Chronic and unspecified nephritis and other renal sclerosis (592-594)	20,757	28	13	27	29	28	125	126	120	171
72		White M	8,947	14	6	18	17	12	67	58	56	67
73		F	7,403	12	3	6	9	12	42	51	49	71
74		Nonwhite M	2,269	2	4	3	1	1	11	11	7	20
75		F	2,138	-	-	-	2	3	5	6	8	13

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Age, Race, and Sex: United States, 1952—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
29	35	42	62	71	66	91	71	66	68	42	34	19	9	2	-	-	2	1
10	8	19	25	28	31	40	32	32	25	20	15	9	4	1	-	-	1	2
8	6	7	20	18	16	24	26	22	30	14	15	5	3	1	-	-	1	3
5	11	9	8	14	15	17	8	7	7	4	1	3	1	-	-	-	-	4
6	10	7	9	11	4	10	5	5	6	4	3	2	1	-	-	-	-	5
1,702	2,760	4,867	9,125	17,322	27,968	43,839	62,629	82,946	106,126	117,692	121,907	102,952	60,288	24,487	5,349	953	519	6
706	1,136	2,117	4,419	9,227	15,888	24,766	36,911	47,955	58,060	60,366	59,231	46,970	25,157	9,163	1,770	196	225	7
555	918	1,313	2,269	3,922	6,320	10,168	16,043	24,809	36,877	47,904	55,590	51,247	32,407	14,213	3,144	400	174	8
200	297	630	1,112	2,018	2,881	4,622	5,343	5,543	5,995	5,052	3,834	2,549	1,316	494	179	113	66	9
241	409	807	1,325	2,155	2,879	4,283	4,332	4,639	5,194	4,370	3,252	2,186	1,408	617	256	244	54	10
1,396	2,349	4,345	8,456	16,443	26,842	42,422	60,983	81,027	103,933	115,200	119,345	100,767	59,058	24,004	5,220	921	505	11
545	934	1,894	4,162	8,895	15,436	24,177	36,254	47,120	57,084	59,284	58,075	45,978	24,623	8,964	1,728	191	220	12
461	800	1,147	2,071	3,660	5,996	9,793	15,515	24,185	36,128	46,941	54,568	50,319	31,862	13,985	3,086	393	173	13
177	257	572	1,014	1,899	2,711	4,396	5,110	5,301	5,742	4,804	3,607	2,390	1,238	470	167	107	62	14
213	358	732	1,209	1,989	2,699	4,056	4,104	4,421	4,979	4,171	3,095	2,080	1,335	585	239	230	50	15
265	421	775	1,431	2,778	4,674	7,734	10,984	15,344	21,819	26,165	28,739	24,405	13,756	5,096	991	170	104	16
101	167	268	451	888	1,612	2,751	4,631	6,870	9,973	11,924	12,896	10,605	5,494	1,793	310	31	31	17
90	149	249	478	916	1,627	2,687	3,848	5,753	8,806	11,762	14,043	12,610	7,600	3,028	589	68	38	18
38	41	92	198	406	645	1,043	1,275	1,328	1,491	1,212	922	601	304	110	37	18	21	19
36	64	166	304	568	790	1,253	1,230	1,393	1,549	1,267	878	589	358	165	55	53	14	20
90	100	89	90	105	89	69	72	61	61	49	25	9	12	3	-	-	1	21
26	42	39	45	50	46	30	41	31	28	20	7	4	4	3	-	-	1	22
40	40	30	29	40	30	27	20	24	28	23	14	5	7	-	-	-	-	23
8	6	7	5	9	8	6	6	2	4	3	1	-	1	-	-	-	-	24
16	12	13	11	6	5	6	5	4	1	3	3	-	-	-	-	-	-	25
891	1,547	3,050	6,262	12,635	20,800	32,972	47,579	62,333	77,371	82,586	82,124	66,664	37,944	14,939	3,207	543	364	26
378	653	1,485	3,460	7,620	13,189	20,614	30,369	38,422	44,626	44,159	41,048	30,976	15,971	5,660	1,066	114	173	27
268	503	738	1,371	2,448	4,004	6,670	11,027	17,435	25,691	32,557	36,718	32,831	20,357	8,652	1,888	222	121	28
118	167	403	686	1,327	1,882	3,106	3,538	3,669	3,913	3,269	2,380	1,557	796	283	103	72	38	29
127	224	424	745	1,240	1,725	2,582	2,645	2,807	3,141	2,601	1,978	1,300	820	344	150	135	32	30
427	655	859	1,264	1,763	1,872	2,093	2,314	1,986	1,834	1,458	1,268	911	443	160	24	5	4	31
195	263	388	584	818	869	975	1,098	994	871	650	581	382	169	52	5	-	3	32
152	296	352	556	778	822	927	1,058	829	807	683	598	468	243	98	12	4	1	33
38	32	49	58	82	88	108	83	83	69	73	48	33	17	4	5	-	-	34
42	64	70	66	85	93	83	75	80	87	52	41	28	14	6	2	1	-	35
170	432	1,267	3,207	7,483	13,592	22,163	33,110	43,514	52,705	54,028	51,065	38,618	20,816	7,810	1,552	227	213	36
79	255	818	2,308	5,648	10,284	16,268	24,029	29,651	33,252	31,199	27,470	19,082	9,263	3,126	548	58	121	37
47	70	190	412	875	1,872	3,553	6,441	11,124	16,578	20,408	21,838	18,386	10,880	4,435	925	99	70	38
20	59	148	280	573	855	1,423	1,665	1,656	1,723	1,428	989	632	336	119	29	26	11	39
24	48	111	207	387	581	919	975	1,083	1,152	993	768	518	337	130	50	44	11	40
88	116	269	452	888	1,307	2,194	3,485	5,274	8,160	10,942	13,694	14,136	9,608	4,453	1,090	196	60	41
34	38	94	188	344	583	972	1,654	2,744	4,195	5,467	6,462	6,456	3,951	1,601	349	38	26	42
22	38	56	102	218	319	529	979	1,581	2,810	4,396	6,323	7,026	5,288	2,686	650	81	19	43
15	13	49	68	168	200	360	471	535	644	602	503	365	177	67	36	30	9	44
17	27	70	94	158	205	333	381	414	511	477	406	289	192	99	55	47	6	45
152	198	297	489	770	1,088	1,523	1,831	2,481	2,948	3,001	2,948	2,343	1,360	577	149	36	18	46
55	62	105	183	372	559	758	1,040	1,394	1,654	1,641	1,502	1,106	572	231	50	8	7	47
34	65	68	123	146	199	281	371	598	816	975	1,161	1,066	656	314	77	14	2	48
30	35	59	81	132	188	288	265	318	282	228	170	109	72	18	10	4	4	49
33	36	65	102	120	142	196	155	171	195	157	115	62	60	14	12	10	5	50
54	146	358	850	1,731	2,941	4,999	6,839	9,078	11,724	13,157	13,149	10,656	5,717	1,939	392	79	69	51
15	35	80	197	438	894	1,641	2,548	3,639	4,654	5,202	5,033	3,950	2,016	650	114	10	16	52
13	34	72	178	431	792	1,380	2,178	3,303	4,680	6,095	6,798	5,885	3,290	1,119	224	24	29	53
15	28	98	199	372	551	927	1,054	1,077	1,195	938	670	418	194	75	23	12	14	54
11	49	108	276	490	704	1,051	1,059	1,059	1,195	922	648	403	217	95	31	33	10	55
47	119	220	378	521	675	732	847	1,000	1,328	1,548	1,762	1,659	1,100	428	95	24	7	56
17	28	36	89	166	258	287	363	428	580	654	790	682	433	170	37	4	3	57
10	26	49	91	119	175	182	242	347	488	682	811	844	596	230	45	10	1	58
8	32	49	96	109	118	139	124	124	126	101	84	75	35	15	9	3	1	59
12	33	86	102	127	124	124	118	101	134	111	77	58	36	13	4	7	2	60
6	5	13	19	47	101	272	541	1,108	2,165	3,794	5,756	7,378	5,959	3,413	902	178	26	61
1	1	3	9	17	52	141	265	574	1,128	1,908	2,798	3,371	2,584	1,276	307	40	10	62
4	1	7	2	7	20	50	125	345	743	1,548	2,622	3,744	3,167	2,016	548	90	12	63
1	1	2	6	12	16	39	83	115	168	188	192	143	95	59	17	14	2	64
-	2	1	2	11	13	42	68	74	126	150	144	120	113	62	30	34	2	65
97	157	198	276	357	503	643	960	1,181	1,189	1,058	939	652	287	125	25	6	3	66
22	43	63	108	154	279	354	585	795	749	619	536	340	137	62	8	2	2	67
49	81	74	100	130	140	177	253	281	372	369	360	285	135	59	16	3	1	68
4	10	19	23	36	42	63	84	63	40	31	28	14	7	3	1	-	-	69
22	23	42	45	37	42	49	38	42	28	39	15	13	8	1	-	1	-	70
306	411	522	669	879	1,126	1,417	1,646	1,919	2,193	2,492	2,562	2,185	1,230	483	129	32	14	71
161	202	223	257	332	452	589	657	835	976	1,082	1,156	992	534	199	42	5	5	72
94	118	166	198	262	324	375	528	624	749	963	1,022	928	545	228	58	7	1	73
23	40	58	98	119	170	226	233	242	253	248	227	159	78	24	12	6	4	74
28	51	75	116	166	180	227	228	218	215	199	157	106	73	32	17	14	4	75

Table 52A. Deaths From 64 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Abbreviated List number[1]	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		Influenza and pneumonia, except pneumonia of newborn (480-493)	46,265	9,104	1,551	605	354	234	11,848	558	303	311
2		White--------M--	20,649	3,231	525	212	131	104	4,203	227	119	121
3		F--	16,017	2,613	524	192	124	72	3,525	216	101	106
4		Nonwhite------M--	5,394	1,763	267	117	48	34	2,229	71	36	40
5		F--	4,205	1,497	235	84	51	24	1,891	44	47	44
6	B 30	Influenza (480-483)	5,631	820	150	63	35	29	1,097	83	63	64
7		White--------M--	2,122	247	51	20	13	10	341	26	28	24
8		F--	2,105	210	42	14	13	8	287	36	19	22
9		Nonwhite------M--	707	201	35	16	6	7	265	13	7	10
10		F--	697	162	22	13	3	4	204	8	9	8
11	B 31	Pneumonia, except pneumonia of newborn (490-493)	40,634	8,284	1,401	542	319	205	10,751	475	240	247
12		White--------M--	18,527	2,984	474	192	118	94	3,862	201	91	97
13		F--	13,912	2,403	482	178	111	64	3,238	180	82	84
14		Nonwhite------M--	4,687	1,562	232	101	42	27	1,964	58	29	30
15		F--	3,508	1,335	213	71	48	20	1,687	36	38	36
16	B 32	Bronchitis (500-502)	2,970	662	180	86	52	36	1,016	64	17	14
17		White--------M--	1,608	272	78	46	33	18	447	32	9	9
18		F--	959	211	68	32	12	12	335	25	6	5
19		Nonwhite------M--	235	106	18	2	4	3	133	4	2	-
20		F--	168	73	16	6	3	3	101	3	-	-
21	B 33	Ulcer of stomach and duodenum (540,541)	8,770	48	5	3	2	2	60	5	4	5
22		White--------M--	6,537	22	2	1	1	1	27	3	2	1
23		F--	1,575	7	1	2	1	1	12	2	2	-
24		Nonwhite------M--	513	17	1	-	-	-	18	-	-	3
25		F--	145	2	1	-	-	-	3	-	-	1
26	B 34	Appendicitis (550-553)	2,710	17	16	36	37	26	132	131	89	97
27		White--------M--	1,432	8	10	15	22	14	69	72	36	44
28		F--	833	4	5	16	12	10	47	34	36	39
29		Nonwhite------M--	261	3	-	4	1	1	9	15	11	9
30		F--	184	2	1	1	2	1	7	10	6	5
31	B 35	Hernia and intestinal obstruction (560,561,570)	8,481	953	80	33	18	12	1,096	24	28	29
32		White--------M--	3,912	472	28	16	14	5	535	15	16	12
33		F--	3,499	328	26	8	2	3	367	5	6	5
34		Nonwhite------M--	585	96	21	6	1	3	127	1	1	4
35		F--	485	57	5	3	1	1	67	3	5	8
36	B 36	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	8,743	4,367	593	134	69	45	5,208	109	40	31
37		White--------M--	3,382	1,540	222	38	26	15	1,841	43	19	17
38		F--	2,957	1,106	190	41	20	9	1,366	41	15	12
39		Nonwhite------M--	1,326	989	92	28	14	9	1,132	13	3	1
40		F--	1,078	732	89	27	9	12	869	12	3	1
41	B 37	Cirrhosis of liver (581)	15,934	45	11	5	5	3	69	18	22	26
42		White--------M--	9,858	15	3	2	3	1	24	10	7	6
43		F--	4,895	23	7	3	2	1	36	6	10	16
44		Nonwhite------M--	751	3	1	-	-	-	4	1	3	1
45		F--	430	4	-	-	-	1	5	1	2	3
46	B 38 pt.	Acute nephritis and nephritis with edema, including nephrosis (590,591)	3,131	63	38	39	50	41	231	128	76	93
47		White--------M--	1,338	32	12	16	28	20	108	62	34	40
48		F--	1,072	18	11	15	15	12	71	44	30	28
49		Nonwhite------M--	361	10	9	3	7	5	34	11	6	4
50		F--	360	3	6	5	-	4	18	11	6	21
51	B 39	Hyperplasia of prostate (610)	6,286	-	-	-	-	-	-	-	-	-
52		White--------M--	5,607	-	-	-	-	-	-	-	-	-
53		Nonwhite------M--	679	-	-	-	-	-	-	-	-	-
54	B 40	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	2,610	...	...	...	...	...	...	...	8	250
55		White--------F--	1,624	...	...	...	...	...	...	...	-	130
56		Nonwhite------F--	986	...	...	...	...	...	...	...	8	120
57		Abortion (650-652)	320	...	...	...	...	...	...	...	-	25
58		White--------F--	196	...	...	...	...	...	...	...	-	13
59		Nonwhite------F--	124	...	...	...	...	...	...	...	-	12
60		All other complications (640-649,660-689)	2,290	...	...	...	...	...	...	...	8	225
61		White--------F--	1,428	...	...	...	...	...	...	...	-	117
62		Nonwhite------F--	862	...	...	...	...	...	...	...	8	108
63	B 41	Congenital malformations (750-759)	19,768	15,185	933	373	257	180	16,928	420	231	218
64		White--------M--	9,667	7,449	421	176	104	79	8,229	192	112	110
65		F--	8,152	6,260	396	150	121	81	7,008	179	94	79
66		Nonwhite------M--	1,108	854	62	27	14	13	970	26	11	15
67		F--	841	622	54	20	18	7	721	23	14	14
68		Certain diseases of early infancy (760-776)	63,659	63,632	16	2	5	1	63,656	2	1	-
69		White--------M--	30,102	30,088	11	-	-	-	30,099	2	1	-
70		F--	20,854	20,844	3	1	5	1	20,854	-	-	-
71		Nonwhite------M--	7,145	7,145	-	-	-	-	7,145	-	-	-
72		F--	5,558	5,555	2	1	-	-	5,558	-	-	-

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Age, Race, and Sex: United States, 1952—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
316	428	581	789	1,115	1,354	1,745	2,054	2,632	3,350	4,005	4,704	4,738	3,234	1,614	450	99	37	1
120	148	214	302	487	708	882	1,089	1,498	1,779	2,003	2,323	2,213	1,389	642	161	13	8	2
89	110	147	173	255	276	329	458	631	995	1,482	2,014	2,230	1,686	882	255	49	8	3
54	85	119	187	234	228	330	308	301	341	293	210	171	75	41	18	11	12	4
53	85	101	127	139	142	204	199	202	235	227	157	124	84	49	16	26	9	5
39	51	68	87	125	151	191	213	303	414	524	639	670	507	243	67	23	9	6
11	21	16	27	43	55	70	83	137	177	207	258	279	201	90	23	5	-	7
14	17	23	19	30	47	30	60	73	133	213	306	327	266	136	36	10	1	8
6	7	11	19	26	22	46	25	49	43	42	44	39	18	6	2	4	3	9
8	6	18	22	26	27	45	45	44	61	62	31	25	22	11	6	4	5	10
277	377	513	702	990	1,203	1,554	1,841	2,329	2,936	3,481	4,065	4,068	2,727	1,371	383	76	28	11
109	127	198	275	444	653	812	1,006	1,361	1,602	1,796	2,065	1,934	1,188	552	138	8	8	12
75	93	124	154	225	229	299	398	558	862	1,269	1,708	1,903	1,420	746	219	39	7	13
48	78	108	168	208	206	284	283	252	298	251	166	132	57	35	16	7	9	14
45	79	83	105	113	115	159	154	158	174	165	126	99	62	38	10	22	4	15
12	18	20	33	46	62	94	135	205	246	280	263	215	125	79	19	5	2	16
7	8	6	12	27	35	67	93	160	174	168	147	112	50	36	7	2	-	17
1	6	7	9	12	12	10	26	31	56	92	101	100	69	42	12	2	-	18
1	2	4	7	4	10	15	12	8	8	11	7	3	2	1	-	-	1	19
3	2	3	5	3	5	2	4	6	8	9	8	-	4	-	-	1	1	20
35	67	136	272	449	627	867	1,119	1,175	1,266	1,061	804	518	213	63	16	-	8	21
20	41	91	186	319	481	658	894	938	982	808	573	334	130	40	6	-	3	22
6	11	22	39	70	82	109	141	173	221	213	197	168	74	20	10	-	3	23
8	11	15	35	44	49	79	70	50	53	34	27	10	4	1	-	-	2	24
1	4	8	12	16	15	21	14	14	10	6	7	6	5	2	-	-	-	25
78	89	80	113	144	170	229	246	227	272	193	201	131	68	16	1	2	1	26
31	41	35	53	67	97	131	137	125	158	121	101	72	30	11	-	1	-	27
23	27	25	25	34	38	48	68	71	82	62	82	51	36	4	-	-	1	28
9	9	6	22	25	16	32	29	23	18	6	14	5	2	1	-	-	-	29
15	12	14	13	18	19	18	12	8	14	4	4	3	-	-	1	1	-	30
51	83	115	171	246	306	454	591	759	973	1,061	1,015	806	474	163	30	2	4	31
20	21	34	52	76	117	189	280	346	489	553	498	368	214	62	11	2	2	32
19	31	40	61	104	122	157	232	304	375	457	458	401	243	93	18	-	1	33
5	8	20	19	30	34	58	48	57	62	29	42	23	10	5	1	-	1	34
7	23	21	39	36	33	50	31	52	47	22	17	14	7	3	-	-	-	35
79	68	86	127	121	199	221	264	325	353	427	438	338	195	92	12	7	3	36
38	34	34	50	52	85	105	145	162	155	173	177	130	80	38	3	1	-	37
28	24	37	48	41	78	75	93	120	158	213	239	191	113	51	9	3	2	38
5	6	4	11	11	22	21	12	24	19	20	9	9	2	1	-	1	-	39
8	4	11	18	17	14	20	14	19	21	21	13	8	-	2	-	2	1	40
52	157	405	893	1,453	1,914	2,082	2,195	1,970	1,797	1,289	857	476	186	52	7	3	11	41
11	65	160	459	839	1,151	1,308	1,490	1,348	1,249	823	515	261	99	26	2	-	5	42
25	62	158	315	470	605	587	584	506	481	409	313	202	82	20	4	1	3	43
6	12	47	75	76	96	121	87	90	47	44	20	10	4	1	1	2	3	44
10	18	40	44	68	62	66	34	26	20	13	9	3	1	5	-	-	-	45
99	101	131	145	185	190	210	216	255	253	258	222	190	93	41	12	1	1	46
40	37	44	48	77	80	95	100	104	113	116	105	80	34	18	3	-	-	47
26	26	46	49	48	55	54	56	90	93	97	95	88	49	21	6	-	-	48
12	16	16	28	26	30	31	27	30	34	24	12	14	3	1	2	-	-	49
21	22	25	20	34	25	30	33	31	13	21	10	8	7	1	1	1	1	50
-	1	2	1	5	15	85	179	377	838	1,128	1,329	1,210	765	296	44	8	3	51
-	1	2	-	3	7	42	119	295	716	1,002	1,232	1,129	727	283	40	7	2	52
-	-	-	1	2	8	43	60	82	122	126	97	81	38	13	4	1	1	53
483	565	595	480	181	25	6	6	1	2	3	3	1	1	-	-	-	-	54
283	381	361	305	121	21	6	6	1	2	3	2	1	1	-	-	-	-	55
200	184	234	175	60	4	-	-	-	-	-	1	-	-	-	-	-	-	56
63	84	67	53	23	3	-	1	-	-	1	-	-	-	-	-	-	-	57
31	61	37	35	15	2	-	1	-	-	1	-	-	-	-	-	-	-	58
32	23	30	18	8	1	-	-	-	-	-	-	-	-	-	-	-	-	59
420	481	528	427	158	22	6	5	1	2	2	3	1	1	-	-	-	-	60
252	320	324	270	106	19	6	5	1	2	2	2	1	1	-	-	-	-	61
168	161	204	157	52	3	-	-	-	-	-	1	-	-	-	-	-	-	62
175	178	168	185	212	220	215	174	150	103	76	69	31	11	2	1	-	1	63
86	94	89	103	110	117	109	89	70	49	37	43	19	8	1	-	-	-	64
73	67	58	70	76	85	91	71	71	50	37	26	11	3	1	1	-	1	65
11	6	11	6	12	9	10	10	6	4	1	-	-	-	-	-	-	-	66
5	11	10	6	14	9	5	4	3	-	1	-	1	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72

325797 O - 55 - 12

Table 52A. Deaths From 64 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Abbreviated List number[1]	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		Certain diseases of early infancy (760-776)—Continued										
1	B 42	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	27,357	27,353	2	1	1	-	27,357	-	-	-
2		White---------M--	14,021	14,019	2	-	-	-	14,021	-	-	-
3		F--	8,919	8,919	-	-	1	-	8,919	-	-	-
4		Nonwhite------M--	2,569	2,569	-	-	-	-	2,569	-	-	-
5		F--	1,848	1,847	-	1	-	-	1,848	-	-	-
6	B 43	Infections of newborn (763-768)	4,094	4,094	-	-	-	-	4,094	-	-	-
7		White---------M--	1,641	1,641	-	-	-	-	1,641	-	-	-
8		F--	1,159	1,159	-	-	-	-	1,159	-	-	-
9		Nonwhite------M--	750	750	-	-	-	-	750	-	-	-
10		F--	544	544	-	-	-	-	544	-	-	-
11	B 44	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	32,208	32,185	14	1	4	1	32,205	2	1	-
12		White---------M--	14,440	14,428	9	-	-	-	14,437	2	1	-
13		F--	10,776	10,767	3	1	4	1	10,776	-	-	-
14		Nonwhite------M--	3,826	3,826	-	-	-	-	3,826	-	-	-
15		F--	3,166	3,164	2	-	-	-	3,166	-	-	-
16	B 45	Symptoms, senility, and ill-defined conditions (780-795)	21,950	3,353	243	113	76	51	3,836	111	81	140
17		White---------M--	8,381	826	56	31	17	14	944	29	28	45
18		F--	5,674	587	57	27	14	11	696	26	23	31
19		Nonwhite------M--	4,257	1,083	76	21	25	12	1,217	39	13	37
20		F--	3,638	857	54	34	20	14	979	17	17	27
21	B 46 pt.	All other diseases (Residual)	67,225	3,802	826	524	370	335	5,857	888	552	774
22		White---------M--	33,713	1,765	367	231	171	151	2,685	417	263	352
23		F--	25,401	1,210	321	203	145	126	2,005	358	204	256
24		Nonwhite------M--	4,514	449	84	56	31	30	650	56	47	88
25		F--	3,597	378	54	34	23	28	517	57	38	78
26		Accidents (E800-E962)	96,172	3,730	1,670	1,394	1,093	984	8,871	3,216	2,764	6,000
27		White---------M--	57,605	1,522	743	650	498	456	3,869	1,754	1,784	4,142
28		F--	25,788	1,154	539	435	358	298	2,784	907	575	1,067
29		Nonwhite------M--	9,092	570	206	170	129	115	1,190	315	315	636
30		F--	3,687	484	182	139	108	115	1,028	240	90	155
31	BE 47	Motor-vehicle accidents (E810-E835)	37,794	308	430	448	387	378	1,951	1,342	953	3,640
32		White---------M--	25,110	144	214	233	192	197	980	744	599	2,488
33		F--	8,255	128	167	156	136	118	705	424	264	802
34		Nonwhite------M--	3,426	19	25	46	35	35	160	118	68	259
35		F--	1,003	17	24	13	24	28	106	56	22	91
36	BE 48	All other accidents (E800-E802,E840-E962)	58,378	3,422	1,240	946	706	606	6,920	1,874	1,811	2,360
37		White---------M--	32,495	1,378	529	417	306	259	2,889	1,010	1,185	1,654
38		F--	17,533	1,026	372	279	222	180	2,079	483	311	265
39		Nonwhite------M--	5,666	551	181	124	94	80	1,030	197	247	377
40		F--	2,684	467	158	126	84	87	922	184	68	64
41	BE 49	Suicide (E963,E970-E979)	15,567	-	-	-	-	-	-	1	39	295
42		White---------M--	11,624	-	-	-	-	-	-	1	25	213
43		F--	3,339	-	-	-	-	-	-	-	7	65
44		Nonwhite------M--	491	-	-	-	-	-	-	-	5	12
45		F--	113	-	-	-	-	-	-	-	2	5
46	BE 50 pt.	Homicide (E964,E980-E985)	8,054	127	32	17	22	17	215	53	67	433
47		White---------M--	2,562	56	18	5	10	9	98	23	32	107
48		F--	940	43	10	8	6	5	72	15	19	49
49		Nonwhite------M--	3,640	12	3	4	4	1	24	8	11	217
50		F--	912	16	1	-	2	2	21	7	5	60
51	BE 50 pt.	Injury resulting from operations of war (E965,E990-E999)	44	-	-	-	-	-	-	-	-	-
52		White---------M--	39	-	-	-	-	-	-	-	-	-
53		F--	-	-	-	-	-	-	-	-	-	-
54		Nonwhite------M--	5	-	-	-	-	-	-	-	-	-
55		F--	-	-	-	-	-	-	-	-	-	-

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

NOTE.—The list of 64 selected causes includes Cholera (043,B 5) and Plague (058,B 11). There were no deaths reported from these causes.

Age, Race, and Sex: United States, 1952—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
203	263	320	442	627	801	1,091	1,133	1,326	1,692	1,874	1,946	2,178	1,804	1,280	488	236	78	16
68	83	106	160	266	322	475	543	647	783	816	886	902	646	405	160	34	33	17
31	51	59	99	101	146	145	161	224	296	435	574	805	787	694	219	58	13	18
47	55	68	90	158	185	265	256	257	334	344	272	264	176	79	38	47	16	19
57	74	87	93	102	148	206	173	198	279	279	214	207	195	102	71	97	16	20
999	1,340	1,750	2,267	2,966	3,700	4,535	5,747	6,854	7,675	7,233	6,198	4,267	2,335	947	236	49	56	21
404	477	662	924	1,307	1,802	2,310	3,201	3,926	4,316	3,868	3,214	2,087	1,000	376	83	12	27	22
363	507	670	846	1,051	1,279	1,489	1,886	2,315	2,749	2,890	2,655	1,958	1,227	523	133	23	14	23
110	158	188	245	315	350	437	399	373	363	287	208	143	58	19	7	6	7	24
122	198	230	252	293	269	299	261	240	247	188	121	79	50	29	13	8	8	25
6,786	6,182	5,371	5,220	5,177	4,958	5,038	4,991	4,905	5,068	4,958	5,427	5,209	3,586	1,777	430	78	160	26
4,953	4,381	3,732	3,493	3,475	3,322	3,272	3,370	3,289	3,207	2,755	2,598	2,113	1,276	577	131	17	95	27
932	809	739	840	859	849	950	1,026	1,104	1,389	1,844	2,526	2,892	2,193	1,151	284	43	25	28
720	796	709	732	662	624	629	456	371	306	218	178	109	61	21	8	3	33	29
181	196	191	155	181	163	187	139	141	166	141	125	95	56	28	7	15	7	30
4,475	3,641	2,796	2,613	2,330	2,127	2,201	2,141	1,994	1,916	1,556	1,133	650	235	46	7	1	46	31
3,325	2,593	1,917	1,707	1,549	1,370	1,329	1,395	1,309	1,325	1,062	775	439	148	26	4	-	26	32
659	525	460	506	473	437	553	526	506	451	401	296	173	69	12	2	1	10	33
387	423	327	329	251	248	248	172	149	104	77	47	29	13	7	1	-	9	34
104	100	92	71	57	72	71	48	30	36	16	15	9	5	1	-	-	1	35
2,311	2,541	2,575	2,607	2,847	2,831	2,837	2,850	2,911	3,152	3,402	4,294	4,559	3,351	1,731	423	77	114	36
1,628	1,788	1,815	1,786	1,926	1,952	1,943	1,975	1,980	1,882	1,693	1,823	1,674	1,128	551	127	17	69	37
273	284	279	334	386	412	397	500	598	938	1,443	2,230	2,719	2,124	1,139	282	42	15	38
333	373	382	403	411	376	381	284	222	202	141	131	80	48	14	7	3	24	39
77	96	99	84	124	91	116	91	111	130	125	110	86	51	27	7	15	6	40
586	950	1,073	1,298	1,427	1,589	1,672	1,576	1,555	1,323	974	603	386	155	41	7	1	16	41
399	621	696	893	1,020	1,146	1,253	1,203	1,246	1,062	806	509	339	138	34	5	-	15	42
135	241	302	331	355	398	367	327	269	239	152	87	41	13	7	1	1	1	43
40	71	55	57	40	37	46	39	36	22	15	6	6	3	-	1	-	-	44
12	17	20	17	12	8	6	7	4	-	1	1	-	1	-	-	-	-	45
868	1,261	1,119	1,138	874	609	486	314	210	159	112	61	33	10	3	-	-	29	46
235	321	267	291	277	235	189	142	113	92	63	37	17	7	2	-	-	14	47
82	102	99	132	98	60	75	43	30	18	22	9	6	3	1	-	-	5	48
433	648	604	574	411	262	185	110	61	43	21	14	6	-	-	-	-	8	49
118	190	149	141	88	52	37	19	6	6	6	1	4	-	-	-	-	2	50
6	8	6	5	1	-	4	7	4	1	1	-	-	-	-	-	-	1	51
6	7	4	4	1	-	4	7	3	1	1	-	-	-	-	-	-	1	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA																										
	ALL CAUSES--------	27,273	3,073	249	138	110	79	239	232	345	442	470	625	790	1,105	1,361	1,787	2,007	2,336	2,862	2,883	2,602	1,890	987	436	113	112
	White-----M--	9,356	827	59	35	31	30	77	83	109	157	156	172	235	345	427	558	706	822	1,035	1,134	1,112	717	344	140	32	13
	F--	6,605	610	53	33	28	19	50	47	69	62	63	108	130	207	232	271	311	477	699	869	912	738	377	192	41	7
	Nonwhite--M--	5,995	876	84	27	31	16	64	57	89	116	144	172	198	288	366	496	557	564	597	435	332	245	126	53	21	41
	F--	5,317	760	53	43	20	14	48	45	78	107	107	173	227	265	336	462	433	473	531	445	246	190	140	51	19	51
001-019	Tuberculosis, all forms--------	572	6	9	3	4	1	3	5	18	29	43	49	44	47	54	52	40	55	28	42	20	15	3	1	-	1
	White-----M--	168	-	3	-	-	-	3	-	1	2	8	8	9	9	14	21	16	26	10	18	12	7	-	1	-	-
	F--	92	2	1	-	-	-	-	-	1	6	3	6	4	7	6	5	2	11	7	16	5	7	3	-	-	-
	Nonwhite--M--	181	2	3	2	3	-	-	2	6	7	14	15	16	22	23	18	17	17	6	5	1	1	-	-	-	1
	F--	131	2	2	1	1	1	-	3	10	14	18	20	15	9	11	8	5	1	5	3	2	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	519	2	4	-	1	-	-	3	17	26	41	48	42	42	50	49	37	52	27	40	19	14	3	1	-	1
	White-----M--	159	-	1	-	-	-	-	-	1	2	8	8	8	9	14	21	15	25	10	18	11	7	-	1	-	-
	F--	84	-	1	-	-	-	-	-	1	5	3	5	4	7	6	4	2	11	7	14	5	6	3	-	-	-
	Nonwhite--M--	161	1	1	-	1	-	-	1	5	7	13	15	15	18	21	18	16	16	5	5	1	1	-	-	-	1
	F--	115	1	1	-	-	-	-	2	10	12	17	20	15	8	9	6	4	-	5	3	2	-	-	-	-	-
010-019	Tuberculosis, other forms------	53	4	5	3	3	1	3	2	1	3	2	1	2	5	4	3	3	3	1	2	1	1	-	-	-	-
	White-----M--	9	-	2	-	-	-	3	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-
	F--	8	2	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	2	-	1	-	-	-	-
	Nonwhite--M--	20	1	2	2	2	-	-	1	1	-	1	-	1	4	2	-	1	1	1	-	-	-	-	-	-	-
	F--	16	1	1	1	1	1	-	1	-	2	1	-	-	1	2	2	1	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	113	6	1	-	-	-	-	-	1	2	2	4	7	7	14	8	12	19	11	6	6	5	2	-	-	-
	White-----M--	28	1	-	-	-	-	-	-	-	2	-	-	-	1	2	4	2	4	6	4	1	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	1	-	2	-	-	-	-	-
	Nonwhite--M--	52	3	-	-	-	-	-	-	-	-	-	2	2	4	11	3	6	10	4	2	2	2	1	-	-	-
	F--	26	2	1	-	-	-	-	-	1	-	2	2	4	-	1	1	4	4	-	-	1	2	1	-	-	-
040	Typhoid fever-----	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	25	8	2	2	-	-	-	-	-	-	-	-	-	3	-	-	2	2	-	-	3	2	1	-	-	-
	White-----M--	9	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	1	1	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	11	3	2	1	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	1	-	-	-	-
	F--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	8	1	1	-	-	-	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	20	1	2	3	3	4	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	1	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	24	17	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	36	8	5	2	2	2	4	1	3	2	3	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	2	1	2	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	5	3	-	2	2	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	1	1	-	-	-	-	-	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	18	-	1	1	1	-	7	4	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	-	1	-	-	-	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	40	10	7	3	3	4	8	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	5	-	-	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	1	2	1	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	1	2	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	3	3	2	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	110	22	1	8	3	5	4	6	3	3	1	4	5	4	4	4	12	4	3	4	4	2	3	1	-	-
	White-----M--	41	4	-	3	2	3	1	4	-	2	1	1	3	1	-	1	7	1	-	2	2	-	2	1	-	-
	F--	20	2	1	2	1	-	1	-	-	-	-	2	-	1	3	2	-	1	-	-	1	2	1	-	-	-
	Nonwhite--M--	22	6	-	-	-	2	1	1	1	-	-	-	-	1	1	1	4	1	1	1	1	-	-	-	-	-
	F--	27	10	-	3	-	-	1	1	2	1	-	1	2	1	-	-	1	1	2	1	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952

and of deaths among armed forces, overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA—Con.																										
140-205	Malignant neoplasms, etc.*	3,009	6	5	4	13	3	27	19	18	24	31	71	115	176	252	270	322	356	388	355	274	162	86	22	3	7
	White—M	1,050	1	2	2	5	3	13	11	4	8	10	17	24	45	64	63	107	130	146	136	131	77	38	10	2	1
	F	1,068	2	1	-	4	-	4	5	10	8	12	30	47	70	88	95	104	111	142	129	102	63	30	8	-	3
	Nonwhite—M	374	2	2	2	2	-	3	2	1	3	4	9	8	16	42	32	49	61	49	37	23	15	9	3	-	-
	F	517	1	-	-	2	-	7	1	3	5	5	15	36	45	58	80	62	54	51	53	18	7	9	1	1	3
140-148	Of buccal cavity and pharynx	83	-	-	-	-	-	1	-	1	1	-	-	5	3	6	10	7	6	9	15	10	5	2	1	-	1
	White—M	40	-	-	-	-	-	-	-	1	1	-	-	2	2	4	3	4	6	3	6	3	2	1	1	-	1
	F	27	-	-	-	-	-	1	-	-	-	-	-	-	-	-	6	1	-	3	7	5	3	1	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	-	2	1	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	855	1	-	-	-	-	1	1	1	3	4	11	12	31	55	59	98	115	121	147	95	60	32	5	-	3
	White—M	307	-	-	-	-	-	1	1	-	1	-	4	6	14	16	14	37	40	42	51	43	23	12	2	-	-
	F	271	-	-	-	-	-	-	-	-	1	3	3	1	3	14	11	23	32	45	52	39	26	15	2	-	1
	Nonwhite—M	156	-	-	-	-	-	-	-	-	-	1	4	2	7	20	15	24	27	21	19	6	7	2	1	-	-
	F	121	1	-	-	-	-	-	-	1	1	-	-	3	7	5	19	14	16	13	25	7	4	3	-	-	2
160-164	Of respiratory system	287	-	-	-	-	-	-	-	2	2	-	1	7	16	30	31	35	52	53	22	24	8	3	-	-	1
	White—M	179	-	-	-	-	-	-	-	1	1	-	-	3	7	15	22	28	37	30	13	16	4	2	-	-	-
	F	48	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	4	3	14	4	7	3	-	-	-	1
	Nonwhite—M	47	-	-	-	-	-	-	-	-	-	-	-	1	4	11	5	2	11	8	3	-	1	1	-	-	-
	F	13	-	-	-	-	-	-	-	1	1	-	1	2	2	-	-	1	1	1	2	1	-	-	-	-	-
170	Of breast	242	-	-	-	-	-	-	-	-	-	1	9	22	24	35	31	23	29	29	16	10	7	3	2	-	1
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	163	-	-	-	-	-	-	-	-	-	1	7	13	21	23	17	13	21	19	9	8	7	3	-	-	1
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	F	75	-	-	-	-	-	-	-	-	-	-	2	9	3	12	14	10	8	9	6	1	-	-	1	-	-
171-179	Of genital organs	709	-	-	-	-	-	-	1	1	5	14	19	36	60	58	74	75	76	69	73	70	38	33	6	1	-
	White—M	174	-	-	-	-	-	-	1	-	1	2	2	1	4	2	2	6	12	17	34	40	29	16	4	1	-
	F	261	-	-	-	-	-	-	-	1	3	6	6	18	27	26	37	35	31	26	23	10	4	7	1	-	-
	Nonwhite—M	63	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	8	11	7	8	14	3	5	1	-	-
	F	211	-	-	-	-	-	-	-	-	1	5	10	16	29	30	32	26	22	19	8	6	2	5	-	-	-
180, 181	Of urinary organs	109	-	1	1	1	-	1	-	-	-	-	2	1	4	7	4	14	14	14	17	15	10	2	1	-	-
	White—M	43	-	-	1	-	-	-	-	-	-	-	1	-	2	3	1	6	5	7	7	4	5	1	-	-	-
	F	40	-	-	-	1	-	-	-	-	-	-	1	1	1	3	3	2	5	3	6	9	3	1	1	-	-
	Nonwhite—M	14	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	1	1	1	2	-	-	-	-
	F	12	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	1	3	3	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	455	1	2	-	4	-	8	7	7	9	8	16	13	27	41	42	41	43	60	42	35	29	10	7	2	1
	White—M	183	-	-	-	-	-	4	4	-	4	5	7	7	11	17	15	12	21	28	13	16	10	5	3	1	-
	F	174	-	1	-	2	-	1	2	6	2	1	8	5	11	11	10	19	13	22	20	17	16	3	4	-	-
	Nonwhite—M	44	1	1	-	1	-	1	1	-	2	2	-	-	3	5	5	4	4	7	3	1	2	1	-	-	-
	F	54	-	-	-	1	-	2	-	1	1	-	1	1	2	8	12	6	5	3	6	1	1	1	-	1	1
204	Leukemia and aleukemia	153	4	2	3	5	2	11	6	2	2	4	7	10	8	11	11	12	11	15	15	8	4	-	-	-	-
	White—M	72	1	2	1	3	2	5	4	-	-	3	2	3	4	5	5	3	5	9	7	4	4	-	-	-	-
	F	53	2	-	-	1	-	2	1	2	1	1	5	5	2	5	3	5	2	5	7	4	-	-	-	-	-
	Nonwhite—M	17	1	-	2	1	-	2	-	-	1	-	-	1	1	-	-	3	4	1	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	2	1	-	-	-	-	1	1	1	3	1	-	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	116	-	-	-	3	1	5	4	4	2	-	6	9	3	9	8	17	10	18	8	7	1	1	-	-	-
	White—M	50	-	-	-	2	1	3	1	2	-	-	1	2	1	2	1	11	4	9	5	4	-	1	-	-	-
	F	31	-	-	-	-	-	-	2	1	1	-	-	3	2	2	4	2	4	5	1	3	1	-	-	-	-
	Nonwhite—M	20	-	-	-	-	-	-	1	1	-	-	4	1	-	3	3	3	1	2	1	-	-	-	-	-	-
	F	15	-	-	-	1	-	2	-	-	1	-	1	3	-	2	-	1	1	2	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	94	2	1	-	-	-	4	3	1	2	2	8	7	15	11	14	10	5	1	1	2	2	2	1	-	-
	White—M	17	1	1	-	-	-	2	1	1	-	1	-	1	2	1	2	2	-	-	-	1	-	1	-	-	-
	F	33	-	-	-	-	-	-	2	-	-	1	4	3	8	1	4	3	1	1	-	1	2	1	1	-	-
	Nonwhite—M	11	-	-	-	-	-	1	-	-	1	-	-	1	-	4	2	1	1	-	-	-	-	-	-	-	-
	F	33	1	-	-	-	-	1	-	-	1	-	4	2	5	5	6	4	3	-	1	-	-	-	-	-	-
260	Diabetes mellitus	314	-	1	-	-	-	1	1	5	4	2	6	8	15	14	24	34	43	46	55	27	18	8	2	-	-
	White—M	87	-	1	-	-	-	-	-	1	2	1	1	4	6	6	5	7	13	7	17	6	5	4	1	-	-
	F	118	-	-	-	-	-	-	-	2	-	-	2	-	2	2	5	10	16	21	26	18	9	4	1	-	-
	Nonwhite—M	34	-	-	-	-	-	-	1	1	1	-	2	1	2	1	5	2	6	7	1	2	2	-	-	-	-
	F	75	-	-	-	-	-	1	-	1	1	1	1	3	5	5	9	15	8	11	11	1	2	-	-	-	-
290-293	Anemias	85	12	6	3	3	-	3	3	1	8	2	2	2	1	2	1	2	3	5	11	3	7	1	4	-	-
	White—M	23	2	1	2	-	-	1	-	-	1	1	-	-	1	1	-	-	1	1	6	-	4	-	1	-	-
	F	21	2	-	-	-	-	-	1	1	1	-	1	-	-	-	-	1	-	4	4	2	2	-	2	-	-
	Nonwhite—M	18	2	3	1	2	-	2	1	-	2	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	-
	F	23	6	2	-	1	-	-	1	-	4	1	1	2	-	1	1	1	-	-	1	1	-	-	-	-	-
340	Nonmeningococcal meningitis*	55	21	8	4	-	1	5	1	1	1	2	-	3	1	1	3	1	-	1	-	-	-	1	-	-	-
	White—M	13	4	-	1	-	1	2	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	11	4	3	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	18	8	4	2	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	F	13	5	1	-	-	-	-	-	1	1	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	13,023	12	7	1	2	1	19	24	39	54	59	141	215	447	625	992	1,145	1,427	1,847	1,873	1,806	1,289	612	271	63	52
	White—M	4,623	3	1	-	1	-	4	4	8	11	21	27	53	130	182	307	407	493	671	747	757	489	209	76	17	5
	F	3,261	1	1	-	-	1	3	6	11	9	5	25	23	63	77	111	129	266	420	559	644	522	234	125	24	2
	Nonwhite—M	2,606	6	3	-	1	-	6	6	6	11	11	37	49	116	173	290	347	343	392	280	231	148	83	35	13	19
	F	2,533	2	2	1	-	-	6	8	14	23	22	52	90	138	193	284	262	325	364	287	174	130	86	35	9	26
330-334, 400-468	Diseases of cardiovascular system	12,397	11	6	1	2	1	17	19	35	47	51	131	192	418	597	940	1,101	1,375	1,778	1,799	1,718	1,221	579	255	55	48
	White—M	4,465	2	1	-	1	-	3	1	8	9	20	26	49	127	179	290	400	486	655	724	731	463	200	70	15	5
	F	3,132	1	-	-	-	1	3	6	9	8	5	20	19	59	69	108	125	259	410	543	618	497	226	121	23	2
	Nonwhite—M	2,429	6	3	-	1	-	6	5	6	11	7	37	44	109	164	275	322	327	367	263	207	137	73	30	11	18
	F	2,371	2	2	1	-	-	5	7	12	19	19	48	80	123	185	267	254	303	346	269	162	124	80	34	6	23
330-334	Vascular lesions, etc.*	3,354	1	2	1	-	1	4	2	5	8	6	23	51	90	161	255	293	385	506	529	461	319	150	71	17	13
	White—M	970	-	-	-	-	-	-	-	2	2	4	3	9	15	27	44	70	96	144	190	180	113	48	19	3	1
	F	886	-	-	-	-	1	1	-	2	1	1	6	5	15	27	31	39	78	111	166	181	135	56	24	6	-
	Nonwhite—M	684	-	1	-	-	-	1	1	-	2	-	5	12	25	52	76	79	85	122	84	57	40	18	12	6	6
	F	814	1	1	1	-	-	2	1	1	3	1	9	25	35	55	104	105	126	129	89	43	31	28	16	2	6
400-402	Rheumatic fever	52	1	-	-	-	-	9	8	10	1	2	3	2	1	1	5	-	3	3	-	-	-	3	-	-	-
	White—M	8	1	-	-	-	-	1	-	2	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	F	18	-	-	-	-	-	2	3	3	1	1	-	-	-	1	2	-	2	1	-	-	-	2	-	-	-
	Nonwhite—M	14	-	-	-	-	-	4	2	3	-	-	1	-	1	-	1	-	-	1	-	-	-	1	-	-	-
	F	12	-	-	-	-	-	2	3	2	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA--Con.																										
410-443	Diseases of heart	8,139	7	4	-	1	-	3	9	16	31	34	88	115	296	398	641	755	923	1,175	1,160	1,126	786	363	150	28	30
	White-----M--	3,209	-	1	-	-	-	1	1	4	6	14	20	33	105	142	235	310	371	478	494	494	319	126	43	9	3
	F--	2,003	1	-	-	-	-	-	3	3	6	3	12	9	42	35	70	81	169	277	347	392	310	149	79	13	2
	Nonwhite--M--	1,554	5	2	-	1	-	1	2	3	8	4	26	27	74	101	187	226	222	226	165	134	75	42	12	2	9
	F--	1,373	1	1	-	-	-	1	3	6	11	13	30	46	75	120	149	138	161	194	154	106	82	46	16	4	16
410-416	Chronic rheumatic heart disease	238	-	-	-	-	-	1	3	9	8	12	13	14	17	10	23	23	18	25	20	21	12	5	4	-	-
	White-----M--	76	-	-	-	-	-	1	-	3	2	6	6	6	8	3	5	11	3	6	6	4	4	1	1	-	-
	F--	63	-	-	-	-	-	-	2	3	3	1	1	3	6	2	5	3	4	4	9	11	2	3	1	-	-
	Nonwhite--M--	51	-	-	-	-	-	-	-	1	2	1	1	1	1	2	10	4	8	10	2	3	3	1	1	-	-
	F--	48	-	-	-	-	-	-	1	2	1	4	5	4	2	3	3	5	3	5	3	3	3	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	4,011	-	-	-	-	-	1	3	2	7	12	27	46	140	209	340	408	523	604	581	518	358	153	61	6	12
	White-----M--	1,967	-	-	-	-	-	-	1	-	-	6	8	18	70	107	174	212	267	297	293	268	164	55	24	2	1
	F--	1,023	-	-	-	-	-	-	1	-	2	1	4	5	19	20	33	51	110	161	176	192	149	69	26	4	-
	Nonwhite--M--	567	-	-	-	-	-	1	-	1	4	2	7	9	27	42	79	102	88	76	51	38	18	14	4	-	4
	F--	454	-	-	-	-	-	-	1	1	1	3	8	14	24	40	54	43	58	70	61	20	27	15	7	-	7
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,159	3	-	-	1	-	1	2	1	6	4	9	15	31	29	59	65	102	146	174	211	161	83	37	12	7
	White-----M--	348	-	-	-	-	-	-	-	-	1	1	3	2	8	7	7	16	26	49	57	67	62	30	7	4	1
	F--	299	1	-	-	-	-	-	-	-	1	1	-	-	2	2	7	1	13	27	51	73	53	36	27	3	1
	Nonwhite--M--	266	2	-	-	1	-	-	2	1	1	-	3	4	10	8	28	25	37	40	35	34	25	4	2	1	3
	F--	246	-	-	-	-	-	1	-	-	3	2	3	9	11	12	17	23	26	30	31	37	21	13	1	4	2
430-434	Other diseases of heart	573	4	4	-	-	-	-	1	2	7	3	17	12	31	45	51	55	56	76	71	65	41	20	8	2	2
	White-----M--	241	-	1	-	-	-	-	-	1	3	1	2	5	13	14	22	33	17	37	30	31	21	6	3	-	1
	F--	108	-	-	-	-	-	-	-	-	-	-	2	-	5	2	7	5	14	12	18	18	13	7	3	2	-
	Nonwhite--M--	137	3	2	-	-	-	-	-	-	-	1	6	4	7	18	15	14	14	18	18	8	3	5	1	-	-
	F--	87	1	1	-	-	-	-	1	1	4	1	7	3	6	11	7	3	11	9	5	8	4	2	1	-	1
440-443	Hypertension with heart dis.	2,158	-	-	-	-	-	-	-	2	3	3	22	28	77	105	168	204	224	324	314	311	214	102	40	8	9
	White-----M--	577	-	-	-	-	-	-	-	-	-	-	1	2	6	11	27	38	58	89	108	124	68	34	8	3	-
	F--	510	-	-	-	-	-	-	-	-	-	-	5	1	10	9	18	21	28	73	93	98	93	34	22	4	1
	Nonwhite--M--	533	-	-	-	-	-	-	-	-	1	-	9	9	29	31	55	81	75	82	59	51	26	18	4	1	2
	F--	538	-	-	-	-	-	-	-	2	2	3	7	16	32	54	68	64	63	80	54	38	27	16	6	-	6
444-447	Hypertension without mention of heart	337	-	-	-	-	-	-	-	-	3	7	11	14	21	20	17	22	26	47	36	39	43	19	7	4	1
	White-----M--	77	-	-	-	-	-	-	-	-	1	2	1	3	2	4	3	8	5	13	10	10	4	8	3	-	-
	F--	89	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	2	1	12	13	20	22	7	3	2	-
	Nonwhite--M--	86	-	-	-	-	-	-	-	-	1	2	3	5	7	7	8	8	9	8	7	2	12	4	1	2	-
	F--	85	-	-	-	-	-	-	-	-	1	3	6	5	11	6	5	4	11	14	6	7	5	-	-	-	1
450	General arteriosclerosis	354	-	-	-	-	-	-	-	-	-	-	-	-	1	5	7	13	23	34	58	73	66	40	25	5	4
	White-----M--	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	3	12	22	35	25	17	5	3	1
	F--	101	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	7	6	11	20	27	12	14	1	-
	Nonwhite--M--	65	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	8	9	7	12	8	7	4	1	3
	F--	59	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	5	7	18	6	6	4	2	-	-
451-468	Other diseases of circulatory sys.	161	2	-	-	1	-	1	-	4	4	2	6	10	9	12	15	18	15	13	16	19	7	4	2	1	-
	White-----M--	72	1	-	-	1	-	1	-	-	-	-	1	4	5	6	3	10	10	7	8	12	2	1	-	-	-
	F--	35	-	-	-	-	-	-	-	1	-	-	1	4	1	2	3	2	2	3	6	5	3	-	1	1	-
	Nonwhite--M--	26	1	-	-	-	-	-	-	-	-	1	2	-	2	2	3	5	3	1	-	2	2	1	1	-	-
	F--	28	-	-	-	-	-	-	-	3	4	1	2	2	1	2	6	1	-	2	2	-	-	2	-	-	-
592-594	Chronic nephritis, etc.*	626	1	1	-	-	-	2	5	4	7	8	10	23	29	28	52	44	52	69	74	88	68	33	16	8	4
	White-----M--	158	1	-	-	-	-	1	3	-	2	1	1	4	3	3	17	7	7	16	23	26	26	9	6	2	-
	F--	129	-	1	-	-	-	-	-	2	1	-	5	4	4	8	3	4	7	10	16	26	25	8	4	1	-
	Nonwhite--M--	177	-	-	-	-	-	-	1	-	-	4	-	5	7	9	15	25	16	25	17	24	11	10	5	2	1
	F--	162	-	-	-	-	-	1	1	2	4	3	4	10	15	8	17	8	22	18	18	12	6	6	1	3	3
480-493	Influenza and pneumonia, etc.*	1,230	300	63	24	11	10	16	13	16	10	13	13	16	28	31	47	52	78	88	101	87	87	73	36	11	6
	White-----M--	312	46	12	3	1	3	3	2	3	3	1	2	1	6	6	14	12	19	28	40	30	31	29	15	2	-
	F--	271	46	14	5	2	3	2	2	3	1	3	1	3	3	2	1	7	8	15	25	36	34	31	16	8	-
	Nonwhite--M--	316	104	21	5	4	2	7	3	2	3	3	5	9	11	13	14	13	22	24	17	11	13	3	4	-	3
	F--	331	104	16	11	4	2	4	6	8	3	6	5	3	8	10	18	20	29	21	19	10	9	10	1	1	3
480-483	Influenza	284	48	10	6	2	2	6	5	3	1	4	4	3	9	5	13	16	23	16	25	23	19	22	15	1	3
	White-----M--	71	11	1	-	-	1	1	-	1	1	1	1	-	2	1	4	3	5	4	7	4	7	6	9	1	-
	F--	70	8	1	-	-	-	1	1	-	-	1	1	1	2	-	-	3	5	3	8	11	7	11	6	-	-
	Nonwhite--M--	68	14	6	1	-	-	3	1	1	-	1	1	2	5	1	5	3	7	3	4	6	1	2	-	-	1
	F--	75	15	2	5	2	1	1	3	1	-	1	1	-	-	3	4	7	6	6	6	2	4	3	-	-	2
490-493	Pneumonia, etc.*	946	252	53	18	9	8	10	8	13	9	9	9	13	19	26	34	36	55	72	76	64	68	51	21	10	3
	White-----M--	241	35	11	3	1	2	2	2	2	2	-	1	1	4	5	10	9	14	24	33	26	24	23	6	1	-
	F--	201	38	13	5	2	3	1	1	3	1	2	-	2	1	2	1	4	3	12	17	25	27	20	10	8	-
	Nonwhite--M--	248	90	15	4	4	2	4	2	1	3	2	4	7	6	12	9	10	15	21	13	5	12	1	4	-	2
	F--	256	89	14	6	2	1	3	3	7	3	5	4	3	8	7	14	13	23	15	13	8	5	7	1	1	1
500-502	Bronchitis	61	8	5	4	-	-	1	1	-	-	-	-	2	2	1	2	3	4	5	11	3	6	-	-	2	1
	White-----M--	22	1	2	2	-	-	1	-	-	-	-	-	1	-	-	-	-	1	3	6	2	1	-	-	2	-
	F--	15	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	5	-	-	-	-
	Nonwhite--M--	14	3	2	1	-	-	-	1	-	-	-	-	1	-	1	1	3	1	-	-	-	-	-	-	-	-
	F--	10	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	3	-	-	-	-	-	1
540, 541	Ulcer of stomach and duodenum	92	-	-	-	-	-	-	1	1	1	-	2	4	5	7	10	19	12	13	5	7	3	1	1	-	-
	White-----M--	42	-	-	-	-	-	-	-	-	1	-	1	1	2	4	6	9	4	5	2	3	2	1	1	-	-
	F--	13	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	2	2	2	2	1	-	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	4	4	4	1	2	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	3	2	2	-	-	-	-	-	-	-
550-553	Appendicitis	50	1	-	1	-	-	3	4	2	1	3	2	3	4	4	1	5	6	1	2	5	-	2	-	-	-
	White-----M--	11	-	-	1	-	-	2	-	-	-	-	1	1	-	2	-	-	-	-	-	3	-	1	-	-	-
	F--	14	-	-	-	-	-	1	1	1	1	-	1	1	1	1	-	-	2	-	2	1	-	1	-	-	-
	Nonwhite--M--	16	1	-	-	-	-	-	2	-	-	2	-	-	2	-	-	3	4	1	-	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	1	1	-	1	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	141	19	3	-	-	-	1	-	2	4	2	3	2	2	6	10	8	15	21	20	11	4	6	2	-	-
	White-----M--	34	9	-	-	-	-	1	-	-	3	-	-	-	-	2	-	1	2	4	5	3	2	2	-	-	-
	F--	32	1	-	-	-	-	-	-	-	-	1	2	-	1	1	2	-	6	4	6	3	1	2	2	-	-
	Nonwhite--M--	34	5	2	-	-	-	-	-	-	1	-	1	-	1	2	1	5	3	7	3	1	1	1	-	-	-
	F--	41	4	1	-	-	-	-	-	2	-	1	-	2	-	1	7	2	4	6	6	4	-	1	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA—Con.																										
543,	Gastritis, etc.*--	234	138	20	5	2	1	5	3	1	2	4	1	2	3	4	2	3	6	1	13	7	9	1	-	1	-
571,	White-----M--	48	17	7	-	2	-	2	2	1	-	1	-	-	1	2	1	-	2	-	3	2	4	1	-	-	-
572	F--	46	23	4	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	8	4	2	-	-	1	-
	Nonwhite--M--	81	59	6	3	-	-	1	1	-	-	1	-	-	1	1	-	3	2	-	1	1	1	-	-	-	-
	F--	59	39	3	2	-	1	1	-	-	2	1	1	1	1	1	1	-	1	1	1	-	2	-	-	-	-
581	Cirrhosis of liver	154	1	-	-	-	-	-	-	1	-	-	5	7	17	14	16	14	14	22	20	13	8	1	1	-	-
	White-----M--	78	-	-	-	-	-	-	-	-	-	-	1	2	9	4	10	7	12	13	9	8	3	-	-	-	-
	F--	45	-	-	-	-	-	-	-	-	-	-	2	2	6	5	1	5	-	6	8	3	5	1	1	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	1	-	-	2	2	2	4	5	2	2	1	2	1	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	1	1	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	94	1	2	4	1	1	4	1	4	5	2	8	6	7	7	8	4	7	5	5	4	6	2	-	-	-
	White-----M--	26	1	-	-	1	1	1	-	2	-	1	-	1	1	3	3	1	5	1	1	1	1	1	-	-	-
	F--	27	-	2	2	-	-	2	1	2	2	-	-	1	1	1	1	1	1	2	1	2	4	1	-	-	-
	Nonwhite--M--	23	-	-	1	-	-	-	-	-	2	-	2	3	3	3	3	-	-	2	2	1	1	-	-	-	-
	F--	18	-	-	1	-	-	1	-	-	1	1	6	1	2	-	1	2	1	-	1	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	142	-	-	-	-	-	-	-	-	-	-	-	1	1	2	10	9	10	15	34	22	19	10	6	2	1
	White-----M--	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	7	19	19	12	8	5	-	1
	Nonwhite--M--	65	-	-	-	-	-	-	-	-	-	-	-	1	1	2	7	7	9	8	15	3	7	2	1	2	-
640-	Complications of																										
689	pregnancy, etc.*-	137	...	...	...	...	...	...	-	16	29	26	28	25	11	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	40	...	...	...	...	...	...	-	8	9	10	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	97	...	...	...	...	...	...	-	8	20	16	21	21	9	2	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	14	...	...	...	...	...	...	-	2	4	3	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	...	...	...	...	...	...	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	11	...	...	...	...	...	...	-	2	1	3	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	123	...	...	...	...	...	...	-	14	25	23	27	25	8	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	37	...	...	...	...	...	...	-	8	6	10	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	86	...	...	...	...	...	...	-	6	19	13	20	21	6	1	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	377	280	23	4	6	4	8	11	4	3	4	2	6	4	5	3	2	1	2	1	4	-	-	-	-	-
	White-----M--	139	100	9	1	1	2	2	6	2	-	2	-	3	1	1	2	1	-	1	1	4	-	-	-	-	-
	F--	132	104	6	2	2	-	2	3	1	2	1	-	1	1	3	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	63	44	6	-	1	1	3	1	1	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	43	32	2	1	2	1	1	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,629	1,628	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	527	527	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	348	347	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	413	413	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	341	341	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	616	615	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	238	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	149	148	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	121	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn---------	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	887	887	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	259	259	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	175	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	251	251	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	202	202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	1,455	383	17	6	7	6	11	6	6	14	15	20	36	47	59	62	75	82	102	112	105	102	86	42	23	31
795	White-----M--	323	48	1	3	1	4	3	2	2	2	2	3	10	16	17	13	18	22	31	31	32	21	20	11	7	3
	F--	181	30	5	-	1	1	-	2	-	-	-	-	5	5	4	4	8	6	13	16	19	19	24	13	4	2
	Nonwhite--M--	490	159	5	2	4	1	5	-	2	7	6	7	8	18	23	25	29	33	24	30	28	32	19	6	4	13
	F--	461	146	6	1	1	-	3	2	2	5	7	10	13	8	15	20	20	21	34	35	26	30	23	12	8	13
Re-	All other diseases	1,308	74	16	14	12	6	20	20	16	24	16	48	49	65	91	97	106	94	142	126	109	80	49	26	2	6
sid-	White-----M--	451	24	4	5	3	2	6	3	4	6	1	16	14	22	36	28	36	32	48	44	56	33	16	10	1	1
ual	F--	367	13	4	6	4	1	3	5	2	4	6	6	12	11	20	26	23	28	39	45	37	34	25	12	1	-
	Nonwhite--M--	292	20	6	1	3	1	6	6	4	7	5	10	13	16	19	31	28	22	37	27	12	11	4	2	-	1
	F--	198	17	2	2	2	2	5	6	6	7	4	16	10	16	16	12	19	12	18	10	4	2	4	2	-	4
E800-	Accidents---------	2,013	105	37	40	33	29	76	93	158	165	161	124	128	128	105	112	93	68	94	67	70	60	36	20	6	5
E962	White-----M--	948	26	13	9	11	8	21	42	77	99	85	73	71	69	61	59	50	36	42	28	31	19	9	8	1	-
	F--	347	21	5	11	10	7	22	14	24	14	15	11	14	17	13	8	7	12	17	20	26	26	19	11	3	-
	Nonwhite--M--	522	26	12	6	9	8	20	26	49	42	52	33	39	37	25	36	29	14	22	9	9	9	3	1	2	4
	F--	196	32	7	14	3	6	13	11	8	10	9	7	4	5	6	9	7	6	13	10	4	6	5	-	-	1
E810-	Motor-vehicle																										
E835	accidents--------	829	7	6	10	8	7	36	37	105	96	85	70	60	60	55	42	44	22	36	17	12	11	2	-	-	1
	White-----M--	464	2	4	3	3	5	14	22	58	60	47	45	33	39	32	20	24	11	18	10	8	5	1	-	-	-
	F--	121	3	1	2	3	1	14	6	21	9	7	8	9	8	7	3	3	3	7	4	-	2	-	-	-	-
	Nonwhite--M--	205	-	-	3	2	-	7	6	23	23	29	15	16	12	11	16	15	6	9	3	4	3	1	-	-	1
	F--	39	2	1	2	-	1	1	3	3	4	2	2	2	1	5	3	2	2	2	-	-	1	-	-	-	-
E800-	All ot. accidents-	1,184	98	31	30	25	22	40	56	53	69	76	54	68	68	50	70	49	46	58	50	58	49	34	20	6	4
E802,	White-----M--	484	24	9	6	8	3	7	20	19	39	38	28	38	30	29	39	26	25	24	18	23	14	8	8	1	-
E840-	F--	226	18	4	9	7	6	8	8	3	5	8	3	5	9	6	5	4	9	10	16	26	24	19	11	3	-
E962	Nonwhite--M--	317	26	12	3	7	8	13	20	26	19	23	18	23	25	14	20	14	8	13	6	5	6	2	1	2	3
	F--	157	30	6	12	3	5	12	8	5	6	7	5	2	4	1	6	5	4	11	10	4	5	5	-	-	1
E963,	Suicide----------	199	-	-	-	-	-	-	3	3	9	8	17	25	21	18	19	23	16	12	12	8	3	1	-	-	1
E970-	White-----M--	134	-	-	-	-	-	-	1	1	7	4	10	19	13	10	13	16	14	6	10	5	3	1	-	-	1
E979	F--	38	-	-	-	-	-	-	-	2	2	2	4	4	4	4	4	6	1	3	-	2	-	-	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	2	-	-	1	1	2	2	4	2	-	1	3	2	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	405	3	2	1	1	-	-	4	23	46	67	64	70	41	26	20	11	8	9	5	2	1	-	-	-	1
E980-	White-----M--	87	-	-	-	1	-	-	1	1	8	13	10	16	8	8	2	4	4	5	3	1	1	-	-	-	1
E985	F--	14	1	-	1	-	-	-	-	-	1	2	2	3	1	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	236	1	2	-	-	-	-	1	13	28	43	44	40	26	10	15	4	4	4	-	1	-	-	-	-	-
	F--	68	1	-	-	-	-	-	2	9	9	9	8	11	6	7	2	2	-	-	2	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA																										
	ALL CAUSES--------	7,370	1 089	132	68	30	30	68	60	16	138	166	171	237	294	379	469	517	624	644	658	606	439	246	120	27	42
	White-----M--	3,954	433	34	18	13	14	28	32	54	74	84	100	128	160	235	286	337	410	401	360	356	219	107	48	13	10
	F--	2,233	302	24	22	5	7	21	20	32	27	42	38	61	86	106	118	123	163	191	245	205	187	122	65	8	13
	Nonwhite--M--	668	196	34	13	6	3	7	4	18	25	21	18	30	27	21	39	35	31	32	39	25	19	10	2	3	10
	F--	515	158	40	15	6	6	12	4	12	12	19	15	18	21	17	26	22	20	20	14	20	14	7	5	3	9
001-019	Tuberculosis, all forms--------	358	12	9	5	3	4	5	3	10	13	18	33	22	28	38	29	33	34	23	15	9	4	5	-	-	3
	White-----M--	188	1	3	-	1	-	1	1	-	1	4	16	11	12	24	20	23	32	16	11	8	2	-	-	-	1
	F--	62	-	1	2	1	-	-	-	2	3	5	10	7	6	9	4	6	1	1	2	-	1	1	-	-	-
	Nonwhite--M--	57	6	2	-	1	1	2	1	4	4	4	4	3	4	2	4	4	1	4	1	-	-	3	-	-	2
	F--	51	5	3	3	-	3	2	1	4	5	5	3	1	6	3	1	-	-	2	1	1	1	1	-	-	-
001-008	Tuberculosis of respiratory system----------	327	6	4	3	1	4	3	1	9	12	18	32	21	26	37	29	33	33	22	14	9	4	4	-	-	2
	White-----M--	179	1	-	-	-	-	1	-	-	1	4	15	10	12	24	20	23	31	15	11	8	2	-	-	-	1
	F--	58	-	1	1	-	-	-	-	1	3	5	10	7	6	8	4	6	1	1	2	-	1	1	-	-	-
	Nonwhite--M--	47	3	1	-	1	1	1	-	4	3	4	4	3	3	2	4	4	1	4	-	-	-	3	-	-	1
	F--	43	2	2	2	-	3	1	1	4	5	5	3	1	5	3	1	-	-	2	1	1	1	-	-	-	-
010-019	Tuberculosis, other forms------	31	6	5	2	2	-	2	2	1	1	-	1	1	2	1	-	-	1	1	1	-	-	1	-	-	1
	White-----M--	9	-	3	-	1	-	-	1	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	4	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	3	1	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1
	F--	8	3	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
020-029	Syphilis and its sequelae---------	50	3	-	-	-	-	-	-	-	-	-	-	1	4	4	6	5	5	13	5	1	3	-	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	3	7	4	1	3	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	2	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	3	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	18	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	White-----M--	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	5	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	7	2	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	4	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	28	2	2	4	-	-	4	1	4	2	3	3	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	1	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	1	-	1	-	-	3	1	1	2	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	9	3	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	30	5	5	2	2	-	2	-	-	2	1	1	3	2	-	3	-	1	-	-	-	-	-	-	-	1
	White-----M--	9	-	2	1	1	-	-	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-
	F--	11	2	-	1	-	-	-	-	-	2	1	-	3	-	-	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	6	1	2	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
140-205	Malignant neoplasms, etc.*----	799	1	-	2	-	4	4	1	5	6	6	8	18	36	69	66	80	124	113	107	78	39	23	4	4	1
	White-----M--	407	-	-	1	-	3	3	1	4	4	3	4	8	10	32	23	41	69	67	50	44	23	14	1	2	-
	F--	342	1	-	1	-	1	1	-	1	2	3	3	10	25	33	29	32	52	40	49	32	14	9	3	1	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	1	-	-	1	8	4	2	5	5	-	2	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	3	1	1	3	2	-	-	-	1	1
140-148	Of buccal cavity and pharynx-------	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	4	-	2	-	1	1	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	-	1	-	1	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	307	-	-	-	-	-	-	-	-	-	-	1	5	9	21	22	38	47	51	49	30	21	9	1	2	1
	White-----M--	157	-	-	-	-	-	-	-	-	-	-	1	4	3	12	7	22	27	29	18	14	14	4	-	2	-
	F--	125	-	-	-	-	-	-	-	-	-	-	-	1	5	7	9	12	18	19	27	16	5	5	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	2	2	1	-	2	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	3	-	-	-	-	-	1
160-164	Of respiratory system----------	116	-	-	-	-	-	-	-	-	1	-	-	1	5	10	13	10	21	22	18	10	3	2	-	-	-
	White-----M--	95	-	-	-	-	-	-	-	-	-	-	-	1	2	10	10	9	17	18	15	9	2	2	-	-	-
	F--	17	-	-	-	-	-	-	-	-	1	-	-	-	3	-	2	-	4	2	3	1	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	41	-	-	-	-	-	-	-	-	-	-	-	3	4	4	5	5	7	4	2	5	-	1	1	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	-	-	3	4	3	5	4	7	4	2	5	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	131	-	-	-	-	-	-	-	2	-	2	-	3	8	16	12	10	17	12	13	17	12	6	-	1	-
	White-----M--	42	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	5	6	6	9	6	6	-	-	-
	F--	78	-	-	-	-	-	-	-	-	-	1	-	3	8	14	8	9	12	5	6	6	6	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	-	-	-	2	-	-	-	1	-
180, 181	Of urinary organs-	33	-	-	-	-	1	-	-	-	-	-	-	-	1	2	1	2	10	4	5	2	1	2	1	1	-
	White-----M--	21	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	1	7	2	3	2	-	1	1	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	-	1	1	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	93	-	-	1	-	-	2	-	1	4	2	4	2	5	9	7	7	13	11	10	11	1	2	1	-	-
	White-----M--	44	-	-	-	-	-	1	-	1	3	1	2	-	2	2	3	4	7	6	4	8	-	-	-	-	-
	F--	45	-	-	1	-	-	1	-	-	1	1	1	2	3	7	3	3	5	5	5	3	1	2	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	36	1	-	1	-	1	-	-	1	1	1	-	1	1	4	4	4	2	7	5	2	-	-	-	-	-
	White-----M--	18	-	-	1	-	1	-	-	-	1	-	-	-	1	2	1	2	1	5	2	1	-	-	-	-	-
	F--	15	1	-	-	-	-	-	-	1	-	1	-	1	-	2	2	2	1	2	1	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	28	-	-	-	-	2	2	1	1	-	1	3	3	2	2	-	2	3	2	3	1	-	-	-	-	-
	White-----M--	18	-	-	-	-	1	2	1	1	-	1	1	3	-	2	-	1	2	1	1	1	-	-	-	-	-
	F--	10	-	-	-	-	1	-	-	-	-	-	2	-	2	-	-	1	1	1	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	19	1	-	-	-	-	-	-	2	-	-	-	3	5	2	2	1	1	-	1	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	16	1	-	-	-	-	-	-	2	-	-	-	3	4	1	2	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	92	-	-	-	-	-	2	-	1	-	2	1	-	3	6	6	7	15	12	15	10	10	2	-	-	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	3	8	5	2	4	3	2	-	-	-
	F--	45	-	-	-	-	-	2	-	-	-	2	-	-	-	1	2	3	6	5	11	6	7	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	2	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
290-293	Anemias----------	15	1	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	2	-	3	3	1	1	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	1	1	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	24	10	3	1	2	-	-	1	-	-	2	-	-	1	1	-	-	1	-	1	-	-	-	1	-	-
	White-----M--	9	5	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M--	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	2,579	4	-	-	1	-	1	6	6	6	15	22	40	80	117	170	236	268	310	369	372	286	152	87	12	19
	White-----M--	1,513	3	-	-	1	-	1	3	-	2	8	13	19	51	73	115	161	181	190	217	221	144	64	34	7	5
	F--	885	1	-	-	-	-	-	3	5	2	4	6	10	21	30	40	52	68	107	135	128	126	82	49	4	10
	Nonwhite--M--	103	-	-	-	-	-	-	-	-	2	3	1	6	2	7	9	10	11	9	10	13	11	4	1	1	3
	F--	78	-	-	-	-	-	-	-	1	-	-	2	5	6	7	6	13	8	4	7	10	3	2	3	-	1
330-334, 400-468	Diseases of cardiovascular system-	2,509	4	-	-	-	-	1	5	5	5	13	20	38	74	108	165	231	258	303	365	370	281	149	85	12	17
	White-----M--	1,483	3	-	-	-	-	1	3	-	1	6	12	19	45	70	114	160	177	188	216	220	142	61	33	7	5
	F--	857	1	-	-	-	-	-	2	4	2	4	5	10	21	25	37	50	64	103	134	127	125	82	48	4	9
	Nonwhite--M--	97	-	-	-	-	-	-	-	-	2	3	1	4	2	7	9	9	10	9	9	13	11	4	1	1	2
	F--	72	-	-	-	-	-	-	-	1	-	-	2	5	6	6	5	12	7	3	6	10	3	2	3	-	1
330-334	Vascular lesions, etc.*----------	494	1	-	-	-	-	-	1	1	1	3	2	5	9	25	33	30	48	58	74	87	57	36	20	1	2
	White-----M--	248	1	-	-	-	-	-	-	-	-	2	1	2	1	10	19	16	27	35	35	46	27	18	7	1	-
	F--	197	-	-	-	-	-	-	1	-	1	-	-	2	5	11	10	11	12	19	33	36	27	15	12	-	2
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	2	5	3	3	2	2	2	-	-	-
	F--	23	-	-	-	-	-	-	-	1	-	-	1	1	2	2	1	1	4	1	3	3	1	1	1	-	-
400-402	Rheumatic fever---	10	-	-	-	-	-	-	1	1	1	-	2	-	1	1	-	1	-	1	1	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
410-443	Diseases of heart	1,800	3	-	-	-	-	1	3	3	3	10	16	30	58	75	127	189	194	225	268	253	181	93	50	6	12
	White-----M--	1,123	2	-	-	-	-	1	2	-	1	4	10	16	41	57	91	133	139	146	167	156	94	34	20	4	5
	F--	572	1	-	-	-	-	-	1	3	1	4	5	7	13	10	26	39	48	73	93	82	77	56	28	1	4
	Nonwhite--M--	63	-	-	-	-	-	-	-	-	1	2	1	3	1	5	6	6	5	5	6	8	8	2	1	1	2
	F--	42	-	-	-	-	-	-	-	-	-	-	-	4	3	3	4	11	2	1	2	7	2	1	1	-	1
410-416	Chronic rheumatic heart disease----	93	-	-	-	-	-	1	-	3	-	5	9	10	12	9	7	10	11	4	6	3	2	1	-	-	-
	White-----M--	51	-	-	-	-	-	1	-	-	-	2	6	4	8	7	6	3	7	3	2	1	1	-	-	-	-
	F--	36	-	-	-	-	-	-	-	3	-	3	3	4	4	2	1	6	3	1	4	1	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,094	1	-	-	-	-	-	-	-	1	1	4	13	31	50	87	136	133	158	160	153	89	51	21	1	4
	White-----M--	740	1	-	-	-	-	-	-	-	1	1	3	9	24	43	63	106	95	107	104	103	54	15	8	1	2
	F--	313	-	-	-	-	-	-	-	-	-	-	-	2	5	5	17	21	34	49	51	46	33	35	13	-	2
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	1	1	1	2	5	4	3	2	4	3	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	1	-	1	1	1	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	272	1	-	-	-	-	-	1	-	-	-	-	2	5	3	3	11	21	26	48	59	39	25	19	4	5
	White-----M--	154	-	-	-	-	-	-	1	-	-	-	-	1	4	3	3	5	15	17	30	38	16	10	7	2	2
	F--	103	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	6	8	18	17	21	13	12	1	1
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	2	2	-	1	2
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	129	1	-	-	-	-	-	1	-	2	2	3	2	5	6	17	16	10	16	19	8	10	4	5	1	1
	White-----M--	76	1	-	-	-	-	-	-	-	-	-	1	2	3	3	12	11	7	11	12	1	4	4	2	1	1
	F--	35	-	-	-	-	-	-	1	-	1	1	2	-	1	1	4	3	1	5	6	3	5	-	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	1	1	1	-	1	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	3	-	-	1	-	-
440-443	Hypertension with heart dis.--	212	-	-	-	-	-	-	1	-	-	2	-	3	5	7	13	16	19	21	35	30	41	12	5	-	2
	White-----M--	102	-	-	-	-	-	-	1	-	-	1	-	-	2	1	7	8	15	8	19	13	19	5	3	-	-
	F--	85	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	6	4	10	14	15	18	7	2	-	1
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	1	-	3	1	-	3	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	1	2	1	-	-	-	1
444-447	Hypertension without mention of heart----------	58	-	-	-	-	-	-	-	-	-	-	-	2	4	2	3	4	12	3	4	7	13	3	-	-	1
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	8	2	2	4	10	2	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	1	2	2	2	1	-	-	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	111	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	8	15	18	28	17	15	5	2
	White-----M--	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	10	10	10	7	6	2	-
	F--	57	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	5	6	18	10	8	3	2
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-
451-468	Other diseases of circulatory sys.-	36	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	7	4	8	3	5	2	-	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	6	3	2	2	4	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	6	1	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	70	-	-	-	1	-	-	1	1	1	2	2	2	6	9	5	5	10	7	4	2	5	3	2	-	2
	White-----M--	30	-	-	-	1	-	-	-	-	1	2	1	-	6	3	1	1	4	2	1	1	2	3	1	-	-
	F--	28	-	-	-	-	-	-	1	1	-	-	1	-	-	5	3	2	4	4	1	1	3	-	1	-	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	1	-	-	-	-	-	1
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	344	117	22	13	4	2	3	3	3	6	5	3	5	11	6	17	4	16	19	22	18	18	12	11	1	3
	White-----M--	127	36	3	3	1	-	2	-	1	1	1	1	3	5	4	8	3	8	11	6	6	10	6	7	-	1
	F--	103	27	4	5	1	-	-	2	2	3	1	-	2	4	1	4	-	5	5	10	9	8	5	4	1	-
	Nonwhite--M--	59	26	7	4	1	-	1	-	-	1	1	1	-	2	1	3	1	2	1	4	2	-	-	-	-	1
	F--	55	28	8	1	1	2	-	1	-	1	2	1	-	-	-	2	-	1	2	2	1	-	1	-	-	1
480-483	Influenza---------	22	7	-	-	-	-	1	-	-	-	-	-	-	1	-	1	2	1	1	1	3	2	2	-	-	-
	White-----M--	10	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-	-	-	-
	F--	9	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	2	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	322	110	22	13	4	2	2	3	3	6	5	3	5	10	6	16	2	15	18	21	15	16	10	11	1	3
	White-----M--	117	33	3	3	1	-	1	-	1	1	1	1	3	5	4	7	1	7	10	6	5	10	6	7	-	1
	F--	94	25	4	5	1	-	-	2	2	3	1	-	2	3	1	4	-	5	5	9	8	6	3	4	1	-
	Nonwhite--M--	57	25	7	4	1	-	1	-	-	1	1	1	-	2	1	3	1	2	1	4	1	-	-	-	-	1
	F--	54	27	8	1	1	2	-	1	-	1	2	1	-	-	-	2	-	1	2	2	1	-	1	-	-	1
500-502	Bronchitis--------	32	11	2	-	-	2	-	-	-	-	1	-	1	-	1	3	3	-	4	2	1	1	-	-	-	-
	White-----M--	16	4	1	-	-	1	-	-	-	-	-	-	-	-	1	3	3	-	2	1	-	-	-	-	-	-
	F--	10	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	45	-	-	-	-	-	-	-	-	-	1	1	4	6	3	1	2	6	8	6	3	3	-	-	-	1
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	1	3	4	2	1	1	6	6	3	3	-	-	-	-	1
	F--	11	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	1	3	-	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
550-553	Appendicitis------	17	-	-	-	-	-	2	-	3	-	-	-	1	1	-	2	1	3	1	-	2	1	-	-	-	-
	White-----M--	8	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	1	-	-	2	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	52	14	-	-	-	-	-	-	-	-	-	-	-	2	4	6	1	-	7	3	4	7	4	-	-	-
	White-----M--	21	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	4	1	1	3	2	-	-	-
	F--	18	5	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	2	2	2	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-
	F--	9	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	1	1	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
543,	Gastritis, etc.*--	215	162	29	7	1	2	1	-	-	-	-	1	-	-	2	1	3	-	-	2	2	2	-	-	-	-
571,	White-----M--	51	48	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
572	F--	40	25	4	1	-	1	1	-	-	-	-	-	-	-	1	1	1	-	-	2	1	2	-	-	-	-
	Nonwhite--M--	63	50	9	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	61	39	15	3	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
581	Cirrhosis of liver	86	1	-	1	-	-	-	-	-	1	2	4	5	8	12	11	19	7	4	6	3	2	-	-	-	-
	White-----M--	49	-	-	-	-	-	-	-	-	-	-	2	2	4	9	6	13	4	3	2	3	1	-	-	-	-
	F--	27	-	-	1	-	-	-	-	-	1	2	1	-	2	3	4	5	3	1	3	-	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	20	3	1	-	1	-	1	3	-	-	1	2	1	1	2	2	1	-	1	-	-	-	-	-	-	-
	White-----M--	9	1	-	-	1	-	1	2	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	9	5	2	-	1	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	8	5	2	-	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	19	...	...	...	...	...	...	-	2	5	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	...	...	...	...	...	...	-	2	3	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	...	...	...	...	...	...	-	-	2	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	3	...	...	...	...	...	...	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	...	...	...	...	...	...	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	16	...	...	...	...	...	...	-	2	4	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	8	...	...	...	...	...	...	-	2	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	8	...	...	...	...	...	...	-	-	2	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	148	116	6	1	1	2	7	-	1	1	-	1	2	1	2	3	2	1	-	-	-	-	-	1	-	-
	White-----M--	73	58	3	-	-	2	3	-	-	-	-	-	1	-	1	3	1	-	-	-	-	-	-	1	-	-
	F--	60	47	2	1	1	-	3	-	-	1	-	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	4	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	479	479	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	226	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	169	169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unqualified----------	271	271	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	324	53	12	6	1	-	1	2	1	1	3	2	6	5	8	24	27	28	24	26	29	26	19	6	4	10
795	White-----M--	148	9	-	-	-	-	-	1	-	-	-	1	4	4	6	19	20	17	16	14	20	9	7	-	1	-
	F--	53	8	2	-	-	-	1	1	1	-	-	-	1	-	1	2	1	2	3	4	5	7	8	4	1	1
	Nonwhite--M--	73	23	6	2	1	-	-	-	-	1	1	1	-	-	1	2	5	6	3	8	2	4	2	-	2	3
	F--	50	13	4	4	-	-	-	-	-	-	2	-	1	1	-	1	1	3	2	-	2	6	2	2	-	6
Re-	All other diseases	506	26	4	6	4	1	7	4	4	9	10	14	25	22	31	50	45	70	64	47	36	8	15	1	2	1
sid-	White-----M--	302	12	3	2	1	1	2	2	2	3	3	6	15	15	21	35	30	48	45	29	17	2	7	1	-	-
ual	F--	142	6	-	1	2	-	2	2	1	4	5	6	8	4	9	10	11	15	17	13	13	4	7	-	1	1
	Nonwhite--M--	34	3	1	1	1	-	1	-	1	1	1	-	1	2	-	3	3	4	2	5	3	-	1	-	-	-
	F--	28	5	-	2	-	-	2	-	-	1	1	2	1	1	1	2	1	3	-	-	3	2	-	-	1	-
E800-	Accidents---------	825	44	31	19	10	11	24	31	69	72	66	50	71	52	50	43	35	34	28	19	22	21	9	8	3	3
E962	White-----M--	529	17	15	9	6	7	13	20	44	56	50	38	45	32	39	27	25	25	18	10	13	11	1	4	2	2
	F--	160	15	10	8	-	3	8	8	12	2	8	4	8	9	8	8	4	5	7	7	7	8	8	3	-	-
	Nonwhite--M--	96	8	2	2	1	-	-	2	10	13	7	5	15	9	3	5	4	2	2	1	2	1	-	1	-	1
	F--	40	4	4	-	3	1	3	1	3	1	1	3	3	2	-	3	2	2	1	1	-	1	-	-	1	-
E810-	Motor-vehicle																										
E835	accidents--------	379	5	13	4	3	4	8	11	38	33	37	29	39	26	28	23	21	16	14	11	8	5	-	2	-	1
	White-----M--	247	1	6	-	2	3	3	8	26	24	30	21	21	14	22	11	15	12	9	7	6	5	-	-	-	1
	F--	77	4	4	3	-	1	4	3	7	2	5	4	7	6	5	6	3	3	4	3	2	-	-	1	-	-
	Nonwhite--M--	38	-	2	1	-	-	-	-	3	7	2	1	9	4	1	3	2	1	-	1	-	-	-	1	-	-
	F--	17	-	1	-	1	-	1	-	2	-	-	3	2	2	-	3	1	-	1	-	-	-	-	-	-	-
E800-	All ot. accidents-	446	39	18	15	7	7	16	20	31	39	29	21	32	26	22	20	14	18	14	8	14	16	9	6	3	2
E802,	White-----M--	282	16	9	9	4	4	10	12	18	32	20	17	24	18	17	16	10	13	9	3	7	6	1	4	2	1
E840-	F--	83	11	6	5	-	2	4	5	5	-	3	-	1	3	3	2	1	2	3	4	5	8	8	2	-	-
E962	Nonwhite--M--	58	8	-	1	1	-	-	2	7	6	5	4	6	5	2	2	2	1	2	-	2	1	-	-	-	1
	F--	23	4	3	-	2	1	2	1	1	1	1	-	1	-	-	-	1	2	-	1	-	1	-	-	1	-
E963,	Suicide----------	122	-	-	-	-	-	-	1	2	8	8	15	15	16	13	16	5	6	8	3	2	2	2	-	-	-
E970-	White-----M--	91	-	-	-	-	-	-	1	1	4	6	12	11	12	9	11	5	5	8	2	2	1	1	-	-	-
E979	F--	23	-	-	-	-	-	-	-	1	-	2	2	3	4	3	4	-	1	-	1	-	1	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	71	-	-	-	-	-	-	1	3	6	14	7	12	8	7	6	3	2	-	1	1	-	-	-	-	-
E980-	White-----M--	35	-	-	-	-	-	-	-	-	3	8	2	5	3	5	3	2	2	-	1	1	-	-	-	-	-
E985	F--	9	-	-	-	-	-	-	-	-	2	-	1	2	1	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	1	2	1	3	3	3	4	-	1	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	-	3	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS																										
	ALL CAUSES	15,681	1,235	129	70	57	53	134	127	231	212	211	258	357	487	638	894	1,121	1,429	1,705	1,900	1,801	1,460	717	334	81	40
	White-----M	6,733	456	38	25	14	15	50	44	107	84	87	112	129	177	296	372	516	651	774	824	848	653	312	119	23	7
	F	4,472	309	29	18	20	17	46	45	50	49	49	49	90	131	148	194	232	315	438	594	622	555	283	152	31	6
	Nonwhite--M	2,470	277	33	16	13	12	20	25	45	48	42	49	67	93	88	155	221	261	272	279	184	144	64	34	16	12
	F	2,006	193	29	11	10	9	18	13	29	31	33	48	71	86	106	173	152	202	221	203	147	108	58	29	11	15
001-019	Tuberculosis, all forms	492	3	6	1	4	1	2	7	14	18	26	27	31	28	35	44	34	47	52	54	28	21	8	1	-	-
	White-----M	197	-	4	-	1	-	-	1	-	-	7	8	13	7	17	14	20	19	27	32	12	11	4	-	-	-
	F	115	-	1	-	-	1	1	1	3	6	4	1	5	7	5	13	5	10	13	16	12	8	3	-	-	-
	Nonwhite--M	112	2	1	-	2	-	-	3	6	6	9	8	8	9	9	10	8	13	9	4	3	1	1	-	-	-
	F	68	1	-	1	1	-	1	2	5	6	6	10	5	5	4	7	1	5	3	2	1	1	-	1	-	-
001-008	Tuberculosis of respiratory system	463	1	1	-	4	-	1	6	13	16	26	27	28	28	33	42	32	47	52	51	27	19	8	1	-	-
	White-----M	185	-	1	-	1	-	-	1	-	-	7	8	11	7	16	14	18	19	27	30	11	10	4	-	-	-
	F	108	-	-	-	-	-	-	1	3	5	4	1	5	7	5	12	5	10	13	15	12	7	3	-	-	-
	Nonwhite--M	107	1	-	-	2	-	-	2	6	6	9	8	7	9	9	9	8	13	9	4	3	1	1	-	-	-
	F	63	-	-	-	1	-	1	2	4	5	6	10	5	5	3	7	1	5	3	2	1	1	-	1	-	-
010-019	Tuberculosis, other forms	29	2	5	1	-	1	1	1	1	2	-	-	3	-	2	2	2	-	-	3	1	2	-	-	-	-
	White-----M	12	-	3	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	-	2	1	1	-	-	-	-
	F	7	-	1	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M	5	1	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	67	2	-	-	-	-	-	1	-	-	-	2	1	4	5	11	6	13	6	6	4	4	2	-	-	-
	White-----M	27	-	-	-	-	-	-	-	-	-	-	-	1	1	-	6	4	6	3	2	1	2	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	1	-	-	-	-	-
	Nonwhite--M	24	2	-	-	-	-	-	1	-	-	-	1	-	1	2	4	1	5	2	2	2	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	1	1	-	1	1	-	-	-
040	Typhoid fever	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	38	19	4	1	1	2	1	2	-	-	-	-	-	-	-	-	1	-	2	2	1	-	2	-	-	-
	White-----M	12	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-
	F	5	2	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	14	7	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-
	F	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	7	1	1	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	5	-	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	12	6	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	24	6	2	3	-	2	5	1	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	10	3	1	2	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	1	1	1	-	1	5	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	33	2	1	1	5	1	2	6	5	3	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	11	-	-	1	2	-	2	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	1	1	-	2	3	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	2	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	85	18	2	4	1	2	3	6	5	3	3	3	1	3	4	2	3	1	6	4	2	6	-	2	1	-
	White-----M	26	4	2	1	-	-	-	-	-	1	1	1	-	1	1	1	1	1	2	2	1	4	-	1	1	-
	F	30	7	-	2	1	-	1	2	2	1	2	1	1	2	1	-	-	-	2	2	1	1	-	1	-	-
	Nonwhite--M	17	5	-	-	-	2	2	3	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-
	F	12	2	-	1	-	-	-	1	3	1	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
140-205	Malignant neoplasms, etc.*	1,964	4	2	4	5	3	9	9	16	11	22	26	51	85	135	203	222	247	228	267	214	132	49	16	2	2
	White--M	822	-	-	1	2	1	3	6	7	3	10	15	13	23	49	75	90	96	99	128	116	56	23	4	1	1
	F	727	3	-	1	1	2	5	-	5	4	9	9	27	41	54	77	72	87	78	100	72	52	17	10	1	-
	Nonwhite--M	205	1	2	1	1	-	-	2	3	2	1	-	3	6	9	16	29	36	31	22	20	14	5	1	-	-
	F	210	-	-	1	1	-	1	1	1	2	2	2	8	15	23	35	31	28	20	17	6	10	4	1	-	1
140-148	Of buccal cavity and pharynx	45	-	-	-	-	-	-	-	-	1	-	-	2	2	4	5	7	4	5	4	5	3	2	-	-	1
	White--M	25	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	6	2	2	2	3	2	1	-	-	1
	F	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	2	-	1	-	1	-	-	-	-
	Nonwhite--M	9	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	3	1	2	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	680	1	-	-	-	-	-	-	2	-	4	4	11	20	40	58	81	88	86	102	92	63	21	6	1	-
	White--M	294	-	-	-	-	-	-	-	1	-	4	1	5	6	20	21	33	34	32	51	48	29	7	1	1	-
	F	234	1	-	-	-	-	-	-	1	-	-	2	4	5	8	17	24	30	31	40	36	25	7	3	-	-
	Nonwhite--M	97	-	-	-	-	-	-	-	-	-	-	-	2	6	8	10	15	19	15	6	6	6	3	1	-	-
	F	55	-	-	-	-	-	-	-	-	-	-	1	-	3	4	10	9	5	8	5	2	3	4	1	-	-
160-164	Of respiratory system	198	-	-	-	-	-	-	-	-	-	-	1	6	8	14	26	28	39	33	16	16	7	4	-	-	-
	White--M	140	-	-	-	-	-	-	-	-	-	-	1	4	8	11	21	18	24	25	9	12	3	4	-	-	-
	F	36	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	9	5	6	4	3	-	-	-	-
	Nonwhite--M	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	6	1	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	-	1	-	-	-	-
170	Of breast	131	-	-	-	-	-	-	-	-	-	1	4	5	10	15	20	19	18	14	11	7	1	2	4	-	-
	White--M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	101	-	-	-	-	-	-	-	-	-	-	4	2	9	13	15	13	11	11	10	6	1	2	4	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	1	-	2	1	2	4	6	7	3	-	1	-	-	-	-	-
171-179	Of genital organs	384	-	-	-	-	-	1	-	2	4	8	3	16	23	37	32	30	46	43	58	50	23	7	-	-	1
	White--M	108	-	-	-	-	-	-	-	-	-	2	1	-	-	2	1	5	10	15	29	29	10	4	-	-	-
	F	158	-	-	-	-	-	1	-	2	2	5	2	12	15	23	17	13	20	17	13	9	5	2	-	-	-
	Nonwhite--M	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	7	7	10	7	1	-	-	-
	F	78	-	-	-	-	-	-	-	-	2	1	-	4	8	12	14	10	10	4	9	2	1	-	-	-	1
180, 181	Of urinary organs	92	1	-	-	-	-	-	-	-	-	1	-	-	1	3	10	14	6	14	16	12	7	5	2	-	-
	White--M	46	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	5	3	9	6	6	3	3	1	-	-
	F	30	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	7	2	2	8	5	2	2	1	-	-
	Nonwhite--M	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	2	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	268	-	-	1	1	-	3	3	7	2	3	6	9	10	18	31	25	29	22	43	20	23	7	4	1	-
	White--M	119	-	-	-	1	-	1	2	3	2	1	4	1	2	8	15	11	14	11	19	12	7	3	2	-	-
	F	103	-	-	-	-	-	2	-	2	-	2	1	7	5	7	14	7	7	6	17	7	12	4	2	1	-
	Nonwhite--M	22	-	-	1	-	-	-	1	1	-	-	-	-	-	-	2	4	2	3	6	1	1	-	-	-	-
	F	24	-	-	-	-	-	-	-	1	-	-	1	1	3	3	-	3	6	2	1	-	3	-	-	-	-
204	Leukemia and aleukemia	103	2	2	3	3	3	4	5	4	2	3	5	1	7	3	11	9	7	7	11	7	3	1	-	-	-
	White--M	55	-	-	1	1	1	1	4	3	1	2	5	1	4	1	4	6	4	3	7	3	2	1	-	-	-
	F	35	2	-	1	1	2	2	-	-	-	1	-	-	3	2	4	2	2	4	4	4	1	-	-	-	-
	Nonwhite--M	9	-	2	-	1	-	-	1	1	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F	4	-	-	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	63	-	-	-	1	-	1	1	1	2	2	3	1	4	1	10	9	10	4	6	5	2	-	-	-	-
	White--M	32	-	-	-	-	-	1	-	-	-	1	3	1	1	1	4	6	5	2	4	3	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	2	-	-	-	3	-	4	1	4	2	1	1	2	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	7	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	2	-	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	59	-	-	1	1	-	4	1	3	3	-	5	5	8	5	4	2	6	4	1	3	3	-	-	-	-
	White--M	22	-	-	1	1	-	-	-	2	1	-	3	1	1	2	2	-	3	1	1	2	1	-	-	-	-
	F	19	-	-	-	-	-	3	1	1	2	-	-	1	3	2	1	1	1	1	-	1	1	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	1	-	-	-	-	2	3	4	1	1	-	1	2	-	-	1	-	-	-	-
260	Diabetes mellitus	164	1	-	-	-	-	-	2	3	-	-	1	4	1	3	13	11	15	28	32	33	11	4	2	-	-
	White--M	61	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	4	6	10	12	17	5	2	-	-	-
	F	70	1	-	-	-	-	-	1	3	-	-	1	-	-	1	6	4	4	15	15	11	6	2	-	-	-
	Nonwhite--M	13	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	3	1	1	1	3	-	-	2	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	3	-	2	3	-	4	2	4	2	-	-	-	-	-
290-293	Anemias	35	2	-	-	1	-	2	1	1	-	2	3	1	-	-	-	2	3	2	3	5	5	1	-	1	-
	White--M	15	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	1	2	-	1	4	1	1	-	1	-
	F	9	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	2	1	2	-	-	-	-
	Nonwhite--M	5	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2	-	-	-	-
	F	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	26	11	1	2	-	1	2	1	-	-	-	1	1	-	1	-	1	3	1	-	1	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	10	2	-	2	-	1	1	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M	8	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	6	3	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	7,694	8	2	2	3	-	11	12	22	26	24	40	109	185	265	415	609	815	1,068	1,197	1,162	960	476	216	51	16
	White--M	3,420	3	1	1	1	-	5	1	9	5	3	16	33	69	130	186	282	385	508	499	534	437	211	82	14	5
	F	2,204	5	1	-	1	-	3	5	5	11	8	9	27	45	46	54	114	152	255	382	415	356	193	98	18	1
	Nonwhite--M	1,079	-	-	1	-	-	1	4	3	5	6	2	17	34	40	76	126	140	159	185	116	91	35	21	13	4
	F	991	-	-	-	1	-	2	2	5	5	7	13	32	37	49	99	87	138	146	131	97	76	37	15	6	6
330-334, 400-468	Diseases of cardiovascular system	7,252	7	2	2	3	-	8	11	22	23	18	39	102	172	250	391	577	772	1,014	1,116	1,095	904	448	210	51	15
	White--M	3,267	3	1	1	1	-	4	1	9	5	1	16	32	69	124	176	275	369	483	473	509	416	199	81	14	5
	F	2,101	4	1	-	1	-	3	4	5	10	8	9	25	39	44	52	110	145	245	366	393	340	183	95	18	1
	Nonwhite--M	983	-	-	1	-	-	1	4	3	4	4	2	14	30	36	70	118	132	148	160	104	82	33	20	13	4
	F	901	-	-	-	1	-	-	2	5	4	5	12	31	34	46	93	74	126	138	117	89	66	33	14	6	5
330-334	Vascular lesions, etc.*	1,869	2	2	-	-	-	2	-	3	4	1	10	19	41	53	84	114	151	284	310	306	281	118	61	22	1
	White--M	683	-	1	-	-	-	1	-	1	-	-	4	2	11	13	20	41	49	113	103	133	119	50	17	4	1
	F	627	2	1	-	-	-	1	-	2	3	-	2	10	18	14	19	23	30	70	118	112	111	49	32	10	-
	Nonwhite--M	273	-	-	-	-	-	-	-	-	-	1	-	-	4	11	15	29	35	54	43	27	29	11	8	6	-
	F	286	-	-	-	-	-	-	-	-	1	-	4	7	8	15	30	21	37	47	46	34	22	8	4	2	-
400-402	Rheumatic fever	27	-	-	-	1	-	5	6	4	3	-	-	2	2	-	-	2	1	1	-	-	-	-	-	-	-
	White--M	7	-	-	-	-	-	2	-	2	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	2	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
410-443	Diseases of heart	4,896	5	-	2	2	-	1	5	14	15	17	26	73	119	187	291	433	586	688	745	724	545	265	120	24	9
	White-----M	2,384	3	-	1	1	-	1	1	6	5	1	11	26	54	107	150	219	309	351	345	343	268	117	52	9	4
	F	1,327	2	-	-	1	-	-	2	2	5	8	7	14	19	28	30	83	103	168	237	260	192	109	50	6	1
	Nonwhite--M	644	-	-	1	-	-	-	1	2	3	3	2	12	23	24	50	83	94	88	100	72	49	20	10	6	1
	F	541	-	-	-	-	-	-	1	4	2	5	6	21	23	28	61	48	80	81	63	49	36	19	8	3	3
410-416	Chronic rheumatic heart disease	152	-	-	-	-	-	-	2	5	8	4	4	6	7	10	6	20	12	11	17	11	16	9	3	1	-
	White-----M	56	-	-	-	-	-	-	-	3	2	1	-	1	-	3	2	8	5	4	6	6	7	6	2	-	-
	F	47	-	-	-	-	-	-	2	-	3	3	4	4	2	7	1	6	1	3	3	2	6	-	-	-	-
	Nonwhite--M	26	-	-	-	-	-	-	-	-	3	-	-	-	3	-	1	3	4	2	5	1	1	2	-	1	-
	F	23	-	-	-	-	-	-	-	2	-	-	-	1	2	-	2	3	2	2	3	2	2	1	1	-	-
420	Arteriosclerotic heart dis., etc.*	2,739	2	-	-	1	-	-	-	5	4	4	13	36	74	114	184	268	353	410	408	393	276	124	57	11	2
	White-----M	1,587	2	-	-	1	-	-	-	3	2	-	8	20	45	79	128	167	225	238	229	207	152	51	24	5	1
	F	691	-	-	-	-	-	-	-	-	1	2	1	5	8	12	19	43	58	102	116	143	94	59	25	3	-
	Nonwhite--M	257	-	-	-	-	-	-	-	1	-	1	1	3	12	14	16	40	36	47	41	19	13	7	3	3	-
	F	204	-	-	-	-	-	-	-	1	1	1	3	8	9	9	21	18	34	23	22	24	17	7	5	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	551	1	-	1	-	-	-	2	2	-	-	-	8	4	13	14	28	43	60	86	118	91	42	30	5	3
	White-----M	215	-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	6	18	25	35	55	35	17	11	2	1
	F	181	1	-	-	-	-	-	-	1	-	-	-	2	2	1	2	7	9	14	28	42	36	20	14	2	-
	Nonwhite--M	81	-	-	1	-	-	-	1	-	-	-	-	2	-	1	6	8	7	8	16	15	9	2	4	1	-
	F	74	-	-	-	-	-	-	1	1	-	-	-	3	1	6	3	7	9	13	7	6	11	3	1	-	2
430-434	Other diseases of heart	460	2	-	1	1	-	1	1	2	3	3	5	10	12	14	30	33	58	66	69	71	33	29	11	3	2
	White-----M	210	1	-	1	-	-	1	1	-	1	-	2	2	5	9	8	16	29	38	28	29	22	11	3	1	2
	F	87	1	-	-	1	-	-	-	1	1	1	-	2	-	-	3	4	6	7	14	25	6	8	7	-	-
	Nonwhite--M	94	-	-	-	-	-	-	-	1	-	1	1	2	3	-	10	11	17	8	19	10	4	6	1	-	-
	F	69	-	-	-	-	-	-	-	-	1	1	2	4	4	5	9	2	6	13	8	7	1	4	-	2	-
440-443	Hypertension with heart dis.	994	-	-	-	-	-	-	-	-	-	6	4	13	22	36	57	84	120	141	165	131	129	61	19	4	2
	White-----M	316	-	-	-	-	-	-	-	-	-	-	1	2	3	11	9	22	32	46	47	46	52	32	12	1	-
	F	321	-	-	-	-	-	-	-	-	-	2	2	1	7	8	5	23	29	42	76	48	50	22	4	1	1
	Nonwhite--M	186	-	-	-	-	-	-	-	-	-	1	-	5	5	9	17	21	30	23	19	27	22	3	2	1	1
	F	171	-	-	-	-	-	-	-	-	-	3	1	5	7	8	26	18	29	30	23	10	5	4	1	1	-
444-447	Hypertension without mention of heart*	157	-	-	-	-	-	-	-	-	-	-	-	3	5	2	8	7	19	18	23	18	30	16	4	2	2
	White-----M	51	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	2	5	5	5	6	14	5	1	-	-
	F	45	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	6	5	4	7	9	9	2	-	-
	Nonwhite--M	25	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	1	10	2	2	1	1	1	1
	F	36	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	7	7	4	3	5	1	-	1	1
450	General arteriosclerosis	221	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	8	7	16	27	38	43	46	25	3	3
	White-----M	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	7	16	21	13	27	11	1	-
	F	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	13	25	14	11	2	-
	Nonwhite--M	26	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	5	6	3	2	1	1	-	2
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	1	3	4	2	-	1
451-468	Other diseases of circulatory sys.	82	-	-	-	-	-	-	-	1	1	-	3	4	4	7	6	13	8	7	11	9	5	3	-	-	-
	White-----M	37	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	9	1	6	4	6	2	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	2	4	1	3	1	3	2	-	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	1	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	1	-	-	2	2	1	1	1	1	2	-	3	2	-	1	-	-	-
592-594	Chronic nephritis, etc.*	442	1	-	-	-	-	3	1	-	3	6	1	7	13	15	24	32	43	54	81	67	56	28	6	-	1
	White-----M	153	-	-	-	-	-	1	-	-	-	2	-	1	-	6	10	7	16	25	26	25	21	12	1	-	-
	F	103	1	-	-	-	-	-	1	-	1	-	-	2	6	2	2	4	7	10	16	22	16	10	3	-	-
	Nonwhite--M	96	-	-	-	-	-	-	-	-	1	2	-	3	4	4	6	8	8	11	25	12	9	2	1	-	-
	F	90	-	-	-	-	-	2	-	-	1	2	1	1	3	3	6	13	12	8	14	8	10	4	1	-	1
480-493	Influenza and pneumonia, etc.*	716	137	27	5	3	4	11	3	2	4	3	9	11	20	14	22	33	41	53	74	92	82	34	23	6	3
	White-----M	239	34	-	1	-	2	4	1	-	-	2	2	4	8	4	5	11	14	19	28	42	36	12	9	1	-
	F	200	29	8	2	1	-	1	-	-	1	-	2	-	4	2	6	4	8	13	19	30	38	18	11	2	1
	Nonwhite--M	148	38	10	2	2	-	2	2	1	1	1	3	4	4	3	5	10	13	13	18	8	2	2	1	2	1
	F	129	36	9	-	-	2	4	-	1	2	-	2	3	4	5	6	8	6	8	9	12	6	2	2	1	1
480-483	Influenza	124	9	5	1	-	-	2	1	-	-	-	2	4	3	3	1	5	8	12	19	18	21	7	2	-	1
	White-----M	34	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	7	7	8	3	1	-	-
	F	41	3	1	-	-	-	1	-	-	-	-	1	-	1	1	-	1	1	4	6	4	12	4	1	-	-
	Nonwhite--M	25	2	2	1	-	-	-	1	-	-	-	-	3	1	-	-	1	3	3	4	3	-	-	-	-	1
	F	24	2	2	-	-	-	1	-	-	-	-	1	-	-	2	1	3	2	3	2	4	1	-	-	-	-
490-493	Pneumonia, etc.*	592	128	22	4	3	4	9	2	2	4	3	7	7	17	11	21	28	33	41	55	74	61	27	21	6	2
	White-----M	205	32	-	1	-	2	4	1	-	-	2	2	3	7	4	5	11	12	17	21	35	28	9	8	1	-
	F	159	26	7	2	1	-	-	-	-	1	-	1	-	3	1	6	3	7	9	13	26	26	14	10	2	1
	Nonwhite--M	123	36	8	1	2	-	2	1	1	1	1	3	1	3	3	5	9	10	10	14	5	2	2	1	2	-
	F	105	34	7	-	-	2	3	-	1	2	-	1	3	4	3	5	5	4	5	7	8	5	2	2	1	1
500-502	Bronchitis	30	6	1	1	1	-	1	-	-	-	-	-	-	-	1	-	2	3	1	4	4	2	3	-	-	-
	White-----M	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-
	F	10	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	-	-	-
	Nonwhite--M	5	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-
	F	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	77	-	-	-	-	-	-	-	-	3	-	1	1	6	2	5	14	13	8	13	2	6	3	-	-	-
	White-----M	42	-	-	-	-	-	-	-	-	2	-	-	-	2	2	2	8	7	4	9	1	3	2	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	1	1	2	1	-	-	-
	Nonwhite--M	18	-	-	-	-	-	-	-	-	1	-	1	1	3	-	2	4	2	2	1	-	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-
550-553	Appendicitis	32	-	-	-	1	1	1	-	4	-	-	-	2	-	3	3	2	3	5	1	3	3	-	-	-	-
	White-----M	12	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	1	2	1	1	2	1	-	-	-	-
	F	9	-	-	-	-	1	-	-	1	-	-	-	-	-	2	-	1	-	2	-	1	1	-	-	-	-
	Nonwhite--M	6	-	-	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	74	2	-	1	-	1	-	-	2	-	2	1	3	2	1	4	4	7	12	8	9	8	7	-	-	-
	White-----M	21	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	3	5	3	3	2	2	-	-	-
	F	30	2	-	-	-	1	-	-	1	-	1	1	2	1	-	2	1	3	2	4	2	4	3	-	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	3	1	1	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	1	3	-	1	1	1	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
543, 571, 572	Gastritis, etc.*	141	80	7	3	2	2	4	2	-	1	1	-	1	2	3	1	3	3	4	8	6	3	4	1	-	-
	White-----M	31	14	-	-	1	1	-	1	-	-	-	-	-	-	2	-	1	1	2	1	4	-	2	1	-	-
	F	30	15	1	1	1	-	2	-	-	1	-	-	-	-	-	-	-	2	-	2	-	3	2	-	-	-
	Nonwhite--M	47	33	4	2	-	-	-	-	-	-	1	-	1	-	-	-	1	-	2	3	-	-	-	-	-	-
	F	33	18	2	-	-	1	2	1	-	-	-	-	-	2	1	1	1	-	-	2	2	-	-	-	-	-
581	Cirrhosis of liver	82	-	-	-	-	-	-	-	-	1	1	2	10	4	8	6	11	9	14	5	6	5	-	-	-	-
	White-----M	44	-	-	-	-	-	-	-	-	-	-	-	6	2	7	4	9	3	5	2	4	2	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	1	-	4	1	-	1	1	1	8	1	2	3	-	-	-	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	5	1	2	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	73	3	1	-	-	-	1	2	1	1	2	2	2	1	5	5	6	8	2	4	13	8	3	3	-	-
	White-----M	36	2	1	-	-	-	1	1	1	-	-	-	1	-	3	2	2	2	2	2	6	5	3	2	-	-
	F	17	-	-	-	-	-	-	1	-	1	1	-	-	1	1	1	1	2	-	1	4	2	-	1	-	-
	Nonwhite--M	12	1	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	3	-	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	1	2	1	-	-	-	-
610	Hyperplasia of prostate	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	9	10	14	16	18	9	2	1	1
	White-----M	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	9	14	14	7	1	1	-
	Nonwhite--M	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	4	5	2	4	2	1	-	1
640-689	Complications of pregnancy, etc.*	44	...	...	...	...	...	...	1	5	8	10	11	7	-	1	-	-	-	-	-	1	-	-	-	-	-
	White-----F	19	...	...	...	...	...	...	-	2	4	4	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	25	...	...	...	...	...	...	1	3	4	6	6	3	-	1	-	-	-	-	-	1	-	-	-	-	-
650-652	Abortion	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	43	...	...	...	...	...	...	1	5	8	9	11	7	-	1	-	-	-	-	-	1	-	-	-	-	-
	White-----F	18	...	...	...	...	...	...	-	2	4	3	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	25	...	...	...	...	...	...	1	3	4	6	6	3	-	1	-	-	-	-	-	1	-	-	-	-	-
750-759	Congenital malformations	163	125	5	5	5	3	6	1	2	2	-	3	1	1	2	-	1	1	-	-	-	-	-	-	-	-
	White-----M	78	66	2	2	-	1	3	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	57	41	1	2	2	1	2	1	1	-	-	1	1	1	2	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	17	12	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	6	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	590	590	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	260	260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	306	306	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	121	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	561	87	5	2	2	1	4	1	2	2	4	6	7	8	14	21	16	33	60	53	62	61	51	33	14	12
	White-----M	150	22	1	-	-	-	1	-	-	-	1	-	1	2	3	5	7	11	14	12	19	20	16	10	4	1
	F	110	9	1	1	-	-	-	-	-	-	1	1	1	1	2	4	1	3	9	10	15	18	14	12	6	1
	Nonwhite--M	153	38	-	1	-	1	1	-	2	1	1	-	-	2	4	3	5	10	16	13	13	19	12	5	1	5
	F	148	18	3	-	2	-	2	1	-	1	1	5	5	3	5	9	3	9	21	18	15	4	9	6	3	5
Residual	All other diseases	731	43	10	7	1	5	8	6	9	14	13	14	16	27	35	47	58	79	77	83	77	57	25	16	2	2
	White-----M	316	16	4	4	-	2	4	2	3	7	7	5	5	11	12	15	32	41	28	41	34	26	13	4	-	-
	F	226	9	1	-	1	3	2	4	-	3	2	5	5	6	12	17	10	19	28	21	32	27	9	9	1	-
	Nonwhite--M	114	14	3	1	-	-	2	-	3	2	1	2	3	4	6	11	7	14	16	11	6	3	2	2	-	1
	F	75	4	2	2	-	-	-	-	3	2	3	2	3	6	5	4	9	5	5	10	5	1	1	1	1	1
E800-E962	Accidents	1,333	75	46	24	21	22	52	58	119	86	77	77	70	68	75	63	63	56	54	57	50	62	33	18	3	4
	White-----M	700	23	18	8	5	6	25	28	74	57	49	50	43	39	52	37	31	37	29	27	23	24	11	4	-	-
	F	307	20	12	5	10	4	16	21	22	13	10	5	12	10	12	9	10	12	9	15	18	29	17	10	3	3
	Nonwhite--M	231	18	10	5	4	6	9	7	18	14	15	19	13	14	10	14	16	6	11	9	6	4	2	1	-	-
	F	95	14	6	6	2	6	2	2	5	2	3	3	2	5	1	3	6	1	5	6	3	5	3	3	-	1
E810-E835	Motor-vehicle accidents	484	6	13	4	6	3	11	17	61	49	39	37	38	34	37	35	19	24	20	14	7	8	2	-	-	-
	White-----M	311	5	7	3	2	2	8	8	46	39	25	22	19	20	24	21	10	19	10	10	5	5	1	-	-	-
	F	83	-	6	-	3	-	3	8	11	6	5	2	9	6	7	5	2	3	3	1	1	2	-	-	-	-
	Nonwhite--M	73	-	-	1	1	-	-	-	4	3	9	12	9	5	6	7	5	2	5	3	1	-	-	-	-	-
	F	17	1	-	-	-	1	-	1	-	1	-	1	1	3	-	2	2	-	2	-	-	1	1	-	-	-
E800-E802, E840-E962	All ot. accidents	849	69	33	20	15	19	41	41	58	37	38	40	32	34	38	28	44	32	34	43	43	54	31	18	3	4
	White-----M	389	18	11	5	3	4	17	20	28	18	24	28	24	19	28	16	21	18	19	17	18	19	10	4	-	-
	F	224	20	6	5	7	4	13	13	11	7	5	3	3	4	5	4	8	9	6	14	17	27	17	10	3	3
	Nonwhite--M	158	18	10	4	3	6	9	7	14	11	6	7	4	9	4	7	11	4	6	6	5	4	2	1	-	-
	F	78	13	6	6	2	5	2	1	5	1	3	2	1	2	1	1	4	1	3	6	3	4	2	3	-	1
E963, E970-E979	Suicide	105	-	-	-	-	-	-	-	1	5	7	9	3	11	13	12	7	10	7	7	6	3	3	1	-	-
	White-----M	73	-	-	-	-	-	-	-	1	4	4	4	3	5	8	10	5	6	7	6	6	2	1	1	-	-
	F	27	-	-	-	-	-	-	-	-	-	2	5	-	6	5	-	2	3	-	1	-	1	2	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	128	-	-	-	-	-	1	1	11	20	10	13	18	21	7	12	6	4	1	2	1	-	-	-	-	-
	White-----M	30	-	-	-	-	-	-	-	2	2	1	4	3	5	2	2	3	2	1	2	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	1	-	1	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	77	-	-	-	-	-	1	-	8	13	6	7	14	15	2	7	2	2	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	1	4	2	1	1	1	2	2	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA																										
	ALL CAUSES	108,552	6,909	480	329	260	200	612	379	790	1,127	1,396	1,731	2,389	3,591	4,807	6,652	8,372	10,408	12,839	13,262	12,556	10,207	6,021	2,539	532	164
	White-----M--	59,446	3,575	221	167	121	97	353	226	503	738	815	941	1,236	2,046	2,841	4,087	5,257	6,419	7,781	7,353	6,257	4,710	2,495	953	182	72
	F--	43,056	2,598	202	114	110	76	223	133	231	277	401	551	854	1,183	1,511	2,038	2,639	3,489	4,481	5,422	5,924	5,265	3,402	1,532	333	67
	Nonwhite--M--	3,722	419	31	32	17	11	24	11	31	67	121	142	161	215	292	353	292	327	382	293	227	141	72	35	9	17
	F--	2,328	317	26	16	12	16	12	9	25	45	59	97	138	147	163	174	184	173	195	194	148	91	52	19	8	8
001-019	Tuberculosis, all forms	1,810	9	13	12	11	9	8	3	19	50	71	85	144	144	137	206	202	215	181	132	76	49	27	4	1	2
	White-----M--	1,131	5	3	5	2	2	5	1	4	15	23	32	56	80	87	149	153	159	139	101	57	29	19	3	1	1
	F--	407	3	5	4	4	3	2	1	10	20	28	28	54	37	24	31	31	33	28	22	16	15	7	1	-	-
	Nonwhite--M--	182	-	2	1	1	2	-	1	3	9	13	11	20	21	17	23	15	20	12	3	3	3	1	-	-	1
	F--	90	1	3	2	4	2	1	-	2	6	7	14	14	6	9	3	3	3	2	6	-	2	-	-	-	-
001-008	Tuberculosis of respiratory system	1,680	6	9	6	3	3	1	1	15	39	66	80	137	137	130	194	193	204	175	126	75	47	27	3	1	2
	White-----M--	1,074	4	2	1	1	1	-	-	3	13	19	30	55	78	83	142	149	153	137	97	56	27	19	2	1	1
	F--	369	2	3	3	-	-	-	1	7	18	28	27	51	33	22	30	28	30	26	21	16	15	7	1	-	-
	Nonwhite--M--	156	-	1	-	-	-	-	-	3	2	13	11	17	20	16	21	13	18	10	3	3	3	1	-	-	1
	F--	81	-	3	2	2	2	1	-	2	6	6	12	14	6	9	1	3	3	2	5	-	2	-	-	-	-
010-019	Tuberculosis, other forms	130	3	4	6	8	6	7	2	4	11	5	5	7	7	7	12	9	11	6	6	1	2	-	1	-	-
	White-----M--	57	1	1	4	1	1	5	1	1	2	4	2	1	2	4	7	4	6	2	4	1	2	-	1	-	-
	F--	38	1	2	1	4	3	2	-	3	2	-	1	3	4	2	1	3	3	2	1	-	-	-	-	-	-
	Nonwhite--M--	26	-	1	1	1	2	-	1	-	7	-	-	3	1	1	2	2	2	2	-	-	-	-	-	-	-
	F--	9	1	-	-	2	-	-	-	-	-	1	2	-	-	-	2	-	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae	408	5	-	-	-	-	-	-	1	2	1	2	8	16	29	47	61	65	69	46	33	13	6	2	1	1
	White-----M--	253	1	-	-	-	-	-	-	1	-	-	-	4	8	13	26	40	41	49	32	25	8	3	1	-	1
	F--	75	2	-	-	-	-	-	-	-	2	-	-	2	3	3	9	12	9	10	10	7	2	3	1	-	-
	Nonwhite--M--	65	1	-	-	-	-	-	-	-	-	1	-	1	5	8	11	6	14	9	4	1	3	-	-	1	-
	F--	15	1	-	-	-	-	-	-	-	-	-	2	1	-	5	1	3	1	1	-	-	-	-	-	-	-
040	Typhoid fever	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	34	10	1	1	4	-	1	1	-	1	-	1	-	2	-	2	-	1	5	-	4	-	-	-	-	-
	White-----M--	18	5	1	-	2	-	1	1	-	-	-	1	-	1	-	1	-	-	3	-	2	-	-	-	-	-
	F--	13	3	-	1	2	-	-	-	-	1	-	-	-	-	-	1	-	1	2	-	2	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	8	1	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	2	-	-	1	-	-	-	-	-
	White-----M--	6	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	17	-	-	-	1	1	1	1	-	-	1	-	2	3	-	1	1	2	2	-	1	-	-	-	-	-
	White-----M--	9	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	1	2	2	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	1	1	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	16	9	3	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	3	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	89	17	16	10	12	6	3	5	4	5	4	1	-	2	-	-	2	2	-	-	-	-	-	-	-	-
	White-----M--	44	8	10	4	5	3	1	3	2	3	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	37	7	6	6	6	2	1	2	2	1	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	212	4	7	9	3	4	39	15	29	23	33	26	11	3	3	-	-	3	-	-	-	-	-	-	-	-
	White-----M--	120	1	3	7	1	2	24	11	21	6	18	13	9	2	-	-	-	2	-	-	-	-	-	-	-	-
	F--	87	3	4	2	2	2	15	4	7	13	15	13	2	1	3	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	15	5	3	2	-	-	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	5	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	3	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	304	27	8	2	5	4	8	9	6	11	21	16	26	24	17	26	17	24	17	15	11	5	2	3	-	-
	White-----M--	137	14	5	1	2	3	2	6	1	3	5	6	7	12	7	14	9	15	6	9	5	3	-	2	-	-
	F--	110	6	3	-	3	1	6	2	5	2	12	5	11	8	6	5	5	8	8	5	4	2	2	1	-	-
	Nonwhite--M--	32	3	-	1	-	-	-	-	-	3	2	4	3	1	3	6	1	1	2	-	2	-	-	-	-	-
	F--	25	4	-	-	-	-	-	1	-	3	2	1	5	3	1	1	2	-	1	1	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA—Con.																										
140-205	Malignant neoplasms, etc.*	16,613	18	28	31	39	30	109	50	57	71	134	221	376	668	967	1,443	1,857	2,156	2,466	2,201	1,818	1,166	527	145	30	5
	White----M	7,932	6	13	16	25	11	64	23	30	38	67	88	110	217	386	647	891	1,100	1,330	1,096	881	588	233	58	13	1
	F	7,896	10	12	15	10	15	40	22	26	29	58	118	225	392	510	699	868	967	1,030	1,025	891	544	284	85	17	4
	Nonwhite--M	454	1	1	-	3	1	5	2	-	3	4	6	12	30	40	52	47	61	78	52	25	22	7	2	-	-
	F	331	1	2	-	1	3	-	3	1	1	5	9	29	29	31	45	51	28	28	28	21	12	3	-	-	-
140-148	Of buccal cavity and pharynx	368	-	-	-	-	-	1	-	1	1	5	3	5	11	37	37	51	39	59	46	39	18	6	8	1	-
	White----M	266	-	-	-	-	-	-	-	1	1	2	1	1	7	30	26	37	32	36	33	32	16	5	5	1	-
	F	74	-	-	-	-	-	1	-	-	-	2	1	3	2	3	6	8	5	21	9	7	2	1	3	-	-
	Nonwhite--M	20	-	-	-	-	-	-	-	-	-	1	1	-	2	3	4	4	2	1	2	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	2	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	5,894	1	1	-	1	2	4	-	1	7	15	40	58	157	243	422	586	800	980	947	769	535	234	72	17	2
	White----M	2,959	-	1	-	-	1	3	-	1	2	7	15	27	67	114	213	303	436	551	481	365	246	95	24	7	-
	F	2,624	1	-	-	-	1	1	-	-	3	7	24	27	74	106	168	243	323	374	422	384	273	133	48	10	2
	Nonwhite--M	224	-	-	-	1	-	-	-	-	2	1	-	3	11	15	28	22	34	41	33	16	12	5	-	-	-
	F	87	-	-	-	-	-	-	-	-	-	-	1	1	5	8	13	18	7	14	11	4	4	1	-	-	-
160-164	Of respiratory system	1,912	1	-	-	-	-	-	1	1	-	1	8	29	59	125	227	306	343	335	217	160	78	16	4	1	-
	White----M	1,504	-	-	-	-	-	-	-	1	-	1	3	12	46	96	183	259	275	273	166	117	59	10	2	1	-
	F	323	1	-	-	-	-	-	-	-	-	-	4	9	8	19	33	34	58	47	45	41	16	6	2	-	-
	Nonwhite--M	75	-	-	-	-	-	-	1	-	-	-	1	4	4	10	11	10	9	15	6	1	3	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	3	1	-	-	1	-	-	-	-	-
170	Of breast	1,651	-	-	-	-	-	-	1	-	-	12	24	68	133	153	200	237	193	188	176	140	68	40	16	2	-
	White----M	15	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	2	-	5	1	1	-	-	-	-
	F	1,572	-	-	-	-	-	-	-	-	-	12	20	60	125	146	189	225	184	185	169	133	66	40	16	2	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	63	-	-	-	-	-	-	1	-	-	-	4	6	8	6	10	10	6	3	2	6	1	-	-	-	-
171-179	Of genital organs	2,458	-	2	-	-	-	2	2	2	9	25	41	87	126	150	196	247	264	323	340	320	176	112	28	4	2
	White----M	834	-	1	-	-	-	2	-	2	3	9	11	7	6	8	13	40	62	138	155	173	113	68	21	1	1
	F	1,501	-	-	-	-	-	-	1	-	6	13	27	69	108	132	167	195	188	170	176	140	58	41	6	3	1
	Nonwhite--M	31	-	1	-	-	-	-	-	-	-	-	-	-	1	-	3	1	4	10	2	4	3	1	1	-	-
	F	92	-	-	-	-	-	-	1	-	-	3	3	11	11	10	13	11	10	5	7	3	2	2	-	-	-
180, 181	Of urinary organs	837	-	4	-	5	-	8	-	-	-	4	6	9	18	26	60	79	108	143	134	109	88	34	2	-	-
	White----M	539	-	2	-	3	-	3	-	-	-	4	4	2	11	15	50	62	73	102	78	57	53	19	1	-	-
	F	269	-	2	-	2	-	4	-	-	-	-	2	5	6	8	8	14	33	41	47	48	33	15	1	-	-
	Nonwhite--M	18	-	-	-	-	-	1	-	-	-	-	-	-	1	3	1	3	1	-	6	2	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	3	2	2	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,932	3	5	8	13	9	29	19	24	23	29	44	59	102	135	176	202	234	251	196	153	134	66	13	5	-
	White----M	976	1	3	7	7	2	17	8	10	15	13	19	28	52	74	90	98	132	137	93	71	68	25	3	3	-
	F	879	2	1	1	5	5	11	9	13	8	14	23	28	40	53	79	96	95	105	98	79	62	41	9	2	-
	Nonwhite--M	41	-	-	-	1	1	1	1	-	-	1	2	2	6	4	3	4	4	5	2	1	2	-	1	-	-
	F	36	-	1	-	-	1	-	1	1	-	1	-	1	4	4	4	4	3	4	3	2	2	-	-	-	-
204	Leukemia and aleukemia	830	10	12	23	19	18	53	21	15	15	16	23	29	32	52	55	58	91	83	77	68	44	14	1	-	1
	White----M	445	4	4	9	15	7	34	12	10	8	12	16	11	16	25	27	29	44	43	48	41	20	9	1	-	-
	F	344	4	7	14	2	9	17	9	5	7	2	6	14	15	22	26	26	41	37	29	25	22	4	-	-	1
	Nonwhite--M	25	1	-	-	1	-	2	-	-	-	1	1	2	1	3	1	2	6	2	-	-	1	1	-	-	-
	F	16	1	1	-	1	2	-	-	-	-	1	-	2	-	2	1	1	-	1	-	2	1	-	-	-	-
200-203, 205	Lymphomas, etc.*	731	3	4	-	1	1	12	6	13	16	27	32	32	30	46	70	91	84	104	68	60	25	5	1	-	-
	White----M	394	1	2	-	-	1	5	3	5	9	19	19	20	12	23	44	61	44	50	37	24	12	2	1	-	-
	F	310	2	2	-	1	-	6	3	8	5	8	11	10	14	21	23	27	40	50	30	34	12	3	-	-	-
	Nonwhite--M	19	-	-	-	-	-	1	-	-	1	-	1	1	4	2	1	1	-	4	1	1	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	2	-	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	388	6	4	4	1	1	11	2	3	9	12	22	29	30	43	36	38	45	27	24	19	12	3	5	2	-
	White----M	170	4	2	2	1	1	6	2	1	4	9	7	14	12	14	16	19	21	13	8	5	5	1	2	1	-
	F	184	2	2	2	-	-	4	-	2	-	3	11	12	13	22	19	16	21	14	14	14	7	2	3	1	-
	Nonwhite--M	11	-	-	-	-	-	1	-	-	1	-	-	2	-	3	1	1	1	-	1	-	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	4	-	4	1	5	4	-	2	2	-	1	-	-	-	-	-	-
260	Diabetes mellitus	1,178	-	1	-	-	-	3	7	4	12	19	22	29	29	27	55	103	150	216	199	162	85	47	7	1	-
	White----M	447	-	-	-	-	-	-	3	3	3	8	12	11	20	14	19	39	51	90	69	62	20	18	5	-	-
	F	662	-	1	-	-	-	3	4	1	7	9	8	13	5	9	31	60	87	111	123	95	64	28	2	1	-
	Nonwhite--M	38	-	-	-	-	-	-	-	-	-	2	1	2	2	3	3	2	5	10	3	5	-	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	2	-	1	3	2	1	2	2	7	5	4	-	1	1	-	-	-
290-293	Anemias	209	4	2	3	-	1	4	2	2	6	4	4	3	4	6	9	13	16	29	24	34	18	15	6	-	-
	White----M	79	2	1	-	-	1	3	-	-	3	1	-	1	1	1	3	5	6	15	8	15	8	2	3	-	-
	F	114	1	1	1	-	-	1	1	2	1	3	3	1	2	3	5	8	9	13	15	19	10	12	3	-	-
	Nonwhite--M	8	-	-	2	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	1	-	-	-
	F	8	1	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	1	1	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	153	56	8	9	7	2	8	1	1	-	1	3	6	4	3	10	8	4	7	5	4	4	2	-	-	-
	White----M	84	31	5	4	4	-	6	-	-	-	-	1	3	2	1	4	6	2	5	3	3	3	1	-	-	-
	F	48	15	3	4	2	2	2	1	1	-	-	1	3	2	1	3	2	1	1	1	1	1	1	-	-	-
	Nonwhite--M	7	1	-	-	1	-	-	-	-	-	-	1	-	-	1	2	-	-	1	-	-	-	-	-	-	-
	F	14	9	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	58,586	42	12	11	7	5	35	25	54	90	129	287	536	1,246	2,030	3,197	4,443	6,014	7,914	8,910	8,830	7,608	4,637	2,020	416	88
	White----M	31,980	22	9	7	4	3	18	12	24	43	61	163	316	825	1,369	2,148	2,960	3,862	4,821	4,936	4,271	3,342	1,851	723	139	31
	F	24,151	14	3	1	1	2	15	12	24	36	52	82	158	280	476	800	1,212	1,879	2,766	3,667	4,296	4,114	2,695	1,256	262	48
	Nonwhite--M	1,452	5	-	2	1	-	2	-	3	7	8	21	27	72	112	152	167	162	198	177	154	89	55	25	7	6
	F	1,023	1	-	1	1	-	-	1	3	4	8	21	35	69	73	97	104	111	129	130	109	63	36	16	8	3
330-334, 400-468	Diseases of cardiovascular system	57,672	41	12	8	5	3	24	20	46	73	107	248	494	1,206	1,974	3,115	4,361	5,924	7,815	8,811	8,757	7,541	4,593	1,993	413	88
	White----M	31,495	21	9	5	4	1	12	9	20	35	50	138	293	810	1,543	2,108	2,918	3,810	4,765	4,881	4,237	3,311	1,831	715	138	31
	F	23,793	14	3	1	1	2	10	11	21	29	43	72	142	264	457	772	1,182	1,843	2,732	3,632	4,263	4,081	2,672	1,238	260	48
	Nonwhite--M	1,394	5	-	1	-	-	2	-	2	6	7	19	24	66	106	142	159	162	192	171	151	86	55	25	7	6
	F	990	1	-	1	-	-	-	-	3	3	7	19	35	66	68	93	102	109	126	127	106	63	35	15	8	3
330-334	Vascular lesions, etc.*	11,573	20	5	3	3	2	8	5	11	20	19	39	78	171	261	466	640	1,028	1,473	1,839	2,000	1,845	1,105	440	80	12
	White----M	5,164	13	4	3	2	1	4	2	4	11	8	16	31	73	113	208	285	507	777	884	852	752	432	149	27	6
	F	5,829	5	1	-	1	1	4	3	5	8	8	16	33	69	118	205	293	455	598	891	1,079	1,055	646	280	50	5
	Nonwhite--M	301	2	-	-	-	-	-	-	1	1	-	2	7	10	11	28	38	34	51	31	43	18	17	6	1	-
	F	279	-	-	-	-	-	-	-	1	-	3	5	7	19	19	25	24	32	47	33	26	20	10	5	2	1
400-402	Rheumatic fever	88	1	2	-	1	-	10	8	8	4	2	8	3	8	9	5	5	5	3	3	1	1	-	1	-	-
	White----M	44	1	-	-	1	-	5	4	5	-	1	2	1	5	6	1	4	4	1	2	-	-	-	1	-	-
	F	37	-	2	-	-	-	3	4	3	3	1	5	2	3	1	3	1	1	2	1	1	1	-	-	-	-
	Nonwhite--M	5	-	-	-	-	-	2	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA—Con.																										
410-443	Diseases of heart	41,151	18	4	4	1	1	5	4	19	40	73	165	369	955	1,602	2,493	3,494	4,540	5,884	6,342	6,024	4,818	2,814	1,196	231	55
	White-----M--	23,924	6	4	1	1	-	3	2	9	23	37	108	243	704	1,164	1,806	2,477	3,077	3,697	3,647	3,040	2,186	1,143	448	79	19
	F--	15,648	9	-	1	-	1	2	2	9	11	29	37	93	166	309	527	834	1,277	1,980	2,488	2,817	2,538	1,621	724	143	30
	Nonwhite--M--	970	2	-	1	-	-	-	-	1	4	5	12	13	50	84	100	112	120	134	123	99	56	30	15	5	4
	F--	609	1	-	1	-	-	-	-	-	2	2	8	20	35	45	60	71	66	73	84	68	38	20	9	4	2
410-416	Chronic rheumatic heart disease----	1,564	-	-	1	1	-	-	3	13	18	34	40	105	127	178	182	187	189	157	132	98	55	32	10	2	-
	White-----M--	796	-	-	-	1	-	-	2	6	10	10	20	52	68	95	103	88	103	88	69	44	20	13	3	1	-
	F--	707	-	-	-	-	-	-	1	7	6	23	16	48	50	76	72	91	82	68	57	50	35	18	7	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	1	1	1	2	5	2	4	6	-	-	2	3	-	-	-	-	-
	F--	34	-	-	1	-	-	-	-	-	1	-	3	3	4	5	3	2	4	1	4	1	-	1	-	1	-
420	Arteriosclerotic heart dis., etc.*	29,585	3	-	-	-	-	1	-	2	8	21	91	204	676	1,154	1,896	2,678	3,503	4,510	4,641	4,282	3,205	1,776	770	140	24
	White-----M--	18,637	1	-	-	-	-	1	-	1	5	18	70	168	564	949	1,485	2,073	2,513	2,978	2,786	2,317	1,560	785	304	50	9
	F--	10,042	1	-	-	-	-	-	-	1	3	-	12	24	68	140	317	497	878	1,405	1,728	1,869	1,591	956	454	85	13
	Nonwhite--M--	603	1	-	-	-	-	-	-	-	-	3	7	6	29	48	67	69	77	88	79	62	31	24	8	2	2
	F--	303	-	-	-	-	-	-	-	-	-	-	2	6	15	17	27	39	35	39	48	34	23	11	4	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	4,090	11	1	2	-	1	1	-	2	1	2	9	9	30	50	83	181	220	417	610	717	804	596	262	57	24
	White-----M--	1,953	4	1	1	-	-	1	-	1	1	2	5	5	18	24	43	100	142	232	346	328	352	230	90	20	7
	F--	1,973	6	-	1	-	1	-	-	-	-	-	2	4	11	19	28	68	62	159	236	362	438	360	165	37	14
	Nonwhite--M--	102	1	-	-	-	-	-	-	1	-	-	-	-	1	4	6	10	9	19	21	11	10	4	4	-	1
	F--	62	-	-	-	-	-	-	-	-	-	-	2	-	-	3	6	3	7	7	7	16	4	2	3	-	2
430-434	Other diseases of heart---------	770	4	3	1	-	-	3	1	2	11	13	10	19	28	29	53	69	83	101	98	89	70	57	21	5	-
	White-----M--	406	1	3	-	-	-	1	-	1	7	7	7	10	13	15	34	40	55	54	52	45	27	22	10	2	-
	F--	321	2	-	-	-	-	2	1	1	2	4	3	8	12	9	14	24	25	41	42	42	42	34	11	2	-
	Nonwhite--M--	33	-	-	1	-	-	-	-	-	1	1	-	-	2	5	5	3	3	5	3	1	1	1	-	1	-
	F--	10	1	-	-	-	-	-	-	-	1	1	-	1	1	-	-	2	-	1	1	1	-	-	-	-	-
440-443	Hypertension with heart dis.--	5,142	-	-	-	-	-	-	-	-	2	3	15	32	94	191	279	379	545	699	861	838	684	353	133	27	7
	White-----M--	2,132	-	-	-	-	-	-	-	-	-	-	6	8	41	81	141	176	264	345	394	306	227	93	41	6	3
	F--	2,605	-	-	-	-	-	-	-	-	-	2	4	9	25	65	96	154	230	307	425	494	432	253	87	19	3
	Nonwhite--M--	205	-	-	-	-	-	-	-	-	2	-	4	5	13	25	18	24	31	22	18	22	14	1	3	2	1
	F--	200	-	-	-	-	-	-	-	-	-	1	1	10	15	20	24	25	20	25	24	16	11	6	2	-	-
444-447	Hypertension without mention of heart----------	733	-	1	-	-	-	-	1	-	1	4	13	23	37	38	44	60	56	68	99	106	81	65	30	5	1
	White-----M--	333	-	1	-	-	-	-	-	-	1	-	2	9	15	19	21	34	27	36	47	53	31	26	10	1	-
	F--	325	-	-	-	-	-	-	1	-	-	2	4	7	11	10	14	19	21	29	48	50	46	39	19	4	1
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	1	4	3	4	6	5	6	3	1	4	1	1	-	1	-	-
	F--	35	-	-	-	-	-	-	-	-	-	1	3	4	7	3	4	1	5	2	-	2	3	-	-	-	-
450	General arteriosclerosis--------	3,240	-	-	-	-	-	-	-	-	1	1	1	-	3	12	56	79	159	262	400	536	718	581	318	93	20
	White-----M--	1,495	-	-	-	-	-	-	-	-	-	-	-	-	3	9	41	61	99	164	218	244	298	218	105	29	6
	F--	1,659	-	-	-	-	-	-	-	-	1	-	1	-	-	3	10	14	54	93	167	276	408	350	209	61	12
	Nonwhite--M--	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	3	3	8	7	10	8	3	1	2
	F--	35	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	3	2	7	9	2	5	1	2	-
451-468	Other diseases of circulatory sys.-	887	2	-	1	-	-	1	2	8	7	8	22	21	32	52	51	83	136	125	128	90	78	28	8	4	-
	White-----M--	535	1	-	1	-	-	-	1	2	-	4	10	9	10	32	31	57	96	90	83	48	44	12	2	2	-
	F--	295	-	-	-	-	-	1	1	4	6	3	9	7	15	16	13	21	35	30	37	40	33	16	6	2	-
	Nonwhite--M--	27	1	-	-	-	-	-	-	-	-	1	1	1	2	3	5	1	2	3	5	1	1	-	-	-	-
	F--	30	-	-	-	-	-	-	-	2	1	-	2	4	5	1	2	4	3	2	3	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	914	1	-	3	2	2	11	5	8	17	22	39	42	40	56	82	82	90	99	99	73	67	44	27	3	-
	White-----M--	465	1	-	2	-	2	6	3	4	8	11	25	23	15	26	40	42	52	56	55	34	31	20	8	1	-
	F--	358	-	-	-	-	-	5	1	3	7	9	10	16	16	19	28	30	36	34	35	33	33	23	18	2	-
	Nonwhite--M--	58	-	-	1	1	-	-	-	1	1	1	2	3	6	6	10	8	-	6	6	3	3	-	-	-	-
	F--	33	-	-	-	1	-	-	1	-	1	1	2	-	3	5	4	2	2	3	3	3	-	1	1	-	-
480-493	Influenza and pneumonia, etc.*	2,854	485	84	28	20	13	24	11	15	9	19	30	62	77	97	145	136	158	223	238	327	292	207	114	31	9
	White-----M--	1,564	225	27	7	6	10	12	6	8	6	9	16	34	42	70	108	97	116	142	142	180	155	85	48	11	2
	F--	1,041	195	40	18	11	2	10	5	5	2	5	6	19	21	18	29	30	33	55	75	132	127	117	61	19	6
	Nonwhite--M--	154	35	14	1	1	1	2	-	-	-	3	5	6	10	5	5	6	7	22	15	7	4	1	2	1	1
	F--	95	30	3	2	2	-	-	-	2	1	2	3	3	4	4	3	3	2	4	6	8	6	4	3	-	-
480-483	Influenza---------	124	9	4	3	2	-	5	2	2	-	-	-	2	3	8	5	9	5	12	8	18	6	13	6	2	-
	White-----M--	66	6	1	2	-	-	1	1	1	-	-	-	1	1	5	3	7	2	8	6	8	4	7	1	1	-
	F--	44	2	3	1	2	-	3	1	-	-	-	-	1	1	2	1	1	1	4	2	9	-	6	3	1	-
	Nonwhite--M--	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
	F--	9	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	2	-	-	-	1	-	1	-	-
490-493	Pneumonia, etc.*--	2,730	476	80	25	18	13	19	9	13	9	19	30	60	74	89	140	127	153	211	230	309	286	194	108	29	9
	White-----M--	1,498	219	26	5	6	10	11	5	7	6	9	16	33	41	65	105	90	114	134	136	172	151	78	47	10	2
	F--	997	193	37	17	9	2	7	4	5	2	5	6	18	20	16	28	29	32	51	73	123	127	111	58	18	6
	Nonwhite--M--	149	34	14	1	1	1	1	-	-	-	3	5	6	10	5	5	6	7	22	15	6	3	1	1	1	1
	F--	86	30	3	2	2	-	-	-	1	1	2	3	3	3	3	2	2	-	4	6	8	5	4	2	-	-
500-502	Bronchitis--------	191	41	8	7	5	1	4	2	2	-	1	1	2	2	4	6	13	15	16	20	16	12	9	3	1	-
	White-----M--	119	20	3	4	2	-	2	1	1	-	1	-	1	1	4	5	10	11	14	13	11	9	5	1	-	-
	F--	62	16	5	3	2	-	1	1	1	-	-	1	1	1	-	1	2	3	2	7	5	3	4	2	1	-
	Nonwhite--M--	5	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	904	2	-	1	-	-	1	-	-	3	5	8	23	43	64	84	126	110	127	116	101	54	25	9	1	1
	White-----M--	703	-	-	1	-	-	1	-	-	1	2	5	18	30	50	70	112	89	104	86	73	36	18	7	-	-
	F--	161	-	-	-	-	-	-	-	-	2	1	3	4	11	10	11	12	17	18	25	24	17	4	1	1	-
	Nonwhite--M--	33	2	-	-	-	-	-	-	-	-	2	-	1	2	3	2	2	4	4	4	4	1	-	1	-	1
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	3	-	-	-
550-553	Appendicitis------	141	2	-	4	-	-	10	4	2	2	4	7	6	7	10	10	11	8	15	13	9	12	4	-	-	1
	White-----M--	82	1	-	2	-	-	8	3	2	1	-	2	4	5	6	7	7	6	7	10	3	5	2	-	-	1
	F--	45	-	-	1	-	-	1	1	-	-	4	4	1	2	3	1	3	2	7	1	5	7	2	-	-	-
	Nonwhite--M--	9	-	-	1	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	1	1	-	-	-	-	-
	F--	5	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	517	65	2	3	1	-	2	1	1	4	4	5	14	9	18	19	33	43	61	63	63	53	38	11	4	-
	White-----M--	248	33	-	3	1	-	2	1	-	3	2	2	6	2	6	10	17	20	36	35	24	27	15	2	1	-
	F--	244	28	2	-	-	-	-	-	1	1	1	3	8	6	11	6	13	21	22	25	36	25	23	9	3	-
	Nonwhite--M--	13	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	1	2	-	-	-	-	-
	F--	12	1	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	1	2	1	1	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA—Con.																										
543,	Gastritis, etc.*--	467	184	36	2	-	4	1	-	1	8	2	3	8	8	16	14	20	22	33	27	24	24	16	10	-	2
571,	White-----M--	240	91	19	2	-	3	1	-	1	4	2	2	4	4	8	10	14	9	22	12	11	9	8	4	-	-
572	F--	180	64	13	-	-	-	-	-	-	2	-	1	4	4	6	3	6	12	10	14	13	14	8	5	-	1
	Nonwhite--M--	27	16	1	-	-	1	-	-	-	1	-	-	-	-	3	-	-	1	1	1	-	1	-	1	-	-
	F--	20	13	3	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1
581	Cirrhosis of liver	2,134	6	2	1	-	-	1	3	5	3	22	54	169	284	298	315	255	219	218	135	72	46	19	3	-	4
	White-----M--	1,259	2	-	1	-	-	1	-	1	1	10	22	79	148	170	182	157	149	165	87	44	24	14	-	-	2
	F--	742	4	2	-	-	-	-	2	4	2	9	24	72	116	107	109	85	61	43	47	24	22	5	3	-	1
	Nonwhite--M--	92	-	-	-	-	-	-	-	-	-	2	3	12	10	16	18	10	9	7	1	3	-	-	-	-	1
	F--	41	-	-	-	-	-	-	1	-	-	1	5	6	10	5	6	3	-	3	-	1	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	146	2	1	-	5	2	6	3	5	2	5	10	10	12	11	2	7	11	10	14	14	8	2	3	1	-
	White-----M--	83	2	-	-	2	1	5	1	4	2	3	6	4	8	6	1	5	8	6	7	6	3	1	1	1	-
	F--	52	-	1	-	3	1	1	2	-	-	1	3	3	2	3	-	2	3	4	7	8	5	1	2	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	414	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	5	18	55	78	85	89	53	18	4	-
	White-----M--	397	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	5	17	49	77	82	86	52	17	4	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	6	1	3	3	1	1	-	-
640-	Complications of																										
689	pregnancy, etc.*	143	...	...	...	...	...	...	-	9	24	47	29	28	3	-	1	1	1	-	-	-	-	-	-	-	-
	White-----F--	108	...	...	...	...	...	...	-	6	20	37	22	17	3	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	35	...	...	...	...	...	...	-	3	4	10	7	11	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	35	...	...	...	...	...	...	-	2	5	12	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	25	...	...	...	...	...	...	-	1	5	11	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	...	...	...	...	...	...	-	1	-	1	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	108	...	...	...	...	...	...	-	7	19	35	20	21	3	-	1	1	1	-	-	-	-	-	-	-	-
660-	White-----F--	83	...	...	...	...	...	...	-	5	15	26	16	15	3	-	1	1	1	-	-	-	-	-	-	-	-
689	Nonwhite--F--	25	...	...	...	...	...	...	-	2	4	9	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	1,395	1 022	70	39	17	14	31	13	10	15	7	17	21	17	21	24	13	20	5	8	8	2	1	-	-	-
	White-----M--	696	511	29	20	6	6	17	7	5	6	3	7	15	12	11	13	8	10	2	4	4	-	-	-	-	-
	F--	593	432	32	14	9	8	13	6	4	8	2	8	6	5	8	10	5	9	3	4	4	2	1	-	-	-
	Nonwhite--M--	69	53	6	3	1	-	1	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	37	26	3	2	1	-	-	-	1	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	4,337	4 336	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2,305	2 304	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,588	1 588	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	258	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	186	186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	2,290	2,290	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,274	1,274	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	796	796	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	223	223	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	1,824	1,823	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	914	913	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	720	720	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	445	39	5	3	2	2	4	3	11	8	9	14	13	15	20	28	21	29	28	32	25	46	40	29	11	8
795	White-----M--	252	22	3	2	-	-	1	3	9	6	6	6	5	11	11	19	17	16	23	23	13	25	12	10	3	4
	F--	166	13	2	1	2	2	3	-	2	-	1	5	7	3	7	7	3	11	5	9	10	19	24	19	8	3
	Nonwhite--M--	16	4	-	-	-	-	-	-	-	-	1	2	1	-	1	2	-	1	-	-	-	1	3	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	1	-	-	2	1	1	-	-	1
Re-	All other diseases	4,812	274	46	31	27	20	58	29	52	59	99	140	169	228	282	321	397	476	562	542	465	299	159	63	7	7
sid-	White-----M--	2,715	155	25	12	12	10	26	16	25	27	46	56	81	106	146	202	246	301	349	321	268	172	76	32	2	3
ual	F--	1,802	90	19	12	13	10	29	13	22	28	42	64	62	93	107	95	134	155	189	199	188	120	82	30	5	1
	Nonwhite--M--	172	14	2	6	1	-	2	-	1	2	6	8	12	16	17	19	12	13	14	12	7	5	1	1	-	1
	F--	123	15	-	1	1	-	1	-	4	2	5	12	14	13	12	5	5	7	10	10	2	2	-	-	-	2
E800-	Accidents---------	7,363	225	118	110	89	77	225	175	443	601	581	521	469	484	461	427	396	418	390	313	282	260	170	80	20	28
E962	White-----M--	4,896	98	60	67	43	38	137	117	327	486	444	385	328	348	315	275	295	286	265	192	151	112	71	30	5	21
	F--	1,915	93	44	24	40	26	70	48	89	76	79	82	104	106	105	107	86	108	106	106	118	139	94	48	15	2
	Nonwhite--M--	417	16	5	13	5	2	10	7	20	31	51	45	30	29	34	40	13	19	12	13	9	6	1	2	-	4
	F--	135	18	9	6	1	11	8	3	7	8	7	9	7	1	7	5	2	5	7	2	4	3	4	-	-	1
E810-	Motor-vehicle																										
E835	accidents--------	3,674	26	45	45	39	33	85	71	302	417	367	297	246	247	222	229	194	227	207	150	104	71	39	7	-	4
	White-----M--	2,494	14	19	26	21	17	50	47	214	327	269	209	168	172	150	140	141	145	146	86	58	48	21	3	-	3
	F--	906	11	22	11	15	11	28	21	71	60	59	61	58	59	51	67	44	68	54	54	41	21	16	3	-	-
	Nonwhite--M--	210	-	2	5	2	1	5	2	11	23	32	24	16	15	15	19	7	11	5	8	3	1	1	1	-	1
	F--	64	1	2	3	1	4	2	1	6	7	7	3	4	1	6	3	2	3	2	2	2	1	1	-	-	-
E800-	All ot. accidents-	3,689	199	73	65	50	44	140	104	141	184	214	224	223	237	239	198	202	191	183	163	178	189	131	73	20	24
E802,	White-----M--	2,402	84	41	41	22	21	87	70	113	159	175	176	160	176	165	135	154	141	119	106	93	64	50	27	5	18
E840-	F--	1,009	82	22	13	25	15	42	27	18	16	20	21	46	47	54	40	42	40	52	52	77	118	78	45	15	2
E962	Nonwhite--M--	207	16	3	8	3	1	5	5	9	8	19	21	14	14	19	21	6	8	7	5	6	5	-	1	-	3
	F--	71	17	7	3	-	7	6	2	1	1	-	6	3	-	1	2	-	2	5	-	2	2	3	-	-	1
E963,	Suicide----------	1,743	-	-	-	-	-	-	4	32	61	104	125	155	179	202	195	170	144	148	97	65	47	10	4	1	-
E970-	White-----M--	1,231	-	-	-	-	-	-	4	21	42	67	78	95	125	127	138	126	108	115	77	55	40	8	4	1	-
E979	F--	448	-	-	-	-	-	-	-	11	15	29	44	52	51	67	49	37	30	30	17	10	5	1	-	-	-
	Nonwhite--M--	55	-	-	-	-	-	-	-	-	3	6	2	6	2	8	8	6	5	3	3	-	2	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	2	1	2	1	-	-	1	1	-	-	-	-	-	-	-	-
E964,	Homicide----------	498	13	1	4	3	3	11	8	22	46	56	76	69	46	36	23	23	17	12	10	7	3	1	-	-	8
E980-	White-----M--	252	7	-	-	1	3	7	5	12	31	24	30	31	21	17	14	17	10	7	5	4	1	-	-	-	5
E985	F--	101	3	1	2	-	-	4	3	6	9	10	11	11	12	2	5	5	5	3	4	2	1	1	-	-	1
	Nonwhite--M--	116	1	-	2	1	-	-	-	3	3	17	30	22	11	13	4	1	2	1	1	1	1	-	-	-	2
	F--	29	2	-	-	1	-	-	-	1	3	5	5	5	2	4	-	-	-	1	-	-	-	-	-	-	-
E965,	Operations of war-	5	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
E990-	White-----M--	4	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO																										
	ALL CAUSES	12,896	1,198	105	42	31	30	85	62	106	159	163	182	240	321	479	592	837	1,026	1,316	1,559	1,642	1,393	863	373	73	19
	White-----M	7,241	675	54	22	21	17	45	37	66	102	85	94	125	188	309	369	544	667	822	836	896	696	380	155	26	10
	F	5,336	492	46	17	10	13	39	24	35	50	67	79	106	120	154	203	275	336	465	674	721	673	470	213	47	7
	Nonwhite-M	175	11	5	2	-	-	1	1	1	5	5	7	4	7	9	11	8	10	19	33	13	14	6	1	-	2
	F	144	20	-	1	-	-	-	-	4	2	6	2	5	6	7	9	10	13	10	16	12	10	7	4	-	-
001-019	Tuberculosis, all forms	166	1	1	1	1	1	-	1	1	5	9	7	12	15	11	25	11	17	16	13	10	6	-	2	-	-
	White-----M	93	-	-	-	-	1	-	1	-	1	4	1	4	9	6	15	8	14	8	7	8	5	-	1	-	-
	F	56	-	1	-	1	-	-	-	1	1	4	3	8	4	4	7	3	3	7	6	2	1	-	-	-	-
	Nonwhite-M	12	-	-	1	-	-	-	-	-	3	-	2	-	1	1	3	-	-	1	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
001-008	Tuberculosis of respiratory system	147	1	-	-	-	-	-	-	1	3	7	7	11	15	10	24	10	14	15	11	10	6	-	2	-	-
	White-----M	85	-	-	-	-	-	-	-	-	1	2	1	3	9	6	15	8	13	7	6	8	5	-	1	-	-
	F	49	-	-	-	-	-	-	-	1	1	4	3	8	4	4	6	2	1	7	5	2	1	-	-	-	-
	Nonwhite-M	8	-	-	-	-	-	-	-	-	1	-	2	-	1	-	3	-	-	1	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
010-019	Tuberculosis, other forms	19	-	1	1	1	1	-	1	-	2	2	-	1	-	1	1	1	3	1	2	-	-	-	-	-	-
	White-----M	8	-	-	-	-	1	-	1	-	-	2	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-
	F	7	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-
	Nonwhite-M	4	-	-	1	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	34	2	-	-	-	-	-	-	1	-	1	-	-	-	2	3	3	7	7	2	3	3	-	-	-	-
	White-----M	19	1	-	-	-	-	-	-	1	-	1	-	-	-	-	2	2	5	5	1	1	-	-	-	-	-
	F	11	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	3	-	-	-	-
	Nonwhite-M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	12	9	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M	7	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	5	1	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	4	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	13	4	3	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M	6	2	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite-M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	22	1	1	-	1	-	5	3	-	1	4	3	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	White-----M	13	-	1	-	-	-	5	1	-	-	2	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	F	9	1	-	-	1	-	-	2	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	7	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M	5	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	47	8	3	-	3	-	8	2	-	1	3	1	1	2	-	1	1	5	1	4	1	2	-	-	-	-
	White-----M	24	5	3	-	2	-	3	1	-	1	1	-	1	-	-	1	-	3	1	-	1	1	-	-	-	-
	F	21	3	-	-	1	-	5	1	-	-	2	1	-	2	-	-	-	2	-	3	-	1	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
140-205	Malignant neoplasms, etc.*	1,858	1	3	3	4	4	12	4	7	4	18	30	45	66	92	132	195	211	240	285	252	147	80	17	4	2
	White-----M--	920	1	-	1	3	3	6	3	3	3	8	9	13	26	39	51	99	104	135	147	130	82	39	11	2	2
	F--	900	-	3	2	1	1	6	1	4	1	10	21	31	36	53	78	93	102	101	131	116	63	38	6	2	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	4	5	4	2	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	3	-	2	2	-	3	-	-	-
140-148	Of buccal cavity and pharynx	38	-	-	-	-	-	-	-	-	-	2	-	-	1	5	1	4	6	4	3	6	2	3	-	-	1
	White-----M--	29	-	-	-	-	-	-	-	-	-	1	-	-	1	5	1	1	6	2	2	6	1	2	-	-	1
	F--	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	2	1	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	692	-	-	-	-	1	-	-	-	1	3	5	3	18	16	37	69	78	100	126	113	72	38	10	2	-
	White-----M--	374	-	-	-	-	1	-	-	-	1	1	2	1	8	11	17	36	42	65	74	53	40	16	5	1	-
	F--	305	-	-	-	-	-	-	-	-	-	2	3	2	10	5	20	32	35	33	48	57	32	20	5	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-
160-164	Of respiratory system	197	-	-	-	-	-	-	-	1	-	1	1	3	4	8	20	34	29	28	34	20	11	2	1	-	-
	White-----M--	158	-	-	-	-	-	-	-	1	-	1	1	3	3	7	15	31	25	26	24	15	5	-	1	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	3	2	9	5	5	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
170	Of breast	171	-	-	-	-	-	-	-	-	-	-	5	12	15	18	22	16	19	18	21	12	6	6	1	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	167	-	-	-	-	-	-	-	-	-	-	5	12	14	18	20	16	18	18	21	12	6	6	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
171-179	Of genital organs	295	-	-	-	-	-	-	-	-	-	3	7	10	5	17	23	22	34	37	44	46	21	20	3	2	1
	White-----M--	106	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2	1	9	14	18	23	17	13	3	1	1
	F--	181	-	-	-	-	-	-	-	-	-	1	6	9	3	17	21	21	24	23	25	21	3	6	-	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	1	-	-	-
180, 181	Of urinary organs	94	-	-	-	-	-	-	-	-	-	1	-	1	3	6	2	10	6	19	13	15	11	5	2	-	-
	White-----M--	57	-	-	-	-	-	-	-	-	-	1	-	1	3	4	2	7	2	11	8	8	5	3	2	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	3	8	4	6	6	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	179	-	2	-	1	-	2	1	1	3	3	2	6	15	9	15	19	23	16	22	23	12	4	-	-	-
	White-----M--	91	-	-	-	1	-	2	1	-	2	-	-	2	7	6	7	11	16	7	8	12	6	3	-	-	-
	F--	86	-	2	-	-	-	-	-	1	1	3	2	4	7	3	8	8	7	8	14	11	6	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	101	1	1	2	2	3	10	3	3	-	2	3	4	1	9	4	7	8	7	16	7	7	1	-	-	-
	White-----M--	51	1	-	-	2	2	4	2	2	-	1	1	2	1	4	2	2	2	4	9	5	4	1	-	-	-
	F--	48	-	1	2	-	1	6	1	1	-	1	2	2	-	5	1	5	6	2	7	2	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	91	-	-	1	1	-	-	-	2	-	3	7	6	4	4	8	14	8	11	6	10	5	1	-	-	-
	White-----M--	53	-	-	1	-	-	-	-	-	-	1	4	3	3	2	4	10	2	6	4	8	4	1	-	-	-
	F--	36	-	-	-	1	-	-	-	2	-	2	3	2	1	2	4	3	6	5	2	2	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	52	1	-	-	-	-	1	1	1	-	1	2	3	4	5	5	6	5	5	7	1	1	1	2	-	-
	White-----M--	16	-	-	-	-	-	1	1	-	-	1	-	1	-	1	1	1	4	-	5	-	-	-	-	-	-
	F--	34	-	-	-	-	-	-	-	1	-	-	2	2	4	3	4	5	1	5	2	1	1	1	2	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	156	1	-	-	-	-	-	1	2	1	1	3	3	4	8	5	10	18	20	27	29	19	3	1	-	-
	White-----M--	75	1	-	-	-	-	-	1	1	-	-	2	1	3	6	3	5	10	8	9	13	8	3	1	-	-
	F--	79	-	-	-	-	-	-	-	1	1	1	1	2	1	-	2	5	8	12	18	16	11	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	33	2	-	1	-	1	1	-	1	-	-	1	-	-	1	2	1	1	2	5	4	5	4	1	-	-
	White-----M--	16	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	2	3	4	1	1	-	-
	F--	16	1	-	1	-	1	1	-	1	-	-	1	-	-	-	-	1	1	1	2	1	1	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	13	3	-	-	-	-	2	-	-	-	-	1	1	1	2	-	-	1	1	-	1	-	-	-	-	-
	White-----M--	8	1	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	1	-	-	1	-	-	-	-	-
	F--	5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	6,270	9	1	1	2	3	6	6	11	23	17	37	67	86	191	267	413	539	754	929	1,041	946	593	268	53	7
	White-----M--	3,517	6	1	1	2	1	3	3	7	15	7	22	41	52	133	181	292	364	478	504	566	464	248	105	20	1
	F--	2,622	3	-	-	-	2	3	3	4	8	8	12	25	30	54	76	110	164	264	392	460	466	338	161	33	6
	Nonwhite--M--	66	-	-	-	-	-	-	-	-	-	1	2	-	3	1	4	3	5	6	23	7	8	3	-	-	-
	F--	65	-	-	-	-	-	-	-	-	-	1	1	1	1	3	6	8	6	6	10	8	8	4	2	-	-
330-334, 400-468	Diseases of cardiovascular system	6,113	8	1	1	2	2	4	4	9	18	13	33	65	81	180	261	403	526	742	904	1,026	929	582	262	51	6
	White-----M--	3,426	5	1	1	2	1	1	1	6	12	5	19	39	50	127	178	284	357	470	489	556	456	245	101	19	1
	F--	2,560	3	-	-	-	1	3	3	3	6	6	11	25	27	50	73	109	158	260	383	455	457	331	159	32	5
	Nonwhite--M--	64	-	-	-	-	-	-	-	-	-	1	2	-	3	-	4	3	5	6	22	7	8	3	-	-	-
	F--	63	-	-	-	-	-	-	-	-	-	1	1	1	1	3	6	7	6	6	10	8	8	3	2	-	-
330-334	Vascular lesions, etc.*	1,310	3	-	-	-	1	-	-	-	1	1	4	5	13	18	40	56	92	157	210	277	236	133	49	12	2
	White-----M--	631	1	-	-	-	-	-	-	-	1	-	2	2	7	7	18	34	48	88	101	139	106	50	19	7	1
	F--	643	2	-	-	-	1	-	-	-	-	1	2	3	5	11	19	19	39	68	98	133	125	82	29	5	1
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	7	4	4	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	4	1	1	1	1	-	-
400-402	Rheumatic fever	34	-	-	-	-	-	3	4	4	1	2	6	3	1	2	1	2	2	1	-	1	1	-	-	-	-
	White-----M--	19	-	-	-	-	-	1	1	3	-	1	4	1	-	2	1	1	2	1	-	-	1	-	-	-	-
	F--	15	-	-	-	-	-	2	3	1	1	1	2	2	1	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
410-443	Diseases of heart	4,271	3	1	1	2	1	1	-	5	14	7	21	53	62	148	201	330	402	555	654	669	588	370	156	25	2
	White-----M--	2,538	2	1	1	2	1	-	-	3	11	3	12	34	41	109	145	239	286	365	368	381	298	167	62	7	-
	F--	1,649	1	-	-	-	-	1	-	2	3	2	6	18	19	36	49	84	111	179	266	279	241	198	94	18	2
	Nonwhite--M--	41	-	-	-	-	-	-	-	-	-	1	2	-	2	-	3	2	2	6	14	2	4	3	-	-	-
	F--	43	-	-	-	-	-	-	-	-	-	1	1	1	-	3	4	5	3	5	6	7	5	2	-	-	-
410-416	Chronic rheumatic heart disease----	246	-	-	1	-	-	-	-	3	9	3	9	15	16	24	17	32	21	14	33	16	21	7	5	-	-
	White-----M--	119	-	-	1	-	-	-	-	2	7	1	4	8	6	14	7	11	11	8	18	10	9	2	-	-	-
	F--	124	-	-	-	-	-	-	-	1	2	-	5	7	10	10	10	21	10	6	14	6	12	5	5	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,880	1	-	-	-	-	1	-	1	3	1	11	32	38	100	159	245	312	433	440	457	349	204	82	10	1
	White-----M--	1,854	1	-	-	-	-	-	-	1	3	1	8	25	30	84	127	201	232	297	254	267	185	101	32	5	-
	F--	975	-	-	-	-	-	1	-	-	-	-	1	6	6	15	28	41	77	127	171	184	161	101	50	5	1
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	2	5	11	2	2	1	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	2	1	4	4	4	1	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	496	-	-	-	-	-	-	-	-	1	2	-	2	1	9	7	15	23	41	61	90	100	94	38	11	1
	White-----M--	253	-	-	-	-	-	-	-	-	1	-	-	-	1	3	4	10	14	25	34	47	55	41	16	2	-
	F--	239	-	-	-	-	-	-	-	-	-	2	-	2	-	6	3	5	9	15	27	42	44	52	22	9	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
430-434	Other diseases of heart---------	108	2	-	-	2	1	-	-	1	1	1	-	4	2	3	5	4	10	12	19	14	12	9	5	1	-
	White-----M--	65	1	-	-	2	1	-	-	-	-	1	-	1	1	1	1	3	9	10	10	8	6	6	4	-	-
	F--	39	1	-	-	-	-	-	-	1	1	-	-	3	1	2	3	1	1	2	7	6	5	3	1	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	541	-	1	-	-	-	-	-	-	-	-	1	-	5	12	13	34	36	55	101	92	106	56	26	3	-
	White-----M--	247	-	1	-	-	-	-	-	-	-	-	-	-	3	7	6	14	20	25	52	49	43	17	10	-	-
	F--	272	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	16	14	29	47	41	59	37	16	3	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	2	-	1	2	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	-	-	2	3	-	-	-	-
444-447	Hypertension without mention of heart----------	95	-	-	-	-	-	-	-	-	-	1	1	1	4	5	5	5	7	5	12	15	19	9	6	-	-
	White-----M--	39	-	-	-	-	-	-	-	-	-	1	1	-	1	4	3	2	3	1	5	5	8	4	1	-	-
	F--	53	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	4	4	7	9	10	5	5	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
450	General arteriosclerosis--------	292	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	-	9	11	21	43	70	69	47	13	2
	White-----M--	131	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	7	6	12	22	33	24	17	5	-
	F--	158	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	8	21	36	45	29	8	2
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
451-468	Other diseases of circulatory sys.-	111	2	-	-	-	-	-	-	-	2	2	1	3	-	5	10	10	14	13	7	21	15	1	4	1	-
	White-----M--	68	2	-	-	-	-	-	-	-	-	-	-	2	-	4	8	8	11	9	3	9	10	-	2	-	-
	F--	42	-	-	-	-	-	-	-	-	2	2	1	1	-	1	2	2	2	4	4	12	5	1	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	157	1	-	-	-	1	2	2	2	5	4	4	2	5	11	6	10	13	12	25	15	17	11	6	2	1
	White-----M--	91	1	-	-	-	-	2	2	1	3	2	3	2	2	6	3	8	7	8	15	10	8	3	4	1	-
	F--	62	-	-	-	-	1	-	-	1	2	2	1	-	3	4	3	1	6	4	9	5	9	7	2	1	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
480-493	Influenza and pneumonia, etc.*-	729	126	24	10	3	1	9	2	3	3	5	6	6	6	11	12	22	36	54	81	90	105	68	37	5	4
	White-----M--	403	66	13	4	2	-	5	-	2	1	1	2	2	5	7	9	17	26	33	42	52	56	36	19	1	2
	F--	304	57	11	4	1	1	4	2	1	2	3	4	3	-	4	3	4	9	16	38	37	48	31	17	4	-
	Nonwhite--M--	13	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	3	1	1	1	1	-	-	2
	F--	9	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	-	-	-	-	1	-	-
480-483	Influenza---------	67	10	2	1	-	1	1	-	-	-	-	-	-	-	1	2	4	3	3	9	12	8	7	3	-	-
	White-----M--	27	2	1	1	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	2	5	5	3	-	-	-
	F--	40	8	1	-	-	1	1	-	-	-	-	-	-	-	1	-	1	1	2	7	7	3	4	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	662	116	22	9	3	-	8	2	3	3	5	6	6	6	10	10	18	33	51	72	78	97	61	34	5	4
	White-----M--	376	64	12	3	2	-	5	-	2	1	1	2	2	5	7	7	14	24	32	40	47	51	33	19	1	2
	F--	264	49	10	4	1	-	3	2	1	2	3	4	3	-	3	3	3	8	14	31	30	45	27	14	4	-
	Nonwhite--M--	13	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	3	1	1	1	1	-	-	2
	F--	9	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	-	-	-	-	1	-	-
500-502	Bronchitis--------	25	3	2	-	-	-	2	-	-	-	-	-	1	-	2	-	1	2	3	2	3	2	1	1	-	-
	White-----M--	11	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	2	2	1	2	-	-	-	-	-
	F--	12	2	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	119	-	-	-	-	-	-	-	-	1	1	3	2	6	10	9	8	8	18	20	21	6	5	1	-	-
	White-----M--	94	-	-	-	-	-	-	-	-	-	1	2	1	6	10	7	6	7	17	15	14	4	3	1	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	1	1	3	7	2	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	32	1	-	-	1	1	1	2	-	1	1	1	2	1	1	1	1	1	3	5	1	4	2	1	-	-
	White-----M--	16	-	-	-	1	1	1	2	-	1	-	-	-	-	1	1	1	-	2	1	1	3	-	-	-	-
	F--	14	1	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	1	4	-	1	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	93	15	1	-	-	-	-	-	1	1	-	1	-	2	2	4	3	4	14	13	14	8	6	3	1	-
	White-----M--	49	9	1	-	-	-	-	-	1	-	-	1	-	1	1	1	2	2	9	8	8	1	3	1	-	-
	F--	40	5	-	-	-	-	-	-	-	1	-	-	-	-	1	3	1	1	5	5	6	6	3	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
543, 571, 572	Gastritis, etc.*	149	100	7	1	1	-	1	-	-	1	1	-	1	1	-	1	2	5	2	9	5	2	7	2	-	-
	White----M	74	49	3	-	-	-	-	-	-	-	1	-	1	-	-	1	1	4	2	5	5	1	1	-	-	-
	F	69	47	2	1	1	-	1	-	-	1	-	-	-	1	-	-	1	1	-	4	-	1	6	2	-	-
	Nonwhite--M	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	123	1	1	-	1	-	-	1	-	2	1	1	9	11	20	16	14	16	8	8	6	4	2	1	-	-
	White----M	78	1	1	-	1	-	-	-	-	-	-	1	5	7	15	13	8	10	7	3	2	1	2	1	-	-
	F	41	-	-	-	-	-	-	1	-	1	-	-	3	4	5	2	6	6	1	5	4	3	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	30	-	-	-	1	-	1	2	2	1	1	2	1	1	2	5	2	1	1	-	3	2	1	-	1	-
	White----M	15	-	-	-	-	-	1	1	2	-	-	1	-	1	-	1	2	1	1	-	3	1	-	-	-	-
	F	14	-	-	-	1	-	-	1	-	1	1	1	1	-	1	4	-	-	-	-	-	1	1	-	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	8	6	13	6	6	2	-	-
	White----M	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8	6	13	6	6	2	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	29	...	...	...	...	...	...	-	1	7	5	6	5	2	1	-	1	-	-	-	-	-	1	-	-	-
	White----F	29	...	...	...	...	...	...	-	1	7	5	6	5	2	1	-	1	-	-	-	-	-	1	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	27	...	...	...	...	...	...	-	1	6	5	5	5	2	1	-	1	-	-	-	-	-	1	-	-	-
	White----F	27	...	...	...	...	...	...	-	1	6	5	5	5	2	1	-	1	-	-	-	-	-	1	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	178	137	10	4	1	-	4	2	2	4	1	2	2	4	-	-	2	1	-	-	-	1	1	-	-	-
	White----M	90	72	3	1	-	-	3	-	1	2	1	-	1	3	-	-	2	1	-	-	-	-	-	-	-	-
	F	85	63	7	3	1	-	1	2	-	2	-	2	1	1	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	688	688	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	402	402	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	273	273	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	355	355	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	207	207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	283	283	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	165	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	46	5	-	-	-	-	-	-	-	-	-	1	-	1	2	2	5	-	4	3	3	3	9	5	1	2
	White----M	24	3	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	-	3	2	2	1	3	1	-	2
	F	21	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	1	2	6	4	1	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	735	35	10	2	2	4	5	4	6	16	14	12	20	25	36	38	59	79	93	84	80	63	36	6	6	-
	White----M	425	22	4	1	2	4	2	3	2	9	6	7	12	10	22	24	38	59	56	45	42	37	14	2	2	-
	F	299	12	5	1	-	-	3	1	3	7	7	5	7	14	13	13	21	18	34	37	37	23	20	4	4	-
	Nonwhite--M	12	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	-	-	3	2	-	-	-
	F	9	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	1	2	1	-	-	-	-	-
E800-E962	Accidents	942	37	35	16	10	13	25	28	55	72	62	44	40	57	52	51	47	44	44	46	52	52	32	22	2	4
	White----M	617	22	21	11	8	7	13	18	38	57	41	33	28	47	40	43	37	30	32	24	23	16	16	8	1	3
	F	301	13	13	5	2	6	11	9	16	13	17	10	11	10	9	8	10	13	11	20	27	35	16	14	1	1
	Nonwhite--M	17	-	1	-	-	-	1	1	-	2	4	1	-	-	3	-	-	-	1	2	1	-	-	-	-	-
	F	7	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-
E810-E835	Motor-vehicle accidents	388	5	6	5	4	6	11	11	37	44	37	26	17	24	23	28	26	23	21	15	10	6	2	-	-	1
	White----M	260	2	4	4	4	3	6	7	20	36	21	18	10	15	16	21	20	15	15	10	8	4	1	-	-	-
	F	116	3	2	1	-	3	4	4	16	8	13	7	7	9	4	7	6	7	6	5	-	2	1	-	-	1
	Nonwhite--M	9	-	-	-	-	-	1	-	-	-	3	1	-	-	3	-	-	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	554	32	29	11	6	7	14	17	18	28	25	18	23	33	29	23	21	21	23	31	42	46	30	22	2	3
	White----M	357	20	17	7	4	4	7	11	18	21	20	15	18	32	24	22	17	15	17	14	15	12	15	8	1	3
	F	185	10	11	4	2	3	7	5	-	5	4	3	4	1	5	1	4	6	5	15	27	33	15	14	1	-
	Nonwhite--M	8	-	1	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	F	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
E963, E970-E979	Suicide	193	-	-	-	-	-	-	2	6	8	9	13	17	23	20	11	25	16	16	10	8	4	4	1	-	-
	White----M	143	-	-	-	-	-	-	1	5	6	5	8	13	13	16	11	16	12	14	9	5	4	4	1	-	-
	F	48	-	-	-	-	-	-	1	-	2	4	5	4	10	3	-	9	4	2	1	3	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	44	4	-	-	-	-	-	-	4	6	8	5	2	3	4	1	2	1	1	-	-	2	1	-	-	-
	White----M	27	3	-	-	-	-	-	-	2	5	5	2	-	3	3	-	1	1	-	-	-	1	1	-	-	-
	F	9	1	-	-	-	-	-	-	1	1	2	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT																										
	ALL CAUSES--------	20,139	964	54	38	47	27	84	37	72	133	155	246	386	506	743	1,047	1,598	2,127	2,651	2,654	2,550	2,109	1,282	488	116	25
	White-----M--	10,862	532	26	15	25	15	48	23	44	85	94	151	213	296	472	603	961	1,287	1,532	1,456	1,270	960	543	156	47	6
	F--	8,707	358	26	20	19	8	34	12	23	41	51	73	150	179	243	393	571	786	1,067	1,147	1,242	1,127	720	330	69	18
	Nonwhite--M--	303	44	2	2	2	1	2	-	2	5	9	11	15	18	13	27	39	31	25	20	19	6	8	2	-	-
	F--	267	30	-	1	1	3	-	-	3	2	1	11	8	13	15	24	27	23	27	31	19	16	11	-	-	1
001-019	Tuberculosis, all forms--------	248	-	-	-	-	-	-	1	2	2	6	10	14	19	16	24	32	35	35	24	16	8	2	-	1	1
	White-----M--	173	-	-	-	-	-	-	1	1	-	4	3	9	9	13	18	24	30	27	18	11	3	-	-	1	1
	F--	55	-	-	-	-	-	-	-	1	1	2	4	5	7	3	3	4	4	6	4	5	5	1	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	1	-	2	-	3	-	2	3	1	2	1	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	232	-	-	-	-	-	-	-	2	1	5	10	13	18	16	22	29	33	35	22	15	8	1	-	1	1
	White-----M--	163	-	-	-	-	-	-	-	1	-	3	3	8	8	13	18	22	29	27	16	10	3	-	-	1	1
	F--	50	-	-	-	-	-	-	-	1	-	2	4	5	7	3	2	3	3	6	4	5	5	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	1	-	2	-	3	-	1	3	1	2	1	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	16	-	-	-	-	-	-	1	-	1	1	-	1	1	-	2	3	2	-	2	1	-	1	-	-	-
	White-----M--	10	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	2	1	-	2	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	60	-	-	-	-	-	-	-	-	-	-	-	1	1	-	11	13	12	7	9	3	1	2	-	-	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	-	1	-	-	6	6	11	5	6	2	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	1	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	-	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	1	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	13	2	1	2	2	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	2	1	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	21	-	1	-	-	1	2	6	1	2	1	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	-	1	-	-	1	2	3	-	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	3	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	-	-	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	46	3	2	1	1	-	-	1	-	2	3	2	2	1	2	2	2	6	3	1	7	5	-	-	-	-
	White-----M--	22	3	1	-	-	-	-	-	-	-	-	1	1	1	2	2	1	3	1	-	4	2	-	-	-	-
	F--	22	-	1	1	1	-	-	1	-	2	3	-	-	-	-	-	1	3	2	1	3	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
140-205	Malignant neoplasms, etc.*	3,707	3	7	6	6	9	18	2	11	14	25	42	69	119	181	259	387	528	601	547	414	281	132	38	7	1
	White—M	1,890	1	3	3	3	3	12	2	7	11	14	28	21	43	77	101	188	301	346	300	208	137	63	14	4	-
	F	1,731	2	4	3	3	6	6	-	4	3	10	14	43	72	99	145	188	215	243	235	198	141	69	24	3	1
	Nonwhite—M	45	-	-	-	-	-	-	-	-	-	1	-	2	1	2	5	7	9	6	7	5	-	-	-	-	-
	F	41	-	-	-	-	-	-	-	-	-	-	-	3	3	3	8	4	3	6	5	3	3	-	-	-	-
140-148	Of buccal cavity and pharynx	107	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	10	25	15	15	16	9	7	1	-	-
	White—M	83	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	8	23	14	10	11	5	5	1	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	4	5	4	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,423	-	-	1	-	-	1	-	2	1	3	7	17	32	46	82	129	213	255	238	192	132	51	17	4	-
	White—M	755	-	-	-	-	-	1	-	1	1	-	6	5	15	29	41	64	118	151	141	92	59	22	7	2	-
	F	632	-	-	1	-	-	-	-	1	-	3	1	12	15	16	37	60	86	100	90	97	72	29	10	2	-
	Nonwhite—M	26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	8	3	5	2	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	2	1	1	-	-	-	-
160-164	Of respiratory system	428	-	-	-	-	-	-	-	-	1	1	3	4	17	20	29	60	80	88	61	34	20	8	1	1	-
	White—M	348	-	-	-	-	-	-	-	-	1	-	1	2	12	15	22	51	70	78	49	24	16	6	-	1	-
	F	72	-	-	-	-	-	-	-	-	-	-	2	1	4	5	6	7	10	9	12	9	4	2	1	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	2	-	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	342	-	-	-	-	-	-	-	-	-	2	5	16	23	31	48	38	41	34	45	30	15	9	5	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	329	-	-	-	-	-	-	-	-	-	2	5	15	23	30	46	37	39	32	44	28	14	9	5	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	2	-	2	1	-	-	-	-
171-179	Of genital organs	499	-	-	-	-	1	-	-	1	1	3	5	7	24	24	38	43	58	76	74	65	50	23	4	1	1
	White—M	186	-	-	-	-	-	-	-	1	1	3	4	1	3	2	3	8	13	31	32	36	30	14	3	1	-
	F	297	-	-	-	-	1	-	-	-	-	-	1	5	20	21	30	35	44	43	40	27	19	9	1	-	1
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	-	1	1	1	-	1	-	-	-	-
180, 181	Of urinary organs	174	-	-	1	-	-	1	-	-	-	-	-	2	2	7	10	21	25	26	27	11	22	13	5	1	-
	White—M	113	-	-	-	-	-	1	-	-	-	-	-	1	1	3	4	16	22	17	21	8	9	8	2	-	-
	F	58	-	-	1	-	-	-	-	-	-	-	-	1	1	3	6	4	3	9	5	3	13	5	3	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	406	-	2	2	3	2	5	1	1	6	5	7	8	5	32	32	52	53	60	45	35	27	18	5	-	-
	White—M	217	-	1	1	1	1	3	1	1	5	3	5	2	4	17	21	26	33	27	27	16	15	6	1	-	-
	F	180	-	1	1	2	1	2	-	-	1	2	2	5	1	15	10	24	19	30	17	19	12	12	4	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	-	-	-
204	Leukemia and aleukemia	148	3	5	2	3	6	8	-	5	2	1	5	5	6	4	5	14	12	21	17	18	4	2	-	-	-
	White—M	79	1	2	2	2	2	5	-	2	1	1	4	4	2	1	3	3	7	12	10	12	2	1	-	-	-
	F	69	2	3	-	1	4	3	-	3	1	-	1	1	4	3	2	11	5	9	7	6	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	180	-	-	-	-	-	3	1	2	3	10	10	9	8	16	10	20	21	26	25	13	2	1	-	-	-
	White—M	107	-	-	-	-	-	2	1	2	2	7	8	6	5	9	3	12	14	16	9	9	1	1	-	-	-
	F	72	-	-	-	-	-	1	-	-	1	3	2	3	3	6	7	8	7	10	16	4	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	76	3	-	1	-	2	3	-	1	4	5	3	3	3	2	7	14	8	4	4	4	3	2	-	-	-
	White—M	43	2	-	-	-	2	2	-	1	2	4	1	1	1	2	4	7	3	4	1	3	2	1	-	-	-
	F	28	1	-	1	-	-	1	-	-	2	1	-	1	1	-	2	7	5	-	3	1	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	375	1	2	1	-	-	-	-	-	2	2	5	9	3	6	26	22	48	75	67	61	31	11	2	-	1
	White—M	147	1	2	-	-	-	-	-	-	1	1	3	3	2	4	7	7	20	32	22	24	11	6	1	-	-
	F	222	-	-	1	-	-	-	-	-	-	1	2	6	1	2	18	15	27	43	45	34	20	5	1	-	1
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
290-293	Anemias	41	1	-	-	-	-	1	-	-	-	2	1	-	2	-	1	2	3	12	3	8	1	4	-	-	-
	White—M	24	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	3	6	3	4	-	4	-	-	-
	F	16	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	6	-	4	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	19	5	3	3	-	-	-	-	-	-	-	1	-	-	1	1	1	2	-	2	-	-	-	-	-	-
	White—M	7	2	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	F	10	3	2	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite—M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	11,362	5	3	2	2	1	8	3	3	20	32	63	136	182	350	520	870	1,209	1,571	1,695	1,731	1,522	961	373	84	16
	White—M	6,009	1	1	-	1	1	4	-	1	12	22	36	80	125	248	334	565	723	888	914	841	671	391	116	31	3
	F	5,107	3	1	2	1	-	3	3	1	7	10	22	48	48	86	164	274	452	651	751	869	836	554	255	53	13
	Nonwhite—M	111	-	1	-	-	-	1	-	1	-	-	2	5	6	7	12	14	16	14	10	10	5	5	2	-	-
	F	135	1	-	-	-	-	-	-	-	1	-	3	3	3	9	10	17	18	18	20	11	10	11	-	-	-
330-334, 400-468	Diseases of cardiovascular system	11,154	3	3	2	1	1	7	2	3	18	28	55	130	169	336	504	848	1,196	1,542	1,673	1,712	1,503	951	370	81	16
	White—M	5,900	1	1	-	1	1	3	-	1	11	19	31	78	120	243	324	552	715	872	902	829	663	386	115	29	3
	F	5,019	1	1	2	-	-	3	2	1	6	9	19	44	42	80	160	266	447	638	743	862	826	549	253	52	13
	Nonwhite—M	109	-	1	-	-	-	1	-	1	-	-	2	5	6	7	11	14	16	14	10	10	4	5	2	-	-
	F	126	1	-	-	-	-	-	-	-	1	-	3	3	1	6	9	16	18	18	18	11	10	11	-	-	-
330-334	Vascular lesions, etc.*	2,218	1	-	2	-	-	4	1	1	2	8	11	18	22	41	84	144	215	312	350	365	345	202	72	14	4
	White—M	955	-	-	-	-	-	2	-	-	1	6	4	4	8	15	43	65	97	151	180	145	135	78	16	5	-
	F	1,207	1	-	2	-	-	2	1	1	1	2	5	14	10	19	37	73	113	153	162	217	206	120	55	9	4
	Nonwhite—M	25	-	-	-	-	-	-	-	-	-	-	1	-	3	4	2	2	2	3	1	3	1	2	1	-	-
	F	31	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	4	3	5	7	-	3	2	-	-	-
400-402	Rheumatic fever	13	-	-	-	-	-	1	-	-	1	1	-	2	1	1	2	1	3	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	1	-	-	-	1	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
410-443	Diseases of heart	8,266	2	2	-	-	1	2	1	1	11	18	39	97	135	281	399	676	948	1,178	1,231	1,246	1,049	650	237	50	12
	White-----M--	4,634	1	1	-	-	1	-	-	-	8	11	25	68	105	219	274	468	600	690	674	635	485	270	78	18	3
	F--	3,472	-	1	-	-	-	1	1	-	3	7	11	24	27	56	111	184	321	466	538	597	556	369	158	32	9
	Nonwhite--M--	75	-	-	-	-	-	1	-	1	-	-	1	4	3	3	8	12	13	10	8	5	2	3	1	-	-
	F--	85	1	-	-	-	-	-	-	-	-	-	2	1	-	3	6	12	14	12	11	9	6	8	-	-	-
410-416	Chronic rheumatic heart disease----	271	-	-	-	-	-	-	1	1	6	8	14	31	19	26	35	32	39	22	15	15	5	1	1	-	-
	White-----M--	131	-	-	-	-	-	-	-	-	5	3	6	20	9	12	11	19	22	10	3	8	1	1	1	-	-
	F--	133	-	-	-	-	-	-	1	-	1	5	6	11	10	13	22	13	16	12	12	7	4	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,090	1	-	-	-	-	-	-	-	2	6	13	48	98	221	297	500	714	919	943	930	744	457	153	34	10
	White-----M--	3,625	-	-	-	-	-	-	-	-	1	6	11	38	82	184	232	370	476	567	541	488	357	204	52	13	3
	F--	2,357	-	-	-	-	-	-	-	-	1	-	2	8	13	33	59	112	219	339	385	431	381	246	100	21	7
	Nonwhite--M--	49	-	-	-	-	-	-	-	-	-	-	-	2	3	2	5	9	11	3	8	3	1	1	1	-	-
	F--	59	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	9	8	10	9	8	5	6	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	763	1	1	-	-	-	-	-	-	1	-	4	3	2	13	6	27	39	65	102	142	161	123	57	14	2
	White-----M--	353	1	-	-	-	-	-	-	-	-	-	3	1	2	7	2	14	27	38	50	79	73	41	12	3	-
	F--	403	-	1	-	-	-	-	-	-	1	-	1	2	-	6	4	13	12	26	52	62	86	79	45	11	2
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
430-434	Other diseases of heart---------	154	-	1	-	-	1	2	-	-	2	2	5	6	2	5	16	17	20	16	22	16	14	4	2	1	-
	White-----M--	101	-	1	-	-	1	-	-	-	2	1	3	4	2	4	11	16	14	13	12	7	8	-	1	1	-
	F--	46	-	-	-	-	-	1	-	-	-	1	1	1	-	-	4	1	6	2	10	9	6	3	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	1	-	-	-
440-443	Hypertension with heart dis.--	988	-	-	-	-	-	-	-	-	-	2	3	9	14	16	45	100	136	156	149	143	125	65	24	1	-
	White-----M--	424	-	-	-	-	-	-	-	-	-	1	2	5	10	12	18	49	61	62	68	53	46	24	12	1	-
	F--	533	-	-	-	-	-	-	-	-	-	1	1	2	4	4	22	45	68	87	79	88	79	41	12	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	3	1	5	-	1	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	2	2	1	-	-	-	-	-
444-447	Hypertension without mention of heart----------	141	-	-	-	-	-	-	-	-	-	-	3	5	9	6	8	6	11	18	25	16	12	17	4	1	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	-	1	-	4	5	3	4	4	11	12	11	5	7	2	1	-
	F--	67	-	-	-	-	-	-	-	-	-	-	2	3	5	1	5	2	6	6	13	5	7	10	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	389	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	5	17	49	69	90	78	55	15	-
	White-----M--	155	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	7	25	26	35	30	18	5	-
	F--	224	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	10	23	39	53	47	37	10	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-	-	-
451-468	Other diseases of circulatory sys.-	127	-	1	-	1	-	-	-	1	4	1	2	8	1	6	7	16	14	17	18	16	7	4	2	1	-
	White-----M--	79	-	-	-	1	-	-	-	1	2	1	1	4	1	3	3	11	10	13	11	12	3	1	1	-	-
	F--	43	-	-	-	-	-	-	-	-	1	-	1	3	-	3	4	5	3	3	7	4	4	3	1	1	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	208	2	-	-	1	-	1	1	-	2	4	8	6	13	14	16	22	13	29	22	19	19	10	3	3	-
	White-----M--	109	-	-	-	-	-	1	-	-	1	3	5	2	5	5	10	13	8	16	12	12	8	5	1	2	-
	F--	88	2	-	-	1	-	-	1	-	1	1	3	4	6	6	4	8	5	13	8	7	10	5	2	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	-	-	2	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	355	39	4	2	1	1	3	-	1	1	2	7	8	8	4	9	19	27	38	34	49	49	31	12	5	1
	White-----M--	190	18	1	1	-	1	1	-	-	-	2	5	3	4	4	5	12	19	21	19	26	21	17	7	3	-
	F--	153	20	3	1	-	-	2	-	1	-	-	-	5	3	-	4	6	7	16	14	21	28	14	5	2	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	F--	9	1	-	-	1	-	-	-	-	1	-	2	-	1	-	-	-	-	1	1	1	-	-	-	-	-
480-483	Influenza---------	13	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	2	2	1	2	-	-	-
	White-----M--	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	10	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	342	38	3	2	1	-	2	-	-	1	2	7	8	8	4	9	19	27	37	32	47	48	29	12	5	1
	White-----M--	187	18	-	1	-	-	1	-	-	-	2	5	3	4	4	5	12	19	21	18	26	21	17	7	3	-
	F--	143	19	3	1	-	-	1	-	-	-	-	-	5	3	-	4	6	7	15	13	19	27	12	5	2	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	F--	9	1	-	-	1	-	-	-	-	1	-	2	-	1	-	-	-	-	1	1	1	-	-	-	-	-
500-502	Bronchitis--------	41	8	1	1	-	1	1	1	-	-	-	-	-	1	1	-	3	4	6	4	3	2	2	2	-	-
	White-----M--	24	3	-	1	-	1	1	-	-	-	-	-	-	1	-	-	1	2	6	2	1	2	1	2	-	-
	F--	16	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	2	2	-	2	2	-	1	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	126	-	-	-	-	-	-	-	-	-	-	-	4	4	13	4	16	17	20	14	12	14	5	2	1	-
	White-----M--	94	-	-	-	-	-	-	-	-	-	-	-	4	3	11	4	12	14	12	9	8	12	3	1	1	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	-	8	5	4	2	2	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
550-553	Appendicitis------	29	-	-	-	-	-	2	-	2	-	2	-	-	1	1	1	3	2	7	1	3	1	2	1	-	-
	White-----M--	16	-	-	-	-	-	2	-	1	-	2	-	-	-	1	-	1	2	5	-	-	1	1	-	-	-
	F--	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	1	3	-	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	103	13	1	-	-	-	-	-	-	-	2	-	-	1	4	6	7	4	15	10	21	10	9	-	-	-
	White-----M--	52	5	1	-	-	-	-	-	-	-	1	-	-	-	2	4	1	1	9	7	9	6	6	-	-	-
	F--	45	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	3	6	3	12	4	3	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
543,	Gastritis, etc.*--	56	4	2	-	-	-	-	-	1	1	1	2	1	3	1	5	2	6	3	8	7	5	2	2	-	-
571,	White-----M--	29	2	-	-	-	-	-	-	1	1	1	-	-	3	1	3	-	3	3	5	4	1	1	-	-	-
572	F--	25	1	2	-	-	-	-	-	-	-	-	1	1	-	-	2	2	3	-	3	3	4	1	2	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	300	-	1	-	-	-	1	-	-	1	2	4	17	33	34	28	41	35	46	26	18	8	4	1	-	-
	White-----M--	189	-	-	-	-	-	-	-	-	-	1	2	10	20	17	17	26	28	33	19	9	5	2	-	-	-
	F--	103	-	-	-	-	-	1	-	-	1	1	2	6	13	16	11	12	6	13	7	8	3	2	1	-	-
	Nonwhite--M--	5	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	20	-	-	-	-	-	-	-	-	1	-	1	1	1	2	1	1	2	2	4	4	-	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	2	-	4	3	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	6	21	14	10	9	3	-	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	6	21	13	10	9	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	9	...	...	...	...	...	...	-	1	2	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	8	...	...	...	...	...	...	-	1	2	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	8	...	...	...	...	...	...	-	1	2	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
660-	White-----F--	8	...	...	...	...	...	...	-	1	2	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	254	186	5	5	7	1	7	1	4	1	4	2	6	7	2	2	3	5	2	2	2	-	-	-	-	-
	White-----M--	143	103	2	2	4	1	5	-	4	-	1	1	4	4	2	1	2	3	2	1	1	-	-	-	-	-
	F--	102	74	3	3	3	-	2	1	-	1	3	1	2	3	-	1	1	2	-	1	1	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	625	623	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	353	352	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	220	219	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	338	337	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	189	188	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unqual-																										
	ified----------	268	267	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	92	91	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	79	7	4	-	1	-	1	1	-	3	3	2	3	4	6	5	2	2	2	4	4	7	8	6	2	2
795	White-----M--	34	4	1	-	-	-	1	1	-	1	1	2	2	1	5	2	1	2	2	3	1	2	1	1	-	-
	F--	39	2	3	-	-	-	-	-	-	2	1	-	1	2	1	3	1	-	-	1	3	5	6	5	2	1
	Nonwhite--M--	5	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Re-	All other diseases	857	32	8	4	11	3	10	4	12	13	14	24	30	36	47	58	72	77	100	103	82	55	40	13	8	1
sid-	White-----M--	484	19	6	2	6	2	3	3	6	6	4	13	15	22	29	34	44	46	63	58	48	29	17	3	5	1
ual	F--	344	11	2	2	5	-	7	1	4	7	9	8	14	13	14	21	24	30	35	44	33	25	22	10	3	-
	Nonwhite--M--	16	1	-	-	-	-	-	-	-	-	1	1	1	-	3	2	3	1	1	-	-	1	1	-	-	-
	F--	13	1	-	-	-	1	-	-	2	-	-	2	-	1	1	1	1	-	1	1	1	-	-	-	-	-
E800-	Accidents---------	980	28	7	8	15	6	21	15	27	53	33	46	46	50	50	48	59	66	81	57	75	93	55	31	8	2
E962	White-----M--	621	13	4	4	10	2	13	13	19	43	26	38	35	37	40	36	46	45	51	35	40	42	19	7	2	1
	F--	320	12	3	2	4	2	7	2	6	9	3	5	8	9	9	8	11	21	28	20	35	49	36	24	6	1
	Nonwhite--M--	28	1	-	1	1	1	1	-	1	1	4	2	3	4	1	3	2	-	1	1	-	-	-	-	-	-
	F--	11	2	-	1	-	1	-	-	1	-	-	1	-	-	-	1	-	-	1	1	-	2	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	252	2	4	3	4	3	5	4	17	37	15	18	18	19	15	17	14	14	19	12	6	6	-	-	-	-
	White-----M--	179	1	2	1	3	-	5	2	15	30	10	15	14	14	9	10	8	10	14	9	3	4	-	-	-	-
	F--	60	-	2	-	1	2	-	2	2	7	3	2	2	4	5	6	5	4	5	3	3	2	-	-	-	-
	Nonwhite--M--	9	1	-	1	-	-	-	-	-	-	2	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	728	26	3	5	11	3	16	11	10	16	18	28	28	31	35	31	45	52	62	45	69	87	55	31	8	2
E802,	White-----M--	442	12	2	3	7	2	8	11	4	13	16	23	21	23	31	26	38	35	37	26	37	38	19	7	2	1
E840-	F--	260	12	1	2	3	-	7	-	4	2	-	3	6	5	4	2	6	17	23	17	32	47	36	24	6	1
E962	Nonwhite--M--	19	-	-	-	1	1	1	-	1	1	2	2	1	3	-	3	1	-	1	1	-	-	-	-	-	-
	F--	7	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-
E963,	Suicide----------	219	-	-	-	-	-	-	1	6	5	12	23	20	23	19	24	21	22	15	11	11	3	1	2	-	-
E970-	White-----M--	153	-	-	-	-	-	-	1	3	3	8	14	15	17	11	20	14	17	10	7	9	3	-	1	-	-
E979	F--	63	-	-	-	-	-	-	-	3	2	3	8	5	5	8	4	7	5	5	4	2	-	1	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	37	-	-	-	-	-	2	-	-	5	1	3	10	3	1	5	3	-	-	3	1	-	-	-	-	-
E980-	White-----M--	18	-	-	-	-	-	-	-	-	3	-	1	5	1	1	3	1	-	-	2	1	-	-	-	-	-
E985	F--	9	-	-	-	-	-	2	-	-	-	1	1	2	-	-	2	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	2	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE																										
	ALL CAUSES--------	3,520	242	13	13	5	5	22	11	17	36	46	51	81	123	179	194	264	332	392	433	430	330	195	86	15	5
	White-----M--	1,650	101	4	5	1	3	12	6	11	16	21	21	24	56	86	98	136	160	201	205	203	157	80	38	4	1
	F--	1,242	61	3	2	3	-	7	1	4	9	13	13	19	29	37	40	76	118	144	174	186	149	103	39	10	2
	Nonwhite--M--	370	41	3	3	1	2	1	2	1	7	6	6	23	23	33	38	35	35	29	34	21	14	7	3	1	1
	F--	258	39	3	3	-	-	2	2	1	4	6	11	15	15	23	18	17	19	18	20	20	10	5	6	-	1
001-019	Tuberculosis, all forms--------	53	-	1	2	-	-	-	-	1	-	3	2	1	7	8	6	5	4	6	5	2	-	-	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	1	-	-	1	-	3	4	2	3	-	3	3	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	3	2	2	1	-	-	-	-	-
	Nonwhite--M--	13	-	-	1	-	-	-	-	-	-	-	-	1	2	2	4	1	1	1	-	-	-	-	-	-	-
	F--	8	-	1	1	-	-	-	-	-	-	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	47	-	-	-	-	-	-	-	-	-	3	2	1	7	7	5	5	4	6	5	2	-	-	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	1	-	3	3	2	3	-	3	3	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	3	2	2	1	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	1	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	6	-	1	2	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	15	1	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	1	3	2	2	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	7	1	1	1	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	10	-	-	1	-	-	3	1	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	1	-	-
	White-----M--	6	-	-	1	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-
	F--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
140-205	Malignant neoplasms, etc.*	489	2	1	1	1	1	-	1	2	4	5	2	8	27	27	41	59	55	66	64	62	35	21	4	-	-
	White-----M	222	1	1	-	1	1	-	1	1	-	4	-	1	11	12	19	31	28	29	26	30	14	11	-	-	-
	F	198	1	-	1	-	-	-	-	1	2	1	1	5	10	9	14	18	19	31	25	27	20	9	4	-	-
	Nonwhite--M	47	-	-	-	-	-	-	-	-	1	-	-	-	5	4	7	7	5	4	8	4	1	1	-	-	-
	F	22	-	-	-	-	-	-	-	-	1	-	1	2	1	2	1	3	3	2	5	1	-	-	-	-	-
140-148	Of buccal cavity and pharynx	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	1	1	2	-	-	-
	White-----M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	2	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	179	-	-	-	-	-	-	-	-	-	1	1	2	10	5	10	22	20	27	24	26	18	10	3	-	-
	White-----M	85	-	-	-	-	-	-	-	-	-	1	-	-	6	3	5	12	13	13	10	11	8	3	-	-	-
	F	65	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	5	5	8	8	14	9	6	3	-	-
	Nonwhite--M	21	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	2	4	4	1	1	1	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	2	2	-	-	-	-	-	-
160-164	Of respiratory system	55	-	-	-	-	-	-	-	-	-	-	-	2	4	8	5	11	10	3	5	5	2	-	-	-	-
	White-----M	33	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	6	8	3	4	2	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	3	1	-	1	2	2	-	-	-	-
	Nonwhite--M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	1	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	29	-	-	-	-	-	-	-	-	-	-	1	2	3	2	1	2	4	4	4	2	3	1	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	1	4	4	4	2	3	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	88	-	-	-	-	-	-	-	-	2	1	-	2	4	4	9	4	10	12	13	18	5	4	-	-	-
	White-----M	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	13	2	2	-	-	-
	F	48	-	-	-	-	-	-	-	-	1	1	-	1	3	3	8	2	5	9	6	4	3	2	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	3	-	3	-	-	-	-	-	-
180, 181	Of urinary organs	34	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	4	4	4	6	4	2	1	-	-	-
	White-----M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	1	5	2	-	1	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	3	-	2	2	-	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	53	2	1	-	-	1	-	-	1	1	1	-	-	2	2	5	6	5	9	8	3	4	1	1	-	-
	White-----M	26	1	1	-	-	1	-	-	-	-	1	-	-	1	2	3	2	3	5	2	-	3	1	-	-	-
	F	21	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	4	2	4	5	1	1	-	1	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
204	Leukemia and aleukemia	15	-	-	1	1	-	-	1	1	-	1	-	-	-	-	2	2	1	1	1	1	-	2	-	-	-
	White-----M	10	-	-	-	1	-	-	1	1	-	1	-	-	-	-	2	2	-	-	-	-	-	2	-	-	-
	F	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	26	-	-	-	-	-	-	-	-	1	1	-	-	1	3	5	7	-	4	2	2	-	-	-	-	-
	White-----M	16	-	-	-	-	-	-	-	-	-	1	-	-	1	3	3	3	-	2	1	2	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	-	2	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	9	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	2	2	1	1	-	-	-	-	-	-
	White-----M	5	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	80	-	-	-	-	-	-	1	-	1	1	2	1	1	4	6	6	15	18	11	6	2	5	-	-	-
	White-----M	19	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	1	3	4	2	2	1	2	-	-	-
	F	48	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	5	10	12	7	4	1	3	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	-	2	2	2	-	-	-	-	-	-
290-293	Anemias	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	1	1	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	5	2	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	1,960	1	-	-	-	-	3	1	1	3	5	15	24	41	83	99	137	205	241	298	309	260	151	70	12	1
	White-----M	954	-	-	-	-	-	1	-	-	2	3	7	9	23	45	53	73	101	132	147	137	125	59	33	3	1
	F	734	-	-	-	-	-	2	-	-	1	1	4	4	7	17	21	36	70	80	117	139	116	83	28	8	-
	Nonwhite--M	147	-	-	-	-	-	-	1	-	-	-	2	4	7	9	12	17	21	19	21	15	10	5	3	1	-
	F	125	1	-	-	-	-	-	-	1	-	1	2	7	4	12	13	11	13	10	13	18	9	4	6	-	-
330-334, 400-468	Diseases of cardiovascular system	1,907	1	-	-	-	-	3	1	1	3	3	12	22	35	80	98	134	199	237	295	300	253	149	68	12	1
	White-----M	932	-	-	-	-	-	1	-	-	2	1	5	8	22	44	53	72	98	128	145	134	124	59	32	3	1
	F	712	-	-	-	-	-	2	-	-	1	1	3	4	5	16	20	34	67	80	117	135	111	81	27	8	-
	Nonwhite--M	145	-	-	-	-	-	-	1	-	-	-	2	4	6	9	12	17	21	19	20	15	10	5	3	1	-
	F	118	1	-	-	-	-	-	-	1	-	1	2	6	2	11	13	11	13	10	13	16	8	4	6	-	-
330-334	Vascular lesions, etc.*	365	1	-	-	-	-	2	-	-	1	-	1	2	3	14	11	30	34	46	56	63	56	37	6	2	-
	White-----M	152	-	-	-	-	-	1	-	-	1	-	1	-	1	9	4	9	10	18	22	31	27	14	3	1	-
	F	158	-	-	-	-	-	1	-	-	-	-	-	-	-	4	1	12	17	22	25	27	26	19	3	1	-
	Nonwhite--M	35	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	8	4	5	7	2	3	1	-	-	-
	F	20	1	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	3	1	2	3	-	3	-	-	-
400-402	Rheumatic fever	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
410-443	Diseases of heart	1,416	-	-	-	-	-	1	1	-	2	3	9	20	29	62	81	100	157	182	216	221	173	101	51	8	1
	White-----M--	728	-	-	-	-	-	-	-	-	1	1	4	8	19	33	47	60	84	105	113	99	85	42	24	2	1
	F--	505	-	-	-	-	-	1	-	-	1	1	1	4	5	12	18	21	48	56	82	100	76	54	20	5	-
	Nonwhite--M--	97	-	-	-	-	-	-	1	-	-	-	2	3	4	8	8	9	15	12	12	11	5	4	2	1	-
	F--	88	-	-	-	-	-	-	-	-	-	1	2	5	1	9	8	10	10	9	9	11	7	1	5	-	-
410-416	Chronic rheumatic heart disease----	61	-	-	-	-	-	1	-	-	1	1	3	5	6	12	7	5	2	4	3	4	6	1	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	1	2	3	3	3	2	-	2	2	1	3	-	-	-	-
	F--	31	-	-	-	-	-	1	-	-	1	1	1	1	2	6	3	3	2	2	1	3	3	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	772	-	-	-	-	-	-	-	-	-	1	3	8	19	33	41	62	108	107	110	117	86	53	19	4	1
	White-----M--	462	-	-	-	-	-	-	-	-	-	1	2	6	14	27	28	43	63	70	69	58	43	27	9	1	1
	F--	244	-	-	-	-	-	-	-	-	-	-	-	-	2	1	7	12	33	32	32	51	38	25	9	2	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	3	5	3	4	6	1	1	-	1	-
	F--	35	-	-	-	-	-	-	-	-	-	-	1	1	1	3	4	4	7	2	5	2	4	-	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	242	-	-	-	-	-	-	-	-	-	-	1	3	1	7	8	10	8	25	38	44	47	25	23	2	-
	White-----M--	102	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	5	13	14	16	20	9	13	-	-
	F--	95	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	1	-	7	18	18	23	14	6	2	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	3	4	5	4	3	2	1	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	1	1	4	1	-	3	-	-
430-434	Other diseases of heart---------	38	-	-	-	-	-	-	-	-	-	-	1	3	-	2	6	1	4	9	4	4	4	-	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	1	-	-	-	5	1	3	5	3	2	4	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	3	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	305	-	-	-	-	-	-	1	-	1	1	1	1	3	8	19	22	35	37	61	52	30	22	9	2	-
	White-----M--	118	-	-	-	-	-	-	-	-	1	-	-	-	2	1	7	10	13	15	25	20	15	6	2	1	-
	F--	130	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	5	13	15	30	27	12	14	5	1	-
	Nonwhite--M--	31	-	-	-	-	-	-	1	-	-	-	1	1	-	4	4	3	7	4	3	-	1	1	1	-	-
	F--	26	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	4	2	3	3	5	2	1	1	-	-
444-447	Hypertension without mention of heart----------	28	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	1	2	1	5	5	4	1	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	1	1	2	2	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	3	2	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
450	General arteriosclerosis--------	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	17	9	18	10	11	2	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	8	2	9	2	5	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	5	7	8	4	2	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-
451-468	Other diseases of circulatory sys.-	16	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	3	2	1	2	2	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	53	-	-	-	-	-	-	-	-	-	2	3	2	6	3	1	3	6	4	3	9	7	2	2	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	2	2	1	1	1	-	1	3	4	2	3	1	-	1	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	3	-	-	4	5	2	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	2	1	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	124	24	5	1	1	-	1	1	1	1	2	3	4	3	11	3	10	7	10	13	9	5	4	4	-	1
	White-----M--	48	5	3	-	-	-	-	-	-	1	1	-	-	1	2	3	4	3	6	5	5	3	3	3	-	-
	F--	25	4	-	-	1	-	-	-	1	-	-	-	1	-	1	-	2	1	1	5	4	1	1	1	-	1
	Nonwhite--M--	31	7	2	1	-	-	-	-	-	-	1	1	1	2	5	-	3	2	2	3	-	1	-	-	-	-
	F--	20	8	-	-	-	-	1	1	-	-	-	2	2	-	3	-	1	1	1	-	-	-	-	-	-	-
480-483	Influenza---------	10	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	1	-	1
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
	Nonwhite--M--	5	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	114	22	5	-	1	-	1	1	1	1	2	3	4	3	10	3	10	7	8	12	8	5	4	3	-	-
	White-----M--	46	5	3	-	-	-	-	-	-	1	1	-	-	1	2	3	4	3	6	5	4	3	3	2	-	-
	F--	23	4	-	-	1	-	-	-	1	-	-	-	1	-	1	-	2	1	1	4	4	1	1	1	-	-
	Nonwhite--M--	26	5	2	-	-	-	-	-	-	-	1	1	1	2	4	-	3	2	1	3	-	1	-	-	-	-
	F--	19	8	-	-	-	-	1	1	-	-	-	2	2	-	3	-	1	1	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	8	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	24	-	-	-	-	-	-	-	-	1	-	-	2	3	-	4	5	4	1	1	3	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	3	1	1	1	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	6	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	2	-	-	-	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	23	2	1	-	-	-	-	-	-	1	1	-	-	-	1	-	1	2	4	5	4	-	1	-	-	-
	White-----M--	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	3	-	-	-	-	-
	F--	10	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	1	-	1	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
543,	Gastritis, etc.*--	9	2	-	-	1	-	-	-	-	-	-	-	-	1	3	-	1	-	-	1	-	-	-	-	-	-
571,	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
572	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	34	-	-	-	-	-	-	-	-	-	-	2	1	4	5	6	5	5	1	2	2	-	1	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	3	2	-	2	2	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	3	1	-	-	-	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
590;	Acute nephritis,																										
591	etc.*----------	6	-	-	-	-	-	1	-	1	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate--------	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	5	1	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	7	...	...	...	...	...	...	-	-	3	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	...	...	...	...	...	...	-	-	2	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	6	...	...	...	...	...	...	-	-	2	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	5	...	...	...	...	...	...	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	52	40	-	3	1	-	1	1	-	-	1	-	1	-	-	2	1	-	-	-	-	-	1	-	-	-
	White-----M--	22	15	-	3	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	21	18	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	15	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	1	2	2	1	-
795	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Re-	All other diseases	158	14	2	-	1	-	2	1	2	2	5	3	6	11	11	6	14	17	19	18	7	14	1	1	-	1
sid-	White-----M--	72	9	-	-	-	-	1	1	1	-	4	1	1	1	6	3	7	10	8	8	5	5	1	-	-	-
ual	F--	56	2	1	-	1	-	1	-	1	1	1	1	-	5	2	1	3	6	10	10	2	7	-	1	-	-
	Nonwhite--M--	18	3	-	-	-	-	-	-	-	-	-	-	4	1	2	2	3	1	1	-	-	1	-	-	-	-
	F--	12	-	1	-	-	-	-	-	-	1	-	1	1	4	1	-	1	-	-	-	-	1	-	-	-	1
E800-	Accidents---------	201	5	1	3	-	3	6	3	8	17	14	11	22	15	11	14	8	11	15	6	11	6	5	3	2	1
E962	White-----M--	107	3	-	1	-	2	6	1	7	11	5	5	10	8	3	8	3	6	9	5	7	3	2	1	1	-
	F--	40	-	-	1	-	-	-	1	-	3	5	2	3	2	-	1	3	2	4	1	3	2	3	2	1	1
	Nonwhite--M--	43	1	1	-	-	1	-	1	1	3	3	2	7	4	7	5	1	3	2	-	-	1	-	-	-	-
	F--	11	1	-	1	-	-	-	-	-	-	1	2	2	1	1	-	1	-	-	-	1	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	71	-	1	-	-	2	1	-	6	9	7	5	8	8	4	7	1	6	3	2	-	1	-	-	-	-
	White-----M--	41	-	-	-	-	2	1	-	6	4	2	1	5	5	2	3	1	4	2	2	-	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	3	2	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	16	-	1	-	-	-	-	-	-	2	2	1	2	2	1	3	-	2	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	130	5	-	3	-	1	5	3	2	8	7	6	14	7	7	7	7	5	12	4	11	5	5	3	2	1
E802,	White-----M--	66	3	-	1	-	-	5	1	1	7	3	4	5	3	1	5	2	2	7	3	7	2	2	1	1	-
E840-	F--	29	-	-	1	-	-	-	1	-	-	3	-	2	1	-	-	3	2	3	1	3	2	3	2	1	1
E962	Nonwhite--M--	27	1	-	-	-	1	-	1	1	1	1	1	5	2	6	2	1	1	2	-	-	1	-	-	-	-
	F--	8	1	-	1	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	1	-	-	-	-	-
E963,	Suicide----------	39	-	-	-	-	-	-	-	1	-	4	3	3	4	10	1	3	3	4	2	-	1	-	-	-	-
E970-	White-----M--	27	-	-	-	-	-	-	-	1	-	2	1	2	3	5	1	2	3	4	2	-	1	-	-	-	-
E979	F--	10	-	-	-	-	-	-	-	-	-	2	1	-	1	5	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	21	1	-	-	-	-	1	-	-	3	2	3	3	2	3	2	-	-	-	-	-	-	-	-	-	1
E980-	White-----M--	3	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E985	F--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	2	2	1	3	1	2	2	-	-	-	-	-	-	-	-	-	1
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA																										
	ALL CAUSES	8,480	669	33	16	23	17	32	30	53	91	117	182	281	377	520	719	723	790	870	856	829	683	366	150	40	13
	White-----M--	2,823	170	8	5	6	4	14	9	15	26	28	29	52	103	157	239	310	347	337	297	297	220	99	40	9	2
	F--	2,363	125	2	7	11	4	7	6	10	12	22	29	48	51	80	129	134	165	239	293	340	320	196	85	24	4
	Nonwhite--M--	1,821	206	13	3	2	7	8	7	12	27	37	67	100	129	173	207	178	157	149	135	88	72	35	4	3	2
	F--	1,473	168	10	1	4	2	3	8	16	26	30	57	81	94	110	144	101	101	145	131	104	71	36	21	4	5
001-019	Tuberculosis, all forms	250	3	3	1	-	1	1	3	4	9	13	18	25	25	25	26	29	22	15	10	8	7	1	-	-	1
	White-----M--	58	-	-	-	-	-	-	1	1	-	-	1	1	2	4	7	10	11	10	2	5	3	1	-	-	-
	F--	21	-	-	1	-	1	-	-	-	-	1	1	2	-	3	2	2	1	3	-	1	3	-	-	-	-
	Nonwhite--M--	116	-	3	-	-	-	-	-	-	4	10	10	13	18	10	15	14	8	2	5	2	1	-	-	-	1
	F--	55	3	-	-	-	-	1	3	3	5	2	6	9	5	8	2	3	2	-	3	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	218	1	-	-	-	-	-	3	3	8	9	17	21	22	22	26	26	21	14	9	8	7	1	-	-	-
	White-----M--	57	-	-	-	-	-	-	-	1	-	-	1	1	2	4	7	10	11	9	2	5	3	1	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	1	1	1	-	3	2	2	1	3	-	1	3	-	-	-	-
	Nonwhite--M--	99	-	-	-	-	-	-	-	-	3	6	9	11	16	10	15	12	7	2	5	2	1	-	-	-	-
	F--	44	1	-	-	-	-	-	3	2	5	2	6	8	4	5	2	2	2	-	2	-	-	-	-	-	-
010-019	Tuberculosis, other forms	32	2	3	1	-	1	1	-	1	1	4	1	4	3	3	-	3	1	1	1	-	-	-	-	-	1
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	-	3	-	-	-	-	-	-	1	4	1	2	2	-	-	2	1	-	-	-	-	-	-	-	1
	F--	11	2	-	-	-	-	1	-	1	-	-	-	1	1	3	-	1	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae	62	-	-	-	-	-	-	-	1	1	1	1	1	4	10	11	4	9	4	7	3	5	-	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	2	4	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	2	1	-	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	1	-	4	7	6	2	3	2	2	-	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	1	1	-	-	-	2	3	-	1	-	1	-	2	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	10	2	-	-	1	-	2	1	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	6	-	-	-	1	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	16	1	-	-	-	-	-	1	1	3	1	-	3	-	-	1	2	2	1	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA—Con.																										
140-205	Malignant neoplasms, etc.*	1,308	1	1	4	3	1	1	3	2	7	14	21	40	66	108	143	169	147	184	144	122	74	43	7	2	1
	White-----M	425	-	-	2	1	1	-	-	1	1	3	3	8	19	27	37	53	68	72	55	42	16	14	2	-	-
	F	452	1	-	1	2	-	-	1	-	3	4	6	14	19	37	51	50	39	52	54	49	40	24	5	-	-
	Nonwhite--M	229	-	1	1	-	-	1	1	-	2	3	4	3	8	26	27	43	25	31	21	17	12	1	-	2	-
	F	202	-	-	-	-	-	-	1	1	1	4	8	15	20	18	28	23	15	29	14	14	6	4	-	-	1
140-148	Of buccal cavity and pharynx	37	-	-	-	-	-	-	-	-	1	-	-	-	3	6	3	4	6	6	4	3	-	1	-	-	-
	White-----M	18	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	5	2	2	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	1	-	-	-
	Nonwhite--M	9	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	1	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	487	-	-	-	1	-	-	-	1	-	1	5	7	20	39	48	66	49	73	66	64	33	13	-	1	-
	White-----M	172	-	-	-	-	-	-	-	-	-	-	1	4	6	9	8	22	29	29	27	23	9	5	-	-	-
	F	137	-	-	-	1	-	-	-	-	-	1	2	-	8	11	11	14	10	16	18	23	16	6	-	-	-
	Nonwhite--M	112	-	-	-	-	-	-	-	-	-	-	1	1	4	14	14	24	8	16	14	10	4	1	-	1	-
	F	66	-	-	-	-	-	-	-	1	-	-	1	2	2	5	15	6	2	12	7	8	4	1	-	-	-
160-164	Of respiratory system	159	-	-	-	-	-	-	-	-	-	-	1	6	9	14	21	23	26	24	16	15	1	3	-	-	-
	White-----M	102	-	-	-	-	-	-	-	-	-	-	1	3	4	9	14	15	20	11	13	10	-	2	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	7	2	2	1	1	-	-	-
	Nonwhite--M	34	-	-	-	-	-	-	-	-	-	-	-	-	2	5	7	6	5	5	1	3	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-
170	Of breast	129	-	-	-	-	-	-	-	-	-	1	4	9	9	14	13	20	14	14	10	4	6	8	2	-	1
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	92	-	-	-	-	-	-	-	-	-	-	1	5	4	12	11	15	8	12	8	3	5	6	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	37	-	-	-	-	-	-	-	-	-	1	3	4	5	2	2	5	6	2	2	1	1	2	-	-	1
171-179	Of genital organs	177	-	-	-	-	-	-	-	-	1	5	3	8	9	15	18	20	20	26	13	15	19	4	1	-	-
	White-----M	24	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	6	3	3	4	2	1	-	-
	F	89	-	-	-	-	-	-	-	-	1	1	1	3	2	7	13	9	10	11	9	10	10	2	-	-	-
	Nonwhite--M	17	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	5	5	1	-	4	-	-	-	-
	F	47	-	-	-	-	-	-	-	-	-	2	2	5	7	8	5	8	3	4	-	2	1	-	-	-	-
180, 181	Of urinary organs	68	-	-	-	-	1	-	1	-	-	-	1	1	4	4	6	10	7	10	11	5	1	4	2	-	-
	White-----M	27	-	-	-	-	1	-	-	-	-	-	-	-	3	4	1	3	5	5	1	1	-	2	1	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	6	3	-	2	1	-	-
	Nonwhite--M	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	1	-	2	-	1	-	-	-	-
	F	14	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	1	1	4	2	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	145	-	1	-	1	-	-	1	-	2	2	2	3	6	13	22	15	12	20	16	11	9	6	2	1	-
	White-----M	40	-	-	-	-	-	-	-	-	-	1	-	-	1	1	10	6	3	9	5	1	2	1	-	-	-
	F	60	-	-	-	1	-	-	-	-	2	-	1	3	2	5	8	6	4	3	8	6	5	4	2	-	-
	Nonwhite--M	26	-	1	-	-	-	-	1	-	-	1	-	-	-	4	2	2	4	3	2	3	2	-	-	1	-
	F	19	-	-	-	-	-	-	-	-	-	-	1	-	3	3	2	1	1	5	1	1	-	1	-	-	-
204	Leukemia and aleukemia	48	1	-	4	1	-	-	-	-	1	2	3	3	4	-	3	6	5	5	5	2	2	1	-	-	-
	White-----M	24	-	-	2	1	-	-	-	-	1	1	1	1	2	-	-	3	4	3	3	1	1	-	-	-	-
	F	14	1	-	1	-	-	-	-	-	-	-	1	-	1	-	3	1	1	-	2	1	1	1	-	-	-
	Nonwhite--M	8	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	2	-	2	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	58	-	-	-	-	-	1	1	1	2	3	2	3	2	3	9	5	8	6	3	3	3	3	-	-	-
	White-----M	18	-	-	-	-	-	-	-	1	-	-	-	-	2	2	2	1	2	4	1	1	-	2	-	-	-
	F	19	-	-	-	-	-	-	1	-	-	2	-	1	-	-	2	2	5	2	-	1	2	1	-	-	-
	Nonwhite--M	14	-	-	-	-	-	1	-	-	2	-	1	1	-	1	4	1	1	-	1	-	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	1	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	41	3	-	-	-	1	-	1	1	-	2	1	8	2	6	5	3	3	4	-	-	-	1	-	-	-
	White-----M	7	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	1	-	-	-	-	-	-	-
	F	10	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	2	1	-	-	-	1	-	-	-
	Nonwhite--M	9	1	-	-	-	-	-	1	-	-	-	1	1	-	2	2	-	1	-	-	-	-	-	-	-	-
	F	15	1	-	-	-	1	-	-	-	-	2	-	7	-	2	-	-	-	2	-	-	-	-	-	-	-
260	Diabetes mellitus	114	-	-	-	-	-	-	-	2	1	1	3	4	5	8	8	6	16	17	15	15	8	2	3	-	-
	White-----M	33	-	-	-	-	-	-	-	1	1	1	1	1	3	1	2	3	3	6	6	2	2	-	-	-	-
	F	45	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	7	9	8	9	4	2	1	-	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	3	-	-	2	-	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	-	1	2	1	4	4	2	3	2	1	2	2	-	2	-	-
290-293	Anemias	12	2	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	1	3	1	-	1	1	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-
340	Nonmeningococcal meningitis*	16	7	1	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	-	2	-	1	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M	3	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	9	6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	4,401	5	2	1	2	-	2	4	10	24	19	50	84	149	236	389	364	476	543	577	572	490	248	113	33	8
	White-----M	1,502	-	-	1	-	-	1	2	-	3	1	6	19	42	76	134	169	203	197	184	201	166	60	29	7	1
	F	1,322	-	-	-	2	-	1	-	1	5	8	8	9	15	18	49	61	107	149	201	240	228	129	65	22	4
	Nonwhite--M	805	2	1	-	-	-	-	2	6	7	4	16	28	51	80	113	76	98	92	92	55	46	32	2	1	1
	F	772	3	1	-	-	-	-	-	3	9	6	20	28	41	62	93	58	68	105	100	76	50	27	17	3	2
330-334, 400-468	Diseases of cardiovascular system	4,321	5	2	-	2	-	2	4	9	23	15	46	81	145	228	379	360	470	536	570	565	485	242	112	32	8
	White-----M	1,484	-	-	-	-	-	1	2	-	3	1	6	19	42	72	134	169	201	195	182	198	164	59	28	7	1
	F	1,307	-	-	-	2	-	1	-	1	4	6	8	9	13	17	48	61	107	148	198	239	227	128	65	21	4
	Nonwhite--M	782	2	1	-	-	-	-	2	6	7	2	15	27	51	78	109	75	95	90	91	53	44	30	2	1	1
	F	748	3	1	-	-	-	-	-	2	9	6	17	26	39	61	88	55	67	103	99	75	50	25	17	3	2
330-334	Vascular lesions, etc.*	798	1	-	-	1	-	-	1	-	4	1	7	9	20	29	57	48	83	118	99	121	116	52	23	6	2
	White-----M	220	-	-	-	-	-	-	1	-	2	-	-	3	4	5	11	17	25	28	33	32	36	18	4	1	-
	F	310	-	-	-	1	-	-	-	-	-	-	2	1	4	6	10	11	29	43	39	59	60	24	15	5	1
	Nonwhite--M	120	1	-	-	-	-	-	-	-	1	-	1	1	5	8	20	12	14	22	11	14	3	6	1	-	-
	F	148	-	-	-	-	-	-	-	-	1	1	4	4	7	10	16	8	15	25	16	16	17	4	3	-	1
400-402	Rheumatic fever	6	-	-	-	-	-	1	1	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA—Con.																										
410-443	Diseases of heart	3,260	4	2	-	1	-	1	2	8	17	11	35	64	114	186	301	299	365	393	439	412	335	168	78	20	5
	White-----M--	1,197	-	-	-	-	-	1	1	-	1	1	6	15	37	66	119	150	163	158	144	153	117	37	23	4	1
	F--	906	-	-	-	1	-	-	-	-	4	4	5	6	8	10	36	48	74	100	147	162	152	94	40	13	2
	Nonwhite--M--	610	1	1	-	-	-	-	1	6	6	1	11	25	39	63	82	58	79	64	74	38	37	21	1	1	1
	F--	547	3	1	-	-	-	-	-	2	6	5	13	18	30	47	64	43	49	71	74	59	29	16	14	2	1
410-416	Chronic rheumatic heart disease	100	-	-	-	-	-	-	-	5	3	-	3	7	8	6	9	12	16	7	10	7	5	-	2	-	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	-	1	3	2	3	4	4	7	3	5	4	-	-	1	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	7	5	3	3	2	2	-	1	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	4	2	-	1	-	-	-	1	-	2	-	1	1	2	-	-	-	-
	F--	18	-	-	-	-	-	-	-	1	1	-	-	3	3	2	2	1	2	1	1	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,562	-	1	-	-	-	-	2	-	1	1	8	17	33	58	134	175	196	198	210	216	174	88	37	10	3
	White-----M--	778	-	-	-	-	-	-	1	-	-	1	2	7	21	35	70	116	117	99	95	93	72	28	17	3	1
	F--	459	-	-	-	-	-	-	-	-	1	-	2	-	1	5	20	23	43	51	74	89	80	46	16	7	1
	Nonwhite--M--	191	-	-	-	-	-	-	1	-	-	-	1	7	9	12	33	21	24	23	25	12	13	9	-	-	1
	F--	134	-	1	-	-	-	-	-	-	-	-	3	3	2	6	11	15	12	25	16	22	9	5	4	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	701	4	1	-	-	-	-	-	2	5	5	14	18	22	42	62	44	60	82	95	93	72	47	24	8	1
	White-----M--	185	-	-	-	-	-	-	-	-	1	-	2	2	4	17	17	9	18	30	22	34	22	5	1	1	-
	F--	187	-	-	-	-	-	-	-	-	2	2	-	2	1	1	2	5	9	20	31	33	30	30	14	5	-
	Nonwhite--M--	163	1	1	-	-	-	-	-	2	1	-	4	8	9	13	20	18	21	11	19	11	13	9	1	1	-
	F--	166	3	-	-	-	-	-	-	-	1	3	8	6	8	11	23	12	12	21	23	15	7	3	8	1	1
430-434	Other diseases of heart	88	-	-	-	1	-	1	-	-	4	2	4	8	8	12	10	5	8	6	8	4	5	2	-	-	-
	White-----M--	33	-	-	-	-	-	1	-	-	-	-	1	1	5	4	7	3	3	4	2	1	1	-	-	-	-
	F--	13	-	-	-	1	-	-	-	-	-	-	2	1	1	-	-	1	2	1	1	2	1	-	-	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	1	1	1	5	2	7	2	1	2	1	2	-	3	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	3	1	-	1	-	1	1	-	1	-	3	1	-	1	-	-	-
440-443	Hypertension with heart dis.--	809	-	-	-	-	-	-	-	1	4	3	6	14	43	68	86	63	85	100	116	92	79	31	15	2	1
	White-----M--	164	-	-	-	-	-	-	-	-	-	-	-	2	5	7	21	18	18	22	20	21	22	4	4	-	-
	F--	216	-	-	-	-	-	-	-	-	1	2	-	2	2	3	12	12	15	25	38	36	39	18	9	1	1
	Nonwhite--M--	213	-	-	-	-	-	-	-	-	2	-	4	5	19	31	26	18	30	29	27	14	6	2	-	-	-
	F--	216	-	-	-	-	-	-	-	1	1	1	2	5	17	27	27	15	22	24	31	21	12	7	2	1	-
444-447	Hypertension without mention of heart	67	-	-	-	-	-	-	-	-	1	-	2	1	5	7	10	2	3	6	15	7	4	4	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	2	2	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	4	4	2	1	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	2	1	2	3	5	-	-	2	4	1	-	1	-	-	-
	F--	23	-	-	-	-	-	-	-	-	1	-	-	-	2	3	4	1	1	3	7	-	-	1	-	-	-
450	General arteriosclerosis	112	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	6	10	12	18	26	17	10	5	1
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	4	4	10	8	2	1	1	-
	F--	50	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	4	8	11	9	9	3	1
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	-	4	2	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	3	4	-	1	-
451-468	Other diseases of circulatory sys.-	78	-	-	-	-	-	-	-	1	1	2	1	6	5	5	8	9	13	9	4	7	4	1	1	1	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	10	5	1	1	1	1	-	1	-
	F--	24	-	-	-	-	-	-	-	1	-	2	-	2	-	1	2	1	2	1	3	6	2	-	1	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	1	-	4	3	2	4	1	-	-	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	1	-	-	4	-	1	3	2	-	3	-	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*	80	-	-	1	-	-	-	-	1	1	4	4	3	4	8	10	4	6	7	7	7	5	6	1	1	-
	White-----M--	18	-	-	1	-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	2	3	2	1	1	-	-
	F--	15	-	-	-	-	-	-	-	-	1	2	-	-	2	1	1	-	-	1	3	1	1	1	-	1	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	2	1	1	-	2	4	1	3	2	1	2	2	2	-	-	-
	F--	24	-	-	-	-	-	-	-	1	-	-	3	2	2	1	5	3	1	2	1	1	-	2	-	-	-
480-493	Influenza and pneumonia, etc.*	280	30	4	-	1	1	-	1	1	3	4	9	16	16	12	17	19	13	18	18	32	36	20	7	2	-
	White-----M--	93	4	1	-	-	-	-	-	-	-	-	1	-	3	4	5	10	7	10	9	14	11	10	4	-	-
	F--	56	5	1	-	-	-	-	-	-	1	-	1	2	1	1	4	-	1	1	1	12	13	8	3	1	-
	Nonwhite--M--	79	9	2	-	-	1	-	-	1	1	2	3	9	10	5	6	7	2	7	4	2	7	1	-	-	-
	F--	52	12	-	-	1	-	-	1	-	1	2	4	5	2	2	2	2	3	-	4	4	5	1	-	1	-
480-483	Influenza	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	1	2	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	273	30	4	-	1	1	-	1	1	3	4	9	15	16	11	16	19	13	18	17	31	34	20	7	2	-
	White-----M--	92	4	1	-	-	-	-	-	-	-	-	1	-	3	4	5	10	7	10	8	14	11	10	4	-	-
	F--	55	5	1	-	-	-	-	-	-	1	-	1	2	1	1	4	-	1	1	1	11	13	8	3	1	-
	Nonwhite--M--	75	9	2	-	-	1	-	-	1	1	2	3	8	10	4	6	7	2	7	4	2	5	1	-	-	-
	F--	51	12	-	-	1	-	-	1	-	1	2	4	5	2	2	1	2	3	-	4	4	5	1	-	1	-
500-502	Bronchitis	13	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	2	3	1	1	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	8	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	3	1	1	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	43	1	-	-	-	1	-	-	-	-	-	-	3	2	3	6	5	7	4	3	3	5	-	-	-	-
	White-----M--	25	-	-	-	-	1	-	-	-	-	-	-	2	1	2	3	3	5	2	-	3	3	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	-	-	-
	Nonwhite--M--	12	1	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	1	2	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
550-553	Appendicitis	8	-	-	-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	2	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	52	9	1	-	1	-	-	-	-	1	-	2	2	2	-	6	7	3	3	6	4	-	2	3	-	-
	White-----M--	11	2	-	-	1	-	-	-	-	-	-	-	1	-	-	2	2	-	-	3	-	-	-	-	-	-
	F--	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	-	2	1	-	-
	Nonwhite--M--	22	3	1	-	-	-	-	-	-	1	-	1	1	-	-	2	4	2	2	-	3	-	-	2	-	-
	F--	8	2	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA—Con.																										
543,	Gastritis, etc.*--	26	13	-	-	-	-	-	-	-	1	-	1	1	1	-	2	1	1	1	-	1	1	1	1	-	-
571,	White-----M--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
572	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-
	Nonwhite--M--	9	5	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F--	9	6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
581	Cirrhosis of liver	141	-	-	-	-	-	-	-	-	-	3	7	15	21	14	24	21	15	9	7	1	1	2	1	-	-
	White-----M--	75	-	-	-	-	-	-	-	-	-	-	2	5	10	7	13	12	10	8	4	1	1	2	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	1	2	3	3	3	5	4	3	1	2	-	-	-	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	1	-	5	6	3	5	4	2	-	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	1	3	2	2	1	1	1	-	-	1	-	-	-	1	-	-
590,	Acute nephritis,																										
591	etc.*----------	17	-	-	-	1	1	1	1	1	2	-	2	1	2	-	-	1	-	-	1	1	1	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	7	-	-	-	1	1	-	-	-	-	-	1	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
610	Hyperplasia of																										
	prostate---------	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	6	7	3	3	3	1	1	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	6	1	3	3	1	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	12	...	...	...	...	...	...	-	-	5	1	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	...	...	...	...	...	...	-	-	5	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	3	...	...	...	...	...	...	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	9	...	...	...	...	...	...	-	-	3	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	2	...	...	...	...	...	...	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	7	...	...	...	...	...	...	-	-	3	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	116	86	9	2	1	1	2	1	2	-	1	1	-	1	1	3	1	3	-	1	-	-	-	-	-	-
	White-----M--	32	24	3	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-
	F--	44	30	-	2	1	1	2	1	1	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	-
	Nonwhite--M--	20	16	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	16	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	430	430	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	256	256	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	11	2	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	2	1	-	-	-	1	-	-	2
795	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	1
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Re-	All other diseases	403	17	3	3	3	1	8	3	7	9	10	17	29	22	35	30	46	32	32	29	35	17	10	5	-	-
sid-	White-----M--	128	2	1	1	2	-	4	-	2	3	2	1	5	4	9	8	23	13	13	11	15	4	2	3	-	-
ual	F--	114	4	-	1	-	-	1	2	2	1	3	6	7	2	7	7	5	12	12	11	14	10	6	1	-	-
	Nonwhite--M--	94	8	-	1	-	1	3	-	-	4	1	5	11	9	13	9	10	4	4	4	4	2	1	-	-	-
	F--	67	3	2	-	1	-	-	1	3	1	4	5	6	7	6	6	8	3	3	3	2	1	1	1	-	-
E800-	Accidents---------	507	53	8	5	8	9	14	9	11	20	27	28	27	36	41	28	29	22	17	24	24	28	28	8	2	1
E962	White-----M--	193	9	3	1	1	2	8	5	6	16	13	10	8	13	19	12	16	9	7	11	10	8	4	1	1	-
	F--	111	6	-	2	4	1	2	-	2	-	3	1	1	5	5	2	4	5	7	8	9	13	23	7	1	-
	Nonwhite--M--	141	23	2	1	2	5	2	3	2	3	10	13	16	13	15	12	8	4	1	2	1	3	-	-	-	-
	F--	62	15	3	1	1	1	2	1	1	1	1	4	2	5	2	2	1	4	2	3	4	4	1	-	-	1
E810-	Motor-vehicle																										
E835	accidents--------	119	-	1	1	2	2	6	2	2	12	12	12	8	14	11	4	4	9	5	8	3	1	-	-	-	-
	White-----M--	49	-	-	-	-	-	3	1	1	9	7	1	2	5	5	2	2	-	4	6	1	-	-	-	-	-
	F--	21	-	-	-	2	-	1	-	1	-	2	1	1	2	2	-	1	4	1	1	2	-	-	-	-	-
	Nonwhite--M--	34	-	1	1	-	2	1	1	-	2	2	7	4	6	2	1	-	3	-	-	-	1	-	-	-	-
	F--	15	-	-	-	-	-	1	-	-	1	1	3	1	1	2	1	1	2	-	1	-	-	-	-	-	-
E800-	All ot. accidents-	388	53	7	4	6	7	8	7	9	8	15	16	19	22	30	24	25	13	12	16	21	27	28	8	2	1
E802,	White-----M--	144	9	3	1	1	2	5	4	5	7	6	9	6	8	14	10	14	9	3	5	9	8	4	1	1	-
E840-	F--	90	6	-	2	2	1	1	-	1	-	1	-	-	3	3	2	3	1	6	7	7	13	23	7	1	-
E962	Nonwhite--M--	107	23	1	-	2	3	1	2	2	1	8	6	12	7	13	11	8	1	1	2	1	2	-	-	-	-
	F--	47	15	3	1	1	1	1	1	1	-	-	1	1	4	-	1	-	2	2	2	4	4	1	-	-	1
E963,	Suicide----------	74	-	-	-	-	-	-	-	3	-	7	6	7	6	5	15	8	8	3	1	2	2	1	-	-	-
E970-	White-----M--	39	-	-	-	-	-	-	-	2	-	6	2	1	1	2	10	5	5	2	-	1	1	1	-	-	-
E979	F--	19	-	-	-	-	-	-	-	1	-	1	-	3	1	3	4	2	2	-	-	1	1	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	3	3	2	-	1	1	-	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-
E964,	Homicide----------	76	1	-	-	-	-	-	-	3	5	9	11	11	12	10	2	6	2	2	1	1	-	-	-	-	-
E980-	White-----M--	9	-	-	-	-	-	-	-	-	1	1	1	-	2	-	1	1	1	-	-	1	-	-	-	-	-
E985	F--	6	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	3	3	5	8	7	6	7	1	4	1	2	1	-	-	-	-	-	-
	F--	13	1	-	-	-	-	-	-	-	1	2	2	1	3	2	-	1	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA																										
	ALL CAUSES--------	29,219	2,532	179	122	86	53	202	144	245	354	479	566	822	1,108	1,523	2,073	2,470	2,725	3,283	3,227	2,910	2,213	1,241	486	123	53
	White-----M--	13,276	803	49	44	29	24	86	57	101	140	169	188	279	384	652	864	1,239	1,410	1,673	1,737	1,494	1,059	539	201	49	6
	F--	8,424	588	41	23	23	11	54	39	48	56	98	118	184	254	324	399	496	671	976	1,072	1,144	944	556	240	55	10
	Nonwhite--M--	4,230	658	49	32	19	12	26	25	60	93	111	129	196	263	298	435	421	359	368	253	180	120	79	24	6	14
	F--	3,289	483	40	23	15	6	36	23	36	65	101	131	163	207	249	375	314	285	266	165	92	90	67	21	13	23
001-019	Tuberculosis, all forms--------	504	1	5	6	-	1	1	4	2	21	29	32	52	49	51	63	49	35	32	35	18	12	3	1	-	2
	White-----M--	193	1	3	-	-	1	1	-	-	1	1	7	7	14	26	26	22	20	15	24	12	9	2	1	-	-
	F--	60	-	-	3	-	-	-	1	-	1	2	6	5	5	5	5	6	3	4	7	6	1	-	-	-	-
	Nonwhite--M--	155	-	1	3	-	-	-	2	-	7	14	9	23	23	14	20	17	8	9	2	-	1	1	-	-	1
	F--	96	-	1	-	-	-	-	1	2	12	12	10	17	7	6	12	4	4	4	2	-	1	-	-	-	1
001-008	Tuberculosis of respiratory system----------	471	-	1	2	-	-	1	2	2	20	29	31	48	46	50	58	48	34	31	33	17	12	3	1	-	2
	White-----M--	185	-	1	-	-	-	1	-	-	1	1	7	7	13	26	25	22	19	15	24	11	9	2	1	-	-
	F--	54	-	-	1	-	-	-	-	-	1	2	6	5	5	5	5	5	3	4	5	6	1	-	-	-	-
	Nonwhite--M--	146	-	-	1	-	-	-	1	-	7	14	9	22	23	13	18	17	8	8	2	-	1	1	-	-	1
	F--	86	-	-	-	-	-	-	1	2	11	12	9	14	5	6	10	4	4	4	2	-	1	-	-	-	1
010-019	Tuberculosis, other forms------	33	1	4	4	-	1	-	2	-	1	-	1	4	3	1	5	1	1	1	2	1	-	-	-	-	-
	White-----M--	8	1	2	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
	F--	6	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	9	-	1	2	-	-	-	1	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-	-	-	-
	F--	10	-	1	-	-	-	-	-	-	1	-	1	3	2	-	2	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	151	7	-	-	-	-	-	-	-	-	1	5	10	9	13	25	19	15	20	13	9	3	1	1	-	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	6	9	11	8	3	2	1	1	-	-
	F--	14	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	3	1	3	1	-	-	-	-
	Nonwhite--M--	65	1	-	-	-	-	-	-	-	-	-	5	6	5	7	15	10	5	5	3	3	-	-	-	-	-
	F--	21	4	-	-	-	-	-	-	-	-	1	-	4	2	2	4	1	1	1	1	-	-	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	23	11	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	1	2	-	1	2	1	1	-	-
	White-----M--	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	7	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-
	F--	9	5	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
050, 051	Scarlet fever, etc.*----------	4	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	7	-	1	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	31	12	1	2	3	-	4	2	2	-	-	-	-	-	2	2	-	-	-	1	-	-	-	-	-	-
	White-----M--	15	5	-	1	2	-	3	1	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	F--	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	2	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	41	4	3	1	1	3	5	3	1	2	12	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	1	1	1	1	1	-	1	1	1	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	2	-	-	-	-	4	2	-	1	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	1	2	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	10	2	3	2	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	142	21	6	7	4	2	8	9	4	3	5	5	6	6	5	9	9	13	5	3	8	3	-	1	-	-
	White-----M--	43	2	2	1	-	1	4	5	1	-	2	1	3	-	1	3	1	8	3	1	3	-	-	1	-	-
	F--	29	4	2	-	-	-	2	1	-	1	1	1	2	1	2	1	1	2	1	2	2	3	-	-	-	-
	Nonwhite--M--	39	7	1	4	3	1	1	1	2	1	2	1	-	2	-	3	3	3	1	-	3	-	-	-	-	-
	F--	31	8	1	2	1	-	1	2	1	1	-	2	1	3	2	2	4	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA—Con.																										
140-205	Malignant neoplasms, etc.*	4,179	7	6	8	6	3	21	10	15	20	33	55	109	199	273	403	478	516	594	534	438	263	145	30	10	3
	White----M	1,937	1	4	4	2	-	16	6	10	9	17	14	27	46	88	143	217	249	289	309	250	148	66	16	5	1
	F	1,570	3	2	2	3	3	4	3	1	4	6	25	54	95	108	146	156	188	232	184	166	105	64	13	3	-
	Nonwhite--M	319	1	-	-	-	-	1	-	2	3	4	3	3	25	29	47	57	45	46	23	17	5	6	1	1	-
	F	353	2	-	2	1	-	-	1	2	4	6	13	25	33	48	67	48	34	27	18	5	5	9	-	1	2
140-148	Of buccal cavity and pharynx	101	-	-	-	-	-	-	-	-	-	1	-	-	2	3	12	15	15	14	13	9	9	4	2	1	1
	White----M	69	-	-	-	-	-	-	-	-	-	1	-	-	1	2	10	12	8	11	10	4	6	1	1	1	1
	F	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	2	2	4	3	2	1	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,320	-	-	-	-	-	-	1	2	3	4	5	15	36	72	111	124	163	215	208	169	116	57	13	5	1
	White----M	624	-	-	-	-	-	-	-	1	-	2	-	5	11	20	31	60	82	104	119	93	63	22	7	4	-
	F	474	-	-	-	-	-	-	-	-	2	-	4	5	13	25	34	31	55	80	71	67	48	32	6	1	-
	Nonwhite--M	136	-	-	-	-	-	-	-	-	-	2	1	2	9	16	27	21	15	20	13	5	2	3	-	-	-
	F	86	-	-	-	-	-	-	1	1	1	-	-	3	3	11	19	12	11	11	5	4	3	-	-	-	1
160-164	Of respiratory system	551	-	-	-	-	-	-	-	-	-	1	6	9	21	40	63	98	99	78	70	45	12	7	1	1	-
	White----M	416	-	-	-	-	-	-	-	-	-	1	2	7	11	30	46	77	79	58	57	36	7	5	-	-	-
	F	83	-	-	-	-	-	-	-	-	-	-	3	1	4	2	8	6	15	18	11	8	5	1	1	-	-
	Nonwhite--M	45	-	-	-	-	-	-	-	-	-	-	1	-	6	7	7	13	4	2	2	1	-	1	-	1	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	-	-	-	-	-	-	-	-
170	Of breast	323	-	-	-	-	-	-	-	-	1	1	11	21	32	32	39	44	41	33	25	16	13	11	2	1	-
	White----M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	1	-	-	-	-	-
	F	269	-	-	-	-	-	-	-	-	-	-	7	16	23	27	32	34	35	32	22	15	13	10	2	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	48	-	-	-	-	-	-	-	-	1	1	4	5	9	4	5	8	6	1	3	-	-	1	-	-	-
171-179	Of genital organs	742	-	-	-	-	-	-	-	2	5	2	12	35	55	53	75	80	74	99	84	82	48	32	3	1	-
	White----M	204	-	-	-	-	-	-	-	1	2	-	2	1	1	2	5	9	16	28	41	42	32	19	3	-	-
	F	359	-	-	-	-	-	-	-	-	-	2	5	22	36	32	39	47	40	48	35	34	12	7	-	-	-
	Nonwhite--M	56	-	-	-	-	-	-	-	1	1	-	-	-	3	-	5	10	9	13	4	6	3	1	-	-	-
	F	123	-	-	-	-	-	-	-	-	2	-	5	12	15	19	26	14	9	10	4	-	1	5	-	1	-
180, 181	Of urinary organs	219	-	-	2	-	-	2	-	-	-	1	-	3	2	6	25	20	26	36	23	41	22	8	2	-	-
	White----M	138	-	-	1	-	-	1	-	-	-	1	-	1	2	2	14	14	15	24	14	27	14	6	2	-	-
	F	51	-	-	-	-	-	1	-	-	-	-	-	1	-	2	4	3	6	5	7	13	8	1	-	-	-
	Nonwhite--M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	4	6	1	1	-	1	-	-	-
	F	12	-	-	1	-	-	-	-	-	-	-	-	1	-	-	5	2	1	1	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	584	2	2	3	4	1	4	4	3	3	9	15	12	33	39	56	66	67	81	75	47	30	21	5	1	1
	White----M	288	-	2	3	2	-	3	2	3	-	5	6	7	14	15	20	29	27	44	45	29	19	11	2	-	-
	F	194	2	-	-	1	1	-	2	-	1	1	4	2	11	11	22	21	23	30	24	15	10	9	3	1	-
	Nonwhite--M	40	-	-	-	-	-	1	-	-	2	-	1	1	4	2	4	6	11	4	1	3	-	-	-	-	-
	F	62	-	-	-	1	-	-	-	-	-	3	4	2	4	11	10	10	6	3	5	-	1	1	-	-	1
204	Leukemia and aleukemia	181	4	3	2	1	2	10	3	6	4	4	3	6	10	12	10	15	16	17	22	16	12	2	1	-	-
	White----M	93	1	2	-	-	-	7	3	3	4	3	1	2	3	5	6	7	9	7	13	8	7	1	1	-	-
	F	71	1	1	2	1	2	3	-	1	-	-	2	4	5	5	3	6	6	9	8	7	5	-	-	-	-
	Nonwhite--M	12	1	-	-	-	-	-	-	1	-	1	-	-	1	1	1	2	1	1	1	1	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
200-203, 205	Lymphomas, etc.*	158	1	1	1	1	-	5	2	2	4	10	3	8	8	16	12	16	15	21	14	13	1	3	1	-	-
	White----M	99	-	-	-	-	-	5	1	2	3	4	3	4	3	11	9	7	13	13	10	10	-	1	-	-	-
	F	46	-	1	-	1	-	-	1	-	1	3	-	3	3	4	2	7	2	8	4	3	1	2	-	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	-	-	-	-	-	-	1	-	-
	F	6	1	-	1	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	120	5	-	-	-	2	4	2	4	3	3	5	14	15	12	8	10	10	6	6	8	-	1	2	-	-
	White----M	37	3	-	-	-	1	3	1	1	-	-	-	2	2	3	3	5	2	5	3	3	-	-	-	-	-
	F	47	-	-	-	-	1	1	1	3	3	2	2	3	4	5	3	3	6	1	2	5	-	1	1	-	-
	Nonwhite--M	8	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-	-	-	-	1	-	-
	F	28	-	-	-	-	-	-	-	-	-	1	3	7	8	4	2	1	1	-	1	-	-	-	-	-	-
260	Diabetes mellitus	407	-	-	-	-	-	1	3	4	6	2	6	7	8	26	22	34	61	57	69	52	31	12	4	2	-
	White----M	140	-	-	-	-	-	-	-	1	2	-	3	3	-	10	5	10	19	17	27	25	12	5	-	1	-
	F	170	-	-	-	-	-	-	1	3	1	1	1	2	2	8	8	4	24	30	35	25	15	6	3	1	-
	Nonwhite--M	31	-	-	-	-	-	-	-	-	1	-	1	1	1	1	3	7	5	5	3	1	1	-	1	-	-
	F	66	-	-	-	-	-	1	2	-	2	1	1	1	5	7	6	13	13	5	4	1	3	1	-	-	-
290-293	Anemias	88	5	3	2	1	1	3	-	1	1	3	2	2	5	3	4	4	10	6	10	12	6	4	-	-	-
	White----M	25	1	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	2	4	8	2	2	-	-	-
	F	31	1	1	-	-	-	1	-	-	1	-	-	2	3	-	1	1	5	2	5	3	4	1	-	-	-
	Nonwhite--M	12	3	1	-	-	-	1	-	1	-	-	-	-	1	1	-	1	1	1	-	1	-	-	-	-	-
	F	20	-	-	2	-	1	1	-	-	-	3	2	-	1	1	2	1	3	1	1	-	-	1	-	-	-
340	Nonmeningococcal meningitis*	62	28	5	3	1	-	3	2	-	1	1	-	1	5	4	2	2	-	3	1	-	-	-	-	-	-
	White----M	15	5	1	2	-	-	2	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	16	8	1	-	1	-	1	1	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	Nonwhite--M	18	6	2	1	-	-	-	1	-	-	-	-	-	1	3	2	1	-	-	1	-	-	-	-	-	-
	F	13	9	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	14,366	17	4	3	1	2	10	14	15	28	61	126	219	403	688	1,057	1,360	1,597	2,039	2,050	1,894	1,511	831	334	71	31
	White----M	6,976	5	-	1	-	1	3	2	4	3	13	42	79	168	325	459	720	837	1,048	1,091	942	703	361	136	30	3
	F	4,291	1	1	-	1	1	1	4	5	6	19	25	42	61	102	152	222	352	572	702	758	675	385	167	30	7
	Nonwhite--M	1,657	6	2	-	-	-	4	3	4	12	8	30	47	85	129	224	228	220	232	152	121	76	46	18	4	6
	F	1,442	5	1	2	-	-	2	5	2	7	21	29	51	89	132	222	190	188	187	105	73	57	39	13	7	15
330-334, 400-468	Diseases of cardiovascular system	13,958	16	4	3	1	2	9	13	14	23	55	112	204	382	664	1,023	1,317	1,557	1,997	2,008	1,850	1,467	809	327	70	31
	White----M	6,828	5	-	1	-	1	3	2	4	2	12	38	76	161	317	451	710	824	1,032	1,078	918	678	350	132	30	3
	F	4,201	1	1	-	1	1	1	4	5	5	16	22	38	56	100	149	215	343	560	693	749	662	378	165	29	7
	Nonwhite--M	1,574	5	2	-	-	-	3	3	3	10	8	28	43	82	125	210	214	214	227	140	113	73	44	17	4	6
	F	1,355	5	1	2	-	-	2	4	2	6	19	24	47	83	122	213	178	176	178	97	70	54	37	13	7	15
330-334	Vascular lesions, etc.*	3,280	6	2	1	-	-	1	1	3	7	12	18	42	78	130	238	293	342	474	486	451	391	207	78	13	6
	White----M	1,254	2	-	-	-	-	-	-	-	-	2	4	12	18	28	64	98	118	173	221	188	193	94	32	6	1
	F	1,121	-	1	-	-	-	-	1	1	2	4	3	10	15	24	45	61	88	161	199	206	161	96	36	6	1
	Nonwhite--M	441	3	1	-	-	-	1	-	1	2	1	4	6	18	37	50	71	66	72	32	33	24	13	5	-	1
	F	464	1	-	1	-	-	-	-	1	3	5	7	14	27	41	79	63	70	68	34	24	13	4	5	1	3
400-402	Rheumatic fever	34	2	-	-	1	1	5	6	1	1	2	3	3	1	-	2	1	3	-	1	1	-	-	-	-	-
	White----M	7	-	-	-	-	-	2	1	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	9	-	-	-	1	1	-	1	-	-	2	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M	7	-	-	-	-	-	1	1	1	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	11	2	-	-	-	-	2	3	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA—Con.																										
410-443	Diseases of heart	9,658	6	1	2	-	1	3	3	9	11	37	78	138	276	506	740	976	1,129	1,425	1,405	1,243	923	489	192	45	20
	White-----M	5,150	3	-	1	-	1	1	1	4	1	10	32	60	137	278	374	590	671	807	796	655	423	211	74	19	1
	F	2,725	1	-	-	-	-	1	-	3	2	9	18	22	36	73	98	147	233	374	457	480	420	227	101	17	6
	Nonwhite--M	1,014	-	1	-	-	-	1	2	1	7	6	17	29	52	83	145	132	132	146	100	70	44	26	11	4	5
	F	769	2	-	1	-	-	-	-	1	1	12	11	27	51	72	123	107	93	98	52	38	36	25	6	5	8
410-416	Chronic rheumatic heart disease	332	-	-	-	-	-	1	1	5	4	16	11	15	29	33	30	48	40	28	30	14	16	8	2	-	1
	White-----M	140	-	-	-	-	-	-	-	2	1	5	4	7	13	10	6	23	23	15	15	6	4	4	2	-	-
	F	131	-	-	-	-	-	1	-	2	1	5	5	4	12	14	13	20	9	10	12	6	12	4	-	-	1
	Nonwhite--M	32	-	-	-	-	-	-	1	1	2	2	2	3	-	2	8	3	3	2	2	1	-	-	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	4	-	1	4	7	3	2	5	1	1	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,038	-	-	-	-	-	1	1	2	3	7	43	69	161	320	474	650	765	955	910	771	516	266	94	23	7
	White-----M	3,769	-	-	-	-	-	-	1	1	-	3	24	41	99	222	309	465	520	623	575	450	257	130	39	10	-
	F	1,589	-	-	-	-	-	-	-	-	1	1	7	9	13	37	61	82	155	242	289	285	229	118	47	11	2
	Nonwhite--M	417	-	-	-	-	-	1	-	-	2	2	8	13	27	36	59	62	56	57	27	29	18	11	6	1	2
	F	263	-	-	-	-	-	-	-	1	-	1	4	6	22	25	45	41	34	33	19	7	12	7	2	1	3
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,055	2	-	1	-	-	-	-	2	-	2	2	8	21	27	44	65	76	128	161	163	180	102	53	13	5
	White-----M	409	1	-	1	-	-	-	-	1	-	-	-	1	5	5	12	27	29	51	68	71	78	39	15	5	-
	F	363	1	-	-	-	-	-	-	1	-	-	-	1	-	3	3	7	15	35	53	70	84	50	34	4	2
	Nonwhite--M	167	-	-	-	-	-	-	-	-	-	1	1	1	9	13	15	20	18	22	29	13	11	8	2	2	2
	F	116	-	-	-	-	-	-	-	-	-	1	1	5	7	6	14	11	14	20	11	9	7	5	2	2	1
430-434	Other diseases of heart	730	4	1	1	-	1	1	1	-	2	11	16	24	29	53	69	78	81	81	86	81	60	35	10	2	3
	White-----M	373	2	-	-	-	1	1	-	-	-	2	3	8	14	27	27	43	47	45	54	48	31	13	5	2	-
	F	170	-	-	-	-	-	-	-	-	-	3	6	5	6	5	6	12	15	20	23	27	22	15	5	-	-
	Nonwhite--M	111	-	1	-	-	-	-	1	-	2	1	4	6	4	14	23	14	13	14	5	5	2	2	-	-	-
	F	76	2	-	1	-	-	-	-	-	-	5	3	5	5	7	13	9	6	2	4	1	5	5	-	-	3
440-443	Hypertension with heart dis.	1,503	-	-	-	-	-	-	-	-	2	1	6	22	36	73	123	135	167	233	218	214	151	78	33	7	4
	White-----M	459	-	-	-	-	-	-	-	-	-	-	1	3	6	14	20	32	52	73	84	80	53	25	13	2	1
	F	472	-	-	-	-	-	-	-	-	-	-	-	3	5	14	15	26	39	67	80	92	73	40	15	2	1
	Nonwhite--M	287	-	-	-	-	-	-	-	-	1	-	2	6	12	18	40	33	42	51	37	22	13	5	3	1	1
	F	285	-	-	-	-	-	-	-	-	1	1	3	10	13	27	48	44	34	42	17	20	12	8	2	2	1
444-447	Hypertension without mention of heart	281	-	-	-	-	-	-	-	-	-	3	6	16	13	15	17	22	17	40	34	35	32	24	6	-	1
	White-----M	100	-	-	-	-	-	-	-	-	-	-	-	2	1	3	5	10	5	15	11	21	11	13	3	-	-
	F	82	-	-	-	-	-	-	-	-	-	1	1	5	1	1	1	1	4	13	14	11	18	8	3	-	-
	Nonwhite--M	44	-	-	-	-	-	-	-	-	-	-	3	6	7	3	6	5	6	4	3	1	-	-	-	-	-
	F	55	-	-	-	-	-	-	-	-	-	2	2	3	4	8	5	6	2	8	6	2	3	3	-	-	1
450	General arteriosclerosis	483	-	-	-	-	-	-	-	-	-	-	-	1	-	2	8	11	26	29	53	102	103	84	48	12	4
	White-----M	196	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	6	14	29	44	37	31	20	5	1
	F	216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	9	8	17	43	60	44	25	6	-
	Nonwhite--M	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	3	3	9	4	4	1	-	-
	F	36	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	5	4	4	6	2	5	2	1	3
451-468	Other diseases of circulatory sys.	222	2	1	-	-	-	-	3	1	4	1	7	4	14	11	18	14	40	29	29	18	18	5	3	-	-
	White-----M	121	-	-	-	-	-	-	-	-	1	-	-	2	5	6	4	8	24	23	20	10	14	1	3	-	-
	F	48	-	-	-	-	-	-	2	1	1	-	-	1	3	2	4	2	8	4	6	8	3	3	-	-	-
	Nonwhite--M	33	2	-	-	-	-	-	-	-	-	1	4	1	5	2	6	3	3	2	2	-	1	1	-	-	-
	F	20	-	1	-	-	-	-	1	-	2	-	3	-	1	1	4	1	5	-	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	408	1	-	-	-	-	1	1	1	5	6	14	15	21	24	34	43	40	42	42	44	44	22	7	1	-
	White-----M	148	-	-	-	-	-	-	-	-	1	1	4	3	7	8	8	10	13	16	13	24	25	11	4	-	-
	F	90	-	-	-	-	-	-	-	-	1	3	3	4	5	2	3	7	9	12	9	9	13	7	2	1	-
	Nonwhite--M	83	1	-	-	-	-	1	-	1	2	-	2	4	3	4	14	14	6	5	12	8	3	2	1	-	-
	F	87	-	-	-	-	-	-	1	-	1	2	5	4	6	10	9	12	12	9	8	3	3	2	-	-	-
480-493	Influenza and pneumonia, etc.*	931	222	35	18	11	3	6	6	6	8	12	16	20	24	33	53	55	52	66	59	66	83	45	26	4	2
	White-----M	282	34	4	-	1	-	5	-	1	1	-	4	3	8	10	18	21	26	27	29	32	34	13	9	2	-
	F	191	29	5	3	4	-	1	-	1	2	1	2	3	3	5	4	5	4	14	11	24	32	25	12	1	-
	Nonwhite--M	248	92	12	9	2	1	-	-	3	1	5	4	8	8	12	19	18	13	13	9	8	7	2	1	-	1
	F	210	67	14	6	4	2	-	6	1	4	6	6	6	5	6	12	11	9	12	10	2	10	5	4	1	1
480-483	Influenza	143	37	6	7	-	1	1	1	1	1	-	1	5	6	7	10	7	8	12	5	9	11	4	2	-	1
	White-----M	29	3	-	-	-	-	1	-	-	-	-	-	-	2	1	1	2	3	4	2	6	3	1	-	-	-
	F	24	5	-	2	-	-	-	-	-	1	-	-	2	-	1	-	-	-	3	1	3	4	1	1	-	-
	Nonwhite--M	48	14	4	3	-	1	-	-	1	-	-	-	1	1	2	7	2	4	3	2	-	2	-	-	-	1
	F	42	15	2	2	-	-	-	1	-	-	-	1	2	3	3	2	3	1	2	-	-	2	2	1	-	-
490-493	Pneumonia, etc.*	788	185	29	11	11	2	5	5	5	7	12	15	15	18	26	43	48	44	54	54	57	72	41	24	4	1
	White-----M	253	31	4	-	1	-	4	-	1	1	-	4	3	6	9	17	19	23	23	27	26	31	12	9	2	-
	F	167	24	5	1	4	-	1	-	1	1	1	2	1	3	4	4	5	4	11	10	21	28	24	11	1	-
	Nonwhite--M	200	78	8	6	2	-	-	-	2	1	5	4	7	7	10	12	16	9	10	7	8	5	2	1	-	-
	F	168	52	12	4	4	2	-	5	1	4	6	5	4	2	3	10	8	8	10	10	2	8	3	3	1	1
500-502	Bronchitis	46	8	4	-	1	1	-	-	-	-	-	2	-	-	2	1	3	3	4	10	1	3	3	-	-	-
	White-----M	26	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	3	3	3	8	1	2	2	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	1	-	-	-
	Nonwhite--M	10	3	2	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	1	-	-	-	-	-	-
	F	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	161	2	-	-	-	-	-	-	-	-	1	4	13	7	13	19	22	18	19	20	9	9	4	1	-	-
	White-----M	111	1	-	-	-	-	-	-	-	-	-	3	5	3	7	15	20	15	14	13	6	6	3	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	1	2	2	4	1	3	1	-	-	-
	Nonwhite--M	25	-	-	-	-	-	-	-	-	-	1	-	5	2	4	4	1	1	3	3	1	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-
550-553	Appendicitis	58	-	-	-	2	-	4	1	2	3	2	1	5	1	3	7	3	6	5	3	6	3	1	-	-	-
	White-----M	24	-	-	-	1	-	1	-	1	-	1	-	1	-	-	2	3	4	3	2	3	2	-	-	-	-
	F	11	-	-	-	1	-	1	1	1	-	-	-	1	-	-	1	-	1	1	1	2	-	-	-	-	-
	Nonwhite--M	17	-	-	-	-	-	1	-	-	2	1	1	2	1	2	3	-	-	1	-	1	1	1	-	-	-
	F	6	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	198	28	3	2	-	-	-	1	1	3	2	6	5	12	9	13	12	14	17	17	25	14	9	4	1	-
	White-----M	71	10	1	-	-	-	-	-	-	1	-	-	1	1	2	5	3	6	9	8	12	6	3	2	1	-
	F	59	8	2	-	-	-	-	-	-	-	1	1	-	5	1	1	3	3	2	7	12	7	4	2	-	-
	Nonwhite--M	34	6	-	2	-	-	-	-	1	-	-	2	-	4	1	4	3	3	2	2	1	1	2	-	-	-
	F	34	4	-	-	-	-	-	1	-	2	1	3	4	2	5	3	3	2	4	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA—Con.																										
543, 571, 572	Gastritis, etc.*--	226	120	15	3	2	2	4	-	2	1	-	1	3	3	5	6	5	6	8	11	14	8	5	2	-	-
	White-----M--	53	20	4	-	-	-	1	-	1	-	-	-	1	1	2	1	2	4	2	3	6	2	2	1	-	-
	F--	58	16	4	1	-	-	1	-	1	-	-	-	1	1	1	3	1	2	5	4	7	6	3	1	-	-
	Nonwhite--M--	70	53	3	1	1	1	1	-	-	-	-	-	-	1	2	1	1	-	1	3	1	-	-	-	-	-
	F--	45	31	4	1	1	1	1	-	-	1	-	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	325	2	-	-	-	-	1	1	1	3	5	9	14	19	38	40	44	49	33	24	22	17	3	-	-	-
	White-----M--	184	-	-	-	-	-	-	-	-	-	1	2	6	10	23	18	30	30	22	16	12	12	2	-	-	-
	F--	89	1	-	-	-	-	-	-	1	1	3	4	5	3	10	13	9	9	10	7	9	3	1	-	-	-
	Nonwhite--M--	32	1	-	-	-	-	-	1	-	1	-	1	1	3	4	4	3	8	1	1	1	2	-	-	-	-
	F--	20	-	-	-	-	-	1	-	-	1	1	2	2	3	1	5	2	2	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	104	4	1	1	7	2	2	2	3	2	5	4	6	11	6	8	7	10	7	5	3	5	3	-	-	-
	White-----M--	31	-	-	-	4	2	1	-	1	-	2	-	1	3	1	4	1	4	4	-	1	1	1	-	-	-
	F--	28	-	-	-	1	-	-	1	1	-	1	2	2	1	2	-	3	3	1	3	2	4	1	-	-	-
	Nonwhite--M--	21	2	1	-	2	-	-	1	-	-	-	1	1	3	2	2	2	1	2	1	-	-	-	-	-	-
	F--	24	2	-	1	-	-	1	-	1	2	2	1	2	4	1	2	1	2	-	1	-	-	1	-	-	-
610	Hyperplasia of prostate---------	117	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	11	16	17	22	20	20	1	-	-
	White-----M--	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	14	10	18	18	18	1	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	2	7	4	2	2	-	-	-
640-689	Complications of pregnancy, etc.*-	58	...	...	...	...	...	...	-	7	6	12	13	13	5	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	25	...	...	...	...	...	...	-	3	4	6	5	3	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	33	...	...	...	...	...	...	-	4	2	6	8	10	2	1	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	5	...	...	...	...	...	...	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	53	...	...	...	...	...	...	-	5	4	12	13	12	5	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	24	...	...	...	...	...	...	-	3	3	6	5	3	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	29	...	...	...	...	...	...	-	2	1	6	8	9	2	1	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	391	291	23	10	4	4	9	6	5	4	4	3	3	4	5	7	2	3	1	1	1	1	-	-	-	-
	White-----M--	168	124	12	4	1	3	3	3	3	2	3	2	1	1	3	1	-	-	1	-	1	-	-	-	-	-
	F--	133	96	7	4	2	1	3	2	1	2	-	-	1	1	2	5	1	3	-	1	-	1	-	-	-	-
	Nonwhite--M--	49	44	2	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	41	27	2	1	1	-	3	1	1	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,480	1,480	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	518	518	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	363	363	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	339	339	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	260	260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	605	605	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	241	241	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	93	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	782	782	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	253	253	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	213	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	727	74	7	1	3	-	3	1	5	5	9	11	14	37	27	63	51	58	60	71	64	58	50	30	18	7
	White-----M--	239	12	1	-	2	-	-	-	-	1	1	-	5	9	7	22	20	22	24	25	30	19	20	12	6	1
	F--	141	8	-	-	-	-	2	1	-	1	3	3	4	4	5	6	2	12	10	14	17	16	12	14	7	-
	Nonwhite--M--	206	35	3	1	1	-	1	-	2	-	3	-	4	15	10	24	16	13	16	21	12	13	11	1	1	3
	F--	141	19	3	-	-	-	-	-	3	3	2	8	1	9	5	11	13	11	10	11	5	10	7	3	4	3
Residual	All other diseases	1,497	97	22	10	11	10	23	10	12	22	27	47	65	69	95	89	140	145	157	159	133	81	46	21	6	-
	White-----M--	674	38	7	4	3	4	9	6	2	8	7	11	19	20	35	45	66	82	79	85	69	45	19	10	1	-
	F--	474	21	7	2	2	2	9	1	4	5	7	10	19	24	30	18	36	37	56	58	60	29	21	11	5	-
	Nonwhite--M--	207	23	6	3	5	4	2	2	2	1	5	14	14	9	19	16	24	19	14	11	3	6	5	-	-	-
	F--	142	15	2	1	1	-	3	1	4	8	8	12	13	16	11	10	14	7	8	5	1	1	1	-	-	-
E800-E962	Accidents---------	2,061	77	29	43	24	11	82	67	128	157	158	153	155	141	127	109	115	62	91	77	92	67	51	27	10	8
	White-----M--	1,014	19	7	25	9	7	31	32	65	94	88	84	85	62	66	47	60	35	52	44	47	26	16	10	2	1
	F--	466	18	7	7	6	2	21	19	19	18	29	18	17	25	19	26	27	11	23	21	39	37	30	16	8	3
	Nonwhite--M--	423	26	9	7	5	-	12	13	35	39	34	35	44	45	34	26	21	10	10	7	2	2	3	1	-	3
	F--	158	14	6	4	4	2	18	3	9	6	7	16	9	9	8	10	7	6	6	5	4	2	2	-	-	1
E810-E835	Motor-vehicle accidents--------	906	4	9	16	8	5	32	18	71	95	98	70	81	72	60	51	61	33	46	28	31	7	8	2	-	-
	White-----M--	495	1	3	11	4	4	11	11	38	59	52	32	44	33	33	22	33	22	32	19	22	4	4	1	-	-
	F--	200	2	5	2	2	1	12	7	15	14	18	11	12	18	13	13	18	5	12	7	8	2	3	-	-	-
	Nonwhite--M--	161	1	-	2	1	-	4	-	12	19	23	16	19	20	13	13	7	5	1	1	1	1	1	1	-	-
	F--	50	-	1	1	1	-	5	-	6	3	5	11	6	1	1	3	3	1	1	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,155	73	20	27	16	6	50	49	57	62	60	83	74	69	67	58	54	29	45	49	61	60	43	25	10	8
	White-----M--	519	18	4	14	5	3	20	21	27	35	36	52	41	29	33	25	27	13	20	25	25	22	12	9	2	1
	F--	266	16	2	5	4	1	9	12	4	4	11	7	5	7	6	13	9	6	11	14	31	35	27	16	8	3
	Nonwhite--M--	262	25	9	5	4	-	8	13	23	20	11	19	25	25	21	13	14	5	9	6	1	1	2	-	-	3
	F--	108	14	5	3	3	2	13	3	3	3	2	5	3	8	7	7	4	5	5	4	4	2	2	-	-	1
E963, E970-E979	Suicide----------	351	-	-	-	-	-	-	-	8	14	25	19	32	32	40	44	34	25	29	26	9	11	2	-	1	-
	White-----M--	256	-	-	-	-	-	-	-	6	11	15	10	18	23	25	34	22	23	26	24	7	9	2	-	1	-
	F--	73	-	-	-	-	-	-	-	2	2	7	6	10	8	13	5	11	2	3	1	2	1	-	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	1	2	2	3	1	2	5	1	-	-	1	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	343	3	1	-	1	2	2	-	17	41	67	37	51	43	35	16	7	4	6	5	2	2	1	-	-	-
	White-----M--	71	-	-	-	-	2	1	-	3	6	12	2	9	9	11	4	2	2	3	2	2	-	1	-	-	-
	F--	30	1	1	-	1	-	-	-	2	2	4	4	6	3	2	-	1	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	176	-	-	-	-	-	1	-	7	24	30	19	31	26	18	10	4	-	3	2	-	1	-	-	-	-
	F--	66	2	-	-	-	-	-	-	5	9	21	12	5	5	4	2	-	-	-	-	-	1	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA																										
	ALL CAUSES--------	30,697	3,177	248	146	107	93	249	194	366	533	612	828	990	1,448	1,659	2,293	2,454	2,808	3,048	2,954	2,845	2,011	983	464	107	80
	White-----M--	10,892	917	75	36	33	22	80	77	116	169	203	236	281	433	563	717	870	1,121	1,218	1,249	1,224	788	310	126	20	8
	F--	7,503	663	35	27	25	27	65	39	48	81	78	117	151	229	260	320	409	595	775	950	1,078	816	436	225	44	10
	Nonwhite--M--	6,687	847	85	50	31	21	61	48	124	159	176	253	291	423	430	713	659	603	563	397	311	232	110	52	23	25
	F--	5,615	750	53	33	18	23	43	30	78	124	155	222	267	363	406	543	516	489	492	358	232	175	127	61	20	37
001-019	Tuberculosis, all forms--------	464	5	2	4	1	-	1	3	12	28	27	35	43	59	39	45	43	35	37	23	11	8	2	1	-	-
	White-----M--	134	-	-	1	-	-	1	-	-	3	2	2	9	10	12	18	23	13	17	13	4	5	1	-	-	-
	F--	64	1	1	-	-	-	-	-	-	-	3	3	7	9	1	3	2	8	8	8	5	3	1	1	-	-
	Nonwhite--M--	157	1	-	1	1	-	-	2	4	6	6	18	16	31	21	15	14	12	6	1	2	-	-	-	-	-
	F--	109	3	1	2	-	-	-	1	8	19	16	12	11	9	5	9	4	2	6	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	420	4	1	1	1	-	-	3	12	24	25	26	39	55	35	43	42	30	34	23	11	8	2	1	-	-
	White-----M--	127	-	-	-	-	-	-	-	-	3	2	2	8	10	12	17	23	12	15	13	4	5	1	-	-	-
	F--	62	1	1	-	-	-	-	-	-	-	3	2	7	9	1	3	2	7	8	8	5	3	1	1	-	-
	Nonwhite--M--	137	1	-	-	1	-	-	2	4	5	5	13	13	28	18	15	14	9	6	1	2	-	-	-	-	-
	F--	94	2	-	1	-	-	-	1	8	16	15	9	11	8	4	8	3	2	5	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	44	1	1	3	-	-	1	-	-	4	2	9	4	4	4	2	1	5	3	-	-	-	-	-	-	-
	White-----M--	7	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	20	-	-	1	-	-	-	-	-	1	1	5	3	3	3	-	-	3	-	-	-	-	-	-	-	-
	F--	15	1	1	1	-	-	-	-	-	3	1	3	-	1	1	1	1	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	143	4	-	-	-	-	1	-	1	-	3	3	6	11	21	32	19	16	14	5	3	3	1	-	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	1	-	1	1	2	9	5	7	5	-	2	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	1	-	1	-	-	-
	Nonwhite--M--	63	1	-	-	-	-	-	-	-	-	-	1	3	7	13	14	9	6	4	3	-	2	-	-	-	-
	F--	38	3	-	-	-	-	1	-	1	-	2	2	2	3	5	8	3	3	3	2	-	-	-	-	-	-
040	Typhoid fever-----	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	45	24	2	1	1	-	1	-	-	-	-	-	1	2	3	-	1	2	1	-	3	2	-	1	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	2	1	-	3	1	-	1	-	-
	Nonwhite--M--	17	11	1	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
	F--	13	11	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	19	5	2	1	2	1	4	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	White-----M--	5	-	-	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	Nonwhite--M--	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	16	-	4	3	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	23	16	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections----------	51	14	5	8	1	2	8	6	2	-	-	1	1	-	1	-	-	1	-	-	-	-	1	-	-	-
	White-----M--	19	5	2	3	-	-	4	2	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	14	5	2	3	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	2	-	1	1	-	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F--	8	2	1	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	27	2	4	3	2	-	6	4	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	-	1	-	2	-	3	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	1	1	1	-	-	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	1	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	22	6	2	3	1	1	2	1	2	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	White-----M--	5	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	7	2	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	154	39	7	7	4	5	7	9	4	3	5	5	6	3	5	10	7	8	5	3	4	4	2	2	-	-
	White-----M--	45	13	1	1	1	1	2	1	-	1	1	2	2	2	-	2	3	2	3	1	3	-	2	1	-	-
	F--	42	7	1	1	1	3	4	4	-	-	2	-	1	-	3	2	1	4	1	2	1	3	-	1	-	-
	Nonwhite--M--	41	15	3	2	2	-	1	2	2	1	1	1	2	-	1	3	2	1	1	-	-	1	-	-	-	-
	F--	26	4	2	3	-	1	-	2	2	1	1	2	1	1	1	3	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
140-205	Malignant neoplasms, etc.*----	3,442	6	3	8	9	5	29	12	15	32	53	77	95	199	282	348	364	428	441	415	329	187	77	21	6	1
	White-----M--	1,214	1	1	4	4	1	12	5	10	11	15	22	17	39	81	87	120	177	179	161	146	86	29	6	-	-
	F--	1,258	1	-	3	3	3	10	3	3	5	18	26	36	68	108	120	112	138	156	174	138	77	39	12	4	1
	Nonwhite--M--	427	2	1	-	1	1	3	2	2	10	8	8	6	31	26	69	55	61	51	45	23	15	5	-	2	-
	F--	543	2	1	1	1	-	4	2	-	6	12	21	36	61	67	72	77	52	55	35	22	9	4	3	-	-
140-148	Of buccal cavity and pharynx------	80	-	-	-	-	-	-	-	-	2	-	2	1	3	9	9	10	9	15	9	7	3	1	-	-	-
	White-----M--	40	-	-	-	-	-	-	-	-	1	-	1	1	-	4	6	6	3	8	7	3	-	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	4	2	2	4	3	1	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	2	3	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,083	1	-	-	-	-	-	-	2	4	6	17	15	32	59	103	120	159	162	151	121	80	41	9	1	-
	White-----M--	395	-	-	-	-	-	-	-	2	-	-	5	5	4	21	22	47	65	73	57	44	34	14	2	-	-
	F--	355	-	-	-	-	-	-	-	-	-	2	4	3	8	15	24	24	45	43	65	56	38	24	4	-	-
	Nonwhite--M--	184	1	-	-	-	-	-	-	-	2	2	2	3	13	11	32	26	32	24	17	10	6	2	-	1	-
	F--	149	-	-	-	-	-	-	-	-	2	2	6	4	7	12	25	23	17	22	12	11	2	1	3	-	-
160-164	Of respiratory system----------	325	-	-	-	-	-	1	-	-	2	3	3	4	22	30	44	46	52	41	40	28	6	3	-	-	-
	White-----M--	207	-	-	-	-	-	-	-	-	-	2	1	3	10	19	26	30	44	32	21	15	3	1	-	-	-
	F--	51	-	-	-	-	-	-	-	-	-	-	2	-	3	4	4	5	4	4	13	9	2	1	-	-	-
	Nonwhite--M--	55	-	-	-	-	-	1	-	-	2	1	-	1	8	5	13	9	3	3	5	4	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	2	1	-	1	1	-	-	-
170	Of breast---------	271	-	-	-	-	-	-	-	-	1	4	6	16	35	36	29	23	28	29	27	23	10	1	3	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	190	-	-	-	-	-	-	-	-	-	2	5	8	23	21	20	14	19	23	23	19	9	1	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	78	-	-	-	-	-	-	-	-	1	2	1	8	12	15	8	9	9	6	3	3	1	-	-	-	-
171-179	Of genital organs-	757	-	-	-	1	-	-	-	-	2	12	16	31	56	68	81	89	77	101	87	71	46	15	2	1	1
	White-----M--	162	-	-	-	-	-	-	-	-	-	3	-	2	1	2	5	5	16	24	24	42	29	7	2	-	-
	F--	320	-	-	-	1	-	-	-	-	1	7	5	13	23	40	41	42	32	46	36	18	9	5	-	-	1
	Nonwhite--M--	79	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	11	13	13	15	7	6	2	-	1	-
	F--	196	-	-	-	-	-	-	-	-	1	2	11	16	30	23	29	31	16	18	12	4	2	1	-	-	-
180, 181	Of urinary organs-	147	-	2	-	1	1	1	-	-	2	1	1	-	5	10	10	11	23	20	24	18	14	2	-	1	-
	White-----M--	61	-	1	-	-	1	-	-	-	1	-	-	-	3	6	2	4	12	8	8	7	6	2	-	-	-
	F--	48	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	2	5	9	12	10	4	-	-	1	-
	Nonwhite--M--	20	-	1	-	-	-	-	-	-	1	1	-	-	1	2	2	1	4	-	3	1	3	-	-	-	-
	F--	18	-	-	-	1	-	1	-	-	-	-	-	-	1	2	2	4	2	3	1	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	495	2	-	2	2	-	18	5	8	9	13	19	20	29	48	51	42	47	49	51	39	21	12	5	3	-
	White-----M--	205	1	-	-	-	-	8	2	3	3	5	9	3	12	18	18	14	26	20	27	22	9	4	1	-	-
	F--	188	-	-	1	1	-	6	2	3	4	3	6	12	6	20	18	17	14	21	17	13	11	6	4	3	-
	Nonwhite--M--	51	-	-	-	1	-	2	-	2	2	2	3	2	5	2	10	5	3	6	4	1	-	1	-	-	-
	F--	51	1	-	1	-	-	2	1	-	-	3	1	3	6	8	5	6	4	2	3	3	1	1	-	-	-
204	Leukemia and aleukemia----------	150	3	1	5	4	4	4	5	3	6	8	4	2	8	12	10	13	16	12	9	12	5	2	2	-	-
	White-----M--	76	-	-	4	3	-	1	3	3	3	3	2	-	4	7	5	8	3	9	7	5	4	1	1	-	-
	F--	49	1	-	1	1	3	2	1	-	-	3	1	-	3	2	4	3	10	3	2	6	1	1	1	-	-
	Nonwhite--M--	9	1	-	-	-	1	-	1	-	2	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-
	F--	16	1	1	-	-	-	1	-	-	1	2	1	2	1	3	-	1	1	-	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	134	-	-	1	1	-	5	2	2	4	6	9	6	9	10	11	10	17	12	17	10	2	-	-	-	-
	White-----M--	66	-	-	-	1	-	3	-	2	3	2	4	3	5	4	3	6	8	5	9	7	1	-	-	-	-
	F--	34	-	-	1	-	-	2	-	-	-	1	2	-	2	3	4	2	5	5	4	3	-	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	1	-	-	2	2	-	1	2	3	1	2	2	1	-	-	-	-	-	-
	F--	17	-	-	-	-	-	-	1	-	1	1	1	3	1	1	1	1	2	-	3	-	1	-	-	-	-
210-239	Benign and unspecified neoplasms--	111	-	-	1	1	-	2	1	3	6	5	10	11	20	10	8	14	3	6	4	2	3	-	1	-	-
	White-----M--	19	-	-	-	-	-	1	1	-	1	2	1	2	2	1	1	3	-	1	1	1	-	-	1	-	-
	F--	37	-	-	1	1	-	1	-	-	4	2	1	1	8	2	2	4	3	3	1	-	3	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	2	-	1	-	1	2	2	-	1	-	1	1	-	-	-	-	-	-
	F--	44	-	-	-	-	-	-	-	1	1	-	8	7	8	5	5	6	-	1	1	1	-	-	-	-	-
260	Diabetes mellitus-	424	1	1	-	-	-	3	-	5	12	7	11	8	15	26	44	42	53	63	48	45	23	9	6	1	1
	White-----M--	143	1	-	-	-	-	-	-	-	3	2	2	3	7	8	12	10	16	22	19	22	10	4	2	-	-
	F--	121	-	-	-	-	-	-	-	1	3	-	2	-	1	4	4	12	13	24	23	17	10	4	3	-	-
	Nonwhite--M--	55	-	1	-	-	-	1	-	4	4	2	3	-	-	2	11	5	7	7	1	3	2	-	1	-	1
	F--	105	-	-	-	-	-	2	-	-	2	3	4	5	7	12	17	15	17	10	5	3	1	1	-	1	-
290-293	Anemias----------	88	9	2	-	2	3	2	2	2	3	2	-	2	1	7	6	2	7	10	7	10	6	3	-	-	-
	White-----M--	24	2	1	-	1	1	-	-	-	-	-	-	-	-	1	1	1	2	2	2	7	2	1	-	-	-
	F--	27	1	-	-	-	2	1	-	1	-	1	-	1	-	2	1	1	3	3	3	3	3	1	-	-	-
	Nonwhite--M--	19	2	1	-	-	-	1	1	-	1	-	-	-	1	3	3	-	2	3	-	-	1	-	-	-	-
	F--	18	4	-	-	1	-	-	1	1	2	1	-	1	-	1	1	-	-	2	2	-	-	1	-	-	-
340	Nonmeningococcal meningitis*-------	54	16	3	2	2	1	3	3	1	1	2	3	2	5	-	4	2	-	2	2	-	-	-	-	-	-
	White-----M--	16	4	-	-	1	1	3	-	-	-	1	-	-	1	-	2	1	-	1	1	-	-	-	-	-	-
	F--	7	4	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	17	3	1	2	-	-	-	2	-	-	1	2	1	3	-	2	-	-	-	-	-	-	-	-	-	-
	F--	14	5	2	-	-	-	-	-	1	1	-	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	15,542	19	8	3	5	6	21	25	33	55	99	221	346	625	864	1,311	1,515	1,812	2,011	1,989	2,016	1,422	701	319	67	49
	White-----M--	5,709	7	2	1	2	1	6	7	5	8	25	46	86	183	298	388	526	700	810	856	865	559	220	88	14	6
	F--	3,873	2	3	2	2	2	3	4	7	12	12	30	43	64	87	124	205	353	461	618	770	571	310	156	25	7
	Nonwhite--M--	3,178	4	3	-	-	2	9	5	11	12	26	67	103	191	244	442	454	413	391	273	213	172	77	36	15	15
	F--	2,782	6	-	-	1	1	3	9	10	23	36	78	114	187	235	357	330	346	349	242	168	120	94	39	13	21
330-334, 400-468	Diseases of cardiovascular system-	14,844	17	5	2	5	3	13	23	26	43	88	206	314	593	829	1,261	1,465	1,749	1,939	1,911	1,941	1,346	657	300	62	46
	White-----M--	5,507	6	2	1	2	1	3	6	4	5	20	44	78	180	289	375	518	682	786	825	833	533	211	85	14	4
	F--	3,726	1	2	1	2	-	2	4	6	8	11	26	35	60	85	121	201	346	446	602	748	554	289	145	24	7
	Nonwhite--M--	2,987	4	1	-	-	1	5	5	8	10	24	65	96	183	230	424	432	390	374	254	199	150	70	35	12	15
	F--	2,624	6	-	-	1	1	3	8	8	20	33	71	105	170	225	341	314	331	333	230	161	109	87	35	12	20
330-334	Vascular lesions, etc.*----------	4,502	4	-	1	2	-	2	1	4	7	18	53	90	168	283	388	472	513	591	564	619	419	209	67	16	11
	White-----M--	1,351	1	-	1	1	-	-	1	1	1	3	11	13	32	63	65	128	145	195	205	244	164	53	16	7	1
	F--	1,202	1	-	-	-	-	-	-	1	1	2	9	13	22	38	49	70	117	141	193	257	164	86	32	3	3
	Nonwhite--M--	985	1	-	-	-	-	-	-	2	2	4	16	31	53	104	144	149	128	116	87	58	50	29	7	2	2
	F--	964	1	-	-	1	-	2	-	-	3	9	17	33	61	78	130	125	123	139	79	60	41	41	12	4	5
400-402	Rheumatic fever---	45	1	1	-	-	1	8	12	3	2	5	1	3	1	3	-	1	-	-	2	1	-	-	-	-	-
	White-----M--	13	-	1	-	-	-	2	2	1	-	2	-	1	-	2	-	-	-	-	2	-	-	-	-	-	-
	F--	9	-	-	-	-	-	2	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	3	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	16	1	-	-	-	1	1	6	-	1	2	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
410-443	Diseases of heart-	9,218	11	4	1	3	1	3	9	17	28	55	133	199	383	501	799	904	1,123	1,236	1,212	1,163	804	375	187	38	29
	White-----M--	3,763	4	1	-	1	1	1	3	2	3	13	32	62	140	206	295	370	492	556	551	515	318	133	57	6	1
	F--	2,239	-	2	1	2	-	-	2	4	6	6	14	19	32	43	66	114	216	274	379	442	337	169	90	17	4
	Nonwhite--M--	1,766	3	1	-	-	-	2	3	5	6	15	44	54	115	115	250	257	228	236	148	118	87	36	22	9	12
	F--	1,450	4	-	-	-	-	-	1	6	13	21	43	64	96	137	188	163	187	170	134	88	62	37	18	6	12
410-416	Chronic rheumatic heart disease----	259	1	1	-	1	-	-	2	4	9	10	15	25	12	22	30	30	25	18	11	23	11	7	1	1	-
	White-----M--	85	-	-	-	1	-	-	-	2	-	3	5	10	5	7	9	11	9	5	2	9	3	3	1	-	-
	F--	54	-	-	-	-	-	-	1	-	4	2	3	5	-	3	6	7	6	3	2	5	6	1	-	-	-
	Nonwhite--M--	64	1	1	-	-	-	-	1	1	-	2	4	5	5	5	10	5	6	3	6	4	2	2	-	1	-
	F--	56	-	-	-	-	-	-	-	1	5	3	3	5	2	7	5	7	4	7	1	5	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,556	1	-	1	-	-	-	1	-	3	15	50	82	184	269	404	464	607	666	645	552	372	142	62	11	5
	White-----M--	2,402	1	-	-	-	-	-	-	-	1	5	21	39	108	147	221	266	360	371	338	267	168	64	22	3	-
	F--	1,162	-	-	1	-	-	-	-	-	1	1	2	9	11	24	39	65	126	171	220	231	160	64	30	5	2
	Nonwhite--M--	569	-	-	-	-	-	-	1	-	-	4	16	16	38	54	81	101	63	78	48	30	22	8	7	1	1
	F--	423	-	-	-	-	-	-	-	-	1	5	11	18	27	44	63	52	58	46	39	24	22	6	3	2	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,258	1	2	-	1	-	2	2	7	1	5	18	15	33	35	77	95	124	144	173	203	166	83	54	7	10
	White-----M--	381	1	1	-	-	-	1	1	-	-	2	2	4	2	7	9	14	27	56	67	89	59	23	14	2	-
	F--	304	-	1	-	1	-	-	1	3	-	1	3	-	2	4	3	11	17	12	49	60	63	43	27	3	-
	Nonwhite--M--	336	-	-	-	-	-	1	-	1	-	1	8	3	20	10	39	38	53	43	32	35	29	11	5	2	5
	F--	237	-	-	-	-	-	-	-	3	1	1	5	8	9	14	26	32	27	33	25	19	15	6	8	-	5
430-434	Other diseases of heart---------	840	8	1	-	1	1	1	3	6	12	13	28	29	57	52	100	85	97	89	79	78	56	26	11	3	4
	White-----M--	261	2	-	-	-	1	-	2	-	2	2	4	4	15	19	25	27	36	31	29	31	20	8	3	-	-
	F--	154	-	1	-	1	-	-	-	1	1	2	3	2	6	2	7	4	16	16	23	31	19	12	6	-	1
	Nonwhite--M--	239	2	-	-	-	-	1	-	3	5	4	9	11	19	11	45	38	26	25	17	10	9	1	1	1	1
	F--	186	4	-	-	-	-	-	1	2	4	5	12	12	17	20	23	16	19	17	10	6	8	5	1	2	2
440-443	Hypertension with heart dis.---	2,305	-	-	-	-	-	-	1	-	3	12	22	48	97	123	186	210	270	319	304	307	199	117	59	16	10
	White-----M--	634	-	-	-	-	-	-	-	-	-	1	-	5	10	26	31	52	60	93	115	119	68	35	17	1	1
	F--	565	-	-	-	-	-	-	-	-	-	-	3	3	13	10	11	27	51	72	85	115	89	49	27	9	1
	Nonwhite--M--	558	-	-	-	-	-	-	1	-	1	4	7	19	33	35	75	75	80	87	45	39	25	14	9	4	5
	F--	548	-	-	-	-	-	-	-	-	2	7	12	21	41	52	71	56	79	67	59	34	17	19	6	2	3
444-447	Hypertension without mention of heart----------	455	-	-	-	-	-	-	-	-	3	6	8	15	30	26	45	39	52	44	50	63	38	21	14	1	-
	White-----M--	138	-	-	-	-	-	-	-	-	-	2	-	2	5	13	7	9	18	8	23	27	17	5	2	-	-
	F--	103	-	-	-	-	-	-	-	-	-	1	-	-	6	3	3	8	5	12	13	20	12	12	8	-	-
	Nonwhite--M--	113	-	-	-	-	-	-	-	-	-	3	2	8	10	5	19	10	15	14	6	12	5	2	2	-	-
	F--	101	-	-	-	-	-	-	-	-	3	-	6	5	9	5	16	12	14	10	8	4	4	2	2	1	-
450	General arteriosclerosis--------	457	-	-	-	-	-	-	-	-	2	1	1	-	2	5	14	30	38	47	75	76	74	47	32	7	6
	White-----M--	172	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	4	16	18	39	35	27	17	10	1	2
	F--	140	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	4	15	16	23	38	20	15	4	-
	Nonwhite--M--	76	-	-	-	-	-	-	-	-	1	-	-	-	-	2	6	10	14	6	11	10	7	3	4	1	1
	F--	69	-	-	-	-	-	-	-	-	-	-	1	-	2	2	6	13	4	8	9	8	2	7	3	1	3
451-468	Other diseases of circulatory sys.-	167	1	-	-	-	1	-	1	2	1	3	10	7	9	11	15	19	23	21	8	19	11	5	-	-	-
	White-----M--	70	1	-	-	-	-	-	-	-	-	-	1	-	3	4	7	7	11	9	5	12	7	3	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	2	2	-	1	2	6	4	4	1	6	3	2	-	-	-
	Nonwhite--M--	40	-	-	-	-	1	-	-	-	1	2	3	3	5	3	5	6	5	2	2	1	1	-	-	-	-
	F--	24	-	-	-	-	-	-	1	2	-	1	4	2	1	3	1	-	3	6	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	698	2	3	1	-	3	8	2	7	12	11	15	32	32	35	50	50	63	72	78	75	76	44	19	5	3
	White-----M--	202	1	-	-	-	-	3	1	1	3	5	2	8	3	9	13	8	18	24	31	32	26	9	3	-	2
	F--	147	1	1	1	-	2	1	-	1	4	1	4	8	4	2	3	4	7	15	16	22	17	21	11	1	-
	Nonwhite--M--	191	-	2	-	-	1	4	-	3	2	2	2	7	8	14	18	22	23	17	19	14	22	7	1	3	-
	F--	158	-	-	-	-	-	-	1	2	3	3	7	9	17	10	16	16	15	16	12	7	11	7	4	1	1
480-493	Influenza and pneumonia, etc.*-	1,275	347	58	21	10	13	28	10	12	21	13	24	41	48	41	58	63	66	66	78	88	80	44	35	7	3
	White-----M--	282	47	12	2	4	1	6	1	2	5	1	5	5	6	7	7	10	22	15	31	32	28	22	9	2	-
	F--	263	43	7	3	-	2	7	4	-	1	1	2	2	7	6	8	11	8	20	23	34	36	17	18	3	-
	Nonwhite--M--	408	145	24	11	4	7	10	1	3	10	4	9	16	23	13	30	16	23	19	9	13	7	2	4	1	2
	F--	322	112	15	5	2	3	5	4	7	5	7	8	18	12	15	13	24	13	12	15	9	9	3	4	1	1
480-483	Influenza---------	213	52	10	2	-	2	3	2	3	3	1	5	4	6	8	13	13	9	11	14	18	18	5	8	2	1
	White-----M--	42	6	4	-	-	-	1	-	-	-	-	-	1	1	1	1	2	4	2	3	5	7	1	3	-	-
	F--	36	3	2	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	4	3	4	6	3	4	1	-
	Nonwhite--M--	62	20	3	1	-	2	1	-	1	2	-	1	-	2	2	7	3	3	3	1	6	4	-	-	-	-
	F--	73	23	1	1	-	-	1	2	2	1	1	4	3	3	4	3	6	1	2	7	3	1	1	1	1	1
490-493	Pneumonia, etc.*--	1,062	295	48	19	10	11	25	8	9	18	12	19	37	42	33	45	50	57	55	64	70	62	39	27	5	2
	White-----M--	240	41	8	2	4	1	5	1	2	5	1	5	4	5	6	6	8	18	13	28	27	21	21	6	2	-
	F--	227	40	5	3	-	2	7	4	-	1	1	2	2	7	5	6	9	7	16	20	30	30	14	14	2	-
	Nonwhite--M--	346	125	21	10	4	5	9	1	2	8	4	8	16	21	11	23	15	20	16	8	7	3	2	4	1	2
	F--	249	89	14	4	2	3	4	2	5	4	6	4	15	9	11	10	16	12	10	8	6	8	2	3	-	-
500-502	Bronchitis--------	53	15	2	-	2	3	1	1	-	-	-	3	1	1	3	1	2	1	4	3	4	5	-	1	-	-
	White-----M--	22	3	1	-	1	-	-	-	-	-	-	1	-	-	2	1	2	1	3	1	3	3	-	-	-	-
	F--	9	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-
	Nonwhite--M--	10	4	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	12	6	1	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	139	-	-	-	-	-	-	-	2	1	3	5	8	12	10	17	15	16	20	10	9	4	5	1	1	-
	White-----M--	89	-	-	-	-	-	-	-	-	-	2	3	6	6	6	10	11	13	14	9	5	1	3	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	1	2	1	1	1	1	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	2	1	-	1	2	5	3	6	2	1	2	-	1	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	1	-	1	1	1	-	-	-
550-553	Appendicitis------	73	-	-	1	-	-	4	3	3	4	3	5	6	9	5	8	6	7	1	1	5	1	1	-	-	-
	White-----M--	29	-	-	-	-	-	1	1	-	-	1	3	1	5	2	5	3	3	-	-	3	1	-	-	-	-
	F--	11	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	1	2	1	1	1	-	1	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	2	1	2	1	-	1	4	-	2	1	1	1	-	-	1	-	-	-	-	-
	F--	16	-	-	-	-	-	1	1	1	3	1	1	-	3	1	2	1	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	168	21	-	1	1	-	2	1	-	3	4	3	13	11	7	16	12	13	20	12	10	13	4	1	-	-
	White-----M--	48	8	-	-	1	-	1	1	-	1	1	1	2	1	1	3	4	2	6	6	1	5	3	-	-	-
	F--	41	4	-	-	-	-	1	-	-	1	2	1	2	2	1	2	3	4	4	2	5	5	1	1	-	-
	Nonwhite--M--	39	5	-	1	-	-	-	-	-	1	1	1	4	5	2	5	3	2	4	1	2	2	-	-	-	-
	F--	40	4	-	-	-	-	-	-	-	-	-	-	5	3	3	6	2	5	6	3	2	1	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
543, 571, 572	Gastritis, etc.*--	274	170	24	8	6	-	3	-	-	2	2	1	1	5	4	7	6	4	8	6	4	8	2	2	-	1
	White-----M--	53	25	9	3	-	-	1	-	-	1	-	-	-	-	1	-	3	1	4	2	1	2	-	-	-	-
	F--	41	15	1	1	2	-	1	-	-	-	-	-	-	1	1	2	1	1	3	2	3	3	2	2	-	-
	Nonwhite--M--	91	73	5	3	2	-	-	-	-	1	1	-	-	1	1	4	-	-	-	-	-	-	-	-	-	-
	F--	89	57	9	1	2	-	1	-	-	-	1	1	1	3	1	1	2	2	1	2	-	3	-	-	-	1
581	Cirrhosis of liver	188	-	1	-	-	-	1	-	-	2	4	10	6	12	22	25	26	17	15	24	13	6	2	1	1	-
	White-----M--	100	-	1	-	-	-	-	-	-	-	1	5	3	6	10	15	17	11	6	15	5	3	2	-	-	-
	F--	48	-	-	-	-	-	1	-	-	-	2	3	1	3	3	4	5	2	7	6	7	3	-	-	1	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	1	-	1	2	4	5	3	4	2	1	1	-	-	1	-	-
	F--	15	-	-	-	-	-	-	-	-	2	-	2	1	1	5	1	1	-	-	2	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	141	1	3	-	-	2	5	2	2	7	2	6	6	9	11	13	10	18	12	10	9	7	2	2	2	-
	White-----M--	32	-	1	-	-	-	1	1	-	2	-	1	1	1	1	3	3	2	3	2	5	5	-	-	-	-
	F--	19	1	-	-	-	-	1	-	-	-	-	-	2	-	3	1	-	1	2	2	1	2	1	1	1	-
	Nonwhite--M--	38	-	2	-	-	-	2	1	-	2	1	2	1	1	2	3	3	9	3	3	2	-	1	-	-	-
	F--	52	-	-	-	-	2	1	-	2	3	1	3	2	7	5	6	4	6	4	3	1	-	-	1	1	-
610	Hyperplasia of prostate---------	124	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	8	12	21	17	20	25	8	8	-	-
	White-----M--	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	10	8	15	20	6	7	-	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	6	11	9	5	5	2	1	-	-
640-689	Complications of pregnancy, etc.*-	123	...	...	...	...	...	...	1	15	21	23	33	21	9	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	35	...	...	...	...	...	...	-	3	7	5	8	9	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	88	...	...	...	...	...	...	1	12	14	18	25	12	6	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	10	...	...	...	...	...	...	-	1	1	1	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	...	...	...	...	...	...	-	1	1	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	113	...	...	...	...	...	...	1	14	20	22	29	19	8	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	33	...	...	...	...	...	...	-	3	7	5	8	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	80	...	...	...	...	...	...	1	11	13	17	21	11	6	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	399	314	24	7	6	3	8	3	5	4	3	3	4	6	2	1	1	1	2	1	1	-	-	-	-	-
	White-----M--	161	132	11	-	1	-	2	2	1	-	1	-	1	4	2	-	1	1	1	-	1	-	-	-	-	-
	F--	136	113	5	1	1	2	2	1	1	2	-	1	3	2	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	60	40	4	5	2	1	3	-	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	42	29	4	1	2	-	1	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,721	1,721	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	582	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	388	388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	396	396	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	355	355	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	628	628	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	279	279	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	940	940	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	264	264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	214	214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	240	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	728	172	6	9	6	5	7	4	6	8	4	19	19	22	23	36	42	33	50	61	43	60	47	23	9	14
	White-----M--	159	30	2	2	-	1	1	1	2	4	1	5	5	4	10	10	7	14	14	14	9	12	5	4	1	1
	F--	100	20	2	-	-	-	1	1	2	-	-	2	1	-	-	-	3	2	2	12	10	17	15	6	3	1
	Nonwhite--M--	247	61	2	2	2	1	4	1	-	1	2	5	6	14	9	14	19	8	23	18	16	14	13	7	2	3
	F--	222	61	-	5	4	3	1	1	2	3	1	7	7	4	4	12	13	9	11	17	8	17	14	6	3	9
Residual	All other diseases	1,582	97	31	17	8	10	23	17	20	41	61	66	76	111	99	120	120	147	133	134	114	70	35	20	6	6
	White-----M--	533	24	10	3	1	2	6	6	7	8	17	20	20	35	32	39	49	64	49	58	48	18	9	5	2	1
	F--	443	30	7	3	3	2	7	4	4	15	8	10	14	24	14	32	26	36	49	42	43	39	18	10	2	1
	Nonwhite--M--	320	16	8	7	4	5	3	4	5	10	15	14	20	25	26	28	29	29	18	20	18	7	4	1	2	2
	F--	286	27	6	4	-	1	7	3	4	8	21	22	22	27	27	21	16	18	17	14	5	6	4	4	-	2
E800-E962	Accidents---------	2,298	151	48	36	33	28	76	80	174	192	173	168	159	161	121	117	96	83	91	86	93	69	34	19	6	4
	White-----M--	1,048	31	16	13	9	11	28	42	78	106	104	87	80	83	57	67	44	44	42	37	39	23	3	3	1	-
	F--	393	21	4	5	9	5	17	12	25	21	11	17	18	25	15	10	17	11	20	25	32	37	22	11	3	-
	Nonwhite--M--	590	49	20	11	11	3	19	21	61	51	44	52	51	42	37	33	22	14	16	12	11	2	5	1	1	1
	F--	267	50	8	7	4	9	12	5	10	14	14	12	10	11	12	7	13	14	13	12	11	7	4	4	1	3
E810-E835	Motor-vehicle accidents--------	967	9	13	13	12	8	29	29	98	119	102	94	87	70	51	59	45	33	37	31	21	4	3	-	-	-
	White-----M--	528	2	7	5	3	5	12	12	46	72	66	49	48	38	23	40	19	21	23	18	16	2	1	-	-	-
	F--	162	4	2	3	4	1	9	8	20	16	7	12	9	14	8	8	12	7	8	5	3	1	1	-	-	-
	Nonwhite--M--	211	1	2	5	5	1	6	9	25	24	22	29	25	13	13	10	7	3	3	6	2	-	-	-	-	-
	F--	66	2	2	-	-	1	2	-	7	7	7	4	5	5	7	1	7	2	3	2	-	1	1	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,331	142	35	23	21	20	47	51	76	73	71	74	72	91	70	58	51	50	54	55	72	65	31	19	6	4
	White-----M--	520	29	9	8	6	6	16	30	32	34	38	38	32	45	34	27	25	23	19	19	23	21	2	3	1	-
	F--	231	17	2	2	5	4	8	4	5	5	4	5	9	11	7	2	5	4	12	20	29	36	21	11	3	-
	Nonwhite--M--	379	48	18	6	6	2	13	12	36	27	22	23	26	29	24	23	15	11	13	6	9	2	5	1	1	1
	F--	201	48	6	7	4	8	10	5	3	7	7	8	5	6	5	6	6	12	10	10	11	6	3	4	1	3
E963, E970-E979	Suicide----------	267	-	-	-	-	-	-	-	9	16	24	30	30	31	31	30	17	19	9	10	7	2	2	-	-	-
	White-----M--	204	-	-	-	-	-	-	-	5	9	15	20	25	24	24	26	16	17	8	7	6	2	-	-	-	-
	F--	44	-	-	-	-	-	-	-	1	5	5	7	4	6	6	2	-	2	1	3	1	-	1	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	2	3	3	1	1	1	2	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
E964, E980-E985	Homicide----------	511	2	2	-	-	1	-	4	36	67	86	83	78	60	22	32	20	6	5	2	2	2	-	-	-	1
	White-----M--	81	-	1	-		-	-	3	3	5	8	10	11	12	5	9	6	2	2	2	1	1	-	-	-	-
	F--	24	-	-	-	-	-	-	1	-	4	3	2	5	4	1	2	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	328	-	-	-	-	-	-	-	24	44	59	62	52	36	14	20	11	4	1	-	-	-	-	-	-	1
	F--	78	2	1	-	-	1	-	-	9	14	16	9	10	8	2	1	3	-	-	-	1	1	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO																										
	ALL CAUSES--------	4,876	422	31	14	19	21	45	58	54	66	65	98	92	124	173	223	289	402	536	593	619	502	282	106	30	12
	White-----M--	2,990	245	13	6	11	11	33	36	40	42	36	64	54	78	118	139	188	274	353	372	367	276	156	50	20	8
	F--	1,784	163	16	7	7	8	12	19	12	20	23	26	36	44	49	80	97	124	179	209	245	221	123	50	10	4
	Nonwhite--M--	70	8	1	-	1	2	-	3	1	2	5	5	1	2	4	4	4	4	3	8	3	4	2	3	-	-
	F--	32	6	1	1	-	-	-	-	1	2	1	3	1	-	2	-	-	-	1	4	4	1	1	3	-	-
001-019	Tuberculosis, all forms--------	43	1	-	-	1	-	-	1	2	-	1	3	2	5	-	1	8	4	6	3	1	2	2	-	-	-
	White-----M--	32	-	-	-	1	-	-	-	-	-	1	1	2	5	-	1	8	3	5	2	-	1	2	-	-	-
	F--	6	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	39	1	-	-	-	-	-	1	1	-	1	3	2	3	-	1	8	4	6	3	1	2	2	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	1	1	2	3	-	1	8	3	5	2	-	1	2	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	4	-	-	-	1	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	1	-	1	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	22	3	-	2	1	-	3	5	1	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	2	-	-	1	-	3	3	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	1	-	2	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	22	4	2	1	2	-	1	-	1	-	-	1	-	2	2	3	-	-	-	-	1	2	-	-	-	-
	White-----M--	11	4	-	-	-	-	1	-	1	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-
	F--	11	-	2	1	2	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
140-205	Malignant neoplasms, etc.*	649	2	3	-	3	3	5	6	3	5	3	18	20	22	26	57	56	63	98	87	78	54	22	12	3	-
	White----M	353	-	1	-	1	2	2	3	2	4	1	10	9	10	12	31	23	31	50	56	50	35	15	5	-	-
	F	287	2	2	-	2	1	3	3	1	1	2	7	11	12	14	26	32	31	45	29	27	19	7	7	3	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	12	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	2	1	1	1	-	1	1	-
	White----M	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	1	-	-	1	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	1	-	-	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	229	1	-	-	-	-	-	-	-	1	1	2	3	8	5	13	16	24	45	35	38	23	10	3	1	-
	White----M	132	-	-	-	-	-	-	-	-	1	-	1	2	4	4	11	8	11	21	26	22	14	6	1	-	-
	F	94	1	-	-	-	-	-	-	-	-	1	1	1	4	1	2	8	12	23	9	15	9	4	2	1	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system	46	-	-	-	-	-	-	-	-	-	-	1	2	1	2	10	4	5	12	4	3	2	-	-	-	-
	White----M	35	-	-	-	-	-	-	-	-	-	-	-	1	-	2	10	2	5	8	3	2	2	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	4	-	1	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	53	-	-	-	-	-	-	-	-	-	-	1	1	3	6	12	5	4	5	4	4	4	-	3	1	-
	White----M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-
	F	49	-	-	-	-	-	-	-	-	-	-	1	1	3	6	11	5	4	5	3	2	4	-	3	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	112	-	-	-	-	-	-	-	-	1	-	5	4	1	3	6	12	10	13	20	15	15	3	4	-	-
	White----M	58	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	7	14	13	12	3	3	-	-
	F	51	-	-	-	-	-	-	-	-	1	-	2	4	1	3	6	10	8	4	6	2	3	-	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
180, 181	Of urinary organs	32	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	6	5	6	4	-	3	-	-	-
	White----M	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	3	4	4	-	3	-	-	-
	F	10	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	2	2	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	84	-	2	-	1	-	-	1	3	1	1	4	5	4	5	9	10	6	7	6	8	6	4	1	-	-
	White----M	44	-	-	-	-	-	-	-	2	1	1	3	2	3	2	4	5	4	4	2	4	5	2	-	-	-
	F	40	-	2	-	1	-	-	1	1	-	-	1	3	1	3	5	5	2	3	4	4	1	2	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	51	-	1	-	2	3	4	5	-	2	-	2	1	3	2	1	2	3	5	11	2	2	-	-	-	-
	White----M	35	-	1	-	1	2	2	3	-	2	-	2	1	2	2	-	2	2	5	6	1	1	-	-	-	-
	F	15	-	-	-	1	1	2	2	-	-	-	-	-	1	-	1	-	1	-	4	1	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	30	-	-	-	-	-	1	-	-	-	-	3	2	1	1	3	4	5	4	-	3	1	2	-	-	-
	White----M	17	-	-	-	-	-	-	-	-	-	-	2	2	1	-	3	2	3	1	-	1	1	1	-	-	-
	F	13	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	2	2	3	-	2	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	15	1	-	-	-	-	1	-	-	-	1	1	2	2	-	3	2	-	1	-	-	1	-	-	-	-
	White----M	9	1	-	-	-	-	1	-	-	-	-	1	2	-	-	1	1	-	1	-	-	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	79	-	-	-	-	-	-	-	-	1	-	3	2	-	2	3	3	11	14	11	24	3	2	-	-	-
	White----M	41	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	-	9	7	3	11	3	2	-	-	-
	F	36	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	3	2	7	6	13	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
290-293	Anemias	12	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	7	2	-	-	-	-
	White----M	9	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	5	2	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,424	1	1	-	-	1	1	5	2	10	7	19	15	38	79	97	140	231	338	393	400	340	206	72	18	10
	White----M	1,476	1	-	-	-	1	-	2	-	2	4	13	8	23	55	62	98	163	233	237	230	179	110	37	12	6
	F	925	-	1	-	-	-	1	3	2	6	3	5	7	15	21	33	42	66	104	151	167	160	94	34	6	4
	Nonwhite--M	14	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	2	1	3	1	1	1	1	-	-
	F	9	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	2	2	-	1	-	-	-
330-334, 400-468	Diseases of cardiovascular system	2,351	1	1	-	-	1	-	5	2	9	6	15	14	35	76	93	137	227	328	376	393	333	201	71	17	10
	White----M	1,433	1	-	-	-	1	-	2	-	1	3	9	8	23	53	60	96	159	226	229	226	175	107	37	11	6
	F	896	-	1	-	-	-	-	3	2	6	3	5	6	12	20	31	41	66	101	143	164	157	92	33	6	4
	Nonwhite--M	14	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	2	1	3	1	1	1	1	-	-
	F	8	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	1	2	-	1	-	-	-
330-334	Vascular lesions, etc.*	558	1	-	-	-	1	-	2	-	-	2	2	5	2	11	16	30	39	67	85	120	101	53	16	3	2
	White----M	296	1	-	-	-	1	-	1	-	-	1	2	4	2	7	4	14	19	39	45	70	49	29	8	-	-
	F	260	-	-	-	-	-	-	1	-	-	1	-	1	-	4	12	16	20	28	40	49	52	24	7	3	2
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
400-402	Rheumatic fever	5	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
410-443	Diseases of heart	1,618	-	1	-	-	-	-	1	1	6	2	11	9	33	58	74	103	175	247	270	242	201	126	42	10	6
	White-----M--	1,046	-	-	-	-	-	-	-	-	1	1	7	4	21	43	54	79	133	179	171	140	109	68	23	8	5
	F--	554	-	1	-	-	-	-	1	1	3	1	3	5	12	13	18	24	40	67	96	100	91	56	19	2	1
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	2	1	2	1	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-
410-416	Chronic rheumatic heart disease----	101	-	-	-	-	-	-	-	1	2	1	4	4	9	11	13	8	8	7	18	7	6	1	-	1	-
	White-----M--	48	-	-	-	-	-	-	-	-	-	-	2	-	2	3	8	6	5	4	9	3	4	1	-	1	-
	F--	53	-	-	-	-	-	-	-	1	2	1	2	4	7	8	5	2	3	3	9	4	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	978	-	-	-	-	-	-	-	-	2	1	7	3	16	39	44	71	123	168	167	140	104	65	17	6	5
	White-----M--	702	-	-	-	-	-	-	-	-	-	1	5	3	13	35	38	57	101	131	117	92	59	33	9	4	4
	F--	266	-	-	-	-	-	-	-	-	1	-	1	-	3	4	4	14	20	36	49	48	44	31	8	2	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	1	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	232	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	7	14	25	37	48	47	30	15	2	1
	White-----M--	131	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	10	13	27	21	23	17	9	2	1
	F--	99	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	12	10	26	24	12	6	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart--------	90	-	1	-	-	-	-	1	-	2	-	-	1	5	3	8	6	8	8	12	10	10	9	5	1	-
	White-----M--	56	-	-	-	-	-	-	-	-	1	-	-	1	4	2	4	6	7	6	4	5	6	6	3	1	-
	F--	31	-	1	-	-	-	-	1	-	-	-	-	-	1	-	4	-	1	2	8	4	4	3	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
440-443	Hypertension with heart dis.--	217	-	-	-	-	-	-	-	-	-	-	-	1	2	2	7	11	22	39	36	37	34	21	5	-	-
	White-----M--	109	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	10	25	14	19	17	11	2	-	-
	F--	105	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	5	12	14	20	18	17	10	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	31	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	3	8	7	6	-	2	1	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	2	3	-	1	1	-
	F--	15	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	4	5	3	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	98	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	8	6	23	19	20	11	3	2
	White-----M--	54	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	4	13	12	9	5	2	1
	F--	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	10	7	11	6	1	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	41	-	-	-	-	-	-	-	-	1	2	2	-	-	5	2	3	7	3	7	1	6	2	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	3	2	5	1	2	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	1	1	2	-	-	2	1	1	4	1	2	-	4	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	73	-	-	-	-	-	1	-	-	1	1	4	1	3	3	4	3	4	10	17	7	7	5	1	1	-
	White-----M--	43	-	-	-	-	-	-	-	-	1	1	4	-	-	2	2	2	4	7	8	4	4	3	-	1	-
	F--	29	-	-	-	-	-	1	-	-	-	-	-	1	3	1	2	1	-	3	8	3	3	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	145	31	6	-	2	-	-	3	-	-	-	1	2	4	5	4	4	8	8	13	16	16	14	7	1	-
	White-----M--	87	16	4	-	1	-	-	1	-	-	-	-	-	3	4	3	3	8	6	10	11	6	8	3	-	-
	F--	49	10	2	-	1	-	-	1	-	-	-	1	2	1	1	1	1	-	2	3	5	9	5	3	1	-
	Nonwhite--M--	7	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza--------	12	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	4	3	-	-	-	-
	White-----M--	8	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	3	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	133	29	6	-	2	-	-	2	-	-	-	1	2	4	4	4	4	8	8	12	12	13	14	7	1	-
	White-----M--	79	15	4	-	1	-	-	-	-	-	-	-	-	3	3	3	3	8	6	9	8	5	8	3	-	-
	F--	46	10	2	-	1	-	-	1	-	-	-	1	2	1	1	1	1	-	2	3	4	7	5	3	1	-
	Nonwhite--M--	6	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	6	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	White-----M--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	F--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	33	-	-	-	-	-	-	-	-	-	-	1	-	-	5	2	4	5	5	2	7	2	-	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	1	-	-	5	2	3	4	3	2	7	2	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	11	1	-	-	1	1	-	-	-	1	-	1	-	1	1	1	3	-	-	-	-	-	-	-	-	-
	White-----M--	6	1	-	-	-	-	-	-	7	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	37	2	-	-	-	-	-	-	-	1	-	-	-	2	-	1	2	4	4	5	4	7	3	1	1	-
	White-----M--	19	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	3	2	4	1	-	1	-
	F--	18	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	2	2	2	3	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
543,	Gastritis, etc.*--	17	6	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	1	2	1	1	2	-	-	-
571,	White-----M--	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	1	-	-	-
572	F--	6	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	33	-	-	-	-	-	-	-	-	-	-	1	1	4	1	4	2	7	4	4	4	1	-	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	2	6	3	3	2	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	11	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-	-	1	-	1	3	2	-	-	-	-
	White-----M--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	6	4	2	-	1	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	6	4	2	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	*pregnancy, etc.*-	11	...	...	...	...	...	...	-	-	3	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	...	...	...	...	...	...	-	-	3	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	11	...	...	...	...	...	...	-	-	3	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	10	...	...	...	...	...	...	-	-	3	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	96	80	3	2	-	-	-	4	1	-	-	-	1	-	1	-	2	1	-	1	-	-	-	-	-	-
	White-----M--	55	45	2	1	-	-	-	3	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	F--	40	34	1	1	-	-	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	249	249	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	155	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	146	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	93	7	-	1	1	-	-	1	-	-	1	-	-	-	-	2	5	4	7	12	9	16	13	10	4	-
795	White-----M--	52	4	-	-	-	-	-	1	-	-	1	-	-	-	-	1	5	1	6	7	3	10	6	3	4	-
	F--	31	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	4	4	5	7	4	-	-
	Nonwhite--M--	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	-	-
Re-	All other diseases	251	12	2	1	2	3	5	3	6	5	3	4	11	11	5	16	21	24	22	29	31	25	6	1	1	2
sid-	White-----M--	139	4	-	1	2	1	5	2	3	3	1	1	5	7	2	5	11	13	16	21	19	11	3	-	1	2
ual	F--	100	7	2	-	-	2	-	1	2	2	1	3	5	4	2	10	9	11	6	7	11	12	3	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	1	-	-	1	1	1	-	1	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
E800-	Accidents---------	490	15	14	5	6	12	27	27	33	35	33	36	30	25	27	23	25	30	13	20	21	21	9	2	1	-
E962	White-----M--	368	6	6	3	5	7	20	20	30	29	22	26	25	20	23	21	19	26	10	16	15	12	5	1	1	-
	F--	107	9	6	2	1	3	7	6	3	4	8	7	5	4	4	2	5	4	3	4	6	9	4	1	-	-
	Nonwhite--M--	13	-	1	-	-	2	-	1	-	2	2	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	193	3	4	3	-	6	9	10	18	18	22	21	11	6	8	10	8	14	2	7	8	4	-	-	1	-
	White-----M--	133	1	1	3	-	3	6	7	16	14	13	12	7	3	6	9	5	10	2	6	5	3	-	-	1	-
	F--	48	2	1	-	-	1	3	2	2	4	6	6	4	3	2	1	2	4	-	1	3	1	-	-	-	-
	Nonwhite--M--	10	-	1	-	-	2	-	1	-	-	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	297	12	10	2	6	6	18	17	15	17	11	15	19	19	19	13	17	16	11	13	13	17	9	2	-	-
E802,	White-----M--	235	5	5	-	5	4	14	13	14	15	9	14	18	17	17	12	14	16	8	10	10	9	5	1	-	-
E840-	F--	59	7	5	2	1	2	4	4	1	-	2	1	1	1	2	1	3	-	3	3	3	8	4	1	-	-
E962	Nonwhite--M--	3	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	75	-	-	-	-	-	-	1	4	2	6	5	3	4	14	5	7	5	7	4	5	2	1	-	-	-
E970-	White-----M--	57	-	-	-	-	-	-	-	2	1	4	5	1	4	10	3	7	4	6	4	3	2	1	-	-	-
E979	F--	16	-	-	-	-	-	-	1	2	1	2	-	2	-	3	1	-	1	1	-	2	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	13	-	-	-	-	-	-	-	1	-	3	1	-	3	1	1	1	2	-	-	-	-	-	-	-	-
E980-	White-----M--	6	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-
E985	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS																										
	ALL CAUSES--------	94,203	5,093	375	237	195	144	508	358	635	791	1,118	1,179	1,795	2,800	4,021	5,549	8,105	9,875	11,857	11,540	10,998	9,239	5,272	2,047	418	54
	White-----M--	49,161	2,395	165	96	88	55	258	200	369	418	525	538	860	1,437	2,191	3,071	4,734	5,782	6,779	6,115	5,566	4,296	2,267	793	131	12
	F--	36,812	1,785	137	86	67	60	193	117	167	196	321	390	553	835	1,215	1,697	2,561	3,289	4,273	4,811	5,006	4,669	2,879	1,205	271	29
	Nonwhite--M--	4,627	540	43	31	21	16	27	24	60	108	163	142	167	276	361	431	478	473	449	340	240	149	59	18	6	5
	F--	3,603	373	30	24	19	13	30	17	39	69	109	109	195	252	254	350	332	331	356	274	186	125	67	31	10	8
001-019	Tuberculosis, all forms--------	1,575	20	27	9	9	4	14	6	22	55	90	90	124	143	166	137	146	166	142	102	52	39	10	2	-	-
	White-----M--	831	4	5	1	3	-	5	3	1	4	12	27	54	62	92	100	106	121	99	67	39	20	5	1	-	-
	F--	262	3	7	1	1	2	2	2	1	9	15	27	29	27	24	9	10	23	25	21	6	15	2	1	-	-
	Nonwhite--M--	315	4	10	5	2	1	3	-	10	22	37	16	23	37	40	22	26	16	16	13	7	3	2	-	-	-
	F--	167	9	5	2	3	1	4	1	10	20	26	20	18	17	10	6	4	6	2	1	-	1	1	-	-	-
001-008	Tuberculosis of respiratory system----------	1,411	8	8	-	2	1	3	3	17	47	83	80	115	136	157	129	139	157	132	98	50	35	9	2	-	-
	White-----M--	782	2	1	-	1	-	2	2	-	2	12	24	51	60	89	95	101	119	95	64	38	18	5	1	-	-
	F--	230	2	3	-	-	-	1	1	1	8	13	25	29	24	21	8	10	17	23	20	6	15	2	1	-	-
	Nonwhite--M--	274	1	3	-	-	1	-	-	9	18	34	16	21	37	38	20	25	16	13	13	6	2	1	-	-	-
	F--	125	3	1	-	1	-	-	-	7	19	24	15	14	15	9	6	3	5	1	1	-	-	1	-	-	-
010-019	Tuberculosis, other forms------	164	12	19	9	7	3	11	3	5	8	7	10	9	7	9	8	7	9	10	4	2	4	1	-	-	-
	White-----M--	49	2	4	1	2	-	3	1	1	2	-	3	3	2	3	5	5	2	4	3	1	2	-	-	-	-
	F--	32	1	4	1	1	2	1	1	-	1	2	2	-	3	3	1	-	6	2	1	-	-	-	-	-	-
	Nonwhite--M--	41	3	7	5	2	-	3	-	1	4	3	-	2	-	2	2	1	-	3	-	1	1	1	-	-	-
	F--	42	6	4	2	2	1	4	1	3	1	2	5	4	2	1	-	1	1	1	-	-	1	-	-	-	-
020-029	Syphilis and its sequelae---------	334	1	-	-	-	-	-	1	1	1	-	4	9	18	22	38	54	65	45	35	24	9	4	3	-	-
	White-----M--	189	-	-	-	-	-	-	-	-	-	-	1	1	4	12	17	24	45	32	25	16	7	1	2	-	-
	F--	52	-	-	-	-	-	-	-	1	1	-	1	1	2	1	6	8	11	6	5	5	1	3	-	-	-
	Nonwhite--M--	66	1	-	-	-	-	-	1	-	-	-	1	4	8	5	9	15	8	6	5	1	1	-	1	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	1	3	4	4	6	7	1	1	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	18	2	-	-	1	-	3	-	-	-	-	-	2	1	-	2	2	-	-	1	2	1	-	1	-	-
	White-----M--	7	-	-	-	1	-	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-
	F--	11	2	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	-	1	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	16	-	1	2	-	-	2	1	-	1	2	2	-	1	1	-	-	-	1	-	1	1	-	-	-	-
	White-----M--	10	-	1	2	-	-	1	1	-	1	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	6	3	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	81	20	12	9	8	1	5	5	1	3	-	1	1	3	2	2	3	1	3	1	-	-	-	-	-	-
	White-----M--	35	9	7	6	4	-	-	1	1	2	-	-	1	-	1	-	2	-	1	-	-	-	-	-	-	-
	F--	24	8	2	-	2	-	4	3	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	14	1	3	3	2	-	1	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F--	8	2	-	-	-	1	-	1	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	253	7	4	9	6	6	50	36	23	20	44	28	9	5	1	2	2	1	-	-	-	-	-	-	-	-
	White-----M--	146	3	3	2	3	1	33	20	15	11	25	17	5	3	1	1	2	1	-	-	-	-	-	-	-	-
	F--	97	4	1	7	1	4	15	13	8	9	17	11	4	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	2	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	26	8	1	3	3	3	6	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	6	1	-	1	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	3	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	160	14	2	5	1	3	6	4	7	2	7	5	9	11	7	8	9	18	15	6	9	5	5	2	-	-
	White-----M--	68	4	2	1	1	-	3	4	2	1	3	2	3	3	5	3	9	8	6	-	5	1	2	-	-	-
	F--	71	6	-	4	-	2	3	-	4	1	3	1	3	4	-	4	-	7	9	5	4	4	3	2	-	-
	Nonwhite--M--	9	2	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	1	-	1	-	-	-	-	-	-
	F--	12	2	-	-	-	1	-	-	1	-	1	-	1	3	1	-	-	2	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS—Con.																										
140-205	Malignant neoplasms, etc.*	15,005	17	20	27	28	19	72	43	62	68	107	172	324	539	898	1,252	1,813	2,083	2,308	1,973	1,561	1,032	453	115	18	1
	White----M	7,360	7	10	15	15	4	35	23	37	34	41	57	106	177	332	509	885	1,087	1,264	1,089	842	532	201	52	6	-
	F	6,641	8	7	10	12	12	32	18	22	27	56	93	179	295	455	596	793	850	916	804	673	465	246	60	11	1
	Nonwhite--M	518	-	2	1	1	3	2	-	2	6	5	3	7	27	51	68	80	85	72	51	29	16	5	2	-	-
	F	486	2	1	1	-	-	3	2	1	1	5	19	32	40	60	79	55	61	56	29	17	19	1	1	1	-
140-148	Of buccal cavity and pharynx	337	-	-	-	-	-	1	-	-	1	2	1	5	7	15	27	35	50	58	58	32	24	12	7	2	-
	White----M	259	-	-	-	-	-	-	-	-	1	1	-	4	3	13	18	30	45	44	45	26	17	6	5	1	-
	F	62	-	-	-	-	-	1	-	-	-	1	1	1	2	2	7	4	3	11	11	4	5	6	2	1	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	1	2	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	5,924	1	3	-	-	-	-	2	2	2	12	25	66	157	266	402	687	824	1,047	888	747	512	223	50	7	1
	White----M	3,123	1	2	-	-	-	-	2	2	1	4	8	29	68	125	196	361	442	596	522	397	253	88	24	2	-
	F	2,396	-	1	-	-	-	-	-	-	1	5	14	30	72	98	148	265	315	393	328	323	242	132	23	5	1
	Nonwhite--M	242	-	-	-	-	-	-	-	-	-	2	1	1	9	24	36	36	45	35	25	17	6	3	2	-	-
	F	163	-	-	-	-	-	-	-	-	-	1	2	6	8	19	22	25	22	23	13	10	11	-	1	-	-
160-164	Of respiratory system	1,725	-	-	-	-	-	1	-	1	-	3	7	21	62	108	175	293	338	326	195	106	52	29	6	2	-
	White----M	1,339	-	-	-	-	-	1	-	1	-	3	4	14	41	78	142	239	282	262	142	78	31	18	3	-	-
	F	281	-	-	-	-	-	-	-	-	-	-	1	4	11	20	15	30	40	48	50	27	19	11	3	2	-
	Nonwhite--M	95	-	-	-	-	-	-	-	-	-	-	-	2	10	9	16	20	16	16	3	1	2	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	4	-	-	-	-	-	-	-	-	-
170	Of breast	1,292	-	-	-	-	-	-	-	-	-	8	26	46	77	122	158	165	184	154	135	102	73	34	7	1	-
	White----M	15	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	6	1	-	5	-	-	-	-	-
	F	1,196	-	-	-	-	-	-	-	-	-	7	24	43	66	108	136	159	170	145	133	93	71	33	7	1	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	80	-	-	-	-	-	-	-	-	-	1	1	3	11	13	20	6	8	8	2	4	2	1	-	-	-
171-179	Of genital organs	2,354	-	3	1	-	-	1	1	4	10	18	42	76	108	179	215	229	278	309	324	275	180	76	21	4	-
	White----M	782	-	1	1	-	-	1	-	3	4	1	6	3	1	4	12	27	77	121	164	164	122	55	13	2	-
	F	1,362	-	1	-	-	-	-	1	1	6	16	25	55	92	148	178	187	166	164	138	102	54	19	8	1	-
	Nonwhite--M	52	-	-	-	-	-	-	-	-	-	-	-	-	-	7	2	3	12	5	12	7	2	2	-	-	-
	F	158	-	1	-	-	-	-	-	-	-	1	11	18	15	20	23	12	23	19	10	2	2	-	-	1	-
180, 181	Of urinary organs	769	-	3	1	1	3	7	1	-	3	5	3	16	13	27	58	88	114	118	123	86	63	26	9	1	-
	White----M	474	-	1	-	-	-	1	1	-	-	2	-	8	9	19	30	56	70	83	80	57	40	14	3	-	-
	F	257	-	1	1	1	2	4	-	-	2	2	3	7	4	8	23	25	40	29	38	28	20	12	6	1	-
	Nonwhite--M	29	-	1	-	-	1	-	-	-	1	1	-	1	-	-	4	5	3	5	5	1	1	-	-	-	-
	F	9	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	2	1	1	-	-	2	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,425	6	2	13	10	5	19	19	25	26	27	20	54	60	107	122	178	174	171	134	129	75	35	14	-	-
	White----M	732	5	2	6	4	1	10	7	14	16	12	11	29	26	52	56	100	94	87	73	73	38	12	4	-	-
	F	612	1	-	5	5	2	7	10	9	7	12	8	22	27	45	55	67	72	79	57	56	33	23	10	-	-
	Nonwhite--M	51	-	-	1	1	2	1	-	2	2	2	1	2	5	6	4	9	4	3	4	-	2	-	-	-	-
	F	30	-	-	1	-	-	1	2	-	1	1	-	1	2	4	7	2	4	2	-	-	2	-	-	-	-
204	Leukemia and aleukemia	554	4	7	12	15	11	39	16	17	15	15	21	13	15	19	42	49	55	51	50	38	35	14	-	1	-
	White----M	303	1	4	8	10	3	21	10	8	8	9	8	4	8	8	20	28	35	30	31	22	19	7	-	1	-
	F	224	2	2	4	5	8	17	6	8	6	5	10	7	6	9	18	16	18	20	19	16	15	7	-	-	-
	Nonwhite--M	13	-	1	-	-	-	1	-	-	1	-	1	-	1	2	1	2	1	1	-	-	1	-	-	-	-
	F	14	1	-	-	-	-	-	-	1	-	1	2	2	-	-	3	3	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	625	6	2	-	2	-	4	4	13	11	17	27	27	40	55	53	89	66	74	66	46	18	4	1	-	-
	White----M	333	-	-	-	1	-	1	3	9	4	9	19	15	21	32	34	44	36	40	32	20	12	1	-	-	-
	F	251	5	2	-	1	-	3	1	4	5	8	7	10	15	17	16	40	26	27	30	24	6	3	1	-	-
	Nonwhite--M	24	-	-	-	-	-	-	-	-	2	-	-	1	2	3	2	4	2	5	1	2	-	-	-	-	-
	F	17	1	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	2	2	3	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	224	13	2	1	3	-	1	2	1	3	6	10	17	21	21	22	26	23	17	13	10	6	5	1	-	-
	White----M	76	7	1	1	3	-	-	-	-	2	4	-	3	5	7	10	7	8	7	3	5	3	-	-	-	-
	F	126	6	1	-	-	-	1	2	1	1	2	7	10	12	13	7	17	15	9	10	3	3	5	1	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	1	-	1	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	2	4	2	1	4	2	-	-	-	1	-	-	-	-	-
260	Diabetes mellitus	1,528	3	-	1	1	-	5	4	6	8	9	23	18	33	44	76	141	219	288	271	201	123	46	8	-	-
	White----M	563	2	-	1	1	-	3	1	3	5	3	12	10	14	14	27	50	83	102	89	73	50	17	3	-	-
	F	880	1	-	-	-	-	2	2	3	2	4	7	4	14	26	42	82	125	175	167	124	72	23	5	-	-
	Nonwhite--M	34	-	-	-	-	-	-	-	-	-	1	3	2	-	1	-	4	5	5	7	3	-	3	-	-	-
	F	51	-	-	-	-	-	-	1	-	1	1	1	2	5	3	7	5	6	6	8	1	1	3	-	-	-
290-293	Anemias	251	7	2	3	-	3	3	3	1	3	2	2	3	3	8	11	14	22	26	30	36	42	21	4	2	-
	White----M	110	3	-	2	-	2	2	-	-	2	-	-	2	1	4	3	5	9	15	11	20	17	8	3	1	-
	F	125	2	1	1	-	1	1	3	1	1	1	1	1	1	4	6	8	11	10	19	14	23	13	1	1	-
	Nonwhite--M	11	2	1	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	-	-	1	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-
340	Nonmeningococcal meningitis*	90	21	9	7	3	3	7	-	1	1	2	1	5	6	3	6	6	1	5	1	-	2	-	-	-	-
	White----M	39	8	4	5	1	2	4	-	-	-	-	1	3	3	3	2	3	-	-	-	-	-	-	-	-	-
	F	32	7	2	2	2	1	1	-	1	-	1	-	2	3	-	2	2	1	2	1	-	2	-	-	-	-
	Nonwhite--M	10	4	2	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F	9	2	1	-	-	-	2	-	-	1	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	53,487	20	9	5	8	9	25	36	43	110	183	284	607	1,211	1,905	2,925	4,554	5,890	7,439	7,687	7,764	6,789	4,034	1,591	321	38
	White----M	28,003	10	2	3	4	4	9	14	13	52	77	127	322	694	1,163	1,758	2,785	3,538	4,249	3,954	3,806	3,043	1,687	591	91	7
	F	21,532	7	6	1	2	5	15	15	17	34	66	82	141	276	427	728	1,266	1,835	2,655	3,311	3,654	3,544	2,249	959	216	21
	Nonwhite--M	2,020	1	-	1	2	-	-	4	5	12	14	41	51	110	172	232	281	293	274	207	154	105	39	13	6	3
	F	1,932	2	1	-	-	-	1	3	8	12	26	34	93	131	143	207	222	224	261	215	150	97	59	28	8	7
330-334, 400-468	Diseases of cardiovascular system	51,990	20	8	4	7	7	14	28	34	94	164	252	568	1,141	1,839	2,838	4,437	5,745	7,270	7,491	7,568	6,616	3,940	1,552	317	36
	White----M	27,316	10	1	2	4	3	5	10	9	41	67	120	307	663	1,133	1,714	2,739	3,470	4,167	3,872	3,712	2,966	1,636	569	89	7
	F	20,904	7	6	1	1	4	8	12	12	31	61	65	129	253	401	701	1,214	1,776	2,589	3,218	3,566	3,459	2,212	943	215	20
	Nonwhite--M	1,925	1	-	1	2	-	-	3	5	12	13	38	46	104	164	225	271	282	264	194	146	99	35	12	5	3
	F	1,845	2	1	-	-	-	1	3	8	10	23	29	86	121	141	198	213	217	250	207	144	92	57	28	8	6
330-334	Vascular lesions, etc.*	9,794	7	3	2	4	2	1	3	8	19	23	43	83	162	261	459	729	969	1,360	1,497	1,638	1,391	782	301	43	4
	White----M	4,397	4	-	1	4	1	-	1	2	7	13	15	28	69	102	200	331	498	672	687	754	602	298	101	7	-
	F	4,651	2	2	-	-	1	1	1	3	8	5	16	27	52	86	188	295	369	577	739	822	752	474	191	36	4
	Nonwhite--M	348	-	-	1	-	-	-	1	1	4	1	4	4	19	27	35	56	49	56	33	30	20	3	4	-	-
	F	398	1	1	-	-	-	-	-	2	-	4	8	24	22	46	36	47	53	55	38	32	17	7	5	-	-
400-402	Rheumatic fever	75	-	-	-	1	2	9	13	2	5	5	1	3	5	4	1	5	4	6	6	1	1	1	-	-	-
	White----M	34	-	-	-	-	1	3	3	-	2	2	-	3	2	2	1	5	3	2	3	1	1	-	-	-	-
	F	32	-	-	-	-	1	5	6	-	3	3	-	-	3	2	-	-	1	4	3	-	-	1	-	-	-
	Nonwhite--M	5	-	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS—Con.																										
410-443	Diseases of heart	39,236	9	5	2	2	3	3	11	20	60	120	187	441	918	1,487	2,292	3,578	4,606	5,646	5,606	5,485	4,703	2,747	1,051	225	29
	White-----M--	21,556	4	1	1	-	1	1	6	7	30	51	102	260	571	986	1,476	2,346	2,881	3,354	3,000	2,740	2,133	1,148	383	67	7
	F--	14,890	3	4	1	1	2	2	5	6	15	44	39	93	183	288	485	872	1,350	1,902	2,302	2,537	2,425	1,530	641	146	14
	Nonwhite--M--	1,458	1	-	-	1	-	-	-	3	7	10	31	37	75	127	182	200	218	203	147	105	73	24	7	4	3
	F--	1,332	1	-	-	-	-	-	-	4	8	15	15	51	89	86	149	160	157	187	157	103	72	45	20	8	5
410-416	Chronic rheumatic heart disease	1,264	-	-	-	-	-	-	5	13	32	44	44	71	126	113	147	164	126	132	85	74	53	24	9	1	1
	White-----M--	619	-	-	-	-	-	-	3	5	13	17	23	34	59	57	78	84	63	76	43	30	26	6	2	-	-
	F--	544	-	-	-	-	-	-	2	2	9	20	18	28	55	43	61	74	54	47	40	41	23	18	7	1	1
	Nonwhite--M--	48	-	-	-	-	-	-	-	2	4	1	1	3	5	7	6	3	5	5	2	2	2	-	-	-	-
	F--	53	-	-	-	-	-	-	-	4	6	6	2	6	7	6	2	3	4	4	-	1	2	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	23,814	2	1	-	1	1	-	2	2	9	27	66	221	509	914	1,469	2,430	3,140	3,750	3,527	3,238	2,473	1,395	522	97	18
	White-----M--	14,523	-	-	-	-	-	-	1	1	6	20	50	170	401	702	1,102	1,795	2,128	2,361	2,003	1,715	1,179	639	215	30	5
	F--	8,074	-	1	-	1	1	-	1	1	3	6	7	32	57	128	221	495	827	1,183	1,367	1,425	1,223	723	299	65	8
	Nonwhite--M--	725	1	-	-	-	-	-	-	-	-	1	7	15	31	60	90	94	120	120	81	45	36	17	4	1	2
	F--	492	1	-	-	-	-	-	-	-	-	-	2	4	20	24	56	46	65	86	76	53	35	16	4	1	3
421, 422	Nonrheumatic chronic endocarditis, etc.*	7,516	2	2	-	-	1	1	3	1	10	23	47	66	146	186	273	434	548	808	991	1,223	1,363	901	378	101	8
	White-----M--	3,455	1	-	-	-	-	-	1	-	5	7	16	30	59	85	127	210	284	435	500	590	609	343	122	30	1
	F--	3,392	1	2	-	-	1	1	2	-	2	8	10	14	39	46	66	121	185	306	433	591	716	533	248	62	5
	Nonwhite--M--	314	-	-	-	-	-	-	-	1	1	3	13	8	17	31	41	48	39	26	32	25	19	5	1	3	1
	F--	355	-	-	-	-	-	-	-	-	2	5	8	14	31	24	39	55	40	41	26	17	19	20	7	6	1
430-434	Other diseases of heart	1,537	4	2	2	1	1	2	1	4	6	18	13	27	43	98	91	141	192	249	202	176	152	83	22	7	-
	White-----M--	929	2	1	1	-	1	1	1	1	4	6	6	9	22	73	50	104	132	155	132	99	79	40	8	2	-
	F--	450	2	1	1	-	-	1	-	3	1	7	2	6	8	13	25	23	43	65	55	68	68	40	13	5	-
	Nonwhite--M--	85	-	-	-	1	-	-	-	-	1	3	4	5	6	7	9	10	12	15	5	4	3	-	-	-	-
	F--	73	-	-	-	-	-	-	-	-	-	2	1	7	7	5	7	4	5	14	10	5	2	3	1	-	-
440-443	Hypertension with heart dis.	5,105	1	-	-	-	-	-	-	-	3	8	17	56	94	176	312	409	600	707	801	774	662	344	120	19	2
	White-----M--	2,030	1	-	-	-	-	-	-	-	2	1	7	17	30	69	119	153	274	327	322	306	240	120	36	5	1
	F--	2,430	-	-	-	-	-	-	-	-	-	3	2	13	24	58	112	159	241	301	407	412	395	216	74	13	-
	Nonwhite--M--	286	-	-	-	-	-	-	-	-	1	2	6	6	16	22	36	45	42	37	27	29	13	2	2	-	-
	F--	359	-	-	-	-	-	-	-	-	-	2	2	20	24	27	45	52	43	42	45	27	14	6	8	1	1
444-447	Hypertension without mention of heart	763	-	-	-	-	-	-	-	-	5	7	13	26	23	58	42	50	54	62	95	109	116	69	28	4	2
	White-----M--	326	-	-	-	-	-	-	-	-	1	-	2	9	7	22	14	17	24	29	50	57	51	28	13	2	-
	F--	315	-	-	-	-	-	-	-	-	2	2	5	4	3	18	11	19	20	28	38	46	62	39	15	2	1
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	1	2	2	4	8	10	5	10	8	1	2	2	1	-	-	-	-
	F--	66	-	-	-	-	-	-	-	-	1	3	4	9	5	8	12	4	2	4	5	4	2	2	-	-	1
450	General arteriosclerosis	1,670	-	-	-	-	-	-	-	-	1	-	-	-	2	3	13	30	63	126	234	291	377	319	168	42	1
	White-----M--	754	-	-	-	-	-	-	-	-	-	-	-	-	-	3	8	11	27	68	100	136	168	153	68	12	-
	F--	844	-	-	-	-	-	-	-	-	1	-	-	-	-	-	5	13	27	51	118	144	204	155	96	29	1
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	6	4	11	6	4	8	1	1	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	3	5	5	1	3	3	-	-
451-468	Other diseases of circulatory sys.	452	4	-	-	-	-	1	1	4	4	9	8	15	31	26	31	45	49	70	53	44	28	22	4	3	-
	White-----M--	249	2	-	-	-	-	1	-	-	1	1	1	7	14	18	15	29	37	42	32	24	11	9	4	1	-
	F--	172	2	-	-	-	-	-	-	3	2	7	5	5	12	7	12	15	9	27	18	17	16	13	-	2	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	-	1	3	1	-	-	-	-
	F--	19	-	-	-	-	-	-	1	1	1	1	2	2	4	1	1	-	2	1	2	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	1,497	-	1	1	1	2	11	8	9	16	19	32	39	70	66	87	117	145	169	196	196	173	94	39	4	2
	White-----M--	687	-	1	1	-	1	4	4	4	11	10	7	15	31	30	44	46	68	62	82	94	77	51	22	2	-
	F--	628	-	-	-	1	1	7	3	5	3	5	17	12	23	26	27	52	59	66	93	88	85	37	16	1	1
	Nonwhite--M--	95	-	-	-	-	-	-	1	-	-	1	3	5	6	8	7	10	11	10	13	8	6	4	1	1	-
	F--	87	-	-	-	-	-	-	-	-	2	3	5	7	10	2	9	9	7	11	8	6	5	2	-	-	1
480-493	Influenza and pneumonia, etc.*	2,799	486	83	45	24	8	26	13	14	17	20	34	45	70	103	105	150	186	261	250	276	297	182	80	21	3
	White-----M--	1,400	179	28	20	8	3	12	4	7	3	6	16	24	37	57	59	89	128	145	146	146	150	85	36	10	-
	F--	973	161	36	9	9	4	9	3	5	3	5	7	9	18	19	25	35	41	94	78	115	140	94	42	10	2
	Nonwhite--M--	249	74	9	10	4	-	2	3	1	8	7	6	6	10	19	12	16	12	15	13	10	7	3	2	-	-
	F--	177	72	10	6	3	1	3	3	1	3	2	5	6	5	8	9	10	5	7	13	3	-	-	-	1	1
480-483	Influenza	152	14	3	2	-	1	1	-	2	-	-	1	3	2	5	5	6	9	22	11	16	26	15	6	2	-
	White-----M--	79	7	-	2	-	-	1	-	1	-	-	1	1	-	3	4	4	8	14	7	4	10	9	2	1	-
	F--	68	6	3	-	-	1	-	-	1	-	-	-	2	2	1	1	2	1	8	2	11	16	6	4	1	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
490-493	Pneumonia, etc.*	2,647	472	80	43	24	7	25	13	12	17	20	33	42	68	98	100	144	177	239	239	260	271	167	74	19	3
	White-----M--	1,321	172	28	18	8	3	11	4	6	3	6	15	23	37	54	55	85	120	131	139	144	140	76	34	9	-
	F--	905	155	33	9	9	3	9	3	4	3	5	7	7	16	18	24	33	40	86	76	104	124	68	38	9	2
	Nonwhite--M--	247	73	9	10	4	-	2	3	1	8	7	6	6	10	19	12	16	12	15	13	9	7	3	2	-	-
	F--	174	72	10	6	3	1	3	3	1	3	2	5	6	5	7	9	10	5	7	11	3	-	-	-	1	1
500-502	Bronchitis	203	56	15	6	4	4	8	-	3	-	1	2	-	2	5	7	8	5	15	13	17	14	12	5	1	-
	White-----M--	115	27	10	3	1	1	2	-	2	-	-	1	-	2	3	5	5	5	10	9	12	6	9	2	-	-
	F--	65	11	4	3	3	3	5	-	1	-	1	1	-	-	1	2	2	-	4	4	5	8	3	3	1	-
	Nonwhite--M--	15	12	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	8	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	550	3	-	-	1	-	2	1	-	2	2	6	25	30	49	48	67	77	85	50	45	39	14	2	2	-
	White-----M--	402	1	-	-	-	-	1	-	-	2	-	3	17	19	41	32	52	65	64	37	29	26	9	2	2	-
	F--	107	-	-	-	1	-	1	1	-	-	1	2	6	5	5	5	10	9	18	11	15	12	5	-	-	-
	Nonwhite--M--	32	2	-	-	-	-	-	-	-	-	1	-	1	5	2	8	4	2	3	2	1	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	1	-	-	-	-	-	-	-	-
550-553	Appendicitis	179	1	-	1	1	1	16	4	7	3	9	6	9	8	17	11	20	11	20	10	14	6	3	1	-	-
	White-----M--	97	-	-	-	1	-	6	3	4	2	2	1	5	2	11	5	12	7	15	7	7	4	2	1	-	-
	F--	56	-	-	1	-	1	7	1	2	-	3	4	2	3	5	2	6	4	3	3	6	2	1	-	-	-
	Nonwhite--M--	17	1	-	-	-	-	2	-	1	1	2	-	2	2	-	3	1	-	2	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	-	-	-	2	1	-	1	1	1	1	-	-	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	491	48	4	1	1	1	1	1	7	1	6	3	10	14	23	22	40	51	56	69	63	41	20	5	3	-
	White-----M--	242	24	3	1	-	-	-	1	4	-	4	1	4	6	11	11	18	23	36	39	30	15	9	2	-	-
	F--	218	19	1	-	-	-	1	-	2	1	-	2	5	5	10	8	20	24	19	28	31	25	11	3	3	-
	Nonwhite--M--	18	4	-	-	-	1	-	-	-	-	1	-	1	-	1	2	-	2	1	2	2	1	-	-	-	-
	F--	13	1	-	-	1	-	-	-	1	-	1	-	-	3	1	1	2	2	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952--Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS--Con.																										
543,	Gastritis, etc.*--	322	93	18	3	1	2	9	-	3	4	6	6	9	5	13	12	17	20	19	24	18	23	12	5	-	-
571,	White-----M--	147	42	8	1	-	1	5	-	2	4	1	-	4	4	6	7	10	9	10	9	6	10	7	1	-	-
572	F--	129	23	10	1	-	1	3	-	1	-	1	5	5	-	6	4	7	10	8	11	11	13	5	4	-	-
	Nonwhite--M--	29	19	-	1	1	-	1	-	-	-	2	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-
	F--	17	9	-	-	-	-	-	-	-	-	2	1	-	1	1	1	-	-	-	1	1	-	-	-	-	-
581	Cirrhosis of liver	1,054	3	-	-	-	-	-	2	-	4	18	28	62	87	125	129	165	139	123	66	53	25	18	7	-	-
	White-----M--	703	1	-	-	-	-	-	-	-	2	6	11	33	55	75	101	110	103	96	47	41	9	8	5	-	-
	F--	283	1	-	-	-	-	-	1	-	2	7	12	24	23	39	22	45	33	21	16	10	15	10	2	-	-
	Nonwhite--M--	42	-	-	-	-	-	-	1	-	-	2	3	3	5	7	3	8	2	4	2	2	-	-	-	-	-
	F--	26	1	-	-	-	-	-	-	-	-	3	2	2	4	4	3	2	1	2	1	-	1	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	168	3	1	1	2	3	5	3	5	2	7	9	8	9	6	10	13	12	17	16	16	12	5	3	-	-
	White-----M--	78	2	-	-	2	1	1	3	2	1	1	4	3	6	4	4	3	4	12	9	8	4	2	2	-	-
	F--	67	-	-	1	-	2	3	-	2	-	3	4	2	2	2	5	6	6	4	7	7	7	3	1	-	-
	Nonwhite--M--	11	1	1	-	-	-	-	-	1	-	-	1	2	-	-	1	1	2	1	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	1	-	-	1	3	-	1	1	-	-	3	-	-	-	1	1	-	-	-	-
610	Hyperplasia of																										
	prostate---------	433	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	15	30	45	89	95	91	42	15	4	1
	White-----M--	405	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	10	26	40	85	90	90	41	15	4	1
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	4	5	4	5	1	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	95	...	...	...	...	...	...	-	9	23	17	15	17	10	1	1	-	-	-	1	1	-	-	-	-	-
	White-----F--	70	...	...	...	...	...	...	-	4	14	15	11	14	8	1	1	-	-	-	1	1	-	-	-	-	-
	Nonwhite--F--	25	...	...	...	...	...	...	-	5	9	2	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	10	...	...	...	...	...	...	-	1	2	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	10	...	...	...	...	...	...	-	1	2	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	85	...	...	...	...	...	...	-	8	21	15	14	13	10	1	1	-	-	-	1	1	-	-	-	-	-
660-	White-----F--	60	...	...	...	...	...	...	-	3	12	13	10	10	8	1	1	-	-	-	1	1	-	-	-	-	-
689	Nonwhite--F--	25	...	...	...	...	...	...	-	5	9	2	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	1,004	765	46	17	7	8	24	13	13	6	14	8	2	14	11	11	8	6	4	3	3	-	1	-	-	-
	White-----M--	480	378	20	7	4	4	13	8	8	4	5	5	1	5	4	2	3	3	1	2	2	-	1	-	-	-
	F--	444	344	22	8	2	4	11	4	5	1	8	3	1	6	5	9	4	2	3	1	1	-	-	-	-	-
	Nonwhite--M--	53	43	3	-	1	-	-	-	-	-	1	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-
	F--	27	20	1	2	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	3,144	3,144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,533	1,533	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,052	1,052	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	339	339	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	220	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	1,782	1,782	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	888	888	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	603	603	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	179	179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	1,168	1,168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	568	568	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	404	404	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	471	18	2	2	1	-	1	3	7	7	7	9	8	12	9	13	15	15	26	49	62	80	61	46	15	3
795	White-----M--	232	7	2	1	-	-	-	1	4	4	2	7	5	8	3	9	9	11	14	29	29	36	28	15	7	1
	F--	201	6	-	1	1	-	-	2	3	1	4	2	2	3	2	3	4	2	7	17	29	40	32	31	8	1
	Nonwhite--M--	27	4	-	-	-	-	1	-	-	1	-	-	-	-	4	1	2	1	3	3	2	3	1	-	-	1
	F--	11	1	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	1	2	-	2	1	-	-	-	-
Re-	All other diseases	3,526	156	31	23	12	18	49	41	38	55	69	90	112	138	193	259	367	376	412	389	316	213	111	48	10	-
sid-	White-----M--	1,737	79	16	5	4	6	23	15	16	19	28	32	48	68	91	122	199	186	231	201	167	102	49	25	5	-
ual	F--	1,542	57	10	14	6	8	22	23	16	26	27	48	50	50	86	114	146	175	164	172	137	106	59	21	5	-
	Nonwhite--M--	133	10	4	1	-	1	3	2	5	3	6	7	4	8	12	13	10	6	8	14	10	4	2	-	-	-
	F--	114	10	1	3	2	3	1	1	1	7	8	3	10	12	4	10	12	9	9	2	2	1	1	2	-	-
E800-	Accidents---------	5,423	135	83	56	66	47	165	131	322	309	369	246	266	275	295	314	333	351	375	316	316	324	198	103	21	7
E962	White-----M--	3,360	57	39	18	29	24	94	97	232	227	255	173	188	183	192	211	248	236	238	192	155	149	82	34	5	2
	F--	1,502	52	27	19	21	9	51	22	59	51	60	40	41	52	61	63	65	82	105	108	145	168	112	69	16	4
	Nonwhite--M--	398	15	7	9	8	8	9	10	25	26	42	21	27	31	34	29	16	24	27	12	10	5	2	-	-	1
	F--	163	11	10	10	8	6	11	2	6	5	12	12	10	9	8	11	4	9	5	4	6	2	2	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	2,200	9	24	12	26	17	72	45	203	212	217	130	138	119	133	134	145	161	149	116	65	49	14	6	1	3
	White-----M--	1,475	6	18	4	14	9	41	31	147	159	143	92	101	80	82	78	101	107	93	80	39	33	10	6	1	-
	F--	526	3	5	8	10	5	26	11	45	38	43	25	26	23	34	35	37	40	43	30	20	13	4	-	-	2
	Nonwhite--M--	155	-	1	-	1	2	5	2	8	12	24	7	7	13	15	13	5	12	13	6	5	3	-	-	-	1
	F--	44	-	-	-	1	1	-	1	3	3	7	6	4	3	2	8	2	2	-	-	1	-	-	-	-	-
E800-	All ot. accidents-	3,223	126	59	44	40	30	93	86	119	97	152	116	128	156	162	180	188	190	226	200	251	275	184	97	20	4
E802,	White-----M--	1,885	51	21	14	15	15	53	66	85	68	112	81	87	103	110	133	147	129	145	112	116	116	72	28	4	2
E840-	F--	976	49	22	11	11	4	25	11	14	13	17	15	15	29	27	28	28	42	62	78	125	155	108	69	16	2
E962	Nonwhite--M--	243	15	6	9	7	6	4	8	17	14	18	14	20	18	19	16	11	12	14	6	5	2	2	-	-	-
	F--	119	11	10	10	7	5	11	1	3	2	5	6	6	6	6	3	2	7	5	4	5	2	2	-	-	-
E963,	Suicide----------	869	-	-	-	-	-	-	2	15	31	49	40	45	80	71	88	101	90	106	70	41	24	15	-	-	1
E970-	White-----M--	650	-	-	-	-	-	-	-	11	19	33	24	30	59	50	58	77	69	89	61	34	21	14	-	-	1
E979	F--	193	-	-	-	-	-	-	1	4	9	15	14	9	20	20	27	21	20	14	9	7	3	-	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	1	-	3	1	2	4	1	1	3	2	-	3	-	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-
E964,	Homicide----------	409	6	2	1	2	1	2	2	23	51	70	53	47	50	22	34	15	17	3	5	2	1	-	-	-	-
E980-	White-----M--	121	1	2	1	1	-	-	1	5	16	16	13	7	15	8	13	10	7	1	4	-	-	-	-	-	-
E985	F--	40	4	-	-	1	-	-	1	3	3	4	5	5	3	3	4	1	3	-	-	-	-	-	-	-	-
	Nonwhite--M--	203	-	-	-	-	1	-	-	10	26	38	32	30	25	9	17	3	7	1	1	2	1	-	-	-	-
	F--	45	1	-	-	-	-	2	-	5	6	12	3	5	7	2	-	1	-	1	-	-	-	-	-	-	-
E965,	Operations of war-	4	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
E990-	White-----M--	4	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA																										
	ALL CAUSES	41,325	2,798	197	131	81	83	265	206	328	383	492	573	716	1,048	1,526	2,107	2,872	3,605	4,632	5,163	5,345	4,707	2,684	1,112	215	56
	White-----M--	22,115	1,491	94	69	46	46	138	128	214	239	273	302	364	587	889	1,222	1,723	2,114	2,637	2,749	2,711	2,301	1,222	451	85	20
	F--	16,840	1,007	87	52	31	31	114	75	96	107	163	196	266	334	477	643	908	1,258	1,779	2,214	2,495	2,311	1,413	634	120	29
	Nonwhite--M--	1,341	163	11	8	2	5	8	1	16	20	31	39	44	58	90	140	134	151	138	109	75	54	25	12	5	2
	F--	1,029	137	5	2	2	1	5	2	2	17	25	36	42	69	70	102	107	82	78	91	64	41	24	15	5	5
001-019	Tuberculosis, all forms	515	4	5	5	1	3	5	4	7	15	30	32	34	42	42	39	50	44	54	46	32	15	6	-	-	-
	White-----M--	265	2	2	1	1	2	1	2	3	5	7	9	15	19	20	25	35	32	33	32	12	5	2	-	-	-
	F--	157	1	1	3	-	-	3	2	1	5	18	15	12	12	8	5	7	8	13	12	18	9	4	-	-	-
	Nonwhite--M--	69	1	2	1	-	-	-	-	3	2	4	2	5	7	11	9	7	4	6	2	2	1	-	-	-	-
	F--	24	-	-	-	-	1	1	-	-	3	1	6	2	4	3	-	1	-	2	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	459	-	1	2	1	1	1	2	4	12	27	28	31	39	39	37	47	42	53	44	30	14	4	-	-	-
	White-----M--	247	-	1	1	1	1	1	1	1	5	7	8	14	18	19	25	33	30	33	31	12	4	1	-	-	-
	F--	135	-	-	1	-	-	-	1	1	4	15	13	12	11	7	4	6	8	13	11	16	9	3	-	-	-
	Nonwhite--M--	58	-	-	-	-	-	-	-	2	-	4	2	5	6	10	8	7	4	5	2	2	1	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	3	1	5	-	4	3	-	1	-	2	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	56	4	4	3	-	2	4	2	3	3	3	4	3	3	3	2	3	2	1	2	2	1	2	-	-	-
	White-----M--	18	2	1	-	-	1	-	1	2	-	-	1	1	1	1	-	2	2	-	1	-	1	1	-	-	-
	F--	22	1	1	2	-	-	3	1	-	1	3	2	-	1	1	1	1	-	-	1	2	-	1	-	-	-
	Nonwhite--M--	11	1	2	1	-	-	-	-	1	2	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	1	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	194	1	-	-	-	-	1	-	-	1	-	2	3	7	13	22	25	33	26	34	17	9	-	-	-	-
	White-----M--	126	-	-	-	-	-	-	-	-	-	-	1	1	3	10	13	17	21	21	23	13	3	-	-	-	-
	F--	36	-	-	-	-	-	1	-	-	-	-	-	1	-	2	5	2	5	3	7	4	6	-	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	5	7	2	3	-	-	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	1	-	1	-	3	1	-	1	-	-	1	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	11	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	1	-	-	-	-	-
	White-----M--	8	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	1	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	12	1	1	1	-	-	1	-	1	-	2	-	-	-	1	-	-	3	-	1	-	-	-	-	-	-
	White-----M--	7	-	1	-	-	-	1	-	1	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	F--	4	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
055	Diphtheria	6	1	-	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	12	9	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	40	14	9	5	2	1	3	2	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	White-----M--	18	5	4	3	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	20	9	4	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	118	4	5	4	3	4	17	23	13	8	17	13	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	63	2	2	3	2	2	4	13	9	4	11	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	51	2	3	-	1	2	11	10	4	4	5	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	31	4	6	3	-	4	10	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	1	5	2	-	1	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	17	3	1	1	-	3	7	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	131	28	4	4	1	4	7	6	1	-	2	4	5	8	6	7	3	10	6	10	5	6	2	1	1	-
	White-----M--	73	15	1	1	-	4	4	4	-	-	-	2	1	4	4	5	2	6	6	6	2	4	1	-	1	-
	F--	48	11	3	2	1	-	3	2	1	-	2	1	2	3	1	1	1	4	-	4	3	2	-	1	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	F--	6	1	-	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
140-205	Malignant neoplasms, etc.*	5,819	9	9	9	11	11	27	13	15	31	49	99	120	198	299	445	623	757	816	805	706	472	223	62	8	2
	White--M	2,779	6	3	3	5	6	14	6	10	16	23	38	29	63	108	192	328	367	433	397	339	239	120	29	5	-
	F	2,767	3	6	6	4	5	13	6	4	10	25	56	85	117	167	207	264	352	347	382	351	221	100	31	3	2
	Nonwhite--M	143	-	-	-	1	-	-	-	1	2	-	2	-	6	15	20	14	26	23	15	8	7	2	1	-	-
	F	130	-	-	-	1	-	-	1	-	3	1	3	6	12	9	26	17	12	13	11	8	5	1	1	-	-
140-148	Of buccal cavity and pharynx	117	-	-	-	-	-	-	-	-	1	-	-	-	1	8	11	17	19	11	15	15	12	4	3	-	-
	White--M	83	-	-	-	-	-	-	-	-	-	-	-	-	1	6	5	15	17	9	11	7	8	2	2	-	-
	F	21	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	4	7	3	2	1	-	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	1	2	1	-	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	2,189	2	1	-	-	-	-	-	1	4	6	12	29	57	77	136	211	292	311	367	320	229	93	33	6	2
	White--M	1,096	2	-	-	-	-	-	-	1	1	4	4	10	25	35	69	113	150	181	182	149	111	39	16	4	-
	F	988	-	1	-	-	-	-	-	-	1	1	7	18	28	36	54	88	123	110	171	164	114	52	16	2	2
	Nonwhite--M	64	-	-	-	-	-	-	-	-	1	-	1	-	3	5	7	5	14	13	8	3	2	2	-	-	-
	F	41	-	-	-	-	-	-	-	-	1	1	-	1	1	1	6	5	5	7	6	4	2	-	1	-	-
160-164	Of respiratory system	596	-	-	-	-	-	-	-	1	2	2	8	3	19	35	68	95	100	106	64	54	28	10	1	-	-
	White--M	452	-	-	-	-	-	-	-	-	1	1	7	1	10	22	56	79	81	80	48	38	19	8	1	-	-
	F	117	-	-	-	-	-	-	-	1	1	1	-	2	7	8	8	11	16	23	12	16	9	2	-	-	-
	Nonwhite--M	21	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	3	3	2	3	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	1	-	-	-	-	-	-
170	Of breast	495	-	-	-	-	-	-	-	-	-	1	18	24	22	51	42	57	62	60	66	44	30	14	4	-	-
	White--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	-	-	1	-	-	-
	F	470	-	-	-	-	-	-	-	-	-	1	17	23	20	47	38	56	59	60	61	42	29	13	4	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	1	1	-	2	2	1	-	-	-	-
171-179	Of genital organs	1,000	-	-	-	-	-	-	-	-	7	14	20	34	41	55	80	87	125	130	136	127	84	48	11	1	-
	White--M	359	-	-	-	-	-	-	-	-	3	2	5	1	1	2	8	19	26	50	72	71	56	37	5	1	-
	F	589	-	-	-	-	-	-	-	-	2	12	14	31	34	49	62	62	92	73	61	54	26	11	6	-	-
	Nonwhite--M	14	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	3	3	2	2	1	-	-	-	-
	F	38	-	-	-	-	-	-	-	-	1	-	1	2	6	3	9	6	4	4	1	-	1	-	-	-	-
180, 181	Of urinary organs	273	1	-	1	3	2	3	1	-	-	1	2	1	4	13	20	32	39	39	38	40	23	7	3	-	-
	White--M	173	1	-	1	2	-	1	1	-	-	-	1	-	2	8	14	22	27	28	22	26	11	3	3	-	-
	F	90	-	-	-	1	2	2	-	-	-	1	1	1	2	4	3	9	10	10	15	14	11	4	-	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	695	3	2	2	4	2	5	6	7	9	9	22	18	34	39	55	77	69	92	60	78	55	39	7	1	-
	White--M	358	2	-	-	1	2	1	3	6	5	8	9	9	13	21	27	52	32	53	29	32	27	24	2	-	-
	F	298	1	2	2	1	-	4	2	-	3	1	12	7	18	15	25	19	33	37	29	42	26	14	4	1	-
	Nonwhite--M	20	-	-	-	1	-	-	-	1	-	-	1	-	1	2	2	3	3	1	1	2	1	-	1	-	-
	F	19	-	-	-	1	-	-	1	-	1	-	-	2	2	1	1	3	1	1	1	2	1	1	-	-	-
204	Leukemia and aleukemia	247	3	5	5	4	7	16	4	6	5	8	7	3	11	9	13	17	24	34	31	18	11	6	-	-	-
	White--M	131	1	3	1	2	4	9	1	3	4	4	4	2	7	3	4	7	14	20	15	12	7	4	-	-	-
	F	111	2	2	4	2	3	7	3	3	1	4	3	1	4	6	6	10	10	13	16	6	3	2	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	207	-	1	1	-	-	3	2	-	3	8	10	8	9	12	20	30	27	33	28	10	-	2	-	-	-
	White--M	120	-	-	1	-	-	3	1	-	2	4	8	6	4	10	9	21	18	12	15	4	-	2	-	-	-
	F	83	-	1	-	-	-	-	1	-	1	4	2	2	4	2	10	8	9	20	13	6	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	108	5	-	1	3	-	3	3	1	2	6	4	7	11	10	10	9	10	6	7	5	3	2	-	-	-
	White--M	42	1	-	-	3	-	-	2	1	1	1	2	3	4	1	6	4	6	1	2	2	2	-	-	-	-
	F	52	3	-	1	-	-	3	1	-	-	4	-	4	5	5	3	5	3	5	4	3	1	2	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	1	-	-	-	-	-	-	-	-	1	2	-	2	4	1	-	1	-	1	-	-	-	-	-	-
260	Diabetes mellitus	760	2	-	-	1	-	1	1	2	5	13	10	12	13	18	39	59	95	137	143	121	67	15	6	-	-
	White--M	319	1	-	-	-	-	1	1	1	3	4	5	5	9	6	21	17	35	49	67	54	32	6	2	-	-
	F	400	1	-	-	1	-	-	-	1	2	7	4	5	2	10	15	36	53	83	73	64	30	9	4	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	1	1	-	2	-	-	-	-
	F	30	-	-	-	-	-	-	-	-	-	2	1	2	1	2	3	4	3	4	2	3	3	-	-	-	-
290-293	Anemias	142	2	1	1	-	1	2	2	-	2	-	-	1	3	-	6	5	8	17	24	26	24	13	2	1	1
	White--M	57	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2	3	5	9	8	12	7	7	1	1	-
	F	79	-	1	1	-	1	1	1	-	-	-	-	-	3	-	4	2	3	7	16	14	17	6	1	-	1
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	48	13	5	5	1	2	3	-	-	1	1	3	1	1	4	4	1	-	1	1	1	-	-	-	-	-
	White--M	30	10	3	4	1	1	2	-	-	-	1	1	1	1	3	1	-	-	-	1	-	-	-	-	-	-
	F	14	2	2	1	-	1	1	-	-	1	-	1	-	-	1	1	1	-	1	-	1	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	22,854	4	1	2	2	4	14	23	26	43	76	104	220	421	729	1,056	1,512	2,040	2,902	3,435	3,752	3,464	2,010	824	154	36
	White--M	12,219	3	-	1	2	4	6	11	15	21	38	50	131	268	479	649	954	1,234	1,662	1,825	1,906	1,658	897	333	59	13
	F	9,535	1	1	1	-	-	5	11	8	15	31	35	61	105	172	287	419	671	1,105	1,479	1,742	1,739	1,075	468	85	19
	Nonwhite--M	598	-	-	-	-	-	2	-	3	4	3	8	15	22	36	61	74	85	89	70	54	39	17	10	5	1
	F	502	-	-	-	-	-	1	1	-	3	4	11	13	26	42	59	65	50	46	61	50	28	21	13	5	3
330-334, 400-468	Diseases of cardiovascular system	22,291	4	1	2	2	4	11	18	21	36	65	94	209	401	704	1,031	1,461	2,003	2,859	3,355	3,673	3,391	1,959	804	148	35
	White--M	11,941	3	-	1	2	4	5	8	13	18	31	46	123	259	465	637	937	1,213	1,638	1,783	1,865	1,626	875	320	56	13
	F	9,295	1	1	1	-	-	4	9	5	12	27	31	58	96	164	280	394	657	1,087	1,446	1,710	1,702	1,047	461	83	19
	Nonwhite--M	571	-	-	-	-	-	1	-	3	3	3	7	15	20	34	58	71	85	88	67	49	35	16	10	5	1
	F	484	-	-	-	-	-	1	1	-	3	4	10	13	26	41	56	59	48	46	59	49	28	21	13	4	2
330-334	Vascular lesions, etc.*	5,305	1	-	1	2	-	4	1	3	6	8	22	36	66	125	207	315	392	671	846	1,007	897	485	179	22	9
	White--M	2,494	1	-	1	2	-	2	-	2	4	5	9	14	24	58	85	156	182	333	402	509	399	227	66	10	3
	F	2,520	-	-	-	-	-	1	1	1	2	3	9	14	26	51	95	121	171	295	407	469	483	246	108	12	5
	Nonwhite--M	138	-	-	-	-	-	1	-	-	-	-	-	2	5	6	8	20	21	28	15	17	7	4	3	-	1
	F	153	-	-	-	-	-	-	-	-	-	-	4	6	11	10	19	18	18	15	22	12	8	8	2	-	-
400-402	Rheumatic fever	38	-	-	-	-	-	4	12	2	3	5	1	3	2	5	-	-	-	-	1	-	-	-	-	-	-
	White--M	17	-	-	-	-	-	2	5	1	1	1	-	2	2	3	-	-	-	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	2	7	1	-	4	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
410-443	Diseases of heart	15,310	3	1	1	-	4	2	4	15	24	49	65	154	311	542	795	1,105	1,515	2,069	2,299	2,418	2,139	1,201	485	91	18
	White-----M--	8,652	2	-	-	-	4	-	3	9	12	23	34	101	223	386	534	758	984	1,240	1,283	1,230	1,066	527	193	34	6
	F--	5,959	1	1	1	-	-	1	-	3	8	19	18	36	63	102	176	262	445	744	936	1,124	1,030	651	276	52	10
	Nonwhite--M--	397	-	-	-	-	-	-	-	3	3	3	7	11	13	26	49	46	59	56	48	28	25	11	6	3	-
	F--	302	-	-	-	-	-	1	1	-	1	4	6	6	12	28	36	39	27	29	32	36	18	12	10	2	2
410-416	Chronic rheumatic heart disease----	566	-	-	-	-	-	-	-	10	17	18	18	28	37	54	57	52	65	57	49	44	37	14	8	1	-
	White-----M--	263	-	-	-	-	-	-	-	4	7	5	9	17	20	25	28	27	40	30	19	14	13	4	1	-	-
	F--	263	-	-	-	-	-	-	-	3	8	13	6	10	16	22	23	21	22	24	26	29	22	10	7	1	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	3	1	-	1	1	-	4	5	2	1	2	3	1	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	1	-	2	-	1	3	1	2	2	1	1	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	9,348	-	1	-	-	-	-	1	1	2	20	30	91	215	377	552	796	1,067	1,385	1,456	1,382	1,128	584	212	41	7
	White-----M--	5,878	-	-	-	-	-	-	-	1	2	15	18	76	177	308	428	600	735	890	853	784	596	275	99	17	4
	F--	3,144	-	1	-	-	-	-	-	-	-	1	6	9	25	43	89	158	287	456	564	567	511	298	104	22	3
	Nonwhite--M--	202	-	-	-	-	-	-	-	-	-	1	4	3	11	16	23	22	32	28	24	14	12	8	3	1	-
	F--	124	-	-	-	-	-	-	1	-	-	3	2	3	2	10	12	16	13	11	15	17	9	3	6	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	2,184	1	-	1	-	2	1	2	1	1	5	5	8	17	29	47	81	132	212	297	400	427	333	149	29	4
	White-----M--	1,043	1	-	-	-	2	-	2	1	-	2	3	3	8	17	24	44	83	119	156	167	216	134	50	11	-
	F--	1,044	-	-	1	-	-	-	-	-	-	2	1	2	5	9	17	26	39	83	130	222	201	192	94	17	3
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	1	1	-	3	2	1	3	7	7	5	6	4	6	3	2	1	-
	F--	45	-	-	-	-	-	1	-	-	-	-	1	-	2	2	3	4	3	5	5	7	4	4	3	-	1
430-434	Other diseases of heart---------	628	2	-	-	-	2	1	1	2	3	4	5	6	18	22	29	41	54	83	91	99	84	50	23	6	2
	White-----M--	327	1	-	-	-	2	-	1	2	2	-	2	4	10	13	15	26	34	44	51	47	38	26	6	3	-
	F--	271	1	-	-	-	-	1	-	-	-	3	1	2	6	7	12	9	16	37	36	50	46	23	16	3	2
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	4	1	1	2	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	2	3	1	2	2	-	1	1	-	-
440-443	Hypertension with heart dis.--	2,584	-	-	-	-	-	-	-	1	1	2	7	21	24	60	110	135	197	332	406	493	463	220	93	14	5
	White-----M--	1,141	-	-	-	-	-	-	-	1	1	1	2	1	8	23	39	61	92	157	204	218	203	88	37	3	2
	F--	1,237	-	-	-	-	-	-	-	-	-	-	4	13	11	21	35	48	81	144	180	256	250	128	55	9	2
	Nonwhite--M--	106	-	-	-	-	-	-	-	-	-	-	1	4	-	5	17	11	18	20	13	9	6	-	1	1	-
	F--	100	-	-	-	-	-	-	-	-	-	1	-	3	5	11	19	15	6	11	9	10	4	4	-	1	1
444-447	Hypertension without mention of heart----------	357	-	-	-	-	-	-	-	-	-	-	2	11	12	16	17	20	34	31	52	50	64	35	10	3	-
	White-----M--	159	-	-	-	-	-	-	-	-	-	-	1	5	5	7	7	9	14	16	16	26	30	18	4	1	-
	F--	168	-	-	-	-	-	-	-	-	-	-	1	4	2	6	9	5	17	13	32	23	33	17	6	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	5	1	2	1	-	1	-	-	1	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	2	-	3	1	-	-	-	1	-
450	General arteriosclerosis--------	1,085	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	7	34	57	132	174	280	231	122	31	8
	White-----M--	504	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	3	16	33	66	85	125	99	55	11	4
	F--	554	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	14	21	61	86	151	130	65	18	4
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	3	3	2	1	1	1	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	2	1	1	1	-
451-468	Other diseases of circulatory sys.-	196	-	-	-	-	-	1	1	1	3	3	3	5	9	12	9	14	28	31	25	24	11	7	8	1	-
	White-----M--	115	-	-	-	-	-	1	-	1	1	2	2	1	4	7	9	11	17	16	16	15	6	4	2	-	-
	F--	75	-	-	-	-	-	-	1	-	2	1	1	3	5	3	-	3	10	14	9	8	5	3	6	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	563	-	-	-	-	-	3	5	5	7	11	10	11	20	25	25	51	37	43	80	79	73	51	20	6	1
	White-----M--	278	-	-	-	-	-	1	3	2	3	7	4	8	9	14	12	17	21	24	42	41	32	22	13	3	-
	F--	240	-	-	-	-	-	1	2	3	3	4	4	3	9	8	7	25	14	18	33	32	37	28	7	2	-
	Nonwhite--M--	27	-	-	-	-	-	1	-	-	1	-	1	-	2	2	3	3	-	1	3	5	4	1	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	6	2	-	2	1	-	-	-	1	1
480-493	Influenza and pneumonia, etc.*	1,219	289	45	10	10	5	18	10	11	10	12	17	12	27	28	52	50	59	71	90	99	133	94	50	15	2
	White-----M--	640	147	16	6	6	2	7	8	3	3	7	12	3	16	16	27	31	40	42	51	57	72	43	19	5	1
	F--	465	99	25	3	4	2	9	2	8	6	4	5	6	4	9	11	15	11	21	32	41	58	48	31	10	1
	Nonwhite--M--	62	21	2	-	-	1	1	-	-	-	-	-	2	2	3	12	1	4	6	2	1	1	3	-	-	-
	F--	52	22	2	1	-	-	1	-	-	1	1	-	1	5	-	2	3	4	2	5	-	2	-	-	-	-
480-483	Influenza--------	203	21	4	1	-	1	2	5	2	2	1	5	1	5	5	5	11	8	19	18	15	36	22	8	5	1
	White-----M--	111	13	2	-	-	-	1	3	-	-	1	2	-	3	2	3	8	6	12	11	7	16	15	4	2	-
	F--	80	7	2	-	-	1	1	2	2	2	-	3	-	1	2	-	2	2	4	6	8	20	7	4	3	1
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
	F--	7	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,016	268	41	9	10	4	16	5	9	8	11	12	11	22	23	47	39	51	52	72	84	97	72	42	10	1
	White-----M--	529	134	14	6	6	2	6	5	3	3	6	10	3	13	14	24	23	34	30	40	50	56	28	15	3	1
	F--	385	92	23	3	4	1	8	-	6	4	4	2	6	3	7	11	13	9	17	26	33	38	41	27	7	-
	Nonwhite--M--	57	20	2	-	-	1	1	-	-	-	-	-	1	2	2	11	1	4	5	2	1	1	3	-	-	-
	F--	45	22	2	-	-	-	1	-	-	1	1	-	1	4	-	1	2	4	-	4	-	2	-	-	-	-
500-502	Bronchitis--------	81	14	4	4	2	3	-	2	1	-	-	-	3	1	2	1	4	1	5	8	12	8	5	1	-	-
	White-----M--	53	8	2	4	2	3	-	2	1	-	-	-	1	1	1	1	3	1	3	7	7	3	2	1	-	-
	F--	25	5	2	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	5	5	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	191	1	-	-	-	-	-	-	-	-	3	1	5	6	12	17	34	31	20	21	16	18	5	1	-	-
	White-----M--	145	1	-	-	-	-	-	-	-	-	2	-	3	5	9	14	26	24	18	18	9	12	3	1	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	5	7	2	3	6	6	2	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	86	1	2	2	-	1	4	9	2	1	3	5	2	3	3	7	5	9	9	5	4	7	2	-	-	-
	White-----M--	49	-	1	2	-	1	3	4	1	-	-	2	2	1	2	6	3	7	6	4	-	3	1	-	-	-
	F--	30	1	1	-	-	-	-	5	1	1	3	2	-	1	-	1	-	2	3	1	4	3	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	228	19	3	1	1	-	-	-	-	4	3	4	8	7	5	7	20	18	26	25	30	32	9	5	1	-
	White-----M--	118	11	1	1	1	-	-	-	-	2	2	2	3	2	2	3	9	12	14	15	18	14	3	2	1	-
	F--	93	7	1	-	-	-	-	-	-	1	-	1	3	4	3	2	10	4	9	10	12	18	6	2	-	-
	Nonwhite--M--	9	1	-	-	-	-	-	-	-	1	1	1	-	-	-	2	1	1	1	-	-	-	-	-	-	-
	F--	8	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	2	-	-	-	-	1	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
543,	Gastritis, etc.*--	206	94	13	2	1	2	3	2	-	-	-	-	1	3	4	5	8	9	16	9	15	8	4	7	-	-
571,	White-----M--	97	51	5	2	-	1	1	1	-	-	-	-	-	1	-	4	3	3	7	4	6	3	3	2	-	-
572	F--	90	31	7	-	1	1	2	1	-	-	-	-	1	2	3	-	5	3	9	4	9	5	1	5	-	-
	Nonwhite--M--	13	7	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-	-
	F--	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	401	1	-	-	-	-	2	-	-	1	1	7	11	37	48	56	49	51	43	38	30	18	7	1	-	-
	White-----M--	271	-	-	-	-	-	2	-	-	-	1	5	7	23	38	39	35	37	28	23	17	12	3	1	-	-
	F--	107	-	-	-	-	-	-	-	-	-	-	2	4	12	7	11	11	11	14	12	13	6	4	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	2	-	-	2	-	-	-	-	-	-
	F--	13	1	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	3	1	1	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	83	3	1	-	1	1	3	1	1	2	1	3	3	2	5	6	5	3	5	9	12	9	5	2	-	-
	White-----M--	37	1	1	-	1	-	-	1	1	1	-	1	1	-	3	2	2	-	3	5	6	4	3	1	-	-
	F--	35	1	-	-	-	1	3	-	-	1	-	2	1	-	2	3	2	3	-	4	4	5	2	1	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	9	10	21	29	43	31	23	9	2	1
	White-----M--	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	8	10	19	28	43	31	23	9	2	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	52	...	...	...	...	...	...	-	6	7	14	11	9	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	44	...	...	...	...	...	...	-	6	6	13	8	8	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	...	...	...	...	...	...	-	-	1	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	4	...	...	...	...	...	...	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	4	...	...	...	...	...	...	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	48	...	...	...	...	...	...	-	6	6	13	10	8	5	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	40	...	...	...	...	...	...	-	6	5	12	7	7	3	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	8	...	...	...	...	...	...	-	-	1	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	574	441	24	18	9	6	13	8	7	5	2	2	4	3	5	9	7	2	1	5	2	1	-	-	-	-
	White-----M--	299	230	14	10	5	3	6	3	2	3	2	2	2	2	2	6	3	-	1	2	1	-	-	-	-	-
	F--	250	196	7	7	4	2	7	5	4	2	-	-	1	-	3	2	3	2	-	3	1	1	-	-	-	-
	Nonwhite--M--	16	8	2	1	-	1	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	9	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,628	1,626	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	882	881	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	556	555	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	639	639	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	364	364	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	227	227	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	892	890	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	478	477	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	288	287	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	229	22	1	-	-	-	-	-	6	-	2	3	1	2	7	8	8	13	14	15	20	32	35	32	7	1
795	White-----M--	115	13	1	-	-	-	-	-	1	-	1	1	1	2	4	5	6	5	9	7	10	21	12	14	2	-
	F--	95	6	-	-	-	-	-	-	4	-	1	2	-	-	2	2	-	7	2	5	9	10	23	17	5	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-
	F--	13	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	3	-	1	-	-	-	1
Re-	All other diseases	1,839	85	17	16	11	9	29	16	21	22	31	40	55	59	83	102	188	177	245	201	177	132	71	38	11	3
sid-	White-----M--	965	49	7	6	7	5	11	8	8	10	11	14	19	30	46	57	101	116	150	97	93	67	35	12	4	2
ual	F--	773	30	10	9	4	4	18	7	12	12	16	20	29	21	31	34	69	53	92	93	81	62	33	26	7	-
	Nonwhite--M--	60	3	-	1	-	-	-	1	1	-	2	2	4	4	4	7	11	6	1	7	2	2	1	-	-	1
	F--	41	3	-	-	-	-	-	-	-	-	2	4	3	4	2	4	7	2	2	4	1	1	2	-	-	-
E800-	Accidents---------	2,872	92	40	38	19	21	97	75	196	191	182	154	140	129	140	138	144	154	148	155	188	192	147	69	15	8
E962	White-----M--	1,806	43	24	20	8	11	67	56	150	152	143	116	102	96	99	93	99	100	93	91	75	85	53	23	5	2
	F--	910	34	12	15	9	7	26	19	39	33	25	26	26	26	28	35	34	42	49	58	108	105	93	46	10	5
	Nonwhite--M--	113	6	4	3	1	3	3	-	6	4	10	10	9	4	10	8	8	10	3	4	4	2	1	-	-	-
	F--	43	9	-	-	1	-	1	-	1	2	4	2	3	3	3	2	3	2	3	2	1	-	-	-	-	1
E810-	Motor-vehicle																										
E835	accidents--------	1,245	11	10	12	7	9	42	35	131	141	121	91	88	64	70	79	79	63	61	60	40	16	14	1	-	-
	White-----M--	851	4	4	5	2	5	28	23	90	111	97	69	61	45	46	48	51	38	40	42	24	10	7	1	-	-
	F--	333	7	5	6	5	2	12	12	36	25	16	17	20	18	17	25	24	23	21	14	15	6	7	-	-	-
	Nonwhite--M--	47	-	1	1	-	2	2	-	4	3	6	4	5	1	6	4	2	2	-	3	1	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	1	2	2	1	2	-	1	2	2	-	-	1	-	-	-	-	-	-
E800-	All ot. accidents-	1,627	81	30	26	12	12	55	40	65	50	61	63	52	65	70	59	65	91	87	95	148	176	133	68	15	8
E802,	White-----M--	955	39	20	15	6	6	39	33	60	41	46	47	41	51	53	45	48	62	53	49	51	75	46	22	5	2
E840-	F--	577	27	7	9	4	5	14	7	3	8	9	9	6	8	11	10	10	19	28	44	93	99	86	46	10	5
E962	Nonwhite--M--	66	6	3	2	1	1	1	-	2	1	4	6	4	3	4	4	6	8	3	1	3	2	1	-	-	-
	F--	29	9	-	-	1	-	1	-	-	-	2	1	1	3	2	-	1	2	3	1	1	-	-	-	-	1
E963,	Suicide----------	494	-	-	-	-	-	-	1	8	17	12	25	35	40	44	56	50	62	40	41	27	26	6	2	-	2
E970-	White-----M--	367	-	-	-	-	-	-	1	6	12	8	15	26	29	27	45	33	49	27	32	26	24	5	1	-	1
E979	F--	120	-	-	-	-	-	-	-	2	5	3	8	8	10	16	11	16	13	13	9	1	2	1	1	-	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	160	4	-	-	-	-	-	1	2	14	30	29	17	18	16	11	4	6	3	2	3	-	-	-	-	-
E980-	White-----M--	66	2	-	-	-	-	-	-	1	6	10	15	6	7	7	3	1	2	3	1	2	-	-	-	-	-
E985	F--	24	2	-	-	-	-	-	1	-	2	5	2	1	3	4	3	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	54	-	-	-	-	-	-	-	-	5	10	10	7	6	5	5	2	2	-	1	1	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	1	1	5	2	3	2	-	-	1	1	-	-	-	-	-	-	-	-
E985,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA																										
	ALL CAUSES--------	26,595	1,575	109	58	60	36	156	114	206	192	252	262	349	487	687	1,076	1,654	2,250	2,811	3,401	3,848	3,569	2,218	941	233	31
	White-----M--	15,088	909	57	34	34	23	94	66	145	133	167	165	218	289	427	660	1,048	1,444	1,729	1,931	2,145	1,810	1,071	393	83	13
	F--	11,216	638	48	23	24	13	60	47	60	56	81	113	123	192	242	402	586	775	1,048	1,444	1,671	1,742	1,131	542	143	12
	Nonwhite--M--	171	17	4	1	2	-	2	-	1	2	-	2	2	2	10	7	11	22	23	17	21	10	5	3	4	3
	F--	120	11	-	-	-	-	-	1	-	1	4	2	6	4	8	7	9	9	11	9	11	7	11	3	3	3
001-019	Tuberculosis, all forms--------	163	-	1	-	1	-	-	-	1	2	10	11	6	22	16	11	16	26	21	13	14	9	3	-	-	-
	White-----M--	123	-	-	-	-	-	-	-	-	-	5	5	3	16	10	7	11	22	14	11	11	6	2	-	-	-
	F--	57	-	1	-	1	-	-	-	1	2	5	5	3	6	6	4	5	3	7	2	2	3	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	168	-	-	-	-	-	-	-	-	2	9	10	6	21	16	11	16	24	18	12	12	8	3	-	-	-
	White-----M--	113	-	-	-	-	-	-	-	-	-	4	4	3	15	10	7	11	20	12	10	9	6	2	-	-	-
	F--	52	-	-	-	-	-	-	-	-	2	5	5	3	6	6	4	5	3	6	2	2	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	15	-	1	-	1	-	-	-	1	-	1	1	-	1	-	-	-	2	3	1	2	1	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	2	2	1	2	-	-	-	-	-
	F--	5	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	82	-	-	-	-	-	-	-	-	1	-	-	-	1	1	6	7	20	21	12	6	5	2	-	-	-
	White-----M--	59	-	-	-	-	-	-	-	-	1	-	-	-	1	1	4	6	14	15	6	5	4	2	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	5	5	1	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	13	-	1	-	-	-	1	-	1	1	-	1	-	-	-	1	1	2	2	-	-	-	1	1	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F--	10	-	1	-	-	-	1	-	1	1	-	-	-	-	-	1	1	2	1	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	9	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	2	1	1	-	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	2	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	16	8	2	3	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	11	4	1	3	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	162	4	2	2	5	2	31	23	11	19	30	10	15	2	1	4	-	-	1	-	-	-	-	-	-	-
	White-----M--	104	2	1	1	4	1	21	13	7	12	20	7	8	2	-	4	-	-	1	-	-	-	-	-	-	-
	F--	57	2	1	1	1	1	9	10	4	7	10	3	7	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	6	1	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	65	10	5	1	2	-	3	3	1	-	2	2	2	2	-	6	2	6	3	4	4	3	1	3	-	-
	White-----M--	28	7	2	1	2	-	1	-	-	-	1	-	-	1	-	2	2	2	2	1	1	1	1	1	-	-
	F--	37	3	3	-	-	-	2	3	1	-	1	2	2	1	-	4	-	4	1	3	3	2	-	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Continued																										
140-205	Malignant neoplasms, etc.*	4,102	5	3	8	16	8	17	9	13	11	19	47	69	112	165	280	400	500	573	597	579	392	212	54	10	3
	White--M	2,128	2	1	5	9	5	10	5	9	9	10	18	30	36	71	123	181	252	324	316	347	215	119	27	4	-
	F	1,942	3	1	3	7	3	7	4	4	2	9	29	39	75	89	156	217	243	246	277	227	178	91	27	5	2
	Nonwhite--M	12	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	1	1	3	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	1	2	3	2	1	2	-	1	1
140-148	Of buccal cavity and pharynx	62	-	-	-	-	-	-	-	-	-	-	1	1	2	-	4	7	6	10	6	12	8	3	2	-	-
	White--M	44	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	3	6	9	4	10	5	1	1	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	-	1	2	2	3	2	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,553	-	1	-	-	1	-	-	1	1	3	8	15	22	48	78	138	179	232	247	264	186	93	30	5	1
	White--M	873	-	1	-	-	1	-	-	1	1	1	4	9	10	29	38	86	101	139	136	155	98	49	11	3	-
	F	670	-	-	-	-	-	-	-	-	-	2	4	6	11	17	40	52	75	93	111	107	88	43	19	1	1
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-
160-164	Of respiratory system	361	1	-	-	-	-	-	-	1	1	-	3	6	10	14	36	65	71	47	47	35	15	8	1	-	-
	White--M	285	1	-	-	-	-	-	-	-	1	-	1	4	6	13	30	54	56	40	36	27	10	5	1	-	-
	F	71	-	-	-	-	-	-	-	1	-	-	2	2	4	1	6	9	15	6	10	8	5	2	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
170	Of breast	390	-	-	-	-	-	-	-	-	-	1	7	11	21	29	31	64	50	42	61	27	26	13	3	3	1
	White--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	F	383	-	-	-	-	-	-	-	-	-	1	7	11	21	28	31	64	50	42	59	26	25	12	3	3	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1
171-179	Of genital organs	705	-	-	-	1	-	-	1	1	3	3	9	18	20	33	51	55	80	90	112	107	72	41	8	-	-
	White--M	331	-	-	-	-	-	-	-	-	3	1	3	6	1	2	6	5	22	44	72	72	53	34	7	-	-
	F	371	-	-	-	1	-	-	1	1	-	2	6	12	19	31	44	50	58	45	40	34	19	7	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
180, 181	Of urinary organs	186	-	-	2	1	1	-	-	-	1	-	-	-	6	7	14	9	18	32	24	27	20	18	6	-	-
	White--M	128	-	-	-	1	1	-	-	-	1	-	-	-	5	5	10	4	16	23	15	21	9	13	4	-	-
	F	57	-	-	2	-	-	-	-	-	-	-	-	-	1	2	4	5	1	9	9	6	11	5	2	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	460	-	-	1	4	1	4	3	6	-	3	9	12	17	23	33	38	55	66	51	61	44	23	4	2	-
	White--M	244	-	-	1	1	1	3	1	5	-	3	6	8	8	14	20	18	25	35	22	32	27	10	3	1	-
	F	211	-	-	-	3	-	1	2	1	-	-	3	4	9	7	13	20	30	30	29	28	16	13	1	1	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
204	Leukemia and aleukemia	207	4	1	3	9	5	9	3	3	4	3	4	4	4	5	16	8	16	23	33	25	15	9	-	-	1
	White--M	118	1	-	2	6	2	5	2	2	2	-	-	2	1	2	10	3	10	15	22	16	11	4	-	-	-
	F	86	3	-	1	3	3	4	1	1	2	3	4	2	3	3	6	5	5	8	10	9	4	5	-	-	1
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	179	-	1	2	1	-	4	2	1	1	6	6	2	10	6	17	16	25	31	16	21	6	4	-	-	-
	White--M	102	-	-	2	1	-	2	2	1	1	5	3	1	4	6	6	8	16	19	9	13	1	2	-	-	-
	F	75	-	1	-	-	-	2	-	-	-	1	3	1	6	-	11	8	9	12	7	7	5	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	85	3	-	1	1	-	2	3	-	2	2	6	6	8	3	6	9	7	9	4	5	5	2	-	1	-
	White--M	35	1	-	1	-	-	2	-	-	-	1	3	4	2	-	2	3	4	6	1	3	1	-	-	1	-
	F	48	2	-	-	1	-	-	3	-	2	-	3	2	6	2	4	6	3	3	3	2	4	2	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	440	1	-	1	-	1	1	1	-	-	3	8	3	10	4	14	26	58	64	83	73	53	31	6	1	-
	White--M	192	-	-	-	-	-	1	-	-	-	2	4	3	4	4	7	10	25	26	29	38	24	12	2	1	-
	F	245	1	-	1	-	1	-	1	-	-	1	4	-	6	-	6	16	31	38	54	34	28	19	4	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
290-293	Anemias	97	2	3	-	-	-	2	-	-	-	-	-	2	-	2	3	4	6	6	16	19	13	18	-	1	-
	White--M	47	2	1	-	-	-	-	-	-	-	-	-	1	-	-	2	4	2	4	12	8	5	6	-	-	-
	F	50	-	2	-	-	-	2	-	-	-	-	-	1	-	2	1	-	4	2	4	11	8	12	-	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	12	6	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-
	White--M	7	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	15,072	10	3	2	2	1	7	6	18	17	39	56	101	163	310	534	890	1,300	1,690	2,218	2,644	2,615	1,577	688	161	20
	White--M	8,528	6	3	1	2	-	4	1	7	7	21	33	66	110	215	364	628	884	1,041	1,281	1,442	1,311	755	286	53	7
	F	6,384	4	-	1	-	1	3	4	10	10	18	20	29	49	89	161	250	397	627	921	1,179	1,292	809	399	103	8
	Nonwhite--M	92	-	-	-	-	-	-	-	1	-	-	2	1	2	3	5	6	12	16	10	14	7	5	2	3	3
	F	68	-	-	-	-	-	-	1	-	-	-	1	5	2	3	4	6	7	6	6	9	5	8	1	2	2
330-334, 400-468	Diseases of cardiovascular system	14,740	8	2	1	2	1	4	6	15	13	30	48	89	157	302	520	871	1,275	1,659	2,187	2,592	2,558	1,548	673	159	20
	White--M	8,347	5	2	1	2	-	3	1	6	5	14	30	60	105	213	358	618	870	1,021	1,262	1,413	1,277	742	280	52	7
	F	6,242	3	-	-	-	1	1	4	8	8	16	16	24	48	84	153	241	387	617	909	1,157	1,270	795	390	102	8
	Nonwhite--M	90	-	-	-	-	-	-	-	1	-	-	2	1	2	3	5	6	12	15	10	14	6	5	2	3	3
	F	61	-	-	-	-	-	-	1	-	-	-	-	4	2	2	4	6	6	6	6	8	5	6	1	2	2
330-334	Vascular lesions, etc.*	3,908	2	2	1	-	-	-	3	2	3	3	6	15	25	63	105	160	264	431	600	774	781	452	176	37	3
	White--M	1,985	2	2	1	-	-	-	-	-	1	3	2	4	9	37	52	84	151	240	320	409	377	212	65	12	2
	F	1,884	-	-	-	-	-	-	2	1	2	-	4	9	16	25	51	72	107	186	275	359	401	237	111	25	1
	Nonwhite--M	20	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	4	5	4	3	1	1	-	-	-
	F	19	-	-	-	-	-	-	1	-	-	-	-	2	-	1	2	3	2	-	1	3	2	2	-	-	-
400-402	Rheumatic fever	16	-	-	-	1	-	1	1	1	-	1	1	-	2	4	1	-	-	1	-	2	-	-	-	-	-
	White--M	11	-	-	-	1	-	1	-	-	-	-	1	-	2	4	1	-	-	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA--Continued																										
410-443	Diseases of heart	9,693	5	-	-	1	-	3	2	8	9	23	35	67	117	218	392	663	968	1,170	1,477	1,638	1,519	904	377	84	13
	White-----M--	5,783	3	-	-	1	-	2	1	5	3	11	24	51	86	166	287	502	688	751	882	915	774	433	173	23	2
	F--	3,307	2	-	-	-	-	1	1	3	6	12	9	13	28	48	98	155	268	406	584	709	738	463	201	56	6
	Nonwhite--M--	63	-	-	-	-	-	-	-	-	-	-	2	1	2	3	5	4	8	7	6	9	4	4	2	3	3
	F--	40	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	2	4	6	5	5	3	4	1	2	2
410-416	Chronic rheumatic heart disease----	316	-	-	-	-	-	-	2	5	3	12	7	11	21	22	28	39	31	23	29	37	23	19	3	-	1
	White-----M--	163	-	-	-	-	-	-	1	3	-	4	4	6	11	13	17	17	18	14	12	19	12	8	3	-	1
	F--	145	-	-	-	-	-	-	1	2	3	8	2	4	10	9	10	21	13	7	16	18	11	10	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,509	1	-	-	1	-	-	-	-	3	8	20	43	83	166	294	502	748	850	1,049	1,079	912	517	191	34	8
	White-----M--	4,206	-	-	-	1	-	-	-	-	2	6	16	37	71	136	234	409	568	563	669	636	485	275	87	10	1
	F--	2,243	1	-	-	-	-	-	-	-	1	2	3	4	11	27	55	90	171	281	375	435	423	237	101	22	4
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	-	-	1	1	1	2	5	3	5	2	3	5	3	3	2	1	2
	F--	21	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	4	4	2	3	1	2	1	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,403	2	-	-	-	-	3	-	3	1	-	-	2	4	13	22	53	64	116	185	258	333	199	105	36	4
	White-----M--	712	2	-	-	-	-	2	-	2	1	-	-	1	1	10	11	35	39	70	97	132	161	87	51	10	-
	F--	677	-	-	-	-	-	1	-	1	-	-	-	1	3	2	11	17	24	44	86	123	171	112	54	25	2
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	-	-	-	1	1
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1
430-434	Other diseases of heart---------	363	2	-	-	-	-	-	-	-	2	1	4	4	2	5	13	19	30	47	51	67	51	30	30	5	-
	White-----M--	199	1	-	-	-	-	-	-	-	-	-	3	2	2	2	8	10	20	30	27	36	27	15	14	2	-
	F--	160	1	-	-	-	-	-	-	-	2	1	1	2	-	3	5	9	9	16	24	30	23	15	16	3	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
440-443	Hypertension with heart dis.--	1,102	-	-	-	-	-	-	-	-	-	2	4	7	7	12	35	50	95	134	163	197	200	139	48	9	-
	White-----M--	503	-	-	-	-	-	-	-	-	-	1	1	5	1	5	17	31	43	74	77	92	89	48	18	1	-
	F--	582	-	-	-	-	-	-	-	-	-	1	3	2	4	7	17	18	51	58	83	103	110	89	30	6	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	1	-	-	1	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	1	-	2	-	1	-
444-447	Hypertension without mention of heart----------	216	-	-	-	-	-	-	-	-	-	2	1	2	7	10	11	16	10	16	25	37	38	26	12	3	-
	White-----M--	96	-	-	-	-	-	-	-	-	-	-	-	1	4	4	9	8	7	7	9	17	12	13	4	1	-
	F--	116	-	-	-	-	-	-	-	-	-	2	1	1	2	6	2	7	3	7	16	20	26	13	8	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	753	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	4	13	27	73	121	205	162	103	34	2
	White-----M--	379	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	3	9	16	44	59	107	80	37	15	1
	F--	371	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	11	29	60	97	82	66	19	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	154	1	-	-	-	1	-	-	4	1	1	5	5	6	5	4	28	20	14	12	20	15	4	5	1	2
	White-----M--	93	-	-	-	-	-	-	-	1	1	-	3	4	4	1	2	21	15	7	7	12	7	4	1	1	2
	F--	59	1	-	-	-	1	-	-	3	-	1	2	1	2	4	2	6	5	6	5	8	8	-	4	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	332	2	1	1	-	-	3	-	3	4	9	8	12	6	8	14	19	25	31	31	52	57	29	15	2	-
	White-----M--	181	1	1	-	-	-	1	-	1	2	7	3	6	5	2	6	10	14	20	19	29	34	13	6	1	-
	F--	142	1	-	1	-	-	2	-	2	2	2	4	5	1	5	8	9	10	10	12	22	22	14	9	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	1	-	2	-	-	-
480-493	Influenza and pneumonia, etc.*	750	107	15	8	1	1	12	5	4	3	2	5	10	16	12	18	22	29	53	62	84	95	109	47	28	2
	White-----M--	409	60	7	5	1	1	6	4	2	1	-	2	4	11	10	11	16	26	35	34	40	44	50	23	15	1
	F--	325	42	8	2	-	-	6	1	2	2	2	3	4	5	1	5	6	3	16	27	43	51	59	23	13	1
	Nonwhite--M--	11	2	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	1	1	-	-	1	-	-
	F--	5	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	108	5	-	3	-	-	-	-	1	2	-	-	3	4	2	-	3	3	9	15	15	11	25	6	1	-
	White-----M--	52	3	-	2	-	-	-	-	1	1	-	-	1	3	1	-	2	3	6	8	6	4	8	2	1	-
	F--	55	2	-	1	-	-	-	-	-	1	-	-	1	1	1	-	1	-	3	7	9	7	17	4	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	642	102	15	5	1	1	12	5	3	1	2	5	7	12	10	18	19	26	44	47	69	84	84	41	27	2
	White-----M--	357	57	7	3	1	1	6	4	1	-	-	2	3	8	9	11	14	23	29	26	34	40	42	21	14	1
	F--	270	40	8	1	-	-	6	1	2	1	2	3	3	4	-	5	5	3	13	20	34	44	42	19	13	1
	Nonwhite--M--	10	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	1	-	-	1	-	-
	F--	5	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	46	6	3	1	-	-	1	-	1	-	-	-	-	-	-	1	2	5	5	5	6	4	2	4	-	-
	White-----M--	30	4	1	1	-	-	1	-	-	-	-	-	-	-	-	1	2	4	5	2	4	2	1	2	-	-
	F--	15	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	2	2	1	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	154	-	-	-	-	-	-	-	-	-	2	3	6	2	9	6	18	17	22	26	18	18	5	2	-	-
	White-----M--	124	-	-	-	-	-	-	-	-	-	1	2	6	2	9	4	15	16	18	21	13	12	3	2	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	4	4	5	6	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	41	-	-	1	1	-	-	1	1	-	1	1	2	2	2	2	8	3	3	4	4	3	2	-	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	6	2	3	1	3	3	2	-	-	-
	F--	13	-	-	1	1	-	-	1	1	-	-	-	-	1	-	1	2	1	-	3	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	136	15	2	-	-	-	-	2	-	2	-	-	2	1	4	3	10	14	20	18	13	16	9	5	-	-
	White-----M--	75	8	1	-	-	-	-	1	-	1	-	-	1	-	2	2	5	9	10	12	11	7	4	1	-	-
	F--	59	7	-	-	-	-	-	1	-	1	-	-	1	1	2	1	5	5	9	6	2	9	5	4	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Continued																										
543,	Gastritis, etc.*--	79	23	2	-	-	1	-	1	-	1	1	-	1	-	1	1	4	1	9	12	8	6	3	3	-	1
571,	White-----M--	40	13	2	-	-	1	-	-	-	1	1	-	-	-	-	1	2	-	4	6	3	3	-	2	-	1
572	F--	34	5	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	1	5	6	5	3	3	1	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	165	2	-	-	-	-	1	-	2	1	2	3	11	11	18	14	28	18	14	18	13	6	3	-	-	-
	White-----M--	124	-	-	-	-	-	-	-	-	-	2	3	8	10	13	11	24	13	12	12	9	5	2	-	-	-
	F--	40	2	-	-	-	-	1	-	2	1	-	-	3	1	4	3	4	5	2	6	4	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	40	1	-	-	-	-	2	1	2	1	2	2	1	-	3	2	6	3	2	3	2	3	3	1	-	-
	White-----M--	23	-	-	-	-	-	-	1	-	1	2	1	1	-	1	1	5	2	1	2	1	2	1	1	-	-
	F--	16	1	-	-	-	-	2	-	2	-	-	1	-	-	2	1	-	1	1	1	1	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	7	17	16	32	30	28	7	-	-
	White-----M--	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	7	17	16	32	29	28	7	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	22	...	...	...	...	...	...	-	-	5	5	3	4	3	1	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	22	...	...	...	...	...	...	-	-	5	5	3	4	3	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	20	...	...	...	...	...	...	-	-	5	5	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	20	...	...	...	...	...	...	-	-	5	5	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	360	288	19	2	5	2	6	3	8	3	1	3	2	-	6	3	1	4	2	1	1	-	-	-	-	-
	White-----M--	189	151	6	1	2	2	5	1	6	2	-	2	2	-	3	-	1	3	1	1	-	-	-	-	-	-
	F--	169	136	12	1	3	-	1	2	2	1	1	1	-	-	3	3	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	954	953	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	568	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	373	372	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	431	431	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	258	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	167	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	490	489	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	293	293	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	192	191	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	158	5	2	2	-	-	2	-	-	-	-	-	-	2	2	1	6	4	7	9	17	21	32	30	14	2
795	White-----M--	77	4	1	1	-	-	2	-	-	-	-	-	-	1	-	-	5	4	5	2	11	11	15	8	5	2
	F--	77	1	1	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	7	6	10	16	21	9	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-
Re-	All other diseases	1,248	63	14	6	4	2	23	13	15	16	18	25	26	39	45	63	88	106	134	164	167	129	52	25	9	2
sid-	White-----M--	683	41	9	3	4	1	15	5	5	8	8	11	16	18	20	35	45	69	85	95	94	65	19	8	2	2
ual	F--	548	20	5	3	-	1	8	8	10	8	10	14	10	20	25	28	41	35	45	67	72	63	33	16	6	-
	Nonwhite--M--	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	-	-	1	-
	F--	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	1	-	-
E800-	Accidents---------	1,600	59	28	18	21	18	40	41	122	95	88	70	51	61	56	55	74	75	88	90	124	135	117	65	8	1
E962	White-----M--	1,026	30	19	10	10	12	23	33	103	82	76	55	37	49	43	46	57	53	63	49	56	53	42	23	2	-
	F--	562	27	8	8	9	6	16	8	19	12	12	15	14	12	11	8	16	22	25	41	68	81	75	42	6	1
	Nonwhite--M--	9	-	1	-	2	-	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	536	9	10	7	6	8	14	6	78	65	52	35	26	28	24	24	28	30	24	31	17	7	5	2	-	-
	White-----M--	402	5	4	3	2	7	9	3	63	58	45	27	19	20	16	18	20	22	15	22	12	7	3	2	-	-
	F--	133	4	6	4	3	1	5	3	15	7	7	8	7	8	8	6	8	8	9	9	5	-	2	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,064	50	18	11	15	10	26	35	44	30	36	35	25	33	32	31	46	45	64	59	107	128	112	63	8	1
E802,	White-----M--	624	25	15	7	8	5	14	30	40	24	31	28	18	29	27	28	37	31	48	27	44	46	39	21	2	-
E840-	F--	429	23	2	4	6	5	11	5	4	5	5	7	7	4	3	2	8	14	16	32	63	81	73	42	6	1
E962	Nonwhite--M--	8	-	1	-	1	-	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	317	-	-	-	-	-	-	-	4	9	22	21	26	25	23	33	28	33	41	25	14	7	6	-	-	-
E970-	White-----M--	258	-	-	-	-	-	-	-	4	7	16	15	24	22	22	25	19	26	33	20	12	7	6	-	-	-
E979	F--	59	-	-	-	-	-	-	-	-	2	6	6	2	3	1	8	9	7	8	5	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	40	3	1	-	1	-	1	-	1	3	3	5	2	4	2	5	3	3	3	-	-	-	-	-	-	-
E980-	White-----M--	20	2	1	-	-	-	-	-	1	1	-	2	1	3	1	3	1	2	2	-	-	-	-	-	-	-
E985	F--	14	1	-	-	1	-	1	-	-	-	1	3	1	1	-	2	2	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS																										
	ALL CAUSES--------	19,582	1,238	99	51	44	33	85	94	155	188	215	213	301	409	617	864	1,145	1,564	2,087	2,495	2,764	2,520	1,508	718	145	30
	White-----M--	10,681	676	54	34	27	17	46	53	102	117	124	127	176	220	324	505	673	966	1,214	1,400	1,479	1,262	702	316	60	7
	F--	7,866	467	39	13	13	14	34	36	45	52	73	64	96	152	229	279	382	498	748	991	1,201	1,202	768	380	76	14
	Nonwhite--M--	560	50	3	4	3	2	5	3	4	13	12	11	16	18	37	40	47	55	66	55	55	24	22	7	6	2
	F--	475	45	3	-	1	-	-	2	4	6	6	11	13	19	27	40	43	45	59	49	29	32	16	15	3	7
001-019	Tuberculosis, all forms--------	161	-	1	1	1	-	1	1	1	3	5	6	11	10	17	14	15	19	23	16	7	4	4	1	-	-
	White-----M--	96	-	-	1	-	-	-	1	1	1	1	2	8	5	9	7	8	16	13	11	5	3	3	1	-	-
	F--	45	-	-	-	-	-	1	-	-	1	-	3	2	3	4	7	4	3	9	4	2	1	1	-	-	-
	Nonwhite--M--	15	-	1	-	1	-	-	-	-	-	2	1	1	1	4	-	3	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	150	-	-	1	-	-	-	1	1	3	5	3	11	10	16	14	15	18	22	15	7	4	3	1	-	-
	White-----M--	92	-	-	1	-	-	-	1	1	1	1	-	8	5	9	7	8	15	13	10	5	3	3	1	-	-
	F--	42	-	-	-	-	-	-	-	-	1	-	3	2	3	4	7	4	3	8	4	2	1	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	2	-	1	1	3	-	3	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	11	-	1	-	1	-	1	-	-	-	-	3	-	-	1	-	-	1	1	1	-	-	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite--M--	4	-	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	71	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	5	14	15	7	12	6	1	2	-	-
	White-----M--	45	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	10	10	4	10	2	1	1	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	3	2	2	2	-	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	2	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	7	-	1	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-
	White-----M--	5	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-
	F--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	13	2	2	-	-	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	2	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	68	3	1	1	2	3	3	14	8	13	6	3	3	3	2	1	-	1	-	1	-	-	-	-	-	-
	White-----M--	37	1	-	1	1	-	1	11	4	8	2	2	2	2	1	-	-	1	-	-	-	-	-	-	-	-
	F--	30	2	1	-	1	3	1	3	4	5	4	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	56	9	2	3	-	2	4	1	2	1	3	-	2	3	3	3	2	3	4	2	4	2	-	1	-	-
	White-----M--	27	4	2	2	-	1	2	-	-	-	2	-	-	1	3	-	1	2	1	-	3	2	-	1	-	-
	F--	25	4	-	1	-	1	2	1	2	1	1	-	1	2	-	2	1	1	2	2	1	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
140-205	Malignant neoplasms, etc.*	2,721	5	5	6	6	4	16	10	17	14	22	32	58	84	154	187	261	296	363	402	372	255	120	28	3	1
	White----M	1,309	3	4	4	4	3	10	3	9	9	10	14	21	27	57	74	125	162	179	207	184	131	51	16	2	-
	F	1,288	2	1	2	2	1	5	6	8	5	11	16	31	51	91	92	124	118	165	182	180	120	63	11	1	-
	Nonwhite--M	61	-	-	-	-	-	1	1	-	-	-	1	1	1	-	11	6	7	10	9	6	3	3	1	-	-
	F	63	-	-	-	-	-	-	-	-	-	1	1	5	5	6	10	6	9	9	4	2	1	3	-	-	1
140-148	Of buccal cavity and pharynx	57	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	12	6	5	12	4	10	2	1	-	-
	White----M	46	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	8	5	4	11	4	8	2	1	-	-
	F	11	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	4	1	1	1	-	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,009	-	3	-	1	-	-	-	2	-	3	7	12	19	43	50	66	111	158	174	166	121	62	11	-	-
	White----M	511	-	2	-	1	-	-	-	-	-	2	4	6	8	22	21	30	64	88	86	89	57	24	7	-	-
	F	450	-	1	-	-	-	-	-	2	-	1	3	5	9	20	19	28	42	62	84	72	62	36	4	-	-
	Nonwhite--M	28	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	6	2	4	4	3	1	1	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2	3	4	-	2	1	1	-	-	-
160-164	Of respiratory system	239	-	-	-	-	-	-	1	-	1	1	2	3	2	13	27	44	38	35	24	27	16	4	1	-	-
	White----M	188	-	-	-	-	-	-	1	-	1	1	1	2	2	12	20	36	34	27	17	20	12	1	1	-	-
	F	41	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	7	3	7	5	6	4	3	-	-	-
	Nonwhite--M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	1	2	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
170	Of breast	245	-	-	-	-	-	-	-	-	-	-	4	10	19	27	23	35	17	33	25	28	13	9	-	1	1
	White----M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-
	F	231	-	-	-	-	-	-	-	-	-	-	4	8	17	26	23	33	16	32	24	27	12	8	-	1	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	1	1	-	-	-	-	-	-	1
171-179	Of genital organs	437	-	-	-	-	-	1	-	-	2	4	7	13	16	27	37	41	38	57	64	67	39	18	6	-	-
	White----M	154	-	-	-	-	-	1	-	-	1	1	1	1	-	-	3	8	8	23	31	37	24	11	4	-	-
	F	251	-	-	-	-	-	-	-	-	1	2	5	11	15	24	29	32	24	30	29	29	14	4	2	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	1	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	1	1	1	1	3	5	1	4	3	2	-	-	2	-	-	-
180, 181	Of urinary organs	124	-	-	1	-	1	2	-	-	-	-	-	2	2	5	10	10	14	16	22	17	14	7	1	-	-
	White----M	77	-	-	-	-	1	1	-	-	-	-	-	-	2	2	7	9	11	10	16	7	7	4	-	-	-
	F	43	-	-	1	-	-	1	-	-	-	-	-	1	-	3	3	1	2	4	6	10	7	3	1	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	346	2	2	3	-	-	3	4	4	4	11	5	10	19	18	23	34	44	30	45	37	26	14	7	1	-
	White----M	193	2	2	3	-	-	1	1	2	4	4	4	7	10	10	13	23	27	15	25	17	12	7	3	1	-
	F	140	-	-	-	-	-	2	2	2	-	7	1	2	7	7	8	11	16	14	18	19	14	6	4	-	-
	Nonwhite--M	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	1	1	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	1	-	-	-	-	-	-
204	Leukemia and aleukemia	156	3	-	2	4	2	6	5	6	6	2	4	4	5	6	12	13	15	13	22	13	9	3	1	-	-
	White----M	71	1	-	1	2	1	4	1	4	2	1	1	2	2	2	6	6	6	6	12	4	6	1	-	-	-
	F	80	2	-	1	2	1	1	4	2	4	1	2	2	3	4	6	7	8	6	10	9	3	2	-	-	-
	Nonwhite--M	5	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	108	-	-	-	1	1	4	-	4	1	1	3	4	2	13	3	6	13	16	14	13	7	1	-	1	-
	White----M	65	-	-	-	1	1	3	-	3	1	1	3	3	2	7	3	5	7	6	8	5	5	-	-	1	-
	F	41	-	-	-	-	-	1	-	1	-	-	-	1	-	6	-	1	6	9	5	8	2	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	70	6	2	-	1	1	-	1	1	-	1	4	6	7	10	6	4	8	-	2	5	3	1	1	-	-
	White----M	27	1	2	-	1	1	-	1	1	-	-	3	3	2	2	1	1	4	-	1	2	1	-	-	-	-
	F	33	3	-	-	-	-	-	-	-	-	1	1	3	3	6	4	1	4	-	1	2	2	1	1	-	-
	Nonwhite--M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	347	1	1	1	-	-	2	-	-	3	2	1	4	13	9	13	22	43	38	79	62	32	17	3	1	-
	White----M	139	1	1	1	-	-	1	-	-	-	-	1	3	8	5	5	5	20	12	29	25	12	9	-	1	-
	F	183	-	-	-	-	-	1	-	-	3	2	-	1	1	3	7	14	19	25	42	37	17	8	3	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	1	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	3	4	1	6	-	2	-	-	-	-
290-293	Anemias	92	3	-	-	-	-	1	1	1	1	1	2	1	2	1	4	1	8	9	14	14	14	12	1	1	-
	White----M	44	2	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	5	4	8	9	8	4	-	-	-
	F	45	1	-	-	-	-	-	-	1	1	1	2	-	1	1	2	-	3	5	6	5	6	8	1	1	-
	Nonwhite--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	16	4	3	-	2	-	-	1	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-
	White----M	11	4	2	-	1	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	10,622	6	3	2	1	-	4	6	9	20	19	37	65	131	222	397	565	889	1,253	1,585	1,872	1,801	1,103	511	100	21
	White----M	5,844	6	2	1	1	-	2	2	4	9	12	17	41	77	128	263	356	575	752	910	1,017	888	523	215	38	5
	F	4,258	-	1	-	-	-	2	4	4	8	5	15	17	43	66	90	157	253	423	604	799	873	552	278	54	10
	Nonwhite--M	266	-	-	1	-	-	-	-	-	1	1	2	4	7	19	17	25	36	42	37	32	14	15	6	6	1
	F	254	-	-	-	-	-	-	-	1	2	1	3	3	4	9	27	27	25	36	34	24	26	13	12	2	5
330-334, 400-468	Diseases of cardiovascular system	10,250	6	2	1	-	-	4	5	8	18	16	28	57	119	212	379	543	866	1,216	1,524	1,819	1,748	1,062	500	97	20
	White----M	5,641	6	1	1	-	-	2	1	3	8	11	13	37	70	123	248	347	563	728	876	989	864	501	207	37	5
	F	4,131	-	1	-	-	-	2	4	4	7	3	12	14	40	65	88	148	246	414	583	778	849	535	276	52	10
	Nonwhite--M	246	-	-	-	-	-	-	-	-	1	1	1	3	6	16	17	25	33	40	35	30	11	14	6	6	1
	F	232	-	-	-	-	-	-	-	1	2	1	2	3	3	8	26	23	24	34	30	22	24	12	11	2	4
330-334	Vascular lesions, etc.*	2,605	3	1	-	-	-	2	1	2	5	5	6	10	19	43	77	113	189	279	398	494	519	297	116	21	5
	White----M	1,248	3	1	-	-	-	2	-	1	3	4	4	5	3	10	31	56	92	135	214	238	250	143	45	7	1
	F	1,220	-	-	-	-	-	-	1	1	2	-	2	4	13	24	30	41	75	124	169	242	261	147	68	13	3
	Nonwhite--M	61	-	-	-	-	-	-	-	-	-	1	-	-	1	7	3	9	13	8	5	7	1	4	1	1	-
	F	76	-	-	-	-	-	-	-	-	-	-	-	1	2	2	13	7	9	12	10	7	7	3	2	-	1
400-402	Rheumatic fever	13	1	-	-	-	-	2	2	1	1	1	1	-	1	-	-	-	-	1	-	-	1	1	-	-	-
	White----M	5	1	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
410-443	Diseases of heart	6,804	2	1	1	-	-	-	1	3	11	8	19	46	89	156	286	403	630	884	1,044	1,188	1,053	609	306	53	11
	White-----M--	3,998	2	-	1	-	-	-	-	-	5	6	8	32	60	105	211	278	440	565	619	687	539	282	133	22	3
	F--	2,504	-	1	-	-	-	-	1	2	4	1	8	10	23	36	50	96	158	270	381	470	487	312	163	26	5
	Nonwhite--M--	165	-	-	-	-	-	-	-	-	1	-	1	3	5	9	12	14	17	30	29	18	10	7	4	4	1
	F--	137	-	-	-	-	-	-	-	1	1	1	2	1	1	6	13	15	15	19	15	13	17	8	6	1	2
410-416	Chronic rheumatic heart disease----	221	-	-	-	-	-	-	1	-	2	5	7	10	12	20	17	21	26	19	22	24	21	10	4	-	-
	White-----M--	107	-	-	-	-	-	-	-	-	1	4	2	7	3	12	7	12	17	5	8	12	11	4	2	-	-
	F--	103	-	-	-	-	-	-	1	-	1	1	5	3	9	7	7	8	8	13	12	11	9	6	2	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,299	-	-	-	-	-	-	-	-	7	1	6	29	59	105	202	289	454	624	691	753	579	326	145	23	6
	White-----M--	2,792	-	-	-	-	-	-	-	-	3	-	4	22	48	82	170	220	337	434	449	470	320	156	67	8	2
	F--	1,372	-	-	-	-	-	-	-	-	2	-	2	4	8	15	20	55	104	164	226	272	251	163	72	11	3
	Nonwhite--M--	80	-	-	-	-	-	-	-	-	1	-	-	3	3	5	7	9	8	17	11	5	2	4	2	3	-
	F--	55	-	-	-	-	-	-	-	-	1	1	-	-	-	3	5	5	5	9	5	6	6	3	4	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,016	-	-	1	-	-	-	-	1	2	1	3	1	4	12	12	27	39	88	143	184	234	142	101	19	2
	White-----M--	510	-	-	1	-	-	-	-	-	1	1	2	-	2	4	4	17	24	54	82	95	115	64	36	7	1
	F--	458	-	-	-	-	-	-	-	1	1	-	1	-	2	5	5	7	12	26	53	82	111	77	64	11	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	7	5	6	4	-	-	1	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	3	1	4	1	1	-	1
430-434	Other diseases of heart---------	317	2	1	-	-	-	-	-	2	-	1	2	3	4	6	15	11	27	40	47	46	53	37	16	3	1
	White-----M--	164	2	-	-	-	-	-	-	-	-	1	-	2	3	2	10	7	17	24	22	22	26	17	7	2	-
	F--	129	-	1	-	-	-	-	-	1	-	-	-	1	-	4	5	2	5	14	19	22	25	19	9	1	1
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	3	1	2	-	-	-	-
	F--	11	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	2	-	3	1	-	1	-	-	-
440-443	Hypertension with heart dis.--	951	-	-	-	-	-	-	-	-	-	-	1	3	10	13	40	55	84	113	141	181	166	94	40	8	2
	White-----M--	425	-	-	-	-	-	-	-	-	-	-	-	1	4	5	20	22	45	48	58	88	67	41	21	5	-
	F--	442	-	-	-	-	-	-	-	-	-	-	-	2	4	5	13	24	29	53	71	83	91	47	16	3	1
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	3	4	8	5	2	3	2	-	1
	F--	48	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	7	7	8	4	5	6	3	1	-	-
444-447	Hypertension without mention of heart----------	196	-	-	-	-	-	-	-	-	-	1	1	-	1	7	7	11	14	21	13	44	32	28	11	3	2
	White-----M--	88	-	-	-	-	-	-	-	-	-	1	-	-	-	4	2	5	9	14	8	16	13	10	4	1	1
	F--	98	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	4	4	6	5	26	19	16	6	2	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-
450	General arteriosclerosis--------	500	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	15	17	49	80	130	120	61	20	2
	White-----M--	223	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	9	6	25	38	52	62	21	7	-
	F--	255	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	8	20	37	78	56	37	11	1
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	4	-	2	1	1	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	2	1	1
451-468	Other diseases of circulatory sys.-	132	-	-	-	-	-	-	1	2	1	1	1	1	9	5	9	11	18	14	20	13	13	7	6	-	-
	White-----M--	79	-	-	-	-	-	-	-	1	-	-	1	-	6	3	4	6	13	7	10	10	10	4	4	-	-
	F--	46	-	-	-	-	-	-	1	1	-	1	-	-	3	2	4	4	5	6	8	3	3	3	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	372	-	1	1	1	-	-	1	1	2	3	9	8	12	10	18	22	23	37	61	53	53	41	11	3	1
	White-----M--	203	-	1	-	1	-	-	1	1	1	1	4	4	7	5	15	9	12	24	34	28	24	22	8	1	-
	F--	127	-	-	-	-	-	-	-	-	1	2	3	3	3	1	2	9	7	9	21	21	24	17	2	2	-
	Nonwhite--M--	20	-	-	1	-	-	-	-	-	-	-	1	1	1	3	-	-	3	2	2	2	3	1	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	1	2	4	2	2	1	1	-	1
480-493	Influenza and pneumonia, etc.*-	519	54	14	9	3	1	1	1	6	1	1	5	4	10	5	12	23	23	33	54	63	87	61	37	7	4
	White-----M--	254	28	6	5	2	-	1	1	4	1	-	3	4	4	2	7	13	16	19	23	31	40	24	15	4	1
	F--	226	18	7	2	-	1	-	-	2	-	1	2	-	3	1	4	5	6	11	30	29	44	35	20	3	2
	Nonwhite--M--	20	3	1	2	1	-	-	-	-	-	-	-	-	-	-	1	3	-	2	1	2	2	2	-	-	-
	F--	19	5	-	-	-	-	-	-	-	-	-	-	-	3	2	-	2	1	1	-	1	1	-	2	-	1
480-483	Influenza---------	112	8	2	3	-	-	-	1	-	-	-	-	-	5	1	4	1	6	6	13	19	15	16	11	-	1
	White-----M--	53	5	1	1	-	-	-	1	-	-	-	-	-	1	-	1	-	5	2	5	10	10	7	4	-	-
	F--	51	1	1	1	-	-	-	-	-	-	-	-	-	2	1	2	1	1	3	8	9	5	8	7	-	1
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	407	46	12	6	3	1	1	-	6	1	1	5	4	5	4	8	22	17	27	41	44	72	45	26	7	3
	White-----M--	201	23	5	4	2	-	1	-	4	1	-	3	4	3	2	6	13	11	17	18	21	30	17	11	4	1
	F--	175	17	6	1	-	1	-	-	2	-	1	2	-	1	-	2	4	5	8	22	20	39	27	13	3	1
	Nonwhite--M--	16	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	2	2	1	-	-	-
	F--	15	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	1	-	1	1	-	2	-	1
500-502	Bronchitis--------	34	4	3	1	-	-	-	1	-	-	1	-	-	1	-	-	-	1	5	3	7	4	1	1	1	-
	White-----M--	15	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	4	3	2	1	-	-	1	-
	F--	18	2	2	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	5	3	1	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	114	-	-	1	-	-	-	-	-	1	2	-	2	4	4	10	14	12	21	18	9	11	2	3	-	-
	White-----M--	84	-	-	-	-	-	-	-	-	1	1	-	1	3	3	6	7	10	18	12	8	10	1	3	-	-
	F--	27	-	-	1	-	-	-	-	-	-	1	-	1	1	1	4	6	1	2	6	1	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
550-553	Appendicitis------	40	1	-	-	1	-	1	1	1	2	-	1	2	2	3	4	4	2	3	2	3	5	2	-	-	-
	White-----M--	27	1	-	-	1	-	1	-	1	2	-	1	1	-	3	3	3	2	3	1	1	2	1	-	-	-
	F--	12	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	1	-	-	1	2	3	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	130	15	2	-	-	-	-	1	-	-	-	4	-	1	3	3	5	3	14	18	29	10	14	8	-	-
	White-----M--	68	11	2	-	-	-	-	1	-	-	-	2	-	1	2	3	3	-	8	10	14	4	3	4	-	-
	F--	54	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	5	8	13	6	11	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
543,	Gastritis, etc.*	88	24	3	1	4	-	1	1	-	-	2	2	3	1	2	4	2	1	6	5	7	8	5	4	2	-
571,	White-----M	47	15	-	-	2	-	1	1	-	-	1	2	2	1	1	1	1	-	3	5	1	5	2	2	1	-
572	F	35	5	3	1	2	-	-	-	-	-	1	-	1	-	1	3	1	1	3	-	4	3	3	2	1	-
	Nonwhite--M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	149	1	-	-	-	-	-	1	1	2	2	1	7	11	15	15	16	12	16	19	14	11	4	1	-	-
	White-----M	92	1	-	-	-	-	-	-	-	-	2	-	5	7	13	8	8	10	10	8	6	10	3	1	-	-
	F	51	-	-	-	-	-	-	1	1	2	-	1	1	4	1	5	8	2	6	11	6	1	1	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	2	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	47	-	-	1	-	1	2	1	-	-	-	2	1	2	3	3	4	3	5	6	2	7	2	2	-	-
	White-----M	23	-	-	1	-	-	-	1	-	-	-	1	1	1	2	2	2	-	3	4	-	4	-	1	-	-
	F	18	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	2	3	2	1	1	2	2	1	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	140	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	5	4	10	21	27	29	24	16	-	-
	White-----M	135	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	4	4	10	20	26	29	23	16	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	32	...	...	...	...	...	...	-	2	6	7	8	6	2	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F	31	...	...	...	...	...	...	-	2	6	6	8	6	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	30	...	...	...	...	...	...	-	2	6	6	7	6	2	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F	29	...	...	...	...	...	...	-	2	6	5	7	6	2	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	266	206	14	2	2	3	2	3	1	3	4	-	6	-	2	3	6	2	2	1	2	1	-	-	1	-
	White-----M	140	113	6	2	-	2	2	1	-	2	-	-	4	-	-	1	3	1	1	-	1	1	-	-	-	-
	F	117	87	8	-	2	1	-	1	-	1	3	-	2	-	2	2	3	1	1	1	1	-	-	-	1	-
	Nonwhite--M	4	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	780	780	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	421	421	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	300	300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	387	387	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	212	212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	338	338	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	362	23	2	-	-	1	1	1	-	-	1	-	4	9	15	24	28	28	36	34	38	42	30	31	12	2
795	White-----M	219	10	1	-	-	1	-	1	-	-	1	-	4	8	10	15	23	18	29	22	22	24	12	10	8	-
	F	126	10	1	-	-	-	1	-	-	-	-	-	-	1	4	8	4	7	5	11	13	18	17	21	4	1
	Nonwhite--M	12	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	3	-	1	-	-	1
	F	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
Re-	All other diseases	963	48	12	6	5	3	9	2	6	10	19	11	25	30	58	56	55	95	124	114	122	83	44	22	4	-
sid-	White-----M	502	29	5	4	4	3	6	1	4	4	8	4	13	12	30	30	34	44	67	66	68	40	17	9	-	-
ual	F	430	14	6	2	1	-	3	1	2	6	11	5	12	17	26	24	18	46	52	46	53	42	27	13	3	-
	Nonwhite--M	18	3	1	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	3	-	1	1	-	-	-	-
	F	13	2	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	1	2	2	-	-	-	-	1	-
E800-	Accidents	1,386	40	26	14	16	11	32	42	89	98	90	70	62	52	60	66	82	73	88	77	88	96	59	41	12	2
E962	White-----M	864	22	15	11	10	5	16	26	68	75	67	58	44	43	40	46	54	45	53	41	39	39	25	17	4	1
	F	433	14	8	2	4	4	13	14	17	11	19	8	13	7	10	19	24	22	25	32	45	55	34	24	8	1
	Nonwhite--M	62	3	-	1	1	2	3	1	2	10	4	4	4	2	7	1	3	6	3	3	2	-	-	-	-	-
	F	27	1	3	-	1	-	-	1	2	2	-	-	1	-	3	-	1	-	7	1	2	2	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	555	8	7	5	4	5	15	10	51	64	56	42	37	23	21	32	47	32	39	25	20	7	4	1	-	-
	White-----M	374	4	5	3	3	1	5	6	38	51	40	31	24	19	10	19	31	18	30	16	12	3	4	1	-	-
	F	146	4	1	1	1	2	8	4	12	8	15	7	10	3	7	13	14	11	8	9	4	4	-	-	-	-
	Nonwhite--M	28	-	-	1	-	2	2	-	1	4	1	4	3	1	3	-	1	3	-	-	2	-	-	-	-	-
	F	7	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	2	-	-	-	-	-
E800-	All ot. accidents	831	32	19	9	12	6	17	32	38	34	34	28	25	29	39	34	35	41	49	52	68	89	55	40	12	2
E802,	White-----M	490	18	10	8	7	4	11	20	30	24	27	27	20	24	30	27	23	27	23	25	27	36	21	16	4	1
E840-	F	287	10	7	1	3	2	5	10	5	3	4	1	3	4	3	6	10	11	17	23	41	51	34	24	8	1
E962	Nonwhite--M	34	3	-	-	1	-	1	1	1	6	3	-	1	1	4	1	2	3	3	3	-	-	-	-	-	-
	F	20	1	2	-	1	-	-	1	2	1	-	-	1	-	2	-	-	-	6	1	-	2	-	-	-	-
E963,	Suicide	210	-	-	-	-	-	-	-	4	6	16	10	16	22	14	30	25	20	17	14	4	7	1	4	-	-
E970-	White-----M	166	-	-	-	-	-	-	-	3	4	10	9	15	16	8	26	17	17	14	14	4	5	-	4	-	-
E979	F	36	-	-	-	-	-	-	-	-	2	3	1	1	5	6	4	7	2	2	-	-	2	1	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	1	-	3	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	61	-	-	1	-	1	-	-	2	4	9	10	10	7	9	2	-	2	2	1	-	1	-	-	-	-
E980-	White-----M	23	-	-	1	-	-	-	-	1	1	5	5	2	1	3	1	-	1	1	1	-	-	-	-	-	-
E985	F	12	-	-	-	-	1	-	-	-	-	2	-	3	1	2	-	-	1	1	-	-	1	-	-	-	-
	Nonwhite--M	19	-	-	-	-	-	-	-	-	2	2	2	3	5	4	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
E990-	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY																										
	ALL CAUSES--------	28,376	2,614	196	134	99	72	237	177	317	352	420	480	610	827	1,154	1,442	1,836	2,323	2,797	3,293	3,502	2,948	1,688	652	163	43
	White-----M--	14,335	1,278	96	61	55	43	122	99	184	227	231	248	318	418	617	778	1,001	1,265	1,435	1,663	1,700	1,438	732	262	56	8
	F--	10,777	1,082	78	63	39	23	97	59	109	90	128	159	182	261	339	388	495	722	1,005	1,332	1,528	1,309	849	335	82	23
	Nonwhite--M--	1,786	144	13	5	4	1	8	6	12	21	35	42	53	81	117	142	183	206	206	168	148	106	47	21	13	4
	F--	1,478	110	9	5	1	5	10	13	12	14	26	31	57	67	81	134	157	130	151	130	126	95	60	34	12	8
001-019	Tuberculosis, all forms--------	855	10	7	5	6	1	4	7	11	37	62	54	65	72	71	69	76	69	73	69	51	22	13	1	-	-
	White-----M--	433	5	3	4	3	1	4	4	1	12	22	22	38	38	41	45	47	43	36	28	22	7	6	1	-	-
	F--	300	5	1	1	2	-	-	2	6	18	28	25	15	16	19	13	14	17	32	40	25	14	7	-	-	-
	Nonwhite--M--	69	-	2	-	1	-	-	-	1	2	5	-	5	11	8	11	11	7	2	1	1	1	-	-	-	-
	F--	53	-	1	-	-	-	-	1	3	5	7	7	7	7	3	-	4	2	3	-	3	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	787	2	4	2	-	-	1	4	9	31	60	50	61	69	64	67	74	67	70	68	49	21	13	1	-	-
	White-----M--	402	1	2	2	-	-	1	2	1	12	22	21	34	38	37	44	45	43	34	28	21	7	6	1	-	-
	F--	279	1	1	-	-	-	-	1	5	14	27	24	15	14	19	13	14	17	31	39	24	13	7	-	-	-
	Nonwhite--M--	61	-	-	-	-	-	-	-	1	1	5	-	5	11	6	10	11	6	2	1	1	1	-	-	-	-
	F--	45	-	1	-	-	-	-	1	2	4	6	5	7	6	2	-	4	1	3	-	3	-	-	-	-	-
010-019	Tuberculosis, other forms------	68	8	3	3	6	1	3	3	2	6	2	4	4	3	7	2	2	2	3	1	2	1	-	-	-	-
	White-----M--	31	4	1	2	3	1	3	2	-	-	-	1	4	-	4	1	2	-	2	-	1	-	-	-	-	-
	F--	21	4	-	1	2	-	-	1	1	4	1	1	-	2	-	-	-	1	1	1	1	1	-	-	-	-
	Nonwhite--M--	8	-	2	-	1	-	-	-	-	1	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	1	1	2	-	1	1	-	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	97	2	-	-	1	-	-	-	-	-	-	-	4	8	8	16	13	11	14	9	5	3	3	-	-	-
	White-----M--	36	1	-	-	-	-	-	-	-	-	-	-	1	1	3	5	5	6	5	5	2	1	1	-	-	-
	F--	17	1	-	-	1	-	-	-	-	-	-	-	-	1	2	2	2	1	3	2	-	2	-	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	1	3	3	7	3	4	1	2	1	-	2	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	2	3	-	2	3	-	5	-	2	-	-	-	-	-
040	Typhoid fever-----	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	57	43	3	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	1	1	1	-	-
	White-----M--	26	18	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	1	-	-	-	-
	F--	27	22	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	10	3	1	1	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	7	2	1	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	10	1	-	2	-	2	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	16	8	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	75	29	14	11	3	2	8	1	1	-	-	-	-	-	-	2	-	1	2	-	-	1	-	-	-	-
	White-----M--	37	12	6	7	3	1	5	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	35	17	7	3	-	1	3	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
080	Acute poliomyelitis----------	128	14	4	12	11	9	24	20	12	3	8	3	5	1	-	-	2	-	-	-	-	-	-	-	-	-
	White-----M--	72	6	2	4	8	7	14	12	6	2	5	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	51	8	1	7	3	2	10	6	5	1	3	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	31	9	6	3	1	-	3	1	1	1	-	-	-	1	-	1	-	-	1	-	1	1	1	-	-	-
	White-----M--	15	6	5	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	3	1	2	1	-	1	1	1	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	109	19	4	5	1	1	8	3	2	3	2	3	4	5	5	7	4	6	7	7	6	2	4	1	-	-
	White-----M--	64	10	3	4	1	1	8	1	2	2	1	-	-	3	2	6	3	4	3	5	3	1	1	-	-	-
	F--	39	7	1	-	-	-	-	2	-	1	1	3	4	2	2	-	1	2	4	2	3	1	2	1	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	F--	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
140-205	Malignant neoplasms, etc.*	3,553	9	4	15	7	8	27	14	23	16	42	59	96	130	219	262	325	415	492	451	469	296	120	45	7	2
	White—M	1,545	2	2	8	3	6	15	9	13	8	15	26	24	44	75	107	136	184	209	213	217	148	60	19	2	-
	F	1,710	5	2	7	3	1	11	5	10	8	22	28	56	74	126	124	138	197	233	217	224	136	53	25	4	1
	Nonwhite—M	150	1	-	-	1	-	1	-	-	-	-	2	5	2	8	17	27	18	28	17	15	5	3	-	-	-
	F	148	1	-	-	-	1	-	-	-	-	5	3	11	10	10	14	24	16	22	4	13	7	4	1	1	1
140-148	Of buccal cavity and pharynx	88	-	-	-	-	-	-	1	-	-	-	1	1	5	4	10	9	11	8	12	12	8	4	2	-	-
	White—M	41	-	-	-	-	-	-	-	-	-	-	1	1	3	1	4	5	6	4	6	3	4	3	-	-	-
	F	36	-	-	-	-	-	-	1	-	-	-	-	-	2	1	3	1	4	3	6	8	4	1	2	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,314	3	-	-	-	-	1	-	1	-	6	10	20	25	72	80	123	161	199	178	223	138	55	17	2	-
	White—M	579	1	-	-	-	-	-	-	-	-	2	3	8	9	36	40	56	76	86	85	92	55	26	4	-	-
	F	619	2	-	-	-	-	1	-	1	-	3	7	8	12	31	33	45	72	86	84	117	78	25	12	2	-
	Nonwhite—M	73	-	-	-	-	-	-	-	-	-	-	-	3	1	3	4	14	9	16	9	9	3	2	-	-	-
	F	43	-	-	-	-	-	-	-	-	-	1	-	1	3	2	3	8	4	11	-	5	2	2	1	-	-
160-164	Of respiratory system	315	1	-	-	-	-	-	-	-	-	-	2	7	13	17	41	51	42	45	42	34	16	3	1	-	-
	White—M	210	-	-	-	-	-	-	-	-	-	-	1	3	9	12	23	38	34	31	31	15	11	1	1	-	-
	F	74	1	-	-	-	-	-	-	-	-	-	1	2	2	4	11	5	7	9	8	18	4	2	-	-	-
	Nonwhite—M	24	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	6	1	5	2	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	1	-	1	-	-	-	-
170	Of breast	273	-	-	-	-	-	-	-	-	-	2	5	10	17	40	23	30	36	35	31	19	14	7	3	-	1
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-
	F	246	-	-	-	-	-	-	-	-	-	2	5	8	16	36	22	28	33	33	28	15	11	7	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	2	3	2	1	4	3	-	-	-	1
171-179	Of genital organs	625	-	-	-	-	-	-	-	1	4	11	15	34	34	39	43	48	61	79	87	79	52	25	11	1	1
	White—M	212	-	-	-	-	-	-	-	-	2	2	5	5	1	3	2	3	12	29	38	48	36	18	8	-	-
	F	347	-	-	-	-	-	-	-	1	2	7	8	22	30	32	35	35	39	44	43	26	15	4	3	-	1
	Nonwhite—M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	4	2	4	3	1	1	-	-	-
	F	46	-	-	-	-	-	-	-	-	-	2	2	7	3	3	6	6	6	4	2	2	-	2	-	1	-
180, 181	Of urinary organs	149	1	1	3	-	1	-	1	-	-	-	-	2	1	4	16	8	20	31	20	22	10	7	1	-	-
	White—M	82	-	-	-	-	1	-	-	-	-	-	-	-	-	4	10	7	10	14	10	16	6	4	-	-	-
	F	59	-	1	3	-	-	-	1	-	-	-	-	2	1	-	4	1	8	15	10	5	4	3	1	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	481	1	-	5	4	1	8	8	11	4	7	14	12	22	30	30	35	54	56	51	59	38	17	10	4	-
	White—M	247	-	-	2	2	1	4	6	8	1	4	8	4	14	13	18	15	31	25	22	33	22	7	5	2	-
	F	205	-	-	3	1	-	4	2	3	3	1	4	7	6	16	9	16	20	26	28	24	15	10	5	2	-
	Nonwhite—M	14	-	-	-	1	-	-	-	-	-	-	1	-	-	-	3	2	1	4	1	1	-	-	-	-	-
	F	15	1	-	-	-	-	-	-	-	-	2	1	1	2	1	-	2	2	1	-	1	1	-	-	-	-
204	Leukemia and aleukemia	172	2	2	7	2	4	13	3	8	2	8	10	6	7	7	11	6	16	22	12	14	9	1	-	-	-
	White—M	92	1	1	6	1	2	7	2	3	2	3	7	2	3	4	5	3	7	11	8	8	5	1	-	-	-
	F	75	1	1	1	1	1	6	1	5	-	5	3	4	4	3	5	3	8	10	3	6	4	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	136	1	1	-	1	2	5	1	2	6	8	2	4	6	6	8	15	14	17	18	7	11	1	-	-	-
	White—M	79	-	1	-	-	2	4	1	2	3	4	1	1	5	2	5	9	8	9	11	2	9	-	-	-	-
	F	49	1	-	-	1	-	-	-	-	3	4	-	3	1	3	2	4	6	7	7	5	1	1	-	-	-
	Nonwhite—M	6	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	1	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	96	3	-	2	1	-	2	1	3	3	2	1	6	7	9	7	8	8	11	8	7	6	1	-	-	-
	White—M	30	1	-	-	1	-	-	-	-	-	-	1	-	2	2	3	4	3	6	4	2	1	-	-	-	-
	F	52	2	-	2	-	-	1	1	3	2	2	-	3	2	6	3	3	5	4	4	4	4	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	1	-	1	-	1	1	-	-	-	-
260	Diabetes mellitus	407	-	1	-	-	-	-	7	2	3	7	7	4	8	18	24	35	52	58	81	46	34	17	3	-	-
	White—M	150	-	1	-	-	-	-	3	-	-	5	3	1	6	5	7	14	18	17	31	19	13	7	-	-	-
	F	191	-	-	-	-	-	-	2	1	1	2	2	2	1	6	11	12	29	29	42	23	18	9	1	-	-
	Nonwhite—M	24	-	-	-	-	-	-	-	-	2	-	1	-	1	3	2	3	1	5	3	-	2	-	1	-	-
	F	42	-	-	-	-	-	-	2	1	-	-	1	1	-	4	4	6	4	7	5	4	1	1	1	-	-
290-293	Anemias	106	3	3	-	-	1	-	1	2	2	-	1	-	2	6	4	4	10	5	21	17	16	6	2	-	-
	White—M	56	-	3	-	-	-	-	1	-	2	-	-	-	-	2	3	1	7	4	12	7	9	4	1	-	-
	F	40	-	-	-	-	1	-	-	2	-	-	1	-	2	3	1	3	3	1	6	8	6	2	1	-	-
	Nonwhite—M	6	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
340	Nonmeningococcal meningitis*	33	7	3	4	1	-	1	3	-	-	-	1	3	3	1	-	2	2	1	-	1	-	-	-	-	-
	White—M	15	1	-	3	-	-	1	1	-	-	-	-	2	2	1	-	2	1	1	-	-	-	-	-	-	-
	F	15	6	2	1	1	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	14,178	17	4	3	3	4	18	15	34	38	56	90	156	300	490	674	1,003	1,393	1,699	2,137	2,349	2,028	1,127	423	97	20
	White—M	7,210	7	2	1	2	3	6	5	13	13	34	39	79	145	268	371	558	798	933	1,088	1,158	996	479	175	34	3
	F	5,200	7	2	2	1	1	8	8	17	19	18	31	47	96	112	151	233	365	538	827	1,001	884	570	212	42	8
	Nonwhite—M	912	2	-	-	-	-	2	-	1	4	1	11	12	25	61	65	107	138	125	119	104	73	33	14	11	4
	F	856	1	-	-	-	-	2	2	3	2	3	9	18	34	49	87	105	92	103	103	86	75	45	22	10	5
330-334, 400-468	Diseases of cardiovascular system	13,711	16	4	3	2	3	15	13	29	28	52	80	148	278	465	654	975	1,360	1,654	2,083	2,264	1,971	1,094	408	93	19
	White—M	6,997	6	2	1	1	2	5	5	10	9	31	35	74	136	251	361	551	785	914	1,062	1,119	966	466	168	34	3
	F	5,041	7	2	2	1	1	7	6	15	13	17	28	45	87	109	149	221	356	525	809	969	862	557	206	40	7
	Nonwhite—M	862	2	-	-	-	-	2	-	1	4	1	10	12	22	60	61	103	130	118	116	95	69	28	14	10	4
	F	811	1	-	-	-	-	1	2	3	2	3	7	17	33	45	83	100	89	97	96	81	74	43	20	9	5
330-334	Vascular lesions, etc.*	3,250	3	1	1	2	-	5	1	5	8	9	13	26	54	94	142	183	286	369	553	568	518	285	96	23	5
	White—M	1,500	1	-	1	1	-	1	1	3	-	7	3	7	26	37	51	76	138	192	260	284	249	118	35	8	1
	F	1,350	-	1	-	1	-	4	-	2	7	2	6	9	12	29	54	61	97	134	236	245	238	147	51	11	3
	Nonwhite—M	189	1	-	-	-	-	-	-	-	-	-	2	4	6	18	10	20	26	19	29	19	18	11	4	1	1
	F	211	1	-	-	-	-	-	-	-	1	-	2	6	10	10	27	26	25	24	28	20	13	9	6	3	-
400-402	Rheumatic fever	31	-	-	-	-	2	3	6	4	1	3	2	2	3	1	2	-	-	-	2	-	-	-	-	-	-
	White—M	14	-	-	-	-	1	1	2	-	1	2	2	2	1	-	1	-	-	-	1	-	-	-	-	-	-
	F	11	-	-	-	-	1	-	3	3	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
410-443	Diseases of heart	9,462	9	3	2	-	1	7	5	19	16	38	59	114	203	343	482	758	1,021	1,206	1,434	1,526	1,258	646	242	56	14
	White-----M--	5,030	4	2	-	-	1	3	2	7	7	21	28	63	102	203	292	457	621	685	754	752	630	266	106	22	2
	F--	3,281	4	1	2	-	-	3	2	10	4	13	21	33	66	74	91	151	242	364	539	651	532	335	118	21	4
	Nonwhite--M--	609	1	-	-	-	-	1	-	-	4	1	6	8	15	32	50	80	98	90	78	67	46	16	6	7	3
	F--	542	-	-	-	-	-	-	1	2	1	3	4	10	20	34	49	70	60	67	63	56	50	29	12	6	5
410-416	Chronic rheumatic heart disease----	306	-	-	-	-	-	2	4	10	5	17	13	18	30	18	20	23	28	36	21	27	24	5	3	1	1
	White-----M--	155	-	-	-	-	-	1	2	3	3	8	8	7	8	8	12	16	16	23	7	13	14	3	2	-	1
	F--	125	-	-	-	-	-	1	1	7	2	8	4	11	19	8	5	5	9	11	12	11	7	2	1	1	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	2	1	1	-	-	-	-
	F--	12	-	-	-	-	-	-	1	-	-	1	1	-	1	2	1	-	1	-	-	2	2	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,041	3	-	1	-	-	1	-	3	5	12	31	61	113	215	274	468	610	691	781	752	598	299	100	18	5
	White-----M--	3,061	-	-	-	-	-	1	-	2	1	7	15	42	75	154	201	321	408	446	458	411	325	140	47	6	1
	F--	1,532	2	-	1	-	-	-	-	-	1	4	11	9	23	35	42	81	126	191	277	291	244	137	47	6	2
	Nonwhite--M--	256	1	-	-	-	-	-	-	-	3	-	4	5	7	15	14	36	46	30	28	34	19	5	4	4	1
	F--	192	-	-	-	-	-	-	-	1	-	1	1	5	8	11	17	30	28	24	18	16	10	17	2	2	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,309	-	1	1	-	-	1	1	2	3	2	6	5	10	18	30	56	93	116	194	267	246	163	69	20	5
	White-----M--	574	-	-	-	-	-	-	-	1	2	1	2	3	2	8	14	25	47	52	88	115	114	60	31	9	-
	F--	570	-	1	1	-	-	1	1	1	-	-	2	2	5	8	11	22	25	45	76	127	111	92	32	7	-
	Nonwhite--M--	81	-	-	-	-	-	-	-	-	1	-	1	-	1	-	3	6	13	11	14	11	7	7	2	2	2
	F--	84	-	-	-	-	-	-	-	-	-	1	1	-	2	2	2	3	8	8	16	14	14	4	4	2	3
430-434	Other diseases of heart---------	767	6	2	-	-	1	3	-	4	2	4	6	19	21	33	46	60	76	93	94	128	103	42	21	2	1
	White-----M--	398	4	2	-	-	1	1	-	1	1	3	2	7	11	16	18	33	48	51	59	72	44	14	9	1	-
	F--	241	2	-	-	-	-	1	-	2	-	1	2	8	6	8	10	6	18	26	25	45	43	25	12	-	1
	Nonwhite--M--	70	-	-	-	-	-	1	-	-	-	-	1	1	2	4	11	11	8	12	4	2	11	2	-	-	-
	F--	58	-	-	-	-	-	-	-	1	1	-	1	3	2	5	7	10	2	4	6	9	5	1	-	1	-
440-443	Hypertension with heart dis.--	2,039	-	-	-	-	-	-	-	-	1	3	3	11	29	59	112	151	214	270	344	352	287	137	49	15	2
	White-----M--	842	-	-	-	-	-	-	-	-	-	2	1	4	6	17	47	62	102	113	142	141	133	49	17	6	-
	F--	813	-	-	-	-	-	-	-	-	1	-	2	3	13	15	23	37	62	91	149	177	127	79	26	7	1
	Nonwhite--M--	188	-	-	-	-	-	-	-	-	-	1	-	2	3	13	20	25	29	35	30	19	8	2	-	1	-
	F--	196	-	-	-	-	-	-	-	-	-	-	-	2	7	14	22	27	21	31	23	15	19	7	6	1	1
444-447	Hypertension without mention of heart----------	249	-	-	-	-	-	-	-	-	3	-	4	4	9	18	14	12	26	24	22	41	32	28	9	3	-
	White-----M--	99	-	-	-	-	-	-	-	-	1	-	-	1	2	8	8	4	9	12	6	20	10	13	4	1	-
	F--	106	-	-	-	-	-	-	-	-	2	-	1	2	5	4	1	5	11	7	12	18	17	15	5	1	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	2	-	-	6	1	1	5	2	2	3	1	-	-	1	-
	F--	20	-	-	-	-	-	-	-	-	-	-	1	1	2	-	4	2	1	3	2	-	4	-	-	-	-
450	General arteriosclerosis--------	596	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	9	16	42	58	114	151	128	57	11	-
	White-----M--	279	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	9	20	31	55	71	63	20	3	-
	F--	259	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	15	19	51	69	59	31	7	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	5	6	5	4	1	4	1	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	2	2	3	7	5	2	-	-
451-468	Other diseases of circulatory sys.--	123	4	-	-	-	-	-	1	1	-	2	2	2	8	7	7	13	11	13	14	15	12	7	4	-	-
	White-----M--	75	1	-	-	-	-	-	-	-	-	1	2	1	5	2	6	11	8	5	10	8	6	6	3	-	-
	F--	34	3	-	-	-	-	-	1	-	-	1	-	1	2	2	1	2	2	5	2	4	6	1	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	1	2	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	467	1	-	-	1	1	3	2	5	10	4	10	8	22	25	20	28	33	45	54	85	57	33	15	4	1
	White-----M--	213	1	-	-	1	1	1	-	3	4	3	4	5	9	17	10	7	13	19	26	39	30	13	7	-	-
	F--	159	-	-	-	-	-	1	2	2	6	1	3	2	9	3	2	12	9	13	18	32	22	13	6	2	1
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	-	1	-	3	1	4	4	8	7	3	9	4	5	-	1	-
	F--	45	-	-	-	-	-	1	-	-	-	-	2	1	1	4	4	5	3	6	7	5	1	2	2	1	-
480-493	Influenza and pneumonia, etc.*	1,264	262	43	23	16	7	22	11	9	7	10	18	10	13	28	35	38	43	72	99	137	170	108	61	17	5
	White-----M--	584	135	21	13	8	5	10	6	5	5	6	9	4	10	14	18	19	20	24	42	58	75	47	22	7	1
	F--	540	104	20	7	8	2	11	2	3	1	2	5	3	2	8	5	10	11	37	43	69	84	56	34	9	4
	Nonwhite--M--	74	13	1	2	-	-	1	1	-	1	1	3	2	-	4	5	6	7	6	7	3	8	2	-	1	-
	F--	66	10	1	1	-	-	-	2	1	-	1	1	1	1	2	7	3	5	5	7	7	3	3	5	-	-
480-483	Influenza---------	222	25	7	-	1	-	4	1	2	1	2	3	1	-	7	5	6	7	14	20	29	46	24	13	2	2
	White-----M--	100	13	4	-	-	-	1	-	2	1	1	1	-	-	3	2	3	4	1	10	12	21	12	6	2	1
	F--	100	11	2	-	1	-	3	1	-	-	1	1	1	-	4	1	3	-	10	8	14	21	12	5	-	1
	Nonwhite--M--	9	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	3	-	-	-	-
	F--	13	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	2	1	-	2	-	-
490-493	Pneumonia, etc.*--	1,042	237	36	23	15	7	18	10	7	6	8	15	9	13	21	30	32	36	58	79	108	124	84	48	15	3
	White-----M--	484	122	17	13	8	5	9	6	3	4	5	8	4	10	11	16	16	16	23	32	46	54	35	16	5	-
	F--	440	93	18	7	7	2	8	1	3	1	1	4	2	2	4	4	7	11	27	35	55	63	44	29	9	3
	Nonwhite--M--	65	12	1	2	-	-	1	1	-	1	1	2	2	-	4	4	6	6	6	6	2	5	2	-	1	-
	F--	53	10	-	1	-	-	-	2	1	-	1	1	1	1	2	6	3	3	2	6	5	2	3	3	-	-
500-502	Bronchitis--------	61	21	-	2	-	1	1	1	-	-	-	-	-	-	1	1	4	6	1	4	3	11	-	2	2	-
	White-----M--	31	11	-	1	-	1	-	-	-	-	-	-	-	-	1	1	1	4	-	2	1	6	-	1	1	-
	F--	25	8	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2	2	-	2	2	5	-	1	1	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	135	-	-	-	-	-	-	-	-	1	2	3	2	3	7	18	19	17	19	20	12	8	1	2	1	-
	White-----M--	88	-	-	-	-	-	-	-	-	1	1	2	2	2	5	13	12	12	12	12	11	3	-	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	6	4	5	6	1	4	1	2	1	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	2	2	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	48	-	1	2	3	1	2	2	-	1	-	2	-	2	4	6	6	-	6	2	4	2	1	1	-	-
	White-----M--	26	-	-	-	3	1	2	1	-	1	-	1	-	-	2	3	3	-	3	2	2	1	-	1	-	-
	F--	16	-	1	2	-	-	-	-	-	-	-	1	-	1	2	2	2	-	3	-	1	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	159	16	3	-	1	-	-	2	-	1	1	2	2	8	8	12	12	16	9	19	18	16	12	1	-	-
	White-----M--	72	10	3	-	1	-	-	-	-	-	-	-	1	2	3	5	7	4	4	12	8	8	4	-	-	-
	F--	63	4	-	-	-	-	-	-	-	1	-	2	-	4	3	2	4	9	3	6	9	8	7	1	-	-
	Nonwhite--M--	14	1	-	-	-	-	-	-	-	-	-	-	1	-	-	4	1	2	2	1	1	-	1	-	-	-
	F--	10	1	-	-	-	-	-	2	-	-	1	-	-	2	2	1	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
543,	Gastritis, etc.*--	269	173	22	3	4	2	2	1	-	1	-	2	1	2	1	2	7	7	4	6	10	12	3	2	1	1
571,	White-----M--	122	83	11	-	2	1	2	1	-	1	-	-	-	1	-	-	4	4	1	3	-	5	1	2	-	-
572	F--	115	73	6	3	2	1	-	-	-	-	-	1	1	1	-	2	1	1	2	2	10	7	1	-	1	-
	Nonwhite--M--	17	10	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	-	-	-
	F--	15	7	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	1
581	Cirrhosis of liver	193	2	-	-	-	-	-	1	1	-	-	9	13	12	28	26	30	17	18	29	3	3	1	-	-	-
	White-----M--	122	2	-	-	-	-	-	-	-	-	-	5	9	6	20	15	20	9	10	21	1	3	1	-	-	-
	F--	58	-	-	-	-	-	-	1	1	-	-	4	3	4	7	7	10	7	6	7	1	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	2	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	1	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	69	1	1	1	-	-	1	2	4	3	-	1	4	2	8	5	5	4	8	6	5	4	3	1	-	-
	White-----M--	29	-	1	-	-	-	1	-	1	3	-	1	2	-	2	3	3	1	-	4	2	2	2	1	-	-
	F--	27	1	-	1	-	-	-	2	3	-	-	-	2	-	3	1	-	2	4	2	3	2	1	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	4	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	120	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	15	18	23	28	20	6	-	-
	White-----M--	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	13	17	21	28	19	5	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	-	1	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	56	...	...	...	...	...	...	-	5	7	9	11	14	8	1	-	-	-	-	-	-	1	-	-	-	-
	White-----F--	52	...	...	...	...	...	...	-	4	7	9	11	11	8	1	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	4	...	...	...	...	...	...	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	4	...	...	...	...	...	...	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	52	...	...	...	...	...	...	-	5	6	8	10	13	8	1	-	-	-	-	-	-	1	-	-	-	-
660-	White-----F--	48	...	...	...	...	...	...	-	4	6	8	10	10	8	1	-	-	-	-	-	-	1	-	-	-	-
689	Nonwhite--F--	4	...	...	...	...	...	...	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	412	341	15	2	4	3	9	3	5	1	5	4	2	3	1	3	5	2	1	1	2	-	-	-	-	-
	White-----M--	211	178	5	2	1	3	3	-	1	1	3	4	1	3	1	1	2	1	-	-	1	-	-	-	-	-
	F--	168	137	6	-	3	-	5	3	3	-	2	-	-	-	-	2	3	1	1	1	1	-	-	-	-	-
	Nonwhite--M--	18	13	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	13	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,366	1,366	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	673	673	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	551	551	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	540	540	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	291	291	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	204	204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	712	712	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	327	327	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	296	296	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	484	77	3	3	2	1	-	1	-	3	3	5	8	4	10	17	16	14	21	41	49	64	68	45	21	8
795	White-----M--	217	34	-	-	1	1	-	1	-	3	2	4	5	2	6	7	7	11	16	21	24	25	26	13	7	1
	F--	217	37	2	3	1	-	-	-	-	-	-	-	3	1	3	5	5	1	4	18	17	33	36	29	12	7
	Nonwhite--M--	29	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	1	5	5	2	2	1	-
	F--	21	1	1	-	-	-	-	-	-	-	1	1	-	-	1	3	2	-	-	1	3	1	4	1	1	-
Re-	All other diseases	1,269	76	18	6	7	4	18	11	15	20	27	33	36	55	50	84	75	115	129	157	136	103	73	15	3	3
sid-	White-----M--	591	35	9	5	4	1	7	4	6	10	11	7	20	24	25	43	47	55	58	70	55	57	31	5	2	-
ual	F--	547	33	8	1	3	2	11	6	7	9	9	23	10	20	19	27	21	45	61	77	73	35	39	5	1	2
	Nonwhite--M--	75	3	-	-	-	-	-	1	-	-	1	1	3	8	4	6	5	13	8	5	7	8	1	1	-	-
	F--	56	5	1	-	-	1	-	-	2	1	6	2	3	3	2	8	2	2	2	5	1	3	2	4	-	1
E800-	Accidents---------	2,162	101	28	26	22	23	78	67	167	183	124	123	111	118	124	106	100	85	96	88	128	106	101	40	14	3
E962	White-----M--	1,380	43	11	5	12	8	39	48	122	149	93	96	90	83	98	73	72	59	52	58	70	38	40	16	3	2
	F--	579	45	14	18	9	11	32	14	38	19	21	16	8	15	10	17	17	14	30	25	48	64	60	22	11	1
	Nonwhite--M--	144	5	2	2	1	1	3	3	6	10	9	9	10	18	12	11	7	9	11	4	7	2	-	2	-	-
	F--	59	8	1	1	-	3	4	2	1	5	1	2	3	2	4	5	4	3	3	1	3	2	1	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	829	5	6	8	7	6	34	25	100	129	78	61	47	55	46	44	38	27	35	30	28	11	7	-	1	1
	White-----M--	594	5	1	2	2	3	18	17	67	108	58	46	39	36	38	26	27	18	23	24	23	8	4	-	-	1
	F--	176	-	5	5	5	3	16	7	26	14	14	13	3	10	4	12	8	6	10	5	4	2	3	-	1	-
	Nonwhite--M--	46	-	-	1	-	-	-	1	6	4	5	2	3	8	3	4	2	3	1	1	1	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	1	3	1	-	2	1	1	2	1	-	1	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,333	96	22	18	15	17	44	42	67	54	46	62	64	63	78	62	62	58	61	58	100	95	94	40	13	2
E802,	White-----M--	786	38	10	3	10	5	21	31	55	41	35	50	51	47	60	47	45	41	29	34	47	30	36	16	3	1
E840-	F--	403	45	9	13	4	8	16	7	12	5	7	3	5	5	6	5	9	8	20	20	44	62	57	22	10	1
E962	Nonwhite--M--	98	5	2	1	1	1	3	2	-	6	4	7	7	10	9	7	5	6	10	3	6	1	-	2	-	-
	F--	46	8	1	1	-	3	4	2	-	2	-	2	1	1	3	3	3	3	2	1	3	2	1	-	-	-
E963,	Suicide----------	288	-	-	-	-	-	-	1	10	8	22	20	23	30	32	38	27	15	23	12	13	9	4	-	-	1
E970-	White-----M--	226	-	-	-	-	-	-	1	8	6	13	16	17	23	27	34	19	11	18	10	10	9	3	-	-	1
E979	F--	51	-	-	-	-	-	-	-	2	1	8	2	3	7	5	4	7	4	3	1	3	-	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	2	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	251	1	4	1	1	-	5	1	10	10	38	26	40	29	23	20	15	9	8	6	3	1	-	-	-	-
E980-	White-----M--	136	-	2	1	1	-	2	-	6	7	20	8	18	19	14	12	9	5	6	2	3	1	-	-	-	-
E985	F--	28	1	2	-	-	-	2	1	2	2	1	2	8	1	1	3	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	78	-	-	-	-	-	-	-	2	1	17	13	11	9	8	5	6	2	2	2	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	-	-	-	-	3	3	-	-	-	-	1	-	1	-	-	-	-	-	-
E965,	Operations of war-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA																										
	ALL CAUSES--------	24,708	2,668	202	121	82	78	212	166	268	330	408	500	625	883	1,268	1,711	1,939	2,246	2,724	2,712	2,365	1,753	886	362	115	84
	White-----M--	8,531	634	49	27	15	18	58	42	87	129	142	151	206	299	492	608	741	970	992	1,035	827	606	263	103	26	11
	F--	5,913	481	43	30	20	21	49	33	51	44	66	98	117	139	232	274	359	448	615	730	804	676	376	156	43	8
	Nonwhite--M--	5,580	885	58	36	22	21	62	53	81	83	107	134	152	219	283	408	493	466	582	540	415	274	123	43	20	20
	F--	4,684	668	52	28	25	18	43	38	49	74	93	117	150	226	261	421	346	362	535	407	319	197	124	60	26	45
001-019	Tuberculosis, all forms--------	557	6	5	3	1	2	1	3	11	24	34	46	49	53	45	58	53	54	39	28	23	14	4	1	-	-
	White-----M--	203	1	1	-	1	-	-	-	-	-	3	10	8	15	18	30	29	28	21	17	15	4	2	-	-	-
	F--	65	-	4	-	-	-	-	-	1	4	4	5	8	5	3	4	5	5	5	4	1	6	1	-	-	-
	Nonwhite--M--	175	2	-	2	-	1	1	2	4	5	14	16	21	20	15	16	15	17	11	5	4	2	1	1	-	-
	F--	114	3	-	1	-	1	-	1	6	15	13	15	12	13	9	8	4	4	2	2	3	2	-	-	-	-
001-008	Tuberculosis of respiratory system----------	514	3	2	1	-	-	1	2	9	21	31	44	48	50	40	56	50	54	36	25	22	14	4	1	-	-
	White-----M--	197	1	-	-	-	-	-	-	-	-	3	10	8	13	18	30	28	28	21	16	15	4	2	-	-	-
	F--	63	-	2	-	-	-	-	-	1	4	4	5	8	5	3	4	5	5	5	4	1	6	1	-	-	-
	Nonwhite--M--	156	1	-	1	-	-	1	1	3	5	12	15	20	20	12	16	13	17	8	4	3	2	1	1	-	-
	F--	98	1	-	-	-	-	-	1	5	12	12	14	12	12	7	6	4	4	2	1	3	2	-	-	-	-
010-019	Tuberculosis, other forms------	43	3	3	2	1	2	-	1	2	3	3	2	1	3	5	2	3	-	3	3	1	-	-	-	-	-
	White-----M--	6	-	1	-	1	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	19	1	-	1	-	1	-	1	1	-	2	1	1	-	3	-	2	-	3	1	1	-	-	-	-	-
	F--	16	2	-	1	-	1	-	-	1	3	1	1	-	1	2	2	-	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	183	9	-	-	-	-	-	1	-	2	1	2	5	12	22	31	36	20	23	11	4	4	-	-	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	1	1	-	-	-	3	3	7	3	12	3	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	102	5	-	-	-	-	-	-	-	1	-	1	3	9	14	20	21	9	7	8	3	1	-	-	-	-
	F--	42	4	-	-	-	-	-	1	-	-	-	1	2	3	5	7	6	6	4	-	1	2	-	-	-	-
040	Typhoid fever-----	3	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	20	7	1	2	1	-	-	-	-	-	1	-	1	1	-	1	-	1	1	1	-	1	-	1	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	8	2	-	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-
	Nonwhite--M--	5	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	5	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	16	9	3	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	29	7	5	1	1	2	4	3	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	9	2	2	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	2	-	-	1	-	2	1	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	31	2	1	-	1	2	7	2	3	3	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	-	-	-	1	2	2	1	1	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	2	1	-	-	-	2	1	1	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	9	3	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	105	21	7	10	4	3	5	6	2	2	3	3	2	4	5	4	8	2	7	-	3	3	1	-	-	-
	White-----M--	25	2	2	2	1	-	2	2	-	1	-	-	1	-	2	1	1	1	5	-	1	1	-	-	-	-
	F--	19	5	1	2	-	-	1	1	-	-	1	2	-	1	1	1	1	-	-	-	-	1	1	-	-	-
	Nonwhite--M--	29	7	2	3	2	1	1	2	-	-	1	1	-	-	1	1	3	-	1	-	2	1	-	-	-	-
	F--	32	7	2	3	1	2	1	1	2	1	1	-	1	3	1	1	3	1	1	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
140-205	Malignant neoplasms, etc.*	3,372	6	5	5	10	8	21	12	15	13	30	55	96	137	246	349	396	437	472	410	349	195	65	30	6	4
	White—M	1,242	-	1	1	4	4	3	3	6	4	10	19	23	25	76	109	137	194	202	165	137	73	36	9	-	1
	F	1,031	5	2	3	3	2	10	2	4	6	11	18	37	41	84	107	113	108	115	132	116	74	21	14	3	-
	Nonwhite—M	574	-	-	1	1	1	2	3	2	1	2	8	14	26	37	56	92	84	79	66	62	28	3	3	2	1
	F	525	1	2	-	2	1	6	4	3	2	7	10	22	45	49	77	54	51	76	47	34	20	5	4	1	2
140-148	Of buccal cavity and pharynx	96	-	-	-	-	-	-	-	-	2	2	1	2	2	6	14	14	16	12	10	5	6	1	2	-	1
	White—M	61	-	-	-	-	-	-	-	-	1	2	1	1	-	5	11	7	9	8	6	4	4	-	1	-	1
	F	18	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	4	1	2	-	2	1	1	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	3	-	2	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,112	-	-	-	-	-	1	1	1	1	7	6	22	30	71	99	129	137	181	176	132	83	24	8	2	1
	White—M	401	-	-	-	-	-	-	-	1	-	2	3	5	5	24	28	40	56	74	73	46	29	13	2	-	-
	F	288	-	-	-	-	-	1	1	-	-	2	1	6	6	20	26	25	24	41	48	46	29	7	4	1	-
	Nonwhite—M	264	-	-	-	-	-	-	-	-	-	1	2	8	8	16	29	48	38	40	33	25	14	1	1	-	-
	F	159	-	-	-	-	-	-	-	-	1	2	-	3	11	11	16	16	19	26	22	15	11	3	1	1	1
160-164	Of respiratory system	479	-	-	-	-	-	-	-	-	1	4	3	13	18	36	56	86	87	79	46	38	9	3	-	-	-
	White—M	297	-	-	-	-	-	-	-	-	1	2	2	5	6	21	36	56	63	47	28	23	4	3	-	-	-
	F	47	-	-	-	-	-	-	-	-	-	-	-	3	1	1	4	6	4	9	8	7	4	-	-	-	-
	Nonwhite—M	114	-	-	-	-	-	-	-	-	-	1	1	4	9	12	14	23	17	17	8	7	1	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	1	3	6	2	1	-	-	-	-	-
170	Of breast	245	-	-	1	-	-	-	-	-	1	3	8	17	17	26	39	30	23	24	23	20	7	3	2	1	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	174	-	-	1	-	-	-	-	-	1	2	7	12	10	19	26	21	19	12	17	15	6	3	2	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	70	-	-	-	-	-	-	-	-	-	1	1	5	7	7	13	9	4	12	6	4	1	-	-	-	-
171-179	Of genital organs	589	-	1	-	-	-	1	-	1	2	6	13	23	29	45	61	56	76	60	72	74	46	14	7	1	1
	White—M	118	-	-	-	-	-	-	-	-	1	1	1	-	-	2	2	7	12	14	21	25	20	10	2	-	-
	F	223	-	-	-	-	-	-	-	-	1	3	6	13	14	23	27	25	31	22	25	18	10	3	2	-	-
	Nonwhite—M	85	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	15	8	12	23	12	1	2	1	1
	F	163	-	1	-	-	-	1	-	1	-	2	6	10	15	18	28	20	18	16	14	8	4	-	1	-	-
180, 181	Of urinary organs	139	-	1	-	1	2	4	-	-	-	-	-	2	3	8	9	14	16	18	22	15	13	6	5	-	-
	White—M	74	-	-	-	-	1	-	-	-	-	-	-	1	1	6	5	2	12	11	14	9	5	3	4	-	-
	F	33	-	1	-	1	1	2	-	-	-	-	-	-	2	-	2	2	4	2	2	5	7	2	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	2	5	-	-	-	-	-	-
	F	18	-	-	-	-	-	2	-	-	-	-	-	1	-	2	2	3	-	3	1	1	1	1	1	-	-
156B, 165, 190-199	Of other sites, etc.*	437	2	-	1	3	2	5	5	4	2	2	13	9	21	37	43	44	52	63	41	49	22	10	4	2	1
	White—M	168	-	-	1	1	1	1	2	1	-	1	5	5	9	10	16	17	25	28	15	19	8	3	-	-	-
	F	169	1	-	-	2	-	3	1	2	1	1	3	1	4	17	16	21	17	20	19	20	10	5	4	1	-
	Nonwhite—M	49	-	-	-	-	1	1	1	1	-	-	3	1	1	3	3	5	6	10	5	5	1	1	-	1	-
	F	51	1	-	-	-	-	-	1	-	1	-	2	2	7	7	8	1	4	5	2	5	3	1	-	-	1
204	Leukemia and aleukemia	149	4	2	3	4	4	8	4	5	3	3	4	4	11	6	12	13	11	23	9	7	4	3	2	-	-
	White—M	67	-	1	-	3	2	1	1	4	-	1	4	3	3	1	6	4	6	12	5	5	2	3	-	-	-
	F	40	4	-	2	-	1	4	-	1	3	2	-	1	3	1	-	4	-	5	4	2	2	-	1	-	-
	Nonwhite—M	19	-	-	1	1	-	1	1	-	-	-	-	-	4	3	1	2	3	2	-	-	-	-	-	-	-
	F	23	-	1	-	-	1	2	2	-	-	-	-	-	1	1	5	3	2	4	-	-	-	-	1	-	-
200-203, 205	Lymphomas, etc.*	126	-	1	-	2	-	2	2	4	1	3	7	4	6	11	16	10	19	12	11	9	5	1	-	-	-
	White—M	55	-	-	-	-	-	1	-	-	1	1	3	3	1	7	5	4	11	8	3	5	1	1	-	-	-
	F	39	-	1	-	-	-	-	-	1	-	1	1	-	-	3	5	5	5	3	7	3	4	-	-	-	-
	Nonwhite—M	18	-	-	-	-	-	-	1	1	-	-	2	1	3	-	5	1	2	-	1	1	-	-	-	-	-
	F	14	-	-	-	2	-	1	1	2	-	1	1	-	2	1	1	-	1	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	114	2	1	1	-	-	6	2	6	1	4	9	8	17	12	7	8	9	5	7	4	2	3	-	-	-
	White—M	29	-	-	-	-	-	-	-	1	-	-	3	2	4	4	2	2	4	2	3	2	-	-	-	-	-
	F	40	-	-	-	-	-	2	2	4	-	2	3	4	5	4	1	3	3	1	1	1	2	2	-	-	-
	Nonwhite—M	11	1	-	1	-	-	3	-	1	1	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
	F	34	1	1	-	-	-	1	-	-	-	1	3	2	8	4	4	2	2	2	3	-	-	-	-	-	-
260	Diabetes mellitus	401	-	2	-	-	-	-	2	3	4	3	5	6	12	13	30	43	62	58	67	46	29	14	1	1	-
	White—M	89	-	1	-	-	-	-	1	-	1	2	-	2	1	2	5	8	15	12	14	13	9	3	-	-	-
	F	180	-	-	-	-	-	-	-	1	1	1	1	2	3	3	11	12	30	31	35	24	16	8	1	-	-
	Nonwhite—M	42	-	1	-	-	-	-	1	-	1	-	1	-	3	1	2	5	8	5	7	4	3	-	-	-	-
	F	90	-	-	-	-	-	-	-	2	1	-	3	2	5	7	12	18	9	10	11	5	1	3	-	1	-
290-293	Anemias	72	15	4	-	-	1	1	1	1	7	1	3	4	1	2	5	3	6	4	5	5	2	-	1	-	-
	White—M	16	4	1	-	-	-	1	-	-	-	-	1	-	-	-	2	-	2	3	1	1	-	-	-	-	-
	F	16	1	-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	1	1	2	3	1	-	1	-	-
	Nonwhite—M	16	6	1	-	-	1	-	-	-	3	-	1	1	-	-	1	-	-	-	1	1	-	-	-	-	-
	F	24	4	2	-	-	-	-	1	1	4	1	1	-	1	-	2	2	3	-	1	-	1	-	-	-	-
340	Nonmeningococcal meningitis*	70	21	10	3	3	2	6	2	-	2	1	2	2	2	3	1	-	1	4	2	1	1	1	-	-	-
	White—M	11	3	2	-	-	-	1	-	-	1	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-
	F	15	4	1	1	1	-	3	2	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	25	10	3	-	-	-	2	-	-	-	1	1	-	1	2	-	-	-	3	1	-	-	1	-	-	-
	F	19	4	4	2	2	2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	12,227	22	5	3	1	6	20	21	25	33	61	117	203	369	614	909	1,110	1,358	1,738	1,814	1,580	1,196	635	251	80	56
	White—M	4,336	3	2	2	-	1	3	4	5	11	13	29	73	129	246	325	424	597	587	662	543	409	180	66	15	7
	F	3,004	-	1	-	1	3	4	3	6	7	11	23	23	40	81	109	177	240	383	480	534	462	271	106	33	6
	Nonwhite—M	2,515	11	2	-	-	1	7	7	10	6	12	33	44	88	135	231	287	281	390	372	271	176	94	32	12	13
	F	2,372	8	-	1	-	1	6	7	4	9	25	32	63	112	152	244	222	240	378	300	232	149	90	47	20	30
330-334, 400-468	Diseases of cardiovascular system	11,808	22	5	2	1	3	17	17	22	29	54	111	194	355	587	885	1,076	1,325	1,684	1,743	1,530	1,161	616	240	74	55
	White—M	4,216	3	2	1	-	1	3	2	4	9	10	27	70	127	239	320	415	584	572	643	529	401	169	65	14	6
	F	2,911	-	1	-	1	-	3	2	6	7	11	22	20	36	76	102	171	230	377	466	521	453	268	102	30	6
	Nonwhite—M	2,413	11	2	-	-	1	5	6	8	4	9	32	44	82	132	223	276	279	376	353	260	168	91	28	10	13
	F	2,268	8	-	1	-	1	6	7	4	9	24	30	60	110	140	240	214	232	359	281	220	139	88	45	20	30
330-334	Vascular lesions, etc.*	2,411	5	2	-	1	-	5	2	4	4	11	19	31	66	110	165	231	253	355	366	332	239	134	47	18	11
	White—M	617	1	1	-	-	-	2	1	1	1	3	5	9	12	19	27	64	72	72	116	99	67	36	6	1	2
	F	606	-	1	-	1	-	2	-	-	2	3	3	3	8	26	26	42	48	79	79	120	81	54	21	6	1
	Nonwhite—M	565	3	-	-	-	-	-	-	3	1	1	8	7	12	22	46	63	74	99	89	57	42	24	8	2	4
	F	623	1	-	-	-	-	1	1	-	-	4	3	12	34	43	66	62	59	105	82	56	49	20	12	9	4
400-402	Rheumatic fever	24	2	-	-	-	2	4	9	1	-	1	1	-	-	2	-	-	-	2	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	1	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	1	-	-	-	1	3	5	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
410-443	Diseases of heart	8,600	12	3	1	-	1	7	5	14	20	32	70	145	270	439	693	788	1,016	1,236	1,278	1,087	832	420	153	44	34
	White-----M--	3,386	1	1	1	-	-	1	1	2	6	6	21	59	112	209	284	338	488	478	500	391	310	119	43	11	4
	F--	2,090	-	-	-	-	-	1	1	4	4	6	14	15	28	49	72	120	175	275	356	369	330	183	66	18	4
	Nonwhite--M--	1,664	6	2	-	-	1	3	3	5	3	6	16	32	59	99	172	193	190	252	239	164	111	59	18	5	6
	F--	1,460	5	-	-	-	-	2	-	3	7	14	19	39	71	82	165	137	163	231	183	143	81	59	26	10	20
410-416	Chronic rheumatic heart disease----	166	-	-	-	-	-	1	2	4	12	9	13	12	7	8	15	12	10	25	8	8	11	8	1	-	-
	White-----M--	52	-	-	-	-	-	-	1	-	3	4	5	6	2	3	6	4	1	6	4	2	3	2	-	-	-
	F--	44	-	-	-	-	-	-	-	3	4	-	5	3	1	1	3	2	5	5	1	5	4	1	1	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	1	1	3	-	1	2	1	1	3	4	2	3	3	1	1	4	-	-	-
	F--	39	-	-	-	-	-	1	-	-	2	5	2	1	3	3	3	2	2	11	-	-	3	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,075	1	-	-	-	-	1	1	3	3	5	27	79	156	277	431	492	636	745	778	626	468	226	81	24	15
	White-----M--	2,451	1	-	-	-	-	-	-	2	2	2	12	44	96	165	231	267	379	353	356	247	200	62	25	7	-
	F--	1,307	-	-	-	-	-	-	-	1	-	2	5	9	13	28	46	76	108	188	231	236	200	108	39	14	3
	Nonwhite--M--	780	-	-	-	-	-	1	1	-	-	-	6	14	27	54	89	105	90	119	112	80	44	27	7	1	3
	F--	537	-	-	-	-	-	-	-	-	1	1	4	12	20	30	65	44	59	85	79	63	24	29	10	2	9
421, 422	Nonrheumatic chronic endocarditis, etc.*--	959	1	2	-	-	-	2	-	5	1	5	6	8	18	30	41	68	92	121	144	144	132	84	34	15	6
	White-----M--	297	-	-	-	-	-	-	-	-	-	-	-	1	5	12	11	22	31	41	44	42	51	25	8	2	2
	F--	214	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	8	10	19	35	43	38	35	16	4	-
	Nonwhite--M--	252	-	2	-	-	-	1	-	2	-	2	3	4	8	8	13	18	30	36	39	41	26	10	3	4	2
	F--	196	1	-	-	-	-	1	-	3	1	2	2	3	4	9	15	20	21	25	26	18	17	14	7	5	2
430-434	Other diseases of heart--------	481	10	1	1	-	1	3	1	1	3	8	9	12	14	24	33	40	60	52	54	62	46	26	14	1	5
	White-----M--	164	-	1	1	-	-	1	-	-	1	-	2	4	2	14	9	14	25	14	20	26	15	5	8	1	1
	F--	92	-	-	-	-	-	1	1	-	-	2	1	1	-	4	1	5	12	10	9	16	19	8	1	-	1
	Nonwhite--M--	127	6	-	-	-	1	1	-	1	-	2	2	2	5	3	11	12	15	13	15	12	9	12	4	-	1
	F--	98	4	-	-	-	-	-	-	-	2	4	4	5	7	3	12	9	8	15	10	8	3	1	1	-	2
440-443	Hypertension with heart dis.--	1,919	-	-	-	-	-	-	1	1	1	5	15	34	75	100	173	176	218	293	294	247	175	76	23	4	8
	White-----M--	422	-	-	-	-	-	-	-	-	-	-	2	4	7	15	27	31	52	64	76	74	41	25	2	1	1
	F--	433	-	-	-	-	-	-	-	-	-	1	2	2	13	15	20	29	40	53	80	69	69	31	9	-	-
	Nonwhite--M--	474	-	-	-	-	-	-	1	1	-	2	4	10	18	33	56	54	53	81	70	50	31	6	4	-	-
	F--	590	-	-	-	-	-	-	-	-	1	2	7	18	37	37	70	62	73	95	68	54	34	14	8	3	7
444-447	Hypertension without mention of heart----------	294	-	-	-	-	-	1	-	-	3	7	13	12	13	20	15	29	18	33	38	35	27	16	6	4	4
	White-----M--	44	-	-	-	-	-	-	-	-	1	1	-	1	1	4	3	4	5	3	7	8	4	1	1	-	-
	F--	67	-	-	-	-	-	-	-	-	1	-	2	1	-	-	2	7	2	10	12	11	11	5	1	2	-
	Nonwhite--M--	92	-	-	-	-	-	1	-	-	-	2	5	4	8	6	4	7	6	12	13	6	9	4	2	2	1
	F--	91	-	-	-	-	-	-	-	-	1	4	6	6	4	10	6	11	5	8	6	10	3	6	2	-	3
450	General arteriosclerosis--------	337	-	-	-	-	-	-	-	-	-	-	1	-	-	4	3	10	20	41	50	59	57	44	34	8	6
	White-----M--	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	8	9	15	23	19	12	15	2	-
	F--	123	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	8	18	18	28	25	14	4	1
	Nonwhite--M--	53	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	5	10	10	9	5	4	-	1	2
	F--	56	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	14	7	9	5	3	5	1	3
451-468	Other diseases of circulatory sys.-	142	3	-	1	-	-	-	1	3	2	3	7	6	6	12	9	18	18	17	11	17	6	2	-	-	-
	White-----M--	60	1	-	-	-	-	-	-	1	1	-	1	1	2	6	5	8	11	8	5	8	1	1	-	-	-
	F--	23	-	-	-	-	-	-	-	2	-	2	1	1	-	-	1	1	2	5	1	3	3	1	-	-	-
	Nonwhite--M--	34	1	-	-	-	-	-	-	-	-	-	3	1	3	3	1	8	4	3	2	4	1	-	-	-	-
	F--	25	1	-	1	-	-	-	1	-	1	1	2	3	1	3	2	1	1	1	3	2	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	419	-	-	1	-	3	3	4	3	4	7	6	9	14	27	24	34	33	54	71	50	35	19	11	6	1
	White-----M--	120	-	-	1	-	-	-	2	1	2	3	2	3	2	7	5	9	13	15	19	14	8	11	1	1	1
	F--	93	-	-	-	-	3	1	1	-	-	-	1	3	4	5	7	6	10	6	14	13	9	3	4	3	-
	Nonwhite--M--	102	-	-	-	-	-	2	1	2	2	3	1	-	6	3	8	11	2	14	19	11	8	3	4	2	-
	F--	104	-	-	-	-	-	-	-	-	-	1	2	3	2	12	4	8	8	19	19	12	10	2	2	-	-
480-493	Influenza and pneumonia, etc.*-	933	305	44	19	15	6	17	11	13	7	6	14	9	16	21	29	36	36	48	70	70	69	36	21	10	5
	White-----M--	213	39	6	3	3	-	2	1	5	-	1	4	-	5	6	8	11	8	15	25	27	24	8	6	5	1
	F--	188	38	8	4	-	2	2	3	3	1	1	1	1	2	4	3	8	7	9	15	21	25	16	12	2	-
	Nonwhite--M--	271	116	16	6	5	2	9	6	4	3	1	2	3	4	5	12	8	8	15	14	9	15	3	1	3	1
	F--	261	112	14	6	7	2	4	1	1	3	3	7	5	5	6	6	9	13	9	16	13	5	9	2	-	3
480-483	Influenza---------	156	40	6	5	2	-	6	1	2	1	-	3	3	5	3	4	8	9	7	15	10	13	7	4	1	1
	White-----M--	22	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	4	5	4	-	1	-	1
	F--	28	4	-	1	-	-	1	-	2	-	-	-	-	1	1	-	2	1	1	3	1	5	3	1	1	-
	Nonwhite--M--	54	19	4	3	2	-	4	1	-	1	-	1	1	2	-	-	2	5	-	2	2	3	1	1	-	-
	F--	52	16	2	-	-	-	1	-	-	-	-	2	2	2	1	3	4	3	3	6	2	1	3	1	-	-
490-493	Pneumonia, etc.*--	777	265	38	14	13	6	11	10	11	6	6	11	6	11	18	25	28	27	41	55	60	56	29	17	9	4
	White-----M--	191	38	6	2	3	-	2	1	5	-	1	4	-	5	5	7	11	8	12	21	22	20	8	5	5	-
	F--	160	34	8	3	-	2	1	3	1	1	1	1	1	1	3	3	6	6	8	12	20	20	13	11	1	-
	Nonwhite--M--	217	97	12	3	3	2	5	5	4	2	1	1	2	2	5	12	6	3	15	12	7	12	2	-	3	1
	F--	209	96	12	6	7	2	3	1	1	3	3	5	3	3	5	3	5	10	6	10	11	4	6	1	-	3
500-502	Bronchitis--------	54	16	2	-	-	1	2	-	-	1	2	2	-	-	2	3	1	6	2	4	4	2	2	1	-	1
	White-----M--	20	4	1	-	-	-	2	-	-	-	1	-	-	-	1	-	1	4	2	1	2	-	-	1	-	-
	F--	10	2	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	1	2	2	-	-	-	-
	Nonwhite--M--	13	7	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	-	-	-	-	-
	F--	11	3	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	2	-	-	1
540, 541	Ulcer of stomach and duodenum-----	106	2	1	-	-	-	-	-	-	1	4	1	5	9	12	12	12	10	15	13	6	1	-	2	-	-
	White-----M--	62	-	1	-	-	-	-	-	-	-	3	1	4	5	8	6	7	6	5	10	3	1	-	2	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	4	3	2	-	-	-	-	-
	Nonwhite--M--	25	2	-	-	-	-	-	-	-	1	1	-	1	2	2	4	4	2	5	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-	-	-	-
550-553	Appendicitis------	29	-	-	-	1	1	-	-	-	1	1	1	1	-	2	4	4	2	2	2	3	3	-	-	-	1
	White-----M--	11	-	-	-	1	-	-	-	-	-	1	-	1	-	-	2	1	2	1	1	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	2	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	1	-	-	-	-
	F--	6	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	1
560, 561, 570	Hernia, intestinal obstruction--	141	21	2	1	-	-	1	-	-	-	3	3	4	8	10	8	12	6	11	14	13	12	9	2	1	-
	White-----M--	50	7	1	1	-	-	1	-	-	-	1	-	1	3	3	1	4	-	4	9	6	3	3	1	1	-
	F--	42	6	-	-	-	-	-	-	-	-	-	1	1	2	-	3	4	3	4	2	6	6	4	-	-	-
	Nonwhite--M--	30	5	1	-	-	-	-	-	-	-	-	2	-	1	5	2	2	2	2	3	-	3	1	1	-	-
	F--	19	3	-	-	-	-	-	-	-	-	2	-	2	2	2	2	2	1	1	-	1	-	1	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
543, 571, 572	Gastritis, etc.*	208	133	13	6	2	1	3	3	-	1	1	1	2	1	1	3	2	5	7	9	5	5	3	1	-	-
	White-----M--	35	14	2	1	1	-	-	-	-	-	-	1	1	-	1	2	1	1	2	4	-	1	2	1	-	-
	F--	39	17	1	1	-	-	2	-	-	-	1	-	1	1	-	1	1	1	3	2	3	3	1	-	-	-
	Nonwhite--M--	72	55	7	-	1	-	1	1	-	1	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-
	F--	62	47	3	4	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-
581	Cirrhosis of liver	205	1	-	-	-	-	1	1	2	-	-	2	11	14	30	29	24	21	20	21	13	10	3	2	-	-
	White-----M--	116	-	-	-	-	-	1	-	2	-	-	1	5	11	19	14	17	14	12	13	4	2	1	-	-	-
	F--	47	1	-	-	-	-	-	-	-	-	-	1	3	2	6	5	4	4	3	5	5	6	1	1	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	2	-	2	3	2	2	1	-	-	-
	F--	22	-	-	-	-	-	-	1	-	-	-	-	2	1	3	5	1	3	3	-	2	-	-	1	-	-
590, 591	Acute nephritis, etc.*	65	-	2	1	-	-	3	1	3	4	2	1	4	7	5	4	5	4	5	4	3	6	1	-	-	-
	White-----M--	14	-	-	1	-	-	1	-	-	1	-	-	1	2	1	2	1	2	-	-	-	2	-	-	-	-
	F--	15	-	-	-	-	-	-	-	2	2	-	-	1	1	2	-	-	1	1	2	-	3	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	1	1	-	1	2	-	-	1	1	-	2	-	3	2	3	-	-	-	-	-
	F--	19	-	2	-	-	-	1	-	1	-	-	1	2	3	1	2	2	1	1	-	-	1	1	-	-	-
610	Hyperplasia of prostate	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	8	20	22	14	12	8	1	1	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	11	5	5	3	-	-	-
	Nonwhite--M--	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	13	11	9	7	5	1	1	-
640-689	Complications of pregnancy, etc.*	77	...	...	...	...	...	...	-	10	14	11	27	11	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	21	...	...	...	...	...	...	-	1	4	2	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	56	...	...	...	...	...	...	-	9	10	9	17	7	4	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	11	...	...	...	...	...	...	-	-	4	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	...	...	...	...	...	...	-	-	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	66	...	...	...	...	...	...	-	10	10	10	24	9	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	18	...	...	...	...	...	...	-	1	3	2	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	48	...	...	...	...	...	...	-	9	7	8	15	6	3	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	339	260	18	6	8	5	7	5	3	3	2	2	2	3	8	2	1	2	1	-	1	-	-	-	-	-
	White-----M--	128	98	7	3	1	1	3	-	1	3	-	1	-	2	5	1	-	-	1	-	1	-	-	-	-	-
	F--	93	69	4	1	2	3	2	2	2	-	1	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	68	57	2	1	2	1	1	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	50	36	5	1	3	-	1	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,536	1,536	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	411	411	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	278	278	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	495	495	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	352	352	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	613	613	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	193	193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	121	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	179	179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	796	796	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	264	264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	201	201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	391	55	2	2	1	-	-	1	3	5	7	4	4	4	19	19	19	22	41	37	41	40	25	22	8	10
	White-----M--	87	3	-	-	-	-	-	-	-	-	1	-	-	1	4	5	9	8	7	11	10	12	6	5	4	1
	F--	75	4	-	1	-	-	-	-	1	1	1	2	-	1	4	1	1	3	5	4	11	11	9	12	1	2
	Nonwhite--M--	123	24	2	1	1	-	-	-	2	1	1	2	4	1	7	6	5	8	14	15	10	10	5	2	1	1
	F--	106	24	-	-	-	-	-	1	-	3	4	-	-	1	4	7	4	3	15	7	10	7	5	3	2	6
Residual	All other diseases	1,123	92	21	16	8	10	22	12	11	15	29	36	45	59	74	80	73	97	130	92	91	64	32	9	3	2
	White-----M--	421	20	10	4	1	2	9	3	3	7	6	11	17	24	28	28	34	40	64	36	31	28	10	5	-	-
	F--	310	22	3	5	6	5	6	5	3	2	10	11	10	13	20	15	14	27	29	29	39	18	16	1	1	-
	Nonwhite--M--	210	31	4	5	-	1	5	3	1	3	5	3	5	12	14	17	18	18	16	17	15	12	2	1	-	2
	F--	182	19	4	2	1	2	2	1	4	3	8	11	13	10	12	20	7	12	21	10	6	6	4	2	2	-
E800-E962	Accidents	1,763	109	42	38	21	28	82	72	131	146	136	108	93	104	84	86	69	64	60	67	78	77	42	16	5	5
	White-----M--	770	20	7	8	1	7	25	26	62	89	83	58	51	56	47	42	35	28	21	38	22	28	7	7	1	1
	F--	321	20	12	10	7	6	14	11	20	12	14	11	9	10	7	4	5	12	19	12	34	37	25	7	3	-
	Nonwhite--M--	471	41	14	13	6	11	25	22	42	32	30	31	26	36	27	23	20	16	14	10	12	10	6	1	1	2
	F--	201	28	9	7	7	4	18	13	7	13	9	8	7	2	3	17	9	8	6	7	10	2	4	1	-	2
E810-E835	Motor-vehicle accidents	649	9	5	15	6	9	28	19	70	94	74	41	41	42	38	31	31	30	20	22	11	11	2	-	-	-
	White-----M--	361	7	1	4	-	4	13	10	34	63	45	24	22	22	21	14	17	17	11	14	8	10	-	-	-	-
	F--	93	-	3	5	3	1	8	4	13	10	7	4	7	6	2	1	3	7	5	2	1	-	1	-	-	-
	Nonwhite--M--	154	1	1	6	-	2	6	2	18	16	18	12	11	14	12	13	8	4	3	5	2	-	-	-	-	-
	F--	41	1	-	-	3	2	1	3	5	5	4	1	1	-	3	3	3	2	1	1	-	1	1	-	-	-
E800-E802, E840-E962	All ot. accidents	1,114	100	37	23	15	19	54	53	61	52	62	67	52	62	46	55	38	34	40	45	67	66	40	16	5	5
	White-----M--	409	13	6	4	1	3	12	16	28	26	38	34	29	34	26	28	18	11	10	24	14	18	7	7	1	1
	F--	228	20	9	5	4	5	6	7	7	2	7	7	2	4	5	3	2	5	14	10	33	37	24	7	3	-
	Nonwhite--M--	317	40	13	7	6	9	19	20	24	16	12	19	15	22	15	10	12	12	11	5	10	10	6	1	1	2
	F--	160	27	9	7	4	2	17	10	2	8	5	7	6	2	-	14	6	6	5	6	10	1	3	1	-	2
E963, E970-E979	Suicide	161	-	-	-	-	-	-	1	2	10	15	11	19	16	20	19	15	9	8	10	3	2	1	-	-	-
	White-----M--	113	-	-	-	-	-	-	-	1	7	10	8	14	8	16	13	8	8	7	9	1	2	1	-	-	-
	F--	30	-	-	-	-	-	-	-	1	1	2	2	4	5	3	5	6	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	1	-	2	3	1	1	2	1	1	1	1	-	1	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	271	6	1	2	-	-	-	4	19	30	45	42	37	29	18	16	8	3	1	2	4	3	1	-	-	-
	White-----M--	35	2	1	-	-	-	-	-	-	2	3	3	1	7	2	6	3	1	-	1	1	1	1	-	-	-
	F--	17	1	-	1	-	-	-	1	-	1	1	3	2	4	1	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	171	2	-	1	-	-	-	2	13	20	33	30	26	13	13	6	4	2	1	1	2	2	-	-	-	-
	F--	48	1	-	-	-	-	-	1	6	7	8	6	8	5	2	4	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE																										
	ALL CAUSES--------	9,902	635	44	27	24	21	62	40	51	75	84	100	140	200	279	412	625	856	1,030	1,256	1,475	1,268	797	302	64	15
	White-----M--	5,594	367	26	12	13	13	39	23	41	51	65	56	84	128	185	249	400	541	650	708	778	653	361	120	22	9
	F--	4,279	265	18	13	11	8	23	17	10	23	19	44	55	71	93	159	223	313	379	544	695	632	435	181	42	6
	Nonwhite--M--	19	2	-	1	-	-	-	-	-	1	-	-	-	1	1	3	-	2	1	2	1	2	1	1	-	-
	F--	10	1	-	1	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	2	1	1	-	-	-	-
001-019	Tuberculosis, all forms--------	102	2	1	1	-	1	1	-	1	1	3	10	9	6	5	3	15	11	7	7	13	4	1	-	-	-
	White-----M--	67	-	1	-	-	-	1	-	-	1	2	1	6	3	4	2	13	6	6	5	10	3	1	-	-	-
	F--	33	2	-	-	-	1	-	-	1	-	1	9	3	3	1	1	2	3	-	2	3	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	91	1	1	1	-	-	-	-	1	1	3	10	9	5	5	2	13	10	6	5	13	4	1	-	-	-
	White-----M--	62	-	1	-	-	-	-	-	-	1	2	1	6	3	4	2	11	7	6	4	10	3	1	-	-	-
	F--	28	1	-	-	-	-	-	-	1	-	1	9	3	2	1	-	2	3	-	1	3	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	11	1	-	-	-	1	1	-	-	-	-	-	-	1	-	1	2	1	1	2	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
	F--	5	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	14	1	-	-	-	-	1	-	-	-	-	1	-	-	-	2	2	1	3	2	-	1	-	-	-	-
	White-----M--	9	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	-	1	2	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	11	1	3	-	1	1	-	1	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	White-----M--	3	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	3	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	19	-	-	-	1	-	1	2	2	4	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	-	-	-	1	-	1	-	1	3	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	8	6	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	24	5	1	1	-	-	1	1	-	-	1	2	-	1	-	1	2	3	2	1	1	-	-	-	1	-
	White-----M--	12	1	-	-	-	-	-	1	-	-	1	-	-	-	-	1	2	1	2	1	1	-	-	-	1	-
	F--	12	4	1	1	-	-	1	-	-	-	-	2	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE—Continued																										
140-205	Malignant neoplasms, etc.*	1,619	-	2	1	3	1	6	3	2	8	11	17	25	36	68	102	163	182	218	253	251	148	91	24	3	1
	White----M	830	-	2	-	3	1	4	1	2	2	8	5	8	18	24	45	83	96	123	130	139	80	47	7	1	1
	F	786	-	-	1	-	-	2	2	-	6	3	12	17	18	44	57	78	86	95	122	112	68	44	17	2	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	37	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	4	8	3	3	6	5	1	-	-
	White----M	30	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	7	2	3	4	3	1	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	633	-	-	-	-	-	-	-	-	1	2	1	7	12	14	33	64	61	86	113	111	66	47	15	-	-
	White----M	320	-	-	-	-	-	-	-	-	1	1	-	3	7	5	15	35	33	53	52	62	32	19	2	-	-
	F	312	-	-	-	-	-	-	-	-	-	1	1	4	5	9	18	29	28	33	60	49	34	28	13	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system	149	-	-	-	-	-	-	-	-	-	1	-	4	4	4	10	24	28	33	20	11	6	3	1	-	-
	White----M	120	-	-	-	-	-	-	-	-	-	1	-	4	4	2	10	21	24	27	16	5	5	1	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	4	6	4	6	1	2	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	137	-	-	-	-	-	-	-	-	-	-	2	3	6	12	18	14	9	16	22	19	8	4	3	1	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	135	-	-	-	-	-	-	-	-	-	-	2	3	6	12	18	13	9	16	22	19	7	4	3	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	287	-	-	-	-	-	-	-	-	1	4	7	6	7	11	14	22	32	38	41	51	32	19	1	-	1
	White----M	148	-	-	-	-	-	-	-	-	-	3	2	-	-	2	2	4	10	14	31	40	22	16	1	-	1
	F	139	-	-	-	-	-	-	-	-	1	1	5	6	7	9	12	18	22	24	10	11	10	3	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	83	-	-	-	-	-	-	-	1	-	-	-	-	2	5	4	5	13	9	12	18	9	2	3	-	-
	White----M	56	-	-	-	-	-	-	-	1	-	-	-	-	2	3	4	4	9	7	8	11	4	-	3	-	-
	F	27	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	2	4	7	5	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	197	-	2	1	2	-	1	2	1	2	2	4	5	3	11	14	21	25	17	31	30	11	10	-	2	-
	White----M	98	-	2	-	2	-	1	1	1	-	1	2	1	3	5	8	9	9	9	15	15	5	8	-	1	-
	F	98	-	-	1	-	-	-	1	-	2	1	2	4	-	6	6	11	16	8	16	15	6	2	-	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	45	-	-	-	1	1	4	1	-	1	-	1	-	-	7	4	3	3	3	3	4	8	1	-	-	-
	White----M	27	-	-	-	1	1	2	-	-	-	-	1	-	-	4	3	3	1	2	3	1	5	-	-	-	-
	F	18	-	-	-	-	-	2	1	-	1	-	-	-	-	3	1	-	2	1	-	3	3	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	51	-	-	-	-	-	1	-	-	3	2	2	-	2	2	3	7	7	8	8	4	2	-	-	-	-
	White----M	30	-	-	-	-	-	1	-	-	1	2	-	-	2	1	1	5	6	4	3	2	2	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	2	-	2	-	-	1	2	2	1	4	5	2	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	27	-	-	-	-	-	-	2	-	-	-	-	3	2	1	1	3	2	4	2	1	4	1	1	-	-
	White----M	8	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	2	1	1	1	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	1	-	-	-	-	2	1	1	1	1	1	3	1	1	4	1	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	141	-	-	-	-	1	-	-	-	-	1	1	2	2	3	1	8	20	13	34	23	19	11	2	-	-
	White----M	62	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	3	14	6	14	9	6	4	1	-	-
	F	79	-	-	-	-	1	-	-	-	-	-	-	-	2	3	-	5	6	7	20	14	13	7	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-293	Anemias	27	1	1	-	-	1	-	-	1	-	-	-	1	-	-	1	2	1	2	3	6	3	4	-	-	-
	White----M	11	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	-	1	-	-	-
	F	16	-	1	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	2	1	2	3	3	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	9	5	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	5,591	2	1	-	-	-	3	3	2	9	12	10	42	66	139	201	317	499	654	806	1,001	964	581	220	48	11
	White----M	3,152	-	1	-	-	-	2	1	2	7	6	7	30	45	109	128	213	333	423	467	514	486	268	89	16	5
	F	2,428	2	-	-	-	-	1	2	-	2	6	3	11	21	30	71	104	165	231	336	486	476	313	130	32	6
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	2	-	1	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system	5,425	2	1	-	-	-	2	3	1	7	8	8	39	61	131	191	304	484	638	787	977	938	570	216	46	11
	White----M	3,067	-	1	-	-	-	2	1	1	5	6	6	29	44	104	125	204	323	414	458	504	471	262	87	15	5
	F	2,347	2	-	-	-	-	2	-	-	2	2	2	9	17	27	64	100	160	224	326	472	465	308	128	31	6
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	2	-	1	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-
330-334	Vascular lesions, etc.*	1,163	-	1	-	-	-	-	3	-	1	-	1	3	6	20	28	48	96	135	153	244	229	141	45	8	1
	White----M	542	-	1	-	-	-	-	1	-	1	-	-	1	4	9	9	25	55	76	74	103	108	54	17	4	-
	F	618	-	-	-	-	-	-	2	-	-	-	1	2	2	11	19	23	41	59	78	141	119	87	28	4	1
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever	6	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	White----M	5	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE--Continued																										
410-443	Diseases of heart	3,845	1	-	-	-	-	2	-	-	5	5	6	34	53	106	158	238	369	476	594	674	615	341	135	27	6
	White-----M--	2,314	-	-	-	-	-	2	-	-	3	4	6	28	38	91	112	170	259	322	363	366	322	162	53	9	4
	F--	1,525	1	-	-	-	-	-	-	-	2	1	-	6	15	15	44	68	109	154	229	307	293	179	82	18	2
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	142	-	-	-	-	-	1	-	-	3	4	-	5	8	6	12	13	13	19	12	25	12	6	3	-	-
	White-----M--	83	-	-	-	-	-	1	-	-	2	3	-	3	5	4	3	10	8	12	5	15	7	3	2	-	-
	F--	59	-	-	-	-	-	-	-	-	1	1	-	2	3	2	9	3	5	7	7	10	5	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,514	-	-	-	-	-	-	-	-	1	1	4	20	33	83	121	182	287	353	391	411	357	190	61	15	4
	White-----M--	1,622	-	-	-	-	-	-	-	-	1	1	4	16	26	76	93	143	211	253	249	230	196	92	22	5	4
	F--	888	-	-	-	-	-	-	-	-	-	-	-	4	7	7	26	39	75	100	141	181	161	98	39	10	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	591	-	-	-	-	-	-	-	-	-	-	1	1	2	3	7	19	28	44	82	124	130	89	50	9	2
	White-----M--	311	-	-	-	-	-	-	-	-	-	-	1	1	1	3	7	8	18	28	48	67	66	41	20	2	-
	F--	279	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	11	10	16	34	56	64	48	30	7	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
430-434	Other diseases of heart---------	114	1	-	-	-	-	1	-	-	1	-	1	5	3	5	7	2	10	11	13	21	18	5	9	1	-
	White-----M--	71	-	-	-	-	-	1	-	-	-	-	1	5	2	3	4	1	7	9	12	10	11	1	3	1	-
	F--	43	1	-	-	-	-	-	-	-	1	-	-	-	1	2	3	1	3	2	1	11	7	4	6	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	484	-	-	-	-	-	-	-	-	-	-	-	3	7	9	11	22	31	49	96	93	98	51	12	2	-
	White-----M--	227	-	-	-	-	-	-	-	-	-	-	-	3	4	5	5	8	15	20	49	44	42	25	6	1	-
	F--	256	-	-	-	-	-	-	-	-	-	-	-	-	3	4	6	14	16	29	46	49	56	26	6	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	88	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	8	8	9	15	9	13	11	6	4	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	1	5	7	4	5	4	3	1	-
	F--	50	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	7	4	8	5	8	7	3	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	270	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	2	10	19	43	75	73	30	7	4
	White-----M--	136	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	7	10	25	33	40	14	1	1
	F--	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	9	18	42	33	15	6	3
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	53	1	-	-	-	-	-	-	-	-	1	1	-	-	3	1	6	9	8	6	7	6	4	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	7	4	4	6	3	2	-	-	-
	F--	20	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	3	2	4	2	1	3	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	166	-	-	-	-	-	1	-	1	2	4	2	3	5	8	10	13	15	16	19	24	26	11	4	2	-
	White-----M--	85	-	-	-	-	-	-	-	1	2	-	1	1	1	5	3	9	10	9	9	10	15	6	2	1	-
	F--	81	-	-	-	-	-	1	-	-	-	4	1	2	4	3	7	4	5	7	10	14	11	5	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	265	58	10	2	6	3	1	2	-	2	-	4	3	4	8	8	8	15	16	27	28	27	19	11	5	-
	White-----M--	143	37	7	1	2	2	1	2	-	2	-	3	1	2	7	5	4	13	12	10	14	11	3	2	2	-
	F--	120	21	3	1	4	1	-	-	-	-	-	1	2	2	1	3	4	2	4	17	11	16	15	9	3	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	38	8	2	1	1	-	-	-	-	-	-	-	-	-	-	2	1	2	-	5	3	6	2	3	2	-
	White-----M--	18	3	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	1	4	-	1	1	-
	F--	20	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	2	2	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	227	50	8	1	5	3	1	2	-	2	-	4	3	4	8	6	7	13	16	22	23	21	17	8	3	-
	White-----M--	125	34	5	1	2	2	1	2	-	2	-	3	1	2	7	3	4	11	12	8	13	7	3	1	1	-
	F--	100	16	3	-	3	1	-	-	-	-	-	1	2	2	1	3	3	2	4	14	9	14	13	7	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	25	3	-	1	1	-	3	-	1	-	-	-	-	-	-	2	3	1	-	3	2	1	2	2	-	-
	White-----M--	15	3	-	-	1	-	-	-	1	-	-	-	-	-	-	2	3	-	-	2	2	1	-	-	-	-
	F--	10	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	60	1	-	-	-	-	-	-	-	-	-	2	2	2	2	4	8	13	6	5	7	6	1	1	-	-
	White-----M--	48	1	-	-	-	-	-	-	-	-	-	1	1	2	2	4	7	10	5	3	6	4	1	1	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	3	1	2	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	18	-	-	-	1	-	1	1	1	2	-	1	1	-	1	2	2	-	-	1	-	1	2	1	-	-
	White-----M--	13	-	-	-	1	-	1	-	1	1	-	1	1	-	1	2	-	-	-	1	-	1	1	1	-	-
	F--	5	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	53	4	-	-	-	-	-	-	1	-	-	-	1	-	3	4	3	4	9	5	5	7	3	3	1	-
	White-----M--	25	1	-	-	-	-	-	-	1	-	-	-	-	-	2	2	2	1	5	3	2	3	1	2	-	-
	F--	28	3	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	3	4	2	3	4	2	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE—Continued																										
543,	Gastritis, etc.*	31	13	1	-	-	-	-	-	-	-	1	-	-	1	2	1	-	2	1	4	4	1	-	-	-	-
571,	White-----M	20	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	3	1	-	-	-	-
572	F	10	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	68	-	-	-	-	-	-	-	-	-	-	2	4	7	4	6	11	10	9	6	6	1	1	-	1	-
	White-----M	35	-	-	-	-	-	-	-	-	-	-	1	1	5	4	2	10	5	4	-	2	-	-	-	1	-
	F	32	-	-	-	-	-	-	-	-	-	-	1	3	2	-	3	1	5	5	6	4	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	22	-	-	-	-	-	3	2	-	1	-	1	-	-	-	1	-	2	4	2	1	2	3	-	-	-
	White-----M	11	-	-	-	-	-	2	2	-	1	-	-	-	-	-	1	-	-	1	1	1	1	1	-	-	-
	F	11	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	3	1	-	1	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	8	12	13	12	9	3	-	1
	White-----M	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	8	12	13	12	9	3	-	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	12	...	...	...	...	...	...	-	-	2	3	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F	12	...	...	...	...	...	...	-	-	2	3	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	12	...	...	...	...	...	...	-	-	2	3	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F	12	...	...	...	...	...	...	-	-	2	3	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	127	98	5	4	2	1	4	-	1	1	4	-	2	1	-	3	-	-	-	-	1	-	-	-	-	-
	White-----M	63	46	1	3	-	-	3	-	1	-	4	-	-	1	-	3	-	-	-	-	1	-	-	-	-	-
	F	63	51	4	1	2	1	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	377	377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	220	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	156	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	193	193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	102	5	-	1	-	-	-	-	-	-	-	-	2	3	-	1	2	6	3	2	15	24	22	13	2	1
795	White-----M	57	5	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	4	2	2	6	12	12	7	-	1
	F	45	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	9	12	10	6	2	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	444	31	3	2	2	3	6	6	4	6	11	8	10	19	20	33	41	41	42	49	47	33	22	3	2	-
sid-	White-----M	241	22	1	-	2	2	4	2	2	2	8	3	8	8	11	21	27	21	26	24	23	15	7	1	1	-
ual	F	200	8	2	2	-	1	2	4	2	4	3	5	2	11	9	11	14	19	16	25	24	18	15	2	1	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents	511	21	14	13	6	9	29	17	30	30	25	30	18	34	15	21	20	26	20	19	44	27	24	17	1	1
E962	White-----M	358	11	10	8	3	6	19	13	25	24	25	26	15	30	14	18	15	19	16	14	23	13	5	5	-	1
	F	150	10	4	4	3	3	10	4	5	5	-	4	3	4	1	3	5	7	4	5	21	13	19	12	1	-
	Nonwhite--M	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	149	-	2	6	3	4	16	6	15	17	7	11	4	10	6	6	7	10	5	3	8	2	1	-	-	-
	White-----M	113	-	2	4	1	3	8	4	12	13	7	9	4	7	6	4	5	7	5	3	7	1	1	-	-	-
	F	34	-	-	2	2	1	8	2	3	3	-	2	-	3	-	2	2	3	-	-	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
E800-	All ot. accidents	362	21	12	7	3	5	13	11	15	13	18	19	14	24	9	15	13	16	15	16	36	25	23	17	1	1
E802,	White-----M	245	11	8	4	2	3	11	9	13	11	18	17	11	23	8	14	10	12	11	11	16	12	4	5	-	1
E840-	F	116	10	4	2	1	2	2	2	2	2	-	2	3	1	1	1	3	4	4	5	20	13	19	12	1	-
E962	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide	123	-	-	-	-	-	-	-	5	5	7	6	9	12	7	12	13	15	9	13	6	3	-	1	-	-
E970-	White-----M	101	-	-	-	-	-	-	-	5	4	6	3	7	10	6	9	11	12	8	11	5	3	-	1	-	-
E979	F	22	-	-	-	-	-	-	-	-	1	1	3	2	2	1	3	2	3	1	2	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	9	-	-	-	-	-	-	-	-	1	1	2	1	1	-	1	1	1	-	-	-	-	-	-	-	-
E980-	White-----M	5	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
E985	F	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND																										
	ALL CAUSES--------	23,981	1,706	136	84	52	62	153	85	188	252	352	437	656	824	1,094	1,577	1,970	2,394	2,652	2,725	2,697	2,078	1,186	431	116	74
	White-----M--	10,631	660	51	32	21	29	65	36	94	114	133	172	254	335	503	776	975	1,214	1,290	1,224	1,174	863	434	122	33	27
	F--	8,534	485	33	30	21	18	46	23	39	51	91	105	168	201	271	356	508	699	915	1,120	1,252	1,065	667	276	73	21
	Nonwhite--M--	2,707	306	25	13	5	7	25	16	36	48	70	85	128	166	194	255	296	277	241	211	148	84	43	13	3	12
	F--	2,109	255	27	9	5	8	17	10	19	39	58	75	106	122	126	190	191	204	206	170	123	66	42	20	7	14
001-019	Tuberculosis, all forms--------	642	2	7	1	2	3	8	4	10	33	34	47	62	75	59	59	58	53	42	37	22	15	4	1	1	3
	White-----M--	240	1	2	-	-	1	-	-	1	1	1	5	20	22	26	22	34	33	26	20	13	9	1	-	1	1
	F--	85	-	1	1	2	1	2	-	2	3	8	9	9	5	6	6	3	-	6	8	7	4	1	1	-	-
	Nonwhite--M--	203	1	1	-	-	1	4	1	3	11	8	14	18	36	23	24	19	18	9	8	1	-	1	-	-	2
	F--	114	-	3	-	-	-	2	3	4	18	17	19	15	12	4	7	2	2	1	1	1	2	1	-	-	-
001-008	Tuberculosis of respiratory system----------	600	1	2	-	1	-	4	3	9	31	32	47	58	72	58	58	57	49	39	34	22	15	4	1	1	2
	White-----M--	232	-	1	-	-	-	-	-	1	1	1	5	19	22	26	22	34	33	24	18	13	9	1	-	1	1
	F--	78	-	-	-	1	-	1	-	2	3	8	9	9	5	5	6	3	-	6	7	7	4	1	1	-	-
	Nonwhite--M--	186	1	-	-	-	-	3	-	3	10	7	14	17	34	23	23	18	14	8	8	1	-	1	-	-	1
	F--	104	-	1	-	-	-	-	3	3	17	16	19	13	11	4	7	2	2	1	1	1	2	1	-	-	-
010-019	Tuberculosis, other forms------	42	1	5	1	1	3	4	1	1	2	2	-	4	3	1	1	1	4	3	3	-	-	-	-	-	1
	White-----M--	8	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	-	-	-
	F--	7	-	1	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	17	-	1	-	-	1	1	1	-	1	1	-	1	2	-	1	1	4	1	-	-	-	-	-	-	1
	F--	10	-	2	-	-	-	2	-	1	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae--------	161	-	-	-	-	-	-	-	-	-	-	4	9	16	23	14	26	26	18	15	3	3	-	3	-	1
	White-----M--	57	-	-	-	-	-	-	-	-	-	-	1	1	3	5	5	9	13	7	8	2	2	-	1	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	4	3	5	2	-	-	-	2	-	-
	Nonwhite--M--	63	-	-	-	-	-	-	-	-	-	-	3	8	5	14	7	10	7	3	4	1	1	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	7	1	2	3	3	3	1	-	-	-	-	-	1
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	7	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	38	11	9	3	-	-	7	-	2	3	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	17	5	5	-	-	-	4	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	6	4	3	-	-	3	-	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	14	-	-	1	-	1	4	2	1	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	1	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	3	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	10	-	3	3	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	58	18	1	1	2	-	4	1	2	1	5	1	3	2	1	3	3	2	2	3	1	-	-	1	1	-
	White-----M--	19	4	-	-	1	-	2	-	-	1	-	-	1	1	-	1	1	2	2	2	-	-	-	1	-	-
	F--	16	4	-	1	-	-	1	1	1	-	3	1	1	-	-	-	-	-	-	1	1	-	-	-	1	-
	Nonwhite--M--	9	4	-	-	1	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	14	6	1	-	-	-	1	-	-	-	1	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
140-205	Malignant neoplasms, etc.*----	3,497	-	1	5	9	10	24	5	15	13	37	59	122	147	220	307	408	466	491	456	364	211	94	26	4	3
	White-----M--	1,523	-	1	2	2	8	12	2	7	7	14	22	32	57	71	117	182	218	242	214	155	96	47	12	1	2
	F--	1,470	-	-	3	4	2	10	2	5	3	20	28	64	57	108	112	145	183	187	195	175	109	42	12	3	1
	Nonwhite--M--	273	-	-	-	2	-	1	1	-	3	1	-	11	11	19	44	46	38	41	25	22	4	3	1	-	-
	F--	231	-	-	-	1	-	1	-	3	-	2	9	15	22	22	34	35	27	21	22	12	2	2	1	-	-
140-148	Of buccal cavity and pharynx------	88	-	-	-	-	-	-	-	-	1	1	1	3	1	4	7	13	11	12	13	15	5	1	-	-	-
	White-----M--	61	-	-	-	-	-	-	-	-	-	-	1	1	-	3	4	9	10	8	9	13	3	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	2	2	2	1	1	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	1	-	-	2	1	-	2	2	-	1	2	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	1,198	-	-	-	-	-	-	-	3	2	2	14	24	37	50	79	126	165	174	197	161	98	52	10	2	2
	White-----M--	537	-	-	-	-	-	-	-	-	-	1	10	11	19	17	30	56	81	87	90	67	36	24	5	1	2
	F--	488	-	-	-	-	-	-	-	2	2	-	4	8	8	21	25	41	64	61	86	78	59	24	4	1	-
	Nonwhite--M--	110	-	-	-	-	-	-	-	-	-	1	-	3	5	9	15	18	13	16	13	12	2	2	1	-	-
	F--	63	-	-	-	-	-	-	-	1	-	-	-	2	5	3	9	11	7	10	8	4	1	2	-	-	-
160-164	Of respiratory system----------	444	-	-	-	-	-	-	-	-	-	2	2	11	18	35	55	74	75	76	55	25	14	2	-	-	-
	White-----M--	339	-	-	-	-	-	-	-	-	-	2	2	8	17	27	40	50	62	62	43	15	10	1	-	-	-
	F--	43	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	6	3	7	5	9	4	1	-	-	-
	Nonwhite--M--	53	-	-	-	-	-	-	-	-	-	-	-	1	-	4	11	15	9	6	6	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	1	1	1	-	-	-	-	-	-
170	Of breast---------	336	-	-	-	-	-	-	-	-	-	2	11	14	26	27	36	36	43	40	41	37	15	6	1	-	1
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	300	-	-	-	-	-	-	-	-	-	2	10	10	18	24	30	33	43	39	35	34	14	6	1	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	1	4	8	3	6	3	-	1	5	2	1	-	-	-	-
171-179	Of genital organs-	570	-	-	-	-	-	1	-	-	3	7	13	35	26	45	51	62	64	78	69	58	32	19	7	-	-
	White-----M--	160	-	-	-	-	-	-	-	-	1	-	-	1	-	1	7	7	11	27	31	31	25	14	4	-	-
	F--	304	-	-	-	-	-	1	-	-	1	6	7	27	21	33	28	36	38	40	35	18	6	4	3	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	1	-	-	-	1	-	4	3	5	7	1	7	1	1	-	-	-
	F--	75	-	-	-	-	-	-	-	-	-	1	6	7	4	11	12	16	10	4	2	2	-	-	-	-	-
180, 181	Of urinary organs-	145	-	-	-	-	-	1	-	-	-	-	-	2	5	6	13	18	23	24	21	18	10	2	2	-	-
	White-----M--	95	-	-	-	-	-	1	-	-	-	-	-	-	4	3	8	16	16	15	14	9	5	2	2	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	7	7	6	5	-	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	1	2	1	-	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	426	-	-	-	4	4	7	2	3	2	8	7	18	19	31	43	47	52	51	40	37	32	11	6	2	-
	White-----M--	177	-	-	-	2	3	1	1	3	1	2	3	5	9	10	16	26	20	24	15	14	16	5	1	-	-
	F--	187	-	-	-	1	1	4	1	-	-	5	3	12	5	17	17	16	22	18	17	20	16	6	4	2	-
	Nonwhite--M--	29	-	-	-	1	-	1	-	-	1	-	-	-	2	2	6	3	5	6	2	-	-	-	-	-	-
	F--	33	-	-	-	-	-	1	-	-	-	1	1	1	3	2	4	2	5	3	6	3	-	-	1	-	-
204	Leukemia and aleukemia----------	126	-	1	4	4	6	14	2	5	1	1	3	7	9	8	10	8	9	16	7	8	2	1	-	-	-
	White-----M--	64	-	1	2	-	5	9	1	4	1	-	-	2	5	5	4	7	3	6	3	4	1	1	-	-	-
	F--	49	-	-	2	2	1	5	1	1	-	1	2	3	2	3	4	1	4	8	4	4	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	1	2	-	-	-	-	-	-	-
	F--	6	-	-	-	1	-	-	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-
200-203; 205	Lymphomas, etc.*--	164	-	-	1	1	-	1	1	4	4	14	8	8	6	14	13	24	24	20	13	5	3	-	-	-	-
	White-----M--	89	-	-	-	-	-	1	-	-	4	9	6	4	3	5	8	11	15	13	9	1	-	-	-	-	-
	F--	53	-	-	1	1	-	-	-	2	-	5	2	3	1	6	2	9	5	5	4	4	3	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	1	-	-	-	-	1	2	2	2	4	3	2	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	93	-	1	1	1	1	-	-	3	2	4	4	7	10	6	9	9	12	8	7	3	1	3	-	-	1
	White-----M--	30	-	-	-	1	-	-	-	2	-	1	1	2	-	2	2	3	8	2	3	1	-	1	-	-	1
	F--	35	-	1	-	-	1	-	-	1	1	1	3	3	5	1	2	2	1	4	4	2	1	2	-	-	-
	Nonwhite--M--	7	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	2	5	3	5	3	1	2	-	-	-	-	-	-	-
260	Diabetes mellitus-	454	-	3	-	-	-	1	1	2	2	4	4	6	8	13	22	48	64	86	75	65	34	13	1	-	2
	White-----M--	150	-	3	-	-	-	-	1	-	-	1	1	1	1	9	7	18	23	25	23	20	10	6	-	-	1
	F--	238	-	-	-	-	-	1	-	2	2	2	1	2	2	3	9	20	24	52	46	42	21	7	1	-	1
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	4	5	3	4	1	1	-	-	-	-
	F--	42	-	-	-	-	-	-	-	-	-	1	1	2	4	-	4	6	12	6	2	2	2	-	-	-	-
290-293	Anemias----------	46	3	3	1	-	-	2	2	-	1	-	3	4	1	2	2	2	2	1	5	6	4	2	-	-	-
	White-----M--	11	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	3	3	1	-	-	-
	F--	17	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	2	1	4	3	1	1	-	-	-
	Nonwhite--M--	10	1	-	-	-	-	1	1	-	-	-	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-
	F--	8	-	3	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	26	8	2	5	-	1	4	1	-	1	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-
	White-----M--	11	1	1	3	-	1	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	12,995	14	3	1	2	-	10	11	21	33	48	104	191	306	508	830	1,083	1,407	1,684	1,842	1,922	1,574	916	346	96	43
	White-----M--	5,772	6	-	-	1	-	6	3	10	13	20	48	70	134	243	443	552	711	789	806	820	648	316	92	24	17
	F--	4,971	5	2	-	-	-	1	3	7	11	10	23	44	65	106	164	251	405	582	754	897	811	529	226	63	12
	Nonwhite--M--	1,178	2	-	1	-	-	1	4	3	7	8	14	36	59	81	115	160	159	159	149	106	63	35	9	2	5
	F--	1,074	1	1	-	1	-	2	1	1	2	10	19	41	48	78	108	120	132	154	133	99	52	36	19	7	9
330-334, 400-468	Diseases of cardiovascular system	12,669	13	3	1	2	-	8	8	17	25	42	95	172	290	488	795	1,049	1,372	1,657	1,814	1,892	1,542	907	342	93	42
	White-----M--	5,660	6	-	-	1	-	4	2	9	9	18	41	64	130	239	429	540	700	780	798	809	635	313	92	24	17
	F--	4,856	5	2	-	-	-	1	2	5	8	8	22	37	61	98	153	241	395	571	741	885	799	526	223	62	11
	Nonwhite--M--	1,130	1	-	1	-	-	1	3	2	7	7	14	30	56	78	109	154	153	158	146	102	61	32	8	2	5
	F--	1,023	1	1	-	1	-	2	1	1	1	9	18	41	43	73	104	114	124	148	129	96	47	36	19	5	9
330-334	Vascular lesions, etc.*----------	2,053	2	-	-	-	-	1	3	2	6	6	17	31	53	70	107	146	192	258	293	351	273	170	53	13	6
	White-----M--	748	1	-	-	-	-	-	1	1	1	2	4	5	15	20	35	56	70	82	115	156	103	61	16	3	1
	F--	894	-	-	-	-	-	-	1	1	4	2	3	12	15	24	34	45	63	109	131	162	148	100	32	7	1
	Nonwhite--M--	200	-	-	-	-	-	1	1	-	1	-	4	6	12	11	19	22	29	30	25	15	13	6	1	1	3
	F--	211	1	-	-	-	-	-	-	-	-	2	6	8	11	15	19	23	30	37	22	18	9	3	4	2	1
400-402	Rheumatic fever---	27	-	1	-	2	-	5	2	5	1	1	1	-	1	3	1	-	2	-	-	2	-	-	-	-	-
	White-----M--	12	-	-	-	1	-	3	-	4	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	5	-	1	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	6	-	-	-	1	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
410-443	Diseases of heart	9,833	9	2	1	-	-	2	3	10	15	31	69	120	216	397	659	866	1,127	1,335	1,438	1,433	1,145	628	231	67	29
	White-----M--	4,623	4	-	-	-	-	1	1	4	6	14	34	57	108	215	384	470	606	666	647	615	487	214	58	17	15
	F--	3,631	4	1	-	-	-	-	1	4	2	5	17	23	41	69	110	187	317	444	576	675	579	368	155	46	7
	Nonwhite--M--	848	1	-	1	-	-	-	1	1	6	7	8	18	43	59	83	123	115	118	116	74	45	19	7	1	2
	F--	731	-	1	-	-	-	1	-	1	1	5	10	22	24	54	82	86	89	107	99	69	34	27	11	3	5
410-416	Chronic rheumatic heart disease	304	-	-	-	-	-	1	2	6	8	13	20	26	33	32	32	33	37	26	12	10	10	2	1	-	-
	White-----M--	136	-	-	-	-	-	1	-	2	4	6	7	9	17	18	13	13	19	14	5	5	2	-	1	-	-
	F--	119	-	-	-	-	-	-	1	3	1	4	8	10	12	8	13	17	14	11	6	5	6	-	-	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	1	-	3	2	2	4	4	3	3	3	2	-	1	-	1	2	-	-	-
	F--	18	-	-	-	-	-	-	-	1	-	1	3	3	-	3	3	-	2	1	-	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,786	2	-	-	-	-	-	-	-	1	7	31	47	100	220	388	497	643	694	696	639	478	233	77	20	13
	White-----M--	2,716	1	-	-	-	-	-	-	-	1	3	22	39	70	150	285	338	417	408	348	307	206	87	19	5	10
	F--	1,645	1	-	-	-	-	-	-	-	-	1	4	5	13	31	53	106	172	228	287	301	242	135	51	12	3
	Nonwhite--M--	242	-	-	-	-	-	-	-	-	-	1	4	2	11	21	28	38	36	27	34	19	13	5	3	-	-
	F--	183	-	-	-	-	-	-	-	-	-	2	1	1	6	18	22	15	18	31	27	12	17	6	4	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	2,145	2	-	1	-	-	1	-	1	4	2	7	4	19	41	60	111	163	230	332	396	370	252	109	32	8
	White-----M--	914	-	-	-	-	-	-	-	1	1	1	2	2	8	14	25	45	76	107	156	173	175	90	29	7	2
	F--	861	1	-	-	-	-	-	-	-	-	-	2	-	2	9	12	19	45	67	105	174	179	145	75	25	1
	Nonwhite--M--	198	1	-	1	-	-	-	-	-	2	1	-	-	8	9	12	25	26	33	43	21	9	5	1	-	1
	F--	172	-	-	-	-	-	1	-	-	1	-	3	2	1	9	11	22	16	23	28	28	7	12	4	-	4
430-434	Other diseases of heart	224	5	2	-	-	-	-	1	3	2	4	4	7	6	12	17	20	23	23	25	30	26	8	5	1	-
	White-----M--	101	3	-	-	-	-	-	1	1	-	2	2	2	1	8	7	13	8	12	13	12	14	1	-	1	-
	F--	71	2	1	-	-	-	-	-	1	1	-	1	3	-	2	3	3	8	6	10	15	8	4	3	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	1	1	2	-	2	3	1	2	3	6	4	-	2	4	-	2	-	-
	F--	19	-	1	-	-	-	-	-	-	-	-	1	-	2	1	5	1	1	1	2	1	-	3	-	-	-
440-443	Hypertension with heart dis.	2,374	-	-	-	-	-	-	-	-	-	5	7	36	58	92	162	205	261	362	373	358	261	133	39	14	8
	White-----M--	756	-	-	-	-	-	-	-	-	-	2	1	5	12	25	54	61	86	125	125	118	90	36	9	4	3
	F--	935	-	-	-	-	-	-	-	-	-	-	2	5	14	19	29	42	78	132	168	180	144	84	26	9	3
	Nonwhite--M--	344	-	-	-	-	-	-	-	-	-	1	2	10	17	25	38	54	45	54	38	32	18	7	1	1	1
	F--	339	-	-	-	-	-	-	-	-	-	2	2	16	15	23	41	48	52	51	42	28	9	6	3	-	1
444-447	Hypertension without mention of heart	208	-	-	-	-	-	-	-	-	1	2	5	16	8	13	10	19	17	20	28	26	19	17	6	1	-
	White-----M--	65	-	-	-	-	-	-	-	-	1	1	1	-	3	3	3	6	5	9	6	8	6	7	5	1	-
	F--	75	-	-	-	-	-	-	-	-	-	-	1	2	-	1	4	6	8	8	14	10	12	8	1	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	1	6	1	6	3	3	2	1	5	3	1	2	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	1	2	8	4	3	-	4	2	2	3	5	-	-	-	-	-
450	General arteriosclerosis	438	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	7	18	29	43	75	98	91	51	12	7
	White-----M--	158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	8	13	21	29	37	30	13	3	1
	F--	215	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	5	17	33	56	50	35	9	3
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	9	-	10	2	5	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	5	3	3	6	3	-	3
451-468	Other diseases of circulatory sys.	110	2	-	-	-	-	-	-	-	2	2	3	5	10	3	15	11	16	15	12	5	7	1	1	-	-
	White-----M--	54	1	-	-	-	-	-	-	-	-	-	2	2	4	1	7	5	10	10	9	-	2	1	-	-	-
	F--	36	1	-	-	-	-	-	-	-	2	1	-	-	4	1	4	2	4	5	3	5	4	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	4	1	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	-	3	2	1	1	-	1	-	-	-	1	-	1	-	-
592-594	Chronic nephritis, etc.*	326	1	-	-	-	-	2	3	4	8	6	9	19	16	20	35	34	35	27	28	30	32	9	4	3	1
	White-----M--	112	-	-	-	-	-	2	1	1	4	2	7	6	4	4	14	12	11	9	8	11	13	3	-	-	-
	F--	115	-	-	-	-	-	-	1	2	3	2	1	7	4	8	11	10	10	11	13	12	12	3	3	1	1
	Nonwhite--M--	48	1	-	-	-	-	-	1	1	-	1	-	6	3	3	6	6	6	1	3	4	2	3	1	-	-
	F--	51	-	-	-	-	-	-	-	-	1	1	1	-	5	5	4	6	8	6	4	3	5	-	-	2	-
480-493	Influenza and pneumonia, etc.*	652	119	17	7	5	5	9	5	3	5	15	12	21	18	30	33	45	48	36	46	63	48	39	17	3	3
	White-----M--	254	30	8	4	2	3	3	2	-	3	2	4	9	4	18	13	18	22	16	20	34	18	14	7	-	-
	F--	181	34	1	2	3	-	3	2	2	-	2	2	-	1	3	3	7	7	5	17	24	26	24	9	3	1
	Nonwhite--M--	130	34	5	1	-	1	3	1	1	1	3	5	6	5	6	8	13	12	10	9	2	2	-	1	-	1
	F--	87	21	3	-	-	1	-	-	-	1	8	1	6	8	3	9	7	7	5	-	3	2	1	-	-	1
480-483	Influenza	51	9	-	-	2	-	-	-	1	-	-	-	1	2	2	-	4	5	1	2	9	7	3	3	-	-
	White-----M--	18	3	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	4	3	2	1	-	-
	F--	17	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	4	4	1	2	-	-
	Nonwhite--M--	8	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	-	-	1	-	-	-	-	-
490-493	Pneumonia, etc.*	601	110	17	7	3	5	9	5	2	5	15	12	20	16	28	33	41	43	35	44	54	41	36	14	3	3
	White-----M--	236	27	8	4	1	3	3	2	-	3	2	4	8	4	17	13	18	21	16	19	30	15	12	6	-	-
	F--	164	32	1	2	2	-	3	2	1	-	2	2	-	1	3	3	7	6	5	16	20	22	23	7	3	1
	Nonwhite--M--	122	30	5	1	-	1	3	1	1	1	3	5	6	4	6	8	12	11	9	9	2	2	-	1	-	1
	F--	79	21	3	-	-	1	-	-	-	1	8	1	6	7	2	9	4	5	5	-	2	2	1	-	-	1
500-502	Bronchitis	57	13	2	-	-	1	2	-	-	1	2	1	1	-	-	3	2	6	2	4	7	5	3	1	1	-
	White-----M--	28	5	1	-	-	-	2	-	-	-	1	1	-	-	-	1	2	4	2	2	3	3	-	-	1	-
	F--	13	2	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1	2	2	2	1	-	-
	Nonwhite--M--	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	1	-	-	-	-	-
	F--	8	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
540, 541	Ulcer of stomach and duodenum	116	1	-	-	-	-	-	-	-	-	-	4	7	5	5	10	16	17	14	18	10	4	4	1	-	-
	White-----M--	83	-	-	-	-	-	-	-	-	-	-	3	4	3	3	7	12	14	14	11	7	2	2	1	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	-	6	3	2	2	-	-	-
	Nonwhite--M--	9	1	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
550-553	Appendicitis	40	-	-	1	-	2	4	-	2	1	-	-	2	3	2	6	4	5	4	1	-	-	2	1	-	-
	White-----M--	23	-	-	1	-	1	3	-	-	1	-	-	2	1	2	2	1	3	2	1	-	-	2	1	-	-
	F--	11	-	-	-	-	1	1	-	1	-	-	-	-	1	-	1	3	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	149	25	-	2	1	-	-	-	-	-	1	1	2	5	6	10	17	19	17	10	12	12	5	4	-	-
	White-----M--	61	17	-	-	1	-	-	-	-	-	-	-	1	-	3	7	5	6	7	4	2	6	2	-	-	-
	F--	65	6	-	1	-	-	-	-	-	-	-	-	-	5	-	2	9	10	10	3	9	4	3	3	-	-
	Nonwhite--M--	13	1	-	-	-	-	-	-	-	-	-	-	1	-	3	-	2	2	-	1	1	1	-	1	-	-
	F--	10	1	-	1	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	2	-	1	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
543, 571, 572	Gastritis, etc.*--	139	80	10	1	-	-	2	2	1	-	1	2	2	3	-	7	4	4	5	6	6	1	2	-	-	-
	White-----M--	43	13	4	-	-	-	2	-	1	-	1	-	1	-	-	4	3	3	3	5	2	1	-	-	-	-
	F--	32	13	2	1	-	-	-	2	-	-	-	2	1	1	-	3	-	-	-	1	4	-	2	-	-	-
	Nonwhite--M--	30	24	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F--	34	30	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	272	-	-	-	-	-	-	-	1	1	9	12	17	30	36	45	36	38	23	9	10	3	1	-	-	1
	White-----M--	165	-	-	-	-	-	-	-	1	-	2	3	7	17	24	30	24	28	16	6	5	2	-	-	-	-
	F--	69	-	-	-	-	-	-	-	-	-	6	4	7	8	8	8	6	6	7	3	4	1	1	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	2	2	4	3	5	5	2	-	-	1	-	-	-	-	1
	F--	13	-	-	-	-	-	-	-	-	1	1	3	1	1	1	2	1	2	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	44	-	-	-	1	-	2	1	2	2	1	1	3	5	1	3	4	-	4	6	3	4	1	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	1	2	4	1	3	1	-	3	2	1	-	1	-	-	-
	F--	13	-	-	-	1	-	2	1	-	-	1	-	-	-	-	-	1	-	1	3	2	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	3	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	12	12	12	15	11	2	-	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	11	11	12	13	8	2	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	2	3	-	-	-
640-689	Complications of pregnancy, etc.*	39	...	...	...	...	...	...	1	4	6	9	10	5	2	1	-	-	-	-	1	-	-	-	-	-	-
	White-----F--	22	...	...	...	...	...	...	-	3	2	8	5	1	1	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--F--	17	...	...	...	...	...	...	1	1	4	1	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	8	...	...	...	...	...	...	-	1	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	...	...	...	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	31	...	...	...	...	...	...	1	3	4	7	7	5	2	1	-	-	-	-	1	-	-	-	-	-	-
	White-----F--	18	...	...	...	...	...	...	-	2	2	6	4	1	1	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--F--	13	...	...	...	...	...	...	1	1	2	1	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	317	221	18	5	10	4	6	2	3	3	2	6	7	5	1	5	1	3	4	4	5	2	-	-	-	-
	White-----M--	137	93	8	3	5	2	1	-	2	2	1	3	4	-	1	4	-	1	3	2	1	1	-	-	-	-
	F--	121	83	7	1	5	2	4	1	-	1	1	1	2	3	-	-	1	1	1	2	4	1	-	-	-	-
	Nonwhite--M--	28	20	3	1	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F--	31	25	-	-	-	-	1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,008	1,007	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	425	425	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	280	279	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	405	405	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	523	522	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	209	209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	150	149	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	93	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	116	20	1	2	1	-	1	1	-	5	2	1	3	2	2	9	6	6	5	7	11	7	10	4	3	7
	White-----M--	51	6	1	1	-	-	-	1	-	3	1	1	1	2	2	4	2	2	3	2	8	-	5	1	2	3
	F--	35	5	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	2	5	5	3	-	2
	Nonwhite--M--	14	4	-	-	-	-	-	-	-	-	1	-	2	-	-	1	2	1	-	-	1	1	-	-	1	-
	F--	16	5	-	-	-	-	1	-	-	2	-	-	-	-	-	3	1	-	-	1	-	1	-	-	-	2
Residual	All other diseases	1,037	95	17	12	5	6	9	10	13	13	31	25	34	64	63	84	91	109	102	81	84	52	29	3	2	3
	White-----M--	471	26	8	6	2	3	4	6	5	1	9	5	11	29	33	40	45	62	60	37	44	19	14	1	-	1
	F--	336	23	6	6	2	1	3	-	1	8	7	12	12	17	13	28	28	26	28	36	30	29	15	2	2	1
	Nonwhite--M--	138	28	2	-	-	1	1	1	3	4	7	7	7	14	11	9	12	11	7	4	7	1	-	-	-	1
	F--	92	18	1	-	1	1	1	3	4	-	8	1	4	4	6	7	6	10	7	4	3	3	-	-	-	-
E800-E962	Accidents----------	1,494	64	35	32	12	24	52	32	93	108	102	90	102	74	72	83	79	73	66	66	84	76	45	19	5	6
	White-----M--	775	25	7	11	6	9	22	18	58	73	61	56	68	38	36	44	44	42	40	33	38	25	13	3	4	1
	F--	368	20	8	8	3	8	10	6	12	15	13	8	10	15	10	9	20	17	15	26	40	46	30	15	1	3
	Nonwhite--M--	259	11	8	8	2	4	13	7	19	18	24	22	16	16	22	26	12	9	6	4	4	5	1	1	-	1
	F--	92	8	12	5	1	3	7	1	4	2	4	4	8	5	4	4	3	5	5	3	2	-	1	-	-	1
E810-E835	Motor-vehicle accidents--------	513	2	5	11	3	10	16	7	55	70	53	31	36	26	30	29	29	24	23	18	13	15	3	1	-	3
	White-----M--	304	2	1	5	3	3	10	5	38	48	29	20	22	11	15	13	16	12	19	14	9	7	1	-	-	1
	F--	101	-	2	4	-	4	3	1	10	11	9	3	6	8	5	6	7	7	2	3	4	4	2	-	-	-
	Nonwhite--M--	88	-	1	2	-	2	3	1	6	9	13	7	5	6	9	8	5	4	-	1	-	4	-	1	-	1
	F--	20	-	1	-	-	1	-	-	1	2	2	1	3	1	1	2	1	1	2	-	-	-	-	-	-	1
E800-E802, E840-E962	All ot. accidents-	981	62	30	21	9	14	36	25	38	38	49	59	66	48	42	54	50	49	43	48	71	61	42	18	5	3
	White-----M--	471	23	6	6	3	6	12	13	20	25	32	36	46	27	21	31	28	30	21	19	29	18	12	3	4	-
	F--	267	20	6	4	3	4	7	5	2	4	4	5	4	7	5	3	13	10	13	23	36	42	28	15	1	3
	Nonwhite--M--	171	11	7	6	2	2	10	6	13	9	11	15	11	10	13	18	7	5	6	3	4	1	1	-	-	-
	F--	72	8	11	5	1	2	7	1	3	-	2	3	5	4	3	2	2	4	3	3	2	-	1	-	-	-
E963, E970-E979	Suicide----------	239	-	-	-	-	-	-	1	4	10	16	22	22	23	33	20	18	24	25	13	3	5	1	1	-	-
	White-----M--	167	-	-	-	-	-	-	-	4	6	13	15	14	14	22	15	15	15	16	11	2	4	1	-	-	-
	F--	56	-	-	-	-	-	-	1	-	3	2	5	5	8	8	4	3	6	6	2	1	1	-	1	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	3	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	143	2	2	-	-	-	-	1	6	8	26	23	22	19	9	12	3	5	2	1	1	-	-	-	-	1
	White-----M--	25	1	1	-	-	-	-	-	1	1	3	2	3	5	1	4	-	1	1	-	1	-	-	-	-	-
	F--	20	1	-	-	-	-	-	1	1	-	5	-	4	4	-	1	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	76	-	1	-	-	-	-	-	3	3	15	14	14	8	7	5	2	3	-	-	-	-	-	-	-	1
	F--	22	-	-	-	-	-	-	-	1	4	3	7	1	2	1	2	1	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS																										
	ALL CAUSES	51,587	2,461	181	100	67	69	222	142	180	284	370	519	729	1,194	1,760	2,621	4,011	5,254	6,319	6,874	7,006	5,886	3,333	1,381	320	304
	White-----M	27,142	1,372	100	49	35	36	124	91	106	181	223	278	392	706	1,055	1,662	2,538	3,170	3,631	3,439	3,365	2,560	1,341	450	97	141
	F	23,517	998	75	43	30	31	91	49	65	86	130	215	306	449	656	903	1,404	1,991	2,579	3,328	3,559	3,274	1,958	920	218	159
	Nonwhite--M	505	43	4	5	-	1	6	1	4	8	7	10	18	20	25	39	39	60	61	60	50	23	13	4	1	3
	F	423	48	2	3	2	1	1	1	5	9	10	16	13	19	24	17	30	33	48	47	32	29	21	7	4	1
001-019	Tuberculosis, all forms	718	1	1	2	-	1	3	2	6	6	17	47	37	45	81	66	87	91	91	60	38	21	9	2	-	4
	White-----M	504	1	-	-	-	1	3	1	5	3	6	20	19	31	66	49	66	68	74	44	25	13	5	1	-	3
	F	171	-	1	2	-	-	-	-	1	3	8	21	14	13	12	13	15	19	12	13	11	7	4	1	-	1
	Nonwhite--M	28	-	-	-	-	-	-	-	-	-	1	2	3	1	1	4	5	3	3	2	2	1	-	-	-	-
	F	15	-	-	-	-	-	-	1	-	-	2	4	1	-	2	-	1	1	2	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	679	1	-	1	-	-	1	1	5	6	16	43	37	41	77	63	85	86	87	56	38	20	9	2	-	4
	White-----M	487	1	-	-	-	-	1	1	4	3	6	19	19	30	64	48	66	66	70	42	25	13	5	1	-	3
	F	155	-	-	1	-	-	-	-	1	3	8	18	14	10	10	11	15	17	12	12	11	6	4	1	-	1
	Nonwhite--M	25	-	-	-	-	-	-	-	-	-	1	2	3	1	1	4	4	2	3	1	2	1	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	4	1	-	2	-	-	1	2	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms	39	-	1	1	-	1	2	1	1	-	1	4	-	4	4	3	2	5	4	4	-	1	-	-	-	-
	White-----M	17	-	-	-	-	1	2	-	1	-	-	1	-	1	2	1	-	2	4	2	-	-	-	-	-	-
	F	16	-	1	1	-	-	-	-	-	-	-	3	-	3	2	2	-	2	-	1	-	1	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	103	-	-	-	-	-	-	1	-	-	2	-	1	1	2	9	12	19	21	14	8	9	1	3	-	-
	White-----M	77	-	-	-	-	-	-	1	-	-	2	-	-	-	-	6	8	12	18	13	6	8	1	2	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	7	1	1	2	1	-	1	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	15	-	-	2	-	-	1	-	-	2	-	1	-	-	-	-	4	1	-	2	-	1	1	-	-	-
	White-----M	13	-	-	2	-	-	1	-	-	2	-	1	-	-	-	-	3	1	-	1	-	1	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	4	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	27	7	4	1	2	2	1	-	-	-	1	-	-	-	-	-	1	5	1	1	-	1	-	-	-	-
	White-----M	17	6	2	1	2	-	-	-	-	-	1	-	-	-	-	-	1	2	-	1	-	1	-	-	-	-
	F	9	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	21	-	-	-	1	-	3	5	2	1	2	4	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	White-----M	13	-	-	-	-	-	2	3	1	1	1	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	2	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	20	1	1	1	3	-	10	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	13	1	1	1	1	-	7	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	2	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	100	11	3	2	1	1	4	3	2	4	1	1	3	4	6	4	3	11	13	11	3	7	1	-	-	1
	White-----M	55	6	2	1	-	1	1	3	1	4	-	-	2	3	2	1	-	5	10	7	2	2	1	-	-	1
	F	42	5	1	-	1	-	3	-	1	-	1	1	1	1	4	3	2	6	3	3	1	5	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
140-205	Malignant neoplasms, etc.*	8,649	5	10	7	13	13	34	16	27	31	57	89	142	264	380	629	964	1,143	1,306	1,275	1,069	703	286	122	17	47
	White--M	4,293	3	7	1	8	8	15	10	13	15	29	40	39	98	150	319	514	626	730	626	512	326	137	41	6	20
	F	4,219	2	3	5	5	5	17	6	13	15	28	48	95	157	219	296	437	504	559	629	543	370	147	80	11	25
	Nonwhite--M	80	-	-	1	-	-	2	-	-	-	-	-	4	3	7	9	7	10	8	12	9	3	2	1	-	2
	F	57	-	-	-	-	-	-	-	1	1	-	1	4	6	4	5	6	3	9	8	5	4	-	-	-	-
140-148	Of buccal cavity and pharynx	212	-	-	-	-	-	-	-	1	-	-	-	2	5	7	16	22	32	35	34	23	14	15	5	-	1
	White--M	167	-	-	-	-	-	-	-	-	-	-	-	1	3	5	12	19	29	30	25	14	11	13	4	-	1
	F	37	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	3	3	4	8	9	3	2	1	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	3,423	-	1	-	-	-	-	-	1	4	11	19	45	82	126	215	333	448	563	553	492	339	115	45	7	24
	White--M	1,770	-	1	-	-	-	-	-	-	1	8	7	16	34	64	122	197	251	323	274	237	152	52	17	4	10
	F	1,591	-	-	-	-	-	-	-	1	2	3	12	26	44	60	85	128	191	234	271	247	183	62	27	3	12
	Nonwhite--M	39	-	-	-	-	-	-	-	-	-	-	-	3	2	2	4	4	5	4	5	5	1	1	1	-	2
	F	23	-	-	-	-	-	-	-	-	1	-	-	-	2	-	4	4	1	2	3	3	3	-	-	-	-
160-164	Of respiratory system	923	-	-	-	-	-	1	-	-	5	2	5	6	18	52	91	164	171	163	129	69	24	12	7	-	4
	White--M	744	-	-	-	-	-	1	-	-	1	1	4	5	16	37	77	144	146	139	96	46	18	9	2	-	2
	F	163	-	-	-	-	-	-	-	-	4	1	1	1	2	12	10	17	23	23	31	22	6	3	5	-	2
	Nonwhite--M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	2	1	2	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
170	Of breast	830	-	-	-	-	-	-	-	-	1	2	13	28	48	53	63	97	112	101	113	79	66	22	24	4	4
	White--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	-	-	-	-
	F	817	-	-	-	-	-	-	-	-	1	2	13	27	47	51	63	95	111	99	112	78	64	22	24	4	4
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	1	-	-	-	-
171-179	Of genital organs	1,132	-	-	-	-	1	-	-	2	2	4	14	19	35	53	77	118	122	145	174	172	111	55	19	2	7
	White--M	415	-	-	-	-	1	-	-	-	-	2	4	-	2	2	3	19	38	53	84	98	62	30	12	1	4
	F	697	-	-	-	-	-	-	-	1	2	2	9	18	33	51	74	98	82	90	84	71	47	24	7	1	3
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	2	1	-	-	-
	F	10	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	1	2	3	-	-	-	-	-	-
180, 181	Of urinary organs	456	-	-	-	1	-	4	1	-	-	3	2	1	5	7	25	42	70	70	74	73	48	20	8	-	2
	White--M	292	-	-	-	-	-	2	1	-	-	-	-	-	4	6	17	29	49	54	44	41	32	10	2	-	1
	F	159	-	-	-	1	-	2	-	-	-	3	2	1	1	1	8	13	21	13	29	31	16	10	6	-	1
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	998	-	3	2	5	2	6	9	10	9	11	20	18	40	58	86	114	111	140	121	103	75	36	13	3	3
	White--M	505	-	2	-	3	-	2	5	7	6	3	12	6	22	24	49	66	63	76	57	43	36	18	4	-	1
	F	482	-	1	2	2	2	4	4	3	3	8	8	11	16	32	37	48	45	61	64	60	39	18	9	3	2
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	2	-	-	-	-	-	-	-
204	Leukemia and aleukemia	334	5	6	4	7	9	21	5	11	5	10	9	6	15	10	23	33	28	43	34	25	14	7	1	1	2
	White--M	190	3	4	1	5	6	9	3	6	3	6	7	2	6	3	17	20	18	27	20	12	7	3	-	1	1
	F	139	2	2	2	2	3	10	2	5	2	4	2	4	9	6	6	13	10	16	14	12	7	4	1	-	1
	Nonwhite--M	3	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	341	-	-	1	-	1	2	1	2	5	14	7	17	16	14	33	41	49	46	43	33	12	4	-	-	-
	White--M	203	-	-	-	-	1	1	1	-	4	9	6	9	11	8	22	19	31	27	25	20	7	2	-	-	-
	F	134	-	-	1	-	-	1	-	2	1	5	1	7	4	6	11	22	18	19	16	13	5	2	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	183	4	1	1	1	2	3	3	-	3	4	7	7	14	11	18	15	26	17	14	14	9	6	2	-	1
	White--M	91	2	1	1	-	1	2	2	-	2	3	4	1	5	4	11	10	15	8	9	7	1	2	-	-	-
	F	88	2	-	-	1	1	1	1	-	1	1	3	6	9	7	6	5	11	9	4	6	7	4	2	-	1
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
260	Diabetes mellitus	1,021	1	2	-	1	-	2	2	4	1	7	13	13	10	14	37	82	125	200	178	177	104	31	7	1	9
	White--M	367	1	-	-	-	-	1	-	-	1	2	5	6	4	7	19	38	36	69	56	67	34	14	2	1	4
	F	632	-	2	-	1	-	1	2	3	-	5	8	7	6	5	17	43	87	125	116	107	70	17	5	-	5
	Nonwhite--M	8	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	3	2	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	4	3	-	-	-	-	-
290-293	Anemias	138	2	-	-	-	-	1	-	2	2	1	1	-	3	1	5	6	15	17	21	23	21	13	2	1	1
	White--M	50	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	2	6	8	14	8	6	1	-	1
	F	85	1	-	-	-	-	-	-	1	-	1	1	-	2	1	5	6	13	11	13	9	13	6	1	1	-
	Nonwhite--M	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
340	Nonmeningococcal meningitis*	53	11	7	3	-	1	1	2	1	1	-	1	1	2	4	3	4	2	3	1	2	-	1	-	-	2
	White--M	25	5	2	3	-	-	1	2	1	1	-	1	-	1	1	2	1	1	1	-	-	-	1	-	-	1
	F	23	6	4	-	-	-	-	-	-	-	-	-	-	1	3	1	3	1	1	1	1	-	-	-	-	1
	Nonwhite--M	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	29,433	18	6	7	1	1	20	19	18	44	82	128	228	464	842	1,315	2,128	3,002	3,776	4,386	4,741	4,220	2,514	1,045	248	180
	White--M	15,138	9	4	3	-	1	14	10	11	23	50	71	147	319	577	877	1,414	1,855	2,141	2,155	2,209	1,785	978	334	70	81
	F	13,882	9	2	4	1	-	5	9	6	20	30	53	76	133	241	413	686	1,094	1,572	2,167	2,481	2,399	1,508	701	173	99
	Nonwhite--M	216	-	-	-	-	-	1	-	-	-	-	1	3	8	12	17	13	31	36	32	34	14	10	3	1	-
	F	197	-	-	-	-	-	-	-	1	1	2	3	2	4	12	8	15	22	27	32	17	22	18	7	4	-
330-334, 400-468	Diseases of cardiovascular system	28,887	17	5	6	1	1	16	14	15	39	64	120	213	440	821	1,292	2,082	2,948	3,719	4,310	4,658	4,164	2,487	1,034	245	176
	White--M	14,846	9	3	2	-	1	11	7	10	19	36	67	137	302	563	864	1,393	1,827	2,116	2,119	2,160	1,755	968	329	70	78
	F	13,639	8	2	4	1	-	4	7	4	19	26	49	71	126	236	403	665	1,069	1,541	2,130	2,447	2,373	1,491	695	170	98
	Nonwhite--M	211	-	-	-	-	-	1	-	-	-	-	1	3	8	11	17	12	30	35	31	34	14	10	3	1	-
	F	191	-	-	-	-	-	-	-	1	1	2	3	2	4	11	8	12	22	27	30	17	22	18	7	4	-
330-334	Vascular lesions, etc.*	5,617	3	3	3	1	-	8	2	4	12	14	20	34	55	107	207	334	518	742	891	1,035	902	490	167	38	27
	White--M	2,378	2	1	1	-	-	7	2	3	6	4	9	15	27	53	91	160	265	348	376	418	358	165	46	10	11
	F	3,143	1	2	2	1	-	1	-	1	5	9	10	17	26	46	113	166	238	379	505	607	536	317	118	27	16
	Nonwhite--M	49	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	8	9	5	7	5	4	2	-	-
	F	47	-	-	-	-	-	-	-	-	1	1	1	1	1	5	-	7	7	6	5	3	3	4	1	1	-
400-402	Rheumatic fever	27	-	-	-	-	-	2	4	2	1	2	1	2	-	3	2	2	2	2	-	2	-	-	-	-	-
	White--M	10	-	-	-	-	-	-	1	2	-	2	-	1	-	-	1	-	1	1	-	1	-	-	-	-	-
	F	16	-	-	-	-	-	1	3	-	1	-	1	1	-	3	1	2	1	1	-	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
410-443	Diseases of heart	21,275	13	2	3	-	1	6	7	9	22	41	90	160	361	679	1,039	1,672	2,329	2,816	3,156	3,275	2,887	1,700	716	167	124
	White----M--	11,543	7	2	1	-	1	4	4	5	13	26	53	113	265	493	740	1,182	1,505	1,685	1,605	1,569	1,247	680	231	51	61
	F--	9,456	6	-	2	-	-	2	3	3	9	14	35	44	87	173	277	474	789	1,091	1,506	1,669	1,616	1,002	478	113	63
	Nonwhite--M--	145	-	-	-	-	-	-	-	-	-	-	1	2	6	7	14	11	20	22	23	23	8	6	1	1	-
	F--	131	-	-	-	-	-	-	-	1	-	1	1	1	3	6	8	5	15	18	22	14	16	12	6	2	-
410-416	Chronic rheumatic heart disease	786	-	-	-	-	-	1	3	4	11	23	38	41	68	70	92	102	90	83	58	52	32	12	4	1	1
	White----M--	330	-	-	-	-	-	1	1	2	8	15	22	18	30	26	39	51	34	29	18	25	8	2	-	-	1
	F--	446	-	-	-	-	-	-	2	1	3	7	16	23	35	44	53	51	54	54	38	26	24	10	4	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	15,135	-	1	1	-	-	2	2	2	4	7	33	88	233	492	759	1,242	1,778	2,081	2,298	2,362	1,972	1,107	486	99	86
	White----M--	8,865	-	1	1	-	-	2	1	1	2	5	26	73	203	398	596	945	1,230	1,334	1,235	1,213	884	480	159	32	44
	F--	6,103	-	-	-	-	-	-	1	1	2	2	7	14	26	86	149	286	531	720	1,033	1,127	1,072	617	320	67	42
	Nonwhite--M--	96	-	-	-	-	-	-	-	-	-	-	-	1	4	4	11	8	12	15	16	14	6	4	1	-	-
	F--	71	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	3	5	12	14	8	10	6	6	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	2,325	1	-	-	-	1	2	1	-	2	2	1	11	18	23	48	90	131	234	328	391	466	342	166	46	21
	White----M--	1,096	-	-	-	-	1	1	1	-	1	-	-	9	9	10	34	53	80	131	167	167	219	130	61	11	11
	F--	1,199	1	-	-	-	-	1	-	-	1	2	1	2	8	11	14	37	47	98	158	217	243	211	105	32	10
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	2	5	2	-	-	1	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	1	2	2	1	-	2	-
430-434	Other diseases of heart	544	12	1	2	-	-	1	1	3	4	6	7	8	15	30	29	46	67	66	69	70	53	37	12	4	1
	White----M--	294	7	1	-	-	-	-	1	2	1	4	2	6	9	22	19	29	36	43	35	33	23	15	3	2	1
	F--	240	5	-	2	-	-	1	-	1	3	2	5	2	6	8	8	17	29	21	32	37	29	21	9	2	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-
440-443	Hypertension with heart dis.	2,485	-	-	-	-	-	-	-	-	1	3	11	12	27	64	111	192	263	352	403	400	364	202	48	17	15
	White----M--	958	-	-	-	-	-	-	-	-	1	2	3	7	14	37	52	104	125	148	150	131	113	53	8	6	4
	F--	1,468	-	-	-	-	-	-	-	-	-	1	6	3	12	24	53	83	128	198	245	262	248	143	40	11	11
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	3	4	2	2	3	-	1	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	1	1	1	-	4	2	6	4	6	4	3	5	-	-	-
444-447	Hypertension without mention of heart	379	-	-	-	-	-	-	-	-	1	-	4	3	9	16	12	20	25	40	61	67	53	45	16	3	4
	White----M--	175	-	-	-	-	-	-	-	-	-	-	-	2	2	7	8	12	10	21	30	32	20	18	10	-	3
	F--	194	-	-	-	-	-	-	-	-	1	-	3	1	6	9	4	8	15	15	28	35	32	27	6	3	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
450	General arteriosclerosis	1,251	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	16	30	87	151	238	298	241	128	36	18
	White----M--	541	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	13	15	46	76	116	119	101	38	9	3
	F--	695	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	14	39	73	118	176	138	90	26	15
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	2	-	1	-
451-468	Other diseases of circulatory sys.	338	1	-	-	-	-	-	1	-	3	7	5	13	14	15	27	38	44	32	51	41	24	11	7	1	3
	White----M--	199	-	-	-	-	-	-	-	-	-	4	5	5	8	9	21	26	31	15	32	24	11	4	4	-	-
	F--	135	1	-	-	-	-	-	1	-	3	3	-	8	6	5	6	12	12	16	18	17	13	7	3	1	3
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	546	1	1	1	-	-	4	5	3	5	18	8	15	24	21	23	46	54	57	76	83	56	27	11	3	4
	White----M--	292	-	1	1	-	-	3	3	1	4	14	4	10	17	14	13	21	28	25	36	49	30	10	5	-	3
	F--	243	1	-	-	-	-	1	2	2	1	4	4	5	7	5	10	21	25	31	37	34	26	17	6	3	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	2	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	1,267	133	30	13	2	3	16	6	4	3	9	15	27	39	35	53	76	84	91	141	161	157	109	40	17	3
	White----M--	700	74	14	6	1	2	12	5	1	3	7	9	16	25	23	43	48	51	56	72	86	75	48	14	8	1
	F--	530	48	16	7	1	1	4	1	3	-	-	5	8	12	11	8	26	28	34	65	73	82	60	26	9	2
	Nonwhite--M--	25	6	-	-	-	-	-	-	-	-	2	1	2	1	-	1	2	4	1	4	1	-	-	-	-	-
	F--	12	5	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	1	-	1	-	-	-
480-483	Influenza	34	1	1	1	-	-	1	-	-	-	-	-	-	1	2	4	-	2	4	3	5	4	3	1	1	-
	White----M--	13	-	-	-	-	-	1	-	-	-	-	-	-	-	1	4	-	-	1	1	1	1	1	1	1	-
	F--	20	-	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	2	3	2	4	3	2	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	1,233	132	29	12	2	3	15	6	4	3	9	15	27	38	33	49	76	82	87	138	156	153	106	39	16	3
	White----M--	687	74	14	6	1	2	11	5	1	3	7	9	16	25	22	39	48	51	55	71	85	74	47	13	7	1
	F--	510	48	15	6	1	1	4	1	3	-	-	5	8	11	10	8	26	26	31	63	69	79	58	26	9	2
	Nonwhite--M--	24	5	-	-	-	-	-	-	-	-	2	1	2	1	-	1	2	4	1	4	1	-	-	-	-	-
	F--	12	5	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	1	-	1	-	-	-
500-502	Bronchitis	115	5	7	2	-	1	2	1	1	-	-	-	-	5	5	5	1	11	15	16	13	15	6	4	-	-
	White----M--	77	3	6	1	-	1	2	1	-	-	-	-	-	4	4	4	1	8	13	11	7	9	-	2	-	-
	F--	37	2	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-	3	2	5	6	6	6	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	408	4	-	-	-	-	-	-	-	1	2	3	9	23	15	36	48	63	59	54	47	29	11	1	1	2
	White----M--	321	3	-	-	-	-	-	-	-	1	2	3	7	22	11	29	40	49	47	48	35	16	7	1	-	-
	F--	81	1	-	-	-	-	-	-	-	-	-	-	2	1	3	5	8	13	12	6	11	12	4	-	1	2
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	114	-	-	-	1	2	3	1	5	3	4	6	7	3	8	15	10	11	14	7	6	7	1	-	-	-
	White----M--	67	-	-	-	-	1	2	1	3	2	2	2	2	2	5	11	7	7	8	5	2	5	-	-	-	-
	F--	42	-	-	-	1	1	-	-	2	-	2	3	4	1	3	3	3	4	6	2	4	2	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	303	21	4	1	1	-	-	1	-	2	1	1	2	6	12	12	25	32	35	43	41	34	21	4	3	1
	White----M--	151	10	4	-	-	-	-	-	-	1	-	-	1	2	8	6	13	23	21	19	20	13	8	1	-	1
	F--	149	10	-	1	1	-	-	1	-	1	1	1	1	4	4	6	12	9	12	24	21	21	13	3	3	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
543, 571, 572	Gastritis, etc.*--	171	25	6	1	-	1	3	-	1	2	2	3	3	7	11	10	9	16	16	22	15	11	4	1	-	2
	White-----M--	82	15	5	-	-	-	1	-	-	1	1	1	3	3	7	5	7	8	7	7	6	3	2	-	-	-
	F--	85	7	1	1	-	1	2	-	1	-	1	2	-	4	4	5	2	8	9	15	9	8	2	1	-	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	682	-	-	1	-	-	-	-	-	1	4	20	39	61	59	78	107	92	87	57	58	23	10	2	-	3
	White-----M--	450	-	-	-	-	-	-	-	-	-	3	10	21	31	32	57	72	69	61	42	27	15	8	-	-	2
	F--	225	-	-	1	-	-	-	-	-	1	1	9	17	30	27	21	33	21	25	15	11	8	2	2	-	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	82	1	1	-	1	4	2	-	3	3	1	-	1	5	6	10	4	10	6	6	8	4	2	3	1	-
	White-----M--	42	1	1	-	1	3	1	-	1	2	1	-	1	4	2	5	1	5	2	3	5	2	1	-	-	-
	F--	39	-	-	-	-	1	1	-	2	1	-	-	-	1	3	5	3	5	4	3	3	2	1	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	33	31	41	42	21	11	1	-
	White-----M--	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	32	29	41	42	21	11	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	54	...	...	...	...	...	...	-	1	7	12	14	14	5	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	46	...	...	...	...	...	...	-	1	5	10	11	13	5	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	...	...	...	...	...	...	-	-	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	6	...	...	...	...	...	...	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	48	...	...	...	...	...	...	-	1	7	9	12	14	4	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	41	...	...	...	...	...	...	-	1	5	7	10	13	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	604	463	28	6	7	3	9	5	6	5	4	5	7	7	8	8	6	10	6	3	4	3	-	-	-	1
	White-----M--	318	248	14	3	2	2	1	2	5	3	2	4	5	4	2	5	5	2	2	1	3	3	-	-	-	-
	F--	274	205	14	2	5	1	8	3	1	2	2	1	2	3	5	3	1	8	4	2	1	-	-	-	-	1
	Nonwhite--M--	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,567	1,565	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	881	880	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	630	629	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	709	709	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	408	408	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	266	266	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	789	787	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	436	435	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	334	333	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	300	13	3	2	-	-	-	2	1	4	6	2	7	11	12	18	19	26	23	39	30	35	21	12	4	10
	White-----M--	171	8	2	-	-	-	-	1	1	2	5	2	4	9	6	14	11	18	16	23	16	15	7	4	2	5
	F--	120	4	1	2	-	-	-	1	-	2	1	-	1	2	5	3	7	7	7	16	14	20	12	8	2	5
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	1	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
Residual	All other diseases	2,280	104	33	20	7	13	23	19	22	28	32	56	69	87	123	138	223	261	281	255	222	144	70	29	3	18
	White-----M--	1,297	60	18	15	5	6	13	11	9	11	18	31	34	50	64	88	147	167	171	132	124	75	31	8	2	7
	F--	929	40	14	5	2	7	10	8	11	14	12	22	32	33	56	50	71	87	101	121	94	68	39	21	1	10
	Nonwhite--M--	27	1	1	-	-	-	-	-	1	2	1	2	1	1	2	-	2	4	5	2	1	1	-	-	-	-
	F--	27	3	-	-	-	-	-	-	1	1	1	1	2	3	1	-	3	3	4	-	3	-	-	-	-	1
E800-E962	Accidents---------	2,525	61	31	27	24	20	78	51	64	107	86	72	69	92	86	104	129	149	177	210	293	277	190	90	23	15
	White-----M--	1,423	31	14	11	15	8	44	36	47	86	66	54	51	64	58	78	95	101	113	108	140	100	58	27	7	11
	F--	1,034	25	13	11	8	12	32	14	13	18	16	13	17	23	27	23	27	44	63	99	150	172	132	63	16	3
	Nonwhite--M--	40	3	2	3	-	-	1	1	2	2	1	3	1	-	1	2	7	3	-	3	2	2	-	-	-	1
	F--	28	2	2	2	1	-	1	-	2	1	3	2	-	5	-	1	-	1	1	-	1	3	-	-	-	-
E810-E835	Motor-vehicle accidents--------	549	2	9	6	6	4	23	10	32	57	40	37	20	21	16	32	40	38	45	42	34	23	7	1	-	4
	White-----M--	408	2	3	4	3	-	15	7	22	49	31	30	15	17	10	22	31	30	34	36	25	13	5	1	-	3
	F--	127	-	5	2	3	4	7	3	10	8	6	5	5	4	5	9	8	7	11	6	8	9	2	-	-	-
	Nonwhite--M--	9	-	1	-	-	-	1	-	-	-	1	1	-	-	1	-	1	-	-	-	1	1	-	-	-	1
	F--	5	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,976	59	22	21	18	16	55	41	32	50	46	35	49	71	70	72	89	111	132	168	259	254	183	89	23	11
	White-----M--	1,015	29	11	7	12	8	29	29	25	37	35	24	36	47	48	56	64	71	79	72	115	87	53	26	7	8
	F--	907	25	8	9	5	8	25	11	3	10	10	8	12	19	22	14	19	37	52	93	142	163	130	63	16	3
	Nonwhite--M--	31	3	1	3	-	-	-	1	2	2	-	2	1	-	-	2	6	3	-	3	1	1	-	-	-	-
	F--	23	2	2	2	1	-	1	-	2	1	1	1	-	5	-	-	-	-	1	-	1	3	-	-	-	-
E963, E970-E979	Suicide----------	388	-	-	-	-	-	-	1	9	16	28	22	38	28	36	45	41	39	30	26	12	9	4	1	-	3
	White-----M--	295	-	-	-	-	-	-	1	6	13	21	13	30	23	25	32	32	30	24	18	11	8	4	1	-	3
	F--	86	-	-	-	-	-	-	-	3	2	5	9	8	5	11	12	7	9	6	7	1	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	48	1	1	-	-	1	1	-	1	7	5	7	4	8	-	2	4	4	1	-	-	-	-	-	-	1
	White-----M--	22	1	1	-	-	1	-	-	-	2	1	4	2	2	-	1	2	4	1	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	1	-	1	1	4	2	1	2	-	1	2	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	2	-	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN																										
	ALL CAUSES--------	59,481	4,719	302	179	138	111	388	291	489	568	727	888	1,249	1,742	2,525	3,633	4,946	6,084	6,803	6,862	6,686	5,342	3,172	1,295	275	67
	White-----M--	32,176	2,365	143	82	78	53	212	157	316	346	390	422	592	873	1,421	2,096	2,962	3,701	3,964	3,815	3,518	2,643	1,378	524	101	24
	F--	22,929	1,756	116	78	40	45	145	111	134	145	214	276	433	563	782	1,098	1,538	1,982	2,441	2,812	2,961	2,591	1,730	740	165	33
	Nonwhite--M--	2,484	347	21	12	11	8	16	14	20	38	71	100	117	149	176	260	271	260	244	131	116	51	31	14	3	3
	F--	1,892	251	22	7	9	5	15	9	19	39	52	90	107	157	146	179	175	141	154	104	91	57	33	17	6	7
001-019	Tuberculosis, all forms--------	787	8	14	3	2	2	4	4	8	24	23	44	60	55	76	71	92	78	85	69	32	28	4	-	1	-
	White-----M--	445	5	3	3	1	2	3	1	-	7	6	12	26	22	43	40	59	57	63	54	18	19	1	-	-	-
	F--	143	-	6	-	1	-	-	1	1	2	10	9	19	16	9	9	10	8	13	9	8	9	2	-	1	-
	Nonwhite--M--	140	1	4	-	-	-	-	-	3	7	5	14	11	10	21	19	17	8	9	5	5	-	1	-	-	-
	F--	59	2	1	-	-	-	1	2	4	8	2	9	4	7	3	3	6	5	-	1	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	701	4	4	1	-	-	-	3	6	19	22	42	58	48	69	66	82	74	79	64	28	27	4	-	1	-
	White-----M--	405	2	-	1	-	-	-	-	-	6	6	12	26	20	41	38	53	54	60	50	17	18	1	-	-	-
	F--	124	-	2	-	-	-	-	1	-	1	10	9	18	14	7	8	8	8	11	9	6	9	2	-	1	-
	Nonwhite--M--	122	1	1	-	-	-	-	-	3	5	4	13	10	8	18	18	16	7	8	5	4	-	1	-	-	-
	F--	50	1	1	-	-	-	-	2	3	7	2	8	4	6	3	2	5	5	-	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	86	4	10	2	2	2	4	1	2	5	1	2	2	7	7	5	10	4	6	5	4	1	-	-	-	-
	White-----M--	40	3	3	2	1	2	3	1	-	1	-	-	-	2	2	2	6	3	3	4	1	1	-	-	-	-
	F--	19	-	4	-	1	-	-	-	1	1	-	-	1	2	2	1	2	-	2	-	2	-	-	-	-	-
	Nonwhite--M--	18	-	3	-	-	-	-	-	-	2	1	1	1	2	3	1	1	1	1	-	1	-	-	-	-	-
	F--	9	1	-	-	-	-	1	-	1	1	-	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	197	3	-	-	-	-	-	-	-	-	1	2	7	7	11	27	32	34	26	19	18	9	1	-	-	-
	White-----M--	123	1	-	-	-	-	-	-	-	-	-	2	1	1	4	20	27	23	14	10	16	4	-	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	-	2	3	3	3	2	3	4	8	1	3	1	-	-	-
	Nonwhite--M--	28	1	-	-	-	-	-	-	-	-	-	-	3	2	2	2	3	8	5	1	1	-	-	-	-	-
	F--	13	1	-	-	-	-	-	-	-	-	1	-	1	1	2	2	-	-	3	-	-	2	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	10	3	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	10	-	-	-	-	-	1	-	1	-	-	1	-	1	2	2	-	-	-	-	1	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	8	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	53	14	15	11	3	2	3	-	2	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	28	9	8	5	3	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	22	5	5	6	-	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	214	6	9	6	7	12	34	26	24	17	43	13	8	5	-	4	-	-	-	-	-	-	-	-	-	-
	White-----M--	113	3	5	2	4	6	18	9	16	10	23	6	6	3	-	2	-	-	-	-	-	-	-	-	-	-
	F--	98	3	3	4	2	6	16	17	8	7	20	7	2	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	17	7	3	4	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	149	29	7	2	3	-	6	1	4	4	5	2	6	5	6	12	14	12	12	3	4	8	2	2	-	-
	White-----M--	78	10	6	1	2	-	4	-	3	2	2	-	4	1	4	7	6	8	6	3	4	4	-	1	-	-
	F--	56	16	-	1	1	-	2	1	-	1	1	2	2	3	2	3	6	3	6	-	-	3	2	1	-	-
	Nonwhite--M--	9	2	-	-	-	-	-	-	1	-	1	-	-	-	-	1	2	1	-	-	-	1	-	-	-	-
	F--	6	1	1	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
140-205	Malignant neoplasms, etc.*	9,298	14	13	24	24	23	44	29	33	40	82	129	212	356	520	801	1,075	1,359	1,341	1,204	1,007	591	288	77	8	4
	White----M	4,623	7	8	10	13	9	24	8	15	20	40	37	57	117	210	351	537	714	740	664	538	325	144	29	3	3
	F	4,119	6	4	13	9	13	18	13	16	15	35	74	117	204	256	374	469	566	531	502	445	252	138	44	5	-
	Nonwhite--M	284	-	1	1	2	-	1	4	-	2	1	4	10	14	19	45	37	52	43	25	12	6	2	3	-	-
	F	272	1	-	-	-	1	1	4	2	3	6	14	28	21	35	31	32	27	27	15	12	8	4	1	-	1
140-148	Of buccal cavity and pharynx	200	-	-	-	-	-	-	-	-	1	1	1	3	5	12	16	21	29	32	28	22	16	10	3	-	-
	White----M	158	-	-	-	-	-	-	-	-	1	-	1	2	2	9	14	16	23	27	22	17	13	8	3	-	-
	F	30	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	5	3	4	5	4	3	2	-	-	-
	Nonwhite--M	9	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	2	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	3,420	1	-	1	-	1	-	1	4	2	11	17	39	63	135	265	364	517	556	522	465	286	125	39	4	2
	White----M	1,812	1	-	-	-	1	-	-	-	2	5	8	15	29	61	131	199	288	322	276	257	148	52	13	2	2
	F	1,434	-	-	1	-	-	-	1	3	-	4	7	18	27	56	107	138	202	208	232	202	131	71	24	2	-
	Nonwhite--M	110	-	-	-	-	-	-	-	-	-	-	-	3	6	9	18	17	19	21	8	4	2	1	2	-	-
	F	64	-	-	-	-	-	-	-	1	-	2	2	3	1	9	9	10	8	5	6	2	5	1	-	-	-
160-164	Of respiratory system	1,028	-	-	1	-	-	-	1	2	1	5	7	12	36	69	113	176	207	161	128	68	26	13	2	-	-
	White----M	799	-	-	1	-	-	-	-	-	1	3	2	7	24	56	92	147	166	128	93	49	19	9	2	-	-
	F	170	-	-	-	-	-	-	1	1	-	2	2	5	9	10	13	19	31	24	27	16	7	3	-	-	-
	Nonwhite--M	48	-	-	-	-	-	-	-	-	-	-	3	-	3	3	5	9	9	5	8	2	-	1	-	-	-
	F	11	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	1	4	-	1	-	-	-	-	-
170	Of breast	774	-	-	-	-	1	1	-	-	2	3	19	34	65	65	95	108	95	92	63	67	36	18	10	-	-
	White----M	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	3	1	1	-	-	-	-
	F	723	-	-	-	-	1	1	-	-	-	1	18	29	61	63	87	101	92	84	60	65	33	17	10	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	41	-	-	-	-	-	-	-	-	2	2	1	5	2	2	8	6	2	7	-	1	2	1	-	-	-
171-179	Of genital organs	1,466	-	-	1	-	-	1	-	2	9	10	31	44	80	95	114	155	179	190	203	172	99	70	10	-	1
	White----M	520	-	-	1	-	-	1	-	2	6	2	3	2	4	2	15	23	47	70	117	104	69	46	6	-	-
	F	817	-	-	-	-	-	-	-	-	2	7	21	32	62	76	86	119	119	103	78	59	27	23	3	-	-
	Nonwhite--M	36	-	-	-	-	-	-	-	-	-	-	-	-	-	1	8	5	5	7	2	5	3	-	-	-	-
	F	93	-	-	-	-	-	-	-	-	1	1	7	10	14	16	5	8	8	10	6	4	-	1	1	-	1
180, 181	Of urinary organs	461	2	-	3	-	3	4	-	-	1	1	2	7	9	23	24	49	74	73	77	55	40	12	1	1	-
	White----M	293	1	-	2	-	1	2	-	-	-	1	1	2	7	14	15	33	48	55	49	31	23	7	1	-	-
	F	140	1	-	1	-	2	2	-	-	-	-	-	3	2	4	7	11	20	15	26	23	17	5	-	1	-
	Nonwhite--M	18	-	-	-	-	-	-	-	-	1	-	1	2	-	3	2	1	4	3	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	1	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,123	4	5	10	6	2	17	14	14	6	21	30	37	53	67	112	112	149	137	108	104	66	36	9	3	1
	White----M	571	1	4	3	3	-	9	5	9	3	13	12	10	26	33	53	68	77	70	54	55	38	20	3	1	1
	F	487	2	1	7	2	1	7	5	5	3	8	16	19	24	27	50	36	62	64	50	48	27	15	6	2	-
	Nonwhite--M	35	-	-	-	1	-	1	1	-	-	-	-	4	2	2	4	5	7	3	4	-	1	-	-	-	-
	F	30	1	-	-	-	1	-	3	-	-	-	2	4	1	5	5	3	3	-	-	1	-	1	-	-	-
204	Leukemia and aleukemia	425	6	7	6	18	15	15	11	6	9	11	9	18	19	25	27	35	46	47	45	31	15	2	2	-	-
	White----M	234	4	3	3	10	6	7	3	2	4	4	2	8	11	16	15	18	30	33	28	15	11	-	1	-	-
	F	163	2	3	3	7	9	7	4	4	4	6	5	5	7	9	9	17	12	13	16	15	3	2	1	-	-
	Nonwhite--M	15	-	1	-	1	-	-	3	-	1	-	-	-	-	-	2	-	4	1	1	1	-	-	-	-	-
	F	13	-	-	-	-	-	1	1	-	-	1	2	5	1	-	1	-	-	-	-	-	1	-	-	-	-
200-203, 205	Lymphomas, etc.*	401	1	1	2	-	1	6	2	5	9	19	13	18	26	29	35	55	63	53	30	23	7	2	1	-	-
	White----M	226	-	1	-	-	1	5	-	2	3	12	8	11	12	19	16	32	34	34	22	9	3	2	-	-	-
	F	155	1	-	1	-	-	1	2	3	6	7	5	5	12	9	14	23	25	16	8	13	4	-	-	-	-
	Nonwhite--M	13	-	-	1	-	-	-	-	-	-	-	-	1	1	-	5	-	2	2	-	-	-	-	1	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	221	10	1	-	3	1	4	4	4	3	6	10	17	25	17	16	15	17	29	17	8	4	7	3	-	-
	White----M	87	4	-	-	2	-	3	2	1	3	2	4	4	6	4	9	4	6	10	11	5	2	2	3	-	-
	F	104	5	-	-	1	1	1	2	2	-	3	2	8	14	12	5	8	8	16	6	3	2	5	-	-	-
	Nonwhite--M	12	1	-	-	-	-	-	-	1	-	1	-	2	2	1	1	1	1	1	-	-	-	-	-	-	-
	F	18	-	1	-	-	-	-	-	-	-	-	4	3	3	-	1	2	2	2	-	-	-	-	-	-	-
260	Diabetes mellitus	1,322	1	2	2	-	-	-	2	4	9	8	15	15	24	41	91	132	189	224	232	173	111	38	9	-	-
	White----M	504	1	2	1	-	-	-	2	2	5	3	9	10	12	21	32	52	70	70	79	63	44	22	4	-	-
	F	745	-	-	1	-	-	-	-	2	3	5	5	4	10	13	45	71	104	138	150	106	67	16	5	-	-
	Nonwhite--M	19	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	6	7	-	1	-	-	-	-	-
	F	54	-	-	-	-	-	-	-	-	1	-	-	1	2	7	12	7	9	9	3	3	-	-	-	-	-
290-293	Anemias	216	5	6	1	1	1	3	2	-	4	1	3	1	2	6	4	6	16	18	26	38	34	24	12	2	-
	White----M	93	3	-	1	-	-	-	1	-	2	-	2	1	-	1	2	2	9	13	12	13	15	11	4	1	-
	F	109	1	4	-	-	-	1	1	-	-	-	1	-	2	4	2	3	7	4	13	25	19	13	8	1	-
	Nonwhite--M	8	-	1	-	-	1	2	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	6	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	67	25	8	4	1	-	4	2	1	-	-	3	2	1	1	7	4	-	1	3	-	-	-	-	-	-
	White----M	33	15	2	3	1	-	1	-	-	-	-	2	2	-	1	2	2	-	-	2	-	-	-	-	-	-
	F	22	5	6	1	-	-	3	2	1	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M	8	4	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	30,819	31	7	7	4	1	22	33	42	62	106	208	365	691	1,202	1,841	2,698	3,375	4,026	4,333	4,494	3,763	2,313	937	213	45
	White----M	16,861	19	4	4	2	1	11	14	19	32	56	93	205	379	743	1,171	1,693	2,133	2,358	2,375	2,319	1,797	965	369	83	16
	F	12,049	5	1	3	1	-	10	17	19	20	34	64	92	151	298	436	755	1,013	1,412	1,806	2,028	1,694	1,298	547	121	24
	Nonwhite--M	1,023	6	1	-	-	-	1	2	1	5	6	24	34	71	83	128	149	139	151	80	77	31	23	7	3	1
	F	886	1	1	-	1	-	-	-	3	5	10	27	34	90	78	106	101	90	105	72	70	41	27	14	6	4
330-334, 400-468	Diseases of cardiovascular system	30,071	31	7	6	2	-	13	27	34	48	94	188	330	650	1,145	1,779	2,628	3,304	3,960	4,252	4,414	3,707	2,274	925	208	45
	White----M	16,483	19	4	3	-	-	6	11	14	21	49	88	187	362	721	1,135	1,657	2,100	2,317	2,336	2,279	1,767	950	363	78	16
	F	11,759	5	1	3	1	-	6	14	16	18	30	55	81	142	273	423	729	981	1,389	1,767	1,992	1,868	1,278	542	121	24
	Nonwhite--M	984	6	1	-	-	-	1	2	1	5	6	20	32	67	75	120	148	134	150	79	75	31	21	6	3	1
	F	845	1	1	-	1	-	-	-	3	4	9	25	30	79	76	101	94	89	104	70	68	41	25	14	6	4
330-334	Vascular lesions, etc.*	6,616	10	3	3	1	-	4	3	5	12	24	29	47	105	180	289	453	631	867	1,045	1,122	977	557	194	45	10
	White----M	3,018	7	3	-	-	-	2	1	4	7	7	7	16	32	73	113	193	325	424	526	526	435	232	66	16	3
	F	3,151	1	-	3	-	-	2	2	1	3	12	13	16	41	78	123	213	249	381	464	556	521	314	125	27	6
	Nonwhite--M	206	1	-	-	-	-	-	-	-	2	1	5	6	14	14	22	24	30	31	25	19	7	4	1	-	-
	F	241	1	-	-	1	-	-	-	-	-	4	4	9	18	15	31	23	27	31	30	21	14	7	2	2	1
400-402	Rheumatic fever	70	-	-	1	1	-	3	18	4	3	2	5	5	7	2	6	5	1	5	2	-	-	-	-	-	-
	White----M	32	-	-	1	-	-	2	5	1	2	2	1	2	4	2	3	4	1	2	-	-	-	-	-	-	-
	F	34	-	-	-	1	-	1	12	3	1	-	3	3	1	-	3	1	-	3	2	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
410-443	Diseases of heart-	21,295	15	4	2	-	-	3	6	22	27	58	140	253	506	916	1,434	2,078	2,544	2,945	2,980	2,945	2,317	1,409	556	112	23
	White-----M--	12,374	8	1	2	-	-	-	5	9	11	37	76	160	312	617	986	1,403	1,692	1,805	1,679	1,563	1,135	593	228	42	10
	F--	7,657	3	1	-	-	-	2	-	11	11	16	34	51	94	182	288	494	698	957	1,214	1,287	1,137	789	314	64	10
	Nonwhite--M--	712	4	1	-	-	-	1	1	1	2	2	14	24	50	59	91	114	95	115	48	50	21	13	3	2	1
	F--	552	-	1	-	-	-	-	-	1	3	3	16	18	50	58	69	67	59	68	39	45	24	14	11	4	2
410-416	Chronic rheumatic heart disease----	843	1	-	-	-	-	-	2	12	15	22	40	47	59	80	81	112	96	87	67	53	37	25	7	-	-
	White-----M--	412	-	-	-	-	-	-	1	6	6	13	16	28	25	46	38	58	48	41	33	25	17	9	2	-	-
	F--	377	-	-	-	-	-	-	-	5	7	8	19	15	25	26	38	49	45	42	32	26	20	15	5	-	-
	Nonwhite--M--	23	1	-	-	-	-	-	1	-	-	-	1	3	5	2	2	3	2	1	1	-	-	1	-	-	-
	F--	31	-	-	-	-	-	-	-	1	2	1	4	1	4	6	3	2	1	3	1	2	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	13,819	2	-	-	-	-	1	2	3	2	17	60	146	306	653	1,023	1,531	1,797	2,069	1,962	1,866	1,308	727	272	59	13
	White-----M--	8,902	2	-	-	-	-	-	2	1	2	16	47	108	240	499	795	1,123	1,299	1,370	1,169	1,070	673	342	113	23	8
	F--	4,320	-	-	-	-	-	1	-	2	-	-	5	17	29	97	158	304	418	609	751	749	617	375	154	31	3
	Nonwhite--M--	371	-	-	-	-	-	-	-	-	-	-	6	15	24	36	42	70	51	60	24	27	9	4	1	1	1
	F--	226	-	-	-	-	-	-	-	-	-	1	2	6	13	21	28	34	29	30	18	20	9	6	4	4	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,942	2	1	-	-	-	1	-	1	3	6	17	12	36	51	92	123	220	291	438	484	546	397	179	33	9
	White-----M--	1,468	1	-	-	-	-	-	-	-	1	4	8	6	7	21	47	72	130	169	237	240	277	162	73	11	2
	F--	1,327	-	-	-	-	-	-	-	-	2	2	6	5	12	22	25	39	77	96	190	234	262	225	103	21	6
	Nonwhite--M--	82	1	1	-	-	-	1	-	1	-	-	1	-	6	4	11	10	11	15	7	4	3	4	1	1	-
	F--	65	-	-	-	-	-	-	-	-	-	-	2	1	11	4	9	2	2	11	4	6	4	6	2	-	1
430-434	Other diseases of heart---------	906	10	3	2	-	-	1	2	6	6	6	10	17	26	32	48	56	95	111	130	130	114	57	35	9	-
	White-----M--	486	5	1	2	-	-	-	2	2	1	3	3	8	17	19	30	38	55	63	73	70	50	25	15	4	-
	F--	358	3	1	-	-	-	1	-	4	2	2	4	5	5	10	12	12	33	41	53	55	61	31	18	5	-
	Nonwhite--M--	38	2	-	-	-	-	-	-	-	2	1	1	2	1	3	5	3	5	4	2	4	2	1	-	-	-
	F--	24	-	1	-	-	-	-	-	-	1	-	2	2	3	-	1	3	2	3	2	1	1	-	2	-	-
440-443	Hypertension with heart dis.--	2,785	-	-	-	-	-	-	-	-	1	7	13	31	79	100	190	256	336	367	383	412	312	203	63	11	1
	White-----M--	1,106	-	-	-	-	-	-	-	-	1	1	2	10	23	32	76	112	160	162	167	158	118	55	25	4	-
	F--	1,275	-	-	-	-	-	-	-	-	-	4	-	9	23	27	55	90	125	169	188	223	177	143	34	7	1
	Nonwhite--M--	198	-	-	-	-	-	-	-	-	-	1	5	4	14	14	31	28	26	35	14	15	7	3	1	-	-
	F--	206	-	-	-	-	-	-	-	-	-	1	6	8	19	27	28	26	25	21	14	16	10	2	3	-	-
444-447	Hypertension without mention of heart----------	425	-	-	-	-	-	1	-	1	2	5	9	12	22	20	17	32	37	50	40	62	59	33	22	1	-
	White-----M--	197	-	-	-	-	-	-	-	-	-	1	2	3	9	12	12	21	22	24	21	33	17	9	11	-	-
	F--	180	-	-	-	-	-	1	-	-	1	2	2	6	5	6	1	7	10	21	17	28	40	21	11	1	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	1	2	1	1	2	1	4	3	5	2	1	1	1	1	-	-	-
	F--	22	-	-	-	-	-	-	-	1	-	-	4	2	6	1	-	1	-	3	1	-	1	2	-	-	-
450	General arteriosclerosis--------	1,315	-	-	-	-	-	1	-	-	-	-	-	1	-	2	7	15	36	50	143	253	332	265	149	49	12
	White-----M--	648	-	-	-	-	-	1	-	-	-	-	-	1	-	2	4	9	20	32	82	135	169	112	58	20	3
	F--	634	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	10	16	58	112	160	150	88	28	8
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	3	4	2	2	2	1	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	2	1	1	1	-	1
451-468	Other diseases of circulatory sys.-	350	6	-	-	-	-	1	-	2	4	5	5	12	10	25	26	45	55	43	42	32	22	10	4	1	-
	White-----M--	214	4	-	-	-	-	1	-	-	1	2	2	5	5	15	17	27	40	30	28	22	11	4	-	-	-
	F--	103	1	-	-	-	-	-	-	1	2	-	3	5	1	7	7	11	14	11	12	9	10	4	4	1	-
	Nonwhite--M--	17	1	-	-	-	-	-	-	-	-	1	-	1	-	1	2	5	1	1	2	1	-	1	-	-	-
	F--	16	-	-	-	-	-	-	-	1	1	2	-	1	4	2	-	2	-	1	-	-	1	1	-	-	-
592-594	Chronic nephritis, etc.*----------	748	-	-	1	2	1	9	6	8	14	12	20	35	41	57	62	70	71	66	81	80	56	39	12	5	-
	White-----M--	378	-	-	1	2	1	5	3	5	11	7	5	18	17	22	36	36	33	41	39	40	30	15	6	5	-
	F--	290	-	-	-	-	-	4	3	3	2	4	9	11	9	25	13	26	32	23	39	36	26	20	5	-	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	-	-	4	2	4	8	8	1	5	1	1	2	-	2	1	-	-
	F--	41	-	-	-	-	-	-	-	-	1	1	2	4	11	2	5	7	1	1	2	2	-	2	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,668	317	48	17	10	2	20	9	6	11	14	26	31	44	63	76	93	117	126	139	165	166	107	47	9	5
	White-----M--	889	141	28	8	2	1	9	5	3	5	4	9	13	23	31	45	55	69	88	88	94	90	50	23	4	1
	F--	554	116	17	5	6	1	9	4	2	4	7	8	9	10	18	17	13	30	29	38	64	67	53	21	5	1
	Nonwhite--M--	144	32	-	2	1	-	1	-	-	-	3	5	4	10	11	11	18	13	7	9	5	5	3	2	-	2
	F--	81	28	3	2	1	-	1	-	1	2	-	4	5	1	3	3	7	5	2	4	2	4	1	1	-	1
480-483	Influenza---------	124	19	5	1	-	2	3	2	2	-	1	-	3	4	2	5	3	5	9	6	10	21	14	7	-	-
	White-----M--	68	9	4	1	-	1	1	1	2	-	-	-	2	3	-	2	2	5	5	3	6	11	6	4	-	-
	F--	50	8	1	-	-	1	2	1	-	-	1	-	1	1	1	3	-	-	3	3	4	9	8	3	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-
490-493	Pneumonia, etc.*--	1,544	298	43	16	10	-	17	7	4	11	13	26	28	40	61	71	90	112	117	133	155	145	93	40	9	5
	White-----M--	821	132	24	7	2	-	8	4	1	5	4	9	11	20	31	43	53	64	83	85	88	79	44	19	4	1
	F--	504	108	16	5	6	-	7	3	2	4	6	8	8	9	17	14	13	30	26	35	60	58	45	18	5	1
	Nonwhite--M--	141	30	-	2	1	-	1	-	-	-	3	5	4	10	11	11	18	13	6	9	5	5	3	2	-	2
	F--	78	28	3	2	1	-	1	-	1	2	-	4	5	1	2	3	6	5	2	4	2	3	1	1	-	1
500-502	Bronchitis--------	112	37	5	2	3	2	1	1	-	1	1	2	1	1	1	4	3	6	3	8	10	10	3	5	2	-
	White-----M--	64	13	5	2	3	1	-	1	-	1	1	1	-	-	-	3	1	6	2	7	8	5	1	3	-	-
	F--	32	10	-	-	-	-	1	-	-	-	-	1	1	-	1	1	2	-	1	1	2	5	2	2	2	-
	Nonwhite--M--	10	9	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	365	3	-	-	-	-	-	-	-	-	7	3	11	21	27	32	48	55	47	54	25	24	6	1	-	1
	White-----M--	265	1	-	-	-	-	-	-	-	-	2	2	5	16	19	23	39	42	35	40	16	20	3	1	-	1
	F--	78	1	-	-	-	-	-	-	-	-	3	1	2	2	6	6	6	13	11	14	7	4	2	-	-	-
	Nonwhite--M--	20	1	-	-	-	-	-	-	-	-	2	-	4	2	2	3	3	-	1	-	1	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
550-553	Appendicitis------	116	1	1	-	3	-	10	4	5	5	5	3	5	12	5	6	8	4	11	12	10	1	4	1	-	-
	White-----M--	64	1	-	-	2	-	5	2	3	3	3	3	2	6	3	4	7	2	9	3	5	-	1	-	-	-
	F--	38	-	1	-	1	-	3	2	2	2	2	-	1	1	1	1	-	1	1	9	5	1	3	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	1	-	-	-	-	-	1	3	1	-	-	1	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	366	44	1	-	-	1	-	-	1	-	2	5	6	11	15	21	21	27	36	45	56	34	29	9	2	-
	White-----M--	197	22	1	-	-	1	-	-	-	-	-	2	1	1	6	7	11	21	22	28	31	19	18	5	1	-
	F--	147	20	-	-	-	-	-	-	1	-	1	1	3	5	7	11	8	6	14	15	25	14	11	4	1	-
	Nonwhite--M--	13	2	-	-	-	-	-	-	-	-	-	2	-	3	-	2	1	-	-	2	-	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
543,	Gastritis, etc.*--	298	136	19	3	4	-	1	1	1	6	4	3	8	6	11	10	8	18	16	11	13	8	6	5	-	-
571,	White-----M--	138	68	10	1	2	-	-	-	-	4	2	1	3	1	4	6	6	12	5	3	3	5	-	2	-	-
572	F--	113	39	5	1	-	-	-	1	1	2	2	1	4	2	5	3	2	6	10	7	10	3	6	3	-	-
	Nonwhite--M--	25	17	3	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	F--	22	12	1	-	2	-	1	-	-	-	-	-	1	3	-	1	-	-	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	614	3	-	-	-	-	2	2	1	1	1	20	41	39	71	78	87	87	74	46	30	21	8	2	-	-
	White-----M--	378	-	-	-	-	-	1	1	-	1	1	4	15	26	44	49	62	59	50	27	22	14	1	1	-	-
	F--	209	3	-	-	-	-	1	1	1	-	-	12	24	12	22	22	23	25	21	19	8	7	7	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	2	1	-	2	3	2	3	3	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	2	1	1	3	4	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	117	2	1	-	1	-	7	4	7	1	4	8	6	8	4	7	7	4	14	7	9	9	3	4	-	-
	White-----M--	56	1	-	-	1	-	4	1	4	-	1	1	1	4	2	5	3	2	12	3	3	5	2	1	-	-
	F--	43	1	1	-	-	-	3	2	1	-	1	3	3	2	2	2	3	1	1	3	6	4	1	3	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	-	2	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	2	1	-	3	-	2	-	-	1	-	1	1	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	239	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	9	21	25	48	48	44	32	6	1	-
	White-----M--	225	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	20	24	46	44	42	31	6	1	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	4	2	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	83	...	...	...	...	...	...	-	6	14	21	16	18	7	-	-	-	-	-	1	-	-	-	-	-	-
	White-----F--	66	...	...	...	...	...	...	-	4	8	17	14	15	7	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--F--	17	...	...	...	...	...	...	-	2	6	4	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	8	...	...	...	...	...	...	-	1	1	3	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
652	White-----F--	7	...	...	...	...	...	...	-	1	-	3	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	75	...	...	...	...	...	...	-	5	13	18	16	17	6	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	59	...	...	...	...	...	...	-	3	8	14	14	14	6	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	16	...	...	...	...	...	...	-	2	5	4	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	977	793	37	12	10	7	23	8	5	9	5	7	6	8	5	6	14	5	9	2	3	-	3	-	-	-
	White-----M--	501	409	12	6	6	4	9	5	2	5	2	5	4	5	1	3	7	4	6	1	3	-	2	-	-	-
	F--	394	323	18	5	3	3	10	3	3	3	3	-	2	1	3	3	6	1	2	1	-	-	1	-	-	-
	Nonwhite--M--	45	35	3	1	-	-	2	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	37	26	4	-	1	-	2	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	2,852	2,852	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,445	1,445	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,046	1,046	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	210	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	1,153	1,153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	605	605	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	422	422	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	1,577	1,577	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	782	782	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	578	578	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	455	27	2	1	-	-	1	1	2	2	1	8	9	11	9	14	19	33	31	26	68	78	40	52	15	5
795	White-----M--	237	14	-	-	-	-	-	1	1	2	1	4	5	6	3	8	14	20	18	17	46	41	14	17	4	1
	F--	195	11	2	1	-	-	1	-	-	-	-	2	3	3	3	4	3	11	13	8	21	37	25	33	11	3
	Nonwhite--M--	12	2	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-	2	-	-	1	-	-	2	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	2	-	-	1	-	-	1	-	-	1
Re-	All other diseases	2,865	196	36	19	20	6	41	27	22	39	50	54	111	137	135	188	251	296	363	294	249	175	98	50	7	1
sid-	White-----M--	1,537	95	18	7	12	2	21	17	13	14	19	23	42	61	73	105	145	182	214	166	139	95	48	25	-	1
ual	F--	1,139	78	13	9	4	3	18	9	7	18	21	23	54	55	49	67	89	101	138	122	102	77	50	25	7	-
	Nonwhite--M--	111	12	3	2	3	-	1	-	1	2	2	5	5	8	9	13	14	11	8	3	6	3	-	-	-	-
	F--	78	11	2	1	1	1	1	1	1	5	8	3	10	13	4	3	3	2	3	3	2	-	-	-	-	-
E800-	Accidents---------	4,032	141	63	61	37	47	152	123	287	276	253	214	213	198	197	232	221	242	220	214	194	208	147	71	15	6
E962	White-----M--	2,573	69	29	27	21	25	95	82	218	211	179	156	144	149	130	149	156	172	153	136	100	84	54	29	4	1
	F--	1,167	53	28	27	10	14	44	32	60	53	34	34	41	36	49	59	40	59	61	72	91	120	93	41	11	5
	Nonwhite--M--	211	11	3	3	4	6	6	7	6	10	32	19	21	10	14	20	16	10	5	3	3	2	-	-	-	-
	F--	81	8	3	4	2	2	7	2	3	2	8	5	7	3	4	4	9	1	1	3	-	2	-	1	-	-
E810-	Motor-vehicle																										
E835	accidents--------	1,865	14	9	22	14	18	81	52	198	199	172	122	120	113	95	124	109	135	100	86	48	23	8	1	-	2
	White-----M--	1,289	6	7	10	7	11	54	32	142	149	124	86	77	82	63	76	73	94	73	62	36	18	6	1	-	-
	F--	458	7	2	11	6	4	23	20	51	42	24	22	27	24	28	38	26	34	26	23	12	4	2	-	-	2
	Nonwhite--M--	91	-	-	1	1	3	1	-	3	7	18	11	13	6	4	7	6	7	1	1	-	1	-	-	-	-
	F--	27	1	-	-	-	-	3	-	2	1	6	3	3	1	-	3	4	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	2,167	127	54	39	23	29	71	71	89	77	81	92	93	85	102	108	112	107	120	128	146	185	139	70	15	4
E802,	White-----M--	1,284	63	22	17	14	14	41	50	76	62	55	70	67	67	67	73	83	78	80	74	64	66	48	28	4	1
E840-	F--	709	46	26	16	4	10	21	12	9	11	10	12	14	12	21	21	14	25	35	49	79	116	91	41	11	3
E962	Nonwhite--M--	120	11	3	2	3	3	5	7	3	3	14	8	8	4	10	13	10	3	4	2	3	1	-	-	-	-
	F--	54	7	3	4	2	2	4	2	1	1	2	2	4	2	4	1	5	1	1	3	-	2	-	1	-	-
E963,	Suicide----------	715	-	-	-	-	-	-	5	13	18	50	55	63	46	79	64	81	82	61	44	30	16	7	1	-	-
E970-	White-----M--	545	-	-	-	-	-	-	4	12	12	37	38	39	27	64	46	62	67	48	40	28	13	7	1	-	-
E979	F--	145	-	-	-	-	-	-	1	1	2	9	9	21	19	14	17	16	14	13	4	2	3	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	1	1	5	1	-	1	1	3	1	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	3	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	217	6	1	-	-	1	2	3	10	22	33	34	27	19	20	15	8	7	3	4	1	-	1	-	-	-
E980-	White-----M--	60	3	1	-	-	-	2	1	2	7	6	6	2	5	9	5	4	3	3	-	-	-	1	-	-	-
E985	F--	42	3	-	-	-	-	-	2	1	5	5	3	4	3	4	4	2	2	-	3	1	-	-	-	-	-
	Nonwhite--M--	84	-	-	-	-	-	-	-	6	8	14	14	18	9	6	5	1	2	-	1	-	-	-	-	-	-
	F--	31	-	-	-	-	1	-	-	1	2	8	11	3	2	1	1	1	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA																										
	ALL CAUSES	27,859	1,729	157	75	64	58	201	159	226	235	251	278	407	568	867	1,285	1,939	2,605	3,114	3,547	3,615	3,266	2,125	897	176	15
	White-----M	16,092	991	81	39	31	29	133	97	158	152	142	173	227	341	536	778	1,254	1,603	1,917	2,075	2,045	1,767	1,036	413	66	8
	F	11,437	707	69	32	31	28	67	57	60	77	102	97	162	212	320	486	663	962	1,173	1,444	1,550	1,471	1,081	475	105	6
	Nonwhite--M	191	19	3	2	1	1	-	5	6	1	5	3	11	7	5	14	12	29	14	17	12	12	4	6	2	-
	F	139	12	4	2	1	-	1	-	2	5	2	5	7	8	6	7	10	11	10	11	8	16	4	3	3	1
001-019	Tuberculosis, all forms	205	1	1	-	-	3	-	1	1	2	8	5	8	13	17	17	22	22	22	17	25	15	5	-	-	-
	White-----M	136	1	-	-	-	-	-	-	-	1	4	2	4	6	14	12	16	16	17	13	16	12	2	-	-	-
	F	54	-	-	-	-	2	-	-	1	-	4	3	3	7	3	4	4	4	5	3	6	2	3	-	-	-
	Nonwhite--M	10	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	2	2	-	-	2	1	-	-	-	-
	F	5	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	188	-	1	-	-	2	-	-	-	2	8	5	8	12	15	17	20	22	19	16	22	14	5	-	-	-
	White-----M	130	-	-	-	-	-	-	-	-	1	4	2	4	5	12	12	16	16	16	13	15	12	2	-	-	-
	F	46	-	-	-	-	1	-	-	-	-	4	3	3	7	3	4	3	4	3	2	5	1	3	-	-	-
	Nonwhite--M	8	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-	2	1	-	-	-	-
	F	4	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms	17	1	-	-	-	1	-	1	1	-	-	-	-	1	2	-	2	-	3	1	3	1	-	-	-	-
	White-----M	6	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	1	-	-	-	-	-
	F	8	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
020-029	Syphilis and its sequelae	84	-	-	-	-	-	-	-	-	-	-	1	-	-	2	10	7	14	15	24	6	2	3	-	-	-
	White-----M	53	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	4	8	10	16	3	1	3	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	3	2	6	3	1	-	-	-	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	4	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
	White-----M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	21	4	3	1	3	2	-	1	1	-	1	-	-	-	1	2	-	1	-	-	1	-	-	-	-	-
	White-----M	13	3	2	-	1	1	-	1	1	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-
	F	7	1	1	-	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	197	3	8	5	3	4	42	25	15	22	24	25	11	6	1	1	1	1	-	-	-	-	-	-	-	-
	White-----M	107	1	7	4	1	1	26	13	11	5	9	15	8	3	-	1	1	1	-	-	-	-	-	-	-	-
	F	87	2	-	1	2	3	16	12	3	17	14	10	3	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	5	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	48	6	2	4	1	1	1	-	-	3	-	1	4	1	2	4	4	6	4	2	1	-	1	-	-	-
	White-----M	25	4	-	3	-	1	1	-	-	1	-	-	2	-	-	2	2	5	1	1	1	-	1	-	-	-
	F	23	2	2	1	1	-	-	-	-	2	-	1	2	1	2	2	2	1	3	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
140-205	Malignant neoplasms, etc.*	4,628	8	8	5	7	12	17	18	15	21	30	43	87	115	210	322	475	630	610	704	610	405	214	53	7	2
	White—M	2,420	5	5	2	2	7	9	9	6	13	12	17	38	38	83	130	249	321	351	391	348	236	111	31	5	1
	F	2,166	3	3	3	5	5	7	8	7	7	18	24	48	74	125	190	224	300	254	311	258	164	103	22	2	1
	Nonwhite—M	23	-	-	-	-	-	-	1	1	-	-	1	1	2	1	1	-	5	3	2	2	3	-	-	-	-
	F	19	-	-	-	-	-	1	-	1	1	-	1	-	1	1	1	2	4	2	-	2	2	-	-	-	-
140-148	Of buccal cavity and pharynx	79	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	14	15	14	8	13	4	3	2	-	-
	White—M	64	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	11	9	11	8	13	3	3	2	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	3	-	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,861	1	-	-	-	-	-	-	-	1	1	10	28	29	51	105	143	228	254	341	315	217	107	27	3	-
	White—M	1,041	-	-	-	-	-	-	-	-	-	-	5	15	10	26	52	78	130	159	206	166	126	50	15	3	-
	F	803	1	-	-	-	-	-	-	-	1	1	5	12	17	25	51	65	95	93	133	146	89	57	12	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	2	2	1	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	2	1	-	-	-	-
160-164	Of respiratory system	372	-	-	-	-	-	-	-	-	-	2	2	5	6	20	31	62	82	61	48	23	20	8	2	-	-
	White—M	302	-	-	-	-	-	-	-	-	-	2	1	3	6	16	26	58	65	51	34	15	16	8	1	-	-
	F	70	-	-	-	-	-	-	-	-	-	-	1	2	-	4	5	4	17	10	14	8	4	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	454	-	-	-	-	-	-	-	-	-	3	6	6	27	38	59	50	61	59	59	38	30	13	5	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-	-
	F	443	-	-	-	-	-	-	-	-	-	3	5	6	27	36	59	49	59	58	57	37	29	13	5	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-
171-179	Of genital organs	673	-	1	1	-	-	-	-	-	4	5	4	12	18	39	36	74	82	82	93	103	71	38	9	1	-
	White—M	311	-	-	-	-	-	-	-	-	3	-	-	1	1	1	3	14	29	47	52	72	53	26	8	1	-
	F	359	-	1	1	-	-	-	-	-	1	5	4	11	17	38	33	60	52	35	41	30	17	12	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	223	-	2	-	-	2	1	-	-	1	-	-	-	4	9	17	22	33	32	31	29	19	18	2	1	-
	White—M	158	-	1	-	-	1	1	-	-	1	-	-	-	4	7	15	15	20	22	22	23	15	8	2	1	-
	F	62	-	1	-	-	1	-	-	-	-	-	-	-	-	2	2	7	11	10	9	6	3	10	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	496	3	3	2	3	3	6	6	5	4	4	11	19	17	22	41	44	70	59	69	48	31	17	5	2	2
	White—M	253	3	2	1	-	3	4	1	2	1	1	6	8	9	10	20	26	38	30	34	27	13	11	2	-	1
	F	235	-	1	1	3	-	2	4	2	2	3	5	11	8	12	21	17	32	26	35	21	17	6	3	2	1
	Nonwhite—M	4	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
204	Leukemia and aleukemia	244	3	2	2	4	5	7	9	4	4	5	5	8	7	14	12	23	29	28	34	23	10	5	1	-	-
	White—M	144	2	2	1	2	2	2	6	3	2	2	2	5	2	10	5	17	15	18	20	16	7	2	1	-	-
	F	97	1	-	1	2	3	4	3	1	2	3	2	3	4	4	7	6	14	10	14	7	3	3	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	226	1	-	-	-	2	3	3	6	7	10	5	7	7	15	19	43	30	21	21	18	3	5	-	-	-
	White—M	141	-	-	-	-	1	2	2	1	6	7	3	4	6	11	9	29	15	12	13	15	2	3	-	-	-
	F	83	1	-	-	-	1	1	1	4	1	3	2	3	1	4	10	13	15	9	8	3	1	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	87	3	1	-	-	-	2	2	4	1	-	1	3	7	10	7	13	10	7	1	6	3	6	-	-	-
	White—M	37	2	-	-	-	-	2	1	3	-	-	1	1	2	2	3	7	4	3	1	2	2	1	-	-	-
	F	49	1	1	-	-	-	-	1	1	1	-	-	2	5	7	4	6	6	4	-	4	1	5	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	500	-	1	1	1	-	3	2	1	5	4	10	7	5	20	15	46	60	73	92	62	59	29	4	-	-
	White—M	222	-	-	1	-	-	3	-	-	4	1	5	4	4	11	9	24	20	29	35	31	28	10	3	-	-
	F	273	-	1	-	1	-	-	2	1	1	3	5	3	1	9	6	22	40	43	55	31	30	18	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
290-293	Anemias	108	2	-	-	-	2	1	-	-	-	1	1	-	1	4	5	4	2	7	15	26	20	6	10	1	-
	White—M	52	-	-	-	-	-	1	-	-	-	1	-	-	-	1	3	3	1	5	4	10	14	5	3	1	-
	F	55	1	-	-	-	2	-	-	-	-	-	1	-	1	3	2	1	1	2	11	16	6	1	7	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	18	7	2	2	1	-	-	-	-	1	-	-	1	-	-	-	1	-	2	1	-	-	-	-	-	-
	White—M	13	6	-	2	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-
	F	5	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	15,137	8	1	-	2	-	15	10	15	25	42	58	121	201	384	633	1,047	1,459	1,939	2,202	2,401	2,304	1,502	649	112	7
	White—M	8,785	4	-	-	-	-	11	3	6	16	21	40	67	130	276	434	726	941	1,210	1,295	1,327	1,226	721	290	38	3
	F	6,220	4	1	-	2	-	4	7	8	8	21	18	51	64	102	190	308	496	719	888	1,061	1,064	775	355	71	3
	Nonwhite—M	71	-	-	-	-	-	-	-	1	-	-	-	-	3	2	6	8	15	5	10	8	5	4	3	1	-
	F	61	-	-	-	-	-	-	-	-	1	-	-	3	4	4	3	5	7	5	9	5	9	2	1	2	1
330-334, 400-468	Diseases of cardiovascular system	14,878	8	1	-	2	-	13	10	10	16	34	47	104	189	370	612	1,028	1,445	1,918	2,173	2,367	2,277	1,494	642	111	7
	White—M	8,645	4	-	-	-	-	10	3	5	11	17	33	58	123	268	423	715	933	1,198	1,277	1,310	1,212	717	287	38	3
	F	6,105	4	1	-	2	-	3	7	4	5	17	14	44	59	96	181	300	490	710	877	1,045	1,051	771	351	70	3
	Nonwhite—M	70	-	-	-	-	-	-	-	1	-	-	-	-	3	2	6	8	15	5	10	7	5	4	3	1	-
	F	58	-	-	-	-	-	-	-	-	-	-	-	2	4	4	2	5	7	5	9	5	9	2	1	2	1
330-334	Vascular lesions, etc.*	3,661	3	1	-	-	-	2	-	2	3	9	11	21	32	84	137	176	297	395	564	646	658	400	192	27	1
	White—M	1,832	-	-	-	-	-	2	-	2	2	3	6	9	14	41	66	90	150	224	306	311	347	173	78	7	1
	F	1,806	3	1	-	-	-	-	-	-	1	6	5	12	17	43	69	86	144	171	250	330	310	227	112	19	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	4	1	-	-	1	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	4	1	-	1	1	-
400-402	Rheumatic fever	31	-	-	-	2	-	5	9	-	1	2	1	1	3	-	-	2	1	-	1	2	-	1	-	-	-
	White—M	13	-	-	-	-	-	3	3	-	-	-	1	1	1	-	-	1	1	-	-	1	-	1	-	-	-
	F	18	-	-	-	2	-	2	6	-	1	2	-	-	2	-	-	1	-	-	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
410-443	Diseases of heart	10,058	5	-	-	-	-	4	-	8	9	19	32	75	145	269	440	807	1,084	1,451	1,494	1,559	1,364	894	338	58	3
	White-----M--	6,201	4	-	-	-	-	4	-	3	8	12	24	46	104	218	336	602	738	936	907	906	734	446	153	19	1
	F--	3,766	1	-	-	-	-	-	-	4	1	7	8	28	36	46	98	193	328	505	578	646	621	443	183	38	2
	Nonwhite--M--	54	-	-	-	-	-	-	-	1	-	-	-	-	2	2	4	8	11	5	6	6	4	3	2	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	4	7	5	3	1	5	2	-	1	-
410-416	Chronic rheumatic heart disease----	385	-	-	-	-	-	1	-	5	5	6	9	17	22	21	35	50	51	59	34	29	26	12	2	1	-
	White-----M--	192	-	-	-	-	-	1	-	1	4	3	6	7	8	12	20	28	28	27	16	13	11	7	-	-	-
	F--	188	-	-	-	-	-	-	-	3	1	3	3	9	14	9	15	22	22	30	18	16	15	5	2	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,843	1	-	-	-	-	1	-	1	1	7	20	40	97	199	329	599	815	1,063	1,064	1,011	828	554	183	28	2
	White-----M--	4,576	1	-	-	-	-	1	-	1	1	6	16	32	78	177	270	478	592	735	694	629	482	263	90	9	1
	F--	2,216	-	-	-	-	-	-	-	-	-	1	4	8	17	21	54	115	214	321	363	378	341	267	93	18	1
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	5	3	4	4	2	3	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	4	3	-	3	1	-	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,115	1	-	-	-	-	2	-	1	1	1	-	3	4	8	19	33	67	91	119	224	253	177	93	18	-
	White-----M--	600	1	-	-	-	-	2	-	1	1	-	-	3	4	7	14	23	45	56	59	121	124	95	37	7	-
	F--	509	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4	9	21	35	60	103	126	82	56	11	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-
430-434	Other diseases of heart---------	438	3	-	-	-	-	-	-	1	2	4	1	8	11	13	14	36	43	59	60	66	52	39	21	4	1
	White-----M--	258	2	-	-	-	-	-	-	-	2	2	1	3	9	9	9	21	30	42	37	35	31	14	10	1	-
	F--	173	1	-	-	-	-	-	-	1	-	2	-	5	1	3	5	14	12	17	21	31	21	25	10	3	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	1,277	-	-	-	-	-	-	-	-	-	1	2	7	11	28	43	89	108	179	217	229	205	112	39	7	-
	White-----M--	575	-	-	-	-	-	-	-	-	-	1	1	1	5	13	23	52	43	76	101	108	86	47	16	2	-
	F--	680	-	-	-	-	-	-	-	-	-	-	1	6	4	12	20	33	59	102	116	118	118	64	22	5	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	1	-	2	1	-	1	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	2	-	-	1	-	1	-	-	-
444-447	Hypertension without mention of heart----------	256	-	-	-	-	-	-	-	-	-	2	1	2	5	8	16	19	21	22	34	32	49	35	9	1	-
	White-----M--	135	-	-	-	-	-	-	-	-	-	1	1	-	2	4	8	9	15	11	21	22	18	19	4	-	-
	F--	115	-	-	-	-	-	-	-	-	-	1	-	1	2	3	8	9	6	11	13	10	30	15	5	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-
450	General arteriosclerosis--------	680	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	11	28	61	102	188	158	98	24	3
	White-----M--	353	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	7	15	32	53	101	77	50	11	1
	F--	320	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	13	27	49	84	81	48	12	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	1
451-468	Other diseases of circulatory sys.-	192	-	-	-	-	-	2	1	-	3	2	2	5	4	8	16	21	31	22	19	26	18	6	5	1	-
	White-----M--	111	-	-	-	-	-	1	-	-	1	1	1	2	2	5	10	10	22	12	11	17	12	1	2	1	-
	F--	80	-	-	-	-	-	1	1	-	2	1	1	3	2	3	6	11	8	10	8	9	6	5	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	259	-	-	-	-	-	2	-	5	9	8	11	17	12	14	21	19	14	21	29	34	27	8	7	1	-
	White-----M--	140	-	-	-	-	-	1	-	1	5	4	7	9	7	8	11	11	8	12	18	17	14	4	3	-	-
	F--	115	-	-	-	-	-	1	-	4	3	4	4	7	5	6	9	8	6	9	11	16	13	4	4	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	714	94	14	4	4	4	5	2	3	5	7	5	5	17	17	16	25	42	36	65	79	116	93	39	16	1
	White-----M--	398	51	6	4	-	2	1	1	1	2	4	5	2	10	16	9	19	28	22	37	46	69	39	19	4	1
	F--	297	36	7	-	3	2	4	1	2	3	3	-	1	5	1	6	5	13	14	27	33	46	54	19	12	-
	Nonwhite--M--	14	5	1	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	1	-	1	-	1	-	-
	F--	5	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	50	10	-	1	-	-	1	-	2	-	1	-	1	1	-	-	1	3	2	6	6	8	4	1	2	-
	White-----M--	26	9	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	2	2	3	3	2	2	-	-	-
	F--	24	1	-	-	-	-	1	-	2	-	-	-	1	-	-	-	1	1	-	3	3	6	2	1	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	664	84	14	3	4	4	4	2	1	5	6	5	4	16	17	16	24	39	34	59	73	108	89	36	14	1
	White-----M--	372	42	6	3	-	2	1	1	1	2	3	5	2	9	16	9	19	26	20	34	43	67	37	19	4	1
	F--	273	35	7	-	3	2	3	1	-	3	3	-	-	5	1	6	4	12	14	24	30	40	52	18	10	-
	Nonwhite--M--	14	5	1	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	1	-	1	-	1	-	-
	F--	5	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	55	15	6	1	-	-	-	-	-	-	1	-	-	2	-	4	-	6	5	3	4	3	1	2	2	-
	White-----M--	37	10	3	1	-	-	-	-	-	-	1	-	-	2	-	3	-	4	4	2	3	1	1	1	1	-
	F--	17	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	2	-	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	155	-	1	-	-	-	1	-	-	-	-	2	2	6	10	14	18	25	23	20	16	8	7	2	-	-
	White-----M--	120	-	1	-	-	-	1	-	-	-	-	2	2	5	7	11	17	20	16	15	11	3	7	2	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	5	7	5	5	4	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
550-553	Appendicitis------	40	-	1	1	-	-	4	3	-	2	1	-	-	2	2	6	2	4	1	3	4	2	2	-	-	-
	White-----M--	25	-	1	-	-	-	2	1	-	1	1	-	-	1	2	5	1	2	1	3	2	1	1	-	-	-
	F--	15	-	-	1	-	-	2	2	-	1	-	-	-	1	-	1	1	2	-	-	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	142	16	1	2	1	-	3	3	-	-	1	1	1	2	1	9	10	10	13	12	18	22	11	5	-	-
	White-----M--	86	12	-	1	1	-	3	1	-	-	1	1	1	2	1	3	3	6	8	8	12	11	8	3	-	-
	F--	54	4	1	1	-	-	-	2	-	-	-	-	-	-	-	6	7	4	4	4	6	10	3	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
543, 571b, 572	Gastritis, etc.*--	93	30	6	1	1	-	1	-	-	2	1	-	1	2	3	2	5	6	4	6	7	9	3	3	-	-
	White-----M--	46	17	2	-	1	-	1	-	-	1	1	-	-	2	1	1	3	4	2	3	3	2	-	2	-	-
	F--	44	11	4	1	-	-	-	-	-	-	-	-	1	-	2	1	2	2	2	3	4	7	3	1	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	226	1	-	-	-	-	1	1	1	-	2	7	16	18	23	28	36	20	22	25	12	8	4	1	-	-
	White-----M--	155	-	-	-	-	-	1	-	1	-	-	5	10	14	19	18	26	12	16	19	7	4	2	1	-	-
	F--	68	1	-	-	-	-	-	1	-	-	2	1	5	3	4	10	10	8	6	6	5	4	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	47	2	-	3	1	2	1	6	2	2	2	-	2	3	1	3	3	2	2	2	2	2	3	-	1	-
	White-----M--	24	1	-	2	-	1	1	5	1	1	1	-	-	1	1	3	2	-	1	1	-	1	1	-	-	-
	F--	22	1	-	-	1	1	-	1	1	1	1	-	2	2	-	-	1	2	1	1	2	1	2	-	1	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	8	9	16	27	25	20	10	3	1
	White-----M--	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	8	9	16	27	25	20	10	3	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	29	...	...	...	...	...	...	-	-	5	9	7	5	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	27	...	...	...	...	...	...	-	-	4	8	7	5	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	2	...	...	...	...	...	...	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	27	...	...	...	...	...	...	-	-	5	9	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	25	...	...	...	...	...	...	-	-	4	8	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	474	345	32	10	4	5	14	9	6	3	5	3	3	3	6	4	8	9	3	-	-	1	1	-	-	-
	White-----M--	255	187	15	6	3	3	7	7	4	1	3	2	1	2	2	3	3	5	-	-	-	-	1	-	-	-
	F--	218	157	17	4	1	2	7	2	2	2	2	1	2	1	4	1	5	4	3	-	-	1	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,060	1,058	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	622	621	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	421	420	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	424	424	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	260	260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	158	158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	596	594	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	338	337	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	247	246	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	196	8	1	-	-	-	-	-	2	1	2	-	1	2	4	1	6	7	13	18	25	28	33	28	14	2
	White-----M--	117	5	1	-	-	-	-	-	1	1	1	-	1	2	2	1	5	5	9	11	19	17	20	11	4	1
	F--	75	3	-	-	-	-	-	-	1	-	1	-	-	-	2	-	1	2	4	7	6	11	13	15	8	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Residual	All other diseases	1,380	55	24	12	9	9	21	14	16	15	16	17	37	54	64	61	90	116	164	196	151	112	89	33	5	-
	White-----M--	757	26	13	4	4	6	12	7	11	10	7	8	14	30	29	30	54	69	99	116	88	58	46	13	3	-
	F--	597	27	10	7	5	3	9	6	5	5	6	8	19	22	34	29	34	47	63	80	63	51	43	19	2	-
	Nonwhite--M--	15	1	1	1	-	-	-	1	-	-	3	-	2	1	1	1	-	-	1	-	-	1	-	1	-	-
	F--	11	1	-	-	-	-	-	-	-	-	-	1	2	1	-	1	2	-	1	-	-	2	-	-	-	-
E800-E962	Accidents---------	1,738	57	41	22	23	14	66	57	135	106	75	74	68	75	52	85	82	103	106	102	120	115	88	56	14	2
	White-----M--	1,189	31	24	8	16	7	50	43	109	84	60	57	54	67	42	58	64	83	73	69	77	49	33	23	7	1
	F--	515	26	14	13	6	7	16	12	22	21	13	14	8	8	10	24	18	17	32	32	43	65	54	32	7	1
	Nonwhite--M--	23	-	1	-	1	-	-	2	3	1	1	2	5	-	-	1	-	3	1	1	-	1	-	-	-	-
	F--	11	-	2	1	-	-	-	-	1	-	1	1	1	-	-	2	-	-	-	-	-	-	1	1	-	-
E810-E835	Motor-vehicle accidents--------	605	8	7	7	4	4	27	15	77	76	39	37	34	34	23	37	31	39	36	27	25	12	4	1	1	-
	White-----M--	449	5	6	3	3	3	19	10	59	59	28	27	24	29	19	21	23	31	26	22	21	8	3	-	-	-
	F--	141	3	1	4	1	1	8	5	16	16	9	9	7	5	4	14	8	5	10	5	4	4	1	-	1	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	2	1	1	-	2	-	-	1	-	3	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-
E800-E802, E840-E962	All ot. accidents-	1,133	49	34	15	19	10	39	42	58	30	36	37	34	41	29	48	51	64	70	75	95	103	84	55	13	2
	White-----M--	740	26	18	5	13	4	31	33	50	25	32	30	30	38	23	37	41	52	47	47	56	41	30	23	7	1
	F--	374	23	13	9	5	6	8	7	6	5	4	5	1	3	6	10	10	12	22	27	39	61	53	32	6	1
	Nonwhite--M--	13	-	1	-	1	-	-	2	1	-	-	2	3	-	-	-	-	-	1	1	-	1	-	-	-	-
	F--	6	-	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
E963, E970-E979	Suicide----------	299	-	-	-	-	-	-	3	6	10	16	15	22	24	28	33	27	40	32	20	11	7	3	2	-	-
	White-----M--	246	-	-	-	-	-	-	3	3	8	12	12	17	16	22	29	18	38	29	17	11	7	3	1	-	-
	F--	51	-	-	-	-	-	-	-	3	2	4	3	5	8	6	3	8	2	3	3	-	-	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	38	3	1	-	-	-	-	1	3	4	3	2	1	5	4	2	5	-	2	1	-	-	1	-	-	-
	White-----M--	22	3	-	-	-	-	-	1	-	3	2	1	-	4	2	-	4	-	1	1	-	-	-	-	-	-
	F--	14	-	1	-	-	-	-	-	3	1	1	-	1	1	2	2	1	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI																										
	ALL CAUSES--------	20,755	2,621	221	111	84	66	198	150	272	338	370	396	523	716	904	1,186	1,368	1,567	2,104	2,298	2,095	1,672	884	363	123	125
	White-----M--	5,634	484	32	16	12	15	42	36	58	77	95	94	109	197	231	345	410	511	604	725	697	526	208	83	21	6
	F--	3,819	293	22	18	11	11	28	23	22	33	36	43	70	80	126	145	212	272	363	503	580	499	262	132	23	12
	Nonwhite--M--	6,062	1,032	96	37	30	20	67	55	121	116	106	118	170	219	282	379	390	417	605	613	463	379	214	65	36	32
	F--	5,240	812	71	40	31	20	61	36	71	112	133	141	174	220	265	317	356	367	532	457	355	268	200	83	43	75
001-019	Tuberculosis, all forms--------	418	4	4	4	1	2	4	5	20	33	40	33	26	33	35	27	32	31	32	22	20	9	1	-	-	-
	White-----M--	103	-	-	2	-	-	-	1	1	3	3	4	1	6	6	7	14	13	13	16	8	5	-	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	1	1	3	3	3	2	1	5	4	2	7	2	-	-	-	-
	Nonwhite--M--	153	3	2	-	-	-	1	1	10	10	17	18	11	14	16	14	14	10	7	1	4	-	-	-	-	-
	F--	128	1	2	2	1	2	3	3	9	20	19	10	11	10	10	4	3	3	8	3	1	2	1	-	-	-
001-008	Tuberculosis of respiratory system----------	381	2	3	1	-	1	2	3	19	31	36	31	25	32	32	26	29	30	31	19	19	8	1	-	-	-
	White-----M--	98	-	-	-	-	-	-	-	1	3	3	4	1	5	6	7	14	13	13	15	8	5	-	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	1	1	3	3	2	2	1	5	4	2	7	2	-	-	-	-
	Nonwhite--M--	137	2	2	-	-	-	1	1	9	9	14	17	10	14	14	14	11	9	6	-	4	-	-	-	-	-
	F--	113	-	1	1	-	1	1	2	9	19	18	9	11	10	10	3	3	3	8	2	-	1	1	-	-	-
010-019	Tuberculosis, other forms------	37	2	1	3	1	1	2	2	1	2	4	2	1	1	3	1	3	1	1	3	1	1	-	-	-	-
	White-----M--	5	-	-	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	1	-	-	-	-	-	-	1	1	3	1	1	-	2	-	3	1	1	1	-	-	-	-	-	-
	F--	15	1	1	1	1	1	2	1	-	1	1	1	-	-	-	1	-	-	-	1	1	1	-	-	-	-
020-029	Syphilis and its sequelae---------	92	3	1	-	-	-	-	-	1	-	3	1	6	4	13	10	14	10	14	7	3	-	-	1	-	1
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	2	1	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	57	3	-	-	-	-	-	-	-	-	2	-	5	2	11	6	9	5	10	3	1	-	-	-	-	-
	F--	20	-	1	-	-	-	-	-	-	-	1	1	1	2	1	2	3	2	3	1	1	-	-	-	-	1
040	Typhoid fever-----	8	1	-	1	-	-	1	-	-	-	-	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	1	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	72	36	7	3	1	-	-	-	-	2	-	-	1	1	1	1	-	3	4	1	4	2	4	-	1	-
	White-----M--	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-
	F--	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	-	-	-
	Nonwhite--M--	34	21	2	2	1	-	-	-	-	1	-	-	1	-	1	1	-	1	-	-	1	1	1	-	-	-
	F--	26	14	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	2	-	1	-	1	-
050, 051	Scarlet fever, etc.*----------	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	30	21	7	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	8	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	11	4	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	6	2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	29	3	3	3	1	3	3	4	4	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	-	1	-	1	2	2	3	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	2	2	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	10	2	1	2	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	93	20	6	3	3	-	9	5	1	3	2	1	4	3	4	6	4	-	6	2	5	4	2	-	-	-
	White-----M--	25	5	1	-	1	-	4	-	-	-	-	-	-	1	3	4	-	-	1	1	2	1	1	-	-	-
	F--	15	3	-	-	1	-	1	-	-	-	1	-	1	-	1	-	1	-	2	-	1	2	1	-	-	-
	Nonwhite--M--	29	7	4	1	-	-	2	3	1	1	-	-	3	2	-	1	-	-	2	1	1	-	-	-	-	-
	F--	24	5	1	2	1	-	2	2	-	2	1	1	-	-	-	1	3	-	1	-	1	1	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
140-205	Malignant neoplasms, etc.*	2,196	2	2	3	4	8	16	11	13	20	26	34	59	84	144	192	252	253	277	297	242	164	63	23	5	2
	White—M	652	1	-	1	1	3	4	2	6	8	5	13	9	14	37	52	73	82	70	104	87	54	19	6	1	-
	F	639	-	1	1	-	2	3	3	1	7	6	9	16	27	33	47	71	76	70	92	79	64	20	9	2	-
	Nonwhite—M	410	1	1	-	2	1	7	3	1	4	3	-	10	14	24	32	47	55	72	52	35	30	10	3	2	1
	F	485	-	-	1	1	2	2	3	5	1	12	12	24	29	50	61	61	40	65	49	41	16	14	5	-	1
140-148	Of buccal cavity and pharynx	53	-	-	-	-	-	1	-	-	-	1	-	-	-	7	-	6	7	8	6	6	8	1	1	1	-
	White—M	29	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	4	4	2	5	1	6	-	1	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	3	1	-	-	1	-
	Nonwhite—M	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	3	-	2	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	762	1	-	-	-	1	1	1	1	3	3	3	8	16	35	58	83	98	112	127	105	70	26	7	2	1
	White—M	228	1	-	-	-	-	-	-	-	-	1	3	3	6	11	15	20	30	26	45	38	22	7	-	-	-
	F	204	-	-	-	-	-	-	-	-	-	-	-	1	6	8	10	20	26	21	41	32	26	9	3	1	-
	Nonwhite—M	187	-	-	-	-	1	1	-	1	2	-	-	-	4	9	18	21	26	40	25	17	15	4	1	1	1
	F	143	-	-	-	-	-	-	1	-	1	2	-	4	-	7	15	22	16	25	16	18	7	6	3	-	-
160-164	Of respiratory system	208	-	-	-	-	-	-	-	-	1	-	1	5	12	12	31	40	30	28	27	11	4	4	2	-	-
	White—M	126	-	-	-	-	-	-	-	-	1	-	1	-	6	6	22	29	16	14	18	8	2	3	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	3	4	2	1	1	1	-	-
	Nonwhite—M	53	-	-	-	-	-	-	-	-	-	-	-	5	5	6	4	9	10	8	4	-	1	-	1	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	1	1	-	-	-	-	-
170	Of breast	162	-	-	-	-	-	-	-	-	1	3	2	9	21	11	17	14	22	19	18	12	6	4	3	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	93	-	-	-	-	-	-	-	-	1	1	1	6	11	6	10	10	14	9	11	6	4	1	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	68	-	-	-	-	-	-	-	-	-	2	1	3	10	5	6	4	8	10	7	6	2	3	1	-	-
171-179	Of genital organs	454	-	-	-	-	-	-	-	-	3	5	13	15	19	41	52	53	43	55	61	44	30	15	4	1	-
	White—M	64	-	-	-	-	-	-	-	-	1	-	2	-	-	-	2	-	6	7	15	15	10	4	2	-	-
	F	128	-	-	-	-	-	-	-	-	1	1	4	3	4	11	13	20	18	19	15	8	8	3	-	-	-
	Nonwhite—M	81	-	-	-	-	-	-	-	-	1	-	-	-	-	4	2	6	8	15	17	13	8	5	1	1	-
	F	181	-	-	-	-	-	-	-	-	-	4	7	12	15	26	35	27	11	14	14	8	4	3	1	-	-
180, 181	Of urinary organs	67	-	-	-	-	2	-	-	1	-	1	1	1	2	1	4	7	6	6	8	14	11	1	1	-	-
	White—M	21	-	-	-	-	1	-	-	-	-	-	1	1	-	1	2	1	2	2	3	4	2	-	1	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	6	7	1	-	-	-
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	4	1	1	2	1	2	-	-	-	-
	F	9	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	2	1	3	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	328	-	-	1	1	3	7	3	3	4	7	8	14	11	30	21	32	26	35	36	40	29	11	4	1	1
	White—M	128	-	-	-	-	1	3	-	1	3	1	5	3	2	10	8	14	15	13	15	16	11	5	1	1	-
	F	102	-	-	1	-	1	-	-	-	1	3	-	4	5	5	7	8	5	11	12	18	14	4	3	-	-
	Nonwhite—M	41	-	-	-	1	-	4	1	-	-	1	-	4	1	5	4	4	4	4	2	3	2	1	-	-	-
	F	57	-	-	-	-	1	-	2	2	-	2	3	3	3	10	2	6	2	7	7	3	2	1	-	-	1
204	Leukemia and aleukemia	95	1	2	2	3	2	5	4	6	7	3	2	3	3	3	5	7	11	6	11	5	3	-	1	-	-
	White—M	31	-	-	1	1	1	1	1	4	3	2	-	1	-	1	1	4	4	2	2	1	-	-	1	-	-
	F	32	-	1	-	-	1	2	2	-	4	-	1	1	-	-	2	2	3	2	6	3	2	-	-	-	-
	Nonwhite—M	16	1	1	-	1	-	1	1	-	-	-	-	-	3	-	1	-	3	1	1	1	1	-	-	-	-
	F	16	-	-	1	1	-	1	-	2	-	1	1	1	-	2	1	1	1	1	2	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	67	-	-	-	-	-	2	3	2	1	3	4	4	-	4	4	10	10	8	3	5	3	1	-	-	-
	White—M	25	-	-	-	-	-	-	1	1	-	1	1	1	-	2	2	1	5	4	1	4	1	-	-	-	-
	F	29	-	-	-	-	-	1	1	1	-	1	3	1	-	2	2	7	4	2	1	1	1	1	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	2	1	2	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
210-239	Benign and unspecified neoplasms	88	2	1	-	-	1	2	2	1	5	2	4	12	10	10	7	6	5	6	4	3	2	3	-	-	-
	White—M	16	-	-	-	-	-	1	-	-	-	1	-	2	2	3	-	1	-	1	2	-	2	1	-	-	-
	F	18	-	-	-	-	-	-	-	-	2	-	2	3	1	2	-	1	3	1	1	1	-	1	-	-	-
	Nonwhite—M	11	-	-	-	-	1	-	1	1	-	-	-	-	-	1	2	3	-	-	1	1	-	-	-	-	-
	F	43	2	1	-	-	-	1	1	-	3	1	2	7	7	4	5	1	2	4	-	1	-	1	-	-	-
260	Diabetes mellitus	245	-	1	-	1	1	-	2	-	1	1	2	8	10	9	17	16	26	38	45	35	16	13	-	1	2
	White—M	56	-	-	-	-	-	-	-	-	-	-	-	1	4	1	2	2	6	7	11	12	7	3	-	-	-
	F	77	-	1	-	1	1	-	-	-	1	-	1	1	2	2	6	5	8	11	14	14	3	4	-	1	1
	Nonwhite—M	36	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	3	3	7	8	2	2	3	-	-	-
	F	76	-	-	-	-	-	-	2	-	-	1	-	4	2	4	8	6	9	13	12	7	4	3	-	-	1
290-293	Anemias	41	3	2	1	-	-	3	1	1	1	2	1	-	3	4	3	3	1	5	3	3	1	-	-	-	-
	White—M	11	-	-	1	-	-	-	-	-	-	1	1	-	-	1	1	1	-	2	1	1	1	-	-	-	-
	F	10	1	-	-	-	-	1	-	1	-	-	-	-	-	2	1	1	-	1	-	2	-	-	-	-	-
	Nonwhite—M	12	2	1	-	-	-	1	1	-	1	1	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-
	F	8	-	1	-	-	-	1	-	-	-	-	-	-	2	-	-	1	1	1	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	37	12	5	4	1	-	2	1	2	1	1	1	2	2	1	1	-	-	-	-	1	-	-	-	-	-
	White—M	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
	F	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	13	3	2	1	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	7	1	2	-	-	1	-	2	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	9,362	17	2	3	2	2	17	9	25	34	58	101	161	271	402	585	744	918	1,291	1,430	1,364	1,062	549	202	59	54
	White—M	2,873	5	-	-	-	-	3	3	1	6	8	17	33	67	104	184	222	304	419	455	474	366	140	43	15	4
	F	1,959	3	1	2	-	-	3	1	-	1	6	13	14	22	55	53	97	147	213	325	390	330	179	87	11	6
	Nonwhite—M	2,369	4	1	1	1	1	5	1	11	8	10	23	50	78	116	181	217	241	359	382	283	216	119	30	18	13
	F	2,161	5	-	-	1	1	6	4	13	19	34	48	64	104	127	167	208	226	300	268	217	150	111	42	15	31
330-334, 400-468	Diseases of cardiovascular system	8,797	17	2	3	2	2	14	7	24	29	42	82	140	244	372	540	706	864	1,241	1,362	1,288	996	519	193	58	50
	White—M	2,479	5	-	-	-	-	3	2	1	6	7	12	30	64	99	174	216	299	414	443	456	352	136	41	15	4
	F	1,866	3	1	2	-	-	2	1	-	1	3	10	11	20	53	49	95	140	208	311	375	310	169	86	10	6
	Nonwhite—M	2,168	4	1	1	1	1	4	1	10	6	10	18	44	71	105	165	202	217	334	358	257	191	110	28	18	11
	F	1,984	5	-	-	1	1	5	3	13	16	22	42	55	89	115	152	193	208	285	250	200	143	104	38	15	29
330-334	Vascular lesions, etc.*	2,393	9	1	1	1	-	4	1	3	6	8	22	27	53	96	149	212	244	343	379	370	253	132	52	10	17
	White—M	588	2	-	-	-	-	-	-	-	2	1	4	5	8	12	23	30	64	87	98	127	82	32	10	-	1
	F	516	2	-	1	-	-	1	-	-	-	-	1	3	4	18	14	31	46	60	92	107	75	35	21	3	2
	Nonwhite—M	589	3	1	-	-	-	2	1	2	1	5	4	9	15	29	53	66	59	91	97	69	43	29	5	3	2
	F	700	2	-	-	1	-	1	-	1	3	2	13	10	26	37	59	85	75	105	92	67	53	36	16	4	12
400-402	Rheumatic fever	29	-	-	1	1	1	6	4	4	1	2	1	1	2	-	1	-	2	-	-	1	1	-	-	-	-
	White—M	4	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M	8	-	-	-	1	-	1	-	2	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-
	F	14	-	-	-	-	1	3	3	2	1	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
410-443	Diseases of heart	5,859	6	1	1	-	1	4	2	16	20	25	50	102	169	252	375	461	587	847	922	836	655	344	111	44	28
	White-----M--	2,045	3	-	-	-	-	2	1	1	4	6	8	22	51	80	148	178	225	312	330	300	239	92	27	14	2
	F--	1,217	-	1	-	-	-	-	1	-	1	2	6	6	16	31	30	62	89	142	206	241	205	120	49	5	4
	Nonwhite--M--	1,438	1	-	1	-	1	1	-	5	4	4	12	31	47	70	110	123	148	224	243	170	131	74	16	14	8
	F--	1,159	2	-	-	-	-	1	-	10	11	13	24	43	55	71	87	98	125	169	143	125	80	58	19	11	14
410-416	Chronic rheumatic heart disease----	198	-	-	-	-	-	1	1	6	7	10	7	6	9	10	9	14	12	20	29	23	14	11	6	3	-
	White-----M--	56	-	-	-	-	-	-	1	-	2	3	3	-	4	1	3	7	3	6	6	7	5	3	2	-	-
	F--	34	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	1	1	2	6	8	4	4	3	-	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	2	-	2	-	1	3	4	4	4	2	7	7	4	3	2	-	3	-
	F--	60	-	-	-	-	-	1	-	4	4	4	3	5	2	3	2	2	6	5	10	4	2	2	1	-	-
420	Arteriosclerotic heart dis., etc.*	2,652	-	-	-	-	-	-	-	2	6	6	19	46	84	119	189	223	308	408	426	386	258	117	35	11	9
	White-----M--	1,291	-	-	-	-	-	-	-	-	1	2	2	16	41	60	112	132	174	204	196	176	113	44	12	4	2
	F--	598	-	-	-	-	-	-	-	-	-	-	4	5	6	15	17	28	56	77	116	120	89	45	16	2	2
	Nonwhite--M--	427	-	-	-	-	-	-	-	2	2	-	3	14	20	23	32	32	46	71	74	55	32	14	3	1	3
	F--	336	-	-	-	-	-	-	-	-	3	4	10	11	17	21	28	31	32	56	40	35	24	14	4	4	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	899	2	-	-	-	-	1	-	1	3	3	4	10	19	17	26	50	66	116	139	153	152	76	39	16	6
	White-----M--	222	-	-	-	-	-	-	-	-	1	1	-	3	1	2	5	5	7	23	45	51	47	19	7	5	-
	F--	193	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	8	2	20	19	40	49	26	19	2	1
	Nonwhite--M--	287	-	-	-	-	-	1	-	1	1	-	2	2	7	6	12	27	29	46	49	40	32	20	6	5	1
	F--	197	2	-	-	-	-	-	-	-	1	2	2	5	7	8	7	10	28	27	26	22	24	11	7	4	4
430-434	Other diseases of heart---------	498	4	1	1	-	1	2	-	4	3	2	6	14	14	33	33	42	43	66	67	64	46	42	4	3	3
	White-----M--	159	3	-	-	-	-	2	-	1	-	-	1	1	1	9	7	15	15	26	26	21	23	6	2	-	-
	F--	75	-	1	-	-	-	-	-	-	-	-	-	1	2	3	-	4	3	9	12	14	11	13	2	-	-
	Nonwhite--M--	154	1	-	1	-	1	-	-	-	1	-	1	3	8	11	14	12	20	18	19	20	10	12	-	2	-
	F--	110	-	-	-	-	-	-	-	3	2	2	4	9	3	10	12	11	5	13	10	9	2	11	-	1	3
440-443	Hypertension with heart dis.---	1,612	-	-	-	-	-	-	1	3	1	4	14	26	43	73	118	132	158	237	261	210	185	98	27	11	10
	White-----M--	317	-	-	-	-	-	-	-	-	-	-	2	2	4	8	21	19	26	53	57	45	51	20	4	5	-
	F--	317	-	-	-	-	-	-	1	-	-	1	1	-	4	10	11	21	27	34	53	59	52	32	9	1	1
	Nonwhite--M--	522	-	-	-	-	-	-	-	-	-	2	6	11	9	26	48	48	51	82	94	51	54	26	7	3	4
	F--	456	-	-	-	-	-	-	-	3	1	1	5	13	26	29	38	44	54	66	57	55	28	20	7	2	5
444-447	Hypertension without mention of heart----------	217	-	-	-	-	-	-	-	-	2	4	3	8	16	17	7	22	13	24	23	27	30	14	3	2	2
	White-----M--	44	-	-	-	-	-	-	-	-	-	-	-	1	3	5	-	3	3	4	3	8	10	3	-	1	-
	F--	46	-	-	-	-	-	-	-	-	-	-	1	2	-	3	1	-	3	5	6	9	9	5	1	1	-
	Nonwhite--M--	67	-	-	-	-	-	-	-	-	1	1	1	3	7	4	2	12	2	10	5	6	8	4	1	-	-
	F--	60	-	-	-	-	-	-	-	-	1	3	1	2	6	5	4	7	5	5	9	4	3	2	1	-	2
450	General arteriosclerosis--------	208	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	7	16	27	46	53	25	23	1	3
	White-----M--	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	6	7	16	19	9	3	-	1
	F--	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	16	19	7	12	-	-
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	5	12	10	9	1	6	1	1
	F--	31	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	5	2	4	6	8	2	-	1
451-468	Other diseases of circulatory sys.-	91	2	-	-	-	-	-	-	1	-	3	6	2	2	6	6	9	11	11	11	8	4	4	4	1	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	5	3	5	5	5	2	-	1	-	-
	F--	23	1	-	-	-	-	-	-	-	-	1	2	-	-	1	4	2	1	1	1	2	1	2	3	1	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	6	4	1	1	-	2	-	-	-
	F--	20	1	-	-	-	-	-	-	-	-	2	4	-	1	2	1	2	1	1	4	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	565	-	-	-	-	-	3	2	1	5	16	19	21	27	30	45	38	54	50	68	76	66	30	9	1	4
	White-----M--	94	-	-	-	-	-	-	1	-	-	1	5	3	3	5	10	6	5	5	12	18	14	4	2	-	-
	F--	93	-	-	-	-	-	1	-	-	-	3	3	3	2	2	4	2	7	5	14	15	20	10	1	1	-
	Nonwhite--M--	201	-	-	-	-	-	1	-	1	2	-	5	6	7	11	16	15	24	25	24	26	25	9	2	-	2
	F--	177	-	-	-	-	-	1	1	-	3	12	6	9	15	12	15	15	18	15	18	17	7	7	4	-	2
480-493	Influenza and pneumonia, etc.*-	755	232	39	13	6	3	10	6	7	5	5	11	11	16	13	31	26	29	38	68	62	55	35	15	10	9
	White-----M--	142	24	2	1	-	-	2	-	1	-	1	2	2	6	1	6	6	11	12	11	21	16	12	5	-	-
	F--	101	5	2	1	-	1	2	2	1	-	-	4	-	1	1	3	3	1	4	12	18	21	11	3	2	3
	Nonwhite--M--	296	123	21	7	2	-	3	3	3	3	2	3	6	6	6	11	11	10	9	27	12	13	5	5	5	-
	F--	216	80	14	4	4	2	3	1	2	2	2	2	3	3	5	11	6	7	13	18	11	5	7	2	3	6
480-483	Influenza---------	196	55	6	2	2	2	2	2	-	1	1	5	1	6	2	9	7	8	9	20	17	20	9	5	2	3
	White-----M--	36	3	2	-	-	-	-	-	-	-	1	2	1	2	-	-	1	4	3	2	5	7	2	1	-	-
	F--	22	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	1	-	-	4	2	7	3	1	-	-
	Nonwhite--M--	72	32	4	1	2	-	-	1	-	1	-	1	-	2	2	2	2	1	2	4	6	6	2	1	-	-
	F--	66	20	-	1	-	2	1	1	-	-	-	1	-	1	-	6	3	3	4	10	4	-	2	2	2	3
490-493	Pneumonia, etc.*--	559	177	33	11	4	1	8	4	7	4	4	6	10	10	11	22	19	21	29	48	45	35	26	10	8	6
	White-----M--	106	21	-	1	-	-	2	-	1	-	-	-	1	4	1	6	5	7	9	9	16	9	10	4	-	-
	F--	79	5	2	1	-	1	1	2	1	-	-	3	-	-	1	2	2	1	4	8	16	14	8	2	2	3
	Nonwhite--M--	224	91	17	6	-	-	3	2	3	2	2	2	6	4	4	9	9	9	7	23	6	7	3	4	5	-
	F--	150	60	14	3	4	-	2	-	2	2	2	1	3	2	5	5	3	4	9	8	7	5	5	-	1	3
500-502	Bronchitis--------	31	11	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	3	3	1	1	2	-	1
	White-----M--	7	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	-	1	2	-	-
	Nonwhite--M--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
	F--	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	81	1	-	-	-	-	-	-	-	2	1	1	3	7	7	9	9	8	13	7	9	3	1	-	-	-
	White-----M--	42	-	-	-	-	-	-	-	-	-	1	-	2	3	3	3	6	4	8	6	4	2	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	1	3	-	1	-	-	-
	Nonwhite--M--	22	1	-	-	-	-	-	-	-	2	-	1	-	2	3	3	2	2	4	-	2	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	1	-	-	-	-
550-553	Appendicitis------	38	-	-	-	-	-	1	3	-	6	1	1	2	4	1	3	3	2	4	3	4	-	-	-	-	-
	White-----M--	11	-	-	-	-	-	1	-	-	1	1	-	-	1	1	-	1	1	1	2	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	3	-	1	-	-	1	2	-	3	1	1	1	-	3	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	1	-	2	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	106	13	7	2	-	1	1	1	2	1	1	3	5	4	6	5	5	10	10	11	7	8	3	-	-	-
	White-----M--	24	3	-	-	-	-	1	-	-	-	-	-	-	2	1	-	1	3	1	8	3	1	-	-	-	-
	F--	13	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	1	-	5	1	-	-	-
	Nonwhite--M--	39	7	5	2	-	1	-	-	2	-	-	2	1	1	3	2	1	3	2	1	3	2	1	-	-	-
	F--	30	3	1	-	-	-	-	1	-	1	1	1	3	1	2	3	3	2	5	1	1	-	1	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
543, 571, 572	Gastritis, etc.*--	241	165	20	3	3	1	2	-	-	1	-	-	3	4	2	3	2	4	4	8	3	6	2	3	1	1
	White-----M--	31	15	2	1	-	-	1	-	-	-	-	-	1	3	-	-	-	2	-	3	2	-	1	-	-	-
	F--	29	11	1	-	-	-	-	-	-	1	-	-	-	1	1	-	2	-	1	2	1	4	1	2	1	-
	Nonwhite--M--	93	72	8	1	2	1	-	-	-	-	-	-	-	-	1	3	-	1	1	1	-	1	-	-	-	1
	F--	88	67	9	1	1	-	1	-	-	-	-	-	2	-	-	-	-	1	2	2	-	1	-	1	-	-
581	Cirrhosis of liver	102	-	-	-	-	-	-	-	1	2	4	4	7	6	9	16	5	9	13	7	10	8	1	-	-	-
	White-----M--	50	-	-	-	-	-	-	-	-	-	1	1	1	3	3	9	3	5	10	3	6	4	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	1	-	2	2	3	2	1	3	2	1	2	1	-	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	1	-	2	3	-	2	4	1	1	1	3	1	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	1	2	1	1	1	1	1	-	-	-	-	1	2	-	-	-	-
590, 591	Acute nephritis, etc.*----------	95	2	1	2	1	1	2	3	1	2	3	2	4	4	6	7	10	5	10	8	8	8	3	1	1	-
	White-----M--	15	1	-	-	-	-	-	-	-	-	1	1	-	1	2	2	2	-	1	1	2	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	2	2	2	2	-	1	-	-
	Nonwhite--M--	37	-	1	1	1	1	1	1	-	1	-	-	2	1	3	3	4	2	6	2	2	3	1	-	1	-
	F--	29	1	-	1	-	-	1	2	1	1	1	-	1	1	1	2	4	2	1	3	2	2	2	-	-	-
610	Hyperplasia of prostate---------	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	15	22	18	20	12	5	1	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	9	9	9	6	5	1	-
	Nonwhite--M--	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	13	13	9	11	6	-	-	-
640-689	Complications of pregnancy, etc.*-	121	...	...	...	...	...	...	1	21	23	21	24	22	7	1	-	-	-	-	-	1	-	-	-	-	-
	White-----F--	15	...	...	...	...	...	...	-	1	4	3	3	2	-	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--F--	106	...	...	...	...	...	...	1	20	19	18	21	20	7	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	10	...	...	...	...	...	...	-	-	2	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	-	2	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	111	...	...	...	...	...	...	1	21	21	19	20	21	6	1	-	-	-	-	-	1	-	-	-	-	-
	White-----F--	12	...	...	...	...	...	...	-	1	4	1	2	2	-	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--F--	99	...	...	...	...	...	...	1	20	17	18	18	19	6	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	200	146	11	4	2	2	5	4	3	2	2	6	-	4	-	1	-	5	1	2	-	-	-	-	-	-
	White-----M--	75	57	4	-	-	-	-	1	1	-	1	4	-	3	-	-	-	2	-	2	-	-	-	-	-	-
	F--	45	30	1	3	1	1	3	2	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	48	35	5	1	1	1	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	32	24	1	-	-	-	1	-	1	1	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,211	1,210	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	315	315	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	392	392	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	306	305	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	409	408	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	72	71	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn---------	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	698	698	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	236	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	195	195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	2,272	568	37	10	11	6	15	8	14	18	21	29	30	60	89	92	93	128	198	214	159	179	133	78	34	48
	White-----M--	228	26	2	1	-	-	1	-	1	2	2	3	3	13	12	10	17	23	25	29	17	15	9	13	3	1
	F--	160	21	1	-	-	1	-	-	1	-	1	1	3	3	4	6	5	8	15	17	15	23	16	15	3	1
	Nonwhite--M--	963	278	22	3	4	2	10	5	8	3	4	8	10	21	35	50	39	47	68	90	71	79	58	24	9	15
	F--	921	243	12	6	7	3	4	3	4	13	14	17	14	23	38	26	32	50	90	78	56	62	50	26	19	31
Residual	All other diseases	814	64	18	6	3	5	19	11	16	18	20	20	22	43	45	53	61	58	66	78	73	66	27	14	6	2
	White-----M--	241	15	8	-	1	2	4	3	5	1	7	8	7	11	13	11	18	19	16	35	23	22	6	6	-	-
	F--	195	4	2	3	1	1	5	3	2	4	3	1	6	5	11	10	16	13	21	18	27	19	13	4	2	1
	Nonwhite--M--	205	30	6	1	-	1	4	2	7	6	5	2	3	15	11	19	12	12	16	14	16	16	6	1	-	-
	F--	173	15	2	2	1	1	6	3	2	7	5	9	6	12	10	13	15	14	13	11	7	9	2	3	4	1
E800-E962	Accidents---------	1,452	76	41	38	41	30	79	69	111	115	111	62	80	90	68	96	55	40	44	42	54	52	31	19	4	4
	White-----M--	522	12	9	9	7	8	18	23	37	53	55	28	35	40	27	40	27	19	9	16	20	15	9	4	1	1
	F--	190	8	6	6	7	3	9	10	12	8	7	2	11	8	3	11	6	3	5	10	12	22	11	9	1	-
	Nonwhite--M--	509	34	11	13	13	10	26	28	54	45	39	25	29	31	31	35	15	15	21	8	16	2	4	2	1	1
	F--	231	22	15	10	14	9	26	8	8	9	10	7	5	11	7	10	7	3	9	8	6	13	7	4	1	2
E810-E835	Motor-vehicle accidents--------	564	9	10	8	14	10	24	23	54	68	65	31	38	37	27	40	31	18	20	10	16	6	3	1	-	1
	White-----M--	269	3	3	5	4	6	4	9	25	42	35	14	21	19	10	17	17	9	6	6	8	5	1	-	-	-
	F--	66	2	2	2	3	-	3	7	8	5	5	1	5	5	2	6	3	1	1	1	2	1	-	1	-	-
	Nonwhite--M--	181	3	1	1	3	1	11	6	19	17	21	15	9	11	11	15	10	8	11	2	4	-	1	-	-	1
	F--	48	1	4	-	4	3	6	1	2	4	4	1	3	2	4	2	1	-	2	1	2	-	1	-	-	-
E800-E802, E840-E962	All ot. accidents-	888	67	31	30	27	20	55	46	57	47	46	31	42	53	41	56	24	22	24	32	38	46	28	18	4	3
	White-----M--	253	9	6	4	3	2	14	14	12	11	20	14	14	21	17	23	10	10	3	10	12	10	8	4	1	1
	F--	124	6	4	4	4	3	6	3	4	3	2	1	6	3	1	5	3	2	4	9	10	21	11	8	1	-
	Nonwhite--M--	328	31	10	12	10	9	15	22	35	28	18	10	20	20	20	20	5	7	10	6	12	2	3	2	1	-
	F--	183	21	11	10	10	6	20	7	6	5	6	6	2	9	3	8	6	3	7	7	4	13	6	4	1	2
E963, E970-E979	Suicide----------	116	-	-	-	-	-	-	1	2	2	8	11	11	15	11	10	11	8	9	8	4	5	-	-	-	-
	White-----M--	72	-	-	-	-	-	-	-	2	-	3	6	5	11	7	8	9	7	2	5	3	4	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	2	3	2	2	2	2	2	1	-	4	1	1	-	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	1	2	3	2	1	-	-	1	3	1	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-
E964, E980-E985	Homicide----------	279	-	-	-	1	-	3	2	25	39	35	41	43	29	21	11	12	9	3	4	-	-	-	-	-	1
	White-----M--	40	-	-	-	-	-	-	-	2	2	4	4	7	4	3	3	3	6	1	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	1	-	1	2	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	191	-	-	-	1	-	2	-	22	29	19	30	29	23	14	7	8	2	2	3	-	-	-	-	-	-
	F--	37	-	-	-	-	-	1	1	1	7	10	5	4	1	3	1	1	1	-	-	-	-	-	-	-	1
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI																										
	ALL CAUSES--------	45,111	2,572	190	105	89	87	217	188	347	351	449	522	716	1,129	1,732	2,388	3,089	4,095	5,069	5,733	6,074	5,235	3,145	1,244	272	73
	White-----M--	23,026	1,212	91	58	38	40	115	115	206	193	235	239	324	589	908	1,257	1,716	2,328	2,791	3,000	3,040	2,528	1,364	513	101	25
	F--	17,581	903	72	30	37	32	76	56	91	103	123	166	214	326	505	685	903	1,305	1,817	2,363	2,716	2,528	1,666	684	154	26
	Nonwhite--M--	2,483	264	14	9	7	5	17	7	33	35	61	67	97	106	166	242	275	250	251	210	173	89	68	17	7	13
	F--	2,021	193	13	8	7	10	9	10	17	20	30	50	81	108	153	204	195	212	210	160	145	90	47	30	10	9
001-019	Tuberculosis, all forms--------	690	2	3	1	3	1	2	1	8	16	19	28	36	53	57	90	83	73	64	63	48	27	9	3	-	-
	White-----M--	377	-	-	1	-	-	-	1	1	3	6	11	13	24	31	50	56	56	37	41	28	16	-	2	-	-
	F--	143	-	2	-	2	-	1	-	2	3	6	6	12	10	7	15	12	8	8	17	14	10	7	1	-	-
	Nonwhite--M--	128	1	1	-	1	1	1	-	3	6	7	5	8	10	15	21	12	9	16	4	5	-	2	-	-	-
	F--	42	1	-	-	-	-	-	-	2	4	-	6	3	9	4	4	3	-	3	1	1	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	648	1	1	-	2	-	1	-	7	11	15	27	34	50	56	86	82	69	63	60	45	26	9	3	-	-
	White-----M--	359	-	-	-	-	-	-	-	1	2	6	10	12	22	30	49	55	54	36	40	25	15	-	2	-	-
	F--	132	-	-	-	1	-	1	-	2	2	3	6	12	10	7	14	12	7	8	15	14	10	7	1	-	-
	Nonwhite--M--	117	1	1	-	1	-	-	-	2	4	6	5	7	9	15	19	12	8	16	4	5	-	2	-	-	-
	F--	40	-	-	-	-	-	-	-	2	3	-	6	3	9	4	4	3	-	3	1	1	1	-	-	-	-
010-019	Tuberculosis, other forms------	42	1	2	1	1	1	1	1	1	5	4	1	2	3	1	4	1	4	1	3	3	1	-	-	-	-
	White-----M--	18	-	-	1	-	-	-	1	-	1	-	1	1	2	1	1	1	2	1	1	3	1	-	-	-	-
	F--	11	-	2	-	1	-	-	-	-	1	3	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	1	1	-	1	2	1	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	203	3	-	-	-	-	-	-	2	2	1	3	4	6	17	30	34	26	38	22	8	5	2	-	-	-
	White-----M--	113	2	-	-	-	-	-	-	1	-	1	2	-	2	7	10	21	18	25	17	5	2	-	-	-	-
	F--	36	-	-	-	-	-	-	-	-	1	-	1	1	2	2	7	5	5	5	4	1	1	1	-	-	-
	Nonwhite--M--	33	1	-	-	-	-	-	-	-	-	-	-	1	1	3	12	6	2	3	1	1	2	-	-	-	-
	F--	21	-	-	-	-	-	-	-	1	1	-	-	2	1	5	1	2	1	5	-	1	-	1	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	32	15	3	-	-	-	-	1	1	-	1	-	-	-	-	1	2	1	1	1	1	2	1	1	-	-
	White-----M--	17	9	2	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	1	-	-	1	-	-	-	-
	F--	12	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	28	1	-	1	1	2	-	4	2	2	1	-	-	1	2	1	3	3	1	1	1	-	1	-	-	-
	White-----M--	17	-	-	1	1	1	-	2	2	2	1	-	-	1	1	1	-	2	1	-	-	-	1	-	-	-
	F--	8	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	7	-	-	-	-	3	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	17	12	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	31	9	4	4	3	-	2	-	3	-	-	-	-	1	2	-	1	-	1	1	-	-	-	-	-	-
	White-----M--	17	7	3	1	1	-	1	-	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	8	-	1	1	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	78	2	5	2	2	1	17	8	12	14	10	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	49	1	4	2	1	1	10	6	7	8	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	1	-	-	1	-	6	2	3	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	7	2	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	120	17	5	2	2	2	4	6	3	5	2	2	7	5	11	8	5	8	6	4	3	7	4	2	-	-
	White-----M--	57	4	3	1	1	2	2	4	-	3	1	1	1	2	5	7	4	5	1	3	1	4	2	-	-	-
	F--	47	10	2	1	1	-	-	2	2	2	1	-	3	1	5	-	1	2	5	1	2	3	1	2	-	-
	Nonwhite--M--	6	1	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F--	10	2	-	-	-	-	-	-	-	-	-	1	3	2	-	1	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
140-205	Malignant neoplasms, etc.*	6,510	11	5	9	12	14	32	11	25	23	41	78	111	209	402	524	599	835	961	917	804	559	250	67	7	4
	White----M	3,036	5	2	6	8	7	16	10	10	10	17	14	25	72	155	215	256	405	506	459	397	286	125	26	3	1
	F	2,986	4	3	3	3	6	15	1	12	10	22	52	68	112	196	249	274	360	381	416	375	258	119	40	4	3
	Nonwhite--M	248	1	-	-	1	-	1	-	3	1	2	4	5	7	18	28	47	43	43	19	14	8	3	-	-	-
	F	240	1	-	-	-	1	-	-	-	2	-	8	13	18	33	32	22	27	31	23	18	7	3	1	-	-
140-148	Of buccal cavity and pharynx	181	-	-	-	-	1	-	-	-	-	-	3	1	6	10	10	21	26	34	19	17	21	8	3	1	-
	White----M	144	-	-	-	-	1	-	-	-	-	-	2	1	4	8	9	17	20	26	14	13	18	8	3	-	-
	F	25	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	4	6	4	4	2	-	-	1	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	2	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	2,434	1	-	1	-	-	1	1	2	1	4	15	19	40	96	143	201	296	375	424	383	276	123	26	4	2
	White----M	1,170	-	-	1	-	-	1	1	-	1	1	4	6	20	44	61	85	143	214	211	183	129	53	10	2	-
	F	1,071	1	-	-	-	-	-	-	1	-	3	10	10	14	36	59	85	121	129	192	186	136	68	16	2	2
	Nonwhite--M	114	-	-	-	-	-	-	-	1	-	-	1	2	2	9	14	23	22	17	10	5	6	2	-	-	-
	F	79	-	-	-	-	-	-	-	-	-	-	-	1	4	7	9	8	10	15	11	9	5	-	-	-	-
160-164	Of respiratory system	695	-	-	-	-	-	-	-	-	-	-	4	7	19	62	84	87	125	125	81	52	32	16	1	-	-
	White----M	509	-	-	-	-	-	-	-	-	-	-	1	3	14	46	65	71	102	84	60	33	20	10	-	-	-
	F	132	-	-	-	-	-	-	-	-	-	-	1	2	2	13	12	8	15	25	20	15	12	6	1	-	-
	Nonwhite--M	49	-	-	-	-	-	-	-	-	-	-	2	2	3	3	7	7	8	14	1	2	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-
170	Of breast	589	-	-	-	-	-	-	-	-	1	4	10	23	41	55	62	61	70	86	64	56	35	12	8	-	1
	White----M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	1	-	-	-
	F	544	-	-	-	-	-	-	-	-	-	4	8	22	35	50	58	58	62	82	60	53	33	10	8	-	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	37	-	-	-	-	-	-	-	-	1	-	2	1	6	5	4	2	7	3	2	2	1	1	-	-	-
171-179	Of genital organs	1,083	-	-	-	1	-	-	-	1	3	6	24	35	50	76	92	90	134	124	136	152	103	47	8	1	-
	White----M	366	-	-	-	1	-	-	-	-	1	2	1	5	2	3	8	10	36	44	62	86	68	31	5	1	-
	F	592	-	-	-	-	-	-	-	1	1	4	18	22	40	52	66	69	83	67	63	56	33	14	3	-	-
	Nonwhite--M	35	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	8	5	3	7	1	1	-	-	-
	F	90	-	-	-	-	-	-	-	-	1	-	5	8	7	19	15	7	7	8	8	3	1	1	-	-	-
180, 181	Of urinary organs	298	1	-	-	1	1	3	-	2	-	-	1	1	4	14	20	28	36	59	46	53	18	6	4	-	-
	White----M	187	-	-	-	1	-	3	-	2	-	-	1	1	3	6	14	18	20	40	28	36	9	4	1	-	-
	F	97	-	-	-	-	1	-	-	-	-	-	-	-	1	5	5	5	15	18	17	17	9	2	2	-	-
	Nonwhite--M	12	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	1	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
156B, 165, 190-199	Of other sites, etc.*	729	3	1	3	2	3	6	6	8	6	9	8	17	25	60	53	68	94	99	89	66	56	30	15	1	1
	White----M	370	2	1	2	2	2	2	5	3	2	6	-	7	13	33	20	34	51	53	46	34	30	15	6	-	1
	F	326	1	-	1	-	1	3	1	4	4	3	7	7	11	26	30	29	39	40	39	30	26	14	9	1	-
	Nonwhite--M	15	-	-	-	-	-	1	-	1	-	-	-	1	-	1	1	2	2	4	2	-	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	3	2	2	2	2	-	1	-	-	-
204	Leukemia and aleukemia	259	5	3	3	8	7	21	3	9	6	5	4	2	9	7	28	19	26	36	24	16	11	7	-	-	-
	White----M	141	2	1	1	4	3	10	3	4	3	-	1	-	6	5	17	9	15	28	14	6	7	2	-	-	-
	F	108	2	2	2	3	4	11	-	4	3	3	3	2	3	2	9	9	10	8	9	10	4	5	-	-	-
	Nonwhite--M	8	-	-	-	1	-	-	-	1	-	2	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	242	1	1	2	-	2	1	1	3	6	13	9	6	15	22	32	24	28	23	34	9	7	1	2	-	-
	White----M	141	1	-	2	-	1	-	1	1	3	8	4	2	10	10	21	11	17	16	22	5	4	1	1	-	-
	F	91	-	1	-	-	-	1	-	2	2	5	5	3	5	10	10	10	11	6	12	4	3	-	1	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	139	1	1	-	1	-	3	5	2	4	4	4	14	12	14	14	14	13	9	8	6	4	4	2	-	-
	White----M	42	-	1	-	-	-	1	1	2	1	2	2	2	4	4	4	3	6	2	3	1	1	1	1	-	-
	F	71	1	-	-	1	-	2	3	-	3	1	1	7	5	7	7	9	4	4	4	5	3	3	1	-	-
	Nonwhite--M	8	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1	1	2	-	-	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	1	1	5	2	3	1	1	2	1	1	-	-	-	-	-	-
260	Diabetes mellitus	706	-	3	-	-	-	1	2	1	3	6	10	12	19	14	34	46	90	118	134	115	65	27	4	1	1
	White----M	251	-	3	-	-	-	1	1	-	-	1	3	6	12	8	11	14	27	38	44	52	20	7	2	-	1
	F	413	-	-	-	-	-	-	1	1	3	4	4	4	3	4	16	27	60	73	86	60	44	20	2	1	-
	Nonwhite--M	13	-	-	-	-	-	-	-	-	-	-	2	1	-	-	3	1	2	3	-	1	-	-	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	1	1	1	4	2	4	4	1	4	4	2	1	-	-	-	-
290-293	Anemias	137	1	3	1	1	2	2	4	1	-	1	1	2	-	3	6	6	7	17	22	27	19	9	2	-	-
	White----M	57	-	2	-	-	-	-	1	-	-	-	-	-	-	1	1	3	4	10	12	13	6	2	2	-	-
	F	70	-	-	-	-	2	2	2	1	-	-	1	2	-	2	4	2	2	7	9	14	13	7	-	-	-
	Nonwhite--M	5	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	5	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	61	15	3	3	-	-	3	3	-	-	1	3	6	2	3	3	5	4	3	2	1	1	-	-	-	-
	White----M	31	9	2	2	-	-	3	2	-	-	-	2	1	-	1	1	4	1	2	1	-	-	-	-	-	-
	F	16	4	1	-	-	-	-	1	-	-	-	-	2	-	1	1	1	2	1	1	1	-	-	-	-	-
	Nonwhite--M	11	2	-	1	-	-	-	-	-	-	-	1	2	1	1	1	-	1	-	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	24,605	11	-	3	2	3	20	21	33	27	69	99	179	386	700	1,144	1,650	2,265	3,059	3,681	4,124	3,681	2,330	881	196	41
	White----M	12,615	6	-	2	-	1	10	9	14	13	29	52	88	228	396	640	962	1,330	1,675	1,914	2,033	1,750	1,004	366	78	15
	F	9,869	3	-	-	1	2	5	10	11	9	28	30	40	88	166	271	415	644	1,113	1,504	1,882	1,806	1,240	479	107	15
	Nonwhite--M	1,049	1	-	-	-	-	3	-	3	3	5	7	22	28	60	110	136	145	139	144	115	56	48	15	3	6
	F	1,072	1	-	1	1	-	2	2	5	2	7	10	29	42	78	123	137	146	132	119	94	69	38	21	8	5
330-334, 400-468	Diseases of cardiovascular system	23,838	11	-	2	1	2	19	17	25	22	58	85	162	371	668	1,091	1,606	2,197	2,976	3,576	4,026	3,571	2,261	858	195	38
	White----M	12,248	6	-	1	-	-	9	8	11	10	23	43	83	223	380	610	944	1,296	1,641	1,859	1,991	1,696	971	352	77	14
	F	9,585	3	-	-	-	2	5	8	7	8	24	28	33	81	159	257	404	623	1,077	1,467	1,841	1,758	1,208	470	107	15
	Nonwhite--M	988	1	-	-	-	-	3	-	2	2	4	5	20	27	53	104	131	142	129	138	108	52	45	15	3	4
	F	1,017	1	-	1	1	-	2	1	5	2	7	9	26	40	76	120	127	136	129	112	86	65	37	21	8	5
330-334	Vascular lesions, etc.*	5,450	1	-	1	-	-	3	-	3	4	9	22	31	56	137	211	298	386	662	966	1,004	894	528	182	40	12
	White----M	2,451	-	-	-	-	-	3	-	1	2	5	9	13	17	51	82	133	193	306	464	458	399	227	69	15	4
	F	2,540	-	-	-	-	-	-	-	1	-	3	9	8	27	52	78	109	127	301	439	504	465	281	109	22	5
	Nonwhite--M	204	1	-	-	-	-	-	-	-	1	-	1	1	5	10	17	29	30	25	29	24	15	11	1	2	2
	F	255	-	-	1	-	-	-	-	1	1	1	3	9	7	24	34	27	36	30	34	18	15	9	3	1	1
400-402	Rheumatic fever	58	-	-	-	1	-	10	9	4	3	5	2	5	2	3	4	4	1	4	-	-	1	-	-	-	-
	White----M	18	-	-	-	-	-	4	3	1	-	-	2	2	1	1	-	3	-	-	-	-	1	-	-	-	-
	F	26	-	-	-	-	-	3	5	2	3	4	-	2	1	-	-	1	1	4	-	-	-	-	-	-	-
	Nonwhite--M	6	-	-	-	-	-	2	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	1	-	1	1	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
410-443	Diseases of heart	16,691	8	-	1	-	1	5	8	15	12	37	56	108	287	492	822	1,237	1,717	2,175	2,447	2,751	2,352	1,472	548	119	21
	White-----M--	9,013	6	-	1	-	-	2	5	9	6	16	32	63	195	316	507	769	1,059	1,265	1,309	1,403	1,137	641	220	44	8
	F--	6,331	1	-	-	-	1	1	3	3	4	14	19	17	47	97	163	278	468	726	964	1,216	1,143	785	304	69	8
	Nonwhite--M--	693	-	-	-	-	-	1	-	2	1	4	2	16	17	35	75	97	98	95	104	77	32	25	9	1	2
	F--	654	1	-	-	-	-	1	-	1	1	3	3	12	28	44	77	93	92	89	70	55	40	21	15	5	3
410-416	Chronic rheumatic heart disease----	647	-	-	-	-	-	1	3	9	6	17	17	25	45	45	67	73	66	66	52	65	50	29	10	1	-
	White-----M--	325	-	-	-	-	-	-	2	6	3	7	9	17	25	25	33	32	34	32	25	32	28	12	3	-	-
	F--	250	-	-	-	-	-	-	1	3	3	9	7	7	16	17	22	30	20	27	20	30	17	14	6	1	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	1	-	1	-	1	5	6	5	4	5	2	3	1	-	-	-
	F--	38	-	-	-	-	-	1	-	-	-	-	1	-	4	2	7	5	7	3	2	1	2	2	1	-	-
420	Arteriosclerotic heart dis., etc.*	9,423	2	-	-	-	-	-	-	-	2	10	20	53	172	318	484	793	1,115	1,376	1,487	1,493	1,176	653	218	44	7
	White-----M--	5,755	1	-	-	-	-	-	-	-	2	7	14	38	137	248	357	584	774	878	871	829	603	292	96	20	4
	F--	3,186	1	-	-	-	-	-	-	-	-	2	5	4	19	46	73	145	286	430	542	610	542	342	115	22	2
	Nonwhite--M--	265	-	-	-	-	-	-	-	-	-	-	1	8	7	13	29	34	29	33	49	29	19	11	3	-	-
	F--	217	-	-	-	-	-	-	-	-	-	1	-	3	9	11	25	30	26	35	25	25	12	8	4	2	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	3,237	3	-	1	-	-	2	5	2	2	3	3	4	16	27	74	117	188	299	443	610	648	503	223	55	9
	White-----M--	1,569	3	-	1	-	-	2	3	1	1	1	2	4	10	14	37	65	111	172	213	303	298	216	88	21	3
	F--	1,507	-	-	-	-	-	-	2	-	-	2	1	-	6	8	23	30	61	103	208	283	338	277	132	30	3
	Nonwhite--M--	81	-	-	-	-	-	-	-	1	1	-	-	-	-	2	3	12	9	16	11	15	3	4	1	1	2
	F--	80	-	-	-	-	-	-	-	-	-	-	-	-	-	3	11	10	7	8	11	9	9	6	2	3	1
430-434	Other diseases of heart---------	746	3	-	-	-	1	2	-	3	2	6	7	10	21	28	58	49	81	98	95	110	91	46	27	7	1
	White-----M--	360	2	-	-	-	-	-	-	1	-	-	3	1	11	9	35	23	34	47	56	51	52	23	12	-	-
	F--	271	-	-	-	-	1	1	-	-	1	1	2	4	3	6	12	17	22	41	28	50	38	21	15	7	1
	Nonwhite--M--	65	-	-	-	-	-	1	-	1	-	3	1	2	2	7	6	9	14	6	6	6	-	1	-	-	-
	F--	50	1	-	-	-	-	-	-	1	1	2	1	3	5	6	5	-	11	4	5	3	1	1	-	-	-
440-443	Hypertension with heart dis.--	2,638	-	-	-	-	-	-	-	1	-	1	9	16	33	74	139	205	267	336	370	473	387	241	70	12	4
	White-----M--	1,004	-	-	-	-	-	-	-	1	-	1	4	3	12	20	45	65	106	136	144	188	156	98	21	3	1
	F--	1,117	-	-	-	-	-	-	-	-	-	-	4	2	3	20	33	56	79	125	166	243	208	131	36	9	2
	Nonwhite--M--	248	-	-	-	-	-	-	-	-	-	-	-	5	8	12	32	36	41	36	33	25	7	8	5	-	-
	F--	269	-	-	-	-	-	-	-	-	-	-	1	6	10	22	29	48	41	39	27	17	16	4	8	-	1
444-447	Hypertension without mention of heart----------	392	-	-	-	-	-	-	-	1	-	2	4	11	14	19	25	19	29	39	29	55	71	54	17	2	1
	White-----M--	165	-	-	-	-	-	-	-	-	-	-	-	4	4	5	9	10	11	14	18	23	35	20	11	1	-
	F--	154	-	-	-	-	-	-	-	-	-	-	-	1	3	5	8	7	10	16	11	25	32	29	5	1	1
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	2	2	4	6	5	-	5	5	-	1	1	4	1	-	-
	F--	37	-	-	-	-	-	-	-	1	-	2	2	4	3	3	3	2	3	4	-	6	3	1	-	-	-
450	General arteriosclerosis--------	978	-	-	-	-	-	-	-	-	-	-	-	1	1	1	8	17	32	57	106	181	235	196	106	33	4
	White-----M--	457	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	9	16	27	50	91	115	78	48	16	2
	F--	440	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	21	45	78	109	107	52	15	1
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	6	3	3	5	4	5	3	-	-
	F--	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	6	8	7	7	6	3	2	1
451-468	Other diseases of circulatory sys.--	269	2	-	-	-	1	1	-	2	3	5	1	6	11	16	21	31	32	39	28	35	18	11	5	1	-
	White-----M--	144	-	-	-	-	-	-	-	-	2	2	-	1	5	6	9	20	17	29	18	16	9	5	4	1	-
	F--	94	2	-	-	-	1	1	-	1	1	3	-	5	3	5	7	6	9	9	8	18	9	6	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	1	2	1	-	-	1	-	-
	F--	16	-	-	-	-	-	-	-	1	-	-	1	-	2	4	3	2	3	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	767	-	-	1	1	1	1	4	8	5	11	14	17	15	32	53	44	68	83	105	98	110	69	23	1	3
	White-----M--	367	-	-	1	-	1	1	1	3	3	6	9	5	5	16	30	18	34	34	55	42	54	33	14	1	1
	F--	284	-	-	-	1	-	-	2	4	1	4	2	7	7	7	14	11	21	36	37	41	48	32	9	-	-
	Nonwhite--M--	61	-	-	-	-	-	-	-	1	1	1	2	2	1	7	6	5	3	10	6	7	4	3	-	-	2
	F--	55	-	-	-	-	-	-	1	-	-	-	1	3	2	2	3	10	10	3	7	8	4	1	-	-	-
480-493	Influenza and pneumonia, etc.*	1,573	203	50	16	10	11	15	8	10	2	9	15	18	42	47	42	62	92	117	158	201	219	132	77	13	4
	White-----M--	740	79	23	8	5	8	2	2	5	2	4	8	7	14	24	17	34	49	61	77	106	105	57	42	3	-
	F--	600	76	22	6	5	4	8	5	4	-	1	3	6	12	3	5	11	27	35	68	77	107	72	33	9	1
	Nonwhite--M--	140	27	3	1	-	1	4	-	1	-	2	2	4	11	11	13	12	10	10	8	13	3	1	-	1	2
	F--	93	21	2	1	-	-	1	1	-	-	2	2	1	5	9	7	5	6	11	5	5	4	2	2	-	1
480-483	Influenza---------	227	18	7	1	-	1	2	2	1	-	1	3	3	3	4	2	3	10	13	22	33	44	27	19	5	3
	White-----M--	96	7	2	-	-	-	1	-	1	-	1	2	1	1	2	-	1	4	4	12	12	21	13	11	-	-
	F--	109	9	5	1	-	1	1	2	-	-	-	1	1	2	-	-	2	4	8	8	16	21	13	8	5	1
	Nonwhite--M--	8	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	3	-	-	-	-	1
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	2	2	2	1	-	-	1
490-493	Pneumonia, etc.*--	1,346	185	43	15	10	10	13	6	9	2	8	12	15	39	43	40	59	82	104	136	168	175	105	58	8	1
	White-----M--	644	72	21	8	5	6	1	2	4	2	3	6	6	13	22	17	33	45	57	65	94	84	44	31	3	-
	F--	491	67	17	5	5	3	7	3	4	-	1	2	5	10	3	5	9	23	27	60	61	86	59	25	4	-
	Nonwhite--M--	132	25	3	1	-	1	4	-	1	-	2	2	3	11	11	13	12	9	10	8	10	3	1	-	1	1
	F--	79	21	2	1	-	-	1	1	-	-	2	2	1	5	7	5	5	5	10	3	3	2	1	2	-	-
500-502	Bronchitis--------	98	14	3	3	1	2	2	1	-	-	-	-	2	1	-	2	4	10	9	14	11	10	5	4	-	-
	White-----M--	59	4	1	3	1	1	2	1	-	-	-	-	1	1	-	2	3	6	8	5	7	7	2	4	-	-
	F--	31	9	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	6	4	3	3	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
	F--	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	240	1	-	-	-	-	-	-	1	1	1	4	7	10	22	27	24	30	31	28	23	18	11	1	-	-
	White-----M--	175	1	-	-	-	-	-	-	1	1	-	3	3	6	18	22	17	20	26	24	15	11	7	-	-	-
	F--	51	-	-	-	-	-	-	-	-	-	-	1	1	2	4	4	4	7	5	4	8	7	3	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	3	2	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
550-553	Appendicitis------	86	-	-	-	2	3	4	2	2	3	1	2	4	8	6	10	6	8	8	8	1	6	2	-	-	-
	White-----M--	40	-	-	-	1	1	4	2	1	-	1	-	1	2	2	3	4	3	6	5	1	3	-	-	-	-
	F--	31	-	-	-	1	2	-	-	1	3	-	1	2	5	3	2	1	3	1	2	-	2	2	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	1	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	292	20	3	-	1	-	-	2	-	1	-	1	5	7	11	19	23	26	31	38	42	35	14	9	3	1
	White-----M--	147	11	2	-	-	-	-	2	-	1	-	-	-	2	4	11	10	9	22	20	22	20	7	4	-	-
	F--	117	8	1	-	1	-	-	-	-	-	-	1	4	4	5	4	10	9	7	16	17	15	7	5	2	1
	Nonwhite--M--	15	1	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	1	2	2	-	-	-	1	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	6	1	-	1	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
543, 571, 572	Gastritis, etc.*--	256	129	8	2	1	-	2	2	-	3	2	2	2	1	6	7	4	15	16	15	15	11	7	5	-	1
	White-----M--	109	54	4	2	-	-	-	2	-	-	1	-	-	-	-	2	2	12	8	8	5	4	3	2	-	-
	F--	91	37	4	-	1	-	1	-	-	3	1	2	-	-	4	2	1	2	5	6	8	6	4	3	-	1
	Nonwhite--M--	30	22	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	1	-	1	1	1	-	-	-	-
	F--	26	16	-	-	-	-	-	-	-	-	-	-	2	1	-	3	-	-	3	-	1	-	-	-	-	-
581	Cirrhosis of liver	472	1	-	-	-	-	-	-	2	3	2	11	13	36	55	55	57	66	50	44	34	27	9	6	-	1
	White-----M--	301	-	-	-	-	-	-	-	-	1	1	6	7	22	31	34	42	47	38	28	21	15	4	4	-	-
	F--	134	1	-	-	-	-	-	-	2	2	1	3	4	10	14	14	11	17	9	14	13	12	5	2	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	1	2	3	6	4	3	2	2	2	-	-	-	-	-	1
	F--	11	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	1	-	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	107	1	-	2	1	-	2	3	2	-	4	5	2	7	6	8	7	9	10	7	11	12	7	1	-	-
	White-----M--	44	1	-	1	-	-	2	1	1	-	2	2	1	2	1	4	3	3	5	3	7	4	1	-	-	-
	F--	50	-	-	1	1	-	-	1	1	-	2	1	1	3	1	1	4	6	5	3	4	8	6	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	-	-	1	-	1	2	1	-	-	-	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate--------	218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	8	32	47	45	46	21	7	4	1
	White-----M--	195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	29	43	41	44	19	7	3	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	4	4	2	2	-	1	1
640-689	Complications of pregnancy, etc.*-	63	...	...	...	...	...	...	-	5	13	17	11	13	2	1	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	48	...	...	...	...	...	...	-	4	8	15	9	8	2	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	15	...	...	...	...	...	...	-	1	5	2	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	8	...	...	...	...	...	...	-	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	...	...	...	...	...	...	-	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	55	...	...	...	...	...	...	-	3	11	15	9	13	2	1	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	41	...	...	...	...	...	...	-	2	7	13	7	8	2	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	14	...	...	...	...	...	...	-	1	4	2	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	512	407	23	8	6	5	8	7	4	6	3	1	2	5	5	1	5	7	2	2	1	2	2	-	-	-
	White-----M--	283	223	12	4	3	3	6	3	2	5	2	-	-	2	3	1	2	6	1	1	1	1	2	-	-	-
	F--	194	157	10	4	1	2	2	2	2	1	1	1	2	1	2	-	2	1	1	1	-	1	-	-	-	-
	Nonwhite--M--	23	19	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F--	12	8	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,454	1,453	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	693	693	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	496	495	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	620	620	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	321	321	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	219	219	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	737	736	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	334	334	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	237	236	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	607	39	4	1	1	2	1	-	1	2	4	7	10	17	22	41	41	56	59	63	64	51	59	41	16	5
	White-----M--	343	13	1	1	1	2	-	-	1	1	3	5	5	13	13	33	26	34	36	46	40	27	26	11	5	-
	F--	185	13	2	-	-	-	1	-	-	1	1	2	2	1	4	4	7	14	12	14	19	19	31	26	10	2
	Nonwhite--M--	51	9	1	-	-	-	-	-	-	-	-	-	1	2	4	4	6	5	7	2	3	3	2	1	-	1
	F--	28	4	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	3	4	1	2	2	-	3	1	2
Residual	All other diseases	2,026	107	22	11	13	13	18	12	24	23	26	43	61	70	113	121	176	214	207	220	207	177	96	37	13	2
	White-----M--	959	39	12	7	3	5	9	4	9	12	8	12	25	32	54	58	90	117	115	116	94	85	35	13	4	1
	F--	821	41	5	-	9	4	7	7	11	7	10	20	18	24	36	39	64	78	79	96	95	83	57	22	8	1
	Nonwhite--M--	137	16	1	3	-	2	-	1	1	2	2	4	13	6	17	14	17	11	5	6	7	5	2	1	1	-
	F--	109	11	4	1	1	2	2	-	3	2	6	7	5	8	6	10	5	8	8	2	11	4	2	1	-	-
E800-E962	Accidents----------	3,039	92	38	31	25	22	75	82	184	173	168	124	148	158	147	133	168	162	180	181	255	232	138	93	18	12
	White-----M--	1,812	44	12	14	11	9	44	58	139	122	125	85	104	111	108	82	114	116	105	88	130	100	54	26	4	7
	F--	907	31	17	11	7	6	23	17	32	40	16	17	22	29	24	25	31	34	54	81	110	123	77	65	13	2
	Nonwhite--M--	216	7	7	3	3	1	5	4	11	11	20	17	20	12	11	19	14	4	15	11	6	7	6	-	-	2
	F--	104	10	2	3	4	6	3	3	2	-	7	5	2	6	4	7	9	8	6	1	9	2	1	2	1	1
E810-E835	Motor-vehicle accidents--------	1,119	10	9	7	13	12	28	27	113	124	109	82	84	73	67	54	71	60	62	39	43	26	2	2	-	2
	White-----M--	779	5	6	4	7	4	18	16	83	94	87	57	60	52	44	32	51	41	43	22	32	19	1	-	-	1
	F--	239	4	2	3	3	5	5	10	24	23	9	14	15	15	16	14	12	18	15	15	10	4	-	2	-	1
	Nonwhite--M--	75	-	-	-	1	-	2	-	5	7	9	9	8	4	5	6	7	1	4	2	1	3	1	-	-	-
	F--	26	1	1	-	2	3	3	1	1	-	4	2	1	2	2	2	1	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,920	82	29	24	12	10	47	55	71	49	59	42	64	85	80	79	97	102	118	142	212	206	136	91	18	10
	White-----M--	1,033	39	6	10	4	5	26	42	56	28	38	28	44	59	64	50	63	75	62	66	98	81	53	26	4	6
	F--	668	27	15	8	4	1	18	7	8	17	7	3	7	14	8	11	19	16	39	66	100	119	77	63	13	1
	Nonwhite--M--	141	7	7	3	2	1	3	4	6	4	11	8	12	8	6	13	7	3	11	9	5	4	5	-	-	2
	F--	78	9	1	3	2	3	-	2	1	-	3	3	1	4	2	5	8	8	6	1	9	2	1	2	1	1
E963, E970-E979	Suicide----------	445	-	-	-	-	-	-	-	7	6	22	27	25	36	45	48	48	52	35	44	25	18	5	1	1	-
	White-----M--	353	-	-	-	-	-	-	-	5	6	16	18	22	26	34	38	40	38	29	39	20	15	5	1	1	-
	F--	87	-	-	-	-	-	-	-	1	-	6	7	3	10	11	10	7	13	6	5	5	3	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	246	3	-	-	-	-	-	3	12	19	34	38	33	32	21	13	12	14	4	6	1	1	-	-	-	-
	White-----M--	77	2	-	-	-	-	-	2	3	2	9	11	12	8	6	7	2	7	3	2	-	1	-	-	-	-
	F--	21	1	-	-	-	-	-	-	-	1	3	2	1	2	2	3	3	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	125	-	-	-	-	-	-	-	9	12	20	21	15	19	11	2	7	5	1	2	1	-	-	-	-	-
	F--	23	-	-	-	-	-	-	1	-	4	2	4	5	3	2	1	-	-	-	1	-	-	-	-	-	-
E965, E990-E999	Operations of war-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA																										
	ALL CAUSES--------	6,005	451	46	24	16	19	31	33	61	79	81	104	118	177	207	267	411	597	746	721	695	593	356	138	26	8
	White-----M--	3,768	240	24	12	7	11	18	18	47	52	57	64	72	115	136	183	295	413	480	467	443	344	187	65	14	4
	F--	1,970	160	15	9	7	6	8	13	10	14	16	30	36	51	65	72	103	168	253	235	237	234	152	66	8	2
	Nonwhite--M--	138	27	3	-	1	2	2	2	3	6	5	5	7	7	2	5	5	9	9	9	8	9	8	3	-	1
	F--	129	24	4	3	1	-	3	-	1	7	3	5	3	4	4	7	8	7	4	10	7	6	9	4	4	1
001-019	Tuberculosis, all forms--------	77	3	1	-	-	-	-	-	1	3	3	3	6	2	6	11	9	9	8	4	4	2	2	-	-	-
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	1	2	-	3	7	9	6	7	3	2	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	1	1	1	2	3	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M--	11	1	1	-	-	-	-	-	-	-	1	-	2	1	-	-	-	1	1	-	1	1	1	-	-	-
	F--	15	2	-	-	-	-	-	-	1	3	1	1	1	-	1	1	-	2	-	1	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	64	1	-	-	-	-	-	-	1	2	2	2	4	1	6	10	7	9	7	4	4	2	2	-	-	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	1	2	-	3	6	7	6	6	3	2	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	1	-	-	-
	F--	12	-	-	-	-	-	-	-	1	2	1	1	1	-	1	1	-	2	-	1	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	13	2	1	-	-	-	-	-	-	1	1	1	2	1	-	1	2	-	1	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	19	1	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	3	2	3	-	3	2	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	-	2	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	4	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	9	-	1	-	1	-	1	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	1	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	11	3	-	-	-	-	-	-	1	-	1	1	-	-	2	-	-	1	1	1	-	-	-	-	-	-
	White-----M--	6	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
140-205	Malignant neoplasms, etc.*	790	2	1	2	2	1	1	6	3	2	3	8	16	18	37	39	77	131	139	120	92	52	29	6	2	1
	White----M	461	2	-	1	-	1	-	2	2	1	2	4	7	7	16	21	45	89	88	73	55	25	16	1	2	1
	F	312	-	1	1	2	-	1	4	1	1	1	4	8	10	18	17	31	41	51	43	36	26	11	4	-	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	3	1	-	1	1	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	1	1	-	-	-
140-148	Of buccal cavity and pharynx	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	1	3	-	-	-
	White----M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	1	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	289	-	-	-	-	-	-	1	-	1	1	-	5	8	10	13	21	49	47	51	43	26	10	3	-	-
	White----M	167	-	-	-	-	-	-	-	-	-	1	-	2	4	6	6	13	37	25	33	23	12	5	-	-	-
	F	116	-	-	-	-	-	-	1	-	1	-	-	2	3	4	7	8	12	22	17	19	14	4	2	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
160-164	Of respiratory system	98	-	-	-	-	-	-	-	-	-	1	1	-	2	4	7	13	21	24	11	8	4	2	-	-	-
	White----M	86	-	-	-	-	-	-	-	-	-	-	1	-	2	3	6	12	18	24	9	8	3	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	-	1	-	-	2	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
170	Of breast	42	-	-	-	-	-	-	-	-	-	-	-	2	1	4	4	8	7	3	9	2	2	-	-	-	-
	White----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	40	-	-	-	-	-	-	-	-	-	-	-	2	1	4	4	8	6	2	9	2	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	125	-	-	-	-	-	-	-	-	-	-	1	1	4	5	2	11	24	17	21	18	9	8	2	1	1
	White----M	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	9	4	11	14	4	8	-	1	1
	F	68	-	-	-	-	-	-	-	-	-	-	1	1	4	4	2	8	14	13	10	4	5	-	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	35	-	-	-	-	1	1	-	-	-	-	-	-	1	1	1	5	7	10	2	2	3	1	-	-	-
	White----M	27	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	3	7	9	2	1	2	1	-	-	-
	F	7	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	1	-	1	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	111	1	-	-	-	-	-	4	2	-	-	1	3	2	7	8	12	12	22	15	14	4	3	1	-	-
	White----M	68	1	-	-	-	-	-	2	1	-	-	-	3	1	3	6	9	8	14	10	7	2	-	1	-	-
	F	40	-	-	-	-	-	-	2	1	-	-	1	-	1	3	1	3	4	8	4	7	2	3	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	47	-	1	1	2	-	-	1	1	1	-	2	3	-	5	2	2	7	8	4	3	1	2	-	1	-
	White----M	25	-	-	-	-	-	-	-	1	1	-	1	1	-	3	2	1	5	5	2	1	-	1	-	1	-
	F	22	-	1	1	2	-	-	1	-	-	-	1	2	-	2	-	1	2	3	2	2	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	31	1	-	1	-	-	-	-	-	-	1	3	2	-	1	2	4	2	7	5	-	2	-	-	-	-
	White----M	22	1	-	1	-	-	-	-	-	-	1	2	1	-	-	1	3	2	5	4	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	2	-	-	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	15	-	-	-	-	-	-	-	1	-	1	-	-	2	3	-	1	-	-	3	-	4	-	-	-	-
	White----M	9	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	2	-	3	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	1	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	96	-	-	-	-	-	-	1	-	1	1	-	-	2	2	2	5	17	15	18	21	7	1	2	1	-
	White----M	43	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	5	5	9	10	4	1	1	1	-
	F	51	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	2	12	10	9	10	3	-	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
290-293	Anemias	15	-	1	-	-	-	-	1	-	-	-	-	-	1	-	1	1	1	1	3	-	2	2	1	-	-
	White----M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	2	2	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-
	Nonwhite--M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	9	4	1	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White----M	4	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,951	1	-	1	1	1	2	5	5	3	8	10	36	67	75	130	220	316	423	440	446	410	240	90	17	4
	White----M	1,889	1	-	-	1	1	1	2	4	1	6	3	22	48	56	91	165	220	263	285	290	242	134	42	9	2
	F	992	-	-	-	-	-	1	2	-	2	1	5	12	16	19	35	51	88	156	146	148	160	98	44	6	2
	Nonwhite--M	38	-	-	-	-	-	-	1	1	-	1	-	1	1	-	1	1	6	4	4	4	6	5	2	-	-
	F	32	-	-	1	-	-	-	-	-	-	-	2	1	2	-	3	3	2	-	5	4	2	3	2	2	-
330-334, 400-468	Diseases of cardiovascular system	2,854	1	-	1	-	1	2	4	4	3	5	8	32	64	73	124	214	301	417	426	435	398	233	88	16	4
	White----M	1,827	1	-	-	-	1	1	2	3	1	3	2	20	46	54	87	161	211	262	275	284	233	129	40	9	2
	F	959	-	-	-	-	-	1	1	-	2	1	5	10	15	19	34	49	82	151	142	143	157	96	44	5	2
	Nonwhite--M	38	-	-	-	-	-	-	1	1	-	1	-	1	1	-	1	1	6	4	4	4	6	5	2	-	-
	F	30	-	-	1	-	-	-	-	-	-	-	1	1	2	-	2	3	2	-	5	4	2	3	2	2	-
330-334	Vascular lesions, etc.*	652	-	-	-	-	1	-	-	-	2	1	1	4	12	7	21	39	56	96	114	111	102	68	13	2	2
	White----M	383	-	-	-	-	1	-	-	-	1	1	-	2	4	3	10	21	33	61	67	65	65	41	5	2	1
	F	257	-	-	-	-	-	-	-	-	1	-	-	2	6	4	10	16	23	35	44	44	37	26	8	-	1
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	1	-	-	-
400-402	Rheumatic fever	6	-	-	-	-	-	-	3	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White----M	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
410-443	Diseases of heart	1,995	1	-	-	-	-	2	-	4	1	3	5	25	47	64	101	172	231	304	286	285	250	141	63	8	2
	White-----M--	1,326	1	-	-	-	-	1	-	3	-	1	2	16	39	51	76	137	189	190	194	194	141	78	29	3	1
	F--	621	-	-	-	-	-	1	-	-	1	1	3	7	7	13	23	33	55	110	87	88	101	57	30	3	1
	Nonwhite--M--	29	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	6	4	1	1	6	4	2	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	4	2	2	2	2	2	-
410-416	Chronic rheumatic heart disease----	70	-	-	-	-	-	-	-	2	1	1	1	7	3	7	11	7	9	9	4	4	3	-	1	-	-
	White-----M--	38	-	-	-	-	-	-	-	2	-	-	-	3	2	4	5	4	6	5	1	3	2	-	1	-	-
	F--	31	-	-	-	-	-	-	-	-	1	1	1	4	1	3	5	3	3	4	3	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,159	-	-	-	-	-	-	-	1	-	1	2	12	30	40	64	127	148	188	166	152	138	62	25	3	-
	White-----M--	851	-	-	-	-	-	-	-	1	-	1	1	9	28	36	53	110	118	124	117	119	90	35	8	1	-
	F--	287	-	-	-	-	-	-	-	-	-	-	1	2	2	4	10	17	27	61	46	32	45	24	15	1	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	3	2	1	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	3	-	-	1	1	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	371	-	-	-	-	-	-	-	-	-	-	1	-	2	3	14	15	29	51	51	71	58	52	18	4	2
	White-----M--	215	-	-	-	-	-	-	-	-	-	-	-	-	-	3	9	8	20	27	34	42	29	30	10	2	1
	F--	146	-	-	-	-	-	-	-	-	-	-	1	-	2	-	5	5	8	23	16	28	27	21	8	1	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	1	-
430-434	Other diseases of heart---------	174	1	-	-	-	-	2	-	-	-	1	-	5	9	9	9	11	21	25	24	22	19	9	6	1	-
	White-----M--	122	1	-	-	-	-	1	-	-	-	-	-	3	9	7	7	10	14	19	22	14	7	6	2	-	-
	F--	48	-	-	-	-	-	1	-	-	-	-	-	1	-	2	2	1	7	6	2	8	11	3	3	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
440-443	Hypertension with heart dis.--	221	-	-	-	-	-	-	-	1	-	-	1	1	3	5	3	12	24	31	41	36	32	18	13	-	-
	White-----M--	100	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	5	11	15	20	16	13	7	8	-	-
	F--	109	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	7	10	16	20	19	17	9	4	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	3	-	-	-	1	2	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-
444-447	Hypertension without mention of heart----------	32	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	4	7	5	5	2	2	3	1	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	4	1	3	2	-	1	1	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	2	-	2	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	132	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	4	16	28	43	21	9	5	-
	White-----M--	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	11	18	25	10	5	3	-
	F--	50	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	4	7	18	10	4	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	37	-	-	1	-	-	-	1	-	-	1	1	2	3	1	2	2	4	6	5	6	1	1	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	2	4	5	2	4	-	-	-	-	-
	F--	14	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	-	-	1	3	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	97	-	-	-	1	-	-	1	1	-	3	2	4	3	2	6	6	15	6	14	11	12	7	2	1	-
	White-----M--	62	-	-	-	1	-	-	-	1	-	3	1	2	2	2	4	4	9	1	10	6	9	5	2	-	-
	F--	33	-	-	-	-	-	-	1	-	-	-	-	2	1	-	1	2	6	5	4	5	3	2	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
460-493	Influenza and pneumonia, etc.*-	178	33	5	2	-	3	2	-	1	-	-	3	1	8	5	5	7	9	17	11	14	22	22	7	1	-
	White-----M--	84	11	4	1	-	1	1	-	-	-	-	-	-	4	3	4	5	5	8	7	7	14	8	1	-	-
	F--	67	9	1	-	-	2	1	-	1	-	-	2	-	3	2	1	2	3	6	3	6	6	12	6	1	-
	Nonwhite--M--	17	10	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	2	-	-	1	-	-	-	-
	F--	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-
480-483	Influenza---------	23	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	3	1	5	6	1	1	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	3	1	4	1	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
490-493	Pneumonia, etc.*--	155	31	5	2	-	3	2	-	1	-	-	3	1	7	5	4	7	8	16	8	13	17	16	6	-	-
	White-----M--	72	11	4	1	-	1	1	-	-	-	-	-	-	3	3	3	5	4	8	4	6	10	7	1	-	-
	F--	59	8	1	-	-	2	1	-	1	-	-	2	-	3	2	1	2	3	6	3	6	5	8	5	-	-
	Nonwhite--M--	15	9	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	-	1	-	-	-	-
	F--	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-
500-502	Bronchitis--------	10	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	-	-
	White-----M--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-
	F--	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	41	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	6	8	4	5	9	1	1	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	6	7	4	4	7	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	14	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	4	1	1	1	3	1	-	-	-
	White-----M--	11	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	1	1	2	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	43	6	-	-	-	-	-	1	-	-	-	-	1	2	3	1	3	1	8	7	3	4	3	-	-	-
	White-----M--	16	1	-	-	-	-	-	1	-	-	-	-	1	-	-	1	2	1	3	2	1	1	2	-	-	-
	F--	26	5	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	-	4	5	2	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
543,	Gastritis, etc.*--	25	13	-	1	-	-	-	-	-	1	-	-	-	1	2	-	-	1	3	2	1	-	-	-	-	-
571,	White-----M--	11	3	-	1	-	-	-	-	-	1	-	-	-	1	2	-	-	1	1	1	-	-	-	-	-	-
572	F--	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	40	-	-	-	-	-	-	-	-	-	-	1	2	5	4	3	3	4	5	7	3	2	-	1	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	2	1	3	7	1	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	3	2	-	2	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	12	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	1	2	-	1	-	1	2	-	-	-
	White-----M--	9	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	2	-	1	-	1	1	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	6	6	1	4	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	6	6	1	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	8	...	...	...	...	...	...	-	-	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	...	...	...	...	...	...	-	-	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	8	...	...	...	...	...	...	-	-	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	7	...	...	...	...	...	...	-	-	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	88	72	3	2	1	-	1	1	-	1	-	-	1	-	3	-	-	1	-	1	1	-	-	-	-	-
	White-----M--	52	42	2	1	-	-	1	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-
	F--	35	29	1	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	269	269	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn---------	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	149	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	228	12	2	1	-	1	-	-	-	1	1	3	4	2	7	12	12	16	22	26	29	35	24	13	3	2
795	White-----M--	149	4	-	1	-	-	-	-	-	1	1	1	4	1	6	11	10	12	20	20	18	22	11	5	1	-
	F--	55	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	2	6	10	10	10	7	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	1	-	-	1
	F--	17	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	-	1	2	2	1	2	1
Re-	All other diseases	329	15	6	4	3	6	5	1	7	2	3	17	10	10	10	21	18	30	51	39	32	16	13	8	2	-
sid-	White-----M--	198	8	3	2	2	2	2	1	7	-	1	7	6	6	5	14	13	19	34	24	22	7	6	6	1	-
ual	F--	114	5	2	2	1	3	2	-	-	1	2	9	4	2	5	6	3	11	15	14	9	9	7	1	1	-
	Nonwhite--M--	7	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	2	-	1	-	-	-	-	-
	F--	10	2	1	-	-	-	1	-	-	1	-	-	-	-	-	1	2	-	-	1	-	-	-	1	-	-
E800-	Accidents---------	585	15	21	9	6	5	16	15	41	54	44	46	28	39	38	29	33	30	34	16	27	22	11	5	-	1
E962	White-----M--	437	11	13	5	2	4	9	11	32	41	35	39	23	32	31	22	24	25	29	10	20	11	3	4	-	1
	F--	112	3	6	3	2	-	3	3	7	7	6	5	2	6	6	4	7	5	5	6	7	11	7	1	-	-
	Nonwhite--M--	22	1	1	-	1	1	2	1	2	5	1	1	2	-	-	2	2	-	-	-	-	-	-	-	-	-
	F--	14	-	1	1	1	-	2	-	-	1	2	1	1	1	1	1	-	-	-	-	-	-	1	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	241	1	7	3	1	1	5	4	29	38	24	18	18	15	14	9	15	16	11	5	7	-	-	-	-	-
	White-----M--	176	1	5	1	-	1	3	3	22	27	16	13	14	11	12	5	9	13	10	3	7	-	-	-	-	-
	F--	48	-	2	2	1	-	1	1	7	5	5	4	1	4	2	2	5	3	1	2	-	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	5	1	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	1	-	-	1	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	344	14	14	6	5	4	11	11	12	16	20	28	10	24	24	20	18	14	23	11	20	22	11	5	-	1
E802,	White-----M--	261	10	8	4	2	3	6	8	10	14	19	26	9	21	19	17	15	12	19	7	13	11	3	4	-	1
E840-	F--	64	3	4	1	1	-	2	2	-	2	1	1	1	2	4	2	2	2	4	4	7	11	7	1	-	-
E962	Nonwhite--M--	12	1	1	-	1	1	2	1	2	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	7	-	1	1	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
E963,	Suicide----------	87	-	-	-	-	-	-	-	-	5	6	6	8	11	5	6	10	10	9	5	4	1	1	-	-	-
E970-	White-----M--	64	-	-	-	-	-	-	-	-	4	5	5	4	7	3	4	6	10	8	5	2	1	-	-	-	-
E979	F--	20	-	-	-	-	-	-	-	-	1	-	1	4	3	2	2	3	-	1	-	2	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	18	-	-	-	1	-	-	-	-	2	2	4	-	4	1	-	1	2	-	1	-	-	-	-	-	-
E980-	White-----M--	11	-	-	-	-	-	-	-	-	1	1	2	-	3	1	-	-	2	-	1	-	-	-	-	-	-
E985	F--	4	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA																										
	ALL CAUSES--------	13,093	794	52	40	23	27	81	50	101	121	138	138	190	260	367	569	773	1,145	1,493	1,652	1,868	1,584	1,057	460	94	16
	White-----M--	7,328	448	32	20	13	16	40	33	66	73	86	69	111	139	223	360	488	712	946	944	995	796	477	198	35	8
	F--	5,428	296	20	18	8	11	36	16	31	43	42	61	71	102	130	190	258	404	499	681	849	771	567	259	58	7
	Nonwhite--M--	193	28	-	1	1	-	3	-	3	2	4	5	4	14	8	12	16	16	25	15	16	12	6	1	-	1
	F--	144	22	-	1	1	-	2	1	1	3	6	3	4	5	6	7	11	13	23	12	8	5	7	2	1	-
001-019	Tuberculosis, all forms--------	79	1	-	-	1	-	1	-	3	2	3	2	1	9	7	9	11	4	7	8	7	1	1	1	-	-
	White-----M--	51	-	-	-	-	-	-	-	1	1	1	-	-	4	6	9	7	3	5	7	5	1	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	-	4	1	-	3	-	1	-	2	-	-	1	-	-
	Nonwhite--M--	7	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	1	-	1	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	72	1	-	-	1	-	1	-	3	2	2	2	1	7	6	9	10	2	7	8	7	1	1	1	-	-
	White-----M--	47	-	-	-	-	-	-	-	1	1	1	-	-	4	5	9	6	1	5	7	5	1	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	3	-	1	-	2	-	-	1	-	-
	Nonwhite--M--	7	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	7	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	2	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	38	1	-	-	-	-	-	-	-	-	-	1	-	-	4	6	1	10	4	6	4	1	-	-	-	-
	White-----M--	32	1	-	-	-	-	-	-	-	-	-	1	-	-	2	5	1	10	4	5	2	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms-------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	8	1	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	1	-	-	-
	White-----M--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	6	1	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	6	2	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	111	3	1	3	4	8	15	14	14	15	17	9	2	3	1	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	61	2	1	2	3	7	8	10	6	4	10	2	-	3	1	-	-	-	1	1	-	-	-	-	-	-
	F--	49	-	-	1	1	1	7	4	8	11	7	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	41	1	2	1	1	1	1	1	1	3	1	2	3	3	-	-	1	3	3	1	7	1	1	2	1	-
	White-----M--	23	1	1	-	-	-	-	1	1	1	1	1	3	1	-	-	1	1	3	1	3	1	1	-	1	-
	F--	18	-	1	1	1	1	1	-	-	2	-	1	-	2	-	-	-	2	-	-	4	-	-	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
140-205	Malignant neoplasms, etc.*	2,037	-	5	3	4	4	8	3	5	15	17	20	33	54	96	145	204	217	292	306	294	177	108	25	2	-
	White----M--	1,024	-	3	1	2	2	4	1	3	12	7	6	14	22	36	59	110	102	157	169	152	100	49	11	2	-
	F--	973	-	2	2	2	2	4	2	2	3	9	14	19	30	58	79	89	109	127	135	140	74	57	14	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	4	2	6	1	2	3	1	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	4	2	1	-	-	1	-	-	-
140-148	Of buccal cavity and pharynx	41	-	-	-	-	-	-	-	-	1	1	-	-	-	-	5	3	1	9	9	4	5	2	1	-	-
	White----M--	30	-	-	-	-	-	-	-	-	1	1	-	-	-	-	5	3	1	7	6	2	2	1	1	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	838	-	-	-	1	-	-	-	-	2	1	4	9	13	27	38	81	87	139	136	144	91	50	15	-	-
	White----M--	429	-	-	-	1	-	-	-	-	1	-	1	5	8	14	19	46	42	76	73	69	45	22	7	-	-
	F--	390	-	-	-	-	-	-	-	-	1	1	3	4	3	13	14	34	42	60	62	75	43	27	8	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	3	1	-	3	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	1	-	-	-
160-164	Of respiratory system	162	-	-	-	-	-	-	-	-	1	1	-	5	4	11	17	28	17	23	25	21	4	3	2	-	-
	White----M--	118	-	-	-	-	-	-	-	-	1	-	-	3	4	7	14	23	13	20	18	12	2	1	-	-	-
	F--	40	-	-	-	-	-	-	-	-	-	1	-	2	-	3	3	4	4	3	7	8	2	1	2	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	180	-	-	-	-	-	-	-	-	-	1	3	5	6	17	25	18	24	23	24	15	8	10	1	-	-
	White----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	177	-	-	-	-	-	-	-	-	-	1	3	5	6	17	25	18	24	22	23	14	8	10	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
171-179	Of genital organs	332	-	1	-	-	-	-	-	2	2	5	5	6	13	17	23	28	29	34	48	53	44	18	3	1	-
	White----M--	157	-	-	-	-	-	-	-	1	2	1	-	-	-	-	1	9	10	14	33	37	33	12	3	1	-
	F--	168	-	1	-	-	-	-	-	1	-	4	5	6	13	16	20	18	17	19	15	16	11	6	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	108	-	-	-	1	-	-	-	-	-	-	-	1	2	4	7	13	18	17	16	14	7	7	1	-	-
	White----M--	69	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	10	12	9	10	9	7	4	-	-	-
	F--	36	-	-	-	1	-	-	-	-	-	-	-	-	1	1	4	2	5	7	6	5	-	3	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	184	-	2	-	2	1	4	2	1	3	3	2	3	9	13	15	16	22	21	22	23	10	7	2	1	-
	White----M--	100	-	1	-	1	1	1	1	-	1	1	1	2	4	8	8	9	14	17	14	7	5	3	-	1	-
	F--	80	-	1	-	1	-	3	1	1	2	1	1	1	5	5	7	6	8	3	8	15	5	4	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia	99	-	1	3	-	3	3	1	2	4	1	4	-	2	2	9	8	8	11	19	5	7	6	-	-	-
	White----M--	62	-	1	1	-	1	2	-	2	4	1	2	-	2	1	5	4	4	8	10	3	6	5	-	-	-
	F--	36	-	-	2	-	2	1	1	-	-	-	2	-	-	1	4	4	4	3	8	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	93	-	1	-	-	-	1	-	-	2	4	2	4	5	5	6	9	11	15	7	15	1	5	-	-	-
	White----M--	57	-	1	-	-	-	1	-	-	2	3	2	3	3	3	4	6	6	6	4	12	-	1	-	-	-
	F--	35	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	3	5	8	3	3	1	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	45	1	-	-	-	1	1	1	-	3	1	3	1	3	5	2	3	7	4	-	6	-	2	1	-	-
	White----M--	17	1	-	-	-	-	1	1	-	3	-	1	-	-	1	1	1	2	1	-	3	-	1	-	-	-
	F--	25	-	-	-	-	1	-	-	-	-	1	2	1	2	4	1	1	4	3	-	3	-	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	265	1	-	1	-	-	-	1	1	1	4	2	5	4	8	7	18	33	42	51	50	22	10	3	1	-
	White----M--	116	-	-	1	-	-	-	-	1	1	2	1	3	2	6	4	2	16	13	17	23	13	7	3	1	-
	F--	143	1	-	-	-	-	-	1	-	-	2	1	2	1	2	3	15	17	26	34	26	9	3	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
290-293	Anemias	45	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	3	4	11	8	8	5	1	1	-
	White----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	1	6	3	1	-	-
	F--	27	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	2	3	8	7	2	2	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	11	6	-	1	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	White----M--	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	7,130	-	1	1	-	1	7	6	7	9	17	25	42	86	139	266	390	676	894	1,019	1,242	1,145	756	328	62	11
	White----M--	3,992	-	-	-	-	-	1	3	3	6	10	13	26	47	95	191	267	441	584	586	661	552	340	139	24	3
	F--	2,988	-	1	1	-	1	6	2	4	3	6	10	14	32	37	67	106	217	282	414	566	580	408	186	38	7
	Nonwhite--M--	79	-	-	-	-	-	-	-	-	-	-	1	-	5	5	6	9	10	12	10	8	8	3	1	-	1
	F--	71	-	-	-	-	-	-	1	-	-	1	1	2	2	2	2	8	8	16	9	7	5	5	2	-	-
330-334, 400-468	Diseases of cardiovascular system	6,968	-	1	1	-	1	6	4	7	8	16	24	41	79	132	259	379	660	872	1,004	1,213	1,125	741	324	61	10
	White----M--	3,914	-	-	-	-	-	1	1	3	6	10	13	25	47	90	188	261	435	574	579	647	541	331	136	23	3
	F--	2,915	-	1	1	-	1	5	2	4	2	5	9	14	28	35	64	102	207	274	406	551	572	402	185	38	7
	Nonwhite--M--	74	-	-	-	-	-	-	-	-	-	-	1	-	4	5	6	9	10	10	10	8	7	3	1	-	-
	F--	65	-	-	-	-	-	-	1	-	-	1	1	2	-	2	1	7	8	14	9	7	5	5	2	-	-
330-334	Vascular lesions, etc.*	1,645	-	1	1	-	-	-	1	2	-	1	3	2	17	12	44	71	138	188	233	316	306	208	81	19	1
	White----M--	791	-	-	-	-	-	-	1	1	-	1	1	-	5	4	21	32	70	112	121	143	148	90	32	9	-
	F--	817	-	1	1	-	-	-	-	1	-	-	2	2	11	6	20	35	62	72	107	167	155	115	49	10	1
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	2	3	2	1	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	4	3	3	1	2	-	-	-
400-402	Rheumatic fever	17	-	-	-	-	1	3	2	1	2	2	-	-	2	-	1	-	-	1	1	-	1	-	-	-	-
	White----M--	9	-	-	-	-	-	-	-	-	2	2	-	-	1	-	1	-	-	1	1	-	1	-	-	-	-
	F--	7	-	-	-	-	1	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
410-443	Diseases of heart	4,821	-	-	-	-	-	3	-	4	4	12	18	34	59	116	207	289	499	649	717	806	716	455	195	30	8
	White-----M--	2,870	-	-	-	-	-	1	-	2	3	6	10	24	41	83	161	218	349	439	432	454	337	206	90	11	3
	F--	1,861	-	-	-	-	-	2	-	2	1	5	6	9	15	28	42	63	138	191	272	345	372	244	102	19	5
	Nonwhite--M--	53	-	-	-	-	-	-	-	-	-	-	1	-	3	4	4	6	8	9	8	4	3	2	1	-	-
	F--	37	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	2	4	10	5	3	4	3	2	-	-
410-416	Chronic rheumatic heart disease----	175	-	-	-	-	-	1	-	4	2	3	6	5	8	13	17	16	23	18	17	21	12	7	1	-	1
	White-----M--	91	-	-	-	-	-	-	-	2	1	1	2	3	3	5	9	11	15	10	7	13	7	1	1	-	-
	F--	81	-	-	-	-	-	1	-	2	1	2	3	2	4	8	8	5	8	7	10	8	5	6	-	-	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,989	-	-	-	-	-	-	-	-	2	6	10	22	42	81	147	211	371	467	468	468	374	226	82	9	3
	White-----M--	1,938	-	-	-	-	-	-	-	-	2	3	7	17	33	67	127	172	275	332	294	274	188	107	35	4	1
	F--	1,003	-	-	-	-	-	-	-	-	-	2	2	5	7	11	17	36	89	128	164	189	183	117	46	5	2
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	6	1	6	2	1	1	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	6	4	3	2	1	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	811	-	-	-	-	-	1	-	-	-	-	-	3	3	8	11	13	31	71	100	162	188	138	65	15	2
	White-----M--	425	-	-	-	-	-	-	-	-	-	-	-	-	2	3	8	10	19	46	63	93	79	66	31	4	1
	F--	372	-	-	-	-	-	1	-	-	-	-	-	2	1	4	3	3	11	22	35	67	106	71	34	11	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	2	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	1	1	-	-	-
430-434	Other diseases of heart---------	270	-	-	-	-	-	1	-	-	-	2	1	2	3	6	19	23	26	30	34	46	39	22	15	-	1
	White-----M--	167	-	-	-	-	-	1	-	-	-	1	1	2	2	4	14	16	20	21	22	31	19	6	6	-	1
	F--	95	-	-	-	-	-	-	-	-	-	1	-	-	1	2	5	6	5	7	11	15	20	15	7	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
440-443	Hypertension with heart dis.--	576	-	-	-	-	-	-	-	-	-	1	1	2	3	8	13	26	48	63	98	109	103	62	32	6	1
	White-----M--	249	-	-	-	-	-	-	-	-	-	1	-	2	1	4	3	9	20	30	46	43	44	26	17	3	-
	F--	310	-	-	-	-	-	-	-	-	-	-	1	-	2	3	9	13	25	27	52	66	58	35	15	3	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	5	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	1	-	-	-
444-447	Hypertension without mention of heart----------	90	-	-	-	-	-	-	-	-	1	-	2	2	-	1	-	9	7	10	11	16	18	7	6	-	-
	White-----M--	41	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	6	5	5	1	8	9	3	-	-	-
	F--	45	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	4	10	8	7	4	6	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	314	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	6	12	23	63	80	68	42	12	1
	White-----M--	154	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	2	9	14	33	43	31	14	3	-
	F--	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	9	28	37	37	28	9	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	81	-	-	-	-	-	-	1	-	1	1	1	3	1	-	6	7	10	12	19	12	4	3	-	-	-
	White-----M--	49	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	4	9	8	10	9	3	1	-	-	-
	F--	29	-	-	-	-	-	-	1	-	1	-	1	2	1	-	2	2	1	4	8	3	1	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	162	-	-	-	-	-	1	2	-	1	1	1	1	7	7	7	11	16	22	15	29	20	15	4	1	1
	White-----M--	78	-	-	-	-	-	-	2	-	-	-	-	1	-	5	3	6	6	10	7	14	11	9	3	1	-
	F--	73	-	-	-	-	-	1	-	-	1	1	1	-	4	2	3	4	10	8	8	15	8	6	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	1
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	2	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	380	56	5	5	3	5	3	1	3	5	4	2	4	2	11	12	10	14	27	25	46	59	49	22	7	-
	White-----M--	182	30	4	1	2	1	1	1	2	2	-	1	3	-	9	5	7	9	18	9	24	28	14	9	2	-
	F--	180	20	1	2	-	4	2	-	1	3	4	1	1	2	2	5	3	5	6	16	20	30	34	13	5	-
	Nonwhite--M--	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	-	-	-
	F--	11	5	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-
480-483	Influenza---------	70	4	-	1	1	-	-	1	-	-	1	-	1	-	1	4	-	4	6	6	17	5	14	2	2	-
	White-----M--	28	2	-	-	1	-	-	1	-	-	-	-	1	-	-	2	-	2	5	2	8	2	2	-	-	-
	F--	39	2	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	1	4	9	3	11	2	2	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
490-493	Pneumonia, etc.*--	310	52	5	4	2	5	3	-	3	5	3	2	3	2	10	8	10	10	21	19	29	54	35	20	5	-
	White-----M--	154	28	4	1	1	1	1	-	2	2	-	1	2	-	9	3	7	7	13	7	16	26	12	9	2	-
	F--	141	18	1	2	-	4	2	-	1	3	3	1	1	2	1	4	3	3	5	12	11	27	23	11	3	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	-	-	-
	F--	9	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
500-502	Bronchitis--------	21	4	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	3	2	3	2	-	-	-
	White-----M--	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	1	1	-	-	-
	F--	10	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	68	1	-	-	-	-	-	-	-	-	1	1	2	2	2	4	7	12	11	13	6	3	3	-	-	-
	White-----M--	59	1	-	-	-	-	-	-	-	-	1	1	2	2	1	4	7	10	11	12	5	-	2	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
550-553	Appendicitis------	38	1	-	-	-	-	3	2	-	2	2	-	1	1	2	1	2	2	7	3	6	2	-	1	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	2	2	-	1	1	1	1	2	2	5	1	5	2	-	1	-	-
	F--	11	1	-	-	-	-	2	2	-	-	-	-	-	-	1	-	-	-	2	2	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	86	6	-	2	-	-	-	-	-	-	1	-	1	1	1	5	5	7	7	13	12	9	11	4	1	-
	White-----M--	46	4	-	1	-	-	-	-	-	-	1	-	-	1	1	4	2	4	5	9	5	2	6	1	-	-
	F--	38	1	-	1	-	-	-	-	-	-	-	-	1	-	-	1	3	3	2	4	6	7	5	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
543, 571, 572	Gastritis, etc.*--	58	15	2	2	-	-	-	-	1	-	1	2	1	1	3	2	2	7	2	4	2	3	5	3	-	-
	White-----M--	31	10	1	1	-	-	-	-	1	-	1	2	-	-	1	1	1	6	1	2	1	1	-	1	-	-
	F--	26	5	1	1	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	2	1	2	5	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	88	-	-	-	-	-	-	-	-	-	1	4	5	7	3	9	9	11	16	10	5	4	2	2	-	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	-	2	3	5	3	8	7	10	14	8	4	2	2	2	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	1	1	1	2	1	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	21	1	1	-	-	-	2	-	-	-	-	-	-	1	-	-	2	1	1	5	3	3	-	1	-	-
	White-----M--	11	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	3	1	2	-	1	-	-
	F--	10	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	2	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate--------	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	10	12	18	23	12	5	-	-
	White-----M--	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	9	11	18	23	12	5	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	15	...	...	...	...	...	...	-	1	1	3	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	...	...	...	...	...	...	-	1	-	2	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	14	...	...	...	...	...	...	-	1	1	3	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	...	...	...	...	...	...	-	1	-	2	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	163	120	8	1	5	1	2	1	3	2	2	4	-	2	3	1	1	1	1	1	3	1	-	-	-	-
	White-----M--	86	66	2	1	2	-	1	1	3	1	2	1	-	-	1	1	-	-	-	1	2	1	-	-	-	-
	F--	68	47	6	-	3	1	-	-	-	1	-	3	-	2	1	-	1	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	507	507	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	290	290	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	192	192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	209	209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	121	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	272	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	94	4	-	-	-	-	-	-	-	-	1	-	1	-	2	2	8	5	5	10	16	11	7	17	3	2
	White-----M--	50	2	-	-	-	-	-	-	-	-	1	-	1	-	1	2	5	4	4	8	6	5	3	6	-	2
	F--	41	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	2	8	6	3	11	3	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	638	22	9	7	1	1	13	1	8	5	11	11	19	24	22	38	43	67	74	88	75	49	33	11	6	-
	White-----M--	343	16	4	4	1	1	8	1	4	1	4	3	10	14	11	22	19	36	44	51	39	27	16	5	2	-
	F--	282	5	5	3	-	-	4	-	4	4	7	7	9	9	11	16	24	29	28	35	35	22	16	6	3	-
	Nonwhite--M--	8	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	1	-
E800-E962	Accidents----------	833	35	14	12	3	5	22	17	52	46	44	34	46	42	44	38	37	45	64	50	40	53	47	31	10	2
	White-----M--	560	18	13	8	2	5	14	12	41	33	39	28	34	30	35	25	31	35	50	29	21	24	17	11	3	2
	F--	252	14	1	4	1	-	7	5	10	11	4	4	10	11	6	11	6	9	13	20	19	29	30	20	7	-
	Nonwhite--M--	15	1	-	-	-	-	-	-	1	1	1	2	2	1	2	2	-	1	-	1	-	-	-	-	-	-
	F--	6	2	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents--------	313	4	4	2	1	1	11	7	24	33	29	16	25	21	17	21	16	15	24	21	14	3	3	-	-	1
	White-----M--	225	2	4	2	1	1	7	5	17	22	24	12	15	13	12	13	15	11	19	15	9	3	2	-	-	1
	F--	76	2	-	-	-	-	3	2	7	9	4	3	8	7	3	7	1	4	5	5	5	-	1	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	1	1	1	2	1	1	1	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	520	31	10	10	2	4	11	10	28	13	15	18	21	21	27	17	21	30	40	29	26	50	44	31	10	1
	White-----M--	335	16	9	6	1	4	7	7	24	11	15	16	19	17	23	12	16	24	31	14	12	21	15	11	3	1
	F--	176	12	1	4	1	-	4	3	3	2	-	1	2	4	3	4	5	5	8	15	14	29	29	20	7	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E963, E970-E979	Suicide----------	150	-	-	-	-	-	-	-	2	8	3	7	13	9	12	17	15	15	14	10	15	5	2	2	-	1
	White-----M--	120	-	-	-	-	-	-	-	-	4	2	5	9	5	11	14	13	15	12	9	12	4	2	2	-	1
	F--	24	-	-	-	-	-	-	-	1	3	-	1	4	2	1	3	2	-	2	1	3	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	22	-	-	-	-	-	-	-	-	3	4	3	4	2	-	2	1	1	1	-	1	-	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	2	2	1	2	1	-	2	-	1	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA																										
	ALL CAUSES--------	1,702	155	10	4	4	4	7	2	21	26	44	27	56	65	97	113	154	159	187	203	149	113	68	20	2	12
	White-----M--	1,079	66	7	1	2	3	2	1	14	14	23	16	31	41	73	67	106	109	136	144	103	62	40	9	-	9
	F--	491	59	3	1	2	1	2	1	4	6	12	6	18	18	20	38	41	36	42	55	45	44	26	9	1	1
	Nonwhite--M--	73	16	-	1	-	-	1	-	1	5	4	3	5	3	3	5	3	8	7	1	1	3	1	-	-	2
	F--	59	14	-	1	-	-	2	-	2	1	5	2	2	3	1	3	4	6	2	3	-	4	1	2	1	-
001-019	Tuberculosis, all forms--------	28	1	-	-	-	-	-	-	2	-	2	-	1	2	4	3	4	3	2	2	1	1	-	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	1	-	-	-	1	1	4	2	3	2	1	2	-	1	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	25	-	-	-	-	-	-	-	2	-	2	-	1	2	4	3	4	2	2	2	-	1	-	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	1	-	-	-	1	1	4	2	3	2	1	2	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	1	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	6	-	-	-	1	-	-	-	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	5	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
140-205	Malignant neoplasms, etc.*----	207	-	1	-	1	1	-	-	1	-	2	1	3	8	15	16	30	30	33	33	12	12	6	2	-	-
	White-----M--	127	-	1	-	1	-	-	-	1	-	1	-	-	3	9	11	19	20	17	21	10	8	3	2	-	-
	F--	69	-	-	-	-	1	-	-	-	-	1	1	3	3	5	5	9	9	13	10	2	4	3	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	1	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	74	-	-	-	1	-	-	-	-	-	-	-	-	2	8	4	11	8	11	16	5	5	3	-	-	-
	White-----M--	47	-	-	-	1	-	-	-	-	-	-	-	-	-	6	4	6	4	4	12	5	3	2	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	4	5	4	-	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	31	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	8	6	7	2	-	2	1	1	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	7	5	6	-	-	2	1	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
170	Of breast---------	11	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	1	1	2	1	-	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	1	2	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	27	-	-	-	-	-	-	-	-	-	1	-	-	1	2	5	1	3	7	4	1	2	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	3	3	1	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	1	3	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
180, 181	Of urinary organs-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	4	1	-	-	1	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	3	-	-	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	34	-	-	-	-	-	-	-	1	-	1	-	-	3	2	3	5	5	5	4	2	3	-	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	4	4	3	2	2	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	4	1	1	1	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	10	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	1	4	-	-	1	-	-	-	-	-
	White-----M--	8	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	7	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	6	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	5	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	6	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	770	3	-	-	-	-	-	1	1	3	2	5	12	23	39	37	83	82	112	124	107	77	45	9	1	4
	White-----M--	512	1	-	-	-	-	-	-	-	3	-	3	9	11	30	20	59	54	86	92	71	40	27	4	-	2
	F--	229	2	-	-	-	-	-	1	1	-	2	1	1	11	8	14	22	21	23	32	35	32	17	4	1	1
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	4	3	-	1	3	-	-	-	1
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	-	-	-	2	1	1	-	-
330-334, 400-468	Diseases of cardiovascular system-	751	3	-	-	-	-	-	1	1	3	1	5	11	22	38	35	82	80	111	122	102	75	45	9	1	4
	White-----M--	501	1	-	-	-	-	-	-	-	3	-	3	8	10	29	19	59	53	86	91	67	39	27	4	-	2
	F--	222	2	-	-	-	-	-	1	1	-	1	1	1	11	8	14	21	20	22	31	34	31	17	4	1	1
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	4	3	-	1	3	-	-	-	1
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	-	-	-	2	1	1	-	-
330-334	Vascular lesions, etc.*----------	158	-	-	-	-	-	-	1	-	-	1	1	2	1	5	3	12	19	14	35	25	23	11	4	-	1
	White-----M--	83	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	8	10	8	22	16	9	5	2	-	-
	F--	68	-	-	-	-	-	-	1	-	-	1	-	-	1	2	2	4	7	6	13	9	14	6	1	-	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-
400-402	Rheumatic fever---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
410-443	Diseases of heart	552	3	-	-	-	-	-	-	-	3	-	4	9	21	33	31	68	58	94	81	71	42	27	3	1	3
	White-----M	389	1	-	-	-	-	-	-	-	3	-	3	7	10	27	18	51	41	75	64	45	23	18	1	-	2
	F	145	2	-	-	-	-	-	-	-	-	-	1	1	10	6	12	15	12	16	17	25	16	9	2	1	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	3	-	1	2	-	-	-	1
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	1	-	-	-	-
410-416	Chronic rheumatic heart disease	27	-	-	-	-	-	-	-	-	1	-	1	-	3	5	5	5	1	4	-	2	-	-	-	-	-
	White-----M	12	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	3	-	4	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	2	-	-	-	2	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	379	-	-	-	-	-	-	-	-	1	-	2	8	15	24	22	52	41	65	64	38	25	19	1	-	2
	White-----M	288	-	-	-	-	-	-	-	-	1	-	2	6	9	22	16	43	28	54	51	28	15	12	-	-	1
	F	80	-	-	-	-	-	-	-	-	-	-	-	1	5	2	6	8	10	9	13	10	8	7	1	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	-	1	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	71	1	-	-	-	-	-	-	-	1	-	-	-	1	-	2	3	8	14	9	17	7	6	2	-	-
	White-----M	47	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	7	12	7	9	5	4	1	-	-
	F	23	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	2	8	2	2	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
430-434	Other diseases of heart	26	2	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	1	3	4	4	2	1	-	1	1
	White-----M	18	1	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	3	4	2	-	1	-	-	1
	F	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	49	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	5	7	8	4	10	8	1	-	-	-
	White-----M	24	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	6	2	2	6	3	1	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	1	5	2	4	5	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	9	6	1	-	-
	White-----M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	6	4	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
451-468	Other diseases of circulatory sys.	13	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	2	2	2	1	1	1	-	-
	White-----M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	-	1	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	19	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	1	2	1	2	5	2	-	-	-	-
	White-----M	11	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	1	4	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	43	8	1	-	-	-	-	-	-	2	1	-	2	1	3	3	-	2	6	6	1	1	3	1	-	2
	White-----M	24	2	-	-	-	-	-	-	-	2	1	-	2	1	2	3	-	1	4	2	1	-	1	1	-	1
	F	12	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	-	1	2	-	-	-
	Nonwhite--M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
480-483	Influenza	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	40	7	1	-	-	-	-	-	-	2	-	-	2	1	3	3	-	2	6	5	1	1	3	1	-	2
	White-----M	22	1	-	-	-	-	-	-	-	2	-	-	2	1	2	3	-	1	4	2	1	-	1	1	-	1
	F	11	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	1	2	-	-	-
	Nonwhite--M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
500-502	Bronchitis	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-
	White-----M	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	3	-	2	1	-	-	-	-	-
	White-----M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	-	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	9	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	1	2	-	1	-	-
	White-----M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
543, 571, 572	Gastritis, etc.*--	6	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	29	-	-	-	-	-	-	-	-	1	1	2	2	1	1	7	3	1	4	3	-	1	1	-	-	1
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	-	4	2	-	1	-	-	-	1
	F--	9	-	-	-	-	-	-	-	-	1	-	1	2	-	-	3	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	3	...	...	...	...	...	...	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	3	...	...	...	...	...	...	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	28	19	1	-	-	-	1	-	1	-	1	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-
	White-----M--	11	7	1	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	11	8	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn---------	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	46	2	-	-	-	-	2	-	-	-	-	-	-	-	-	4	2	3	2	5	4	10	7	4	-	1
	White-----M--	32	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	3	2	4	3	6	5	1	-	1
	F--	10	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Residual	All other diseases	99	5	-	1	-	-	1	-	1	1	1	2	6	9	4	9	10	13	10	12	6	4	3	1	-	-
	White-----M--	62	4	-	-	-	-	1	-	-	-	-	1	2	8	1	5	5	10	8	9	4	3	1	-	-	-
	F--	26	1	-	-	-	-	-	-	1	-	-	1	2	1	3	3	4	1	1	2	2	1	2	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-
	F--	6	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-
E800-E962	Accidents---------	189	9	2	1	2	2	2	1	13	11	22	11	19	12	18	14	10	4	12	8	6	2	3	1	1	3
	White-----M--	137	4	2	-	1	2	1	1	11	6	14	10	13	11	15	7	9	2	12	5	3	2	3	-	-	3
	F--	30	2	-	1	1	-	1	-	1	2	4	-	4	-	2	3	1	1	-	3	3	-	-	1	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	1	3	3	-	2	1	1	3	-	-	-	-	-	-	-	-	-	-
	F--	8	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-
E810-E835	Motor-vehicle accidents--------	84	1	-	1	1	-	1	-	6	7	14	6	9	5	11	5	5	2	6	3	-	-	1	-	-	-
	White-----M--	61	1	-	-	1	-	-	-	4	5	8	6	6	5	9	1	4	2	6	2	-	-	1	-	-	-
	F--	16	-	-	1	-	-	1	-	1	2	3	-	3	-	1	2	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	1	-	2	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	105	8	2	-	1	2	1	1	7	4	8	5	10	7	7	9	5	2	6	5	6	2	2	1	1	3
	White-----M--	76	3	2	-	-	2	1	1	7	1	6	4	7	6	6	6	5	-	6	3	3	2	2	-	-	3
	F--	14	2	-	-	1	-	-	-	-	-	1	-	1	-	1	1	-	1	-	2	3	-	-	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	3	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	7	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-
E963, E970-E979	Suicide----------	57	-	-	-	-	-	-	-	-	6	6	3	8	3	8	8	3	8	2	1	-	-	-	-	-	1
	White-----M--	40	-	-	-	-	-	-	-	-	3	5	1	4	3	7	5	3	6	2	-	-	-	-	-	-	1
	F--	13	-	-	-	-	-	-	-	-	2	1	1	3	-	1	3	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	13	-	-	-	-	-	-	-	-	-	1	2	1	2	2	2	1	1	-	-	-	1	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE																										
	ALL CAUSES--------	6,175	279	19	17	7	5	32	8	36	37	46	56	60	137	197	285	458	550	618	850	906	815	479	198	63	17
	White-----M--	3,483	162	9	11	1	4	19	5	24	23	33	35	35	88	135	180	284	344	384	481	481	417	214	89	16	9
	F--	2,685	116	10	6	6	1	13	3	12	14	13	21	25	49	59	105	174	206	234	366	425	398	265	109	47	8
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-019	Tuberculosis, all forms--------	47	-	-	-	-	-	-	-	-	-	-	4	1	3	1	4	6	9	9	3	3	4	-	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	5	7	9	2	1	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	2	-	1	2	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	44	-	-	-	-	-	-	-	-	-	-	4	1	3	1	4	5	9	9	3	2	3	-	-	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	4	7	9	2	-	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	2	-	1	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	24	-	-	-	-	-	-	-	1	-	-	-	-	1	1	4	4	3	7	-	2	1	-	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	3	5	-	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	5	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	4	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	7	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
140-205	Malignant neoplasms, etc.*	1,022	-	-	3	-	-	3	1	6	5	5	11	9	28	48	72	111	134	120	153	122	115	58	12	3	3
	White—M	548	-	-	1	-	-	1	1	5	5	4	6	3	11	21	31	58	68	75	84	67	66	32	7	1	1
	F	473	-	-	2	-	-	2	-	1	-	1	5	6	17	27	41	53	66	45	68	55	49	26	5	2	2
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	23	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	2	3	4	2	1	2	1	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	2	3	4	1	1	2	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	397	-	-	-	-	-	-	-	-	1	1	2	3	8	16	20	34	47	46	66	59	58	29	4	2	1
	White—M	217	-	-	-	-	-	-	-	-	1	1	1	1	5	7	9	22	22	29	38	31	31	15	2	1	1
	F	179	-	-	-	-	-	-	-	-	-	-	1	2	3	9	11	12	25	17	27	28	27	14	2	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system	103	-	-	1	-	-	-	-	1	-	1	1	-	2	7	11	19	22	17	14	3	2	2	-	-	-
	White—M	81	-	-	1	-	-	-	-	-	-	-	1	-	2	6	9	16	18	15	7	2	2	2	-	-	-
	F	22	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	3	4	2	7	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	76	-	-	-	-	-	-	-	-	-	-	1	1	3	9	12	15	9	2	7	9	5	3	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	75	-	-	-	-	-	-	-	-	-	-	1	1	3	9	12	15	9	1	7	9	5	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	186	-	-	-	-	-	-	-	-	2	2	2	2	8	4	12	18	22	20	33	25	23	7	5	-	1
	White—M	84	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	2	7	8	18	20	17	3	3	-	-
	F	102	-	-	-	-	-	-	-	-	-	-	2	2	8	4	10	16	15	12	15	5	6	4	2	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	60	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	7	13	6	11	10	3	-	-	-
	White—M	37	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	6	9	4	5	4	2	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	2	6	6	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	100	-	-	1	-	-	1	-	3	2	-	4	-	4	5	6	7	18	9	11	9	10	9	1	-	-
	White—M	56	-	-	-	-	-	-	-	3	2	-	3	-	2	2	3	6	8	3	5	5	6	7	1	-	-
	F	44	-	-	1	-	-	1	-	-	-	-	1	-	2	3	3	1	10	6	6	4	4	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	42	-	-	1	-	-	1	-	2	-	-	-	3	1	2	3	4	3	5	7	2	3	2	1	1	1
	White—M	23	-	-	-	-	-	-	-	2	-	-	-	2	1	1	2	1	1	3	4	2	3	-	1	-	-
	F	19	-	-	1	-	-	1	-	-	-	-	-	1	-	1	1	3	2	2	3	-	-	2	-	1	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	35	-	-	-	-	-	1	1	-	-	1	1	-	1	1	5	4	4	5	5	2	3	1	-	-	-
	White—M	28	-	-	-	-	-	1	1	-	-	1	1	-	1	1	4	2	4	4	4	1	2	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	17	1	-	1	-	-	-	-	-	-	1	-	1	1	-	-	2	4	1	2	1	1	-	1	-	-
	White—M	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	1	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	3	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	116	-	-	-	-	-	-	1	1	1	1	2	3	-	3	6	10	10	17	21	20	10	8	1	-	1
	White—M	53	-	-	-	-	-	-	-	1	-	-	-	2	-	2	3	4	3	8	10	9	4	5	1	-	1
	F	63	-	-	-	-	-	-	1	-	1	1	2	1	-	1	3	6	7	9	11	11	6	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	21	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	1	5	3	3	-	-	-
	White—M	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	1	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	3	1	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	3,572	3	2	-	2	-	2	-	1	3	3	7	18	52	95	155	237	307	358	548	629	584	360	148	49	9
	White—M	1,974	2	1	-	1	-	1	-	-	1	2	4	12	37	74	111	156	202	215	307	324	291	154	63	11	5
	F	1,594	1	1	-	1	-	1	-	1	2	1	3	6	15	19	44	81	105	143	239	305	293	206	85	38	4
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system	3,485	3	2	-	2	-	-	-	1	2	3	7	16	51	93	153	235	292	351	535	613	572	354	142	49	9
	White—M	1,923	2	1	-	1	-	-	-	-	1	2	4	10	36	73	110	156	190	210	302	316	284	150	59	11	5
	F	1,558	1	1	-	1	-	-	-	1	1	1	3	6	15	18	43	79	102	141	231	297	288	204	83	38	4
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334	Vascular lesions, etc.*	719	2	-	-	2	-	-	-	-	-	1	-	4	8	12	21	34	53	79	108	144	133	77	33	7	1
	White—M	338	1	-	-	1	-	-	-	-	-	1	-	1	6	7	12	16	29	38	57	70	64	23	11	-	1
	F	380	1	-	-	1	-	-	-	-	-	-	-	3	2	4	9	18	24	41	51	74	69	54	22	7	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
410-443	Diseases of heart	2,469	1	2	-	-	-	-	-	1	2	1	7	11	40	76	125	198	228	258	386	435	366	217	78	29	8
	White-----M--	1,443	1	1	-	-	-	-	-	-	1	1	4	8	29	62	94	137	152	164	223	228	189	104	34	7	4
	F--	1,023	-	1	-	-	-	-	-	1	1	-	3	3	11	13	31	61	76	94	161	207	177	113	44	22	4
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	63	-	-	-	-	-	-	-	-	1	1	2	3	5	5	6	7	6	7	5	5	6	4	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	1	1	1	2	3	1	3	2	3	1	2	2	1	-	-	-
	F--	40	-	-	-	-	-	-	-	-	1	-	1	2	3	2	5	4	4	4	4	3	4	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,744	-	-	-	-	-	-	-	-	-	-	4	6	29	53	90	151	173	196	274	300	262	139	47	14	6
	White-----M--	1,085	-	-	-	-	-	-	-	-	-	-	2	6	24	49	77	110	121	125	165	162	146	69	21	4	4
	F--	658	-	-	-	-	-	-	-	-	-	-	2	-	5	4	13	41	52	71	108	138	116	70	26	10	2
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	282	1	1	-	-	-	-	-	-	-	-	1	-	2	-	8	11	23	16	50	63	40	38	18	9	1
	White-----M--	160	1	-	-	-	-	-	-	-	-	-	1	-	1	-	5	9	18	14	31	35	19	18	7	1	-
	F--	122	-	1	-	-	-	-	-	-	-	-	-	-	1	-	3	2	5	2	19	28	21	20	11	8	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	58	-	1	-	-	-	-	-	1	1	-	-	1	1	6	8	3	3	6	7	6	4	5	4	1	-
	White-----M--	35	-	1	-	-	-	-	-	-	1	-	-	-	1	3	6	3	2	5	2	3	4	2	2	-	-
	F--	22	-	-	-	-	-	-	-	1	-	-	-	1	-	2	2	-	1	1	5	3	-	3	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	322	-	-	-	-	-	-	-	-	-	-	-	1	3	12	13	26	23	33	50	61	54	31	9	5	1
	White-----M--	140	-	-	-	-	-	-	-	-	-	-	-	1	1	7	5	12	9	17	24	26	18	14	4	2	-
	F--	181	-	-	-	-	-	-	-	-	-	-	-	-	2	5	8	14	14	16	25	35	36	17	5	3	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	49	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	4	4	10	8	7	8	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	2	5	2	2	3	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	5	6	5	5	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	25	19	60	48	30	13	-
	White-----M--	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	12	13	25	17	13	4	-
	F--	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	13	6	35	31	17	9	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	42	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	-	6	5	6	7	6	4	1	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	5	3	5	3	4	3	1	-	-
	F--	13	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	1	4	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	87	-	-	-	-	-	2	-	-	1	-	-	2	1	2	2	2	15	7	13	16	12	6	6	-	-
	White-----M--	51	-	-	-	-	-	1	-	-	-	-	-	2	1	1	1	-	12	5	5	8	7	4	4	-	-
	F--	36	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	2	3	2	8	8	5	2	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	151	22	3	2	1	-	4	-	2	5	-	-	1	2	4	3	2	10	13	13	22	17	12	9	3	1
	White-----M--	89	14	2	1	-	-	1	-	-	3	-	-	1	1	2	2	-	5	10	9	14	13	5	6	-	-
	F--	62	8	1	1	1	-	3	-	2	2	-	-	-	1	2	1	2	5	3	4	8	4	7	3	3	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	15	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	3	3	2	2	1	-	-
	White-----M--	9	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	2	-	1	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	-	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	136	21	3	2	1	-	4	-	1	5	-	-	1	1	4	3	1	10	13	10	19	15	10	8	3	1
	White-----M--	80	13	2	1	-	-	1	-	-	3	-	-	1	-	2	2	-	5	10	8	11	11	5	5	-	-
	F--	56	8	1	1	1	-	3	-	1	2	-	-	-	1	2	1	1	5	3	2	8	4	5	3	3	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	9	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	-	-
	White-----M--	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	52	-	-	-	-	-	-	-	-	-	-	1	1	5	1	4	5	11	6	8	4	4	-	1	-	1
	White-----M--	45	-	-	-	-	-	-	-	-	-	-	1	1	5	1	3	3	11	5	7	3	3	-	1	-	1
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	16	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	4	2	2	1	3	1	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	1	1	3	-	-	-	-	-
	F--	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	42	9	1	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	7	9	4	4	2	1	-	-
	White-----M--	22	7	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	3	4	1	2	1	1	-	-
	F--	20	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4	5	3	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
543,	Gastritis, etc.*--	30	6	1	1	-	-	-	-	-	-	1	-	-	-	1	1	2	3	-	1	5	5	3	-	-	-
571,	White-----M--	15	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	3	-	-	1	1	2	-	-	-
572	F--	15	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	4	4	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	65	-	-	-	-	-	-	-	-	-	-	-	4	5	9	4	8	6	11	10	4	3	1	-	-	-
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	-	3	2	8	2	4	5	10	3	2	-	1	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	4	1	1	7	2	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	7	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	1	-	1	-	1	-	-	-	-	-
	White-----M--	4	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	8	7	4	3	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	8	7	4	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	5	...	...	...	...	...	...	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	...	...	...	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	4	...	...	...	...	...	...	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	4	...	...	...	...	...	...	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	58	48	3	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	28	22	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	30	26	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	167	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	41	2	-	-	-	-	-	-	1	-	-	-	1	-	-	3	7	2	2	6	7	2	1	5	1	1
795	White-----M--	29	2	-	-	-	-	-	-	1	-	-	-	1	-	-	2	7	2	1	5	5	1	-	1	-	1
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	1	4	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	297	11	2	3	2	1	7	-	6	-	8	9	5	11	16	10	28	24	34	41	31	27	10	8	3	-
sid-	White-----M--	174	7	-	2	-	1	6	-	3	-	5	4	1	5	12	6	15	15	21	24	19	17	6	3	2	-
ual	F--	122	4	2	1	2	-	1	-	3	-	3	5	4	6	3	4	13	9	13	17	12	10	4	5	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	276	7	4	3	-	3	10	6	16	18	15	13	9	18	8	9	17	12	13	19	25	24	14	8	4	1
E962	White-----M--	173	4	-	2	-	2	7	4	12	12	15	13	6	15	6	7	13	9	8	13	12	7	2	2	2	-
	F--	103	3	4	1	-	1	3	2	4	6	-	-	3	3	2	2	4	3	5	6	13	17	12	6	2	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	84	-	2	2	-	1	2	1	8	13	9	4	5	7	4	2	5	4	7	4	3	-	1	-	-	-
	White-----M--	56	-	-	1	-	-	1	1	4	7	9	4	4	5	4	2	2	2	4	4	2	-	-	-	-	-
	F--	28	-	2	1	-	1	1	-	4	6	-	-	1	2	-	-	3	2	3	-	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	192	7	2	1	-	2	8	5	8	5	6	9	4	11	4	7	12	8	6	15	22	24	13	8	4	1
E802,	White-----M--	117	4	-	1	-	2	6	3	8	5	6	9	2	10	2	5	11	7	4	9	10	7	2	2	2	-
E840-	F--	75	3	2	-	-	-	2	2	-	-	-	-	2	1	2	2	1	1	2	6	12	17	11	6	2	1
E962	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	77	-	-	-	-	-	-	-	-	1	5	5	4	5	7	8	12	7	10	7	3	2	1	-	-	-
E970-	White-----M--	62	-	-	-	-	-	-	-	-	-	4	2	4	5	7	5	11	7	9	4	2	1	1	-	-	-
E979	F--	15	-	-	-	-	-	-	-	-	1	1	3	-	-	-	3	1	-	1	3	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	8	-	-	-	-	-	-	-	1	1	-	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-
E980-	White-----M--	5	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
E985	F--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY																										
	ALL CAUSES--------	51,541	2,613	162	106	81	84	193	137	222	360	469	673	1,009	1,494	2,213	3,300	4,628	5,852	6,625	6,541	6,254	4,588	2,676	1,035	200	26
	White-----M--	26,369	1,227	57	42	46	35	102	83	133	197	212	300	471	768	1,199	1,845	2,661	3,424	3,733	3,374	2,994	1,976	1,040	384	58	8
	F--	21,274	912	67	40	22	36	70	40	55	102	158	227	362	513	741	1,067	1,593	2,066	2,564	2,863	3,011	2,455	1,559	605	132	14
	Nonwhite--M--	2,116	262	21	10	8	6	10	6	19	34	63	81	97	108	152	222	200	205	182	157	134	79	38	18	3	1
	F--	1,782	212	17	14	5	7	11	8	15	27	36	65	79	105	121	166	174	157	146	147	115	78	39	28	7	3
001-019	Tuberculosis, all forms--------	844	4	1	5	1	-	5	3	10	25	34	54	57	70	81	91	87	102	92	50	38	25	7	2	-	-
	White-----M--	483	-	-	1	-	-	2	1	4	3	8	17	22	34	48	51	57	81	78	32	24	13	6	1	-	-
	F--	152	1	-	-	1	-	1	-	-	9	5	9	14	15	15	11	15	11	11	13	9	10	1	1	-	-
	Nonwhite--M--	136	1	1	1	-	-	-	-	4	6	12	15	8	15	13	25	14	10	3	3	4	1	-	-	-	-
	F--	73	2	-	3	-	-	2	2	2	7	9	13	13	6	5	4	1	-	-	2	1	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	786	2	1	3	-	-	-	1	9	23	31	50	51	65	79	86	85	97	86	48	37	24	6	2	-	-
	White-----M--	464	-	-	1	-	-	-	-	4	3	8	16	20	31	48	50	56	79	75	31	24	12	5	1	-	-
	F--	140	1	-	-	-	-	-	-	-	8	5	9	14	15	14	10	14	8	8	13	9	10	1	1	-	-
	Nonwhite--M--	121	-	1	-	-	-	-	-	3	5	10	13	5	14	13	23	14	10	3	3	3	1	-	-	-	-
	F--	61	1	-	2	-	-	-	1	2	7	8	12	12	5	4	3	1	-	-	1	1	1	-	-	-	-
010-019	Tuberculosis, other forms------	58	2	-	2	1	-	5	2	1	2	3	4	6	5	2	5	2	5	6	2	1	1	1	-	-	-
	White-----M--	19	-	-	-	-	-	2	1	-	-	-	1	2	3	-	1	1	2	3	1	-	1	1	-	-	-
	F--	12	-	-	-	1	-	1	-	-	1	-	-	-	-	1	1	1	3	3	-	-	-	-	-	-	-
	Nonwhite--M--	15	1	-	1	-	-	-	-	1	1	2	2	3	1	-	2	-	-	-	-	1	-	-	-	-	-
	F--	12	1	-	1	-	-	2	1	-	-	1	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	175	3	-	-	-	-	-	-	-	-	1	2	2	6	17	26	22	34	23	19	14	2	3	1	-	-
	White-----M--	99	-	-	-	-	-	-	-	-	-	-	-	-	2	9	14	9	25	14	12	9	2	2	1	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	6	2	6	3	3	-	-	-	-	-
	Nonwhite--M--	38	2	-	-	-	-	-	-	-	-	-	-	1	4	5	9	6	5	2	2	1	-	1	-	-	-
	F--	13	1	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	2	1	2	1	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-049	Dysentery, all forms--------	11	1	-	-	-	1	2	1	-	-	-	-	1	-	-	-	1	1	1	-	2	-	-	-	-	-
	Whice-----M--	7	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	3	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	20	5	1	4	2	1	1	-	-	1	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	5	1	1	1	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	45	1	-	2	-	1	9	9	3	3	11	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	24	-	-	1	-	-	6	5	1	1	7	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	1	-	1	-	1	3	4	1	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	14	2	1	1	1	1	7	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	2	1	1	-	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	125	8	4	2	4	2	7	2	2	6	5	3	8	5	6	8	10	6	19	5	3	6	3	1	-	-
	White-----M--	56	3	2	-	2	-	2	2	-	2	4	-	4	3	2	3	6	3	12	1	-	4	1	-	-	-
	F--	56	4	2	1	1	2	4	-	2	3	1	1	2	2	2	3	4	3	7	4	3	2	2	1	-	-
	Nonwhite--M--	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	10	1	-	1	-	-	1	-	-	1	-	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
140-205	Malignant neoplasms, etc.*	9,037	7	11	6	12	14	26	21	29	35	54	112	193	334	514	769	1,093	1,304	1,371	1,227	989	575	266	67	8	-
	White-----M--	4,499	3	3	3	8	8	21	11	16	21	17	36	71	117	209	351	543	699	755	672	514	281	108	31	1	-
	F--	4,067	3	7	2	4	6	5	9	11	13	36	69	99	191	255	354	487	537	558	515	438	278	151	33	6	-
	Nonwhite--M--	217	1	-	1	-	-	-	-	1	1	-	2	9	10	21	26	31	31	30	18	22	8	5	-	-	-
	F--	254	-	1	-	-	-	-	1	1	-	1	5	14	16	29	38	32	37	28	22	15	8	2	3	1	-
140-148	Of buccal cavity and pharynx	199	-	-	-	-	-	-	-	-	-	3	2	2	5	7	17	23	37	24	30	27	10	9	3	-	-
	White-----M--	158	-	-	-	-	-	-	-	-	-	2	-	2	3	5	16	18	32	22	23	20	7	6	2	-	-
	F--	32	-	-	-	-	-	-	-	-	-	1	2	-	2	1	1	2	3	2	7	5	2	3	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	3,567	-	-	-	-	-	-	-	2	5	3	19	38	101	157	246	398	498	577	583	462	314	136	25	3	-
	White-----M--	1,876	-	-	-	-	-	-	-	2	3	1	9	15	48	79	134	219	276	319	331	233	152	43	12	-	-
	F--	1,523	-	-	-	-	-	-	-	-	2	2	9	14	46	62	87	156	194	233	241	216	155	91	13	2	-
	Nonwhite--M--	103	-	-	-	-	-	-	-	-	-	-	1	6	3	11	15	14	14	18	5	10	5	1	-	-	-
	F--	65	-	-	-	-	-	-	-	-	-	-	-	3	4	5	10	9	14	7	6	3	2	1	-	1	-
160-164	Of respiratory system	1,153	-	-	-	-	1	-	1	-	1	-	3	18	41	77	128	187	203	208	142	88	40	11	3	1	-
	White-----M--	938	-	-	-	-	1	-	1	-	1	-	1	12	28	60	106	153	176	178	114	69	26	9	3	-	-
	F--	161	-	-	-	-	-	-	-	-	-	-	2	4	7	9	14	23	21	23	26	16	14	1	-	1	-
	Nonwhite--M--	44	-	-	-	-	-	-	-	-	-	-	-	2	5	7	6	8	5	6	1	3	-	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	1	-	-	-	-	-	-
170	Of breast	895	1	-	-	-	-	-	-	-	1	6	18	34	62	90	103	114	124	105	86	78	43	18	10	2	-
	White-----M--	10	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	2	-	2	-	1	1	-	-	-
	F--	835	-	-	-	-	-	-	-	-	1	5	16	28	60	83	97	108	115	99	82	74	40	17	8	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	50	-	-	-	-	-	-	-	-	-	-	1	6	2	7	6	5	7	6	2	4	2	-	2	-	-
171-179	Of genital organs	1,234	-	-	-	-	-	-	2	2	4	8	23	31	54	70	106	143	164	180	144	154	90	47	11	1	-
	White-----M--	386	-	-	-	-	-	-	-	1	1	2	6	5	4	4	5	17	40	66	65	88	46	28	8	-	-
	F--	730	-	-	-	-	-	-	2	1	3	6	14	22	41	55	83	112	104	98	69	60	40	16	3	1	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	7	4	5	3	-	3	-	-	-
	F--	91	-	-	-	-	-	-	-	-	-	-	3	4	9	11	16	11	13	12	5	3	4	-	-	-	-
180, 181	Of urinary organs	473	-	1	-	1	1	1	-	-	1	1	1	8	5	15	25	48	62	100	90	61	28	18	6	-	-
	White-----M--	318	-	1	-	-	-	-	-	-	-	-	-	6	2	9	19	33	44	70	61	40	19	11	3	-	-
	F--	135	-	-	-	1	1	1	-	-	1	1	1	1	3	5	5	14	17	30	20	17	8	6	3	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	5	2	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	2	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*	867	1	5	4	3	3	5	12	8	11	15	17	35	33	60	69	117	127	111	87	77	38	21	7	1	-
	White-----M--	442	-	1	2	2	2	4	7	4	6	4	8	16	16	27	37	57	71	58	45	43	20	8	3	1	-
	F--	398	1	3	2	1	1	1	4	4	4	11	9	18	17	29	28	54	55	51	39	33	17	13	3	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	4	1	1	1	-	1	-	-	-	-
	F--	16	-	1	-	-	-	-	1	-	-	-	-	1	-	3	3	2	-	1	2	1	-	-	1	-	-
204	Leukemia and aleukemia	329	5	4	2	8	9	19	4	12	5	8	14	13	16	11	33	26	45	29	29	23	9	4	1	-	-
	White-----M--	171	2	1	1	6	5	16	1	6	5	4	3	7	9	6	11	19	25	13	13	10	7	1	-	-	-
	F--	147	2	3	-	2	4	3	3	6	-	3	10	6	7	5	21	7	20	15	13	11	2	3	1	-	-
	Nonwhite--M--	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	2	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	320	-	1	-	-	-	1	2	5	7	10	15	14	17	27	42	37	44	37	36	19	3	2	1	-	-
	White-----M--	200	-	-	-	-	-	1	2	3	5	3	8	8	7	19	23	26	33	29	18	11	3	1	-	-	-
	F--	106	-	1	-	-	-	-	-	-	2	7	6	6	8	6	18	11	8	7	18	6	-	1	1	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	-	2	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	184	3	-	2	1	-	-	2	2	6	7	11	13	19	22	23	19	21	11	11	6	3	1	1	-	-
	White-----M--	64	1	-	-	1	-	-	1	-	4	4	3	5	6	5	10	7	6	5	2	2	1	1	-	-	-
	F--	96	2	-	1	-	-	-	1	1	2	3	5	6	9	12	11	10	15	4	8	3	2	-	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	1	-	-	-	-	-	-	-
	F--	17	-	-	1	-	-	-	-	1	-	-	3	2	4	2	-	1	-	1	1	1	-	-	-	-	-
260	Diabetes mellitus	1,086	-	3	2	-	-	-	3	-	2	7	5	9	20	31	50	115	173	194	211	157	69	32	3	-	-
	White-----M--	358	-	2	1	-	-	-	1	-	-	4	4	1	6	14	19	38	61	63	63	54	20	7	-	-	-
	F--	670	-	1	1	-	-	-	2	-	2	3	-	7	9	12	29	61	103	120	144	101	47	25	3	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	6	4	5	1	-	1	-	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	-	4	3	2	10	5	6	3	2	1	-	-	-	-
290-293	Anemias	112	2	2	-	1	-	4	1	1	-	1	2	5	1	4	2	6	12	14	17	13	16	6	2	-	-
	White-----M--	49	-	-	-	1	-	2	-	1	-	-	1	1	-	1	-	2	8	8	5	6	10	3	-	-	-
	F--	50	1	-	-	-	-	2	1	-	-	-	1	-	1	1	2	4	4	4	11	7	6	3	2	-	-
	Nonwhite--M--	4	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	9	1	1	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	2	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	45	17	2	-	-	-	2	-	-	1	-	1	-	1	3	5	1	3	4	1	2	1	1	-	-	-
	White-----M--	21	9	-	-	-	-	1	-	-	-	-	1	-	1	-	1	1	2	3	-	1	-	1	-	-	-
	F--	17	6	1	-	-	-	1	-	-	-	-	-	-	-	2	3	-	1	1	1	1	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	29,042	10	3	6	4	3	11	10	20	61	80	175	344	610	1,013	1,671	2,559	3,347	4,095	4,236	4,358	3,376	2,042	826	165	17
	White-----M--	14,875	4	2	3	2	2	6	6	10	29	32	83	180	365	602	1,023	1,550	2,002	2,284	2,143	2,008	1,396	788	301	49	5
	F--	12,407	4	1	1	1	1	3	2	9	23	39	60	114	163	294	455	793	1,131	1,595	1,885	2,178	1,855	1,194	489	108	9
	Nonwhite--M--	896	1	-	2	1	-	1	1	1	5	5	16	23	33	58	100	109	116	117	109	92	61	27	14	3	1
	F--	864	1	-	-	-	-	1	1	-	4	4	16	27	49	59	93	107	98	99	99	80	64	33	22	5	2
330-334, 400-468	Diseases of cardiovascular system	28,462	10	3	5	2	2	8	9	18	47	65	160	326	587	973	1,627	2,490	3,297	4,029	4,175	4,292	3,323	2,022	813	162	17
	White-----M--	14,608	4	2	3	-	2	3	5	9	19	25	79	175	353	588	1,009	1,520	1,978	2,247	2,120	1,973	1,368	777	295	49	5
	F--	12,174	4	1	-	1	-	3	2	8	20	32	55	108	158	277	437	763	1,113	1,572	1,850	2,154	1,831	1,187	483	106	9
	Nonwhite--M--	859	1	-	2	1	-	1	1	1	4	5	11	21	33	52	94	107	116	113	107	85	60	26	14	3	1
	F--	821	1	-	-	-	-	1	1	-	4	3	15	22	43	56	87	100	90	97	98	80	64	32	21	4	2
330-334	Vascular lesions, etc.*	5,226	2	1	3	2	1	3	1	3	5	10	27	50	75	130	261	398	548	746	813	871	704	379	165	25	3
	White-----M--	2,154	1	-	2	-	1	2	1	2	2	4	16	20	24	46	111	175	262	343	343	361	259	124	50	4	1
	F--	2,689	-	1	-	1	-	1	-	1	3	6	8	20	32	59	107	183	232	355	410	471	424	245	107	21	2
	Nonwhite--M--	185	1	-	1	1	-	-	-	-	-	-	1	4	9	10	20	19	28	24	30	23	8	2	4	-	-
	F--	198	-	-	-	-	-	-	-	-	-	-	2	6	10	15	23	21	26	24	30	16	13	8	4	-	-
400-402	Rheumatic fever	36	-	-	1	-	-	1	4	-	5	1	2	2	2	1	3	1	3	6	4	-	-	-	-	-	-
	White-----M--	16	-	-	-	-	-	-	3	-	2	1	-	-	1	1	1	-	2	2	3	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	1	-	1	-	-	1	1	-	2	-	1	4	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
410-443	Diseases of heart	21,474	6	1	1	-	1	4	3	13	34	49	118	246	485	804	1,314	2,012	2,630	3,123	3,165	3,106	2,300	1,418	525	104	12
	White-----M--	11,632	1	1	1	-	1	1	1	7	15	19	59	145	318	521	872	1,309	1,649	1,805	1,686	1,461	979	550	195	33	3
	F--	8,658	4	-	-	-	-	2	1	5	13	23	42	76	114	209	310	546	840	1,162	1,347	1,524	1,233	826	309	66	6
	Nonwhite--M--	615	-	-	-	-	-	-	1	1	4	4	8	10	23	39	73	82	80	87	70	59	42	22	7	2	1
	F--	569	1	-	-	-	-	1	-	-	2	3	9	15	30	35	59	75	61	69	62	62	46	20	14	3	2
410-416	Chronic rheumatic heart disease----	835	-	-	-	-	-	1	2	6	18	29	54	75	93	99	101	115	69	63	40	38	14	11	7	-	-
	White-----M--	349	-	-	-	-	-	-	-	3	11	7	22	30	40	34	46	44	40	34	15	11	7	4	1	-	-
	F--	428	-	-	-	-	-	-	1	2	3	19	26	41	46	57	47	67	28	26	24	25	6	6	4	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	1	1	2	2	3	1	4	2	2	2	1	2	-	2	1	-	1	-	-
	F--	31	-	-	-	-	-	1	-	-	2	1	3	3	3	6	6	2	-	1	1	-	-	1	1	-	-
420	Arteriosclerotic heart dis., etc.*	13,576	2	1	-	-	-	1	-	2	4	11	40	118	280	513	900	1,350	1,838	2,118	2,033	1,862	1,361	798	261	55	8
	White-----M--	8,025	-	1	-	-	-	-	-	-	3	9	25	85	217	388	663	981	1,229	1,298	1,150	939	604	301	112	17	3
	F--	4,949	2	-	-	-	-	1	-	2	1	1	9	21	40	84	161	282	532	744	816	863	716	473	162	36	3
	Nonwhite--M--	355	-	-	-	-	-	-	-	-	-	1	2	5	12	28	51	50	45	51	37	30	21	16	3	2	1
	F--	247	-	-	-	-	-	-	-	-	-	-	4	7	11	13	25	37	32	25	30	30	20	8	4	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	3,934	2	-	1	-	1	1	1	3	4	5	12	23	52	83	139	230	367	491	587	698	606	413	173	39	3
	White-----M--	2,001	-	-	1	-	1	1	1	2	-	3	6	15	40	54	89	142	212	266	301	335	271	182	65	14	-
	F--	1,706	1	-	-	-	-	-	-	1	4	1	4	6	7	25	34	67	122	167	257	337	306	221	101	22	3
	Nonwhite--M--	106	-	-	-	-	-	-	-	-	-	-	1	-	2	1	7	10	20	17	17	13	14	3	1	-	-
	F--	121	1	-	-	-	-	-	-	-	-	1	1	2	3	3	9	11	13	21	12	13	15	7	6	3	-
430-434	Other diseases of heart---------	385	2	-	-	-	-	1	-	2	4	2	5	7	13	16	19	36	57	59	54	57	26	20	3	2	-
	White-----M--	206	1	-	-	-	-	-	-	2	1	-	3	4	9	7	13	25	37	33	29	26	6	9	1	-	-
	F--	145	1	-	-	-	-	1	-	-	2	2	1	3	3	5	3	7	18	22	19	26	19	10	1	2	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	2	2	3	1	2	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	1	5	3	1	1	1	-	-
440-443	Hypertension with heart dis.--	2,744	-	-	-	-	-	-	-	-	4	2	7	23	47	93	155	281	299	392	451	451	293	176	61	8	1
	White-----M--	1,051	-	-	-	-	-	-	-	-	-	-	3	11	12	38	61	117	131	174	191	150	91	54	16	2	-
	F--	1,430	-	-	-	-	-	-	-	-	3	-	2	5	18	38	65	123	140	183	231	273	186	116	41	6	-
	Nonwhite--M--	111	-	-	-	-	-	-	-	-	1	1	1	4	5	5	12	18	12	14	15	12	6	3	2	-	-
	F--	152	-	-	-	-	-	-	-	-	-	1	1	3	12	12	17	23	16	21	14	16	10	3	2	-	1
444-447	Hypertension without mention of heart----------	416	-	-	-	-	-	-	-	-	1	3	10	14	14	18	21	27	39	51	44	65	60	35	9	5	-
	White-----M--	187	-	-	-	-	-	-	-	-	-	1	3	3	6	10	11	12	16	28	13	31	30	15	4	4	-
	F--	192	-	-	-	-	-	-	-	-	1	1	3	4	6	4	8	11	19	21	29	34	26	19	5	1	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	1	2	6	1	1	-	2	2	-	-	-	4	1	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	2	1	1	3	2	2	2	2	2	-	-	-	-	-	-
450	General arteriosclerosis--------	1,000	-	-	-	-	-	-	-	-	-	-	-	1	1	3	7	15	33	59	112	211	235	182	111	28	2
	White-----M--	451	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	7	20	38	54	99	88	84	46	8	1
	F--	505	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	7	9	19	50	108	138	93	59	18	1
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	6	2	5	1	3	1	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	2	2	4	4	3	1	-
451-468	Other diseases of circulatory sys.-	310	2	1	-	-	-	-	1	2	2	2	3	13	10	17	21	37	44	44	37	39	24	8	3	-	-
	White-----M--	168	2	1	-	-	-	-	-	-	-	-	1	6	3	10	10	17	29	31	21	21	12	4	-	-	-
	F--	118	-	-	-	-	-	-	-	2	2	2	2	7	5	3	9	16	12	11	13	17	10	4	3	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	1	1	1	-	-	-	-
	F--	12	-	-	-	-	-	-	1	-	-	-	-	-	2	2	1	2	1	-	2	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	580	-	-	1	2	1	3	1	2	14	15	15	18	23	40	44	69	50	66	61	66	53	20	13	3	-
	White-----M--	267	-	-	-	2	-	3	1	1	10	7	4	5	12	14	14	30	24	37	23	35	28	11	6	-	-
	F--	233	-	-	1	-	1	-	-	1	3	7	5	6	5	17	18	30	16	23	35	24	24	7	6	2	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	1	-	5	2	-	6	6	2	-	4	2	7	1	1	-	-	-
	F--	43	-	-	-	-	-	-	-	-	-	1	1	5	6	3	6	7	8	2	1	-	-	1	1	1	-
480-493	Influenza and pneumonia, etc.*-	1,230	183	35	9	9	6	10	8	7	11	10	23	32	36	53	46	67	94	108	113	130	116	75	39	9	1
	White-----M--	574	76	11	2	2	2	1	4	4	5	4	9	15	26	28	24	29	53	56	57	71	42	29	20	4	-
	F--	472	52	11	3	4	2	7	3	2	4	3	6	4	7	12	13	25	36	41	47	53	70	44	17	5	1
	Nonwhite--M--	113	32	9	2	1	-	2	-	1	1	1	3	11	2	9	6	6	2	8	7	5	2	2	1	-	-
	F--	71	23	4	2	2	2	-	1	-	1	2	5	2	1	4	3	7	3	3	2	1	2	-	1	-	-
480-483	Influenza---------	34	3	-	-	-	-	-	1	1	-	-	-	-	-	4	-	2	3	9	1	2	4	2	2	-	-
	White-----M--	15	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	4	1	2	2	-	1	-	-
	F--	16	1	-	-	-	-	-	1	1	-	-	-	-	-	2	-	1	1	5	-	-	2	1	1	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,196	180	35	9	9	6	10	7	6	11	10	23	32	36	49	46	65	91	99	112	128	112	73	37	9	1
	White-----M--	559	75	11	2	2	2	1	4	4	5	4	9	15	26	26	24	28	52	52	56	69	40	29	19	4	-
	F--	456	51	11	3	4	2	7	2	1	4	3	6	4	7	10	13	24	35	36	47	53	68	43	16	5	1
	Nonwhite--M--	110	31	9	2	1	-	2	-	1	1	1	3	11	2	9	6	6	1	8	7	5	2	1	1	-	-
	F--	71	23	4	2	2	2	-	1	-	1	2	5	2	1	4	3	7	3	3	2	1	2	-	1	-	-
500-502	Bronchitis--------	93	18	3	6	2	1	4	-	1	-	1	-	1	3	3	1	6	11	7	9	5	6	4	1	-	-
	White-----M--	44	7	2	2	1	-	-	-	1	-	-	-	1	2	1	1	3	8	4	6	1	4	-	-	-	-
	F--	34	5	-	3	-	1	4	-	-	-	-	-	-	-	1	-	3	2	3	2	3	2	4	1	-	-
	Nonwhite--M--	8	4	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	F--	7	2	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	347	2	1	-	-	-	-	-	-	-	-	5	15	18	28	35	47	51	55	36	29	11	10	3	1	-
	White-----M--	265	2	-	-	-	-	-	-	-	-	-	4	12	16	18	26	35	44	44	30	22	5	5	2	-	-
	F--	57	-	1	-	-	-	-	-	-	-	-	1	2	1	3	5	7	4	9	5	6	6	5	1	1	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	1	1	7	3	4	3	2	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	87	2	-	1	2	1	5	2	-	-	5	1	6	4	3	8	9	7	8	8	9	1	3	2	-	-
	White-----M--	41	1	-	-	2	-	3	2	-	-	2	1	3	3	3	2	3	3	5	2	4	-	1	1	-	-
	F--	33	-	-	1	-	1	1	-	-	-	2	-	2	-	-	4	4	3	2	5	4	1	2	1	-	-
	Nonwhite--M--	9	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	315	25	4	1	1	-	1	-	1	1	8	4	7	5	8	21	23	39	36	43	36	28	17	6	-	-
	White-----M--	140	15	1	-	1	-	-	-	-	-	1	1	1	2	2	6	14	16	16	27	19	10	6	2	-	-
	F--	149	5	1	-	-	-	1	-	-	1	7	2	5	2	5	10	7	20	20	16	15	18	10	4	-	-
	Nonwhite--M--	18	4	2	1	-	-	-	-	-	-	-	-	-	1	1	3	2	2	-	-	2	-	-	-	-	-
	F--	8	1	-	-	-	-	-	-	1	-	-	1	1	-	-	2	-	1	-	-	-	-	1	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
543,	Gastritis, etc.*--	192	52	6	5	1	4	4	1	2	3	1	9	4	9	9	10	18	12	14	10	12	5	1	-	-	-
571,	White-----M--	90	16	3	1	-	1	-	1	1	-	-	3	3	6	4	7	12	8	9	4	7	4	-	-	-	-
572	F--	63	13	2	2	-	-	2	-	1	2	1	5	-	3	5	2	5	4	4	6	4	1	1	-	-	-
	Nonwhite--M--	14	6	1	-	1	-	2	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	25	17	-	2	-	3	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	745	2	1	-	1	-	-	-	-	1	6	9	42	59	97	99	110	110	94	66	25	17	6	-	-	-
	White-----M--	460	1	-	-	1	-	-	-	-	-	2	2	18	33	59	60	82	67	65	39	15	12	4	-	-	-
	F--	258	1	1	-	-	-	-	-	-	1	4	4	20	21	38	36	26	38	27	25	10	5	1	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	1	3	1	2	-	-	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	2	4	-	2	1	2	1	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	75	3	2	3	-	1	4	2	1	3	2	4	1	5	1	7	6	10	5	6	4	4	1	-	-	-
	White-----M--	37	2	1	2	-	1	4	2	-	2	-	1	-	4	-	1	3	5	2	2	2	2	1	-	-	-
	F--	27	1	-	1	-	-	-	-	-	-	1	2	1	1	-	4	3	4	3	2	2	2	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	8	-	1	-	-	-	-	-	1	1	-	1	-	-	-	2	-	1	-	1	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	12	14	26	31	44	36	18	9	2	-
	White-----M--	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	10	12	26	31	43	36	18	8	2	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	-	-	1	-	-	1	-	-
640-	Complications of																										
669	pregnancy, etc.*-	65	...	...	...	...	...	...	-	9	8	19	17	10	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	49	...	...	...	...	...	...	-	6	4	15	14	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	16	...	...	...	...	...	...	-	3	4	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	9	...	...	...	...	...	...	-	2	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	5	...	...	...	...	...	...	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	56	...	...	...	...	...	...	-	7	6	16	16	9	2	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	44	...	...	...	...	...	...	-	4	3	14	14	8	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	12	...	...	...	...	...	...	-	3	3	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	545	414	24	5	6	7	9	11	1	3	9	3	4	8	7	7	9	7	3	3	4	1	-	-	-	-
	White-----M--	258	196	10	2	4	2	5	7	-	-	4	1	1	2	5	5	7	3	1	1	1	1	-	-	-	-
	F--	241	181	14	2	2	5	4	4	1	1	3	2	1	5	1	2	2	4	2	2	3	-	-	-	-	-
	Nonwhite--M--	26	23	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	20	14	-	1	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,649	1,649	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	801	801	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	563	563	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	807	807	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	429	429	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	257	257	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	743	743	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	320	320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	278	278	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	127	10	1	1	-	-	1	1	1	1	2	1	2	3	6	4	4	13	2	10	10	19	12	18	4	1
795	White-----M--	50	3	-	-	-	-	-	-	-	-	1	-	1	1	3	1	3	8	1	9	3	8	2	6	-	-
	F--	62	4	1	1	-	-	-	-	1	-	1	1	1	-	2	3	1	5	1	1	7	10	9	10	3	-
	Nonwhite--M--	8	1	-	-	-	-	1	-	-	1	-	-	-	2	1	-	-	-	-	-	-	1	-	1	-	-
	F--	7	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1
Re-	All other diseases	2,053	97	28	14	12	11	16	14	18	25	36	61	68	97	116	166	221	235	245	215	169	111	60	11	4	3
sid-	White-----M--	1,016	42	11	9	6	5	7	8	10	9	8	28	27	34	58	79	118	132	145	113	83	54	24	4	1	1
ual	F--	841	33	10	5	3	4	9	6	6	11	15	20	31	42	42	63	90	87	94	90	79	55	34	7	3	2
	Nonwhite--M--	104	11	4	-	1	1	-	-	2	1	11	8	5	12	7	15	5	11	5	3	-	1	1	-	-	-
	F--	92	11	3	-	2	1	-	-	-	4	2	5	5	9	9	9	8	5	1	9	7	1	1	-	-	-
E800-	Accidents---------	2,473	87	27	30	19	28	63	45	101	140	123	112	122	124	133	171	146	180	161	183	174	149	102	42	7	4
E962	White-----M--	1,476	40	7	13	11	11	38	31	77	108	88	76	75	76	90	105	103	127	113	100	88	62	28	6	1	2
	F--	711	26	12	11	5	11	19	8	13	18	10	11	27	24	25	38	30	38	39	70	79	83	72	34	6	2
	Nonwhite--M--	209	13	3	3	2	5	2	4	7	12	22	19	20	19	14	21	9	12	7	8	2	3	1	1	-	-
	F--	77	8	5	3	1	1	4	2	4	2	3	6	-	5	4	7	4	3	2	5	5	1	1	1	-	-
E810-	Motor-vehicle																										
E835	accidents--------	855	4	2	6	7	7	30	13	63	92	65	50	64	49	54	74	54	52	51	48	39	21	7	2	-	1
	White-----M--	587	2	-	4	5	1	19	9	45	72	47	35	43	35	39	37	36	36	42	37	24	13	5	-	-	1
	F--	173	1	2	1	1	5	8	2	10	12	4	6	13	9	8	25	13	12	7	10	13	8	2	1	-	-
	Nonwhite--M--	71	-	-	1	-	-	1	1	4	7	12	7	8	4	5	9	4	4	1	1	1	-	-	1	-	-
	F--	24	1	-	-	1	1	2	1	4	1	2	2	-	1	2	3	1	-	1	-	1	-	-	-	-	-
E800-	All ot. accidents-	1,618	83	25	24	12	21	33	32	38	48	58	62	58	75	79	97	92	128	110	135	135	128	95	40	7	3
E802,	White-----M--	889	38	7	9	6	10	19	22	32	36	41	41	32	41	51	68	67	91	71	63	64	49	23	6	1	1
E840-	F--	538	25	10	10	4	6	11	6	3	6	6	5	14	15	17	13	17	26	32	60	66	75	70	33	6	2
E962	Nonwhite--M--	138	13	3	2	2	5	1	3	3	5	10	12	12	15	9	12	5	8	6	7	1	3	1	-	-	-
	F--	53	7	5	3	-	-	2	1	-	1	1	4	-	4	2	4	3	3	1	5	4	1	1	1	-	-
E963,	Suicide----------	466	-	-	-	-	-	-	-	7	15	24	36	38	43	48	64	31	60	33	30	20	10	6	1	-	-
E970-	White-----M--	333	-	-	-	-	-	-	-	6	12	18	25	23	25	35	48	22	48	21	22	14	8	5	1	-	-
E979	F--	114	-	-	-	-	-	-	-	1	3	4	8	13	14	11	15	8	11	12	8	3	2	1	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	1	3	1	3	2	1	1	1	-	-	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
E964,	Homicide----------	131	4	2	-	2	1	2	-	4	8	22	19	21	11	9	9	5	6	3	1	1	1	-	-	-	-
E980-	White-----M--	40	-	1	-	2	-	-	-	1	1	8	4	2	3	3	4	2	3	3	1	1	1	-	-	-	-
E985	F--	21	2	1	-	-	1	-	-	-	1	1	1	4	2	1	2	2	3	-	-	-	-	-	-	-	-
	Nonwhite--M--	53	2	-	-	-	-	1	-	3	4	10	12	10	3	4	3	1	-	-	-	-	-	-	-	-	-
	F--	17	-	-	-	-	-	1	-	-	2	3	2	5	3	1	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO																										
	ALL CAUSES	5,429	1,150	104	52	30	22	74	58	95	133	128	134	136	187	198	261	295	411	431	452	401	336	225	83	16	17
	White-----M	2,917	537	38	17	13	16	32	32	59	80	63	67	61	110	113	164	189	255	264	248	221	177	114	34	9	4
	F	1,919	406	24	20	11	3	29	16	20	22	36	50	54	62	65	82	87	137	148	178	171	142	101	43	4	8
	Nonwhite--M	342	119	22	9	1	2	6	8	7	17	17	11	11	8	11	12	13	8	8	19	8	10	8	3	2	2
	F	251	88	20	6	5	1	7	2	9	14	12	6	10	7	9	3	6	11	11	7	1	7	2	3	1	3
001-019	Tuberculosis, all forms	170	5	2	4	3	2	2	4	10	9	22	13	13	7	13	8	11	14	13	11	1	3	-	-	-	-
	White-----M	64	-	2	-	-	1	-	1	2	2	2	6	1	2	5	7	8	8	7	7	1	2	-	-	-	-
	F	48	1	-	1	-	-	-	2	4	-	6	4	5	3	4	1	3	4	6	3	-	1	-	-	-	-
	Nonwhite--M	25	3	-	1	-	1	-	1	-	5	6	1	4	-	2	-	-	1	-	-	-	-	-	-	-	-
	F	33	1	-	2	3	-	2	-	4	2	8	2	3	2	2	-	-	1	-	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	149	1	2	1	-	1	1	3	9	7	22	12	13	7	12	8	10	14	12	11	1	2	-	-	-	-
	White-----M	61	-	2	-	-	1	-	1	2	2	2	5	1	2	5	7	7	8	7	7	1	1	-	-	-	-
	F	44	-	-	-	-	-	-	1	4	-	6	4	5	3	4	1	3	4	5	3	-	1	-	-	-	-
	Nonwhite--M	18	1	-	-	-	-	-	1	-	3	6	1	4	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	26	-	-	1	-	-	1	-	3	2	8	2	3	2	2	-	-	1	-	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms	21	4	-	3	3	1	1	1	1	2	-	1	-	-	1	-	1	-	1	-	-	1	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F	4	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	7	2	-	1	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	-	1	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	29	3	-	1	-	-	-	-	-	-	-	-	2	4	1	1	4	4	5	2	2	-	-	-	-	-
	White-----M	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	3	1	2	-	-	-	-	-
	F	6	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	F	5	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever	4	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	27	18	3	1	-	-	-	1	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	White-----M	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	9	5	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	4	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	6	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	38	5	1	4	1	1	13	2	1	3	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	18	3	-	1	-	-	5	1	1	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	2	1	3	1	1	8	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	11	5	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	17	2	1	-	1	-	2	-	-	1	1	-	-	1	1	3	-	1	2	-	-	1	-	-	-	-
	White-----M	7	-	1	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-
	F	8	2	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
140-205	Malignant neoplasms, etc.*	532	5	1	1	-	3	6	6	4	2	6	13	20	25	37	44	43	83	71	72	39	29	14	7	-	1
	White—M	243	3	-	-	-	3	3	4	3	1	4	4	6	9	11	16	19	42	36	32	20	16	9	2	-	-
	F	271	1	1	-	-	-	3	2	1	1	2	9	14	16	22	26	22	39	33	38	19	11	5	5	-	1
	Nonwhite—M	9	-	-	1	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	1	-	1	-	-	-	-
	F	9	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	-	1	-	-	-	-
140-148	Of buccal cavity and pharynx	13	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	3	2	2	2	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	182	-	-	-	-	-	-	-	-	-	2	4	2	6	10	10	17	31	29	34	16	13	4	3	-	1
	White—M	91	-	-	-	-	-	-	-	-	-	2	2	1	4	3	6	12	17	18	11	5	8	2	-	-	-
	F	83	-	-	-	-	-	-	-	-	-	-	2	1	2	6	3	5	12	10	21	11	4	2	3	-	1
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
160-164	Of respiratory system	53	-	-	-	-	-	-	-	-	-	-	-	2	3	6	9	7	10	5	6	2	2	1	-	-	-
	White—M	35	-	-	-	-	-	-	-	-	-	-	-	2	1	5	6	4	7	2	3	2	2	1	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	3	3	3	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	40	-	-	-	-	-	-	-	-	-	-	-	5	5	5	2	6	8	5	-	2	1	1	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F	37	-	-	-	-	-	-	-	-	-	-	-	5	5	5	2	6	8	3	-	2	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
171-179	Of genital organs	85	-	-	-	-	-	-	-	-	1	2	3	3	5	9	7	6	9	8	10	7	7	4	4	-	-
	White—M	31	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	3	2	8	6	4	4	2	-	-
	F	51	-	-	-	-	-	-	-	-	-	2	3	3	5	7	6	6	6	6	2	1	2	-	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	22	1	-	-	-	-	1	-	-	1	-	-	1	1	1	2	1	4	2	3	3	-	1	-	-	-
	White—M	13	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	-	3	1	2	2	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	1	1	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	77	2	-	1	-	-	3	1	2	-	-	2	5	3	2	11	4	10	10	12	5	4	-	-	-	-
	White—M	28	1	-	-	-	-	1	-	1	-	-	-	1	1	1	2	2	5	5	4	2	2	-	-	-	-
	F	46	1	-	-	-	-	2	1	1	-	-	2	4	2	1	8	1	5	5	8	3	2	-	-	-	-
	Nonwhite—M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	29	2	1	-	-	3	2	3	1	-	1	1	-	1	-	1	1	3	3	2	2	1	1	-	-	-
	White—M	22	2	-	-	-	3	1	3	1	-	1	1	-	1	-	-	1	2	2	2	2	-	-	-	-	-
	F	7	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	31	-	-	-	-	-	-	2	1	-	1	3	1	1	2	1	1	5	7	3	-	1	2	-	-	-
	White—M	15	-	-	-	-	-	-	1	1	-	1	1	1	1	-	-	-	3	4	1	-	-	1	-	-	-
	F	15	-	-	-	-	-	-	1	-	-	-	2	-	-	1	1	1	2	3	2	-	1	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	23	-	-	-	-	1	-	-	1	-	1	2	1	1	5	3	2	4	1	1	-	-	-	-	-	-
	White—M	9	-	-	-	-	1	-	-	-	-	-	-	-	-	1	3	-	2	1	1	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	2	1	1	3	-	2	2	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	54	-	-	-	-	-	1	-	1	-	1	2	1	-	4	5	5	5	9	9	4	5	-	1	1	-
	White—M	22	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	2	1	3	3	1	4	-	1	1	-
	F	29	-	-	-	-	-	1	-	1	-	1	1	1	-	2	1	2	4	5	6	3	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
290-293	Anemias	20	-	4	1	-	-	-	1	-	-	-	-	-	1	2	2	1	2	-	3	2	1	-	-	-	-
	White—M	6	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-
	F	11	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	3	1	1	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	15	9	1	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	1,642	2	1	-	1	2	3	7	6	3	11	12	22	58	57	107	119	186	222	222	242	190	125	38	6	-
	White—M	984	1	-	-	1	2	2	2	6	1	5	6	12	34	38	66	92	129	147	130	134	92	63	16	5	-
	F	608	1	1	-	-	-	1	3	-	1	5	5	9	18	17	34	25	51	72	86	105	91	61	21	1	-
	Nonwhite—M	35	-	-	-	-	-	-	2	-	1	1	1	1	3	-	5	1	2	3	5	3	5	1	1	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	1	4	-	1	-	2	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system	1,574	2	1	-	-	2	3	7	5	1	9	12	20	55	53	101	116	178	210	217	237	183	121	36	5	-
	White—M	952	1	-	-	-	2	2	2	5	-	4	6	10	34	35	63	91	125	140	130	133	89	62	14	4	-
	F	574	1	1	-	-	-	1	3	-	-	4	5	9	16	16	31	23	47	67	81	102	87	58	21	1	-
	Nonwhite—M	34	-	-	-	-	-	-	2	-	1	1	1	1	3	-	5	1	2	3	5	2	5	1	1	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	4	-	1	-	2	-	-	-	-
330-334	Vascular lesions, etc.*	348	-	-	-	-	-	-	-	-	-	3	3	4	14	4	14	22	43	39	54	67	44	28	8	1	-
	White—M	178	-	-	-	-	-	-	-	-	-	2	1	2	9	3	7	16	26	18	27	34	19	10	3	1	-
	F	161	-	-	-	-	-	-	-	-	-	1	2	2	3	1	6	6	16	20	26	31	24	18	5	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
400-402	Rheumatic fever	16	-	-	-	-	2	2	5	2	-	-	2	-	2	-	-	-	-	-	-	-	-	1	-	-	-
	White—M	9	-	-	-	-	2	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	5	-	-	-	-	-	1	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
410-443	Diseases of heart	1,085	1	-	-	-	-	1	1	3	1	4	7	13	35	45	79	84	130	158	154	151	119	73	23	3	-
	White-----M--	701	1	-	-	-	-	1	-	3	-	2	4	8	24	30	52	69	96	115	100	88	61	38	7	2	-
	F--	351	-	-	-	-	-	-	1	-	-	1	2	4	9	13	21	13	29	41	51	63	52	35	15	1	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	1	1	1	1	1	-	5	1	2	2	2	-	4	-	1	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	-	1	-	2	-	-	-	-
410-416	Chronic rheumatic heart disease----	80	-	-	-	-	-	1	1	2	-	1	2	6	13	4	8	5	6	7	10	6	3	4	1	-	-
	White-----M--	43	-	-	-	-	-	1	-	2	-	-	1	4	7	3	4	4	3	3	6	1	-	3	1	-	-
	F--	36	-	-	-	-	-	-	1	-	-	1	-	2	6	1	4	1	3	4	4	5	3	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	629	-	-	-	-	-	-	-	-	-	1	4	6	17	26	50	54	86	96	92	99	53	33	11	1	-
	White-----M--	447	-	-	-	-	-	-	-	-	-	1	3	4	15	20	40	47	67	71	65	63	30	16	5	-	-
	F--	167	-	-	-	-	-	-	-	-	-	-	1	1	-	4	8	7	17	23	26	36	21	17	5	1	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	2	1	-	1	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	1	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	155	-	-	-	-	-	-	-	-	1	-	-	-	2	6	6	10	14	25	14	21	28	19	8	1	-
	White-----M--	89	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	6	10	22	8	10	15	11	1	1	-
	F--	64	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	4	3	6	11	13	8	7	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart--------	85	1	-	-	-	-	-	-	1	-	1	1	-	1	5	6	7	12	10	15	10	4	9	1	1	-
	White-----M--	59	1	-	-	-	-	-	-	1	-	-	-	-	-	3	4	6	10	10	11	6	2	4	-	1	-
	F--	23	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	1	-	4	4	2	5	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	136	-	-	-	-	-	-	-	-	-	1	-	1	2	4	9	8	12	20	23	15	31	8	2	-	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	6	6	9	10	8	14	4	-	-	-
	F--	61	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	4	11	11	7	13	4	2	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	3	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-
444-447	Hypertension without mention of heart----------	32	-	-	-	-	-	-	1	-	-	-	-	2	2	3	4	4	1	4	1	5	4	1	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	-	3	2	1	-	-	-
	F--	18	-	-	-	-	-	-	1	-	-	-	-	2	1	1	3	2	1	3	-	2	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	61	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	2	4	13	13	17	5	1	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	7	6	11	4	1	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	3	6	7	5	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	32	1	1	-	-	-	-	-	-	-	2	-	1	1	1	4	4	1	7	4	1	3	1	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	-	4	2	1	1	1	-	-	-
	F--	14	1	1	-	-	-	-	-	-	-	2	-	1	-	1	1	-	1	3	1	-	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	68	-	-	-	1	-	-	-	1	2	2	-	2	3	4	6	3	8	12	5	5	7	4	2	1	-
	White-----M--	32	-	-	-	1	-	-	-	1	1	1	-	2	-	3	3	1	4	7	-	1	3	1	2	1	-
	F--	34	-	-	-	-	-	-	-	-	1	1	-	-	2	1	3	2	4	5	5	3	4	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	305	133	24	5	8	1	5	2	1	3	2	1	1	3	4	5	8	12	12	16	21	13	10	11	1	3
	White-----M--	131	50	9	3	2	1	-	2	-	2	2	1	1	2	3	4	4	4	9	6	9	6	4	5	1	1
	F--	111	45	6	-	4	-	3	-	1	1	-	-	-	1	-	1	2	7	2	10	12	6	6	4	-	-
	Nonwhite--M--	33	21	3	2	1	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	1
	F--	30	17	6	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	1
480-483	Influenza---------	34	14	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	3	3	3	4	-	-
	White-----M--	17	5	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	1	1	3	-	-
	F--	15	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	271	119	23	4	8	1	5	2	1	3	2	1	1	3	4	4	8	10	11	15	18	10	7	7	1	3
	White-----M--	114	45	9	2	2	1	-	2	-	2	2	1	1	2	3	3	4	3	8	5	7	5	3	2	1	1
	F--	96	38	5	-	4	-	3	-	1	1	-	-	-	1	-	1	2	6	2	10	11	4	4	3	-	-
	Nonwhite--M--	32	20	3	2	1	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	1
	F--	29	16	6	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	1
500-502	Bronchitis--------	16	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	1	1	-	1
	White-----M--	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
	F--	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	31	-	-	-	-	-	-	-	-	-	-	-	-	2	7	1	2	5	4	4	1	2	3	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	-	2	5	1	1	3	4	2	1	1	2	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	1	-	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	21	-	-	-	-	-	3	2	2	2	-	1	1	2	-	1	1	1	3	-	1	1	-	-	-	-
	White-----M--	14	-	-	-	-	-	3	1	1	1	-	-	-	2	-	1	-	1	2	-	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	42	11	2	-	-	-	1	1	-	-	-	2	1	3	1	-	5	3	1	5	3	2	-	-	-	1
	White-----M--	23	6	-	-	-	-	-	1	-	-	-	2	-	2	-	-	3	2	1	2	2	1	-	-	-	1
	F--	18	4	2	-	-	-	1	-	-	-	-	-	1	1	1	-	2	1	-	3	1	1	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
543,	Gastritis, etc.*--	155	126	14	2	2	1	1	-	-	1	-	-	-	-	-	1	3	1	1	1	-	-	-	-	-	1
571,	White-----M--	59	50	5	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
572	F--	34	27	-	-	1	-	1	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	1
	Nonwhite--M--	40	31	6	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	22	18	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	37	-	-	-	-	-	-	-	-	-	1	3	3	1	3	3	6	7	1	2	4	1	2	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	1	3	1	2	1	5	5	1	1	2	1	2	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	1	-	1	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	11	1	-	1	-	-	-	-	-	1	-	2	-	2	1	1	-	-	1	-	1	-	-	-	-	-
	White-----M--	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	7	5	2	8	3	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	7	5	2	8	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	28	...	...	...	...	...	...	-	2	9	4	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	21	...	...	...	...	...	...	-	1	4	4	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	27	...	...	...	...	...	...	-	2	9	4	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	20	...	...	...	...	...	...	-	1	4	4	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	7	...	...	...	...	...	...	-	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	114	99	5	2	1	-	1	-	2	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	48	43	2	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	59	49	3	2	1	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	544	543	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	295	295	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	199	199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	23	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	317	316	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	179	179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	500	121	17	10	-	2	2	4	2	2	3	-	6	13	13	24	22	30	36	42	35	50	38	16	7	5
795	White-----M--	236	50	4	2	-	1	-	1	-	-	3	-	1	7	10	17	11	17	19	18	22	31	16	3	2	1
	F--	148	37	1	3	-	-	-	1	1	-	-	-	-	5	2	6	5	9	13	11	10	16	14	10	2	2
	Nonwhite--M--	69	22	7	3	-	-	2	2	-	1	-	-	1	1	1	-	4	1	3	9	2	-	6	2	2	-
	F--	47	12	5	2	-	1	-	-	1	1	-	-	4	-	-	1	2	3	1	4	1	3	2	1	1	2
Re-	All other diseases	298	26	5	5	2	2	5	4	6	9	7	12	8	15	18	21	26	26	26	23	20	10	17	4	-	1
sid-	White-----M--	152	11	2	3	2	-	1	1	3	3	-	7	3	8	9	16	15	16	14	14	10	7	4	3	-	-
ual	F--	112	11	1	2	-	2	2	1	2	2	5	3	4	7	7	5	9	10	8	7	7	3	12	1	-	1
	Nonwhite--M--	16	2	-	-	-	-	-	1	-	1	2	1	1	-	-	-	2	-	-	2	3	-	1	-	-	-
	F--	18	2	2	-	-	-	2	1	1	3	-	1	-	-	2	-	-	-	4	-	-	-	-	-	-	-
E800-	Accidents---------	586	28	15	10	10	5	26	23	52	74	44	49	38	33	22	20	24	22	12	28	15	21	9	2	1	3
E962	White-----M--	404	12	8	6	7	5	17	17	38	58	32	33	27	29	16	17	18	17	8	18	6	9	6	-	-	-
	F--	121	13	4	3	2	-	6	4	9	6	4	9	7	3	3	2	4	4	3	10	9	8	3	2	1	2
	Nonwhite--M--	45	2	3	-	-	-	2	2	4	8	4	6	2	-	3	1	2	1	1	-	-	3	-	-	-	1
	F--	16	1	-	1	1	-	1	-	1	2	4	1	2	1	-	-	-	-	-	-	-	1	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	296	6	4	5	6	3	9	4	32	47	25	25	22	26	15	12	16	12	5	12	5	4	-	-	-	1
	White-----M--	215	3	1	3	4	3	5	3	25	36	19	15	14	23	10	10	12	10	4	8	4	3	-	-	-	-
	F--	47	1	2	2	1	-	2	1	6	3	2	7	4	2	2	1	2	2	1	4	1	-	-	-	-	1
	Nonwhite--M--	22	1	1	-	-	-	1	-	1	6	1	3	2	-	3	1	2	-	-	-	-	-	-	-	-	-
	F--	12	1	-	-	1	-	1	-	-	2	3	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-
E800-	All ot. accidents-	290	22	11	5	4	2	17	19	20	27	19	24	16	7	7	8	8	10	7	16	10	17	9	2	1	2
E802,	White-----M--	189	9	7	3	3	2	12	14	13	22	13	18	13	6	6	7	6	7	4	10	2	6	6	-	-	-
E840-	F--	74	12	2	1	1	-	4	3	3	3	2	2	3	1	1	1	2	2	2	6	8	8	3	2	1	1
E962	Nonwhite--M--	23	1	2	-	-	-	1	2	3	2	3	3	-	-	-	-	-	1	1	-	-	3	-	-	-	1
	F--	4	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	72	-	-	-	-	-	-	-	-	4	11	8	8	5	10	5	5	-	5	5	4	1	1	-	-	-
E970-	White-----M--	51	-	-	-	-	-	-	-	-	4	6	3	4	4	8	4	2	-	5	5	4	1	1	-	-	-
E979	F--	18	-	-	-	-	-	-	-	-	-	5	4	3	-	2	1	3	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	43	-	-	-	-	-	-	-	4	7	9	2	2	3	5	5	2	-	2	1	-	-	-	-	-	1
E980-	White-----M--	25	-	-	-	-	-	-	-	2	4	5	1	1	1	4	4	-	-	1	1	-	-	-	-	-	1
E985	F--	4	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	2	1	4	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK																										
	ALL CAUSES	160,749	7,859	550	361	245	256	665	395	712	1,094	1,587	1,909	2,812	4,549	6,929	10,300	14,175	18,005	20,737	21,116	19,201	14,916	8,282	3,218	759	117
	White M	83,136	3,804	235	160	126	127	335	225	426	581	713	852	1,275	2,290	3,882	5,844	8,515	10,697	11,667	10,831	9,183	6,632	3,321	1,135	241	39
	White F	67,352	2,840	225	140	91	104	254	136	200	285	509	612	1,022	1,536	2,248	3,332	4,706	6,369	8,221	9,588	9,546	7,995	4,808	2,025	493	67
	Nonwhite M	5,679	691	50	36	14	14	48	19	49	131	206	233	287	415	451	665	579	520	458	367	229	121	68	21	2	5
	Nonwhite F	4,582	524	40	25	14	11	28	15	37	97	159	212	228	308	348	459	375	419	391	330	243	168	85	37	23	6
001-019	Tuberculosis, all forms	2,639	16	29	19	7	3	10	2	24	78	130	143	179	196	271	323	270	287	274	193	106	53	22	4	-	-
	White M	1,542	3	8	5	3	1	1	-	6	14	34	41	60	83	166	218	191	226	205	145	73	42	15	2	-	-
	White F	445	9	3	3	2	-	4	2	5	19	33	31	56	42	32	30	35	29	33	33	25	11	6	2	-	-
	Nonwhite M	433	2	12	6	2	1	1	-	4	15	29	40	39	58	58	60	33	27	23	15	7	-	1	-	-	-
	Nonwhite F	219	2	6	5	-	1	4	-	9	30	34	31	24	13	15	15	11	5	13	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	2,431	8	12	5	1	1	5	1	19	67	117	127	164	181	258	311	253	278	258	186	103	51	21	4	-	-
	White M	1,470	3	3	3	-	-	-	-	5	12	30	37	56	81	162	212	182	222	193	142	71	40	14	2	-	-
	White F	387	4	2	1	-	-	2	1	4	17	27	29	51	33	28	29	30	26	31	29	24	11	6	2	-	-
	Nonwhite M	388	-	4	-	1	-	1	-	3	10	28	34	37	54	57	57	31	25	23	15	7	-	1	-	-	-
	Nonwhite F	186	1	3	1	-	1	2	-	7	28	32	27	20	13	11	13	10	5	11	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms	208	8	17	14	6	2	5	1	5	11	13	16	15	15	13	12	17	9	16	7	3	2	1	-	-	-
	White M	72	-	5	2	3	1	1	-	1	2	4	4	4	2	4	6	9	4	12	3	2	2	1	-	-	-
	White F	58	5	1	2	2	-	2	1	1	2	6	2	5	9	4	1	5	3	2	4	1	-	-	-	-	-
	Nonwhite M	45	2	8	6	1	1	-	-	1	5	1	6	2	4	1	3	2	2	-	-	-	-	-	-	-	-
	Nonwhite F	33	1	3	4	-	-	2	-	2	2	2	4	4	-	4	2	1	-	2	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	499	1	-	-	-	-	-	-	1	-	2	4	5	28	38	73	77	80	80	63	29	12	4	2	-	-
	White M	278	1	-	-	-	-	-	-	1	-	-	1	2	8	19	34	40	47	52	45	20	7	1	-	-	-
	White F	75	-	-	-	-	-	-	-	-	-	1	-	-	6	5	8	7	11	15	9	7	3	2	1	-	-
	Nonwhite M	92	-	-	-	-	-	-	-	-	-	-	1	1	8	9	19	23	16	7	5	1	-	1	1	-	-
	Nonwhite F	54	-	-	-	-	-	-	-	-	-	1	2	2	6	5	12	7	6	6	4	1	2	-	-	-	-
040	Typhoid fever	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-
	White M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	10	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-
	White M	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	White F	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	22	1	1	2	3	1	-	1	1	1	1	1	2	2	2	-	1	-	1	-	-	-	-	1	-	-
	White M	9	1	1	-	1	-	-	-	1	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	White F	11	-	-	2	1	1	-	1	-	1	-	-	-	1	1	-	1	-	1	-	-	-	-	1	-	-
	Nonwhite M	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	5	-	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	4	-	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	4	-	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	89	25	12	6	6	2	9	5	4	3	-	3	2	4	3	1	1	2	-	-	1	-	-	-	-	-
	White M	44	11	7	3	1	2	4	3	4	2	-	2	-	1	1	-	1	1	-	-	1	-	-	-	-	-
	White F	36	10	4	2	3	-	5	2	-	1	-	1	2	2	2	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite M	5	1	1	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	111	2	1	4	1	5	10	13	15	12	12	24	5	5	-	1	1	-	-	-	-	-	-	-	-	-
	White M	57	1	-	-	-	2	8	8	7	7	8	12	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White F	48	1	-	3	-	1	2	5	8	5	4	12	3	2	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite M	5	-	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	48	5	13	8	1	1	12	3	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White M	21	2	5	5	1	-	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White F	20	3	4	1	-	1	7	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	4	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	334	31	9	8	5	8	10	8	8	6	19	15	16	30	25	32	30	22	16	13	15	4	2	2	-	-
	White M	162	14	2	4	1	5	6	3	4	1	6	7	8	15	13	14	17	11	10	6	10	3	1	1	-	-
	White F	128	12	5	4	3	2	2	5	2	5	10	3	6	11	9	15	8	7	6	5	5	1	1	1	-	-
	Nonwhite M	27	2	1	-	-	1	1	-	2	-	2	4	1	3	-	1	5	3	-	1	-	-	-	-	-	-
	Nonwhite F	17	3	1	-	1	-	1	-	-	-	1	1	1	1	3	2	-	1	-	1	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK—Con.																										
140-205	Malignant neoplasms, etc.*	28,224	19	39	30	37	39	100	70	86	120	202	326	591	1,025	1,592	2,490	3,564	4,265	4,341	3,859	2,817	1,677	728	168	36	3
	White----M	14,031	6	18	16	21	18	49	33	46	61	90	118	191	366	645	1,113	1,821	2,353	2,407	2,040	1,406	815	328	60	10	-
	F	12,754	10	19	12	14	20	43	32	34	48	96	174	339	531	810	1,164	1,542	1,708	1,761	1,710	1,330	839	388	103	24	3
	Nonwhite--M	730	2	-	2	2	-	5	3	2	2	6	12	22	52	67	110	112	109	96	58	49	9	7	3	-	-
	F	709	1	2	-	-	1	3	2	4	9	10	22	39	76	70	103	89	95	77	51	32	14	5	2	2	-
140-148	Of buccal cavity and pharynx	636	-	-	-	-	-	-	-	-	1	1	4	13	21	22	67	85	80	110	93	71	43	20	5	-	-
	White----M	457	-	-	-	-	-	-	-	-	1	1	-	5	8	12	39	64	67	80	71	56	32	17	4	-	-
	F	131	-	-	-	-	-	-	-	-	-	-	2	7	8	5	16	10	10	25	21	13	10	3	1	-	-
	Nonwhite--M	36	-	-	-	-	-	-	-	-	-	-	2	1	4	2	11	10	2	3	-	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	2	1	1	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	11,179	5	1	1	1	-	1	-	4	7	25	60	117	273	490	814	1,292	1,721	1,894	1,810	1,368	866	337	77	14	1
	White----M	5,863	2	-	-	-	-	-	-	2	3	10	27	50	132	243	399	715	1,001	1,086	953	679	397	135	24	5	-
	F	4,757	3	1	1	-	-	-	-	2	3	11	29	52	109	200	330	498	619	732	806	649	458	194	50	9	1
	Nonwhite--M	347	-	-	-	1	-	1	-	-	-	3	2	9	20	29	54	51	67	41	32	26	5	4	2	-	-
	F	212	-	-	-	-	-	-	-	-	1	1	2	6	12	18	31	28	34	35	19	14	6	4	1	-	-
160-164	Of respiratory system	3,558	1	-	-	-	-	-	-	-	7	5	16	44	121	237	403	579	711	628	411	247	99	41	7	1	-
	White----M	2,920	-	-	-	-	-	-	-	-	5	4	10	25	86	181	332	509	614	537	337	188	64	26	2	-	-
	F	487	1	-	-	-	-	-	-	-	2	1	6	14	18	32	46	49	80	68	64	55	33	13	4	1	-
	Nonwhite--M	121	-	-	-	-	-	-	-	-	-	-	-	3	15	20	20	16	16	17	6	4	1	2	1	-	-
	F	30	-	-	-	-	-	-	-	-	-	-	-	2	2	4	5	5	1	6	4	-	1	-	-	-	-
170	Of breast	2,780	-	-	-	-	-	-	-	-	1	15	48	104	213	251	321	415	386	296	284	231	113	74	22	6	-
	White----M	31	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	6	4	6	3	3	2	-	1	-
	F	2,636	-	-	-	-	-	-	-	-	1	14	45	97	188	245	307	399	364	281	268	222	107	72	22	4	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	111	-	-	-	-	-	-	-	-	-	1	3	7	24	6	13	11	16	11	10	5	3	-	-	1	-
171-179	Of genital organs	3,738	-	1	-	-	-	2	4	6	16	33	45	98	144	233	320	431	497	526	554	395	269	134	27	2	1
	White----M	1,231	-	1	-	-	-	-	-	3	7	10	4	8	9	13	27	72	134	182	269	209	171	93	18	1	-
	F	2,233	-	-	-	-	-	2	4	2	8	17	32	76	110	187	260	317	327	314	265	171	92	39	8	1	1
	Nonwhite--M	75	-	-	-	-	-	-	-	-	-	-	1	-	1	3	5	11	9	16	13	10	3	1	-	-	-
	F	201	-	-	-	-	-	-	-	1	1	6	8	14	24	30	28	31	27	14	7	5	3	1	1	-	-
180, 181	Of urinary organs	1,387	1	2	2	4	3	6	1	1	1	4	7	19	22	56	100	152	224	234	218	159	109	50	8	4	-
	White----M	899	1	1	-	2	2	2	-	-	-	-	4	9	15	38	62	110	164	159	131	96	71	24	6	2	-
	F	428	-	1	2	2	1	3	1	1	1	3	3	7	4	12	29	37	52	65	81	55	38	26	2	2	-
	Nonwhite--M	32	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	3	4	6	3	6	-	-	-	-	-
	F	28	-	-	-	-	-	1	-	-	-	1	-	2	1	3	5	2	4	4	3	2	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	2,682	7	18	6	12	13	29	26	25	36	60	55	98	128	172	276	338	346	352	280	200	121	56	19	8	1
	White----M	1,389	2	10	4	7	6	16	13	11	17	32	29	45	62	83	155	186	198	196	151	89	48	23	5	1	-
	F	1,172	3	7	2	4	6	11	12	13	15	26	23	44	51	79	101	142	131	145	123	107	73	33	14	6	1
	Nonwhite--M	51	1	-	-	1	-	-	1	-	1	1	-	3	6	7	9	6	7	6	1	1	-	-	-	-	-
	F	70	1	1	-	-	1	2	-	1	3	1	3	6	9	3	11	4	10	5	5	3	-	-	-	1	-
204	Leukemia and aleukemia	1,123	5	14	19	18	21	55	30	28	19	22	34	47	42	51	81	118	122	152	114	82	34	12	2	1	-
	White----M	619	1	4	11	11	9	28	18	17	7	13	16	26	21	31	38	73	67	87	65	56	13	6	1	-	-
	F	455	3	9	6	7	12	23	9	8	9	8	13	19	19	18	37	39	53	62	46	26	21	6	1	1	-
	Nonwhite--M	30	1	-	2	-	-	4	1	2	-	1	2	1	1	2	3	4	1	3	2	-	-	-	-	-	-
	F	19	-	1	-	-	-	-	2	1	3	-	3	1	1	-	3	2	1	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	1,141	-	3	2	2	2	7	9	22	32	37	57	51	61	80	108	154	178	149	95	64	23	4	1	-	-
	White----M	622	-	2	1	1	1	3	2	13	21	20	28	23	32	44	60	88	102	76	57	30	16	2	-	-	-
	F	455	-	1	1	1	1	4	6	8	9	16	21	23	24	32	38	51	72	69	36	32	7	2	1	-	-
	Nonwhite--M	38	-	-	-	-	-	-	1	-	1	1	5	4	3	1	4	10	3	4	1	-	-	-	-	-	-
	F	26	-	-	-	-	-	-	-	1	1	-	3	1	2	3	6	5	1	-	1	2	-	-	-	-	-
210-239	Benign and unspecified neoplasms	523	14	7	5	2	-	8	7	10	6	19	18	33	40	57	48	58	47	56	35	22	17	10	4	-	-
	White----M	229	9	1	3	1	-	1	5	6	2	4	3	12	7	21	21	33	22	31	21	9	9	6	2	-	-
	F	233	3	5	2	-	-	7	-	3	2	8	7	11	27	26	25	23	21	24	13	13	8	3	2	-	-
	Nonwhite--M	16	2	1	-	-	-	-	1	-	1	1	2	1	-	3	1	1	1	1	-	-	-	-	-	-	-
	F	45	-	-	-	1	-	-	1	1	1	6	6	9	6	7	1	1	3	-	1	-	-	1	-	-	-
260	Diabetes mellitus	3,108	-	-	2	1	2	2	10	6	7	20	24	37	61	90	153	322	486	625	539	406	229	72	13	1	-
	White----M	1,085	-	-	-	1	1	1	2	2	4	7	8	16	28	39	61	122	150	211	180	145	75	25	7	-	-
	F	1,866	-	-	-	-	1	1	8	4	2	11	11	14	27	40	73	180	316	385	346	248	148	44	6	1	-
	Nonwhite--M	52	-	-	1	-	-	-	-	-	-	1	4	2	4	5	6	4	8	7	4	5	1	-	-	-	-
	F	105	-	-	1	-	-	-	-	-	1	1	1	5	2	6	13	16	12	22	9	8	5	3	-	-	-
290-293	Anemias	287	5	7	3	1	1	7	3	2	8	7	4	5	4	11	10	13	17	26	45	49	33	20	5	1	-
	White----M	119	2	2	2	1	1	1	1	2	4	4	-	2	-	2	4	6	7	19	18	23	13	5	-	-	-
	F	144	3	2	1	-	-	3	1	-	1	-	2	1	3	6	4	7	9	7	27	26	20	15	5	1	-
	Nonwhite--M	14	-	3	-	-	-	2	1	-	3	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	-	-	-	3	1	2	-	1	1	-	1	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	156	48	10	3	3	2	6	2	4	1	7	2	4	6	9	12	8	9	4	6	6	2	2	-	-	-
	White----M	73	23	2	2	2	2	3	-	2	1	1	-	2	3	5	6	4	4	3	4	3	1	-	-	-	-
	F	52	17	4	1	1	-	3	1	2	-	1	-	1	1	1	6	2	3	1	2	3	-	2	-	-	-
	Nonwhite--M	15	4	2	-	-	-	-	1	-	-	2	-	-	-	2	-	2	1	-	-	-	1	-	-	-	-
	F	16	4	2	-	-	-	-	-	-	-	3	2	1	2	1	-	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	91,358	35	10	3	7	11	49	35	79	155	305	460	871	1,844	3,046	5,098	7,619	10,305	12,820	14,022	13,545	11,280	6,459	2,606	610	84
	White----M	47,098	16	5	1	3	6	21	12	44	87	133	225	462	1,075	1,864	3,100	4,821	6,212	7,146	7,045	6,329	4,868	2,515	897	185	26
	F	39,971	11	5	2	4	4	22	18	24	49	120	139	267	490	834	1,450	2,298	3,565	5,175	6,481	6,896	6,176	3,825	1,662	403	51
	Nonwhite--M	2,143	8	-	-	-	-	4	-	3	9	27	31	74	145	186	301	281	268	255	252	139	95	48	14	2	1
	F	2,146	-	-	-	-	1	2	5	8	10	25	65	68	134	162	247	219	260	244	244	181	141	71	33	20	6
330-334, 400-468	Diseases of cardiovascular system	89,800	32	9	2	3	7	37	29	69	125	267	413	812	1,769	2,949	4,973	7,466	10,138	12,661	13,845	13,391	11,156	6,386	2,578	601	82
	White----M	46,353	16	5	1	1	3	17	10	41	66	112	200	439	1,036	1,820	3,037	4,745	6,125	7,068	6,970	6,251	4,806	2,486	891	181	26
	F	39,277	8	4	1	2	3	14	14	19	41	109	127	246	462	796	1,412	2,233	3,500	5,098	6,381	6,822	6,116	3,782	1,640	398	49
	Nonwhite--M	2,083	8	-	-	-	-	4	-	1	9	23	27	67	140	176	290	279	258	252	252	138	95	47	14	2	1
	F	2,087	-	-	-	-	1	2	5	8	9	23	59	60	131	157	234	209	255	243	242	180	139	71	33	20	6
330-334	Vascular lesions, etc.*	14,282	13	3	-	1	1	8	4	16	23	45	47	120	207	355	629	952	1,368	1,982	2,322	2,505	2,028	1,130	424	91	8
	White----M	6,057	8	2	-	1	-	5	1	12	10	18	19	49	82	141	254	477	636	924	1,013	1,018	814	409	138	23	3
	F	7,615	1	1	-	-	1	3	3	2	8	17	19	56	87	175	293	417	658	967	1,230	1,438	1,181	709	280	65	4
	Nonwhite--M	288	4	-	-	-	-	-	-	-	3	5	2	8	20	15	40	36	32	47	36	17	18	2	3	-	-
	F	322	-	-	-	-	-	-	-	2	2	5	7	7	18	24	42	22	42	44	43	32	15	10	3	3	1
400-402	Rheumatic fever	144	-	-	-	-	3	18	16	6	6	10	9	12	15	15	11	10	6	4	1	1	1	-	-	-	-
	White----M	66	-	-	-	-	1	7	4	6	4	6	4	8	6	5	2	7	4	2	-	-	-	-	-	-	-
	F	64	-	-	-	-	1	9	10	-	2	4	3	3	8	8	7	2	2	2	1	1	1	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	1	1	2	-	-	-	2	1	-	2	1	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK—Con.																										
410-443	Diseases of heart	70,478	16	4	1	2	2	11	8	37	83	179	323	627	1,469	2,462	4,179	6,298	8,468	10,232	10,929	10,182	8,207	4,558	1,750	395	56
	White----M	37,942	7	2	1	-	2	5	4	18	48	78	166	362	913	1,609	2,691	4,143	5,313	5,897	5,674	4,871	3,569	1,815	613	123	18
	F	29,239	6	2	-	2	-	2	1	13	26	70	96	170	345	578	1,071	1,754	2,731	3,947	4,662	5,061	4,457	2,650	1,102	260	33
	Nonwhite--M	1,679	3	-	-	-	-	3	-	1	5	17	22	48	108	154	237	226	217	197	207	112	70	40	10	1	1
	F	1,618	-	-	-	-	-	1	3	5	4	14	39	47	103	121	180	175	207	191	186	138	111	53	25	11	4
410-416	Chronic rheumatic heart disease	2,588	-	-	-	-	-	3	6	26	56	107	149	186	327	339	339	321	230	195	124	80	59	23	9	7	-
	White----M	1,128	-	-	-	-	-	1	3	13	34	39	61	83	150	145	137	142	104	85	59	38	23	8	2	1	-
	F	1,298	-	-	-	-	-	1	-	9	17	54	64	91	147	166	163	169	121	107	64	42	35	15	7	6	-
	Nonwhite--M	80	-	-	-	-	-	1	-	1	2	5	10	8	16	17	10	6	2	1	-	-	1	-	-	-	-
	F	82	-	-	-	-	-	-	3	5	3	9	14	4	14	11	9	4	3	2	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	51,228	2	-	-	-	-	-	-	1	9	38	113	308	823	1,649	3,011	4,769	6,510	7,858	8,218	7,529	5,789	3,147	1,179	244	31
	White----M	29,815	-	-	-	-	-	-	-	1	6	24	84	235	662	1,285	2,210	3,449	4,366	4,791	4,499	3,777	2,639	1,284	416	75	12
	F	19,662	2	-	-	-	-	-	-	-	1	8	16	43	94	264	592	1,110	1,894	2,850	3,474	3,571	3,027	1,799	737	163	17
	Nonwhite--M	969	-	-	-	-	-	-	-	-	1	5	5	20	41	68	129	131	139	122	138	84	46	30	8	1	1
	F	762	-	-	-	-	-	-	-	-	1	1	8	10	26	32	80	79	111	95	107	97	77	34	18	5	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	7 130	4	-	1	1	1	2	1	3	7	6	17	36	92	114	186	296	478	774	1,052	1,234	1,373	931	396	109	16
	White----M	3,279	3	-	1	-	1	1	1	3	4	3	5	19	31	56	93	142	264	417	532	575	570	373	143	37	5
	F	3,496	-	-	-	1	-	-	-	-	2	1	5	11	30	18	57	115	176	309	483	637	780	544	250	68	9
	Nonwhite--M	195	1	-	-	-	-	-	-	-	1	1	2	4	18	22	23	22	21	27	21	13	12	7	-	-	-
	F	160	-	-	-	-	-	1	-	-	-	1	5	2	13	18	13	17	17	21	16	9	11	7	3	4	2
430-434	Other diseases of heart	792	10	4	-	1	1	6	1	4	7	12	8	15	40	35	54	81	110	95	114	81	57	38	13	4	1
	White----M	434	4	2	-	-	1	3	-	1	2	6	6	8	18	22	39	54	69	60	60	39	21	13	5	1	-
	F	309	4	2	-	1	-	1	1	3	4	4	2	5	13	9	10	24	38	30	46	41	35	24	8	3	1
	Nonwhite--M	26	2	-	-	-	-	2	-	-	1	2	-	-	3	3	3	2	1	2	4	1	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	2	6	1	2	1	2	3	4	-	1	1	-	-	-
440-443	Hypertension with heart dis.	8,740	-	-	-	-	-	-	-	1	4	16	36	82	187	325	569	831	1,140	1,310	1,421	1,258	929	419	153	31	8
	White----M	3,286	-	-	-	-	-	-	-	-	2	6	10	17	52	101	212	356	510	544	524	442	316	137	47	9	1
	F	4,474	-	-	-	-	-	-	-	1	2	3	9	20	61	121	229	336	502	651	795	770	580	268	100	20	6
	Nonwhite--M	409	-	-	-	-	-	-	-	-	-	4	5	16	30	44	72	65	54	45	44	14	11	3	2	-	-
	F	571	-	-	-	-	-	-	-	-	-	3	12	29	44	59	76	74	74	70	58	32	22	11	4	2	1
444-447	Hypertension without mention of heart	1,089	-	-	-	-	-	-	-	-	4	15	18	32	43	61	79	74	88	121	148	145	128	90	33	9	1
	White----M	500	-	-	-	-	-	-	-	-	3	6	6	10	17	29	44	32	41	62	69	71	58	33	13	5	1
	F	479	-	-	-	-	-	-	-	-	-	5	2	12	11	18	20	25	42	55	73	70	67	55	20	4	-
	Nonwhite--M	48	-	-	-	-	-	-	-	-	1	1	2	7	7	5	8	9	2	2	1	1	2	-	-	-	-
	F	62	-	-	-	-	-	-	-	-	-	3	8	3	8	9	7	8	3	2	5	3	1	2	-	-	-
450	General arteriosclerosis	3,067	-	-	-	-	-	-	-	1	1	-	-	2	5	10	20	39	109	203	359	496	745	591	364	105	17
	White----M	1,347	-	-	-	-	-	-	-	1	-	-	-	1	3	7	11	24	63	100	160	257	339	221	126	30	4
	F	1,621	-	-	-	-	-	-	-	-	1	-	-	-	1	2	7	10	40	92	183	225	389	359	232	68	12
	Nonwhite--M	43	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	3	5	8	7	5	5	1	1	-
	F	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	8	7	12	6	5	6	1
451-468	Other diseases of circulatory sys.	740	3	2	1	-	1	-	1	9	8	18	16	19	30	46	55	93	99	119	86	62	47	17	7	1	-
	White----M	441	1	1	-	-	-	-	1	4	1	4	5	9	15	29	35	62	68	83	54	34	26	8	1	-	-
	F	259	1	1	1	-	1	-	-	4	4	13	7	5	10	15	14	25	27	35	32	27	21	9	6	1	-
	Nonwhite--M	22	1	-	-	-	-	-	-	-	-	-	1	3	3	1	3	4	4	1	-	1	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	1	3	1	3	2	2	1	3	2	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	1,558	3	1	1	4	4	12	6	10	30	38	47	59	75	97	125	153	167	159	177	154	124	73	28	9	2
	White----M	745	-	-	-	2	3	4	2	3	21	21	25	23	39	44	63	76	87	78	75	78	62	29	6	4	-
	F	694	3	1	1	2	1	8	4	5	8	11	12	21	28	38	38	65	65	77	100	74	60	43	22	5	2
	Nonwhite--M	60	-	-	-	-	-	-	-	2	-	4	4	7	5	10	11	2	10	3	-	1	-	1	-	-	-
	F	59	-	-	-	-	-	-	-	-	1	2	6	8	3	5	13	10	5	1	2	1	2	-	-	-	-
480-493	Influenza and pneumonia, etc.*	4,405	580	110	67	33	25	55	19	23	38	57	77	69	128	168	205	248	331	397	423	501	427	267	123	31	3
	White----M	2,176	250	36	26	14	17	31	8	7	11	23	31	25	54	99	116	156	219	228	207	242	204	108	51	12	1
	F	1,706	186	51	23	14	7	20	8	11	14	15	14	19	35	37	51	64	88	146	202	242	215	154	69	19	2
	Nonwhite--M	343	95	10	11	1	-	3	2	3	6	13	25	16	29	17	28	25	17	16	7	8	6	4	1	-	-
	F	180	49	13	7	4	1	1	1	2	7	6	7	9	10	15	10	3	7	7	7	9	2	1	2	-	-
480-483	Influenza	162	16	3	1	4	1	3	2	3	7	8	2	3	3	4	4	4	8	6	20	16	15	16	11	2	-
	White----M	69	4	-	-	1	1	1	-	2	-	3	-	3	1	2	3	3	7	4	11	6	7	5	4	1	-
	F	79	12	2	1	3	-	1	1	-	2	4	-	-	1	2	-	1	1	2	9	10	8	11	7	1	-
	Nonwhite--M	10	-	1	-	-	-	1	1	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	4,243	564	107	66	29	24	52	17	20	31	49	75	66	125	164	201	244	323	391	403	485	412	251	112	29	3
	White----M	2,107	246	36	26	13	16	30	8	5	11	20	31	22	53	97	113	153	212	224	196	236	197	103	47	11	1
	F	1,627	174	49	22	11	7	19	7	11	12	11	14	19	34	35	51	63	87	144	193	232	207	143	62	18	2
	Nonwhite--M	333	95	9	11	1	-	2	1	2	4	12	23	16	28	17	28	25	17	16	7	8	6	4	1	-	-
	F	176	49	13	7	4	1	1	1	2	4	6	7	9	10	15	9	3	7	7	7	9	2	1	2	-	-
500-502	Bronchitis	281	59	20	5	7	3	5	2	1	3	2	1	4	6	5	11	12	30	27	33	18	18	4	4	1	-
	White----M	167	28	11	3	5	2	4	-	1	2	1	1	2	3	5	8	9	26	16	19	9	9	2	1	-	-
	F	93	19	7	2	2	1	1	2	-	1	-	-	-	2	-	2	3	4	10	14	8	9	2	3	1	-
	Nonwhite--M	13	6	1	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	1	-	1	-	-	-	-	-
	F	8	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	1,196	2	-	1	-	-	-	-	-	3	5	19	30	61	95	130	136	183	186	136	106	58	36	6	3	-
	White----M	923	1	-	-	-	-	-	-	-	1	5	11	20	44	79	104	114	150	150	106	76	36	24	1	1	-
	F	213	1	-	1	-	-	-	-	-	-	-	2	4	13	7	16	13	25	32	28	30	22	12	5	2	-
	Nonwhite--M	48	-	-	-	-	-	-	-	-	2	-	5	5	4	7	8	8	5	2	2	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	3	2	-	-	-	-	-	-	-
550-553	Appendicitis	271	-	2	2	4	2	6	6	6	7	6	5	7	9	17	29	34	28	36	26	23	8	7	-	-	1
	White----M	155	-	1	-	2	1	4	1	3	4	2	3	3	5	11	21	24	12	23	19	9	3	4	-	-	-
	F	91	-	1	1	1	1	2	5	3	2	3	1	1	1	2	6	9	12	12	6	13	5	3	-	-	1
	Nonwhite--M	11	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	4	-	1	-	-	-	-	-	-
	F	14	-	-	1	1	-	-	-	-	1	-	-	3	1	4	1	-	-	1	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	812	70	5	1	1	1	1	1	1	3	6	4	7	19	32	46	68	86	111	131	90	77	38	11	2	-
	White----M	416	34	3	-	1	-	1	1	1	2	1	1	3	6	16	25	36	45	62	66	49	43	17	2	1	-
	F	348	28	-	1	-	1	-	-	-	1	3	3	3	9	13	17	26	34	43	63	39	34	21	8	1	-
	Nonwhite--M	28	4	2	-	-	-	-	-	-	-	1	-	-	2	2	1	5	3	4	1	2	-	-	1	-	-
	F	20	4	-	-	-	-	-	-	-	-	1	-	1	2	1	3	1	4	2	1	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK—Con.																										
543, 571, 572	Gastritis, etc.*--	552	102	24	3	3	2	9	1	3	9	12	13	20	9	36	26	40	44	42	49	53	29	18	4	1	-
	White-----M--	257	55	16	1	2	-	6	1	2	6	8	9	7	3	19	14	18	20	21	18	17	7	5	2	-	-
	F--	286	31	7	2	1	1	3	-	1	3	4	4	10	6	16	12	21	22	19	30	36	21	13	2	1	-
	Nonwhite--M--	10	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	F--	19	9	1	-	-	1	-	-	-	-	-	-	3	-	1	-	1	1	2	-	-	-	-	-	-	-
581	Cirrhosis of liver	2,229	3	-	1	-	2	1	2	1	7	21	44	117	188	294	330	334	305	249	164	106	43	14	2	1	-
	White-----M--	1,338	2	-	-	-	1	1	1	-	3	9	12	48	100	162	195	231	208	159	100	71	26	8	1	-	-
	F--	717	1	-	1	-	1	-	1	1	4	6	16	39	64	101	107	88	84	85	58	35	17	6	1	1	-
	Nonwhite--M--	122	-	-	-	-	-	-	-	-	-	2	12	22	17	17	21	11	10	5	5	-	-	-	-	-	-
	F--	52	-	-	-	-	-	-	-	-	-	4	4	8	7	14	7	4	3	-	1	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	198	5	3	2	3	3	15	9	7	5	7	10	9	8	20	14	6	15	17	12	14	5	5	4	-	-
	White-----M--	101	3	1	1	2	3	8	4	6	3	5	3	4	5	11	9	2	7	9	3	7	2	1	2	-	-
	F--	82	1	2	1	-	-	7	4	1	1	1	6	3	2	7	3	3	7	8	9	7	3	4	2	-	-
	Nonwhite--M--	9	1	-	-	1	-	-	-	-	1	-	1	2	1	-	1	-	1	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	600	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	25	43	87	124	142	95	53	22	4	-
	White-----M--	575	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	22	40	82	120	135	93	53	22	4	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	4	7	2	-	-	-	-
640-689	Complications of pregnancy, etc.*-	164	...	...	...	...	...	...	1	9	30	44	39	26	13	-	2	-	-	-	-	-	-	-	-	-	-
	White-----F--	122	...	...	...	...	...	...	-	7	21	31	26	22	13	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	42	...	...	...	...	...	...	1	2	9	13	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	31	...	...	...	...	...	...	-	2	7	11	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	18	...	...	...	...	...	...	-	1	4	6	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	13	...	...	...	...	...	...	-	1	3	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	133	...	...	...	...	...	...	1	7	23	33	34	23	10	-	2	-	-	-	-	-	-	-	-	-	-
	White-----F--	104	...	...	...	...	...	...	-	6	17	25	24	20	10	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	29	...	...	...	...	...	...	1	1	6	8	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	1,801	1,284	86	45	30	28	47	20	26	30	26	16	25	20	34	28	16	13	14	1	5	5	1	1	-	-
	White-----M--	904	642	41	21	17	10	19	10	15	15	15	4	16	7	26	15	9	9	6	-	3	3	1	-	-	-
	F--	776	554	37	23	12	15	25	9	7	12	9	9	8	11	7	13	7	4	8	1	2	2	-	1	-	-
	Nonwhite--M--	67	51	4	1	-	3	1	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	54	37	4	-	1	-	2	-	3	-	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	4,991	4,987	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2,420	2,418	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,742	1,741	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	458	458	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	371	370	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	2,293	2,293	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,225	1,225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	724	724	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	178	178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn---------	322	322	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	140	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	2,376	2,372	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,055	1,053	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	908	907	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	231	231	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	182	181	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	742	77	10	9	6	2	8	5	15	42	46	33	50	66	61	58	43	38	28	28	29	26	16	27	16	3
	White-----M--	372	38	1	3	2	1	3	3	4	14	19	13	16	37	31	37	31	30	17	19	17	12	8	9	7	-
	F--	242	26	7	3	1	1	3	1	4	7	7	9	18	23	21	13	9	7	10	9	12	14	7	18	9	3
	Nonwhite--M--	81	7	-	-	1	-	2	-	5	18	12	7	9	4	5	7	2	-	1	-	-	-	1	-	-	-
	F--	47	6	2	3	2	-	-	1	2	3	8	4	7	2	4	1	1	1	-	-	-	-	-	-	-	-
Residual	All other diseases	5,902	286	56	44	19	39	68	29	60	83	134	158	235	275	395	499	590	690	689	594	494	273	138	41	12	1
	White-----M--	3,005	147	27	21	10	18	31	19	28	30	39	59	92	117	210	257	337	409	400	316	236	129	53	14	6	-
	F--	2,400	104	27	19	8	18	28	7	21	28	55	62	90	108	146	175	209	253	265	269	251	143	82	26	5	1
	Nonwhite--M--	286	19	1	3	1	2	4	-	9	14	20	14	31	30	21	44	29	20	14	5	3	1	-	1	-	-
	F--	211	16	1	1	-	1	5	3	2	11	20	23	22	20	18	23	15	8	10	4	4	-	3	-	1	-
E800-E962	Accidents---------	7,355	184	86	82	62	71	220	135	271	341	350	337	322	346	428	472	484	502	477	534	567	511	352	163	40	18
	White-----M--	4,380	90	41	41	32	34	125	103	203	251	228	227	209	230	305	336	342	350	312	268	245	201	127	56	15	9
	F--	2,368	62	33	28	24	27	63	22	50	42	66	52	71	69	78	83	110	125	143	254	309	301	218	107	25	6
	Nonwhite--M--	440	21	8	8	2	6	24	10	15	36	42	44	36	27	33	39	27	19	17	5	7	5	6	-	-	3
	F--	167	11	4	5	4	4	8	-	3	12	14	14	6	20	12	14	5	8	5	7	6	4	1	-	-	-
E810-E835	Motor-vehicle accidents--------	2,239	12	21	17	20	29	82	46	160	213	176	159	125	135	141	152	158	158	129	139	98	51	14	2	-	2
	White-----M--	1,572	7	12	8	12	16	47	34	118	164	128	122	84	94	99	109	115	105	90	93	74	29	10	1	-	1
	F--	505	4	7	9	5	10	25	8	38	31	30	22	30	31	26	32	34	44	29	41	22	22	3	1	-	1
	Nonwhite--M--	124	1	1	-	1	2	9	4	2	13	13	12	10	5	12	10	8	6	10	3	1	-	1	-	-	-
	F--	38	-	1	-	2	1	1	-	2	5	5	3	1	5	4	1	1	3	-	2	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	5,116	172	65	65	42	42	138	89	111	128	174	178	197	211	287	320	326	344	348	395	469	460	338	161	40	16
	White-----M--	2,808	83	29	33	20	18	78	69	85	87	100	105	125	136	206	227	227	245	222	175	171	172	117	55	15	8
	F--	1,863	58	26	19	19	17	38	14	12	11	36	30	41	38	52	51	76	81	114	213	287	279	215	106	25	5
	Nonwhite--M--	316	20	7	8	1	4	15	6	13	23	29	32	26	22	21	29	19	13	7	2	6	5	5	-	-	3
	F--	129	11	3	5	2	3	7	-	1	7	9	11	5	15	8	13	4	5	5	5	5	4	1	-	-	-
E963, E970-E979	Suicide----------	1,387	-	-	-	-	-	-	1	20	51	86	70	87	114	157	167	157	167	121	78	57	33	14	5	-	2
	White-----M--	1,019	-	-	-	-	-	-	1	17	35	56	44	59	75	111	118	119	133	91	61	48	30	14	5	-	2
	F--	329	-	-	-	-	-	-	-	3	13	18	24	24	33	42	46	37	31	29	17	9	3	-	-	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	3	11	2	4	4	2	2	1	3	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	438	15	3	4	2	2	4	5	26	44	59	59	52	42	41	35	16	9	11	6	-	1	-	-	-	2
	White-----M--	165	6	2	2	2	1	2	5	12	20	13	16	10	15	20	15	7	6	6	3	-	1	-	-	-	1
	F--	65	5	1	1	-	1	1	-	8	3	7	4	10	4	4	7	3	2	2	2	-	-	-	-	-	-
	Nonwhite--M--	165	1	-	1	-	-	1	-	5	18	33	26	21	21	15	11	6	1	3	1	-	-	-	-	-	1
	F--	43	3	-	-	-	-	-	-	1	3	6	13	11	2	2	2	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA																										
	ALL CAUSES	32,259	3,968	281	139	96	93	261	229	436	590	687	778	1,009	1,268	1,558	2,118	2,400	2,707	3,337	3,373	3,118	2,138	1,033	473	109	60
	White M	12,593	1,139	67	39	33	27	109	94	186	251	244	267	366	464	626	825	1,028	1,154	1,390	1,409	1,353	939	386	161	29	7
	F	8,659	817	69	39	23	21	68	55	72	83	126	122	180	222	296	378	484	646	900	1,169	1,225	891	472	241	48	12
	Nonwhite M	5,972	1,101	76	29	24	25	45	55	109	152	179	229	261	298	343	472	503	498	563	409	292	170	84	33	12	11
	F	5,035	911	69	33	16	20	39	25	69	104	138	160	202	284	293	443	385	409	484	386	248	138	91	38	20	30
001-019	Tuberculosis, all forms	548	5	3	4	-	-	4	4	15	35	41	50	43	33	45	50	55	49	44	28	28	10	1	1	-	-
	White M	143	-	1	-	-	-	-	-	-	1	6	9	7	6	14	16	8	25	17	13	15	4	1	-	-	-
	F	70	-	-	1	-	-	1	-	-	2	4	3	5	4	5	4	5	6	10	6	10	3	-	1	-	-
	Nonwhite M	186	2	2	-	-	-	1	2	7	14	10	13	19	16	17	18	34	13	11	5	1	1	-	-	-	-
	F	149	3	-	3	-	-	2	2	8	18	21	25	12	7	9	12	8	5	6	4	2	2	-	-	-	-
001-008	Tuberculosis of respiratory system	500	2	1	3	-	-	2	3	14	33	35	46	42	29	39	46	50	46	44	26	25	10	1	1	-	-
	White M	134	-	-	-	-	-	-	-	-	1	5	8	7	4	13	15	8	24	17	13	14	4	1	-	-	-
	F	64	-	-	1	-	-	-	-	-	1	4	3	5	4	5	4	5	6	10	4	8	3	-	1	-	-
	Nonwhite M	167	1	1	-	-	-	-	1	6	13	8	12	16	16	14	16	30	13	11	5	1	1	-	-	-	-
	F	135	1	-	2	-	-	2	2	8	18	18	23	12	5	7	11	7	5	6	4	2	2	-	-	-	-
010-019	Tuberculosis, other forms	48	3	2	1	-	-	2	1	1	2	6	4	1	4	6	4	5	1	-	2	3	-	-	-	-	-
	White M	9	-	1	-	-	-	-	-	-	-	1	1	-	2	1	1	-	1	-	-	1	-	-	-	-	-
	F	6	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	Nonwhite M	19	1	1	-	-	-	1	1	1	1	2	1	1	-	3	2	4	-	-	-	-	-	-	-	-	-
	F	14	2	-	1	-	-	-	-	-	-	3	2	-	2	2	1	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	106	2	-	-	-	-	-	-	1	3	2	1	5	10	9	21	11	22	8	6	1	2	1	1	-	-
	White M	25	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	3	6	2	2	1	2	1	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	-	3	-	1	-	-	-	1	-	-
	Nonwhite M	47	2	-	-	-	-	-	-	1	-	2	1	3	4	4	10	6	9	3	2	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	3	-	-	1	3	1	3	2	4	3	1	-	-	-	-	-	-
040	Typhoid fever	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	29	17	3	3	-	1	1	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-
	White M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	6	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	12	6	1	2	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	13	3	-	-	1	-	1	2	-	-	-	1	-	-	-	4	-	-	-	1	-	-	-	-	-	-
	White M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite M	5	1	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	9	1	1	2	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	5	1	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	5	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	42	14	7	2	3	2	4	5	-	-	-	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-
	White M	19	8	5	-	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	12	4	2	-	1	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	7	1	-	1	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	21	-	-	2	1	-	6	7	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	12	-	-	-	1	-	4	4	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	1	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	22	3	9	2	-	1	3	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White M	6	-	2	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	1	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite M	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	White M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	3	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	119	27	8	4	5	3	9	6	1	4	4	2	3	5	5	3	4	7	2	6	6	4	-	1	-	-
	White M	42	11	3	1	2	1	3	2	-	1	1	-	2	2	2	-	2	2	1	3	2	1	-	-	-	-
	F	22	2	1	1	-	-	3	-	-	-	2	-	-	-	-	2	-	3	-	1	4	2	-	1	-	-
	Nonwhite M	28	8	2	-	2	2	1	2	-	1	1	-	-	-	2	-	2	2	1	2	-	-	-	-	-	-
	F	27	6	2	2	1	-	2	2	1	2	-	2	1	3	1	1	-	-	-	-	-	1	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
140-205	Malignant neoplasms, etc.*	3,370	9	9	8	12	6	29	13	24	17	45	73	142	177	241	318	409	375	457	399	308	197	80	21	-	1
	White----M--	1,224	3	1	3	2	4	13	5	7	6	15	22	44	46	53	88	147	147	185	165	127	90	41	10	-	-
	F--	1,336	2	5	2	8	1	7	7	5	6	17	25	59	70	100	116	164	144	165	167	143	88	27	8	-	-
	Nonwhite--M--	348	1	1	1	2	1	5	1	7	3	3	10	8	15	29	36	46	39	63	35	24	9	7	2	-	-
	F--	462	3	2	2	-	-	4	-	5	2	10	16	31	46	59	78	52	45	44	32	14	10	5	1	-	1
140-148	Of buccal cavity and pharynx	69	-	-	-	-	-	-	-	1	-	1	2	3	1	1	5	9	11	18	4	9	3	1	-	-	-
	White----M--	38	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	7	8	9	1	5	1	1	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	1	2	7	2	4	1	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	1	2	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,069	-	-	1	-	-	1	2	-	6	5	6	24	42	53	88	125	122	177	164	135	80	34	4	-	-
	White----M--	420	-	-	1	-	-	-	-	-	3	1	2	8	16	12	29	56	54	70	70	54	27	16	1	-	-
	F--	378	-	-	-	-	-	-	2	-	-	4	1	9	10	12	22	37	36	58	66	65	41	13	2	-	-
	Nonwhite--M--	153	-	-	-	-	-	1	-	-	2	-	1	5	6	13	22	18	18	34	16	10	4	2	1	-	-
	F--	118	-	-	-	-	-	-	-	-	1	-	2	2	10	16	15	14	14	15	12	6	8	3	-	-	-
160-164	Of respiratory system	292	-	-	1	-	-	-	-	-	1	2	4	9	8	31	41	45	43	45	34	17	9	2	-	-	-
	White----M--	194	-	-	-	-	-	-	-	-	1	1	1	6	4	20	32	30	31	29	22	9	7	1	-	-	-
	F--	44	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	5	6	6	10	7	2	-	-	-	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	-	-	3	-	2	7	3	7	6	6	1	1	-	1	-	-	-
	F--	17	-	-	1	-	-	-	-	-	-	1	-	1	1	1	4	3	-	4	1	-	-	-	-	-	-
170	Of breast	284	-	-	-	-	-	-	-	-	-	4	8	22	24	38	45	34	32	29	24	17	5	1	1	-	-
	White----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-
	F--	214	-	-	-	-	-	-	-	-	-	2	3	10	17	33	33	29	23	24	19	14	5	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	65	-	-	-	-	-	-	-	-	-	2	5	12	7	4	12	5	9	5	2	2	-	-	-	-	-
171-179	Of genital organs	732	-	-	-	1	-	-	-	3	2	8	17	41	50	56	76	90	85	85	79	64	49	19	7	-	-
	White----M--	178	-	-	-	1	-	-	-	-	-	1	1	4	1	3	2	8	17	24	31	34	33	13	5	-	-
	F--	328	-	-	-	-	-	-	-	1	2	4	8	23	26	32	39	53	44	39	24	19	13	1	-	-	-
	Nonwhite--M--	60	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	8	5	11	13	9	3	4	1	-	-
	F--	166	-	-	-	-	-	-	-	2	-	3	7	13	22	21	32	21	19	11	11	2	-	1	1	-	-
180, 181	Of urinary organs	140	-	1	-	2	2	3	-	-	-	1	-	4	2	8	11	22	11	17	20	19	10	3	3	-	1
	White----M--	52	-	-	-	-	-	1	-	-	-	-	-	2	-	1	6	7	3	11	8	6	5	1	1	-	-
	F--	60	-	1	-	2	1	1	-	-	-	1	-	-	2	3	2	8	4	4	11	12	4	2	2	-	-
	Nonwhite--M--	16	-	-	-	-	1	-	-	-	-	-	-	2	-	1	1	4	3	2	1	1	-	-	-	-	-
	F--	12	-	-	-	-	-	1	-	-	-	-	-	-	-	3	2	3	1	-	-	-	1	-	-	-	1
156B, 165, 190-199	Of other sites, etc.*	468	5	3	2	2	2	9	3	6	6	13	22	23	29	37	26	51	43	51	48	33	31	18	5	-	-
	White----M--	198	2	-	1	-	2	3	2	1	2	5	11	13	13	13	7	26	17	24	20	14	11	9	2	-	-
	F--	186	2	3	1	2	-	3	-	2	4	4	10	9	7	12	9	17	18	18	21	14	19	8	3	-	-
	Nonwhite--M--	36	1	-	-	-	-	2	1	2	-	2	1	-	4	3	2	5	6	3	3	1	-	-	-	-	-
	F--	48	-	-	-	-	-	1	-	1	-	2	-	1	5	9	8	3	2	6	4	4	1	1	-	-	-
204	Leukemia and aleukemia	185	3	4	4	6	2	10	8	8	-	6	9	9	13	7	15	17	8	22	14	10	7	2	1	-	-
	White----M--	73	-	-	1	1	2	5	3	4	-	3	2	6	6	1	4	5	3	12	8	2	4	-	1	-	-
	F--	68	-	1	1	4	-	3	5	2	-	1	3	2	6	1	5	9	5	5	5	6	2	2	-	-	-
	Nonwhite--M--	22	-	1	1	1	-	1	-	1	-	1	2	-	-	3	3	2	-	3	-	2	1	-	-	-	-
	F--	22	3	2	1	-	-	1	-	1	-	1	2	1	1	2	3	1	-	2	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	131	1	1	-	1	-	6	-	6	2	5	5	7	8	10	11	16	20	13	12	4	3	-	-	-	-
	White----M--	67	1	1	-	-	-	4	-	2	-	4	4	4	5	2	5	8	14	6	3	2	2	-	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	5	6	4	9	2	1	-	-	-	-
	Nonwhite--M--	15	-	-	-	1	-	1	-	3	1	-	1	-	2	2	1	1	-	2	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	1	-	1	1	1	-	1	-	3	2	2	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	114	3	1	1	1	2	3	4	3	4	6	9	9	19	8	7	8	8	7	4	4	2	1	-	-	-
	White----M--	30	1	-	-	-	-	2	1	-	3	1	3	4	4	-	2	4	-	4	-	1	-	-	-	-	-
	F--	42	2	1	-	1	2	1	3	2	-	3	3	-	1	2	3	2	7	1	3	2	2	1	-	-	-
	Nonwhite--M--	11	-	-	1	-	-	-	-	-	-	-	1	-	3	2	-	2	-	-	1	1	-	-	-	-	-
	F--	31	-	-	-	-	-	-	-	1	1	2	2	5	11	4	2	-	1	2	-	-	-	-	-	-	-
260	Diabetes mellitus	388	1	-	-	-	1	1	1	-	8	7	4	7	11	15	34	35	39	74	65	53	23	7	2	-	-
	White----M--	124	-	-	-	-	1	-	-	-	1	2	-	3	2	5	10	9	13	24	22	23	8	1	-	-	-
	F--	150	1	-	-	-	-	-	-	-	4	4	2	1	2	3	7	16	13	29	28	22	11	5	2	-	-
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	1	2	-	4	1	6	2	5	9	4	4	2	-	-	-	-
	F--	74	-	-	-	-	-	1	1	-	3	-	-	3	3	6	11	8	8	12	11	4	2	1	-	-	-
290-293	Anemias	73	4	4	-	-	1	2	1	3	-	2	-	2	3	5	1	3	7	5	11	10	3	5	1	-	-
	White----M--	25	-	2	-	-	1	-	1	1	-	1	-	-	1	1	1	1	3	1	5	3	2	1	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	4	1	3	5	1	3	-	-	-
	Nonwhite--M--	12	1	2	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	2	2	2	-	-	-	-	-
	F--	14	3	-	-	-	-	1	-	2	-	-	-	1	-	1	-	2	-	1	1	-	-	1	1	-	-
340	Nonmeningococcal meningitis*	45	21	3	2	2	1	1	1	-	1	2	1	2	2	1	2	-	2	-	1	-	-	-	-	-	-
	White----M--	10	5	1	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	7	1	-	1	1	-	-	-	1	1	-	1	-	1	1	-	1	-	1	-	-	-	-	-	-
	F--	13	8	-	1	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	16,627	22	7	2	3	4	16	28	44	81	114	208	359	568	864	1,225	1,491	1,805	2,292	2,389	2,296	1,582	765	338	78	46
	White----M--	6,862	4	-	-	1	-	5	8	20	30	25	63	126	194	367	502	675	772	974	981	996	694	279	118	24	4
	F--	4,631	4	4	-	-	-	7	9	7	14	25	34	46	72	123	166	225	378	584	822	887	654	357	170	33	10
	Nonwhite--M--	2,650	6	3	1	1	-	1	7	7	11	26	59	101	150	190	286	331	359	383	291	213	126	63	22	7	6
	F--	2,484	8	-	1	1	4	3	4	10	26	38	52	86	152	184	271	260	296	351	295	200	108	66	28	14	26
330-334, 400-468	Diseases of cardiovascular system	16,000	22	7	1	3	4	15	26	38	68	96	188	323	525	810	1,175	1,449	1,744	2,238	2,321	2,229	1,535	747	322	73	41
	White----M--	6,690	4	-	-	1	-	4	6	17	25	21	59	113	185	355	488	666	758	965	961	972	678	270	115	23	4
	F--	4,493	4	4	-	-	-	7	9	6	9	22	27	44	67	118	160	217	365	573	802	869	637	350	163	30	10
	Nonwhite--M--	2,487	6	3	-	1	-	1	7	7	11	21	55	92	134	174	271	311	344	364	272	200	118	62	20	7	6
	F--	2,330	8	-	1	1	4	3	4	8	23	32	47	74	139	163	256	255	277	336	286	188	102	65	24	13	21
330-334	Vascular lesions, etc.*	4,186	7	1	-	1	-	4	5	3	12	17	38	71	120	205	292	313	455	614	653	663	390	211	82	19	10
	White----M--	1,451	1	-	-	-	-	1	2	1	5	6	10	12	23	67	71	100	154	220	248	274	158	66	27	5	-
	F--	1,350	1	1	-	-	-	1	3	1	2	2	7	13	19	40	66	53	109	179	244	279	171	107	42	8	2
	Nonwhite--M--	648	2	-	-	-	-	1	-	1	1	3	8	24	32	44	75	79	99	102	73	53	31	14	4	2	-
	F--	737	3	-	-	1	-	1	-	-	4	6	13	22	46	54	80	81	93	113	88	57	30	24	9	4	8
400-402	Rheumatic fever	55	-	2	1	1	2	7	7	9	4	6	3	4	2	2	1	2	1	-	1	-	-	-	-	-	-
	White----M--	12	-	-	-	-	-	1	1	6	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	14	-	1	-	-	-	4	2	-	1	1	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	-	1	-	1	-	-	3	3	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	16	-	-	1	-	2	2	1	-	2	2	1	1	1	-	1	-	1	-	1	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
410-443	Diseases of heart	10,813	13	3	-	1	1	4	13	26	46	56	127	225	381	571	831	1,074	1,207	1,525	1,554	1,423	1,013	461	197	39	22
	White-----M	4,864	2	-	-	1	-	2	3	10	20	14	42	92	155	280	403	544	563	707	670	640	457	172	68	15	4
	F	2,834	3	2	-	-	-	2	3	5	5	14	16	27	46	69	88	155	234	365	518	536	422	206	100	13	5
	Nonwhite--M	1,690	3	1	-	-	-	-	4	3	8	12	42	63	94	122	179	220	236	244	185	132	73	46	15	4	4
	F	1,425	5	-	-	-	1	-	3	8	13	16	27	43	86	100	161	155	174	209	181	115	61	37	14	7	9
410-416	Chronic rheumatic heart disease	314	-	-	-	-	-	2	8	11	16	13	18	20	21	24	23	34	26	26	22	24	15	8	3	-	-
	White-----M	154	-	-	-	-	-	1	3	5	10	6	10	14	11	13	15	12	9	12	13	9	5	6	-	-	-
	F	89	-	-	-	-	-	1	2	2	-	4	5	5	7	6	2	15	9	7	5	8	7	2	2	-	-
	Nonwhite--M	40	-	-	-	-	-	-	1	2	4	1	2	1	1	3	5	3	5	2	4	3	2	-	1	-	-
	F	31	-	-	-	-	-	-	2	2	2	2	1	-	2	2	1	4	3	5	-	4	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,551	5	-	-	-	-	-	1	5	8	22	56	102	199	334	473	624	687	795	835	680	441	185	79	13	7
	White-----M	3,044	1	-	-	-	-	-	-	2	2	6	23	49	108	210	297	406	403	441	429	325	223	80	30	7	2
	F	1,446	1	-	-	-	-	-	-	1	1	5	8	7	24	30	54	87	138	216	286	276	183	83	40	3	3
	Nonwhite--M	651	1	-	-	-	-	-	1	-	1	6	17	28	37	62	79	85	92	89	68	45	21	11	6	-	2
	F	410	2	-	-	-	-	-	-	2	4	5	8	18	30	32	43	46	54	49	52	34	14	11	3	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,321	4	2	-	1	-	-	1	2	6	4	10	14	18	27	59	91	114	173	177	234	207	111	54	8	4
	White-----M	509	1	-	-	1	-	-	-	-	1	-	1	5	1	11	17	35	49	63	65	108	97	36	15	3	-
	F	404	2	1	-	-	-	-	-	2	1	-	1	-	2	4	7	11	15	38	59	86	83	55	32	4	1
	Nonwhite--M	212	-	1	-	-	-	-	-	-	2	2	2	4	10	3	18	28	21	42	26	21	15	14	3	-	-
	F	196	1	-	-	-	-	-	1	-	2	2	6	5	5	9	17	17	29	30	27	19	12	6	4	1	3
430-434	Other diseases of heart	897	4	-	-	-	1	2	3	6	13	11	21	32	45	67	90	81	108	114	110	78	52	33	19	4	3
	White-----M	375	-	-	-	-	-	1	-	2	5	2	4	14	19	26	35	35	48	54	51	38	21	9	9	1	1
	F	170	-	-	-	-	-	1	1	-	3	4	1	3	3	9	3	10	12	19	35	21	19	15	9	1	1
	Nonwhite--M	199	2	-	-	-	-	-	2	1	1	2	13	8	15	18	26	20	32	21	13	13	4	5	1	1	1
	F	153	2	-	-	-	1	-	-	3	4	3	3	7	8	14	26	16	16	20	11	6	8	4	-	1	-
440-443	Hypertension with heart dis.	2,730	-	1	-	-	-	-	-	2	3	6	22	57	98	119	186	244	272	417	410	407	298	124	42	14	8
	White-----M	782	-	-	-	-	-	-	-	1	2	-	4	10	16	20	39	56	54	137	112	160	111	41	14	4	1
	F	725	-	1	-	-	-	-	-	-	-	1	1	12	10	20	22	32	60	85	133	145	130	51	17	5	-
	Nonwhite--M	588	-	-	-	-	-	-	-	-	-	1	8	22	31	36	51	84	86	90	74	50	31	16	4	3	1
	F	635	-	-	-	-	-	-	-	1	1	4	9	13	41	43	74	72	72	105	91	52	26	16	7	2	6
444-447	Hypertension without mention of heart	326	-	-	-	-	-	-	-	-	1	8	8	11	17	19	27	30	34	32	38	38	31	22	6	2	2
	White-----M	111	-	-	-	-	-	-	-	-	-	-	-	3	3	2	6	10	14	12	16	15	17	10	2	1	-
	F	80	-	-	-	-	-	-	-	-	-	-	-	1	2	6	2	4	11	7	10	15	7	11	3	-	1
	Nonwhite--M	65	-	-	-	-	-	-	-	-	-	4	3	4	6	6	12	6	5	6	3	5	3	-	-	1	1
	F	70	-	-	-	-	-	-	-	-	1	4	5	3	6	5	7	10	4	7	9	3	4	1	1	-	-
450	General arteriosclerosis	455	-	-	-	-	-	-	-	-	-	1	2	1	3	4	9	8	23	50	60	93	93	51	37	13	7
	White-----M	175	-	-	-	-	-	-	-	-	-	-	2	-	2	1	3	-	10	18	19	39	41	20	18	2	-
	F	173	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	8	15	25	33	35	26	18	9	2
	Nonwhite--M	52	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	11	10	10	10	2	1	-	1
	F	55	-	-	-	-	-	-	-	-	-	1	-	-	-	2	4	5	4	6	6	11	7	3	-	2	4
451-468	Other diseases of circulatory sys.	165	2	1	-	-	1	-	1	-	5	8	10	11	2	9	15	22	24	17	15	12	8	2	-	-	-
	White-----M	77	1	-	-	-	-	-	-	-	-	-	5	5	1	4	5	12	17	8	8	4	5	2	-	-	-
	F	42	-	-	-	-	-	-	1	-	1	5	3	-	-	2	3	4	3	7	5	6	2	-	-	-	-
	Nonwhite--M	19	1	1	-	-	-	-	-	-	1	-	1	1	1	1	4	2	3	1	1	-	1	-	-	-	-
	F	27	-	-	-	-	1	-	-	-	3	3	1	5	-	2	3	4	1	1	1	2	-	-	-	-	-
592-594	Chronic nephritis, etc.*	627	-	-	1	-	-	1	2	6	13	18	20	36	43	54	50	42	61	54	68	67	47	18	16	5	5
	White-----M	172	-	-	-	-	-	1	2	3	5	4	4	13	9	12	14	9	14	9	20	24	16	9	3	1	-
	F	138	-	-	-	-	-	-	-	1	5	3	7	2	5	5	6	8	13	11	20	18	17	7	7	3	-
	Nonwhite--M	163	-	-	1	-	-	-	-	-	-	5	4	9	16	16	15	20	15	19	19	13	8	1	2	-	-
	F	154	-	-	-	-	-	-	-	2	3	6	5	12	13	21	15	5	19	15	9	12	6	1	4	1	5
480-493	Influenza and pneumonia, etc.*	1,332	480	73	19	7	9	14	13	13	15	15	15	29	34	27	51	41	47	73	89	93	84	44	35	10	2
	White-----M	321	76	10	4	2	4	3	2	2	4	3	2	6	6	12	12	15	8	22	36	38	35	12	5	2	-
	F	327	68	13	7	3	1	5	3	4	3	3	2	4	5	5	6	8	12	16	29	39	37	24	25	5	-
	Nonwhite--M	336	164	25	4	1	2	2	5	4	4	5	6	10	10	7	17	7	12	15	12	10	7	3	2	1	1
	F	348	172	25	4	1	2	4	3	3	4	4	5	9	13	3	16	11	15	20	12	6	5	5	3	2	1
480-483	Influenza	247	53	6	1	1	2	1	4	4	2	3	4	7	7	7	14	6	11	20	21	25	19	15	9	5	-
	White-----M	49	9	1	-	-	-	-	1	-	-	1	-	1	1	2	2	-	-	4	5	9	7	3	2	1	-
	F	75	5	2	1	1	-	1	2	1	-	1	-	1	-	2	3	1	3	5	8	11	6	10	7	4	-
	Nonwhite--M	61	24	2	-	-	1	-	-	2	-	-	-	1	2	3	5	1	3	6	2	4	4	1	-	-	-
	F	62	15	1	-	-	1	-	1	1	2	1	4	4	4	-	4	4	5	5	6	1	2	1	-	-	-
490-493	Pneumonia, etc.*	1,085	427	67	18	6	7	13	9	9	13	12	11	22	27	20	37	35	36	53	68	68	65	29	26	5	2
	White-----M	272	67	9	4	2	4	3	1	2	4	2	2	5	5	10	10	15	8	18	31	29	28	9	3	1	-
	F	252	63	11	6	2	1	4	1	3	3	2	2	3	5	3	3	7	9	11	21	28	31	14	18	1	-
	Nonwhite--M	275	140	23	4	1	1	2	5	2	4	5	6	9	8	4	12	6	9	9	10	6	3	2	2	1	1
	F	286	157	24	4	1	1	4	2	2	2	3	1	5	9	3	12	7	10	15	6	5	3	4	3	2	1
500-502	Bronchitis	60	29	6	1	-	-	2	-	-	-	-	-	1	-	-	-	1	-	4	7	3	2	3	1	-	-
	White-----M	19	8	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	1	1	2	1	-	-
	F	19	7	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	3	2	1	1	-	-	-
	Nonwhite--M	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	5	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	113	1	-	-	-	1	-	-	1	1	2	3	6	12	5	14	9	11	13	18	11	4	-	-	1	-
	White-----M	70	1	-	-	-	-	-	-	-	1	1	1	3	7	2	11	8	7	7	12	6	3	-	-	-	-
	F	16	-	-	-	-	1	-	-	-	-	-	-	1	1	2	1	-	1	3	3	1	1	-	-	1	-
	Nonwhite--M	21	-	-	-	-	-	-	-	1	-	1	1	2	3	1	2	-	3	2	3	2	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	2	-	-	-	-	-
550-553	Appendicitis	53	1	-	1	1	2	2	3	3	2	2	5	2	2	5	10	-	2	5	1	2	2	-	-	-	-
	White-----M	25	1	-	1	1	1	1	-	1	-	2	3	1	1	-	3	-	1	3	1	2	2	-	-	-	-
	F	9	-	-	-	-	-	-	-	2	1	-	-	1	-	1	3	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	11	-	-	-	-	1	-	1	-	1	-	-	-	1	4	3	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	1	2	-	-	-	2	-	-	-	1	-	1	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	153	29	1	1	1	2	2	-	2	2	6	2	10	8	6	12	6	11	15	9	12	6	8	2	-	-
	White-----M	53	11	-	-	-	1	2	-	1	-	1	-	3	1	1	2	1	5	6	3	5	3	6	1	-	-
	F	38	5	-	-	-	-	-	-	-	1	2	-	-	3	3	3	1	2	2	4	6	3	2	1	-	-
	Nonwhite--M	38	11	1	-	1	1	-	-	-	-	-	2	4	1	-	5	2	4	4	2	-	-	-	-	-	-
	F	24	2	-	1	-	-	-	-	1	1	3	-	3	3	2	2	2	-	3	-	1	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
543, 571, 572	Gastritis, etc.*--	383	264	31	13	4	3	8	-	-	2	1	-	7	1	3	6	2	4	8	8	7	4	4	2	1	-
	White-----M--	75	40	6	2	1	1	4	-	-	-	-	-	3	1	1	1	-	2	-	2	4	3	2	1	1	-
	F--	55	21	6	5	-	-	-	-	-	2	1	-	1	-	1	3	-	2	3	5	2	1	2	-	-	-
	Nonwhite--M--	144	119	11	4	2	1	2	-	-	-	-	-	1	-	1	-	-	-	2	-	1	-	-	-	-	-
	F--	109	84	8	2	1	1	2	-	-	-	-	-	2	-	-	2	2	-	3	1	-	-	-	1	-	-
581	Cirrhosis of liver	183	-	-	-	-	-	-	-	2	1	3	8	13	31	25	20	21	15	16	12	9	4	2	1	-	-
	White-----M--	106	-	-	-	-	-	-	-	-	1	2	5	8	17	15	12	11	9	10	8	5	1	2	-	-	-
	F--	43	-	-	-	-	-	-	-	-	-	1	1	3	8	4	4	3	3	6	2	4	3	-	1	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	2	1	2	6	1	4	3	-	2	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	2	-	-	-	1	4	-	3	3	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	85	1	-	1	5	-	5	-	4	6	10	2	3	5	6	2	6	8	6	9	4	2	-	-	-	-
	White-----M--	25	-	-	1	2	-	1	-	-	1	1	-	-	2	1	-	2	6	3	2	2	1	-	-	-	-
	F--	13	1	-	-	1	-	-	-	1	-	3	-	1	-	-	-	-	-	2	2	1	1	-	-	-	-
	Nonwhite--M--	21	-	-	-	2	-	2	-	-	3	3	1	2	-	3	1	3	-	-	1	-	-	-	-	-	-
	F--	26	-	-	-	-	-	2	-	3	2	3	1	-	3	2	1	1	2	1	4	1	-	-	-	-	-
610	Hyperplasia of prostate---------	112	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	7	20	16	21	19	12	6	-	1
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	8	11	16	13	10	4	-	1
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	12	5	5	6	2	2	-	-
640-689	Complications of pregnancy, etc.*	113	...	...	...	...	...	...	-	18	23	15	24	22	8	2	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	39	...	...	...	...	...	...	-	6	7	7	6	7	3	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	74	...	...	...	...	...	...	-	12	16	8	18	15	5	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	12	...	...	...	...	...	...	-	4	3	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	...	...	...	...	...	...	-	3	3	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	101	...	...	...	...	...	...	-	14	20	14	23	20	7	2	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	37	...	...	...	...	...	...	-	5	7	6	6	7	3	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	64	...	...	...	...	...	...	-	9	13	8	17	13	4	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	519	403	28	11	3	7	8	9	8	6	2	4	6	7	1	9	3	1	2	-	-	1	-	-	-	-
	White-----M--	221	173	11	3	1	-	2	4	4	3	1	2	3	6	1	3	2	1	-	-	-	1	-	-	-	-
	F--	181	136	12	6	1	3	5	2	3	2	1	2	2	1	-	4	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	73	61	2	-	-	2	-	2	1	-	-	-	1	-	-	2	1	-	1	-	-	-	-	-	-	-
	F--	44	33	3	2	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	2,093	2,092	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	677	676	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	477	477	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	508	508	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	431	431	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	753	753	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	294	294	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	171	171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	1,176	1,175	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	359	358	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	279	279	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	279	279	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	259	259	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	754	214	13	5	2	5	5	4	4	7	16	11	23	20	16	33	33	37	53	62	57	52	38	28	9	7
	White-----M--	215	34	3	1	1	1	-	-	-	1	4	3	4	6	6	11	9	24	20	19	23	21	11	11	1	1
	F--	148	25	1	-	-	-	1	2	1	-	3	2	8	-	4	5	8	4	9	18	15	13	15	11	2	1
	Nonwhite--M--	228	89	6	-	1	2	3	-	1	3	4	6	5	10	4	11	11	4	17	19	13	9	2	3	2	3
	F--	163	66	3	4	-	2	1	2	2	3	5	-	6	4	2	6	5	5	7	6	6	9	10	3	4	2
Residual	All other diseases	1,483	130	27	16	12	13	30	17	30	45	57	53	70	75	87	113	107	127	127	131	95	73	26	17	3	2
	White-----M--	570	40	9	7	4	3	18	10	11	17	17	16	23	28	37	49	47	52	47	63	34	25	7	5	-	1
	F--	435	25	8	4	1	1	7	2	6	14	15	8	12	18	17	20	26	45	40	47	48	42	15	11	2	1
	Nonwhite--M--	260	33	6	1	4	5	4	4	9	7	12	14	22	15	22	23	17	10	24	12	7	5	3	-	1	-
	F--	218	32	4	4	3	4	1	1	4	7	13	15	13	14	11	21	17	20	16	9	6	1	1	1	-	-
E800-E962	Accidents----------	2,550	186	45	37	31	28	99	108	225	251	231	191	145	153	121	129	105	87	83	88	91	59	34	16	7	-
	White-----M--	1,274	44	11	14	11	8	45	56	130	155	132	106	80	88	70	63	51	38	41	48	42	26	9	5	1	-
	F--	445	27	9	9	7	8	23	21	33	22	24	24	20	19	8	20	22	15	16	23	34	28	19	9	5	-
	Nonwhite--M--	620	67	11	10	6	7	18	26	50	64	58	54	39	40	37	38	25	27	13	9	9	5	4	2	1	-
	F--	211	48	14	4	7	5	13	5	12	10	17	7	6	6	6	8	7	7	13	8	6	-	2	-	-	-
E810-E835	Motor-vehicle accidents--------	1,190	9	8	15	11	15	63	41	135	167	141	104	77	71	60	73	56	39	41	29	20	13	2	-	-	-
	White-----M--	669	1	2	6	5	3	27	22	84	107	88	60	42	41	33	31	30	18	19	23	15	11	1	-	-	-
	F--	204	5	3	5	2	7	18	12	24	19	18	12	14	10	6	17	14	4	7	3	2	1	1	-	-	-
	Nonwhite--M--	259	1	1	3	3	5	13	6	21	36	27	27	20	19	18	20	8	15	9	3	3	1	-	-	-	-
	F--	58	2	2	1	1	-	5	1	6	5	8	5	1	1	3	5	4	2	6	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,360	177	37	22	20	13	36	67	90	84	90	87	68	82	61	56	49	48	42	59	71	46	32	16	7	-
	White-----M--	605	43	9	8	6	5	18	34	46	48	44	46	38	47	37	32	21	20	22	25	27	15	8	5	1	-
	F--	241	22	6	4	5	1	5	9	9	3	6	12	6	9	2	3	8	11	9	20	32	27	18	9	5	-
	Nonwhite--M--	361	66	10	7	3	2	5	20	29	28	31	27	19	21	19	18	17	12	4	6	6	4	4	2	1	-
	F--	153	46	12	3	6	5	8	4	6	5	9	2	5	5	3	3	3	5	7	8	6	-	2	-	-	-
E963, E970-E979	Suicide----------	338	-	-	-	-	-	-	1	6	26	25	26	45	44	35	31	31	32	18	9	5	2	2	-	-	-
	White-----M--	251	-	-	-	-	-	-	-	3	19	17	13	33	35	25	25	26	27	11	9	5	2	1	-	-	-
	F--	54	-	-	-	-	-	-	1	1	3	4	6	6	8	9	4	2	2	7	-	-	-	1	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	2	4	4	5	5	1	1	1	1	3	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	393	4	-	1	1	-	-	1	28	49	73	81	53	37	24	17	11	3	5	4	-	-	-	-	-	1
	White-----M--	89	1	-	-	-	-	-	1	6	6	8	18	12	9	10	7	5	2	2	2	-	-	-	-	-	-
	F--	23	1	-	1	-	-	-	-	1	2	5	3	-	2	2	3	-	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	232	2	-	-	1	-	-	-	18	36	47	49	35	20	10	6	4	1	1	1	-	-	-	-	-	1
	F--	49	-	-	-	-	-	-	-	3	5	13	11	6	6	2	1	2	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of feial deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA																										
	ALL CAUSES--------	4,971	428	27	32	13	13	46	37	61	56	58	73	83	134	164	203	301	430	563	608	630	528	332	117	24	10
	White-----M--	2,992	242	13	13	5	3	27	25	46	40	40	51	58	76	108	132	197	266	340	373	364	312	178	60	18	5
	F--	1,843	152	7	13	5	9	18	10	12	10	17	17	23	56	50	65	95	157	214	227	256	214	151	55	6	4
	Nonwhite--M--	70	14	2	3	1	-	1	1	2	3	1	1	1	1	5	3	6	6	5	5	3	2	3	-	-	1
	F--	66	20	5	3	2	1	-	1	1	3	-	4	1	1	1	3	3	1	4	3	7	-	-	2	-	-
001-019	Tuberculosis, all forms--------	53	3	2	4	-	-	1	1	1	3	-	1	3	5	3	3	3	3	7	6	3	-	1	-	-	-
	White-----M--	27	1	-	1	-	-	1	1	1	1	-	-	2	1	2	2	1	2	5	5	1	-	-	-	-	-
	F--	14	-	-	2	-	-	-	-	-	-	-	-	-	4	1	-	1	1	2	1	2	-	-	-	-	-
	Nonwhite--M--	4	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-
	F--	8	2	1	1	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	41	1	1	2	-	-	-	1	1	2	-	-	3	4	3	3	3	3	7	4	2	-	1	-	-	-
	White-----M--	22	-	-	1	-	-	-	1	1	-	-	-	2	1	2	2	1	2	5	3	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	2	1	1	-	-	-	-	-
	Nonwhite--M--	4	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-
	F--	5	1	-	1	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	12	2	1	2	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	2	1	-	-	-	-	-
	White-----M--	5	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	4	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	3	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	15	-	1	-	-	-	4	2	-	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	3	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	1	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	12	1	-	-	-	1	4	-	-	-	-	-	-	-	2	1	2	-	1	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	6	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
140-205	Malignant neoplasms, etc.*	736	-	-	6	2	-	6	-	4	3	6	7	16	36	31	41	66	100	119	99	88	71	28	6	-	1
	White---M	400	-	-	2	-	-	1	-	4	2	4	4	8	13	18	17	36	50	70	58	51	46	13	2	-	1
	F	329	-	-	4	2	-	5	-	-	1	2	3	8	22	11	23	30	50	48	40	36	25	15	4	-	-
	Nonwhite---M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
140-148	Of buccal cavity and pharynx	16	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	2	2	1	1	3	2	-	-	-
	White---M	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	1	1	1	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	2	1	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	293	-	-	1	-	-	-	-	1	1	1	1	3	8	15	15	18	47	53	35	37	40	13	3	-	1
	White---M	176	-	-	-	-	-	-	-	1	1	1	-	3	4	11	10	12	25	32	23	24	22	6	-	-	1
	F	114	-	-	1	-	-	-	-	-	-	-	1	-	4	2	5	6	22	21	11	13	18	7	3	-	-
	Nonwhite---M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system	57	-	-	-	-	-	-	-	-	-	-	-	-	4	5	1	7	9	11	7	9	1	3	-	-	-
	White---M	48	-	-	-	-	-	-	-	-	-	-	-	-	4	5	-	7	9	10	5	5	1	2	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	4	-	1	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	63	-	-	-	-	-	-	-	-	-	-	-	1	10	3	5	10	9	4	8	7	2	4	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	60	-	-	-	-	-	-	-	-	-	-	-	1	10	3	4	9	9	4	8	6	2	4	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
171-179	Of genital organs	114	-	-	-	-	-	-	-	1	1	1	2	2	4	2	8	8	9	21	23	9	18	5	-	-	-
	White---M	63	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	3	5	10	14	6	17	4	-	-	-
	F	50	-	-	-	-	-	-	-	-	1	-	1	2	4	2	7	5	4	10	9	3	1	1	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
180, 181	Of urinary organs	47	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	6	9	9	6	9	3	-	-	-	-
	White---M	33	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	6	6	4	7	2	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	3	3	2	2	1	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	71	-	-	-	1	-	1	-	2	-	-	-	6	4	3	6	4	8	7	12	10	4	-	3	-	-
	White---M	35	-	-	-	-	-	-	-	2	-	-	-	2	2	1	4	3	3	2	5	6	3	-	2	-	-
	F	36	-	-	-	1	-	1	-	-	-	-	-	4	2	2	2	1	5	5	7	4	1	-	1	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	39	-	-	5	1	-	5	-	-	-	-	1	1	-	-	-	4	6	8	3	5	-	-	-	-	-
	White---M	19	-	-	2	-	-	1	-	-	-	-	1	1	-	-	-	2	1	6	3	2	-	-	-	-	-
	F	20	-	-	3	1	-	4	-	-	-	-	-	-	-	-	-	2	5	2	-	3	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	36	-	-	-	-	-	-	-	-	1	3	3	1	3	2	4	8	1	4	4	1	-	1	-	-	-
	White---M	15	-	-	-	-	-	-	-	-	1	2	2	-	2	-	-	3	-	2	3	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	1	1	1	-	2	4	5	1	2	1	1	-	1	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	12	-	-	1	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	2	-	1	-	1	-	-
	White---M	6	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	1	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	102	-	1	-	-	-	-	-	1	-	2	3	1	2	4	1	5	5	17	22	15	15	6	1	1	-
	White---M	47	-	1	-	-	-	-	-	1	-	-	2	-	2	2	1	2	1	7	11	4	6	5	1	1	-
	F	53	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	2	4	9	11	11	9	1	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
290-293	Anemias	17	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	3	1	1	5	1	2	1	-	-
	White---M	8	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	1	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	4	1	1	1	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	7	2	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White---M	6	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,581	6	-	-	-	-	3	1	5	8	8	13	25	39	71	107	160	250	345	402	435	364	241	79	15	4
	White---M	1,565	4	-	-	-	-	-	-	4	6	3	9	20	21	47	77	108	161	203	249	257	218	123	42	11	2
	F	976	2	-	-	-	-	2	1	1	2	4	4	5	17	23	26	45	86	136	147	172	145	116	36	4	2
	Nonwhite---M	26	-	-	-	-	-	1	-	-	-	1	-	-	1	-	3	5	3	4	4	1	1	2	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	2	5	-	-	1	-	-
330-334, 400-468	Diseases of cardiovascular system	2,525	6	-	-	-	-	3	1	3	6	6	12	24	37	69	106	154	245	337	397	429	358	237	77	14	4
	White---M	1,535	4	-	-	-	-	-	-	3	4	2	8	20	20	47	76	105	158	200	246	253	214	121	42	10	2
	F	951	2	-	-	-	-	2	1	-	2	3	4	4	16	21	26	43	84	131	145	170	143	114	34	4	2
	Nonwhite---M	26	-	-	-	-	-	1	-	-	-	1	-	-	1	-	3	5	3	4	4	1	1	2	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	5	-	-	1	-	-
330-334	Vascular lesions, etc.*	605	1	-	-	-	-	-	-	1	-	2	-	1	10	17	17	34	49	81	102	115	95	58	18	4	-
	White---M	341	-	-	-	-	-	-	-	1	-	1	-	1	2	7	10	19	22	48	59	72	56	29	11	3	-
	F	256	1	-	-	-	-	-	-	-	-	1	-	-	8	10	6	13	27	33	42	41	39	28	6	1	-
	Nonwhite---M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-	1	-	-
400-402	Rheumatic fever	5	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	White---M	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite---M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
410-443	Diseases of heart	1,708	5	-	-	-	-	2	-	2	5	3	11	22	22	46	81	114	184	235	268	284	222	145	45	9	3
	White-----M--	1,071	4	-	-	-	-	-	-	2	4	-	8	19	15	37	61	83	131	138	168	162	133	74	25	6	1
	F--	609	1	-	-	-	-	2	-	-	1	2	3	3	6	8	17	28	50	91	95	118	88	71	20	3	2
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	3	3	4	4	1	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	61	-	-	-	-	-	-	-	-	1	3	3	9	4	2	5	12	8	2	3	4	3	1	1	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	1	-	1	7	2	2	4	6	3	1	3	1	-	-	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	2	2	2	2	-	1	5	5	1	-	3	3	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,090	1	-	-	-	-	1	-	-	-	-	4	10	15	27	59	75	135	177	179	191	128	66	17	2	3
	White-----M--	732	1	-	-	-	-	-	-	-	-	-	4	10	13	25	45	60	105	110	118	117	79	32	12	-	1
	F--	341	-	-	-	-	-	1	-	-	-	-	-	-	1	2	11	15	27	65	58	70	48	34	5	2	2
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	3	2	2	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	221	1	-	-	-	-	1	-	2	1	-	4	1	1	4	4	5	10	16	28	35	42	45	17	4	-
	White-----M--	113	1	-	-	-	-	-	-	2	1	-	3	-	-	2	2	2	6	9	16	17	23	18	8	3	-
	F--	104	-	-	-	-	-	1	-	-	-	-	1	1	1	2	2	2	4	5	11	18	19	27	9	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart--------	98	3	-	-	-	-	-	-	-	3	-	-	2	-	3	5	3	9	10	15	15	13	14	2	1	-
	White-----M--	66	2	-	-	-	-	-	-	-	2	-	-	2	-	2	5	3	5	6	9	6	8	14	1	1	-
	F--	31	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	4	4	5	9	5	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	238	-	-	-	-	-	-	-	-	-	-	-	-	2	10	8	19	22	30	43	39	36	19	8	2	-
	White-----M--	129	-	-	-	-	-	-	-	-	-	-	-	-	-	6	5	12	12	12	22	21	23	10	4	2	-
	F--	105	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	6	10	16	21	18	13	9	4	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	60	-	-	-	-	-	-	-	-	-	-	1	-	3	4	6	4	8	5	8	8	8	4	1	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	2	3	4	5	5	5	1	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	5	1	3	3	3	3	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	11	12	19	30	29	12	1	-
	White-----M--	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	9	11	19	17	5	1	-
	F--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	8	11	11	7	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	29	-	-	-	-	-	-	1	-	1	-	-	1	1	2	2	-	1	4	7	3	3	1	1	-	1
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	5	3	1	-	1	-	1
	F--	14	-	-	-	-	-	-	1	-	1	-	-	1	1	2	1	-	-	2	2	-	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	56	-	-	-	-	-	-	-	2	2	2	1	1	2	2	1	6	5	8	5	6	6	4	2	1	-
	White-----M--	30	-	-	-	-	-	-	-	1	2	1	1	-	1	-	1	3	3	3	3	4	4	2	-	1	-
	F--	25	-	-	-	-	-	-	-	1	-	1	-	1	1	2	-	2	2	5	2	2	2	2	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	105	21	3	4	1	-	-	1	1	-	2	1	-	1	3	-	3	5	8	5	16	12	10	7	1	-
	White-----M--	65	10	-	2	-	-	-	-	1	-	2	1	-	-	3	-	2	4	7	4	10	8	7	3	1	-
	F--	31	6	3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	5	4	3	4	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	5	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-483	Influenza---------	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-
	White-----M--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	99	18	3	4	1	-	-	1	1	-	2	1	-	1	3	-	3	5	8	4	16	12	8	7	1	-
	White-----M--	61	7	-	2	-	-	-	-	1	-	2	1	-	-	3	-	2	4	7	3	10	8	7	3	1	-
	F--	29	6	3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	5	4	1	4	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	5	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
500-502	Bronchitis--------	11	2	1	1	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	1
	White-----M--	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-
	F--	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	26	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	4	3	7	2	3	1	-	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	3	3	7	-	3	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
550-553	Appendicitis------	9	-	-	1	-	-	-	-	-	-	1	1	-	1	-	1	1	-	1	1	-	-	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	33	4	-	-	-	-	-	1	-	-	-	1	-	-	1	3	2	2	1	4	4	7	2	1	-	-
	White-----M--	15	1	-	-	-	-	-	1	-	-	-	1	-	-	-	2	2	-	-	1	3	2	2	-	-	-
	F--	16	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	1	5	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
543,	Gastritis, etc.*	25	9	3	-	2	1	1	1	-	-	-	-	-	1	-	-	2	-	-	4	-	-	1	-	-	-
571,	White-----M	15	7	1	-	1	1	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-
572	F	7	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-
	Nonwhite--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	35	-	-	-	-	-	-	-	-	-	-	1	3	4	2	5	2	3	5	5	3	1	-	1	-	-
	White-----M	26	-	-	-	-	-	-	-	-	-	-	1	3	4	2	3	1	1	5	4	1	-	-	1	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	2	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	4	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	4	4	2	1	1	-
	White-----M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	4	4	2	1	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	6	...	...	...	...	...	...	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	5	...	...	...	...	...	...	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
659-	Abortion	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	5	...	...	...	...	...	...	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F	4	...	...	...	...	...	...	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	89	69	3	-	3	-	4	2	1	-	1	1	-	1	1	-	-	-	-	1	2	-	-	-	-	-
	White-----M	42	31	2	-	2	-	2	-	1	-	-	1	-	-	1	-	-	-	-	-	2	-	-	-	-	-
	F	44	35	1	-	1	-	2	2	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	261	261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	161	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	68	4	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	4	9	2	10	7	16	6	2	1
795	White-----M	40	1	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	3	8	1	6	3	9	1	1	-
	F	23	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	7	4	1	1
	Nonwhite--M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Re-	All other diseases	279	24	2	4	1	2	6	5	4	3	5	6	8	11	15	14	19	22	25	27	24	28	13	10	1	-
sid-	White-----M	159	11	2	1	1	-	3	4	3	2	3	4	4	5	10	9	13	13	12	16	10	18	8	6	1	-
ual	F	112	11	-	2	-	2	3	1	1	1	2	2	3	6	4	5	6	8	13	11	13	9	5	4	-	-
	Nonwhite--M	5	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents	389	20	10	9	3	6	15	20	39	32	23	26	20	21	18	17	18	21	13	12	15	15	9	2	3	2
E962	White-----M	289	13	7	4	-	1	12	15	28	26	20	21	17	17	14	13	17	18	10	8	10	6	7	1	2	2
	F	79	2	2	3	1	4	3	4	8	3	3	4	3	4	2	4	1	3	3	4	5	9	2	1	1	-
	Nonwhite--M	12	3	-	1	-	-	-	1	2	3	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	9	2	1	1	2	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	155	1	4	3	1	2	5	7	13	18	15	17	11	12	11	5	8	6	5	5	4	1	-	-	-	1
	White-----M	116	1	2	-	-	-	3	4	8	16	12	13	9	10	8	4	7	5	5	3	4	1	-	-	-	1
	F	36	-	2	3	1	2	2	3	4	2	3	3	2	2	2	1	1	1	-	2	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents	234	19	6	6	2	4	10	13	26	14	8	9	9	9	7	12	10	15	8	7	11	14	9	2	3	1
E802,	White-----M	173	12	5	4	-	1	9	11	20	10	8	8	8	7	6	9	10	13	5	5	6	5	7	1	2	1
E840-	F	43	2	-	-	-	2	1	1	4	1	-	1	1	2	-	3	-	2	3	2	5	9	2	1	1	-
E962	Nonwhite--M	11	3	-	1	-	-	-	1	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	7	2	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide	53	-	-	-	-	-	-	-	1	3	4	2	4	5	7	3	11	5	3	4	1	-	-	-	-	-
E970-	White-----M	45	-	-	-	-	-	-	-	1	3	3	2	2	5	6	2	9	5	3	4	-	-	-	-	-	-
E979	F	7	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	5	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
E980-	White-----M	3	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E985	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO																										
	ALL CAUSES	84,013	5,611	349	246	170	135	424	334	580	738	890	1,148	1,565	2,279	3,241	4,569	6,409	7,837	9,719	10,396	10,711	8,797	5,233	2,112	424	96
	White-----M	43,787	2,851	179	126	91	73	232	199	355	433	465	567	773	1,178	1,711	2,474	3,818	4,631	5,487	5,452	5,374	4,072	2,306	763	140	36
	F	33,969	2,002	139	92	66	50	156	109	169	202	269	363	498	743	1,069	1,495	2,007	2,630	3,651	4,460	4,955	4,454	2,780	1,290	272	48
	Nonwhite--M	3,549	424	18	17	8	3	26	19	33	57	97	134	151	190	250	331	346	363	335	278	224	138	69	31	5	2
	F	2,708	334	13	11	5	9	10	7	22	46	59	84	143	168	211	269	238	213	246	206	158	133	78	28	7	10
001-019	Tuberculosis, all forms	1,116	9	9	9	7	1	2	1	10	29	40	67	79	86	115	98	104	116	123	99	60	33	15	2	-	-
	White-----M	559	2	5	2	3	-	-	-	1	5	11	19	24	39	61	52	64	76	82	58	36	14	4	1	-	-
	F	286	2	3	3	3	1	1	-	7	9	16	20	30	20	22	21	13	22	23	27	17	18	7	1	-	-
	Nonwhite--M	186	3	1	1	1	-	-	-	2	6	5	18	14	21	24	19	21	15	16	12	4	1	2	-	-	-
	F	85	2	-	3	-	-	1	1	-	9	8	10	11	8	8	6	6	3	2	2	3	-	2	-	-	-
001-008	Tuberculosis of respiratory system	995	4	3	2	1	-	2	1	9	26	34	58	72	82	105	85	97	108	111	91	57	31	14	2	-	-
	White-----M	517	1	1	-	-	-	-	-	-	5	10	18	22	36	58	48	61	73	77	54	35	13	4	1	-	-
	F	250	1	1	2	1	-	1	-	7	7	13	18	28	20	19	20	10	19	19	23	16	17	7	1	-	-
	Nonwhite--M	158	1	1	-	-	-	-	-	2	5	4	14	12	19	22	14	20	14	13	12	3	1	1	-	-	-
	F	70	1	-	-	-	-	1	1	-	9	7	8	10	7	6	3	6	2	2	2	3	-	2	-	-	-
010-019	Tuberculosis, other forms	121	5	6	7	6	1	-	-	1	3	6	9	7	6	10	13	7	8	12	8	3	2	1	-	-	-
	White-----M	42	1	4	2	3	-	-	-	1	-	1	1	2	3	3	4	3	3	5	4	1	1	-	-	-	-
	F	36	1	2	1	2	1	-	-	-	2	3	2	2	-	3	1	3	3	4	4	1	1	-	-	-	-
	Nonwhite--M	28	2	-	1	1	-	-	-	-	1	1	4	2	2	2	5	1	1	3	-	1	-	1	-	-	-
	F	15	1	-	3	-	-	-	-	-	-	1	2	1	1	2	3	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	385	3	-	-	-	1	-	-	1	1	1	3	6	16	32	41	50	73	68	54	22	10	2	1	-	-
	White-----M	219	-	-	-	-	-	-	-	1	-	1	1	1	4	19	17	31	43	45	34	14	6	2	-	-	-
	F	76	3	-	-	-	1	-	-	-	1	-	-	-	5	2	9	4	15	14	11	7	3	-	1	-	-
	Nonwhite--M	59	-	-	-	-	-	-	-	-	-	-	-	4	4	6	10	11	12	4	6	1	1	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	-	2	1	3	5	5	4	3	5	3	-	-	-	-	-	-
040	Typhoid fever	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	10	4	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	7	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	21	3	-	-	2	-	2	2	1	1	1	-	-	1	2	1	1	1	-	3	-	-	-	-	-	-
	White-----M	13	2	-	-	1	-	1	1	-	1	1	-	-	1	2	-	1	-	-	2	-	-	-	-	-	-
	F	8	1	-	-	1	-	1	1	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	7	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	White-----M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	12	6	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	8	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	93	26	24	14	4	4	9	3	-	-	2	-	-	1	1	-	1	2	1	-	1	-	-	-	-	-
	White-----M	51	13	13	9	3	2	2	2	-	-	1	-	-	1	-	-	1	2	1	-	1	-	-	-	-	-
	F	34	11	7	4	1	2	7	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	1	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
060	Acute poliomyelitis	172	4	9	6	3	12	38	28	14	16	22	8	7	1	1	1	1	-	1	-	-	-	-	-	-	-
	White-----M	106	4	7	4	-	8	22	16	9	10	12	6	4	1	1	-	1	-	1	-	-	-	-	-	-	-
	F	60	-	1	2	3	4	14	10	5	5	10	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	22	3	3	5	3	-	5	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M	13	1	-	4	3	-	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	2	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	225	27	12	4	6	3	14	6	8	4	10	7	11	13	8	15	10	17	10	14	10	7	7	1	1	-
	White-----M	109	18	6	2	2	2	8	1	3	3	4	2	5	4	4	6	7	8	5	7	5	4	3	-	-	-
	F	93	5	5	1	2	1	5	5	4	1	4	2	6	8	4	4	2	9	5	7	4	3	4	1	1	-
	Nonwhite--M	10	1	1	1	-	-	-	-	-	-	1	2	-	-	-	3	-	-	-	-	1	-	-	-	-	-
	F	13	3	-	-	2	-	1	-	1	-	1	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Continued																										
140-205	Malignant neoplasms, etc.*----	13,071	21	17	30	32	23	52	34	42	76	103	183	255	453	768	1,044	1,413	1,699	1,936	1,717	1,542	1,033	454	115	20	9
	White-----M--	6,239	10	10	15	19	12	29	13	21	39	35	66	77	156	282	438	687	899	1,016	872	776	496	210	51	5	5
	F--	6,055	10	6	14	13	9	20	19	19	37	59	99	145	255	400	512	621	698	819	768	710	509	230	64	15	4
	Nonwhite--M--	393	1	1	-	-	1	2	1	2	-	7	7	11	17	37	42	49	59	53	42	37	15	9	-	-	-
	F--	384	-	-	1	-	1	1	1	-	-	2	11	22	25	49	52	56	43	48	35	19	13	5	-	-	-
140-148	Of buccal cavity and pharynx------	284	-	-	-	-	-	1	2	-	-	2	1	2	7	23	21	27	46	37	41	38	21	9	4	-	2
	White-----M--	224	-	-	-	-	-	1	-	-	-	-	-	1	6	17	14	25	40	31	34	30	17	4	3	-	1
	F--	47	-	-	-	-	-	-	2	-	-	1	1	-	-	5	6	1	4	4	5	7	4	5	1	-	1
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	2	1	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	4,935	1	2	2	1	-	1	-	5	7	18	24	41	108	198	303	502	638	829	737	743	488	225	50	9	3
	White-----M--	2,488	-	2	-	1	-	1	-	1	4	6	9	14	51	94	158	256	349	457	386	376	216	84	17	3	3
	F--	2,162	1	-	2	-	-	-	-	4	3	10	14	21	44	80	111	203	247	326	327	340	255	135	33	6	-
	Nonwhite--M--	169	-	-	-	-	-	-	-	-	-	2	1	4	7	13	21	24	22	26	15	19	11	4	-	-	-
	F--	116	-	-	-	-	-	-	-	-	-	-	-	2	6	11	13	19	20	20	9	8	6	2	-	-	-
160-164	Of respiratory system----------	1,335	1	-	-	-	2	-	-	2	3	1	11	21	42	103	143	213	246	218	167	94	40	21	7	-	-
	White-----M--	1,037	1	-	-	-	1	-	-	1	2	1	5	16	29	71	113	178	210	176	131	58	27	14	3	-	-
	F--	214	-	-	-	-	1	-	-	1	1	-	4	1	8	19	18	24	19	33	32	29	13	7	4	-	-
	Nonwhite--M--	68	-	-	-	-	-	-	-	-	-	-	1	2	5	11	10	10	14	8	2	5	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	1	3	1	2	2	-	-	-	-	-
170	Of breast----------	1,155	-	-	-	-	-	-	-	-	1	7	16	41	75	117	138	135	131	139	128	109	81	25	8	4	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	3	-	1	-	-	-
	F--	1,096	-	-	-	-	-	-	-	-	1	6	15	39	71	112	128	122	127	135	120	104	80	24	8	4	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	49	-	-	-	-	-	-	-	-	-	1	1	2	4	4	9	13	3	4	6	1	1	-	-	-	-
171-179	Of genital organs-	2,123	-	1	-	1	-	-	-	3	9	17	44	56	94	152	164	202	231	280	294	261	200	88	23	2	1
	White-----M--	735	-	-	-	-	-	-	-	1	3	5	10	5	2	7	7	29	58	109	139	148	130	62	18	1	1
	F--	1,211	-	1	-	1	-	-	-	2	6	11	29	42	83	119	139	156	149	151	132	101	62	21	5	1	-
	Nonwhite--M--	55	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	4	11	8	12	8	3	5	-	-	-
	F--	122	-	-	-	-	-	-	-	-	-	-	5	9	9	24	17	13	13	12	11	4	5	-	-	-	-
180, 181	Of urinary organs-	583	-	-	1	4	1	1	-	-	1	2	7	6	13	17	37	72	97	98	69	75	62	13	7	-	-
	White-----M--	376	-	-	1	2	-	-	-	-	-	-	3	3	8	13	23	50	71	62	43	50	36	7	4	-	-
	F--	181	-	-	-	2	-	1	-	-	1	1	3	2	3	2	12	18	25	32	21	25	25	5	3	-	-
	Nonwhite--M--	16	-	-	-	-	1	-	-	-	-	1	1	1	1	2	1	2	1	3	1	-	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	4	-	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,529	8	4	9	4	4	17	7	14	22	19	41	42	63	98	140	166	186	187	174	141	103	59	15	5	1
	White-----M--	732	5	3	4	-	2	11	2	7	11	6	21	14	30	44	63	90	92	98	82	64	45	31	6	1	-
	F--	705	2	-	5	4	1	4	5	6	11	11	16	25	29	41	65	62	82	76	89	74	57	26	9	4	1
	Nonwhite--M--	43	1	1	-	-	-	1	-	1	-	1	2	1	1	6	4	6	8	6	3	1	-	-	-	-	-
	F--	49	-	-	-	-	1	1	-	-	-	1	2	2	3	7	8	8	4	7	-	2	1	2	-	-	-
204	Leukemia and aleukemia----------	609	8	9	16	19	13	26	19	7	15	13	10	22	22	28	45	39	65	79	69	51	23	10	1	-	-
	White-----M--	362	3	5	8	14	6	14	8	5	10	5	5	10	15	18	28	24	46	45	41	26	20	6	-	-	-
	F--	225	5	4	7	5	7	11	11	1	5	8	4	7	6	8	16	14	19	33	23	23	3	4	1	-	-
	Nonwhite--M--	14	-	-	-	-	-	1	-	1	-	-	1	2	-	2	1	1	-	-	4	1	-	-	-	-	-
	F--	8	-	-	1	-	-	-	-	-	-	-	-	3	1	-	-	-	-	1	1	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	518	3	1	2	3	3	6	6	11	18	24	29	24	29	32	53	57	59	69	38	30	15	4	-	-	2
	White-----M--	277	1	-	2	2	3	2	3	6	9	12	13	14	15	17	31	35	32	38	15	21	5	1	-	-	-
	F--	214	2	1	-	1	-	4	1	5	9	11	13	8	11	14	17	21	26	29	19	7	10	3	-	-	2
	Nonwhite--M--	17	-	-	-	-	-	-	1	-	-	1	1	1	2	1	3	1	1	1	3	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	1	-	-	-	2	1	1	-	2	-	-	1	1	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	237	9	2	3	1	1	-	3	2	2	9	11	22	24	30	19	24	14	13	16	9	12	7	3	1	-
	White-----M--	81	5	1	1	1	1	-	2	2	1	2	2	8	7	7	5	7	7	5	7	4	4	1	1	-	-
	F--	125	2	1	2	-	-	-	1	-	1	7	7	11	13	16	10	14	6	6	9	5	6	5	2	1	-
	Nonwhite--M--	9	1	-	-	-	-	-	-	-	-	-	1	1	3	2	1	-	-	-	-	-	-	-	-	-	-
	F--	22	1	-	-	-	-	-	-	-	-	-	1	2	1	5	3	3	1	2	-	-	2	1	-	-	-
260	Diabetes mellitus-	1,977	4	-	2	-	-	3	2	7	11	9	20	17	31	60	106	200	269	369	369	273	145	64	15	1	-
	White-----M--	663	3	-	1	-	-	1	-	1	5	4	8	5	12	24	39	72	79	114	119	98	50	20	8	-	-
	F--	1,209	1	-	1	-	-	2	2	6	6	4	8	7	12	28	51	111	179	240	240	166	95	43	7	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	1	3	1	2	3	3	4	3	9	5	1	-	1	-	-	-
	F--	69	-	-	-	-	-	-	-	-	-	-	1	4	5	5	13	13	8	6	5	8	-	-	-	1	-
290-293	Anemias----------	226	5	4	1	-	1	-	2	2	4	2	6	1	4	4	11	10	8	18	37	48	36	17	4	1	-
	White-----M--	108	3	2	-	-	-	-	1	1	-	2	2	-	3	3	6	4	4	7	21	24	18	6	1	-	-
	F--	111	2	1	1	-	1	-	1	1	3	-	3	1	1	1	4	5	4	11	14	24	18	11	3	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	110	34	10	6	4	2	8	2	-	2	2	4	5	6	2	3	3	6	6	1	2	2	-	-	-	-
	White-----M--	57	15	5	4	1	1	4	1	-	2	2	2	2	3	2	2	2	4	1	1	1	2	-	-	-	-
	F--	34	10	4	2	1	-	3	1	-	-	-	2	2	1	-	1	-	1	5	-	1	-	-	-	-	-
	Nonwhite--M--	12	6	-	-	2	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F--	7	3	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	45,198	31	5	9	4	6	26	31	54	70	124	239	484	876	1,410	2,251	3,418	4,340	5,679	6,678	7,361	6,310	3,861	1,579	292	60
	White-----M--	23,728	18	2	6	2	2	11	13	24	41	60	117	261	492	838	1,307	2,192	2,665	3,246	3,505	3,655	2,891	1,693	566	99	22
	F--	18,694	12	3	2	1	2	11	18	24	19	45	80	117	221	372	614	909	1,350	2,094	2,885	3,456	3,216	2,066	965	185	27
	Nonwhite--M--	1,468	-	-	1	-	-	2	-	3	4	9	18	45	76	106	179	181	197	182	154	140	99	44	23	3	2
	F--	1,308	1	-	-	1	2	2	-	3	6	10	24	61	87	94	151	136	128	157	134	110	104	58	25	5	9
330-334, 400-468	Diseases of cardiovascular system----	44,232	28	5	6	3	4	19	26	41	53	109	220	457	836	1,365	2,188	3,359	4,257	5,575	6,567	7,240	6,187	3,786	1,556	285	60
	White-----M--	23,294	16	2	3	2	2	8	11	18	31	51	106	251	472	817	1,284	2,164	2,620	3,193	3,449	3,605	2,842	1,668	560	97	22
	F--	18,264	11	3	2	1	2	7	15	17	15	41	74	104	209	355	586	885	1,317	2,055	2,838	3,394	3,152	2,023	951	180	27
	Nonwhite--M--	1,420	-	-	1	-	-	2	-	3	2	8	18	44	72	105	171	177	194	178	147	132	96	43	22	3	2
	F--	1,254	1	-	-	-	-	2	-	3	5	9	22	58	83	88	147	133	126	149	133	109	97	52	23	5	9
330-334	Vascular lesions, etc.*----------	10,110	10	1	3	2	1	5	5	7	12	21	43	81	153	219	393	568	862	1,233	1,615	1,899	1,627	946	340	52	12
	White-----M--	4,615	8	-	2	1	1	4	5	2	6	10	19	32	60	87	144	278	414	617	767	878	721	404	133	21	1
	F--	4,818	2	1	1	1	-	1	-	5	5	7	16	27	55	89	167	215	355	532	774	954	852	520	200	30	9
	Nonwhite--M--	313	-	-	-	-	-	-	-	-	1	2	2	9	14	14	37	40	52	41	32	41	19	7	1	1	-
	F--	364	-	-	-	-	-	-	-	-	-	2	6	13	24	29	45	35	41	43	42	26	35	15	6	-	2
400-402	Rheumatic fever---	64	-	1	-	-	-	6	12	1	2	5	3	4	2	3	3	4	3	5	6	3	-	-	-	-	1
	White-----M--	24	-	-	-	-	-	1	3	-	-	-	2	3	1	1	3	2	1	3	3	-	-	-	-	-	1
	F--	34	-	1	-	-	-	3	9	1	-	5	1	1	1	2	-	1	2	1	3	3	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Continued																										
410-443	Diseases of heart	30,403	14	3	2	-	2	7	9	31	33	64	141	329	631	1,076	1,706	2,615	3,219	4,040	4,496	4,735	3,869	2,281	894	173	33
	White-----M--	16,915	7	2	1	-	-	3	3	15	21	33	77	199	398	705	1,091	1,782	2,101	2,420	2,441	2,422	1,806	1,019	299	55	15
	F--	11,745	6	1	-	-	2	2	6	10	8	23	43	67	134	235	398	618	908	1,404	1,872	2,165	1,946	1,206	568	111	12
	Nonwhite--M--	982	-	-	1	-	-	1	-	3	1	5	11	29	49	82	124	126	133	121	106	79	65	27	16	2	1
	F--	761	1	-	-	-	-	1	-	3	3	3	10	34	50	54	93	89	77	95	77	69	52	29	11	5	5
410-416	Chronic rheumatic heart disease----	1,136	-	-	-	-	-	1	3	16	17	26	49	70	91	111	128	139	114	113	91	79	48	30	10	-	-
	White-----M--	525	-	-	-	-	-	-	-	9	11	12	19	29	43	52	56	70	49	59	43	38	19	13	3	-	-
	F--	526	-	-	-	-	-	-	3	4	5	13	24	32	36	50	64	64	56	46	43	35	28	17	6	-	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	-	1	3	4	5	6	3	3	5	4	2	3	-	-	-	-	-
	F--	46	-	-	-	-	-	1	-	3	1	-	3	5	7	3	5	2	4	4	3	3	1	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	19,589	2	-	-	-	-	3	2	2	5	21	60	165	402	741	1,200	1,933	2,282	2,783	2,997	2,975	2,248	1,192	449	89	18
	White-----M--	12,080	1	-	-	-	-	1	1	1	3	16	44	146	303	560	873	1,450	1,627	1,805	1,735	1,619	1,139	563	152	30	11
	F--	6,636	1	-	-	-	-	2	1	1	2	2	10	19	54	114	212	368	540	863	1,167	1,284	1,052	597	285	57	5
	Nonwhite--M--	564	-	-	-	-	-	-	-	-	-	1	4	13	24	43	77	75	84	79	60	42	40	12	8	1	1
	F--	309	-	-	-	-	-	-	-	-	-	2	2	7	21	24	38	40	31	36	35	30	17	20	4	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	4,233	5	-	2	-	-	2	3	4	3	7	10	22	30	41	82	148	259	402	615	787	871	581	290	61	8
	White-----M--	2,040	2	-	1	-	-	1	1	1	2	3	4	12	13	14	42	79	144	222	329	396	394	259	98	19	4
	F--	1,993	3	-	-	-	-	-	2	3	-	4	3	6	13	17	24	49	95	160	262	364	452	311	184	38	3
	Nonwhite--M--	96	-	-	1	-	-	1	-	-	-	-	1	-	1	5	8	11	11	11	12	14	10	5	4	1	-
	F--	104	-	-	-	-	-	-	-	-	1	-	2	4	3	5	8	9	9	9	12	13	15	6	4	3	1
430-434	Other diseases of heart---------	1,116	7	3	-	-	1	1	1	8	4	7	8	20	32	51	68	73	113	159	141	158	137	83	32	7	2
	White-----M--	580	4	2	-	-	-	1	1	3	4	1	4	6	17	32	34	45	75	90	74	88	48	33	14	4	-
	F--	428	2	1	-	-	1	-	-	2	-	2	2	5	9	13	17	14	29	59	57	64	83	48	16	3	1
	Nonwhite--M--	64	-	-	-	-	-	-	-	3	-	3	1	5	4	3	11	8	4	3	8	3	6	1	1	-	-
	F--	44	1	-	-	-	-	-	-	-	-	1	1	4	2	3	6	6	5	7	2	3	-	1	1	-	1
440-443	Hypertension with heart dis.--	4,329	-	-	-	-	1	-	-	1	4	3	14	32	76	132	228	322	451	583	652	736	565	395	113	16	5
	White-----M--	1,690	-	-	-	-	-	-	-	1	1	1	6	6	22	47	86	138	206	244	260	281	206	151	32	2	-
	F--	2,162	-	-	-	-	1	-	-	-	1	2	4	5	22	41	81	123	188	276	343	418	331	233	77	13	3
	Nonwhite--M--	219	-	-	-	-	-	-	-	-	1	-	2	7	15	25	25	29	29	24	24	17	9	9	3	-	-
	F--	258	-	-	-	-	-	-	-	-	1	-	2	14	17	19	36	32	28	39	25	20	19	2	1	1	2
444-447	Hypertension without mention of heart----------	811	-	-	-	1	-	1	-	-	3	6	19	25	26	37	41	52	49	83	102	129	116	83	30	7	1
	White-----M--	340	-	-	-	1	-	-	-	-	3	2	5	8	7	9	19	24	24	34	52	60	45	28	15	3	1
	F--	371	-	-	-	-	-	1	-	-	-	2	5	6	6	18	13	19	19	40	47	61	65	53	12	4	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	1	4	4	5	5	3	3	4	6	1	5	3	1	1	-	-
	F--	54	-	-	-	-	-	-	-	-	-	1	5	7	8	5	6	6	2	3	2	3	3	1	2	-	-
450	General arteriosclerosis--------	2,319	-	-	-	-	-	-	-	-	-	-	1	1	4	3	12	39	57	152	286	423	536	460	281	53	11
	White-----M--	1,110	-	-	-	-	-	-	-	-	-	-	-	1	-	3	8	26	36	84	154	213	253	206	105	18	3
	F--	1,104	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	8	15	54	118	193	268	239	168	35	5
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	3	3	7	5	6	9	8	4	-	1
	F--	53	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	7	9	11	6	7	4	-	2
451-468	Other diseases of circulatory sys.-	525	4	-	1	-	1	-	-	2	3	13	13	17	20	27	33	81	67	62	62	51	39	16	11	-	2
	White-----M--	290	1	-	-	-	1	-	-	1	1	6	3	8	6	12	19	52	44	35	32	32	17	11	8	-	1
	F--	192	3	-	1	-	-	-	-	1	2	4	9	3	12	11	8	24	18	24	24	18	21	5	3	-	1
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	4	2	2	3	1	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	3	1	4	-	-	2	1	3	1	3	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*	966	3	-	3	1	2	7	5	13	17	15	19	27	40	45	63	59	83	104	111	121	123	75	23	7	-
	White-----M--	434	2	-	3	-	-	3	2	6	10	9	11	10	20	21	23	28	45	53	56	50	49	25	6	2	-
	F--	430	1	-	-	-	-	4	3	7	4	4	6	13	12	17	28	24	33	39	47	62	64	43	14	5	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	2	1	-	1	4	1	8	4	3	4	7	8	3	1	1	-	-
	F--	54	-	-	-	1	2	-	-	-	1	1	2	3	4	6	4	3	2	8	1	1	7	6	2	-	-
480-493	Influenza and pneumonia, etc.*	2,110	381	49	22	10	9	21	12	21	12	17	22	36	57	55	58	102	112	171	195	234	235	175	73	27	4
	White-----M--	1,032	166	23	12	6	3	12	6	11	5	4	9	15	27	28	29	64	72	104	111	111	106	76	22	10	-
	F--	819	139	21	7	3	5	7	6	8	5	6	7	11	13	17	11	20	23	49	70	106	119	94	51	17	4
	Nonwhite--M--	171	43	2	2	1	-	1	-	-	1	3	4	8	13	6	14	14	14	15	9	14	5	2	-	-	-
	F--	88	33	3	1	-	1	1	-	2	1	4	2	2	4	4	4	4	3	3	5	3	5	3	-	-	-
480-483	Influenza---------	337	25	5	4	3	1	2	2	7	3	2	1	2	7	7	9	14	23	31	32	40	44	46	20	7	-
	White-----M--	162	13	3	3	1	1	1	1	5	-	-	1	1	4	4	3	8	15	19	15	15	18	22	6	3	-
	F--	158	11	2	1	2	-	-	1	2	2	2	-	1	-	2	3	6	6	10	15	25	26	23	14	4	-
	Nonwhite--M--	11	-	-	-	-	-	1	-	-	-	-	-	-	3	-	2	-	2	2	1	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-
490-493	Pneumonia, etc.*	1,773	356	44	18	7	8	19	10	14	9	15	21	34	50	48	49	88	89	140	163	194	191	129	53	20	4
	White-----M--	870	153	20	9	5	2	11	5	6	5	4	8	14	23	24	26	56	57	85	96	96	88	54	16	7	-
	F--	661	128	19	6	1	5	7	5	6	3	4	7	10	13	15	8	14	17	39	55	81	93	71	37	13	4
	Nonwhite--M--	160	43	2	2	1	-	-	-	-	1	3	4	8	10	6	12	14	12	13	8	14	5	2	-	-	-
	F--	82	32	3	1	-	1	1	-	2	-	4	2	2	4	3	3	4	3	3	4	3	5	2	-	-	-
500-502	Bronchitis--------	156	29	9	4	4	-	2	-	-	2	1	-	1	3	4	11	8	13	18	13	10	9	7	5	2	1
	White-----M--	96	14	4	1	3	-	1	-	-	1	-	-	-	3	2	7	6	12	16	9	4	7	3	1	1	1
	F--	48	12	4	3	1	-	1	-	-	-	1	-	1	-	1	1	1	1	1	4	5	2	4	4	1	-
	Nonwhite--M--	12	3	1	-	-	-	-	-	-	1	-	-	-	-	1	3	1	-	1	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	431	6	-	-	-	-	1	-	-	1	5	13	12	18	26	36	54	49	79	64	30	27	6	4	-	-
	White-----M--	331	1	-	-	-	-	-	-	-	1	4	9	10	14	22	29	45	40	61	48	27	16	3	1	-	-
	F--	81	2	-	-	-	-	1	-	-	-	1	2	1	3	2	6	7	8	15	16	3	9	2	3	-	-
	Nonwhite--M--	13	2	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	1	3	-	-	1	1	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	1	-	-	-	-
550-553	Appendicitis------	179	-	-	4	-	1	4	8	6	4	5	1	7	19	8	14	17	16	18	12	20	8	6	1	-	-
	White-----M--	100	-	-	2	-	1	2	3	3	2	3	1	4	10	7	9	8	9	8	9	12	3	3	1	-	-
	F--	56	-	-	1	-	-	1	3	3	1	1	-	1	5	1	2	7	6	7	2	7	5	3	-	-	-
	Nonwhite--M--	15	-	-	1	-	-	1	1	-	-	1	-	1	3	-	2	1	1	2	-	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	1	-	1	-	-	1	1	-	1	1	-	1	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	470	52	2	1	1	-	-	2	1	2	4	6	12	13	14	24	40	47	50	54	53	52	26	13	1	-
	White-----M--	222	29	-	1	1	-	-	1	-	1	2	2	4	7	6	9	20	22	24	24	32	24	8	5	-	-
	F--	224	18	-	-	-	-	-	1	-	1	2	2	6	6	7	14	18	23	23	29	21	26	18	8	1	-
	Nonwhite--M--	15	3	2	-	-	-	-	-	1	-	-	1	1	-	-	1	2	1	2	-	-	1	-	-	-	-
	F--	9	2	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	1	-	1	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Continued																										
543, 571, 572	Gastritis, etc.*--	391	166	19	4	-	-	4	3	3	6	1	7	6	4	9	11	16	12	13	24	36	25	16	4	2	-
	White-----M--	178	82	6	2	-	-	2	2	1	3	-	5	4	2	4	8	10	5	1	9	14	9	7	2	-	-
	F--	172	58	13	2	-	-	2	1	1	3	1	2	-	2	2	1	4	6	10	14	21	16	9	2	2	-
	Nonwhite--M--	28	18	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	1	2	1	-	-	-	-	-	-
	F--	13	8	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	1	-	-	-	-	-
581	Cirrhosis of liver	986	3	2	-	1	-	1	2	-	1	9	19	40	82	108	125	138	135	114	91	66	31	12	5	-	1
	White-----M--	638	2	1	-	-	-	1	2	-	-	6	5	28	49	64	77	103	95	82	63	32	19	6	3	-	-
	F--	299	1	1	-	1	-	-	-	-	-	3	12	9	28	37	40	30	33	28	25	32	12	5	1	-	1
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	1	-	-	5	5	4	4	3	3	2	-	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	1	-	1	3	5	2	3	1	3	1	-	-	-	1	1	-	-
590, 591	Acute nephritis, etc.*----------	169	6	3	4	3	2	10	5	6	8	4	8	7	5	7	7	12	11	15	14	10	10	6	3	3	--
	White-----M--	70	2	1	2	2	-	3	1	4	3	2	4	2	1	3	2	6	6	3	9	6	2	3	2	1	-
	F--	78	3	2	1	1	2	6	3	1	4	-	3	3	4	2	4	5	4	9	4	4	7	3	1	2	-
	Nonwhite--M--	7	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-
	F--	14	-	-	1	-	-	-	1	1	1	2	1	2	-	1	1	-	1	1	-	-	1	-	-	-	-
610	Hyperplasia of prostate---------	370	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	8	18	47	54	91	66	57	24	-	-
	White-----M--	350	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	15	46	50	87	65	55	22	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	4	4	1	2	2	-	-
640-689	Complications of pregnancy, etc.*-	86	...	...	...	...	...	...	-	6	15	16	30	11	6	1	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	75	...	...	...	...	...	...	-	6	12	16	24	9	6	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	11	...	...	...	...	...	...	-	-	3	-	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	8	...	...	...	...	...	...	-	-	-	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	...	...	...	...	...	...	-	-	-	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications--------	78	...	...	...	...	...	...	-	6	15	13	27	9	6	1	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	68	...	...	...	...	...	...	-	6	12	13	22	7	6	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	...	...	...	...	...	...	-	-	3	-	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	1,206	963	46	22	13	10	25	10	7	9	10	8	11	12	15	16	6	7	6	5	2	3	-	-	-	-
	White-----M--	630	506	26	11	7	5	10	3	3	3	5	7	6	5	8	11	2	4	3	2	-	3	-	-	-	-
	F--	504	397	18	8	6	5	14	6	4	6	5	1	5	6	5	5	2	3	3	3	2	-	-	-	-	-
	Nonwhite--M--	38	31	-	2	-	-	1	1	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	F--	34	29	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	3,360	3,359	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,729	1,728	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,152	1,152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	268	268	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	211	211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	1,583	1,583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	869	869	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	518	518	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	202	202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	1,575	1,574	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	759	758	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	569	569	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	130	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	853	61	8	2	5	1	8	1	8	10	22	26	26	38	37	44	53	67	74	64	63	78	71	58	21	7
	White-----M--	396	31	4	1	1	1	2	1	2	4	4	15	10	17	19	22	32	42	40	30	31	33	29	15	9	1
	F--	284	18	3	-	2	-	4	-	1	2	8	5	9	8	10	5	13	12	15	18	18	39	36	41	11	6
	Nonwhite--M--	103	5	-	1	1	-	2	-	3	2	4	3	5	11	4	10	7	8	13	7	7	6	1	2	1	-
	F--	70	7	1	-	1	-	-	-	2	2	6	3	2	2	4	7	1	5	6	9	7	-	5	-	-	-
Residual	All other diseases	3,939	252	47	29	18	18	47	35	44	52	74	100	123	166	215	246	318	408	501	439	350	237	143	60	16	1
	White-----M--	2,049	123	26	12	8	8	33	22	25	26	28	48	57	89	95	131	175	237	284	224	200	101	72	20	5	-
	F--	1,535	80	18	13	9	8	13	10	12	16	29	34	47	55	79	85	116	146	191	189	138	131	65	39	11	1
	Nonwhite--M--	195	27	2	4	1	-	1	2	1	7	5	10	9	8	21	14	19	15	17	18	7	2	4	1	-	-
	F--	160	22	1	-	-	2	-	1	6	3	12	8	10	14	20	16	8	10	9	8	5	3	2	-	-	-
E800-E962	Accidents----------	5,228	140	63	64	47	39	136	135	310	334	310	276	265	237	198	272	285	277	281	308	382	406	274	140	36	13
	White-----M--	3,229	67	33	34	26	26	84	105	231	243	230	203	180	168	144	185	187	196	201	180	177	178	95	39	10	7
	F--	1,628	54	24	23	18	9	38	18	61	59	39	38	54	51	32	70	80	58	70	112	201	219	175	96	24	5
	Nonwhite--M--	273	9	5	3	2	2	11	10	12	17	32	31	21	12	19	15	16	20	7	14	2	6	3	3	1	-
	F--	98	10	1	4	1	2	3	2	6	15	9	4	10	6	3	2	2	3	3	2	2	3	1	2	1	1
E810-E835	Motor-vehicle accidents--------	2,167	19	23	26	24	22	56	58	205	242	209	158	155	119	95	114	137	113	122	92	88	62	21	5	1	1
	White-----M--	1,506	6	15	15	15	14	34	48	146	173	154	114	102	80	68	71	85	79	98	70	55	45	14	3	1	1
	F--	513	11	7	11	8	7	16	7	51	45	29	27	38	33	19	39	48	28	21	17	32	14	4	1	-	-
	Nonwhite--M--	112	1	1	-	1	-	6	3	5	13	20	14	10	6	6	2	4	6	2	4	1	3	3	1	-	-
	F--	36	1	-	-	-	1	-	-	3	11	6	3	5	-	2	2	-	-	1	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	3,061	121	40	38	23	17	80	77	105	92	101	118	110	118	103	158	148	164	159	216	294	344	253	135	35	12
	White-----M--	1,723	61	18	19	11	12	50	57	85	70	76	89	78	88	76	114	102	117	103	110	122	133	81	36	9	6
	F--	1,115	43	17	12	10	2	22	11	10	14	10	11	16	18	13	31	32	30	49	95	169	205	171	95	24	5
	Nonwhite--M--	161	8	4	3	1	2	5	7	7	4	12	17	11	6	13	13	12	14	5	10	1	3	-	2	1	-
	F--	62	9	1	4	1	1	3	2	3	4	3	1	5	6	1	-	2	3	2	1	2	3	1	2	1	1
E963, E970-E979	Suicide----------	863	-	-	-	-	-	-	1	16	34	39	34	68	73	87	91	100	107	94	59	31	20	7	2	-	-
	White-----M--	676	-	-	-	-	-	-	1	13	28	27	23	54	53	59	70	80	84	82	49	25	19	7	2	-	-
	F--	165	-	-	-	-	-	-	-	3	6	10	6	12	18	24	19	20	19	11	10	6	1	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	1	4	2	2	1	2	-	4	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	327	4	-	1	1	-	2	4	11	31	47	50	51	30	23	19	16	10	12	10	3	2	-	-	-	-
	White-----M--	98	2	-	-	1	-	1	1	-	6	14	11	11	8	6	9	6	4	8	8	-	2	-	-	-	-
	F--	40	1	-	1	-	-	-	1	2	4	1	4	8	2	4	3	4	2	1	1	1	-	-	-	-	-
	Nonwhite--M--	159	1	-	-	-	-	1	2	8	17	28	29	26	17	10	5	6	4	2	1	2	-	-	-	-	-
	F--	30	-	-	-	-	-	-	-	1	4	4	6	6	3	3	2	-	-	1	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA																										
	ALL CAUSES--------	19,713	1,439	112	87	56	49	141	116	174	223	242	303	353	497	718	980	1,282	1,684	1,999	2,357	2,593	2,301	1,248	535	130	94
	White-----M--	10,351	631	36	38	22	26	78	56	105	112	127	149	192	244	386	539	732	969	1,116	1,300	1,351	1,175	633	253	54	27
	F--	6,943	493	40	34	18	14	49	45	48	66	68	96	96	159	229	275	361	519	656	810	1,039	958	537	245	64	24
	Nonwhite--M--	1,334	185	13	7	7	5	6	9	14	30	25	26	33	38	38	90	111	114	127	149	129	94	38	21	3	22
	F--	1,085	130	23	8	9	4	8	6	7	15	22	32	32	56	65	76	78	82	100	98	74	74	40	16	9	21
001-019	Tuberculosis, all forms--------	321	5	4	1	1	-	2	3	2	14	11	14	16	21	23	21	34	34	34	25	34	17	2	1	-	2
	White-----M--	157	1	-	1	-	-	-	-	-	1	1	5	7	10	12	13	20	20	20	17	17	10	2	-	-	-
	F--	72	1	-	-	-	-	2	-	-	5	4	3	4	6	4	5	8	5	6	5	10	3	-	1	-	-
	Nonwhite--M--	46	2	1	-	-	-	-	1	-	3	3	1	2	3	4	1	3	5	7	3	3	3	-	-	-	1
	F--	46	1	3	-	1	-	-	2	2	5	3	5	3	2	3	2	3	4	1	-	4	1	-	-	-	1
001-008	Tuberculosis of respiratory system----------	303	4	1	-	-	-	-	2	2	14	11	13	16	18	22	21	34	34	34	24	33	16	2	-	-	2
	White-----M--	153	1	-	-	-	-	-	-	-	1	1	5	7	9	12	13	20	20	20	16	17	9	2	-	-	-
	F--	67	1	-	-	-	-	-	-	-	5	4	3	4	5	4	5	8	5	6	5	9	3	-	-	-	-
	Nonwhite--M--	43	2	-	-	-	-	-	-	-	3	3	1	2	3	3	1	3	5	7	3	3	3	-	-	-	1
	F--	40	-	1	-	-	-	-	2	2	5	3	4	3	1	3	2	3	4	1	-	4	1	-	-	-	1
010-019	Tuberculosis, other forms------	18	1	3	1	1	-	2	1	-	-	-	1	-	3	1	-	-	-	-	1	1	1	-	1	-	-
	White-----M--	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
	F--	5	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-
	Nonwhite--M--	3	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	2	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	80	-	-	1	-	-	-	-	1	-	2	-	2	1	6	5	11	18	10	10	8	3	2	-	-	-
	White-----M--	46	-	-	1	-	-	-	-	1	-	-	-	1	1	2	2	6	12	7	5	6	-	2	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	3	2	2	1	1	1	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	-	2	1	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	2	-	1	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	18	8	1	1	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	White-----M--	7	2	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	5	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
050, 051	Scarlet fever, etc.*----------	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	6	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	17	5	1	1	2	-	2	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	9	3	1	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	7	1	-	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	46	3	4	1	2	4	7	7	4	5	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	26	3	-	-	2	1	5	5	2	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	-	4	-	-	3	2	2	2	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	68	12	1	1	1	-	2	4	2	4	1	3	-	2	3	2	7	7	4	4	2	4	-	2	-	-
	White-----M--	24	5	-	-	-	-	1	2	1	1	-	-	-	1	2	-	3	2	2	2	2	-	-	-	-	-
	F--	27	3	-	-	1	-	1	2	1	2	1	1	-	1	-	1	3	4	-	2	-	3	-	1	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	1	-	-
	F--	11	3	1	1	-	-	-	-	-	1	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
140-205	Malignant neoplasms, etc.*	3,057	1	5	7	4	7	13	7	11	10	21	44	64	128	176	239	314	376	408	421	373	269	111	38	4	6
	White—M	1,413	-	4	4	1	6	9	2	6	6	4	17	23	46	67	99	142	173	190	216	186	133	56	19	3	1
	F	1,390	-	1	3	3	1	4	5	5	3	14	25	35	63	96	112	140	180	186	170	157	120	48	16	-	3
	Nonwhite—M	118	1	-	-	-	-	-	-	-	-	1	1	1	4	3	8	16	11	19	16	22	9	2	3	-	1
	F	136	-	-	-	-	-	-	-	-	1	2	1	5	15	10	20	16	12	13	19	8	7	5	-	1	1
140-148	Of buccal cavity and pharynx	60	-	-	-	-	-	-	-	-	-	-	1	-	1	1	6	5	10	5	11	11	6	2	1	-	-
	White—M	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	7	3	5	8	3	2	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	4	2	3	-	1	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,051	-	1	-	-	-	-	-	-	1	2	7	11	28	43	59	101	121	157	170	159	128	45	14	2	2
	White—M	490	-	1	-	-	-	-	-	-	1	1	3	3	15	21	24	48	61	71	84	76	54	18	8	1	-
	F	466	-	-	-	-	-	-	-	-	-	1	3	7	8	19	28	43	51	70	69	71	66	26	4	-	-
	Nonwhite—M	52	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	6	3	10	9	11	4	-	2	-	1
	F	43	-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	4	6	6	8	1	4	1	-	1	1
160-164	Of respiratory system	320	-	-	-	-	-	-	1	1	1	2	3	7	12	23	34	51	52	48	46	21	9	5	4	-	-
	White—M	216	-	-	-	-	-	-	-	1	1	-	2	4	7	18	25	36	40	35	27	10	4	3	3	-	-
	F	84	-	-	-	-	-	-	1	-	-	1	1	2	5	4	8	7	11	12	16	9	4	2	1	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	6	1	1	2	2	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	1	-	1	-	-	-	-
170	Of breast	207	-	-	-	-	1	-	-	1	-	3	5	7	12	23	32	26	26	22	17	18	8	3	3	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	-	-	-	-
	F	188	-	-	-	-	1	-	-	1	-	3	5	7	9	21	30	22	25	22	15	15	6	3	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	1	-	2	2	-	-	-	-	-
171-179	Of genital organs	563	-	-	-	-	-	-	-	-	2	2	7	18	34	38	35	49	63	68	78	83	52	25	8	1	-
	White—M	196	-	-	-	-	-	-	-	-	-	1	-	1	2	1	3	11	8	21	44	43	36	18	6	1	-
	F	299	-	-	-	-	-	-	-	-	1	1	7	14	26	33	26	32	50	36	25	31	11	5	1	-	-
	Nonwhite—M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	3	7	4	-	1	-	-
	F	45	-	-	-	-	-	-	-	-	1	-	-	3	6	4	6	5	4	5	6	2	1	2	-	-	-
180, 181	Of urinary organs	132	-	-	2	-	1	-	-	-	-	-	-	1	5	6	14	4	12	24	24	18	12	8	-	-	1
	White—M	80	-	-	1	-	1	-	-	-	-	-	-	-	2	4	11	3	8	16	13	10	6	5	-	-	-
	F	43	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	3	8	11	8	6	2	-	-	1
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*	449	-	1	3	-	-	6	2	3	2	4	14	13	19	27	42	50	51	50	49	45	38	20	8	1	1
	White—M	251	-	1	2	-	-	4	2	2	1	1	7	11	10	13	24	24	31	26	29	30	21	8	2	1	1
	F	176	-	-	1	-	-	2	-	1	1	3	7	2	9	13	11	24	17	22	20	11	16	10	6	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	2	1	1	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	1	2	-	2	-	1	-	-	-
204	Leukemia and aleukemia	156	1	3	2	4	4	6	3	4	1	5	4	4	6	6	8	15	25	20	10	13	9	1	-	-	2
	White—M	80	-	2	1	1	4	4	-	3	-	1	2	3	3	2	3	10	12	13	5	6	4	1	-	-	-
	F	69	-	1	1	3	-	2	3	1	1	2	2	1	2	4	4	4	13	7	4	7	5	-	-	-	2
	Nonwhite—M	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	119	-	-	-	-	1	1	1	2	3	3	3	3	11	9	9	13	16	14	16	5	7	2	-	-	-
	White—M	60	-	-	-	-	1	1	-	-	3	-	3	1	7	6	6	6	6	5	9	2	3	1	-	-	-
	F	48	-	-	-	-	-	-	1	2	-	3	-	1	3	2	2	6	8	8	6	3	3	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-
210-239	Benign and unspecified neoplasms	65	2	2	-	-	-	3	-	1	2	1	4	6	2	8	10	3	6	4	2	6	3	-	-	-	-
	White—M	24	-	1	-	-	-	2	-	-	2	-	1	-	1	1	4	2	4	-	-	4	2	-	-	-	-
	F	34	2	-	-	-	-	1	-	1	-	1	3	5	1	6	5	1	2	2	2	1	1	-	-	-	-
	Nonwhite—M	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
260	Diabetes mellitus	292	1	-	-	-	-	1	4	5	2	2	8	3	4	8	17	24	21	36	44	51	48	12	1	-	-
	White—M	130	-	-	-	-	-	-	1	3	1	2	5	1	1	2	5	9	10	13	19	32	20	6	-	-	-
	F	117	-	-	-	-	-	1	3	2	1	-	1	2	1	3	5	7	9	16	22	17	24	2	1	-	-
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	-	2	2	-	4	3	-	-	-
	F	27	1	-	-	-	-	-	-	-	-	-	1	-	2	2	4	6	2	5	1	2	-	1	-	-	-
290-293	Anemias	60	2	2	1	-	1	-	1	-	1	-	1	2	-	-	6	2	7	3	6	8	9	6	2	-	-
	White—M	30	1	-	-	-	1	-	-	-	1	-	1	1	-	-	3	1	3	2	3	5	4	3	1	-	-
	F	19	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	3	4	3	-	-	-
	Nonwhite—M	6	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	1	-	-
	F	5	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	41	14	3	3	2	-	2	2	1	1	-	1	3	2	2	-	2	-	-	2	1	-	-	-	-	-
	White—M	17	3	2	2	1	-	-	2	-	-	-	1	1	1	1	-	1	-	-	2	-	-	-	-	-	-
	F	14	6	1	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	7	3	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	9,680	11	2	8	3	2	8	12	14	21	32	46	78	163	266	420	660	911	1,164	1,468	1,660	1,488	803	326	71	43
	White—M	5,391	2	2	3	1	2	2	6	8	5	17	21	48	92	162	268	424	558	691	845	852	776	412	150	34	10
	F	3,324	4	-	3	1	-	5	5	4	11	11	16	14	38	65	82	136	241	352	476	692	620	349	157	31	11
	Nonwhite—M	529	4	-	1	-	-	1	1	1	4	2	3	8	11	14	40	56	67	59	89	72	50	23	11	2	10
	F	436	1	-	1	1	-	-	-	1	1	2	6	8	22	25	30	44	45	62	58	44	42	19	8	4	12
330-334, 400-468	Diseases of cardiovascular system	9,342	10	2	6	3	2	7	7	11	18	26	40	72	152	252	410	639	892	1,129	1,421	1,603	1,435	782	311	69	43
	White—M	5,244	1	2	2	1	2	2	3	5	5	12	17	45	91	156	263	415	552	679	824	829	750	403	141	34	10
	F	3,207	4	-	2	1	-	4	3	4	8	10	14	13	32	62	80	132	237	339	459	670	599	342	151	30	11
	Nonwhite—M	489	4	-	1	-	-	1	1	1	4	2	3	7	10	12	39	53	59	53	84	66	46	20	11	2	10
	F	402	1	-	1	1	-	-	-	1	1	2	6	7	19	22	28	39	44	58	54	38	40	17	8	3	12
330-334	Vascular lesions, etc.*	2,442	4	-	2	-	-	4	-	3	4	8	9	10	30	43	67	109	191	296	397	473	443	236	85	17	11
	White—M	1,197	-	-	-	-	-	2	-	-	1	1	4	5	11	17	25	55	81	148	208	236	239	117	40	5	2
	F	981	2	-	2	-	-	1	-	2	2	7	3	2	11	20	24	32	79	107	141	207	179	109	37	10	4
	Nonwhite—M	137	1	-	-	-	-	1	-	-	1	-	-	3	2	3	12	12	14	16	29	15	14	5	5	1	3
	F	127	1	-	-	-	-	-	-	1	-	-	2	-	6	3	6	10	17	25	19	15	11	5	3	1	2
400-402	Rheumatic fever	27	-	-	-	2	2	2	5	1	4	2	-	-	2	4	-	-	1	1	-	-	-	1	-	-	-
	White—M	13	-	-	-	-	2	-	3	-	2	2	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-
	F	8	-	-	-	1	-	2	1	-	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
410-443	Diseases of heart	6,219	4	1	3	1	-	1	2	7	9	14	25	55	111	193	322	503	656	775	945	1,012	880	451	177	48	24
	White-----M--	3,709	1	1	2	1	-	-	-	5	1	8	10	38	76	132	224	347	445	498	572	544	459	228	83	27	7
	F--	1,959	1	-	-	-	-	1	2	2	5	3	10	7	16	38	54	92	145	215	288	404	371	200	84	18	3
	Nonwhite--M--	314	2	-	1	-	-	-	-	-	3	1	3	3	8	8	25	36	41	31	53	45	28	13	6	1	6
	F--	237	-	-	-	-	-	-	-	-	-	2	2	7	11	15	19	28	25	31	32	19	22	10	4	2	8
410-416	Chronic rheumatic heart disease	187	1	-	-	-	-	-	1	3	3	3	8	11	10	13	15	20	18	10	20	20	19	9	2	1	-
	White-----M--	99	-	-	-	-	-	-	-	2	1	2	4	6	4	7	9	12	11	2	13	11	11	4	-	-	-
	F--	64	1	-	-	-	-	-	1	1	2	1	3	4	3	3	6	5	6	4	4	7	6	5	2	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	2	1	1	2	2	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	3	1	-	1	-	-	1	-
420	Arteriosclerotic heart dis., etc.*	4,036	-	-	1	-	-	-	-	-	1	8	10	33	77	140	227	372	500	556	613	637	499	246	87	17	12
	White-----M--	2,635	-	-	-	-	-	-	-	-	-	5	5	29	61	105	185	273	361	376	395	358	283	131	50	12	6
	F--	1,146	-	-	-	-	-	-	-	-	1	1	4	1	8	24	21	61	105	147	181	255	194	103	33	5	2
	Nonwhite--M--	147	-	-	1	-	-	-	-	-	-	1	-	2	3	3	13	23	21	19	22	15	14	6	2	-	2
	F--	108	-	-	-	-	-	-	-	-	-	1	1	1	5	8	8	15	13	14	15	9	8	6	2	-	2
421, 422	Nonrheumatic chronic endocarditis, etc.*	651	1	1	1	1	-	1	1	2	1	1	1	2	3	8	15	18	31	58	86	129	138	91	39	15	7
	White-----M--	335	1	1	1	1	-	-	-	2	-	1	-	1	2	4	8	10	18	32	44	70	74	43	16	6	-
	F--	241	-	-	-	-	-	1	1	-	-	-	1	1	-	4	4	5	5	20	29	48	52	43	20	7	-
	Nonwhite--M--	42	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	6	1	9	9	5	3	2	1	3
	F--	33	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	5	4	2	7	2	1	1	4
430-434	Other diseases of heart	502	2	-	1	-	-	-	-	1	2	-	4	4	11	16	26	38	44	66	75	76	80	33	13	7	3
	White-----M--	291	-	-	1	-	-	-	-	1	-	-	1	1	6	10	10	29	28	46	47	42	40	18	6	4	1
	F--	148	-	-	-	-	-	-	-	-	1	-	2	1	2	3	10	6	7	14	23	23	36	10	7	3	-
	Nonwhite--M--	38	2	-	-	-	-	-	-	-	1	-	-	-	2	1	3	1	4	5	5	8	2	4	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	2	5	1	-	3	2	1	-	-	2
440-443	Hypertension with heart dis.	843	-	-	-	-	-	-	-	1	2	2	2	5	10	16	39	55	63	85	151	150	144	72	36	8	2
	White-----M--	349	-	-	-	-	-	-	-	-	-	-	-	1	3	6	12	23	27	42	73	63	51	32	11	5	-
	F--	360	-	-	-	-	-	-	-	1	1	1	-	-	3	4	13	15	22	30	51	71	83	39	22	3	1
	Nonwhite--M--	72	-	-	-	-	-	-	-	-	1	-	2	1	-	2	8	9	9	5	15	11	6	-	2	-	1
	F--	62	-	-	-	-	-	-	-	-	-	1	-	3	4	4	6	8	5	8	12	5	4	1	1	-	-
444-447	Hypertension without mention of heart	174	-	-	-	-	-	-	-	-	-	1	3	2	1	9	9	10	14	13	24	31	26	15	13	1	2
	White-----M--	67	-	-	-	-	-	-	-	-	-	-	1	1	1	4	4	3	4	3	14	10	12	6	4	-	-
	F--	72	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	6	6	8	16	11	5	9	1	2
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	3	4	-	3	-	2	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	2	-	-	3	3	-	1	-	2	2	3	2	-	-	-
450	General arteriosclerosis	356	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	13	31	38	74	75	71	35	3	6
	White-----M--	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	7	19	21	35	33	43	14	2	1
	F--	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	9	14	35	35	28	20	1	2
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	3	-	-	-	1
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	-	1	-	2
451-468	Other diseases of circulatory sys.	124	2	1	1	-	-	-	-	-	1	1	3	5	8	3	9	10	17	13	17	13	11	8	1	-	-
	White-----M--	74	-	1	-	-	-	-	-	-	1	1	2	1	2	2	7	4	14	11	9	4	7	8	-	-	-
	F--	38	1	-	-	-	-	-	-	-	-	-	1	3	5	-	1	4	2	1	8	8	3	-	1	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	1	-	-	-	-
	F--	5	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	338	1	-	2	-	-	1	5	3	3	6	6	6	11	14	10	21	19	35	47	57	53	21	15	2	-
	White-----M--	147	1	-	1	-	-	-	3	3	-	5	4	3	1	6	5	9	6	12	21	23	26	9	9	-	-
	F--	117	-	-	1	-	-	1	2	-	3	1	2	1	6	3	2	4	4	13	17	22	21	7	6	1	-
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	8	6	5	6	4	3	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	5	1	4	4	6	2	2	-	1	-
480-493	Influenza and pneumonia, etc.*	718	106	24	14	10	9	10	8	4	2	6	9	10	11	18	19	19	30	43	58	88	96	72	35	11	6
	White-----M--	302	26	8	4	4	4	3	1	3	-	2	1	3	5	6	9	9	16	21	25	49	47	36	16	3	1
	F--	255	29	6	8	2	4	7	4	1	1	3	5	1	3	2	5	4	7	17	21	29	37	33	16	7	3
	Nonwhite--M--	84	32	3	1	2	1	-	2	-	-	1	2	3	-	1	4	3	2	3	7	6	7	2	1	-	1
	F--	77	19	7	1	2	-	-	1	-	1	-	1	3	3	9	1	3	5	2	5	4	5	1	2	1	1
480-483	Influenza	146	13	1	1	1	1	2	-	2	-	-	4	2	2	3	3	6	9	12	12	29	18	9	9	3	4
	White-----M--	52	3	-	1	-	-	-	-	1	-	-	-	1	-	1	1	2	3	6	4	14	7	2	4	1	1
	F--	49	-	-	-	-	-	2	-	1	-	-	3	-	1	1	1	2	1	3	6	10	6	6	3	1	2
	Nonwhite--M--	23	6	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	2	1	1	3	4	1	1	-	1
	F--	22	4	1	-	1	-	-	-	-	-	-	1	1	1	1	-	1	3	2	1	2	1	-	1	1	-
490-493	Pneumonia, etc.*	572	93	23	13	9	8	8	8	2	2	6	5	8	9	15	16	13	21	31	46	59	78	63	26	8	2
	White-----M--	250	23	8	3	4	4	3	1	2	-	2	1	2	5	5	8	7	13	15	21	35	40	34	12	2	-
	F--	206	29	6	8	2	4	5	4	-	1	3	2	1	2	1	4	2	6	14	15	19	31	27	13	6	1
	Nonwhite--M--	61	26	3	1	2	-	-	2	-	-	1	2	3	-	1	3	2	-	2	6	3	3	1	-	-	-
	F--	55	15	6	1	1	-	-	1	-	1	-	-	2	2	8	1	2	2	-	4	2	4	1	1	-	1
500-502	Bronchitis	38	4	3	1	2	-	1	-	-	1	-	-	1	-	-	-	3	3	4	3	4	4	1	2	1	-
	White-----M--	19	2	-	1	1	-	1	-	-	1	-	-	-	-	-	-	1	3	1	2	3	2	1	-	-	-
	F--	10	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	2	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	102	-	-	-	-	-	-	1	-	-	-	4	2	2	6	17	13	19	10	8	12	3	2	-	1	2
	White-----M--	83	-	-	-	-	-	-	1	-	-	-	3	2	2	2	15	12	17	10	6	11	2	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	2	-	1	2	-	1	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
550-553	Appendicitis	63	-	2	2	-	1	2	3	6	1	3	2	-	2	6	4	5	7	3	4	4	4	-	1	1	-
	White-----M--	36	-	-	1	-	1	-	1	4	-	2	-	-	1	4	1	4	7	2	2	2	3	-	1	-	-
	F--	16	-	1	1	-	-	2	1	1	-	-	1	-	-	2	3	-	-	-	1	2	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
560, 561, 570	Hernia, intestinal obstruction	123	14	4	1	-	1	-	-	1	-	-	1	3	3	2	2	5	14	14	17	15	12	8	4	-	2
	White-----M--	46	2	1	1	-	-	-	-	-	-	-	1	1	1	-	1	4	7	9	4	3	2	5	3	-	1
	F--	57	6	3	-	-	-	-	-	-	-	-	-	1	2	2	1	1	7	4	10	10	7	2	1	-	-
	Nonwhite--M--	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	1
	F--	10	3	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	2	1	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
543,	Gastritis, etc.*--	106	44	7	5	1	2	1	3	-	-	1	1	2	3	2	3	4	6	4	7	6	3	1	-	-	-
571,	White-----M--	38	15	1	2	1	1	1	-	-	-	1	-	-	1	1	2	2	1	-	4	4	1	-	-	-	-
572	F--	32	7	3	2	-	-	-	3	-	-	-	-	1	1	1	1	2	2	2	3	2	2	-	-	-	-
	Nonwhite--M--	18	13	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	-
	F--	18	9	3	-	-	1	-	-	-	-	-	1	1	-	-	-	-	1	2	-	-	-	-	-	-	-
581	Cirrhosis of liver	123	-	-	-	-	-	-	-	-	-	1	2	7	6	13	15	16	17	18	11	8	8	-	-	1	-
	White-----M--	71	-	-	-	-	-	-	-	-	-	-	1	3	2	10	9	7	11	14	7	3	4	-	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	3	3	2	1	9	5	2	4	3	3	-	-	1	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	1	-	1	-	-	4	-	1	1	-	2	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	53	1	3	1	-	-	2	1	4	1	-	1	4	5	4	4	4	2	2	3	3	3	5	-	-	-
	White-----M--	20	-	1	-	-	-	2	1	2	1	-	1	1	2	-	1	-	1	-	2	1	1	3	-	-	-
	F--	20	-	1	1	-	-	-	-	1	-	-	-	2	2	3	2	2	1	-	-	1	2	2	-	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-
	F--	7	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	1	1	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	9	15	35	29	16	9	-	1
	White-----M--	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	7	11	31	27	15	8	-	1
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	4	2	1	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	38	...	...	...	...	...	...	-	1	10	8	9	4	5	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	25	...	...	...	...	...	...	-	1	8	6	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	13	...	...	...	...	...	...	-	-	2	2	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	4	...	...	...	...	...	...	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	4	...	...	...	...	...	...	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	34	...	...	...	...	...	...	-	1	10	7	8	3	4	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	21	...	...	...	...	...	...	-	1	8	5	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	13	...	...	...	...	...	...	-	-	2	2	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	256	192	12	7	1	4	7	3	3	3	1	5	3	4	1	3	2	2	2	1	-	-	-	-	-	-
	White-----M--	132	97	6	3	1	3	5	1	-	1	1	4	2	4	-	2	-	2	-	-	-	-	-	-	-	-
	F--	99	74	5	4	-	1	1	2	3	2	-	1	1	-	1	1	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	14	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	11	10	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	856	856	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	402	402	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	305	305	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	337	337	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	167	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	463	463	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	216	216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	518	45	-	1	3	2	1	1	1	3	-	2	4	9	16	22	19	23	35	47	55	89	58	47	20	15
795	White-----M--	261	21	-	-	1	-	1	-	1	1	-	2	2	4	8	13	12	13	19	22	34	49	21	19	10	8
	F--	157	12	-	-	-	1	-	-	-	1	-	-	1	2	7	5	3	4	4	15	10	31	28	23	8	2
	Nonwhite--M--	55	6	-	-	2	1	-	-	-	1	-	-	-	2	-	-	4	2	9	8	9	4	1	2	1	3
	F--	45	6	-	1	-	-	-	1	-	-	-	-	1	1	1	4	-	4	3	2	2	5	8	3	1	2
Re-	All other diseases	1,051	44	8	6	4	4	15	9	13	15	18	22	33	32	42	52	50	91	110	115	131	116	73	33	9	6
sid-	White-----M--	479	18	2	3	1	2	6	3	3	6	8	6	19	11	19	22	26	50	56	58	61	47	30	17	3	2
ual	F--	421	15	5	2	1	1	7	6	8	7	6	10	6	12	16	18	18	32	37	43	60	55	36	13	5	2
	Nonwhite--M--	76	5	1	1	-	-	1	-	2	-	-	2	1	5	6	8	4	4	11	8	5	7	3	1	-	1
	F--	75	6	-	-	2	1	1	-	-	2	4	4	7	4	1	4	2	5	6	6	5	7	4	2	1	1
E800-	Accidents---------	1,500	60	21	24	19	10	59	42	90	110	100	98	75	57	92	82	62	61	67	76	80	88	73	33	11	10
E962	White-----M--	904	24	7	11	7	4	37	28	65	76	76	70	59	38	66	47	33	37	42	41	36	41	38	18	1	2
	F--	405	22	6	8	7	2	14	10	15	20	14	18	8	10	12	19	18	15	20	27	40	42	32	14	10	2
	Nonwhite--M--	127	5	3	3	2	3	3	4	9	14	10	6	8	6	5	11	10	7	4	5	2	2	2	-	-	3
	F--	64	9	5	2	3	1	5	-	1	-	-	4	-	3	9	5	1	2	1	3	2	3	1	1	-	3
E810-	Motor-vehicle																										
E835	accidents--------	588	9	6	7	5	4	15	13	44	73	61	49	41	29	49	42	31	32	21	19	14	13	5	1	-	5
	White-----M--	386	1	3	4	2	3	7	8	33	51	44	33	34	23	30	25	16	21	16	10	8	8	3	1	-	2
	F--	142	6	2	3	-	-	6	5	7	12	10	11	4	6	12	14	12	8	5	7	6	4	1	-	-	1
	Nonwhite--M--	48	2	-	-	1	1	1	-	4	10	7	2	3	-	3	2	3	3	-	2	-	1	1	-	-	2
	F--	12	-	1	-	2	-	1	-	-	-	-	3	-	-	4	1	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	912	51	15	17	14	6	44	29	46	37	39	49	34	28	43	40	31	29	46	57	66	75	68	32	11	5
E802,	White-----M--	518	23	4	7	5	1	30	20	32	25	32	37	25	15	36	22	17	16	26	31	28	33	35	17	1	-
E840-	F--	263	16	4	5	7	2	8	5	8	8	4	7	4	4	-	5	6	7	15	20	34	38	31	14	10	1
E962	Nonwhite--M--	79	3	3	3	1	2	2	4	5	4	3	4	5	6	2	9	7	4	4	3	2	1	1	-	-	1
	F--	52	9	4	2	1	1	4	-	1	-	-	1	-	3	5	4	1	2	1	3	2	3	1	1	-	3
E963,	Suicide----------	164	-	-	-	-	-	-	-	4	6	8	12	16	21	10	25	16	15	10	8	7	3	3	-	-	-
E970-	White-----M--	125	-	-	-	-	-	-	-	2	4	4	6	10	15	10	19	12	15	9	6	7	3	3	-	-	-
E979	F--	30	-	-	-	-	-	-	-	2	1	2	5	5	5	-	5	2	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	2	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	119	4	-	-	-	-	-	-	4	11	20	10	13	14	11	12	7	5	4	1	1	1	-	1	-	-
E980-	White-----M--	48	2	-	-	-	-	-	-	2	2	6	3	6	5	10	4	2	2	-	1	1	1	-	1	-	-
E985	F--	17	2	-	-	-	-	-	-	-	1	2	-	3	6	-	1	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	1	6	5	7	4	3	1	6	4	3	3	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	1	2	7	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON																										
	ALL CAUSES--------	14,605	958	67	46	40	18	96	78	133	118	181	199	267	403	598	751	1,013	1,300	1,775	1,803	1,777	1,542	938	398	82	24
	White-----M--	8,716	532	31	27	18	7	54	47	93	88	124	127	159	264	379	499	667	846	1,157	1,081	1,019	798	467	182	34	16
	F--	5,623	399	32	17	22	11	38	30	36	27	47	60	99	127	204	235	321	436	590	695	736	728	465	212	48	8
	Nonwhite--M--	168	15	2	1	-	-	2	1	2	1	7	9	5	6	11	10	12	14	17	21	13	12	4	3	-	-
	F--	98	12	2	1	-	-	2	-	2	2	3	3	4	6	4	7	13	4	11	6	9	4	2	1	-	-
001-019	Tuberculosis, all forms--------	150	1	-	-	1	1	2	1	2	1	7	7	9	12	13	12	15	15	13	18	12	4	3	1	-	-
	White-----M--	90	-	-	-	-	1	-	1	1	-	2	2	5	6	7	9	11	11	12	12	6	2	1	1	-	-
	F--	46	1	-	-	1	-	1	-	-	-	4	4	4	6	4	2	3	4	1	2	5	2	2	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	4	1	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	140	1	-	-	-	1	1	1	2	1	7	6	9	11	13	11	13	15	13	17	12	2	3	1	-	-
	White-----M--	86	-	-	-	-	1	-	1	1	-	2	1	5	5	7	9	10	11	12	12	6	1	1	1	-	-
	F--	42	1	-	-	-	-	1	-	-	-	4	4	4	6	4	2	2	4	1	1	5	1	2	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	4	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	10	-	-	-	1	-	1	-	-	-	-	1	-	1	-	1	2	-	-	1	-	2	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	36	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	7	7	9	2	3	3	-	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	4	8	1	3	2	-	-	-	-
	F--	10	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	3	1	1	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	5	1	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	15	4	1	2	2	1	2	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	7	1	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	8	3	1	-	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	19	2	-	-	1	-	2	2	2	2	1	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	1	-	-	1	-	1	2	-	1	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	26	7	1	-	1	-	2	2	-	-	-	-	1	2	1	1	1	-	1	2	2	2	-	-	-	-
	White-----M--	14	6	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	1	2	-	2	-	-	-	-
	F--	12	1	1	-	1	-	1	2	-	-	-	-	1	1	1	1	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON—Continued																										
140-205	Malignant neoplasms, etc.*	2,111	5	6	3	9	5	13	11	12	7	21	26	37	68	130	145	227	263	326	287	238	164	82	25	1	-
	White----M	1,140	3	1	-	6	1	8	6	7	5	15	16	14	33	57	69	128	144	187	164	126	91	44	14	1	-
	F	932	2	5	2	3	4	5	5	4	2	6	10	22	33	67	74	95	116	133	116	111	70	38	9	-	-
	Nonwhite--M	23	-	-	-	-	-	-	-	-	-	-	-	1	1	5	-	2	2	4	5	-	2	-	1	-	-
	F	16	-	-	1	-	-	-	-	1	-	-	-	-	1	1	2	2	1	2	2	1	1	-	1	-	-
140-148	Of buccal cavity and pharynx	35	-	-	-	-	-	-	-	-	-	-	-	1	3	4	1	5	4	5	4	5	1	2	-	-	-
	White----M	26	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	5	2	4	4	3	-	1	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	2	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	739	-	1	-	-	1	-	-	-	3	1	5	4	11	34	33	76	98	129	117	107	73	37	8	1	-
	White----M	425	-	1	-	-	1	-	-	-	2	1	3	2	7	21	20	47	59	73	67	55	40	20	5	1	-
	F	305	-	-	-	-	-	-	-	-	1	-	2	2	4	12	13	28	38	53	47	52	33	17	3	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
160-164	Of respiratory system	221	-	-	-	-	1	-	-	-	-	-	2	4	5	14	17	36	31	46	29	23	11	2	-	-	-
	White----M	181	-	-	-	-	-	-	-	-	-	-	2	4	3	10	15	33	27	40	24	15	6	2	-	-	-
	F	34	-	-	-	-	1	-	-	-	-	-	-	-	1	2	2	2	4	6	4	8	4	-	-	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	1	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	189	-	-	-	-	-	-	-	-	-	-	1	4	13	23	22	20	25	19	25	16	13	7	1	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	182	-	-	-	-	-	-	-	-	-	-	1	3	12	23	22	19	24	18	25	15	12	7	1	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-
171-179	Of genital organs	325	-	-	-	-	-	-	-	-	-	5	4	11	11	20	23	33	32	51	45	35	33	15	7	-	-
	White----M	151	-	-	-	-	-	-	-	-	-	3	2	-	1	-	2	10	10	30	28	26	22	11	6	-	-
	F	168	-	-	-	-	-	-	-	-	-	2	2	11	10	19	20	23	21	21	16	9	10	4	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-
180, 181	Of urinary organs	109	-	-	1	2	1	1	1	-	-	-	-	1	3	5	8	8	15	20	17	11	9	3	3	-	-
	White----M	75	-	-	-	2	-	1	1	-	-	-	-	-	2	5	7	5	13	11	11	6	7	3	1	-	-
	F	34	-	-	1	-	1	-	-	-	-	-	-	1	1	-	1	3	2	9	6	5	2	-	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	274	2	2	1	3	2	4	4	7	1	10	7	6	14	16	24	31	30	31	27	23	12	11	6	-	-
	White----M	156	2	-	-	1	-	2	1	5	-	7	4	2	11	12	14	19	20	14	16	12	7	5	2	-	-
	F	109	-	2	-	2	2	2	3	2	1	3	3	3	3	4	9	11	10	15	9	11	5	6	3	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-
	F	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-
204	Leukemia and aleukemia	123	3	2	1	3	-	7	4	4	2	3	2	4	1	5	8	8	17	8	16	16	8	1	-	-	-
	White----M	72	1	-	-	2	-	4	3	2	2	2	1	2	1	3	4	4	11	4	10	9	6	1	-	-	-
	F	50	2	2	1	1	-	3	1	1	-	1	1	2	-	2	4	4	6	4	6	7	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	96	-	1	-	1	-	1	2	1	1	2	5	2	7	9	9	10	11	17	7	2	4	4	-	-	-
	White----M	53	-	-	-	1	-	1	1	-	1	2	4	2	7	2	6	5	2	11	4	-	3	1	-	-	-
	F	41	-	1	-	-	-	-	1	1	-	-	1	-	-	5	3	5	9	6	3	2	1	3	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	54	1	1	1	-	-	2	1	-	2	1	3	7	6	2	5	6	5	6	3	2	-	-	-	-	-
	White----M	16	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	5	-	2	-	2	-	-	-	-	-
	F	36	-	1	1	-	-	2	1	-	2	-	3	6	3	2	2	1	5	4	3	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	186	-	1	1	-	-	-	-	-	2	3	1	6	3	5	10	12	21	27	35	26	24	7	1	1	-
	White----M	84	-	-	1	-	-	-	-	-	1	-	1	5	1	2	3	7	9	15	9	14	11	3	1	1	-
	F	100	-	1	-	-	-	-	-	-	1	3	-	1	2	3	7	5	11	11	26	12	13	4	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	32	1	-	-	-	-	-	2	-	1	-	-	-	1	2	1	1	-	5	2	4	6	4	2	-	-
	White----M	16	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	4	1	-	4	2	1	-	-
	F	15	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	1	4	2	2	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	13	4	1	1	-	-	-	-	1	-	-	-	-	1	-	-	3	-	-	1	-	-	-	1	-	-
	White----M	6	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-
	F	7	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	7,761	6	3	2	1	-	6	5	13	9	17	29	61	137	232	384	530	766	1,087	1,168	1,214	1,083	674	261	57	16
	White----M	4,633	6	-	1	-	-	2	3	9	9	7	15	38	94	165	279	365	515	710	694	703	542	333	112	22	9
	F	3,033	-	1	1	1	-	4	2	4	-	9	13	23	40	66	98	156	240	360	460	499	530	337	147	35	7
	Nonwhite--M	62	-	1	-	-	-	-	-	-	-	1	1	-	-	1	5	4	8	10	12	6	8	3	2	-	-
	F	33	-	1	-	-	-	-	-	-	-	-	-	-	3	-	2	5	3	7	2	6	3	1	-	-	-
330-334, 400-468	Diseases of cardiovascular system	7,626	6	3	2	1	-	6	4	13	6	15	23	59	135	217	375	520	753	1,073	1,153	1,201	1,068	663	259	55	16
	White----M	4,556	6	-	1	-	-	2	2	9	6	6	14	38	92	158	273	357	506	701	685	695	535	328	111	22	9
	F	2,981	-	1	1	1	-	4	2	4	-	8	9	21	40	58	95	155	237	355	454	496	523	331	146	33	7
	Nonwhite--M	59	-	1	-	-	-	-	-	-	-	1	-	-	-	1	5	4	7	10	12	5	8	3	2	-	-
	F	30	-	1	-	-	-	-	-	-	-	-	-	-	3	-	2	4	3	7	2	5	2	1	-	-	-
330-334	Vascular lesions, etc.*	1,656	4	-	1	-	-	2	1	1	1	4	6	10	19	25	49	95	143	209	271	271	281	178	71	11	3
	White----M	813	4	-	-	-	-	1	1	-	1	2	3	4	7	14	25	49	75	116	141	131	132	70	31	5	1
	F	831	-	-	1	-	-	1	-	1	-	2	3	6	10	11	23	45	67	91	127	139	148	108	40	6	2
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	1	-	-	-	-	-
400-402	Rheumatic fever	15	-	-	-	1	-	2	2	3	1	1	-	1	-	-	1	-	1	-	1	-	-	1	-	-	-
	White----M	8	-	-	-	-	-	-	1	3	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-
	F	6	-	-	-	1	-	2	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON—Continued																										
410-443	Diseases of heart	5,323	2	3	1	-	-	1	-	8	3	10	15	45	112	182	312	411	570	800	798	816	673	385	136	31	9
	White-----M	3,359	2	-	1	-	-	-	-	6	3	4	11	32	84	137	239	299	404	541	494	492	339	197	58	11	5
	F	1,898	-	1	-	-	-	1	-	2	-	6	4	13	27	44	67	105	157	246	295	319	325	186	76	20	4
	Nonwhite--M	42	-	1	-	-	-	-	-	-	-	-	-	-	-	1	4	4	6	8	7	1	7	1	2	-	-
	F	24	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	5	2	4	2	1	-	-	-
410-416	Chronic rheumatic heart disease	208	-	-	-	-	-	-	-	6	2	8	6	13	18	19	21	26	23	19	13	13	12	7	2	-	-
	White-----M	103	-	-	-	-	-	-	-	5	2	2	4	7	7	5	9	15	15	10	3	9	6	3	1	-	-
	F	103	-	-	-	-	-	-	-	1	-	6	2	6	11	13	12	10	8	9	10	4	6	4	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,602	-	-	1	-	-	-	-	-	-	-	7	27	70	138	237	309	438	596	538	522	405	208	79	20	7
	White-----M	2,445	-	-	1	-	-	-	-	-	-	-	6	23	61	119	200	241	326	413	344	327	218	120	34	7	5
	F	1,122	-	-	-	-	-	-	-	-	-	-	1	4	9	19	33	63	106	176	189	194	183	87	43	13	2
	Nonwhite--M	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	5	4	-	4	-	2	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	1	1	-	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	396	1	-	-	-	-	1	-	1	-	-	-	-	6	3	7	11	17	51	60	73	83	49	27	6	-
	White-----M	239	1	-	-	-	-	-	-	-	-	-	-	-	5	1	5	8	12	32	39	51	44	29	11	1	-
	F	153	-	-	-	-	-	1	-	1	-	-	-	-	1	2	2	3	5	17	20	22	38	20	16	5	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart	271	1	3	-	-	-	-	-	-	1	1	1	-	7	5	16	13	22	39	43	44	40	27	6	1	1
	White-----M	158	1	-	-	-	-	-	-	-	1	1	-	-	6	4	10	11	11	28	31	23	19	10	2	-	-
	F	109	-	1	-	-	-	-	-	-	-	-	1	-	1	1	6	2	11	11	12	20	20	17	4	1	1
	Nonwhite--M	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	846	-	-	-	-	-	-	-	1	-	1	1	5	11	17	31	52	70	95	144	164	133	94	22	4	1
	White-----M	414	-	-	-	-	-	-	-	1	-	1	1	2	5	8	15	24	40	58	77	82	52	35	10	3	-
	F	411	-	-	-	-	-	-	-	-	-	-	-	3	5	9	14	27	27	33	64	79	78	58	12	1	1
	Nonwhite--M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	-	1	1	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	1	3	2	-	-	-	-
444-447	Hypertension without mention of heart	68	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	2	5	8	9	13	12	9	3	-	-
	White-----M	30	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	4	4	5	6	3	-	-	-
	F	37	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	4	5	7	6	6	3	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	449	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	6	14	38	59	85	91	87	48	13	4
	White-----M	276	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	8	28	37	57	54	54	22	6	3
	F	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	9	20	26	37	31	26	7	1
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	2	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	115	-	-	-	-	-	1	1	1	1	-	1	2	3	5	10	6	20	18	15	16	11	3	1	-	-
	White-----M	70	-	-	-	-	-	1	-	-	1	-	-	1	-	3	7	5	14	12	9	10	4	3	-	-	-
	F	43	-	-	-	-	-	-	1	1	-	-	1	1	3	2	3	1	6	5	6	5	7	-	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	135	-	-	-	-	-	-	1	-	3	2	6	2	2	15	9	10	13	14	15	13	15	11	2	2	-
	White-----M	77	-	-	-	-	-	-	1	-	3	1	1	-	2	7	6	8	9	9	9	8	7	5	1	-	-
	F	52	-	-	-	-	-	-	-	-	-	1	4	2	-	8	3	1	3	5	6	3	7	6	1	2	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
480-493	Influenza and pneumonia, etc.*	465	61	5	4	3	-	4	1	1	-	3	3	3	2	18	16	18	23	40	57	69	64	37	29	4	-
	White-----M	268	36	2	2	-	-	1	1	1	-	1	1	2	2	12	11	11	18	30	33	42	32	14	16	-	-
	F	186	21	3	2	3	-	3	-	-	-	2	2	1	-	6	5	5	5	10	23	26	30	22	13	4	-
	Nonwhite--M	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-
	F	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
480-483	Influenza	31	3	1	-	-	-	1	1	-	-	1	-	-	-	2	1	-	-	2	4	5	3	5	2	-	-
	White-----M	16	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	2	2	1	3	1	-	-
	F	15	1	-	-	-	-	1	-	-	-	1	-	-	-	2	-	-	-	-	2	3	2	2	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	434	58	4	4	3	-	3	-	1	-	2	3	3	2	16	15	18	23	38	53	64	61	32	27	4	-
	White-----M	252	34	1	2	-	-	1	-	1	-	1	1	2	2	12	10	11	18	28	31	40	31	11	15	-	-
	F	171	20	3	2	3	-	2	-	-	-	1	2	1	-	4	5	5	5	10	21	23	28	20	12	4	-
	Nonwhite--M	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-
	F	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
500-502	Bronchitis	29	5	2	-	1	1	-	-	-	-	-	-	-	-	-	1	3	2	6	2	2	3	1	-	-	-
	White-----M	18	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1	3	2	5	1	-	1	1	-	-	-
	F	11	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	111	-	-	-	-	-	-	1	-	-	1	2	4	3	3	11	10	16	20	14	9	12	3	1	1	-
	White-----M	86	-	-	-	-	-	-	1	-	-	-	1	3	-	2	10	9	10	16	12	8	11	3	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	1	6	4	2	1	1	-	1	1	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	25	-	-	-	-	-	-	3	-	1	2	-	1	-	2	1	1	2	1	4	2	4	1	-	-	-
	White-----M	16	-	-	-	-	-	-	1	-	1	2	-	-	-	2	1	-	1	1	3	-	3	1	-	-	-
	F	8	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	-	1	2	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	81	11	1	-	1	-	-	-	-	2	1	1	1	5	1	4	5	8	13	2	12	7	5	1	-	-
	White-----M	41	5	-	-	1	-	-	-	-	1	-	-	-	3	1	3	2	6	4	1	7	4	2	1	-	-
	F	39	5	1	-	-	-	-	-	-	1	1	1	1	2	-	1	3	2	9	1	5	3	3	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON—Continued																										
543,	Gastritis, etc.*--	55	10	4	-	-	-	-	1	1	2	-	1	2	-	1	3	4	4	3	4	6	2	5	2	-	-
571,	White-----M--	31	7	2	-	-	-	-	-	-	1	-	1	-	-	-	1	3	3	2	1	4	2	3	1	-	-
572	F--	22	2	1	-	-	-	-	1	1	1	-	-	2	-	1	2	1	1	1	3	2	-	2	1	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	128	-	-	-	-	-	-	-	1	-	-	3	6	11	19	17	10	15	19	14	8	3	2	-	-	-
	White-----M--	78	-	-	-	-	-	-	-	-	-	-	-	4	9	10	11	8	10	12	9	4	1	-	-	-	-
	F--	48	-	-	-	-	-	-	-	1	-	-	2	2	2	8	6	2	5	7	5	4	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	27	1	-	1	-	-	1	1	-	-	-	1	1	-	3	3	1	5	2	1	4	1	-	1	-	-
	White-----M--	15	-	-	1	-	-	-	1	-	-	-	-	-	-	2	2	1	3	2	1	2	-	-	-	-	-
	F--	11	1	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	2	-	-	2	1	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	10	10	17	10	11	3	-	-
	White-----M--	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	10	10	16	10	11	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	11	...	...	...	...	...	...	-	2	-	2	1	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	9	...	...	...	...	...	...	-	2	-	1	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	10	...	...	...	...	...	...	-	2	-	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	8	...	...	...	...	...	...	-	2	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	208	150	13	5	2	2	6	2	3	1	1	3	2	3	7	3	1	-	-	2	2	-	-	-	-	-
	White-----M--	119	85	11	1	-	1	3	1	3	1	1	-	-	3	4	1	1	-	-	1	2	-	-	-	-	-
	F--	84	61	2	3	2	1	3	1	-	-	-	3	2	-	3	2	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	577	577	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	321	321	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	245	245	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	275	275	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	284	284	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	149	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	232	12	1	-	-	-	-	-	-	2	2	-	1	2	10	1	7	6	25	12	24	43	37	34	8	5
795	White-----M--	123	5	1	-	-	-	-	-	-	1	-	-	-	1	7	1	6	2	18	5	13	22	20	12	5	4
	F--	104	6	-	-	-	-	-	-	-	1	2	-	1	1	1	-	1	3	7	7	10	21	17	22	3	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	632	44	7	1	6	4	7	4	5	5	4	11	19	37	27	40	50	67	75	73	53	45	29	17	2	-
sid-	White-----M--	377	25	2	1	3	2	5	4	4	1	2	5	7	21	13	25	28	46	53	54	29	22	13	11	1	-
ual	F--	241	17	5	-	3	2	1	-	1	4	2	5	11	14	13	14	21	19	21	19	23	23	16	6	1	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	-	-	1	-	-	-	-	-
	F--	7	1	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-
E800-	Accidents---------	1,252	52	17	24	11	3	46	40	82	72	95	83	77	77	85	60	71	51	66	72	55	50	36	18	6	3
E962	White-----M--	911	27	9	17	7	1	30	24	64	62	82	68	65	65	68	46	51	42	50	53	27	25	15	7	3	3
	F--	304	23	7	7	4	2	14	16	16	9	10	9	9	10	16	12	15	9	15	18	24	25	20	11	3	-
	Nonwhite--M--	25	-	-	-	-	-	2	-	2	-	2	5	3	2	1	2	2	-	1	-	2	-	1	-	-	-
	F--	12	2	1	-	-	-	-	-	-	1	1	1	-	-	-	-	3	-	-	1	2	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	475	6	5	10	5	-	14	14	52	43	42	35	27	28	33	22	35	20	28	31	14	9	2	-	-	-
	White-----M--	345	2	3	6	2	-	10	7	37	37	37	27	18	19	24	17	24	16	19	23	8	8	1	-	-	-
	F--	114	3	2	4	3	-	3	7	13	6	5	5	7	8	9	5	7	4	8	8	5	1	1	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	1	-	2	-	-	2	2	1	-	-	2	-	1	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-
E800-	All ot. accidents-	777	46	12	14	6	3	32	26	30	29	53	48	50	49	52	38	36	31	38	41	41	41	34	18	6	3
E802,	White-----M--	566	25	6	11	5	1	20	17	27	25	45	41	47	46	44	29	27	26	31	30	19	17	14	7	3	3
E840-	F--	190	20	5	3	1	2	11	9	3	3	5	4	2	2	7	7	8	5	7	10	19	24	19	11	3	-
E962	Nonwhite--M--	14	-	-	-	-	-	1	-	-	-	2	3	1	1	1	2	-	-	-	-	2	-	1	-	-	-
	F--	7	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
E963,	Suicide----------	238	-	-	-	-	-	-	-	4	9	12	16	13	24	24	25	25	22	19	17	13	11	1	1	2	-
E970-	White-----M--	175	-	-	-	-	-	-	-	3	3	6	12	9	18	17	20	18	18	13	13	11	11	1	1	1	-
E979	F--	54	-	-	-	-	-	-	-	1	5	5	3	3	5	6	4	6	4	5	4	2	-	-	-	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	51	-	-	-	1	-	-	-	3	-	8	3	9	6	11	4	2	-	2	1	-	1	-	-	-	-
E980-	White-----M--	26	-	-	-	-	-	-	-	1	-	4	1	5	3	8	1	1	-	2	-	-	-	-	-	-	-
E985	F--	17	-	-	-	1	-	-	-	2	-	2	1	2	2	3	2	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA																										
	ALL CAUSES	110,956	6,194	426	256	226	167	482	408	665	851	1,093	1,351	2,074	3,072	4,450	6,477	9,257	11,571	14,046	14,128	14,121	10,763	6,093	2,219	481	85
	White-----M	57,590	3,050	192	130	108	77	247	235	410	464	565	659	1,059	1,651	2,438	3,576	5,358	6,710	7,844	7,383	6,936	5,031	2,505	780	152	29
	F	45,778	2,291	179	87	99	71	196	140	190	266	346	475	715	994	1,446	2,068	3,110	4,115	5,454	6,150	6,736	5,472	3,442	1,382	311	43
	Nonwhite--M	4,226	491	34	18	11	11	23	21	32	69	96	124	161	209	314	478	456	435	416	315	251	154	61	30	8	8
	F	3,362	362	21	21	7	8	16	12	33	52	86	93	139	218	252	355	333	311	332	280	198	106	85	27	10	5
001-019	Tuberculosis, all forms	1,825	15	7	10	2	5	6	4	20	42	94	85	120	174	163	199	225	214	165	139	86	39	9	1	1	-
	White-----M	1,066	7	2	4	1	2	3	2	7	8	24	30	46	96	88	126	158	165	118	97	51	25	6	-	-	-
	F	360	2	1	3	1	2	2	2	4	12	34	27	32	33	27	19	29	30	29	29	29	9	2	1	1	-
	Nonwhite--M	267	5	2	2	-	1	-	-	3	10	19	15	28	25	34	39	31	16	15	11	5	5	1	-	-	-
	F	132	1	2	1	-	-	1	-	6	12	17	13	14	20	14	15	7	3	3	2	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	1,688	8	2	3	1	2	4	2	16	35	88	79	110	158	153	190	217	204	158	130	81	36	9	1	1	-
	White-----M	1,017	3	1	2	-	1	3	-	4	7	24	28	43	90	88	122	157	160	115	92	48	23	6	-	-	-
	F	325	1	-	-	1	-	1	2	3	10	33	27	30	32	24	17	27	26	26	25	27	9	2	1	1	-
	Nonwhite--M	233	3	-	1	-	1	-	-	3	6	17	12	26	19	30	39	26	15	14	11	5	4	1	-	-	-
	F	113	1	1	-	-	-	-	-	6	12	14	12	11	17	11	12	7	3	3	2	1	-	-	-	-	-
010-019	Tuberculosis, other forms	137	7	5	7	1	3	2	2	4	7	6	6	10	16	10	9	8	10	7	9	5	3	-	-	-	-
	White-----M	49	4	1	2	1	1	-	2	3	1	-	2	3	6	-	4	1	5	3	5	3	2	-	-	-	-
	F	35	1	1	3	-	2	1	-	1	2	1	-	2	1	3	2	2	4	3	4	2	-	-	-	-	-
	Nonwhite--M	34	2	2	1	-	-	-	-	-	4	2	3	2	6	4	-	5	1	1	-	-	1	-	-	-	-
	F	19	-	1	1	-	-	1	-	-	-	3	1	3	3	3	3	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	423	1	-	-	-	-	-	-	-	1	-	-	9	19	43	41	73	68	74	39	34	14	3	3	-	1
	White-----M	236	-	-	-	-	-	-	-	-	-	-	-	2	8	23	19	44	43	42	28	18	7	1	1	-	-
	F	89	-	-	-	-	-	-	-	-	1	-	-	1	7	6	7	10	9	22	6	10	6	2	2	-	-
	Nonwhite--M	74	-	-	-	-	-	-	-	-	-	-	-	2	3	13	11	14	13	8	3	5	1	-	-	-	1
	F	24	1	-	-	-	-	-	-	-	-	-	-	4	1	1	4	5	3	2	2	1	-	-	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	10	3	1	-	-	-	-	1	-	1	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
	White-----M	5	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	17	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	2	3	-	3	1	2	1	-	-	-
	White-----M	7	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	-	1	-	2	-	-	-	-
	F	10	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	2	1	-	2	1	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	16	8	4	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	77	23	11	10	4	4	4	9	3	1	1	1	-	-	1	2	2	-	-	1	-	-	-	-	-	-
	White-----M	40	12	7	6	2	2	2	4	1	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F	30	11	3	3	2	2	-	3	2	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	142	5	7	6	6	4	23	22	12	10	18	11	7	4	2	1	3	-	1	-	-	-	-	-	-	-
	White-----M	87	1	4	5	3	1	16	7	9	4	17	9	3	2	2	1	2	-	1	-	-	-	-	-	-	-
	F	53	4	3	1	3	3	7	15	3	5	1	2	3	2	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	49	12	12	5	1	2	9	4	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	22	9	4	2	-	-	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	1	6	2	1	2	4	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	292	38	9	3	9	3	9	6	9	8	11	13	13	10	25	22	21	22	17	12	8	14	7	2	1	-
	White-----M	150	22	4	2	5	2	4	3	5	3	5	5	4	4	9	11	14	13	10	5	4	10	5	1	-	-
	F	113	11	5	1	4	1	4	3	4	4	4	7	7	5	7	9	4	7	7	7	4	4	2	1	1	-
	Nonwhite--M	16	4	-	-	-	-	1	-	-	1	2	-	-	-	4	1	2	1	-	-	-	-	-	-	-	-
	F	13	1	-	-	-	-	-	-	-	-	-	1	2	1	5	1	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
140-205	Malignant neoplasms, etc.*	17,253	13	12	31	39	27	55	44	64	85	126	212	373	669	946	1,365	2,025	2,426	2,625	2,353	1,937	1,151	516	130	24	5
	White—M	8,333	4	8	17	16	11	24	21	36	42	60	89	123	254	355	563	951	1,258	1,398	1,231	1,006	576	236	40	10	4
	F	7,948	7	3	11	22	15	28	19	23	38	52	108	219	340	498	651	939	1,048	1,100	1,037	877	540	271	87	14	1
	Nonwhite—M	521	1	-	2	1	1	3	3	2	2	2	3	8	31	49	73	74	69	85	49	34	23	4	2	-	-
	F	451	1	1	1	-	-	-	1	3	3	12	12	23	44	44	78	61	51	42	36	20	12	5	1	-	-
140-148	Of buccal cavity and pharynx	406	-	-	-	1	-	-	-	2	-	2	1	8	6	15	40	43	63	63	69	57	23	10	3	-	-
	White—M	324	-	-	-	1	-	-	-	1	-	2	1	6	4	7	29	32	57	57	56	45	19	7	-	-	-
	F	59	-	-	-	-	-	-	-	1	-	-	-	1	1	4	5	6	6	3	11	11	4	3	3	-	-
	Nonwhite—M	19	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	5	-	3	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	7,056	1	1	2	1	-	-	2	3	11	15	48	71	179	285	457	771	1,012	1,233	1,142	956	557	239	57	10	3
	White—M	3,643	1	1	1	1	-	-	1	1	5	4	21	37	86	147	225	405	567	673	592	484	272	100	12	4	3
	F	3,048	-	-	1	-	-	-	1	-	6	8	25	30	64	116	170	312	400	497	508	449	273	137	45	6	-
	Nonwhite—M	228	-	-	-	-	-	-	-	1	-	1	-	2	15	14	34	33	27	47	28	17	8	1	-	-	-
	F	137	-	-	-	-	-	-	-	1	-	2	2	2	14	8	28	21	18	16	14	6	4	1	-	-	-
160-164	Of respiratory system	1,769	-	-	-	-	-	-	1	-	3	7	15	32	59	117	173	293	348	306	211	114	54	23	11	1	1
	White—M	1,384	-	-	-	-	-	-	-	-	2	7	12	26	47	84	131	238	288	252	159	82	32	16	6	1	1
	F	277	-	-	-	-	-	-	1	-	1	-	3	4	7	13	26	30	47	43	45	29	18	7	3	-	-
	Nonwhite—M	89	-	-	-	-	-	-	-	-	-	-	-	2	3	17	14	19	10	10	5	3	4	-	2	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	6	3	1	2	-	-	-	-	-	-
170	Of breast	1,520	-	-	-	-	-	-	1	-	2	7	21	83	105	174	161	218	199	148	138	116	66	43	15	3	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	-	5	-	1	-	-	-	-
	F	1,439	-	-	-	-	-	-	1	-	1	3	19	75	97	163	154	208	190	145	129	112	83	42	14	3	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	67	-	-	-	-	-	-	-	-	1	4	2	7	7	9	7	8	8	2	4	4	2	1	1	-	-
171-179	Of genital organs	2,501	-	-	-	1	1	-	1	4	11	22	40	68	121	148	217	257	310	331	324	337	208	83	17	-	-
	White—M	799	-	-	-	-	1	-	-	2	4	4	9	4	7	1	10	30	76	112	150	191	127	59	12	-	-
	F	1,506	-	-	-	1	-	-	1	2	7	13	27	56	102	129	179	210	202	198	151	133	70	20	5	-	-
	Nonwhite—M	66	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	3	16	7	13	8	7	2	-	-	-
	F	130	-	-	-	-	-	-	-	-	-	5	4	8	10	14	24	14	16	14	10	5	4	2	-	-	-
180, 181	Of urinary organs	841	3	3	4	6	2	3	1	-	3	2	1	9	25	26	53	84	121	140	134	106	72	33	7	3	-
	White—M	551	1	2	1	3	1	-	1	-	1	1	1	4	15	21	31	62	80	90	94	67	51	18	4	2	-
	F	249	1	1	1	3	1	3	-	-	2	1	-	5	6	5	15	18	33	43	37	36	20	14	3	1	-
	Nonwhite—M	26	1	-	1	-	-	-	-	-	-	-	-	-	3	-	3	3	6	4	1	2	1	1	-	-	-
	F	15	-	-	1	-	-	-	-	-	-	-	-	-	1	-	4	1	2	3	2	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,772	6	2	11	11	10	20	13	24	21	30	41	43	77	106	148	205	219	236	187	168	103	68	17	6	-
	White—M	874	2	1	7	6	2	11	7	14	12	14	20	18	36	49	68	101	115	123	95	89	49	28	5	2	-
	F	802	4	1	4	5	7	8	6	8	8	16	17	21	36	44	63	95	93	100	89	72	49	40	12	4	-
	Nonwhite—M	46	-	-	-	-	1	1	-	-	1	-	1	1	1	5	8	4	7	9	1	3	3	-	-	-	-
	F	50	-	-	-	-	-	-	-	2	-	-	3	3	4	8	9	5	4	4	2	4	2	-	-	-	-
204	Leukemia and aleukemia	685	3	5	14	16	13	27	19	17	20	22	16	25	45	30	39	65	71	82	79	39	27	9	1	1	-
	White—M	354	-	4	8	5	6	11	11	11	9	12	7	14	27	13	22	31	34	40	45	23	15	5	-	1	-
	F	298	2	-	5	10	7	15	5	6	9	8	8	9	12	13	15	33	37	38	34	16	12	3	1	-	-
	Nonwhite—M	17	-	-	1	1	-	1	2	-	-	1	1	-	4	2	-	1	-	3	-	-	-	-	-	-	-
	F	16	1	1	-	-	-	-	1	-	2	1	-	2	2	2	2	-	-	1	-	-	-	1	-	-	-
200-203, 205	Lymphomas, etc.*	703	-	1	-	3	1	5	6	14	14	19	29	34	52	45	77	89	83	86	69	44	21	8	2	-	1
	White—M	392	-	-	-	-	1	2	1	7	9	16	18	13	31	32	47	50	40	51	35	25	10	3	1	-	-
	F	270	-	1	-	3	-	2	4	6	4	3	9	18	15	11	24	27	40	33	33	19	11	5	1	-	1
	Nonwhite—M	28	-	-	-	-	-	1	1	1	1	-	1	2	3	2	5	6	3	1	1	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	6	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	428	10	7	3	3	2	9	3	9	7	12	20	24	24	51	43	42	47	41	28	17	13	6	5	2	-
	White—M	157	5	2	3	1	-	1	1	3	1	8	8	7	6	14	16	15	23	14	14	4	5	3	2	1	-
	F	219	5	5	-	2	2	7	2	3	5	3	11	13	14	26	18	21	19	23	14	13	8	2	3	-	-
	Nonwhite—M	16	-	-	-	-	-	-	-	3	1	1	-	-	-	4	2	2	-	2	-	-	-	-	-	1	-
	F	36	-	-	-	-	-	1	-	-	-	-	1	4	4	7	7	4	5	2	-	-	-	1	-	-	-
260	Diabetes mellitus	2,456	1	-	1	1	-	4	10	7	11	12	28	29	34	73	161	196	385	484	405	341	187	73	12	1	-
	White—M	804	-	-	1	-	-	1	5	2	5	6	16	14	19	27	61	59	115	137	135	109	64	24	3	1	-
	F	1,503	1	-	-	1	-	3	2	4	6	5	10	11	9	35	79	118	243	324	254	221	121	47	9	-	-
	Nonwhite—M	47	-	-	-	-	-	-	-	1	-	-	1	2	3	3	6	3	7	7	7	6	1	-	-	-	-
	F	102	-	-	-	-	-	-	3	-	-	1	1	2	3	8	15	16	20	16	9	5	1	2	-	-	-
290-293	Anemias	275	3	3	-	1	-	8	3	3	7	2	7	2	11	11	4	5	21	46	45	45	33	8	7	-	-
	White—M	108	1	2	-	-	-	3	-	2	1	-	4	-	2	1	1	2	7	24	17	18	16	4	3	-	-
	F	145	-	1	-	1	-	4	3	1	3	2	2	1	5	6	2	2	12	22	28	26	16	4	4	-	-
	Nonwhite—M	8	1	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	2	-	-	1	1	-	-	-	-
	F	14	1	-	-	-	-	-	-	-	2	-	1	1	4	4	-	1	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	118	37	10	9	3	4	4	3	2	3	2	3	3	2	3	8	5	6	7	1	2	-	1	-	-	-
	White—M	46	16	7	2	-	1	3	-	1	2	-	2	2	1	-	2	2	2	1	-	1	-	1	-	-	-
	F	48	17	3	2	3	2	1	2	1	-	1	1	1	-	-	2	3	3	4	1	1	-	-	-	-	-
	Nonwhite—M	17	2	-	4	-	1	-	1	-	1	1	-	-	-	3	3	-	-	1	-	-	-	-	-	-	-
	F	7	2	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	61,995	28	9	4	11	8	35	52	87	129	216	352	726	1,225	2,056	3,318	4,969	6,520	8,490	9,216	9,906	7,903	4,604	1,711	376	44
	White—M	31,974	11	3	1	8	4	14	23	41	52	101	183	394	724	1,237	1,948	2,976	3,841	4,730	4,732	4,749	3,618	1,857	596	117	12
	F	26,549	14	4	2	3	4	19	24	37	63	87	104	230	349	561	959	1,534	2,260	3,302	4,086	4,835	4,097	2,636	1,068	244	27
	Nonwhite—M	1,795	2	2	-	-	-	1	3	2	7	10	33	48	63	129	234	249	226	229	194	171	108	48	27	6	3
	F	1,677	1	-	1	-	-	1	2	7	7	18	32	54	89	129	177	208	193	229	204	151	80	63	20	9	2
330-334, 400-468	Diseases of cardiovascular system	60,318	28	8	4	7	7	34	43	78	106	184	311	690	1,172	1,964	3,202	4,804	6,340	8,293	9,007	9,691	7,749	4,504	1,682	369	41
	White—M	31,237	11	2	1	4	3	14	21	40	39	82	162	377	702	1,197	1,903	2,909	3,755	4,645	4,638	4,656	3,545	1,818	589	114	10
	F	25,831	14	4	2	3	4	18	17	30	55	75	88	217	331	533	918	1,478	2,192	3,214	3,990	4,730	4,023	2,581	1,047	240	27
	Nonwhite—M	1,679	2	2	-	-	-	1	3	2	6	10	30	45	55	123	217	229	210	215	184	161	104	45	26	6	3
	F	1,571	1	-	1	-	-	1	2	6	6	17	31	51	84	111	164	188	183	219	195	144	77	60	20	9	1
330-334	Vascular lesions, etc.*	11,719	7	4	3	2	4	8	7	7	8	27	55	99	178	309	531	813	1,123	1,582	1,878	2,114	1,641	969	298	48	4
	White—M	5,226	3	1	1	1	3	4	3	2	3	11	23	40	64	119	220	380	564	781	859	971	698	367	92	16	-
	F	5,765	2	2	1	1	1	3	4	3	5	11	22	45	79	147	223	330	466	709	914	1,072	909	580	201	31	4
	Nonwhite—M	341	1	1	-	-	-	-	-	1	-	2	3	6	10	16	52	59	48	36	44	34	19	7	2	-	-
	F	387	1	-	1	-	-	1	-	1	-	3	7	8	25	27	36	44	45	56	61	37	15	15	3	1	-
400-402	Rheumatic fever	150	1	1	-	2	2	15	21	13	12	8	12	11	9	6	6	8	9	3	4	5	-	2	-	-	-
	White—M	75	1	-	-	1	-	5	12	5	4	4	8	6	8	3	4	5	5	2	1	1	-	-	-	-	-
	F	65	-	-	-	1	2	9	8	7	7	3	3	4	1	3	2	2	4	1	2	4	-	2	-	-	-
	Nonwhite—M	5	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
410-443	Diseases of heart	44,316	18	2	1	3	1	11	13	51	75	128	227	533	924	1,563	2,549	3,807	4,967	6,308	8,608	6,848	5,339	2,968	1,093	250	29
	White-----M--	23,987	7	-	-	2	-	5	6	30	31	60	129	314	600	1,044	1,634	2,437	3,045	3,640	3,521	3,333	2,468	1,195	401	75	10
	F--	18,070	10	2	1	1	1	6	4	16	35	51	56	151	234	347	649	1,090	1,642	2,347	2,844	3,305	2,738	1,700	660	165	15
	Nonwhite--M--	1,203	1	-	-	-	-	-	2	-	4	6	25	37	41	99	150	152	152	164	123	114	74	33	18	5	3
	F--	1,056	-	-	-	-	-	-	1	5	5	11	17	31	49	73	116	128	128	157	120	96	59	40	14	5	1
410-416	Chronic rheumatic heart disease	1,759	-	-	-	-	-	3	7	25	44	75	78	127	170	160	199	221	169	156	113	104	75	29	4	-	-
	White-----M--	784	-	-	-	-	-	3	4	15	13	33	38	48	75	77	96	94	80	66	52	50	33	7	-	-	-
	F--	875	-	-	-	-	-	-	2	7	25	34	33	66	86	71	94	118	83	83	55	52	41	21	4	-	-
	Nonwhite--M--	46	-	-	-	-	-	-	1	-	2	1	2	8	4	10	4	4	1	3	4	2	-	-	-	-	-
	F--	54	-	-	-	-	-	-	-	3	4	7	5	5	5	2	5	5	5	4	2	-	1	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	26,958	2	-	-	-	-	1	1	9	18	30	94	284	557	1,028	1,718	2,632	3,399	4,081	4,126	4,007	2,901	1,482	471	107	10
	White-----M--	16,233	2	-	-	-	-	-	-	6	10	18	69	211	447	806	1,263	1,880	2,254	2,559	2,344	2,091	1,431	611	190	37	4
	F--	9,720	-	-	-	-	-	1	1	3	7	7	14	46	78	150	346	613	999	1,384	1,676	1,819	1,398	836	270	67	5
	Nonwhite--M--	602	-	-	-	-	-	-	-	-	1	4	10	16	22	41	70	89	80	74	68	56	47	16	7	1	-
	F--	403	-	-	-	-	-	-	-	-	-	1	1	11	10	31	39	50	66	64	38	41	25	19	4	2	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	7,407	6	1	-	3	-	4	3	6	5	7	20	50	68	116	181	314	479	847	1,067	1,454	1,349	900	421	93	13
	White-----M--	3,516	-	-	-	2	-	-	2	3	3	1	7	22	29	55	96	156	266	446	571	693	636	356	146	22	4
	F--	3,497	5	1	-	1	-	4	1	3	2	4	5	18	23	39	54	118	179	340	446	706	688	523	263	66	8
	Nonwhite--M--	188	1	-	-	-	-	-	-	-	-	-	2	5	6	12	16	19	19	28	21	30	11	9	6	2	1
	F--	206	-	-	-	-	-	-	-	-	-	2	6	5	10	10	15	21	15	33	29	25	14	12	6	3	-
430-434	Other diseases of heart	1,526	10	1	1	-	1	2	1	8	7	8	17	26	40	60	78	108	181	233	217	211	164	96	43	10	3
	White-----M--	819	5	-	-	-	2	-	6	4	4	12	12	19	34	42	60	110	137	125	106	75	52	12	2	-	-
	F--	606	5	1	1	-	1	-	-	1	1	4	2	9	13	14	22	38	60	84	84	98	86	44	29	8	1
	Nonwhite--M--	60	-	-	-	-	-	-	1	-	1	-	3	3	2	8	11	7	8	7	1	3	2	-	1	-	2
	F--	41	-	-	-	-	-	-	-	1	1	-	-	2	6	4	3	3	3	5	7	4	1	-	1	-	-
440-443	Hypertension with heart dis.	6,666	-	-	-	-	-	1	1	3	1	8	18	46	69	199	373	532	739	991	1,085	1,072	850	461	154	40	3
	White-----M--	2,635	-	-	-	-	-	-	-	-	1	4	3	21	30	72	137	247	335	432	429	393	293	169	53	14	2
	F--	3,372	-	-	-	-	-	1	-	2	-	2	2	12	34	73	133	203	321	456	583	630	525	276	94	24	1
	Nonwhite--M--	307	-	-	-	-	-	-	-	-	-	1	8	5	7	28	49	33	44	52	29	23	14	8	4	2	-
	F--	352	-	-	-	-	-	-	1	1	-	1	5	8	18	26	54	49	39	51	44	26	18	8	3	-	-
444-447	Hypertension without mention of heart	825	-	-	-	-	-	-	1	-	3	7	9	22	36	43	52	51	59	89	108	106	121	76	37	4	1
	White-----M--	348	-	-	-	-	-	-	-	-	1	2	-	6	14	10	17	25	34	46	50	43	58	31	9	2	-
	F--	365	-	-	-	-	-	-	-	-	-	2	4	5	10	20	19	13	21	36	49	58	58	43	24	2	1
	Nonwhite--M--	49	-	-	-	-	-	-	1	-	2	2	1	1	4	4	10	4	2	5	5	2	3	1	2	-	-
	F--	63	-	-	-	-	-	-	-	-	-	1	4	10	8	9	6	9	2	2	4	3	2	1	2	-	-
450	General arteriosclerosis	2,644	-	-	-	-	-	-	-	-	1	-	1	2	1	4	15	41	95	203	332	552	604	469	250	67	7
	White-----M--	1,263	-	-	-	-	-	-	-	-	-	-	1	1	1	2	6	22	52	115	168	272	302	216	84	21	-
	F--	1,298	-	-	-	-	-	-	-	-	1	-	-	-	-	2	5	13	33	80	149	265	295	245	161	42	7
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	5	10	10	6	4	4	1	-
	F--	33	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	5	3	5	5	1	4	1	3	-
451-468	Other diseases of circulatory sys.	664	2	1	-	-	-	-	1	7	7	14	7	23	24	39	49	84	87	108	77	66	44	20	4	-	-
	White-----M--	338	-	1	-	-	-	-	-	3	-	5	1	10	15	19	22	40	55	61	39	36	19	9	3	-	-
	F--	268	2	-	-	-	-	-	1	4	7	8	3	12	7	14	20	30	26	41	32	26	23	11	1	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	11	3	5	1	1	2	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	1	3	-	2	2	4	3	3	1	5	3	-	-	-	-	-
592-594	Chronic nephritis, etc.*	1,677	-	1	-	4	1	1	9	9	23	32	41	36	53	92	116	165	180	197	209	215	154	100	29	7	3
	White-----M--	737	-	1	-	4	1	-	2	1	13	19	21	17	22	40	45	69	86	85	94	93	73	39	7	3	2
	F--	718	-	-	-	-	-	1	7	7	8	12	16	13	18	28	41	56	68	88	96	105	74	55	21	4	-
	Nonwhite--M--	116	-	-	-	-	-	-	-	-	1	-	3	3	8	6	17	20	16	14	10	10	4	3	1	-	-
	F--	106	-	-	-	-	-	-	-	1	1	1	1	3	5	18	13	20	10	10	9	7	3	3	-	-	1
480-493	Influenza and pneumonia, etc.*	3,120	453	82	28	18	12	40	21	24	19	38	36	63	77	99	154	166	245	291	306	321	314	210	78	20	5
	White-----M--	1,584	190	41	9	10	5	15	13	10	8	15	11	34	34	55	90	101	155	178	168	160	154	90	33	5	-
	F--	1,130	166	29	9	5	5	25	8	9	7	13	12	15	18	21	29	43	55	74	119	147	149	110	44	14	4
	Nonwhite--M--	251	49	7	7	3	2	-	-	1	2	2	6	11	20	19	25	16	26	22	12	9	6	5	1	-	-
	F--	155	48	5	3	-	-	-	-	4	2	8	7	3	5	4	10	6	9	17	7	5	5	5	-	1	1
480-483	Influenza	382	31	13	-	5	2	4	3	4	2	3	6	6	11	12	16	20	27	33	31	49	58	32	11	2	1
	White-----M--	196	16	8	-	3	1	1	2	1	1	-	3	4	8	6	9	13	19	19	10	19	31	18	3	1	-
	F--	165	11	3	-	1	1	3	1	3	1	2	2	2	3	5	3	7	6	14	18	30	27	13	8	-	1
	Nonwhite--M--	7	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	-	1	-	-	-
	F--	14	4	2	-	-	-	-	-	-	-	1	-	-	-	-	3	-	1	-	2	-	-	-	-	1	-
490-493	Pneumonia, etc.*	2,738	422	69	28	13	10	36	18	20	17	35	30	57	66	87	138	146	218	258	275	272	256	178	67	18	4
	White-----M--	1,388	174	33	9	7	4	14	11	9	7	15	8	30	26	49	81	88	136	159	158	141	123	72	30	4	-
	F--	965	155	26	9	4	4	22	7	6	6	11	10	13	15	16	26	36	49	60	101	117	122	97	36	14	3
	Nonwhite--M--	244	49	7	7	2	2	-	-	1	2	2	5	11	20	18	24	16	25	22	11	9	6	4	1	-	-
	F--	141	44	3	3	-	-	-	-	4	2	7	7	3	5	4	7	6	8	17	5	5	5	5	-	-	1
500-502	Bronchitis	236	45	20	7	5	2	4	-	2	-	2	2	4	7	7	7	14	15	17	22	27	8	13	5	1	-
	White-----M--	127	23	4	3	4	1	3	-	1	-	2	-	1	4	4	4	10	12	10	13	16	4	6	2	-	-
	F--	79	14	10	3	-	1	-	-	1	-	-	-	1	2	2	1	4	2	5	8	10	4	7	3	1	-
	Nonwhite--M--	18	3	3	-	1	-	-	-	-	-	-	2	2	1	1	2	-	1	1	-	1	-	-	-	-	-
	F--	12	5	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	594	4	-	-	-	-	-	-	-	2	6	8	19	25	39	66	95	79	99	58	56	26	10	2	-	-
	White-----M--	457	3	-	-	-	-	-	-	-	1	3	8	14	17	31	53	81	66	75	45	37	14	7	2	-	-
	F--	109	-	-	-	-	-	-	-	-	1	2	-	2	7	7	6	10	11	19	13	17	11	3	-	-	-
	Nonwhite--M--	20	1	-	-	-	-	-	-	-	-	-	-	1	1	1	3	4	1	5	-	2	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	-	2	-	-	4	-	1	-	-	-	-	-	-	-	-
550-553	Appendicitis	168	1	3	3	4	-	3	2	7	6	5	6	4	3	8	11	23	18	23	8	15	9	3	3	-	-
	White-----M--	98	1	3	1	2	-	1	1	2	3	4	3	2	2	4	6	15	10	14	4	10	6	2	2	-	-
	F--	60	-	-	2	2	-	1	1	5	3	1	1	-	-	3	5	5	8	9	4	5	3	1	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	708	68	4	2	1	2	3	3	1	5	3	10	13	18	23	34	54	78	85	99	91	68	31	11	1	-
	White-----M--	338	34	-	1	1	1	1	1	1	2	1	6	7	8	12	10	29	32	38	49	44	38	16	6	-	-
	F--	325	27	3	-	-	1	-	1	-	3	2	3	4	6	11	16	24	40	44	48	45	27	14	5	1	-
	Nonwhite--M--	24	6	1	-	-	-	-	-	-	-	-	-	2	1	-	3	1	4	2	1	-	2	1	-	-	-
	F--	21	1	-	1	-	-	2	1	-	-	-	1	-	3	-	5	-	2	1	1	2	1	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
543, 571, 572	Gastritis, etc.*	445	125	35	6	5	2	8	2	3	6	8	9	7	6	13	19	20	18	23	30	46	29	16	6	1	-
	White-----M--	197	48	15	4	3	1	5	-	2	2	5	1	3	2	6	10	13	9	11	13	20	15	6	2	1	-
	F--	207	55	16	2	2	1	3	2	1	4	3	7	3	2	6	8	7	7	11	16	23	14	10	4	-	-
	Nonwhite--M--	26	18	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	F--	15	4	1	2	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	3	-	-	-	-	-
581	Cirrhosis of liver	1,167	1	1	-	1	-	-	1	2	1	8	31	48	91	134	148	185	140	164	85	69	37	15	5	-	-
	White-----M--	729	-	-	-	1	-	-	-	-	1	4	14	36	54	77	98	114	100	111	59	34	18	5	3	-	-
	F--	374	1	1	-	-	-	-	1	2	-	3	10	12	24	48	40	63	31	50	23	34	19	10	2	-	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	1	4	-	6	3	7	2	8	2	2	-	-	-	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	3	-	7	6	3	6	1	1	1	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*	246	-	2	4	5	4	12	2	3	10	7	5	14	14	10	11	21	28	24	24	17	16	10	3	-	-
	White-----M--	127	-	1	1	4	1	6	-	1	7	3	2	7	6	10	6	15	11	14	13	9	7	2	1	-	-
	F--	96	-	1	3	1	1	3	2	1	3	2	3	4	5	-	4	5	13	9	10	8	8	8	2	-	-
	Nonwhite--M--	15	-	-	-	-	1	2	-	1	-	1	-	3	2	-	-	1	1	1	1	-	1	-	-	-	-
	F--	8	-	-	-	-	1	1	-	-	-	1	-	-	1	-	1	-	3	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	411	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	9	25	63	73	89	81	51	16	1	-
	White-----M--	402	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	8	23	60	72	88	80	51	16	1	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	1	-	-	-	-
640-689	Complications of pregnancy, etc.*	145	...	...	...	...	...	...	-	12	27	35	43	22	5	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	118	...	...	...	...	...	...	-	8	22	29	37	17	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	27	...	...	...	...	...	...	-	4	5	6	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	26	...	...	...	...	...	...	-	1	4	9	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	21	...	...	...	...	...	...	-	-	3	7	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	119	...	...	...	...	...	...	-	11	23	26	36	18	4	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	97	...	...	...	...	...	...	-	8	19	22	31	13	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	22	...	...	...	...	...	...	-	3	4	4	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	1,324	1,036	55	23	17	13	18	17	15	7	11	9	9	15	16	17	18	6	9	9	4	-	-	-	-	-
	White-----M--	659	506	27	13	9	6	11	13	5	5	8	5	6	7	8	7	9	4	4	3	3	-	-	-	-	-
	F--	572	462	23	7	6	6	6	4	8	2	3	3	3	6	6	7	8	2	5	4	1	-	-	-	-	-
	Nonwhite--M--	45	32	4	1	1	-	1	-	-	-	-	-	-	1	1	3	-	-	-	1	-	-	-	-	-	-
	F--	48	36	1	2	1	1	-	-	2	-	-	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-
760-776	Certain diseases of early infancy	3,814	3,812	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,932	1,930	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,335	1,335	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	318	318	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	229	229	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	1,661	1,661	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	872	872	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	587	587	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	208	208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	1,945	1,943	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	971	969	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	677	677	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	768	59	9	1	2	1	1	3	5	2	4	6	13	28	33	48	53	69	74	81	75	74	58	53	7	9
	White-----M--	423	26	2	1	-	-	-	1	4	1	-	1	8	16	26	25	35	49	54	50	44	38	18	19	2	3
	F--	259	16	5	-	2	-	1	2	1	1	2	2	2	8	5	12	9	13	13	25	28	34	37	32	5	4
	Nonwhite--M--	52	9	2	-	-	-	-	-	-	-	-	3	1	2	1	8	6	7	7	4	2	-	-	-	-	-
	F--	34	8	-	-	-	1	-	-	-	-	2	-	2	2	1	3	3	-	-	2	1	2	3	2	-	2
Residual	All other diseases	5,312	205	56	29	26	17	51	34	49	58	97	111	151	216	287	373	558	670	714	627	472	302	147	46	13	3
	White-----M--	2,997	105	21	15	10	9	25	16	31	25	39	42	65	94	156	213	350	446	460	373	269	157	56	14	5	1
	F--	1,974	77	31	12	14	7	24	12	13	23	45	53	65	92	94	116	176	195	230	233	192	139	89	32	8	2
	Nonwhite--M--	190	14	3	-	2	-	1	4	3	4	7	9	9	11	18	23	24	21	11	16	6	3	1	-	-	-
	F--	151	9	1	2	-	1	1	2	2	6	6	7	12	19	19	21	8	8	13	5	5	3	1	-	-	-
E800-E962	Accidents	5,810	175	64	69	59	52	171	154	289	345	284	234	285	277	282	299	339	347	404	397	415	417	292	115	31	14
	White-----M--	3,622	86	30	39	28	28	101	117	226	264	220	169	222	213	209	218	248	235	253	212	202	156	100	30	9	7
	F--	1,765	59	25	24	24	15	53	29	50	47	35	38	36	26	45	51	70	82	137	166	203	258	186	81	22	3
	Nonwhite--M--	305	20	4	2	2	5	11	8	10	23	22	24	23	31	20	24	18	23	11	11	7	1	1	-	-	4
	F--	118	10	5	4	5	4	6	-	3	11	7	3	4	7	8	6	3	7	3	8	3	2	5	4	-	-
E810-E835	Motor-vehicle accidents	1,834	8	13	21	19	27	84	41	177	234	163	110	127	87	90	90	102	104	123	86	70	39	13	3	-	3
	White-----M--	1,333	2	6	13	13	15	53	26	138	185	127	82	96	66	68	61	71	69	85	60	53	29	10	2	-	3
	F--	396	4	6	6	6	8	29	14	33	31	23	20	19	10	15	26	29	29	34	23	17	10	3	1	-	-
	Nonwhite--M--	81	2	-	1	-	3	2	1	4	13	8	7	11	10	4	2	2	5	4	2	-	-	-	-	-	-
	F--	24	-	1	1	-	1	-	-	2	5	5	1	1	1	3	1	-	1	-	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	3,976	167	51	48	40	25	87	113	112	111	121	124	158	190	192	209	237	243	281	311	345	378	279	112	31	11
	White-----M--	2,289	84	24	26	15	13	48	91	88	79	93	87	126	147	141	157	177	166	168	152	149	127	90	28	9	4
	F--	1,369	55	19	18	18	7	24	15	17	16	12	18	17	16	30	25	41	53	103	143	186	248	183	80	22	3
	Nonwhite--M--	224	18	4	1	2	2	9	7	6	10	14	17	12	21	16	22	16	18	7	9	7	1	1	-	-	4
	F--	94	10	4	3	5	3	6	-	1	6	2	2	3	6	5	5	3	6	3	7	3	2	5	4	-	-
E963, E970-E979	Suicide	1,021	-	-	-	-	-	1	2	16	33	50	75	80	97	100	103	121	109	90	60	45	24	8	4	1	2
	White-----M--	764	-	-	-	-	-	1	2	13	24	31	44	50	73	75	75	99	82	78	45	40	20	8	3	-	1
	F--	222	-	-	-	-	-	-	-	1	6	12	27	26	23	25	24	19	23	12	13	5	4	-	1	-	1
	Nonwhite--M--	31	-	-	-	-	-	-	-	2	1	7	4	4	1	-	3	3	3	-	2	-	-	-	-	1	-
	F--	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	281	13	1	-	2	2	4	5	16	24	40	32	34	21	21	18	11	11	12	6	2	2	1	1	-	2
	White-----M--	90	6	1	-	1	1	3	2	5	3	8	6	8	5	9	7	4	7	7	3	-	1	1	1	-	1
	F--	55	5	-	-	-	1	1	1	5	5	4	6	6	7	3	2	2	-	1	3	1	1	-	-	-	1
	Nonwhite--M--	107	2	-	-	1	-	-	2	4	14	21	17	13	6	9	7	3	3	4	-	1	-	-	-	-	-
	F--	29	-	-	-	-	-	-	-	2	2	7	3	7	3	-	2	2	1	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND																										
	ALL CAUSES--------	8,240	390	41	14	13	15	35	27	35	48	52	65	116	190	276	472	678	845	1,109	1,139	1,096	885	482	171	42	4
	White-----M--	4,312	216	19	6	7	8	25	17	20	25	27	32	64	120	173	298	416	511	591	587	503	386	183	63	14	1
	F--	3,781	156	20	8	6	7	10	9	13	22	21	28	52	67	98	166	251	311	501	535	577	491	295	107	27	3
	Nonwhite--M--	76	11	1	-	-	-	-	1	-	-	2	2	-	2	1	1	7	15	12	9	8	2	1	-	1	-
	F--	71	7	1	-	-	-	-	-	2	1	2	3	-	1	4	7	4	8	5	8	8	6	3	1	-	-
001-019	Tuberculosis, all forms--------	100	1	-	-	-	-	1	-	1	-	3	8	9	6	4	12	10	16	13	10	4	2	-	-	-	-
	White-----M--	65	-	-	-	-	-	1	-	-	-	1	2	6	4	3	8	7	13	10	7	2	1	-	-	-	-
	F--	30	1	-	-	-	-	-	-	1	-	1	5	3	2	1	4	3	1	2	3	2	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	93	-	-	-	-	-	-	-	1	-	3	7	7	6	4	11	9	16	13	10	4	2	-	-	-	-
	White-----M--	62	-	-	-	-	-	-	-	-	-	1	2	5	4	3	8	6	13	10	7	2	1	-	-	-	-
	F--	27	-	-	-	-	-	-	-	1	-	1	5	2	2	1	3	3	1	2	3	2	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	7	1	-	-	-	-	1	-	-	-	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	24	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	3	3	5	1	1	2	1	-	1	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	4	-	1	1	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	-	1	-	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	8	1	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	2	-	-	2	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	9	-	-	2	-	-	2	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	19	1	-	-	-	-	2	-	-	1	1	2	2	-	2	2	2	-	-	1	1	1	-	1	-	-
	White-----M--	9	-	-	-	-	-	2	-	-	-	-	1	-	-	1	2	2	-	-	-	1	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-	-	-	1	-	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
140-205	Malignant neoplasms, etc.*	1,380	-	1	3	2	7	4	3	7	4	3	10	30	43	59	101	161	169	209	198	196	104	45	15	6	-
	White--M	684	-	1	-	2	4	3	1	4	2	2	5	9	15	27	45	78	98	106	110	95	50	19	4	4	-
	F	679	-	-	3	-	3	1	2	3	2	1	4	21	27	31	54	80	68	101	86	100	53	26	11	2	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	1	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	1	1	-	1	-	-	-	-
140-148	Of buccal cavity and pharynx	41	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	9	8	9	6	-	-	1	-
	White--M	38	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	6	8	9	6	-	-	1	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	545	-	-	1	-	-	1	-	-	-	1	2	7	11	21	32	61	78	73	76	102	50	22	3	4	-
	White--M	281	-	-	-	-	-	-	-	-	-	1	-	4	5	13	16	32	49	38	41	54	20	6	-	2	-
	F	255	-	-	1	-	-	1	-	-	-	-	2	3	5	7	16	27	27	34	35	47	29	16	3	2	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-
160-164	Of respiratory system	152	-	-	-	-	-	-	-	-	-	-	-	1	2	7	19	31	21	31	21	14	5	-	-	-	-
	White--M	123	-	-	-	-	-	-	-	-	-	-	-	1	2	6	15	27	18	26	15	10	3	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	2	5	6	4	2	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	147	-	-	-	-	-	-	-	-	-	-	1	7	10	9	17	21	11	20	14	22	8	5	2	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	141	-	-	-	-	-	-	-	-	-	-	1	7	10	9	15	20	11	19	12	22	8	5	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
171-179	Of genital organs	161	-	-	-	-	-	-	1	-	1	-	1	5	6	8	8	10	19	23	30	22	12	10	5	-	-
	White--M	66	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	9	12	15	9	9	8	1	-	-
	F	94	-	-	-	-	-	-	1	-	-	-	-	5	6	7	8	10	10	11	14	13	3	2	4	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	68	-	-	-	1	2	-	-	1	-	-	-	-	-	-	4	8	10	7	20	9	4	1	-	1	-
	White--M	45	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	4	7	4	13	8	3	1	-	1	-
	F	23	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	4	3	3	7	1	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	168	-	1	1	-	-	-	2	2	2	1	3	6	9	8	10	17	19	30	23	7	16	6	5	-	-
	White--M	72	-	1	-	-	-	-	1	1	1	1	1	3	4	4	4	7	5	9	15	-	8	4	3	-	-
	F	95	-	-	1	-	-	-	1	1	1	-	1	3	5	4	6	10	14	21	8	7	8	2	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	43	-	-	-	1	5	2	-	2	-	-	-	4	1	1	5	8	2	4	2	4	1	1	-	-	-
	White--M	29	-	-	-	1	4	2	-	2	-	-	-	1	1	-	3	5	2	2	2	3	1	-	-	-	-
	F	14	-	-	-	-	1	-	-	-	-	-	-	3	-	1	2	3	-	2	-	1	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	55	-	-	1	-	-	1	-	2	1	1	3	-	4	4	3	4	6	12	4	7	2	-	-	-	-
	White--M	28	-	-	-	-	-	1	-	1	-	-	3	-	3	2	1	1	5	9	-	2	-	-	-	-	-
	F	27	-	-	1	-	-	-	-	1	1	1	-	-	1	2	2	3	1	3	4	5	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	35	-	-	-	1	-	-	2	-	-	-	-	2	3	2	6	7	2	3	3	2	1	1	-	-	-
	White--M	17	-	-	-	1	-	-	1	-	-	-	-	-	2	1	4	2	1	-	2	2	1	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	5	1	3	1	-	-	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	238	-	-	-	-	-	1	-	1	1	3	2	2	1	4	10	26	31	49	42	34	20	11	-	-	-
	White--M	80	-	-	-	-	-	-	-	1	1	2	-	-	1	1	3	9	11	19	13	8	8	3	-	-	-
	F	156	-	-	-	-	-	1	-	-	-	1	2	2	-	3	7	17	19	30	28	26	12	8	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
290-293	Anemias	21	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	-	4	2	3	4	3	-	-	-
	White--M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	3	2	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	1	-	2	3	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	5	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	White--M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	4,859	1	2	2	2	2	2	-	3	17	15	18	40	91	131	245	375	508	685	757	759	665	368	135	32	4
	White--M	2,521	1	1	2	1	1	1	-	1	7	4	11	31	70	93	171	257	311	367	379	340	277	134	52	8	1
	F	2,254	-	1	-	1	1	1	-	2	10	8	5	9	20	36	71	111	181	306	365	406	381	231	82	23	3
	Nonwhite--M	46	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	5	10	8	7	7	2	1	-	1	-
	F	38	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	2	6	4	6	6	5	2	1	-	-
330-334, 400-468	Diseases of cardiovascular system	4,771	1	2	1	2	1	2	-	3	13	12	17	37	88	129	239	365	498	675	750	749	652	364	135	32	4
	White--M	2,472	1	1	1	1	-	1	-	1	4	4	11	30	68	93	166	251	304	361	376	335	270	132	52	8	1
	F	2,217	-	1	-	1	1	1	-	2	9	6	4	7	19	34	70	107	179	302	361	401	375	229	82	23	3
	Nonwhite--M	45	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	5	10	8	7	7	2	1	-	1	-
	F	37	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	2	5	4	6	6	5	2	1	-	-
330-334	Vascular lesions, etc.*	846	-	2	1	2	-	1	-	-	-	1	2	4	10	13	31	57	90	124	141	143	134	73	13	2	2
	White--M	391	-	1	1	1	-	1	-	-	-	1	1	4	6	9	16	32	53	55	71	61	47	26	4	1	-
	F	436	-	1	-	1	-	-	-	-	-	-	1	-	4	4	15	24	33	65	68	80	85	44	9	-	2
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	1	1	1	-	1	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	2	-	-	-
400-402	Rheumatic fever	4	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
410-443	Diseases of heart	3,607	1	-	-	-	-	-	-	1	13	11	13	33	75	112	199	299	394	521	554	554	463	241	100	21	2
	White-----M--	1,943	1	-	-	-	-	-	-	-	4	3	10	26	61	81	146	214	244	291	282	246	197	90	41	5	1
	F--	1,607	-	-	-	-	-	-	-	1	9	6	3	7	14	29	50	79	139	223	262	297	262	151	58	16	1
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	4	8	4	6	6	-	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	2	3	3	4	5	4	-	1	-	-
410-416	Chronic rheumatic heart disease----	114	-	-	-	-	-	-	-	-	8	6	4	7	12	13	17	13	7	13	10	1	2	1	-	-	-
	White-----M--	57	-	-	-	-	-	-	-	-	3	1	2	3	9	8	10	6	4	5	5	-	1	-	-	-	-
	F--	54	-	-	-	-	-	-	-	-	5	4	2	4	3	5	6	6	3	8	5	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,609	-	-	-	-	-	-	-	1	3	2	8	23	52	76	152	223	284	392	399	410	325	168	76	13	2
	White-----M--	1,503	-	-	-	-	-	-	-	-	1	1	7	22	44	61	121	171	191	240	210	196	137	65	33	2	1
	F--	1,068	-	-	-	-	-	-	-	1	2	1	1	1	8	14	30	49	83	149	179	208	185	103	42	11	1
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	8	1	6	3	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	3	3	-	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	301	1	-	-	-	-	-	-	-	-	2	-	1	5	1	5	10	24	27	35	56	63	45	21	5	-
	White-----M--	146	1	-	-	-	-	-	-	-	-	1	-	1	4	1	3	5	16	12	21	25	29	18	7	2	-
	F--	149	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	5	8	14	14	26	34	27	14	3	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
430-434	Other diseases of heart---------	60	-	-	-	-	-	-	-	-	-	-	-	-	1	4	6	7	6	11	10	5	8	2	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	3	6	6	4	4	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	5	4	1	4	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	523	-	-	-	-	-	-	-	-	2	1	1	2	5	18	19	46	73	78	100	82	65	25	3	3	-
	White-----M--	202	-	-	-	-	-	-	-	-	-	-	1	-	3	8	9	27	30	28	40	21	26	7	1	1	-
	F--	312	-	-	-	-	-	-	-	-	2	-	-	2	2	9	9	18	42	47	60	61	38	18	2	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	1	-	-	-	-
444-447	Hypertension without mention of heart----------	83	-	-	-	-	-	-	-	-	-	-	1	-	2	-	6	6	5	11	18	9	9	11	3	2	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	2	4	8	6	3	3	1	1	-
	F--	45	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	3	6	10	3	6	8	2	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	193	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	10	29	37	45	38	19	7	-
	White-----M--	84	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	5	11	21	22	12	6	1	-
	F--	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	17	16	22	26	13	6	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	38	-	-	-	-	-	-	-	2	-	-	1	-	1	3	1	1	5	9	7	6	1	1	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	2	6	4	1	1	1	-	-	-
	F--	18	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	3	3	3	5	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	88	-	-	1	-	1	-	-	-	4	3	1	3	3	2	6	10	10	10	7	10	13	4	-	-	-
	White-----M--	49	-	-	1	-	1	-	-	-	3	-	-	1	2	-	5	6	7	6	3	5	7	2	-	-	-
	F--	37	-	-	-	-	-	-	-	-	1	2	1	2	1	2	1	4	2	4	4	5	6	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	135	13	7	3	1	1	5	4	-	-	1	2	4	3	2	5	5	13	13	10	17	16	4	4	2	-
	White-----M--	68	7	2	1	-	-	4	2	-	-	-	1	4	2	1	4	4	10	6	6	5	4	3	1	1	-
	F--	65	6	5	2	1	1	1	2	-	-	1	1	-	1	1	1	1	2	7	4	11	12	1	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-483	Influenza---------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	134	13	7	3	1	1	5	4	-	-	1	2	4	3	2	5	4	13	13	10	17	16	4	4	2	-
	White-----M--	67	7	2	1	-	-	4	2	-	-	-	1	4	2	1	4	3	10	6	6	5	4	3	1	1	-
	F--	65	6	5	2	1	1	1	2	-	-	1	1	-	1	1	1	1	2	7	4	11	12	1	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
500-502	Bronchitis--------	23	4	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	5	3	1	-	-	1	-	-
	White-----M--	19	3	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	5	3	-	-	-	1	-	-
	F--	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	67	-	-	-	-	-	-	-	-	-	-	1	1	4	2	9	10	12	8	11	4	4	-	1	-	-
	White-----M--	54	-	-	-	-	-	-	-	-	-	-	1	1	2	2	8	7	11	6	9	3	4	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	1	2	2	1	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	21	-	-	-	-	-	-	-	2	1	-	1	-	1	-	3	3	3	2	3	1	-	1	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	3	1	-	3	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	2	2	-	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	42	2	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	1	6	7	5	6	6	1	-	-
	White-----M--	24	2	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	3	2	4	4	2	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	5	1	2	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
543, 571, 572	Gastritis, etc.*	36	8	4	-	1	-	-	-	-	-	1	-	1	-	6	3	-	2	4	1	2	1	1	1	-	-
	White----M	20	3	2	-	-	-	-	-	-	-	-	-	1	-	3	3	-	2	1	1	2	-	1	1	-	-
	F	15	5	2	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	3	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	114	-	-	-	1	-	-	-	-	-	-	1	4	9	13	13	17	19	15	11	9	1	1	-	-	-
	White----M	74	-	-	-	-	-	-	-	-	-	-	1	2	6	10	8	12	12	10	7	5	1	-	-	-	-
	F	39	-	-	-	1	-	-	-	-	-	-	-	2	3	3	5	5	7	5	4	3	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*	9	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	1	1	1	-	-	1	-	-	-
	White----M	5	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	4	3	7	4	-	-	-
	White----M	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	4	3	7	4	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	8	...	...	...	...	...	...	-	1	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F	7	...	...	...	...	...	...	-	1	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	8	...	...	...	...	...	...	-	1	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F	7	...	...	...	...	...	...	-	1	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	103	81	8	1	2	1	1	1	1	-	-	1	-	2	1	1	1	-	-	1	-	-	-	-	-	-
	White----M	54	47	2	1	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	48	33	6	-	2	1	-	1	-	-	-	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	243	243	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	22	4	1	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	2	2	2	2	3	-	1	-
	White----M	13	2	1	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	1	-	1	1	2	-	1	-
	F	9	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	328	13	2	2	1	-	8	2	2	5	8	3	4	12	20	30	31	38	43	44	28	22	8	2	-	-
	White----M	180	7	2	-	1	-	5	-	-	2	5	1	1	6	12	16	18	22	23	26	15	13	4	1	-	-
	F	145	6	-	2	-	-	3	2	2	3	3	2	3	6	8	13	13	16	18	18	13	9	4	1	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents	295	15	10	1	2	4	8	15	11	15	8	3	5	7	16	14	17	10	29	25	21	26	23	10	-	-
	White----M	183	14	5	1	2	3	7	13	9	12	7	3	3	4	11	11	8	5	17	13	12	11	9	3	-	-
	F	107	1	4	-	-	1	1	2	1	3	1	-	2	3	4	3	9	5	12	11	9	15	13	7	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	4	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
E810-E835	Motor-vehicle accidents	79	-	1	-	-	1	1	7	4	9	6	1	4	2	5	6	6	2	8	8	3	5	-	-	-	-
	White----M	52	-	1	-	-	-	1	5	2	8	5	1	2	1	2	4	3	1	5	5	2	4	-	-	-	-
	F	25	-	-	-	-	1	-	2	1	1	1	-	2	1	3	2	3	1	3	2	1	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	216	15	9	1	2	3	7	8	7	6	2	2	1	5	11	8	11	8	21	17	18	21	23	10	-	-
	White----M	131	14	4	1	2	3	6	8	7	4	2	2	1	3	9	7	5	4	12	8	10	7	9	3	-	-
	F	82	1	4	-	-	-	1	-	-	2	-	-	-	2	1	1	6	4	9	9	8	14	13	7	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
E963, E970-E979	Suicide	54	-	-	-	-	-	-	-	2	1	3	7	4	2	7	5	4	10	4	2	1	1	1	-	-	-
	White----M	35	-	-	-	-	-	-	-	1	1	3	3	3	2	3	4	2	6	3	1	1	1	1	-	-	-
	F	18	-	-	-	-	-	-	-	1	-	-	3	1	-	4	1	2	4	1	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	12	-	1	-	-	-	-	-	1	1	2	2	-	2	3	-	-	-	-	-	-	-	-	-	-	-
	White----M	8	-	1	-	-	-	-	-	1	-	1	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA																										
	ALL CAUSES--------	18,570	2,564	199	133	70	62	173	141	285	319	427	512	704	848	1,023	1,485	1,551	1,729	1,897	1,565	1,267	897	440	188	49	42
	White-----M--	5,758	568	34	27	17	13	45	33	82	80	112	141	188	235	323	415	516	589	706	606	530	326	119	41	7	5
	F--	3,906	429	39	18	15	11	24	16	30	49	51	76	72	116	133	198	216	314	428	495	468	393	191	99	21	4
	Nonwhite--M--	4,801	882	53	46	21	19	64	50	115	111	151	142	235	288	270	475	467	440	401	231	143	111	53	16	4	13
	F--	4,105	685	73	42	17	19	40	42	58	79	113	153	209	209	297	397	352	386	362	233	126	67	77	32	17	20
001-019	Tuberculosis, all forms--------	360	5	4	1	2	1	3	3	17	25	29	39	39	40	29	29	23	27	20	11	11	1	1	-	-	-
	White-----M--	73	-	-	-	-	-	1	-	-	-	-	7	6	6	8	8	7	12	5	6	7	-	-	-	-	-
	F--	31	-	1	-	2	1	-	-	-	1	3	1	-	4	1	2	3	2	5	2	2	1	-	-	-	-
	Nonwhite--M--	154	2	2	-	-	-	1	1	9	14	12	14	17	22	14	16	9	10	7	3	1	-	-	-	-	-
	F--	102	3	1	1	-	-	1	2	8	10	14	17	16	8	6	3	4	3	3	-	1	-	1	-	-	-
001-008	Tuberculosis of respiratory system----------	312	1	1	1	1	-	1	2	15	20	22	36	35	36	27	25	21	27	19	11	9	1	1	-	-	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	7	6	6	8	8	6	12	5	6	5	-	-	-	-	-
	F--	28	-	1	-	1	-	-	-	-	1	3	1	-	4	-	2	3	2	5	2	2	1	-	-	-	-
	Nonwhite--M--	132	1	-	-	-	-	-	-	9	11	9	13	15	20	13	12	9	10	6	3	1	-	-	-	-	-
	F--	83	-	-	1	-	-	1	2	6	8	10	15	14	6	6	3	3	3	3	-	1	-	1	-	-	-
010-019	Tuberculosis, other forms------	48	4	3	-	1	1	2	1	2	5	7	3	4	4	2	4	2	-	1	-	2	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
	F--	3	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	22	1	2	-	-	-	1	1	-	3	3	1	2	2	1	4	-	-	1	-	-	-	-	-	-	-
	F--	19	3	1	-	-	-	-	-	2	2	4	2	2	2	-	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	91	5	-	-	1	-	-	-	-	1	2	1	8	13	12	15	11	8	6	3	3	1	1	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	-	3	1	5	4	3	5	2	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	53	3	-	-	1	-	-	-	-	1	1	-	6	8	8	9	7	3	1	1	2	1	1	-	-	-
	F--	12	1	-	-	-	-	-	-	-	-	1	1	2	2	3	1	-	-	-	-	1	-	-	-	-	-
040	Typhoid fever-----	6	-	-	-	-	-	1	1	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	20	13	2	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.* ----------	8	3	-	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	White-----M--	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M--	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	13	1	2	-	3	1	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	24	19	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	22	5	1	1	1	1	4	1	4	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	3	-	1	1	1	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	15	2	2	2	1	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	1	-	-	1	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	14	1	4	5	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	68	15	4	2	3	3	5	3	3	1	2	3	2	4	3	4	4	1	3	-	2	1	-	-	-	-
	White-----M--	17	3	2	-	-	1	1	1	1	1	-	1	-	-	-	-	2	-	2	-	1	1	-	-	-	-
	F--	16	4	-	1	-	1	1	-	-	-	-	2	1	-	2	1	2	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	14	4	-	-	1	-	1	2	1	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
	F--	21	4	2	1	2	1	2	-	1	-	1	-	-	3	1	1	-	1	-	-	1	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
140-205	Malignant neoplasms, etc.*	1,752	6	3	2	2	1	10	11	14	12	23	43	79	98	144	207	209	208	215	204	138	81	28	10	1	3
	White—M	547	2	1	2	1	-	3	5	6	1	4	8	17	16	37	49	58	71	77	78	64	37	8	2	-	-
	F	582	1	1	-	-	1	2	1	2	5	13	12	27	27	42	61	73	53	75	81	50	36	11	7	1	-
	Nonwhite—M	281	3	-	-	-	-	4	4	5	1	1	6	12	21	23	44	38	41	36	22	12	4	3	-	-	1
	F	342	-	1	-	1	-	1	1	1	5	5	17	23	34	42	53	40	43	27	23	12	4	6	1	-	2
140-148	Of buccal cavity and pharynx	30	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	7	4	1	4	4	2	1	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	3	2	2	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	1	-	1	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	578	1	-	-	1	-	-	1	1	-	2	11	15	33	46	67	63	73	89	80	51	27	11	5	-	1
	White—M	186	1	-	-	-	-	-	1	1	-	-	2	2	3	17	15	23	23	33	29	24	10	2	-	-	-
	F	163	-	-	-	-	-	-	-	-	-	1	-	4	7	2	13	23	19	27	29	14	14	5	5	-	-
	Nonwhite—M	134	-	-	-	-	-	-	-	-	-	1	4	7	12	15	24	9	17	20	16	6	1	2	-	-	-
	F	95	-	-	-	1	-	-	-	-	-	-	5	2	11	12	15	8	14	9	6	7	2	2	-	-	1
160-164	Of respiratory system	191	-	-	-	1	-	-	2	1	2	-	5	9	13	12	29	30	28	30	15	8	4	2	-	-	-
	White—M	118	-	-	-	1	-	-	-	-	1	-	3	6	7	7	21	18	17	18	9	7	2	1	-	-	-
	F	34	-	-	-	-	-	-	1	-	-	-	1	2	2	3	2	4	5	5	6	-	2	1	-	-	-
	Nonwhite—M	30	-	-	-	-	-	-	1	1	-	-	1	1	4	1	4	8	4	5	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	2	2	-	1	-	-	-	-	-
170	Of breast	160	1	-	-	-	-	-	-	-	1	3	5	10	14	20	18	17	19	14	17	14	4	2	1	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	103	1	-	-	-	-	-	-	-	-	2	2	5	10	16	6	10	11	10	12	13	4	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	56	-	-	-	-	-	-	-	-	1	1	3	5	4	4	12	6	8	4	5	1	-	1	1	-	-
171-179	Of genital organs	368	1	-	-	-	-	-	1	1	3	6	7	23	19	32	49	45	39	42	40	32	21	5	1	-	1
	White—M	64	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	4	7	10	13	15	10	1	1	-	-
	F	132	-	-	-	-	-	-	-	1	-	4	2	9	4	13	19	19	10	16	14	11	9	1	-	-	-
	Nonwhite—M	55	1	-	-	-	-	-	1	-	-	-	-	1	1	1	10	9	11	8	5	4	2	1	-	-	-
	F	117	-	-	-	-	-	-	-	-	3	2	4	12	14	18	19	13	11	8	8	2	-	2	-	-	1
180, 181	Of urinary organs	65	-	-	-	-	-	1	-	-	-	-	-	4	2	4	7	9	5	9	11	5	5	2	-	1	-
	White—M	27	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	2	4	6	2	2	2	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	-	2	4	2	2	-	-	1	-
	Nonwhite—M	16	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	4	2	2	1	1	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	211	-	1	1	-	-	2	4	3	4	5	9	9	10	16	21	21	22	18	26	16	14	5	3	-	1
	White—M	76	-	-	1	-	-	1	3	1	-	1	1	3	3	6	5	4	9	5	14	8	8	2	1	-	-
	F	77	-	-	-	-	-	-	-	1	3	3	4	3	2	6	9	8	4	9	10	7	4	2	2	-	-
	Nonwhite—M	20	-	-	-	-	-	1	1	1	1	-	1	1	3	2	3	1	3	1	-	-	-	-	-	-	1
	F	38	-	1	-	-	-	-	-	-	-	1	3	2	2	2	4	8	6	3	2	1	2	1	-	-	-
204	Leukemia and aleukemia	76	3	2	1	-	1	5	3	4	1	3	5	1	6	3	4	4	10	6	6	5	3	-	-	-	-
	White—M	32	1	1	1	-	-	-	1	2	-	1	-	1	2	-	1	1	8	2	3	4	3	-	-	-	-
	F	22	-	1	-	-	1	2	-	-	1	1	3	-	2	1	3	-	1	4	1	1	-	-	-	-	-
	Nonwhite—M	8	2	-	-	-	-	2	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	1	1	1	-	1	2	-	2	1	-	2	1	-	2	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	73	-	-	-	-	-	2	-	4	1	4	1	8	1	8	8	13	8	6	5	3	1	-	-	-	-
	White—M	29	-	-	-	-	-	2	-	2	-	2	1	3	-	5	2	2	3	4	1	2	-	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	1	2	-	2	-	-	4	7	2	2	4	1	1	-	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	2	-	-	-	2	-	2	1	3	3	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	50	-	-	-	1	1	1	1	-	1	3	3	7	3	6	10	5	5	1	-	-	-	1	-	-	1
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	1	-	-	-
	F	18	-	-	-	-	-	1	1	-	-	2	-	1	1	1	8	1	2	-	-	-	-	-	-	-	-
	Nonwhite—M	7	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	1
	F	18	-	-	-	-	1	-	-	-	1	1	3	6	-	2	1	1	1	1	-	-	-	-	-	-	-
260	Diabetes mellitus	256	-	-	-	-	-	2	8	3	2	2	-	9	10	15	29	18	46	43	30	24	11	4	-	-	-
	White—M	80	-	-	-	-	-	-	1	-	-	-	-	3	5	2	4	6	15	19	10	9	3	3	-	-	-
	F	76	-	-	-	-	-	1	1	1	-	2	-	-	-	1	5	4	17	16	10	11	6	1	-	-	-
	Nonwhite—M	32	-	-	-	-	-	1	2	2	1	-	-	1	1	3	5	3	6	3	1	2	1	-	-	-	-
	F	68	-	-	-	-	-	-	4	-	1	-	-	5	4	9	15	5	8	5	9	2	1	-	-	-	-
290-293	Anemias	52	4	5	1	-	-	1	1	2	2	3	3	4	4	2	2	1	2	6	2	2	3	2	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	3	-	1	-	-	-	-	-
	F	17	-	1	1	-	-	-	-	1	-	2	-	1	1	-	-	-	-	3	2	-	3	2	-	-	-
	Nonwhite—M	12	2	2	-	-	-	-	1	-	1	1	-	1	1	-	1	-	1	-	-	1	-	-	-	-	-
	F	14	2	2	-	-	-	1	-	1	1	-	2	2	2	-	-	1	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	41	18	4	6	-	-	1	2	2	-	-	-	-	-	1	-	1	3	-	-	2	1	-	-	-	-
	White—M	10	5	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-
	Nonwhite—M	16	7	1	1	-	-	-	2	2	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F	8	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	9,122	6	3	8	1	3	17	17	26	46	80	132	247	398	571	841	1,038	1,160	1,349	1,097	927	645	328	123	29	30
	White—M	3,008	1	-	2	-	-	2	1	3	4	11	25	50	112	180	241	349	395	493	413	384	228	84	24	3	3
	F	2,042	-	-	1	-	-	3	2	6	8	5	20	15	47	50	90	111	194	281	345	345	290	143	67	15	4
	Nonwhite—M	2,095	3	1	3	-	-	10	6	9	13	34	41	96	141	158	265	317	286	292	173	99	80	45	11	2	10
	F	1,977	2	2	2	1	3	2	8	8	21	30	46	86	98	183	245	261	285	283	166	99	47	56	21	9	13
330-334, 400-468	Diseases of cardiovascular system	8,703	6	3	7	1	3	14	16	19	42	69	114	222	383	540	798	1,000	1,113	1,299	1,056	886	623	312	120	29	28
	White—M	2,921	1	-	1	-	-	1	1	2	2	9	21	47	111	177	236	342	390	476	404	367	223	81	24	3	2
	F	1,972	-	-	1	-	-	3	2	3	7	5	13	14	46	47	87	109	185	275	334	336	280	139	67	15	4
	Nonwhite—M	1,963	3	1	3	-	-	8	5	6	12	30	38	81	134	150	253	301	268	277	164	91	76	40	11	2	9
	F	1,847	2	2	2	1	3	2	8	8	21	25	42	80	92	166	222	248	270	271	154	92	44	52	18	9	13
330-334	Vascular lesions, etc.*	2,338	5	-	3	-	1	3	3	4	8	12	29	57	105	139	220	286	312	315	294	249	177	69	33	6	8
	White—M	633	1	-	1	-	-	-	1	-	1	3	3	6	12	27	38	62	89	92	109	96	64	20	7	1	-
	F	538	-	-	-	-	-	-	-	2	2	-	3	3	20	16	31	42	50	68	89	91	71	31	17	2	-
	Nonwhite—M	571	2	-	2	-	-	3	-	1	2	6	10	21	38	43	69	88	78	82	51	32	22	12	3	2	4
	F	596	2	-	-	-	1	-	2	1	3	3	13	27	35	53	82	94	95	73	45	30	20	6	6	1	4
400-402	Rheumatic fever	38	1	-	-	1	1	4	10	3	5	2	1	2	1	-	-	3	-	1	2	1	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	2	2	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	12	1	-	-	-	-	1	3	2	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	15	-	-	-	1	1	1	5	-	-	2	-	1	1	-	-	1	-	-	1	1	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
410-443	Diseases of heart	5,717	-	3	4	-	1	7	3	11	28	43	73	142	257	367	543	659	747	890	683	563	383	211	71	16	12
	White-----M--	2,095	-	-	-	-	-	1	-	2	1	5	17	38	94	136	188	270	287	353	264	238	131	52	15	2	1
	F--	1,297	-	-	1	-	-	1	-	-	3	4	7	10	25	30	52	61	129	197	230	218	185	94	40	8	2
	Nonwhite--M--	1,220	-	1	1	-	-	4	2	2	7	15	22	48	88	97	173	189	170	171	95	51	46	28	7	-	3
	F--	1,105	-	2	2	-	1	1	1	7	17	19	27	46	50	104	130	139	161	169	94	56	21	37	9	6	6
410-416	Chronic rheumatic heart disease	154	-	-	-	-	-	3	1	8	4	7	11	9	11	13	9	8	16	13	13	9	10	4	4	-	1
	White-----M--	31	-	-	-	-	-	-	-	2	-	1	4	2	3	3	4	1	2	3	1	3	1	-	1	-	-
	F--	35	-	-	-	-	-	1	-	-	1	-	1	2	2	2	2	1	1	3	2	3	7	3	3	-	1
	Nonwhite--M--	37	-	-	-	-	-	2	1	2	1	2	5	3	2	5	2	3	4	-	3	1	1	-	-	-	-
	F--	51	-	-	-	-	-	-	-	4	2	4	1	2	4	3	1	3	9	7	7	2	1	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,891	-	-	-	-	-	1	-	-	11	20	25	70	145	178	271	349	402	472	352	283	194	83	26	5	4
	White-----M--	1,486	-	-	-	-	-	-	-	-	1	3	10	31	79	100	146	215	212	251	175	144	82	27	10	-	-
	F--	683	-	-	-	-	-	-	-	-	2	1	1	6	11	13	28	34	79	116	133	109	99	35	12	4	-
	Nonwhite--M--	414	-	-	-	-	-	-	-	-	1	10	4	17	36	35	64	68	60	62	21	14	9	11	1	-	1
	F--	308	-	-	-	-	-	1	-	-	7	6	10	16	19	30	33	32	51	43	23	16	4	10	3	1	3
421, 422	Nonrheumatic chronic endocarditis, etc.*	737	-	-	1	-	-	1	1	2	1	2	8	16	23	43	57	63	69	118	84	102	70	43	23	6	4
	White-----M--	181	-	-	-	-	-	-	-	-	-	-	1	3	3	10	8	9	18	35	20	33	21	14	4	2	-
	F--	197	-	-	1	-	-	-	-	-	-	-	-	-	2	3	2	5	9	31	30	42	34	21	13	3	1
	Nonwhite--M--	179	-	-	-	-	-	1	1	-	-	-	3	7	13	14	23	27	18	30	16	9	11	2	3	-	1
	F--	160	-	-	-	-	-	-	-	2	1	2	4	6	5	16	24	22	24	22	18	18	4	6	3	1	2
430-434	Other diseases of heart	350	-	3	2	-	1	2	1	1	9	6	8	15	22	32	39	40	42	44	34	18	13	11	5	1	1
	White-----M--	84	-	-	-	-	-	1	-	-	-	-	1	-	4	8	6	14	14	10	12	7	4	2	-	-	1
	F--	52	-	-	-	-	-	-	-	-	-	2	2	2	1	4	3	3	3	5	10	5	4	4	4	-	-
	Nonwhite--M--	128	-	1	1	-	-	1	-	-	3	1	4	4	11	12	19	16	17	17	7	5	4	4	1	-	-
	F--	86	-	2	1	-	1	-	1	1	6	3	1	9	6	8	11	7	8	12	5	1	1	1	-	1	-
440-443	Hypertension with heart dis.	1,585	-	-	1	-	-	-	-	-	3	8	21	32	56	101	167	199	218	243	200	151	96	70	13	4	2
	White-----M--	313	-	-	-	-	-	-	-	-	-	1	1	2	5	15	24	31	41	54	56	51	23	9	-	-	-
	F--	330	-	-	-	-	-	-	-	-	-	1	3	-	9	8	17	18	37	42	55	59	41	31	8	1	-
	Nonwhite--M--	462	-	-	-	-	-	-	-	-	2	2	6	17	26	31	65	75	71	62	48	22	21	11	2	-	1
	F--	480	-	-	1	-	-	-	-	-	1	4	11	13	16	47	61	75	69	85	41	19	11	19	3	3	1
444-447	Hypertension without mention of heart	200	-	-	-	-	-	-	-	-	1	9	8	15	10	19	18	21	11	37	21	9	9	6	2	2	2
	White-----M--	37	-	-	-	-	-	-	-	-	-	1	1	1	3	5	3	2	1	10	6	1	1	2	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	1	2	-	1	1	4	4	2	2	6	4	5	3	2	1	1
	Nonwhite--M--	72	-	-	-	-	-	-	-	-	-	6	4	9	5	7	6	9	7	8	4	4	2	-	-	-	1
	F--	52	-	-	-	-	-	-	-	-	1	1	1	5	1	6	5	6	1	17	5	-	1	1	-	1	-
450	General arteriosclerosis	317	-	-	-	-	-	-	-	-	-	-	-	3	5	3	8	17	31	49	47	56	48	25	14	5	6
	White-----M--	101	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	8	14	17	25	22	7	2	-	1
	F--	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	8	22	18	11	8	4	1
	Nonwhite--M--	72	-	-	-	-	-	-	-	-	-	-	-	3	3	1	4	9	10	16	14	4	6	-	1	-	1
	F--	60	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	5	9	12	8	5	2	7	3	1	3
451-468	Other diseases of circulatory sys.	93	-	-	-	-	-	-	-	1	-	3	3	3	5	12	9	14	12	7	9	8	6	1	-	-	-
	White-----M--	52	-	-	-	-	-	-	-	-	-	-	-	1	2	8	5	5	5	6	8	7	5	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	1	1	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	1	-	3	1	-	-	2	1	5	3	-	-	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	1	1	3	2	3	3	4	-	1	-	-	1	-	-	-
592-594	Chronic nephritis, etc.*	419	-	-	1	-	-	3	1	7	4	11	18	25	15	31	43	38	47	50	41	41	22	16	3	-	2
	White-----M--	87	-	-	1	-	-	1	-	1	2	2	4	3	1	3	5	7	5	17	9	17	5	3	-	-	1
	F--	70	-	-	-	-	-	-	-	3	1	-	7	1	1	3	3	2	9	6	11	9	10	4	-	-	-
	Nonwhite--M--	132	-	-	-	-	-	2	1	3	1	4	3	15	7	8	12	16	18	15	9	8	4	5	-	-	1
	F--	130	-	-	-	-	-	-	-	-	-	5	4	6	6	17	23	13	15	12	12	7	3	4	3	-	-
480-493	Influenza and pneumonia, etc.*	828	322	51	22	6	8	17	7	8	5	12	15	26	19	16	45	33	35	44	33	26	34	21	16	5	2
	White-----M--	158	45	7	2	2	1	3	1	2	1	2	1	5	4	5	5	8	7	11	13	10	11	5	4	2	1
	F--	127	26	7	-	1	1	2	1	-	2	1	3	2	2	2	3	2	9	7	10	11	15	12	7	1	-
	Nonwhite--M--	282	122	16	14	1	5	7	1	4	1	4	5	10	9	6	19	13	12	15	5	3	6	2	1	-	1
	F--	261	129	21	6	2	1	5	4	2	1	5	6	9	4	3	18	10	7	11	5	2	2	2	4	2	-
480-483	Influenza	157	51	6	4	-	2	3	1	3	2	4	6	8	4	2	9	7	10	9	7	4	6	3	3	-	1
	White-----M--	18	-	1	-	-	-	1	-	-	-	2	-	2	-	-	-	3	2	3	1	1	1	1	-	-	-
	F--	26	2	-	-	-	-	1	-	-	2	-	2	-	1	-	1	2	2	-	5	2	4	1	1	-	-
	Nonwhite--M--	55	25	4	2	-	2	-	1	2	-	1	2	3	2	1	3	1	3	-	1	-	1	-	-	-	1
	F--	58	24	3	2	-	-	1	-	1	-	1	2	3	1	1	5	1	3	6	-	1	-	1	2	-	-
490-493	Pneumonia, etc.*	671	271	43	18	6	6	14	6	5	3	8	9	18	15	14	36	26	25	35	26	22	28	18	13	5	1
	White-----M--	140	45	6	2	2	1	2	1	2	1	-	1	3	4	5	5	5	5	8	12	9	10	4	4	2	1
	F--	101	24	7	-	1	1	1	1	-	-	1	1	2	1	2	2	-	7	7	5	9	11	11	6	1	-
	Nonwhite--M--	227	97	12	12	1	3	7	-	2	1	3	3	7	7	5	16	12	9	15	4	3	5	2	1	-	-
	F--	203	105	18	4	2	1	4	4	1	1	4	4	6	3	2	13	9	4	5	5	1	2	1	2	2	-
500-502	Bronchitis	42	20	4	1	2	1	1	-	-	-	-	1	2	-	1	2	1	1	2	-	-	2	1	-	-	-
	White-----M--	5	-	1	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F--	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-
	Nonwhite--M--	14	11	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	13	5	-	1	2	-	-	-	-	-	-	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	72	2	-	-	-	-	-	-	-	1	2	1	3	6	7	13	7	9	5	8	3	4	1	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	2	-	2	4	1	5	5	5	1	5	2	3	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	1	1	-	-	-
	Nonwhite--M--	22	2	-	-	-	-	-	-	-	1	-	-	1	1	1	7	2	3	2	2	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	1	-	-	-	-	-
550-553	Appendicitis	35	-	-	-	-	1	1	-	3	-	2	2	1	5	5	2	1	4	3	2	1	1	1	-	-	-
	White-----M--	6	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	1	-	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	1	-	-	1	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	1	-	2	-	1	-	1	3	2	-	1	1	1	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	-	1	2	-	-	2	-	-	2	-	-	-	1	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	76	11	-	-	1	-	-	-	1	-	3	3	4	6	6	6	6	6	8	3	6	6	-	-	-	-
	White-----M--	19	2	-	-	1	-	-	-	1	-	-	-	1	1	-	1	3	1	4	1	1	2	-	-	-	-
	F--	17	3	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	1	1	3	3	-	-	-	-
	Nonwhite--M--	24	4	-	-	-	-	-	-	-	-	1	1	1	1	2	3	2	4	2	-	2	1	-	-	-	-
	F--	16	2	-	-	-	-	-	-	-	-	1	2	2	4	2	1	-	-	1	1	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
543,	Gastritis, etc.*--	274	194	16	14	3	2	5	-	-	1	-	2	5	2	4	4	4	3	3	3	3	4	2	-	-	-
571,	White-----M--	45	33	4	1	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	1	1	1	-	-	-
572	F--	36	21	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	-	-	-
	Nonwhite--M--	108	83	1	5	2	2	2	-	-	-	-	1	3	2	-	2	1	1	2	1	-	-	-	-	-	-
	F--	85	57	8	5	1	-	3	-	-	1	-	1	1	-	4	2	1	-	-	-	-	1	-	-	-	-
581	Cirrhosis of liver	73	-	1	1	-	-	1	-	-	3	1	4	7	10	4	10	7	8	4	7	2	1	1	1	-	-
	White-----M--	38	-	-	1	-	-	-	-	-	-	-	1	1	4	3	5	6	6	4	5	2	-	-	-	-	-
	F--	14	-	1	-	-	-	-	-	-	1	-	2	1	2	1	1	1	1	-	1	-	1	1	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	1	-	-	1	-	1	4	3	-	2	-	1	-	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	-	-	-	-	-	-	-	1	-	-
590,	Acute nephritis,																										
591	etc.*----------	57	1	3	-	1	2	2	1	-	1	2	2	3	9	2	11	3	3	4	4	2	-	1	-	-	-
	White-----M--	18	1	-	-	-	-	1	-	-	-	1	1	-	2	-	5	1	-	3	2	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	20	-	2	-	1	1	1	-	-	-	-	-	2	3	1	5	1	2	-	1	-	-	-	-	-	-
	F--	12	-	1	-	-	1	-	-	-	1	-	1	-	2	1	1	1	1	1	-	-	-	1	-	-	-
610	Hyperplasia of																										
	prostate---------	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	7	6	9	14	8	16	3	-	1	-
	White-----M--	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	9	6	12	3	-	1	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	5	5	4	5	2	4	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	98	...	...	...	...	...	...	3	16	14	19	22	16	7	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	17	...	...	...	...	...	...	-	2	2	3	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	81	...	...	...	...	...	...	3	14	12	16	18	12	6	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	12	...	...	...	...	...	...	-	1	3	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	...	...	...	...	...	...	-	1	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	86	...	...	...	...	...	...	3	15	11	17	18	14	7	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	14	...	...	...	...	...	...	-	2	1	2	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	72	...	...	...	...	...	...	3	13	10	15	15	10	6	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	269	203	14	8	2	3	10	5	3	5	5	1	1	2	2	2	-	3	-	-	-	-	-	-	-	-
	White-----M--	79	62	4	2	1	1	1	1	1	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	100	79	5	1	1	-	1	1	1	4	1	1	1	1	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	52	37	1	2	-	2	5	-	1	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	F--	38	25	4	3	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,260	1,259	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	358	358	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	245	244	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	366	366	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	291	291	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	436	436	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	161	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn---------	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	704	703	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	176	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	116	115	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	212	212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	200	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	758	268	17	10	3	4	3	3	6	5	10	17	22	33	35	63	50	58	44	23	17	17	20	17	8	5
795	White-----M--	100	18	1	2	-	-	-	-	-	-	-	5	5	8	5	8	3	6	17	5	6	6	3	2	-	-
	F--	53	13	-	-	-	-	-	1	-	1	-	-	-	2	2	-	1	3	4	3	5	2	7	8	1	-
	Nonwhite--M--	336	143	10	4	3	2	1	1	2	1	6	8	8	11	13	28	27	32	14	6	3	7	1	3	2	-
	F--	269	94	6	4	-	2	2	1	4	3	4	4	9	12	15	27	19	17	9	9	3	2	9	4	5	5
Re-	All other diseases	829	91	15	10	7	8	12	12	22	21	38	45	50	48	54	59	55	68	59	60	50	30	5	8	2	-
sid-	White-----M--	265	19	2	3	3	3	4	1	5	2	2	13	14	11	22	22	21	29	23	25	24	10	3	3	1	-
ual	F--	196	19	4	1	3	1	1	-	2	5	5	13	7	11	13	11	8	18	18	18	19	12	2	4	1	-
	Nonwhite--M--	200	27	6	4	-	3	5	7	11	6	11	9	11	15	8	16	20	13	11	6	6	4	-	1	-	-
	F--	168	26	3	2	1	1	2	4	4	8	20	10	18	11	11	10	6	8	7	11	1	4	-	-	-	-
E800-	Accidents---------	1,542	88	39	33	28	18	67	55	126	129	123	128	119	91	70	98	54	51	60	55	38	37	19	12	3	1
E962	White-----M--	638	11	8	7	7	3	21	20	59	64	70	61	64	39	32	38	27	20	26	27	8	11	8	6	-	1
	F--	232	7	9	8	7	3	11	5	13	15	6	14	8	13	9	11	8	8	11	16	17	18	8	5	2	-
	Nonwhite--M--	459	38	8	8	9	4	20	21	43	43	42	41	37	30	23	36	16	13	10	3	10	3	1	-	-	-
	F--	213	32	14	10	5	8	15	9	11	7	5	12	10	9	6	13	3	10	13	9	3	5	2	1	1	-
E810-	Motor-vehicle																										
E835	accidents--------	713	6	10	16	15	5	35	20	71	95	82	71	67	44	31	42	26	24	16	18	10	6	2	-	-	1
	White-----M--	358	2	2	4	4	1	13	11	34	54	53	33	40	19	12	18	13	11	10	13	4	4	2	-	-	1
	F--	89	2	5	5	6	-	7	-	9	9	3	6	3	8	2	7	7	5	2	2	1	-	-	-	-	-
	Nonwhite--M--	200	2	1	4	3	2	10	4	17	27	25	25	17	13	15	14	6	5	3	2	4	1	-	-	-	-
	F--	66	-	2	3	2	2	5	5	11	5	1	7	7	4	2	3	-	3	1	1	1	1	-	-	-	-
E800-	All ot. accidents-	829	82	29	17	13	13	32	35	55	34	41	57	52	47	39	56	28	27	44	37	28	31	17	12	3	-
E802,	White-----M--	280	9	6	3	3	2	8	9	25	10	17	28	24	20	20	20	14	9	16	14	4	7	6	6	-	-
E840-	F--	143	5	4	3	1	3	4	5	4	6	3	8	5	5	7	4	1	3	9	14	16	18	8	5	2	-
E962	Nonwhite--M--	259	36	7	4	6	2	10	17	26	16	17	16	20	17	8	22	10	8	7	1	6	2	1	-	-	-
	F--	147	32	12	7	3	6	10	4	-	2	4	5	3	5	4	10	3	7	12	8	2	4	2	1	1	-
E963,	Suicide----------	133	-	-	-	-	-	-	-	4	6	20	14	13	10	19	14	10	10	6	5	2	-	-	-	-	-
E970-	White-----M--	100	-	-	-	-	-	-	-	2	3	8	9	12	9	16	11	8	9	6	5	2	-	-	-	-	-
E979	F--	15	-	-	-	-	-	-	-	-	-	6	4	-	-	3	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	2	3	6	1	-	1	-	2	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	237	2	1	-	1	-	1	2	22	36	46	30	36	28	10	11	3	4	2	1	-	1	-	-	-	-
E980-	White-----M--	51	-	1	-	-	-	-	1	-	4	8	8	7	8	5	1	3	3	1	-	-	1	-	-	-	-
E985	F--	11	2	-	-	-	-	-	-	1	3	-	-	3	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	134	-	-	-	-	-	-	1	19	23	30	14	22	12	5	6	-	1	1	-	-	-	-	-	-	-
	F--	41	-	-	-	1	-	1	-	2	6	8	8	4	8	-	3	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA																										
	ALL CAUSES--------	5,840	506	39	24	21	17	39	36	81	66	72	61	100	106	190	263	391	470	650	731	744	639	390	161	36	7
	White-----M--	3,379	258	16	12	14	9	18	18	48	38	38	27	52	62	116	156	255	295	428	445	425	351	197	81	16	4
	F--	2,183	182	16	10	4	7	18	12	20	18	19	24	38	38	68	89	129	169	202	262	300	278	184	75	19	2
	Nonwhite--M--	167	41	3	2	-	1	2	5	7	6	9	6	6	3	3	10	2	4	15	17	11	6	5	3	-	-
	F--	111	25	4	-	3	-	1	1	6	4	6	4	4	3	3	8	5	2	5	7	8	4	4	2	1	1
001-019	Tuberculosis, all forms--------	74	4	-	2	-	-	1	1	5	5	9	5	5	-	3	7	9	8	4	4	1	1	-	-	-	-
	White-----M--	34	-	-	1	-	-	-	-	1	2	2	1	2	-	2	3	8	6	3	2	1	-	-	-	-	-
	F--	8	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	2	1	1	-	-	-	-	-	-
	Nonwhite--M--	18	4	-	-	-	-	-	-	1	2	4	2	1	-	-	1	1	-	-	1	-	1	-	-	-	-
	F--	14	-	-	-	-	-	1	1	3	1	3	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	65	4	-	1	-	-	1	-	4	5	9	5	4	-	2	5	9	6	4	4	1	1	-	-	-	-
	White-----M--	31	-	-	-	-	-	-	-	1	2	2	1	2	-	2	2	8	5	3	2	1	-	-	-	-	-
	F--	6	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	17	4	-	-	-	-	-	-	1	2	4	2	1	-	-	-	1	-	-	1	-	1	-	-	-	-
	F--	11	-	-	-	-	-	1	-	2	1	3	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	9	-	-	1	-	-	-	1	1	-	-	-	1	-	1	2	-	2	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	16	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	5	3	-	3	1	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	5	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	48	1	2	1	2	1	9	7	8	2	4	4	2	2	-	1	-	-	-	2	-	-	-	-	-	-
	White-----M--	30	1	2	-	1	1	6	4	6	-	1	3	2	1	-	-	-	-	-	2	-	-	-	-	-	-
	F--	17	-	-	1	1	-	3	3	2	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	20	1	1	1	-	-	-	-	1	1	1	1	1	-	2	1	-	1	1	1	1	2	1	2	-	-
	White-----M--	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	1	-	-
	F--	8	-	-	-	-	-	-	-	1	1	1	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA—Continued																										
140-205	Malignant neoplasms, etc.*	866	3	1	4	4	3	3	5	2	4	8	9	11	20	41	65	95	96	118	122	112	80	44	14	1	1
	White----M	456	1	1	2	2	1	2	3	-	4	4	2	4	10	16	30	44	49	65	71	65	43	29	6	1	1
	F	383	2	-	2	1	2	-	2	1	-	4	6	7	10	23	33	50	45	46	48	43	36	14	8	-	-
	Nonwhite--M	14	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	5	3	1	-	1	-	-	-
	F	13	-	-	-	1	-	-	-	1	-	-	1	-	-	1	1	1	1	2	-	3	1	-	-	-	-
140-148	Of buccal cavity and pharynx	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	3	3	1	3	1	1	-	1
	White----M	13	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	2	-	3	1	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	341	1	-	-	-	-	-	-	1	-	2	2	4	4	14	15	43	35	49	52	52	38	19	10	-	-
	White----M	186	-	-	-	-	-	-	-	-	-	1	1	2	-	7	10	24	19	31	29	30	18	10	4	-	-
	F	146	1	-	-	-	-	-	-	1	-	1	1	2	4	5	4	19	15	17	21	20	20	9	6	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-
160-164	Of respiratory system	65	1	-	-	-	-	-	1	-	1	1	-	1	3	2	4	6	13	11	10	6	3	2	-	-	-
	White----M	52	-	-	-	-	-	-	-	-	1	1	-	1	3	2	4	5	11	9	8	5	-	2	-	-	-
	F	10	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	2	1	2	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
170	Of breast	68	-	-	-	-	-	-	-	-	-	1	1	-	3	8	11	9	12	6	6	7	2	1	1	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	68	-	-	-	-	-	-	-	-	-	1	1	-	3	8	11	9	12	6	6	7	2	1	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	138	-	-	-	-	-	-	-	-	-	1	1	3	1	7	7	17	11	15	23	21	17	12	1	1	-
	White----M	67	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	3	6	12	18	11	10	1	1	-
	F	68	-	-	-	-	-	-	-	-	-	-	1	3	1	7	7	13	8	7	10	3	6	2	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
180, 181	Of urinary organs	61	1	-	-	-	-	-	1	-	-	1	-	-	-	2	4	7	7	8	8	11	5	6	-	-	-
	White----M	41	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	4	4	6	7	5	5	-	-	-
	F	19	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	2	3	3	2	4	-	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	97	-	1	-	3	1	2	1	-	1	-	1	2	5	5	14	9	9	13	10	9	9	1	1	-	-
	White----M	49	-	1	-	2	-	1	1	-	1	-	-	-	4	3	7	3	6	5	5	3	5	1	1	-	-
	F	41	-	-	-	-	1	-	-	-	-	-	-	2	1	2	6	6	3	6	5	5	4	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	4	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
204	Leukemia and aleukemia	44	-	-	4	1	2	1	2	-	2	1	2	-	2	-	6	1	3	4	5	4	2	2	-	-	-
	White----M	27	-	-	2	-	1	1	2	-	2	-	-	-	1	-	4	1	2	4	4	2	1	-	-	-	-
	F	16	-	-	2	1	1	-	-	-	-	1	2	-	1	-	2	-	1	-	1	2	1	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	34	-	-	-	-	-	-	-	1	-	1	2	-	2	2	4	1	5	9	5	1	1	-	-	-	-
	White----M	21	-	-	-	-	-	-	-	-	-	1	1	-	2	1	3	1	3	4	5	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	5	-	1	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	13	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	2	2	1	-	-	3	-	-	-	-
	White----M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	1	-	-	-	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	119	-	-	-	-	-	-	-	-	1	-	-	3	2	3	2	3	9	19	25	27	18	6	1	-	-
	White----M	52	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	2	1	11	11	12	8	1	-	-	-
	F	64	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	8	8	13	15	8	5	1	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
290-293	Anemias	25	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	2	3	6	5	3	-	-	-
	White----M	16	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	2	2	3	4	1	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	1	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	10	4	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White----M	4	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,920	2	-	1	1	1	2	6	3	6	5	9	24	37	83	119	200	266	398	453	475	440	262	98	26	3
	White----M	1,774	-	-	-	-	-	-	1	2	1	4	3	14	22	57	83	142	169	276	278	280	247	130	55	10	-
	F	1,098	2	-	1	1	1	2	4	1	3	-	5	8	14	26	34	55	95	115	168	187	191	127	40	16	2
	Nonwhite--M	27	-	-	-	-	-	-	1	-	1	-	-	1	1	-	1	-	2	4	4	6	2	3	1	-	-
	F	21	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	3	-	3	3	2	-	2	2	-	1
330-334, 400-468	Diseases of cardiovascular system	2,874	2	-	1	1	1	2	5	1	6	4	8	24	34	82	115	197	258	394	447	470	436	259	98	26	3
	White----M	1,740	-	-	-	-	-	-	1	-	1	3	2	14	20	56	79	139	163	274	275	277	244	127	55	10	-
	F	1,086	2	-	1	1	1	2	3	1	3	-	5	8	13	26	34	55	93	113	165	185	190	127	40	16	2
	Nonwhite--M	27	-	-	-	-	-	-	1	-	1	-	-	1	1	-	1	-	2	4	4	6	2	3	1	-	-
	F	21	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	3	-	3	3	2	-	2	2	-	1
330-334	Vascular lesions, etc.*	708	-	-	-	1	1	-	-	1	-	1	1	1	8	17	17	36	52	99	128	138	107	65	28	6	1
	White----M	374	-	-	-	-	-	-	-	-	-	-	-	1	3	9	5	19	23	64	63	75	59	31	20	2	-
	F	324	-	-	-	1	1	-	-	1	-	-	1	-	4	8	12	17	29	34	63	61	47	33	8	4	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	1	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1
400-402	Rheumatic fever	6	-	-	-	-	-	2	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

325797 O - 55 - 22

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA—Continued																										
410-443	Diseases of heart	1,934	1	-	1	-	-	-	4	-	5	2	6	20	22	61	92	154	194	278	292	294	282	161	50	15	-
	White-----M--	1,239	-	-	-	-	-	-	1	-	-	2	2	12	16	43	70	115	133	197	197	178	156	84	26	7	-
	F--	664	1	-	1	-	-	-	3	-	3	-	3	6	6	18	20	36	59	75	90	111	125	76	23	8	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	2	3	4	4	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	3	-	3	1	1	-	1	1	-	-
410-416	Chronic rheumatic heart disease----	67	-	-	-	-	-	-	1	-	3	-	2	4	6	3	3	10	3	12	7	4	3	4	2	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	8	-	6	3	2	-	-	1	-	-
	F--	39	-	-	-	-	-	-	1	-	2	-	1	3	3	2	2	2	3	6	4	2	3	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,352	-	-	-	-	-	-	1	-	2	2	2	14	13	47	75	117	151	207	209	200	178	97	31	6	-
	White-----M--	918	-	-	-	-	-	-	-	-	-	2	-	10	10	36	61	92	109	151	144	130	102	54	15	2	-
	F--	415	-	-	-	-	-	-	1	-	1	-	1	3	3	11	13	23	41	51	61	68	75	43	16	4	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	3	4	2	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	2	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	241	-	-	-	-	-	-	1	-	-	-	1	1	-	3	4	12	23	20	38	42	49	30	11	6	-
	White-----M--	149	-	-	-	-	-	-	1	-	-	-	1	1	-	3	3	7	14	15	26	23	28	18	5	4	-
	F--	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	9	4	11	17	21	12	5	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-
430-434	Other diseases of heart---------	94	1	-	1	-	-	-	1	-	-	-	1	1	2	1	4	5	5	14	9	15	22	9	1	2	-
	White-----M--	55	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	5	5	8	4	9	16	2	1	-	-
	F--	36	1	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-	6	5	5	6	7	-	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	180	-	-	-	-	-	-	-	-	-	-	-	-	1	7	6	10	12	25	29	33	30	21	5	1	-
	White-----M--	90	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	5	17	20	14	10	10	4	1	-
	F--	87	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	6	6	8	9	19	20	10	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
444-447	Hypertension without mention of heart----------	43	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	3	4	4	10	8	5	3	-	1	-
	White-----M--	26	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	3	4	5	6	2	-	-	1	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	5	2	3	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	144	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	4	6	12	26	40	26	19	3	2
	White-----M--	76	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	5	7	16	26	9	8	-	-
	F--	62	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	1	5	9	14	14	9	3	2
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
451-468	Other diseases of circulatory sys.-	39	1	-	-	-	-	-	-	-	-	-	-	1	3	1	4	2	4	6	5	4	2	4	1	1	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	3	4	3	2	1	3	1	-	-
	F--	15	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	2	2	2	1	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	46	-	-	-	-	-	-	1	2	-	1	1	-	3	1	4	3	8	4	6	5	4	3	-	-	-
	White-----M--	34	-	-	-	-	-	-	-	2	-	1	1	-	2	1	4	3	6	2	3	3	3	3	-	-	-
	F--	12	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	2	3	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	146	27	3	2	-	2	-	1	-	2	1	1	3	3	4	3	2	1	6	19	22	18	19	6	1	-
	White-----M--	73	14	1	1	-	1	-	1	-	1	1	-	1	-	3	2	1	1	1	14	8	8	11	2	1	-
	F--	57	3	1	1	-	1	-	-	-	1	-	1	2	2	1	1	1	-	2	5	13	10	8	4	-	-
	Nonwhite--M--	12	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	1	-	-	-	-	-
	F--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	23	1	-	-	-	1	-	-	-	1	-	1	-	-	2	-	1	-	2	4	3	1	5	1	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	2	2	1	4	-	-	-
	F--	10	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	1	2	1	-	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	123	26	3	2	-	1	-	1	-	1	1	-	3	3	2	3	1	1	4	15	19	17	14	5	1	-
	White-----M--	61	14	1	1	-	1	-	1	-	-	1	-	1	-	2	2	-	1	1	12	6	7	7	2	1	-
	F--	47	2	1	1	-	-	-	-	-	1	-	-	2	2	-	1	1	-	1	3	12	10	7	3	-	-
	Nonwhite--M--	11	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-
	F--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	10	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	White-----M--	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	F--	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	22	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	-	5	2	2	2	-	1	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	3	2	2	2	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	14	-	1	-	-	1	-	1	1	-	1	-	-	1	1	-	-	3	-	3	-	1	-	-	-	-
	White-----M--	9	-	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-	2	-	2	-	1	-	-	-	-
	F--	5	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	48	5	1	-	-	-	-	1	1	-	-	-	-	-	-	-	3	3	6	8	10	6	3	1	-	-
	White-----M--	28	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	2	3	6	5	3	-	1	-	-
	F--	18	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	3	3	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA—Continued																										
543,	Gastritis, etc.*--	36	19	5	-	1	-	-	-	-	-	-	1	-	-	1	-	-	2	2	1	1	2	1	-	-	-
571,	White-----M--	16	6	2	-	1	-	-	-	-	-	-	1	-	-	1	-	-	2	1	1	-	-	1	-	-	-
572	F--	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
	Nonwhite--M--	11	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
581	Cirrhosis of liver	42	-	-	-	-	-	-	-	-	-	1	1	1	1	3	3	3	6	7	10	3	1	-	1	1	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	2	5	4	4	2	1	-	1	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	3	3	1	-	-	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	13	-	-	-	-	-	1	1	-	-	-	1	1	1	1	-	2	1	-	2	2	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	2	1	-	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	7	8	7	2	2	1	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	7	8	7	2	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	12	...	...	...	...	...	...	-	-	2	2	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	9	...	...	...	...	...	...	-	-	2	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	3	...	...	...	...	...	...	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	9	...	...	...	...	...	...	-	-	2	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	7	...	...	...	...	...	...	-	-	2	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	115	79	12	3	2	-	3	1	1	-	4	-	2	2	1	1	2	-	2	-	-	-	-	-	-	-
	White-----M--	66	47	5	2	2	-	1	1	1	-	2	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-
	F--	46	29	7	1	-	-	2	-	-	-	2	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	303	303	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	156	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	161	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	114	11	1	-	-	1	-	1	3	-	3	1	-	1	3	4	5	3	6	14	9	15	13	15	4	1
795	White-----M--	44	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	3	5	6	5	8	4	3	1	1
	F--	26	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	3	6	11	2	-
	Nonwhite--M--	28	7	1	-	-	1	-	1	2	-	1	1	-	-	1	2	-	-	-	4	3	2	1	1	-	-
	F--	16	3	-	-	-	-	-	-	1	-	1	-	-	-	1	2	-	-	-	2	1	2	2	-	1	-
Re-	All other diseases	274	20	-	2	2	-	3	2	4	2	2	4	7	6	8	18	33	27	37	30	35	10	12	7	1	2
sid-	White-----M--	159	12	-	1	1	-	2	1	3	2	-	1	4	5	4	9	20	15	22	19	20	4	8	3	1	2
ual	F--	109	7	-	1	1	-	1	1	1	-	2	3	3	1	4	7	13	11	14	10	15	6	4	4	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
E800-	Accidents---------	454	15	7	7	6	5	16	9	47	35	28	20	27	21	23	24	18	21	23	17	26	23	23	12	1	-
E962	White-----M--	286	10	2	5	5	3	5	6	30	25	22	15	14	17	16	16	12	19	20	8	10	10	9	6	1	-
	F--	131	3	4	2	-	2	10	1	12	7	3	2	9	2	5	5	5	2	3	7	15	13	14	5	-	-
	Nonwhite--M--	28	1	-	-	-	-	1	2	4	3	3	3	4	-	1	2	1	-	-	2	-	-	-	1	-	-
	F--	9	1	1	-	1	-	-	-	1	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	174	2	1	2	4	2	5	3	29	19	16	10	13	11	11	13	10	7	8	3	2	2	-	1	-	-
	White-----M--	107	2	-	1	3	1	1	2	16	13	10	10	5	9	5	7	5	6	7	2	1	1	-	-	-	-
	F--	44	-	1	1	-	1	4	-	9	4	3	-	5	-	5	3	4	1	1	1	-	1	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	1	3	2	3	-	3	-	-	2	1	-	-	-	-	-	-	1	-	-
	F--	7	-	-	-	1	-	-	-	1	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-	-	-
E800-	All ot. accidents-	280	13	6	5	2	3	11	6	18	16	12	10	14	10	12	11	8	14	15	14	24	21	23	11	1	-
E802,	White-----M--	179	8	2	4	2	2	4	4	14	12	12	5	9	8	11	9	7	13	13	6	9	9	9	6	1	-
E840-	F--	87	3	3	1	-	1	6	1	3	3	-	2	4	2	-	2	1	1	2	6	15	12	14	5	-	-
E962	Nonwhite--M--	12	1	-	-	-	-	1	1	1	1	-	3	1	-	1	-	-	-	-	2	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	61	-	-	-	-	-	-	-	1	3	1	-	8	5	8	9	5	10	4	3	2	1	-	1	-	-
E970-	White-----M--	46	-	-	-	-	-	-	-	1	2	-	-	6	3	7	7	2	9	3	3	2	1	-	-	-	-
E979	F--	14	-	-	-	-	-	-	-	-	-	1	-	2	2	1	2	3	1	1	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	15	-	-	-	-	-	-	-	2	2	2	-	1	-	1	1	2	1	1	1	1	-	-	-	-	-
E980-	White-----M--	8	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-
E985	F--	4	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE																										
	ALL CAUSES--------	29,494	2,742	224	122	88	76	226	156	282	414	466	568	756	1,058	1,318	1,671	2,053	2,499	3,102	3,465	3,426	2,657	1,400	540	140	45
	White-----M--	13,124	1,188	79	51	44	31	101	82	149	214	211	230	307	437	561	696	915	1,159	1,397	1,657	1,557	1,214	578	218	42	6
	F--	9,571	843	78	46	26	32	72	38	69	85	117	141	201	261	319	386	501	665	970	1,209	1,390	1,138	647	264	67	6
	Nonwhite--M--	3,566	389	38	13	6	5	37	18	35	62	77	93	132	171	215	282	348	361	379	325	250	183	94	27	15	11
	F--	3,233	322	29	12	12	8	16	18	29	53	61	104	116	189	223	307	289	314	356	274	229	122	81	31	16	22
001-019	Tuberculosis, all forms--------	883	6	13	14	4	6	6	1	18	34	49	44	70	74	66	69	64	73	83	84	59	32	9	4	-	1
	White-----M--	370	2	7	9	1	4	2	-	2	5	12	13	26	34	29	27	36	41	38	39	25	13	3	2	-	-
	F--	288	3	3	3	2	1	-	1	4	8	16	13	24	17	19	17	18	20	31	34	30	19	5	-	-	-
	Nonwhite--M--	130	1	1	2	-	-	3	-	4	8	11	10	12	11	10	17	6	11	9	7	3	-	1	2	-	1
	F--	95	-	2	-	1	1	1	-	8	13	10	8	8	12	8	8	4	1	5	4	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	796	3	5	2	-	1	3	-	15	31	46	41	66	66	61	64	61	69	81	84	55	29	8	4	-	1
	White-----M--	333	1	2	1	-	-	-	-	2	5	12	13	25	31	28	24	36	39	37	39	23	11	2	2	-	-
	F--	264	1	2	-	-	-	-	-	3	7	15	13	22	15	17	17	17	18	31	34	29	18	5	-	-	-
	Nonwhite--M--	118	1	1	1	-	-	2	-	3	6	11	8	12	9	8	17	6	11	8	7	3	-	1	2	-	1
	F--	81	-	-	-	-	1	1	-	7	13	8	7	7	11	8	6	2	1	5	4	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	87	3	8	12	4	5	3	1	3	3	3	3	4	8	5	5	3	4	2	-	4	3	1	-	-	-
	White-----M--	37	1	5	8	1	4	2	-	-	-	-	-	1	3	1	3	-	2	1	-	2	2	1	-	-	-
	F--	24	2	1	3	2	1	-	1	1	1	1	-	2	2	2	-	1	2	-	-	1	1	-	-	-	-
	Nonwhite--M--	12	-	-	1	-	-	1	-	1	2	-	2	-	2	2	-	-	-	1	-	-	-	-	-	-	-
	F--	14	-	2	-	1	-	-	-	1	-	2	1	1	1	-	2	2	-	-	-	1	-	-	-	-	-
020-029	Syphilis and its sequelae---------	112	-	-	-	-	-	-	-	1	-	-	-	3	6	16	16	21	17	15	10	4	1	1	-	1	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	-	-	1	3	6	3	6	6	5	2	1	-	1	-	1	-
	F--	7	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	49	-	-	-	-	-	-	-	-	-	-	-	1	1	6	7	11	4	9	8	2	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	2	5	1	-	1	1	-	-	-	-
040	Typhoid fever-----	4	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
045-048	Dysentery, all forms--------	28	19	-	1	1	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1	1	1	-	-
	White-----M--	9	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	F--	7	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	4	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	7	-	2	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	6	-	2	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	8	1	2	-	-	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	20	17	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	39	13	4	4	2	2	9	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-
	White-----M--	16	7	3	1	1	-	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	21	6	1	2	1	2	6	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	30	2	3	5	1	3	8	-	4	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	21	1	1	4	1	2	6	-	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	2	1	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	39	8	6	2	3	4	5	-	1	1	3	1	1	-	-	-	-	-	1	1	-	2	-	-	-	-
	White-----M--	17	5	2	1	-	1	3	-	-	-	1	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	13	2	2	1	1	1	2	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	4	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	84	11	5	2	1	3	6	-	2	2	3	4	2	5	6	5	5	1	7	6	3	3	1	1	-	-
	White-----M--	38	5	3	2	-	-	2	-	1	-	2	-	-	3	3	3	3	1	2	4	1	2	1	-	-	-
	F--	25	5	-	-	1	3	1	-	1	1	1	2	-	1	1	-	-	-	3	2	1	1	-	1	-	-
	Nonwhite--M--	15	1	2	-	-	-	3	-	-	1	-	-	2	-	1	2	2	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	1	-	1	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE—Con.																										
140-205	Malignant neoplasms, etc.*	3,604	8	1	8	11	9	22	10	21	31	36	69	107	162	247	323	399	423	474	443	409	251	110	26	4	-
	White—M	1,489	3	1	3	7	5	8	5	14	16	11	19	32	53	78	101	141	187	201	216	203	121	51	13	-	-
	F	1,528	5	-	2	4	4	11	3	5	12	17	32	50	74	115	153	165	159	200	177	165	109	52	12	2	-
	Nonwhite—M	273	-	-	2	-	-	2	1	2	2	3	4	7	10	17	30	46	46	36	28	16	13	6	1	1	-
	F	314	-	-	1	-	-	1	1	-	1	5	14	18	25	37	39	47	31	37	22	25	8	1	-	1	-
140-148	Of buccal cavity and pharynx	89	-	-	-	1	-	1	-	-	-	-	-	2	2	8	7	8	7	21	5	15	9	1	2	-	-
	White—M	54	-	-	-	1	-	-	-	-	-	-	-	2	1	4	3	5	5	14	5	8	6	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	4	-	6	2	1	2	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	-	1	1	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,190	1	-	-	1	-	-	-	1	5	2	13	20	29	62	86	136	156	177	174	168	102	42	14	1	-
	White—M	520	1	-	-	1	-	-	-	-	3	1	5	12	14	20	29	57	69	68	88	84	44	16	8	-	-
	F	472	-	-	-	-	-	-	-	1	1	1	6	5	6	22	35	38	56	81	65	71	52	25	6	1	-
	Nonwhite—M	112	-	-	-	-	-	-	-	-	1	-	1	3	4	7	16	24	15	16	12	7	5	1	-	-	-
	F	86	-	-	-	-	-	-	-	-	-	-	1	-	5	13	6	17	16	12	9	6	1	-	-	-	-
160-164	Of respiratory system	329	1	-	-	-	-	1	-	1	-	2	1	6	17	32	32	61	55	40	40	22	15	3	-	-	-
	White—M	228	-	-	-	-	-	-	-	1	-	1	1	3	14	25	21	39	46	28	26	14	8	1	-	-	-
	F	62	1	-	-	-	-	1	-	-	-	-	-	3	2	3	4	8	6	9	11	7	5	2	-	-	-
	Nonwhite—M	27	-	-	-	-	-	-	-	-	-	1	-	-	-	3	6	11	2	1	2	-	1	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	2	1	1	1	-	-	-	-
170	Of breast	315	-	-	-	-	-	-	-	-	-	4	5	13	31	28	37	41	39	43	27	28	14	4	1	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	265	-	-	-	-	-	-	-	-	-	3	2	9	26	26	32	33	33	39	25	19	13	4	1	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	1	2	3	5	2	4	8	5	4	-	9	1	-	-	-	-
171-179	Of genital organs	723	-	-	-	1	-	1	-	-	6	10	21	31	47	63	79	71	64	94	74	81	45	28	5	2	-
	White—M	222	-	-	-	-	-	-	-	-	3	-	1	2	3	3	5	6	21	37	36	54	31	17	3	-	-
	F	329	-	-	-	1	-	1	-	-	3	6	10	16	32	41	51	48	30	32	28	16	7	6	1	-	-
	Nonwhite—M	50	-	-	-	-	-	-	-	-	-	1	-	2	-	2	3	4	9	11	4	4	4	4	1	1	-
	F	122	-	-	-	-	-	-	-	-	-	3	10	11	12	17	20	13	4	14	6	7	3	1	-	1	-
180, 181	Of urinary organs	156	-	-	1	1	1	2	-	-	-	-	-	1	4	6	10	14	22	24	28	27	13	1	1	-	-
	White—M	74	-	-	-	1	-	-	-	-	-	-	-	-	2	2	7	6	8	11	14	13	8	1	1	-	-
	F	58	-	-	1	-	1	1	-	-	-	-	-	1	-	2	1	5	6	10	14	12	4	-	-	-	-
	Nonwhite—M	19	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	2	8	2	-	2	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	491	3	-	4	4	3	9	4	10	7	9	19	20	17	29	45	41	48	40	64	47	39	25	3	1	-
	White—M	218	1	-	1	3	2	4	1	6	5	3	7	8	8	12	20	15	22	24	25	17	21	12	1	-	-
	F	211	2	-	1	1	1	4	1	3	2	4	10	10	5	15	19	20	17	13	25	26	17	12	2	1	-
	Nonwhite—M	33	-	-	1	-	-	1	1	1	-	1	1	-	3	1	2	4	5	1	8	2	-	1	-	-	-
	F	29	-	-	1	-	-	-	1	-	-	1	1	2	1	1	4	2	4	2	6	2	1	-	-	-	-
204	Leukemia and aleukemia	159	2	1	2	2	3	6	5	3	6	3	7	8	6	9	14	11	11	17	16	11	12	4	-	-	-
	White—M	72	-	1	1	-	1	2	3	2	2	2	3	3	3	5	8	5	6	10	7	5	1	2	-	-	-
	F	71	2	-	-	2	2	4	2	-	3	1	3	4	3	1	5	6	3	5	8	6	9	2	-	-	-
	Nonwhite—M	10	-	-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	2	2	1	-	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	-	-	1	-	-	-	-
200-203, 205	Lymphomas, etc.*	152	1	-	1	1	2	2	1	6	7	6	3	6	9	10	13	16	21	18	15	10	2	2	-	-	-
	White—M	99	1	-	1	1	2	2	1	5	3	4	2	2	8	7	7	8	10	9	14	8	2	2	-	-	-
	F	39	-	-	-	-	-	-	-	1	3	2	1	2	-	2	4	7	7	7	1	2	-	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	3	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	112	1	4	2	-	1	6	5	2	3	3	3	10	18	10	7	5	6	9	4	7	3	1	-	2	-
	White—M	19	1	1	-	-	1	3	1	-	-	2	-	-	1	2	-	1	2	-	-	2	-	-	-	2	-
	F	52	-	1	1	-	-	2	1	-	1	-	1	5	8	6	4	3	2	6	4	4	2	1	-	-	-
	Nonwhite—M	10	-	2	1	-	-	-	-	1	-	1	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-
	F	31	-	-	-	-	-	1	3	1	2	-	2	3	8	1	3	1	2	2	-	1	1	-	-	-	-
260	Diabetes mellitus	294	-	-	-	-	-	2	-	5	6	4	4	3	8	13	22	26	33	45	46	47	18	11	-	1	-
	White—M	101	-	-	-	-	-	-	-	4	2	1	2	2	2	3	5	8	9	16	16	20	9	2	-	-	-
	F	113	-	-	-	-	-	2	-	-	3	2	1	-	3	2	5	7	14	17	21	22	6	7	-	1	-
	Nonwhite—M	24	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	2	4	5	5	1	1	-	-	-
	F	56	-	-	-	-	-	-	-	1	-	1	1	1	3	7	10	9	8	8	4	-	2	1	-	-	-
290-293	Anemias	73	6	2	1	-	-	3	1	-	3	-	-	4	1	2	2	2	3	13	16	9	2	3	-	-	-
	White—M	33	3	-	-	-	-	-	-	-	2	-	-	1	1	1	-	2	2	8	6	4	1	2	-	-	-
	F	21	1	-	-	-	-	1	1	-	1	-	-	1	-	-	1	-	1	2	5	5	1	1	-	-	-
	Nonwhite—M	14	2	1	-	-	-	2	-	-	-	-	-	1	-	1	1	-	-	3	3	-	-	-	-	-	-
	F	5	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	64	20	14	-	1	-	4	1	3	3	1	1	2	2	2	5	2	-	-	1	2	-	-	-	-	-
	White—M	25	11	5	-	1	-	-	-	-	2	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-
	F	14	4	3	-	-	-	3	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	13	2	5	-	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F	12	3	1	-	-	-	-	-	1	-	-	1	1	-	1	2	-	-	-	1	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	14,138	19	6	1	3	5	10	20	25	38	67	120	182	380	526	780	1,042	1,428	1,850	2,244	2,225	1,803	914	346	82	22
	White—M	6,440	9	1	1	-	2	3	6	11	14	21	57	77	152	234	356	489	657	863	1,096	1,012	828	383	138	25	5
	F	4,630	6	2	-	2	2	3	8	6	10	22	17	35	72	103	131	206	365	550	781	910	781	416	164	36	2
	Nonwhite—M	1,539	2	-	-	-	1	4	2	3	8	8	9	30	76	82	140	187	210	212	185	163	123	59	19	10	6
	F	1,529	2	3	-	1	-	-	4	5	6	16	37	40	80	107	153	160	196	225	182	140	71	56	25	11	9
330-334, 400-468	Diseases of cardiovascular system	13,606	18	6	-	3	3	8	17	22	30	48	103	168	363	499	737	1,012	1,390	1,794	2,181	2,147	1,749	880	330	78	20
	White—M	6,220	8	1	-	-	1	3	5	10	10	15	48	71	148	226	339	479	643	841	1,068	974	801	365	134	25	5
	F	4,465	6	2	-	2	1	1	6	6	7	13	14	32	68	94	121	199	357	530	758	890	759	405	158	34	2
	Nonwhite—M	1,476	2	-	-	-	1	4	2	2	7	7	9	29	74	76	134	183	202	202	178	154	121	57	17	9	6
	F	1,445	2	3	-	1	-	-	4	4	6	13	32	36	73	103	143	151	188	221	177	129	68	53	21	10	7
330-334	Vascular lesions, etc.*	3,675	2	2	-	2	1	1	3	2	5	9	15	31	73	103	171	275	338	479	589	656	556	233	102	19	8
	White—M	1,411	1	-	-	-	1	1	2	1	1	1	5	8	16	23	51	95	112	178	259	269	251	89	37	8	2
	F	1,343	1	-	-	1	-	-	-	1	-	5	4	6	16	27	35	66	98	166	212	288	240	117	52	8	-
	Nonwhite—M	442	-	-	-	-	-	-	-	-	1	3	1	9	18	20	42	60	69	55	54	56	37	13	2	1	1
	F	479	-	2	-	1	-	-	1	-	3	-	5	8	23	33	43	54	59	80	64	43	28	14	11	2	5
400-402	Rheumatic fever	36	1	1	-	-	-	6	9	4	1	2	2	-	1	2	1	-	-	2	1	1	-	-	2	-	-
	White—M	15	-	1	-	-	-	2	2	1	-	2	1	-	-	2	-	-	-	1	-	1	-	-	2	-	-
	F	10	1	-	-	-	-	1	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	3	1	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE—Con.																										
410-443	Diseases of heart-	9,051	12	2	-	1	2	1	5	15	22	32	73	121	259	360	521	701	998	1,229	1,472	1,360	1,064	558	188	44	11
	White-----M--	4,457	5	-	-	-	-	-	1	7	9	11	37	61	124	189	277	370	509	626	756	657	489	236	79	12	2
	F--	2,821	4	1	-	1	1	-	2	3	6	7	8	22	42	61	78	123	251	339	502	541	468	250	89	20	2
	Nonwhite--M--	919	2	-	-	-	1	1	1	1	5	3	6	14	48	46	80	116	123	136	114	86	76	38	12	5	5
	F--	854	1	1	-	-	-	-	1	4	2	11	22	24	45	64	86	92	115	128	100	76	31	34	8	7	2
410-416	Chronic rheumatic heart disease----	300	-	-	-	-	-	1	3	9	8	9	9	18	24	21	23	28	30	27	33	18	20	14	4	1	-
	White-----M--	133	-	-	-	-	-	-	-	6	4	3	4	7	10	8	11	11	13	11	15	8	10	9	2	1	-
	F--	92	-	-	-	-	-	-	2	2	3	2	2	8	9	8	4	7	8	8	11	5	7	4	2	-	-
	Nonwhite--M--	35	-	-	-	-	-	1	1	-	1	1	-	-	3	2	6	6	4	3	2	1	3	1	-	-	-
	F--	40	-	-	-	-	-	-	-	1	-	3	3	3	2	3	2	4	5	5	5	4	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,672	1	-	-	-	-	-	-	-	4	5	33	50	130	207	300	400	562	705	771	694	473	251	69	14	3
	White-----M--	2,757	-	-	-	-	-	-	-	-	2	3	26	39	85	142	209	276	347	425	439	387	233	109	29	5	1
	F--	1,399	-	-	-	-	-	-	-	-	1	2	1	5	14	29	38	59	141	205	278	261	211	114	34	6	-
	Nonwhite--M--	299	1	-	-	-	-	-	-	-	-	-	2	5	16	15	32	40	39	42	36	28	23	12	5	2	1
	F--	217	-	-	-	-	-	-	-	-	1	-	4	1	15	21	21	25	35	33	18	18	6	16	1	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,446	3	-	-	1	-	-	1	3	3	3	5	13	23	24	52	75	112	160	245	259	238	129	73	18	6
	White-----M--	574	2	-	-	-	-	-	1	-	-	1	1	5	9	8	18	29	37	62	109	103	104	47	32	5	1
	F--	518	1	-	-	1	-	-	-	1	1	-	1	1	5	2	9	14	33	37	75	122	105	64	34	10	2
	Nonwhite--M--	178	-	-	-	-	-	-	-	-	1	-	-	4	4	5	7	17	20	32	32	19	22	8	3	2	2
	F--	176	-	-	-	-	-	-	-	2	1	2	3	3	5	9	18	15	22	29	29	15	7	10	4	1	1
430-434	Other diseases of heart---------	717	8	2	-	-	2	-	1	3	6	7	12	18	37	40	48	51	93	93	98	82	62	37	12	4	1
	White-----M--	308	3	-	-	-	-	-	-	1	2	4	2	4	14	13	17	16	42	49	49	42	23	21	5	1	-
	F--	175	3	1	-	-	1	-	-	-	1	-	2	4	7	7	7	17	14	15	25	27	28	10	6	-	-
	Nonwhite--M--	128	1	-	-	-	1	-	-	1	3	1	2	4	11	12	16	8	20	13	13	6	9	4	1	1	1
	F--	106	1	1	-	-	-	-	1	1	-	2	6	6	5	8	8	10	17	16	11	7	2	2	-	2	-
440-443	Hypertension with heart dis.--	1,916	-	-	-	-	-	-	-	-	1	8	14	22	45	68	98	147	201	244	325	307	271	127	30	7	1
	White-----M--	665	-	-	-	-	-	-	-	-	1	-	4	6	6	18	22	38	70	79	144	117	119	50	11	-	-
	F--	637	-	-	-	-	-	-	-	-	-	3	2	4	7	15	20	26	55	74	113	126	117	58	13	4	-
	Nonwhite--M--	279	-	-	-	-	-	-	-	-	-	1	2	1	14	12	19	45	40	46	31	32	19	13	3	-	1
	F--	315	-	-	-	-	-	-	-	-	-	4	6	11	18	23	37	38	36	45	37	32	16	6	3	3	-
444-447	Hypertension without mention of heart----------	295	-	-	-	-	-	-	-	-	2	3	9	10	23	22	26	24	19	29	38	36	33	17	2	1	1
	White-----M--	96	-	-	-	-	-	-	-	-	-	1	4	-	7	4	5	8	5	12	16	12	14	6	1	-	1
	F--	81	-	-	-	-	-	-	-	-	-	-	1	2	6	4	4	6	1	6	11	17	15	7	-	1	-
	Nonwhite--M--	59	-	-	-	-	-	-	-	-	1	-	-	5	5	8	8	6	7	4	6	3	4	1	1	-	-
	F--	59	-	-	-	-	-	-	-	-	1	2	4	3	5	6	9	4	6	7	5	4	-	3	-	-	-
450	General arteriosclerosis--------	378	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	6	13	35	55	76	80	67	30	10	-
	White-----M--	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	14	28	28	38	32	11	5	-
	F--	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	13	17	35	31	30	15	2	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	2	4	3	8	3	4	2	2	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	7	5	8	1	2	1	-
451-468	Other diseases of circulatory sys.-	171	3	1	-	-	-	-	-	1	-	1	3	6	6	12	15	6	22	20	26	18	16	5	6	4	-
	White-----M--	75	2	-	-	-	-	-	-	1	-	-	1	2	1	8	4	3	12	10	9	7	9	2	4	-	-
	F--	62	-	1	-	-	-	-	-	-	-	1	1	2	4	2	3	2	4	6	16	9	5	1	2	3	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	1	3	-	1	1	1	-	1	-
	F--	19	1	-	-	-	-	-	-	-	-	-	1	1	-	-	5	1	5	1	1	1	1	1	-	-	-
592-594	Chronic nephritis, etc.*----------	532	1	-	1	-	2	2	3	3	8	19	17	14	17	27	43	30	38	56	63	78	54	34	16	4	2
	White-----M--	220	1	-	1	-	1	-	1	1	4	6	9	6	4	8	17	10	14	22	28	38	27	18	4	-	-
	F--	165	-	-	-	-	1	2	2	-	3	9	3	3	4	9	10	7	8	20	23	20	22	11	6	2	-
	Nonwhite--M--	63	-	-	-	-	-	-	-	1	1	1	-	1	2	6	6	4	8	10	7	9	2	2	2	1	-
	F--	84	-	-	-	-	-	-	-	1	-	3	5	4	7	4	10	9	8	4	5	11	3	3	4	1	2
480-493	Influenza and pneumonia, etc.*-	1,164	202	43	9	7	6	15	13	9	12	15	10	19	28	28	33	35	48	83	112	150	136	96	42	11	2
	White-----M--	465	78	18	4	4	3	10	4	5	6	6	3	9	9	11	11	12	21	28	44	63	57	44	11	4	-
	F--	426	64	16	5	1	2	3	3	3	3	3	3	3	8	4	4	9	11	28	42	66	63	45	29	6	2
	Nonwhite--M--	148	32	7	-	1	1	1	2	1	2	4	1	4	7	8	10	8	6	10	15	14	8	3	2	1	-
	F--	125	28	2	-	1	-	1	4	-	1	2	3	3	4	5	8	6	10	17	11	7	8	4	-	-	-
480-483	Influenza---------	227	26	6	-	3	1	2	5	1	2	5	3	2	5	8	5	8	14	20	27	29	28	17	8	2	-
	White-----M--	76	14	2	-	2	1	2	2	-	1	2	2	1	2	2	1	2	5	4	6	11	5	7	1	1	-
	F--	79	6	1	-	1	-	-	2	1	1	1	1	-	1	3	1	4	4	3	6	13	16	9	5	-	-
	Nonwhite--M--	37	5	2	-	-	-	-	-	-	-	2	-	-	-	2	2	1	2	4	8	2	4	-	2	1	-
	F--	35	1	1	-	-	-	-	1	-	-	-	-	1	2	1	1	1	3	9	7	3	3	1	-	-	-
490-493	Pneumonia, etc.*--	937	176	37	9	4	5	13	8	8	10	10	7	17	23	20	28	27	34	63	85	121	108	79	34	9	2
	White-----M--	389	64	16	4	2	2	8	2	5	5	4	1	8	7	9	10	10	16	24	38	52	52	37	10	3	-
	F--	347	58	15	5	-	2	3	1	2	2	2	2	3	7	1	3	5	7	25	36	53	47	36	24	6	2
	Nonwhite--M--	111	27	5	-	1	1	1	2	1	2	2	1	4	7	6	8	7	4	6	7	12	4	3	-	-	-
	F--	90	27	1	-	1	-	1	3	-	1	2	3	2	2	4	7	5	7	8	4	4	5	3	-	-	-
500-502	Bronchitis--------	56	17	2	4	1	1	1	1	-	1	-	-	-	-	1	-	4	1	3	3	7	5	4	-	-	-
	White-----M--	23	6	1	1	1	-	-	1	-	1	-	-	-	-	-	-	3	1	1	2	2	2	1	-	-	-
	F--	19	7	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	-	-	-
	Nonwhite--M--	8	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-
	F--	6	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
540, 541	Ulcer of stomach and duodenum-----	155	-	1	-	-	-	-	-	-	2	1	3	2	13	14	21	19	15	9	22	17	11	2	2	1	-
	White-----M--	112	-	-	-	-	-	-	-	-	1	1	2	2	10	13	16	13	10	5	17	12	7	-	2	1	-
	F--	24	-	-	-	-	-	-	-	-	1	-	1	-	2	-	3	2	3	2	3	3	2	2	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	2	2	1	-	-	-	-
	F--	6	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	1	-	-	-	-
550-553	Appendicitis------	57	1	-	2	1	-	7	2	-	2	-	-	6	1	5	5	3	4	4	5	4	4	1	-	-	-
	White-----M--	22	1	-	-	-	-	3	-	-	1	-	-	3	1	2	3	1	1	1	3	1	1	-	-	-	-
	F--	18	-	-	1	-	-	3	1	-	1	-	-	-	-	1	2	-	1	1	2	2	2	1	-	-	-
	Nonwhite--M--	8	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	1	2	-	-	-	1	-	-	-	-
	F--	9	-	-	-	1	-	-	-	-	-	-	-	2	-	2	-	1	-	2	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	152	26	1	2	-	1	-	-	-	-	3	3	3	9	3	5	17	11	16	15	17	12	6	2	-	-
	White-----M--	71	14	-	1	-	1	-	-	-	-	-	2	1	3	-	1	8	5	7	11	6	6	3	2	-	-
	F--	53	8	-	1	-	-	-	-	-	-	-	1	-	4	-	4	6	1	7	4	9	5	3	-	-	-
	Nonwhite--M--	15	4	-	-	-	-	-	-	-	-	1	-	1	-	3	-	-	2	1	-	2	1	-	-	-	-
	F--	13	-	1	-	-	-	-	-	-	-	2	-	1	2	-	-	3	3	1	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE—Con.																										
543, 571, 572	Gastritis, etc.*	217	132	17	2	1	1	1	3	-	-	1	-	3	5	2	6	4	5	7	6	8	5	5	3	-	-
	White—M	78	54	5	1	1	-	1	2	-	-	1	-	-	1	-	2	1	1	1	-	3	-	2	2	-	-
	F	68	41	5	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	3	2	5	4	3	1	-	-
	Nonwhite—M	33	19	2	-	-	1	-	1	-	-	-	-	1	1	2	1	1	1	1	1	-	1	-	-	-	-
	F	38	18	5	1	-	-	-	-	-	-	-	-	-	3	-	2	2	2	2	3	-	-	-	-	-	-
581	Cirrhosis of liver	212	-	-	-	-	-	-	3	1	1	2	7	12	22	20	20	41	28	22	13	9	10	1	-	-	-
	White—M	121	-	-	-	-	-	-	2	1	-	-	4	6	12	11	11	27	19	11	8	4	5	-	-	-	-
	F	55	-	-	-	-	-	-	-	-	-	2	3	3	8	5	2	8	5	8	3	4	3	1	-	-	-
	Nonwhite—M	24	-	-	-	-	-	-	1	-	1	-	-	2	-	3	3	5	3	2	1	1	2	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	1	1	1	1	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	79	2	-	1	3	1	1	-	3	-	5	4	7	2	4	4	4	8	10	9	4	4	1	1	-	1
	White—M	30	2	-	-	2	-	1	-	1	-	3	3	-	-	1	1	1	3	4	4	2	1	-	1	-	-
	F	24	-	-	-	1	1	-	-	1	-	2	1	4	2	2	-	1	1	2	3	1	1	1	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	4	1	-	1	-	-	-	-
	F	14	-	-	1	-	-	-	-	1	-	-	-	2	-	-	2	2	2	-	1	1	1	-	-	-	1
610	Hyperplasia of prostate	131	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4	19	24	19	26	20	11	1	-
	White—M	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	15	19	17	21	17	11	1	-
	Nonwhite—M	26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	5	2	5	3	-	-	-
640-689	Complications of pregnancy, etc.*	90	...	...	...	...	...	...	-	9	12	15	19	21	14	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	58	...	...	...	...	...	...	-	8	5	10	10	15	10	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	32	...	...	...	...	...	...	-	1	7	5	9	6	4	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	9	...	...	...	...	...	...	-	1	1	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	...	...	...	...	...	...	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	...	...	...	...	...	...	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	81	...	...	...	...	...	...	-	8	11	13	16	21	12	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	53	...	...	...	...	...	...	-	7	5	8	9	15	9	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	28	...	...	...	...	...	...	-	1	6	5	7	6	3	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	375	274	20	11	9	1	12	7	2	5	4	4	6	4	4	4	2	2	2	-	1	1	-	-	-	-
	White—M	178	136	5	5	4	-	7	1	2	4	1	2	3	1	2	-	1	1	2	-	1	-	-	-	-	-
	F	148	108	12	5	4	1	4	3	-	-	3	-	2	1	1	2	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	25	17	1	-	1	-	-	2	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	13	2	1	-	-	1	1	-	-	-	-	1	1	1	2	-	-	-	-	-	1	-	-	-	-
760-776	Certain diseases of early infancy	1,493	1,493	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	686	686	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	447	447	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	543	543	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	280	280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	850	850	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	373	373	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	262	262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	1,900	304	21	5	4	2	13	12	11	13	16	36	46	65	91	130	124	143	178	169	172	153	105	52	21	14
	White—M	623	85	7	1	3	-	3	3	3	4	4	9	14	18	24	36	43	58	69	65	57	67	28	17	4	1
	F	449	81	3	2	-	1	4	4	3	2	3	6	12	6	12	11	17	15	30	39	59	50	49	28	11	1
	Nonwhite—M	422	73	7	1	-	-	4	3	3	-	3	7	10	21	28	39	33	38	42	40	27	19	15	3	3	3
	F	406	65	4	1	1	1	2	2	2	7	6	14	10	20	27	44	31	32	37	25	29	17	13	4	3	9
Residual	All other diseases	1,367	75	14	17	12	5	16	9	19	22	21	34	51	61	89	87	100	135	139	134	139	95	57	24	8	4
	White—M	609	36	5	7	7	3	9	6	10	14	10	12	20	26	39	37	45	66	55	62	66	40	22	9	3	-
	F	472	20	8	9	4	1	4	3	5	5	5	14	17	15	23	21	29	41	54	51	54	44	26	14	4	1
	Nonwhite—M	151	9	-	1	-	-	2	-	3	2	2	4	9	11	14	13	15	14	20	13	7	6	5	-	-	1
	F	135	10	1	-	1	1	1	-	1	1	4	4	5	9	13	16	11	14	10	8	12	5	4	1	1	2
E800-E962	Accidents	1,976	85	42	28	23	23	72	63	133	180	137	130	125	128	119	93	94	77	85	82	98	74	51	25	8	1
	White—M	1,109	32	11	9	11	8	33	47	89	130	106	80	81	78	71	60	49	41	45	32	41	27	18	9	1	-
	F	495	27	18	11	5	11	20	9	28	27	17	21	17	21	18	15	21	17	19	31	48	41	31	15	7	-
	Nonwhite—M	242	14	8	4	4	-	11	5	10	16	11	22	23	20	22	11	18	14	15	10	2	1	1	-	-	-
	F	130	12	5	4	3	4	8	2	6	7	3	7	4	9	8	7	6	5	6	9	7	5	1	1	-	1
E810-E835	Motor-vehicle accidents	789	4	8	6	8	8	39	25	84	110	83	63	56	51	47	40	39	33	35	18	22	8	2	-	-	-
	White—M	515	2	3	-	6	2	15	18	57	86	64	41	36	34	25	25	20	21	25	11	16	6	2	-	-	-
	F	165	1	4	4	1	6	16	4	19	13	12	11	10	11	12	9	11	8	5	4	3	1	-	-	-	-
	Nonwhite—M	79	1	1	1	1	-	6	2	3	7	5	9	9	5	7	4	6	3	5	3	1	-	-	-	-	-
	F	30	-	-	1	-	-	2	1	5	4	2	2	1	1	3	2	2	1	-	-	2	1	-	-	-	-
E800-E802, E840-E962	All ot. accidents	1,187	81	34	22	15	15	33	38	49	70	54	67	69	77	72	53	55	44	50	64	76	66	49	25	8	1
	White—M	594	30	8	9	5	6	18	29	32	44	42	39	45	44	46	35	29	20	20	21	25	21	16	9	1	-
	F	330	26	14	7	4	5	4	5	9	14	5	10	7	10	6	6	10	9	14	27	45	40	31	15	7	-
	Nonwhite—M	163	13	7	3	3	-	5	3	7	9	6	13	14	15	15	7	12	11	10	7	1	1	1	-	-	-
	F	100	12	5	3	3	4	6	1	1	3	1	5	3	8	5	5	4	4	6	9	5	4	1	1	-	1
E963, E970-E979	Suicide	225	-	-	-	-	-	-	-	2	7	19	20	21	24	21	19	22	28	19	10	9	4	-	-	-	-
	White—M	166	-	-	-	-	-	-	-	-	5	12	11	16	17	17	12	19	22	15	7	9	4	-	-	-	-
	F	49	-	-	-	-	-	-	-	1	2	5	7	5	6	3	7	3	4	4	2	-	-	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	2	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	303	-	-	-	-	-	3	3	11	34	57	49	49	24	26	12	11	6	7	4	7	-	-	-	-	-
	White—M	95	-	-	-	-	-	2	3	2	7	16	9	11	9	12	6	3	3	4	3	5	-	-	-	-	-
	F	32	-	-	-	-	-	-	-	2	3	5	7	5	2	2	3	2	1	-	-	-	-	-	-	-	-
	Nonwhite—M	146	-	-	-	-	-	1	-	6	18	31	31	25	9	11	3	6	1	2	-	2	-	-	-	-	-
	F	30	-	-	-	-	-	-	-	1	6	5	2	8	4	1	-	-	1	1	1	-	-	-	-	-	-
E965, E990-E999	Operations of war	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS																										
	ALL CAUSES--------	64,958	7,739	628	319	215	173	564	409	745	1,073	1,193	1,280	1,613	2,290	2,909	3,874	4,616	5,644	6,544	6,823	6,696	5,171	2,816	1,201	316	107
	White-----M--	32,215	3,616	252	163	97	82	280	194	398	618	612	596	705	1,071	1,404	1,975	2,444	3,063	3,466	3,529	3,322	2,481	1,226	473	119	29
	F--	21,648	2,737	257	103	76	63	193	132	209	245	309	356	473	625	734	901	1,097	1,517	2,001	2,370	2,704	2,299	1,385	660	160	42
	Nonwhite--M--	6,070	758	72	30	22	12	47	52	65	122	171	163	228	304	400	505	609	621	618	532	372	215	99	24	13	16
	F--	5,025	628	47	23	20	16	44	31	73	88	101	165	207	290	371	493	466	443	459	392	298	176	106	44	24	20
001-019	Tuberculosis, all forms--------	1,339	19	27	16	7	8	14	10	39	70	90	87	89	127	98	98	120	99	111	92	72	30	12	2	2	-
	White-----M--	681	7	14	9	4	4	9	1	6	29	30	27	39	49	50	61	74	71	72	59	40	15	8	1	2	-
	F--	427	8	8	6	2	3	4	6	26	28	43	38	33	42	22	21	25	14	24	27	29	13	4	1	-	-
	Nonwhite--M--	146	1	2	-	1	1	1	2	1	5	10	13	11	24	16	9	17	13	11	4	2	2	-	-	-	-
	F--	85	3	3	1	-	-	-	1	6	8	7	9	6	12	10	7	4	1	4	2	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	1,195	8	5	2	2	1	2	6	36	61	84	83	86	124	88	91	116	94	104	86	70	29	11	2	2	-
	White-----M--	616	3	3	1	2	1	2	-	6	25	29	27	36	48	42	56	73	70	68	59	39	15	8	1	2	-
	F--	379	4	1	1	-	-	-	4	24	25	41	34	33	41	22	21	24	13	23	24	28	12	3	1	-	-
	Nonwhite--M--	129	-	1	-	-	-	-	1	-	5	9	13	11	23	15	7	15	11	11	3	2	2	-	-	-	-
	F--	71	1	-	-	-	-	-	1	6	6	5	9	6	12	9	7	4	-	2	2	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	144	11	22	14	5	7	12	4	3	9	6	4	3	3	10	7	4	5	7	4	2	1	1	-	-	-
	White-----M--	65	4	11	8	2	3	7	1	-	4	1	-	3	1	6	5	1	1	4	-	1	-	-	-	-	-
	F--	48	4	7	5	2	3	4	2	2	3	2	4	-	1	-	-	1	1	1	3	1	1	1	-	-	-
	Nonwhite--M--	17	1	1	-	1	1	1	1	1	-	1	-	-	1	1	2	2	2	-	1	-	-	-	-	-	-
	F--	14	2	3	1	-	-	-	-	-	2	2	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	326	16	2	-	-	-	-	1	1	5	3	3	6	19	28	44	37	43	54	30	24	5	3	2	-	-
	White-----M--	164	7	-	-	-	-	-	-	-	1	-	2	1	6	10	15	22	25	42	18	11	2	1	1	-	-
	F--	42	3	1	-	-	-	-	1	-	1	2	-	-	3	2	5	4	5	1	6	4	1	2	1	-	-
	Nonwhite--M--	95	4	-	-	-	-	-	-	-	1	-	1	3	8	13	19	9	11	10	6	8	2	-	-	-	-
	F--	25	2	1	-	-	-	-	-	1	2	1	-	2	2	3	5	2	2	1	-	1	-	-	-	-	-
040	Typhoid fever-----	7	-	-	-	-	-	1	-	-	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	236	175	14	5	-	2	1	2	1	2	-	1	-	1	4	2	2	4	4	6	4	1	4	-	1	-
	White-----M--	116	93	7	3	-	-	-	-	1	1	-	-	-	-	2	1	-	1	-	3	2	-	1	-	1	-
	F--	91	63	5	1	-	1	1	2	-	1	-	1	-	-	1	1	2	2	3	2	2	1	2	-	-	-
	Nonwhite--M--	12	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	F--	17	11	1	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
050, 051	Scarlet fever, etc.*----------	16	5	-	1	-	2	3	-	1	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-
	White-----M--	4	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	11	5	-	1	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	21	3	5	6	-	1	3	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	6	-	1	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	1	3	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	58	41	12	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	14	7	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	8	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	79	23	12	3	6	2	12	6	3	3	-	-	1	3	1	1	-	-	1	2	-	-	-	-	-	-
	White-----M--	36	12	5	1	2	-	5	3	-	2	-	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-
	F--	31	6	5	-	3	2	5	3	3	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	6	1	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	240	16	11	15	8	11	44	22	29	18	22	24	9	6	2	1	2	-	-	-	-	-	-	-	-	-
	White-----M--	142	11	7	12	4	8	23	13	17	11	11	13	7	2	2	-	1	-	-	-	-	-	-	-	-	-
	F--	85	5	4	1	4	3	17	9	10	7	10	9	2	3	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	8	-	-	2	-	-	1	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	20	5	3	3	1	1	3	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	3	1	2	1	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	306	87	15	9	7	7	22	13	3	12	5	8	6	15	8	17	10	13	14	7	8	8	6	4	2	-
	White-----M--	122	35	5	3	3	5	6	3	1	6	3	4	3	6	4	6	3	7	4	4	3	3	2	3	-	-
	F--	109	31	7	3	2	1	5	9	1	4	-	3	3	4	1	4	5	3	4	3	5	4	4	1	2	-
	Nonwhite--M--	41	10	2	3	2	1	5	-	-	1	1	-	-	2	2	4	1	3	3	-	-	1	-	-	-	-
	F--	34	11	1	-	-	-	6	1	1	1	1	1	-	3	1	3	1	-	3	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Continued																										
140-205	Malignant neoplasms, etc.*	8,726	16	18	25	20	28	56	34	39	61	95	127	240	425	544	772	972	1,131	1,181	1,099	903	620	224	78	16	4
	White----M	3,972	6	10	16	13	14	36	15	16	32	42	43	70	132	172	270	443	538	588	550	464	347	113	32	8	2
	F	3,608	8	6	6	6	10	14	14	19	20	40	60	123	221	254	338	385	428	452	432	382	244	98	39	8	1
	Nonwhite--M	547	-	2	-	-	2	4	3	1	6	5	10	14	15	41	63	83	98	75	68	32	16	9	-	-	-
	F	601	2	-	3	1	2	2	2	3	3	8	14	33	57	77	101	61	67	66	49	25	13	4	7	-	1
140-148	Of buccal cavity and pharynx	191	-	-	-	-	-	1	-	-	1	2	1	2	7	11	15	22	19	28	24	26	18	10	2	2	-
	White----M	126	-	-	-	-	-	1	-	-	1	2	1	1	5	7	7	18	11	16	16	16	13	8	1	2	-
	F	44	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	2	4	7	8	7	5	2	1	-	-
	Nonwhite--M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	5	-	3	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	2,793	2	-	-	2	-	-	1	1	7	10	17	43	79	131	200	299	383	439	429	354	263	102	23	7	1
	White----M	1,343	-	-	-	1	-	-	-	1	5	4	5	15	32	45	80	138	189	234	213	172	149	48	8	4	-
	F	1,081	1	-	-	1	-	-	1	-	-	3	5	21	30	52	74	103	135	155	171	162	103	50	11	3	-
	Nonwhite--M	207	-	-	-	-	-	-	-	-	1	1	4	6	7	15	25	39	34	29	27	13	3	3	-	-	-
	F	162	1	-	-	-	-	-	-	-	1	2	3	1	10	19	21	19	25	21	18	7	8	1	4	-	1
160-164	Of respiratory system	1,018	-	-	-	1	-	2	-	3	2	4	8	15	44	66	120	158	202	145	113	81	39	13	2	-	-
	White----M	728	-	-	-	1	-	2	-	-	1	1	5	9	33	50	82	115	150	110	81	54	29	4	1	-	-
	F	179	-	-	-	-	-	-	-	1	1	2	1	3	8	6	19	25	27	23	23	24	8	7	1	-	-
	Nonwhite--M	89	-	-	-	-	-	-	-	1	-	1	2	3	2	7	14	15	23	9	6	3	2	1	-	-	-
	F	22	-	-	-	-	-	-	-	1	-	-	-	-	1	3	5	3	2	3	3	-	-	1	-	-	-
170	Of breast	677	-	-	-	-	-	-	-	-	1	2	12	36	79	74	93	77	65	70	80	40	32	8	7	1	-
	White----M	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	2	-	-	-	-
	F	572	-	-	-	-	-	-	-	-	1	2	12	28	64	61	78	64	53	60	71	33	29	8	7	1	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	97	-	-	-	-	-	-	-	-	-	-	-	7	15	13	15	11	12	8	9	6	1	-	-	-	-
171-179	Of genital organs	1,426	-	-	-	-	1	-	-	1	7	28	30	47	84	102	131	149	160	178	179	166	109	39	12	2	1
	White----M	436	-	-	-	-	1	-	-	-	4	8	4	5	4	4	6	25	32	54	90	93	71	25	9	-	1
	F	707	-	-	-	-	-	-	-	1	3	15	15	27	63	63	84	96	103	82	56	53	33	9	2	2	-
	Nonwhite--M	91	-	-	-	-	-	-	-	-	-	-	2	1	1	3	5	8	12	18	22	10	5	4	-	-	-
	F	192	-	-	-	-	-	-	-	-	-	5	9	14	16	32	36	20	13	24	11	10	-	1	1	-	-
180, 181	Of urinary organs	378	3	3	4	2	3	1	1	1	1	-	5	4	19	11	21	40	51	61	49	54	28	9	7	-	-
	White----M	220	2	2	3	1	-	1	1	1	-	-	4	2	8	3	13	22	36	39	30	30	15	4	3	-	-
	F	119	1	1	1	1	2	-	-	-	1	-	1	-	5	5	4	10	8	20	15	23	12	5	4	-	-
	Nonwhite--M	25	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	8	3	2	2	1	-	-	-	-	-
	F	14	-	-	-	-	1	-	-	-	-	-	-	1	3	-	2	-	4	-	2	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,435	3	6	10	2	3	22	14	16	23	25	34	56	72	82	120	158	162	177	155	124	107	35	23	4	2
	White----M	675	2	4	6	1	2	12	4	7	12	13	17	18	32	33	45	81	72	86	78	62	56	20	9	2	1
	F	611	1	2	1	1	1	8	7	8	7	10	15	32	31	36	47	62	70	79	63	58	43	14	12	2	1
	Nonwhite--M	67	-	-	-	-	-	2	2	-	3	1	1	1	-	6	10	8	12	5	9	2	5	-	-	-	-
	F	82	-	-	3	-	-	-	1	1	1	1	1	5	9	7	18	7	8	7	5	2	3	1	2	-	-
204	Leukemia and aleukemia	444	6	7	8	13	20	25	15	11	10	12	10	14	18	33	31	34	41	38	37	40	18	2	1	-	-
	White----M	240	1	4	5	9	11	17	8	4	6	7	2	6	7	15	13	21	23	26	23	22	9	1	-	-	-
	F	170	4	2	3	3	7	6	5	7	2	4	7	3	9	17	16	13	12	8	14	18	8	1	1	-	-
	Nonwhite--M	17	-	1	-	-	1	-	1	-	1	1	1	1	1	-	1	-	4	3	-	-	1	-	-	-	-
	F	17	1	-	-	1	1	2	1	-	1	-	-	4	1	1	1	-	2	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	366	2	2	3	-	1	5	3	6	9	12	10	23	23	34	41	35	48	45	33	18	6	6	1	-	-
	White----M	198	1	-	2	-	-	3	2	3	3	7	5	13	11	15	24	22	25	22	19	14	3	3	1	-	-
	F	125	1	1	1	-	-	-	1	2	5	4	4	8	9	13	12	10	16	18	11	4	3	2	-	-	-
	Nonwhite--M	31	-	1	-	-	1	2	-	-	1	1	-	1	1	6	3	2	6	3	2	-	-	1	-	-	-
	F	12	-	-	-	-	-	-	-	1	-	-	1	1	2	-	2	1	1	2	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	306	11	2	6	8	3	9	7	7	8	12	12	24	27	29	25	22	27	21	13	18	11	2	2	-	-
	White----M	121	7	2	1	1	1	6	6	2	4	7	5	2	11	8	9	12	13	8	6	5	3	1	1	-	-
	F	134	3	-	4	4	1	2	-	3	2	3	3	11	13	15	11	9	13	9	7	11	8	1	1	-	-
	Nonwhite--M	12	-	-	1	-	-	1	1	1	1	1	1	1	-	2	1	-	-	1	-	-	-	-	-	-	-
	F	39	1	-	-	3	1	-	-	1	1	1	3	10	3	4	4	1	1	3	-	2	-	-	-	-	-
260	Diabetes mellitus	869	2	2	2	-	-	1	9	7	8	16	6	15	22	36	68	76	87	131	139	132	73	30	7	-	-
	White----M	313	1	-	2	-	-	1	1	-	1	7	2	2	9	12	23	24	33	52	54	48	23	15	3	-	-
	F	424	1	2	-	-	-	-	7	4	5	4	3	8	7	13	18	33	42	61	76	77	44	15	4	-	-
	Nonwhite--M	39	-	-	-	-	-	-	-	-	1	2	-	2	1	5	11	1	4	3	5	1	3	-	-	-	-
	F	93	-	-	-	-	-	-	1	3	1	3	1	3	5	6	16	18	8	15	4	6	3	-	-	-	-
290-293	Anemias	219	10	9	1	3	2	14	5	4	6	4	2	2	5	5	12	14	12	26	25	26	19	9	4	-	-
	White----M	88	5	-	-	1	-	7	1	1	2	1	-	2	-	2	3	4	6	14	13	13	8	3	2	-	-
	F	92	3	4	-	1	-	5	3	2	2	2	2	-	3	1	6	8	4	8	10	10	11	6	1	-	-
	Nonwhite--M	20	2	4	1	1	1	1	1	-	1	-	-	-	-	-	1	1	-	2	2	2	-	-	-	-	-
	F	19	-	1	-	-	1	1	-	1	1	1	-	-	2	2	2	1	2	2	-	1	-	-	1	-	-
340	Nonmeningococcal meningitis*	108	33	14	6	5	6	8	2	6	1	3	3	2	4	3	4	3	2	1	1	1	-	-	-	-	-
	White----M	46	16	3	4	1	4	3	-	3	1	1	1	-	1	2	4	-	1	-	-	1	-	-	-	-	-
	F	33	9	5	1	2	2	2	1	1	-	1	2	2	1	1	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite--M	15	5	3	-	1	-	-	1	2	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F	14	3	3	1	1	-	3	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	29,463	46	17	8	8	5	29	39	50	72	127	221	420	848	1,283	1,961	2,477	3,240	3,889	4,197	4,323	3,357	1,861	754	183	48
	White----M	14,875	17	6	5	3	3	13	10	21	21	47	82	176	421	657	1,106	1,374	1,809	2,059	2,181	2,118	1,561	787	318	67	13
	F	9,555	18	6	3	4	1	13	14	18	28	42	56	106	162	236	298	435	765	1,149	1,426	1,772	1,552	940	403	91	17
	Nonwhite--M	2,621	6	4	-	1	-	2	3	2	9	20	28	56	116	188	280	361	362	392	340	231	126	63	13	8	10
	F	2,412	5	1	-	-	1	1	12	9	14	18	55	82	149	202	277	307	304	289	250	202	118	71	20	17	8
330-334, 400-468	Diseases of cardiovascular system	28,457	43	16	6	3	3	18	30	44	60	115	202	387	807	1,221	1,893	2,395	3,148	3,788	4,079	4,199	3,244	1,809	729	172	46
	White----M	14,495	16	6	3	1	3	6	5	18	16	40	75	170	409	632	1,085	1,344	1,782	2,019	2,136	2,067	1,517	763	306	63	13
	F	9,232	16	6	3	1	-	9	11	17	25	39	53	97	151	219	281	415	740	1,124	1,382	1,722	1,506	918	391	89	17
	Nonwhite--M	2,465	6	3	-	1	-	2	3	1	8	18	21	51	107	177	270	347	336	372	324	218	112	60	13	7	8
	F	2,265	5	1	-	-	-	1	11	8	11	18	53	69	140	193	257	289	290	273	237	192	109	68	19	13	8
330-334	Vascular lesions, etc.*	6,598	15	7	3	1	2	4	4	13	17	24	40	66	156	252	353	475	628	851	1,006	1,103	862	483	183	43	7
	White----M	2,652	4	2	1	1	2	-	1	8	4	11	15	17	51	79	126	191	252	351	445	460	363	171	83	12	2
	F	2,579	5	5	2	-	-	4	1	3	4	10	10	24	41	64	84	107	193	316	390	493	426	278	93	25	1
	Nonwhite--M	607	3	-	-	-	-	-	1	-	5	-	5	8	18	44	60	85	72	95	84	73	33	13	4	2	2
	F	760	3	-	-	-	-	-	1	2	4	3	10	17	46	65	83	92	111	89	87	77	40	21	3	4	2
400-402	Rheumatic fever	52	-	1	-	-	-	5	13	2	4	2	3	3	7	1	3	3	2	-	3	-	-	-	-	-	-
	White----M	18	-	1	-	-	-	3	3	-	1	1	1	1	1	1	2	1	1	-	1	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	4	2	3	-	1	1	4	-	1	2	1	-	2	-	-	-	-	-	-
	Nonwhite--M	5	-	-	-	-	-	1	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	1	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS--Continued																										
410-443	Diseases of heart	19,936	25	7	3	2	-	7	10	22	34	70	134	289	590	910	1,460	1,825	2,389	2,731	2,829	2,793	2,089	1,120	450	112	35
	White-----M--	10,987	10	3	2	-	-	3	1	8	10	23	55	145	341	526	930	1,114	1,454	1,562	1,583	1,460	1,023	501	180	44	9
	F--	5,948	11	1	1	1	-	3	4	8	15	19	36	68	90	144	178	285	524	752	909	1,105	935	540	251	54	14
	Nonwhite--M--	1,673	3	2	-	1	-	1	2	1	3	15	16	34	82	122	189	244	243	253	206	128	71	40	6	5	6
	F--	1,328	1	1	-	-	-	-	3	5	6	13	27	42	77	118	163	182	168	164	131	100	60	39	13	9	6
410-416	Chronic rheumatic heart disease	472	-	-	-	1	-	1	3	8	16	18	21	34	49	40	49	44	49	41	36	30	20	9	2	-	1
	White-----M--	232	-	-	-	-	-	-	-	4	6	6	9	13	24	20	26	29	32	18	15	16	12	2	-	-	-
	F--	184	-	-	-	1	-	-	1	1	8	8	11	17	21	16	17	9	13	19	17	10	7	5	1	-	-
	Nonwhite--M--	28	-	-	-	-	-	1	1	1	-	3	-	3	1	1	3	1	3	4	3	2	-	-	1	-	-
	F--	28	-	-	-	-	-	-	1	2	2	1	1	1	3	1	3	5	1	-	1	2	1	2	-	-	1
420	Arteriosclerotic heart dis., etc.*	12,426	6	1	1	1	-	2	1	2	5	29	51	157	345	586	1,009	1,249	1,598	1,843	1,835	1,659	1,152	593	235	55	11
	White-----M--	7,629	3	1	-	-	-	1	-	-	-	9	21	104	229	406	733	866	1,081	1,165	1,127	916	580	264	95	27	1
	F--	3,499	1	-	1	-	-	1	1	1	4	6	14	22	41	78	115	179	337	499	574	656	512	294	132	25	6
	Nonwhite--M--	742	1	-	-	1	-	-	-	-	-	8	7	15	43	52	89	124	102	113	82	52	33	18	1	-	1
	F--	556	1	-	-	-	-	-	-	1	1	6	9	16	32	50	72	80	78	66	52	35	27	17	7	3	3
421, 422	Nonrheumatic chronic endocarditis, etc.*	2,216	6	-	-	-	-	1	2	1	3	5	10	13	37	51	77	119	170	241	310	410	359	251	108	31	13
	White-----M--	1,056	2	-	-	-	-	-	1	-	-	1	5	4	16	24	32	49	81	133	147	201	179	120	46	10	5
	F--	771	3	-	-	-	-	1	-	1	1	1	1	3	7	7	9	18	40	56	103	165	158	114	59	19	5
	Nonwhite--M--	212	1	-	-	-	-	-	1	-	-	1	1	3	4	11	16	29	32	28	37	21	15	7	2	1	2
	F--	177	-	-	-	-	-	-	-	-	2	-	3	3	10	9	20	23	17	24	23	23	7	10	1	1	1
430-434	Other diseases of heart	2,016	13	6	2	-	-	3	3	11	9	14	33	43	83	103	158	193	241	247	260	257	189	88	42	14	4
	White-----M--	1,037	5	2	2	-	-	2	-	4	4	5	14	15	48	50	90	92	131	127	140	142	100	42	17	5	-
	F--	477	7	1	-	-	-	1	1	5	1	4	8	13	9	11	13	34	38	52	65	75	71	38	24	5	1
	Nonwhite--M--	310	1	2	-	-	-	-	-	-	3	2	2	5	13	27	31	43	51	46	39	23	12	5	-	3	2
	F--	192	-	1	-	-	-	-	2	2	1	3	9	10	13	15	24	24	21	22	16	17	6	3	1	1	1
440-443	Hypertension with heart dis.	2,806	-	-	-	-	-	-	1	-	1	6	19	42	76	130	167	220	331	359	388	437	369	179	63	12	6
	White-----M--	1,033	-	-	-	-	-	-	-	-	-	2	6	9	24	26	49	78	129	119	154	185	152	73	22	2	3
	F--	1,017	-	-	-	-	-	-	1	-	1	-	2	13	12	30	24	45	96	126	150	199	187	89	35	5	2
	Nonwhite--M--	381	-	-	-	-	-	-	-	-	-	1	6	8	21	31	50	47	55	62	45	30	11	10	2	1	1
	F--	375	-	-	-	-	-	-	-	-	-	3	5	12	19	43	44	50	51	52	39	23	19	7	4	4	-
444-447	Hypertension without mention of heart	553	-	-	-	-	-	-	-	3	-	4	8	19	31	31	39	24	52	68	63	79	72	40	14	6	-
	White-----M--	212	-	-	-	-	-	-	-	2	-	1	1	2	11	12	9	11	26	30	18	33	32	15	6	3	-
	F--	186	-	-	-	-	-	-	-	-	-	1	-	3	5	5	10	7	6	24	29	34	31	20	8	3	-
	Nonwhite--M--	73	-	-	-	-	-	-	-	-	-	2	-	7	3	7	14	2	10	4	10	7	5	2	-	-	-
	F--	82	-	-	-	-	-	-	-	1	-	-	7	7	12	7	6	4	10	10	6	5	4	3	-	-	-
450	General arteriosclerosis	948	-	-	-	-	-	-	-	-	-	-	-	1	5	4	10	34	36	86	136	197	193	155	76	11	4
	White-----M--	436	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	9	20	43	65	97	85	72	34	4	2
	F--	376	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	7	16	40	83	101	74	37	7	2
	Nonwhite--M--	81	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	10	9	18	21	8	3	4	2	-	-
	F--	55	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	8	-	9	10	9	4	5	3	-	-
451-468	Other diseases of circulatory sys.	370	3	1	-	-	1	2	3	4	5	15	17	9	18	23	28	34	41	52	42	27	28	11	6	-	-
	White-----M--	190	2	-	-	-	1	-	-	-	1	4	3	4	4	13	16	18	29	33	24	17	14	4	3	-	-
	F--	122	-	-	-	-	-	2	2	4	3	9	6	1	10	6	7	7	9	16	12	7	13	6	2	-	-
	Nonwhite--M--	26	-	1	-	-	-	-	-	-	-	-	-	1	1	2	4	6	2	2	3	2	-	1	1	-	-
	F--	32	1	-	-	-	-	-	1	-	1	2	8	3	3	2	1	3	1	1	3	1	1	-	-	-	-
592-594	Chronic nephritis, etc.*	1,006	3	1	2	5	2	11	9	6	12	12	19	33	41	62	68	82	92	101	118	124	113	52	25	11	2
	White-----M--	380	1	-	2	2	-	7	5	3	5	7	7	6	12	25	21	30	27	40	45	51	44	24	12	4	-
	F--	323	2	-	-	3	1	4	3	1	3	3	3	9	11	17	17	20	25	25	44	50	46	22	12	2	-
	Nonwhite--M--	156	-	1	-	-	-	-	-	1	1	2	7	5	9	11	10	14	26	20	16	13	14	3	-	1	2
	F--	147	-	-	-	-	1	-	1	1	3	-	2	13	9	9	20	18	14	16	13	10	9	3	1	4	-
480-493	Influenza and pneumonia, etc.*	2,402	670	112	39	21	10	32	9	19	12	21	26	25	43	62	62	93	123	146	179	228	203	149	79	27	12
	White-----M--	983	271	40	18	12	5	12	2	4	7	9	9	8	18	33	25	32	52	59	81	95	96	64	20	9	2
	F--	896	259	43	15	4	4	12	4	6	3	3	8	5	9	12	13	21	34	46	60	108	94	76	55	16	6
	Nonwhite--M--	295	99	15	3	3	1	6	2	5	-	6	4	6	7	11	11	26	24	20	19	11	7	6	2	1	-
	F--	228	61	14	3	2	-	2	1	4	2	3	5	6	9	6	13	14	13	21	19	14	6	3	2	1	4
480-483	Influenza	430	78	13	5	1	1	9	2	6	3	6	-	7	9	10	13	16	30	38	37	47	40	37	13	7	2
	White-----M--	156	36	4	2	1	-	1	-	1	2	3	-	-	2	4	6	3	11	13	14	21	14	13	2	2	1
	F--	183	27	6	2	-	1	6	2	2	1	1	-	2	3	3	4	5	11	12	17	23	21	20	11	3	-
	Nonwhite--M--	48	9	1	1	-	-	1	-	2	-	1	-	2	2	1	2	5	5	5	3	2	2	3	-	1	-
	F--	43	6	2	-	-	-	1	-	1	-	1	-	3	2	2	1	3	3	8	3	1	3	1	-	1	1
490-493	Pneumonia, etc.*	1,972	592	99	34	20	9	23	7	13	9	15	26	18	34	52	49	77	93	108	142	181	163	112	66	20	10
	White-----M--	827	235	36	16	11	5	11	2	3	5	6	9	8	16	29	19	29	41	46	67	74	82	51	18	7	1
	F--	713	212	37	13	4	3	6	2	4	2	2	8	3	6	9	9	16	23	34	43	85	73	56	44	13	6
	Nonwhite--M--	247	90	14	2	3	1	5	2	3	-	5	4	4	5	10	9	21	19	15	16	9	5	3	2	-	-
	F--	185	55	12	3	2	-	1	1	3	2	2	5	3	7	4	12	11	10	13	16	13	3	2	2	-	3
500-502	Bronchitis	143	40	12	3	1	1	2	-	-	1	1	1	2	5	2	4	4	10	10	11	11	9	6	6	-	1
	White-----M--	74	16	3	2	1	1	1	-	-	1	-	-	1	2	1	2	4	7	7	5	5	8	3	3	-	1
	F--	41	15	6	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	3	5	3	1	2	2	-	-
	Nonwhite--M--	20	6	3	-	-	-	-	-	-	-	1	1	1	-	1	2	-	1	-	1	1	-	1	1	-	-
	F--	8	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	264	4	-	-	-	-	-	-	-	2	1	4	10	13	32	37	34	34	32	26	20	9	5	1	-	-
	White-----M--	193	1	-	-	-	-	-	-	-	1	1	2	6	11	24	29	21	29	27	19	12	7	2	1	-	-
	F--	43	1	-	-	-	-	-	-	-	1	-	1	2	1	6	4	7	3	5	5	4	1	2	-	-	-
	Nonwhite--M--	21	2	-	-	-	-	-	-	-	-	-	-	1	1	-	2	6	2	-	1	4	1	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	-	-	1	-	-	-	-	-	-
550-553	Appendicitis	96	1	-	1	1	1	6	6	5	3	6	4	3	6	9	9	3	8	4	7	7	4	2	-	-	-
	White-----M--	45	-	-	1	-	1	4	4	4	1	2	2	2	1	3	5	1	3	2	6	1	2	-	-	-	-
	F--	30	1	-	-	1	-	1	2	1	1	2	1	1	2	4	1	-	4	1	1	3	2	1	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	3	-	1	-	-	-
	F--	10	-	-	-	-	-	1	-	-	1	2	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	401	51	3	2	-	-	2	1	1	3	6	15	11	17	18	17	21	35	46	54	39	31	16	11	1	-
	White-----M--	160	30	1	2	-	-	1	1	-	1	2	1	2	5	5	6	6	12	16	21	22	16	6	3	1	-
	F--	160	15	1	-	-	-	-	-	-	2	1	4	4	6	7	5	10	15	21	29	11	13	9	7	-	-
	Nonwhite--M--	45	3	1	-	-	-	1	-	-	-	1	3	1	4	3	3	4	6	7	3	3	1	1	-	-	-
	F--	36	3	-	-	-	-	-	-	1	-	2	7	4	2	3	3	1	2	2	1	3	1	-	1	-	-

*For complete category title. see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Continued																										
543,	Gastritis, etc.*--	911	645	77	11	4	5	13	4	3	5	3	2	5	6	5	9	5	15	16	28	16	20	9	5	-	-
571,	White-----M--	412	301	35	4	2	2	4	3	1	3	-	-	2	2	1	1	2	3	7	13	10	8	6	2	-	-
572	F--	365	246	37	5	2	2	8	1	1	1	3	1	3	1	3	3	3	6	7	12	4	10	3	3	-	-
	Nonwhite--M--	74	56	4	1	-	-	1	-	-	-	-	-	-	2	-	3	-	3	2	-	1	1	-	-	-	-
	F--	60	42	1	1	-	1	-	-	1	1	-	1	-	1	1	2	-	3	-	3	1	1	-	-	-	-
581	Cirrhosis of liver	540	2	-	-	-	-	-	-	-	4	6	13	24	47	71	63	76	57	51	51	46	18	8	3	-	-
	White-----M--	349	1	-	-	-	-	-	-	-	1	4	5	13	32	48	41	58	34	35	31	33	8	4	1	-	-
	F--	137	1	-	-	-	-	-	-	-	2	1	5	6	9	17	19	13	15	10	14	12	9	3	1	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	1	2	2	5	3	2	5	5	3	5	1	1	1	-	-	-
	F--	18	-	-	-	-	-	-	-	-	1	-	1	3	1	3	1	-	3	3	1	-	-	-	1	-	-
590,	Acute nephritis,																										
591	etc.*----------	192	4	3	4	2	5	4	1	5	9	7	11	10	14	12	13	15	20	17	17	9	6	1	2	1	-
	White-----M--	72	3	1	3	1	3	1	-	2	4	2	4	4	4	2	3	9	5	5	8	4	2	-	1	1	-
	F--	58	1	-	1	1	-	2	1	-	3	3	4	1	6	4	4	2	7	10	3	4	-	1	-	-	-
	Nonwhite--M--	31	-	1	-	-	2	-	-	1	-	-	1	3	2	4	2	1	5	1	2	1	4	-	1	-	-
	F--	31	-	1	-	-	-	1	-	2	2	2	2	2	2	2	4	3	3	1	4	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	272	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	4	22	44	49	56	51	28	10	1	-
	White-----M--	229	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	15	36	41	50	45	27	10	1	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	7	8	8	6	6	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	205	...	...	...	...	...	...	-	27	44	34	47	43	10	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	147	...	...	...	...	...	...	-	18	31	25	31	33	9	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	58	...	...	...	...	...	...	-	9	13	9	16	10	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	26	...	...	...	...	...	...	-	2	5	6	3	8	2	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	19	...	...	...	...	...	...	-	2	2	5	2	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	-	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	179	...	...	...	...	...	...	-	25	39	28	44	35	8	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	128	...	...	...	...	...	...	-	16	29	20	29	27	7	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	51	...	...	...	...	...	...	-	9	10	8	15	8	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	986	804	43	19	14	7	13	7	10	6	7	8	6	7	7	6	4	3	10	1	2	2	-	-	-	-
	White-----M--	482	398	19	9	2	4	7	1	4	4	5	7	2	5	2	2	-	1	6	1	1	2	-	-	-	-
	F--	404	326	22	7	10	3	3	4	4	2	1	-	4	1	4	4	3	2	3	-	1	-	-	-	-	-
	Nonwhite--M--	52	37	2	2	1	-	1	2	1	-	1	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-
	F--	48	43	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	4,252	4,249	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2,029	2,026	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,476	1,476	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	408	408	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	339	339	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	1,444	1,443	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	750	749	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	489	489	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	348	348	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	2,460	2,458	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,122	1,120	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	871	871	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	251	251	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	216	216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	1,934	235	18	8	8	2	8	4	8	16	19	16	28	35	58	89	95	101	170	216	201	234	174	113	53	25
795	White-----M--	859	101	6	3	2	-	7	2	3	3	9	6	12	12	21	47	50	50	80	94	109	104	79	38	15	6
	F--	568	72	7	4	2	1	-	1	3	5	6	6	6	8	13	12	15	23	35	49	45	87	69	61	29	9
	Nonwhite--M--	282	40	2	-	2	1	1	-	1	3	2	1	5	9	13	17	23	19	34	36	27	23	10	6	3	4
	F--	225	22	3	1	2	-	-	1	1	5	2	3	5	6	11	13	7	9	21	37	20	20	16	8	6	6
Re-	All other diseases	3,110	232	50	36	23	14	52	33	41	47	62	100	85	118	152	195	208	285	316	307	319	228	128	59	13	7
sid-	White-----M--	1,475	113	19	15	12	6	18	14	15	19	22	37	29	46	66	83	99	162	179	160	164	119	51	20	6	1
ual	F--	1,127	71	24	14	7	6	28	12	13	11	24	34	37	47	51	68	58	82	95	118	120	92	67	35	7	6
	Nonwhite--M--	265	28	7	4	2	1	2	3	4	10	6	12	7	14	17	24	18	26	27	15	23	11	3	1	-	-
	F--	243	20	-	3	2	1	4	4	9	7	10	17	12	11	18	20	33	15	15	14	12	6	7	3	-	-
E800-	Accidents---------	5,481	289	143	87	68	48	206	186	370	515	440	379	364	319	323	251	232	219	192	215	208	213	133	58	16	7
E962	White-----M--	3,377	122	63	46	33	19	110	112	263	398	323	274	239	220	213	164	143	141	125	117	94	88	48	12	8	2
	F--	1,293	90	51	24	20	20	61	34	66	63	65	57	53	46	51	44	47	43	46	77	92	109	79	45	7	3
	Nonwhite--M--	550	35	16	12	7	2	15	32	29	40	41	37	54	42	46	31	32	26	11	14	14	9	2	-	1	2
	F--	261	42	13	5	8	7	20	8	12	14	11	11	18	11	13	12	10	9	10	7	8	7	4	1	-	-
E810-	Motor-vehicle																										
E835	accidents--------	2,592	30	46	30	25	14	101	73	226	354	270	218	206	187	160	140	122	115	95	85	56	28	8	-	2	1
	White-----M--	1,743	18	21	21	13	6	54	44	158	273	196	160	128	129	99	86	75	77	67	54	37	19	7	-	1	-
	F--	558	11	21	7	11	6	39	23	53	44	46	39	40	28	37	31	29	25	21	25	15	7	-	-	-	-
	Nonwhite--M--	224	1	2	2	1	-	3	6	9	26	25	13	30	22	19	17	17	11	5	6	4	2	1	-	1	1
	F--	67	-	2	-	-	2	5	-	6	11	3	6	8	8	5	6	1	2	2	-	-	-	-	-	-	-
E800-	All ot. accidents-	2,889	259	97	57	43	34	105	113	144	161	170	161	158	132	163	111	110	104	97	130	152	185	125	58	14	6
E802,	White-----M--	1,634	104	42	25	20	13	56	68	105	125	127	114	111	91	114	78	68	64	58	63	57	69	41	12	7	2
E840-	F--	735	79	30	17	9	14	22	11	13	19	19	18	13	18	14	13	18	18	25	52	77	102	79	45	7	3
E962	Nonwhite--M--	326	34	14	10	6	2	12	26	20	14	16	24	24	20	27	14	15	15	6	8	10	7	1	-	-	1
	F--	194	42	11	5	8	5	15	8	6	3	8	5	10	3	8	6	9	7	8	7	8	7	4	1	-	-
E963,	Suicide----------	626	-	-	-	-	-	-	2	19	26	61	63	61	52	52	72	55	39	40	45	19	14	5	1	-	-
E970-	White-----M--	465	-	-	-	-	-	-	1	15	15	37	42	38	39	41	54	44	34	33	40	14	12	5	1	-	-
E979	F--	130	-	-	-	-	-	-	-	3	9	17	17	19	8	11	16	8	4	7	4	5	2	-	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	1	1	2	7	2	3	4	-	1	3	1	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	797	5	2	-	-	1	4	4	45	110	140	94	122	95	64	35	32	13	14	5	4	4	1	-	-	3
E980-	White-----M--	299	2	-	-	-	-	2	1	18	46	47	26	45	34	21	12	18	9	8	3	3	2	-	-	-	2
E985	F--	80	2	2	-	-	1	2	3	5	11	10	9	10	10	5	4	3	1	-	1	-	-	1	-	-	-
	Nonwhite--M--	339	-	-	-	-	-	-	-	16	42	66	45	58	44	33	14	10	3	5	1	1	1	-	-	-	-
	F--	79	1	-	-	-	-	-	-	6	11	17	14	9	7	5	5	1	-	1	-	-	1	-	-	-	1
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH																										
	ALL CAUSES--------	5,271	575	43	38	16	10	55	50	88	70	84	103	135	160	187	250	338	464	558	594	566	453	297	111	18	8
	White-----M--	3,046	321	23	27	8	6	25	28	60	44	56	62	75	112	117	160	236	294	320	348	305	222	136	48	8	5
	F--	2,090	241	16	11	8	4	23	20	25	22	22	38	51	45	63	81	96	162	221	235	251	226	157	62	9	1
	Nonwhite--M--	94	5	3	-	-	-	6	2	1	2	3	1	7	2	5	6	6	6	14	8	7	5	2	-	1	2
	F--	41	8	1	-	-	-	1	-	2	2	3	2	2	1	2	3	-	2	3	3	3	-	2	1	-	-
001-019	Tuberculosis, all forms--------	51	2	2	-	-	-	1	-	1	-	4	1	4	2	2	5	3	4	3	9	4	2	-	-	-	2
	White-----M--	31	-	-	-	-	-	-	-	-	-	1	1	1	2	2	4	3	4	1	8	3	1	-	-	-	-
	F--	6	-	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	11	1	1	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	2	1	-	-	-	-	-	2
	F--	3	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	41	-	-	-	-	-	-	-	1	-	3	1	3	2	2	4	3	4	3	8	4	2	-	-	-	1
	White-----M--	28	-	-	-	-	-	-	-	-	-	1	1	-	2	2	3	3	4	1	7	3	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	-	-	-	-	-	1
	F--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	10	2	2	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	1
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	13	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	-	4	1	-	-	-	1	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	4	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	6	1	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	4	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	4	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	20	-	-	2	-	1	4	3	4	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	-	-	2	-	-	1	1	3	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	1	3	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	26	9	2	-	-	-	1	1	-	-	1	1	1	2	1	-	4	1	2	-	-	-	-	-	-	-
	White-----M--	15	3	1	-	-	-	-	1	-	-	1	-	1	1	-	-	4	1	2	-	-	-	-	-	-	-
	F--	9	6	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH—Continued																										
140-205	Malignant neoplasms, etc.*	646	1	3	2	2	3	4	7	6	4	7	12	21	33	40	45	72	82	95	85	51	48	20	3	-	-
	White-----M	330	1	2	1	1	2	-	1	3	3	6	4	9	15	19	23	37	43	46	48	29	22	13	2	-	-
	F	304	-	1	1	1	1	4	6	3	1	1	7	11	18	21	22	34	38	45	34	22	25	7	1	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	3	2	-	-	1	-	-
	White-----M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	3	2	-	-	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	214	-	-	-	-	-	-	1	-	-	2	2	4	7	8	16	23	25	36	36	19	25	9	1	-	-
	White-----M	104	-	-	-	-	-	-	-	-	-	1	1	1	2	4	9	13	16	14	21	8	8	6	-	-	-
	F	104	-	-	-	-	-	-	1	-	-	1	1	2	5	4	7	9	8	21	14	11	16	3	1	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
160-164	Of respiratory system	70	-	-	-	-	1	-	-	1	-	1	-	-	5	2	7	10	14	14	7	7	-	1	-	-	-
	White-----M	57	-	-	-	-	1	-	-	1	-	1	-	-	4	2	6	8	12	11	5	5	-	1	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	2	2	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	43	-	-	-	-	-	-	-	-	-	-	3	3	4	6	2	7	7	1	5	-	4	1	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	43	-	-	-	-	-	-	-	-	-	-	3	3	4	6	2	7	7	1	5	-	4	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	106	-	-	-	-	-	-	-	-	1	1	-	2	6	8	9	8	13	21	13	12	8	4	-	-	-
	White-----M	42	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	1	3	9	7	9	6	2	-	-	-
	F	64	-	-	-	-	-	-	-	-	-	-	-	2	4	8	8	7	10	12	6	3	2	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	25	-	-	-	-	1	-	-	-	-	-	-	-	-	2	2	5	4	3	2	5	1	-	-	-	-
	White-----M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	1	-	3	1	-	-	-	-
	F	9	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	109	-	2	-	-	-	4	6	1	2	-	3	9	5	9	6	12	13	10	11	6	6	4	-	-	-
	White-----M	57	-	2	-	-	-	-	1	-	1	-	1	6	2	6	3	7	6	5	7	2	5	3	-	-	-
	F	49	-	-	-	-	-	4	5	1	1	-	1	3	3	3	3	5	7	4	3	4	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
204	Leukemia and aleukemia	41	1	1	2	2	1	-	-	4	-	2	1	1	3	2	1	4	3	7	3	-	2	1	-	-	-
	White-----M	26	1	-	1	1	1	-	-	2	-	2	-	1	2	2	-	3	2	4	2	-	1	1	-	-	-
	F	15	-	1	1	1	-	-	-	2	-	-	1	-	1	-	1	1	1	3	1	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	28	-	-	-	-	-	-	-	-	1	1	3	1	3	1	2	3	2	3	5	-	2	-	1	-	-
	White-----M	21	-	-	-	-	-	-	-	-	1	1	2	1	3	1	2	2	1	2	3	-	1	-	1	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	24	-	1	-	-	-	-	1	2	-	-	1	2	1	3	4	-	2	3	1	2	1	-	-	-	-
	White-----M	14	-	-	-	-	-	-	-	1	-	-	1	2	-	1	2	-	2	2	1	1	1	-	-	-	-
	F	10	-	1	-	-	-	-	1	1	-	-	-	-	1	2	2	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	108	1	-	-	-	-	-	2	1	2	5	5	3	3	4	2	3	13	20	17	16	10	1	-	-	-
	White-----M	38	1	-	-	-	-	-	2	-	-	1	3	1	3	1	1	-	4	8	8	4	1	-	-	-	-
	F	69	-	-	-	-	-	-	-	1	1	4	2	2	-	3	1	3	9	12	9	12	9	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	14	-	-	-	-	-	-	1	-	-	1	-	1	-	1	2	1	1	-	2	3	1	-	-	-	-
	White-----M	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	1	2	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	7	4	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,387	2	-	-	-	-	2	5	10	11	15	18	38	41	69	108	154	263	316	375	377	306	201	62	14	-
	White-----M	1,370	2	-	-	-	-	-	2	4	10	11	11	19	28	50	66	114	171	185	210	207	159	85	28	8	-
	F	982	-	-	-	-	-	2	3	5	1	3	7	18	13	17	40	38	86	126	161	163	146	113	34	6	-
	Nonwhite--M	24	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	5	5	2	5	1	2	-	-	-
	F	11	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	-	1	-	2	2	-	1	-	-	-
330-334, 400-468	Diseases of cardiovascular system	2,334	1	-	-	-	-	2	4	8	8	13	14	36	41	66	105	151	258	310	368	374	302	198	62	13	-
	White-----M	1,336	1	-	-	-	-	-	2	3	7	10	8	18	28	48	65	112	169	180	205	206	156	82	28	8	-
	F	965	-	-	-	-	-	2	2	4	1	3	6	17	13	17	38	37	83	125	159	161	145	113	34	5	-
	Nonwhite--M	23	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	5	5	2	5	1	2	-	-	-
	F	10	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	1	-	2	2	-	1	-	-	-
330-334	Vascular lesions, etc.*	480	1	-	-	-	-	-	1	1	2	2	-	3	4	5	13	26	53	70	84	92	76	33	10	4	-
	White-----M	228	1	-	-	-	-	-	-	-	2	1	-	1	3	3	5	13	24	33	44	45	37	12	2	2	-
	F	245	-	-	-	-	-	-	1	1	-	1	-	2	1	2	8	12	28	35	39	47	39	19	8	2	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	2	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
400-402	Rheumatic fever	13	-	-	-	-	-	1	1	3	-	2	-	2	1	-	-	1	1	1	-	-	-	-	-	-	-
	White-----M	6	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH--Continued																										
410-443	Diseases of heart	1,699	-	-	-	-	-	1	1	3	5	7	12	29	34	60	88	119	193	224	268	257	205	143	42	8	-
	White-----M--	1,020	-	-	-	-	-	-	-	2	4	6	6	14	23	44	56	97	136	137	155	145	106	64	20	5	-
	F--	655	-	-	-	-	-	1	1	1	1	1	6	14	11	15	30	22	52	84	110	105	98	78	22	3	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	5	3	2	5	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	2	-	1	-	-	-
410-416	Chronic rheumatic heart disease----	127	-	-	-	-	-	-	1	3	3	6	9	17	15	11	11	10	17	9	6	4	1	4	-	-	-
	White-----M--	67	-	-	-	-	-	-	-	2	2	5	4	7	10	7	3	7	9	5	2	2	-	2	-	-	-
	F--	58	-	-	-	-	-	-	1	1	1	1	5	10	5	4	8	3	7	4	4	1	1	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,036	-	-	-	-	-	-	-	-	-	1	3	7	14	38	57	85	136	153	170	163	103	74	25	7	-
	White-----M--	688	-	-	-	-	-	-	-	-	-	1	2	5	10	31	44	76	104	100	110	99	60	32	10	4	-
	F--	334	-	-	-	-	-	-	-	-	-	-	1	1	4	6	12	9	30	51	57	60	43	42	15	3	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	2	4	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	210	-	-	-	-	-	-	-	-	2	-	-	-	2	5	3	5	14	17	37	30	42	41	11	1	-
	White-----M--	120	-	-	-	-	-	-	-	-	2	-	-	-	1	2	1	4	10	10	21	17	24	21	6	1	-
	F--	87	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	3	7	16	13	17	19	5	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
430-434	Other diseases of heart---------	68	-	-	-	-	-	1	-	-	-	-	-	3	1	2	4	3	8	10	7	10	10	7	2	-	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	5	9	4	7	2	4	1	-	-
	F--	27	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	1	3	1	3	3	8	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	258	-	-	-	-	-	-	-	-	-	-	-	2	2	4	13	16	18	35	48	50	49	17	4	-	-
	White-----M--	104	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	8	8	13	18	20	20	5	3	-	-
	F--	149	-	-	-	-	-	-	-	-	-	-	-	2	1	2	6	8	9	21	30	28	29	12	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
444-447	Hypertension without mention of heart----------	28	-	-	-	-	-	-	1	-	1	1	-	1	-	-	2	2	3	1	4	6	-	6	-	-	-
	White-----M--	14	-	-	-	-	-	-	1	-	1	1	-	1	-	-	2	1	1	-	2	4	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	-	6	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	9	15	15	14	10	1	-
	White-----M--	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4	9	8	6	6	1	-
	F--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	6	7	8	4	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	38	-	-	-	-	-	-	-	1	-	1	2	1	2	1	2	1	4	8	3	4	6	2	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	1	4	5	-	3	5	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	3	3	1	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	53	1	-	-	-	-	-	1	2	3	2	4	2	-	3	3	3	5	6	7	3	4	3	-	1	-
	White-----M--	34	1	-	-	-	-	-	-	1	3	1	3	1	-	2	1	2	2	5	5	1	3	3	-	-	-
	F--	17	-	-	-	-	-	-	1	1	-	-	1	1	-	-	2	1	3	1	2	2	1	-	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	134	43	7	1	1	-	5	1	2	3	-	1	2	5	2	3	4	6	5	3	8	18	10	4	-	-
	White-----M--	77	20	5	-	-	-	2	-	2	1	-	1	2	5	2	3	3	4	4	1	5	6	9	2	-	-
	F--	51	22	-	1	1	-	2	1	-	2	-	-	-	-	-	-	-	2	1	2	3	11	1	2	-	-
	Nonwhite--M--	6	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	14	7	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
	White-----M--	8	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	F--	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	120	36	5	1	1	-	4	1	2	3	-	1	2	5	2	3	4	6	5	3	8	17	9	2	-	-
	White-----M--	69	17	3	-	-	-	1	-	2	1	-	1	2	5	2	3	3	4	4	1	5	6	8	1	-	-
	F--	45	18	-	1	1	-	2	1	-	2	-	-	-	-	-	-	-	2	1	2	3	10	1	1	-	-
	Nonwhite--M--	6	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	15	6	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	1	-	-	-
	White-----M--	8	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F--	7	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	38	1	-	-	-	-	-	-	-	-	-	-	-	3	4	6	2	5	6	3	5	2	1	-	-	-
	White-----M--	28	1	-	-	-	-	-	-	-	-	-	-	-	3	3	4	2	3	5	3	1	2	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	4	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	5	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	30	4	-	-	-	-	-	-	-	-	-	1	-	2	-	1	4	1	4	6	2	2	3	-	-	-
	White-----M--	17	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	4	3	1	-	1	-	-	-
	F--	13	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	3	1	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH—Continued																										
543,	Gastritis, etc.*--	23	12	1	-	1	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	3	1	-	-	-	-
571,	White-----M--	9	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-
572	F--	14	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	48	1	-	-	-	-	-	-	-	-	-	2	3	4	5	4	6	5	9	6	1	1	1	-	-	-
	White-----M--	28	1	-	-	-	-	-	-	-	-	-	1	2	1	2	2	6	3	6	3	-	1	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	-	1	2	3	1	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	16	1	-	-	-	-	2	1	1	-	2	-	-	1	1	2	-	2	-	2	-	-	1	-	-	-
	White-----M--	12	-	-	-	-	-	2	-	1	-	2	-	-	1	1	2	-	1	-	1	-	-	1	-	-	-
	F--	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	3	5	1	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	3	5	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	11	...	...	...	...	...	...	-	-	2	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	...	...	...	...	...	...	-	-	2	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	10	...	...	...	...	...	...	-	-	2	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	9	...	...	...	...	...	...	-	-	2	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	111	89	2	2	1	-	1	1	1	-	-	4	2	3	1	1	2	1	-	-	-	-	-	-	-	-
	White-----M--	62	50	1	-	1	-	1	1	-	-	-	2	1	2	1	1	1	-	-	-	-	-	-	-	-	-
	F--	49	39	1	2	-	-	-	-	1	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	347	347	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	261	16	-	1	-	-	-	1	1	1	-	4	4	8	10	11	14	19	21	22	33	32	35	22	3	3
795	White-----M--	157	10	-	-	-	-	-	1	1	1	-	2	4	6	9	9	10	16	13	18	18	12	15	10	-	2
	F--	91	5	-	1	-	-	-	-	-	-	-	2	-	2	-	-	4	3	6	4	13	18	19	11	2	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	1	2	-	-	1	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-
Re-	All other diseases	274	16	1	4	1	1	5	3	4	3	2	8	8	6	17	18	29	23	39	35	27	12	3	6	1	2
sid-	White-----M--	160	8	-	3	-	1	3	2	2	2	-	6	3	3	8	12	21	15	19	26	13	6	1	4	-	2
ual	F--	107	8	1	1	1	-	2	1	2	1	2	2	5	3	8	4	7	8	19	8	13	6	2	2	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	538	16	22	21	10	5	27	22	50	32	35	32	32	34	18	27	23	25	21	21	27	12	13	12	-	1
E962	White-----M--	363	8	14	20	6	3	15	17	38	20	27	24	22	30	13	20	18	16	13	12	15	6	4	1	-	1
	F--	150	6	7	1	4	2	8	3	11	11	6	6	7	2	5	5	5	9	6	8	12	6	9	11	-	-
	Nonwhite--M--	20	1	-	-	-	-	4	2	1	1	2	1	3	2	-	1	-	-	1	1	-	-	-	-	-	-
	F--	5	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	241	3	5	9	6	2	12	10	34	17	21	18	18	14	8	16	12	10	6	9	7	1	3	-	-	-
	White-----M--	148	-	4	8	3	2	6	6	22	11	14	11	8	10	6	10	7	5	3	5	5	1	1	-	-	-
	F--	73	3	1	1	3	-	3	2	11	6	5	5	7	2	2	4	5	5	1	3	2	-	2	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	3	2	1	-	2	1	3	2	-	1	-	-	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
E800-	All ot. accidents-	297	13	17	12	4	3	15	12	16	15	14	14	14	20	10	11	11	15	15	12	20	11	10	12	-	1
E802,	White-----M--	215	8	10	12	3	1	9	11	16	9	13	13	14	20	7	10	11	11	10	7	10	5	3	1	-	1
E840-	F--	77	3	6	-	1	2	5	1	-	5	1	1	-	-	3	1	-	4	5	5	10	6	7	11	-	-
E962	Nonwhite--M--	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	71	-	-	-	-	-	-	-	2	4	6	5	11	7	5	5	10	4	5	1	3	2	1	-	-	-
E970-	White-----M--	57	-	-	-	-	-	-	-	2	4	5	3	8	6	2	4	10	3	3	1	3	2	1	-	-	-
E979	F--	11	-	-	-	-	-	-	-	-	-	1	2	1	1	2	1	-	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	13	-	-	-	-	-	-	-	-	4	-	2	1	1	-	2	2	-	1	-	-	-	-	-	-	-
E980-	White-----M--	8	-	-	-	-	-	-	-	-	2	-	2	-	1	-	1	1	-	1	-	-	-	-	-	-	-
E985	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT																										
	ALL CAUSES--------	4,097	219	24	12	9	12	22	17	30	24	32	39	61	79	126	189	234	334	437	548	590	533	340	137	34	15
	White-----M--	2,328	117	15	11	5	5	13	14	20	19	22	25	41	46	75	119	155	195	264	324	332	274	156	56	18	7
	F--	1,766	102	9	1	4	7	9	3	9	5	10	14	20	33	51	70	78	139	173	224	258	259	183	81	16	8
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
001-019	Tuberculosis, all forms--------	58	-	-	-	-	-	1	-	-	-	1	3	4	2	5	8	5	6	7	5	6	3	2	-	-	-
	White-----M--	42	-	-	-	-	-	1	-	-	-	-	1	2	1	1	8	4	3	7	4	6	2	2	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	1	2	2	1	4	-	1	3	-	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	55	-	-	-	-	-	-	-	-	-	1	3	4	2	3	8	5	6	7	5	6	3	2	-	-	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	-	1	2	1	1	8	4	3	7	4	6	2	2	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	1	2	2	1	2	-	1	3	-	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms-----	3	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	5	1	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	3	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	9	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	4	-	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT—Con.																										
140-205	Malignant neoplasms, etc.*----	615	-	1	1	2	2	2	1	2	-	4	8	11	13	29	53	59	65	79	85	89	70	26	10	1	2
	White-----M--	301	-	1	1	1	1	1	1	1	-	1	5	3	2	11	29	25	38	40	46	46	35	8	4	1	-
	F--	314	-	-	-	1	1	1	-	1	-	3	3	8	11	18	24	34	27	39	39	43	35	18	6	-	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	248	-	-	-	-	-	-	-	-	-	1	1	2	3	9	19	20	27	35	38	42	33	13	4	-	1
	White-----M--	133	-	-	-	-	-	-	-	-	-	-	1	1	1	6	12	8	17	19	24	21	19	4	-	-	-
	F--	115	-	-	-	-	-	-	-	-	-	1	-	1	2	3	7	12	10	16	14	21	14	9	4	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	46	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	7	6	4	7	5	5	1	1	-	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	7	5	3	7	5	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	62	-	-	-	-	-	-	-	-	-	1	2	2	5	7	8	7	3	6	5	7	7	2	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	61	-	-	-	-	-	-	-	-	-	1	2	2	5	7	7	7	3	6	5	7	7	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	102	-	-	-	-	-	-	-	-	-	-	-	3	4	3	6	9	7	17	15	18	14	2	3	-	1
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	5	8	11	8	2	3	-	-
	F--	62	-	-	-	-	-	-	-	-	-	-	-	2	4	3	6	7	7	12	7	7	6	-	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	38	-	-	-	-	-	1	-	-	-	-	-	1	-	2	2	5	4	6	6	6	1	3	1	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	5	4	4	1	1	1	-	-
	F--	14	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	2	1	1	2	2	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	59	-	1	-	-	-	-	1	-	-	-	1	3	-	3	7	6	8	5	9	6	4	3	1	1	-
	White-----M--	29	-	1	-	-	-	-	1	-	-	-	1	1	-	1	5	3	5	3	2	3	1	1	-	1	-
	F--	30	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	3	3	2	7	3	3	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	24	-	-	-	2	2	1	-	2	-	1	-	-	-	-	3	1	2	4	2	2	2	-	-	-	-
	White-----M--	16	-	-	-	1	1	1	-	1	-	-	-	-	-	-	2	1	2	4	-	1	2	-	-	-	-
	F--	8	-	-	-	1	1	-	-	1	-	1	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	30	-	-	1	-	-	-	-	-	-	1	4	-	-	3	1	4	6	2	2	2	2	2	-	-	-
	White-----M--	15	-	-	1	-	-	-	-	-	-	1	3	-	-	1	1	1	5	1	-	-	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	1	1	2	2	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	11	1	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	1	-	2	-	-	-	1	-
	White-----M--	8	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	1	-	-	-	1	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	72	-	-	-	-	-	1	1	-	1	-	1	-	1	1	-	3	8	10	18	9	15	3	-	-	-
	White-----M--	30	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	2	4	9	4	6	1	-	-	-
	F--	42	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	2	6	6	9	5	9	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	9	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	1	-	1	2	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
	F--	6	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	5	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	2,363	1	-	-	-	-	1	-	3	4	4	7	15	35	57	87	127	192	276	366	420	381	246	107	26	8
	White-----M--	1,341	1	-	-	-	-	-	-	1	3	3	4	11	25	38	57	95	113	169	216	236	194	115	43	14	3
	F--	1,020	-	-	-	-	-	1	-	1	1	1	3	4	10	19	30	32	79	107	150	184	187	130	64	12	5
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	2,312	1	-	-	-	-	1	-	2	4	4	7	15	35	55	85	125	186	268	358	412	371	242	107	26	8
	White-----M--	1,316	1	-	-	-	-	-	-	1	3	3	4	11	25	37	55	94	111	165	211	233	190	112	43	14	3
	F--	994	-	-	-	-	-	1	-	-	1	1	3	4	10	18	30	31	75	103	147	179	181	129	64	12	5
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334	Vascular lesions, etc.*----------	513	-	-	-	-	-	-	-	-	1	1	-	3	7	8	21	28	28	62	82	98	76	66	27	4	1
	White-----M--	260	-	-	-	-	-	-	-	-	1	1	-	2	3	1	9	16	13	29	44	61	35	32	10	3	-
	F--	252	-	-	-	-	-	-	-	-	-	-	-	1	4	7	12	12	15	33	38	37	41	33	17	1	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever---	4	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT—Con.																										
410-443	Diseases of heart	1,595	1	-	-	-	-	-	-	2	3	3	6	9	27	47	60	95	149	194	259	287	244	132	57	13	7
	White-----M--	954	1	-	-	-	-	-	-	1	2	2	3	6	22	36	44	78	94	130	156	158	127	59	24	8	3
	F--	640	-	-	-	-	-	-	-	-	1	1	3	3	5	11	16	17	55	64	103	129	117	73	33	5	4
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	61	-	-	-	-	-	-	-	-	1	1	5	3	5	5	4	7	7	6	5	3	4	2	3	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	5	6	1	3	1	2	1	-	-	-
	F--	32	-	-	-	-	-	-	-	-	1	1	3	1	3	3	2	2	1	5	2	2	2	1	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,102	1	-	-	-	-	-	-	-	1	2	-	4	19	37	47	72	107	138	184	204	154	82	40	6	4
	White-----M--	710	1	-	-	-	-	-	-	-	1	2	-	3	17	30	38	64	68	102	115	116	86	40	21	4	2
	F--	392	-	-	-	-	-	-	-	-	-	-	-	1	2	7	9	8	39	36	69	88	68	42	19	2	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	245	-	-	-	-	-	-	-	1	-	-	-	2	2	2	4	4	18	22	38	44	57	34	10	6	1
	White-----M--	131	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	11	15	21	28	30	12	2	3	1
	F--	113	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	7	7	17	16	27	22	8	3	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	39	-	-	-	-	-	-	-	1	1	-	1	-	-	-	3	2	4	4	6	7	6	2	-	1	1
	White-----M--	20	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	1	2	1	3	4	3	1	-	1	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	3	3	3	1	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	148	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	10	13	24	26	29	23	12	4	-	1
	White-----M--	64	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	5	7	11	14	9	6	5	1	-	-
	F--	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	6	13	12	20	17	7	3	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	34	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	5	3	5	10	5	2	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	3	2	4	3	1	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	3	6	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	11	18	38	38	21	9	-
	White-----M--	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	7	10	22	17	8	3	-
	F--	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	8	16	21	13	6	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.--	22	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	3	2	3	4	3	1	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	2	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	2	2	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	51	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	2	6	8	8	8	10	4	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	4	5	3	4	3	-	-	-
	F--	26	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	4	4	3	5	6	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	134	19	6	1	4	-	2	-	-	1	1	1	-	2	1	1	6	7	6	11	16	21	17	7	4	-
	White-----M--	76	14	4	1	2	-	-	-	-	-	1	1	-	-	1	-	5	4	4	7	9	12	6	3	2	-
	F--	58	5	2	-	2	-	2	-	-	1	-	-	-	2	-	1	1	3	2	4	7	9	11	4	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	18	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	4	3	6	-	-	-
	White-----M--	5	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	4	2	5	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	116	18	6	-	3	-	2	-	-	1	1	1	-	1	1	1	6	6	6	11	12	18	11	7	4	-
	White-----M--	71	13	4	-	1	-	-	-	-	-	1	1	-	-	1	-	5	4	4	7	9	11	5	3	2	-
	F--	45	5	2	-	2	-	2	-	-	1	-	-	-	1	-	1	1	2	2	4	3	7	6	4	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	9	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	1	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	1	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	25	-	-	-	-	-	-	-	-	1	-	1	2	2	-	1	1	2	2	6	2	2	3	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	1	-	1	2	2	-	1	-	2	2	6	1	1	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	1	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	25	-	-	-	-	-	-	1	-	-	-	-	1	-	1	3	1	2	2	5	2	3	4	-	-	-
	White-----M--	16	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	1	1	1	3	1	2	2	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT—Con.																										
543,	Gastritis, etc.*--	10	2	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	1	-	-	-
571,	White-----M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
572	F--	7	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	19	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	3	4	1	1	2	-	1	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	1	-	1	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4	4	5	3	3	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4	4	5	3	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	3	...	...	...	...	...	...	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	...	...	...	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	2	...	...	...	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	2	...	...	...	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	55	38	5	1	1	-	1	2	2	1	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
	White-----M--	33	19	5	1	-	-	1	2	1	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
	F--	22	19	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	32	1	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	3	3	4	4	3	8	2	-	-
795	White-----M--	21	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	2	2	4	3	1	4	2	-	-
	F--	11	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	167	6	3	2	-	2	-	2	3	2	4	2	6	6	8	10	13	17	19	20	13	15	8	3	2	1
sid-	White-----M--	87	3	1	2	-	-	-	1	3	2	3	1	4	1	5	4	8	9	10	9	7	9	4	-	-	1
ual	F--	79	3	2	-	-	2	-	1	-	-	1	1	2	5	3	6	4	8	9	11	6	6	4	3	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	230	10	4	4	-	7	7	10	16	11	15	13	8	13	10	7	9	15	14	15	12	10	14	4	-	2
E962	White-----M--	160	6	2	4	-	4	6	9	12	11	13	10	6	11	8	6	7	10	10	9	7	2	6	-	-	1
	F--	70	4	2	-	-	3	1	1	4	-	2	3	2	2	2	1	2	5	4	6	5	8	8	4	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	78	-	3	1	-	3	2	3	10	4	8	7	3	6	7	2	5	2	3	4	3	2	-	-	-	-
	White-----M--	59	-	2	1	-	3	2	2	8	4	6	5	3	6	5	2	3	-	2	4	1	-	-	-	-	-
	F--	19	-	1	-	-	-	-	1	2	-	2	2	-	-	2	-	2	2	1	-	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	152	10	1	3	-	4	5	7	6	7	7	6	5	7	3	5	4	13	11	11	9	8	14	4	-	2
E802,	White-----M--	101	6	-	3	-	1	4	7	4	7	7	5	3	5	3	4	4	10	8	5	6	2	6	-	-	1
E840-	F--	51	4	1	-	-	3	1	-	2	-	-	1	2	2	-	1	-	3	3	6	3	6	8	4	-	1
E962	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	55	-	-	-	-	-	-	-	2	2	-	2	9	3	7	7	4	1	6	4	1	3	2	-	-	2
E970-	White-----M--	48	-	-	-	-	-	-	-	1	1	-	2	8	2	6	6	4	1	5	4	1	3	2	-	-	2
E979	F--	7	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E985	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA																										
	ALL CAUSES--------	30,237	3,147	204	100	88	69	199	156	295	421	489	623	813	1,123	1,417	1,872	2,317	2,667	3,258	3,293	3,150	2,484	1,237	588	126	101
	White-----M--	12,059	1,089	59	35	27	25	66	66	117	167	200	230	282	448	575	742	999	1,123	1,331	1,412	1,336	1,008	471	203	28	20
	F--	8,892	795	53	26	24	18	59	40	51	77	86	123	161	229	279	353	499	612	920	1,099	1,285	1,122	595	295	67	24
	Nonwhite--M--	5,174	718	47	20	25	12	40	25	86	110	124	131	210	265	310	401	449	515	600	412	304	197	89	51	8	25
	F--	4,112	545	45	19	12	14	34	25	41	67	79	139	160	181	253	376	370	417	407	370	225	157	82	39	23	32
001-019	Tuberculosis, all forms--------	663	7	6	5	1	3	5	2	13	27	39	48	53	58	47	63	50	60	60	40	37	26	10	2	-	1
	White-----M--	215	1	-	2	-	-	1	-	-	2	5	3	12	19	14	29	20	27	25	19	22	7	7	-	-	-
	F--	121	1	1	-	-	1	-	-	1	4	10	8	2	6	4	4	13	10	10	15	11	15	3	2	-	-
	Nonwhite--M--	179	3	2	1	1	1	3	-	3	8	15	16	22	16	20	17	9	16	16	3	2	4	-	-	-	1
	F--	148	2	3	2	-	1	1	2	9	13	9	21	17	17	9	13	8	7	9	3	2	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	598	1	3	1	1	1	1	-	11	24	35	45	46	56	46	59	47	56	54	38	35	25	10	2	-	1
	White-----M--	198	-	-	-	-	-	-	-	-	2	4	3	11	18	14	27	18	25	23	18	21	7	7	-	-	-
	F--	117	-	1	-	-	-	-	-	1	4	10	8	2	6	4	4	13	10	9	15	11	14	3	2	-	-
	Nonwhite--M--	155	1	-	1	1	-	1	-	3	7	13	14	17	16	19	16	8	14	14	3	2	4	-	-	-	1
	F--	128	-	2	-	-	1	-	-	7	11	8	20	16	16	9	12	8	7	8	2	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	65	6	3	4	-	2	4	2	2	3	4	3	7	2	1	4	3	4	6	2	2	1	-	-	-	-
	White-----M--	17	1	-	2	-	-	1	-	-	-	1	-	1	1	-	2	2	2	2	1	1	-	-	-	-	-
	F--	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	24	2	2	-	-	1	2	-	-	1	2	2	5	-	1	1	1	2	2	-	-	-	-	-	-	-
	F--	20	2	1	2	-	-	1	2	2	2	1	1	1	1	-	1	-	-	1	1	1	-	-	-	-	-
020-029	Syphilis and its sequelae---------	149	2	-	-	-	-	-	-	1	-	-	1	7	11	23	17	27	19	17	16	4	2	2	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	-	-	-	4	3	2	8	7	5	3	3	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	-	3	3	-	-	-	1	-	-	-
	Nonwhite--M--	72	2	-	-	-	-	-	-	-	-	-	1	2	5	10	9	15	7	8	11	1	-	1	-	-	-
	F--	27	-	-	-	-	-	-	-	1	-	-	-	3	1	8	3	4	2	1	2	-	2	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	28	19	-	1	-	-	-	-	-	-	1	-	1	-	-	2	-	1	1	-	1	1	-	-	-	-
	White-----M--	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	9	7	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	13	-	2	-	-	-	1	-	-	1	-	-	-	-	1	-	2	-	1	1	1	2	1	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	1	1	1	-	-	-
	F--	5	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	12	-	1	1	3	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	16	14	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	46	13	6	1	2	-	8	1	5	4	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	19	6	1	1	1	-	3	-	3	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	10	4	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	8	2	-	-	-	-	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	1	2	-	-	-	2	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	30	-	-	-	2	1	7	4	1	3	4	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	16	-	-	-	-	1	5	2	-	3	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	-	2	-	2	2	1	-	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	23	5	5	3	1	-	4	1	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
	White-----M--	6	1	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	7	-	1	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	9	4	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	102	17	2	4	-	1	5	6	5	6	2	4	3	8	7	6	5	5	6	2	1	5	1	-	1	-
	White-----M--	36	7	2	1	-	-	2	2	1	2	-	2	1	4	1	2	1	-	2	2	1	3	-	-	-	-
	F--	25	2	-	2	-	1	1	2	-	2	2	1	-	2	-	1	1	2	2	-	-	2	1	-	1	-
	Nonwhite--M--	28	5	-	1	-	-	1	1	3	1	-	-	1	2	5	2	2	2	2	-	-	-	-	-	-	-
	F--	13	3	-	-	-	-	1	1	1	1	-	1	1	-	1	1	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
140-205	Malignant neoplasms, etc.*----	3,637	4	5	6	9	7	17	11	21	26	34	73	108	154	243	326	451	454	487	454	371	233	100	36	4	3
	White-----M--	1,388	3	1	2	1	2	8	3	10	8	13	17	28	41	69	102	168	181	198	195	167	108	48	14	1	-
	F--	1,424	1	4	3	5	5	7	4	5	11	14	34	47	70	107	124	167	146	171	181	156	100	41	18	3	-
	Nonwhite--M--	409	-	-	1	2	-	1	-	4	5	2	7	6	17	28	43	59	71	67	42	28	12	9	3	-	2
	F--	416	-	-	-	1	-	1	4	2	2	5	15	27	26	39	57	57	56	51	36	20	13	2	1	-	1
140-148	Of buccal cavity and pharynx------	89	-	-	-	-	-	-	-	1	2	1	1	6	2	5	12	8	16	10	9	10	4	1	1	-	-
	White-----M--	55	-	-	-	-	-	-	-	1	-	-	-	4	1	1	8	5	11	6	8	7	3	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-	2	1	1	1	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	2	-	-	2	-	2	2	1	5	2	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	1	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,260	1	-	-	1	-	1	-	-	1	2	19	14	34	64	97	153	171	199	185	145	108	47	14	2	2
	White-----M--	476	1	-	-	-	-	1	-	-	-	1	4	4	13	16	35	56	66	76	69	63	48	20	3	-	-
	F--	459	-	-	-	-	-	-	-	-	-	1	8	5	9	25	27	42	55	70	76	63	48	19	9	2	-
	Nonwhite--M--	189	-	-	-	1	-	-	-	-	-	-	4	-	7	17	21	34	27	31	23	10	5	7	1	-	1
	F--	136	-	-	-	-	-	-	-	-	1	-	3	5	5	6	14	21	23	22	17	9	7	1	1	-	1
160-164	Of respiratory system----------	407	-	-	-	-	-	1	-	1	1	1	4	12	21	28	39	84	64	61	45	36	6	2	-	-	1
	White-----M--	273	-	-	-	-	-	1	-	-	-	-	1	8	9	23	29	56	45	44	33	21	3	-	-	-	-
	F--	64	-	-	-	-	-	-	-	-	1	-	1	1	4	1	2	17	6	9	9	11	1	1	-	-	-
	Nonwhite--M--	52	-	-	-	-	-	-	-	1	-	1	2	1	4	2	7	10	10	6	2	3	1	1	-	-	1
	F--	18	-	-	-	-	-	-	-	-	-	-	-	2	4	2	1	1	3	2	1	1	1	-	-	-	-
170	Of breast---------	309	-	-	-	-	-	-	-	-	2	5	12	13	26	36	41	51	26	29	29	21	13	5	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	251	-	-	-	-	-	-	-	-	1	3	10	10	24	28	26	39	22	26	26	19	12	5	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	56	-	-	-	-	-	-	-	-	1	2	2	3	2	8	15	11	3	3	3	2	1	-	-	-	-
171-179	Of genital organs-	673	-	-	-	-	1	-	-	1	-	8	22	34	25	48	70	60	68	93	86	79	48	21	9	-	-
	White-----M--	174	-	-	-	-	-	-	-	-	-	1	2	-	-	1	3	7	14	26	36	37	27	15	5	-	-
	F--	296	-	-	-	-	1	-	-	1	-	5	12	20	16	28	41	33	27	31	30	27	15	6	3	-	-
	Nonwhite--M--	69	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	7	13	18	9	9	3	-	1	-	-
	F--	134	-	-	-	-	-	-	-	-	-	2	8	14	9	16	20	13	14	18	11	6	3	-	-	-	-
180, 181	Of urinary organs-	155	-	-	-	3	-	1	1	1	-	2	-	1	4	9	11	16	23	19	19	25	10	9	1	-	-
	White-----M--	79	-	-	-	-	-	1	-	-	-	-	-	-	1	5	6	10	10	10	10	15	4	6	1	-	-
	F--	49	-	-	-	3	-	-	-	-	-	1	-	-	1	3	2	3	8	7	6	7	5	3	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	1	-	1	-	-	2	1	3	1	2	1	3	3	1	-	-	-	-
	F--	8	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	3	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	458	2	2	2	2	1	6	5	8	12	7	4	14	27	34	38	47	50	52	51	39	31	12	10	2	-
	White-----M--	207	2	-	1	-	1	1	2	3	5	5	3	5	9	16	16	19	19	23	30	17	18	6	5	1	-
	F--	180	-	2	-	1	-	4	3	2	6	2	1	7	14	12	15	19	16	20	17	18	11	5	4	1	-
	Nonwhite--M--	38	-	-	1	1	-	-	-	2	1	-	-	2	-	2	4	5	8	5	2	2	2	-	1	-	-
	F--	33	-	-	-	-	-	1	-	1	-	-	-	-	4	4	3	4	7	4	2	2	-	1	-	-	-
204	Leukemia and aleukemia----------	139	1	2	3	2	4	7	1	6	3	3	4	9	4	10	5	15	15	10	15	9	9	1	1	-	-
	White-----M--	64	-	1	1	1	1	4	-	4	2	2	2	5	3	4	-	8	6	7	4	4	4	1	-	-	-
	F--	58	1	1	2	1	3	3	-	1	1	1	1	1	1	5	4	4	7	1	9	5	5	-	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	1	1	-	-	1	2	-	1	1	3	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	147	-	1	1	1	1	1	4	3	5	5	7	5	11	9	13	17	21	14	15	7	4	2	-	-	-
	White-----M--	59	-	-	-	-	-	-	1	2	1	4	5	2	5	3	5	6	10	6	5	3	1	-	-	-	-
	F--	56	-	1	1	-	1	-	1	1	2	1	1	3	1	4	5	8	5	6	8	4	2	1	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	1	-	-	2	-	1	-	4	1	-	1	4	2	1	-	-	1	-	-	-
	F--	14	-	-	-	1	-	-	2	-	-	-	-	-	1	1	3	2	2	-	1	-	1	-	-	-	-
210-239	Benign and unspecified neoplasms--	90	4	1	1	-	2	1	3	4	-	6	6	5	11	11	6	9	6	3	9	1	-	-	-	-	1
	White-----M--	20	1	-	1	-	2	-	1	1	-	2	1	-	4	3	1	1	2	-	-	-	-	-	-	-	-
	F--	48	2	1	-	-	-	1	-	1	-	3	3	2	3	8	5	5	2	2	8	1	-	-	-	-	1
	Nonwhite--M--	12	-	-	-	-	-	-	2	1	-	1	1	2	2	-	-	2	1	-	-	-	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	1	-	-	1	1	2	-	-	1	1	1	1	-	-	-	-	-	-
260	Diabetes mellitus-	367	1	-	-	-	-	1	-	2	4	6	9	10	12	21	25	40	42	41	68	46	32	7	-	-	-
	White-----M--	102	1	-	-	-	-	-	-	-	2	2	4	6	4	2	5	11	7	10	27	11	10	-	-	-	-
	F--	156	-	-	-	-	-	1	-	2	1	2	3	2	2	7	1	11	18	22	32	26	19	7	-	-	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	-	1	-	1	4	1	6	5	9	2	1	5	2	-	-	-	-
	F--	72	-	-	-	-	-	-	-	-	1	1	2	1	2	11	13	13	8	7	8	4	1	-	-	-	-
290-293	Anemias----------	66	3	-	1	-	1	2	-	2	3	2	6	2	2	4	2	-	4	6	7	12	5	1	1	-	-
	White-----M--	18	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	2	2	2	6	3	-	-	-	-
	F--	25	2	-	-	-	-	1	-	1	2	1	-	1	-	-	-	-	2	3	2	6	2	1	1	-	-
	Nonwhite--M--	11	1	-	-	-	1	-	-	1	-	1	2	-	1	3	1	-	-	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	1	-	-	1	-	3	1	-	1	1	-	-	1	3	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	46	22	3	1	1	-	3	-	3	2	1	-	-	4	-	-	2	3	-	-	1	-	-	-	-	-
	White-----M--	17	8	2	1	-	-	1	-	1	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-
	F--	15	8	-	-	-	-	2	-	1	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	10	4	-	-	1	-	-	-	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	15,835	21	6	3	1	3	18	20	31	40	65	139	234	462	679	1,023	1,352	1,673	2,192	2,251	2,271	1,819	933	449	87	63
	White-----M--	6,464	9	2	2	-	2	2	7	8	4	22	38	72	202	297	407	598	719	894	961	955	729	349	154	20	11
	F--	4,750	3	-	-	1	1	4	4	5	10	16	24	39	71	92	143	231	341	581	723	916	817	446	226	44	12
	Nonwhite--M--	2,434	5	3	1	-	-	4	2	10	17	14	34	57	102	145	227	269	325	418	299	228	149	67	38	5	15
	F--	2,187	4	1	-	-	-	8	7	8	9	13	43	66	87	145	246	254	288	299	268	172	124	71	31	18	25
330-334, 400-468	Diseases of cardiovascular system-	15,315	20	5	2	1	3	17	17	23	34	55	123	220	434	648	991	1,319	1,625	2,127	2,191	2,202	1,767	907	436	85	63
	White-----M--	6,288	8	1	1	-	2	2	5	6	3	17	36	69	190	285	401	590	704	877	936	931	707	340	147	19	11
	F--	4,624	3	-	-	1	1	4	4	4	8	15	19	38	67	90	136	221	333	568	709	888	801	437	222	43	12
	Nonwhite--M--	2,318	5	3	1	-	-	4	2	7	15	12	29	51	99	136	218	259	310	403	286	218	139	64	37	5	15
	F--	2,085	4	1	-	-	-	7	6	6	8	11	39	62	78	137	236	249	278	279	260	165	120	66	30	18	25
330-334	Vascular lesions, etc.*----------	3,795	10	-	1	1	1	3	2	3	9	16	19	33	91	157	259	292	375	534	541	610	459	246	100	22	11
	White-----M--	1,242	3	-	1	-	1	1	1	1	-	3	7	6	16	32	52	80	120	177	205	249	167	85	28	5	2
	F--	1,219	2	-	-	1	-	2	1	2	2	6	4	5	22	26	45	54	75	141	168	260	219	124	48	11	1
	Nonwhite--M--	642	3	-	-	-	-	-	-	-	6	3	2	8	30	53	63	76	91	116	79	45	35	16	10	2	4
	F--	692	2	-	-	-	-	-	-	-	1	4	6	14	23	46	99	82	89	100	89	56	38	21	14	4	4
400-402	Rheumatic fever---	47	-	1	-	-	2	10	7	2	4	4	5	1	5	1	-	1	-	1	2	-	-	1	-	-	-
	White-----M--	14	-	-	-	-	1	-	3	1	-	2	2	-	4	-	-	-	-	-	1	-	-	-	-	-	-
	F--	8	-	-	-	-	1	-	1	-	1	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	8	-	1	-	-	-	3	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	17	-	-	-	-	-	7	3	1	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
410-443	Diseases of heart	10,306	8	4	1	-	-	3	8	14	17	26	80	155	307	451	685	967	1,162	1,462	1,515	1,415	1,135	556	253	41	41
	White-----M--	4,606	4	1	-	-	-	-	1	4	3	10	26	60	159	238	333	484	554	653	676	611	472	213	92	5	7
	F--	3,043	1	-	-	-	-	2	2	2	5	7	10	25	37	60	86	161	242	397	500	565	509	268	131	24	9
	Nonwhite--M--	1,466	1	2	1	-	-	1	2	7	7	6	22	34	62	74	141	169	195	249	186	145	89	41	20	2	10
	F--	1,191	2	1	-	-	-	-	3	1	2	3	22	36	49	79	125	153	171	163	153	94	65	34	10	10	15
410-416	Chronic rheumatic heart disease----	325	1	-	-	-	-	1	5	13	6	15	20	21	31	24	25	29	27	34	22	24	15	6	6	-	-
	White-----M--	120	1	-	-	-	-	-	-	4	1	7	2	9	11	10	13	8	11	16	9	8	3	4	3	-	-
	F--	105	-	-	-	-	-	-	1	2	2	5	8	7	11	7	4	15	9	9	6	8	7	1	3	-	-
	Nonwhite--M--	57	-	-	-	-	-	1	2	7	2	2	3	3	5	2	5	2	5	4	6	5	3	-	-	-	-
	F--	43	-	-	-	-	-	-	2	-	1	1	7	2	4	5	3	4	2	5	1	3	2	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,845	2	-	-	-	-	-	1	-	6	7	34	80	184	293	427	637	723	872	876	725	558	261	124	18	17
	White-----M--	3,183	2	-	-	-	-	-	-	-	1	1	15	44	128	196	265	398	429	460	460	366	254	107	50	3	4
	F--	1,579	-	-	-	-	-	-	1	-	1	1	-	9	14	29	43	95	149	249	283	272	240	121	58	11	3
	Nonwhite--M--	629	-	-	-	-	-	-	-	-	3	4	14	14	27	35	69	76	85	101	82	54	35	16	11	-	3
	F--	454	-	-	-	-	-	-	-	-	1	1	5	13	15	33	50	68	60	62	51	33	29	17	5	4	7
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,602	-	1	-	-	-	1	1	-	-	1	9	15	18	29	67	75	137	209	244	281	264	147	74	14	15
	White-----M--	561	-	-	-	-	-	-	-	-	-	1	7	4	4	8	18	22	40	72	93	106	107	56	23	-	-
	F--	526	-	-	-	-	-	1	-	-	-	-	-	1	2	4	14	11	22	44	72	113	116	72	42	8	4
	Nonwhite--M--	287	-	1	-	-	-	-	-	-	-	-	1	4	5	10	22	23	40	62	33	37	24	13	6	1	5
	F--	228	-	-	-	-	-	-	1	-	-	-	1	6	7	7	13	19	35	31	46	25	17	6	3	5	6
430-434	Other diseases of heart---------	484	5	3	1	-	-	1	1	1	1	2	6	11	15	19	16	34	54	62	65	77	56	32	13	4	3
	White-----M--	176	1	1	-	-	-	-	1	-	-	1	2	1	5	7	6	17	19	26	21	28	21	11	5	1	2
	F--	161	1	-	-	-	-	1	-	-	1	1	1	3	1	3	4	4	15	17	23	33	28	15	7	2	1
	Nonwhite--M--	82	1	1	1	-	-	-	-	-	-	-	1	5	3	5	5	7	13	12	9	13	3	2	-	1	-
	F--	65	2	1	-	-	-	-	-	1	-	-	2	2	6	4	3	6	7	7	12	3	4	4	1	-	-
440-443	Hypertension with heart dis.--	2,050	-	-	-	-	-	-	-	-	4	1	11	28	59	86	148	192	221	285	308	308	242	110	36	5	6
	White-----M--	566	-	-	-	-	-	-	-	-	1	-	-	2	11	17	31	39	55	79	93	103	87	35	11	1	1
	F--	672	-	-	-	-	-	-	-	-	1	-	1	5	9	17	21	36	47	78	116	139	116	59	21	3	1
	Nonwhite--M--	411	-	-	-	-	-	-	-	-	2	-	3	8	22	22	40	61	52	70	56	36	24	10	3	-	2
	F--	401	-	-	-	-	-	-	-	-	-	1	7	13	17	30	56	56	67	58	43	30	13	6	1	1	2
444-447	Hypertension without mention of heart----------	327	-	-	-	-	-	-	-	2	1	3	14	20	23	24	18	25	29	40	32	40	23	18	15	-	-
	White-----M--	100	-	-	-	-	-	-	-	-	-	1	-	2	8	9	4	12	7	13	11	13	9	7	4	-	-
	F--	81	-	-	-	-	-	-	-	-	-	-	1	4	5	1	1	-	6	9	10	19	10	8	7	-	-
	Nonwhite--M--	70	-	-	-	-	-	-	-	-	-	1	5	5	4	7	6	6	9	11	4	6	2	2	2	-	-
	F--	76	-	-	-	-	-	-	-	2	1	1	8	9	6	7	7	7	7	7	7	2	2	1	2	-	-
450	General arteriosclerosis--------	649	-	-	-	-	-	-	-	-	-	-	-	1	-	2	11	15	34	64	85	118	142	79	66	22	10
	White-----M--	228	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	15	35	46	57	32	21	9	2
	F--	233	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	7	16	24	40	60	34	36	8	2
	Nonwhite--M--	105	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	5	10	24	15	20	13	5	5	1	1
	F--	83	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	10	9	11	12	12	8	4	4	5
451-468	Other diseases of circulatory sys.-	191	2	-	-	-	-	1	-	2	3	6	5	10	8	13	18	19	25	26	16	19	8	7	2	-	1
	White-----M--	98	1	-	-	-	-	1	-	-	-	1	1	1	3	6	11	11	16	19	8	12	2	3	2	-	-
	F--	40	-	-	-	-	-	-	-	-	-	1	2	3	2	3	2	3	3	5	7	4	3	2	-	-	-
	Nonwhite--M--	27	1	-	-	-	-	-	-	-	2	1	-	3	3	1	3	3	5	2	1	2	-	-	-	-	-
	F--	26	-	-	-	-	-	-	-	2	1	3	2	3	-	3	2	2	1	-	-	1	3	2	-	-	1
592-594	Chronic nephritis, etc.*----------	520	1	1	1	-	-	1	3	8	6	10	16	14	28	31	32	33	48	65	60	69	52	26	13	2	-
	White-----M--	176	1	1	1	-	-	-	2	2	1	5	2	3	12	12	6	8	15	17	25	24	22	9	7	1	-
	F--	126	-	-	-	-	-	-	-	1	2	1	5	1	4	2	7	10	8	13	14	28	16	9	4	1	-
	Nonwhite--M--	116	-	-	-	-	-	-	-	3	2	2	5	6	3	9	9	10	15	15	13	10	10	3	1	-	-
	F--	102	-	-	-	-	-	1	1	2	1	2	4	4	9	8	10	5	10	20	8	7	4	5	1	-	-
480-493	Influenza and pneumonia, etc.*-	1,219	353	49	14	15	8	7	14	4	10	13	12	29	35	34	49	43	56	60	93	105	100	62	34	9	11
	White-----M--	352	89	7	4	6	2	2	6	2	1	1	1	4	10	12	19	8	16	16	36	39	37	21	10	2	1
	F--	340	70	12	3	3	1	3	4	-	2	1	4	6	3	4	2	10	14	16	30	46	46	31	18	6	5
	Nonwhite--M--	291	103	13	2	4	5	1	1	1	4	5	2	11	12	14	20	16	15	19	14	10	7	6	4	1	1
	F--	236	91	17	5	2	-	1	3	1	3	6	5	8	10	4	8	9	11	9	13	10	10	4	2	-	4
480-483	Influenza---------	238	45	5	2	1	1	3	6	1	2	1	4	6	3	8	11	9	14	12	24	24	25	19	6	1	5
	White-----M--	66	11	1	1	-	1	1	4	-	-	-	-	1	-	2	3	2	4	3	7	5	9	6	4	-	1
	F--	76	13	-	-	-	-	1	1	-	1	-	2	2	-	-	1	2	5	1	8	13	13	8	2	1	2
	Nonwhite--M--	49	10	2	-	1	-	1	1	-	-	1	1	-	2	4	4	2	2	4	6	3	1	3	-	-	1
	F--	47	11	2	1	-	-	-	-	1	1	-	1	3	1	2	3	3	3	4	3	3	2	2	-	-	1
490-493	Pneumonia, etc.*--	981	308	44	12	14	7	4	8	3	8	12	8	23	32	26	38	34	42	48	69	81	75	43	28	8	6
	White-----M--	286	78	6	3	6	1	1	2	2	1	1	1	3	10	10	16	6	12	13	29	34	28	15	6	2	-
	F--	264	57	12	3	3	1	2	3	-	1	1	2	4	3	4	1	8	9	15	22	33	33	23	16	5	3
	Nonwhite--M--	242	93	11	2	3	5	-	-	1	4	4	1	11	10	10	16	14	13	15	8	7	6	3	4	1	-
	F--	189	80	15	4	2	-	1	3	-	2	6	4	5	9	2	5	6	8	5	10	7	8	2	2	-	3
500-502	Bronchitis--------	59	10	-	1	1	1	2	-	-	1	-	-	1	1	1	2	6	2	8	9	6	4	2	1	-	-
	White-----M--	32	2	-	-	1	1	2	-	-	-	-	-	1	-	-	2	5	1	7	4	5	1	-	-	-	-
	F--	15	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	4	-	3	2	1	-	-
	Nonwhite--M--	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	113	1	1	-	-	-	-	-	-	1	1	5	3	6	9	14	13	13	13	15	9	6	3	-	-	-
	White-----M--	74	-	-	-	-	-	-	-	-	-	1	2	2	1	5	9	10	10	11	9	8	6	-	-	-	-
	F--	16	1	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	1	1	4	1	-	2	-	-	-
	Nonwhite--M--	17	-	1	-	-	-	-	-	-	-	-	2	-	2	2	3	2	2	1	2	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	1	-	-	-
550-553	Appendicitis------	63	1	1	1	1	-	4	1	4	2	1	1	3	-	3	6	6	9	9	4	3	2	1	-	-	-
	White-----M--	22	-	1	1	-	-	1	-	1	-	-	1	1	-	1	2	-	3	4	2	1	2	1	-	-	-
	F--	17	-	-	-	1	-	3	1	2	-	-	-	-	-	-	2	1	1	3	2	1	-	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	4	4	2	-	1	-	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	1	1	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	185	30	4	2	-	-	2	-	1	2	2	3	4	2	9	18	4	18	20	18	19	14	8	4	-	1
	White-----M--	64	10	1	1	-	-	1	-	-	-	-	-	2	1	1	6	-	4	7	9	9	5	4	2	-	1
	F--	58	11	2	1	-	-	-	-	-	-	-	1	-	1	2	4	1	3	7	7	7	6	3	2	-	-
	Nonwhite--M--	32	4	1	-	-	-	-	-	-	-	1	1	-	-	4	5	1	4	5	-	3	2	1	-	-	-
	F--	31	5	-	-	-	-	1	-	1	2	1	1	2	-	2	3	2	7	1	2	-	1	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
543,	Gastritis, etc.*--	233	162	16	4	1	1	2	1	1	1	2	1	4	-	-	2	5	7	8	4	5	4	1	-	1	-
571,	White-----M--	53	32	4	-	-	-	-	-	-	1	-	-	1	-	-	-	3	3	3	2	2	2	-	-	-	-
572	F--	47	21	3	1	-	-	2	1	1	-	1	1	1	-	-	1	1	1	5	1	3	1	1	-	1	-
	Nonwhite--M--	80	66	5	2	1	-	-	-	-	-	1	-	1	-	-	1	-	2	-	-	-	1	-	-	-	-
	F--	53	43	4	1	-	1	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	207	1	-	-	-	1	1	1	-	2	5	10	12	19	23	35	27	22	17	11	10	6	3	-	-	1
	White-----M--	118	-	-	-	-	-	1	1	-	-	2	3	5	9	13	25	18	13	12	6	7	2	1	-	-	-
	F--	52	-	-	-	-	-	-	-	-	1	1	2	4	3	10	6	6	3	4	4	3	3	2	-	-	-
	Nonwhite--M--	26	1	-	-	-	-	-	-	-	-	1	1	2	4	-	4	3	6	1	1	-	1	-	-	-	1
	F--	11	-	-	-	-	1	-	-	-	1	1	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	62	1	-	1	1	1	1	3	2	2	3	1	5	6	5	3	7	4	4	5	2	2	1	-	1	1
	White-----M--	15	-	-	-	1	1	1	1	-	-	-	-	2	2	1	-	4	-	1	-	1	-	-	-	-	-
	F--	16	1	-	1	-	-	-	1	1	-	-	-	1	1	1	2	1	1	-	3	1	1	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	1	1	1	2	2	2	-	1	-	2	2	-	-	-	-	1	-
	F--	16	-	-	-	-	-	-	1	1	1	2	-	-	1	1	1	1	3	1	-	-	1	1	-	-	1
610	Hyperplasia of																										
	prostate---------	108	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	4	19	20	18	24	10	5	-	-
	White-----M--	75	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	12	15	11	19	10	4	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	7	5	7	5	-	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	72	...	...	...	...	...	...	-	4	13	18	20	13	3	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	30	...	...	...	...	...	...	-	1	5	7	8	5	3	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	42	...	...	...	...	...	...	-	3	8	11	12	8	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	13	...	...	...	...	...	...	-	-	3	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	...	...	...	...	...	...	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	...	...	...	...	...	...	-	-	3	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	59	...	...	...	...	...	...	-	4	10	13	19	10	2	-	-	1	-	-	-	-	-	-	-	-	-
660-	White-----F--	27	...	...	...	...	...	...	-	1	5	7	8	3	2	-	-	1	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	32	...	...	...	...	...	...	-	3	5	6	11	7	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	488	376	29	8	8	4	12	7	10	1	5	3	4	4	2	2	4	1	2	4	1	1	-	-	-	-
	White-----M--	208	163	9	3	2	-	5	5	3	-	3	2	4	3	-	1	2	-	-	2	1	-	-	-	-	-
	F--	157	118	10	2	4	1	3	2	4	1	2	-	-	-	2	1	1	1	2	2	-	1	-	-	-	-
	Nonwhite--M--	72	59	4	2	1	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	51	36	6	1	1	3	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,761	1,761	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	647	647	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	462	462	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	377	377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	275	275	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	660	660	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	263	263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	188	188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	960	960	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	340	340	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	251	251	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	215	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	371	85	3	2	-	3	1	-	3	2	10	11	11	14	17	12	14	16	22	29	25	25	22	23	14	7
795	White-----M--	114	28	3	2	-	1	-	-	-	-	2	-	-	4	5	6	3	7	8	11	3	9	8	9	3	2
	F--	82	17	-	-	-	1	-	-	-	-	1	-	3	2	2	1	-	1	2	5	9	11	10	8	6	3
	Nonwhite--M--	97	22	-	-	-	-	1	-	2	2	2	6	7	7	7	2	6	5	10	4	4	4	2	2	-	2
	F--	78	18	-	-	-	1	-	-	1	-	5	5	1	1	3	3	5	3	2	9	9	1	2	4	5	-
Re-	All other diseases	1,419	105	23	11	9	4	26	11	14	37	31	56	60	94	88	106	96	133	147	124	106	82	37	15	3	1
sid-	White-----M--	548	32	9	4	6	2	10	7	2	13	10	22	22	28	44	38	51	49	56	51	43	31	13	4	1	-
ual	F--	462	23	7	5	1	2	8	1	3	5	7	7	16	26	17	32	24	43	57	46	56	44	22	9	1	-
	Nonwhite--M--	233	25	3	2	2	-	2	2	6	8	9	14	12	24	16	22	15	19	20	16	6	5	1	2	1	1
	F--	176	25	4	-	-	-	6	1	3	11	5	13	10	16	11	14	6	22	14	11	1	2	1	-	-	-
E800-	Accidents---------	2,149	125	39	29	32	26	65	64	146	183	171	147	159	149	120	98	111	87	90	85	82	78	31	18	6	8
E962	White-----M--	1,045	42	15	7	9	10	21	30	79	112	108	98	81	70	57	57	58	48	38	37	29	23	7	6	1	2
	F--	434	37	7	5	5	5	17	16	19	21	10	16	20	22	14	11	18	14	24	26	38	49	22	10	5	3
	Nonwhite--M--	493	22	10	7	12	5	17	14	42	41	41	26	54	47	38	24	29	20	17	10	8	4	2	1	-	2
	F--	177	24	7	10	6	6	10	4	6	9	12	7	4	10	11	6	6	5	11	12	7	2	-	1	-	1
E810-	Motor-vehicle																										
E835	accidents---------	852	2	6	2	11	12	26	20	84	124	90	78	76	59	49	43	52	32	37	22	13	10	2	-	-	2
	White-----M--	475	1	3	1	3	6	9	8	43	75	63	49	40	34	29	25	23	16	17	13	10	5	1	-	-	1
	F--	142	-	1	-	1	3	10	6	14	17	6	10	11	13	5	5	13	7	9	4	2	3	1	-	-	1
	Nonwhite--M--	191	-	2	1	6	2	4	3	24	26	19	14	24	9	12	12	13	8	6	3	1	2	-	-	-	-
	F--	44	1	-	-	1	1	3	3	3	6	2	5	1	3	3	1	3	1	5	2	-	-	-	-	-	-
E800-	All ot. accidents-	1,297	123	33	27	21	14	39	44	62	59	81	69	83	90	71	55	59	55	53	63	69	68	29	18	6	6
E802,	White-----M--	570	41	12	6	6	4	12	22	36	37	45	49	41	36	28	32	35	32	21	24	19	18	6	6	1	1
E840-	F--	292	37	6	5	4	2	7	10	5	4	4	6	9	9	9	6	5	7	15	22	36	46	21	10	5	2
E962	Nonwhite--M--	302	22	8	6	6	3	13	11	18	15	22	12	30	38	26	12	16	12	11	7	7	2	2	1	-	2
	F--	133	23	7	10	5	5	7	1	3	3	10	2	3	7	8	5	3	4	6	10	7	2	-	1	-	1
E963,	Suicide----------	337	-	-	-	-	-	-	1	5	23	23	24	37	34	45	30	33	22	22	19	9	9	1	-	-	-
E970-	White-----M--	255	-	-	-	-	-	-	-	3	11	14	20	27	27	38	22	25	17	18	16	9	7	1	-	-	-
E979	F--	54	-	-	-	-	-	-	-	1	6	6	4	7	7	3	5	4	4	3	3	-	1	-	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	1	5	3	-	3	-	4	2	4	1	1	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	262	4	1	-	-	-	-	2	12	24	43	39	40	33	21	19	6	5	1	5	3	1	-	-	-	3
E980-	White-----M--	80	1	1	-	-	-	-	-	3	4	13	13	8	12	6	6	2	2	-	3	2	1	-	-	-	3
E985	F--	21	1	-	-	-	-	-	-	1	4	-	5	2	2	2	3	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	133	-	-	-	-	-	-	2	7	16	23	17	24	17	10	8	4	3	1	1	-	-	-	-	-	-
	F--	28	2	-	-	-	-	-	-	1	-	7	4	6	2	3	2	-	-	-	1	-	-	-	-	-	-
E965,	Operations of war-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON																										
	ALL CAUSES	23,021	1,541	94	85	59	44	129	116	169	233	263	315	426	643	831	1,162	1,577	2,224	2,795	3,028	2,878	2,256	1,433	555	132	33
	White-----M	13,527	849	54	41	26	29	73	62	112	161	143	200	255	398	504	783	1,019	1,444	1,743	1,777	1,637	1,174	724	251	53	15
	F	8,835	565	31	33	29	14	49	42	43	58	82	93	147	216	301	345	532	742	998	1,197	1,197	1,058	685	295	74	9
	Nonwhite--M	431	77	5	6	2	-	2	8	10	10	26	13	11	19	18	24	20	27	38	38	33	17	16	5	3	3
	F	228	50	4	5	2	1	5	4	4	4	12	9	13	10	8	10	6	11	16	16	11	7	8	4	2	6
001-019	Tuberculosis, all forms	260	4	3	4	-	1	1	2	3	1	10	9	13	16	23	36	21	26	23	27	23	8	5	1	-	-
	White-----M	165	-	1	-	-	-	-	-	1	-	1	1	10	9	18	25	17	20	16	20	18	6	2	-	-	-
	F	64	3	1	-	-	1	1	-	-	1	5	5	3	5	5	8	4	4	3	6	4	2	2	1	-	-
	Nonwhite--M	20	1	1	2	-	-	-	-	1	-	1	2	-	2	-	2	-	2	3	1	1	-	1	-	-	-
	F	11	-	-	2	-	-	-	2	1	-	3	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	235	1	2	1	-	1	-	1	2	1	9	9	13	15	21	33	19	24	22	25	23	8	4	1	-	-
	White-----M	157	-	1	-	-	-	-	-	-	-	-	1	10	9	16	25	16	19	15	19	18	6	2	-	-	-
	F	56	1	1	-	-	1	-	-	-	1	5	5	3	4	5	7	3	3	3	5	4	2	2	1	-	-
	Nonwhite--M	14	-	-	-	-	-	-	-	1	-	1	2	-	2	-	1	-	2	3	1	1	-	-	-	-	-
	F	8	-	-	1	-	-	-	1	1	-	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	25	3	1	3	-	-	1	1	1	-	1	-	-	1	2	3	2	2	1	2	-	-	1	-	-	-
	White-----M	8	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	1	1	1	1	-	-	-	-	-	-
	F	8	2	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-
	Nonwhite--M	6	1	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	F	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	79	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	11	14	11	16	7	7	3	-	-	1
	White-----M	59	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	9	12	5	10	6	6	3	-	-	1
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	5	1	1	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	5	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	White-----M	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	5	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	4	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	15	4	3	4	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	8	1	3	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	62	1	2	1	-	-	11	10	3	7	10	8	4	3	2	-	-	-	-	-	-	-	-	-	-	-
	White-----M	38	1	1	-	-	-	10	6	2	4	4	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	23	-	1	1	-	-	1	4	1	3	5	3	-	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	4	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	60	5	3	-	2	1	4	1	2	-	2	1	4	2	5	2	1	7	9	3	3	1	-	2	-	-
	White-----M	30	3	1	-	1	-	1	-	2	-	-	-	2	1	3	1	1	3	7	3	1	-	-	-	-	-
	F	26	1	1	-	1	-	3	1	-	-	2	1	1	1	2	1	-	4	2	-	2	1	-	2	-	-
	Nonwhite--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
140-205	Malignant neoplasms, etc.*	3,522	7	5	8	14	11	17	15	8	18	37	39	71	125	164	250	362	501	497	507	438	251	140	29	5	3
	White-----M	1,887	4	1	3	9	6	7	5	7	11	16	19	27	50	69	121	179	285	297	284	255	141	72	15	3	1
	F	1,563	2	4	3	4	5	7	8	1	7	20	16	40	73	93	123	177	206	193	213	177	108	67	13	2	1
	Nonwhite--M	38	1	-	1	-	-	1	1	-	-	1	-	3	-	-	2	3	5	5	7	5	2	1	-	-	-
	F	34	-	-	1	1	-	2	1	-	-	-	4	1	2	2	4	3	5	2	3	1	-	-	1	-	1
140-148	Of buccal cavity and pharynx	64	-	-	-	-	-	-	-	-	-	1	1	-	3	3	7	8	12	7	5	8	6	2	1	-	-
	White-----M	50	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	6	12	6	3	6	4	-	1	-	-
	F	14	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	1	2	2	2	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,233	1	-	-	-	-	1	-	-	2	6	6	16	20	41	67	118	169	202	196	198	122	52	13	1	2
	White-----M	718	1	-	-	-	-	1	-	-	2	4	3	8	13	27	37	66	101	130	117	112	62	24	8	1	1
	F	485	-	-	-	-	-	-	-	-	-	2	1	6	6	13	29	50	63	69	74	81	59	27	5	-	-
	Nonwhite--M	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	4	4	1	1	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	2	2	1	1	-	-	-	-	1
160-164	Of respiratory system	362	-	-	-	-	-	-	-	-	-	3	3	4	15	19	31	49	87	60	45	26	16	3	1	-	-
	White-----M	302	-	-	-	-	-	-	-	-	-	-	3	2	12	15	29	44	74	55	33	21	12	2	-	-	-
	F	55	-	-	-	-	-	-	-	-	-	3	-	2	3	4	1	4	13	4	10	5	4	1	1	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	315	-	-	-	-	-	-	-	-	-	3	3	14	20	31	40	45	39	33	40	21	15	10	-	1	-
	White-----M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	1	-	-	-	-
	F	305	-	-	-	-	-	-	-	-	-	3	2	14	20	31	37	45	39	33	38	18	14	10	-	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	586	-	-	-	1	-	-	-	-	4	6	8	16	25	31	39	51	62	63	91	82	54	43	10	-	-
	White-----M	254	-	-	-	1	-	-	-	-	3	2	2	2	1	2	4	7	20	21	54	54	41	35	5	-	-
	F	321	-	-	-	-	-	-	-	-	1	4	6	13	23	28	33	43	40	41	36	28	12	8	5	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	1	-	-	-	-	-	-
180, 181	Of urinary organs	191	-	2	-	2	1	-	-	1	-	-	-	2	7	1	11	21	26	36	33	28	9	9	2	-	-
	White-----M	140	-	-	-	-	1	-	-	1	-	-	-	2	4	1	9	16	18	30	25	19	7	6	1	-	-
	F	47	-	2	-	1	-	-	-	-	-	-	-	-	3	-	2	4	8	5	8	8	2	3	1	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	423	2	-	4	2	3	6	5	2	4	5	9	12	17	24	21	38	66	56	57	51	21	14	-	3	1
	White-----M	215	2	-	1	2	1	2	3	2	1	2	4	7	9	14	11	19	36	30	25	28	12	2	-	2	-
	F	198	-	-	2	-	2	2	2	-	3	3	4	5	8	10	10	18	27	25	31	23	9	12	-	1	1
	Nonwhite--M	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	184	3	2	4	9	6	8	9	3	4	6	3	5	6	8	11	13	16	19	25	12	6	5	1	-	-
	White-----M	107	-	1	2	6	4	2	1	3	2	4	3	4	1	5	8	10	10	12	17	7	2	3	-	-	-
	F	69	2	1	1	3	2	5	6	-	2	1	-	-	5	3	3	3	6	7	7	5	4	2	1	-	-
	Nonwhite--M	5	1	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	164	1	1	-	-	1	2	1	2	4	7	6	2	12	6	23	19	24	21	15	12	2	2	1	-	-
	White-----M	94	1	-	-	-	-	2	1	1	3	4	4	2	7	2	16	11	14	13	8	5	-	-	-	-	-
	F	69	-	1	-	-	1	-	-	1	1	3	2	-	5	4	7	8	10	8	7	7	2	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
210-239	Benign and unspecified neoplasms	74	3	-	1	-	-	1	-	-	1	3	4	6	7	7	3	11	7	9	4	5	-	1	1	-	-
	White-----M	25	2	-	1	-	-	-	-	-	1	2	2	1	1	-	-	3	5	2	1	2	-	1	1	-	-
	F	45	1	-	-	-	-	1	-	-	-	-	2	2	6	7	3	8	2	7	3	3	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	373	-	-	-	-	-	1	2	-	2	4	4	4	7	8	17	20	39	69	68	66	42	10	10	-	-
	White-----M	161	-	-	-	-	-	-	-	-	1	2	2	2	5	6	12	5	18	17	30	33	18	6	4	-	-
	F	206	-	-	-	-	-	1	2	-	-	2	2	2	2	2	5	15	21	50	37	32	24	4	5	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
290-293	Anemias	49	1	1	-	-	-	-	-	2	-	1	-	-	-	2	-	2	7	5	5	11	7	3	2	-	-
	White-----M	25	-	1	-	-	-	-	-	1	-	1	-	-	-	1	-	1	4	2	3	5	2	3	1	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	2	6	5	-	1	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	22	11	-	1	1	1	-	-	-	-	-	-	1	2	-	2	1	1	1	-	-	-	-	-	-	-
	White-----M	10	5	-	1	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F	10	4	-	-	1	-	-	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	12,435	10	7	4	-	1	9	10	15	19	36	56	126	246	372	565	872	1,274	1,760	1,981	1,933	1,609	1,018	397	97	18
	White-----M	7,372	6	6	4	-	-	5	4	8	9	11	35	81	168	248	411	605	864	1,110	1,155	1,081	834	500	183	35	9
	F	4,836	2	1	-	-	1	4	4	7	8	16	18	37	67	112	142	255	392	616	796	822	760	504	210	57	5
	Nonwhite--M	153	-	-	-	-	-	-	2	-	1	7	2	6	6	9	9	9	13	25	19	20	9	9	3	3	1
	F	74	2	-	-	-	-	-	-	-	1	2	1	2	5	3	3	3	5	9	11	10	6	5	1	2	3
330-334, 400-468	Diseases of cardiovascular system	12,188	10	7	4	-	-	7	6	11	12	27	47	117	231	361	551	854	1,253	1,729	1,957	1,904	1,591	1,002	395	94	18
	White-----M	7,243	6	6	4	-	-	3	3	5	7	6	31	76	159	242	403	594	855	1,088	1,145	1,064	828	492	182	35	9
	F	4,730	2	1	-	-	-	4	3	6	4	14	13	34	61	108	137	250	380	607	782	810	748	497	209	55	5
	Nonwhite--M	142	-	-	-	-	-	-	-	-	-	5	2	5	6	8	8	7	13	25	19	20	9	9	3	2	1
	F	73	2	-	-	-	-	-	-	-	1	2	1	2	5	3	3	3	5	9	11	10	6	4	1	2	3
330-334	Vascular lesions, etc.*	2,839	1	3	1	-	-	1	3	1	2	6	7	20	31	69	89	147	230	405	519	498	434	254	97	18	3
	White-----M	1,443	1	3	1	-	-	1	1	-	1	-	4	10	16	27	47	71	124	223	270	261	209	126	39	7	1
	F	1,341	-	-	-	-	-	-	2	1	-	5	3	10	14	39	38	73	100	176	237	231	220	123	58	10	1
	Nonwhite--M	38	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	3	3	5	10	3	3	4	-	-	-
	F	17	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	3	1	2	3	2	1	-	1	1
400-402	Rheumatic fever	24	-	-	-	-	-	5	1	1	2	2	-	3	2	2	1	2	1	2	-	-	-	-	-	-	-
	White-----M	12	-	-	-	-	-	2	-	-	-	-	-	1	2	2	1	2	-	2	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	3	1	1	2	2	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
410-443	Diseases of heart	8,406	6	-	1	-	-	1	2	7	6	18	35	89	190	270	437	669	959	1,243	1,327	1,233	1,000	615	232	53	13
	White-----M--	5,296	3	-	1	-	-	-	2	5	4	6	25	63	136	201	337	496	690	813	808	723	547	298	113	19	6
	F--	2,967	1	-	-	-	-	1	-	2	2	6	7	21	45	62	93	167	258	405	503	488	443	309	117	33	4
	Nonwhite--M--	93	-	-	-	-	-	-	-	-	-	4	2	4	4	6	5	3	9	18	8	16	6	5	1	1	1
	F--	50	2	-	-	-	-	-	-	-	-	2	1	1	5	1	2	3	2	7	8	6	4	3	1	-	2
410-416	Chronic rheumatic heart disease----	291	-	-	-	-	-	-	1	3	2	6	14	21	28	30	24	39	30	24	30	23	10	5	-	-	1
	White-----M--	159	-	-	-	-	-	-	1	3	2	3	9	10	14	13	17	19	21	14	13	13	5	2	-	-	-
	F--	124	-	-	-	-	-	-	-	-	-	1	4	10	14	15	7	20	9	9	16	10	5	3	-	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,781	-	-	-	-	-	-	-	2	4	7	18	47	123	187	321	501	717	887	940	837	648	363	135	37	7
	White-----M--	3,923	-	-	-	-	-	-	-	1	2	2	15	40	103	156	273	405	553	615	593	521	382	169	77	13	3
	F--	1,775	-	-	-	-	-	-	-	1	2	2	1	5	17	27	45	92	156	258	335	304	260	188	57	23	2
	Nonwhite--M--	61	-	-	-	-	-	-	-	-	-	3	2	2	1	4	2	3	7	10	7	10	5	3	-	1	1
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	4	5	2	1	3	1	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	999	-	-	-	-	-	-	-	1	-	2	-	6	12	17	27	40	99	131	147	153	168	124	59	11	2
	White-----M--	532	-	-	-	-	-	-	-	1	-	-	-	3	7	13	11	24	58	71	78	84	79	73	22	6	2
	F--	442	-	-	-	-	-	-	-	-	-	2	-	2	3	4	14	14	38	55	66	65	87	51	36	5	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	2	3	1	2	1	-	1	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	2	2	1	-	-	-	-
430-434	Other diseases of heart---------	393	6	-	1	-	-	1	1	1	-	1	1	8	12	14	19	26	31	61	54	58	56	28	9	4	1
	White-----M--	230	3	-	1	-	-	-	1	-	-	-	-	6	7	6	14	18	23	38	40	29	32	9	2	-	1
	F--	155	1	-	-	-	-	1	-	1	-	1	1	2	3	7	5	8	8	22	14	28	23	19	7	4	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	1	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
440-443	Hypertension with heart dis.--	942	-	-	-	-	-	-	-	-	-	2	2	7	15	22	46	63	82	140	156	162	118	95	29	1	2
	White-----M--	452	-	-	-	-	-	-	-	-	-	1	1	4	5	13	22	30	35	75	84	76	49	45	12	-	-
	F--	471	-	-	-	-	-	-	-	-	-	-	1	2	8	9	22	33	47	61	72	81	68	48	17	1	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	3	-	3	-	2	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	2	1	-	-	-	1
444-447	Hypertension without mention of heart----------	156	-	-	-	-	-	-	-	-	-	1	-	2	6	12	4	14	13	22	19	26	17	13	4	3	-
	White-----M--	78	-	-	-	-	-	-	-	-	-	-	-	-	4	7	3	9	3	13	11	13	3	8	4	-	-
	F--	71	-	-	-	-	-	-	-	-	-	1	-	-	1	4	1	5	10	8	7	13	14	5	-	2	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	1	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	567	-	-	-	-	-	-	-	-	-	-	1	-	-	1	6	3	17	32	73	115	125	111	61	20	2
	White-----M--	285	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	10	21	47	50	58	57	26	9	2
	F--	274	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	6	9	26	63	67	54	33	10	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	2	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-
451-468	Other diseases of circulatory sys.-	196	3	4	2	-	-	-	-	2	2	-	4	3	2	7	14	19	33	25	19	32	15	9	1	-	-
	White-----M--	129	2	3	2	-	-	-	-	-	2	-	2	2	1	5	11	15	28	16	9	17	11	3	-	-	-
	F--	65	1	1	-	-	-	-	-	2	-	-	2	1	1	2	3	3	5	9	9	15	4	6	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	247	-	-	-	-	1	2	4	4	7	9	9	9	15	11	14	18	21	31	24	29	18	16	2	3	-
	White-----M--	129	-	-	-	-	-	2	1	3	2	5	4	5	9	6	8	11	9	22	10	17	6	8	1	-	-
	F--	106	-	-	-	-	1	-	1	1	4	2	5	3	6	4	5	5	12	9	14	12	12	7	1	2	-
	Nonwhite--M--	11	-	-	-	-	-	-	2	-	1	2	-	1	-	1	1	2	-	-	-	-	-	-	-	1	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
480-493	Influenza and pneumonia, etc.*	567	88	15	7	7	5	5	7	5	3	5	3	4	11	16	23	21	28	34	79	55	65	52	23	5	1
	White-----M--	318	36	8	4	1	4	4	3	2	2	4	2	2	3	7	19	17	15	27	52	36	33	28	6	3	-
	F--	202	31	4	2	4	1	1	4	2	1	1	1	1	8	7	1	4	13	6	22	18	31	21	16	2	-
	Nonwhite--M--	29	12	2	1	1	-	-	-	-	-	-	-	-	-	2	3	-	-	1	3	1	1	2	-	-	-
	F--	18	9	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	2	-	-	1	1	-	1
480-483	Influenza---------	42	1	-	-	-	1	1	2	-	-	-	-	-	2	2	-	3	1	4	11	4	4	3	3	-	-
	White-----M--	30	1	-	-	-	1	1	2	-	-	-	-	-	1	2	-	2	-	4	6	4	3	3	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	4	-	-	-	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	525	87	15	7	7	4	4	5	5	3	5	3	4	9	14	23	18	27	30	68	51	61	49	20	5	1
	White-----M--	288	35	8	4	1	3	3	1	2	2	4	2	2	2	5	19	15	15	23	46	32	30	25	6	3	-
	F--	192	31	4	2	4	1	1	4	2	1	1	1	1	7	7	1	3	12	6	18	18	31	21	13	2	-
	Nonwhite--M--	28	12	2	1	1	-	-	-	-	-	-	-	-	-	2	3	-	-	1	3	1	-	2	-	-	-
	F--	17	9	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	1
500-502	Bronchitis--------	41	9	3	1	1	-	1	-	-	-	-	-	-	1	-	-	2	1	6	-	9	3	3	1	-	-
	White-----M--	25	7	2	1	1	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	6	2	1	-	-	-
	F--	15	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	4	-	3	-	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	132	-	-	-	-	-	-	-	-	1	2	3	-	4	10	9	13	12	28	19	12	11	4	3	1	-
	White-----M--	104	-	-	-	-	-	-	-	-	1	1	2	-	4	10	8	10	8	20	18	9	8	3	1	1	-
	F--	23	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	3	7	1	3	3	1	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
550-553	Appendicitis------	30	-	-	1	1	-	1	1	1	-	-	-	-	2	3	2	3	1	5	3	1	3	2	-	-	-
	White-----M--	21	-	-	-	1	-	-	1	-	-	-	-	-	2	2	2	2	1	2	3	1	2	2	-	-	-
	F--	8	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	139	12	1	-	-	-	-	-	-	-	2	-	-	4	6	9	7	13	17	22	19	13	10	2	2	-
	White-----M--	68	4	-	-	-	-	-	-	-	-	-	-	-	2	4	7	6	6	7	13	6	2	7	2	2	-
	F--	67	7	-	-	-	-	-	-	-	-	2	-	-	2	2	2	1	7	9	9	12	11	3	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
543, 571, 572	Gastritis, etc.*--	72	13	4	1	1	-	1	-	1	-	1	-	2	3	1	1	3	6	5	6	10	7	4	1	1	-
	White-----M--	35	3	3	1	1	-	-	-	1	-	1	-	2	2	-	1	2	5	1	2	3	4	2	1	-	-
	F--	28	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	4	4	7	3	2	-	1	-
	Nonwhite--M--	7	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	175	1	1	-	-	-	-	-	-	-	2	5	3	15	28	23	18	22	22	14	12	4	5	-	-	-
	White-----M--	113	-	-	-	-	-	-	-	-	-	-	1	2	8	16	18	11	16	15	11	9	2	4	-	-	-
	F--	55	1	1	-	-	-	-	-	-	-	2	3	1	6	12	3	6	5	7	2	3	2	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	42	4	-	-	1	-	4	3	2	-	3	1	-	-	2	3	3	3	2	3	2	4	2	-	-	-
	White-----M--	20	3	-	-	-	-	2	1	1	-	1	-	-	-	2	2	2	1	-	1	1	2	1	-	-	-
	F--	17	1	-	-	1	-	2	1	1	-	-	-	-	-	-	1	1	1	2	2	1	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	14	9	20	16	18	5	-	-
	White-----M--	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	14	7	20	16	18	5	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	14	...	...	...	...	...	...	-	2	4	1	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	...	...	...	...	...	...	-	2	4	1	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	13	...	...	...	...	...	...	-	2	4	1	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	...	...	...	...	...	...	-	2	4	1	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	308	242	10	6	3	-	6	4	4	2	3	2	2	5	5	3	2	5	-	2	-	2	-	-	-	-
	White-----M--	160	125	5	5	1	-	3	1	1	2	1	1	2	3	3	3	-	1	-	1	-	2	-	-	-	-
	F--	133	104	4	1	2	-	3	3	3	-	2	1	-	2	2	-	1	4	-	1	-	-	-	-	-	-
	Nonwhite--M--	8	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	976	976	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	553	553	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	356	356	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	457	457	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	274	274	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	150	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	477	477	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	258	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	189	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	245	10	2	1	-	1	-	1	2	3	1	1	1	5	10	8	12	12	17	31	34	30	34	20	6	3
	White-----M--	141	6	2	1	-	-	-	1	1	-	-	1	-	4	7	7	9	10	15	19	17	15	12	10	3	1
	F--	95	2	-	-	-	1	-	-	1	2	1	-	1	1	3	1	3	2	2	11	16	14	21	9	3	1
	Nonwhite--M--	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Residual	All other diseases	1,107	58	8	12	8	7	10	5	8	16	14	19	32	42	61	79	76	112	134	127	116	85	43	28	6	1
	White-----M--	637	41	3	7	2	6	3	4	5	8	6	8	11	26	34	45	50	71	86	74	66	43	25	11	2	-
	F--	440	14	4	4	6	1	7	1	3	8	5	9	19	13	24	32	24	39	48	52	50	39	17	17	4	-
	Nonwhite--M--	17	2	-	1	-	-	-	-	-	-	1	1	-	2	-	2	2	2	-	1	-	2	-	-	-	1
	F--	13	1	1	-	-	-	-	-	-	-	2	1	2	1	3	-	-	-	-	-	-	1	1	-	-	-
E800-E962	Accidents----------	1,680	76	24	30	17	15	55	50	104	139	102	106	101	91	66	86	82	88	102	76	84	75	69	29	8	5
	White-----M--	1,147	44	16	10	8	12	37	34	75	114	78	85	81	71	47	68	61	62	80	47	47	27	28	10	3	2
	F--	450	28	8	18	9	3	15	11	19	17	11	14	18	12	15	13	20	24	21	28	34	48	38	19	5	2
	Nonwhite--M--	68	2	-	1	-	-	-	5	8	8	12	6	1	6	4	5	1	2	-	1	3	-	3	-	-	-
	F--	15	2	-	1	-	-	3	-	2	-	1	1	1	2	-	-	-	-	1	-	-	-	-	-	-	1
E810-E835	Motor-vehicle accidents--------	625	3	6	12	6	5	20	16	65	82	54	42	44	31	23	32	27	36	44	32	20	12	10	1	-	2
	White-----M--	427	1	4	3	2	4	15	9	43	64	44	33	32	21	12	22	18	18	34	20	14	5	7	1	-	1
	F--	159	2	2	9	4	1	4	4	15	14	7	5	11	6	8	8	9	16	9	12	4	7	1	-	-	1
	Nonwhite--M--	31	-	-	-	-	-	-	3	5	4	3	3	-	2	3	2	-	2	-	-	2	-	2	-	-	-
	F--	8	-	-	-	-	-	1	-	2	-	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,055	73	18	18	11	10	35	34	39	57	48	64	57	60	43	54	55	52	58	44	64	63	59	28	8	3
	White-----M--	720	43	12	7	6	8	22	25	32	50	34	52	49	50	35	46	43	44	46	27	33	22	21	9	3	1
	F--	291	26	6	9	5	2	11	7	4	3	4	9	7	6	7	5	11	8	12	16	30	41	37	19	5	1
	Nonwhite--M--	37	2	-	1	-	-	-	2	3	4	9	3	1	4	1	3	1	-	-	1	1	-	1	-	-	-
	F--	7	2	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
E963, E970-E979	Suicide----------	370	-	-	-	-	-	-	1	6	10	14	45	39	39	31	30	28	42	23	24	18	12	5	1	1	1
	White-----M--	273	-	-	-	-	-	-	-	4	4	9	32	21	31	22	24	23	32	17	22	15	9	5	1	1	1
	F--	91	-	-	-	-	-	-	1	2	5	5	13	17	7	9	6	5	9	5	2	3	2	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	1	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	65	5	1	1	1	-	1	2	-	6	7	6	9	8	5	7	1	-	2	1	-	1	1	-	-	-
	White-----M--	36	5	-	-	-	-	1	1	-	4	2	4	5	4	1	5	1	-	1	1	-	-	1	-	-	-
	F--	17	-	1	1	1	-	-	1	-	1	1	1	3	3	1	2	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	2	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA																										
	ALL CAUSES	17,147	1,690	145	70	65	36	137	117	193	243	288	324	418	576	691	895	1,156	1,362	1,806	1,954	1,947	1,625	912	336	88	73
	White-----M	9,398	914	70	39	34	20	84	57	114	148	159	182	245	310	387	502	679	775	1,026	1,093	1,047	864	441	134	45	29
	F	6,466	638	65	26	26	14	47	53	61	69	96	112	134	199	219	281	346	455	622	755	826	719	438	198	39	28
	Nonwhite--M	765	79	8	4	1	-	1	2	9	12	19	14	20	38	47	62	83	91	102	76	41	28	15	2	1	10
	F	518	59	2	1	4	2	5	5	9	14	14	16	19	29	38	50	48	41	56	30	33	14	18	2	3	6
001-019	Tuberculosis, all forms	321	4	5	1	2	-	1	5	6	16	22	24	31	21	19	26	24	27	37	20	15	12	1	-	-	2
	White-----M	159	1	2	-	1	-	-	1	-	8	3	10	16	6	14	17	14	18	21	11	6	9	-	-	-	1
	F	108	2	3	1	1	-	1	3	2	6	13	8	10	11	3	3	6	5	11	8	7	3	1	-	-	-
	Nonwhite--M	33	1	-	-	-	-	-	-	1	1	4	3	3	3	1	6	2	3	2	1	1	-	-	-	-	1
	F	21	-	-	-	-	-	-	1	3	1	2	3	2	1	1	-	2	1	3	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	288	1	2	-	1	-	-	3	4	14	22	21	29	19	19	25	23	26	33	19	15	9	1	-	-	2
	White-----M	150	-	1	-	-	-	-	1	-	6	3	10	15	5	14	17	14	18	20	11	6	8	-	-	-	1
	F	89	1	1	-	1	-	-	2	1	6	13	7	9	10	3	2	5	4	8	7	7	1	1	-	-	-
	Nonwhite--M	29	-	-	-	-	-	-	-	-	1	4	1	3	3	1	6	2	3	2	1	1	-	-	-	-	1
	F	20	-	-	-	-	-	-	-	3	1	2	3	2	1	1	-	2	1	3	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms	33	3	3	1	1	-	1	2	2	2	-	3	2	2	-	1	1	1	4	1	-	3	-	-	-	-
	White-----M	9	1	1	-	1	-	-	-	-	2	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-
	F	19	1	2	1	-	-	1	1	1	-	-	1	1	1	-	1	1	1	3	1	-	2	-	-	-	-
	Nonwhite--M	4	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	69	-	-	-	-	-	-	-	-	1	-	2	2	7	9	5	8	14	8	6	4	3	-	-	-	-
	White-----M	38	-	-	-	-	-	-	-	-	-	-	2	-	4	6	3	7	7	5	2	1	1	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	2	2	2	2	-	-	-	-
	Nonwhite--M	15	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	1	7	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	19	16	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White-----M	10	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	12	2	-	1	1	-	-	1	2	-	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-
	White-----M	7	2	-	1	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	12	7	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	6	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	43	18	9	6	1	3	3	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M	22	8	4	6	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	10	5	-	-	2	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
060	Acute poliomyelitis	32	1	5	1	2	3	8	5	3	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	17	1	2	1	1	3	3	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	-	3	-	1	-	5	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	14	3	3	-	4	-	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	7	1	1	-	2	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	7	2	2	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	50	7	3	1	3	1	3	-	4	1	-	3	6	3	-	3	1	3	-	2	3	3	-	-	-	-
	White-----M	23	1	2	1	1	-	3	-	2	-	-	2	4	1	-	1	-	-	-	1	2	2	-	-	-	-
	F	24	5	1	-	2	1	-	-	2	1	-	1	1	2	-	2	1	2	-	1	1	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
140-205	Malignant neoplasms, etc.*	2,201	10	5	7	6	3	19	14	17	12	27	35	60	110	137	191	215	258	308	284	249	145	63	18	1	7
	White-----M--	1,070	6	1	2	5	1	15	6	8	7	13	12	22	34	49	81	105	121	181	153	138	76	25	6	1	2
	F--	988	3	3	4	1	2	4	7	8	4	13	21	34	66	74	91	89	117	108	117	104	66	35	12	-	5
	Nonwhite--M--	68	1	-	1	-	-	-	1	-	1	-	-	-	4	3	9	13	13	8	10	2	1	1	-	-	-
	F--	75	-	1	-	-	-	-	-	1	-	1	2	4	6	11	10	8	7	11	4	5	2	2	-	-	-
140-148	Of buccal cavity and pharynx	41	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	4	6	7	5	7	3	2	-	1	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	3	6	6	3	6	3	1	-	1	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	782	1	1	-	-	-	1	-	1	-	4	6	14	23	33	58	75	107	125	117	113	66	29	6	-	2
	White-----M--	407	-	-	-	-	-	-	-	-	-	3	4	6	9	16	29	42	55	76	62	60	32	11	-	-	2
	F--	327	-	-	-	-	-	1	-	1	-	-	2	8	12	13	25	25	42	45	48	50	32	17	6	-	-
	Nonwhite--M--	29	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	9	2	5	2	1	-	-	-	-
	F--	19	-	1	-	-	-	-	-	-	-	1	-	-	2	3	2	2	1	2	2	1	1	1	-	-	-
160-164	Of respiratory system	215	-	-	-	-	-	-	-	-	-	-	3	4	9	16	28	33	32	36	27	17	6	3	1	-	-
	White-----M--	170	-	-	-	-	-	-	-	-	-	-	3	3	8	13	23	31	24	27	19	12	4	2	1	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	5	5	7	5	2	1	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	3	2	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
170	Of breast	175	1	-	-	-	-	-	-	-	-	1	1	3	15	15	26	27	20	21	12	13	9	6	2	-	3
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	167	1	-	-	-	-	-	-	-	-	1	1	2	15	15	25	26	17	20	12	13	9	5	2	-	3
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	-	-	-	1	-	-	-
171-179	Of genital organs	418	-	-	-	-	-	-	-	1	-	6	16	21	26	39	32	29	44	49	60	51	34	5	3	-	2
	White-----M--	142	-	-	-	-	-	-	-	-	-	1	-	3	2	1	1	4	9	27	30	36	23	3	2	-	-
	F--	241	-	-	-	-	-	-	-	1	-	5	14	16	22	32	27	19	34	16	28	12	11	1	1	-	2
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	2	2	2	6	4	4	1	6	1	3	-	-	-	-	-
180, 181	Of urinary organs	92	-	2	1	-	2	-	-	-	1	2	-	2	2	5	7	7	12	17	17	6	5	2	2	-	-
	White-----M--	54	-	-	-	-	-	-	-	-	1	2	-	-	1	2	5	5	7	11	11	4	2	2	1	-	-
	F--	32	-	2	1	-	2	-	-	-	-	-	-	2	1	2	-	1	4	6	5	2	3	-	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	291	3	-	3	1	1	8	8	5	4	7	4	12	20	20	24	27	20	32	31	28	14	15	4	-	-
	White-----M--	150	2	-	1	-	1	7	3	4	2	4	3	7	7	11	13	12	9	19	17	10	10	6	2	-	-
	F--	119	1	-	2	1	-	1	4	1	2	3	1	5	10	7	8	12	9	9	12	17	3	9	2	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	1	-	-	-	-	-	1	2	2	2	-	4	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	-	1	1	1	-	-	-	-
204	Leukemia and aleukemia	113	5	1	3	3	-	8	4	9	4	4	2	-	3	4	5	10	8	15	10	9	5	1	-	-	-
	White-----M--	67	4	1	1	3	-	6	1	4	2	1	1	-	3	2	3	6	4	11	7	6	1	-	-	-	-
	F--	41	1	-	1	-	-	2	3	4	2	3	1	-	-	1	2	3	4	4	2	3	4	1	-	-	-
	Nonwhite--M--	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	74	-	1	-	2	-	2	2	1	3	3	3	2	9	5	10	3	9	6	5	5	3	-	-	-	-
	White-----M--	47	-	-	-	2	-	2	2	-	2	2	1	2	2	4	6	2	7	4	4	4	1	-	-	-	-
	F--	23	-	1	-	-	-	-	-	1	-	1	2	-	5	1	3	1	2	2	1	1	2	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	64	6	-	-	-	2	1	1	2	4	3	5	1	5	4	5	7	3	2	5	6	2	-	-	-	-
	White-----M--	21	2	-	-	-	1	1	-	1	-	1	1	-	1	1	-	2	3	1	3	2	1	-	-	-	-
	F--	35	3	-	-	-	1	-	1	1	4	2	3	1	2	3	2	4	-	1	2	4	1	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	282	1	2	-	-	-	4	2	1	3	4	3	3	7	10	18	28	36	45	47	38	19	7	3	-	1
	White-----M--	103	-	1	-	-	-	3	2	1	2	2	1	2	5	4	9	8	5	17	12	16	9	2	2	-	-
	F--	156	1	1	-	-	-	1	-	-	1	2	2	1	2	4	7	16	26	25	30	20	10	5	1	-	1
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	4	1	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	2	1	1	-	-	-	-	-
290-293	Anemias	50	1	3	1	1	-	1	2	-	1	-	3	1	2	1	3	1	6	3	8	3	5	4	-	-	-
	White-----M--	18	-	1	1	1	-	-	2	-	-	-	-	-	1	-	-	-	1	2	3	1	4	1	-	-	-
	F--	25	1	1	-	-	-	1	-	-	1	-	2	1	1	1	2	1	3	1	5	2	-	2	-	-	-
	Nonwhite--M--	4	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-
340	Nonmeningococcal meningitis*	26	7	-	2	-	2	2	3	1	1	1	1	-	-	-	2	1	1	1	-	-	1	-	-	-	-
	White-----M--	14	4	-	-	-	1	1	3	1	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-
	F--	8	1	-	1	-	1	1	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	8,416	7	5	3	-	3	9	17	14	18	49	64	124	209	308	438	641	747	1,096	1,268	1,312	1,138	623	226	54	43
	White-----M--	4,646	5	4	2	-	2	5	6	7	6	24	40	79	119	189	263	379	438	608	711	710	610	310	92	21	16
	F--	3,186	2	-	1	-	1	4	9	7	7	20	18	37	65	83	122	183	242	384	490	548	497	291	131	30	14
	Nonwhite--M--	348	-	1	-	-	-	-	1	-	2	2	2	3	12	16	25	49	47	70	46	31	22	9	2	-	8
	F--	236	-	-	-	-	-	-	1	-	3	3	4	5	13	20	28	30	20	34	21	23	9	13	1	3	5
330-334, 400-468	Diseases of cardiovascular system	8,152	7	4	2	-	3	9	14	8	18	44	59	108	194	294	420	628	720	1,072	1,243	1,279	1,103	606	223	51	43
	White-----M--	4,505	5	4	2	-	2	5	4	5	6	21	36	70	108	185	253	372	420	598	697	694	588	303	91	20	16
	F--	3,092	2	-	-	-	1	4	8	3	7	19	18	31	61	78	118	178	234	373	483	533	485	284	129	29	14
	Nonwhite--M--	328	-	-	-	-	-	-	1	-	2	1	1	3	12	11	22	48	46	68	44	29	22	8	2	-	8
	F--	227	-	-	-	-	-	-	1	-	3	3	4	4	13	20	27	30	20	33	19	23	8	11	1	2	5
330-334	Vascular lesions, etc.*	1,861	2	1	-	-	1	1	3	2	2	4	11	12	31	55	84	107	146	228	326	341	279	170	35	11	9
	White-----M--	954	2	1	-	-	1	1	-	-	1	2	5	6	12	22	39	54	75	119	164	185	153	88	16	4	4
	F--	784	-	-	-	-	-	-	2	2	-	2	5	5	16	27	32	36	55	88	146	144	120	77	19	7	1
	Nonwhite--M--	68	-	-	-	-	-	-	1	-	-	-	-	-	-	-	5	11	11	12	10	7	6	2	-	-	3
	F--	55	-	-	-	-	-	-	-	-	1	-	1	1	3	6	8	6	5	9	6	5	-	3	-	-	1
400-402	Rheumatic fever	26	-	-	-	-	-	6	5	2	1	3	2	-	1	2	-	1	-	1	2	-	-	-	-	-	-
	White-----M--	16	-	-	-	-	-	4	2	2	1	1	2	-	1	1	-	1	-	-	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	2	3	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
410-443	Diseases of heart	5,728	5	3	2	-	2	2	6	2	12	33	40	90	148	219	324	502	545	800	852	848	713	367	154	29	30
	White-----M--	3,267	3	3	2	-	1	-	2	1	4	18	27	62	90	151	203	308	328	459	495	468	380	180	61	10	11
	F--	2,079	2	-	-	-	1	2	3	1	5	13	10	23	38	51	85	135	170	271	314	348	314	175	90	17	11
	Nonwhite--M--	234	-	-	-	-	-	-	-	-	2	1	1	2	11	8	17	35	32	50	33	18	12	5	2	-	5
	F--	148	-	-	-	-	-	-	1	-	1	1	2	3	9	9	19	24	15	20	10	14	7	7	1	2	3
410-416	Chronic rheumatic heart disease----	241	-	-	-	-	-	-	3	1	9	9	13	20	27	25	23	23	10	16	21	15	21	3	2	-	-
	White-----M--	116	-	-	-	-	-	-	1	1	3	5	8	14	15	8	8	11	4	7	13	7	8	2	1	-	-
	F--	116	-	-	-	-	-	-	1	-	3	4	5	6	12	16	15	10	6	7	8	8	13	1	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,287	1	1	-	-	-	1	-	-	2	15	21	40	84	149	219	327	368	523	472	479	336	164	63	11	11
	White-----M--	2,110	1	1	-	-	-	-	-	-	1	10	17	33	65	121	159	227	242	341	301	274	191	91	24	5	6
	F--	1,016	-	-	-	-	-	1	-	-	1	4	1	6	11	26	47	72	101	149	151	190	136	71	39	6	4
	Nonwhite--M--	119	-	-	-	-	-	-	-	-	-	1	1	-	6	2	9	19	22	27	16	9	7	-	-	-	-
	F--	42	-	-	-	-	-	-	-	-	-	-	2	1	2	-	4	9	3	6	4	6	2	2	-	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	933	2	-	2	-	1	-	2	-	-	-	1	3	10	12	25	39	65	100	132	177	184	104	52	11	11
	White-----M--	448	1	-	2	-	-	-	1	-	-	-	-	1	1	7	10	21	35	45	69	92	90	40	24	5	4
	F--	421	1	-	-	-	1	-	1	-	-	-	1	2	5	3	10	14	23	45	54	76	86	60	28	5	4
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	4	7	5	5	4	2	-	-	2
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	3	3	4	4	2	2	-	1	1
430-434	Other diseases of heart---------	318	2	2	-	-	1	1	1	-	1	6	1	9	8	7	10	26	22	30	55	47	43	28	12	5	1
	White-----M--	187	1	2	-	-	1	-	-	-	-	2	-	6	4	6	8	18	13	20	34	31	24	12	4	-	1
	F--	114	1	-	-	-	-	1	1	-	1	4	1	3	3	-	1	6	6	9	19	14	19	13	8	4	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	-	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	-	2	-	1	-
440-443	Hypertension with heart dis.--	949	-	-	-	-	-	-	-	1	-	3	4	18	19	26	47	87	80	131	172	130	129	68	25	2	7
	White-----M--	406	-	-	-	-	-	-	-	-	-	1	2	8	5	9	18	31	34	46	78	64	67	35	8	-	-
	F--	412	-	-	-	-	-	-	-	1	-	1	2	6	7	6	12	33	34	61	82	60	58	30	14	2	3
	Nonwhite--M--	64	-	-	-	-	-	-	-	-	-	-	-	2	2	4	5	11	4	15	10	3	1	2	2	-	3
	F--	67	-	-	-	-	-	-	-	-	-	1	-	2	5	7	12	12	8	9	2	3	3	1	1	-	1
444-447	Hypertension without mention of heart----------	151	-	-	-	-	-	-	-	-	-	3	3	5	9	9	5	5	11	12	19	24	26	15	3	2	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	1	2	4	3	5	3	6	5	8	9	13	7	1	2	-
	F--	58	-	-	-	-	-	-	-	-	-	2	1	2	3	-	-	2	2	3	9	11	13	8	2	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	3	2	-	2	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	1	1	-	1	4	-	-	-	2	2	2	-	-	-	-	-
450	General arteriosclerosis--------	306	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	9	5	24	35	57	79	53	29	9	4
	White-----M--	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	10	23	25	41	28	11	4	1
	F--	134	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	1	9	10	28	33	23	18	5	2
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	2	4	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	-	-	1
451-468	Other diseases of circulatory sys.-	80	-	-	-	-	-	-	-	2	3	1	2	1	5	9	6	4	13	7	9	9	6	1	2	-	-
	White-----M--	48	-	-	-	-	-	-	-	2	-	-	1	-	1	8	5	3	7	5	6	7	1	-	2	-	-
	F--	29	-	-	-	-	-	-	-	-	2	-	1	1	4	-	1	1	6	2	3	2	5	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	264	-	1	1	-	-	-	3	6	-	5	5	16	15	14	18	13	27	24	25	33	35	17	3	3	-
	White-----M--	141	-	-	-	-	-	-	2	2	-	3	4	9	11	4	10	7	18	10	14	16	22	7	1	1	-
	F--	94	-	-	1	-	-	-	1	4	-	1	-	6	4	5	4	5	8	11	7	15	12	7	2	1	-
	Nonwhite--M--	20	-	1	-	-	-	-	-	-	-	1	1	-	-	5	3	1	1	2	2	2	-	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	1	2	-	1	-
480-493	Influenza and pneumonia, etc.*-	744	168	29	5	4	6	12	12	7	5	9	10	9	8	15	16	16	28	41	65	86	93	64	27	6	3
	White-----M--	350	82	14	3	3	4	6	5	3	4	4	3	4	2	6	10	8	14	17	36	41	37	29	10	5	-
	F--	337	70	12	2	-	2	5	6	4	1	5	6	3	4	7	4	4	12	18	24	44	52	33	16	1	2
	Nonwhite--M--	37	10	2	-	-	-	-	-	-	-	-	1	2	-	2	2	3	2	4	5	1	2	1	-	-	-
	F--	20	6	1	-	1	-	1	1	-	-	-	-	-	2	-	-	1	-	2	-	-	2	1	1	-	1
480-483	Influenza---------	185	18	2	-	-	1	3	4	3	2	1	5	2	2	5	4	3	9	13	24	27	25	19	9	3	1
	White-----M--	73	7	1	-	-	1	2	4	2	2	-	1	-	-	2	2	2	3	4	12	10	6	7	3	2	-
	F--	102	11	1	-	-	-	-	-	1	-	1	4	-	1	3	-	1	4	9	12	17	19	10	6	1	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	1	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
490-493	Pneumonia, etc.*--	559	150	27	5	4	5	9	8	4	3	8	5	7	6	10	12	13	19	28	41	59	68	45	18	3	2
	White-----M--	277	75	13	3	3	3	4	1	1	2	4	2	4	2	4	8	6	11	13	24	31	31	22	7	3	-
	F--	235	59	11	2	-	2	5	6	3	1	4	2	3	3	4	4	3	8	9	12	27	33	23	10	-	1
	Nonwhite--M--	30	10	2	-	-	-	-	-	-	-	-	1	-	-	2	-	3	-	4	5	1	2	-	-	-	-
	F--	17	6	1	-	1	-	-	1	-	-	-	-	-	1	-	-	1	-	2	-	-	2	-	1	-	1
500-502	Bronchitis--------	37	10	2	-	1	-	1	-	-	-	-	1	1	-	2	1	2	2	3	3	6	2	-	-	-	-
	White-----M--	20	4	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	2	3	2	3	2	-	-	-	-
	F--	15	6	2	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	3	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	86	2	-	-	1	-	-	-	-	-	1	1	2	5	4	9	12	8	13	15	7	4	1	1	-	-
	White-----M--	67	2	-	-	1	-	-	-	-	-	1	1	1	4	3	7	12	7	11	11	3	2	-	1	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	3	4	2	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	29	-	-	2	1	1	2	1	-	-	4	3	2	3	-	-	2	1	3	2	-	1	1	-	-	-
	White-----M--	14	-	-	1	1	1	1	-	-	-	1	1	1	3	-	-	-	-	2	1	-	1	-	-	-	-
	F--	13	-	-	1	-	-	1	1	-	-	1	2	1	-	-	-	2	1	1	1	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	93	15	1	1	1	-	-	-	-	-	2	2	1	3	4	4	3	9	13	10	6	10	5	2	1	-
	White-----M--	45	9	-	-	1	-	-	-	-	-	-	1	1	-	-	1	1	5	6	6	4	5	4	-	1	-
	F--	41	6	-	1	-	-	-	-	-	-	2	1	-	2	4	1	1	2	7	4	2	5	1	2	-	-
	Nonwhite--M--	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
543,	Gastritis, etc.*--	141	97	11	2	-	-	1	1	1	2	1	1	-	1	-	3	1	2	2	1	7	5	1	1	-	-
571,	White-----M--	76	55	4	2	-	-	1	1	1	2	1	1	-	1	-	-	-	1	1	-	2	2	1	-	-	-
572	F--	56	34	7	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	5	3	-	1	-	-
	Nonwhite--M--	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	135	3	-	-	-	-	-	-	-	1	2	3	9	13	10	16	13	16	16	17	6	5	2	-	1	2
	White-----M--	88	1	-	-	-	-	-	-	-	-	1	1	7	8	8	12	10	12	14	9	2	1	1	-	1	-
	F--	43	1	-	-	-	-	-	-	-	1	1	1	1	5	2	4	3	4	2	8	4	4	1	-	-	1
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	43	-	1	-	-	-	2	-	4	3	2	2	4	2	3	2	3	-	5	2	2	5	1	-	-	-
	White-----M--	21	-	1	-	-	-	-	-	1	-	-	-	3	1	3	1	2	-	3	1	2	3	-	-	-	-
	F--	13	-	-	-	-	-	1	-	2	2	-	2	1	1	-	-	-	-	2	-	-	2	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
	F--	5	-	-	-	-	-	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	10	18	18	7	10	4	3	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	10	17	16	5	10	4	3	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	37	...	...	...	...	...	...	-	4	8	10	7	5	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	29	...	...	...	...	...	...	-	2	6	8	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	...	...	...	...	...	...	-	2	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	7	...	...	...	...	...	...	-	-	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	5	...	...	...	...	...	...	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	30	...	...	...	...	...	...	-	4	6	7	6	4	3	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	24	...	...	...	...	...	...	-	2	5	6	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	6	...	...	...	...	...	...	-	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	286	231	13	5	2	1	3	3	5	5	4	5	1	-	1	1	3	1	-	2	-	-	-	-	-	-
	White-----M--	150	119	6	3	1	1	2	2	3	1	2	3	1	-	1	1	2	-	-	2	-	-	-	-	-	-
	F--	127	104	7	2	1	-	1	1	2	4	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	891	891	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	491	491	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	322	322	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	371	371	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	206	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	460	460	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	252	252	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	438	75	3	1	3	-	2	3	2	5	2	5	7	3	9	12	15	25	31	27	60	58	49	27	11	3
795	White-----M--	251	46	-	1	2	-	1	-	2	3	1	1	3	2	3	8	11	15	18	20	35	33	30	7	7	2
	F--	164	24	3	-	1	-	1	3	-	1	-	3	3	1	4	3	3	7	11	4	25	25	17	20	4	1
	Nonwhite--M--	15	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	3	-	-	2	-	-	-
	F--	8	1	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	2	-	-	-	-	-	-	-	-
Re-	All other diseases	841	43	19	8	6	2	10	8	17	20	17	26	26	49	39	51	78	91	85	96	61	43	28	6	6	6
sid-	White-----M--	464	23	13	4	2	1	5	1	9	10	7	8	10	30	21	30	53	61	48	53	28	26	10	3	4	4
ual	F--	312	14	6	4	3	1	4	6	7	9	9	15	14	16	10	14	21	23	28	39	29	17	17	3	1	2
	Nonwhite--M--	33	3	-	-	1	-	-	-	-	-	1	1	-	1	4	3	2	6	6	2	2	-	-	-	1	-
	F--	32	3	-	-	-	-	1	1	1	1	-	2	2	2	4	4	2	1	3	2	2	-	1	-	-	-
E800-	Accidents----------	1,370	62	25	18	26	8	50	38	95	118	97	90	86	92	89	62	59	62	62	44	51	60	47	20	5	4
E962	White-----M--	933	36	14	10	10	3	31	25	68	95	79	72	69	73	61	41	45	47	37	29	29	30	15	8	2	4
	F--	323	19	8	5	13	3	16	13	19	16	11	11	11	8	17	11	6	8	17	14	21	29	32	12	3	-
	Nonwhite--M--	86	4	3	2	-	-	1	-	7	4	5	5	5	9	10	10	7	5	7	1	1	-	-	-	-	-
	F--	28	3	-	1	3	2	2	-	1	3	2	2	1	2	1	-	1	2	1	-	-	1	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	457	8	3	2	4	2	25	13	42	56	46	40	40	38	36	21	20	13	18	12	8	6	2	1	-	1
	White-----M--	338	3	-	2	1	1	17	10	34	44	41	28	30	30	23	16	15	8	10	9	7	6	1	1	-	1
	F--	89	5	3	-	3	-	7	3	6	8	3	6	7	4	11	3	4	4	7	3	1	-	1	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	1	2	-	4	2	2	1	2	1	1	1	-	-	-	-	-	-	-
	F--	13	-	-	-	-	1	1	-	1	2	2	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	913	54	22	16	22	6	25	25	53	62	51	50	46	54	53	41	39	49	44	32	43	54	45	19	5	3
E802,	White-----M--	595	33	14	8	9	2	14	15	34	51	38	44	39	43	38	25	30	39	27	20	22	24	14	7	2	3
E840-	F--	234	14	5	5	10	3	9	10	13	8	8	5	4	4	6	8	2	4	10	11	20	29	31	12	3	-
E962	Nonwhite--M--	69	4	3	2	-	-	1	-	6	2	5	1	3	7	9	8	6	4	6	1	1	-	-	-	-	-
	F--	15	3	-	1	3	1	1	-	-	1	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-
E963,	Suicide----------	177	-	-	-	-	-	-	1	2	12	13	18	14	16	15	18	14	15	18	10	2	4	4	1	-	-
E970-	White-----M--	136	-	-	-	-	-	-	1	1	8	8	15	9	11	12	9	12	15	17	9	2	4	2	1	-	-
E979	F--	38	-	-	-	-	-	-	-	1	4	5	3	5	4	3	8	2	-	1	1	-	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	108	2	-	-	-	1	-	-	5	7	17	4	21	13	10	5	6	4	4	2	4	-	1	-	-	2
E980-	White-----M--	59	2	-	-	-	1	-	-	4	2	10	1	13	4	4	4	5	-	3	1	4	-	1	-	-	-
E985	F--	15	-	-	-	-	-	-	-	-	1	1	2	3	4	1	-	-	1	-	-	-	-	-	-	-	2
	Nonwhite--M--	29	-	-	-	-	-	-	-	1	3	5	1	3	5	5	1	1	2	1	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN																										
	ALL CAUSES	34,081	2,200	146	93	75	60	226	139	257	324	313	376	529	834	1,141	1,684	2,354	3,250	3,987	4,324	4,493	3,760	2,325	972	194	25
	White-----M-	19,298	1,202	80	53	40	31	126	94	177	228	181	214	300	515	715	1,062	1,467	2,029	2,400	2,437	2,420	1,889	1,130	416	81	11
	F-	14,294	904	58	32	34	28	95	44	69	79	116	138	202	292	407	593	845	1,183	1,556	1,853	2,046	1,857	1,188	553	109	13
	Nonwhite--M-	280	43	6	4	-	1	2	1	8	13	8	14	13	19	12	15	30	20	13	24	17	9	4	2	2	-
	F-	209	51	2	4	1	-	3	-	3	4	8	10	14	8	7	14	12	18	18	10	10	5	3	1	2	1
001-019	Tuberculosis, all forms	228	1	1	-	1	1	-	-	-	-	8	10	14	18	15	14	14	34	36	23	19	14	3	2	-	-
	White-----M-	155	-	-	-	1	-	-	-	-	-	3	3	7	9	10	12	9	31	26	18	13	11	2	-	-	-
	F-	61	1	1	-	-	1	-	-	-	-	5	5	6	8	4	2	1	3	9	5	5	3	-	2	-	-
	Nonwhite--M-	11	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	4	-	1	-	1	-	1	-	-	-
	F-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	213	-	-	-	-	-	-	-	-	-	8	9	14	18	14	12	13	31	35	22	18	14	3	2	-	-
	White-----M-	148	-	-	-	-	-	-	-	-	-	3	3	7	9	10	10	8	29	25	18	13	11	2	-	-	-
	F-	53	-	-	-	-	-	-	-	-	-	5	4	6	8	3	2	1	2	9	4	4	3	-	2	-	-
	Nonwhite--M-	11	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	4	-	1	-	1	-	1	-	-	-
	F-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	15	1	1	-	1	1	-	-	-	-	-	1	-	-	1	2	1	3	1	1	1	-	-	-	-	-
	White-----M-	7	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-	-	-
	F-	8	1	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-	-	-	-	-
	Nonwhite--M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	72	-	-	-	-	-	-	-	-	-	-	1	-	3	7	7	7	16	15	11	2	2	1	-	-	-
	White-----M-	43	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	5	12	10	7	1	-	-	-	-	-
	F-	25	-	-	-	-	-	-	-	-	-	-	1	-	1	4	4	2	3	4	2	1	2	1	-	-	-
	Nonwhite--M-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	F-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	6	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	White-----M-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M-	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	8	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1	-	1	1	1	1	-	-	-	-
	White-----M-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F-	7	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	1	1	1	-	-	-	-
	Nonwhite--M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	28	6	10	2	4	-	1	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M-	10	1	3	-	2	-	-	2	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F-	14	5	5	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	4	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	131	-	3	3	6	4	30	14	16	15	14	11	4	8	-	2	1	-	-	-	-	-	-	-	-	-
	White-----M-	78	-	2	3	3	2	12	8	12	8	9	10	2	5	-	2	-	-	-	-	-	-	-	-	-	-
	F-	53	-	1	-	3	2	18	6	4	7	5	1	2	3	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	7	2	1	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M-	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	92	16	3	3	-	1	3	1	4	5	6	4	4	5	3	5	4	3	7	2	3	6	4	-	-	-
	White-----M-	44	5	1	2	-	1	3	1	2	1	-	2	3	4	1	2	3	1	3	1	2	3	3	-	-	-
	F-	44	11	2	-	-	-	-	-	2	3	4	2	1	1	2	3	1	2	4	1	1	3	1	-	-	-
	Nonwhite--M-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-	3	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
140-205	Malignant neoplasms, etc.*	5,569	10	5	13	11	5	18	14	18	26	41	69	106	172	275	398	551	751	839	834	686	450	209	61	7	-
	White----M	2,894	8	3	8	4	1	8	12	9	17	21	25	34	63	119	177	255	409	487	471	369	249	113	27	5	-
	F	2,626	2	2	5	7	4	10	2	8	9	19	43	69	108	153	216	290	333	346	357	312	201	94	34	2	-
	Nonwhite--M	33	-	-	-	-	-	-	-	1	-	1	-	1	-	3	4	5	6	3	3	5	-	1	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	3	3	3	-	-	1	-	-	-
140-148	Of buccal cavity and pharynx	146	-	-	-	-	-	-	-	-	-	1	-	3	7	8	8	19	24	22	20	17	9	6	2	-	-
	White----M	113	-	-	-	-	-	-	-	-	-	-	-	-	5	8	5	17	18	19	15	13	8	4	1	-	-
	F	33	-	-	-	-	-	-	-	-	-	1	-	3	2	-	3	2	6	3	5	4	1	2	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	2,287	-	-	1	-	-	-	1	1	2	5	14	23	35	78	122	199	300	374	412	335	246	109	27	3	-
	White----M	1,266	-	-	-	-	-	-	1	-	2	5	4	12	18	38	65	93	182	226	241	183	124	58	12	2	-
	F	997	-	-	1	-	-	-	-	1	-	-	9	11	16	39	55	103	115	143	168	148	122	50	15	1	-
	Nonwhite--M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	3	2	4	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	1	-	-	-	-	-	-
160-164	Of respiratory system	483	-	-	-	-	-	-	-	-	1	3	2	4	10	30	42	77	98	90	55	44	19	6	1	1	-
	White----M	390	-	-	-	-	-	-	-	-	1	2	1	3	8	24	37	66	88	74	40	30	13	2	-	1	-
	F	84	-	-	-	-	-	-	-	-	-	1	1	1	2	4	5	9	6	16	14	14	6	4	1	-	-
	Nonwhite--M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	545	-	-	-	-	-	-	-	-	-	-	10	22	45	47	57	71	89	53	54	61	19	14	3	-	-
	White----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F	543	-	-	-	-	-	-	-	-	-	-	10	22	45	47	57	71	89	52	54	61	19	13	3	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	806	1	-	-	-	-	-	-	1	3	7	8	22	26	40	60	60	85	129	129	109	77	34	15	-	-
	White----M	363	1	-	-	-	-	-	-	1	2	1	3	6	2	5	9	13	19	57	74	73	59	28	10	-	-
	F	435	-	-	-	-	-	-	-	-	1	6	5	14	24	35	51	46	64	72	54	35	18	5	5	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	-	1	-	-	1	-	-	-
180, 181	Of urinary organs	271	-	-	-	-	-	1	-	-	-	-	-	1	1	14	21	30	40	48	39	38	23	11	3	1	-
	White----M	188	-	-	-	-	-	-	-	-	-	-	-	1	-	12	14	21	33	30	31	26	14	6	-	-	-
	F	79	-	-	-	-	-	1	-	-	-	-	-	-	1	2	4	9	7	18	7	12	9	5	3	1	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	547	5	2	2	3	1	4	5	3	9	14	14	14	22	35	46	53	68	70	65	48	35	20	7	2	-
	White----M	290	5	2	1	1	-	2	4	1	4	8	8	7	12	20	22	23	36	41	35	25	17	11	3	2	-
	F	255	-	-	1	2	1	2	1	2	5	6	6	6	10	15	24	30	32	28	30	23	18	9	4	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia	255	4	-	9	7	4	12	6	6	5	3	9	6	13	9	21	17	23	22	31	22	17	8	1	-	-
	White----M	141	2	-	6	2	1	5	5	3	4	1	4	1	8	4	10	7	14	18	19	13	11	3	-	-	-
	F	114	2	-	3	5	3	7	1	3	1	2	5	5	5	5	11	10	9	4	12	9	6	5	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	229	-	3	1	1	-	1	2	7	6	8	12	11	13	14	21	25	24	31	29	12	5	1	2	-	-
	White----M	141	-	1	1	1	-	1	2	4	4	4	5	4	10	8	15	15	19	21	16	6	3	-	1	-	-
	F	86	-	2	-	-	-	-	-	2	2	3	7	7	3	6	6	10	5	10	13	6	2	1	1	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	99	5	-	-	-	-	2	1	-	3	2	-	7	10	11	8	9	11	8	4	15	2	1	-	-	-
	White----M	45	3	-	-	-	-	-	-	-	1	2	-	3	3	5	4	3	7	5	2	5	1	1	-	-	-
	F	47	2	-	-	-	-	2	1	-	2	-	-	3	5	5	4	5	4	3	2	8	1	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	1	-	-	-	-	-
260	Diabetes mellitus	665	-	-	1	-	1	1	-	4	6	6	11	10	11	17	27	52	89	125	114	100	58	30	2	-	-
	White----M	256	-	-	1	-	-	-	-	-	1	2	4	7	9	10	12	25	34	45	35	39	20	12	-	-	-
	F	397	-	-	-	-	1	1	-	4	4	4	7	2	2	7	14	26	51	78	78	61	37	18	2	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	-	-	-	-	-	-	-
290-293	Anemias	117	2	-	-	-	-	2	-	-	2	3	-	1	1	3	1	4	8	12	17	27	19	12	3	-	-
	White----M	56	2	-	-	-	-	-	-	-	-	2	-	1	1	2	-	3	4	5	9	11	9	5	2	-	-
	F	61	-	-	-	-	-	2	-	-	2	1	-	-	-	1	1	1	4	7	8	16	10	7	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	39	12	5	4	1	2	-	-	1	-	-	-	-	1	1	-	-	4	4	2	1	1	-	-	-	-
	White----M	20	7	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	-	1	1	-	-	-	-
	F	17	4	3	1	1	2	-	-	1	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	18,908	11	1	1	2	-	16	15	23	38	34	80	154	332	515	889	1,270	1,868	2,418	2,767	3,135	2,754	1,704	715	147	19
	White----M	10,673	9	-	1	1	-	10	7	11	25	19	49	96	234	367	605	847	1,190	1,455	1,548	1,655	1,349	819	310	59	7
	F	8,084	2	1	-	1	-	6	8	10	11	13	26	56	90	140	264	407	656	945	1,203	1,467	1,395	883	404	85	11
	Nonwhite--M	77	-	-	-	-	-	-	-	1	2	-	2	2	4	4	7	11	10	8	11	5	7	1	1	1	-
	F	74	-	-	-	-	-	-	-	1	-	2	3	-	4	4	13	5	12	10	5	8	3	1	-	2	1
330-334, 400-468	Diseases of cardiovascular system	18,547	10	1	1	1	-	11	10	18	31	29	70	145	311	500	869	1,244	1,836	2,373	2,733	3,089	2,719	1,674	707	146	19
	White----M	10,459	8	-	1	1	-	7	5	9	21	14	42	89	224	357	591	833	1,174	1,429	1,528	1,630	1,329	798	304	58	7
	F	7,945	2	1	-	-	-	4	5	8	9	13	23	54	81	136	258	395	642	926	1,189	1,447	1,380	874	402	85	11
	Nonwhite--M	73	-	-	-	-	-	-	-	1	1	-	2	2	3	3	7	11	9	8	11	5	7	1	1	1	-
	F	70	-	-	-	-	-	-	-	-	-	2	3	-	3	4	13	5	11	10	5	7	3	1	-	2	1
330-334	Vascular lesions, etc.*	4,137	6	1	1	-	-	2	2	4	8	4	17	23	47	90	170	230	373	519	667	736	687	389	132	27	2
	White----M	2,044	5	-	1	-	-	1	2	3	5	3	7	7	20	41	83	129	199	257	322	393	311	190	57	8	-
	F	2,064	1	1	-	-	-	1	-	1	3	1	9	16	27	47	83	100	169	256	341	339	374	199	75	19	2
	Nonwhite--M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	3	3	2	2	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	3	1	2	-	-	-	-	-
400-402	Rheumatic fever	33	1	-	-	1	-	7	5	3	1	-	1	1	2	3	2	3	1	1	-	-	1	-	-	-	-
	White----M	18	1	-	-	1	-	4	3	2	1	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	3	2	1	-	-	-	-	1	1	-	3	1	1	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
410-443	Diseases of heart	13,071	2	-	-	-	-	2	2	10	16	19	48	116	254	387	669	965	1,404	1,756	1,924	2,120	1,756	1,067	444	98	12
	White-----M--	7,721	1	-	-	-	-	2	-	4	10	8	33	80	198	300	490	669	943	1,110	1,123	1,116	879	514	196	40	5
	F--	5,246	1	-	-	-	-	-	2	5	5	9	12	34	50	82	164	261	447	635	790	997	873	551	247	55	6
	Nonwhite--M--	53	-	-	-	-	-	-	-	1	1	-	2	2	3	2	4	11	6	5	8	3	2	1	1	1	-
	F--	51	-	-	-	-	-	-	-	-	-	2	1	-	3	3	11	4	8	6	3	4	2	1	-	2	1
410-416	Chronic rheumatic heart disease----	490	-	-	-	-	-	-	1	7	9	10	16	22	47	42	53	54	48	59	35	44	29	7	6	1	-
	White-----M--	241	-	-	-	-	-	-	-	2	4	4	11	9	27	25	25	26	24	28	14	25	11	2	3	1	-
	F--	236	-	-	-	-	-	-	1	4	4	4	4	12	19	17	26	28	21	30	21	19	18	5	3	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	8,566	1	-	-	-	-	-	-	-	4	4	26	70	167	279	478	721	1,047	1,252	1,326	1,365	1,023	544	218	35	6
	White-----M--	5,479	-	-	-	-	-	-	-	-	4	3	20	58	146	233	389	542	748	843	816	752	532	271	105	15	2
	F--	3,027	1	-	-	-	-	-	-	-	-	1	5	11	18	43	80	169	292	401	502	608	490	272	112	19	3
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	7	2	4	7	2	1	1	1	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	3	5	4	1	3	-	-	-	1	1
421 422	Nonrheumatic chronic endocarditis, etc.*--	2,160	-	-	-	-	-	-	1	-	1	-	2	9	8	18	41	62	115	186	295	390	453	351	172	51	5
	White-----M--	1,103	-	-	-	-	-	-	-	-	1	-	1	6	8	11	27	38	67	100	169	194	226	163	68	22	2
	F--	1,046	-	-	-	-	-	-	1	-	-	-	1	3	-	7	13	23	45	86	124	194	227	167	104	28	3
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	1	-	1	-
430-434	Other diseases of heart---------	346	1	-	-	-	-	2	-	3	1	2	3	8	9	16	17	32	29	42	59	51	33	29	7	2	-
	White-----M--	212	1	-	-	-	-	2	-	2	-	-	1	4	4	10	11	20	18	32	37	31	21	13	5	-	-
	F--	132	-	-	-	-	-	-	-	1	1	2	2	4	5	5	6	11	11	10	22	20	12	16	2	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	1,509	-	-	-	-	-	-	-	-	1	3	1	7	23	32	80	96	165	217	209	270	218	136	41	9	1
	White-----M--	686	-	-	-	-	-	-	-	-	1	1	-	3	13	21	38	43	86	107	87	114	89	65	15	2	1
	F--	805	-	-	-	-	-	-	-	-	-	2	-	4	8	10	39	50	78	108	121	156	126	71	26	6	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	-	-	1	-	-	1	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	-	1	1	-	2	-	-	-	-
444-447	Hypertension without mention of heart----------	230	-	-	-	-	-	-	-	-	2	2	1	3	3	10	9	11	25	27	26	36	36	24	14	1	-
	White-----M--	117	-	-	-	-	-	-	-	-	1	2	-	1	1	7	5	5	10	18	13	16	17	13	7	1	-
	F--	112	-	-	-	-	-	-	-	-	1	-	1	2	2	3	4	6	14	9	13	20	19	11	7	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	871	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	10	17	41	87	174	220	163	113	19	5
	White-----M--	427	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	9	10	26	52	89	112	76	42	8	2
	F--	438	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	14	34	84	105	107	71	11	3
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
451-468	Other diseases of circulatory sys.-	205	1	-	-	-	-	-	1	1	4	4	3	2	5	9	18	25	16	29	29	23	19	11	4	1	-
	White-----M--	132	1	-	-	-	-	-	-	-	4	1	2	-	4	7	10	21	12	18	18	16	10	5	2	1	-
	F--	71	-	-	-	-	-	-	1	1	-	3	1	2	1	2	7	4	4	11	11	7	8	6	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	361	1	-	-	1	-	5	5	5	7	5	10	9	21	15	20	26	32	45	34	46	35	30	8	1	-
	White-----M--	214	1	-	-	-	-	3	2	2	4	5	7	7	10	10	14	14	16	26	20	25	20	21	6	1	-
	F--	139	-	-	-	1	-	2	3	2	2	-	3	2	9	4	6	12	14	19	14	20	15	9	2	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	809	148	25	12	6	2	13	6	6	7	5	6	19	15	25	29	32	46	59	74	69	76	72	47	10	-
	White-----M--	451	76	16	2	3	2	5	4	6	7	2	1	11	12	15	20	24	35	41	36	38	38	38	17	2	-
	F--	325	57	8	8	3	-	8	2	-	-	3	4	4	1	9	9	7	11	18	35	30	37	33	30	8	-
	Nonwhite--M--	22	9	-	1	-	-	-	-	-	-	-	1	2	2	1	-	1	-	-	2	1	1	1	-	-	-
	F--	11	6	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
480-483	Influenza---------	103	11	3	-	2	-	3	2	3	1	2	-	2	1	4	5	1	2	10	12	11	12	11	2	3	-
	White-----M--	54	4	2	-	2	-	-	2	3	1	2	-	2	1	2	4	-	-	7	4	7	8	2	1	-	-
	F--	45	6	1	-	-	-	3	-	-	-	-	-	-	-	2	1	1	2	3	6	4	4	8	1	3	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	706	137	22	12	4	2	10	4	3	6	3	6	17	14	21	24	31	44	49	62	58	64	61	45	7	-
	White-----M--	397	72	14	2	1	2	5	2	3	6	-	1	9	11	13	16	24	35	34	32	31	30	36	16	2	-
	F--	280	51	7	8	3	-	5	2	-	-	3	4	4	1	7	8	6	9	15	29	26	33	25	29	5	-
	Nonwhite--M--	19	8	-	1	-	-	-	-	-	-	-	1	2	2	1	-	1	-	-	1	1	1	-	-	-	-
	F--	10	6	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	85	18	3	7	2	-	1	2	-	-	1	-	1	1	1	3	-	3	7	7	7	8	5	6	2	-
	White-----M--	51	9	1	4	2	-	-	1	-	-	-	-	1	-	1	3	-	3	4	6	5	5	2	4	-	-
	F--	31	6	2	3	-	-	1	1	-	-	1	-	-	1	-	-	-	-	3	1	2	3	3	2	2	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	209	-	-	-	-	-	-	-	-	1	2	2	5	9	18	12	35	23	31	23	24	15	6	3	-	-
	White-----M--	174	-	-	-	-	-	-	-	-	1	2	2	4	8	17	9	32	22	29	18	20	7	2	1	-	-
	F--	35	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	1	2	5	4	8	4	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	69	-	1	1	-	1	3	1	5	-	1	1	5	3	6	3	8	6	6	9	5	3	1	-	-	-
	White-----M--	48	-	1	1	-	1	3	1	2	-	-	1	4	2	5	2	4	5	4	7	3	1	1	-	-	-
	F--	15	-	-	-	-	-	-	-	3	-	1	-	1	-	-	1	3	1	-	1	2	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	193	18	1	-	-	1	-	-	-	-	-	4	4	3	6	13	9	16	21	27	37	20	13	-	-	-
	White-----M--	105	9	-	-	-	1	-	-	-	-	-	1	-	1	2	8	8	10	12	16	21	10	6	-	-	-
	F--	82	8	1	-	-	-	-	-	-	-	-	3	3	1	4	4	-	6	9	11	16	9	7	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
543,	Gastritis, etc.*--	135	43	13	1	2	-	1	-	1	2	1	4	3	4	3	3	7	7	6	8	9	11	6	-	-	-
571,	White-----M--	71	25	6	-	1	-	-	-	-	-	1	4	2	2	1	2	4	2	5	2	6	6	2	-	-	-
572	F--	56	13	6	-	1	-	1	-	1	2	-	-	1	2	1	1	3	5	1	6	3	5	4	-	-	-
	Nonwhite--M--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	296	2	-	-	-	-	3	-	-	-	2	6	18	30	36	38	35	40	31	19	21	12	2	-	1	-
	White-----M--	197	-	-	-	-	-	1	-	-	-	2	4	14	25	20	26	22	27	19	15	16	6	-	-	-	-
	F--	97	2	-	-	-	-	2	-	-	-	-	2	3	5	16	12	13	13	12	4	5	6	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	47	1	-	-	1	-	1	1	-	3	-	1	-	4	3	5	5	9	3	6	2	2	-	-	-	-
	White-----M--	27	1	-	-	1	-	1	-	-	2	-	-	-	4	2	2	3	7	-	2	-	2	-	-	-	-
	F--	19	-	-	-	-	-	-	1	-	1	-	1	-	-	1	3	1	2	3	4	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	167	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	20	26	36	40	23	9	2	2
	White-----M--	167	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	20	26	36	40	23	9	2	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	44	...	...	...	...	...	...	-	1	7	14	8	9	3	-	-	-	-	2	-	-	-	-	-	-	-
	White-----F--	39	...	...	...	...	...	...	-	1	6	13	6	8	3	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	42	...	...	...	...	...	...	-	1	6	13	8	9	3	-	-	-	-	2	-	-	-	-	-	-	-
660-	White-----F--	37	...	...	...	...	...	...	-	1	5	12	6	8	3	-	-	-	-	2	-	-	-	-	-	-	-
689	Nonwhite--F--	5	...	...	...	...	...	...	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	499	402	19	6	5	5	13	4	6	2	3	2	5	8	7	4	4	1	1	2	-	-	-	-	-	-
	White-----M--	244	189	14	3	2	2	6	3	4	2	1	-	2	4	4	3	3	-	1	1	-	-	-	-	-	-
	F--	248	207	5	3	3	3	7	1	2	-	1	2	3	4	3	1	1	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,345	1,345	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	762	762	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	525	525	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	572	572	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	339	339	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	215	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn---------	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	708	708	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	398	398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	276	276	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	247	10	-	-	-	-	1	-	-	-	-	1	1	1	5	2	14	4	12	10	25	47	58	43	12	1
795	White-----M--	126	8	-	-	-	-	1	-	-	-	-	-	1	1	4	2	8	2	7	8	15	19	24	18	8	-
	F--	116	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	5	2	5	2	9	28	33	23	4	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Re-	All other diseases	1,396	76	14	7	6	8	18	17	16	23	31	31	40	59	69	78	123	137	161	177	127	94	56	22	5	1
sid-	White-----M--	812	43	5	4	4	4	6	7	10	17	10	16	22	33	41	53	78	80	98	106	78	55	31	9	1	1
ual	F--	563	32	7	3	2	4	12	10	5	5	20	14	16	25	28	24	41	55	63	69	47	39	25	13	4	-
	Nonwhite--M--	13	1	1	-	-	-	-	-	1	-	1	1	-	1	-	1	2	1	-	2	1	-	-	-	-	-
	F--	8	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	2	1	-	-	1	-	-	-	-	-
E800-	Accidents---------	2,115	69	39	31	25	29	97	56	142	168	120	92	89	102	75	96	118	112	105	128	125	120	110	57	8	2
E962	White-----M--	1,440	42	26	21	15	17	70	44	113	136	98	76	69	71	55	77	90	90	72	74	71	52	37	19	4	1
	F--	611	23	13	9	10	11	22	11	24	25	17	12	12	22	18	18	24	22	32	51	52	67	73	38	4	1
	Nonwhite--M--	50	4	-	1	-	1	2	1	3	5	4	2	7	8	2	1	4	-	-	3	2	-	-	-	-	-
	F--	14	-	-	-	-	-	3	-	2	2	1	2	1	1	-	-	-	-	1	-	-	1	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	922	6	13	19	8	14	46	22	102	128	74	54	44	50	37	46	55	53	41	47	34	21	5	2	-	1
	White-----M--	685	3	6	16	4	8	34	15	78	103	59	42	35	29	27	37	41	41	32	29	26	14	4	1	-	1
	F--	199	3	7	2	4	6	9	6	21	20	10	9	6	13	8	8	13	12	9	16	8	7	1	1	-	-
	Nonwhite--M--	29	-	-	1	-	-	1	1	1	4	4	1	3	7	2	1	1	-	-	2	-	-	-	-	-	-
	F--	9	-	-	-	-	-	2	-	2	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,193	63	26	12	17	15	51	34	40	40	46	38	45	52	38	50	63	59	64	81	91	99	105	55	8	1
E802,	White-----M--	755	39	20	5	11	9	36	29	35	33	39	34	34	42	28	40	49	49	40	45	45	38	33	18	4	-
E840-	F--	412	20	6	7	6	5	13	5	3	5	7	3	6	9	10	10	11	10	23	35	44	60	72	37	4	1
E962	Nonwhite--M--	21	4	-	-	-	1	1	-	2	1	-	1	4	1	-	-	3	-	-	1	2	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-
E963,	Suicide----------	392	-	-	-	-	-	-	1	9	11	13	22	23	28	35	40	44	52	53	31	15	5	9	1	-	-
E970-	White-----M--	318	-	-	-	-	-	-	1	6	9	6	16	15	20	28	34	37	46	45	27	14	5	9	-	-	-
E979	F--	71	-	-	-	-	-	-	-	2	1	6	6	8	8	7	6	7	6	8	4	1	-	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	57	1	-	-	-	-	1	2	3	5	5	8	6	3	3	5	5	2	4	1	2	-	-	1	-	-
E980-	White-----M--	21	1	-	-	-	-	-	2	1	1	1	-	1	2	1	2	2	2	3	1	1	-	-	-	-	-
E985	F--	18	-	-	-	-	-	1	-	1	1	2	1	3	-	1	3	2	-	1	-	1	-	-	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	1	3	2	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING																										
	ALL CAUSES	2,503	262	15	12	9	6	20	16	39	52	50	59	56	102	115	132	182	225	228	262	252	212	139	39	12	7
	White-----M	1,589	151	9	5	7	6	15	9	22	34	36	44	35	64	64	93	128	163	152	167	147	136	74	20	5	3
	F	840	95	5	4	2	-	5	7	14	15	12	12	19	31	39	37	51	62	73	89	102	75	62	19	7	3
	Nonwhite--M	37	5	-	1	-	-	-	-	2	3	1	2	1	6	6	1	2	-	3	1	1	-	2	-	-	-
	F	37	11	1	2	-	-	-	-	1	-	1	1	1	1	6	1	1	-	-	5	2	1	1	-	-	1
001-019	Tuberculosis, all forms	19	-	-	1	-	-	-	-	2	1	1	3	-	4	1	1	1	-	2	2	-	-	-	-	-	-
	White-----M	8	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-	1	2	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	17	-	-	1	-	-	-	-	1	1	1	3	-	4	-	1	1	-	2	2	-	-	-	-	-	-
	White-----M	8	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-	1	2	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	3	2	-	1	-	-	-
	White-----M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	2	1	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	17	1	1	-	-	-	1	2	1	4	2	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M	10	1	-	-	-	-	1	2	1	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	1	-	-	-	-	-	-	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	9	1	-	-	1	-	1	2	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1	-
	White-----M	5	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-
	F	4	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. [1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
140-205	Malignant neoplasms, etc.*	324	2	-	-	2	-	1	1	-	3	2	5	6	16	20	29	32	50	43	35	39	24	11	2	-	1
	White-----M--	178	2	-	-	2	-	1	-	-	2	-	2	3	7	6	14	14	32	24	22	25	16	6	-	-	-
	F--	144	-	-	-	-	-	-	1	-	1	2	3	3	9	13	15	17	18	19	13	14	8	5	2	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	117	-	-	-	-	-	-	-	-	-	1	1	4	4	5	7	13	18	18	14	16	8	7	1	-	-
	White-----M--	64	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	6	12	11	8	10	6	4	-	-	-
	F--	52	-	-	-	-	-	-	-	-	-	1	1	2	3	3	4	7	6	7	6	6	2	3	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system	32	-	-	-	-	-	-	-	-	-	-	1	-	2	2	6	3	5	3	5	3	2	-	-	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	-	1	-	2	1	6	3	5	2	4	2	2	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	29	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	3	5	3	-	3	2	2	-	-	1
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	3	5	3	-	3	2	2	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	60	-	-	-	-	-	-	-	-	-	1	1	-	3	5	6	3	9	6	11	10	4	1	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	6	9	3	1	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	1	1	-	3	4	6	3	7	4	5	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	4	2	1	4	-	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	4	1	1	3	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	41	1	-	-	1	-	1	-	-	2	-	1	1	2	3	1	4	5	7	1	5	4	1	1	-	-
	White-----M--	25	1	-	-	1	-	1	-	-	1	-	1	1	2	-	1	1	5	3	1	3	2	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	2	-	4	-	2	2	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	14	1	-	-	1	-	-	1	-	1	-	1	-	-	1	1	3	1	2	-	1	-	-	-	-	-
	White-----M--	9	1	-	-	1	-	-	-	-	1	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	2	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	12	-	-	-	-	-	-	-	-	1	-	-	-	3	1	2	1	1	-	-	2	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	-	-	3	-	1	1	1	-	-	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	36	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	1	6	5	6	4	4	-	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	2	5	2	3	3	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	4	-	3	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
290-293	Anemias	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	1,129	2	1	1	1	-	-	-	2	4	8	5	13	33	36	56	93	128	130	168	168	148	96	25	8	3
	White-----M--	720	2	1	-	1	-	-	-	1	2	5	3	8	24	22	43	70	102	87	105	91	92	46	12	2	1
	F--	391	-	-	1	-	-	-	-	1	2	3	2	5	7	9	11	23	26	41	60	76	55	48	13	6	2
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	2	1	1	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	2	-	1	1	-	-	-
330-334, 400-468	Diseases of cardiovascular system	1,085	2	1	1	1	-	-	-	2	3	7	3	13	32	33	54	86	124	126	162	163	143	93	25	8	3
	White-----M--	694	2	1	-	1	-	-	-	1	2	4	2	8	24	20	43	65	98	86	101	89	88	44	12	2	1
	F--	374	-	-	1	-	-	-	-	1	1	3	1	5	6	9	9	21	26	38	58	73	54	47	13	6	2
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	2	1	1	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	-	1	1	-	-	-
330-334	Vascular lesions, etc.*	246	-	1	-	-	-	-	-	-	-	-	-	1	2	7	9	17	24	21	40	46	44	21	11	2	-
	White-----M--	128	-	1	-	-	-	-	-	-	-	-	-	1	1	3	5	12	14	9	19	20	30	7	5	1	-
	F--	116	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	5	10	12	20	26	14	14	6	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
410-443	Diseases of heart	779	1	-	1	1	-	-	-	1	3	7	3	9	30	25	43	66	97	98	113	108	92	64	11	5	1
	White-----M	531	1	-	-	1	-	-	-	-	2	4	2	5	23	17	37	50	81	70	77	66	53	35	5	1	1
	F	234	-	-	1	-	-	-	-	1	1	3	1	4	5	5	4	16	16	26	34	42	38	27	6	4	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2	-	-	-	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	-	1	1	-	-	-
410-416	Chronic rheumatic heart disease	48	-	-	-	-	-	-	-	1	2	4	-	2	3	4	3	6	8	2	5	3	2	2	1	-	-
	White-----M	26	-	-	-	-	-	-	-	-	2	2	-	-	2	2	2	2	7	-	3	2	1	1	-	-	-
	F	21	-	-	-	-	-	-	-	1	-	2	-	2	1	2	1	4	1	2	1	1	1	1	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	475	-	-	-	-	-	-	-	-	-	2	3	2	21	16	34	49	76	68	70	59	42	26	4	2	1
	White-----M	368	-	-	-	-	-	-	-	-	-	2	2	2	18	13	32	44	66	53	52	43	25	13	1	1	1
	F	104	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	5	10	14	18	16	17	13	3	1	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	151	-	-	1	-	-	-	-	-	1	-	-	4	4	-	2	6	7	15	21	26	31	27	4	2	-
	White-----M	79	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	6	11	11	12	16	16	2	-	-
	F	65	-	-	1	-	-	-	-	-	1	-	-	2	2	-	1	4	1	3	9	14	14	9	2	2	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-
430-434	Other diseases of heart	29	1	-	-	1	-	-	-	-	-	1	-	1	1	4	-	-	3	3	6	4	4	-	-	-	-
	White-----M	19	1	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	2	2	5	2	3	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	1	2	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	76	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	3	10	11	16	13	9	2	1	-
	White-----M	39	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	4	6	7	8	5	2	-	-
	F	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	5	9	5	4	-	1	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	2	1	-	-	-	-
	White-----M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	34	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	6	6	5	8	3	1	2
	White-----M	16	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	3	2	4	2	2	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	1	6	1	1	2
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	18	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	3	5	2	1	1	-	-	-	-
	White-----M	15	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	3	5	1	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	44	-	-	-	-	-	-	-	-	1	1	2	-	1	3	2	7	4	4	6	5	5	3	-	-	-
	White-----M	26	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	5	4	1	4	2	4	2	-	-	-
	F	17	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	2	-	3	2	3	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	80	17	1	1	-	-	4	1	-	-	2	-	1	4	6	2	2	2	6	10	6	6	6	2	1	-
	White-----M	53	7	1	-	-	-	4	1	-	-	1	-	1	2	3	2	1	1	5	6	4	5	6	2	1	-
	F	19	6	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	1	1	3	2	1	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
480-483	Influenza	11	2	-	-	-	-	3	1	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-
	White-----M	7	-	-	-	-	-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	69	15	1	1	-	-	1	-	-	-	1	-	1	4	6	2	1	2	6	10	6	5	5	2	-	-
	White-----M	46	7	1	-	-	-	1	-	-	-	-	-	1	2	3	2	1	1	5	6	4	5	5	2	-	-
	F	16	5	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	1	3	2	-	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
500-502	Bronchitis	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	White-----M	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	23	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	5	2	2	2	1	2	-	-	-	-
	White-----M	20	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	5	2	2	2	1	2	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	9	-	-	-	1	-	-	-	1	-	-	-	2	-	1	1	-	-	2	-	1	-	-	-	-	-
	White-----M	6	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	26	5	-	-	-	-	1	-	-	-	-	3	-	1	-	1	4	2	1	4	1	2	1	-	-	-
	White-----M	16	4	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	4	1	1	1	-	-	-
	F	10	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	3	1	1	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1952—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
543,	Gastritis, etc.*--	17	8	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	2	1	-	1	-	-
571,	White-----M--	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	1	-	-
572	F--	6	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	15	-	-	-	-	-	-	-	-	-	-	1	1	4	1	3	1	1	-	3	-	-	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	1	-	4	1	2	1	1	-	3	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	6	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	2	-	1	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	3	-	-	1	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-		3	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	2	...	...	...	...	...	...	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications------	2	...	...	...	...	...	...	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	2	...	...	...	...	...	...	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	39	26	3	-	-	-	2	-	1	1	-	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	25	17	2	-	-	-	1	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	8	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn---------	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	30	2	-	-	-	-	-	-	-	-	1	3	1	-	1	-	1	-	4	2	2	5	5	-	2	1
795	White-----M--	14	1	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	3	1	2	1	1	-	1	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	-	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	1
Re-	All other diseases	147	13	4	-	1	2	1	-	4	4	4	2	4	6	8	8	10	17	15	11	14	8	9	1	-	1
sid-	White-----M--	95	10	1	-	-	2	-	-	3	4	2	1	2	2	3	7	8	10	9	6	10	7	7	-	-	1
ual	F--	50	3	2	-	1	-	1	-	1	-	2	1	2	3	5	1	2	7	6	5	4	1	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	306	19	3	8	2	4	8	10	23	26	27	26	16	17	26	16	21	8	12	5	5	8	8	7	-	1
E962	White-----M--	229	10	3	5	2	4	7	6	14	20	24	24	13	12	20	11	19	7	9	3	2	4	5	4	-	1
	F--	64	6	-	3	-	-	1	4	8	4	3	1	3	3	4	5	1	1	3	2	2	4	3	3	-	-
	Nonwhite--M--	10	3	-	-	-	-	-	-	1	2	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	111	1	1	1	-	3	-	2	9	12	14	13	10	8	9	8	6	6	3	-	1	1	2	-	-	1
	White-----M--	87	-	1	1	-	3	-	1	6	10	14	11	7	5	7	4	5	5	3	-	1	1	1	-	-	1
	F--	17	1	-	-	-	-	-	1	2	1	-	1	3	1	1	4	-	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	195	18	2	7	2	1	8	8	14	14	13	13	6	9	17	8	15	2	9	5	4	7	6	7	-	-
E802,	White-----M--	142	10	2	4	2	1	7	5	8	10	10	13	6	7	13	7	14	2	6	3	1	3	4	4	-	-
E840-	F--	47	5	-	3	-	-	1	3	6	3	3	-	-	2	3	1	1	-	3	2	2	4	2	3	-	-
E962	Nonwhite--M--	5	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
E963,	Suicide----------	42	-	-	-	-	-	-	-	1	4	1	3	2	6	6	2	5	2	3	4	1	1	1	-	-	-
E970-	White-----M--	33	-	-	-	-	-	-	-	1	2	1	2	2	6	3	2	3	1	3	4	1	1	1	-	-	-
E979	F--	9	-	-	-	-	-	-	-	-	2	-	1	-	-	3	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	15	1	1	-	-	-	-	-	1	2	2	2	3	1	1	-	-	1	-	-	-	-	-	-	-	-
E980-	White-----M--	7	-	1	-	-	-	-	-	-	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
E985	F--	5	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A. NOTE.—The list of 64 selected causes includes Cholera (043) and Plague (058). There were no deaths reported from these causes.

Table 53. Deaths From 64 Selected Causes:

(By place of occurrence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Tuberculosis of respiratory system 001-008	Tuberculosis, other forms 010-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Scarlet fever and streptococcal sore throat 050,051	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Smallpox 084	Measles 085	Typhus and other rickettsial diseases 100-108	Malaria 110-117	All other infective and parasitic diseases 030-039, 041,042, 044,049, 052-054, 059-074, 081-083, 086-096, 120-138
1	UNITED STATES----	1,496,838	24,621	22,486	2,135	5,719	78	937	351	217	402	1,386	3,145	-	618	29	25	4,311
2	Alabama----------	27,109	558	506	52	117	3	27	8	21	24	33	20	-	40	-	2	108
3	Arizona----------	7,777	397	362	35	49	-	18	5	1	7	4	29	-	10	-	-	32
4	Arkansas----------	15,616	480	455	25	66	3	37	7	5	13	23	34	-	4	1	2	80
5	California----------	108,645	1,806	1,678	128	410	3	32	8	17	15	87	209	-	15	-	-	299
6	Colorado----------	13,284	198	176	22	34	-	13	5	1	1	13	30	-	6	1	-	50
7	Connecticut----------	19,915	240	223	17	58	-	-	4	-	-	11	20	-	5	-	-	46
8	Delaware----------	3,646	54	46	8	15	-	-	-	-	1	1	7	-	1	1	-	11
9	District of Columbia-------	9,104	218	181	37	61	1	-	1	1	1	16	17	-	3	-	-	24
10	Florida----------	30,739	498	465	33	152	1	23	4	6	6	31	44	-	10	-	2	144
11	Georgia----------	30,870	460	413	47	142	3	46	19	17	23	54	23	-	23	6	-	158
12	Idaho----------	4,724	36	32	4	8	-	1	3	-	1	2	18	-	2	-	-	20
13	Illinois----------	92,826	1,549	1,385	164	327	1	18	15	2	5	75	239	-	25	-	2	151
14	Indiana----------	41,005	517	462	55	191	1	10	12	6	13	39	110	-	31	-	-	133
15	Iowa----------	26,584	181	166	15	81	-	14	10	3	-	16	162	-	7	-	-	61
16	Kansas----------	19,734	164	153	11	79	-	4	6	1	4	15	67	-	5	-	-	57
17	Kentucky----------	28,206	844	778	66	97	5	61	9	12	16	72	132	-	31	1	1	100
18	Louisiana----------	24,913	558	515	43	179	4	20	2	5	17	31	32	-	9	1	1	105
19	Maine----------	9,869	97	87	10	14	-	-	2	-	1	11	20	-	8	-	-	22
20	Maryland----------	24,160	678	635	43	162	-	7	2	1	-	33	13	-	10	1	-	59
21	Massachusetts----------	51,413	730	690	40	108	-	15	4	2	5	26	22	-	19	-	-	102
22	Michigan----------	59,092	776	690	86	197	-	10	10	2	8	53	210	-	17	-	-	154
23	Minnesota----------	28,303	211	192	19	86	-	1	4	5	1	22	212	-	5	1	-	52
24	Mississippi----------	20,521	399	367	32	91	7	71	5	2	30	10	21	-	10	1	1	94
25	Missouri----------	45,243	705	665	40	207	1	31	28	7	18	33	78	-	7	2	2	124
26	Montana----------	5,967	72	60	12	19	1	-	2	1	-	4	9	-	4	-	-	11
27	Nebraska----------	13,024	80	72	8	37	-	1	8	2	4	7	105	-	2	-	-	38
28	Nevada----------	1,889	23	19	4	6	-	2	-	-	-	2	8	-	1	-	-	6
29	New Hampshire----------	6,222	46	42	4	21	-	-	-	-	1	4	5	-	2	-	-	7
30	New Jersey----------	50,542	826	772	54	169	-	11	3	2	3	17	45	-	14	-	-	118
31	New Mexico----------	5,559	170	152	18	29	4	26	4	-	2	6	26	-	11	-	-	18
32	New York----------	160,642	2,671	2,462	209	503	5	11	22	5	3	93	106	-	48	1	-	337
33	North Carolina----------	32,275	580	536	44	101	3	30	13	9	5	44	23	-	21	4	3	124
34	North Dakota----------	4,909	47	35	12	7	-	1	3	1	1	3	12	-	2	-	-	12
35	Ohio----------	83,728	1,116	995	121	380	3	9	20	7	12	94	165	-	22	1	2	220
36	Oklahoma----------	19,231	318	299	19	76	2	19	3	1	5	18	45	-	3	-	-	65
37	Oregon----------	14,562	147	138	9	37	-	3	6	3	1	15	19	-	3	-	-	25
38	Pennsylvania----------	110,498	1,798	1,662	136	422	2	9	17	4	16	77	143	-	49	-	2	289
39	Rhode Island----------	8,247	92	86	6	24	-	8	-	-	-	4	9	-	2	-	-	20
40	South Carolina----------	18,492	352	306	46	90	6	20	8	13	24	18	16	-	13	2	1	62
41	South Dakota----------	5,825	77	67	10	16	-	4	-	2	1	4	50	-	4	-	-	22
42	Tennessee----------	30,365	921	828	93	120	5	29	7	5	20	46	43	-	40	-	1	94
43	Texas----------	65,077	1,341	1,195	146	326	7	239	16	21	57	82	256	-	20	2	2	308
44	Utah----------	5,361	47	39	8	14	1	2	6	3	-	3	21	-	3	-	-	27
45	Vermont----------	4,159	54	52	2	2	-	1	-	-	4	5	3	-	2	-	-	8
46	Virginia----------	30,101	639	577	62	151	2	26	13	11	16	44	22	-	24	1	1	97
47	Washington----------	23,260	263	238	25	78	3	5	2	5	2	15	65	-	4	-	-	62
48	West Virginia----------	17,118	334	298	36	73	-	17	14	3	12	42	38	-	12	2	-	56
49	Wisconsin----------	33,988	233	217	16	72	1	5	9	2	3	27	128	-	7	-	-	92
50	Wyoming----------	2,499	20	17	3	15	-	-	2	-	-	1	14	-	2	-	-	7

United States and Each State, 1952

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of buccal cavity and pharynx 140-148	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Malignant neoplasm of other and unspecified sites 156B,165, 190-199	Leukemia and aleukemia 204	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues 200-203, 205	Benign neoplasms and neoplasms of unspecified nature 210-239	Diabetes mellitus 260	Anemias 290-293	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	
223,277	5,029	83,238	24,330	19,892	35,379	10,679	25,783	9,841	9,106	5,133	25,474	3,987	1,918	796,871	776,114	166,331	1
2,979	81	853	281	241	704	107	445	154	113	91	313	81	56	13,019	12,396	3,351	2
784	16	307	108	42	129	32	92	29	29	20	99	16	29	2,741	2,670	527	3
1,940	43	682	199	132	380	87	264	89	64	58	163	37	24	7,739	7,295	1,887	4
16,651	373	5,896	1,922	1,647	2,463	837	1,938	839	736	389	1,173	205	150	58,775	57,862	11,606	5
1,966	39	724	219	184	305	102	192	104	97	53	159	35	11	6,368	6,209	1,337	6
8,629	102	1,405	436	337	492	166	384	138	169	75	373	40	18	11,314	11,110	2,200	7
519	12	188	62	27	92	38	58	15	27	9	84	7	5	2,004	1,949	370	8
1,497	41	536	178	137	208	79	177	61	80	67	114	18	21	4,602	4,517	814	9
4,205	93	1,358	548	325	757	221	569	180	154	116	428	93	64	15,579	15,155	3,468	10
3,484	83	1,093	325	273	767	150	510	149	134	106	429	91	52	15,548	14,837	4,498	11
594	11	224	38	52	106	32	62	45	24	10	78	12	1	2,363	2,296	542	12
14,794	332	5,856	1,708	1,278	2,314	751	1,404	540	611	214	1,500	248	86	52,956	51,473	9,703	13
5,695	112	2,154	574	493	984	266	677	244	191	103	772	139	46	22,686	22,127	5,269	14
4,061	62	1,536	355	394	698	189	447	209	171	86	442	99	13	15,061	14,728	3,916	15
2,811	66	1,030	254	250	448	126	356	163	118	66	346	92	17	10,653	10,272	2,594	16
3,487	89	1,291	308	271	628	144	459	166	131	92	407	105	36	14,047	13,579	3,206	17
3,437	98	1,135	493	249	588	141	451	151	131	119	400	73	71	12,298	11,866	2,413	18
1,600	36	628	149	136	280	83	196	41	51	27	141	28	9	5,604	5,442	1,166	19
3,539	90	1,224	455	348	560	139	429	128	166	87	465	45	24	13,028	12,698	2,077	20
8,738	216	3,444	921	838	1,140	456	1,017	361	345	188	1,020	137	53	29,224	28,676	5,591	21
9,254	197	3,392	1,019	773	1,466	459	1,126	425	397	219	1,319	215	65	30,673	29,929	6,618	22
4,891	80	1,961	402	464	706	235	542	253	248	100	500	108	19	15,195	14,945	3,683	23
2,108	53	739	190	163	451	64	311	80	57	77	241	40	36	9,287	8,726	2,378	24
6,602	182	2,462	697	589	1,105	300	746	276	245	152	713	138	66	24,564	23,790	5,449	25
770	11	290	93	41	127	33	103	43	29	14	95	14	8	2,926	2,833	641	26
2,031	43	840	169	169	328	108	180	98	96	44	258	44	14	7,096	6,927	1,638	27
190	3	70	27	11	26	10	30	8	5	7	16	7	2	834	812	168	28
994	24	392	98	79	182	61	89	37	32	16	121	21	3	3,644	3,554	740	29
8,549	180	3,434	1,080	858	1,189	442	792	282	292	166	1,070	112	42	28,822	28,248	5,183	30
529	12	185	56	43	83	22	74	26	28	21	54	19	13	1,680	1,610	365	31
28,586	657	11,238	3,600	2,805	3,779	1,418	2,754	1,156	1,179	528	3,097	287	155	91,036	89,482	14,223	32
3,371	67	1,062	294	292	728	140	468	190	130	117	394	75	46	16,677	16,038	4,191	33
703	15	281	53	61	104	48	69	38	34	12	105	18	7	2,540	2,482	591	34
13,051	285	4,950	1,326	1,152	2,120	580	1,521	597	520	232	1,985	224	112	45,074	44,112	10,117	35
2,930	54	1,025	296	200	542	129	434	145	105	65	288	55	39	9,489	9,165	2,386	36
2,103	38	724	220	189	328	108	273	124	99	51	180	36	13	7,721	7,582	1,635	37
17,291	404	7,053	1,783	1,531	2,495	848	1,778	698	701	440	2,448	275	117	61,708	60,042	11,683	38
1,376	38	541	157	145	164	66	171	36	58	36	235	22	6	4,862	4,773	847	39
1,710	31	569	182	153	365	60	202	76	72	50	250	50	39	9,059	8,647	2,320	40
863	19	341	73	68	140	63	88	41	30	12	120	24	9	2,929	2,880	706	41
3,827	97	1,252	361	323	731	169	529	190	175	126	301	78	69	14,397	13,865	3,744	42
8,768	188	2,779	1,032	676	1,442	382	1,448	450	371	306	878	220	107	29,477	28,478	6,600	43
676	10	216	74	44	108	25	119	47	33	28	111	13	7	2,374	2,319	470	44
626	7	253	48	56	104	42	61	24	31	6	77	8	5	2,412	2,361	516	45
3,528	85	1,239	397	296	653	146	443	134	135	81	362	65	46	15,827	15,311	3,801	46
3,537	63	1,237	365	312	586	193	431	186	164	76	380	48	22	12,528	12,279	2,878	47
2,201	41	779	207	169	428	106	287	117	67	65	273	49	25	8,382	8,121	1,943	48
5,516	147	2,265	472	546	802	259	552	248	225	100	660	116	39	18,905	18,543	4,131	49
286	3	105	26	30	54	17	35	10	6	10	37	5	1	1,144	1,103	251	50

Table 53. Deaths From 64 Selected Causes:

(By place of occurrence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416	Arteriosclerotic heart disease, including coronary disease 420	Nonrheumatic chronic endocarditis and other myocardial degeneration 421,422	Other diseases of heart 430-434	Hypertension with heart disease 440-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Influenza 480-483	Pneumonia, except pneumonia of newborn 490-493	Bronchitis 500-502	Ulcer of stomach and duodenum 540, 541	Appendicitis 550-553
1	UNITED STATES----	1,583	555,141	19,754	352,135	76,684	22,657	83,911	12,506	31,685	8,868	20,757	46,265	5,631	40,634	2,970	8,770	2,710
2	Alabama----------	48	8,157	226	4,014	1,165	584	2,168	329	351	160	623	1,229	283	946	62	94	44
3	Arizona----------	10	1,919	105	1,181	278	132	223	62	114	38	71	360	22	338	35	45	18
4	Arkansas----------	27	4,914	150	2,776	545	462	981	159	224	84	444	720	128	592	27	77	31
5	California----------	88	41,275	1,578	29,707	4,093	750	5,147	734	3,271	888	913	2,850	122	2,728	191	907	141
6	Colorado----------	38	4,331	254	2,941	494	103	539	95	294	114	159	735	64	671	29	120	33
7	Connecticut----------	12	8,241	264	6,090	749	152	986	140	390	127	204	349	12	337	39	127	26
8	Delaware----------	2	1,450	65	790	249	39	307	27	83	17	55	129	10	119	7	25	6
9	District of Columbia-------	7	3,421	116	1,684	708	102	811	71	118	86	85	289	7	282	16	55	10
10	Florida----------	32	10,607	365	6,809	1,101	781	1,551	296	512	240	424	943	146	797	48	173	62
11	Georgia----------	48	9,213	265	4,544	1,263	844	2,297	460	458	160	711	1,298	213	1,085	52	134	79
12	Idaho----------	5	1,591	91	972	225	90	213	30	93	35	67	141	12	129	7	32	11
13	Illinois----------	74	38,851	1,246	23,509	7,512	1,514	5,070	755	1,651	439	1,483	2,780	153	2,627	200	539	175
14	Indiana----------	38	15,188	548	9,278	2,163	623	2,576	355	1,088	189	559	1,227	204	1,023	80	194	84
15	Iowa----------	15	9,685	318	6,478	1,416	364	1,109	214	748	150	333	770	108	662	45	154	40
16	Kansas----------	12	6,825	214	4,305	1,017	320	969	201	504	136	381	522	110	412	31	118	42
17	Kentucky----------	30	9,386	301	5,008	1,291	770	2,016	249	591	117	468	1,265	225	1,040	63	132	46
18	Louisiana----------	24	8,646	163	5,112	964	481	1,926	295	344	144	432	933	156	777	56	107	30
19	Maine----------	6	3,859	143	2,527	595	116	478	91	268	52	162	265	38	227	24	59	17
20	Maryland----------	27	9,831	307	4,733	2,174	215	2,402	205	441	117	330	650	54	596	54	116	38
21	Massachusetts----------	28	21,094	793	15,004	2,293	537	2,467	377	1,244	342	548	1,269	32	1,237	114	411	115
22	Michigan----------	67	21,165	835	13,728	2,928	895	2,779	420	1,315	344	744	1,670	122	1,548	114	363	114
23	Minnesota----------	32	10,093	394	6,859	1,116	446	1,278	262	679	196	250	713	50	663	59	169	42
24	Mississippi----------	29	5,812	197	2,628	893	496	1,598	212	208	87	561	759	197	562	34	79	42
25	Missouri----------	61	16,652	647	9,374	3,241	750	2,640	393	966	269	774	1,562	226	1,336	101	247	86
26	Montana----------	5	1,987	73	1,149	370	178	217	32	131	37	93	174	21	153	10	40	15
27	Nebraska----------	16	4,788	170	2,970	809	268	571	88	317	80	169	383	71	312	20	64	36
28	Nevada----------	1	601	27	423	67	30	54	5	21	16	22	45	3	42	7	16	2
29	New Hampshire----------	3	2,516	65	1,772	287	58	334	46	212	37	90	145	15	130	11	53	18
30	New Jersey----------	36	21,349	802	13,489	3,963	380	2,715	406	986	288	574	1,209	33	1,176	93	340	85
31	New Mexico----------	15	1,104	76	640	157	85	146	33	63	30	70	299	34	265	15	24	22
32	New York----------	144	70,230	2,560	51,042	7,100	771	8,757	1,089	3,057	739	1,554	4,406	163	4,243	285	1,195	275
33	North Carolina----------	56	10,839	306	5,564	1,329	900	2,740	327	462	163	639	1,310	248	1,062	59	114	50
34	North Dakota----------	5	1,681	58	1,075	222	92	234	58	118	29	58	106	6	100	11	22	9
35	Ohio----------	65	30,280	1,138	19,517	4,222	1,085	4,318	807	2,317	526	962	2,092	335	1,757	156	428	180
36	Oklahoma----------	25	6,117	185	3,955	646	507	824	167	350	120	324	710	147	563	36	93	58
37	Oregon----------	16	5,303	211	3,580	396	269	847	67	445	116	139	460	30	430	29	110	26
38	Pennsylvania----------	146	44,090	1,805	26,734	7,376	1,526	6,649	824	2,636	663	1,666	3,111	377	2,734	231	582	168
39	Rhode Island----------	4	3,607	112	2,603	305	58	529	81	194	40	89	135	1	134	24	69	21
40	South Carolina----------	36	5,688	153	2,889	730	345	1,571	200	314	89	412	823	159	664	42	71	36
41	South Dakota----------	6	1,939	68	1,361	233	99	178	46	142	41	49	150	23	127	8	22	16
42	Tennessee----------	40	9,200	324	4,731	1,468	725	1,952	309	379	193	532	1,162	223	939	58	163	57
43	Texas----------	54	19,956	471	12,430	2,215	2,034	2,806	553	942	373	999	2,396	433	1,963	141	269	98
44	Utah----------	13	1,689	126	1,024	213	67	259	27	78	42	55	130	14	116	16	41	6
45	Vermont----------	4	1,634	57	1,125	268	36	148	37	146	24	51	139	21	118	8	25	5
46	Virginia----------	49	10,307	315	5,860	1,594	481	2,057	321	642	191	516	1,237	239	998	57	108	61
47	Washington----------	23	8,448	289	5,801	1,012	394	952	156	570	204	249	570	42	528	39	129	29
48	West Virginia----------	25	5,722	238	3,295	925	323	941	154	302	75	261	752	184	568	36	85	28
49	Wisconsin----------	35	13,066	494	8,568	2,147	350	1,507	236	870	205	362	808	102	706	85	207	69
50	Wyoming----------	1	794	46	487	157	30	74	5	36	16	41	85	13	72	5	23	8

NOTE.—The list of 64 selected causes includes Cholera (043) and Plague (058). There were no deaths reported from these causes.

United States and Each State, 1952—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Hernia and intestinal obstruction 560, 561, 570	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Hyperplasia of prostate 610	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Abortion 650-652	All other complications 640-649, 660-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Birth injuries, postnatal asphyxia-, and atelectasis 760-762	Infections of newborn 763-768	Other diseases peculiar to early infancy, and immaturity unqualified 769-776	Symptoms, senility, and ill-defined conditions 780-795	All other diseases Residual	Accidents E800-E962	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	Injury resulting from operations of war E965, E990-E999	
8,481	8,743	15,934	3,131	6,286	2,610	320	2,290	19,768	63,659	27,357	4,094	32,208	21,950	67,225	96,172	37,794	58,378	15,567	8,054	44	1
140	230	151	89	144	136	14	122	358	1,608	611	123	874	1,441	1,284	2,000	817	1,183	199	400	-	2
57	212	87	24	27	18	1	17	153	476	167	39	270	340	575	903	412	491	132	74	-	3
73	136	80	72	87	40	-	40	152	580	219	62	299	546	717	1,330	482	848	107	124	1	4
519	463	2,139	145	421	145	36	109	1,396	4,331	2,292	223	1,816	428	4,828	7,250	3,594	3,656	1,745	497	5	5
92	155	131	29	48	31	2	29	190	706	364	53	289	40	762	994	408	586	198	45	2	6
99	55	293	21	68	9	2	7	239	615	336	20	259	74	853	966	238	728	215	33	1	7
26	9	36	6	12	6	-	6	52	146	73	11	62	16	159	227	84	143	43	22	-	8
60	42	148	17	29	15	3	12	155	536	301	21	214	8	455	456	77	379	76	74	1	9
209	229	321	111	117	55	5	50	385	1,475	606	93	776	769	1,538	2,169	931	1,238	372	356	1	10
166	275	202	139	126	134	11	123	402	1,744	636	158	950	719	1,588	2,349	1,015	1,334	270	509	-	11
34	16	31	8	19	11	-	11	87	241	84	14	143	89	231	526	216	310	77	14	-	12
484	308	1,048	168	432	86	9	77	982	3,091	1,759	189	1,143	457	3,424	5,175	2,094	3,081	860	408	2	13
223	211	387	78	177	54	4	50	560	1,626	636	96	894	216	1,808	2,930	1,299	1,631	492	154	-	14
141	84	161	37	143	23	2	21	353	966	437	37	492	158	1,246	1,605	531	1,074	321	40	-	15
127	88	152	48	140	29	1	28	264	767	375	56	336	364	981	1,398	585	813	207	65	4	16
152	267	193	65	115	55	3	52	401	1,381	548	116	717	482	1,252	2,226	899	1,327	297	257	2	17
140	212	219	69	91	79	12	67	344	1,533	617	127	789	389	1,135	1,776	669	1,107	164	274	-	18
53	32	66	21	57	12	-	12	122	375	161	24	190	103	432	518	149	369	119	10	-	19
141	136	277	47	83	38	8	30	345	983	402	77	504	117	1,050	1,545	538	1,007	240	146	-	20
303	174	682	85	187	52	5	47	640	1,567	707	70	790	287	2,279	2,422	494	1,928	390	42	1	21
363	300	620	117	237	82	8	74	970	2,844	1,144	122	1,578	449	2,839	3,904	1,767	2,137	708	216	-	22
145	102	235	45	128	29	2	27	501	1,068	431	38	599	191	1,433	1,687	567	1,120	306	37	-	23
110	241	92	96	96	120	9	111	183	1,213	408	104	701	2,290	797	1,448	546	902	115	275	-	24
296	254	473	110	218	66	9	57	534	1,485	644	96	745	618	2,060	2,967	1,065	1,902	445	241	2	25
46	24	41	11	23	8	-	8	79	273	107	14	152	229	320	618	249	369	86	19	1	26
91	53	90	22	83	17	1	16	164	499	208	25	166	89	632	844	326	518	144	21	1	27
10	5	30	2	4	3	-	3	26	99	47	8	44	46	101	309	152	157	59	21	-	28
41	29	67	7	32	5	1	4	54	171	83	13	75	39	296	281	87	194	79	9	-	29
299	181	714	72	197	62	9	53	500	1,590	778	96	716	121	1,971	2,534	867	1,667	470	133	2	30
45	159	36	11	33	24	1	23	107	530	169	52	309	529	288	702	398	304	77	46	-	31
811	547	2,256	197	596	163	31	132	1,809	5,012	2,296	322	2,394	740	5,897	7,153	2,086	5,067	1,367	437	2	32
151	384	180	85	112	117	13	104	507	2,083	756	166	1,161	750	1,476	2,535	1,189	1,346	338	384	-	33
34	26	37	4	23	7	1	6	88	256	113	8	135	68	283	399	160	239	56	6	-	34
466	389	982	170	370	82	9	73	1,216	3,358	1,584	202	1,572	858	3,925	5,138	2,112	3,026	853	335	1	35
122	102	117	48	115	36	4	32	255	845	330	56	459	511	1,026	1,456	570	886	163	114	3	36
83	56	127	25	61	11	1	10	210	578	274	16	288	231	627	1,274	486	788	241	49	1	37
713	451	1,159	244	404	150	26	124	1,354	3,829	1,673	207	1,949	757	5,327	5,636	1,779	3,857	1,007	266	2	38
42	36	114	9	29	8	-	8	99	252	106	10	136	22	332	293	75	218	54	12	-	39
78	276	76	56	70	93	12	81	266	1,255	429	119	707	770	829	1,599	770	829	134	235	-	40
45	35	42	15	32	12	3	9	109	302	119	20	163	112	260	454	175	279	58	16	-	41
157	231	225	85	140	94	9	85	417	1,534	557	105	872	1,932	1,450	1,987	817	1,170	230	311	3	42
396	902	534	193	270	207	28	179	996	4,245	1,437	350	2,458	1,929	3,109	5,530	2,630	2,900	622	805	2	43
29	23	51	16	23	11	1	10	120	348	152	15	181	274	286	569	258	311	65	17	-	44
28	10	20	7	26	3	1	2	53	131	61	6	64	36	172	225	73	152	56	2	-	45
191	224	195	60	104	72	13	59	461	1,714	633	138	943	369	1,404	2,286	970	1,316	336	264	2	46
138	70	177	46	89	14	1	13	306	992	469	41	482	249	1,132	1,759	585	1,174	365	61	-	47
98	143	137	45	77	40	7	33	284	904	376	60	468	431	841	1,329	422	907	181	108	1	48
193	139	289	48	165	44	2	42	487	1,349	577	64	708	236	1,375	2,135	921	1,214	385	58	1	49
21	17	14	6	6	2	-	2	33	153	65	12	76	31	140	356	160	196	43	12	-	50

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	UNITED STATES	1,496,838	24,621	5,719	3,145	8,354	223,277	83,238	24,330	115,709	25,474	796,871	776,114	166,331	1,583	555,141	19,754
2	Metropolitan counties	868,717	15,386	3,627	1,579	3,695	140,143	52,422	16,627	71,094	15,617	467,970	457,893	89,141	782	337,746	12,615
3	Nonmetropolitan counties	628,121	9,235	2,092	1,566	4,659	83,134	30,816	7,703	44,615	9,857	328,901	318,221	77,190	801	217,395	7,139
4	ALABAMA	27,273	572	113	18	269	3,009	855	287	1,867	314	13,023	12,397	3,354	52	8,139	238
5	Metropolitan counties	9,782	260	50	6	84	1,145	321	139	685	112	4,781	4,593	1,128	12	3,091	75
6	Nonmetropolitan counties	17,491	312	63	12	185	1,864	534	148	1,182	202	8,242	7,804	2,226	40	5,048	163
7	Autauga	195	2	-	-	3	12	3	1	8	1	106	104	36	1	60	3
8	Baldwin	378	9	-	1	4	50	12	6	32	4	179	167	37	2	116	3
9	Barbour	281	4	-	-	4	17	6	3	8	3	140	138	48	-	82	-
10	Bibb	173	1	-	-	3	21	4	1	16	5	87	86	35	1	46	1
11	Blount	185	4	1	-	1	23	8	2	13	3	82	79	18	-	55	2
12	Bullock	216	1	3	-	-	18	9	1	8	4	105	97	17	1	72	1
13	Butler	286	4	1	1	3	26	9	-	17	4	148	145	41	-	89	3
14	Calhoun	701	12	1	2	6	85	25	7	53	9	343	328	101	1	199	7
15	Chambers	408	2	-	1	7	35	9	1	25	3	204	200	55	2	129	-
16	Cherokee	108	3	-	-	1	12	3	-	9	-	49	49	11	-	34	1
17	Chilton	201	2	1	1	2	23	6	4	13	3	98	94	32	-	56	2
18	Choctaw	183	5	-	-	3	18	6	-	12	1	78	73	19	1	47	8
19	Clarke	251	1	1	-	-	38	15	2	21	2	108	106	32	-	70	1
20	Clay	135	-	-	-	1	11	3	1	7	2	61	59	21	1	33	1
21	Cleburne	87	2	-	-	1	9	1	1	7	2	42	41	5	-	30	-
22	Coffee	190	4	2	1	2	21	9	2	10	3	80	79	23	-	48	3
23	Colbert	337	10	-	-	3	33	5	3	25	2	149	136	41	-	90	1
24	Conecuh	192	1	-	-	3	17	6	1	10	2	115	105	29	-	69	1
25	Coosa	129	4	2	-	1	17	4	-	13	1	57	54	12	-	39	-
26	Covington	331	-	4	-	-	43	10	2	31	1	185	179	55	-	116	3
27	Crenshaw	159	2	-	-	4	16	5	2	9	3	81	79	30	-	42	1
28	Cullman	298	9	1	-	4	46	18	3	25	4	141	128	34	1	83	4
29	Dale	178	1	-	-	1	15	7	-	8	-	82	78	26	-	47	4
30	Dallas	626	12	5	-	6	46	9	8	29	8	285	264	79	2	175	12
31	De Kalb	318	4	-	-	2	51	12	3	36	9	151	146	27	-	112	3
32	Elmore	284	7	1	1	-	35	8	3	24	1	128	116	32	1	72	1
33	Escambia	289	1	5	-	3	37	10	3	24	3	131	126	37	-	86	-
34	Etowah	746	19	1	-	8	86	26	7	53	11	327	324	66	2	234	6
35	Fayette	151	2	-	-	-	22	9	1	12	-	71	69	19	-	47	4
36	Franklin	209	2	-	-	-	26	7	1	18	1	87	84	26	3	45	2
37	Geneva	220	4	-	-	1	27	4	-	23	3	105	103	27	-	71	2
38	Greene	201	1	1	-	6	13	3	2	8	2	92	90	35	1	44	1
39	Hale	245	6	1	-	4	20	4	2	14	1	115	112	34	-	71	2
40	Henry	163	2	1	-	1	18	2	2	14	2	81	76	30	-	44	2
41	Houston	404	3	-	-	3	39	9	4	26	5	195	183	70	-	101	3
42	Jackson	332	6	1	-	4	32	9	3	20	-	148	138	46	1	81	3
43	Jefferson	5,179	157	34	1	41	644	176	82	386	61	2,524	2,435	566	4	1,691	34
44	Lamar	124	2	-	-	1	14	3	1	10	1	53	46	12	-	29	1
45	Lauderdale	411	9	1	-	5	46	12	6	28	2	194	180	39	-	129	10
46	Lawrence	193	6	1	-	4	32	9	2	21	3	72	68	16	3	42	-
47	Lee	347	4	1	-	3	33	14	3	16	7	161	143	40	-	94	3
48	Limestone	340	16	2	-	8	36	12	2	22	1	152	149	36	1	101	3
49	Lowndes	176	2	3	-	5	12	4	1	7	-	64	61	20	-	36	4
50	Macon	276	8	1	1	1	28	9	3	16	2	150	134	38	3	83	4
51	Madison	718	21	3	1	4	76	23	6	47	5	363	348	89	1	240	4
52	Marengo	359	8	1	-	1	28	12	5	11	2	167	148	58	1	83	5
53	Marion	156	2	-	-	1	15	6	1	8	1	90	88	16	-	66	4
54	Marshall	342	6	-	-	4	39	12	2	25	8	157	147	27	1	114	2
55	Mobile	2,002	52	9	2	18	245	67	34	144	21	971	915	210	5	640	16
56	Monroe	249	4	-	-	4	25	7	6	12	3	125	118	47	1	66	-
57	Montgomery	1,436	23	4	3	15	141	45	15	81	16	757	722	211	1	426	17
58	Morgan	518	15	-	1	8	51	10	3	38	8	238	232	71	1	149	3
59	Perry	200	2	1	-	2	13	4	-	9	2	102	99	42	-	50	1
60	Pickens	186	3	-	-	6	21	3	1	17	2	90	83	21	3	55	-
61	Pike	307	3	-	-	7	26	3	1	22	4	159	154	54	-	89	2
62	Randolph	218	4	1	-	1	13	1	1	11	4	107	103	30	2	69	-
63	Russell	419	9	2	-	2	29	7	1	21	3	202	197	75	-	100	2
64	St. Clair	226	2	1	-	3	31	10	5	16	7	101	97	34	1	55	-
65	Shelby	270	8	1	-	3	33	9	4	20	6	116	111	25	-	81	-
66	Sumter	272	6	1	-	4	21	10	-	11	4	119	111	29	-	78	1
67	Talladega	485	12	4	-	3	58	21	-	37	7	220	198	52	2	124	5
68	Tallapoosa	304	2	1	-	5	30	13	-	17	7	147	133	27	-	103	1
69	Tuscaloosa	795	14	4	1	10	91	25	9	57	11	384	374	88	-	257	6
70	Walker	442	14	2	-	2	61	18	6	37	2	182	180	35	-	137	7
71	Washington	129	1	1	-	2	15	3	1	11	2	49	48	17	-	27	-
72	Wilcox	257	-	1	-	-	18	5	1	12	3	110	82	27	1	50	8
73	Winston	147	5	-	-	1	26	7	3	16	1	61	58	16	-	40	4
74	ARIZONA	7,370	358	50	28	74	799	307	116	376	92	2,579	2,509	494	10	1,800	93
75	Metropolitan counties	3,183	139	21	8	16	399	150	48	201	52	1,197	1,170	252	3	836	55
76	Nonmetropolitan counties	4,187	219	29	20	58	400	157	68	175	40	1,382	1,339	242	7	964	38
77	Apache	221	33	-	4	3	10	4	1	5	-	27	24	6	-	17	2
78	Cochise	333	8	3	-	2	37	16	5	16	4	161	160	35	-	111	5
79	Coconino	228	16	1	-	8	14	6	3	5	3	55	54	12	1	40	2
80	Gila	256	11	1	1	4	24	10	6	8	5	83	81	10	-	63	-
81	Graham	115	6	-	-	-	12	3	3	6	1	37	37	4	-	26	1
82	Greenlee	88	1	1	2	2	9	5	2	2	1	34	31	5	-	20	1
83	Maricopa	3,183	139	21	8	16	399	150	48	201	52	1,197	1,170	252	3	836	55

and Metropolitan and Nonmetropolitan Counties in Each State, 1952

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
352,135	83,911	99,341	12,506	31,685	8,868	20,757	46,265	8,770	8,743	15,934	3,131	2,610	19,768	63,659	21,950	37,794	58,378	15,567	8,054	98,754	1
222,870	49,347	52,914	6,996	17,780	5,448	10,077	24,452	5,645	3,855	11,770	1,518	1,154	11,542	35,523	7,900	18,043	30,392	8,870	4,588	55,448	2
129,265	34,564	46,427	5,510	13,905	3,420	10,680	21,813	3,125	4,888	4,164	1,613	1,456	8,226	28,136	14,050	19,751	27,986	6,697	3,466	43,306	3
4,011	2,158	1,732	337	354	161	626	1,230	92	234	154	94	137	377	1,629	1,455	829	1,184	199	405	1,936	4
1,627	773	616	147	140	75	188	382	47	57	69	29	29	150	612	346	278	401	66	181	697	5
2,384	1,385	1,116	190	214	86	438	848	45	177	85	65	108	227	1,017	1,109	551	783	133	224	1,239	6
21	17	19	1	5	1	2	9	-	4	-	-	-	1	6	18	10	12	-	1	10	7
65	24	24	3	8	1	12	19	1	2	4	-	3	4	20	18	12	18	4	3	23	8
54	19	9	4	4	-	2	21	1	4	-	-	1	6	21	20	4	14	3	5	13	9
25	14	6	2	-	2	1	14	1	-	-	1	-	4	5	3	4	12	1	-	11	10
27	14	12	1	5	-	3	8	2	-	1	1	3	3	12	5	13	11	1	1	10	11
24	26	21	1	4	2	8	11	1	1	-	1	1	2	8	35	3	1	3	3	15	12
40	30	16	4	10	1	3	13	-	4	2	-	3	4	9	22	9	11	1	3	18	13
87	21	84	13	10	4	15	29	1	8	3	5	-	13	45	28	22	28	3	9	49	14
67	49	13	6	6	2	4	13	2	4	1	1	5	11	25	9	21	21	3	5	35	15
13	9	11	1	3	-	-	9	1	-	3	-	-	-	6	8	1	6	2	-	7	16
42	7	5	2	4	-	4	12	2	3	1	2	-	1	8	10	10	3	1	3	15	17
16	13	10	5	-	1	5	8	1	2	1	-	2	3	11	21	5	10	-	-	14	18
21	31	17	1	1	2	2	15	1	-	-	-	3	1	12	22	3	12	3	9	20	19
25	6	1	1	3	-	2	10	-	1	-	1	2	4	10	9	7	8	1	-	7	20
17	5	8	1	5	-	1	-	-	-	-	-	1	2	5	6	5	5	1	-	6	21
27	6	12	5	2	1	1	15	1	1	-	2	3	1	10	12	10	7	-	3	12	22
45	21	23	4	-	1	13	20	1	11	2	1	1	8	24	13	14	20	1	3	21	23
26	26	16	2	3	2	10	6	-	1	-	1	1	1	9	14	5	4	2	2	8	24
20	8	11	1	2	-	3	2	2	-	-	-	1	1	12	8	5	7	-	3	6	25
55	40	18	1	6	1	6	17	4	3	2	-	2	4	12	8	13	13	4	3	13	26
19	5	17	2	2	3	2	2	-	-	-	1	-	3	7	8	4	11	-	2	15	27
41	14	24	5	3	2	13	10	-	1	-	1	1	5	11	5	17	8	3	1	30	28
15	19	9	1	3	1	4	5	-	1	1	-	2	4	19	5	7	9	1	2	23	29
53	42	68	5	-	3	21	37	1	13	2	1	6	6	32	56	14	29	1	4	62	30
50	34	25	1	5	1	5	6	2	2	2	2	3	5	20	20	10	12	4	-	13	31
47	10	14	5	4	2	12	19	-	6	1	-	3	1	14	20	5	13	3	6	20	32
40	32	14	-	-	3	5	14	-	5	1	2	-	3	24	5	6	12	5	5	27	33
145	45	38	9	12	1	3	33	6	6	4	-	2	16	61	38	29	31	7	12	49	34
28	12	3	-	1	2	2	10	1	1	-	-	-	2	9	7	6	9	1	2	8	35
25	4	14	2	7	1	3	17	-	2	3	3	-	3	13	7	8	10	3	-	24	36
37	18	14	3	1	1	2	8	-	2	1	-	1	3	18	6	5	10	4	2	20	37
23	13	7	2	7	1	2	11	-	-	-	1	-	3	5	38	5	4	-	2	17	38
29	19	21	5	2	-	3	9	-	3	1	-	2	1	15	35	2	10	1	3	16	39
27	7	8	1	-	1	5	9	-	1	-	-	2	2	7	11	4	12	-	2	8	40
48	26	24	3	4	5	12	14	-	5	3	4	4	5	26	17	20	21	1	5	34	41
36	22	20	3	6	1	10	27	-	2	3	-	2	4	22	21	16	11	3	-	30	42
793	466	398	79	56	39	89	183	25	26	32	16	13	71	312	190	127	220	39	88	375	43
10	9	9	2	3	-	7	9	-	1	-	-	-	2	6	2	6	7	2	2	16	44
74	30	15	4	6	2	14	16	1	6	5	2	1	5	30	19	10	15	6	5	33	45
21	12	9	4	1	2	4	10	-	6	1	2	1	4	12	14	1	8	1	-	15	46
40	31	20	5	4	-	18	20	2	4	4	2	1	2	23	22	12	13	4	5	24	47
33	33	32	9	2	-	3	17	1	5	-	1	3	8	19	20	7	19	3	3	19	48
20	5	7	3	-	2	3	4	-	2	-	2	3	1	9	43	4	7	1	1	13	49
36	33	10	3	6	1	16	7	2	2	1	1	-	4	7	25	5	7	-	3	21	50
100	94	42	3	13	2	15	31	2	7	4	1	3	3	61	21	18	41	4	10	39	51
44	18	16	2	3	1	19	23	-	5	-	3	2	3	14	54	9	13	1	7	18	52
33	20	9	1	5	-	2	14	1	-	1	1	-	2	6	4	3	7	2	-	6	53
41	41	30	2	2	1	10	12	-	1	3	3	-	6	19	16	11	19	4	6	28	54
389	138	97	22	25	13	56	85	9	11	14	7	5	42	131	37	61	89	10	38	145	55
40	15	11	1	2	1	7	13	1	5	1	1	4	2	17	18	6	6	2	4	8	56
247	92	70	28	43	13	35	54	3	9	14	4	6	15	79	49	51	47	10	33	103	57
82	35	29	7	2	2	6	23	-	3	6	4	3	7	23	38	10	33	5	6	36	58
20	10	19	3	-	4	3	12	1	-	1	-	3	3	11	15	9	9	-	1	13	59
24	24	7	3	1	-	7	5	2	1	-	-	1	1	8	15	6	5	-	2	18	60
42	14	31	5	1	5	5	22	-	2	-	-	3	4	16	8	5	10	3	9	26	61
24	37	8	1	1	-	4	14	1	3	-	1	2	3	18	6	11	9	3	3	14	62
53	32	13	9	4	9	5	27	4	5	5	2	3	6	29	32	10	14	-	10	25	63
29	16	10	2	4	1	4	11	-	1	1	-	3	4	11	14	7	10	4	2	13	64
35	18	28	3	-	2	5	9	-	-	2	-	2	4	18	19	10	15	2	7	15	65
26	36	15	-	1	3	8	7	-	3	1	1	-	1	13	48	9	9	1	4	20	66
54	24	41	10	10	-	22	19	2	4	2	3	2	10	35	20	21	16	1	12	34	67
49	31	22	2	-	1	14	6	-	4	3	1	6	2	21	8	16	15	6	5	19	68
159	57	35	11	13	5	10	50	-	9	8	4	6	8	55	8	19	35	11	16	51	69
73	38	19	3	5	-	2	20	2	3	1	-	-	7	23	41	15	18	2	9	38	70
13	10	4	3	1	-	1	4	-	1	-	-	-	2	9	13	7	10	1	2	10	71
12	20	10	-	1	3	28	13	-	5	2	1	1	3	11	39	4	17	-	6	23	72
15	11	10	1	1	-	3	8	1	1	-	-	-	2	10	9	5	6	-	2	9	73
1,094	212	401	58	111	36	70	344	45	215	86	20	19	148	479	324	379	446	122	71	692	74
483	112	186	26	37	16	27	126	16	52	30	10	3	63	174	129	165	178	54	31	320	75
611	100	215	32	74	20	43	218	29	163	56	10	16	85	305	195	214	268	68	40	372	76
7	3	5	-	1	-	3	24	1	25	-	-	-	3	15	25	10	12	5	2	22	77
64	11	31	5	8	1	1	11	3	3	6	1	1	3	20	12	15	10	4	1	28	78
27	6	5	-	-	1	1	18	1	18	-	3	1	4	18	17	13	20	3	4	11	79
35	11	17	3	5	-	2	18	3	16	4	-	2	6	23	5	13	17	2	4	14	80
19	-	6	2	4	1	-	5	1	1	1	1	-	3	13	1	11	10	1	1	10	81
13	1	5	1	5	-	3	5	-	1	2	-	-	1	7	3	5	8	1	1	4	82
483	112	186	26	37	16	27	126	16	52	30	10	3	63	174	129	165	178	54	31	320	83

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ARIZONA—Continued																
1	Mohave	90	3	-	-	3	3	-	2	1	2	34	34	7	1	24	1
2	Navajo	302	25	2	1	6	14	6	2	6	1	59	58	13	-	41	4
3	Pima	1,365	71	11	5	13	176	71	25	80	10	464	462	80	3	335	17
4	Pinal	517	23	2	2	6	32	10	5	17	7	119	116	28	-	71	2
5	Santa Cruz	78	2	-	1	1	9	3	1	5	2	28	28	10	-	16	-
6	Yavapai	305	9	5	1	3	38	16	9	13	4	147	143	17	2	112	2
7	Yuma	289	11	3	3	7	22	7	4	11	-	114	111	15	-	88	1
8	ARKANSAS	15,681	492	67	33	182	1,964	680	198	1,086	164	7,694	7,252	1,869	27	4,896	152
9	Metropolitan counties	1,844	50	6	1	13	255	73	32	150	20	962	925	248	5	612	28
10	Nonmetropolitan counties	13,837	442	61	32	169	1,709	607	166	936	144	6,732	6,327	1,621	22	4,284	124
11	Arkansas	149	6	1	-	3	18	5	1	12	1	73	70	18	1	47	1
12	Ashley	168	8	1	-	2	21	5	2	14	1	83	72	26	-	41	1
13	Baxter	97	2	1	-	-	17	4	3	10	1	48	43	10	-	30	1
14	Benton	357	9	-	-	3	48	21	3	24	6	196	189	46	3	124	9
15	Boone	115	4	-	1	-	13	6	-	7	-	72	69	25	1	42	1
16	Bradley	147	7	2	-	-	19	7	2	10	7	70	68	21	1	41	1
17	Calhoun	53	-	-	-	1	3	3	-	-	1	30	29	9	-	20	3
18	Carroll	131	2	-	-	2	22	5	5	12	2	64	58	22	-	30	3
19	Chicot	220	9	2	2	1	27	11	3	13	-	98	88	22	1	59	-
20	Clark	191	8	-	-	1	22	8	3	11	2	104	96	20	-	71	2
21	Clay	195	10	-	1	3	31	16	3	12	5	91	80	20	-	56	1
22	Cleburne	79	2	-	-	-	11	5	-	6	1	33	29	10	-	17	-
23	Cleveland	69	3	1	-	1	9	3	1	5	-	38	35	4	1	26	-
24	Columbia	202	5	1	-	3	19	7	4	8	5	98	92	15	2	68	1
25	Conway	165	2	-	1	-	18	5	2	11	2	96	88	17	-	67	-
26	Craighead	344	11	3	-	5	50	13	10	27	4	161	146	34	-	109	2
27	Crawford	198	6	1	2	1	28	7	5	16	2	111	104	20	-	74	1
28	Crittenden	418	8	1	-	3	32	9	4	19	4	175	172	48	-	119	3
29	Cross	180	9	1	1	-	24	7	-	17	2	82	75	24	-	48	1
30	Dallas	122	5	-	-	1	17	6	1	10	3	62	55	13	-	37	1
31	Desha	213	9	5	-	-	27	8	3	16	5	93	86	11	-	71	1
32	Drew	136	2	2	1	2	14	4	1	9	2	72	71	14	-	47	1
33	Faulkner	182	3	-	2	-	27	7	3	17	1	102	100	25	1	63	2
34	Franklin	107	1	-	-	1	18	4	2	12	1	54	51	18	-	31	1
35	Fulton	75	4	1	-	1	1	-	-	1	2	33	32	4	1	24	1
36	Garland	574	23	3	2	5	79	27	7	45	4	312	288	68	1	207	2
37	Grant	65	1	-	1	1	5	1	1	3	-	32	31	10	-	19	-
38	Greene	163	8	-	-	1	16	9	1	6	2	92	87	14	1	68	2
39	Hempstead	227	4	4	-	2	36	14	3	19	2	115	108	31	-	68	2
40	Hot Spring	155	7	-	1	2	21	8	4	9	2	67	67	19	-	40	2
41	Howard	110	3	-	-	2	13	3	2	8	-	51	51	19	-	25	-
42	Independence	184	11	1	1	1	19	6	2	11	2	100	90	25	-	56	1
43	Izard	64	1	-	-	-	9	4	-	5	-	31	31	10	-	20	-
44	Jackson	259	11	-	-	4	36	16	2	18	4	122	120	39	-	71	1
45	Jefferson	737	20	2	1	17	69	28	6	35	9	361	332	77	2	226	11
46	Johnson	124	2	2	-	-	22	5	5	12	2	59	55	9	-	43	-
47	Lafayette	95	3	-	-	2	13	5	3	5	1	32	29	13	-	14	-
48	Lawrence	138	5	-	-	1	24	6	5	13	1	70	68	19	-	41	5
49	Lee	230	7	-	1	1	19	4	-	15	-	125	116	35	1	73	2
50	Lincoln	150	1	1	1	4	16	9	1	6	3	72	65	20	1	41	-
51	Little River	109	1	1	-	1	17	7	-	10	-	49	45	12	1	28	-
52	Logan	144	4	-	-	4	22	7	2	13	-	58	57	17	-	38	-
53	Lonoke	222	12	-	1	3	22	10	3	9	1	106	104	29	-	70	-
54	Madison	95	2	-	-	1	16	7	1	10	1	45	43	11	-	30	1
55	Marion	56	3	-	-	-	12	6	1	5	2	26	25	4	-	21	6
56	Miller	265	10	2	-	2	40	14	5	21	1	111	106	31	-	69	-
57	Mississippi	619	21	4	-	22	66	22	6	38	7	244	234	55	-	162	13
58	Monroe	158	5	1	1	3	21	7	2	12	2	68	63	15	-	44	-
59	Montgomery	35	2	-	-	1	7	1	-	6	-	15	15	4	-	10	-
60	Nevada	125	1	1	-	-	16	7	4	5	1	72	70	32	-	35	1
61	Newton	49	1	-	-	1	5	2	-	3	1	28	25	10	-	15	1
62	Ouachita	269	10	2	-	1	25	12	-	13	3	132	125	29	1	82	2
63	Perry	38	-	-	-	-	8	4	-	4	-	16	16	7	-	9	-
64	Phillips	497	24	1	3	9	42	19	1	22	3	242	205	44	1	151	1
65	Pike	61	2	-	-	-	8	3	1	4	-	33	30	7	-	22	1
66	Poinsett	217	11	1	-	4	21	8	1	12	1	83	82	25	-	54	1
67	Polk	129	4	-	-	1	14	4	-	10	1	72	66	13	-	49	-
68	Pope	190	8	-	-	2	30	13	1	16	1	97	87	29	-	53	3
69	Prairie	74	1	-	-	1	7	2	-	5	1	34	33	6	-	23	-
70	Pulaski	1,844	50	6	1	13	255	73	32	150	20	962	925	248	5	612	28
71	Randolph	109	5	-	-	1	17	6	1	10	1	47	46	14	-	29	-
72	St. Francis	328	12	2	-	6	33	13	2	18	3	151	149	37	-	105	3
73	Saline	182	8	-	-	3	14	5	2	7	4	82	75	19	-	51	1
74	Scott	85	2	1	-	-	9	3	2	4	-	42	42	12	-	28	-
75	Searcy	77	2	-	-	-	7	2	1	4	1	48	45	9	-	35	1
76	Sebastian	524	13	1	2	5	75	25	4	46	3	287	274	62	-	199	4
77	Sevier	121	3	-	-	2	25	11	2	12	1	59	59	22	-	33	-
78	Sharp	36	-	-	-	-	2	1	-	1	-	18	18	1	-	17	1
79	Stone	44	-	-	-	-	5	3	1	1	-	24	24	5	1	17	1
80	Union	364	14	4	4	9	41	11	5	25	3	178	159	43	-	109	3
81	Van Buren	68	1	-	-	1	12	6	1	5	-	32	25	8	-	16	-
82	Washington	384	5	1	1	4	59	20	7	32	4	210	206	46	-	149	10
83	White	302	4	-	1	3	37	8	3	26	4	120	118	30	-	82	2
84	Woodruff	158	5	3	-	2	16	7	1	8	1	59	58	14	-	39	2
85	Yell	115	4	-	-	-	23	10	3	10	1	64	60	15	-	36	-

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
12	2	9	-	1	1	-	8	-	2	1	-	-	3	9	5	4	5	2	-	6	1
18	4	15	2	1	1	1	38	-	31	2	1	3	7	24	32	9	22	3	3	19	2
243	30	45	10	23	11	22	47	10	27	31	2	6	33	94	29	47	71	23	8	167	3
48	5	16	8	8	1	3	26	3	32	2	1	2	10	54	47	45	48	7	9	40	4
11	2	3	-	1	1	-	6	2	1	1	-	-	1	4	2	5	4	1	1	7	5
69	7	34	1	10	1	4	8	3	1	3	1	-	5	8	16	12	8	5	1	27	6
45	18	24	-	7	1	3	4	2	5	3	-	1	6	16	1	25	33	11	5	17	7
2,739	994	1,011	157	221	82	442	716	77	141	82	73	44	163	590	561	484	849	105	128	1,072	8
442	98	44	16	33	11	37	79	9	11	19	5	5	19	92	19	42	94	12	19	112	9
2,297	896	967	141	188	71	405	637	68	130	63	68	39	144	498	542	442	755	93	109	960	10
32	11	3	3	-	1	3	2	-	1	1	1	-	1	5	7	4	17	1	2	5	11
17	7	16	4	1	-	11	5	-	1	-	1	2	-	2	13	3	11	3	3	8	12
21	5	3	-	2	1	5	3	-	1	-	1	-	2	2	2	3	4	1	1	8	13
72	15	28	1	11	4	7	15	-	-	-	2	-	6	12	4	14	11	4	1	26	14
19	6	16	-	1	-	3	3	1	-	-	-	-	1	4	-	5	4	-	-	7	15
27	4	9	2	1	2	2	11	3	-	-	-	-	3	5	4	1	5	1	2	7	16
11	2	4	-	-	-	1	1	-	-	-	-	1	-	1	5	5	-	-	-	5	17
17	3	7	4	2	-	6	7	2	-	-	4	-	-	2	4	4	5	1	-	10	18
31	16	12	-	3	3	10	4	-	2	-	1	-	-	12	22	8	6	1	4	21	19
33	21	15	-	5	-	8	3	-	2	-	1	-	1	6	10	9	7	-	1	14	20
37	10	8	1	2	1	11	9	-	-	1	-	-	4	4	8	7	12	-	-	9	21
14	-	3	1	1	-	4	2	-	-	-	1	1	1	5	5	1	4	1	-	11	22
12	6	8	-	3	1	3	3	-	-	-	1	1	-	3	1	2	2	-	2	2	23
40	11	16	3	4	-	6	13	1	-	-	1	-	2	13	2	7	14	-	5	13	24
37	6	24	2	1	1	8	6	-	2	1	-	-	1	5	8	6	5	-	-	12	25
56	28	23	2	1	-	15	17	1	3	2	2	1	4	23	4	9	15	3	1	25	26
41	19	13	3	6	1	7	5	2	-	1	1	-	-	7	5	4	12	-	-	10	27
46	26	44	2	2	1	3	17	1	13	2	2	1	2	20	67	23	21	-	6	20	28
28	9	10	1	2	-	7	6	-	2	-	-	-	-	8	8	4	19	-	-	14	29
21	8	7	1	2	2	7	1	-	2	-	-	-	4	4	2	1	5	-	3	12	30
29	11	30	1	3	2	5	8	1	4	1	5	1	-	9	15	4	8	2	1	15	31
25	10	11	3	6	1	1	10	2	-	-	2	1	1	3	7	3	3	-	2	7	32
40	11	10	2	5	4	2	7	1	-	1	-	-	2	5	6	5	8	1	-	11	33
21	4	5	1	-	1	3	14	-	-	-	1	-	1	1	2	4	2	1	-	6	34
11	5	7	1	2	-	1	2	1	-	-	1	-	1	-	7	8	5	2	-	6	35
134	37	34	4	7	1	24	19	7	4	7	2	-	7	12	3	11	15	5	3	51	36
13	4	2	-	-	2	1	3	-	-	1	-	1	-	3	-	4	4	2	2	5	37
34	23	9	3	1	-	5	12	-	1	2	1	-	-	4	1	5	6	3	1	8	38
43	10	13	5	3	1	7	8	-	2	1	-	-	4	5	4	9	8	1	3	19	39
22	10	6	3	5	-	-	4	-	2	-	1	2	1	8	4	4	14	2	4	9	40
23	2	-	3	4	-	-	7	1	1	-	-	2	3	3	2	2	12	2	-	6	41
40	11	4	4	4	1	10	6	2	1	-	5	-	3	4	3	6	9	1	-	9	42
8	4	8	-	1	-	-	4	-	2	-	5	-	-	1	6	-	1	-	-	4	43
36	22	12	4	6	-	2	18	-	4	-	-	1	2	13	3	8	18	2	-	13	44
94	56	65	13	11	3	29	49	7	9	3	3	4	7	28	25	17	36	2	8	60	45
26	8	9	1	2	-	4	4	3	-	-	-	-	2	3	3	6	3	2	-	11	46
9	4	1	1	1	-	3	5	1	2	3	1	-	3	1	2	4	11	1	4	6	47
26	5	5	3	4	1	2	9	-	-	1	-	-	1	4	1	3	3	1	-	14	48
21	16	34	2	4	1	9	17	-	4	1	-	-	1	7	19	7	10	2	1	8	49
28	12	1	-	1	2	7	8	1	3	1	-	1	2	5	8	3	5	1	2	12	50
18	4	6	-	2	2	4	2	-	1	-	-	-	2	7	3	5	11	-	-	9	51
16	-	22	-	1	1	1	7	1	2	-	-	1	2	5	12	1	8	5	-	12	52
41	16	13	1	3	1	2	5	1	3	-	-	-	1	10	6	6	23	-	4	18	53
13	2	14	-	2	-	2	4	1	-	-	-	-	1	3	4	3	8	1	-	3	54
7	2	6	-	-	-	1	2	-	-	-	-	-	1	1	1	4	-	1	-	3	55
35	19	15	2	3	1	5	14	1	1	4	1	1	4	9	15	11	9	1	4	24	56
75	39	35	8	5	4	10	28	3	11	1	1	2	16	40	30	27	46	5	12	33	57
18	19	7	1	3	-	5	10	1	2	1	1	1	2	6	3	5	11	3	1	10	58
4	4	2	1	-	-	-	1	-	-	-	-	-	-	1	2	1	1	-	-	4	59
18	4	12	1	-	2	2	4	1	-	-	1	-	3	5	2	5	8	-	-	5	60
11	1	2	-	-	-	3	3	-	2	-	1	-	-	1	1	1	-	-	-	4	61
44	19	17	5	6	2	7	8	2	2	1	2	2	5	7	4	20	19	4	5	15	62
4	3	2	-	-	-	-	-	-	-	-	-	-	-	4	1	1	4	-	-	4	63
76	41	33	6	1	2	37	23	3	6	6	-	1	1	18	48	7	15	3	6	36	64
16	4	1	1	-	-	3	4	-	-	-	-	-	-	-	1	2	2	-	-	9	65
29	9	15	1	-	2	1	9	1	9	1	1	5	3	19	9	6	19	-	2	12	66
24	10	15	1	3	-	6	2	-	1	-	2	-	2	5	-	3	5	2	-	15	67
23	17	10	-	4	1	10	10	-	-	-	-	-	2	8	5	8	6	1	-	12	68
9	7	7	1	2	1	1	5	-	-	1	-	-	-	1	5	1	10	-	-	7	69
442	98	44	16	33	11	37	79	9	11	19	5	5	19	92	19	42	94	12	19	112	70
19	4	6	1	2	-	1	3	-	-	1	-	-	1	3	4	5	4	-	-	17	71
45	27	30	2	4	1	2	16	1	5	1	3	2	2	14	20	5	23	2	3	24	72
24	8	18	2	2	1	7	15	1	1	-	-	-	1	7	8	6	15	3	2	12	73
20	6	2	1	1	-	-	7	-	-	-	-	-	-	1	4	-	6	3	-	10	74
17	10	7	-	-	1	3	2	-	1	-	-	-	1	2	4	1	1	-	-	7	75
125	39	31	3	5	5	13	17	5	1	5	3	-	2	19	7	20	13	2	3	41	76
22	2	9	1	3	-	-	4	1	1	-	1	-	1	6	4	4	6	-	-	3	77
8	6	2	-	-	-	-	5	-	1	-	1	-	-	2	-	2	2	1	-	2	78
9	2	5	1	-	-	-	1	-	1	-	-	1	-	-	6	1	1	-	-	4	79
55	18	33	4	2	1	19	21	3	3	4	2	-	3	11	5	18	17	3	5	16	80
4	4	8	-	1	-	7	4	1	-	-	-	1	1	-	4	3	1	-	-	7	81
78	38	23	-	8	3	4	10	1	4	2	1	2	10	8	2	8	19	2	-	31	82
55	15	10	3	2	1	2	19	-	1	4	-	-	3	7	14	10	60	-	-	15	83
20	9	8	4	-	1	1	19	2	2	-	-	-	1	5	5	5	18	1	-	14	84
20	10	6	6	3	-	4	6	-	1	1	1	-	-	1	1	4	4	1	-	3	85

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	CALIFORNIA	108,552	1,810	408	212	486	16,613	5,894	1,912	8,807	1,178	58,586	57,672	11,573	88	41,151	1,564
2	Metropolitan counties	87,886	1,462	328	163	349	13,772	4,854	1,572	7,346	966	48,177	47,471	9,606	60	33,699	1,338
3	Nonmetropolitan counties	20,666	348	80	49	137	2,841	1,040	340	1,461	212	10,409	10,201	1,967	28	7,452	226
4	Alameda	7,599	126	27	7	21	1,216	422	147	647	86	4,317	4,257	816	6	3,131	121
5	Alpine	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Amador	103	3	-	-	1	11	8	-	3	2	60	59	11	1	39	-
7	Butte	747	16	8	3	6	97	34	10	53	5	409	399	76	1	297	13
8	Calaveras	122	1	-	-	-	12	6	1	5	1	69	69	16	-	50	-
9	Colusa	150	2	-	-	2	25	6	-	19	1	74	73	10	-	58	3
10	Contra Costa	1,999	28	9	6	10	322	90	39	193	24	935	920	177	-	683	35
11	Del Norte	120	-	1	-	-	18	9	3	6	-	54	53	3	-	42	-
12	El Dorado	181	1	-	1	1	34	17	2	15	3	87	83	18	1	61	2
13	Fresno	2,563	55	18	8	19	326	105	46	175	32	1,237	1,213	248	3	872	26
14	Glenn	162	3	-	-	2	18	5	3	10	4	89	88	10	-	73	2
15	Humboldt	789	7	3	5	1	105	44	13	48	5	408	406	82	4	267	4
16	Imperial	547	8	2	6	5	53	13	8	32	8	175	171	26	-	138	2
17	Inyo	134	2	1	-	-	13	4	1	8	2	62	61	10	-	46	6
18	Kern	1,787	41	5	3	33	223	65	29	129	16	709	684	122	3	521	21
19	Kings	375	8	3	-	8	55	8	11	36	5	150	147	35	1	99	5
20	Lake	162	1	-	-	1	17	6	3	8	3	96	96	20	-	60	1
21	Lassen	158	1	-	1	3	15	7	1	7	1	69	67	12	1	48	3
22	Los Angeles	43,323	633	153	44	156	6,898	2,424	749	3,725	457	24,710	24,364	5,115	28	16,772	651
23	Madera	299	5	6	-	4	36	14	9	13	2	141	139	20	-	113	4
24	Marin	807	11	3	3	3	125	46	16	63	11	453	447	69	-	361	11
25	Mariposa	62	-	-	1	-	7	5	1	1	-	32	32	3	-	27	1
26	Mendocino	453	7	2	2	2	73	34	6	33	4	225	216	50	-	147	5
27	Merced	532	17	2	6	5	57	20	8	29	8	247	239	41	1	190	3
28	Modoc	109	1	-	-	-	14	6	3	5	1	51	51	9	1	39	-
29	Mono	25	1	-	-	1	1	1	-	-	-	6	6	1	-	4	-
30	Monterey	1,057	23	3	2	3	157	53	13	91	7	505	490	88	1	360	14
31	Napa	500	10	4	-	1	73	25	6	42	4	292	286	37	-	210	10
32	Nevada	252	3	-	-	1	45	20	6	19	1	142	140	19	-	115	2
33	Orange	2,249	16	11	13	10	347	114	27	206	27	1,242	1,216	260	1	869	36
34	Placer	438	6	-	1	3	68	24	9	35	4	252	247	36	-	196	2
35	Plumas	117	-	1	1	1	11	5	4	2	1	58	58	18	-	36	3
36	Riverside	1,943	35	8	5	5	295	96	40	159	18	960	946	202	2	680	19
37	Sacramento	3,067	78	11	2	19	424	142	61	221	31	1,593	1,573	301	3	1,165	47
38	San Benito	139	2	-	1	1	15	6	2	7	1	70	68	13	-	47	-
39	San Bernardino	2,860	65	10	6	10	401	150	41	210	43	1,397	1,372	275	3	988	62
40	San Diego	5,593	81	12	36	29	845	255	108	482	65	2,830	2,768	542	5	2,029	98
41	San Francisco	9,633	224	51	16	35	1,619	644	195	780	112	5,334	5,269	954	5	3,915	126
42	San Joaquin	2,180	85	7	7	19	297	118	28	151	22	1,062	1,046	181	2	772	24
43	San Luis Obispo	642	3	-	-	2	89	32	16	41	5	368	363	58	1	266	9
44	San Mateo	1,941	14	6	7	7	358	123	41	194	12	1,054	1,039	228	2	751	45
45	Santa Barbara	959	10	3	1	5	162	63	26	73	9	514	503	118	1	340	11
46	Santa Clara	3,004	37	8	8	7	482	186	60	236	31	1,601	1,582	362	2	1,089	40
47	Santa Cruz	995	16	1	-	2	130	62	8	60	12	632	620	122	1	444	14
48	Shasta	395	4	2	-	-	55	21	3	31	5	200	193	35	1	141	4
49	Sierra	27	-	-	-	-	4	2	-	2	1	12	11	-	-	9	-
50	Siskiyou	306	8	3	-	1	31	10	2	19	1	177	174	37	-	115	3
51	Solano	868	9	2	-	4	112	35	14	63	13	412	405	78	-	302	16
52	Sonoma	1,262	15	9	3	3	182	68	21	93	15	711	703	147	2	505	9
53	Stanislaus	1,132	24	2	1	5	163	52	17	94	16	585	571	126	1	418	11
54	Sutter	234	1	1	1	1	39	19	6	14	3	116	115	22	-	83	3
55	Tehama	235	-	-	1	-	22	8	1	13	1	144	141	35	1	99	2
56	Trinity	41	1	-	-	-	2	1	-	1	-	22	22	3	-	18	-
57	Tulare	1,222	18	3	1	20	168	69	16	83	14	559	549	100	2	408	14
58	Tuolumne	157	5	-	1	1	18	5	5	8	2	93	90	11	-	72	2
59	Ventura	894	24	4	2	2	131	47	11	73	11	429	424	90	1	313	14
60	Yolo	417	7	2	-	3	57	26	6	25	4	223	221	49	-	161	4
61	Yuba	282	8	1	-	2	40	14	10	16	6	132	127	26	-	97	1
62	COLORADO	12,896	166	34	22	87	1,858	692	197	969	156	6,270	6,113	1,310	34	4,271	246
63	Metropolitan counties	6,527	102	18	5	38	974	351	112	511	68	3,172	3,099	640	17	2,217	118
64	Nonmetropolitan counties	6,369	64	16	17	49	884	341	85	458	88	3,098	3,014	670	17	2,054	128
65	Adams	284	3	-	1	2	43	19	2	22	3	135	131	22	-	101	8
66	Alamosa	89	-	-	-	2	9	5	-	4	2	36	36	7	-	24	5
67	Arapahoe	368	11	-	1	2	63	27	5	31	6	159	154	33	-	109	5
68	Archuleta	24	1	-	-	-	1	-	-	1	-	14	14	2	1	10	-
69	Baca	54	-	-	-	1	11	4	-	7	-	21	21	1	-	20	-
70	Bent	72	3	-	-	-	9	3	1	5	1	31	29	5	-	22	-
71	Boulder	492	5	-	4	3	70	22	6	42	10	255	249	53	1	165	5
72	Chaffee	88	1	-	-	1	11	7	-	4	-	54	51	12	-	38	1
73	Cheyenne	31	-	-	1	-	4	1	1	2	1	13	12	3	-	8	-
74	Clear Creek	45	1	-	1	-	8	4	-	4	-	19	18	5	-	13	-
75	Conejos	71	1	-	-	3	10	3	2	5	-	35	35	8	-	20	2
76	Costilla	20	-	-	-	1	4	2	-	2	-	6	6	3	-	2	-
77	Crowley	39	1	-	-	-	6	5	-	1	1	20	20	9	-	11	-
78	Custer	16	-	-	-	-	1	1	-	-	-	14	14	4	-	7	-
79	Delta	167	-	-	1	-	34	20	2	12	2	83	80	17	-	55	2
80	Denver	4,550	70	14	3	15	698	239	87	372	42	2,265	2,226	442	10	1,607	74
81	Dolores	12	-	-	-	-	-	-	-	-	-	5	5	-	-	4	-
82	Douglas	21	-	-	-	-	6	-	4	2	-	11	11	2	-	8	-
83	Eagle	51	1	-	-	1	4	4	-	-	-	22	21	3	1	14	-
84	Elbert	29	-	-	-	-	4	-	2	2	1	16	16	6	1	8	1
85	El Paso	843	18	4	3	7	135	45	14	76	5	420	409	79	1	292	14

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
29,585	5,142	4,860	733	3,240	887	914	2,854	904	467	2,134	146	143	1,395	4,337	445	3,674	3,689	1,743	498	6,830	1
24,255	4,286	3,820	612	2,761	733	706	2,258	718	344	1,852	111	111	1,136	3,418	232	2,567	2,664	1,418	379	5,461	2
5,330	856	1,040	121	479	154	208	596	186	123	282	35	32	259	919	213	1,107	1,025	325	119	1,369	3
2,127	390	493	67	175	62	60	165	54	25	157	8	7	82	280	28	171	209	124	32	457	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5
36	1	2	1	7	-	1	2	-	-	3	-	-	1	1	1	6	5	3	1	3	6
188	36	60	3	16	6	10	23	6	3	11	-	1	7	18	4	16	43	19	1	51	7
34	3	13	1	1	1	-	7	2	-	3	1	-	-	3	2	7	4	-	-	10	8
34	13	8	-	5	-	1	4	2	-	-	-	-	-	3	1	8	8	3	-	17	9
467	84	97	9	30	21	15	42	15	16	33	7	3	50	143	7	85	89	32	14	129	10
33	3	6	3	5	-	1	2	-	1	4	-	-	4	2	1	9	9	2	1	12	11
42	2	15	1	2	-	4	9	-	-	3	2	-	1	4	3	7	13	3	-	9	12
638	82	126	23	51	16	24	109	19	28	26	3	3	33	134	3	168	102	37	13	190	13
56	4	11	1	3	1	1	3	2	-	1	1	-	-	3	1	12	4	6	-	13	14
213	23	27	-	53	-	2	18	10	3	6	-	1	17	30	-	39	71	12	4	44	15
98	10	28	2	3	2	4	22	8	10	9	1	3	10	44	5	60	78	6	6	28	16
26	5	9	1	4	-	1	5	-	1	5	-	-	2	5	1	12	9	2	2	10	17
362	87	51	10	17	11	25	76	12	21	25	2	4	35	134	6	163	104	19	21	135	18
78	4	12	2	7	3	3	22	-	11	4	1	-	1	28	1	27	18	5	2	26	19
45	2	12	3	12	1	-	2	1	-	-	2	-	4	3	4	3	12	3	1	9	20
35	6	4	2	4	-	2	7	3	3	1	-	2	3	11	2	8	15	2	1	10	21
12,303	2,096	1,722	320	1,797	332	346	1,003	368	136	920	56	61	516	1,498	99	1,062	1,025	670	174	2,684	22
89	12	8	3	2	1	2	16	2	3	3	1	3	6	16	2	20	14	3	1	15	23
231	50	69	2	8	7	6	13	5	4	6	1	1	7	40	5	27	30	13	4	42	24
26	-	-	1	1	-	-	1	-	-	2	-	-	-	2	-	3	4	1	2	7	25
106	11	25	1	16	2	9	16	8	1	4	-	-	7	15	3	22	36	5	3	18	26
138	22	27	3	3	1	8	14	3	8	7	5	-	10	32	4	43	28	3	3	30	27
34	2	3	-	1	1	-	4	-	-	-	-	-	-	3	1	5	15	3	4	7	28
4	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	3	4	1	-	6	29
264	49	33	11	23	7	15	21	7	5	24	1	1	15	79	14	60	33	21	4	72	30
134	24	42	6	27	6	6	7	7	-	8	-	-	4	11	7	18	20	12	2	20	31
54	24	35	1	1	4	2	3	1	-	2	-	1	1	5	1	7	18	4	2	15	32
619	117	97	9	51	26	26	73	11	12	20	1	4	32	82	16	76	80	23	3	150	33
107	26	61	2	9	4	5	21	2	1	4	-	-	2	6	2	14	20	6	2	24	34
21	2	10	2	2	-	-	2	2	-	1	1	-	1	3	1	3	15	3	6	6	35
493	91	77	10	29	23	14	65	23	12	25	1	-	26	90	9	85	84	32	11	154	36
856	160	102	22	56	26	20	79	30	17	67	3	2	72	137	4	109	129	53	19	188	37
34	5	8	-	6	2	2	7	1	1	3	-	-	2	10	2	4	4	1	1	13	38
655	155	116	21	57	28	25	109	26	21	48	3	4	36	130	9	152	124	46	10	210	39
1,458	266	207	24	130	38	62	173	42	24	104	5	5	95	335	15	238	189	101	27	342	40
2,891	499	399	68	219	108	65	297	93	23	331	10	7	74	234	16	157	382	180	52	586	41
527	118	103	11	65	15	16	77	14	17	43	6	4	29	94	9	96	99	31	11	151	42
212	19	26	6	29	3	5	11	8	-	5	1	-	7	19	4	37	23	7	3	50	43
535	90	81	9	30	19	15	29	7	5	34	4	2	36	88	4	61	61	40	4	108	44
233	36	60	3	28	13	11	14	10	5	14	-	1	15	46	3	48	22	20	4	53	45
746	133	170	18	81	30	19	74	23	14	46	3	6	52	141	11	121	103	48	9	179	46
325	52	53	7	31	15	12	20	9	5	18	1	2	7	14	2	21	23	12	5	63	47
107	13	17	4	8	4	7	7	5	-	8	1	-	3	19	4	22	22	10	-	28	48
7	1	1	-	1	1	1	-	-	-	1	-	-	1	-	-	2	4	-	-	2	49
83	10	19	-	19	3	3	6	1	2	5	1	1	1	15	5	16	11	-	3	18	50
202	46	38	9	11	5	7	15	11	2	17	1	2	22	82	6	44	42	20	7	45	51
352	82	62	6	32	11	8	18	8	3	15	2	1	9	37	69	28	36	18	3	77	52
305	45	57	1	20	5	14	38	12	3	9	-	3	12	39	9	63	39	24	7	78	53
55	18	7	1	7	2	1	3	2	-	3	-	-	2	10	-	13	10	8	3	18	54
75	5	17	2	4	-	3	5	1	-	3	-	2	5	7	3	16	17	2	-	6	55
11	1	6	-	-	1	-	1	1	-	1	-	-	-	1	1	3	2	2	-	4	56
279	52	63	11	23	5	10	43	11	12	12	5	3	17	51	17	92	58	10	4	104	57
47	2	21	1	5	1	3	3	4	-	2	1	-	-	4	-	7	3	3	-	10	58
242	30	27	4	7	9	5	31	5	3	13	3	2	14	65	6	44	31	20	2	52	59
129	13	15	3	6	2	2	6	3	4	9	-	1	1	14	10	18	25	4	1	25	60
84	10	2	1	-	3	5	10	4	2	6	1	-	6	16	2	13	10	5	3	15	61
2,880	541	604	95	292	111	157	729	119	149	123	30	29	178	688	46	388	554	193	44	1,033	62
1,576	272	251	47	126	52	73	378	80	49	85	15	12	90	359	16	165	245	108	26	522	63
1,304	269	353	48	166	59	84	351	39	100	38	15	17	88	329	30	223	309	85	18	511	64
66	19	8	3	3	2	4	9	2	4	1	1	1	6	28	-	7	15	2	2	19	65
10	4	5	1	1	3	-	7	1	1	2	-	1	1	9	-	6	4	1	1	6	66
79	12	13	2	8	2	5	23	2	3	5	2	1	10	33	-	14	14	8	-	31	67
3	3	4	-	1	-	-	1	-	-	-	-	-	-	2	-	1	-	1	-	3	68
15	4	1	-	-	-	-	3	1	-	-	-	-	1	6	-	3	3	1	-	3	69
12	5	5	1	-	1	2	3	1	2	-	-	-	4	3	-	3	4	1	-	7	70
124	17	19	4	18	8	6	27	3	1	3	-	-	4	22	1	11	23	8	-	42	71
20	4	13	-	1	-	3	6	-	1	2	-	-	1	3	-	-	5	-	1	2	72
4	2	2	-	1	-	1	3	-	-	-	-	-	-	2	-	1	3	1	-	2	73
8	1	4	-	-	-	1	1	-	-	-	-	-	1	2	-	7	1	-	-	4	74
12	5	1	-	6	1	-	5	-	-	1	1	-	-	6	2	2	3	-	1	1	75
1	1	-	-	1	-	-	1	-	-	1	2	-	1	-	-	2	1	-	-	1	76
7	1	3	-	-	-	-	-	-	1	1	-	-	3	-	-	2	1	-	-	3	77
6	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	78
34	6	13	1	6	1	3	7	3	1	-	1	-	3	3	1	5	4	4	1	14	79
1,141	207	185	35	96	36	39	270	61	25	63	8	7	46	215	14	108	152	76	19	379	80
4	-	-	-	1	-	-	1	-	2	-	-	-	-	1	-	-	1	-	-	2	81
7	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	82
8	-	6	1	2	-	1	3	-	2	-	1	-	1	4	-	5	4	1	-	2	83
4	-	3	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	4	84
201	52	25	5	25	7	11	33	4	6	7	2	1	10	46	3	25	35	15	1	63	85

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	COLORADO—Continued																
1	Fremont	239	-	-	-	-	31	12	4	15	3	128	123	41	-	81	8
2	Garfield	106	1	1	-	1	13	5	2	6	1	65	64	6	-	56	1
3	Gilpin	13	-	-	-	-	2	1	-	1	-	7	7	-	-	6	1
4	Grand	32	2	1	-	-	6	3	-	3	-	13	13	2	-	11	1
5	Gunnison	41	-	-	-	-	4	-	-	4	-	20	19	2	-	16	2
6	Hinsdale	6	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-
7	Huerfano	102	-	1	-	-	16	5	1	10	2	42	42	8	-	24	1
8	Jackson	17	-	-	-	-	1	1	-	-	-	4	4	-	-	3	-
9	Jefferson	454	7	1	-	3	71	24	11	36	3	220	215	50	4	145	10
10	Kiowa	20	-	-	-	-	-	-	-	-	-	12	12	3	-	8	-
11	Kit Carson	58	-	-	-	-	10	3	-	7	-	35	34	4	1	22	2
12	Lake	70	1	-	-	3	5	3	1	1	1	19	18	5	-	12	3
13	La Plata	146	2	1	-	3	10	3	1	6	-	71	70	14	-	42	4
14	Larimer	384	2	4	2	4	55	18	4	33	9	206	203	63	-	120	4
15	Las Animas	296	2	1	-	2	35	16	2	17	6	143	138	24	1	105	21
16	Lincoln	48	-	-	1	-	10	2	2	6	-	20	20	5	-	11	-
17	Logan	155	-	-	-	-	26	7	3	16	4	72	69	17	-	47	5
18	Mesa	376	5	1	-	4	55	25	8	22	11	178	174	35	1	117	12
19	Mineral	6	-	-	-	-	-	-	-	-	-	3	3	1	-	2	-
20	Moffat	44	1	-	-	1	5	2	-	3	-	15	15	4	1	9	2
21	Montezuma	88	1	-	-	-	10	4	1	5	-	36	34	5	-	24	-
22	Montrose	126	3	1	-	1	29	11	2	16	-	61	59	16	-	36	1
23	Morgan	166	2	-	1	-	27	10	2	15	5	75	74	30	-	42	1
24	Otero	264	3	-	-	-	29	13	3	13	2	141	136	34	1	91	4
25	Ouray	25	-	-	-	1	5	2	-	3	1	8	8	-	-	7	-
26	Park	14	-	-	-	-	2	-	-	2	-	7	7	1	-	6	-
27	Phillips	42	-	-	1	-	7	4	1	2	1	26	26	5	-	19	1
28	Pitkin	24	-	-	-	-	3	-	-	3	-	11	10	1	-	7	1
29	Prowers	129	-	1	-	-	21	8	2	11	1	67	55	7	1	45	3
30	Pueblo	851	11	3	-	16	99	42	7	50	14	393	373	93	3	255	21
31	Rio Blanco	32	-	-	1	-	2	1	-	1	-	12	12	3	-	7	-
32	Rio Grande	131	-	-	-	2	16	9	1	6	4	27	26	5	1	19	2
33	Routt	87	-	-	1	-	12	5	1	6	2	41	41	11	-	21	1
34	Saguache	54	-	-	-	1	6	3	-	3	1	20	19	1	2	16	1
35	San Juan	15	1	-	-	-	1	1	-	-	-	3	3	-	-	3	-
36	San Miguel	18	-	-	-	1	1	-	1	-	-	4	4	1	-	3	-
37	Sedgwick	34	-	-	-	1	5	4	-	1	-	17	17	3	-	12	1
38	Summit	11	-	-	-	-	2	1	1	-	-	3	2	-	-	2	-
39	Teller	41	-	-	-	1	4	-	-	4	1	22	22	4	-	18	2
40	Washington	75	-	-	-	-	10	2	2	6	2	39	39	10	-	26	1
41	Weld	568	4	-	-	4	69	26	7	36	7	291	288	67	2	196	12
42	Yuma	102	2	-	-	-	12	5	1	6	1	57	55	12	1	40	-
43	CONNECTICUT	20,139	248	60	21	68	3,707	1,423	428	1,856	375	11,362	11,154	2,218	13	8,266	271
44	Metropolitan counties	15,832	206	51	15	55	3,021	1,171	355	1,495	302	8,807	8,649	1,709	11	6,430	217
45	Nonmetropolitan counties	4 307	42	9	6	13	686	252	73	361	73	2,555	2,505	509	2	1,836	54
46	Fairfield	5,016	67	19	8	17	996	368	123	485	104	2,763	2,712	599	2	1,938	72
47	Hartford	5,130	78	18	4	19	1,009	381	120	508	100	2,797	2,749	512	4	2,074	66
48	Litchfield	1,091	9	4	2	6	172	58	12	102	25	614	599	125	1	434	18
49	Middlesex	731	11	-	1	2	113	42	14	57	11	455	448	72	-	340	11
50	New Haven	5,686	61	14	3	19	1,016	402	112	502	98	3,247	3,188	598	5	2,418	79
51	New London	1,391	14	1	3	4	224	87	29	108	22	852	830	172	-	598	13
52	Tolland	384	3	3	-	-	60	25	4	31	3	232	231	52	-	164	4
53	Windham	710	5	1	-	1	117	40	14	63	12	402	397	88	1	300	8
54	DELAWARE	3,520	53	15	7	14	489	179	55	255	80	1,960	1,907	365	2	1,418	61
55	Metropolitan counties	2,292	35	9	5	8	344	122	45	177	52	1,275	1,243	237	-	921	52
56	Nonmetropolitan counties	1,228	18	6	2	6	145	57	10	78	28	685	664	128	2	497	9
57	Kent	491	4	1	-	1	60	30	4	26	11	283	276	60	2	198	2
58	New Castle	2,292	35	9	5	8	344	122	45	177	52	1,275	1,243	237	-	921	52
59	Sussex	737	14	5	2	5	85	27	6	52	17	402	388	68	-	299	7
60	DISTRICT OF COLUMBIA	8,480	250	62	6	32	1,308	487	159	662	114	4,401	4,321	798	6	3,260	100
61	FLORIDA	29,219	504	151	41	226	4,179	1,320	551	2,308	407	14,366	13,958	3,280	34	9,658	332
62	Metropolitan counties	14,325	264	80	18	78	2,335	776	331	1,228	231	7,063	6,887	1,537	11	4,808	171
63	Nonmetropolitan counties	14,894	240	71	23	148	1,844	544	220	1,080	176	7,303	7,071	1,743	23	4,850	161
64	Alachua	534	12	2	1	4	55	19	5	31	4	260	254	81	-	158	5
65	Baker	67	2	1	-	-	6	3	1	2	1	29	27	10	-	15	1
66	Bay	329	7	1	2	3	39	13	5	21	5	151	149	37	-	106	2
67	Bradford	87	1	-	-	2	4	1	1	2	-	43	42	9	-	31	-
68	Brevard	305	5	2	-	4	32	8	3	21	4	168	162	37	-	112	7
69	Broward	982	14	5	3	13	137	44	18	75	12	473	453	113	4	311	13
70	Calhoun	58	2	-	-	-	3	2	-	1	1	30	27	6	-	21	-
71	Charlotte	57	-	-	1	-	9	3	2	4	2	25	23	3	-	18	-
72	Citrus	78	-	-	-	-	8	3	1	4	2	31	29	10	-	18	1
73	Clay	121	3	1	-	1	18	5	1	12	1	52	51	13	-	35	-
74	Collier	64	1	-	-	2	3	-	-	3	1	27	27	6	-	21	1
75	Columbia	203	2	1	-	4	30	10	1	19	4	84	83	31	-	46	-
76	Dade	4,983	82	28	11	20	917	311	156	450	73	2,375	2,330	463	4	1,691	80
77	De Soto	100	3	-	-	-	17	4	5	8	-	52	50	9	-	40	-
78	Dixie	37	-	1	-	1	6	1	-	5	1	16	15	5	-	9	-

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
45	6	22	-	-	1	5	20	-	3	1	-	-	1	9	-	4	15	2	-	22	1
32	4	19	-	1	1	1	3	1	1	-	-	-	1	6	1	4	-	2	-	5	2
2	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	3
7	2	1	-	-	-	-	1	1	-	-	1	-	1	-	-	2	2	-	-	2	4
10	1	3	-	1	-	1	3	-	-	-	-	-	-	2	-	-	2	2	1	7	5
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	6
16	1	6	1	8	1	-	11	-	2	2	1	1	2	3	-	4	5	-	1	9	7
2	-	1	-	1	-	-	2	-	-	-	-	-	-	-	1	4	3	-	-	2	8
105	16	14	2	8	6	5	12	8	1	3	1	-	10	26	-	12	22	12	1	41	9
8	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	5	-	-	2	10
13	5	2	-	6	1	1	1	1	-	1	-	-	1	1	1	2	2	-	-	3	11
6	1	2	-	1	-	1	12	1	1	-	1	-	-	8	1	3	4	-	-	10	12
22	7	9	3	10	1	1	11	2	4	2	1	-	1	14	-	6	8	1	-	9	13
82	14	20	4	12	4	3	11	2	2	1	-	-	4	13	1	13	18	2	1	34	14
43	4	37	-	7	1	5	28	1	4	4	1	4	2	24	1	3	3	-	-	32	15
8	3	-	1	1	2	-	4	-	-	-	1	-	1	3	-	1	4	1	-	2	16
36	4	2	2	3	-	3	5	1	-	1	1	1	2	7	1	13	9	-	-	12	17
69	20	16	2	16	3	4	13	3	2	1	-	4	7	20	2	15	18	7	2	28	18
1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	19
4	-	3	1	-	-	-	-	1	1	-	-	-	-	2	1	4	7	1	1	4	20
14	5	5	1	3	1	2	8	2	5	-	-	-	2	7	-	3	4	1	-	9	21
19	3	13	1	2	4	2	4	-	2	-	-	-	3	3	3	3	8	1	-	4	22
27	6	8	1	1	-	1	8	-	3	-	-	-	4	9	-	6	7	3	1	15	23
60	8	19	3	4	3	5	16	3	10	1	-	-	4	17	3	7	7	6	-	15	24
5	-	2	-	-	1	-	-	-	-	-	-	-	1	3	-	1	2	-	-	3	25
6	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	2	26
11	1	6	-	1	1	-	-	-	-	-	-	-	1	2	-	2	-	-	-	2	27
6	-	-	-	1	1	1	-	-	-	-	-	-	-	2	-	1	1	1	-	5	28
24	12	6	1	-	1	12	7	1	-	-	-	1	1	4	-	5	9	2	-	9	29
185	18	31	5	11	6	20	64	7	16	13	3	3	18	57	2	24	42	10	4	52	30
5	-	2	-	2	-	-	-	-	-	-	-	1	2	3	-	2	2	-	-	7	31
13	-	4	1	-	-	1	18	1	14	-	-	3	2	15	2	3	9	2	-	13	32
14	1	5	2	4	3	-	4	2	1	2	-	-	1	4	-	2	7	5	-	3	33
7	2	6	-	-	-	1	3	1	9	-	-	-	-	1	2	-	4	1	-	5	34
-	1	2	-	-	-	-	1	-	-	-	-	-	-	1	-	1	2	-	-	5	35
3	-	-	-	-	-	-	1	-	-	-	1	-	1	3	-	1	2	1	1	1	36
9	1	1	1	-	1	-	3	-	-	1	-	-	1	1	1	3	-	-	-	1	37
2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	3	-	-	1	38
8	1	7	-	-	-	-	5	-	-	-	-	-	-	-	-	1	1	1	-	5	39
19	4	2	-	2	1	-	-	-	-	-	-	-	-	5	-	1	3	2	3	10	40
138	35	11	7	12	4	3	36	2	19	2	-	-	8	21	1	24	28	6	2	44	41
27	9	4	1	1	-	2	5	-	-	1	-	-	3	4	1	1	7	1	-	7	42
6,090	988	917	141	389	127	208	355	126	56	300	20	9	254	625	79	252	728	219	37	1,238	43
4,718	606	689	115	281	103	158	283	99	41	251	15	5	202	501	67	174	576	170	28	963	44
1,372	182	228	26	108	24	50	72	27	15	49	5	4	52	124	12	78	152	49	9	275	45
1,447	222	197	30	100	43	51	100	27	14	89	2	-	55	151	11	46	168	62	13	304	46
1,566	270	172	37	88	34	48	70	33	9	87	6	3	74	187	18	63	181	53	7	314	47
302	57	57	5	26	8	15	15	6	5	10	3	3	15	30	4	17	44	21	1	85	48
274	29	26	5	21	10	7	15	3	1	6	1	-	10	22	2	11	20	3	1	43	49
1,705	314	320	48	93	26	59	113	39	18	75	7	2	73	163	38	65	227	55	8	345	50
460	48	77	10	47	3	22	16	11	4	15	-	1	16	34	4	25	49	14	2	80	51
122	19	19	5	8	2	1	9	2	1	4	-	-	6	16	1	10	11	2	1	20	52
214	29	49	1	6	1	5	17	5	4	14	1	-	5	22	1	15	28	9	4	47	53
772	305	280	28	78	16	53	124	24	9	34	6	7	52	142	15	71	130	39	21	228	54
521	193	155	18	54	13	32	90	15	7	22	5	4	33	91	4	38	74	29	10	142	55
251	112	125	10	24	3	21	34	9	2	12	1	3	19	51	11	33	56	10	11	86	56
92	48	56	2	13	1	7	13	5	1	8	-	-	6	20	5	11	24	4	1	33	57
521	193	155	18	54	13	32	90	15	7	22	5	4	33	91	4	38	74	29	10	142	58
159	64	69	8	11	2	14	21	4	1	4	1	3	13	31	6	22	32	6	10	53	59
1,562	809	789	67	112	78	80	280	43	26	141	17	12	116	430	11	119	388	74	76	574	60
6,038	1,503	1,785	281	463	222	408	931	161	226	325	104	58	391	1,480	727	906	1,155	351	343	2,187	61
3,106	650	881	131	281	119	176	365	94	86	175	46	23	180	647	250	412	476	199	166	1,137	62
2,932	853	904	150	202	103	232	566	67	140	150	58	35	211	833	477	494	679	152	177	1,050	63
83	16	54	6	7	2	6	14	4	9	2	-	-	9	40	17	16	28	7	8	42	64
3	5	6	1	1	-	2	2	3	-	1	-	-	-	8	3	3	-	-	3	5	65
54	27	23	3	2	1	2	6	3	8	4	-	-	6	33	7	15	16	-	3	20	66
15	9	7	-	2	-	1	9	1	-	-	-	1	2	6	-	3	5	-	1	9	67
76	10	19	4	5	4	6	14	1	-	-	-	2	7	21	2	7	7	3	4	22	68
231	29	38	13	8	4	20	47	3	7	11	4	3	10	76	4	24	40	10	16	70	69
12	4	5	-	-	-	3	-	-	-	3	1	-	1	4	1	7	-	2	-	3	70
10	1	7	1	1	-	2	1	-	-	2	-	-	-	2	1	4	3	-	-	7	71
12	2	3	-	1	-	2	4	-	-	2	-	-	1	5	4	2	7	2	1	9	72
19	7	9	2	-	1	1	5	-	-	-	-	-	2	15	1	3	7	-	1	11	73
14	1	5	-	-	-	-	3	-	3	1	-	-	1	9	3	1	4	-	1	4	74
20	16	10	1	4	1	1	8	2	1	1	1	-	5	11	10	4	17	-	4	14	75
1,198	181	232	45	79	48	45	105	42	22	71	14	12	66	224	56	148	152	87	81	397	76
31	3	6	1	-	-	2	4	-	-	-	2	-	1	6	1	-	3	-	2	9	77
6	1	2	-	-	1	1	5	-	-	1	-	-	-	2	-	1	-	1	1	1	78

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	FLORIDA—Continued																
1	Duval	2,918	95	29	2	22	366	118	38	210	43	1,375	1,323	338	2	875	22
2	Escambia	880	11	8	3	5	103	29	17	57	8	360	347	67	-	257	11
3	Flagler	37	1	-	-	-	4	1	-	3	-	16	16	6	-	10	1
4	Franklin	77	6	3	-	-	13	5	3	5	-	23	23	5	-	14	-
5	Gadsden	320	8	1	2	8	31	8	4	19	1	135	130	41	1	77	4
6	Gilchrist	24	-	-	-	-	4	1	1	2	-	14	13	5	-	8	-
7	Glades	24	1	-	-	-	3	2	-	1	-	13	12	2	-	8	-
8	Gulf	61	4	1	-	2	6	3	-	3	-	21	20	4	-	14	-
9	Hamilton	82	3	1	-	1	10	6	-	4	3	41	39	14	1	21	-
10	Hardee	114	-	-	-	1	12	2	1	9	1	70	66	12	-	45	3
11	Hendry	71	-	-	-	1	8	3	1	4	-	30	28	11	-	15	1
12	Hernando	60	-	1	-	1	12	3	2	7	-	26	25	11	-	11	-
13	Highlands	178	3	-	1	1	24	7	3	14	3	86	83	19	-	55	3
14	Hillsborough	2,612	45	14	2	17	420	120	65	235	53	1,193	1,146	248	2	818	20
15	Holmes	101	2	1	-	1	7	1	-	6	3	53	52	15	1	31	1
16	Indian River	107	5	2	1	1	8	3	1	4	3	57	54	5	-	47	1
17	Jackson	309	6	-	-	8	35	8	1	26	6	136	127	44	2	72	3
18	Jefferson	127	-	-	-	-	7	3	-	4	2	70	68	18	-	49	-
19	Lafayette	34	1	-	-	-	2	-	-	2	-	19	17	5	-	11	-
20	Lake	418	3	3	2	7	73	25	12	36	6	200	198	26	-	166	9
21	Lee	290	4	2	-	3	41	12	5	24	3	158	155	35	1	110	6
22	Leon	426	13	3	-	8	45	12	6	27	5	188	179	29	1	135	3
23	Levy	114	1	1	-	-	10	5	2	3	2	68	65	16	-	46	1
24	Liberty	28	-	-	-	-	4	1	-	3	-	17	17	7	-	9	-
25	Madison	161	3	-	-	2	21	10	-	11	1	81	78	23	1	51	-
26	Manatee	442	4	2	-	5	65	23	10	32	6	254	247	57	1	174	1
27	Marion	449	6	2	-	2	43	11	4	28	12	206	197	49	1	134	1
28	Martin	78	-	-	-	-	17	1	4	12	1	38	38	11	-	23	-
29	Monroe	234	6	1	-	2	34	7	4	23	-	90	89	20	1	60	3
30	Nassau	125	1	3	-	1	14	5	2	7	-	57	55	14	-	40	-
31	Okaloosa	191	-	-	-	2	21	4	4	13	-	66	57	22	1	32	1
32	Okeechobee	41	-	-	-	-	4	2	-	2	-	16	16	3	-	12	-
33	Orange	1,261	15	1	-	7	190	66	25	99	21	671	660	155	-	469	22
34	Osceola	209	2	1	-	1	25	12	2	11	4	124	123	33	-	79	3
35	Palm Beach	1,294	18	7	4	11	174	50	21	103	16	675	662	167	3	455	17
36	Pasco	293	5	2	-	1	41	9	4	28	4	146	144	31	1	99	6
37	Pinellas	2,551	27	8	3	12	442	161	47	234	41	1,449	1,428	333	3	955	27
38	Polk	1,185	18	1	1	11	153	39	16	98	7	631	616	139	1	435	10
39	Putnam	252	7	2	-	4	29	10	3	16	2	118	106	23	-	74	11
40	St. Johns	287	2	3	-	1	40	13	5	22	2	130	124	24	-	91	2
41	St. Lucie	235	3	1	1	1	22	7	4	11	2	116	114	46	2	61	1
42	Santa Rosa	132	2	-	1	3	15	1	2	12	1	70	69	13	-	53	-
43	Sarasota	362	4	-	-	1	46	12	8	26	3	210	202	37	-	158	6
44	Seminole	325	10	-	-	7	40	11	7	22	2	144	136	36	-	94	1
45	Sumter	96	1	-	-	-	21	6	2	13	1	50	50	23	-	24	-
46	Suwannee	164	1	1	-	1	19	7	-	12	3	85	84	15	-	58	2
47	Taylor	102	2	1	-	-	15	2	2	11	2	48	46	12	-	31	1
48	Union	51	1	-	-	-	6	2	1	3	-	25	21	6	-	14	-
49	Volusia	985	16	3	-	8	126	36	12	78	18	535	527	130	-	352	12
50	Wakulla	35	1	-	-	-	1	-	-	1	-	13	13	3	-	7	-
51	Walton	140	-	-	-	2	10	2	-	8	4	72	71	18	-	51	-
52	Washington	122	3	-	-	-	13	6	1	6	1	61	60	21	-	36	6
53	GEORGIA	30,697	464	143	27	338	3,442	1,083	325	2,034	424	15,542	14,844	4,502	45	9,218	259
54	Metropolitan counties	11,297	229	67	12	81	1,422	425	160	837	172	5,756	5,554	1,581	11	3,548	119
55	Nonmetropolitan counties	19,400	235	76	15	257	2,020	658	165	1,197	252	9,786	9,290	2,921	34	5,670	140
56	Appling	91	-	-	-	1	7	1	1	5	1	49	45	20	-	22	-
57	Atkinson	68	1	-	-	3	9	4	2	3	2	29	28	8	-	18	2
58	Bacon	83	1	-	-	-	8	1	1	6	1	45	45	20	-	21	-
59	Baker	48	1	1	-	1	3	1	-	2	-	25	24	4	1	18	-
60	Baldwin	205	5	-	-	1	28	13	2	13	3	100	93	30	1	52	4
61	Banks	59	-	-	-	-	6	4	1	1	-	41	39	9	-	27	-
62	Barrow	124	-	1	-	2	10	5	2	3	3	71	64	26	-	34	-
63	Bartow	209	4	-	-	3	28	10	1	17	1	102	91	32	-	53	-
64	Ben Hill	137	2	-	-	-	7	2	-	5	4	75	73	17	-	52	1
65	Berrien	86	-	-	-	-	10	5	1	4	1	53	52	16	1	32	-
66	Bibb	1,089	21	13	1	10	132	33	17	82	16	548	519	154	1	311	2
67	Bleckley	81	3	1	-	-	7	2	1	4	2	35	33	17	-	14	1
68	Brantley	56	-	-	-	-	6	4	-	2	2	27	23	8	-	11	-
69	Brooks	192	2	-	-	-	12	2	3	7	2	107	93	41	-	49	-
70	Bryan	60	2	-	-	1	8	1	-	7	1	24	24	13	-	10	1
71	Bulloch	197	3	-	-	2	24	4	1	19	2	97	91	27	-	49	1
72	Burke	261	4	9	-	6	20	8	2	10	2	120	114	51	-	55	1
73	Butts	91	1	-	-	-	14	5	-	9	1	43	41	16	-	21	-
74	Calhoun	96	1	2	-	3	10	3	-	7	-	50	48	9	-	35	-
75	Camden	66	-	-	-	1	10	1	1	8	-	28	28	8	-	17	-
76	Candler	71	-	-	-	2	10	2	1	7	-	32	32	12	-	18	-
77	Carroll	282	2	1	-	4	40	8	3	29	2	153	145	33	1	101	3
78	Catoosa	67	2	-	-	-	10	1	2	7	3	38	38	12	-	22	1
79	Charlton	37	1	-	-	1	1	-	-	1	-	20	19	3	-	15	-
80	Chatham	1,621	26	9	1	17	188	65	22	101	20	874	853	273	2	544	21
81	Chattahoochee	26	-	-	-	-	2	1	-	1	-	9	9	2	-	7	-
82	Chattooga	168	6	-	-	4	16	8	1	7	1	80	79	33	-	41	-
83	Cherokee	139	1	-	-	2	19	9	-	10	3	61	59	17	-	40	-
84	Clarke	320	3	2	-	1	28	5	3	20	6	183	162	38	-	119	1
85	Clay	51	1	-	-	1	5	1	-	4	3	23	21	11	-	9	-

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
512	175	166	30	52	26	52	105	16	13	38	9	3	46	175	12	112	133	38	28	258	1
141	59	46	10	6	7	13	30	4	8	12	5	2	15	76	65	24	53	12	15	61	2
6	2	1	-	-	-	-	3	1	1	-	-	-	-	1	-	1	5	-	1	3	3
13	-	1	1	1	2	-	2	-	-	5	-	-	-	4	6	6	5	1	1	2	4
40	22	11	5	4	2	5	22	1	6	-	4	2	6	25	13	12	14	1	2	26	5
8	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	2	-	-	1	6
5	2	1	-	2	-	1	2	-	-	1	-	-	1	-	-	1	2	-	-	-	7
12	2	-	1	-	1	1	3	-	1	-	-	-	1	4	1	5	5	-	1	6	8
8	7	6	1	-	2	2	3	1	1	1	1	-	-	2	4	2	4	1	-	3	9
33	5	4	3	3	3	4	8	-	1	2	-	-	1	4	4	4	-	1	-	5	10
10	3	1	1	1	-	2	-	-	1	-	-	1	1	9	3	5	5	2	-	5	11
6	2	3	2	1	-	1	4	-	-	1	-	-	1	2	2	4	2	-	2	2	12
31	8	13	1	6	2	3	5	1	2	-	1	-	2	12	3	5	4	4	2	19	13
443	147	208	26	36	16	47	64	16	22	29	15	3	35	142	145	65	85	29	37	181	14
13	5	12	-	3	2	1	3	-	-	2	2	-	-	5	5	3	6	-	-	8	15
24	16	6	-	2	-	3	1	-	3	2	-	1	3	5	5	1	2	-	2	5	16
25	17	27	-	7	2	9	26	1	2	3	-	2	1	9	16	10	14	2	4	28	17
15	30	4	1	-	-	2	6	1	3	1	1	-	-	9	9	4	5	-	1	8	18
6	1	4	-	-	1	2	2	-	-	-	-	-	1	1	3	-	2	-	1	2	19
101	32	24	1	2	3	2	14	-	3	5	1	3	15	13	7	17	12	4	1	29	20
73	13	18	5	2	2	3	6	2	3	2	1	-	1	12	4	14	9	4	3	18	21
67	39	26	10	3	1	9	19	1	3	2	2	1	8	19	31	14	24	2	9	29	22
23	7	15	1	2	-	3	2	1	2	-	-	2	1	5	4	2	5	-	2	6	23
4	4	1	-	1	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	2	24
22	19	10	-	2	1	3	7	1	4	1	1	1	2	5	8	5	9	-	1	8	25
118	17	38	5	8	2	7	10	-	5	4	2	-	2	10	11	11	17	3	2	29	26
65	37	31	2	8	3	9	21	1	5	4	1	2	5	33	28	11	27	5	6	29	27
22	1	-	4	-	-	-	3	-	1	1	-	-	-	4	2	5	2	-	-	4	28
30	7	20	5	3	-	1	15	-	-	4	2	-	3	24	8	10	14	3	4	14	29
22	9	9	-	1	-	2	3	-	2	1	1	-	2	8	4	7	10	1	2	8	30
19	6	6	1	1	-	9	9	-	-	2	-	1	8	20	10	17	16	2	-	17	31
9	2	1	1	-	-	-	2	-	1	1	-	-	2	4	3	2	1	1	1	3	32
244	59	144	9	18	9	11	36	7	12	12	2	2	13	49	19	43	47	16	12	86	33
60	6	10	1	6	4	1	3	1	3	2	-	-	-	6	8	2	9	3	1	14	34
308	57	73	9	19	9	13	29	10	20	15	4	1	16	45	23	57	48	23	12	86	35
58	23	12	3	9	1	2	7	-	2	2	1	-	3	10	15	7	13	8	3	23	36
709	88	131	21	96	20	21	55	13	17	25	6	3	20	57	18	44	59	29	8	215	37
275	88	62	15	16	10	15	28	4	12	10	4	2	19	67	27	37	47	11	16	79	38
29	5	29	3	3	3	12	13	1	1	2	3	-	3	18	5	8	10	-	2	24	39
42	28	19	3	3	3	6	18	1	1	5	1	1	5	12	12	9	11	3	5	25	40
52	3	5	2	2	1	2	14	2	2	2	-	-	2	15	3	8	13	1	7	20	41
40	3	10	1	1	1	1	6	-	-	-	-	1	1	9	5	6	6	-	-	6	42
102	25	25	2	3	2	8	3	4	3	2	-	-	5	16	12	10	10	4	3	26	43
44	25	24	2	2	2	8	17	1	2	9	1	1	5	22	4	10	21	6	3	20	44
12	7	5	2	-	1	-	5	1	-	-	1	-	-	4	2	2	2	1	1	4	45
39	9	8	2	6	3	1	8	-	-	2	3	-	3	9	8	1	13	-	1	6	46
18	5	7	2	1	-	2	7	-	2	2	-	-	1	5	4	6	2	1	1	3	47
6	6	2	-	1	-	4	5	-	-	1	-	2	1	1	1	2	2	-	1	3	48
252	46	42	7	27	11	8	37	7	3	9	6	1	16	19	11	25	42	14	10	79	49
3	1	3	2	1	-	-	3	-	-	-	-	1	-	-	8	1	4	-	-	3	50
19	7	25	1	1	-	1	6	-	1	1	1	1	-	7	8	5	8	2	3	9	51
16	4	10	-	1	2	1	4	2	2	1	-	-	1	4	6	5	4	1	-	14	52
4,556	2,305	2,098	455	457	167	698	1,275	139	274	188	141	123	399	1,721	728	967	1,331	267	511	2,253	53
1,907	871	651	173	170	71	202	387	58	83	99	23	24	174	603	123	341	468	112	216	847	54
2,649	1,434	1,447	282	287	96	496	888	81	191	89	118	99	225	1,118	605	626	863	155	295	1,406	55
12	3	7	-	2	1	4	12	-	1	-	1	-	-	6	4	1	-	-	1	7	56
4	4	8	1	1	-	1	5	-	-	-	-	-	1	5	2	4	4	1	-	2	57
11	5	5	3	1	-	-	3	-	-	-	-	1	1	8	1	4	3	2	-	5	58
5	9	4	-	1	-	1	2	-	-	1	-	1	1	2	1	-	4	-	2	3	59
33	3	12	2	8	-	7	15	1	2	1	1	-	2	12	3	7	11	1	6	6	60
14	4	9	2	1	-	2	1	1	-	-	1	-	1	1	-	2	2	1	-	2	61
15	10	9	3	-	1	7	6	-	2	-	-	1	2	5	-	4	4	3	2	8	62
27	16	10	4	1	1	11	12	2	2	-	-	1	2	16	8	6	7	-	1	14	63
26	17	8	1	2	1	2	7	-	1	1	-	2	1	4	5	5	3	3	1	16	64
22	6	4	2	-	1	1	1	-	-	-	-	-	1	3	1	4	4	-	2	6	65
143	76	90	27	20	6	29	32	7	4	8	3	4	12	38	46	32	39	12	25	86	66
7	2	4	2	-	-	2	3	-	1	1	-	2	3	5	5	-	1	2	2	8	67
1	4	6	3	1	-	4	3	-	1	-	-	1	3	4	1	-	3	1	1	3	68
29	8	12	1	-	2	14	18	-	1	-	3	-	6	5	11	6	9	-	3	7	69
5	2	2	1	-	-	-	5	-	1	-	-	-	2	1	-	2	3	-	-	10	70
24	15	9	12	1	2	6	10	4	-	1	4	4	1	13	1	7	7	2	-	15	71
21	13	20	4	3	1	6	13	-	4	-	-	1	2	19	13	5	9	-	10	24	72
9	5	7	1	2	1	2	6	-	-	1	-	-	1	4	1	6	3	-	2	8	73
12	18	5	2	1	1	2	4	-	1	-	2	-	-	5	5	3	3	1	1	5	74
8	5	4	-	2	1	-	2	-	-	-	3	1	1	3	-	3	4	-	2	8	75
10	6	2	-	2	-	-	2	2	1	-	1	2	1	3	3	1	2	3	1	5	76
52	17	29	4	3	3	8	12	1	4	-	-	1	3	14	3	3	15	3	2	19	77
16	-	5	-	3	1	-	-	-	1	1	-	1	1	2	3	1	-	-	-	4	78
8	6	1	-	-	1	1	-	-	-	-	-	-	1	3	1	2	1	-	1	5	79
306	114	103	14	12	8	21	75	6	12	8	6	7	21	99	2	36	77	12	30	95	80
3	1	3	-	-	-	-	1	-	-	-	-	-	1	5	1	2	1	1	-	3	81
26	11	4	1	2	2	1	6	1	-	4	-	3	1	14	2	3	4	1	-	22	82
18	10	12	1	1	-	2	7	-	1	-	1	-	1	11	6	5	6	1	-	14	83
57	32	29	2	3	-	21	8	-	1	1	4	1	6	19	9	9	16	5	3	15	84
4	1	4	-	1	-	2	3	-	1	-	-	1	-	3	-	2	2	3	-	3	85

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	GEORGIA—Continued																
1	Clayton	128	1	-	-	2	12	4	2	6	2	58	56	14	2	35	-
2	Clinch	72	1	-	-	-	7	2	-	5	1	37	36	16	-	17	-
3	Cobb	426	5	-	1	6	51	13	9	29	7	200	189	35	-	136	11
4	Coffee	175	-	1	-	1	17	6	2	9	3	88	87	31	-	50	-
5	Colquitt	288	4	2	3	2	32	8	2	22	9	119	115	35	-	68	2
6	Columbia	83	-	-	-	2	7	1	2	4	2	39	39	12	-	23	-
7	Cook	107	-	-	-	1	10	4	-	6	2	54	53	18	-	33	-
8	Coweta	265	2	1	-	-	31	11	1	19	6	145	131	50	-	71	2
9	Crawford	51	-	-	-	-	9	3	1	5	-	28	27	10	-	16	1
10	Crisp	180	-	-	-	5	11	6	1	4	1	89	89	18	-	59	2
11	Dade	51	-	-	-	2	5	1	-	4	-	23	22	10	-	12	1
12	Dawson	12	-	-	-	-	-	-	-	-	-	10	10	1	-	8	-
13	Decatur	231	3	-	1	3	24	8	1	15	-	99	94	36	-	52	-
14	De Kalb	978	17	-	2	5	147	38	14	95	15	476	464	116	3	311	9
15	Dodge	146	2	-	-	3	12	4	1	7	1	81	79	27	-	40	2
16	Dooly	141	5	1	-	3	11	3	1	7	-	82	76	28	-	40	-
17	Dougherty	384	6	1	-	9	42	12	5	25	4	179	172	58	-	106	5
18	Douglas	92	1	-	-	1	11	3	-	8	-	41	38	16	-	21	-
19	Early	170	3	2	-	6	17	7	1	9	-	91	89	17	-	70	2
20	Echols	13	-	-	-	1	1	-	-	1	-	10	9	5	-	4	-
21	Effingham	110	-	1	-	-	13	7	-	6	3	50	49	17	-	27	2
22	Elbert	168	1	1	-	1	13	8	-	5	2	87	79	22	-	43	3
23	Emanuel	172	3	-	-	4	12	2	1	9	3	87	83	25	-	57	3
24	Evans	48	1	-	-	1	5	2	-	3	1	24	23	3	-	17	-
25	Fannin	113	2	-	-	3	12	4	-	8	1	52	47	11	-	26	1
26	Fayette	65	1	1	1	1	15	6	2	7	2	27	26	11	1	10	-
27	Floyd	569	17	2	1	7	81	24	5	52	5	293	281	61	2	201	9
28	Forsyth	66	-	-	-	2	12	3	1	8	2	26	25	6	-	16	-
29	Franklin	103	3	-	-	-	15	8	3	4	-	56	54	8	-	43	-
30	Fulton	4,733	99	26	4	27	653	208	71	374	76	2,382	2,301	606	3	1,534	54
31	Gilmer	72	1	-	-	2	2	-	1	1	-	33	33	11	-	22	1
32	Glascock	22	-	-	-	1	3	-	1	2	-	12	11	6	-	5	-
33	Glynn	284	3	1	-	4	31	8	5	10	6	152	148	38	-	103	1
34	Gordon	139	2	-	-	1	14	4	-	10	3	77	74	17	-	51	-
35	Grady	149	-	-	-	-	20	7	-	13	4	81	72	21	-	47	-
36	Greene	147	3	-	-	1	18	7	2	9	4	77	75	8	-	56	2
37	Gwinnett	258	3	-	-	1	30	8	-	22	5	134	131	48	-	74	2
38	Habersham	111	2	-	-	2	14	7	1	6	1	53	50	16	-	30	-
39	Hall	266	6	1	-	10	25	7	2	16	3	121	118	31	2	75	2
40	Hancock	113	4	-	-	2	5	1	-	4	1	64	58	22	-	32	-
41	Haralson	105	1	1	-	1	10	3	2	5	3	54	50	11	-	34	1
42	Harris	92	1	-	-	-	12	3	-	9	1	50	49	20	-	25	1
43	Hart	124	1	-	-	-	11	3	1	7	3	70	66	22	-	41	3
44	Heard	44	-	-	-	-	9	2	-	7	-	21	19	6	-	11	1
45	Henry	163	1	1	1	-	21	11	3	7	2	77	74	19	1	47	3
46	Houston	140	4	1	-	-	10	3	1	6	1	74	73	29	-	40	1
47	Irwin	97	-	2	-	4	5	2	-	3	2	50	47	18	-	27	-
48	Jackson	150	2	-	-	2	17	4	2	11	2	88	79	25	-	50	2
49	Jasper	79	-	-	-	2	11	7	-	4	-	35	34	13	-	19	-
50	Jeff Davis	83	1	-	-	1	4	1	2	1	-	46	44	14	1	26	-
51	Jefferson	196	4	3	-	-	20	8	1	11	6	88	86	25	1	56	2
52	Jenkins	114	1	-	-	1	5	3	-	2	-	50	48	21	-	24	-
53	Johnson	87	1	-	-	2	8	2	-	6	3	46	42	19	-	22	-
54	Jones	66	-	-	-	-	8	3	-	5	1	27	23	6	-	16	-
55	Lamar	96	1	-	-	2	12	6	1	5	-	54	48	18	-	27	1
56	Lanier	30	-	-	-	-	3	-	1	2	-	16	16	6	-	9	2
57	Laurens	350	1	-	-	4	18	7	2	9	4	192	178	29	1	134	5
58	Lee	58	1	1	-	-	8	1	2	5	1	27	27	10	-	16	-
59	Liberty	97	1	-	-	2	4	2	-	2	3	49	46	16	-	26	3
60	Lincoln	64	-	-	-	3	4	2	-	2	-	41	37	6	-	25	2
61	Long	31	-	-	-	-	3	-	-	3	-	14	14	2	1	10	-
62	Lowndes	343	9	1	-	-	31	6	5	20	3	178	171	57	1	105	5
63	Lumpkin	42	-	-	-	-	4	1	-	3	-	22	22	2	-	18	-
64	McDuffie	111	2	-	-	2	15	6	1	8	1	49	49	16	-	27	-
65	McIntosh	86	-	-	-	3	7	1	-	6	2	49	47	14	-	29	-
66	Macon	132	4	-	-	3	11	3	-	8	2	64	63	28	2	31	-
67	Madison	87	1	-	-	1	8	-	1	7	1	51	48	25	-	21	-
68	Marion	66	-	-	-	-	8	4	2	2	-	40	32	17	-	14	-
69	Meriwether	199	2	2	-	4	20	7	1	12	2	97	92	30	-	54	-
70	Miller	75	-	3	1	3	5	-	1	4	-	29	29	10	-	15	-
71	Mitchell	163	-	-	-	1	14	4	2	8	1	82	81	32	-	44	2
72	Monroe	114	-	-	1	-	10	3	1	6	1	60	57	20	-	33	-
73	Montgomery	66	1	-	-	-	5	1	1	3	1	39	34	11	1	22	-
74	Morgan	117	1	-	-	-	13	7	-	6	1	59	59	15	1	35	3
75	Murray	80	-	-	-	2	10	4	-	6	-	40	39	11	-	24	-
76	Muscogee	874	20	5	-	4	86	22	8	56	13	446	426	131	1	237	6
77	Newton	188	3	-	-	4	16	4	-	12	2	98	93	26	-	57	2
78	Oconee	57	-	-	-	-	7	3	2	2	-	31	26	12	1	12	-
79	Oglethorpe	106	2	1	-	-	13	5	-	8	1	55	47	13	-	33	-
80	Paulding	113	1	-	-	2	14	4	1	9	1	54	49	13	-	30	1
81	Peach	132	1	-	-	2	15	2	2	11	1	79	75	12	1	58	1
82	Pickens	63	-	-	-	2	11	2	2	7	2	30	30	16	-	13	-
83	Pierce	77	-	-	-	2	5	1	-	4	1	35	34	11	-	23	-
84	Pike	85	3	-	-	1	6	1	2	3	2	44	38	11	-	27	1
85	Polk	257	4	1	-	1	30	8	3	19	5	129	122	19	-	95	1
86	Pulaski	77	-	-	-	1	8	1	1	6	1	39	37	9	-	24	-
87	Putnam	80	-	-	-	-	10	4	1	5	1	36	36	11	-	24	-
88	Quitman	26	-	-	-	-	5	2	-	3	-	14	13	3	-	9	-

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
19	5	11	-	5	-	2	5	1	1	3	-	-	2	4	3	7	10	-	3	14	1
6	9	2	-	3	-	1	5	-	1	1	-	-	2	7	-	4	2	-	2	2	2
76	33	16	9	8	1	11	19	3	3	1	-	3	8	31	8	18	23	9	5	25	3
19	7	24	3	3	-	1	9	3	2	-	-	-	3	12	5	7	5	4	2	13	4
42	14	10	4	7	1	4	20	-	1	2	-	-	4	34	6	6	12	2	4	26	5
13	8	2	1	2	1	-	4	-	-	1	4	-	-	9	-	1	2	1	2	9	6
12	2	19	1	-	1	1	7	-	1	-	-	1	4	9	1	3	4	2	2	6	7
34	12	23	5	4	1	14	9	-	-	1	2	-	1	12	14	8	6	2	6	19	8
8	2	5	-	-	1	1	-	-	1	-	-	1	-	1	1	1	5	-	2	2	9
11	19	27	6	5	1	-	9	-	3	1	-	1	2	11	14	8	8	-	2	15	10
8	-	3	-	-	-	1	2	-	-	-	-	1	1	6	2	1	2	2	2	2	11
2	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	12
27	11	14	3	2	1	5	9	4	6	1	3	1	3	13	10	9	20	2	2	18	13
187	51	64	9	20	5	12	24	7	9	8	-	1	25	55	12	41	42	18	9	65	14
21	7	10	3	7	2	2	2	-	1	1	1	3	-	7	8	4	5	1	3	11	15
18	9	13	3	5	-	6	4	-	3	1	1	2	2	5	2	3	6	1	3	6	16
53	25	23	1	5	2	7	20	2	1	3	2	3	7	31	10	8	21	2	5	28	17
13	3	5	-	1	-	3	6	1	-	-	1	-	-	8	3	4	6	-	2	7	18
23	31	14	1	1	-	2	8	1	3	-	1	1	1	7	1	7	7	1	2	11	19
1	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	20
5	9	11	1	1	3	1	3	-	1	-	-	2	-	8	13	3	4	-	3	6	21
15	13	12	6	7	1	8	6	5	1	1	5	-	2	7	6	8	4	3	1	14	22
15	10	29	1	-	-	4	7	-	2	2	-	4	1	6	10	5	6	1	3	16	23
9	4	4	1	1	1	1	1	1	1	1	-	-	-	3	1	3	-	-	-	5	24
12	4	9	2	8	-	5	5	-	1	1	-	1	3	4	7	4	10	-	1	6	25
6	-	4	1	3	-	1	1	-	1	-	-	-	1	1	4	3	3	1	1	1	26
105	54	33	3	11	3	12	12	1	4	1	2	-	15	38	12	12	21	6	6	33	27
6	7	3	-	3	-	1	2	1	1	1	-	-	1	3	4	5	-	-	-	6	28
22	15	6	1	2	-	2	4	1	-	1	-	1	-	2	1	5	3	3	2	6	29
812	431	237	60	67	31	81	145	28	41	52	9	6	62	228	29	121	185	38	113	409	30
5	7	9	-	-	-	-	4	1	-	1	-	-	1	5	7	4	5	-	-	6	31
3	-	2	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	3	32
41	31	30	4	3	-	4	10	1	6	1	2	2	-	15	6	7	16	5	2	14	33
17	11	23	3	2	1	3	6	1	-	2	1	-	3	6	2	3	8	-	-	10	34
26	11	10	1	-	3	9	8	-	1	1	3	-	-	7	5	4	6	-	1	8	35
21	26	7	5	4	2	2	10	-	1	-	1	2	1	7	3	2	5	-	2	10	36
44	16	12	3	5	1	3	14	-	2	-	1	-	-	16	6	10	8	1	3	24	37
14	6	10	2	1	1	3	5	-	-	1	1	-	2	4	1	7	5	-	-	13	38
25	21	27	2	6	2	3	13	2	3	-	3	-	3	12	11	15	9	1	2	26	39
10	13	9	-	4	-	6	8	-	2	-	1	-	2	5	4	3	6	1	1	4	40
17	13	3	1	4	-	4	2	-	1	-	-	1	2	13	-	3	4	-	2	7	41
16	5	3	1	1	2	1	1	-	-	-	-	-	1	7	3	4	6	1	1	4	42
22	9	7	2	1	-	4	8	-	-	-	6	-	-	3	3	3	5	1	2	8	43
3	2	5	1	1	-	2	2	-	-	-	-	-	-	1	-	-	2	-	1	8	44
12	15	17	1	4	2	3	6	2	3	-	-	-	-	13	7	3	3	2	3	18	45
17	5	17	1	3	-	1	7	-	1	2	1	1	6	6	2	6	7	4	-	7	46
15	5	7	2	-	-	3	3	-	2	-	-	-	1	6	5	7	5	1	-	4	47
28	6	14	2	1	1	9	6	1	1	2	-	-	-	11	3	2	3	3	2	5	48
13	2	4	-	2	-	1	5	-	-	-	-	-	3	3	4	5	3	-	1	7	49
14	1	11	2	1	-	2	8	1	3	1	3	-	1	3	-	1	3	-	-	7	50
25	20	9	2	2	-	2	11	2	4	-	2	1	1	14	9	7	8	-	5	11	51
8	2	14	2	1	-	2	11	-	3	-	4	1	-	3	11	1	7	2	3	11	52
7	5	10	1	-	-	4	5	-	-	-	-	3	2	3	1	8	3	-	-	2	53
9	5	2	-	1	-	4	6	1	-	1	-	1	1	7	3	3	3	-	2	2	54
13	7	6	2	1	-	6	5	-	1	-	-	-	2	6	-	3	3	1	-	6	55
2	3	2	1	-	-	-	-	-	-	-	-	-	-	3	-	2	2	-	-	4	56
39	54	36	8	5	1	14	29	2	4	2	1	6	1	22	5	12	16	3	5	23	57
12	2	2	1	-	-	-	5	-	-	-	1	-	2	3	4	-	3	-	-	2	58
7	9	7	2	-	2	3	4	-	2	-	2	1	3	2	2	9	5	-	-	8	59
16	4	3	4	-	2	4	1	2	-	-	-	-	1	-	1	1	1	1	1	7	60
6	3	1	-	1	-	-	1	-	-	-	-	-	1	2	4	2	-	1	1	2	61
43	21	36	4	2	2	7	9	4	5	1	5	2	6	12	8	16	20	4	5	24	62
11	3	4	1	1	-	-	2	-	-	-	-	-	1	3	-	1	3	1	-	5	63
16	5	6	-	5	1	-	5	-	3	-	-	-	2	7	1	3	6	-	4	11	64
14	6	9	1	2	1	2	5	-	-	-	-	2	1	-	1	1	6	-	1	8	65
13	14	4	-	1	1	1	4	1	2	-	2	-	-	7	12	1	8	2	2	7	66
11	2	8	2	-	-	3	2	1	-	-	-	-	-	4	-	3	5	-	1	9	67
12	1	1	1	-	-	8	2	-	1	2	-	-	1	3	1	1	4	-	-	3	68
25	16	13	4	3	1	5	10	-	3	-	2	-	3	7	12	5	17	3	3	7	69
7	7	1	-	2	2	-	6	-	1	-	-	-	3	4	-	6	5	-	3	6	70
18	15	9	2	1	2	1	7	1	1	1	-	2	2	18	5	2	10	1	-	15	71
10	10	13	-	3	1	3	4	-	-	-	-	-	1	2	6	5	8	-	4	12	72
10	5	7	-	-	-	5	2	-	-	-	1	-	2	1	2	-	2	1	2	7	73
17	8	7	1	7	-	-	10	-	1	1	1	-	-	6	4	4	4	-	1	11	74
16	5	3	2	2	-	1	5	1	-	-	-	-	1	2	3	3	1	1	1	10	75
123	68	40	34	12	11	20	17	2	4	5	2	2	25	87	5	30	37	10	9	65	76
19	18	18	5	3	2	5	12	1	2	1	1	1	-	3	10	6	6	2	-	20	77
6	3	3	-	-	1	5	-	-	1	-	1	-	1	2	3	1	3	1	1	5	78
12	13	8	1	-	-	8	6	1	1	1	-	-	1	6	3	1	5	1	-	8	79
13	5	11	3	3	-	5	5	2	-	-	1	-	4	4	1	4	7	2	2	9	80
23	30	4	4	-	-	4	4	-	2	-	-	-	-	11	3	3	4	1	1	5	81
6	4	3	-	1	-	-	4	-	1	-	-	1	2	-	-	1	4	-	-	5	82
14	5	4	-	-	-	1	3	1	2	-	-	2	1	5	3	4	7	1	-	5	83
13	3	10	-	-	-	6	2	2	2	-	-	-	-	5	4	2	1	-	2	9	84
63	23	8	5	2	1	7	10	1	1	2	-	1	2	14	5	10	15	2	1	23	85
12	4	8	2	2	-	2	6	-	2	-	2	2	1	4	2	-	2	-	1	6	86
6	7	11	1	-	-	-	4	-	2	1	-	1	-	7	1	-	5	1	2	9	87
4	3	2	-	-	1	1	1	-	-	-	-	-	-	1	1	1	-	-	1	2	88

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	GEORGIA—Continued																
1	Rabun	69	-	-	-	-	4	2	-	2	3	46	42	9	-	33	2
2	Randolph	127	-	2	-	2	11	5	1	5	2	71	69	21	-	44	-
3	Richmond	1,146	29	10	1	10	119	33	14	72	23	624	602	199	-	355	11
4	Rockdale	77	-	-	-	-	20	9	2	9	1	31	29	2	-	26	1
5	Schley	50	1	2	-	-	2	-	-	2	1	26	22	8	-	12	-
6	Screven	149	4	-	-	1	9	3	-	6	-	77	77	35	-	37	1
7	Seminole	88	-	-	-	5	11	3	-	8	1	34	34	8	1	25	-
8	Spalding	310	2	1	-	1	45	18	6	21	3	146	134	48	-	79	-
9	Stephens	136	1	-	-	4	13	6	1	6	2	73	67	12	-	53	1
10	Stewart	103	-	1	-	1	15	6	1	8	-	50	50	23	1	25	-
11	Sumter	244	2	1	-	2	30	10	1	19	3	125	123	47	-	67	3
12	Talbot	66	-	1	-	2	7	3	-	4	1	37	35	14	-	20	6
13	Taliaferro	41	1	-	-	-	3	1	1	1	-	18	17	7	-	9	-
14	Tattnall	121	1	-	-	2	12	5	2	5	-	63	62	21	-	35	2
15	Taylor	84	2	1	-	2	9	4	1	4	1	47	45	16	-	24	-
16	Telfair	123	-	-	-	3	11	1	1	9	2	67	65	19	1	35	1
17	Terrell	190	2	-	-	2	25	10	1	14	5	78	76	28	1	45	2
18	Thomas	337	3	2	1	3	33	6	2	25	4	184	177	69	-	93	4
19	Tift	221	1	2	2	3	18	4	2	12	2	105	102	26	1	71	1
20	Toombs	158	-	-	-	4	14	5	3	6	1	76	73	14	-	55	1
21	Towns	23	-	-	-	1	5	3	-	2	-	11	11	3	1	5	-
22	Treutlen	57	-	1	-	2	7	3	-	4	-	30	22	12	-	10	2
23	Troup	509	12	1	1	12	48	16	5	27	5	260	245	78	1	148	1
24	Turner	72	-	-	-	1	5	1	3	1	-	38	38	18	-	20	1
25	Twiggs	71	1	1	-	1	3	-	-	3	-	35	32	14	-	17	-
26	Union	49	1	-	-	1	4	3	-	1	-	24	23	11	-	10	-
27	Upson	183	3	1	-	-	17	7	-	10	2	97	97	34	-	56	1
28	Walker	264	8	3	2	2	34	9	4	21	1	123	118	36	1	73	4
29	Walton	191	2	-	-	2	17	7	2	8	3	97	96	36	-	46	1
30	Ware	262	2	2	2	1	27	8	3	16	2	142	133	42	1	89	-
31	Warren	80	2	-	-	-	5	3	-	2	2	44	36	19	-	15	-
32	Washington	218	2	4	-	4	14	4	1	9	5	100	97	25	-	59	1
33	Wayne	116	-	-	-	2	9	2	3	4	1	53	51	12	1	34	-
34	Webster	35	1	-	-	-	4	4	-	-	-	19	18	10	-	5	-
35	Wheeler	52	1	-	-	-	10	4	-	6	1	22	21	6	-	15	-
36	White	46	-	1	-	-	7	3	1	3	1	22	19	3	-	14	-
37	Whitfield	271	6	2	-	6	39	9	1	29	5	117	116	32	2	65	2
38	Wilcox	84	1	1	-	1	9	4	-	5	2	49	47	13	-	31	1
39	Wilkes	135	1	1	-	-	18	8	-	10	3	69	65	16	-	44	3
40	Wilkinson	89	1	-	-	1	10	1	1	8	1	40	39	10	-	29	-
41	Worth	186	2	-	-	4	21	7	1	13	1	75	72	35	-	33	1
42	IDAHO	4,876	43	8	22	31	649	229	46	374	79	2,424	2,351	558	5	1,618	101
43	Nonmetropolitan counties	4,876	43	8	22	31	649	229	46	374	79	2,424	2,351	558	5	1,618	101
44	Ada	623	3	1	1	1	92	35	4	53	8	336	328	76	-	232	15
45	Adams	23	1	-	-	-	4	-	-	4	-	10	10	2	-	8	1
46	Bannock	353	4	-	2	5	44	13	4	27	4	150	145	30	-	100	10
47	Bear Lake	56	-	-	-	-	6	2	-	4	3	33	33	7	-	21	5
48	Benewah	67	-	-	1	1	5	2	2	1	1	39	39	12	-	23	1
49	Bingham	170	5	1	1	1	26	13	-	13	-	68	66	17	-	44	1
50	Blaine	55	1	-	-	1	13	7	2	4	-	23	23	5	-	17	2
51	Boise	10	-	-	-	-	1	-	1	-	-	6	6	-	-	6	-
52	Bonner	135	1	-	1	-	13	6	1	6	2	74	72	19	-	46	-
53	Bonneville	212	1	-	3	3	26	7	-	19	1	108	104	23	1	72	3
54	Boundary	50	-	-	-	-	8	2	2	4	2	30	30	5	-	23	2
55	Butte	19	-	-	-	-	5	-	1	4	1	9	9	3	-	4	-
56	Camas	10	-	-	-	-	-	-	-	-	-	7	6	2	-	4	1
57	Canyon	443	2	-	-	2	62	22	4	36	13	220	212	51	-	148	6
58	Caribou	37	1	-	-	1	7	3	2	2	-	18	18	7	-	10	1
59	Cassia	87	-	-	1	-	6	-	-	6	1	37	36	6	-	26	2
60	Clark	10	1	-	-	1	1	1	-	-	-	4	4	-	-	4	-
61	Clearwater	83	1	-	-	1	11	2	-	9	-	48	48	11	-	33	1
62	Custer	22	-	-	-	-	3	3	-	-	-	12	11	4	-	6	-
63	Elmore	72	-	-	2	1	12	6	1	5	2	28	25	8	-	16	2
64	Franklin	58	-	-	-	1	7	4	-	3	3	34	34	14	-	19	1
65	Fremont	77	-	-	-	-	12	4	1	7	3	28	28	4	-	20	1
66	Gem	85	-	-	-	-	12	6	-	6	1	50	49	8	-	36	1
67	Gooding	74	-	-	1	-	9	2	-	7	1	35	35	13	-	18	1
68	Idaho	99	-	-	-	1	10	4	-	6	1	41	38	6	-	32	2
69	Jefferson	72	2	-	-	-	13	6	1	6	-	34	34	6	-	28	3
70	Jerome	81	1	-	1	-	12	6	-	6	-	37	36	12	-	23	2
71	Kootenai	278	5	-	1	1	50	20	1	29	7	157	156	36	-	111	3
72	Latah	134	1	1	1	-	22	9	3	10	4	72	69	20	-	40	5
73	Lemhi	59	1	-	-	-	7	3	1	3	1	25	21	6	-	14	-
74	Lewis	40	-	-	-	1	3	1	-	2	2	18	14	5	-	8	1
75	Lincoln	23	-	-	-	-	2	1	-	1	-	10	10	1	-	8	1
76	Madison	65	1	-	1	-	9	2	1	6	1	25	23	4	-	17	1
77	Minidoka	75	-	-	3	-	11	2	2	7	1	38	38	6	-	27	1
78	Nez Perce	234	-	-	-	3	21	7	3	11	3	122	121	30	-	82	5
79	Oneida	41	-	1	-	-	2	1	1	-	-	22	22	7	1	13	2
80	Owyhee	40	-	-	-	-	7	4	-	3	1	19	18	4	-	12	-
81	Payette	107	2	-	1	-	15	3	1	11	1	56	55	13	-	38	3
82	Power	32	-	1	-	-	2	-	-	2	-	15	15	2	-	13	-
83	Shoshone	215	7	-	-	-	22	4	4	14	7	89	85	15	2	66	2
84	Teton	11	-	-	-	-	1	-	-	1	-	7	6	2	-	4	1

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
15	13	3	-	-	-	4	3	-	-	-	-	-	-	2	1	2	6	-	-	2	1
15	16	13	3	-	1	2	3	1	-	1	-	1	3	-	7	5	6	1	2	9	2
194	82	68	14	27	7	22	51	5	8	11	2	-	12	42	6	43	49	6	22	73	3
18	3	4	1	-	-	2	6	-	1	1	3	-	-	1	1	5	1	1	2	3	4
6	3	3	-	2	-	4	1	-	1	1	-	2	1	2	-	-	4	-	-	6	5
14	12	10	2	1	2	-	6	1	2	-	1	1	-	11	18	2	4	-	2	10	6
6	3	16	-	-	-	-	9	1	2	1	-	-	2	5	3	3	1	1	-	9	7
41	11	27	3	2	2	12	8	-	2	-	1	2	6	31	8	12	16	6	2	18	8
36	10	6	-	2	-	6	4	3	-	1	-	-	3	5	1	5	4	1	2	14	9
14	6	5	-	1	-	-	6	-	1	1	1	-	-	4	-	6	2	-	3	12	10
23	18	23	4	3	2	2	12	-	3	-	1	-	-	14	7	6	11	2	3	22	11
7	3	4	-	-	1	2	2	-	-	1	-	-	-	3	1	2	2	-	3	4	12
6	2	1	-	1	-	1	3	-	-	-	-	-	1	3	2	1	4	-	1	4	13
15	9	9	4	1	1	1	6	-	1	1	-	1	-	8	5	4	4	2	4	7	14
17	2	5	3	2	-	2	3	-	-	-	-	1	1	2	3	4	2	-	2	4	15
24	2	8	7	3	-	2	5	-	1	1	1	-	3	5	4	5	3	2	1	9	16
23	6	14	-	2	-	2	6	1	3	3	-	2	1	15	12	5	5	2	6	17	17
52	27	10	8	5	2	7	17	1	2	4	2	1	1	18	6	7	16	2	3	27	18
32	28	10	4	-	-	3	4	-	6	2	3	1	4	22	11	4	11	1	7	12	19
32	13	9	3	1	-	3	7	-	3	2	2	3	2	9	4	10	8	2	3	8	20
1	2	2	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	21
2	2	4	-	-	-	8	-	-	1	-	-	-	1	1	3	3	4	1	1	2	22
82	27	38	7	11	-	15	24	3	6	3	1	-	2	38	7	18	16	2	20	30	23
12	4	3	-	-	-	-	7	-	1	-	-	1	-	5	3	3	7	-	-	1	24
5	6	6	-	1	-	3	4	-	1	-	-	1	-	6	4	2	6	-	2	4	25
2	2	6	1	-	1	1	2	-	-	1	-	-	2	5	2	2	2	-	-	3	26
29	14	12	3	4	-	-	11	-	4	1	-	-	2	10	6	4	11	1	5	8	27
46	10	13	5	1	2	5	16	-	1	4	-	-	2	12	12	12	8	2	3	19	28
24	14	7	8	4	2	1	13	1	2	-	1	1	1	11	4	8	7	1	5	15	29
33	25	31	-	1	-	9	7	1	1	2	-	-	3	11	8	16	12	1	6	16	30
14	1	-	1	-	1	8	8	-	-	2	-	1	-	3	3	1	2	-	1	6	31
26	12	20	7	5	1	3	11	1	2	-	6	-	2	19	7	4	17	3	7	10	32
20	7	7	1	3	-	2	6	1	1	-	-	-	3	4	1	8	8	2	2	15	33
1	4	-	1	1	1	1	-	-	-	-	-	-	1	4	1	1	1	-	1	2	34
7	2	6	-	-	-	1	5	1	-	1	-	-	-	1	4	1	1	-	-	4	35
5	6	3	1	1	-	3	3	-	1	-	-	-	2	3	-	-	2	1	1	2	36
35	11	17	12	2	3	1	8	-	3	-	1	1	7	28	5	6	10	-	6	21	37
9	13	8	2	1	-	2	3	-	-	-	-	-	-	2	2	4	-	-	2	8	38
20	13	8	2	3	-	4	2	-	-	-	1	-	2	7	3	2	11	1	1	13	39
11	6	12	-	-	-	1	3	-	-	1	-	-	-	3	7	7	5	1	4	5	40
10	8	14	1	2	1	3	6	-	5	1	1	1	-	18	13	7	17	1	2	11	41
978	217	322	31	98	41	73	145	33	17	33	11	11	96	249	93	193	297	75	13	354	42
978	217	322	31	98	41	73	145	33	17	33	11	11	96	249	93	193	297	75	13	354	43
158	33	26	9	9	2	8	18	2	5	3	2	1	4	24	19	23	22	8	1	49	44
5	1	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	4	-	-	1	45
63	15	12	2	8	5	5	10	3	1	2	-	1	17	30	13	11	20	4	2	30	46
9	3	4	-	3	2	-	1	-	-	-	-	-	2	3	1	3	2	-	-	2	47
15	5	2	-	4	-	-	2	-	1	2	-	-	-	3	3	2	4	-	-	3	48
29	5	9	3	1	1	2	7	1	-	3	-	-	9	5	8	4	12	2	-	17	49
10	4	1	-	-	1	-	4	-	1	1	-	-	-	1	2	-	6	-	-	2	50
4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	51
24	2	20	1	4	2	2	4	2	-	-	-	-	5	9	-	5	11	-	-	8	52
47	14	8	1	5	2	4	3	3	-	-	-	-	4	15	6	7	14	4	-	14	53
10	3	8	1	-	1	-	-	-	-	1	-	-	-	2	-	2	3	-	-	2	54
4	-	-	-	1	1	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	55
3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	56
83	26	33	1	9	3	8	18	4	-	1	-	1	8	21	7	16	24	12	2	30	57
5	1	3	-	1	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	4	58
19	-	7	-	1	1	1	5	1	-	-	-	-	3	6	2	5	8	1	1	10	59
2	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	60
16	2	14	2	2	-	-	3	-	-	1	-	-	-	2	1	3	8	1	1	2	61
4	-	2	-	1	-	1	-	-	-	-	-	-	-	3	1	-	1	-	-	2	62
6	3	5	-	-	1	3	1	2	1	1	-	1	1	1	-	7	4	2	-	6	63
12	3	3	1	-	-	-	1	-	-	-	-	1	-	1	1	4	3	-	-	2	64
16	-	3	-	3	1	-	1	-	-	-	-	-	4	10	-	6	5	1	-	7	65
20	6	9	1	3	1	1	4	-	1	-	-	-	1	5	-	3	2	-	-	6	66
13	1	3	1	2	1	-	2	-	-	1	1	-	2	5	-	2	5	2	-	8	67
18	3	9	-	-	-	3	10	1	-	1	-	-	1	6	-	5	9	4	1	8	68
10	9	6	-	-	-	-	-	1	-	1	-	-	1	4	1	3	5	4	-	3	69
16	2	3	1	-	-	1	4	-	1	-	-	-	2	5	1	3	8	2	-	4	70
64	18	26	1	3	5	1	4	2	-	-	-	-	-	9	1	9	9	8	1	14	71
24	3	8	1	8	-	3	4	1	-	-	3	1	2	6	-	3	6	3	-	4	72
7	4	3	-	1	-	4	-	1	-	-	-	1	1	2	2	2	6	4	-	6	73
2	1	4	-	1	-	4	2	-	-	-	-	-	1	1	-	1	3	3	-	5	74
7	-	-	-	1	-	-	-	-	-	1	-	-	1	2	3	-	2	-	-	2	75
10	1	5	1	1	-	2	1	-	2	-	-	-	4	6	3	4	2	-	-	6	76
17	2	7	-	4	1	-	-	1	-	2	-	-	1	2	-	6	3	1	1	5	77
42	17	18	2	5	2	1	7	2	3	1	3	1	2	15	5	11	12	3	1	19	78
5	2	4	-	-	1	-	1	-	-	1	-	-	1	2	-	2	2	-	-	7	79
8	2	2	-	2	-	1	-	-	-	-	1	-	-	1	1	3	5	1	-	1	80
22	3	10	-	4	-	1	-	1	-	1	-	1	3	2	1	5	8	1	-	9	81
8	-	5	-	-	-	-	4	-	1	1	-	1	-	2	1	-	3	-	-	1	82
49	6	9	-	1	1	4	6	2	-	2	-	-	5	15	-	11	24	2	1	22	83
3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	84

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	IDAHO—Continued																
1	Twin Falls	312	2	2	1	6	44	13	2	29	4	159	151	36	1	104	10
2	Valley	25	-	-	-	-	3	1	1	1	-	12	12	2	-	8	-
3	Washington	102	-	1	-	-	8	2	-	6	-	59	56	18	-	32	2
4	Yellowstone Nat. Park (pt.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	ILLINOIS	94,203	1,575	334	253	312	15,005	5,924	1,725	7,356	1,528	53,467	51,990	9,794	75	39,236	1,264
6	Metropolitan counties	66,842	1,323	242	159	199	10,916	4,352	1,344	5,220	1,033	37,734	36,769	6,391	48	28,519	928
7	Nonmetropolitan counties	27,361	252	92	94	113	4,089	1,572	381	2,136	495	15,753	15,221	3,403	27	10,717	336
8	Adams	907	13	5	1	3	139	62	12	65	14	544	535	136	-	363	7
9	Alexander	293	7	3	-	1	29	13	1	15	6	165	150	34	2	100	16
10	Bond	154	1	-	-	5	31	18	2	11	1	73	65	13	-	48	2
11	Boone	220	1	-	-	1	35	19	5	11	1	126	120	25	-	91	4
12	Brown	97	1	1	-	-	14	2	2	10	1	65	59	16	-	41	2
13	Bureau	450	5	3	-	-	73	30	8	35	14	247	241	61	-	169	5
14	Calhoun	54	-	1	-	-	4	1	1	2	-	32	32	8	-	22	2
15	Carroll	218	1	2	-	1	34	15	3	16	5	126	123	26	-	81	6
16	Cass	206	-	1	-	1	33	12	3	18	3	129	128	29	-	89	2
17	Champaign	771	5	1	8	4	121	39	11	71	12	412	400	98	1	269	11
18	Christian	422	5	2	-	1	59	23	4	32	8	240	237	45	1	177	7
19	Clark	205	-	-	2	-	24	9	2	13	7	120	118	28	-	76	-
20	Clay	177	1	1	3	-	25	8	4	13	-	97	94	22	-	70	-
21	Clinton	218	2	-	-	-	31	17	3	11	2	122	115	35	-	75	2
22	Coles	475	-	1	8	1	62	14	9	39	10	285	260	57	-	185	2
23	Cook	49,354	1,149	173	105	133	8,232	3,364	1,039	3,829	759	28,218	27,482	4,421	37	21,850	696
24	Crawford	234	1	-	-	1	39	17	4	18	4	136	127	18	-	98	4
25	Cumberland	133	5	-	1	1	18	8	-	10	1	74	73	19	-	46	-
26	De Kalb	438	2	2	3	-	61	22	8	31	10	254	233	58	-	159	6
27	De Witt	209	-	-	-	-	40	15	4	21	8	121	113	22	-	85	-
28	Douglas	192	1	1	3	1	32	11	3	18	4	108	95	15	-	70	-
29	Du Page	1,340	6	4	14	6	246	94	25	127	18	711	698	143	2	525	24
30	Edgar	291	-	-	2	2	59	17	6	36	2	170	160	42	-	110	3
31	Edwards	114	-	-	-	-	13	6	1	6	1	74	72	20	-	45	3
32	Effingham	228	1	1	2	1	35	17	4	14	9	122	118	28	-	83	4
33	Fayette	267	3	2	3	1	36	18	3	15	6	157	150	35	-	101	7
34	Ford	185	1	-	1	-	29	8	4	17	6	98	95	28	-	62	1
35	Franklin	551	12	6	2	-	70	30	9	31	13	311	294	49	1	224	7
36	Fulton	495	4	1	-	3	75	37	6	32	5	293	286	80	-	177	8
37	Gallatin	103	1	1	-	-	14	4	-	10	4	63	60	15	-	41	3
38	Greene	211	3	-	-	1	30	10	2	18	-	124	122	26	-	92	1
39	Grundy	208	1	-	-	1	29	15	2	12	4	119	116	33	-	74	3
40	Hamilton	122	2	-	-	-	16	5	-	11	1	77	74	20	-	49	3
41	Hancock	355	1	1	1	2	62	25	4	33	1	199	191	42	-	138	4
42	Hardin	76	6	-	-	-	14	5	2	7	-	37	33	7	-	26	1
43	Henderson	94	2	-	-	-	11	2	3	6	1	53	52	9	-	41	-
44	Henry	549	6	3	1	1	80	37	10	33	13	320	306	68	-	216	6
45	Iroquois	358	1	-	1	1	61	25	2	34	5	213	206	54	-	141	5
46	Jackson	427	6	-	1	4	56	22	10	24	5	255	245	58	-	170	2
47	Jasper	133	1	1	1	1	24	10	3	11	-	68	65	15	-	49	-
48	Jefferson	386	5	-	1	1	54	17	9	28	7	194	185	40	-	135	4
49	Jersey	158	3	-	-	1	27	12	1	14	3	92	92	18	2	64	2
50	Jo Daviess	259	1	-	-	1	40	13	2	25	1	154	149	35	-	103	-
51	Johnson	105	-	-	-	-	14	4	1	9	4	63	61	13	-	42	-
52	Kane	1,559	7	6	9	1	248	92	31	125	27	889	871	210	2	607	17
53	Kankakee	645	4	1	1	1	110	39	8	63	9	368	355	62	-	274	10
54	Kendall	136	1	-	1	-	21	7	2	12	3	83	79	21	-	56	1
55	Knox	626	6	3	2	1	103	37	11	55	10	381	377	86	-	262	8
56	Lake	1,573	5	6	11	4	284	104	29	151	15	785	772	145	1	566	18
57	La Salle	1,157	10	5	2	8	180	76	17	87	31	658	637	151	2	460	21
58	Lawrence	218	-	1	-	1	32	14	1	17	4	132	127	34	-	82	3
59	Lee	387	2	1	4	2	52	21	2	29	2	212	206	33	1	166	4
60	Livingston	418	3	1	-	1	59	24	7	28	1	256	252	48	-	187	5
61	Logan	305	4	1	-	-	58	22	6	30	5	178	172	24	-	139	3
62	McDonough	342	2	3	1	3	40	15	-	25	10	214	211	61	-	132	1
63	McHenry	557	3	1	2	2	85	37	6	42	11	308	295	54	-	224	2
64	McLean	851	6	6	3	2	116	41	10	65	17	519	507	99	2	365	10
65	Macon	962	9	5	2	4	149	50	10	89	22	525	518	104	-	379	12
66	Macoupin	578	6	1	1	3	95	36	6	53	18	329	326	57	-	246	4
67	Madison	1,724	19	3	3	14	253	85	32	136	19	924	893	189	-	628	24
68	Marion	498	4	3	4	4	82	27	8	47	9	272	258	60	1	173	6
69	Marshall	164	1	-	1	-	22	9	1	12	1	105	104	22	1	73	8
70	Mason	166	2	-	-	2	31	12	2	17	4	91	88	22	-	61	2
71	Massac	181	3	1	-	2	27	15	1	11	1	84	82	20	-	58	1
72	Menard	119	1	1	1	-	22	5	1	16	2	64	61	15	-	42	1
73	Mercer	205	-	-	-	1	29	13	-	16	8	126	123	21	-	98	1
74	Monroe	153	-	-	-	1	27	14	-	13	2	82	81	15	-	63	2
75	Montgomery	395	3	3	1	-	56	17	7	32	5	235	229	51	-	173	5
76	Morgan	404	2	1	2	1	58	16	8	34	6	249	247	91	-	142	5
77	Moultrie	189	3	-	2	2	21	6	-	15	2	117	116	30	-	82	5
78	Ogle	360	4	1	1	1	54	19	5	30	4	223	218	39	1	154	1
79	Peoria	1,756	18	11	-	11	261	82	33	146	29	1,008	979	207	-	722	46
80	Perry	252	2	-	1	4	43	17	2	24	5	145	139	29	-	99	2
81	Piatt	170	2	-	-	1	23	10	4	9	2	97	95	18	-	69	4
82	Pike	257	1	-	1	1	34	11	2	21	2	148	146	42	-	85	4
83	Pope	63	-	-	-	-	8	3	-	5	3	35	34	5	-	25	5
84	Pulaski	165	3	2	-	2	19	8	-	11	7	79	75	20	1	45	3
85	Putnam	56	2	-	-	-	7	3	-	4	1	29	29	2	-	25	-

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
62	14	18	1	6	3	8	13	2	-	1	1	1	7	16	1	11	20	1	1	19	1
7	-	1	-	2	-	-	1	-	-	2	-	-	-	1	-	2	1	-	-	3	2
20	2	8	1	2	3	3	2	1	-	-	-	-	2	-	7	7	6	1	-	8	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
23,814	5,105	9,053	763	1,670	452	1,497	2,799	550	322	1,054	168	95	1,004	3,144	471	2,200	3,223	869	409	5,401	5
17,301	3,733	6,557	509	972	330	965	1,994	422	217	884	117	57	717	2,402	335	1,455	2,117	588	368	3,563	6
6,513	1,372	2,496	254	698	122	532	805	128	105	170	51	38	287	742	136	745	1,106	281	41	1,838	7
226	46	84	10	23	3	9	28	7	-	10	-	2	2	21	4	17	26	9	-	62	8
44	15	25	3	10	1	15	7	3	1	1	-	1	4	17	1	7	12	5	2	21	9
34	2	10	2	2	-	8	6	2	-	1	1	-	1	5	-	5	7	-	-	15	10
64	12	11	2	2	-	6	9	-	1	2	-	1	6	9	1	5	9	4	-	9	11
27	2	10	1	1	-	6	1	-	-	-	-	-	-	-	1	1	-	4	-	8	12
94	25	45	3	5	3	6	11	3	3	5	4	-	1	19	-	10	14	4	-	34	13
10	1	9	-	2	-	-	2	-	-	1	-	1	-	1	-	2	4	1	3	2	14
47	7	21	4	8	4	3	7	-	1	4	1	1	1	4	-	5	5	8	-	12	15
61	12	14	1	8	1	1	6	-	1	3	-	-	-	3	-	3	12	2	-	9	16
164	38	56	8	22	2	12	15	6	5	6	3	-	12	33	-	22	25	6	2	73	17
111	18	41	6	4	4	3	14	2	1	4	-	-	3	9	2	7	27	5	1	32	18
31	11	34	4	10	-	2	5	1	-	-	-	-	-	9	2	5	13	2	-	15	19
35	11	24	-	2	-	3	12	1	-	1	-	1	3	7	2	4	2	2	-	15	20
31	15	27	1	4	-	7	7	1	3	1	1	-	3	7	2	10	9	-	-	17	21
116	23	44	8	9	1	25	21	2	3	2	2	3	5	5	1	19	14	3	-	28	22
13,132	2,825	5,197	369	577	228	736	1,509	306	152	730	81	39	463	1,632	209	955	1,418	385	312	2,394	23
48	4	42	2	6	3	9	11	1	1	-	-	-	1	3	-	8	13	4	-	11	24
26	6	14	1	7	-	1	4	1	1	-	2	-	2	2	-	4	6	1	-	10	25
114	8	31	5	10	1	21	12	-	1	3	-	-	6	11	1	15	21	5	-	31	26
44	11	30	1	3	2	8	7	2	1	2	-	-	2	4	-	4	7	2	-	9	27
50	8	12	3	3	4	13	4	1	2	-	-	-	-	3	-	4	5	3	-	20	28
320	62	119	8	14	6	13	29	7	2	10	-	-	14	56	18	36	48	9	2	104	29
83	8	16	4	4	-	10	1	3	1	-	-	-	1	6	1	7	8	4	1	23	30
23	5	14	-	7	-	2	3	1	-	-	-	-	1	1	4	5	3	2	-	6	31
48	9	22	3	4	-	4	7	-	-	3	1	-	1	6	1	12	8	3	-	15	32
45	12	37	1	11	2	7	12	-	3	-	1	-	2	9	1	11	8	3	-	9	33
31	9	21	-	5	-	3	11	-	-	1	-	-	3	11	-	3	8	2	-	11	34
136	29	52	1	17	2	17	15	3	3	2	2	-	2	9	5	15	23	9	-	49	35
105	20	44	13	16	-	7	7	2	2	3	1	2	4	14	1	13	20	6	-	39	36
18	7	13	3	1	-	3	2	-	1	2	-	-	-	1	-	4	2	-	-	8	37
49	10	32	1	3	-	2	9	2	2	1	1	-	2	5	3	5	12	2	1	8	38
47	11	13	3	5	1	3	2	-	1	6	1	-	5	8	1	9	7	2	-	12	39
23	10	13	1	3	1	3	4	1	1	-	-	-	-	1	-	4	5	-	-	10	40
84	5	45	3	8	-	8	14	1	1	3	3	2	2	8	1	8	18	8	-	19	41
18	2	5	-	-	-	4	5	-	-	-	-	1	-	1	-	1	6	-	-	5	42
29	1	11	-	2	-	1	5	2	1	-	-	-	2	-	1	4	5	1	-	6	43
148	30	32	6	10	6	14	19	3	-	3	4	1	8	20	-	8	14	2	1	42	44
91	16	29	2	6	3	7	11	2	-	1	-	-	3	6	4	4	14	4	-	27	45
111	20	37	4	10	3	10	13	2	2	2	2	1	9	13	4	3	24	3	1	21	46
29	8	12	-	1	-	3	8	-	1	2	-	-	2	3	-	4	4	2	1	10	47
78	17	36	2	8	-	9	14	-	-	3	-	-	7	15	17	12	14	2	1	39	48
34	8	20	1	7	-	-	4	-	-	2	-	-	-	3	-	3	8	2	-	10	49
63	8	32	1	8	2	5	8	1	1	4	-	-	5	10	-	2	9	6	-	16	50
30	5	7	-	6	-	2	4	-	1	-	-	-	2	1	-	6	2	-	-	8	51
394	59	137	13	27	12	18	42	9	1	12	3	1	20	53	6	33	61	20	1	110	52
190	33	41	3	15	1	13	22	4	2	4	-	2	11	22	2	19	16	7	4	36	53
28	10	17	-	2	-	4	1	1	1	-	1	1	-	2	1	5	5	1	-	8	54
192	28	34	10	15	4	4	11	-	1	4	-	2	8	14	2	14	17	3	-	44	55
382	81	85	14	25	21	13	38	10	9	15	2	3	24	96	7	67	52	26	7	107	56
285	54	100	6	15	3	21	28	6	2	8	1	1	14	25	7	23	48	9	-	91	57
57	7	15	2	7	2	5	5	1	3	-	-	-	6	7	2	4	8	-	-	12	58
94	21	47	3	2	1	6	10	3	3	3	-	-	7	12	-	17	15	7	-	35	59
112	19	51	2	13	2	4	13	-	-	2	1	1	5	12	1	20	11	3	4	24	60
70	27	39	2	6	1	6	12	-	1	1	-	-	5	5	-	7	14	2	-	12	61
73	13	45	6	11	1	3	4	-	1	1	1	1	-	8	-	5	16	4	-	28	62
138	37	47	8	9	-	13	8	4	4	3	1	-	5	28	1	18	30	4	-	39	63
225	61	69	10	28	3	12	18	6	2	6	1	1	9	25	2	25	34	6	1	46	64
227	56	84	9	21	5	7	28	8	4	9	2	1	12	46	10	26	34	8	3	55	65
126	51	65	6	12	5	3	19	3	1	9	-	1	5	8	-	11	23	6	2	37	66
323	91	190	14	53	9	31	53	11	6	12	3	4	33	91	11	43	88	17	7	110	67
102	20	45	3	17	4	14	14	-	1	4	1	-	5	9	2	19	25	9	1	30	68
42	6	17	1	3	4	1	8	-	-	1	-	-	3	3	-	3	5	1	-	10	69
35	5	19	1	4	-	3	1	1	1	-	-	-	2	5	2	9	3	3	-	9	70
27	19	11	-	4	-	2	4	-	2	-	-	2	3	4	4	6	10	3	2	23	71
22	4	15	2	2	-	3	5	1	-	-	-	-	1	5	-	-	7	3	-	6	72
61	11	25	-	3	1	3	8	1	-	-	-	2	3	8	1	2	4	2	-	10	73
51	3	7	-	3	-	1	4	-	1	3	-	-	2	10	-	2	8	4	-	7	74
93	23	52	2	2	1	6	21	1	-	2	2	-	3	8	5	13	17	2	-	18	75
98	7	32	3	9	2	2	13	-	-	1	-	-	1	13	1	14	26	3	-	13	76
62	3	12	-	3	1	1	6	1	-	1	-	-	3	2	2	3	12	2	-	10	77
89	27	37	6	11	7	5	6	4	1	-	-	1	3	5	5	7	9	2	-	29	78
440	96	140	10	32	8	29	34	13	5	13	2	4	27	58	5	41	71	22	5	118	79
64	9	24	1	9	1	6	8	-	1	-	-	-	4	9	1	8	7	2	-	12	80
35	9	21	3	3	2	2	4	2	2	1	-	1	2	7	2	8	4	1	-	11	81
50	19	12	6	12	1	2	13	2	2	1	-	-	-	3	4	8	10	4	-	23	82
12	4	4	-	4	-	1	-	-	-	-	-	-	-	-	1	1	7	-	1	7	83
27	5	10	1	8	-	4	6	-	2	2	-	-	2	8	-	4	10	1	2	16	84
22	-	3	-	1	1	-	1	-	-	1	1	-	1	4	1	-	2	1	2	3	85

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ILLINOIS—Continued																
1	Randolph	352	3	1	-	1	59	23	7	29	5	194	190	53	-	121	2
2	Richland	179	4	-	1	-	28	16	1	11	5	101	99	21	1	68	2
3	Rock Island	1,401	13	11	-	3	217	99	22	96	21	737	726	144	3	499	8
4	St. Clair	2,239	37	8	6	7	280	99	32	149	40	1,209	1,161	216	1	859	14
5	Saline	392	11	1	-	1	65	26	8	31	10	201	190	32	1	146	5
6	Sangamon	1,499	18	4	1	1	245	85	31	129	24	847	833	170	1	613	18
7	Schuyler	108	-	-	-	-	15	9	3	3	5	69	67	15	-	43	2
8	Scott	89	1	-	-	1	14	4	3	7	1	53	51	9	-	39	-
9	Shelby	272	2	-	3	-	46	18	4	24	5	160	153	34	-	105	2
10	Stark	94	1	-	-	-	18	8	3	7	1	53	52	10	2	35	-
11	Stephenson	491	1	4	3	2	84	26	10	48	12	285	264	73	-	175	4
12	Tazewell	625	6	5	1	3	107	43	15	49	14	315	311	79	-	209	13
13	Union	199	2	-	-	-	26	12	3	11	1	119	115	13	-	92	3
14	Vermilion	1,031	16	6	7	4	153	54	22	77	16	607	587	113	2	415	16
15	Wabash	147	-	-	-	3	20	5	1	14	3	74	70	15	-	53	4
16	Warren	264	2	-	2	-	35	11	4	20	7	152	150	35	-	108	2
17	Washington	179	1	-	-	2	31	17	-	14	2	95	92	30	-	52	1
18	Wayne	210	2	-	1	1	25	12	2	11	2	126	124	27	-	84	3
19	White	252	4	-	1	-	27	10	3	14	6	149	144	36	-	93	1
20	Whiteside	525	2	-	-	1	79	32	7	40	12	288	281	51	3	209	9
21	Will	1,385	19	2	4	7	203	78	28	97	25	807	786	164	1	564	15
22	Williamson	582	9	3	-	8	62	17	8	37	11	347	346	72	2	237	7
23	Winnebago	1,425	17	4	3	5	191	77	17	97	20	759	739	199	-	498	23
24	Woodford	230	-	1	-	1	35	4	2	29	4	129	127	32	-	85	1
25	INDIANA	41,325	515	194	118	244	5,819	2,189	596	3,034	760	22,854	22,291	5,305	38	15,310	566
26	Metropolitan counties	17,784	270	97	54	106	2,660	1,002	307	1,351	329	9,401	9,188	2,129	17	6,362	280
27	Nonmetropolitan counties	23,541	245	97	64	138	3,159	1,187	289	1,683	431	13,453	13,103	3,176	21	8,948	286
28	Adams	199	1	-	1	1	28	10	-	18	5	111	108	25	-	69	2
29	Allen	1,814	20	13	4	12	280	99	22	159	30	959	938	219	5	658	36
30	Bartholomew	316	2	3	4	2	37	10	5	22	3	183	176	54	1	104	7
31	Benton	113	2	-	-	1	18	5	1	12	1	64	63	17	-	41	-
32	Blackford	144	-	1	-	-	20	7	3	10	4	80	79	23	-	47	1
33	Boone	303	4	-	1	2	41	20	4	17	-	186	176	34	-	131	5
34	Brown	72	2	-	2	1	13	6	-	7	1	33	32	7	-	23	1
35	Carroll	174	3	1	-	1	22	11	2	9	4	104	102	26	-	68	-
36	Cass	468	4	-	3	1	60	28	1	31	13	272	268	51	-	199	7
37	Clark	467	6	-	2	1	68	29	10	29	7	239	237	72	-	141	4
38	Clay	308	2	-	2	3	51	21	6	24	5	175	172	42	1	124	-
39	Clinton	325	3	2	4	4	46	14	3	29	9	183	181	44	1	123	3
40	Crawford	105	2	1	-	-	12	2	1	9	2	61	59	21	-	36	4
41	Daviess	322	-	1	1	1	40	14	4	22	7	188	183	46	-	120	6
42	Dearborn	276	6	-	-	-	44	24	3	17	4	167	165	35	-	111	5
43	Decatur	260	5	-	1	1	22	9	2	11	7	172	170	38	-	117	3
44	De Kalb	317	4	-	-	5	34	17	3	14	12	166	155	44	-	98	2
45	Delaware	850	17	5	4	3	111	35	7	69	15	461	457	140	1	282	7
46	Dubois	246	1	-	1	1	35	17	1	17	6	133	132	36	1	81	4
47	Elkhart	825	6	3	7	2	124	47	7	70	16	477	467	115	-	307	14
48	Fayette	234	3	2	-	2	38	20	4	14	2	122	120	18	-	89	4
49	Floyd	477	9	3	2	1	72	28	7	37	4	255	246	57	1	173	1
50	Fountain	219	3	2	-	5	37	9	2	26	6	124	122	21	-	89	3
51	Franklin	171	3	1	-	1	17	4	2	11	3	112	110	26	-	74	1
52	Fulton	203	4	1	-	-	33	13	2	18	6	109	109	27	-	81	1
53	Gibson	334	2	-	-	-	58	24	5	29	5	195	187	49	-	127	2
54	Grant	622	8	5	2	1	87	25	13	49	7	363	347	94	-	224	4
55	Greene	358	3	-	-	-	47	21	4	22	12	208	200	50	-	134	2
56	Hamilton	317	4	1	1	1	43	13	2	28	4	189	187	35	-	136	1
57	Hancock	233	2	-	-	2	33	11	3	19	4	146	144	46	-	91	2
58	Harrison	194	5	-	1	-	21	5	1	15	6	108	92	15	-	70	-
59	Hendricks	256	3	-	1	1	43	18	6	19	6	139	139	26	-	101	1
60	Henry	450	4	3	1	1	48	16	7	25	12	238	232	67	1	147	7
61	Howard	582	10	2	1	2	71	25	9	37	13	314	303	56	-	232	10
62	Huntington	388	3	-	-	-	49	18	5	26	14	242	239	59	-	159	3
63	Jackson	290	2	1	-	1	29	7	2	20	5	169	165	28	2	116	5
64	Jasper	183	-	1	-	-	25	6	2	17	1	94	93	19	-	67	1
65	Jay	299	2	1	-	-	38	10	1	27	6	178	173	40	1	121	1
66	Jefferson	273	3	2	-	1	34	13	6	15	6	163	160	48	-	88	6
67	Jennings	174	2	1	-	-	22	11	2	9	4	101	99	26	-	67	-
68	Johnson	325	1	1	-	4	47	20	6	21	2	199	197	52	-	133	4
69	Knox	457	7	-	-	2	73	26	7	40	4	260	252	63	-	175	4
70	Kosciusko	396	2	1	-	1	64	24	7	33	3	232	224	29	-	179	12
71	Lagrange	167	-	-	1	1	22	8	2	12	4	85	79	17	-	56	3
72	Lake	3,340	49	13	13	24	541	215	76	250	77	1,519	1,461	342	4	1,042	54
73	La Porte	844	4	8	1	7	114	54	7	53	16	474	467	107	2	334	11
74	Lawrence	360	2	4	4	4	44	20	8	16	5	193	190	37	-	139	2
75	Madison	1,010	12	3	1	3	134	45	13	76	18	577	566	137	1	389	13
76	Marion	5,936	108	36	15	42	865	312	105	448	103	3,267	3,220	741	5	2,198	96
77	Marshall	304	1	-	2	1	33	17	-	16	5	187	185	44	-	128	3
78	Martin	111	2	-	-	3	10	3	1	6	1	50	49	8	-	36	-
79	Miami	348	6	2	2	3	47	18	6	23	7	203	201	34	-	152	3
80	Monroe	377	8	3	-	2	43	19	5	19	10	189	183	46	-	124	2
81	Montgomery	348	3	3	1	1	51	17	5	29	12	201	193	53	-	124	5
82	Morgan	273	2	-	-	2	44	18	6	20	6	133	127	36	-	88	3
83	Newton	121	-	1	1	2	18	4	3	11	4	62	60	17	-	36	1
84	Noble	284	3	-	2	2	32	13	1	18	6	171	161	30	1	111	3
85	Ohio	46	-	2	-	-	8	4	-	4	-	29	24	2	-	21	-

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
77	14	28	1	13	2	4	13	3	2	1	-	1	6	8	-	6	17	5	-	27	1
38	12	16	-	9	-	2	6	1	1	2	-	1	2	4	-	5	5	1	-	12	2
338	66	87	9	58	13	11	45	11	11	14	4	-	20	63	5	39	65	22	4	96	3
489	138	218	15	62	8	48	82	11	10	25	7	1	22	94	36	66	96	31	21	150	4
64	46	31	1	9	1	11	11	1	1	1	1	-	7	8	1	19	22	4	2	25	5
455	71	69	14	30	5	14	20	8	4	14	1	1	24	57	13	40	72	12	2	91	6
28	3	10	1	8	-	2	2	1	2	-	1	-	-	-	-	2	8	-	-	3	7
26	8	5	-	2	1	2	5	-	-	-	-	-	-	-	-	5	2	1	-	6	8
59	11	33	6	6	2	7	4	5	1	1	-	-	3	6	2	8	8	5	-	13	9
27	5	3	1	3	1	1	3	-	-	-	1	-	1	1	-	-	5	-	-	10	10
95	31	45	6	7	3	21	11	1	3	4	3	-	2	8	2	14	17	6	-	29	11
132	28	36	8	14	1	4	17	3	1	8	1	-	9	35	3	24	24	6	-	43	12
42	16	31	1	9	-	4	8	2	1	1	-	-	-	7	3	6	4	2	-	17	13
262	77	60	12	43	2	20	34	5	1	13	1	-	12	34	4	20	31	7	-	60	14
27	4	18	-	1	1	4	3	1	3	-	2	1	1	3	-	4	10	-	-	19	15
62	10	34	4	2	1	2	9	-	-	-	-	-	4	9	1	9	14	2	1	17	16
33	9	9	1	9	-	3	9	-	4	-	-	1	-	6	1	7	4	2	1	13	17
46	9	26	3	10	-	2	10	1	-	-	1	-	3	6	-	7	8	2	-	15	18
63	16	13	2	9	4	5	7	2	1	1	-	-	2	10	4	8	13	2	-	15	19
132	14	54	3	12	3	7	12	5	3	1	1	1	9	25	4	16	33	6	-	27	20
310	98	141	18	30	9	21	50	13	4	10	4	1	19	49	4	39	33	11	1	80	21
185	21	24	8	24	3	1	13	3	2	2	-	-	6	10	2	19	37	6	4	38	22
359	62	54	8	29	5	20	47	12	8	12	7	2	30	72	8	46	55	19	3	105	23
65	6	13	3	6	1	2	5	-	-	1	-	-	3	3	2	15	12	2	-	17	24
9,348	2,584	2,812	357	1,085	196	563	1,219	191	206	401	83	52	574	1,628	229	1,245	1,627	494	160	2,712	25
3,975	1,113	994	154	428	98	213	547	91	83	232	32	26	256	884	93	540	661	183	114	1,125	26
5,373	1,471	1,818	203	657	98	350	672	100	123	169	51	26	318	744	136	705	966	311	46	1,587	27
44	8	15	1	11	2	3	11	1	-	4	-	-	5	7	-	6	7	-	-	11	28
400	109	113	13	34	9	21	66	6	13	21	5	3	26	92	4	47	62	28	5	118	29
70	14	13	2	14	1	7	5	-	1	1	1	-	1	12	1	12	22	6	-	20	30
26	7	8	-	5	-	1	1	-	1	1	-	-	-	4	-	7	7	-	-	6	31
29	9	8	2	6	1	1	2	2	1	-	-	-	3	3	1	11	6	-	2	8	32
80	24	22	2	8	1	10	9	1	-	2	1	-	1	6	7	10	13	2	1	16	33
16	3	3	-	2	-	1	3	1	-	-	-	-	2	3	1	3	3	1	-	3	34
40	16	12	3	4	1	2	5	1	2	1	1	-	2	5	1	2	7	3	-	9	35
125	19	48	2	12	4	4	13	2	-	3	1	-	2	18	3	9	14	6	-	44	36
78	29	30	3	16	5	2	22	2	1	7	-	2	9	25	-	8	22	10	1	35	37
52	47	25	2	3	-	3	9	1	1	1	-	-	5	5	2	5	12	7	1	21	38
78	9	33	2	11	-	2	7	-	-	2	-	-	2	11	2	11	12	3	-	24	39
26	3	3	-	2	-	2	4	-	1	1	-	-	2	-	-	6	4	1	3	5	40
54	36	24	3	11	3	5	4	-	1	3	1	-	9	11	4	9	15	4	-	23	41
70	14	22	8	8	3	2	5	-	1	2	1	1	3	8	-	7	12	2	1	12	42
74	12	28	3	10	2	2	6	1	1	-	1	-	2	6	3	1	11	3	-	17	43
56	12	28	2	10	1	11	10	2	2	5	1	-	4	7	8	13	15	4	-	25	44
197	47	31	4	23	7	4	24	2	3	5	2	1	11	44	12	22	28	8	4	68	45
44	10	23	6	6	2	1	3	1	1	3	2	1	4	12	-	11	9	2	-	20	46
200	35	58	12	29	4	10	19	4	1	7	1	-	11	22	5	17	34	7	-	62	47
68	9	8	8	4	1	2	6	2	2	1	2	-	6	11	4	6	9	1	-	15	48
95	56	21	1	11	3	9	16	2	2	7	1	-	11	18	2	15	22	4	3	28	49
57	14	15	2	7	3	2	4	-	-	-	-	-	4	7	1	4	6	2	-	14	50
49	13	11	2	6	2	2	7	1	-	-	-	-	2	6	-	5	6	-	-	7	51
49	19	12	-	1	-	-	8	1	2	3	-	-	4	6	3	6	4	-	-	13	52
68	23	34	4	6	1	8	11	1	-	1	-	1	2	12	4	5	15	4	-	18	53
147	44	29	9	19	1	16	19	3	2	4	-	1	5	26	2	21	16	10	3	37	54
75	25	32	3	11	2	8	10	1	1	3	1	-	7	5	1	10	14	6	-	29	55
78	24	33	4	11	1	2	10	2	1	-	2	1	5	9	-	10	14	3	-	17	56
65	6	18	1	5	1	2	5	-	1	-	1	1	2	4	1	6	3	2	-	20	57
38	27	5	2	4	1	16	4	2	1	2	-	-	2	4	-	6	11	4	-	17	58
70	15	15	3	8	1	-	10	-	5	2	-	-	4	7	1	13	4	3	1	13	59
90	25	25	2	11	4	6	18	1	3	6	8	1	8	17	3	16	19	4	1	38	60
146	21	55	2	12	1	11	20	3	3	4	1	1	15	21	2	12	14	10	3	60	61
74	27	55	1	18	2	3	11	-	2	4	-	-	5	4	4	12	15	5	-	18	62
44	45	22	6	12	1	4	10	2	2	3	2	-	7	10	2	12	14	5	-	14	63
48	9	9	-	5	2	1	5	1	1	2	-	-	2	10	-	8	14	-	1	18	64
70	12	38	1	9	1	5	9	1	3	1	1	-	5	6	3	7	8	8	1	21	65
55	14	13	1	23	-	3	3	-	4	2	-	-	3	8	-	8	8	3	2	23	66
35	23	9	1	5	-	2	7	1	-	-	-	-	3	5	-	6	8	3	-	11	67
106	14	9	4	7	1	2	7	-	-	4	-	1	4	13	-	7	18	3	-	14	68
108	13	50	4	10	-	8	16	2	2	2	-	-	3	8	5	11	19	7	-	36	69
103	26	38	6	9	1	8	9	2	2	2	1	-	6	8	2	15	16	5	1	24	70
31	6	16	1	5	-	6	7	3	2	-	1	1	4	5	-	8	9	4	1	9	71
679	162	147	22	29	22	58	139	19	15	53	9	13	46	198	39	140	147	27	36	223	72
236	45	42	6	13	5	7	18	6	3	4	-	1	14	36	6	36	38	9	3	46	73
61	25	51	4	8	2	3	14	6	3	1	-	-	6	10	2	11	17	5	-	29	74
230	68	78	6	28	5	11	21	4	11	9	1	-	10	34	4	26	43	12	5	82	75
1,375	407	320	55	186	35	47	152	29	28	70	8	6	91	266	14	166	217	55	48	350	76
73	20	32	3	8	2	2	9	4	1	1	-	-	1	5	-	14	19	6	-	15	77
15	7	14	1	3	1	1	9	-	2	1	-	-	1	4	-	7	12	2	-	7	78
92	35	22	-	14	1	2	6	3	1	4	1	-	1	14	1	6	7	8	1	25	79
70	35	17	2	10	1	6	13	-	5	7	1	2	8	17	2	13	16	9	1	28	80
86	14	19	7	9	-	8	3	3	2	1	1	-	6	8	1	11	10	5	1	24	81
43	8	34	1	2	-	6	4	1	2	1	1	1	3	18	2	9	15	6	2	21	82
22	4	9	1	6	-	2	5	-	-	3	-	-	2	2	-	3	3	4	2	9	83
69	11	28	5	13	1	10	6	-	1	2	1	-	4	7	3	11	12	4	-	17	84
7	2	12	-	1	-	5	2	-	-	-	-	1	-	-	-	2	-	1	-	1	85

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	INDIANA—Continued																
1	Orange	175	5	1	-	2	25	8	3	14	4	90	88	24	1	54	2
2	Owen	136	1	-	-	3	21	8	1	12	2	78	75	17	-	48	2
3	Parke	205	3	1	1	1	32	14	3	15	3	122	118	24	-	90	-
4	Perry	166	3	-	1	2	27	10	1	16	3	78	73	23	-	43	2
5	Pike	172	2	1	-	3	18	3	-	15	1	100	98	32	1	60	4
6	Porter	333	3	1	-	3	42	20	2	20	3	190	185	44	-	125	8
7	Posey	204	1	-	-	4	28	9	4	15	-	114	111	21	-	77	2
8	Pulaski	137	1	-	-	2	17	8	1	8	3	72	68	11	-	54	-
9	Putnam	238	1	1	-	1	29	10	2	17	4	153	149	40	-	100	2
10	Randolph	314	6	1	1	1	31	9	5	17	2	201	192	42	1	134	2
11	Ripley	228	1	-	-	1	41	19	3	19	4	131	128	34	-	87	2
12	Rush	230	2	3	1	-	29	11	4	14	3	145	143	30	-	104	-
13	St. Joseph	1,855	19	5	6	6	300	125	30	145	36	979	955	194	-	693	33
14	Scott	116	3	1	-	2	14	2	2	10	3	52	50	18	-	30	-
15	Shelby	350	5	2	1	3	30	17	2	11	2	216	213	67	-	133	7
16	Spencer	218	-	-	1	-	27	13	3	11	1	138	136	30	1	97	2
17	Starke	187	1	-	-	2	20	11	2	7	3	98	98	30	-	65	3
18	Steuben	172	2	-	-	-	28	8	4	16	4	98	97	26	-	63	1
19	Sullivan	310	2	1	-	-	43	16	2	25	5	183	180	53	-	120	8
20	Switzerland	133	-	1	1	-	24	12	2	10	5	71	70	28	-	40	1
21	Tippecanoe	624	8	6	2	4	96	29	15	52	11	364	357	88	1	250	9
22	Tipton	178	3	1	-	3	28	9	3	16	1	100	97	28	1	58	2
23	Union	61	1	-	-	2	12	3	2	7	1	29	29	6	-	21	2
24	Vanderburgh	1,694	21	12	6	13	222	87	29	106	27	969	956	212	1	672	22
25	Vermillion	224	3	-	1	-	25	13	2	10	6	131	125	22	-	96	7
26	Vigo	1,351	21	10	2	4	201	72	21	108	30	753	718	152	-	503	27
27	Wabash	310	4	2	-	-	47	19	2	26	6	173	168	57	2	101	7
28	Warren	86	2	-	1	2	9	2	1	6	2	52	50	7	-	39	2
29	Warrick	227	1	-	1	2	30	6	5	19	2	119	117	34	1	72	2
30	Washington	185	3	2	-	-	19	9	-	10	4	97	94	33	-	54	-
31	Wayne	688	9	7	3	10	90	25	10	55	12	374	370	105	-	236	8
32	Wells	217	2	-	-	-	21	6	1	14	1	146	143	28	-	111	6
33	White	192	-	1	-	1	24	8	-	16	1	109	106	30	-	72	1
34	Whitley	201	1	1	-	2	28	9	1	18	5	115	108	24	-	77	5
35	IOWA	26,595	183	82	162	111	4,102	1,553	361	2,188	440	15,072	14,740	3,908	16	9,693	316
36	Metropolitan counties	7,055	50	36	64	39	1,141	405	137	599	104	3,884	3,824	1,017	3	2,537	101
37	Nonmetropolitan counties	19,540	133	46	98	72	2,961	1,148	224	1,589	336	11,188	10,916	2,891	13	7,156	215
38	Adair	118	2	-	-	-	22	11	1	10	-	62	60	11	-	44	-
39	Adams	102	-	-	1	-	9	3	-	6	-	64	64	15	-	47	1
40	Allamakee	166	1	-	1	-	20	9	-	11	1	98	94	29	-	50	6
41	Appanoose	251	2	3	-	2	42	18	2	22	7	143	140	32	-	101	1
42	Audubon	131	-	-	-	-	24	13	1	10	-	76	73	17	-	51	-
43	Benton	238	2	-	1	-	36	10	3	23	5	157	156	44	-	93	4
44	Black Hawk	918	8	4	6	5	140	52	15	73	11	522	517	137	1	342	11
45	Boone	301	2	1	1	-	51	18	3	30	7	167	163	48	-	104	1
46	Bremer	205	1	-	-	-	32	15	2	15	3	121	118	42	-	71	6
47	Buchanan	220	2	1	1	2	21	8	-	13	5	120	118	31	-	77	2
48	Buena Vista	196	2	1	5	1	32	10	3	19	6	95	91	22	-	65	1
49	Butler	162	-	-	-	-	19	7	-	12	1	97	96	36	-	54	2
50	Calhoun	186	3	-	1	-	28	12	3	13	4	114	113	38	-	69	2
51	Carroll	199	1	2	-	-	36	15	2	19	2	103	100	21	-	72	-
52	Cass	196	1	-	7	1	30	14	-	16	5	96	94	28	-	57	-
53	Cedar	171	-	-	2	1	35	14	5	16	5	103	102	34	-	59	-
54	Cerro Gordo	428	3	1	1	4	78	26	10	42	5	245	242	51	-	172	3
55	Cherokee	178	-	-	1	1	38	14	6	18	3	85	85	18	-	58	1
56	Chickasaw	137	1	-	3	1	12	2	2	8	4	77	74	21	-	49	-
57	Clarke	109	-	-	1	-	14	3	1	10	2	62	53	10	-	41	2
58	Clay	141	2	-	1	-	17	8	1	8	5	84	84	13	1	61	2
59	Clayton	244	3	1	1	1	39	16	1	22	3	138	129	41	-	76	2
60	Clinton	536	1	3	-	-	81	24	5	52	8	321	311	93	-	201	9
61	Crawford	191	-	1	-	1	34	12	4	18	6	102	99	25	-	65	2
62	Dallas	258	1	2	1	2	49	19	3	27	3	141	138	35	-	97	1
63	Davis	101	-	-	-	1	17	7	-	10	1	57	56	15	-	37	1
64	Decatur	151	2	1	3	-	18	6	2	10	2	88	87	27	-	47	2
65	Delaware	174	-	-	2	1	31	10	2	19	5	97	94	30	-	54	3
66	Des Moines	440	5	-	-	2	74	28	6	40	4	253	245	67	1	159	3
67	Dickinson	104	2	1	-	-	21	9	-	12	2	53	52	14	-	34	-
68	Dubuque	768	6	1	4	2	115	46	6	63	15	438	433	102	-	296	9
69	Emmet	133	1	-	-	2	29	14	3	12	1	71	70	13	-	49	2
70	Fayette	290	3	-	2	2	38	16	3	19	6	172	166	49	-	101	2
71	Floyd	209	-	-	1	1	27	9	1	17	1	134	133	42	-	81	3
72	Franklin	155	2	-	-	-	27	11	5	11	2	83	83	23	-	52	3
73	Fremont	168	1	-	1	-	21	9	-	12	-	96	88	20	-	63	2
74	Greene	156	1	-	-	1	29	14	6	9	2	80	74	16	-	57	4
75	Grundy	131	1	1	-	1	22	12	1	9	2	74	74	12	-	57	1
76	Guthrie	176	1	-	-	1	23	10	2	11	1	120	117	32	-	77	2
77	Hamilton	201	1	1	4	-	33	10	1	22	1	115	111	41	-	68	-
78	Hancock	142	-	-	-	1	25	11	1	13	1	84	83	24	-	54	4
79	Hardin	223	1	-	1	2	33	12	3	18	5	143	137	39	-	92	-
80	Harrison	220	2	-	2	1	26	13	2	11	7	135	128	34	-	74	1
81	Henry	205	-	1	1	1	30	12	2	16	3	125	124	30	-	90	4
82	Howard	158	1	-	-	-	25	11	1	13	1	101	101	25	-	67	1
83	Humboldt	129	-	-	-	-	22	11	2	9	5	67	64	14	-	42	-
84	Ida	87	1	-	1	-	19	8	5	6	3	39	39	12	-	22	1
85	Iowa	161	3	-	1	1	29	11	2	16	4	96	93	16	1	63	-

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
37	5	10	3	5	1	2	6	1	-	1	-	-	2	3	6	4	8	1	1	15	1
20	17	9	2	7	1	3	2	-	-	2	-	1	1	2	3	1	5	4	-	10	2
49	23	18	2	-	2	4	5	1	-	2	-	-	-	5	-	3	5	5	-	16	3
22	9	10	1	6	-	5	6	-	-	2	2	-	2	11	1	1	12	4	-	11	4
33	8	15	1	3	1	2	6	-	-	-	-	-	1	7	-	7	9	1	1	15	5
81	17	19	3	11	2	5	13	2	1	-	1	-	7	8	3	9	19	3	-	25	6
39	16	20	2	10	1	3	9	-	1	-	-	1	2	11	-	6	10	3	-	14	7
31	6	17	-	3	-	4	3	1	-	1	-	1	2	4	-	6	13	1	-	10	8
67	20	11	3	6	-	4	6	-	-	1	-	1	2	9	-	7	7	3	-	13	9
64	38	30	4	10	1	9	10	3	-	2	-	-	3	8	3	7	11	4	1	19	10
48	18	19	-	6	1	3	1	2	3	1	3	1	2	8	1	2	12	3	-	11	11
69	21	14	1	7	1	2	2	2	2	1	2	-	3	5	1	2	10	3	-	14	12
503	75	82	25	39	4	24	58	12	6	16	1	-	28	113	11	68	52	17	5	117	13
22	4	4	1	1	-	2	8	-	4	-	-	1	2	7	1	7	4	1	-	6	14
78	25	23	4	8	1	3	8	1	2	2	-	-	5	15	4	11	16	6	-	21	15
38	32	25	2	6	-	2	6	-	2	3	1	-	3	6	3	2	7	2	-	16	16
43	3	16	-	3	-	-	14	1	2	1	-	1	5	11	-	9	5	2	1	11	17
47	6	9	1	6	1	1	4	1	2	1	-	-	1	5	1	3	7	6	-	9	18
67	17	28	-	4	3	3	14	3	-	1	2	-	4	4	-	8	15	6	-	19	19
23	2	14	-	2	-	1	5	-	-	-	-	-	1	5	-	5	5	1	-	9	20
152	29	60	3	14	1	7	10	1	1	6	-	-	6	23	1	25	16	9	-	35	21
42	3	11	5	5	-	3	5	1	2	1	-	-	2	4	-	2	9	-	-	16	22
10	2	7	-	2	-	-	3	-	1	1	1	-	1	-	1	4	-	1	-	3	23
378	170	102	14	51	6	13	33	10	9	28	1	1	20	92	6	45	57	21	7	94	24
61	11	17	-	6	1	6	7	2	5	4	1	-	2	6	1	6	8	5	-	11	25
270	58	148	17	39	7	35	37	9	6	25	5	-	14	36	5	29	54	13	5	92	26
74	9	11	1	6	1	5	15	1	1	1	-	-	3	8	3	6	17	4	-	19	27
17	13	7	-	3	1	2	1	-	1	1	-	-	1	-	-	3	3	3	1	4	28
43	15	12	-	7	3	2	12	-	-	-	-	1	5	8	2	9	9	3	1	22	29
29	7	18	1	3	3	3	9	-	3	1	-	1	4	11	-	9	11	-	-	11	30
153	47	28	3	25	1	4	26	1	3	13	-	1	10	23	2	18	36	5	2	43	31
72	19	14	2	2	-	3	6	1	3	-	1	-	2	3	-	8	5	3	-	15	32
42	8	21	2	1	1	3	4	2	-	2	-	1	5	8	1	6	6	3	-	18	33
38	15	19	3	4	-	7	4	-	-	2	-	-	7	9	1	6	7	2	1	10	34
6,509	1,102	1,766	216	753	154	332	750	154	79	165	40	22	360	954	158	536	1,064	317	40	1,804	35
1,781	264	391	61	167	39	60	199	43	25	63	6	4	99	278	37	118	261	111	23	470	36
4,728	838	1,375	155	586	115	272	551	111	54	102	34	18	261	676	121	418	803	206	17	1,334	37
30	6	8	-	3	2	2	3	-	-	-	2	-	2	4	2	1	6	3	-	9	38
29	4	13	1	1	-	-	1	1	-	-	-	-	1	7	3	1	3	1	-	10	39
26	5	13	4	9	2	4	6	-	1	-	1	-	3	5	-	2	9	2	1	15	40
49	17	34	4	1	2	3	9	5	1	2	1	-	1	5	-	3	4	2	-	19	41
28	11	12	3	2	-	3	2	1	1	-	-	-	1	2	-	5	3	1	-	15	42
54	15	20	1	15	3	1	1	-	-	-	-	-	2	4	3	4	14	2	-	7	43
269	21	41	6	27	4	5	22	3	1	2	1	-	14	44	3	25	37	17	3	50	44
57	31	15	2	8	1	4	9	3	-	3	-	-	4	9	-	5	14	2	-	23	45
56	3	6	3	2	-	3	2	1	-	1	-	2	4	8	2	6	9	1	-	12	46
43	7	25	1	9	-	2	5	3	2	2	-	1	4	7	1	8	9	3	-	23	47
50	3	11	1	3	-	4	6	-	-	2	-	-	5	9	2	4	10	2	-	14	48
25	7	20	-	6	-	1	5	3	-	-	-	1	2	4	1	9	8	1	-	11	49
51	7	9	-	6	-	1	6	1	-	-	-	1	-	5	-	2	7	3	-	11	50
49	10	13	-	7	-	3	5	2	3	-	-	-	4	11	-	4	6	3	-	17	51
41	4	12	2	4	3	2	6	-	1	-	1	-	1	7	3	2	11	1	-	23	52
45	6	8	2	6	1	1	3	1	-	-	-	1	1	3	-	2	4	1	-	9	53
129	27	13	2	14	3	3	13	3	-	3	1	1	6	15	-	8	14	3	1	23	54
34	11	12	1	7	1	-	9	2	-	-	-	-	1	12	-	5	8	2	-	11	55
24	12	13	1	2	1	3	4	-	-	1	1	-	-	10	-	4	3	4	-	12	56
22	5	12	-	2	-	9	4	1	-	1	-	-	-	8	-	1	6	1	-	8	57
47	3	9	2	7	-	-	6	1	-	-	-	-	1	5	1	3	2	2	-	11	58
39	12	23	6	4	2	9	9	2	-	4	-	-	3	7	-	2	12	1	-	18	59
130	15	47	3	11	3	10	5	4	-	1	1	1	6	19	-	11	30	6	-	38	60
44	4	15	2	5	2	3	2	-	-	2	-	-	1	4	3	5	11	2	-	17	61
67	9	20	2	3	1	3	6	1	1	-	1	1	6	6	2	9	8	-	1	17	62
23	3	10	-	4	-	1	3	1	-	-	-	-	3	3	2	2	3	2	-	6	63
31	9	5	2	10	1	1	7	-	-	3	-	-	-	2	1	10	6	1	-	7	64
38	3	10	1	6	3	3	1	-	-	-	1	-	4	11	1	5	2	3	-	10	65
110	36	10	4	11	3	8	13	5	1	3	-	-	5	14	5	4	19	4	-	29	66
19	3	12	-	3	1	1	3	1	-	-	-	-	1	-	1	2	6	2	-	9	67
180	34	73	6	23	6	5	16	4	3	5	2	1	10	32	7	23	28	9	-	47	68
37	4	6	2	5	1	1	3	-	1	-	2	-	2	5	-	4	3	2	1	6	69
59	24	16	5	11	-	6	4	3	-	2	-	1	2	10	1	6	10	4	1	23	70
61	6	11	1	8	1	1	6	2	-	1	-	-	2	8	1	3	3	4	-	15	71
35	6	8	2	2	4	-	-	1	1	1	-	-	5	6	1	4	6	1	1	14	72
32	12	17	2	3	-	8	8	-	-	2	-	-	2	11	2	3	7	2	-	12	73
37	6	10	-	1	-	6	5	1	-	2	-	-	2	5	1	4	5	3	-	15	74
35	9	12	-	4	1	-	4	2	2	-	1	-	2	7	2	2	2	-	1	5	75
52	11	12	1	5	2	3	3	1	-	1	1	-	1	4	3	2	5	1	-	8	76
53	2	13	1	1	-	4	3	-	1	4	-	-	5	7	1	1	11	3	-	10	77
38	4	8	2	3	-	1	3	-	1	-	-	-	2	4	-	4	6	1	-	10	78
72	7	13	1	3	2	6	6	-	2	1	-	-	2	2	1	7	4	2	-	11	79
53	6	14	5	13	2	7	7	2	1	2	-	-	-	4	1	3	10	3	-	14	80
54	18	14	-	4	-	1	9	-	1	1	-	-	2	5	-	6	6	4	-	10	81
52	5	9	-	9	-	-	4	1	1	1	-	-	2	1	1	1	6	1	-	11	82
35	-	7	-	7	1	3	3	1	1	-	-	-	1	10	-	-	4	2	-	13	83
13	3	5	-	4	1	-	3	-	-	2	-	-	2	2	1	2	4	2	-	6	84
41	9	13	2	9	2	3	1	-	1	-	-	-	2	4	-	3	7	4	-	5	85

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	IOWA—Continued																
1	Jackson	204	2	-	-	-	35	17	2	16	3	120	119	37	-	72	6
2	Jasper	296	3	1	1	2	42	12	4	26	3	158	155	39	-	103	5
3	Jefferson	135	-	1	1	2	22	10	4	8	6	71	68	29	-	35	2
4	Johnson	355	6	-	3	1	56	20	1	35	1	200	195	50	-	121	7
5	Jones	210	3	-	-	2	41	15	5	21	2	113	111	26	1	71	2
6	Keokuk	217	3	-	-	1	30	11	2	17	3	134	133	38	-	83	2
7	Kossuth	235	1	1	-	-	46	16	1	29	2	124	121	29	-	83	2
8	Lee	488	8	1	-	1	69	29	6	34	7	275	261	55	1	190	3
9	Linn	1,055	3	4	-	8	177	64	19	94	18	582	575	153	-	368	20
10	Louisa	118	1	-	-	-	15	8	2	5	2	68	68	22	-	40	1
11	Lucas	163	-	2	-	-	16	7	1	8	2	93	91	29	-	58	-
12	Lyon	118	-	-	1	-	16	10	-	6	3	76	76	28	-	42	1
13	Madison	137	-	-	1	-	15	5	2	8	3	96	95	24	-	63	6
14	Mahaska	300	1	-	2	1	33	6	1	26	4	165	163	44	-	99	1
15	Marion	248	-	-	-	1	31	13	2	16	5	149	145	27	-	103	3
16	Marshall	378	3	-	1	2	51	16	3	32	8	219	213	63	-	128	5
17	Mills	114	-	1	1	1	18	7	-	11	4	60	59	20	-	35	1
18	Mitchell	156	1	-	1	-	21	5	1	15	-	100	99	36	-	56	3
19	Monona	155	1	-	5	-	31	9	2	20	4	80	78	21	-	51	-
20	Monroe	159	4	1	-	1	28	10	2	16	6	78	72	23	-	49	3
21	Montgomery	157	1	1	-	-	21	6	1	14	4	93	91	24	-	63	2
22	Muscatine	372	2	2	1	1	44	17	7	20	9	232	232	54	-	165	5
23	O'Brien	158	-	2	2	1	32	11	5	16	5	68	66	18	1	45	4
24	Osceola	78	-	-	-	1	10	7	-	3	2	42	41	4	-	32	2
25	Page	250	4	1	2	-	28	9	2	17	3	165	161	33	1	115	10
26	Palo Alto	135	-	-	-	1	19	6	-	13	4	72	72	17	-	50	1
27	Plymouth	232	1	1	1	-	32	10	3	19	8	128	128	29	2	88	4
28	Pocahontas	127	-	-	-	-	20	4	2	14	3	71	71	27	-	39	-
29	Polk	2,289	18	13	14	9	378	125	50	203	26	1,259	1,236	334	2	822	40
30	Pottawattamie	703	6	2	7	4	107	35	11	61	10	416	412	121	-	261	6
31	Poweshiek	217	-	2	1	-	24	9	-	15	5	130	121	41	-	68	1
32	Ringgold	100	-	-	-	-	9	2	-	7	3	61	59	21	-	36	1
33	Sac	172	2	-	2	1	26	13	3	10	3	91	88	25	-	57	1
34	Scott	1,026	10	4	7	8	159	59	16	84	12	563	555	128	-	393	13
35	Shelby	155	2	-	1	-	21	9	2	10	3	85	84	20	-	62	1
36	Sioux	226	-	-	4	1	32	16	2	14	3	122	120	35	1	70	3
37	Story	350	3	1	2	4	61	21	5	35	4	194	190	46	1	118	5
38	Tama	238	1	-	2	1	37	13	7	17	2	147	146	37	-	91	1
39	Taylor	139	-	-	-	1	16	6	2	8	-	95	92	23	1	65	-
40	Union	199	2	-	-	-	35	12	8	15	4	109	107	28	-	74	-
41	Van Buren	136	4	-	-	1	13	8	-	5	4	84	79	23	-	49	-
42	Wapello	486	2	2	-	3	82	32	6	44	5	260	247	69	-	164	5
43	Warren	152	-	-	-	-	25	8	2	15	2	90	90	14	-	68	3
44	Washington	221	1	-	4	-	33	15	3	15	1	128	125	28	-	85	-
45	Wayne	133	-	-	-	-	24	9	3	12	3	69	66	22	-	43	-
46	Webster	449	2	2	1	1	61	27	3	31	7	255	251	52	-	186	4
47	Winnebago	154	2	2	-	-	24	10	-	14	-	90	90	19	1	62	3
48	Winneshiek	214	2	-	2	1	30	12	1	17	6	124	117	31	-	68	2
49	Woodbury	1,064	5	9	30	5	180	70	26	84	27	542	529	144	-	351	11
50	Worth	117	-	-	1	1	13	7	1	5	3	69	69	18	-	49	-
51	Wright	241	1	-	3	1	40	22	1	17	8	143	142	41	-	92	8
52	KANSAS	19,582	161	71	68	91	2,721	1,009	239	1,473	347	10,622	10,250	2,605	13	6,804	221
53	Metropolitan counties	5,274	57	21	17	24	710	243	75	392	98	2,657	2,557	654	4	1,673	55
54	Nonmetropolitan counties	14,308	104	50	51	67	2,011	766	164	1,081	249	7,965	7,693	1,951	9	5,131	166
55	Allen	242	2	-	-	2	31	11	4	16	1	162	157	30	-	115	4
56	Anderson	132	-	1	1	1	16	7	-	9	4	81	79	18	-	55	2
57	Atchison	248	3	3	1	-	35	13	4	18	5	136	130	28	-	93	3
58	Barber	78	1	-	2	-	2	2	-	-	-	48	46	9	-	34	-
59	Barton	250	1	-	1	2	44	14	4	26	2	108	107	32	-	71	2
60	Bourbon	264	3	-	-	2	40	15	6	19	1	161	155	25	-	118	-
61	Brown	159	-	-	-	1	18	10	-	8	-	101	98	29	-	63	1
62	Butler	350	4	-	1	2	37	11	2	24	4	216	213	49	-	147	5
63	Chase	56	-	-	-	-	6	3	-	3	-	37	35	8	-	26	-
64	Chautauqua	94	1	2	-	1	12	5	1	6	1	60	55	10	-	39	2
65	Cherokee	273	11	-	-	1	44	16	4	24	7	132	125	36	1	80	9
66	Cheyenne	48	-	-	-	1	5	2	-	3	-	22	21	5	-	15	1
67	Clark	37	-	-	-	-	3	-	1	2	1	17	17	3	-	12	-
68	Clay	120	1	1	1	-	15	6	1	8	2	75	73	12	-	52	1
69	Cloud	170	2	1	1	2	23	6	2	15	3	99	97	19	-	73	2
70	Coffey	101	-	-	1	-	15	4	1	10	5	61	60	17	-	35	1
71	Comanche	39	1	-	-	1	3	1	-	2	-	20	19	5	-	11	-
72	Cowley	442	7	2	1	1	64	26	4	34	7	250	244	56	-	154	6
73	Crawford	551	7	2	-	-	79	27	8	44	13	322	307	83	-	213	5
74	Decatur	79	-	1	-	-	12	4	1	7	1	47	46	10	-	33	2
75	Dickinson	255	1	1	-	2	42	17	4	21	2	145	138	43	1	77	1
76	Doniphan	130	-	1	-	1	27	10	2	15	2	66	65	16	-	45	3
77	Douglas	335	4	1	1	2	47	16	4	27	11	178	171	40	-	117	1
78	Edwards	51	-	-	-	-	12	5	2	5	1	25	25	5	-	20	2
79	Elk	86	-	-	1	2	13	4	2	7	3	44	44	7	-	30	2
80	Ellis	127	-	-	1	1	18	5	1	12	-	58	57	10	-	44	1
81	Ellsworth	72	-	-	-	-	14	5	2	7	3	36	36	6	-	27	-
82	Finney	131	1	1	-	1	20	9	1	10	1	59	56	11	-	41	2
83	Ford	189	-	-	2	1	22	7	1	14	1	99	92	24	-	63	5
84	Franklin	254	-	-	-	-	28	11	1	16	1	170	153	42	-	107	5
85	Geary	159	2	2	-	2	23	8	1	14	-	68	64	14	-	47	1

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
42	12	12	-	10	-	1	4	1	2	1	-	-	-	6	1	3	12	3	-	11	1
73	5	20	2	9	2	3	11	1	2	-	-	-	2	16	3	6	17	5	-	23	2
24	3	6	-	1	3	3	7	-	1	1	-	-	-	7	-	4	2	-	-	10	3
80	13	21	5	13	6	5	8	3	-	3	1	-	4	22	2	5	12	4	1	23	4
40	6	23	2	10	1	2	6	-	-	-	2	-	4	5	-	4	13	1	-	14	5
59	12	10	3	9	-	1	2	1	1	-	-	-	1	2	-	3	15	2	-	19	6
57	11	13	4	5	-	3	5	-	1	4	-	-	5	9	2	3	13	2	1	16	7
123	17	47	5	7	3	14	15	2	1	1	1	-	6	18	1	17	21	4	-	40	8
260	32	56	16	33	5	7	22	8	3	12	1	-	10	36	4	16	44	21	6	80	9
33	4	2	1	4	1	-	2	1	2	1	-	-	1	1	1	2	9	3	-	9	10
36	4	18	1	3	-	2	14	2	-	-	-	-	4	2	-	3	8	-	1	16	11
23	7	11	2	2	2	-	1	-	-	1	2	-	3	2	-	1	6	-	-	6	12
47	5	5	1	6	1	1	6	-	-	-	-	-	2	4	-	2	4	-	-	4	13
62	8	28	7	13	-	2	11	3	3	1	-	-	2	7	3	10	19	1	1	33	14
70	8	22	2	11	2	4	6	1	1	-	-	-	3	12	1	7	11	4	-	16	15
78	15	30	3	15	4	6	10	4	-	-	2	-	6	15	2	5	15	5	-	30	16
24	3	7	-	1	3	1	6	1	1	-	-	-	1	5	-	1	7	-	-	7	17
43	5	5	2	5	-	1	7	1	-	-	-	-	1	5	2	3	5	-	-	9	18
28	7	16	-	6	-	2	4	-	1	1	-	-	3	5	-	6	6	-	-	8	19
21	2	23	-	-	-	6	5	1	1	1	-	-	1	2	13	1	5	3	-	8	20
54	1	6	1	2	1	2	9	-	-	3	-	-	1	5	-	3	4	2	-	10	21
113	24	23	-	12	1	-	7	3	-	1	-	-	3	16	1	6	17	4	-	23	22
26	7	8	-	2	-	2	10	-	1	1	1	-	4	8	-	6	4	4	-	9	23
23	4	3	2	2	1	1	2	-	1	-	-	-	2	7	3	3	-	-	-	5	24
64	12	29	-	12	-	4	3	1	-	1	1	1	3	6	-	7	7	2	-	15	25
39	3	7	-	5	-	-	1	-	-	2	-	-	3	5	1	6	4	4	-	13	26
58	18	8	3	6	-	-	3	-	-	1	-	-	4	10	1	7	14	8	1	12	27
28	4	7	1	4	-	-	2	1	-	1	-	-	2	6	1	8	6	-	-	6	28
584	101	97	15	49	14	23	75	17	8	21	1	1	37	80	13	28	82	33	11	165	29
183	24	48	4	24	2	4	13	1	3	8	1	1	13	20	5	15	23	6	-	42	30
49	8	10	-	10	2	9	6	2	-	-	1	-	9	8	2	4	8	4	-	11	31
17	2	16	-	2	-	2	4	1	-	1	-	-	1	2	-	9	1	-	-	8	32
40	3	13	3	2	1	3	5	-	-	1	-	1	5	9	-	3	6	1	-	16	33
259	30	91	9	16	9	8	39	6	3	9	1	2	11	44	6	20	44	17	-	61	34
43	7	11	-	2	-	1	5	2	-	1	-	1	-	6	-	1	10	1	1	15	35
47	7	13	-	12	2	2	5	1	-	1	2	-	5	13	5	7	10	3	-	12	36
86	6	21	5	19	1	4	14	4	-	3	-	-	8	9	2	4	12	3	1	21	37
70	9	11	1	13	4	1	4	-	-	-	-	-	4	5	3	2	11	3	1	15	38
45	6	14	-	2	1	3	3	-	1	-	-	-	-	2	2	3	7	2	-	7	39
58	3	13	-	4	1	2	6	-	1	3	-	-	3	3	3	8	5	5	-	12	40
30	6	13	2	5	-	5	7	-	-	-	-	-	-	5	-	-	5	4	-	9	41
126	15	18	5	5	4	13	24	4	1	5	1	1	5	23	1	6	20	3	-	38	42
42	9	14	1	7	-	-	2	-	-	-	-	-	3	5	2	2	9	-	-	12	43
53	15	17	-	9	3	3	10	1	-	3	-	-	-	3	-	6	15	1	-	15	44
18	9	16	1	-	-	3	12	-	1	-	-	-	1	1	1	1	9	3	1	7	45
105	35	42	3	10	-	4	16	4	-	2	2	2	12	22	1	8	18	-	1	32	46
51	5	3	2	4	2	-	7	1	-	1	-	1	3	5	1	4	3	-	-	10	47
45	10	11	4	12	2	7	5	4	1	1	1	-	7	6	1	3	10	1	-	9	48
226	56	58	11	18	5	13	28	8	7	11	1	-	14	54	6	14	31	17	3	72	49
42	3	4	1	-	1	-	3	-	-	1	1	-	3	2	2	1	4	2	-	11	50
64	6	14	-	7	2	1	4	-	3	1	-	-	3	6	1	7	10	-	-	10	51
4,299	951	1,333	196	500	132	372	519	114	88	149	47	32	266	780	362	555	831	210	61	1,487	52
1,090	237	291	51	134	41	100	127	22	31	37	17	10	101	291	188	156	218	72	27	393	53
3,209	714	1,042	145	366	91	272	392	92	57	112	30	22	165	489	174	399	613	138	34	1,094	54
67	23	21	3	8	1	5	3	1	1	-	-	-	2	5	3	8	8	2	-	11	55
42	3	8	3	2	1	2	4	-	-	1	-	1	-	5	1	2	4	3	-	7	56
45	24	21	-	7	2	6	9	2	1	1	2	1	6	10	-	4	10	2	-	17	57
27	4	3	-	2	1	2	1	1	-	1	-	-	1	5	1	2	6	2	-	5	58
44	8	17	-	4	-	1	8	2	-	3	-	-	3	14	-	9	25	5	2	21	59
63	32	23	6	4	2	6	6	4	2	1	1	-	1	6	-	3	12	3	-	18	60
43	8	11	2	1	3	3	11	-	-	-	-	-	1	2	-	5	4	3	1	12	61
83	31	28	5	8	4	3	8	1	1	3	1	1	4	13	2	12	11	4	3	22	62
21	2	3	1	-	-	2	-	-	1	-	-	-	1	1	-	1	5	1	-	3	63
28	6	3	-	3	3	5	1	1	-	2	-	-	1	-	1	2	3	2	-	4	64
39	10	22	2	5	1	7	5	1	2	5	1	-	3	4	6	4	11	5	1	30	65
6	4	4	-	1	-	1	3	-	1	1	-	-	1	3	-	5	1	-	-	5	66
10	1	1	1	1	-	-	1	-	-	-	-	-	1	4	1	3	2	-	-	4	67
31	7	13	4	5	-	2	2	-	1	1	1	-	-	2	-	3	5	-	-	10	68
40	17	14	1	3	1	2	5	2	-	-	-	1	1	1	4	2	5	2	-	16	69
18	6	10	-	8	-	1	3	-	-	1	-	-	-	3	-	2	2	2	-	6	70
8	2	1	1	2	-	1	1	2	-	-	-	-	-	1	1	2	4	1	-	2	71
113	20	15	12	19	3	6	11	5	1	3	-	-	7	13	2	7	14	3	-	44	72
152	19	37	4	5	2	15	9	6	6	4	3	-	7	9	6	9	15	8	2	44	73
21	7	3	2	1	-	1	2	-	-	-	-	-	-	3	2	2	3	1	-	5	74
48	11	17	3	12	2	7	6	3	1	2	-	1	3	7	1	2	10	4	2	20	75
31	2	9	-	3	1	1	9	-	-	1	-	-	4	-	1	3	5	2	1	7	76
91	12	13	4	6	4	7	7	1	1	4	-	-	5	15	3	11	14	2	-	28	77
12	3	3	-	-	-	-	3	-	1	1	-	-	1	-	1	-	3	1	-	2	78
24	1	3	1	4	2	-	3	-	-	1	-	1	1	-	4	1	5	-	-	7	79
23	5	15	-	2	1	1	2	-	1	3	-	-	4	14	2	4	5	3	-	11	80
19	1	7	-	2	1	-	1	1	-	2	-	-	-	4	-	4	3	-	-	4	81
24	7	8	1	1	2	3	3	-	2	3	-	1	2	9	2	3	8	1	-	14	82
30	8	20	2	3	-	7	8	-	-	2	2	1	5	16	1	5	7	1	-	16	83
62	13	27	-	3	1	17	12	2	1	2	-	-	1	11	2	5	10	-	-	9	84
24	7	15	2	-	1	4	4	2	-	1	-	2	2	16	-	10	9	3	1	12	85

325797 O - 55 - 26

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	KANSAS—Continued																
1	Gove	39	-	-	-	-	5	2	-	3	-	17	15	4	-	10	1
2	Graham	53	-	-	1	-	7	3	-	4	-	31	31	3	-	27	1
3	Grant	27	1	-	-	-	2	-	-	2	1	9	9	2	-	7	-
4	Gray	28	-	-	-	-	4	-	-	4	-	17	17	5	-	10	1
5	Greeley	16	1	-	1	-	2	1	-	1	-	4	4	1	-	2	-
6	Greenwood	173	2	1	1	-	23	12	2	9	5	105	103	29	-	67	1
7	Hamilton	32	-	-	-	1	5	2	2	1	-	11	10	4	-	6	-
8	Harper	126	-	-	-	-	21	10	-	11	3	70	68	16	-	49	4
9	Harvey	218	2	-	-	2	37	10	3	24	2	116	115	28	-	80	2
10	Haskell	15	-	-	-	-	1	1	-	-	-	7	7	2	-	3	-
11	Hodgeman	32	-	-	-	-	6	2	-	4	-	18	17	8	-	9	-
12	Jackson	164	1	-	-	-	30	9	4	17	2	95	91	22	-	62	3
13	Jefferson	146	1	-	-	-	26	6	3	17	2	88	87	26	-	57	4
14	Jewell	104	-	-	1	-	16	9	1	6	2	59	56	17	-	36	-
15	Johnson	487	1	-	1	2	65	19	4	42	8	268	262	65	-	176	5
16	Kearny	27	-	-	-	1	4	2	-	2	-	8	8	1	-	6	-
17	Kingman	86	-	-	1	-	11	3	2	6	1	49	47	12	-	32	2
18	Kiowa	38	-	-	-	-	4	2	-	2	1	25	24	9	-	15	-
19	Labette	362	6	1	1	2	55	15	8	32	5	195	186	61	1	117	3
20	Lane	24	-	-	-	-	2	1	-	1	1	16	16	1	-	14	-
21	Leavenworth	443	2	6	-	-	53	31	3	19	15	263	254	66	1	164	2
22	Lincoln	89	2	-	-	-	12	6	1	5	1	58	51	10	-	37	1
23	Linn	136	-	1	-	-	22	8	-	14	-	85	82	19	-	56	4
24	Logan	28	-	-	-	-	4	1	-	3	-	19	18	2	-	13	-
25	Lyon	260	-	1	-	-	38	17	-	21	1	145	136	41	-	87	2
26	McPherson	236	1	-	-	1	26	13	2	11	7	141	138	41	1	86	1
27	Marion	201	-	1	-	-	32	20	-	12	3	117	115	42	-	64	-
28	Marshall	212	-	1	-	3	31	10	5	16	3	115	111	34	-	71	1
29	Meade	43	-	1	-	1	2	1	1	-	1	22	19	7	-	11	-
30	Miami	205	5	1	-	3	29	10	3	16	4	113	109	24	-	73	2
31	Mitchell	117	1	-	2	-	22	8	1	13	-	69	64	22	-	42	-
32	Montgomery	566	4	5	2	5	70	22	5	43	11	314	299	80	1	181	5
33	Morris	111	-	-	1	1	14	5	2	7	3	72	70	33	-	32	2
34	Morton	15	-	-	1	-	4	1	1	2	1	4	4	-	-	4	-
35	Nemaha	151	-	-	-	-	23	8	2	13	3	83	82	11	-	52	-
36	Neosho	235	2	2	1	1	36	18	3	15	3	124	120	26	-	91	1
37	Ness	48	-	-	-	-	10	3	-	7	2	27	26	6	-	18	2
38	Norton	84	2	-	-	-	8	3	1	4	1	45	43	13	-	29	-
39	Osage	143	1	1	-	-	23	9	-	14	2	85	83	24	-	54	-
40	Osborne	81	-	-	-	-	8	3	-	5	5	43	43	8	-	28	2
41	Ottawa	87	-	-	2	-	17	7	2	8	3	46	46	19	-	24	2
42	Pawnee	88	1	-	1	-	14	6	-	8	1	48	46	14	-	27	1
43	Phillips	110	2	-	-	1	14	7	1	6	1	64	62	19	-	38	1
44	Pottawatomie	141	2	1	2	1	20	11	-	9	4	79	76	18	-	51	1
45	Pratt	119	-	-	-	1	17	9	1	7	3	68	67	15	-	49	1
46	Rawlins	43	-	-	1	-	8	2	-	6	5	21	21	1	-	18	-
47	Reno	561	2	3	1	3	71	23	5	43	13	309	303	64	2	204	7
48	Republic	170	-	-	-	1	26	15	1	10	3	98	96	27	-	63	2
49	Rice	170	-	1	-	-	33	10	1	22	-	92	87	24	1	59	7
50	Riley	203	-	-	1	-	29	7	4	18	7	104	103	29	-	69	4
51	Rooks	83	-	-	1	1	14	8	1	5	2	35	34	5	-	22	1
52	Rush	73	-	-	-	-	17	11	-	6	2	37	37	14	-	22	1
53	Russell	103	-	1	3	-	22	8	3	11	3	39	39	13	-	21	2
54	Saline	348	1	-	3	3	42	19	9	14	8	181	180	46	-	118	4
55	Scott	40	-	-	-	-	8	2	-	6	1	15	14	4	-	10	-
56	Sedgwick	2,051	24	7	9	14	269	85	28	156	38	890	852	221	-	543	13
57	Seward	78	-	1	1	-	11	5	3	3	2	34	34	9	-	22	1
58	Shawnee	1,086	11	3	3	5	147	56	11	80	17	615	597	166	2	374	14
59	Sheridan	32	1	-	-	-	4	1	-	3	-	15	13	4	-	9	-
60	Sherman	57	-	-	-	-	6	1	2	3	-	33	33	4	-	24	1
61	Smith	102	1	-	1	1	8	4	1	3	3	71	70	17	-	48	3
62	Stafford	89	1	1	1	1	11	2	-	9	2	45	44	8	-	29	2
63	Stanton	17	-	-	-	-	1	1	-	-	1	8	7	1	-	3	-
64	Stevens	23	-	-	-	-	3	-	-	3	-	11	10	1	-	8	-
65	Sumner	305	5	-	-	2	45	18	3	24	4	165	157	37	-	113	4
66	Thomas	66	-	-	-	1	11	3	1	7	3	23	23	2	-	20	-
67	Trego	47	-	-	-	-	5	2	1	2	-	29	27	11	-	15	-
68	Wabaunsee	80	-	-	1	-	7	1	1	5	-	55	53	15	-	32	1
69	Wallace	26	-	-	-	-	2	2	-	-	-	13	13	1	-	11	-
70	Washington	150	1	-	1	-	18	7	2	9	3	85	85	27	-	52	1
71	Wichita	12	1	-	1	-	-	-	-	-	-	6	6	-	-	6	2
72	Wilson	165	-	1	1	1	19	4	2	13	2	95	90	19	-	55	-
73	Woodson	84	-	-	1	-	10	3	1	6	-	54	54	21	-	30	1
74	Wyandotte	1,650	21	11	4	3	229	83	32	114	35	884	846	202	2	580	23
75	KENTUCKY	28,376	855	97	128	315	3,553	1,314	315	1,924	407	14,176	13,711	3,250	31	9,462	306
76	Metropolitan counties	9,036	251	32	65	74	1,286	453	133	700	157	4,746	4,629	998	9	3,309	94
77	Nonmetropolitan counties	19,340	604	65	63	241	2,267	861	182	1,224	250	9,432	9,082	2,252	22	6,153	212
78	Adair	156	16	-	1	-	11	3	1	7	-	78	75	11	-	57	1
79	Allen	156	5	-	-	2	20	8	-	12	1	79	79	15	1	57	2
80	Anderson	94	1	-	3	-	11	1	1	9	3	51	46	20	-	23	-
81	Ballard	102	2	1	-	3	13	6	1	6	3	54	54	7	-	42	1
82	Barren	278	9	-	2	3	43	12	3	28	3	146	134	34	1	85	-
83	Bath	93	8	1	-	-	10	4	1	5	-	44	43	15	-	25	-
84	Bell	355	11	-	1	7	39	14	2	23	6	145	138	31	-	103	5
85	Boone	145	2	-	-	1	19	8	1	10	-	76	75	15	-	50	1

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclero-tic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral arterio-sclero-sis 450	Other dis-eases of circu-lato-ry sys-tem 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
8	1	-	1	-	-	2	3	-	1	-	-	-	2	5	-	-	3	-	-	3	1
16	1	9	-	-	1	-	-	1	-	1	-	-	2	3	-	2	1	1	-	3	2
5	1	1	-	-	-	-	1	-	1	-	-	-	1	2	1	1	5	1	-	1	3
8	1	-	-	2	-	-	-	-	-	2	-	1	-	2	-	1	1	-	-	-	4
2	-	-	-	1	-	-	1	-	-	-	-	1	1	1	-	2	2	-	-	-	5
48	13	5	1	6	-	2	7	1	-	-	-	-	-	6	1	7	3	-	-	11	6
1	3	2	-	-	-	1	1	-	-	-	-	-	-	3	-	5	2	1	-	3	7
27	8	10	1	2	-	2	8	-	-	2	-	1	-	4	1	3	3	2	-	8	8
54	7	17	-	5	2	1	7	2	5	2	-	1	5	9	2	8	7	-	-	11	9
3	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	1	2	-	2	10
6	3	-	-	-	-	1	-	-	-	-	-	-	1	2	-	2	-	-	-	3	11
24	12	23	4	3	-	4	2	1	-	3	1	-	1	5	2	4	3	3	1	10	12
39	6	8	2	2	-	1	5	1	-	-	-	-	1	4	1	1	9	2	-	5	13
12	5	19	-	3	-	3	1	-	-	-	-	-	2	1	3	2	3	1	-	13	14
124	24	23	6	11	4	6	14	-	3	4	2	-	4	27	4	19	15	7	1	42	15
4	2	-	-	-	1	-	-	-	-	-	-	-	-	5	-	4	2	-	-	3	16
18	6	6	-	3	-	2	3	-	-	-	-	-	-	1	1	2	6	2	-	9	17
13	1	1	-	-	-	1	1	2	-	-	-	-	-	-	1	2	1	-	-	1	18
81	7	26	1	6	-	9	14	3	-	1	-	-	5	6	1	6	21	3	2	35	19
10	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	20
91	43	28	2	19	2	9	14	5	1	6	-	-	1	17	1	8	15	3	4	29	21
31	3	2	1	-	3	7	4	-	-	-	-	-	1	1	-	3	3	1	-	3	22
27	10	15	2	5	-	3	2	2	-	-	2	-	1	1	1	5	5	1	-	8	23
11	1	1	-	3	-	1	-	-	-	-	-	-	-	3	-	1	-	-	-	1	24
44	8	33	3	4	1	9	10	2	1	3	1	-	2	3	3	7	16	-	-	27	25
57	13	15	3	5	2	3	3	1	-	-	-	-	1	10	4	10	7	2	1	21	26
47	4	13	3	5	1	2	5	1	2	-	-	1	-	7	-	5	7	2	-	18	27
44	9	17	1	5	-	4	5	1	1	-	2	1	3	9	4	9	6	2	-	16	28
4	-	7	-	1	-	3	3	-	1	-	-	-	1	1	-	2	4	-	-	4	29
38	11	22	3	8	1	4	6	1	1	-	1	-	1	4	6	-	8	1	-	21	30
32	5	5	-	-	-	5	2	1	1	1	-	-	2	2	1	1	2	2	-	8	31
119	15	42	5	23	9	15	11	1	1	4	2	1	9	10	24	13	19	10	2	48	32
12	11	7	2	3	-	2	3	-	-	-	-	-	1	1	-	3	4	1	-	7	33
3	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	1	34
31	7	14	3	16	-	1	4	-	-	1	-	-	3	8	1	4	7	1	-	13	35
55	5	30	-	2	1	4	8	-	2	-	-	1	3	2	5	7	16	1	-	21	36
10	1	5	-	1	1	1	-	1	-	1	-	-	-	1	-	-	2	-	-	4	37
12	4	13	-	1	-	2	5	-	-	-	-	-	2	3	-	2	6	-	-	10	38
37	9	8	1	4	-	2	2	3	2	2	-	-	1	5	2	1	3	2	-	8	39
16	2	8	1	5	1	-	4	-	1	-	1	-	-	1	1	4	3	-	-	10	40
17	3	2	1	1	1	-	3	1	-	1	1	-	1	-	-	2	4	-	-	6	41
19	2	5	2	3	-	2	1	-	-	-	-	-	1	3	1	3	7	2	-	5	42
24	5	8	1	2	2	2	3	-	-	-	-	-	2	2	1	6	4	-	2	8	43
34	13	3	1	4	2	3	3	-	-	-	-	-	-	5	1	1	9	-	3	10	44
35	8	5	-	2	1	1	2	-	-	-	1	-	1	6	1	1	11	-	-	7	45
11	2	5	1	-	1	-	-	-	-	-	-	-	-	2	-	1	2	1	-	2	46
132	29	36	7	22	4	6	12	2	5	5	3	-	8	24	2	22	20	3	1	52	47
34	6	21	-	1	5	2	7	3	1	1	-	-	1	4	4	7	5	-	-	9	48
37	5	10	-	3	-	5	3	2	1	3	2	1	1	5	2	5	11	1	-	7	49
40	15	10	2	2	1	1	8	1	-	5	-	-	2	9	2	5	9	-	1	20	50
12	2	7	2	5	-	1	2	1	-	-	-	2	-	5	1	1	7	-	-	11	51
14	1	6	1	-	-	-	2	1	-	-	-	-	-	1	1	5	1	-	-	6	52
14	3	2	4	1	-	-	5	-	-	-	-	-	1	6	3	3	8	2	-	7	53
77	17	20	5	10	1	1	6	5	1	5	-	-	10	25	4	14	13	2	2	23	54
6	2	2	-	-	-	1	-	-	-	-	-	-	-	2	4	4	4	-	-	2	55
385	70	75	20	50	18	38	36	5	15	14	7	5	43	152	164	76	93	29	11	150	56
17	1	3	2	1	-	-	2	-	1	2	-	-	2	4	2	3	5	-	-	8	57
243	37	80	12	36	7	18	23	6	6	9	4	4	19	41	14	17	44	14	4	80	58
6	2	1	-	-	-	2	2	2	-	-	-	-	1	2	-	2	-	-	-	3	59
11	9	3	2	2	1	-	4	-	-	2	-	-	-	1	3	2	1	-	-	5	60
29	7	9	1	2	2	1	2	1	-	1	-	-	1	2	2	1	3	-	-	4	61
21	2	4	2	3	2	1	2	2	-	1	-	1	2	2	5	3	3	2	-	4	62
3	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	4	3	-	-	-	63
6	1	1	-	1	-	1	2	-	-	-	-	-	3	3	-	-	1	-	-	-	64
69	11	29	-	7	-	8	11	1	2	2	-	-	5	5	9	13	13	3	1	19	65
19	1	-	-	1	-	-	-	1	-	1	-	-	1	7	2	4	5	1	-	6	66
10	5	-	-	-	1	2	-	-	-	-	-	-	-	5	1	1	3	1	-	2	67
23	1	7	1	4	1	2	1	-	-	1	-	-	-	-	1	2	3	1	-	8	68
7	3	1	1	-	-	-	1	-	-	-	-	-	-	2	-	-	2	2	-	4	69
35	5	11	1	5	-	-	5	-	-	1	1	-	-	5	3	4	4	2	-	17	70
2	-	2	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	71
33	7	15	4	12	-	5	2	2	-	2	1	-	1	3	4	4	8	1	1	17	72
23	2	4	1	2	-	-	3	-	-	1	-	-	-	3	-	-	8	-	-	4	73
338	106	113	13	37	12	38	54	11	7	10	4	1	35	71	6	44	66	22	11	121	74
5,041	2,039	2,076	249	596	123	467	1,264	135	269	193	69	56	412	1,366	484	829	1,333	288	251	1,894	75
1,891	803	521	73	193	47	117	285	53	44	121	21	5	129	409	60	198	365	92	68	575	76
3,150	1,236	1,555	176	403	76	350	979	82	225	72	48	51	283	957	424	631	968	196	183	1,319	77
18	14	24	2	4	1	3	9	1	1	-	1	1	1	13	2	6	2	1	1	11	78
28	9	18	1	4	1	-	11	1	-	-	-	-	1	9	5	-	11	1	-	10	79
15	5	3	-	2	1	5	5	1	-	1	-	-	-	1	1	2	4	3	-	7	80
27	5	9	1	4	-	-	2	1	-	-	-	-	1	6	1	2	6	-	1	6	81
49	17	19	2	11	1	12	11	-	3	-	3	-	4	15	3	10	6	2	2	13	82
23	1	1	1	1	1	1	3	1	3	-	-	-	3	2	2	3	6	-	2	5	83
49	15	34	-	4	-	7	12	2	7	-	2	-	3	21	32	13	18	4	6	26	84
34	5	10	1	8	1	1	5	1	1	1	-	-	5	1	-	6	6	3	-	18	85

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	KENTUCKY—Continued																
1	Bourbon	183	2	-	1	3	27	15	3	9	3	101	98	21	-	73	-
2	Boyd	425	10	-	1	7	80	21	6	53	8	187	179	32	-	134	2
3	Boyle	202	10	3	2	-	14	3	1	10	3	115	114	24	-	83	1
4	Bracken	101	1	-	-	-	6	2	-	4	3	68	61	13	-	46	4
5	Breathitt	114	6	-	-	6	16	8	-	8	1	43	42	10	-	28	1
6	Breckinridge	181	3	1	-	1	32	16	-	16	1	95	87	19	-	55	1
7	Bullitt	91	6	-	1	2	11	7	-	4	-	42	41	10	-	26	1
8	Butler	99	7	-	-	3	11	3	1	7	-	47	46	10	-	35	-
9	Caldwell	184	1	1	-	1	21	10	1	10	3	104	103	22	-	76	-
10	Calloway	185	2	2	-	1	37	15	6	16	1	98	95	36	-	47	2
11	Campbell	932	11	2	1	10	141	47	14	80	21	507	496	101	-	353	9
12	Carlisle	78	-	-	-	1	10	6	-	4	-	44	43	7	-	35	-
13	Carroll	101	1	-	-	-	11	7	-	4	1	58	58	17	-	36	1
14	Carter	168	8	-	1	1	17	9	-	8	4	74	74	23	-	49	2
15	Casey	135	3	-	-	4	15	5	-	10	1	67	61	14	-	45	3
16	Christian	427	7	4	1	6	47	22	4	21	1	213	198	41	-	140	3
17	Clark	243	7	2	-	6	37	19	5	13	1	127	123	43	-	68	6
18	Clay	149	4	2	-	6	13	4	1	8	2	36	35	5	-	30	1
19	Clinton	76	7	-	-	1	10	5	-	5	1	26	26	7	-	17	-
20	Crittenden	123	3	-	-	3	11	5	1	5	2	67	66	20	-	42	-
21	Cumberland	84	9	-	-	1	6	1	-	5	1	39	38	18	-	18	-
22	Daviess	648	4	2	3	4	90	31	8	51	6	349	337	69	-	243	5
23	Edmonson	74	5	-	6	-	6	2	-	4	-	35	34	4	-	22	-
24	Elliott	56	1	-	-	1	8	5	-	3	-	23	23	6	-	17	-
25	Estill	127	2	-	2	-	20	10	3	7	1	62	60	19	-	34	-
26	Fayette	1,055	32	5	-	7	138	50	9	79	8	594	581	173	-	366	9
27	Fleming	126	3	1	1	3	14	5	-	9	3	71	64	18	-	40	2
28	Floyd	334	20	-	1	13	29	14	1	14	4	127	121	30	-	84	2
29	Franklin	244	12	2	1	1	31	6	4	21	2	131	126	35	2	72	1
30	Fulton	157	3	-	-	1	20	10	-	10	2	88	88	26	1	56	2
31	Gallatin	53	4	1	-	-	12	7	3	2	-	24	24	12	-	8	-
32	Garrard	105	3	1	1	1	9	4	-	5	3	58	55	10	-	39	1
33	Grant	95	2	-	-	-	16	8	1	7	3	54	54	13	-	35	2
34	Graves	366	6	1	-	2	53	16	5	32	10	194	189	53	2	123	4
35	Grayson	180	7	1	2	2	17	3	-	14	3	87	85	14	-	63	3
36	Green	105	5	-	-	-	17	5	3	9	1	59	57	18	-	33	-
37	Greenup	213	3	1	2	2	34	14	3	17	1	96	94	23	-	64	2
38	Hancock	66	3	-	-	1	8	2	1	5	4	32	30	5	-	23	-
39	Hardin	277	9	-	1	5	40	12	2	26	5	112	108	31	1	66	4
40	Harlan	475	11	2	-	7	48	18	5	25	6	181	172	37	2	126	9
41	Harrison	192	5	-	1	1	22	13	3	6	3	107	104	22	-	77	3
42	Hart	127	6	-	3	2	10	3	3	4	5	55	54	8	-	41	1
43	Henderson	372	8	6	-	3	37	15	3	19	2	194	187	42	2	135	7
44	Henry	146	5	1	-	-	14	7	1	6	-	81	78	16	1	54	2
45	Hickman	82	3	-	-	-	10	5	1	4	-	45	44	12	-	31	2
46	Hopkins	413	9	2	-	2	55	16	5	34	4	206	200	55	-	128	13
47	Jackson	74	7	-	-	-	8	2	1	5	1	26	25	6	-	19	2
48	Jefferson	5,436	175	22	59	43	737	267	76	394	91	2,821	2,744	559	8	2,004	58
49	Jessamine	137	3	1	-	5	15	5	3	7	1	74	71	13	-	57	2
50	Johnson	184	8	-	-	5	20	3	2	15	3	88	85	20	-	58	2
51	Kenton	1,188	23	3	4	7	190	68	28	94	29	637	629	133	1	452	16
52	Knott	105	6	-	2	1	13	6	-	7	1	37	37	12	-	24	-
53	Knox	243	14	1	-	8	22	8	1	13	4	110	103	26	-	65	2
54	Larue	102	4	-	-	-	9	4	1	4	2	54	50	9	-	37	2
55	Laurel	173	4	1	1	1	21	7	1	13	4	80	78	19	-	57	2
56	Lawrence	139	5	-	-	2	15	8	1	6	1	70	67	12	-	53	-
57	Lee	55	7	-	-	1	8	4	1	3	-	20	19	3	-	15	3
58	Leslie	76	1	-	-	1	4	2	-	2	-	20	19	5	-	12	3
59	Letcher	245	7	1	2	3	20	8	2	10	3	106	104	16	-	83	2
60	Lewis	124	10	-	-	1	10	3	-	7	1	52	49	15	-	28	1
61	Lincoln	166	6	-	1	2	18	10	2	6	-	87	84	22	-	59	-
62	Livingston	90	6	1	-	-	11	3	1	7	1	46	45	14	-	29	1
63	Logan	241	4	1	-	-	27	12	-	15	2	128	126	27	-	90	4
64	Lyon	73	1	2	-	-	15	5	-	10	2	33	31	11	-	18	1
65	McCracken	656	14	3	2	7	59	16	2	41	4	331	326	73	1	223	5
66	McCreary	117	2	-	-	-	10	4	1	5	2	43	38	9	-	26	2
67	McLean	104	1	2	-	-	13	2	1	10	1	61	59	12	-	44	-
68	Madison	297	9	-	-	3	38	11	5	22	5	149	145	34	-	104	1
69	Magoffin	93	1	-	-	4	5	2	-	3	6	34	33	14	-	18	1
70	Marion	168	4	-	1	1	22	10	-	12	2	76	72	13	-	51	1
71	Marshall	138	5	-	-	-	12	3	1	8	3	83	83	29	-	51	3
72	Martin	82	4	-	-	1	13	7	2	4	2	26	26	7	1	18	3
73	Mason	176	6	2	1	3	24	10	2	12	7	90	88	16	1	67	3
74	Meade	90	7	-	-	1	10	3	2	5	3	41	40	11	-	28	1
75	Menifee	45	3	-	1	-	6	3	1	2	-	15	14	4	-	9	-
76	Mercer	148	3	2	-	3	25	8	4	13	2	78	77	11	-	62	3
77	Metcalfe	67	2	1	1	1	7	2	1	4	3	36	33	15	-	17	-
78	Monroe	130	8	1	-	2	18	5	-	13	2	65	62	9	1	49	-
79	Montgomery	142	7	1	-	2	21	7	2	12	1	69	64	13	-	49	-
80	Morgan	135	2	-	-	3	14	5	2	7	2	68	67	14	-	49	-
81	Muhlenberg	320	7	-	-	3	42	18	5	19	8	159	154	46	-	102	3
82	Nelson	194	1	-	-	1	27	10	-	17	2	108	106	29	1	72	3
83	Nicholas	84	-	-	-	2	7	1	1	5	-	50	50	14	-	34	2
84	Ohio	246	9	-	2	1	23	10	1	12	8	146	143	28	-	107	1
85	Oldham	100	4	-	1	1	15	9	3	3	1	56	53	13	1	34	-
86	Owen	109	-	1	-	-	8	3	-	5	2	67	66	10	-	42	-
87	Owsley	44	2	-	-	-	9	5	1	3	-	17	16	4	-	11	1
88	Pendleton	102	3	-	-	-	17	8	-	9	2	53	51	17	-	30	2

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
30	20	23	-	4	-	3	9	1	-	-	1	1	2	5	3	2	12	2	-	8	1
93	22	17	3	8	2	8	22	-	5	3	3	-	10	12	8	16	18	7	3	25	2
30	18	34	2	3	2	1	5	2	2	1	-	1	5	6	3	5	4	-	1	20	3
17	9	16	-	2	-	7	2	-	2	1	-	-	-	-	1	2	6	5	-	4	4
10	5	12	-	1	3	1	7	-	2	-	-	-	1	6	6	3	7	-	-	10	5
12	6	36	4	8	1	8	4	1	-	-	-	1	3	9	2	6	8	1	-	13	6
17	6	2	3	2	-	1	4	-	-	2	1	-	1	5	1	6	2	2	-	5	7
11	5	19	-	1	-	1	6	-	-	-	1	-	2	2	2	4	4	-	2	8	8
51	18	7	1	4	-	1	8	-	3	1	-	-	1	5	8	2	9	2	-	14	9
26	8	11	4	7	1	3	4	-	2	1	1	-	2	8	2	4	8	-	-	12	10
214	62	68	9	28	5	11	27	6	4	17	3	1	8	39	4	17	33	14	3	63	11
12	7	16	-	-	1	1	6	-	-	-	-	-	-	3	-	3	2	1	-	8	12
26	6	3	-	5	-	-	4	-	2	1	-	-	2	4	1	6	7	1	-	2	13
17	9	21	1	-	1	-	7	2	4	1	-	1	-	16	6	7	7	-	-	12	14
18	7	17	-	1	1	6	11	-	2	-	1	-	1	8	1	4	6	1	1	9	15
81	32	24	1	15	1	15	22	-	5	1	3	-	4	26	2	22	22	3	11	27	16
29	9	24	2	10	-	4	8	1	4	-	1	1	4	12	3	7	8	1	1	12	17
7	13	9	-	-	-	1	5	-	3	1	-	-	4	14	21	10	14	1	2	11	18
7	9	1	2	-	-	-	12	-	-	-	-	-	2	2	2	2	3	1	2	5	19
15	8	19	-	4	-	1	2	-	-	1	-	1	1	6	7	3	7	-	-	9	20
7	9	2	1	1	-	1	9	-	2	-	-	-	1	2	2	3	3	-	2	4	21
156	44	38	4	15	6	12	18	5	3	3	-	4	13	36	9	22	26	6	4	41	22
9	8	5	1	7	-	1	5	-	3	-	1	-	-	-	1	6	3	-	-	3	23
7	5	5	-	-	-	-	4	-	1	-	-	-	3	2	1	8	-	-	1	3	24
22	1	11	3	2	2	2	11	-	2	-	-	-	2	2	6	1	7	1	-	8	25
202	63	92	6	31	5	13	29	9	7	9	1	-	9	47	11	30	44	11	5	59	26
26	4	8	1	5	-	7	2	-	3	-	-	-	-	5	1	4	1	3	2	9	27
47	14	21	3	3	1	6	25	1	12	1	1	1	7	24	7	10	15	5	4	27	28
49	9	13	7	6	4	5	13	1	2	-	-	-	2	5	3	7	7	1	1	22	29
31	16	7	4	1	-	-	5	-	5	-	-	-	2	3	9	1	11	1	2	4	30
6	-	2	3	1	-	-	2	-	-	1	-	-	-	-	-	1	2	2	-	4	31
21	6	11	1	5	-	3	5	-	-	2	-	-	1	1	2	3	7	2	1	5	32
27	3	3	1	5	-	-	1	-	-	-	-	-	-	1	1	2	6	1	-	8	33
63	24	32	2	8	1	5	14	-	2	1	-	-	1	16	5	11	16	-	1	33	34
20	21	19	2	5	1	2	15	1	2	-	1	1	1	3	5	5	8	2	-	17	35
12	7	14	-	4	2	2	2	1	-	-	1	2	1	3	2	1	4	-	-	6	36
28	8	26	2	4	1	2	14	-	1	3	1	-	-	11	6	12	12	1	-	13	37
9	2	12	-	2	-	2	3	-	-	-	-	-	2	2	1	3	3	-	-	4	38
35	12	15	4	6	-	4	12	-	2	1	-	2	6	29	6	11	16	4	4	12	39
81	10	26	4	3	-	9	23	1	12	2	1	3	17	39	9	12	35	5	16	45	40
41	10	23	1	3	1	3	5	2	3	1	1	-	2	3	-	1	15	6	2	12	41
17	6	17	1	4	-	1	4	-	-	1	-	1	1	8	10	3	3	2	1	12	42
79	31	18	3	5	-	7	27	1	3	2	2	-	3	18	8	7	19	2	2	28	43
34	8	10	2	5	-	3	7	-	-	-	-	1	1	6	1	3	9	4	6	7	44
18	5	6	-	1	-	1	2	-	1	3	1	1	-	2	2	2	2	-	2	6	45
53	30	32	5	11	1	6	26	1	3	1	-	-	2	13	6	10	23	11	3	36	46
6	7	4	-	-	-	1	2	-	3	-	1	-	2	4	3	7	4	-	-	6	47
1,110	568	268	46	102	25	77	169	36	21	77	10	3	81	261	35	119	213	50	52	361	48
33	6	16	-	1	-	3	5	2	3	1	-	-	2	7	2	-	8	2	-	6	49
26	12	18	2	2	3	3	11	2	2	-	1	-	6	10	3	3	7	1	1	13	50
272	88	76	9	24	10	8	38	2	7	15	4	1	21	50	2	16	57	10	5	67	51
12	3	9	-	1	-	-	2	1	3	-	1	2	2	2	8	6	9	-	1	8	52
31	11	21	3	7	2	7	20	-	6	1	1	3	-	14	7	6	12	3	-	11	53
23	9	3	2	2	-	4	7	-	1	-	-	-	4	4	-	3	7	-	2	5	54
23	23	9	-	1	1	2	13	1	1	1	1	-	5	4	6	5	8	1	-	15	55
31	12	10	-	1	1	3	8	-	1	1	-	-	5	10	1	5	4	3	1	7	56
5	3	4	1	-	-	1	5	-	1	-	-	-	-	4	-	2	5	1	-	1	57
3	4	2	1	1	-	1	4	-	2	-	-	1	1	10	4	6	11	-	3	8	58
30	31	20	3	-	2	2	11	2	6	-	-	2	8	28	7	7	11	2	4	15	59
15	8	4	-	5	1	3	7	2	3	1	1	1	1	5	1	3	12	1	2	10	60
23	6	30	-	3	-	3	11	-	1	-	-	-	3	8	3	8	3	2	1	12	61
11	2	15	-	1	1	1	3	-	-	1	-	-	1	4	3	3	3	-	-	7	62
48	18	20	3	6	-	2	8	1	1	1	-	1	4	14	14	6	8	2	3	16	63
12	3	2	1	1	-	2	4	-	-	-	-	-	-	2	1	2	4	1	1	5	64
145	36	37	10	15	4	5	37	3	10	5	-	-	9	40	13	27	33	3	11	45	65
10	5	9	1	1	1	5	8	2	2	1	-	2	1	10	7	3	8	1	2	13	66
25	15	4	2	-	1	2	3	-	1	1	1	-	2	7	1	3	2	-	-	5	67
56	22	25	3	4	-	4	14	1	4	1	-	-	2	16	9	11	7	3	3	22	68
4	3	10	-	1	-	1	5	-	-	1	-	-	2	-	3	8	9	2	2	11	69
25	13	12	2	5	1	4	8	1	2	1	1	-	2	13	-	6	5	4	1	18	70
27	5	16	2	1	-	-	5	-	1	-	2	-	4	7	-	4	5	-	-	7	71
5	3	7	-	-	-	-	11	-	4	-	-	1	-	1	3	4	5	1	-	6	72
52	7	5	1	3	-	2	8	1	-	1	-	-	4	6	1	7	9	-	-	6	73
14	5	8	-	1	-	1	6	1	-	-	-	-	2	6	1	4	3	1	-	4	74
5	2	2	-	-	1	1	1	-	-	1	-	-	-	2	3	3	6	-	1	3	75
36	16	7	1	3	-	1	7	1	1	-	-	-	-	1	2	2	7	2	1	11	76
5	6	6	1	-	-	3	2	1	1	-	-	-	-	3	1	3	2	-	-	3	77
27	14	8	1	1	1	3	11	1	2	-	-	-	1	2	1	4	4	1	1	6	78
29	12	8	1	1	-	5	-	-	2	-	1	-	1	9	-	4	12	3	1	8	79
13	25	11	1	2	1	1	5	2	2	-	1	-	-	8	5	4	10	-	1	8	80
41	38	20	4	1	1	5	19	2	3	-	-	1	3	19	2	9	16	4	2	21	81
37	18	14	-	4	-	2	6	2	1	-	-	1	4	13	-	8	3	4	-	13	82
20	4	8	-	2	-	-	4	-	-	-	1	-	2	3	-	1	4	1	3	6	83
41	25	40	1	4	3	3	13	5	3	1	-	-	4	3	4	5	8	-	-	11	84
30	2	2	3	2	-	3	3	-	-	-	-	-	4	3	2	2	2	2	-	4	85
31	4	7	1	13	-	1	3	-	-	-	-	-	3	1	1	-	7	-	1	15	86
3	3	4	-	1	-	1	6	-	1	1	-	-	1	-	-	1	-	1	2	3	87
16	3	9	2	2	-	2	3	-	-	-	-	-	1	2	2	3	7	2	1	6	88

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	KENTUCKY—Continued																
1	Perry	264	11	1	-	3	28	13	2	13	-	99	94	28	-	59	2
2	Pike	512	21	-	2	19	42	12	1	29	5	172	159	42	-	104	4
3	Powell	50	3	-	-	1	7	2	-	5	2	18	18	4	1	12	-
4	Pulaski	341	12	-	2	8	36	16	4	16	4	166	159	47	-	98	6
5	Robertson	28	-	-	-	1	2	-	-	2	-	20	19	2	-	17	-
6	Rockcastle	110	7	-	-	1	9	5	2	2	-	54	53	14	-	38	1
7	Rowan	106	1	-	-	1	10	3	-	7	-	50	50	12	-	35	4
8	Russell	119	8	-	-	-	16	6	2	8	2	63	57	19	-	33	3
9	Scott	171	1	1	-	-	27	9	4	14	2	89	86	24	-	52	5
10	Shelby	197	5	-	3	2	18	6	2	10	5	112	108	35	-	55	-
11	Simpson	128	3	-	-	2	19	8	-	11	1	64	62	22	-	39	1
12	Spencer	51	-	-	-	-	7	2	3	2	-	21	20	3	-	16	3
13	Taylor	151	3	1	-	4	15	5	-	10	2	71	67	22	-	43	2
14	Todd	144	2	1	-	2	14	7	1	6	-	82	77	27	-	43	2
15	Trigg	77	3	-	-	-	7	3	-	4	1	43	42	9	-	30	-
16	Trimble	44	1	-	1	-	11	6	-	5	-	19	19	5	-	12	1
17	Union	172	5	-	-	1	16	7	2	7	2	83	77	17	-	54	2
18	Warren	458	8	-	2	2	52	19	6	27	6	248	236	62	-	162	6
19	Washington	122	4	-	-	1	15	5	2	8	-	56	55	13	-	34	1
20	Wayne	95	3	-	1	-	15	1	3	11	2	50	47	7	-	36	-
21	Webster	163	2	1	-	1	25	8	3	14	2	95	86	28	-	50	2
22	Whitley	262	13	-	-	7	32	9	2	21	4	112	110	31	2	69	2
23	Wolfe	72	8	1	-	-	2	1	-	1	1	16	16	4	-	11	-
24	Woodford	133	3	-	-	3	23	7	2	14	2	69	65	14	-	45	2
25	LOUISIANA	24,708	557	183	31	190	3,372	1,112	479	1,781	401	12,227	11,808	2,411	24	8,600	166
26	Metropolitan parishes	10,121	274	106	11	58	1,540	467	240	833	189	5,164	5,009	926	10	3,720	58
27	Nonmetropolitan parishes	14,587	283	77	20	132	1,832	645	239	948	212	7,063	6,799	1,485	14	4,880	108
28	Acadia	377	9	-	1	5	52	16	2	34	6	174	167	48	-	111	2
29	Allen	187	4	2	-	2	25	7	5	13	3	87	79	25	-	47	-
30	Ascension	231	3	1	-	2	31	14	3	14	3	98	96	16	-	73	-
31	Assumption	172	4	1	-	2	19	6	1	12	2	88	87	20	-	60	1
32	Avoyelles	328	6	2	-	1	51	22	6	23	5	168	163	37	1	122	4
33	Beauregard	176	1	-	-	1	17	9	1	7	1	83	78	9	-	67	1
34	Bienville	176	5	-	-	4	19	4	3	12	2	95	91	18	-	60	1
35	Bossier	279	2	2	-	2	38	16	2	20	-	135	129	46	-	76	3
36	Caddo	1,644	34	10	2	13	216	55	27	134	20	829	779	172	2	535	10
37	Calcasieu	708	15	4	1	8	89	28	19	42	15	323	306	58	-	229	6
38	Caldwell	92	1	-	-	1	10	3	1	6	-	54	53	12	1	39	1
39	Cameron	38	-	-	-	-	4	1	-	3	1	18	14	2	-	10	-
40	Catahoula	95	1	2	-	3	13	3	4	6	2	47	45	20	-	23	-
41	Claiborne	199	2	1	-	-	20	8	1	11	2	118	114	26	-	85	1
42	Concordia	181	2	1	-	1	12	6	2	4	1	97	94	17	-	75	1
43	De Soto	255	2	2	-	2	31	8	3	20	3	138	137	28	1	98	1
44	East Baton Rouge	1,175	17	9	1	8	173	49	21	103	20	585	567	119	2	370	8
45	East Carroll	188	2	1	-	1	15	9	-	6	2	103	102	36	-	60	-
46	East Feliciana	130	2	-	-	1	9	1	2	6	3	66	62	19	-	37	-
47	Evangeline	230	10	1	-	7	23	6	6	11	4	86	85	15	1	63	-
48	Franklin	233	2	5	1	4	34	6	5	23	3	114	113	26	-	81	2
49	Grant	141	1	1	-	1	27	8	4	15	-	70	69	18	1	43	-
50	Iberia	331	6	2	-	5	37	8	8	21	2	154	143	23	-	97	7
51	Iberville	303	5	1	-	2	28	14	4	10	4	182	175	47	-	123	1
52	Jackson	143	4	2	-	1	16	5	3	8	5	50	48	17	-	27	-
53	Jefferson	767	22	8	1	5	111	36	22	53	13	378	372	58	-	296	4
54	Jefferson Davis	210	2	1	-	-	28	8	5	15	3	114	111	22	-	82	2
55	Lafayette	443	20	2	4	7	64	21	12	31	4	195	190	32	1	145	3
56	Lafourche	324	6	1	1	3	42	14	5	23	4	160	155	30	-	115	5
57	La Salle	119	1	1	1	1	15	3	3	9	5	61	59	10	-	47	1
58	Lincoln	193	2	1	1	-	30	11	4	15	4	106	102	20	-	72	1
59	Livingston	149	-	1	1	2	24	10	3	11	1	64	59	7	-	49	-
60	Madison	188	4	-	1	3	14	9	-	5	4	71	69	19	-	48	2
61	Morehouse	283	6	3	-	4	35	16	4	15	5	133	128	27	-	99	-
62	Natchitoches	329	5	3	-	1	35	15	2	18	-	180	166	44	-	115	3
63	Orleans	6,416	199	79	7	32	1,024	319	168	537	132	3,309	3,228	563	6	2,471	36
64	Ouachita	765	16	4	1	7	102	34	10	58	13	372	356	69	-	266	2
65	Plaquemines	104	-	1	-	-	19	6	5	8	1	43	43	6	-	34	1
66	Pointe Coupee	204	3	1	1	1	22	11	2	9	2	118	103	23	-	70	2
67	Rapides	819	11	4	-	3	116	43	11	62	13	364	353	71	-	258	3
68	Red River	119	2	-	1	-	12	5	-	7	1	44	42	23	-	18	-
69	Richland	248	5	2	-	4	23	9	3	11	7	125	123	33	-	85	2
70	Sabine	167	1	-	1	2	22	8	2	12	2	77	74	19	-	48	2
71	St. Bernard	119	2	-	-	-	16	8	2	6	4	63	63	14	-	48	-
72	St. Charles	137	2	-	-	1	19	10	1	8	1	69	69	8	-	58	1
73	St. Helena	69	1	-	-	-	1	-	-	1	1	47	43	12	-	29	-
74	St. James	169	3	2	-	-	25	10	5	10	2	72	71	19	-	51	-
75	St. John the Baptist	145	4	1	-	3	21	10	2	9	2	72	72	14	-	51	-
76	St. Landry	679	14	1	2	7	95	31	18	46	15	291	277	46	2	202	3
77	St. Martin	201	10	-	-	3	23	6	3	14	3	93	89	22	-	63	4
78	St. Mary	354	9	1	-	4	40	16	3	21	5	181	170	34	2	117	-
79	St. Tammany	269	7	1	-	-	33	11	4	18	2	140	139	22	-	107	1
80	Tangipahoa	503	13	2	-	3	59	24	7	28	8	253	245	52	-	180	16
81	Tensas	144	3	1	-	1	12	2	3	7	-	84	81	18	-	57	5
82	Terrebonne	363	8	1	1	1	41	13	6	22	9	174	170	25	-	136	5
83	Union	140	3	-	-	2	25	7	2	16	6	66	61	22	2	35	1
84	Vermilion	267	9	-	-	5	47	17	10	20	3	114	110	17	-	88	3
85	Vernon	198	5	-	1	-	25	5	4	16	4	82	75	10	1	62	-

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-, E985	All other causes Residual	
26	19	12	2	4	1	5	17	1	9	1	-	2	10	23	5	8	19	4	7	16	1
69	20	11	8	4	1	13	59	2	12	2	1	2	11	52	13	11	36	8	2	40	2
-	-	12	1	-	-	-	3	1	1	-	-	1	1	1	2	2	6	-	-	1	3
58	16	18	8	6	-	7	16	2	1	-	2	-	4	13	4	14	23	7	4	23	4
9	4	4	-	-	-	1	-	-	-	1	-	-	-	1	1	-	1	-	-	1	5
10	8	19	-	1	-	1	2	-	1	-	1	-	1	4	6	6	5	-	3	10	6
22	5	4	-	2	1	-	7	2	1	-	-	2	2	6	3	6	7	-	-	8	7
11	7	12	3	1	1	6	4	-	2	-	1	1	1	4	-	4	7	2	-	4	8
25	8	14	5	5	-	3	5	1	-	-	-	-	2	6	2	7	7	4	4	13	9
26	9	20	2	15	1	4	10	2	1	2	-	-	2	4	-	5	8	1	2	15	10
12	11	15	-	1	-	2	11	1	-	1	-	1	-	6	7	3	3	1	1	4	11
6	1	6	-	1	-	1	4	-	-	-	1	-	2	3	1	1	1	1	1	8	12
16	18	7	-	1	1	4	3	-	-	1	2	1	5	11	1	8	7	1	2	13	13
23	10	8	1	6	-	5	7	2	2	2	-	-	2	3	-	5	6	1	3	10	14
17	2	11	-	3	-	1	3	-	-	-	-	-	2	5	-	1	4	-	1	7	15
5	1	5	-	2	-	-	4	-	-	-	-	-	-	1	-	2	2	1	-	2	16
26	10	16	1	5	-	6	3	3	3	-	-	-	1	8	7	10	13	1	3	13	17
82	31	43	4	6	2	12	18	-	2	1	2	2	10	16	4	15	32	3	7	28	18
20	7	6	1	5	2	1	1	-	1	1	-	-	1	10	1	5	12	7	3	4	19
18	11	7	-	4	-	3	3	-	1	-	-	-	1	4	2	1	3	2	-	7	20
25	8	15	1	6	1	9	7	1	1	-	-	-	-	13	3	8	8	2	-	14	21
32	13	22	3	3	2	2	26	-	4	1	-	1	3	9	7	13	13	1	1	15	22
1	7	3	-	1	-	-	12	-	1	1	-	-	1	7	10	5	2	1	-	4	23
25	7	11	-	5	1	4	7	1	-	2	-	-	4	3	1	4	5	-	1	5	24
5,075	1,919	1,440	294	337	142	419	933	106	208	205	65	77	339	1,536	391	649	1,114	161	271	1,692	25
2,331	823	508	134	141	78	155	265	52	40	128	22	20	154	540	55	209	394	63	123	714	26
2,744	1,096	932	160	196	64	264	668	54	168	77	43	57	185	996	336	440	720	98	148	978	27
58	23	28	2	4	2	7	22	-	9	1	-	1	1	38	7	14	11	2	2	22	28
36	6	5	4	3	-	8	15	-	1	2	-	-	5	12	5	12	1	1	-	10	29
42	15	16	3	4	-	2	12	1	1	-	-	1	5	8	28	8	13	1	2	13	30
38	10	11	1	6	-	1	9	-	2	1	-	1	1	8	4	4	10	-	3	13	31
85	23	10	-	2	1	5	16	-	3	4	-	1	3	17	2	7	14	3	2	23	32
33	10	23	-	1	1	5	10	2	2	-	4	2	1	13	2	3	13	1	2	18	33
24	17	18	5	7	1	4	4	-	1	-	1	-	2	4	4	3	12	1	3	16	34
46	12	15	-	2	5	6	14	1	3	1	1	-	6	25	1	11	18	1	2	16	35
292	164	69	26	26	18	50	56	9	13	15	5	8	22	105	10	51	68	11	31	116	36
148	40	35	6	9	4	17	32	-	5	3	2	5	14	70	14	25	32	6	7	38	37
26	8	4	-	1	-	1	2	1	-	-	-	-	-	7	2	4	5	-	-	5	38
5	3	2	1	-	1	4	-	-	-	-	-	-	-	4	2	1	4	-	-	4	39
9	6	8	2	-	-	2	2	2	-	-	-	-	-	7	-	3	3	3	1	6	40
60	14	10	2	1	-	4	6	1	3	3	-	-	1	7	3	4	8	3	4	13	41
17	51	6	2	-	-	3	10	2	1	-	-	-	5	12	2	5	8	1	6	15	42
50	26	21	4	2	4	1	6	-	2	4	-	1	2	18	2	6	19	1	1	15	43
216	81	65	57	16	3	18	22	3	10	12	4	4	27	69	10	40	41	11	12	97	44
22	9	29	6	-	-	1	9	-	1	-	1	4	2	5	3	2	9	2	2	24	45
20	9	8	2	4	-	4	12	4	2	-	-	-	-	8	-	4	8	-	5	6	46
34	10	19	3	2	1	1	20	-	5	3	-	1	2	19	8	11	8	5	2	15	47
49	13	17	4	1	1	1	12	-	1	1	-	-	2	14	4	3	15	6	1	11	48
30	4	9	1	6	-	1	4	1	1	-	1	-	1	7	4	4	8	-	1	9	49
40	22	28	7	14	2	11	17	-	10	6	1	2	6	31	9	5	17	1	3	17	50
65	23	34	3	2	-	7	14	1	3	-	-	-	1	19	3	11	12	2	2	13	51
12	11	4	4	-	-	2	3	-	-	-	-	2	-	3	30	5	5	2	3	12	52
204	51	37	3	9	6	6	23	5	2	4	2	1	18	48	6	25	39	2	8	46	53
53	11	16	-	5	2	3	6	1	5	1	1	-	1	11	7	8	8	2	1	10	54
96	32	14	3	6	3	5	20	1	15	3	2	1	6	40	4	10	12	4	6	23	55
67	21	22	5	4	1	5	19	-	1	-	2	1	6	29	2	15	9	-	3	20	56
29	8	9	2	-	-	2	-	-	-	3	-	1	-	6	2	4	8	2	2	6	57
39	11	21	2	6	2	4	6	1	2	1	-	2	7	7	2	4	7	-	1	9	58
20	9	20	1	2	-	5	2	-	2	-	1	1	-	10	8	10	10	1	1	10	59
15	20	11	2	-	-	2	5	1	1	1	2	2	1	11	31	1	8	1	5	21	60
34	42	23	1	1	-	5	16	2	2	2	-	-	4	25	6	8	16	2	1	13	61
62	24	26	5	-	2	14	10	2	3	4	2	1	2	27	8	3	14	-	7	22	62
1,597	523	315	48	90	50	81	159	35	14	96	11	7	84	310	29	90	244	38	71	446	63
143	90	31	6	13	2	16	31	4	6	3	2	3	10	49	6	27	42	5	11	51	64
19	5	9	1	2	-	-	4	1	1	-	-	-	4	9	3	1	9	1	1	6	65
29	17	22	8	2	-	15	18	1	1	1	-	1	1	11	4	5	4	1	1	7	66
136	49	70	9	8	7	11	27	5	7	4	4	4	14	48	48	21	41	4	5	76	67
7	7	4	-	-	1	2	6	1	-	1	-	2	2	14	14	3	7	2	-	7	68
47	27	9	2	2	1	2	9	-	4	-	-	2	3	22	2	3	14	1	4	18	69
26	16	4	3	1	3	3	6	-	3	1	-	-	3	11	3	3	17	2	-	13	70
22	4	22	-	-	1	-	5	-	1	1	-	-	3	8	-	3	2	1	1	9	71
39	14	4	2	1	-	-	5	-	5	-	-	1	2	6	-	9	8	-	2	7	72
14	8	7	2	-	-	4	5	-	4	-	-	-	-	6	1	-	2	-	-	1	73
28	10	13	-	1	-	1	5	2	1	3	1	1	2	16	4	4	7	-	2	17	74
28	13	10	2	3	2	-	6	-	2	2	-	1	-	6	2	6	2	-	-	15	75
119	47	33	5	20	2	14	46	3	12	4	3	-	9	53	6	25	48	6	6	33	76
42	9	8	-	2	2	4	14	2	3	1	1	-	2	11	1	7	8	4	-	15	77
66	20	31	7	9	1	11	20	2	-	3	4	-	8	21	6	3	16	3	1	27	78
77	13	16	2	6	2	1	11	1	4	1	-	1	4	17	-	11	13	-	2	21	79
111	32	21	5	7	1	8	23	-	7	2	2	2	7	35	5	16	24	4	5	33	80
25	17	10	6	-	-	3	4	-	2	-	-	-	-	9	2	1	9	1	1	14	81
72	27	32	1	7	1	4	16	2	6	-	1	-	4	31	2	14	24	2	4	22	82
22	6	6	1	1	-	5	8	1	1	-	-	1	1	7	1	4	4	-	3	7	83
51	20	14	2	3	-	4	14	1	2	1	-	3	5	16	1	6	10	2	1	27	84
46	10	6	2	-	-	7	12	2	1	-	1	2	1	13	1	20	9	2	1	16	85

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	LOUISIANA—Continued																
1	Washington	367	6	4	-	4	55	17	8	30	6	168	165	38	-	122	2
2	Webster	285	6	1	-	2	38	13	3	22	4	142	142	37	1	93	2
3	West Baton Rouge	108	1	-	-	-	11	7	2	2	1	65	64	16	-	42	-
4	West Carroll	109	2	-	-	1	9	6	-	3	1	49	48	8	-	38	2
5	West Feliciana	97	4	5	-	-	10	3	1	6	-	51	51	10	-	38	-
6	Winn	126	-	1	-	1	20	6	1	13	1	75	74	17	-	54	2
7	MAINE	9,902	102	14	19	46	1,619	633	149	837	141	5,591	5,425	1,163	6	3,845	142
8	Metropolitan counties	1,862	24	3	4	3	314	112	28	174	24	1,074	1,045	227	1	733	23
9	Nonmetropolitan counties	8,040	78	11	15	43	1,305	521	121	663	117	4,517	4,380	936	5	3,112	119
10	Androscoggin	942	5	-	2	6	155	76	12	67	6	549	531	121	-	376	19
11	Aroostook	713	14	1	-	7	93	39	10	44	15	321	300	81	1	203	7
12	Cumberland	1,862	24	3	4	3	314	112	28	174	24	1,074	1,045	227	1	733	23
13	Franklin	212	1	-	1	-	41	14	1	26	7	106	104	27	-	75	2
14	Hancock	365	1	1	4	2	54	21	5	28	4	241	233	44	1	166	3
15	Kennebec	900	10	-	2	6	163	68	17	78	13	507	491	99	2	352	14
16	Knox	391	3	-	3	2	73	25	7	41	8	217	209	40	-	142	12
17	Lincoln	269	3	-	2	1	41	18	4	19	5	150	142	21	-	114	7
18	Oxford	464	2	-	-	3	70	27	7	36	6	280	268	60	-	187	6
19	Penobscot	1,089	17	-	-	4	160	47	20	93	20	597	581	131	-	406	11
20	Piscataquis	224	3	-	-	1	36	18	6	12	1	115	113	17	-	82	6
21	Sagadahoc	261	2	-	-	1	51	22	3	26	5	142	141	29	-	99	2
22	Somerset	421	1	2	-	4	66	27	4	35	5	259	252	50	-	184	5
23	Waldo	303	-	-	1	1	37	13	7	17	4	184	178	51	-	112	3
24	Washington	419	5	4	-	3	66	31	6	29	4	240	235	44	1	170	5
25	York	1,067	11	3	-	2	199	75	12	112	14	609	602	121	-	444	17
26	MARYLAND	23,981	642	161	14	117	3,497	1,198	444	1,855	454	12,995	12,669	2,053	27	9,833	304
27	Metropolitan counties	17,040	510	124	10	70	2,618	885	347	1,386	321	9,121	8,913	1,286	15	7,092	216
28	Nonmetropolitan counties	6,941	132	37	4	47	879	313	97	469	133	3,874	3,756	767	12	2,741	88
29	Allegany	871	7	2	-	2	120	53	8	59	26	495	474	67	4	364	18
30	Anne Arundel	954	28	6	-	6	139	53	20	66	18	492	482	62	1	388	8
31	Baltimore	2,304	44	17	3	2	373	126	48	199	42	1,282	1,264	165	-	1,025	32
32	Baltimore (independent city)	11,160	402	91	1	51	1,683	567	232	884	227	6,051	5,696	856	10	4,693	148
33	Calvert	127	2	1	-	-	12	6	-	6	-	67	64	18	-	42	-
34	Caroline	255	5	2	-	3	35	11	3	21	2	157	150	31	-	104	1
35	Carroll	448	14	-	1	2	48	16	8	24	9	273	269	59	1	196	8
36	Cecil	384	11	-	1	4	52	18	6	28	9	207	197	39	-	147	3
37	Charles	227	1	2	-	5	14	9	-	5	1	123	119	23	-	92	4
38	Dorchester	378	8	3	-	3	46	14	8	24	6	224	216	42	1	156	2
39	Frederick	726	9	6	1	5	108	32	10	66	14	402	390	90	1	283	9
40	Garrett	195	-	-	-	-	21	7	3	11	8	119	115	14	-	97	4
41	Harford	440	8	1	-	3	46	19	4	23	8	216	210	33	-	169	2
42	Howard	204	8	-	-	2	29	5	3	21	1	99	98	18	-	76	1
43	Kent	179	4	-	-	1	24	7	-	17	2	107	107	27	1	74	3
44	Montgomery	1,337	17	8	2	4	242	78	31	133	16	676	666	110	-	513	14
45	Prince Georges	1,285	19	2	4	7	181	61	16	104	18	620	605	93	4	473	14
46	Queen Annes	157	2	1	-	-	20	11	1	8	2	87	84	17	-	61	2
47	St. Marys	205	8	-	-	4	20	4	4	12	6	83	81	13	1	55	4
48	Somerset	294	8	3	-	1	38	10	10	18	6	160	146	39	-	94	1
49	Talbot	250	8	1	-	-	39	14	9	16	4	150	147	23	1	110	1
50	Washington	844	8	8	1	8	112	39	10	63	14	493	486	99	1	357	13
51	Wicomico	488	8	3	-	4	64	26	4	34	7	260	258	80	1	163	8
52	Worcester	269	13	4	-	-	31	12	6	13	8	152	145	35	-	101	4
53	MASSACHUSETTS	51,587	718	103	21	173	8,649	3,423	923	4,303	1,021	29,433	28,887	5,617	27	21,275	786
54	Metropolitan counties	50,306	711	102	20	169	8,465	3,348	908	4,209	999	28,670	28,143	5,448	25	20,772	771
55	Nonmetropolitan counties	1,281	7	1	1	4	184	75	15	94	22	763	744	169	2	503	15
56	Barnstable	629	-	1	1	2	88	34	6	48	11	378	374	83	-	260	13
57	Berkshire	1,419	12	-	1	9	253	97	34	122	29	802	779	155	1	572	15
58	Bristol	4,421	67	11	-	14	787	336	76	375	107	2,535	2,470	493	2	1,814	57
59	Dukes	73	-	-	-	-	9	2	2	5	1	49	49	10	-	29	-
60	Essex	5,980	47	17	4	20	1.000	382	125	493	105	3,607	3,541	738	3	2,561	95
61	Franklin	534	6	-	-	-	77	35	6	36	9	312	297	71	2	197	1
62	Hampden	3,898	32	8	3	15	639	268	56	315	69	2,188	2,152	414	3	1,630	59
63	Hampshire	850	15	1	-	-	126	62	12	52	23	516	508	101	-	382	13
64	Middlesex	11,177	94	13	6	34	1,947	788	207	952	202	6,425	6,313	1,317	6	4,499	154
65	Nantucket	45	1	-	-	2	10	4	1	5	1	24	24	5	-	17	1
66	Norfolk	3,989	35	9	-	15	705	251	73	381	79	2,289	2,245	439	-	1,629	60
67	Plymouth	2,088	22	5	2	4	323	126	22	175	37	1,258	1,242	251	1	920	26
68	Suffolk	10,568	265	28	3	33	1,795	682	215	898	212	5,554	5,465	960	9	4,163	203
69	Worcester	5,916	122	10	1	25	890	356	88	446	136	3,496	3,428	580	-	2,602	89
70	MICHIGAN	59,481	787	197	214	249	9,298	3,420	1,028	4,850	1,322	30,819	30,071	6,616	70	21,295	843
71	Metropolitan counties	37,634	604	140	161	146	6,123	2,198	744	3,181	872	18,986	18,529	3,778	35	13,465	569
72	Nonmetropolitan counties	21,847	183	57	53	103	3,175	1,222	284	1,669	450	11,833	11,542	2,838	35	7,830	274
73	Alcona	64	-	1	-	-	10	4	-	6	1	38	38	15	-	20	4
74	Alger	91	2	-	-	-	15	8	2	5	1	38	35	10	-	22	-
75	Allegan	503	1	1	-	5	71	32	3	36	4	266	259	76	3	158	4
76	Alpena	203	-	2	1	1	26	11	3	12	10	104	101	29	-	67	6

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
79	31	10	2	2	1	3	18	-	2	2	1	3	7	22	5	14	18	2	3	27	1
56	26	9	6	3	2	-	7	-	-	2	1	-	6	23	6	12	12	2	4	17	2
23	9	10	2	3	1	1	3	1	2	1	1	-	1	3	1	3	6	-	1	7	3
22	5	9	-	2	-	1	7	-	2	1	-	-	1	7	2	2	12	-	-	13	4
24	7	7	1	2	-	-	5	1	-	-	-	-	-	6	-	-	3	-	5	7	5
29	18	5	-	1	2	1	3	-	3	-	-	-	1	2	1	2	6	-	4	6	6
2,514	484	705	88	270	53	166	265	60	31	68	22	12	127	377	102	149	362	123	9	663	7
509	97	104	21	48	15	29	60	6	4	9	3	2	26	64	13	18	66	31	-	114	8
2,005	387	601	67	222	38	137	205	54	27	59	19	10	101	313	89	131	296	92	9	549	9
261	44	52	9	25	-	18	24	8	5	7	2	2	10	28	8	10	30	16	1	68	10
130	21	45	7	5	3	21	29	6	3	2	1	1	18	55	12	25	44	8	-	58	11
509	97	104	21	48	15	29	60	6	4	9	3	2	26	64	13	18	66	31	-	114	12
58	9	6	1	1	-	2	1	1	1	1	-	-	1	13	-	6	6	7	-	19	13
105	22	36	2	17	3	8	7	1	1	4	-	1	4	7	1	4	6	2	-	20	14
240	42	56	10	23	5	16	33	8	3	9	1	1	7	32	2	10	31	8	1	53	15
82	18	30	5	20	2	8	5	2	2	-	3	-	4	7	5	8	16	6	-	27	16
68	9	30	1	5	1	8	8	4	-	1	1	-	3	8	12	4	3	6	-	17	17
129	21	31	5	15	1	12	8	2	2	3	2	1	1	16	7	6	17	2	1	35	18
259	48	88	9	29	6	16	22	6	4	12	2	1	20	55	15	16	49	10	2	77	19
52	9	15	1	11	2	2	7	3	2	1	1	-	2	11	4	3	9	4	-	21	20
69	14	14	3	10	-	1	10	2	-	3	-	1	3	6	4	1	8	4	1	17	21
101	23	55	4	9	5	7	6	2	1	5	1	1	4	14	5	7	19	7	-	12	22
68	14	27	1	13	1	6	7	2	-	-	-	-	6	13	3	4	16	-	1	24	23
97	21	47	3	16	1	5	11	-	1	-	2	1	4	16	4	11	11	4	2	30	24
286	72	69	6	23	8	7	27	7	2	11	3	-	14	32	7	16	31	8	-	71	25
4,786	2,374	2,369	208	438	110	326	652	116	139	272	44	39	317	1,008	116	513	981	239	143	1,522	26
3,386	1,814	1,676	144	285	91	208	451	87	94	232	27	27	231	692	74	318	662	158	113	1,100	27
1,400	560	693	64	153	19	118	201	29	45	40	17	12	86	316	42	195	319	81	30	422	28
153	95	98	10	26	3	21	24	6	1	11	1	-	10	33	7	18	54	4	1	49	29
217	81	82	6	23	2	10	31	2	5	4	1	2	14	48	4	33	42	13	4	62	30
547	223	223	19	42	13	18	38	11	15	26	7	3	51	100	13	36	88	21	4	128	31
2,047	1,267	1,231	105	168	64	155	303	57	57	164	15	15	115	392	51	174	422	86	90	713	32
25	13	4	1	3	-	3	6	-	-	-	-	2	6	8	3	4	8	2	1	5	33
66	14	23	7	8	-	7	7	1	2	-	-	-	-	9	1	8	4	2	3	14	34
91	49	48	2	10	1	4	7	1	1	3	3	1	5	25	2	7	8	9	-	29	35
60	43	41	2	9	-	10	10	2	2	-	1	2	8	13	2	12	20	5	-	23	36
42	29	17	1	3	-	4	8	1	5	1	1	2	3	11	4	13	16	2	2	12	37
94	34	26	4	12	1	8	11	4	9	1	-	-	4	8	1	6	18	3	4	19	38
158	32	84	6	9	1	12	17	1	4	4	2	1	5	29	1	17	32	13	3	52	39
36	20	37	-	4	-	4	8	-	-	1	-	-	4	11	1	4	6	3	-	9	40
83	34	50	1	7	-	6	17	-	3	4	-	-	12	36	1	21	25	6	2	31	41
35	12	28	1	3	-	1	2	-	6	-	-	-	2	7	2	6	16	5	1	18	42
43	11	17	3	2	-	-	4	-	-	2	-	-	1	5	1	7	5	-	1	15	43
329	103	67	4	31	8	10	24	10	7	18	2	1	22	77	5	23	55	17	3	108	44
246	140	73	10	21	4	15	55	7	10	20	2	6	29	75	1	52	55	21	12	89	45
25	15	19	1	2	3	3	6	2	1	1	2	1	2	2	4	3	9	5	2	5	46
24	8	19	5	7	-	2	8	2	1	1	2	-	3	20	1	11	17	1	2	15	47
54	12	27	3	10	-	14	14	1	4	-	-	-	2	15	2	6	13	1	1	19	48
62	23	24	4	6	3	3	6	-	-	-	2	-	4	7	1	6	9	3	1	9	49
193	69	82	5	20	4	7	25	6	-	5	2	1	13	36	5	21	28	6	-	52	50
109	17	29	4	8	2	2	14	1	5	6	-	2	2	32	2	20	21	6	3	28	51
47	30	20	4	4	1	7	7	1	1	-	1	-	-	9	1	5	10	5	3	18	52
15,135	2,485	2,869	379	1,251	338	546	1,267	408	171	682	82	54	604	1,567	300	549	1,976	388	48	3,373	53
14,769	2,432	2,800	367	1,197	334	527	1,239	395	167	672	80	54	595	1,531	288	518	1,914	369	47	3,301	54
366	53	69	12	54	4	19	28	13	4	10	2	-	9	36	12	31	62	19	1	72	55
190	29	28	6	25	-	4	12	7	1	3	-	-	6	14	4	22	29	11	1	38	56
361	87	109	12	30	9	23	33	14	-	15	1	1	16	41	12	26	56	18	-	80	57
1,117	295	345	47	90	24	65	73	30	12	44	12	9	53	149	32	40	174	34	6	232	58
24	1	4	-	10	-	-	1	-	-	2	-	-	1	1	-	3	4	-	-	2	59
1,868	257	341	37	156	46	66	108	52	17	78	10	5	59	157	26	49	220	31	4	364	60
140	21	35	6	19	2	15	14	6	3	5	2	-	2	21	8	6	28	6	-	29	61
1,204	181	186	22	64	19	36	89	24	15	51	7	5	52	128	103	51	128	35	2	254	62
257	39	73	4	17	4	8	35	2	2	3	2	-	7	26	5	9	34	5	-	39	63
3,236	547	562	103	307	81	112	274	89	31	159	16	15	146	357	27	119	420	80	8	715	64
12	2	2	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	2	-	3	65
1,172	187	210	17	130	30	44	93	26	16	43	5	4	49	120	20	42	138	31	2	268	66
674	100	120	13	45	12	16	52	19	8	20	3	1	22	45	8	26	71	22	-	140	67
3,057	448	455	72	187	74	89	357	102	37	196	12	8	119	338	38	93	447	71	19	841	68
1,823	291	399	40	171	35	68	125	37	29	63	12	6	72	170	17	63	226	42	6	368	69
13,819	2,785	3,848	425	1,315	350	748	1,668	365	298	614	117	83	977	2,852	455	1,865	2,167	715	217	4,202	70
8,900	1,933	2,063	283	733	235	457	1,105	248	208	457	78	61	663	2,030	234	1,092	1,230	416	179	2,601	71
4,919	852	1,785	142	582	115	291	563	117	90	157	39	22	314	822	221	773	937	299	38	1,601	72
12	1	3	1	1	1	-	-	2	-	1	-	-	-	-	1	1	1	1	-	7	73
14	1	7	-	2	1	3	6	-	1	1	-	-	-	3	6	5	6	1	-	6	74
100	18	36	4	16	2	7	12	-	2	2	1	1	8	15	8	23	15	8	-	60	75
39	7	15	-	3	2	3	6	1	1	1	1	-	2	11	-	5	9	6	-	16	76

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MICHIGAN—Continued																
1	Antrim	123	-	-	-	-	16	7	-	9	2	83	82	23	-	54	2
2	Arenac	109	2	-	-	-	19	6	4	9	1	59	59	18	1	36	1
3	Baraga	89	1	-	-	-	12	4	2	6	2	53	53	13	-	39	-
4	Barry	326	-	1	-	2	46	16	3	27	4	184	177	41	-	125	4
5	Bay	903	2	1	4	6	140	45	15	80	24	455	445	96	1	322	5
6	Benzie	79	-	-	-	1	10	2	-	8	2	39	38	10	-	28	1
7	Berrien	1,167	11	2	3	11	177	73	25	79	18	641	629	131	1	449	23
8	Branch	358	4	1	-	-	57	24	5	28	8	205	198	44	2	131	4
9	Calhoun	1,130	9	7	4	5	159	43	16	100	15	607	596	141	-	395	10
10	Cass	342	1	-	-	5	60	27	3	30	2	168	161	36	-	117	6
11	Charlevoix	174	5	-	1	1	24	7	3	14	8	109	105	27	-	71	3
12	Cheboygan	136	-	-	-	-	19	7	1	11	2	87	86	16	-	66	1
13	Chippewa	297	-	2	1	-	42	21	5	16	8	134	129	20	-	105	9
14	Clare	119	-	1	-	1	13	5	1	7	2	72	71	19	-	49	1
15	Clinton	297	4	-	2	1	45	10	3	32	6	159	158	35	-	106	4
16	Crawford	48	-	-	-	-	9	3	2	4	2	24	24	7	-	16	-
17	Delta	374	5	-	3	2	50	28	4	18	6	201	194	38	1	149	3
18	Dickinson	265	3	-	-	-	54	23	6	25	4	158	155	35	-	110	2
19	Eaton	426	1	2	2	1	50	19	5	26	9	247	237	58	-	173	9
20	Emmet	148	-	-	-	-	23	8	2	13	2	84	79	11	-	67	3
21	Genesee	2,312	22	8	28	6	349	120	33	196	64	1.174	1,151	231	2	769	25
22	Gladwin	90	-	-	-	-	8	2	-	6	3	59	59	18	-	39	1
23	Gogebic	314	8	-	-	-	38	24	4	10	10	176	172	51	-	114	4
24	Grand Traverse	268	4	-	3	-	30	12	6	12	4	160	155	38	1	111	6
25	Gratiot	379	2	1	-	1	47	17	2	28	9	219	214	55	1	142	2
26	Hillsdale	346	-	-	1	-	41	12	2	27	9	195	193	49	-	130	6
27	Houghton	555	9	3	-	1	85	38	7	40	15	302	294	73	2	199	9
28	Huron	347	-	-	2	1	56	22	3	31	5	194	187	40	-	135	3
29	Ingham	1,463	8	2	13	6	247	68	26	153	24	789	779	182	3	524	16
30	Ionia	405	-	-	-	1	54	17	5	32	4	234	228	51	-	160	2
31	Iosco	104	-	-	-	-	19	10	-	9	2	51	50	12	-	34	-
32	Iron	206	2	-	-	1	36	12	7	17	4	88	86	21	-	58	1
33	Isabella	253	5	1	-	1	40	23	-	17	1	106	104	12	-	75	3
34	Jackson	1,122	15	5	6	7	170	56	23	91	18	617	602	165	-	384	12
35	Kalamazoo	1,178	9	6	3	2	170	55	18	97	23	659	648	147	2	458	15
36	Kalkaska	49	1	-	-	-	6	1	-	5	1	28	26	10	-	14	1
37	Kent	2,816	29	10	8	8	477	188	41	248	76	1,557	1,527	358	1	1,043	45
38	Keweenaw	37	-	-	-	-	7	6	-	1	2	15	14	6	-	7	-
39	Lake	73	-	1	-	-	12	6	1	5	1	41	39	4	-	33	-
40	Lapeer	350	1	-	1	-	50	15	2	33	7	200	195	56	2	119	3
41	Leelanau	85	2	-	-	2	6	5	-	1	1	56	56	11	-	43	-
42	Lenawee	730	10	2	-	5	99	38	8	53	14	368	355	78	2	244	7
43	Livingston	314	1	1	2	-	48	15	5	28	3	170	168	33	-	121	1
44	Luce	61	1	-	-	-	12	4	3	5	1	31	31	6	-	23	1
45	Mackinac	96	1	1	-	-	13	3	2	8	3	50	49	13	-	32	1
46	Macomb	1,432	15	4	8	9	229	90	30	109	33	667	647	139	3	467	16
47	Manistee	213	-	-	-	1	34	14	3	17	11	122	120	31	-	86	4
48	Marquette	473	8	2	-	3	80	33	10	37	4	257	254	63	1	169	5
49	Mason	201	4	-	-	1	25	13	1	11	5	121	119	23	-	91	2
50	Mecosta	224	-	-	-	-	30	11	7	12	2	141	136	30	-	81	2
51	Menominee	262	3	-	1	-	46	18	5	23	7	145	140	42	-	93	1
52	Midland	210	1	1	1	-	25	6	2	17	-	110	108	26	1	70	7
53	Missaukee	70	1	1	-	-	15	9	-	6	3	38	38	18	1	19	1
54	Monroe	623	5	2	-	6	96	31	12	53	18	283	276	70	4	183	6
55	Montcalm	390	1	2	-	2	55	21	6	28	9	229	223	58	2	137	1
56	Montmorency	32	1	-	-	-	2	-	-	2	1	18	18	7	-	9	-
57	Muskegon	1,123	11	9	4	7	149	60	14	75	12	552	539	136	1	356	11
58	Newaygo	226	2	-	2	-	31	9	4	18	9	117	111	26	1	74	4
59	Oakland	3,131	35	5	21	15	476	163	53	260	67	1,525	1,497	331	4	1,058	52
60	Oceana	181	-	1	-	2	24	11	-	13	5	103	100	20	1	73	4
61	Ogemaw	117	2	-	-	1	20	3	1	16	2	63	61	19	1	37	2
62	Ontonagon	111	6	-	2	-	14	6	-	8	2	54	53	16	-	33	3
63	Osceola	179	2	-	1	-	23	12	2	9	5	98	95	18	-	68	2
64	Oscoda	28	-	-	-	-	4	1	1	2	-	14	13	3	-	9	-
65	Otsego	69	1	-	1	1	12	7	-	5	3	37	37	9	-	26	1
66	Ottawa	643	3	2	2	4	110	47	8	55	22	372	362	88	1	240	10
67	Presque Isle	111	2	-	-	-	16	4	-	12	1	59	59	14	-	44	2
68	Roscommon	61	-	-	-	-	10	6	-	4	2	34	33	11	-	19	-
69	Saginaw	1,414	11	4	9	10	245	87	19	139	38	698	672	171	1	434	16
70	St. Clair	1,013	11	1	1	6	160	50	13	97	35	516	502	110	-	363	14
71	St. Joseph	404	6	1	-	3	69	26	3	40	11	220	217	72	-	124	3
72	Sanilac	341	-	-	-	2	41	14	3	24	8	199	194	47	1	136	6
73	Schoolcraft	104	2	-	-	1	15	7	3	5	2	55	54	15	-	34	1
74	Shiawassee	454	2	2	1	3	66	21	7	38	10	264	259	56	-	183	3
75	Tuscola	414	3	2	8	1	46	19	4	23	8	245	232	65	-	156	11
76	Van Buren	544	1	1	1	4	77	26	10	41	15	296	289	85	1	186	7
77	Washtenaw	907	7	-	1	5	135	59	9	67	16	471	465	147	3	273	5
78	Wayne	21,863	458	95	61	77	3,620	1,326	486	1,808	505	10,845	10,561	1,958	18	8,006	367
79	Wexford	189	2	-	1	1	31	8	1	22	4	97	96	23	-	72	5
80	MINNESOTA	27,859	205	84	197	88	4,628	1,861	372	2,395	500	15,137	14,878	3,661	31	10,058	385
81	Metropolitan counties	12,776	126	56	71	36	2,267	892	206	1,169	232	6,829	6,740	1,576	11	4,699	200
82	Nonmetropolitan counties	15,083	79	28	126	52	2,361	969	166	1,226	268	8,308	8,138	2,085	20	5,359	185
83	Aitkin	136	-	-	-	-	18	7	1	10	2	86	85	30	-	47	3
84	Anoka	241	1	-	4	-	39	14	3	22	2	120	117	38	1	66	3
85	Becker	225	2	1	1	1	29	10	3	16	4	131	129	25	1	94	5

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
42	3	7	1	4	-	1	4	1	-	-	-	-	-	2	-	6	5	-	-	4	1
23	6	6	1	3	-	-	2	-	-	-	-	-	-	5	4	6	3	1	-	7	2
18	2	19	-	-	1	-	1	1	-	-	-	-	-	-	3	2	6	-	1	7	3
97	10	14	2	5	4	7	3	-	1	1	-	1	3	9	-	15	27	2	-	27	4
174	47	96	4	18	4	10	30	11	9	2	2	3	15	45	13	24	31	8	1	77	5
16	5	6	-	-	-	1	1	-	-	-	-	-	2	-	-	5	7	4	-	8	6
311	55	60	13	29	6	12	35	3	3	9	-	1	18	43	5	33	51	22	1	80	7
88	15	24	1	17	3	7	13	1	3	1	1	-	3	10	2	11	15	7	-	16	8
263	34	88	7	47	6	11	29	7	3	6	3	1	15	43	23	47	47	13	3	84	9
68	12	31	2	5	1	7	13	4	3	1	-	1	4	13	8	15	13	1	-	30	10
47	6	15	1	5	1	4	5	-	2	-	-	-	-	4	1	2	1	-	-	11	11
45	2	18	-	3	1	1	1	-	-	1	-	-	1	4	-	6	8	-	1	6	12
58	15	23	-	4	-	5	4	3	-	4	-	-	2	19	3	8	29	6	1	31	13
34	3	11	2	1	-	1	2	3	-	-	-	-	-	4	-	7	5	2	-	7	14
58	25	19	3	12	2	1	11	-	-	1	-	-	8	11	-	12	8	2	-	27	15
8	7	1	-	1	-	-	3	-	-	1	-	-	1	2	-	1	2	2	-	1	16
80	14	52	-	5	1	7	12	3	1	2	1	1	2	18	-	18	14	2	-	33	17
75	7	26	4	4	2	3	3	1	-	-	-	-	3	5	-	7	5	4	-	18	18
107	29	28	1	4	1	10	10	2	2	2	-	1	5	17	10	15	9	8	-	33	19
59	4	1	-	1	-	5	2	1	-	2	-	-	1	4	1	4	12	1	-	11	20
542	94	108	17	122	10	23	48	6	7	23	6	-	33	150	19	102	74	27	7	159	21
27	4	7	1	1	-	-	5	-	1	-	-	-	1	3	2	2	3	1	-	2	22
65	6	39	2	3	2	4	7	2	-	-	1	1	2	10	1	8	18	8	-	24	23
70	10	25	-	4	1	5	3	2	1	1	1	-	2	13	-	6	10	5	-	23	24
100	14	26	1	15	-	5	6	1	5	4	3	1	5	11	6	10	12	5	-	31	25
76	19	29	-	13	1	2	10	1	1	-	1	-	9	8	16	15	13	6	1	19	26
110	9	71	2	18	-	8	10	4	1	7	1	-	10	13	11	7	17	9	2	48	27
83	10	39	3	8	1	7	12	2	2	8	-	-	5	13	1	12	14	5	-	15	28
381	65	62	10	52	8	10	20	8	5	12	3	1	24	86	4	51	38	21	3	98	29
94	16	48	6	11	-	6	16	1	-	4	1	-	5	19	7	17	12	2	-	28	30
18	4	12	-	3	1	1	1	4	-	-	-	-	1	4	-	6	6	1	-	9	31
40	6	11	1	3	3	2	10	2	1	1	-	-	4	6	5	6	19	6	-	15	32
48	7	17	3	13	1	2	9	1	2	3	-	-	5	17	5	14	10	4	-	29	33
263	42	67	11	35	7	15	25	8	2	7	2	2	15	45	6	33	49	14	-	76	34
315	58	70	8	24	9	11	27	6	6	10	1	4	17	57	11	42	33	15	1	76	35
13	-	-	-	2	-	2	2	-	-	1	-	-	-	3	-	2	2	-	-	3	36
670	101	227	27	77	21	30	40	18	15	20	4	3	40	110	28	70	86	34	4	179	37
3	2	2	-	1	-	1	2	-	-	-	-	-	1	2	5	-	2	-	-	1	38
9	7	17	-	2	-	2	4	-	-	3	1	-	1	-	-	3	1	1	-	4	39
87	9	20	2	13	3	5	11	5	1	5	1	1	6	8	1	10	9	3	-	30	40
15	17	11	-	1	1	-	2	-	1	1	-	-	-	1	-	5	3	-	-	5	41
147	30	60	7	21	3	13	22	3	5	6	-	2	8	28	19	24	43	9	2	61	42
72	15	33	1	12	1	2	8	2	1	4	1	-	2	12	-	11	20	4	-	24	43
13	2	7	-	2	-	-	2	-	-	-	-	-	1	5	1	2	4	-	-	1	44
25	3	3	2	2	-	1	2	-	-	2	-	-	2	4	1	3	4	-	-	10	45
298	51	102	10	18	10	20	50	15	9	18	2	1	34	95	13	70	48	15	6	91	46
68	6	8	-	2	1	2	6	2	-	3	-	-	3	3	2	1	7	3	-	15	47
111	12	41	3	13	5	3	9	2	3	6	1	-	6	19	4	7	31	10	1	20	48
72	5	12	-	3	2	2	6	2	1	-	-	-	4	7	3	4	10	-	-	8	49
47	11	21	1	20	4	5	2	2	2	1	-	1	4	4	5	1	9	4	1	15	50
50	14	28	-	5	-	5	7	-	-	1	-	-	5	6	-	10	12	1	-	18	51
41	10	12	2	8	1	2	4	1	3	4	-	1	6	13	-	11	9	4	-	16	52
7	1	10	-	-	-	-	1	-	-	-	-	-	1	3	-	2	1	-	-	4	53
114	15	48	3	13	3	7	27	-	5	3	1	2	12	33	5	31	32	12	1	49	54
79	15	42	6	17	3	6	5	1	1	2	-	1	8	10	7	10	12	8	-	27	55
6	1	2	-	2	-	-	-	-	-	-	1	-	-	2	-	1	-	1	-	5	56
255	29	61	8	33	5	13	29	12	4	7	6	1	32	67	7	46	45	16	7	100	57
34	10	26	5	5	-	6	9	2	3	1	-	-	5	6	3	5	18	2	-	11	58
719	131	156	22	69	13	28	102	12	18	29	7	7	75	232	23	123	104	34	8	213	59
37	12	20	1	3	2	3	6	-	2	-	-	1	1	7	2	7	4	3	1	12	60
20	4	11	1	2	1	2	3	1	-	-	-	-	1	6	2	7	4	1	-	4	61
21	2	7	-	2	2	1	1	-	1	-	-	-	1	1	-	3	8	5	4	9	62
34	6	26	2	5	2	3	8	2	-	-	-	-	3	6	-	6	14	1	2	8	63
5	2	2	1	-	-	1	1	-	-	1	-	-	-	1	-	2	2	1	-	2	64
23	2	-	1	1	-	-	1	-	-	1	-	-	-	2	-	5	1	1	-	3	65
163	29	38	11	20	2	10	12	1	-	5	1	-	7	21	4	18	25	6	-	28	66
35	4	3	-	1	-	-	2	-	-	2	-	-	1	12	-	2	6	3	-	5	67
15	-	4	1	2	-	1	-	-	1	-	-	-	1	3	1	-	3	2	-	4	68
299	41	78	19	42	5	26	27	12	6	8	3	1	35	71	19	54	51	16	6	90	69
212	65	72	8	14	7	14	33	3	5	6	3	-	8	37	4	49	29	11	3	92	70
87	11	23	1	16	4	3	4	2	-	3	-	-	7	9	-	13	15	8	-	33	71
82	13	35	2	8	-	5	7	3	2	2	1	-	3	11	2	13	14	3	-	30	72
18	2	13	2	3	-	1	-	-	-	-	1	-	3	2	1	5	5	4	-	8	73
108	35	37	2	15	3	5	7	3	-	4	-	1	6	17	1	19	14	5	-	29	74
87	19	39	3	5	3	13	12	-	2	2	-	-	3	15	3	12	15	5	1	31	75
89	21	69	-	14	3	7	8	3	2	3	5	-	12	19	4	22	28	7	2	34	76
183	20	65	3	30	9	6	23	9	9	12	-	2	20	53	5	34	36	9	2	58	77
5,239	1,303	1,097	155	276	148	284	736	152	131	328	48	39	375	1,139	98	523	716	232	143	1,542	78
39	5	23	1	-	-	1	8	3	-	2	1	-	3	5	-	10	8	1	1	11	79
6,843	1,277	1,553	256	680	192	259	714	155	93	226	47	29	474	1,060	196	605	1,133	299	38	1,951	80
3,296	643	560	109	256	89	89	326	90	35	148	20	8	224	489	39	224	506	140	28	882	81
3,547	634	993	147	424	103	170	388	65	58	78	27	21	250	571	157	381	627	159	10	1,069	82
30	6	8	5	3	-	1	6	-	-	-	-	-	-	3	-	6	10	-	-	5	83
46	8	9	1	11	-	3	8	2	1	1	-	-	6	18	-	4	15	3	-	17	84
75	4	10	1	7	1	2	5	-	-	-	-	-	4	10	4	5	10	1	1	16	85

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MINNESOTA—Continued																
1	Beltrami	205	6	-	-	-	25	10	1	14	8	107	105	25	-	75	1
2	Benton	124	3	-	-	1	20	11	1	8	-	61	58	10	-	46	3
3	Big Stone	91	-	-	1	-	15	8	1	6	1	62	61	14	-	46	4
4	Blue Earth	391	2	-	8	2	62	19	10	33	8	211	207	44	-	152	4
5	Brown	252	1	-	1	-	41	19	4	18	13	130	127	31	-	84	-
6	Carlton	215	1	1	-	-	36	17	2	17	-	129	125	23	-	90	1
7	Carver	152	-	-	2	-	28	12	1	15	1	81	81	26	-	47	1
8	Cass	164	2	1	-	-	19	11	2	6	2	101	101	23	1	71	3
9	Chippewa	166	1	1	1	2	21	8	6	7	1	82	79	25	1	47	6
10	Chisago	184	1	1	-	-	26	10	1	15	5	115	113	28	-	73	2
11	Clay	225	4	-	-	-	36	14	1	21	2	124	123	35	-	82	2
12	Clearwater	108	1	-	-	1	13	6	-	7	1	61	59	14	1	39	2
13	Cook	31	-	1	-	-	4	3	1	-	-	22	21	6	-	12	1
14	Cottonwood	121	-	-	-	-	24	12	2	10	2	70	67	16	-	45	2
15	Crow Wing	286	-	1	3	-	44	18	2	24	2	157	156	38	1	108	3
16	Dakota	382	-	-	-	-	76	27	6	43	8	189	182	56	-	106	3
17	Dodge	135	-	-	2	-	19	5	5	9	3	90	90	15	-	70	1
18	Douglas	226	1	2	-	2	37	17	2	18	6	119	118	27	-	82	2
19	Faribault	229	-	-	7	3	33	16	3	14	3	129	126	39	1	74	3
20	Fillmore	241	1	3	5	1	33	9	-	24	1	147	145	41	-	92	6
21	Freeborn	302	1	-	3	-	45	20	1	24	6	160	155	48	-	98	3
22	Goodhue	336	1	2	1	2	61	24	3	34	4	202	199	49	1	130	3
23	Grant	88	-	-	-	2	14	5	1	8	-	51	49	11	-	34	6
24	Hennepin	6,388	72	32	46	18	1,119	423	93	603	112	3,403	3,369	843	5	2,311	92
25	Houston	154	-	-	-	-	16	7	2	7	2	87	83	27	-	51	4
26	Hubbard	92	1	-	1	1	19	11	1	7	-	48	47	7	-	39	-
27	Isanti	140	1	-	2	-	17	10	1	6	4	92	91	14	-	69	2
28	Itasca	301	2	2	4	1	37	17	7	13	7	160	155	32	-	110	6
29	Jackson	131	-	-	-	1	15	8	2	5	2	76	73	20	-	48	-
30	Kanabec	78	-	-	2	-	15	6	-	9	3	44	43	14	-	29	1
31	Kandiyohi	233	1	1	2	1	36	15	2	19	4	119	116	29	-	79	7
32	Kittson	100	-	-	1	1	15	8	1	6	1	48	46	14	-	30	1
33	Koochiching	156	2	1	1	-	21	5	3	13	1	91	91	25	1	51	1
34	Lac qui Parle	133	-	-	2	1	18	6	1	11	1	75	73	24	1	47	-
35	Lake	82	-	-	-	-	10	5	1	4	2	45	45	17	-	28	2
36	Lake of the Woods	47	-	-	-	-	9	3	-	6	1	25	25	8	-	17	-
37	Le Sueur	217	3	-	6	1	35	9	1	25	4	127	127	31	-	82	1
38	Lincoln	84	-	-	1	-	11	1	1	9	1	46	46	9	-	29	-
39	Lyon	185	-	-	2	-	26	11	1	14	5	107	103	29	-	64	5
40	McLeod	205	1	-	-	1	30	11	2	17	2	125	122	28	1	77	-
41	Mahnomen	57	2	-	-	1	7	2	-	5	2	27	25	4	1	18	1
42	Marshall	131	2	-	-	1	18	8	1	9	2	71	66	13	-	47	-
43	Martin	190	1	-	1	3	26	9	2	15	5	94	92	33	-	51	2
44	Meeker	149	1	1	1	-	27	11	1	15	1	79	76	23	-	44	2
45	Mille Lacs	170	1	1	3	1	21	10	1	10	3	95	94	27	-	59	-
46	Morrison	235	2	-	-	1	32	12	1	19	4	128	126	35	-	80	3
47	Mower	324	2	-	3	1	54	18	4	32	7	158	157	44	-	99	2
48	Murray	120	1	-	1	-	23	7	3	13	3	62	60	20	-	35	1
49	Nicollet	148	1	-	4	-	23	8	-	15	5	85	84	21	-	58	-
50	Nobles	155	1	-	-	-	26	10	3	13	3	86	85	27	-	49	1
51	Norman	108	-	-	-	-	20	15	1	4	1	58	57	20	-	32	3
52	Olmsted	425	1	1	12	-	85	33	4	48	5	195	191	52	-	112	3
53	Otter Tail	446	3	-	1	2	67	37	3	27	8	250	244	78	1	148	7
54	Pennington	101	-	-	-	1	19	8	-	11	5	53	53	9	-	42	3
55	Pine	211	-	-	-	-	32	11	7	14	4	136	135	37	-	88	4
56	Pipestone	133	-	-	-	-	27	7	1	19	-	71	68	15	1	49	1
57	Polk	356	1	-	-	1	51	17	4	30	8	194	191	53	-	117	4
58	Pope	98	1	-	2	-	11	5	-	6	1	54	52	16	1	34	6
59	Ramsey	3,515	37	13	19	11	651	281	53	337	71	1,848	1,817	404	4	1,270	67
60	Red Lake	53	1	-	-	-	7	4	-	3	1	27	27	5	-	17	-
61	Redwood	193	1	1	2	-	28	14	1	13	3	106	102	31	-	56	2
62	Renville	221	-	-	7	1	41	18	2	21	2	105	104	32	-	63	-
63	Rice	302	1	-	1	2	37	9	2	26	4	191	188	47	-	129	6
64	Rock	97	1	-	-	-	18	7	1	10	3	47	47	11	-	32	1
65	Roseau	123	-	1	-	-	12	4	1	7	2	65	63	13	1	43	1
66	St. Louis	2,250	16	11	2	7	382	167	51	164	39	1,269	1,255	235	1	946	35
67	Scott	172	-	1	2	1	38	12	-	26	1	87	84	18	1	47	1
68	Sherburne	101	-	-	-	-	17	7	6	4	1	62	61	15	-	43	-
69	Sibley	143	2	1	1	1	21	9	2	10	-	74	73	25	-	37	3
70	Stearns	596	7	-	-	1	87	44	4	39	16	305	295	59	1	217	7
71	Steele	208	-	-	-	2	46	25	1	20	2	104	101	23	-	65	-
72	Stevens	92	1	1	-	-	20	7	1	12	1	49	48	9	-	37	-
73	Swift	151	1	-	4	-	33	11	3	19	4	73	72	16	1	49	2
74	Todd	237	-	-	1	2	27	14	2	11	6	133	133	26	1	94	1
75	Traverse	64	-	-	2	-	11	5	1	5	1	37	36	9	-	24	-
76	Wabasha	205	-	-	6	1	35	12	5	18	4	119	116	28	-	72	3
77	Wadena	127	-	-	2	-	17	7	2	8	7	71	70	18	-	49	1
78	Waseca	125	-	-	-	1	16	9	-	7	2	76	73	14	-	51	4
79	Washington	304	2	-	3	1	59	23	4	32	6	165	160	45	-	107	2
80	Watonwan	111	-	-	1	-	27	12	2	13	3	52	51	12	-	31	-
81	Wilkin	82	-	1	-	-	16	8	-	8	3	47	45	10	-	29	2
82	Winona	404	3	1	3	1	74	33	4	37	4	219	216	56	-	144	6
83	Wright	280	-	-	-	-	43	15	4	24	6	160	160	43	1	109	2
84	Yellow Medicine	164	-	-	4	1	29	8	2	19	4	95	92	22	-	64	1

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of cir-cula-tory sys-tem 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined conditions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
46	14	14	2	2	1	2	10	-	1	-	-	-	-	9	9	3	11	1	1	14	1
25	4	14	2	-	-	3	4	-	2	1	-	-	1	11	3	5	7	1	-	4	2
31	6	5	-	1	-	1	-	-	-	1	-	-	1	1	-	1	4	-	-	4	3
98	20	30	1	6	4	4	6	2	2	2	-	1	13	15	7	9	8	1	-	32	4
51	16	17	4	7	1	3	6	-	1	-	-	-	1	17	-	3	11	5	-	22	5
55	16	18	2	8	2	4	9	2	-	2	-	-	4	4	-	7	8	2	-	10	6
37	2	7	3	5	-	-	8	-	-	1	-	-	1	8	-	2	3	6	-	11	7
50	10	8	1	3	2	-	7	1	-	-	-	-	2	4	1	5	8	1	-	10	8
24	7	10	1	4	1	3	6	1	1	1	-	1	4	8	2	4	7	4	-	18	9
59	2	10	4	6	2	2	4	-	1	1	-	-	-	1	6	5	8	3	-	7	10
42	7	31	-	6	-	1	4	-	-	-	-	-	8	20	1	7	4	7	1	7	11
16	1	20	2	2	1	2	4	-	-	1	-	1	-	2	8	3	4	3	-	5	12
7	1	3	3	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	2	13
30	8	5	3	2	1	3	2	2	-	-	-	-	1	5	-	2	-	1	-	12	14
85	11	9	-	5	4	1	11	1	2	1	3	1	6	7	-	8	15	3	-	21	15
73	11	19	2	12	6	7	7	1	2	4	2	-	4	26	1	8	18	5	-	31	16
41	17	11	2	2	1	-	2	-	-	-	-	-	1	1	-	4	5	2	-	6	17
46	14	20	3	5	1	1	3	1	1	-	-	1	4	10	2	4	11	3	-	19	18
48	8	15	4	8	-	3	6	1	1	2	-	-	2	6	1	6	11	1	-	17	19
50	10	26	1	10	1	2	5	1	-	1	2	-	4	5	1	5	8	4	-	14	20
60	16	19	1	6	2	5	6	3	1	5	-	-	7	10	2	12	12	4	-	25	21
85	19	23	5	11	3	3	5	2	2	1	-	-	5	4	3	9	12	2	-	18	22
23	2	3	-	4	-	2	2	1	-	1	-	-	2	6	-	2	1	1	-	5	23
1,674	223	322	61	111	38	34	158	49	18	79	11	5	110	248	23	108	250	70	18	439	24
31	3	13	1	4	-	4	2	2	1	1	2	1	3	12	3	3	8	-	-	11	25
22	6	11	-	1	-	1	3	-	-	-	-	-	1	1	-	-	5	3	1	8	26
52	4	11	1	4	3	1	2	-	-	-	-	-	1	6	-	3	5	-	-	7	27
74	8	22	2	8	3	5	16	2	3	1	-	1	8	14	1	11	14	2	-	15	28
39	3	6	-	4	1	3	4	2	-	2	-	1	3	9	-	3	3	1	-	9	29
18	5	5	-	-	-	1	-	-	-	1	-	-	2	2	-	-	3	2	-	4	30
49	8	15	1	5	2	3	5	-	-	-	-	-	2	5	5	7	18	4	-	23	31
20	4	5	1	1	-	2	3	1	1	1	1	-	2	6	-	2	5	1	-	11	32
37	5	8	3	10	1	-	-	1	1	2	-	1	4	6	2	4	6	3	1	8	33
24	6	17	-	1	-	2	2	-	-	1	2	-	2	6	-	3	7	1	-	12	34
22	4	-	-	-	-	-	4	-	-	-	-	-	2	2	-	2	10	-	-	5	35
13	2	2	-	-	-	-	1	-	-	-	-	-	-	3	1	1	3	1	-	2	36
61	14	6	2	11	1	-	6	1	1	2	1	-	1	3	3	3	4	3	-	13	37
18	5	6	2	6	-	-	6	-	-	1	-	1	2	6	-	2	3	-	-	4	38
44	5	10	4	6	-	4	3	-	-	1	-	-	3	10	1	2	7	1	-	17	39
55	14	8	2	11	3	3	2	-	-	3	1	-	2	4	-	6	5	4	1	18	40
9	7	1	-	2	-	2	1	-	-	-	-	-	-	3	3	2	5	-	-	4	41
33	4	10	-	6	-	5	5	-	-	1	-	-	3	7	3	4	6	-	-	8	42
30	10	9	2	4	2	2	5	-	-	-	-	-	7	8	5	8	7	3	-	17	43
26	3	13	-	5	4	3	3	1	1	-	-	-	3	5	1	3	7	2	-	13	44
44	4	11	3	3	2	1	3	1	1	-	-	1	2	5	6	4	6	-	1	15	45
55	8	14	1	9	1	2	11	1	1	-	-	1	8	11	-	6	8	3	-	18	46
66	11	20	4	9	1	1	8	-	3	2	-	-	10	15	7	10	17	2	-	25	47
26	3	5	2	2	1	2	2	-	3	-	1	1	2	3	-	5	2	-	-	11	48
42	6	10	2	3	-	1	3	-	-	-	-	1	-	5	1	2	9	-	-	9	49
33	7	8	1	6	2	1	3	-	1	1	-	1	3	3	2	5	2	2	-	16	50
24	2	3	1	3	1	1	3	-	1	3	-	-	3	-	2	4	4	2	-	7	51
89	12	8	6	13	8	4	7	3	1	4	1	-	9	23	7	9	15	6	-	41	52
107	11	23	3	13	1	6	15	1	5	2	2	-	3	13	5	5	19	5	1	39	53
29	3	7	-	2	-	-	3	-	-	-	-	-	2	3	2	1	1	1	-	10	54
72	4	8	1	9	-	1	5	2	1	-	1	-	3	5	1	6	9	5	-	1	55
31	7	10	2	1	-	3	3	-	1	-	-	1	1	12	-	2	5	2	-	8	56
56	23	34	8	12	1	3	4	-	1	2	1	-	7	11	6	7	18	6	-	38	57
20	2	6	-	1	-	2	2	1	1	1	-	-	-	6	4	1	4	-	-	9	58
861	218	124	32	81	26	31	117	23	8	39	3	3	60	130	10	55	126	28	6	257	59
11	-	6	1	2	2	-	2	-	1	-	-	-	3	-	-	2	4	1	-	4	60
32	11	11	4	11	-	4	5	1	-	2	-	-	3	2	2	10	11	2	-	14	61
46	6	11	4	4	1	1	7	-	-	1	-	-	6	10	1	6	14	2	-	18	62
82	19	22	1	9	2	3	8	-	1	-	-	-	7	9	-	10	15	1	-	15	63
24	-	7	1	2	1	-	5	1	-	-	-	-	-	2	-	2	4	2	-	12	64
29	5	8	2	2	2	2	5	1	-	1	1	-	2	7	1	5	9	2	-	9	65
642	183	86	13	41	19	14	36	15	6	25	4	-	44	67	5	49	97	34	4	138	66
35	5	6	2	12	4	3	5	-	-	1	-	-	-	8	1	5	7	3	-	12	67
34	3	6	-	1	2	1	2	3	-	1	-	-	-	4	-	3	2	-	-	6	68
26	4	4	1	8	2	1	6	-	1	2	1	-	2	1	1	1	7	1	-	20	69
140	30	40	4	11	3	10	16	8	3	4	3	2	18	41	6	13	22	4	-	40	70
40	10	15	4	8	1	3	3	1	2	3	-	-	1	7	-	4	10	2	-	21	71
27	2	8	-	2	-	1	1	-	-	-	-	-	-	6	1	2	3	-	-	7	72
31	9	7	1	4	1	1	5	1	-	-	-	-	2	11	-	5	1	1	-	10	73
49	13	31	3	8	1	-	9	1	1	1	-	2	4	6	4	10	12	2	-	16	74
17	4	3	-	3	-	1	1	-	-	-	-	-	1	5	-	1	4	-	-	1	75
44	11	14	2	9	5	3	2	-	1	-	-	-	2	4	4	5	8	1	-	13	76
35	4	9	2	1	-	1	4	1	-	-	-	1	1	4	1	6	6	2	-	4	77
32	2	13	1	5	2	3	5	1	-	1	-	-	3	6	-	3	6	-	-	5	78
65	23	17	-	6	2	5	5	4	2	-	-	-	4	9	-	6	13	6	1	18	79
23	4	4	2	6	-	1	1	2	-	-	-	-	3	5	-	5	4	1	-	7	80
17	1	9	-	2	4	2	-	-	-	2	-	-	1	2	-	1	4	1	1	3	81
111	10	17	3	11	2	3	11	1	1	5	3	-	4	13	11	8	13	3	-	26	82
72	9	26	2	5	-	-	9	1	1	1	-	-	5	7	3	11	11	1	-	21	83
40	5	18	2	4	-	3	5	-	1	-	1	-	3	2	-	4	8	-	-	7	84

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	MISSISSIPPI	20,755	418	92	29	233	2,196	762	208	1,226	245	9,362	8,797	2,393	29	5,859	198
2	Metropolitan counties	1,298	21	5	3	11	134	38	17	79	23	565	532	135	2	361	8
3	Nonmetropolitan counties	19,457	397	87	26	222	2,062	724	191	1,147	222	8,797	8,265	2,258	27	5,498	190
4	Adams	365	7	4	-	2	47	14	4	29	1	173	157	44	-	99	3
5	Alcorn	247	2	-	-	2	39	10	1	28	5	115	108	31	-	69	1
6	Amite	159	6	1	1	1	25	11	-	14	2	62	54	13	-	38	-
7	Attala	241	3	-	-	3	19	6	-	13	4	130	121	35	-	82	5
8	Benton	79	5	1	1	1	7	2	-	5	2	30	29	5	-	23	2
9	Bolivar	662	11	3	2	14	55	22	4	29	4	275	250	77	-	161	2
10	Calhoun	147	5	1	1	1	19	9	2	8	3	67	64	14	-	47	1
11	Carroll	140	2	2	-	-	15	7	3	5	-	55	54	20	-	27	2
12	Chickasaw	187	4	-	-	2	19	7	2	10	2	96	85	21	-	62	6
13	Choctaw	98	1	-	-	-	9	2	-	7	1	50	45	17	-	25	1
14	Claiborne	126	-	1	-	1	9	2	-	7	-	62	61	9	1	48	1
15	Clarke	189	5	1	-	1	16	5	1	10	2	83	81	27	1	49	3
16	Clay	166	2	-	-	2	12	3	3	6	-	82	78	18	-	55	1
17	Coahoma	562	12	1	-	2	51	22	2	27	7	248	226	68	-	149	10
18	Copiah	296	10	2	-	4	36	11	4	21	1	152	144	31	-	103	6
19	Covington	142	3	-	-	2	10	5	1	4	5	82	79	21	3	52	2
20	De Soto	216	6	-	-	9	20	7	3	10	-	82	75	38	-	36	1
21	Forrest	398	11	4	-	5	54	18	3	33	6	181	173	38	-	121	2
22	Franklin	103	2	-	-	-	15	10	1	4	-	54	53	7	-	41	-
23	George	96	-	1	-	-	17	5	2	10	-	48	47	10	-	35	-
24	Greene	62	-	-	-	-	5	1	-	4	1	27	27	8	1	18	-
25	Grenada	178	3	-	-	1	21	8	3	10	-	79	76	39	-	35	1
26	Hancock	113	1	-	-	-	18	10	2	6	4	57	55	10	-	45	1
27	Harrison	730	14	6	1	7	87	24	13	50	7	329	309	70	-	225	2
28	Hinds	1,298	21	5	3	11	134	38	17	79	23	565	532	135	2	361	8
29	Holmes	402	6	4	-	4	42	23	2	17	6	158	147	57	1	79	7
30	Humphreys	220	3	2	-	5	16	2	2	12	2	75	73	13	1	53	2
31	Issaquena	57	-	1	-	1	7	1	2	4	-	30	26	9	-	17	-
32	Itawamba	128	1	-	-	1	23	11	1	11	-	57	55	13	-	37	3
33	Jackson	252	3	1	1	-	35	5	6	24	7	119	114	32	-	76	1
34	Jasper	160	1	-	-	2	20	5	3	12	3	83	75	21	-	51	1
35	Jefferson	159	-	1	-	7	7	1	-	6	2	81	79	14	1	59	9
36	Jefferson Davis	130	3	2	1	-	13	5	5	3	2	58	55	7	1	43	1
37	Jones	448	8	1	2	3	37	16	2	19	7	212	199	57	1	133	1
38	Kemper	160	2	-	-	1	15	6	1	8	3	73	73	21	-	44	13
39	Lafayette	198	2	-	-	2	24	7	2	15	4	90	82	22	-	57	1
40	Lamar	99	3	3	-	2	11	5	1	5	-	50	48	11	-	29	4
41	Lauderdale	636	12	-	1	3	76	28	7	41	6	280	270	80	2	177	3
42	Lawrence	114	3	-	-	3	16	6	1	9	3	51	46	12	-	28	2
43	Leake	170	5	-	-	3	16	10	-	6	4	91	87	25	2	58	4
44	Lee	342	12	2	1	3	41	17	6	18	6	156	150	45	-	93	2
45	Leflore	591	10	1	-	10	54	16	6	32	3	227	214	65	-	141	10
46	Lincoln	273	5	-	-	4	33	7	4	22	6	120	113	28	1	74	2
47	Lowndes	359	10	2	1	6	28	6	4	18	2	163	151	54	-	88	3
48	Madison	370	9	-	-	4	34	16	1	17	3	148	137	40	-	91	2
49	Marion	192	1	1	-	-	20	9	3	8	1	85	80	26	-	46	-
50	Marshall	246	4	-	-	-	21	11	2	8	4	118	112	32	-	79	3
51	Monroe	332	11	2	2	3	40	11	4	25	4	162	146	35	-	96	4
52	Montgomery	145	1	2	-	-	21	11	-	10	4	68	66	20	-	40	1
53	Neshoba	190	3	-	-	-	19	7	2	10	2	99	97	32	1	60	-
54	Newton	219	4	3	-	4	28	12	2	14	2	96	93	27	1	60	4
55	Noxubee	195	4	-	1	3	14	6	-	8	1	91	85	19	-	59	2
56	Oktibbeha	195	5	-	-	1	15	7	1	7	-	100	91	27	1	58	1
57	Panola	320	10	2	1	8	31	15	2	14	5	140	127	34	-	85	-
58	Pearl River	185	5	1	-	1	12	3	1	8	-	102	101	23	-	73	2
59	Perry	81	1	1	-	1	9	3	2	4	3	41	39	9	-	27	-
60	Pike	354	4	-	-	4	48	13	7	28	4	163	159	30	-	113	-
61	Pontotoc	149	2	-	1	-	19	9	2	8	-	88	87	24	-	59	4
62	Prentiss	151	4	1	-	3	22	7	2	13	4	61	57	17	-	40	2
63	Quitman	249	9	1	-	5	20	6	2	12	4	92	84	19	-	60	4
64	Rankin	210	4	1	-	1	25	5	3	17	1	104	99	26	-	63	2
65	Scott	194	4	-	-	-	18	9	2	7	4	94	88	19	-	61	1
66	Sharkey	130	1	1	2	2	9	3	2	4	3	54	51	9	1	38	2
67	Simpson	171	2	1	-	1	21	7	2	12	1	71	69	15	-	50	1
68	Smith	122	3	2	-	1	16	5	1	10	2	56	55	14	1	38	2
69	Stone	52	-	-	-	-	5	1	2	2	1	25	23	9	-	14	1
70	Sunflower	540	17	3	1	9	57	23	4	30	8	191	176	50	1	118	2
71	Tallahatchie	343	12	1	1	10	26	10	1	15	3	146	138	37	-	96	2
72	Tate	189	3	-	-	4	16	3	2	11	-	105	96	24	-	71	-
73	Tippah	127	3	-	-	-	11	5	-	6	2	75	71	12	-	56	4
74	Tishomingo	139	1	-	-	-	18	3	2	13	4	67	63	18	-	40	2
75	Tunica	255	12	-	-	7	15	7	-	8	-	112	85	19	-	62	3
76	Union	173	6	-	-	1	16	2	1	13	-	101	100	38	-	57	-
77	Walthall	126	3	1	-	1	13	2	3	8	3	51	47	8	-	35	-
78	Warren	542	6	5	3	5	79	32	9	38	3	239	225	62	-	141	3
79	Washington	866	17	4	-	10	75	22	7	46	8	379	360	87	2	254	1
80	Wayne	118	3	1	-	-	16	6	2	8	3	57	52	11	-	39	-
81	Webster	102	1	1	-	4	12	5	1	6	-	54	53	18	1	29	-
82	Wilkinson	139	1	-	-	1	16	8	1	7	1	64	58	18	-	35	-
83	Winston	197	3	-	-	1	20	6	-	14	4	92	88	34	1	46	6
84	Yalobusha	175	4	2	1	2	26	7	1	18	3	84	77	18	1	55	1
85	Yazoo	374	10	2	-	5	40	9	3	28	4	129	122	41	-	72	6

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2,652	1,612	1,397	217	208	91	565	755	81	241	102	95	121	200	1,211	2,272	564	888	116	279	1,255	1
178	122	53	9	16	9	33	44	4	21	5	8	7	17	92	149	32	60	9	28	60	2
2,474	1,490	1,344	208	192	82	532	711	77	220	97	87	114	183	1,119	2,123	532	828	107	251	1,195	3
40	23	33	9	5	-	16	12	2	4	2	1	1	1	26	30	8	14	-	3	27	4
32	19	17	6	2	-	7	11	1	4	3	-	3	2	14	15	8	6	1	2	14	5
22	11	5	1	2	-	8	7	1	1	-	-	-	-	6	22	6	9	-	2	7	6
33	11	33	3	-	1	9	9	-	-	-	2	1	3	19	20	3	14	1	2	8	7
7	7	7	-	-	1	1	3	-	-	1	-	-	-	2	11	3	4	-	2	6	8
55	67	37	8	3	1	25	27	-	10	6	3	8	6	31	118	7	26	1	6	49	9
11	23	12	1	1	1	3	5	-	1	1	-	1	1	3	14	5	10	1	-	8	10
10	12	3	2	2	3	1	3	-	1	-	-	1	1	6	30	7	4	-	3	10	11
24	24	8	2	-	-	11	9	1	3	2	-	1	-	7	26	4	2	-	-	9	12
12	3	9	1	1	1	5	5	-	1	-	-	-	1	8	6	-	6	2	1	7	13
17	25	5	2	1	-	1	1	1	1	1	1	-	1	2	19	3	6	1	1	15	14
22	15	9	3	1	-	2	12	3	-	-	-	-	3	17	15	-	9	2	1	19	15
31	18	5	3	-	2	4	6	1	2	1	-	1	3	9	21	4	8	-	-	12	16
47	47	45	5	2	2	22	25	-	9	1	5	3	4	23	78	20	33	1	10	29	17
54	26	17	2	7	1	8	11	1	4	-	-	1	2	17	22	3	12	2	3	13	18
35	9	6	-	3	-	3	4	1	-	1	1	-	-	4	8	6	6	1	2	6	19
16	10	9	1	-	-	7	7	1	2	-	1	4	2	9	36	10	11	1	3	12	20
69	20	30	2	9	3	8	15	2	2	3	4	-	4	19	28	17	15	-	4	24	21
20	10	11	2	2	1	1	1	1	1	-	1	-	1	4	8	3	5	-	1	6	22
12	11	12	1	1	-	1	3	1	-	-	-	-	1	4	4	3	4	1	1	8	23
11	3	4	-	-	-	-	6	-	-	1	-	-	-	4	8	4	2	-	-	4	24
20	7	7	-	1	1	3	6	-	1	-	3	1	-	13	24	4	8	-	-	14	25
31	4	9	-	-	-	2	4	1	-	-	-	1	1	6	6	2	7	1	2	2	26
126	49	48	3	9	2	20	16	8	5	7	4	1	11	79	49	25	21	7	12	34	27
178	122	53	9	16	9	33	44	4	21	5	8	7	17	92	149	32	60	9	28	60	28
39	20	13	5	4	1	11	14	-	1	2	2	3	4	19	69	12	22	2	6	26	29
22	10	19	4	1	1	2	12	-	10	1	1	-	1	14	46	2	8	1	4	17	30
5	6	6	-	-	-	4	-	1	2	1	-	-	-	2	6	1	2	-	-	3	31
19	12	3	3	1	1	2	7	1	1	-	-	-	3	9	10	1	3	-	1	10	32
30	22	23	3	3	-	5	6	2	-	4	4	1	6	14	7	10	15	-	1	16	33
17	15	18	2	1	-	8	5	-	-	-	2	1	3	11	14	7	3	-	2	3	34
23	18	9	1	4	-	2	9	-	2	-	-	2	2	11	13	7	6	1	2	6	35
23	9	10	2	-	2	3	8	2	5	1	1	2	1	3	13	1	1	2	4	7	36
72	32	28	3	3	2	13	14	2	2	1	12	4	6	30	12	10	17	6	11	51	37
13	7	11	4	4	-	-	13	-	3	-	-	3	3	11	17	2	6	-	-	8	38
24	14	18	2	1	-	8	9	-	6	-	-	1	2	6	17	5	12	1	4	13	39
15	6	4	1	7	-	2	4	-	3	-	-	-	-	5	3	4	4	1	-	6	40
105	31	38	5	5	1	10	27	3	6	3	-	5	5	39	56	14	30	8	13	49	41
16	3	7	-	1	5	5	3	1	-	-	1	-	1	4	9	1	5	-	1	12	42
32	13	9	1	1	-	4	6	2	2	2	-	4	3	11	6	2	4	-	1	8	43
49	25	17	7	2	3	6	8	1	3	3	5	1	3	15	18	19	14	3	3	25	44
55	55	21	3	3	2	13	18	3	17	2	1	4	4	30	128	15	11	5	10	38	45
31	17	24	5	4	1	7	11	1	-	3	-	1	1	30	10	10	10	4	5	19	46
30	22	33	3	2	4	12	18	2	5	4	-	2	-	17	40	5	25	2	2	25	47
47	25	17	4	1	1	11	11	-	6	2	5	4	2	24	60	13	20	1	8	16	48
22	9	15	1	3	4	5	10	-	1	1	-	2	3	13	13	13	10	1	2	15	49
31	30	15	1	-	-	6	5	1	6	1	-	2	1	15	27	6	22	-	4	9	50
48	19	25	3	10	2	16	15	2	4	1	1	-	3	15	35	2	10	-	5	15	51
16	11	12	1	4	1	2	3	-	1	-	-	-	3	5	15	4	7	1	-	10	52
29	11	20	1	1	2	2	8	-	5	2	-	1	2	11	7	8	8	1	2	12	53
30	15	11	3	1	1	3	6	1	1	1	1	1	4	22	19	4	9	1	3	9	54
18	20	19	3	3	1	6	6	1	1	-	-	4	2	6	44	2	8	1	1	5	55
19	24	14	2	2	1	9	8	-	1	-	-	1	2	11	19	9	5	-	4	14	56
37	22	26	3	4	1	13	15	4	6	-	1	-	4	11	40	11	8	1	2	20	57
46	12	13	2	2	1	1	9	-	-	1	-	1	3	11	7	10	6	1	5	10	58
13	7	7	1	2	-	2	-	-	-	1	2	-	-	3	5	3	3	3	2	3	59
57	35	21	8	5	3	4	14	3	3	5	-	1	4	29	23	15	9	4	1	20	60
19	23	13	3	1	-	1	2	-	-	-	-	1	1	7	8	3	4	1	1	11	61
15	9	14	-	-	-	4	5	-	-	-	1	-	2	5	13	2	13	-	1	14	62
27	10	19	3	2	-	8	15	-	4	1	3	2	2	15	41	2	12	1	6	14	63
28	15	18	3	4	3	5	5	-	-	-	-	-	1	12	25	7	8	1	2	13	64
26	24	10	1	4	3	6	7	-	1	1	1	-	1	8	24	7	10	-	4	10	65
12	13	11	1	1	1	3	5	1	1	-	-	2	3	14	12	5	9	1	-	5	66
24	13	12	2	1	1	2	12	1	3	-	-	1	2	5	15	7	6	1	2	19	67
18	5	13	-	1	1	1	3	-	2	-	-	1	1	8	10	2	8	-	1	6	68
8	1	4	-	-	-	2	3	-	-	-	-	-	-	2	2	4	3	-	1	6	69
63	32	21	1	6	-	15	10	3	11	3	1	4	8	33	78	25	26	3	12	37	70
44	35	15	2	3	-	8	18	-	6	1	-	3	3	24	43	9	15	1	10	11	71
18	30	23	-	-	1	9	3	1	-	-	-	1	2	11	20	6	5	3	1	8	72
20	12	20	1	-	2	4	1	-	1	3	-	1	-	6	8	4	7	-	1	4	73
26	5	7	5	-	-	4	8	1	-	1	3	-	2	5	4	5	5	-	1	14	74
30	10	19	3	1	-	27	13	1	5	4	3	4	3	13	33	6	9	-	4	11	75
21	8	28	1	4	-	1	6	3	-	1	-	1	1	10	9	-	5	2	-	11	76
19	4	12	2	2	-	4	2	-	4	-	-	3	3	10	14	4	4	3	1	6	77
56	59	23	11	10	1	14	15	2	3	2	4	2	3	27	78	6	23	2	8	27	78
81	74	98	8	3	6	19	33	1	14	4	1	1	4	62	116	21	49	5	12	50	79
18	18	3	2	-	-	5	3	-	-	-	-	-	4	7	6	3	4	1	3	7	80
18	5	6	3	1	1	1	3	-	2	1	-	1	-	4	5	5	3	-	-	6	81
19	9	7	3	2	-	6	5	-	2	-	1	1	2	6	22	2	6	1	1	7	82
22	8	10	6	1	-	4	5	1	3	1	2	-	2	10	17	4	8	2	1	21	83
26	16	12	-	2	1	7	5	2	1	2	-	1	1	11	6	4	8	3	-	9	84
26	21	19	3	6	-	7	14	1	2	-	2	5	3	15	88	6	13	2	8	25	85

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	MISSOURI	45,111	690	203	78	246	6,510	2,434	695	3,381	706	24,605	23,838	5,450	58	16,691	647
2	Metropolitan counties	23,995	401	145	40	88	3,672	1,304	445	1,923	388	12,707	12,379	2,552	30	8,919	367
3	Nonmetropolitan counties	21,116	289	58	38	158	2,838	1,130	250	1,458	318	11,898	11,459	2,898	28	7,772	280
4	Adair	252	1	1	-	2	32	12	5	15	6	137	121	38	-	72	4
5	Andrew	160	3	1	-	-	27	10	3	14	3	102	99	34	-	60	5
6	Atchison	122	1	-	-	1	17	6	1	10	2	73	72	25	-	44	1
7	Audrain	251	3	1	-	1	44	17	8	19	8	120	107	30	1	72	1
8	Barry	250	5	-	-	3	21	11	1	9	4	146	139	36	-	98	4
9	Barton	139	2	1	1	-	13	9	1	3	4	87	83	16	-	64	1
10	Bates	203	2	1	-	3	35	18	2	15	2	108	102	21	-	69	2
11	Benton	111	1	-	-	-	22	15	1	6	2	58	53	19	-	31	1
12	Bollinger	103	-	-	-	2	14	7	-	7	1	60	58	9	-	47	-
13	Boone	412	8	3	1	3	46	18	2	26	8	263	250	69	-	161	3
14	Buchanan	1,158	18	10	1	3	184	69	22	93	22	660	650	159	2	436	35
15	Butler	410	10	3	1	4	48	13	7	28	4	197	193	39	-	146	5
16	Caldwell	138	-	-	-	-	22	9	-	13	2	75	74	22	-	43	1
17	Callaway	231	3	-	-	-	36	13	2	21	2	130	125	33	1	78	1
18	Camden	86	2	-	-	1	10	3	-	7	3	47	45	8	1	34	8
19	Cape Girardeau	342	3	2	-	1	49	16	2	31	5	194	190	48	-	126	7
20	Carroll	196	-	1	-	2	28	13	1	14	4	108	105	34	1	67	3
21	Carter	69	3	-	-	-	13	6	1	6	-	33	32	5	-	24	1
22	Cass	231	4	-	1	-	38	14	4	20	3	129	127	37	-	81	4
23	Cedar	161	1	1	-	2	19	6	1	12	1	102	96	26	1	67	3
24	Chariton	198	2	-	-	2	23	13	2	8	3	117	114	38	-	69	3
25	Christian	141	1	1	-	2	19	7	3	9	2	80	78	19	-	53	-
26	Clark	126	-	-	-	2	21	12	2	7	1	70	66	27	-	36	2
27	Clay	432	1	-	4	3	60	22	8	30	6	260	258	80	-	150	5
28	Clinton	173	2	1	1	1	24	12	1	11	3	102	101	35	-	59	4
29	Cole	291	5	1	2	2	49	21	4	24	3	166	165	44	-	110	3
30	Cooper	182	2	1	-	1	19	6	1	12	1	119	117	28	-	82	3
31	Crawford	153	2	-	-	-	20	13	1	6	4	80	77	18	-	52	3
32	Dade	123	-	-	-	-	17	9	1	7	2	77	73	16	-	48	1
33	Dallas	92	2	1	-	-	14	5	3	6	1	54	53	11	-	37	1
34	Daviess	129	-	-	-	1	26	13	1	12	1	79	77	26	-	44	3
35	De Kalb	85	-	-	-	1	17	7	2	8	-	59	59	21	1	33	-
36	Dent	129	4	2	2	-	16	6	1	9	4	71	69	18	-	47	3
37	Douglas	98	4	-	-	2	17	8	1	8	1	45	41	9	-	29	3
38	Dunklin	379	9	2	-	5	33	15	2	16	6	202	195	43	2	142	1
39	Franklin	410	4	-	-	2	61	24	8	29	7	230	226	49	-	163	3
40	Gasconade	139	2	-	-	1	23	13	-	10	3	81	80	25	-	51	1
41	Gentry	123	2	2	-	2	16	8	1	7	-	76	74	23	1	42	-
42	Greene	1,096	13	3	2	4	141	47	18	76	12	649	632	144	2	425	20
43	Grundy	197	-	-	3	-	25	9	5	11	2	118	115	29	-	72	3
44	Harrison	171	3	-	1	1	32	13	2	17	-	98	92	27	-	56	1
45	Henry	284	-	-	-	1	40	16	4	20	2	168	162	32	1	111	3
46	Hickory	56	1	1	-	-	5	-	-	5	2	34	33	12	-	19	1
47	Holt	140	-	1	1	1	20	12	-	8	2	81	77	19	-	55	-
48	Howard	169	2	-	-	-	24	10	1	13	-	99	96	24	-	67	1
49	Howell	252	-	-	-	5	26	12	3	11	4	158	157	33	-	120	2
50	Iron	131	1	-	-	1	22	6	2	14	1	61	61	19	-	40	1
51	Jackson	6,315	120	33	21	29	935	308	128	499	98	3,220	3,115	679	8	2,191	82
52	Jasper	991	26	8	1	10	148	42	19	87	13	536	515	102	3	384	12
53	Jefferson	365	6	-	-	2	44	13	6	25	2	201	201	33	-	156	3
54	Johnson	303	2	-	1	2	45	16	2	27	3	170	168	39	-	113	-
55	Knox	94	-	-	1	-	13	6	2	5	-	56	53	12	-	35	-
56	Laclede	186	3	-	-	4	28	9	-	19	2	106	99	15	1	81	5
57	Lafayette	308	9	-	-	1	42	15	2	25	3	168	160	35	-	115	2
58	Lawrence	264	7	1	-	3	36	14	5	17	9	159	151	40	-	102	7
59	Lewis	183	1	1	1	1	27	8	3	16	1	104	100	29	-	67	4
60	Lincoln	171	-	-	1	-	18	10	2	6	4	108	107	22	-	78	1
61	Linn	276	5	1	-	2	42	26	2	14	7	161	151	50	-	88	2
62	Livingston	193	1	-	-	-	21	8	3	10	3	129	126	27	-	91	9
63	McDonald	128	4	2	-	-	15	6	2	7	3	71	67	17	-	44	-
64	Macon	254	3	-	-	-	34	13	3	18	3	151	142	38	1	91	4
65	Madison	114	1	-	-	4	18	6	-	12	1	56	56	17	-	36	5
66	Maries	75	-	-	-	-	12	4	-	8	2	49	44	8	-	31	2
67	Marion	392	2	-	1	1	49	20	4	25	8	240	239	49	-	181	5
68	Mercer	86	2	-	-	1	10	3	2	5	2	43	42	10	-	30	-
69	Miller	136	1	-	-	1	18	4	3	11	4	80	79	18	1	58	2
70	Mississippi	221	1	-	1	6	24	9	1	14	2	114	106	34	-	62	-
71	Moniteau	151	3	-	1	1	15	9	-	6	2	104	104	29	-	48	4
72	Monroe	163	2	-	-	-	14	2	-	12	3	116	107	35	-	68	1
73	Montgomery	157	3	-	1	-	36	21	5	10	5	82	72	17	-	49	1
74	Morgan	114	-	-	-	-	14	7	1	6	2	72	69	19	1	41	3
75	New Madrid	328	3	2	2	11	47	18	4	25	1	136	131	34	4	82	3
76	Newton	295	11	-	1	3	30	13	4	13	3	150	146	37	1	99	4
77	Nodaway	282	2	3	1	-	45	16	2	27	7	152	147	42	1	98	2
78	Oregon	91	4	-	-	1	11	7	-	4	-	51	51	10	-	40	3
79	Osage	103	-	2	-	-	13	6	1	6	-	62	60	8	1	47	4
80	Ozark	49	-	-	-	-	6	2	1	3	-	28	27	6	-	19	-
81	Pemiscot	431	8	1	1	3	35	16	4	15	7	184	174	44	1	122	6
82	Perry	119	2	-	1	-	16	8	-	8	3	66	64	19	-	40	1
83	Pettis	419	5	-	-	-	55	17	6	32	10	255	243	49	-	185	4
84	Phelps	232	8	-	-	2	32	12	1	19	5	114	106	24	1	73	5
85	Pike	196	2	2	-	2	22	9	1	12	1	122	120	12	-	95	5
86	Platte	168	1	-	-	2	24	10	3	11	2	100	100	26	-	63	3
87	Polk	176	-	-	1	1	30	18	-	12	-	106	104	31	-	64	2
88	Pulaski	148	-	-	-	2	17	5	1	11	-	71	69	16	-	50	4

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
9,423	2,638	3,983	392	978	269	767	1,573	240	256	472	107	63	512	1,454	607	1,119	1,920	445	246	3,059	1
5,232	1,511	1,809	203	506	169	328	713	142	147	327	54	27	291	850	398	527	1,019	227	178	1,654	2
4,191	1,127	2,174	189	472	100	439	860	98	109	145	53	36	221	604	209	592	901	218	68	1,405	3
38	9	21	4	7	-	16	16	1	2	4	1	-	1	5	-	9	10	4	1	19	4
34	4	17	3	2	-	3	4	4	-	-	-	1	1	2	2	2	3	1	-	4	5
21	14	8	-	1	2	1	2	-	-	3	-	-	-	3	2	4	3	3	-	8	6
35	18	18	-	2	2	13	7	3	1	4	1	-	4	10	1	5	13	5	-	20	7
64	8	22	1	4	-	7	7	-	-	-	2	-	5	11	1	13	12	3	-	17	8
47	4	12	-	3	-	4	2	-	-	-	1	-	3	2	5	4	4	5	-	5	9
38	8	21	3	8	1	6	6	1	1	1	-	1	1	2	3	8	7	3	-	18	10
20	6	4	-	2	1	5	2	-	1	1	-	-	1	-	1	1	3	-	-	18	11
21	18	8	1	1	-	2	3	-	-	1	2	-	3	3	1	5	3	1	-	4	12
108	22	28	8	10	2	13	9	5	-	3	-	-	1	9	1	11	22	3	1	15	13
279	34	88	11	31	11	10	29	5	3	8	2	2	8	39	4	26	56	14	-	64	14
65	45	31	1	2	5	4	25	4	3	3	-	4	8	23	2	18	21	3	4	25	15
24	6	12	3	6	-	1	5	1	-	1	-	-	1	3	2	1	9	2	-	14	16
27	18	32	3	10	-	5	6	2	3	2	-	-	1	6	2	4	7	7	1	19	17
15	2	9	-	2	-	2	1	1	-	-	-	-	2	2	1	2	1	1	1	11	18
58	20	41	3	11	2	4	10	2	2	2	1	2	5	9	7	9	9	3	1	26	19
31	7	26	-	1	2	3	7	-	-	-	1	-	2	3	7	5	11	4	-	13	20
7	11	5	1	1	1	1	1	-	-	-	-	-	1	3	1	-	8	-	1	5	21
55	9	13	3	4	2	2	5	1	1	-	-	1	2	6	2	8	7	4	1	18	22
29	7	28	1	1	-	6	7	1	-	1	1	-	2	1	1	4	7	2	-	8	23
40	3	23	3	3	1	3	6	-	-	2	1	-	5	4	1	2	4	5	-	21	24
34	6	13	2	4	-	2	8	-	-	1	-	1	2	6	1	3	4	2	-	8	25
19	4	11	-	3	-	4	9	-	2	1	-	-	-	2	4	4	3	1	-	6	26
99	17	29	1	24	3	2	4	4	3	3	-	-	6	12	1	8	17	6	2	30	27
30	2	23	1	6	-	1	5	2	-	2	-	-	2	5	2	3	5	1	1	11	28
65	21	21	2	8	1	1	9	1	1	2	2	-	4	7	-	4	13	1	-	19	29
44	7	28	-	6	1	2	8	1	-	2	1	1	-	4	3	3	6	1	-	9	30
35	2	12	1	6	-	3	6	-	2	1	-	1	-	4	2	12	6	2	-	11	31
32	4	11	1	8	-	4	5	-	-	-	-	-	-	4	-	2	5	2	-	9	32
26	5	5	3	2	-	1	3	-	-	-	-	-	-	4	2	2	5	1	-	3	33
22	8	11	1	6	-	2	7	-	-	-	-	-	1	1	-	1	2	3	-	7	34
18	5	10	-	4	-	-	1	-	-	2	-	-	-	-	-	-	3	-	-	2	35
23	13	8	1	3	-	2	3	-	1	3	-	-	-	4	-	6	2	2	-	9	36
17	2	7	1	1	1	4	4	1	-	-	1	-	3	1	5	2	8	1	-	3	37
75	24	42	5	3	-	7	15	2	6	2	2	1	7	21	5	13	22	3	3	20	38
90	14	56	7	6	1	4	18	3	4	4	-	1	4	14	-	17	16	2	1	22	39
25	8	17	1	3	-	1	3	-	1	1	-	1	1	4	3	1	6	3	-	5	40
24	4	14	1	6	1	2	8	1	1	-	-	-	-	2	-	1	3	2	-	7	41
256	71	78	10	43	8	17	36	3	9	11	1	2	10	39	14	38	27	15	1	66	42
36	11	22	-	13	1	3	13	-	-	1	1	-	-	8	1	4	6	3	2	10	43
26	14	15	1	8	-	6	4	-	1	2	-	-	1	5	3	3	9	-	-	8	44
58	9	41	8	9	1	6	12	1	-	3	-	-	3	6	1	8	14	7	-	18	45
10	4	4	-	1	1	1	3	-	-	-	-	-	-	1	1	1	2	-	-	5	46
37	4	14	1	2	-	4	5	-	-	1	1	-	1	3	-	2	9	-	1	11	47
35	12	19	-	2	3	3	9	-	-	1	-	-	3	6	-	3	9	1	1	11	48
66	17	35	1	2	1	1	8	1	-	1	-	-	1	8	4	7	8	1	-	20	49
17	4	18	-	2	-	-	15	-	2	2	1	1	-	2	-	4	7	1	-	10	50
1,407	346	356	56	134	47	105	221	36	34	103	16	7	76	205	204	123	233	54	56	491	51
229	45	98	7	15	4	21	49	8	2	8	3	-	10	29	5	22	35	9	3	66	52
81	23	49	-	5	7	-	5	4	1	4	-	-	7	8	3	17	30	5	-	26	53
61	23	29	-	12	4	2	12	1	-	-	2	-	2	13	4	10	16	3	1	16	54
14	9	12	4	2	-	3	8	-	-	-	-	-	-	3	-	2	3	1	-	7	55
39	21	16	-	1	1	7	10	-	2	2	1	-	3	5	-	5	2	-	-	13	56
84	12	17	1	7	2	8	6	1	1	1	-	-	6	12	2	10	19	2	1	24	57
61	13	21	4	4	1	8	10	1	-	4	-	-	1	7	2	1	6	1	-	16	58
39	8	16	3	-	1	4	12	-	2	-	-	-	1	2	1	3	6	2	-	18	59
39	6	32	3	3	1	1	10	2	1	1	1	1	-	1	1	4	9	1	-	8	60
56	10	20	1	11	1	10	2	1	2	5	2	-	2	7	2	5	6	4	2	18	61
31	2	49	1	6	1	3	7	2	-	-	-	1	1	6	1	4	7	1	-	9	62
28	2	14	-	4	2	4	8	-	-	1	1	-	1	3	-	2	5	-	-	12	63
53	13	21	4	7	1	9	6	1	-	-	2	-	1	4	4	9	12	1	-	23	64
15	2	14	-	1	2	-	10	1	-	4	-	-	-	1	-	5	5	-	-	8	65
14	2	13	2	2	1	5	3	-	-	-	-	1	-	1	-	1	1	1	-	4	66
125	26	25	1	6	2	1	9	3	1	5	-	1	5	6	2	10	15	7	-	27	67
18	4	8	1	1	-	1	1	1	-	-	-	-	2	1	2	3	7	1	-	10	68
29	15	12	-	1	1	1	4	-	1	2	-	1	-	4	1	3	7	2	-	7	69
36	13	13	3	7	-	8	21	1	5	-	2	-	1	13	2	6	11	2	4	5	70
27	5	12	4	23	-	-	4	-	-	-	-	-	2	2	-	3	8	1	-	5	71
29	10	28	-	2	2	9	6	1	-	-	1	-	1	4	1	3	5	-	-	6	72
24	6	18	2	3	1	10	2	2	-	1	1	-	3	3	1	3	4	1	-	9	73
18	7	13	4	2	2	3	4	-	-	-	-	-	1	4	-	2	5	1	-	9	74
37	13	29	8	2	1	5	13	1	9	2	-	2	5	22	15	13	17	1	4	22	75
61	15	19	3	5	1	4	9	2	-	-	2	3	3	10	7	13	17	3	-	28	76
62	7	27	1	4	1	5	17	2	3	1	1	2	2	8	2	7	8	2	-	17	77
22	5	10	-	1	-	-	5	-	-	1	1	-	-	4	-	1	3	1	2	6	78
19	11	13	-	4	-	2	8	1	-	1	-	-	-	2	-	-	4	1	-	9	79
7	3	9	1	-	1	1	1	-	-	-	-	-	2	1	-	3	4	-	1	3	80
48	37	31	2	3	2	10	20	-	11	-	1	2	4	27	25	21	42	3	10	26	81
22	8	9	1	4	-	2	3	-	1	1	-	-	4	5	2	1	5	1	-	8	82
85	33	63	4	4	1	12	14	3	1	1	-	1	2	11	-	6	16	8	1	30	83
43	11	14	4	4	-	8	10	-	-	2	-	-	8	8	1	13	10	-	-	19	84
48	16	26	5	6	2	2	7	-	-	1	2	-	2	4	-	9	9	2	-	9	85
45	3	12	1	9	1	-	3	1	1	2	-	-	-	4	1	6	7	-	-	14	86
23	9	30	1	7	1	2	3	-	1	1	-	-	-	3	2	5	4	-	-	19	87
28	5	13	1	2	-	2	4	1	1	1	-	-	9	10	-	13	5	1	2	11	88

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MISSOURI—Continued																
1	Putnam	112	2	-	1	-	11	3	1	7	4	68	65	22	-	40	-
2	Ralls	103	1	-	-	1	10	2	1	7	3	58	56	10	-	43	-
3	Randolph	354	2	2	1	1	32	14	4	14	6	209	204	44	-	150	2
4	Ray	237	3	1	-	1	35	15	5	15	3	132	125	40	-	76	3
5	Reynolds	69	-	-	-	1	8	1	1	6	-	30	30	6	-	22	1
6	Ripley	123	3	-	1	-	13	6	1	6	3	65	62	26	-	31	3
7	St. Charles	337	2	-	-	2	47	12	7	28	5	208	204	33	-	153	4
8	St. Clair	139	-	-	-	1	23	7	3	13	2	82	74	28	-	42	2
9	St. Francois	353	7	1	-	6	50	20	8	22	9	182	172	42	-	117	4
10	St. Louis	3,903	61	15	9	11	675	241	61	373	62	1,989	1,945	371	2	1,457	53
11	St. Louis (independent city)	10,754	186	84	3	36	1,630	605	201	824	183	5,721	5,575	1,086	16	4,107	168
12	Ste. Genevieve	96	2	-	-	2	18	7	1	10	-	51	51	13	-	34	-
13	Saline	323	5	-	2	1	28	13	2	14	6	197	188	45	-	119	2
14	Schuyler	88	2	-	-	1	15	7	1	7	-	49	47	15	-	26	2
15	Scotland	85	-	-	1	-	14	1	-	13	1	49	46	12	-	30	3
16	Scott	314	5	1	-	4	36	9	5	22	8	163	162	43	-	115	2
17	Shannon	97	2	-	-	1	14	6	-	8	3	61	61	28	-	32	4
18	Shelby	151	-	-	-	1	24	8	2	14	5	84	76	24	-	49	-
19	Stoddard	326	5	-	1	4	35	13	2	20	3	169	155	47	-	102	9
20	Stone	87	3	-	1	1	18	4	6	8	5	41	40	6	-	33	-
21	Sullivan	145	4	-	-	-	28	17	-	11	1	85	82	18	-	53	1
22	Taney	113	2	-	-	2	16	7	-	9	-	71	69	21	-	44	4
23	Texas	173	2	-	-	1	14	5	2	7	3	108	103	17	-	83	2
24	Vernon	269	2	1	-	-	31	12	3	16	5	164	161	32	-	124	7
25	Warren	111	1	-	-	1	17	5	2	10	-	72	70	10	-	55	-
26	Washington	153	2	1	-	1	21	7	2	12	1	70	68	12	1	50	2
27	Wayne	95	2	-	-	1	9	4	1	4	1	54	52	21	-	29	1
28	Webster	167	3	-	-	1	30	12	4	14	3	83	82	30	1	47	3
29	Worth	60	-	-	-	1	10	3	3	4	1	36	34	7	-	23	-
30	Wright	173	1	-	-	-	28	8	2	18	-	98	93	32	-	56	4
31	MONTANA	6,005	77	19	9	23	790	289	98	403	96	2,951	2,854	652	6	1,995	70
32	Nonmetropolitan counties	6,005	77	19	9	23	790	289	98	403	96	2,951	2,854	652	6	1,995	70
33	Beaverhead	76	2	-	-	-	8	2	1	5	-	40	38	9	-	27	-
34	Big Horn	103	6	-	1	-	11	2	2	7	3	47	45	12	1	29	1
35	Blaine	92	3	-	-	-	11	1	1	9	-	49	49	13	-	34	-
36	Broadwater	28	-	-	-	-	2	-	-	2	-	12	11	2	-	9	-
37	Carbon	105	-	1	-	1	6	-	1	5	2	58	57	10	-	45	1
38	Carter	25	-	-	-	-	5	2	-	3	-	9	9	1	-	7	-
39	Cascade	587	1	4	2	2	82	27	10	45	6	260	250	47	-	194	7
40	Chouteau	58	2	-	1	-	4	1	-	3	2	30	28	6	-	20	-
41	Custer	134	1	1	1	1	17	12	-	5	7	69	68	23	-	42	2
42	Daniels	35	-	1	-	-	4	2	2	-	-	23	23	8	-	14	-
43	Dawson	65	-	-	-	1	9	2	-	7	2	31	29	9	-	16	-
44	Deer Lodge	175	1	-	-	-	21	7	6	8	2	93	93	18	-	71	1
45	Fallon	27	1	-	-	-	6	2	-	4	-	10	10	4	-	5	-
46	Fergus	156	2	1	-	-	26	12	2	12	2	90	89	23	-	65	1
47	Flathead	325	1	1	-	-	49	13	5	31	8	176	170	45	-	105	3
48	Gallatin	172	1	-	-	-	20	6	2	12	2	89	86	16	-	65	3
49	Garfield	22	-	-	-	-	-	-	-	-	2	18	18	4	-	13	-
50	Glacier	90	5	2	-	3	9	4	-	5	-	30	29	4	-	21	1
51	Golden Valley	15	-	-	-	-	3	1	1	1	-	5	5	1	-	4	-
52	Granite	30	-	1	-	-	6	1	-	5	-	10	10	1	-	8	-
53	Hill	114	1	-	-	-	12	8	1	3	1	57	53	7	-	36	-
54	Jefferson	35	-	-	-	-	4	1	-	3	1	21	21	5	-	15	1
55	Judith Basin	31	-	-	-	-	4	2	-	2	1	15	15	7	-	7	1
56	Lake	125	-	1	-	-	15	3	-	12	-	60	57	14	-	39	1
57	Lewis and Clark	290	1	2	-	1	39	12	5	22	8	160	146	26	1	112	-
58	Liberty	17	-	-	-	-	4	3	-	1	-	8	8	1	-	6	1
59	Lincoln	72	1	-	-	-	12	4	3	5	1	33	31	13	-	17	1
60	McCone	28	-	-	-	-	4	2	-	2	1	15	14	4	-	9	-
61	Madison	58	1	1	-	-	3	2	-	1	2	23	22	4	-	14	-
62	Meagher	30	-	-	-	-	2	1	1	-	-	14	14	-	-	14	1
63	Mineral	17	-	-	-	-	1	-	-	1	-	9	9	2	-	5	-
64	Missoula	355	3	2	-	4	44	18	2	24	5	184	180	42	-	119	6
65	Musselshell	68	-	-	1	1	10	5	2	3	-	36	35	4	-	24	-
66	Park	137	-	-	-	3	16	8	3	5	-	79	78	14	-	52	2
67	Petroleum	8	-	-	-	-	2	-	1	1	-	4	3	1	-	2	-
68	Phillips	82	-	-	-	-	18	9	2	7	-	40	39	10	1	27	-
69	Pondera	60	2	-	-	-	8	3	-	5	1	20	18	3	-	15	1
70	Powder River	17	-	-	-	-	2	1	-	1	-	8	8	5	-	3	-
71	Powell	73	-	-	-	-	11	9	-	2	2	41	41	14	-	22	1
72	Prairie	25	-	-	-	-	1	1	-	-	-	12	11	2	-	8	-
73	Ravalli	154	3	-	-	-	23	7	2	14	4	88	86	24	-	54	2
74	Richland	87	-	-	1	-	10	7	-	3	2	40	40	9	-	26	2
75	Roosevelt	99	3	-	-	1	13	2	6	5	-	36	35	5	-	27	2
76	Rosebud	70	7	-	-	1	6	3	1	2	1	28	26	8	-	16	1
77	Sanders	83	1	-	-	-	12	4	1	7	3	39	38	3	1	31	1
78	Sheridan	53	-	-	-	-	5	2	-	3	-	28	28	6	-	20	-
79	Silver Bow	690	18	1	-	1	84	29	19	36	6	343	334	65	2	249	11
80	Stillwater	41	1	-	-	-	3	1	1	1	-	27	25	5	-	18	2
81	Sweet Grass	33	-	-	-	-	6	2	-	4	1	20	18	7	-	11	3
82	Teton	57	1	-	-	1	12	6	-	6	1	26	24	7	-	16	1
83	Toole	54	-	-	-	-	10	7	-	3	1	15	14	2	-	12	1
84	Treasure	14	-	-	-	-	-	-	-	-	1	7	7	1	-	5	-

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
21	9	10	1	2	-	3	2	-	-	-	-	-	1	1	3	2	2	1	-	14	1
25	4	14	-	3	-	2	6	1	-	-	-	1	1	3	1	2	9	3	-	3	2
76	14	58	2	6	2	5	14	2	2	4	-	-	5	6	4	13	19	3	1	28	3
32	19	22	3	4	2	7	12	-	3	-	-	-	1	6	-	10	11	4	3	12	4
9	1	11	1	1	-	-	7	-	1	1	-	-	2	5	-	-	7	2	-	5	5
14	8	6	-	4	1	3	9	-	1	1	1	-	2	2	3	3	6	-	1	9	6
82	22	45	4	14	-	4	9	1	-	-	-	-	9	7	2	13	15	4	-	13	7
19	2	19	2	2	-	8	5	-	-	1	-	-	3	-	4	1	6	2	-	9	8
73	12	28	3	8	2	10	25	-	2	4	-	-	5	7	-	9	21	3	-	22	9
781	244	379	29	55	31	44	96	22	16	34	9	5	66	155	138	98	145	45	14	238	10
2,328	777	834	92	205	69	146	318	71	82	168	26	11	116	393	35	221	526	87	105	752	11
16	3	15	1	2	1	-	2	1	-	2	-	-	-	7	-	1	6	-	-	4	12
76	19	22	6	16	2	9	15	1	1	-	3	1	4	8	1	8	13	4	1	23	13
12	1	11	-	5	1	2	3	-	2	1	-	-	-	3	1	3	3	1	-	4	14
16	3	8	1	2	1	3	3	1	1	-	-	-	-	1	-	4	2	2	-	6	15
56	19	38	1	2	1	1	20	2	2	3	-	-	5	17	-	10	18	1	2	17	16
11	6	11	-	1	-	-	-	-	1	-	-	-	-	3	1	-	2	1	-	8	17
24	10	15	1	4	-	6	2	1	-	1	2	-	1	2	-	9	4	5	1	9	18
34	24	35	1	4	1	14	19	3	2	9	-	-	5	12	9	11	12	2	1	24	19
22	4	7	-	1	-	1	3	-	1	-	-	1	1	1	1	3	2	3	-	2	20
28	4	20	3	6	2	3	2	4	-	-	-	-	1	3	2	1	3	2	1	8	21
20	6	14	2	2	-	2	2	-	-	1	-	-	2	1	-	3	3	1	1	8	22
55	11	15	-	2	1	5	6	1	-	-	1	-	-	1	-	7	5	1	1	22	23
65	23	29	2	2	1	3	12	-	2	3	1	-	4	3	5	5	9	2	-	20	24
24	7	24	3	2	-	2	4	-	-	1	-	1	-	4	1	1	2	-	-	6	25
26	1	21	1	3	1	2	17	-	4	-	-	-	-	9	1	7	6	1	1	11	26
23	2	3	1	1	-	2	4	-	-	-	1	-	2	3	3	1	5	-	2	7	27
34	4	6	1	3	-	1	8	-	1	-	-	-	-	2	-	10	6	3	-	17	28
11	-	12	-	4	-	2	6	-	1	-	-	-	-	-	-	1	1	1	-	2	29
28	15	9	-	5	-	5	14	1	1	1	1	1	3	7	-	2	6	2	1	6	30
1,159	221	545	32	132	37	97	178	41	25	40	12	8	88	269	228	241	344	87	18	461	31
1,159	221	545	32	132	37	97	178	41	25	40	12	8	88	269	228	241	344	87	18	461	32
10	1	16	-	2	-	2	3	1	-	-	2	-	-	2	4	5	2	2	-	5	33
19	1	8	1	1	1	2	5	-	-	-	-	-	1	11	5	5	3	1	-	4	34
17	2	15	-	2	-	-	4	-	2	-	-	-	-	3	2	2	4	2	1	9	35
3	-	6	-	-	-	1	2	-	-	-	-	-	-	2	4	1	1	-	-	4	36
19	11	14	-	-	2	1	2	2	-	-	-	-	-	2	5	6	5	3	-	12	37
5	2	-	1	-	-	-	1	1	-	-	1	-	1	-	1	-	2	-	-	4	38
108	25	54	1	5	3	10	17	6	1	3	3	-	15	28	46	26	35	10	2	40	39
14	5	1	-	2	-	2	-	-	-	1	-	1	-	5	1	3	5	-	-	3	40
33	5	2	-	2	1	1	3	1	-	-	-	-	1	7	2	9	9	1	-	4	41
7	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	3	42
11	-	5	-	3	1	2	4	-	-	-	-	-	1	2	2	3	3	-	-	7	43
44	9	17	-	2	2	-	4	3	-	1	-	1	2	15	2	7	9	1	-	13	44
4	-	1	-	1	-	-	1	-	-	-	-	-	1	1	1	1	2	-	-	3	45
36	13	15	-	-	1	1	3	2	1	1	-	-	3	2	3	3	4	4	-	9	46
67	16	19	3	13	4	6	6	1	1	2	-	-	4	17	5	8	20	3	-	23	47
41	9	12	2	2	1	3	8	-	1	1	-	1	1	7	1	9	7	3	-	21	48
3	5	5	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	49
9	1	10	1	1	2	1	6	1	2	-	-	-	1	5	4	3	8	2	2	7	50
4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	2	-	-	1	51
5	-	3	-	1	-	-	2	-	-	-	1	-	-	2	-	-	1	-	-	7	52
27	2	7	3	7	-	4	7	-	1	1	-	-	-	8	6	1	8	2	-	9	53
7	2	5	-	1	-	-	2	-	-	-	-	-	-	-	-	3	2	-	-	2	54
1	2	3	-	-	1	-	2	1	-	1	-	-	-	-	1	1	3	1	-	1	55
21	6	11	1	3	-	3	5	-	1	-	-	-	3	5	14	3	8	2	-	8	56
52	16	44	-	7	-	14	6	1	2	1	1	-	-	22	5	5	13	5	2	16	57
3	-	2	1	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	1	58
11	2	3	1	-	-	2	-	-	1	-	-	1	-	3	1	7	3	1	2	6	59
5	-	4	-	1	-	1	-	-	-	-	-	-	-	2	3	1	2	-	-	-	60
9	3	2	-	3	1	1	6	2	-	-	-	-	2	2	5	-	4	1	-	6	61
7	-	6	-	-	-	-	1	1	-	-	-	-	-	1	3	3	2	-	-	3	62
4	-	1	-	2	-	-	-	-	1	-	-	-	-	1	-	1	3	-	-	1	63
81	9	23	2	14	3	4	6	4	1	6	1	-	5	16	15	10	21	6	-	22	64
20	1	3	-	6	1	1	5	-	-	2	-	-	-	-	-	2	3	3	-	5	65
33	4	13	-	12	-	1	2	2	1	1	-	-	4	5	1	4	8	1	-	10	66
2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	67
11	7	9	-	1	-	1	1	-	2	-	-	-	1	3	-	3	7	-	-	7	68
14	-	-	-	-	-	2	1	-	-	1	1	-	3	4	3	4	7	2	-	3	69
3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	4	-	-	-	70
15	1	5	-	5	-	-	2	-	-	-	-	-	1	2	-	5	5	-	-	4	71
7	1	-	-	1	-	1	2	-	-	-	-	1	-	-	1	1	3	2	-	2	72
30	2	20	5	3	-	2	2	-	1	-	-	-	2	3	9	5	3	1	-	10	73
18	1	5	-	4	1	-	3	1	-	1	-	-	4	10	2	3	4	-	-	6	74
16	4	5	1	2	-	1	5	-	-	1	-	-	-	10	2	9	7	2	1	9	75
12	1	2	-	2	-	2	3	-	1	-	-	-	1	2	10	-	5	1	-	4	76
25	1	4	-	2	1	1	3	2	-	-	-	-	2	3	3	1	6	2	2	4	77
15	2	3	-	2	-	-	-	-	-	-	-	-	-	2	1	7	2	2	-	6	78
90	29	119	6	5	7	9	15	5	1	8	-	2	9	20	22	32	43	3	3	74	79
15	-	1	1	1	-	2	-	-	1	-	-	-	2	-	1	1	1	1	-	3	80
3	1	4	-	-	-	2	1	-	-	-	-	-	-	-	-	3	-	-	-	2	81
12	1	2	-	1	-	2	2	1	-	-	1	-	1	-	2	1	2	2	-	4	82
7	-	4	-	-	-	1	1	-	-	1	-	-	1	3	6	6	6	2	-	2	83
4	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	3	84

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MONTANA—Continued																
1	Valley	97	3	-	1	1	15	5	1	9	2	40	36	7	-	28	-
2	Wheatland	41	-	-	-	-	5	3	-	2	1	17	17	4	-	11	1
3	Wibaux	19	-	-	-	-	4	-	2	2	-	8	8	2	-	5	-
4	Yellowstone	451	5	-	1	1	71	22	12	37	12	201	198	63	-	126	7
5	Yellowstone Nat. Park (pt.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	NEBRASKA	13,093	79	38	111	64	2,037	838	162	1,037	265	7,130	6,968	1,645	17	4,821	175
7	Metropolitan counties	4,233	36	15	25	18	720	288	64	368	88	2,277	2,223	523	6	1,529	68
8	Nonmetropolitan counties	8,860	43	23	86	46	1,317	550	98	669	177	4,853	4,745	1,122	11	3,292	107
9	Adams	295	2	-	4	2	53	23	7	23	3	159	154	41	-	106	3
10	Antelope	99	-	-	2	-	16	10	1	5	-	61	57	4	-	48	2
11	Arthur	4	-	-	-	-	1	-	-	1	-	2	2	-	-	2	-
12	Banner	4	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
13	Blaine	9	-	-	-	-	3	1	-	2	-	5	5	2	-	2	-
14	Boone	101	1	-	-	-	11	5	-	6	5	54	54	7	-	42	-
15	Box Butte	93	1	-	1	1	9	7	1	1	1	46	44	13	-	27	-
16	Boyd	44	-	-	2	1	4	1	1	2	-	27	25	4	-	19	-
17	Brown	44	-	-	1	1	3	2	-	1	-	30	30	5	-	23	2
18	Buffalo	280	1	-	3	3	36	13	1	22	4	156	154	31	-	113	2
19	Burt	108	-	-	2	2	20	9	1	10	6	49	49	9	-	32	-
20	Butler	114	2	-	1	-	21	8	2	11	1	65	64	20	-	40	1
21	Cass	185	1	1	4	1	23	12	1	10	1	105	104	26	-	73	4
22	Cedar	112	1	-	-	-	17	7	1	9	3	56	55	20	-	32	1
23	Chase	54	-	-	1	1	6	2	1	3	1	32	32	6	-	26	2
24	Cherry	77	-	-	1	-	13	6	2	5	1	39	38	7	-	31	1
25	Cheyenne	96	-	-	1	1	8	1	1	6	1	44	43	12	-	30	-
26	Clay	94	-	1	1	-	17	8	1	8	2	58	56	15	-	36	1
27	Colfax	93	1	-	1	-	19	8	3	8	3	49	48	14	-	27	3
28	Cuming	134	1	-	2	1	18	10	1	7	3	72	71	13	-	53	2
29	Custer	199	2	1	3	1	22	8	1	13	2	119	116	26	-	82	5
30	Dakota	91	1	-	2	1	13	7	3	3	1	47	47	12	-	32	-
31	Dawes	87	-	-	-	1	14	7	1	6	1	34	34	11	1	21	2
32	Dawson	160	-	-	1	-	24	12	2	10	2	83	81	14	-	65	2
33	Deuel	26	-	-	-	1	3	1	-	2	1	11	11	2	-	7	-
34	Dixon	98	-	-	1	1	18	9	-	9	2	51	50	11	-	35	4
35	Dodge	271	1	2	3	2	29	12	3	14	2	167	163	40	-	109	-
36	Douglas	3,007	32	12	11	6	510	203	48	259	66	1,624	1,588	363	5	1,118	42
37	Dundy	39	-	-	-	-	6	4	-	2	1	23	23	3	-	20	-
38	Fillmore	102	1	-	3	-	12	4	-	8	1	54	52	14	-	36	2
39	Franklin	73	1	-	-	-	11	2	-	9	3	41	40	13	-	21	-
40	Frontier	39	1	-	-	-	7	2	-	5	2	23	23	1	1	20	3
41	Furnas	93	-	-	1	-	14	4	2	8	1	48	48	9	-	34	-
42	Gage	300	1	-	4	1	31	7	2	22	2	181	176	43	1	123	6
43	Garden	28	1	-	-	-	2	2	-	-	1	19	19	1	-	18	1
44	Garfield	23	-	1	-	-	3	3	-	-	-	11	11	6	-	4	-
45	Gosper	23	-	-	-	-	2	-	1	1	1	15	15	2	-	12	-
46	Grant	8	-	-	-	-	1	-	-	1	1	5	5	1	-	4	-
47	Greeley	55	-	-	-	-	6	3	-	3	3	34	32	8	-	19	1
48	Hall	379	2	1	2	2	63	27	9	27	9	193	189	38	1	130	3
49	Hamilton	82	-	-	-	-	21	11	1	9	3	44	41	17	-	22	1
50	Harlan	56	-	1	-	-	10	3	1	6	2	32	32	9	-	23	3
51	Hayes	13	-	-	-	1	1	-	-	1	-	8	8	2	-	6	-
52	Hitchcock	43	-	-	-	1	8	1	1	6	2	19	18	4	-	11	-
53	Holt	151	-	1	2	-	19	12	-	7	4	81	79	14	-	59	1
54	Hooker	3	-	-	-	-	-	-	-	-	-	3	3	-	-	2	-
55	Howard	74	1	1	-	-	12	6	-	6	2	40	39	8	-	30	1
56	Jefferson	162	-	1	1	1	28	8	1	19	4	97	95	25	1	66	-
57	Johnson	68	-	-	-	-	8	2	-	6	-	45	45	11	-	31	2
58	Kearney	71	-	-	2	1	6	1	-	5	2	41	36	6	-	29	-
59	Keith	58	-	-	-	-	11	4	-	7	1	28	27	5	-	19	-
60	Keya Paha	18	-	-	-	-	4	2	-	2	-	7	7	2	-	4	-
61	Kimball	33	-	-	1	-	6	3	1	2	1	11	10	4	-	5	-
62	Knox	157	-	-	-	1	26	9	2	15	5	82	79	21	-	53	-
63	Lancaster	1,130	4	3	13	11	200	79	16	105	19	620	603	151	1	392	24
64	Lincoln	244	1	3	1	2	44	18	6	20	5	120	120	32	1	79	6
65	Logan	12	-	-	-	-	2	1	-	1	1	5	4	1	-	3	-
66	Loup	18	-	-	-	-	3	2	-	1	-	11	11	1	-	9	-
67	McPherson	11	-	-	-	-	2	-	-	2	-	6	6	1	-	5	-
68	Madison	255	1	-	-	1	36	12	3	21	7	148	142	28	-	101	3
69	Merrick	104	-	-	-	-	13	7	-	6	3	68	64	18	-	44	-
70	Morrill	79	1	-	1	-	12	3	1	8	-	41	41	8	2	28	2
71	Nance	67	-	-	-	-	16	8	3	5	1	35	35	6	-	24	1
72	Nemaha	100	-	-	1	1	20	6	5	9	-	59	57	13	-	39	5
73	Nuckolls	90	-	1	-	-	16	7	1	8	-	52	52	13	-	38	1
74	Otoe	181	-	-	2	2	39	15	2	22	2	88	88	25	-	54	3
75	Pawnee	63	-	-	-	-	14	7	-	7	-	35	35	5	-	30	3
76	Perkins	29	-	1	-	-	5	2	2	1	2	12	12	3	-	9	1
77	Phelps	91	1	-	-	-	18	7	2	9	3	50	49	7	-	41	1
78	Pierce	94	1	1	-	-	8	5	-	3	3	56	56	10	-	42	-
79	Platte	180	1	1	2	2	23	7	2	14	7	110	107	20	1	79	3
80	Polk	94	-	-	6	-	12	4	-	8	2	46	42	17	-	22	-
81	Red Willow	120	1	-	2	1	15	5	1	9	1	66	64	16	-	44	1
82	Richardson	180	1	1	-	1	32	16	1	15	5	100	100	17	-	80	-
83	Rock	37	-	-	-	-	2	1	-	1	-	25	25	1	-	23	1
84	Saline	151	2	-	-	1	29	10	3	16	3	83	81	19	-	57	1
85	Sarpy	96	-	-	1	1	10	6	-	4	3	33	32	9	-	19	2

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
23	3	2	-	1	-	4	6	-	-	2	-	-	-	4	3	3	5	2	-	10	1
8	-	2	1	-	1	-	2	-	-	-	-	-	1	6	3	-	2	1	1	2	2
3	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	3	3
86	12	21	-	7	2	3	11	3	3	4	1	1	13	18	15	21	27	9	2	32	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
2,989	576	1,081	90	314	81	162	380	68	58	88	21	15	163	507	94	313	520	150	22	970	6
1,032	175	254	27	109	29	54	128	25	10	43	3	9	60	172	14	90	162	32	11	295	7
1,957	401	827	63	205	52	108	252	43	48	45	18	6	103	335	80	223	358	118	11	675	8
68	3	32	2	4	1	5	7	2	1	3	1	-	3	11	5	12	4	8	-	15	9
28	6	12	-	3	2	4	3	-	-	1	-	-	4	3	-	-	4	-	-	5	10
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	11
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	12
2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	13
28	4	10	-	4	1	-	5	1	-	-	1	-	2	6	1	3	3	2	-	6	14
18	6	3	1	2	1	2	7	-	-	-	2	-	-	5	-	3	8	3	-	6	15
18	-	1	1	-	1	2	2	1	-	1	-	-	1	-	-	1	2	-	-	2	16
15	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	5	17
85	8	18	1	7	2	2	13	4	1	-	1	-	4	14	3	8	16	1	-	12	18
24	5	3	3	4	1	-	3	-	1	-	-	-	1	5	-	-	1	2	-	16	19
26	1	12	2	-	2	1	3	-	-	-	-	-	2	4	1	4	4	3	-	3	20
47	9	13	2	2	1	1	10	1	3	3	-	-	1	2	2	4	11	2	-	10	21
15	5	11	-	3	-	1	4	-	1	1	-	-	3	5	1	7	5	-	-	8	22
14	2	8	-	-	-	-	-	-	-	1	-	-	1	1	-	-	2	2	-	6	23
22	5	3	-	-	-	1	2	-	-	-	-	-	1	1	1	2	6	2	4	4	24
17	4	9	-	-	1	1	1	-	-	1	-	-	1	12	-	9	6	1	1	9	25
19	7	9	-	4	1	2	1	-	-	1	-	-	-	2	1	2	1	-	-	7	26
21	2	1	1	4	2	1	2	-	-	-	-	-	-	1	-	2	4	3	-	8	27
37	6	8	3	1	1	1	2	3	2	-	-	1	3	6	-	3	6	1	-	10	28
53	8	16	1	6	1	3	6	3	-	2	-	-	1	5	-	4	6	1	-	21	29
14	12	6	-	3	-	-	1	-	1	-	-	-	-	5	1	4	3	1	-	10	30
11	5	3	-	-	1	-	3	1	-	-	-	-	3	6	-	1	7	2	-	14	31
42	3	18	-	2	-	2	5	3	2	-	-	-	2	15	-	5	6	2	-	10	32
4	3	-	-	2	-	-	-	-	-	1	-	-	3	1	2	1	-	-	-	2	33
20	4	7	-	3	1	1	3	-	-	1	-	-	2	4	1	1	5	2	1	5	34
53	23	33	2	11	1	4	5	-	1	-	2	-	4	9	1	10	7	3	-	23	35
791	122	163	20	60	22	36	90	20	9	36	1	8	47	123	11	64	112	18	9	198	36
10	3	7	-	-	-	-	-	-	-	1	-	-	-	-	-	2	3	1	-	2	37
16	-	18	-	2	-	2	1	-	-	-	-	-	1	6	-	4	5	3	-	11	38
13	2	6	-	5	1	1	3	-	2	-	-	-	-	1	-	2	2	-	-	7	39
5	3	9	1	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	1	40
19	2	13	2	3	-	-	1	1	1	1	-	-	1	2	-	2	9	1	-	10	41
88	14	15	1	6	2	5	13	3	1	2	-	-	5	8	2	4	11	5	-	26	42
7	3	7	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	2	43
2	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	5	44
8	-	4	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	45
3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	46
10	2	6	1	4	-	2	1	-	-	-	-	-	1	3	-	2	2	1	-	2	47
78	7	42	1	14	5	4	17	1	3	1	2	-	3	27	2	7	15	4	-	25	48
10	4	7	1	1	-	3	2	-	-	-	-	-	-	1	-	-	4	1	-	6	49
11	4	5	-	-	-	-	2	-	-	-	-	-	-	1	-	1	5	-	-	2	50
4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	51
6	4	1	-	3	-	1	2	1	-	-	-	-	-	2	2	-	2	1	-	3	52
42	5	11	1	4	1	2	5	2	-	-	-	-	1	9	1	3	8	2	1	12	53
1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
25	1	3	1	-	-	1	2	-	-	-	-	-	-	1	4	1	1	1	-	8	55
35	12	19	-	2	1	2	4	-	3	2	2	-	-	2	-	-	3	1	-	13	56
21	2	6	-	1	2	-	1	3	-	1	-	-	-	1	-	2	3	-	-	4	57
17	4	8	1	-	-	5	2	-	-	1	-	1	-	2	3	1	5	-	-	4	58
16	1	2	1	-	2	1	1	-	2	-	1	-	1	2	1	3	1	1	-	5	59
3	-	1	1	-	-	-	-	-	-	-	1	-	-	2	-	3	-	-	-	1	60
3	1	1	1	-	-	1	1	-	-	-	-	-	2	3	-	2	-	-	-	6	61
37	4	12	1	3	1	3	7	-	-	1	1	-	3	4	1	3	6	2	-	15	62
232	49	87	7	46	6	17	35	4	1	6	1	1	11	37	3	20	39	13	1	88	63
37	6	30	3	3	2	-	6	-	3	3	-	-	6	15	3	7	12	-	-	13	64
2	-	1	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	1	65
4	-	5	-	1	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	66
4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	67
71	10	17	2	9	2	6	5	1	2	-	1	-	1	9	-	4	8	5	1	25	68
29	2	13	-	1	1	4	3	-	1	3	-	-	-	1	-	1	1	3	-	7	69
16	3	7	-	2	1	-	2	-	2	-	-	1	1	2	2	-	5	1	-	8	70
11	8	4	2	3	-	-	-	-	-	-	-	-	1	-	-	4	4	2	-	4	71
22	1	11	-	5	-	2	3	-	-	-	-	-	1	2	2	2	4	-	-	5	72
24	4	9	-	1	-	-	3	-	1	-	-	-	-	5	-	2	4	1	-	5	73
41	3	7	-	6	3	-	2	1	3	2	-	-	2	5	3	3	8	2	-	17	74
12	9	6	-	-	-	-	3	-	-	-	-	-	1	1	-	-	3	1	-	5	75
2	2	4	-	-	-	-	2	-	-	-	-	-	-	2	-	-	3	1	-	1	76
20	7	13	-	1	-	1	2	2	-	1	-	-	1	3	-	2	2	-	-	6	77
17	6	19	-	4	-	-	2	-	-	-	-	-	1	4	2	1	1	3	-	11	78
45	18	13	4	2	1	3	5	-	-	-	-	-	3	8	-	5	3	-	-	10	79
17	1	4	-	2	1	4	3	1	-	1	-	-	-	3	-	4	5	1	-	10	80
28	10	5	1	3	-	2	4	-	1	-	-	-	2	4	3	5	3	4	-	8	81
49	17	14	1	1	1	-	2	1	-	-	-	-	1	5	1	6	9	3	-	12	82
20	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	5	83
28	12	16	3	2	-	2	2	1	-	2	-	-	1	1	3	1	9	4	-	9	84
9	4	4	-	3	1	1	3	1	-	1	1	-	2	12	-	6	11	1	1	9	85

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEBRASKA—Continued																
1	Saunders	173	1	-	1	1	27	14	-	13	3	98	92	25	-	61	1
2	Scotts Bluff	282	2	2	2	1	35	13	4	18	9	139	136	40	-	87	3
3	Seward	131	-	-	1	-	26	10	1	15	2	74	74	26	-	42	2
4	Sheridan	89	-	1	-	-	18	9	-	9	2	40	40	11	1	26	-
5	Sherman	66	-	-	-	1	11	4	1	6	4	32	32	11	-	19	1
6	Sioux	16	-	-	2	-	1	1	-	-	-	10	10	1	-	9	-
7	Stanton	57	1	1	1	-	7	2	-	5	-	26	26	8	-	16	1
8	Thayer	91	-	-	2	-	14	9	1	4	3	49	48	12	-	28	3
9	Thomas	7	-	-	-	-	-	-	-	-	-	6	6	1	-	4	-
10	Thurston	93	6	-	1	1	12	5	2	5	1	37	36	8	1	25	-
11	Valley	80	-	-	3	1	5	3	-	2	-	52	52	14	-	32	-
12	Washington	122	-	-	3	1	17	5	-	12	5	63	63	18	-	43	1
13	Wayne	83	-	-	-	-	11	5	-	6	3	53	52	19	-	30	1
14	Webster	79	-	-	-	-	10	8	-	2	-	45	44	11	-	28	-
15	Wheeler	10	-	-	-	-	4	1	-	3	-	5	5	2	-	1	-
16	York	158	-	-	1	-	18	9	1	8	3	102	99	22	-	76	1
17	NEVADA	1,702	28	6	6	9	207	74	31	102	14	770	751	158	-	552	27
18	Nonmetropolitan counties	1,702	28	6	6	9	207	74	31	102	14	770	751	158	-	552	27
19	Churchill	59	1	-	-	-	8	3	1	4	2	25	23	5	-	17	1
20	Clark	484	12	1	-	4	49	12	10	27	2	202	199	30	-	160	9
21	Douglas	23	-	-	-	-	1	-	-	1	-	17	16	6	-	9	-
22	Elko	131	1	-	-	1	17	6	2	9	-	56	54	14	-	37	1
23	Esmeralda	6	-	-	-	-	-	-	-	-	-	3	3	2	-	-	-
24	Eureka	11	-	-	-	-	-	-	-	-	-	5	5	2	-	2	-
25	Humboldt	57	-	1	-	1	7	4	2	1	1	27	27	9	-	17	-
26	Lander	25	-	-	-	1	4	3	1	-	-	7	7	4	-	3	1
27	Lincoln	25	-	-	2	-	3	3	-	-	-	15	15	5	-	8	3
28	Lyon	47	-	-	-	-	7	4	-	3	-	19	19	6	-	11	-
29	Mineral	50	-	-	-	-	6	3	1	2	-	14	14	4	-	8	-
30	Nye	57	2	-	1	-	6	2	-	4	-	17	16	3	-	13	-
31	Ormsby	56	-	-	-	-	8	3	-	5	2	25	25	5	-	20	3
32	Pershing	39	-	-	1	-	9	4	2	3	-	15	15	1	-	10	-
33	Storey	8	-	-	-	-	1	-	1	-	-	5	5	2	-	3	1
34	Washoe	542	10	1	2	1	73	24	11	38	5	284	276	52	-	212	8
35	White Pine	82	2	3	-	1	8	3	-	5	2	34	32	8	-	22	-
36	NEW HAMPSHIRE	6,175	47	24	4	15	1,022	397	103	522	116	3,572	3,485	719	3	2,469	63
37	Metropolitan counties	1,775	11	7	-	3	297	114	30	153	43	1,015	986	205	1	679	12
38	Nonmetropolitan counties	4,400	36	17	4	12	725	283	73	369	73	2,557	2,499	514	2	1,790	51
39	Belknap	350	2	1	2	2	60	28	9	23	4	216	213	38	-	161	2
40	Carroll	234	4	-	-	-	41	10	6	25	5	138	134	20	-	109	1
41	Cheshire	480	4	2	-	-	63	34	6	43	7	293	281	62	-	190	9
42	Coos	370	3	2	1	1	62	23	7	32	6	192	185	33	-	142	3
43	Grafton	580	3	3	-	1	94	30	8	56	6	315	311	81	-	204	8
44	Hillsborough	1,775	11	7	-	3	297	114	30	153	43	1,015	986	205	1	679	12
45	Merrimack	759	4	7	1	4	121	45	14	62	16	452	438	87	1	320	10
46	Rockingham	793	9	2	-	1	126	55	10	61	13	472	467	99	1	323	7
47	Strafford	537	4	-	-	2	89	37	8	44	10	306	299	61	-	214	8
48	Sullivan	297	3	-	-	1	49	21	5	23	6	173	171	33	-	127	3
49	NEW JERSEY	51,541	844	175	45	179	9,037	3,567	1,153	4,317	1,086	29,042	28,462	5,226	36	21,474	835
50	Metropolitan counties	45,589	780	148	40	162	8,122	3,223	1,038	3,861	977	25,517	25,014	4,624	33	18,868	749
51	Nonmetropolitan counties	5,952	64	27	5	17	915	344	115	456	109	3,525	3,448	602	3	2,606	86
52	Atlantic	1,820	27	13	-	3	313	126	40	147	35	1,084	1,066	185	-	798	28
53	Bergen	5,011	42	12	7	14	937	338	121	478	102	2,835	2,792	494	1	2,122	84
54	Burlington	1,247	18	2	-	11	207	87	19	101	23	722	705	153	1	512	17
55	Camden	3,179	49	17	4	15	528	217	56	255	73	1,771	1,738	313	3	1,327	45
56	Cape May	562	2	4	-	1	84	39	6	39	12	359	351	62	-	273	11
57	Cumberland	999	9	9	2	6	144	47	18	79	21	581	558	115	-	404	9
58	Essex	10,169	230	30	7	35	1,807	716	218	873	212	5,657	5,518	1,016	8	4,193	166
59	Gloucester	1,030	13	3	-	4	181	74	15	92	23	569	546	97	-	419	13
60	Hudson	7,230	157	25	2	26	1,312	543	209	560	166	4,044	3,982	635	6	3,164	141
61	Hunterdon	528	6	1	-	1	77	30	7	40	2	303	296	53	-	224	8
62	Mercer	2,425	61	4	3	13	421	161	54	206	70	1,338	1,315	319	1	892	40
63	Middlesex	2,563	36	6	5	9	451	185	75	191	39	1,364	1,340	240	1	1,026	37
64	Monmouth	2,735	37	11	1	8	428	160	59	209	51	1,625	1,600	261	3	1,212	47
65	Morris	1,694	22	6	3	5	290	111	34	145	26	1,000	988	174	1	754	22
66	Ocean	743	5	2	-	-	118	41	17	60	17	451	444	83	-	335	8
67	Passaic	3,598	41	12	3	10	684	283	82	319	111	1,972	1,929	385	2	1,423	67
68	Salem	529	12	2	1	1	72	28	9	35	7	296	283	57	1	211	10
69	Somerset	851	11	2	-	1	143	57	22	64	18	461	454	109	2	310	10
70	Sussex	385	5	-	2	1	64	27	8	29	6	206	199	28	-	158	3
71	Union	3,598	54	13	4	11	689	265	73	351	69	2,003	1,961	375	6	1,422	60
72	Warren	645	7	1	1	4	87	32	11	44	3	401	397	72	-	295	9

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
28	12	20	1	5	-	6	7	-	2	2	-	1	4	6	-	4	5	2	-	9	1
47	7	30	1	8	-	3	4	-	5	1	1	1	4	16	-	11	9	5	1	34	2
20	3	17	3	3	-	-	3	1	-	1	-	-	2	6	2	1	3	2	1	6	3
17	6	3	-	2	-	-	3	-	-	-	2	-	1	6	1	2	6	3	-	4	4
12	2	4	1	-	1	-	2	-	1	-	-	-	3	2	-	2	2	-	-	6	5
1	2	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	6
11	-	4	-	2	-	-	2	-	-	-	-	-	1	3	5	-	1	-	-	9	7
14	2	9	3	5	-	1	6	1	-	-	-	-	-	2	4	1	3	1	-	5	8
1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	9
10	2	13	-	2	-	1	6	1	-	2	-	-	-	5	4	2	5	2	1	7	10
22	1	9	1	5	-	-	1	2	-	1	-	-	1	3	-	2	5	-	-	4	11
23	8	11	-	1	1	-	4	-	-	-	-	1	2	3	4	3	5	-	-	11	12
14	6	9	1	2	-	1	1	-	-	-	-	-	-	1	1	1	4	1	-	7	13
16	3	9	1	4	-	1	4	1	-	-	-	-	-	2	1	1	7	1	-	7	14
1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	15
29	8	38	1	-	-	3	4	-	-	-	-	-	-	5	-	7	7	2	-	9	16
379	49	97	4	24	13	19	43	14	6	29	2	3	28	96	46	84	105	57	13	136	17
379	49	97	4	24	13	19	43	14	6	29	2	3	28	96	46	84	105	57	13	136	18
8	2	6	-	1	-	2	3	-	-	-	-	-	1	5	2	2	6	1	-	3	19
111	8	32	4	3	2	3	10	6	3	5	-	2	14	47	5	34	23	21	3	41	20
6	1	2	-	1	-	1	-	-	-	1	-	-	-	-	-	1	3	-	-	-	21
17	10	9	-	2	1	2	6	-	-	3	-	-	1	6	6	8	9	3	1	13	22
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	23
2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	2	2	1	-	-	-	24
6	2	9	-	1	-	-	1	-	-	-	-	1	-	3	1	2	4	1	1	6	25
2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	4	3	-	-	2	26
4	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	27
6	-	5	-	1	1	-	2	-	-	-	1	-	-	1	2	-	7	-	-	8	28
6	1	1	-	2	-	-	2	-	-	-	-	-	-	6	4	3	4	5	-	6	29
8	1	4	-	-	-	1	2	-	1	-	-	-	-	1	11	3	4	-	2	7	30
14	-	3	-	-	-	-	1	1	-	-	1	-	-	1	1	3	6	3	-	4	31
4	1	5	-	3	1	-	-	-	1	2	-	-	-	-	-	3	3	-	-	5	32
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	33
168	19	17	-	6	6	8	13	7	1	11	-	-	8	21	1	15	29	21	5	34	34
15	4	3	-	2	-	2	2	-	-	6	-	-	3	4	5	1	1	2	1	7	35
1,744	322	340	49	203	42	87	151	52	30	65	7	5	58	167	41	84	192	77	8	438	36
458	82	127	13	78	10	29	47	18	14	18	3	2	21	44	10	20	50	23	4	125	37
1,286	240	213	36	125	32	58	104	34	16	47	4	3	37	123	31	64	142	54	4	313	38
122	30	7	3	9	2	3	7	1	-	5	1	-	6	3	1	3	7	1	-	28	39
68	22	18	-	4	1	4	10	1	-	2	-	-	1	6	2	2	5	2	-	15	40
123	20	38	5	20	4	12	13	6	4	4	-	-	4	11	1	8	8	3	-	29	41
87	26	26	2	4	4	7	10	-	2	7	-	-	5	17	3	6	20	6	1	26	42
152	27	17	4	16	6	4	10	8	1	5	-	1	5	24	17	8	19	11	1	48	43
458	82	127	13	78	10	29	47	18	14	18	3	2	21	44	10	20	50	23	4	125	44
235	39	36	9	15	6	14	14	7	1	6	1	1	5	23	4	12	24	9	-	47	45
241	37	38	6	33	5	5	15	4	6	9	1	-	6	19	2	13	28	11	2	54	46
161	24	21	4	20	-	7	9	3	-	6	1	1	2	15	1	11	20	6	-	51	47
97	15	12	3	4	4	2	16	4	2	3	-	-	3	5	-	1	11	5	-	15	48
13,576	2,744	4,319	416	1,000	310	580	1,230	347	192	745	75	65	545	1,649	127	855	1,618	466	131	3,088	49
12,006	2,396	3,717	382	848	259	503	1,094	304	169	667	64	58	492	1,472	107	728	1,451	405	108	2,724	50
1,570	348	602	34	152	51	77	136	43	23	78	11	7	53	177	20	127	167	61	23	364	51
534	111	125	23	46	14	18	37	8	9	30	2	6	13	33	6	24	43	15	5	114	52
1,529	206	303	27	117	31	43	112	28	20	80	7	7	58	160	13	78	135	55	4	285	53
328	74	93	10	19	10	17	25	7	3	7	2	1	15	54	6	26	45	10	3	60	54
791	241	250	18	56	21	33	107	18	11	35	5	3	38	110	9	57	100	20	4	205	55
136	46	80	2	10	4	8	9	12	3	2	1	1	4	14	4	9	11	3	-	27	56
211	62	122	3	27	9	23	10	7	6	13	2	2	8	39	3	26	32	9	5	65	57
2,653	594	780	94	146	61	139	180	81	33	170	15	20	97	343	17	131	337	79	47	641	58
259	96	51	10	16	4	23	19	6	4	9	1	-	10	29	2	41	43	10	2	61	59
1,611	325	1,087	48	98	31	62	182	46	22	124	4	7	78	199	23	110	212	58	8	425	60
139	31	46	2	13	4	7	24	3	-	5	3	2	4	10	1	18	19	8	-	41	61
592	135	125	21	68	14	23	53	11	14	24	7	3	24	77	5	48	72	23	8	146	62
693	123	173	27	29	17	24	85	23	12	39	1	3	23	121	5	57	99	26	9	150	63
755	156	254	20	84	20	25	62	14	11	47	2	1	27	81	10	46	66	27	16	164	64
540	74	118	10	35	14	12	50	18	7	23	-	1	23	52	3	23	37	25	1	79	65
215	32	80	6	11	9	7	17	4	-	6	2	1	5	19	1	20	23	9	2	41	66
959	178	219	33	75	11	43	105	24	8	58	6	4	33	86	5	44	125	30	10	227	67
136	29	36	2	11	1	13	20	5	3	3	1	-	11	24	2	3	22	5	2	37	68
192	39	69	12	17	4	7	19	3	4	11	2	-	11	28	3	22	40	13	-	59	69
114	21	20	1	7	5	7	14	3	3	5	1	-	5	14	1	8	16	5	-	26	70
987	145	230	41	95	22	42	86	20	14	48	11	3	50	112	8	53	118	28	5	199	71
202	26	58	6	20	4	4	14	6	5	6	-	-	8	24	-	11	23	8	-	36	72

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	NEW MEXICO	5,429	170	29	38	71	532	182	53	297	54	1,642	1,574	348	16	1,085	80
2	Metropolitan counties	1,084	41	2	10	6	133	42	16	75	9	377	370	84	5	251	20
3	Nonmetropolitan counties	4,345	129	27	28	65	399	140	37	222	45	1,265	1,204	264	11	834	60
4	Bernalillo	1,084	41	2	10	6	133	42	16	75	9	377	370	84	5	251	20
5	Catron	20	-	-	-	-	1	-	-	1	1	9	9	4	-	5	-
6	Chaves	264	2	-	3	1	31	9	3	19	1	85	82	15	-	59	2
7	Colfax	161	1	1	-	3	14	6	1	7	4	67	62	19	-	40	4
8	Curry	164	6	-	3	1	16	6	-	10	-	73	72	13	-	54	5
9	De Baca	32	-	-	-	1	6	3	-	3	-	17	16	1	-	15	1
10	Dona Ana	285	7	1	6	2	37	10	5	22	2	84	78	19	1	51	-
11	Eddy	285	10	3	-	3	27	6	2	19	3	82	77	14	2	56	2
12	Grant	226	6	3	2	3	20	5	2	13	4	65	64	17	1	44	2
13	Guadalupe	50	3	-	-	1	5	3	-	2	1	10	9	1	-	8	1
14	Harding	28	1	-	-	-	3	2	-	1	-	10	10	-	-	10	1
15	Hidalgo	54	1	1	1	-	10	2	1	7	-	15	14	3	-	8	-
16	Lea	173	-	2	2	3	11	1	2	8	1	55	50	10	3	34	3
17	Lincoln	49	1	-	1	1	4	2	-	2	-	12	12	2	-	10	2
18	Los Alamos	30	-	-	-	-	5	-	1	4	-	6	5	1	-	4	-
19	Luna	83	4	-	2	-	7	1	-	6	1	29	29	8	1	17	1
20	McKinley	304	34	2	1	8	16	8	2	6	3	39	34	7	1	25	3
21	Mora	69	1	1	-	1	4	2	1	1	1	17	16	2	-	12	3
22	Otero	101	1	2	-	1	4	1	1	2	2	35	33	9	-	21	-
23	Quay	120	2	-	1	1	11	3	-	8	2	55	53	5	-	38	-
24	Rio Arriba	198	4	2	-	3	11	5	-	6	1	34	32	6	-	24	2
25	Roosevelt	82	1	-	1	1	11	3	3	5	5	31	28	9	-	16	2
26	Sandoval	121	6	3	-	3	4	1	-	3	1	23	23	1	-	20	2
27	San Juan	221	10	-	2	7	12	5	1	6	1	45	45	11	-	32	1
28	San Miguel	273	4	3	1	4	20	8	2	10	3	86	84	21	-	57	6
29	Santa Fe	294	9	3	1	3	33	18	-	15	4	90	86	20	-	56	8
30	Sierra	81	2	-	-	1	11	4	2	5	-	31	28	8	-	16	1
31	Socorro	94	6	-	-	1	9	1	-	8	-	29	28	6	-	22	1
32	Taos	120	2	-	-	5	8	3	2	3	-	19	17	5	-	9	2
33	Torrance	69	1	-	1	1	9	5	1	3	-	19	19	3	-	15	-
34	Union	80	1	-	-	1	13	7	-	6	3	34	32	10	1	21	1
35	Valencia	214	3	-	-	5	26	10	5	11	1	59	57	14	1	35	4
36	NEW YORK	160,749	2,639	499	111	517	28,224	11,179	3,558	13,487	3,108	91,358	89,800	14,282	144	70,478	2,588
37	Metropolitan counties	132,564	2,378	438	76	407	24,124	9,589	3,135	11,400	2,582	74,598	73,434	10,787	117	58,837	2,241
38	Nonmetropolitan counties	28,185	261	61	35	110	4,100	1,590	423	2,087	526	16,760	16,366	3,495	27	11,641	347
39	Albany	2,981	39	8	-	6	495	175	67	253	70	1,803	1,768	280	3	1,368	45
40	Allegany	510	3	-	-	3	52	24	4	24	13	286	284	68	1	197	5
41	Broome	1,889	25	5	3	8	303	108	29	166	45	1,075	1,049	197	-	784	42
42	Cattaraugus	830	7	1	1	2	144	59	9	76	16	434	429	96	1	299	12
43	Cayuga	868	7	2	2	6	135	63	9	63	23	531	522	126	2	360	11
44	Chautauqua	1,634	13	3	2	1	234	81	25	128	32	1,037	1,014	204	2	722	23
45	Chemung	920	8	2	-	5	131	47	23	61	15	559	551	131	-	382	11
46	Chenango	504	2	1	1	4	57	23	3	31	7	303	277	36	-	221	5
47	Clinton	489	5	2	-	3	74	30	6	38	4	289	282	50	-	220	7
48	Columbia	598	8	-	-	3	82	28	14	40	7	377	371	75	-	271	7
49	Cortland	404	2	1	-	-	57	21	7	29	7	240	238	66	1	160	8
50	Delaware	549	4	1	1	3	83	35	8	40	9	315	311	58	-	227	6
51	Dutchess	1,458	16	7	1	7	236	82	33	121	47	862	837	194	2	572	22
52	Erie	9,476	171	37	8	21	1,559	588	201	770	193	5,284	5,188	873	9	3,989	158
53	Essex	461	15	1	1	-	69	25	5	39	7	253	249	49	-	185	4
54	Franklin	512	7	2	-	2	66	22	7	37	6	298	288	49	3	207	5
55	Fulton	643	3	2	-	3	102	38	6	58	18	370	358	88	1	255	9
56	Genesee	535	8	2	-	2	94	37	13	44	8	286	282	55	-	198	3
57	Greene	394	6	1	-	-	59	23	10	26	6	249	246	52	-	172	6
58	Hamilton	47	-	-	-	-	8	6	-	2	-	30	29	9	-	16	1
59	Herkimer	737	11	2	1	1	104	47	9	48	16	441	434	104	1	298	7
60	Jefferson	1,108	6	2	1	5	150	57	18	75	22	652	640	128	1	460	14
61	Lewis	220	1	1	-	1	23	9	4	10	1	138	133	32	-	88	1
62	Livingston	466	2	-	2	-	59	20	7	32	12	287	277	74	-	189	11
63	Madison	540	6	-	-	1	66	28	6	32	9	335	328	58	1	247	7
64	Monroe	5,238	83	9	4	11	874	325	124	425	75	3,139	3,101	559	2	2,279	68
65	Montgomery	758	6	3	-	2	131	58	9	64	20	422	408	100	1	278	9
66	Nassau	6,149	68	13	8	24	1,134	389	161	584	121	3,292	3,236	534	5	2,532	108
67	New York City[1]	84,921	1,772	320	35	263	16,084	6,586	2,117	7,381	1,685	47,167	46,471	6,081	84	38,328	1,529
68	Niagara	1,846	12	4	-	5	312	108	45	159	33	1,033	1,005	188	2	766	22
69	Oneida	2,430	17	4	-	11	346	131	28	187	48	1,467	1,444	251	2	1,124	21
70	Onondaga	3,634	48	8	5	13	560	214	55	291	72	2,149	2,118	430	-	1,544	45
71	Ontario	741	4	2	-	3	104	36	10	58	7	437	425	91	-	319	10
72	Orange	1,803	21	6	8	4	316	118	32	166	26	1,041	1,013	196	2	715	32
73	Orleans	386	4	-	-	-	57	23	7	27	6	226	219	46	-	164	5
74	Oswego	936	5	2	2	4	109	58	7	44	22	604	589	136	1	416	12
75	Otsego	648	4	1	2	3	90	43	7	40	8	410	398	86	2	276	6
76	Putnam	224	3	-	-	-	41	13	4	24	6	134	132	19	-	99	2
77	Rensselaer	1,722	18	3	-	6	282	123	24	135	34	1,073	1,051	194	2	788	18
78	Rockland	837	10	2	1	3	129	50	15	64	13	500	485	69	-	399	16
79	St. Lawrence	1,045	11	-	1	9	139	48	9	82	18	629	616	135	-	451	14
80	Saratoga	981	9	1	-	3	124	41	14	69	25	598	583	112	1	444	17
81	Schenectady	1,599	19	6	1	6	277	94	38	145	41	943	921	156	2	682	21
82	Schoharie	266	1	-	-	1	34	16	2	16	5	162	162	36	-	100	1
83	Schuyler	185	1	1	-	2	22	9	-	13	2	98	96	12	-	79	1
84	Seneca	315	3	1	1	3	48	15	7	26	9	157	153	38	-	106	1
85	Steuben	1,084	5	2	3	5	160	64	24	72	23	608	598	133	-	423	9

[1]Comprising Bronx, Kings, New York, Queens, and Richmond Counties treated as a unit.

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
629	136	240	32	61	32	68	305	31	155	37	11	28	114	544	500	296	290	72	43	467	1
155	19	57	8	13	9	7	47	9	16	15	2	3	30	107	67	44	51	12	6	97	2
474	117	183	24	48	23	61	258	22	139	22	9	25	84	437	433	252	239	60	37	370	3
155	19	57	8	13	9	7	47	9	16	15	2	3	30	107	67	44	51	12	6	97	4
3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	-	-	1	5
38	6	13	1	3	4	3	11	1	7	1	-	3	9	33	12	17	15	5	5	22	6
23	7	6	2	1	-	5	7	1	-	1	1	-	2	13	5	3	14	4	2	18	7
33	6	10	2	3	-	1	10	-	2	2	-	-	5	16	6	6	5	1	1	11	8
8	2	4	-	-	-	1	2	-	-	-	-	-	-	-	1	2	1	-	-	2	9
35	5	11	2	5	-	6	16	-	6	1	-	-	7	35	16	15	14	4	3	29	10
40	6	8	2	2	1	5	19	2	9	2	-	3	6	40	11	20	15	5	-	25	11
26	5	11	-	1	1	1	6	1	9	1	-	1	5	27	12	15	17	7	2	20	12
4	2	1	-	-	-	1	3	-	-	-	-	1	-	5	3	7	6	-	1	4	13
5	-	4	-	-	-	-	2	-	-	-	-	-	-	3	4	3	2	-	-	-	14
4	1	3	-	2	1	1	2	-	-	-	-	-	1	2	3	7	3	1	-	7	15
22	3	6	1	-	2	5	6	4	2	-	2	1	7	23	6	17	12	1	3	15	16
3	1	4	-	-	-	-	6	1	-	-	-	-	4	5	2	5	3	-	-	4	17
4	-	-	-	-	-	1	-	-	-	-	-	-	1	9	-	4	1	3	-	1	18
12	2	2	1	1	1	-	5	1	2	-	1	-	1	7	6	6	5	1	-	5	19
14	6	2	-	1	-	5	33	1	29	3	1	1	6	26	32	15	13	1	5	35	20
6	-	3	-	1	1	1	4	-	-	-	-	1	1	6	28	-	2	-	1	1	21
14	5	2	-	2	1	2	12	2	3	-	1	-	2	11	3	6	6	1	1	8	22
22	6	10	-	10	-	2	12	-	3	-	-	-	1	4	4	5	5	-	-	14	23
15	4	3	-	1	1	2	8	1	7	-	-	1	2	18	61	17	15	2	1	10	24
9	-	5	-	2	1	3	4	-	-	2	-	2	1	5	1	4	2	3	-	8	25
7	3	8	1	1	-	-	2	-	5	-	-	-	1	12	40	5	1	-	1	14	26
19	7	5	-	1	1	-	21	-	24	1	-	4	1	24	16	23	12	4	2	12	27
27	8	16	2	3	1	2	16	1	4	2	-	-	3	26	54	9	14	4	2	17	28
24	19	5	3	4	3	4	15	2	6	3	1	1	12	35	17	9	15	5	4	26	29
7	1	7	1	2	1	3	7	-	2	-	1	-	1	1	5	3	6	3	-	7	30
11	3	7	-	-	-	1	7	-	4	1	-	1	2	9	9	6	1	3	1	5	31
1	1	5	2	-	1	2	5	-	4	-	-	2	1	16	36	3	7	1	1	10	32
7	1	7	-	-	1	-	3	-	-	-	-	1	-	6	8	3	8	-	-	9	33
15	1	4	-	-	-	2	2	1	3	1	-	-	1	5	1	2	5	1	-	6	34
16	6	9	4	2	1	2	12	3	8	1	1	2	1	15	28	12	12	-	1	24	35
51,228	8,740	7,922	1,089	3,067	740	1,558	4,405	1,196	552	2,229	198	164	1,801	4,991	742	2,239	5,116	1,387	438	8,835	36
43,191	7,491	5,914	863	2,248	582	1,164	3,792	986	419	1,995	156	144	1,469	4,122	639	1,622	4,036	1,069	408	7,104	37
8,037	1,249	2,008	226	819	158	394	613	210	133	234	42	20	332	869	103	617	1,080	318	30	1,731	38
1,057	134	132	27	69	21	35	58	20	11	40	5	-	27	76	13	44	75	30	3	158	39
113	28	51	1	14	3	2	22	2	3	2	2	-	4	22	6	9	37	8	-	36	40
576	73	93	7	50	11	26	46	12	5	28	1	2	27	81	4	39	61	18	2	99	41
175	29	83	9	23	1	5	16	9	2	8	1	1	14	27	-	28	39	14	2	64	42
247	34	68	5	26	3	9	15	7	2	3	3	-	7	21	2	15	26	9	1	51	43
454	71	174	15	63	8	23	33	9	6	13	2	1	11	47	5	43	50	14	-	78	44
292	34	45	7	21	10	8	22	4	5	9	3	1	11	28	2	19	26	6	2	62	45
128	33	55	5	13	2	26	13	1	2	4	1	1	8	14	2	12	25	13	2	31	46
133	32	48	1	8	3	7	12	1	5	3	-	-	8	17	5	11	21	4	-	25	47
195	31	38	4	16	5	6	17	2	2	5	1	1	5	12	1	20	20	5	1	29	48
112	15	25	3	4	4	2	4	1	2	3	-	-	8	17	3	3	22	6	-	28	49
165	19	37	7	15	4	4	15	6	-	5	1	-	8	21	5	10	19	12	-	31	50
429	55	66	18	48	3	25	28	13	10	7	2	1	12	36	2	28	47	15	1	80	51
2,739	432	660	76	176	65	96	227	94	44	127	21	11	126	326	24	176	282	86	27	632	52
121	24	36	1	9	5	4	10	2	-	6	-	-	9	15	-	8	22	6	-	37	53
161	21	20	9	18	2	10	11	2	5	2	3	-	13	20	1	19	13	6	-	36	54
179	16	51	2	9	3	12	21	7	2	4	-	-	2	12	4	9	28	6	-	50	55
150	20	25	7	21	1	4	8	5	4	5	-	1	9	21	-	20	23	6	-	33	56
101	26	39	3	17	2	3	3	2	1	6	1	-	2	10	2	14	14	3	-	15	57
11	1	3	1	3	-	1	-	-	-	-	-	-	1	-	-	1	3	-	-	4	58
201	21	69	8	20	3	7	15	7	1	3	2	-	9	18	1	15	33	8	2	47	59
315	60	71	4	39	8	12	33	5	7	8	2	1	8	45	9	16	41	20	1	74	60
65	7	15	2	10	1	5	4	2	1	2	1	-	6	9	1	8	7	4	-	10	61
126	18	34	-	12	2	10	9	4	2	5	-	-	5	16	-	12	11	7	-	33	62
165	14	61	4	17	1	7	12	2	5	6	1	-	10	21	3	16	18	8	-	21	63
1,690	194	327	33	195	33	38	124	37	32	55	8	-	61	164	6	69	128	41	3	315	64
170	39	60	5	20	4	14	17	4	5	14	-	-	7	25	-	12	28	4	-	58	65
1,895	306	223	46	90	29	56	154	36	23	91	12	7	111	268	36	99	201	92	16	343	66
28,459	5,206	3,134	492	1,184	302	696	2,751	617	208	1,373	75	104	834	2,500	494	800	2,652	580	316	4,291	67
494	86	164	9	30	10	28	37	9	7	22	1	2	28	83	6	44	63	14	7	124	68
636	182	285	22	37	8	23	60	17	18	29	8	3	41	87	4	59	52	19	1	139	69
1,228	116	155	27	92	25	31	66	32	13	52	5	4	41	140	7	71	105	35	6	202	70
218	29	62	4	10	1	12	17	13	3	11	-	1	5	26	-	20	30	8	-	50	71
539	68	76	14	69	17	28	33	19	7	23	1	2	22	46	5	38	63	11	5	106	72
96	26	37	3	5	1	7	8	4	2	4	-	-	4	12	1	8	20	5	-	25	73
277	60	67	7	22	7	15	18	7	7	5	-	-	14	35	2	16	28	6	1	49	74
196	40	34	3	24	7	12	10	7	2	4	-	-	3	10	3	15	23	10	-	43	75
60	7	30	6	6	2	2	3	6	-	1	1	-	5	8	-	3	8	1	1	3	76
548	82	140	23	37	7	22	28	12	11	14	2	1	16	46	3	22	48	15	3	85	77
291	69	23	6	11	-	15	21	6	3	11	1	2	11	23	3	15	26	5	3	49	78
336	46	55	1	23	6	13	17	7	2	5	2	2	26	30	5	24	39	12	2	65	79
320	44	63	5	19	2	15	27	6	4	10	3	4	13	20	8	24	27	11	1	63	80
527	66	68	14	55	12	22	29	13	3	17	2	1	21	45	1	25	35	21	1	92	81
58	7	34	7	16	3	-	6	3	1	3	-	-	3	5	2	7	4	5	-	24	82
47	18	13	1	2	2	2	5	-	1	3	1	1	3	2	1	9	21	5	-	7	83
68	12	25	1	8	-	4	7	3	4	5	1	-	4	14	-	6	21	3	1	24	84
295	43	76	8	26	8	10	32	8	7	4	1	1	15	53	10	21	42	10	4	70	85

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148, 156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEW YORK—Continued																
1	Suffolk	2,901	30	2	4	15	463	172	68	223	38	1,734	1,716	286	2	1,314	37
2	Sullivan	553	11	-	1	1	82	37	12	33	7	337	327	65	1	251	8
3	Tioga	349	4	-	-	1	42	22	1	19	10	213	211	60	-	136	2
4	Tompkins	544	5	-	-	2	83	32	5	46	4	340	335	80	-	232	6
5	Ulster	1,219	21	5	2	2	180	70	29	81	15	725	704	157	3	484	4
6	Warren	530	2	2	1	2	89	29	5	55	9	304	299	63	-	213	5
7	Washington	601	7	1	-	5	78	28	6	44	12	361	352	64	1	248	6
8	Wayne	706	2	2	1	5	107	46	10	51	13	418	407	79	-	298	12
9	Westchester	6,204	55	15	6	14	1,202	479	154	569	98	3,498	3,447	585	3	2,642	104
10	Wyoming	374	2	-	1	2	48	14	2	32	5	249	245	56	-	158	5
11	Yates	247	1	1	-	-	35	12	4	19	5	156	148	33	-	103	2
12	NORTH CAROLINA	32,259	548	106	21	249	3,370	1,069	292	2,009	388	16,627	16,000	4,186	55	10,813	314
13	Metropolitan counties	7,118	124	33	7	45	843	269	73	501	78	3,873	3,758	927	8	2,602	75
14	Nonmetropolitan counties	25,141	424	73	14	204	2,527	800	219	1,508	310	12,754	12,242	3,259	47	8,211	239
15	Alamance	480	7	-	-	3	69	17	6	46	7	258	248	67	-	164	7
16	Alexander	105	1	-	-	1	8	4	2	2	-	42	39	15	1	21	1
17	Alleghany	70	1	-	-	-	9	3	1	5	-	39	37	10	-	25	1
18	Anson	207	4	-	-	4	15	7	1	7	-	109	103	22	-	75	2
19	Ashe	171	2	-	-	8	25	8	1	16	-	85	81	20	1	55	1
20	Avery	73	1	-	-	1	3	1	-	2	-	33	32	9	-	23	1
21	Beaufort	436	4	2	1	3	43	14	5	24	10	209	199	72	1	116	2
22	Bertie	224	2	-	-	1	21	11	1	9	5	107	100	33	-	55	-
23	Bladen	227	5	-	-	1	14	3	1	10	3	107	99	17	-	78	4
24	Brunswick	163	2	2	-	2	16	4	-	12	2	88	87	20	-	62	-
25	Buncombe	1,018	24	5	3	6	136	45	6	85	8	588	574	133	1	400	16
26	Burke	261	3	-	-	2	33	14	4	15	7	115	112	35	-	70	3
27	Cabarrus	422	6	2	-	3	62	16	2	44	9	216	212	55	-	149	8
28	Caldwell	271	2	-	1	1	27	8	2	17	3	131	130	29	-	91	5
29	Camden	54	-	-	-	-	7	1	1	5	1	25	23	4	-	19	1
30	Carteret	218	4	-	-	-	22	8	3	11	1	118	105	35	-	63	1
31	Caswell	160	1	-	-	2	7	3	-	4	2	84	83	23	-	51	2
32	Catawba	395	3	1	1	1	39	13	2	24	7	219	217	33	-	173	3
33	Chatham	236	2	1	1	4	25	9	1	15	4	108	106	22	1	78	2
34	Cherokee	137	3	-	-	1	18	10	1	7	3	66	65	19	-	41	3
35	Chowan	115	5	1	-	-	14	4	2	8	1	53	51	20	-	26	-
36	Clay	30	-	-	-	-	5	2	-	3	1	12	11	5	-	6	1
37	Cleveland	430	2	1	-	7	64	24	2	38	4	231	221	68	-	141	3
38	Columbus	389	7	-	-	4	26	10	1	15	2	190	186	44	2	130	3
39	Craven	469	12	1	-	5	36	8	2	26	6	214	207	39	2	147	3
40	Cumberland	663	8	3	1	8	55	13	6	36	10	268	258	81	-	158	3
41	Currituck	72	1	-	-	-	5	1	-	4	-	48	48	7	-	40	1
42	Dare	59	-	-	-	-	5	1	2	2	2	39	39	3	-	34	-
43	Davidson	423	1	1	-	1	44	12	5	27	4	227	216	65	1	135	4
44	Davie	133	2	-	-	1	14	4	3	7	-	70	67	28	-	36	1
45	Duplin	352	6	2	-	4	30	13	2	15	3	188	179	63	2	106	4
46	Durham	776	23	6	-	4	100	30	9	61	12	404	396	97	1	278	4
47	Edgecombe	549	12	2	-	8	51	13	-	38	4	271	254	73	1	164	-
48	Forsyth	1,179	19	2	2	5	154	48	14	92	8	629	592	150	3	415	10
49	Franklin	287	6	-	-	4	24	9	2	13	6	151	148	30	-	111	2
50	Gaston	689	6	5	1	5	64	19	6	39	6	375	367	91	1	260	10
51	Gates	105	3	-	-	-	8	3	-	5	1	62	61	22	1	36	-
52	Graham	33	2	-	-	-	3	1	-	2	-	11	10	-	-	7	-
53	Granville	270	4	3	-	-	22	7	2	13	4	151	144	24	-	104	1
54	Greene	121	5	-	-	1	12	6	3	3	1	57	54	13	-	40	-
55	Guilford	1,367	23	6	-	11	168	64	9	95	20	723	704	190	1	473	14
56	Halifax	566	15	3	-	7	43	5	3	35	5	286	267	93	-	156	1
57	Harnett	356	11	-	-	-	38	13	5	20	2	184	180	48	-	117	5
58	Haywood	267	4	-	-	3	22	3	1	18	2	164	160	44	3	108	11
59	Henderson	281	2	2	-	1	46	15	2	29	7	124	119	31	1	81	4
60	Hertford	177	5	2	-	-	23	6	6	11	2	97	92	28	-	59	-
61	Hoke	107	4	1	-	1	5	3	-	2	3	55	52	16	-	31	1
62	Hyde	51	1	-	-	-	8	3	-	5	-	29	28	8	-	19	1
63	Iredell	470	6	3	-	1	42	9	5	28	6	260	254	59	1	171	2
64	Jackson	126	1	-	-	2	22	5	4	13	1	61	56	11	-	43	1
65	Johnston	501	12	-	-	2	59	22	9	28	5	261	251	60	2	173	4
66	Jones	65	1	-	-	-	2	1	-	1	-	36	32	10	-	16	-
67	Lee	209	4	1	-	1	16	5	2	9	-	101	101	26	-	71	3
68	Lenoir	446	8	1	-	4	39	13	2	24	8	231	217	82	1	116	5
69	Lincoln	171	-	1	-	-	16	2	1	13	1	98	93	25	-	64	4
70	McDowell	185	-	1	-	2	25	5	3	17	2	83	76	22	1	49	1
71	Macon	129	3	-	1	3	19	7	2	10	1	62	62	11	-	47	3
72	Madison	160	1	1	-	4	17	7	1	9	2	86	84	25	-	56	6
73	Martin	219	8	-	-	2	17	3	2	12	1	113	112	26	-	84	3
74	Mecklenburg	1,607	13	7	2	14	159	49	24	86	13	874	853	174	2	627	20
75	Mitchell	97	4	1	-	2	14	6	-	8	1	34	34	11	-	20	1
76	Montgomery	121	1	1	1	-	16	12	2	2	1	64	63	28	-	30	-
77	Moore	292	6	1	-	1	36	15	3	18	1	148	141	38	-	90	3
78	Nash	540	20	2	-	4	45	11	7	27	7	279	268	69	4	182	1
79	New Hanover	677	5	2	-	5	81	30	8	43	7	364	349	94	-	226	5
80	Northampton	258	12	2	-	5	25	7	3	15	1	124	119	34	1	74	-
81	Onslow	260	4	-	-	3	14	3	2	9	1	95	90	29	-	54	3
82	Orange	227	2	-	-	1	30	11	4	15	5	123	121	29	-	84	3
83	Pamlico	87	1	-	-	-	8	1	-	7	-	49	44	13	1	28	-
84	Pasquotank	237	2	4	-	2	22	6	-	16	3	132	118	28	1	84	5
85	Pender	149	2	-	-	4	15	8	-	7	1	68	67	23	-	42	-

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1,013	138	126	24	75	15	18	63	21	15	32	4	1	27	93	6	68	99	35	4	147	1
165	24	54	2	6	2	10	10	5	1	6	2	-	4	10	3	12	18	7	-	36	2
103	8	23	4	8	3	2	12	2	2	-	-	-	3	15	-	6	16	2	1	20	3
171	28	27	3	17	3	5	6	2	-	2	1	-	6	18	2	10	19	8	2	34	4
374	42	64	19	34	7	21	26	7	9	10	1	-	7	30	-	25	57	11	2	84	5
147	21	40	5	17	1	5	8	4	1	6	2	-	8	24	-	7	27	3	-	31	6
170	34	38	4	32	3	9	23	5	2	5	-	-	8	19	5	6	26	5	-	33	7
212	37	37	7	20	3	11	14	4	4	5	1	1	7	13	2	16	29	10	-	52	8
1,837	386	315	49	127	41	51	113	53	25	101	9	6	89	172	31	76	176	70	14	381	9
104	17	32	5	22	4	4	4	6	1	1	-	-	2	13	-	9	11	4	-	16	10
74	11	16	4	7	1	8	2	2	2	1	1	-	2	10	1	2	11	5	-	10	11
5,551	2,730	2,218	326	455	165	627	1,332	113	383	183	85	113	519	2,093	754	1,190	1,360	338	393	2,094	12
1,545	607	375	86	91	44	115	225	28	53	43	17	14	130	453	53	218	254	68	95	464	13
4,006	2,123	1,843	240	364	121	512	1,107	85	330	140	68	99	389	1,640	701	972	1,106	270	298	1,630	14
92	32	33	3	12	2	10	17	-	4	3	1	2	12	27	4	12	11	5	-	38	15
8	2	10	1	1	-	3	2	-	2	1	1	-	2	8	25	5	-	1	-	6	16
7	6	11	-	1	1	2	5	-	-	1	-	-	-	1	2	2	6	1	-	3	17
33	27	13	3	3	-	6	12	2	1	4	-	2	1	7	9	12	8	1	1	15	18
14	19	21	3	2	-	4	10	1	-	-	-	-	1	4	9	4	4	2	6	10	19
17	3	2	-	-	-	1	4	-	-	-	-	-	2	5	9	-	4	1	-	10	20
54	28	32	3	6	1	10	42	-	4	2	-	3	3	33	9	12	28	3	6	19	21
18	7	30	3	6	3	7	16	1	8	1	-	1	4	13	10	2	10	1	3	18	22
32	34	8	-	3	1	8	13	-	10	1	-	1	2	13	10	8	13	2	7	17	23
25	15	22	4	1	-	1	9	-	1	-	1	1	4	9	3	5	7	1	3	7	24
234	84	66	16	16	8	14	29	6	5	5	2	1	13	51	7	23	30	6	4	66	25
36	11	20	3	4	-	3	10	2	-	1	-	2	2	11	27	15	12	2	2	15	26
78	45	18	3	2	3	4	14	1	2	4	-	2	12	23	2	14	16	8	2	24	27
48	14	24	2	4	4	1	17	1	5	1	1	-	6	19	3	9	12	5	4	23	28
13	3	2	-	-	-	2	1	-	1	-	-	-	-	6	-	1	6	2	-	4	29
38	8	16	4	2	1	13	6	-	4	2	2	-	2	14	13	9	10	2	-	9	30
19	14	16	3	6	-	1	10	-	4	-	2	1	2	15	1	12	2	4	4	7	31
80	47	43	2	7	2	2	12	1	2	1	1	-	6	30	16	11	21	6	1	16	32
37	27	12	1	2	2	2	10	2	2	1	-	-	3	13	5	10	22	1	3	19	33
10	17	11	1	2	2	1	4	1	-	-	-	-	3	9	11	6	2	-	1	9	34
16	2	8	2	2	1	2	3	1	1	2	-	-	2	9	1	2	5	3	1	11	35
1	1	3	-	-	-	1	2	-	-	-	-	-	1	1	-	3	2	1	1	1	36
90	19	29	3	7	2	10	18	-	4	3	2	1	9	20	7	13	18	3	3	20	37
41	33	53	3	3	4	4	17	1	8	1	3	2	10	40	14	11	19	4	3	27	38
69	55	20	10	4	5	7	26	2	5	3	1	1	15	31	4	19	39	5	7	37	39
82	48	25	6	8	5	10	19	3	6	3	2	5	13	84	41	44	24	5	11	50	40
17	9	13	-	1	-	-	3	-	-	-	-	-	-	1	-	4	2	1	-	7	41
16	5	13	-	2	-	-	-	-	-	-	-	-	-	2	-	-	6	2	-	3	42
91	16	24	3	10	2	11	27	4	4	3	-	1	4	29	4	22	18	2	6	21	43
22	7	6	1	1	1	3	5	-	-	2	-	-	5	5	3	5	3	1	2	15	44
48	20	34	-	7	1	9	11	-	7	3	1	2	3	18	2	16	24	5	9	18	45
171	74	29	10	6	4	8	20	1	4	8	1	1	12	45	13	23	33	8	11	47	46
74	58	32	5	10	1	17	22	1	15	1	1	2	6	56	19	14	19	6	4	35	47
213	109	83	12	8	4	37	30	1	11	6	6	1	25	67	12	45	36	10	22	88	48
52	40	17	1	6	-	3	14	-	3	2	1	2	6	13	6	11	9	4	6	19	49
133	42	75	5	7	3	8	27	2	3	6	2	2	14	44	19	29	31	5	1	42	50
9	7	20	1	1	-	1	7	-	1	-	-	-	-	4	3	6	5	-	1	4	51
6	-	1	-	2	1	1	-	-	-	1	-	1	-	3	5	1	2	-	-	4	52
37	33	33	7	6	3	7	14	2	4	1	1	2	2	20	9	7	8	3	6	7	53
18	16	6	-	-	1	3	3	1	1	-	1	2	2	11	3	3	7	4	2	5	54
278	103	78	11	23	6	19	46	10	4	11	3	2	35	82	8	44	45	18	16	92	55
69	65	21	6	12	-	19	26	2	17	1	3	2	7	64	13	17	13	5	9	28	56
46	34	32	6	9	-	4	21	-	2	6	-	-	9	13	2	14	20	5	8	21	57
59	32	6	1	3	1	4	14	1	2	-	-	-	9	13	1	6	10	2	-	14	58
49	17	11	4	-	2	5	9	3	1	1	1	-	6	11	2	13	18	5	2	27	59
26	20	13	3	2	-	5	6	-	2	-	-	1	1	9	2	4	12	-	2	9	60
9	10	11	3	2	-	3	6	-	4	-	1	-	-	5	6	4	3	-	3	6	61
12	3	3	1	-	-	1	2	-	-	-	-	1	-	-	1	1	4	2	1	1	62
74	34	61	3	15	5	6	15	2	2	2	1	-	5	39	6	13	17	5	7	38	63
33	4	5	1	1	-	5	6	-	-	-	-	-	5	8	3	7	7	-	-	3	64
91	37	41	7	6	3	10	15	-	6	3	2	1	5	24	12	21	12	12	5	44	65
5	3	8	5	1	-	4	5	1	1	-	-	2	2	3	2	3	1	1	-	5	66
44	13	11	2	2	-	-	10	-	6	4	-	2	3	14	1	12	9	5	4	16	67
55	26	30	5	8	5	14	12	2	6	4	2	5	5	40	6	15	15	5	3	35	68
27	16	17	-	2	2	5	10	1	-	1	-	2	2	10	1	13	7	-	1	7	69
25	13	10	1	2	1	7	4	-	1	1	3	-	2	10	12	11	13	-	2	13	70
18	13	13	1	3	-	-	5	1	-	-	-	-	-	4	5	4	8	-	-	13	71
27	12	11	-	3	-	2	1	1	2	1	1	-	4	6	7	6	7	1	1	11	72
41	30	10	1	1	-	1	12	-	2	1	1	2	2	15	8	2	12	4	2	15	73
406	148	53	21	17	12	21	62	7	20	9	3	3	32	129	4	52	63	15	32	94	74
6	11	2	3	-	-	-	12	-	2	-	1	-	-	5	6	2	3	2	-	8	75
18	8	4	2	3	-	1	4	1	1	1	-	-	1	4	6	2	7	1	1	8	76
57	15	15	1	6	6	7	7	2	3	1	1	-	3	14	6	14	11	4	8	25	77
101	53	27	7	4	2	11	23	-	14	4	2	5	8	49	2	21	13	6	8	28	78
150	35	36	8	14	7	15	28	3	4	6	1	1	2	39	18	13	25	4	17	52	79
29	20	25	2	6	2	5	9	1	8	-	1	2	1	19	5	8	14	-	1	20	80
35	8	8	-	6	1	5	15	2	3	4	-	1	2	39	5	21	21	7	2	21	81
44	21	16	3	2	3	2	12	1	-	1	-	-	1	11	2	11	10	5	-	12	82
8	6	14	1	1	-	5	5	-	2	-	1	1	-	2	3	1	6	1	-	7	83
50	22	7	2	1	2	14	10	-	2	1	-	1	5	13	-	7	14	2	2	15	84
13	18	11	-	1	1	1	8	-	3	-	-	1	5	9	12	3	8	1	2	7	85

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NORTH CAROLINA—Con.																
1	Perquimans	81	1	-	-	-	3	2	-	1	4	52	49	11	-	37	-
2	Person	192	-	-	-	1	23	3	2	18	2	107	103	21	1	76	-
3	Pitt	549	18	-	-	7	54	18	6	30	3	270	265	58	3	194	7
4	Polk	102	3	-	-	2	12	3	-	9	3	56	56	11	-	41	2
5	Randolph	322	2	-	-	1	47	17	2	28	1	177	173	36	1	121	2
6	Richmond	332	8	1	-	3	28	10	3	15	7	177	168	39	-	123	2
7	Robeson	794	13	2	1	5	54	15	4	35	8	320	311	89	2	205	2
8	Rockingham	503	4	2	3	-	65	19	7	39	11	278	269	76	1	181	6
9	Rowan	639	6	2	-	7	74	28	8	38	13	348	327	87	-	229	4
10	Rutherford	337	4	1	1	1	44	21	6	17	4	166	165	56	-	96	2
11	Sampson	382	3	-	-	3	32	9	2	21	4	210	203	51	-	140	4
12	Scotland	239	4	-	-	1	25	5	1	19	-	111	103	21	-	72	-
13	Stanly	255	2	-	-	-	26	9	1	16	4	130	125	26	-	94	3
14	Stokes	137	-	-	-	-	17	6	1	10	1	68	67	12	1	50	5
15	Surry	332	5	-	-	7	38	5	4	29	5	171	169	40	-	121	7
16	Swain	69	2	-	-	-	4	2	-	2	-	39	37	11	-	23	-
17	Transylvania	95	1	-	1	-	17	8	1	8	1	45	43	5	-	35	-
18	Tyrrell	74	-	-	-	-	5	-	1	4	5	42	42	14	1	27	1
19	Union	337	10	-	-	3	31	11	2	18	3	167	155	35	-	110	4
20	Vance	302	3	1	-	1	20	6	1	13	3	159	152	31	2	114	-
21	Wake	1,171	22	7	-	5	126	33	11	82	17	655	639	183	-	409	11
22	Warren	214	2	-	-	1	15	8	-	7	3	109	102	27	-	72	6
23	Washington	138	-	1	-	1	10	5	-	5	2	68	63	25	1	37	-
24	Watauga	136	2	1	-	-	16	5	2	9	2	63	62	22	-	39	7
25	Wayne	559	12	2	-	3	57	15	7	35	8	273	265	83	2	155	2
26	Wilkes	330	6	1	-	3	39	9	4	26	9	164	162	28	-	131	8
27	Wilson	533	33	3	-	5	35	13	3	19	6	263	228	70	1	142	1
28	Yadkin	142	-	-	-	2	13	3	-	10	2	86	82	19	1	57	3
29	Yancey	86	-	-	-	1	13	4	2	7	1	47	47	18	-	24	2
30	NORTH DAKOTA	4,971	53	8	15	22	736	293	57	386	102	2,581	2,525	605	5	1,708	61
31	Nonmetropolitan counties	4,971	53	8	15	22	736	293	57	386	102	2,581	2,525	605	5	1,706	61
32	Adams	34	-	-	-	1	6	4	-	2	-	23	21	8	-	11	-
33	Barnes	169	-	-	1	-	26	16	1	9	4	83	83	21	-	59	1
34	Benson	94	3	-	-	1	12	5	-	7	3	49	49	16	-	28	-
35	Billings	8	-	-	-	-	-	-	-	-	-	5	5	1	-	4	-
36	Bottineau	123	1	-	1	1	20	8	2	10	4	58	57	24	-	30	-
37	Bowman	34	-	-	-	1	6	1	-	5	-	19	19	4	-	15	-
38	Burke	54	1	-	-	-	14	3	1	10	1	21	21	6	-	13	1
39	Burleigh	201	4	-	-	2	38	10	4	24	3	103	102	26	-	71	4
40	Cass	516	5	2	1	1	94	38	6	50	6	270	270	71	-	169	5
41	Cavalier	69	-	-	-	-	7	2	1	4	2	39	38	13	-	23	1
42	Dickey	61	-	-	-	-	4	2	-	2	2	34	34	8	-	23	1
43	Divide	48	-	-	-	-	9	6	-	3	2	28	27	7	-	19	-
44	Dunn	40	3	1	-	-	1	1	-	-	2	20	20	4	-	15	-
45	Eddy	43	1	-	-	-	11	6	-	5	1	25	24	5	-	18	1
46	Emmons	58	-	-	-	2	7	1	-	6	1	30	29	10	-	16	1
47	Foster	55	1	-	-	-	10	5	-	5	1	28	28	3	-	21	-
48	Golden Valley	42	-	-	-	-	9	1	-	8	-	19	19	4	-	11	-
49	Grand Forks	316	9	-	1	2	43	15	4	24	7	151	149	37	1	105	4
50	Grant	47	-	-	1	-	4	2	-	2	1	29	28	6	1	17	-
51	Griggs	52	-	-	-	-	5	2	-	3	1	26	26	5	-	16	2
52	Hettinger	41	-	-	-	-	7	3	1	3	1	24	22	5	-	12	-
53	Kidder	33	-	-	-	1	2	1	-	1	-	20	20	3	-	15	2
54	La Moure	85	-	-	-	2	16	8	1	7	1	45	45	7	-	33	-
55	Logan	37	-	-	-	-	10	2	-	8	-	16	15	5	-	8	-
56	McHenry	89	-	1	-	1	15	4	1	10	4	45	45	12	-	31	-
57	McIntosh	55	-	-	2	-	6	-	3	3	-	28	27	8	-	18	3
58	McKenzie	56	-	-	-	-	3	2	-	1	1	37	37	12	-	25	-
59	McLean	136	2	-	-	-	12	5	2	5	3	67	66	8	-	52	2
60	Mercer	68	1	-	-	1	12	4	-	8	1	26	25	4	-	16	-
61	Morton	149	-	-	-	-	24	5	5	14	3	71	68	20	1	38	-
62	Mountrail	85	1	-	-	1	16	6	2	8	3	39	38	7	-	29	1
63	Nelson	64	-	1	-	-	8	5	1	2	2	36	34	7	-	19	-
64	Oliver	21	-	-	-	-	5	3	-	2	-	12	10	3	-	7	1
65	Pembina	109	2	1	1	-	11	5	2	4	3	58	55	13	-	39	1
66	Pierce	67	-	-	1	-	10	7	-	3	-	39	39	8	-	26	2
67	Ramsey	122	-	-	-	-	15	9	-	6	2	72	70	17	-	49	2
68	Ransom	82	1	-	2	-	10	3	1	6	1	48	48	4	-	42	-
69	Renville	51	-	-	-	-	9	5	-	4	-	28	28	4	-	20	-
70	Richland	142	2	1	2	-	30	12	3	15	4	79	79	23	-	55	2
71	Rolette	92	2	-	-	1	6	2	-	4	1	41	41	10	-	26	2
72	Sargent	67	-	-	-	-	7	3	-	4	1	42	42	14	-	27	2
73	Sheridan	42	1	-	-	-	5	1	1	3	2	20	20	4	-	15	-
74	Sioux	31	3	-	-	-	2	-	-	2	1	12	11	2	-	8	1
75	Slope	15	-	-	-	-	2	1	1	-	-	6	6	-	-	6	-
76	Stark	138	2	1	-	1	26	10	5	11	4	58	54	7	-	42	3
77	Steele	36	-	-	-	-	7	2	-	5	-	18	18	-	-	14	-
78	Stutsman	168	3	-	-	-	23	9	3	11	3	95	93	21	-	64	4
79	Towner	51	-	-	-	-	7	3	-	4	3	32	30	8	-	20	4
80	Traill	88	2	-	-	-	13	4	1	8	2	50	49	15	-	31	1
81	Walsh	171	1	-	-	-	24	10	1	13	3	90	78	16	2	57	3
82	Ward	293	1	-	1	-	45	21	4	20	6	139	138	30	-	95	-
83	Wells	74	1	-	-	-	10	5	-	5	2	33	32	10	-	21	2
84	Williams	149	-	-	1	2	12	5	-	7	4	95	93	19	-	64	2

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
16	4	17	-	1	-	3	3	-	1	1	-	1	-	4	3	3	2	1	-	2	1
30	29	17	-	5	-	4	9	-	1	1	1	-	3	12	2	8	6	2	2	12	2
86	65	36	5	4	1	5	15	1	9	3	3	5	7	38	14	24	22	6	13	37	3
24	10	5	-	3	1	-	2	1	4	-	-	-	-	2	-	4	8	-	-	5	4
57	27	35	7	5	3	4	9	2	3	2	1	1	1	11	6	16	15	2	-	25	5
46	31	44	4	2	-	9	10	3	7	3	-	1	7	15	8	15	12	-	2	25	6
98	70	35	7	6	2	9	41	1	26	4	4	4	12	83	52	41	39	7	16	61	7
76	43	56	3	6	2	9	17	1	1	4	2	3	6	29	8	20	9	9	5	26	8
138	46	41	6	3	2	21	22	2	3	3	2	-	19	34	-	14	35	5	8	42	9
65	7	22	3	8	2	1	24	5	3	3	-	-	6	16	-	9	17	5	-	28	10
66	49	21	5	6	1	7	23	3	3	2	2	4	9	16	8	17	17	5	4	17	11
29	33	10	3	5	2	8	11	-	9	1	-	-	4	23	8	17	10	1	1	13	12
59	22	10	1	3	1	5	8	2	1	-	-	-	2	17	17	20	6	7	-	13	13
24	16	5	-	3	1	1	7	1	-	-	-	-	4	9	3	7	6	1	1	12	14
42	37	35	4	4	-	2	11	1	3	3	-	-	7	14	13	17	11	2	3	21	15
15	1	7	1	2	-	2	4	1	1	-	-	-	1	3	3	4	2	-	-	5	16
13	14	8	2	1	-	2	5	-	-	-	-	-	-	3	2	5	4	3	1	7	17
5	8	13	-	-	-	-	4	1	-	1	-	-	-	2	7	2	2	-	-	3	18
54	37	15	3	6	1	12	26	1	3	1	1	2	8	19	8	12	15	4	3	20	19
55	32	27	1	3	1	7	15	1	3	-	1	3	2	16	20	6	14	3	5	26	20
243	89	66	16	21	10	16	38	3	9	4	2	6	13	79	9	31	47	11	10	77	21
23	28	15	1	2	-	7	16	-	10	-	2	-	1	19	6	8	7	1	1	13	22
10	11	16	-	-	-	5	9	-	-	-	-	-	1	11	13	4	10	-	-	8	23
19	6	7	-	1	-	1	11	-	-	1	-	-	4	7	1	8	6	3	1	10	24
87	25	41	5	17	3	8	19	3	12	7	1	3	5	37	12	24	35	4	10	32	25
37	47	39	-	3	-	2	14	-	2	1	-	1	9	16	9	22	8	1	3	22	26
81	36	24	12	2	1	35	22	2	15	2	2	-	10	38	8	9	23	10	19	28	27
35	13	6	2	2	1	4	5	-	-	-	-	-	6	2	3	5	8	-	2	8	28
14	7	1	-	4	1	-	1	-	2	-	-	3	1	1	4	3	2	1	1	5	29
1,090	238	319	60	118	29	56	105	26	25	35	4	6	89	261	68	155	234	53	5	388	30
1,090	238	319	60	118	29	56	105	26	25	35	4	6	89	261	68	155	234	53	5	388	31
9	2	-	-	2	-	2	1	-	-	-	-	-	1	-	-	-	-	1	-	1	32
38	10	10	1	1	1	-	5	-	-	-	-	-	3	10	1	7	12	4	-	13	33
18	5	5	1	3	1	-	3	3	-	-	-	-	2	3	1	2	4	-	1	7	34
2	-	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	35
15	6	9	1	1	1	1	4	-	-	1	-	-	2	6	2	7	6	-	-	10	36
10	3	2	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	-	-	1	37
7	-	5	1	1	-	-	1	-	-	1	1	-	1	1	5	-	2	2	-	3	38
51	13	3	-	4	1	1	2	3	1	1	-	-	5	9	1	9	4	2	1	13	39
113	15	36	7	17	6	-	10	-	3	6	-	-	9	38	9	7	18	4	-	33	40
12	4	6	1	1	-	1	-	-	-	-	-	-	3	5	1	1	5	-	-	6	41
16	-	6	1	1	1	-	3	-	1	-	-	-	1	2	-	3	3	-	-	8	42
13	3	3	-	1	-	1	-	-	-	1	-	-	1	2	-	1	1	-	-	3	43
8	2	5	1	-	-	-	2	-	-	1	-	-	1	1	-	-	4	-	-	4	44
10	4	3	-	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	3	45
8	4	3	2	-	1	1	-	-	-	2	-	-	1	4	-	1	3	1	-	6	46
18	1	2	-	2	2	-	1	-	-	-	-	-	-	3	-	4	2	-	-	5	47
7	1	3	-	3	1	-	-	-	-	1	-	-	-	1	1	3	3	1	1	3	48
65	19	17	2	4	-	2	1	2	1	1	-	1	9	12	10	10	20	3	-	33	49
10	1	6	2	2	-	1	1	-	1	-	-	-	1	5	-	1	1	1	-	1	50
13	-	1	3	2	-	-	4	3	-	-	-	-	-	4	1	2	1	1	-	3	51
8	2	2	1	4	-	2	-	-	-	-	-	-	1	3	-	-	1	-	-	4	52
8	2	3	2	-	-	-	1	-	-	-	-	-	-	4	-	-	1	-	-	4	53
21	7	5	1	2	2	-	2	1	1	1	-	1	2	2	-	1	2	1	-	7	54
7	-	1	1	1	-	1	-	-	-	1	-	-	1	2	1	-	2	-	1	3	55
24	4	3	-	2	-	-	3	-	1	1	-	-	1	4	1	5	2	-	-	5	56
10	4	1	1	-	-	1	1	-	1	1	-	-	4	-	1	1	2	1	-	7	57
20	2	3	-	-	-	-	-	2	-	-	-	-	1	3	-	2	4	-	-	3	58
37	9	4	-	5	1	1	8	1	2	1	-	-	-	11	1	6	10	1	-	11	59
9	3	4	-	5	-	1	1	-	-	-	-	-	-	5	1	6	10	1	-	3	60
26	10	2	3	6	-	3	3	2	1	1	1	-	4	12	2	8	8	-	-	9	61
14	7	7	2	-	-	1	1	-	1	-	-	-	1	4	1	5	6	1	-	5	62
9	5	5	3	5	-	2	2	-	-	-	-	-	-	2	3	-	4	-	-	6	63
6	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	2	-	-	-	64
18	4	16	1	1	1	3	1	-	1	2	-	-	-	6	1	8	4	2	-	8	65
14	5	5	2	2	1	-	1	-	1	1	1	-	1	1	-	2	3	2	-	4	66
29	7	11	2	1	1	2	3	-	1	-	-	-	1	10	3	5	4	1	-	5	67
28	2	12	-	2	-	-	2	-	-	1	-	-	2	3	1	-	3	1	-	7	68
15	-	5	-	3	1	-	2	-	-	-	-	-	-	1	-	-	5	2	-	4	69
23	14	16	-	1	-	-	4	-	1	-	-	-	1	2	1	2	3	1	-	9	70
17	2	5	1	3	1	-	5	-	-	-	-	-	2	9	1	4	4	3	-	13	71
18	-	7	-	1	-	-	-	1	-	-	-	-	-	1	1	1	6	3	-	4	72
11	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	9	73
7	-	-	-	1	-	1	2	-	1	-	-	1	-	2	-	1	3	-	-	3	74
5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	1	75
34	2	3	-	3	2	4	3	2	1	1	-	1	1	10	-	5	9	-	-	13	76
10	1	3	2	2	-	-	1	-	1	1	-	-	-	1	2	-	1	-	-	4	77
41	15	4	3	5	-	2	4	-	2	2	-	-	6	10	-	2	9	1	-	8	78
12	2	2	1	1	-	2	-	1	-	-	-	-	1	1	-	-	1	-	-	5	79
24	2	4	1	1	1	1	2	-	-	-	-	1	1	3	1	3	2	2	-	6	80
23	13	18	2	-	1	12	3	2	1	1	1	-	6	9	1	2	5	2	1	19	81
69	15	11	7	4	2	1	4	1	-	3	-	1	6	17	9	8	17	5	-	30	82
9	1	9	-	1	-	1	3	1	1	-	-	-	3	5	-	6	4	-	-	5	83
41	4	17	-	10	-	2	4	1	-	2	-	-	-	10	1	6	3	1	-	7	84

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	OHIO	84,013	1,116	385	172	396	13,071	4,935	1,335	6,801	1,977	45,198	44,232	10,110	64	30,403	1,136
2	Metropolitan counties	55,502	854	301	109	241	8,945	3,358	1,004	4,583	1,368	29,130	28,549	6,150	46	20,032	803
3	Nonmetropolitan counties	28,511	262	84	63	155	4,126	1,577	331	2,218	609	16,068	15,683	3,960	18	10,371	333
4	Adams	213	9	-	-	4	31	12	-	19	1	115	110	29	-	71	6
5	Allen	886	8	8	1	3	144	50	17	77	20	465	457	94	1	318	14
6	Ashland	374	1	3	3	1	52	20	-	32	11	212	210	52	1	139	5
7	Ashtabula	976	8	1	3	3	154	70	17	67	27	538	529	133	2	370	8
8	Athens	474	12	2	-	4	68	22	6	40	10	266	254	62	-	175	13
9	Auglaize	311	1	-	1	1	37	14	3	20	2	187	181	36	-	128	2
10	Belmont	1,005	7	2	2	2	132	51	15	66	30	581	571	148	1	385	9
11	Brown	233	1	1	-	1	34	9	3	22	4	134	132	23	-	102	5
12	Butler	1,422	21	6	3	9	184	59	16	109	31	746	729	148	1	530	28
13	Carroll	219	1	-	-	-	29	12	4	13	3	118	117	20	-	89	1
14	Champaign	318	-	-	-	2	38	16	4	18	8	173	168	47	1	110	2
15	Clark	1,272	22	8	4	3	186	73	17	96	27	718	703	139	-	496	16
16	Clermont	454	2	2	1	5	53	24	10	19	8	253	248	64	-	170	4
17	Clinton	332	3	-	1	2	46	17	2	27	8	207	202	57	-	131	1
18	Columbiana	1,053	10	11	-	4	174	78	9	87	24	574	566	127	1	399	19
19	Coshocton	363	2	-	-	2	48	20	2	26	6	205	196	44	-	133	3
20	Crawford	483	2	1	1	1	74	25	9	40	8	275	269	95	-	153	7
21	Cuyahoga	14,615	246	79	31	38	2,546	956	306	1,284	413	7,520	7,376	1,391	13	5,463	256
22	Darke	469	7	2	-	-	77	26	4	47	8	284	278	55	-	214	4
23	Defiance	307	3	1	2	2	43	14	3	26	5	172	164	41	-	114	1
24	Delaware	337	2	-	4	1	43	15	6	22	7	210	202	46	-	143	-
25	Erie	629	2	1	-	1	96	39	8	49	19	335	331	73	-	222	8
26	Fairfield	554	10	2	-	-	71	34	5	32	11	326	319	91	-	199	9
27	Fayette	314	5	1	-	3	51	24	3	24	6	169	169	50	-	95	7
28	Franklin	5,158	83	29	8	20	814	298	78	438	104	2,724	2,674	624	1	1,781	59
29	Fulton	282	4	-	-	-	31	12	1	18	15	167	164	36	-	115	7
30	Gallia	256	1	-	1	1	42	13	3	26	1	137	134	39	-	80	3
31	Geauga	250	1	2	1	5	38	17	-	21	8	139	138	32	-	101	8
32	Greene	509	6	3	4	9	81	22	10	49	11	263	261	69	-	172	2
33	Guernsey	459	3	3	-	1	78	32	14	32	3	273	265	68	-	162	4
34	Hamilton	8,386	163	54	8	44	1,353	502	154	697	187	4,392	4,309	940	5	2,942	111
35	Hancock	525	2	2	-	1	81	24	5	52	7	302	296	69	-	190	1
36	Hardin	376	3	1	1	2	54	27	1	26	11	201	196	59	1	121	4
37	Harrison	213	1	-	2	-	36	13	1	22	4	131	129	34	-	80	2
38	Henry	265	-	1	-	1	31	15	1	15	3	146	143	38	-	95	2
39	Highland	363	3	-	-	1	31	13	3	15	7	231	224	54	-	142	6
40	Hocking	228	5	1	-	2	35	18	3	14	6	126	124	32	-	78	2
41	Holmes	173	2	-	4	1	20	6	1	13	5	89	86	27	-	50	3
42	Huron	422	1	1	-	1	61	25	8	28	8	234	228	56	-	155	3
43	Jackson	324	4	2	-	2	48	18	4	26	5	187	186	52	-	108	4
44	Jefferson	944	9	5	2	6	137	54	15	68	25	525	512	126	2	354	12
45	Knox	440	3	2	-	2	61	24	5	32	8	239	235	75	1	142	3
46	Lake	691	1	2	2	3	102	45	8	49	20	368	362	98	-	237	8
47	Lawrence	512	9	5	-	7	48	12	8	28	16	274	249	59	-	173	3
48	Licking	829	12	-	-	9	109	42	8	59	18	446	438	116	1	269	6
49	Logan	370	4	2	-	2	46	18	3	25	14	209	194	49	-	128	4
50	Lorain	1,375	18	5	1	8	215	89	21	105	45	691	681	170	2	453	18
51	Lucas	4,262	54	20	9	16	710	271	90	349	107	2,240	2,191	521	2	1,434	37
52	Madison	244	2	-	1	1	38	15	2	21	3	134	128	43	-	75	4
53	Mahoning	2,547	40	13	3	12	440	187	53	200	72	1,309	1,284	304	1	885	56
54	Marion	563	3	3	-	2	74	26	7	41	16	325	313	90	2	193	8
55	Medina	472	7	-	16	4	82	26	6	50	8	251	249	72	-	164	2
56	Meigs	311	4	1	2	1	39	13	5	21	4	178	171	46	-	119	-
57	Mercer	269	2	-	1	1	46	15	2	29	5	150	147	37	2	92	4
58	Miami	689	8	-	-	7	94	45	5	44	15	392	391	132	-	235	6
59	Monroe	211	2	-	1	1	29	16	-	13	4	120	112	27	-	66	3
60	Montgomery	3,913	63	19	8	19	574	199	48	327	70	2,110	2,061	418	3	1,505	47
61	Morgan	174	-	-	-	2	17	7	1	9	-	114	111	32	-	68	4
62	Morrow	194	1	-	-	-	22	6	5	11	1	130	124	35	-	82	1
63	Muskingum	867	10	6	-	4	100	39	10	51	23	504	489	100	2	350	11
64	Noble	138	-	-	-	1	17	9	-	8	3	84	83	19	-	57	1
65	Ottawa	328	-	1	-	1	55	20	5	30	11	190	187	38	-	138	6
66	Paulding	176	-	-	-	2	24	6	4	14	3	115	108	19	-	61	3
67	Perry	313	1	1	-	2	54	22	4	28	3	190	181	49	-	124	5
68	Pickaway	317	3	-	-	3	46	19	3	24	2	172	168	48	-	107	4
69	Pike	152	5	-	-	-	20	5	2	13	2	75	70	18	-	45	3
70	Portage	586	5	3	-	3	107	46	7	54	11	307	299	69	-	213	3
71	Preble	325	2	-	1	-	48	16	4	28	9	179	172	45	-	115	3
72	Putnam	259	1	-	-	1	35	18	2	15	4	156	151	41	-	90	3
73	Richland	839	12	1	1	8	131	52	9	70	22	456	450	108	-	298	7
74	Ross	541	6	1	-	2	92	34	6	52	4	300	295	83	-	187	6
75	Sandusky	522	9	-	-	3	76	32	7	37	9	295	290	53	1	220	8
76	Scioto	837	11	6	-	3	117	33	11	73	13	438	423	100	-	293	20
77	Seneca	554	4	2	-	9	75	24	6	45	11	328	324	59	1	228	7
78	Shelby	313	-	1	-	2	45	16	2	27	12	178	175	44	1	121	-
79	Stark	2,836	40	19	8	18	419	168	45	206	81	1,525	1,491	346	4	1,032	34
80	Summit	3,696	49	20	13	15	612	224	73	315	76	1,950	1,920	416	6	1,357	68
81	Trumbull	1,473	15	4	2	9	248	98	30	120	33	729	718	139	4	515	25
82	Tuscarawas	817	3	3	6	2	116	34	9	73	25	462	454	116	-	298	8
83	Union	235	-	-	1	3	37	12	1	24	7	133	126	35	-	78	2
84	Van Wert	292	1	1	-	1	38	20	2	16	5	180	179	42	-	116	3
85	Vinton	132	4	-	-	3	13	2	2	9	4	68	67	19	-	43	-
86	Warren	403	5	-	-	2	63	22	5	36	10	230	226	58	1	149	6
87	Washington	562	6	2	1	4	86	31	2	53	14	310	306	84	-	194	7
88	Wayne	594	4	2	6	5	99	31	11	57	18	294	294	74	-	188	9

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
19,589	4,329	5,349	811	2,319	525	966	2,110	431	391	986	169	86	1,206	3,360	853	2,167	3,061	863	327	5,688	1
13,238	2,995	2,996	559	1,381	381	591	1,364	311	229	790	96	58	851	2,404	630	1,290	1,896	560	288	3,787	2
6,351	1,334	2,353	252	938	144	385	746	120	162	196	73	28	355	956	223	877	1,165	303	39	1,901	3
40	9	16	1	9	-	5	7	1	1	-	-	-	3	5	-	13	8	3	1	11	4
189	46	69	7	29	8	8	20	2	2	8	3	-	10	53	5	28	43	11	4	48	5
99	18	17	7	7	4	2	3	1	4	3	-	-	2	15	1	10	17	5	-	30	6
240	47	75	5	17	2	9	24	5	7	6	1	-	15	29	7	34	41	11	2	60	7
96	17	49	6	10	1	12	8	3	3	3	-	1	4	12	2	10	24	3	1	38	8
78	12	36	5	11	1	6	9	2	2	3	4	-	4	14	1	7	7	2	-	27	9
240	47	89	7	25	5	10	22	7	4	17	3	3	10	26	6	22	42	10	3	74	10
64	17	16	3	3	1	2	9	-	1	-	-	-	1	6	2	8	10	2	-	19	11
378	74	50	11	33	6	17	30	6	14	12	4	-	25	76	7	45	69	15	4	115	12
44	12	32	1	7	-	1	6	2	-	1	1	-	4	9	3	7	15	3	1	16	13
78	10	20	1	6	3	5	8	1	7	3	1	1	2	13	5	8	16	2	-	30	14
314	69	97	18	42	8	15	37	5	5	13	1	2	18	47	3	39	49	7	3	75	15
114	22	30	4	7	3	5	20	1	4	6	-	-	6	17	3	14	15	4	3	37	16
88	12	30	6	8	-	5	7	-	1	1	1	-	1	3	3	5	17	3	-	23	17
288	61	31	6	26	7	8	18	3	3	9	2	-	15	40	1	29	58	12	1	65	18
98	5	27	1	16	2	9	16	2	-	2	1	-	4	16	1	9	10	5	1	33	19
100	16	30	2	17	2	6	14	1	1	2	2	-	7	19	1	12	17	6	-	39	20
3,726	886	595	150	250	109	144	311	93	37	262	26	22	201	592	354	259	406	138	99	942	21
122	54	34	3	6	-	6	15	1	2	2	1	-	5	5	1	9	19	3	-	28	22
71	15	27	-	9	-	8	11	3	-	2	-	-	7	8	3	9	11	4	-	21	23
109	9	25	-	12	1	8	8	2	2	1	1	-	1	7	-	13	13	4	1	17	24
141	40	33	5	24	7	4	11	2	3	10	-	3	6	25	9	26	24	7	-	49	25
134	28	28	7	22	-	7	10	2	5	7	5	1	11	12	5	11	20	4	-	41	26
72	6	10	2	22	-	-	13	1	5	2	-	-	4	11	1	7	10	2	-	23	27
1,063	332	327	68	149	51	50	147	32	29	61	11	7	72	203	65	123	198	58	17	353	28
65	18	25	5	6	2	3	2	-	-	4	2	1	5	10	-	13	12	2	-	14	29
54	6	17	5	7	3	3	9	1	3	1	-	1	7	10	-	4	12	2	1	24	30
56	18	19	-	5	-	1	6	1	-	3	-	-	5	7	3	7	10	2	-	12	31
123	18	29	4	13	3	2	11	2	3	4	2	1	12	30	2	18	15	4	1	27	32
111	21	26	9	23	3	8	14	-	-	3	2	1	5	5	2	11	18	5	2	30	33
2,023	426	382	90	269	63	83	261	48	43	120	15	1	100	322	38	138	308	78	49	664	34
118	34	37	9	23	5	6	12	2	2	5	1	1	5	22	4	11	22	7	-	36	35
81	9	27	5	10	-	5	13	-	1	4	3	1	3	9	1	13	8	13	1	33	36
43	9	26	3	11	1	2	1	-	-	2	1	-	2	4	2	2	9	3	1	12	37
51	11	31	1	5	4	3	6	2	3	1	-	-	5	13	3	9	16	2	-	23	38
76	13	47	3	25	-	7	20	-	-	2	3	-	6	12	3	7	13	7	1	16	39
46	5	25	7	7	-	2	13	3	-	1	1	1	2	6	-	5	12	1	-	8	40
39	2	6	1	7	1	3	13	2	-	2	-	1	4	9	2	6	3	1	-	9	41
72	22	58	2	12	3	6	14	4	1	3	2	-	6	16	4	15	21	6	2	22	42
75	23	6	2	22	2	1	5	1	1	1	-	-	4	15	2	11	12	8	4	12	43
253	36	53	6	20	4	13	29	2	4	13	1	4	16	36	15	19	36	7	5	48	44
97	12	30	4	10	3	4	15	2	2	4	2	-	6	16	2	17	21	4	1	33	45
153	32	44	4	17	6	6	17	3	1	7	2	-	13	36	10	19	34	7	-	44	46
91	23	56	2	14	1	25	13	5	4	4	-	-	6	21	4	24	23	3	6	40	47
174	39	50	9	40	3	8	17	4	11	6	4	1	10	21	21	24	42	11	1	62	48
64	16	44	6	5	6	15	8	1	5	2	1	-	4	6	5	5	21	3	-	32	49
290	65	80	10	37	9	10	32	6	5	18	1	2	27	78	13	46	53	13	7	91	50
828	213	356	45	161	28	49	90	38	19	60	2	1	79	170	16	109	150	62	17	293	51
42	6	23	3	5	2	6	5	-	1	1	-	1	3	10	2	8	14	1	-	19	52
601	132	96	24	57	13	25	67	15	15	33	2	3	43	110	4	60	94	21	13	178	53
131	30	24	5	19	4	12	9	2	4	5	2	1	9	23	-	11	17	6	2	49	54
110	19	33	6	7	-	2	4	1	4	3	1	1	7	11	1	20	24	2	1	24	55
56	9	54	2	3	1	7	8	-	1	4	1	1	6	8	1	12	16	2	-	22	56
51	14	23	3	11	2	3	5	1	-	1	-	-	7	15	2	16	4	1	-	12	57
167	37	25	6	17	1	1	21	4	6	7	-	-	12	30	1	23	18	6	-	45	58
34	8	21	2	16	1	8	9	3	-	2	1	-	2	4	-	6	10	2	-	15	59
1,011	211	236	34	80	21	49	81	18	20	56	3	4	71	212	28	130	124	33	29	241	60
34	16	14	-	11	-	3	4	1	-	-	2	-	2	4	6	3	10	1	-	8	61
57	9	15	2	5	-	6	3	-	-	1	1	-	3	2	3	10	8	1	-	8	62
185	46	108	6	27	4	15	27	3	1	5	1	-	7	33	6	20	43	4	1	69	63
26	6	24	1	2	4	1	2	-	-	-	-	-	2	5	1	6	6	3	-	8	64
65	31	36	-	9	2	3	5	-	1	4	-	-	4	9	-	14	14	6	-	13	65
35	7	16	1	25	2	7	8	1	-	2	-	-	-	3	2	6	3	3	-	4	66
63	15	41	-	6	2	9	4	3	-	2	1	-	2	8	1	3	10	3	-	25	67
61	8	34	1	12	-	4	16	1	1	-	1	-	1	13	5	10	18	7	-	18	68
21	9	12	2	5	-	5	6	1	1	1	-	-	2	6	6	10	4	-	-	13	69
138	22	50	7	7	3	8	8	2	5	7	1	-	11	32	3	34	18	6	1	22	70
65	10	37	2	9	1	7	12	3	4	-	-	1	3	10	-	16	16	2	-	19	71
60	10	17	2	17	1	5	4	-	2	1	-	-	3	12	3	12	5	1	-	19	72
161	41	89	6	32	6	6	13	2	10	5	2	1	19	36	10	22	27	7	4	50	73
110	21	50	5	17	3	5	15	1	3	2	2	1	3	13	21	18	14	5	-	38	74
122	25	65	3	11	2	5	17	2	2	3	-	1	9	19	7	20	19	2	-	29	75
116	36	121	7	18	5	15	38	4	10	8	2	2	6	38	4	24	40	8	2	63	76
152	30	39	4	29	3	4	6	3	3	3	1	-	9	18	3	17	21	10	-	31	77
70	24	27	4	5	-	3	8	1	1	1	-	-	3	13	1	13	11	6	-	17	78
703	144	151	23	67	19	34	62	6	10	29	6	3	53	135	23	69	79	29	11	211	79
904	182	203	36	85	20	30	92	18	8	55	9	2	74	169	31	99	114	46	12	232	80
348	59	83	20	33	7	11	42	5	6	18	5	3	21	88	6	43	59	18	8	111	81
184	32	74	6	33	1	8	18	4	2	5	3	-	10	31	3	20	44	12	-	48	82
62	8	6	4	8	1	7	5	2	1	1	-	-	2	8	-	3	7	4	-	21	83
64	24	25	3	16	2	1	4	1	1	3	1	1	1	10	-	12	6	5	-	21	84
26	9	8	1	4	-	1	6	2	-	2	-	-	-	5	3	4	11	-	-	7	85
87	17	39	4	13	1	4	11	-	2	1	2	-	7	6	5	18	20	-	-	21	86
124	22	41	6	17	5	4	27	2	7	4	1	-	5	14	3	13	22	5	-	36	87
127	12	40	3	24	5	-	12	4	1	-	3	2	4	29	8	20	30	5	1	47	88

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OHIO—Continued																
1	Williams	314	3	1	-	3	46	17	1	28	6	190	181	48	-	118	2
2	Wood	573	6	3	1	-	103	37	21	45	18	302	292	70	-	191	7
3	Wyandot	205	2	1	-	1	21	3	3	15	5	128	122	26	-	82	-
4	OKLAHOMA	19,713	321	80	46	118	3,057	1,051	320	1,686	292	9,680	9,342	2,442	27	6,219	187
5	Metropolitan counties	5,065	66	27	15	29	813	232	108	473	68	2,435	2,356	625	6	1,549	59
6	Nonmetropolitan counties	14,648	255	53	31	89	2,244	819	212	1,213	224	7,245	6,986	1,817	21	4,670	128
7	Adair	146	11	1	1	1	18	6	2	10	3	66	64	11	-	51	2
8	Alfalfa	121	1	1	-	-	21	13	1	7	1	69	68	16	1	41	1
9	Atoka	116	4	-	-	1	16	6	1	9	2	57	53	12	-	38	2
10	Beaver	45	-	-	-	-	7	3	-	4	-	20	19	10	-	7	-
11	Beckham	176	1	-	-	-	30	10	4	16	4	82	82	13	-	63	3
12	Blaine	127	-	1	-	-	23	10	2	11	2	57	55	14	-	38	-
13	Bryan	268	3	-	-	2	38	10	3	25	7	134	133	28	1	100	5
14	Caddo	315	6	2	-	1	51	22	1	28	3	136	135	33	1	88	2
15	Canadian	222	3	2	-	2	41	14	3	24	5	106	102	22	-	73	2
16	Carter	323	5	1	-	2	57	16	6	35	5	158	154	43	-	104	-
17	Cherokee	150	4	1	-	-	19	9	2	8	4	66	66	18	-	45	-
18	Choctaw	205	3	-	-	-	32	8	6	19	-	102	95	17	-	67	3
19	Cimarron	36	-	-	-	-	6	3	1	2	-	18	17	5	-	10	3
20	Cleveland	228	1	-	-	-	24	8	6	10	4	128	128	44	-	78	1
21	Coal	73	5	-	-	-	15	7	4	4	2	35	34	15	-	18	-
22	Comanche	398	5	1	4	5	42	11	1	30	4	174	167	49	1	106	3
23	Cotton	100	1	-	-	1	18	10	-	8	3	54	50	7	-	41	-
24	Craig	179	3	-	1	-	26	8	2	16	4	97	93	32	1	56	1
25	Creek	422	8	2	-	5	76	30	8	38	9	188	178	38	-	134	6
26	Custer	222	6	1	-	1	41	16	1	24	4	105	101	16	1	76	1
27	Delaware	146	4	-	-	1	24	7	2	15	1	78	76	15	2	53	4
28	Dewey	79	-	-	-	2	11	3	3	5	1	47	44	11	-	27	-
29	Ellis	75	-	-	-	1	8	2	2	4	-	51	48	9	-	34	1
30	Garfield	450	5	2	6	-	63	13	6	44	7	238	225	71	-	141	1
31	Garvin	211	1	-	1	1	43	13	5	25	5	95	94	20	-	66	2
32	Grady	311	3	1	1	1	42	12	4	26	3	151	147	39	-	92	2
33	Grant	100	1	-	-	-	23	7	2	14	5	52	51	14	-	35	-
34	Greer	96	-	-	-	1	15	9	1	5	1	46	46	10	-	32	-
35	Harmon	57	-	-	-	1	9	1	1	7	-	32	31	12	-	13	-
36	Harper	47	-	-	-	1	11	3	1	7	1	16	15	4	-	9	-
37	Haskell	90	3	-	-	2	15	8	3	4	-	50	50	11	-	37	-
38	Hughes	176	5	2	1	2	21	10	2	9	2	80	74	20	-	47	1
39	Jackson	176	4	-	1	2	25	5	4	16	1	85	80	28	1	42	2
40	Jefferson	104	1	-	-	-	21	10	1	10	1	47	46	17	-	28	1
41	Johnston	74	1	-	-	-	13	3	1	9	-	38	35	6	-	28	-
42	Kay	493	2	-	1	2	80	32	9	39	7	255	247	52	1	183	4
43	Kingfisher	125	2	-	-	4	22	4	2	16	4	61	57	13	-	41	2
44	Kiowa	190	3	-	-	1	22	8	3	11	2	105	104	19	1	76	3
45	Latimer	61	4	1	-	-	12	5	1	6	1	22	21	8	-	12	1
46	Le Flore	268	13	-	-	3	33	16	2	15	2	132	126	32	-	84	1
47	Lincoln	226	3	1	-	-	28	11	1	17	4	128	123	32	-	74	2
48	Logan	264	3	1	-	5	45	14	6	25	2	129	126	43	-	76	4
49	Love	67	1	-	-	-	8	3	-	5	2	32	29	6	-	21	1
50	McClain	102	1	-	-	-	17	7	-	10	1	54	53	15	1	35	-
51	McCurtain	275	3	3	-	2	29	15	1	13	3	128	126	33	-	87	1
52	McIntosh	146	5	1	-	1	19	6	-	13	4	54	52	21	-	29	1
53	Major	67	-	-	-	-	7	2	1	4	3	37	36	6	1	24	-
54	Marshall	71	1	-	-	-	7	1	-	6	2	43	40	9	-	30	-
55	Mayes	159	1	-	1	1	26	11	3	12	4	85	84	24	-	51	1
56	Murray	123	2	-	1	1	16	5	4	7	1	66	65	16	-	43	3
57	Muskogee	685	12	2	1	6	93	36	6	51	5	360	344	92	-	226	5
58	Noble	109	4	-	-	-	15	6	1	8	3	55	55	16	-	35	3
59	Nowata	135	-	-	-	1	19	10	4	5	2	76	73	18	-	51	-
60	Okfuskee	162	2	1	-	3	19	7	2	10	1	79	73	20	-	40	2
61	Oklahoma	2,802	41	13	3	13	445	128	64	253	35	1,366	1,333	374	2	882	33
62	Okmulgee	475	14	3	-	3	67	28	6	33	8	247	231	57	4	156	3
63	Osage	264	2	3	-	-	52	20	4	28	3	123	120	33	-	80	4
64	Ottawa	340	15	-	1	-	52	19	3	30	7	184	174	44	1	114	4
65	Pawnee	151	1	2	1	-	27	16	1	10	3	69	67	16	-	47	1
66	Payne	316	4	-	-	1	57	18	3	36	5	159	153	22	-	116	3
67	Pittsburg	350	5	1	-	2	65	26	7	32	5	161	157	40	-	110	2
68	Pontotoc	287	5	1	-	3	44	18	4	22	5	153	151	49	-	96	5
69	Pottawatomie	392	7	1	1	1	71	29	9	33	8	193	186	73	1	106	2
70	Pushmataha	142	4	-	-	-	15	5	-	10	-	69	67	20	-	40	1
71	Roger Mills	49	1	-	-	-	5	1	-	4	-	24	24	7	-	13	-
72	Rogers	223	1	3	-	1	37	16	2	19	6	113	107	14	1	87	3
73	Seminole	339	8	5	-	4	52	19	7	26	5	134	128	37	-	84	-
74	Sequoyah	195	1	1	-	-	27	14	4	9	5	84	84	24	-	59	2
75	Stephens	239	7	-	1	3	46	14	9	23	4	105	100	28	-	60	1
76	Texas	93	-	1	1	-	18	3	1	14	2	40	39	14	-	23	1
77	Tillman	180	4	1	-	-	20	9	-	11	1	101	99	26	-	69	2
78	Tulsa	2,263	25	14	12	16	368	104	44	220	33	1,069	1,023	251	4	667	26
79	Wagoner	135	7	-	-	1	17	5	2	10	1	72	70	25	-	44	4
80	Washington	299	3	1	2	3	44	16	6	22	7	149	142	40	1	92	1
81	Washita	121	2	1	-	1	14	3	1	10	1	67	64	19	-	42	1
82	Woods	147	2	-	4	-	31	9	4	18	1	77	74	10	-	55	2
83	Woodward	119	2	1	-	-	20	6	2	12	-	62	59	14	-	41	3

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
59	22	35	1	10	4	9	2	4	5	1	1	-	3	5	2	7	8	2	1	24	1
128	21	35	5	22	4	10	14	5	3	1	1	1	7	18	6	17	19	9	1	38	2
60	10	12	3	9	2	6	5	1	-	3	-	-	-	8	1	8	4	4	-	13	3
4,036	843	1,153	174	356	124	338	718	102	106	123	53	38	256	856	518	588	912	164	119	1,566	4
1,062	163	265	44	92	40	79	147	32	30	37	14	7	87	320	124	134	232	59	39	350	5
2,974	680	868	130	264	84	259	571	70	76	86	39	31	169	536	394	454	680	105	80	1,216	6
25	14	10	-	1	1	2	9	-	-	1	1	3	2	7	8	1	5	1	-	7	7
28	4	8	-	9	1	1	2	-	-	-	1	1	2	2	4	3	5	2	-	6	8
24	-	12	2	1	-	4	6	-	-	-	-	-	3	8	4	5	4	-	-	6	9
4	2	1	-	2	-	1	1	1	-	1	-	-	-	2	4	2	4	-	-	3	10
48	5	7	-	5	1	-	4	1	2	-	-	-	2	9	3	4	12	-	-	22	11
32	2	4	-	3	-	2	6	1	1	-	1	-	-	2	4	4	4	1	-	20	12
68	12	15	1	1	2	1	11	3	4	3	-	-	3	12	9	11	11	1	1	15	13
56	13	17	-	11	2	1	12	-	3	3	1	2	1	11	10	17	22	3	-	31	14
49	3	19	-	6	1	4	8	1	1	-	-	-	1	3	11	9	12	1	1	15	15
68	14	22	1	5	1	4	8	-	-	-	-	-	3	15	12	10	17	-	4	26	16
27	3	15	2	-	1	-	9	-	2	-	1	-	3	5	4	6	19	1	-	6	17
35	11	18	2	8	1	7	9	-	-	1	-	1	2	8	9	3	12	1	2	20	18
4	1	2	-	-	2	1	1	-	-	-	1	-	-	2	-	1	3	1	1	2	19
64	10	3	3	2	1	-	2	1	1	2	1	-	1	12	3	13	10	4	-	21	20
15	2	1	-	1	-	1	-	-	-	2	-	-	-	2	3	-	3	-	1	5	21
70	11	22	6	2	3	7	13	1	7	3	-	2	10	42	7	20	14	4	8	32	22
35	1	5	1	1	-	4	3	-	-	-	1	-	-	3	1	1	4	-	-	10	23
33	9	13	1	3	-	4	9	-	1	-	1	-	1	3	6	2	9	1	-	15	24
74	20	34	1	2	3	10	18	2	3	4	2	-	3	16	9	7	25	2	-	43	25
49	12	14	1	6	1	4	5	-	1	2	-	-	-	14	7	4	10	1	1	19	26
23	14	12	-	6	-	2	4	-	-	1	-	-	2	4	2	3	8	1	1	12	27
19	4	4	2	3	1	3	3	-	1	-	-	-	-	2	2	-	7	-	-	3	28
27	3	3	2	3	-	3	1	1	-	1	-	-	-	3	1	1	2	-	-	5	29
94	17	29	2	9	2	13	16	-	2	1	-	1	9	18	10	15	16	4	-	37	30
36	15	13	3	3	2	1	13	1	-	1	1	1	4	7	3	10	11	3	2	8	31
66	9	15	1	11	4	4	14	4	-	2	-	3	5	10	4	14	14	5	2	32	32
24	2	9	-	2	-	1	3	-	-	-	1	-	1	1	1	4	5	2	-	1	33
24	4	4	1	2	1	-	2	-	1	-	-	-	-	1	6	1	3	3	-	16	34
7	1	5	-	6	-	1	1	-	-	-	1	-	-	1	-	4	2	-	-	6	35
4	2	3	-	2	-	1	5	-	-	-	-	-	1	5	-	1	1	2	-	3	36
17	5	15	1	1	-	-	3	-	-	-	-	-	1	3	-	5	3	-	-	5	37
23	15	8	3	1	3	6	11	1	1	1	1	-	3	4	6	8	13	2	-	12	38
32	5	3	5	4	-	5	5	-	1	1	-	1	6	4	3	7	7	2	1	20	39
23	2	2	-	1	-	1	3	-	2	1	-	-	4	7	1	5	2	-	-	9	40
18	4	6	1	-	-	3	2	1	1	-	-	-	1	-	2	1	2	1	1	10	41
118	19	42	2	5	4	8	19	5	1	5	-	-	4	26	6	14	20	2	-	44	42
21	4	14	2	-	1	4	4	-	-	1	1	1	-	7	4	1	3	-	-	10	43
53	14	6	-	6	2	1	15	2	2	1	1	-	3	3	2	7	4	1	1	15	44
6	1	4	-	-	1	1	2	-	-	-	-	-	-	2	1	4	2	-	-	10	45
52	14	17	2	6	2	6	12	4	2	1	-	-	2	9	18	8	12	1	-	16	46
49	15	8	4	11	2	5	10	1	1	1	1	-	4	5	-	7	9	1	2	19	47
41	11	20	2	3	2	3	15	1	1	1	1	-	3	6	3	5	14	3	3	23	48
13	1	6	1	-	1	3	3	1	-	-	-	-	-	1	5	2	1	3	-	8	49
27	4	4	1	1	-	1	4	-	1	-	-	-	2	1	3	6	5	1	1	5	50
65	10	11	3	3	-	2	27	1	1	2	1	2	4	12	8	10	13	3	-	23	51
15	4	9	1	1	-	2	8	-	1	1	-	-	2	3	13	2	12	-	3	17	52
16	3	5	-	4	1	1	4	1	-	1	-	-	-	1	-	2	5	1	-	5	53
23	4	3	1	-	-	3	5	-	-	-	-	1	2	-	2	1	1	-	1	5	54
33	10	7	4	4	1	1	2	-	1	3	1	-	5	5	8	5	2	1	3	5	55
25	7	8	1	2	3	1	1	1	-	2	-	-	3	2	2	5	4	1	1	14	56
135	55	31	14	10	2	16	28	2	1	4	4	1	11	24	17	9	31	3	3	68	57
21	5	6	4	-	-	-	1	-	2	-	-	-	-	2	4	3	7	1	1	11	58
31	6	14	1	3	-	3	6	1	-	-	-	-	2	8	3	2	8	-	-	7	59
22	3	13	4	8	1	6	13	3	1	2	-	-	2	5	-	3	11	1	-	16	60
613	85	151	25	27	23	33	83	17	15	21	6	3	54	188	78	83	112	28	21	177	61
93	26	34	4	6	4	16	24	3	3	2	-	1	4	15	10	12	23	5	5	26	62
48	11	17	-	4	3	3	8	1	1	3	-	-	3	6	5	12	19	1	2	20	63
83	10	17	5	9	1	10	15	-	2	2	1	-	4	10	5	8	10	2	1	21	64
36	6	4	2	1	1	2	3	-	-	2	1	-	2	3	2	10	7	2	2	14	65
86	15	12	3	10	2	6	7	3	1	1	3	-	3	14	8	7	13	4	1	25	66
62	17	29	2	2	3	4	16	2	2	4	1	3	2	11	20	9	11	2	2	26	67
71	7	13	3	1	2	2	2	3	2	1	-	-	1	7	10	8	8	3	2	29	68
76	15	13	1	5	-	7	13	3	1	1	1	2	1	10	5	13	19	5	1	35	69
24	3	12	2	4	1	2	2	2	2	1	1	1	1	9	8	4	7	-	4	12	70
9	2	2	1	2	1	-	2	-	1	2	-	-	1	3	2	1	4	-	-	3	71
43	19	22	2	3	-	6	5	-	-	1	-	1	4	12	7	7	9	-	-	16	72
56	14	14	3	4	-	6	17	3	4	1	2	1	4	8	25	17	14	-	3	32	73
25	13	19	-	1	-	-	10	1	-	-	1	-	3	7	6	11	6	1	6	25	74
35	12	12	6	3	3	5	7	1	-	1	-	1	3	11	3	10	14	1	-	21	75
14	6	2	-	2	-	1	6	-	1	-	-	-	1	5	-	1	7	2	-	8	76
37	15	15	-	1	3	2	6	-	2	-	1	1	-	4	6	10	4	1	3	15	77
449	78	114	19	65	17	46	64	15	15	16	8	4	33	132	46	51	120	31	18	173	78
24	3	13	-	1	-	2	3	1	2	1	-	-	2	2	3	3	6	1	1	12	79
51	26	14	3	4	2	7	11	3	2	2	2	-	4	11	1	2	22	2	2	26	80
31	3	7	-	3	-	3	8	-	-	1	-	-	2	2	5	4	4	-	-	9	81
35	9	9	3	5	1	3	2	2	-	3	-	-	1	8	3	4	5	-	-	4	82
24	7	7	1	3	-	3	3	-	-	1	-	-	-	8	2	3	3	1	-	13	83

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	OREGON	14,605	150	36	19	58	2,111	739	221	1,151	186	7,761	7,626	1,656	15	5,323	208
2	Metropolitan counties	6,610	93	21	1	22	1,000	334	109	557	76	3,602	3,545	753	4	2,547	105
3	Nonmetropolitan counties	7,995	57	15	18	36	1,111	405	112	594	110	4,159	4,081	903	11	2,776	103
4	Baker	161	1	2	3	1	21	9	2	10	-	82	82	19	-	54	4
5	Benton	237	3	1	-	1	29	12	1	16	7	114	112	23	-	83	3
6	Clackamas	735	5	1	1	1	106	38	10	58	8	396	385	75	-	290	7
7	Clatsop	325	3	2	-	-	44	19	5	20	3	171	171	30	-	128	5
8	Columbia	235	1	-	-	2	33	13	3	17	2	145	142	37	-	101	10
9	Coos	421	2	-	-	2	56	18	7	31	5	195	189	34	-	138	7
10	Crook	77	1	-	-	1	9	2	-	7	-	38	38	10	-	25	1
11	Curry	74	-	-	-	-	14	5	1	8	-	36	36	12	-	19	-
12	Deschutes	169	1	-	-	1	33	7	5	21	1	89	87	20	-	61	4
13	Douglas	494	3	1	1	4	60	18	8	34	8	230	227	57	1	154	3
14	Gilliam	28	-	-	-	-	5	2	1	2	-	14	14	4	-	9	-
15	Grant	72	-	1	-	1	6	4	-	2	-	41	41	7	-	32	1
16	Harney	48	-	1	3	-	6	1	1	4	1	21	21	4	-	15	-
17	Hood River	90	-	1	-	-	11	4	-	7	-	48	48	12	-	29	2
18	Jackson	537	2	-	3	2	72	27	7	38	6	293	290	65	1	199	11
19	Jefferson	40	2	-	-	-	8	4	1	3	1	11	11	2	-	8	-
20	Josephine	267	1	-	1	1	38	20	6	12	6	136	129	30	-	83	6
21	Klamath	330	3	1	2	-	43	13	7	23	1	166	163	37	-	114	4
22	Lake	51	-	-	-	-	8	3	1	4	-	26	26	6	1	19	-
23	Lane	946	7	1	2	5	145	53	20	72	14	487	482	104	5	329	10
24	Lincoln	226	1	-	-	1	31	12	1	18	3	109	108	19	-	72	1
25	Linn	450	4	-	-	3	66	30	4	32	7	234	226	51	-	158	3
26	Malheur	157	-	1	1	-	18	7	1	10	2	91	84	18	-	60	3
27	Marion	914	10	1	1	2	122	36	12	74	18	535	530	121	2	351	11
28	Morrow	57	-	-	-	-	7	3	-	4	4	27	25	5	-	15	-
29	Multnomah	5,299	85	18	-	15	813	263	93	457	60	2,896	2,859	609	2	2,050	88
30	Polk	214	3	-	-	1	31	16	3	12	5	112	112	20	-	73	2
31	Sherman	20	-	-	-	-	2	1	-	1	-	11	11	-	-	10	-
32	Tillamook	171	1	-	-	2	18	6	4	8	3	81	81	19	-	50	2
33	Umatilla	374	-	1	1	3	52	19	3	30	2	184	179	38	-	120	3
34	Union	199	2	-	-	1	29	9	2	18	1	110	99	34	-	55	2
35	Wallowa	70	-	-	-	-	5	1	-	4	2	38	38	8	-	20	1
36	Wasco	173	2	1	-	1	30	12	2	16	1	97	97	21	-	66	3
37	Washington	576	3	2	-	6	81	33	6	42	8	310	301	69	2	207	10
38	Wheeler	24	-	-	-	-	3	1	-	2	1	9	9	2	-	7	-
39	Yamhill	344	4	-	-	1	56	18	4	34	4	178	173	34	1	119	1
40	PENNSYLVANIA	110,956	1,825	423	142	469	17,253	7,056	1,769	8,428	2,456	61,995	60,318	11,719	150	44,316	1,759
41	Metropolitan counties	86,283	1,546	354	102	358	13,754	5,583	1,497	6,674	1,886	47,903	46,613	8,810	111	34,661	1,396
42	Nonmetropolitan counties	24,673	279	69	40	111	3,499	1,473	272	1,754	570	14,092	13,705	2,909	39	9,655	363
43	Adams	437	3	1	-	3	50	19	2	29	11	261	249	56	-	182	6
44	Allegheny	15,974	315	54	14	61	2,554	1,071	292	1,191	303	8,782	8,599	1,657	21	6,448	249
45	Armstrong	764	8	2	-	1	102	39	7	56	21	463	449	74	1	331	8
46	Beaver	1,644	17	4	1	7	260	125	28	107	23	843	823	199	1	562	22
47	Bedford	411	6	-	-	1	46	16	5	25	4	253	238	47	2	165	7
48	Berks	2,697	30	10	6	11	412	159	34	219	78	1,569	1,532	335	4	1,056	33
49	Blair	1,604	16	7	-	4	248	106	21	121	37	953	926	190	4	643	28
50	Bradford	619	3	1	1	5	80	37	6	37	7	366	365	57	1	275	7
51	Bucks	1,466	11	5	1	5	228	91	17	120	29	861	832	194	2	582	25
52	Butler	1,020	16	3	1	11	150	71	8	71	27	536	526	124	-	354	24
53	Cambria	1,977	23	8	1	10	313	147	33	133	44	1,015	987	213	6	709	43
54	Cameron	78	-	-	-	-	9	5	-	4	3	44	43	8	-	33	2
55	Carbon	594	9	-	1	1	83	31	6	46	18	323	310	53	2	239	12
56	Centre	514	4	1	2	-	72	32	4	36	10	299	292	62	1	201	9
57	Chester	1,526	25	2	7	2	207	89	23	95	35	875	840	167	2	611	21
58	Clarion	380	1	-	-	1	43	18	1	24	7	218	211	54	-	141	4
59	Clearfield	874	11	2	3	6	143	67	7	69	19	501	480	106	3	342	26
60	Clinton	372	4	1	3	1	49	20	7	22	14	214	210	56	1	136	3
61	Columbia	565	3	2	-	1	77	35	6	36	17	336	327	71	3	219	10
62	Crawford	878	7	7	1	2	117	44	2	71	17	510	498	112	1	350	5
63	Cumberland	963	10	5	2	5	140	42	16	82	17	572	548	99	-	402	13
64	Dauphin	2,152	34	20	13	8	317	124	35	158	63	1,207	1,184	214	4	895	29
65	Delaware	3,864	50	13	16	18	667	256	77	334	88	2,139	2,084	329	4	1,590	68
66	Elk	355	3	1	-	5	55	26	8	21	10	197	196	23	-	167	9
67	Erie	2,336	32	11	6	18	335	136	33	166	48	1,280	1,261	292	4	906	40
68	Fayette	1,892	25	6	1	3	300	129	19	152	44	1,050	1,015	204	2	734	32
69	Forest	51	-	-	-	1	6	2	-	4	1	31	30	7	-	18	1
70	Franklin	791	18	3	2	6	111	47	10	54	14	464	445	104	1	307	18
71	Fulton	111	-	-	-	-	12	5	-	7	-	61	55	13	-	41	-
72	Greene	408	1	2	-	1	53	25	5	23	12	226	216	50	1	143	6
73	Huntingdon	440	5	-	-	5	52	18	5	29	9	255	250	47	1	178	6
74	Indiana	711	6	1	-	6	91	42	12	37	9	422	404	82	-	294	8
75	Jefferson	463	2	2	1	2	74	38	3	33	6	268	267	59	-	190	5
76	Juniata	154	1	-	1	-	18	8	1	9	3	97	93	24	-	56	4
77	Lackawanna	3,060	60	9	-	13	480	228	40	212	69	1,696	1,657	269	4	1,285	42
78	Lancaster	2,445	27	8	5	9	356	133	23	200	59	1,413	1,378	312	4	960	40
79	Lawrence	1,084	14	3	4	6	151	62	18	71	21	602	584	139	1	362	21
80	Lebanon	819	8	2	-	3	112	42	8	62	17	482	461	90	1	340	4
81	Lehigh	2,052	16	9	2	14	349	135	30	184	58	1,210	1,189	201	2	914	24
82	Luzerne	4,311	105	13	1	19	659	311	65	283	103	2,264	2,198	385	6	1,683	87
83	Lycoming	1,180	10	3	5	4	176	78	17	81	30	692	679	153	3	454	13
84	McKean	575	2	-	4	-	72	23	7	42	17	341	335	90	1	211	6
85	Mercer	1,171	11	6	2	4	165	72	13	80	26	628	621	143	4	444	11

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
3,602	846	667	68	449	115	135	465	111	55	128	27	11	208	577	232	475	777	238	51	929	1
1,706	460	276	27	156	58	57	221	51	21	81	13	5	77	216	115	167	274	104	14	436	2
1,896	386	391	41	293	57	78	244	60	34	47	14	6	131	361	117	308	503	134	37	493	3
30	7	13	2	6	1	-	2	4	-	1	1	-	3	3	4	3	7	7	1	15	4
57	10	13	1	2	3	2	10	1	1	-	-	-	3	11	2	11	15	7	2	19	5
154	89	40	4	10	6	11	18	4	2	9	2	-	8	25	25	22	43	13	-	46	6
100	15	8	-	9	4	-	9	4	3	4	-	1	3	13	4	16	20	7	1	17	7
67	12	12	1	3	-	3	6	-	-	1	-	-	1	10	2	3	13	-	-	16	8
92	22	17	1	14	2	6	9	5	1	4	-	-	11	18	6	27	49	5	2	24	9
21	-	3	1	-	2	-	2	1	-	-	-	-	-	5	3	4	4	5	-	4	10
14	2	3	1	4	-	-	1	1	-	-	-	-	2	2	2	1	8	1	2	4	11
44	6	7	1	5	-	2	1	-	-	-	1	-	-	8	4	7	5	4	-	14	12
100	20	31	2	9	4	3	18	6	5	2	1	-	11	37	2	23	36	7	6	33	13
4	1	4	-	1	-	-	-	-	1	-	-	-	1	1	2	1	1	-	-	2	14
26	2	3	-	2	-	-	2	-	-	-	-	-	2	2	2	4	5	3	-	3	15
9	-	6	-	1	1	-	1	-	-	1	-	-	1	3	1	2	5	1	-	1	16
17	7	3	-	6	1	-	5	-	-	2	-	-	1	3	2	2	7	2	-	6	17
115	31	42	4	18	3	3	24	2	1	4	-	-	8	23	5	24	29	11	2	24	18
3	3	2	-	1	-	-	2	1	2	-	-	-	3	-	-	4	2	1	-	3	19
48	16	13	2	14	-	7	6	2	1	2	2	-	5	6	4	10	17	4	-	25	20
88	13	9	1	8	3	3	10	-	1	3	-	1	7	15	-	15	27	6	6	23	21
8	6	5	-	-	-	-	-	-	-	-	-	-	1	1	-	3	6	2	-	4	22
252	42	25	6	32	6	5	30	4	6	4	2	2	18	52	14	21	68	20	7	37	23
50	7	14	2	14	1	1	6	3	2	2	-	-	6	12	1	11	16	5	1	16	24
107	19	29	2	13	2	8	8	2	-	1	3	-	11	20	7	19	25	6	2	32	25
41	4	12	1	4	1	7	4	1	-	1	-	-	2	5	-	4	10	1	2	14	26
239	65	36	4	43	9	5	30	8	4	8	2	2	15	31	8	24	34	10	2	47	27
9	-	6	-	5	-	2	-	-	-	-	-	-	1	4	2	3	3	1	-	5	28
1,408	341	213	18	130	50	37	189	46	17	66	9	4	62	164	85	125	206	81	14	344	29
47	11	13	1	17	1	-	10	2	1	1	-	-	1	8	1	10	14	3	-	11	30
9	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	4	-	-	1	31
39	7	2	3	7	2	-	6	4	-	1	1	-	2	11	3	11	11	4	-	12	32
73	21	23	1	18	2	5	9	3	1	2	-	-	3	18	17	13	27	4	-	34	33
41	3	9	2	7	1	11	9	2	-	1	-	-	2	7	5	5	6	3	-	16	34
16	3	-	-	8	2	-	1	-	-	-	-	-	3	5	1	2	8	1	-	4	35
47	11	5	-	6	4	-	4	1	2	-	1	-	2	10	1	8	5	1	1	5	36
144	30	23	5	16	2	9	14	1	2	6	2	1	7	27	5	20	25	10	-	46	37
5	1	1	-	-	-	-	-	-	-	-	-	-	-	3	1	3	3	-	-	1	38
78	18	22	2	15	2	5	19	2	1	2	-	-	2	14	11	14	13	2	-	21	39
26,958	6,666	8,933	825	2,644	664	1,677	3,120	594	445	1,167	246	145	1,324	3,814	768	1,834	3,976	1,021	281	7,658	40
21,151	5,322	6,792	660	1,845	526	1,290	2,432	470	331	1,001	189	114	1,034	2,997	640	1,276	3,047	776	242	5,831	41
5,807	1,344	2,141	165	799	138	387	688	124	114	166	57	31	290	817	128	558	929	245	39	1,827	42
80	28	68	5	5	1	12	8	4	4	2	-	1	9	11	4	18	12	7	1	27	43
4,602	760	837	103	286	84	183	513	77	51	219	30	20	192	591	295	198	550	149	52	954	44
193	48	82	6	34	3	14	19	3	2	10	-	-	11	24	2	19	28	10	-	39	45
374	69	97	3	47	11	20	50	5	7	15	7	4	16	82	22	38	82	31	7	123	46
80	18	60	3	18	3	15	10	-	1	-	2	1	2	18	4	12	19	3	-	29	47
695	122	206	24	100	13	37	51	9	6	20	10	4	18	55	35	40	108	40	1	184	48
428	96	91	15	67	7	27	37	12	10	15	1	2	13	48	6	30	49	8	-	108	49
153	36	79	2	26	4	1	16	2	3	2	3	1	12	16	1	12	29	11	-	48	50
331	97	129	13	32	9	29	22	11	4	22	1	3	22	59	8	35	46	18	4	71	51
230	40	60	9	37	2	10	41	5	4	7	2	2	11	46	5	34	50	4	1	64	52
417	77	172	17	33	9	28	71	17	13	14	7	4	38	94	9	33	88	19	3	153	53
18	2	11	-	1	1	1	1	1	-	-	1	-	3	5	1	1	4	-	-	5	54
125	33	69	2	11	3	13	16	-	4	5	-	-	3	15	3	8	31	6	2	66	55
123	25	44	5	21	2	7	15	3	4	3	2	-	9	22	5	12	20	4	1	26	56
392	103	95	17	35	8	35	40	5	9	11	6	1	26	47	9	38	55	20	6	100	57
82	13	42	-	15	1	7	12	1	2	1	1	-	8	11	2	16	15	5	-	36	58
215	43	58	2	24	3	21	22	4	6	10	2	2	10	30	2	18	20	6	3	54	59
85	8	40	1	16	-	4	9	1	2	-	-	-	7	19	4	6	14	4	-	20	60
152	28	29	5	28	1	9	15	1	-	3	-	1	4	13	-	15	23	8	1	45	61
189	44	112	4	26	5	12	27	3	4	8	1	2	8	30	2	20	40	10	1	61	62
256	72	61	12	27	8	24	24	1	3	11	2	2	14	24	1	21	38	2	-	69	63
511	202	153	13	50	8	23	59	8	8	16	3	5	28	82	7	24	74	16	9	151	64
948	284	290	37	89	35	55	109	20	20	38	9	8	51	166	12	55	108	37	4	236	65
114	32	12	1	3	2	1	7	3	1	1	1	-	7	22	1	5	15	1	-	20	66
549	131	186	14	29	16	19	73	20	7	20	7	3	39	90	10	56	99	25	2	155	67
515	85	102	17	51	7	35	56	12	17	17	2	3	30	77	13	39	69	13	11	104	68
8	4	5	1	4	-	1	2	-	-	-	-	1	2	2	-	3	1	-	-	1	69
183	48	58	6	19	8	19	29	1	1	2	5	-	12	21	3	19	29	11	-	40	70
30	3	8	-	1	-	6	7	1	-	-	-	-	-	4	-	5	9	2	-	10	71
91	17	29	5	14	3	10	16	3	4	3	3	2	4	15	1	9	22	5	-	26	72
96	35	41	4	16	4	5	18	6	2	-	1	-	3	11	-	6	20	3	2	42	73
208	21	57	4	22	2	18	14	2	2	11	1	1	5	35	2	14	29	10	1	49	74
116	29	40	3	13	2	1	15	2	-	1	2	1	5	15	-	8	19	4	-	36	75
29	6	17	1	10	2	4	7	-	1	1	-	1	2	6	2	4	2	-	-	8	76
666	207	370	14	71	14	39	73	15	11	38	6	6	41	79	15	42	107	23	3	274	77
621	111	188	14	70	18	35	47	18	13	11	8	1	32	90	8	41	91	37	2	169	78
239	27	75	7	67	8	18	43	6	1	12	8	1	11	41	9	33	34	2	4	78	79
204	60	72	4	24	2	21	20	2	3	3	5	2	9	31	5	18	42	6	1	48	80
589	125	176	12	48	12	21	41	15	3	22	1	2	25	35	4	30	57	29	3	127	81
910	270	416	35	75	14	66	92	26	14	62	11	5	41	105	30	52	168	30	3	508	82
287	73	81	9	50	10	13	27	9	4	7	-	1	12	32	9	33	27	13	2	84	83
132	24	49	4	24	5	6	16	5	1	5	-	-	6	29	2	16	19	6	1	33	84
289	66	78	5	17	8	7	42	8	3	7	1	2	22	56	7	32	48	13	3	85	85

325797 O - 55 - 29

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148, 156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	PENNSYLVANIA--Con.																
1	Mifflin	403	5	4	1	4	65	13	8	44	9	220	213	40	3	148	6
2	Monroe	423	2	1	2	1	71	26	8	37	14	235	226	55	-	147	6
3	Montgomery	3,519	46	10	7	20	538	197	59	282	69	2,085	2,051	374	1	1,526	56
4	Montour	185	4	-	-	2	25	12	1	12	4	113	111	14	-	91	3
5	Northampton	1,915	29	4	-	7	303	129	31	143	39	1,157	1,136	200	4	856	23
6	Northumberland	1,298	22	4	1	3	178	66	22	90	44	748	731	133	1	549	8
7	Perry	234	1	1	-	-	43	15	-	28	1	139	135	36	1	82	-
8	Philadelphia	23,756	606	128	16	92	3,986	1,519	510	1,957	533	12,954	12,465	2,148	22	9,508	402
9	Pike	113	1	-	-	-	22	9	2	11	3	73	73	11	-	57	2
10	Potter	193	2	1	1	1	31	14	-	17	2	112	110	17	-	86	2
11	Schuylkill	2,339	50	8	4	6	328	156	20	152	63	1,234	1,202	238	4	860	35
12	Snyder	216	3	1	1	2	38	18	-	20	7	120	117	22	-	83	3
13	Somerset	798	7	4	-	4	115	45	12	58	12	434	424	109	4	277	17
14	Sullivan	71	-	-	-	-	13	1	3	9	1	41	41	6	-	30	1
15	Susquehanna	369	4	-	-	3	59	25	3	31	6	204	200	46	-	143	5
16	Tioga	411	3	-	-	3	57	18	4	35	8	241	237	39	1	192	3
17	Union	210	3	1	-	-	25	16	2	7	4	134	130	29	1	92	2
18	Venango	668	2	3	-	5	90	32	9	49	14	388	382	111	1	247	13
19	Warren	455	5	2	-	2	62	30	6	26	9	268	265	74	-	180	9
20	Washington	2,057	27	9	-	9	309	126	32	151	42	1,147	1,126	258	2	790	30
21	Wayne	362	1	-	-	2	59	27	6	26	12	210	204	54	1	129	3
22	Westmoreland	2,945	30	9	1	11	470	211	43	216	67	1,634	1,599	283	3	1,209	56
23	Wyoming	183	1	-	-	2	29	16	4	9	1	100	100	19	-	76	6
24	York	2,051	19	6	1	7	343	131	30	182	44	1,185	1,153	239	3	805	37
25	RHODE ISLAND	8,240	100	24	9	30	1,380	545	152	683	238	4,859	4,771	846	4	3,607	114
26	Metropolitan counties	7,289	88	23	9	24	1,237	491	127	619	219	4,287	4,210	739	2	3,189	105
27	Nonmetropolitan counties	951	12	1	-	6	143	54	25	64	19	572	561	107	2	418	9
28	Bristol	264	1	1	-	1	57	21	7	29	10	142	138	28	-	92	4
29	Kent	747	6	3	-	3	148	58	11	79	26	408	403	84	-	292	4
30	Newport	517	7	1	-	4	78	31	18	29	7	321	316	62	1	236	6
31	Providence	6,278	81	19	9	20	1,032	412	109	511	183	3,737	3,669	627	2	2,805	97
32	Washington	434	5	-	-	2	65	23	7	35	12	251	245	45	1	182	3
33	SOUTH CAROLINA	18,570	360	91	15	178	1,752	578	191	983	256	9,122	8,703	2,338	38	5,717	154
34	Metropolitan counties	4,772	86	31	4	36	467	139	61	267	69	2,234	2,145	515	7	1,471	33
35	Nonmetropolitan counties	13,798	274	60	11	142	1,285	439	130	716	187	6,888	6,558	1,823	31	4,246	121
36	Abbeville	211	2	-	1	2	16	8	-	8	4	118	111	35	-	66	1
37	Aiken	564	9	1	-	6	45	14	5	26	6	281	264	68	-	177	2
38	Allendale	134	1	1	-	-	12	5	1	6	-	72	71	10	1	56	-
39	Anderson	727	11	1	-	6	90	29	12	49	21	380	370	80	2	260	4
40	Bamberg	160	4	-	1	2	12	5	-	7	2	77	77	31	-	39	-
41	Barnwell	160	5	2	-	4	13	5	-	8	3	82	78	26	-	47	2
42	Beaufort	257	3	1	-	7	19	8	3	8	1	106	100	33	-	52	-
43	Berkeley	256	3	1	-	4	23	9	2	12	1	115	104	28	-	68	1
44	Calhoun	150	3	-	-	1	10	3	1	6	-	81	78	16	1	58	1
45	Charleston	1,572	35	15	-	15	148	47	20	81	23	622	593	151	4	395	13
46	Cherokee	276	8	-	-	2	33	17	3	13	6	137	128	33	-	89	2
47	Chester	204	5	1	-	5	22	10	2	10	-	100	97	22	-	69	1
48	Chesterfield	285	4	1	-	1	25	10	1	14	4	157	153	33	1	109	4
49	Clarendon	302	4	-	-	5	19	6	1	12	3	151	140	25	1	100	2
50	Colleton	278	5	1	1	1	27	10	4	13	6	131	127	28	-	93	1
51	Darlington	554	6	1	-	4	38	10	4	24	3	261	245	64	1	156	7
52	Dillon	315	10	1	-	3	26	3	6	17	6	152	146	35	1	107	7
53	Dorchester	180	9	-	-	3	19	7	1	11	2	82	75	24	1	44	1
54	Edgefield	168	-	-	-	5	10	4	1	5	3	83	80	33	-	45	-
55	Fairfield	168	4	-	-	1	22	7	1	14	1	83	79	18	-	53	1
56	Florence	761	23	1	3	8	62	20	9	33	7	352	334	101	3	214	18
57	Georgetown	249	5	-	-	4	30	12	2	16	3	119	113	32	2	75	1
58	Greenville	1,365	19	11	2	6	146	41	16	89	15	688	664	147	1	474	6
59	Greenwood	361	8	2	-	4	41	15	5	21	5	185	177	33	1	128	1
60	Hampton	202	3	-	-	5	18	7	1	10	6	100	99	25	1	67	-
61	Horry	470	18	1	-	9	26	6	1	19	6	202	184	64	1	114	4
62	Jasper	117	5	3	-	1	6	2	-	4	2	56	55	28	-	25	-
63	Kershaw	336	3	3	-	4	31	7	1	23	3	181	169	40	-	111	4
64	Lancaster	257	5	2	1	1	33	9	3	21	-	136	132	30	-	93	-
65	Laurens	392	12	2	-	1	42	14	5	23	5	212	194	62	-	123	12
66	Lee	207	-	1	1	2	23	9	-	14	3	89	87	22	-	58	1
67	Lexington	392	3	-	-	3	38	9	3	26	10	213	208	52	1	136	2
68	McCormick	92	-	-	-	2	6	1	-	5	-	49	48	5	1	38	1
69	Marion	361	11	2	-	1	26	10	-	16	5	184	177	68	1	92	9
70	Marlboro	363	13	2	-	3	22	8	-	14	4	192	186	53	2	113	1
71	Newberry	291	5	4	-	1	42	13	3	26	3	159	150	43	-	97	-
72	Oconee	290	1	2	-	2	35	14	4	17	3	162	150	42	2	99	1
73	Orangeburg	757	11	4	-	10	65	26	8	31	10	327	316	110	-	178	3
74	Pickens	280	4	3	-	3	33	10	3	20	10	141	138	39	1	92	1
75	Richland	1,271	23	4	2	9	128	37	20	71	25	643	624	149	2	425	12
76	Saluda	102	-	1	-	1	12	3	2	7	-	60	57	17	-	40	-
77	Spartanburg	1,043	18	9	3	6	107	39	12	56	19	547	522	122	3	362	13
78	Sumter	535	17	3	-	9	35	10	7	18	2	278	256	76	-	164	3
79	Union	267	3	-	-	-	42	17	8	17	3	129	121	41	1	71	4
80	Williamsburg	335	9	2	-	1	21	7	3	11	8	143	132	50	1	72	1
81	York	553	10	2	-	5	53	15	7	31	4	304	294	94	1	173	6

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
70	27	45	2	16	4	7	15	2	4	1	-	-	11	14	-	12	7	6	-	23	1
94	16	31	1	17	6	9	10	3	-	3	1	-	5	9	1	12	13	6	-	34	2
894	238	338	24	105	21	34	64	20	9	33	4	2	49	131	6	67	88	32	4	235	3
57	6	25	1	5	-	2	4	-	-	1	-	-	4	3	1	3	7	4	-	10	4
549	115	169	9	52	15	21	35	12	9	21	3	1	19	51	9	30	57	18	1	110	5
281	91	159	5	39	4	17	28	10	7	13	3	-	17	27	6	17	51	8	1	110	6
52	12	18	4	10	2	4	7	-	1	-	-	-	4	7	1	9	5	1	-	14	7
5,197	1,838	2,071	222	399	166	489	754	139	102	341	54	33	238	836	108	259	812	146	114	1,505	8
41	7	7	-	4	1	-	-	-	-	1	1	-	-	1	1	3	1	3	1	2	9
46	22	16	-	6	1	2	6	1	2	-	-	-	3	6	1	1	5	1	-	17	10
504	169	152	22	57	21	32	49	9	12	23	6	2	17	59	13	31	101	26	4	294	11
42	12	26	2	8	2	3	10	-	-	-	-	-	-	7	1	3	3	6	-	14	12
152	56	52	7	23	4	10	25	1	2	4	1	-	15	30	6	20	40	6	2	70	13
21	1	7	-	4	1	-	-	1	-	1	-	-	-	3	-	-	4	1	-	6	14
78	24	36	3	7	1	4	11	3	2	2	1	1	2	5	9	7	23	5	-	22	15
106	29	54	1	2	2	4	10	3	2	1	-	-	7	14	1	10	16	6	1	28	16
41	15	34	2	4	2	4	5	2	2	-	-	-	-	7	-	9	4	2	-	12	17
145	39	50	8	11	4	6	17	5	2	3	2	3	7	28	4	16	21	6	-	52	18
110	20	41	-	11	-	3	13	4	2	-	1	1	5	15	-	11	15	6	-	34	19
526	82	152	9	53	14	21	66	5	9	21	5	3	23	73	12	41	80	28	7	141	20
79	17	30	3	16	1	6	7	-	3	1	-	1	3	6	2	7	7	2	-	39	21
810	124	219	17	73	14	35	96	13	6	23	9	2	44	104	10	56	139	31	10	180	22
53	7	10	1	2	2	-	8	1	2	2	-	-	-	5	5	4	4	2	-	17	23
445	77	246	24	64	18	32	48	13	12	17	3	1	28	69	11	38	63	18	2	123	24
2,609	523	361	83	193	38	88	135	67	36	114	9	8	103	243	22	79	216	54	12	502	25
2,286	470	328	77	171	32	77	121	61	30	106	8	6	89	209	21	64	190	48	11	438	26
323	53	33	6	22	6	11	14	6	6	8	1	2	14	34	1	15	26	6	1	64	27
56	22	10	3	12	3	4	7	2	2	3	1	1	3	4	-	3	9	2	-	15	28
213	41	34	5	18	4	5	19	9	4	9	2	1	9	21	3	5	22	4	2	43	29
199	18	13	4	9	4	5	4	4	3	3	1	-	8	22	-	5	15	4	-	30	30
2,017	407	284	69	141	25	68	95	50	24	94	5	4	77	184	18	56	159	42	9	380	31
124	35	20	2	13	2	6	10	2	3	5	-	2	6	12	1	10	11	2	1	34	32
2,891	1,585	1,087	200	317	93	419	828	72	274	73	57	98	269	1,260	758	713	829	133	237	1,195	33
801	439	198	41	78	33	89	169	18	49	26	7	20	89	359	261	186	224	41	68	328	34
2,090	1,146	889	159	239	60	330	659	54	225	47	50	78	180	901	497	527	605	92	169	867	35
38	17	10	7	3	-	7	7	2	-	1	-	1	4	9	5	8	8	4	5	14	36
86	63	26	6	12	1	17	29	-	12	1	1	7	6	37	16	31	28	3	6	39	37
21	22	13	-	3	1	1	9	-	1	-	-	-	2	6	6	6	7	1	2	8	38
124	86	46	14	12	2	10	27	1	10	3	1	4	12	34	8	20	26	8	11	53	39
24	6	9	4	3	-	-	11	2	2	1	-	1	2	11	5	5	10	-	2	10	40
19	12	14	2	2	1	4	9	-	1	1	1	1	3	6	6	7	9	-	2	5	41
15	15	22	5	8	2	6	11	-	2	-	4	-	3	9	34	8	21	2	5	21	42
22	16	29	4	2	2	11	8	1	1	-	3	6	4	13	29	15	8	1	2	18	43
16	29	12	1	1	1	3	4	-	5	2	-	1	1	7	14	6	2	-	1	12	44
214	106	62	15	16	12	29	44	6	13	11	1	4	29	113	224	41	89	14	19	108	45
58	12	17	2	4	-	9	11	-	2	1	-	1	3	17	2	11	19	5	1	17	46
40	9	19	3	3	-	3	13	-	1	-	2	2	5	7	1	13	12	3	3	9	47
58	38	9	3	7	-	4	15	1	2	2	2	-	7	20	3	8	15	3	-	15	48
36	16	46	2	9	3	11	16	-	1	-	2	3	2	28	21	12	16	1	4	14	49
46	22	24	3	2	1	4	14	-	3	2	3	5	3	9	14	16	21	-	2	14	50
97	33	19	10	13	1	16	50	1	28	2	-	4	6	33	10	28	21	3	14	41	51
49	35	16	2	1	-	6	17	-	5	1	1	3	4	38	7	9	13	1	1	17	52
25	13	5	2	4	-	7	11	1	3	1	-	3	1	9	7	7	10	-	1	11	53
18	14	13	1	1	-	3	13	1	6	-	-	1	3	7	6	9	6	2	4	9	54
27	18	7	6	2	-	4	9	1	3	1	1	2	-	8	8	6	8	2	-	8	55
116	44	36	6	6	4	18	35	4	25	2	3	5	13	71	34	18	35	5	14	41	56
29	31	14	1	3	-	6	10	2	4	1	1	3	1	12	11	14	17	-	1	11	57
285	127	56	6	23	13	24	48	7	5	10	5	5	31	107	12	56	61	11	20	100	58
75	29	23	2	9	4	8	11	7	5	3	-	3	3	14	7	15	17	3	5	23	59
32	21	14	1	5	-	1	9	-	2	1	5	1	2	11	4	10	7	1	3	14	60
58	22	30	1	3	1	18	34	1	12	1	2	3	8	45	30	21	17	3	5	26	61
7	10	8	-	-	2	1	7	-	1	1	-	-	1	5	13	2	5	1	1	7	62
50	30	27	6	12	-	12	17	2	4	4	-	-	3	25	4	18	9	2	4	19	63
58	22	13	1	4	4	4	9	-	5	-	-	-	4	19	11	6	9	1	2	13	64
51	30	30	3	7	1	18	14	3	8	-	4	3	6	20	6	11	9	4	6	23	65
26	25	6	2	5	-	2	6	1	1	-	-	2	1	16	16	7	25	2	4	7	66
50	32	52	2	15	-	5	4	3	2	1	1	1	3	34	17	19	13	2	2	24	67
22	14	1	-	4	-	1	5	1	1	-	1	1	-	5	12	1	3	-	-	5	68
47	20	16	6	8	2	7	20	1	10	2	-	2	1	26	4	17	19	2	3	25	69
58	41	13	10	8	-	6	16	-	22	-	-	1	4	30	5	16	12	2	4	15	70
55	21	21	1	6	3	9	10	-	2	-	2	1	4	8	5	10	11	1	2	21	71
59	7	32	5	1	1	12	14	2	2	-	-	-	2	9	7	12	7	2	4	24	72
73	75	27	9	12	7	11	42	3	15	1	3	-	13	80	45	27	27	3	10	61	73
52	20	19	1	3	2	3	7	3	4	1	-	2	2	24	2	10	10	5	-	16	74
216	143	54	14	27	7	19	48	5	19	4	-	4	23	102	9	58	46	13	23	83	75
23	12	5	-	-	-	3	2	-	-	-	-	1	1	12	4	2	4	1	1	-	76
204	89	56	15	14	6	25	42	6	8	5	1	4	13	58	12	40	37	9	19	80	77
39	71	51	4	10	2	22	32	1	5	-	4	1	8	31	23	14	31	1	3	37	78
35	17	15	1	7	-	8	6	1	1	1	2	-	11	24	2	7	11	1	2	21	79
32	20	19	3	4	2	11	26	1	6	2	1	2	1	19	31	17	15	-	8	22	80
106	30	31	8	13	5	10	26	1	4	3	-	4	10	32	6	19	23	5	6	36	81

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	SOUTH DAKOTA	5,840	74	16	48	37	866	341	65	460	119	2,920	2,874	708	6	1,934	67
2	Metropolitan counties	658	3	3	7	2	107	40	9	58	9	344	338	90	1	217	12
3	Nonmetropolitan counties	5,182	71	13	41	35	759	301	56	402	110	2,576	2,536	618	5	1,717	55
4	Armstrong	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Aurora	41	-	1	-	-	3	-	-	3	1	21	21	2	-	18	-
6	Beadle	175	1	1	-	2	27	8	1	18	3	101	101	30	-	62	-
7	Bennett	34	3	-	-	-	4	-	-	4	4	17	17	4	-	12	-
8	Bon Homme	90	-	1	-	-	14	5	2	7	2	48	45	10	-	29	2
9	Brookings	152	1	-	-	-	25	10	2	13	2	94	92	20	-	64	4
10	Brown	261	3	1	1	3	37	17	4	16	9	151	149	42	-	103	1
11	Brule	48	-	-	-	1	5	1	-	4	1	26	24	7	-	15	-
12	Buffalo	5	1	-	-	-	-	-	-	-	-	2	2	1	-	1	-
13	Butte	71	2	-	2	1	8	2	-	6	1	33	33	6	-	26	1
14	Campbell	35	-	-	-	-	3	2	1	-	1	23	23	5	-	17	2
15	Charles Mix	108	2	-	3	1	14	9	1	4	1	48	47	8	-	36	1
16	Clark	67	-	-	1	-	8	4	1	3	-	38	38	15	-	23	1
17	Clay	97	-	-	-	-	15	4	1	10	1	53	52	14	-	34	-
18	Codington	154	2	-	-	-	19	9	1	9	5	88	83	23	-	57	2
19	Corson	44	3	-	-	-	3	-	-	3	2	13	13	2	-	9	1
20	Custer	63	-	-	-	1	9	3	-	6	1	32	32	5	-	25	-
21	Davison	153	2	1	-	-	22	5	1	16	3	78	78	6	-	63	3
22	Day	104	-	-	1	1	20	8	1	11	1	54	54	23	-	29	1
23	Deuel	59	-	-	3	-	7	3	-	4	-	33	32	7	-	20	1
24	Dewey	49	5	-	-	1	8	3	1	4	2	21	21	4	1	16	2
25	Douglas	47	2	-	1	-	4	-	-	4	1	26	24	3	-	20	-
26	Edmunds	45	-	-	-	1	10	4	1	5	-	21	21	6	-	11	-
27	Fall River	130	1	-	1	-	18	7	2	9	2	62	62	11	-	48	2
28	Faulk	42	-	-	-	-	10	5	2	3	1	19	19	3	-	14	-
29	Grant	94	2	-	2	-	23	8	-	15	-	44	44	13	-	30	2
30	Gregory	93	2	-	1	2	18	8	2	8	4	38	38	10	-	24	-
31	Haakon	29	-	-	-	-	2	1	-	1	-	18	18	3	-	14	-
32	Hamlin	62	-	-	-	-	5	-	1	4	-	41	41	15	-	23	-
33	Hand	53	1	-	2	-	12	9	-	3	2	24	24	6	-	17	1
34	Hanson	46	1	1	-	-	6	1	-	5	2	25	24	8	-	14	3
35	Harding	13	-	-	-	-	-	-	-	-	-	7	7	3	-	3	-
36	Hughes	81	1	-	-	-	13	9	-	4	-	47	46	7	-	37	1
37	Hutchinson	83	-	-	3	-	15	8	2	5	5	36	36	14	-	21	-
38	Hyde	27	1	-	1	-	3	-	1	2	1	9	9	-	-	7	-
39	Jackson	35	1	-	-	-	1	-	-	1	1	15	15	4	-	11	-
40	Jerauld	39	-	-	1	-	5	2	-	3	4	16	15	2	-	12	-
41	Jones	28	-	-	-	-	2	1	-	1	-	14	14	2	-	12	-
42	Kingsbury	98	-	-	1	2	14	7	1	6	6	51	51	8	-	40	-
43	Lake	109	1	1	2	-	15	8	-	7	1	55	53	22	-	27	1
44	Lawrence	176	5	3	1	2	17	5	3	9	4	83	82	16	1	58	3
45	Lincoln	101	1	-	2	-	18	11	3	4	4	54	53	17	-	28	3
46	Lyman	32	1	-	1	-	3	1	-	2	-	15	15	5	-	8	-
47	McCook	74	-	-	-	-	8	4	-	4	-	30	30	11	-	17	-
48	McPherson	45	-	-	-	1	13	4	2	7	1	15	15	3	-	8	-
49	Marshall	65	-	-	-	-	11	4	1	6	1	39	37	9	1	27	-
50	Meade	104	1	1	1	2	22	6	2	14	1	43	43	8	-	29	1
51	Mellette	41	2	-	-	-	5	2	-	3	-	11	11	6	-	5	-
52	Miner	59	-	-	-	-	11	5	-	6	4	32	32	9	-	17	-
53	Minnehaha	658	3	3	7	2	107	40	9	58	9	344	338	90	1	217	12
54	Moody	79	-	-	1	1	14	5	-	9	2	44	44	9	-	33	-
55	Pennington	300	2	1	2	2	45	15	4	26	5	124	121	27	-	87	4
56	Perkins	57	-	-	-	-	8	3	1	4	1	27	27	5	1	19	-
57	Potter	38	-	-	-	-	8	2	-	6	1	21	21	3	-	13	-
58	Roberts	158	5	-	3	1	18	8	1	9	2	77	75	24	1	47	-
59	Sanborn	54	-	-	-	-	5	1	1	3	2	27	27	11	-	15	1
60	Shannon	48	4	-	1	1	4	4	-	-	2	6	5	-	-	4	-
61	Spink	106	-	-	-	-	14	8	1	5	2	52	52	13	-	33	2
62	Stanley	22	-	-	-	-	3	1	-	2	-	14	14	-	-	12	-
63	Sully	18	1	-	-	-	1	-	-	1	-	9	8	1	-	4	-
64	Todd	64	1	-	-	3	7	4	-	3	-	17	16	5	-	10	1
65	Tripp	85	-	-	1	1	11	4	2	5	1	46	45	8	-	32	1
66	Turner	124	1	1	1	1	22	8	2	12	2	71	69	20	-	42	-
67	Union	116	1	-	1	-	18	8	2	8	1	68	67	8	-	50	2
68	Walworth	80	-	-	-	2	16	5	1	10	1	32	32	5	-	26	4
69	Washabaugh	12	2	-	-	-	2	-	1	1	-	2	2	-	-	2	-
70	Yankton	140	2	-	-	-	28	12	-	16	2	69	69	21	-	41	1
71	Ziebach	20	4	-	-	2	-	-	-	-	1	6	6	-	-	6	-
72	TENNESSEE	29,494	883	112	30	230	3,604	1,190	329	2,085	294	14,138	13,606	3,675	36	9,051	300
73	Metropolitan counties	12,564	345	76	20	81	1,591	507	179	905	140	5,824	5,627	1,474	17	3,730	121
74	Nonmetropolitan counties	16,930	538	36	10	149	2,013	683	150	1,180	154	8,314	7,979	2,201	19	5,321	179
75	Anderson	312	10	1	1	1	38	7	7	24	4	132	132	29	1	89	5
76	Bedford	225	7	-	-	3	20	6	5	9	5	125	119	28	-	83	-
77	Benton	94	6	-	-	2	19	7	2	10	2	43	41	10	-	28	2
78	Bledsoe	63	1	-	-	-	5	-	-	5	1	25	24	4	-	19	-
79	Blount	351	10	-	1	6	39	10	3	26	8	166	158	35	-	110	2
80	Bradley	262	6	1	-	5	32	5	2	25	1	127	125	34	1	81	4
81	Campbell	279	6	-	1	4	29	10	1	18	-	104	96	28	1	60	2
82	Cannon	76	1	-	-	-	8	2	2	4	2	50	50	14	-	33	1
83	Carroll	252	8	-	-	1	26	8	-	18	-	154	143	41	-	82	1
84	Carter	279	3	1	-	3	35	8	3	24	2	138	129	28	-	85	4
85	Cheatham	87	6	-	-	2	12	4	1	7	1	38	37	11	-	24	1

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1,352	180	335	43	144	39	46	146	22	36	42	13	12	115	303	114	174	280	61	15	427	1
171	11	23	3	20	7	6	13	2	2	8	2	1	13	40	15	25	16	6	-	40	2
1,181	169	312	40	124	32	40	133	20	34	34	11	11	102	263	99	149	264	55	15	387	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
14	3	1	-	1	-	-	1	-	-	1	-	-	1	2	-	4	-	1	-	5	5
53	4	5	2	6	1	-	2	-	1	-	-	-	6	6	1	3	9	1	-	11	6
8	3	1	-	1	-	-	1	-	-	-	-	1	-	1	2	1	-	-	-	-	7
22	2	3	2	4	-	3	3	1	2	-	-	-	1	-	-	5	4	1	-	8	8
48	5	7	2	4	2	2	1	1	-	1	-	-	4	4	1	1	7	1	-	9	9
80	7	15	-	3	1	2	1	2	-	2	1	1	4	15	1	9	6	2	1	11	10
10	-	5	1	1	-	2	1	1	-	-	-	-	1	5	-	1	2	2	-	2	11
-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	12
15	4	6	-	1	-	-	2	-	4	-	-	-	1	6	-	1	3	1	-	6	13
11	1	3	1	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	4	14
20	4	11	1	1	1	1	3	1	1	1	1	-	1	3	1	4	9	2	-	12	15
10	7	5	-	-	-	-	1	1	-	-	1	-	5	3	-	2	2	-	-	5	16
20	6	8	-	4	-	1	4	1	-	1	1	-	2	3	3	2	4	1	-	6	17
37	5	13	2	-	1	5	2	1	-	1	1	1	6	5	-	2	4	-	1	16	18
6	-	2	-	2	-	-	3	-	4	1	-	-	3	3	-	2	3	1	-	3	19
14	4	7	-	2	-	-	1	-	1	-	-	-	1	4	2	2	5	-	1	3	20
44	12	4	1	6	2	-	3	-	1	1	-	-	2	11	2	1	12	-	1	13	21
21	2	5	1	-	1	-	4	-	1	2	1	-	1	9	1	1	3	1	-	3	22
11	1	7	3	1	1	1	1	1	-	-	-	-	2	1	-	2	3	-	-	6	23
8	3	3	-	-	-	-	3	-	-	-	-	-	-	2	2	-	2	2	-	1	24
16	-	4	-	1	-	2	3	-	-	1	1	-	-	2	-	-	3	-	-	3	25
8	-	3	-	2	2	-	-	-	-	-	-	-	-	5	1	-	5	-	-	2	26
33	4	9	-	2	1	-	3	-	3	1	-	-	3	5	1	5	7	1	1	16	27
12	2	-	-	1	1	-	1	-	-	-	1	-	1	3	-	-	2	-	-	4	28
24	1	3	-	1	-	-	2	-	1	-	-	-	2	1	-	4	4	-	-	9	29
16	5	3	1	3	-	-	7	1	-	1	-	-	2	4	-	1	4	1	-	7	30
13	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	6	31
19	1	3	-	2	1	-	1	-	-	1	-	-	1	2	-	-	6	1	-	4	32
7	2	7	-	-	1	-	1	-	-	1	-	-	-	1	-	-	3	-	-	6	33
4	2	5	-	1	1	1	-	-	-	-	-	-	2	1	1	1	4	-	-	2	34
2	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	35
22	11	3	-	2	-	1	2	-	-	-	-	-	-	11	-	-	2	-	1	4	36
19	1	1	-	1	-	-	3	-	-	-	-	-	1	5	-	5	2	2	-	6	37
4	1	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	8	38
9	-	2	-	-	-	-	-	-	1	1	-	-	-	4	-	2	5	1	-	3	39
10	-	2	-	-	1	1	-	-	-	-	-	-	3	1	-	1	3	-	-	5	40
5	4	3	-	-	-	-	1	-	-	-	-	-	-	1	-	2	6	-	-	2	41
27	9	4	-	2	1	-	2	1	-	1	-	-	2	3	1	-	3	-	-	11	42
16	5	5	2	1	1	2	3	2	2	-	-	-	-	7	2	2	4	2	-	10	43
33	1	21	2	4	1	1	5	-	1	-	-	2	3	9	5	8	10	3	1	14	44
17	1	7	3	5	-	1	5	-	-	-	-	-	-	4	2	3	6	-	-	2	45
5	-	3	1	1	-	-	-	-	-	-	-	-	2	1	-	1	2	1	-	5	46
16	1	-	-	2	-	-	4	-	-	1	1	-	3	6	1	-	6	1	-	13	47
6	1	1	1	2	1	-	1	-	-	-	-	-	2	5	-	-	3	-	-	4	48
21	1	5	-	-	-	2	3	-	-	1	-	-	-	-	2	-	3	-	1	4	49
19	1	8	2	3	1	-	3	1	-	1	-	-	3	4	-	6	6	1	1	7	50
3	-	2	-	-	-	-	3	-	-	-	-	1	-	1	10	1	4	-	1	2	51
10	3	4	1	5	-	-	-	-	-	-	-	-	-	2	2	-	4	-	-	4	52
171	11	23	3	20	7	6	13	2	2	8	2	1	13	40	15	25	16	6	-	40	53
20	5	8	-	1	1	-	-	1	-	1	-	-	-	2	-	3	4	3	-	3	54
58	10	15	-	5	2	3	6	1	2	1	-	3	5	28	8	12	16	7	2	28	55
14	1	4	-	2	-	-	1	1	-	-	-	-	1	1	1	5	4	2	-	5	56
11	2	-	3	1	1	-	1	-	-	-	-	-	-	2	-	3	1	-	-	1	57
32	3	12	-	3	-	2	5	1	-	4	2	-	1	9	4	7	7	5	1	6	58
7	2	5	-	1	-	-	2	-	-	-	-	-	2	2	-	3	4	-	-	7	59
2	-	2	-	1	-	1	4	-	4	-	-	-	-	6	3	8	2	-	1	2	60
22	-	9	-	6	-	-	4	-	-	-	-	1	6	6	1	3	7	1	-	9	61
10	1	1	-	2	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	2	62
2	1	1	1	2	-	1	-	-	-	-	-	-	1	2	1	1	1	-	-	1	63
8	1	-	-	1	-	1	4	-	2	-	-	-	1	1	26	-	2	-	-	-	64
28	1	2	-	4	1	1	2	1	-	1	-	-	4	3	1	2	8	-	-	3	65
31	5	6	1	6	-	2	2	-	-	2	-	-	5	2	1	4	1	2	-	6	66
37	6	5	4	5	-	1	3	-	-	1	-	-	-	10	2	2	4	1	1	3	67
14	-	8	-	-	1	-	1	-	-	2	-	-	4	7	-	3	3	-	-	9	68
2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	3	-	-	-	-	69
31	1	8	-	4	3	-	3	-	-	-	-	1	-	10	1	3	8	3	-	10	70
4	-	2	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	-	2	71
4,672	1,916	2,163	295	378	171	532	1,164	155	217	212	79	90	375	1,493	1,900	789	1,187	225	303	2,014	72
1,935	770	904	152	161	93	197	394	78	70	113	36	35	158	694	948	296	467	80	177	941	73
2,737	1,146	1,259	143	217	78	335	770	77	147	99	43	55	217	799	952	493	720	145	126	1,073	74
59	10	15	1	9	3	-	18	-	1	3	2	1	4	27	10	14	11	1	4	29	75
46	21	16	6	1	1	6	16	1	5	2	-	2	1	5	1	6	10	1	1	14	76
14	4	8	2	1	-	2	2	1	-	-	-	1	-	5	5	1	2	-	-	5	77
14	3	2	1	-	-	1	4	-	1	2	-	-	-	4	7	3	1	1	2	6	78
62	31	15	5	5	3	8	17	3	5	2	-	3	5	12	10	14	14	4	3	29	79
45	20	12	5	1	3	2	14	-	5	-	1	-	7	12	8	11	12	2	3	15	80
28	9	21	1	5	1	8	25	3	-	2	2	2	8	29	22	5	10	-	6	21	81
20	9	3	-	1	2	-	2	-	-	-	-	-	-	2	4	1	-	2	-	4	82
36	18	27	17	2	1	11	11	2	1	1	-	-	2	6	10	5	9	2	2	12	83
54	11	16	3	11	2	9	9	1	1	-	1	3	5	14	13	7	17	3	1	22	84
11	-	12	1	1	-	1	3	-	-	-	-	-	1	6	7	2	5	1	-	3	85

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart * 410-443	Chronic rheumatic heart disease 410-416
	TENNESSEE—Continued																
1	Chester	113	1	-	-	-	10	3	-	7	-	52	51	18	-	25	-
2	Claiborne	178	17	-	-	3	21	8	3	10	5	61	60	17	-	40	4
3	Clay	87	6	-	-	2	3	-	-	3	1	36	34	5	-	28	1
4	Cocke	234	8	-	-	3	29	14	2	13	1	100	89	29	2	53	1
5	Coffee	232	6	-	-	4	37	10	4	23	3	96	94	30	-	59	3
6	Crockett	167	2	-	-	2	21	7	-	14	-	87	82	47	-	33	-
7	Cumberland	137	2	-	-	1	12	6	-	6	1	55	52	17	1	30	2
8	Davidson	3,201	86	20	1	17	423	143	44	236	37	1,518	1,468	427	7	940	30
9	Decatur	86	4	-	-	-	11	7	-	4	-	34	29	9	-	20	2
10	De Kalb	100	6	-	-	-	15	10	1	4	-	49	48	6	-	40	-
11	Dickson	177	7	1	-	-	17	7	-	10	1	96	95	34	-	55	1
12	Dyer	327	8	2	-	4	47	16	2	29	4	166	156	31	-	117	3
13	Fayette	230	5	2	-	7	14	5	1	8	5	85	84	34	-	43	2
14	Fentress	92	3	-	-	-	9	5	-	4	1	42	41	15	-	23	1
15	Franklin	243	12	-	1	3	23	7	3	13	-	125	124	40	-	79	1
16	Gibson	474	8	1	-	4	63	22	4	37	4	263	258	80	-	170	6
17	Giles	258	11	-	-	4	23	5	-	18	2	127	125	42	-	81	2
18	Grainger	118	4	-	-	1	11	2	1	8	3	64	59	17	1	38	-
19	Greene	347	16	1	-	4	36	17	2	17	2	166	160	43	-	114	2
20	Grundy	95	5	-	-	1	13	1	2	10	2	40	39	9	-	26	-
21	Hamblen	205	6	-	-	2	20	6	1	13	1	112	109	38	-	68	3
22	Hamilton	2,006	65	12	8	18	234	62	39	133	15	945	907	239	1	600	15
23	Hancock	58	3	-	-	-	4	3	-	1	-	25	24	5	-	17	-
24	Hardeman	215	6	3	-	2	27	7	1	19	-	105	103	33	-	63	9
25	Hardin	122	2	-	-	1	15	4	3	8	1	58	55	17	-	38	-
26	Hawkins	196	7	1	-	2	21	5	1	15	4	95	87	21	-	60	-
27	Haywood	275	11	-	-	1	20	5	-	15	3	110	103	22	-	76	4
28	Henderson	145	4	-	-	-	13	3	-	10	-	77	73	23	-	44	3
29	Henry	245	7	2	-	1	32	10	2	20	5	130	129	34	-	85	2
30	Hickman	114	3	-	-	2	20	5	2	13	-	53	52	20	1	29	2
31	Houston	49	4	-	-	-	9	4	-	5	1	20	20	7	-	12	5
32	Humphreys	113	3	-	-	-	20	5	4	11	1	56	56	8	-	46	-
33	Jackson	111	6	-	-	-	13	3	1	9	-	55	53	10	-	37	5
34	Jefferson	190	3	-	-	3	20	8	2	10	1	88	84	21	-	60	1
35	Johnson	114	1	-	-	-	12	4	1	7	1	51	49	12	-	35	2
36	Knox	1,880	54	7	8	16	238	74	26	138	17	915	876	185	-	613	14
37	Lake	105	4	1	-	3	12	2	4	6	-	43	43	6	-	34	1
38	Lauderdale	269	7	2	-	6	26	11	2	13	5	123	113	31	-	77	2
39	Lawrence	194	5	1	-	-	32	13	4	15	-	102	100	24	-	71	-
40	Lewis	45	3	-	-	-	6	1	-	5	-	22	19	4	-	14	-
41	Lincoln	285	6	-	-	2	29	14	3	12	2	158	148	36	-	105	2
42	Loudon	187	7	-	-	1	20	8	-	12	3	87	83	19	-	61	2
43	McMinn	295	11	1	1	2	37	11	4	22	4	163	156	50	-	102	1
44	McNairy	176	3	-	-	-	35	18	1	16	1	84	83	26	-	51	3
45	Macon	118	7	-	-	2	20	6	1	13	-	54	50	8	-	41	2
46	Madison	607	15	1	-	4	60	25	3	32	8	331	327	84	-	218	3
47	Marion	185	7	-	-	1	24	9	3	12	2	89	86	21	1	63	2
48	Marshall	171	6	1	-	1	23	10	-	13	4	95	90	21	-	68	2
49	Maury	422	15	-	-	2	60	14	4	42	6	218	212	56	-	146	2
50	Meigs	42	4	-	-	-	3	2	-	1	-	16	15	5	-	9	-
51	Monroe	196	8	-	-	2	22	5	2	15	-	88	83	20	2	57	3
52	Montgomery	342	13	1	-	3	35	11	1	23	9	156	147	42	1	96	9
53	Moore	42	3	1	-	-	8	1	-	7	-	20	18	3	-	15	-
54	Morgan	94	3	-	-	1	6	2	2	2	2	54	53	13	1	35	1
55	Obion	286	8	1	2	2	33	9	-	24	5	171	167	57	1	103	1
56	Overton	123	2	-	-	1	20	6	1	13	-	56	56	11	-	43	1
57	Perry	61	5	-	-	-	6	2	-	4	-	35	34	10	-	22	1
58	Pickett	50	1	-	-	-	11	5	-	6	-	20	20	3	-	16	1
59	Polk	108	3	-	-	-	11	2	-	9	-	46	44	16	-	26	2
60	Putnam	226	3	1	-	-	20	3	5	12	3	122	114	25	-	81	4
61	Rhea	150	12	-	-	1	17	5	2	10	2	69	63	18	1	39	-
62	Roane	273	10	1	1	2	39	19	4	16	2	147	141	38	-	94	4
63	Robertson	288	5	1	1	3	42	18	4	20	3	151	138	37	-	93	3
64	Rutherford	364	8	-	-	6	39	13	3	23	2	191	189	55	-	127	2
65	Scott	135	4	-	1	-	15	8	1	6	-	57	54	19	-	34	3
66	Sequatchie	44	-	-	-	2	5	3	1	1	1	19	19	4	-	14	2
67	Sevier	186	7	-	-	1	33	9	2	22	-	88	85	26	1	58	4
68	Shelby	4,814	120	36	1	23	619	211	60	348	59	2,148	2,086	559	8	1,378	55
69	Smith	122	8	-	-	-	17	6	2	9	1	71	69	23	-	44	1
70	Stewart	79	3	1	-	-	7	1	-	6	-	36	34	9	-	18	-
71	Sullivan	657	15	1	1	6	89	26	6	57	7	279	266	61	1	187	9
72	Sumner	276	9	1	-	4	33	9	3	21	1	143	141	42	-	87	4
73	Tipton	255	8	-	-	3	24	6	2	16	-	114	109	39	-	68	3
74	Trousdale	48	3	-	-	-	3	2	-	1	-	25	25	6	1	16	-
75	Unicoi	100	3	1	-	-	15	4	2	9	-	37	35	12	-	18	1
76	Union	60	-	-	-	-	8	3	1	4	-	30	28	9	-	14	1
77	Van Buren	25	1	-	-	-	2	2	-	-	1	8	7	1	-	6	-
78	Warren	191	8	-	-	2	20	9	-	11	2	95	91	18	1	67	1
79	Washington	521	18	-	-	2	72	28	7	37	5	270	259	72	1	177	8
80	Wayne	118	4	1	-	3	13	1	2	10	-	41	38	11	-	24	1
81	Weakley	287	3	1	1	2	29	10	1	18	1	183	169	41	-	124	3
82	White	164	4	1	-	1	12	2	1	9	-	71	69	14	-	49	1
83	Williamson	241	5	1	-	-	36	18	3	15	2	126	122	31	-	85	1
84	Wilson	253	10	-	-	1	37	17	4	16	3	127	126	32	-	85	-

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
11	6	8	2	5	1	1	2	1	1	1	-	-	1	4	5	1	26	-	-	8	1
20	4	12	1	2	-	1	10	-	5	-	-	1	5	1	10	6	8	2	2	21	2
10	13	4	-	-	1	2	11	-	-	1	-	1	1	6	7	2	5	2	-	3	3
20	17	15	-	5	-	11	13	1	-	3	2	2	5	16	19	6	8	2	1	15	4
38	11	7	2	3	-	2	17	-	6	3	2	3	4	9	7	9	6	2	2	16	5
16	6	11	-	1	1	5	9	1	6	1	-	-	2	9	3	3	4	4	1	12	6
21	6	1	1	2	1	3	3	2	1	-	-	-	4	8	20	9	7	1	2	9	7
531	153	226	25	46	23	50	95	21	17	29	13	8	41	168	178	89	114	19	45	262	8
10	3	5	-	-	-	5	7	-	2	-	-	1	-	2	12	1	6	1	-	5	9
7	10	23	-	1	1	1	6	1	-	-	-	-	-	6	3	3	1	2	1	7	10
27	13	14	1	4	1	1	9	-	2	-	-	-	2	5	8	4	10	4	-	11	11
59	41	14	3	2	3	10	10	1	1	5	-	-	4	14	9	9	23	3	-	17	12
15	6	20	-	6	1	1	13	-	1	-	-	1	3	7	47	9	18	1	5	7	13
11	1	10	-	1	2	1	1	-	1	-	1	-	5	6	7	5	2	1	-	8	14
56	9	13	1	4	-	1	15	2	1	2	1	-	5	10	6	3	16	3	2	13	15
80	52	32	5	3	-	5	13	-	6	1	5	-	7	26	14	7	17	2	4	29	16
36	20	23	1	1	-	2	11	2	-	3	-	2	1	10	14	7	20	2	2	17	17
15	8	15	1	1	1	5	10	-	-	-	-	-	-	4	11	4	2	-	-	4	18
54	33	25	-	3	-	6	20	1	4	3	-	-	6	15	21	12	16	1	3	20	19
16	5	5	-	4	-	1	1	-	1	1	1	-	2	5	6	4	4	-	1	8	20
37	16	12	-	1	2	3	12	1	-	-	2	1	3	9	6	8	10	-	2	10	21
365	100	120	20	31	16	38	103	5	12	21	6	9	14	91	106	43	91	11	46	151	22
8	5	4	-	2	-	1	4	-	-	-	-	1	-	-	15	2	3	-	-	1	23
21	13	20	3	4	-	2	9	-	3	1	-	2	4	9	12	2	12	-	4	14	24
27	3	8	-	-	-	3	7	1	2	1	-	-	1	4	4	9	3	1	1	11	25
34	10	16	-	4	2	8	13	-	1	1	-	1	3	13	14	1	6	2	-	11	26
22	42	8	-	2	3	7	18	-	1	3	1	4	2	16	53	8	4	2	2	16	27
23	9	9	3	3	-	4	9	1	1	-	-	-	2	7	9	5	14	-	-	3	28
47	18	18	4	6	-	1	9	3	2	1	1	1	2	12	9	3	11	5	-	9	29
15	4	8	1	-	1	1	3	-	2	1	-	-	2	3	6	5	2	2	2	8	30
2	1	4	-	-	1	-	1	1	-	-	1	-	1	1	2	1	2	1	-	4	31
21	22	3	1	-	1	-	5	-	3	-	-	1	1	7	-	4	1	-	2	9	32
19	4	9	4	2	-	2	14	-	-	3	-	-	1	4	2	-	4	1	-	8	33
31	10	18	1	2	-	4	11	3	-	1	-	1	1	8	7	11	13	1	-	18	34
14	8	11	-	2	-	2	5	-	-	2	-	-	1	4	22	5	3	1	-	6	35
300	108	191	25	40	13	39	53	17	11	21	3	1	20	113	106	45	69	14	21	131	36
21	8	4	1	1	1	-	5	-	-	-	-	1	4	13	5	1	4	-	-	9	37
33	24	18	-	3	2	10	10	-	3	-	-	2	5	22	15	6	11	3	5	18	38
37	8	26	2	2	1	2	4	-	1	-	1	-	3	9	7	9	7	-	-	13	39
5	3	6	1	-	-	3	2	-	1	2	-	1	-	2	-	2	2	1	-	1	40
36	23	44	4	3	-	10	15	1	4	-	1	-	1	20	17	4	11	3	2	9	41
29	17	13	2	1	-	4	10	-	2	1	-	-	2	8	10	13	9	-	1	13	42
46	27	28	3	-	1	7	15	-	3	2	2	-	8	6	9	8	12	1	-	10	43
33	4	11	2	4	-	1	9	1	-	1	-	-	-	3	16	7	5	2	-	9	44
10	18	11	-	1	-	4	5	1	-	-	-	-	1	8	3	1	2	2	-	12	45
106	69	40	11	11	3	4	14	3	4	5	1	1	6	19	50	16	17	7	7	38	46
41	17	3	-	1	-	3	8	1	5	-	-	1	4	5	6	9	14	-	-	9	47
49	12	5	1	-	-	5	4	1	1	-	2	-	1	4	1	6	11	1	1	8	48
73	23	48	2	7	1	6	18	1	2	3	-	2	4	17	10	9	21	4	7	23	49
3	2	4	-	-	1	1	1	-	1	-	1	-	2	5	5	2	2	-	-	-	50
31	13	10	1	3	-	5	11	-	5	2	-	-	2	11	17	5	9	-	1	13	51
47	9	31	-	6	2	9	8	5	7	1	1	-	5	25	16	16	14	2	6	19	52
10	4	1	-	-	-	2	2	-	-	-	-	-	-	3	2	-	-	1	-	2	53
15	5	14	1	2	1	1	6	-	1	1	-	1	-	4	4	3	3	1	-	4	54
63	18	21	3	1	2	4	6	1	3	1	1	-	-	9	1	9	5	3	1	24	55
13	16	13	1	-	1	-	7	-	-	-	1	2	2	9	8	-	3	-	-	12	56
12	7	2	1	-	1	1	1	-	1	-	-	1	-	7	-	1	-	1	-	3	57
11	2	2	1	-	-	-	4	1	1	1	-	-	1	2	3	-	2	-	1	2	58
8	7	9	-	2	-	2	8	3	2	1	-	-	2	8	6	3	6	2	1	6	59
27	24	26	1	5	2	8	11	2	1	-	1	-	2	6	18	6	8	2	1	19	60
15	3	21	3	2	-	6	5	-	2	-	-	1	2	4	5	6	10	-	3	11	61
52	16	22	3	5	1	6	9	1	3	1	-	1	4	14	11	4	6	1	2	14	62
62	6	22	3	4	1	13	9	2	2	3	-	1	1	11	8	11	14	3	1	16	63
79	17	29	1	4	2	2	16	2	2	3	1	1	3	25	9	12	15	5	1	23	64
15	6	10	1	-	-	3	2	-	-	1	2	2	2	7	16	4	5	-	2	15	65
5	4	3	1	-	-	-	1	-	-	-	-	-	1	1	1	4	4	-	1	4	66
23	18	13	-	-	-	3	8	-	1	2	-	1	1	9	11	7	4	-	3	10	67
618	368	337	76	30	35	62	108	32	24	37	12	13	74	283	538	91	168	31	58	339	68
16	10	17	-	1	1	2	-	1	-	1	-	-	2	2	9	-	3	1	-	6	69
4	3	11	4	-	3	2	3	-	1	-	-	-	1	3	11	1	6	-	-	6	70
119	28	31	1	9	7	13	34	3	5	5	3	2	7	51	12	19	42	9	8	59	71
50	20	13	4	4	4	2	12	2	2	3	-	-	1	8	11	17	11	1	3	14	72
36	15	14	1	1	-	5	12	2	1	-	-	1	2	22	33	2	10	2	3	16	73
8	8	-	-	2	-	-	2	-	-	-	-	-	-	1	3	1	-	2	1	7	74
15	2	-	-	5	-	2	6	1	2	1	1	1	-	7	8	3	3	-	-	11	75
6	-	7	3	2	-	2	1	2	-	2	1	-	-	3	4	3	-	1	3	2	76
5	-	1	-	-	-	1	2	-	1	-	-	-	-	-	7	-	2	1	-	-	77
36	11	19	1	3	1	4	5	-	-	1	-	-	4	7	25	5	5	-	-	12	78
108	24	37	1	8	-	11	19	4	5	6	1	-	13	22	11	11	17	7	1	37	79
14	4	5	1	2	-	3	13	-	1	-	-	-	1	4	19	8	2	1	2	5	80
73	30	18	-	2	2	14	14	1	-	1	-	-	2	6	13	3	5	3	-	19	81
24	12	12	4	1	1	2	8	2	2	-	-	-	7	8	10	8	8	3	1	18	82
51	4	29	2	4	-	4	11	1	2	2	1	1	2	7	8	9	6	4	1	16	83
51	21	13	-	6	3	1	7	2	1	1	-	-	1	9	11	10	11	4	2	16	84

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	TEXAS	64,958	1,339	326	240	747	8,728	2,793	1,018	4,917	869	29,463	28,457	6,598	52	19,936	472
2	Metropolitan counties	29,501	676	178	128	228	4,161	1,256	513	2,392	419	13,301	12,909	2,870	26	9,175	253
3	Nonmetropolitan counties	35,457	663	148	112	519	4,567	1,537	505	2,525	450	16,162	15,548	3,728	26	10,761	219
4	Anderson	299	-	-	1	4	36	15	5	16	1	165	155	31	-	117	5
5	Andrews	37	-	-	-	-	3	-	-	3	-	16	16	5	1	10	-
6	Angelina	260	5	4	-	5	35	13	6	16	6	133	129	30	2	90	2
7	Aransas	53	2	-	1	-	9	1	2	6	-	24	23	5	-	17	-
8	Archer	48	1	-	-	-	4	4	-	-	1	22	21	7	-	14	1
9	Armstrong	22	-	-	-	-	3	1	-	2	1	12	12	5	-	7	-
10	Atascosa	181	4	1	-	3	21	12	1	8	1	77	74	16	-	56	2
11	Austin	150	1	-	-	4	23	9	2	12	2	72	71	29	-	39	-
12	Bailey	45	-	1	-	-	7	2	1	4	-	11	11	1	-	8	-
13	Bandera	40	1	-	-	-	8	2	3	3	-	18	17	3	-	10	-
14	Bastrop	189	5	-	-	2	30	11	1	18	2	95	93	20	-	65	-
15	Baylor	63	-	1	-	-	10	5	1	4	-	35	35	9	-	26	1
16	Bee	165	6	1	2	3	22	6	5	11	1	67	66	24	1	38	1
17	Bell	557	6	2	-	3	81	20	11	50	8	265	257	54	-	186	6
18	Bexar	4,291	158	23	15	41	586	196	72	318	53	1,878	1,790	392	4	1,284	34
19	Blanco	37	-	-	-	-	7	3	1	3	1	16	15	1	-	13	-
20	Borden	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
21	Bosque	152	2	1	-	-	26	5	-	21	-	85	80	18	-	60	1
22	Bowie	560	11	2	3	3	80	27	8	45	7	266	261	81	-	159	4
23	Brazoria	361	9	2	6	5	60	20	7	33	2	133	123	34	-	78	-
24	Brazos	289	1	-	1	2	36	14	3	19	1	119	112	25	-	84	-
25	Brewster	53	1	-	-	2	2	2	-	-	-	17	17	5	-	12	1
26	Briscoe	36	-	-	-	1	5	3	-	2	-	17	17	1	-	14	-
27	Brooks	66	4	1	-	1	8	2	1	5	-	24	24	6	-	18	-
28	Brown	273	6	-	3	1	31	7	3	21	1	150	146	29	1	106	6
29	Burleson	130	3	1	-	3	21	12	1	8	-	64	56	21	-	32	2
30	Burnet	116	2	-	-	-	15	3	4	8	-	52	50	13	-	28	-
31	Caldwell	205	7	1	-	5	18	7	3	8	2	96	88	16	-	68	1
32	Calhoun	81	3	-	1	-	6	2	-	4	-	26	25	2	-	19	-
33	Callahan	78	2	-	-	1	17	12	-	5	2	39	38	7	-	21	2
34	Cameron	1,082	45	5	1	41	97	29	9	59	13	295	281	57	-	218	11
35	Camp	85	1	1	-	1	10	3	-	7	-	49	49	9	-	33	-
36	Carson	42	1	-	-	-	6	-	1	5	2	19	17	3	-	13	1
37	Cass	249	6	1	-	4	32	9	2	21	2	130	128	35	-	87	1
38	Castro	33	1	-	-	-	2	2	-	-	-	14	14	3	-	11	-
39	Chambers	63	-	-	-	1	11	2	3	6	1	31	29	8	-	20	-
40	Cherokee	354	3	3	-	3	43	9	9	25	4	190	183	50	-	125	4
41	Childress	83	1	-	-	1	10	5	1	4	1	35	33	8	-	23	-
42	Clay	77	2	-	1	1	12	3	2	7	-	41	38	14	-	21	1
43	Cochran	34	-	-	-	-	2	1	-	1	-	14	14	2	-	12	1
44	Coke	31	1	-	1	-	4	1	-	3	-	18	18	2	-	14	-
45	Coleman	138	2	1	-	1	23	7	1	15	1	67	67	14	-	53	1
46	Collin	439	5	1	1	2	71	19	8	44	8	231	227	54	-	161	2
47	Collingsworth	78	-	-	-	-	9	4	2	3	1	38	37	9	-	25	-
48	Colorado	201	2	1	2	2	25	10	2	13	2	97	96	25	-	62	-
49	Comal	147	3	-	1	2	23	11	5	7	-	77	74	9	-	62	1
50	Comanche	149	4	-	-	-	30	10	2	18	-	78	77	24	-	41	1
51	Concho	42	1	-	-	-	4	2	-	2	2	16	16	4	-	11	-
52	Cooke	190	2	-	-	2	23	7	3	13	2	111	107	31	-	70	4
53	Coryell	130	2	-	1	-	28	9	-	19	3	64	61	20	-	37	-
54	Cottle	61	2	1	-	1	10	3	3	4	1	22	21	5	1	14	-
55	Crane	23	1	1	1	1	2	1	1	-	1	1	1	-	-	1	-
56	Crockett	19	2	-	-	1	3	1	-	2	-	6	6	4	-	1	-
57	Crosby	87	2	-	-	1	11	4	3	4	-	39	38	8	-	26	2
58	Culberson	17	1	-	-	-	-	-	-	-	-	6	5	1	-	4	-
59	Dallam	52	-	-	-	1	5	2	-	3	-	24	24	4	-	18	1
60	Dallas	5,048	87	33	23	26	726	210	90	426	70	2,536	2,488	587	2	1,771	54
61	Dawson	142	3	1	2	3	12	4	-	8	2	52	52	9	-	40	2
62	Deaf Smith	66	1	-	-	-	9	2	1	6	-	25	25	7	-	17	1
63	Delta	81	2	-	-	-	8	4	1	3	2	38	37	6	-	28	-
64	Denton	354	3	1	1	5	56	20	-	36	4	182	178	37	-	128	6
65	De Witt	249	6	1	-	4	21	4	1	16	5	122	120	24	-	79	2
66	Dickens	54	2	-	-	1	7	1	2	4	1	23	23	7	-	15	1
67	Dimmit	93	4	-	1	2	15	4	-	11	1	20	17	4	-	13	-
68	Donley	75	2	-	-	1	11	6	-	5	1	37	35	11	-	21	-
69	Duval	96	5	-	-	3	15	6	2	7	3	38	35	6	-	23	-
70	Eastland	236	2	-	-	2	41	8	7	26	5	119	113	26	1	77	2
71	Ector	297	3	2	6	7	30	5	4	21	3	88	87	10	-	69	2
72	Edwards	29	1	-	-	-	1	1	-	-	-	19	19	3	-	16	-
73	Ellis	488	8	-	1	8	68	23	13	32	9	240	230	59	1	162	2
74	El Paso	1,499	59	11	11	11	190	62	27	101	24	532	509	109	7	349	29
75	Erath	174	3	1	-	-	30	7	5	18	4	86	83	26	-	51	-
76	Falls	275	8	2	-	6	28	9	3	16	-	137	121	36	-	78	1
77	Fannin	341	3	2	-	2	60	25	8	27	7	171	167	44	-	106	1
78	Fayette	245	2	1	1	1	31	7	2	22	9	123	116	38	-	66	1
79	Fisher	70	1	1	-	-	11	-	1	10	1	28	27	7	-	19	-
80	Floyd	80	-	-	-	3	6	4	-	2	-	38	37	19	-	16	2
81	Foard	38	-	-	-	-	2	2	-	-	-	21	21	8	-	13	-
82	Fort Bend	249	10	-	1	6	24	12	5	7	-	101	99	25	-	68	-
83	Franklin	51	1	-	1	-	6	3	-	3	1	29	29	10	-	13	-
84	Freestone	148	4	1	1	1	20	12	1	7	2	82	80	20	-	59	2
85	Frio	85	7	1	-	1	7	3	-	4	2	23	22	6	-	16	-
86	Gaines	60	1	1	-	-	5	1	1	3	1	25	25	4	-	18	-
87	Galveston	1,091	21	7	4	9	144	41	18	85	18	554	546	106	1	400	6
88	Garza	59	2	-	-	2	6	3	-	3	-	25	25	4	-	16	2

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
12,426	2,806	4,232	553	948	370	1,006	2,402	264	911	540	192	205	986	4,252	1,934	2,592	2,889	626	797	4,656	1
5,959	1,285	1,678	242	426	170	392	987	134	327	327	60	78	568	2,196	566	1,069	1,218	302	464	2,114	2
6,467	1,521	2,554	311	522	200	614	1,415	130	584	213	132	127	418	2,056	1,368	1,523	1,671	324	333	2,542	3
53	21	38	1	4	2	10	9	2	3	1	4	1	-	8	18	7	11	2	5	21	4
6	-	4	-	-	-	-	1	-	-	1	-	1	1	2	-	2	7	-	2	1	5
41	24	23	3	3	1	4	9	1	2	1	-	3	4	5	12	5	7	2	3	18	6
13	1	3	-	-	1	1	1	-	2	-	1	-	-	3	1	2	3	1	1	2	7
6	1	6	-	-	-	1	3	-	-	-	-	-	1	3	-	6	3	1	-	3	8
5	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	9
28	6	20	-	1	1	3	11	-	7	-	2	2	3	15	8	4	9	2	3	8	10
12	5	22	-	1	2	1	5	-	-	2	-	-	3	4	4	4	4	7	2	13	11
5	3	-	1	-	1	-	2	-	1	-	-	-	-	5	-	6	5	2	1	4	12
10	-	-	-	4	-	1	1	-	-	-	-	-	-	-	1	-	8	-	-	3	13
47	9	9	5	2	1	2	5	1	-	-	-	1	3	7	7	3	9	3	1	15	14
13	7	5	-	-	-	-	2	-	-	-	-	-	-	3	1	1	2	1	1	6	15
17	5	15	2	1	-	1	7	-	-	-	-	2	3	11	9	12	5	-	2	12	16
126	19	35	10	4	3	8	12	4	4	7	2	-	8	37	23	35	17	4	3	36	17
719	169	362	29	57	24	88	189	31	93	59	9	8	105	347	31	136	141	48	53	287	18
3	3	7	-	1	-	1	1	-	-	2	-	-	-	1	3	1	-	1	1	3	19
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	20
44	7	8	-	2	-	5	3	-	-	1	1	1	-	5	5	3	8	-	-	11	21
84	26	45	6	12	3	5	12	4	3	5	1	-	5	27	21	24	28	4	11	43	22
55	5	18	-	9	2	10	11	2	3	5	-	1	7	29	13	29	14	3	4	23	23
51	17	16	1	1	1	7	14	1	3	1	3	2	8	30	22	5	17	3	5	15	24
7	1	3	-	-	-	-	2	-	2	1	-	-	1	7	-	6	2	2	1	7	25
11	1	2	1	1	-	-	2	-	1	2	-	-	-	2	-	3	3	-	-	-	26
9	4	5	-	-	-	-	2	-	-	-	-	1	-	3	3	4	4	1	-	10	27
62	12	26	4	6	-	4	13	1	4	1	1	-	4	11	10	6	8	2	1	19	28
14	9	7	1	1	1	8	3	-	-	1	1	-	-	3	11	5	3	5	2	4	29
19	6	3	-	9	-	2	3	-	1	1	-	-	1	8	11	4	9	-	1	8	30
38	11	18	2	1	1	8	11	2	5	-	-	2	2	9	8	7	8	3	1	18	31
15	2	2	1	2	1	1	2	-	1	2	1	-	4	15	2	2	8	2	1	5	32
13	1	5	2	8	-	1	1	-	-	2	-	-	2	1	2	-	3	-	-	6	33
105	30	72	1	2	3	14	78	4	69	10	1	4	17	104	91	42	59	10	16	80	34
22	4	7	3	3	1	-	3	-	1	-	-	-	-	5	5	2	3	-	-	4	35
8	2	2	-	1	-	2	-	-	-	2	-	-	-	1	3	4	1	-	-	3	36
55	9	22	-	4	2	2	7	-	-	3	2	-	3	9	16	9	9	1	2	13	37
9	-	2	-	-	-	-	2	-	1	-	-	-	2	3	-	-	5	-	-	3	38
10	5	5	1	-	-	2	3	-	-	-	-	-	1	3	-	3	2	1	-	6	39
72	15	34	3	4	1	7	14	-	-	1	-	1	4	15	9	15	14	5	2	28	40
13	2	8	-	1	1	2	3	-	-	2	-	-	-	7	6	2	8	-	1	6	41
16	1	3	-	3	-	3	1	2	-	-	-	-	1	1	1	1	3	2	1	7	42
5	3	3	-	-	-	-	4	-	1	-	-	-	-	3	-	5	2	-	1	2	43
14	-	-	-	2	-	-	2	-	-	-	-	-	1	2	-	1	-	-	-	1	44
34	6	12	-	-	-	-	5	-	1	-	-	1	1	4	-	8	5	2	-	16	45
114	19	26	7	4	1	4	14	3	1	1	1	2	5	14	13	10	19	3	2	32	46
16	6	3	-	3	-	1	2	-	1	1	-	-	2	3	2	3	4	-	1	11	47
29	10	23	2	4	3	1	5	1	-	-	1	-	3	12	19	7	8	-	-	14	48
30	9	22	-	3	-	3	3	-	1	1	1	-	3	3	2	3	9	6	-	9	49
28	5	7	4	6	2	1	5	-	1	1	1	-	1	2	1	5	9	2	-	9	50
6	1	4	-	1	-	-	-	-	1	-	-	-	2	1	2	8	2	-	2	1	51
52	5	9	-	3	3	4	7	-	-	1	-	1	2	5	5	4	14	1	-	10	52
26	2	9	-	2	2	3	2	-	-	2	-	-	-	6	6	4	2	-	1	9	53
11	1	2	-	1	-	1	-	-	-	2	-	-	-	5	1	2	3	1	3	7	54
1	-	-	-	-	-	-	3	1	-	-	-	-	-	-	2	7	-	-	-	2	55
-	-	1	-	1	-	-	1	-	-	-	-	-	1	2	1	1	1	-	-	-	56
13	3	8	-	3	1	1	4	-	2	-	-	-	2	8	2	6	2	1	1	6	57
1	1	2	-	-	-	1	1	-	-	-	-	1	-	1	2	2	1	-	-	2	58
13	2	2	-	2	-	-	1	-	-	2	-	-	-	2	2	3	4	-	1	7	59
1,317	240	160	39	49	40	48	115	14	36	59	13	11	75	300	75	165	203	40	85	356	60
28	3	7	1	1	1	-	6	1	7	-	-	-	3	14	3	7	6	1	5	14	61
12	3	1	1	-	-	-	1	1	2	-	-	-	2	8	2	3	3	2	-	7	62
22	1	5	-	3	-	1	2	-	2	3	-	1	2	4	1	4	3	-	-	9	63
95	13	14	3	9	1	4	8	2	-	4	2	-	2	13	5	16	17	5	1	27	64
28	24	25	3	10	4	2	16	3	4	2	-	1	4	13	8	5	8	5	2	19	65
11	-	3	1	-	-	-	2	1	1	-	-	-	-	3	2	2	7	-	-	2	66
12	1	-	-	-	-	3	4	1	10	2	-	1	-	16	3	4	-	-	1	8	67
10	5	6	-	2	1	2	-	-	-	-	-	-	-	3	-	7	4	1	1	7	68
14	-	9	1	5	-	3	4	-	2	-	-	-	1	9	4	3	2	2	1	4	69
54	5	16	3	4	2	6	8	-	1	-	2	-	2	2	11	15	15	1	-	10	70
61	3	3	1	1	6	1	3	2	6	2	1	-	8	32	8	38	27	5	7	19	71
12	-	4	-	-	-	-	2	-	1	-	-	-	1	1	1	-	1	-	1	-	72
86	32	42	1	4	3	10	15	3	8	2	2	1	2	19	14	13	26	2	6	41	73
213	44	63	9	27	8	23	65	5	38	22	2	5	36	164	27	72	59	12	12	142	74
34	3	14	3	3	-	3	2	1	-	-	2	-	-	1	3	14	10	5	2	10	75
55	3	19	2	2	3	16	13	-	4	1	2	1	1	7	19	11	11	-	4	20	76
65	14	26	9	4	4	4	14	1	1	2	2	1	5	6	5	7	12	4	2	34	77
31	11	23	5	6	1	7	10	1	2	1	2	-	2	5	10	5	10	3	-	26	78
14	1	4	-	1	-	1	1	-	4	-	-	-	-	6	5	1	2	-	-	9	79
10	3	1	-	1	1	1	4	-	2	-	-	-	2	6	2	9	2	-	-	6	80
12	1	-	-	-	-	-	3	1	-	1	-	-	-	2	-	3	2	-	-	3	81
26	23	19	3	2	1	2	14	-	8	1	2	-	6	17	18	7	13	1	3	17	82
10	1	2	3	1	2	-	2	-	-	-	-	-	-	2	1	2	4	-	-	2	83
18	13	26	1	-	-	2	3	-	-	2	1	1	-	3	5	6	6	-	1	9	84
12	1	3	-	-	-	1	3	-	5	2	-	2	1	9	8	1	1	1	1	10	85
15	-	3	1	1	1	-	2	-	-	-	-	-	1	7	-	5	4	1	-	7	86
289	66	39	8	23	8	8	48	10	4	13	1	1	17	70	22	29	33	8	13	66	87
12	-	2	-	4	1	-	6	-	2	-	-	-	-	4	1	2	5	-	-	4	88

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Gillespie	117	2	-	-	-	13	4	-	9	3	57	54	7	-	45	-
2	Glasscock	7	-	-	-	-	2	1	1	-	-	1	1	-	-	1	1
3	Goliad	57	3	-	-	-	6	3	-	3	3	25	25	12	-	12	-
4	Gonzales	214	7	1	2	1	33	9	5	19	2	99	93	23	-	63	-
5	Gray	171	-	-	2	-	23	8	2	13	4	83	80	14	-	63	2
6	Grayson	726	4	4	3	4	101	35	14	52	10	407	399	95	1	281	5
7	Gregg	457	5	3	1	5	61	21	8	32	6	217	210	53	1	137	4
8	Grimes	189	1	-	-	-	15	8	-	7	1	115	108	26	-	76	-
9	Guadalupe	241	9	-	2	3	32	15	1	16	4	95	85	16	1	62	-
10	Hale	217	3	2	1	6	27	9	2	16	3	92	88	14	-	69	2
11	Hall	80	1	-	-	1	16	7	1	8	-	30	28	6	-	21	1
12	Hamilton	118	-	-	-	-	16	6	-	10	2	66	64	20	-	35	-
13	Hansford	22	-	-	-	-	2	1	-	1	-	10	7	1	-	6	-
14	Hardeman	88	-	1	-	-	11	2	2	7	-	47	47	13	-	33	-
15	Hardin	148	1	-	-	2	27	10	3	14	1	68	64	20	-	37	1
16	Harris	6,517	138	38	33	47	961	289	112	560	90	2,973	2,897	627	2	2,079	57
17	Harrison	452	11	3	1	3	56	18	9	29	8	228	207	76	-	118	1
18	Hartley	15	-	-	-	-	3	1	-	2	-	7	7	-	-	7	-
19	Haskell	97	2	1	-	1	19	6	1	12	-	41	41	9	-	28	-
20	Hays	171	3	1	-	1	19	7	3	9	4	75	70	21	-	40	1
21	Hemphill	20	-	1	-	-	-	-	-	-	-	13	13	4	-	8	-
22	Henderson	224	3	3	-	1	33	13	3	17	5	113	100	18	-	78	2
23	Hidalgo	1,299	62	8	10	89	109	42	9	58	15	338	322	62	-	245	5
24	Hill	319	3	1	1	1	39	7	7	25	4	187	183	36	1	135	-
25	Hockley	138	3	1	1	4	11	6	-	5	1	41	41	7	-	31	-
26	Hood	65	1	-	-	-	11	5	2	4	1	39	38	12	-	24	1
27	Hopkins	200	2	-	1	1	24	10	4	10	-	108	107	27	-	75	2
28	Houston	221	2	-	-	3	29	11	3	15	3	120	118	28	-	78	1
29	Howard	219	5	2	-	3	24	6	4	14	1	94	94	21	-	66	3
30	Hudspeth	25	-	-	-	1	2	-	-	2	-	6	6	1	-	3	-
31	Hunt	424	5	-	-	6	63	27	4	32	6	240	234	44	-	169	1
32	Hutchinson	171	1	2	-	-	19	3	2	14	-	69	69	15	1	51	1
33	Irion	8	-	-	-	-	3	2	-	1	-	4	4	-	-	4	-
34	Jack	58	-	1	-	-	8	3	1	4	-	33	32	9	-	20	-
35	Jackson	116	-	-	1	2	15	5	3	7	2	53	51	11	-	39	1
36	Jasper	187	4	-	-	1	26	8	2	16	5	89	88	22	-	59	3
37	Jeff Davis	11	1	-	-	-	2	1	-	1	-	2	2	1	-	1	-
38	Jefferson	1,509	21	14	5	12	264	96	41	127	27	660	626	113	-	465	8
39	Jim Hogg	28	-	1	-	-	4	-	1	3	1	12	12	1	-	10	1
40	Jim Wells	217	7	2	4	10	30	9	10	11	-	65	63	13	1	47	4
41	Johnson	333	4	-	1	2	50	14	3	33	5	165	162	39	-	117	4
42	Jones	191	5	2	-	2	27	7	2	18	3	87	85	16	-	63	1
43	Karnes	147	4	1	-	2	17	8	1	8	3	60	56	17	-	38	-
44	Kaufman	314	5	3	2	3	47	10	4	33	3	155	150	37	-	106	-
45	Kendall	59	1	-	-	1	9	2	2	5	-	28	27	2	-	22	-
46	Kenedy	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
47	Kent	16	-	-	-	-	2	-	-	2	-	6	5	-	-	5	-
48	Kerr	128	8	1	1	-	18	6	2	10	1	57	57	9	-	45	-
49	Kimble	38	-	-	-	1	6	1	2	3	-	22	21	4	-	16	-
50	King	3	-	-	-	-	-	-	-	-	-	3	3	1	-	2	-
51	Kinney	31	-	-	-	-	4	-	-	4	1	16	15	2	-	13	-
52	Kleberg	179	11	1	-	-	17	6	2	9	1	69	66	17	-	41	1
53	Knox	80	1	-	-	-	11	6	-	5	1	41	40	17	-	22	2
54	Lamar	439	-	1	-	3	48	17	10	21	4	248	232	79	1	143	3
55	Lamb	118	1	-	-	4	14	7	2	5	3	57	51	9	-	40	-
56	Lampasas	94	1	-	2	2	16	4	-	12	-	40	40	12	-	26	-
57	La Salle	58	1	-	-	2	10	6	3	1	-	20	19	3	-	16	-
58	Lavaca	246	3	-	4	4	30	11	2	17	3	131	119	16	-	90	-
59	Lee	104	1	-	-	2	17	10	2	5	2	43	39	11	-	26	-
60	Leon	124	3	-	-	2	12	4	1	7	3	64	60	17	-	41	1
61	Liberty	264	8	2	1	3	35	10	6	19	5	116	112	22	-	79	1
62	Limestone	265	5	-	1	-	32	9	7	16	4	152	148	36	-	99	-
63	Lipscomb	35	-	-	-	-	6	1	-	5	1	13	11	1	-	9	-
64	Live Oak	82	3	-	-	-	8	4	-	4	-	37	35	5	-	30	-
65	Llano	61	-	-	-	-	7	1	1	5	2	36	34	11	-	22	-
66	Loving	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
67	Lubbock	707	12	2	2	2	92	32	4	56	8	249	239	53	3	158	4
68	Lynn	79	-	-	-	4	7	2	1	4	-	27	26	6	-	20	-
69	McCulloch	119	1	1	-	-	18	6	1	11	2	55	55	7	-	48	-
70	McLennan	1,188	25	11	4	9	159	44	18	97	15	550	533	162	-	340	7
71	McMullen	7	-	-	-	-	2	-	1	1	-	2	2	-	-	1	-
72	Madison	91	3	1	-	-	12	5	1	6	1	45	45	13	-	31	-
73	Marion	131	3	-	-	2	10	4	1	5	3	74	71	20	-	45	-
74	Martin	36	-	-	1	-	5	1	1	3	-	9	9	-	-	9	1
75	Mason	37	2	-	-	1	5	2	-	3	-	17	15	-	-	13	-
76	Matagorda	200	3	-	-	5	26	9	6	11	3	100	99	16	-	75	1
77	Maverick	96	7	-	1	1	13	4	1	8	1	22	22	5	-	11	1
78	Medina	157	4	-	-	7	14	3	3	8	1	56	53	14	-	36	-
79	Menard	39	-	1	-	-	9	4	2	3	-	18	18	2	-	12	-
80	Midland	222	6	-	1	4	21	9	4	8	1	62	55	10	-	38	1
81	Milam	285	5	1	2	7	37	14	2	21	8	127	123	38	-	79	1
82	Mills	51	1	-	-	-	7	2	1	4	-	34	32	8	-	21	-
83	Mitchell	107	2	-	1	1	13	2	3	8	3	37	37	6	-	25	-
84	Montague	139	-	-	-	1	19	2	-	17	2	76	74	24	-	49	-
85	Montgomery	276	1	-	1	3	33	15	6	12	4	125	120	38	-	71	-
86	Moore	63	-	-	1	-	9	2	1	6	2	22	22	6	-	14	1
87	Morris	88	-	1	-	-	10	4	2	4	1	47	44	17	-	26	2
88	Motley	30	1	-	1	-	5	2	1	2	1	13	12	2	-	9	1

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
27	5	13	1	-	1	3	4	-	1	1	-	-	-	7	6	8	3	1	-	11	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	2
9	-	3	-	-	1	-	1	-	-	-	-	-	1	4	3	-	2	2	-	7	3
42	9	12	3	2	2	6	7	-	2	3	1	2	6	10	10	4	10	-	2	12	4
43	6	12	1	1	1	3	3	-	2	1	1	-	2	14	5	9	12	3	-	7	5
180	21	75	4	13	5	8	19	5	5	1	3	1	5	8	30	29	27	4	2	54	6
82	18	33	4	10	5	7	15	3	1	2	3	1	8	24	8	23	26	3	7	35	7
29	10	37	1	3	2	7	6	-	2	2	1	1	2	14	3	5	7	-	-	14	8
38	7	17	3	3	-	10	10	-	8	4	3	3	2	13	12	12	9	3	1	16	9
57	6	4	2	2	1	4	8	-	7	-	2	-	5	11	6	14	10	2	2	16	10
12	4	4	-	1	-	2	-	-	4	1	-	-	-	8	3	2	6	2	1	5	11
19	3	13	2	5	2	2	4	-	-	-	-	1	-	3	4	3	5	1	-	13	12
5	1	-	-	-	-	3	-	-	-	-	-	-	2	2	-	-	2	-	-	4	13
26	-	7	-	1	-	-	5	-	1	-	1	-	-	6	2	4	4	-	1	5	14
18	10	8	4	2	1	4	10	-	-	-	1	-	1	4	6	10	8	-	2	7	15
1,204	327	491	56	96	37	76	181	23	36	78	15	23	123	483	115	228	260	88	162	422	16
64	18	35	6	4	3	21	25	4	2	6	1	3	1	17	16	13	19	3	3	29	17
5	-	2	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	18
22	3	3	1	3	-	-	7	-	3	-	-	-	-	5	3	6	1	-	-	8	19
26	4	9	3	5	1	5	7	-	3	1	1	1	2	14	7	7	8	2	-	15	20
5	-	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	3	21
46	5	25	2	-	2	13	9	1	2	2	-	-	2	7	5	8	11	4	2	13	22
124	27	89	4	8	3	16	82	2	102	5	3	10	23	152	58	56	65	8	12	90	23
71	22	42	-	6	5	4	7	2	4	1	-	1	4	9	9	4	17	2	3	20	24
22	4	5	-	2	1	-	1	-	5	-	-	2	4	23	5	12	7	1	2	14	25
14	3	6	-	2	-	1	2	1	-	1	-	-	3	-	-	2	2	-	-	2	26
43	9	21	1	2	2	1	10	-	1	-	-	-	2	10	5	5	12	3	2	14	27
44	9	24	3	7	2	2	7	1	2	1	1	1	-	6	13	4	14	1	2	11	28
47	4	12	-	4	3	-	6	1	4	-	1	2	5	21	6	12	13	3	3	13	29
3	-	-	1	-	1	-	1	-	1	-	-	-	-	4	1	3	3	-	2	1	30
107	28	33	6	14	1	6	10	1	4	1	1	2	2	13	13	16	15	3	2	21	31
30	5	15	1	1	-	-	8	-	-	-	-	-	1	24	4	17	8	2	-	16	32
3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	33
7	5	8	2	1	-	1	1	1	-	1	-	-	-	1	2	2	4	2	-	2	34
28	2	8	-	1	-	2	1	1	2	1	1	1	3	6	3	7	6	2	2	7	35
41	3	12	2	3	2	1	2	-	1	1	-	1	2	14	8	8	9	2	2	12	36
1	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	-	1	-	-	-	37
305	66	86	23	24	1	34	58	3	6	14	6	-	23	94	16	47	85	22	11	121	38
7	2	-	1	-	-	-	-	-	-	-	-	-	-	2	5	-	1	-	-	2	39
29	2	12	-	-	2	2	7	1	7	2	-	2	-	23	11	6	11	5	4	20	40
75	16	22	2	-	4	3	11	-	2	4	1	1	7	9	12	9	8	5	5	32	41
47	4	11	1	3	2	2	4	1	2	1	1	-	2	16	11	6	6	2	3	10	42
15	5	18	1	-	-	4	7	1	6	2	1	3	5	8	10	3	4	2	1	7	43
70	23	13	4	1	2	5	17	-	4	1	-	-	2	17	8	6	16	4	2	19	44
17	3	2	-	3	-	1	2	1	1	2	-	-	-	3	2	2	1	-	-	6	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	46
4	-	1	-	-	-	1	1	-	-	1	-	-	-	1	1	-	1	1	-	2	47
32	5	8	1	2	-	-	5	-	1	2	1	-	4	3	3	6	4	5	-	8	48
7	6	3	-	1	-	1	-	-	-	-	-	-	-	1	2	-	4	-	-	2	49
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
9	2	2	-	-	-	1	3	-	1	1	-	-	1	-	2	1	-	-	-	1	51
17	9	14	-	6	2	3	8	1	7	3	-	-	2	14	9	11	10	4	2	9	52
14	1	5	1	-	-	1	2	-	2	-	-	2	-	5	1	4	4	-	-	6	53
89	34	17	1	6	2	16	29	-	-	-	1	1	2	17	11	13	15	1	5	40	54
34	4	2	1	1	-	6	1	1	2	-	-	1	3	8	1	2	5	1	2	12	55
14	7	5	-	2	-	-	3	1	-	-	1	1	2	7	3	4	2	1	2	6	56
8	2	6	-	-	-	1	3	-	1	-	-	-	-	8	4	3	1	-	-	5	57
46	29	15	10	2	1	12	16	-	2	3	1	-	-	9	7	3	7	2	-	21	58
13	6	7	-	1	1	4	5	-	-	1	-	-	-	5	9	2	4	1	-	12	59
16	15	9	1	-	1	4	6	-	2	-	3	-	-	2	10	3	6	1	3	4	60
43	17	18	6	3	2	4	14	1	1	1	-	-	-	20	16	14	10	2	2	13	61
59	20	20	6	5	2	4	11	-	2	1	3	1	2	9	3	8	14	1	3	13	62
9	-	-	1	-	-	2	2	-	-	2	-	-	-	1	1	-	4	1	-	4	63
15	2	13	-	-	-	2	2	2	2	-	1	1	1	7	4	3	3	1	2	5	64
12	6	4	1	-	-	2	1	-	-	1	-	-	-	-	4	2	1	2	2	3	65
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
112	19	23	8	10	7	10	35	3	36	2	-	4	13	78	17	51	34	12	9	46	67
14	3	3	-	-	-	1	3	1	2	-	-	-	-	11	4	5	4	-	1	10	68
32	8	8	-	-	-	-	5	-	-	-	-	-	1	5	5	5	5	3	-	13	69
202	61	70	12	14	5	17	47	3	2	8	-	4	11	63	79	53	46	6	12	81	70
-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	71
15	7	9	1	-	-	-	3	-	4	1	1	-	1	1	3	4	1	-	4	6	72
25	5	15	2	3	1	3	8	-	-	1	1	-	1	10	2	3	6	-	1	6	73
6	2	-	-	-	-	-	1	-	1	-	-	-	1	3	2	6	3	-	1	3	74
7	-	6	1	-	1	2	1	1	2	1	-	-	-	-	1	1	3	-	-	2	75
46	11	17	2	6	-	1	5	-	2	-	-	2	4	14	5	4	9	3	1	14	76
7	2	1	-	6	-	-	7	1	5	-	1	-	4	6	1	10	4	-	1	11	77
14	8	14	-	1	2	3	13	1	3	1	1	-	3	12	7	6	10	4	-	14	78
11	-	1	-	4	-	-	1	-	-	-	-	-	1	1	1	-	2	2	-	3	79
28	5	4	1	4	2	7	9	-	5	-	-	-	9	41	5	16	16	3	5	18	80
42	15	21	3	2	1	4	15	-	3	1	-	1	-	8	13	11	17	3	1	25	81
17	3	1	1	2	-	2	-	-	-	1	-	-	-	1	1	1	4	-	-	1	82
14	2	9	-	4	2	-	4	1	3	-	1	1	1	10	5	7	5	1	1	10	83
30	8	11	-	-	1	2	4	-	-	2	-	1	-	4	2	11	9	-	1	7	84
33	9	29	5	6	-	5	12	5	4	2	2	2	4	14	19	10	11	1	6	17	85
8	4	1	-	2	-	-	1	-	-	-	1	-	-	9	-	11	4	-	-	3	86
21	3	-	-	-	1	3	3	-	-	-	-	-	-	4	2	5	4	1	2	8	87
7	-	1	-	1	-	1	1	-	1	-	-	-	-	2	-	-	1	-	-	4	88

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Nacogdoches	242	5	1	-	4	41	9	6	26	2	128	122	34	1	80	1
2	Navarro	452	5	3	2	6	66	16	6	44	5	242	239	70	-	156	8
3	Newton	84	-	-	-	1	14	8	2	4	1	37	34	13	-	17	1
4	Nolan	152	1	-	-	1	15	3	1	11	2	72	72	12	-	52	1
5	Nueces	1,177	33	6	5	20	158	44	28	86	15	422	410	78	1	303	9
6	Ochiltree	37	-	-	-	-	7	2	-	5	-	19	19	6	-	13	-
7	Oldham	8	-	-	-	-	1	1	-	-	-	4	4	3	-	1	-
8	Orange	239	4	-	-	2	40	8	5	27	3	113	113	20	-	82	1
9	Palo Pinto	215	1	-	-	3	30	13	4	13	5	109	105	23	-	75	3
10	Panola	138	1	-	-	-	28	9	3	16	2	68	65	13	-	46	-
11	Parker	189	1	-	1	-	24	11	-	13	4	107	104	24	-	75	1
12	Parmer	26	-	-	-	1	2	-	-	2	-	16	16	2	-	13	-
13	Pecos	65	4	-	1	2	8	1	1	6	-	22	22	5	-	17	2
14	Polk	167	1	1	-	1	17	7	2	8	3	89	80	15	-	60	2
15	Potter	592	5	3	6	5	81	31	8	42	14	244	234	45	-	174	5
16	Presidio	56	2	1	-	-	8	5	-	3	-	17	16	2	-	14	-
17	Rains	20	-	-	-	-	1	-	-	1	-	11	10	2	-	8	-
18	Randall	72	-	-	1	1	10	3	1	6	1	34	34	10	-	24	1
19	Reagan	27	-	-	-	-	2	1	-	1	-	11	11	6	-	5	-
20	Real	16	-	-	-	-	1	1	-	-	-	6	6	2	-	4	-
21	Red River	213	-	1	-	1	28	13	-	15	-	123	118	24	-	90	3
22	Reeves	137	1	1	-	10	8	4	1	3	3	29	26	4	-	21	-
23	Refugio	53	2	-	-	-	3	1	1	1	1	23	22	6	-	15	-
24	Roberts	9	-	-	-	-	-	-	-	-	-	6	5	1	-	4	-
25	Robertson	225	6	-	-	1	27	9	2	16	3	103	97	19	-	75	-
26	Rockwall	71	1	-	-	-	16	3	1	12	1	22	22	9	-	12	2
27	Runnels	144	1	2	-	2	17	3	2	12	-	61	57	16	-	37	1
28	Rusk	310	6	-	-	2	36	9	7	20	6	148	142	24	1	111	1
29	Sabine	58	1	-	-	1	11	4	1	6	-	30	30	7	-	22	-
30	San Augustine	71	-	2	-	1	9	3	-	6	-	42	40	15	-	20	-
31	San Jacinto	56	1	-	-	-	3	2	-	1	2	27	26	6	-	18	-
32	San Patricio	341	10	3	2	15	27	10	1	16	5	105	100	23	1	66	2
33	San Saba	85	-	1	-	-	14	2	4	8	-	40	37	6	-	29	1
34	Schleicher	9	-	-	-	-	2	-	-	2	-	2	2	1	-	1	-
35	Scurry	134	-	1	-	-	18	7	1	10	1	43	41	6	-	31	-
36	Shackelford	40	-	-	-	1	13	3	2	8	-	18	18	2	-	14	-
37	Shelby	212	6	2	-	2	17	3	3	11	4	119	117	25	-	82	-
38	Sherman	15	1	-	-	-	2	-	1	1	-	8	8	2	-	6	-
39	Smith	628	11	2	-	5	81	23	7	51	12	313	299	79	1	205	5
40	Somervell	31	-	-	-	-	3	1	1	1	-	24	24	4	-	19	2
41	Starr	89	1	1	1	1	10	5	1	4	1	31	31	6	-	22	1
42	Stephens	105	1	-	-	-	30	8	3	19	-	40	37	10	1	23	-
43	Sterling	9	-	-	-	-	1	-	-	1	-	4	4	2	-	2	-
44	Stonewall	21	-	-	1	-	3	-	1	2	-	9	9	-	-	9	1
45	Sutton	31	2	-	-	-	5	2	1	2	1	9	9	3	-	6	-
46	Swisher	65	1	1	1	1	10	3	-	7	2	27	27	6	-	20	-
47	Tarrant	3,108	45	15	9	22	442	120	47	275	46	1,492	1,451	330	3	1,029	20
48	Taylor	445	1	2	1	1	69	27	7	35	8	204	198	39	-	148	1
49	Terrell	33	1	-	-	-	2	-	1	1	1	13	13	2	-	11	-
50	Terry	91	2	-	-	2	14	5	1	8	-	22	21	1	-	19	-
51	Throckmorton	22	-	-	-	-	1	1	-	-	1	13	13	4	-	6	-
52	Titus	137	-	-	-	3	24	8	2	14	1	71	67	18	-	45	-
53	Tom Green	463	14	3	-	6	63	11	8	44	8	192	188	45	-	123	4
54	Travis	1,070	30	4	9	6	149	47	17	85	19	500	487	118	1	321	10
55	Trinity	70	1	1	-	1	13	6	-	7	-	29	28	6	-	18	-
56	Tyler	114	1	3	-	1	16	8	1	7	4	54	53	7	1	43	1
57	Upshur	201	4	2	1	3	29	13	3	13	1	102	98	20	1	74	1
58	Upton	25	-	-	-	-	3	2	-	1	-	12	12	3	-	9	-
59	Uvalde	156	3	-	2	3	17	6	1	10	2	50	50	8	-	40	-
60	Val Verde	155	5	-	-	3	14	5	1	8	3	54	53	15	-	34	-
61	Van Zandt	202	3	1	1	1	36	14	2	20	3	99	94	22	-	61	1
62	Victoria	305	10	3	1	2	30	8	6	16	6	128	124	31	-	80	2
63	Walker	148	-	-	-	2	17	8	-	9	1	67	65	21	2	36	-
64	Waller	99	1	-	-	2	13	5	-	8	2	55	53	18	-	28	-
65	Ward	89	1	-	-	1	11	3	-	8	-	32	30	5	-	24	2
66	Washington	224	4	4	-	-	33	13	2	18	4	102	99	25	-	71	-
67	Webb	492	18	7	-	8	54	16	7	31	2	158	155	31	1	113	2
68	Wharton	290	7	2	1	5	37	14	4	19	7	135	129	36	1	77	-
69	Wheeler	76	-	-	-	1	12	4	2	6	1	43	42	12	-	24	6
70	Wichita	677	10	1	1	4	82	14	15	53	9	327	322	64	1	242	3
71	Wilbarger	150	1	2	-	1	22	8	3	11	1	70	66	19	-	45	1
72	Willacy	152	6	-	-	17	8	4	2	2	1	32	29	5	-	23	-
73	Williamson	373	3	1	-	4	34	11	3	20	5	186	174	49	-	115	1
74	Wilson	102	4	-	1	4	14	6	2	6	1	39	38	9	-	25	-
75	Winkler	46	-	1	-	-	5	2	-	3	-	17	17	3	-	11	-
76	Wise	164	2	-	-	1	24	7	2	15	-	77	77	18	-	52	-
77	Wood	210	5	-	-	1	33	7	4	22	3	124	119	18	-	85	1
78	Yoakum	29	-	-	-	-	3	1	-	2	1	11	10	2	-	8	3
79	Young	158	5	-	1	-	23	9	4	10	2	74	73	17	-	52	-
80	Zapata	10	1	-	-	-	1	-	1	-	-	1	1	1	-	-	-
81	Zavala	92	4	1	1	5	7	3	-	4	3	24	23	6	1	12	2

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
47	13	19	1	4	2	6	9	2	1	2	-	3	2	5	4	6	9	2	4	12	1
88	29	31	3	6	4	3	13	1	4	3	2	2	4	9	12	17	15	4	3	34	2
10	3	3	1	-	3	3	5	-	-	-	1	1	-	1	6	3	9	-	-	5	3
38	6	7	2	6	-	-	2	1	2	-	1	-	3	7	13	9	7	1	1	14	4
218	33	43	9	14	5	12	50	6	26	14	-	2	38	116	24	72	59	12	14	85	5
12	-	1	-	-	-	-	2	-	1	-	-	-	-	2	-	2	2	2	-	-	6
1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	7
43	12	26	6	3	2	-	10	-	-	-	1	1	1	20	4	7	13	1	3	16	8
51	6	15	1	5	1	4	9	-	2	3	-	1	2	8	5	8	9	1	4	15	9
33	5	8	2	2	2	3	7	-	-	1	1	1	-	2	2	8	5	1	3	8	10
51	5	18	-	4	1	3	2	2	2	1	-	-	1	5	8	11	7	-	1	12	11
12	-	1	-	1	-	-	1	-	-	-	-	-	-	2	-	-	2	-	-	2	12
11	1	3	-	-	-	-	1	1	-	2	-	1	-	3	2	4	5	2	3	4	13
18	9	31	4	1	-	9	9	-	2	-	1	-	2	5	5	10	10	2	3	6	14
119	13	37	2	9	4	10	19	2	4	5	3	3	17	50	12	39	22	5	8	45	15
10	1	3	-	-	-	1	3	-	-	2	-	-	-	3	5	5	4	-	1	5	16
3	2	3	-	-	-	1	1	-	-	-	-	-	-	-	2	2	-	1	-	2	17
11	6	6	-	-	-	-	2	1	-	-	-	-	2	3	2	5	3	-	-	7	18
3	1	1	-	-	-	-	1	-	-	-	1	-	-	1	-	7	-	1	1	2	19
3	1	-	-	-	-	-	1	-	1	-	-	-	1	1	1	1	1	-	-	2	20
50	30	7	2	1	1	5	11	-	1	1	3	-	-	9	3	5	8	2	-	17	21
14	4	3	1	-	-	3	12	1	10	-	1	-	-	10	4	19	9	4	3	12	22
11	2	2	-	1	-	1	1	1	1	-	-	-	1	6	2	1	2	3	-	6	23
4	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	24
36	12	27	1	2	-	6	8	2	1	-	7	-	1	11	20	6	12	-	3	14	25
9	-	1	-	-	1	-	4	-	-	1	-	2	1	3	1	3	7	-	1	8	26
26	5	5	1	3	-	4	14	-	1	-	-	2	7	12	4	6	9	-	-	6	27
52	28	30	4	2	-	6	11	1	3	1	2	-	2	17	17	13	14	1	2	28	28
13	5	4	-	-	1	-	3	-	-	-	-	-	-	3	1	3	1	-	-	4	29
11	6	3	-	4	1	2	1	1	-	-	-	2	1	1	1	3	4	1	-	2	30
8	-	10	-	2	-	1	5	-	-	-	-	-	1	2	9	2	2	-	-	2	31
46	6	12	4	4	2	5	18	1	18	2	-	-	4	43	23	20	11	5	1	28	32
18	4	6	1	1	-	3	3	1	5	-	-	-	-	2	7	-	2	-	2	8	33
-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	1	34
21	4	6	2	1	1	2	6	-	3	3	-	-	5	17	5	9	9	2	2	10	35
10	-	4	1	1	-	-	-	-	-	-	1	1	-	1	2	1	1	-	-	1	36
48	25	9	2	5	3	2	7	1	-	-	1	2	3	5	12	7	12	-	3	9	37
3	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	38
140	33	27	3	8	3	14	20	4	6	-	2	-	6	38	10	26	34	6	7	45	39
9	5	3	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	1	40
14	1	6	2	1	-	-	9	-	6	1	-	-	2	4	5	6	4	-	1	5	41
16	2	5	1	1	1	3	5	2	-	-	-	-	-	5	5	5	6	-	-	6	42
1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	43
2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	2	44
4	-	2	-	-	-	-	-	-	-	-	1	-	1	3	-	2	3	1	-	3	45
11	2	7	-	1	-	-	1	-	-	-	-	-	-	9	1	2	3	1	1	4	46
708	119	182	26	52	11	41	76	19	14	30	7	4	52	211	77	91	140	21	59	236	47
92	25	30	3	7	1	6	11	-	3	1	1	-	9	28	14	24	18	3	4	43	48
6	4	1	-	-	-	-	-	-	1	1	-	-	-	6	-	3	1	2	2	-	49
11	2	6	-	1	-	1	3	1	4	-	2	1	2	11	5	5	8	1	1	7	50
3	1	2	1	1	1	-	1	-	-	-	-	-	-	3	1	1	-	-	-	1	51
23	6	16	2	1	1	4	1	-	1	-	-	-	1	3	5	13	3	1	1	9	52
78	16	25	2	14	4	4	13	-	5	2	1	1	5	50	5	16	32	7	4	36	53
233	42	36	14	23	10	13	28	9	9	8	-	3	24	62	29	19	45	12	11	94	54
7	4	7	2	1	1	1	2	-	-	-	-	-	-	4	5	2	3	1	-	8	55
28	3	11	1	1	-	1	3	-	-	-	1	-	-	5	3	3	7	1	1	11	56
45	6	22	1	2	-	4	8	1	1	1	1	-	3	5	1	7	13	1	1	16	57
3	3	3	-	-	-	-	-	-	-	1	-	-	1	3	-	2	1	-	-	2	58
24	4	12	-	1	1	-	19	1	4	3	3	1	3	24	4	4	5	-	1	7	59
28	2	4	-	4	-	1	15	1	10	1	-	2	3	10	4	6	9	1	-	14	60
49	6	5	4	4	3	5	12	1	-	1	2	-	-	9	6	3	5	2	-	17	61
43	18	17	5	7	1	4	15	5	5	2	-	-	7	25	10	13	18	3	3	19	62
16	7	13	4	2	-	2	3	-	4	-	-	-	-	3	16	13	8	1	3	10	63
14	9	5	7	-	-	2	3	-	-	-	-	1	1	4	5	2	5	-	1	4	64
13	3	6	-	1	-	2	1	-	1	3	1	-	2	11	1	12	7	-	1	4	65
28	11	32	3	-	-	3	9	-	-	1	-	1	1	13	11	10	8	1	1	21	66
57	26	28	2	5	3	3	45	3	13	6	2	6	14	50	14	20	29	2	1	40	67
47	14	16	4	10	1	6	8	-	1	1	-	5	5	23	4	17	12	1	3	16	68
13	1	4	1	4	1	1	-	1	-	-	-	-	1	6	-	4	4	-	-	3	69
174	38	27	3	9	3	5	16	2	5	7	1	3	13	55	21	26	27	7	10	50	70
33	3	8	-	2	-	4	4	-	1	4	-	-	2	4	7	2	11	3	2	13	71
7	2	14	1	-	-	3	15	2	6	1	-	1	4	22	8	7	9	1	2	10	72
72	13	29	3	5	2	12	12	3	9	1	2	-	5	19	12	20	15	7	5	30	73
11	2	12	2	2	-	1	7	-	-	1	-	2	3	8	2	4	2	-	-	10	74
6	-	5	-	2	1	-	1	-	2	-	-	-	2	4	1	4	5	-	-	4	75
37	8	7	3	3	1	-	14	-	4	-	1	-	2	2	9	7	13	1	2	5	76
63	6	15	4	9	3	5	9	1	-	-	-	-	1	5	3	4	8	-	1	12	77
3	1	1	-	-	-	1	1	-	3	-	-	-	-	2	1	1	3	1	1	1	78
34	4	14	-	4	-	1	9	1	2	2	1	1	-	7	4	11	5	-	2	8	79
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	1	-	-	-	2	80
8	1	1	-	3	1	1	7	-	7	-	-	3	2	7	7	5	2	-	-	7	81

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	UTAH	5,271	51	13	20	45	646	214	70	362	108	2,387	2,334	480	13	1,699	127
2	Metropolitan counties	2,891	24	5	9	23	378	124	42	212	57	1,352	1,324	254	3	984	78
3	Nonmetropolitan counties	2,380	27	8	11	22	268	90	28	150	51	1,035	1,010	226	10	715	49
4	Beaver	34	1	-	1	1	6	3	-	3	-	14	13	3	-	10	-
5	Box Elder	185	-	-	-	1	18	6	-	12	3	98	95	22	2	65	8
6	Cache	234	1	-	-	3	24	9	3	12	4	115	114	25	-	82	3
7	Carbon	142	4	1	-	-	18	4	2	12	2	41	41	2	-	35	5
8	Daggett	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
9	Davis	185	-	1	3	1	28	11	3	14	4	76	75	15	2	56	4
10	Duchesne	59	-	-	-	-	6	1	1	4	1	29	27	1	1	24	3
11	Emery	53	-	-	2	-	8	1	1	6	2	21	17	1	-	15	1
12	Garfield	27	-	-	-	1	3	-	1	2	1	13	12	3	-	8	-
13	Grand	20	-	-	-	-	2	-	1	1	-	10	10	4	-	6	2
14	Iron	77	1	1	1	1	8	2	1	5	1	28	25	7	-	18	-
15	Juab	46	1	-	-	-	8	2	1	5	-	19	19	5	-	14	-
16	Kane	18	-	-	-	-	1	-	-	1	-	7	7	3	-	4	-
17	Millard	72	1	-	-	-	6	1	3	2	-	30	30	7	1	20	1
18	Morgan	15	-	-	-	-	1	-	-	1	-	5	5	-	1	4	1
19	Piute	10	-	-	-	1	2	1	-	1	-	2	2	-	-	2	-
20	Rich	9	-	-	-	-	2	-	-	2	1	3	3	-	-	2	-
21	Salt Lake	2,197	19	5	9	19	292	97	30	165	40	1,022	998	198	1	731	58
22	San Juan	29	5	-	-	1	2	1	-	1	-	7	7	2	-	4	-
23	Sanpete	148	1	1	-	-	9	2	-	7	7	73	72	19	-	50	1
24	Sevier	96	-	-	-	1	12	8	-	4	3	39	38	7	-	28	-
25	Summit	58	1	-	-	-	3	2	-	1	1	33	33	7	-	23	1
26	Tooele	105	2	-	1	2	15	5	1	9	6	36	35	11	1	23	2
27	Uintah	83	5	2	-	2	11	5	2	4	1	35	35	9	1	23	4
28	Utah	538	2	2	3	6	62	21	5	36	11	241	236	62	1	159	11
29	Wasatch	49	1	-	-	-	8	2	2	4	1	23	23	5	-	17	1
30	Washington	74	1	-	-	1	5	3	1	1	1	31	30	5	-	21	1
31	Wayne	13	-	-	-	-	-	-	-	-	1	5	5	1	-	1	-
32	Weber	694	5	-	-	4	86	27	12	47	17	330	326	56	2	253	20
33	VERMONT	4,097	58	2	3	21	615	248	46	321	72	2,363	2,312	513	4	1,595	61
34	Nonmetropolitan counties	4,097	58	2	3	21	615	248	46	321	72	2,363	2,312	513	4	1,595	61
35	Addison	204	1	-	-	-	27	11	-	16	5	125	120	25	-	83	3
36	Bennington	306	2	-	-	3	47	22	4	21	1	193	190	38	-	135	4
37	Caledonia	267	5	-	-	-	45	20	3	22	2	157	157	40	-	103	1
38	Chittenden	557	7	-	-	2	84	25	5	54	14	296	293	55	1	214	6
39	Essex	82	-	-	-	-	15	9	-	6	-	53	47	13	-	29	-
40	Franklin	348	3	1	-	1	53	23	-	30	5	206	201	54	1	124	5
41	Grand Isle	36	3	-	-	-	4	-	-	4	-	19	19	1	-	14	-
42	Lamoille	122	1	-	-	2	21	11	-	10	2	66	64	23	-	35	-
43	Orange	176	1	-	-	-	21	8	3	10	4	102	100	30	-	66	3
44	Orleans	242	2	-	-	4	36	13	5	18	4	131	127	39	-	78	2
45	Rutland	507	5	-	1	3	75	31	6	38	11	299	295	55	1	214	5
46	Washington	472	19	1	1	2	74	29	6	39	7	265	260	61	-	182	13
47	Windham	338	1	-	-	1	50	16	5	29	8	204	197	38	-	140	9
48	Windsor	440	8	-	1	3	63	30	9	24	9	247	242	41	1	178	10
49	VIRGINIA[2]	30,237	663	149	30	244	3,637	1,260	407	1,970	367	15,835	15,315	3,795	47	10,306	325
50	Metropolitan counties	10,627	224	55	12	75	1,410	472	182	756	146	5,518	5,389	1,268	15	3,717	111
51	Nonmetropolitan counties	19,610	439	94	18	169	2,227	788	225	1,214	221	10,317	9,926	2,527	32	6,589	214
52	Accomack	423	11	1	2	6	40	14	6	20	4	240	224	66	1	142	4
53	Albemarle	271	9	1	1	-	38	13	4	21	6	144	144	39	1	93	5
54	Alleghany	196	6	2	-	-	27	9	2	16	3	106	102	22	-	73	-
55	Amelia	101	2	1	-	2	10	4	-	6	1	40	40	15	-	22	-
56	Amherst	186	3	-	-	-	25	8	4	13	5	106	98	31	-	61	3
57	Appomattox	81	3	-	-	2	5	1	-	4	1	47	46	10	1	31	1
58	Arlington	731	9	-	1	3	121	38	12	71	6	369	362	73	1	270	5
59	Augusta	281	5	3	3	2	44	12	5	27	8	139	137	36	1	91	4
60	Bath	62	1	-	1	1	8	5	2	1	2	32	30	4	-	23	-
61	Bedford	293	5	1	-	-	35	12	-	23	5	164	150	44	-	95	12
62	Bland	45	-	-	-	-	3	-	-	3	-	32	30	6	-	22	1
63	Botetourt	158	4	-	-	1	22	7	2	13	4	86	84	19	-	55	1
64	Brunswick	212	5	1	-	4	17	5	4	8	2	125	122	30	-	82	4
65	Buchanan	198	3	-	1	5	19	9	2	8	1	49	48	6	-	39	1
66	Buckingham	121	1	-	-	-	9	2	-	7	-	73	69	17	-	47	4
67	Campbell	246	1	3	-	2	29	9	1	19	5	145	138	31	-	97	1
68	Caroline	170	5	-	-	2	16	5	-	11	-	85	80	24	-	53	-
69	Carroll	191	1	-	-	2	24	8	2	14	4	94	93	27	-	63	1
70	Charles City	66	5	-	-	2	5	4	-	1	-	31	27	11	-	13	-
71	Charlotte	142	4	1	-	1	14	5	1	8	-	80	78	32	1	41	1
72	Chesterfield	304	9	1	-	3	49	18	7	24	4	154	148	40	1	94	1
73	Clarke	87	-	1	-	-	10	7	1	2	1	53	52	16	-	30	1
74	Craig	27	-	-	-	-	4	1	-	3	-	17	16	2	-	11	-
75	Culpeper	149	6	1	-	-	13	5	-	8	-	77	75	11	-	58	4
76	Cumberland	85	1	2	-	1	3	2	-	1	1	46	40	7	-	24	2
77	Dickenson	150	5	1	-	6	14	4	1	9	1	56	53	14	1	38	3
78	Dinwiddie	153	9	2	-	1	8	4	1	3	1	83	79	30	-	45	1
79	Essex	103	2	1	-	1	8	4	2	2	-	51	51	14	-	31	1
80	Fairfax	474	4	-	-	5	63	20	8	35	2	239	233	41	-	179	8

[2]Independent cities have the same status as counties and are listed after counties.

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1,036	258	276	28	76	38	53	134	38	23	48	16	11	111	347	261	241	297	71	13	390	1
648	135	123	17	48	18	28	62	17	12	32	4	1	66	171	177	113	117	42	6	223	2
388	123	155	11	28	20	25	72	21	11	16	12	10	45	176	84	128	180	29	7	167	3
4	3	3	-	-	-	1	-	-	-	1	1	-	1	2	-	2	2	2	-	-	4
45	5	7	-	2	4	3	8	2	-	-	-	-	3	13	9	6	15	-	-	9	5
39	20	20	2	4	1	1	3	1	-	1	1	-	7	14	11	7	17	3	2	20	6
17	10	3	1	2	1	-	4	2	3	4	-	-	2	18	6	9	9	5	-	14	7
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
38	10	4	2	-	-	1	4	2	-	-	-	1	-	23	3	15	11	1	1	11	9
15	4	2	1	-	-	2	1	1	1	-	-	-	4	4	-	3	3	-	-	6	10
5	-	9	1	-	-	4	3	-	-	-	-	-	1	3	2	7	4	-	-	-	11
4	3	1	-	1	-	1	1	-	-	-	-	-	-	2	3	1	-	1	-	1	12
3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	1	-	3	13
6	2	10	-	-	-	3	4	1	-	1	-	-	1	5	2	3	11	2	-	6	14
9	1	4	-	-	-	-	2	2	-	-	-	-	-	2	3	1	5	-	-	3	15
3	-	1	-	-	-	-	1	-	-	-	-	-	1	3	-	-	5	-	-	-	16
10	6	3	1	1	-	-	3	1	1	1	3	1	3	4	5	4	4	1	-	4	17
3	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	-	3	-	-	-	18
1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	1	-	-	19
1	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	20
479	98	96	15	38	15	24	43	9	11	23	1	-	54	130	144	80	93	26	3	174	21
2	2	-	1	-	-	-	2	-	-	-	-	-	1	1	2	2	1	1	-	4	22
26	10	13	-	-	3	1	5	-	-	1	2	-	2	10	6	10	7	2	-	12	23
12	4	12	-	1	2	1	2	1	-	-	-	2	4	11	2	5	9	-	-	5	24
13	5	4	-	2	1	-	5	1	-	-	1	-	-	4	1	4	2	1	-	1	25
13	6	2	-	-	-	1	1	1	2	2	1	-	2	7	2	5	6	2	2	10	26
6	5	8	-	2	-	-	2	-	2	-	-	-	-	5	4	5	6	1	1	1	27
93	22	33	2	6	6	5	15	4	1	5	3	3	8	35	14	27	45	5	1	45	28
9	1	6	-	1	-	-	1	-	-	-	-	1	3	1	1	3	4	-	-	2	29
11	2	7	-	3	1	1	1	2	-	-	-	1	1	4	3	8	5	-	-	10	30
-	1	-	-	2	1	-	1	-	1	-	-	-	-	-	3	-	2	-	-	-	31
169	37	27	2	10	3	4	19	8	1	9	3	1	12	41	33	33	24	16	3	49	32
1,102	148	284	34	144	22	51	134	25	10	19	7	3	55	134	32	78	152	55	2	257	33
1,102	148	284	34	144	22	51	134	25	10	19	7	3	55	134	32	78	152	55	2	257	34
46	9	25	2	10	-	5	5	1	1	1	-	-	3	7	1	2	5	4	1	15	35
98	11	22	5	8	4	3	9	1	1	-	-	-	2	13	1	7	7	5	-	14	36
81	9	12	2	11	1	-	9	2	-	-	-	-	3	10	1	3	9	3	-	18	37
174	14	20	5	18	-	3	8	4	2	2	2	1	13	32	2	13	24	6	-	45	38
19	4	6	2	2	1	6	4	1	-	-	-	-	-	2	-	-	5	1	-	1	39
84	15	20	1	18	3	5	15	3	-	1	-	2	7	9	3	10	12	7	-	10	40
7	3	4	-	4	-	-	2	-	-	-	-	-	1	-	2	-	2	1	-	2	41
31	2	2	1	3	2	2	3	1	-	1	-	-	3	5	1	-	5	1	-	10	42
44	3	16	-	3	1	2	5	3	1	1	1	-	4	2	1	5	8	3	-	14	43
56	8	12	2	8	-	4	15	2	2	-	1	-	2	12	1	4	8	-	-	18	44
176	15	18	5	16	4	4	15	2	1	2	-	-	6	9	8	9	22	11	-	28	45
118	17	34	1	15	1	5	13	3	-	4	1	-	6	11	6	11	13	5	-	30	46
72	25	34	2	16	1	7	15	1	-	2	-	-	1	11	5	3	13	2	-	21	47
96	13	59	6	12	4	5	16	1	2	5	2	-	4	11	-	11	19	6	1	31	48
5,845	2,050	2,086	327	649	191	520	1,219	113	233	207	62	72	488	1,761	371	852	1,297	337	262	2,038	49
2,311	714	581	102	216	71	129	365	45	69	104	20	25	169	638	105	243	436	118	114	736	50
3,534	1,336	1,505	225	433	120	391	854	68	164	103	42	47	319	1,123	266	609	861	219	148	1,302	51
73	17	48	6	5	4	16	10	1	6	2	2	2	2	22	8	16	15	3	5	25	52
53	13	22	2	8	1	-	9	1	2	1	-	-	6	15	5	8	12	1	3	9	53
40	18	15	3	4	-	4	7	1	2	-	-	-	2	8	2	5	9	3	1	12	54
16	4	2	-	2	1	-	11	-	1	1	-	-	1	8	3	4	3	-	-	13	55
38	14	6	-	4	2	8	4	2	-	-	-	-	4	11	2	1	6	4	1	12	56
13	10	7	1	1	2	1	4	-	-	-	-	-	4	3	1	3	3	-	1	4	57
200	40	25	2	10	6	7	18	4	4	11	1	2	9	55	2	13	29	13	1	60	58
52	17	18	3	5	1	2	13	1	-	1	2	-	3	8	4	11	8	3	4	19	59
15	3	5	-	3	-	2	1	-	-	-	-	-	-	7	1	1	3	1	1	2	60
47	20	16	2	8	1	14	10	1	1	2	1	-	1	9	3	10	13	5	2	25	61
10	3	8	1	1	-	2	2	-	-	-	-	-	2	-	2	-	2	-	-	2	62
33	11	10	-	7	3	2	7	-	-	-	-	-	2	3	2	4	9	2	1	11	63
45	18	15	-	7	3	3	7	1	3	-	-	3	2	9	3	9	4	-	2	15	64
18	9	11	3	-	-	1	17	2	12	-	-	-	2	32	9	6	17	-	1	22	65
32	5	6	3	2	-	4	10	-	1	-	-	-	3	3	-	5	6	1	1	8	66
54	20	22	4	6	-	7	6	-	-	3	-	-	1	16	2	9	5	4	1	14	67
23	7	23	2	1	-	5	7	3	1	-	-	-	8	9	1	15	5	2	2	9	68
33	8	21	1	1	1	1	7	-	-	1	-	-	5	11	1	11	10	5	2	13	69
7	1	5	1	2	-	4	9	-	-	-	-	1	-	3	1	-	6	2	-	1	70
14	16	10	1	3	-	2	4	-	1	-	-	1	2	8	4	7	4	-	-	11	71
69	18	6	3	6	4	6	9	-	-	-	1	2	10	17	1	6	17	6	-	15	72
21	2	6	1	4	1	1	3	-	2	-	-	-	-	3	-	2	10	-	-	2	73
3	1	7	2	1	-	1	1	-	-	1	-	-	-	2	-	-	-	1	-	1	74
33	12	9	-	3	3	2	10	-	-	1	-	1	5	5	-	6	7	6	-	11	75
13	1	8	3	4	2	6	6	-	-	1	-	-	1	9	2	2	5	2	-	3	76
15	10	10	-	-	-	3	9	-	3	1	-	2	9	14	3	7	7	3	1	8	77
24	12	8	1	2	1	4	6	-	1	1	-	-	2	7	1	10	6	2	-	13	78
15	4	11	1	4	1	-	7	-	1	-	-	-	2	7	5	3	6	2	1	6	79
129	30	12	1	10	2	6	10	3	4	6	-	-	10	36	13	17	14	8	7	33	80

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148, 156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	VIRGINIA[2]—Continued																
1	Fauquier	246	4	2	-	-	32	11	1	20	2	140	140	33	-	92	1
2	Floyd	93	-	-	-	2	10	5	2	3	-	53	51	15	-	33	1
3	Fluvanna	85	2	1	-	-	12	2	1	9	-	45	41	11	-	26	-
4	Franklin	213	4	1	-	2	25	4	3	18	1	114	109	28	-	72	2
5	Frederick	138	4	-	-	1	16	5	2	9	-	78	73	14	-	52	4
6	Giles	141	5	-	-	-	13	3	2	8	3	63	60	15	1	40	-
7	Gloucester	119	1	-	-	1	15	7	1	7	1	69	66	14	-	51	1
8	Goochland	64	-	1	-	1	3	-	1	2	1	41	37	8	-	26	1
9	Grayson	168	2	1	-	1	29	10	4	15	1	89	89	13	-	72	1
10	Greene	59	2	-	-	4	8	2	1	5	-	26	26	6	-	17	-
11	Greensville	162	5	1	-	5	9	4	-	5	-	78	77	26	-	50	-
12	Halifax	380	9	1	-	5	32	13	1	18	6	191	189	64	1	114	5
13	Hanover	233	7	-	-	-	24	8	2	14	3	132	128	28	1	90	1
14	Henrico	417	8	2	-	1	58	17	12	29	7	230	227	44	1	163	3
15	Henry	237	6	-	1	3	23	8	3	12	2	113	113	32	1	77	2
16	Highland	40	-	-	-	-	5	2	-	3	-	25	25	7	-	18	1
17	Isle of Wight	144	2	-	-	2	14	4	5	5	-	86	83	23	1	51	-
18	James City	53	2	1	-	-	5	2	-	3	1	27	25	4	-	21	-
19	King and Queen	63	1	-	-	-	5	1	1	3	-	37	36	11	1	20	1
20	King George	68	-	-	-	-	4	1	-	3	-	43	41	14	-	22	-
21	King William	87	2	-	-	-	7	1	2	4	2	59	57	17	-	36	4
22	Lancaster	89	5	1	-	-	11	4	2	5	1	50	47	14	-	23	1
23	Lee	253	8	1	-	3	32	14	5	13	3	104	97	28	-	68	5
24	Loudoun	259	7	2	-	1	33	11	2	20	3	146	145	36	1	94	1
25	Louisa	145	3	-	-	1	13	6	1	6	2	83	79	21	-	51	1
26	Lunenburg	158	2	1	-	2	22	8	2	12	2	79	78	23	-	51	2
27	Madison	82	2	-	-	1	15	3	2	10	-	47	46	17	1	26	-
28	Mathews	104	-	-	-	-	13	9	2	2	-	76	76	20	-	46	1
29	Mecklenburg	297	5	1	-	1	36	9	1	26	4	147	139	30	1	88	6
30	Middlesex	86	1	2	-	-	10	4	3	3	-	52	50	18	-	24	-
31	Montgomery	236	2	-	-	3	23	14	3	6	4	137	129	30	-	92	2
32	Nansemond	338	13	-	-	5	28	13	1	14	6	162	149	48	-	90	5
33	Nelson	162	2	-	-	1	21	4	3	14	2	97	95	19	-	73	2
34	New Kent	57	1	-	-	-	2	-	-	2	2	24	22	8	-	12	-
35	Norfolk	555	18	3	2	2	60	22	6	32	5	262	257	54	2	183	6
36	Northampton	248	9	3	-	2	27	7	4	16	2	126	119	34	1	72	1
37	Northumberland	108	5	-	-	-	17	7	1	9	-	63	62	18	-	38	1
38	Nottoway	183	2	2	-	4	11	1	1	9	-	81	77	25	-	43	-
39	Orange	150	2	1	-	1	18	8	1	9	3	96	92	22	-	58	2
40	Page	162	4	-	-	3	17	5	1	11	-	94	91	21	1	65	2
41	Patrick	105	1	-	-	1	12	3	2	7	2	53	51	11	-	39	2
42	Pittsylvania	479	9	2	-	4	40	10	8	22	4	253	246	59	3	162	6
43	Powhatan	68	-	-	-	-	8	4	-	4	-	46	45	11	-	27	-
44	Prince Edward	167	3	-	-	1	13	6	1	6	1	96	88	28	-	45	1
45	Prince George	121	4	2	-	-	9	4	-	5	-	51	47	15	-	31	2
46	Prince William	167	6	-	1	4	17	9	2	6	-	84	82	28	-	45	-
47	Princess Anne	362	4	3	1	4	44	19	6	19	3	164	163	42	-	110	2
48	Pulaski	219	2	-	1	2	23	13	1	9	2	133	132	19	-	108	7
49	Rappahannock	61	1	-	-	2	9	6	-	3	1	34	33	10	-	22	1
50	Richmond	71	3	-	-	-	5	3	1	1	-	44	44	13	-	25	-
51	Roanoke	297	4	1	-	-	42	16	4	22	7	163	159	52	1	100	5
52	Rockbridge	215	5	1	-	2	24	9	2	13	4	108	104	17	-	79	5
53	Rockingham	284	8	1	1	2	42	19	2	21	2	172	161	38	-	109	1
54	Russell	220	9	1	-	4	19	5	3	11	3	92	91	23	1	60	-
55	Scott	185	3	-	-	1	27	9	4	14	1	88	80	18	-	59	-
56	Shenandoah	239	5	2	1	1	37	13	6	18	5	131	124	32	-	79	4
57	Smyth	239	4	1	-	3	38	11	2	25	1	122	122	30	-	81	2
58	Southampton	293	10	2	-	4	29	9	3	17	1	157	150	43	1	92	-
59	Spotsylvania	130	2	-	-	-	15	4	1	10	1	65	64	17	-	40	-
60	Stafford	95	2	-	-	1	13	2	3	8	1	48	48	9	-	37	1
61	Surry	77	3	-	-	-	7	3	1	3	1	41	40	14	-	21	-
62	Sussex	148	3	-	-	-	12	4	3	5	1	87	86	25	-	52	6
63	Tazewell	395	7	4	-	2	48	17	4	27	6	182	178	46	1	115	4
64	Warren	127	2	-	-	-	19	5	1	13	-	69	64	13	-	47	-
65	Washington	289	6	3	-	6	30	11	3	16	1	165	165	53	-	97	4
66	Westmoreland	123	1	1	-	2	8	4	3	1	1	77	73	16	-	52	-
67	Wise	468	14	1	-	8	44	15	6	23	6	210	205	47	2	145	15
68	Wythe	215	6	-	-	-	29	9	3	17	3	96	93	19	-	64	5
69	York	99	3	4	-	1	16	5	2	9	1	44	40	11	-	27	1
	Independent Cities																
70	Alexandria	579	13	2	4	4	87	28	12	47	10	264	260	56	-	178	8
71	Bristol	124	4	-	-	2	12	2	1	9	1	63	60	12	-	43	4
72	Buena Vista	24	-	1	-	-	3	-	-	3	-	15	14	1	-	12	1
73	Charlottesville	207	4	-	1	-	26	11	3	12	-	123	121	29	1	80	2
74	Clifton Forge	81	-	-	-	1	13	6	2	5	3	43	43	6	-	35	-
75	Colonial Heights	49	-	1	-	-	9	1	2	6	-	30	29	8	-	18	1
76	Danville	432	6	3	-	1	58	20	5	33	11	213	207	56	1	141	3
77	Falls Church	105	3	-	1	2	24	9	2	13	-	44	44	13	-	29	-
78	Fredericksburg	130	2	-	-	2	18	7	2	9	2	60	52	10	-	39	2
79	Hampton	498	8	2	2	5	61	23	5	33	4	248	237	40	-	178	3
80	Harrisonburg	116	2	2	-	-	17	4	-	13	3	71	66	13	-	48	-
81	Hopewell	97	2	1	-	-	14	5	1	8	-	52	48	9	-	35	-
82	Lynchburg	460	6	5	-	2	74	29	4	41	8	265	258	65	-	165	7
83	Martinsville	137	3	1	-	1	14	7	-	7	2	59	59	12	-	40	1
84	Newport News	512	17	4	-	2	53	20	5	28	4	241	233	64	1	145	3

[2]Independent cities have the same status as counties and are listed after the counties.

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
58	12	21	2	13	-	-	10	1	3	-	-	1	2	11	-	3	16	1	3	15	1
17	5	10	2	-	1	2	7	-	-	-	-	-	1	3	1	3	3	5	1	4	2
11	1	14	1	3	-	4	3	-	1	-	-	1	-	4	2	-	5	1	2	6	3
30	19	21	3	6	-	5	10	-	2	-	-	1	5	15	4	11	4	4	3	7	4
30	4	14	2	4	1	5	5	2	1	-	1	-	2	3	-	2	4	3	-	16	5
20	6	14	-	1	3	3	8	-	-	-	-	2	1	8	2	8	9	2	1	16	6
22	18	10	-	1	-	3	5	2	-	-	4	-	2	3	-	5	2	-	1	8	7
9	3	13	2	1	-	4	2	-	1	-	-	-	-	2	2	2	2	1	1	4	8
17	12	42	2	2	-	-	9	-	1	-	-	1	4	4	4	5	4	2	1	10	9
6	4	7	-	3	-	-	4	-	-	-	-	-	3	2	2	1	4	-	-	3	10
23	15	12	-	1	-	1	6	-	7	1	-	1	1	19	10	3	6	1	-	9	11
63	26	20	-	7	3	2	25	2	5	2	1	2	3	20	5	16	18	5	5	27	12
44	14	31	2	6	1	4	8	-	2	4	1	-	2	12	2	9	11	3	2	11	13
94	37	29	2	15	2	3	14	-	2	2	2	-	10	27	4	7	19	2	1	21	14
45	17	13	1	1	1	-	10	4	2	1	-	1	11	13	2	13	10	2	1	19	15
12	2	3	-	-	-	-	2	-	-	-	-	-	1	4	-	1	-	-	-	2	16
25	19	7	2	4	2	3	4	-	1	-	2	1	3	4	-	6	7	-	2	10	17
12	2	7	-	-	-	2	3	-	-	-	-	-	-	6	-	-	4	-	-	4	18
7	7	5	1	3	-	1	4	-	2	1	-	-	1	2	3	3	1	-	-	3	19
15	6	1	2	2	1	2	4	-	-	-	-	-	1	3	2	1	3	1	-	6	20
21	6	5	1	3	-	2	-	-	-	-	-	-	4	1	1	3	2	-	-	6	21
12	5	5	3	5	2	3	1	-	2	1	-	-	-	8	3	1	2	-	-	3	22
22	18	23	1	-	-	7	21	-	3	1	-	-	2	14	4	12	16	3	4	22	23
50	25	18	8	5	1	1	12	-	-	-	1	1	3	11	1	3	16	-	1	18	24
23	9	18	1	6	-	4	7	1	1	1	-	-	3	4	1	11	3	1	1	9	25
29	2	18	2	1	1	1	3	2	2	1	-	-	4	9	8	1	11	2	-	7	26
20	1	5	1	1	-	1	2	-	-	1	-	-	1	1	-	1	1	1	-	9	27
30	5	10	2	8	-	-	1	1	-	1	-	-	-	3	2	2	2	-	-	3	28
47	13	22	4	14	2	8	15	-	7	-	-	1	8	17	9	15	10	3	4	14	29
14	4	6	-	8	-	2	4	-	1	-	-	-	1	5	1	1	2	-	-	6	30
44	30	16	2	3	2	8	14	2	-	-	-	-	2	11	3	7	11	1	1	15	31
42	19	24	2	5	4	13	27	-	2	3	2	-	2	29	2	11	19	-	4	23	32
41	16	14	-	2	1	2	8	-	-	-	-	-	2	7	3	2	8	1	3	5	33
4	4	4	-	1	1	2	4	-	-	2	-	-	-	5	3	3	8	-	-	3	34
118	33	26	3	12	3	5	20	-	7	6	1	2	11	63	3	26	21	7	3	33	35
43	11	17	3	8	1	7	4	1	5	-	1	1	2	15	4	10	8	1	1	26	36
17	9	11	-	6	-	1	1	-	1	-	-	1	-	8	-	2	2	1	-	7	37
25	6	12	2	6	1	4	12	2	1	1	-	1	6	19	1	11	3	1	4	21	38
21	12	23	3	8	1	4	5	-	-	-	-	-	-	3	5	1	4	1	1	9	39
24	13	26	3	1	-	3	5	-	2	1	-	-	4	10	1	3	5	-	-	13	40
13	12	12	-	-	1	2	3	-	1	1	-	-	2	6	1	2	6	1	2	11	41
99	30	27	5	16	1	7	20	5	9	3	-	1	11	39	5	12	17	13	2	30	42
17	-	10	1	6	-	1	5	-	-	-	-	-	1	1	-	2	-	1	-	4	43
27	10	7	5	6	4	8	5	-	3	-	-	1	3	10	4	4	8	4	1	10	44
20	4	5	1	-	-	4	7	-	1	-	-	2	2	15	-	8	10	4	-	6	45
34	6	5	1	7	1	2	4	1	2	3	-	-	6	8	2	6	13	3	-	7	46
59	16	33	4	5	2	1	18	1	1	6	1	-	4	26	1	19	31	3	9	19	47
51	30	20	3	-	2	1	6	2	2	2	1	-	1	10	1	7	7	2	1	14	48
9	3	9	1	-	-	1	2	-	-	-	-	-	-	3	-	2	2	1	1	3	49
13	10	2	-	5	1	-	2	-	-	-	1	-	-	3	2	2	5	3	-	1	50
67	13	15	2	3	1	4	10	4	3	-	-	-	4	9	3	6	14	4	1	22	51
49	8	17	2	5	1	4	6	-	2	1	1	-	7	14	-	7	10	4	2	17	52
56	28	24	5	8	1	11	7	1	1	1	1	-	1	11	2	6	9	3	3	10	53
30	10	20	2	3	2	1	13	3	2	4	-	-	2	19	10	4	13	1	-	21	54
34	7	18	1	1	1	8	5	2	3	2	-	-	2	8	4	8	10	5	3	13	55
43	13	19	4	7	2	7	10	1	-	2	-	1	4	7	2	4	9	2	-	15	56
46	16	17	3	4	4	-	12	2	2	-	1	1	1	18	4	9	9	-	-	11	57
42	34	16	9	4	1	7	11	-	2	1	1	1	2	17	7	8	11	1	8	20	58
25	2	13	4	3	-	1	6	-	1	-	1	-	2	6	3	8	8	2	2	8	59
18	6	12	-	2	-	-	5	-	-	-	1	-	1	5	1	5	7	2	-	3	60
6	5	10	-	4	1	1	6	-	-	-	-	-	1	6	1	1	3	1	-	6	61
15	20	11	4	5	-	1	8	-	2	-	1	1	2	8	2	5	5	-	1	10	62
73	25	13	7	7	2	4	19	2	2	3	1	1	8	34	4	9	27	6	4	26	63
20	7	20	2	1	1	5	8	-	-	-	2	-	-	4	-	3	4	2	1	13	64
56	8	29	2	12	1	-	10	1	2	-	-	1	4	10	4	10	11	1	1	23	65
23	15	14	1	2	2	4	7	1	2	-	1	-	3	1	-	4	9	-	-	5	66
66	38	26	5	6	-	5	27	-	5	4	2	2	14	33	6	14	24	6	7	41	67
36	16	7	4	3	3	3	8	1	1	1	1	1	7	14	3	12	8	6	-	18	68
16	7	3	2	-	-	4	1	1	-	-	-	-	2	6	2	5	8	-	-	5	69
122	26	22	8	15	3	4	11	4	4	10	2	1	15	31	14	14	30	13	7	39	70
26	8	5	2	-	3	3	8	-	-	1	-	-	2	7	1	-	10	1	-	12	71
7	3	1	-	1	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	2	72
54	8	16	1	8	2	2	5	-	-	3	-	-	2	11	4	1	5	3	2	17	73
29	4	2	1	1	-	-	4	-	-	3	-	-	1	2	2	1	2	1	-	5	74
15	2	-	-	2	1	1	-	-	1	-	-	-	1	1	-	-	3	-	-	3	75
70	48	20	4	3	2	6	19	3	7	3	2	2	6	26	-	9	21	6	5	31	76
27	2	-	-	2	-	-	1	-	1	-	-	-	2	14	1	1	3	1	-	7	77
29	4	4	-	2	1	8	4	-	-	1	-	-	6	15	-	5	8	-	1	6	78
112	36	27	10	6	3	11	26	1	2	3	1	-	8	28	3	17	31	8	8	32	79
24	17	7	3	2	-	5	3	-	-	1	-	-	-	5	-	1	3	2	-	6	80
15	10	10	1	2	1	4	3	2	-	-	-	1	2	10	1	2	3	-	-	4	81
101	27	30	5	20	3	7	9	-	3	5	1	2	6	24	6	1	9	4	-	30	82
27	9	3	2	4	1	-	10	3	1	1	-	-	3	11	4	3	2	1	-	18	83
86	36	20	8	11	4	8	28	1	5	3	2	2	9	34	7	19	30	6	10	35	84

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	VIRGINIA[2]—Continued																
	Independent Cities—Con.																
1	Norfolk	2,094	58	15	3	11	242	79	36	127	36	1,061	1,040	251	5	702	25
2	Petersburg	416	10	3	-	1	52	23	8	21	6	223	217	54	-	155	3
3	Portsmouth	814	19	11	-	7	111	32	10	69	10	415	405	129	-	248	6
4	Radford	95	-	-	1	-	9	1	1	7	3	59	57	8	-	45	-
5	Richmond	2,782	57	13	-	23	355	122	48	185	40	1,566	1,530	336	3	1,085	32
6	Roanoke	948	14	4	-	6	133	43	18	72	11	505	482	121	1	318	10
7	South Norfolk	165	4	-	-	4	21	9	1	11	5	82	79	16	-	58	-
8	Staunton	187	8	-	1	-	30	11	2	17	5	107	104	27	2	70	2
9	Suffolk	138	9	-	-	1	18	5	2	11	3	81	74	16	2	50	1
10	Warwick	208	1	-	-	3	25	11	3	11	3	86	80	20	-	54	1
11	Waynesboro	98	4	-	-	1	6	3	1	2	2	45	43	8	-	30	-
12	Williamsburg	42	-	-	-	-	9	3	1	5	-	23	21	4	-	16	-
13	Winchester	153	3	1	-	-	23	5	3	15	-	88	82	21	-	56	1
14	WASHINGTON	23,021	260	79	62	96	3,522	1,233	362	1,927	373	12,435	12,188	2,839	24	8,406	291
15	Metropolitan counties	13,189	166	42	29	52	2,072	706	212	1,154	209	7,189	7,068	1,568	11	4,925	168
16	Nonmetropolitan counties	9,832	94	37	33	44	1,450	527	150	773	164	5,246	5,120	1,271	13	3,481	123
17	Adams	63	-	1	1	1	7	3	-	4	-	31	30	1	-	27	-
18	Asotin	121	2	-	-	-	14	3	-	11	3	62	62	14	-	46	3
19	Benton	299	3	1	2	1	50	16	9	25	3	130	127	25	1	90	5
20	Chelan	367	3	5	7	1	52	19	6	27	4	204	199	51	-	128	3
21	Clallam	233	1	1	-	2	39	13	5	21	2	119	117	27	-	81	4
22	Clark	743	8	3	4	6	99	34	7	58	11	402	392	89	-	261	16
23	Columbia	59	1	-	-	-	10	4	2	4	2	28	28	7	-	19	-
24	Cowlitz	449	5	1	-	5	59	13	12	34	6	222	218	55	-	150	5
25	Douglas	97	-	-	1	-	11	5	1	5	2	46	44	15	-	26	1
26	Ferry	43	1	-	-	-	6	2	-	4	-	23	21	5	-	12	-
27	Franklin	132	-	-	-	1	19	5	2	12	1	62	58	13	-	40	4
28	Garfield	32	-	-	-	-	6	3	-	3	-	16	15	3	-	12	1
29	Grant	141	2	-	2	-	10	2	1	7	3	61	59	11	-	43	2
30	Grays Harbor	590	9	2	-	1	95	36	11	48	12	302	291	68	-	198	8
31	Island	110	1	-	1	-	20	6	2	12	2	57	57	16	-	40	1
32	Jefferson	88	1	-	-	1	13	5	2	6	2	38	38	9	-	28	-
33	King	7,605	107	21	6	29	1,232	421	128	683	131	4,096	4,025	877	4	2,838	90
34	Kitsap	706	3	2	4	4	110	39	10	61	13	358	350	75	1	255	6
35	Kittitas	208	1	2	-	1	34	14	2	18	3	123	117	26	-	80	3
36	Klickitat	123	-	-	-	-	19	10	-	9	1	65	65	16	1	47	3
37	Lewis	445	5	4	-	3	73	27	10	36	6	239	235	60	-	157	6
38	Lincoln	115	-	-	-	-	13	6	1	6	1	60	57	13	1	35	1
39	Mason	132	2	-	1	-	19	8	1	10	1	60	59	14	-	40	3
40	Okanogan	202	4	1	2	-	27	10	3	14	3	95	94	18	-	70	3
41	Pacific	200	-	-	-	4	23	7	4	12	2	127	123	26	-	88	5
42	Pend Oreille	80	1	-	-	-	7	2	-	5	-	48	48	14	-	29	-
43	Pierce	2,545	22	6	6	9	387	132	36	219	44	1,389	1,363	322	5	928	37
44	San Juan	20	-	-	-	-	3	3	-	-	-	11	11	2	-	9	-
45	Skagit	410	3	1	3	-	58	18	8	32	9	222	217	63	-	139	2
46	Skamania	55	1	1	-	1	5	3	2	-	1	27	25	5	-	20	-
47	Snohomish	1,185	13	4	-	2	189	94	13	82	21	657	644	174	3	430	21
48	Spokane	2,296	29	12	13	8	354	119	41	194	23	1,302	1,288	280	2	898	25
49	Stevens	191	2	-	1	2	30	7	2	21	2	100	98	21	1	70	2
50	Thurston	417	3	2	-	-	67	24	5	38	6	253	245	54	-	169	5
51	Wahkiakum	35	1	-	-	-	5	-	-	5	2	20	19	6	-	12	-
52	Walla Walla	356	9	1	2	4	42	12	3	27	9	209	205	58	-	130	5
53	Whatcom	686	5	5	5	3	99	41	7	51	18	404	395	100	-	269	5
54	Whitman	252	-	-	-	-	41	10	4	27	6	138	134	23	1	100	1
55	Yakima	1,190	12	3	1	7	175	57	22	96	18	629	615	183	4	392	15
56	WEST VIRGINIA	17,147	321	69	32	154	2,201	782	215	1,204	282	8,416	8,152	1,861	26	5,728	241
57	Metropolitan counties	5,532	110	25	8	51	752	240	86	426	95	2,701	2,614	581	9	1,836	58
58	Nonmetropolitan counties	11,615	211	44	24	103	1,449	542	129	778	187	5,715	5,538	1,280	17	3,892	183
59	Barbour	150	2	-	-	3	18	5	1	12	4	71	71	23	-	44	7
60	Berkeley	349	4	-	-	1	43	15	6	22	6	203	193	39	1	146	2
61	Boone	215	5	-	-	3	27	6	2	19	6	91	89	16	1	70	2
62	Braxton	134	2	-	-	-	15	5	-	10	2	68	64	10	-	49	2
63	Brooke	245	2	1	-	-	34	7	11	16	3	136	134	34	-	95	5
64	Cabell	1,057	24	6	-	6	136	47	12	77	13	552	539	115	2	384	8
65	Calhoun	75	2	-	1	1	6	3	-	3	2	34	34	13	-	17	1
66	Clay	121	1	-	-	-	15	5	1	9	-	48	45	12	-	32	1
67	Doddridge	85	3	-	-	-	10	3	1	6	3	46	46	9	-	35	-
68	Fayette	694	14	1	2	8	80	25	9	46	13	295	284	56	3	195	7
69	Gilmer	80	2	-	-	-	8	3	-	5	3	32	32	9	-	20	-
70	Grant	87	-	-	-	-	8	6	1	1	-	40	39	11	-	24	-
71	Greenbrier	356	8	-	-	2	39	12	5	22	5	182	171	32	-	126	4
72	Hampshire	127	1	-	-	1	12	4	3	5	2	62	62	12	-	44	2
73	Hancock	254	7	2	-	-	42	13	8	21	11	113	110	17	-	87	2
74	Hardy	87	1	1	-	-	11	3	1	7	1	46	46	15	-	24	1
75	Harrison	806	19	3	2	5	105	39	10	56	10	449	436	86	1	323	17
76	Jackson	143	2	1	-	2	14	4	2	8	3	76	73	17	-	46	2
77	Jefferson	217	12	-	-	3	25	8	3	14	6	112	111	12	2	90	2
78	Kanawha	1,807	36	8	1	23	247	81	24	142	24	837	807	178	4	567	19
79	Lewis	204	3	-	-	1	27	13	3	11	2	117	111	30	-	75	2
80	Lincoln	165	3	-	-	2	17	7	1	9	1	75	74	13	-	61	4
81	Logan	574	11	6	1	3	55	18	10	27	9	193	188	60	1	113	7

[2]Independent cities have the same status as counties and are listed after the counties.

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
446	124	107	24	42	16	21	103	10	16	19	3	8	22	146	26	46	72	14	32	151	1
98	26	28	2	4	2	6	17	1	4	4	1	1	10	23	3	12	14	3	2	26	2
143	48	51	11	11	6	10	30	-	10	5	2	4	14	48	3	20	39	6	8	52	3
16	11	18	1	2	1	2	2	-	-	1	-	-	3	6	-	4	3	2	-	2	4
594	267	192	32	61	13	36	83	8	10	27	5	5	38	118	23	47	106	30	35	193	5
203	48	57	9	20	13	23	26	11	7	10	1	1	19	43	11	18	33	11	8	76	6
40	12	6	1	4	-	3	12	-	-	2	1	-	1	5	-	3	8	-	2	15	7
31	21	16	-	2	2	3	7	1	1	3	-	-	1	3	-	2	7	-	-	11	8
24	12	13	3	2	1	7	3	-	-	1	-	-	1	5	-	2	4	1	-	9	9
32	16	5	4	-	2	6	9	-	1	1	1	-	9	26	5	11	10	1	4	12	10
20	7	7	-	5	-	2	4	-	2	-	-	-	2	12	-	4	7	3	-	6	11
12	3	1	1	-	-	2	2	-	-	-	-	-	-	1	1	1	1	2	-	2	12
34	6	15	1	2	2	6	5	-	-	3	-	-	1	6	1	-	8	2	-	12	13
5,781	942	1,392	156	567	196	247	567	132	72	175	42	14	308	976	245	625	1,055	370	65	1,548	14
3,486	514	757	88	351	125	121	336	97	34	104	29	9	179	544	109	293	552	237	35	872	15
2,295	428	635	68	216	71	126	231	35	38	71	13	5	129	432	136	332	503	133	30	676	16
21	6	-	-	1	1	1	5	-	-	-	1	-	-	5	-	1	2	4	-	4	17
27	7	9	-	1	1	-	3	2	-	-	-	-	-	5	7	2	4	2	1	14	18
68	13	4	1	8	2	3	10	-	2	2	-	-	11	29	1	16	18	5	-	15	19
84	17	24	2	11	7	5	6	1	-	3	-	1	5	19	2	10	19	2	-	23	20
50	13	14	3	4	2	2	7	1	2	1	2	1	1	11	4	6	13	6	1	13	21
178	51	16	5	31	6	10	14	6	2	4	1	1	13	37	10	23	39	7	-	53	22
12	7	-	-	2	-	-	1	-	-	-	-	-	-	2	3	3	4	1	-	4	23
109	16	20	3	8	2	4	10	2	3	5	1	-	7	19	6	20	38	7	2	31	24
19	3	3	1	1	1	2	1	-	-	1	-	-	2	3	-	7	8	2	5	8	25
10	-	2	1	1	2	2	1	-	-	-	-	-	-	1	1	2	4	-	-	4	26
30	-	6	2	3	-	4	3	-	-	2	-	-	3	12	-	8	10	1	2	8	27
6	2	3	-	-	-	1	-	-	1	-	-	-	-	-	1	-	2	1	1	4	28
29	6	6	1	2	2	2	2	1	-	-	1	-	4	21	1	6	14	2	1	10	29
127	24	39	8	14	3	11	17	2	3	2	-	-	2	28	17	18	19	10	1	50	30
29	4	6	-	1	-	-	3	-	-	-	-	-	1	4	1	6	7	2	-	5	31
15	6	7	-	1	-	-	6	-	1	-	1	-	4	4	-	2	12	-	-	3	32
1,987	266	495	58	151	97	71	224	59	19	69	14	5	99	290	33	162	314	150	22	523	33
173	29	47	4	11	4	8	12	5	2	10	-	1	9	47	13	22	26	12	4	49	34
48	9	20	1	7	3	6	3	-	-	-	-	-	1	4	-	4	11	2	1	18	35
34	5	5	1	-	-	-	3	-	-	1	-	-	2	5	-	10	9	2	-	6	36
82	33	36	3	11	4	4	8	-	-	2	1	-	6	16	7	10	25	5	1	34	37
23	4	7	2	4	2	3	2	-	1	2	1	-	3	12	-	5	6	-	-	9	38
34	2	1	1	3	1	1	3	-	1	2	-	-	1	9	4	4	11	2	-	12	39
40	8	19	-	4	2	1	11	-	1	-	1	-	3	12	1	9	14	2	1	15	40
52	8	23	2	5	2	4	4	-	-	1	-	-	3	4	1	8	7	2	-	14	41
23	5	1	-	5	-	-	-	-	-	-	-	-	2	4	-	7	7	1	-	3	42
663	97	131	13	79	16	26	56	20	7	19	8	2	45	113	49	62	111	51	5	134	43
6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	2	44
89	22	26	5	8	2	5	10	1	3	1	-	1	4	14	1	10	25	5	1	38	45
12	6	2	-	-	-	2	1	-	-	-	-	-	1	3	4	-	5	1	-	4	46
276	51	82	5	29	3	13	23	2	4	10	1	-	11	28	25	42	47	14	3	89	47
658	100	115	12	90	6	14	42	12	6	12	6	1	22	104	17	46	88	29	8	162	48
43	6	19	1	2	3	2	5	-	2	1	-	-	-	7	2	8	14	2	-	13	49
123	20	21	5	15	2	8	10	2	-	3	-	-	5	12	7	6	10	6	-	25	50
10	1	1	-	-	1	1	-	1	-	-	1	-	-	1	-	-	1	2	-	1	51
92	8	25	1	14	2	4	6	3	2	5	-	-	3	5	5	5	13	7	-	26	52
175	26	63	3	20	3	9	15	3	-	4	1	-	7	18	4	9	34	5	2	44	53
66	16	17	4	5	1	4	5	1	1	1	-	1	6	12	3	11	5	6	-	15	54
258	44	75	8	15	13	14	35	8	9	11	1	-	22	56	14	53	58	12	3	63	55
3,287	949	1,251	151	306	80	264	744	86	141	135	43	37	286	891	438	457	913	177	108	1,216	56
1,163	285	330	42	120	26	87	223	34	42	51	16	16	93	312	102	150	293	46	37	375	57
2,124	664	921	109	186	54	177	521	52	99	84	27	21	193	579	336	307	620	131	71	841	58
25	4	8	1	3	-	-	7	3	-	-	-	-	5	4	9	2	8	2	-	12	59
70	16	58	4	1	2	10	26	2	2	3	1	-	2	10	2	9	15	-	-	20	60
45	8	15	1	-	1	2	6	1	2	1	1	1	9	17	7	4	15	3	-	16	61
26	7	14	1	4	-	4	7	1	-	-	-	-	2	6	9	8	5	1	-	8	62
58	8	24	2	1	2	2	3	1	-	3	-	1	3	15	2	7	16	2	-	16	63
264	53	59	5	30	3	13	55	6	9	9	1	2	23	60	20	17	39	7	4	68	64
8	2	6	1	2	1	-	6	-	-	-	1	-	-	3	11	-	4	-	-	4	65
12	6	13	-	-	1	3	3	1	2	-	-	-	2	8	18	8	5	2	-	8	66
23	2	10	-	2	-	-	4	-	-	1	-	-	2	2	-	1	4	-	-	9	67
119	34	35	9	18	3	11	32	3	3	3	3	4	16	59	17	25	51	2	10	53	68
11	3	6	-	3	-	-	3	-	-	-	-	-	1	7	7	4	4	2	-	7	69
18	2	4	2	2	-	1	6	-	-	-	-	-	3	4	5	9	8	-	-	4	70
71	28	23	6	5	2	11	15	1	2	3	-	-	7	27	8	11	15	4	2	25	71
20	2	20	2	3	1	-	8	-	-	1	-	1	1	4	-	14	6	3	-	11	72
53	13	19	2	2	2	3	1	3	2	3	-	1	6	13	7	8	16	1	2	16	73
15	7	1	4	2	1	-	2	-	-	1	-	-	2	1	9	1	4	2	-	5	74
176	54	76	5	20	1	13	15	7	2	10	-	-	17	30	12	13	36	6	1	64	75
17	4	23	2	5	3	3	7	-	1	-	1	-	3	7	2	3	8	2	-	11	76
37	29	22	3	3	1	1	10	1	1	3	2	1	4	6	4	6	7	4	-	10	77
346	105	97	11	38	9	30	86	9	19	14	4	6	26	108	24	71	107	24	18	115	78
44	7	22	3	2	1	6	13	-	1	2	1	-	2	8	5	4		-	-	13	79
29	11	17	-	-	-	1	16	-	5	-	-	2	1	13	2	5	10	3	-	10	80
46	29	31	5	6	3	5	23	1	15	5	2	5	11	59	37	17	58	9	8	46	81

325797 O - 55 - 30

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	WEST VIRGINIA—Con.																
1	McDowell	767	20	4	6	12	67	19	8	40	11	322	317	79	-	223	10
2	Marion	655	8	5	2	2	102	39	5	58	8	366	363	75	1	254	6
3	Marshall	347	4	2	1	3	59	23	4	32	9	170	165	47	-	101	4
4	Mason	188	1	1	1	3	18	10	1	7	5	99	97	23	-	65	7
5	Mercer	598	10	5	-	8	71	28	5	38	9	309	296	74	-	200	14
6	Mineral	234	4	2	-	2	25	11	3	11	3	138	134	16	-	108	2
7	Mingo	366	5	1	1	8	50	16	5	29	8	126	116	22	-	89	2
8	Monongalia	503	6	3	-	2	76	27	5	44	10	227	226	42	2	156	6
9	Monroe	147	7	-	-	-	16	11	1	4	2	77	74	24	-	46	1
10	Morgan	79	1	-	-	-	8	5	-	3	-	39	38	16	-	21	-
11	Nicholas	209	1	-	-	1	24	12	2	10	5	98	97	20	2	70	3
12	Ohio	842	7	5	4	5	124	34	17	73	12	479	461	107	-	324	8
13	Pendleton	90	-	-	-	2	10	5	-	5	1	48	46	7	-	34	2
14	Pleasants	59	1	-	-	1	6	1	2	3	1	35	35	15	-	20	-
15	Pocahontas	122	2	-	-	2	13	8	-	5	1	63	63	15	-	45	1
16	Preston	255	1	-	-	2	40	11	3	26	4	147	144	31	1	103	16
17	Putnam	170	3	-	1	2	23	9	1	13	1	90	87	25	-	60	5
18	Raleigh	642	18	8	4	9	90	31	8	51	11	278	265	54	2	194	7
19	Randolph	235	3	-	1	-	39	8	1	30	3	118	113	29	-	76	6
20	Ritchie	112	1	1	-	-	14	4	2	8	3	62	61	9	-	47	7
21	Roane	165	1	2	-	4	20	9	1	10	2	89	84	28	-	50	2
22	Summers	180	4	1	-	-	30	9	2	19	3	86	81	28	-	52	-
23	Taylor	152	2	-	-	1	19	12	1	6	5	72	72	16	-	51	6
24	Tucker	110	2	-	-	1	20	8	2	10	-	63	60	15	-	42	2
25	Tyler	136	-	-	-	1	25	13	3	9	4	67	61	14	-	45	1
26	Upshur	198	4	-	-	-	20	8	2	10	3	97	96	21	-	69	5
27	Wayne	286	16	-	-	6	30	10	1	19	10	119	114	27	-	83	5
28	Webster	115	2	-	-	3	16	6	2	8	1	51	48	10	1	35	3
29	Wetzel	189	3	-	1	-	28	12	1	15	2	103	92	17	1	71	4
30	Wirt	49	1	-	-	-	7	2	1	4	2	31	30	12	-	16	-
31	Wood	670	11	-	3	7	87	39	8	40	12	374	365	102	1	243	6
32	Wyoming	245	8	-	-	3	30	10	4	16	2	95	92	22	-	68	3
33	WISCONSIN	34,081	228	72	131	147	5,569	2,287	483	2,799	665	18,908	18,547	4,137	33	13,071	480
34	Metropolitan counties	13,400	116	42	50	55	2,396	986	258	1,152	221	7,364	7,252	1,441	8	5,364	205
35	Nonmetropolitan counties	20,681	112	30	81	92	3,173	1,301	225	1,647	444	11,544	11,295	2,696	25	7,707	285
36	Adams	80	-	-	-	2	10	3	3	4	-	42	42	12	-	27	2
37	Ashland	247	1	-	-	-	35	14	3	18	6	149	145	29	1	101	3
38	Barron	374	-	-	1	-	56	24	3	29	10	202	198	47	1	140	6
39	Bayfield	193	1	-	-	-	19	9	1	9	3	116	114	24	2	81	5
40	Brown	923	3	3	1	4	148	68	9	71	15	502	490	114	1	345	10
41	Buffalo	147	1	-	-	1	26	8	1	17	1	75	73	13	-	53	1
42	Burnett	112	1	-	-	-	21	9	2	10	3	58	58	18	-	35	-
43	Calumet	166	-	-	-	-	21	11	2	8	4	101	98	31	1	62	1
44	Chippewa	379	-	1	-	2	58	22	7	29	8	209	205	45	-	143	2
45	Clark	314	1	-	-	2	46	18	1	27	7	178	174	49	-	110	5
46	Columbia	431	4	-	1	3	70	25	5	40	7	240	237	66	-	150	11
47	Crawford	172	-	-	-	1	24	14	-	10	3	94	90	15	-	73	2
48	Dane	1,386	13	-	14	3	226	75	22	129	30	746	739	159	1	515	27
49	Dodge	579	4	2	4	2	84	32	10	42	14	341	335	81	-	234	5
50	Door	212	1	-	-	2	40	17	1	22	4	111	109	36	-	65	-
51	Douglas	533	5	1	-	-	81	36	14	31	8	327	322	74	1	232	2
52	Dunn	255	1	1	3	-	35	14	1	20	4	138	134	41	-	83	6
53	Eau Claire	532	5	2	-	1	90	35	5	50	7	296	290	71	2	195	2
54	Florence	41	-	1	-	-	6	2	1	3	2	23	23	6	-	16	-
55	Fond du Lac	751	2	-	4	7	127	56	9	62	17	442	431	96	1	297	11
56	Forest	104	-	-	-	-	14	4	2	8	4	57	55	7	-	48	1
57	Grant	446	4	1	-	2	64	22	4	38	6	252	249	58	-	167	6
58	Green	284	-	-	2	-	44	21	4	19	6	167	161	40	-	110	1
59	Green Lake	130	-	-	-	1	20	7	2	11	5	72	72	18	-	47	1
60	Iowa	218	1	-	3	1	41	15	-	26	6	116	114	22	-	81	4
61	Iron	79	1	-	-	-	11	7	2	2	-	44	43	11	-	30	1
62	Jackson	193	1	1	2	1	32	13	-	19	5	88	87	26	-	58	5
63	Jefferson	517	2	1	2	-	86	23	7	56	11	293	287	71	2	188	7
64	Juneau	224	2	-	5	-	30	12	5	13	-	125	122	26	-	86	-
65	Kenosha	732	3	4	6	2	132	47	16	69	16	370	361	66	-	272	11
66	Kewaunee	162	-	-	1	-	26	14	-	12	2	93	91	23	-	58	1
67	La Crosse	696	9	1	6	4	113	48	8	57	15	382	369	92	1	250	13
68	Lafayette	194	1	-	-	3	30	6	3	21	3	99	95	22	2	65	3
69	Langlade	222	1	-	5	2	32	15	2	15	5	121	107	27	1	75	2
70	Lincoln	213	1	-	-	-	36	18	4	14	1	124	124	25	-	81	2
71	Manitowoc	632	3	2	1	1	96	53	5	38	20	361	350	82	3	244	10
72	Marathon	666	5	-	3	2	102	46	7	49	12	357	352	74	1	244	10
73	Marinette	374	1	-	1	1	56	20	6	30	12	231	228	55	-	157	8
74	Marquette	106	2	-	1	1	19	6	3	10	4	60	60	14	-	38	1
75	Milwaukee	8,750	88	32	21	41	1,624	682	181	761	134	4,825	4,761	908	3	3,591	145
76	Monroe	331	-	1	4	1	40	15	6	19	7	178	171	33	-	127	8
77	Oconto	253	1	-	1	-	41	25	2	14	11	130	125	25	-	93	3
78	Oneida	189	1	-	-	-	38	12	4	22	2	89	86	20	-	62	5
79	Outagamie	750	6	3	-	6	123	52	7	64	20	392	382	79	-	279	10
80	Ozaukee	229	2	-	-	-	37	20	4	13	3	118	117	25	-	89	1
81	Pepin	67	-	-	-	1	11	3	3	5	-	42	41	15	-	23	-
82	Pierce	199	-	-	-	2	27	15	1	11	2	131	129	41	-	81	2
83	Polk	260	1	-	2	-	37	16	2	19	6	147	142	35	-	92	6
84	Portage	325	4	1	-	-	47	20	3	24	8	186	183	39	1	127	3
85	Price	158	1	-	-	1	21	5	3	13	4	93	90	27	-	53	-

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
96	62	55	12	1	2	5	39	-	1	2	2	3	16	63	9	26	67	7	19	65	1
166	35	47	9	21	3	3	28	3	4	11	-	-	8	16	8	11	24	11	2	36	2
72	12	13	1	15	1	5	11	5	2	3	1	1	4	15	7	1	18	7	-	24	3
30	8	20	3	3	3	2	8	1	1	2	1	-	2	4	1	9	11	2	1	17	4
104	49	33	6	12	4	13	21	2	3	4	-	-	8	37	17	18	20	11	5	40	5
44	20	42	4	6	-	4	8	2	1	2	1	-	1	10	2	7	7	-	-	19	6
49	17	21	3	2	-	10	29	5	21	1	1	1	1	25	13	4	36	-	3	27	7
105	14	31	3	21	2	1	26	3	4	2	3	1	14	18	5	6	39	10	3	45	8
26	9	10	1	3	-	3	4	-	2	1	-	-	1	8	3	7	5	1	-	13	9
16	1	4	-	-	1	1	5	-	-	-	-	-	3	3	-	3	2	3	-	12	10
30	23	14	-	3	2	1	12	2	3	1	1	-	2	12	13	11	5	-	3	15	11
206	47	63	11	14	5	18	20	7	2	14	7	1	11	34	10	10	30	2	2	56	12
19	2	11	1	4	-	2	7	1	-	-	-	-	2	5	2	2	1	2	1	6	13
13	1	6	-	-	-	-	2	1	-	-	-	-	7	1	-	-	2	-	-	2	14
32	3	9	-	3	-	-	4	1	-	-	1	-	3	4	3	5	8	-	1	11	15
49	16	22	2	5	2	3	10	-	-	1	1	-	1	5	12	5	15	2	-	9	16
24	14	17	-	1	1	3	15	1	1	4	-	1	2	6	4	1	7	2	-	6	17
114	46	27	8	5	2	13	19	3	8	3	1	-	10	32	10	20	40	10	6	62	18
38	17	15	3	4	1	5	4	1	2	3	-	-	6	10	17	5	8	1	-	14	19
25	5	10	2	2	1	1	4	-	-	-	1	-	-	6	4	2	9	-	-	5	20
26	9	13	2	4	-	5	7	1	-	2	-	-	1	11	6	3	5	1	-	10	21
25	14	13	-	-	1	5	13	2	-	2	1	-	3	6	3	4	6	2	3	11	22
26	7	12	3	1	1	-	5	2	1	2	-	-	4	9	3	5	6	2	1	13	23
33	2	5	1	2	-	3	-	1	-	-	-	1	1	4	2	-	4	1	2	8	24
29	4	11	-	1	1	6	5	1	1	1	-	-	2	2	3	1	10	3	1	9	25
38	9	17	1	4	1	1	12	1	1	-	-	-	4	5	17	3	14	-	1	16	26
45	13	20	1	2	1	5	15	-	5	2	-	-	4	8	15	11	16	1	1	27	27
19	4	9	-	1	1	3	8	-	1	2	-	2	2	8	2	2	3	2	-	10	28
42	6	19	-	2	1	11	13	-	1	-	-	-	1	4	11	7	6	4	-	5	29
12	-	4	1	1	-	1	2	-	1	-	-	-	-	1	1	-	1	-	-	2	30
162	38	37	3	11	5	9	20	-	1	7	4	1	7	36	7	9	25	7	1	51	31
39	8	18	1	-	1	3	14	-	2	1	-	1	7	12	11	12	17	4	7	19	32
8,566	1,509	2,506	230	871	205	361	809	209	135	296	47	44	499	1,345	247	922	1,193	392	57	2,166	33
3,730	619	810	93	257	89	112	302	91	56	151	18	13	201	574	37	309	389	141	33	841	34
4,836	890	1,696	137	614	116	249	507	118	79	145	29	31	298	771	210	613	804	251	24	1,325	35
16	1	8	-	3	-	-	6	-	2	1	1	-	-	1	1	2	7	3	-	2	36
62	14	22	2	12	-	4	4	3	1	1	-	-	-	6	2	5	12	4	1	17	37
85	14	35	1	9	-	4	10	4	1	2	-	-	6	11	12	8	14	7	1	29	38
43	19	14	-	7	-	2	9	1	-	2	-	-	2	7	2	7	13	2	-	9	39
221	49	65	10	17	3	12	19	1	3	9	-	2	17	44	7	27	43	5	-	70	40
40	3	9	4	2	1	2	4	-	-	-	-	1	1	7	3	5	8	1	-	13	41
22	3	10	-	4	1	-	1	1	-	-	-	-	4	2	4	4	7	2	1	3	42
38	9	14	1	2	1	3	1	-	-	1	1	-	2	6	1	5	5	2	-	16	43
99	22	20	6	10	1	4	12	-	2	2	-	1	6	26	1	16	12	5	1	17	44
62	12	31	-	13	2	4	7	3	1	1	-	-	6	8	5	8	11	5	-	25	45
93	12	34	1	17	3	3	9	3	2	1	-	1	3	13	6	9	24	10	-	25	46
35	15	21	-	2	-	4	5	-	1	1	-	1	3	5	2	4	12	4	-	12	47
330	79	79	10	42	12	7	35	9	3	7	2	2	29	59	6	48	49	21	1	83	48
115	35	79	6	12	2	6	17	5	-	1	-	1	7	10	7	21	16	5	2	36	49
46	2	17	-	8	-	2	11	2	1	2	-	-	1	12	-	7	2	1	-	15	50
164	32	34	5	8	2	5	9	2	1	6	-	-	3	17	1	15	26	3	-	28	51
44	11	22	-	9	1	4	7	1	-	3	-	-	4	12	2	5	15	2	-	22	52
131	29	33	2	17	3	6	10	3	1	5	2	1	12	16	10	18	14	6	-	33	53
10	4	2	-	1	-	-	1	-	1	2	-	-	-	-	-	1	1	1	-	2	54
180	31	75	4	30	3	11	14	7	3	4	2	2	5	13	8	16	30	6	1	41	55
30	3	14	-	-	-	2	3	2	1	-	-	1	-	3	-	4	3	1	1	10	56
104	10	47	1	20	3	3	19	5	3	1	1	1	6	21	5	5	16	3	-	31	57
75	8	26	2	9	-	6	5	1	3	3	-	1	4	8	5	6	10	4	-	15	58
22	6	18	-	6	1	-	3	-	-	-	-	1	1	4	2	5	9	2	-	5	59
54	9	14	2	9	-	2	3	1	1	3	-	-	5	8	6	6	5	5	-	7	60
17	5	7	1	1	-	1	4	-	-	2	-	-	1	2	-	3	3	4	-	4	61
40	5	8	-	2	1	1	7	2	1	2	-	-	1	5	6	7	10	2	-	20	62
99	17	65	3	19	4	6	13	3	2	8	1	-	6	22	3	11	14	3	-	36	63
49	9	28	4	5	1	3	8	-	-	-	2	-	4	13	-	11	9	3	1	11	64
184	44	33	6	11	6	9	14	3	6	6	-	-	13	38	2	29	25	4	-	59	65
32	10	15	3	7	-	2	4	1	1	1	-	-	1	5	3	5	8	3	-	8	66
176	35	26	8	15	3	13	12	4	2	5	2	1	8	32	2	14	29	7	-	48	67
34	6	22	1	4	1	4	7	2	1	-	1	-	2	3	5	9	11	5	-	12	68
39	12	22	-	3	1	14	8	-	1	2	-	-	2	10	4	5	12	3	-	9	69
40	8	31	1	14	3	-	2	-	-	2	2	-	3	3	4	9	7	-	1	18	70
180	14	40	6	11	4	11	19	3	2	6	-	-	12	23	5	16	18	5	-	39	71
172	29	33	7	20	6	5	12	4	3	3	1	-	11	38	9	26	24	8	1	45	72
110	14	25	4	11	1	3	9	2	-	1	-	1	8	7	-	9	17	6	-	12	73
17	3	17	1	7	-	-	2	1	-	-	-	-	-	5	2	2	4	-	-	3	74
2,551	368	527	53	146	60	64	208	70	38	109	12	6	121	368	16	153	213	100	31	540	75
68	34	17	2	7	2	7	13	1	2	2	-	2	7	19	6	14	17	2	-	15	76
55	6	29	-	6	1	5	7	1	2	-	-	-	2	14	1	9	6	4	-	23	77
49	2	6	1	2	1	3	7	-	1	2	-	-	2	6	6	5	10	2	-	18	78
158	33	78	8	11	5	10	14	2	-	9	3	-	16	37	5	30	25	8	1	50	79
65	13	10	1	1	1	1	6	2	1	4	1	-	5	15	3	10	8	1	-	13	80
16	2	5	2	1	-	1	3	-	1	-	-	-	-	1	1	2	3	-	-	2	81
57	5	17	2	5	-	2	5	-	-	1	-	-	2	1	3	2	8	2	-	13	82
62	11	13	2	10	3	5	4	1	-	-	1	-	3	12	-	7	13	3	-	23	83
101	10	13	1	8	7	3	5	3	1	1	-	1	10	11	2	4	14	3	-	24	84
33	2	18	-	10	-	3	7	-	-	-	1	-		4	3	6	5	1	1	10	85

Table 54. Deaths From Selected Causes: United States, Each State and County;

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas.

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	WISCONSIN—Continued																
1	Racine	1,076	4	2	8	5	185	78	16	91	18	594	579	120	2	409	10
2	Richland	190	2	-	2	1	35	14	3	18	1	99	97	25	-	65	3
3	Rock	909	6	2	1	5	124	47	7	70	17	513	505	120	-	347	18
4	Rusk	148	-	-	1	-	21	8	1	12	6	83	83	16	-	57	-
5	St. Croix	245	2	-	3	-	40	15	2	23	5	137	133	46	1	79	5
6	Sauk	384	-	-	4	3	56	26	3	27	9	217	211	56	-	145	2
7	Sawyer	108	-	-	1	1	16	7	1	8	1	65	64	12	-	47	1
8	Shawano	333	3	2	3	1	47	18	2	27	4	173	167	47	-	107	7
9	Sheboygan	749	9	-	1	2	135	58	3	74	26	397	392	106	-	266	2
10	Taylor	133	-	-	-	-	24	8	2	14	3	67	64	16	-	44	3
11	Trempealeau	267	1	-	-	2	33	14	3	16	10	160	155	35	1	105	4
12	Vernon	300	-	1	2	1	42	21	2	19	4	170	165	34	1	115	3
13	Vilas	107	-	-	-	-	16	5	2	9	3	51	51	5	-	43	4
14	Walworth	498	1	1	1	1	80	29	11	40	9	305	302	64	-	197	8
15	Washburn	108	2	-	2	1	15	7	-	8	1	66	66	19	-	38	3
16	Washington	305	1	-	1	1	45	17	2	26	6	176	173	49	-	109	4
17	Waukesha	783	3	2	4	4	133	47	13	73	17	420	414	97	-	281	11
18	Waupaca	396	2	-	-	5	68	31	6	31	11	219	216	53	-	150	4
19	Waushara	155	-	-	-	1	18	5	-	13	-	108	105	26	-	70	3
20	Winnebago	928	5	1	-	7	131	57	8	66	20	542	534	111	2	387	8
21	Wood	429	3	3	3	3	52	21	-	31	11	213	210	47	1	137	16
22	WYOMING	2,503	19	12	17	13	324	117	3	175	36	1,129	1,085	246	1	779	48
23	Nonmetropolitan counties	2,503	19	12	17	13	324	117	32	175	36	1,129	1,085	246	1	779	48
24	Albany	131	1	1	-	-	16	7	-	9	2	53	53	13	-	40	2
25	Big Horn	95	1	-	2	-	11	4	-	7	2	47	47	8	-	34	2
26	Campbell	49	-	1	-	1	9	2	-	7	-	23	21	5	1	12	-
27	Carbon	125	-	-	-	1	15	3	2	10	5	55	49	6	-	39	1
28	Converse	77	1	-	-	-	10	5	1	4	2	40	40	5	-	32	5
29	Crook	36	-	-	-	-	6	2	-	4	-	16	15	5	-	10	-
30	Fremont	211	6	-	1	2	30	11	3	16	2	76	76	14	-	58	6
31	Goshen	89	2	-	-	-	7	4	-	3	2	46	45	17	-	26	-
32	Hot Springs	74	2	-	1	-	6	1	1	4	1	32	30	5	-	24	-
33	Johnson	47	-	2	-	-	6	2	-	4	1	19	18	11	-	7	1
34	Laramie	334	2	2	2	2	45	16	7	22	3	146	143	24	-	107	6
35	Lincoln	69	-	1	1	-	8	3	-	5	1	28	27	7	-	18	2
36	Natrona	325	3	4	4	-	44	19	-	25	3	145	131	29	-	101	5
37	Niobrara	44	-	-	1	-	6	3	2	1	1	23	23	3	-	20	1
38	Park	91	-	-	-	-	15	5	3	7	-	37	35	6	-	28	2
39	Platte	76	-	-	-	1	7	4	1	2	3	44	44	12	-	31	1
40	Sheridan	231	-	-	2	3	32	9	4	19	4	130	127	48	-	66	6
41	Sublette	26	-	-	-	-	2	1	1	-	-	14	14	2	-	11	1
42	Sweetwater	187	-	1	2	2	22	8	5	9	1	80	75	13	-	58	6
43	Teton	16	-	-	1	-	3	2	-	1	-	6	6	3	-	3	1
44	Uinta	64	1	-	-	-	10	4	-	6	2	31	28	5	-	22	-
45	Washakie	55	-	-	-	1	6	-	1	5	1	16	16	3	-	13	-
46	Weston	47	-	-	-	-	8	2	1	5	-	19	19	2	-	16	-
47	Yellowstone Nat. Park (pt.)	4	-	-	-	-	-	-	-	-	-	3	3	-	-	3	-
48	Yellowstone Nat. Park (total)[3]	4	-	-	-	-	-	-	-	-	-	3	3	-	-	3	-

[3]Yellowstone National Park is located in Idaho, Montana, and Wyoming. Figures are included in the total for the State in which the deaths occurred, but the total for the Park is shown under Wyoming which contained the largest proportion of its population.

NOTE.—The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census, except in New England where the counties are those in the "metropolitan State economic areas," also defined by the Bureau of the Census. The category "nonmetropolitan counties" includes all other counties in the State.

and Metropolitan and Nonmetropolitan Counties in Each State, 1952—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
280	47	72	9	33	6	15	17	6	5	14	4	3	18	48	5	37	33	8	1	61	1
49	5	8	1	5	1	2	6	2	2	1	-	-	1	6	1	4	11	5	-	11	2
244	27	58	7	24	7	8	25	10	3	8	3	-	21	43	2	24	32	6	2	62	3
37	5	15	3	4	3	-	4	-	1	-	-	1	-	6	3	5	10	-	-	7	4
43	10	21	2	4	1	4	3	-	-	1	-	-	7	13	1	10	10	-	-	13	5
91	21	31	2	7	1	6	12	2	2	5	-	-	6	8	6	16	16	6	-	16	6
30	7	9	-	4	1	1	-	-	1	1	-	-	-	1	2	5	4	1	1	8	7
67	8	25	-	10	3	6	17	1	2	-	1	-	8	13	2	19	11	1	-	25	8
188	37	39	2	14	4	5	18	6	5	6	-	-	9	27	5	15	22	12	-	54	9
13	6	22	-	4	-	3	4	-	-	2	-	-	2	10	2	7	3	3	-	6	10
60	15	26	1	13	-	5	8	-	1	1	-	1	1	6	1	4	13	4	-	21	11
73	16	23	5	8	2	5	7	2	2	2	-	1	3	15	2	6	16	5	1	18	12
32	1	6	3	-	-	-	7	1	-	1	-	-	3	2	1	7	3	4	-	8	13
142	19	28	3	36	2	3	7	4	1	6	-	1	5	11	2	14	22	7	-	20	14
25	1	9	-	7	2	-	2	-	-	-	-	1	2	3	2	2	2	1	-	6	15
68	12	25	1	10	4	3	3	3	2	1	-	-	2	15	2	8	9	4	-	26	16
173	29	68	9	21	6	6	17	5	2	7	1	3	9	33	7	24	25	9	2	56	17
88	7	51	2	8	3	3	9	1	-	1	1	-	8	9	3	9	9	12	-	29	18
39	7	21	1	7	1	3	1	1	1	-	-	-	2	2	2	2	4	1	-	12	19
231	79	69	2	27	5	8	4	2	9	8	1	2	16	37	5	28	41	12	4	53	20
68	21	32	3	19	3	3	14	4	-	7	-	4	9	24	2	21	20	2	1	33	21
475	76	180	7	34	18	44	80	23	17	15	6	2	39	163	30	111	195	42	15	215	22
475	76	180	7	34	18	44	80	23	17	15	6	2	39	163	30	111	195	42	15	215	23
28	2	8	-	-	-	-	3	1	2	2	1	-	4	5	1	7	11	-	1	20	24
24	3	5	-	3	2	-	3	-	-	-	-	-	1	3	2	1	10	3	1	8	25
9	-	3	-	3	-	2	3	1	1	-	-	-	-	4	-	2	1	1	-	2	26
21	1	16	-	3	1	6	5	-	1	-	1	-	2	11	2	3	12	4	1	7	27
21	3	3	-	1	2	-	1	1	-	-	-	-	-	4	1	2	5	3	1	6	28
6	-	4	-	-	-	1	1	-	1	-	-	-	-	1	-	-	5	1	-	5	29
29	5	18	1	2	1	-	11	4	1	1	-	-	-	14	8	14	20	2	-	19	30
22	3	1	-	2	-	1	1	-	1	-	-	-	3	8	-	6	9	-	-	4	31
21	1	2	-	-	1	2	1	-	-	-	-	-	1	5	3	4	12	-	1	5	32
5	-	1	-	-	-	1	2	-	-	-	-	-	-	4	-	2	2	2	-	7	33
73	11	17	2	8	2	3	18	5	1	2	-	-	10	38	1	12	18	4	2	21	34
5	4	7	-	1	1	1	2	-	-	1	-	-	1	6	3	1	9	-	-	7	35
57	11	28	-	1	-	14	8	4	3	5	1	-	6	14	1	24	19	5	2	30	36
3	12	4	-	-	-	-	1	-	1	-	-	-	-	1	-	2	1	-	-	7	37
17	1	8	1	-	-	2	1	2	-	-	-	-	1	9	1	6	7	2	1	9	38
14	2	14	-	1	-	-	1	1	1	-	-	-	1	2	-	2	7	-	-	6	39
43	2	15	1	6	6	3	1	1	1	2	-	-	3	6	3	4	18	4	1	16	40
8	-	2	-	1	-	-	2	3	-	-	-	-	1	1	-	1	2	-	-	-	41
35	7	10	2	-	2	5	8	-	1	1	2	1	1	17	2	7	14	4	-	21	42
1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	2	43
13	4	5	-	1	-	3	1	-	1	-	-	-	1	2	-	1	1	2	3	8	44
9	1	3	-	-	-	-	3	-	-	-	1	1	2	6	1	6	6	1	-	4	45
10	2	4	-	1	-	-	3	-	1	1	-	-	-	2	1	4	4	3	-	1	46
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	47
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	48

Table 55. Deaths From Specified Infective Diseases: United States, Each State and County, 1952

(By place of residence. Deaths exclusive of deaths among armed forces overseas. Only those States and counties for which there were one or more deaths from a specified cause are listed. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AREA AND CAUSE OF DEATH	Deaths
TYPHOID FEVER (040)	
UNITED STATES	78
ALABAMA	3
Choctaw	1
Clay	1
Mobile	1
ARKANSAS	3
Jefferson	1
Lincoln	1
Pulaski	1
CALIFORNIA	3
Butte	1
Los Angeles	1
Tulare	1
DISTRICT OF COLUMBIA	1
FLORIDA	2
Duval	2
GEORGIA	3
Clayton	1
Tift	1
Washington	1
ILLINOIS	1
Cook	1
INDIANA	1
Lake	1
KENTUCKY	5
Bell	1
Elliott	1
Mercer	1
Pulaski	1
Todd	1
LOUISIANA[1]	3
Caddo	1
East Baton Rouge	1
Washington	1
MISSISSIPPI	8
Attala	1
Bolivar	1
De Soto	1
Humphreys	1
Quitman	1
Sunflower	1
Tunica	1
Warren	1
MISSOURI	1
Gentry	1
MONTANA	1
Glacier	1
NEW MEXICO	4
Eddy	2
Santa Fe	1
Valencia	1
NEW YORK	5
Erie	1
New York City[2]	2
Ulster	1
Westchester	1
NORTH CAROLINA	3
Alamance	1
Moore	1
Pitt	1
OHIO	3
Clark	1
Franklin	1
Jefferson	1
OKLAHOMA	2
Kiowa	1
Murray	1
PENNSYLVANIA	2
Philadelphia	1
Westmoreland	1
SOUTH CAROLINA	6
Berkeley	1
Charleston	1
Lee	1
Orangeburg	1
York	2
TENNESSEE	4
Carroll	1
Fayette	1
Hawkins	1
Weakley	1
TEXAS	7
Fayette	1
Hidalgo	2
Karnes	1
McLennan	1
Reeves	1
Wichita	1
UTAH	1
Sevier	1
VIRGINIA[3]	2
Pulaski	1
Independent City	
Hampton	1
WASHINGTON	3
Clallam	1
Pierce	2
WISCONSIN	1
Columbia	1
DYSENTERY, ALL FORMS (045-048)	
UNITED STATES	937
ALABAMA	25
Baldwin	1
Calhoun	1
Cullman	1
Dallas	1
Henry	1
Jefferson	3
Lawrence	1
Lee	1
Limestone	3
Mobile	5
Montgomery	1
Morgan	1
Perry	1
Russell	1
St. Clair	3
ARIZONA	18
Coconino	1
Greenlee	1
Maricopa	4
Mohave	3
Navajo	1
Pima	1
Pinal	4
Yuma	3
ARKANSAS	38
Chicot	1
Craighead	1
Drew	1
Garland	2
Howard	2
Independence	1
Jefferson	3
Lincoln	1
Logan	1
Mississippi	8
Monroe	1
Phillips	5
Poinsett	2
Pulaski	2
St. Francis	4
Sebastian	1
Woodruff	2
CALIFORNIA	34
Fresno	2
Kern	3
Kings	1
Lake	1
Lassen	1
Los Angeles	10
Riverside	2
Sacramento	1
San Bernardino	2
San Diego	3
San Francisco	3
San Joaquin	3
Sonoma	1
Stanislaus	1
COLORADO	12
Conejos	1
Costilla	1
Jefferson	1
Las Animas	1
Pueblo	8
FLORIDA	23
Brevard	1
Broward	3
Clay	1
Dade	1
Duval	2
Hillsborough	1
Jackson	2
Lake	1
Leon	3
Madison	1
Manatee	1
Nassau	1
Palm Beach	2
Pinellas	1
Polk	1
Putnam	1
GEORGIA	45
Baldwin	1
Barrow	1
Bibb	1
Bulloch	1
Burke	1
Cobb	2
Colquitt	2
Crisp	2
Dougherty	3
Early	2
Fannin	1
Fulton	2
Glynn	1
Hall	1
Hancock	1
Irwin	2
Jasper	1
Lincoln	2
McIntosh	1
Meriwether	2
Mitchell	1
Murray	1
Newton	1
Pickens	2
Sumter	2
Taylor	2
Telfair	1
GEORGIA—Continued	
Terrell	1
Walton	2
Whitfield	1
Worth	1
IDAHO	1
Bannock	1
ILLINOIS	18
Bond	2
Cook	5
Fulton	1
Kankakee	1
La Salle	1
Lee	2
McDonough	1
Pulaski	1
Wabash	1
Williamson	1
Winnebago	2
INDIANA	11
Allen	2
Lake	1
La Porte	1
Marion	1
Parke	1
Posey	1
St. Joseph	1
Scott	1
Shelby	1
Tippecanoe	1
IOWA	13
Appanoose	1
Cedar	1
Cerro Gordo	1
Delaware	1
Hardin	2
Harrison	1
Henry	1
Iowa	1
Monroe	1
Osceola	1
Scott	1
Wapello	1
KANSAS	4
Allen	1
Marshall	1
Sedgwick	2
KENTUCKY	57
Barren	1
Clark	4
Clay	2
Fayette	1
Fleming	1
Floyd	9
Graves	1
Grayson	1
Hardin	1
Harlan	1
Hart	1
Jefferson	3
Johnson	3
Knox	2
Lawrence	1
Lincoln	1
McCracken	3
Magoffin	2
Martin	1
Morgan	1
Muhlenberg	3
Pike	12
Whitley	1
Woodford	1
LOUISIANA[1]	20
Ascension	1
Bienville	1
Caddo	1
Calcasieu	2
Evangeline	1

[1]Divisions of Louisiana known as parishes.
[2]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.
[3]Independent cities have the same status as counties and are listed after the counties.

Table 55. Deaths From Specified Infective Diseases: United States, Each State and County, 1952—Continued

(See headnote on p. 452)

AREA AND CAUSE OF DEATH	Deaths
DYSENTERY, ALL FORMS (045-048)—Continued	
LOUISIANA[1]—Continued	
Jefferson	1
Lafayette	1
Morehouse	1
Orleans	5
Ouachita	1
Rapides	1
St. Landry	1
St. Mary	1
Vermilion	1
Washington	1
MARYLAND	7
Baltimore (independent city)	4
Wicomico	3
MASSACHUSETTS	15
Essex	1
Hampden	1
Middlesex	8
Norfolk	1
Suffolk	3
Worcester	1
MICHIGAN	10
Calhoun	1
Lenawee	2
Macomb	1
Monroe	1
Muskegon	2
St. Joseph	1
Wayne	2
MINNESOTA	2
Hennepin	2
MISSISSIPPI	72
Bolivar	5
Calhoun	1
Chickasaw	1
Copiah	1
Covington	1
De Soto	6
Harrison	1
Hinds	4
Holmes	1
Issaquena	1
Itawamba	1
Lafayette	1
Lauderdale	1
Lawrence	1
Leake	1
Leflore	5
Lincoln	1
Lowndes	1
Madison	1
Newton	1
Noxubee	1
Panola	6
Pike	3
Quitman	3
Simpson	1
Sunflower	5
Tallahatchie	4
Tate	3
Tunica	1
Walthall	1
Warren	1
Washington	6
Webster	1
MISSOURI	32
Bates	1
Butler	3
Clark	1
Clay	1
Dunklin	2
Howell	1
Iron	1
Jackson	1
Madison	3
Miller	1
Mississippi	1
MISSOURI—Continued	
New Madrid	1
Newton	1
Pemiscot	1
Pike	1
St. Francois	3
St. Louis	1
St. Louis (independent city)	2
Ste. Genevieve	1
Shannon	1
Shelby	1
Stoddard	1
Stone	1
Wayne	1
NEBRASKA	1
Burt	1
NEVADA	2
Clark	1
Elko	1
NEW JERSEY	11
Bergen	1
Essex	3
Gloucester	1
Hudson	2
Morris	1
Passaic	1
Sussex	1
Union	1
NEW MEXICO	27
Bernalillo	2
Chaves	1
Dona Ana	1
Grant	2
Guadalupe	1
Lincoln	1
McKinley	2
Quay	1
Rio Arriba	2
Sandoval	2
San Juan	3
San Miguel	2
Santa Fe	1
Taos	5
Valencia	1
NEW YORK	10
Chenango	1
Nassau	1
New York City[2]	5
Suffolk	2
Westchester	1
NORTH CAROLINA	29
Alamance	2
Anson	1
Ashe	1
Buncombe	1
Craven	2
Davie	1
Edgecombe	3
Halifax	4
Jackson	1
Lenoir	1
Madison	1
Martin	1
Mecklenburg	2
Pender	3
Richmond	1
Robeson	1
Surry	2
Wilson	1
NORTH DAKOTA	1
Mercer	1
OHIO	10
Butler	1
Cuyahoga	3
Hamilton	2
Huron	1
OHIO—Continued	
Jackson	1
Lawrence	1
Scioto	1
OKLAHOMA	18
Adair	1
Comanche	1
Cotton	1
Greer	1
Harmon	1
Hughes	1
Muskogee	1
Okfuskee	1
Oklahoma	2
Okmulgee	1
Seminole	2
Tulsa	4
Washington	1
OREGON	4
Baker	1
Douglas	2
Multnomah	1
PENNSYLVANIA	10
Allegheny	2
Berks	1
Cambria	1
Luzerne	1
Lycoming	1
Montgomery	1
Philadelphia	2
Washington	1
RHODE ISLAND	8
Kent	1
Newport	1
Providence	6
SOUTH CAROLINA	20
Anderson	1
Bamberg	1
Barnwell	1
Beaufort	1
Berkeley	1
Charleston	1
Cherokee	1
Chester	1
Darlington	1
Dillon	1
Florence	1
Georgetown	1
Horry	2
Lexington	1
McCormick	1
Oconee	1
Pickens	1
Richland	1
Sumter	1
SOUTH DAKOTA	4
Dewey	1
Moody	1
Ziebach	2
TENNESSEE	28
Bedford	1
Blount	2
Bradley	1
Clay	1
Cocke	1
Davidson	1
Dyer	1
Gibson	2
Grundy	1
Haywood	1
Knox	3
Lake	1
Lauderdale	2
Macon	1
Montgomery	2
Overton	1
Rhea	1
Robertson	1
TENNESSEE—Continued	
Rutherford	1
Shelby	1
Tipton	2
TEXAS	236
Anderson	2
Austin	1
Bastrop	1
Bee	1
Bexar	5
Brazos	1
Brewster	1
Caldwell	2
Cameron	23
Chambers	1
Clay	1
Comal	1
Cooke	1
Dallas	3
Denton	1
Duval	1
Ector	4
Ellis	4
El Paso	1
Fort Bend	1
Frio	1
Galveston	1
Garza	2
Gonzales	1
Guadalupe	2
Hale	3
Harris	3
Haskell	1
Hays	1
Henderson	1
Hidalgo	56
Hockley	2
Houston	2
Howard	1
Hudspeth	1
Hunt	1
Jim Wells	5
Johnson	1
Kaufman	1
Lamb	4
Lampasas	1
La Salle	2
Lavaca	2
Leon	1
McLennan	2
Mason	1
Matagorda	1
Maverick	1
Medina	3
Midland	1
Milam	3
Montague	1
Montgomery	1
Navarro	3
Nueces	7
Pecos	2
Potter	1
Reeves	1
Runnels	1
San Patricio	12
Smith	1
Tarrant	1
Titus	1
Tom Green	5
Travis	3
Uvalde	3
Val Verde	3
Victoria	1
Walker	2
Webb	3
Wichita	1
Wilbarger	1
Willacy	14
Williamson	2
Wilson	2
UTAH	2
San Juan	1
Weber	1
VERMONT	1
Franklin	1

[1]Divisions of Louisiana known as parishes.
[2]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.

Table 55. Deaths From Specified Infective Diseases: United States, Each State and County, 1952—Continued

(See headnote on p. 452)

AREA AND CAUSE OF DEATH	Deaths
DYSENTERY, ALL FORMS (045-048)—Continued	
VIRGINIA[3]	28
Accomack	3
Amelia	1
Appomattox	1
Augusta	1
Carroll	1
Dickenson	1
Essex	1
Franklin	1
Goochland	1
Greene	1
Greensville	1
Henry	1
Isle of Wight	1
Loudoun	1
Northampton	2
Nottoway	1
Southampton	1
Wise	1
Independent Cities	
Hampton	1
Lynchburg	1
Norfolk	1
Richmond	2
Roanoke	1
Warwick	1
WASHINGTON	5
Chelan	1
King	1
Lewis	1
Skamania	1
Whatcom	1
WEST VIRGINIA	19
Boone	1
Cabell	3
Greenbrier	1
Jefferson	1
Logan	1
Mingo	5
Monongalia	1
Raleigh	2
Roane	1
Wayne	2
Webster	1
WISCONSIN	6
Brown	1
Door	1
Milwaukee	1
Outagamie	2
Richland	1
DIPHTHERIA (055)	
UNITED STATES	217
ALABAMA	20
Autauga	2
Baldwin	1
Calhoun	1
Chambers	1
Choctaw	1
Crenshaw	1
Jefferson	2
Lauderdale	1
Lowndes	1
Madison	1
Mobile	3
Monroe	1
Montgomery	3
Morgan	1
ARIZONA	1
Pima	1
ARKANSAS	5
Ashley	1
Hempstead	1
Jackson	1
Jefferson	1
Washington	1
CALIFORNIA	17
Alameda	2
Kern	1
Los Angeles	2
San Francisco	8
San Joaquin	2
Santa Clara	1
Tuolumne	1
COLORADO	1
Conejos	1
DISTRICT OF COLUMBIA	1
FLORIDA	7
Bay	1
Collier	1
Gadsden	1
Gulf	1
Leon	1
Polk	1
Santa Rosa	1
GEORGIA	16
Bartow	1
Bibb	1
Chatham	2
Clarke	1
Echols	1
Floyd	2
Fulton	1
Gilmer	1
Hall	2
Irwin	1
Jackson	1
Miller	2
ILLINOIS	2
Cook	1
La Salle	1
INDIANA	6
Clark	1
Delaware	1
Floyd	1
Howard	1
Marion	2
IOWA	2
Jones	1
Mills	1
KANSAS	1
Meade	1
KENTUCKY	10
Boyd	1
Floyd	1
Jefferson	2
Knox	2
Lewis	1
Perry	1
Rowan	1
Washington	1
LOUISIANA[1]	5
Bossier	2
Iberia	1
Vermilion	1
Webster	1
MARYLAND	1
Baltimore (independent city)	1
MASSACHUSETTS	2
Hampden	1
Suffolk	1
MICHIGAN	2
Oakland	1
Wayne	1
MINNESOTA	5
Mower	1
Ramsey	1
St. Louis	3
MISSISSIPPI	2
Prentiss	1
Yalobusha	1
MISSOURI	7
Jackson	4
New Madrid	1
St. Louis (independent city)	2
MONTANA	1
Cascade	1
NEBRASKA	2
Hall	1
Lincoln	1
NEW JERSEY	2
Cumberland	1
Middlesex	1
NEW YORK	5
Albany	2
Erie	1
New York City[2]	1
Rensselaer	1
NORTH CAROLINA	9
Cleveland	2
Halifax	2
Henderson	1
Johnston	1
Mecklenburg	1
Northampton	2
NORTH DAKOTA	1
La Moure	1
OHIO	7
Adams	2
Geauga	1
Lucas	1
Montgomery	1
Muskingum	1
Vinton	1
OKLAHOMA	1
Pottawatomie	1
OREGON	3
Linn	1
Multnomah	2
PENNSYLVANIA	4
Allegheny	1
Berks	1
Montgomery	1
Philadelphia	1
SOUTH CAROLINA	13
Abbeville	1
Charleston	1
Dillon	1
Dorchester	1
Florence	1
Georgetown	1
Newberry	1
Pickens	1
Saluda	1
Spartanburg	3
York	1
SOUTH DAKOTA	3
Beadle	1
Minnehaha	1
Roberts	1
TENNESSEE	8
Bradley	1
Claiborne	2
Fayette	1
Hardin	1
Knox	1
Lincoln	1
Sumner	1
TEXAS	21
Angelina	2
Bexar	2
Cameron	1
Camp	1
Crockett	1
Hall	1
Harris	2
Harrison	1
Hidalgo	1
Hunt	1
Johnson	1
Marion	2
Tarrant	2
Terry	1
Upshur	1
Van Zandt	1
UTAH	3
Salt Lake	3
VIRGINIA[3]	12
Amelia	1
Greensville	2
Lee	1
Nansemond	1
Patrick	1
Washington	1
Wise	1
Independent Cities	
Portsmouth	2
South Norfolk	2
WASHINGTON	5
King	4
Kitsap	1
WEST VIRGINIA	2
McDowell	1
Roane	1
WISCONSIN	2
Marathon	1
Washburn	1
WHOOPING COUGH (056)	
UNITED STATES	402
ALABAMA	24
Butler	1
Calhoun	1
Coosa	1
Dallas	2
Etowah	1
Greene	4
Hale	1
Jefferson	1
Lawrence	2
Lowndes	2
Pickens	2
Pike	1
Shelby	1
Sumter	1
Talladega	1
Tuscaloosa	1
Washington	1
ARIZONA	7
Maricopa	2
Navajo	1
Pima	3
Yuma	1

[1]Divisions of Louisiana known as parishes.
[2]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.
[3]Independent cities have the same status as counties and are listed after the counties.

Table 55. Deaths From Specified Infective Diseases: United States, Each State and County, 1952—Continued

(See headnote on p. 452)

AREA AND CAUSE OF DEATH	Deaths
WHOOPING COUGH (056)—Continued	
ARKANSAS	12
Lee	1
Mississippi	5
Phillips	1
Sebastian	1
Union	3
Washington	1
CALIFORNIA	16
Butte	1
Imperial	1
Los Angeles	7
Madera	1
Mendocino	1
Sacramento	2
San Bernardino	1
San Diego	1
San Joaquin	1
COLORADO	1
Pueblo	1
DELAWARE	1
Sussex	1
DISTRICT OF COLUMBIA	1
FLORIDA	5
Dade	1
Hillsborough	1
Indian River	1
Seminole	2
GEORGIA	23
Bartow	1
Bibb	1
Burke	2
Candler	1
Carroll	1
Chatham	4
Crisp	1
De Kalb	1
Greene	1
Laurens	1
Lincoln	1
McDuffie	1
Newton	1
Richmond	1
Telfair	1
Toombs	2
Twiggs	1
Washington	1
IDAHO	1
Canyon	1
ILLINOIS	6
Douglas	1
Macoupin	1
Marion	1
Rock Island	1
Tazewell	1
Winnebago	1
INDIANA	12
Bartholomew	1
Henry	1
Lake	3
Lawrence	1
Madison	1
Marion	2
Miami	1
Tippecanoe	1
Vanderburgh	1
KANSAS	4
Finney	1
Miami	1
Montgomery	1
Reno	1
KENTUCKY	16
Bell	1
Bullitt	1
Campbell	1
Casey	1
Christian	2
Hardin	1
Harlan	1
Jefferson	1
Knox	1
Magoffin	1
Morgan	2
Nelson	1
Pike	1
Pulaski	1
LOUISIANA[1]	16
Caddo	1
Caldwell	1
Catahoula	1
Concordia	1
Evangeline	2
Iberia	1
Iberville	1
Madison	1
Morehouse	1
Orleans	1
Ouachita	1
Richland	2
St. Martin	1
Union	1
MAINE	1
Kennebec	1
MASSACHUSETTS	5
Essex	1
Middlesex	2
Plymouth	1
Worcester	1
MICHIGAN	8
Berrien	1
Calhoun	1
Cass	1
Houghton	1
Iron	1
Oakland	1
Shiawassee	1
Wayne	1
MINNESOTA	2
Fillmore	1
Polk	1
MISSISSIPPI	30
Adams	1
Alcorn	1
Benton	1
Bolivar	2
Chickasaw	1
Claiborne	1
Coahoma	1
De Soto	2
Harrison	1
Hinds	3
Holmes	1
Jasper	1
Jefferson	3
Lawrence	1
Lincoln	1
Noxubee	1
Panola	1
Perry	1
Prentiss	1
Sunflower	1
Tallahatchie	2
Tunica	1
Webster	1
MISSOURI	17
Adair	1
Barry	1
Clay	1
Douglas	1
Dunklin	1
Jackson	1
MISSOURI—Continued	
Mississippi	2
New Madrid	6
Polk	1
St. Louis	1
St. Louis (independent city)	1
NEBRASKA	4
Cuming	1
Platte	1
Scotts Bluff	1
Thurston	1
NEW HAMPSHIRE	1
Belknap	1
NEW JERSEY	3
Cumberland	1
Hudson	1
Warren	1
NEW MEXICO	2
Lea	1
San Juan	1
NEW YORK	4
Cayuga	1
Jefferson	1
New York City[2]	1
Oneida	1
NORTH CAROLINA	5
Anson	1
Edgecombe	1
Mecklenburg	1
Robeson	1
Union	1
OHIO	12
Ashtabula	1
Coshocton	1
Cuyahoga	1
Franklin	1
Guernsey	1
Hardin	1
Lawrence	1
Montgomery	1
Richland	2
Summit	1
Vinton	1
OKLAHOMA	6
Delaware	1
Le Flore	1
Muskogee	2
Oklahoma	1
Stephens	1
OREGON	2
Benton	1
Washington	1
PENNSYLVANIA	16
Allegheny	2
Berks	1
Blair	1
Dauphin	3
Lawrence	1
Lehigh	1
Montgomery	2
Philadelphia	4
Venango	1
SOUTH CAROLINA	24
Beaufort	3
Charleston	1
Clarendon	2
Dorchester	2
Edgefield	2
Florence	1
Georgetown	1
Greenwood	1
Hampton	1
SOUTH CAROLINA—Continued	
Horry	2
Lexington	1
Orangeburg	1
Richland	2
Spartanburg	1
Sumter	3
SOUTH DAKOTA	1
Edmunds	1
TENNESSEE	20
Campbell	1
Carter	1
Crockett	1
Davidson	1
Fayette	3
Greene	1
Hamilton	4
Hickman	1
Knox	2
Lake	1
Madison	1
Monroe	1
Shelby	1
Sumner	1
TEXAS	58
Bell	1
Bexar	3
Bowie	2
Cameron	4
Cass	1
Cottle	1
Dawson	1
De Witt	2
Dimmit	1
Floyd	1
Freestone	1
Galveston	1
Gregg	1
Harris	2
Harrison	1
Hidalgo	5
Hunt	1
Jefferson	1
Jim Wells	3
Medina	1
Nacogdoches	1
Navarro	1
Newton	1
Nueces	2
Potter	4
Reeves	4
Rusk	1
San Patricio	1
Smith	1
Swisher	1
Tarrant	1
Terry	1
Wharton	1
Wheeler	1
Willacy	3
VERMONT	4
Chittenden	1
Lamoille	1
Orleans	2
VIRGINIA[3]	16
Accomack	1
Bath	1
Campbell	1
Dickenson	3
Henry	1
Lee	1
Page	1
Russell	3
Independent Cities	
Hampton	1
Norfolk	1
Petersburg	1
Warwick	1
WASHINGTON	1
Cowlitz	1

[1]Divisions of Louisiana known as parishes.
[2]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.
[3]Independent cities have the same status as counties and are listed after the counties.

Table 55. Deaths From Specified Infective Diseases: United States, Each State and County, 1952—Continued

(See headnote on p. 452)

AREA AND CAUSE OF DEATH	Deaths
WHOOPING COUGH (056)—Continued	
WEST VIRGINIA	12
Fayette	2
Greenbrier	1
Hampshire	1
Lincoln	2
Logan	1
McDowell	1
Mercer	1
Raleigh	2
Taylor	1
WISCONSIN	3
Dodge	1
Milwaukee	1
Racine	1
MENINGOCOCCAL INFECTIONS (057)	
UNITED STATES	1,386
ALABAMA	36
Bibb	1
Butler	1
Calhoun	2
Colbert	1
Cullman	1
Etowah	1
Houston	1
Jackson	2
Jefferson	6
Lauderdale	1
Lee	1
Lowndes	1
Marshall	1
Mobile	2
Monroe	1
Montgomery	5
Morgan	3
Pike	1
Russell	1
Tuscaloosa	3
ARIZONA	4
Cochise	1
Maricopa	2
Pima	1
ARKANSAS	24
Arkansas	1
Carroll	1
Cleveland	1
Craighead	1
Crittenden	1
Drew	1
Garland	1
Greene	1
Jackson	2
Jefferson	2
Lafayette	1
Lonoke	1
Madison	1
Miller	1
Montgomery	1
Newton	1
Phillips	1
Poinsett	1
Pulaski	1
Sevier	1
Van Buren	1
White	1
CALIFORNIA	89
Alameda	6
Contra Costa	6
Fresno	5
Humboldt	1
Imperial	2
Kern	3
Kings	3
Los Angeles	21
Madera	1
Marin	3
Merced	1
Monterey	1
Nevada	1
CALIFORNIA—Continued	
Orange	2
Riverside	1
Sacramento	3
San Bernardino	2
San Diego	11
San Francisco	4
San Joaquin	3
San Luis Obispo	1
San Mateo	3
Santa Barbara	2
Sonoma	1
Sutter	1
Tulare	1
COLORADO	13
Baca	1
Denver	2
Eagle	1
Jefferson	1
La Plata	2
Larimer	1
Mesa	2
Pueblo	2
Rio Grande	1
CONNECTICUT	13
Fairfield	1
Hartford	4
Litchfield	2
New Haven	5
New London	1
DELAWARE	1
New Castle	1
DISTRICT OF COLUMBIA	10
FLORIDA	31
Alachua	2
Bay	1
Collier	1
Dade	1
Duval	5
Escambia	1
Gadsden	1
Hillsborough	4
Jackson	2
Lake	1
Manatee	1
Monroe	1
Okaloosa	1
Orange	3
Putnam	1
Seminole	3
Volusia	2
GEORGIA	51
Bartow	1
Bibb	4
Calhoun	1
Carroll	1
Chattooga	1
Cobb	1
Columbia	1
Dade	1
De Kalb	1
Dodge	1
Dooly	1
Dougherty	2
Douglas	1
Floyd	1
Fulton	6
Habersham	1
Hall	1
Johnson	1
Lamar	1
Laurens	1
McDuffie	1
Macon	1
Muscogee	1
Peach	1
Pike	1
Richmond	4
Seminole	1
Stephens	2
Telfair	1
Towns	1
GEORGIA—Continued	
Troup	2
Union	1
Walker	1
Washington	2
Whitfield	2
IDAHO	2
Bannock	1
Clearwater	1
ILLINOIS	81
Adams	2
Bond	3
Carroll	1
Cass	1
Cook	40
Du Page	2
Edgar	1
Fayette	1
Fulton	1
Greene	1
Iroquois	1
Jackson	1
Lake	2
La Salle	1
Macon	1
Madison	5
Mason	2
Peoria	3
Perry	2
Randolph	1
St. Clair	2
Tazewell	1
Washington	1
Will	1
Williamson	3
Winnebago	1
INDIANA	40
Bartholomew	1
Boone	1
Clinton	1
Jackson	1
Jefferson	1
Lake	6
Lawrence	2
Marion	7
Monroe	1
Noble	1
Orange	1
Pike	1
Porter	1
Posey	1
Ripley	1
St. Joseph	1
Scott	1
Shelby	1
Tippecanoe	1
Vanderburgh	6
Wayne	3
IOWA	16
Black Hawk	2
Chickasaw	1
Dubuque	1
Linn	4
Muscatine	1
Polk	4
Pottawattamie	1
Scott	1
Woodbury	1
KANSAS	13
Barton	1
Bourbon	1
Butler	1
Cheyenne	1
Comanche	1
Elk	2
Geary	1
Phillips	1
Reno	1
Saline	2
Sedgwick	1
KENTUCKY	75
Ballard	1
Barren	1
Bell	3
KENTUCKY—Continued	
Boyd	2
Breathitt	4
Butler	1
Caldwell	1
Calloway	1
Campbell	3
Christian	1
Clay	3
Daviess	2
Fayette	3
Floyd	1
Fulton	1
Grayson	1
Hardin	2
Harlan	3
Jefferson	17
Jessamine	3
Kenton	2
Laurel	1
Letcher	3
McCracken	1
Madison	1
Perry	2
Pulaski	2
Rockcastle	1
Shelby	1
Warren	2
Webster	1
Whitley	4
LOUISIANA[1]	29
Acadia	2
Allen	1
Beauregard	1
Bossier	1
Caddo	2
Calcasieu	4
East Baton Rouge	2
East Carroll	1
Jefferson	3
La Salle	1
Orleans	5
Richland	1
St. John the Baptist	1
St. Mary	2
Vermilion	1
Webster	1
MAINE	11
Androscoggin	2
Aroostook	1
Knox	1
Lincoln	1
Penobscot	1
Sagadahoc	1
Somerset	2
York	2
MARYLAND	38
Allegany	1
Anne Arundel	4
Baltimore	1
Baltimore (independent city)	15
Carroll	1
Cecil	1
Charles	2
Frederick	3
Harford	1
Howard	2
Kent	1
Prince Georges	2
St. Marys	1
Washington	3
MASSACHUSETTS	27
Barnstable	1
Berkshire	2
Bristol	1
Essex	4
Hampden	2
Middlesex	2
Norfolk	1
Suffolk	8
Worcester	6
MICHIGAN	53
Allegan	1
Alpena	1
Bay	2
Berrien	5

[1]Divisions of Louisiana known as parishes.

Table 55. Deaths From Specified Infective Diseases: United States, Each State and County, 1952—Continued

(See headnote on p. 452)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Continued	
MICHIGAN—Continued	
Calhoun	1
Delta	1
Genesee	4
Ingham	1
Jackson	1
Kent	1
Macomb	1
Manistee	1
Monroe	3
Montcalm	1
Muskegon	1
Oakland	1
Oceana	1
Saginaw	3
St. Clair	1
Washtenaw	3
Wayne	19
MINNESOTA	21
Douglas	1
Faribault	2
Grant	1
Hennepin	5
Itasca	1
Jackson	1
Kittson	1
Le Sueur	1
Mahnomen	1
Morrison	1
Ramsey	3
Rice	1
St. Louis	2
MISSISSIPPI	11
Adams	1
Attala	1
Coahoma	1
Humphreys	2
Lowndes	2
Rankin	1
Sharkey	1
Winston	1
Yazoo	1
MISSOURI	31
Barry	1
Bollinger	1
Clark	1
Dunklin	1
Howell	1
Jackson	5
Jasper	1
Mississippi	1
Moniteau	1
New Madrid	1
Pemiscot	1
Platte	1
Pulaski	1
Reynolds	1
St. Louis	3
St. Louis (independent city)	9
Washington	1
MONTANA	4
Carbon	1
Musselshell	1
Valley	1
Yellowstone	1
NEBRASKA	6
Brown	1
Buffalo	1
Custer	1
Douglas	1
Lancaster	1
Platte	1
NEVADA	1
Clark	1
NEW HAMPSHIRE	5
Coos	1
Hillsborough	1
Merrimack	2
Sullivan	1
NEW JERSEY	20
Bergen	1
Burlington	5
Camden	1
Essex	3
Gloucester	1
Hudson	1
Mercer	1
Middlesex	1
Monmouth	2
Morris	1
Somerset	1
Union	1
Warren	1
NEW MEXICO	6
Bernalillo	1
Dona Ana	1
Lea	1
McKinley	1
Socorro	1
Torrance	1
NEW YORK	89
Albany	2
Broome	2
Cayuga	1
Chemung	2
Clinton	1
Columbia	1
Dutchess	1
Erie	3
Fulton	1
Monroe	4
Nassau	2
New York City[2]	46
Niagara	1
Oneida	1
Onondaga	1
Oswego	2
Rensselaer	2
St. Lawrence	3
Saratoga	1
Schenectady	2
Schuyler	2
Seneca	1
Suffolk	4
Washington	1
Westchester	1
Wyoming	1
NORTH CAROLINA	42
Alexander	1
Ashe	1
Brunswick	2
Buncombe	2
Caswell	1
Catawba	1
Cleveland	2
Craven	2
Cumberland	4
Duplin	1
Edgecombe	2
Franklin	1
Haywood	1
Jackson	1
Johnston	1
Lenoir	1
McDowell	1
Mecklenburg	2
Mitchell	1
Nash	1
Northampton	2
Onslow	3
Person	1
Polk	1
Rowan	1
Sampson	1
Surry	1
Union	1
Yadkin	1
Yancey	1
NORTH DAKOTA	3
Burleigh	1
Rolette	1
Stark	1
OHIO	93
Adams	1
Allen	1
Butler	2
Champaign	1
Clark	1
Clermont	2
Columbiana	2
Coshocton	1
Cuyahoga	1
Fayette	1
Franklin	3
Gallia	1
Greene	1
Hamilton	15
Hancock	1
Henry	1
Jefferson	2
Licking	3
Lorain	4
Lucas	8
Mahoning	2
Medina	1
Mercer	1
Montgomery	8
Morgan	1
Paulding	1
Perry	1
Pickaway	1
Portage	2
Richland	2
Ross	1
Scioto	1
Seneca	3
Stark	3
Summit	4
Trumbull	2
Tuscarawas	1
Warren	2
Washington	2
Wayne	1
Williams	1
OKLAHOMA	17
Caddo	1
Canadian	2
Carter	1
Comanche	1
Haskell	2
Kingfisher	3
Muskogee	1
Okfuskee	1
Oklahoma	2
Pontotoc	1
Tulsa	2
OREGON	15
Clackamas	1
Columbia	1
Coos	1
Lane	3
Lincoln	1
Linn	1
Marion	1
Multnomah	3
Tillamook	1
Umatilla	1
Washington	1
PENNSYLVANIA	77
Adams	3
Allegheny	12
Beaver	1
Berks	2
Blair	1
Bradford	2
Butler	3
Cambria	4
Chester	1
Cumberland	2
Delaware	1
Elk	1
Erie	3
Fayette	1
Greene	1
Huntingdon	1
Indiana	1
Lackawanna	2
Lancaster	2
Lawrence	1
Lebanon	1
PENNSYLVANIA—Continued	
Lehigh	1
Lycoming	1
Mercer	1
Mifflin	2
Montgomery	3
Northampton	1
Northumberland	1
Philadelphia	11
Schuylkill	3
Somerset	1
Venango	2
Warren	1
Washington	2
Westmoreland	1
RHODE ISLAND	2
Newport	2
SOUTH CAROLINA	22
Aiken	2
Anderson	1
Barnwell	2
Beaufort	1
Berkeley	2
Charleston	2
Chester	3
Florence	1
Greenville	1
Greenwood	2
Hampton	1
Horry	1
Richland	2
York	1
SOUTH DAKOTA	5
Butte	1
Meade	1
Shannon	1
Todd	2
TENNESSEE	39
Bradley	1
Campbell	1
Cheatham	1
Davidson	4
Franklin	2
Giles	1
Greene	2
Hamblen	1
Hamilton	4
Hawkins	1
Jefferson	1
Knox	4
Macon	1
Marion	1
Obion	2
Roane	1
Robertson	1
Shelby	5
Sullivan	2
Sumner	1
Tipton	1
White	1
TEXAS	79
Anderson	1
Angelina	1
Bexar	10
Brazoria	3
Cameron	2
Cass	1
Cherokee	1
Colorado	1
Dallas	10
Denton	1
Ector	1
Ellis	1
El Paso	2
Floyd	1
Fort Bend	1
Galveston	1
Gregg	1
Harris	4
Hidalgo	5
Houston	1
Howard	1
Hunt	1
Jefferson	4
Leon	1
Liberty	1

[2]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.

Table 55. Deaths From Specified Infective Diseases: United States, Each State and County, 1952—Continued

(See headnote on p. 452)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Continued	
TEXAS—Continued	
Lubbock	1
McLennan	2
Medina	1
Midland	1
Milam	2
Nueces	5
Palo Pinto	1
Shelby	1
Tarrant	3
Titus	1
Travis	2
Waller	1
Wichita	1
UTAH	4
Iron	1
Tooele	2
Utah	1
VERMONT	5
Bennington	1
Orleans	1
Rutland	1
Washington	1
Windsor	1
VIRGINIA[3]	46
Buchanan	1
Dickenson	1
Fairfax	2
Frederick	1
Halifax	4
Mecklenburg	1
Norfolk	1
Page	1
Pittsylvania	3
Prince William	4
Princess Anne	1
Rockbridge	1
Rockingham	1
Southampton	1
Washington	1
Wise	1
Independent Cities	
Danville	1
Falls Church	1
Hampton	1
Martinsville	1
Newport News	1
Norfolk	2
Portsmouth	1
Richmond	9
Roanoke	1
South Norfolk	2
Warwick	1
WASHINGTON	15
Benton	1
Clark	3
Cowlitz	1
King	3
Pierce	1
Spokane	2
Stevens	1
Whatcom	1
Yakima	2
WEST VIRGINIA	43
Barbour	1
Calhoun	1
Fayette	2
Harrison	1
Kanawha	12
McDowell	7
Marshall	2
Mason	2
Mercer	3
Mingo	2
Monongalia	1
Ohio	1
Pocahontas	1
Preston	1
Putnam	1
WEST VIRGINIA—Continued	
Raleigh	2
Wayne	1
Wood	1
Wyoming	1
WISCONSIN	28
Buffalo	1
Columbia	1
Fond du Lac	1
Kenosha	2
La Crosse	1
Milwaukee	12
Pepin	1
Racine	1
Rock	2
Sheboygan	1
Trempealeau	1
Walworth	1
Waukesha	1
Waushara	1
Wood	1
MEASLES (085)	
UNITED STATES	618
ALABAMA	40
Autauga	1
Baldwin	1
Barbour	2
Blount	1
Calhoun	1
Chambers	2
Chilton	1
Choctaw	1
Coffee	1
Dale	1
Dallas	1
Etowah	1
Hale	1
Houston	1
Jackson	2
Jefferson	6
Lauderdale	1
Lee	1
Limestone	2
Lowndes	1
Madison	1
Marshall	1
Monroe	1
Morgan	1
Perry	1
Pickens	1
Pike	1
Talladega	2
Tallapoosa	1
Winston	1
ARIZONA	9
Apache	3
Gila	3
Greenlee	1
Yuma	2
ARKANSAS	4
Jefferson	1
Phillips	1
Poinsett	1
Prairie	1
CALIFORNIA	15
Fresno	2
Kern	1
Los Angeles	6
Orange	1
Plumas	1
San Bernardino	2
San Diego	1
San Joaquin	1
COLORADO	7
El Paso	1
Jefferson	1
Lake	2
Mesa	1
Pueblo	1
San Miguel	1
CONNECTICUT	5
Fairfield	3
Hartford	1
New Haven	1
DELAWARE	1
Kent	1
DISTRICT OF COLUMBIA	2
FLORIDA	10
Alachua	1
Bay	1
Gadsden	1
Gulf	1
Leon	1
Okaloosa	1
Orange	1
Palm Beach	1
Pinellas	1
Volusia	1
GEORGIA	22
Chatham	1
De Kalb	2
Early	3
Fannin	1
Fayette	1
Fulton	2
Gwinnett	1
Hall	3
Liberty	1
Madison	1
Meriwether	1
Newton	1
Talbot	1
Tift	1
Troup	1
Turner	1
IDAHO	2
Bonneville	1
Twin Falls	1
ILLINOIS	26
Alexander	1
Coles	1
Cook	13
Effingham	1
Hancock	1
Jasper	1
Jo Daviess	1
La Salle	1
Massac	1
Rock Island	1
Stephenson	1
Vermilion	1
Will	1
Woodford	1
INDIANA	31
Allen	1
Carroll	1
Clay	1
Elkhart	1
Hendricks	1
Johnson	1
Lake	2
La Porte	2
Madison	1
Marion	8
Martin	1
Miami	1
Morgan	1
Owen	2
Pulaski	1
St. Joseph	1
Starke	2
Tipton	1
Vanderburgh	1
Wayne	1
IOWA	6
Black Hawk	1
Davis	1
Greene	1
IOWA—Continued	
Mahaska	1
Pottawattamie	1
Scott	1
KANSAS	5
Douglas	1
Ellis	1
Hamilton	1
McPherson	1
Marshall	1
KENTUCKY	31
Bourbon	1
Boyd	1
Breathitt	1
Campbell	3
Casey	2
Cumberland	1
Daviess	1
Garrard	1
Hancock	1
Harlan	1
Harrison	1
Henderson	2
Jefferson	2
Jessamine	1
Knox	2
Lee	1
Montgomery	1
Pike	3
Powell	1
Pulaski	1
Simpson	1
Taylor	1
Todd	1
LOUISIANA[1]	9
Caddo	1
East Baton Rouge	1
Franklin	1
Grant	1
Iberia	2
Ouachita	2
Tangipahoa	1
MAINE	8
Androscoggin	1
Aroostook	2
Kennebec	2
Oxford	1
Penobscot	1
Somerset	1
MARYLAND	10
Anne Arundel	1
Baltimore (independent city)	2
Carroll	1
Cecil	1
Charles	2
Frederick	1
Montgomery	1
Prince Georges	1
MASSACHUSETTS	20
Berkshire	1
Bristol	5
Essex	3
Hampden	2
Middlesex	2
Norfolk	2
Suffolk	3
Worcester	2
MICHIGAN	17
Berrien	3
Gratiot	1
Ionia	1
Kent	1
Oakland	2
Sanilac	1
Shiawassee	1
Wayne	6
Wexford	1

[1]Divisions of Louisiana known as parishes.
[3]Independent cities have the same status as counties and are listed after the counties.

Table 55. Deaths From Specified Infective Diseases: United States, Each State and County, 1952—Continued

(See headnote on p. 452)

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)—Continued	
MINNESOTA	5
Faribault	1
Goodhue	1
Pennington	1
Ramsey	1
Stearns	1
MISSISSIPPI	10
Clarke	1
Clay	1
Humphreys	2
Jefferson	2
Kemper	1
Lee	1
Monroe	1
Tunica	1
MISSOURI	7
Adair	1
Buchanan	1
Laclede	1
New Madrid	1
Newton	1
St. Louis (independent city)	1
Texas	1
MONTANA	4
Glacier	1
Lewis and Clark	1
Missoula	1
Silver Bow	1
NEBRASKA	2
Dodge	1
Lincoln	1
NEVADA	1
Clark	1
NEW HAMPSHIRE	2
Belknap	1
Strafford	1
NEW JERSEY	14
Bergen	3
Camden	4
Cape May	1
Essex	1
Hudson	2
Mercer	1
Morris	1
Warren	1
NEW MEXICO	11
Eddy	1
McKinley	4
Otero	1
Sandoval	1
San Juan	3
San Miguel	1
NEW YORK	48
Albany	1
Allegany	1
Broome	2
Cayuga	2
Chenango	1
Genesee	1
Monroe	1
Montgomery	1
Nassau	2
NEW YORK—Continued	
New York City[2]	17
Oneida	2
Onondaga	3
Orange	2
Otsego	1
Rensselaer	1
Rockland	1
Schenectady	1
Steuben	2
Sullivan	1
Warren	1
Wayne	4
NORTH CAROLINA	22
Ashe	5
Beaufort	1
Buncombe	1
Cherokee	1
Columbus	1
Gaston	1
Hoke	1
Macon	1
Madison	2
Mitchell	1
Pitt	1
Robeson	1
Surry	1
Wayne	1
Wilkes	3
NORTH DAKOTA	2
Grand Forks	1
McHenry	1
OHIO	22
Ashtabula	1
Clark	1
Cuyahoga	3
Franklin	2
Geauga	4
Greene	1
Hamilton	1
Hocking	1
Lake	1
Logan	1
Lorain	1
Miami	1
Montgomery	3
Sterk	1
OKLAHOMA	3
Comanche	1
Payne	1
Tulsa	1
OREGON	3
Multnomah	2
Wasco	1
PENNSYLVANIA	49
Allegheny	2
Beaver	1
Berks	1
Blair	1
Bradford	1
Bucks	1
Butler	1
Cambria	1
Clarion	1
Clearfield	1
Columbia	1
Delaware	3
Elk	1
Erie	2
Franklin	1
Huntingdon	1
PENNSYLVANIA—Continued	
Indiana	1
Lackawanna	1
Lehigh	1
Luzerne	3
Lycoming	1
Mifflin	1
Montgomery	3
Philadelphia	8
Snyder	1
Venango	1
Washington	2
Wayne	1
Westmoreland	2
York	3
RHODE ISLAND	1
Providence	1
SOUTH CAROLINA	14
Aiken	1
Barnwell	1
Darlington	2
Florence	3
Greenville	1
Hampton	1
Horry	1
Kershaw	1
Lee	1
Sumter	1
Williamsburg	1
SOUTH DAKOTA	4
Gregory	1
Todd	1
Tripp	1
Turner	1
TENNESSEE	39
Bedford	1
Blount	3
Bradley	1
Carter	1
Cocke	2
Coffee	1
Crockett	1
Dyer	1
Fayette	1
Gibson	2
Giles	1
Grainger	1
Greene	1
Hamblen	1
Hardeman	1
Jefferson	1
Knox	1
Loudon	1
Madison	2
Marshall	1
Maury	1
Rutherford	2
Sequatchie	1
Shelby	2
Sullivan	3
Van Buren	1
Washington	1
Wayne	3
TEXAS	20
Bee	1
Bexar	1
Crane	1
El Paso	1
Falls	1
Galveston	1
Hale	1
Jefferson	1
Jim Wells	1
TEXAS—Continued	
McLennan	1
Palo Pinto	1
Reeves	3
Sabine	1
Smith	1
Victoria	1
Waller	1
Webb	1
Wilson	1
UTAH	3
Salt Lake	1
Utah	2
VERMONT	2
Rutland	1
Windsor	1
VIRGINIA[3]	23
Accomack	1
Caroline	1
Charlotte	1
Cumberland	1
Dickenson	1
Franklin	1
Greene	3
Halifax	1
Lee	1
Louisa	1
Madison	1
Nansemond	1
Nelson	1
Princess Anne	1
Rockingham	1
Washington	1
Independent Cities	
Alexandria	1
Bristol	1
Fredericksburg	1
Portsmouth	1
Richmond	1
WASHINGTON	4
King	1
Snohomish	1
Spokane	1
Yakima	1
WEST VIRGINIA	14
Barbour	1
Boone	1
Fayette	1
Jackson	1
Kanawha	2
McDowell	1
Mineral	1
Ohio	1
Preston	1
Putnam	1
Roane	1
Wayne	1
Webster	1
WISCONSIN	7
Clark	1
La Crosse	1
Milwaukee	3
Racine	1
Waupaca	1
WYOMING	2
Laramie	1
Washakie	1

[2]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.
[3]Independent cities have the same status as counties and are listed after the counties.

U. S. GOVERNMENT PRINTING OFFICE : 1955 O - 325797