U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
MARION B. FOLSOM, SECRETARY
PUBLIC HEALTH SERVICE
LEONARD A. SCHEELE, SURGEON GENERAL

VITAL STATISTICS OF THE UNITED STATES

1954

VOLUME II

MORTALITY DATA

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, National Office of Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1956

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. - Price $4.00 (Buckram)

NATIONAL OFFICE OF VITAL STATISTICS

HALBERT L. DUNN, M. D., *Chief*

ROBERT D. GROVE, *Assistant Chief*

HERBERT P. DUNNING, *Executive Officer*

CARL C. DAUER, M. D., *Medical Adviser*

IWAO M. MORIYAMA, *Mortality Analysis*

DEWARD E. WAGGONER, *Natality Analysis*

HUGH CARTER, *Marriage and Divorce Analysis*

MONROE G. SIRKEN, *Actuarial Analysis*

HAZEL V. AUNE, *National Consulting Service*

SIDNEY BINDER, *Statistical Processing*

PREFACE

This is one of two volumes presenting final vital statistics for the United States, its Territories, and two possessions for the year 1954. Their subject matter consists of vital events that occurred in these areas during the year—marriages, divorces, births, fetal deaths, infant deaths, and deaths among the general population.

This annual report is organized as follows:

Volume I. Introduction and Summary Tables.
Tables containing data for Alaska, Hawaii, the Commonwealth of Puerto Rico, and the Virgin Islands (U. S.).
Marriage, Divorce, Natality, Fetal Mortality, and Infant Mortality Data for the United States and each State.

Volume II. Mortality Data for the United States and each State.

In using statistics from either volume, it is recommended that reference be made to the explanatory text in Volume I, which describes the sources and limitations of the data.

CONTENTS

Total Deaths (Exclusive of fetal deaths)

Table		Page
41.	Deaths by State of occurrence distributed according to State of residence: United States and each State, 1954	2
42.	Deaths by month: United States and each State, 1954 (By place of occurrence)	5
43.	Deaths by month, race, and sex: United States and each State, 1954	6
44.	Deaths by specified race and sex: United States and each State, 1954	12
45.	Deaths by race and sex for metropolitan and nonmetropolitan counties: United States and each State, 1954	13
46.	Deaths by age for metropolitan and nonmetropolitan counties: United States and each State, 1954	15
47.	Deaths and death rates for each cause, by race and sex: United States, 1954	17
47.	Supplement: Deaths from nontransport accidents by race, sex, and place of accident: United States, 1954	33
48.	Deaths from 256 selected causes, by month: United States, 1954	37
49.	Deaths from 256 selected causes, by specified race and sex: United States, 1954	42
50.	Deaths from 256 selected causes, by age, race, and sex: United States, 1954	50
51.	Deaths from 256 selected causes, by race and sex: United States and each State, 1954	96
52A.	Deaths from 64 selected causes, by age, race, and sex: United States, 1954	164
52B.	Deaths from 64 selected causes, by age, race, and sex: Each State, 1954	174
53.	Deaths from 64 selected causes: United States and each State, 1954 (By place of occurrence)	370
54.	Deaths from selected causes: United States, each State and county, metropolitan and nonmetropolitan counties, and specified urban places, 1954	374
55A.	Deaths from specified infective diseases: United States, specified States and counties, 1954	496
55B.	Deaths from specified infective diseases: Specified urban places in the United States, 1954	503

Symbols

Class or item not applicable (3 dots)	...
Data not available (3 dashes)	---
Quantity is zero, in frequency tables (1 dash)	-
Quantity is zero, in rate or percent tables (1 cipher)	0
If rate or percent is more than 0, but less than 0.05	0.0
If both frequency and population base are zero in rate or percent tables (1 dash)	-

TOTAL DEATHS
(Exclusive of fetal deaths)

Table 41. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1954

(Exclusive of fetal deaths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	Total deaths occurring in State	Deaths of residents occurring in place of residence[1]	DEATHS OF NONRESIDENTS															
			Total	Intra-state non-residents	Interstate nonresidents													
					Total	State of residence												
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	1,481,091	[2]1,033,065	[2]448,026	[2]400,843	47,183	819	324	790	1,588	402	737	177	825	1,226	883	417	3,242
Alabama	25,962	19,223	6,739	6,114	625	...	2	10	8	1	2	-	1	99	166	-	21
Arizona	7,640	4,718	2,922	2,170	752	1	...	10	190	19	1	-	-	8	9	6	52
Arkansas	15,085	10,524	4,561	3,793	768	4	3	...	29	1	-	-	-	5	2	-	51
California	109,322	70,102	39,220	37,755	1,465	4	114	10	...	40	13	-	2	23	7	28	104
Colorado	13,400	9,043	4,357	3,544	813	3	11	6	60	...	3	-	8	10	7	2	46
Connecticut	20,326	14,066	6,260	5,707	553	1	1	3	3	-	...	1	2	33	5	-	2
Delaware	3,629	2,195	1,434	1,122	312	-	-	-	-	2	-	...	2	7	1	-	2
District of Columbia	8,651	7,231	1,420	...	1,420	8	1	1	6	4	5	1	...	15	8	1	10
Florida	33,023	21,695	11,328	8,665	2,663	115	2	11	27	2	59	9	25	...	187	2	172
Georgia	30,971	21,871	9,100	8,039	1,061	199	-	6	14	1	5	-	4	240	...	2	20
Idaho	4,764	3,187	1,577	1,335	242	-	3	2	28	3	-	-	-	1	-	...	2
Illinois	90,987	64,851	26,136	24,224	1,912	12	9	20	64	14	5	-	5	45	12	3	...
Indiana	39,930	28,065	11,865	10,590	1,275	7	2	11	17	-	2	-	2	19	4	-	465
Iowa	25,675	17,369	8,306	7,325	981	1	4	6	23	9	2	1	1	6	-	2	339
Kansas	19,334	13,468	5,866	4,798	1,068	4	2	19	39	51	-	-	-	2	3	2	32
Kentucky	26,549	19,300	7,249	6,299	950	17	2	2	2	6	4	-	-	10	12	-	71
Louisiana	24,532	17,526	7,006	6,370	636	39	4	54	20	1	1	-	-	30	9	-	17
Maine	9,828	7,173	2,655	2,434	221	2	-	-	2	4	17	1	3	2	1	-	1
Maryland	23,217	16,594	6,623	5,075	1,548	3	-	2	16	4	9	64	482	46	18	-	12
Massachusetts	51,881	---	---	---	1,268	2	2	2	9	-	209	1	10	29	3	-	7
Michigan	60,296	39,837	20,459	19,464	995	14	4	16	20	6	2	-	4	32	14	3	158
Minnesota	28,296	18,930	9,366	8,061	1,305	4	4	2	47	3	1	-	1	13	2	3	89
Mississippi	19,211	14,340	4,871	4,272	599	122	2	30	10	2	-	-	3	26	19	-	35
Missouri	44,392	31,700	12,692	10,728	1,964	9	4	90	48	16	3	-	5	11	3	3	791
Montana	6,036	4,075	1,961	1,703	258	-	4	1	17	6	-	-	1	-	-	20	6
Nebraska	12,812	9,056	3,756	3,258	498	1	3	3	27	27	1	-	2	1	-	2	16
Nevada	1,982	1,245	737	393	344	-	7	1	215	5	1	1	-	2	-	15	10
New Hampshire	6,298	4,306	1,992	1,488	504	-	-	-	1	-	16	-	2	11	-	-	2
New Jersey	50,355	31,501	18,854	17,217	1,637	5	1	2	11	-	26	13	18	46	8	-	14
New Mexico	5,479	3,678	1,801	1,341	460	1	53	4	54	34	-	1	-	3	3	1	13
New York	159,516	118,125	41,391	38,500	2,891	21	4	1	44	3	213	13	28	128	38	-	45
North Carolina	31,558	21,574	9,984	9,124	860	19	1	-	7	3	7	2	19	66	40	1	15
North Dakota	5,028	3,129	1,899	1,577	322	-	1	-	8	3	-	-	-	1	-	1	4
Ohio	82,350	58,652	23,698	21,993	1,705	13	5	7	35	2	8	-	3	43	11	1	45
Oklahoma	19,724	14,139	5,585	5,110	475	-	3	46	38	5	1	-	1	5	1	3	15
Oregon	14,717	9,289	5,428	4,896	532	3	3	2	128	7	-	-	-	1	-	68	6
Pennsylvania	108,238	76,111	32,127	29,974	2,153	4	1	1	22	5	16	59	27	46	7	-	23
Rhode Island	8,235	5,445	2,790	2,360	430	5	-	1	7	-	72	1	1	11	2	-	5
South Carolina	17,476	12,070	5,406	4,971	435	9	1	2	4	-	2	2	5	27	71	1	2
South Dakota	5,729	3,753	1,976	1,625	351	2	3	1	9	6	-	1	-	1	-	-	7
Tennessee	29,447	21,073	8,374	6,569	1,805	129	1	301	12	2	-	-	5	39	169	-	32
Texas	65,074	48,102	16,972	15,517	1,455	18	29	94	98	30	3	-	4	28	22	1	42
Utah	5,264	3,649	1,615	1,320	295	-	15	-	48	24	2	-	-	1	-	77	8
Vermont	3,969	2,625	1,344	1,109	235	-	1	-	5	-	7	-	2	6	-	-	1
Virginia	29,052	19,926	9,126	7,910	1,216	13	1	-	7	1	16	4	123	30	12	-	18
Washington	23,403	16,279	7,124	6,396	728	1	2	4	67	9	-	1	-	3	4	163	9
West Virginia	16,293	10,651	5,642	4,634	1,008	1	1	1	3	-	1	-	22	8	2	-	2
Wisconsin	33,731	22,101	11,630	10,691	939	3	2	4	16	1	2	1	1	7	1	1	396
Wyoming	2,424	1,568	856	605	251	-	6	1	23	40	-	-	1	-	-	5	7

[1]Unit of residence is defined as the individual urban place, or the rural area of the county, of which the decedent was a resident. Urban places include every incorporated place having a population of 2,500 or more in 1950, as well as certain unincorporated places classified as "urban" under special rules. For further discussion of residence allocation rules, see text in Volume I, "Vital Statistics of the United States, 1954."

[2]Includes estimates for Massachusetts; for explanation, see text in Volume I.

Table 41. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1954—Continued

(Exclusive of fetal deaths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	1,512	994	1,032	1,289	480	349	1,338	1,139	1,331	879	733	1,655	281	556	163	376	2,600	354	2,923
Alabama	9	1	1	5	18	1	7	-	11	-	72	4	-	1	-	1	3	-	13
Arizona	17	18	15	2	5	2	2	7	24	18	1	28	5	10	9	-	12	65	19
Arkansas	15	10	20	8	34	-	1	-	13	5	14	147	-	2	-	-	1	1	8
California	19	38	28	10	10	4	4	26	40	40	3	39	19	34	93	-	24	19	79
Colorado	13	29	83	9	3	-	4	2	11	10	1	34	7	91	1	1	10	56	14
Connecticut	2	4	-	-	1	13	1	99	3	-	1	4	-	-	1	3	27	-	266
Delaware	-	1	-	1	-	-	85	3	-	-	-	2	-	-	-	-	84	-	11
District of Columbia	1	2	3	5	4	4	677	12	8	-	2	7	1	-	-	-	14	-	34
Florida	105	26	4	36	9	27	66	119	205	39	14	29	2	4	1	19	136	2	491
Georgia	9	1	1	23	2	1	4	9	14	6	11	5	-	2	-	1	11	2	39
Idaho	1	-	-	-	1	-	-	-	1	2	1	2	23	1	3	-	-	-	4
Illinois	485	107	21	67	16	-	8	12	141	40	22	274	8	12	-	1	7	6	54
Indiana	...	6	14	167	3	2	6	3	162	4	2	19	-	1	-	-	6	3	26
Iowa	13	...	13	3	1	1	-	2	10	73	3	138	-	146	-	-	3	4	7
Kansas	11	20	...	5	4	1	-	1	3	7	1	573	1	37	-	-	2	2	7
Kentucky	248	3	5	...	4	-	2	1	32	3	10	9	1	1	-	-	4	1	14
Louisiana	8	3	3	2	...	2	4	5	7	1	164	9	1	1	-	-	2	1	10
Maine	-	-	-	-	1	...	-	81	2	-	-	-	-	-	-	37	12	-	31
Maryland	8	5	1	13	-	6	...	30	10	1	3	3	-	1	-	3	45	-	67
Massachusetts	3	2	3	4	2	119	11	...	7	3	-	5	-	1	-	198	59	1	200
Michigan	119	9	8	18	5	1	3	4	...	17	12	23	2	3	-	-	5	1	45
Minnesota	28	195	19	8	2	1	3	3	45	...	2	27	28	27	3	-	2	3	6
Mississippi	4	1	2	3	152	-	3	-	4	-	...	7	1	1	-	-	1	1	7
Missouri	31	115	495	21	-	1	5	5	28	15	7	...	3	35	1	-	5	4	11
Montana	1	2	3	-	1	-	-	3	2	18	-	6	...	2	1	1	-	-	2
Nebraska	1	180	79	-	1	-	1	-	5	7	1	18	1	...	1	1	4	1	3
Nevada	1	3	3	2	-	-	1	2	2	4	-	3	4	3	...	-	1	3	5
New Hampshire	-	1	-	-	-	100	4	148	1	-	1	1	-	-	-	...	8	1	32
New Jersey	2	5	-	2	1	1	31	28	13	3	1	3	1	3	1	4	...	2	629
New Mexico	3	9	18	3	2	-	2	4	9	1	-	9	-	7	1	-	4	...	6
New York	19	3	1	14	7	28	47	179	52	13	3	14	1	4	1	17	1,126	2	...
North Carolina	12	-	1	9	4	1	18	15	10	-	4	2	1	-	-	2	19	3	59
North Dakota	1	1	-	-	-	-	-	2	2	195	-	3	36	1	1	-	-	-	2
Ohio	216	4	14	338	4	2	10	9	227	6	3	14	-	5	-	-	16	2	60
Oklahoma	2	11	101	2	6	-	-	2	10	1	1	49	-	5	-	-	3	4	4
Oregon	2	6	5	2	2	-	-	2	2	5	1	6	19	5	6	-	-	2	5
Pennsylvania	15	3	4	21	1	6	130	17	28	5	3	7	-	2	1	2	858	2	372
Rhode Island	1	3	-	-	1	6	2	202	6	3	2	1	-	-	-	2	9	-	30
South Carolina	4	-	-	8	1	2	6	5	2	-	1	5	-	-	-	-	6	-	35
South Dakota	-	73	7	1	1	-	-	1	1	83	-	2	13	57	-	-	1	2	1
Tennessee	19	6	1	277	11	-	3	2	29	2	330	58	-	1	-	1	9	-	15
Texas	19	18	37	12	151	1	3	12	28	18	18	36	6	12	6	1	14	148	42
Utah	1	2	2	-	-	-	1	-	1	1	-	1	6	6	26	-	2	5	1
Vermont	-	-	-	-	-	6	-	55	1	1	-	1	-	-	-	77	4	-	59
Virginia	11	6	1	26	2	4	76	19	18	2	12	3	1	2	-	4	32	-	77
Washington	4	8	11	2	2	1	-	4	3	10	2	8	44	7	3	-	-	1	6
West Virginia	2	-	-	154	-	-	102	1	7	-	1	2	1	-	-	-	7	-	8
Wisconsin	21	49	3	6	5	5	2	1	90	210	2	12	7	7	1	-	2	-	6
Wyoming	6	5	2	-	-	-	3	2	1	7	1	3	38	16	2	-	-	4	1

Table 41. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1954—Continued

(Exclusive of fetal deaths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																		Total deaths of residents
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	927	349	2,075	962	559	2,601	386	593	388	864	1,313	179	298	1,493	623	931	982	246	1,481,091
Alabama	12	-	14	3	1	9	-	16	-	95	13	-	-	3	-	1	1	-	26,156
Arizona	1	3	24	21	8	12	-	2	2	2	62	7	2	5	19	4	21	2	7,212
Arkansas	1	2	7	132	5	3	2	2	1	37	187	-	-	4	2	2	6	1	15,107
California	7	14	47	39	134	36	2	8	10	8	89	30	3	6	117	6	23	12	109,445
Colorado	5	-	15	35	9	13	-	1	14	1	56	24	-	5	11	5	10	74	12,989
Connecticut	3	-	5	-	-	20	33	1	-	-	2	1	8	1	1	1	1	-	20,510
Delaware	6	-	-	1	-	91	1	1	-	1	1	1	-	8	-	-	-	-	3,494
District of Columbia	25	-	17	4	1	51	2	10	1	10	7	1	-	429	2	24	2	-	8,056
Florida	38	3	226	6	5	185	24	33	5	40	11	1	20	49	8	17	44	3	31,586
Georgia	58	1	25	3	-	11	1	220	-	76	15	-	1	9	-	3	6	-	30,793
Idaho	-	2	2	2	40	1	-	-	-	-	11	26	-	1	71	-	2	6	4,939
Illinois	15	6	63	15	6	33	1	5	12	33	34	3	3	6	6	6	192	3	92,317
Indiana	8	1	221	-	2	24	1	1	2	21	13	1	-	6	1	5	14	1	40,167
Iowa	2	7	3	7	4	1	-	1	68	2	12	-	1	-	7	-	54	1	25,688
Kansas	3	1	11	161	4	8	-	1	4	3	32	2	-	1	1	1	4	2	19,298
Kentucky	10	3	199	2	2	15	-	1	1	171	9	1	-	22	1	49	-	-	26,888
Louisiana	5	1	7	10	-	4	-	1	-	8	191	-	-	5	2	3	1	-	24,376
Maine	-	-	2	-	-	8	4	-	-	1	1	-	4	2	-	-	2	-	9,956
Maryland	34	-	27	5	3	240	2	11	3	12	8	-	1	202	3	139	5	1	23,007
Massachusetts	5	1	18	-	2	33	249	2	-	3	2	2	41	9	2	3	4	-	51,752
Michigan	9	-	179	2	1	33	-	1	5	16	25	1	1	4	3	14	152	1	60,632
Minnesota	-	186	12	16	6	8	3	2	135	7	22	1	-	1	21	2	310	2	27,870
Mississippi	11	-	10	3	-	6	1	6	-	90	25	1	-	2	1	-	6	1	19,345
Missouri	3	2	19	76	7	11	4	1	4	21	30	2	-	2	2	1	9	5	44,083
Montana	-	38	2	4	5	-	-	-	9	1	8	3	-	-	43	-	8	40	6,059
Nebraska	-	4	3	8	3	2	1	-	38	4	6	2	-	-	5	-	7	28	12,870
Nevada	2	-	5	1	7	4	-	-	-	-	5	18	-	-	6	-	1	1	1,801
New Hampshire	-	-	6	-	-	4	2	2	-	1	-	-	157	3	-	-	-	-	6,170
New Jersey	16	-	20	-	1	661	8	12	-	2	5	-	3	22	3	5	4	1	51,318
New Mexico	1	-	6	34	3	2	-	-	1	6	150	3	-	2	2	-	4	1	5,373
New York	62	1	84	5	4	502	13	9	3	8	21	1	38	45	4	15	7	-	159,548
North Carolina	...	-	13	1	1	19	-	190	-	60	6	-	2	207	4	11	6	-	31,625
North Dakota	1	...	1	2	-	-	-	-	32	-	11	-	-	2	7	-	4	-	5,055
Ohio	10	1	...	5	1	238	2	3	-	22	13	1	-	21	9	268	8	-	82,720
Oklahoma	3	3	8	...	-	5	-	-	1	5	125	-	-	3	-	-	2	1	20,211
Oregon	-	5	2	3	...	1	-	-	1	-	6	11	-	1	208	1	4	1	14,744
Pennsylvania	22	1	251	4	2	...	8	7	-	5	10	-	-	38	4	107	5	1	108,686
Rhode Island	1	-	11	3	1	10	...	5	-	4	5	-	6	9	1	1	-	-	8,191
South Carolina	171	-	11	-	-	19	3	...	-	5	5	1	1	10	1	6	1	-	17,634
South Dakota	-	39	3	2	3	-	-	-	...	1	2	-	-	-	3	-	9	16	5,766
Tennessee	66	1	32	6	-	10	2	14	-	...	20	-	1	185	2	9	3	-	28,506
Texas	6	1	42	326	4	33	3	8	7	27	...	3	1	8	10	7	15	3	64,932
Utah	-	1	5	2	3	2	-	1	-	2	5	...	-	1	10	1	1	31	5,148
Vermont	-	-	-	-	1	2	5	-	-	-	1	-	...	-	-	-	-	-	4,032
Virginia	281	1	29	4	-	82	7	14	-	45	10	1	3	...	2	210	6	-	29,329
Washington	14	9	3	3	272	6	-	-	8	-	11	3	1	3	...	2	10	4	23,298
West Virginia	8	-	368	-	1	133	1	-	-	6	5	2	-	150	2	...	6	-	16,216
Wisconsin	2	8	14	3	4	7	-	1	7	2	11	2	-	1	8	2	...	3	33,774
Wyoming	-	3	3	3	3	3	1	-	14	-	14	23	-	-	8	-	2	...	2,419

Table 42. Deaths by Month: United States and Each State, 1954

(By place of occurrence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,481,091	136,016	117,020	128,011	121,148	124,492	121,389	124,203	113,673	112,290	121,734	124,996	136,119
Alabama	25,962	2,447	2,128	2,341	1,964	2,171	2,069	2,157	1,968	1,888	2,099	2,270	2,460
Arizona	7,640	752	676	660	581	593	576	642	558	511	627	667	797
Arkansas	15,085	1,431	1,193	1,290	1,202	1,252	1,406	1,461	1,289	1,058	1,172	1,224	1,107
California	109,322	10,211	8,638	9,357	8,961	9,007	8,825	9,000	8,472	8,420	9,071	8,998	10,362
Colorado	13,400	1,151	997	1,135	1,121	1,158	1,153	1,088	979	1,044	1,182	1,169	1,223
Connecticut	20,326	1,936	1,614	1,799	1,715	1,716	1,542	1,564	1,511	1,580	1,641	1,760	1,948
Delaware	3,629	317	306	317	285	317	264	311	289	298	291	302	332
District of Columbia	8,651	769	701	798	688	710	690	676	665	693	701	759	801
Florida	33,023	3,206	3,013	3,216	2,749	2,599	2,500	2,466	2,559	2,213	2,459	2,808	3,235
Georgia	30,971	2,828	2,520	2,651	2,396	2,554	2,552	2,571	2,485	2,257	2,467	2,701	2,989
Idaho	4,764	421	335	432	393	382	409	420	370	327	417	405	453
Illinois	90,987	8,143	6,927	7,922	7,672	7,939	8,016	7,331	6,887	6,941	7,209	7,835	8,165
Indiana	39,930	3,544	3,096	3,461	3,323	3,469	3,335	3,292	3,021	3,020	3,241	3,372	3,756
Iowa	25,675	2,270	1,956	2,230	2,153	2,167	2,229	2,174	1,875	1,980	2,114	2,244	2,283
Kansas	19,334	1,678	1,460	1,629	1,498	1,547	1,725	2,295	1,417	1,334	1,485	1,549	1,717
Kentucky	26,549	2,302	2,186	2,311	2,207	2,317	2,174	2,274	1,961	1,994	2,114	2,238	2,471
Louisiana	24,532	2,349	2,038	2,139	1,855	1,917	2,034	2,028	1,954	1,782	2,011	2,154	2,271
Maine	9,828	842	779	808	807	843	825	791	764	768	842	828	911
Maryland	23,217	2,164	1,918	2,028	1,887	1,914	1,785	1,967	1,732	1,697	1,976	2,055	2,094
Massachusetts	51,881	4,829	4,214	4,440	4,238	4,454	4,125	3,968	3,945	4,117	4,319	4,276	4,956
Michigan	60,296	5,266	4,672	5,169	4,907	5,058	5,056	4,970	4,716	4,597	5,191	5,207	5,487
Minnesota	28,296	2,632	2,137	2,391	2,519	2,427	2,421	2,237	2,195	2,245	2,457	2,245	2,390
Mississippi	19,211	1,772	1,570	1,586	1,505	1,572	1,562	1,620	1,560	1,471	1,533	1,686	1,774
Missouri	44,392	3,969	3,357	3,814	3,576	3,549	3,999	4,734	3,284	3,103	3,544	3,604	3,859
Montana	6,036	536	454	497	472	533	479	541	542	461	489	503	529
Nebraska	12,812	1,147	1,001	1,039	1,085	1,025	1,103	1,197	1,010	967	1,066	1,030	1,142
Nevada	1,982	148	161	151	152	157	188	185	166	132	173	176	193
New Hampshire	6,298	594	543	490	503	512	495	525	525	498	504	539	570
New Jersey	50,355	4,732	3,915	4,291	4,175	4,202	4,035	4,093	3,860	3,916	4,224	4,309	4,603
New Mexico	5,479	484	439	493	407	436	394	424	435	416	482	513	556
New York	159,516	14,781	12,714	13,702	13,412	13,599	12,492	12,764	12,122	12,496	13,461	13,391	14,582
North Carolina	31,558	2,866	2,639	2,622	2,548	2,651	2,586	2,550	2,397	2,368	2,567	2,712	3,052
North Dakota	5,028	453	374	403	406	413	389	420	391	422	475	422	460
Ohio	82,350	7,572	6,463	7,306	6,663	7,095	6,662	6,755	6,259	6,252	6,695	6,972	7,656
Oklahoma	19,724	1,852	1,504	1,659	1,520	1,572	1,624	2,368	1,527	1,358	1,464	1,598	1,678
Oregon	14,717	1,345	1,121	1,278	1,236	1,250	1,224	1,211	1,145	1,149	1,279	1,166	1,313
Pennsylvania	108,238	10,153	8,565	9,419	9,068	9,275	8,760	8,604	8,010	8,154	8,922	9,140	10,168
Rhode Island	8,235	765	683	704	670	781	587	609	679	687	641	713	716
South Carolina	17,476	1,719	1,400	1,560	1,406	1,418	1,527	1,424	1,357	1,230	1,397	1,461	1,577
South Dakota	5,729	471	442	475	518	440	457	470	521	453	476	495	511
Tennessee	29,447	2,768	2,328	2,512	2,400	2,488	2,408	2,657	2,267	2,233	2,304	2,426	2,656
Texas	65,074	5,969	5,039	5,707	4,905	5,310	5,357	6,105	5,211	4,940	5,239	5,471	5,821
Utah	5,264	467	367	453	456	446	421	464	427	386	452	436	489
Vermont	3,989	373	305	346	303	351	354	306	321	300	318	353	339
Virginia	29,052	2,657	2,300	2,494	2,318	2,352	2,357	2,353	2,173	2,269	2,485	2,505	2,789
Washington	23,403	2,114	1,808	2,055	1,971	2,028	1,893	1,890	1,848	1,787	1,966	1,887	2,156
West Virginia	16,293	1,552	1,253	1,392	1,335	1,351	1,311	1,328	1,170	1,243	1,450	1,432	1,476
Wisconsin	33,731	3,068	2,573	2,854	2,818	2,986	2,803	2,696	2,639	2,628	2,824	2,803	3,039
Wyoming	2,424	201	198	185	199	189	211	227	195	207	218	187	207

Table 43. Deaths by Month, Race, and Sex: United States and Each State, 1954

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,481,091	136,016	117,020	128,011	121,148	124,492	121,389	124,203	113,673	112,290	121,734	124,996	136,119
Male	846,124	77,715	66,266	72,720	68,854	71,492	69,143	70,595	65,160	64,577	69,886	71,773	77,943
Female	634,967	58,301	50,754	55,291	52,294	53,000	52,246	53,608	48,513	47,713	51,848	53,223	58,176
White	1,306,989	119,865	102,898	112,902	107,492	110,359	107,065	109,334	100,180	99,271	107,674	110,158	119,791
Male	750,099	68,815	58,456	64,550	61,338	63,704	61,326	62,498	57,629	57,438	62,078	63,443	68,924
Female	556,890	51,050	44,442	48,352	46,154	46,655	45,739	46,836	42,551	41,833	45,596	46,715	50,867
Nonwhite	174,102	16,151	14,122	15,109	13,656	14,133	14,324	14,869	13,493	13,019	14,060	14,838	16,328
Male	96,025	8,900	7,810	8,170	7,516	7,788	7,817	8,097	7,531	7,139	7,808	8,330	9,119
Female	78,077	7,251	6,312	6,939	6,140	6,345	6,507	6,772	5,962	5,880	6,252	6,508	7,209
ALABAMA	26,156	2,467	2,136	2,373	1,971	2,199	2,094	2,165	1,985	1,919	2,099	2,279	2,469
Male	14,724	1,401	1,240	1,297	1,120	1,273	1,160	1,195	1,095	1,099	1,174	1,290	1,380
Female	11,432	1,066	896	1,076	851	926	934	970	890	820	925	989	1,089
White	15,761	1,480	1,268	1,437	1,222	1,379	1,242	1,365	1,185	1,132	1,277	1,341	1,433
Male	9,240	853	788	827	722	843	706	786	678	688	737	790	822
Female	6,521	627	480	610	500	536	536	579	507	444	540	551	611
Nonwhite	10,395	987	868	936	749	820	852	800	800	787	822	938	1,036
Male	5,484	548	452	470	398	430	454	409	417	411	437	500	558
Female	4,911	439	416	466	351	390	398	391	383	376	385	438	478
ARIZONA	7,212	721	620	579	541	557	551	622	547	494	605	628	747
Male	4,522	465	400	354	357	356	325	383	329	322	378	400	453
Female	2,690	256	220	225	184	201	226	239	218	172	227	228	294
White	6,112	648	527	506	462	481	459	516	444	407	496	544	622
Male	3,863	415	340	314	306	313	275	322	273	271	309	344	381
Female	2,249	233	187	192	156	168	184	194	171	136	187	200	241
Nonwhite	1,100	73	93	73	79	76	92	106	103	87	109	84	125
Male	659	50	60	40	51	43	50	61	56	51	69	56	72
Female	441	23	33	33	28	33	42	45	47	36	40	28	53
ARKANSAS	15,107	1,437	1,200	1,278	1,220	1,256	1,389	1,469	1,289	1,074	1,163	1,230	1,102
Male	8,765	851	739	735	699	734	743	803	727	642	678	735	679
Female	6,342	586	461	543	521	522	646	666	562	432	485	495	423
White	11,069	1,037	854	980	953	898	995	1,078	949	769	861	911	784
Male	6,615	632	546	583	561	538	557	603	546	473	531	561	484
Female	4,454	405	308	397	392	360	438	475	403	296	330	350	300
Nonwhite	4,038	400	346	298	267	358	394	391	340	305	302	319	318
Male	2,150	219	193	152	138	196	186	200	181	169	147	174	195
Female	1,888	181	153	146	129	162	208	191	159	136	155	145	123
CALIFORNIA	109,445	10,122	8,595	9,321	8,965	9,049	8,860	9,073	8,524	8,478	9,108	9,003	10,347
Male	63,700	5,796	5,008	5,389	5,159	5,341	5,146	5,301	5,016	4,985	5,332	5,228	5,999
Female	45,745	4,326	3,587	3,932	3,806	3,708	3,714	3,772	3,508	3,493	3,776	3,775	4,348
White	103,291	9,573	8,082	8,749	8,472	8,547	8,366	8,577	8,058	8,014	8,607	8,524	9,722
Male	59,863	5,437	4,703	5,047	4,834	5,040	4,842	4,979	4,719	4,694	5,025	4,935	5,608
Female	43,428	4,136	3,379	3,702	3,638	3,507	3,524	3,598	3,339	3,320	3,582	3,589	4,114
Nonwhite	6,154	549	513	572	493	502	494	496	466	464	501	479	625
Male	3,837	359	305	342	325	301	304	322	297	291	307	293	391
Female	2,317	190	208	230	168	201	190	174	169	173	194	186	234
COLORADO	12,989	1,140	964	1,105	1,069	1,137	1,106	1,029	923	999	1,159	1,148	1,210
Male	7,500	659	538	658	636	661	619	581	514	601	696	668	669
Female	5,489	481	426	447	433	476	487	448	409	398	463	480	541
White	12,614	1,108	930	1,076	1,035	1,112	1,077	1,000	898	964	1,120	1,120	1,174
Male	7,283	645	516	640	616	646	604	568	497	582	672	649	648
Female	5,331	463	414	436	419	466	473	432	401	382	448	471	526
Nonwhite	375	32	34	29	34	25	29	29	25	35	39	28	36
Male	217	14	22	18	20	15	15	13	17	19	24	19	21
Female	158	18	12	11	14	10	14	16	8	16	15	9	15
CONNECTICUT	20,510	1,972	1,657	1,834	1,728	1,753	1,545	1,565	1,515	1,561	1,654	1,753	1,973
Male	11,258	1,081	901	1,022	961	990	850	873	859	822	860	957	1,082
Female	9,252	891	756	812	767	763	695	692	656	739	794	796	891
White	19,910	1,921	1,606	1,765	1,664	1,709	1,508	1,520	1,466	1,522	1,608	1,697	1,924
Male	10,941	1,056	872	982	928	965	832	844	834	805	836	930	1,057
Female	8,969	865	734	783	736	744	676	676	632	717	772	767	867
Nonwhite	600	51	51	69	64	44	37	45	49	39	46	56	49
Male	317	25	29	40	33	25	18	29	25	17	24	27	25
Female	283	26	22	29	31	19	19	16	24	22	22	29	24
DELAWARE	3,494	312	297	310	269	304	252	283	287	286	281	288	325
Male	1,979	183	167	180	150	158	141	159	168	163	162	152	196
Female	1,515	129	130	130	119	146	111	124	119	123	119	136	129
White	2,867	258	244	263	223	256	197	229	226	239	224	237	271
Male	1,614	150	140	149	130	131	114	124	129	139	127	120	161
Female	1,253	108	104	114	93	125	83	105	97	100	97	117	110
Nonwhite	627	54	53	47	46	48	55	54	61	47	57	51	54
Male	365	33	27	31	20	27	27	35	39	24	35	32	35
Female	262	21	26	16	26	21	28	19	22	23	22	19	19
DISTRICT OF COLUMBIA	8,056	738	667	719	633	670	634	619	642	642	643	713	736
Male	4,344	392	358	400	337	345	349	314	335	350	374	399	391
Female	3,712	346	309	319	296	325	285	305	307	292	269	314	345
White	4,983	463	404	431	385	415	400	391	408	392	393	452	449
Male	2,699	242	228	244	199	208	219	189	207	218	232	259	254
Female	2,284	221	176	187	186	207	181	202	201	174	161	193	195
Nonwhite	3,073	275	263	288	248	255	234	228	234	250	250	261	287
Male	1,645	150	130	156	138	137	130	125	128	132	142	140	137
Female	1,428	125	133	132	110	118	104	103	106	118	108	121	150

Table 43. Deaths by Month, Race, and Sex: United States and Each State, 1954—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA	31,586	2,929	2,634	2,796	2,545	2,554	2,513	2,534	2,602	2,229	2,470	2,735	3,045
Male	18,960	1,767	1,514	1,684	1,520	1,530	1,502	1,547	1,539	1,343	1,503	1,667	1,844
Female	12,626	1,162	1,120	1,112	1,025	1,024	1,011	987	1,063	886	967	1,068	1,201
White	24,209	2,248	1,989	2,130	1,982	1,918	1,947	1,950	2,001	1,737	1,942	2,056	2,309
Male	14,802	1,390	1,157	1,320	1,206	1,191	1,199	1,213	1,193	1,055	1,200	1,265	1,413
Female	9,407	858	832	810	776	727	748	737	808	682	742	791	896
Nonwhite	7,377	681	645	666	563	636	566	584	601	492	528	679	736
Male	4,158	377	357	364	314	339	303	334	346	288	303	402	431
Female	3,219	304	288	302	249	297	263	250	255	204	225	277	305
GEORGIA	30,793	2,823	2,503	2,633	2,362	2,541	2,526	2,572	2,476	2,243	2,468	2,690	2,956
Male	17,413	1,580	1,415	1,489	1,338	1,419	1,432	1,445	1,415	1,290	1,415	1,535	1,640
Female	13,380	1,243	1,088	1,144	1,024	1,122	1,094	1,127	1,061	953	1,053	1,155	1,316
White	19,076	1,738	1,513	1,668	1,485	1,574	1,560	1,631	1,531	1,398	1,508	1,675	1,795
Male	11,189	1,003	886	974	895	911	935	938	904	653	891	983	1,016
Female	7,887	735	627	694	590	663	625	693	627	545	617	692	779
Nonwhite	11,717	1,085	990	965	877	967	966	941	945	845	960	1,015	1,161
Male	6,224	577	529	515	443	508	497	507	511	437	524	552	624
Female	5,493	508	461	450	434	459	469	434	434	408	436	463	537
IDAHO	4,939	428	359	446	408	401	421	435	368	347	438	418	470
Male	3,068	275	223	251	244	265	261	278	235	217	279	251	289
Female	1,871	153	136	195	164	136	160	157	133	130	159	167	181
White	4,843	417	355	439	399	391	414	427	357	344	429	411	460
Male	3,001	266	220	248	238	257	255	273	228	215	271	247	283
Female	1,842	151	135	191	161	134	159	154	129	129	158	164	177
Nonwhite	96	11	4	7	9	10	7	8	11	3	9	7	10
Male	67	9	3	3	6	8	6	5	7	2	8	4	6
Female	29	2	1	4	3	2	1	3	4	1	1	3	4
ILLINOIS	92,317	8,265	7,033	8,025	7,744	8,007	8,154	7,471	7,056	7,041	7,343	7,919	8,259
Male	52,639	4,774	3,986	4,545	4,398	4,507	4,636	4,238	4,107	4,043	4,170	4,546	4,689
Female	39,678	3,491	3,047	3,480	3,346	3,500	3,518	3,233	2,949	2,998	3,173	3,373	3,570
White	83,884	7,534	6,424	7,290	7,009	7,297	7,393	6,809	6,378	6,385	6,643	7,213	7,509
Male	47,928	4,386	3,614	4,137	3,995	4,107	4,201	3,853	3,728	3,680	3,777	4,159	4,291
Female	35,956	3,148	2,810	3,153	3,014	3,190	3,192	2,956	2,650	2,705	2,866	3,054	3,218
Nonwhite	8,433	731	609	735	735	710	761	662	678	656	700	706	750
Male	4,711	388	372	408	403	400	435	385	379	363	393	387	398
Female	3,722	343	237	327	332	310	326	277	299	293	307	319	352
INDIANA	40,167	3,565	3,144	3,532	3,353	3,474	3,344	3,309	3,023	3,030	3,236	3,386	3,771
Male	22,912	2,049	1,772	2,001	1,907	2,010	1,875	1,892	1,717	1,722	1,853	1,951	2,163
Female	17,255	1,516	1,372	1,531	1,446	1,464	1,469	1,417	1,306	1,308	1,383	1,435	1,608
White	37,823	3,372	2,944	3,316	3,148	3,288	3,132	3,122	2,860	2,845	3,058	3,209	3,529
Male	21,643	1,945	1,652	1,885	1,800	1,909	1,755	1,787	1,627	1,629	1,752	1,865	2,037
Female	16,180	1,427	1,292	1,431	1,348	1,379	1,377	1,335	1,233	1,216	1,306	1,344	1,492
Nonwhite	2,344	193	200	216	205	186	212	187	163	185	178	177	242
Male	1,269	104	120	116	107	101	120	105	90	93	101	86	126
Female	1,075	89	80	100	98	85	92	82	73	92	77	91	116
IOWA	25,688	2,289	1,958	2,244	2,160	2,181	2,232	2,179	1,877	1,967	2,103	2,224	2,274
Male	14,721	1,307	1,090	1,263	1,255	1,265	1,281	1,255	1,071	1,142	1,238	1,263	1,291
Female	10,967	982	868	981	905	916	951	924	806	825	865	961	983
White	25,414	2,267	1,938	2,223	2,139	2,160	2,208	2,152	1,859	1,943	2,084	2,188	2,253
Male	14,566	1,298	1,078	1,251	1,246	1,254	1,265	1,238	1,061	1,126	1,229	1,242	1,278
Female	10,848	969	860	972	893	906	943	914	798	817	855	946	975
Nonwhite	274	22	20	21	21	21	24	27	18	24	19	36	21
Male	155	9	12	12	9	11	16	17	10	16	9	21	13
Female	119	13	8	9	12	10	8	10	8	8	10	15	8
KANSAS	19,298	1,684	1,445	1,630	1,481	1,531	1,711	2,296	1,435	1,338	1,468	1,550	1,729
Male	10,953	959	826	924	834	855	987	1,249	804	758	857	891	1,009
Female	8,345	725	619	706	647	676	724	1,047	631	580	611	659	720
White	18,277	1,605	1,371	1,531	1,403	1,467	1,604	2,152	1,360	1,274	1,408	1,465	1,637
Male	10,425	921	790	868	794	823	936	1,178	765	730	824	842	954
Female	7,852	684	581	663	609	644	668	974	595	544	584	623	683
Nonwhite	1,021	79	74	99	78	64	107	144	75	64	60	85	92
Male	528	38	36	56	40	32	51	71	39	28	33	49	55
Female	493	41	38	43	38	32	56	73	36	36	27	36	37
KENTUCKY	26,888	2,339	2,219	2,317	2,239	2,347	2,192	2,309	2,005	2,015	2,128	2,275	2,503
Male	15,294	1,331	1,274	1,277	1,274	1,348	1,218	1,260	1,136	1,187	1,210	1,317	1,462
Female	11,594	1,008	945	1,040	965	999	974	1,049	869	828	918	958	1,041
White	23,815	2,056	1,974	2,028	1,997	2,099	1,941	2,054	1,787	1,810	1,903	1,975	2,191
Male	13,607	1,177	1,138	1,126	1,134	1,200	1,094	1,140	1,013	1,071	1,081	1,148	1,285
Female	10,208	879	836	902	863	899	847	914	774	739	822	827	906
Nonwhite	3,073	283	245	289	242	248	251	255	218	205	225	300	312
Male	1,687	154	136	151	140	148	124	120	123	116	129	169	177
Female	1,386	129	109	138	102	100	127	135	95	89	96	131	135
LOUISIANA	24,376	2,320	2,023	2,114	1,849	1,915	2,022	2,027	1,945	1,767	2,006	2,135	2,253
Male	13,974	1,343	1,163	1,151	1,041	1,078	1,177	1,169	1,104	1,023	1,200	1,250	1,275
Female	10,402	977	860	963	808	837	845	858	841	744	806	885	978
White	14,737	1,388	1,247	1,316	1,140	1,163	1,217	1,211	1,175	1,031	1,197	1,295	1,357
Male	8,762	811	746	736	669	679	749	728	673	629	737	789	816
Female	5,975	577	501	580	471	484	468	483	502	402	460	506	541
Nonwhite	9,639	932	776	798	709	752	805	816	770	736	809	840	896
Male	5,212	532	417	415	372	399	428	441	431	394	463	461	459
Female	4,427	400	359	383	337	353	377	375	339	342	346	379	437

Table 43. Deaths by Month, Race, and Sex: United States and Each State, 1954—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE	9,956	874	815	933	825	860	825	760	768	779	847	850	920
Male	5,664	493	473	488	480	483	474	409	428	457	483	475	521
Female	4,292	381	342	345	345	377	351	351	340	322	364	375	399
White	9,930	874	815	831	825	860	818	757	767	779	845	845	914
Male	5,653	493	473	487	480	483	472	408	427	457	481	474	518
Female	4,277	381	342	344	345	377	346	349	340	322	364	371	396
Nonwhite	26	-	-	2	-	-	7	3	1	-	2	5	6
Male	11	-	-	1	-	-	2	1	1	-	2	1	3
Female	15	-	-	1	-	-	5	2	-	-	-	4	3
MARYLAND	23,007	2,141	1,892	2,031	1,873	1,886	1,769	1,941	1,694	1,717	1,963	2,031	2,069
Male	12,841	1,196	1,028	1,128	1,049	1,033	1,007	1,077	936	976	1,079	1,144	1,188
Female	10,166	945	864	903	824	853	762	864	758	741	884	887	881
White	18,530	1,692	1,536	1,638	1,533	1,534	1,456	1,552	1,383	1,350	1,535	1,668	1,653
Male	10,330	944	837	911	869	841	836	855	751	755	857	939	935
Female	8,200	748	699	727	664	693	620	697	632	595	678	729	718
Nonwhite	4,477	449	356	393	340	352	313	389	311	367	428	363	416
Male	2,511	252	191	217	180	192	171	222	185	221	222	205	253
Female	1,966	197	165	176	160	160	142	167	126	146	206	158	163
MASSACHUSETTS	51,752	4,822	4,220	4,417	4,231	4,427	4,112	3,979	3,942	4,105	4,309	4,260	4,928
Male	27,671	2,603	2,183	2,335	2,268	2,375	2,160	2,165	2,131	2,226	2,315	2,248	2,662
Female	24,081	2,219	2,037	2.082	1,963	2,052	1,952	1,814	1,811	1,879	1,994	2,012	2,266
White	50,831	4,754	4,131	4,332	4,157	4,359	4,041	3,903	3,879	4,025	4,238	4,174	4,838
Male	27,133	2,567	2,132	2,286	2,222	2,344	2,116	2,121	2,087	2,186	2,269	2,194	2,609
Female	23,698	2,187	1,999	2,046	1,935	2,015	1,925	1,782	1,792	1,839	1,969	1,980	2,229
Nonwhite	921	68	89	85	74	68	71	76	63	80	71	86	90
Male	538	36	51	49	46	31	44	44	44	40	46	54	53
Female	383	32	38	36	28	37	27	32	19	40	25	32	37
MICHIGAN	60,632	5,326	4,758	5,232	4,942	5,045	5,052	4,978	4,680	4,810	5,224	5,245	5,540
Male	35,414	3,169	2,738	3,038	2,910	2,941	2,917	2,866	2,764	2,701	3,048	3,080	3,242
Female	25,218	2,157	2,020	2,194	2,032	2,104	2,135	2,112	1,916	1,909	2,176	2,165	2,298
White	55,975	4,942	4,359	4,810	4,579	4,667	4,645	4,591	4,337	4,254	4,842	4,830	5,119
Male	32,798	2,954	2,508	2,807	2,702	2,738	2,691	2,652	2,564	2,505	2,829	2,846	3,002
Female	23,177	1,988	1,851	2,003	1,877	1,929	1,954	1,939	1,773	1,749	2,013	1,984	2,117
Nonwhite	4,657	384	399	422	363	378	407	387	343	356	382	415	421
Male	2,616	215	230	231	208	203	226	214	200	196	219	234	240
Female	2,041	169	169	191	155	175	181	173	143	160	163	181	181
MINNESOTA	27,870	2,606	2,128	2,373	2,488	2,402	2,356	2,191	2,138	2,192	2,401	2,231	2,364
Male	16,433	1,553	1,187	1,404	1,466	1,419	1,386	1,315	1,275	1,288	1,389	1,342	1,409
Female	11,437	1,053	941	969	1,022	983	970	876	863	904	1,012	889	955
White	27,549	2,575	2,108	2,349	2,461	2,371	2,329	2,160	2,115	2,157	2,379	2,212	2,333
Male	16,258	1,536	1,180	1,391	1,448	1,405	1,374	1,295	1,261	1,271	1,377	1,331	1,389
Female	11,291	1,039	928	958	1,013	966	955	865	854	886	1,002	881	944
Nonwhite	321	31	20	24	27	31	27	31	23	35	22	19	31
Male	175	17	7	13	18	14	12	20	14	17	12	11	20
Female	146	14	13	11	9	17	15	11	9	18	10	8	11
MISSISSIPPI	19,345	1,769	1,565	1,599	1,513	1,570	1,561	1,643	1,599	1,488	1,558	1,690	1,790
Male	10,908	977	883	952	829	903	828	900	916	838	866	978	1,038
Female	8,437	792	682	647	684	667	733	743	683	650	692	712	752
White	9,481	892	761	757	723	756	723	805	804	778	770	843	869
Male	5,602	490	453	481	423	447	405	459	495	456	452	518	523
Female	3,879	402	308	276	300	309	318	346	309	322	318	325	346
Nonwhite	9,864	877	804	842	790	814	838	838	795	710	788	847	921
Male	5,306	487	430	471	406	456	423	441	421	382	414	460	515
Female	4,558	390	374	371	384	358	415	397	374	328	374	387	406
MISSOURI	44,083	3,910	3,352	3,787	3,549	3,542	4,001	4,687	3,257	3,085	3,507	3,588	3,818
Male	25,115	2,195	1,910	2,135	2,063	2,065	2,246	2,583	1,890	1,756	2,045	2,050	2,177
Female	18,968	1,715	1,442	1,652	1,486	1,477	1,755	2,104	1,367	1,329	1,462	1,538	1,641
White	39,655	3,516	3,022	3,433	3,184	3,194	3,596	4,197	2,921	2,746	3,154	3,243	3,449
Male	22,653	1,984	1,724	1,949	1,845	1,869	2,041	2,320	1,700	1,568	1,845	1,842	1,966
Female	17,002	1,532	1,298	1,484	1,339	1,325	1,555	1,877	1,221	1,178	1,309	1,401	1,483
Nonwhite	4,428	394	330	354	365	348	405	490	336	339	353	345	369
Male	2,462	211	186	186	218	196	205	263	190	188	200	208	211
Female	1,966	183	144	168	147	152	200	227	146	151	153	137	158
MONTANA	6,059	543	456	509	484	535	481	522	528	451	492	524	534
Male	3,904	347	290	320	304	344	317	346	348	292	320	338	338
Female	2,155	196	166	189	180	191	164	176	180	159	172	186	196
White	5,772	525	430	492	466	511	449	492	493	427	471	503	513
Male	3,726	340	277	312	293	327	294	324	326	278	305	327	323
Female	2,046	185	153	180	173	184	155	168	167	149	166	176	190
Nonwhite	287	18	26	17	18	24	32	30	35	24	21	21	21
Male	178	7	13	8	11	17	23	22	22	14	15	11	15
Female	109	11	13	9	7	7	9	8	13	10	6	10	6
NEBRASKA	12,870	1,164	1,014	1,036	1,093	1,036	1,101	1,185	989	982	1,048	1,049	1,173
Male	7,400	665	578	615	616	592	628	664	540	597	616	615	674
Female	5,470	499	436	421	477	444	473	521	449	385	432	434	499
White	12,535	1,131	988	1,013	1,056	1,010	1,077	1,158	969	958	1,016	1,023	1,136
Male	7,205	644	565	602	593	576	614	649	527	584	599	599	653
Female	5,330	487	423	411	463	434	463	509	442	374	417	424	483
Nonwhite	335	33	26	23	37	26	24	27	20	24	32	26	37
Male	195	21	13	13	23	16	14	15	13	13	17	16	21
Female	140	12	13	10	14	10	10	12	7	11	15	10	16

Table 43. Deaths by Month, Race, and Sex: United States and Each State, 1954—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA	1,801	140	153	135	133	143	161	163	136	124	161	165	187
Male	1,237	95	111	92	97	88	115	112	100	87	102	110	128
Female	564	45	42	43	36	55	46	51	36	37	59	55	59
White	1,619	127	135	124	122	128	139	144	124	115	141	154	166
Male	1,130	87	101	86	91	79	100	98	92	84	94	102	116
Female	489	40	34	38	31	49	39	46	32	31	47	52	50
Nonwhite	182	13	18	11	11	15	22	19	12	9	20	11	21
Male	107	8	10	6	6	9	15	14	8	3	8	8	12
Female	75	5	8	5	5	6	7	5	4	6	12	3	9
NEW HAMPSHIRE	6,170	580	525	508	508	507	493	490	483	473	492	530	581
Male	3,426	328	305	298	278	285	266	285	270	226	290	289	306
Female	2,744	252	220	210	230	222	227	205	213	247	202	241	275
White	6,159	579	523	507	508	505	493	489	483	472	491	528	581
Male	3,417	327	303	297	278	283	266	284	270	226	289	288	306
Female	2,742	252	220	210	230	222	227	205	213	246	202	240	275
Nonwhite	11	1	2	1	-	2	-	1	-	1	1	2	-
Male	9	1	2	1	-	2	-	1	-	-	1	1	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-
NEW JERSEY	51,318	4,851	4,021	4,431	4,264	4,282	4,075	4,060	3,890	3,999	4,323	4,429	4,693
Male	28,510	2,719	2,267	2,436	2,415	2,346	2,231	2,240	2,134	2,228	2,408	2,447	2,639
Female	22,808	2,132	1,754	1,995	1,849	1,936	1,844	1,820	1,756	1,771	1,915	1,982	2,054
White	47,366	4,466	3,724	4,086	3,950	3,962	3,778	3,760	3,552	3,684	3,985	4,098	4,321
Male	26,346	2,512	2,097	2,252	2,248	2,164	2,066	2,076	1,948	2,060	2,211	2,273	2,439
Female	21,020	1,954	1,627	1,834	1,702	1,798	1,712	1,684	1,604	1,624	1,774	1,825	1,882
Nonwhite	3,952	385	297	345	314	320	297	300	338	315	338	331	372
Male	2,164	207	170	184	167	182	165	164	186	168	197	174	200
Female	1,788	178	127	161	147	138	132	136	152	147	141	157	172
NEW MEXICO	5,373	481	420	494	407	427	388	422	417	403	474	501	539
Male	3,172	281	236	301	224	251	216	243	252	244	277	324	323
Female	2,201	200	184	193	183	176	172	179	165	159	197	177	216
White	4,795	427	361	438	374	385	349	376	368	347	429	453	488
Male	2,844	252	203	269	209	228	197	221	224	212	244	296	289
Female	1,951	175	158	169	165	157	152	155	144	135	185	157	199
Nonwhite	578	54	59	56	33	42	39	46	49	56	45	48	51
Male	328	29	33	32	15	23	19	22	28	32	33	28	34
Female	250	25	26	24	18	19	20	24	21	24	12	20	17
NEW YORK	159,548	14,775	12,777	13,754	13,426	13,612	12,477	12,786	12,120	12,427	13,427	13,358	14,609
Male	88,249	8,243	6,938	7,536	7,381	7,656	6,884	7,178	6,708	6,893	7,407	7,337	8,088
Female	71,299	6,532	5,839	6,218	6,045	5,956	5,593	5,608	5,412	5,534	6,020	6,021	6,521
White	149,263	13,833	11,963	12,900	12,580	12,778	11,683	11,945	11,347	11,588	12,558	12,423	13,665
Male	82,678	7,755	6,490	7,090	6,932	7,192	6,464	6,709	6,269	6,449	6,927	6,824	7,577
Female	66,585	6,078	5,473	5,810	5,648	5,586	5,219	5,236	5,078	5,139	5,631	5,599	6,088
Nonwhite	10,285	942	814	854	846	834	794	841	773	839	869	935	944
Male	5,571	488	448	446	449	464	420	469	439	444	480	513	511
Female	4,714	454	366	408	397	370	374	372	334	395	389	422	433
NORTH CAROLINA	31,625	2,884	2,647	2,624	2,572	2,641	2,597	2,557	2,393	2,376	2,582	2,691	3,061
Male	18,254	1,683	1,483	1,503	1,465	1,515	1,483	1,500	1,387	1,409	1,513	1,536	1,777
Female	13,371	1,201	1,164	1,121	1,107	1,126	1,114	1,057	1,006	967	1,069	1,155	1,284
White	21,313	1,907	1,765	1,777	1,735	1,783	1,774	1,747	1,632	1,643	1,728	1,809	2,013
Male	12,519	1,146	1,005	1,038	1,004	1,043	1,036	1,041	941	990	1,042	1,050	1,183
Female	8,794	761	760	739	731	740	738	706	691	653	686	759	830
Nonwhite	10,312	977	882	847	837	858	823	810	761	733	854	882	1,048
Male	5,735	537	478	465	461	472	447	459	446	419	471	486	594
Female	4,577	440	404	382	376	386	376	351	315	314	383	396	454
NORTH DAKOTA	5,055	460	392	407	406	421	395	429	379	409	477	414	466
Male	3,079	288	242	228	220	264	245	271	240	263	286	236	296
Female	1,976	172	150	179	186	157	150	158	139	146	191	178	170
White	4,935	449	384	399	400	414	387	419	370	399	464	401	449
Male	3,008	280	237	223	216	259	241	264	237	257	279	231	284
Female	1,927	169	147	176	184	155	146	155	133	142	185	170	165
Nonwhite	120	11	8	8	6	7	8	10	9	10	13	13	17
Male	71	8	5	5	4	5	4	7	3	6	7	5	12
Female	49	3	3	3	2	2	4	3	6	4	6	8	5
OHIO	82,720	7,618	6,512	7,340	6,718	7,119	6,709	6,809	6,261	6,267	6,694	6,982	7,691
Male	46,707	4,232	3,611	4,184	3,768	4,059	3,785	3,877	3,581	3,581	3,740	3,936	4,353
Female	36,013	3,386	2,901	3,156	2,950	3,060	2,924	2,932	2,680	2,686	2,954	3,046	3,338
White	76,369	7,026	6,038	6,780	6,194	6,596	6,206	6,260	5,761	5,809	6,152	6,446	7,101
Male	43,159	3,912	3,351	3,885	3,474	3,776	3,506	3,574	3,290	3,323	3,435	3,622	4,011
Female	33,210	3,114	2,687	2,895	2,720	2,820	2,700	2,686	2,471	2,486	2,717	2,824	3,090
Nonwhite	6,351	592	474	560	524	523	503	549	500	458	542	536	590
Male	3,548	320	260	299	294	283	279	303	291	258	305	314	342
Female	2,803	272	214	261	230	240	224	246	209	200	237	222	248
OKLAHOMA	20,211	1,902	1,546	1,680	1,556	1,622	1,661	2,409	1,574	1,408	1,504	1,636	1,713
Male	11,863	1,124	915	982	920	988	972	1,313	902	837	877	1,003	1,030
Female	8,348	778	631	698	636	634	689	1,096	672	571	627	633	683
White	17,827	1,668	1,357	1,493	1,371	1,463	1,465	2,052	1,406	1,253	1,339	1,446	1,514
Male	10,572	1,007	804	889	824	896	856	1,139	816	752	783	893	913
Female	7,255	661	553	604	547	567	609	913	590	501	556	553	601
Nonwhite	2,384	234	189	187	185	159	196	357	168	155	165	190	199
Male	1,291	117	111	93	96	92	116	174	86	85	94	110	117
Female	1,093	117	78	94	89	67	80	183	82	70	71	80	82

Table 43. Deaths by Month, Race, and Sex: United States and Each State, 1954—Continued

(By place of residence. Exclusive of fetal deaths and deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON	14,744	1,361	1,131	1,304	1,245	1,247	1,225	1,208	1,130	1,139	1,286	1,159	1,309
Male	8,999	806	696	798	746	753	746	736	703	680	804	731	800
Female	5,745	555	435	506	499	494	479	472	427	459	482	428	509
White	14,478	1,342	1,102	1,272	1,226	1,228	1,205	1,189	1,117	1,120	1,264	1,130	1,283
Male	8,815	796	676	776	735	738	733	720	693	666	789	708	785
Female	5,663	546	426	496	491	490	472	469	424	454	475	422	498
Nonwhite	266	19	29	32	19	19	20	19	13	19	22	29	26
Male	184	10	20	22	11	15	13	16	10	14	15	23	15
Female	82	9	9	10	8	4	7	3	3	5	7	6	11
PENNSYLVANIA	108,686	10,204	8,575	9,452	9,113	9,299	8,788	8,714	8,089	8,191	8,932	9,158	10,171
Male	60,894	5,730	4,771	5,304	5,033	5,220	4,949	4,796	4,571	4,612	5,003	5,136	5,769
Female	47,792	4,474	3,804	4,148	4,080	4,079	3,839	3,918	3,518	3,579	3,929	4,022	4,402
White	101,017	9,502	7,936	8,732	8,497	8,648	8,167	8,029	7,493	7,647	8,355	8,530	9,481
Male	56,619	5,363	4,433	4,898	4,679	4,881	4,601	4,428	4,227	4,306	4,666	4,770	5,367
Female	44,398	4,139	3,503	3,834	3,818	3,767	3,566	3,601	3,266	3,341	3,689	3,760	4,114
Nonwhite	7,669	702	639	720	616	651	621	685	596	544	577	628	690
Male	4,275	367	338	406	354	339	348	368	344	306	337	366	402
Female	3,394	335	301	314	262	312	273	317	252	238	240	262	288
RHODE ISLAND	8,191	774	678	716	684	700	584	619	666	687	645	715	723
Male	4,462	445	358	380	360	375	313	331	386	365	352	404	393
Female	3,729	329	320	336	324	325	271	288	280	322	293	311	330
White	8,003	759	667	698	662	684	575	601	650	669	633	702	703
Male	4,349	440	352	365	347	363	307	322	378	354	345	395	381
Female	3,654	319	315	333	315	321	268	279	272	315	288	307	322
Nonwhite	188	15	11	18	22	16	9	18	16	18	12	13	20
Male	113	5	6	15	13	12	6	9	8	11	7	9	12
Female	75	10	5	3	9	4	3	9	8	7	5	4	8
SOUTH CAROLINA	17,634	1,735	1,425	1,570	1,408	1,440	1,536	1,451	1,345	1,233	1,405	1,492	1,594
Male	10,095	1,009	826	919	798	832	892	828	739	696	787	861	908
Female	7,539	726	599	651	610	608	644	623	606	537	618	631	686
White	9,478	904	757	836	749	794	831	804	729	670	760	806	838
Male	5,642	540	437	512	437	466	503	487	411	399	462	490	498
Female	3,836	364	320	324	312	328	328	317	318	271	298	316	340
Nonwhite	8,156	831	668	734	659	646	705	647	616	563	645	686	756
Male	4,453	469	389	407	361	366	389	341	328	297	325	371	410
Female	3,703	362	279	327	298	280	316	306	288	266	320	315	346
SOUTH DAKOTA	5,766	472	454	488	522	442	448	465	520	453	487	490	525
Male	3,502	305	253	304	300	269	265	289	337	295	297	291	297
Female	2,264	167	201	184	222	173	183	176	183	158	190	199	228
White	5,482	459	432	465	496	421	438	443	486	429	463	457	493
Male	3,343	298	244	292	282	259	260	275	319	277	281	275	281
Female	2,139	161	188	173	214	162	178	168	167	152	182	182	212
Nonwhite	284	13	22	23	26	21	10	22	34	24	24	33	32
Male	159	7	9	12	18	10	5	14	18	18	16	16	16
Female	125	6	13	11	8	11	5	8	16	6	8	17	16
TENNESSEE	28,506	2,674	2,250	2,452	2,314	2,427	2,343	2,538	2,182	2,146	2,226	2,361	2,593
Male	16,289	1,481	1,334	1,386	1,322	1,405	1,345	1,437	1,215	1,209	1,296	1,383	1,476
Female	12,217	1,193	916	1,066	992	1,022	998	1,101	967	937	930	978	1,117
White	22,229	2,052	1,768	1,934	1,854	1,900	1,785	1,933	1,658	1,656	1,769	1,863	2,057
Male	12,947	1,145	1,061	1,125	1,067	1,118	1,041	1,141	941	952	1,059	1,095	1,202
Female	9,282	907	707	809	787	782	744	792	717	704	710	768	855
Nonwhite	6,277	622	482	518	460	527	558	605	524	490	457	498	536
Male	3,342	336	273	261	255	287	304	296	274	257	237	288	274
Female	2,935	286	209	257	205	240	254	309	250	233	220	210	262
TEXAS	64,932	5,939	5,005	5,687	4,885	5,295	5,389	6,087	5,226	4,945	5,233	5,425	5,816
Male	38,475	3,459	2,948	3,303	2,885	3,148	3,235	3,508	3,100	2,967	3,118	3,301	3,503
Female	26,457	2,480	2,057	2,384	2,000	2,147	2,154	2,579	2,126	1,978	2,115	2,124	2,313
White	54,477	4,917	4,176	4,709	4,108	4,475	4,544	5,098	4,430	4,138	4,427	4,520	4,935
Male	32,658	2,892	2,475	2,786	2,435	2,711	2,744	2,985	2,655	2,517	2,686	2,770	3,002
Female	21,819	2,025	1,701	1,923	1,673	1,764	1,800	2,113	1,775	1,621	1,741	1,750	1,933
Nonwhite	10,455	1,022	829	978	777	820	845	989	796	807	806	905	881
Male	5,817	567	473	517	450	437	491	523	445	450	432	531	501
Female	4,638	455	356	461	327	383	354	466	351	357	374	374	380
UTAH	5,148	476	363	448	453	429	400	451	431	368	424	428	477
Male	3,077	277	212	248	256	268	255	286	253	211	249	250	312
Female	2,071	199	151	200	197	161	145	165	178	157	175	178	165
White	5,034	463	358	435	446	421	394	444	417	363	411	420	462
Male	3,008	271	210	239	251	262	254	282	247	206	240	245	301
Female	2,026	192	148	196	195	159	140	162	170	157	171	175	161
Nonwhite	114	13	5	13	7	8	6	7	14	5	13	8	15
Male	69	6	2	9	5	6	1	4	6	5	9	5	11
Female	45	7	3	4	2	2	5	3	8	-	4	3	4
VERMONT	4,032	375	324	362	307	356	355	297	314	306	319	373	344
Male	2,268	196	167	202	176	189	216	174	168	173	193	217	197
Female	1,764	179	157	160	131	167	139	123	146	133	126	156	147
White	4,025	374	324	362	307	355	355	296	313	305	319	371	344
Male	2,262	195	167	202	176	188	216	174	167	172	193	215	197
Female	1,763	179	157	160	131	167	139	122	146	133	126	156	147
Nonwhite	7	1	-	-	-	1	-	1	1	1	-	2	-
Male	6	1	-	-	-	1	-	-	1	1	-	2	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-

Table 43. Deaths by Month, Race, and Sex: United States and Each State, 1954—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA	29,329	2,679	2,307	2,552	2,353	2,378	2,373	2,378	2,213	2,301	2,482	2,523	2,790
Male	16,753	1,538	1,299	1,435	1,339	1,392	1,381	1,315	1,248	1,307	1,452	1,474	1,573
Female	12,576	1,141	1,008	1,117	1,014	986	992	1,063	965	994	1,030	1,049	1,217
White	20,924	1,862	1,647	1,811	1,671	1,697	1,719	1,667	1,610	1,671	1,754	1,838	1,977
Male	12,160	1,083	952	1,040	965	998	991	943	935	982	1,048	1,096	1,127
Female	8,764	779	695	771	706	699	728	724	675	689	706	742	850
Nonwhite	8,405	817	660	741	682	681	654	711	603	630	728	685	813
Male	4,593	455	347	395	374	394	390	372	313	325	404	378	446
Female	3,812	362	313	346	308	287	264	339	290	305	324	307	367
WASHINGTON	23,298	2,119	1,797	2,043	1,952	2,029	1,884	1,872	1,835	1,771	1,951	1,888	2,157
Male	14,096	1,280	1,109	1,214	1,168	1,208	1,165	1,139	1,091	1,099	1,208	1,130	1,285
Female	9,202	839	688	829	784	821	719	733	744	672	743	758	872
White	22,604	2,072	1,728	1,995	1,878	1,963	1,829	1,822	1,790	1,711	1,895	1,826	2,095
Male	13,654	1,248	1,064	1,182	1,126	1,161	1,134	1,105	1,067	1,058	1,172	1,097	1,240
Female	8,950	824	664	813	752	802	695	717	723	653	723	729	855
Nonwhite	694	47	69	48	74	66	55	50	45	60	56	62	62
Male	442	32	45	32	42	47	31	34	24	41	36	33	45
Female	252	15	24	16	32	19	24	16	21	19	20	29	17
WEST VIRGINIA	16,216	1,529	1,266	1,403	1,328	1,338	1,297	1,289	1,153	1,237	1,461	1,416	1,499
Male	9,659	928	740	832	768	816	780	759	689	726	870	867	884
Female	6,557	601	526	571	560	522	517	530	464	511	591	549	615
White	15,043	1,427	1,187	1,307	1,254	1,233	1,204	1,202	1,059	1,159	1,346	1,308	1,357
Male	8,934	860	696	775	721	750	721	705	627	679	798	797	805
Female	6,109	567	491	532	533	483	483	497	432	480	548	511	552
Nonwhite	1,173	102	79	96	74	105	93	87	94	78	115	108	142
Male	725	68	44	57	47	66	59	54	62	47	72	70	79
Female	448	34	35	39	27	39	34	33	32	31	43	38	63
WISCONSIN	33,774	3,080	2,604	2,896	2,845	2,977	2,792	2,654	2,635	2,590	2,809	2,828	3,064
Male	19,414	1,729	1,447	1,664	1,582	1,753	1,600	1,576	1,554	1,492	1,682	1,615	1,720
Female	14,360	1,351	1,157	1,232	1,263	1,224	1,192	1,078	1,081	1,098	1,127	1,213	1,344
White	33,264	3,040	2,558	2,853	2,804	2,930	2,744	2,610	2,596	2,552	2,769	2,786	3,022
Male	19,120	1,704	1,424	1,639	1,562	1,724	1,573	1,547	1,536	1,469	1,657	1,590	1,695
Female	14,144	1,336	1,134	1,214	1,242	1,206	1,171	1,063	1,060	1,083	1,112	1,196	1,327
Nonwhite	510	40	46	43	41	47	48	44	39	38	40	42	42
Male	294	25	23	25	20	29	27	29	18	23	25	25	25
Female	216	15	23	18	21	18	21	15	21	15	15	17	17
WYOMING	2,419	202	194	192	214	182	215	212	187	198	219	192	212
Male	1,568	128	114	136	138	122	139	135	133	137	135	125	126
Female	851	74	80	56	76	60	76	77	54	61	84	67	86
White	2,342	196	188	186	204	180	207	205	179	191	214	189	203
Male	1,516	123	111	133	131	120	135	132	126	130	133	123	119
Female	826	73	77	53	73	60	72	73	53	61	81	66	84
Nonwhite	77	6	6	6	10	2	8	7	8	7	5	3	9
Male	52	5	3	3	7	2	4	3	7	7	2	2	7
Female	25	1	3	3	3	-	4	4	1	-	3	1	2

385053 O - 56 - 2

Table 44. Deaths by Specified Race and Sex: United States and Each State, 1954

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	1,481,091	846,124	634,967	750,099	556,890	91,403	75,838	2,377	1,770	1,102	191	723	227	420	51
Alabama	26,156	14,724	11,432	9,240	6,521	5,482	4,911	1	-	1	-	-	-	-	-
Arizona	7,212	4,522	2,690	3,863	2,249	235	128	399	307	16	4	5	1	4	1
Arkansas	15,107	8,765	6,342	6,615	4,454	2,145	1,887	3	1	2	-	-	-	-	-
California	109,445	63,700	45,745	59,863	43,428	2,510	1,917	166	108	431	118	451	143	279	31
Colorado	12,989	7,500	5,489	7,283	5,331	175	136	16	12	2	2	23	8	1	-
Connecticut	20,510	11,258	9,252	10,941	8,969	308	282	4	1	3	-	2	-	-	-
Delaware	3,494	1,979	1,515	1,614	1,253	364	257	-	5	-	-	-	-	1	-
District of Columbia	8,056	4,344	3,712	2,699	2,284	1,621	1,427	1	1	15	-	2	-	6	-
Florida	31,586	18,960	12,626	14,802	9,407	4,143	3,210	8	7	2	2	3	-	2	-
Georgia	30,793	17,413	13,380	11,189	7,887	6,216	5,493	-	-	5	-	-	-	3	-
Idaho	4,939	3,068	1,871	3,001	1,842	15	3	42	20	2	1	6	4	2	1
Illinois	92,317	52,639	39,678	47,928	35,956	4,591	3,703	11	3	63	4	40	8	6	4
Indiana	40,167	22,912	17,255	21,643	16,180	1,259	1,071	2	1	8	1	-	1	-	1
Iowa	25,688	14,721	10,967	14,566	10,848	138	113	11	3	4	2	1	1	1	-
Kansas	19,298	10,953	8,345	10,425	7,852	513	480	11	11	1	-	-	1	3	1
Kentucky	26,888	15,294	11,594	13,607	10,208	1,685	1,385	-	-	1	1	1	-	-	-
Louisiana	24,376	13,974	10,402	8,762	5,975	5,195	4,422	6	3	6	1	1	-	4	1
Maine	9,956	5,664	4,292	5,653	4,277	6	10	5	4	-	1	-	-	-	-
Maryland	23,007	12,841	10,166	10,330	8,200	2,498	1,963	-	1	8	2	1	-	4	-
Massachusetts	51,752	27,671	24,081	27,133	23,698	466	372	8	8	49	2	2	1	13	-
Michigan	60,632	35,414	25,218	32,798	23,177	2,531	2,009	52	28	22	1	5	2	6	1
Minnesota	27,870	16,433	11,437	16,258	11,291	106	81	55	62	10	1	3	2	1	-
Mississippi	19,345	10,908	8,437	5,602	3,879	5,288	4,544	11	12	6	2	-	-	1	-
Missouri	44,083	25,115	18,968	22,653	17,002	2,447	1,966	5	-	5	-	3	-	2	-
Montana	6,059	3,904	2,155	3,726	2,046	12	7	156	102	5	-	5	-	-	-
Nebraska	12,870	7,400	5,470	7,205	5,330	147	107	41	33	2	-	5	-	-	-
Nevada	1,801	1,237	564	1,130	489	45	37	55	37	4	1	3	-	-	-
New Hampshire	6,170	3,426	2,744	3,417	2,742	6	2	1	-	2	-	-	-	-	-
New Jersey	51,318	28,510	22,808	26,346	21,020	2,135	1,782	3	2	17	2	5	1	4	1
New Mexico	5,373	3,172	2,201	2,844	1,951	62	51	262	198	1	-	3	1	-	-
New York	159,548	88,249	71,299	82,678	66,585	5,221	4,625	68	52	243	30	23	4	16	3
North Carolina	31,625	18,254	13,371	12,519	8,794	5,628	4,511	107	66	-	-	-	-	-	-
North Dakota	5,055	3,079	1,976	3,008	1,927	9	5	60	44	1	-	1	-	-	-
Ohio	82,720	46,707	36,013	43,159	33,210	3,519	2,795	6	2	16	2	3	3	4	1
Oklahoma	20,211	11,863	8,348	10,572	7,255	987	841	301	252	-	-	1	-	2	-
Oregon	14,744	8,999	5,745	8,815	5,663	67	41	67	29	24	4	20	8	6	-
Pennsylvania	108,686	60,894	47,792	56,619	44,398	4,221	3,382	2	5	37	3	4	4	11	-
Rhode Island	8,191	4,462	3,729	4,349	3,654	96	73	4	2	10	-	-	-	3	-
South Carolina	17,634	10,095	7,539	5,642	3,836	4,448	3,703	2	-	-	-	1	-	2	-
South Dakota	5,756	3,502	2,264	3,343	2,139	10	3	148	122	-	-	1	-	-	-
Tennessee	28,506	16,289	12,217	12,947	9,282	3,341	2,934	-	1	-	-	1	-	-	-
Texas	64,932	38,475	26,457	32,658	21,819	5,787	4,633	4	4	20	1	4	-	2	-
Utah	5,148	3,077	2,071	3,008	2,026	18	13	12	23	8	-	30	9	1	-
Vermont	4,032	2,268	1,764	2,262	1,763	4	1	2	-	-	-	-	-	-	-
Virginia	29,329	16,753	12,576	12,160	8,764	4,574	3,805	3	6	12	-	-	1	4	-
Washington	23,298	14,096	9,202	13,654	8,950	195	108	136	113	26	3	61	23	24	5
West Virginia	16,216	9,659	6,557	8,934	6,109	721	448	1	-	2	-	-	-	1	-
Wisconsin	33,774	19,414	14,360	19,120	14,144	196	149	87	67	9	-	1	-	1	-
Wyoming	2,419	1,568	851	1,516	826	17	12	32	12	1	-	2	1	-	-

Table 45. Deaths by Race and Sex for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1954

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	ALL RACES			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
UNITED STATES	1,481,091	846,124	634,967	1,306,989	750,099	556,890	174,102	96,025	78,077
Metropolitan counties[1]	866,092	487,928	378,164	770,406	435,284	335,122	95,686	52,644	43,042
Nonmetropolitan counties[1]	614,999	358,196	256,803	536,583	314,815	221,768	78,416	43,381	35,035
Alabama	26,156	14,724	11,432	15,761	9,240	6,521	10,395	5,484	4,911
Metropolitan counties	9,743	5,356	4,387	5,496	3,169	2,327	4,247	2,187	2,060
Nonmetropolitan counties	16,413	9,368	7,045	10,265	6,071	4,194	6,148	3,297	2,851
Arizona	7,212	4,522	2,690	6,112	3,863	2,249	1,100	659	441
Metropolitan counties	3,226	2,036	1,190	2,956	1,861	1,095	270	175	95
Nonmetropolitan counties	3,986	2,486	1,500	3,156	2,002	1,154	830	484	346
Arkansas	15,107	8,765	6,342	11,069	6,615	4,454	4,038	2,150	1,888
Metropolitan counties	1,829	1,037	792	1,258	727	531	571	310	261
Nonmetropolitan counties	13,278	7,728	5,550	9,811	5,888	3,923	3,467	1,840	1,627
California	109,445	63,700	45,745	103,291	59,863	43,428	6,154	3,837	2,317
Metropolitan counties	88,826	50,619	38,207	83,588	47,407	36,181	5,238	3,212	2,026
Nonmetropolitan counties	20,619	13,081	7,538	19,703	12,456	7,247	916	625	291
Colorado	12,989	7,500	5,489	12,614	7,283	5,331	375	217	158
Metropolitan counties	6,639	3,760	2,879	6,352	3,601	2,751	287	159	128
Nonmetropolitan counties	6,350	3,740	2,610	6,262	3,682	2,580	88	58	30
Connecticut	20,510	11,258	9,252	19,910	10,941	8,969	600	317	283
Metropolitan counties	16,247	8,892	7,355	15,694	8,602	7,092	553	290	263
Nonmetropolitan counties	4,263	2,366	1,897	4,216	2,339	1,877	47	27	20
Delaware	3,494	1,979	1,515	2,867	1,614	1,253	627	365	262
Metropolitan counties	2,314	1,277	1,037	1,931	1,059	872	383	218	165
Nonmetropolitan counties	1,180	702	478	936	555	381	244	147	97
District of Columbia	8,056	4,344	3,712	4,983	2,699	2,284	3,073	1,645	1,428
Florida	31,586	18,960	12,626	24,209	14,802	9,407	7,377	4,158	3,219
Metropolitan counties	15,739	9,358	6,381	12,968	7,806	5,162	2,771	1,552	1,219
Nonmetropolitan counties	15,847	9,602	6,245	11,241	6,996	4,245	4,606	2,606	2,000
Georgia	30,793	17,413	13,380	19,076	11,189	7,887	11,717	6,224	5,493
Metropolitan counties	11,596	6,444	5,152	7,279	4,194	3,085	4,317	2,250	2,067
Nonmetropolitan counties	19,197	10,969	8,228	11,797	6,995	4,802	7,400	3,974	3,426
Idaho	4,939	3,068	1,871	4,843	3,001	1,842	96	67	29
Nonmetropolitan counties	4,939	3,068	1,871	4,843	3,001	1,842	96	67	29
Illinois	92,317	52,639	39,678	83,884	47,928	35,956	8,433	4,711	3,722
Metropolitan counties	66,284	37,823	28,461	58,441	33,437	25,004	7,843	4,386	3,457
Nonmetropolitan counties	26,033	14,816	11,217	25,443	14,491	10,952	590	325	265
Indiana	40,167	22,912	17,255	37,823	21,643	16,180	2,344	1,269	1,075
Metropolitan counties	17,237	9,912	7,325	15,200	8,829	6,371	2,037	1,083	954
Nonmetropolitan counties	22,930	13,000	9,930	22,623	12,814	9,809	307	186	121
Iowa	25,688	14,721	10,967	25,414	14,566	10,848	274	155	119
Metropolitan counties	6,828	3,865	2,963	6,627	3,752	2,875	201	113	88
Nonmetropolitan counties	18,860	10,856	8,004	18,787	10,814	7,973	73	42	31
Kansas	19,298	10,953	8,345	18,277	10,425	7,852	1,021	528	493
Metropolitan counties	5,374	3,040	2,334	4,723	2,707	2,016	651	333	318
Nonmetropolitan counties	13,924	7,913	6,011	13,554	7,718	5,836	370	195	175
Kentucky	26,888	15,294	11,594	23,815	13,607	10,208	3,073	1,687	1,386
Metropolitan counties	8,742	4,805	3,937	7,366	4,044	3,322	1,376	761	615
Nonmetropolitan counties	18,146	10,489	7,657	16,449	9,563	6,886	1,697	926	771
Louisiana	24,376	13,974	10,402	14,737	8,762	5,975	9,639	5,212	4,427
Metropolitan parishes	10,191	5,674	4,517	6,420	3,700	2,720	3,771	1,974	1,797
Nonmetropolitan parishes	14,185	8,300	5,885	8,317	5,062	3,255	5,868	3,238	2,630
Maine	9,956	5,664	4,292	9,930	5,653	4,277	26	11	15
Metropolitan counties	1,857	1,037	820	1,852	1,035	817	5	2	3
Nonmetropolitan counties	8,099	4,627	3,472	8,078	4,618	3,460	21	9	12
Maryland	23,007	12,841	10,166	18,530	10,330	8,200	4,477	2,511	1,966
Metropolitan counties	16,378	9,064	7,314	12,937	7,124	5,813	3,441	1,940	1,501
Nonmetropolitan counties	6,629	3,777	2,852	5,593	3,206	2,387	1,036	571	465
Massachusetts[2]	51,752	27,671	24,081	50,831	27,133	23,698	921	538	383
Michigan	60,632	35,414	25,218	55,975	32,798	23,177	4,657	2,616	2,041
Metropolitan counties	38,241	22,343	15,898	34,119	20,039	14,080	4,122	2,304	1,818
Nonmetropolitan counties	22,391	13,071	9,320	21,856	12,759	9,097	535	312	223
Minnesota	27,870	16,433	11,437	27,549	16,258	11,291	321	175	146
Metropolitan counties	12,897	7,456	5,441	12,684	7,333	5,351	213	123	90
Nonmetropolitan counties	14,973	8,977	5,996	14,865	8,925	5,940	108	52	56
Mississippi	19,345	10,908	8,437	9,481	5,602	3,879	9,864	5,306	4,558
Metropolitan counties	1,243	657	586	614	335	279	629	322	307
Nonmetropolitan counties	18,102	10,251	7,851	8,867	5,267	3,600	9,235	4,984	4,251
Missouri	44,083	25,115	18,968	39,655	22,653	17,002	4,428	2,462	1,966
Metropolitan counties	23,469	13,165	10,304	19,973	11,233	8,740	3,496	1,932	1,564
Nonmetropolitan counties	20,614	11,950	8,664	19,682	11,420	8,262	932	530	402

[1]Includes estimates for Massachusetts; for explanation, see text in Volume I.
[2]Data are shown only for the State as a whole; for explanation, see text in Volume I.

Table 45. Deaths by Race and Sex for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1954—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	ALL RACES			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Montana	6,059	3,904	2,155	5,772	3,726	2,046	287	178	109
Nonmetropolitan counties	6,059	3,904	2,155	5,772	3,726	2,046	287	178	109
Nebraska	12,870	7,400	5,470	12,535	7,205	5,330	335	195	140
Metropolitan counties	4,100	2,324	1,776	3,847	2,174	1,673	253	150	103
Nonmetropolitan counties	8,770	5,076	3,694	8,688	5,031	3,657	82	45	37
Nevada	1,801	1,237	564	1,619	1,130	489	182	107	75
Nonmetropolitan counties	1,801	1,237	564	1,619	1,130	489	182	107	75
New Hampshire	6,170	3,426	2,744	6,159	3,417	2,742	11	9	2
Metropolitan counties	1,804	1,002	802	1,802	1,001	801	2	1	1
Nonmetropolitan counties	4,366	2,424	1,942	4,357	2,416	1,941	9	8	1
New Jersey	51,318	28,510	22,808	47,366	26,346	21,020	3,952	2,164	1,788
Metropolitan counties	45,259	25,143	20,116	41,777	23,243	18,534	3,482	1,900	1,582
Nonmetropolitan counties	6,059	3,367	2,692	5,589	3,103	2,486	470	264	206
New Mexico	5,373	3,172	2,201	4,795	2,844	1,951	578	328	250
Metropolitan counties	1,205	701	504	1,157	679	478	48	22	26
Nonmetropolitan counties	4,168	2,471	1,697	3,638	2,165	1,473	530	306	224
New York	159,548	88,249	71,299	149,263	82,678	66,585	10,285	5,571	4,714
Metropolitan counties	131,577	72,667	58,910	121,691	67,336	54,355	9,886	5,331	4,555
Nonmetropolitan counties	27,971	15,582	12,389	27,572	15,342	12,230	399	240	159
North Carolina	31,625	18,254	13,371	21,313	12,519	8,794	10,312	5,735	4,577
Metropolitan counties	7,158	4,057	3,101	4,857	2,810	2,047	2,301	1,247	1,054
Nonmetropolitan counties	24,467	14,197	10,270	16,456	9,709	6,747	8,011	4,488	3,523
North Dakota	5,055	3,079	1,976	4,935	3,008	1,927	120	71	49
Nonmetropolitan counties	5,055	3,079	1,976	4,935	3,008	1,927	120	71	49
Ohio	82,720	46,707	36,013	76,369	43,159	33,210	6,351	3,548	2,803
Metropolitan counties	55,009	31,152	23,857	49,212	27,932	21,280	5,797	3,220	2,577
Nonmetropolitan counties	27,711	15,555	12,156	27,157	15,227	11,930	554	328	226
Oklahoma	20,211	11,863	8,348	17,827	10,572	7,255	2,384	1,291	1,093
Metropolitan counties	5,332	3,044	2,288	4,660	2,676	1,984	672	368	304
Nonmetropolitan counties	14,879	8,819	6,060	13,167	7,896	5,271	1,712	923	789
Oregon	14,744	8,999	5,745	14,478	8,815	5,663	266	184	82
Metropolitan counties	6,729	4,003	2,726	6,581	3,906	2,675	148	97	51
Nonmetropolitan counties	8,015	4,996	3,019	7,897	4,909	2,988	118	87	31
Pennsylvania	108,686	60,894	47,792	101,017	56,619	44,398	7,669	4,275	3,394
Metropolitan counties	84,696	47,178	37,518	77,347	43,077	34,270	7,349	4,101	3,248
Nonmetropolitan counties	23,990	13,716	10,274	23,670	13,542	10,128	320	174	146
Rhode Island	8,191	4,462	3,729	8,003	4,349	3,654	188	113	75
Metropolitan counties	7,137	3,913	3,224	6,997	3,827	3,170	140	86	54
Nonmetropolitan counties	1,054	549	505	1,006	522	484	48	27	21
South Carolina	17,634	10,095	7,539	9,478	5,642	3,836	8,156	4,453	3,703
Metropolitan counties	4,706	2,656	2,050	2,750	1,607	1,143	1,956	1,049	907
Nonmetropolitan counties	12,928	7,439	5,489	6,728	4,035	2,693	6,200	3,404	2,796
South Dakota	5,766	3,502	2,264	5,482	3,343	2,139	284	159	125
Metropolitan counties	610	371	239	607	369	238	3	2	1
Nonmetropolitan counties	5,156	3,131	2,025	4,875	2,974	1,901	281	157	124
Tennessee	28,506	16,289	12,217	22,229	12,947	9,282	6,277	3,342	2,935
Metropolitan counties	12,303	6,887	5,416	8,323	4,795	3,528	3,980	2,092	1,888
Nonmetropolitan counties	16,203	9,402	6,801	13,906	8,152	5,754	2,297	1,250	1,047
Texas	64,932	38,475	26,457	54,477	32,658	21,819	10,455	5,817	4,638
Metropolitan counties	30,080	17,702	12,378	25,089	14,922	10,167	4,991	2,780	2,211
Nonmetropolitan counties	34,852	20,773	14,079	29,388	17,736	11,652	5,464	3,037	2,427
Utah	5,148	3,077	2,071	5,034	3,008	2,026	114	69	45
Metropolitan counties	2,876	1,731	1,145	2,803	1,679	1,124	73	52	21
Nonmetropolitan counties	2,272	1,346	926	2,231	1,329	902	41	17	24
Vermont	4,032	2,268	1,764	4,025	2,262	1,763	7	6	1
Nonmetropolitan counties	4,032	2,268	1,764	4,025	2,262	1,763	7	6	1
Virginia	29,329	16,753	12,576	20,924	12,160	8,764	8,405	4,593	3,812
Metropolitan counties	10,361	5,819	4,542	7,330	4,183	3,147	3,031	1,636	1,395
Nonmetropolitan counties	18,968	10,934	8,034	13,594	7,977	5,617	5,374	2,957	2,417
Washington	23,298	14,096	9,202	22,604	13,654	8,950	694	442	252
Metropolitan counties	13,373	8,017	5,356	12,935	7,733	5,202	438	284	154
Nonmetropolitan counties	9,925	6,079	3,846	9,669	5,921	3,748	256	158	98
West Virginia	16,216	9,659	6,557	15,043	8,934	6,109	1,173	725	448
Metropolitan counties	5,196	3,094	2,102	4,798	2,862	1,936	398	232	166
Nonmetropolitan counties	11,020	6,565	4,455	10,245	6,072	4,173	775	493	282
Wisconsin	33,774	19,414	14,360	33,264	19,120	14,144	510	294	216
Metropolitan counties	13,270	7,568	5,702	12,917	7,365	5,552	353	203	150
Nonmetropolitan counties	20,504	11,846	8,658	20,347	11,755	8,592	157	91	66
Wyoming	2,419	1,568	851	2,342	1,516	826	77	52	25
Nonmetropolitan counties	2,419	1,568	851	2,342	1,516	826	77	52	25

NOTE.—The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census in 1950, except in New England where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census in 1950. The category "nonmetropolitan counties" includes all other counties in the State.

Table 46. Deaths by Age for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1954

(By place of residence. Exclusive of fetal deaths and deaths among armed forces overseas)

AREA	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
UNITED STATES	1,481,091	106,791	16,931	14,655	23,652	36,716	69,647	143,500	249,275	360,225	326,417	132,368	914
Metropolitan counties[1]	866,092	58,911	8,422	7,273	11,345	20,914	42,945	91,716	158,926	215,642	179,549	70,064	385
Nonmetropolitan counties[1]	614,999	47,880	8,509	7,382	12,307	15,802	26,702	51,784	90,349	144,583	146,868	62,304	529
Alabama	26,156	2,764	504	430	643	988	1,599	3,006	4,211	5,748	4,554	1,634	75
Metropolitan counties	9,743	986	163	133	228	420	653	1,328	1,796	2,092	1,439	494	11
Nonmetropolitan counties	16,413	1,778	341	297	415	568	946	1,678	2,415	3,656	3,115	1,140	64
Arizona	7,212	1,068	192	117	206	314	433	803	1,130	1,507	1,035	398	9
Metropolitan counties	3,226	407	65	43	91	119	202	357	531	705	527	177	2
Nonmetropolitan counties	3,986	661	127	74	115	195	231	446	599	802	508	221	7
Arkansas	15,107	1,153	240	214	341	409	714	1,473	2,324	3,601	3,437	1,200	1
Metropolitan counties	1,829	147	26	31	39	47	92	206	306	430	361	144	-
Nonmetropolitan counties	13,278	1,006	214	183	302	362	622	1,267	2,018	3,171	3,076	1,056	1
California	109,445	7,250	1,099	963	1,685	2,803	5,583	11,327	18,369	26,773	23,548	10,005	40
Metropolitan counties	88,826	5,703	841	699	1,217	2,215	4,550	9,308	15,066	21,783	19,233	8,195	16
Nonmetropolitan counties	20,619	1,547	258	264	468	588	1,033	2,019	3,303	4,990	4,315	1,810	24
Colorado	12,989	1,213	160	139	270	335	529	1,055	1,940	2,968	2,971	1,402	7
Metropolitan counties	6,639	583	78	59	77	158	294	618	1,061	1,561	1,452	696	2
Nonmetropolitan counties	6,350	630	82	80	193	177	235	437	879	1,407	1,519	706	5
Connecticut	20,510	1,130	138	151	190	372	911	1,786	3,733	5,315	4,766	2,009	9
Metropolitan counties	16,247	917	113	122	150	307	735	1,430	3,031	4,225	3,695	1,516	6
Nonmetropolitan counties	4,263	213	25	29	40	65	176	356	702	1,090	1,071	493	3
Delaware	3,494	285	34	31	50	99	167	359	566	789	776	335	3
Metropolitan counties	2,314	187	18	18	30	62	108	261	384	544	482	218	[illegible]
Nonmetropolitan counties	1,180	98	16	13	20	37	59	98	182	245	294	117	1
District of Columbia	8,056	609	60	59	91	259	600	1,040	1,546	1,708	1,486	595	3
Florida	31,586	2,642	449	322	540	990	1,934	3,649	5,548	7,412	5,821	2,262	17
Metropolitan counties	15,739	1,180	166	126	232	469	901	1,897	2,928	3,853	2,882	1,100	5
Nonmetropolitan counties	15,847	1,462	283	196	308	521	1,033	1,752	2,620	3,559	2,939	1,162	12
Georgia	30,793	3,196	553	448	819	1,226	2,187	3,987	5,255	6,390	4,921	1,814	17
Metropolitan counties	11,596	1,142	179	157	274	497	979	1,662	2,123	2,293	1,674	611	5
Nonmetropolitan counties	19,197	2,054	374	291	545	729	1,208	2,305	3,132	4,097	3,247	1,203	12
Idaho	4,939	407	58	83	143	142	224	387	717	1,185	1,141	450	2
Nonmetropolitan counties	4,939	407	58	83	143	142	224	387	717	1,185	1,141	450	2
Illinois	92,317	5,432	791	741	1,223	2,100	4,229	9,068	16,935	23,457	20,231	8,090	20
Metropolitan counties	66,284	4,189	584	534	858	1,616	3,411	7,291	13,241	16,955	12,834	4,759	12
Nonmetropolitan counties	26,033	1,243	207	207	365	484	818	1,777	3,694	6,502	7,397	3,331	8
Indiana	40,167	2,790	436	373	571	839	1,657	3,415	6,273	9,679	9,869	4,251	14
Metropolitan counties	17,237	1,446	200	172	234	412	834	1,828	3,140	4,021	3,536	1,408	6
Nonmetropolitan counties	22,930	1,344	236	201	337	427	823	1,587	3,133	5,658	6,333	2,843	8
Iowa	25,688	1,347	230	259	363	483	764	1,799	3,645	6,222	7,079	3,484	13
Metropolitan counties	6,828	415	52	81	83	149	228	591	1,126	1,620	1,659	821	3
Nonmetropolitan counties	18,860	932	178	178	280	334	536	1,208	2,519	4,602	5,420	2,663	10
Kansas	19,298	1,318	217	165	324	413	670	1,354	2,562	4,579	5,224	2,458	14
Metropolitan counties	5,374	528	86	62	105	159	266	468	810	1,178	1,170	534	8
Nonmetropolitan counties	13,924	790	131	103	219	254	404	886	1,752	3,401	4,054	1,924	6
Kentucky	26,888	2,281	376	351	560	694	1,232	2,431	3,883	6,142	6,322	2,605	11
Metropolitan counties	8,742	671	95	74	122	223	433	987	1,434	2,025	1,899	777	2
Nonmetropolitan counties	18,146	1,610	281	277	438	471	799	1,444	2,449	4,117	4,423	1,828	9
Louisiana	24,376	2,614	439	357	551	751	1,429	2,784	4,070	5,603	4,204	1,568	6
Metropolitan parishes	10,191	899	131	107	182	300	664	1,366	1,936	2,323	1,704	573	6
Nonmetropolitan parishes	14,185	1,715	308	250	369	451	765	1,418	2,134	3,280	2,500	995	-
Maine	9,956	564	123	74	129	174	320	752	1,449	2,357	2,732	1,276	6
Metropolitan counties	1,857	101	19	14	19	27	67	157	253	439	523	237	1
Nonmetropolitan counties	8,099	463	104	60	110	147	253	595	1,196	1,918	2,209	1,039	5
Maryland	23,007	1,804	283	213	350	672	1,291	2,560	4,108	5,377	4,602	1,743	4
Metropolitan counties	16,378	1,335	203	148	247	476	986	1,972	3,023	3,851	3,054	1,081	2
Nonmetropolitan counties	6,629	469	80	65	103	196	305	588	1,085	1,526	1,548	662	2
Massachusetts[2]	51,752	2,494	373	346	489	819	1,716	4,274	8,741	13,528	13,226	5,639	107
Michigan	60,632	4,792	715	646	955	1,487	2,897	5,866	10,804	14,707	12,707	5,050	6
Metropolitan counties	38,241	3,331	441	409	599	1,065	2,120	4,262	7,503	9,133	6,789	2,586	3
Nonmetropolitan counties	22,391	1,461	274	237	356	422	777	1,604	3,301	5,574	5,918	2,464	3
Minnesota	27,870	1,768	304	286	403	476	941	2,142	4,234	6,849	7,031	3,427	9
Metropolitan counties	12,897	823	138	119	151	216	476	1,129	2,168	3,332	2,920	1,420	5
Nonmetropolitan counties	14,973	945	166	167	252	260	465	1,013	2,066	3,517	4,111	2,007	4
Mississippi	19,345	2,369	376	290	456	645	1,074	1,870	2,628	4,253	3,773	1,475	36
Metropolitan counties	1,243	163	25	20	20	48	82	145	176	257	216	91	-
Nonmetropolitan counties	18,102	2,206	351	270	436	597	992	1,825	2,452	3,996	3,557	1,384	36
Missouri	44,083	2,521	399	345	656	853	1,715	3,834	6,870	10,726	11,288	4,833	43
Metropolitan counties	23,469	1,490	199	151	331	515	1,101	2,428	4,209	5,668	5,243	2,122	12
Nonmetropolitan counties	20,614	1,031	200	194	325	338	614	1,406	2,661	5,058	6,045	2,711	31

[1] Includes estimates for Massachusetts; for explanation, see text in Volume I.
[2] Data are shown only for the State as a whole; for explanation, see text in Volume I.

Table 46. Deaths by Age for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1954—Continued

(By place of residence. Exclusive of fetal deaths and deaths among armed forces overseas)

AREA	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Montana	6,059	398	84	87	114	156	254	517	969	1,583	1,335	561	1
Nonmetropolitan counties	6,059	398	84	87	114	156	254	517	969	1,583	1,335	561	1
Nebraska	12,870	782	150	126	176	241	411	906	1,738	3,165	3,465	1,707	3
Metropolitan counties	4,100	287	42	36	52	78	156	347	595	1,076	972	458	1
Nonmetropolitan counties	8,770	495	108	90	124	163	255	559	1,143	2,089	2,493	1,249	2
Nevada	1,801	147	23	24	40	76	130	244	307	400	295	106	9
Nonmetropolitan counties	1,801	147	23	24	40	76	130	244	307	400	295	106	9
New Hampshire	6,170	280	47	46	62	85	203	468	1,009	1,489	1,666	802	13
Metropolitan counties	1,804	74	11	18	9	23	62	150	324	463	460	203	7
Nonmetropolitan counties	4,366	206	36	28	53	62	141	318	685	1,026	1,206	599	6
New Jersey	51,318	2,778	448	341	510	1,031	2,326	5,275	9,948	13,463	11,046	4,148	4
Metropolitan counties	45,259	2,466	382	302	448	937	2,108	4,758	8,902	11,857	9,589	3,506	4
Nonmetropolitan counties	6,059	312	66	39	62	94	218	517	1,046	1,606	1,457	642	-
New Mexico	5,373	1,090	164	78	194	226	316	463	730	978	808	320	6
Metropolitan counties	1,205	256	30	10	35	49	71	108	175	231	173	67	-
Nonmetropolitan counties	4,168	834	134	68	159	177	245	355	555	747	635	253	6
New York	159,548	7,881	1,234	1,095	1,666	3,071	6,769	16,274	30,575	42,618	35,046	13,251	68
Metropolitan counties	131,577	6,458	1,012	874	1,303	2,635	5,890	14,297	26,419	35,604	27,310	9,728	47
Nonmetropolitan counties	27,971	1,423	222	221	363	436	879	1,977	4,156	7,014	7,736	3,523	21
North Carolina	31,625	3,465	578	482	872	1,255	2,241	3,556	5,069	6,792	5,392	1,911	12
Metropolitan counties	7,158	672	100	80	154	274	580	968	1,288	1,476	1,136	428	2
Nonmetropolitan counties	24,467	2,793	478	402	718	981	1,661	2,588	3,781	5,316	4,256	1,483	10
North Dakota	5,055	425	74	65	106	123	183	372	738	1,218	1,250	501	-
Nonmetropolitan counties	5,055	425	74	65	106	123	183	372	738	1,218	1,250	501	-
Ohio	82,720	5,575	813	684	1,068	1,911	3,610	7,574	13,669	20,254	19,581	7,963	18
Metropolitan counties	55,009	3,935	528	438	651	1,337	2,657	5,606	9,958	13,660	11,740	4,489	10
Nonmetropolitan counties	27,711	1,640	285	246	417	574	953	1,968	3,711	6,594	7,841	3,474	8
Oklahoma	20,211	1,397	254	225	355	492	814	1,678	2,911	4,562	5,228	2,269	26
Metropolitan counties	5,332	475	71	68	85	148	259	555	853	1,178	1,172	462	6
Nonmetropolitan counties	14,879	922	183	157	270	344	555	1,123	2,058	3,384	4,056	1,807	20
Oregon	14,744	869	154	144	198	339	628	1,244	2,375	3,694	3,520	1,566	13
Metropolitan counties	6,729	319	47	55	60	116	255	552	1,110	1,803	1,652	754	6
Nonmetropolitan counties	8,015	550	107	89	138	223	373	692	1,265	1,891	1,868	812	7
Pennsylvania	108,686	6,083	859	861	1,294	2,214	4,682	10,368	19,618	28,557	24,771	9,304	75
Metropolitan counties	84,696	4,859	649	636	958	1,720	3,796	8,471	15,764	22,293	18,580	6,923	47
Nonmetropolitan counties	23,990	1,224	210	225	336	494	886	1,897	3,854	6,264	6,191	2,381	28
Rhode Island	8,191	416	56	60	75	131	288	675	1,449	2,227	2,036	772	6
Metropolitan counties	7,137	335	42	50	62	108	246	598	1,286	1,970	1,785	649	6
Nonmetropolitan counties	1,054	81	14	10	13	23	42	77	163	257	251	123	-
South Carolina	17,634	2,142	402	309	509	800	1,372	2,414	3,205	3,358	2,325	767	31
Metropolitan counties	4,706	584	108	82	126	237	413	693	852	807	582	219	3
Nonmetropolitan counties	12,928	1,558	294	227	383	563	959	1,721	2,353	2,551	1,743	548	28
South Dakota	5,766	462	84	74	134	157	199	399	881	1,406	1,371	594	5
Metropolitan counties	610	45	5	12	10	12	22	60	87	149	153	55	-
Nonmetropolitan counties	5,156	417	79	62	124	145	177	339	794	1,257	1,218	539	5
Tennessee	28,506	2,598	368	351	646	884	1,539	2,886	4,296	6,509	6,144	2,276	9
Metropolitan counties	12,303	1,199	151	147	221	424	809	1,519	2,063	2,719	2,219	827	5
Nonmetropolitan counties	16,203	1,399	217	204	425	460	730	1,367	2,233	3,790	3,925	1,449	4
Texas	64,932	7,436	1,209	937	1,616	2,273	3,519	6,761	10,163	13,754	12,508	4,729	27
Metropolitan counties	30,080	3,771	505	388	680	1,152	1,892	3,580	5,088	6,191	4,971	1,856	6
Nonmetropolitan counties	34,852	3,665	704	549	936	1,121	1,627	3,181	5,075	7,563	7,537	2,873	21
Utah	5,148	489	112	88	110	156	214	499	744	1,146	1,084	503	3
Metropolitan counties	2,876	255	56	40	49	82	134	287	445	642	596	287	3
Nonmetropolitan counties	2,272	234	56	48	61	74	80	212	299	504	488	216	-
Vermont	4,032	233	41	51	48	67	130	302	566	931	1,124	528	11
Nonmetropolitan counties	4,032	233	41	51	48	67	130	302	566	931	1,124	528	11
Virginia	29,329	2,920	402	349	637	1,013	1,737	3,120	4,923	6,384	5,693	2,111	40
Metropolitan counties	10,361	1,109	122	106	168	356	708	1,307	1,953	2,174	1,734	615	9
Nonmetropolitan counties	18,968	1,811	280	243	469	657	1,029	1,813	2,970	4,210	3,959	1,496	31
Washington	23,298	1,515	246	232	337	502	1,022	1,997	3,540	6,022	5,478	2,405	2
Metropolitan counties	13,373	791	121	106	170	291	567	1,160	2,099	3,534	3,153	1,381	-
Nonmetropolitan counties	9,925	724	125	126	167	211	455	837	1,441	2,488	2,325	1,024	2
West Virginia	16,216	1,317	209	210	310	446	890	1,577	2,479	3,778	3,502	1,442	56
Metropolitan counties	5,196	430	63	51	83	132	308	575	853	1,225	1,061	408	7
Nonmetropolitan counties	11,020	887	146	159	227	314	582	1,002	1,626	2,553	2,441	1,034	49
Wisconsin	33,774	2,012	336	289	502	626	1,227	2,637	5,443	8,502	8,551	3,648	1
Metropolitan counties	13,270	885	132	104	170	250	544	1,226	2,502	3,376	2,919	1,161	1
Nonmetropolitan counties	20,504	1,127	204	185	332	376	683	1,411	2,941	5,126	5,632	2,487	-
Wyoming	2,419	270	35	44	65	98	127	193	389	560	454	181	3
Nonmetropolitan counties	2,419	270	35	44	65	98	127	193	389	560	454	181	3

NOTE.—The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census in 1950, except in New England where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census in 1950. The category "nonmetropolitan counties" includes all other counties in the State.

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1954

(Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 estimated midyear population in each specified group, excluding armed forces overseas. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1954, and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	1,481,091	750,099	556,890	96,025	78,077	918.9	1,055.9	764.3	1,143.6	878.7
	I. Infective and parasitic diseases										
	Tuberculosis of respiratory system (001-008)										
001	Respiratory tuberculosis with mention of occupational disease of lung	486	450	2	33	1	0.3	0.6	0.0	0.4	0.0
002	Pulmonary tuberculosis	13,941	7,531	2,879	2,267	1,264	8.6	10.6	4.0	27.0	14.2
003	Pleural tuberculosis	170	87	43	22	18	0.1	0.1	0.1	0.3	0.2
.0	Pleurisy specified as tuberculous	64	33	8	12	11	0.0	0.0	0.0	0.1	0.1
.1	Pleurisy with effusion without mention of cause	106	54	35	10	7	0.1	0.1	0.0	0.1	0.1
004	Primary tuberculosis complex with symptoms	4	2	-	1	1	0.0	0.0	0	0.0	0.0
005	Tracheobronchial glandular tuberculosis with symptoms	4	1	1	2	-	0.0	0.0	0.0	0.0	0
007	Other respiratory tuberculosis	7	1	4	1	1	0.0	0.0	0.0	0.0	0.0
008	Tuberculosis, unspecified site	412	196	92	76	48	0.3	0.3	0.1	0.9	0.5
	Tuberculosis, other forms (010-019)										
010	Tuberculosis of meninges and central nervous system	384	129	91	83	81	0.2	0.2	0.1	1.0	0.9
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	93	34	25	17	17	0.1	0.0	0.0	0.2	0.2
012	Tuberculosis of bones and joints, active or unspecified	154	68	47	21	18	0.1	0.1	0.1	0.3	0.2
.0	Active or unspecified tuberculosis of vertebral column	123	53	38	17	15	0.1	0.1	0.1	0.2	0.2
.1	Active or unspecified tuberculosis of hip	13	7	3	1	2	0.0	0.0	0.0	0.0	0.0
.3	Active or unspecified tuberculosis of other and unspecified bones and joints	18	8	6	3	1	0.0	0.0	0.0	0.0	0.0
013	Late effects of tuberculosis of bones and joints	3	2	1	-	-	0.0	0.0	0.0	0	0
.0	Late effects of tuberculosis of vertebral column	3	2	1	-	-	0.0	0.0	0.0	0	0
014	Tuberculosis of skin and subcutaneous cellular tissue	13	2	7	2	2	0.0	0.0	0.0	0.0	0.0
015	Tuberculosis of lymphatic system	27	12	7	1	7	0.0	0.0	0.0	0.0	0.1
016	Tuberculosis of genito-urinary system	179	103	46	19	11	0.1	0.1	0.1	0.2	0.1
017	Tuberculosis of adrenal glands	31	19	7	5	-	0.0	0.0	0.0	0.1	0
018	Tuberculosis of other organs	32	21	2	3	6	0.0	0.0	0.0	0.0	0.1
019	Disseminated tuberculosis	452	153	73	130	96	0.3	0.2	0.1	1.5	1.1
.1	Acute miliary tuberculosis, unspecified	21	6	6	9	-	0.0	0.0	0.0	0.1	0
.2	Other forms of disseminated tuberculosis	431	147	67	121	96	0.3	0.2	0.1	1.4	1.1
	Syphilis and its sequelae (020-029)										
020	Congenital syphilis	62	11	13	24	14	0.0	0.0	0.0	0.3	0.2
.0	Interstitial keratitis	1	1	-	-	-	0.0	0.0	0	0	0
.1	Juvenile neurosyphilis	10	4	1	3	2	0.0	0.0	0.0	0.0	0.0
.2	Other congenital syphilis	51	6	12	21	12	0.0	0.0	0.0	0.3	0.1
022	Aneurysm of aorta	1,807	1,090	334	273	110	1.1	1.5	0.5	3.3	1.2
023	Other cardiovascular syphilis	1,642	711	244	496	191	1.0	1.0	0.3	5.9	2.1
024	Tabes dorsalis	114	77	20	11	6	0.1	0.1	0.0	0.1	0.1
025	General paralysis of insane	607	277	89	170	71	0.4	0.4	0.1	2.0	0.8
026	Other syphilis of central nervous system	480	206	91	112	71	0.3	0.3	0.1	1.3	0.8
027	Other forms of late syphilis	67	29	19	12	7	0.0	0.0	0.0	0.1	0.1
028	Latent syphilis	5	-	2	1	2	0.0	0	0.0	0.0	0.0
029	Syphilis, unqualified	51	13	12	20	6	0.0	0.0	0.0	0.2	0.1
	Gonococcal infection and other venereal diseases (030-039)										
030	Acute or unspecified gonorrhea	4	2	-	1	1	0.0	0.0	0	0.0	0.0
031	Chronic gonococcal infection of genito-urinary system	3	-	1	-	2	0.0	0	0.0	0	0.0
034	Gonococcal infection of other sites	1	1	-	-	-	0.0	0.0	0	0	0
035	Late effects of gonococcal infection	7	3	-	4	-	0.0	0.0	0	0.0	0
036	Chancroid	1	-	-	-	1	0.0	0	0	0	0.0
037	Lymphogranuloma venereum	20	-	1	5	14	0.0	0	0.0	0.1	0.2
038	Granuloma inguinale, venereal	8	1	-	3	4	0.0	0.0	0	0.0	0.0
	Infectious diseases commonly arising in intestinal tract (040-049)										
040	Typhoid fever	45	13	13	13	6	0.0	0.0	0.0	0.2	0.1
041	Paratyphoid fever	10	3	3	2	2	0.0	0.0	0.0	0.0	0.0
042	Other Salmonella infections	38	11	21	5	1	0.0	0.0	0.0	0.1	0.0
044	Brucellosis (undulant fever)	15	9	3	1	2	0.0	0.0	0.0	0.0	0.0
045	Bacillary dysentery	243	77	69	54	43	0.2	0.1	0.1	0.6	0.5
.0	Flexner-Boyd group	18	3	10	1	4	0.0	0.0	0.0	0.0	0.0
.2	Shiga	31	7	10	10	4	0.0	0.0	0.0	0.1	0.0
.4	Bacillary, other, and unspecified	194	67	49	43	35	0.1	0.1	0.1	0.5	0.4
046	Amebiasis	131	48	34	31	18	0.1	0.1	0.0	0.4	0.2
047	Other protozoal dysentery	4	-	1	2	1	0.0	0	0.0	0.0	0.0
048	Unspecified forms of dysentery	277	87	84	54	52	0.2	0.1	0.1	0.6	0.6
049	Food poisoning (infection and intoxication)	117	36	33	25	23	0.1	0.1	0.0	0.3	0.3
.0	Staphylococcal	1	1	-	-	-	0.0	0.0	0	0	0
.1	Botulism	14	7	6	1	-	0.0	0.0	0.0	0.0	0
.2	Unspecified	102	28	27	24	23	0.1	0.0	0.0	0.3	0.3
	Other bacterial diseases (050-064)										
050	Scarlet fever	63	29	31	2	1	0.0	0.0	0.0	0.0	0.0
051	Streptococcal sore throat	199	83	74	16	26	0.1	0.1	0.1	0.2	0.3
052	Erysipelas	39	18	17	2	2	0.0	0.0	0.0	0.0	0.0
053	Septicemia and pyemia	897	405	323	86	83	0.6	0.6	0.4	1.0	0.9
.0	Streptococcus	62	34	18	3	7	0.0	0.0	0.0	0.0	0.1
.1	Staphylococcus	109	57	40	4	8	0.1	0.1	0.1	0.0	0.1
.2	Pneumococcus	19	7	6	5	1	0.0	0.0	0.0	0.1	0.0
.3	Other specified organism	44	25	12	5	2	0.0	0.0	0.0	0.1	0.0
.4	Organism unspecified	663	282	247	69	65	0.4	0.4	0.3	0.8	0.7
054	Bacterial toxemia	2	-	2	-	-	0.0	0	0.0	0	0

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1954—Continued

(See headnote on p 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	I. Infective and parasitic diseases—Continued										
	Other bacterial diseases (050-064)—Continued										
055	Diphtheria	145	50	41	31	23	0.1	0.1	0.1	0.4	0.3
056	Whooping cough	373	95	127	70	81	0.2	0.1	0.2	0.8	0.9
.0	Without mention of pneumonia	154	32	60	28	34	0.1	0.0	0.1	0.3	0.4
.1	With pneumonia	219	63	67	42	47	0.1	0.1	0.1	0.5	0.5
057	Meningococcal infections	1,015	480	380	91	64	0.6	0.7	0.5	1.1	0.7
.0	Meningococcal meningitis	533	251	192	57	33	0.3	0.4	0.3	0.7	0.4
.1	Acute and unspecified meningococcemia	479	228	186	34	31	0.3	0.3	0.3	0.4	0.3
.3	Other forms of meningococcal infection	3	1	2	-	-	0.0	0.0	0.0	0	0
059	Tularemia	4	2	-	1	1	0.0	0.0	0	0.0	0.0
060	Leprosy	4	2	2	-	-	0.0	0.0	0.0	0	0
061	Tetanus	332	115	79	89	49	0.2	0.2	0.1	1.1	0.6
063	Gas gangrene	24	12	2	8	2	0.0	0.0	0.0	0.1	0.0
064	Other bacterial diseases	4	2	-	-	2	0.0	0.0	0	0	0.0
	Spirochetal diseases, except syphilis (070-074)										
070	Vincent's infection	12	4	6	-	2	0.0	0.0	0.0	0	0.0
071	Relapsing fever	1	1	-	-	-	0.0	0.0	0	0	0
072	Leptospirosis icterohemorrhagica (Weil's disease)	14	1	2	8	3	0.0	0.0	0.0	0.1	0.0
074	Other spirochetal and leptospirochetal infections	2	-	-	1	1	0.0	0	0	0.0	0.0
	Diseases attributable to viruses (080-096)										
080	Acute poliomyelitis	1,368	753	546	39	30	0.8	1.1	0.7	0.5	0.3
.0	Specified as bulbar or polioencephalitis	981	550	388	27	16	0.6	0.8	0.5	0.3	0.2
.1	With other paralysis	65	42	19	3	1	0.0	0.1	0.0	0.0	0.0
.2	Specified as nonparalytic	1	-	1	-	-	0.0	0	0.0	0	0
.3	Unspecified	321	161	138	9	13	0.2	0.2	0.2	0.1	0.1
081	Late effects of acute poliomyelitis	132	67	55	6	4	0.1	0.1	0.1	0.1	0.0
082	Acute infectious encephalitis	407	183	169	30	25	0.3	0.3	0.2	0.4	0.3
A	Arthropod-borne encephalitis	43	21	15	5	2	0.0	0.0	0.0	0.1	0.0
B	Other acute encephalitis	364	162	154	25	23	0.2	0.2	0.2	0.3	0.3
083	Late effects of acute infectious encephalitis	124	75	41	5	3	0.1	0.1	0.1	0.1	0.0
.0	Postencephalitic Parkinsonism	94	58	31	3	2	0.1	0.1	0.0	0.0	0.0
.2	Postencephalitic psychosis	1	1	-	-	-	0.0	0.0	0	0	0
.3	Other postencephalitic conditions	29	16	10	2	1	0.0	0.0	0.0	0.0	0.0
085	Measles	518	188	214	55	61	0.3	0.3	0.3	0.7	0.7
.0	Without mention of pneumonia	254	91	107	26	30	0.2	0.1	0.1	0.3	0.3
.1	With pneumonia	264	97	107	29	31	0.2	0.1	0.1	0.3	0.3
086	Rubella (German measles)	6	4	2	-	-	0.0	0.0	0.0	0	0
087	Chickenpox	120	68	41	8	3	0.1	0.1	0.1	0.1	0.0
088	Herpes zoster	44	19	24	1	-	0.0	0.0	0.0	0.0	0
089	Mumps	45	22	19	3	1	0.0	0.0	0.0	0.0	0.0
092	Infectious hepatitis	821	333	374	59	55	0.5	0.5	0.5	0.7	0.6
093	Glandular fever (infectious mononucleosis)	16	9	5	-	2	0.0	0.0	0.0	0	0.0
094	Rabies	13	7	2	3	1	0.0	0.0	0.0	0.0	0.0
095	Trachoma	1	-	1	-	-	0.0	0	0.0	0	0
096	Other diseases attributable to viruses	274	108	117	32	17	0.2	0.2	0.2	0.4	0.2
.0	Herpes febrilis	14	8	5	-	1	0.0	0.0	0.0	0	0.0
.2	Psittacosis and ornithosis	3	2	1	-	-	0.0	0.0	0.0	0	0
.3	Cowpox	1	1	-	-	-	0.0	0.0	0	0	0
.5	Epidemic myalgia (Bornholm disease)	1	1	-	-	-	0.0	0.0	0	0	0
.9	Other	255	96	111	32	16	0.2	0.1	0.2	0.4	0.2
	Typhus and other rickettsial diseases (100-108)										
102	Brill's disease, not specified as louse- or flea-borne typhus	1	1	-	-	-	0.0	0.0	0	0	0
104	Tick-borne typhus	10	4	3	2	1	0.0	0.0	0.0	0.0	0.0
A	Rocky Mountain spotted fever	10	4	3	2	1	0.0	0.0	0.0	0.0	0.0
107	Typhus, unspecified	7	3	3	1	-	0.0	0.0	0.0	0.0	0
108	Other rickettsial diseases	2	2	-	-	-	0.0	0.0	0	0	0
	Malaria (110-117)										
110	Vivax malaria (benign tertian)	1	1	-	-	-	0.0	0.0	0	0	0
112	Falciparum malaria (malignant tertian)	4	2	-	-	2	0.0	0.0	0	0	0.0
116	Other and unspecified forms of malaria	19	6	3	7	3	0.0	0.0	0.0	0.1	0.0
	Other infective and parasitic diseases (120-138)										
122	Other protozoal diseases	15	6	4	1	4	0.0	0.0	0.0	0.0	0.0
123	Schistosomiasis	6	1	3	2	-	0.0	0.0	0.0	0.0	0
125	Hydatid disease	8	3	4	1	-	0.0	0.0	0.0	0.0	0
126	Other cestode infestation	4	2	1	1	-	0.0	0.0	0.0	0.0	0
128	Trichiniasis	1	1	-	-	-	0.0	0.0	0	0	0
129	Ankylostomiasis	6	3	-	-	3	0.0	0.0	0	0	0.0
130	Infestation with worms of other, mixed, and unspecified type	50	11	11	10	18	0.0	0.0	0.0	0.1	0.2
131	Dermatophytosis	1	1	-	-	-	0.0	0.0	0	0	0
132	Actinomycosis	17	11	4	2	-	0.0	0.0	0.0	0.0	0
133	Coccidioidomycosis	78	30	6	35	7	0.0	0.0	0.0	0.4	0.1
134	Other fungus infections	267	137	87	28	15	0.2	0.2	0.1	0.3	0.2
.0	Blastomycosis	24	12	5	6	1	0.0	0.0	0.0	0.1	0.0
.1	Cryptococcosis (torulosis)	56	22	24	6	4	0.0	0.0	0.0	0.1	0.0
.2	Histoplasmosis	59	33	21	4	1	0.0	0.0	0.0	0.0	0.0
.3	Moniliasis	75	42	21	5	7	0.0	0.1	0.0	0.1	0.1
.4	Sporotrichosis	3	2	1	-	-	0.0	0.0	0.0	0	0
.5	Other	50	26	15	7	2	0.0	0.0	0.0	0.1	0.0
138	Other infective and parasitic diseases	172	51	51	32	38	0.1	0.1	0.1	0.4	0.4

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1954—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms										
	Malignant neoplasm of buccal cavity and pharynx (140-148)										
140	Malignant neoplasm of lip	361	317	34	5	5	0.2	0.4	0.0	0.1	0.1
141	Malignant neoplasm of tongue	1,292	947	241	81	23	0.8	1.3	0.3	1.0	0.3
142	Malignant neoplasm of salivary gland	480	270	174	18	18	0.3	0.4	0.2	0.2	0.2
.0	Mixed salivary gland tumor	43	24	14	3	2	0.0	0.0	0.0	0.0	0.0
.1	Other	437	246	160	15	16	0.3	0.3	0.2	0.2	0.2
143	Malignant neoplasm of floor of mouth	281	227	36	11	7	0.2	0.3	0.0	0.1	0.1
144	Malignant neoplasm of other parts of mouth and mouth unspecified	786	514	206	43	23	0.5	0.7	0.3	0.5	0.3
145	Malignant neoplasm of oral mesopharynx	376	286	60	28	2	0.2	0.4	0.1	0.3	0.0
146	Malignant neoplasm of nasopharynx	374	249	84	34	7	0.2	0.4	0.1	0.4	0.1
147	Malignant neoplasm of hypopharynx	236	199	26	11	-	0.1	0.3	0.0	0.1	0
148	Malignant neoplasm of pharynx, unspecified	1,196	898	208	72	18	0.7	1.3	0.3	0.9	0.2
	Malignant neoplasm of digestive organs and peritoneum (150-159)										
150	Malignant neoplasm of esophagus	4,155	2,755	749	513	138	2.6	3.9	1.0	6.1	1.6
151	Malignant neoplasm of stomach	23,019	12,846	7,634	1,729	810	14.3	18.1	10.5	20.6	9.1
152	Malignant neoplasm of small intestine, including duodenum	698	320	333	21	24	0.4	0.5	0.5	0.3	0.3
153	Malignant neoplasm of large intestine, except rectum	24,670	10,450	12,844	670	706	15.3	14.7	17.6	8.0	7.9
154	Malignant neoplasm of rectum	10,666	5,699	4,271	365	331	6.6	8.0	5.9	4.3	3.7
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	5,237	1,855	3,040	185	157	3.2	2.6	4.2	2.2	1.8
156	Malignant neoplasm of liver (secondary and unspecified)	5,090	2,306	2,226	328	230	3.2	3.2	3.1	3.9	2.6
A	Not stated whether primary or secondary	4,425	2,006	1,938	288	193	2.7	2.8	2.7	3.4	2.2
B	Secondary	665	300	288	40	37	0.4	0.4	0.4	0.5	0.4
157	Malignant neoplasm of pancreas	10,918	5,966	4,140	485	327	6.8	8.4	5.7	5.8	3.7
158	Malignant neoplasm of peritoneum	847	388	387	34	38	0.5	0.5	0.5	0.4	0.4
159	Malignant neoplasm of unspecified digestive organs	858	363	348	78	69	0.5	0.5	0.5	0.9	0.8
	Malignant neoplasm of respiratory system (160-165)										
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	532	294	188	39	11	0.3	0.4	0.3	0.5	0.1
161	Malignant neoplasm of larynx	1,968	1,634	168	151	15	1.2	2.3	0.2	1.8	0.2
162	Malignant neoplasm of trachea, and of bronchus and lung specified as primary	11,136	8,820	1,411	769	136	6.9	12.4	1.9	9.2	1.5
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	13,652	10,620	2,178	702	152	8.5	15.0	3.0	8.4	1.7
164	Malignant neoplasm of mediastinum	339	213	104	15	7	0.2	0.3	0.1	0.2	0.1
165	Malignant neoplasm of thoracic organs (secondary)	428	229	153	31	15	0.3	0.3	0.2	0.4	0.2
	Malignant neoplasm of breast and genito-urinary organs (170-181)										
170	Malignant neoplasm of breast	20,909	196	19,152	34	1,527	13.0	0.3	26.3	0.4	17.2
171	Malignant neoplasm of cervix uteri	8,559	...	6,986	...	1,573	5.3	...	9.6	...	17.7
172	Malignant neoplasm of corpus uteri	1,143	...	1,052	...	91	0.7	...	1.4	...	1.0
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	76	...	57	...	19	0.0	...	0.1	...	0.2
174	Malignant neoplasm of uterus, unspecified	5,352	...	4,500	...	852	3.3	...	6.2	...	9.6
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament	6,838	...	408	...	430	4.2	...	8.8	...	4.8
176	Malignant neoplasm of other and unspecified female genital organs	744	...	666	...	78	0.5	...	0.9	...	0.9
177	Malignant neoplasm of prostate	13,218	11,811	...	1,407	...	8.2	16.6	...	16.8	...
178	Malignant neoplasm of testis	690	672	...	18	...	0.4	0.9	...	0.2	...
179	Malignant neoplasm of other and unspecified male genital organs	327	258	...	69	...	0.2	0.4	...	0.8	...
180	Malignant neoplasm of kidney	4,162	2,453	1,466	155	88	2.6	3.5	2.0	1.8	1.0
181	Malignant neoplasm of bladder and other urinary organs	7,031	4,536	2,000	290	205	4.4	6.4	2.7	3.5	2.3
	Malignant neoplasm of other and unspecified sites (190-199)										
190	Malignant melanoma of skin	1,739	935	762	21	21	1.1	1.3	1.0	0.3	0.2
191	Other malignant neoplasm of skin	1,942	1,150	689	61	42	1.2	1.6	0.9	0.7	0.5
192	Malignant neoplasm of eye	346	170	157	10	9	0.2	0.2	0.2	0.1	0.1
193	Malignant neoplasm of brain and other parts of nervous system	5,320	3,051	1,983	160	126	3.3	4.3	2.7	1.9	1.4
194	Malignant neoplasm of thyroid gland	1,000	299	625	24	52	0.6	0.4	0.9	0.3	0.6
195	Malignant neoplasm of other endocrine glands	415	241	144	17	13	0.3	0.3	0.2	0.2	0.1
196	Malignant neoplasm of bone (including jaw bone)	2,080	1,134	770	91	85	1.3	1.6	1.1	1.1	1.0
197	Malignant neoplasm of connective tissue	737	367	313	34	23	0.5	0.5	0.4	0.4	0.3
198	Secondary and unspecified malignant neoplasm of lymph nodes	287	177	88	14	8	0.2	0.2	0.1	0.2	0.1
A	Not stated whether primary or secondary	201	127	63	4	7	0.1	0.2	0.1	0.0	0.1
B	Secondary	86	50	25	10	1	0.1	0.1	0.0	0.1	0.0
199	Malignant neoplasm of other and unspecified sites	11,602	5,109	5,319	519	655	7.2	7.2	7.3	6.2	7.4
A	Of other specified sites, not stated to be secondary	3,274	1,350	1,595	128	201	2.0	1.9	2.2	1.5	2.3
B	Of unspecified site, not stated to be secondary	809	302	399	43	65	0.5	0.4	0.5	0.5	0.7
C	Of small intestine, including duodenum, specified as secondary	1	1	-	-	-	0.0	0.0	0	0	0
D	Of large intestine, except rectum, specified as secondary	20	6	11	2	1	0.0	0.0	0.0	0.0	0.0
E	Of brain and other parts of nervous system specified as secondary	156	90	51	13	2	0.1	0.1	0.1	0.2	0.0
F	Of bone (including jaw bone), specified as secondary	172	78	75	9	10	0.1	0.1	0.1	0.1	0.1
G	Specified as secondary of any other site except liver, thoracic organs, and lymph nodes	286	120	139	17	10	0.2	0.2	0.2	0.2	0.1
H	Generalized and secondary malignant neoplasm of multiple specified sites with primary site not indicated	3,233	1,608	1,365	115	145	2.0	2.3	1.9	1.4	1.6
M	Generalized or disseminated malignant neoplasm with no site specified	3,651	1,554	1,684	192	221	2.3	2.2	2.3	2.3	2.5
	Neoplasms of lymphatic and hematopoietic tissues (200-205)										
200	Lymphosarcoma and reticulosarcoma	4,654	2,523	1,864	163	104	2.9	3.6	2.6	1.9	1.2
.0	Reticulum cell sarcoma	907	490	366	33	18	0.6	0.7	0.5	0.4	0.2
.1	Lymphosarcoma	3,028	1,651	1,211	93	73	1.9	2.3	1.7	1.1	0.8
.2	Other primary malignant neoplasms of lymphoid tissue	719	382	287	37	13	0.4	0.5	0.4	0.4	0.1

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1954—Continued

(See headnote on p 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Neoplasms of lymphatic and hematopoietic tissues (200-205)—Con										
201	Hodgkin's disease	2,809	1,668	963	127	51	1.7	2.3	1.3	1.5	0.6
202	Other forms of lymphoma (reticulosis)	748	394	299	35	20	0.5	0.6	0.4	0.4	0.2
.0	Giant follicular lymphoma (Brill-Symmer's disease)	80	38	40	1	1	0.0	0.1	0.1	0.0	0.0
.1	Other	668	356	259	34	19	0.4	0.5	0.4	0.4	0.2
203	Multiple myeloma (plasmocytoma)	1,848	920	729	118	81	1.1	1.3	1.0	1.4	0.9
204	Leukemia and aleukemia	10,443	5,589	4,205	400	249	6.5	7.9	5.8	4.8	2.8
.0	Lymphatic leukemia	4,180	2,387	1,558	148	87	2.6	3.4	2.1	1.8	1.0
.1	Myeloid leukemia	3,324	1,715	1,393	133	83	2.1	2.4	1.9	1.6	0.9
.2	Monocytic leukemia	723	375	304	29	15	0.4	0.5	0.4	0.3	0.2
.3	Acute leukemia, unspecified type	987	474	459	31	23	0.6	0.7	0.6	0.4	0.3
.4	Other and unspecified leukemia	1,229	638	491	59	41	0.8	0.9	0.7	0.7	0.5
205	Mycosis fungoides	55	32	13	4	6	0.0	0.0	0.0	0.0	0.1
	Benign neoplasm (210-229)										
210	Benign neoplasm of buccal cavity and pharynx	8	4	2	2	-	0.0	0.0	0.0	0.0	0
211	Benign neoplasm of other parts of digestive system	193	109	65	9	10	0.1	0.2	0.1	0.1	0.1
212	Benign neoplasm of respiratory system	76	39	27	6	4	0.0	0.1	0.0	0.1	0.0
213	Benign neoplasm of breast	5	1	4	-	-	0.0	0.0	0.0	0	0
214	Uterine fibromyoma	597	...	367	...	230	0.4	...	0.5	...	2.6
215	Other benign neoplasm of uterus	80	...	69	...	11	0.0	...	0.1	...	0.1
216	Benign neoplasm of ovary	277	...	237	...	40	0.2	...	0.3	...	0.5
217	Benign neoplasm of other female genital organs	5	...	4	...	1	0.0	...	0.0	...	0.0
218	Benign neoplasm of male genital organs	2	-	...	2	...	0.0	0	...	0.0	...
219	Benign neoplasm of kidney and other urinary organs	66	38	19	3	6	0.0	0.1	0.0	0.0	0.1
220	Benign melanoma of skin	1	1	-	-	-	0.0	0.0	0	0	0
221	Pilonidal cyst	5	2	3	-	-	0.0	0.0	0.0	0	0
222	Other benign neoplasm of skin	4	1	3	-	-	0.0	0.0	0.0	0	0
223	Benign neoplasm of brain and other parts of nervous system	801	377	424	48	42	0.6	0.5	0.6	0.6	0.5
224	Benign neoplasm of endocrine glands	252	122	103	13	14	0.2	0.2	0.1	0.2	0.2
225	Benign neoplasm of bone and cartilage	47	21	20	2	4	0.0	0.0	0.0	0.0	0.0
226	Lipoma	22	14	4	2	2	0.0	0.0	0.0	0.0	0.0
227	Other benign neoplasm of muscular and connective tissue	27	15	11	-	1	0.0	0.0	0.0	0	0.0
228	Hemangioma and lymphangioma	114	50	45	11	8	0.1	0.1	0.1	0.1	0.1
229	Benign neoplasm of other and unspecified organs and tissues	46	13	25	2	6	0.0	0.0	0.0	0.0	0.1
	Neoplasm of unspecified nature (230-239)										
230	Neoplasm of unspecified nature of digestive organs	237	112	95	10	20	0.1	0.2	0.1	0.1	0.2
231	Neoplasm of unspecified nature of respiratory organs	196	114	60	18	4	0.1	0.2	0.1	0.2	0.0
232	Neoplasm of unspecified nature of breast	3	-	3	-	-	0.0	0	0.0	0	0
233	Neoplasm of unspecified nature of uterus	8	...	5	...	3	0.0	...	0.0	...	0.0
234	Neoplasm of unspecified nature of ovary	13	...	11	...	2	0.0	...	0.0	...	0.0
235	Neoplasm of unspecified nature of other female genital organs	2	...	2	...	-	0.0	...	0.0	...	0
236	Neoplasm of unspecified nature of other genito-urinary organs	79	41	30	7	1	0.0	0.1	0.0	0.1	0.0
237	Neoplasm of unspecified nature of brain and other parts of nervous system	1,542	752	609	98	83	1.0	1.1	0.8	1.2	0.9
238	Neoplasm of unspecified nature of skin and musculoskeletal system	37	17	13	3	4	0.0	0.0	0.0	0.0	0.0
239	Neoplasm of unspecified nature of other and unspecified organs	259	82	135	20	22	0.2	0.1	0.2	0.2	0.2
	III. Allergic, endocrine system, metabolic, and nutritional diseases										
	Allergic disorders (240-245)										
240	Hay fever	1	1	-	-	-	0.0	0.0	0	0	0
241	Asthma	6,136	3,738	1,839	328	231	3.8	5.3	2.5	3.9	2.6
242	Angioneurotic edema	16	6	8	-	2	0.0	0.0	0.0	0	0.0
243	Urticaria	4	3	1	-	-	0.0	0.0	0.0	0	0
244	Allergic eczema	4	2	1	-	1	0.0	0.0	0.0	0	0.0
245	Other allergic disorders	25	12	9	2	2	0.0	0.0	0.0	0.0	0.0
	Diseases of thyroid gland (250-254)										
250	Simple goiter	53	8	29	1	15	0.0	0.0	0.0	0.0	0.2
251	Nontoxic nodular goiter	84	11	65	1	7	0.1	0.0	0.1	0.0	0.1
252	Thyrotoxicosis with or without goiter	863	132	613	21	97	0.5	0.2	0.8	0.3	1.1
.0	Toxic diffuse goiter	764	119	540	21	84	0.5	0.2	0.7	0.3	0.9
.1	Toxic nodular goiter	99	13	73	-	13	0.1	0.0	0.1	0	0.1
253	Myxedema and cretinism	184	47	123	3	11	0.1	0.1	0.2	0.0	0.1
254	Other diseases of thyroid gland	43	4	27	1	11	0.0	0.0	0.0	0.0	0.1
	Diabetes mellitus (260)										
260	Diabetes mellitus	25,151	9,009	13,705	826	1,611	15.6	12.7	18.8	9.8	18.1
	Diseases of other endocrine glands (270-277)										
270	Disorders of pancreatic internal secretion other than diabetes mellitus	26	7	15	2	2	0.0	0.0	0.0	0.0	0.0
271	Diseases of parathyroid gland	40	11	27	-	2	0.0	0.0	0.0	0	0.0
272	Diseases of pituitary gland	182	74	82	13	13	0.1	0.1	0.1	0.2	0.1
273	Diseases of thymus gland	350	169	114	41	26	0.2	0.2	0.2	0.5	0.3
274	Diseases of adrenal glands	328	146	151	16	15	0.2	0.2	0.2	0.2	0.2
277	Polyglandular dysfunction and other diseases of endocrine glands	52	16	30	2	4	0.0	0.0	0.0	0.0	0.0
	Avitaminoses, and other metabolic diseases (280-289)										
280	Beriberi	35	18	15	2	-	0.0	0.0	0.0	0.0	0
281	Pellagra	116	24	59	12	21	0.1	0.0	0.1	0.1	0.2

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1954—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	III. Allergic, endocrine system, metabolic, and nutritional diseases—Continued										
	Avitaminoses, and other metabolic diseases (280-289)—Continued										
282	Scurvy	14	5	4	4	1	0.0	0.0	0.0	0.0	0.0
283	Active rickets	16	8	1	7	-	0.0	0.0	0.0	0.1	0
285	Osteomalacia	14	4	7	2	1	0.0	0.0	0.0	0.0	0.0
286	Other avitaminoses and nutritional deficiency states	649	245	263	73	68	0.4	0.3	0.4	0.9	0.8
.0	Steatorrhea and sprue	51	28	18	3	2	0.0	0.0	0.0	0.0	0.0
.1-.4	Other vitamin deficiency states	3	-	-	2	1	0.0	0	0	0.0	0.0
.5	Malnutrition, unqualified	469	170	187	56	56	0.3	0.2	0.3	0.7	0.6
.6	Other and multiple deficiency states	126	47	58	12	9	0.1	0.1	0.1	0.1	0.1
287	Obesity, not specified as of endocrine origin	14	2	8	-	4	0.0	0.0	0.0	0	0.0
288	Gout	24	22	1	-	1	0.0	0.0	0.0	0	0.0
289	Other metabolic diseases	358	187	137	18	16	0.2	0.3	0.2	0.2	0.2
	IV. Diseases of the blood and blood-forming organs										
	Diseases of blood and blood-forming organs (290-299)										
290	Pernicious and other hyperchromic anemias	1,181	449	667	29	36	0.7	0.6	0.9	0.3	0.4
.0	Pernicious anemia	1,111	408	643	26	34	0.7	0.6	0.9	0.3	0.4
.1	Subacute combined degeneration of spinal cord	35	17	15	3	-	0.0	0.0	0.0	0.0	0
.2	Other hyperchromic anemias	35	24	9	-	2	0.0	0.0	0.0	0	0.0
291	Iron deficiency anemias (hypochromic anemias)	104	37	44	10	13	0.1	0.1	0.1	0.1	0.1
292	Other anemias of specified type	1,085	443	424	114	104	0.7	0.6	0.6	1.4	1.2
.1	Acute hemolytic anemia	25	8	15	1	1	0.0	0.0	0.0	0.0	0.0
.2	Other hemolytic anemias	160	70	74	8	8	0.1	0.1	0.1	0.1	0.1
.3	Leuko-erythroblastic anemia	51	21	27	3	-	0.0	0.0	0.0	0.0	0
.4	Aplastic anemia	681	335	300	24	22	0.4	0.5	0.4	0.3	0.2
.5	Nonregenerative anemia	11	8	2	1	-	0.0	0.0	0.0	0.0	0
.6	Sickle cell anemia	156	-	6	77	73	0.1	0	0.0	0.9	0.8
.7	Other specified anemias	1	1	-	-	-	0.0	0.0	0	0	0
293	Anemia of unspecified type	931	361	398	75	97	0.6	0.5	0.5	0.9	1.1
294	Polycythemia	270	171	87	9	3	0.2	0.2	0.1	0.1	0.0
295	Hemophilia	64	50	6	7	1	0.0	0.1	0.0	0.1	0.0
296	Purpura and other hemorrhagic conditions	553	229	281	17	26	0.3	0.3	0.4	0.2	0.3
297	Agranulocytosis	119	53	60	5	1	0.1	0.1	0.1	0.1	0.0
298	Diseases of spleen	223	93	115	9	6	0.1	0.1	0.2	0.1	0.1
.0	Hepatolienal fibrosis	111	40	65	3	3	0.1	0.1	0.1	0.0	0.0
.1	Other	112	53	50	6	3	0.1	0.1	0.1	0.1	0.0
299	Other diseases of blood and blood-forming organs	197	90	79	12	16	0.1	0.1	0.1	0.1	0.2
	V. Mental, psychoneurotic, and personality disorders										
	Psychoses (300-309)										
300	Schizophrenic disorders (dementia praecox)	223	89	70	37	27	0.1	0.1	0.1	0.4	0.3
301	Manic-depressive reaction	68	21	23	19	5	0.0	0.0	0.0	0.2	0.1
302	Involutional melancholia	14	4	7	-	3	0.0	0.0	0.0	0	0.0
303	Paranoia and paranoid states	6	2	4	-	-	0.0	0.0	0.0	0	0
304	Senile psychosis	440	162	228	18	32	0.3	0.2	0.3	0.2	0.4
305	Presenile psychosis	93	40	52	1	-	0.1	0.1	0.1	0.0	0
307	Alcoholic psychosis	229	174	16	33	6	0.1	0.2	0.0	0.4	0.1
309	Other and unspecified psychoses	136	42	67	6	21	0.1	0.1	0.1	0.1	0.2
	Psychoneurotic disorders (310-318)										
310	Anxiety reaction without mention of somatic symptoms	1	-	1	-	-	0.0	0	0.0	0	0
311	Hysterical reaction without mention of anxiety reaction	22	5	17	-	-	0.0	0.0	0.0	0	0
313	Obsessive-compulsive reaction	1	-	1	-	-	0.0	0	0.0	0	0
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	3	-	1	1	1	0.0	0	0.0	0.0	0.0
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	6	1	3	-	2	0.0	0.0	0.0	0	0.0
318	Psychoneurotic disorders, other, mixed, and unspecified types	18	7	5	2	4	0.0	0.0	0.0	0.0	0.0
	Disorders of character, behavior, and intelligence (320-326)										
320	Pathological personality	6	2	2	2	-	0.0	0.0	0.0	0.0	0
321	Immature personality	1	1	-	-	-	0.0	0.0	0	0	0
322	Alcoholism	2,039	1,304	269	337	129	1.3	1.8	0.4	4.0	1.5
.0	Acute	782	472	102	151	57	0.5	0.7	0.1	1.8	0.6
.1	Chronic	774	522	115	98	39	0.5	0.7	0.2	1.2	0.4
.2	Unspecified	483	310	52	88	33	0.3	0.4	0.1	1.0	0.4
323	Other drug addiction	72	28	26	10	8	0.0	0.0	0.0	0.1	0.1
325	Mental deficiency	171	92	63	8	8	0.1	0.1	0.1	0.1	0.1
326	Other and unspecified character, behavior, and intelligence disorders	1	1	-	-	-	0.0	0.0	0	0	0
	VI. Diseases of the nervous system and sense organs										
	Vascular lesions affecting central nervous system (330-334)										
330	Subarachnoid hemorrhage	4,706	1,855	2,097	356	398	2.9	2.6	2.9	4.2	4.5
331	Cerebral hemorrhage	108,443	45,232	48,958	6,658	7,595	67.3	63.7	67.2	79.3	85.5
332	Cerebral embolism and thrombosis	36,726	16,839	16,880	1,538	1,469	22.8	23.7	23.2	18.3	16.5
333	Spasm of cerebral arteries	8	2	6	-	-	0.0	0.0	0.0	0	0
334	Other and ill-defined vascular lesions affecting central nervous system	17,894	7,405	7,732	1,289	1,468	11.1	10.4	10.6	15.4	16.5

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1954—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs—Continued										
	Inflammatory diseases of central nervous system (340-345)										
340	Meningitis, except meningococcal and tuberculous	1,829	758	524	301	246	1.1	1.1	0.7	3.6	2.8
.0	H. influenza	292	128	85	37	42	0.2	0.2	0.1	0.4	0.5
.1	Pneumococcus	398	166	98	76	58	0.2	0.2	0.1	0.9	0.7
.2	Due to other specified organism	202	84	71	25	22	0.1	0.1	0.1	0.3	0.2
.3	Unspecified cause	937	380	270	163	124	0.6	0.5	0.4	1.9	1.4
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	36	17	10	4	5	0.0	0.0	0.0	0.0	0.1
342	Intracranial and intraspinal abscess	292	149	87	35	21	0.2	0.2	0.1	0.4	0.2
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	589	265	225	64	35	0.4	0.4	0.3	0.8	0.4
344	Late effects of intracranial abscess or pyogenic infection	548	259	189	48	52	0.3	0.4	0.3	0.6	0.6
A	Hydrocephalus, not otherwise specified	394	183	134	39	38	0.2	0.3	0.2	0.5	0.4
B	Other late effects of intracranial abscess or pyogenic infection	154	76	55	9	14	0.1	0.1	0.1	0.1	0.2
345	Multiple sclerosis	1,394	612	704	33	45	0.9	0.9	1.0	0.4	0.5
	Other diseases of central nervous system (350-357)										
350	Paralysis agitans	2,330	1,286	978	37	29	1.4	1.8	1.3	0.4	0.3
351	Cerebral spastic infantile paralysis	589	292	219	34	44	0.4	0.4	0.3	0.4	0.5
352	Other cerebral paralysis	663	276	238	77	72	0.4	0.4	0.3	0.9	0.8
353	Epilepsy	2,136	988	701	311	136	1.3	1.4	1.0	3.7	1.5
.0	Petit mal	13	9	3	-	1	0.0	0.0	0.0	0	0.0
.1	Grand mal	324	154	112	40	18	0.2	0.2	0.2	0.5	0.2
.2	Status epilepticus	480	199	174	76	31	0.3	0.3	0.2	0.9	0.3
.3	Other and unspecified	1,319	626	412	195	86	0.8	0.9	0.6	2.3	1.0
354	Migraine	2	-	2	-	-	0.0	0	0.0	0	0
355	Other diseases of brain	915	423	396	46	50	0.6	0.6	0.5	0.5	0.6
356	Motor neurone disease and muscular atrophy	1,032	605	374	35	18	0.6	0.9	0.5	0.4	0.2
.0	Progressive muscular atrophy	260	143	95	13	9	0.2	0.2	0.1	0.2	0.1
.1	Amyotrophic lateral sclerosis	738	443	268	19	8	0.5	0.6	0.4	0.2	0.1
.2	Spinal type of muscular atrophy	27	16	10	1	-	0.0	0.0	0.0	0.0	0
.3	Other and unspecified manifestations	7	3	1	2	1	0.0	0.0	0.0	0.0	0.0
357	Other diseases of spinal cord	210	110	72	18	10	0.1	0.2	0.1	0.2	0.1
	Diseases of nerves and peripheral ganglia (360-369)										
360	Facial paralysis	1	-	1	-	-	0.0	0	0.0	0	0
361	Trigeminal neuralgia	24	10	13	1	-	0.0	0.0	0.0	0.0	0
363	Sciatica	2	-	2	-	-	0.0	0	0.0	0	0
364	Polyneuritis and polyradiculitis	126	79	39	6	2	0.1	0.1	0.1	0.1	0.0
365	Erythredema polyneuritica	1	-	1	-	-	0.0	0	0.0	0	0
366	Other and unspecified forms of neuralgia and neuritis	30	7	16	-	7	0.0	0.0	0.0	0	0.1
367	Other diseases of cranial nerves	16	10	4	1	1	0.0	0.0	0.0	0.0	0.0
368	Other diseases of peripheral nerves except autonomic	26	9	10	3	4	0.0	0.0	0.0	0.0	0.0
369	Diseases of peripheral autonomic nervous system	6	4	1	-	1	0.0	0.0	0.0	0	0.0
	Inflammatory diseases of eye (370-379)										
372	Hordeolum (sty)	2	-	1	1	-	0.0	0	0.0	0.0	0
376	Other inflammation of uveal tract	1	-	-	1	-	0.0	0	0	0.0	0
377	Inflammation of optic nerve and retina	6	3	3	-	-	0.0	0.0	0.0	0	0
378	Inflammation of lachrymal glands and ducts	2	1	1	-	-	0.0	0.0	0.0	0	0
379	Other inflammatory diseases of eye	5	2	-	2	1	0.0	0.0	0	0.0	0.0
	Other diseases and conditions of eye (380-389)										
383	Pterygium	1	1	-	-	-	0.0	0.0	0	0	0
384	Strabismus	19	9	9	1	-	0.0	0.0	0.0	0.0	0
385	Cataract	59	23	32	1	3	0.0	0.0	0.0	0.0	0.0
386	Detachment of retina	6	3	2	1	-	0.0	0.0	0.0	0.0	0
387	Glaucoma	20	7	12	-	1	0.0	0.0	0.0	0	0.0
388	Other diseases of eye	7	3	3	1	-	0.0	0.0	0.0	0.0	0
389	Blindness	2	1	-	-	1	0.0	0.0	0	0	0.0
	Diseases of ear and mastoid process (390-398)										
390	Otitis externa	2	1	1	-	-	0.0	0.0	0.0	0	0
391	Otitis media without mention of mastoiditis	346	147	120	45	34	0.2	0.2	0.2	0.5	0.4
.0	Acute	59	18	18	14	9	0.0	0.0	0.0	0.2	0.1
.1	Chronic	35	19	12	2	2	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	252	110	90	29	23	0.2	0.2	0.1	0.3	0.3
392	Otitis media with mastoiditis	47	25	18	3	1	0.0	0.0	0.0	0.0	0.0
.0	Acute	12	4	6	1	1	0.0	0.0	0.0	0.0	0.0
.1	Chronic	17	13	4	-	-	0.0	0.0	0.0	0	0
.2	Unspecified	18	8	8	2	-	0.0	0.0	0.0	0.0	0
393	Mastoiditis without mention of otitis media	62	32	22	3	5	0.0	0.0	0.0	0.0	0.1
.0	Acute	10	6	3	-	1	0.0	0.0	0.0	0	0.0
.1	Chronic	24	15	6	2	1	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	28	11	13	1	3	0.0	0.0	0.0	0.0	0.0
394	Other inflammatory diseases of ear	2	-	1	1	-	0.0	0	0.0	0.0	0
395	Ménière's disease	3	2	1	-	-	0.0	0.0	0.0	0	0
396	Other diseases of ear and mastoid process	5	5	-	-	-	0.0	0.0	0	0	0
397	Deaf mutism	2	1	-	-	1	0.0	0.0	0	0	0.0
	VII. Diseases of the circulatory system										
	Rheumatic fever (400-402)										
400	Rheumatic fever without mention of heart involvement	184	64	73	17	30	0.1	0.1	0.1	0.2	0.3

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1954—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Rheumatic fever (400-402)—Continued										
401	Rheumatic fever with heart involvement	1,099	458	409	108	124	0.7	0.6	0.6	1.3	1.4
.0	Active rheumatic pericarditis	141	60	51	12	18	0.1	0.1	0.1	0.1	0.2
.1	Active rheumatic endocarditis	134	51	58	12	13	0.1	0.1	0.1	0.1	0.1
.2	Active rheumatic myocarditis	85	31	32	12	10	0.1	0.0	0.0	0.1	0.1
.3	Active rheumatic fever with other and multiple types of heart involvement	739	316	268	72	83	0.5	0.4	0.4	0.9	0.9
402	Chorea	14	3	8	1	2	0.0	0.0	0.0	0.0	0.0
.0	Without mention of heart involvement	10	2	5	1	2	0.0	0.0	0.0	0.0	0.0
.1	With heart involvement	4	1	3	-	-	0.0	0.0	0.0	0	0
	Chronic rheumatic heart disease (410-416)										
410	Diseases of mitral valve	6,970	2,951	3,383	326	310	4.3	4.2	4.6	3.9	3.5
411	Diseases of aortic valve specified as rheumatic	1,145	830	258	33	24	0.7	1.2	0.4	0.4	0.3
412	Diseases of tricuspid valve	29	15	10	2	2	0.0	0.0	0.0	0.0	0.0
413	Diseases of pulmonary valve specified as rheumatic	3	2	1	-	-	0.0	0.0	0.0	0	0
414	Other endocarditis specified as rheumatic	1,116	494	529	50	43	0.7	0.7	0.7	0.6	0.5
415	Other myocarditis specified as rheumatic	597	269	280	24	24	0.4	0.4	0.4	0.3	0.3
416	Other heart disease specified as rheumatic	8,396	3,608	4,044	350	394	5.2	5.1	5.6	4.2	4.4
	Arteriosclerotic and degenerative heart disease (420-422)										
420	Arteriosclerotic heart disease, including coronary disease	379,788	228,766	128,894	13,060	9,068	235.6	322.0	176.9	155.5	102.0
.0	Arteriosclerotic heart disease, so described	138,794	71,436	58,834	4,734	3,790	86.1	100.6	80.7	56.4	42.7
.1	Heart disease specified as involving coronary arteries	239,775	156,623	69,683	8,250	5,219	148.8	220.5	95.6	98.2	58.7
.2	Angina pectoris without mention of coronary disease	1,219	707	377	76	59	0.8	1.0	0.5	0.9	0.7
421	Chronic endocarditis not specified as rheumatic	7,218	3,432	2,704	590	492	4.5	4.8	3.7	7.0	5.5
.0	Of mitral valve, specified as nonrheumatic	717	290	319	50	58	0.4	0.4	0.4	0.6	0.7
.1	Of aortic valve, not specified as rheumatic	1,775	1,034	465	173	103	1.1	1.5	0.6	2.1	1.2
.2	Of tricuspid valve, specified as nonrheumatic	1	-	1	-	-	0.0	0	0.0	0	0
.3	Of pulmonary valve, not specified as rheumatic	15	8	5	2	-	0.0	0.0	0.0	0.0	0
.4	Other and ill-defined, not specified as rheumatic	4,710	2,100	1,914	365	331	2.9	3.0	2.6	4.3	3.7
422	Other myocardial degeneration	58,873	26,653	26,224	3,150	2,846	36.5	37.5	36.0	37.5	32.0
.0	Fatty degeneration	72	39	26	2	5	0.0	0.1	0.0	0.0	0.1
.1	With arteriosclerosis	32,744	14,566	15,222	1,574	1,382	20.3	20.5	20.9	18.7	15.6
.2	Other	26,057	12,048	10,976	1,574	1,459	16.2	17.0	15.1	18.7	16.4
	Other diseases of heart (430-434)										
430	Acute and subacute endocarditis	778	394	234	82	68	0.5	0.6	0.3	1.0	0.8
.0	Acute and subacute bacterial endocarditis	661	346	210	57	48	0.4	0.5	0.3	0.7	0.5
.1	Other acute endocarditis	117	48	24	25	20	0.1	0.1	0.0	0.3	0.2
431	Acute myocarditis not specified as rheumatic	1,501	649	559	153	140	0.9	0.9	0.8	1.8	1.6
432	Acute pericarditis specified as nonrheumatic	43	27	10	4	2	0.0	0.0	0.0	0.0	0.0
433	Functional disease of heart	2,360	1,190	1,012	77	81	1.5	1.7	1.4	0.9	0.9
.0	Heart block	523	310	183	18	12	0.3	0.4	0.3	0.2	0.1
.1	Other disorders of heart rhythm	1,824	874	824	59	67	1.1	1.2	1.1	0.7	0.8
.2	Other functional diseases of heart	13	6	5	-	2	0.0	0.0	0.0	0	0.0
434	Other and unspecified diseases of heart	16,221	8,370	4,948	1,691	1,212	10.1	11.8	6.8	20.1	13.6
.0	Kyphoscoliotic heart disease	93	30	57	4	2	0.1	0.0	0.1	0.0	0.0
.1	Congestive heart failure	5,050	2,293	1,872	461	424	3.1	3.2	2.6	5.5	4.8
.2	Left ventricular failure	738	405	237	54	42	0.5	0.6	0.3	0.6	0.5
.3	Other and unspecified disease of heart	10,340	5,642	2,782	1,172	744	6.4	7.9	3.8	14.0	8.4
	Hypertensive disease (440-447)										
440	Essential benign hypertension with heart disease	1,544	504	649	178	213	1.0	0.7	0.9	2.1	2.4
441	Essential malignant hypertension with heart disease	974	324	320	154	176	0.6	0.5	0.4	1.8	2.0
442	Hypertensive heart disease with arteriolar nephrosclerosis	20,406	8,378	8,357	1,880	1,791	12.7	11.8	11.5	22.4	20.2
443	Other and unspecified hypertensive heart disease	52,115	17,903	24,009	4,633	5,570	32.3	25.2	33.0	55.2	62.7
444	Essential benign hypertension without mention of heart	2,137	684	880	248	325	1.3	1.0	1.2	3.0	3.7
445	Essential malignant hypertension without mention of heart	1,166	389	250	254	273	0.7	0.5	0.3	3.0	3.1
446	Hypertension with arteriolar nephrosclerosis without mention of heart	6,164	2,840	2,295	548	481	3.8	4.0	3.1	6.5	5.4
447	Other hypertensive disease without mention of heart	1,916	655	992	113	156	1.2	0.9	1.4	1.3	1.8
	Diseases of arteries (450-456)										
450	General arteriosclerosis	30,225	13,681	14,395	1,120	1,029	18.8	19.3	19.8	13.3	11.6
.0	Without mention of gangrene	28,132	12,590	13,617	1,008	917	17.5	17.7	18.7	12.0	10.3
.1	With gangrene	2,093	1,091	778	112	112	1.3	1.5	1.1	1.3	1.3
451	Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm	3,916	2,693	863	227	133	2.4	3.8	1.2	2.7	1.5
452	Other aneurysm, except of heart and aorta	392	207	126	31	28	0.2	0.3	0.2	0.4	0.3
453	Peripheral vascular disease	328	236	75	8	9	0.2	0.3	0.1	0.1	0.1
.0	Raynaud's disease	24	7	14	1	2	0.0	0.0	0.0	0.0	0.0
.1	Thrombo-angiitis obliterans	267	206	52	6	3	0.2	0.3	0.1	0.1	0.0
.2	Chilblains	1	1	-	-	-	0.0	0.0	0	0	0
.3	Other	36	22	9	1	4	0.0	0.0	0.0	0.0	0.0
454	Arterial embolism and thrombosis	395	214	153	20	8	0.2	0.3	0.2	0.2	0.1
455	Gangrene of unspecified cause	230	94	88	21	27	0.1	0.1	0.1	0.3	0.3
456	Other diseases of arteries	832	299	422	34	77	0.5	0.4	0.6	0.4	0.9
	Diseases of veins and other diseases of circulatory system (460-468)										
460	Varicose veins of lower extremities	249	87	134	10	18	0.2	0.1	0.2	0.1	0.2
461	Hemorrhoids	120	70	37	9	4	0.1	0.1	0.1	0.1	0.0
462	Varicose veins of other specified sites	279	177	81	17	4	0.2	0.2	0.1	0.2	0.0
463	Phlebitis and thrombophlebitis of lower extremities	567	267	264	16	20	0.4	0.4	0.4	0.2	0.2
464	Phlebitis and thrombophlebitis of other sites	380	167	184	10	19	0.2	0.2	0.3	0.1	0.2
465	Pulmonary embolism and infarction	1,448	676	546	128	98	0.9	1.0	0.7	1.5	1.1

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1954—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of veins and other diseases of circulatory system (460-468)—Continued										
466	Other venous embolism and thrombosis	684	322	291	32	39	0.4	0.5	0.4	0.4	0.4
467	Other diseases of circulatory system	357	184	103	39	31	0.2	0.3	0.1	0.5	0.3
.0	Hypotension	39	21	13	3	2	0.0	0.0	0.0	0.0	0.0
.1	Diseases of capillaries	19	7	11	-	1	0.0	0.0	0.0	0	0.0
.2	Other and unspecified circulatory diseases	299	156	79	36	28	0.2	0.2	0.1	0.4	0.3
468	Certain diseases of lymph nodes and lymph channels	82	32	32	10	8	0.1	0.0	0.0	0.1	0.1
	VIII. Diseases of the respiratory system										
	Acute upper respiratory infections (470-475)										
470	Acute nasopharyngitis (common cold)	119	30	31	35	23	0.1	0.0	0.0	0.4	0.3
471	Acute sinusitis	18	6	10	2	-	0.0	0.0	0.0	0.0	0
472	Acute pharyngitis	105	48	40	10	7	0.1	0.1	0.1	0.1	0.1
473	Acute tonsillitis	116	38	43	16	19	0.1	0.1	0.1	0.2	0.2
474	Acute laryngitis and tracheitis	195	92	78	14	11	0.1	0.1	0.1	0.2	0.1
475	Acute upper respiratory infection of multiple or unspecified sites	401	168	152	47	34	0.2	0.2	0.2	0.6	0.4
	Influenza (480-483)										
480	Influenza with pneumonia	1,319	450	418	235	216	0.8	0.6	0.6	2.8	2.4
	Influenza with other respiratory manifestations, and influenza unqualified	1,216	499	474	108	135	0.8	0.7	0.7	1.3	1.5
482	Influenza with digestive manifestations, but without respiratory symptoms	144	57	62	12	13	0.1	0.1	0.1	0.1	0.1
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	1	1	-	-	-	0.0	0.0	0	0	0
	Pneumonia (490-493)										
490	Lobar pneumonia	10,766	5,232	3,332	1,405	797	6.7	7.4	4.6	16.7	9.0
491	Bronchopneumonia	19,875	9,006	7,142	2,040	1,687	12.3	12.7	9.8	24.3	19.0
492	Primary atypical pneumonia	3,289	1,517	1,247	292	233	2.0	2.1	1.7	3.5	2.6
493	Pneumonia, other and unspecified	4,381	1,856	1,444	604	477	2.7	2.6	2.0	7.2	5.4
	Bronchitis (500-502)										
500	Acute bronchitis	990	471	347	100	72	0.6	0.7	0.5	1.2	0.8
501	Bronchitis, unqualified	649	297	232	66	54	0.4	0.4	0.3	0.8	0.6
502	Chronic bronchitis	1,233	852	324	39	18	0.8	1.2	0.4	0.5	0.2
.0	Bronchitis with emphysema	431	364	56	8	3	0.3	0.5	0.1	0.1	0.0
.1	Other	802	488	268	31	15	0.5	0.7	0.4	0.4	0.2
	Other diseases of respiratory system (510-527)										
510	Hypertrophy of tonsils and adenoids	254	107	101	23	23	0.2	0.2	0.1	0.3	0.3
.0	Without mention of tonsillectomy or adenoidectomy	18	7	5	3	3	0.0	0.0	0.0	0.0	0.0
.1	With tonsillectomy or adenoidectomy	236	100	96	20	20	0.1	0.1	0.1	0.2	0.2
511	Peritonsillar abscess (quinsy)	25	9	10	4	2	0.0	0.0	0.0	0.0	0.0
512	Chronic pharyngitis and nasopharyngitis	8	4	3	1	-	0.0	0.0	0.0	0.0	0
513	Chronic sinusitis	94	55	19	14	6	0.1	0.1	0.0	0.2	0.1
514	Deflected nasal septum	2	2	-	-	-	0.0	0.0	0	0	0
515	Nasal polyp	4	4	-	-	-	0.0	0.0	0	0	0
516	Chronic laryngitis	7	4	1	2	-	0.0	0.0	0.0	0.0	0
517	Other diseases of upper respiratory tract	202	93	72	21	16	0.1	0.1	0.1	0.3	0.2
518	Empyema	238	123	71	35	9	0.1	0.2	0.1	0.4	0.1
519	Pleurisy	195	100	56	23	16	0.1	0.1	0.1	0.3	0.2
.0	Without mention of effusion or tuberculosis	110	58	30	12	10	0.1	0.1	0.0	0.1	0.1
.1	With effusion with mention of a bacterial cause other than tuberculosis	3	1	-	2	-	0.0	0.0	0	0.0	0
.2	Other specified forms of effusion, except tuberculous	82	41	26	9	6	0.1	0.1	0.0	0.1	0.1
520	Spontaneous pneumothorax	63	40	14	8	1	0.0	0.1	0.0	0.1	0.0
521	Abscess of lung	505	287	114	76	28	0.3	0.4	0.2	0.9	0.3
522	Pulmonary congestion and hypostasis	1,282	539	603	71	69	0.8	0.8	0.8	0.8	0.8
523	Pneumoconiosis due to silica and silicates (occupational)	1,233	1,175	9	49	-	0.8	1.7	0.0	0.6	0
.0	Silicosis	590	554	2	34	-	0.4	0.8	0.0	0.4	0
.1	Anthracosilicosis	494	489	3	2	-	0.3	0.7	0.0	0.0	0
.2	Asbestosis	8	7	1	-	-	0.0	0.0	0.0	0	0
.3	Other, including pneumoconiosis unspecified	141	125	3	13	-	0.1	0.2	0.0	0.2	0
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	54	43	5	6	-	0.0	0.1	0.0	0.1	0
525	Other chronic interstitial pneumonia	1,950	1,165	529	158	98	1.2	1.6	0.7	1.9	1.1
526	Bronchiectasis	2,147	1,366	671	78	32	1.3	1.9	0.9	0.9	0.4
527	Other diseases of lung and pleural cavity	4,659	3,385	895	265	114	2.9	4.8	1.2	3.2	1.3
.0	Pulmonary collapse (1 year and over)	143	75	44	13	11	0.1	0.1	0.1	0.2	0.1
.1	Emphysema without mention of bronchitis	2,995	2,490	366	123	16	1.9	3.5	0.5	1.5	0.2
.2	Other	1,521	820	485	129	87	0.9	1.2	0.7	1.5	1.0
	IX. Diseases of the digestive system										
	Diseases of buccal cavity and esophagus (530-539)										
530	Dental caries	5	1	2	2	-	0.0	0.0	0.0	0.0	0
531	Abscesses of supporting structures of teeth	30	17	5	2	6	0.0	0.0	0.0	0.0	0.1
532	Other inflammatory diseases of supporting structures of teeth	57	21	17	10	9	0.0	0.0	0.0	0.1	0.1
533	Disorders of occlusion, eruption, and tooth development	3	1	2	-	-	0.0	0.0	0.0	0	0
535	Other diseases of teeth and supporting structures	61	23	25	6	7	0.0	0.0	0.0	0.1	0.1
536	Stomatitis	15	6	4	2	3	0.0	0.0	0.0	0.0	0.0

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1954—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	IX. Diseases of the digestive system—Continued										
	Diseases of buccal cavity and esophagus (530-539)—Continued										
537	Diseases of salivary glands	53	23	22	3	5	0.0	0.0	0.0	0.0	0.1
538	Other diseases of buccal cavity	25	6	13	2	4	0.0	0.0	0.0	0.0	0.0
539	Diseases of esophagus	457	259	160	16	22	0.3	0.4	0.2	0.2	0.2
	Diseases of stomach and duodenum (540-545)										
540	Ulcer of stomach	4,690	3,252	973	344	121	2.9	4.6	1.3	4.1	1.4
.0	Without mention of perforation	3,043	2,100	659	213	71	1.9	3.0	0.9	2.5	0.8
.1	With perforation	1,647	1,152	314	131	50	1.0	1.6	0.4	1.6	0.6
541	Ulcer of duodenum	4,701	3,631	795	202	73	2.9	5.1	1.1	2.4	0.8
.0	Without mention of perforation	2,990	2,329	488	127	46	1.9	3.3	0.7	1.5	0.5
.1	With perforation	1,711	1,302	307	75	27	1.1	1.8	0.4	0.9	0.3
542	Gastrojejunal ulcer	182	138	32	7	5	0.1	0.2	0.0	0.1	0.1
.0	Without mention of perforation	106	78	21	5	2	0.1	0.1	0.0	0.1	0.0
.1	With perforation	76	60	11	2	3	0.0	0.1	0.0	0.0	0.0
543	Gastritis and duodenitis	298	154	86	32	26	0.2	0.2	0.1	0.4	0.3
544	Disorders of function of stomach	211	72	44	53	42	0.1	0.1	0.1	0.6	0.5
.0	Disorders of gastric secretion	1	1	-	-	-	0.0	0.0	0	0	0
.1	Disorders of gastric motility	49	23	12	11	3	0.0	0.0	0.0	0.1	0.0
.2	Other	161	48	32	42	39	0.1	0.1	0.0	0.5	0.4
545	Other diseases of stomach and duodenum	347	227	92	23	5	0.2	0.3	0.1	0.3	0.1
	Appendicitis (550-553)										
550	Acute appendicitis	2,044	1,122	594	194	134	1.3	1.6	0.8	2.3	1.5
.0	Without mention of peritonitis	351	196	101	31	23	0.2	0.3	0.1	0.4	0.3
.1	With peritonitis	1,693	926	493	163	111	1.1	1.3	0.7	1.9	1.2
551	Appendicitis, unqualified	198	100	66	17	15	0.1	0.1	0.1	0.2	0.2
552	Other appendicitis	19	9	6	1	3	0.0	0.0	0.0	0.0	0.0
553	Other diseases of appendix	17	12	4	-	1	0.0	0.0	0.0	0	0.0
	Hernia of abdominal cavity (560,561)										
560	Hernia of abdominal cavity without mention of obstruction	1,421	806	515	70	30	0.9	1.1	0.7	0.8	0.3
.0	Inguinal	327	283	14	27	3	0.2	0.4	0.0	0.3	0.0
.1	Femoral	12	4	8	-	-	0.0	0.0	0.0	0	0
.2	Umbilical	223	88	107	15	13	0.1	0.1	0.1	0.2	0.1
.3	Ventral (incisional)	193	62	119	6	6	0.1	0.1	0.2	0.1	0.1
.4	Other specified site	540	282	239	11	8	0.3	0.4	0.3	0.1	0.1
.5	Unspecified site	126	87	28	11	-	0.1	0.1	0.0	0.1	0
561	Hernia of abdominal cavity with obstruction	2,370	1,096	996	176	102	1.5	1.5	1.4	2.1	1.1
.0	Inguinal	790	574	106	101	9	0.5	0.8	0.1	1.2	0.1
.1	Femoral	301	75	216	3	7	0.2	0.1	0.3	0.0	0.1
.2	Umbilical	271	68	160	9	34	0.2	0.1	0.2	0.1	0.4
.3	Ventral (incisional)	408	89	286	7	26	0.3	0.1	0.4	0.1	0.3
.4	Other specified site	171	64	84	14	9	0.1	0.1	0.1	0.2	0.1
.5	Unspecified site	429	226	144	42	17	0.3	0.3	0.2	0.5	0.2
	Other diseases of intestines and peritoneum (570-578)										
570	Intestinal obstruction without mention of hernia	4,707	1,976	2,047	352	332	2.9	2.8	2.8	4.2	3.7
.0	Intussusception	197	98	65	18	16	0.1	0.1	0.1	0.2	0.2
.1	Paralytic ileus	224	100	94	16	14	0.1	0.1	0.1	0.2	0.2
.2	Mesenteric infarction	1,154	570	490	48	46	0.7	0.8	0.7	0.6	0.5
.3	Volvulus	723	318	283	75	47	0.4	0.4	0.4	0.9	0.5
.4	Impaction of intestine	257	110	126	10	11	0.2	0.2	0.2	0.1	0.1
.5	Other	2,152	780	989	185	198	1.3	1.1	1.4	2.2	2.2
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	5,251	1,877	1,598	968	808	3.3	2.6	2.2	11.5	9.1
.0	Ages between 4 weeks and 2 years	3,900	1,326	1,047	824	703	2.4	1.9	1.4	9.8	7.9
.1	Ages 2 years and over	1,351	551	551	144	105	0.8	0.8	0.8	1.7	1.2
572	Chronic enteritis and ulcerative colitis	2,343	1,072	1,152	57	62	1.5	1.5	1.6	0.7	0.7
.0	Regional enteritis	113	52	52	5	4	0.1	0.1	0.1	0.1	0.0
.1	Diverticulitis	1,357	654	664	16	23	0.8	0.9	0.9	0.2	0.3
.2	Ulcerative colitis	750	311	385	24	30	0.5	0.4	0.5	0.3	0.3
.3	Other	123	55	51	12	5	0.1	0.1	0.1	0.1	0.1
573	Functional disorders of intestines	34	11	16	2	5	0.0	0.0	0.0	0.0	0.1
574	Anal fissure and fistula	12	8	3	1	-	0.0	0.0	0.0	0.0	0
575	Abscess of anal and rectal regions	76	43	13	12	8	0.0	0.1	0.0	0.1	0.1
576	Peritonitis	555	255	207	36	57	0.3	0.4	0.3	0.4	0.6
577	Peritoneal adhesion	67	20	38	5	4	0.0	0.0	0.1	0.1	0.0
578	Other diseases of intestines and peritoneum	1,784	943	621	126	94	1.1	1.3	0.9	1.5	1.1
	Diseases of liver, gallbladder, and pancreas (580-587)										
580	Acute and subacute yellow atrophy of liver	533	233	224	33	43	0.3	0.3	0.3	0.4	0.5
581	Cirrhosis of liver	16,201	9,997	4,971	723	510	10.1	14.1	6.8	8.6	5.7
.0	Without mention of alcoholism	12,003	7,232	3,900	511	360	7.4	10.2	5.4	6.1	4.1
.1	With alcoholism	4,198	2,765	1,071	212	150	2.6	3.9	1.5	2.5	1.7
582	Suppurative hepatitis and liver abscess	116	59	41	10	6	0.1	0.1	0.1	0.1	0.1
583	Other diseases of liver	637	277	250	58	52	0.4	0.4	0.3	0.7	0.6
584	Cholelithiasis	3,864	1,431	2,311	24	98	2.4	2.0	3.2	0.3	1.1
585	Cholecystitis without mention of calculi	1,826	689	1,019	46	72	1.1	1.0	1.4	0.5	0.8
586	Other diseases of gallbladder and biliary ducts	758	289	414	22	33	0.5	0.4	0.6	0.3	0.4
587	Diseases of pancreas	1,875	988	684	117	86	1.2	1.4	0.9	1.4	1.0
.0	Acute pancreatitis	1,338	716	457	94	71	0.8	1.0	0.6	1.1	0.8
.1	Chronic pancreatitis	148	76	54	10	8	0.1	0.1	0.1	0.1	0.1
.2	Other diseases of pancreas	389	196	173	13	7	0.2	0.3	0.2	0.2	0.1

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1954—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	X. Diseases of the genito-urinary system										
	Nephritis and nephrosis (590-594)										
590	Acute nephritis	1,363	589	462	167	145	0.8	0.8	0.6	2.0	1.6
591	Nephritis with edema, including nephrosis	1,152	526	416	111	99	0.7	0.7	0.6	1.3	1.1
592	Chronic nephritis	13,781	6,026	5,174	1,392	1,189	8.5	8.5	7.1	16.6	13.4
593	Nephritis not specified as acute or chronic	3,073	1,226	1,091	374	382	1.9	1.7	1.5	4.5	4.3
594	Other renal sclerosis	219	89	68	40	22	0.1	0.1	0.1	0.5	0.2
	Other diseases of urinary system (600-609)										
600	Infections of kidney	4,300	1,806	1,773	366	355	2.7	2.5	2.4	4.4	4.0
.0	Pyelitis, pyelocystitis, and pyelonephritis	4,100	1,725	1,683	350	342	2.5	2.4	2.3	4.2	3.8
.1	Abscess of kidney and perirenal tissue	125	52	56	10	7	0.1	0.1	0.1	0.1	0.1
.2	Other	75	29	34	6	6	0.0	0.0	0.0	0.1	0.1
601	Hydronephrosis	264	130	100	19	15	0.2	0.2	0.1	0.2	0.2
602	Calculi of kidney and ureter	1,076	556	437	48	35	0.7	0.8	0.6	0.6	0.4
603	Other diseases of kidney and ureter	419	191	146	49	33	0.3	0.3	0.2	0.6	0.4
604	Calculi of other parts of urinary system	140	103	20	17	-	0.1	0.1	0.0	0.2	0
605	Cystitis	331	151	140	26	14	0.2	0.2	0.2	0.3	0.2
606	Other diseases of bladder	242	153	49	34	6	0.2	0.2	0.1	0.4	0.1
607	Urethritis (nonvenereal)	9	6	1	2	-	0.0	0.0	0.0	0.0	0
608	Stricture of urethra	217	120	4	89	4	0.1	0.2	0.0	1.1	0.0
609	Other diseases of urethra	172	93	44	24	11	0.1	0.1	0.1	0.3	0.1
	Diseases of male genital organs (610-617)										
610	Hyperplasia of prostate	6,095	5,472	...	623	...	3.8	7.7	...	7.4	...
611	Prostatitis	427	372	...	55	...	0.3	0.5	...	0.7	...
612	Other diseases of prostate	101	91	...	10	...	0.1	0.1	...	0.1	...
613	Hydrocele	26	19	...	7	...	0.0	0.0	...	0.1	...
614	Orchitis and epididymitis	12	11	...	1	...	0.0	0.0	...	0.0	...
615	Redundant prepuce and phimosis	17	12	...	5	...	0.0	0.0	...	0.1	...
617	Other diseases of male genital organs	38	30	...	8	...	0.0	0.0	...	0.1	...
	Diseases of breast, ovary, fallopian tube, and parametrium (620-626)										
620	Chronic cystic disease of breast	5	-	5	-	-	0.0	0	0.0	0	0
621	Other diseases of breast	11	2	4	1	4	0.0	0.0	0.0	0.0	0.0
622	Acute salpingitis and oophoritis	11	...	7	...	4	0.0	...	0.0	...	0.0
623	Chronic salpingitis and oophoritis	10	...	3	...	7	0.0	...	0.0	...	0.1
624	Salpingitis and oophoritis, unqualified	106	...	34	...	72	0.1	...	0.0	...	0.8
625	Other diseases of ovary and fallopian tube	37	...	23	...	14	0.0	...	0.0	...	0.2
626	Diseases of parametrium and pelvic peritoneum (female)	127	...	67	...	60	0.1	...	0.1	...	0.7
	Diseases of uterus and other female genital organs (630-637)										
630	Infective diseases of uterus, vagina, and vulva	41	...	24	...	17	0.0	...	0.0	...	0.2
631	Uterovaginal prolapse	186	...	178	...	8	0.1	...	0.2	...	0.1
632	Malposition of uterus	13	...	12	...	1	0.0	...	0.0	...	0.0
633	Other diseases of uterus	131	...	105	...	26	0.1	...	0.1	...	0.3
634	Disorders of menstruation	16	...	12	...	4	0.0	...	0.0	...	0.0
635	Menopausal symptoms	3	...	1	...	2	0.0	...	0.0	...	0.0
636	Sterility, female	1	...	1	...	-	0.0	...	0.0	...	0
637	Other diseases of female genital organs	25	...	22	...	3	0.0	...	0.0	...	0.0
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium										
	Complications of pregnancy (640-649)										
640	Pyelitis and pyelonephritis of pregnancy	7	...	5	...	2	0.0	...	0.0	...	0.0
641	Other infections of gentio-urinary tract during pregnancy	10	...	4	...	6	0.0	...	0.0	...	0.1
642	Toxemias of pregnancy	558	...	322	...	236	0.3	...	0.4	...	2.7
.0	Hypertensive disease arising during pregnancy	71	...	31	...	40	0.0	...	0.0	...	0.5
.1	Renal disease arising during pregnancy	73	...	49	...	24	0.0	...	0.1	...	0.3
.2	Preeclampsia of pregnancy	45	...	22	...	23	0.0	...	0.0	...	0.3
.3	Eclampsia of pregnancy	206	...	123	...	83	0.1	...	0.2	...	0.9
.4	Hyperemesis gravidarum	5	...	4	...	1	0.0	...	0.0	...	0.0
.5	Other	158	...	93	...	65	0.1	...	0.1	...	0.7
643	Placenta praevia	10	...	6	...	4	0.0	...	0.0	...	0.0
644	Other hemorrhage of pregnancy	13	...	4	...	9	0.0	...	0.0	...	0.1
645	Ectopic pregnancy	162	...	72	...	90	0.1	...	0.1	...	1.0
.0	Without mention of sepsis	148	...	65	...	83	0.1	...	0.1	...	0.9
.1	With sepsis	14	...	7	...	7	0.0	...	0.0	...	0.1
646	Anemia of pregnancy	6	...	3	...	3	0.0	...	0.0	...	0.0
648	Other complications arising from pregnancy	79	...	54	...	25	0.0	...	0.1	...	0.3
.1	Hydatidiform mole	3	...	3	...	-	0.0	...	0.0	...	0
.2	Placental abnormalities not classified elsewhere	13	...	9	...	4	0.0	...	0.0	...	0.0
.3	Other	63	...	42	...	21	0.0	...	0.1	...	0.2
	Abortion (650-652)										
650	Abortion without mention of sepsis or toxemia	91	...	51	...	40	0.1	...	0.1	...	0.5
.0	Spontaneous or unspecified	45	...	19	...	26	0.0	...	0.0	...	0.3
.1	Induced for medical or legal indications	8	...	4	...	4	0.0	...	0.0	...	0.0
.2	Induced for other reasons	34	...	27	...	7	0.0	...	0.0	...	0.1
.3	Other	4	...	1	...	3	0.0	...	0.0	...	0.0
651	Abortion with sepsis	170	...	91	...	79	0.1	...	0.1	...	0.9
.0	Spontaneous or unspecified	108	...	58	...	50	0.1	...	0.1	...	0.6
.1	Induced for medical or legal indications	8	...	6	...	2	0.0	...	0.0	...	0.0
.2	Induced for other reasons	51	...	26	...	25	0.0	...	0.0	...	0.3
.3	Other	3	...	1	...	2	0.0	...	0.0	...	0.0

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1954—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium—Continued										
	Abortion (650-652)—Continued										
652	Abortion with toxemia, without mention of sepsis	26	...	14	...	12	0.0	...	0.0	...	0.1
.0	Spontaneous or unspecified	15	...	6	...	9	0.0	...	0.0	...	0.1
.1	Induced for medical or legal indications	5	...	4	...	1	0.0	...	0.0	...	0.0
.2	Induced for other reasons	4	...	4	...	-	0.0	...	0.0	...	0
.3	Other	2	...	-	...	2	0.0	...	0	...	0.0
	Delivery without complication (660)										
660	Delivery without complication	93	...	55	...	38	0.1	...	0.1	...	0.4
	Delivery with specified complication (670-678)										
670	Delivery complicated by placenta praevia or antepartum hemorrhage	176	...	115	...	61	0.1	...	0.2	...	0.7
671	Delivery complicated by retained placenta	33	...	18	...	15	0.0	...	0.0	...	0.2
672	Delivery complicated by other postpartum hemorrhage	183	...	116	...	67	0.1	...	0.2	...	0.8
673	Delivery complicated by abnormality of bony pelvis	3	...	1	...	2	0.0	...	0.0	...	0.0
674	Delivery complicated by disproportion or malposition of fetus	33	...	23	...	10	0.0	...	0.0	...	0.1
675	Delivery complicated by prolonged labor of other origin	34	...	27	...	7	0.0	...	0.0	...	0.1
677	Delivery with other trauma	75	...	53	...	22	0.0	...	0.1	...	0.2
678	Delivery with other complications of childbirth	36	...	31	...	5	0.0	...	0.0	...	0.1
	Complications of the puerperium (680-689)										
680	Puerperal urinary infection without other sepsis	1	...	1	...	-	0.0	...	0.0	...	0
681	Sepsis of childbirth and the puerperium	55	...	34	...	21	0.0	...	0.0	...	0.2
682	Puerperal phlebitis and thrombosis	46	...	38	...	8	0.0	...	0.1	...	0.1
684	Puerperal pulmonary embolism	104	...	75	...	29	0.1	...	0.1	...	0.3
685	Puerperal eclampsia	46	...	28	...	18	0.0	...	0.0	...	0.2
686	Other forms of puerperal toxemia	11	...	5	...	6	0.0	...	0.0	...	0.1
687	Cerebral hemorrhage in the puerperium	24	...	19	...	5	0.0	...	0.0	...	0.1
688	Other and unspecified complications of the puerperium	19	...	14	...	5	0.0	...	0.0	...	0.1
689	Mastitis and other disorders of lactation	1	...	1	...	-	0.0	...	0.0	...	0
	XII. Diseases of the skin and cellular tissue										
	Infections of skin and subcutaneous tissue (690-698)										
690	Boil and carbuncle	44	30	9	3	2	0.0	0.0	0.0	0.0	0.0
691	Cellulitis of finger and toe	2	2	-	-	-	0.0	0.0	0	0	0
692	Other cellulitis and abscess without mention of lymphangitis	217	104	78	18	17	0.1	0.1	0.1	0.2	0.2
693	Other cellulitis and abscess with lymphangitis	10	4	4	1	1	0.0	0.0	0.0	0.0	0.0
694	Acute lymphadenitis	2	2	-	-	-	0.0	0.0	0	0	0
695	Impetigo	6	2	3	1	-	0.0	0.0	0.0	0.0	0
698	Other local infections of skin and subcutaneous tissue	54	18	25	4	7	0.0	0.0	0.0	0.0	0.1
	Other diseases of skin and subcutaneous tissue (700-716)										
701	Eczema	16	8	2	3	3	0.0	0.0	0.0	0.0	0.0
702	Occupational dermatitis	1	1	-	-	-	0.0	0.0	0	0	0
703	Other dermatitis	30	15	7	3	5	0.0	0.0	0.0	0.0	0.1
704	Pemphigus	150	67	65	6	12	0.1	0.1	0.1	0.1	0.1
705	Erythematous conditions	305	88	161	12	44	0.2	0.1	0.2	0.1	0.5
706	Psoriasis and similar disorders	12	7	5	-	-	0.0	0.0	0.0	0	0
708	Pruritus and related conditions	7	4	1	-	2	0.0	0.0	0.0	0	0.0
709	Corns and callosities	1	1	-	-	-	0.0	0.0	0	0	0
710	Other hypertrophic and atrophic conditions of skin	242	70	139	12	21	0.2	0.1	0.2	0.1	0.2
711	Other dermatoses	2	-	2	-	-	0.0	0	0.0	0	0
712	Diseases of nail	3	2	-	1	-	0.0	0.0	0	0.0	0
713	Diseases of hair and hair follicles	3	1	1	1	-	0.0	0.0	0.0	0.0	0
714	Diseases of sweat and sebaceous glands	3	-	2	1	-	0.0	0	0.0	0.0	0
715	Chronic ulcer of skin	182	56	92	18	16	0.1	0.1	0.1	0.2	0.2
716	Other diseases of skin	8	-	6	1	1	0.0	0	0.0	0.0	0.0
	XIII. Diseases of the bones and organs of movement										
	Arthritis and rheumatism, except rheumatic fever (720-727)										
720	Acute arthritis due to pyogenic organisms	25	8	9	4	4	0.0	0.0	0.0	0.0	0.0
721	Acute nonpyogenic arthritis	1	-	1	-	-	0.0	0	0.0	0	0
722	Rheumatoid arthritis and allied conditions	822	258	489	29	46	0.5	0.4	0.7	0.3	0.5
.0	Rheumatoid arthritis	813	255	487	26	45	0.5	0.4	0.7	0.3	0.5
.1	Spondylitis ankylopoietica	8	3	1	3	1	0.0	0.0	0.0	0.0	0.0
.2	Chronic rheumatoid nodular fibrositis	1	-	1	-	-	0.0	0	0.0	0	0
723	Osteo-arthritis (arthrosis) and allied conditions	342	111	207	12	12	0.2	0.2	0.3	0.1	0.1
.0	Osteo-arthritis (arthrosis)	326	100	203	12	11	0.2	0.1	0.3	0.1	0.1
.1	Spondylitis osteo-arthritica (spondylarthrosis)	16	11	4	-	1	0.0	0.0	0.0	0	0.0
724	Other specified forms of arthritis	15	6	7	1	1	0.0	0.0	0.0	0.0	0.0
725	Arthritis, unspecified	291	96	152	22	21	0.2	0.1	0.2	0.3	0.2
726	Muscular rheumatism	20	6	12	-	2	0.0	0.0	0.0	0	0.0
727	Rheumatism unspecified	35	9	16	5	5	0.0	0.0	0.0	0.1	0.1
	Osteomyelitis and other diseases of bone and joint (730-738)										
730	Osteomyelitis and periostitis	158	84	46	16	12	0.1	0.1	0.1	0.2	0.1
.0	Acute osteomyelitis	8	4	-	3	1	0.0	0.0	0	0.0	0.0
.1	Chronic osteomyelitis	60	37	16	5	2	0.0	0.1	0.0	0.1	0.0
.2	Unspecified osteomyelitis	89	43	30	8	8	0.1	0.1	0.0	0.1	0.1
.3	Periostitis without mention of osteomyelitis	1	-	-	-	1	0.0	0	0	0	0.0

385053 O - 56 - 3

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1954—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII. Diseases of the bones and organs of movement—Continued										
	Osteomyelitis and other diseases of bone and joint (730-738)—Continued										
731	Osteitis deformans	107	47	49	5	6	0.1	0.1	0.1	0.1	0.1
732	Osteochondrosis	2	1	1	-	-	0.0	0.0	0.0	0	0
733	Other diseases of bone	150	59	77	7	7	0.1	0.1	0.1	0.1	0.1
734	Internal derangement of knee joint	2	2	-	-	-	0.0	0.0	0	0	0
735	Displacement of intervertebral disc	70	39	24	4	3	0.0	0.1	0.0	0.0	0.0
736	Affection of sacro-iliac joint	3	-	2	1	-	0.0	0	0.0	0.0	0
737	Ankylosis of joint	10	7	3	-	-	0.0	0.0	0.0	0	0
738	Other diseases of joint	17	8	7	1	1	0.0	0.0	0.0	0.0	0.0
	Other diseases of musculoskeletal system (740-749)										
740	Bunion	1	-	1	-	-	0.0	0	0.0	0	0
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	5	3	2	-	-	0.0	0.0	0.0	0	0
743	Infective myositis and other inflammatory diseases of tendon and fascia	1	-	-	-	1	0.0	0	0	0	0.0
744	Other diseases of muscle, tendon, and fascia	739	403	284	30	22	0.5	0.6	0.4	0.4	0.2
.0	Myasthenia gravis	206	76	113	6	11	0.1	0.1	0.2	0.1	0.1
.1	Inborn defect of muscle	485	305	150	21	9	0.3	0.4	0.2	0.3	0.1
.2	Other	48	22	21	3	2	0.0	0.0	0.0	0.0	0.0
745	Curvature of spine	67	21	44	2	-	0.0	0.0	0.1	0.0	0
748	Clubfoot	6	5	1	-	-	0.0	0.0	0.0	0	0
749	Other deformities	18	9	7	1	1	0.0	0.0	0.0	0.0	0.0
	XIV. Congenital malformations										
	Congenital malformations (750-759)										
750	Monstrosity	1,024	384	569	31	40	0.6	0.5	0.8	0.4	0.5
751	Spina bifida and meningocele	1,530	622	817	48	43	0.9	0.9	1.1	0.6	0.5
752	Congenital hydrocephalus	1,749	794	756	119	80	1.1	1.1	1.0	1.4	0.9
753	Other congenital malformations of nervous system and sense organs	725	342	316	34	33	0.4	0.5	0.4	0.4	0.4
.0	Congenital cataract	2	2	-	-	-	0.0	0.0	0	0	0
.1	Other	723	340	316	34	33	0.4	0.5	0.4	0.4	0.4
754	Congenital malformations of circulatory system	9,040	4,536	3,517	532	455	5.6	6.4	4.6	6.3	5.1
.0	Tetralogy of Fallot	415	194	185	23	13	0.3	0.3	0.3	0.3	0.1
.1	Patent ductus arteriosus (Botalli)	451	220	189	21	21	0.3	0.3	0.3	0.3	0.2
.2	Interventricular septal defect	569	261	254	21	33	0.4	0.4	0.3	0.3	0.4
.3	Interauricular septal defect	597	279	257	35	26	0.4	0.4	0.4	0.4	0.3
.4	Other and unspecified malformations of heart	6,039	3,020	2,307	379	333	3.7	4.3	3.2	4.5	3.7
.5	Coarctation of aorta	265	167	86	8	4	0.2	0.2	0.1	0.1	0.0
.6	Other circulatory malformations	704	395	239	45	25	0.4	0.6	0.3	0.5	0.3
755	Cleft palate and harelip	145	71	61	9	4	0.1	0.1	0.1	0.1	0.0
756	Congenital malformations of digestive system	2,447	1,267	872	165	143	1.5	1.8	1.2	2.0	1.6
.0	Congenital hypertrophic pyloric stenosis	158	100	26	23	9	0.1	0.1	0.0	0.3	0.1
.1	Imperforate anus	163	96	42	17	8	0.1	0.1	0.1	0.2	0.1
.2	Other	2,126	1,071	804	125	126	1.3	1.5	1.1	1.5	1.4
757	Congenital malformations of genito-urinary system	1,565	840	575	112	38	1.0	1.2	0.8	1.3	0.4
.0	Undescended testicle	4	4	...	-	...	0.0	0.0	...	0	...
.1	Polycystic disease of kidney	954	461	400	63	30	0.6	0.6	0.5	0.8	0.3
.2	Congenital malformations of external genital organs	21	14	4	2	1	0.0	0.0	0.0	0.0	0.0
.3	Other	586	361	171	47	7	0.4	0.5	0.2	0.6	0.1
758	Congenital malformations of bone and joint	354	162	147	29	16	0.2	0.2	0.2	0.3	0.2
759	Other and unspecified congenital malformations, not elsewhere classified	1,502	744	537	128	93	0.9	1.0	0.7	1.5	1.0
.0	Of respiratory system	502	269	164	45	24	0.3	0.4	0.2	0.5	0.3
.1	Of skin	25	6	15	3	1	0.0	0.0	0.0	0.0	0.0
.2	Of muscle	122	62	48	6	6	0.1	0.1	0.1	0.1	0.1
.3	Other and unspecified	853	407	310	74	62	0.5	0.6	0.4	0.9	0.7
	XV. Certain diseases of early infancy										
	Birth injuries, asphyxia, and infections of newborn (760-769)										
760	Intracranial and spinal injury at birth	4,401	2,250	1,228	545	378	2.7	3.2	1.7	6.5	4.3
.0	Without mention of immaturity	2,956	1,518	841	350	247	1.8	2.1	1.2	4.2	2.8
.5	With immaturity	1,445	732	387	195	131	0.9	1.0	0.5	2.3	1.5
761	Other birth injury	6,851	3,595	2,398	471	387	4.3	5.1	3.3	5.6	4.4
.0	Without mention of immaturity	2,147	1,055	716	221	155	1.3	1.5	1.0	2.6	1.7
.5	With immaturity	4,704	2,540	1,682	250	232	2.9	3.6	2.3	3.0	2.6
762	Postnatal asphyxia and atelectasis	17,390	8,587	5,587	1,835	1,381	10.8	12.1	7.7	21.9	15.5
.0	Without mention of immaturity	5,843	2,823	1,856	670	500	3.6	4.0	2.5	8.0	5.6
.5	With immaturity	11,541	5,764	3,731	1,165	881	7.2	8.1	5.1	13.9	9.9
763	Pneumonia of newborn	3,140	1,274	879	565	422	1.9	1.8	1.2	6.7	4.7
.0	Without mention of immaturity	2,085	837	548	397	303	1.3	1.2	0.8	4.7	3.4
.5	With immaturity	1,055	437	331	168	119	0.7	0.6	0.5	2.0	1.3
764	Diarrhea of newborn	700	254	172	142	132	0.4	0.4	0.2	1.7	1.5
.0	Without mention of immaturity	531	195	129	110	97	0.3	0.3	0.2	1.3	1.1
.5	With immaturity	169	59	43	32	35	0.1	0.1	0.1	0.4	0.4
765	Ophthalmia neonatorum	3	1	1	1	-	0.0	0.0	0.0	0.0	0
.0	Without mention of immaturity	1	-	1	-	-	0.0	0	0.0	0	0
.5	With immaturity	2	1	-	1	-	0.0	0.0	0	0.0	0
766	Pemphigus neonatorum	33	16	7	5	5	0.0	0.0	0.0	0.1	0.1
.0	Without mention of immaturity	25	12	7	3	3	0.0	0.0	0.0	0.0	0.0
.5	With immaturity	8	4	-	2	2	0.0	0.0	0	0.0	0.0
767	Umbilical sepsis	87	31	17	23	16	0.1	0.0	0.0	0.3	0.2
.0	Without mention of immaturity	76	28	16	18	14	0.0	0.0	0.0	0.2	0.2
.5	With immaturity	11	3	1	5	2	0.0	0.0	0.0	0.1	0.0
768	Other sepsis of newborn	398	168	117	64	49	0.2	0.2	0.2	0.8	0.6
.0	Without mention of immaturity	248	120	66	38	24	0.2	0.2	0.1	0.5	0.3
.5	With immaturity	150	48	51	26	25	0.1	0.1	0.1	0.3	0.3

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1954—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XV. Certain diseases of early infancy—Continued										
	Birth injuries, asphyxia, and infections of newborn (760-769)—Continued										
769	Neonatal disorders arising from maternal toxemia	404	193	114	57	40	0.3	0.3	0.2	0.7	0.5
.0-.4	Without mention of immaturity	212	95	55	36	26	0.1	0.1	0.1	0.4	0.3
.0	Attributed to "toxemia of pregnancy"	159	65	37	31	26	0.1	0.1	0.1	0.4	0.3
.1	Attributed to maternal diabetes	41	25	14	2	-	0.0	0.0	0.0	0.0	0
.2	Attributed to maternal rubella	1	1	-	-	-	0.0	0.0	0	0	0
.3	Attributed to toxoplasmosis	1	-	1	-	-	0.0	0	0.0	0	0
.4	Attributed to other or unspecified maternal toxemia	10	4	3	3	-	0.0	0.0	0.0	0.0	0
.5-.9	With immaturity	192	98	59	21	14	0.1	0.1	0.1	0.3	0.2
.5	Attributed to "toxemia of pregnancy"	151	70	46	21	14	0.1	0.1	0.1	0.3	0.2
.6	Attributed to maternal diabetes	32	21	11	-	-	0.0	0.0	0.0	0	0
.8	Attributed to toxoplasmosis, with immaturity	1	-	1	-	-	0.0	0	0.0	0	0
.9	Attributed to other or unspecified maternal toxemia	8	7	1	-	-	0.0	0.0	0.0	0	0
	Other diseases peculiar to early infancy (770-776)										
770	Hemolytic disease of newborn (erythroblastosis)	2,498	1,284	1,038	92	84	1.5	1.8	1.4	1.1	0.9
.0	Erythroblastosis, without mention of nervous affection or immaturity	1,850	945	781	69	55	1.1	1.3	1.1	0.8	0.6
.1	Kernicterus, without mention of immaturity	159	95	49	8	7	0.1	0.1	0.1	0.1	0.1
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	10	4	5	-	1	0.0	0.0	0.0	0	0.0
.5	Erythroblastosis, without mention of nervous affection but with immaturity	444	219	193	13	19	0.3	0.3	0.3	0.2	0.2
.6	Kernicterus, with immaturity	34	20	10	2	2	0.0	0.0	0.0	0.0	0.0
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	1	1	-	-	-	0.0	0.0	0	0	0
771	Hemorrhagic disease of newborn	847	395	251	121	80	0.5	0.6	0.3	1.4	0.9
.0	Without mention of immaturity	535	230	167	84	54	0.3	0.3	0.2	1.0	0.6
.5	With immaturity	312	165	84	37	26	0.2	0.2	0.1	0.4	0.3
772	Nutritional maladjustment	622	178	121	202	121	0.4	0.3	0.2	2.4	1.4
.0	Without mention of immaturity	424	130	77	143	74	0.3	0.2	0.1	1.7	0.8
.5	With immaturity	198	48	44	59	47	0.1	0.1	0.1	0.7	0.5
773	Ill-defined diseases peculiar to early infancy	2,704	1,133	845	421	305	1.7	1.6	1.2	5.0	3.4
.0	Without mention of immaturity	574	210	137	142	85	0.4	0.3	0.2	1.7	1.0
.5	With immaturity	2,130	923	708	279	220	1.3	1.3	1.0	3.3	2.5
774	Immaturity with mention of any other subsidiary condition	1,653	731	563	196	163	1.0	1.0	0.8	2.3	1.8
776	Immaturity unqualified	21,755	9,467	7,097	2,839	2,352	13.5	13.3	9.7	33.8	26.5
	XVI. Symptoms, senility, and ill-defined conditions										
	Symptoms referable to systems or organs (780-789)										
780	Certain symptoms referable to nervous system and special senses	137	55	37	28	17	0.1	0.1	0.1	0.3	0.2
.0	Coma and stupor	20	7	8	3	2	0.0	0.0	0.0	0.0	0.0
.2	Convulsions	104	40	29	22	13	0.1	0.1	0.0	0.3	0.1
.3	Jacksonian epilepsy	5	3	-	2	-	0.0	0.0	0	0.0	0
.4-.9	Other specified symptoms referable to nervous system and special senses	8	5	-	1	2	0.0	0.0	0	0.0	0.0
781	Other symptoms referable to nervous system and special senses	16	4	8	2	2	0.0	0.0	0.0	0.0	0.0
782	Symptoms referable to cardiovascular and lymphatic system	2,064	1,087	581	220	176	1.3	1.5	0.8	2.6	2.0
.0	Precordial pain	2	-	1	1	-	0.0	0	0.0	0.0	0
.1	Palpitation	1	1	-	-	-	0.0	0.0	0	0	0
.2	Tachycardia	6	1	5	-	-	0.0	0.0	0.0	0	0
.3	Pallor and cyanosis (not of newborn)	2	-	2	-	-	0.0	0	0.0	0	0
.4	Acute heart failure, undefined	1,965	1,057	540	205	163	1.2	1.5	0.7	2.4	1.8
.5	Syncope or collapse	17	5	10	1	1	0.0	0.0	0.0	0.0	0.0
.6	Edema and dropsy (not of newborn)	26	6	4	9	7	0.0	0.0	0.0	0.1	0.1
.8	Splenomegaly	5	1	4	-	-	0.0	0.0	0.0	0	0
.9	Shock without mention of trauma	40	16	15	4	5	0.0	0.0	0.0	0.0	0.1
783	Symptoms referable to respiratory system	200	94	46	40	20	0.1	0.1	0.1	0.5	0.2
.0	Epistaxis	10	7	1	-	2	0.0	0.0	0.0	0	0.0
.1	Hemoptysis	168	77	40	34	17	0.1	0.1	0.1	0.4	0.2
.2	Dyspnea	7	2	-	4	1	0.0	0.0	0	0.0	0.0
.3-.7	Other symptoms referable to respiratory system	15	8	5	2	-	0.0	0.0	0.0	0.0	0
784	Symptoms referable to upper gastro-intestinal tract	171	96	48	12	15	0.1	0.1	0.1	0.1	0.2
785	Symptoms referable to abdomen and lower gastro-intestinal system	159	39	54	31	35	0.1	0.1	0.1	0.4	0.4
.2	Jaundice	70	19	26	16	9	0.0	0.0	0.0	0.2	0.1
.6	Diarrhea, age 2 years and over	53	11	22	5	15	0.0	0.0	0.0	0.1	0.2
.0,.1, .3-.5, .7-.9	Other symptoms referable to abdomen and lower gastro-intestinal system	36	9	6	10	11	0.0	0.0	0.0	0.1	0.1
786	Symptoms referable to genito-urinary system	39	20	6	9	4	0.0	0.0	0.0	0.1	0.0
787	Symptoms referable to limbs and back	2	-	-	2	-	0.0	0	0	0.0	0
788	Other general symptoms	134	46	33	24	31	0.1	0.1	0.0	0.3	0.3
.0-.5	Other specified general symptoms	23	8	5	6	4	0.0	0.0	0.0	0.1	0.0
.6	Acidosis	21	8	4	6	3	0.0	0.0	0.0	0.1	0.0
.7	Alkalosis	1	-	-	-	1	0.0	0	0	0	0.0
.8	Pyrexia of unknown origin	86	29	24	11	22	0.1	0.0	0.0	0.1	0.2
.9	Other specified symptoms not classifiable elsewhere	3	1	-	1	1	0.0	0.0	0	0.0	0.0
789	Abnormal urinary constituents of unspecified cause	5	2	2	1	-	0.0	0.0	0.0	0.0	0
	Senility and ill-defined diseases (790-795)										
790	Nervousness and debility	47	16	17	8	6	0.0	0.0	0.0	0.1	0.1
791	Headache	2	2	-	-	-	0.0	0.0	0	0	0
792	Uremia, unqualified	518	265	138	75	40	0.3	0.4	0.2	0.9	0.5
794	Senility without mention of psychosis	3,829	1,390	1,811	279	349	2.4	2.0	2.5	3.3	3.9

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1954—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVI. Symptoms, senility, and ill-defined conditions—Continued										
	Senility and ill-defined diseases (790-795)—Continued										
795	Ill-defined and unknown causes of mortality	12,886	5,035	2,426	3,093	2,332	8.0	7.1	3.3	36.8	26.2
.0	Other ill-defined conditions	716	297	198	144	77	0.4	0.4	0.3	1.7	0.9
.2	Sudden death (cause unknown)	464	206	82	107	69	0.3	0.3	0.1	1.3	0.8
.3	Found dead (cause unknown)	411	194	70	91	56	0.3	0.3	0.1	1.1	0.6
.4	Died without sign of disease	3,960	1,848	693	818	601	2.5	2.6	1.0	9.7	6.8
.5	Other, unknown, and unspecified causes	7,335	2,490	1,383	1,933	1,529	4.6	3.5	1.9	23.0	17.2
	XVII. Accidents, poisonings, and violence										
	Railway accidents (E800-E802)										
E800	Railway accident involving railroad employee	215	204	-	11	-	0.1	0.3	0	0.1	0
E801	Railway accident involving passenger	31	19	3	8	1	0.0	0.0	0.0	0.1	0.0
E802	Railway accident involving other and unspecified person	1,101	778	107	196	20	0.7	1.1	0.1	2.3	0.2
	Motor-vehicle traffic accidents (E810-E825)										
E810	Motor-vehicle traffic accident involving collision with railway train	1,269	842	330	71	26	0.8	1.2	0.5	0.8	0.3
E811	Motor-vehicle traffic accident involving collision with streetcar	28	14	5	5	4	0.0	0.0	0.0	0.1	0.0
E812	Motor-vehicle traffic accident to pedestrian	7,343	4,613	1,631	813	286	4.6	6.5	2.2	9.7	3.2
E813	Motor-vehicle traffic accident to pedal cyclist	331	279	28	22	2	0.2	0.4	0.0	0.3	0.0
E814	Motor-vehicle traffic accident to rider or passenger of motorcycle, in collision with nonmotor vehicle or object	28	26	1	1	-	0.0	0.0	0.0	0.0	0
E815	Motor-vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	399	361	27	10	1	0.2	0.5	0.0	0.1	0.0
E816	Other motor-vehicle traffic accident involving two or more motor vehicles	9,580	5,969	2,692	663	256	5.9	8.4	3.7	7.9	2.9
E817	Motor-vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle	1	1	-	-	-	0.0	0.0	0	0	0
E818	Motor-vehicle traffic accident involving collision with animal or animal-drawn vehicle	58	30	11	17	-	0.0	0.0	0.0	0.2	0
E819	Motor-vehicle traffic accident involving collision with fixed or unspecified object	1,931	1,290	443	142	56	1.2	1.8	0.6	1.7	0.6
E820	Motor-vehicle traffic accident while boarding and alighting	28	10	15	1	2	0.0	0.0	0.0	0.0	0.0
E821	Motor-vehicle traffic accident to rider of motorcycle not involving collision	267	240	16	9	2	0.2	0.3	0.0	0.1	0.0
E822	Motor-vehicle traffic accident involving overturning in roadway	1,514	1,076	217	190	31	0.9	1.5	0.3	2.3	0.3
E823	Motor-vehicle traffic accident involving running off roadway	6,648	4,754	1,116	618	160	4.1	6.7	1.5	7.4	1.8
E824	Other noncollision motor-vehicle traffic accident	656	388	142	98	28	0.4	0.5	0.2	1.2	0.3
E825	Motor-vehicle traffic accident of unspecified nature	4,501	2,941	948	482	130	2.8	4.1	1.3	5.7	1.5
	Motor-vehicle nontraffic accidents (E830-E835)										
E830	Motor-vehicle nontraffic accident to pedestrian	636	390	174	48	24	0.4	0.5	0.2	0.6	0.3
E832	Motor-vehicle nontraffic accident to rider or passenger of motorcycle	17	15	1	1	-	0.0	0.0	0.0	0.0	0
E833	Other motor-vehicle nontraffic accident involving two or more motor vehicles	10	10	-	-	-	0.0	0.0	0	0	0
E834	Motor-vehicle nontraffic accident while boarding and alighting	12	6	6	-	-	0.0	0.0	0.0	0	0
E835	Motor-vehicle nontraffic accident of other and unspecified nature	329	256	43	23	7	0.2	0.4	0.1	0.3	0.1
	Other road-vehicle accidents (E840-E845)										
E840	Streetcar accident to pedestrian	53	25	19	3	6	0.0	0.0	0.0	0.0	0.1
E841	Other streetcar accident, except collision with motor vehicle	7	1	4	1	1	0.0	0.0	0.0	0.0	0.0
E842	Accident to pedestrian caused by pedal cycle	14	5	7	2	-	0.0	0.0	0.0	0.0	0
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	52	36	11	5	-	0.0	0.1	0.0	0.1	0
E844	Accident to pedestrian caused by other nonmotor road vehicle	11	6	1	4	-	0.0	0.0	0.0	0.0	0
E845	Other nonmotor road-vehicle accidents	229	151	33	44	1	0.1	0.2	0.0	0.5	0.0
	Water-transport accidents (E850-E858)										
E850	Submersion of occupant of small boat	1,135	928	76	115	16	0.7	1.3	0.1	1.4	0.2
E851	Other water-transport injury by submersion	150	121	8	21	-	0.1	0.2	0.0	0.3	0
E852	Fall on stairs and ladders in water transport	9	8	-	1	-	0.0	0.0	0	0.0	0
E853	Other falls from one level to another in water transport	36	31	-	5	-	0.0	0.0	0	0.1	0
E854	Falls on same level in water transport	1	1	-	-	-	0.0	0.0	0	0	0
E855	Unspecified falls in water transport	5	5	-	-	-	0.0	0.0	0	0	0
E856	Machinery accident in water transport	16	12	1	3	-	0.0	0.0	0.0	0.0	0
E857	Other specified accidents in water transport	143	124	1	18	-	0.1	0.2	0.0	0.2	0
E858	Water-transport accident of unspecified cause	3	3	-	-	-	0.0	0.0	0	0	0
	Aircraft accidents (E860-E866)										
E860	Accident to personnel in military aircraft	215	208	-	7	-	0.1	0.3	0	0.1	0
E861	Injury to occupant by accident to commerical "transport" aircraft	46	33	13	-	-	0.0	0.0	0.0	0	0
E863	Injury to occupant by accident to other aircraft	155	137	18	-	-	0.1	0.2	0.0	0	0
E864	Aircraft accident at airfield to person not in aircraft	20	16	3	1	-	0.0	0.0	0.0	0.0	0
E865	Aircraft accident elsewhere to person not in aircraft	33	21	8	2	2	0.0	0.0	0.0	0.0	0.0
E866	Other and unspecified aircraft accidents	981	920	57	4	-	0.6	1.3	0.1	0.0	0
	Accidental poisoning by solid and liquid substances (E870-E888)										
E870	Accidental poisoning by morphine and other opium derivatives	33	17	4	9	3	0.0	0.0	0.0	0.1	0.0
E871	Accidental poisoning by barbituric acid and derivatives	345	127	204	6	8	0.2	0.2	0.3	0.1	0.1
E872	Accidental poisoning by aspirin and salicylates	117	61	46	4	6	0.1	0.1	0.1	0.0	0.1
E873	Accidental poisoning by bromides	13	6	6	1	-	0.0	0.0	0.0	0.0	0
E874	Accidental poisoning by other analgesic and soporific drugs	91	49	37	3	2	0.1	0.1	0.1	0.0	0.0
E876	Accidental poisoning by strychnine	14	7	4	2	1	0.0	0.0	0.0	0.0	0.0

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1954—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued										
	Accidental poisoning by solid and liquid substances (E870-E888)—Continued										
E877	Accidental poisoning by belladonna, hyoscine, and atropine	3	-	3	-	-	0.0	0	0.0	0	0
E878	Accidental poisoning by other and unspecified drugs	85	47	19	11	8	0.1	0.1	0.0	0.1	0.1
E879	Accidental poisoning by noxious foodstuffs	8	6	1	1	-	0.0	0.0	0.0	0.0	0
E880	Accidental poisoning by alcohol	199	119	26	35	19	0.1	0.2	0.0	0.4	0.2
E881	Accidental poisoning by petroleum products	94	31	22	26	15	0.1	0.0	0.0	0.3	0.2
E882	Accidental poisoning by industrial solvents	45	32	7	3	3	0.0	0.0	0.0	0.0	0.0
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	47	16	12	12	7	0.0	0.0	0.0	0.1	0.1
E884	Accidental poisoning by mercury and its compounds	7	4	2	1	-	0.0	0.0	0.0	0.0	0
E885	Accidental poisoning by lead and its compounds	41	14	13	8	6	0.0	0.0	0.0	0.1	0.1
E886	Accidental poisoning by arsenic and antimony, and their compounds	37	18	14	3	2	0.0	0.0	0.0	0.0	0.0
E887	Accidental poisoning by fluorides	2	-	2	-	-	0.0	0	0.0	0	0
E888	Accidental poisoning by other and unspecified solid and liquid substances	158	75	38	25	20	0.1	0.1	0.1	0.3	0.2
	Accidental poisoning by gases and vapors (E890-E895)										
E890	Accidental poisoning by utility (illuminating) gas	594	332	197	40	25	0.4	0.5	0.3	0.5	0.3
E891	Accidental poisoning by motor-vehicle exhaust gas	279	224	33	19	3	0.2	0.3	0.0	0.2	0.0
E892	Accidental poisoning by other carbon monoxide gas	212	140	56	11	5	0.1	0.2	0.1	0.1	0.1
E893	Accidental poisoning by cyanide gas	8	7	-	1	-	0.0	0.0	0	0.0	0
E894	Accidental poisoning by other specified gases and vapors	107	80	19	8	-	0.1	0.1	0.0	0.1	0
E895	Accidental poisoning by unspecified gases and vapors	23	18	1	1	3	0.0	0.0	0.0	0.0	0.0
	Accidental falls (E900-E904)										
E900	Fall on stairs	2,524	1,336	1,044	96	48	1.6	1.9	1.4	1.1	0.5
E901	Fall from ladders	346	298	31	16	1	0.2	0.4	0.0	0.2	0.0
E902	Other falls from one level to another	3,921	2,337	1,207	292	85	2.4	3.3	1.7	3.5	1.0
E903	Fall on same level	4,096	1,485	2,447	78	86	2.5	2.1	3.4	0.9	1.0
E904	Unspecified falls	8,884	3,446	4,996	226	216	5.5	4.9	6.9	2.7	2.4
	Other accidents (E910-E936)										
E910	Blow from falling object	1,255	1,014	48	182	11	0.8	1.4	0.1	2.2	0.1
E911	Accident caused by vehicle	107	95	-	12	-	0.1	0.1	0	0.1	0
E912	Accident caused by machinery	2,009	1,746	93	165	5	1.2	2.5	0.1	2.0	0.1
E913	Accident caused by cutting and piercing instruments	153	77	18	39	19	0.1	0.1	0.0	0.5	0.2
E914	Accident caused by electric current	965	822	74	60	9	0.6	1.2	0.1	0.7	0.1
E915	Accident caused by explosion of pressure vessel	36	32	1	3	-	0.0	0.0	0.0	0.0	0
E916	Accident caused by fire and explosion of combustible material	6,083	2,421	1,760	951	951	3.8	3.4	2.4	11.3	10.7
E917	Accident caused by hot substance, corrosive liquid, and steam	742	308	230	104	100	0.5	0.4	0.3	1.2	1.1
E919	Accident caused by firearm	2,281	1,691	206	325	59	1.4	2.4	0.3	3.9	0.7
E920	Foreign body entering eye and adnexa	1	1	-	-	-	0.0	0.0	0	0	0
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,316	633	390	170	123	0.8	0.9	0.5	2.0	1.4
E922	Inhalation and ingestion of other object causing obstruction or suffocation	311	146	98	34	33	0.2	0.2	0.1	0.4	0.4
E923	Foreign body entering other orifice	126	67	40	13	6	0.1	0.1	0.1	0.2	0.1
E924	Accidental mechanical suffocation in bed and cradle	1,170	527	301	161	181	0.7	0.7	0.4	1.9	2.0
E925	Accidental mechanical suffocation in other and unspecifed circumstances	469	283	84	66	36	0.3	0.4	0.1	0.8	0.4
E926	Lack of care of infants under 1 year of age	53	11	11	10	21	0.0	0.0	0.0	0.1	0.2
E927	Accidents caused by bites and stings of venomous animals and insects	36	24	8	3	1	0.0	0.0	0.0	0.0	0.0
E928	Other accidents caused by animals	201	153	26	21	1	0.1	0.2	0.0	0.3	0.0
E929	Accidental drowning and submersion	5,049	3,391	687	874	97	3.1	4.8	0.9	10.4	1.1
E930	High and low air pressure	2	2	-	-	-	0.0	0.0	0	0	0
E931	Excessive heat and insolation	978	518	286	102	72	0.6	0.7	0.4	1.2	0.8
E932	Excessive cold	230	148	30	44	8	0.1	0.2	0.0	0.5	0.1
E933	Hunger, thirst, and exposure	238	119	38	63	18	0.1	0.2	0.1	0.8	0.2
E934	Cataclysm	209	117	68	12	12	0.1	0.2	0.1	0.1	0.1
E935	Lightning	220	162	20	32	6	0.1	0.2	0.0	0.4	0.1
E936	Other and unspecified accidents	1,844	1,170	371	227	76	1.1	1.6	0.5	2.7	0.9
	Complications due to nontherapeutic medical and surgical procedures (E940-E946)										
E941	Postvaccinal encephalitis	4	2	2	-	-	0.0	0.0	0.0	0	0
E942	Other complications of smallpox vaccination	3	2	-	-	1	0.0	0.0	0	0	0.0
E943	Postimmunization jaundice and hepatitis	2	2	-	-	-	0.0	0.0	0	0	0
E944	Other complications of prophylactic inoculation	10	7	1	2	-	0.0	0.0	0.0	0.0	0
E945	Complications of anesthesia for nontherapeutic purpose	8	2	5	1	-	0.0	0.0	0.0	0.0	0
E946	Other complications due to nontherapeutic medical and surgical procedures	19	9	7	-	3	0.0	0.0	0.0	0	0.0
	Therapeutic misadventure and late complications of therapeutic procedures (E950-E959)										
E950	Therapeutic misadventure in surgical treatment	317	134	125	23	35	0.2	0.2	0.2	0.3	0.4
E951	Therapeutic misadventure in infusion or transfusion	71	33	33	1	4	0.0	0.0	0.0	0.0	0.0
E952	Therapeutic misadventure in local applications	10	3	6	-	1	0.0	0.0	0.0	0	0.0
E953	Therapeutic misadventure in administration of drugs or biologicals	118	53	46	4	15	0.1	0.1	0.1	0.0	0.2
E954	Therapeutic misadventure in anesthesia	58	23	24	6	5	0.0	0.0	0.0	0.1	0.1
E955	Other and unspecified therapeutic misadventure	21	12	3	4	2	0.0	0.0	0.0	0.0	0.0
E956	Late complication of surgical operation	114	29	73	6	6	0.1	0.0	0.1	0.1	0.1
E957	Late complication of amputation stump	3	2	-	-	1	0.0	0.0	0	0	0.0
E958	Late complication of irradiation	7	-	6	-	1	0.0	0	0.0	0	0.0
E959	Late complications of other forms of treatment	3	1	2	-	-	0.0	0.0	0.0	0	0

Table 47. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1954—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued										
	Late effects of injury and poisoning (E960-E965)										
E960	Late effect of motor-vehicle accident	65	41	15	6	3	0.0	0.1	0.0	0.1	0.0
E961	Late effect of accidental poisoning	10	8	2	-	-	0.0	0.0	0.0	0	0
E962	Late effect of other accidental injury	525	272	201	37	15	0.3	0.4	0.3	0.4	0.2
E963	Late effect of self-inflicted injury	8	3	4	-	1	0.0	0.0	0.0	0	0.0
E964	Late effect of injury purposely inflicted by another person (not in war)	7	1	-	6	-	0.0	0.0	0	0.1	0
E965	Late effects of injuries due to war operations	25	23	-	2	-	0.0	0.0	0	0.0	0
	Suicide and self-inflicted injury (E970-E979)										
E970	Suicide and self-inflicted poisoning by analgesic and soporific substances	856	368	474	8	6	0.5	0.5	0.7	0.1	0.1
A	Suicide by morphine and other opium derivatives	16	8	7	1	-	0.0	0.0	0.0	0.0	0
B	Suicide by barbituric acid and derivatives	721	314	399	4	4	0.4	0.4	0.5	0.0	0.0
C	Suicide by acetylsalicylic acid	15	7	5	3	-	0.0	0.0	0.0	0.0	0
D	Suicide by methyl salicylate	3	1	2	-	-	0.0	0.0	0.0	0	0
E	Suicide by other salicylates	5	-	5	-	-	0.0	0	0.0	0	0
F	Suicide by bromides	1	1	-	-	-	0.0	0.0	0	0	0
H	Suicide by other analgesic and soporific substances	86	36	48	-	2	0.1	0.1	0.1	0	0.0
M	Suicide by unspecified drugs	9	1	8	-	-	0.0	0.0	0.0	0	0
E971	Suicide and self-inflicted poisoning by other solid and liquid substances	811	416	345	25	25	0.5	0.6	0.5	0.3	0.3
A	Suicide by poisoning with strychnine	117	68	47	2	-	0.1	0.1	0.1	0.0	0
B	Suicide by phenol compounds	42	23	18	1	-	0.0	0.0	0.0	0.0	0
C	Suicide by lye and potash	63	17	34	7	5	0.0	0.0	0.0	0.1	0.1
D	Suicide by cresol compounds	18	6	11	-	1	0.0	0.0	0.0	0	0.0
E	Suicide by mercury and its compounds	38	16	19	2	1	0.0	0.0	0.0	0.0	0.0
F	Suicide by arsenic and its compounds	103	40	57	-	6	0.1	0.1	0.1	0	0.1
G	Suicide by fluorides	29	12	15	-	2	0.0	0.0	0.0	0	0.0
H	Suicide by other and unspecified solid and liquid substances	401	234	144	13	10	0.2	0.3	0.2	0.2	0.1
E972	Suicide and self-inflicted poisoning by gases in domestic use	366	214	144	3	5	0.2	0.3	0.2	0.0	0.1
E973	Suicide and self-inflicted poisoning by other gases	1,483	1,291	184	5	3	0.9	1.8	0.3	0.1	0.0
A	Suicide by motor-vehicle exhaust gas	1,290	1,126	156	5	3	0.8	1.6	0.2	0.1	0.0
B	Suicide by other motor exhaust gas	12	12	-	-	-	0.0	0.0	0	0	0
C	Suicide by other carbon monoxide	142	124	18	-	-	0.1	0.2	0.0	0	0
D	Suicide by other poisonous gases	39	29	10	-	-	0.0	0.0	0.0	0	0
E974	Suicide and self-inflicted injury by hanging and strangulation	3,370	2,450	796	100	24	2.1	3.4	1.1	1.2	0.3
E975	Suicide and self-inflicted injury by submersion (drowning)	621	320	247	41	13	0.4	0.5	0.3	0.5	0.1
E976	Suicide and self-inflicted injury by firearms and explosives	7,539	6,457	738	310	34	4.7	9.1	1.0	3.7	0.4
E977	Suicide and self-inflicted injury by cutting and piercing instruments	466	364	76	24	2	0.3	0.5	0.1	0.3	0.0
E978	Suicide and self-inflicted injury by jumping from high place	521	319	146	39	17	0.3	0.4	0.2	0.5	0.2
E979	Suicide and self-inflicted injury by other and unspecified means	315	194	102	13	6	0.2	0.3	0.1	0.2	0.1
	Homicide and injury purposely inflicted by other persons (not in war) (E980-E985)										
E980	Nonaccidental poisoning by another person	43	20	16	4	3	0.0	0.0	0.0	0.0	0.0
E981	Assault by firearms and explosives	4,115	1,398	585	1,755	377	2.6	2.0	0.8	20.9	4.2
E982	Assault by cutting and piercing instruments	1,793	309	96	1,127	261	1.1	0.4	0.1	13.4	2.9
E983	Assault by other means	1,451	580	305	364	202	0.9	0.8	0.4	4.3	2.3
E984	Injury by intervention of police	244	130	-	112	2	0.2	0.2	0	1.3	0.0
E985	Execution	82	39	1	41	1	0.1	0.1	0.0	0.5	0.0
	Injury resulting from operations of war (E990-E999)										
E991	Injury due to war operations by gunshot	1	1	-	-	-	0.0	0.0	0	0	0

Table 47. Supplement: Deaths From Nontransport Accidents by Race, Sex, and Place of Accident: United States, 1954

(Exclusive of deaths among armed forces overseas. Includes each three-digit category from E870-E936 to which one or more deaths were assigned in 1954. Numbers under places of accident are four-digit subcategory numbers of the International List)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), RACE, AND SEX	Total	Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Accidental poisoning by solid and liquid substances (E870-E888)											
E870	Accidental poisoning by morphine and other opium derivatives	33	12	1	-	-	-	1	3	1	1	14
	White-----Male----	17	8	-	-	-	-	-	2	1	1	5
	Female--	4	1	1	-	-	-	1	-	-	-	1
	Nonwhite--Male----	9	2	-	-	-	-	-	-	-	-	7
	Female--	3	1	-	-	-	-	-	1	-	-	1
E871	Accidental poisoning by barbituric acid and derivatives	345	220	1	1	-	-	2	19	6	3	93
	White-----Male----	127	65	1	1	-	-	1	11	2	-	46
	Female--	204	148	-	-	-	-	1	8	3	2	42
	Nonwhite--Male----	6	3	-	-	-	-	-	-	1	-	2
	Female--	8	4	-	-	-	-	-	-	-	1	3
E872	Accidental poisoning by aspirin and salicylates	117	77	-	-	-	-	-	2	4	-	34
	White-----Male----	61	42	-	-	-	-	-	2	1	-	16
	Female--	46	30	-	-	-	-	-	-	2	-	14
	Nonwhite--Male----	4	3	-	-	-	-	-	-	1	-	-
	Female--	6	2	-	-	-	-	-	-	-	-	4
E873	Accidental poisoning by bromides	13	6	-	-	-	-	-	1	-	-	6
	White-----Male----	6	2	-	-	-	-	-	-	-	-	4
	Female--	6	3	-	-	-	-	-	1	-	-	2
	Nonwhite--Male----	1	1	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E874	Accidental poisoning by other analgesic and soporific drugs	91	54	-	-	-	-	-	5	5	2	25
	White-----Male----	49	28	-	-	-	-	-	5	2	1	13
	Female--	37	24	-	-	-	-	-	-	2	1	10
	Nonwhite--Male----	3	-	-	-	-	-	-	-	1	-	2
	Female--	2	2	-	-	-	-	-	-	-	-	-
E876	Accidental poisoning by strychnine	14	11	-	-	-	-	-	-	-	1	2
	White-----Male----	7	6	-	-	-	-	-	-	-	-	1
	Female--	4	3	-	-	-	-	-	-	-	1	-
	Nonwhite--Male----	2	1	-	-	-	-	-	-	-	-	1
	Female--	1	1	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by belladonna, hyoscine, and atropine	3	2	-	-	-	-	-	-	-	-	1
	White-----Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	3	2	-	-	-	-	-	-	-	-	1
	Nonwhite--Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs	85	49	-	-	-	1	-	2	1	1	31
	White-----Male----	47	25	-	-	-	1	-	2	-	1	18
	Female--	19	13	-	-	-	-	-	-	-	-	6
	Nonwhite--Male----	11	6	-	-	-	-	-	-	1	-	4
	Female--	8	5	-	-	-	-	-	-	-	-	3
E879	Accidental poisoning by noxious foodstuffs	8	2	-	-	-	-	-	-	-	-	6
	White-----Male----	6	1	-	-	-	-	-	-	-	-	5
	Female--	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--Male----	1	-	-	-	-	-	-	-	-	-	1
	Female--	-	-	-	-	-	-	-	-	-	-	-
E880	Accidental poisoning by alcohol	199	69	3	-	1	3	3	3	2	7	108
	White-----Male----	119	31	3	-	1	2	3	3	2	5	69
	Female--	26	14	-	-	-	1	-	-	-	-	11
	Nonwhite--Male----	35	11	-	-	-	-	-	-	-	2	22
	Female--	19	13	-	-	-	-	-	-	-	-	6
E881	Accidental poisoning by petroleum products	94	66	2	-	-	-	1	1	-	1	23
	White-----Male----	31	20	-	-	-	-	1	-	-	-	10
	Female--	22	11	2	-	-	-	-	1	-	-	8
	Nonwhite--Male----	26	21	-	-	-	-	-	-	-	1	4
	Female--	15	14	-	-	-	-	-	-	-	-	1
E882	Accidental poisoning by industrial solvents	45	23	-	-	2	-	1	-	4	1	14
	White-----Male----	32	16	-	-	2	-	1	-	3	1	9
	Female--	7	4	-	-	-	-	-	-	-	-	3
	Nonwhite--Male----	3	1	-	-	-	-	-	-	1	-	1
	Female--	3	2	-	-	-	-	-	-	-	-	1
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	47	28	-	-	1	-	-	2	-	1	15
	White-----Male----	16	11	-	-	1	-	-	2	-	-	2
	Female--	12	7	-	-	-	-	-	-	-	-	5
	Nonwhite--Male----	12	6	-	-	-	-	-	-	-	1	5
	Female--	7	4	-	-	-	-	-	-	-	-	3
E884	Accidental poisoning by mercury and its compounds	7	3	-	-	-	-	-	-	1	-	3
	White-----Male----	4	2	-	-	-	-	-	-	-	-	2
	Female--	2	-	-	-	-	-	-	-	1	-	1
	Nonwhite--Male----	1	1	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E885	Accidental poisoning by lead and its compounds	41	14	-	-	1	-	-	-	1	-	25
	White-----Male----	14	3	-	-	1	-	-	-	-	-	10
	Female--	13	6	-	-	-	-	-	-	1	-	6
	Nonwhite--Male----	8	1	-	-	-	-	-	-	-	-	7
	Female--	6	4	-	-	-	-	-	-	-	-	2
E886	Accidental poisoning by arsenic and antimony, and their compounds	37	26	2	-	-	-	-	-	-	-	9
	White-----Male----	18	12	2	-	-	-	-	-	-	-	4
	Female--	14	11	-	-	-	-	-	-	-	-	3
	Nonwhite--Male----	3	3	-	-	-	-	-	-	-	-	-
	Female--	2	-	-	-	-	-	-	-	-	-	2
E887	Accidental poisoning by fluorides	2	1	-	-	-	-	-	-	-	-	1
	White-----Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	2	1	-	-	-	-	-	-	-	-	1
	Nonwhite--Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-

See footnotes on p. 36.

Table 47. Supplement: Deaths From Nontransport Accidents by Race, Sex, and Place of Accident: United States, 1954—Continued

(See headnote on p. 33)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), RACE, AND SEX	Total	Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Accidental poisoning by solid and liquid substances (E870-E888)—Con.											
E888	Accidental poisoning by other and unspecified solid and liquid substances	158	79	4	-	3	1	-	2	1	4	64
	White-----Male----	75	38	3	-	3	-	-	1	1	3	26
	Female--	38	21	-	-	-	1	-	-	-	-	16
	Nonwhite--Male----	25	12	1	-	-	-	-	1	-	1	10
	Female--	20	8	-	-	-	-	-	-	-	-	12
	Accidental poisoning by gases and vapors (E890-E895)											
E890	Accidental poisoning by utility (illuminating) gas	594	541	3	-	-	2	4	31	1	5	7
	White-----Male----	332	288	3	-	-	2	4	26	1	3	5
	Female--	197	191	-	-	-	-	-	3	-	1	2
	Nonwhite--Male----	40	38	-	-	-	-	-	1	-	1	-
	Female--	25	24	-	-	-	-	-	1	-	-	-
E891	Accidental poisoning by motor-vehicle exhaust gas	279	152	9	1	33	-	37	10	-	21	16
	White-----Male----	224	131	7	1	25	-	29	9	-	12	10
	Female--	33	13	-	-	3	-	6	1	-	6	4
	Nonwhite--Male----	19	7	1	-	5	-	1	-	-	3	2
	Female--	3	1	1	-	-	-	1	-	-	-	-
E892	Accidental poisoning by other carbon monoxide gas	212	147	6	4	14	-	3	6	-	5	27
	White-----Male----	140	91	6	4	13	-	-	3	-	5	18
	Female--	56	45	-	-	-	-	-	3	-	-	8
	Nonwhite--Male----	11	7	-	-	1	-	2	-	-	-	1
	Female--	5	4	-	-	-	-	1	-	-	-	-
E893	Accidental poisoning by cyanide gas	8	2	-	-	3	-	-	1	-	2	-
	White-----Male----	7	1	-	-	3	-	-	1	-	2	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male----	1	1	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E894	Accidental poisoning by other specified gases and vapors	107	30	9	3	28	3	1	4	4	12	13
	White-----Male----	80	17	6	3	27	3	1	3	3	9	8
	Female--	19	9	1	-	-	-	-	-	1	3	5
	Nonwhite--Male----	8	4	2	-	1	-	-	1	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E895	Accidental poisoning by unspecified gases and vapors	23	13	3	-	5	-	-	-	-	-	2
	White-----Male----	18	9	3	-	5	-	-	-	-	-	1
	Female--	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--Male----	1	1	-	-	-	-	-	-	-	-	-
	Female--	3	2	-	-	-	-	-	-	-	-	1
	Accidental falls (E900-E904)											
E900	Fall on stairs	2,524	2,014	2	-	11	3	19	241	66	75	93
	White-----Male----	1,336	1,015	2	-	10	2	12	179	30	43	43
	Female--	1,044	880	-	-	-	1	5	56	35	25	42
	Nonwhite--Male----	96	75	-	-	1	-	2	5	1	7	5
	Female--	48	44	-	-	-	-	-	1	-	-	3
E901	Fall from ladders	346	194	17	2	43	-	6	23	3	34	24
	White-----Male----	298	159	15	1	42	-	6	21	3	29	22
	Female--	31	25	2	-	-	-	-	2	-	-	2
	Nonwhite--Male----	16	9	-	1	1	-	-	-	-	5	-
	Female--	1	1	-	-	-	-	-	-	-	-	-
E902	Other falls from one level to another	3,921	1,780	140	32	246	38	113	224	647	514	187
	White-----Male----	2,337	821	121	31	226	33	85	185	329	401	105
	Female--	1,207	748	9	-	2	3	11	24	291	52	67
	Nonwhite--Male----	292	147	10	1	18	2	15	11	18	58	12
	Female--	85	64	-	-	-	-	2	4	9	3	3
E903	Fall on same level	4,096	2,639	27	3	27	13	573	75	581	60	98
	White-----Male----	1,485	721	17	3	22	10	368	45	219	31	29
	Female--	2,447	1,831	8	-	-	2	143	27	349	27	60
	Nonwhite--Male----	78	22	2	-	5	1	33	3	5	2	5
	Female--	86	65	-	-	-	-	9	-	8	-	4
E904	Unspecified falls	8,884	4,499	51	11	73	10	392	178	969	120	2,581
	White-----Male----	3,446	1,446	39	11	62	8	299	108	394	77	1,002
	Female--	4,996	2,851	10	-	2	1	81	58	543	34	1,436
	Nonwhite--Male----	226	74	2	-	9	1	25	7	13	9	86
	Female--	216	128	-	-	-	-	7	5	19	-	57
	Other accidents (E910-E936)											
E910	Blow from falling object	1,255	153	138	263	185	7	78	30	8	334	59
	White-----Male----	1,014	102	120	248	150	5	57	22	4	261	45
	Female--	48	32	3	1	-	1	2	3	-	4	2
	Nonwhite--Male----	182	11	15	14	34	1	19	4	4	68	12
	Female--	11	8	-	-	1	-	-	1	-	1	-
E911	Accident caused by vehicle	107	1	-	77	25	-	-	3	-	1	-
	White-----Male----	95	-	-	72	20	-	-	3	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male----	12	1	-	5	5	-	-	-	-	1	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E912	Accident caused by machinery	2,009	93	886	66	427	9	228	21	4	189	86
	White-----Male----	1,746	67	775	65	363	6	205	18	3	167	77
	Female--	93	19	57	-	3	2	4	-	1	4	3
	Nonwhite--Male----	165	7	50	1	61	-	19	3	-	18	6
	Female--	5	-	4	-	-	1	-	-	-	-	-
E913	Accident caused by cutting and piercing instruments	153	73	17	-	5	-	6	6	1	14	31
	White-----Male----	77	34	13	-	5	-	5	3	1	7	9
	Female--	18	8	3	-	-	-	-	1	-	1	5
	Nonwhite--Male----	39	18	1	-	-	-	-	2	-	5	13
	Female--	19	13	-	-	-	-	1	-	-	1	4

See footnotes on p. 36.

Table 47. Supplement: Deaths From Nontransport Accidents by Race, Sex, and Place of Accident: United States, 1954—Continued

(See headnote on p. 33)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), RACE, AND SEX	Total	Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Other accidents (E910-E936)—Continued											
E914	Accident caused by electric current	965	215	87	17	181	10	182	28	8	166	71
	White-----Male----	822	148	77	17	169	10	152	26	8	152	63
	Female--	74	60	2	-	1	-	6	-	-	3	2
	Nonwhite--Male----	60	3	7	-	11	-	22	2	-	11	4
	Female--	9	4	1	-	-	-	2	-	-	-	2
E915	Accident caused by explosion of pressure vessel	36	1	1	-	25	-	-	2	-	3	4
	White-----Male----	32	-	1	-	22	-	-	2	-	3	4
	Female--	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--Male----	3	-	-	-	3	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E916	Accident caused by fire and explosion of combustible material	6,083	5,025	133	18	231	7	40	195	98	173	163
	White-----Male----	2,421	1,692	101	16	183	5	28	148	51	117	80
	Female--	1,760	1,598	16	-	8	1	7	32	33	13	52
	Nonwhite--Male----	951	820	14	2	32	1	4	11	14	37	16
	Female--	951	915	2	-	8	-	1	4	-	6	15
E917	Accident caused by hot substance, corrosive liquid, and steam	742	392	5	-	45	-	4	13	31	19	233
	White-----Male----	308	139	2	-	38	-	4	11	14	14	86
	Female--	230	145	2	-	-	-	-	2	12	1	68
	Nonwhite--Male----	104	48	1	-	7	-	-	-	4	4	40
	Female--	100	60	-	-	-	-	-	-	1	-	39
E919	Accident caused by firearm	2,281	990	322	26	44	8	112	58	5	415	301
	White-----Male----	1,691	655	281	24	29	5	75	44	3	364	211
	Female--	206	136	9	-	13	2	7	4	-	12	23
	Nonwhite--Male----	325	161	30	2	2	1	26	8	2	38	55
	Female--	59	38	2	-	-	-	4	2	-	1	12
E920	Foreign body entering eye and adnexa	1	-	-	-	-	-	-	-	-	1	-
	White-----Male----	1	-	-	-	-	-	-	-	-	1	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,316	595	4	-	3	5	10	25	86	24	564
	White-----Male----	633	273	1	-	2	4	5	18	49	10	271
	Female--	390	170	2	-	1	1	2	6	28	6	174
	Nonwhite--Male----	170	95	-	-	-	-	3	1	3	6	62
	Female--	123	57	1	-	-	-	-	-	6	2	57
E922	Inhalation and ingestion of other object causing obstruction or suffocation	311	122	2	-	-	-	1	4	8	4	170
	White-----Male----	146	54	1	-	-	-	1	1	4	3	82
	Female--	98	37	1	-	-	-	-	2	3	-	55
	Nonwhite--Male----	34	16	-	-	-	-	-	-	1	1	16
	Female--	33	15	-	-	-	-	-	1	-	-	17
E923	Foreign body entering other orifice	126	40	-	-	-	2	-	-	6	-	78
	White-----Male----	67	18	-	-	-	2	-	-	4	-	43
	Female--	40	15	-	-	-	-	-	-	1	-	24
	Nonwhite--Male----	13	4	-	-	-	-	-	-	1	-	8
	Female--	6	3	-	-	-	-	-	-	-	-	3
E924	Accidental mechanical suffocation in bed and cradle	1,170	1,030	2	1	-	1	2	2	7	13	112
	White-----Male----	527	470	1	1	-	1	2	1	3	8	40
	Female--	301	271	-	-	-	-	-	1	3	3	23
	Nonwhite--Male----	161	133	1	-	-	-	-	-	-	1	26
	Female--	181	156	-	-	-	-	-	-	1	1	23
E925	Accidental mechanical suffocation in other and unspecified circumstances	469	144	34	36	46	7	27	6	2	47	120
	White-----Male----	283	61	30	36	37	6	21	5	1	35	51
	Female--	84	41	4	-	-	-	2	1	-	6	30
	Nonwhite--Male----	66	24	-	-	8	1	4	-	-	6	23
	Female--	36	18	-	-	1	-	-	-	1	-	16
E926	Lack of care of infants under 1 year of age	53	10	-	-	-	-	-	-	-	4	39
	White-----Male----	11	4	-	-	-	-	-	-	-	-	7
	Female--	11	1	-	-	-	-	-	-	-	4	6
	Nonwhite--Male----	10	1	-	-	-	-	-	-	-	-	9
	Female--	21	4	-	-	-	-	-	-	-	-	17
E927	Accidents caused by bites and stings of venomous animals and insects	36	7	5	1	-	1	-	2	-	5	15
	White-----Male----	24	5	1	1	-	1	-	1	-	4	11
	Female--	8	1	2	-	-	-	-	1	-	1	3
	Nonwhite--Male----	3	-	2	-	-	-	-	-	-	-	1
	Female--	1	1	-	-	-	-	-	-	-	-	-
E928	Other accidents caused by animals	201	24	135	-	1	7	3	1	1	8	21
	White-----Male----	153	16	109	-	1	6	1	1	1	6	12
	Female--	26	5	16	-	-	-	-	-	-	-	5
	Nonwhite--Male----	21	3	10	-	-	1	2	-	-	2	3
	Female--	1	-	-	-	-	-	-	-	-	-	1
E929	Accidental drowning and submersion	5,049	365	371	100	34	257	28	17	13	3,582	282
	White-----Male----	3,391	191	228	66	27	176	16	12	8	2,489	178
	Female--	687	133	59	8	2	36	3	4	5	398	39
	Nonwhite--Male----	874	28	78	25	5	43	7	1	-	627	60
	Female--	97	13	6	1	-	2	2	-	-	68	5
E930	High and low air pressure	2	-	-	-	-	-	-	-	-	2	-
	White-----Male----	2	-	-	-	-	-	-	-	-	2	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E931	Excessive heat and insolation	978	59	13	-	10	-	10	3	24	19	840
	White-----Male----	518	25	10	-	8	-	8	3	15	14	435
	Female--	286	16	1	-	-	-	1	-	9	2	257
	Nonwhite--Male----	102	9	2	-	2	-	1	-	-	3	85
	Female--	72	9	-	-	-	-	-	-	-	-	63

See footnotes on p. 36.

Table 47. Supplement: Deaths From Nontransport Accidents by Race, Sex, and Place of Accident: United States, 1954—Continued

(See headnote on p. 33)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), RACE, AND SEX	Total	Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Other accidents (E910-E936)—Continued											
E932	Excessive cold	230	33	13	-	6	-	14	1	3	44	116
	White-----Male----	148	17	7	-	6	-	8	1	3	31	75
	Female--	30	8	3	-	-	-	2	-	-	7	10
	Nonwhite--Male----	44	6	2	-	-	-	4	-	-	6	26
	Female--	8	2	1	-	-	-	-	-	-	-	5
E933	Hunger, thirst, and exposure	238	8	5	1	2	1	4	-	3	35	179
	White-----Male----	119	3	2	1	2	-	2	-	1	28	80
	Female--	38	4	1	-	-	-	-	-	2	4	27
	Nonwhite--Male----	63	-	2	-	-	1	2	-	-	3	55
	Female--	18	1	-	-	-	-	-	-	-	-	17
E934	Cataclysm	209	78	15	-	3	1	38	3	2	59	10
	White-----Male----	117	30	9	-	3	-	26	2	2	41	4
	Female--	68	33	4	-	-	1	12	-	-	14	4
	Nonwhite--Male----	12	7	1	-	-	-	-	-	-	4	-
	Female--	12	8	1	-	-	-	-	1	-	-	2
E935	Lightning	220	42	75	-	5	26	6	-	1	37	28
	White-----Male----	162	21	61	-	5	23	5	-	1	28	18
	Female--	20	13	1	-	-	1	-	-	-	1	4
	Nonwhite--Male----	32	5	12	-	-	2	1	-	-	7	5
	Female--	6	3	1	-	-	-	-	-	-	1	1
E936	Other and unspecified accidents	1,844	349	66	26	125	51	148	46	127	180	726
	White-----Male----	1,170	197	55	23	105	31	97	24	66	139	433
	Female--	371	92	7	-	2	5	30	12	51	15	157
	Nonwhite--Male----	227	32	3	3	18	14	18	9	6	24	100
	Female--	76	28	1	-	-	1	3	1	4	2	36

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 48. Deaths From 256 Selected Causes, by Month: United States, 1954

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALL CAUSES	1,481,091	136,016	117,020	128,011	121,148	124,492	121,389	124,203	113,673	112,290	121,734	124,996	136,119
I. Infective and parasitic diseases	29,839	2,799	2,423	2,599	2,524	2,542	2,481	2,501	2,340	2,414	2,471	2,338	2,407
Tuberculosis, all forms 001-019	16,392	1,592	1,356	1,479	1,413	1,420	1,350	1,327	1,251	1,258	1,272	1,278	1,396
Tuberculosis of respiratory system 001-008	15,024	1,458	1,238	1,354	1,286	1,325	1,228	1,200	1,126	1,163	1,191	1,168	1,287
Tuberculosis of meninges and central nervous system 010	384	39	41	36	34	24	30	34	34	31	28	25	28
Tuberculosis of intestines, peritoneum, and mesenteric glands 011	93	8	7	5	8	3	9	9	9	9	2	12	12
Tuberculosis of vertebral column 012.0,013.0	126	10	11	14	5	12	11	9	11	8	9	13	13
Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	31	1	1	1	4	4	-	3	8	3	2	2	2
Tuberculosis of genito-urinary system 016	179	21	15	6	17	16	16	20	14	14	9	14	17
Tuberculosis of lymphatic system and other organs 014,015,017,018	103	14	7	11	12	9	5	10	6	5	7	7	10
Disseminated tuberculosis 019	452	41	36	52	47	27	51	42	43	25	24	37	27
Syphilis and its sequelae 020-029	4,835	432	395	423	419	450	391	411	329	373	396	409	407
Congenital syphilis 020	62	6	5	5	7	4	6	3	2	9	8	4	3
Early syphilis 021	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of aorta 022	1,807	156	146	158	153	162	136	125	136	154	172	157	152
Other cardiovascular syphilis 023	1,642	150	138	152	136	159	133	134	102	125	123	146	144
Tabes dorsalis 024	114	7	7	10	13	11	8	14	9	12	6	5	12
General paralysis of insane 025	607	52	51	48	54	45	65	74	45	36	42	48	47
Other syphilis of central nervous system 026	480	46	37	44	41	58	34	48	27	30	34	39	42
Other syphilis 027-029	123	15	11	6	15	11	9	13	8	7	11	10	7
Gonococcal infection 030-035	15	1	3	1	1	1	1	2	1	1	1	-	2
Typhoid fever 040	45	3	1	5	3	-	7	7	5	2	5	3	4
Paratyphoid fever 041	10	-	-	1	-	-	1	-	4	-	2	1	1
Other Salmonella infections 042	38	2	2	3	-	3	5	6	3	3	3	5	3
Cholera 043	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever) 044	15	3	2	2	-	2	2	2	1	-	1	-	-
Dysentery, all forms 045-048	655	51	46	45	38	52	65	84	63	48	74	37	52
Food poisoning (infection and intoxication) 049	117	11	6	9	4	6	14	21	12	6	11	7	10
Scarlet fever 050	63	8	5	6	8	7	4	4	3	5	2	6	5
Streptococcal sore throat 051	199	20	13	29	20	11	23	20	15	9	12	11	16
Erysipelas 052	39	6	5	2	4	1	5	3	-	1	5	3	4
Septicemia and pyemia 053	897	102	83	64	73	72	81	62	68	57	64	85	86
Diphtheria 055	145	22	17	13	6	7	6	3	6	7	23	19	16
Whooping cough 056	373	19	27	28	33	33	38	39	29	26	37	34	30
Meningococcal infections 057	1,015	131	120	118	99	82	82	63	49	43	70	75	83
Plague 058	-	-	-	-	-	-	-	-	-	-	-	-	-
Tularemia 059	4	1	-	1	-	-	-	1	-	1	-	-	-
Leprosy 060	4	-	-	-	1	-	-	1	1	1	-	-	-
Tetanus 061	332	20	24	14	24	35	34	34	41	31	32	21	22
Anthrax 062	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis 080	1,368	51	35	29	34	38	67	164	249	313	235	112	41
Late effects of acute poliomyelitis 081	132	10	9	13	16	8	8	9	10	10	12	11	16
Acute infectious encephalitis 082	407	42	22	41	19	32	38	35	35	37	47	36	23
Late effects of acute infectious encephalitis 083	124	9	9	8	7	16	16	11	10	13	7	11	7
Smallpox 084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles 085	518	53	56	76	98	64	71	24	16	8	5	23	24
Yellow fever 091	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis 092	821	68	67	77	76	78	70	70	61	73	59	67	55
Rabies 094	13	1	-	-	-	2	1	-	1	2	4	-	2
Tick-borne typhus 104	10	1	-	-	-	2	1	4	-	1	-	-	1
Rocky Mountain spotted fever 104A	10	1	-	-	-	2	1	4	-	1	-	-	1
Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus, other and unspecified, and other rickettsial diseases 100-103,105-108	10	-	1	-	-	1	2	2	1	-	1	1	1
Malaria 110-117	24	1	2	-	-	1	4	6	2	1	2	5	-
Schistosomiasis 123	6	1	-	-	-	1	-	1	1	2	-	-	-
Hydatid disease 125	8	-	-	-	1	3	-	1	1	1	-	1	-
Filariasis 127	-	-	-	-	-	-	-	-	-	-	-	-	-
Ankylostomiasis 129	6	-	2	-	2	-	-	1	1	-	-	-	-
Other diseases due to helminths 124,126,128,130	55	9	5	9	2	1	5	6	5	2	5	3	3
All other infective and parasitic diseases 036-039,054,063-074,086-090,093,095,096,120-122,131-138	1,144	129	110	103	123	113	89	77	66	79	84	74	97
II. Neoplasms	239,763	20,351	18,104	20,273	19,463	20,614	19,864	20,243	19,893	19,700	20,571	19,929	20,758
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	234,669	19,939	17,687	19,830	19,060	20,182	19,418	19,786	19,510	19,315	20,128	19,480	20,334
Malignant neoplasm of buccal cavity and pharynx 140-148	5,382	464	406	466	423	465	435	448	444	441	442	472	476
Malignant neoplasm of lip 140	361	35	26	30	19	36	26	33	29	29	33	35	30
Malignant neoplasm of tongue 141	1,292	123	97	114	103	118	106	94	108	106	107	110	106
Malignant neoplasm of other and unspecified parts of buccal cavity 142-144	1,547	132	125	135	108	140	133	142	112	127	110	143	140
Malignant neoplasm of pharynx 145-148	2,182	174	158	187	193	171	170	179	195	179	192	184	200
Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	85,493	7,182	6,519	7,245	6,938	7,361	7,138	7,123	7,189	7,046	7,347	7,046	7,359
Malignant neoplasm of esophagus 150	4,155	362	298	355	300	376	350	346	352	346	353	340	377
Malignant neoplasm of stomach 151	23,019	1,933	1,771	1,967	1,930	2,011	1,917	1,941	1,973	1,819	1,930	1,915	1,912
Malignant neoplasm of intestine, except rectum 152,153	25,368	2,144	1,968	2,122	2,002	2,165	2,150	2,167	2,167	2,089	2,155	2,048	2,191
Malignant neoplasm of rectum 154	10,666	859	759	944	894	926	883	834	868	901	955	875	968
Malignant neoplasm of biliary passages and of liver (stated to be primary site) 155	5,237	439	388	443	439	447	453	463	437	417	450	448	413
Malignant neoplasm of liver not specified whether primary or secondary 156A	4,425	357	377	374	373	370	354	357	358	376	394	374	361
Malignant neoplasm of pancreas 157	10,918	948	843	912	842	909	895	878	903	963	936	901	988
Malignant neoplasm of peritoneum and of unspecified digestive organs 158,159	1,705	140	115	128	158	157	136	137	131	135	174	145	149

Table 48. Deaths From 256 Selected Causes, by Month: United States, 1954—Continued

(See headnote on p. 37)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
II. Neoplasms—Continued													
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued													
Malignant neoplasm of respiratory system-----160-164	27,627	2,342	2,077	2,301	2,220	2,366	2,263	2,335	2,252	2,240	2,405	2,367	2,439
Malignant neoplasm of larynx----------161	1,968	167	166	178	153	173	167	164	150	135	164	168	183
Malignant neoplasm of trachea, and of bronchus and lung specified as primary----------162	11,136	959	822	891	888	904	921	957	930	911	996	933	1,024
Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary-163	13,652	1,145	1,016	1,149	1,123	1,228	1,088	1,144	1,111	1,126	1,176	1,198	1,148
Malignant neoplasm of other parts of respiratory system----------160,164	871	71	73	83	56	81	87	70	61	68	69	68	84
Malignant neoplasm of breast----------170	20,909	1,768	1,574	1,728	1,703	1,844	1,724	1,863	1,665	1,725	1,787	1,719	1,809
Malignant neoplasm of genital organs---------171-179	36,947	2,124	2,797	3,172	3,098	3,134	3,074	2,127	3,116	2,999	3,172	3,016	3,118
Malignant neoplasm of cervix uteri----------171	8,559	732	649	696	706	712	716	729	716	716	726	740	721
Malignant neoplasm of other and unspecified parts of uterus----------172-174	6,571	600	515	571	574	549	555	543	543	514	563	528	516
Malignant neoplasm of ovary, fallopian tube, and broad ligament----------175	6,838	567	501	639	579	564	543	560	620	554	572	547	592
Malignant neoplasm of other and unspecified female genital organs----------176	744	64	61	63	63	59	57	63	56	66	61	56	75
Malignant neoplasm of prostate----------177	13,218	1,076	1,012	1,114	1,087	1,156	1,121	1,131	1,097	1,061	1,165	1,063	1,135
Malignant neoplasm of testis, and of other and unspecified male genital organs----------178,179	1,017	85	59	89	89	94	82	101	84	88	85	82	79
Malignant neoplasm of urinary organs---------180,181	11,193	957	846	933	848	965	927	986	897	915	949	932	1,038
Malignant neoplasm of kidney----------180	4.162	375	319	340	305	366	318	374	319	365	352	353	376
Malignant neoplasm of bladder and other urinary organs----------181	7,031	582	527	593	543	599	609	612	578	550	587	579	662
Malignant neoplasm of other and unspecified sites----------156B,165,190-199	26,561	2,360	1,922	2,261	2,181	2,283	2,177	2,179	2,201	2,236	2,241	2,233	2,287
Malignant neoplasm of skin----------190,191	3,681	340	310	310	289	334	301	299	297	285	307	322	287
Malignant neoplasm of eye----------192	346	29	16	25	25	25	37	31	25	24	42	33	34
Malignant neoplasm of brain and other parts of nervous system----------193	5,320	480	354	423	474	441	457	424	435	454	454	438	486
Malignant neoplasm of thyroid gland----------194	1,000	83	71	100	72	79	74	83	90	78	77	109	84
Malignant neoplasm of bone (including jaw bone)----------196	2,080	189	146	190	171	198	183	150	175	160	160	178	180
Malignant neoplasm of connective tissue--------197	737	58	46	66	56	79	68	61	55	60	58	73	57
Malignant neoplasm of other specified sites, not stated to be secondary----------195,198A,199A	3,890	333	291	342	321	324	281	335	298	331	316	363	355
Malignant neoplasm of unspecified sites----------156B,165,198B,199B-M	9,507	848	688	805	773	803	776	796	826	844	827	717	804
Leukemia and aleukemia----------204	10,443	865	818	870	861	857	810	873	912	866	900	883	928
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues----------200-203,205	10,114	877	728	854	788	887	870	852	834	847	885	812	880
Lymphosarcoma and reticulosarcoma----------200	4,654	403	336	366	336	422	408	411	426	388	401	372	385
Hodgkin's disease----------201	2,809	244	215	237	219	233	247	252	217	236	254	205	250
Other neoplasms of lymphatic and hematopoietic tissues----------202,203,205	2,651	230	177	251	233	232	215	189	191	223	230	235	245
Benign neoplasms and neoplasms of unspecified nature----------210-239	5,094	412	417	443	403	432	446	457	383	385	443	449	424
Benign neoplasms of female genital organs--214-217	959	77	75	93	77	70	101	93	77	69	81	79	67
Benign neoplasm of brain and other parts of nervous system----------223	891	62	74	84	76	81	83	77	59	56	79	80	80
Other benign neoplasms-----210-213,218-222,224-229	868	81	83	78	78	86	62	57	56	62	73	76	76
Neoplasm of unspecified nature of female genital organs----------233-235	23	1	2	2	1	4	1	4	1	3	1	2	1
Neoplasm of unspecified nature of brain and other parts of nervous system----------237	1,542	127	119	133	106	117	129	139	125	132	154	134	127
Other neoplasms of unspecified nature----------230-232,236,238,239	811	64	64	53	65	74	70	87	65	63	55	78	73
III. Allergic, endocrine system, metabolic, and nutritional diseases----------	34,782	3,397	2,795	3,053	2,809	2,840	2,861	2,891	2,527	2,520	2,855	2,987	3,247
Asthma----------241	6,136	689	499	547	491	532	496	460	419	431	494	523	555
Nontoxic goiter----------250,251	137	12	16	15	12	12	8	7	9	19	10	8	9
Thyrotoxicosis with or without goiter----------252	863	90	72	78	76	74	71	70	71	56	55	68	84
Myxedema, cretinism, and other diseases of thyroid gland----------253,254	227	26	18	21	22	15	12	22	11	20	10	23	27
Diabetes mellitus----------260	25,151	2,387	1,991	2,189	2,031	2,006	2,103	2,133	1,845	1,820	2,132	2,169	2,345
Diseases of thymus gland----------273	350	27	34	36	25	39	24	28	26	31	20	28	32
Diseases of adrenal glands----------274	328	30	28	36	25	34	24	26	20	22	18	26	39
Pellagra----------281	116	6	13	11	10	16	9	7	13	6	11	6	8
All other avitaminoses and nutritional deficiency states----------280,282-286	728	77	63	54	52	51	60	68	58	64	49	59	73
Other allergic, endocrine, and metabolic diseases--------240,242-245,270-272,275-277,287-289	746	53	61	66	65	61	54	70	55	51	56	79	75
IV. Diseases of the blood and blood-forming organs----------	4,727	425	376	431	376	394	410	382	369	379	399	389	397
Anemias----------290-293	3,301	285	264	289	263	270	290	271	261	263	299	271	275
Pernicious and other hyperchromic anemias------290	1,181	99	98	105	110	82	96	92	100	99	108	101	91
Anemias of other and unspecified type------291-293	2,120	186	166	184	153	188	194	179	161	164	191	170	184
Purpura and other hemorrhagic conditions---------296	553	57	42	52	63	45	43	41	36	52	38	47	37
All other diseases of blood and blood-forming organs----------294,295,297-299	873	83	70	90	50	79	77	70	72	64	62	71	85
V. Mental, psychoneurotic, and personality disorders----------	3,550	345	286	291	308	283	301	309	278	234	280	303	332
Senile psychosis----------304	440	48	40	41	32	29	45	33	28	32	44	27	41
Alcoholic psychosis----------307	229	29	16	12	21	17	17	18	26	24	18	20	11
Other psychoses----------300-303,305,306,308,309	540	38	45	48	46	42	51	54	43	34	51	39	49

Table 48. Deaths From 256 Selected Causes, by Month: United States, 1954—Continued

(See headnote on p. 37)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
V. Mental, psychoneurotic, and personality disorders—Continued													
Alcoholism----------322	2,039	197	159	166	173	171	168	180	159	131	147	187	201
Mental deficiency----------325	171	20	15	13	20	15	9	11	12	5	10	19	22
Psychoneuroses and other disorders of personality----------310-321,323,324,326	131	13	11	11	16	9	11	13	10	8	10	11	8
VI. Diseases of the nervous system and sense organs----------	181,173	16,922	14,476	16,079	14,684	14,970	15,041	15,649	13,646	13,192	14,346	15,239	16,929
Vascular lesions affecting central nervous system----------330-334	167,777	15,679	13,407	14,885	13,620	13,925	13,884	14,493	12,572	12,218	13,289	14,101	15,704
Subarachnoid hemorrhage----------330	4,706	424	366	444	350	404	381	394	366	349	407	397	424
Cerebral hemorrhage----------331	108,443	10,218	8,723	9,741	8,952	9,121	8,945	9,130	8,095	7,840	8,419	9,174	10,085
Cerebral embolism and thrombosis----------332	36,726	3,309	2,821	3,137	2,871	2,937	3,066	3,252	2,822	2,738	3,015	3,158	3,600
Other vascular lesions affecting central nervous system----------333,334	17,902	1,728	1,497	1,563	1,447	1,463	1,492	1,717	1,289	1,291	1,448	1,372	1,595
Meningitis, except meningococcal and tuberculous-340	1,829	203	179	184	174	155	151	111	113	102	115	153	189
Multiple sclerosis----------345	1,394	130	101	112	106	96	121	146	122	103	106	140	111
Paralysis agitans----------350	2,330	191	162	185	193	170	218	237	214	190	214	162	194
Cerebral spastic infantile paralysis----------351	589	62	45	48	42	51	53	49	43	32	50	51	63
Epilepsy----------353	2,136	215	185	188	144	164	176	190	191	173	162	165	183
Inflammatory diseases of eye----------370-379	16	1	2	2	-	1	1	3	1	2	-	1	2
Cataract----------385	59	3	6	6	4	5	4	3	4	3	7	11	3
Glaucoma----------387	20	2	2	2	2	1	2	-	1	3	1	2	2
Otitis media and mastoiditis----------391-393	455	46	36	53	59	29	30	29	24	24	32	48	45
Other diseases of nervous system and sense organs-341-344,352,354-369,380-384,386,388-390,394-398	4,568	390	351	414	340	373	401	388	361	342	370	405	433
VII. Diseases of the circulatory system------	613,241	57,586	49,173	54,082	50,889	52,259	49,654	49,614	44,942	45,105	49,675	52,670	57,592
Rheumatic fever----------400-402	1,297	141	102	113	135	121	98	109	99	97	87	90	105
Diseases of heart----------410-443	560,077	52,624	44,823	49,360	46,451	47,835	45,375	45,029	41,029	41,083	45,526	48,282	52,660
Chronic rheumatic heart disease----------410-416	18,256	1,812	1,518	1,661	1,547	1,541	1,456	1,458	1,303	1,292	1,480	1,535	1,653
Diseases of mitral valve----------410	6,970	725	590	605	597	611	550	560	479	483	555	564	651
Diseases of aortic valve specified as rheumatic----------411	1,145	93	110	93	92	90	97	91	90	80	106	96	107
Diseases of tricuspid valve----------412	29	2	-	3	1	3	5	1	1	1	4	4	4
Diseases of pulmonary valve and other endocarditis specified as rheumatic-------413,414	1,119	126	80	125	89	97	93	74	76	82	88	96	93
Other diseases of heart specified as rheumatic----------415,416	8,993	866	738	835	768	740	711	732	657	646	727	775	798
Arteriosclerotic heart disease, including coronary disease----------420	379,788	34,988	29,847	33,058	31,136	32,304	30,546	30,369	28,262	28,334	31,539	33,179	36,226
Arteriosclerotic heart disease so described--420.0	138,794	12,675	11,120	11,976	11,442	11,678	11,044	11,011	10,099	10,419	11,476	12,206	13,648
Heart disease specified as involving coronary arteries----------420.1	239,775	22,203	18,639	20,971	19,588	20,522	19,407	19,268	18,061	17,823	19,959	20,861	22,473
Angina pectoris without mention of coronary disease----------420.2	1,219	110	88	111	106	104	95	90	102	92	104	112	105
Chronic endocarditis not specified as rheumatic----------421	7,218	714	569	619	579	641	551	568	556	482	623	602	714
Of mitral valve, specified as nonrheumatic---421.0	717	79	55	62	56	66	57	68	59	36	58	57	64
Of aortic valve, not specified as rheumatic--421.1	1,775	157	119	147	144	158	134	146	149	121	148	158	194
Of other valves, not specified as rheumatic----------421.2-421.4	4,726	478	395	410	379	417	360	354	348	325	417	387	456
Other myocardial degeneration----------422	58,873	5,794	4,815	5,260	4,995	5,099	4,847	4,790	4,161	4,138	4,527	4,941	5,506
With arteriosclerosis----------422.1	32,744	3,161	2,689	2,895	2,774	2,830	2,687	2,650	2,332	2,333	2,490	2,785	3,118
Without mention of arteriosclerosis----422.0,422.2	26,129	2,633	2,126	2,365	2,221	2,269	2,160	2,140	1,829	1,805	2,037	2,156	2,388
Other diseases of heart----------430-434	20,903	2,025	1,670	1,859	1,797	1,792	1,725	1,700	1,461	1,458	1,684	1,823	1,909
Acute and subacute endocarditis----------430	778	70	67	72	65	60	75	67	58	61	55	61	67
Acute myocarditis not specified as rheumatic---431	1,501	138	122	135	141	138	124	128	113	89	123	120	130
Acute pericarditis specified as nonrheumatic---432	43	6	5	2	4	3	2	2	3	2	3	3	8
Functional disease of heart----------433	2,360	219	189	204	203	209	172	191	180	183	210	185	215
Other and unspecified diseases of heart--------434	16,221	1,592	1,287	1,446	1,384	1,382	1,352	1,312	1,107	1,123	1,293	1,454	1,489
Hypertension with heart disease----------440-443	75,039	7,291	6,404	6,903	6,397	6,458	6,250	6,144	5,286	5,379	5,673	6,202	6,652
Hypertensive heart disease with arteriolar nephrosclerosis----------442	20,406	2,032	1,727	1,908	1,690	1,751	1,741	1,708	1,442	1,449	1,515	1,668	1,775
Essential hypertension with heart disease, other and unspecified hypertensive heart disease---------- 440,441,443	54,633	5,259	4,677	4,995	4,707	4,707	4,509	4,436	3,844	3,930	4,158	4,534	4,877
Hypertension without mention of heart--------444-447	11,383	1,082	974	1,038	968	967	904	981	838	817	888	917	1,009
Hypertension with arteriolar nephrosclerosis without mention of heart----------446	6,164	580	538	529	508	538	488	530	438	446	500	500	569
Essential hypertension and other hypertensive disease without mention of heart------444,445,447	5,219	502	436	509	460	429	416	451	400	371	388	417	440
Diseases of arteries----------450-456	36,318	3,368	2,959	3,225	3,012	3,043	2,938	3,158	2,613	2,748	2,823	3,023	3,408
General arteriosclerosis----------450	30,225	2,834	2,469	2,668	2,488	2,536	2,464	2,667	2,159	2,253	2,334	2,502	2,851
Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm----------451	3,916	357	293	370	334	346	277	307	284	330	316	339	363
Gangrene of unspecified cause----------455	230	20	21	27	24	20	14	16	20	14	11	18	25
Other arterial diseases----------452-454,456	1,947	157	176	160	166	141	183	168	150	151	162	164	169
Diseases of veins and other diseases of circulatory system----------460-468	4,166	371	315	346	323	293	339	337	363	360	351	358	410
VIII. Diseases of the respiratory system-----	57,739	7,017	5,320	5,565	4,967	4,277	3,973	3,807	3,333	3,419	4,379	5,119	6,563
Acute upper respiratory infections----------470-475	954	114	88	118	87	76	54	53	49	53	75	90	97
Influenza----------480-483	2,680	578	358	377	268	125	92	70	58	83	139	216	316
Pneumonia, except pneumonia of newborn-------490-493	38,311	4,644	3,508	3,677	3,298	2,808	2,668	2,479	2,186	2,211	2,900	3,442	4,492
Lobar pneumonia----------490	10,766	1,347	949	1,131	996	836	736	643	582	621	794	924	1,207
Bronchopneumonia----------491	19,875	2,293	1,824	1,828	1,722	1,450	1,404	1,343	1,212	1,167	1,529	1,821	2,282
Primary atypical pneumonia----------492	3,289	420	328	294	255	212	252	213	181	192	237	283	422
Pneumonia, other and unspecified----------493	4,381	564	407	424	325	308	276	280	211	231	340	414	581
Acute bronchitis----------500	990	140	100	92	80	85	49	51	39	41	85	100	128
Bronchitis, chronic and unqualified---------501,502	1,882	223	189	200	169	151	127	127	103	108	127	158	200
Hypertrophy of tonsils and adenoids----------510	254	22	15	31	33	38	26	18	11	5	21	14	20

Table 48. Deaths From 256 Selected Causes, by Month: United States, 1954—Continued

(See headnote on p. 37)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIII. Diseases of the respiratory system—Continued													
Empyema and abscess of lung----------518,521	743	77	82	62	63	52	54	62	56	44	58	57	76
Pleurisy----------519	195	18	13	24	21	9	26	14	13	13	18	11	15
All other respiratory diseases---511-517,520,522-527	11,730	1,201	967	984	948	935	877	933	818	861	956	1,031	1,219
IX. Diseases of the digestive system---------	57,843	5,066	4,412	4,830	4,665	4,818	4,782	5,003	4,644	4,753	4,947	4,804	5,119
Diseases of teeth and supporting structures--530-535	156	12	12	12	13	17	12	20	9	18	12	11	8
Ulcer of stomach----------540	4,690	441	366	388	398	426	358	368	304	368	405	404	444
Ulcer of duodenum----------541	4,701	431	376	417	413	417	377	356	328	390	379	380	437
Gastritis and duodenitis----------543	298	39	19	25	28	31	23	30	19	15	23	25	21
Appendicitis----------550-553	2,278	185	162	193	192	193	213	228	200	188	180	167	177
Hernia and intestinal obstruction--------560,561,570	8,498	746	679	716	709	691	738	765	692	671	700	636	755
Gastro-enteritis and colitis, except diarrhea of newborn----------571,572	7,594	714	548	490	491	547	643	733	715	665	743	659	646
Cirrhosis of liver----------581	16,201	1,400	1,239	1,402	1,327	1,336	1,288	1,332	1,295	1,356	1,319	1,424	1,483
Without mention of alcoholism----------581.0	12,003	1,053	918	1,043	983	980	986	1,019	956	988	960	1,023	1,094
With alcoholism----------581.1	4,198	347	321	359	344	356	302	313	339	368	359	401	389
Cholelithiasis and cholecystitis----------584,585	5,690	458	462	494	462	488	472	488	478	457	510	478	443
Other diseases of digestive system--536-539,542,544,545,573-580,582,583,586,587	7,737	640	549	693	632	672	658	663	604	625	676	620	705
X. Diseases of the genito-urinary system-----	34,197	3,197	2,825	2,963	2,873	2,919	2,769	2,974	2,581	2,589	2,750	2,750	3,007
Nephritis and nephrosis----------590-594	19,588	2,011	1,744	1,766	1,647	1,715	1,578	1,608	1,353	1,365	1,529	1,525	1,747
Acute nephritis----------590	1,363	144	120	134	132	114	104	112	86	85	107	102	123
Nephritis with edema, including nephrosis------591	1,152	119	113	105	89	91	82	97	83	76	94	100	103
Chronic and unspecified nephritis and other renal sclerosis----------592-594	17,073	1,748	1,511	1,527	1,426	1,510	1,392	1,399	1,184	1,204	1,328	1,323	1,521
Infections of kidney----------600	4,300	331	303	372	348	358	362	421	355	365	339	361	385
Calculi of urinary system----------602,604	1,216	95	86	98	109	107	89	116	103	108	93	90	122
Other diseases of urinary system-----601,603,605-609	1,654	138	124	131	156	107	144	145	135	139	152	132	151
Hyperplasia of prostate----------610	6,095	513	441	479	495	536	483	535	506	516	513	545	533
Other diseases of male genital organs--------611-617	621	52	55	60	61	45	49	69	56	46	55	43	30
Diseases of breast----------620,621	16	3	-	1	1	-	2	-	4	2	-	2	1
Diseases of female genital organs----------622-637	707	54	72	56	56	51	62	80	69	48	69	52	38
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	2,105	189	169	185	184	155	168	207	201	188	174	141	144
Sepsis of pregnancy, childbirth, and puerperium----------640,641,681,682,684	222	20	25	23	12	18	17	19	19	24	12	13	20
Toxemias of pregnancy and puerperium, except abortion with toxemia----------642,685,686	615	56	48	53	56	50	48	70	60	56	45	43	30
Hemorrhage of pregnancy and childbirth----------643,644,670-672	415	32	32	34	44	34	43	36	29	37	40	24	30
Ectopic pregnancy----------645	162	17	13	12	11	13	16	17	21	6	8	10	18
Abortion without mention of sepsis or toxemia----650	91	6	12	7	6	7	7	7	7	10	10	8	4
Abortion with sepsis----------651	170	19	14	21	10	10	6	14	24	13	17	9	13
Abortion with toxemia, without mention of sepsis-652	26	2	1	-	6	4	2	1	2	3	2	1	2
Other complications of pregnancy, childbirth, and puerperium----------646-649,660,673-680,683,687-689	404	37	24	35	39	19	29	43	39	39	40	33	27
XII. Diseases of the skin and cellular tissue	1,300	115	104	111	122	98	103	115	108	90	109	109	116
Infections of skin and subcutaneous tissue---690-698	335	25	20	35	34	26	28	37	28	31	18	23	30
Other diseases of skin and subcutaneous tissue----------700-716	965	90	84	76	88	72	75	78	80	59	91	86	86
XIII. Diseases of the bones and organs of movement----------	2,907	283	263	235	267	225	273	218	210	211	225	238	259
Arthritis and spondylitis----------720-725	1,496	147	140	115	138	118	151	120	100	112	114	106	135
Muscular rheumatism and rheumatism, unspecified----------726,727	55	9	2	2	11	1	4	5	6	5	4	3	3
Osteomyelitis and periostitis----------730	158	15	17	9	12	17	16	5	14	7	11	18	17
Ankylosis and acquired musculoskeletal deformities----------737,745-749	101	10	4	10	11	9	13	4	8	10	6	6	10
All other diseases of musculoskeletal system----------731-736,738-744	1,087	102	100	99	95	80	89	84	82	77	90	105	94
XIV. Congenital malformations----------	20,081	1,783	1,595	1,695	1,647	1,644	1,632	1,655	1,555	1,721	1,615	1,734	1,805
Spina bifida and meningocele----------751	1,530	121	128	112	133	136	129	133	126	140	118	120	134
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs----------752,753	2,474	224	176	217	191	198	198	210	192	211	213	203	241
Congenital malformations of circulatory system----------754	9,040	800	718	814	727	747	739	738	681	744	731	795	806
Other congenital malformations----------750,755-759	7,037	638	573	552	596	563	566	574	556	626	553	616	624
XV. Certain diseases of early infancy--------	63,486	5,096	4,484	4,979	5,077	5,386	5,615	5,846	5,782	5,419	5,571	4,992	5,239
Birth injuries----------760,761	11,252	944	886	933	889	907	944	1,010	1,006	962	1,007	848	916
Postnatal asphyxia and atelectasis----------762	17,390	1,373	1,156	1,378	1,398	1,479	1,531	1,610	1,590	1,506	1,581	1,374	1,414
Infections of newborn----------763-768	4,361	353	312	306	299	330	371	374	407	394	427	382	406
Hemolytic disease of newborn (erythroblastosis)--770	2,498	205	182	188	211	206	210	243	243	205	219	202	184
All other defined diseases of early infancy----------769,771,772	1,873	185	149	155	137	165	140	159	157	169	163	149	145
Ill-defined diseases peculiar to early infancy, and immaturity unqualified----------773-776	26,112	2,036	1,799	2,019	2,143	2,299	2,419	2,450	2,379	2,183	2,174	2,037	2,174
XVI. Symptoms, senility, and ill-defined conditions----------	20,209	1,958	1,723	1,718	1,576	1,555	1,549	1,832	1,548	1,372	1,646	1,760	1,972
Senility without mention of psychosis----------794	3,829	425	347	325	322	273	320	368	289	243	273	322	322
Symptoms, ill-defined and unknown causes----------780-793,795	16,380	1,533	1,376	1,393	1,254	1,282	1,229	1,464	1,259	1,129	1,373	1,438	1,650

Table 48. Deaths From 256 Selected Causes, by Month: United States, 1954—Continued

(See headnote on p. 37)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence	114,149	9,487	8,492	8,922	8,717	9,513	9,913	10,957	9,716	8,984	9,721	9,494	10,233
Accidents—E800-E962	90,032	7,527	6,635	6,864	6,647	7,392	7,846	8,811	7,772	6,967	7,731	7,570	8,270
Railway accidents—E800-E802	1,347	105	84	92	109	112	118	140	146	119	123	100	99
Motor-vehicle accidents—E810-E835	35,586	2,816	2,472	2,503	2,589	2,877	2,748	3,044	3,214	3,070	3,478	3,253	3,522
Motor-vehicle traffic accidents—E810-E825	34,582	2,772	2,409	2,450	2,495	2,785	2,639	2,924	3,106	2,972	3,380	3,190	3,460
Motor-vehicle traffic accident involving collision with railway train—E810	1,269	128	100	124	70	96	86	66	82	119	133	88	177
Motor-vehicle traffic accident to pedestrian—E812	7,343	712	585	528	563	525	506	501	531	593	722	708	869
Other motor-vehicle traffic accidents involving collision—E811,E813-E819	12,356	940	818	863	867	1,050	953	1,117	1,183	1,052	1,179	1,162	1,172
Motor-vehicle noncollision traffic accidents—E820-E824	9,113	685	627	650	667	753	723	874	890	781	881	774	808
Motor-vehicle traffic accident of unspecified nature—E825	4,501	307	279	285	328	361	371	366	420	427	465	458	434
Motor-vehicle nontraffic accidents—E830-E835	1,004	44	63	53	94	92	109	120	108	98	98	63	62
Other road-vehicle accidents—E840-E845	366	22	20	20	25	30	44	49	36	37	27	27	29
Water-transport accidents—E850-E858	1,498	48	49	79	109	289	195	222	153	122	114	60	58
Aircraft accidents—E860-E866	1,450	114	89	132	100	101	150	115	149	99	156	116	129
Accidental poisoning by solid and liquid substances—E870-E888	1,339	108	114	113	127	117	135	107	120	89	120	104	85
Accidental poisoning by gases and vapors—E890-E895	1,223	203	135	112	56	59	47	25	41	67	134	157	187
Accidental falls—E900-E904	19,771	1,793	1,593	1,683	1,474	1,674	1,679	1,703	1,604	1,589	1,594	1,631	1,754
Fall from one level to another—E900-E902	6,791	544	490	558	501	567	625	619	614	607	558	574	534
Fall on same level—E903	4,096	439	357	357	299	367	323	351	282	310	311	313	387
Unspecified falls—E904	8,884	810	746	768	674	740	731	733	708	672	725	744	833
Blow from falling object—E910	1,255	98	95	102	105	96	117	114	126	97	110	109	86
Accident caused by machinery—E912	2,009	109	131	133	183	206	182	209	182	185	189	178	122
Accident caused by electric current—E914	965	36	47	39	65	78	130	142	144	88	110	56	30
Accident caused by fire and explosion of combustible material—E916	6,083	840	722	762	465	408	320	254	228	255	353	608	868
Accident caused by hot substance, corrosive liquid, steam, and radiation—E917,E918	742	86	78	80	69	58	34	51	45	51	51	64	75
Accident caused by firearm—E919	2,281	193	159	130	140	143	136	170	194	159	275	324	258
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	1,627	146	147	147	138	124	108	121	127	122	129	141	177
Accidental drowning—E929	5,049	150	210	192	373	546	1,076	1,010	644	338	203	125	182
Excessive heat and insolation—E931	978	-	2	1	3	4	106	758	79	20	3	2	-
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures—E940-E959	768	67	63	78	73	63	75	66	52	42	63	64	62
All other accidents—E911,E913, E915,E920,E923-E928,E930,E932-E936,E960-E962	5,695	593	425	466	444	407	446	511	488	418	499	451	547
Suicide—E963,E970-E979	16,356	1,333	1,240	1,426	1,444	1,448	1,458	1,412	1,266	1,357	1,333	1,340	1,299
Suicide by poisoning—E970-E973	3,516	283	285	299	295	298	325	295	265	286	286	300	299
Suicide by hanging and strangulation—E974	3,370	249	237	293	286	328	319	296	266	308	274	270	244
Suicide by firearms and explosives—E976	7,539	653	575	666	702	636	662	632	586	614	592	608	613
Suicide by all other means—E963,E975,E977-E979	1,931	148	143	168	161	186	152	189	149	149	181	162	143
Homicide—E964,E980-E985	7,735	627	615	631	626	673	606	730	677	656	653	581	660
Assault by firearms and explosives—E981	4,115	343	336	336	320	361	323	373	351	359	341	308	364
Assault by cutting and piercing instruments—E982	1,793	147	123	136	169	170	129	176	175	134	148	136	150
Assault by other means—E964,E980,E983	1,501	119	125	122	115	116	130	146	124	132	135	110	127
Injury by intervention of police—E984	244	12	25	26	16	20	15	22	20	25	24	21	18
Execution—E985	82	6	6	11	6	6	9	13	7	6	5	6	1
Injury resulting from operations of war—E965,E990-E999	26	-	2	1	-	-	3	4	1	4	4	3	4

Table 49. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Intermediate List number[1]	CAUSE OF DEATH		ALL RACES		
				Total	Male	Female
1		ALL CAUSES		1,481,091	846,124	634,967
2		I. Infective and parasitic diseases		29,839	19,697	10,142
3		Tuberculosis, all forms	001-019	16,392	11,494	4,898
4	A 1	Tuberculosis of respiratory system	001-008	15,024	10,670	4,354
5	A 2	Tuberculosis of meninges and central nervous system	010	384	212	172
6	A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands	011	93	51	42
7	A 4 pt.	Tuberculosis of vertebral column	012.0,013.0	126	72	54
8	A 4 pt.	Tuberculosis of other bones and joints	012.1-012.3,013.1-013.3	31	19	12
9	A 5 pt.	Tuberculosis of genito-urinary system	016	179	122	57
10	A 5 pt.	Tuberculosis of lymphatic system and other organs	014,015,017,018	103	65	38
11	A 5 pt.	Disseminated tuberculosis	019	452	283	169
12		Syphilis and its sequelae	020-029	4,835	3,533	1,302
13	A 6	Congenital syphilis	020	62	35	27
14	A 7	Early syphilis	021	-	-	-
15	A 10 pt.	Aneurysm of aorta	022	1,807	1,363	444
16	A 10 pt.	Other cardiovascular syphilis	023	1,642	1,207	435
17	A 8	Tabes dorsalis	024	114	88	26
18	A 9	General paralysis of insane	025	607	447	160
19	A 10 pt.	Other syphilis of central nervous system	026	480	318	162
20	A 10 pt.	Other syphilis	027-029	123	75	48
21	A 11	Gonococcal infection	030-035	15	11	4
22	A 12	Typhoid fever	040	45	26	19
23	A 13 pt.	Paratyphoid fever	041	10	5	5
24	A 13 pt.	Other Salmonella infections	042	38	16	22
25	A 14	Cholera	043	-	-	-
26	A 15	Brucellosis (undulant fever)	044	15	10	5
27	A 16	Dysentery, all forms	045-048	655	353	302
28	A 43 pt.	Food poisoning (infection and intoxication)	049	117	61	56
29	A 17	Scarlet fever	050	63	31	32
30	A 18	Streptococcal sore throat	051	199	99	100
31	A 19	Erysipelas	052	39	20	19
32	A 20	Septicemia and pyemia	053	897	491	406
33	A 21	Diphtheria	055	145	81	64
34	A 22	Whooping cough	056	373	165	208
35	A 23	Meningococcal infections	057	1,015	571	444
36	A 24	Plague	058	-	-	-
37	A 43 pt.	Tularemia	059	4	3	1
38	A 25	Leprosy	060	4	2	2
39	A 26	Tetanus	061	332	204	128
40	A 27	Anthrax	062	-	-	-
41	A 28	Acute poliomyelitis	080	1,368	792	576
42	A 30 pt.	Late effects of acute poliomyelitis	081	132	73	59
43	A 29	Acute infectious encephalitis	082	407	213	194
44	A 30 pt.	Late effects of acute infectious encephalitis	083	124	80	44
45	A 31	Smallpox	084	-	-	-
46	A 32	Measles	085	518	243	275
47	A 33	Yellow fever	091	-	-	-
48	A 34	Infectious hepatitis	092	821	392	429
49	A 35	Rabies	094	13	10	3
50	A 36 pt.	Tick-borne typhus	104	10	6	4
51		Rocky Mountain spotted fever	104A	10	6	4
52		Other forms of tick-borne typhus	104B	-	-	-
53	A 36 pt.	Typhus, other and unspecified, and other rickettsial diseases	100-103,105-108	10	7	3
54	A 37	Malaria	110-117	24	16	8
55	A 38	Schistosomiasis	123	6	3	3
56	A 39	Hydatid disease	125	8	4	4
57	A 40	Filariasis	127	-	-	-
58	A 41	Ankylostomiasis	129	6	3	3
59	A 42	Other diseases due to helminths	124,126,128,130	55	25	30
60	A 43 pt.	All other infective and parasitic diseases	036-039,054,063-074,086-090,093,095,096,120-122,131-138	1,144	654	490
61		II. Neoplasms		239,763	124,720	115,043
62		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-205	234,669	122,539	112,130
63	A 44	Malignant neoplasm of buccal cavity and pharynx	140-148	5,382	4,210	1,172
64		Malignant neoplasm of lip	140	361	322	39
65		Malignant neoplasm of tongue	141	1,292	1,028	264
66		Malignant neoplasm of other and unspecified parts of buccal cavity	142-144	1,547	1,083	464
67		Malignant neoplasm of pharynx	145-148	2,182	1,777	405
68		Malignant neoplasm of digestive organs and peritoneum	150-156A,157-159	85,493	47,016	38,477
69	A 45	Malignant neoplasm of esophagus	150	4,155	3,268	887
70	A 46	Malignant neoplasm of stomach	151	23,019	14,575	8,444
71	A 47	Malignant neoplasm of intestine, except rectum	152,153	25,368	11,461	13,907
72	A 48	Malignant neoplasm of rectum	154	10,666	6,064	4,602
73	A 57 pt.	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	155	5,237	2,040	3,197
74	A 57 pt.	Malignant neoplasm of liver not specified whether primary or secondary	156A	4,425	2,294	2,131
75	A 57 pt.	Malignant neoplasm of pancreas	157	10,918	6,451	4,467
76	A 57 pt.	Malignant neoplasm of peritoneum and of unspecified digestive organs	158,159	1,705	863	842
77		Malignant neoplasm of respiratory system	160-164	27,627	23,257	4,370
78	A 49	Malignant neoplasm of larynx	161	1,968	1,785	183
79	A 50 pt	Malignant neoplasm of trachea, and of bronchus and lung specified as primary	162	11,136	9,589	1,547
80	A 50 pt.	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	163	13,652	11,322	2,330
81	A 57 pt	Malignant neoplasm of other parts of respiratory system	160,164	871	561	310
82	A 51	Malignant neoplasm of breast	170	20,909	230	20,679
83		Malignant neoplasm of genital organs	171-179	36,947	14,235	22,712
84	A 52	Malignant neoplasm of cervix uteri	171	8,559	...	8,559
85	A 53	Malignant neoplasm of other and unspecified parts of uterus	172-174	6,571	...	6,571
86	A 57 pt.	Malignant neoplasm of ovary, fallopian tube, and broad ligament	175	6,838	...	6,838
87	A 57 pt.	Malignant neoplasm of other and unspecified female genital organs	176	744	...	744
88	A 54	Malignant neoplasm of prostate	177	13,218	13,218	...
89	A 57 pt.	Malignant neoplasm of testis, and of other and unspecified male genital organs	178,179	1,017	1,017	...

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1954

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,306,989	750,099	556,890	167,241	91,403	75,838	4,147	2,377	1,770	1,293	1,102	191	950	723	227	471	420	51	1
22,217	14,927	7,290	7,116	4,452	2,664	346	177	169	89	83	6	42	34	8	29	24	5	2
12,138	8,811	3,327	3,913	2,466	1,447	226	115	111	67	61	6	30	26	4	18	15	3	3
11,289	8,268	3,021	3,447	2,211	1,236	187	99	88	59	54	5	29	26	3	13	12	1	4
220	129	91	139	74	65	22	8	14	1	1	-	1	-	1	1	-	1	5
59	34	25	30	15	15	1	-	1	1	-	1	-	-	-	2	2	-	6
94	55	39	29	15	14	2	1	1	1	1	-	-	-	-	-	-	-	7
24	15	9	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	8
149	103	46	29	18	11	-	-	-	1	1	-	-	-	-	-	-	-	9
77	54	23	23	9	14	3	2	1	-	-	-	-	-	-	-	-	-	10
226	153	73	209	120	89	11	5	6	4	4	-	-	-	-	2	1	1	11
3,238	2,414	824	1,563	1,089	474	12	8	4	15	15	-	5	5	-	2	2	-	12
24	11	13	37	23	14	1	1	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
1,424	1,090	334	378	268	110	1	1	-	2	2	-	2	2	-	-	-	-	15
955	711	244	669	480	189	5	3	2	9	9	-	3	3	-	1	1	-	16
97	77	20	16	10	6	-	-	-	1	1	-	-	-	-	-	-	-	17
366	277	89	237	166	71	-	-	-	3	3	-	-	-	-	1	1	-	18
297	206	91	180	109	71	3	3	-	-	-	-	-	-	-	-	-	-	19
75	42	33	46	33	13	2	-	2	-	-	-	-	-	-	-	-	-	20
7	6	1	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	21
26	13	13	13	8	5	5	4	1	-	-	-	-	-	-	1	1	-	22
6	3	3	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	23
32	11	21	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
12	9	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	26
400	212	188	227	129	98	28	12	16	-	-	-	-	-	-	-	-	-	27
69	36	33	46	23	23	2	2	-	-	-	-	-	-	-	-	-	-	28
60	29	31	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	29
157	83	74	38	15	23	3	-	3	1	1	-	-	-	-	-	-	-	30
35	18	17	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-	31
728	405	323	160	82	78	7	3	4	-	-	-	1	-	1	1	1	-	32
91	50	41	54	31	23	-	-	-	-	-	-	-	-	-	-	-	-	33
222	95	127	144	67	77	7	3	4	-	-	-	-	-	-	-	-	-	34
860	480	380	150	89	61	4	2	2	-	-	-	-	-	-	1	-	1	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
2	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	37
4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
194	115	79	138	89	49	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
1,299	753	546	68	39	29	-	-	-	-	-	-	1	-	1	-	-	-	41
122	67	55	10	6	4	-	-	-	-	-	-	-	-	-	-	-	-	42
352	183	169	45	25	20	9	4	5	-	-	-	-	-	-	1	1	-	43
116	75	41	7	5	2	1	-	1	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
402	188	214	95	46	49	21	9	12	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
707	333	374	102	51	51	7	4	3	2	2	-	2	2	-	1	-	1	48
9	7	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	49
7	4	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	50
7	4	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
9	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	53
12	9	3	11	6	5	1	1	-	-	-	-	-	-	-	-	-	-	54
4	1	3	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	55
7	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
3	3	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	58
26	14	12	29	11	18	-	-	-	-	-	-	-	-	-	-	-	-	59
861	487	374	261	150	111	12	9	3	3	3	-	3	1	2	4	4	-	60
219,123	114,275	104,848	19,859	9,925	9,934	303	140	163	217	178	39	209	156	53	52	46	6	61
214,803	112,350	102,453	19,103	9,676	9,427	295	137	158	211	175	36	207	156	51	50	45	5	62
4,976	3,907	1,069	379	279	100	6	3	3	18	18	-	2	2	-	1	1	-	63
351	317	34	10	5	5	-	-	-	-	-	-	-	-	-	-	-	-	64
1,188	947	241	100	78	22	1	-	1	1	1	-	2	2	-	-	-	-	65
1,427	1,011	416	115	69	46	4	2	2	1	1	-	-	-	-	-	-	-	66
2,010	1,632	378	154	127	27	1	1	-	16	16	-	-	-	-	1	1	-	67
78,332	42,648	35,684	6,815	4,112	2,703	105	48	57	87	80	7	128	103	25	26	25	1	68
3,504	2,755	749	632	495	137	1	-	1	9	9	-	9	9	-	-	-	-	69
20,480	12,846	7,634	2,414	1,639	775	26	7	19	25	22	3	66	53	13	8	8	-	70
23,947	10,770	13,177	1,367	648	719	19	14	5	18	15	3	15	12	3	2	2	-	71
9,970	5,699	4,271	671	345	326	10	7	3	6	6	-	6	5	1	3	2	1	72
4,895	1,855	3,040	299	160	139	16	2	14	15	14	1	9	6	3	3	3	-	73
3,944	2,006	1,938	452	264	188	11	7	4	9	9	-	5	4	1	4	4	-	74
10,106	5,966	4,140	767	452	315	17	9	8	4	4	-	18	14	4	6	6	-	75
1,486	751	735	213	109	104	5	2	3	1	1	-	-	-	-	-	-	-	76
25,630	21,581	4,049	1,916	1,605	311	16	11	5	38	36	2	21	18	3	6	6	-	77
1,802	1,634	168	163	148	15	-	-	-	1	1	-	2	2	-	-	-	-	78
10,231	8,820	1,411	870	737	133	6	5	1	14	14	-	12	10	2	3	3	-	79
12,798	10,620	2,178	813	668	145	10	6	4	23	21	2	7	6	1	1	1	-	80
799	507	292	70	52	18	-	-	-	-	-	-	-	-	-	2	2	-	81
19,348	196	19,152	1,528	34	1,494	23	-	23	6	-	6	4	-	4	-	-	-	82
32,410	12,741	19,669	4,422	1,450	2,972	75	29	46	18	7	11	17	7	10	5	1	4	83
6,986	...	6,986	1,533	...	1,533	29	...	29	4	...	4	5	...	5	2	...	2	84
5,609	...	5,609	942	...	942	11	...	11	6	...	6	3	...	3	-	...	-	85
6,408	...	6,408	421	...	421	5	...	5	1	...	1	2	...	2	1	...	1	86
666	...	666	76	...	76	1	...	1	-	...	-	-	...	-	1	...	1	87
11,811	11,811	...	1,371	1,371	...	25	25	...	4	4	...	6	6	...	1	1	...	88
930	930	...	79	79	...	4	4	...	3	3	...	1	1	...	-	-	...	89

385053 O - 56 - 4

Table 49. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		II. Neoplasms—Continued			
		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued			
1	A 57 pt.	Malignant neoplasm of urinary organs----------180,181	11,193	7,434	3,759
2		Malignant neoplasm of kidney----------180	4,162	2,608	1,554
3		Malignant neoplasm of bladder and other urinary organs----------181	7,031	4,826	2,205
4		Malignant neoplasm of other and unspecified sites----------156B,165,190-199	26,561	14,184	12,377
5	A 55	Malignant neoplasm of skin----------190,191	3,681	2,167	1,514
6	A 57 pt.	Malignant neoplasm of eye----------192	346	180	166
7	A 57 pt.	Malignant neoplasm of brain and other parts of nervous system----------193	5,320	3,211	2,109
8	A 57 pt.	Malignant neoplasm of thyroid gland----------194	1,000	323	677
9	A 56 pt.	Malignant neoplasm of bone (including jaw bone)----------196	2,080	1,225	855
10	A 56 pt.	Malignant neoplasm of connective tissue----------197	737	401	336
11	A 57 pt.	Malignant neoplasm of other specified sites, not stated to be secondary----------195,198A,199A	3,890	1,867	2,023
12	A 57 pt.	Malignant neoplasm of unspecified sites----------156B,165,198B,199B-M	9,507	4,810	4,697
13	A 58	Leukemia and aleukemia----------204	10,443	5,989	4,454
14	A 59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues----------200-203,205	10,114	5,984	4,130
15		Lymphosarcoma and reticulosarcoma----------200	4,654	2,686	1,968
16		Hodgkin's disease----------201	2,809	1,795	1,014
17		Other neoplasms of lymphatic and hematopoietic tissues----------202,203,205	2,651	1,503	1,148
18	A 60	Benign neoplasms and neoplasms of unspecified nature----------210-239	5,094	2,181	2,913
19		Benign neoplasms of female genital organs----------214-217	959	...	959
20		Benign neoplasm of brain and other parts of nervous system----------223	891	425	466
21		Other benign neoplasms----------210-213,218-222,224-229	868	482	386
22		Neoplasm of unspecified nature of female genital organs----------233-235	23	...	23
23		Neoplasm of unspecified nature of brain and other parts of nervous system----------237	1,542	850	692
24		Other neoplasms of unspecified nature----------230-232,236,238,239	811	424	387
25		III. Allergic, endocrine system, metabolic, and nutritional diseases----------	34,782	15,286	19,496
26	A 66 pt.	Asthma----------241	6.136	4,066	2,070
27	A 61	Nontoxic goiter----------250,251	137	21	116
28	A 62	Thyrotoxicosis with or without goiter----------252	863	153	710
29	A 66 pt.	Myxedema, cretinism, and other diseases of thyroid gland----------253,254	227	55	172
30	A 63	Diabetes mellitus----------260	25,151	9,835	15,316
31	A 66 pt.	Diseases of thymus gland----------273	350	210	140
32	A 66 pt.	Diseases of adrenal glands----------274	328	162	166
33	A 64 pt.	Pellagra----------281	116	36	80
34	A 64 pt.	All other avitaminoses and nutritional deficiency states----------280,282-286	728	368	360
35	A 66 pt.	Other allergic, endocrine, and metabolic diseases----------240,242-245,270-272,275-277,287-289	746	380	366
36		IV. Diseases of the blood and blood-forming organs----------	4,727	2,263	2,464
37	A 65	Anemias----------290-293	3,301	1,518	1,783
38		Pernicious and other hyperchromic anemias----------290	1,181	478	703
39		Anemias of other and unspecified type----------291-293	2,120	1,040	1,080
40	A 66 pt.	Purpura and other hemorrhagic conditions----------296	553	246	307
41	A 66 pt.	All other diseases of blood and blood-forming organs----------294,295,297-299	873	499	374
42		V. Mental, psychoneurotic, and personality disorders----------	3,550	2,449	1,101
43	A 67 pt.	Senile psychosis----------304	440	180	260
44	A 67 pt.	Alcoholic psychosis----------307	229	207	22
45	A 67 pt.	Other psychoses----------300-303,305,306,308,309	540	261	279
46	A 68 pt.	Alcoholism----------322	2,039	1,641	398
47	A 69	Mental deficiency----------325	171	100	71
48	A 68 pt.	Psychoneuroses and other disorders of personality----------310-321,323,324,326	131	60	71
49		VI. Diseases of the nervous system and sense organs----------	181,173	88,713	92,460
50	A 70	Vascular lesions affecting central nervous system----------330-334	167,777	81,174	86,603
51		Subarachnoid hemorrhage----------330	4,706	2,211	2,495
52		Cerebral hemorrhage----------331	108,443	51.890	56,553
53		Cerebral embolism and thrombosis----------332	36,726	18,377	18,349
54		Other vascular lesions affecting central nervous system----------333,334	17,902	8,696	9,206
55	A 71	Meningitis, except meningococcal and tuberculous----------340	1,829	1,059	770
56	A 72	Multiple sclerosis----------345	1,394	645	749
57	A 78 pt.	Paralysis agitans----------350	2.330	1,323	1,007
58	A 78 pt.	Cerebral spastic infantile paralysis----------351	589	326	263
59	A 73	Epilepsy----------353	2,136	1,299	837
60	A 74	Inflammatory diseases of eye----------370-379	16	10	6
61	A 75	Cataract----------385	59	24	35
62	A 76	Glaucoma----------387	20	7	13
63	A 77	Otitis media and mastoiditis----------391-393	455	255	200
64	A 78 pt.	Other diseases of nervous system and sense organs----------341-344,352,354-369,380-384,386,388-390,394-398	4,568	2,591	1,977
65		VII. Diseases of the circulatory system----------	613,241	358,716	254,525
66	A 79	Rheumatic fever----------400-402	1,297	651	646
67		Diseases of heart----------410-443	560,077	331,196	228,881
68	A 80	Chronic rheumatic heart disease----------410-416	18,256	8,954	9,302
69		Diseases of mitral valve----------410	6,970	3,277	3,693
70		Diseases of aortic valve specified as rheumatic----------411	1,145	863	282
71		Diseases of tricuspid valve----------412	29	17	12
72		Diseases of pulmonary valve and other endocarditis specified as rheumatic----------413,414	1,119	546	573
73		Other diseases of heart specified as rheumatic----------415,416	8,993	4,251	4,742
74	A 81 pt.	Arteriosclerotic heart disease, including coronary disease----------420	379.788	241,826	137,962
75		Arteriosclerotic heart disease so described----------420.0	136,794	76,170	62,624
76		Heart disease specified as involving coronary arteries----------420.1	239,775	164,873	74,902
77		Angina pectoris without mention of coronary disease----------420.2	1,219	783	436

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1954—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
10,455	6,989	3,466	710	424	286	13	7	6	6	5	1	6	6	-	3	3	-	1
3,919	2,453	1,466	231	146	85	5	3	2	3	2	1	1	1	-	3	3	-	2
6,536	4,536	2,000	479	278	201	8	4	4	3	3	-	5	5	-	-	-	-	3
24,453	13,162	11,291	2,035	970	1,065	32	20	12	23	19	4	14	9	5	4	4	-	4
3,536	2,085	1,451	139	77	62	2	1	1	3	3	-	-	-	-	1	1	-	5
327	170	157	16	8	8	2	1	1	1	1	-	-	-	-	-	-	-	6
5,034	3,051	1,983	278	155	123	1	1	-	4	3	1	3	1	2	-	-	-	7
924	299	625	72	24	48	3	-	3	1	-	1	-	-	-	-	-	-	8
1,904	1,134	770	172	89	83	2	1	1	-	-	-	2	1	1	-	-	-	9
680	367	313	55	32	23	1	1	-	-	-	-	1	1	-	-	-	-	10
3,520	1,718	1,802	357	140	217	7	4	3	4	4	-	2	1	1	-	-	-	11
8,528	4,338	4,190	946	445	501	14	11	3	10	8	2	6	5	1	3	3	-	12
9,794	5,589	4,205	615	376	239	14	10	4	8	4	4	9	7	2	3	3	-	13
9,405	5,537	3,868	683	426	257	11	9	2	7	6	1	6	4	2	2	2	-	14
4,387	2.523	1,864	254	153	101	5	4	1	5	4	1	2	1	1	1	1	-	15
2,631	1,668	963	170	121	49	4	3	1	-	-	-	4	3	1	-	-	-	16
2,387	1,346	1,041	259	152	107	2	2	-	2	2	-	-	-	-	1	1	-	17
4,320	1,925	2,395	756	249	507	8	3	5	6	3	3	2	-	2	2	1	1	18
677	...	677	279	...	279	2	...	2	1	...	1	-	...	-	-	...	-	19
801	377	424	85	45	40	-	-	-	4	2	2	-	-	-	1	1	-	20
761	430	331	104	51	53	2	1	1	-	-	-	-	-	-	1	-	1	21
18	...	18	5	...	5	-	...	-	-	...	-	-	...	-	-	...	-	22
1,361	752	609	178	97	81	2	1	1	-	-	-	1	-	1	-	-	-	23
702	366	336	105	56	49	2	1	1	1	1	-	1	-	1	-	-	-	24
31,245	13,911	17,334	3,383	1,284	2,099	88	35	53	30	26	4	27	22	5	9	8	1	25
5,577	3,738	1,839	531	307	224	11	6	5	4	2	2	10	10	-	3	3	-	26
113	19	94	23	2	21	1	-	1	-	-	-	-	-	-	-	-	-	27
745	132	613	113	20	93	2	-	2	2	1	1	-	-	-	1	-	1	28
201	51	150	23	3	20	3	1	2	-	-	-	-	-	-	-	-	-	29
22,714	9,009	13,705	2,341	768	1,573	56	24	32	22	21	1	15	10	5	3	3	-	30
283	169	114	67	41	26	-	-	-	-	-	-	-	-	-	-	-	-	31
297	146	151	28	15	13	2	-	2	-	-	-	1	1	-	-	-	-	32
83	24	59	32	11	21	-	-	-	-	-	-	1	1	-	-	-	-	33
570	280	290	146	82	64	10	4	6	1	1	-	-	-	-	1	1	-	34
662	343	319	79	35	44	3	-	3	1	1	-	-	-	-	1	1	-	35
4,137	1,976	2,161	568	273	295	16	9	7	4	4	-	1	1	-	1	-	1	36
2,823	1,290	1,533	462	218	244	12	7	5	2	2	-	1	1	-	1	-	1	37
1,116	449	667	61	26	35	3	2	1	-	-	-	1	1	-	-	-	-	38
1,707	841	866	401	192	209	9	5	4	2	2	-	-	-	-	1	-	1	39
510	229	281	40	15	25	3	2	1	-	-	-	-	-	-	-	-	-	40
804	457	347	66	40	26	1	-	1	2	2	-	-	-	-	-	-	-	41
2,830	1,975	855	675	440	235	40	30	10	-	-	-	2	1	1	3	3	-	42
390	162	228	46	15	31	2	2	-	-	-	-	2	1	1	-	-	-	43
190	174	16	38	33	5	1	-	1	-	-	-	-	-	-	-	-	-	44
421	198	223	116	61	55	1	-	1	-	-	-	-	-	-	2	2	-	45
1,573	1,304	269	431	309	122	34	27	7	-	-	-	-	-	-	1	1	-	46
155	92	63	14	7	7	2	1	1	-	-	-	-	-	-	-	-	-	47
101	45	56	30	15	15	-	-	-	-	-	-	-	-	-	-	-	-	48
158,463	77,758	80,705	22,145	10,570	11,575	267	140	127	123	108	15	123	90	33	52	47	5	49
147,006	71,333	75,673	20,271	9,497	10,774	219	113	106	116	103	13	120	87	33	45	41	4	50
3,952	1,855	2,097	727	341	386	8	4	4	6	4	2	8	3	5	5	4	1	51
94,190	45,232	48,958	13,911	6,426	7,485	156	77	79	82	76	6	73	51	22	31	28	3	52
33,719	16,839	16,880	2,919	1,473	1,446	40	22	18	12	11	1	31	27	4	5	5	-	53
15,145	7,407	7,738	2,714	1,257	1,457	15	10	5	16	12	4	8	6	2	4	4	-	54
1,282	758	524	523	289	234	19	7	12	2	2	-	1	1	-	2	2	-	55
1,316	612	704	77	32	45	-	-	-	-	-	-	-	-	-	1	1	-	56
2,264	1,286	978	65	36	29	-	-	-	1	1	-	-	-	-	-	-	-	57
511	292	219	74	33	41	4	1	3	-	-	-	-	-	-	-	-	-	58
1,689	988	701	436	301	135	8	7	1	-	-	-	1	1	-	2	2	-	59
11	6	5	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	60
55	23	32	3	1	2	1	-	1	-	-	-	-	-	-	-	-	-	61
19	7	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	62
364	204	160	82	44	38	8	6	2	-	-	-	1	1	-	-	-	-	63
3,946	2,249	1,697	608	333	275	8	6	2	4	2	2	-	-	-	2	1	1	64
558,384	329,258	229,126	53,249	28,252	24,997	753	458	295	441	397	44	279	225	54	135	126	9	65
1,015	325	490	276	121	155	6	5	1	-	-	-	-	-	-	-	-	-	66
511,184	304,759	206,425	47,438	25,329	22,109	677	421	256	401	362	39	249	206	43	128	119	9	67
16,674	8,169	8,505	1,505	734	771	44	24	20	17	15	2	11	7	4	5	5	-	68
6,334	2,951	3,383	601	303	298	17	8	9	7	6	1	9	7	2	2	2	-	69
1,088	830	258	52	29	23	3	2	1	1	1	-	-	-	-	1	1	-	70
25	15	10	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	71
1,026	496	530	86	46	40	5	3	2	1	1	-	1	-	1	-	-	-	72
8,201	3,877	4,324	762	354	408	19	11	8	8	7	1	1	-	1	2	2	-	73
357,660	228,766	128,894	21,224	12,336	8,888	377	252	125	276	250	26	164	141	23	87	81	6	74
130,270	71,436	58,834	8,169	4,455	3,714	148	93	55	120	110	10	58	49	9	29	27	2	75
226,306	156,623	69,683	12,922	7,807	5,115	228	158	70	156	140	16	105	91	14	58	54	4	76
1,084	707	377	133	74	59	1	1	-	-	-	-	1	1	-	-	-	-	77

Table 49. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		VII. Diseases of the circulatory system—Continued			
		Diseases of heart—Continued			
1	A 81 pt.	Chronic endocarditis not specified as rheumatic----421	7,218	4,022	3,196
2		Of mitral valve, specified as nonrheumatic----421.0	717	340	377
3		Of aortic valve, not specified as rheumatic----421.1	1,775	1,207	568
4		Of other valves, not specified as rheumatic----421.2-421.4	4,726	2,475	2,251
5	A 81 pt.	Other myocardial degeneration----422	58,873	29,803	29,070
6		With arteriosclerosis----422.1	32,744	16,140	16,604
7		Without mention of arteriosclerosis----422.0,422.2	26,129	13,663	12,466
8	A 82	Other diseases of heart----430-434	20,903	12,637	8,266
9		Acute and subacute endocarditis----430	778	476	302
10		Acute myocarditis not specified as rheumatic----431	1,501	802	699
11		Acute pericarditis specified as nonrheumatic----432	43	31	12
12		Functional disease of heart----433	2,360	1,267	1,093
13		Other and unspecified diseases of heart----434	16,221	10,061	6,160
14	A 83	Hypertension with heart disease----440-443	75.039	33,954	41,085
15		Hypertensive heart disease with arteriolar nephrosclerosis----442	20,406	10,258	10,148
16		Essential hypertension with heart disease, other and unspecified hypertensive heart disease----440,441,443	54,633	23,696	30,937
17	A 84	Hypertension without mention of heart----444-447	11,383	5,731	5,652
18		Hypertension with arteriolar nephrosclerosis without mention of heart----446	6,164	3.388	2,776
19		Essential hypertension and other hypertensive disease without mention of heart----444,445,447	5,219	2,343	2.876
20	A 85	Diseases of arteries----450-456	36,318	18.885	17,433
21		General arteriosclerosis----450	30,225	14,801	15,424
22		Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm----451	3,916	2,920	996
23		Gangrene of unspecified cause----455	230	115	115
24		Other arterial diseases----452-454,456	1,947	1,049	898
25	A 86	Diseases of veins and other diseases of circulatory system----460-468	4,166	2,253	1,913
26		VIII. Diseases of the respiratory system----	57,739	34,980	22,759
27	A 87	Acute upper respiratory infections----470-475	954	506	448
28	A 88	Influenza----480-483	2,680	1,362	1,318
29		Pneumonia, except pneumonia of newborn----490-493	38,311	21,952	16,359
30	A 89	Lobar pneumonia----490	10,766	6,637	4,129
31	A 90	Bronchopneumonia----491	19.875	11,046	8,829
32	A 91 pt.	Primary atypical pneumonia----492	3,289	1,809	1,480
33	A 91 pt.	Pneumonia, other and unspecified----493	4,381	2,460	1,921
34	A 92	Acute bronchitis----500	990	571	419
35	A 93	Bronchitis, chronic and unqualified----501,502	1,882	1,254	628
36	A 94	Hypertrophy of tonsils and adenoids----510	254	130	124
37	A 95	Empyema and abscess of lung----518,521	743	521	222
38	A 96	Pleurisy----519	195	123	72
39	A 97	All other respiratory diseases----511-517,520,522-527	11,730	8,561	3,169
40		IX. Diseases of the digestive system----	57,843	34.898	22,945
41	A 98	Diseases of teeth and supporting structures----530-535	156	83	73
42	A 99	Ulcer of stomach----540	4.690	3,596	1,094
43	A 100	Ulcer of duodenum----541	4,701	3,833	868
44	A 101	Gastritis and duodenitis----543	298	186	112
45	A 102	Appendicitis----550-553	2.278	1,455	823
46	A 103	Hernia and intestinal obstruction----560,561,570	8.498	4,476	4,022
47	A 104	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	7,594	3,974	3,620
48	A 105	Cirrhosis of liver----581	16,201	10,720	5,481
49		Without mention of alcoholism----581.0	12,003	7,743	4,260
50		With alcoholism----581.1	4,198	2,977	1,221
51	A 106	Cholelithiasis and cholecystitis----584,585	5,690	2,190	3,500
52	A 107	Other diseases of digestive system----536-539.542,544,545,573-580.582,583,586,587	7,737	4,385	3,352
53		X. Diseases of the genito-urinary system----	34,197	21,242	12,955
54		Nephritis and nephrosis----590-594	19,588	10,540	9,048
55	A 108	Acute nephritis----590	1,363	756	607
56	A 109 pt.	Nephritis with edema, including nephrosis----591	1,152	637	515
57	A 109 pt.	Chronic and unspecified nephritis and other renal sclerosis----592-594	17,073	9.147	7,926
58	A 110	Infections of kidney----600	4,300	2,172	2,128
59	A 111	Calculi of urinary system----602,604	1,216	724	492
60	A 114 pt.	Other diseases of urinary system----601.603,605-609	1,654	1,087	567
61	A 112	Hyperplasia of prostate----610	6,095	6,095	...
62	A 114 pt.	Other diseases of male genital organs----611-617	621	621	...
63	A 113	Diseases of breast----620,621	16	3	13
64	A 114 pt.	Diseases of female genital organs----622-637	707	...	707
65		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	2,105	...	2,105
66	A 115	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	222	...	222
67	A 116 pt.	Toxemias of pregnancy and puerperium, except abortion with toxemia----642,685,686	615	...	615
68	A 117	Hemorrhage of pregnancy and childbirth----643,644.670-672	415	...	415
69	A 120 pt.	Ectopic pregnancy----645	162	...	162
70	A 118	Abortion without mention of sepsis or toxemia----650	91	...	91
71	A 119	Abortion with sepsis----651	170	...	170
72	A 116 pt.	Abortion with toxemia, without mention of sepsis----652	26	...	26
73	A 120 pt.	Other complications of pregnancy, childbirth, and puerperium----646-649,680,673-680,683,687-689	404	...	404
74		XII. Diseases of the skin and cellular tissue----	1,300	567	733
75	A 121	Infections of skin and subcutaneous tissue----690-698	335	189	146
76	A 126 pt.	Other diseases of skin and subcutaneous tissue----700-716	965	378	587
77		XIII. Diseases of the bones and organs of movement----	2,907	1,322	1,585
78	A 122	Arthritis and spondylitis----720-725	1,496	547	949
79	A 123	Muscular rheumatism and rheumatism, unspecified----726,727	55	20	35
80	A 124	Osteomyelitis and periostitis----730	158	100	58
81	A 125	Ankylosis and acquired musculoskeletal deformities----737,745-749	101	45	56
82	A 126 pt.	All other diseases of musculoskeletal system----731-736,738-744	1,097	610	487

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1954—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
6,136	3,432	2,704	1,068	581	487	9	5	4	3	2	1	-	-	-	2	2	-	1
609	290	319	107	50	57	1	-	1	-	-	-	-	-	-	-	-	-	2
1,499	1,034	465	273	170	103	2	2	-	-	-	-	-	-	-	1	1	-	3
4,028	2,108	1,920	688	361	327	6	3	3	3	2	1	-	-	-	1	1	-	4
52,877	26,653	26,224	5,857	3,053	2,804	80	46	34	33	30	3	18	14	4	8	7	1	5
29,788	14,566	15,222	2,887	1,523	1,364	37	25	12	21	19	2	8	5	3	3	2	1	6
23,089	12,087	11,002	2,970	1,530	1,440	43	21	22	12	11	1	10	9	1	5	5	-	7
17,393	10,630	6,763	3,416	1,943	1,473	78	50	28	7	7	-	9	7	2	-	-	-	8
628	394	234	147	79	68	2	2	-	1	1	-	-	-	-	-	-	-	9
1,208	649	559	288	150	138	4	3	1	-	-	-	1	-	1	-	-	-	10
37	27	10	5	3	2	1	1	-	-	-	-	-	-	-	-	-	-	11
2,202	1,190	1,012	150	71	79	6	4	2	-	-	-	2	2	-	-	-	-	12
13,318	8,370	4,948	2,826	1,640	1,186	65	40	25	6	6	-	6	5	1	-	-	-	13
60,444	27,109	33,335	14,368	6,682	7,686	89	44	45	65	58	7	47	37	10	26	24	2	14
16,735	8,378	8,357	3,625	1,848	1,777	26	15	11	8	7	1	6	5	1	6	5	1	15
43,709	18,731	24,978	10,743	4,834	5,909	63	29	34	57	51	6	41	32	9	20	19	1	16
8,985	4,568	4,417	2,373	1,146	1,227	14	8	6	8	8	-	3	1	2	-	-	-	17
5,135	2,840	2,295	1,012	535	477	8	5	3	7	7	-	2	1	1	-	-	-	18
3,850	1,728	2,122	1,361	611	750	6	3	3	1	1	-	1	-	1	-	-	-	19
33,546	17,424	16,122	2,663	1,392	1,271	48	21	27	28	24	4	26	17	9	7	7	-	20
28,076	13,681	14,395	2,071	1,070	1,001	42	17	25	18	17	1	13	11	2	5	5	-	21
3,556	2,693	863	339	211	128	2	2	-	8	7	1	9	5	4	2	2	-	22
182	94	88	47	21	26	1	-	1	-	-	-	-	-	-	-	-	-	23
1,732	956	776	206	90	116	3	2	1	2	-	2	4	1	3	-	-	-	24
3,654	1,982	1,672	499	264	235	8	3	5	4	3	1	1	1	-	-	-	-	25
47,670	29,121	18,549	9,494	5,514	3,980	437	226	211	65	54	11	42	36	6	31	29	2	26
736	382	354	200	114	86	15	7	8	2	2	-	1	1	-	-	-	-	27
1,961	1,007	954	698	344	354	17	7	10	2	2	-	1	1	-	1	1	-	28
30,776	17,611	13,165	7,070	4,071	2,999	369	191	178	50	40	10	28	23	5	18	16	2	29
8,564	5,232	3,332	2,083	1,329	754	86	46	40	18	16	2	11	10	1	4	4	-	30
16,148	9,006	7,142	3,504	1,908	1,596	172	91	81	27	22	5	12	9	3	12	10	2	31
2,764	1,517	1,247	500	281	219	17	6	11	3	1	2	4	3	1	1	1	-	32
3,300	1,856	1,444	983	553	430	94	48	46	2	1	1	1	1	-	1	1	-	33
818	471	347	160	94	66	9	5	4	1	-	1	1	-	1	1	1	-	34
1,705	1,149	556	169	99	70	5	3	2	-	-	-	-	-	-	3	3	-	35
208	107	101	44	21	23	1	1	-	-	-	-	-	-	-	1	1	-	36
595	410	185	145	109	36	2	1	1	1	1	-	-	-	-	-	-	-	37
156	100	56	38	22	16	1	1	-	-	-	-	-	-	-	-	-	-	38
10,715	7,884	2,831	970	640	330	18	10	8	9	9	-	11	11	-	7	7	-	39
51,206	31,144	20,062	6,096	3,447	2,649	406	191	215	82	71	11	35	29	6	18	16	2	40
114	63	51	41	19	22	1	1	-	-	-	-	-	-	-	-	-	-	41
4,225	3,252	973	425	313	112	14	8	6	15	14	1	9	8	1	2	1	1	42
4,426	3,631	795	266	194	72	1	1	-	6	5	1	1	1	-	1	1	-	43
240	154	86	56	30	26	2	2	-	-	-	-	-	-	-	-	-	-	44
1,913	1,243	670	351	203	148	11	6	5	2	2	-	1	1	-	-	-	-	45
7,436	3,878	3,558	1,021	581	440	23	5	18	11	8	3	4	2	2	3	2	1	46
5,699	2,949	2,750	1,656	899	757	230	122	108	4	1	3	3	1	2	2	2	-	47
14,968	9,997	4,971	1,137	659	478	55	24	31	25	24	1	9	9	-	7	7	-	48
11,132	7,232	3,900	817	475	342	27	9	18	17	17	-	7	7	-	3	3	-	49
3,836	2,765	1,071	320	184	136	28	15	13	8	7	1	2	2	-	4	4	-	50
5,450	2,120	3,330	200	53	147	29	7	22	8	7	1	2	2	-	1	1	-	51
6,735	3,857	2,878	943	496	447	40	15	25	11	10	1	6	5	1	2	2	-	52
28,197	17,774	10,423	5,852	3,366	2,486	80	49	31	43	34	9	17	12	5	8	7	1	53
15,667	8,456	7,211	3,828	2,020	1,808	51	31	20	28	22	6	9	7	2	5	4	1	54
1,051	589	462	309	166	143	3	1	2	-	-	-	-	-	-	-	-	-	55
942	526	416	204	107	97	4	2	2	1	1	-	1	1	-	-	-	-	56
13,674	7,341	6,333	3,315	1,747	1,568	44	28	16	27	21	6	8	6	2	5	4	1	57
3,579	1,806	1,773	699	356	343	11	3	8	7	5	2	3	1	2	1	1	-	58
1,116	659	457	92	59	33	3	2	1	4	3	1	-	-	-	1	1	-	59
1,328	844	484	322	240	82	2	2	-	-	-	-	2	1	1	-	-	-	60
5,472	5,472	...	606	606	...	9	9	...	4	4	...	3	3	...	1	1	...	61
535	535	...	84	84	...	2	2	...	-	-	...	-	-	...	-	-	...	62
11	2	9	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	63
489	...	489	216	...	216	2	...	2	-	...	-	-	...	-	-	...	-	64
1,280	...	1,280	794	...	794	21	...	21	5	...	5	3	...	3	2	...	2	65
156	...	156	65	...	65	1	...	1	-	...	-	-	...	-	-	...	-	66
355	...	355	254	...	254	3	...	3	-	...	-	2	...	2	1	...	1	67
259	...	259	146	...	146	8	...	8	2	...	2	-	...	-	-	...	-	68
72	...	72	88	...	88	1	...	1	-	...	-	1	...	1	-	...	-	69
51	...	51	37	...	37	2	...	2	1	...	1	-	...	-	-	...	-	70
91	...	91	78	...	78	1	...	1	-	...	-	-	...	-	-	...	-	71
14	...	14	12	...	12	-	...	-	-	...	-	-	...	-	-	...	-	72
282	...	282	114	...	114	5	...	5	2	...	2	-	...	-	1	...	1	73
1,084	482	602	210	82	128	3	-	3	1	1	-	2	2	-	-	-	-	74
281	162	119	53	27	26	1	-	1	-	-	-	-	-	-	-	-	-	75
803	320	483	157	55	102	2	-	2	1	1	-	2	2	-	-	-	-	76
2,623	1,182	1,441	275	135	140	5	3	2	2	2	-	2	-	2	-	-	-	77
1,344	479	865	149	67	82	2	1	1	-	-	-	1	-	1	-	-	-	78
43	15	28	11	5	6	1	-	1	-	-	-	-	-	-	-	-	-	79
130	84	46	28	16	12	-	-	-	-	-	-	-	-	-	-	-	-	80
97	42	55	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	81
1,009	562	447	84	45	39	1	1	-	2	2	-	1	-	1	-	-	-	82

Table 49. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		XIV. Congenital malformations	20,081	10,969	9,112
2	A 127	Spina bifida and meningocele 751	1,530	670	860
3	A 129 pt.	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	2,474	1,289	1,185
4	A 128	Congenital malformations of circulatory system 754	9,040	5,068	3,972
5	A 129 pt.	Other congenital malformations 750,755-759	7,037	3,942	3,095
6		XV. Certain diseases of early infancy	63,486	37,136	26,350
7	A 130	Birth injuries 760,761	11,252	6,861	4,391
8	A 131	Postnatal asphyxia and atelectasis 762	17,390	10,422	6,968
9	A 132	Infections of newborn 763-768	4,361	2,544	1,817
10	A 133	Hemolytic disease of newborn (erythroblastosis) 770	2,498	1,376	1,122
11	A 134	All other defined diseases of early infancy 769,771,772	1,873	1,146	727
12	A 135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified 773-776	26,112	14,787	11,325
13		XVI. Symptoms, senility, and ill-defined conditions	20,209	11,975	8,234
14	A 136	Senility without mention of psychosis 794	3,829	1,669	2,160
15	A 137	Symptoms, ill-defined and unknown causes 780-793,795	16,380	10,306	6,074
16		XVII. Accidents, poisonings, and violence	114,149	81,191	32,958
17		Accidents E800-E962	90,032	62,315	27,717
18	AE 139 pt.	Railway accidents E800-E802	1,347	1,216	131
19	AE 138	Motor-vehicle accidents E810-E835	35,586	26,725	8,861
20		Motor-vehicle traffic accidents E810-E825	34,582	25,976	8,606
21		Motor-vehicle traffic accident involving collision with railway train E810	1,269	913	356
22		Motor-vehicle traffic accident to pedestrian E812	7,343	5,426	1,917
23		Other motor-vehicle traffic accidents involving collision E811,E813-E819	12,356	8,830	3,526
24		Motor-vehicle noncollision traffic accidents E820-E824	9,113	7,384	1,729
25		Motor-vehicle traffic accident of unspecified nature E825	4,501	3,423	1,078
26		Motor-vehicle nontraffic accidents E830-E835	1,004	749	255
27	AE 139 pt.	Other road-vehicle accidents E840-E845	366	283	83
28	AE 139 pt.	Water-transport accidents E850-E858	1,498	1,396	102
29	AE 139 pt.	Aircraft accidents E860-E866	1,450	1,349	101
30	AE 140 pt.	Accidental poisoning by solid and liquid substances E870-E888	1,339	779	560
31	AE 140 pt.	Accidental poisoning by gases and vapors E890-E895	1,223	881	342
32	AE 141	Accidental falls E900-E904	19,771	9,610	10,161
33		Fall from one level to another E900-E902	6,791	4,375	2,416
34		Fall on same level E903	4,096	1,563	2,533
35		Unspecified falls E904	8,884	3,672	5,212
36	AE 147 pt.	Blow from falling object E910	1,255	1,196	59
37	AE 142	Accident caused by machinery E912	2,009	1,911	98
38	AE 147 pt.	Accident caused by electric current E914	965	882	83
39	AE 143	Accident caused by fire and explosion of combustible material E916	6,083	3,372	2,711
40	AE 144	Accident caused by hot substance, corrosive liquid, steam, and radiation E917,E918	742	412	330
41	AE 145	Accident caused by firearm E919	2,281	2,016	265
42	AE 147 pt.	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	1,627	983	644
43	AE 146	Accidental drowning E929	5,049	4,265	784
44	AE 147 pt.	Excessive heat and insolation E931	978	620	358
45	AE 147 pt.	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures E940-E959	768	361	407
46	AE 147 pt.	All other accidents E911,E913,E915,E920,E923-E928,E930,E932-E936,E960-E962	5,695	4,058	1,637
47	AE 148	Suicide E963,E970-E979	16,356	12,964	3,392
48		Suicide by poisoning E970-E973	3,516	2,330	1,186
49		Suicide by hanging and strangulation E974	3,370	2,550	820
50		Suicide by firearms and explosives E976	7,539	6,767	772
51		Suicide by all other means E963,E975,E977-E979	1,931	1,317	614
52	AE 149	Homicide E964,E980-E985	7,735	5,886	1,849
53		Assault by firearms and explosives E981	4,115	3,153	962
54		Assault by cutting and piercing instruments E982	1,793	1,436	357
55		Assault by other means E964,E980,E983	1,501	975	526
56		Injury by intervention of police E984	244	242	2
57		Execution E985	82	80	2
58	AE 150	Injury resulting from operations of war E965,E990-E999	26	26	-

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1954—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
17,929	9,762	8,167	2,022	1,122	900	76	47	29	24	16	8	16	12	4	14	10	4	1
1,439	622	817	81	43	38	10	5	5	-	-	-	-	-	-	-	-	-	2
2,208	1,136	1,072	246	139	107	15	9	6	2	2	-	3	3	-	-	-	-	3
8,053	4,536	3,517	927	494	433	32	20	12	14	10	4	5	3	2	9	5	4	4
6,229	3,468	2,761	768	446	322	19	13	6	8	4	4	8	6	2	5	5	-	5
49,992	29,557	20,435	13,056	7,324	5,732	299	170	129	48	28	20	60	33	27	31	24	7	6
9,471	5,845	3,626	1,719	976	743	38	24	14	6	5	1	9	5	4	9	6	3	7
14,174	8,587	5,587	3,114	1,772	1,342	56	34	22	15	8	7	19	11	8	12	10	2	8
2,937	1,744	1,193	1,354	763	591	59	30	29	6	4	2	3	2	1	2	1	1	9
2,322	1,284	1,038	164	86	78	4	2	2	6	3	3	1	-	1	1	1	-	10
1,252	766	486	591	363	228	26	15	11	-	-	-	4	2	2	-	-	-	11
19,836	11,331	8,505	6,114	3,364	2,750	116	65	51	15	8	7	24	13	11	7	6	1	12
13,358	8,151	5,207	6,537	3,631	2,906	284	169	115	15	11	4	12	10	2	3	3	-	13
3,201	1,390	1,811	587	256	331	35	17	18	2	2	-	4	4	-	-	-	-	14
10,157	6,761	3,396	5,950	3,375	2,575	249	152	97	13	9	4	8	6	2	3	3	-	15
97,251	68,846	28,405	15,910	11,586	4,324	723	533	190	104	89	15	78	60	18	83	77	6	16
78,095	53,949	24,146	11,125	7,745	3,380	626	461	165	68	57	11	49	39	10	69	64	5	17
1,111	1,001	110	211	190	21	23	23	-	-	-	-	-	-	-	2	2	-	18
31,357	23,511	7,846	3,832	2,919	913	309	218	91	30	26	4	19	14	5	39	37	2	19
30,456	22,834	7,622	3,740	2,853	887	300	214	86	29	25	4	18	13	5	39	37	2	20
1,172	842	330	86	63	23	5	4	1	3	1	2	-	-	-	3	3	-	21
6,244	4,613	1,631	1,019	745	274	54	42	12	14	14	-	6	6	-	6	6	-	22
11,177	7,970	3,207	1,085	792	293	63	43	20	10	9	1	6	3	3	15	13	2	23
7,974	6,468	1,506	989	809	180	131	90	41	2	1	1	5	4	1	12	12	-	24
3,889	2,941	948	561	444	117	47	35	12	-	-	-	1	-	1	3	3	-	25
901	677	224	92	66	26	9	4	5	1	1	-	1	1	-	-	-	-	26
299	224	75	57	49	8	10	10	-	-	-	-	-	-	-	-	-	-	27
1,319	1,233	86	165	150	15	5	5	-	3	2	1	2	2	-	4	4	-	28
1,434	1,335	99	14	12	2	-	-	-	2	2	-	-	-	-	-	-	-	29
1,089	629	460	233	135	98	12	10	2	2	2	-	2	2	-	1	1	-	30
1,107	801	306	111	75	36	4	4	-	1	1	-	-	-	-	-	-	-	31
18,627	8,902	9,725	1,083	665	418	37	22	15	12	10	2	7	6	1	5	5	-	32
6,253	3,971	2,282	516	385	131	15	12	3	2	2	-	2	2	-	3	3	-	33
3,932	1,485	2,447	153	71	82	4	2	2	4	3	1	3	2	1	-	-	-	34
8,442	3,446	4,996	414	209	205	18	8	10	6	5	1	2	2	-	2	2	-	35
1,062	1,014	48	180	171	9	11	9	2	-	-	-	1	1	-	1	1	-	36
1,839	1,746	93	162	159	3	7	5	2	-	-	-	-	-	-	1	1	-	37
896	822	74	68	59	9	1	1	-	-	-	-	-	-	-	-	-	-	38
4,181	2,421	1,760	1,840	912	928	52	31	21	1	1	-	1	1	-	8	6	2	39
538	308	230	194	98	96	6	3	3	2	2	-	1	-	1	1	1	-	40
1,897	1,691	206	364	309	55	18	14	4	-	-	-	1	1	-	1	1	-	41
1,267	779	488	342	194	148	12	7	5	4	2	2	1	-	1	1	1	-	42
4,078	3,391	687	913	822	91	42	39	3	6	5	1	7	5	2	3	3	-	43
804	518	286	167	97	70	7	5	2	-	-	-	-	-	-	-	-	-	44
647	314	333	118	44	74	1	1	-	1	1	-	1	1	-	-	-	-	45
4,543	3,309	1,234	1,071	685	386	69	54	15	4	3	1	6	6	-	2	1	1	46
15,652	12,396	3,256	602	484	118	39	33	6	29	25	4	23	16	7	11	10	1	47
3,436	2,289	1,147	69	36	33	2	-	2	2	1	1	7	4	3	-	-	-	48
3,246	2,450	796	95	77	18	8	7	1	10	8	2	10	7	3	1	1	-	49
7,195	6,457	738	305	271	34	25	25	-	6	6	-	3	3	-	5	5	-	50
1,775	1,200	575	133	100	33	4	1	3	11	10	1	3	2	1	5	4	1	51
3,480	2,477	1,003	4,181	3,355	826	58	39	19	7	7	-	6	5	1	3	3	-	52
1,983	1,398	585	2,109	1,738	371	18	13	5	2	2	-	3	2	1	-	-	-	53
405	309	96	1,376	1,116	260	8	7	1	1	1	-	1	1	-	2	2	-	54
922	601	321	546	353	193	28	16	12	3	3	-	2	2	-	-	-	-	55
130	130	-	109	108	1	3	2	1	1	1	-	-	-	-	1	1	-	56
40	39	1	41	40	1	1	1	-	-	-	-	-	-	-	-	-	-	57
24	24	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	58

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		ALL CAUSES	1,481,091	106,791	7,102	4,262	3,128	2,439	123,722	8,382	6,273	10,302
2		Male	846,124	61,369	3,911	2,335	1,740	1,372	70,727	4,926	3,994	7,149
3		Female	634,967	45,422	3,191	1,927	1,388	1,067	52,995	3,456	2,279	3,153
4		White--Male	750,099	47,727	2,922	1,827	1,390	1,126	54,992	4,145	3,330	5,914
5		Female	556,890	34,473	2,367	1,473	1,103	844	40,260	2,845	1,885	2,427
6		Negro--Male	91,403	12,939	904	471	324	235	14,873	732	638	1,169
7		Female	75,838	10,384	759	420	267	211	12,041	584	376	686
8		Other--Male	4,622	703	85	37	26	11	862	49	26	66
9		Female	2,239	565	65	34	18	12	694	27	18	40
10		I. Infective and parasitic diseases	29,839	1,952	741	459	315	209	3,676	778	401	461
11		White--Male	14,927	707	281	184	137	100	1,409	334	194	157
12		Female	7,290	614	243	165	103	60	1,185	300	149	138
13		Negro--Male	4,452	293	103	56	36	25	513	70	28	65
14		Female	2,664	274	91	39	33	20	457	60	27	88
15		Other--Male	318	31	12	6	4	1	54	6	1	5
16		Female	188	33	11	9	2	3	58	8	2	8
17	001-019	Tuberculosis, all forms	16,392	147	137	82	41	17	424	61	35	166
18		White--Male	8,811	50	23	21	15	6	115	19	12	24
19		Female	3,327	38	39	25	10	5	117	15	8	42
20		Negro--Male	2,466	23	34	16	10	-	83	8	5	28
21		Female	1,447	22	36	11	3	2	74	11	8	60
22		Other--Male	217	7	4	4	3	1	19	3	-	4
23		Female	124	7	1	5	-	3	16	5	2	8
24	001-008	Tuberculosis of respiratory system	15,024	69	51	33	14	8	175	22	18	137
25		White--Male	8,268	22	5	6	6	3	42	7	6	21
26		Female	3,021	20	16	11	3	3	53	4	3	33
27		Negro--Male	2,211	12	14	8	3	-	37	2	2	22
28		Female	1,236	8	15	3	-	1	27	6	6	53
29		Other--Male	191	5	-	2	2	-	9	2	-	3
30		Female	97	2	1	3	-	1	7	1	1	5
31	010	Tuberculosis of meninges and central nervous system	384	44	60	36	22	5	167	35	10	6
32		White--Male	129	18	14	13	7	3	55	10	3	2
33		Female	91	11	17	11	6	-	45	10	2	2
34		Negro--Male	74	3	11	5	6	-	25	6	2	-
35		Female	65	7	16	5	2	-	30	4	2	1
36		Other--Male	9	2	2	1	1	1	7	1	-	-
37		Female	16	3	-	1	-	1	5	4	1	1
38	011	Tuberculosis of intestines, peritoneum, and mesenteric glands	93	1	-	-	1	-	2	1	1	4
39		White--Male	34	-	-	-	1	-	1	1	-	-
40		Female	25	1	-	-	-	-	1	-	1	1
41		Negro--Male	15	-	-	-	-	-	-	-	-	1
42		Female	15	-	-	-	-	-	-	-	-	1
43		Other--Male	2	-	-	-	-	-	-	-	-	-
44		Female	2	-	-	-	-	-	-	-	-	1
45	012.0,013.0	Tuberculosis of vertebral column	126	1	1	-	1	1	4	-	3	1
46		White--Male	55	-	-	-	-	-	-	-	1	1
47		Female	39	-	-	-	1	-	1	-	1	-
48		Negro--Male	15	1	-	-	-	-	1	-	1	-
49		Female	14	-	-	-	-	1	1	-	-	-
50		Other--Male	2	-	1	-	-	-	1	-	-	-
51		Female	1	-	-	-	-	-	-	-	-	-
52	012.1-	Tuberculosis of other bones and joints	31	-	1	-	-	-	1	-	-	-
53	012.3,	White--Male	15	-	-	-	-	-	-	-	-	-
54	013.1-	Female	9	-	1	-	-	-	1	-	-	-
55	013.3	Negro--Male	4	-	-	-	-	-	-	-	-	-
56		Female	3	-	-	-	-	-	-	-	-	-
57		Other--Male	-	-	-	-	-	-	-	-	-	-
58		Female	-	-	-	-	-	-	-	-	-	-
59	016	Tuberculosis of genito-urinary system	179	-	-	-	-	-	-	-	-	1
60		White--Male	103	-	-	-	-	-	-	-	-	-
61		Female	46	-	-	-	-	-	-	-	-	-
62		Negro--Male	18	-	-	-	-	-	-	-	-	-
63		Female	11	-	-	-	-	-	-	-	-	-
64		Other--Male	1	-	-	-	-	-	-	-	-	1
65		Female	-	-	-	-	-	-	-	-	-	-
66	014,015,	Tuberculosis of lymphatic system and other organs	103	-	-	1	-	-	1	-	1	2
67	017,018	White--Male	54	-	-	-	-	-	-	-	1	-
68		Female	23	-	-	-	-	-	-	-	-	1
69		Negro--Male	9	-	-	-	-	-	-	-	-	-
70		Female	14	-	-	-	-	-	-	-	-	-
71		Other--Male	2	-	-	1	-	-	1	-	-	-
72		Female	1	-	-	-	-	-	-	-	-	1
73	019	Disseminated tuberculosis	452	32	24	12	3	3	74	3	2	15
74		White--Male	153	10	4	2	1	-	17	1	1	-
75		Female	73	6	5	3	-	2	16	1	1	5
76		Negro--Male	120	7	9	3	1	-	20	-	-	5
77		Female	89	7	5	3	1	-	16	1	-	5
78		Other--Male	10	-	1	-	-	-	1	-	-	-
79		Female	7	2	-	1	-	1	4	-	-	-
80	020-029	Syphilis and its sequelae	4,835	43	-	-	-	-	43	-	2	14
81		White--Male	2,414	3	-	-	-	-	3	-	1	2
82		Female	824	9	-	-	-	-	9	-	-	3
83		Negro--Male	1,089	20	-	-	-	-	20	-	-	3
84		Female	474	10	-	-	-	-	10	-	1	6
85		Other--Male	30	1	-	-	-	-	1	-	-	-
86		Female	4	-	-	-	-	-	-	-	-	-
87	020	Congenital syphilis	62	42	-	-	-	-	42	-	-	5
88		White--Male	11	3	-	-	-	-	3	-	-	-
89		Female	13	9	-	-	-	-	9	-	-	1
90		Negro--Male	23	19	-	-	-	-	19	-	-	2
91		Female	14	10	-	-	-	-	10	-	-	2
92		Other--Male	1	1	-	-	-	-	1	-	-	-
93		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1954

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
13,350	16,156	20,560	27,847	41,800	59,919	83,581	107,708	141,567	174,431	185,794	178,993	147,424	88,103	34,675	8,119	1,471	914	1
9,222	10,487	12,416	16,459	25,176	37,531	52,923	69,417	89,730	106,126	105,503	94,752	72,054	39,459	14,029	2,990	495	559	2
4,128	5,669	8,144	11,388	16,624	22,388	30,658	38,291	51,837	68,305	80,291	84,241	75,370	48,644	20,646	5,129	976	355	3
7,523	8,148	9,663	13,136	20,411	31,686	44,508	60,691	80,449	96,566	97,442	88,964	68,328	37,537	13,261	2,711	300	394	4
3,007	4,057	5,776	8,355	12,345	17,370	23,610	31,803	44,785	60,653	73,844	79,721	72,053	46,744	19,735	4,742	637	236	5
1,593	2,199	2,622	3,213	4,600	5,645	8,102	8,416	8,870	9,101	7,565	5,416	3,505	1,822	724	257	190	151	6
1,067	1,542	2,276	2,956	4,173	4,929	6,957	6,365	6,908	7,525	6,309	4,392	3,223	1,842	881	372	318	116	7
106	140	131	110	165	200	313	310	411	459	496	372	221	100	44	22	5	14	8
54	70	92	77	106	89	91	123	144	127	138	128	94	58	30	15	21	3	9
602	994	1,195	1,419	1,812	2,105	2,478	2,662	2,774	2,901	2,403	1,650	961	416	105	24	4	18	10
193	306	385	505	753	986	1,290	1,555	1,739	1,855	1,487	984	513	219	47	8	1	7	11
179	280	361	397	422	446	392	402	453	557	563	494	350	162	43	13	2	2	12
81	163	208	275	377	451	538	507	426	324	222	109	54	24	10	1	1	5	13
133	222	207	223	236	200	230	162	120	118	94	44	27	8	4	1	-	3	14
4	7	16	10	17	18	24	28	31	37	31	13	12	2	1	-	-	1	15
12	16	18	9	7	4	4	8	5	10	6	6	5	1	-	1	-	-	16
300	606	785	1,044	1,274	1,415	1,646	1,701	1,684	1,788	1,509	1,045	596	245	47	6	1	14	17
68	133	221	364	550	732	944	1,093	1,162	1,217	982	658	340	145	24	2	1	5	18
69	143	218	280	288	274	223	213	228	310	329	273	195	81	17	3	-	1	19
47	133	154	212	269	276	329	293	215	165	125	72	30	12	5	-	-	5	20
102	179	165	172	149	116	129	78	54	59	44	23	16	5	1	-	-	2	21
3	4	12	9	12	14	19	19	21	28	25	13	10	1	-	-	-	1	22
11	14	15	7	6	3	2	5	4	9	4	6	5	1	-	1	-	-	23
264	546	721	969	1,184	1,324	1,552	1,586	1,574	1,665	1,433	993	556	238	46	6	1	14	24
58	118	208	352	517	692	906	1,043	1,099	1,146	934	629	317	142	23	2	1	5	25
61	137	204	263	274	255	205	189	203	281	314	261	183	77	17	3	-	1	26
42	114	135	191	246	261	307	267	198	148	120	69	28	12	5	-	-	5	27
90	161	150	149	132	102	117	65	50	55	36	16	13	5	1	-	-	2	28
3	4	12	9	9	12	16	17	20	26	25	12	10	1	-	-	-	1	29
10	12	12	5	6	2	1	5	4	9	4	6	5	1	-	1	-	-	30
9	18	26	15	15	18	16	21	10	11	2	2	2	1	-	-	-	-	31
4	5	7	2	6	7	3	4	7	7	2	2	2	1	-	-	-	-	32
3	3	6	1	2	3	4	5	2	3	-	-	-	-	-	-	-	-	33
-	5	8	7	2	4	6	8	-	1	-	-	-	-	-	-	-	-	34
2	4	3	3	5	4	2	4	1	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	36
-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
2	5	5	8	7	6	6	10	4	12	8	7	4	1	-	-	-	-	38
-	2	1	1	2	3	1	5	-	5	5	3	3	1	-	-	-	-	39
-	-	2	-	2	1	-	3	3	5	3	2	1	-	-	-	-	-	40
1	2	2	-	2	1	2	-	1	2	-	1	-	-	-	-	-	-	41
1	1	-	7	-	-	2	2	-	-	-	1	-	-	-	-	-	-	42
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
2	2	6	8	7	7	13	12	17	19	12	7	6	-	-	-	-	-	45
-	-	2	-	4	1	7	4	9	14	6	6	-	-	-	-	-	-	46
1	-	-	3	2	5	3	3	6	5	3	1	5	-	-	-	-	-	47
1	2	1	2	1	-	-	3	2	-	1	-	-	-	-	-	-	-	48
-	-	2	3	-	1	2	2	-	-	2	-	1	-	-	-	-	-	49
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	50
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
3	1	-	1	2	-	2	3	3	4	3	4	4	-	-	-	-	-	52
1	-	-	-	1	-	1	1	2	3	2	1	3	-	-	-	-	-	53
1	-	-	-	-	-	-	-	1	1	1	3	1	-	-	-	-	-	54
1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	55
-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
3	7	2	12	18	23	24	30	20	14	16	3	5	1	-	-	-	-	59
2	4	1	4	14	15	12	19	8	10	10	2	2	-	-	-	-	-	60
-	1	1	5	1	5	9	6	7	2	5	-	3	1	-	-	-	-	61
-	1	-	1	2	-	2	4	5	2	-	1	-	-	-	-	-	-	62
1	1	-	2	1	3	1	1	-	-	1	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
1	2	5	4	7	12	4	7	12	18	9	8	6	3	1	-	-	-	66
1	1	-	2	2	6	2	1	7	11	6	6	6	1	1	-	-	-	67
-	-	1	-	-	3	-	5	3	5	1	2	-	2	-	-	-	-	68
-	-	1	-	2	1	2	1	1	-	1	-	-	-	-	-	-	-	69
-	1	3	2	2	2	-	-	1	2	1	-	-	-	-	-	-	-	70
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
16	25	20	27	34	25	29	32	44	45	26	21	13	1	-	-	-	-	73
2	3	2	3	4	8	12	16	30	21	17	9	7	-	-	-	-	-	74
3	2	4	8	7	2	2	2	3	8	2	4	2	1	-	-	-	-	75
2	8	7	11	14	9	10	8	8	12	3	1	2	-	-	-	-	-	76
8	11	7	5	8	4	4	4	2	2	4	6	2	-	-	-	-	-	77
-	-	-	-	1	1	1	2	1	2	-	1	-	-	-	-	-	-	78
1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	79
9	30	60	85	205	357	528	663	782	790	615	385	179	65	20	3	-	-	80
1	9	10	21	58	98	209	328	441	480	385	238	98	27	3	2	-	-	81
1	6	6	13	21	63	65	84	109	134	114	97	61	27	11	-	-	-	82
3	5	25	33	70	134	180	179	177	130	73	32	13	9	3	-	-	-	83
4	10	17	17	55	59	73	67	49	40	39	18	5	1	2	1	-	-	84
-	-	-	-	1	3	1	4	6	6	4	-	2	1	1	-	-	-	85
-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	86
2	1	2	1	3	-	1	1	3	-	-	1	-	-	-	-	-	-	87
1	1	-	-	3	-	-	-	2	-	-	1	-	-	-	-	-	-	88
-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	89
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	90
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
		Syphilis and its sequelae—Continued										
1	021	Early syphilis	-	-	-	-	-	-	-	-	-	-
2		White--------Male----	-	-	-	-	-	-	-	-	-	-
3		Female--	-	-	-	-	-	-	-	-	-	-
4		Negro--------Male----	-	-	-	-	-	-	-	-	-	-
5		Female--	-	-	-	-	-	-	-	-	-	-
6		Other--------Male----	-	-	-	-	-	-	-	-	-	-
7		Female--	-	-	-	-	-	-	-	-	-	-
8	022	Aneurysm of aorta	1,807	-	-	-	-	-	-	-	1	3
9		White--------Male----	1,090	-	-	-	-	-	-	-	1	1
10		Female--	334	-	-	-	-	-	-	-	-	1
11		Negro--------Male----	268	-	-	-	-	-	-	-	-	-
12		Female--	110	-	-	-	-	-	-	-	-	1
13		Other--------Male----	5	-	-	-	-	-	-	-	-	-
14		Female--	-	-	-	-	-	-	-	-	-	-
15	023	Other cardiovascular syphilis	1,642	-	-	-	-	-	-	-	-	2
16		White--------Male----	711	-	-	-	-	-	-	-	-	-
17		Female--	244	-	-	-	-	-	-	-	-	-
18		Negro--------Male----	480	-	-	-	-	-	-	-	-	-
19		Female--	189	-	-	-	-	-	-	-	-	2
20		Other--------Male----	16	-	-	-	-	-	-	-	-	-
21		Female--	2	-	-	-	-	-	-	-	-	-
22	024	Tabes dorsalis	114	-	-	-	-	-	-	-	-	-
23		White--------Male---	77	-	-	-	-	-	-	-	-	-
24		Female--	20	-	-	-	-	-	-	-	-	-
25		Negro--------Male----	10	-	-	-	-	-	-	-	-	-
26		Female--	6	-	-	-	-	-	-	-	-	-
27		Other--------Male---	1	-	-	-	-	-	-	-	-	-
28		Female--	-	-	-	-	-	-	-	-	-	-
29	025	General paralysis of insane	607	-	-	-	-	-	-	-	1	1
30		White--------Male----	277	-	-	-	-	-	-	-	-	1
31		Female--	89	-	-	-	-	-	-	-	-	-
32		Negro--------Male----	166	-	-	-	-	-	-	-	-	-
33		Female--	71	-	-	-	-	-	-	-	1	-
34		Other--------Male----	4	-	-	-	-	-	-	-	-	-
35		Female--	-	-	-	-	-	-	-	-	-	-
36	026	Other syphilis of central nervous system	480	1	-	-	-	-	1	-	-	2
37		White--------Male----	206	-	-	-	-	-	-	-	-	-
38		Female--	91	-	-	-	-	-	-	-	-	1
39		Negro--------Male----	109	1	-	-	-	-	1	-	-	1
40		Female--	71	-	-	-	-	-	-	-	-	-
41		Other--------Male----	3	-	-	-	-	-	-	-	-	-
42		Female--	-	-	-	-	-	-	-	-	-	-
43	027-029	Other syphilis	123	-	-	-	-	-	-	-	-	1
44		White--------Male----	42	-	-	-	-	-	-	-	-	-
45		Female--	33	-	-	-	-	-	-	-	-	-
46		Negro--------Male----	33	-	-	-	-	-	-	-	-	-
47		Female--	13	-	-	-	-	-	-	-	-	1
48		Other--------Male----	-	-	-	-	-	-	-	-	-	-
49		Female--	2	-	-	-	-	-	-	-	-	-
50	030-035	Gonococcal infection	15	1	-	-	-	-	1	-	-	-
51		White--------Male----	6	1	-	-	-	-	1	-	-	-
52		Female--	1	-	-	-	-	-	-	-	-	-
53		Negro--------Male----	5	-	-	-	-	-	-	-	-	-
54		Female--	3	-	-	-	-	-	-	-	-	-
55		Other--------Male----	-	-	-	-	-	-	-	-	-	-
56		Female--	-	-	-	-	-	-	-	-	-	-
57	040	Typhoid fever	45	2	1	-	-	1	4	2	2	5
58		White--------Male----	13	1	-	-	-	-	1	-	-	1
59		Female--	13	1	-	-	-	-	1	2	1	-
60		Negro--------Male----	8	-	-	-	-	-	-	-	-	2
61		Female--	5	-	-	-	-	1	1	-	-	1
62		Other--------Male----	5	-	1	-	-	-	1	-	1	1
63		Female--	1	-	-	-	-	-	-	-	-	-
64	041	Paratyphoid fever	10	2	-	-	-	-	2	2	-	-
65		White--------Male----	3	-	-	-	-	-	-	-	-	-
66		Female--	3	-	-	-	-	-	-	1	-	-
67		Negro--------Male----	2	1	-	-	-	-	1	1	-	-
68		Female--	2	1	-	-	-	-	1	-	-	-
69		Other--------Male----	-	-	-	-	-	-	-	-	-	-
70		Female--	-	-	-	-	-	-	-	-	-	-
71	042	Other Salmonella infections	38	10	-	-	1	-	11	1	-	-
72		White--------Male----	11	2	-	-	-	-	2	-	-	-
73		Female--	21	6	-	-	1	-	7	1	-	-
74		Negro--------Male----	5	2	-	-	-	-	2	-	-	-
75		Female--	1	-	-	-	-	-	-	-	-	-
76		Other--------Male----	-	-	-	-	-	-	-	-	-	-
77		Female--	-	-	-	-	-	-	-	-	-	-
78	043	Cholera	-	-	-	-	-	-	-	-	-	-
79		White--------Male----	-	-	-	-	-	-	-	-	-	-
80		Female--	-	-	-	-	-	-	-	-	-	-
81		Negro--------Male----	-	-	-	-	-	-	-	-	-	-
82		Female--	-	-	-	-	-	-	-	-	-	-
83		Other--------Male----	-	-	-	-	-	-	-	-	-	-
84		Female--	-	-	-	-	-	-	-	-	-	-
85	044	Brucellosis (undulant fever)	15	-	-	-	-	-	-	-	-	-
86		White--------Male----	9	-	-	-	-	-	-	-	-	-
87		Female--	3	-	-	-	-	-	-	-	-	-
88		Negro--------Male----	1	-	-	-	-	-	-	-	-	-
89		Female--	2	-	-	-	-	-	-	-	-	-
90		Other--------Male----	-	-	-	-	-	-	-	-	-	-
91		Female--	-	-	-	-	-	-	-	-	-	-
92	045-048	Dysentery, all forms	655	301	39	16	10	10	376	14	2	3
93		White--------Male----	212	88	11	5	5	5	114	1	1	2
94		Female--	188	79	11	2	-	-	92	8	1	1
95		Negro--------Male----	129	62	6	4	3	2	77	2	-	-
96		Female--	98	56	7	4	1	3	71	1	-	-
97		Other--------Male----	12	6	3	1	-	-	10	2	-	-
98		Female--	16	10	1	-	1	-	12	-	-	-

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
1	10	19	27	50	89	141	216	294	327	262	211	106	38	11	1	-	-	8
-	4	6	12	23	26	61	132	197	221	182	138	66	18	1	1	-	-	9
1	1	1	2	6	11	18	21	40	53	56	62	34	18	9	-	-	-	10
-	3	7	10	9	42	44	44	43	35	15	9	4	2	1	-	-	-	11
-	2	5	3	12	10	18	18	13	17	8	2	1	-	-	-	-	-	12
-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
1	7	13	25	91	141	216	255	274	282	191	88	41	8	6	1	-	-	15
-	1	1	4	19	31	80	109	142	156	103	42	20	1	1	1	-	-	16
-	2	1	6	8	23	24	32	28	48	35	21	11	3	2	-	-	-	17
-	-	7	7	37	58	81	87	80	61	36	14	7	4	1	-	-	-	18
1	4	4	7	27	28	31	25	19	13	14	11	2	-	1	-	-	-	19
-	-	-	-	-	1	-	1	5	4	3	-	1	-	1	-	-	-	20
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	2	6	9	15	22	22	17	13	4	4	-	-	-	-	22
-	-	-	-	-	2	7	8	15	17	12	12	2	2	-	-	-	-	23
-	-	-	-	1	-	-	5	6	1	3	1	2	1	-	-	-	-	24
-	-	-	-	-	3	2	2	-	3	-	-	-	-	-	-	-	-	25
-	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
2	4	12	15	30	60	86	97	95	74	72	33	15	8	1	1	-	-	29
-	3	2	2	7	24	35	43	44	41	49	19	5	2	-	-	-	-	30
-	-	2	1	4	12	10	14	10	13	7	6	8	2	-	-	-	-	31
-	1	5	10	12	16	31	25	31	14	10	6	1	3	1	-	-	-	32
2	-	3	2	7	7	9	14	10	5	6	2	1	1	-	1	-	-	33
-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
2	6	12	14	22	51	62	63	74	67	59	27	10	6	2	-	-	-	36
-	-	1	3	5	12	23	28	35	35	36	18	5	4	1	-	-	-	37
-	2	1	3	1	13	9	9	18	16	8	4	4	2	-	-	-	-	38
1	1	6	5	9	12	18	17	16	12	8	2	-	-	-	-	-	-	39
1	3	4	3	6	13	12	8	5	4	7	3	1	-	1	-	-	-	40
-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
1	2	2	3	7	10	13	16	20	18	14	12	3	1	-	-	-	-	43
-	-	-	-	1	3	3	8	6	10	3	8	-	-	-	-	-	-	44
-	1	-	1	1	4	4	2	6	3	5	3	2	1	-	-	-	-	45
1	-	-	1	3	3	3	4	7	5	4	1	1	-	-	-	-	-	46
-	1	-	1	2	-	3	2	1	-	2	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	2	2	2	1	-	1	1	1	2	-	-	-	2	-	-	-	-	50
-	-	1	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	51
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	1	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	53
-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
2	1	2	-	3	2	7	1	-	5	2	4	1	2	-	-	-	-	57
1	-	2	-	1	-	1	1	-	1	-	3	-	1	-	-	-	-	58
1	-	-	-	-	1	1	-	-	2	1	1	1	1	-	-	-	-	59
-	-	-	-	1	1	3	-	-	1	-	-	-	-	-	-	-	-	60
-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	61
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	2	-	1	1	-	-	1	1	-	-	-	-	-	64
-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	65
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	4	2	2	1	2	-	6	3	2	3	1	-	-	-	-	71
-	-	-	1	-	-	1	-	-	4	2	-	1	-	-	-	-	-	72
-	-	-	2	2	1	-	1	-	2	1	1	2	1	-	-	-	-	73
-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	74
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	1	2	2	3	2	-	2	1	2	-	-	-	-	-	-	85
-	-	-	1	1	2	1	2	-	1	-	1	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	87
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
4	4	5	12	14	13	24	16	28	29	31	27	29	13	5	4	1	1	92
-	1	3	5	4	2	10	7	6	14	12	12	10	4	2	2	-	-	93
2	2	-	1	5	5	2	6	12	4	7	15	14	8	1	2	-	-	94
-	-	2	3	3	4	4	2	6	8	9	-	5	1	2	-	1	-	95
2	1	-	3	1	1	7	1	4	3	2	-	-	-	-	-	-	1	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	98

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases--Continued										
1	049	Food poisoning (infection and intoxication)	117	15	2	-	3	1	21	4	1	1
2		White--Male	36	4	-	-	-	1	5	1	-	1
3		Female	33	1	-	-	1	-	2	1	1	-
4		Negro--Male	23	6	1	-	-	-	7	2	-	-
5		Female	23	4	1	-	2	-	7	-	-	-
6		Other--Male	2	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	050	Scarlet fever	63	1	1	1	1	-	4	6	4	4
9		White--Male	29	-	-	-	1	-	1	3	1	1
10		Female	31	1	1	1	-	-	3	3	3	2
11		Negro--Male	2	-	-	-	-	-	-	-	-	1
12		Female	1	-	-	-	-	-	-	-	-	-
13		Other--Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	051	Streptococcal sore throat	199	26	11	8	4	3	52	22	10	13
16		White--Male	83	10	5	4	2	-	21	10	5	5
17		Female	74	4	6	1	1	1	13	10	4	3
18		Negro--Male	15	3	-	1	1	1	6	-	1	2
19		Female	23	7	-	2	-	1	10	2	-	3
20		Other--Male	1	1	-	-	-	-	1	-	-	-
21		Female	3	1	-	-	-	-	1	-	-	-
22	052	Erysipelas	39	2	-	-	-	-	2	-	-	1
23		White--Male	18	-	-	-	-	-	-	-	-	-
24		Female	17	1	-	-	-	-	1	-	-	1
25		Negro--Male	1	-	-	-	-	-	-	-	-	-
26		Female	2	1	-	-	-	-	1	-	-	-
27		Other--Male	1	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	053	Septicemia and pyemia	897	293	44	30	18	9	394	34	11	15
30		White--Male	405	125	28	13	8	5	179	17	4	7
31		Female	323	95	14	12	5	1	127	12	7	6
32		Negro--Male	82	34	1	3	3	1	42	2	-	1
33		Female	78	32	1	2	2	2	39	3	-	1
34		Other--Male	4	2	-	-	-	-	2	-	-	-
35		Female	5	5	-	-	-	-	5	-	-	-
36	055	Diphtheria	145	6	16	24	15	14	75	37	9	-
37		White--Male	50	3	5	9	2	3	22	16	3	-
38		Female	41	1	2	4	3	3	13	11	4	-
39		Negro--Male	31	1	7	7	4	7	26	4	-	-
40		Female	23	1	2	4	6	1	14	6	2	-
41		Other--Male	-	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	056	Whooping cough	373	263	67	20	12	4	366	5	1	-
44		White--Male	95	65	18	4	4	4	95	-	-	-
45		Female	127	97	14	9	3	-	123	2	1	-
46		Negro--Male	67	44	18	3	1	-	66	1	-	-
47		Female	77	54	14	3	4	-	75	2	-	-
48		Other--Male	3	2	1	-	-	-	3	-	-	-
49		Female	4	1	2	1	-	-	4	-	-	-
50	057	Meningococcal infections	1,015	303	160	96	58	35	652	114	40	41
51		White--Male	480	150	79	47	29	17	322	52	15	20
52		Female	380	112	66	36	23	11	248	35	17	10
53		Negro--Male	89	21	8	8	4	2	43	16	4	9
54		Female	61	20	6	3	2	5	36	10	4	2
55		Other--Male	2	-	-	1	-	-	1	-	-	-
56		Female	3	-	1	1	-	-	2	1	-	-
57	058	Plague	-	-	-	-	-	-	-	-	-	-
58		White--Male	-	-	-	-	-	-	-	-	-	-
59		Female	-	-	-	-	-	-	-	-	-	-
60		Negro--Male	-	-	-	-	-	-	-	-	-	-
61		Female	-	-	-	-	-	-	-	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	059	Tularemia	4	-	-	-	-	-	-	-	-	-
65		White--Male	2	-	-	-	-	-	-	-	-	-
66		Female	-	-	-	-	-	-	-	-	-	-
67		Negro--Male	1	-	-	-	-	-	-	-	-	-
68		Female	1	-	-	-	-	-	-	-	-	-
69		Other--Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	060	Leprosy	4	-	-	-	-	-	-	-	-	-
72		White--Male	2	-	-	-	-	-	-	-	-	-
73		Female	2	-	-	-	-	-	-	-	-	-
74		Negro--Male	-	-	-	-	-	-	-	-	-	-
75		Female	-	-	-	-	-	-	-	-	-	-
76		Other--Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	061	Tetanus	332	92	2	9	7	4	114	33	23	7
79		White--Male	115	24	-	4	2	1	31	7	11	4
80		Female	79	17	-	4	1	2	24	9	3	1
81		Negro--Male	89	31	2	1	2	1	37	13	6	1
82		Female	49	20	-	-	2	-	22	4	3	1
83		Other--Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	062	Anthrax	-	-	-	-	-	-	-	-	-	-
86		White--Male	-	-	-	-	-	-	-	-	-	-
87		Female	-	-	-	-	-	-	-	-	-	-
88		Negro--Male	-	-	-	-	-	-	-	-	-	-
89		Female	-	-	-	-	-	-	-	-	-	-
90		Other--Male	-	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-
92	080	Acute poliomyelitis	1,368	69	46	48	49	42	254	233	161	110
93		White--Male	753	31	27	25	26	25	134	120	91	64
94		Female	546	28	14	20	20	13	95	101	60	42
95		Negro--Male	39	7	2	2	-	3	14	8	5	1
96		Female	29	3	3	1	3	1	11	3	5	3
97		Other--Male	-	-	-	-	-	-	-	-	-	-
98		Female	1	-	-	-	-	-	-	1	-	-

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
5	-	3	6	8	13	5	9	6	8	5	6	12	2	2	-	-	-	1
1	-	1	3	4	4	-	3	3	5	1	1	2	-	1	-	-	-	2
4	-	-	-	-	5	1	1	1	2	3	3	7	2	-	-	-	-	3
-	-	2	1	2	2	2	3	-	-	-	1	1	-	-	-	-	-	4
-	-	-	2	2	2	2	2	1	-	1	1	2	-	1	-	-	-	5
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
3	7	3	5	7	2	4	6	1	1	2	4	-	-	-	-	-	-	8
2	5	2	2	5	2	1	2	1	-	-	1	-	-	-	-	-	-	9
1	2	1	3	1	-	3	3	-	1	2	3	-	-	-	-	-	-	10
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
13	4	8	10	9	7	4	4	6	8	6	5	10	2	6	-	-	-	15
5	1	3	6	5	3	3	1	1	1	3	1	3	2	4	-	-	-	16
6	2	2	3	1	2	1	3	3	6	2	4	7	-	2	-	-	-	17
1	1	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	18
-	-	2	1	1	2	-	-	1	1	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	1	-	1	2	3	1	1	6	5	4	7	2	2	1	-	-	22
-	-	-	-	1	2	1	1	1	3	2	1	5	-	1	-	-	-	23
-	-	1	-	-	-	1	-	-	2	2	3	2	2	1	1	-	-	24
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
13	16	22	21	25	34	37	32	46	53	55	37	28	14	5	5	-	-	29
7	8	6	6	10	15	20	11	23	26	26	14	15	8	3	-	-	-	30
3	3	10	10	10	9	11	15	11	19	25	20	12	6	2	5	-	-	31
1	-	1	3	4	5	3	4	7	5	1	3	-	-	-	-	-	-	32
2	5	4	2	1	5	3	1	5	3	3	-	1	-	-	-	-	-	33
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	1	1	4	7	2	4	2	-	2	1	-	-	-	-	-	-	-	36
-	-	1	2	2	1	1	2	-	-	-	-	-	-	-	-	-	-	37
-	-	-	2	5	1	3	-	-	1	1	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	39
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
21	6	9	15	13	19	13	16	18	18	10	6	3	1	-	-	-	-	50
12	2	3	6	5	8	6	6	9	6	5	2	-	1	-	-	-	-	51
3	2	3	6	4	9	7	7	8	10	4	4	3	-	-	-	-	-	52
4	2	1	2	1	2	-	3	-	1	1	-	-	-	-	-	-	-	53
2	-	2	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	54
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	64
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	67
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
13	8	5	9	12	17	13	17	15	16	12	8	6	3	1	-	-	-	78
6	1	1	2	3	9	6	9	8	8	5	2	1	1	-	-	-	-	79
3	1	3	3	3	3	-	4	4	4	5	6	1	1	1	-	-	-	80
1	4	1	1	2	4	6	3	3	3	2	-	2	-	-	-	-	-	81
3	2	-	3	4	1	1	1	-	1	-	-	2	1	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
118	183	152	62	37	26	11	11	5	4	1	-	-	-	-	-	-	-	92
59	105	85	37	25	16	5	7	2	2	1	-	-	-	-	-	-	-	93
56	73	62	22	12	9	6	4	2	2	-	-	-	-	-	-	-	-	94
2	3	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	95
1	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	081	Late effects of acute poliomyelitis	132	-	-	-	1	2	3	12	16	13
2		White--Male	67	-	-	-	1	1	2	4	9	5
3		Female	55	-	-	-	-	1	1	7	5	7
4		Negro--Male	6	-	-	-	-	-	-	1	2	-
5		Female	4	-	-	-	-	-	-	-	-	1
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	082	Acute infectious encephalitis	407	50	39	21	10	8	128	22	10	11
9		White--Male	183	18	19	11	4	6	58	15	6	3
10		Female	169	23	15	9	4	1	52	7	4	5
11		Negro--Male	25	2	1	1	-	-	4	-	-	-
12		Female	20	5	-	-	1	1	7	-	-	3
13		Other--Male	5	2	1	-	-	-	3	-	-	-
14		Female	5	-	3	-	1	-	4	-	-	-
15	083	Late effects of acute i fectious encephalitis	124	-	1	2	-	-	3	1	-	-
16		White--Male	75	-	-	1	-	-	1	1	-	-
17		Female	41	-	1	1	-	-	2	-	-	-
18		Negro--Male	5	-	-	-	-	-	-	-	-	-
19		Female	2	-	-	-	-	-	-	-	-	-
20		Other--Male	-	-	-	-	-	-	-	-	-	-
21		Female	1	-	-	-	-	-	-	-	-	-
22	084	Smallpox	-	-	-	-	-	-	-	-	-	-
23		White--Male	-	-	-	-	-	-	-	-	-	-
24		Female	-	-	-	-	-	-	-	-	-	-
25		Negro--Male	-	-	-	-	-	-	-	-	-	-
26		Female	-	-	-	-	-	-	-	-	-	-
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	085	Measles	518	109	102	59	47	31	348	99	29	6
30		White--Male	188	33	32	20	22	15	122	34	12	4
31		Female	214	34	38	30	19	9	130	53	11	1
32		Negro--Male	46	11	14	5	3	5	38	3	3	1
33		Female	49	17	14	3	2	2	38	8	3	-
34		Other--Male	9	6	1	-	1	-	8	1	-	-
35		Female	12	8	3	1	-	-	12	-	-	-
36	091	Yellow fever	-	-	-	-	-	-	-	-	-	-
37		White--Male	-	-	-	-	-	-	-	-	-	-
38		Female	-	-	-	-	-	-	-	-	-	-
39		Negro--Male	-	-	-	-	-	-	-	-	-	-
40		Female	-	-	-	-	-	-	-	-	-	-
41		Other--Male	-	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	092	Infectious hepatitis	821	37	10	8	7	8	70	24	22	30
44		White--Male	333	20	6	4	3	3	36	11	15	8
45		Female	374	11	3	2	2	4	22	7	7	9
46		Negro--Male	51	4	1	1	2	1	9	2	-	9
47		Female	51	2	-	-	-	-	2	3	-	4
48		Other--Male	8	-	-	-	-	-	-	-	-	-
49		Female	4	-	-	1	-	-	1	1	-	-
50	094	Rabies	13	-	-	1	4	-	5	4	-	-
51		White--Male	7	-	-	1	2	-	3	1	-	-
52		Female	2	-	-	-	-	-	-	1	-	-
53		Negro--Male	3	-	-	-	1	-	1	2	-	-
54		Female	1	-	-	-	1	-	1	-	-	-
55		Other--Male	-	-	-	-	-	-	-	-	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	104	Tick-borne typhus	10	-	-	-	2	-	2	1	1	-
58		White--Male	4	-	-	-	1	-	1	1	-	-
59		Female	3	-	-	-	1	-	1	-	1	-
60		Negro--Male	2	-	-	-	-	-	-	-	-	-
61		Female	1	-	-	-	-	-	-	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	104A	Rocky Mountain spotted fever	10	-	-	-	2	-	2	1	1	-
65		White--Male	4	-	-	-	1	-	1	1	-	-
66		Female	3	-	-	-	1	-	1	-	1	-
67		Negro--Male	2	-	-	-	-	-	-	-	-	-
68		Female	1	-	-	-	-	-	-	-	-	-
69		Other--Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	104B	Other forms of tick-borne typhus	-	-	-	-	-	-	-	-	-	-
72		White--Male	-	-	-	-	-	-	-	-	-	-
73		Female	-	-	-	-	-	-	-	-	-	-
74		Negro--Male	-	-	-	-	-	-	-	-	-	-
75		Female	-	-	-	-	-	-	-	-	-	-
76		Other--Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	100-103, 105-108	Typhus, etc.*, and other rickettsial diseases	10	-	1	-	-	-	1	-	1	-
79		White--Male	6	-	1	-	-	-	1	-	1	-
80		Female	3	-	-	-	-	-	-	-	-	-
81		Negro--Male	1	-	-	-	-	-	-	-	-	-
82		Female	-	-	-	-	-	-	-	-	-	-
83		Other--Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	110-117	Malaria	24	-	-	-	-	-	-	-	-	1
86		White--Male	9	-	-	-	-	-	-	-	-	1
87		Female	3	-	-	-	-	-	-	-	-	-
88		Negro--Male	6	-	-	-	-	-	-	-	-	-
89		Female	5	-	-	-	-	-	-	-	-	-
90		Other--Male	1	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-
92	123	Schistosomiasis	6	-	-	-	-	-	-	-	-	-
93		White--Male	1	-	-	-	-	-	-	-	-	-
94		Female	3	-	-	-	-	-	-	-	-	-
95		Negro--Male	1	-	-	-	-	-	-	-	-	-
96		Female	-	-	-	-	-	-	-	-	-	-
97		Other--Male	1	-	-	-	-	-	-	-	-	-
98		Female	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
16	16	17	7	7	10	7	2	1	2	2	-	-	1	-	-	-	-	1
8	8	9	3	5	6	4	-	-	2	1	-	-	1	-	-	-	-	2
5	6	8	4	2	4	3	2	-	-	1	-	-	-	-	-	-	-	3
1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
13	13	25	22	32	18	19	23	23	16	13	12	4	2	1	-	-	-	8
3	5	7	7	16	10	10	14	8	7	6	5	2	-	1	-	-	-	9
7	2	13	11	11	5	8	6	13	7	7	7	2	2	-	-	-	-	10
1	4	4	3	2	2	-	3	2	-	-	-	-	-	-	-	-	-	11
2	1	1	1	2	1	1	-	-	1	-	-	-	-	-	-	-	-	12
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	14
-	1	3	6	16	12	18	19	16	15	9	4	1	-	-	-	-	-	15
-	1	1	6	10	6	12	14	9	10	3	1	-	-	-	-	-	-	16
-	-	1	-	5	4	6	5	5	4	5	3	1	-	-	-	-	-	17
-	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
3	2	1	3	4	2	2	4	-	4	1	5	4	-	-	-	-	1	29
2	1	-	1	3	1	-	2	-	3	1	2	-	-	-	-	-	-	30
1	1	-	2	1	1	2	2	-	1	-	3	4	-	-	-	-	1	31
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
29	38	47	47	57	82	59	47	73	55	46	40	26	22	3	2	1	1	43
8	9	15	13	22	34	27	18	25	28	18	16	12	15	1	1	-	1	44
12	19	26	22	28	38	28	22	42	21	24	23	14	6	2	1	1	-	45
4	1	-	5	2	7	1	2	4	2	2	-	-	1	-	-	-	-	46
5	9	3	7	5	3	2	2	1	3	1	1	-	-	-	-	-	-	47
-	-	3	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	49
-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	50
-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	51
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
2	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	58
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	60
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
2	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	65
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	67
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
1	-	-	1	-	1	-	1	1	-	2	1	-	-	-	-	-	-	78
-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	79
1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	80
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
1	2	-	-	3	2	4	2	2	3	2	-	-	1	-	-	-	1	85
-	2	-	-	-	1	2	1	-	-	-	-	-	1	-	-	-	1	86
-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	87
-	-	-	-	2	-	2	1	-	1	-	-	-	-	-	-	-	-	88
1	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	89
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
1	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	93
-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	94
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	125	Hydatid disease	8	-	-	-	-	-	-	-	-	-
2		White--------Male----	3	-	-	-	-	-	-	-	-	-
3		Female--	4	-	-	-	-	-	-	-	-	-
4		Negro--------Male----	1	-	-	-	-	-	-	-	-	-
5		Female--	-	-	-	-	-	-	-	-	-	-
6		Other--------Male----	-	-	-	-	-	-	-	-	-	-
7		Female--	-	-	-	-	-	-	-	-	-	-
8	127	Filariasis	-	-	-	-	-	-	-	-	-	-
9		White--------Male----	-	-	-	-	-	-	-	-	-	-
10		Female--	-	-	-	-	-	-	-	-	-	-
11		Negro--------Male----	-	-	-	-	-	-	-	-	-	-
12		Female--	-	-	-	-	-	-	-	-	-	-
13		Other--------Male----	-	-	-	-	-	-	-	-	-	-
14		Female--	-	-	-	-	-	-	-	-	-	-
15	129	Ankylostomiasis	6	-	1	-	-	-	1	-	-	-
16		White--------Male----	3	-	-	-	-	-	-	-	-	-
17		Female--	-	-	-	-	-	-	-	-	-	-
18		Negro--------Male----	-	-	-	-	-	-	-	-	-	-
19		Female--	3	-	1	-	-	-	1	-	-	-
20		Other--------Male----	-	-	-	-	-	-	-	-	-	-
21		Female--	-	-	-	-	-	-	-	-	-	-
22	124,126,	Other diseases due to helminths	55	3	14	11	8	4	40	4	2	1
23	128,130	White--------Male----	14	-	4	1	3	-	8	1	-	-
24		Female--	12	2	1	2	1	2	8	1	1	-
25		Negro--------Male----	11	-	4	3	1	1	9	-	-	1
26		Female--	18	1	5	5	3	1	15	2	1	-
27		Other--------Male----	-	-	-	-	-	-	-	-	-	-
28		Female--	-	-	-	-	-	-	-	-	-	-
29	Residual[1]	All other infective and parasitic diseases	1,144	177	47	23	17	16	280	43	19	19
30		White--------Male----	487	79	23	14	7	8	131	20	7	5
31		Female--	374	54	18	7	8	7	94	13	10	5
32		Negro--------Male----	150	21	4	1	1	1	28	5	2	6
33		Female--	111	18	1	1	1	-	21	5	-	3
34		Other--------Male----	17	4	1	-	-	-	5	-	-	-
35		Female--	5	1	-	-	-	-	1	-	-	-
36		II. Neoplasms	239,763	474	378	463	502	416	2,233	1,302	868	904
37		White--------Male----	114,275	228	199	232	243	198	1,100	661	434	482
38		Female--	104,848	186	146	187	212	190	921	531	338	304
39		Negro--------Male----	9,925	35	14	18	29	14	110	53	52	78
40		Female--	9,934	23	18	25	14	13	93	53	43	35
41		Other--------Male----	520	-	1	1	3	1	6	2	-	2
42		Female--	261	2	-	-	1	-	3	2	1	3
43	140-205	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	234,669	306	335	432	468	378	1,919	1,182	781	830
44		White--------Male----	112,350	152	180	218	229	180	959	607	403	441
45		Female--	102,453	122	133	175	199	174	803	485	297	262
46		Negro--------Male----	9,676	22	10	15	23	13	83	44	45	72
47		Female--	9,427	10	11	23	13	10	67	43	35	30
48		Other--------Male----	513	-	1	1	3	1	6	2	-	2
49		Female--	250	-	-	-	1	-	1	1	1	3
50	140-148	Malignant neoplasm of buccal cavity and pharynx	5,362	5	-	2	2	4	13	5	6	8
51		White--------Male----	3,907	3	-	1	1	1	6	2	4	4
52		Female--	1,069	2	-	-	1	3	6	2	-	3
53		Negro--------Male----	279	-	-	-	-	-	-	-	1	-
54		Female--	100	-	-	1	-	-	1	1	1	1
55		Other--------Male----	24	-	-	-	-	-	-	-	-	-
56		Female--	3	-	-	-	-	-	-	-	-	-
57	140	Of lip	361	-	-	-	-	-	-	-	-	-
58		White--------Male----	317	-	-	-	-	-	-	-	-	-
59		Female--	34	-	-	-	-	-	-	-	-	-
60		Negro--------Male----	5	-	-	-	-	-	-	-	-	-
61		Female--	5	-	-	-	-	-	-	-	-	-
62		Other--------Male----	-	-	-	-	-	-	-	-	-	-
63		Female--	-	-	-	-	-	-	-	-	-	-
64	141	Of tongue	1,292	-	-	-	-	-	-	-	-	-
65		White--------Male----	947	-	-	-	-	-	-	-	-	-
66		Female--	241	-	-	-	-	-	-	-	-	-
67		Negro--------Male----	78	-	-	-	-	-	-	-	-	-
68		Female--	22	-	-	-	-	-	-	-	-	-
69		Other--------Male----	3	-	-	-	-	-	-	-	-	-
70		Female--	1	-	-	-	-	-	-	-	-	-
71	142-144	Of other and unspecified parts of buccal cavity	1,547	2	-	2	-	-	4	3	3	1
72		White--------Male----	1,011	2	-	1	-	-	3	1	2	1
73		Female--	416	-	-	-	-	-	-	1	-	-
74		Negro--------Male----	69	-	-	-	-	-	-	-	-	-
75		Female--	46	-	-	1	-	-	1	1	1	-
76		Other--------Male----	3	-	-	-	-	-	-	-	-	-
77		Female--	2	-	-	-	-	-	-	-	-	-
78	145-148	Of pharynx	2,182	3	-	-	2	4	9	2	3	7
79		White--------Male----	1,632	1	-	-	1	1	3	1	2	3
80		Female--	378	2	-	-	1	3	6	1	-	3
81		Negro--------Male----	127	-	-	-	-	-	-	-	1	-
82		Female--	27	-	-	-	-	-	-	-	-	1
83		Other--------Male----	18	-	-	-	-	-	-	-	-	-
84		Female--	-	-	-	-	-	-	-	-	-	-
85	150-156A,	Malignant neoplasm of digestive organs and peritoneum	85,493	41	10	10	6	7	74	25	26	40
86	157-159	White--------Male----	42,648	26	6	5	5	2	44	11	15	21
87		Female--	35,684	12	4	4	1	3	24	12	5	12
88		Negro--------Male----	4,112	2	-	1	-	-	3	-	4	7
89		Female--	2,703	1	-	-	-	2	3	2	2	-
90		Other--------Male----	256	-	-	-	-	-	-	-	-	-
91		Female--	90	-	-	-	-	-	-	-	-	-
92	150	Of esophagus	4,155	-	-	-	-	-	-	1	-	-
93		White--------Male----	2,755	-	-	-	-	-	-	-	-	-
94		Female--	749	-	-	-	-	-	-	1	-	-
95		Negro--------Male----	495	-	-	-	-	-	-	-	-	-
96		Female--	137	-	-	-	-	-	-	-	-	-
97		Other--------Male----	18	-	-	-	-	-	-	-	-	-
98		Female--	1	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 49.

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	1	-	-	1	1	1	3	1	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	3
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	1	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	15
-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	3	-	1	-	-	1	2	-	-	-	-	1	-	-	-	-	-	22
-	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	23
-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
35	48	41	50	71	58	61	70	60	67	66	51	50	38	13	3	1	-	29
10	13	12	18	23	29	24	27	35	35	31	25	23	11	7	1	-	-	30
3	15	7	11	21	11	19	20	13	24	26	25	24	25	6	1	1	-	31
15	7	13	9	15	10	6	10	9	6	5	-	2	1	-	1	-	-	32
6	10	9	11	11	7	10	10	1	2	2	1	1	1	-	-	-	-	33
1	1	-	-	1	1	2	2	2	-	2	-	-	-	-	-	-	-	34
-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	35
1,152	1,870	3,232	5,387	9,141	14,011	19,576	25,289	31,658	35,358	32,807	26,791	17,395	8,033	2,218	385	49	104	36
552	838	1,184	1,720	2,971	5,185	8,045	11,951	16,083	18,597	17,080	13,735	8,676	3,824	981	127	12	37	37
443	808	1,554	2,806	4,801	6,934	8,874	10,657	12,762	14,162	13,774	11,780	8,051	3,909	1,142	231	22	44	38
76	79	135	251	444	729	1,201	1,402	1,493	1,453	1,082	691	369	156	45	8	7	11	39
73	132	337	573	879	1,118	1,379	1,207	1,223	1,046	756	510	264	127	48	19	8	11	40
6	10	8	16	19	27	51	47	66	75	94	53	24	12	1	-	-	1	41
2	3	14	21	27	18	26	25	31	25	21	22	11	5	1	-	-	-	42
1,051	1,711	3,003	5,079	8,741	13,508	19,095	24,828	31,175	34,918	32,492	26,505	17,194	7,935	2,193	378	48	103	43
511	781	1,114	1,635	2,869	5,036	7,882	11,759	15,853	18,383	16,947	13,618	8,606	3,798	974	125	12	37	44
398	736	1,450	2,671	4,585	6,680	8,642	10,447	12,557	13,974	13,617	11,636	7,932	3,843	1,127	226	21	44	45
69	71	125	235	430	699	1,176	1,376	1,473	1,438	1,072	682	363	153	44	8	7	11	46
66	112	294	503	811	1,051	1,319	1,175	1,195	1,024	742	495	258	124	46	19	8	10	47
6	10	6	15	19	26	50	46	66	75	94	52	24	12	1	-	-	1	48
1	1	14	20	27	16	26	25	31	24	20	22	11	5	1	-	-	-	49
13	15	30	73	168	314	465	576	773	829	776	598	418	236	56	7	1	2	50
7	9	20	33	99	204	331	424	583	641	592	436	300	165	41	5	-	1	51
3	4	8	20	39	68	88	85	122	143	154	135	106	66	14	2	1	-	52
2	-	-	10	16	29	35	48	55	33	19	21	6	3	-	-	-	1	53
1	1	2	8	9	11	11	14	10	7	10	6	3	2	1	-	-	-	54
-	1	-	2	5	2	-	4	3	4	1	-	2	-	-	-	-	-	55
-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	56
-	-	4	2	5	13	19	16	32	60	57	52	50	39	11	1	-	-	57
-	-	4	2	5	10	16	16	29	53	52	42	41	36	10	1	-	-	58
-	-	-	-	-	1	2	-	2	5	4	9	8	3	-	-	-	-	59
-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	60
-	-	-	-	-	1	-	-	1	-	-	1	1	-	1	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	1	2	9	34	74	116	156	187	200	200	156	93	51	8	3	-	2	64
-	-	-	1	21	48	86	112	150	163	152	112	64	28	6	3	-	1	65
-	1	2	5	6	12	17	23	19	29	40	39	25	21	2	-	-	-	66
-	-	-	2	4	8	10	18	17	6	5	5	1	1	-	-	-	1	67
-	-	-	1	3	6	3	3	-	1	2	-	2	1	-	-	-	-	68
-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	70
5	4	10	25	49	67	127	163	199	240	222	186	137	74	25	2	1	-	71
4	2	7	11	19	34	83	113	135	164	150	130	83	51	17	1	-	-	72
-	1	2	8	19	25	31	30	43	64	63	49	49	21	8	1	1	-	73
1	-	-	-	6	6	8	11	14	8	4	6	4	1	-	-	-	-	74
-	1	1	5	4	2	5	8	7	3	5	1	-	1	-	-	-	-	75
-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	76
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	77
8	10	14	37	80	160	203	241	355	329	297	204	138	72	12	1	-	-	78
3	7	9	19	54	112	146	183	269	261	238	152	112	50	8	-	-	-	79
3	2	4	7	14	30	38	32	58	45	47	38	24	21	4	1	-	-	80
1	-	-	8	6	14	16	19	24	17	9	10	1	1	-	-	-	-	81
1	-	1	2	2	2	3	3	2	3	3	4	-	-	-	-	-	-	82
-	1	-	1	4	2	-	4	2	3	-	-	1	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
100	230	482	1,051	2,012	3,443	5,807	8,201	11,429	14,193	13,981	11,816	7,772	3,649	962	156	13	31	85
41	108	186	444	857	1,566	2,733	4,152	6,050	7,534	7,383	5,862	3,666	1,548	364	45	4	14	86
35	90	211	445	834	1,346	2,160	3,078	4,307	5,531	5,782	5,373	3,805	1,957	560	103	3	11	87
11	17	40	75	175	302	530	604	613	671	477	327	161	74	13	3	3	2	88
13	13	40	75	131	215	344	339	417	397	276	216	125	60	24	5	3	3	89
-	2	2	8	11	10	29	21	27	47	52	26	10	9	1	-	-	1	90
-	-	3	4	4	4	11	7	15	13	11	12	5	1	-	-	-	-	91
1	1	10	20	84	234	320	496	623	767	657	468	305	133	28	5	1	1	92
1	-	2	8	38	127	176	325	455	544	454	326	195	80	17	5	1	1	93
-	-	4	6	14	28	36	67	73	126	134	107	97	46	10	-	-	-	94
-	-	2	6	22	57	69	88	74	70	47	25	10	4	1	-	-	-	95
-	1	2	-	10	22	17	13	19	25	15	8	2	3	-	-	-	-	96
-	-	-	-	-	-	2	3	2	2	6	2	1	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	98

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.*—Con. Malignant neoplasm of digestive organs and peritoneum—Con.										
1	151	Of stomach	23,019	4	1	-	-	-	5	3	-	6
2		White--Male	12,846	3	1	-	-	-	4	1	-	3
3		Female	7,634	1	-	-	-	-	1	1	-	2
4		Negro--Male	1,639	-	-	-	-	-	-	-	-	1
5		Female	775	-	-	-	-	-	-	1	-	-
6		Other--Male	90	-	-	-	-	-	-	-	-	-
7		Female	35	-	-	-	-	-	-	-	-	-
8	152,153	Of intestine, except rectum	25,368	5	-	2	-	2	9	4	9	18
9		White--Male	10,770	3	-	1	-	1	5	3	5	12
10		Female	13,177	1	-	1	-	-	2	1	1	3
11		Negro--Male	648	1	-	-	-	-	1	-	2	3
12		Female	719	-	-	-	-	1	1	-	1	-
13		Other--Male	43	-	-	-	-	-	-	-	-	-
14		Female	11	-	-	-	-	-	-	-	-	-
15	154	Of rectum	10,666	3	-	-	-	-	3	-	-	5
16		White--Male	5,699	1	-	-	-	-	1	-	-	3
17		Female	4,271	1	-	-	-	-	1	-	-	2
18		Negro--Male	345	-	-	-	-	-	-	-	-	-
19		Female	326	1	-	-	-	-	1	-	-	-
20		Other--Male	20	-	-	-	-	-	-	-	-	-
21		Female	5	-	-	-	-	-	-	-	-	-
22	155	Of biliary passages and of liver (stated to be primary site)	5,237	12	3	-	1	-	16	2	9	5
23		White--Male	1,855	10	2	-	1	-	13	-	4	1
24		Female	3,040	2	1	-	-	-	3	1	3	2
25		Negro--Male	160	-	-	-	-	-	-	-	1	2
26		Female	139	-	-	-	-	-	-	1	1	-
27		Other--Male	25	-	-	-	-	-	-	-	-	-
28		Female	18	-	-	-	-	-	-	-	-	-
29	156A	Of liver not specified whether primary or secondary	4,425	11	2	4	4	3	24	7	6	2
30		White--Male	2,006	6	-	1	3	-	10	3	5	-
31		Female	1,938	5	2	2	1	3	13	4	1	2
32		Negro--Male	264	-	-	1	-	-	1	-	-	-
33		Female	188	-	-	-	-	-	-	-	-	-
34		Other--Male	24	-	-	-	-	-	-	-	-	-
35		Female	5	-	-	-	-	-	-	-	-	-
36	157	Of pancreas	10,918	2	-	1	-	2	5	2	-	1
37		White--Male	5,966	1	-	1	-	1	3	1	-	-
38		Female	4,140	1	-	-	-	-	1	1	-	1
39		Negro--Male	452	-	-	-	-	-	-	-	-	-
40		Female	315	-	-	-	-	1	1	-	-	-
41		Other--Male	33	-	-	-	-	-	-	-	-	-
42		Female	12	-	-	-	-	-	-	-	-	-
43	158,159	Of peritoneum and of unspecified digestive organs	1,705	4	4	3	1	-	12	6	2	3
44		White--Male	751	2	3	2	1	-	8	3	1	2
45		Female	735	1	1	1	-	-	3	3	-	-
46		Negro--Male	109	1	-	-	-	-	1	-	1	1
47		Female	104	-	-	-	-	-	-	-	-	-
48		Other--Male	3	-	-	-	-	-	-	-	-	-
49		Female	3	-	-	-	-	-	-	-	-	-
50	160-164	Malignant neoplasm of respiratory system	27,627	4	4	3	1	3	15	7	7	21
51		White--Male	21,581	1	1	2	1	1	6	4	2	15
52		Female	4,049	2	3	1	-	1	7	1	3	3
53		Negro--Male	1,605	1	-	-	-	-	1	2	2	3
54		Female	311	-	-	-	-	1	1	-	-	-
55		Other--Male	71	-	-	-	-	-	-	-	-	-
56		Female	10	-	-	-	-	-	-	-	-	-
57	161	Of larynx	1,968	-	-	-	-	-	-	-	-	-
58		White--Male	1,634	-	-	-	-	-	-	-	-	-
59		Female	168	-	-	-	-	-	-	-	-	-
60		Negro--Male	148	-	-	-	-	-	-	-	-	-
61		Female	15	-	-	-	-	-	-	-	-	-
62		Other--Male	3	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	162	Of trachea, and of bronchus and lung specified as primary	11,136	2	-	-	-	1	3	-	-	3
65		White--Male	8,820	1	-	-	-	-	1	-	-	3
66		Female	1,411	-	-	-	-	-	-	-	-	-
67		Negro--Male	737	1	-	-	-	-	1	-	-	-
68		Female	133	-	-	-	-	1	1	-	-	-
69		Other--Male	32	-	-	-	-	-	-	-	-	-
70		Female	3	-	-	-	-	-	-	-	-	-
71	163	Of lung and bronchus, unspecified as primary or secondary	13,652	2	2	2	1	-	7	5	2	9
72		White--Male	10,620	-	-	1	1	-	2	3	-	5
73		Female	2,178	2	2	1	-	-	5	1	2	3
74		Negro--Male	668	-	-	-	-	-	-	1	-	1
75		Female	145	-	-	-	-	-	-	-	-	-
76		Other--Male	34	-	-	-	-	-	-	-	-	-
77		Female	7	-	-	-	-	-	-	-	-	-
78	160,164	Of other parts of respiratory system	871	-	2	1	-	2	5	2	5	9
79		White--Male	507	-	1	1	-	1	3	1	2	7
80		Female	292	-	1	-	-	1	2	-	1	-
81		Negro--Male	52	-	-	-	-	-	-	1	2	2
82		Female	18	-	-	-	-	-	-	-	-	-
83		Other--Male	2	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	170	Malignant neoplasm of breast	20,909	2	-	-	-	-	2	-	1	2
86		White--Male	196	-	-	-	-	-	-	-	-	-
87		Female	19,152	2	-	-	-	-	2	-	1	1
88		Negro--Male	34	-	-	-	-	-	-	-	-	-
89		Female	1,494	-	-	-	-	-	-	-	-	-
90		Other--Male	-	-	-	-	-	-	-	-	-	-
91		Female	33	-	-	-	-	-	-	-	-	1

*For complete category title, see table 49.

Age, Race, and Sex: United States, 1954 – Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
13	50	108	276	459	798	1,368	1,988	2,910	3,886	3,930	3,515	2,280	1,082	283	47	5	7	1
6	24	37	134	210	389	734	1,105	1,730	2,302	2,361	1,943	1,198	517	127	18	-	3	2
4	14	47	95	158	241	349	529	803	1,162	1,251	1,343	960	505	138	27	2	2	3
1	6	15	25	58	115	184	260	251	264	204	137	76	33	8	-	1	-	4
2	5	7	17	29	50	85	89	116	128	92	73	39	27	9	2	2	2	5
-	1	-	1	2	2	13	4	5	25	19	13	4	-	1	-	-	-	6
-	-	2	4	2	1	3	1	5	5	3	6	3	-	-	-	-	-	7
44	91	183	387	670	1,027	1,696	2,302	3,224	3,920	4,070	3,616	2,517	1,174	347	46	4	10	8
17	33	76	153	245	386	662	988	1,462	1,729	1,865	1,578	1,026	406	105	10	1	3	9
19	46	85	190	361	548	866	1,146	1,560	1,955	2,050	1,918	1,423	731	232	33	1	6	10
4	7	10	19	24	36	65	75	81	134	79	59	26	17	3	1	1	1	11
4	5	10	24	37	51	96	87	111	97	73	56	39	17	7	2	1	-	12
-	-	1	1	3	3	5	5	8	4	3	5	2	3	-	-	-	-	13
-	-	1	-	-	3	2	1	2	1	-	-	1	-	-	-	-	-	14
14	34	65	142	283	472	776	1,086	1,449	1,811	1,632	1,368	939	447	117	17	2	4	15
5	18	24	56	126	224	365	593	795	1,060	937	740	478	222	44	3	1	4	16
3	12	30	67	119	199	319	414	556	647	614	571	421	213	69	14	-	-	17
3	2	3	5	18	18	40	41	56	54	45	30	22	6	1	-	1	-	18
3	2	8	13	19	31	49	35	39	44	32	25	18	4	3	-	-	-	19
-	-	-	1	1	-	3	2	3	5	2	2	-	1	-	-	-	-	20
-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-	21
7	5	25	32	91	176	391	520	804	1,020	916	666	363	151	26	9	1	2	22
2	4	6	12	33	51	143	186	311	369	327	224	113	42	10	2	1	1	23
3	1	11	13	42	97	191	285	443	596	561	419	241	105	15	7	-	1	24
1	-	4	3	7	17	31	15	20	28	15	11	5	-	-	-	-	-	25
1	-	4	2	7	9	21	27	23	19	9	8	3	3	1	-	-	-	26
-	-	-	2	1	2	3	4	5	4	2	1	-	1	-	-	-	-	27
-	-	-	-	1	-	2	3	2	4	2	3	1	-	-	-	-	-	28
6	10	24	52	94	165	299	406	604	688	738	606	409	219	49	15	-	2	29
1	4	6	13	34	67	144	174	284	358	355	267	186	75	18	2	-	-	30
2	5	10	24	32	60	98	162	241	262	323	317	208	132	30	12	-	-	31
2	1	2	8	17	24	27	42	39	40	35	9	8	8	-	1	-	-	32
1	-	5	5	7	14	27	26	36	25	19	13	7	1	1	-	-	1	33
-	-	1	2	4	-	2	2	2	2	5	-	-	3	-	-	-	1	34
-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	35
6	20	51	108	269	497	822	1,236	1,596	1,877	1,784	1,352	815	375	85	15	-	2	36
4	10	27	53	149	285	456	711	918	1,070	962	687	411	179	34	5	-	1	37
-	8	17	37	86	151	248	403	541	685	737	595	381	190	50	8	-	-	38
-	1	4	6	21	29	76	73	74	65	46	44	9	2	-	1	-	1	39
2	-	3	11	12	29	38	47	58	51	24	22	12	3	1	1	-	-	40
-	1	-	1	-	3	1	1	2	5	13	3	2	1	-	-	-	-	41
-	-	-	-	1	-	3	1	3	1	2	1	-	-	-	-	-	-	42
9	19	16	34	62	74	135	167	219	224	254	225	144	68	27	2	-	3	43
5	15	8	15	22	37	53	70	95	102	122	97	59	27	9	-	-	1	44
4	4	7	13	22	22	53	72	90	98	112	103	74	35	16	2	-	2	45
-	-	-	3	8	6	18	10	18	16	6	12	5	4	-	-	-	-	46
-	-	1	3	10	9	11	15	15	8	12	11	5	2	2	-	-	-	47
-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	48
-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	49
37	62	167	355	950	1,882	2,931	4,238	5,058	4,875	3,468	2,064	1,014	360	90	10	1	15	50
24	38	98	218	675	1,405	2,284	3,476	4,194	4,003	2,714	1,476	661	224	52	5	-	7	51
8	13	42	81	151	264	319	426	541	616	590	508	316	122	30	5	-	3	52
3	8	20	42	95	160	273	288	281	203	120	55	29	8	6	-	1	5	53
1	3	6	14	26	48	48	36	25	47	28	17	5	4	2	-	-	-	54
1	-	1	-	2	5	5	9	16	5	15	8	3	1	-	-	-	-	55
-	-	-	-	1	-	2	3	1	1	1	-	-	1	-	-	-	-	56
1	-	-	15	54	112	162	264	324	373	274	217	116	48	6	1	-	1	57
1	-	-	11	31	90	127	226	278	327	230	174	97	36	5	1	-	-	58
-	-	-	1	6	11	9	12	17	31	24	32	16	8	1	-	-	-	59
-	-	-	3	15	10	23	25	28	13	16	9	3	2	-	-	-	1	60
-	-	-	-	2	-	3	1	1	2	2	2	-	2	-	-	-	-	61
-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
8	24	79	153	411	824	1,270	1,858	2,203	1,904	1,271	678	309	98	28	4	1	7	64
6	11	47	98	289	625	990	1,548	1,850	1,579	1,019	479	191	66	13	2	-	3	65
2	5	17	31	66	95	124	161	197	212	182	172	103	29	12	2	-	1	66
-	5	10	21	44	82	130	134	132	94	47	19	11	1	2	-	1	3	67
-	3	5	3	11	21	23	10	14	19	15	4	3	-	1	-	-	-	68
-	-	-	-	1	1	2	5	10	-	7	4	1	1	-	-	-	-	69
-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	70
15	27	74	169	439	891	1,427	2,026	2,422	2,476	1,809	1,087	529	186	41	5	-	6	71
8	19	44	98	326	656	1,130	1,645	1,994	2,029	1,393	784	344	108	26	2	-	4	72
3	6	20	47	68	142	159	231	298	330	346	263	166	72	12	3	-	1	73
2	2	8	14	31	65	115	124	115	89	53	26	15	4	2	-	-	1	74
1	-	1	10	12	25	20	19	8	23	11	10	2	2	1	-	-	-	75
1	-	1	-	1	3	2	4	6	4	6	4	2	-	-	-	-	-	76
-	-	-	-	1	-	1	3	1	1	-	-	-	-	-	-	-	-	77
13	11	14	18	46	55	72	90	109	122	114	82	60	28	15	-	-	1	78
9	8	7	11	29	34	37	57	72	68	72	39	29	14	8	-	-	-	79
3	2	5	2	11	16	27	22	29	43	38	41	31	13	5	-	-	1	80
1	1	2	4	5	3	5	5	6	7	4	1	-	1	2	-	-	-	81
-	-	-	1	1	2	2	6	2	3	-	1	-	-	-	-	-	-	82
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
14	99	405	810	1,482	2,154	2,371	2,514	2,598	2,471	2,243	1,746	1,153	592	198	44	4	6	85
-	2	2	4	10	7	17	18	24	36	26	26	13	6	5	-	-	-	86
9	79	329	689	1,283	1,938	2,150	2,308	2,407	2,298	2,099	1,653	1,104	568	188	39	2	5	87
-	-	-	2	3	1	5	4	5	1	4	4	2	1	2	-	-	-	88
4	18	74	112	180	203	195	182	157	134	111	63	33	17	3	5	2	1	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
1	-	-	3	6	5	4	2	5	2	3	-	1	-	-	-	-	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.*—Con.										
1	171-179	Malignant neoplasm of genital organs	36,947	4	7	5	3	-	19	10	19	73
2		White--Male	12,741	2	5	3	1	-	11	5	1	35
3		Female	19,669	1	2	2	2	-	7	3	16	29
4		Negro--Male	1,450	1	-	-	-	-	1	-	-	3
5		Female	2,972	-	-	-	-	-	-	2	2	6
6		Other--Male	44	-	-	-	-	-	-	-	-	-
7		Female	71	-	-	-	-	-	-	-	-	-
8	171	Of cervix uteri	8,559	-	1	-	1	-	2	-	1	1
9		White--Female	6,986	-	1	-	1	-	2	-	1	1
10		Negro--Female	1,533	-	-	-	-	-	-	-	-	-
11		Other--Female	40	-	-	-	-	-	-	-	-	-
12	172-174	Of other and unspecified parts of uterus	6,571	-	-	1	-	-	1	-	-	7
13		White--Female	5,609	-	-	1	-	-	1	-	-	5
14		Negro--Female	942	-	-	-	-	-	-	-	-	2
15		Other--Female	20	-	-	-	-	-	-	-	-	-
16	175	Of ovary, fallopian tube, and broad ligament	6,838	1	1	1	1	-	4	5	16	26
17		White--Female	6,408	1	1	1	1	-	4	3	14	22
18		Negro--Female	421	-	-	-	-	-	-	2	2	4
19		Other--Female	9	-	-	-	-	-	-	-	-	-
20	176	Of other and unspecified female genital organs	744	-	-	-	-	-	-	-	1	1
21		White--Female	666	-	-	-	-	-	-	-	1	1
22		Negro--Female	76	-	-	-	-	-	-	-	-	-
23		Other--Female	2	-	-	-	-	-	-	-	-	-
24	177	Of prostate	13,218	2	1	1	1	-	5	2	-	4
25		White--Male	11,811	1	1	1	1	-	4	2	-	3
26		Negro--Male	1,371	1	-	-	-	-	1	-	-	1
27		Other--Male	36	-	-	-	-	-	-	-	-	-
28	178,179	Of testis, and of other and unspecified male genital organs	1,017	1	4	2	-	-	7	3	1	34
29		White--Male	930	1	4	2	-	-	7	3	1	32
30		Negro--Male	79	-	-	-	-	-	-	-	-	2
31		Other--Male	8	-	-	-	-	-	-	-	-	-
32	180,181	Malignant neoplasm of urinary organs	11,193	17	39	36	48	40	180	70	11	6
33		White--Male	6,989	10	25	17	24	19	95	27	2	3
34		Female	3,466	7	11	15	16	19	68	32	6	2
35		Negro--Male	424	-	2	2	4	2	10	5	1	1
36		Female	286	-	1	2	3	-	6	5	2	-
37		Other--Male	21	-	-	-	1	-	1	1	-	-
38		Female	7	-	-	-	-	-	-	-	-	-
39	180	Of kidney	4,162	16	35	35	47	39	172	69	10	6
40		White--Male	2,453	9	23	16	24	19	91	27	2	3
41		Female	1,466	7	9	15	15	19	65	31	5	2
42		Negro--Male	146	-	2	2	4	1	9	5	1	1
43		Female	85	-	1	2	3	-	6	5	2	-
44		Other--Male	9	-	-	-	1	-	1	1	-	-
45		Female	3	-	-	-	-	-	-	-	-	-
46	181	Of bladder and other urinary organs	7,031	1	4	1	1	1	8	1	1	-
47		White--Male	4,536	1	2	1	-	-	4	-	-	-
48		Female	2,000	-	2	-	1	-	3	1	1	-
49		Negro--Male	278	-	-	-	-	1	1	-	-	-
50		Female	201	-	-	-	-	-	-	-	-	-
51		Other--Male	12	-	-	-	-	-	-	-	-	-
52		Female	4	-	-	-	-	-	-	-	-	-
53	156B,165,	Malignant neoplasm of other and unspecified sites	26,561	86	110	139	118	111	564	376	301	314
54	190-199	White--Male	13,162	41	63	79	51	48	282	204	152	163
55		Female	11,291	37	44	44	52	51	228	137	119	113
56		Negro--Male	970	5	-	4	8	8	25	16	18	27
57		Female	1,065	3	3	11	6	3	26	18	12	10
58		Other--Male	52	-	-	1	-	1	2	-	-	-
59		Female	21	-	-	-	1	-	1	1	-	1
60	190,191	Of skin	3,681	3	1	-	1	-	5	7	3	18
61		White--Male	2,085	1	1	-	1	-	3	3	1	10
62		Female	1,451	1	-	-	-	-	1	3	2	5
63		Negro--Male	77	1	-	-	-	-	1	1	-	3
64		Female	62	-	-	-	-	-	-	-	-	-
65		Other--Male	5	-	-	-	-	-	-	-	-	-
66		Female	1	-	-	-	-	-	-	-	-	-
67	192	Of eye	346	5	5	19	14	9	52	9	2	1
68		White--Male	170	3	3	5	5	1	17	4	1	-
69		Female	157	2	2	11	5	4	24	4	1	1
70		Negro--Male	8	-	-	1	1	3	5	-	-	-
71		Female	8	-	-	2	2	-	4	1	-	-
72		Other--Male	2	-	-	-	-	1	1	-	-	-
73		Female	1	-	-	-	1	-	1	-	-	-
74	193	Of brain and other parts of nervous system	5,320	55	74	94	82	80	385	263	170	111
75		White--Male	3,051	26	43	61	35	38	203	148	91	55
76		Female	1,983	24	30	22	39	36	151	89	65	44
77		Negro--Male	155	3	-	3	5	3	14	14	8	7
78		Female	123	2	1	7	3	3	16	11	6	5
79		Other--Male	5	-	-	1	-	-	1	-	-	-
80		Female	3	-	-	-	-	-	-	1	-	-
81	194	Of thyroid gland	1,000	1	-	-	-	-	1	-	1	3
82		White--Male	299	1	-	-	-	-	1	-	-	2
83		Female	625	-	-	-	-	-	-	-	-	1
84		Negro--Male	24	-	-	-	-	-	-	-	1	-
85		Female	48	-	-	-	-	-	-	-	-	-
86		Other--Male	-	-	-	-	-	-	-	-	-	-
87		Female	4	-	-	-	-	-	-	-	-	-
88	196	Of bone (including jaw bone)	2,080	2	2	4	4	7	19	50	84	120
89		White--Male	1,134	-	-	1	2	3	6	23	40	69
90		Female	770	1	2	3	1	3	10	23	36	39
91		Negro--Male	89	-	-	-	-	1	1	-	3	9
92		Female	83	1	-	-	1	-	2	4	5	3
93		Other--Male	2	-	-	-	-	-	-	-	-	-
94		Female	2	-	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

Age, Race, and Sex: United States, 1954 – Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
150	332	579	1,083	1,735	2,360	2,950	3,498	4,275	4,828	5,092	4,705	3,256	1,494	401	53	11	24	1
75	116	109	90	78	106	165	480	990	1,793	2,458	2,772	2,108	1,051	265	28	2	3	2
55	163	355	773	1,307	1,822	2,231	2,478	2,664	2,506	2,153	1,621	967	377	110	16	3	13	3
-	1	2	7	11	31	85	154	246	261	279	185	118	40	15	5	3	3	4
20	49	108	200	325	398	461	376	364	259	190	110	57	22	11	4	3	5	5
-	2	1	1	-	1	1	2	4	5	9	11	5	2	-	-	-	-	6
-	1	4	12	14	2	7	8	7	4	3	6	1	2	-	-	-	-	7
28	121	308	573	895	1,049	1,141	1,028	962	839	668	517	263	112	33	5	3	10	8
18	88	229	435	675	823	898	850	800	727	587	475	237	101	28	2	2	7	9
10	33	76	132	208	226	239	175	159	111	80	37	26	9	5	3	1	3	10
-	-	3	6	12	-	4	3	3	1	1	5	-	2	-	-	-	-	11
14	44	67	170	276	425	653	842	966	973	834	640	409	177	60	8	2	3	12
9	32	47	121	216	320	511	707	826	869	748	581	385	167	55	7	-	2	13
5	11	19	44	59	104	141	130	138	103	85	58	24	10	5	1	2	1	14
-	1	1	5	1	1	1	5	2	1	1	1	-	-	-	-	-	-	15
32	46	86	231	451	707	864	936	1,012	871	722	457	273	75	16	4	1	3	16
28	42	75	209	403	646	797	868	958	830	700	444	268	74	15	4	1	3	17
4	4	11	21	47	60	65	68	53	40	21	13	4	1	1	-	-	-	18
-	-	-	1	1	1	2	-	1	1	1	-	1	-	-	-	-	-	19
1	2	6	11	24	41	41	56	95	86	122	123	80	37	12	3	-	2	20
-	1	4	8	13	33	25	53	80	80	118	121	77	35	12	3	-	1	21
1	1	2	3	11	8	16	3	14	5	4	2	3	2	-	-	-	1	22
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	23
2	1	4	2	19	88	198	581	1,178	1,981	2,687	2,912	2,179	1,066	267	33	5	4	24
2	1	4	1	15	60	123	431	936	1,729	2,408	2,721	2,062	1,024	253	28	2	2	25
-	-	-	1	4	27	75	148	238	248	270	181	113	40	14	5	3	2	26
-	-	-	-	-	1	-	2	4	4	9	10	4	2	-	-	-	-	27
73	118	108	96	70	50	53	55	62	78	59	56	52	27	13	-	-	2	28
73	115	105	89	63	46	42	49	54	64	50	51	46	27	12	-	-	1	29
-	1	2	6	7	4	10	6	8	13	9	4	5	-	1	-	-	1	30
-	2	1	1	-	-	1	-	-	1	-	1	1	-	-	-	-	-	31
13	25	60	112	231	411	728	1,042	1,541	1,847	1,731	1,545	1,023	464	118	21	5	9	32
2	11	37	56	140	243	445	687	1,044	1,241	1,060	960	590	268	62	10	1	5	33
7	9	13	31	65	107	187	251	395	509	589	538	408	183	51	8	4	3	34
2	2	6	15	13	35	53	67	66	50	49	22	14	10	3	-	-	-	35
2	3	3	9	12	24	40	33	34	42	28	24	10	3	2	3	-	1	36
-	-	-	1	-	2	3	2	2	4	4	-	1	-	-	-	-	-	37
-	-	1	-	1	-	-	2	-	1	1	1	-	-	-	-	-	-	38
9	18	39	73	152	236	368	487	657	663	499	407	209	72	12	3	-	1	39
2	9	25	37	103	142	225	305	422	418	276	232	94	35	4	-	-	1	40
4	6	6	22	38	71	108	147	207	220	212	165	109	37	8	3	-	-	41
2	-	6	8	6	16	15	25	21	17	9	2	3	-	-	-	-	-	42
1	3	2	5	5	6	17	7	7	7	2	7	3	-	-	-	-	-	43
-	-	-	1	-	1	3	1	-	1	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	45
4	7	21	39	79	175	360	555	884	1,184	1,232	1,138	814	392	106	18	5	8	46
-	2	12	19	37	101	220	382	622	823	784	728	496	233	58	10	1	4	47
3	3	7	9	27	36	79	104	188	289	377	373	299	146	43	5	4	3	48
-	2	-	7	7	19	38	42	45	33	40	20	11	10	3	-	-	-	49
1	-	1	4	7	18	23	26	27	35	26	17	7	3	2	3	-	1	50
-	-	-	-	-	1	-	1	2	3	4	-	1	-	-	-	-	-	51
-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	52
298	379	598	851	1,223	1,727	2,284	2,840	3,214	3,309	2,942	2,426	1,690	819	302	80	11	13	53
143	192	299	401	515	862	1,059	1,460	1,670	1,723	1,478	1,188	814	375	143	31	3	5	54
120	157	239	361	554	687	948	1,107	1,261	1,348	1,303	1,142	831	420	153	47	8	8	55
16	14	21	45	66	72	114	124	129	128	79	44	21	8	3	-	-	-	56
16	16	36	43	86	101	153	143	143	102	75	46	19	15	3	2	-	-	57
3	-	1	1	1	3	8	6	10	6	6	3	2	-	-	-	-	-	58
-	-	2	-	1	2	2	-	1	2	1	3	3	1	-	-	-	-	59
49	96	132	177	187	201	237	320	387	370	389	398	355	211	99	35	4	1	60
20	52	61	99	86	120	142	180	231	245	235	221	212	104	44	14	1	1	61
28	44	67	71	90	72	76	123	134	106	139	167	142	105	53	20	3	-	62
-	-	2	5	6	1	9	10	11	11	7	7	1	1	1	-	-	-	63
1	-	2	2	5	8	9	7	10	7	7	2	-	-	1	1	-	-	64
-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	66
3	-	3	5	6	16	22	36	30	43	37	41	20	8	10	-	1	1	67
1	-	1	2	2	7	11	19	15	28	22	22	10	4	4	-	-	-	68
1	-	1	3	4	9	10	14	14	15	15	19	10	4	6	-	1	1	69
-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	70
1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	71
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
105	148	224	325	412	561	639	714	594	409	161	66	23	6	1	1	-	2	74
59	74	130	181	217	339	370	433	365	251	86	36	11	1	1	-	-	-	75
39	62	75	122	160	201	238	260	211	146	71	29	12	5	-	1	-	2	76
6	6	7	10	15	14	16	12	14	9	2	1	-	-	-	-	-	-	77
1	6	11	12	20	5	13	8	4	3	2	-	-	-	-	-	-	-	78
-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	79
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	80
3	6	7	12	35	62	102	105	124	156	153	126	61	33	6	3	1	-	81
1	1	-	4	13	25	35	42	35	50	40	30	14	4	1	1	-	-	82
1	4	4	7	18	32	54	53	78	97	108	89	46	25	5	2	1	-	83
-	-	-	-	2	1	6	4	2	4	1	2	-	1	-	-	-	-	84
1	1	3	1	2	4	5	6	9	5	4	3	1	3	-	-	-	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	87
63	36	43	46	67	103	142	198	219	225	242	212	128	62	16	5	-	-	88
33	22	27	16	31	51	74	101	129	123	152	125	63	36	11	2	-	-	89
23	12	10	19	30	38	43	77	71	85	82	79	63	22	5	3	-	-	90
3	1	1	6	1	8	13	13	9	9	3	6	1	2	-	-	-	-	91
3	1	5	5	5	6	11	7	10	7	4	2	1	2	-	-	-	-	92
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	94

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.*—Con.										
		Malignant neoplasm of other and unspecified sites—Con.										
1	197	Of connective tissue	737	3	8	7	4	4	26	12	13	20
2		White--Male	367	3	6	4	2	3	18	5	6	9
3		Female	313	-	1	3	1	1	6	5	6	7
4		Negro--Male	32	-	-	-	1	-	1	-	1	3
5		Female	23	-	1	-	-	-	1	2	-	1
6		Other--Male	2	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	195,198A,	Of other specified sites, not stated to be secondary	3,890	11	14	7	7	10	49	22	19	23
9	199A	White--Male	1,718	3	9	3	1	2	18	15	10	10
10		Female	1,802	7	4	4	5	7	27	6	6	8
11		Negro--Male	140	1	-	-	1	1	3	1	3	5
12		Female	217	-	1	-	-	-	1	-	-	-
13		Other--Male	9	-	-	-	-	-	-	-	-	-
14		Female	4	-	-	-	-	-	-	-	-	-
15	156B,165,	Of unspecified sites	9,507	6	6	8	6	1	27	13	9	18
16	198B,	White--Male	4,338	4	1	5	5	1	16	6	3	8
17	199B-M	Female	4,190	2	5	1	1	-	9	7	3	8
18		Negro--Male	445	-	-	-	-	-	-	-	2	-
19		Female	501	-	-	2	-	-	2	-	1	1
20		Other--Male	27	-	-	-	-	-	-	-	-	-
21		Female	6	-	-	-	-	-	-	-	-	1
22	204	Leukemia and aleukemia	10,443	115	140	212	258	197	922	565	310	235
23		White--Male	5,589	51	68	98	124	100	441	278	164	123
24		Female	4,205	47	59	98	119	91	414	255	123	80
25		Negro--Male	376	12	6	8	9	2	37	18	11	20
26		Female	239	5	6	8	4	4	27	13	11	9
27		Other--Male	24	-	1	-	2	-	3	1	-	2
28		Female	10	-	-	-	-	-	-	-	1	1
29	200-203,205	Lymphosarcoma, etc.*	10,114	32	25	25	32	16	130	124	100	131
30		White--Male	5,537	18	12	13	22	9	74	76	63	77
31		Female	3,868	12	10	11	8	6	47	43	24	39
32		Negro--Male	426	1	2	-	2	1	6	3	8	11
33		Female	257	1	1	1	-	-	3	2	5	4
34		Other--Male	21	-	-	-	-	-	-	-	-	-
35		Female	5	-	-	-	-	-	-	-	-	-
36	200	Lymphosarcoma and reticulosarcoma	4,854	13	8	13	24	14	72	80	55	65
37		White--Male	2,523	9	3	10	17	8	47	46	35	42
38		Female	1,864	3	4	3	6	5	21	32	14	16
39		Negro--Male	153	1	-	-	1	1	3	1	5	4
40		Female	101	-	1	-	-	-	1	1	1	3
41		Other--Male	10	-	-	-	-	-	-	-	-	-
42		Female	3	-	-	-	-	-	-	-	-	-
43	201	Hodgkin's disease	2,809	-	1	-	-	2	3	35	33	59
44		White--Male	1,668	-	1	-	-	1	2	24	20	31
45		Female	963	-	-	-	-	1	1	8	8	21
46		Negro--Male	121	-	-	-	-	-	-	2	2	7
47		Female	49	-	-	-	-	-	-	1	3	-
48		Other--Male	6	-	-	-	-	-	-	-	-	-
49		Female	2	-	-	-	-	-	-	-	-	-
50	202,203,205	Other neoplasms of lymphatic and hematopoietic tissues	2,651	19	16	12	8	-	55	9	12	7
51		White--Male	1,346	9	8	3	5	-	25	6	8	4
52		Female	1,041	9	6	8	2	-	25	3	2	2
53		Negro--Male	152	-	2	-	1	-	3	-	1	-
54		Female	107	1	-	1	-	-	2	-	1	1
55		Other--Male	5	-	-	-	-	-	-	-	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	210-239	Benign neoplasms and neoplasms of unspecified nature	5,094	168	43	31	34	38	314	120	87	74
58		White--Male	1,925	76	19	14	14	18	141	54	31	41
59		Female	2,395	64	13	12	13	16	118	46	41	22
60		Negro--Male	249	13	4	3	6	1	27	9	7	6
61		Female	507	13	7	2	1	3	26	10	8	5
62		Other--Male	7	-	-	-	-	-	-	-	-	-
63		Female	11	2	-	-	-	-	2	1	-	-
64	214-217	Benign neoplasms of female genital organs	959	-	-	-	-	-	-	-	-	5
65		White--Female	677	-	-	-	-	-	-	-	-	5
66		Negro--Female	279	-	-	-	-	-	-	-	-	-
67		Other--Female	3	-	-	-	-	-	-	-	-	-
68	223	Benign neoplasm of brain and other parts of nervous system	891	34	15	6	6	5	66	22	15	16
69		White--Male	377	16	6	3	3	4	32	11	4	7
70		Female	424	15	7	2	3	1	28	6	9	7
71		Negro--Male	45	-	2	1	-	-	3	-	1	1
72		Female	40	3	-	-	-	-	3	5	1	1
73		Other--Male	3	-	-	-	-	-	-	-	-	-
74		Female	2	-	-	-	-	-	-	-	-	-
75	210-213,	Other benign neoplasms	868	70	9	6	6	8	99	24	20	17
76	218-222,	White--Male	430	29	3	4	1	3	40	8	7	15
77	224-229	Female	331	28	2	2	2	5	39	12	10	2
78		Negro--Male	51	8	-	-	3	-	11	2	2	-
79		Female	53	4	4	-	-	-	8	2	1	-
80		Other--Male	1	-	-	-	-	-	-	-	-	-
81		Female	2	1	-	-	-	-	1	-	-	-
82	233-235	Neoplasm of unspecified nature of female genital organs	23	-	-	-	-	-	-	-	-	-
83		White--Female	18	-	-	-	-	-	-	-	-	-
84		Negro--Female	5	-	-	-	-	-	-	-	-	-
85		Other--Female	-	-	-	-	-	-	-	-	-	-
86	237	Neoplasm of unspecified nature of brain, etc.*	1,542	29	16	17	20	23	105	73	51	35
87		White--Male	752	16	8	5	9	11	49	34	19	19
88		Female	609	10	3	8	7	8	36	28	22	7
89		Negro--Male	97	-	2	2	3	1	8	7	4	5
90		Female	81	3	3	2	1	3	12	3	6	4
91		Other--Male	1	-	-	-	-	-	-	-	-	-
92		Female	2	-	-	-	-	-	-	1	-	-

*For complete category title, see table 49.

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
16	18	33	29	42	57	59	82	84	77	69	48	33	11	4	4	-	-	1
5	10	18	15	18	28	22	39	40	42	39	28	15	5	3	2	-	-	2
8	7	11	10	18	24	32	34	41	31	26	20	18	6	1	2	-	-	3
2	-	1	2	5	5	3	3	1	3	2	-	-	-	-	-	-	-	4
-	1	3	1	1	-	2	6	2	1	2	-	-	-	-	-	-	-	5
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
27	20	65	80	130	227	277	381	509	527	521	459	322	163	50	12	1	6	8
10	10	26	25	38	96	102	177	228	237	249	208	144	79	28	5	1	2	9
11	6	30	41	66	101	137	156	221	240	243	225	166	82	20	6	-	4	10
3	1	3	6	8	7	12	19	19	19	13	11	6	-	1	-	-	-	11
3	3	5	8	17	23	26	28	37	29	15	13	5	2	1	1	-	-	12
-	-	-	-	-	-	-	1	4	1	1	2	-	-	-	-	-	-	13
-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	14
32	55	91	177	344	500	806	1,004	1,267	1,502	1,370	1,076	748	325	116	20	4	3	15
14	23	36	59	110	196	303	469	627	747	655	518	345	142	51	7	1	2	16
9	22	41	88	168	210	358	390	491	628	619	514	374	171	63	13	3	1	17
2	6	7	16	29	36	54	62	72	73	51	17	13	4	1	-	-	-	18
6	4	7	14	36	55	87	79	71	50	41	26	12	8	1	-	-	-	19
1	-	-	-	1	2	4	4	5	4	4	-	2	-	-	-	-	-	20
-	-	-	-	-	1	-	-	1	-	-	1	2	-	-	-	-	-	21
188	230	308	297	397	521	654	780	979	1,205	1,188	889	530	196	43	3	2	1	22
86	114	152	146	191	239	354	412	566	692	675	516	299	109	29	-	2	1	23
84	97	120	116	169	238	238	318	353	452	476	354	222	81	12	3	-	-	24
10	10	22	16	20	22	36	32	37	40	21	12	5	6	1	-	-	-	25
7	5	11	19	17	18	25	17	21	19	10	6	4	-	-	-	-	-	26
1	4	1	-	-	1	1	-	1	2	6	1	-	-	-	-	-	-	27
-	-	2	-	-	3	-	1	1	-	-	-	-	-	1	-	-	-	28
238	339	374	447	543	696	905	1,139	1,308	1,361	1,071	716	338	125	23	4	-	2	29
133	191	211	243	304	404	494	650	732	720	561	382	155	52	13	1	-	1	30
77	124	133	155	183	210	321	396	507	571	471	312	173	69	9	3	-	1	31
25	19	14	23	31	47	45	55	41	51	24	12	7	3	1	-	-	-	32
2	4	14	23	25	33	42	35	24	17	14	7	2	1	-	-	-	-	33
1	1	-	2	-	2	3	2	3	2	1	3	1	-	-	-	-	-	34
-	-	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	35
74	99	116	177	251	314	405	551	584	647	518	375	176	72	18	3	-	2	36
48	57	59	90	146	176	228	308	318	351	267	197	70	25	11	1	-	1	37
17	32	46	64	80	108	146	212	245	270	237	167	102	46	6	2	-	1	38
8	7	6	10	13	17	15	15	11	19	8	8	1	1	1	-	-	-	39
1	2	4	12	12	12	15	13	8	7	5	2	2	-	-	-	-	-	40
-	1	-	1	-	1	1	2	1	-	1	1	1	-	-	-	-	-	41
-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	42
147	223	226	212	194	222	249	249	278	256	214	113	67	25	3	1	-	-	43
78	123	137	127	118	152	150	163	169	141	115	66	36	14	2	-	-	-	44
54	88	74	70	61	50	77	72	98	104	91	44	30	10	1	1	-	-	45
13	10	7	8	10	13	13	10	8	8	7	1	1	1	-	-	-	-	46
1	2	7	5	5	6	8	4	3	2	1	1	-	-	-	-	-	-	47
1	-	-	1	-	1	1	-	-	1	-	1	-	-	-	-	-	-	48
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
17	17	32	58	98	160	251	339	446	458	339	228	95	28	2	-	-	-	50
7	11	15	26	40	76	116	179	245	228	179	119	49	13	-	-	-	-	51
6	4	13	21	42	52	98	112	164	197	143	101	41	13	2	-	-	-	52
4	2	1	5	8	17	17	30	22	24	9	3	5	1	-	-	-	-	53
-	-	3	6	8	15	19	18	13	8	8	4	-	1	-	-	-	-	54
-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
101	159	229	308	400	503	481	461	483	440	315	286	201	98	25	7	1	1	57
41	57	70	85	102	149	163	192	230	214	133	117	70	26	7	2	-	-	58
45	72	104	135	216	254	232	210	205	188	157	144	119	66	15	5	1	-	59
7	8	10	16	14	30	25	26	20	15	10	9	6	3	1	-	-	-	60
7	20	43	70	68	67	60	32	28	22	14	15	6	3	2	-	-	1	61
-	-	2	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	62
1	2	-	1	-	2	-	-	-	1	1	-	-	-	-	-	-	-	63
15	28	67	110	166	168	102	61	50	60	40	33	30	14	5	3	1	1	64
13	23	35	58	113	118	68	43	38	53	36	25	28	12	5	3	1	-	65
2	4	32	51	53	49	34	18	12	7	4	8	2	2	-	-	-	1	66
-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	67
21	39	55	63	62	97	103	102	86	70	32	25	11	6	-	-	-	-	68
6	17	24	30	28	34	32	45	39	37	12	11	5	3	-	-	-	-	69
10	17	26	19	30	52	60	49	41	30	19	12	6	3	-	-	-	-	70
3	1	5	5	2	5	5	6	4	2	1	1	-	-	-	-	-	-	71
2	3	-	8	2	4	5	2	2	1	-	1	-	-	-	-	-	-	72
-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	73
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	74
20	31	33	33	40	59	49	85	86	74	86	54	38	17	2	1	-	-	75
10	16	15	13	17	30	23	40	55	49	42	26	17	6	-	1	-	-	76
7	10	12	12	17	23	21	34	24	21	34	24	17	11	1	-	-	-	77
1	2	2	2	2	4	3	6	3	1	4	3	3	-	-	-	-	-	78
2	3	3	6	4	2	2	5	4	3	5	1	1	-	1	-	-	-	79
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	81
-	-	1	-	-	-	2	2	4	2	2	7	3	-	-	-	-	-	82
-	-	-	-	-	-	2	2	2	2	1	7	2	-	-	-	-	-	83
-	-	1	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
39	55	65	90	113	149	177	160	174	130	61	40	18	4	1	2	-	-	86
20	22	27	38	51	71	87	84	102	70	34	18	5	2	-	-	-	-	87
14	21	28	41	48	53	70	66	62	54	25	18	11	2	1	2	-	-	88
3	4	2	8	7	17	8	6	8	4	2	3	1	-	-	-	-	-	89
1	8	7	3	7	8	12	4	2	2	-	1	1	-	-	-	-	-	90
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Benign neoplasms and neoplasms of unspecified nature—Con.										
1	230-232,	Other neoplasms of unspecified nature	811	35	3	2	2	2	44	1	1	1
2	236,238,	White--Male	366	15	2	2	1	-	20	1	1	-
3	239	Female	336	11	1	-	1	2	15	-	-	1
4		Negro--Male	56	5	-	-	-	-	5	-	-	-
5		Female	49	3	-	-	-	-	3	-	-	-
6		Other--Male	2	-	-	-	-	-	-	-	-	-
7		Female	2	1	-	-	-	-	1	-	-	-
8		III. Allergic, endocrine system, metabolic, and nutritional diseases	34,782	558	130	80	63	39	870	115	114	145
9		White--Male	13,911	279	51	31	28	18	407	44	42	44
10		Female	17,334	168	41	32	24	12	277	51	48	64
11		Negro--Male	1,284	62	20	10	7	6	105	14	14	12
12		Female	2,099	47	13	7	4	3	74	5	10	24
13		Other--Male	91	1	3	-	-	-	4	1	-	-
14		Female	63	1	2	-	-	-	3	-	-	1
15	241	Asthma	6,136	63	35	19	22	15	154	13	20	33
16		White--Male	3,738	24	16	9	9	7	65	6	7	13
17		Female	1,839	17	11	6	8	4	46	5	6	11
18		Negro--Male	307	14	2	1	4	3	24	1	4	2
19		Female	224	8	5	3	1	1	18	1	3	7
20		Other--Male	21	-	-	-	-	-	-	-	-	-
21		Female	7	-	1	-	-	-	1	-	-	-
22	250,251	Nontoxic goiter	137	1	-	-	-	-	1	1	-	1
23		White--Male	19	-	-	-	-	-	-	-	-	-
24		Female	94	1	-	-	-	-	1	1	-	-
25		Negro--Male	2	-	-	-	-	-	-	-	-	-
26		Female	21	-	-	-	-	-	-	-	-	1
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	1	-	-	-	-	-	-	-	-	-
29	252	Thyrotoxicosis with or without goiter	863	-	-	-	-	-	-	-	-	4
30		White--Male	132	-	-	-	-	-	-	-	-	-
31		Female	613	-	-	-	-	-	-	-	-	2
32		Negro--Male	20	-	-	-	-	-	-	-	-	-
33		Female	93	-	-	-	-	-	-	-	-	1
34		Other--Male	1	-	-	-	-	-	-	-	-	-
35		Female	4	-	-	-	-	-	-	-	-	1
36	253,254	Myxedema, cretinism, and other diseases of thyroid gland	227	21	1	-	3	2	27	1	1	1
37		White--Male	51	9	-	-	1	1	11	-	1	1
38		Female	150	11	1	-	2	1	15	1	-	-
39		Negro--Male	3	1	-	-	-	-	1	-	-	-
40		Female	20	-	-	-	-	-	-	-	-	-
41		Other--Male	1	-	-	-	-	-	-	-	-	-
42		Female	2	-	-	-	-	-	-	-	-	-
43	260	Diabetes mellitus	25,151	18	17	9	12	6	62	49	75	92
44		White--Male	9,009	8	6	4	6	2	26	19	26	23
45		Female	13,705	5	8	4	5	1	23	23	34	46
46		Negro--Male	768	2	3	1	-	2	8	6	8	9
47		Female	1,573	3	-	-	1	1	5	1	7	14
48		Other--Male	58	-	-	-	-	-	-	-	-	-
49		Female	38	-	-	-	-	-	-	-	-	-
50	273	Diseases of thymus gland	350	289	13	16	4	2	324	5	4	1
51		White--Male	169	149	6	5	1	1	162	-	2	1
52		Female	114	90	3	4	3	1	101	2	1	-
53		Negro--Male	41	26	3	7	-	-	36	3	1	-
54		Female	26	24	1	-	-	-	25	-	-	-
55		Other--Male	-	-	-	-	-	-	-	-	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	274	Diseases of adrenal glands	328	60	4	3	4	2	73	7	4	3
58		White--Male	146	35	1	1	2	-	39	3	2	2
59		Female	151	16	2	2	-	1	21	4	2	1
60		Negro--Male	15	5	-	-	1	1	7	-	-	-
61		Female	13	4	1	-	1	-	6	-	-	-
62		Other--Male	1	-	-	-	-	-	-	-	-	-
63		Female	2	-	-	-	-	-	-	-	-	-
64	281	Pellagra	116	-	-	-	-	-	-	-	-	-
65		White--Male	24	-	-	-	-	-	-	-	-	-
66		Female	59	-	-	-	-	-	-	-	-	-
67		Negro--Male	11	-	-	-	-	-	-	-	-	-
68		Female	21	-	-	-	-	-	-	-	-	-
69		Other--Male	1	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	280,282-286	All other avitaminoses and nutritional deficiency states	728	48	34	13	6	6	107	10	3	2
72		White--Male	280	24	8	5	3	4	44	3	1	1
73		Female	290	9	8	3	1	1	22	2	1	-
74		Negro--Male	82	11	9	1	1	-	22	2	1	1
75		Female	64	3	5	4	1	1	14	2	-	-
76		Other--Male	6	1	3	-	-	-	4	1	-	-
77		Female	6	-	1	-	-	-	1	-	-	-
78	Residual[1]	Other allergic, endocrine, and metabolic diseases	746	58	26	20	12	6	122	29	7	8
79		White--Male	343	30	14	7	6	3	60	13	3	3
80		Female	319	19	8	13	5	3	48	13	4	4
81		Negro--Male	35	3	3	-	1	-	7	2	-	-
82		Female	44	5	1	-	-	-	6	1	-	1
83		Other--Male	2	-	-	-	-	-	-	-	-	-
84		Female	3	1	-	-	-	-	1	-	-	-

[1]For category numbers, see table 49.

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
6	6	8	12	19	30	48	51	83	104	94	127	101	57	17	1	-	-	1
5	2	4	4	6	14	21	23	34	58	45	62	43	15	7	1	-	-	2
1	1	3	5	8	8	11	16	38	28	42	58	55	38	8	-	-	-	3
-	1	1	1	3	4	9	8	5	8	3	2	2	3	1	-	-	-	4
-	2	-	2	2	4	7	3	6	9	4	4	1	1	1	-	-	-	5
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	7
227	354	491	626	871	1,217	2,060	3,116	4,407	5,572	5,707	4,499	2,813	1,207	291	57	11	12	8
90	152	199	262	366	505	827	1,268	1,785	2,200	2,224	1,782	1,106	474	113	17	2	2	9
102	138	199	228	298	456	793	1,402	2,176	2,960	3,138	2,523	1,602	684	162	29	-	4	10
16	21	38	57	73	80	137	124	170	159	126	74	39	16	5	2	2	-	11
19	41	50	76	130	163	284	309	258	237	198	104	59	29	10	9	5	5	12
-	1	3	1	1	6	14	7	11	9	10	14	6	2	-	-	-	1	13
-	1	2	2	3	7	5	6	7	7	11	2	1	2	1	-	2	-	14
53	67	108	147	207	292	459	670	807	953	883	651	393	173	47	4	-	2	15
14	17	36	48	80	143	267	447	569	682	607	400	218	90	25	3	-	1	16
26	32	45	60	90	112	125	171	170	216	244	225	156	78	20	1	-	-	17
5	7	12	19	21	18	40	31	44	40	17	10	10	-	2	-	-	-	18
8	11	14	19	16	18	23	18	19	13	14	9	7	5	-	-	-	1	19
-	-	1	-	-	-	3	2	3	2	1	7	2	-	-	-	-	-	20
-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	21
2	1	3	4	8	5	12	11	12	15	28	16	10	4	2	1	-	-	22
-	1	-	-	-	1	3	2	1	2	6	3	-	-	-	-	-	-	23
2	-	2	2	4	3	7	6	8	13	19	11	9	4	2	-	-	-	24
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	25
-	-	1	2	4	1	2	2	1	-	3	2	1	-	-	1	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	28
9	17	22	32	32	60	103	97	117	119	129	71	31	17	1	-	1	1	29
4	2	3	3	6	12	12	14	26	19	15	8	6	2	-	-	-	-	30
3	7	11	17	14	36	73	65	83	92	111	59	25	14	1	-	-	-	31
-	-	1	3	2	4	6	1	1	-	1	1	-	-	-	-	-	-	32
2	8	4	9	10	8	12	17	6	8	2	3	-	1	-	-	1	1	33
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	35
3	5	4	4	12	16	17	16	27	30	27	17	15	3	1	-	-	-	36
1	1	-	2	-	5	6	4	7	3	4	4	1	-	-	-	-	-	37
-	3	4	1	8	9	5	12	18	25	22	12	11	3	1	-	-	-	38
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	39
2	1	-	1	3	1	5	-	2	1	1	1	2	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	41
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	42
121	228	298	367	518	752	1,338	2,188	3,302	4,295	4,485	3,608	2,234	902	191	37	2	9	43
55	117	141	182	242	311	490	742	1,117	1,428	1,531	1,312	831	334	70	10	1	1	44
49	80	112	120	144	246	528	1,095	1,837	2,546	2,670	2,146	1,340	534	108	20	-	4	45
10	13	20	27	43	54	77	85	116	107	89	58	20	13	3	2	-	-	46
7	17	24	37	87	130	231	258	220	201	175	83	39	19	9	5	1	3	47
-	1	1	1	1	6	9	5	8	6	9	5	3	2	-	-	-	1	48
-	-	-	-	1	5	3	3	4	7	11	2	1	-	1	-	-	-	49
5	1	2	-	2	1	2	-	-	1	2	-	-	-	-	-	-	-	50
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
3	1	-	-	1	1	1	-	-	1	2	-	-	-	-	-	-	-	52
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
7	7	12	22	18	26	36	26	16	28	17	13	10	3	-	-	-	-	57
1	4	2	8	6	6	14	11	9	16	12	4	7	-	-	-	-	-	58
6	2	9	10	11	17	17	15	7	11	5	7	3	3	-	-	-	-	59
-	-	1	1	-	2	2	-	-	1	-	1	-	-	-	-	-	-	60
-	-	-	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	62
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	63
-	-	1	2	2	-	7	8	6	14	18	22	21	13	2	-	-	-	64
-	-	-	-	-	-	-	-	2	3	8	7	1	3	-	-	-	-	65
-	-	-	-	-	-	3	3	1	5	8	14	14	9	2	-	-	-	66
-	-	-	-	-	-	4	1	-	3	-	1	2	-	-	-	-	-	67
-	-	1	2	2	-	-	4	3	2	2	-	4	1	-	-	-	-	68
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
5	2	10	12	14	17	25	25	46	65	73	72	87	85	46	14	8	-	71
3	-	-	3	4	10	9	7	19	23	19	31	36	44	18	4	1	-	72
2	2	7	4	6	7	6	9	17	26	37	34	39	34	27	8	-	-	73
-	-	3	4	-	-	5	3	4	6	16	3	7	3	-	-	2	-	74
-	-	-	-	4	-	4	6	6	10	1	4	5	2	1	2	3	-	75
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	2	-	77
22	26	31	36	58	48	61	75	74	52	45	31	12	7	1	1	-	-	78
10	10	15	16	28	17	26	41	35	24	22	13	6	1	-	-	-	-	79
11	11	9	14	20	25	28	26	35	25	20	15	5	5	1	-	-	-	80
1	1	1	3	6	2	2	3	3	1	3	-	-	-	-	-	-	-	81
-	4	6	3	3	4	4	4	1	2	-	2	1	1	-	1	-	-	82
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	83
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	84

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		IV. Diseases of the blood and blood-forming organs	4,727	266	103	51	27	24	471	89	75	70
2		White--Male	1,976	118	29	16	12	10	185	34	27	18
3		Female	2,161	65	29	14	9	5	122	36	32	24
4		Negro--Male	273	43	24	15	2	6	90	8	7	12
5		Female	295	33	19	6	4	3	65	11	9	15
6		Other--Male	14	3	1	-	-	-	4	-	-	1
7		Female	8	4	1	-	-	-	5	-	-	-
8	290-293	Anemias	3,301	148	81	28	12	18	287	56	45	41
9		White--Male	1,290	54	20	5	3	8	90	19	11	9
10		Female	1,533	33	19	6	3	3	64	23	21	11
11		Negro--Male	218	31	22	11	2	4	70	5	5	10
12		Female	244	27	18	6	4	3	58	9	8	10
13		Other--Male	10	1	1	-	-	-	2	-	-	1
14		Female	6	2	1	-	-	-	3	-	-	-
15	290	Pernicious and other hyperchromic anemias	1,181	5	2	1	-	1	9	-	1	1
16		White--Male	449	2	1	1	-	1	5	-	1	-
17		Female	667	-	-	-	-	-	-	-	-	1
18		Negro--Male	26	2	-	-	-	-	2	-	-	-
19		Female	35	1	1	-	-	-	2	-	-	-
20		Other--Male	3	-	-	-	-	-	-	-	-	-
21		Female	1	-	-	-	-	-	-	-	-	-
22	291-293	Anemias of other and unspecified type	2,120	143	79	27	12	17	278	56	44	40
23		White--Male	841	52	19	4	3	7	85	19	10	9
24		Female	866	33	19	6	3	3	64	23	21	10
25		Negro--Male	192	29	22	11	2	4	68	5	5	10
26		Female	209	26	17	6	4	3	56	9	8	10
27		Other--Male	7	1	1	-	-	-	2	-	-	1
28		Female	5	2	1	-	-	-	3	-	-	-
29	296	Purpura and other hemorrhagic conditions	553	67	11	11	7	3	99	15	16	14
30		White--Male	229	33	5	6	4	1	49	7	8	3
31		Female	281	22	6	4	3	1	36	6	7	7
32		Negro--Male	15	5	-	1	-	1	7	2	1	-
33		Female	25	4	-	-	-	-	4	-	-	4
34		Other--Male	2	2	-	-	-	-	2	-	-	-
35		Female	1	1	-	-	-	-	1	-	-	-
36	294,295,	All other diseases of blood and blood-forming organs	873	51	11	12	8	3	85	18	14	15
37	297-299	White--Male	457	31	4	5	5	1	46	8	8	6
38		Female	347	10	4	4	3	1	22	7	4	6
39		Negro--Male	40	7	2	3	-	1	13	1	1	2
40		Female	26	2	1	-	-	-	3	2	1	1
41		Other--Male	2	-	-	-	-	-	-	-	-	-
42		Female	1	1	-	-	-	-	1	-	-	-
43		V. Mental, psychoneurotic, and personality disorders	3,550	58	18	12	13	3	104	24	13	37
44		White--Male	1,975	25	11	7	7	1	51	12	8	17
45		Female	855	27	6	5	5	-	43	5	4	8
46		Negro--Male	440	3	-	-	1	2	6	2	1	6
47		Female	235	2	1	-	-	-	3	4	-	6
48		Other--Male	34	1	-	-	-	-	1	1	-	-
49		Female	11	-	-	-	-	-	-	-	-	-
50	304	Senile psychosis	440	-	-	-	-	-	-	-	-	-
51		White--Male	162	-	-	-	-	-	-	-	-	-
52		Female	228	-	-	-	-	-	-	-	-	-
53		Negro--Male	15	-	-	-	-	-	-	-	-	-
54		Female	31	-	-	-	-	-	-	-	-	-
55		Other--Male	3	-	-	-	-	-	-	-	-	-
56		Female	1	-	-	-	-	-	-	-	-	-
57	307	Alcoholic psychosis	229	-	-	-	-	-	-	-	-	-
58		White--Male	174	-	-	-	-	-	-	-	-	-
59		Female	16	-	-	-	-	-	-	-	-	-
60		Negro--Male	33	-	-	-	-	-	-	-	-	-
61		Female	5	-	-	-	-	-	-	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	1	-	-	-	-	-	-	-	-	-
64	300-303,	Other psychoses	540	1	-	-	1	-	2	-	1	18
65	305,306,	White--Male	198	-	-	-	-	-	-	-	-	7
66	308,309	Female	223	1	-	-	1	-	2	-	1	3
67		Negro--Male	61	-	-	-	-	-	-	-	-	4
68		Female	55	-	-	-	-	-	-	-	-	4
69		Other--Male	2	-	-	-	-	-	-	-	-	-
70		Female	1	-	-	-	-	-	-	-	-	-
71	322	Alcoholism	2,039	2	-	-	2	1	5	2	-	9
72		White--Male	1,304	1	-	-	1	-	2	-	-	5
73		Female	269	-	-	-	-	-	-	-	-	1
74		Negro--Male	309	-	-	-	1	1	2	-	-	1
75		Female	122	-	-	-	-	-	-	2	-	2
76		Other--Male	28	1	-	-	-	-	1	-	-	-
77		Female	7	-	-	-	-	-	-	-	-	-
78	325	Mental deficiency	171	55	18	12	9	2	96	21	11	8
79		White--Male	92	24	11	7	6	1	49	11	8	4
80		Female	63	26	6	5	3	-	40	5	2	4
81		Negro--Male	7	3	-	-	-	1	4	2	1	-
82		Female	7	2	1	-	-	-	3	2	-	-
83		Other--Male	1	-	-	-	-	-	-	1	-	-
84		Female	1	-	-	-	-	-	-	-	-	-
85	310-321,	Psychoneuroses and other disorders of personality	131	-	-	-	1	-	1	1	1	2
86	323,324,	White--Male	45	-	-	-	-	-	-	1	-	1
87	326	Female	56	-	-	-	1	-	1	-	1	-
88		Negro--Male	15	-	-	-	-	-	-	-	-	1
89		Female	15	-	-	-	-	-	-	-	-	-
90		Other--Male	-	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
78	87	102	114	148	155	196	262	369	498	600	562	487	264	81	14	2	3	1
18	23	35	33	53	59	80	110	190	238	279	242	205	110	30	4	-	3	2
32	33	37	57	54	76	83	124	152	226	297	302	272	145	49	7	1	-	3
11	11	11	10	15	8	14	13	14	23	7	10	5	3	-	1	-	-	4
17	20	19	13	25	12	18	15	11	9	16	7	5	4	2	1	1	-	5
-	-	-	-	1	-	1	-	1	2	1	1	-	2	-	-	-	-	6
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	7
47	46	53	61	89	76	105	163	226	329	456	458	429	242	74	14	2	2	8
11	7	14	14	26	21	36	61	104	159	204	191	178	99	30	4	-	2	9
12	14	15	29	33	39	44	78	99	141	233	249	243	134	43	7	1	-	10
9	9	9	7	12	7	10	11	10	20	5	10	5	3	-	1	-	-	11
15	16	15	10	17	9	15	13	11	8	13	7	3	4	1	1	1	-	12
-	-	-	-	1	-	-	-	1	1	1	1	-	2	-	-	-	-	13
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	14
5	3	2	6	14	19	28	39	69	108	225	237	230	138	39	6	1	1	15
-	-	-	1	1	3	7	13	28	49	95	88	91	49	14	3	-	1	16
3	1	1	4	9	11	13	22	32	51	124	145	137	85	25	3	-	-	17
1	-	-	1	1	2	2	3	2	6	1	2	1	2	-	-	-	-	18
1	2	1	-	2	3	6	1	6	2	4	2	1	1	-	-	1	-	19
-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	20
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	21
42	43	51	55	75	57	77	124	157	221	231	221	199	104	35	8	1	1	22
11	7	14	13	25	18	29	48	76	110	109	103	87	50	16	1	-	1	23
9	13	14	25	24	28	31	56	67	90	109	104	106	49	18	4	1	-	24
8	9	9	6	11	5	8	8	8	14	4	8	4	1	-	1	-	-	25
14	14	14	10	15	6	9	12	5	6	9	5	2	3	1	1	-	-	26
-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	27
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	28
15	21	25	27	25	26	30	24	37	51	56	35	20	12	5	-	-	-	29
3	6	7	8	6	11	9	8	22	20	29	19	8	6	-	-	-	-	30
11	12	16	16	14	14	20	14	13	31	26	16	12	6	4	-	-	-	31
-	-	-	-	2	-	-	1	2	-	-	-	-	-	-	-	-	-	32
1	3	2	3	3	1	1	1	-	-	1	-	-	-	1	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
16	20	24	26	34	53	61	75	106	118	88	69	38	10	2	-	-	1	36
4	10	14	11	21	27	35	41	64	59	46	32	19	5	-	-	-	1	37
9	7	6	12	7	23	19	32	40	54	38	37	17	5	2	-	-	-	38
2	2	2	3	1	1	4	1	2	3	2	-	-	-	-	-	-	-	39
1	1	2	-	5	2	2	1	-	1	2	-	2	-	-	-	-	-	40
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
72	111	214	272	381	422	407	316	279	251	173	140	154	98	58	16	3	5	43
25	44	86	129	208	253	254	228	188	169	102	64	69	43	20	2	-	3	44
11	17	41	49	65	93	77	55	56	51	49	62	72	50	35	11	1	-	45
24	34	51	61	66	47	47	22	24	22	14	7	2	1	1	-	1	1	46
10	12	32	31	36	22	26	7	10	7	6	4	9	3	2	3	1	1	47
1	3	4	-	4	5	1	4	1	2	2	3	1	1	-	-	-	-	48
1	1	-	2	2	2	2	-	-	-	-	-	1	-	-	-	-	-	49
-	-	-	-	-	-	1	5	6	22	51	80	121	81	54	16	3	-	50
-	-	-	-	-	-	-	2	2	6	21	30	50	32	17	2	-	-	51
-	-	-	-	-	-	-	1	2	9	18	44	63	45	34	11	1	-	52
-	-	-	-	-	-	-	-	1	4	6	1	1	-	1	-	1	-	53
-	-	-	-	-	-	1	2	1	3	6	3	6	3	2	3	1	-	54
-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	56
2	6	14	18	34	44	39	28	15	16	8	4	-	-	-	-	-	1	57
-	2	6	10	28	34	30	25	13	14	8	4	-	-	-	-	-	-	58
-	1	1	1	1	4	3	2	1	2	-	-	-	-	-	-	-	-	59
1	3	7	6	4	5	5	1	-	-	-	-	-	-	-	-	-	1	60
1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
22	37	49	38	35	43	51	51	71	48	30	18	15	9	2	-	-	-	64
6	12	19	10	14	16	15	26	27	19	9	4	9	3	2	-	-	-	65
3	11	12	12	12	18	21	23	38	27	18	13	4	5	-	-	-	-	66
9	9	7	6	5	3	6	1	3	2	3	1	1	1	-	-	-	-	67
4	5	11	10	3	5	8	1	3	-	-	-	1	-	-	-	-	-	68
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	70
26	58	136	201	300	320	302	221	179	153	77	32	8	5	1	-	-	4	71
8	29	58	106	162	197	203	168	140	124	63	24	6	5	1	-	-	3	72
2	3	20	29	47	62	47	25	14	10	7	2	-	-	-	-	-	-	73
12	18	36	46	56	39	36	20	19	15	5	4	-	-	-	-	-	-	74
3	4	18	19	30	16	14	4	5	2	-	1	1	-	-	-	-	1	75
1	3	4	-	3	5	-	4	1	2	2	1	1	-	-	-	-	-	76
-	1	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	77
9	3	2	3	4	5	4	1	-	-	1	-	2	-	1	-	-	-	78
6	1	-	2	3	2	2	1	-	-	1	-	2	-	-	-	-	-	79
2	1	1	1	1	3	2	-	-	-	-	-	-	-	1	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
13	7	13	12	8	10	10	10	8	12	6	6	8	3	-	-	-	-	85
5	-	3	1	1	4	4	6	6	6	-	2	2	3	-	-	-	-	86
4	1	7	6	4	6	4	4	1	3	6	3	5	-	-	-	-	-	87
2	4	1	3	1	-	-	-	1	1	-	1	-	-	-	-	-	-	88
2	2	2	2	2	-	2	-	-	2	-	-	1	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		VI. Diseases of the nervous system and sense organs----	181,173	1,481	486	284	192	126	2,569	600	444	485
2		White--------Male----	77,758	611	221	135	79	53	1,099	285	210	197
3		Female--	80,705	471	139	95	73	46	824	213	148	172
4		Negro--------Male----	10,570	210	70	23	22	13	338	52	40	65
5		Female--	11,575	170	50	24	15	12	271	45	40	48
6		Other--------Male----	385	8	3	5	3	1	20	3	1	1
7		Female--	180	11	3	2	-	1	17	2	5	2
8	330-334	Vascular lesions affecting central nervous system----------	167,777	185	50	33	28	22	318	100	113	155
9		White--------Male----	71,333	77	25	15	8	10	135	45	49	56
10		Female--	75,673	60	15	11	12	6	104	35	42	62
11		Negro--------Male----	9,497	22	6	4	3	2	37	11	14	18
12		Female--	10,774	23	4	1	5	3	36	9	6	17
13		Other--------Male----	344	1	-	2	-	-	3	-	-	1
14		Female--	156	2	-	-	-	1	3	-	2	1
15	330	Subarachnoid hemorrhage----------	4,706	49	5	7	3	4	68	21	44	71
16		White--------Male----	1,855	21	2	5	-	4	32	8	19	34
17		Female--	2,097	17	2	1	1	-	21	11	17	24
18		Negro--------Male----	341	7	1	1	2	-	11	1	4	7
19		Female--	386	3	-	-	-	-	3	1	2	5
20		Other--------Male----	15	1	-	-	-	-	1	-	-	1
21		Female--	12	-	-	-	-	-	-	-	2	-
22	331	Cerebral hemorrhage----------	108,443	88	24	10	13	8	143	40	43	50
23		White--------Male----	45,232	36	14	4	5	5	64	18	19	8
24		Female--	48,958	31	4	5	5	2	47	14	17	25
25		Negro--------Male----	6,426	9	3	-	1	-	13	5	5	7
26		Female--	7,485	10	3	-	2	-	15	3	2	9
27		Other--------Male----	232	-	-	1	-	-	1	-	-	-
28		Female--	110	2	-	-	-	1	3	-	-	1
29	332	Cerebral embolism and thrombosis----------	36,726	15	4	4	1	1	25	4	8	14
30		White--------Male----	16,839	6	2	2	-	-	10	2	5	5
31		Female--	16,880	4	1	1	1	1	8	1	1	6
32		Negro--------Male----	1,473	3	-	-	-	-	3	1	2	2
33		Female--	1,446	2	1	-	-	-	3	-	-	1
34		Other--------Male----	65	-	-	1	-	-	1	-	-	-
35		Female--	23	-	-	-	-	-	-	-	-	-
36	333,334	Other vascular lesions affecting central nervous system-----	17,902	33	17	12	11	9	82	35	18	20
37		White--------Male----	7,407	14	7	4	3	1	29	17	6	9
38		Female--	7,738	8	8	4	5	3	28	9	7	7
39		Negro--------Male----	1,257	3	2	3	-	2	10	4	3	2
40		Female--	1,457	8	-	1	3	3	15	5	2	2
41		Other--------Male----	32	-	-	-	-	-	-	-	-	-
42		Female--	11	-	-	-	-	-	-	-	-	-
43	340	Meningitis, except meningococcal and tuberculous----------	1,829	645	176	88	47	31	987	86	51	24
44		White--------Male----	758	249	79	39	15	14	396	33	26	7
45		Female--	524	183	43	26	18	11	281	28	9	7
46		Negro--------Male----	289	113	30	13	9	5	170	15	5	7
47		Female--	234	90	22	8	4	1	125	9	8	2
48		Other--------Male----	12	3	1	1	1	-	6	1	1	-
49		Female--	12	7	1	1	-	-	9	-	2	1
50	345	Multiple sclerosis----------	1,394	-	-	-	-	-	-	1	2	8
51		White--------Male----	612	-	-	-	-	-	-	1	1	2
52		Female--	704	-	-	-	-	-	-	-	-	5
53		Negro--------Male----	32	-	-	-	-	-	-	-	-	-
54		Female--	45	-	-	-	-	-	-	-	1	1
55		Other--------Male----	1	-	-	-	-	-	-	-	-	-
56		Female--	-	-	-	-	-	-	-	-	-	-
57	350	Paralysis agitans----------	2,330	-	-	-	-	-	-	-	-	1
58		White--------Male----	1,286	-	-	-	-	-	-	-	-	1
59		Female--	978	-	-	-	-	-	-	-	-	-
60		Negro--------Male----	36	-	-	-	-	-	-	-	-	-
61		Female--	29	-	-	-	-	-	-	-	-	-
62		Other--------Male----	1	-	-	-	-	-	-	-	-	-
63		Female--	-	-	-	-	-	-	-	-	-	-
64	351	Cerebral spastic infantile paralysis----------	589	42	54	49	31	14	190	145	70	41
65		White--------Male----	292	24	34	24	14	7	103	73	32	15
66		Female--	219	14	13	19	12	5	63	51	25	20
67		Negro--------Male----	33	1	3	-	4	1	9	9	4	2
68		Female--	41	3	4	4	1	1	13	11	8	4
69		Other--------Male----	1	-	-	1	-	-	1	-	-	-
70		Female--	3	-	-	1	-	-	1	1	1	-
71	353	Epilepsy----------	2,136	29	24	25	16	18	112	89	103	141
72		White--------Male----	988	11	8	14	12	7	52	50	54	61
73		Female--	701	12	6	7	1	5	31	29	34	38
74		Negro--------Male----	301	4	7	3	1	1	16	5	8	29
75		Female--	135	1	3	1	-	5	10	4	7	13
76		Other--------Male----	10	1	-	-	2	-	3	1	-	-
77		Female--	1	-	-	-	-	-	-	-	-	-
78	370-379	Inflammatory diseases of eye----------	16	-	-	-	-	-	-	-	1	2
79		White--------Male----	6	-	-	-	-	-	-	-	-	-
80		Female--	5	-	-	-	-	-	-	-	-	1
81		Negro--------Male----	4	-	-	-	-	-	-	-	1	1
82		Female--	1	-	-	-	-	-	-	-	-	-
83		Other--------Male----	-	-	-	-	-	-	-	-	-	-
84		Female--	-	-	-	-	-	-	-	-	-	-
85	385	Cataract----------	59	-	-	-	-	-	-	-	-	-
86		White--------Male----	23	-	-	-	-	-	-	-	-	-
87		Female--	32	-	-	-	-	-	-	-	-	-
88		Negro--------Male----	1	-	-	-	-	-	-	-	-	-
89		Female--	2	-	-	-	-	-	-	-	-	-
90		Other--------Male----	-	-	-	-	-	-	-	-	-	-
91		Female--	1	-	-	-	-	-	-	-	-	-
92	387	Glaucoma----------	20	-	-	-	-	-	-	-	-	-
93		White--------Male----	7	-	-	-	-	-	-	-	-	-
94		Female--	12	-	-	-	-	-	-	-	-	-
95		Negro--------Male----	-	-	-	-	-	-	-	-	-	-
96		Female--	1	-	-	-	-	-	-	-	-	-
97		Other--------Male----	-	-	-	-	-	-	-	-	-	-
98		Female--	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not. stated	
582	768	1,194	1,902	3,237	5,032	7,801	10,724	15,831	22,453	27,822	30,383	26,597	15,659	5,582	1,232	167	109	1
225	309	442	700	1,117	1,825	2,857	4,528	7,081	10,530	12,884	13,648	11,351	6,083	1,966	363	27	31	2
224	256	424	624	1,055	1,732	2,621	3,706	5,893	8,752	12,224	14,806	13,936	8,858	3,362	773	65	37	3
76	98	141	257	457	619	1,073	1,188	1,374	1,512	1,255	956	569	319	97	39	21	24	4
55	100	182	311	593	827	1,209	1,263	1,420	1,587	1,370	903	699	380	149	53	54	16	5
2	3	2	6	6	17	31	24	50	55	66	49	30	11	5	2	-	1	6
-	2	3	4	9	12	10	15	13	17	23	21	12	8	3	2	-	-	7
246	375	722	1,361	2,645	4,325	6,985	9,842	14,836	21,313	26,637	29,399	25,993	15,389	5,520	1,219	160	104	8
91	136	244	457	854	1,468	2,486	4,071	6,537	9,915	12,244	13,162	11,059	5,964	1,944	360	27	29	9
104	120	242	430	821	1,481	2,289	3,393	5,531	8,325	11,769	14,361	13,652	8,730	3,323	764	61	34	10
25	51	91	201	406	557	1,000	1,122	1,318	1,461	1,209	928	558	309	97	39	21	24	11
26	65	141	283	553	791	1,171	1,218	1,388	1,542	1,330	878	684	368	149	52	51	16	12
-	2	2	6	3	16	29	23	49	54	62	49	28	10	4	2	-	1	13
-	1	2	4	8	12	10	15	13	16	23	21	12	8	3	2	-	-	14
120	178	283	365	533	642	533	436	403	350	226	224	119	56	9	2	-	3	15
52	72	102	146	186	233	218	199	167	146	89	88	41	20	3	-	-	-	16
47	63	106	160	227	290	222	185	201	167	118	126	71	31	6	2	-	2	17
11	21	31	35	54	46	42	21	19	14	12	4	5	2	-	-	-	1	18
10	21	42	42	65	69	45	29	13	22	6	6	2	3	-	-	-	-	19
-	-	1	1	-	2	4	1	2	1	1	-	-	-	-	-	-	-	20
-	1	1	1	1	2	2	1	1	-	-	-	-	-	-	-	-	-	21
93	154	355	841	1,728	2,988	5,062	7,048	10,276	14,399	17,539	18,639	16,020	9,110	3,081	676	88	70	22
25	50	115	255	541	982	1,731	2,824	4,410	6,575	7,947	8,261	6,654	3,506	1,036	199	13	19	23
44	42	110	232	491	1,003	1,714	2,507	3,966	5,708	7,855	9,142	8,542	5,154	1,882	417	25	21	24
12	22	51	144	286	408	704	808	895	988	789	617	356	197	62	24	16	17	25
12	38	78	202	401	577	884	884	961	1,076	893	572	462	238	96	36	34	12	26
-	2	1	5	3	11	22	15	34	39	40	31	17	8	2	-	-	1	27
-	-	-	3	6	7	7	10	10	13	15	16	9	7	3	-	-	-	28
10	18	38	81	205	418	866	1,547	2,873	4,610	6,057	7,160	6,675	4,144	1,554	354	45	20	29
5	6	12	31	80	178	381	774	1,451	2,349	2,969	3,289	2,984	1,612	575	104	12	5	30
4	9	15	28	61	127	225	461	948	1,756	2,648	3,529	3,452	2,401	937	231	23	9	31
-	2	3	8	32	46	126	169	236	248	222	172	109	62	15	9	3	3	32
1	1	7	14	31	63	130	135	229	244	198	157	122	67	26	7	7	3	33
-	-	-	-	-	2	3	5	8	12	14	10	6	1	1	2	-	-	34
-	-	1	-	1	2	1	3	1	1	6	3	2	1	-	1	-	-	35
23	25	46	74	179	277	524	811	1,284	1,954	2,815	3,376	3,179	2,079	876	187	27	11	36
9	8	15	25	47	75	156	274	509	845	1,239	1,524	1,400	826	330	57	2	5	37
9	6	11	10	42	61	128	240	416	694	1,148	1,564	1,587	1,144	498	114	13	2	38
2	6	6	14	34	57	128	124	168	211	186	135	88	48	20	6	2	3	39
3	5	14	25	56	82	112	170	185	200	233	143	98	60	27	9	10	1	40
-	-	-	-	-	1	-	2	5	2	7	8	5	1	1	-	-	-	41
-	-	-	-	-	1	-	1	1	2	2	2	1	-	-	1	-	-	42
26	41	31	34	57	44	88	66	72	67	61	43	37	10	3	-	-	1	43
6	15	9	19	21	24	36	30	37	29	29	20	15	4	2	-	-	-	44
11	8	14	9	14	9	22	16	19	25	17	13	16	4	1	-	-	1	45
4	10	3	2	13	4	16	10	7	6	7	6	3	1	-	-	-	-	46
5	8	5	4	8	7	13	10	8	7	8	4	3	-	-	-	-	-	47
-	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
24	41	82	117	147	173	179	145	159	108	104	63	24	13	3	-	-	1	50
3	16	30	49	55	73	72	69	75	56	54	32	14	8	2	-	-	-	51
13	17	41	59	86	90	101	70	78	50	47	30	10	5	1	-	-	1	52
4	3	5	1	2	7	3	3	3	-	1	-	-	-	-	-	-	-	53
4	5	6	8	4	3	2	3	3	2	2	1	-	-	-	-	-	-	54
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	2	7	11	10	28	63	122	224	397	563	500	288	96	15	-	1	2	57
-	-	6	4	4	15	32	76	132	232	334	250	142	53	4	-	-	1	58
-	2	-	6	6	11	28	40	81	154	215	241	141	42	10	-	-	1	59
-	-	-	1	-	2	2	3	5	7	10	4	2	-	-	-	-	-	60
-	-	1	-	-	-	1	3	6	4	4	5	3	1	-	-	1	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
33	18	27	16	9	9	6	6	5	6	3	2	2	1	-	-	-	-	64
16	6	13	7	4	7	3	2	5	4	-	1	1	-	-	-	-	-	65
12	9	14	7	4	2	3	3	-	2	2	1	-	1	-	-	-	-	66
4	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	67
1	1	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
175	190	206	183	187	179	120	125	81	101	58	40	25	15	3	2	1	-	71
70	89	87	82	90	82	49	61	43	52	29	16	10	8	2	1	-	-	72
56	62	67	60	62	60	45	47	19	32	19	19	15	4	1	1	-	-	73
34	24	33	34	20	26	20	10	18	11	7	4	-	2	-	-	-	-	74
14	14	18	7	13	11	6	7	1	6	1	1	-	1	-	-	1	-	75
1	1	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	76
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	1	-	3	2	1	1	1	2	1	-	1	-	-	-	78
-	-	-	-	-	-	2	-	-	-	1	1	1	-	1	-	-	-	79
-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	80
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	1	2	2	1	7	7	11	11	13	4	-	-	-	-	85
-	-	-	-	-	2	-	1	3	3	5	5	4	-	-	-	-	-	86
-	-	-	-	-	-	1	-	3	3	6	6	9	4	-	-	-	-	87
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	88
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	91
-	1	-	-	-	-	1	3	1	2	3	2	4	2	1	-	-	-	92
-	1	-	-	-	-	-	-	-	2	2	-	1	1	-	-	-	-	93
-	-	-	-	-	-	1	3	1	-	-	2	3	1	1	-	-	-	94
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VI. Diseases of the nervous system and sense organs—Continued										
1	381-383	Otitis media and mastoiditis	455	163	27	12	6	4	212	26	16	19
2		White--Male	204	66	17	3	5	-	91	13	8	11
3		Female	160	50	6	7	-	4	67	11	6	8
4		Negro--Male	44	24	3	-	-	-	27	-	-	-
5		Female	38	20	-	1	1	-	22	-	2	-
6		Other--Male	7	2	1	1	-	-	4	1	-	-
7		Female	2	1	-	-	-	-	1	1	-	-
8	Residual[1]	Other diseases of nervous system and sense organs	4,568	417	155	77	64	37	750	153	86	94
9		White--Male	2,249	184	58	40	25	15	322	70	40	44
10		Female	1,697	152	56	25	30	15	278	59	32	31
11		Negro--Male	333	46	21	3	5	4	79	12	8	8
12		Female	275	33	17	9	4	2	65	12	8	11
13		Other--Male	9	1	1	-	-	1	3	-	-	-
14		Female	5	1	2	-	-	-	3	-	-	-
15		VII. Diseases of the circulatory system	613,241	376	98	52	55	33	614	305	388	631
16		White--Male	329,258	163	34	22	24	15	258	115	131	285
17		Female	229,126	111	32	11	13	12	179	113	155	179
18		Negro--Male	28,252	52	16	9	9	5	91	35	45	69
19		Female	24,997	39	15	10	8	-	72	41	55	94
20		Other--Male	1,206	6	-	-	1	1	8	-	2	-
21		Female	402	5	1	-	-	-	6	1	-	4
22	400-402	Rheumatic fever	1,297	8	5	10	14	14	51	158	204	88
23		White--Male	525	5	-	5	7	6	23	54	60	40
24		Female	490	2	-	3	4	6	15	57	87	23
25		Negro--Male	121	1	4	1	-	2	8	19	25	10
26		Female	155	-	1	1	3	-	5	27	32	15
27		Other--Male	5	-	-	-	-	-	-	-	-	-
28		Female	1	-	-	-	-	-	-	1	-	-
29	410-443	Diseases of heart	560,077	310	80	38	35	15	478	119	150	464
30		White--Male	304,759	130	28	15	15	6	194	51	66	223
31		Female	206,425	93	29	8	6	5	141	46	49	120
32		Negro--Male	25,329	44	10	7	9	3	73	14	17	54
33		Female	22,109	34	12	8	4	-	58	8	16	64
34		Other--Male	1,108	4	-	-	1	1	6	-	2	-
35		Female	347	5	1	-	-	-	6	-	-	3
36	410-416	Chronic rheumatic heart disease	18,256	7	5	3	2	3	20	21	69	248
37		White--Male	8,169	3	2	1	1	1	8	12	24	113
38		Female	8,505	2	1	1	-	1	5	6	22	77
39		Negro--Male	734	1	1	1	1	1	5	1	10	25
40		Female	771	1	1	-	-	-	2	2	12	30
41		Other--Male	51	-	-	-	-	-	-	-	1	-
42		Female	26	-	-	-	-	-	-	-	-	3
43	410	Diseases of mitral valve	6,970	7	2	2	1	-	12	5	26	65
44		White--Male	2,951	3	1	-	1	-	5	2	7	29
45		Female	3,383	2	-	1	-	-	3	3	9	28
46		Negro--Male	303	1	1	1	-	-	3	-	3	-
47		Female	298	1	-	-	-	-	1	-	6	7
48		Other--Male	23	-	-	-	-	-	-	-	1	-
49		Female	12	-	-	-	-	-	-	-	-	1
50	411	Diseases of aortic valve specified as rheumatic	1,145	-	-	-	-	-	-	1	2	8
51		White--Male	830	-	-	-	-	-	-	1	2	7
52		Female	258	-	-	-	-	-	-	-	-	1
53		Negro--Male	29	-	-	-	-	-	-	-	-	-
54		Female	23	-	-	-	-	-	-	-	-	-
55		Other--Male	4	-	-	-	-	-	-	-	-	-
56		Female	1	-	-	-	-	-	-	-	-	-
57	412	Diseases of tricuspid valve	29	-	-	-	-	-	-	-	-	-
58		White--Male	15	-	-	-	-	-	-	-	-	-
59		Female	10	-	-	-	-	-	-	-	-	-
60		Negro--Male	2	-	-	-	-	-	-	-	-	-
61		Female	2	-	-	-	-	-	-	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	413,414	Diseases of pulmonary valve, etc.*, specified as rheumatic	1,119	-	1	1	1	-	3	3	5	16
65		White--Male	496	-	-	1	-	-	1	2	3	7
66		Female	530	-	1	-	-	-	1	-	1	3
67		Negro--Male	46	-	-	-	1	-	1	-	1	2
68		Female	40	-	-	-	-	-	-	1	-	4
69		Other--Male	4	-	-	-	-	-	-	-	-	-
70		Female	3	-	-	-	-	-	-	-	-	-
71	415,416	Other diseases of heart specified as rheumatic	8,993	-	2	-	-	3	5	12	36	159
72		White--Male	3,877	-	1	-	-	1	2	7	12	70
73		Female	4,324	-	-	-	-	1	1	3	12	45
74		Negro--Male	354	-	-	-	-	1	1	1	6	23
75		Female	408	-	1	-	-	-	1	1	6	19
76		Other--Male	20	-	-	-	-	-	-	-	-	-
77		Female	10	-	-	-	-	-	-	-	-	2
78	420	Arteriosclerotic heart disease, including coronary disease	379,788	78	7	6	5	2	98	21	17	61
79		White--Male	228,766	36	1	2	3	1	43	13	8	35
80		Female	128,894	21	2	1	1	1	26	8	5	14
81		Negro--Male	12,336	8	2	3	1	-	14	-	3	9
82		Female	8,888	8	2	-	-	-	10	-	1	3
83		Other--Male	724	1	-	-	-	-	1	-	-	-
84		Female	180	4	-	-	-	-	4	-	-	-
85	420.0	Arteriosclerotic heart disease so described	138,794	20	1	1	1	2	25	5	4	11
86		White--Male	71,436	8	-	1	1	1	11	2	2	7
87		Female	58,834	7	1	-	-	1	9	3	1	2
88		Negro--Male	4,455	1	-	-	-	-	1	-	-	1
89		Female	3,714	2	-	-	-	-	2	-	1	1
90		Other--Male	279	1	-	-	-	-	1	-	-	-
91		Female	76	1	-	-	-	-	1	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
20	13	15	15	10	14	14	15	16	18	10	11	9	2	-	-	-	-	1
7	4	9	7	7	7	7	3	5	10	5	6	3	1	-	-	-	-	2
7	6	4	6	1	3	5	9	6	7	3	4	6	1	-	-	-	-	3
2	-	2	1	1	1	2	2	3	1	1	1	-	-	-	-	-	-	4
3	3	-	1	1	3	-	1	2	-	-	-	-	-	-	-	-	-	5
1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
58	87	104	145	170	258	340	397	429	433	371	310	201	127	36	11	5	1	8
32	42	44	75	82	147	170	215	244	227	181	155	101	44	11	2	-	1	9
21	32	42	47	61	76	125	124	155	153	146	128	84	66	25	8	4	-	10
3	8	7	15	14	22	30	37	18	26	20	13	6	7	-	-	-	-	11
2	4	11	8	12	12	15	20	12	26	23	14	8	10	-	1	1	-	12
-	-	-	-	-	1	-	1	-	1	1	-	2	-	-	-	-	-	13
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	14
885	1,682	3,325	6,444	12,439	21,628	33,556	46,915	64,700	83,163	91,997	91,453	78,316	48,969	20,076	4,632	781	344	15
313	729	1,565	3,548	7,422	13,916	21,017	29,871	40,041	48,381	49,534	45,793	36,200	20,654	7,643	1,527	168	147	16
318	503	835	1,352	2,318	4,046	6,680	10,880	17,821	27,179	35,892	40,834	38,668	26,409	11,543	2,772	364	86	17
94	208	406	746	1,375	1,944	3,084	3,462	3,699	3,902	3,376	2,497	1,697	880	375	131	87	49	18
147	229	499	776	1,274	1,649	2,666	2,551	2,948	3,482	2,948	2,121	1,625	959	471	184	151	55	19
7	9	13	15	38	59	88	110	140	184	189	161	94	43	30	9	1	6	20
6	4	7	7	12	12	21	41	51	35	58	47	32	24	14	9	10	1	21
67	77	83	71	62	80	71	55	69	71	30	26	19	10	3	2	-	-	22
20	27	31	26	31	43	32	26	42	33	14	8	8	5	1	1	-	-	23
30	27	33	30	16	29	24	24	24	29	13	14	8	5	2	-	-	-	24
5	8	12	5	7	4	7	-	2	5	1	1	1	-	-	1	-	-	25
10	13	7	10	8	3	8	5	1	4	2	3	2	-	-	-	-	-	26
2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
686	1,335	2,799	5,798	11,515	20,347	31,847	14,681	61,387	78,449	85,616	83,203	69,143	41,474	16,180	3,532	564	310	29
254	623	1,402	3,357	7,107	13,334	20,250	28,728	38,250	45,855	46,258	41,745	31,961	17,481	6,167	1,184	130	139	30
231	375	669	1,164	2,078	3,723	6,255	10,246	16,824	25,643	33,423	37,166	34,187	22,380	9,287	2,078	265	75	31
76	167	324	632	1,182	1,743	2,825	3,210	3,426	3,583	3,042	2,217	1,482	746	296	112	66	42	32
115	163	384	627	1,100	1,479	2,415	2,356	2,702	3,167	2,666	1,886	1,400	810	401	147	97	48	33
5	5	13	14	37	56	84	105	135	169	173	148	84	40	22	5	-	5	34
5	2	7	4	11	12	18	36	50	32	54	41	29	17	7	6	6	1	35
337	561	783	1,082	1,455	1,880	2,008	2,165	1,981	1,801	1,410	1,064	803	407	115	32	7	7	36
119	244	327	477	632	862	870	994	967	863	655	470	325	148	39	17	2	1	37
141	226	328	463	680	872	966	1,025	916	831	676	523	426	237	66	14	2	3	38
25	37	50	64	72	76	85	68	46	50	38	38	22	12	5	1	3	1	39
43	52	73	71	58	66	81	68	48	52	36	33	28	10	5	-	-	1	40
4	1	1	5	11	4	5	8	2	4	4	-	1	-	-	-	-	-	41
5	1	4	2	2	-	1	2	2	1	1	-	1	-	-	-	-	1	42
108	169	270	370	514	615	685	734	677	658	643	575	458	263	86	27	7	3	43
36	76	107	151	194	267	293	310	302	292	299	253	183	99	29	15	2	-	44
51	80	131	177	276	305	328	368	322	301	289	269	234	147	48	11	2	1	45
8	5	13	17	25	21	33	27	23	30	27	31	19	8	5	1	3	1	46
9	8	17	23	12	21	29	25	26	33	24	22	21	9	4	-	-	1	47
3	-	1	1	5	1	1	3	2	2	3	-	-	-	-	-	-	-	48
1	-	1	1	2	-	1	1	2	-	1	-	1	-	-	-	-	-	49
15	42	42	74	85	135	133	159	154	130	84	43	27	8	2	-	-	1	50
11	32	28	58	72	111	96	117	109	98	42	26	14	3	2	-	-	1	51
3	4	10	10	9	18	30	35	40	28	41	13	12	4	-	-	-	-	52
1	3	3	4	2	3	3	4	2	3	-	-	-	1	-	-	-	-	53
-	2	1	1	-	3	4	2	3	1	1	4	1	-	-	-	-	-	54
-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	55
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	2	1	1	3	2	2	4	6	5	1	2	-	-	-	-	-	-	57
-	1	-	1	1	1	1	1	4	4	1	-	-	-	-	-	-	-	58
-	-	1	-	1	-	1	2	2	1	-	2	-	-	-	-	-	-	59
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	60
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
30	34	56	65	81	116	118	127	116	109	99	66	42	24	6	2	-	1	64
7	11	21	25	40	54	49	64	66	56	40	26	16	5	2	1	-	-	65
15	17	25	32	37	55	60	56	44	48	52	36	26	17	4	1	-	-	66
3	2	4	5	4	5	5	2	3	3	2	3	-	1	-	-	-	-	67
4	3	6	3	-	1	4	3	3	2	4	1	-	1	-	-	-	-	68
-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	69
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	70
184	314	414	572	772	1,012	1,070	1,141	1,028	899	583	378	276	112	21	3	-	2	71
65	124	171	242	325	429	431	502	486	413	273	165	112	41	6	1	-	-	72
72	125	161	244	357	494	547	564	508	453	294	203	154	69	14	2	-	2	73
13	27	30	38	40	47	44	34	18	14	9	4	3	2	-	-	-	-	74
30	38	49	44	46	40	44	38	16	16	7	6	6	-	1	-	-	-	75
1	-	-	3	4	2	4	3	-	2	-	-	1	-	-	-	-	-	76
3	-	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	77
117	387	1,230	3,325	7,429	14,030	22,626	32,522	45,085	56,907	59,692	55,788	43,779	24,857	9,422	1,932	264	199	78
49	238	834	2,442	5,595	10,773	16,713	23,416	30,789	36,101	34,754	29,794	21,564	11,025	3,719	682	70	109	79
29	65	166	398	853	1,824	3,484	6,425	11,227	17,525	22,211	23,979	20,865	13,098	5,373	1,142	129	48	80
13	52	115	282	556	834	1,429	1,624	1,776	1,814	1,476	1,063	701	350	144	38	25	18	81
25	30	104	197	404	560	943	962	1,170	1,334	1,094	821	581	351	171	67	38	22	82
1	1	10	5	17	34	53	73	90	118	122	104	56	23	12	2	-	2	83
-	1	1	1	4	5	4	22	33	15	35	27	12	10	3	1	2	-	84
11	18	85	257	706	1,645	3,860	6,931	12,048	18,504	23,516	25,476	23,237	14,772	6,133	1,302	178	70	85
6	13	58	194	458	1,135	2,482	4,422	7,337	10,586	12,576	12,546	10,709	6,105	2,299	422	41	25	86
3	1	11	23	109	254	761	1,700	3,549	6,479	9,563	11,872	11,743	8,211	3,617	811	93	19	87
1	3	11	22	71	124	347	441	629	763	742	548	394	217	88	26	18	8	88
-	1	3	18	66	125	257	344	482	633	570	453	339	221	116	41	24	17	89
1	-	2	-	1	6	13	19	36	38	49	46	44	11	10	1	-	1	90
-	-	-	-	1	1	-	5	15	5	16	11	8	7	3	1	2	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
		Diseases of heart—Continued										
		Arteriosclerotic heart disease, including coronary disease—Continued										
1	420.1	Heart disease specified as involving coronary arteries	239,775	57	6	5	4	-	72	16	13	49
2		White--Male	156,623	28	1	1	2	-	32	11	6	28
3		Female	69,683	14	1	1	1	-	17	5	4	12
4		Negro--Male	7,807	6	2	3	1	-	12	-	3	7
5		Female	5,115	6	2	-	-	-	8	-	-	2
6		Other--Male	443	-	-	-	-	-	-	-	-	-
7		Female	104	3	-	-	-	-	3	-	-	-
8	420.2	Angina pectoris without mention of coronary disease	1,219	1	-	-	-	-	1	-	-	1
9		White--Male	707	-	-	-	-	-	-	-	-	-
10		Female	377	-	-	-	-	-	-	-	-	-
11		Negro--Male	74	1	-	-	-	-	1	-	-	1
12		Female	59	-	-	-	-	-	-	-	-	-
13		Other--Male	2	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	421	Chronic endocarditis not specified as rheumatic	7,218	18	11	4	2	-	35	7	8	14
16		White--Male	3,432	8	4	-	1	-	13	2	3	9
17		Female	2,704	5	3	-	-	-	8	3	4	-
18		Negro--Male	581	3	1	2	1	-	7	2	1	4
19		Female	487	1	3	2	-	-	6	-	-	1
20		Other--Male	9	1	-	-	-	-	1	-	-	-
21		Female	5	-	-	-	-	-	-	-	-	-
22	421.0	Of mitral valve, specified as nonrheumatic	717	1	-	-	-	-	1	-	-	1
23		White--Male	290	-	-	-	-	-	-	-	-	-
24		Female	319	1	-	-	-	-	1	-	-	-
25		Negro--Male	50	-	-	-	-	-	-	-	-	-
26		Female	57	-	-	-	-	-	-	-	-	1
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	1	-	-	-	-	-	-	-	-	-
29	421.1	Of aortic valve, not specified as rheumatic	1,775	2	-	-	2	-	4	1	2	1
30		White--Male	1,034	2	-	-	1	-	3	1	2	1
31		Female	465	-	-	-	-	-	-	-	-	-
32		Negro--Male	170	-	-	-	1	-	1	-	-	-
33		Female	103	-	-	-	-	-	-	-	-	-
34		Other--Male	3	-	-	-	-	-	-	-	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	421.2-421.4	Of other valves, not specified as rheumatic	4,726	15	11	4	-	-	30	6	6	12
37		White--Male	2,108	6	4	-	-	-	10	1	1	8
38		Female	1,920	4	3	-	-	-	7	3	4	-
39		Negro--Male	361	3	1	2	-	-	6	2	1	4
40		Female	327	1	3	2	-	-	6	-	-	-
41		Other--Male	6	1	-	-	-	-	1	-	-	-
42		Female	4	-	-	-	-	-	-	-	-	-
43	422	Other myocardial degeneration	58,873	41	18	4	7	4	74	21	10	33
44		White--Male	26,653	20	8	3	4	2	37	4	6	19
45		Female	26,224	11	8	1	1	1	22	10	3	11
46		Negro--Male	3,053	2	1	-	1	1	5	5	-	-
47		Female	2,804	7	1	-	1	-	9	2	-	3
48		Other--Male	97	-	-	-	-	-	-	-	1	-
49		Female	42	1	-	-	-	-	1	-	-	-
50	422.1	With arteriosclerosis	32,744	7	1	-	1	1	10	2	1	5
51		White--Male	14,566	5	-	-	-	1	6	-	1	3
52		Female	15,222	1	1	-	-	-	2	-	-	2
53		Negro--Male	1,523	-	-	-	1	-	1	2	-	-
54		Female	1,364	1	-	-	-	-	1	-	-	-
55		Other--Male	51	-	-	-	-	-	-	-	-	-
56		Female	18	-	-	-	-	-	-	-	-	-
57	422.0,422.2	Without mention of arteriosclerosis	26,129	34	17	4	6	3	64	19	9	28
58		White--Male	12,087	15	8	3	4	1	31	4	5	16
59		Female	11,002	10	7	1	1	1	20	10	3	9
60		Negro--Male	1,530	2	1	-	-	1	4	3	-	-
61		Female	1.440	6	1	-	1	-	8	2	-	3
62		Other--Male	46	-	-	-	-	-	-	-	1	-
63		Female	24	1	-	-	-	-	1	-	-	-
64	430-434	Other diseases of heart	20,903	161	38	20	18	6	243	47	41	93
65		White--Male	10,630	61	13	8	6	2	90	20	22	44
66		Female	6,763	54	14	5	4	2	79	19	13	16
67		Negro--Male	1,943	28	5	1	5	1	40	5	3	14
68		Female	1,473	16	5	6	2	-	29	3	3	19
69		Other--Male	64	2	-	-	1	1	4	-	-	-
70		Female	30	-	1	-	-	-	1	-	-	-
71	430	Acute and subacute endocarditis	778	6	4	5	1	1	17	8	4	25
72		White--Male	394	1	1	2	1	1	6	4	3	10
73		Female	234	4	2	1	-	-	7	2	-	3
74		Negro--Male	79	1	1	-	-	-	2	2	-	3
75		Female	68	-	-	2	-	-	2	-	1	9
76		Other--Male	3	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	431	Acute myocarditis not specified as rheumatic	1,501	13	8	4	2	-	27	6	4	18
79		White--Male	649	5	4	1	-	-	10	1	2	11
80		Female	559	3	2	1	-	-	6	5	2	3
81		Negro--Male	150	2	1	1	1	-	5	-	-	-
82		Female	138	3	1	1	1	-	6	-	-	4
83		Other--Male	3	-	-	-	-	-	-	-	-	-
84		Female	2	-	-	-	-	-	-	-	-	-
85	432	Acute pericarditis specified as nonrheumatic	43	2	-	-	-	-	2	1	-	-
86		White--Male	27	-	-	-	-	-	-	1	-	-
87		Female	10	1	-	-	-	-	1	-	-	-
88		Negro--Male	3	1	-	-	-	-	1	-	-	-
89		Female	2	-	-	-	-	-	-	-	-	-
90		Other--Male	1	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
104	366	1,139	3,053	6,694	12,313	18,692	25,493	32,887	38,222	35,973	30,139	20,419	10,022	3,268	626	86	129	1
43	223	774	2,242	5,118	9,586	14,188	18,926	23,350	25,405	22,063	17,152	10,795	4,898	1,412	258	29	84	2
25	63	153	373	742	1,561	2,712	4,712	7,649	10,990	12,572	12,039	9,064	4,849	1,747	329	36	29	3
12	49	103	257	481	702	1,070	1,175	1,137	1,043	728	510	303	133	53	12	7	10	4
24	29	100	175	334	432	678	609	679	695	518	364	241	128	54	26	14	5	5
-	1	8	5	16	28	40	54	54	79	73	58	12	11	2	1	-	1	6
-	1	1	1	3	4	4	17	18	10	19	16	4	3	-	-	-	-	7
2	3	6	15	29	72	74	98	150	181	203	173	123	63	21	4	-	-	8
-	2	2	6	19	52	43	68	102	110	115	96	60	22	8	2	-	-	9
1	1	2	2	2	9	11	13	29	56	76	68	58	38	9	2	-	-	10
-	-	1	3	4	8	12	8	10	8	6	5	4	-	3	-	-	-	11
1	-	1	4	4	3	8	9	9	6	6	4	1	2	1	-	-	-	12
-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
19	24	62	72	147	246	361	480	685	897	1,115	1,107	979	653	242	47	15	3	15
7	12	32	35	66	122	184	262	357	465	536	537	435	254	84	14	3	-	16
6	8	15	16	33	57	71	108	195	281	425	477	470	353	142	28	4	-	17
2	3	7	9	22	35	48	60	80	83	89	55	39	23	6	1	3	2	18
4	1	7	12	25	31	56	49	51	68	64	37	34	23	10	3	4	1	19
-	-	-	-	-	1	2	-	2	-	1	1	1	-	-	-	-	-	20
-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	1	-	21
-	2	6	3	9	18	23	31	56	79	109	127	120	83	40	5	3	1	22
-	1	1	1	3	9	11	11	22	38	39	56	49	32	16	-	1	-	23
-	1	1	2	3	6	5	6	17	23	57	63	62	44	22	4	2	-	24
-	-	2	-	2	2	1	8	10	9	5	3	5	2	1	-	-	-	25
-	-	1	-	1	1	6	6	7	9	8	5	4	5	1	1	-	1	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
7	8	21	25	48	78	151	171	251	254	263	208	156	88	30	6	1	1	29
3	6	16	19	29	51	96	114	156	147	142	124	73	39	7	4	1	-	30
1	1	2	4	5	10	17	30	48	75	80	62	65	43	20	2	-	-	31
2	1	2	-	8	11	21	20	33	20	23	16	8	2	1	-	-	1	32
1	-	1	2	6	6	15	7	13	12	18	6	10	4	2	-	-	-	33
-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
12	14	35	44	90	150	187	278	378	564	743	772	703	482	172	36	11	1	36
4	5	15	15	34	62	77	137	179	280	355	357	313	183	61	10	1	-	37
5	6	12	10	25	41	49	72	130	183	288	352	343	266	100	22	2	-	38
-	2	3	9	12	22	26	32	37	54	61	36	26	19	4	1	3	1	39
3	1	5	10	18	24	35	36	31	47	38	26	20	14	7	2	4	-	40
-	-	-	-	-	1	-	-	1	-	1	1	1	-	-	-	-	-	41
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	1	-	42
47	81	132	272	513	841	1,508	2,198	3,637	5,751	8,367	10,640	11,249	8,413	3,892	997	169	28	43
21	29	41	105	196	379	605	1,027	1,822	2,905	4,156	5,073	5,003	3,403	1,454	321	36	11	44
13	13	30	59	118	202	369	594	1,145	2,011	3,355	4,906	5,698	4,694	2,276	603	86	6	45
5	19	33	52	97	120	265	333	367	433	427	356	284	136	63	28	21	4	46
8	20	28	56	97	137	257	238	293	387	408	289	238	169	94	39	26	6	47
-	-	-	-	3	3	9	5	8	11	16	10	17	8	2	3	-	1	48
-	-	-	-	2	-	3	1	2	4	5	6	9	3	3	3	-	-	49
2	8	19	51	105	221	499	840	1,664	2,982	4,620	6,325	7,016	5,259	2,435	570	97	13	50
1	3	2	16	31	89	166	356	766	1,465	2,227	3,055	3,120	2,150	905	178	21	5	51
-	1	2	4	17	45	111	225	529	1,051	1,915	2,908	3,603	2,954	1,445	355	51	2	52
1	3	10	12	27	40	113	145	200	239	245	198	165	63	34	10	13	2	53
-	1	5	19	30	46	105	113	163	216	221	154	118	86	47	23	12	4	54
-	-	-	-	-	1	3	1	4	8	11	8	7	4	2	2	-	-	55
-	-	-	-	-	-	1	-	2	3	1	2	3	2	2	2	-	-	56
45	73	113	221	408	620	1,009	1,358	1,973	2,769	3,747	4,315	4,233	3,154	1,457	427	72	15	57
20	26	39	89	165	290	439	671	1,056	1,440	1,929	2,018	1,883	1,253	549	143	15	6	58
13	12	28	55	101	157	258	369	616	960	1,440	1,998	2,095	1,740	831	248	35	4	59
4	16	23	40	70	80	152	188	167	194	182	158	119	73	29	18	8	2	60
8	19	23	37	67	91	152	125	130	171	187	135	120	83	47	16	14	2	61
-	-	-	-	3	2	6	4	4	3	5	2	10	4	-	1	-	1	62
-	-	-	-	2	-	2	1	-	1	4	4	6	1	1	1	-	-	63
130	164	260	389	636	952	1,329	1,720	2,177	2,673	2,890	2,709	2,282	1,412	552	145	42	17	64
51	63	102	167	293	472	674	943	1,284	1,480	1,544	1,397	1,044	640	235	53	8	4	65
34	42	61	88	133	195	260	397	510	760	984	1,047	1,071	681	270	80	21	2	66
22	30	47	64	110	181	228	232	214	232	211	143	79	52	21	7	3	5	67
23	28	47	68	95	98	164	141	159	188	143	108	83	35	23	4	8	4	68
-	1	2	1	4	3	2	5	8	7	5	12	2	4	2	-	-	2	69
-	-	1	1	1	3	1	2	2	6	3	2	3	-	1	1	2	-	70
19	29	36	41	51	52	72	95	90	84	56	51	29	13	5	-	1	-	71
8	5	17	23	20	23	44	51	58	50	26	27	14	3	2	-	-	-	72
5	15	11	11	19	15	12	25	17	24	24	19	13	10	1	-	1	-	73
4	5	4	3	5	9	9	15	8	3	2	3	1	-	1	-	-	-	74
2	4	4	4	6	5	7	3	6	7	4	2	1	-	1	-	-	-	75
-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
14	17	31	29	49	64	87	91	120	170	190	200	168	140	54	17	2	3	78
4	9	9	7	21	29	35	37	60	86	85	83	82	48	21	7	1	1	79
5	4	10	13	16	13	21	23	25	54	75	92	75	78	32	6	1	-	80
4	1	6	4	5	9	20	19	19	11	14	15	5	9	1	2	-	1	81
1	3	5	5	7	12	10	12	15	19	16	10	6	5	-	1	-	1	82
-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	84
2	1	-	3	3	2	2	9	6	2	2	5	2	1	-	-	-	-	85
1	-	-	-	1	2	2	9	5	1	2	1	1	1	-	-	-	-	86
1	-	-	-	1	-	-	-	1	1	-	4	1	-	-	-	-	-	87
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

385053 O - 56 - 6

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
		Diseases of heart—Continued										
		Other diseases of heart—Continued										
1	433	Functional disease of heart	2,360	18	4	2	1	1	26	3	4	7
2		White--Male	1,190	6	2	2	1	-	11	3	1	3
3		Female	1,012	8	2	-	-	-	10	-	2	3
4		Negro--Male	71	2	-	-	-	-	2	-	1	1
5		Female	79	2	-	-	-	-	2	-	-	-
6		Other--Male	6	-	-	-	-	1	1	-	-	-
7		Female	2	-	-	-	-	-	-	-	-	-
8	434	Other and unspecified diseases of heart	16,221	122	22	9	14	4	171	29	29	43
9		White--Male	8,370	49	6	3	4	1	63	11	16	20
10		Female	4,948	38	8	3	4	2	55	12	9	7
11		Negro--Male	1,640	22	3	-	4	1	30	3	2	10
12		Female	1,186	11	4	3	1	-	19	3	2	6
13		Other--Male	51	2	-	-	1	-	3	-	-	-
14		Female	26	-	1	-	-	-	1	-	-	-
15	440-443	Hypertension with heart disease	75,039	5	1	1	1	-	8	2	5	15
16		White--Male	27,109	2	-	1	-	-	3	-	3	3
17		Female	33,335	-	1	-	-	-	1	-	2	2
18		Negro--Male	6,682	2	-	-	-	-	2	1	-	2
19		Female	7,686	1	-	-	1	-	2	1	-	8
20		Other--Male	163	-	-	-	-	-	-	-	-	-
21		Female	64	-	-	-	-	-	-	-	-	-
22	442	Hypertensive heart disease with arteriolar nephrosclerosis	20,406	2	-	-	1	-	3	2	-	4
23		White--Male	8,378	1	-	-	-	-	1	-	-	2
24		Female	8,357	-	-	-	-	-	-	-	-	-
25		Negro--Male	1,848	1	-	-	-	-	1	1	-	-
26		Female	1,777	-	-	-	1	-	1	1	-	2
27		Other--Male	32	-	-	-	-	-	-	-	-	-
28		Female	14	-	-	-	-	-	-	-	-	-
29	440,441,443	Essential hypertension with heart disease, etc.*	54,633	3	1	1	-	-	5	-	5	11
30		White--Male	18,731	1	-	1	-	-	2	-	3	1
31		Female	24,978	-	1	-	-	-	1	-	2	2
32		Negro--Male	4,834	1	-	-	-	-	1	-	-	2
33		Female	5,909	1	-	-	-	-	1	-	-	6
34		Other--Male	131	-	-	-	-	-	-	-	-	-
35		Female	50	-	-	-	-	-	-	-	-	-
36	444-447	Hypertension without mention of heart	11,383	-	-	-	-	1	1	2	2	7
37		White--Male	4,588	-	-	-	-	1	1	1	1	4
38		Female	4,417	-	-	-	-	-	-	1	1	2
39		Negro--Male	1,146	-	-	-	-	-	-	-	-	-
40		Female	1,227	-	-	-	-	-	-	-	-	1
41		Other--Male	17	-	-	-	-	-	-	-	-	-
42		Female	8	-	-	-	-	-	-	-	-	-
43	446	Hypertension with arteriolar nephrosclerosis, etc.*	6,164	-	-	-	-	-	-	1	1	2
44		White--Male	2,840	-	-	-	-	-	-	-	1	2
45		Female	2,295	-	-	-	-	-	-	1	-	-
46		Negro--Male	535	-	-	-	-	-	-	-	-	-
47		Female	477	-	-	-	-	-	-	-	-	-
48		Other--Male	13	-	-	-	-	-	-	-	-	-
49		Female	4	-	-	-	-	-	-	-	-	-
50	444,445,447	Essential hypertension, other hypertensive disease, etc.*	5,219	-	-	-	-	1	1	1	1	5
51		White--Male	1,728	-	-	-	-	1	1	1	-	2
52		Female	2,122	-	-	-	-	-	-	-	1	2
53		Negro--Male	611	-	-	-	-	-	-	-	-	-
54		Female	750	-	-	-	-	-	-	-	-	1
55		Other--Male	4	-	-	-	-	-	-	-	-	-
56		Female	4	-	-	-	-	-	-	-	-	-
57	450-456	Diseases of arteries	36,318	9	3	-	3	-	15	12	26	53
58		White--Male	17,424	3	3	-	2	-	8	5	3	15
59		Female	16,122	2	-	-	-	-	2	6	15	27
60		Negro--Male	1,392	1	-	-	-	-	1	-	3	1
61		Female	1,271	2	-	-	1	-	3	1	5	9
62		Other--Male	69	1	-	-	-	-	1	-	-	-
63		Female	40	-	-	-	-	-	-	-	-	1
64	450	General arteriosclerosis	30,225	1	1	-	-	-	2	-	-	2
65		White--Male	13,681	1	1	-	-	-	2	-	-	1
66		Female	14,395	-	-	-	-	-	-	-	-	1
67		Negro--Male	1,070	-	-	-	-	-	-	-	-	-
68		Female	1,001	-	-	-	-	-	-	-	-	-
69		Other--Male	50	-	-	-	-	-	-	-	-	-
70		Female	28	-	-	-	-	-	-	-	-	-
71	451	Aortic aneurysm specified as nonsyphilitic, etc.*	3,916	-	1	-	-	-	1	1	2	5
72		White--Male	2,693	-	1	-	-	-	1	-	-	5
73		Female	863	-	-	-	-	-	-	1	1	-
74		Negro--Male	211	-	-	-	-	-	-	-	1	-
75		Female	128	-	-	-	-	-	-	-	-	-
76		Other--Male	16	-	-	-	-	-	-	-	-	-
77		Female	5	-	-	-	-	-	-	-	-	-
78	455	Gangrene of unspecified cause	230	3	-	-	-	-	3	1	-	2
79		White--Male	94	2	-	-	-	-	2	1	-	1
80		Female	88	-	-	-	-	-	-	-	-	-
81		Negro--Male	21	-	-	-	-	-	-	-	-	-
82		Female	26	1	-	-	-	-	1	-	-	1
83		Other--Male	-	-	-	-	-	-	-	-	-	-
84		Female	1	-	-	-	-	-	-	-	-	-
85	452-454,456	Other arterial diseases	1,947	5	1	-	3	-	9	10	24	44
86		White--Male	956	-	1	-	2	-	3	4	3	8
87		Female	776	2	-	-	-	-	2	5	14	26
88		Negro--Male	90	1	-	-	-	-	1	-	2	1
89		Female	116	1	-	-	1	-	2	1	5	8
90		Other--Male	3	1	-	-	-	-	1	-	-	-
91		Female	6	-	-	-	-	-	-	-	-	1

*For complete category title, see table 49.

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
12	12	16	26	59	91	121	206	260	305	346	378	277	147	49	14	1	-	1
6	5	11	12	34	46	57	116	148	162	189	185	115	67	17	2	-	-	2
4	3	2	9	10	36	46	70	92	124	144	182	157	75	31	11	1	-	3
-	2	-	3	6	5	9	10	7	10	7	5	1	2	-	-	-	-	4
2	2	2	2	8	4	9	10	13	6	6	5	4	2	1	1	-	-	5
-	-	1	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	6
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	7
83	105	177	290	474	743	1,047	1,319	1,701	2,112	2,296	2,075	1,806	1,111	444	114	38	14	8
32	44	65	125	217	372	536	730	1,013	1,181	1,242	1,101	832	521	195	44	7	3	9
19	20	38	55	87	131	181	279	375	557	741	750	825	518	206	63	18	2	10
14	22	37	52	94	158	190	188	180	208	188	120	72	41	19	5	3	4	11
18	19	36	56	73	77	138	116	125	156	117	91	72	28	21	2	8	3	12
-	-	-	1	2	2	1	4	7	6	5	11	2	3	2	-	-	2	13
-	-	1	1	1	3	1	2	1	4	3	2	3	-	1	-	2	-	14
36	118	332	658	1,335	2,398	4,015	5,596	7,822	10,420	12,142	11,895	10,051	5,732	1,957	379	67	56	15
7	37	66	131	325	726	1,204	2,086	3,031	4,041	4,613	4,474	3,590	2,011	636	97	11	14	16
8	21	69	140	261	573	1,105	1,697	2,831	4,235	5,772	6,234	5,657	3,317	1,160	211	23	16	17
9	26	72	161	325	497	770	893	943	971	801	562	357	173	57	37	11	12	18
12	32	125	223	421	587	914	898	981	1,138	921	598	436	222	98	34	21	14	19
-	2	-	3	2	11	13	14	25	29	25	21	7	5	6	-	-	-	20
-	-	-	-	1	4	9	8	11	6	10	6	4	4	-	-	1	-	21
11	49	113	173	351	544	832	1,126	1,708	2,371	2,981	3,446	3,349	2,239	862	189	34	19	22
3	20	25	29	78	170	276	459	702	950	1,310	1,540	1,469	935	332	64	6	7	23
1	8	23	39	70	118	213	280	548	860	1,234	1,582	1,610	1,187	475	93	12	4	24
5	7	27	47	106	123	164	212	244	275	215	180	127	59	26	20	5	4	25
2	13	38	57	96	130	176	171	204	283	214	139	140	57	27	12	10	4	26
-	1	-	1	-	2	1	3	7	3	6	4	2	-	2	-	-	-	27
-	-	-	-	1	1	2	1	3	-	2	1	1	1	-	-	1	-	28
25	69	219	485	984	1,854	3,183	4,470	6,114	8,049	9,161	8,449	6,702	3,493	1,095	190	33	37	29
4	17	41	102	247	556	928	1,627	2,329	3,091	3,303	2,934	2,121	1,076	304	33	5	7	30
7	13	46	101	191	455	892	1,417	2,283	3,375	4,538	4,652	4,047	2,130	685	118	11	12	31
4	19	45	114	219	374	606	681	699	696	586	382	230	114	31	17	6	8	32
10	19	87	166	325	457	738	727	777	855	707	459	296	165	71	22	11	10	33
-	1	-	2	2	9	12	11	18	26	19	17	5	5	4	-	-	-	34
-	-	-	-	-	3	7	7	8	6	8	5	3	3	-	-	-	-	35
32	90	218	293	431	501	660	685	939	1,173	1,471	1,697	1,579	1,071	416	88	16	11	36
8	21	47	62	115	184	225	281	400	505	643	741	677	456	166	25	1	4	37
6	17	37	51	78	92	151	217	334	422	616	801	779	537	213	56	4	2	38
8	24	50	76	121	113	134	100	104	113	108	74	59	34	17	4	4	3	39
10	27	84	103	116	111	148	87	98	129	102	77	63	41	19	2	7	2	40
-	1	-	1	-	1	1	-	2	3	2	3	1	1	1	-	-	-	41
-	-	-	-	1	-	1	-	1	1	-	1	-	2	-	1	-	-	42
13	38	82	125	160	217	297	334	503	640	864	984	934	641	260	54	10	4	43
7	11	17	26	49	74	109	154	234	308	427	496	455	321	129	18	1	1	44
3	11	18	20	22	47	72	104	171	218	339	418	419	282	110	36	2	2	45
1	6	15	30	53	53	57	49	54	61	55	38	32	20	8	-	2	1	46
2	9	32	48	36	43	59	27	41	49	41	29	27	17	12	-	5	-	47
-	1	-	1	-	-	-	-	2	3	2	2	1	-	1	-	-	-	48
-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	49
19	52	136	168	271	284	363	351	436	533	607	713	645	430	156	34	6	7	50
1	10	30	36	66	110	116	127	166	197	216	245	222	135	37	7	-	3	51
3	6	19	31	56	45	79	113	163	204	277	383	360	255	103	20	2	-	52
7	18	35	46	68	60	77	51	50	52	53	36	27	14	9	4	2	2	53
8	18	52	55	60	68	89	60	57	80	61	48	36	24	7	2	2	2	54
-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	55
-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	56
61	107	125	175	263	437	656	1,086	1,815	2,893	4,366	6,057	7,294	6,255	3,409	993	199	21	57
22	35	49	62	110	224	358	649	1,107	1,678	2,354	3,066	3,402	2,640	1,285	311	37	4	58
32	48	54	72	87	118	135	239	441	866	1,625	2,641	3,575	3,408	2,000	629	94	8	59
1	4	12	19	34	58	89	112	139	177	208	190	154	96	61	13	17	3	60
5	18	10	20	31	37	69	80	125	161	163	145	151	104	49	34	46	5	61
-	-	-	-	1	-	3	4	3	10	13	10	9	2	7	4	1	1	62
1	2	-	2	-	-	2	2	-	1	3	5	3	5	7	2	4	-	63
1	2	13	18	49	108	235	482	997	1,962	3,516	5,389	6,903	6,044	3,312	978	193	19	64
-	-	6	2	21	54	110	223	513	1,012	1,774	2,653	3,185	2,541	1,242	303	36	3	65
1	1	4	9	7	23	49	127	291	667	1,403	2,420	3,416	3,301	1,951	624	92	8	66
-	1	1	3	9	16	42	70	98	137	185	177	147	94	58	13	17	2	67
-	-	2	3	11	15	34	60	93	137	142	130	144	101	48	33	43	5	68
-	-	-	-	1	-	-	1	2	8	9	7	8	2	7	3	1	1	69
-	-	-	1	-	-	-	1	-	1	3	2	3	5	6	2	4	-	70
8	15	19	31	83	159	262	407	620	710	667	489	257	126	47	4	2	1	71
4	8	15	19	36	88	168	310	482	547	476	303	147	62	21	-	-	1	72
3	5	2	4	17	27	31	45	89	124	157	161	103	64	25	3	1	-	73
1	-	2	6	19	33	36	34	30	20	18	7	3	-	1	-	-	-	74
-	2	-	2	11	11	24	14	18	17	13	12	3	-	-	-	1	-	75
-	-	-	-	-	-	2	3	1	2	3	3	1	-	-	1	-	-	76
-	-	-	-	-	-	1	1	-	-	-	3	-	-	-	-	-	-	77
-	1	-	1	-	3	7	12	17	23	31	35	38	32	16	5	3	-	78
-	-	-	-	-	1	2	5	5	11	12	17	17	12	3	4	1	-	79
-	-	-	-	-	1	3	4	7	4	14	13	15	17	10	-	-	-	80
-	-	-	1	-	1	1	2	1	6	-	4	3	1	1	-	-	-	81
-	1	-	-	-	-	1	1	4	2	5	1	3	2	1	1	2	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	84
52	89	93	125	131	167	152	185	181	198	152	144	96	53	34	6	1	1	85
18	27	28	41	53	81	78	111	107	108	92	93	53	25	19	4	-	-	86
28	42	48	59	63	67	52	63	54	71	51	47	41	26	14	2	1	-	87
-	3	9	9	6	8	10	6	10	14	5	2	1	1	1	-	-	1	88
5	15	8	15	9	11	10	5	10	5	3	2	1	1	-	-	-	-	89
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	90
1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
1	460-468	Diseases of veins and other diseases of circulatory system----	4,166	49	10	4	3	3	69	14	6	19
2		White--------Male----	1,982	25	3	2	-	2	32	4	1	3
3		Female--	1,672	14	3	-	3	1	21	3	3	7
4		Negro--------Male----	264	6	2	1	-	-	9	2	-	4
5		Female--	235	3	2	1	-	-	6	5	2	5
6		Other--------Male----	7	1	-	-	-	-	1	-	-	-
7		Female--	6	-	-	-	-	-	-	-	-	-
8		VIII. Diseases of the respiratory system----------	57,739	10,914	1,679	724	413	292	14,022	708	329	327
9		White--------Male----	29,121	4,187	659	263	150	110	5,369	281	139	148
10		Female--	18,549	3,134	504	249	160	103	4,150	272	112	106
11		Negro--------Male----	5,514	1,810	268	98	55	42	2,273	90	36	33
12		Female--	3,980	1,501	206	97	41	36	1,881	61	37	39
13		Other--------Male----	345	147	23	6	4	-	180	3	2	-
14		Female--	230	135	19	11	3	1	169	1	3	1
15	470-475	Acute upper respiratory infections----------	954	402	95	47	23	31	598	45	19	11
16		White--------Male----	382	147	46	19	7	11	230	20	1	3
17		Female--	354	118	32	22	14	14	200	20	12	7
18		Negro--------Male----	114	71	10	2	1	3	87	4	3	-
19		Female--	86	54	5	3	1	3	66	1	3	1
20		Other--------Male----	10	5	1	1	-	-	7	-	-	-
21		Female--	8	7	1	-	-	-	8	-	-	-
22	480-483	Influenza----------	2,680	424	74	32	23	15	568	31	24	27
23		White--------Male----	1,007	116	29	9	9	3	166	7	6	15
24		Female--	954	100	19	11	6	2	138	11	8	6
25		Negro--------Male----	344	102	14	6	1	5	128	8	7	3
26		Female--	354	96	12	5	6	5	124	5	3	3
27		Other--------Male----	11	6	-	-	1	-	7	-	-	-
28		Female--	10	4	-	1	-	-	5	-	-	-
29	490-493	Pneumonia, except pneumonia of newborn----------	38,311	7,863	1,242	501	263	154	10,023	431	219	226
30		White--------Male----	17,611	2,871	454	176	85	53	3,639	170	99	99
31		Female--	13,165	2,218	359	166	100	51	2,894	158	68	72
32		Negro--------Male----	4,071	1,387	215	67	47	26	1,742	61	21	23
33		Female--	2,999	1,150	178	78	25	23	1,454	40	27	31
34		Other--------Male----	270	120	19	5	3	-	147	1	1	-
35		Female--	195	117	17	9	3	1	147	1	3	1
36	490	Lobar pneumonia----------	10,766	1,045	188	77	39	22	1,371	88	73	90
37		White--------Male----	5,232	347	67	28	8	7	457	38	34	40
38		Female--	3,332	306	44	24	15	7	396	28	19	28
39		Negro--------Male----	1,329	208	39	16	9	6	278	13	10	9
40		Female--	754	144	30	7	6	2	189	9	7	12
41		Other--------Male----	76	21	2	2	-	-	25	-	-	-
42		Female--	43	19	6	-	1	-	26	-	3	1
43	491	Bronchopneumonia----------	19,875	4,526	739	290	158	90	5,803	241	96	80
44		White--------Male----	9,006	1,621	274	104	58	32	2,089	97	42	35
45		Female--	7,142	1,234	230	93	59	28	1,644	92	32	26
46		Negro--------Male----	1,908	624	119	36	26	16	1,021	30	8	8
47		Female--	1,596	720	100	52	12	14	898	21	13	11
48		Other--------Male----	132	59	11	2	2	-	74	-	1	-
49		Female--	91	68	5	3	1	-	77	1	-	-
50	492	Primary atypical pneumonia----------	3,289	1,016	123	64	32	21	1,256	48	20	29
51		White--------Male----	1,517	466	51	22	13	7	559	12	15	9
52		Female--	1,247	335	40	24	12	10	421	26	5	10
53		Negro--------Male----	281	112	22	4	3	1	142	6	-	5
54		Female--	219	84	9	12	4	3	112	4	-	5
55		Other--------Male----	11	9	-	1	-	-	10	-	-	-
56		Female--	14	10	1	1	-	-	12	-	-	-
57	493	Pneumonia, other and unspecified----------	4,381	1,276	192	70	34	21	1,593	54	30	27
58		White--------Male----	1,856	437	62	22	6	7	534	23	8	15
59		Female--	1,444	343	45	25	14	6	433	12	12	8
60		Negro--------Male----	553	243	35	11	9	3	301	12	3	1
61		Female--	430	202	39	7	3	4	255	6	7	3
62		Other--------Male----	51	31	6	-	1	-	38	1	-	-
63		Female--	47	20	5	5	1	1	32	-	-	-
64	500	Acute bronchitis----------	990	411	101	36	31	17	596	27	7	4
65		White--------Male----	471	182	52	11	20	8	273	13	4	2
66		Female--	347	126	31	15	8	6	186	12	3	1
67		Negro--------Male----	94	52	13	7	2	1	75	-	-	1
68		Female--	66	42	2	3	1	2	50	2	-	-
69		Other--------Male----	6	4	2	-	-	-	6	-	-	-
70		Female--	6	5	1	-	-	-	6	-	-	-
71	501,502	Bronchitis, chronic and unqualified----------	1,882	274	65	31	13	10	393	20	5	2
72		White--------Male----	1,149	133	33	10	3	5	184	9	1	1
73		Female--	556	64	27	14	7	4	116	11	3	-
74		Negro--------Male----	99	39	3	5	-	1	48	-	-	-
75		Female--	70	34	2	1	3	-	40	-	1	1
76		Other--------Male----	6	3	-	-	-	-	3	-	-	-
77		Female--	2	1	-	1	-	-	2	-	-	-
78	510	Hypertrophy of tonsils and adenoids----------	254	1	5	22	35	45	108	89	15	11
79		White--------Male----	107	-	4	12	16	22	54	33	7	2
80		Female--	101	-	-	8	17	19	44	36	4	7
81		Negro--------Male----	21	1	1	2	-	2	6	9	2	-
82		Female--	23	-	-	-	2	2	4	10	1	2
83		Other--------Male----	2	-	-	-	-	-	-	1	1	-
84		Female--	-	-	-	-	-	-	-	-	-	-
85	518,521	Empyema and abscess of lung----------	743	38	3	2	1	-	44	6	4	6
86		White--------Male----	410	15	1	2	-	-	18	2	1	5
87		Female--	185	13	1	-	1	-	15	3	2	1
88		Negro--------Male----	109	8	1	-	-	-	9	1	-	-
89		Female--	36	2	-	-	-	-	2	-	1	-
90		Other--------Male----	2	-	-	-	-	-	-	-	-	-
91		Female--	1	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
39	73	100	107	168	261	322	408	490	577	514	470	281	159	68	17	2	2	1
9	23	36	41	59	131	152	187	242	310	265	233	152	72	24	6	-	-	2
19	36	42	35	59	84	115	154	198	219	215	212	119	79	41	9	1	1	3
4	5	8	14	31	26	29	40	28	24	17	15	1	4	1	1	-	1	4
7	8	14	16	19	19	26	23	22	21	15	10	9	4	2	1	1	-	5
-	1	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	6
-	-	-	1	-	-	-	3	-	1	1	-	-	-	-	-	-	-	7
349	450	628	832	1,217	1,653	2,309	2,899	4,144	5,133	5,473	5,621	5,337	3,746	1,817	582	130	33	8
128	163	247	363	571	882	1,280	1,823	2,741	3,294	3,231	3,093	2,638	1,737	717	231	32	13	9
114	132	181	220	289	371	456	553	840	1,213	1,723	2,152	2,435	1,835	1,019	303	61	12	10
59	86	104	137	218	261	373	347	359	367	279	208	132	85	29	18	14	6	11
45	63	89	105	129	127	189	153	182	232	214	144	114	80	49	26	19	2	12
2	6	4	2	4	9	9	19	22	21	23	16	12	4	1	3	3	-	13
1	-	3	5	6	3	2	4	-	6	3	8	6	5	2	1	1	-	14
10	12	8	9	17	15	16	16	15	23	23	34	33	26	19	5	-	-	15
3	3	2	6	10	6	10	10	10	7	9	16	16	12	6	2	-	-	16
4	5	4	3	1	3	2	5	3	14	13	16	14	13	13	2	-	-	17
1	3	1	-	1	3	3	-	2	2	-	1	3	-	-	-	-	-	18
1	1	1	-	5	3	1	1	-	-	1	-	-	1	-	-	-	-	19
1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
23	28	29	29	54	60	94	112	123	219	261	291	326	222	110	31	16	2	22
7	8	12	11	19	31	39	43	49	86	102	126	131	95	46	5	3	-	23
5	7	7	10	15	8	20	25	39	64	107	124	168	108	58	20	5	1	24
7	7	3	2	9	14	14	19	17	29	22	23	15	7	2	4	3	1	25
4	6	7	6	11	7	21	24	18	39	27	18	10	11	4	2	4	-	26
-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	-	28
230	288	440	590	817	1,068	1,396	1,493	2,237	2,861	3,401	3,815	3,936	2,872	1,414	444	90	20	29
78	109	169	241	361	529	700	786	1,295	1,599	1,833	1,962	1,877	1,309	544	181	23	8	30
78	75	115	156	190	250	292	347	545	803	1,188	1,578	1,856	1,423	803	225	43	6	31
43	59	80	102	170	185	264	236	239	268	203	152	98	72	26	13	10	4	32
30	41	70	87	87	93	131	109	143	168	160	103	92	60	38	22	11	2	33
-	4	4	-	3	8	8	12	15	19	15	14	9	4	1	2	3	-	34
1	-	2	4	6	3	1	3	-	4	2	6	4	4	2	1	-	-	35
89	102	188	246	370	452	662	628	836	1,054	1,125	1,158	1,057	726	319	108	18	6	36
33	33	75	85	161	237	338	336	498	634	634	594	508	312	130	48	4	3	37
28	23	37	61	62	83	124	113	178	248	358	470	480	367	170	51	7	1	38
19	25	42	57	95	96	133	120	110	106	72	63	35	26	11	3	4	2	39
9	19	32	43	46	32	61	53	47	59	51	25	29	16	7	6	2	-	40
-	2	2	-	1	4	5	5	3	7	10	5	3	3	-	-	1	-	41
-	-	-	-	5	-	1	1	-	-	-	1	2	2	1	-	-	-	42
92	133	170	240	303	440	520	610	1,039	1,344	1,759	2,016	2,167	1,651	841	261	60	9	43
30	57	60	109	132	210	267	327	602	728	933	1,054	1,034	747	326	105	17	5	44
31	39	55	71	87	118	111	163	267	405	645	831	1,041	834	480	138	30	2	45
19	22	24	28	54	65	87	84	89	117	97	64	39	33	10	5	4	-	46
11	14	29	30	29	43	53	29	70	82	80	57	48	36	23	10	7	2	47
-	1	2	-	1	4	2	5	11	10	3	7	5	1	1	2	2	-	48
1	-	-	2	-	-	-	2	-	2	1	3	-	-	1	1	-	-	49
19	21	42	56	70	79	101	127	185	202	241	275	246	165	81	22	2	2	50
7	8	18	22	32	38	48	60	105	107	125	122	118	79	23	10	-	-	51
8	9	12	17	24	24	30	43	56	72	91	137	116	79	55	11	-	1	52
3	3	6	7	10	7	17	12	12	15	11	7	9	5	1	1	1	1	53
1	1	5	10	4	10	6	12	11	8	14	9	3	1	2	-	1	-	54
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	55
-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	56
30	32	40	48	74	97	113	128	177	261	276	366	466	330	173	53	10	3	57
8	11	16	25	36	44	47	63	90	130	141	192	217	171	65	18	2	-	58
11	4	11	7	17	25	27	28	44	78	94	140	219	143	98	25	6	2	59
2	9	8	10	11	17	27	20	28	30	23	18	15	8	4	4	1	1	60
9	7	4	4	8	8	11	15	15	19	15	12	12	7	6	6	1	-	61
-	1	-	-	1	-	1	2	-	2	2	2	1	-	-	-	-	-	62
-	-	1	2	1	3	-	-	-	2	1	2	2	1	-	-	-	-	63
3	6	7	2	15	15	22	22	25	25	45	45	57	37	16	13	1	-	64
1	3	2	2	4	10	15	14	16	15	24	23	20	18	8	4	-	-	65
2	2	5	-	4	3	5	5	9	5	19	20	33	17	7	8	1	-	66
-	1	-	-	5	2	2	1	-	4	-	-	2	-	-	1	-	-	67
-	-	-	-	2	-	-	2	-	1	2	2	2	2	1	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
4	7	7	7	16	39	64	117	189	225	207	232	179	111	37	15	6	-	71
2	2	4	3	9	22	36	95	152	167	142	148	109	45	11	7	-	-	72
1	1	1	1	5	10	21	16	26	48	53	78	65	64	25	7	4	-	73
1	2	1	3	-	3	7	5	7	9	9	-	2	1	-	-	1	-	74
-	1	1	-	1	4	-	1	4	1	3	6	2	1	1	1	1	-	75
-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
6	6	3	2	3	3	1	4	-	-	1	-	1	-	1	-	-	-	78
1	3	3	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	79
4	-	-	1	1	-	1	1	-	-	1	-	-	-	1	-	-	-	80
-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	81
1	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
10	14	21	22	47	47	66	71	84	103	82	54	43	14	3	-	-	2	85
3	1	5	9	26	19	39	44	58	64	48	35	26	7	-	-	-	-	86
5	5	7	6	11	12	7	8	14	24	24	16	14	6	3	-	-	2	87
2	4	6	2	7	13	15	18	9	12	6	3	2	-	-	-	-	-	88
-	3	3	4	3	3	5	1	2	3	4	-	1	1	-	-	-	-	89
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	90
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VIII. Diseases of the respiratory system—Continued										
1	519	Pleurisy	195	9	1	-	-	-	10	-	2	1
2		White--------Male----	100	3	-	-	-	-	3	-	1	1
3		Female--	56	3	1	-	-	-	4	-	1	-
4		Negro--------Male----	22	2	-	-	-	-	2	-	-	-
5		Female--	16	1	-	-	-	-	1	-	-	-
6		Other--------Male----	1	-	-	-	-	-	-	-	-	-
7		Female--	-	-	-	-	-	-	-	-	-	-
8	Residual[1]	All other respiratory diseases	11,730	1,492	93	53	24	20	1,682	59	34	39
9		White--------Male----	7,884	720	40	24	10	8	802	27	19	20
10		Female--	2,831	492	34	13	7	7	553	21	11	12
11		Negro--------Male----	640	148	11	9	4	4	176	7	3	6
12		Female--	330	122	7	7	3	1	140	3	1	1
13		Other--------Male----	37	9	1	-	-	-	10	1	-	-
14		Female--	8	1	-	-	-	-	1	-	-	-
15		IX. Diseases of the digestive system	57,843	5,271	565	204	112	92	6,244	311	168	220
16		White--------Male----	31,144	2,051	229	84	39	45	2,448	134	89	79
17		Female--	20,082	1,516	169	63	51	30	1,829	120	71	70
18		Negro--------Male----	3,447	832	72	30	11	5	950	28	15	40
19		Female--	2,649	654	70	23	10	10	767	23	12	30
20		Other--------Male----	307	114	16	3	-	1	134	3	1	-
21		Female--	234	104	9	1	1	1	116	3	-	1
22	530-535	Diseases of teeth and supporting structures	156	3	-	-	-	1	4	2	-	3
23		White--------Male----	63	-	-	-	-	1	1	1	-	2
24		Female--	51	3	-	-	-	-	3	1	-	1
25		Negro--------Male----	19	-	-	-	-	-	-	-	-	-
26		Female--	22	-	-	-	-	-	-	-	-	-
27		Other--------Male----	1	-	-	-	-	-	-	-	-	-
28		Female--	-	-	-	-	-	-	-	-	-	-
29	540	Ulcer of stomach	4,690	31	1	2	-	-	34	2	4	3
30		White--------Male----	3,252	8	-	-	-	-	8	1	4	-
31		Female--	973	10	1	2	-	-	13	1	-	-
32		Negro--------Male----	313	8	-	-	-	-	8	-	-	3
33		Female--	112	4	-	-	-	-	4	-	-	-
34		Other--------Male----	31	-	-	-	-	-	-	-	-	-
35		Female--	9	1	-	-	-	-	1	-	-	-
36	541	Ulcer of duodenum	4,701	38	1	2	2	1	44	2	-	7
37		White--------Male----	3,631	20	-	1	-	-	21	2	-	7
38		Female--	795	9	1	-	2	-	12	-	-	-
39		Negro--------Male----	194	5	-	1	-	-	6	-	-	-
40		Female--	72	4	-	-	-	1	5	-	-	-
41		Other--------Male----	8	-	-	-	-	-	-	-	-	-
42		Female--	1	-	-	-	-	-	-	-	-	-
43	543	Gastritis and duodenitis	298	24	1	3	-	4	32	1	2	3
44		White--------Male----	154	7	-	-	-	2	9	1	-	-
45		Female--	86	9	1	2	-	1	13	-	2	1
46		Negro--------Male----	30	5	-	-	-	-	5	-	-	-
47		Female--	26	3	-	1	-	-	4	-	-	2
48		Other--------Male----	2	-	-	-	-	1	1	-	-	-
49		Female--	-	-	-	-	-	-	-	-	-	-
50	550-553	Appendicitis	2,278	19	10	25	17	17	88	99	74	58
51		White--------Male----	1,243	8	7	14	8	10	47	44	37	19
52		Female--	670	8	2	9	8	4	31	31	26	15
53		Negro--------Male----	203	2	1	1	-	-	4	12	5	15
54		Female--	148	-	-	1	1	3	5	10	6	8
55		Other--------Male----	9	-	-	-	-	-	-	2	-	-
56		Female--	5	1	-	-	-	-	1	-	-	1
57	560,561,570	Hernia and intestinal obstruction	8,498	1,024	53	22	13	11	1,123	40	17	30
58		White--------Male----	3,878	522	27	16	4	5	574	20	10	9
59		Female--	3,558	344	16	2	5	4	371	11	2	8
60		Negro--------Male----	581	94	8	2	3	1	108	5	4	10
61		Female--	440	49	2	2	1	1	55	4	1	3
62		Other--------Male----	17	7	-	-	-	-	7	-	-	-
63		Female--	24	8	-	-	-	-	8	-	-	-
64	571,572	Gastro-enteritis and colitis, except diarrhea of newborn	7,594	3,566	399	93	42	23	4,123	65	31	45
65		White--------Male----	2,949	1,216	143	30	12	12	1,413	26	12	13
66		Female--	2,750	951	114	27	14	5	1,111	22	15	24
67		Negro--------Male----	899	659	59	16	7	2	743	8	3	2
68		Female--	757	549	58	16	8	3	634	6	-	6
69		Other--------Male----	126	100	16	3	-	-	119	1	1	-
70		Female--	113	91	9	1	1	1	103	2	-	-
71	581	Cirrhosis of liver	16,201	45	11	2	3	3	64	21	21	28
72		White--------Male----	9,997	17	10	-	1	1	29	6	10	11
73		Female--	4,971	21	1	1	2	2	27	12	9	11
74		Negro--------Male----	659	4	-	1	-	-	5	1	-	2
75		Female--	478	2	-	-	-	-	2	2	2	4
76		Other--------Male----	64	-	-	-	-	-	-	-	-	-
77		Female--	32	1	-	-	-	-	1	-	-	-
78	581.0	Without mention of alcoholism	12,003	44	11	2	3	3	63	21	21	28
79		White--------Male----	7,232	16	10	-	1	1	28	6	10	11
80		Female--	3,900	21	1	1	2	2	27	12	9	11
81		Negro--------Male----	475	4	-	1	-	-	5	1	-	2
82		Female--	342	2	-	-	-	-	2	2	2	4
83		Other--------Male----	36	-	-	-	-	-	-	-	-	-
84		Female--	18	1	-	-	-	-	1	-	-	-
85	581.1	With alcoholism	4,198	1	-	-	-	-	1	-	-	-
86		White--------Male----	2,765	1	-	-	-	-	1	-	-	-
87		Female--	1,071	-	-	-	-	-	-	-	-	-
88		Negro--------Male----	184	-	-	-	-	-	-	-	-	-
89		Female--	136	-	-	-	-	-	-	-	-	-
90		Other--------Male----	28	-	-	-	-	-	-	-	-	-
91		Female--	14	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 49.

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	1	3	1	4	11	15	24	25	23	29	23	14	6	3	-	-	-	1
-	-	2	1	2	5	4	12	16	11	16	11	12	2	1	-	-	-	2
-	1	-	-	1	2	4	7	3	7	11	8	2	3	2	-	-	-	3
-	-	-	-	-	1	4	3	6	2	1	3	-	-	-	-	-	-	4
-	-	1	-	1	2	3	2	-	3	1	1	-	1	-	-	-	-	5
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
63	88	110	170	244	395	635	1,040	1,446	1,654	1,424	1,127	748	458	214	74	17	9	8
33	34	48	90	140	260	437	816	1,145	1,345	1,057	772	446	249	101	32	6	5	9
15	36	42	43	61	83	104	139	201	248	307	312	283	201	107	41	8	3	10
5	10	13	27	24	39	64	65	79	41	38	26	10	5	1	-	-	1	11
9	8	6	8	19	13	28	13	15	17	16	14	7	3	5	1	3	-	12
1	-	-	2	-	-	1	6	6	1	6	1	2	-	-	-	-	-	13
-	-	1	-	-	-	1	1	-	2	-	2	-	-	-	-	-	-	14
285	605	1,000	1,852	2,899	3,796	4,777	5,339	6,040	6,781	5,984	5,088	3,730	1,908	613	124	26	33	15
104	214	427	924	1,515	2,219	2,845	3,289	3,694	4,093	3,422	2,672	1,819	852	233	45	6	21	16
111	217	347	592	935	1,113	1,332	1,555	1,871	2,229	2,247	2,213	1,772	994	352	72	13	7	17
24	85	105	161	238	239	319	300	270	260	183	102	70	35	17	2	2	2	18
44	79	106	164	181	203	247	172	170	163	108	82	57	22	8	5	3	3	19
1	2	7	6	13	11	27	17	24	23	18	14	4	2	-	-	-	-	20
1	8	8	5	17	11	7	6	11	13	6	5	8	3	3	-	2	-	21
4	5	7	9	17	9	13	17	19	9	15	11	4	5	1	1	-	1	22
1	-	2	4	5	1	9	11	5	4	6	4	3	3	-	1	-	-	23
1	3	3	2	6	6	3	2	7	2	4	5	1	-	1	-	-	-	24
1	1	1	1	3	-	1	2	3	2	2	1	-	1	-	-	-	-	25
1	1	1	1	3	2	-	2	4	1	3	1	-	1	-	-	-	1	26
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
13	25	63	118	205	301	412	498	606	716	648	473	331	176	43	14	-	5	29
4	14	36	75	123	219	291	372	453	519	467	325	208	100	24	6	-	3	30
3	1	14	20	41	37	58	75	91	137	146	125	112	73	18	7	-	1	31
3	9	8	13	33	32	43	39	43	36	24	10	6	1	1	-	-	1	32
3	1	4	8	5	11	17	10	14	18	6	8	2	-	-	1	-	-	33
-	-	-	2	2	1	3	2	4	5	5	5	1	1	-	-	-	-	34
-	-	1	-	1	1	-	-	1	1	-	-	2	1	-	-	-	-	35
17	39	66	142	255	321	467	557	620	700	535	468	300	122	35	2	1	1	36
12	26	45	107	183	255	366	449	508	561	418	357	209	84	19	1	-	1	37
2	4	14	17	38	42	62	67	80	114	104	102	85	36	15	-	1	-	38
2	5	5	12	24	18	27	31	24	16	7	9	4	2	1	1	-	-	39
1	4	2	6	10	5	10	9	7	7	4	-	2	-	-	-	-	-	40
-	-	-	-	-	-	2	1	1	2	2	-	-	-	-	-	-	-	41
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	42
1	7	8	11	12	30	25	24	21	27	28	19	25	16	5	-	1	-	43
-	1	2	8	6	23	18	10	12	15	20	6	13	7	2	-	1	-	44
1	2	3	2	3	1	3	3	7	7	6	10	12	9	1	-	-	-	45
-	2	1	1	1	3	3	6	1	3	2	1	-	-	1	-	-	-	46
-	2	2	-	2	3	1	5	-	2	-	2	-	-	1	-	-	-	47
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
45	56	65	69	114	124	152	189	240	243	230	208	119	73	24	5	-	3	50
18	27	29	31	59	75	90	122	143	153	124	114	61	41	5	2	-	2	51
18	10	19	22	27	24	30	32	70	57	79	77	51	29	19	3	-	-	52
3	11	10	7	18	14	19	16	13	21	17	12	4	2	-	-	-	-	53
6	8	7	9	10	9	12	16	10	12	10	5	3	1	-	-	-	1	54
-	-	-	-	-	2	-	2	3	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	56
36	63	93	142	212	304	463	549	732	979	1,049	1,043	917	488	170	32	11	5	57
14	15	23	41	70	99	186	243	349	473	539	495	407	220	74	12	3	2	58
10	30	30	52	81	129	171	225	279	404	439	487	464	248	90	20	4	3	59
5	9	17	19	25	37	58	45	57	58	47	32	25	14	4	-	2	-	60
7	9	22	29	33	37	45	35	43	36	22	28	21	6	2	-	2	-	61
-	-	-	-	1	1	2	-	1	4	1	-	-	-	-	-	-	-	62
-	-	1	1	2	1	1	1	3	4	1	1	-	-	-	-	-	-	63
42	74	94	113	130	176	202	255	318	384	399	437	359	230	82	27	6	2	64
18	19	36	44	60	84	107	161	157	191	186	178	142	67	25	7	2	1	65
24	45	41	54	57	62	67	77	132	160	193	241	201	150	51	19	4	-	66
-	4	10	9	6	16	13	12	21	16	12	9	5	6	4	-	-	-	67
-	6	6	6	6	14	14	5	7	15	8	7	8	6	1	1	-	1	68
-	-	1	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	69
-	-	-	-	1	-	-	-	-	-	-	2	3	1	1	-	-	-	70
42	147	371	883	1,454	1,868	2,111	2,129	2,051	1,992	1,384	871	484	215	49	7	2	7	71
18	43	158	453	797	1,160	1,362	1,392	1,404	1,339	895	517	259	110	25	3	-	6	72
14	58	141	299	494	554	571	570	547	560	441	327	209	99	22	4	1	1	73
4	22	31	57	88	73	92	108	57	62	25	12	14	5	1	-	-	-	74
6	20	34	71	63	71	68	49	33	24	17	9	1	1	1	-	-	-	75
-	2	4	2	5	5	16	8	6	5	5	6	-	-	-	-	-	-	76
-	2	3	1	7	5	2	2	4	2	1	-	1	-	-	-	1	-	77
35	98	229	546	951	1,231	1,464	1,509	1,556	1,583	1,167	779	455	206	47	7	1	6	78
16	26	102	281	512	747	924	951	1,036	1,034	730	446	237	103	24	3	-	5	79
11	44	82	181	334	383	420	435	442	475	398	309	203	97	21	4	1	1	80
4	13	26	37	57	51	60	79	44	46	20	11	13	5	1	-	-	-	81
4	13	17	47	42	46	51	36	28	23	14	8	1	1	1	-	-	-	82
-	1	-	-	2	2	8	6	4	4	4	5	-	-	-	-	-	-	83
-	1	2	-	4	2	1	2	2	1	1	-	1	-	-	-	-	-	84
7	49	142	337	503	637	647	620	495	409	217	92	29	9	2	-	1	1	85
2	17	56	172	285	413	438	441	368	305	165	71	22	7	1	-	-	1	86
3	14	59	118	160	171	151	135	105	85	43	18	6	2	1	-	-	-	87
-	9	5	20	31	22	32	29	13	16	5	1	1	-	-	-	-	-	88
2	7	17	24	21	25	17	13	5	1	3	1	-	-	-	-	-	-	89
-	1	4	2	3	3	8	2	2	1	1	1	-	-	-	-	-	-	90
-	1	1	1	3	3	1	-	2	1	-	-	-	-	-	-	1	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		IX. Diseases of the digestive system—Continued										
1	584,585	Cholelithiasis and cholecystitis	5,690	3	-	1	-	-	4	1	-	4
2		White--Male	2,120	1	-	1	-	-	2	1	-	1
3		Female	3,330	1	-	-	-	-	1	-	-	3
4		Negro--Male	53	-	-	-	-	-	-	-	-	-
5		Female	147	1	-	-	-	-	1	-	-	-
6		Other--Male	17	-	-	-	-	-	-	-	-	-
7		Female	23	-	-	-	-	-	-	-	-	-
8	Residual[1]	Other diseases of digestive system	7,737	518	89	54	35	32	728	78	39	39
9		White--Male	3,857	252	42	22	14	14	344	32	16	17
10		Female	2,878	160	33	20	20	14	247	42	17	7
11		Negro--Male	496	55	4	9	1	2	71	2	3	8
12		Female	447	42	10	3	-	2	57	1	3	7
13		Other--Male	32	7	-	-	-	-	7	-	-	-
14		Female	27	2	-	-	-	-	2	1	-	-
15		X. Diseases of the genito-urinary system	34,197	189	61	65	75	64	454	225	171	285
16		White--Male	17,774	91	21	26	43	31	212	106	69	118
17		Female	10,423	49	23	24	24	25	145	84	75	111
18		Negro--Male	3,366	34	10	10	5	5	64	22	11	23
19		Female	2,486	14	6	5	2	3	30	13	16	27
20		Other--Male	102	1	1	-	1	-	3	-	-	3
21		Female	46	-	-	-	-	-	-	-	-	3
22	590-594	Nephritis and nephrosis	19,589	90	46	50	66	59	311	202	150	244
23		White--Male	8,456	46	15	21	39	27	148	99	62	109
24		Female	7,211	23	17	16	21	24	101	72	67	96
25		Negro--Male	2,020	10	7	9	3	5	34	20	9	22
26		Female	1,808	10	6	4	2	3	25	11	12	12
27		Other--Male	64	1	1	-	1	-	3	-	-	3
28		Female	29	-	-	-	-	-	-	-	-	2
29	590	Acute nephritis	1,363	30	17	17	7	15	86	32	33	31
30		White--Male	589	20	8	6	4	8	46	12	13	15
31		Female	462	6	3	5	2	4	20	12	15	12
32		Negro--Male	166	1	3	5	1	3	13	4	2	2
33		Female	143	3	2	1	-	-	6	4	3	2
34		Other--Male	1	-	1	-	-	-	1	-	-	-
35		Female	2	-	-	-	-	-	-	-	-	-
36	591	Nephritis with edema, including nephrosis	1,152	27	10	20	32	17	106	48	20	18
37		White--Male	526	15	4	10	21	7	57	29	5	7
38		Female	416	5	4	7	8	8	32	13	13	9
39		Negro--Male	107	4	1	1	1	1	8	3	-	2
40		Female	97	3	1	2	2	1	9	3	2	-
41		Other--Male	4	-	-	-	-	-	-	-	-	-
42		Female	2	-	-	-	-	-	-	-	-	-
43	592-594	Chronic and unspecified nephritis and other renal sclerosis	17,073	33	19	13	27	27	119	122	97	195
44		White--Male	7,341	11	3	5	14	12	45	58	44	87
45		Female	6,333	12	10	4	11	12	49	47	39	75
46		Negro--Male	1,747	5	3	3	1	1	13	13	7	18
47		Female	1,568	4	3	1	-	2	10	4	7	10
48		Other--Male	59	1	-	-	1	-	2	-	-	3
49		Female	25	-	-	-	-	-	-	-	-	2
50	600	Infections of kidney	4,300	41	7	9	4	3	64	11	14	17
51		White--Male	1,806	17	2	2	1	2	24	3	5	3
52		Female	1,773	16	3	7	2	1	29	7	6	8
53		Negro--Male	356	6	2	-	1	-	9	-	2	1
54		Female	343	2	-	-	-	-	2	1	1	4
55		Other--Male	10	-	-	-	-	-	-	-	-	-
56		Female	12	-	-	-	-	-	-	-	-	1
57	602,604	Calculi of urinary system	1,216	-	-	-	-	-	-	1	2	4
58		White--Male	659	-	-	-	-	-	-	1	-	2
59		Female	457	-	-	-	-	-	-	-	1	2
60		Negro--Male	59	-	-	-	-	-	-	-	-	-
61		Female	33	-	-	-	-	-	-	-	1	-
62		Other--Male	6	-	-	-	-	-	-	-	-	-
63		Female	2	-	-	-	-	-	-	-	-	-
64	601,603,	Other diseases of urinary system	1,654	47	6	5	4	1	63	11	3	6
65	605-609	White--Male	844	25	3	2	2	1	33	3	2	4
66		Female	484	9	3	1	1	-	14	5	1	1
67		Negro--Male	240	11	-	1	1	-	13	2	-	-
68		Female	82	2	-	1	-	-	3	1	-	1
69		Other--Male	3	-	-	-	-	-	-	-	-	-
70		Female	1	-	-	-	-	-	-	-	-	-
71	610	Hyperplasia of prostate	6,095	-	-	-	-	-	-	-	-	-
72		White--Male	5,472	-	-	-	-	-	-	-	-	-
73		Negro--Male	606	-	-	-	-	-	-	-	-	-
74		Other--Male	17	-	-	-	-	-	-	-	-	-
75	611-617	Other diseases of male genital organs	621	9	2	1	1	1	14	-	-	-
76		White--Male	535	3	1	1	1	1	7	-	-	-
77		Negro--Male	84	6	1	-	-	-	7	-	-	-
78		Other--Male	2	-	-	-	-	-	-	-	-	-
79	620,621	Diseases of breast	16	1	-	-	-	-	1	-	-	-
80		White--Male	2	-	-	-	-	-	-	-	-	-
81		Female	9	-	-	-	-	-	-	-	-	-
82		Negro--Male	1	1	-	-	-	-	1	-	-	-
83		Female	4	-	-	-	-	-	-	-	-	-
84		Other--Male	-	-	-	-	-	-	-	-	-	-
85		Female	-	-	-	-	-	-	-	-	-	-
86	622-637	Diseases of female genital organs	707	1	-	-	-	-	1	-	2	14
87		White--Female	489	1	-	-	-	-	1	-	-	4
88		Negro--Female	216	-	-	-	-	-	-	-	2	10
89		Other--Female	2	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 49.

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
16	34	55	81	133	212	335	467	700	902	882	805	620	309	103	22	1	4	1
2	8	13	34	38	68	127	177	252	368	352	318	227	97	24	9	-	2	2
10	24	36	39	80	122	175	270	419	492	507	474	382	206	76	11	1	2	3
1	-	-	-	4	2	8	3	10	15	5	1	3	-	1	-	-	-	4
2	1	4	6	7	17	22	15	15	21	13	10	6	4	1	2	-	-	5
-	-	1	-	3	1	1	1	3	2	3	1	-	1	-	-	-	-	6
1	1	1	2	1	2	2	1	1	4	2	1	2	1	1	-	-	-	7
69	155	178	264	367	451	597	654	733	829	814	753	571	274	101	14	4	5	8
17	61	83	127	174	235	289	352	411	470	415	358	290	123	35	4	-	4	9
28	40	46	85	108	136	192	234	239	296	328	365	255	144	59	8	2	-	10
5	22	22	42	36	44	55	38	41	31	42	15	9	4	4	1	-	1	11
18	27	24	28	42	34	58	26	37	27	25	12	14	3	2	1	1	-	12
1	-	1	1	2	1	2	3	4	3	2	2	3	-	-	-	-	-	13
-	5	2	1	5	1	1	1	1	2	2	1	-	-	1	-	1	-	14
427	615	802	934	1,194	1,449	1,977	2,273	3,025	3,796	4,446	4,567	4,021	2,371	903	203	38	21	15
183	248	294	339	435	533	770	966	1,492	2,049	2,555	2,799	2,485	1,468	510	128	10	5	16
143	223	275	307	385	485	612	752	907	1,089	1,242	1,295	1,208	720	311	44	10	-	17
38	52	83	113	164	210	293	307	361	416	437	331	226	116	59	18	12	10	18
56	86	143	169	207	212	294	234	240	229	199	132	89	62	23	13	6	6	19
2	3	4	1	2	6	5	9	18	10	13	8	10	5	-	-	-	-	20
5	3	3	5	1	3	3	5	7	3	-	2	3	-	-	-	-	-	21
338	468	584	647	813	1,009	1,303	1,444	1,793	2,053	2,254	2,266	1,972	1,124	470	103	23	17	22
164	207	241	267	328	401	533	590	792	903	986	1,041	863	488	176	50	4	4	23
100	153	189	186	240	311	389	483	614	738	849	929	896	517	239	33	9	-	24
33	47	69	86	119	149	171	175	191	225	241	184	129	64	33	7	5	7	25
35	55	78	105	123	140	205	185	182	181	172	109	79	53	22	13	5	6	26
2	3	4	1	2	5	4	7	9	6	6	3	4	2	-	-	-	-	27
4	3	3	2	1	3	1	4	5	-	-	-	1	-	-	-	-	-	28
53	44	50	67	74	77	88	85	101	107	129	119	101	54	24	6	1	1	29
21	15	16	22	30	33	35	35	40	47	66	55	44	24	15	4	-	1	30
13	15	14	16	19	22	24	23	43	40	40	53	49	23	7	1	1	-	31
7	7	14	9	15	15	17	17	7	11	10	6	6	3	1	-	-	-	32
11	7	6	19	10	7	12	10	11	9	13	5	2	4	1	1	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
30	32	49	38	58	55	89	85	86	89	112	95	70	51	11	7	1	2	36
15	10	21	19	27	25	44	43	39	46	40	44	29	19	5	2	-	-	37
5	13	18	12	17	16	25	26	32	31	50	40	34	25	3	2	-	-	38
8	5	3	3	9	8	8	6	10	6	9	4	4	7	2	-	-	2	39
2	3	7	4	5	6	11	9	3	6	13	6	3	-	1	3	1	-	40
-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	41
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	42
255	392	485	542	681	877	1,126	1,274	1,606	1,857	2,013	2,052	1,801	1,019	435	90	21	14	43
128	182	204	226	271	343	454	512	713	810	880	942	790	445	156	44	4	3	44
82	125	157	158	204	273	340	434	539	667	759	836	813	469	229	30	8	-	45
18	35	52	74	95	126	146	152	174	208	222	174	119	54	30	7	5	5	46
22	45	65	82	108	127	182	166	168	166	146	98	74	49	20	9	4	6	47
2	3	4	1	2	5	4	6	7	6	6	2	4	2	-	-	-	-	48
3	2	3	1	1	3	-	4	5	-	-	-	1	-	-	-	-	-	49
43	70	88	132	165	182	306	358	442	501	560	565	426	244	93	15	3	1	50
15	27	29	44	49	52	91	141	187	249	266	282	196	99	37	5	2	-	51
19	28	29	44	55	67	117	140	165	191	229	235	211	131	53	8	1	-	52
3	3	9	14	24	26	43	45	53	32	44	29	7	6	3	2	-	1	53
6	12	21	28	37	36	54	30	35	24	19	16	9	8	-	-	-	-	54
-	-	-	-	-	1	-	1	2	2	2	1	1	-	-	-	-	-	55
-	-	-	2	-	-	1	1	-	3	-	2	2	-	-	-	-	-	56
7	6	27	33	56	75	116	141	151	184	148	143	76	34	11	1	-	-	57
3	3	14	15	28	37	53	69	86	106	83	88	46	19	6	-	-	-	58
4	3	12	15	23	25	46	58	50	68	57	50	24	15	3	1	-	-	59
-	-	1	2	2	9	10	8	8	4	6	3	5	-	1	-	-	-	60
-	-	-	1	3	4	5	5	4	6	2	1	-	-	1	-	-	-	61
-	-	-	-	-	-	1	1	2	-	-	1	1	-	-	-	-	-	62
-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	63
9	20	21	38	59	78	106	115	146	192	227	200	178	121	51	8	2	-	64
1	9	8	11	21	24	46	44	72	103	136	122	105	65	31	4	-	-	65
4	8	7	16	19	28	18	38	37	43	65	59	60	46	13	2	-	-	66
1	2	3	7	12	21	30	27	24	33	21	14	12	8	7	2	1	-	67
3	1	3	4	7	5	12	6	12	13	4	4	1	1	-	-	1	-	68
-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	69
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	70
-	1	1	2	8	18	66	152	406	761	1,136	1,261	1,213	748	242	69	8	3	71
-	1	1	-	3	13	34	104	327	646	1,021	1,168	1,143	712	231	63	4	1	72
-	-	-	2	5	5	32	48	75	114	111	91	66	34	11	6	4	2	73
-	-	-	-	-	-	-	-	4	1	4	2	4	2	-	-	-	-	74
1	1	2	4	8	6	20	22	39	51	77	108	137	89	33	7	2	-	75
-	1	1	2	6	6	13	18	28	42	63	98	130	85	29	6	-	-	76
1	-	1	2	2	-	7	4	10	8	14	10	7	4	4	1	2	-	77
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	78
-	1	1	-	1	2	-	1	1	2	1	1	3	-	1	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	80
-	1	1	-	1	1	-	1	-	-	1	1	1	-	1	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
29	48	78	78	84	79	60	40	47	52	43	23	16	11	2	-	-	-	86
16	30	37	46	47	53	42	32	41	49	41	21	16	11	2	-	-	-	87
12	18	41	31	37	26	18	8	6	3	2	2	-	-	-	-	-	-	88
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	2,105	...	...	...	...	...	...	...	6	159
2		White--------Female--	1,280	...	...	...	...	...	...	...	1	82
3		Negro--------Female--	794	...	...	...	...	...	...	...	5	76
4		Other--------Female--	31	...	...	...	...	...	...	...	-	1
5	640,641,	Sepsis of pregnancy, childbirth, and puerperium	222	...	...	...	...	...	...	...	-	15
6	681,682,	White--------Female--	156	...	...	...	...	...	...	...	-	9
7	684	Negro--------Female--	65	...	...	...	...	...	...	...	-	6
8		Other--------Female--	1	...	...	...	...	...	...	...	-	-
9	642,685,686	Toxemias of pregnancy and puerperium, etc.*	615	...	...	...	...	...	...	...	2	61
10		White--------Female--	355	...	...	...	...	...	...	...	-	31
11		Negro--------Female--	254	...	...	...	...	...	...	...	2	30
12		Other--------Female--	6	...	...	...	...	...	...	...	-	-
13	643,644,	Hemorrhage of pregnancy and childbirth	415	...	...	...	...	...	...	...	1	24
14	670-672	White--------Female--	259	...	...	...	...	...	...	...	-	14
15		Negro--------Female--	146	...	...	...	...	...	...	...	1	10
16		Other--------Female--	10	...	...	...	...	...	...	...	-	-
17	645	Ectopic pregnancy	162	...	...	...	...	...	...	...	-	8
18		White--------Female--	72	...	...	...	...	...	...	...	-	3
19		Negro--------Female--	88	...	...	...	...	...	...	...	-	5
20		Other--------Female--	2	...	...	...	...	...	...	...	-	-
21	650	Abortion without mention of sepsis or toxemia	91	...	...	...	...	...	...	...	-	10
22		White--------Female--	51	...	...	...	...	...	...	...	-	5
23		Negro--------Female--	37	...	...	...	...	...	...	...	-	4
24		Other--------Female--	3	...	...	...	...	...	...	...	-	1
25	651	Abortion with sepsis	170	...	...	...	...	...	...	...	1	13
26		White--------Female--	91	...	...	...	...	...	...	...	-	5
27		Negro--------Female--	78	...	...	...	...	...	...	...	1	8
28		Other--------Female--	1	...	...	...	...	...	...	...	-	-
29	652	Abortion with toxemia, without mention of sepsis	26	...	...	...	...	...	...	...	-	1
30		White--------Female--	14	...	...	...	...	...	...	...	-	-
31		Negro--------Female--	12	...	...	...	...	...	...	...	-	1
32		Other--------Female--	-	...	...	...	...	...	...	...	-	-
33	Residual[1]	Other complications of pregnancy, childbirth, and puerperium	404	...	...	...	...	...	...	...	2	27
34		White--------Female--	282	...	...	...	...	...	...	...	1	15
35		Negro--------Female--	114	...	...	...	...	...	...	...	1	12
36		Other--------Female--	8	...	...	...	...	...	...	...	-	-
37		XII. Diseases of the skin and cellular tissue	1,300	71	11	4	7	4	97	9	21	21
38		White--------Male----	482	38	2	2	3	1	46	3	5	7
39		Female--	602	13	7	-	3	3	26	5	13	10
40		Negro--------Male----	82	8	1	2	1	-	12	-	-	1
41		Female--	128	12	1	-	-	-	13	1	3	3
42		Other--------Male----	3	-	-	-	-	-	-	-	-	-
43		Female--	3	-	-	-	-	-	-	-	-	-
44	690-698	Infections of skin and subcutaneous tissue	335	35	3	2	2	2	44	1	4	2
45		White--------Male----	162	20	1	1	1	1	24	1	3	1
46		Female--	119	7	2	-	-	1	10	-	1	1
47		Negro--------Male----	27	4	-	1	1	-	6	-	-	-
48		Female--	26	4	-	-	-	-	4	-	-	-
49		Other--------Male----	-	-	-	-	-	-	-	-	-	-
50		Female--	1	-	-	-	-	-	-	-	-	-
51	700-716	Other diseases of skin and subcutaneous tissue	965	36	8	2	5	2	53	8	17	19
52		White--------Male----	320	18	1	1	2	-	22	2	2	6
53		Female--	483	6	5	-	3	2	16	5	12	9
54		Negro--------Male----	55	4	1	1	-	-	6	-	-	1
55		Female--	102	8	1	-	-	-	9	1	3	3
56		Other--------Male----	3	-	-	-	-	-	-	-	-	-
57		Female--	2	-	-	-	-	-	-	-	-	-
58		XIII. Diseases of the bones and organs of movement	2,907	121	25	13	10	7	176	21	50	83
59		White--------Male----	1,182	52	9	3	6	5	75	11	30	67
60		Female--	1,441	59	12	7	4	2	84	7	15	13
61		Negro--------Male----	135	7	2	1	-	-	10	1	3	1
62		Female--	140	3	2	2	-	-	7	2	2	2
63		Other--------Male----	5	-	-	-	-	-	-	-	-	-
64		Female--	4	-	-	-	-	-	-	-	-	-
65	720-725	Arthritis and spondylitis	1,496	2	-	-	-	1	3	3	1	4
66		White--------Male----	479	-	-	-	-	-	-	2	-	2
67		Female--	865	1	-	-	-	1	2	-	-	-
68		Negro--------Male----	67	-	-	-	-	-	-	-	-	1
69		Female--	82	1	-	-	-	-	1	1	1	1
70		Other--------Male----	1	-	-	-	-	-	-	-	-	-
71		Female--	2	-	-	-	-	-	-	-	-	-
72	726,727	Muscular rheumatism and rheumatism, unspecified	55	-	-	-	-	-	-	-	-	-
73		White--------Male----	15	-	-	-	-	-	-	-	-	-
74		Female--	28	-	-	-	-	-	-	-	-	-
75		Negro--------Male----	5	-	-	-	-	-	-	-	-	-
76		Female--	6	-	-	-	-	-	-	-	-	-
77		Other--------Male----	-	-	-	-	-	-	-	-	-	-
78		Female--	1	-	-	-	-	-	-	-	-	-
79	730	Osteomyelitis and periostitis	158	2	1	-	1	2	6	2	-	-
80		White--------Male----	84	-	-	-	1	1	2	1	-	-
81		Female--	46	2	1	-	-	1	4	-	-	-
82		Negro--------Male----	16	-	-	-	-	-	-	1	-	-
83		Female--	12	-	-	-	-	-	-	-	-	-
84		Other--------Male----	-	-	-	-	-	-	-	-	-	-
85		Female--	-	-	-	-	-	-	-	-	-	-
86	737,745-749	Ankylosis and acquired musculoskeletal deformities	101	15	1	1	1	-	18	4	6	3
87		White--------Male----	42	8	1	1	1	-	11	-	-	-
88		Female--	55	6	-	-	-	-	6	3	5	3
89		Negro--------Male----	2	1	-	-	-	-	1	-	1	-
90		Female--	1	-	-	-	-	-	-	1	-	-
91		Other--------Male----	1	-	-	-	-	-	-	-	-	-
92		Female--	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
343	412	517	424	203	28	5	2	-	1	2	2	-	-	-	-	-	1	1
217	245	281	289	135	21	4	2	-	1	1	1	-	-	-	-	-	-	2
123	161	224	131	63	7	1	-	-	-	1	1	-	-	-	-	-	1	3
3	6	12	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	4
42	42	49	53	17	4	-	-	-	-	-	-	-	-	-	-	-	-	5
32	27	31	44	11	2	-	-	-	-	-	-	-	-	-	-	-	-	6
10	14	18	9	6	2	-	-	-	-	-	-	-	-	-	-	-	-	7
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
107	122	116	117	70	15	3	-	-	1	1	-	-	-	-	-	-	-	9
70	67	50	73	47	13	3	-	-	1	-	-	-	-	-	-	-	-	10
35	52	65	44	23	2	-	-	-	-	1	-	-	-	-	-	-	-	11
2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
42	79	124	94	42	3	1	2	-	-	1	2	-	-	-	-	-	-	13
26	47	71	66	27	3	1	2	-	-	1	1	-	-	-	-	-	-	14
16	31	48	26	13	-	-	-	-	-	-	1	-	-	-	-	-	-	15
-	1	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	16
25	35	53	30	10	-	1	-	-	-	-	-	-	-	-	-	-	-	17
7	14	23	18	7	-	-	-	-	-	-	-	-	-	-	-	-	-	18
18	21	29	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	19
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
24	21	21	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-	21
16	11	9	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	22
8	10	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
28	31	51	32	13	1	-	-	-	-	-	-	-	-	-	-	-	-	25
15	15	29	20	7	-	-	-	-	-	-	-	-	-	-	-	-	-	26
13	16	22	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	28
7	4	5	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	29
3	3	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
4	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
68	78	98	80	46	4	-	-	-	-	-	-	-	-	-	-	-	1	33
48	61	65	56	33	3	-	-	-	-	-	-	-	-	-	-	-	-	34
19	16	30	23	11	1	-	-	-	-	-	-	-	-	-	-	-	1	35
1	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	36
31	33	34	67	78	74	98	93	106	115	130	98	88	68	24	9	4	2	37
5	5	5	11	15	25	32	47	54	44	60	39	39	25	11	3	-	1	38
19	23	19	41	35	32	45	37	40	49	58	52	42	37	12	6	1	-	39
-	1	4	6	9	5	10	3	7	7	7	4	2	3	-	-	-	1	40
7	4	6	9	19	12	11	6	5	14	5	1	3	2	1	-	3	-	41
-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	43
4	3	4	15	22	15	16	24	29	32	41	26	26	20	3	2	1	1	44
2	1	2	3	6	8	9	20	17	13	18	10	13	7	2	1	-	1	45
-	2	2	8	9	4	4	1	7	13	17	13	12	12	1	1	1	-	46
-	-	-	3	5	1	1	-	3	2	3	2	-	1	-	-	-	-	47
2	-	-	1	2	2	2	3	2	4	3	1	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	50
27	30	30	52	56	59	82	69	77	83	89	72	62	48	21	7	3	1	51
3	4	3	8	9	17	23	27	37	31	42	29	26	18	9	2	-	-	52
19	21	17	33	26	28	41	36	33	36	41	39	30	25	11	5	-	-	53
-	1	4	3	4	4	9	3	4	5	4	2	2	2	-	-	-	1	54
5	4	6	8	17	10	9	3	3	10	2	-	3	2	1	-	3	-	55
-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	57
60	51	55	62	90	116	157	171	249	317	392	356	273	142	55	26	4	1	58
41	28	20	20	39	46	66	77	106	127	150	140	74	45	13	7	-	-	59
14	16	24	36	34	51	61	72	113	160	215	193	183	90	42	15	3	-	60
1	2	5	3	4	10	12	13	14	16	15	13	7	2	-	2	-	1	61
3	5	5	1	13	8	18	9	16	13	11	10	7	5	-	2	1	-	62
1	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	63
-	-	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	64
4	12	9	18	30	40	68	84	148	199	270	247	198	101	37	17	2	1	65
2	7	4	6	11	14	21	31	54	71	85	79	51	26	7	4	-	-	66
-	2	3	9	10	19	30	46	73	109	167	151	136	68	30	9	1	-	67
-	-	-	3	1	4	6	3	10	11	10	9	4	2	-	2	-	1	68
2	3	2	-	8	3	11	4	11	7	7	8	6	3	-	2	1	-	69
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	71
-	-	2	3	3	4	3	4	5	4	4	9	6	4	2	2	-	-	72
-	-	-	1	2	1	-	1	-	-	1	6	1	1	-	1	-	-	73
-	-	1	1	-	3	1	2	4	2	1	2	5	3	2	1	-	-	74
-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	75
-	-	1	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
1	6	5	6	10	5	15	12	16	26	16	11	10	6	4	1	-	-	79
-	2	4	3	5	2	8	5	9	16	8	6	5	5	2	1	-	-	80
1	3	1	3	2	-	4	3	3	7	6	2	4	1	2	-	-	-	81
-	1	-	-	1	1	3	2	2	-	2	2	1	-	-	-	-	-	82
-	-	-	-	2	2	-	2	2	3	-	1	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
4	6	5	2	4	9	7	6	6	5	1	7	3	3	1	1	-	-	86
2	-	1	-	2	7	4	4	3	5	-	3	-	-	-	-	-	-	87
2	6	4	2	2	2	3	2	3	-	1	4	2	3	1	1	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XIII. Diseases of the bones and organs of movement—Continued										
1	731-736,	All other diseases of musculoskeletal system	1,097	102	23	12	8	4	149	12	43	76
2	738-744	White--Male	562	44	8	2	4	4	62	8	30	65
3		Female	447	50	11	7	4	-	72	4	10	10
4		Negro--Male	45	6	2	1	-	-	9	-	2	-
5		Female	39	2	2	2	-	-	6	-	1	1
6		Other--Male	3	-	-	-	-	-	-	-	-	-
7		Female	1	-	-	-	-	-	-	-	-	-
8		XIV. Congenital malformations	20,081	15,116	960	408	214	185	16,883	523	271	206
9		White--Male	9,762	7,433	423	170	90	88	8,204	242	138	102
10		Female	8,167	6,074	413	177	98	82	6,844	217	103	78
11		Negro--Male	1,122	826	61	25	18	11	941	30	19	13
12		Female	900	680	57	34	6	3	780	30	10	11
13		Other--Male	85	68	2	1	-	1	72	4	-	2
14		Female	45	35	4	1	2	-	42	-	1	-
15	751	Spina bifida and meningocele	1,530	1,370	74	19	9	5	1,477	21	12	3
16		White--Male	622	561	32	5	2	1	601	4	7	1
17		Female	817	727	37	12	6	4	786	16	5	2
18		Negro--Male	43	39	3	-	-	-	42	1	-	-
19		Female	38	34	2	2	-	-	38	-	-	-
20		Other--Male	5	5	-	-	-	-	5	-	-	-
21		Female	5	4	-	-	1	-	5	-	-	-
22	752,753	Congenital hydrocephalus, etc.*	2,474	1,739	269	108	54	55	2,225	123	46	23
23		White--Male	1,136	792	113	48	27	27	1,007	68	23	13
24		Female	1,072	777	118	47	21	23	986	38	16	8
25		Negro--Male	139	89	17	3	6	3	118	8	6	1
26		Female	107	65	18	10	-	2	95	8	1	1
27		Other--Male	14	12	1	-	-	-	13	1	-	-
28		Female	6	4	2	-	-	-	6	-	-	-
29	754	Congenital malformations of circulatory system	9,040	6,905	410	189	96	76	7,676	234	139	135
30		White--Male	4,536	3,574	174	70	31	34	3,883	100	71	66
31		Female	3,517	2,587	188	80	50	34	2,939	101	55	49
32		Negro--Male	494	371	23	20	10	6	430	15	5	10
33		Female	433	325	23	18	4	1	371	17	7	8
34		Other--Male	38	31	-	-	-	1	32	1	-	2
35		Female	22	17	2	1	1	-	21	-	1	-
36	750,755-759	Other congenital malformations	7,037	5,102	207	92	55	49	5,505	145	74	45
37		White--Male	3,468	2,506	104	47	30	26	2,713	70	37	22
38		Female	2,761	1,983	70	38	21	21	2,133	62	27	19
39		Negro--Male	446	327	18	2	2	2	351	6	8	2
40		Female	322	256	14	4	2	-	276	5	2	2
41		Other--Male	28	20	1	1	-	-	22	2	-	-
42		Female	12	10	-	-	-	-	10	-	-	-
43		XV. Certain diseases of early infancy	63,486	63,450	15	7	6	2	63,480	5	1	-
44		White--Male	29,557	29,537	8	5	1	-	29,551	5	1	-
45		Female	20,435	20,422	6	2	3	2	20,435	-	-	-
46		Negro--Male	7,324	7,323	-	-	1	-	7,324	-	-	-
47		Female	5,732	5,730	1	-	1	-	5,732	-	-	-
48		Other--Male	255	255	-	-	-	-	255	-	-	-
49		Female	183	183	-	-	-	-	183	-	-	-
50	760,761	Birth injuries	11,252	11,248	2	2	-	-	11,252	-	-	-
51		White--Male	5,845	5,843	1	1	-	-	5,845	-	-	-
52		Female	3,626	3,624	1	1	-	-	3,626	-	-	-
53		Negro--Male	976	976	-	-	-	-	976	-	-	-
54		Female	743	743	-	-	-	-	743	-	-	-
55		Other--Male	40	40	-	-	-	-	40	-	-	-
56		Female	22	22	-	-	-	-	22	-	-	-
57	762	Postnatal asphyxia and atelectasis	17,390	17,384	2	1	1	2	17,390	-	-	-
58		White--Male	8,587	8,585	1	1	-	-	8,587	-	-	-
59		Female	5,587	5,584	-	-	1	2	5,587	-	-	-
60		Negro--Male	1,772	1,772	-	-	-	-	1,772	-	-	-
61		Female	1,342	1,341	1	-	-	-	1,342	-	-	-
62		Other--Male	63	63	-	-	-	-	63	-	-	-
63		Female	39	39	-	-	-	-	39	-	-	-
64	763-768	Infections of newborn	4,361	4,359	1	1	-	-	4,361	-	-	-
65		White--Male	1,744	1,743	1	-	-	-	1,744	-	-	-
66		Female	1,193	1,192	-	1	-	-	1,193	-	-	-
67		Negro--Male	763	763	-	-	-	-	763	-	-	-
68		Female	591	591	-	-	-	-	591	-	-	-
69		Other--Male	37	37	-	-	-	-	37	-	-	-
70		Female	33	33	-	-	-	-	33	-	-	-
71	770	Hemolytic disease of newborn (erythroblastosis)	2,498	2,481	6	2	3	-	2,492	5	1	-
72		White--Male	1,284	1,271	4	2	1	-	1,278	5	1	-
73		Female	1,038	1,035	2	-	1	-	1,038	-	-	-
74		Negro--Male	86	86	-	-	-	-	86	-	-	-
75		Female	78	77	-	-	1	-	78	-	-	-
76		Other--Male	6	6	-	-	-	-	6	-	-	-
77		Female	6	6	-	-	-	-	6	-	-	-
78	769,771,772	All other defined diseases of early infancy	1,873	1,873	-	-	-	-	1,873	-	-	-
79		White--Male	766	766	-	-	-	-	766	-	-	-
80		Female	486	486	-	-	-	-	486	-	-	-
81		Negro--Male	363	363	-	-	-	-	363	-	-	-
82		Female	228	228	-	-	-	-	228	-	-	-
83		Other--Male	17	17	-	-	-	-	17	-	-	-
84		Female	13	13	-	-	-	-	13	-	-	-
85	773-776	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	26,112	26,105	4	1	2	-	26,112	-	-	-
86		White--Male	11,331	11,329	1	1	-	-	11,331	-	-	-
87		Female	8,505	8,501	3	-	1	-	8,505	-	-	-
88		Negro--Male	3,364	3,363	-	-	1	-	3,364	-	-	-
89		Female	2,750	2,750	-	-	-	-	2,750	-	-	-
90		Other--Male	92	92	-	-	-	-	92	-	-	-
91		Female	70	70	-	-	-	-	70	-	-	-

*For complete category title, see table 49.

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
51	27	34	33	43	58	64	65	74	83	101	82	56	28	11	5	2	-	1
37	19	11	10	19	22	33	36	40	35	56	46	17	11	4	1	-	-	2
11	5	15	21	20	27	23	19	30	42	40	34	36	15	7	4	2	-	3
1	1	5	-	2	5	2	8	2	3	1	2	2	-	-	-	-	-	4
1	2	2	1	2	3	6	2	2	3	4	-	1	2	-	-	-	-	5
1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
181	187	178	193	226	265	235	181	164	144	85	86	50	12	2	1	1	7	8
96	84	96	91	99	129	118	88	90	77	40	42	19	3	-	-	-	4	9
71	89	60	76	109	100	90	83	66	58	39	41	29	9	2	1	1	1	10
4	7	13	16	12	21	22	7	4	6	4	1	1	-	-	-	-	1	11
9	7	9	10	4	12	5	3	4	2	1	1	1	-	-	-	-	1	12
1	-	-	-	1	2	-	-	-	1	1	1	-	-	-	-	-	-	13
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	14
5	2	3	2	2	1	-	1	-	-	-	1	-	-	-	-	-	-	15
3	1	2	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	16
2	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
10	12	11	4	6	4	2	1	2	-	2	1	1	-	-	-	1	-	22
6	5	6	-	3	3	-	-	1	-	1	-	-	-	-	-	-	-	23
3	6	3	3	2	-	2	-	1	-	1	1	1	-	-	-	1	-	24
1	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
123	127	104	105	91	85	53	44	40	35	19	13	12	3	-	-	-	2	29
65	49	57	56	37	40	29	25	23	13	8	6	4	3	-	-	-	1	30
45	70	38	39	51	33	17	19	16	21	11	5	7	-	-	-	-	1	31
3	4	5	7	2	6	5	-	1	1	-	-	-	-	-	-	-	-	32
9	4	4	3	-	6	2	-	-	-	-	1	1	-	-	-	-	-	33
1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
43	46	60	82	127	175	180	135	122	109	64	71	37	9	2	1	-	5	36
22	29	31	34	59	86	89	62	66	64	31	35	15	-	-	-	-	3	37
21	12	18	33	54	66	71	64	49	37	27	35	21	9	2	1	-	-	38
-	2	6	8	10	15	17	6	3	5	4	1	1	-	-	-	-	1	39
-	3	5	7	3	5	3	3	4	2	1	-	-	-	-	-	-	1	40
-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	41
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		XVI. Symptoms, senility, and ill-defined conditions----	20,209	2,780	222	111	65	47	3,225	103	71	157
2		White--------Male----	8,151	662	64	35	21	16	798	41	29	62
3		Female--	5,207	494	37	34	10	13	588	20	14	35
4		Negro--------Male----	3,631	850	56	21	23	7	957	22	14	24
5		Female--	2,906	704	52	17	11	10	794	17	13	31
6		Other--------Male----	193	44	5	3	-	1	53	2	-	4
7		Female--	121	26	8	1	-	-	35	1	1	1
8	794	Senility without mention of psychosis----------	3,829	-	-	-	-	-	-	-	-	-
9		White--------Male----	1,390	-	-	-	-	-	-	-	-	-
10		Female--	1,811	-	-	-	-	-	-	-	-	-
11		Negro--------Male----	256	-	-	-	-	-	-	-	-	-
12		Female--	331	-	-	-	-	-	-	-	-	-
13		Other--------Male----	23	-	-	-	-	-	-	-	-	-
14		Female--	18	-	-	-	-	-	-	-	-	-
15	780-793,795	Symptoms, ill-defined and unknown causes----------	16,380	2,780	222	111	65	47	3,225	103	71	157
16		White--------Male----	6,761	662	64	35	21	16	798	41	29	62
17		Female--	3,396	494	37	34	10	13	588	20	14	35
18		Negro--------Male----	3,375	850	56	21	23	7	957	22	14	24
19		Female--	2,575	704	52	17	11	10	794	17	13	31
20		Other--------Male----	170	44	5	3	-	1	53	2	-	4
21		Female--	103	26	8	1	-	-	35	1	1	1
22		XVII. Accidents, poisonings, and violence----------	114,149	3,714	1,610	1,325	1,059	896	8,604	3,264	2,862	6,111
23		White--------Male----	68,846	1,545	681	612	507	435	3,780	1,837	1,784	4,131
24		Female--	28,405	1,070	560	408	311	259	2,608	871	607	1,033
25		Negro--------Male----	11,586	551	187	153	104	94	1,089	305	353	727
26		Female--	4,324	498	157	131	118	98	1,002	218	94	157
27		Other--------Male----	759	24	18	12	10	4	68	24	19	48
28		Female--	229	26	7	9	9	6	57	9	5	15
29	E800-E962	Accidents----------	90,032	3,580	1,590	1,302	1,032	876	8,380	3,207	2,732	5,450
30		White--------Male----	53,949	1,496	676	605	493	427	3,697	1,817	1,718	3,842
31		Female--	24,146	1,024	549	401	304	250	2,528	843	577	915
32		Negro--------Male----	7,745	526	184	148	102	91	1,051	302	328	542
33		Female--	3,380	485	156	128	115	98	982	213	87	102
34		Other--------Male----	621	24	18	12	10	4	68	23	18	40
35		Female--	191	25	7	8	8	6	54	9	4	9
36	E800-E802	Railway accidents----------	1,347	1	10	8	2	3	24	20	34	31
37		White--------Male----	1,001	-	3	4	-	1	8	13	25	19
38		Female--	110	-	5	2	-	1	8	4	3	6
39		Negro--------Male----	190	-	2	1	1	-	4	2	6	4
40		Female--	21	1	-	1	1	1	4	1	-	-
41		Other--------Male----	25	-	-	-	-	-	-	-	-	2
42		Female--	-	-	-	-	-	-	-	-	-	-
43	E810-E835	Motor-vehicle accidents----------	35,586	296	431	394	373	370	1,864	1,391	941	3,376
44		White--------Male----	23,511	138	197	189	196	201	921	776	585	2,404
45		Female--	7,846	103	183	134	127	110	657	427	262	689
46		Negro--------Male----	2,919	31	25	33	24	31	144	112	62	197
47		Female--	913	19	19	31	22	23	114	63	25	59
48		Other--------Male----	295	2	4	5	2	1	14	8	4	22
49		Female--	102	3	3	2	2	4	14	5	3	5
50	E810-E825	Motor-vehicle traffic accidents----------	34,582	284	232	295	315	334	1,460	1,324	922	3,341
51		White--------Male----	22,834	133	99	138	167	183	720	731	571	2,374
52		Female--	7,622	101	103	99	106	95	504	413	258	688
53		Negro--------Male----	2,853	28	14	27	20	29	118	105	61	193
54		Female--	887	18	12	27	18	22	97	62	25	59
55		Other--------Male----	289	2	3	3	2	1	11	8	4	22
56		Female--	97	2	1	1	2	4	10	5	3	5
57	E810	Motor-vehicle traffic accident with railway train*--------	1,269	9	11	9	7	6	42	43	31	133
58		White--------Male----	842	3	6	2	4	2	17	19	12	89
59		Female--	330	6	5	6	3	3	23	18	19	35
60		Negro--------Male----	63	-	-	-	-	-	-	1	-	8
61		Female--	23	-	-	-	-	-	-	5	-	1
62		Other--------Male----	8	-	-	-	-	-	-	-	-	-
63		Female--	3	-	-	1	-	1	2	-	-	-
64	E812	Motor-vehicle traffic accident to pedestrian----------	7,343	14	94	153	196	216	673	840	260	194
65		White--------Male----	4,613	7	36	73	115	123	354	480	163	133
66		Female--	1,631	3	46	43	52	55	199	235	59	39
67		Negro--------Male----	745	3	7	19	15	17	61	83	28	18
68		Female--	274	1	5	17	13	20	56	39	10	3
69		Other--------Male----	68	-	-	1	1	-	2	4	-	-
70		Female--	12	-	-	-	-	1	1	-	-	1
71	E811,E813-	Other motor-vehicle traffic accidents, etc.*----------	12,356	136	58	49	47	52	342	277	371	1,260
72	E819	White--------Male----	7,970	64	22	23	19	24	152	154	259	886
73		Female--	3,207	53	27	22	25	22	149	99	89	280
74		Negro--------Male----	792	9	4	1	2	2	18	7	15	64
75		Female--	293	8	5	3	1	1	18	13	7	22
76		Other--------Male----	68	1	-	-	-	1	2	-	-	7
77		Female--	26	1	-	-	-	2	3	4	1	1
78	E820-E824	Motor-vehicle noncollision traffic accidents----------	9,113	84	44	63	51	41	283	105	179	1,241
79		White--------Male----	6,468	38	20	31	22	21	132	50	90	908
80		Female--	1,506	29	16	18	21	11	95	37	63	221
81		Negro--------Male----	809	10	3	6	2	8	29	10	16	73
82		Female--	180	7	2	6	3	1	19	5	4	25
83		Other--------Male----	107	-	2	2	1	-	5	3	4	12
84		Female--	43	-	1	-	2	-	3	-	2	2
85	E825	Motor-vehicle traffic accident of unspecified nature------	4,501	41	25	21	14	19	120	59	81	513
86		White--------Male----	2,941	21	15	9	7	13	65	28	47	358
87		Female--	948	10	9	10	5	4	38	24	28	113
88		Negro--------Male----	444	6	-	1	1	2	10	4	2	30
89		Female--	117	2	-	1	1	-	4	1	4	8
90		Other--------Male----	38	1	1	-	-	-	2	1	-	3
91		Female--	13	1	-	-	-	-	1	1	-	1

*For complete category title, see table 49.

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
279	310	335	442	665	790	1,042	1,050	1,332	1,615	1,799	1,775	1,919	1,545	1,113	399	185	58	1
129	93	125	167	284	378	482	510	689	778	821	779	838	594	385	115	29	25	2
53	66	75	102	117	126	152	176	212	303	436	517	671	694	575	211	54	10	3
51	68	72	92	141	150	227	227	248	299	297	254	226	125	61	20	41	15	4
38	68	53	76	113	130	175	123	166	221	222	197	163	114	87	45	54	6	5
4	11	5	4	5	1	6	10	8	7	20	16	14	11	2	8	1	1	6
4	4	5	1	5	5	-	4	9	7	3	12	7	7	3	-	6	1	7
-	-	-	-	-	-	5	8	38	86	211	449	840	917	827	310	133	5	8
-	-	-	-	-	-	4	1	13	23	68	176	361	340	286	94	24	-	9
-	-	-	-	-	-	1	3	8	16	80	167	365	478	474	173	46	-	10
-	-	-	-	-	-	-	3	5	17	29	54	52	41	24	10	20	1	11
-	-	-	-	-	-	-	1	12	30	33	45	52	49	40	28	38	3	12
-	-	-	-	-	-	-	-	-	-	-	3	8	5	1	5	1	-	13
-	-	-	-	-	-	-	-	-	-	1	4	2	4	2	-	4	1	14
279	310	335	442	665	790	1,037	1,042	1,294	1,529	1,588	1,326	1,079	628	286	89	52	53	15
129	93	125	167	284	378	478	509	676	755	753	603	477	254	99	21	5	25	16
53	66	75	102	117	126	151	173	204	287	356	350	306	216	101	38	8	10	17
51	68	72	92	141	150	227	224	243	282	268	200	174	84	37	10	21	14	18
38	68	53	76	113	130	175	122	154	191	189	152	111	65	47	17	16	3	19
4	11	5	4	5	1	6	10	8	7	20	13	6	6	1	3	-	1	20
4	4	5	1	5	5	-	4	9	7	2	8	5	3	1	-	2	-	21
7,797	7,627	7,258	6,877	7,199	7,180	6,907	6,416	6,489	6,333	5,974	5,922	5,283	3,665	1,737	415	66	163	22
5,421	4,912	4,553	4,324	4,563	4,745	4,545	4,380	4,476	4,134	3,573	3,152	2,296	1,406	592	134	13	95	23
956	1,011	1,063	1,179	1,293	1,288	1,338	1,347	1,423	1,664	1,946	2,456	2,762	2,148	1,086	254	39	33	24
1,038	1,284	1,246	1,028	1,007	871	752	494	407	335	261	159	106	57	25	15	2	25	25
288	313	315	288	271	227	205	151	135	165	160	131	101	47	27	11	12	6	26
75	85	64	49	54	38	56	35	39	32	27	22	13	4	4	-	-	3	27
19	22	17	9	11	11	11	9	9	3	7	2	5	3	3	1	-	1	28
6,351	5,520	5,087	4,640	4,776	4,693	4,633	4,412	4,561	4,807	4,845	5,209	4,921	3,520	1,690	410	66	122	29
4,754	3,952	3,529	3,150	3,188	3,128	2,993	2,919	2,997	2,961	2,686	2,563	1,999	1,286	556	130	13	71	30
765	684	699	765	794	843	920	973	1,088	1,403	1,758	2,362	2,712	2,125	1,077	254	39	22	31
594	654	623	515	572	532	515	352	315	263	231	139	98	56	24	15	2	22	32
160	144	166	169	175	152	151	134	126	154	145	126	96	46	26	10	12	4	33
62	69	53	34	41	29	47	27	28	24	19	17	12	4	4	-	-	2	34
16	17	17	7	6	9	7	7	7	2	6	2	4	3	3	1	-	1	35
59	71	104	96	136	122	138	106	118	90	80	53	31	18	4	-	-	12	36
40	46	69	77	103	96	103	84	102	68	60	36	25	17	2	-	-	8	37
2	3	5	2	5	8	7	7	7	11	10	14	6	-	2	-	-	-	38
13	20	26	12	24	15	21	13	9	9	7	1	-	1	-	-	-	3	39
-	1	1	2	3	2	2	1	-	1	2	1	-	-	-	-	-	-	40
4	1	3	3	1	1	5	1	-	1	1	1	-	-	-	-	-	1	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
4,195	3,324	2,692	2,336	2,169	2,099	1,984	1,879	1,886	1,822	1,425	1,176	668	236	64	14	2	43	43
3,161	2,402	1,826	1,560	1,377	1,352	1,187	1,172	1,216	1,171	932	786	466	157	31	6	1	22	44
562	468	452	449	444	442	503	490	487	524	391	327	160	63	26	5	-	10	45
336	331	300	235	239	227	211	147	126	84	75	39	27	11	5	3	1	7	46
85	65	74	69	81	59	52	51	35	29	19	19	5	5	1	-	-	3	47
38	45	27	17	24	13	25	15	18	12	5	4	2	-	1	-	-	1	48
13	13	13	6	4	6	6	4	4	2	3	1	-	-	-	-	-	-	49
4,141	3,264	2,647	2,295	2,127	2,066	1,948	1,842	1,845	1,788	1,404	1,159	659	230	61	14	2	43	50
3,110	2,347	1,790	1,524	1,343	1,328	1,161	1,147	1,181	1,145	916	774	460	153	30	6	1	22	51
561	467	451	448	440	440	494	481	483	519	386	323	166	61	24	5	-	10	52
334	327	294	233	238	223	210	145	124	81	75	39	26	11	5	3	1	7	53
85	65	73	68	79	57	52	50	35	29	19	18	5	5	1	-	-	3	54
38	45	26	16	23	13	25	15	18	12	5	4	2	-	1	-	-	1	55
13	13	13	6	4	5	6	4	4	2	3	1	-	-	-	-	-	-	56
132	109	112	89	105	86	71	80	76	62	35	40	17	1	2	1	-	2	57
95	81	71	58	68	55	50	51	52	47	29	31	13	1	1	1	-	1	58
25	21	26	24	25	24	13	24	21	13	6	9	3	-	1	-	-	-	59
8	5	11	5	10	3	5	1	3	2	-	-	1	-	-	-	-	-	60
4	1	3	1	1	3	1	3	-	-	-	-	-	-	-	-	-	-	61
-	1	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	1	62
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	63
146	163	181	242	251	352	412	508	599	688	662	581	405	133	31	8	2	12	64
86	95	112	130	145	214	239	319	397	467	444	404	301	99	20	3	1	7	65
19	27	23	53	37	69	92	104	121	155	151	133	82	25	5	2	-	1	66
26	27	31	44	52	49	53	55	59	47	49	30	16	7	4	3	1	2	67
8	9	10	9	11	14	19	28	12	13	13	12	4	2	1	-	-	2	68
6	5	5	4	5	4	7	2	9	5	5	2	2	-	1	-	-	-	69
1	-	-	2	1	2	2	-	1	1	-	-	-	-	-	-	-	-	70
1,557	1,223	1,010	935	843	837	779	728	666	602	412	297	134	52	12	3	-	16	71
1,127	872	678	605	516	523	444	433	411	363	248	178	81	25	5	2	-	8	72
280	202	204	220	218	219	249	234	211	216	144	106	48	26	7	1	-	5	73
109	110	82	74	70	71	60	42	28	13	15	6	4	1	-	-	-	3	74
23	28	36	30	29	21	21	12	14	9	4	5	1	-	-	-	-	-	75
14	9	7	3	10	2	5	6	1	1	-	1	-	-	-	-	-	-	76
4	2	3	3	-	1	-	1	1	-	1	1	-	-	-	-	-	-	77
1,605	1,247	949	694	607	533	439	326	286	248	163	127	40	23	11	1	-	6	78
1,270	946	669	503	415	382	294	222	192	160	108	83	27	11	2	-	-	4	79
154	135	139	97	95	76	77	64	66	69	47	41	11	8	9	1	-	1	80
132	115	108	74	72	58	53	30	17	9	6	2	2	2	-	-	-	1	81
30	20	16	13	20	11	6	3	2	3	1	-	-	2	-	-	-	-	82
12	22	8	6	4	5	6	5	8	6	-	1	-	-	-	-	-	-	83
7	9	9	1	1	1	3	2	1	1	1	-	-	-	-	-	-	-	84
701	522	395	335	321	258	247	200	218	188	132	114	63	21	5	1	-	7	85
532	353	260	228	199	154	134	122	129	108	87	78	38	17	2	-	-	2	86
83	82	59	54	65	52	63	55	64	66	38	34	22	2	2	1	-	3	87
59	70	62	36	34	42	39	17	17	10	5	1	3	1	1	-	-	1	88
20	7	8	15	18	8	5	4	7	4	1	1	-	1	-	-	-	1	89
6	8	5	2	4	1	5	1	-	-	-	-	-	-	-	-	-	-	90
1	2	1	-	1	1	1	1	1	-	1	-	-	-	-	-	-	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
		Accidents—Continued										
		Motor-vehicle accidents—Continued										
1	E830-E835	Motor-vehicle nontraffic accidents	1,004	12	199	99	58	36	404	67	19	35
2		White--Male	677	5	98	51	29	18	201	45	14	30
3		Female	224	2	80	35	21	15	153	14	4	1
4		Negro--Male	66	3	11	6	4	2	26	7	1	4
5		Female	26	1	7	4	4	1	17	1	-	-
6		Other--Male	6	-	1	2	-	-	3	-	-	-
7		Female	5	1	2	1	-	-	4	-	-	-
8	E840-E845	Other road-vehicle accidents	366	1	1	3	4	2	11	34	52	23
9		White--Male	224	1	-	2	2	1	6	21	27	14
10		Female	75	-	1	1	1	1	4	9	17	5
11		Negro--Male	49	-	-	-	1	-	1	3	6	3
12		Female	8	-	-	-	-	-	-	-	-	1
13		Other--Male	10	-	-	-	-	-	-	1	2	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	E850-E858	Water-transport accidents	1,498	1	1	8	7	4	21	70	79	145
16		White--Male	1,233	1	-	5	6	2	14	58	54	107
17		Female	86	-	-	2	-	2	4	9	13	11
18		Negro--Male	150	-	1	1	-	-	2	1	12	25
19		Female	15	-	-	-	1	-	1	2	-	1
20		Other--Male	13	-	-	-	-	-	-	-	-	1
21		Female	1	-	-	-	-	-	-	-	-	-
22	E860-E866	Aircraft accidents	1,450	2	1	3	1	2	9	9	14	47
23		White--Male	1,335	2	1	3	1	-	7	6	9	35
24		Female	99	-	-	-	-	2	2	3	5	12
25		Negro--Male	12	-	-	-	-	-	-	-	-	-
26		Female	2	-	-	-	-	-	-	-	-	-
27		Other--Male	2	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	E870-E888	Accidental poisoning by solid and liquid substances	1,339	49	205	88	28	20	390	20	8	17
30		White--Male	629	17	81	34	12	7	151	8	3	9
31		Female	460	18	55	34	10	2	119	8	3	6
32		Negro--Male	135	8	35	12	3	2	60	1	-	1
33		Female	98	6	32	8	-	8	54	2	2	1
34		Other--Male	15	-	2	-	2	1	5	1	-	-
35		Female	2	-	-	-	1	-	1	-	-	-
36	E890-E895	Accidental poisoning by gases and vapors	1,223	18	14	6	7	3	48	21	16	74
37		White--Male	801	7	3	5	4	1	20	6	8	43
38		Female	306	7	10	-	3	2	22	12	8	27
39		Negro--Male	75	3	1	1	-	-	5	2	-	3
40		Female	36	1	-	-	-	-	1	1	-	1
41		Other--Male	5	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	E900-E904	Accidental falls	19,771	173	91	82	55	31	432	127	86	122
44		White--Male	8,902	75	45	44	22	19	205	81	67	99
45		Female	9,725	61	30	25	15	7	138	33	11	12
46		Negro--Male	665	20	7	9	13	3	52	11	7	9
47		Female	418	14	7	3	4	2	30	2	1	2
48		Other--Male	43	2	2	-	-	-	4	-	-	-
49		Female	18	1	-	1	1	-	3	-	-	-
50	E900-E902	Fall from one level to another	6,791	120	74	61	42	24	321	77	62	77
51		White--Male	3,971	54	37	34	16	14	155	52	52	68
52		Female	2,282	39	24	18	9	6	96	16	5	5
53		Negro--Male	385	18	6	7	13	3	47	8	4	3
54		Female	131	8	6	2	3	1	20	1	1	1
55		Other--Male	19	-	1	-	-	-	1	-	-	-
56		Female	3	1	-	-	1	-	2	-	-	-
57	E903	Fall on same level	4,096	4	2	2	3	2	13	13	8	7
58		White--Male	1,485	2	-	1	-	2	5	11	4	4
59		Female	2,447	-	1	-	2	-	3	1	2	1
60		Negro--Male	71	-	1	1	-	-	2	1	2	2
61		Female	82	1	-	-	1	-	2	-	-	-
62		Other--Male	7	1	-	-	-	-	1	-	-	-
63		Female	4	-	-	-	-	-	-	-	-	-
64	E904	Unspecified falls	8,884	49	15	19	10	5	98	37	16	38
65		White--Male	3,446	19	8	9	6	3	45	18	11	27
66		Female	4,996	22	5	7	4	1	39	16	4	6
67		Negro--Male	209	2	-	1	-	-	3	2	1	4
68		Female	205	5	1	1	-	1	8	1	-	1
69		Other--Male	17	1	1	-	-	-	2	-	-	-
70		Female	11	-	-	1	-	-	1	-	-	-
71	E910	Blow from falling object	1,255	4	11	16	14	18	63	41	24	40
72		White--Male	1,014	-	7	7	9	10	33	31	19	32
73		Female	48	1	2	7	3	6	19	8	3	3
74		Negro--Male	171	1	1	-	1	1	4	2	1	5
75		Female	9	1	1	2	-	1	5	-	1	-
76		Other--Male	11	1	-	-	-	-	1	-	-	-
77		Female	2	-	-	-	1	-	1	-	-	-
78	E912	Accident caused by machinery	2,009	-	26	26	18	19	89	72	77	120
79		White--Male	1,746	-	13	18	7	13	51	55	64	101
80		Female	93	-	12	7	9	6	34	13	3	5
81		Negro--Male	159	-	-	1	1	-	2	3	10	14
82		Female	3	-	1	-	-	-	1	1	-	-
83		Other--Male	6	-	-	-	-	-	-	-	-	-
84		Female	2	-	-	-	1	-	1	-	-	-
85	E914	Accident caused by electric current	965	14	17	11	8	6	56	23	29	70
86		White--Male	822	6	9	7	1	4	27	16	25	66
87		Female	74	8	6	4	5	2	25	5	4	2
88		Negro--Male	59	-	-	-	1	-	1	1	-	1
89		Female	9	-	2	-	1	-	3	1	-	-
90		Other--Male	1	-	-	-	-	-	-	-	-	1
91		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
54	60	45	41	42	33	36	37	41	34	21	17	9	6	3	-	-	-	1
51	55	36	36	34	24	26	25	35	26	16	12	6	4	1	-	-	-	2
1	1	1	1	4	2	9	9	4	5	5	4	2	2	2	-	-	-	3
2	4	6	2	1	4	1	2	2	3	-	-	1	-	-	-	-	-	4
-	-	1	1	2	2	-	1	-	-	-	1	-	-	-	-	-	-	5
-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	7
18	12	13	8	13	20	20	21	23	28	25	19	13	9	4	-	-	-	8
14	7	6	7	6	12	12	14	21	20	11	12	6	6	2	-	-	-	9
1	2	2	1	3	2	4	3	-	5	8	4	3	1	1	-	-	-	10
3	2	3	-	3	6	1	4	1	1	6	2	2	1	1	-	-	-	11
-	-	1	-	-	-	2	-	-	1	-	1	1	1	-	-	-	-	12
-	1	1	-	1	-	1	-	1	1	-	-	1	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
173	178	162	135	155	114	91	70	56	25	16	6	1	1	-	-	-	-	15
140	140	131	111	133	98	83	64	55	23	14	6	1	1	-	-	-	-	16
10	7	7	9	8	4	1	2	1	-	-	-	-	-	-	-	-	-	17
18	28	19	15	11	11	3	3	-	-	2	-	-	-	-	-	-	-	18
2	1	3	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	19
2	2	2	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-	20
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
401	263	293	158	88	62	44	27	11	14	5	3	1	-	-	-	-	1	22
378	251	284	145	76	58	34	24	11	11	3	2	-	-	-	-	-	1	23
15	11	7	11	12	4	8	3	-	3	2	1	-	-	-	-	-	-	24
6	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	26
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
33	52	80	119	145	115	113	73	59	44	39	14	10	6	1	-	-	1	29
13	17	38	63	71	51	53	48	33	27	22	9	8	4	-	-	-	1	30
10	10	29	41	56	49	43	22	21	17	16	5	2	2	1	-	-	-	31
3	14	7	10	10	11	10	3	5	-	-	-	-	-	-	-	-	-	32
7	6	5	4	8	4	5	-	-	-	-	-	-	-	-	-	-	-	33
-	4	1	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	34
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
70	84	81	69	84	114	110	93	78	87	82	55	38	15	3	-	-	1	36
52	58	62	42	54	87	74	68	56	60	54	36	19	2	1	-	-	1	37
17	13	9	11	18	18	22	17	18	23	22	18	16	13	2	-	-	-	38
-	11	7	7	8	7	10	3	4	1	5	1	1	-	-	-	-	-	39
-	4	2	9	3	2	3	5	-	3	-	-	2	-	-	-	-	-	40
1	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
143	215	256	373	460	533	645	795	1,006	1,530	2,068	2,892	3,413	2,816	1,442	351	54	12	43
99	146	173	251	306	362	447	506	603	856	946	1,137	1,125	905	460	111	11	6	44
19	20	32	58	66	94	127	214	320	567	1,022	1,682	2,217	1,872	953	228	37	3	45
13	36	40	49	73	55	49	53	47	55	41	26	22	14	10	2	-	1	46
9	12	8	13	11	18	17	20	34	49	53	43	42	21	16	10	6	1	47
2	1	2	2	3	3	5	2	1	3	5	4	3	2	1	-	-	-	48
1	-	1	-	1	1	-	-	1	-	1	-	4	2	2	-	-	1	49
85	150	169	232	279	298	358	447	530	625	720	737	693	567	272	75	11	6	50
64	109	120	166	197	204	268	316	371	420	413	358	296	221	91	26	-	4	51
7	13	16	25	34	52	48	100	122	170	276	353	378	334	177	44	10	1	52
7	22	24	30	44	33	32	26	26	24	19	12	12	8	1	2	-	1	53
6	6	6	9	2	6	7	5	11	10	11	13	6	3	3	3	1	-	54
1	-	2	2	2	3	3	-	-	1	1	1	1	1	-	-	-	-	55
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
9	11	11	34	36	65	78	95	146	302	430	725	872	745	374	105	15	2	57
4	7	6	21	21	47	42	48	67	135	177	273	241	222	118	26	5	1	58
2	2	2	9	7	11	31	29	66	147	235	435	617	516	247	75	9	-	59
2	-	3	4	5	5	4	9	2	11	8	5	3	2	1	-	-	-	60
-	2	-	-	2	2	1	8	10	8	8	11	10	5	7	4	1	1	61
-	-	-	-	1	-	-	1	-	1	2	1	-	-	-	-	-	-	62
1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	63
49	54	76	107	145	170	209	253	330	603	918	1,430	1,848	1,504	796	171	28	4	64
31	30	47	64	88	111	137	142	165	301	356	506	588	462	251	59	6	1	65
10	5	14	24	25	31	48	85	132	250	511	894	1,222	1,022	529	109	18	2	66
4	14	13	15	24	17	13	18	19	20	14	9	7	4	8	-	-	-	67
3	4	2	4	7	10	9	7	13	31	34	19	26	13	6	3	4	-	68
1	1	-	-	-	-	2	1	1	1	2	2	2	1	1	-	-	-	69
-	-	-	-	1	1	-	-	-	-	1	-	3	2	1	-	-	1	70
76	107	118	133	134	120	117	98	69	44	31	17	13	5	3	-	-	2	71
65	90	102	113	113	100	87	77	58	38	26	13	10	3	2	-	-	2	72
-	-	-	1	1	1	1	2	3	1	1	-	2	1	1	-	-	-	73
11	15	15	17	20	18	28	17	7	5	4	1	1	-	-	-	-	-	74
-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	75
-	2	-	2	-	1	-	1	1	-	-	3	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	77
127	137	169	150	179	185	172	175	168	84	56	38	4	3	1	-	-	3	78
110	112	140	135	157	165	154	162	160	83	52	36	4	3	-	-	-	2	79
3	5	7	1	2	2	1	5	4	1	4	2	-	-	1	-	-	-	80
12	19	22	12	19	17	17	7	4	-	-	-	-	-	-	-	-	1	81
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
1	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	83
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
109	150	118	93	104	71	54	40	20	13	11	2	1	1	-	-	-	-	85
99	139	107	78	84	63	45	35	16	9	9	2	1	1	-	-	-	-	86
4	4	1	10	3	2	4	4	1	3	2	-	-	-	-	-	-	-	87
6	6	9	4	16	5	5	1	3	1	-	-	-	-	-	-	-	-	88
-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

385053 O - 56 - 7

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
		Accidents—Continued										
1	E916	Accident caused by fire and explosion, etc.*	6,083	259	220	270	251	209	1,209	456	186	127
2		White--Male	2,421	49	43	79	73	49	293	118	70	51
3		Female	1,760	57	60	67	68	68	320	156	65	42
4		Negro--Male	912	78	54	57	42	30	261	64	19	16
5		Female	928	72	59	61	65	59	316	112	29	15
6		Other--Male	39	1	2	2	3	1	9	3	3	1
7		Female	23	2	2	4	-	2	10	3	-	2
8	E917,E918	Accident caused by hot substance, etc.*	742	54	89	56	35	13	247	25	11	7
9		White--Male	308	26	38	22	8	1	95	5	2	2
10		Female	230	18	28	17	12	5	80	8	6	2
11		Negro--Male	98	7	14	5	5	4	35	-	-	2
12		Female	96	3	8	9	9	3	32	11	3	1
13		Other--Male	6	-	1	2	-	-	3	-	-	-
14		Female	4	-	-	1	1	-	2	1	-	-
15	E919	Accident caused by firearm	2,281	6	9	26	29	28	98	133	296	358
16		White--Male	1,691	1	2	12	18	17	50	77	224	279
17		Female	206	1	2	5	6	5	19	25	27	19
18		Negro--Male	309	2	5	7	3	5	22	25	36	52
19		Female	55	1	-	2	2	1	6	3	5	5
20		Other--Male	16	-	-	-	-	-	-	3	4	3
21		Female	4	1	-	-	-	-	1	-	-	-
22	E921,E922	Inhalation and ingestion of food or other object, etc.*	1,627	995	133	52	26	15	1,221	24	12	7
23		White--Male	779	440	67	28	13	9	557	16	4	5
24		Female	488	308	36	16	5	5	370	6	4	-
25		Negro--Male	194	130	18	4	4	1	157	1	2	2
26		Female	148	106	11	3	2	-	122	1	2	-
27		Other--Male	10	5	-	1	1	-	7	-	-	-
28		Female	8	6	1	-	1	-	8	-	-	-
29	E929	Accidental drowning	5,049	57	202	187	126	80	652	559	636	678
30		White--Male	3,391	29	108	119	97	62	415	412	353	429
31		Female	687	19	74	58	25	13	189	76	113	55
32		Negro--Male	822	7	7	8	-	5	27	59	152	180
33		Female	91	1	7	1	2	-	11	7	13	10
34		Other--Male	52	-	5	1	2	-	8	5	4	3
35		Female	6	1	1	-	-	-	2	-	1	1
36	E931	Excessive heat and insolation	978	57	3	6	1	3	70	2	-	5
37		White--Male	518	23	1	3	-	3	30	-	-	1
38		Female	286	11	1	1	1	-	14	-	-	2
39		Negro--Male	97	6	1	1	-	-	8	1	-	1
40		Female	70	15	-	1	-	-	16	1	-	1
41		Other--Male	5	1	-	-	-	-	1	-	-	-
42		Female	2	1	-	-	-	-	1	-	-	-
43	E940-E959	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*	768	32	13	9	5	4	63	12	8	6
44		White--Male	314	19	5	4	2	3	33	9	4	4
45		Female	333	4	5	3	1	-	13	3	4	1
46		Negro--Male	44	4	2	2	-	1	9	-	-	-
47		Female	74	3	1	-	2	-	6	-	-	1
48		Other--Male	3	2	-	-	-	-	2	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	Residual[1]	All other accidents	5,695	1,561	113	51	42	46	1,813	168	223	197
51		White--Male	3,309	662	53	20	22	24	781	109	175	142
52		Female	1,234	408	39	18	13	13	491	38	26	16
53		Negro--Male	685	229	11	6	3	8	257	14	15	27
54		Female	386	242	8	6	4	-	260	5	6	4
55		Other--Male	64	10	2	1	-	1	14	2	1	7
56		Female	17	10	-	-	-	-	10	-	-	1
57	E963,E970-E979	Suicide	16,356	-	-	-	-	-	-	-	37	261
58		White--Male	12,396	-	-	-	-	-	-	-	29	180
59		Female	3,256	-	-	-	-	-	-	-	7	58
60		Negro--Male	484	-	-	-	-	-	-	-	-	7
61		Female	118	-	-	-	-	-	-	-	-	9
62		Other--Male	84	-	-	-	-	-	-	-	1	4
63		Female	18	-	-	-	-	-	-	-	-	3
64	E970-E973	Suicide by poisoning	3,516	-	-	-	-	-	-	-	6	63
65		White--Male	2,289	-	-	-	-	-	-	-	4	30
66		Female	1,147	-	-	-	-	-	-	-	2	29
67		Negro--Male	36	-	-	-	-	-	-	-	-	-
68		Female	33	-	-	-	-	-	-	-	-	3
69		Other--Male	5	-	-	-	-	-	-	-	-	-
70		Female	6	-	-	-	-	-	-	-	-	1
71	E974	Suicide by hanging and strangulation	3,370	-	-	-	-	-	-	-	19	46
72		White--Male	2,450	-	-	-	-	-	-	-	17	41
73		Female	796	-	-	-	-	-	-	-	2	2
74		Negro--Male	77	-	-	-	-	-	-	-	-	1
75		Female	18	-	-	-	-	-	-	-	-	1
76		Other--Male	23	-	-	-	-	-	-	-	-	1
77		Female	6	-	-	-	-	-	-	-	-	-
78	E976	Suicide by firearms and explosives	7,539	-	-	-	-	-	-	-	12	133
79		White--Male	6,457	-	-	-	-	-	-	-	8	100
80		Female	738	-	-	-	-	-	-	-	3	24
81		Negro--Male	271	-	-	-	-	-	-	-	-	5
82		Female	34	-	-	-	-	-	-	-	-	1
83		Other--Male	39	-	-	-	-	-	-	-	1	3
84		Female	-	-	-	-	-	-	-	-	-	-
85	E963,E975,	Suicide by all other means	1,931	-	-	-	-	-	-	-	-	19
86	E977-E979	White--Male	1,200	-	-	-	-	-	-	-	-	9
87		Female	575	-	-	-	-	-	-	-	-	3
88		Negro--Male	100	-	-	-	-	-	-	-	-	1
89		Female	33	-	-	-	-	-	-	-	-	4
90		Other--Male	17	-	-	-	-	-	-	-	-	-
91		Female	6	-	-	-	-	-	-	-	-	2

*For complete category title, see table 49.

[1]For category numbers, see table 49.

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
160	223	253	263	298	356	334	304	299	380	394	342	286	138	44	12	7	12	1
68	102	118	129	142	166	164	149	149	167	180	153	120	54	13	7	-	8	2
43	62	64	68	71	98	78	87	79	111	112	115	114	55	18	-	1	1	3
21	34	42	32	51	51	61	33	38	52	49	34	25	15	5	5	1	3	4
26	22	25	32	32	38	30	34	30	49	50	39	25	13	6	-	5	-	5
1	1	3	2	2	3	1	-	2	1	2	-	2	1	2	-	-	-	6
1	2	1	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	7
12	18	16	9	26	36	37	33	41	37	46	54	44	23	15	5	-	-	8
6	8	10	5	11	19	19	19	16	15	21	26	13	12	2	2	-	-	9
4	5	4	-	5	6	10	5	15	11	16	18	18	5	10	2	-	-	10
1	4	2	-	7	8	4	4	6	5	4	6	4	4	1	1	-	-	11
1	1	-	3	3	3	4	4	4	6	5	3	8	2	2	-	-	-	12
-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	13
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	14
184	159	158	147	151	144	132	100	97	50	34	23	12	2	1	-	-	2	15
123	109	113	110	120	109	107	85	80	43	28	21	9	2	1	-	-	1	16
16	20	13	15	16	11	8	5	7	1	3	1	-	-	-	-	-	-	17
33	23	26	18	13	20	12	9	8	4	3	1	3	-	-	-	-	1	18
11	5	5	2	2	2	5	1	2	1	-	-	-	-	-	-	-	-	19
1	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	20
-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	21
9	19	22	17	20	34	37	24	33	43	30	31	23	13	7	1	-	-	22
2	4	8	7	9	19	25	16	21	27	16	16	15	8	4	-	-	-	23
2	6	5	6	4	10	8	5	9	12	11	14	8	4	3	1	-	-	24
2	4	6	2	3	5	1	-	2	3	2	1	-	1	-	-	-	-	25
3	5	3	2	4	-	2	3	-	1	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
392	300	266	235	229	190	206	180	168	125	93	73	27	16	1	-	-	23	29
260	205	167	156	168	137	159	130	127	99	71	58	17	13	1	-	-	14	30
32	19	20	20	21	18	21	29	25	14	14	6	7	2	-	-	-	6	31
93	67	59	51	26	33	23	15	14	8	7	4	1	-	-	-	-	3	32
2	6	13	7	8	-	2	2	-	3	1	5	-	1	-	-	-	-	33
5	3	6	1	5	2	1	4	2	1	-	-	2	-	-	-	-	-	34
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	35
10	12	25	29	48	50	75	53	67	72	94	122	103	86	42	8	2	3	36
7	6	19	21	30	33	45	32	37	36	50	57	58	34	18	2	-	2	37
-	3	1	2	5	5	12	10	18	23	33	48	33	47	23	5	1	1	38
2	3	3	6	10	6	13	9	5	9	4	8	4	3	1	1	-	-	39
1	-	1	-	2	6	5	2	7	4	6	8	8	1	-	-	1	-	40
-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	42
24	22	33	43	48	55	66	71	67	68	68	51	40	18	5	-	-	-	43
5	2	12	5	16	21	27	29	25	33	33	26	17	11	2	-	-	-	44
8	11	16	22	27	25	25	34	32	29	30	21	22	7	3	-	-	-	45
4	-	2	5	1	2	7	4	3	3	1	3	-	-	-	-	-	-	46
7	9	3	11	4	7	7	4	7	2	4	1	1	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
156	174	228	227	289	273	258	270	295	251	248	238	193	114	53	19	1	7	50
112	110	144	135	212	180	168	205	211	175	158	131	85	53	17	2	1	3	51
17	15	25	38	27	44	37	29	41	47	61	86	96	53	33	13	-	1	52
17	36	33	38	38	35	38	27	33	23	21	12	8	6	1	3	-	3	53
5	6	20	14	10	10	11	6	7	5	5	6	3	2	1	-	-	-	54
5	7	5	2	2	4	3	2	2	1	3	3	1	-	-	-	-	-	55
-	-	1	-	-	-	1	1	1	-	-	-	-	-	1	1	-	-	56
604	998	1,096	1,250	1,565	1,771	1,788	1,699	1,728	1,359	1,030	647	326	136	43	4	-	14	57
427	668	750	877	1,095	1,361	1,381	1,328	1,374	1,095	834	557	276	116	33	4	-	11	58
114	225	261	296	404	352	342	332	309	231	171	79	44	20	8	-	-	3	59
47	70	66	60	45	43	44	27	28	24	11	6	5	-	1	-	-	-	60
7	22	14	8	13	9	13	6	6	2	7	1	-	-	1	-	-	-	61
7	11	5	7	7	6	5	4	9	6	7	4	1	-	-	-	-	-	62
2	2	-	2	1	-	3	2	2	1	-	-	-	-	-	-	-	-	63
168	260	285	335	423	432	417	324	305	208	155	82	28	13	6	-	-	6	64
115	169	185	202	264	288	280	222	213	128	98	52	22	10	3	-	-	4	65
46	78	92	120	153	137	127	99	90	79	52	29	6	3	3	-	-	2	66
5	2	4	7	3	4	5	-	2	-	3	1	-	-	-	-	-	-	67
1	10	3	3	2	3	4	2	-	-	2	-	-	-	-	-	-	-	68
-	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	69
1	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	70
104	154	162	175	241	292	361	408	454	335	300	160	85	52	19	2	-	1	71
73	105	105	119	148	202	264	295	325	262	239	138	59	41	14	2	-	1	72
20	28	45	44	82	83	87	107	119	67	51	21	24	11	3	-	-	-	73
10	16	11	11	5	3	5	4	5	2	2	-	1	-	1	-	-	-	74
-	1	1	1	4	1	3	1	1	1	2	-	-	-	1	-	-	-	75
1	3	-	-	1	3	1	-	3	2	6	1	1	-	-	-	-	-	76
-	1	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	77
286	482	545	610	736	861	806	742	751	616	430	293	162	56	13	2	-	3	78
216	345	404	487	590	750	709	670	691	568	410	282	156	53	13	2	-	3	79
39	82	91	89	113	80	69	53	38	30	15	7	2	3	-	-	-	-	80
23	43	39	27	25	25	25	15	17	15	4	4	4	-	-	-	-	-	81
3	4	8	3	4	4	2	3	1	1	-	-	-	-	-	-	-	-	82
5	8	3	4	4	2	1	1	4	2	1	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
46	102	104	130	165	186	204	225	218	200	145	112	51	15	5	-	-	4	85
23	49	56	69	93	121	128	141	145	137	87	85	39	12	3	-	-	3	86
9	37	33	43	56	52	59	73	62	55	53	22	12	3	2	-	-	1	87
9	9	12	15	12	11	9	8	4	7	2	1	-	-	-	-	-	-	88
3	7	2	1	3	1	4	-	4	-	3	1	-	-	-	-	-	-	89
1	-	1	2	1	1	2	3	2	1	-	3	-	-	-	-	-	-	90
1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	91

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
1	E964,E980-	Homicide	7,735	134	20	23	27	20	224	57	93	400
2	E985	White--Male	2,477	49	5	7	14	8	83	20	37	109
3		Female	1,003	46	11	7	7	9	80	28	23	60
4		Negro--Male	3,355	25	3	5	2	3	38	3	25	178
5		Female	826	13	1	3	3	-	20	5	7	46
6		Other--Male	54	-	-	-	-	-	-	1	-	4
7		Female	20	1	-	1	1	-	3	-	1	3
8	E981	Assault by firearms and explosives	4,115	9	5	7	11	5	37	28	61	218
9		White--Male	1,398	1	-	3	4	2	10	11	27	62
10		Female	585	5	4	2	3	3	17	11	14	35
11		Negro--Male	1,738	2	1	2	1	-	6	3	16	95
12		Female	371	1	-	-	2	-	3	3	3	23
13		Other--Male	17	-	-	-	-	-	-	-	-	2
14		Female	6	-	-	-	1	-	1	-	1	1
15	E982	Assault by cutting and piercing instruments	1,793	10	1	1	3	3	18	2	12	97
16		White--Male	309	4	1	1	2	2	10	-	2	17
17		Female	96	2	-	-	-	-	2	2	3	7
18		Negro--Male	1,116	3	-	-	1	1	5	-	4	57
19		Female	260	1	-	-	-	-	1	-	3	15
20		Other--Male	11	-	-	-	-	-	-	-	-	1
21		Female	1	-	-	-	-	-	-	-	-	-
22	E964,E980,	Assault by other means	1,501	115	14	15	13	12	169	27	20	47
23	E983	White--Male	601	44	4	3	8	4	63	9	8	12
24		Female	321	39	7	5	4	6	61	15	6	18
25		Negro--Male	353	20	2	3	-	2	27	-	5	6
26		Female	193	11	1	[illegible]	1	-	16	2	1	8
27		Other--Male	21	-	-	-	-	-	-	1	-	1
28		Female	12	1	-	1	-	-	2	-	-	2
29	E984	Injury by intervention of police	244	-	-	-	-	-	-	-	-	28
30		White--Male	130	-	-	-	-	-	-	-	-	18
31		Female	-	-	-	-	-	-	-	-	-	-
32		Negro--Male	108	-	-	-	-	-	-	-	-	10
33		Female	1	-	-	-	-	-	-	-	-	-
34		Other--Male	4	-	-	-	-	-	-	-	-	-
35		Female	1	-	-	-	-	-	-	-	-	-
36	E985	Execution	82	-	-	-	-	-	-	-	-	10
37		White--Male	39	-	-	-	-	-	-	-	-	-
38		Female	1	-	-	-	-	-	-	-	-	-
39		Negro--Male	40	-	-	-	-	-	-	-	-	10
40		Female	1	-	-	-	-	-	-	-	-	-
41		Other--Male	1	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	E965,E990-	Injury resulting from operations of war	26	-	-	-	-	-	-	-	-	-
44	E999	White--Male	24	-	-	-	-	-	-	-	-	-
45		Female	-	-	-	-	-	-	-	-	-	-
46		Negro--Male	2	-	-	-	-	-	-	-	-	-
47		Female	-	-	-	-	-	-	-	-	-	-
48		Other--Male	-	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1954—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
841	1,107	1,071	981	856	716	485	302	196	165	99	65	36	9	4	1	-	27	1
239	290	271	291	279	256	170	130	101	76	53	31	21	4	3	-	-	13	2
77	102	103	118	95	93	76	42	26	30	17	15	6	3	1	-	-	8	3
397	560	556	453	389	296	193	115	64	48	19	14	3	1	-	-	-	3	4
121	147	135	111	83	66	41	11	3	9	8	4	5	1	-	1	-	2	5
6	5	6	8	6	3	4	4	2	2	1	1	-	-	-	-	-	1	6
1	3	-	-	4	2	1	-	-	-	1	-	1	-	-	-	-	-	7
453	592	594	553	483	419	271	156	98	75	42	17	5	4	1	-	-	8	8
120	172	169	185	177	165	102	72	51	32	24	9	3	1	1	-	-	5	9
55	69	68	81	68	63	45	21	14	13	3	3	1	3	-	-	-	1	10
210	291	293	233	199	153	101	59	33	27	12	4	1	-	-	-	-	2	11
64	57	62	52	35	36	23	3	-	3	3	1	-	-	-	-	-	-	12
3	2	2	2	3	2	-	1	-	-	-	-	-	-	-	-	-	-	13
1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	14
236	333	279	255	200	142	102	46	24	21	9	10	3	-	-	1	-	3	15
45	46	34	42	34	25	24	10	7	4	2	4	2	-	-	-	-	1	16
6	16	11	13	10	6	6	4	1	4	3	2	-	-	-	-	-	-	17
139	214	188	162	138	94	57	27	15	10	3	2	-	-	-	-	-	1	18
45	54	44	36	17	17	13	5	1	3	1	2	1	-	-	1	-	1	19
1	3	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	21
84	123	145	141	145	141	101	89	71	66	46	36	27	5	3	-	-	15	22
37	40	44	48	50	59	42	40	43	37	25	18	15	3	2	-	-	6	23
16	17	24	24	17	24	25	16	11	13	11	10	5	-	1	-	-	7	24
18	31	47	44	43	42	26	27	13	11	4	6	2	1	-	-	-	-	25
12	34	29	23	31	13	5	3	2	3	4	1	4	1	-	-	-	1	26
1	-	1	2	2	1	2	3	2	2	1	1	-	-	-	-	-	1	27
-	1	-	-	2	2	1	-	-	-	1	-	1	-	-	-	-	-	28
55	44	39	22	21	10	7	7	3	2	2	2	1	-	-	-	-	1	29
32	23	16	11	13	5	-	6	-	2	2	-	1	-	-	-	-	1	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
22	19	22	9	8	5	7	1	3	-	-	2	-	-	-	-	-	-	32
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
13	15	14	10	7	4	4	4	-	1	-	-	-	-	-	-	-	-	36
5	9	8	5	5	2	2	2	-	1	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	38
8	5	6	5	1	2	2	1	-	-	-	-	-	-	-	-	-	-	39
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
1	2	4	6	2	-	1	3	4	2	-	1	-	-	-	-	-	-	43
1	2	3	6	1	-	1	3	4	2	-	1	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	1,481,091	750,099	556,890	96,025	78,077	26,156	9,240	6,521	5,484	4,911
2	I. Infective and parasitic diseases	29,839	14,927	7,290	4,770	2,852	727	225	108	233	161
3	Tuberculosis, all forms 001-019	16,392	8,811	3,327	2,683	1,571	410	136	57	126	91
4	Tuberculosis of respiratory system 001-008	15,024	8,268	3,021	2,402	1,333	374	126	51	115	82
5	Tuberculosis of meninges and central nervous system 010	384	129	91	83	81	11	3	1	4	3
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	93	34	25	17	17	4	1	-	2	1
7	Tuberculosis of vertebral column 012.0,013.0	126	55	39	17	15	2	-	2	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	31	15	9	4	3	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	179	103	46	19	11	4	3	-	1	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	103	54	23	11	15	3	1	1	-	1
11	Disseminated tuberculosis 019	452	153	73	130	96	12	2	2	4	4
12	Syphilis and its sequelae 020-029	4,835	2,414	824	1,119	478	98	21	6	57	14
13	Congenital syphilis 020	62	11	13	24	14	7	-	-	5	2
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	1,807	1,090	334	273	110	40	16	4	19	1
16	Other cardiovascular syphilis 023	1,642	711	244	496	191	33	1	2	22	8
17	Tabes dorsalis 024	114	77	20	11	6	-	-	-	-	-
18	General paralysis of insane 025	607	277	89	170	71	10	2	-	5	3
19	Other syphilis of central nervous system 026	480	206	91	112	71	6	2	-	4	-
20	Other syphilis 027-029	123	42	33	33	15	2	-	-	2	-
21	Gonococcal infection 030-035	15	6	1	5	3	1	1	-	-	-
22	Typhoid fever 040	45	13	13	13	6	-	-	-	-	-
23	Paratyphoid fever 041	10	3	3	2	2	-	-	-	-	-
24	Other Salmonella infections 042	38	11	21	5	1	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	15	9	3	1	2	-	-	-	-	-
27	Dysentery, all forms 045-048	655	212	188	141	114	21	4	1	6	10
28	Food poisoning (infection and intoxication) 049	117	36	33	25	23	5	1	-	2	2
29	Scarlet fever 050	63	29	31	2	1	2	2	-	-	-
30	Streptococcal sore throat 051	199	83	74	16	26	5	3	-	1	1
31	Erysipelas 052	39	18	17	2	2	1	-	-	1	-
32	Septicemia and pyemia 053	897	405	323	86	83	18	7	6	2	3
33	Diphtheria 055	145	50	41	31	23	14	2	2	4	6
34	Whooping cough 056	373	95	127	70	81	11	1	4	1	5
35	Meningococcal infections 057	1,015	480	380	91	64	29	13	3	7	6
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	4	2	-	1	1	-	-	-	-	-
38	Leprosy 060	4	2	2	-	-	-	-	-	-	-
39	Tetanus 061	332	115	79	89	49	17	3	3	7	4
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	1,368	753	546	39	30	27	13	11	1	2
42	Late effects of acute poliomyelitis 081	132	67	55	6	4	4	1	1	1	1
43	Acute infectious encephalitis 082	407	183	169	30	25	6	-	1	1	4
44	Late effects of acute infectious encephalitis 083	124	75	41	5	3	-	-	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	518	188	214	55	61	20	5	7	4	4
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	821	333	374	59	55	13	5	3	4	1
49	Rabies 094	13	7	2	3	1	1	1	-	-	-
50	Tick-borne typhus 104	10	4	3	2	1	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	10	4	3	2	1	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	10	6	3	1	-	1	-	-	1	-
54	Malaria 110-117	24	9	3	7	5	-	-	-	-	-
55	Schistosomiasis 123	6	1	3	2	-	-	-	-	-	-
56	Hydatid disease 125	8	3	4	1	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	6	3	-	-	3	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	55	14	12	11	18	2	-	-	-	2
60	All other infective and parasitic diseases Residual[1]	1,144	487	374	167	116	21	6	3	7	5
61	II. Neoplasms	239,763	114,275	104,848	10,445	10,195	3,237	1,128	1,157	420	532
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	234,669	112,350	102,453	10,189	9,677	3,154	1,105	1,126	408	515
63	Malignant neoplasm of buccal cavity and pharynx 140-148	5,382	3,907	1,069	303	103	75	35	28	7	5
64	Of lip 140	361	317	34	5	5	10	6	4	-	-
65	Of tongue 141	1,292	947	241	81	23	11	6	2	1	2
66	Of other and unspecified parts of buccal cavity 142-144	1,547	1,011	416	72	48	27	9	13	3	2
67	Of pharynx 145-148	2,182	1,632	378	145	27	27	14	9	3	1
68	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	85,493	42,648	35,684	4,368	2,793	970	351	330	170	119
69	Of esophagus 150	4,155	2,755	749	513	138	43	16	6	13	8
70	Of stomach 151	23,019	12,846	7,634	1,729	810	284	108	71	77	28
71	Of intestine, except rectum 152,153	25,368	10,770	13,177	691	730	247	76	116	27	28
72	Of rectum 154	10,666	5,699	4,271	365	331	97	24	36	15	22
73	Of biliary passages and of liver (stated to be primary site) 155	5,237	1,855	3,040	185	157	93	35	37	13	8
74	Of liver not specified whether primary or secondary 156A	4,425	2,006	1,938	288	193	31	11	11	5	4
75	Of pancreas 157	10,918	5,966	4,140	485	327	152	78	44	16	14
76	Of peritoneum and of unspecified digestive organs 158,159	1,705	751	735	112	107	23	3	9	4	7
77	Malignant neoplasm of respiratory system 160-164	27,627	21,581	4,049	1,676	321	368	231	50	71	16
78	Of larynx 161	1,968	1,634	168	151	15	25	14	5	5	1
79	Of trachea, and of bronchus and lung specified as primary 162	11,136	8,820	1,411	769	136	281	183	36	50	12
80	Of lung and bronchus, unspecified as primary or secondary 163	13,652	10,620	2,178	702	152	38	25	4	8	1
81	Of other parts of respiratory system 160,164	871	507	292	54	18	24	9	5	8	2
82	Malignant neoplasm of breast 170	20,909	196	19,152	34	1,527	285	2	197	2	84

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7,212	3,863	2,249	659	441	15,107	6,615	4,454	2,150	1,888	109,445	59,863	43,428	3,837	2,317	12,989	7,283	5,331	217	158	1
345	179	68	52	46	523	205	112	121	85	2,182	1,300	556	251	75	231	143	73	9	6	2
241	143	47	29	22	304	140	69	57	38	1,225	773	252	155	45	131	83	38	6	4	3
223	138	45	24	16	285	134	66	50	35	1,115	721	223	135	36	123	78	36	5	4	4
8	2	1	3	2	9	4	2	3	-	17	7	6	3	1	3	3	-	-	-	5
-	-	-	-	-	-	-	-	-	-	10	3	4	2	1	-	-	-	-	-	6
-	-	-	-	-	1	1	-	-	-	9	3	2	3	1	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
2	1	1	-	-	1	-	1	-	-	17	10	6	1	-	4	2	1	1	-	9
2	1	-	1	-	-	-	-	-	-	13	9	2	2	-	1	-	1	-	-	10
6	1	-	1	4	8	1	-	4	3	44	20	9	9	6	-	-	-	-	-	11
26	16	4	5	1	52	14	9	19	10	384	252	72	48	12	31	25	3	2	1	12
-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
13	11	1	1	-	16	5	4	4	3	152	110	29	9	4	11	11	-	-	-	15
7	2	1	4	-	16	2	2	8	4	157	100	23	30	4	16	12	2	2	-	16
2	1	-	-	1	3	1	1	-	1	9	7	2	-	-	1	-	1	-	-	17
1	-	1	-	-	4	2	-	2	-	19	10	6	2	1	-	-	-	-	-	18
3	2	1	-	-	13	4	2	5	2	36	20	9	5	2	2	1	-	-	1	19
-	-	-	-	-	-	-	-	-	-	8	4	2	1	1	1	1	-	-	-	20
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	-	-	-	1	21
1	-	-	1	-	-	-	-	-	-	4	1	2	1	-	-	-	-	-	-	22
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	2	1	1	-	-	6	3	2	1	-	1	-	1	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	26
14	4	2	-	8	30	6	5	15	4	31	17	11	2	1	4	2	2	-	-	27
-	-	-	-	-	6	-	-	1	5	2	-	1	1	-	2	1	1	-	-	28
-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	-	-	-	-	-	29
2	-	1	-	1	5	1	-	2	2	7	2	4	1	-	4	2	2	-	-	30
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	31
7	2	3	-	2	11	3	1	3	4	54	25	21	5	3	14	8	6	-	-	32
2	1	1	-	-	5	-	1	2	2	4	1	3	-	-	-	-	-	-	-	33
-	-	-	-	-	20	1	4	6	9	17	5	10	2	-	2	-	2	-	-	34
2	-	2	-	-	20	9	5	4	2	69	30	35	2	2	5	3	2	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	11	3	2	6	-	20	13	4	1	2	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
2	1	1	-	-	18	13	3	1	1	124	69	53	1	1	7	5	2	-	-	41
4	4	-	-	-	2	1	1	-	-	15	9	6	-	-	4	1	3	-	-	42
4	-	1	3	-	3	-	1	-	2	24	10	13	1	-	3	1	2	-	-	43
1	-	1	-	-	3	2	-	-	1	11	7	4	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
10	-	1	4	5	2	2	-	-	-	10	3	7	-	-	5	1	4	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
4	1	1	1	1	6	2	2	-	2	63	30	25	6	2	7	5	1	1	-	48
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	53
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	59
23	6	3	9	5	20	6	6	5	3	95	42	23	24	6	8	4	4	-	-	60
971	505	397	40	29	2,104	908	793	201	202	18,074	8,897	8,230	507	440	2,021	976	988	33	24	61
953	497	387	40	29	2,047	886	772	196	193	17,665	8,722	8,028	499	416	1,983	964	963	33	23	62
26	17	7	2	-	55	29	19	3	4	450	338	90	18	4	33	22	10	1	-	63
-	-	-	-	-	7	5	1	-	1	21	17	4	-	-	4	3	1	-	-	64
13	9	4	-	-	8	5	3	-	-	126	100	18	8	-	7	5	2	-	-	65
3	1	1	1	-	21	6	12	1	2	115	77	35	1	2	10	5	4	1	-	66
10	7	2	1	-	19	13	3	2	1	188	144	33	9	2	12	9	3	-	-	67
296	161	119	8	8	686	299	255	85	47	6,087	3,120	2,602	244	121	730	373	334	18	5	68
6	3	3	-	-	33	15	5	8	5	301	206	72	21	2	22	18	3	-	1	69
91	63	22	3	3	195	94	57	32	12	1,618	917	560	107	34	201	114	80	7	-	70
80	32	45	2	1	178	67	88	12	11	1,758	776	920	30	32	212	98	109	4	1	71
31	17	14	-	-	55	21	24	5	5	807	431	346	15	15	99	49	45	4	1	72
26	9	14	-	3	58	21	25	7	5	432	163	247	15	7	65	28	36	1	-	73
11	6	3	2	-	43	16	15	9	3	163	78	68	14	3	13	8	5	-	-	74
47	29	16	1	1	108	60	33	11	4	904	501	342	38	23	103	53	47	1	2	75
4	2	2	-	-	16	5	8	1	2	104	48	47	4	5	15	5	9	1	-	76
137	112	19	4	2	216	158	36	17	5	2,228	1,792	341	80	15	188	155	27	5	1	77
7	7	-	-	-	10	9	-	1	-	145	123	18	4	-	12	10	2	-	-	78
68	54	9	3	2	133	103	18	8	4	1,227	1,010	157	51	9	114	96	14	3	1	79
60	50	9	1	-	62	40	13	8	1	790	626	136	23	5	56	44	10	2	-	80
2	1	1	-	-	11	6	5	-	-	66	33	30	2	1	6	5	1	-	-	81
78	2	72	-	4	146	1	119	2	24	1,705	11	1,624	1	69	191	2	186	-	3	82

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	36,947	12,741	19,669	1,494	3,043	663	159	243	68	193
2	Of cervix uteri----------171	8,559	...	6,986	...	1,573	211	...	110	...	101
3	Of other and unspecified parts of uterus----------172-174	6,571	...	5,609	...	962	134	...	66	...	68
4	Of ovary, fallopian tube, and broad ligament----------175	6,838	...	6,408	...	430	81	...	59	...	22
5	Of other and unspecified female genital organs----------176	744	...	666	...	78	10	...	8	...	2
6	Of prostate----------177	13,218	11,811	...	1,407	...	221	154	...	67	...
7	Of testis, and of other and unspecified male genital organs----178,179	1,017	930	...	87	...	6	5	...	1	...
8	Malignant neoplasm of urinary organs----------180,181	11,193	6,989	3,466	445	293	106	45	32	15	14
9	Of kidney----------180	4,162	2,453	1,466	155	88	40	14	14	6	6
10	Of bladder and other urinary organs----------181	7,031	4,536	2,000	290	205	66	31	18	9	8
11	Malignant neoplasm of other and unspecified sites----156B,185,190-199	26,561	13,162	11,291	1,022	1,086	409	165	145	44	55
12	Of skin----------190,191	3,681	2,085	1,451	82	63	62	31	25	3	3
13	Of eye----------192	346	170	157	10	9	5	1	3	-	1
14	Of brain and other parts of nervous system----------193	5,320	3,051	1,983	160	126	88	49	28	7	4
15	Of thyroid gland----------194	1,000	299	625	24	52	9	2	6	-	1
16	Of bone (including jaw bone)----------196	2,080	1,134	770	91	85	32	10	14	5	3
17	Of connective tissue----------197	737	367	313	34	23	7	3	3	-	1
18	Of other specified sites, not stated to be secondary-----195,198A,199A	3,890	1,718	1,802	149	221	81	27	27	11	16
19	Of unspecified sites----------156B,165,198B,199B-M	9,507	4,338	4,190	472	507	125	42	39	18	26
20	Leukemia and aleukemia----------204	10,443	5,589	4,205	400	249	152	59	60	17	16
21	Lymphosarcoma, etc.*----------200-203,205	10,114	5,537	3,868	447	262	126	58	41	14	13
22	Lymphosarcoma and reticulosarcoma----------200	4,654	2,523	1,864	163	104	44	21	14	5	4
23	Hodgkin's disease----------201	2,809	1,668	963	127	51	50	25	14	6	5
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	2,651	1,346	1,041	157	107	32	12	13	3	4
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	5,094	1,925	2,395	256	518	83	23	31	12	17
26	Benign neoplasms of female genital organs----------214-217	959	...	677	...	282	23	...	15	...	8
27	Benign neoplasm of brain and other parts of nervous system---------223	891	377	424	48	42	13	5	5	1	2
28	Other benign neoplasms----------210-213,218-222,224-229	868	430	331	52	55	14	6	3	4	1
29	Neoplasm of unspecified nature of female genital organs--------233-235	23	...	18	...	5	1	...	1	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	1,542	752	609	98	83	22	9	4	5	4
31	Other neoplasms of unspecified nature----------230-232,236,238,239	811	366	336	58	51	10	3	3	2	2
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	34,782	13,911	17,334	1,375	2,162	470	144	156	71	99
33	Asthma----------241	6,136	3,738	1,839	328	231	97	46	22	22	7
34	Nontoxic goiter----------250,251	137	19	94	2	22	3	-	3	-	-
35	Thyrotoxicosis with or without goiter----------252	863	132	613	21	97	15	1	8	1	5
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	227	51	150	4	22	3	1	1	-	1
37	Diabetes mellitus----------260	25,151	9,009	13,705	826	1,611	292	80	101	36	75
38	Diseases of thymus gland----------273	350	169	114	41	26	2	-	-	2	-
39	Diseases of adrenal glands----------274	328	146	151	16	15	2	-	1	-	1
40	Pellagra----------281	116	24	59	12	21	18	1	12	3	2
41	All other avitaminoses and nutritional deficiency states-----280,282-286	728	280	290	88	70	28	9	7	5	7
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	746	343	319	37	47	10	6	1	2	1
43	IV. Diseases of the blood and blood-forming organs----------	4,727	1,976	2,161	287	303	83	24	28	12	19
44	Anemias----------290-293	3,301	1,290	1,533	228	250	61	15	22	8	16
45	Pernicious and other hyperchromic anemias----------290	1,181	449	667	29	36	13	3	8	2	-
46	Anemias of other and unspecified type----------291-293	2,120	841	866	199	214	48	12	14	6	16
47	Purpura and other hemorrhagic conditions----------296	553	229	281	17	26	6	1	3	1	1
48	All other diseases of blood and blood-forming organs-----294,295,297-299	873	457	347	42	27	16	8	3	3	2
49	V. Mental, psychoneurotic, and personality disorders----------	3,550	1,975	855	474	246	85	34	10	28	13
50	Senile psychosis----------304	440	162	228	18	32	7	2	1	-	4
51	Alcoholic psychosis----------307	229	174	16	33	6	2	1	1	-	-
52	Other psychoses----------300-303,305,306,308,309	540	198	223	63	56	26	1	6	16	3
53	Alcoholism----------322	2,039	1,304	269	337	129	44	26	1	12	5
54	Mental deficiency----------325	171	92	63	8	8	2	2	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	131	45	56	15	15	4	2	1	-	1
56	VI. Diseases of the nervous system and sense organs----------	181,173	77,758	80,705	10,955	11,755	3,716	1,106	1,023	740	847
57	Vascular lesions affecting central nervous system----------330-334	167,777	71,333	75,673	9,841	10,930	3,432	1,014	954	673	791
58	Subarachnoid hemorrhage----------330	4,706	1,855	2,037	356	398	69	21	27	8	13
59	Cerebral hemorrhage----------331	108,443	45,232	48,958	6,658	7,595	2,427	711	650	486	580
60	Cerebral embolism and thrombosis----------332	36,726	16,839	16,880	1,538	1,469	445	151	161	69	64
61	Other vascular lesions affecting central nervous system--------333,334	17,902	7,407	7,738	1,289	1,468	491	131	116	110	134
62	Meningitis, except meningococcal and tuberculous----------340	1,829	758	524	301	246	43	9	7	16	11
63	Multiple sclerosis----------345	1,394	612	704	33	45	15	8	5	1	1
64	Paralysis agitans----------350	2,330	1,286	978	37	29	22	9	13	-	-
65	Cerebral spastic infantile paralysis----------351	589	292	219	34	44	19	7	4	4	4
66	Epilepsy----------353	2,136	988	701	311	136	66	17	14	19	16
67	Inflammatory diseases of eye----------370-379	16	6	5	4	1	1	1	-	-	-
68	Cataract----------385	59	23	32	1	3	2	1	-	-	1
69	Glaucoma----------387	20	7	12	-	1	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	455	204	160	51	40	9	4	2	-	3
71	Other diseases of nervous system and sense organs----------Residual[1]	4,568	2,249	1,697	342	280	107	36	24	27	20
72	VII. Diseases of the circulatory system----------	613,241	329,258	229,128	29,458	25,399	9,122	3,608	2,347	1,613	1,554
73	Rheumatic fever----------400-402	1,297	525	490	126	156	53	10	16	13	14
74	Diseases of heart----------410-443	560,077	304,759	206,425	26,437	22,456	8,219	3,335	2,088	1,441	1,355
75	Chronic rheumatic heart disease----------410-416	18,256	8,169	8,505	785	797	232	71	65	48	48
76	Diseases of mitral valve----------410	6,970	2,951	3,383	326	310	101	25	27	25	24
77	Diseases of aortic valve specified as rheumatic----------411	1,145	830	258	33	24	9	2	6	1	-
78	Diseases of tricuspid valve----------412	29	15	10	2	2	1	1	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	1,119	496	530	50	43	15	6	4	4	1
80	Other diseases of heart specified as rheumatic----------415,416	8,993	3,877	4,324	374	418	106	37	28	18	23

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
160	58	80	13	9	412	123	171	45	73	2,670	951	1,554	46	119	334	126	197	3	8	1
44	...	38	...	6	97	...	69	...	28	656	...	590	...	66	79	...	76	...	3	2
16	...	15	...	1	81	...	49	...	32	383	...	351	...	32	49	...	47	...	2	3
25	...	24	...	1	60	...	47	...	13	591	...	572	...	19	71	...	68	...	3	4
4	...	3	...	1	6	...	6	...	-	43	...	41	...	2	6	...	6	...	-	5
65	54	...	11	...	162	118	...	44	...	901	858	...	43	...	117	114	...	3	...	6
6	4	...	2	...	6	5	...	1	...	96	93	...	3	...	12	12	...	-	...	7
37	24	8	3	2	83	40	25	9	9	849	555	264	17	13	102	67	35	-	-	8
18	12	3	2	1	41	22	13	3	3	309	187	109	5	8	44	30	14	-	-	9
19	12	5	1	1	42	18	12	6	6	540	368	155	12	5	58	37	21	-	-	10
105	62	39	3	1	280	140	92	23	25	1,975	996	888	40	51	217	116	94	4	3	11
21	17	4	-	-	50	32	15	1	2	313	189	121	2	1	46	28	18	-	-	12
1	-	1	-	-	6	5	1	-	-	26	13	11	1	1	1	-	1	-	-	13
19	12	6	-	1	51	32	14	4	1	419	226	178	5	10	44	27	17	-	-	14
5	3	1	1	-	6	1	2	2	1	87	18	62	2	5	10	5	5	-	-	15
9	7	2	-	-	22	12	7	3	-	128	72	49	4	3	7	3	3	-	1	16
3	1	2	-	-	3	1	-	1	1	72	38	31	3	-	13	7	5	1	-	17
17	10	7	-	-	53	22	17	7	7	220	98	113	3	6	32	15	17	-	-	18
30	12	16	2	-	89	35	36	5	13	710	342	323	20	25	64	31	28	3	2	19
58	31	22	3	2	94	52	34	4	4	847	471	341	25	10	90	47	41	1	1	20
56	30	21	4	1	75	44	21	8	2	854	488	324	28	14	98	56	39	1	2	21
21	12	8	1	-	35	19	13	3	-	426	233	176	13	4	55	33	20	1	1	22
17	7	8	1	1	28	18	5	5	-	227	138	77	7	5	18	12	6	-	-	23
18	11	5	2	-	12	7	3	-	2	201	117	71	8	5	25	11	13	-	1	24
18	8	10	-	-	57	22	21	5	9	409	175	202	8	24	38	12	25	-	1	25
1	...	1	...	-	12	...	7	...	5	65	...	53	...	12	8	...	8	...	-	26
5	4	1	-	-	10	5	4	-	1	85	34	46	3	2	11	3	7	-	1	27
3	1	2	-	-	6	1	3	2	-	83	45	29	3	6	10	5	5	-	-	28
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	29
6	2	4	-	-	20	14	3	1	2	118	69	45	1	3	4	2	2	-	-	30
3	1	2	-	-	9	2	4	2	1	56	27	27	1	1	5	2	3	-	-	31
224	135	74	10	5	266	91	102	28	45	1,836	826	884	70	56	251	126	120	2	3	32
140	102	32	6	-	42	22	10	7	3	435	270	142	18	5	70	49	20	1	-	33
1	1	-	-	-	-	-	-	-	-	7	-	6	-	1	1	-	1	-	-	34
-	-	-	-	-	11	-	3	3	5	35	5	26	-	4	8	-	8	-	-	35
2	-	2	-	-	3	2	1	-	-	13	1	9	1	2	3	2	1	-	-	36
66	27	35	1	3	182	57	79	15	31	1,207	493	630	45	39	147	61	82	1	3	37
-	-	-	-	-	1	-	-	-	1	23	16	6	1	-	3	3	-	-	-	38
3	1	2	-	-	3	1	2	-	-	16	6	9	1	-	6	4	2	-	-	39
-	-	-	-	-	4	1	2	-	1	1	-	1	-	-	-	-	-	-	-	40
9	3	2	3	1	11	2	3	2	4	32	9	20	1	2	5	2	3	-	-	41
3	1	1	-	1	9	6	2	1	-	67	26	35	3	3	8	5	3	-	-	42
22	10	9	3	-	44	10	22	8	4	269	140	116	3	10	48	19	28	1	-	43
16	8	5	3	-	35	6	18	7	4	174	84	79	2	9	29	9	20	-	-	44
3	2	1	-	-	11	-	5	3	3	46	18	28	-	-	11	2	9	-	-	45
13	6	4	3	-	24	6	13	4	1	128	66	51	2	9	18	7	11	-	-	46
4	1	3	-	-	5	2	2	1	-	37	23	13	-	1	9	4	4	1	-	47
2	1	1	-	-	4	2	2	-	-	58	33	24	1	-	10	6	4	-	-	48
26	15	2	5	4	46	18	17	5	6	297	165	103	17	12	32	23	7	2	-	49
-	-	-	-	-	13	1	10	-	2	33	10	20	1	2	4	2	2	-	-	50
1	1	-	-	-	1	1	-	-	-	12	8	2	1	1	1	1	-	-	-	51
3	1	2	-	-	7	2	2	1	2	47	17	24	3	3	4	2	2	-	-	52
21	13	-	5	3	20	11	3	4	2	181	119	44	12	6	22	17	3	2	-	53
1	-	-	-	1	4	2	2	-	-	15	10	5	-	-	-	-	-	-	-	54
-	-	-	-	-	1	1	-	-	-	9	1	8	-	-	1	1	-	-	-	55
630	290	269	42	29	2,079	765	683	277	354	12,893	5,731	6,516	370	276	1,500	705	748	20	27	56
560	256	249	33	22	1,942	707	638	261	336	11,893	5,195	6,122	327	249	1,363	624	695	18	26	57
13	7	4	-	2	36	13	14	7	2	460	167	248	21	24	35	14	19	1	1	58
362	159	160	25	18	1,371	499	462	174	236	6,502	2,854	3,322	192	134	930	420	479	11	20	59
135	71	55	7	2	262	119	87	21	35	3,768	1,720	1,899	87	62	270	130	133	4	3	60
50	19	30	1	-	273	76	75	59	63	1,163	454	653	27	29	128	60	64	2	2	61
21	8	3	5	5	18	7	3	3	5	172	88	53	15	16	9	5	4	-	-	62
2	1	1	-	-	11	5	6	-	-	85	34	47	2	2	19	9	10	-	-	63
3	1	2	-	-	17	12	5	-	-	206	126	80	-	-	22	16	6	-	-	64
3	3	-	-	-	4	1	1	-	2	38	24	9	2	3	10	7	3	-	-	65
11	3	8	-	-	21	10	4	5	2	134	77	48	8	1	22	12	10	-	-	66
-	-	-	-	-	1	1	-	-	-	4	1	1	2	-	1	-	1	-	-	67
1	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	69
4	1	1	2	-	6	1	3	-	2	46	21	19	5	1	12	7	3	1	1	70
25	17	5	2	1	59	21	23	8	7	312	164	135	9	4	42	25	16	1	-	71
2,196	1,365	692	86	53	5,532	2,697	1,562	656	617	46,564	26,687	18,042	1,162	673	4,881	2,819	1,964	49	49	72
16	6	9	1	-	8	4	3	-	1	86	52	30	3	1	21	15	5	-	1	73
1,980	1,253	602	76	49	4,985	2,472	1,383	586	544	42,009	24,493	15,862	1,055	599	4,395	2,574	1,731	46	44	74
108	52	48	4	4	129	63	45	7	14	1,517	745	704	41	27	216	98	115	2	1	75
55	28	22	2	3	67	29	25	5	8	621	287	306	18	10	99	42	57	-	-	76
7	7	-	-	-	10	8	2	-	-	188	144	38	4	2	8	6	2	-	-	77
-	-	-	-	-	1	-	1	-	-	6	3	2	-	1	2	-	2	-	-	78
7	3	4	-	-	4	3	1	-	-	86	40	43	1	2	9	3	6	-	-	79
39	14	22	2	1	47	23	16	2	6	616	271	315	18	12	98	47	48	2	1	80

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	379,788	228,766	128,894	13,060	9,068	4,433	2,259	1,132	579	463
2	Arteriosclerotic heart disease so described----------420.0	138,794	71,436	58,834	4,734	3,790	1,340	590	417	172	161
3	Heart disease specified as involving coronary arteries----------420.1	239,775	156,623	69,683	8,250	5,219	3,046	1,649	704	400	293
4	Angina pectoris without mention of coronary disease----------420.2	1,219	707	377	76	59	47	20	11	7	9
5	Chronic endocarditis not specified as rheumatic----------421	7,218	3,432	2,704	590	492	183	49	35	40	59
6	Of mitral valve, specified as nonrheumatic----------421.0	717	290	319	50	58	7	2	-	3	2
7	Of aortic valve, not specified as rheumatic----------421.1	1,775	1,034	465	173	103	22	7	4	7	4
8	Of other valves, not specified as rheumatic----------421.2-421.4	4,726	2,108	1,920	367	331	154	40	31	30	53
9	Other myocardial degeneration----------422	58,873	26,653	26,224	3,150	2,846	998	298	271	238	191
10	With arteriosclerosis----------422.1	32,744	14,566	15,222	1,574	1,382	503	146	137	122	98
11	Without mention of arteriosclerosis----------422.0,422.2	26,129	12,087	11,002	1,576	1,464	495	152	134	116	93
12	Other diseases of heart----------430-434	20,903	10,630	6,763	2,007	1,503	586	223	136	119	108
13	Acute and subacute endocarditis----------430	778	394	234	82	68	17	8	1	5	3
14	Acute myocarditis not specified as rheumatic----------431	1,501	649	559	153	140	47	10	16	9	12
15	Acute pericarditis specified as nonrheumatic----------432	43	27	10	4	2	1	1	-	-	-
16	Functional disease of heart----------433	2,360	1,190	1,012	77	81	31	13	11	2	5
17	Other and unspecified diseases of heart----------434	16,221	8,370	4,948	1,691	1,212	490	191	108	103	88
18	Hypertension with heart disease----------440-443	75,039	27,109	33,335	6,845	7,750	1,787	435	449	417	486
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	20,406	8,378	8,357	1,880	1,791	568	173	139	134	122
20	Essential hypertension with heart disease, etc.*----------440,441,443	54,633	18,731	24,978	4,965	5,959	1,219	262	310	283	364
21	Hypertension without mention of heart----------444-447	11,383	4,568	4,417	1,163	1,235	308	74	71	70	93
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	6,164	2,840	2.295	548	481	105	37	18	26	24
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	5,219	1,728	2,122	615	754	203	37	53	44	69
24	Diseases of arteries----------450-456	36,318	17,424	16,122	1,461	1,311	461	157	148	76	80
25	General arteriosclerosis----------450	30,225	13,681	14,395	1,120	1,029	371	114	128	66	63
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	3,916	2,693	863	227	133	51	30	9	6	6
27	Gangrene of unspecified cause----------455	230	94	88	21	27	2	-	-	-	2
28	Other arterial diseases----------452-454,456	1,947	956	776	93	122	37	13	11	4	9
29	Diseases of veins and other diseases of circulatory system--------460-468	4,166	1,982	1,672	271	241	81	32	24	13	12
30	VIII. Diseases of the respiratory system----------	57,739	29,121	18,549	5,859	4,210	1,257	380	294	340	243
31	Acute upper respiratory infections----------470-475	954	382	354	124	94	28	11	2	8	7
32	Influenza----------480-483	2,680	1,007	954	355	364	180	51	47	39	43
33	Pneumonia, except pneumonia of newborn----------490-493	38,311	17,611	13,165	4,341	3,194	817	207	187	250	173
34	Lobar pneumonia----------490	10,766	5,232	3,332	1,405	797	294	79	67	89	59
35	Bronchopneumonia----------491	19,875	9,006	7,142	2,040	1,687	352	77	86	116	73
36	Primary atypical pneumonia----------492	3,289	1,517	1.247	292	233	68	20	19	14	15
37	Pneumonia, other and unspecified----------493	4,381	1,856	1,444	604	477	103	31	15	31	26
38	Acute bronchitis----------500	990	471	347	100	72	19	7	3	8	1
39	Bronchitis, chronic and unqualified----------501,502	1,882	1,149	556	105	72	32	13	11	4	4
40	Hypertrophy of tonsils and adenoids----------510	254	107	101	23	23	3	-	1	1	1
41	Empyema and abscess of lung----------516,521	743	410	185	111	37	12	6	1	4	1
42	Pleurisy----------519	195	100	56	23	16	3	-	1	1	1
43	All other respiratory diseases----------Residual[1]	11,730	7,884	2,831	677	338	163	85	41	25	12
44	IX. Diseases of the digestive system----------	57.843	31,144	20,062	3,754	2,883	830	315	202	180	133
45	Diseases of teeth and supporting structures----------530-535	156	63	51	20	22	4	4	-	-	-
46	Ulcer of stomach----------540	4,690	3,252	973	344	121	65	28	7	21	9
47	Ulcer of duodenum----------541	4,701	3,631	795	202	73	35	26	6	2	1
48	Gastritis and duodenitis----------543	298	154	86	32	26	8	3	3	1	1
49	Appendicitis----------550-553	2,278	1,243	670	212	153	43	11	6	15	11
50	Hernia and intestinal obstruction----------560,561,570	8,498	3,878	3,558	598	464	151	44	39	36	32
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	7,594	2,949	2,750	1,025	870	166	36	31	52	47
52	Cirrhosis of liver----------581	16,201	9,997	4,971	723	510	155	84	39	20	12
53	Without mention of alcoholism----------581.0	12,003	7,232	3,900	511	360	122	59	34	17	12
54	With alcoholism----------581.1	4,198	2,765	1.071	212	150	33	25	5	3	-
55	Cholelithiasis and cholecystitis----------584,585	5,690	2,120	3,330	70	170	72	30	35	1	6
56	Other diseases of digestive system----------Residual[1]	7,737	3,857	2,878	528	474	131	49	36	32	14
57	X. Diseases of the genito-urinary system----------	34,197	17.774	10,423	3,468	2,532	855	252	156	243	204
58	Nephritis and nephrosis----------590-594	19,588	8,456	7,211	2,084	1,837	565	139	114	149	163
59	Acute nephritis----------590	1,363	589	462	167	145	36	9	5	9	13
60	Nephritis with edema, including nephrosis----------591	1,152	526	416	111	99	24	12	2	5	5
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	17,073	7,341	6,333	1,806	1,593	505	118	107	135	145
62	Infections of kidney----------600	4,300	1,806	1,773	366	355	82	11	25	26	20
63	Calculi of urinary system----------602,604	1,216	659	457	65	35	21	11	5	3	2
64	Other diseases of urinary system----------601,603,605-609	1,654	844	484	243	83	39	10	4	18	7
65	Hyperplasia of prostate----------610	6,095	5,472	...	623	...	109	69	...	40	...
66	Other diseases of male genital organs----------611-617	621	535	...	86	...	19	12	...	7	...
67	Diseases of breast----------620,621	16	2	9	1	4	1	-	-	-	1
68	Diseases of female genital organs----------622-637	707	...	489	...	218	19	...	8	...	11
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	2,105	...	1,280	...	825	103	...	30	...	73
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	222	...	156	...	66	9	...	4	...	5
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	615	...	355	...	260	27	...	6	...	21
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	415	...	259	...	156	26	...	11	...	15
73	Ectopic pregnancy----------645	162	...	72	...	90	8	...	2	...	6
74	Abortion without mention of sepsis or toxemia----------650	91	...	51	...	40	5	...	1	...	4
75	Abortion with sepsis----------651	170	...	91	...	79	11	...	2	...	9
76	Abortion with toxemia, without mention of sepsis----------652	26	...	14	...	12	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	404	...	282	...	122	17	...	4	...	13

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,401	938	390	48	25	3,139	1,786	864	285	204	31,353	19,614	10,759	668	312	3,237	2,044	1,133	35	25	1
549	344	170	25	10	905	462	307	80	56	12,119	6,726	4,995	257	141	1,225	694	499	19	13	2
850	592	220	23	15	2,211	1,311	550	203	147	19,181	12,856	5,745	409	171	2,007	1,346	633	16	12	3
2	2	-	-	-	23	13	7	2	1	53	32	19	2	-	5	4	1	-	-	4
13	9	2	1	1	95	34	15	19	27	356	194	146	11	5	72	40	32	-	-	5
3	-	2	1	-	12	5	5	1	1	38	19	18	1	-	8	3	5	-	-	6
7	7	-	-	-	10	7	-	2	1	161	103	52	3	3	14	12	2	-	-	7
3	2	-	-	1	73	22	10	16	25	157	72	76	7	2	50	25	25	-	-	8
194	106	72	7	9	402	138	121	70	73	3,208	1,564	1,507	79	58	350	172	172	1	5	9
99	49	39	6	5	174	53	53	31	37	2,114	1,005	1,018	47	44	178	86	89	1	2	10
95	57	33	1	4	228	85	68	39	36	1,094	559	489	32	14	172	86	83	-	3	11
76	53	16	5	2	376	177	76	68	55	734	397	301	21	15	76	46	26	1	3	12
6	5	-	-	1	14	-	3	3	8	64	41	21	1	1	7	3	4	-	-	13
6	5	-	1	-	15	6	3	3	3	49	19	26	2	2	5	2	2	-	1	14
-	-	-	-	-	1	1	-	-	-	7	5	1	1	-	-	-	-	-	-	15
8	6	2	-	-	29	17	6	1	5	134	64	66	2	2	10	7	2	1	-	16
56	37	14	4	1	317	153	64	61	39	480	268	187	15	10	54	34	18	-	2	17
188	95	74	11	8	844	274	262	137	171	4,841	1,979	2,445	235	182	444	174	253	7	10	18
58	32	20	2	4	196	76	48	35	37	883	385	418	42	38	177	85	90	2	-	19
130	63	54	9	4	648	198	214	102	134	3,958	1,594	2,027	193	144	267	89	163	5	10	20
49	24	19	4	2	178	56	50	31	41	624	286	282	29	27	75	42	31	1	1	21
31	18	8	4	1	68	30	14	13	11	401	202	160	21	18	55	33	20	1	1	22
18	6	11	-	1	110	26	36	18	30	223	84	122	8	9	20	9	11	-	-	23
144	78	61	4	1	323	150	113	36	24	3,526	1,694	1,728	62	42	346	166	177	-	3	24
110	52	54	3	1	282	125	104	32	21	2,787	1,197	1,524	36	30	272	117	153	-	2	25
25	22	2	1	-	18	13	3	1	1	571	411	127	24	9	53	41	11	-	1	26
-	-	-	-	-	1	1	-	-	-	10	2	8	-	-	2	-	2	-	-	27
9	4	5	-	-	22	11	6	3	2	158	84	69	2	3	19	8	11	-	-	28
7	4	1	1	1	38	15	13	3	7	319	162	140	13	4	44	22	20	2	-	29
519	274	126	67	52	701	270	218	125	88	4,271	2,487	1,471	215	98	858	491	327	29	11	30
11	5	1	2	3	10	1	6	-	3	39	19	15	4	1	15	8	7	-	-	31
12	8	1	2	1	68	23	17	16	12	57	26	28	3	-	24	13	11	-	-	32
303	116	89	53	45	455	153	149	94	59	2,764	1,520	1,028	138	78	606	310	258	27	11	33
68	31	19	10	8	150	48	53	33	16	658	416	187	40	15	121	73	37	8	3	34
165	60	49	28	28	207	75	60	41	31	1,645	848	674	76	47	446	217	205	18	6	35
30	14	13	1	2	63	22	24	10	7	318	176	113	19	10	19	7	11	-	1	36
40	11	8	14	7	35	8	12	10	5	143	80	54	3	6	20	13	5	1	1	37
9	2	2	4	1	12	5	5	1	1	92	46	37	6	3	23	11	12	-	-	38
15	11	2	1	1	26	11	6	4	5	117	69	40	6	2	16	13	3	-	-	39
-	-	-	-	-	1	-	-	1	-	25	11	11	2	1	2	2	-	-	-	40
7	5	2	-	-	10	6	1	2	1	63	39	17	6	1	7	3	4	-	-	41
1	1	-	-	-	1	-	-	1	-	10	4	4	1	1	1	1	-	-	-	42
161	126	29	5	1	118	71	34	6	7	1,104	753	291	49	11	164	130	32	2	-	43
446	168	119	88	71	543	214	171	84	74	5,176	3,042	1,850	195	89	675	408	243	17	7	44
-	-	-	-	-	-	-	-	-	-	11	6	3	1	1	1	-	1	-	-	45
26	20	5	1	-	35	23	5	7	-	387	268	99	16	4	54	34	15	5	-	46
31	24	5	2	-	28	20	8	-	-	476	381	77	13	5	76	54	21	1	-	47
2	1	1	-	-	9	-	3	2	4	21	13	7	1	-	3	1	2	-	-	48
14	3	6	3	2	32	8	11	5	8	127	80	38	9	-	22	13	6	3	-	49
56	24	19	5	8	83	24	33	14	12	567	275	255	25	12	85	44	39	1	1	50
195	42	36	64	53	106	24	28	27	27	477	218	228	17	14	135	78	50	4	3	51
62	34	19	6	3	100	60	22	13	5	2,164	1,322	733	79	30	145	100	43	1	1	52
45	23	15	5	2	86	48	20	13	5	1,211	704	447	43	17	96	62	33	1	-	53
17	11	4	1	1	14	12	2	-	-	953	618	286	36	13	49	38	10	-	1	54
29	7	17	4	1	64	24	31	2	7	326	124	190	4	8	83	44	39	-	-	55
31	13	11	3	4	86	31	30	14	11	620	355	220	30	15	71	40	27	2	2	56
148	82	42	14	10	562	236	145	120	61	1,949	1,139	647	97	66	291	189	95	5	2	57
80	40	25	10	5	381	130	117	80	54	950	465	398	46	41	170	102	66	2	-	58
5	1	3	-	1	51	21	13	8	9	46	21	24	-	1	10	5	4	1	-	59
3	1	2	-	-	20	4	6	7	3	76	40	31	3	2	12	9	3	-	-	60
72	38	20	10	4	310	105	98	65	42	828	404	343	43	38	148	88	59	1	-	61
22	11	8	-	3	48	20	16	7	5	335	160	137	26	12	32	18	11	1	2	62
6	3	3	-	-	9	6	1	1	1	91	55	27	7	2	14	11	3	-	-	63
9	7	2	-	-	22	9	7	6	-	113	67	37	6	3	8	5	3	-	-	64
25	21	...	4	...	84	62	...	22	...	379	368	...	11	...	50	48	...	2	...	65
-	-	...	-	...	13	9	...	4	...	25	24	...	1	...	5	5	...	-	...	66
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	67
6	...	4	...	2	5	...	4	...	1	55	...	47	...	8	11	...	11	...	-	68
11	...	6	...	5	35	...	14	...	21	106	...	86	...	20	16	...	14	...	2	69
-	...	-	...	-	7	...	3	...	4	10	...	10	...	-	1	...	1	...	-	70
4	...	3	...	1	10	...	1	...	9	14	...	11	...	3	6	...	5	...	1	71
4	...	1	...	3	8	...	5	...	3	16	...	13	...	3	2	...	2	...	-	72
-	...	-	...	-	4	...	1	...	3	9	...	5	...	4	1	...	1	...	-	73
-	...	-	...	-	-	...	-	...	-	16	...	14	...	2	-	...	-	...	-	74
1	...	1	...	-	3	...	2	...	1	12	...	10	...	2	1	...	-	...	1	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	76
2	...	1	...	1	3	...	2	...	1	29	...	23	...	6	4	...	4	...	-	77

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	1.300	482	602	85	131	27	6	8	7	6
2	Infections of skin and subcutaneous tissue---690-698	335	162	119	27	27	4	-	3	1	-
3	Other diseases of skin and subcutaneous tissue---700-716	965	320	483	58	104	23	6	5	6	6
4	XIII. Diseases of the bones and organs of movement	2,907	1,182	1,441	140	144	67	21	25	7	14
5	Arthritis and spondylitis---720-725	1,496	479	865	68	84	47	13	19	4	11
6	Muscular rheumatism and rheumatism, unspecified---726,727	55	15	28	5	7	1	-	-	1	-
7	Osteomyelitis and periostitis---730	158	84	46	16	12	4	1	1	1	1
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	101	42	55	3	1	1	-	-	1	-
9	All other diseases of musculoskeletal system---731-736,738-744	1.097	562	447	48	40	14	7	5	-	2
10	XIV. Congenital malformations	20.081	9,762	8,167	1,207	945	350	130	125	55	40
11	Spina bifida and meningocele---751	1,530	622	817	48	43	30	7	20	2	1
12	Congenital hydrocephalus, etc.*---752,753	2,474	1,136	1,072	153	113	44	18	10	10	6
13	Congenital malformations of circulatory system---754	9,040	4,536	3,517	532	455	146	61	51	20	14
14	Other congenital malformations---750,755-759	7,037	3,468	2,761	474	334	130	44	44	23	19
15	XV. Certain diseases of early infancy	63,486	29,557	20,435	7,579	5.915	1,513	499	317	392	305
16	Birth injuries---760,761	11,252	5,845	3,626	1,016	765	276	112	61	53	50
17	Postnatal asphyxia and atelectasis---762	17,390	8,587	5,587	1,835	1,381	382	131	83	92	76
18	Infections of newborn---763-768	4,361	1,744	1,193	800	624	112	30	10	37	35
19	Hemolytic disease of newborn (erythroblastosis)---770	2,498	1,284	1,038	92	84	41	18	11	8	4
20	All other defined diseases of early infancy---769,771,772	1,873	766	486	380	241	56	15	7	24	10
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	26,112	11,331	8,505	3,456	2,820	646	193	145	178	130
22	XVI. Symptoms, senility, and ill-defined conditions	20,208	8,151	5,207	3,824	3,027	1,217	250	160	421	386
23	Senility without mention of psychosis---794	3,829	1,390	1,811	279	349	122	15	35	26	46
24	Symptoms, ill-defined and unknown causes---780-793,795	16,380	6,761	3,396	3,545	2,678	1,095	235	125	395	340
25	XVII. Accidents, poisonings, and violence	114,149	68,846	28,405	12,345	4,553	2,497	1,118	375	722	282
26	Accidents---E800-E962	90,032	53,449	24,146	8,366	3,571	1,906	874	320	487	225
27	Railway accidents---E800-E802	1,347	1,001	110	215	21	48	16	1	27	4
28	Motor-vehicle accidents---E810-E835	35,586	23,511	7,846	3,214	1,015	805	457	112	179	57
29	Motor-vehicle traffic accidents---E810-E825	34,582	22,834	7,622	3,142	984	780	441	109	174	56
30	Motor-vehicle traffic accident with railway train*---E810	1.269	842	330	71	26	20	10	6	2	2
31	Motor-vehicle traffic accident to pedestrian---E812	7,343	4,613	1,631	813	286	134	61	20	37	16
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	12,356	7,970	3,207	860	319	287	163	52	50	22
33	Motor-vehicle noncollision traffic accidents---E820-E824	9,113	6,468	1,506	916	223	285	170	27	75	13
34	Motor-vehicle traffic accident of unspecified nature---E825	4,501	2,941	948	482	130	54	37	4	10	3
35	Motor-vehicle nontraffic accidents---E830-E835	1,004	677	224	72	31	25	16	3	5	1
36	Other road-vehicle accidents---E840-E845	366	224	75	59	8	10	4	-	6	-
37	Water-transport accidents---E850-E858	1,498	1,233	86	163	16	42	29	1	12	-
38	Aircraft accidents---E860-E866	1,450	1,335	99	14	2	25	22	3	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	1,330	629	460	150	100	33	14	6	4	9
40	Accidental poisoning by gases and vapors---E890-E895	1,223	801	306	80	36	7	3	2	2	-
41	Accidental falls---E900-E904	19,771	8,902	9,725	708	436	220	77	95	28	20
42	Fall from one level to another---E900-E902	6,791	3,971	2,282	404	134	75	38	17	16	4
43	Fall on same level---E903	4,096	1.485	2,447	78	86	58	14	32	5	7
44	Unspecified falls---E904	8,884	3,446	4,996	226	216	87	25	46	7	9
45	Blow from falling object---E910	1.255	1,014	48	182	11	32	13	-	19	-
46	Accident caused by machinery---E912	2,009	1,746	93	165	5	41	27	1	13	-
47	Accident caused by electric current---E914	965	822	74	60	9	17	16	1	-	-
48	Accident caused by fire and explosion, etc.*---E916	6,083	2,421	1,760	951	951	230	39	54	65	72
49	Accident caused by hot substance, etc.*---E917,E918	742	308	230	104	100	17	5	2	5	5
50	Accident caused by firearm---E919	2,281	1,691	206	325	59	66	33	5	22	6
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	1,627	779	488	204	156	33	11	5	9	8
52	Accidental drowning---E929	5,049	3,391	687	874	97	114	46	8	50	10
53	Excessive heat and insolation---E931	978	518	286	102	72	10	6	1	2	1
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	768	314	333	47	74	15	5	4	1	5
55	All other accidents---Residual[1]	5,695	3,309	1,234	749	403	141	51	19	43	28
56	Suicide---E963,E970-E979	16,356	12,396	3.256	568	136	218	153	40	19	6
57	Suicide by poisoning---E970-E973	3,516	2,289	1,147	41	39	25	11	11	1	2
58	Suicide by hanging and strangulation---E974	3,370	2,450	796	100	24	13	8	3	1	1
59	Suicide by firearms and explosives---E976	7,539	6,457	738	310	34	157	125	19	11	2
60	Suicide by all other means---E963,E975,E977-E979	1,931	1,200	575	117	39	23	9	7	6	1
61	Homicide---E964,E980-E985	7,735	2,477	1,003	3,409	846	373	91	15	216	51
62	Assault by firearms and explosives---E981	4,115	1.398	585	1,755	377	205	62	11	113	19
63	Assault by cutting and piercing instruments---E982	1,793	309	96	1,127	261	112	13	-	79	20
64	Assault by other means---E964,E980,E983	1,501	601	321	374	205	46	15	4	15	12
65	Injury by intervention of police---E984	244	130	-	112	2	6	1	-	5	-
66	Execution---E985	82	39	1	41	1	4	-	-	4	-
67	Injury resulting from operations of war---E965,E990-E999	26	24	-	2	-	-	-	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
9	5	4	-	-	28	11	8	4	5	83	16	61	3	3	8	6	2	-	-	1
1	1	-	-	-	6	4	-	1	1	16	6	10	-	-	3	3	-	-	-	2
8	4	4	-	-	22	7	8	3	4	67	10	51	3	3	5	3	2	-	-	3
15	7	6	2	-	26	9	12	3	2	199	85	107	6	1	21	9	12	-	-	4
9	4	5	-	-	18	7	7	2	2	97	32	63	2	-	10	3	7	-	-	5
-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	9	4	5	-	-	-	-	-	-	-	7
1	-	-	1	-	-	-	-	-	-	7	3	4	-	-	1	-	1	-	-	8
5	3	1	1	-	8	2	5	1	-	83	46	32	4	1	10	6	4	-	-	9
150	62	64	17	7	160	81	55	11	13	1,517	760	631	68	58	194	106	85	1	2	10
8	2	1	3	2	13	4	7	1	1	64	33	30	-	1	12	5	7	-	-	11
18	10	3	3	2	14	7	4	2	1	180	84	83	10	3	26	15	11	-	-	12
64	24	33	5	2	69	39	20	3	7	749	361	317	38	33	95	48	45	1	1	13
60	26	27	6	1	64	31	24	5	4	524	282	201	20	21	61	38	22	-	1	14
486	214	166	62	44	607	245	163	118	81	4,573	2,349	1,690	301	233	699	401	264	18	16	15
68	38	22	6	2	107	49	29	17	12	911	513	316	41	41	148	87	58	2	1	16
96	50	30	8	8	131	67	44	12	8	1,542	788	582	101	71	202	117	70	5	10	17
50	18	9	12	11	61	18	8	18	17	222	107	82	22	11	60	37	20	3	-	18
17	8	7	1	1	16	8	7	1	-	176	92	75	6	3	31	13	18	-	-	19
27	13	1	9	4	33	8	5	10	10	109	60	34	4	11	16	12	4	-	-	20
228	87	97	26	18	259	95	70	60	34	1,613	789	601	127	96	242	135	94	8	5	21
151	44	23	48	36	490	148	99	137	106	413	223	162	16	12	49	29	16	3	1	22
25	10	9	2	4	88	27	37	12	12	112	41	64	4	3	6	4	2	-	-	23
126	34	14	46	32	402	121	62	125	94	301	182	98	12	9	43	25	14	3	1	24
863	508	182	123	50	1,361	707	278	252	124	9,043	6,016	2,276	556	195	1,214	833	345	28	8	25
708	416	156	98	38	1,105	570	247	181	107	6,617	4,396	1,697	388	136	944	636	281	21	6	26
13	8	-	5	-	22	13	2	7	-	112	100	6	6	-	10	9	1	-	-	27
360	209	84	45	22	420	250	102	49	19	3,266	2,211	787	198	70	408	286	113	8	1	28
350	202	83	43	22	405	242	99	46	18	3,174	2,147	768	192	67	394	274	111	8	1	29
1	1	-	-	-	25	13	11	1	-	112	77	30	3	2	22	13	9	-	-	30
67	38	13	10	6	72	33	19	11	9	686	456	173	41	16	49	34	14	1	-	31
147	89	41	12	5	109	76	23	8	2	1,309	840	362	81	26	144	92	49	3	-	32
121	67	26	17	11	81	50	16	12	3	963	704	180	60	19	150	118	27	4	1	33
14	7	3	4	-	118	70	30	14	4	104	70	23	7	4	29	17	12	-	-	34
10	7	1	2	-	15	8	3	3	1	92	64	19	6	3	14	12	2	-	-	35
11	3	1	7	-	4	2	-	2	-	31	18	12	-	1	6	6	-	-	-	36
4	3	1	-	-	16	14	-	1	1	103	77	13	12	1	9	7	2	-	-	37
38	35	1	2	-	7	6	-	1	-	182	171	11	-	-	34	28	6	-	-	38
15	8	5	2	-	17	8	2	1	6	206	97	96	10	3	11	7	4	-	-	39
5	3	2	-	-	1	1	-	-	-	98	62	21	10	5	8	6	2	-	-	40
64	36	23	2	3	146	62	69	5	10	919	505	377	26	11	178	79	96	2	1	41
24	20	3	1	-	38	20	15	2	1	348	238	90	17	3	54	33	20	-	1	42
5	2	2	-	1	29	11	13	1	4	106	44	58	1	3	75	29	46	-	-	43
35	14	18	1	2	79	31	41	2	5	465	223	229	8	5	49	17	30	2	-	44
10	7	1	1	1	16	11	-	4	1	69	57	5	7	-	22	20	-	2	-	45
6	5	-	-	1	42	29	3	10	-	105	97	2	6	-	26	25	1	-	-	46
6	6	-	-	-	19	18	-	1	-	55	47	7	1	-	13	13	-	-	-	47
49	19	19	6	5	130	36	29	31	34	362	202	121	25	14	46	31	12	1	2	48
4	3	-	-	1	18	4	3	4	7	28	17	7	3	1	3	2	1	-	-	49
20	13	4	3	-	49	36	2	8	3	117	95	13	7	2	36	30	4	2	-	50
11	5	3	1	2	15	6	4	2	3	172	95	52	11	14	29	15	11	3	-	51
47	29	7	11	-	66	31	9	22	4	400	300	65	32	3	39	32	5	1	1	52
7	4	1	2	-	24	9	2	7	6	27	18	8	1	-	3	1	2	-	-	53
1	1	-	-	-	9	3	4	1	1	68	32	32	2	2	7	1	5	-	1	54
37	19	4	11	3	84	31	16	25	12	297	195	62	31	9	56	38	16	2	-	55
88	61	15	9	3	129	105	18	5	1	1,940	1,398	461	62	19	220	170	47	2	1	56
10	8	2	-	-	17	11	5	1	-	691	427	252	4	8	69	45	23	1	-	57
10	7	1	2	-	5	4	1	-	-	288	194	76	14	4	20	12	6	1	1	58
57	41	11	5	-	93	79	10	3	1	740	637	75	24	4	115	103	12	-	-	59
11	5	1	2	3	14	11	2	1	-	221	140	58	20	3	16	10	6	-	-	60
67	31	11	16	9	126	31	13	66	16	486	222	118	106	40	49	26	17	5	1	61
36	15	7	8	6	78	21	7	42	8	211	90	59	47	15	32	16	12	3	1	62
15	7	-	6	2	23	4	1	13	5	105	39	12	36	18	2	-	1	1	-	63
16	9	4	2	1	19	3	5	8	3	134	64	47	16	7	12	7	4	1	-	64
-	-	-	-	-	5	3	-	2	-	25	19	-	6	-	3	3	-	-	-	65
-	-	-	-	-	1	-	-	1	-	11	10	-	1	-	-	-	-	-	-	66
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	67

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	20,510	10,941	8,969	317	283	3,494	1,614	1,253	365	262
2	I. Infective and parasitic diseases	273	175	78	12	8	65	40	5	13	7
3	Tuberculosis, all forms 001-019	158	114	35	5	4	41	24	4	8	5
4	Tuberculosis of respiratory system 001-008	143	108	28	4	3	37	24	4	5	4
5	Tuberculosis of meninges and central nervous system 010	3	1	2	-	-	2	-	-	2	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	1	-	-	-	1	-	-	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	1	1	-	-	-	-	-	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	1	1	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	2	1	1	-	-	1	-	-	-	1
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	3	1	2	-	-	-	-	-	-	-
11	Disseminated tuberculosis 019	4	1	2	1	-	1	-	-	1	-
12	Syphilis and its sequelae 020-029	52	34	11	5	2	15	10	-	4	1
13	Congenital syphilis 020	-	-	-	-	-	-	-	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	29	21	7	1	-	5	5	-	-	-
16	Other cardiovascular syphilis 023	15	11	1	2	1	5	2	-	2	1
17	Tabes dorsalis 024	2	1	1	-	-	-	-	-	-	-
18	General paralysis of insane 025	4	1	1	1	1	2	2	-	-	-
19	Other syphilis of central nervous system 026	2	-	1	1	-	2	1	-	1	-
20	Other syphilis 027-029	-	-	-	-	-	1	-	-	1	-
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	-	-	-	-	-	-	-	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	1	-	1	-	-	-	-	-	-	-
28	Food poisoning (infection and intoxication) 049	-	-	-	-	-	-	-	-	-	-
29	Scarlet fever 050	2	1	1	-	-	-	-	-	-	-
30	Streptococcal sore throat 051	1	1	-	-	-	-	-	-	-	-
31	Erysipelas 052	-	-	-	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	5	1	4	-	-	-	-	-	-	-
33	Diphtheria 055	1	-	-	-	1	-	-	-	-	-
34	Whooping cough 056	2	-	-	1	1	-	-	-	-	-
35	Meningococcal infections 057	8	3	5	-	-	1	1	-	-	-
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	1	1	-	-	-	-	-	-	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	11	7	4	-	-	3	3	-	-	-
42	Late effects of acute poliomyelitis 081	-	-	-	-	-	-	-	-	-	-
43	Acute infectious encephalitis 082	5	3	2	-	-	1	-	-	1	-
44	Late effects of acute infectious encephalitis 083	1	1	-	-	-	1	-	-	-	1
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	7	3	4	-	-	-	-	-	-	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	8	3	5	-	-	1	-	1	-	-
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	1	1	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	10	3	6	1	-	1	1	-	-	-
61	II. Neoplasms	3,961	2,003	1,867	53	38	544	252	213	38	41
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	3,895	1,965	1,840	52	38	539	248	212	38	41
63	Malignant neoplasm of buccal cavity and pharynx 140-148	106	86	19	1	-	7	6	1	-	-
64	Of lip 140	3	3	-	-	-	-	-	-	-	-
65	Of tongue 141	27	22	5	-	-	1	-	1	-	-
66	Of other and unspecified parts of buccal cavity 142-144	28	22	6	-	-	3	3	-	-	-
67	Of pharynx 145-148	48	39	8	1	-	3	3	-	-	-
68	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	1,490	776	681	16	17	187	99	60	20	8
69	Of esophagus 150	101	79	20	1	1	7	4	-	3	-
70	Of stomach 151	369	220	139	6	4	47	27	11	8	1
71	Of intestine, except rectum 152,153	471	205	259	3	4	61	33	25	2	1
72	Of rectum 154	209	118	87	1	3	29	16	11	2	-
73	Of biliary passages and of liver (stated to be primary site) 155	82	23	57	2	-	11	5	3	1	2
74	Of liver not specified whether primary or secondary 156A	62	26	32	3	1	15	7	5	1	2
75	Of pancreas 157	168	89	77	-	2	15	7	4	2	2
76	Of peritoneum and of unspecified digestive organs 158,159	28	16	10	-	2	2	-	1	1	-
77	Malignant neoplasm of respiratory system 160-164	480	397	71	11	1	66	47	11	7	1
78	Of larynx 161	25	23	2	-	-	3	3	-	-	-
79	Of trachea, and of bronchus and lung specified as primary 162	130	112	13	5	-	32	21	7	4	-
80	Of lung and bronchus, unspecified as primary or secondary 163	307	252	49	6	-	29	21	4	3	1
81	Of other parts of respiratory system 160,164	18	10	7	-	1	2	2	-	-	-
82	Malignant neoplasm of breast 170	374	1	369	-	4	51	1	38	-	12

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,056	2,699	2,284	1,645	1,428	31,586	14,802	9,407	4,158	3,219	30,793	11,189	7,887	6,224	5,493	4,939	3,001	1,842	67	29	1
210	53	20	90	47	681	269	124	184	104	767	263	133	225	146	64	38	21	2	3	2
126	37	8	56	25	288	121	42	79	46	339	129	41	107	62	25	18	5	-	2	3
115	34	8	52	21	272	112	40	76	44	308	126	39	92	51	23	17	4	-	2	4
2	-	-	-	2	5	2	-	1	2	9	2	-	5	2	-	-	-	-	-	5
1	-	-	1	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	6
2	2	-	-	-	2	1	1	-	-	2	1	-	1	-	1	1	-	-	-	7
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	8
-	-	-	-	-	4	3	-	1	-	2	-	-	1	1	1	-	1	-	-	9
1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	10
5	1	-	3	1	4	2	1	1	-	15	-	1	7	7	-	-	-	-	-	11
49	9	5	25	10	138	52	16	55	15	121	29	12	54	26	13	8	4	1	-	12
1	-	-	1	-	3	-	-	2	1	1	1	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
19	4	1	12	2	74	40	9	19	6	37	15	7	11	4	7	5	1	1	-	15
19	4	-	8	7	36	5	4	21	6	46	4	2	26	14	2	1	1	-	-	16
3	-	3	-	-	3	2	-	-	1	-	-	-	-	-	1	1	-	-	-	17
3	-	1	2	-	7	2	-	5	-	22	7	2	7	6	-	-	-	-	-	18
3	1	-	1	1	10	3	1	6	-	13	2	1	9	1	1	1	-	-	-	19
1	-	-	1	-	5	-	2	2	1	2	-	-	1	1	2	-	2	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	26
-	-	-	-	-	20	3	1	3	13	32	7	3	12	10	1	-	-	1	-	27
-	-	-	-	-	4	2	-	2	-	7	2	1	-	4	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	6	2	1	1	2	4	2	1	1	-	2	-	2	-	-	30
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	31
3	-	-	-	3	27	11	7	4	5	29	11	6	5	7	1	-	1	-	-	32
1	-	-	1	-	9	2	2	3	2	24	12	5	4	3	-	-	-	-	-	33
-	-	-	-	-	1	-	1	-	-	19	1	7	6	5	-	-	-	-	-	34
3	-	-	2	1	19	9	4	5	1	31	14	7	7	3	3	1	2	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	30	4	4	15	7	18	1	5	8	4	1	1	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
3	2	1	-	-	55	28	21	4	2	19	10	5	2	2	4	3	-	-	1	41
1	-	-	1	-	4	1	3	-	-	1	-	-	-	1	1	1	-	-	-	42
1	-	1	-	-	15	5	5	4	1	10	2	6	-	2	1	-	1	-	-	43
3	1	1	1	-	1	-	1	-	-	1	-	1	-	-	1	1	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
2	-	-	-	2	15	8	3	2	2	20	7	9	2	2	4	2	2	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
4	2	2	-	-	14	5	6	2	1	34	15	11	4	4	5	1	4	-	-	48
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	53
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	58
-	-	-	-	-	6	1	-	1	4	5	-	1	1	3	-	-	-	-	-	59
14	2	2	4	6	26	14	6	4	2	41	13	11	10	7	2	2	-	-	-	60
1,397	451	479	231	236	4,985	2,353	1,862	394	376	3,905	1,371	1,355	529	650	705	365	337	1	2	61
1,362	441	467	225	229	4,853	2,319	1,800	379	355	3,812	1,348	1,329	517	618	683	355	325	1	2	62
38	17	7	12	2	117	86	17	11	3	111	56	28	20	7	10	8	2	-	-	63
-	-	-	-	-	5	4	1	-	-	5	4	-	-	1	3	3	-	-	-	64
15	7	3	4	1	22	17	2	3	-	30	17	5	6	2	1	-	1	-	-	65
9	3	2	3	1	34	22	6	3	3	32	11	14	5	2	2	1	1	-	-	66
14	7	2	5	-	56	43	8	5	-	44	24	9	9	2	4	4	-	-	-	67
436	142	139	92	63	1,567	765	561	156	85	1,146	411	347	217	171	253	126	125	-	2	68
31	12	-	14	5	86	51	8	21	6	75	31	17	15	12	5	4	1	-	-	69
108	36	18	33	21	384	212	98	55	19	357	129	76	98	54	98	53	44	-	1	70
145	45	70	11	19	449	201	199	25	24	283	79	130	38	36	58	26	32	-	-	71
50	14	21	9	6	182	85	75	14	8	103	37	32	14	20	19	13	6	-	-	72
12	8	2	2	-	87	33	44	6	4	95	33	28	16	18	18	3	14	-	1	73
21	4	6	6	5	111	44	36	17	14	29	11	5	8	5	13	4	9	-	-	74
61	23	16	15	7	236	124	87	15	10	175	81	52	20	22	40	21	19	-	-	75
8	-	6	2	-	32	15	14	3	-	29	10	7	8	4	2	2	-	-	-	76
166	95	19	47	5	691	535	84	66	6	454	305	59	72	18	75	57	18	-	-	77
15	8	2	5	-	61	50	5	6	-	37	23	4	8	2	4	3	1	-	-	78
86	51	8	24	3	250	192	32	25	1	364	255	47	51	11	36	27	9	-	-	79
59	34	8	16	1	360	278	44	33	5	38	21	5	8	4	31	24	7	-	-	80
6	2	1	2	1	20	15	3	2	-	15	6	3	5	1	4	3	1	-	-	81
165	-	120	-	45	390	4	327	4	55	341	2	250	6	83	48	1	47	-	-	82

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	529	197	310	12	10	92	20	54	5	13
2	Of cervix uteri----------171	86	...	80	...	6	37	...	28	...	9
3	Of other and unspecified parts of uterus----------172-174	98	...	96	...	2	15	...	13	...	2
4	Of ovary, fallopian tube, and broad ligament----------175	127	...	125	...	2	15	...	13	...	2
5	Of other and unspecified female genital organs----------176	9	...	9	...	-	-	...	-	...	-
6	Of prostate----------177	198	186	...	12	...	23	18	...	5	...
7	Of testis, and of other and unspecified male genital organs----178,179	11	11	...	-	...	2	2	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	179	114	62	2	1	37	25	10	2	-
9	Of kidney----------180	62	40	21	-	1	12	7	3	2	-
10	Of bladder and other urinary organs----------181	117	74	41	2	-	25	18	7	-	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	396	207	184	2	3	59	28	25	2	4
12	Of skin----------190,191	55	24	31	-	-	9	7	-	1	1
13	Of eye----------192	4	4	-	-	-	-	-	-	-	-
14	Of brain and other parts of nervous system----------193	82	49	32	-	1	12	4	5	1	2
15	Of thyroid gland----------194	16	5	11	-	-	1	1	-	-	-
16	Of bone (including jaw bone)----------196	25	12	13	-	-	4	2	2	-	-
17	Of connective tissue----------197	4	2	2	-	-	1	1	-	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	29	17	12	-	-	6	4	2	-	-
19	Of unspecified sites----------156B,165,198B,199B-M	181	94	83	2	2	26	9	16	-	1
20	Leukemia and aleukemia----------204	159	85	69	4	1	21	11	8	-	2
21	Lymphosarcoma, etc.*----------200-203,205	182	102	75	4	1	19	11	5	2	1
22	Lymphosarcoma and reticulosarcoma----------200	67	37	20	4	-	7	4	3	-	-
23	Hodgkin's disease----------201	66	42	24	-	-	9	7	1	1	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	49	23	25	-	1	3	-	1	1	1
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	66	38	27	1	-	5	4	1	-	-
26	Benign neoplasms of female genital organs----------214-217	6	...	6	...	-	-	...	-	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	12	10	2	-	-	-	-	-	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	9	6	2	1	-	2	2	-	-	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	31	15	16	-	-	3	2	1	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	8	7	1	-	-	-	-	-	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	484	198	270	6	10	90	35	37	12	6
33	Asthma----------241	66	42	23	1	1	12	4	5	3	-
34	Nontoxic goiter----------250,251	1	-	-	-	1	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----------252	6	1	5	-	-	2	-	-	-	2
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	-	-	-	-	-	-	-	-	-	-
37	Diabetes mellitus----------260	387	138	238	5	6	69	30	29	6	4
38	Diseases of thymus gland----------273	-	-	-	-	-	2	1	-	1	-
39	Diseases of adrenal glands----------274	4	3	-	-	1	2	-	2	-	-
40	Pellagra----------281	1	1	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	8	6	2	-	-	2	-	-	2	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	11	7	3	-	1	1	-	1	-	-
43	IV. Diseases of the blood and blood-forming organs----------	65	26	35	2	2	11	4	6	1	-
44	Anemias----------290-293	36	13	22	1	2	9	4	5	-	-
45	Pernicious and other hyperchromic anemias----------290	12	6	6	-	-	3	1	2	-	-
46	Anemias of other and unspecified type----------291-293	26	7	16	1	2	6	3	3	-	-
47	Purpura and other hemorrhagic conditions----------296	9	4	5	-	-	-	-	-	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	18	9	8	1	-	2	-	1	1	-
49	V. Mental, psychoneurotic, and personality disorders----------	94	53	35	2	4	11	6	1	4	-
50	Senile psychosis----------304	21	4	14	1	2	-	-	-	-	-
51	Alcoholic psychosis----------307	11	8	1	1	1	1	1	-	-	-
52	Other psychoses----------300-303,305,306,308,309	9	2	6	-	1	2	1	-	1	-
53	Alcoholism----------322	44	35	9	-	-	8	4	1	3	-
54	Mental deficiency----------325	6	2	4	-	-	-	-	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	3	2	1	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	2,352	1,021	1,266	30	35	353	146	142	37	28
57	Vascular lesions affecting central nervous system----------330-334	2,154	916	1,178	27	33	316	132	130	29	25
58	Subarachnoid hemorrhage----------330	85	36	45	1	3	15	3	11	1	-
59	Cerebral hemorrhage----------331	1,256	538	680	14	24	191	82	70	21	18
60	Cerebral embolism and thrombosis----------332	657	276	365	12	4	89	39	40	6	4
61	Other vascular lesions affecting central nervous system--------333,334	156	66	88	-	2	21	8	9	1	3
62	Meningitis, except meningococcal and tuberculous----------340	24	15	8	-	1	2	-	1	1	-
63	Multiple sclerosis----------345	36	15	21	-	-	2	1	1	-	-
64	Paralysis agitans----------350	41	24	16	1	-	6	4	2	-	-
65	Cerebral spastic infantile paralysis----------351	10	3	7	-	-	1	-	1	-	-
66	Epilepsy----------353	24	12	11	1	-	10	3	3	3	1
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	2	2	-	-	-	-	-	-	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	4	1	3	-	-	4	1	1	2	-
71	Other diseases of nervous system and sense organs----------Residual[1]	57	33	22	1	1	12	5	3	2	2
72	VII. Diseases of the circulatory system----------	9,158	4,962	4,006	100	90	1,543	713	604	132	94
73	Rheumatic fever----------400-402	15	6	7	1	1	3	1	-	2	-
74	Diseases of heart----------410-443	8,468	4,665	3,633	86	84	1,402	657	553	112	80
75	Chronic rheumatic heart disease----------410-416	285	133	143	4	5	32	9	21	1	1
76	Diseases of mitral valve----------410	90	33	52	2	3	16	4	12	-	-
77	Diseases of aortic valve specified as rheumatic----------411	21	17	4	-	-	-	-	-	-	-
78	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	13	6	5	1	1	4	2	2	-	-
80	Other diseases of heart specified as rheumatic----------415,416	161	77	82	1	1	12	3	7	1	1

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
225	55	74	25	71	846	310	355	58	123	793	159	303	90	241	106	48	58	-	-	1
71	...	32	...	39	207	...	140	...	67	268	...	142	...	126	14	...	14	...	-	2
25	...	8	...	17	146	...	104	...	42	165	...	78	...	87	17	...	17	...	-	3
40	...	29	...	11	111	...	102	...	9	100	...	79	...	21	27	...	27	...	-	4
9	...	5	...	4	14	...	9	...	5	11	...	4	...	7	-	...	-	...	-	5
74	50	...	24	...	350	297	...	53	...	223	139	...	84	...	46	46	...	-	...	6
6	5	...	1	...	18	13	...	5	...	26	20	...	6	...	2	2	...	-	...	7
72	43	15	7	7	215	114	67	24	10	148	69	44	15	20	23	13	10	-	-	8
19	12	4	3	-	79	40	28	7	4	59	27	17	4	11	10	5	5	-	-	9
53	31	11	4	7	136	74	39	17	6	89	42	27	11	9	13	8	5	-	-	10
151	46	58	22	25	637	302	243	34	58	506	199	186	60	61	82	49	33	-	-	11
17	9	3	3	2	90	54	30	2	4	91	54	29	6	2	8	5	3	-	-	12
3	2	1	-	-	8	4	4	-	-	8	4	4	-	-	-	-	-	-	-	13
28	10	12	3	3	92	46	39	1	6	113	54	45	9	5	17	10	7	-	-	14
4	1	2	-	1	14	6	8	-	-	14	2	7	1	4	4	2	2	-	-	15
10	1	7	-	2	31	19	6	4	2	44	13	13	9	9	7	5	2	-	-	16
2	1	-	-	1	10	4	3	1	2	11	5	3	3	-	8	4	4	-	-	17
20	2	12	2	4	98	43	40	3	12	90	30	32	10	18	15	10	5	-	-	18
67	20	21	14	12	294	126	113	23	32	135	37	53	22	23	23	13	10	-	-	19
46	19	14	9	4	215	112	79	19	5	171	81	61	20	9	55	35	20	-	-	20
63	24	21	11	7	175	91	67	7	10	142	66	51	17	8	31	18	12	1	-	21
25	12	8	4	1	77	41	29	4	3	60	30	23	5	2	13	6	7	-	-	22
21	11	3	5	2	47	25	19	2	1	42	20	14	6	2	8	5	3	-	-	23
17	1	10	2	4	51	25	19	1	6	40	16	14	6	4	10	7	2	1	-	24
35	10	12	6	7	132	34	62	15	21	93	23	26	12	32	22	10	12	-	-	25
7	...	2	...	5	24	...	17	...	7	21	...	9	...	12	2	...	2	...	-	26
5	3	-	2	-	27	10	13	3	1	11	5	1	1	4	9	5	4	-	-	27
4	-	3	-	1	21	8	9	1	3	15	4	6	4	1	3	-	3	-	-	28
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	29
10	3	4	2	1	42	12	17	5	8	30	12	6	6	6	5	3	2	-	-	30
9	4	3	2	-	18	4	6	6	2	15	2	4	1	8	3	2	1	-	-	31
164	62	46	24	32	670	270	241	63	96	596	183	199	81	133	120	62	53	2	3	32
24	12	6	4	2	162	89	45	14	14	121	51	35	16	19	36	23	12	1	-	33
1	-	-	-	1	1	1	-	-	-	2	-	1	-	1	-	-	-	-	-	34
2	-	1	1	-	18	3	10	-	5	12	-	5	2	5	4	-	4	-	-	35
1	1	-	-	-	3	-	3	-	-	4	-	3	-	1	-	-	-	-	-	36
119	42	34	17	26	422	155	163	38	66	384	118	125	49	92	69	32	34	1	2	37
4	1	-	2	1	6	2	1	1	2	8	1	2	2	3	1	1	-	-	-	38
2	2	-	-	-	8	5	3	-	-	4	-	1	2	1	4	3	1	-	-	39
-	-	-	-	-	7	-	3	2	2	19	4	9	1	5	-	-	-	-	-	40
2	-	1	-	1	31	9	10	8	4	25	3	11	7	4	2	1	1	-	-	41
9	4	4	-	1	12	6	3	-	3	17	6	7	2	2	4	2	1	-	1	42
21	4	10	3	4	130	47	45	22	16	101	31	27	23	20	18	6	11	-	1	43
15	2	6	3	4	99	35	33	18	13	75	22	17	20	16	9	2	7	-	-	44
2	-	1	1	-	16	6	6	3	1	8	2	4	-	2	5	2	3	-	-	45
13	2	5	2	4	83	29	27	15	12	67	20	13	20	14	4	-	4	-	-	46
2	-	2	-	-	12	4	5	1	2	14	4	5	2	3	1	1	-	-	-	47
4	2	2	-	-	19	8	7	3	1	12	5	5	1	1	8	3	4	-	1	48
20	14	2	4	-	95	39	28	21	7	133	57	13	40	23	22	13	8	1	-	49
-	-	-	-	-	3	1	1	1	-	6	2	4	-	-	8	5	3	-	-	50
3	2	-	1	-	4	3	-	1	-	3	1	1	1	-	-	-	-	-	-	51
1	1	-	-	-	12	3	7	1	1	7	2	-	1	4	4	2	2	-	-	52
16	11	2	3	-	70	29	17	18	6	108	47	7	36	18	8	4	3	1	-	53
-	-	-	-	-	2	1	1	-	-	7	4	1	1	1	1	1	-	-	-	54
-	-	-	-	-	4	2	2	-	-	2	1	-	1	-	1	1	-	-	-	55
811	222	279	144	166	4,015	1,527	1,432	520	536	5,043	1,475	1,432	981	1,155	568	300	263	3	2	56
740	201	269	121	149	3,716	1,410	1,355	466	485	4,745	1,382	1,361	904	1,098	522	276	242	2	2	57
48	7	15	10	16	110	34	52	9	15	142	39	37	22	44	15	8	7	-	-	58
405	118	140	66	81	2,428	892	854	323	359	3,278	906	882	682	808	364	184	178	-	2	59
235	66	87	35	47	814	361	317	77	59	857	312	318	101	126	98	50	46	2	-	60
52	10	27	10	5	364	123	132	57	52	468	125	124	99	120	45	34	11	-	-	61
17	1	1	8	7	59	13	10	21	15	51	6	10	20	15	2	-	2	-	-	62
4	1	1	2	-	22	8	8	1	5	16	7	6	2	1	7	4	3	-	-	63
9	6	1	1	1	55	26	26	2	1	23	16	4	2	1	12	7	5	-	-	64
1	-	-	-	1	12	4	5	2	1	18	5	6	4	3	3	1	2	-	-	65
13	5	1	6	1	42	19	7	11	5	93	22	20	36	15	7	3	4	-	-	66
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67
-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	68
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	69
1	1	-	-	-	8	2	1	2	3	7	1	3	1	2	1	-	1	-	-	70
26	7	6	6	7	99	44	20	15	20	88	35	22	12	19	14	9	4	1	-	71
3,378	1,198	1,022	582	576	11,810	6,287	3,530	1,112	881	10,530	4,366	2,710	1,841	1,613	1,972	1,280	674	14	4	72
4	1	1	1	1	29	12	6	5	6	37	8	7	9	13	7	2	4	1	-	73
3,062	1,111	923	518	510	10,678	5,779	3,159	978	762	9,343	3,963	2,395	1,618	1,367	1,776	1,177	583	13	3	74
87	34	28	9	16	345	144	147	30	24	205	57	68	37	43	73	46	26	1	-	75
26	9	10	2	5	127	58	48	10	11	82	11	26	22	23	28	13	14	1	-	76
13	8	2	-	3	20	15	4	-	1	18	11	5	-	2	12	12	-	-	-	77
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	78
4	2	-	-	2	34	11	20	2	1	15	4	8	2	1	4	2	2	-	-	79
43	14	16	7	6	163	59	75	18	11	90	31	29	13	17	29	19	10	-	-	80

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	6,468	3,791	2,575	56	46	874	468	306	63	37
2	Arteriosclerotic heart disease so described----------420.0	3.132	1,634	1,450	26	22	294	132	125	20	17
3	Heart disease specified as involving coronary arteries----------420.1	3,329	2,153	1,122	30	24	578	334	181	43	20
4	Angina pectoris without mention of coronary disease----------420.2	7	4	3	-	-	2	2	-	-	-
5	Chronic endocarditis not specified as rheumatic----------421	65	32	31	-	2	20	9	9	1	1
6	Of mitral valve, specified as nonrheumatic----------421.0	4	-	4	-	-	3	1	2	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	25	17	8	-	-	2	2	-	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	36	15	19	-	2	15	6	7	1	1
9	Other myocardial degeneration----------422	581	247	323	5	6	179	79	75	15	10
10	With arteriosclerosis----------422.1	457	202	246	3	6	120	57	46	10	7
11	Without mention of arteriosclerosis----------422.0,422.2	124	45	77	2	-	59	22	29	5	3
12	Other diseases of heart----------430-434	119	74	38	2	5	30	15	10	5	-
13	Acute and subacute endocarditis----------430	7	6	-	-	1	-	-	-	-	-
14	Acute myocarditis not specified as rheumatic----------431	11	5	6	-	-	1	-	1	-	-
15	Acute pericarditis specified as nonrheumatic----------432	1	-	1	-	-	-	-	-	-	-
16	Functional disease of heart----------433	16	13	3	-	-	1	1	-	-	-
17	Other and unspecified diseases of heart----------434	84	50	28	2	4	28	14	9	5	-
18	Hypertension with heart disease----------440-443	950	388	523	19	20	267	77	132	27	31
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	263	125	130	4	4	97	29	51	5	12
20	Essential hypertension with heart disease, etc.*----------440,441,443	687	263	393	15	16	170	48	81	22	19
21	Hypertension without mention of heart----------444-447	122	51	68	3	-	40	17	14	7	2
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	88	38	47	3	-	31	16	12	3	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445.447	34	13	21	-	-	9	1	2	4	2
24	Diseases of arteries----------450-456	488	217	259	7	5	88	35	31	11	11
25	General arteriosclerosis----------450	398	160	227	6	5	82	33	29	11	9
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	58	41	16	1	-	4	1	2	-	1
27	Gangrene of unspecified cause----------455	3	2	1	-	-	-	-	-	-	-
28	Other arterial diseases----------452-454,456	29	14	15	-	-	2	1	-	-	1
29	Diseases of veins and other diseases of circulatory system-------460-468	65	23	39	3	-	10	3	6	-	1
30	VIII. Diseases of the respiratory system----------	565	356	181	19	9	149	74	32	21	22
31	Acute upper respiratory infections----------470-475	17	10	3	1	3	3	3	-	-	-
32	Influenza----------480-483	11	5	6	-	-	4	1	2	-	1
33	Pneumonia, except pneumonia of newborn----------490-493	346	199	128	13	6	104	49	23	13	19
34	Lobar pneumonia----------490	105	61	39	4	1	46	22	8	8	8
35	Bronchopneumonia----------491	155	88	59	5	3	47	23	13	3	8
36	Primary atypical pneumonia----------492	35	23	12	-	-	3	1	1	-	1
37	Pneumonia, other and unspecified----------493	51	27	18	4	2	8	3	1	2	2
38	Acute bronchitis----------500	15	9	5	1	-	3	1	2	-	-
39	Bronchitis, chronic and unqualified----------501,502	25	21	4	-	-	5	4	-	1	-
40	Hypertrophy of tonsils and adenoids----------510	1	-	-	1	-	-	-	-	-	-
41	Empyema and abscess of lung----------518,521	7	4	3	-	-	2	-	1	1	-
42	Pleurisy----------519	2	-	2	-	-	-	-	-	-	-
43	All other respiratory diseases----------Residual[1]	141	108	30	3	-	28	16	4	6	2
44	IX. Diseases of the digestive system----------	870	542	306	9	13	125	61	44	14	6
45	Diseases of teeth and supporting structures----------530-535	2	-	-	1	1	-	-	-	-	-
46	Ulcer of stomach----------540	63	43	19	1	-	7	4	2	1	-
47	Ulcer of duodenum----------541	74	67	7	-	-	6	4	2	-	-
48	Gastritis and duodenitis----------543	1	1	-	-	-	2	2	-	-	-
49	Appendicitis----------550-553	21	15	5	-	1	3	2	1	-	-
50	Hernia and intestinal obstruction----------560,561,570	123	74	45	3	1	14	2	9	3	-
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	58	31	27	-	-	15	7	4	4	-
52	Cirrhosis of liver----------581	338	221	109	1	7	46	25	12	4	5
53	Without mention of alcoholism----------581.0	242	160	79	1	2	39	19	12	4	4
54	With alcoholism----------581.1	96	61	30	-	5	7	6	-	-	1
55	Cholelithiasis and cholecystitis----------584,585	80	32	45	1	2	13	7	6	-	-
56	Other diseases of digestive system----------Residual[1]	110	58	49	2	1	19	8	8	2	1
57	X. Diseases of the genito-urinary system----------	358	205	141	6	6	68	24	28	10	6
58	Nephritis and nephrosis----------590-594	186	89	90	3	4	44	9	23	7	5
59	Acute nephritis----------590	18	11	7	-	-	5	-	2	1	2
60	Nephritis with edema, including nephrosis----------591	10	5	3	1	1	1	-	1	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	158	73	80	2	3	38	9	20	6	3
62	Infections of kidney----------600	57	24	29	2	2	6	2	2	2	-
63	Calculi of urinary system----------602,604	13	7	6	-	-	1	1	-	-	-
64	Other diseases of urinary system----------601,603,605-609	30	21	9	-	-	6	4	2	-	-
65	Hyperplasia of prostate----------610	58	58	...	-	...	9	8	...	1	...
66	Other diseases of male genital organs----------611-617	7	6	...	1	...	-	-	...	-	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	7	...	7	...	-	2	...	1	...	1
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	14	...	13	...	1	2	...	2	...	-
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	2	...	2	...	-	-	...	-	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	3	...	2	...	1	1	...	1	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	2	...	2	...	-	1	...	1	...	-
73	Ectopic pregnancy----------645	-	...	-	...	-	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----------650	2	...	2	...	-	-	...	-	...	-
75	Abortion with sepsis----------651	1	...	1	...	-	-	...	-	...	-
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	4	...	4	...	-	-	...	-	...	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,694	790	563	197	144	7,288	4,463	2,045	466	314	5,391	2,838	1,348	709	496	1,169	854	305	8	2	1
736	282	268	98	88	2,283	1,238	765	151	129	1,093	464	361	155	113	269	168	99	2	-	2
956	508	293	99	56	4,963	3,202	1,269	311	181	4,259	2,353	978	550	378	892	680	204	6	2	3
2	-	2	-	-	42	23	11	4	4	39	21	9	4	5	8	6	2	-	-	4
16	8	3	5	-	184	71	50	42	21	181	52	32	46	51	30	21	8	1	-	5
1	1	-	-	-	10	1	3	3	3	31	6	4	11	10	-	-	-	-	-	6
7	3	1	3	-	49	24	9	14	2	46	12	6	12	16	12	10	1	1	-	7
8	4	2	2	-	125	46	38	25	16	104	34	22	23	25	18	11	7	-	-	8
539	135	134	139	131	773	303	283	100	87	875	272	227	225	151	224	127	95	1	1	9
187	44	58	40	45	423	167	160	58	38	557	178	154	145	80	101	55	44	1	1	10
352	91	76	99	86	350	136	123	42	49	318	94	73	80	71	123	72	51	-	-	11
83	28	22	25	8	778	397	211	103	67	589	183	135	142	129	81	45	36	-	-	12
6	1	3	2	-	17	8	3	3	3	24	4	4	10	6	-	-	-	-	-	13
6	2	4	-	-	64	20	20	11	13	39	9	6	12	12	7	2	5	-	-	14
1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	15
3	-	2	1	-	48	21	21	3	3	45	17	12	8	8	16	9	7	-	-	16
67	25	13	21	8	648	347	167	86	48	481	153	113	112	103	58	34	24	-	-	17
643	116	173	143	211	1,310	401	423	237	249	2,102	561	585	459	497	199	84	113	2	-	18
201	39	59	46	57	396	138	117	76	65	620	168	171	141	140	78	37	39	2	-	19
442	77	114	97	154	914	263	306	161	184	1,482	393	414	318	357	121	47	74	-	-	20
66	11	19	19	17	264	88	78	49	49	442	118	102	104	118	38	20	18	-	-	21
37	6	12	8	11	148	55	45	29	19	203	62	47	45	49	16	10	6	-	-	22
29	5	7	11	6	116	33	33	20	30	239	56	55	59	69	22	10	12	-	-	23
211	64	70	37	40	740	372	252	62	54	620	253	178	88	101	132	70	61	-	1	24
163	42	61	30	30	578	270	217	46	45	481	190	144	66	81	109	53	55	-	1	25
29	15	6	4	4	109	80	18	9	2	88	46	18	18	6	16	12	4	-	-	26
2	2	-	-	-	6	1	-	4	1	4	-	-	-	4	-	-	-	-	-	27
17	5	3	3	6	47	21	17	3	6	47	17	16	4	10	7	5	2	-	-	28
35	11	9	7	8	99	36	35	18	10	86	24	28	22	14	19	11	8	-	-	29
294	114	55	76	49	1,236	491	306	248	191	1,572	461	349	417	345	182	115	58	6	3	30
4	1	1	1	1	15	6	3	2	4	31	5	6	11	9	2	2	-	-	-	31
1	1	-	-	-	90	15	13	28	34	164	36	36	41	51	12	3	6	1	2	32
216	77	41	59	39	753	255	193	179	126	1,014	240	208	318	248	107	66	36	4	1	33
74	22	15	27	10	227	66	52	67	42	269	73	46	88	62	27	18	9	-	-	34
114	44	18	27	25	395	151	107	77	60	478	119	103	142	114	47	29	18	-	-	35
6	3	1	1	1	80	22	25	19	14	90	20	23	25	22	10	5	4	-	1	36
22	8	7	4	3	51	16	9	16	10	177	28	36	63	50	23	14	5	4	-	37
7	-	1	6	-	20	10	2	3	5	17	3	7	5	2	2	1	1	-	-	38
9	4	-	2	3	49	23	17	4	5	49	21	10	9	9	5	2	3	-	-	39
-	-	-	-	-	4	-	1	1	2	2	2	-	-	-	-	-	-	-	-	40
9	2	3	2	2	26	13	5	6	2	14	3	3	4	4	2	1	-	1	-	41
1	-	1	-	-	2	-	-	1	1	5	2	-	2	1	2	2	-	-	-	42
47	29	8	6	4	277	169	72	24	12	276	149	79	27	21	50	38	12	-	-	43
389	141	108	86	54	1,317	620	360	172	165	1,036	373	255	238	170	152	85	61	5	1	44
-	-	-	-	-	7	3	2	2	-	9	2	-	3	4	-	-	-	-	-	45
22	10	4	5	3	94	59	18	12	5	91	49	12	23	7	14	11	3	-	-	46
15	7	6	2	-	97	79	5	9	4	65	41	9	10	5	9	7	2	-	-	47
3	3	-	-	-	14	7	1	3	3	14	4	2	2	6	2	-	1	1	-	48
21	5	6	6	4	46	21	9	8	8	53	18	10	17	8	7	5	2	-	-	49
52	15	19	9	9	212	85	68	36	23	151	43	45	37	26	30	21	8	1	-	50
31	12	4	8	7	227	50	58	61	58	238	43	43	87	65	18	8	8	1	1	51
159	69	38	36	16	337	194	101	18	24	192	93	52	26	21	22	8	12	2	-	52
97	45	22	21	9	276	150	91	17	18	112	50	36	16	10	18	7	10	1	-	53
62	24	16	15	7	61	44	10	1	6	80	43	16	10	11	4	1	2	1	-	54
25	6	16	1	2	94	38	49	-	7	66	18	39	3	6	20	7	13	-	-	55
61	14	15	19	13	189	84	49	23	33	157	62	43	30	22	30	18	12	-	-	56
216	75	31	62	48	838	361	179	170	128	1,043	324	220	265	234	116	69	44	3	-	57
92	26	13	26	27	489	184	110	106	89	650	162	145	164	179	77	40	36	1	-	58
4	-	1	2	1	39	12	4	10	13	56	14	11	19	12	7	4	3	-	-	59
12	6	1	1	4	26	6	5	11	4	19	6	4	4	5	8	5	3	-	-	60
76	20	11	23	22	424	166	101	85	72	575	142	130	141	162	62	31	30	1	-	61
55	14	12	15	14	114	42	41	16	15	128	40	41	27	20	15	8	5	2	-	62
8	2	3	3	-	35	20	10	4	1	46	21	16	2	7	3	-	3	-	-	63
17	4	2	7	4	50	18	12	12	8	40	10	9	16	5	3	3	-	-	-	64
35	26	...	9	...	104	79	...	25	...	125	77	...	48	...	14	14	...	-	...	65
5	3	...	2	...	25	18	...	7	...	22	14	...	8	...	4	4	...	-	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
4	...	1	...	3	21	...	6	...	15	32	...	9	...	23	-	...	-	...	-	68
11	...	3	...	8	52	...	16	...	36	104	...	31	...	73	5	...	5	...	-	69
-	...	-	...	-	2	...	-	...	2	17	...	6	...	11	-	...	-	...	-	70
3	...	1	...	2	14	...	3	...	11	31	...	9	...	22	2	...	2	...	-	71
-	...	-	...	-	15	...	5	...	10	25	...	6	...	19	2	...	2	...	-	72
1	...	-	...	1	8	...	2	...	6	2	...	-	...	2	1	...	1	...	-	73
1	...	-	...	1	2	...	1	...	1	5	...	1	...	4	-	...	-	...	-	74
3	...	-	...	3	4	...	2	...	2	7	...	2	...	5	-	...	-	...	-	75
-	...	-	...	-	-	...	-	...	-	3	...	1	...	2	-	...	-	...	-	76
3	...	2	...	1	7	...	3	...	4	14	...	6	...	8	-	...	-	...	-	77

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	16	7	7	-	2	4	2	1	1	-
2	Infections of skin and subcutaneous tissue---690-698	3	2	-	-	1	-	-	-	-	-
3	Other diseases of skin and subcutaneous tissue---700-716	13	5	7	-	1	4	2	1	1	-
4	XIII. Diseases of the bones and organs of movement	35	22	13	-	-	5	3	1	-	1
5	Arthritis and spondylitis---720-725	14	9	5	-	-	2	-	1	-	1
6	Muscular rheumatism and rheumatism, unspecified---726,727	1	-	1	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis---730	3	3	-	-	-	1	1	-	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	-	-	-	-	-	1	1	-	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	17	10	7	-	-	1	1	-	-	-
10	XIV. Congenital malformations	238	121	103	7	7	61	27	28	4	2
11	Spina bifida and meningocele---751	17	4	12	1	-	4	2	2	-	-
12	Congenital hydrocephalus, etc.*---752,753	44	24	20	-	-	10	4	4	2	-
13	Congenital malformations of circulatory system---754	94	54	33	3	4	21	7	12	-	2
14	Other congenital malformations---750,755-759	83	39	38	3	3	26	14	10	2	-
15	XV. Certain diseases of early infancy	759	425	256	36	42	169	63	49	29	28
16	Birth injuries---760,761	152	86	51	7	8	22	8	8	2	4
17	Postnatal asphyxia and atelectasis---762	263	160	78	14	11	66	28	21	10	7
18	Infections of newborn---763-768	37	21	14	1	1	12	2	3	4	3
19	Hemolytic disease of newborn (erythroblastosis)---770	42	27	13	1	1	7	3	3	-	1
20	All other defined diseases of early infancy---769,771,772	8	5	2	-	1	3	-	1	1	1
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	257	126	98	13	20	59	22	13	12	12
22	XVI. Symptoms, senility, and ill-defined conditions	77	46	26	4	1	9	2	7	-	-
23	Senility without mention of psychosis---794	25	16	8	1	-	5	-	5	-	-
24	Symptoms, ill-defined and unknown causes---780-793,795	52	30	18	3	1	4	2	2	-	-
25	XVII. Accidents, poisonings, and violence	1,191	779	366	31	15	285	162	53	49	21
26	Accidents---E800-E962	935	595	306	22	12	217	123	40	36	18
27	Railway accidents---E800-E802	12	9	2	1	-	1	1	-	-	-
28	Motor-vehicle accidents---E810-E835	270	206	56	4	4	63	56	15	8	2
29	Motor-vehicle traffic accidents---E810-E825	263	200	55	4	4	61	57	14	8	2
30	Motor-vehicle traffic accident with railway train*---E810	5	4	1	-	-	1	1	-	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	75	57	14	2	2	18	12	2	2	2
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	79	60	19	-	-	34	23	8	3	-
33	Motor-vehicle noncollision traffic accidents---E820-E824	78	63	11	2	2	26	20	4	2	-
34	Motor-vehicle traffic accident of unspecified nature---E825	26	16	10	-	-	2	1	-	1	-
35	Motor-vehicle nontraffic accidents---E830-E835	7	6	1	-	-	2	1	1	-	-
36	Other road-vehicle accidents---E840-E845	1	1	-	-	-	-	-	-	-	-
37	Water-transport accidents---E850-E858	21	20	1	-	-	9	5	-	4	-
38	Aircraft accidents---E860-E866	9	8	1	-	-	4	4	-	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	25	14	11	-	-	5	2	-	1	2
40	Accidental poisoning by gases and vapors---E890-E895	23	19	2	1	1	2	1	1	-	-
41	Accidental falls---E900-E904	344	157	179	6	2	38	19	13	4	2
42	Fall from one level to another---E900-E902	114	65	45	4	-	16	10	3	3	-
43	Fall on same level---E903	44	21	22	-	1	11	4	5	1	1
44	Unspecified falls---E904	186	71	112	2	1	11	5	5	-	1
45	Blow from falling object---E910	6	6	-	-	-	3	3	-	-	-
46	Accident caused by machinery---E912	14	14	-	-	-	6	2	1	2	1
47	Accident caused by electric current---E914	7	6	1	-	-	6	5	-	1	-
48	Accident caused by fire and explosion, etc.*---E916	46	26	18	2	-	23	5	3	7	8
49	Accident caused by hot substance, etc.*---E917,E918	7	3	3	1	-	2	-	1	1	-
50	Accident caused by firearm---E919	11	10	-	1	-	1	1	-	-	-
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	22	12	10	-	-	8	2	3	1	2
52	Accidental drowning---E929	47	34	9	3	1	16	10	1	5	-
53	Excessive heat and insolation---E931	-	-	-	-	-	-	-	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	15	9	4	1	1	-	-	-	-	-
55	All other accidents---Residual[1]	55	41	9	2	3	10	5	2	2	1
56	Suicide---E963,E970-E979	228	170	53	5	-	49	34	11	3	1
57	Suicide by poisoning---E970-E973	67	41	25	1	-	9	4	5	-	-
58	Suicide by hanging and strangulation---E974	74	59	14	1	-	11	7	3	-	1
59	Suicide by firearms and explosives---E976	56	49	6	1	-	20	15	3	2	-
60	Suicide by all other means---E963,E975,E977-E979	31	21	8	2	-	9	8	-	1	-
61	Homicide---E964,E980-E985	28	14	7	4	3	19	5	2	10	2
62	Assault by firearms and explosives---E981	12	4	4	2	2	13	4	1	7	1
63	Assault by cutting and piercing instruments---E982	4	3	1	-	-	4	-	-	3	1
64	Assault by other means---E964,E980,E983	11	6	2	2	1	2	1	1	-	-
65	Injury by intervention of police---E984	1	1	-	-	-	-	-	-	-	-
66	Execution---E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13	2	3	2	6	27	5	12	5	5	37	9	8	5	15	5	2	3	-	-	1
4	-	1	1	2	9	1	4	2	2	9	4	-	-	5	2	1	1	-	-	2
9	2	2	1	4	18	4	8	3	3	28	5	8	5	10	3	1	2	-	-	3
13	4	6	1	2	64	24	31	4	5	73	18	30	10	15	13	7	6	-	-	4
4	-	3	-	1	30	12	14	2	2	41	7	20	7	7	8	3	5	-	-	5
-	-	-	-	-	2	1	1	-	-	5	-	2	1	2	1	-	1	-	-	6
3	1	1	1	-	-	-	-	-	-	4	-	1	-	3	1	1	-	-	-	7
-	-	-	-	-	3	1	1	-	1	4	3	1	-	-	-	-	-	-	-	8
6	3	2	-	1	29	10	15	2	2	19	8	6	2	3	3	3	-	-	-	9
80	21	22	20	17	424	194	138	52	40	445	161	160	62	62	92	50	39	2	1	10
-	-	-	-	-	25	7	15	-	3	47	16	27	3	1	8	2	6	-	1	11
7	3	3	-	1	60	28	17	9	6	54	15	18	14	7	14	7	6	-	1	12
37	10	11	9	7	198	97	64	20	17	199	79	65	21	34	40	21	18	1	-	13
36	8	8	11	9	141	62	42	23	14	145	51	50	24	20	30	20	9	1	-	14
428	113	81	138	96	1,565	585	380	341	259	1,798	612	383	431	372	235	138	91	3	3	15
59	20	12	17	10	241	117	54	39	31	306	145	64	54	43	43	25	16	-	2	16
209	44	34	75	56	403	166	101	83	53	412	171	113	69	59	57	38	18	1	-	17
20	8	-	7	5	101	39	17	23	22	163	30	16	63	54	13	7	5	1	-	18
10	5	4	1	-	45	23	13	5	4	62	28	21	6	7	19	9	10	-	-	19
5	-	-	4	1	70	24	11	21	14	89	15	12	40	22	7	5	2	-	-	20
125	36	31	34	24	705	216	184	170	135	766	223	157	199	187	96	54	40	1	1	21
12	2	3	4	3	749	239	164	193	153	569	119	110	189	151	90	45	37	8	-	22
1	-	1	-	-	116	25	57	14	20	126	24	46	22	34	44	14	25	5	-	23
11	2	2	4	3	633	214	107	179	133	443	95	64	167	117	46	31	12	3	-	24
599	223	114	178	84	2,928	1,491	559	657	221	3,041	1,366	472	887	316	580	426	131	17	6	25
437	167	90	113	67	2,160	1,104	429	463	164	2,250	1,051	404	549	246	496	358	120	13	5	26
1	1	-	-	-	28	10	1	15	2	41	22	6	12	1	4	4	-	-	-	27
106	45	16	30	15	915	500	163	197	55	952	526	145	218	63	235	163	62	7	3	28
104	44	16	29	15	892	491	157	192	52	920	509	139	211	61	226	157	59	7	3	29
-	-	-	-	-	22	15	4	3	-	22	17	2	2	1	17	13	4	-	-	30
28	12	5	7	4	167	83	32	38	14	150	69	22	39	20	22	15	4	3	-	31
29	10	7	6	6	282	155	67	45	15	182	106	30	39	7	45	28	15	1	1	32
30	15	2	10	3	220	125	25	63	7	182	107	18	46	11	82	63	18	1	-	33
17	7	2	6	2	201	113	29	43	16	384	210	67	85	22	60	38	18	2	2	34
2	1	-	1	-	23	9	6	5	3	32	17	6	7	2	9	6	3	-	-	35
6	1	2	1	2	7	2	2	3	-	10	5	4	1	-	7	6	1	-	-	36
8	6	1	1	-	63	53	3	5	2	49	33	2	13	1	11	11	-	-	-	37
7	6	-	1	-	54	52	2	-	-	33	31	1	1	-	7	7	-	-	-	38
5	2	1	1	1	35	9	10	6	10	44	19	12	10	3	4	2	-	1	1	39
4	4	-	-	-	22	11	8	-	3	10	6	-	2	2	4	2	2	-	-	40
157	64	53	22	18	308	129	143	19	17	269	100	121	23	25	50	25	25	-	-	41
62	31	10	17	4	97	58	27	8	4	95	45	29	15	6	16	13	3	-	-	42
14	2	8	1	3	48	17	27	2	2	53	18	31	1	3	6	1	5	-	-	43
81	31	35	4	11	163	54	89	9	11	121	37	61	7	16	28	11	17	-	-	44
3	1	-	2	-	24	17	1	5	1	35	22	1	10	2	13	13	-	-	-	45
2	2	-	-	-	30	20	-	10	-	55	32	2	21	-	21	20	1	-	-	46
1	1	-	-	-	42	30	3	9	-	24	15	1	6	2	9	9	-	-	-	47
44	8	7	18	11	133	29	20	45	39	228	40	42	71	75	22	13	8	1	-	48
1	-	-	1	-	28	11	6	7	4	24	8	5	7	4	2	1	1	-	-	49
1	-	-	1	-	84	51	5	25	3	95	55	7	31	2	21	21	-	-	-	50
15	6	2	5	2	35	12	8	12	3	41	18	11	5	7	11	8	3	-	-	51
22	6	2	12	2	188	93	22	66	7	118	48	12	53	5	27	17	9	1	-	52
4	1	-	2	1	3	1	1	-	1	39	17	6	12	4	1	1	-	-	-	53
6	-	4	1	1	32	14	11	3	4	10	2	4	1	3	2	1	1	-	-	54
44	13	2	15	14	129	60	20	36	13	173	52	22	52	47	45	34	7	3	1	55
84	43	19	18	4	424	308	92	16	8	306	231	47	24	4	71	60	9	2	-	56
20	14	4	1	1	131	84	45	-	2	43	27	13	2	1	11	10	1	-	-	57
20	9	6	5	-	41	30	8	3	-	16	10	5	1	-	5	4	1	-	-	58
18	13	2	3	-	210	172	23	11	4	226	178	27	19	2	48	44	2	2	-	59
26	7	7	9	3	42	22	16	2	2	21	16	2	2	1	7	2	5	-	-	60
78	13	5	47	13	342	77	38	178	49	485	84	21	314	66	13	8	2	2	1	61
28	2	-	20	6	191	43	32	86	30	280	57	14	174	35	8	4	2	1	1	62
25	2	1	21	1	95	12	3	65	15	128	9	1	100	18	2	1	-	1	-	63
22	8	4	4	6	37	14	3	16	4	56	13	6	24	13	2	2	-	-	-	64
3	1	-	2	-	12	4	-	8	-	8	4	-	4	-	1	1	-	-	-	65
-	-	-	-	-	7	4	-	3	-	13	1	-	12	-	-	-	-	-	-	66
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	67

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	92,317	47,928	35,956	4,711	3,722	40,167	21,643	16,180	1,269	1,075
2	I. Infective and parasitic diseases	1,683	916	364	248	155	772	414	256	58	44
3	Tuberculosis, all forms 001-019	1,061	599	165	194	103	385	211	118	33	23
4	Tuberculosis of respiratory system 001-008	950	557	145	171	77	356	201	110	26	19
5	Tuberculosis of meninges and central nervous system 010	29	9	3	7	10	9	4	3	1	1
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	9	3	2	1	3	3	-	1	-	2
7	Tuberculosis of vertebral column 012.0,013.0	9	2	1	4	2	2	2	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	3	1	2	-	-	1	-	-	1	-
9	Tuberculosis of genito-urinary system 016	13	7	3	2	1	1	-	1	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	9	4	3	1	1	3	2	1	-	-
11	Disseminated tuberculosis 019	39	16	6	8	9	10	2	2	5	1
12	Syphilis and its sequelae 020-029	214	118	38	38	20	135	82	28	16	9
13	Congenital syphilis 020	2	-	-	1	1	1	-	-	-	1
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	76	49	13	11	3	48	30	12	3	3
16	Other cardiovascular syphilis 023	75	38	12	18	7	49	29	8	8	4
17	Tabes dorsalis 024	7	5	1	1	-	2	1	1	-	-
18	General paralysis of insane 025	33	16	7	4	6	7	6	-	1	-
19	Other syphilis of central nervous system 026	15	8	2	2	3	23	12	6	4	1
20	Other syphilis 027-029	6	2	3	1	-	5	4	1	-	-
21	Gonococcal infection 030-035	1	-	-	1	-	-	-	-	-	-
22	Typhoid fever 040	1	-	-	-	1	2	-	2	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	1	-	1	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	16	6	6	-	4	9	5	3	-	1
28	Food poisoning (infection and intoxication) 049	1	-	1	-	-	4	2	1	1	-
29	Scarlet fever 050	3	1	2	-	-	1	1	-	-	-
30	Streptococcal sore throat 051	7	4	1	-	2	13	5	7	-	1
31	Erysipelas 052	-	-	-	-	-	2	1	1	-	-
32	Septicemia and pyemia 053	34	17	13	-	4	22	4	14	2	2
33	Diphtheria 055	2	1	-	1	-	2	2	-	-	-
34	Whooping cough 056	6	3	3	-	-	14	7	3	4	-
35	Meningococcal infections 057	54	29	18	4	3	41	21	19	1	-
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	16	6	4	2	4	3	-	1	-	2
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	102	59	38	2	3	44	29	15	-	-
42	Late effects of acute poliomyelitis 081	5	2	3	-	-	9	3	5	-	1
43	Acute infectious encephalitis 082	22	7	14	-	1	8	4	4	-	-
44	Late effects of acute infectious encephalitis 083	8	4	4	-	-	4	1	3	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	17	7	8	-	2	16	10	5	-	1
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	62	28	33	1	-	19	9	10	-	-
49	Rabies 094	1	1	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	49	24	12	5	8	39	17	17	1	4
61	II. Neoplasms	15,644	7,604	6,901	592	547	6,312	3,051	2,950	163	148
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	15,344	7,481	6,760	578	525	6,203	3,008	2,898	160	137
63	Malignant neoplasm of buccal cavity and pharynx 140-148	364	267	73	14	10	131	100	24	7	-
64	Of lip 140	21	19	2	-	-	11	10	-	1	-
65	Of tongue 141	85	60	17	4	4	28	22	5	1	-
66	Of other and unspecified parts of buccal cavity 142-144	95	62	26	3	4	35	26	7	2	-
67	Of pharynx 145-148	163	126	28	7	2	57	42	12	3	-
68	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	5,864	2,982	2,456	257	169	2,278	1,122	1,050	65	41
69	Of esophagus 150	327	238	47	37	5	89	67	15	5	2
70	Of stomach 151	1,522	879	506	91	46	551	319	200	24	8
71	Of intestine, except rectum 152,153	1,796	772	828	46	50	753	307	423	10	13
72	Of rectum 154	740	378	307	29	26	236	126	99	5	6
73	Of biliary passages and of liver (stated to be primary site) 155	467	179	261	17	10	146	41	99	3	3
74	Of liver not specified whether primary or secondary 156A	213	102	106	2	3	166	75	79	8	4
75	Of pancreas 157	731	402	274	30	25	288	160	115	9	4
76	Of peritoneum and of unspecified digestive organs 158,159	68	32	27	5	4	49	27	20	1	1
77	Malignant neoplasm of respiratory system 160-164	1,917	1,490	276	125	26	731	582	109	36	4
78	Of larynx 161	142	119	10	11	2	51	43	5	2	1
79	Of trachea, and of bronchus and lung specified as primary 162	1,158	883	155	97	23	265	224	27	13	1
80	Of lung and bronchus, unspecified as primary or secondary 163	557	455	88	13	1	385	297	68	18	2
81	Of other parts of respiratory system 160,164	60	33	23	4	-	30	18	9	3	-
82	Malignant neoplasm of breast 170	1,440	12	1,349	-	79	520	6	491	-	23

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
25,688	14,566	10,848	155	119	19,298	10,425	7,852	528	493	26,888	13,607	10,208	1,687	1,386	24,376	8,762	5,975	5,212	4,427	1
316	197	106	8	5	311	195	85	23	8	865	423	317	75	50	721	251	107	223	140	2
93	64	25	3	1	119	80	27	6	6	524	265	176	49	34	317	145	39	85	48	3
82	56	23	3	-	106	72	23	6	5	480	240	165	45	30	292	137	38	77	40	4
3	1	2	-	-	5	3	1	-	1	13	6	5	2	-	3	2	-	-	1	5
1	1	-	-	-	1	-	1	-	-	2	1	-	-	1	4	1	-	1	2	6
2	2	-	-	-	1	1	-	-	-	3	2	-	-	1	1	1	-	-	-	7
-	-	-	-	-	1	-	1	-	-	2	2	-	-	-	1	-	-	-	1	8
1	1	-	-	-	3	2	1	-	-	8	6	1	1	-	2	1	-	-	1	9
2	2	-	-	-	1	1	-	-	-	4	3	-	-	1	2	1	1	-	-	10
2	1	-	-	1	1	1	-	-	-	12	5	5	1	1	12	2	-	7	3	11
62	43	13	4	2	63	37	11	13	2	86	37	27	16	6	199	49	8	97	45	12
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	3	2	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
28	21	5	2	-	30	19	6	5	-	32	17	9	3	3	54	23	1	21	9	15
15	10	2	2	1	16	10	3	3	-	19	10	5	3	1	99	15	4	55	25	16
2	1	1	-	-	5	4	-	1	-	3	3	-	-	-	-	-	-	-	-	17
5	4	-	-	1	5	1	1	2	1	17	4	5	7	1	26	7	2	13	4	18
9	6	3	-	-	5	3	-	1	1	12	3	5	3	1	9	2	1	2	4	19
2	1	1	-	-	2	-	1	1	-	3	-	3	-	-	6	2	-	3	1	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	3	1	1	-	1	22
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	26
5	3	2	-	-	5	5	-	-	-	20	9	8	2	1	22	5	3	8	6	27
1	-	1	-	-	2	-	1	1	-	2	2	-	-	-	4	1	-	2	1	28
6	4	2	-	-	3	3	-	-	-	3	-	3	-	-	1	-	1	-	-	29
3	1	2	-	-	3	1	2	-	-	5	2	2	1	-	4	1	3	-	-	30
3	-	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	31
13	8	5	-	-	13	11	2	-	-	22	10	10	1	1	32	14	8	7	3	32
1	-	1	-	-	1	-	1	-	-	4	2	2	-	-	5	1	1	1	2	33
-	-	-	-	-	4	1	1	2	-	25	11	13	-	1	8	1	2	1	4	34
19	11	8	-	-	13	10	3	-	-	37	22	14	-	1	41	11	15	7	8	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	38
3	3	-	-	-	1	-	1	-	-	4	3	1	-	-	15	2	2	3	8	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
49	29	19	-	1	29	15	14	-	-	39	15	20	1	3	15	7	5	1	2	41
4	2	2	-	-	4	2	2	-	-	3	3	-	-	-	2	-	1	1	-	42
11	6	5	-	-	15	8	7	-	-	9	2	4	2	1	3	1	2	-	-	43
4	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
6	2	3	1	-	3	3	-	-	-	26	14	12	-	-	9	3	4	-	2	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
13	5	7	-	1	13	6	7	-	-	21	12	7	2	-	12	1	4	3	4	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	8	2	1	4	1	59
19	11	8	-	-	19	12	6	1	-	23	8	14	-	1	19	6	5	3	5	60
4,315	2,169	2,101	22	23	2,784	1,367	1,284	63	70	3,729	1,619	1,758	178	174	3,687	1,400	1,077	633	577	61
4,218	2,118	2,056	22	22	2,725	1,345	1,252	61	67	3,643	1,591	1,711	175	166	3,561	1,368	1,045	606	542	62
88	69	19	-	-	62	49	13	-	-	85	56	19	9	1	85	43	20	14	8	63
8	8	-	-	-	14	13	1	-	-	5	2	3	-	-	4	2	1	1	-	64
14	9	5	-	-	11	3	8	-	-	10	6	3	1	-	30	18	7	4	1	65
28	21	7	-	-	19	17	2	-	-	25	14	8	2	1	31	14	8	4	5	66
38	31	7	-	-	18	16	2	-	-	45	34	5	6	-	20	9	4	5	2	67
1,532	809	706	7	10	920	502	381	22	15	1,287	576	590	66	55	1,219	413	359	269	178	68
50	35	11	1	3	33	22	9	2	-	53	27	13	9	4	57	27	2	21	7	69
425	251	172	1	1	224	132	84	4	4	337	169	132	25	11	407	131	72	141	63	70
514	234	276	2	2	309	145	154	5	5	400	152	213	13	22	266	71	128	32	35	71
178	102	76	-	-	90	53	35	-	2	124	66	50	5	3	112	41	35	14	22	72
90	37	52	-	1	49	22	22	3	2	78	26	47	1	4	46	15	23	3	5	73
71	28	42	1	-	50	24	24	2	-	106	46	55	2	3	107	33	30	21	23	74
179	107	68	2	2	141	93	42	5	1	167	83	67	10	7	189	82	61	27	19	75
25	15	9	-	1	24	11	11	1	1	22	7	13	1	1	35	13	8	10	4	76
409	328	70	8	3	294	232	52	9	1	374	270	68	32	4	517	362	44	100	11	77
22	20	1	1	-	13	5	6	1	1	36	26	4	5	1	38	25	3	10	-	78
134	107	24	2	1	105	91	11	3	-	96	71	16	8	1	188	137	10	39	2	79
239	192	40	5	2	164	129	30	5	-	226	165	40	19	2	276	192	30	47	7	80
14	9	5	-	-	12	7	5	-	-	16	8	8	-	-	15	8	1	4	2	81
381	4	376	-	1	264	-	249	1	14	316	4	282	1	29	254	2	175	2	75	82

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	2,292	786	1,273	75	158	1,069	373	633	14	49
2	Of cervix uteri----------171	443	...	359	...	84	259	...	235	...	24
3	Of other and unspecified parts of uterus----------172-174	468	...	418	...	50	224	...	211	...	13
4	Of ovary, fallopian tube, and broad ligament----------175	473	...	452	...	21	177	...	167	...	10
5	Of other and unspecified female genital organs----------176	47	...	44	...	3	22	...	20	...	2
6	Of prostate----------177	803	732	...	71	...	363	349	...	14	...
7	Of testis, and of other and unspecified male genital organs----178,179	58	54	...	4	...	24	24	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	750	476	237	26	11	298	195	91	8	4
9	Of kidney----------180	271	160	98	9	4	117	73	42	2	-
10	Of bladder and other urinary organs----------181	479	316	139	17	7	181	122	49	6	4
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	1,435	763	604	32	36	630	322	283	14	11
12	Of skin----------190,191	183	113	67	2	1	93	46	47	-	-
13	Of eye----------192	15	8	7	-	-	5	4	1	-	-
14	Of brain and other parts of nervous system----------193	330	193	122	8	7	143	79	58	2	4
15	Of thyroid gland----------194	76	19	53	1	3	28	10	17	1	-
16	Of bone (including jaw bone)----------196	110	65	42	-	3	61	32	27	2	-
17	Of connective tissue----------197	44	22	18	2	2	22	14	7	1	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	223	109	99	6	9	106	54	47	2	3
19	Of unspecified sites----------156B,165,198B,199B-M	454	234	196	13	11	172	83	79	6	4
20	Leukemia and aleukemia----------204	621	346	239	16	20	291	161	122	7	1
21	Lymphosarcoma, etc.*----------200-203,205	661	359	253	33	16	255	147	95	9	4
22	Lymphosarcoma and reticulosarcoma----------200	356	195	138	15	8	125	69	53	3	-
23	Hodgkin's disease----------201	157	90	56	9	2	77	55	17	3	2
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	148	74	59	9	6	53	23	25	3	2
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	300	123	141	14	22	109	43	52	3	11
26	Benign neoplasms of female genital organs----------214-217	64	...	47	...	17	26	...	19	...	7
27	Benign neoplasm of brain and other parts of nervous system---------223	56	32	21	3	-	19	8	10	-	1
28	Other benign neoplasms----------210-213,218-222,224-229	57	29	23	4	1	23	16	5	1	1
29	Neoplasm of unspecified nature of female genital organs--------233-235	2	...	2	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	82	44	29	6	3	19	7	8	2	2
31	Other neoplasms of unspecified nature----------230-232,236,238,239	39	18	19	1	1	22	12	10	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	1,898	777	1,004	40	77	1,003	423	516	24	40
33	Asthma----------241	326	200	111	7	8	180	119	54	6	1
34	Nontoxic goiter----------250,251	8	-	5	-	3	4	2	2	-	-
35	Thyrotoxicosis with or without goiter----------252	52	7	43	-	2	45	3	38	-	4
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	8	1	6	-	1	7	5	2	-	-
37	Diabetes mellitus----------260	1,413	527	796	28	62	716	271	396	16	33
38	Diseases of thymus gland----------273	25	11	13	1	-	6	3	3	-	-
39	Diseases of adrenal glands----------274	17	9	8	-	-	6	3	3	-	-
40	Pellagra----------281	1	-	-	1	-	1	1	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	12	7	4	1	-	20	8	9	2	1
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	36	15	18	2	1	18	8	9	-	1
43	IV. Diseases of the blood and blood-forming organs----------	286	129	129	17	11	174	83	81	4	6
44	Anemias----------290-293	206	92	91	14	9	130	60	62	3	5
45	Pernicious and other hyperchromic anemias----------290	82	35	45	1	1	58	24	30	1	3
46	Anemias of other and unspecified type----------291-293	124	57	46	13	8	72	36	32	2	2
47	Purpura and other hemorrhagic conditions----------296	24	4	18	1	1	22	10	11	-	1
48	All other diseases of blood and blood-forming organs-----294,295,297-299	56	33	20	2	1	22	13	8	1	-
49	V. Mental, psychoneurotic, and personality disorders----------	78	48	19	5	6	73	44	23	3	3
50	Senile psychosis----------304	7	1	5	-	1	15	5	10	-	-
51	Alcoholic psychosis----------307	11	8	1	1	1	1	1	-	-	-
52	Other psychoses----------300-303,305,306,308,309	5	2	2	-	1	9	5	4	-	-
53	Alcoholism----------322	40	31	8	1	-	36	30	3	2	1
54	Mental deficiency----------325	3	2	1	-	-	5	2	3	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	12	4	2	3	3	7	1	3	1	2
56	VI. Diseases of the nervous system and sense organs----------	10,444	4,514	5,045	416	469	5,554	2,661	2,574	147	172
57	Vascular lesions affecting central nervous system----------330-334	9,720	4,146	4,755	380	439	5,236	2,489	2,452	133	162
58	Subarachnoid hemorrhage----------330	219	83	101	17	18	121	48	61	7	5
59	Cerebral hemorrhage----------331	6,513	2,733	3,226	248	306	3,620	1,692	1,725	90	113
60	Cerebral embolism and thrombosis----------332	2,077	947	950	90	90	959	488	422	22	27
61	Other vascular lesions affecting central nervous system--------333,334	911	383	478	25	25	536	261	244	14	17
62	Meningitis, except meningococcal and tuberculous----------340	82	35	23	14	10	39	18	16	1	4
63	Multiple sclerosis----------345	90	34	48	3	5	33	18	15	-	-
64	Paralysis agitans----------350	144	81	62	-	1	67	45	22	-	-
65	Cerebral spastic infantile paralysis----------351	33	22	9	-	2	14	13	1	-	-
66	Epilepsy----------353	101	49	43	7	2	44	23	15	4	2
67	Inflammatory diseases of eye----------370-379	1	1	-	-	-	2	1	1	-	-
68	Cataract----------385	3	2	1	-	-	1	-	1	-	-
69	Glaucoma----------387	-	-	-	-	-	2	1	1	-	-
70	Otitis media and mastoiditis----------391-393	27	15	9	1	2	7	4	-	2	1
71	Other diseases of nervous system and sense organs----------Residual[1]	243	129	95	11	8	109	49	50	7	3
72	VII. Diseases of the circulatory system----------	41,332	22,337	15,972	1,629	1,394	16,752	9,534	6,449	427	342
73	Rheumatic fever----------400-402	75	33	29	5	8	38	20	12	1	5
74	Diseases of heart----------410-443	38,428	20,930	14,713	1,500	1,285	15,154	8,768	5,709	384	293
75	Chronic rheumatic heart disease----------410-416	1,204	514	582	47	61	484	233	223	16	12
76	Diseases of mitral valve----------410	467	182	255	11	19	197	77	105	9	6
77	Diseases of aortic valve specified as rheumatic----------411	47	34	12	-	1	30	24	5	1	-
78	Diseases of tricuspid valve----------412	1	1	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	81	34	38	5	4	29	11	18	-	-
80	Other diseases of heart specified as rheumatic----------415,416	608	263	277	31	37	228	121	95	6	6

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
696	305	383	4	4	450	158	257	14	21	657	232	342	28	55	610	158	191	97	164	1
120	...	117	...	3	103	...	93	...	10	180	...	155	...	25	151	...	77	...	74	2
114	...	114	...	-	88	...	84	...	4	123	...	101	...	22	114	...	53	...	61	3
139	...	138	...	1	79	...	73	...	6	80	...	74	...	6	78	...	57	...	21	4
14	...	14	...	-	8	...	7	...	1	14	...	12	...	2	12	...	4	...	8	5
288	284	...	4	...	161	147	...	14	...	246	218	...	28	...	235	147	...	88	...	6
21	21	...	-	...	11	11	...	-	...	14	14	...	-	...	20	11	...	9	...	7
215	137	75	1	2	132	89	39	1	3	135	71	53	7	4	146	70	31	23	22	8
82	47	34	-	1	54	32	21	1	-	51	25	24	2	-	44	19	17	5	3	9
133	90	41	1	1	78	57	18	-	3	84	46	29	5	4	102	51	14	18	19	10
474	228	244	1	1	317	163	139	7	8	485	225	231	19	10	436	188	142	50	56	11
63	35	28	-	-	43	25	17	-	1	89	43	43	2	1	62	35	17	4	6	12
1	1	-	-	-	4	4	-	-	-	3	2	1	-	-	2	1	-	1	-	13
88	54	34	-	-	70	39	29	1	1	75	42	29	3	1	66	34	22	8	2	14
14	5	9	-	-	13	7	5	-	1	15	4	11	-	-	11	2	6	1	2	15
40	18	22	-	-	16	10	6	-	-	46	26	17	1	2	30	16	9	1	4	16
13	7	6	-	-	13	8	4	1	-	13	5	7	1	-	7	4	3	-	-	17
90	33	56	-	1	35	16	19	-	-	73	32	37	3	1	69	29	24	8	8	18
165	75	89	1	-	123	54	59	5	5	171	71	86	9	5	189	67	61	27	34	19
224	120	104	-	-	167	94	66	3	4	157	90	61	6	-	147	68	40	24	15	20
199	118	79	1	1	119	58	56	4	1	147	67	65	7	8	147	64	43	27	13	21
89	53	35	-	1	50	26	23	1	-	62	30	30	1	1	70	33	22	11	4	22
50	32	18	-	-	39	18	19	1	1	53	30	19	4	-	43	13	15	10	5	23
60	33	26	1	-	30	14	14	2	-	32	7	16	2	7	34	18	6	6	4	24
97	51	45	-	1	59	22	32	2	3	86	28	47	3	8	126	32	32	27	35	25
15	...	14	...	1	17	...	15	...	2	17	...	14	...	3	17	...	5	...	12	26
10	5	5	-	-	13	8	4	1	-	14	4	6	-	4	16	4	5	6	1	27
14	8	6	-	-	12	5	6	-	1	14	9	5	-	-	18	3	5	7	3	28
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	29
43	28	15	-	-	11	8	2	1	-	27	11	13	2	1	57	19	14	11	13	30
15	10	5	-	-	6	1	5	-	-	13	4	8	1	-	17	6	3	3	5	31
601	306	289	3	3	466	196	249	7	14	587	247	287	15	38	580	148	225	74	133	32
130	95	34	1	-	83	56	27	-	-	122	77	37	4	4	112	47	22	24	19	33
1	-	1	-	-	4	-	4	-	-	3	1	2	-	-	2	-	-	-	2	34
14	4	10	-	-	11	1	10	-	-	25	4	20	-	1	13	-	6	2	5	35
4	2	2	-	-	3	2	1	-	-	3	-	3	-	-	2	-	2	-	-	36
409	186	218	2	3	332	123	190	7	12	387	149	198	10	30	413	87	189	40	97	37
11	7	4	-	-	9	5	4	-	-	4	1	3	-	-	4	2	-	1	1	38
5	2	3	-	-	5	3	2	-	-	5	1	4	-	-	5	3	1	1	-	39
2	-	2	-	-	2	-	2	-	-	4	1	2	-	1	5	1	1	-	3	40
10	4	6	-	-	7	2	4	-	1	19	7	10	1	1	15	4	4	4	3	41
15	6	9	-	-	10	4	5	-	1	15	6	8	-	1	9	4	-	2	3	42
125	49	75	1	-	75	33	42	-	-	96	41	44	5	6	80	23	17	17	23	43
96	35	60	1	-	56	23	33	-	-	72	33	31	4	4	57	12	13	12	20	44
49	20	29	-	-	26	11	15	-	-	26	11	14	1	-	7	1	1	1	4	45
47	15	31	1	-	30	12	18	-	-	46	22	17	3	4	50	11	12	11	16	46
8	1	7	-	-	8	2	6	-	-	10	3	6	-	1	11	8	2	-	1	47
21	13	8	-	-	11	8	3	-	-	14	5	7	1	1	12	3	2	5	2	48
56	30	24	-	2	33	19	13	1	-	59	33	18	6	2	40	17	9	8	6	49
15	3	12	-	-	9	5	4	-	-	15	6	9	-	-	4	1	3	-	-	50
4	4	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	51
14	7	7	-	-	5	1	4	-	-	6	1	3	2	-	7	3	2	-	2	52
17	13	2	-	2	15	10	4	1	-	31	21	4	4	2	21	9	3	7	2	53
4	2	2	-	-	2	1	1	-	-	1	1	-	-	-	5	3	-	1	1	54
2	1	1	-	-	1	1	-	-	-	6	4	2	-	-	2	-	1	-	1	55
3,958	2,003	1,931	14	10	2,683	1,255	1,299	54	75	3,656	1,676	1,507	224	249	2,634	738	688	581	627	56
3,699	1,855	1,821	14	9	2,492	1,149	1,217	52	74	3,384	1,542	1,399	208	235	2,371	663	623	506	579	57
56	31	25	-	-	35	16	14	1	4	66	24	33	3	6	79	23	18	17	21	58
2,510	1,258	1,238	8	6	1,678	763	826	34	55	2,292	1,026	954	154	158	1,798	474	451	402	471	59
751	377	366	6	2	492	246	231	8	7	613	314	255	22	22	286	100	106	42	38	60
382	189	192	-	1	287	124	146	9	8	413	178	157	29	49	208	66	48	45	49	61
30	19	11	-	-	19	13	5	-	1	38	19	12	6	1	44	13	6	14	11	62
30	19	11	-	-	19	10	9	-	-	17	10	7	-	-	10	5	4	-	1	63
60	35	25	-	-	50	29	21	-	-	16	5	9	1	1	31	11	15	3	2	64
15	9	6	-	-	6	5	1	-	-	13	5	7	1	-	23	4	8	5	6	65
36	24	12	-	-	19	11	8	-	-	49	21	19	5	4	55	11	11	23	10	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
6	3	3	-	-	5	3	2	-	-	10	2	7	-	1	16	3	7	4	2	70
82	39	42	-	1	73	35	36	2	-	128	72	46	3	7	84	28	14	26	16	71
10,712	6,331	4,277	60	44	7,570	4,314	2,899	173	184	10,313	5,381	3,749	640	543	9,339	3,622	2,401	1,695	1,621	72
23	7	15	1	-	16	6	8	1	1	35	15	14	1	5	22	2	2	10	8	73
9,637	5,775	3,766	56	40	6,694	3,869	2,509	155	161	9,333	4,945	3,341	579	468	8,538	3,381	2,192	1,530	1,435	74
318	156	161	1	-	178	87	85	3	3	260	118	126	10	6	152	46	40	25	41	75
150	70	79	1	-	98	44	51	2	1	91	38	46	5	2	63	10	20	16	17	76
15	10	5	-	-	18	14	3	1	-	8	5	3	-	-	4	3	-	-	1	77
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	78
19	11	8	-	-	12	5	7	-	-	8	5	3	-	-	5	3	2	-	-	79
134	65	69	-	-	49	23	24	-	2	153	70	74	5	4	80	30	18	9	23	80

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	25,220	15,116	8,730	837	537	10,182	6,478	3,350	210	144
2	Arteriosclerotic heart disease so described----------420.0	10,088	5,107	4,181	452	348	3,239	1,755	1,330	88	66
3	Heart disease specified as involving coronary arteries----------420.1	15,078	9,972	4,535	383	188	6,908	4,701	2,007	122	78
4	Angina pectoris without mention of coronary disease----------420.2	54	37	14	2	1	35	22	13	-	-
5	Chronic endocarditis not specified as rheumatic----------421	382	202	162	8	10	191	95	79	11	6
6	Of mitral valve, specified as nonrheumatic----------421.0	46	21	25	-	-	29	7	13	5	4
7	Of aortic valve, not specified as rheumatic----------421.1	96	60	31	-	5	40	20	16	3	1
8	Of other valves, not specified as rheumatic----------421.2-421.4	240	121	106	8	5	122	68	50	3	1
9	Other myocardial degeneration----------422	5,802	2,580	2,675	267	280	1,504	714	734	40	16
10	With arteriosclerosis----------422.1	2,524	1,116	1,324	44	40	701	326	349	22	4
11	Without mention of arteriosclerosis----------422.0,422.2	3,278	1,464	1,351	223	240	803	388	385	18	12
12	Other diseases of heart----------430-434	1,461	895	413	91	62	616	304	274	21	17
13	Acute and subacute endocarditis----------430	65	30	20	11	4	12	5	3	2	2
14	Acute myocarditis not specified as rheumatic----------431	127	62	51	10	4	71	33	34	1	3
15	Acute pericarditis specified as nonrheumatic----------432	4	3	-	-	1	4	-	4	-	-
16	Functional disease of heart----------433	116	61	53	-	2	95	60	32	3	-
17	Other and unspecified diseases of heart----------434	1,149	739	289	70	51	434	206	201	15	12
18	Hypertension with heart disease----------440-443	4,359	1,623	2,151	250	335	2,177	944	1,049	86	98
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	940	421	452	34	33	1,169	574	544	26	25
20	Essential hypertension with heart disease, etc.*----------440,441,443	3,419	1,202	1,699	216	302	1,008	370	505	60	73
21	Hypertension without mention of heart----------444-447	754	311	320	70	53	333	162	143	10	18
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	522	233	208	49	32	177	86	75	6	10
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	232	78	112	21	21	156	76	68	4	8
24	Diseases of arteries----------450-456	1,833	949	804	42	38	1,116	526	542	24	24
25	General arteriosclerosis----------450	1,537	754	726	31	26	986	439	505	21	21
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	200	146	38	9	7	73	56	15	2	-
27	Gangrene of unspecified cause----------455	8	5	2	-	1	7	2	5	-	-
28	Other arterial diseases----------452-454,456	88	44	38	2	4	50	29	17	1	3
29	Diseases of veins and other diseases of circulatory system--------460-468	242	114	106	12	10	111	58	43	8	2
30	VIII. Diseases of the respiratory system----------	3,789	1,900	1,251	363	275	1,410	752	514	82	62
31	Acute upper respiratory infections----------470-475	43	20	18	2	3	22	11	10	1	-
32	Influenza----------480-483	76	32	37	3	4	70	38	27	2	3
33	Pneumonia, except pneumonia of newborn----------490-493	2,885	1,347	995	305	238	945	468	364	62	51
34	Lobar pneumonia----------490	614	322	194	62	36	299	157	102	23	17
35	Bronchopneumonia----------491	1,979	877	675	234	193	517	249	207	32	29
36	Primary atypical pneumonia----------492	160	80	68	5	7	101	51	44	3	3
37	Pneumonia, other and unspecified----------493	132	68	58	4	2	28	11	11	4	2
38	Acute bronchitis----------500	98	36	28	16	18	18	10	4	4	-
39	Bronchitis, chronic and unqualified----------501,502	117	85	24	5	3	47	26	20	-	1
40	Hypertrophy of tonsils and adenoids----------510	7	5	2	-	-	5	2	1	-	2
41	Empyema and abscess of lung----------518,521	40	20	11	7	2	16	6	7	3	-
42	Pleurisy----------519	21	14	5	2	-	4	2	2	-	-
43	All other respiratory diseases----------Residual[1]	502	341	131	23	7	283	189	79	10	5
44	IX. Diseases of the digestive system----------	3,431	2,030	1,114	163	124	1,453	809	552	50	42
45	Diseases of teeth and supporting structures----------530-535	11	5	4	1	1	3	1	1	1	-
46	Ulcer of stomach----------540	279	206	48	17	8	126	82	38	3	3
47	Ulcer of duodenum----------541	296	231	47	11	7	92	75	12	4	1
48	Gastritis and duodenitis----------543	7	4	1	1	1	5	2	1	2	-
49	Appendicitis----------550-553	156	87	43	13	13	56	31	16	6	3
50	Hernia and intestinal obstruction----------560,561,570	499	247	218	21	13	238	110	111	10	7
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	352	151	124	45	32	186	94	73	7	12
52	Cirrhosis of liver----------581	1,095	745	284	38	28	388	259	108	12	9
53	Without mention of alcoholism----------581.0	739	498	216	11	14	319	205	101	8	5
54	With alcoholism----------581.1	356	247	68	27	14	69	54	7	4	4
55	Cholelithiasis and cholecystitis----------584,585	368	148	212	1	7	165	55	106	2	2
56	Other diseases of digestive system----------Residual[1]	368	206	133	15	14	194	100	86	3	5
57	X. Diseases of the genito-urinary system----------	2,217	1,217	752	134	114	945	518	361	39	27
58	Nephritis and nephrosis----------590-594	1,321	609	555	80	77	585	273	271	25	16
59	Acute nephritis----------590	64	32	25	3	4	40	27	11	1	1
60	Nephritis with edema, including nephrosis----------591	74	38	29	2	5	30	13	16	-	1
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	1,163	539	501	75	68	515	233	244	24	14
62	Infections of kidney----------600	247	115	94	20	18	93	44	40	4	5
63	Calculi of urinary system----------602,604	82	44	30	3	5	33	17	14	-	2
64	Other diseases of urinary system----------601,603,605-609	85	44	36	3	2	41	21	18	-	2
65	Hyperplasia of prostate----------610	393	369	...	24	...	155	146	...	9	...
66	Other diseases of male genital organs----------611-617	40	36	...	4	...	18	17	...	1	...
67	Diseases of breast----------620,621	-	-	-	-	-	1	-	1	-	-
68	Diseases of female genital organs----------622-637	49	...	37	...	12	19	...	17	...	2
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	76	...	52	...	24	43	...	37	...	6
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	5	...	5	...	-	6	...	6	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	30	...	22	...	8	14	...	13	...	1
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	11	...	8	...	3	7	...	6	...	1
73	Ectopic pregnancy----------645	7	...	1	...	6	3	...	3	...	-
74	Abortion without mention of sepsis or toxemia----------650	2	...	1	...	1	2	...	1	...	1
75	Abortion with sepsis----------651	1	...	1	...	-	3	...	3	...	-
76	Abortion with toxemia, without mention of sepsis----------652	2	...	1	...	1	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	18	...	13	...	5	8	...	5	...	3

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,823	4,381	2,381	37	24	4,446	2,837	1,443	91	75	5,464	3,213	1,808	257	186	5,369	2,549	1,441	785	594	1
1,866	1,012	837	11	6	1,245	668	531	24	22	1,487	740	613	72	62	2,236	889	762	305	280	2
4,921	3,346	1,531	26	18	3,173	2,145	909	66	53	3,938	2,449	1,184	183	122	3,123	1,656	675	478	314	3
36	23	13	-	-	28	24	3	1	-	39	24	11	2	2	10	4	4	2	-	4
145	85	60	-	-	151	80	61	3	7	187	102	71	6	8	120	28	23	39	30	5
14	10	4	-	-	13	5	7	-	1	4	-	3	-	1	7	-	1	1	5	6
26	21	5	-	-	36	23	9	-	4	30	20	7	3	-	44	12	7	18	7	7
105	54	51	-	-	102	52	45	3	2	153	82	61	3	7	69	16	15	20	18	8
1,012	526	477	5	4	788	361	395	18	14	923	445	369	56	53	678	218	192	132	136	9
526	281	241	2	2	434	199	220	9	6	470	234	199	17	20	328	112	101	64	51	10
486	245	236	3	2	354	162	175	9	8	453	211	170	39	33	350	106	91	68	85	11
330	176	150	3	1	320	171	130	7	12	781	419	251	71	40	474	164	91	122	97	12
19	12	7	-	-	10	5	4	1	-	11	6	3	-	2	11	7	1	1	2	13
12	6	6	-	-	31	14	14	1	2	64	28	15	13	8	13	2	2	5	4	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	15
54	16	38	-	-	52	25	26	-	1	45	27	17	-	1	24	8	13	2	1	16
245	142	99	3	1	227	127	86	5	9	661	358	216	58	29	425	146	75	114	90	17
1,009	451	537	10	11	811	333	395	33	50	1,718	648	716	179	175	1,745	376	405	427	537	18
435	225	206	4	-	262	123	113	12	14	424	171	161	54	38	266	56	51	84	75	19
574	226	331	6	11	549	210	282	21	36	1,294	477	555	125	137	1,479	320	354	343	462	20
217	123	92	-	2	201	101	87	7	6	251	103	92	29	27	230	44	36	69	81	21
103	74	28	-	1	115	66	43	3	3	125	62	38	15	10	71	22	11	22	16	22
114	49	64	-	1	86	35	44	4	3	126	41	54	14	17	159	22	25	47	65	23
772	392	375	3	2	579	297	259	8	15	632	295	268	30	39	456	167	146	67	76	24
688	340	344	2	2	508	251	238	6	13	557	262	236	25	34	354	117	128	50	59	25
60	41	18	1	-	40	27	10	2	1	28	18	6	2	2	58	34	7	11	6	26
3	2	1	-	-	6	5	1	-	-	9	1	5	1	2	9	4	2	2	1	27
21	9	12	-	-	25	14	10	-	1	38	14	21	2	1	35	12	9	4	10	28
63	34	29	-	-	80	41	36	2	1	62	23	34	1	4	93	28	25	19	21	29
851	482	354	9	6	676	358	268	28	22	1,211	575	469	105	62	1,127	339	226	321	241	30
17	10	6	1	-	13	5	6	1	1	19	7	12	-	-	10	4	1	4	1	31
50	25	24	1	-	60	27	30	2	1	86	38	39	5	4	62	15	11	15	21	32
551	297	245	5	4	420	210	173	19	18	833	371	329	84	49	759	189	160	228	182	33
159	98	61	-	-	102	62	34	2	4	233	107	86	28	12	177	52	36	50	39	34
260	130	125	3	2	238	106	110	11	11	323	153	124	30	16	399	90	81	119	109	35
53	27	24	1	1	45	24	16	4	1	50	19	23	4	4	63	16	17	19	11	36
79	42	35	1	1	35	18	13	2	2	227	92	96	22	17	120	31	26	40	23	37
5	3	2	-	-	5	1	4	-	-	18	12	6	-	-	23	9	7	5	2	38
22	12	10	-	-	33	19	12	2	-	45	27	15	1	2	25	11	10	3	1	39
12	8	3	-	1	2	1	1	-	-	2	1	1	-	-	4	1	1	2	-	40
12	11	1	-	-	9	5	4	-	-	14	11	1	1	1	15	3	1	9	2	41
1	1	-	-	-	3	2	1	-	-	5	1	1	2	1	4	2	-	1	1	42
181	115	63	2	1	131	88	37	4	2	189	107	65	12	5	225	105	35	54	31	43
822	473	341	3	5	734	396	306	15	17	928	498	337	48	45	852	338	200	178	136	44
1	1	-	-	-	5	1	4	-	-	1	-	1	-	-	3	-	-	1	2	45
67	50	17	-	-	64	46	13	4	1	67	49	11	3	4	57	28	6	18	5	46
87	71	16	-	-	63	49	14	-	-	71	55	11	5	-	43	25	4	8	6	47
1	1	-	-	-	4	1	3	-	-	6	3	2	1	-	4	2	2	-	-	48
36	24	11	-	1	24	19	5	-	-	31	12	13	4	2	30	13	6	5	6	49
149	85	64	-	-	164	85	67	8	4	128	52	55	11	10	139	36	41	36	26	50
79	32	45	1	1	76	41	31	1	3	169	72	78	8	11	145	23	33	49	40	51
152	96	56	-	-	119	80	36	1	2	223	153	53	7	10	220	126	47	34	13	52
129	77	52	-	-	104	65	36	1	2	179	119	48	6	6	179	101	40	28	10	53
23	19	4	-	-	15	15	-	-	-	44	34	5	1	4	41	25	7	6	3	54
109	39	68	-	2	105	31	71	-	3	91	28	60	-	3	60	19	31	2	8	55
141	74	64	2	1	110	43	62	1	4	141	74	53	9	5	151	66	30	25	30	56
554	376	170	4	4	576	337	193	29	17	744	399	240	64	41	594	189	137	167	101	57
302	171	127	1	3	342	161	153	13	15	495	220	198	42	35	337	95	76	101	65	58
16	11	5	-	-	19	8	11	-	-	30	15	12	3	-	28	10	4	9	5	59
16	9	7	-	-	23	7	10	1	5	15	2	10	1	2	20	5	5	7	3	60
270	151	115	1	3	300	146	132	12	10	450	203	176	38	33	289	80	67	85	57	61
47	22	23	1	1	46	27	17	1	1	64	32	22	6	4	107	22	40	24	21	62
16	10	6	-	-	14	5	7	2	-	15	7	7	1	-	18	8	6	4	-	63
32	26	6	-	-	23	13	5	5	-	26	13	5	7	1	35	16	7	8	4	64
140	138	...	2	...	121	114	...	7	...	117	111	...	6	...	70	42	...	28	...	65
9	9	...	-	...	18	17	...	1	...	18	16	...	2	...	8	6	...	2	...	66
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	2	67
7	...	7	...	-	12	...	11	...	1	9	...	8	...	1	16	...	7	...	9	68
28	...	26	...	2	29	...	22	...	7	52	...	42	...	10	68	...	15	...	53	69
2	...	2	...	-	-	...	-	...	-	7	...	5	...	2	7	...	4	...	3	70
10	...	10	...	-	8	...	8	...	-	17	...	14	...	3	23	...	4	...	19	71
6	...	6	...	-	5	...	4	...	1	12	...	11	...	1	13	...	3	...	10	72
2	...	1	...	1	6	...	1	...	5	2	...	-	...	2	4	...	-	...	4	73
1	...	1	...	-	-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	74
3	...	3	...	-	2	...	2	...	-	2	...	1	...	1	11	...	-	...	11	75
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	76
3	...	3	...	-	8	...	7	...	1	10	...	10	...	-	8	...	3	...	5	77

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	59	27	24	2	6	25	11	12	-	2
2	Infections of skin and subcutaneous tissue 690-698	17	12	4	-	1	7	5	1	-	1
3	Other diseases of skin and subcutaneous tissue 700-716	42	15	20	2	5	18	6	11	-	1
4	XIII. Diseases of the bones and organs of movement	137	62	66	3	6	88	33	50	4	1
5	Arthritis and spondylitis 720-725	59	22	34	-	3	42	16	24	1	1
6	Muscular rheumatism and rheumatism, unspecified 726,727	5	1	3	-	1	-	-	-	-	-
7	Osteomyelitis and periostitis 730	6	3	1	1	1	7	3	4	-	-
8	Ankylosis and acquired musculoskeletal deformities 737,745-749	7	3	4	-	-	5	2	3	-	-
9	All other diseases of musculoskeletal system 731-736,738-744	60	33	24	2	1	34	12	19	3	-
10	XIV. Congenital malformations	1,029	533	408	49	39	548	282	238	12	16
11	Spina bifida and meningocele 751	64	26	36	2	-	41	21	19	-	1
12	Congenital hydrocephalus, etc.* 752,753	131	63	59	5	4	77	32	43	-	2
13	Congenital malformations of circulatory system 754	442	232	167	23	20	256	148	91	8	9
14	Other congenital malformations 750,755-759	392	212	146	19	15	174	81	85	4	4
15	XV. Certain diseases of early infancy	3,340	1,531	1.098	423	288	1,701	898	594	108	101
16	Birth injuries 760,761	518	281	159	47	31	264	166	80	11	7
17	Postnatal asphyxia and atelectasis 762	1,453	635	466	203	149	430	227	153	28	22
18	Infections of newborn 763-768	253	87	56	71	39	135	62	46	13	14
19	Hemolytic disease of newborn (erythroblastosis) 770	139	74	57	6	2	63	42	20	-	1
20	All other defined diseases of early infancy 769,771,772	86	45	30	8	3	37	16	17	2	2
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified 773-776	891	409	330	88	64	772	385	278	54	55
22	XVI. Symptoms, senility, and ill-defined conditions	1,003	588	281	95	39	164	89	65	6	4
23	Senility without mention of psychosis 794	147	64	76	4	3	70	29	38	1	2
24	Symptoms, ill-defined and unknown causes 780-793,795	856	524	205	91	36	94	60	27	5	2
25	XVII. Accidents, poisonings, and violence	5,871	3,715	1,476	532	148	3,150	2,041	908	142	59
26	Accidents E800-E962	4,611	2,924	1,255	311	121	2,556	1,615	797	94	50
27	Railway accidents E800-E802	95	75	13	5	2	35	28	4	2	1
28	Motor-vehicle accidents E810-E835	1,839	1,272	422	115	30	1,067	746	254	48	19
29	Motor-vehicle traffic accidents E810-E825	1,809	1,252	413	114	30	1,040	725	248	48	19
30	Motor-vehicle traffic accident with railway train* E810	100	74	21	5	-	53	39	11	2	1
31	Motor-vehicle traffic accident to pedestrian E812	363	239	76	37	11	167	127	31	8	1
32	Other motor-vehicle traffic accidents, etc.* E811,E813-E819	798	543	203	42	10	513	337	142	20	14
33	Motor-vehicle noncollision traffic accidents E820-E824	408	302	75	24	7	265	189	55	18	3
34	Motor-vehicle traffic accident of unspecified nature E825	140	94	38	6	2	42	33	9	-	-
35	Motor-vehicle nontraffic accidents E830-E835	30	20	9	1	-	27	21	6	-	-
36	Other road-vehicle accidents E840-E845	11	6	3	1	1	6	4	2	-	-
37	Water-transport accidents E850-E858	58	48	6	4	-	24	22	1	1	-
38	Aircraft accidents E860-E866	48	43	4	1	-	26	22	4	-	-
39	Accidental poisoning by solid and liquid substances E870-E888	53	28	23	-	2	39	20	17	-	2
40	Accidental poisoning by gases and vapors E890-E895	61	42	12	7	-	33	26	6	-	1
41	Accidental falls E900-E904	1,120	560	511	38	11	637	266	350	10	11
42	Fall from one level to another E900-E902	445	268	144	28	5	242	133	98	8	3
43	Fall on same level E903	164	76	65	2	1	297	95	196	2	4
44	Unspecified falls E904	511	216	282	8	5	98	38	56	-	4
45	Blow from falling object E910	43	34	3	5	1	35	31	2	1	1
46	Accident caused by machinery E912	114	104	6	4	-	56	49	5	2	-
47	Accident caused by electric current E914	47	37	6	4	-	36	32	4	-	-
48	Accident caused by fire and explosion, etc.* E916	289	146	75	31	37	174	98	61	8	7
49	Accident caused by hot substance, etc.* E917,E918	40	17	10	7	6	10	6	1	2	1
50	Accident caused by firearm E919	129	94	5	29	1	64	52	11	1	-
51	Inhalation and ingestion of food or other object, etc.* E921,E922	56	29	20	5	2	33	20	9	3	1
52	Accidental drowning E929	245	176	29	36	4	109	81	19	9	-
53	Excessive heat and insolation E931	58	33	20	1	4	13	8	4	1	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.* E940-E959	46	12	24	2	8	24	12	12	-	-
55	All other accidents Residual[1]	259	168	63	16	12	135	92	31	6	6
56	Suicide E963,E970-E979	887	677	174	32	4	457	363	85	8	1
57	Suicide by poisoning E970-E973	151	102	45	4	-	101	72	27	2	-
58	Suicide by hanging and strangulation E974	241	173	63	5	-	99	77	19	3	-
59	Suicide by firearms and explosives E976	366	319	31	15	1	213	186	25	2	-
60	Suicide by all other means E963,E975,E977-E979	129	83	35	8	3	44	28	14	1	1
61	Homicide E964,E980-E985	371	112	47	189	23	136	62	26	40	8
62	Assault by firearms and explosives E981	186	61	25	94	6	80	27	20	27	6
63	Assault by cutting and piercing instruments E982	101	16	4	69	12	19	11	3	5	-
64	Assault by other means E964,E980,E983	67	27	18	17	5	25	14	3	6	2
65	Injury by intervention of police E984	17	8	-	9	-	12	10	-	2	-
66	Execution E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war E965,E990-E999	2	2	-	-	-	1	1	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
22	13	9	-	-	23	10	12	1	-	16	8	7	1	-	22	4	5	5	8	1
3	2	1	-	-	7	4	3	-	-	6	4	1	1	-	4	-	-	2	2	2
19	11	8	-	-	16	6	9	1	-	10	4	6	-	-	18	4	5	3	6	3
38	18	19	1	-	52	25	25	1	1	85	39	42	1	3	51	15	15	12	9	4
18	7	10	1	-	31	13	18	-	-	54	20	32	-	2	21	7	7	3	4	5
-	-	-	-	-	1	1	-	-	-	2	-	2	-	-	2	-	1	1	-	6
5	3	2	-	-	4	3	-	1	-	1	1	-	-	-	5	2	-	1	2	7
3	-	3	-	-	2	-	2	-	-	2	2	-	-	-	-	-	-	-	-	8
12	8	4	-	-	14	8	5	-	1	26	16	8	1	1	23	6	7	7	3	9
313	162	146	4	1	278	129	130	11	8	406	218	156	16	16	394	133	127	72	62	10
23	8	15	-	-	10	4	6	-	-	35	16	19	-	-	26	5	16	3	2	11
45	23	21	1	-	27	13	14	-	-	27	10	12	4	1	56	25	11	12	8	12
135	70	62	2	1	133	58	62	8	5	198	110	71	6	11	181	58	65	26	32	13
110	61	48	1	-	108	54	48	3	3	146	82	54	6	4	131	45	35	31	20	14
828	474	331	13	10	817	417	330	37	33	1,274	692	435	84	63	1,588	444	313	482	349	15
169	102	61	5	1	161	89	62	3	7	238	141	69	15	13	291	78	51	93	69	16
201	118	81	1	1	244	128	97	12	7	333	204	111	11	7	374	123	71	101	79	17
36	20	14	1	1	65	40	16	4	5	112	56	39	10	7	144	22	21	57	44	18
49	29	20	-	-	51	23	27	-	1	50	22	26	-	2	45	24	11	2	8	19
23	16	7	-	-	16	4	11	1	-	46	21	20	3	2	69	16	15	23	15	20
350	189	148	6	7	280	133	117	17	13	495	248	170	45	32	665	181	144	206	134	21
149	75	72	2	-	390	242	126	17	5	349	170	140	18	21	396	105	74	102	115	22
74	28	45	1	-	65	28	34	2	1	148	63	77	1	7	107	28	27	23	29	23
75	47	27	1	-	325	214	92	15	4	201	107	63	17	14	289	77	47	79	86	24
2,000	1,408	577	11	4	1,801	1,132	569	68	32	2,518	1,588	660	207	63	2,203	996	339	642	226	25
1,628	1,096	519	9	4	1,492	904	514	50	24	2,018	1,251	591	125	51	1,762	810	302	462	188	26
17	17	-	-	-	17	14	3	-	-	37	32	3	2	-	25	10	2	13	-	27
630	449	175	4	2	617	416	176	19	6	780	544	171	54	11	610	333	103	130	44	28
611	435	171	3	2	594	401	169	19	5	754	525	165	53	11	590	322	99	127	42	29
29	22	7	-	-	38	26	10	1	1	22	16	3	3	-	14	9	4	1	-	30
83	56	26	-	1	41	21	15	4	1	154	103	34	17	-	127	57	18	40	12	31
234	157	75	2	-	280	183	92	4	1	220	146	57	11	6	228	137	44	31	16	32
118	100	18	-	-	173	131	34	6	2	199	136	49	11	3	143	78	23	36	6	33
147	100	45	1	1	62	40	18	4	-	159	124	22	11	2	78	41	10	19	8	34
19	14	4	1	-	23	15	7	-	1	26	19	6	1	-	20	11	4	3	2	35
6	5	1	-	-	5	5	-	-	-	5	5	-	-	-	10	3	-	6	1	36
23	21	2	-	-	5	5	-	-	-	20	19	-	-	1	82	57	5	17	3	37
20	17	3	-	-	26	22	1	1	2	9	9	-	-	-	29	29	-	-	-	38
8	4	4	-	-	11	6	3	2	-	23	14	6	2	1	26	7	8	9	2	39
10	8	2	-	-	12	7	5	-	-	23	16	7	-	-	10	4	1	4	1	40
477	235	239	3	-	284	111	171	-	2	385	148	222	11	4	252	102	104	30	16	41
120	91	29	-	-	71	46	25	-	-	90	59	30	1	-	71	41	12	14	4	42
57	15	42	-	-	118	28	89	-	1	61	18	41	2	-	26	10	9	4	3	43
300	129	168	3	-	95	37	57	-	1	234	71	151	8	4	155	51	83	12	9	44
18	16	2	-	-	20	17	3	-	-	58	54	1	3	-	27	13	1	13	-	45
82	75	7	-	-	49	45	3	1	-	41	37	3	1	-	37	25	1	10	1	46
16	16	-	-	-	17	16	1	-	-	29	28	1	-	-	41	32	-	8	1	47
57	40	16	1	-	82	42	27	4	9	178	68	68	20	22	189	30	26	65	68	48
19	10	9	-	-	21	8	11	1	1	40	9	21	6	4	27	8	7	1	11	49
23	20	3	-	-	30	28	1	1	-	76	60	10	5	1	60	35	3	17	5	50
25	16	8	-	1	24	16	6	2	-	35	16	14	4	1	34	11	5	10	8	51
69	60	8	1	-	48	33	12	3	-	111	90	15	5	1	155	61	15	76	3	52
15	9	6	-	-	139	69	59	8	3	10	7	2	-	1	8	3	1	4	-	53
17	11	6	-	-	12	3	8	-	1	12	4	6	1	1	21	9	2	5	5	54
96	67	28	-	1	73	41	24	8	-	146	91	41	11	3	119	38	18	44	19	55
345	297	48	-	-	246	202	41	1	2	289	223	51	11	4	185	133	25	25	2	56
50	41	9	-	-	42	27	15	-	-	41	20	19	1	1	21	13	6	1	1	57
95	79	16	-	-	35	25	9	-	1	44	33	9	1	1	18	13	2	3	-	58
157	148	9	-	-	153	141	10	1	1	170	149	13	6	2	119	94	12	13	-	59
43	29	14	-	-	16	9	7	-	-	34	21	10	3	-	27	13	5	8	1	60
26	14	10	2	-	63	26	14	17	6	210	113	18	71	8	256	53	12	155	36	61
13	5	7	1	-	34	16	11	4	3	143	83	12	44	4	151	36	9	89	17	62
3	1	1	1	-	10	2	-	7	1	30	10	1	18	1	57	2	-	45	10	63
9	7	2	-	-	13	5	3	3	2	34	20	5	6	3	45	14	3	19	9	64
1	1	-	-	-	4	2	-	2	-	2	-	-	2	-	3	1	-	2	-	65
-	-	-	-	-	2	1	-	1	-	1	-	-	1	-	-	-	-	-	-	66
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	9,956	5,653	4,277	11	15	23,007	10,330	8,200	2,511	1,966
2	I. Infective and parasitic diseases	131	80	50	1	-	566	216	111	160	79
3	Tuberculosis, all forms---001-019	74	48	25	1	-	353	147	52	104	50
4	Tuberculosis of respiratory system---001-008	69	46	22	1	-	333	143	51	98	41
5	Tuberculosis of meninges and central nervous system---010	-	-	-	-	-	7	1	-	2	4
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	-	-	-	-	-	2	-	-	1	1
7	Tuberculosis of vertebral column---012.0,013.0	-	-	-	-	-	3	1	1	-	1
8	Tuberculosis of other bones and joints---012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system---016	1	-	1	-	-	1	1	-	-	-
10	Tuberculosis of lymphatic system and other organs---014,015,017,018	-	-	-	-	-	2	-	-	2	-
11	Disseminated tuberculosis---019	4	2	2	-	-	5	1	-	1	3
12	Syphilis and its sequelae---020-029	12	9	3	-	-	106	32	17	40	17
13	Congenital syphilis---020	1	-	1	-	-	-	-	-	-	-
14	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta---022	2	2	-	-	-	52	20	11	15	6
16	Other cardiovascular syphilis---023	5	5	-	-	-	33	7	4	16	6
17	Tabes dorsalis---024	-	-	-	-	-	-	-	-	-	-
18	General paralysis of insane---025	2	1	1	-	-	8	4	-	3	1
19	Other syphilis of central nervous system---026	1	1	-	-	-	11	1	1	6	3
20	Other syphilis---027-029	1	-	1	-	-	2	-	1	-	1
21	Gonococcal infection---030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever---040	1	1	-	-	-	1	-	1	-	-
23	Paratyphoid fever---041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections---042	-	-	-	-	-	3	1	2	-	-
25	Cholera---043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)---044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms---045-048	2	-	2	-	-	2	1	-	-	1
28	Food poisoning (infection and intoxication)---049	-	-	-	-	-	3	2	1	-	-
29	Scarlet fever---050	-	-	-	-	-	-	-	-	-	-
30	Streptococcal sore throat---051	1	1	-	-	-	1	1	-	-	-
31	Erysipelas---052	1	-	1	-	-	-	-	-	-	-
32	Septicemia and pyemia---053	1	1	-	-	-	22	9	9	2	2
33	Diphtheria---055	-	-	-	-	-	-	-	-	-	-
34	Whooping cough---056	2	1	1	-	-	3	2	-	1	-
35	Meningococcal infections---057	9	4	5	-	-	15	6	6	1	2
36	Plague---058	-	-	-	-	-	-	-	-	-	-
37	Tularemia---059	-	-	-	-	-	-	-	-	-	-
38	Leprosy---060	-	-	-	-	-	-	-	-	-	-
39	Tetanus---061	-	-	-	-	-	1	1	-	-	-
40	Anthrax---062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis---080	7	4	3	-	-	9	4	4	1	-
42	Late effects of acute poliomyelitis---081	-	-	-	-	-	1	-	1	-	-
43	Acute infectious encephalitis---082	2	2	-	-	-	1	-	1	-	-
44	Late effects of acute infectious encephalitis---083	-	-	-	-	-	2	1	1	-	-
45	Smallpox---084	-	-	-	-	-	-	-	-	-	-
46	Measles---085	3	1	2	-	-	11	1	6	3	1
47	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis---092	7	-	7	-	-	12	5	4	2	1
49	Rabies---094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus---104	-	-	-	-	-	1	-	1	-	-
51	Rocky Mountain spotted fever---104A	-	-	-	-	-	1	-	1	-	-
52	Other forms of tick-borne typhus---104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases---100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria---110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis---123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease---125	-	-	-	-	-	-	-	-	-	-
57	Filariasis---127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis---129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths---124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases---Residual[1]	9	8	1	-	-	19	3	5	6	5
61	II. Neoplasms	1,678	878	798	-	2	3,754	1,675	1,517	303	259
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	1,648	865	781	-	2	3,641	1,635	1,468	294	244
63	Malignant neoplasm of buccal cavity and pharynx---140-148	35	27	8	-	-	81	57	10	11	3
64	Of lip---140	2	2	-	-	-	5	4	1	-	-
65	Of tongue---141	9	7	2	-	-	19	12	2	4	1
66	Of other and unspecified parts of buccal cavity---142-144	10	8	2	-	-	27	22	2	1	2
67	Of pharynx---145-148	14	10	4	-	-	30	19	5	6	-
68	Malignant neoplasm of digestive organs and peritoneum---150-156A,157-159	645	340	305	-	-	1,250	555	489	122	84
69	Of esophagus---150	18	11	7	-	-	57	37	5	11	4
70	Of stomach---151	168	105	63	-	-	307	146	85	47	29
71	Of intestine, except rectum---152,153	200	88	112	-	-	408	152	209	28	19
72	Of rectum---154	112	62	50	-	-	161	75	67	10	9
73	Of biliary passages and of liver (stated to be primary site)---155	22	11	11	-	-	60	19	39	-	2
74	Of liver not specified whether primary or secondary---156A	40	21	19	-	-	85	40	26	8	11
75	Of pancreas---157	77	39	38	-	-	143	77	46	16	4
76	Of peritoneum and of unspecified digestive organs---158,159	8	3	5	-	-	29	9	12	2	6
77	Malignant neoplasm of respiratory system---160-164	166	140	26	-	-	503	377	58	58	10
78	Of larynx---161	5	5	-	-	-	36	29	1	6	-
79	Of trachea, and of bronchus and lung specified as primary---162	50	49	1	-	-	155	114	18	19	4
80	Of lung and bronchus, unspecified as primary or secondary---163	103	82	21	-	-	297	225	37	29	6
81	Of other parts of respiratory system---160,164	8	4	4	-	-	15	9	2	4	-
82	Malignant neoplasm of breast---170	132	2	130	-	-	306	1	269	-	36

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
51,752	27,133	23,698	538	383	60,632	32,798	23,177	2,616	2,041	27,870	16,258	11,291	175	146	19,345	5,602	3,879	5,306	4,558	1
793	542	206	27	18	1,037	540	266	155	76	307	200	101	5	1	479	87	71	191	130	2
506	373	100	23	10	525	291	85	104	45	136	95	40	1	-	222	52	28	77	65	3
469	356	88	20	5	471	267	78	87	39	125	88	36	1	-	203	51	28	65	59	4
5	3	1	1	-	12	3	2	6	1	1	-	1	-	-	7	-	-	4	3	5
4	2	2	-	-	4	3	-	1	-	-	-	-	-	-	3	1	-	1	1	6
2	1	1	-	-	4	1	2	1	-	4	2	2	-	-	-	-	-	-	-	7
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	8
6	3	2	-	1	12	8	2	1	1	3	3	-	-	-	2	-	-	2	-	9
3	3	-	-	-	6	3	1	2	-	2	2	-	-	-	2	-	-	-	2	10
16	5	5	2	4	15	5	-	6	4	1	-	1	-	-	5	-	-	5	-	11
123	90	25	3	5	165	82	41	31	11	58	40	15	3	-	51	8	3	29	11	12
-	-	-	-	-	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
82	61	19	1	1	57	30	17	8	2	20	15	5	-	-	17	3	3	3	8	15
28	19	4	2	3	65	34	12	16	3	19	10	6	3	-	22	1	-	18	3	16
-	-	-	-	-	7	6	1	-	-	3	2	1	-	-	2	2	-	-	-	17
4	3	-	-	1	12	4	5	3	-	7	6	1	-	-	2	-	-	2	-	18
7	5	2	-	-	18	8	3	3	4	8	6	2	-	-	4	2	-	2	-	19
2	2	-	-	-	3	-	2	-	1	1	1	-	-	-	4	-	-	4	-	20
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	1	-	-	1	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	23
-	-	-	-	-	1	1	-	-	-	2	-	2	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	26
13	2	10	-	1	3	2	-	1	-	-	-	-	-	-	60	4	9	32	15	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	2	1	28
1	-	1	-	-	4	3	1	-	-	1	-	1	-	-	-	-	-	-	-	29
3	1	2	-	-	6	3	3	-	-	3	3	-	-	-	3	-	-	-	3	30
1	1	-	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	31
26	16	10	-	-	39	17	14	2	6	23	13	9	-	1	20	4	3	5	8	32
2	-	2	-	-	3	2	1	-	-	1	1	-	-	-	3	-	2	-	1	33
-	-	-	-	-	14	2	10	-	2	5	3	2	-	-	23	1	3	8	11	34
34	21	12	-	1	50	28	15	3	4	15	10	4	1	-	11	2	2	6	1	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
1	-	1	-	-	5	3	1	1	-	5	4	1	-	-	14	1	1	10	2	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
15	10	5	-	-	88	44	41	2	1	17	10	7	-	-	16	6	4	4	2	41
1	1	-	-	-	10	6	3	1	-	5	1	4	-	-	-	-	-	-	-	42
7	6	1	-	-	27	11	12	1	3	3	2	1	-	-	2	-	1	1	-	43
2	2	-	-	-	4	3	1	-	-	2	-	2	-	-	2	1	1	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
6	3	3	-	-	16	8	7	1	-	6	1	5	-	-	5	1	1	1	2	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
27	7	18	1	1	34	13	18	1	2	10	7	3	-	-	14	2	4	4	4	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	53
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	1	-	-	-	1	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	59
25	9	16	-	-	34	18	10	5	1	13	8	5	-	-	22	4	6	10	2	60
9,424	4,706	4,562	100	56	10,282	5,144	4,454	358	326	4,851	2,523	2,289	20	19	2,393	743	706	461	483	61
9,237	4,633	4,451	98	55	10,098	5,083	4,368	347	300	4,781	2,491	2,252	20	18	2,310	726	685	444	455	62
219	184	34	-	1	249	202	31	13	3	88	64	24	-	-	58	31	14	9	4	63
13	12	1	-	-	19	19	-	-	-	5	5	-	-	-	2	2	-	-	-	64
51	45	6	-	-	52	43	7	2	-	21	11	10	-	-	8	3	3	2	-	65
66	52	14	-	-	66	49	11	4	2	23	16	7	-	-	26	15	8	2	1	66
89	75	13	-	1	112	91	13	7	1	39	32	7	-	-	22	11	3	5	3	67
3,624	1,915	1,635	56	18	3,721	2,043	1,456	135	87	1,937	1,099	820	11	7	764	227	204	199	134	68
193	161	25	7	-	179	128	30	18	3	78	55	22	1	-	39	15	7	14	3	69
927	548	358	18	3	1,018	630	318	48	22	618	397	216	3	2	282	71	50	105	56	70
1,199	528	651	13	7	1,095	498	552	20	25	517	253	260	4	-	177	52	68	25	32	71
509	283	217	6	3	477	286	166	9	16	232	159	70	2	1	42	13	13	8	8	72
169	67	95	2	5	242	100	127	10	5	138	42	94	-	2	25	8	11	2	4	73
146	61	83	2	-	206	105	93	4	4	63	27	35	-	1	76	16	18	26	16	74
420	238	175	7	-	429	259	139	21	10	252	149	103	-	-	96	46	28	12	10	75
61	29	31	1	-	75	37	31	5	2	39	17	20	1	1	27	6	9	7	5	76
1,005	821	171	11	2	1,200	967	144	80	9	384	308	73	2	1	224	125	31	51	17	77
75	69	5	1	-	68	61	5	2	-	18	13	4	-	1	9	5	1	3	-	78
222	182	34	6	-	455	358	50	44	3	147	119	27	1	-	78	43	10	19	6	79
678	549	124	4	1	643	527	78	32	6	207	169	37	1	-	129	72	16	29	10	80
30	21	8	-	1	34	21	11	2	-	12	7	5	-	-	8	5	2	-	1	81
900	11	880	-	9	905	6	847	1	51	451	6	445	-	-	173	-	112	1	60	82

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	279	135	143	-	1	574	152	314	37	71
2	Of cervix uteri----------171	46	...	46	...	-	152	...	117	...	35
3	Of other and unspecified parts of uterus----------172-174	55	...	54	...	1	126	...	101	...	25
4	Of ovary, fallopian tube, and broad ligament----------175	34	...	34	...	-	99	...	91	...	8
5	Of other and unspecified female genital organs----------176	7	...	7	...	-	8	...	5	...	3
6	Of prostate----------177	127	127	...	-	...	169	137	...	32	...
7	Of testis, and of other and unspecified male genital organs----178,179	8	8	...	-	...	20	15	...	5	...
8	Malignant neoplasm of urinary organs----------180,181	84	50	34	-	-	180	113	52	10	5
9	Of kidney----------180	22	14	8	-	-	69	43	20	4	2
10	Of bladder and other urinary organs----------181	62	36	26	-	-	111	70	32	6	3
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	184	96	87	-	1	436	226	164	28	18
12	Of skin----------190,191	27	16	11	-	-	45	25	18	2	-
13	Of eye----------192	2	1	1	-	-	6	2	2	1	1
14	Of brain and other parts of nervous system----------193	29	19	10	-	-	67	41	20	4	2
15	Of thyroid gland----------194	6	2	4	-	-	14	4	8	-	2
16	Of bone (including jaw bone)----------196	17	8	9	-	-	29	17	12	-	-
17	Of connective tissue----------197	3	1	2	-	-	15	8	7	-	-
18	Of other specified sites, not stated to be secondary-----195,199A,199A	25	12	13	-	-	70	39	27	1	3
19	Of unspecified sites----------156B,165,198B,199B-M	75	37	37	-	1	190	90	70	20	10
20	Leukemia and aleukemia----------204	62	35	27	-	-	142	72	51	13	6
21	Lymphosarcoma, etc.*----------200-203,205	61	40	21	-	-	169	82	61	15	11
22	Lymphosarcoma and reticulosarcoma----------200	26	19	7	-	-	70	31	30	4	5
23	Hodgkin's disease----------201	16	9	7	-	-	46	25	12	5	4
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	19	12	7	-	-	53	26	19	6	2
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	30	13	17	-	-	113	40	49	9	15
26	Benign neoplasms of female genital organs----------214-217	3	...	3	...	-	16	...	12	...	4
27	Benign neoplasm of brain and other parts of nervous system---------223	7	3	4	-	-	8	3	4	-	1
28	Other benign neoplasms----------210-213,218-222,224-229	4	2	2	-	-	15	5	6	2	2
29	Neoplasm of unspecified nature of female genital organs--------233-235	2	...	2	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	10	7	3	-	-	50	21	20	4	5
31	Other neoplasms of unspecified nature----------230-232,236,238,239	4	1	3	-	-	24	11	7	3	3
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	228	106	121	-	1	567	199	288	30	50
33	Asthma----------241	53	37	15	-	1	90	52	23	8	7
34	Nontoxic goiter----------250,251	-	-	-	-	-	3	-	2	-	1
35	Thyrotoxicosis with or without goiter----------252	3	-	3	-	-	10	3	4	-	3
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	2	1	1	-	-	1	1	-	-	-
37	Diabetes mellitus----------260	159	61	98	-	-	440	138	247	17	38
38	Diseases of thymus gland----------273	2	2	-	-	-	1	-	1	-	-
39	Diseases of adrenal glands----------274	-	-	-	-	-	3	1	1	1	-
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	3	1	2	-	-	7	-	5	2	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	6	4	2	-	-	12	4	5	2	1
43	IV. Diseases of the blood and blood-forming organs----------	39	20	19	-	-	69	25	30	7	7
44	Anemias----------290-293	32	17	15	-	-	46	12	22	7	5
45	Pernicious and other hyperchromic anemias----------290	13	8	5	-	-	11	2	9	-	-
46	Anemias of other and unspecified type----------291-293	19	9	10	-	-	35	10	13	7	5
47	Purpura and other hemorrhagic conditions----------296	3	1	2	-	-	6	3	2	-	1
48	All other diseases of blood and blood-forming organs-----294,295,297-299	4	2	2	-	-	17	10	6	-	1
49	V. Mental, psychoneurotic, and personality disorders----------	25	17	7	1	-	56	27	4	14	11
50	Senile psychosis----------304	-	-	-	-	-	-	-	-	-	-
51	Alcoholic psychosis----------307	1	-	1	-	-	4	3	-	1	-
52	Other psychoses----------300-303,305,306,308,309	5	2	3	-	-	12	2	3	4	3
53	Alcoholism----------322	16	13	2	1	-	34	17	-	9	8
54	Mental deficiency----------325	3	2	1	-	-	5	4	1	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	1	1	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	1,328	641	684	1	2	2,280	914	941	216	209
57	Vascular lesions affecting central nervous system----------330-334	1,242	596	643	1	2	2,050	822	863	176	189
58	Subarachnoid hemorrhage----------330	28	11	16	1	-	78	31	27	10	10
59	Cerebral hemorrhage----------331	821	401	418	-	2	1,356	526	573	115	142
60	Cerebral embolism and thrombosis----------332	309	148	161	-	-	424	192	187	27	18
61	Other vascular lesions affecting central nervous system--------333,334	84	36	48	-	-	192	73	76	24	19
62	Meningitis, except meningococcal and tuberculous----------340	11	4	7	-	-	32	12	10	9	1
63	Multiple sclerosis----------345	13	5	8	-	-	25	6	17	1	1
64	Paralysis agitans----------350	16	11	5	-	-	29	12	15	2	-
65	Cerebral spastic infantile paralysis----------351	3	2	1	-	-	6	2	3	1	-
66	Epilepsy----------353	15	7	8	-	-	34	11	8	12	3
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	-	-	-	-	-	2	1	1	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	5	4	1	-	-	25	7	5	6	7
71	Other diseases of nervous system and sense organs----------Residual[1]	23	12	11	-	-	77	41	19	9	8
72	VII. Diseases of the circulatory system----------	4.458	2,647	1,802	3	6	10,166	4,773	3,752	889	752
73	Rheumatic fever----------400-402	6	6	-	-	-	15	6	5	1	3
74	Diseases of heart----------410-443	4,068	2,452	1,608	3	5	9,343	4,422	3,440	798	683
75	Chronic rheumatic heart disease----------410-416	128	60	67	-	1	264	97	120	24	23
76	Diseases of mitral valve----------410	51	28	23	-	-	86	33	37	9	7
77	Diseases of aortic valve specified as rheumatic----------411	5	3	2	-	-	24	14	3	3	4
78	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	10	5	5	-	-	11	4	4	3	-
80	Other diseases of heart specified as rheumatic----------415,416	62	24	37	-	1	143	46	76	9	12

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,299	502	776	10	11	1,585	545	906	39	95	683	326	348	4	5	459	88	129	91	151	1
249	...	242	...	7	358	...	313	...	45	105	...	102	...	3	146	...	58	...	88	2
239	...	237	...	2	258	...	232	...	26	85	...	85	...	-	90	...	45	...	45	3
275	...	273	...	2	347	...	324	...	23	153	...	151	...	2	33	...	20	...	13	4
24	...	24	...	-	38	...	37	...	1	10	...	10	...	-	11	...	6	...	5	5
482	473	...	9	...	544	506	...	38	...	316	312	...	4	...	172	85	...	87	...	6
30	29	...	1	...	40	39	...	1	...	14	14	...	-	...	7	3	...	4	...	7
436	285	145	4	2	482	305	154	11	12	240	150	87	-	3	94	37	27	22	8	8
175	107	64	2	2	183	108	68	3	4	110	65	44	-	1	32	16	11	4	1	9
261	178	81	2	-	299	197	86	8	8	130	85	43	-	2	62	21	16	18	7	10
968	491	459	10	8	1,070	537	463	42	28	507	256	248	1	2	361	127	119	49	66	11
102	62	39	1	-	123	72	48	2	1	56	31	25	-	-	59	29	25	2	3	12
9	3	6	-	-	10	5	5	-	-	14	6	7	-	1	5	3	2	-	-	13
192	116	72	4	-	253	134	102	12	5	128	69	59	-	-	56	29	16	8	3	14
39	6	33	-	-	44	19	23	-	2	26	7	19	-	-	7	2	1	-	4	15
83	48	35	-	-	105	63	35	4	3	28	16	11	-	1	18	6	6	3	3	16
30	20	10	-	-	32	15	13	3	1	21	12	9	-	-	10	3	6	-	1	17
124	66	55	-	3	156	66	82	5	3	60	31	29	-	-	65	16	17	14	18	18
389	170	209	5	5	347	163	155	16	13	174	84	89	1	-	141	39	46	22	34	19
356	186	165	2	3	434	228	190	11	5	262	152	109	1	-	93	44	25	13	11	20
430	238	186	5	1	452	250	177	15	10	229	130	98	1	-	84	47	24	9	4	21
171	89	80	1	1	188	105	74	4	5	74	41	32	1	-	36	19	12	4	1	22
133	81	51	1	-	111	63	44	3	1	71	41	30	-	-	25	15	6	3	1	23
126	68	55	3	-	153	82	59	8	4	84	48	36	-	-	23	13	6	2	2	24
187	73	111	2	1	184	61	86	11	26	70	32	37	-	1	83	17	21	17	28	25
13	...	13	...	-	52	...	35	...	17	14	...	14	...	-	24	...	7	...	17	26
32	10	21	1	-	28	13	11	2	2	14	8	6	-	-	3	1	2	-	-	27
37	19	17	-	1	34	14	13	3	4	16	8	8	-	-	9	2	1	4	2	28
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	29
68	29	39	-	-	44	25	12	5	2	11	8	3	-	-	33	12	8	8	5	30
37	15	21	1	-	26	9	15	1	1	14	8	5	-	1	13	2	3	5	3	31
1,271	502	742	12	15	1,949	808	1,013	49	79	751	353	390	1	7	343	89	87	69	98	32
213	135	74	4	-	322	213	90	9	10	125	80	44	-	1	56	13	15	20	8	33
2	-	2	-	-	3	-	3	-	-	6	1	5	-	-	3	-	1	-	2	34
18	2	16	-	-	54	15	34	2	3	10	4	6	-	-	8	-	1	1	6	35
12	2	10	-	-	14	1	12	-	1	6	1	4	-	1	1	1	-	-	-	36
967	325	623	6	13	1,442	523	830	28	61	558	241	311	1	5	231	66	61	33	71	37
2	1	1	-	-	25	13	8	2	2	2	2	-	-	-	4	-	2	2	-	38
9	5	4	-	-	23	7	15	-	1	4	2	2	-	-	2	2	-	-	-	39
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	9	2	1	2	4	40
13	7	4	2	-	29	15	10	4	-	17	10	7	-	-	21	3	4	9	5	41
34	24	8	-	2	37	21	11	4	1	23	12	11	-	-	8	2	2	2	2	42
155	66	87	1	1	196	81	96	9	10	95	52	41	-	2	57	13	11	18	15	43
104	41	61	1	1	150	60	76	7	7	65	34	30	-	1	43	9	7	17	10	44
53	18	35	-	-	63	25	37	-	1	32	15	17	-	-	8	2	2	2	2	45
51	23	26	1	1	87	35	39	7	6	33	19	13	-	1	35	7	5	15	8	46
20	8	12	-	-	18	6	11	-	1	9	6	3	-	-	5	2	1	-	2	47
31	17	14	-	-	28	15	9	2	2	21	12	8	-	1	9	2	3	1	3	48
91	61	27	2	1	94	60	26	2	6	87	60	25	1	1	34	9	6	9	10	49
1	-	1	-	-	12	4	8	-	-	42	24	17	1	-	7	2	2	-	3	50
3	3	-	-	-	3	3	-	-	-	5	5	-	-	-	1	1	-	-	-	51
21	8	13	-	-	14	5	7	-	2	13	7	5	-	1	8	-	3	-	5	52
63	50	10	2	1	55	43	7	2	3	18	17	1	-	-	15	5	-	9	1	53
2	-	2	-	-	6	4	2	-	-	8	7	1	-	-	1	-	-	-	1	54
1	-	1	-	-	4	1	2	-	1	1	-	1	-	-	2	1	1	-	-	55
5,921	2,512	3,306	65	38	7,557	3,566	3,472	256	263	3,977	2,002	1,934	19	22	2,572	630	629	605	708	56
5,496	2,295	3,111	53	37	6,964	3,253	3,243	221	247	3,660	1,832	1,792	14	22	2,412	583	589	564	676	57
137	60	70	4	3	182	80	71	17	14	108	48	57	2	1	36	13	14	5	4	58
3,450	1,408	1,996	25	21	4,611	2,077	2,238	134	162	2,377	1,170	1,181	10	16	1,651	382	399	394	476	59
1,560	692	835	21	12	1,547	786	654	53	54	690	345	341	1	3	302	107	93	55	47	60
349	135	210	3	1	624	310	280	17	17	485	269	213	1	2	423	81	83	110	149	61
39	22	15	2	-	72	27	33	10	2	28	15	12	1	-	25	8	2	12	3	62
74	25	49	-	-	73	32	39	2	2	42	15	27	-	-	15	4	7	3	1	63
78	42	35	1	-	97	56	38	1	2	78	36	42	-	-	16	4	7	2	3	64
10	8	2	-	-	12	8	4	-	-	28	15	12	1	-	9	2	4	-	3	65
81	41	34	6	-	90	50	25	11	4	40	26	12	2	-	31	7	1	12	11	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
3	1	2	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	68
1	-	1	-	-	1	1	-	-	-	2	-	2	-	-	-	-	-	-	-	69
6	4	2	-	-	19	10	4	3	2	11	6	5	-	-	2	-	1	1	-	70
133	74	55	3	1	224	129	83	8	4	87	57	29	1	-	62	22	18	11	11	71
23,493	12,669	10,489	187	148	24,204	13,941	8,816	808	639	11,404	7,006	4,294	58	46	6,230	2,206	1,375	1,400	1,249	72
27	15	12	-	-	45	14	23	4	4	24	11	11	-	2	31	4	4	7	16	73
21,552	11,800	9,459	169	124	22,237	12,930	7,979	740	588	10,304	6,433	3,785	49	37	5,661	2,060	1,242	1,249	1,110	74
777	331	427	7	12	838	397	393	19	29	339	186	150	2	1	149	46	29	44	30	75
281	115	158	2	6	310	145	161	2	2	180	92	85	2	1	83	30	14	21	18	76
58	41	15	2	-	50	34	10	5	1	28	20	8	-	-	4	2	1	1	-	77
-	-	-	-	-	2	2	-	-	-	1	-	1	-	-	-	-	-	-	-	78
25	10	12	2	1	41	15	22	2	2	39	25	14	-	-	7	1	1	4	1	79
413	165	242	1	5	435	201	200	10	24	91	49	42	-	-	55	13	13	18	11	80

385053 O -56 -9

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	2,856	1,845	1,005	3	3	4,996	2,912	1,610	283	191
2	Arteriosclerotic heart disease so described----------420.0	902	515	385	1	1	1,361	632	538	108	83
3	Heart disease specified as involving coronary arteries----------420.1	1,920	1,309	607	2	2	3,616	2,269	1,066	173	108
4	Angina pectoris without mention of coronary disease----------420.2	34	21	13	-	-	19	11	6	2	-
5	Chronic endocarditis not specified as rheumatic----------421	98	60	38	-	-	119	52	39	21	7
6	Of mitral valve, specified as nonrheumatic----------421.0	14	10	4	-	-	14	7	5	2	-
7	Of aortic valve, not specified as rheumatic----------421.1	11	7	4	-	-	38	23	5	8	2
8	Of other valves, not specified as rheumatic----------421.2-421.4	73	43	30	-	-	67	22	29	11	5
9	Other myocardial degeneration----------422	451	254	196	-	1	1,683	666	730	161	126
10	With arteriosclerosis----------422.1	228	125	103	-	-	1,384	548	603	132	101
11	Without mention of arteriosclerosis----------422.0,422.2	223	129	93	-	1	299	118	127	29	25
12	Other diseases of heart----------430-434	89	53	36	-	-	202	88	76	23	15
13	Acute and subacute endocarditis----------430	6	4	2	-	-	18	10	2	3	3
14	Acute myocarditis not specified as rheumatic----------431	7	4	3	-	-	18	9	6	2	1
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	-	-	-	-	-
16	Functional disease of heart----------433	6	3	3	-	-	32	17	14	1	-
17	Other and unspecified diseases of heart----------434	70	42	28	-	-	134	52	54	17	11
18	Hypertension with heart disease----------440-443	446	180	266	-	-	2,079	607	865	286	321
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	116	60	56	-	-	614	208	232	79	95
20	Essential hypertension with heart disease, etc.*----------440,441,443	330	120	210	-	-	1,465	399	633	207	226
21	Hypertension without mention of heart----------444-447	68	38	29	-	1	199	72	61	30	36
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	43	24	18	-	1	112	47	33	14	18
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	25	14	11	-	-	87	25	28	16	16
24	Diseases of arteries----------450-456	279	134	145	-	-	540	230	231	52	27
25	General arteriosclerosis----------450	239	115	124	-	-	426	170	197	37	22
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	22	14	8	-	-	75	45	21	9	-
27	Gangrene of unspecified cause----------455	2	-	2	-	-	4	-	1	2	1
28	Other arterial diseases----------452-454,456	16	5	11	-	-	35	15	12	4	4
29	Diseases of veins and other diseases of circulatory system-------460-468	37	17	20	-	-	69	43	15	8	3
30	VIII. Diseases of the respiratory system----------	339	195	143	1	-	862	381	221	145	115
31	Acute upper respiratory infections----------470-475	8	3	5	-	-	14	3	5	3	3
32	Influenza----------480-483	12	5	7	-	-	15	7	3	4	1
33	Pneumonia, except pneumonia of newborn----------490-493	210	110	99	1	-	562	214	164	100	84
34	Lobar pneumonia----------490	43	18	25	-	-	198	77	56	48	17
35	Bronchopneumonia----------491	110	61	49	-	-	256	98	76	35	47
36	Primary atypical pneumonia----------492	27	14	13	-	-	44	17	18	4	5
37	Pneumonia, other and unspecified----------493	30	17	12	1	-	64	22	14	13	15
38	Acute bronchitis----------500	6	5	1	-	-	15	8	5	-	2
39	Bronchitis, chronic and unqualified----------501,502	24	17	7	-	-	41	25	6	8	2
40	Hypertrophy of tonsils and adenoids----------510	2	1	1	-	-	8	2	3	2	1
41	Empyema and abscess of lung----------518,521	2	-	2	-	-	18	16	1	-	1
42	Pleurisy----------519	2	1	1	-	-	1	-	-	-	1
43	All other respiratory diseases----------Residual[1]	73	53	20	-	-	188	106	34	28	20
44	IX. Diseases of the digestive system----------	305	184	120	-	1	810	378	282	90	60
45	Diseases of teeth and supporting structures----------530-535	1	1	-	-	-	-	-	-	-	-
46	Ulcer of stomach----------540	26	19	7	-	-	62	42	9	8	3
47	Ulcer of duodenum----------541	28	25	3	-	-	51	33	9	7	2
48	Gastritis and duodenitis----------543	2	2	-	-	-	3	2	1	-	-
49	Appendicitis----------550-553	15	10	5	-	-	32	14	11	5	2
50	Hernia and intestinal obstruction----------560,561,570	51	27	24	-	-	147	49	62	17	19
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	37	19	18	-	-	85	32	21	17	15
52	Cirrhosis of liver----------581	66	39	27	-	-	252	140	86	20	6
53	Without mention of alcoholism----------581.0	55	32	23	-	-	183	99	66	13	5
54	With alcoholism----------581.1	11	7	4	-	-	69	41	20	7	1
55	Cholelithiasis and cholecystitis----------584,585	41	19	21	-	1	57	19	32	2	4
56	Other diseases of digestive system----------Residual[1]	38	23	15	-	-	121	47	51	14	9
57	X. Diseases of the genito-urinary system----------	244	143	100	1	-	513	217	154	63	79
58	Nephritis and nephrosis----------590-594	158	82	76	-	-	298	102	103	39	54
59	Acute nephritis----------590	9	7	2	-	-	15	7	3	2	3
60	Nephritis with edema, including nephrosis----------591	7	2	5	-	-	20	7	5	8	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	142	73	69	-	-	263	88	95	29	51
62	Infections of kidney----------600	33	15	17	1	-	61	17	28	5	11
63	Calculi of urinary system----------602,604	6	3	3	-	-	22	9	9	3	1
64	Other diseases of urinary system----------601,603,605-609	4	3	1	-	-	31	15	4	7	5
65	Hyperplasia of prostate----------610	37	37	...	-	...	72	63	...	9	...
66	Other diseases of male genital organs----------611-617	3	3	...	-	...	11	11	...	-	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	3	...	3	...	-	18	...	10	...	8
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	10	...	10	...	-	34	...	18	...	16
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	3	...	3	...	-	3	...	2	...	1
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	2	...	2	...	-	7	...	5	...	2
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	3	...	3	...	-	7	...	2	...	5
73	Ectopic pregnancy----------645	-	...	-	...	-	5	...	-	...	5
74	Abortion without mention of sepsis or toxemia----------650	1	...	1	...	-	-	...	-	...	-
75	Abortion with sepsis----------651	1	...	1	...	-	2	...	1	...	1
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	1	...	1	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	-	...	-	...	-	9	...	7	...	2

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
15,963	9,326	6,443	120	74	15,597	9,839	5,019	459	280	7,513	4,987	2,466	41	19	2,887	1,453	649	457	328	1
6,762	3,329	3,337	58	38	5,040	2,701	2,146	108	85	1,748	1,002	730	11	5	876	359	206	180	131	2
9,161	5,973	3,090	62	36	10,524	7,120	2,859	351	194	5,753	3,977	1,732	30	14	1,981	1,085	435	270	191	3
40	24	16	-	-	33	18	14	-	1	12	8	4	-	-	30	9	8	7	6	4
235	115	117	1	2	272	149	115	4	4	163	100	62	1	-	139	30	28	39	42	5
30	13	17	-	-	27	7	17	1	2	16	7	9	-	-	13	3	4	1	5	6
68	45	23	-	-	55	43	10	2	-	58	42	16	-	-	31	7	1	11	12	7
137	57	77	1	2	190	99	88	1	2	89	51	37	1	-	95	20	23	27	25	8
1,796	797	976	10	13	2,068	1,065	926	36	41	868	497	366	2	3	570	132	151	156	131	9
1,115	499	603	6	7	952	487	439	11	15	465	269	193	1	2	233	53	59	58	63	10
681	298	373	4	6	1,116	578	487	25	26	403	228	173	1	1	337	79	92	98	68	11
519	302	210	4	3	885	506	315	40	24	251	141	108	-	2	405	125	74	112	94	12
20	12	8	-	-	29	17	9	2	1	15	9	6	-	-	14	-	3	7	4	13
37	16	21	-	-	76	26	27	14	9	13	6	7	-	-	9	-	3	3	3	14
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
54	33	21	-	-	106	61	44	-	1	54	30	24	-	-	34	12	8	7	7	16
407	241	159	4	3	674	402	235	24	13	169	96	71	-	2	348	113	60	95	80	17
2,262	929	1,286	27	20	2,577	974	1,211	182	210	1,170	522	633	3	12	1,511	274	311	441	485	18
366	162	199	2	3	596	250	278	33	35	160	84	74	-	2	408	78	75	133	122	19
1,896	767	1,087	25	17	1,981	724	933	149	175	1,010	438	559	3	10	1,103	196	236	308	363	20
359	164	179	9	7	363	171	145	26	21	213	99	110	2	2	210	41	38	74	57	21
242	116	115	8	3	181	95	61	12	13	72	43	28	-	1	77	18	20	25	14	22
117	48	64	1	4	182	76	84	14	8	141	56	82	2	1	133	23	18	49	43	23
1,376	598	757	8	13	1,433	753	622	33	25	780	418	350	7	5	292	90	81	64	57	24
1,169	479	677	5	8	1,157	578	545	18	16	649	327	315	3	4	229	64	67	52	46	25
134	84	45	3	2	181	123	42	12	4	86	62	20	3	1	35	19	6	6	4	26
8	3	4	-	1	16	8	7	-	1	2	1	1	-	-	8	1	1	3	3	27
65	32	31	-	2	79	44	28	3	4	43	28	14	1	-	20	6	7	3	4	28
179	92	82	1	4	126	73	47	5	1	83	45	38	-	-	36	11	10	6	9	29
1,744	995	700	27	22	2,107	1,213	676	147	71	990	618	352	11	9	776	205	145	228	198	30
16	12	4	-	-	36	21	13	1	1	20	13	7	-	-	21	3	6	10	2	31
18	7	11	-	-	55	23	30	1	1	34	16	18	-	-	84	12	16	34	22	32
1,185	633	517	17	18	1,408	753	479	118	58	680	419	243	9	9	518	108	89	164	157	33
323	176	137	7	3	417	232	135	36	14	182	122	53	3	4	153	34	19	56	44	34
653	344	291	7	11	611	310	213	59	29	365	228	129	4	4	235	46	52	58	79	35
98	49	43	3	3	162	91	52	11	8	44	21	23	-	-	45	13	9	15	8	36
111	64	46	-	1	218	120	79	12	7	89	48	38	2	1	85	15	9	35	26	37
25	11	12	1	1	42	20	19	2	1	12	4	8	-	-	7	5	1	1	-	38
61	40	21	-	-	82	55	20	4	3	33	24	8	1	-	28	11	12	4	1	39
5	2	3	-	-	13	5	4	1	3	8	5	3	-	-	5	2	-	1	2	40
23	14	7	1	1	34	22	9	2	1	13	10	3	-	-	5	1	-	2	2	41
9	7	2	-	-	10	5	5	-	-	2	2	-	-	-	1	1	-	-	-	42
402	269	123	8	2	427	309	97	18	3	188	125	62	1	-	107	62	21	12	12	43
2,207	1,286	885	20	16	2,451	1,418	866	96	71	979	570	388	12	9	634	181	149	159	145	44
3	1	2	-	-	3	1	2	-	-	2	2	-	-	-	12	-	2	3	7	45
203	160	41	1	1	216	154	43	13	6	54	42	12	-	-	44	24	8	5	7	46
225	168	54	3	-	188	140	38	7	3	99	75	23	1	-	30	16	7	5	2	47
10	9	1	-	-	9	4	2	2	1	8	2	6	-	-	7	4	1	1	1	48
93	65	27	1	-	94	51	26	10	7	42	28	13	1	-	23	5	7	6	5	49
336	158	167	5	6	365	184	153	14	14	162	84	76	1	1	115	24	31	35	25	50
182	90	89	-	3	274	143	110	13	8	119	70	45	3	1	179	18	24	75	62	51
637	389	239	5	4	673	448	195	20	10	212	134	74	3	1	87	46	18	11	12	52
474	278	189	4	3	584	386	174	16	8	165	101	61	2	1	80	43	17	9	11	53
163	111	50	1	1	89	62	21	4	2	47	33	13	1	-	7	3	1	2	1	54
219	77	142	-	-	282	103	169	3	7	149	60	84	1	4	51	17	26	2	6	55
299	169	123	5	2	347	190	128	14	15	132	73	55	2	2	86	27	25	16	18	56
984	572	390	16	6	1,286	744	409	68	65	510	334	169	4	3	658	174	88	263	133	57
502	258	235	6	3	728	349	298	36	45	245	121	118	3	3	451	109	65	167	110	58
36	18	17	-	1	48	16	24	3	5	18	7	11	-	-	46	5	7	18	16	59
43	26	17	-	-	52	28	23	-	1	17	12	5	-	-	36	8	3	15	10	60
423	214	201	6	2	628	305	251	33	39	210	102	102	3	3	369	96	55	134	84	61
203	103	93	4	3	159	72	64	10	13	57	33	24	-	-	50	11	13	16	10	62
30	11	18	1	-	37	25	11	1	-	18	11	7	-	-	10	3	5	2	-	63
69	37	29	3	-	61	36	20	4	1	35	23	12	-	-	24	4	2	15	3	64
155	154	...	1	...	246	232	...	14	...	138	137	...	1	...	95	38	...	57	...	65
10	9	...	1	...	33	30	...	3	...	9	9	...	-	...	14	9	...	5	...	66
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	67
15	...	15	...	-	21	...	15	...	6	8	...	8	...	-	13	...	3	...	10	68
34	...	33	...	1	91	...	63	...	28	30	...	30	...	-	107	...	12	...	95	69
2	...	2	...	-	13	...	10	...	3	3	...	3	...	-	12	...	2	...	10	70
9	...	9	...	-	22	...	15	...	7	9	...	9	...	-	48	...	3	...	45	71
7	...	7	...	-	17	...	14	...	3	3	...	3	...	-	20	...	3	...	17	72
5	...	4	...	1	8	...	6	...	2	3	...	3	...	-	8	...	-	...	8	73
-	...	-	...	-	1	...	-	...	1	1	...	1	...	-	5	...	1	...	4	74
4	...	4	...	-	6	...	3	...	3	2	...	2	...	-	3	...	2	...	1	75
1	...	1	...	-	1	...	-	...	1	1	...	1	...	-	-	...	-	...	-	76
6	...	6	...	-	23	...	15	...	8	8	...	8	...	-	11	...	1	...	10	77

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	7	4	3	-	-	22	7	9	1	5
2	Infections of skin and subcutaneous tissue---690-698	1	1	-	-	-	4	3	1	-	-
3	Other diseases of skin and subcutaneous tissue---700-716	6	3	3	-	-	18	4	8	1	5
4	XIII. Diseases of the bones and organs of movement	14	7	7	-	-	43	16	19	7	1
5	Arthritis and spondylitis---720-725	7	2	5	-	-	16	2	9	6	1
6	Muscular rheumatism and rheumatism, unspecified---726,727	-	-	-	-	-	1	1	-	-	-
7	Osteomyelitis and periostitis---730	-	-	-	-	-	4	2	1	1	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	1	1	-	-	-	1	-	1	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	6	4	2	-	-	19	11	8	-	-
10	XIV. Congenital malformations	131	66	64	-	1	348	151	129	46	22
11	Spina bifida and meningocele---751	17	8	8	-	1	30	12	15	2	1
12	Congenital hydrocephalus, etc.*---752,753	9	5	4	-	-	25	13	12	-	-
13	Congenital malformations of circulatory system---754	63	34	29	-	-	165	71	57	24	13
14	Other congenital malformations---750,755-759	42	19	23	-	-	128	55	45	20	8
15	XV. Certain diseases of early infancy	305	171	133	-	1	1,081	423	294	191	173
16	Birth injuries---760,761	60	45	15	-	-	216	89	68	36	23
17	Postnatal asphyxia and atelectasis---762	93	54	39	-	-	230	95	72	33	30
18	Infections of newborn---763-768	20	12	8	-	-	77	26	11	20	20
19	Hemolytic disease of newborn (erythroblastosis)---770	16	5	11	-	-	28	9	17	1	1
20	All other defined diseases of early infancy---769,771,772	5	3	2	-	-	22	5	7	5	5
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	111	52	58	-	1	508	199	119	96	94
22	XVI. Symptoms, senility, and ill-defined conditions	70	35	35	-	-	85	34	25	20	6
23	Senility without mention of psychosis---794	41	17	24	-	-	15	5	8	2	-
24	Symptoms, ill-defined and unknown causes---780-793,795	29	18	11	-	-	70	29	17	18	6
25	XVII. Accidents, poisonings, and violence	644	459	181	3	1	1,751	894	406	329	122
26	Accidents---E800-E962	501	343	157	1	-	1,305	677	324	217	87
27	Railway accidents---E800-E802	5	3	2	-	-	6	5	-	1	-
28	Motor-vehicle accidents---E810-E835	155	115	40	-	-	501	295	86	97	23
29	Motor-vehicle traffic accidents---E810-E825	148	112	36	-	-	490	288	84	95	23
30	Motor-vehicle traffic accident with railway train*---E810	1	1	-	-	-	12	4	7	1	-
31	Motor-vehicle traffic accident to pedestrian---E812	32	24	8	-	-	141	73	25	34	9
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	29	22	7	-	-	161	105	28	21	7
33	Motor-vehicle noncollision traffic accidents---E820-E824	47	34	13	-	-	109	69	10	27	3
34	Motor-vehicle traffic accident of unspecified nature---E825	39	31	8	-	-	67	37	14	12	4
35	Motor-vehicle nontraffic accidents---E830-E835	7	3	4	-	-	11	7	2	2	-
36	Other road-vehicle accidents---E840-E845	-	-	-	-	-	9	7	2	-	-
37	Water-transport accidents---E850-E858	28	25	3	-	-	31	20	1	7	3
38	Aircraft accidents---E860-E866	12	12	-	-	-	25	23	2	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	3	2	1	-	-	21	5	9	4	3
40	Accidental poisoning by gases and vapors---E890-E895	13	10	3	-	-	17	12	1	3	1
41	Accidental falls---E900-E904	110	48	61	1	-	295	112	140	32	11
42	Fall from one level to another---E900-E902	38	19	18	1	-	119	58	40	17	4
43	Fall on same level---E903	15	6	9	-	-	43	12	28	2	1
44	Unspecified falls---E904	57	23	34	-	-	133	42	72	13	6
45	Blow from falling object---E910	6	6	-	-	-	15	13	1	1	-
46	Accident caused by machinery---E912	9	9	-	-	-	17	14	-	3	-
47	Accident caused by electric current---E914	9	9	-	-	-	17	15	2	-	-
48	Accident caused by fire and explosion, etc.*---E916	52	31	21	-	-	112	34	30	23	25
49	Accident caused by hot substance, etc.*---E917,E918	2	-	2	-	-	9	3	4	2	-
50	Accident caused by firearm---E919	15	14	1	-	-	32	16	13	2	1
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	15	12	3	-	-	37	19	10	7	1
52	Accidental drowning---E929	29	24	5	-	-	71	46	6	17	2
53	Excessive heat and insolation---E931	-	-	-	-	-	3	1	2	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	1	-	1	-	-	11	4	3	2	2
55	All other accidents---Residual[1]	37	23	14	-	-	76	33	12	16	15
56	Suicide---E963,E970-E979	128	111	17	-	-	286	191	57	31	7
57	Suicide by poisoning---E970-E973	20	14	6	-	-	71	45	23	1	2
58	Suicide by hanging and strangulation---E974	28	25	3	-	-	65	39	16	9	1
59	Suicide by firearms and explosives---E976	64	62	2	-	-	114	93	8	13	-
60	Suicide by all other means---E963,E975,E977-E979	16	10	6	-	-	36	14	10	8	4
61	Homicide---E964,E980-E985	15	5	7	2	1	160	26	25	81	28
62	Assault by firearms and explosives---E981	6	1	5	-	-	77	14	13	42	8
63	Assault by cutting and piercing instruments---E982	1	-	-	1	-	36	-	1	26	9
64	Assault by other means---E964,E980,E983	7	3	2	1	1	40	9	11	9	11
65	Injury by intervention of police---E984	1	1	-	-	-	5	2	-	3	-
66	Execution---E985	-	-	-	-	-	2	1	-	1	-
67	Injury resulting from operations of war---E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
59	29	30	-	-	63	31	26	3	3	28	12	16	-	-	17	2	5	3	7	1
20	14	6	-	-	15	9	5	1	-	4	3	1	-	-	5	2	1	-	2	2
39	15	24	-	-	48	22	21	2	3	24	9	15	-	-	12	-	4	3	5	3
81	31	49	1	-	141	62	69	5	5	77	40	37	-	-	41	13	12	11	5	4
38	10	27	1	-	72	22	44	1	5	34	15	19	-	-	28	9	11	6	2	5
2	-	2	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	6
1	1	-	-	-	10	7	2	1	-	6	3	3	-	-	4	1	-	1	2	7
5	2	3	-	-	2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	8
35	18	17	-	-	57	32	22	3	-	35	21	14	-	-	8	3	1	3	1	9
626	323	284	7	12	991	500	387	58	46	465	255	200	4	6	217	80	57	43	37	10
65	31	33	-	1	93	41	47	2	3	39	19	20	-	-	12	5	2	1	4	11
75	42	33	-	-	102	54	37	6	5	67	29	36	-	2	25	9	9	4	3	12
276	137	132	1	6	494	256	177	30	31	203	121	78	2	2	97	30	29	23	15	13
210	113	86	6	5	302	149	126	20	7	156	86	66	2	2	83	36	17	15	15	14
1,590	916	624	27	23	2,953	1,392	1,078	268	215	1,058	648	393	10	7	1,169	306	187	373	303	15
257	154	96	4	3	542	281	183	41	37	214	131	79	3	1	194	62	49	53	30	16
447	252	182	7	6	672	325	225	71	51	253	161	89	1	2	236	82	38	63	53	17
83	50	30	2	1	165	69	62	20	14	49	31	18	-	-	94	15	6	36	37	18
84	45	37	-	2	151	73	74	2	2	64	36	28	-	-	19	7	8	3	1	19
32	18	14	-	-	63	30	21	3	9	11	4	7	-	-	59	6	5	32	16	20
687	397	265	14	11	1,360	614	513	131	102	467	285	172	6	4	567	134	81	186	166	21
182	93	84	3	2	364	195	147	15	7	165	99	62	2	2	1,896	225	115	863	693	22
25	11	13	-	1	122	55	64	1	2	64	29	33	1	1	105	11	23	34	37	23
157	82	71	3	1	242	140	83	14	5	101	70	29	1	1	1,791	214	92	829	656	24
3,097	1,830	1,200	43	24	4,866	3,103	1,313	319	131	2,096	1,486	570	28	12	1,722	639	224	610	249	25
2,673	1,524	1,095	34	20	3,948	2,510	1,138	206	94	1,754	1,206	510	26	12	1,325	513	197	404	211	26
28	25	1	2	-	35	25	8	2	-	22	20	2	-	-	24	11	-	9	4	27
597	443	138	13	3	1,911	1,283	492	95	41	691	506	169	10	6	447	220	65	125	37	28
589	437	136	13	3	1,872	1,260	478	93	41	669	488	166	10	5	423	208	61	120	34	29
13	7	6	-	-	88	62	21	3	2	30	21	9	-	-	15	7	2	3	3	30
190	136	52	2	-	400	267	97	28	8	120	85	35	-	-	85	24	13	36	12	31
116	83	33	-	-	809	523	233	31	22	293	208	80	4	1	151	78	32	32	9	32
166	130	30	5	1	396	289	78	24	5	204	156	39	5	4	124	73	11	33	7	33
104	81	15	6	2	179	119	49	7	4	22	18	3	1	-	48	26	3	16	3	34
8	6	2	-	-	39	23	14	2	-	22	18	3	-	1	24	12	4	5	3	35
4	2	2	-	-	14	11	3	-	-	4	3	1	-	-	7	3	-	4	-	36
21	18	2	1	-	102	87	11	4	-	41	37	4	-	-	28	21	-	4	3	37
35	34	1	-	-	42	39	3	-	-	37	33	4	-	-	9	9	-	-	-	38
35	25	10	-	-	50	16	19	12	3	22	14	7	1	-	24	5	5	7	7	39
39	24	15	-	-	62	47	7	6	2	31	29	2	-	-	3	-	1	-	2	40
1,293	536	741	10	6	802	374	398	21	9	437	213	222	1	1	155	47	68	19	21	41
354	178	169	5	2	235	158	61	11	5	143	91	51	1	-	34	17	3	9	5	42
183	75	104	3	1	96	40	51	5	-	126	46	80	-	-	12	5	6	-	1	43
756	283	468	2	3	471	176	286	5	4	168	76	91	-	1	109	25	59	10	15	44
13	13	-	-	-	42	37	2	3	-	26	24	1	1	-	30	13	1	15	1	45
23	21	1	1	-	64	59	4	-	1	67	62	4	1	-	38	26	-	12	-	46
9	7	2	-	-	26	22	1	1	2	13	11	2	-	-	19	11	2	5	1	47
134	62	64	2	6	179	90	60	16	13	83	51	25	5	2	169	22	20	54	73	48
19	11	6	-	2	33	14	12	4	3	10	8	2	-	-	31	4	3	14	10	49
30	28	2	-	-	65	56	7	1	1	25	23	1	-	1	71	30	5	31	5	50
32	18	12	1	1	72	32	24	9	7	29	22	6	1	-	32	4	4	12	12	51
137	117	18	1	1	216	168	25	19	4	97	72	22	3	-	102	41	5	48	8	52
2	2	-	-	-	8	7	1	-	-	3	2	1	-	-	8	3	-	3	2	53
42	24	18	-	-	16	5	7	2	2	10	3	5	1	1	15	4	5	3	3	54
180	114	62	3	1	209	138	54	11	6	106	73	30	2	1	113	39	13	39	22	55
376	278	93	4	1	687	528	142	13	4	312	261	51	-	-	118	80	14	20	4	56
93	60	32	-	1	135	88	43	3	1	48	38	10	-	-	10	7	2	-	1	57
122	95	26	1	-	173	123	48	2	-	89	74	15	-	-	9	3	2	3	1	58
95	87	7	1	-	294	263	24	6	1	131	120	11	-	-	91	64	10	16	1	59
66	38	28	2	-	85	54	27	2	2	44	29	15	-	-	8	6	-	1	1	60
48	28	12	5	3	229	63	33	100	33	30	19	9	2	-	278	45	13	186	34	61
8	6	1	1	-	110	31	17	46	16	13	8	5	-	-	162	35	9	101	17	62
12	5	6	1	-	61	9	1	39	12	2	1	-	1	-	62	2	-	52	8	63
22	12	5	2	3	53	21	15	12	5	15	10	4	1	-	45	7	4	25	9	64
5	4	-	1	-	4	2	-	2	-	-	-	-	-	-	9	1	-	8	-	65
1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	67

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	44,083	22,653	17,002	2,462	1,966	6,059	3,726	2,046	178	109
2	I. Infective and parasitic diseases	965	514	227	146	78	126	77	22	18	9
3	Tuberculosis, all forms 001-019	515	291	103	81	40	58	37	2	12	7
4	Tuberculosis of respiratory system 001-008	490	277	96	79	38	58	37	2	12	7
5	Tuberculosis of meninges and central nervous system 010	7	5	1	-	1	-	-	-	-	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	3	1	1	-	1	-	-	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	3	-	3	-	-	-	-	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	1	1	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	3	2	1	-	-	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	2	2	-	-	-	-	-	-	-	-
11	Disseminated tuberculosis 019	6	3	1	2	-	-	-	-	-	-
12	Syphilis and its sequelae 020-029	218	117	36	39	26	24	17	5	2	-
13	Congenital syphilis 020	3	1	1	1	-	-	-	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	78	46	15	9	8	13	9	4	-	-
16	Other cardiovascular syphilis 023	60	30	9	10	11	4	4	-	-	-
17	Tabes dorsalis 024	3	2	-	1	-	-	-	-	-	-
18	General paralysis of insane 025	44	25	4	13	2	-	-	-	-	-
19	Other syphilis of central nervous system 026	23	10	5	4	4	5	3	-	2	-
20	Other syphilis 027-029	7	3	2	1	1	2	1	1	-	-
21	Gonococcal infection 030-035	2	-	-	2	-	-	-	-	-	-
22	Typhoid fever 040	1	1	-	-	-	-	-	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	1	-	1	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	16	7	4	4	1	-	-	-	-	-
28	Food poisoning (infection and intoxication) 049	3	1	1	1	-	-	-	-	-	-
29	Scarlet fever 050	3	-	3	-	-	1	-	1	-	-
30	Streptococcal sore throat 051	10	4	5	1	-	-	-	-	-	-
31	Erysipelas 052	6	4	2	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	29	11	12	3	3	6	4	1	1	-
33	Diphtheria 055	2	1	1	-	-	3	2	1	-	-
34	Whooping cough 056	14	4	4	3	3	1	-	-	1	-
35	Meningococcal infections 057	22	9	7	4	2	6	2	4	-	-
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	9	3	2	1	3	2	2	-	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	31	17	14	-	-	9	5	4	-	-
42	Late effects of acute poliomyelitis 081	-	-	-	-	-	-	-	-	-	-
43	Acute infectious encephalitis 082	8	3	4	1	-	3	2	-	-	1
44	Late effects of acute infectious encephalitis 083	5	5	-	-	-	1	1	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	5	2	3	-	-	5	1	2	1	1
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	27	12	14	1	-	6	4	2	-	-
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	3	1	1	1	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	35	21	10	4	-	1	-	-	1	-
61	II. Neoplasms	6,990	3,335	3,089	298	268	906	518	360	16	12
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	6,870	3,277	3,050	292	251	879	506	346	15	12
63	Malignant neoplasm of buccal cavity and pharynx 140-148	186	147	25	13	1	15	9	6	-	-
64	Of lip 140	20	19	-	1	-	-	-	-	-	-
65	Of tongue 141	35	26	5	4	-	4	3	1	-	-
66	Of other and unspecified parts of buccal cavity 142-144	44	33	9	2	-	6	3	3	-	-
67	Of pharynx 145-148	87	69	11	6	1	5	3	2	-	-
68	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	2,524	1,215	1,093	129	87	321	188	116	12	5
69	Of esophagus 150	110	61	21	25	3	12	9	2	1	-
70	Of stomach 151	627	332	226	48	21	106	67	37	2	-
71	Of intestine, except rectum 152,153	783	333	410	22	18	77	40	34	2	1
72	Of rectum 154	301	157	125	12	7	29	16	9	4	-
73	Of biliary passages and of liver (stated to be primary site) 155	158	58	86	4	10	20	7	10	-	3
74	Of liver not specified whether primary or secondary 156A	194	89	94	5	6	23	15	7	1	-
75	Of pancreas 157	310	167	116	10	17	46	28	16	1	1
76	Of peritoneum and of unspecified digestive organs 158,159	41	18	15	3	5	8	6	1	1	-
77	Malignant neoplasm of respiratory system 160-164	816	616	135	55	10	118	103	14	1	-
78	Of larynx 161	54	40	7	6	1	12	9	3	-	-
79	Of trachea, and of bronchus and lung specified as primary 162	331	260	47	20	4	28	27	1	-	-
80	Of lung and bronchus, unspecified as primary or secondary 163	405	302	72	27	4	78	67	10	1	-
81	Of other parts of respiratory system 160,164	26	14	9	2	1	-	-	-	-	-
82	Malignant neoplasm of breast 170	588	4	543	1	40	77	-	76	-	1

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
12,870	7,205	5,330	195	140	1,801	1,130	489	107	75	6,170	3,417	2,742	9	2	51,318	26,346	21,020	2,164	1,788	1
153	86	52	8	7	64	40	11	10	3	74	50	24	-	-	882	471	211	128	72	2
54	32	11	6	5	27	19	3	4	1	32	27	5	-	-	567	311	118	86	52	3
49	29	11	4	5	27	19	3	4	1	28	23	5	-	-	512	289	106	76	41	4
2	-	-	2	-	-	-	-	-	-	2	2	-	-	-	18	8	3	2	5	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	1	1	2	7
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	8
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	11	6	4	-	1	9
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	-	2	-	1	10
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	15	6	1	6	2	11
23	13	8	-	2	17	11	3	1	2	20	11	9	-	-	125	60	26	30	9	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
9	4	4	-	1	8	6	2	-	-	6	5	1	-	-	38	25	7	4	2	15
3	2	1	-	-	6	4	-	1	1	9	4	5	-	-	49	22	10	15	2	16
-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	4	1	1	-	2	17
10	6	3	-	1	2	1	-	-	1	2	1	1	-	-	11	5	1	2	3	18
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	14	4	5	5	-	19
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	7	2	2	3	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2	2	-	-	-	3	-	2	1	-	-	-	-	-	-	7	4	2	1	-	27
-	-	-	-	-	3	2	1	-	-	2	1	1	-	-	1	1	-	-	-	28
4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	29
4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	30
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	31
3	3	-	-	-	2	1	1	-	-	3	1	2	-	-	17	7	9	1	-	32
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	33
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	34
6	1	5	-	-	1	-	1	-	-	4	2	2	-	-	25	10	11	2	2	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	2	1	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
19	11	8	-	-	3	3	-	-	-	2	2	-	-	-	31	15	15	1	-	41
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	4	3	1	-	-	42
14	9	5	-	-	-	-	-	-	-	1	-	1	-	-	10	6	4	-	-	43
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	3	3	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
3	2	1	-	-	1	1	-	-	-	-	-	-	-	-	18	9	5	2	2	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
9	4	4	1	-	2	2	-	-	-	1	1	-	-	-	20	11	8	1	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
6	3	2	1	-	1	-	-	1	-	5	2	3	-	-	42	23	10	2	7	60
2,218	1,152	1,028	22	16	200	118	67	7	8	1,156	572	584	-	-	9,668	4,895	4,219	283	271	61
2,180	1,139	1,003	22	16	193	116	64	6	7	1,131	567	564	-	-	9,478	4,817	4,127	278	256	62
58	42	16	-	-	6	4	2	-	-	19	16	3	-	-	211	177	21	12	1	63
8	8	-	-	-	-	-	-	-	-	1	1	-	-	-	8	8	-	-	-	64
14	10	4	-	-	1	1	-	-	-	3	3	-	-	-	68	59	5	4	-	65
20	10	10	-	-	1	1	-	-	-	5	3	2	-	-	54	40	11	2	1	66
16	14	2	-	-	4	2	2	-	-	10	9	1	-	-	81	70	5	6	-	67
886	458	411	9	8	73	44	21	5	3	406	211	195	-	-	3,783	1,950	1,611	134	88	68
33	21	10	1	1	2	2	-	-	-	14	10	4	-	-	195	145	30	15	5	69
258	171	80	5	2	21	15	4	1	1	111	72	39	-	-	957	544	343	49	21	70
273	112	158	2	1	19	7	9	2	1	135	51	84	-	-	1,184	486	647	25	26	71
88	47	39	-	2	4	1	1	1	1	48	31	17	-	-	565	326	211	18	10	72
79	19	59	-	1	6	2	3	1	-	22	8	14	-	-	180	64	110	2	4	73
35	19	16	-	-	7	4	3	-	-	15	5	10	-	-	178	93	72	7	6	74
110	63	45	1	1	12	11	1	-	-	57	33	24	-	-	423	254	153	10	6	75
10	6	4	-	-	2	2	-	-	-	4	1	3	-	-	101	38	45	8	10	76
219	173	41	5	-	28	25	3	-	-	116	101	15	-	-	1,239	1,034	158	37	10	77
15	13	1	1	-	2	2	-	-	-	5	5	-	-	-	89	80	2	7	-	78
78	67	10	1	-	11	10	1	-	-	32	30	2	-	-	383	315	51	11	6	79
111	85	23	3	-	13	11	2	-	-	77	64	13	-	-	733	616	94	19	4	80
15	8	7	-	-	2	2	-	-	-	2	2	-	-	-	34	23	11	-	-	81
183	3	176	-	4	20	-	18	-	2	109	1	108	-	-	826	8	783	1	34	82

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	1,161	401	641	42	77	144	70	69	-	5
2	Of cervix uteri----------171	266	...	223	...	43	19	...	16	...	3
3	Of other and unspecified parts of uterus----------172-174	236	...	215	...	21	27	...	26	...	1
4	Of ovary, fallopian tube, and broad ligament----------175	190	...	178	...	12	24	...	23	...	1
5	Of other and unspecified female genital organs----------176	26	...	25	...	1	4	...	4	...	-
6	Of prostate----------177	420	381	...	39	...	69	69	...	-	...
7	Of testis, and of other and unspecified male genital organs----178,179	23	20	...	3	...	1	1	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	330	220	94	9	7	37	25	10	1	1
9	Of kidney----------180	124	82	35	4	3	19	15	3	-	1
10	Of bladder and other urinary organs----------181	206	138	59	5	4	18	10	7	1	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	737	384	314	19	20	82	58	24	-	-
12	Of skin----------190,191	101	59	42	-	-	11	8	3	-	-
13	Of eye----------192	14	7	7	-	-	5	4	1	-	-
14	Of brain and other parts of nervous system----------193	154	95	55	1	3	14	10	4	-	-
15	Of thyroid gland----------194	30	9	18	-	3	1	-	1	-	-
16	Of bone (including jaw bone)----------196	65	42	18	4	1	10	7	3	-	-
17	Of connective tissue----------197	20	12	6	-	2	3	1	2	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	99	40	54	1	4	10	8	2	-	-
19	Of unspecified sites----------156B,165,198B,199B-M	254	120	114	13	7	28	20	8	-	-
20	Leukemia and aleukemia----------204	266	139	114	8	5	44	26	17	1	-
21	Lymphosarcoma, etc.*----------200-203,205	262	151	91	16	4	41	27	14	-	-
22	Lymphosarcoma and reticulosarcoma----------200	141	80	52	8	1	14	7	7	-	-
23	Hodgkin's disease----------201	61	39	18	4	-	12	10	2	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	60	32	21	4	3	15	10	5	-	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	120	58	39	6	17	27	12	14	1	-
26	Benign neoplasms of female genital organs----------214-217	33	...	22	...	11	1	...	1	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	35	22	5	5	3	2	1	1	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	17	13	2	1	1	2	-	2	-	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	1	...	1	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	20	13	6	-	1	14	7	7	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	14	10	3	-	1	8	4	3	1	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	896	388	419	30	59	149	68	74	1	6
33	Asthma----------241	163	99	51	6	7	37	25	10	1	1
34	Nontoxic goiter----------250,251	3	1	1	-	1	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----------252	26	4	18	-	4	3	1	2	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	10	1	8	-	1	2	-	2	-	-
37	Diabetes mellitus----------260	623	246	319	17	41	98	39	57	-	2
38	Diseases of thymus gland----------273	9	3	1	4	1	-	-	-	-	-
39	Diseases of adrenal glands----------274	9	5	3	-	1	5	1	2	-	2
40	Pellagra----------281	2	1	1	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	26	15	7	3	1	2	1	1	-	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	25	13	10	-	2	2	1	-	-	1
43	IV. Diseases of the blood and blood-forming organs----------	157	77	69	5	6	27	14	11	2	-
44	Anemias----------290-293	119	58	52	3	6	16	7	7	2	-
45	Pernicious and other hyperchromic anemias----------290	52	25	27	-	-	7	2	4	1	-
46	Anemias of other and unspecified type----------291-293	67	33	25	3	6	9	5	3	1	-
47	Purpura and other hemorrhagic conditions----------296	21	9	11	1	-	3	2	1	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	17	10	6	1	-	8	5	3	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	75	27	27	14	7	20	16	3	1	-
50	Senile psychosis----------304	25	4	17	2	2	2	-	2	-	-
51	Alcoholic psychosis----------307	6	3	-	3	-	6	6	-	-	-
52	Other psychoses----------300-303,305,306,308,309	8	-	6	2	-	2	2	-	-	-
53	Alcoholism----------322	35	20	3	7	5	9	8	-	1	-
54	Mental deficiency----------325	-	-	-	-	-	1	-	1	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	1	-	1	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	5,790	2,557	2,668	268	297	674	355	300	8	11
57	Vascular lesions affecting central nervous system----------330-334	5,393	2,357	2,509	243	284	627	331	280	7	9
58	Subarachnoid hemorrhage----------330	106	48	50	3	5	12	4	8	-	-
59	Cerebral hemorrhage----------331	3,458	1,519	1,638	135	166	459	239	205	7	8
60	Cerebral embolism and thrombosis----------332	1,093	478	496	59	60	88	50	38	-	-
61	Other vascular lesions affecting central nervous system---------333,334	736	312	325	46	53	68	38	29	-	1
62	Meningitis, except meningococcal and tuberculous----------340	37	12	14	8	3	4	1	1	1	1
63	Multiple sclerosis----------345	37	21	16	-	-	7	4	3	-	-
64	Paralysis agitans----------350	89	49	36	2	2	5	3	2	-	-
65	Cerebral spastic infantile paralysis----------351	14	9	5	-	-	1	1	-	-	-
66	Epilepsy----------353	64	34	20	6	4	8	1	7	-	-
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	2	1	1	-	-	-	-	-	-	-
69	Glaucoma----------387	1	-	1	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	11	6	3	1	1	1	-	1	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	142	68	63	8	3	21	14	6	-	1
72	VII. Diseases of the circulatory system----------	18,056	9,668	6,941	764	683	2,317	1,514	748	37	18
73	Rheumatic fever----------400-402	30	16	14	-	-	5	1	4	-	-
74	Diseases of heart----------410-443	16,346	8,854	6,201	680	611	2,082	1,377	658	33	14
75	Chronic rheumatic heart disease----------410-416	553	241	253	28	31	67	39	25	1	2
76	Diseases of mitral valve----------410	282	122	136	8	16	27	13	12	-	2
77	Diseases of aortic valve specified as rheumatic----------411	26	17	7	2	-	5	5	-	-	-
78	Diseases of tricuspid valve----------412	1	-	-	-	1	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	34	17	16	-	1	4	3	-	1	-
80	Other diseases of heart specified as rheumatic----------415,416	210	85	94	18	13	31	18	13	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
333	153	176	3	1	17	9	7	-	1	209	91	118	-	-	1,261	405	740	36	80	1
53	...	53	...	-	3	...	2	...	1	30	...	30	...	-	246	...	209	...	37	2
43	...	42	...	1	1	...	1	...	-	45	...	45	...	-	264	...	233	...	31	3
74	...	74	...	-	4	...	4	...	-	37	...	37	...	-	287	...	276	...	11	4
7	...	7	...	-	-	...	-	...	-	6	...	6	...	-	23	...	22	...	1	5
147	144	...	3	...	7	7	...	-	...	87	87	...	-	...	406	372	...	34	...	6
9	9	...	-	...	2	2	...	-	...	4	4	...	-	...	35	33	...	2	...	7
120	80	38	-	2	7	4	3	-	-	68	37	31	-	-	470	311	141	12	6	8
46	26	18	-	2	1	1	-	-	-	21	11	10	-	-	151	89	58	2	2	9
74	54	20	-	-	6	3	3	-	-	47	26	21	-	-	319	222	83	10	4	10
161	91	68	2	-	25	18	5	1	1	122	67	55	-	-	940	519	379	21	21	11
32	18	13	1	-	3	3	-	-	-	9	6	3	-	-	145	87	55	2	1	12
2	-	2	-	-	-	-	-	-	-	5	1	4	-	-	5	2	3	-	-	13
44	22	22	-	-	6	4	2	-	-	19	13	6	-	-	218	127	83	4	4	14
6	4	2	-	-	-	-	-	-	-	5	1	4	-	-	39	16	21	1	1	15
16	12	4	-	-	1	1	-	-	-	10	8	2	-	-	76	44	24	6	2	16
4	3	1	-	-	1	1	-	-	-	2	1	1	-	-	28	15	12	1	-	17
23	14	9	-	-	1	-	-	-	1	19	10	9	-	-	109	52	54	-	3	18
34	18	15	1	-	13	9	3	1	-	53	27	26	-	-	320	176	127	7	10	19
121	74	44	2	1	9	6	3	-	-	39	22	17	-	-	381	199	163	12	7	20
99	65	33	1	-	8	6	2	-	-	43	21	22	-	-	367	214	151	13	9	21
39	21	18	-	-	3	1	2	-	-	17	7	10	-	-	172	105	58	4	5	22
35	28	7	-	-	5	5	-	-	-	13	7	6	-	-	105	65	34	6	-	23
25	16	8	1	-	-	-	-	-	-	13	7	6	-	-	90	44	39	3	4	24
38	13	25	-	-	7	2	3	1	1	25	5	20	-	-	190	78	92	5	15	25
9	...	9	...	-	2	...	1	...	1	8	...	8	...	-	35	...	27	...	8	26
7	2	5	-	-	-	-	-	-	-	4	1	3	-	-	44	22	18	2	2	27
5	3	2	-	-	-	-	-	-	-	2	1	1	-	-	40	17	21	-	2	28
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	29
11	3	8	-	-	3	1	1	1	-	7	2	5	-	-	40	24	12	2	2	30
6	5	1	-	-	2	1	1	-	-	4	1	3	-	-	30	15	13	1	1	31
347	154	185	5	3	32	16	16	-	-	168	84	84	-	-	1,382	480	803	36	63	32
52	40	11	1	-	12	7	5	-	-	35	25	10	-	-	153	94	49	5	5	33
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	34
14	3	11	-	-	1	1	-	-	-	4	-	4	-	-	27	8	14	1	4	35
3	-	2	1	-	-	-	-	-	-	2	-	2	-	-	9	4	5	-	-	36
254	100	149	2	3	14	4	10	-	-	120	55	65	-	-	1,115	338	701	27	49	37
2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	23	11	7	3	2	38
5	4	1	-	-	-	-	-	-	-	1	1	-	-	-	9	2	7	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
7	1	5	1	-	2	1	1	-	-	1	-	1	-	-	13	7	5	-	1	41
8	5	3	-	-	2	2	-	-	-	5	3	2	-	-	30	15	13	-	2	42
43	16	25	1	1	7	3	2	2	-	15	5	10	-	-	128	44	70	4	10	43
33	12	19	1	1	5	2	1	2	-	13	3	10	-	-	89	23	53	4	9	44
18	5	11	1	1	1	1	-	-	-	7	1	6	-	-	30	6	23	-	1	45
15	7	8	-	-	4	1	1	2	-	6	2	4	-	-	59	17	30	4	8	46
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	22	10	12	-	-	47
7	2	5	-	-	2	1	1	-	-	2	2	-	-	-	17	11	5	-	1	48
28	20	8	-	-	26	16	3	7	-	12	7	5	-	-	132	77	25	24	6	49
12	6	6	-	-	-	-	-	-	-	-	-	-	-	-	13	5	8	-	-	50
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	25	19	-	6	-	51
2	1	1	-	-	-	-	-	-	-	2	1	1	-	-	19	10	6	-	3	52
9	9	-	-	-	25	15	3	7	-	8	5	3	-	-	66	37	10	16	3	53
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	5	3	1	1	-	54
1	-	1	-	-	1	1	-	-	-	1	-	1	-	-	4	3	-	1	-	55
1,876	923	903	31	19	168	90	63	9	6	742	337	404	1	-	5,317	2,244	2,643	198	232	56
1,760	865	848	29	18	153	85	57	5	6	698	310	387	1	-	4,904	2,040	2,491	168	205	57
18	7	11	-	-	4	2	2	-	-	14	3	11	-	-	149	67	66	9	7	58
1,096	521	547	17	11	101	54	39	5	3	450	197	252	1	-	3,016	1,206	1,559	115	136	59
443	238	187	11	7	24	16	6	-	2	174	83	91	-	-	1,244	542	635	28	39	60
203	99	103	1	-	24	13	10	-	1	60	27	33	-	-	495	225	231	16	23	61
7	4	1	2	-	3	1	1	1	-	7	3	4	-	-	59	26	14	8	11	62
13	9	4	-	-	-	-	-	-	-	3	1	2	-	-	53	28	23	2	-	63
29	13	16	-	-	2	1	1	-	-	10	5	5	-	-	83	45	34	2	2	64
4	1	3	-	-	-	-	-	-	-	2	2	-	-	-	8	5	2	-	1	65
18	8	9	-	1	2	1	-	1	-	5	5	-	-	-	40	15	16	9	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3	3	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
2	2	-	-	-	1	-	-	1	-	4	3	1	-	-	9	5	2	1	1	70
43	21	22	-	-	7	2	4	1	-	13	8	5	-	-	155	77	58	8	12	71
5,180	3,082	2,003	50	45	671	451	178	24	18	2,825	1,625	1,194	4	2	23,625	12,613	9,638	745	629	72
7	3	3	-	1	-	-	-	-	-	2	2	-	-	-	43	15	20	1	7	73
4,676	2,830	1,759	49	38	616	417	168	19	12	2,568	1,487	1,075	4	2	22,072	11,923	8,900	695	554	74
147	67	76	2	2	39	19	17	3	-	70	37	32	-	1	753	319	384	26	24	75
70	30	39	1	-	18	8	9	1	-	27	14	13	-	-	220	82	123	8	7	76
9	7	1	-	1	2	2	-	-	-	3	3	-	-	-	42	30	9	1	2	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
15	7	8	-	-	3	1	1	1	-	5	3	2	-	-	39	15	23	1	-	79
53	23	28	1	1	16	8	7	1	-	35	17	17	-	1	452	192	229	16	15	80

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	10,024	6,105	3,440	264	215	1,348	950	373	20	5
2	Arteriosclerotic heart disease so described----------420.0	3,313	1,710	1,407	103	93	300	175	116	6	3
3	Heart disease specified as involving coronary arteries----------420.1	6,657	4.366	2.013	161	117	1,041	770	257	12	2
4	Angina pectoris without mention of coronary disease----------420.2	54	29	20	-	5	7	5	-	2	-
5	Chronic endocarditis not specified as rheumatic----------421	339	169	125	29	16	24	16	7	1	-
6	Of mitral valve, specified as nonrheumatic----------421.0	47	24	18	2	3	4	1	3	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	64	33	18	10	3	8	7	1	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	228	112	89	17	10	12	8	3	1	-
9	Other myocardial degeneration----------422	2,344	1.099	1,094	82	69	276	159	108	5	4
10	With arteriosclerosis----------422.1	1,111	516	543	26	26	100	55	43	2	-
11	Without mention of arteriosclerosis----------422.0,422.2	1,233	583	551	56	43	176	104	65	3	4
12	Other diseases of heart----------430-434	749	373	254	71	51	177	113	56	6	2
13	Acute and subacute endocarditis----------430	24	12	9	2	1	6	4	1	1	-
14	Acute myocarditis not specified as rheumatic----------431	48	17	17	6	8	22	11	11	-	-
15	Acute pericarditis specified as nonrheumatic----------432	1	1	-	-	-	-	-	-	-	-
16	Functional disease of heart----------433	99	52	46	1	-	17	10	7	-	-
17	Other and unspecified diseases of heart----------434	577	291	182	62	42	132	88	37	5	2
18	Hypertension with heart disease----------440-443	2,337	867	1,035	206	229	190	100	89	-	1
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	701	325	309	30	37	67	40	26	-	1
20	Essential hypertension with heart disease, etc.*----------440,441,443	1,636	542	726	176	192	123	60	63	-	-
21	Hypertension without mention of heart----------444-447	376	154	164	30	28	45	29	14	1	1
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	196	100	76	12	8	19	11	7	-	1
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	180	54	88	18	20	26	18	7	1	-
24	Diseases of arteries----------450-456	1,169	576	507	47	39	169	98	66	2	3
25	General arteriosclerosis----------450	1,015	488	463	36	28	146	82	59	2	3
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	89	59	14	9	7	15	10	5	-	-
27	Gangrene of unspecified cause----------455	7	2	3	1	1	3	2	1	-	-
28	Other arterial diseases----------452-454,456	58	27	27	1	3	5	4	1	-	-
29	Diseases of veins and other diseases of circulatory system--------460-468	135	68	55	7	5	16	9	6	1	-
30	VIII. Diseases of the respiratory system----------	1,849	976	603	175	95	275	168	84	16	7
31	Acute upper respiratory infections----------470-475	25	8	15	2	-	6	2	4	-	-
32	Influenza----------480-483	104	56	46	1	1	7	4	2	-	1
33	Pneumonia, except pneumonia of newborn----------490-493	1,240	632	428	114	66	192	105	67	15	5
34	Lobar pneumonia----------490	487	243	154	61	29	42	20	16	5	1
35	Bronchopneumonia----------491	510	265	182	39	24	91	47	35	7	2
36	Primary atypical pneumonia----------492	99	53	32	10	4	16	10	6	-	-
37	Pneumonia, other and unspecified----------493	144	71	60	4	9	43	28	10	3	2
38	Acute bronchitis----------500	27	12	10	-	5	2	1	1	-	-
39	Bronchitis, chronic and unqualified----------501,502	65	42	20	2	1	5	2	3	-	-
40	Hypertrophy of tonsils and adenoids----------510	7	4	3	-	-	2	-	2	-	-
41	Empyema and abscess of lung----------518,521	27	11	5	9	2	2	2	-	-	-
42	Pleurisy----------519	9	3	-	3	3	1	1	-	-	-
43	All other respiratory diseases----------Residual[1]	345	208	76	44	17	58	51	5	1	1
44	IX. Diseases of the digestive system----------	1,749	945	624	104	76	245	137	82	11	15
45	Diseases of teeth and supporting structures----------530-535	7	4	2	1	-	-	-	-	-	-
46	Ulcer of stomach----------540	134	97	23	9	5	18	14	2	1	1
47	Ulcer of duodenum----------541	133	103	23	5	2	21	18	3	-	-
48	Gastritis and duodenitis----------543	12	7	5	-	-	1	-	1	-	-
49	Appendicitis----------550-553	84	39	31	9	5	13	5	7	-	1
50	Hernia and intestinal obstruction----------560,561,570	310	139	138	19	14	33	18	14	-	1
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	180	74	71	21	14	26	5	10	5	6
52	Cirrhosis of liver----------581	464	296	129	19	20	57	34	18	2	3
53	Without mention of alcoholism----------581.0	385	237	113	18	17	49	29	17	2	1
54	With alcoholism----------581.1	79	59	16	1	3	8	5	1	-	2
55	Cholelithiasis and cholecystitis----------584,585	188	76	105	1	6	38	24	12	1	1
56	Other diseases of digestive system----------Residual[1]	237	110	97	20	10	36	19	15	2	2
57	X. Diseases of the genito-urinary system----------	1,282	683	417	111	71	123	83	38	1	1
58	Nephritis and nephrosis----------590-594	788	374	301	58	55	82	52	28	1	1
59	Acute nephritis----------590	43	23	13	3	4	8	3	5	-	-
60	Nephritis with edema, including nephrosis----------591	50	22	20	4	4	2	2	-	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	695	329	268	51	47	72	47	23	1	1
62	Infections of kidney----------600	164	64	80	11	9	9	3	6	-	-
63	Calculi of urinary system----------602,604	34	16	12	4	2	1	1	-	-	-
64	Other diseases of urinary system----------601,603,605-609	49	27	11	9	2	6	4	2	-	-
65	Hyperplasia of prostate----------610	198	171	...	27	...	23	23	...	-	...
66	Other diseases of male genital organs----------611-617	33	31	...	2	...	-	-	...	-	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	16	...	13	...	3	2	...	2	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	49	...	38	...	11	5	...	5	...	-
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	2	...	2	...	-	-	...	-	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	11	...	7	...	4	-	...	-	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	11	...	9	...	2	3	...	3	...	-
73	Ectopic pregnancy----------645	4	...	3	...	1	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----------650	3	...	2	...	1	-	...	-	...	-
75	Abortion with sepsis----------651	4	...	3	...	1	1	...	1	...	-
76	Abortion with toxemia, without mention of sepsis----------652	1	...	1	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	13	...	11	...	2	1	...	1	...	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3,091	1,997	1,040	28	26	445	322	106	10	7	1,892	1,144	745	2	1	14,576	8,513	5,416	398	249	1
682	371	293	12	6	165	101	57	5	2	823	450	372	-	1	6,357	3,133	2,933	169	122	2
2,393	1,617	740	16	20	278	219	49	5	5	1,062	691	369	2	-	8,203	5,371	2,476	229	127	3
16	9	7	-	-	2	2	-	-	-	7	3	4	-	-	16	9	7	-	-	4
71	39	30	2	-	3	2	1	-	-	54	28	25	1	-	178	79	80	10	9	5
6	5	1	-	-	-	-	-	-	-	17	6	10	1	-	16	11	5	-	-	6
12	8	4	-	-	2	1	1	-	-	9	6	3	-	-	43	19	14	3	7	7
53	26	25	2	-	1	1	-	-	-	28	16	12	-	-	119	49	61	7	2	8
578	315	259	4	-	55	30	21	3	1	165	92	72	1	-	3,719	1,849	1,629	133	108	9
263	134	127	2	-	23	9	11	3	-	96	55	41	-	-	1,902	864	904	76	58	10
315	181	132	2	-	32	21	10	-	1	69	37	31	1	-	1,817	985	725	57	50	11
290	186	93	8	3	24	16	5	1	2	71	54	17	-	-	372	187	149	25	11	12
6	3	2	-	1	-	-	-	-	-	3	2	1	-	-	26	11	12	2	1	13
12	9	3	-	-	-	-	-	-	-	2	1	1	-	-	40	18	21	1	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	15
46	25	18	3	-	1	1	-	-	-	6	2	4	-	-	61	29	26	2	4	16
226	149	70	5	2	23	15	5	1	2	60	49	11	-	-	243	127	90	20	6	17
499	226	261	5	7	50	28	18	2	2	316	132	184	-	-	2,474	976	1,242	103	153	18
251	127	120	2	2	17	11	3	2	1	55	22	33	-	-	647	305	279	32	31	19
248	99	141	3	5	33	17	15	-	1	261	110	151	-	-	1,827	671	963	71	122	20
83	46	33	-	4	15	12	2	1	-	41	22	19	-	-	334	140	142	23	29	21
42	28	12	-	2	9	8	-	1	-	24	10	14	-	-	204	88	89	13	14	22
41	18	21	-	2	6	4	2	-	-	17	12	5	-	-	130	52	53	10	15	23
371	186	183	-	2	33	21	5	2	5	195	103	92	-	-	1,045	477	514	21	33	24
308	151	156	-	1	25	13	5	2	5	171	86	85	-	-	841	353	454	11	23	25
44	24	19	-	1	6	6	-	-	-	13	11	2	-	-	154	107	33	5	9	26
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	27
17	10	7	-	-	2	2	-	-	-	10	5	5	-	-	48	16	26	5	1	28
43	17	25	1	-	7	1	3	2	1	19	11	8	-	-	131	58	62	5	6	29
506	258	217	15	16	87	54	17	10	6	187	115	72	-	-	1,555	834	532	112	77	30
16	11	5	-	-	-	-	-	-	-	3	-	3	-	-	28	13	11	1	3	31
41	23	17	1	-	2	2	-	-	-	6	1	5	-	-	17	7	8	-	2	32
341	161	156	11	13	52	24	13	9	6	110	65	45	-	-	1,108	538	415	92	63	33
61	37	20	2	2	19	6	7	5	1	34	23	11	-	-	319	171	101	33	14	34
188	87	92	4	5	19	8	5	3	3	41	23	18	-	-	656	301	262	50	43	35
42	16	19	4	3	5	5	-	-	-	23	14	9	-	-	116	58	45	7	6	36
50	21	25	1	3	9	5	1	1	2	12	5	7	-	-	17	8	7	2	-	37
4	2	2	-	-	2	1	1	-	-	4	1	3	-	-	34	16	10	4	4	38
17	11	6	-	-	4	3	1	-	-	8	5	3	-	-	61	39	19	2	1	39
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	7	3	3	-	1	40
6	4	2	-	-	4	3	-	1	-	-	-	-	-	-	16	9	4	3	-	41
3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	42
77	45	27	3	2	23	21	2	-	-	55	42	13	-	-	280	206	61	10	3	43
496	301	174	14	7	75	47	13	2	13	227	132	93	2	-	2,173	1,234	772	85	82	44
2	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	45
34	27	6	-	1	7	6	1	-	-	28	24	4	-	-	203	153	38	10	2	46
50	42	7	-	1	5	5	-	-	-	22	18	3	1	-	218	172	32	10	4	47
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	7	5	2	-	-	48
23	15	6	2	-	5	4	1	-	-	9	5	4	-	-	75	43	24	6	2	49
73	37	33	3	-	12	9	2	-	1	30	12	17	1	-	287	133	129	10	15	50
54	28	21	3	2	8	1	2	-	5	20	8	12	-	-	217	96	88	15	18	51
122	82	36	4	-	26	16	5	1	4	65	43	22	-	-	718	437	232	21	28	52
68	39	29	-	-	18	11	4	-	3	60	39	21	-	-	577	345	192	16	24	53
54	43	7	4	-	8	5	1	1	1	5	4	1	-	-	141	92	40	5	4	54
66	25	39	-	2	5	2	1	-	2	29	8	21	-	-	217	75	137	2	3	55
69	42	24	2	1	6	4	1	-	1	24	14	10	-	-	231	120	90	11	10	56
253	175	71	4	3	38	24	11	1	2	127	77	50	-	-	1,033	564	347	65	57	57
116	68	44	2	2	23	10	10	1	2	66	30	36	-	-	579	256	244	39	40	58
9	8	1	-	-	2	1	1	-	-	5	2	3	-	-	36	14	18	2	2	59
3	2	1	-	-	3	1	-	1	1	2	2	-	-	-	43	19	15	4	5	60
104	58	42	2	2	18	8	9	-	1	59	26	33	-	-	500	223	211	33	33	61
36	18	17	1	-	1	-	1	-	-	16	8	8	-	-	132	57	59	7	9	62
13	7	6	-	-	2	2	-	-	-	7	3	4	-	-	33	20	12	1	-	63
6	6	-	-	-	1	1	-	-	-	5	5	-	-	-	53	27	19	5	2	64
73	72	...	1	...	10	10	...	-	...	29	29	...	-	...	208	196	...	12	...	65
4	4	...	-	...	1	1	...	-	...	2	2	...	-	...	9	8	...	1	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
5	...	4	...	1	-	...	-	...	-	2	...	2	...	-	19	...	13	...	6	68
12	...	12	...	-	2	...	1	...	1	7	...	7	...	-	51	...	35	...	16	69
2	...	2	...	-	-	...	-	...	-	1	...	1	...	-	11	...	9	...	2	70
5	...	5	...	-	2	...	1	...	1	3	...	3	...	-	14	...	8	...	6	71
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	6	...	5	...	1	72
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	3	...	2	...	1	73
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	74
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	6	...	2	...	4	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	76
4	...	4	...	-	-	...	-	...	-	2	...	2	...	-	9	...	9	...	-	77

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	33	15	9	4	5	6	4	1	-	1
2	Infections of skin and subcutaneous tissue---690-698	8	3	3	2	-	2	2	-	-	-
3	Other diseases of skin and subcutaneous tissue---700-716	25	12	6	2	5	4	2	1	-	1
4	XIII. Diseases of the bones and organs of movement	97	37	54	-	6	14	3	11	-	-
5	Arthritis and spondylitis---720-725	56	14	38	-	4	14	3	11	-	-
6	Muscular rheumatism and rheumatism, unspecified---726,727	1	1	-	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis---730	7	3	3	-	1	-	-	-	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	3	1	2	-	-	-	-	-	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	30	18	11	-	1	-	-	-	-	-
10	XIV. Congenital malformations	505	268	192	27	18	70	42	25	3	-
11	Spina bifida and meningocele---751	37	18	16	2	1	6	4	1	1	-
12	Congenital hydrocephalus, etc.*---752,753	70	34	31	2	3	9	7	2	-	-
13	Congenital malformations of circulatory system---754	224	108	94	15	7	38	21	16	1	-
14	Other congenital malformations---750,755-759	174	108	51	8	7	17	10	6	1	-
15	XV. Certain diseases of early infancy	1.477	706	489	166	136	244	129	93	11	11
16	Birth injuries---760,761	275	141	87	24	23	42	18	17	3	4
17	Postnatal asphyxia and atelectasis---762	375	209	125	22	19	46	26	17	2	1
18	Infections of newborn---763-768	127	49	45	22	11	13	4	6	1	2
19	Hemolytic disease of newborn (erythroblastosis)---770	65	31	30	3	1	22	13	8	1	-
20	All other defined diseases of early infancy---769,771,772	29	13	12	1	3	9	5	2	1	1
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	606	263	170	94	79	112	63	43	3	3
22	XVI. Symptoms, senility, and ill-defined conditions	659	366	218	45	30	179	121	47	9	2
23	Senility without mention of psychosis---794	140	61	73	4	2	53	27	22	3	1
24	Symptoms, ill-defined and unknown causes---780-793,795	519	305	145	41	28	126	94	25	6	1
25	XVII. Accidents, poisonings, and violence	3,454	2,091	938	305	120	679	477	142	44	16
26	Accidents---E800-E962	2,786	1,672	827	188	99	547	379	123	33	12
27	Railway accidents---E800-E802	31	24	2	5	-	10	10	-	-	-
28	Motor-vehicle accidents---E810-E835	995	686	214	69	26	219	147	47	17	8
29	Motor-vehicle traffic accidents---E810-E825	959	660	207	68	24	207	138	44	17	8
30	Motor-vehicle traffic accident with railway train*---E810	37	23	11	3	-	7	4	3	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	168	112	27	23	6	22	15	2	3	2
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	427	260	114	22	11	70	44	20	4	2
33	Motor-vehicle noncollision traffic accidents---E820-E824	300	228	48	18	6	105	72	19	10	4
34	Motor-vehicle traffic accident of unspecified nature---E825	27	17	7	2	1	3	3	-	-	-
35	Motor-vehicle nontraffic accidents---E830-E835	36	26	7	1	2	12	9	3	-	-
36	Other road-vehicle accidents---E840-E845	12	8	2	1	1	3	2	-	1	-
37	Water-transport accidents---E850-E859	29	25	2	2	-	11	11	-	-	-
38	Aircraft accidents---E860-E866	30	27	3	-	-	15	13	1	1	-
39	Accidental poisoning by solid and liquid substances---E870-E888	33	14	13	5	1	6	1	3	1	1
40	Accidental poisoning by gases and vapors---E890-E895	19	14	4	-	1	13	12	-	1	-
41	Accidental falls---E900-E904	696	284	360	28	24	91	39	51	1	-
42	Fall from one level to another---E900-E902	224	115	84	16	9	20	15	5	-	-
43	Fall on same level---E903	151	51	92	3	5	24	8	16	-	-
44	Unspecified falls---E904	321	118	184	9	10	47	16	30	1	-
45	Blow from falling object---E910	29	26	1	2	-	16	15	-	1	-
46	Accident caused by machinery---E912	91	81	8	2	-	17	15	2	-	-
47	Accident caused by electric current---E914	21	16	5	-	-	4	4	-	-	-
48	Accident caused by fire and explosion, etc.*---E916	178	83	50	27	18	30	17	9	3	1
49	Accident caused by hot substance, etc.*---E917,E918	16	10	6	-	-	3	3	-	-	-
50	Accident caused by firearm---E919	85	64	8	11	2	21	17	2	1	1
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	24	14	8	1	1	8	7	-	-	1
52	Accidental drowning---E929	92	72	12	7	1	34	25	6	3	-
53	Excessive heat and insolation---E931	235	125	74	18	18	1	1	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	34	10	18	4	2	1	1	-	-	-
55	All other accidents---Residual[1]	136	89	37	6	4	44	39	2	3	-
56	Suicide---E963,E970-E979	447	348	89	9	1	104	82	14	7	1
57	Suicide by poisoning---E970-E973	75	47	26	1	1	16	8	8	-	-
58	Suicide by hanging and strangulation---E974	73	51	20	2	-	7	5	-	1	1
59	Suicide by firearms and explosives---E976	253	225	24	4	-	68	59	3	6	-
60	Suicide by all other means---E963,E975,E977-E979	46	25	19	2	-	13	10	3	-	-
61	Homicide---E964,E980-E985	218	68	22	108	20	28	16	5	4	3
62	Assault by firearms and explosives---E981	125	40	15	62	8	8	2	4	1	1
63	Assault by cutting and piercing instruments---E982	40	4	1	27	8	1	-	-	1	-
64	Assault by other means---E964,E980,E983	40	18	6	12	4	19	14	1	2	2
65	Injury by intervention of police---E984	12	5	-	7	-	-	-	-	-	-
66	Execution---E985	1	1	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	3	3	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
14	6	7	-	1	2	-	1	-	1	5	2	3	-	-	40	14	21	4	1	1
6	3	3	-	-	1	-	-	-	1	2	1	1	-	-	8	5	2	1	-	2
8	3	4	-	1	1	-	1	-	-	3	1	2	-	-	32	9	19	3	1	3
29	10	18	-	1	3	1	2	-	-	14	10	4	-	-	97	37	53	4	3	4
16	5	11	-	-	2	1	1	-	-	6	5	1	-	-	37	11	24	-	2	5
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	6
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	1	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	4	4	1	-	8
10	2	7	-	1	1	-	1	-	-	8	5	3	-	-	45	20	22	2	1	9
175	98	71	3	3	22	19	3	-	-	71	42	29	-	-	638	298	294	28	18	10
11	4	6	-	1	-	-	-	-	-	6	3	3	-	-	55	27	25	2	1	11
19	10	7	1	1	4	2	2	-	-	9	8	1	-	-	90	36	50	2	2	12
92	57	33	1	1	9	9	-	-	-	30	16	14	-	-	260	123	119	11	7	13
53	27	25	1	-	9	8	1	-	-	26	15	11	-	-	233	112	100	13	8	14
487	243	215	20	9	84	45	25	9	5	172	102	70	-	-	1,715	810	565	185	155	15
88	51	34	2	1	18	7	5	3	3	43	25	18	-	-	289	166	79	19	25	16
101	52	42	4	3	20	15	4	1	-	43	29	14	-	-	548	270	191	49	38	17
31	14	11	5	1	2	-	1	1	-	4	3	1	-	-	90	39	29	13	9	18
33	17	16	-	-	3	1	2	-	-	9	2	7	-	-	78	42	29	4	3	19
6	4	2	-	-	2	1	-	1	-	3	1	2	-	-	43	19	13	9	2	20
228	105	110	9	4	39	21	13	3	2	70	42	28	-	-	667	274	224	91	78	21
66	38	26	1	1	52	30	13	6	3	33	25	8	-	-	114	54	46	10	4	22
24	6	17	-	1	7	3	2	1	1	9	6	3	-	-	53	20	30	1	2	23
42	32	9	1	-	45	27	11	5	2	24	19	5	-	-	61	34	16	9	2	24
987	643	315	21	8	268	176	63	20	9	335	232	101	2	-	2,768	1,677	746	253	92	25
818	518	283	10	7	186	115	49	14	8	260	174	84	2	-	2,172	1,302	621	176	73	26
16	12	4	-	-	6	4	2	-	-	2	1	1	-	-	34	29	3	2	-	27
340	231	97	9	3	88	50	23	9	6	87	68	18	1	-	765	518	161	65	21	28
323	218	93	9	3	86	48	23	9	6	86	67	18	1	-	753	512	157	64	20	29
24	15	8	1	-	1	1	-	-	-	9	6	3	-	-	24	14	10	-	-	30
41	28	11	2	-	6	4	1	1	-	22	18	4	-	-	261	180	49	24	8	31
150	88	55	4	3	20	9	10	1	-	16	10	6	-	-	239	158	54	21	6	32
97	78	17	2	-	28	20	5	2	1	33	28	4	1	-	206	147	35	18	6	33
11	9	2	-	-	31	14	7	5	5	6	5	1	-	-	23	13	9	1	-	34
17	13	4	-	-	2	2	-	-	-	1	1	-	-	-	12	6	4	1	1	35
5	5	-	-	-	3	1	1	1	-	4	3	1	-	-	6	4	1	1	-	36
6	5	1	-	-	1	1	-	-	-	3	3	-	-	-	25	23	-	2	-	37
19	15	4	-	-	12	10	2	-	-	3	2	-	1	-	47	46	1	-	-	38
6	4	2	-	-	4	3	1	-	-	5	3	2	-	-	30	15	11	2	2	39
6	4	1	-	1	3	1	2	-	-	4	3	1	-	-	57	32	22	1	2	40
185	80	103	-	2	23	14	8	-	1	81	37	44	-	-	680	339	306	23	12	41
64	42	21	-	1	12	10	2	-	-	32	19	13	-	-	277	174	87	14	2	42
58	17	41	-	-	7	2	5	-	-	27	9	18	-	-	116	49	61	4	2	43
63	21	41	-	1	4	2	1	-	1	22	9	13	-	-	287	116	158	5	8	44
2	1	1	-	-	4	4	-	-	-	3	3	-	-	-	13	11	-	2	-	45
38	35	3	-	-	1	1	-	-	-	5	4	1	-	-	29	24	-	5	-	46
5	5	-	-	-	1	1	-	-	-	2	2	-	-	-	18	17	1	-	-	47
42	19	22	1	-	9	6	1	1	1	24	18	6	-	-	131	54	46	17	14	48
7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	14	6	6	1	1	49
20	18	2	-	-	5	4	1	-	-	1	1	-	-	-	18	16	1	1	-	50
10	8	2	-	-	2	-	2	-	-	5	4	1	-	-	29	13	7	7	2	51
28	21	7	-	-	9	5	3	1	-	14	10	4	-	-	137	93	15	24	5	52
12	7	5	-	-	1	1	-	-	-	-	-	-	-	-	3	3	-	-	-	53
8	2	6	-	-	2	1	1	-	-	2	1	1	-	-	21	7	11	1	2	54
63	40	22	-	1	12	8	2	2	-	15	11	4	-	-	115	52	29	22	12	55
138	110	26	1	1	60	50	10	-	-	72	56	16	-	-	470	343	108	18	1	56
20	18	2	-	-	17	12	5	-	-	21	14	7	-	-	122	76	44	2	-	57
31	21	10	-	-	6	5	1	-	-	13	12	1	-	-	169	128	35	5	1	58
73	64	8	1	-	29	27	2	-	-	32	28	4	-	-	116	101	7	8	-	59
14	7	6	-	1	8	6	2	-	-	6	2	4	-	-	63	38	22	3	-	60
31	15	6	10	-	22	11	4	6	1	3	2	1	-	-	125	32	17	58	18	61
16	8	5	3	-	11	5	2	4	-	1	1	-	-	-	35	13	8	11	3	62
5	-	-	5	-	4	2	-	2	-	2	1	1	-	-	41	3	2	29	7	63
6	4	1	1	-	5	2	2	-	1	-	-	-	-	-	42	13	7	14	8	64
4	3	-	1	-	2	2	-	-	-	-	-	-	-	-	5	3	-	2	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	67

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	5,373	2,844	1,951	328	250	159,548	82,678	66,585	5,571	4,714
2	I. Infective and parasitic diseases	208	91	67	24	26	2,791	1,559	646	369	217
3	Tuberculosis, all forms 001-019	111	58	23	15	15	1,771	1,030	330	265	146
4	Tuberculosis of respiratory system 001-008	96	55	19	14	8	1,651	984	299	247	121
5	Tuberculosis of meninges and central nervous system 010	8	-	3	1	4	36	13	7	4	12
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	1	-	-	-	1	7	2	4	1	-
7	Tuberculosis of vertebral column 012.0,013.0	1	-	-	-	1	20	7	9	2	2
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	2	2	-	-	-
9	Tuberculosis of genito-urinary system 016	1	1	-	-	-	13	7	1	3	2
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	-	-	-	-	-	7	2	3	-	2
11	Disseminated tuberculosis 019	4	2	1	-	1	35	13	7	8	7
12	Syphilis and its sequelae 020-029	15	8	7	-	-	448	258	75	75	40
13	Congenital syphilis 020	-	-	-	-	-	3	2	1	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	5	3	2	-	-	142	97	29	11	5
16	Other cardiovascular syphilis 023	8	4	4	-	-	167	85	32	38	12
17	Tabes dorsalis 024	-	-	-	-	-	12	9	-	3	-
18	General paralysis of insane 025	2	1	1	-	-	66	38	7	13	8
19	Other syphilis of central nervous system 026	-	-	-	-	-	50	24	5	7	14
20	Other syphilis 027-029	-	-	-	-	-	8	3	1	3	1
21	Gonococcal infection 030-035	-	-	-	-	-	1	-	-	1	-
22	Typhoid fever 040	1	-	-	-	1	1	-	1	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	2	2	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	23	9	4	6	4	12	6	5	1	-
28	Food poisoning (infection and intoxication) 049	1	-	1	-	-	2	-	2	-	-
29	Scarlet fever 050	-	-	-	-	-	2	1	-	1	-
30	Streptococcal sore throat 051	2	1	1	-	-	16	6	6	2	2
31	Erysipelas 052	-	-	-	-	-	2	1	-	-	1
32	Septicemia and pyemia 053	9	2	6	-	1	61	36	18	4	3
33	Diphtheria 055	-	-	-	-	-	3	1	1	-	1
34	Whooping cough 056	4	3	1	-	-	14	3	8	1	2
35	Meningococcal infections 057	4	-	4	-	-	60	28	26	4	2
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	-	-	-	-	-	10	7	3	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	8	2	6	-	-	97	55	41	1	-
42	Late effects of acute poliomyelitis 081	1	1	-	-	-	8	4	4	-	-
43	Acute infectious encephalitis 082	3	-	3	-	-	52	33	15	-	4
44	Late effects of acute infectious encephalitis 083	1	-	1	-	-	18	12	6	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	9	-	3	2	4	36	10	20	4	2
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	4	1	2	-	1	89	35	48	2	4
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	1	-	-	-	1
55	Schistosomiasis 123	-	-	-	-	-	5	1	3	1	-
56	Hydatid disease 125	-	-	-	-	-	1	1	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	12	6	5	1	-	79	29	34	7	9
61	II. Neoplasms	619	291	300	14	14	29,440	14,597	13.256	789	798
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	597	281	290	14	12	28,864	14,380	12,952	774	758
63	Malignant neoplasm of buccal cavity and pharynx 140-148	14	8	5	1	-	639	483	117	34	5
64	Of lip 140	1	1	-	-	-	37	33	3	-	1
65	Of tongue 141	2	1	1	-	-	195	155	24	14	2
66	Of other and unspecified parts of buccal cavity 142-144	5	2	2	1	-	177	120	48	7	2
67	Of pharynx 145-148	6	4	2	-	-	230	175	42	13	-
68	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	204	107	93	1	3	11,270	5,853	4,857	347	213
69	Of esophagus 150	4	3	1	-	-	623	427	125	57	14
70	Of stomach 151	79	45	32	1	1	2,896	1,651	1,068	121	56
71	Of intestine, except rectum 152,153	45	19	26	-	-	3,342	1,502	1,727	50	63
72	Of rectum 154	19	13	6	-	-	1,772	983	709	50	30
73	Of biliary passages and of liver (stated to be primary site) 155	16	7	8	-	1	604	221	366	11	6
74	Of liver not specified whether primary or secondary 156A	12	6	6	-	-	463	231	205	22	5
75	Of pancreas 157	23	14	8	-	1	1,334	720	554	32	28
76	Of peritoneum and of unspecified digestive organs 158,159	6	-	6	-	-	236	118	103	4	11
77	Malignant neoplasm of respiratory system 160-164	56	38	17	1	-	3,736	3.027	528	149	32
78	Of larynx 161	1	1	-	-	-	311	272	21	15	3
79	Of trachea, and of bronchus and lung specified as primary 162	25	20	5	-	-	1,415	1,193	157	58	7
80	Of lung and bronchus, unspecified as primary or secondary 163	28	16	11	1	-	1,922	1,505	323	73	21
81	Of other parts of respiratory system 160,164	2	1	1	-	-	88	57	27	3	1
82	Malignant neoplasm of breast 170	47	-	44	-	3	2,737	19	2,586	3	129

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
31,625	12,519	8,794	5,735	4,577	5,055	3,008	1,927	71	49	82,720	43,159	33,210	3,548	2,803	20,211	10,572	7,255	1,291	1,093	1
628	202	112	186	128	61	35	19	1	6	1,475	782	391	205	97	471	234	108	78	51	2
316	105	45	94	72	24	12	8	-	4	758	418	167	112	61	241	123	41	45	32	3
289	98	43	83	65	18	8	6	-	4	684	381	152	101	50	229	119	40	40	30	4
7	1	1	3	2	1	-	1	-	-	14	3	5	4	2	2	-	-	2	-	5
1	-	-	1	-	3	2	1	-	-	8	5	2	1	-	-	-	-	-	-	6
2	-	-	2	-	-	-	-	-	-	10	5	4	-	1	1	1	-	-	-	7
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	8
2	1	1	-	-	1	1	-	-	-	9	6	2	-	1	1	-	-	1	-	9
1	1	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	10
14	4	-	5	5	1	1	-	-	-	27	14	-	6	7	8	3	1	2	2	11
71	21	4	36	10	2	1	1	-	-	327	164	70	66	27	88	45	17	13	13	12
2	-	-	1	1	-	-	-	-	-	3	1	1	1	-	2	-	-	2	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
22	10	2	9	1	-	-	-	-	-	99	55	25	15	4	25	13	10	1	1	15
22	6	1	14	1	1	-	1	-	-	121	51	22	34	14	24	10	2	6	6	16
-	-	-	-	-	1	1	-	-	-	8	7	1	-	-	1	1	-	-	-	17
6	2	-	2	2	-	-	-	-	-	57	33	8	13	3	17	10	3	2	2	18
17	3	-	9	5	-	-	-	-	-	34	16	11	2	5	16	9	2	2	3	19
2	-	1	1	-	-	-	-	-	-	5	1	2	1	1	3	2	-	-	1	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	21
1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	3	-	2	1	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	23
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	26
11	3	1	2	5	2	1	1	-	-	7	2	1	4	-	11	5	1	4	1	27
12	4	1	5	2	-	-	-	-	-	2	1	1	-	-	5	2	1	1	1	28
1	-	1	-	-	-	-	-	-	-	4	1	3	-	-	1	-	-	1	-	29
5	2	1	-	2	-	-	-	-	-	7	6	1	-	-	5	4	1	-	-	30
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	31
30	6	16	5	3	2	2	-	-	-	43	23	15	4	1	20	13	6	1	-	32
7	2	2	2	1	2	1	1	-	-	1	1	-	-	-	3	2	1	-	-	33
10	1	1	6	2	1	-	-	-	1	19	8	7	2	2	6	1	3	-	2	34
40	18	8	6	8	2	1	1	-	-	65	37	25	2	1	10	5	5	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
10	1	1	4	4	-	-	-	-	-	8	7	1	-	-	4	-	-	3	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
20	10	7	3	-	5	3	2	-	-	69	37	29	3	-	23	13	9	1	-	41
2	2	-	-	-	1	-	1	-	-	4	3	1	-	-	2	1	1	-	-	42
9	3	4	1	1	6	6	-	-	-	18	6	8	3	1	8	2	4	2	-	43
1	-	1	-	-	4	3	1	-	-	9	8	1	-	-	1	-	1	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
36	9	10	8	9	1	-	1	-	-	25	7	17	1	-	4	1	2	-	1	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
13	6	2	3	2	1	1	-	-	-	39	18	18	-	3	8	3	3	2	-	48
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
1	-	-	-	1	-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	59
28	7	6	9	6	6	4	1	-	1	57	30	21	5	1	25	11	10	4	-	60
3,892	1,439	1,530	436	487	761	407	343	7	4	13,884	6,679	6,265	480	460	3,123	1,503	1,375	116	129	61
3,784	1,411	1,491	422	460	746	401	334	7	4	13,638	6,583	6,148	469	438	3,050	1,477	1,338	113	122	62
82	56	18	6	2	5	4	1	-	-	297	223	58	11	5	71	53	17	-	1	63
6	6	-	-	-	2	1	1	-	-	23	22	-	-	1	9	7	2	-	-	64
18	14	3	1	-	1	1	-	-	-	77	53	20	1	3	12	11	-	-	1	65
20	11	8	-	1	-	-	-	-	-	87	69	15	2	1	22	13	9	-	-	66
38	25	7	5	1	2	2	-	-	-	110	79	23	8	-	28	22	6	-	-	67
1,148	433	426	171	118	296	170	122	2	2	5,030	2,565	2,161	194	110	1,057	508	457	48	44	68
74	34	14	22	4	4	4	-	-	-	250	174	40	34	2	44	27	15	-	2	69
320	126	88	65	41	133	84	49	-	-	1,295	765	435	62	33	296	155	103	16	22	70
265	89	132	22	22	75	33	40	2	-	1,600	672	857	38	33	293	126	147	10	10	71
112	43	44	9	16	23	13	10	-	-	641	352	254	18	17	103	50	42	8	3	72
117	33	63	15	6	18	7	10	-	1	310	103	190	10	7	48	16	27	2	3	73
18	6	5	6	1	8	5	3	-	-	300	143	142	8	7	107	45	52	7	3	74
205	92	68	27	18	32	21	10	-	1	556	319	208	21	8	141	76	60	4	1	75
37	10	12	5	10	3	3	-	-	-	78	37	35	3	3	25	13	11	1	-	76
350	237	58	43	12	56	45	9	2	-	1,565	1,225	237	89	14	346	260	70	13	3	77
23	19	1	3	-	3	3	-	-	-	111	95	7	7	2	18	13	5	-	-	78
268	182	47	29	10	15	11	2	2	-	562	455	63	40	4	81	62	14	5	-	79
41	27	5	7	2	36	30	6	-	-	836	642	146	41	7	231	177	43	8	3	80
18	9	5	4	-	2	1	1	-	-	56	33	21	1	1	16	8	8	-	-	81
340	4	261	-	75	79	3	76	-	-	1,235	17	1,148	1	69	223	1	202	-	20	82

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	88	34	48	2	4	3,774	1,283	2,192	63	236
2	Of cervix uteri----------171	22	...	18	...	4	796	...	666	...	130
3	Of other and unspecified parts of uterus----------172-174	13	...	13	...	-	643	...	593	...	50
4	Of ovary, fallopian tube, and broad ligament----------175	16	...	16	...	-	886	...	837	...	49
5	Of other and unspecified female genital organs----------176	1	...	1	...	-	103	...	96	...	7
6	Of prostate----------177	28	26	...	2	...	1,244	1,181	...	63	...
7	Of testis, and of other and unspecified male genital organs----178,179	8	8	...	-	...	102	102	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	19	14	5	-	-	1,466	1,007	396	45	18
9	Of kidney----------180	8	6	2	-	-	486	313	151	19	3
10	Of bladder and other urinary organs----------181	11	8	3	-	-	980	694	245	26	15
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	99	43	49	6	1	2,853	1,421	1,282	74	76
12	Of skin----------190,191	12	3	9	-	-	329	190	132	3	4
13	Of eye----------192	2	1	1	-	-	42	19	21	1	1
14	Of brain and other parts of nervous system----------193	21	9	12	-	-	613	359	219	16	19
15	Of thyroid gland----------194	4	2	1	-	1	127	37	85	4	1
16	Of bone (including jaw bone)----------196	6	2	4	-	-	222	114	93	6	9
17	Of connective tissue----------197	1	-	1	-	-	91	48	38	4	1
18	Of other specified sites, not stated to be secondary-----195,198A,199A	9	3	6	-	-	369	173	170	11	15
19	Of unspecified sites----------156B,165,198B,199B-M	44	23	15	6	-	1.060	481	524	29	26
20	Leukemia and aleukemia----------204	41	23	16	2	-	1,139	608	484	28	19
21	Lymphosarcoma, etc.*----------200-203,205	29	14	13	1	1	1,250	679	510	31	30
22	Lymphosarcoma and reticulosarcoma----------200	16	6	8	1	1	615	323	264	15	13
23	Hodgkin's disease----------201	8	5	3	-	-	353	209	132	8	4
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	5	3	2	-	-	282	147	114	8	13
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	22	10	10	-	2	576	217	304	15	40
26	Benign neoplasms of female genital organs----------214-217	3	...	2	...	1	103	...	74	...	29
27	Benign neoplasm of brain and other parts of nervous system---------223	3	1	2	-	-	98	39	54	3	2
28	Other benign neoplasms----------210-213,218-222,224-229	3	3	-	-	-	76	35	38	1	4
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	2	...	2	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	5	2	3	-	-	186	91	88	6	1
31	Other neoplasms of unspecified nature----------230-232,236,238,239	8	4	3	-	1	109	52	48	5	4
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	90	53	32	2	3	3,940	1,543	2,138	93	166
33	Asthma----------241	18	12	5	1	-	542	309	179	24	30
34	Nontoxic goiter----------250,251	1	-	-	-	1	15	1	12	1	1
35	Thyrotoxicosis with or without goiter----------252	2	-	2	-	-	73	13	56	2	2
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	-	-	-	-	-	19	2	15	-	2
37	Diabetes mellitus----------260	56	36	18	1	1	3.153	1,153	1,812	62	126
38	Diseases of thymus gland----------273	4	3	1	-	-	29	16	10	2	1
39	Diseases of adrenal glands----------274	-	-	-	-	-	24	10	12	1	1
40	Pellagra----------281	2	-	2	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	4	2	1	-	1	31	16	13	-	2
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	3	-	3	-	-	54	23	29	1	1
43	IV. Diseases of the blood and blood-forming organs----------	18	6	9	1	2	396	174	202	12	8
44	Anemias----------290-293	12	3	6	-	1	264	115	132	11	6
45	Pernicious and other hyperchromic anemias----------290	5	2	3	-	-	110	35	73	1	1
46	Anemias of other and unspecified type----------291-293	7	1	5	-	1	154	80	59	10	5
47	Purpura and other hemorrhagic conditions----------296	3	-	1	1	1	62	26	34	1	1
48	All other diseases of blood and blood-forming organs-----294,295,297-299	3	3	-	-	-	70	33	36	-	1
49	V. Mental, psychoneurotic, and personality disorders----------	17	10	6	1	-	405	235	85	63	22
50	Senile psychosis----------304	-	-	-	-	-	3	3	-	-	-
51	Alcoholic psychosis----------307	-	-	-	-	-	43	28	5	9	1
52	Other psychoses----------300-303,305,306,308,309	1	-	1	-	-	79	35	31	8	5
53	Alcoholism----------322	15	10	4	1	-	242	152	35	43	12
54	Mental deficiency----------325	1	-	1	-	-	16	10	5	-	1
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	22	7	9	3	3
56	VI. Diseases of the nervous system and sense organs----------	442	215	202	11	14	15,456	6,688	7 999	349	420
57	Vascular lesions affecting central nervous system----------330-334	380	189	172	7	12	14.337	6.141	7,544	285	367
58	Subarachnoid hemorrhage----------330	17	6	9	-	2	513	219	224	34	36
59	Cerebral hemorrhage----------331	257	125	119	5	8	8.585	3,632	4.577	150	226
60	Cerebral embolism and thrombosis----------332	62	34	25	2	1	3.845	1,684	2,016	66	79
61	Other vascular lesions affecting central nervous system--------333,334	44	24	19	-	1	1,394	606	727	35	26
62	Meningitis, except meningococcal and tuberculous----------340	11	7	3	1	-	153	70	46	17	20
63	Multiple sclerosis----------345	5	3	2	-	-	144	58	82	1	3
64	Paralysis agitans----------350	4	2	2	-	-	237	130	102	1	4
65	Cerebral spastic infantile paralysis----------351	6	1	4	-	1	36	23	11	2	-
66	Epilepsy----------353	15	8	5	2	-	182	79	72	25	6
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	1	-	1	-	-
68	Cataract----------385	-	-	-	-	-	8	2	5	1	-
69	Glaucoma----------387	-	-	-	-	-	3	2	1	-	-
70	Otitis media and mastoiditis----------391-393	3	1	1	1	-	38	17	16	2	3
71	Other diseases of nervous system and sense organs----------Residual[1]	18	4	13	-	1	317	166	119	15	17
72	VII. Diseases of the circulatory system----------	1,345	785	504	32	24	75,382	40,268	31,491	1,828	1,795
73	Rheumatic fever----------400-402	9	3	6	-	-	117	48	48	13	8
74	Diseases of heart----------410-443	1.195	709	441	26	19	70,660	38,048	29.240	1,712	1,660
75	Chronic rheumatic heart disease----------410-416	85	33	44	6	2	2,362	970	1,243	70	79
76	Diseases of mitral valve----------410	35	11	21	2	1	624	254	341	17	12
77	Diseases of aortic valve specified as rheumatic----------411	5	4	1	-	-	101	75	23	3	-
78	Diseases of tricuspid valve----------412	1	1	-	-	-	2	1	1	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	4	2	2	-	-	157	73	75	3	6
80	Other diseases of heart specified as rheumatic----------415,416	40	15	20	4	1	1,478	567	803	47	61

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
768	194	332	82	160	119	63	54	1	1	2,276	800	1,272	57	147	510	196	253	27	34	1
241	...	156	...	85	13	...	12	...	1	534	...	466	...	68	118	...	101	...	17	2
136	...	80	...	56	13	...	13	...	-	420	...	367	...	53	100	...	87	...	13	3
101	...	87	...	14	25	...	25	...	-	407	...	383	...	24	65	...	61	...	4	4
14	...	9	...	5	4	...	4	...	-	58	...	56	...	2	4	...	4	...	-	5
256	179	...	77	...	62	61	...	1	...	802	747	...	55	...	195	172	...	23	...	6
20	15	...	5	...	2	2	...	-	...	55	53	...	2	...	28	24	...	4	...	7
151	71	49	21	10	48	35	13	-	-	651	403	208	24	16	143	83	51	5	4	8
69	30	28	10	1	30	21	9	-	-	248	136	95	10	7	63	40	21	1	1	9
82	41	21	11	9	18	14	4	-	-	403	267	113	14	9	80	43	30	4	3	10
568	244	212	54	58	65	31	31	2	1	1,471	756	621	50	44	418	211	186	11	10	11
101	44	39	9	9	12	6	4	1	1	162	93	65	3	1	67	38	26	2	1	12
15	7	6	2	-	1	1	-	-	-	20	10	9	1	-	4	3	1	-	-	13
129	63	48	12	6	20	9	10	1	-	299	181	101	9	8	64	39	21	2	2	14
20	4	12	2	2	5	2	3	-	-	68	26	37	1	4	9	3	5	1	-	15
64	30	20	6	8	3	2	1	-	-	123	71	45	4	3	34	15	16	3	-	16
17	9	5	2	1	1	-	1	-	-	34	15	16	2	1	4	1	3	-	-	17
63	21	26	5	11	4	1	3	-	-	258	116	129	7	6	68	35	32	-	1	18
159	66	56	16	21	19	10	9	-	-	507	244	219	23	21	168	77	82	3	6	19
209	97	76	25	11	38	26	12	-	-	544	284	226	19	15	162	97	59	4	2	20
168	75	59	20	14	40	24	16	-	-	569	310	217	24	18	120	68	43	5	4	21
75	36	24	6	9	17	9	8	-	-	275	153	107	8	7	56	31	21	1	3	22
54	27	18	7	2	11	5	6	-	-	132	78	46	5	3	32	20	10	1	1	23
39	12	17	7	3	12	10	2	-	-	162	79	64	11	8	32	17	12	3	-	24
108	28	39	14	27	15	6	9	-	-	246	96	117	11	22	73	26	37	3	7	25
26	...	12	...	14	1	...	1	...	-	41	...	32	...	9	16	...	11	...	5	26
15	5	7	2	1	6	1	5	-	-	55	19	27	5	4	12	6	6	-	-	27
21	8	3	4	6	4	3	1	-	-	55	32	19	-	4	18	7	9	1	1	28
2	...	1	...	1	-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	29
33	11	12	6	4	1	-	1	-	-	51	24	21	3	3	16	9	7	-	-	30
11	4	4	2	1	3	2	1	-	-	43	21	17	3	2	10	4	4	2	-	31
624	206	226	85	107	127	56	66	3	2	2,609	1,011	1,434	59	105	436	171	207	21	37	32
112	48	29	22	13	27	18	9	-	-	396	246	125	15	10	92	56	28	5	3	33
4	1	2	-	1	-	-	-	-	-	13	2	8	-	3	1	1	-	-	-	34
15	3	7	1	4	3	-	3	-	-	81	13	63	2	3	8	-	6	-	2	35
3	1	1	-	1	1	-	1	-	-	15	2	10	-	3	2	1	1	-	-	36
422	134	166	45	77	88	36	47	3	2	1,987	693	1,178	36	80	293	99	151	13	30	37
7	2	1	3	1	2	-	2	-	-	11	6	3	-	2	7	3	2	1	1	38
7	5	2	-	-	1	1	-	-	-	26	13	11	2	-	8	-	6	1	1	39
3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	40
33	6	9	9	9	3	-	3	-	-	37	19	16	2	-	18	9	8	1	-	41
18	6	6	5	1	2	1	1	-	-	43	17	20	2	4	4	2	2	-	-	42
97	27	35	22	13	20	8	11	-	1	260	102	141	2	15	69	27	34	2	6	43
60	15	16	17	12	15	5	9	-	1	188	72	103	2	11	48	17	26	1	4	44
15	3	7	2	3	12	5	7	-	-	88	38	49	1	-	16	7	8	-	1	45
45	12	9	15	9	3	-	2	-	1	100	34	54	1	11	32	10	18	1	3	46
17	3	11	2	1	1	1	-	-	-	28	10	15	-	3	6	2	2	1	1	47
20	9	8	3	-	4	2	2	-	-	44	20	23	-	1	15	8	6	-	1	48
118	47	16	40	15	9	7	1	1	-	158	101	36	15	6	75	39	21	9	6	49
11	3	1	3	4	2	2	-	-	-	12	3	9	-	-	39	22	10	3	4	50
4	3	-	1	-	-	-	-	-	-	17	12	2	2	1	1	1	-	-	-	51
19	5	3	8	3	-	-	-	-	-	24	12	11	-	1	9	4	5	-	-	52
74	36	6	26	6	7	5	1	1	-	93	69	8	13	3	23	11	4	6	2	53
6	-	4	1	1	-	-	-	-	-	5	1	4	-	-	1	1	-	-	-	54
4	-	2	1	1	-	-	-	-	-	7	4	2	-	1	2	-	2	-	-	55
4,578	1,602	1,484	760	732	701	367	325	6	3	10,765	5,041	4,966	365	393	2,840	1,308	1,230	149	153	56
4,265	1,488	1,387	697	693	646	337	302	5	2	9,943	4,598	4,655	328	362	2,615	1,198	1,152	128	137	57
137	39	56	23	19	19	12	7	-	-	275	129	113	15	18	42	13	20	3	6	58
2,757	979	857	456	465	412	204	206	1	1	6,531	2,929	3,141	221	240	1,774	797	804	78	95	59
825	311	314	104	96	122	67	52	2	1	2,127	1,070	933	66	58	448	231	194	12	11	60
546	159	160	114	113	93	54	37	2	-	1,010	470	468	26	46	351	157	134	35	25	61
52	8	7	18	19	5	2	2	1	-	101	54	30	7	10	13	9	2	1	1	62
16	7	7	1	1	4	2	2	-	-	90	40	48	1	1	18	14	3	1	-	63
29	17	9	3	-	8	5	3	-	-	176	104	68	2	2	40	18	19	3	-	64
28	11	14	3	-	7	4	2	-	1	54	29	23	1	1	6	3	3	-	-	65
58	20	15	18	5	11	8	3	-	-	93	48	31	6	8	27	14	8	2	3	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	67
2	-	2	-	-	-	-	-	-	-	5	3	2	-	-	1	-	1	-	-	68
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	1	1	-	-	-	69
9	3	4	-	2	2	-	2	-	-	29	17	6	4	2	5	2	1	1	1	70
119	48	39	20	12	18	9	9	-	-	271	147	101	16	7	113	49	41	13	10	71
11,830	5,222	3,288	1,794	1,526	1,978	1,267	687	16	8	33,984	18,546	13,443	1,088	907	7,351	4,203	2,478	375	295	72
35	8	9	9	9	5	1	4	-	-	72	32	29	3	8	13	5	7	1	-	73
10,795	4,815	2,977	1,627	1,376	1,795	1,161	611	16	7	30,495	16,909	11,879	923	784	6,604	3,862	2,158	331	253	74
312	114	106	52	40	66	32	31	2	1	1,037	488	489	26	34	179	91	72	8	8	75
135	46	50	22	17	28	10	17	1	-	433	205	203	11	14	73	42	24	4	3	76
14	11	1	2	-	2	2	-	-	-	66	44	21	1	-	7	4	3	-	-	77
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	78
16	5	6	4	1	8	2	6	-	-	61	31	29	-	1	8	2	5	-	1	79
147	52	49	24	22	28	18	8	1	1	476	208	235	14	19	91	43	40	4	4	80

385053 O -56 -10

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	747	484	244	14	5	53,310	30,963	20,496	1,025	826
2	Arteriosclerotic heart disease so described----------420.0	215	120	86	5	4	27,092	13,615	12,376	522	579
3	Heart disease specified as involving coronary arteries----------420.1	524	357	157	9	1	26,191	17,328	8,113	503	247
4	Angina pectoris without mention of coronary disease----------420.2	8	7	1	-	-	27	20	7	-	-
5	Chronic endocarditis not specified as rheumatic----------421	27	15	11	-	1	535	268	249	9	9
6	Of mitral valve, specified as nonrheumatic----------421.0	-	-	-	-	-	58	25	32	-	1
7	Of aortic valve, not specified as rheumatic----------421.1	4	3	1	-	-	122	80	39	2	1
8	Of other valves, not specified as rheumatic----------421.2-421.4	23	12	10	-	1	355	163	178	7	7
9	Other myocardial degeneration----------422	108	59	45	1	3	5,971	2,605	2,965	210	191
10	With arteriosclerosis----------422.1	43	25	16	1	1	4,493	1,897	2,236	184	176
11	Without mention of arteriosclerosis----------422.0,422.2	65	34	29	-	2	1,478	708	729	26	15
12	Other diseases of heart----------430-434	84	48	34	-	2	684	369	280	20	15
13	Acute and subacute endocarditis----------430	4	3	1	-	-	57	32	23	2	-
14	Acute myocarditis not specified as rheumatic----------431	9	5	4	-	-	85	43	39	3	-
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	6	3	2	1	-
16	Functional disease of heart----------433	8	3	4	-	1	97	46	48	1	2
17	Other and unspecified diseases of heart----------434	63	37	25	-	1	439	245	168	13	13
18	Hypertension with heart disease----------440-443	144	70	63	5	6	7,798	2,873	4.007	378	540
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	49	26	19	3	1	1,094	494	537	32	31
20	Essential hypertension with heart disease, etc.*----------440,441,443	95	44	44	2	5	6,704	2,379	3,470	346	509
21	Hypertension without mention of heart----------444-447	33	18	9	2	4	963	402	448	46	67
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	18	12	4	1	1	669	303	300	30	36
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	15	6	5	1	3	294	99	148	16	31
24	Diseases of arteries----------450-456	85	41	40	3	1	3,343	1,617	1,629	47	50
25	General arteriosclerosis----------450	70	31	36	3	-	2,775	1,238	1,467	33	37
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	3	2	1	-	-	388	294	79	8	7
27	Gangrene of unspecified cause----------455	1	1	-	-	-	11	7	3	-	1
28	Other arterial diseases----------452-454,456	11	7	3	-	1	169	78	80	6	5
29	Diseases of veins and other diseases of circulatory system--------460-468	23	14	8	1	-	299	153	126	10	10
30	VIII. Diseases of the respiratory system----------	371	174	132	37	28	5,378	2,961	1,856	348	213
31	Acute upper respiratory infections----------470-475	11	4	5	2	-	80	28	43	5	4
32	Influenza----------480-483	15	6	6	2	1	85	39	38	4	4
33	Pneumonia, except pneumonia of newborn----------490-493	253	112	85	31	25	3,924	1,995	1,464	292	173
34	Lobar pneumonia----------490	64	25	23	11	5	1,234	663	407	118	46
35	Bronchopneumonia----------491	103	47	31	13	12	2,393	1,175	941	159	118
36	Primary atypical pneumonia----------492	26	11	11	2	2	180	94	69	11	6
37	Pneumonia, other and unspecified----------493	60	29	20	5	6	117	63	47	4	3
38	Acute bronchitis----------500	9	2	4	2	1	110	62	35	8	5
39	Bronchitis, chronic and unqualified----------501,502	11	9	2	-	-	183	131	42	6	4
40	Hypertrophy of tonsils and adenoids----------510	-	-	-	-	-	17	8	6	-	3
41	Empyema and abscess of lung----------518,521	7	5	2	-	-	65	40	20	2	3
42	Pleurisy----------519	-	-	-	-	-	21	10	9	1	1
43	All other respiratory diseases----------Residual[1]	65	36	28	-	1	893	648	199	30	16
44	IX. Diseases of the digestive system----------	362	160	130	36	36	6,551	3,765	2,340	268	178
45	Diseases of teeth and supporting structures----------530-535	-	-	-	-	-	9	4	4	1	-
46	Ulcer of stomach----------540	11	7	3	1	-	645	466	139	35	5
47	Ulcer of duodenum----------541	26	25	1	-	-	652	512	114	23	3
48	Gastritis and duodenitis----------543	2	1	1	-	-	24	13	10	1	-
49	Appendicitis----------550-553	15	10	4	-	1	277	163	96	8	10
50	Hernia and intestinal obstruction----------560,561,570	41	14	24	1	2	826	394	379	28	25
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	138	39	49	25	25	523	243	245	19	16
52	Cirrhosis of liver----------581	58	35	17	2	4	2,281	1,337	743	115	86
53	Without mention of alcoholism----------581.0	48	28	14	2	4	1,595	916	532	85	62
54	With alcoholism----------581.1	10	7	3	-	-	686	421	211	30	24
55	Cholelithiasis and cholecystitis----------584,585	30	8	19	2	1	632	264	351	7	10
56	Other diseases of digestive system----------Residual[1]	41	21	12	5	3	682	369	259	31	23
57	X. Diseases of the genito-urinary system----------	131	80	36	12	3	3,009	1,820	947	137	105
58	Nephritis and nephrosis----------590-594	80	40	29	8	3	1,527	766	619	79	63
59	Acute nephritis----------590	8	5	2	1	-	69	40	24	2	3
60	Nephritis with edema, including nephrosis----------591	1	1	-	-	-	81	46	30	2	3
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	71	34	27	7	3	1,377	680	565	75	57
62	Infections of kidney----------600	8	5	2	1	-	372	169	174	10	19
63	Calculi of urinary system----------602,604	4	3	1	-	-	149	89	53	5	2
64	Other diseases of urinary system----------601,603,605-609	4	1	2	1	-	155	84	57	11	3
65	Hyperplasia of prostate----------610	27	25	...	2	...	713	682	...	31	...
66	Other diseases of male genital organs----------611-617	6	6	...	-	...	31	30	...	1	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	2	...	2	...	-	62	...	44	...	18
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	26	...	19	...	7	141	...	98	...	43
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	1	...	-	...	1	20	...	17	...	3
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	6	...	4	...	2	30	...	25	...	5
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	8	...	6	...	2	16	...	14	...	2
73	Ectopic pregnancy----------645	2	...	1	...	1	16	...	5	...	11
74	Abortion without mention of sepsis or toxemia----------650	2	...	2	...	-	8	...	5	...	3
75	Abortion with sepsis----------651	1	...	1	...	-	20	...	11	...	9
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	4	...	1	...	3
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	6	...	5	...	1	27	...	20	...	7

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,169	3,346	1,680	659	484	1,301	897	389	10	5	20,727	12,668	7,174	560	325	4,447	2,852	1,345	156	94	1
1,504	679	552	147	126	361	210	144	5	2	7,098	3,630	3,129	195	144	1,150	645	440	43	22	2
4,619	2,644	1,112	508	355	934	683	243	5	3	13,562	8,995	4,023	364	180	3,279	2,196	900	112	71	3
46	23	16	4	3	6	4	2	-	-	67	43	22	1	1	18	11	5	1	1	4
161	52	40	48	21	28	12	16	-	-	438	209	204	10	15	69	36	21	6	6	5
14	3	3	3	5	1	1	-	-	-	37	18	16	2	1	6	2	2	-	2	6
36	14	10	9	3	1	-	1	-	-	111	68	38	4	1	12	3	5	3	1	7
111	35	27	36	13	26	11	15	-	-	290	123	150	4	13	51	31	14	3	3	8
1,032	348	356	168	160	137	77	58	1	1	3,132	1,420	1,569	72	71	489	229	209	27	24	9
569	182	198	87	102	80	46	33	1	-	1,827	819	943	35	30	174	81	68	8	7	10
463	166	158	81	58	57	31	25	-	1	1,305	601	626	37	41	315	138	141	19	17	11
801	345	153	176	127	95	67	26	2	-	1,082	555	425	49	53	571	300	166	60	45	12
11	7	1	2	1	3	3	-	-	-	38	15	17	4	2	12	7	5	-	-	13
16	3	5	2	6	6	4	2	-	-	73	30	27	6	10	25	10	10	5	-	14
1	1	-	-	-	1	-	-	1	-	1	1	-	-	-	1	-	-	-	1	15
43	19	13	5	6	11	7	3	1	-	242	130	86	13	13	38	16	19	1	2	16
730	315	134	167	114	74	53	21	-	-	728	379	295	26	28	495	267	132	54	42	17
2,320	610	642	524	544	168	76	91	1	-	4,079	1,569	2,018	206	286	849	354	345	74	76	18
782	223	210	175	174	48	24	23	1	-	1,343	615	611	55	62	272	117	96	31	28	19
1,538	387	432	349	370	120	52	68	-	-	2,736	954	1,407	151	224	577	237	249	43	48	20
287	94	67	68	58	33	15	17	-	1	669	272	293	58	46	177	70	70	17	20	21
127	50	29	23	25	22	9	12	-	1	408	184	164	36	24	59	25	26	5	3	22
160	44	38	45	33	11	6	5	-	-	261	88	129	22	22	118	45	44	12	17	23
622	270	211	72	69	130	84	46	-	-	2,510	1,218	1,150	90	52	493	233	220	23	17	24
502	210	182	58	52	103	64	39	-	-	2,141	996	1,042	64	39	426	195	200	20	11	25
76	41	14	8	13	19	15	4	-	-	229	147	56	18	8	22	16	5	-	1	26
4	2	-	2	-	-	-	-	-	-	8	4	2	-	2	8	2	3	2	1	27
40	17	15	4	4	8	5	3	-	-	132	71	50	8	3	37	20	12	1	4	28
91	35	24	18	14	15	6	9	-	-	238	115	92	14	17	64	33	23	3	5	29
1,492	471	348	363	310	234	131	87	6	10	2,948	1,644	954	233	117	832	410	285	64	73	30
49	11	12	13	13	4	1	2	-	1	73	25	32	9	7	16	6	5	2	3	31
101	23	20	25	33	7	3	4	-	-	142	65	69	6	2	58	25	19	6	8	32
1,064	300	234	291	239	160	88	58	5	9	1,754	908	619	144	83	560	269	192	46	53	33
268	77	61	79	51	47	24	19	1	3	518	285	159	53	21	167	85	48	16	18	34
436	119	106	113	98	90	54	28	2	6	926	466	337	73	50	181	91	60	18	12	35
108	37	27	22	22	8	5	3	-	-	172	87	64	12	9	45	19	19	2	5	36
252	67	40	77	68	15	5	8	2	-	138	70	59	6	3	167	74	65	10	18	37
15	5	5	3	2	3	2	1	-	-	53	34	12	5	2	8	1	4	1	2	38
32	17	8	5	2	12	5	7	-	-	115	78	29	5	3	21	15	4	2	-	39
6	1	3	1	1	3	-	3	-	-	18	12	5	-	1	4	1	3	-	-	40
12	7	4	1	-	2	1	1	-	-	44	23	8	12	1	17	8	5	2	2	41
1	1	-	-	-	1	1	-	-	-	10	8	2	-	-	1	-	1	-	-	42
212	106	62	24	20	42	30	11	1	-	739	491	178	52	18	147	85	52	5	5	43
1,004	381	267	212	144	171	94	69	3	5	3,220	1,795	1,161	151	113	759	368	265	59	67	44
2	-	1	1	-	-	-	-	-	-	10	4	3	2	1	4	3	1	-	-	45
72	32	17	20	3	20	17	3	-	-	251	162	62	17	10	45	28	9	5	3	46
71	41	13	13	4	11	9	2	-	-	275	208	51	10	6	48	43	4	1	-	47
6	3	1	-	2	-	-	-	-	-	18	11	5	1	1	5	-	2	3	-	48
35	12	9	12	2	10	5	5	-	-	141	82	38	12	9	43	20	17	3	3	49
145	53	40	33	19	26	11	12	1	2	462	217	211	22	12	142	74	50	6	12	50
219	39	33	86	61	24	11	10	1	2	335	139	156	19	21	94	27	31	18	18	51
207	111	55	21	20	30	20	10	-	-	950	631	266	35	18	161	88	57	8	8	52
163	79	48	18	18	25	16	9	-	-	695	454	211	20	10	143	76	55	6	6	53
44	32	7	3	2	5	4	1	-	-	255	177	55	15	8	18	12	2	2	2	54
70	26	36	3	5	29	14	15	-	-	347	122	208	5	12	79	22	48	-	9	55
177	64	62	23	28	21	7	12	1	1	431	219	161	28	23	138	63	46	15	14	56
863	305	215	200	143	109	75	33	1	-	1,813	1,028	593	108	84	609	326	165	65	53	57
555	167	143	136	109	58	34	23	1	-	947	445	394	60	48	370	162	121	44	43	58
44	13	11	9	11	5	2	3	-	-	66	32	29	3	2	28	12	12	2	2	59
21	6	2	8	5	2	1	1	-	-	77	37	33	3	4	13	7	5	-	1	60
490	148	130	119	93	51	31	19	1	-	804	376	332	54	42	329	143	104	42	40	61
92	26	43	9	14	14	5	9	-	-	280	125	112	20	23	58	25	27	1	5	62
42	19	18	4	1	2	2	-	-	-	73	37	30	3	3	13	8	5	-	-	63
33	14	6	10	3	3	2	1	-	-	99	51	32	11	5	21	12	6	2	1	64
115	76	...	39	...	32	32	...	-	...	343	329	...	14	...	117	103	...	14	...	65
5	3	...	2	...	-	-	...	-	...	41	41	...	-	...	20	16	...	4	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	67
21	...	5	...	16	-	...	-	...	-	30	...	25	...	5	9	...	6	...	3	68
82	...	27	...	55	6	...	6	...	-	92	...	74	...	18	33	...	19	...	14	69
8	...	3	...	5	3	...	3	...	-	15	...	12	...	3	3	...	3	...	-	70
31	...	11	...	20	1	...	1	...	-	24	...	18	...	6	8	...	5	...	3	71
18	...	5	...	13	-	...	-	...	-	22	...	20	...	2	13	...	7	...	6	72
6	...	1	...	5	-	...	-	...	-	7	...	4	...	3	1	...	1	...	-	73
5	...	2	...	3	-	...	-	...	-	2	...	2	...	-	3	...	-	...	3	74
4	...	-	...	4	-	...	-	...	-	6	...	3	...	3	-	...	-	...	-	75
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	76
10	...	5	...	5	2	...	2	...	-	15	...	14	...	1	5	...	3	...	2	77

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	6	3	2	-	1	134	43	81	4	6
2	Infections of skin and subcutaneous tissue---690-698	1	1	-	-	-	32	15	13	3	1
3	Other diseases of skin and subcutaneous tissue---700-716	5	2	2	-	1	102	28	68	1	5
4	XIII. Diseases of the bones and organs of movement	11	7	3	-	1	211	93	113	3	2
5	Arthritis and spondylitis---720-725	4	2	1	-	1	84	27	54	2	1
6	Muscular rheumatism and rheumatism, unspecified---726,727	-	-	-	-	-	2	-	2	-	-
7	Osteomyelitis and periostitis---730	1	1	-	-	-	14	11	3	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	1	-	1	-	-	7	4	3	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	5	4	1	-	-	104	51	51	1	1
10	XIV. Congenital malformations	104	35	59	5	5	1,723	854	731	79	59
11	Spina bifida and meningocele---751	3	1	8	-	-	123	43	73	4	3
12	Congenital hydrocephalus, etc.*---752,753	17	6	9	2	-	247	121	107	8	11
13	Congenital malformations of circulatory system---754	45	16	23	2	2	743	383	299	38	23
14	Other congenital malformations---750,755-759	39	12	19	1	3	610	307	252	29	22
15	XV. Certain diseases of early infancy	521	270	191	35	25	5,006	2,433	1,684	500	389
16	Birth injuries---760,761	79	43	25	6	1	789	432	292	39	26
17	Postnatal asphyxia and atelectasis---762	115	73	32	4	6	1,493	790	469	123	91
18	Infections of newborn---763-768	51	19	19	6	7	321	147	105	36	33
19	Hemolytic disease of newborn (erythroblastosis)---770	19	9	3	-	2	183	86	86	6	5
20	All other defined diseases of early infancy---769,771,772	16	5	6	4	1	86	53	23	3	7
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	245	131	101	15	8	2,134	925	680	293	227
22	XVI. Symptoms, senility, and ill-defined conditions	435	217	122	55	41	891	446	294	97	54
23	Senility without mention of psychosis---794	24	15	7	-	2	62	30	32	-	-
24	Symptoms, ill-defined and unknown causes---780-793,795	411	202	115	55	39	829	416	262	97	54
25	XVII. Accidents, poisonings, and violence	667	447	137	63	20	8,694	5,199	2,624	632	239
26	Accidents---E800-E962	564	376	117	53	18	6,930	4,077	2,232	440	181
27	Railway accidents---E800-E802	10	5	1	4	-	139	109	13	12	1
28	Motor-vehicle accidents---E810-E835	291	201	55	25	10	2,222	1,497	540	143	42
29	Motor-vehicle traffic accidents---E810-E825	274	189	51	25	9	2,176	1,466	528	140	42
30	Motor-vehicle traffic accident with railway train*---E810	6	4	2	-	-	47	36	9	2	-
31	Motor-vehicle traffic accident to pedestrian---E812	47	27	9	8	3	805	529	208	50	18
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	112	85	21	5	1	583	366	168	43	12
33	Motor-vehicle noncollision traffic accidents---E820-E824	99	68	16	10	5	510	381	87	33	9
34	Motor-vehicle traffic accident of unspecified nature---E825	10	5	3	2	-	225	154	56	12	3
35	Motor-vehicle nontraffic accidents---E830-E835	17	12	4	-	1	46	31	12	3	-
36	Other road-vehicle accidents---E840-E845	2	2	-	-	-	24	13	7	4	-
37	Water-transport accidents---E850-E858	-	-	-	-	-	102	89	3	10	-
38	Aircraft accidents---E860-E866	12	12	-	-	-	76	63	12	1	-
39	Accidental poisoning by solid and liquid substances---E870-E888	6	3	2	1	-	81	49	26	3	3
40	Accidental poisoning by gases and vapors---E890-E895	14	12	2	-	-	186	112	62	8	4
41	Accidental falls---E900-E904	44	21	21	2	-	2,439	1,138	1,142	105	54
42	Fall from one level to another---E900-E902	16	9	5	1	-	951	537	329	60	25
43	Fall on same level---E903	15	4	10	1	-	743	272	447	5	19
44	Unspecified falls---E904	14	8	6	-	-	745	329	366	40	10
45	Blow from falling object---E910	5	5	-	-	-	48	39	3	6	-
46	Accident caused by machinery---E912	13	12	-	1	-	95	90	1	3	1
47	Accident caused by electric current---E914	5	5	-	-	-	47	42	4	1	-
48	Accident caused by fire and explosion, etc.*---E916	32	10	8	8	6	427	170	172	48	37
49	Accident caused by hot substance, etc.*---E917,E918	4	1	2	1	-	54	24	24	4	2
50	Accident caused by firearm---E919	28	24	2	1	1	87	65	15	6	1
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	11	5	5	1	-	102	60	28	7	7
52	Accidental drowning---E929	26	21	4	1	-	374	262	54	52	6
53	Excessive heat and insolation---E931	2	1	1	-	-	8	4	4	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	8	6	1	-	-	70	33	28	4	5
55	All other accidents---Residual[1]	51	30	12	8	1	353	218	94	23	18
56	Suicide---E963,E970-E979	64	49	13	2	-	1,314	367	312	27	8
57	Suicide by poisoning---E970-E973	10	6	4	-	-	346	249	100	2	6
58	Suicide by hanging and strangulation---E974	8	6	2	-	-	436	331	98	5	2
59	Suicide by firearms and explosives---E976	46	37	7	2	-	310	268	30	12	-
60	Suicide by all other means---E963,E975,E977-E979	-	-	-	-	-	222	139	75	8	-
61	Homicide---E964,E980-E985	39	22	7	8	2	449	154	80	165	50
62	Assault by firearms and explosives---E981	14	8	4	1	1	108	58	15	26	11
63	Assault by cutting and piercing instruments---E982	11	6	1	4	-	163	28	26	88	21
64	Assault by other means---E964,E980,E983	11	5	2	3	1	140	50	39	33	18
65	Injury by intervention of police---E984	1	1	-	-	-	29	14	-	15	-
66	Execution---E985	2	2	-	-	-	9	6	-	3	-
67	Injury resulting from operations of war---E965,E990-E999	-	-	-	-	-	1	1	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
28	8	10	6	4	8	4	4	-	-	60	26	25	3	6	16	5	9	-	2	1
7	1	3	2	1	3	1	2	-	-	19	9	8	1	1	4	2	2	-	-	2
21	7	7	4	3	5	3	2	-	-	41	17	17	2	5	12	3	7	-	2	3
77	20	36	8	13	14	3	11	-	-	162	73	79	5	5	59	24	24	6	5	4
46	8	25	3	10	5	1	4	-	-	85	32	49	2	2	33	11	15	4	3	5
1	-	1	-	-	-	-	-	-	-	4	3	1	-	-	6	2	2	-	2	6
1	-	-	1	-	-	-	-	-	-	10	4	6	-	-	3	1	1	1	-	7
1	-	1	-	-	1	-	1	-	-	5	3	2	-	-	1	-	1	-	-	8
28	12	9	4	3	8	2	6	-	-	58	31	21	3	3	16	10	5	1	-	9
493	184	159	91	59	92	51	41	-	-	1,238	623	512	53	50	254	126	103	16	9	10
32	10	10	7	5	5	1	4	-	-	104	47	53	1	3	17	6	11	-	-	11
64	25	21	13	5	15	10	5	-	-	138	60	65	5	8	21	9	10	2	-	12
217	90	69	30	28	38	23	15	-	-	563	286	227	29	21	120	62	46	9	3	13
180	59	59	41	21	34	17	17	-	-	433	230	167	18	18	96	49	36	5	6	14
1,877	595	392	492	398	259	141	109	8	1	3,476	1,702	1,203	335	236	813	419	280	62	52	15
314	115	72	75	52	53	27	24	2	-	624	331	221	42	30	148	71	53	12	12	16
413	136	95	98	84	76	49	26	1	-	1,083	558	370	81	74	184	100	60	15	9	17
132	27	14	55	36	21	11	8	1	1	187	80	62	32	13	47	20	13	8	6	18
51	25	16	4	6	11	7	4	-	-	151	82	62	2	5	29	19	10	-	-	19
83	16	7	36	24	6	4	2	-	-	89	45	25	9	10	27	16	4	5	2	20
884	276	188	224	196	92	43	45	4	-	1,342	606	463	169	104	378	193	140	22	23	21
686	190	151	184	161	60	39	15	4	2	553	274	210	36	33	659	311	202	86	60	22
106	25	47	17	17	21	11	8	2	-	137	52	79	1	5	181	73	74	13	21	23
580	165	104	167	144	39	28	7	2	2	416	222	131	35	28	478	238	128	73	39	24
3,256	1,620	498	856	282	445	323	100	15	7	6,023	3,732	1,723	410	158	1,812	1,098	450	183	81	25
2,531	1,269	414	619	229	387	280	90	10	7	4,762	2,876	1,497	274	115	1,546	924	406	145	71	26
33	22	2	9	-	9	8	-	1	-	71	57	7	6	1	19	13	-	6	-	27
1,074	591	159	263	61	158	112	37	4	5	1,949	1,303	500	103	43	572	388	118	54	12	28
1,038	571	152	258	57	151	106	36	4	5	1,900	1,271	487	100	42	559	381	112	54	12	29
29	14	6	7	2	10	4	4	1	1	105	67	30	4	4	32	19	11	1	1	30
232	101	38	73	20	16	13	3	-	-	455	302	109	29	15	56	41	7	8	-	31
305	171	64	57	13	60	37	20	1	2	660	417	198	33	12	138	93	29	12	4	32
400	239	34	106	21	57	46	7	2	2	390	283	80	20	7	80	52	20	5	3	33
72	46	10	15	1	8	6	2	-	-	290	202	70	14	4	253	176	45	28	4	34
36	20	7	5	4	7	6	1	-	-	49	32	13	3	1	13	7	6	-	-	35
13	7	-	6	-	2	2	-	-	-	9	5	4	-	-	4	4	-	-	-	36
67	53	3	10	1	4	4	-	-	-	59	54	1	4	-	7	6	1	-	-	37
31	28	2	1	-	10	10	-	-	-	51	47	4	-	-	24	20	3	1	-	38
45	19	5	16	5	3	3	-	-	-	57	28	18	7	4	18	7	7	3	1	39
8	6	-	2	-	6	5	1	-	-	97	61	16	16	4	17	9	7	1	-	40
298	129	121	32	16	78	43	35	-	-	1,337	578	701	35	23	251	113	123	6	9	41
111	59	26	21	5	29	19	10	-	-	472	265	180	17	10	50	33	15	2	-	42
106	37	58	7	4	21	11	10	-	-	235	83	145	6	1	40	15	23	1	1	43
81	33	37	4	7	28	13	15	-	-	630	230	376	12	12	161	65	85	3	8	44
54	32	1	20	1	3	3	-	-	-	40	32	3	5	-	9	8	1	-	-	45
50	42	3	5	-	23	22	-	1	-	103	97	2	4	-	28	24	1	3	-	46
40	28	4	6	2	6	6	-	-	-	48	43	4	1	-	20	18	2	-	-	47
204	54	31	63	56	16	9	7	-	-	281	137	86	33	25	94	46	28	9	11	48
23	6	2	5	10	1	1	-	-	-	27	12	10	2	3	20	11	3	2	4	49
84	46	9	24	5	13	12	-	1	-	63	47	7	9	-	45	35	-	8	2	50
68	23	12	18	15	3	1	2	-	-	70	39	26	-	5	20	5	9	4	2	51
177	87	21	66	3	24	20	3	1	-	172	125	26	19	2	84	62	7	14	1	52
8	6	1	1	-	-	-	-	-	-	9	7	2	-	-	178	83	58	15	22	53
27	8	6	6	7	-	-	-	-	-	30	12	16	-	2	12	5	5	-	2	54
227	82	32	66	47	28	19	5	2	2	289	192	64	30	3	124	67	33	19	5	55
355	261	50	41	3	55	41	10	4	-	962	756	176	20	10	161	124	29	6	2	56
35	17	13	2	3	5	3	2	-	-	195	147	43	2	3	21	12	8	-	1	57
38	27	7	4	-	13	10	2	1	-	275	195	78	2	-	19	12	6	1	-	58
249	200	21	28	-	34	28	3	3	-	397	351	28	12	6	107	92	10	5	-	59
33	17	9	7	-	3	-	3	-	-	95	63	27	4	1	14	8	5	-	1	60
368	88	34	196	50	3	2	-	1	-	298	99	50	116	33	105	50	15	32	8	61
251	69	25	126	31	1	1	-	-	-	156	51	31	58	16	67	32	11	19	5	62
74	8	5	49	12	-	-	-	-	-	65	8	2	44	11	13	5	-	7	1	63
37	7	4	19	7	1	1	-	-	-	60	32	16	7	5	19	10	4	5	-	64
5	3	-	2	-	1	-	-	1	-	13	7	-	6	-	6	3	-	1	2	65
1	1	-	-	-	-	-	-	-	-	4	1	1	1	1	-	-	-	-	-	66
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	14,744	8,815	5,663	184	82	108,686	56,619	44,398	4,275	3,394
2	I. Infective and parasitic diseases	191	123	56	7	5	2,032	1,121	488	283	140
3	Tuberculosis, all forms-001-019	85	62	19	2	2	1.208	728	213	178	89
4	Tuberculosis of respiratory system-001-008	77	57	17	2	1	1,108	688	186	156	78
5	Tuberculosis of meninges and central nervous system-010	3	1	1	-	1	23	7	7	5	4
6	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	-	-	-	-	-	7	3	4	-	-
7	Tuberculosis of vertebral column-012.0,013.0	1	1	-	-	-	8	4	4	-	-
8	Tuberculosis of other bones and joints-012.1-012.3,013.1-013.3	-	-	-	-	-	1	1	-	-	-
9	Tuberculosis of genito-urinary system-016	3	3	-	-	-	11	6	4	1	-
10	Tuberculosis of lymphatic system and other organs-014,015,017,018	-	-	-	-	-	7	5	1	1	-
11	Disseminated tuberculosis-019	1	-	1	-	-	43	14	7	15	7
12	Syphilis and its sequelae-020-029	34	28	2	3	1	375	201	70	73	31
13	Congenital syphilis-020	-	-	-	-	-	5	1	-	3	1
14	Early syphilis-021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta-022	13	12	1	-	-	160	102	26	23	9
16	Other cardiovascular syphilis-023	10	9	-	1	-	106	44	23	29	10
17	Tabes dorsalis-024	1	-	-	1	-	9	7	2	-	-
18	General paralysis of insane-025	5	4	-	1	-	58	32	11	8	7
19	Other syphilis of central nervous system-026	3	2	1	-	-	31	11	8	8	4
20	Other syphilis-027-029	2	1	-	-	1	6	4	-	2	-
21	Gonococcal infection-030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever-040	-	-	-	-	-	3	2	1	-	-
23	Paratyphoid fever-041	-	-	-	-	-	1	-	-	1	-
24	Other Salmonella infections-042	-	-	-	-	-	4	-	2	2	-
25	Cholera-043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)-044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms-045-048	1	-	1	-	-	4	1	2	1	-
28	Food poisoning (infection and intoxication)-049	-	-	-	-	-	2	1	1	-	-
29	Scarlet fever-050	-	-	-	-	-	4	2	2	-	-
30	Streptococcal sore throat-051	1	1	-	-	-	13	4	8	-	1
31	Erysipelas-052	-	-	-	-	-	-	-	-	-	-
32	Septicemia and pyemia-053	13	6	7	-	-	54	21	22	8	3
33	Diphtheria-055	1	-	1	-	-	2	-	1	1	-
34	Whooping cough-056	5	1	3	1	-	19	9	8	-	2
35	Meningococcal infections-057	9	4	5	-	-	62	33	25	3	1
36	Plague-058	-	-	-	-	-	-	-	-	-	-
37	Tularemia-059	-	-	-	-	-	-	-	-	-	-
38	Leprosy-060	-	-	-	-	-	-	-	-	-	-
39	Tetanus-061	-	-	-	-	-	7	4	3	-	-
40	Anthrax-062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis-080	14	8	6	-	-	48	23	22	-	3
42	Late effects of acute poliomyelitis-081	2	1	1	-	-	2	-	2	-	-
43	Acute infectious encephalitis-082	3	2	1	-	-	31	19	8	3	1
44	Late effects of acute infectious encephalitis-083	2	1	1	-	-	12	6	5	1	-
45	Smallpox-084	-	-	-	-	-	-	-	-	-	-
46	Measles-085	3	-	3	-	-	34	10	22	2	-
47	Yellow fever-091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis-092	10	4	4	1	1	68	25	38	2	3
49	Rabies-094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus-104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever-104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus-104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases-100-103,105-108	-	-	-	-	-	2	1	1	-	-
54	Malaria-110-117	-	-	-	-	-	1	1	-	-	-
55	Schistosomiasis-123	-	-	-	-	-	1	-	-	1	-
56	Hydatid disease-125	-	-	-	-	-	-	-	-	-	-
57	Filariasis-127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis-129	-	-	-	-	-	1	1	-	-	-
59	Other diseases due to helminths-124,126,128,130	-	-	-	-	-	2	1	1	-	-
60	All other infective and parasitic diseases-Residual[1]	8	5	2	-	1	72	28	31	7	6
61	II. Neoplasms	2,278	1,178	1,069	21	10	18,301	8,938	8,238	630	495
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	2,240	1,162	1,047	21	10	17,946	8,796	8,060	618	472
63	Malignant neoplasm of buccal cavity and pharynx-140-148	51	34	16	-	1	369	279	76	14	-
64	Of lip-140	5	4	1	-	-	23	20	3	-	-
65	Of tongue-141	15	7	8	-	-	86	67	17	2	-
66	Of other and unspecified parts of buccal cavity-142-144	13	10	2	-	1	109	80	24	5	-
67	Of pharynx-145-148	18	13	5	-	-	151	112	32	7	-
68	Malignant neoplasm of digestive organs and peritoneum-150-156A,157-159	787	445	332	8	2	6,920	3,528	2,983	266	143
69	Of esophagus-150	29	22	7	-	-	315	225	42	44	4
70	Of stomach-151	220	154	63	3	-	1,782	1,079	575	92	36
71	Of intestine, except rectum-152,153	233	110	122	-	1	2,216	966	1,149	52	49
72	Of rectum-154	96	42	51	2	1	917	515	369	18	15
73	Of biliary passages and of liver (stated to be primary site)-155	45	21	23	1	-	421	117	289	6	9
74	Of liver not specified whether primary or secondary-156A	33	21	11	1	-	371	170	181	15	5
75	Of pancreas-157	114	68	45	1	-	754	389	313	33	19
76	Of peritoneum and of unspecified digestive organs-158,159	17	7	10	-	-	144	67	65	6	6
77	Malignant neoplasm of respiratory system-160-164	272	218	50	4	-	2,150	1,724	287	122	17
78	Of larynx-161	15	11	3	1	-	185	159	12	14	-
79	Of trachea, and of bronchus and lung specified as primary-162	145	125	19	1	-	750	597	96	50	7
80	Of lung and bronchus, unspecified as primary or secondary-163	106	80	24	2	-	1,165	937	160	58	10
81	Of other parts of respiratory system-160,164	6	2	4	-	-	50	31	19	-	-
82	Malignant neoplasm of breast-170	216	5	210	-	1	1,546	13	1,452	2	79

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,191	4,349	3,654	113	75	17,634	5,642	3,836	4,453	3,703	5,766	3,343	2,139	159	125	28,506	12,947	9,282	3,342	2,935	1
140	94	38	5	3	539	131	63	210	135	87	32	16	13	26	777	312	239	137	89	2
84	56	22	4	2	276	75	31	102	68	52	18	3	9	22	523	227	162	87	47	3
76	55	16	3	2	251	70	25	96	60	40	18	2	7	13	479	216	147	77	39	4
4	-	3	1	-	13	2	2	4	5	7	-	-	-	7	13	1	6	-	1	5
1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	3	1	1	-	1	6
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	3	2	1	-	-	7
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	8
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	6	2	3	1	-	9
-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	5	2	1	-	2	10
3	-	3	-	-	7	3	2	1	1	3	-	1	1	1	13	3	2	4	4	11
28	22	4	1	1	64	10	6	39	9	8	6	1	1	-	83	26	10	26	21	12
1	-	-	-	1	-		-	-	-	-	-	-	-	-	1	1	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
10	7	3	-	-	27	7	5	10	5	3	3	-	-	-	24	12	3	3	6	15
11	10	-	1	-	15	1	-	10	4	1	1	-	-	-	25	5	3	12	5	16
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	17
4	3	1	-	-	17	2	-	15	-	-	-	-	-	-	18	3	2	7	6	18
1	1	-	-	-	2	-	1	1	-	4	2	1	1	-	13	5	2	4	2	19
-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	1	-	-	-	1	20
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	21
1	1	-	-	-	3	1	-	1	1	-	-	-	-	-	1	-	-	1	-	22
1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	-	-	1	26
2	-	2	-	-	17	2	1	9	5	-	-	-	-	-	23	10	8	3	2	27
-	-	-	-	-	4	-	-	-	4	-	-	-	-	-	4	1	1	-	2	28
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	29
-	-	-	-	-	3	-	1	1	1	1	-	1	-	-	5	-	3	1	1	30
-	-	-	-	-	3	1	1	-	1	1	-	1	-	-	1	1	-	-	-	31
3	1	2	-	-	16	6	1	5	4	3	1	2	-	-	13	5	5	2	1	32
-	-	-	-	-	16	4	3	7	2	-	-	-	-	-	2	1	1	-	-	33
3	2	1	-	-	29	1	4	12	12	3	-	1	1	1	10	3	4	1	2	34
3	3	-	-	-	13	7	2	3	1	1	-	1	-	-	24	7	14	3	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	10	2	1	6	1	-	-	-	-	-	10	3	2	4	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
4	3	1	-	-	9	3	3	3	-	2	-	2	-	-	21	9	9	1	2	41
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	42
2	2	-	-	-	2	1	-	1	-	5	2	-	1	2	2	1	-	1	-	43
-	-	-	-	-	1	-	-	1	-	2	1	-	-	1	2	-	1	1	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	1	-	-	-	20	7	3	4	6	-	-	-	-	-	10	4	4	1	1	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
4	1	3	-	-	11	2	1	4	4	6	1	4	1	-	11	2	3	3	3	48
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	1	-	-	1	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	10	-	1	3	6	-	-	-	-	-	4	3	-	-	1	59
4	1	3	-	-	21	5	3	8	5	1	1	-	-	-	21	7	10	1	3	60
1,515	787	707	14	7	2,122	694	689	357	382	924	485	409	17	13	3,953	1,597	1,635	341	380	61
1,477	766	691	14	6	2,067	679	675	351	362	902	474	399	17	12	3,871	1,576	1,598	334	363	62
36	30	6	-	-	56	21	15	9	11	13	7	5	-	1	101	55	28	13	5	63
3	3	-	-	-	2	1	-	1	-	1	1	-	-	-	11	8	2	1	-	64
10	7	3	-	-	10	4	4	1	1	4	2	2	-	-	24	14	3	5	2	65
7	7	-	-	-	22	3	7	5	7	4	2	1	-	1	33	13	16	2	2	66
16	13	3	-	-	22	13	4	2	3	4	2	2	-	-	33	20	7	5	1	67
548	300	242	6	-	701	215	203	160	123	335	186	144	2	3	1,202	501	478	136	87	68
14	12	2	-	-	54	14	5	22	13	14	13	1	-	-	56	24	15	13	4	69
138	93	44	1	-	216	55	48	71	42	105	68	36	-	1	329	154	106	50	19	70
194	91	101	2	-	160	49	61	16	34	99	42	55	2	-	321	111	157	29	24	71
88	52	35	1	-	46	15	19	7	7	38	21	16	-	1	98	38	34	9	17	72
25	11	14	-	-	27	6	14	3	4	17	7	10	-	-	67	28	34	4	1	73
27	10	15	2	-	67	23	15	16	13	14	6	7	-	1	107	43	38	15	11	74
49	24	25	-	-	112	50	35	19	8	44	26	18	-	-	192	93	78	13	8	75
13	7	6	-	-	17	3	6	6	2	4	3	1	-	-	32	10	16	3	3	76
153	130	21	-	2	226	143	32	37	14	79	58	18	3	-	385	260	76	42	7	77
21	20	1	-	-	17	11	4	2	-	3	2	1	-	-	24	15	1	8	-	78
24	23	1	-	-	64	45	7	11	1	28	19	7	2	-	142	106	16	18	2	79
100	82	16	-	2	139	86	18	23	12	45	35	9	1	-	205	131	54	15	5	80
8	5	3	-	-	6	1	3	1	1	3	2	1	-	-	14	8	5	1	-	81
126	1	123	-	2	165	3	109	1	52	75	-	72	-	3	298	4	231	1	62	82

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	352	151	197	1	3	2,590	893	1.504	71	122
2	Of cervix uteri----------171	66	...	64	...	2	597	...	526	...	71
3	Of other and unspecified parts of uterus----------172-174	56	...	55	...	1	521	...	493	...	28
4	Of ovary, fallopian tube, and broad ligament----------175	70	...	70	...	-	460	...	442	...	18
5	Of other and unspecified female genital organs----------176	8	...	8	...	-	48	...	43	...	5
6	Of prostate----------177	142	141	...	1	...	884	817	...	67	...
7	Of testis, and of other and unspecified male genital organs----178,179	10	10	...	-	...	80	76	...	4	...
8	Malignant neoplasm of urinary organs----------180,181	100	61	37	1	1	938	592	291	31	24
9	Of kidney----------180	45	27	18	-	-	304	189	101	7	7
10	Of bladder and other urinary organs----------181	55	34	19	1	1	634	403	190	24	17
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	262	137	120	4	1	1,988	978	876	71	63
12	Of skin----------190,191	37	23	14	-	-	239	133	95	9	2
13	Of eye----------192	7	4	3	-	-	15	8	6	-	1
14	Of brain and other parts of nervous system----------193	60	39	20	1	-	346	204	122	17	3
15	Of thyroid gland----------194	5	-	5	-	-	90	23	61	-	6
16	Of bone (including jaw bone)----------196	18	12	6	-	-	173	100	60	6	7
17	Of connective tissue----------197	5	3	1	1	-	44	19	20	1	4
18	Of other specified sites, not stated to be secondary-----195,198A,199A	39	17	20	2	-	312	133	165	6	8
19	Of unspecified sites----------156B,165,198B,199B-M	91	39	51	-	1	769	358	347	32	32
20	Leukemia and aleukemia----------204	109	63	43	2	1	751	396	324	21	10
21	Lymphosarcoma, etc.*----------200-203,205	91	48	42	1	-	694	393	267	20	14
22	Lymphosarcoma and reticulosarcoma----------200	42	23	18	1	-	308	165	129	7	7
23	Hodgkin's disease----------201	18	10	8	-	-	195	134	58	3	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	31	15	16	-	-	191	94	90	10	7
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	38	16	22	-	-	355	142	178	12	23
26	Benign neoplasms of female genital organs----------214-217	5	...	5	...	-	71	...	57	...	14
27	Benign neoplasm of brain and other parts of nervous system---------223	7	2	5	-	-	63	26	35	1	1
28	Other benign neoplasms----------210-213,218-222,224-229	4	2	2	-	-	59	35	20	1	3
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	2	...	2	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	17	9	8	-	-	114	59	45	6	4
31	Other neoplasms of unspecified nature----------230-232,236,238,239	5	3	2	-	-	46	22	19	4	1
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	282	150	126	5	1	3.001	1,128	1,772	67	124
33	Asthma----------241	74	56	15	2	1	441	295	122	12	12
34	Nontoxic goiter----------250,251	1	-	1	-	-	11	1	10	-	-
35	Thyrotoxicosis with or without goiter----------252	9	4	5	-	-	70	6	59	-	5
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	6	1	5	-	-	16	4	11	-	1
37	Diabetes mellitus----------260	169	74	92	3	-	2.412	761	1.508	45	98
38	Diseases of thymus gland----------273	4	2	2	-	-	36	16	15	2	3
39	Diseases of adrenal glands----------274	2	2	-	-	-	22	11	9	1	1
40	Pellagra----------281	2	1	1	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	8	5	3	-	-	36	17	14	2	3
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	7	5	2	-	-	47	17	24	5	1
43	IV. Diseases of the blood and blood-forming organs----------	41	21	18	2	-	338	143	173	11	11
44	Anemias----------290-293	24	12	10	2	-	223	83	124	8	8
45	Pernicious and other hyperchromic anemias----------290	10	6	3	1	-	90	30	56	2	2
46	Anemias of other and unspecified type----------291-293	14	6	7	1	-	133	53	68	6	6
47	Purpura and other hemorrhagic conditions----------296	6	1	5	-	-	35	14	19	1	1
48	All other diseases of blood and blood-forming organs-----294,295,297-299	11	8	3	-	-	80	40	30	2	2
49	V. Mental, psychoneurotic, and personality disorders----------	42	26	11	3	2	184	98	48	23	15
50	Senile psychosis----------304	7	4	3	-	-	29	4	19	3	3
51	Alcoholic psychosis----------307	3	3	-	-	-	15	14	-	1	-
52	Other psychoses----------300-303,305,306,308,309	8	3	3	1	1	30	14	13	2	1
53	Alcoholism----------322	21	15	3	2	1	96	61	9	16	10
54	Mental deficiency----------325	3	1	2	-	-	8	4	3	-	1
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	6	1	4	1	-
56	VI. Diseases of the nervous system and sense organs----------	1,909	976	915	9	9	12,491	5,529	6,054	426	482
57	Vascular lesions affecting central nervous system----------330-334	1,767	896	855	9	7	11,581	5,068	5,664	380	449
58	Subarachnoid hemorrhage----------330	53	22	29	1	1	355	135	160	23	37
59	Cerebral hemorrhage----------331	1,149	591	547	7	4	7 093	3,106	3,513	209	265
60	Cerebral embolism and thrombosis----------332	432	219	210	1	2	2.760	1,241	1,330	99	90
61	Other vascular lesions affecting central nervous system--------333,334	133	64	69	-	-	1,373	586	681	49	57
62	Meningitis, except meningococcal and tuberculous----------340	16	9	6	-	1	113	44	41	14	14
63	Multiple sclerosis----------345	21	10	11	-	-	129	59	67	-	3
64	Paralysis agitans----------350	27	16	11	-	-	159	85	71	2	1
65	Cerebral spastic infantile paralysis----------351	1	-	1	-	-	28	14	11	1	2
66	Epilepsy----------353	15	11	4	-	-	178	96	64	12	6
67	Inflammatory diseases of eye----------370-379	1	-	1	-	-	-	-	-	-	-
68	Cataract----------385	-	-	-	-	-	7	4	3	-	-
69	Glaucoma----------387	-	-	-	-	-	3	1	2	-	-
70	Otitis media and mastoiditis----------391-393	8	4	3	-	1	19	11	8	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	53	30	23	-	-	274	147	103	17	7
72	VII. Diseases of the circulatory system----------	6,428	4.034	2.316	49	29	48,628	26,199	19,641	1,376	1,212
73	Rheumatic fever----------400-402	6	2	3	1	-	105	48	44	8	5
74	Diseases of heart----------410-443	5,779	3,055	2.057	43	24	44,473	24,203	17,937	1,254	1,079
75	Chronic rheumatic heart disease----------410-416	227	117	108	2	-	1.623	743	794	38	48
76	Diseases of mitral valve----------410	75	31	42	2	-	578	259	293	12	14
77	Diseases of aortic valve specified as rheumatic----------411	30	23	7	-	-	91	70	18	1	2
78	Diseases of tricuspid valve----------412	-	-	-	-	-	1	-	1	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	16	11	5	-	-	108	51	49	4	4
80	Other diseases of heart specified as rheumatic----------415,416	106	52	54	-	-	845	363	433	21	28

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
203	81	119	2	1	417	96	151	70	100	153	80	64	6	3	751	219	354	49	129	1
33	...	33	...	-	131	...	73	...	58	24	...	21	...	3	246	...	178	...	68	2
31	...	31	...	-	67	...	36	...	31	13	...	13	...	-	118	...	82	...	36	3
52	...	51	...	1	46	...	37	...	9	27	...	27	...	-	109	...	87	...	22	4
4	...	4	...	-	7	...	5	...	2	3	...	3	...	-	10	...	7	...	3	5
78	76	...	2	...	154	89	...	65	...	78	72	...	6	...	246	201	...	45	...	6
5	5	...	-	...	12	7	...	5	...	8	8	...	-	...	22	18	...	4	...	7
72	41	29	2	-	74	37	18	13	6	38	24	13	1	-	175	86	60	17	12	8
27	14	11	2	-	23	11	8	4	-	19	12	6	1	-	74	34	28	8	4	9
45	27	18	-	-	51	26	10	9	6	19	12	7	-	-	101	52	32	9	8	10
203	105	96	1	1	279	102	102	37	38	127	68	55	4	-	579	268	228	39	44	11
20	7	13	-	-	36	16	13	5	2	17	14	3	-	-	108	48	50	5	5	12
-	-	-	-	-	3	2	-	-	1	4	1	2	1	-	9	5	4	-	-	13
26	17	9	-	-	49	24	18	5	2	29	15	14	-	-	118	78	32	4	4	14
3	-	3	-	-	5	1	3	1	-	4	1	3	-	-	12	4	7	1	-	15
18	10	8	-	-	32	10	11	6	5	10	6	4	-	-	50	23	22	3	2	16
9	6	3	-	-	6	1	3	1	1	-	-	-	-	-	17	7	7	3	-	17
38	18	19	-	1	65	24	24	9	8	17	6	10	1	-	84	34	38	3	9	18
89	47	41	1	-	83	24	30	10	19	46	25	19	2	-	181	69	68	20	24	19
61	37	23	1	-	77	37	22	9	9	44	32	11	1	-	212	96	82	21	13	20
75	41	32	2	-	72	25	23	15	9	38	19	17	-	2	168	87	61	16	4	21
30	15	14	1	-	36	12	14	3	7	13	7	5	-	1	77	42	28	5	2	22
22	18	4	-	-	10	2	3	5	-	9	4	4	-	1	52	24	22	5	1	23
23	8	14	1	-	26	11	6	7	2	16	8	8	-	-	39	21	11	6	1	24
38	21	16	-	1	55	15	14	6	20	22	11	10	-	1	82	21	37	7	17	25
4	...	3	...	1	17	...	4	...	13	1	...	1	...	-	21	...	9	...	12	26
6	2	4	-	-	11	5	3	1	2	3	1	2	-	-	19	6	10	1	2	27
4	2	2	-	-	9	5	1	1	2	4	3	1	-	-	13	3	5	4	1	28
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	29
14	7	7	-	-	11	5	3	1	2	9	3	5	-	1	19	8	9	2	-	30
10	10	-	-	-	7	-	3	3	1	5	4	1	-	-	9	4	3	-	2	31
272	102	164	1	5	348	94	93	48	113	149	67	77	4	1	464	184	164	51	65	32
44	32	12	-	-	49	22	10	9	8	31	18	12	1	-	88	49	25	9	5	33
-	-	-	-	-	5	1	1	1	2	1	-	1	-	-	2	-	1	-	1	34
4	1	3	-	-	12	-	2	1	9	2	1	1	-	-	22	3	13	-	6	35
4	-	4	-	-	-	-	-	-	-	2	-	2	-	-	3	-	3	-	-	36
206	63	138	-	5	238	56	69	30	83	104	42	59	2	1	291	112	99	33	47	37
1	-	1	-	-	10	5	-	4	1	1	1	-	-	-	5	2	2	1	-	38
1	1	-	-	-	6	1	5	-	-	1	-	1	-	-	7	4	-	3	-	39
-	-	-	-	-	8	4	1	-	3	-	-	-	-	-	5	1	4	-	-	40
7	2	4	1	-	11	3	2	2	4	3	2	-	1	-	24	9	9	3	3	41
5	3	2	-	-	9	2	3	1	3	4	3	1	-	-	17	4	8	2	3	42
31	22	9	-	-	66	13	21	12	20	26	12	14	-	-	93	36	33	14	10	43
20	16	4	-	-	50	7	14	10	19	16	7	9	-	-	64	19	26	10	9	44
6	4	2	-	-	3	-	2	-	1	6	3	3	-	-	17	3	10	1	3	45
14	12	2	-	-	47	7	12	10	18	10	4	6	-	-	47	16	16	9	6	46
1	-	1	-	-	6	1	5	-	-	3	1	2	-	-	13	10	2	-	1	47
10	6	4	-	-	10	5	2	2	1	7	4	3	-	-	16	7	5	4	-	48
25	17	7	-	1	44	18	3	16	7	13	9	3	1	-	77	43	11	10	13	49
1	-	1	-	-	2	-	1	-	1	2	-	2	-	-	11	5	3	1	2	50
5	5	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	51
3	1	2	-	-	6	-	1	3	2	-	-	-	-	-	23	9	7	3	4	52
14	10	3	-	1	34	17	1	12	4	9	8	-	1	-	35	26	-	5	4	53
1	-	1	-	-	1	-	-	1	-	2	1	1	-	-	5	3	-	1	1	54
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	2	55
869	381	470	13	5	2,620	701	638	663	618	829	457	359	5	8	4,052	1,621	1,469	446	516	56
795	348	433	9	5	2,427	648	603	601	575	761	421	330	4	6	3,800	1,528	1,389	413	470	57
26	13	11	2	-	74	22	22	21	9	15	7	8	-	-	109	36	37	19	17	58
481	197	276	5	3	1,621	390	373	440	418	528	292	229	3	4	2,526	999	963	264	300	59
235	111	122	1	1	476	172	143	77	84	132	72	59	-	1	701	315	249	66	71	60
53	27	24	1	1	256	64	65	63	64	86	50	34	1	1	464	178	140	64	82	61
3	-	3	-	-	46	10	4	18	14	10	6	1	1	2	46	12	10	10	14	62
8	2	6	-	-	12	2	5	2	3	7	2	5	-	-	14	4	6	1	3	63
16	6	10	-	-	10	5	3	1	1	14	9	5	-	-	28	16	8	1	3	64
2	1	1	-	-	14	4	2	3	5	1	1	-	-	-	10	4	5	1	-	65
24	13	8	3	-	52	17	6	19	10	8	5	3	-	-	47	22	14	3	8	66
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
2	2	-	-	-	5	1	2	1	1	-	-	-	-	-	8	2	5	1	-	70
19	9	9	1	-	53	14	13	17	9	27	13	14	-	-	99	33	32	16	18	71
3,785	2,064	1,651	34	36	6,107	2,267	1,400	1,301	1,139	2,212	1,371	797	28	16	10,069	4,952	3,292	954	871	72
2	-	1	-	1	23	2	2	8	11	4	2	2	-	-	26	9	10	3	4	73
3,486	1,918	1,503	32	33	5,468	2,084	1,266	1,117	1,001	2,023	1,275	705	28	15	9,185	4,588	3,003	854	740	74
103	54	48	-	1	113	37	29	26	21	59	30	27	2	-	290	115	110	35	30	75
41	18	23	-	-	52	16	13	14	9	26	16	10	-	-	142	50	54	21	17	76
10	8	2	-	-	3	1	2	-	-	4	1	2	1	-	10	7	3	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	-	78
3	1	2	-	-	8	4	3	-	1	9	3	5	1	-	22	9	5	4	4	79
49	27	21	-	1	50	16	11	12	11	20	10	10	-	-	113	49	47	8	9	80

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	4,045	2,801	1,204	25	15	29.283	17.427	10,634	705	517
2	Arteriosclerotic heart disease so described----------420.0	1,237	755	464	10	8	10,782	5.458	4,772	311	241
3	Heart disease specified as involving coronary arteries----------420.1	2,801	2,040	739	15	7	18,450	11,944	5.836	394	276
4	Angina pectoris without mention of coronary disease----------420.2	7	6	1	-	-	51	25	26	-	-
5	Chronic endocarditis not specified as rheumatic----------421	82	46	36	-	-	623	313	265	27	18
6	Of mitral valve, specified as nonrheumatic----------421.0	9	4	5	-	-	40	17	22	-	1
7	Of aortic valve, not specified as rheumatic----------421.1	41	25	16	-	-	133	80	34	14	5
8	Of other valves, not specified as rheumatic----------421.2-421.4	32	17	15	-	-	450	216	209	13	12
9	Other myocardial degeneration----------422	336	171	161	3	1	5.505	2,609	2,667	120	109
10	With arteriosclerosis----------422.1	173	89	83	1	-	3,372	1,552	1,687	70	63
11	Without mention of arteriosclerosis----------422.0,422.2	163	82	78	2	1	2,133	1,057	980	50	46
12	Other diseases of heart----------430-434	243	127	100	6	1	1,476	778	585	71	42
13	Acute and subacute endocarditis----------430	11	4	7	-	-	61	30	22	4	5
14	Acute myocarditis not specified as rheumatic----------431	5	1	4	-	-	169	98	60	8	3
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	3	3	-	-	-
16	Functional disease of heart----------433	43	27	16	-	-	205	98	104	2	1
17	Other and unspecified diseases of heart----------434	184	95	82	6	1	1.038	549	399	57	33
18	Hypertension with heart disease----------440-443	846	393	439	7	7	5.963	2,333	2,992	293	345
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	329	165	160	2	2	2,089	889	974	122	104
20	Essential hypertension with heart disease, etc.*----------440,441,443	517	228	279	5	5	3,874	1,444	2,018	171	241
21	Hypertension without mention of heart----------444-447	73	36	36	1	-	744	314	337	40	53
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	33	20	13	-	-	445	202	197	22	24
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	40	16	23	1	-	299	112	140	18	29
24	Diseases of arteries----------450-456	524	317	199	4	4	2,973	1,478	1,376	59	60
25	General arteriosclerosis----------450	431	254	172	3	2	2,559	1,208	1,271	42	38
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	72	53	17	1	1	253	176	53	10	14
27	Gangrene of unspecified cause----------455	1	1	-	-	-	25	7	16	1	1
28	Other arterial diseases----------452-454,456	20	9	10	-	1	136	87	36	6	7
29	Diseases of veins and other diseases of circulatory system--------460-468	46	24	21	-	1	333	156	147	15	15
30	VIII. Diseases of the respiratory system----------	532	346	170	8	8	4.016	2,465	1,143	254	154
31	Acute upper respiratory infections----------470-475	16	10	5	1	-	27	8	17	2	-
32	Influenza----------480-483	11	4	7	-	-	156	79	68	5	4
33	Pneumonia, except pneumonia of newborn----------490-493	311	193	103	7	8	2,263	1,153	796	188	126
34	Lobar pneumonia----------490	53	37	15	1	-	724	397	237	63	27
35	Bronchopneumonia----------491	181	107	67	2	5	1,019	500	349	93	77
36	Primary atypical pneumonia----------492	27	18	9	-	-	281	131	124	17	9
37	Pneumonia, other and unspecified----------493	50	31	12	4	3	239	125	86	15	13
38	Acute bronchitis----------500	15	9	6	-	-	74	46	26	1	1
39	Bronchitis, chronic and unqualified----------501,502	29	19	10	-	-	103	61	33	4	5
40	Hypertrophy of tonsils and adenoids----------510	2	-	2	-	-	27	8	14	3	2
41	Empyema and abscess of lung----------518,521	8	6	2	-	-	64	37	16	10	1
42	Pleurisy----------519	1	1	-	-	-	18	8	8	2	-
43	All other respiratory diseases----------Residual[1]	139	104	35	-	-	1,284	1,065	165	39	15
44	IX. Diseases of the digestive system----------	407	271	182	12	2	4,172	2,376	1,553	136	107
45	Diseases of teeth and supporting structures----------530-535	-	-	-	-	-	14	6	6	-	2
46	Ulcer of stomach----------540	53	37	13	3	-	362	274	69	13	6
47	Ulcer of duodenum----------541	47	33	14	-	-	311	239	51	17	4
48	Gastritis and duodenitis----------543	6	3	2	1	-	18	13	4	1	-
49	Appendicitis----------550-553	16	8	8	-	-	158	97	47	6	8
50	Hernia and intestinal obstruction----------560,561,570	73	42	31	-	-	640	313	289	23	15
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	48	19	24	5	-	400	194	168	25	13
52	Cirrhosis of liver----------581	101	63	34	3	1	1,180	761	360	26	33
53	Without mention of alcoholism----------581.0	68	42	20	-	-	1,016	653	321	18	24
54	With alcoholism----------581.1	33	21	8	3	1	164	108	39	8	9
55	Cholelithiasis and cholecystitis----------584,585	39	15	24	-	-	501	181	308	7	5
56	Other diseases of digestive system----------Residual[1]	84	51	32	-	1	588	298	251	18	21
57	X. Diseases of the genito-urinary system----------	292	187	96	5	4	2.421	1,347	838	138	98
58	Nephritis and nephrosis----------590-594	146	73	67	3	3	1.460	699	610	78	64
59	Acute nephritis----------590	7	3	4	-	-	108	61	42	5	-
60	Nephritis with edema, including nephrosis----------591	12	7	5	-	-	106	43	50	5	8
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	127	63	58	3	3	1,246	595	527	68	56
62	Infections of kidney----------600	44	21	22	1	-	280	126	115	19	20
63	Calculi of urinary system----------602,604	6	3	3	-	-	83	53	27	2	1
64	Other diseases of urinary system----------601,603,605-609	15	11	2	1	1	127	65	43	15	4
65	Hyperplasia of prostate----------610	72	72	...	-	...	390	368	...	22	...
66	Other diseases of male genital organs----------611-617	7	7	...	-	...	38	36	...	2	...
67	Diseases of breast----------620,621	-	-	-	-	-	1	-	1	-	-
68	Diseases of female genital organs----------622-637	2	...	2	...	-	42	...	33	...	9
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	7	...	7	...	-	104	...	82	...	22
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	1	...	1	...	-	9	...	7	...	2
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	4	...	4	...	-	23	...	18	...	5
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	-	...	-	...	-	23	...	23	...	-
73	Ectopic pregnancy----------645	-	...	-	...	-	6	...	5	...	1
74	Abortion without mention of sepsis or toxemia----------650	1	...	1	...	-	2	...	-	...	2
75	Abortion with sepsis----------651	-	...	-	...	-	9	...	6	...	3
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	3	...	2	...	1
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	1	...	1	...	-	29	...	21	...	8

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,687	1,579	1,068	22	18	2,995	1,500	725	441	329	1,472	998	449	16	9	5,285	3,096	1,644	316	229	1
1,490	777	692	10	11	630	238	179	127	86	323	201	116	3	3	1,787	900	658	134	95	2
1,192	799	374	12	7	2,309	1,234	535	304	236	1,145	794	332	13	6	3,459	2,171	974	181	133	3
5	3	2	-	-	56	28	11	10	7	4	3	1	-	-	39	25	12	1	1	4
33	15	18	-	-	128	34	20	43	31	21	12	9	-	-	170	61	44	33	32	5
9	4	5	-	-	10	6	2	1	1	2	1	1	-	-	18	3	4	6	5	6
11	6	5	-	-	29	8	3	13	5	5	4	1	-	-	41	17	6	10	8	7
13	5	8	-	-	89	20	15	29	25	14	7	7	-	-	111	41	34	17	19	8
198	73	119	4	2	565	178	152	99	136	199	103	90	4	2	1,033	453	366	117	97	9
121	42	74	4	1	323	92	89	55	87	91	48	42	1	-	411	188	160	34	29	10
77	31	45	-	1	242	86	63	44	49	108	55	48	3	2	622	265	206	83	68	11
58	31	26	-	1	311	82	57	93	79	77	43	26	6	2	661	288	185	108	80	12
-	-	-	-	-	12	2	1	5	4	1	1	-	-	-	15	9	2	3	1	13
7	5	2	-	-	14	5	2	4	3	4	3	1	-	-	44	13	8	13	10	14
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	15
11	6	5	-	-	21	3	10	5	3	9	5	4	-	-	44	19	22	2	1	16
40	20	19	-	1	264	72	44	79	69	62	33	21	6	2	557	246	153	90	68	17
407	166	224	6	11	1,356	253	283	415	405	195	89	104	-	2	1,746	575	654	245	272	18
117	50	62	1	4	435	80	83	138	134	53	31	22	-	-	418	143	155	59	61	19
290	116	162	5	7	921	173	200	277	271	142	58	82	-	2	1,328	432	499	186	211	20
71	29	39	1	2	195	46	38	60	51	33	21	12	-	-	266	88	71	43	64	21
45	20	24	-	1	70	24	11	21	14	17	13	4	-	-	110	43	27	20	20	22
26	9	15	1	1	125	22	27	39	37	16	8	8	-	-	156	45	44	23	44	23
205	102	102	1	-	366	114	84	104	64	130	63	67	-	-	483	222	174	39	48	24
176	80	95	1	-	309	90	70	92	57	114	54	60	-	-	413	183	158	31	41	25
18	15	3	-	-	39	19	6	10	4	5	2	3	-	-	40	24	7	6	3	26
-	-	-	-	-	3	-	1	-	2	1	1	-	-	-	1	1	-	-	-	27
11	7	4	-	-	15	5	7	2	1	10	6	4	-	-	29	14	9	2	4	28
21	15	6	-	-	55	21	10	12	12	22	10	11	-	1	109	45	34	15	15	29
224	117	95	8	4	890	199	135	318	238	219	120	72	14	13	1,294	554	450	151	139	30
4	-	3	1	-	20	1	5	10	4	3	2	1	-	-	22	7	6	3	6	31
1	1	-	-	-	88	8	8	39	33	16	9	6	-	1	120	30	37	20	33	32
158	75	72	7	4	627	122	94	229	182	149	75	52	12	10	833	348	312	97	76	33
40	20	18	1	1	197	35	35	81	46	42	23	13	2	4	267	110	90	38	29	34
85	46	30	6	3	297	60	41	105	91	69	36	25	5	3	437	182	178	40	37	35
18	4	14	-	-	41	9	9	9	14	8	2	6	-	-	57	22	25	6	4	36
15	5	10	-	-	92	18	9	34	31	30	14	8	5	3	72	34	19	13	6	37
4	1	3	-	-	11	1	1	7	2	4	2	2	-	-	9	3	1	1	4	38
2	1	1	-	-	26	11	4	7	4	4	2	2	-	-	37	17	13	4	3	39
2	2	-	-	-	1	1	-	-	-	2	-	1	1	-	4	1	1	-	2	40
4	2	2	-	-	8	4	-	3	1	1	1	-	-	-	16	9	5	1	1	41
1	-	1	-	-	4	1	-	2	1	2	2	-	-	-	7	1	2	2	2	42
48	35	13	-	-	105	50	23	21	11	38	27	8	1	2	246	138	73	23	12	43
315	189	118	6	2	577	190	114	155	118	177	98	63	7	9	873	390	284	111	88	44
1	1	-	-	-	2	-	1	-	1	2	1	1	-	-	3	1	1	-	1	45
35	27	7	1	-	52	25	7	15	5	13	10	2	1	-	58	33	11	11	3	46
32	30	2	-	-	36	23	-	7	6	12	9	3	-	-	59	47	8	3	1	47
-	-	-	-	-	4	1	-	1	2	-	-	-	-	-	4	1	1	2	-	48
13	9	3	-	1	15	5	3	2	5	13	10	1	1	1	37	17	9	6	5	49
47	25	19	3	-	93	27	24	26	16	26	13	12	-	1	147	56	55	23	13	50
21	8	13	-	-	156	16	18	68	54	22	12	4	4	2	154	59	44	26	25	51
92	56	35	1	-	81	41	17	15	8	33	21	9	1	2	164	86	49	16	13	52
65	39	25	1	-	70	35	14	13	8	31	19	9	1	2	142	76	42	15	9	53
27	17	10	-	-	11	6	3	2	-	2	2	-	-	-	22	10	7	1	4	54
41	18	22	-	1	45	19	22	1	3	35	13	20	-	2	79	23	47	2	7	55
33	15	17	1	-	93	33	22	20	18	21	9	11	-	1	168	67	59	22	20	56
167	90	75	1	1	540	134	88	187	131	140	88	46	3	3	729	325	203	115	86	57
82	33	48	1	-	351	67	52	131	101	62	34	26	1	1	460	188	143	71	58	58
7	3	4	-	-	31	5	3	17	6	4	3	1	-	-	26	12	4	5	5	59
3	-	3	-	-	9	5	-	2	2	2	1	1	-	-	19	10	5	2	2	60
72	30	41	1	-	311	57	49	112	93	56	30	24	1	1	415	166	134	64	51	61
30	13	16	-	1	64	15	21	10	18	14	7	6	-	1	94	30	35	14	15	62
7	1	6	-	-	20	9	8	2	1	3	2	1	-	-	19	8	7	3	1	63
6	4	2	-	-	24	2	5	12	5	10	4	6	-	-	28	11	10	3	4	64
38	38	...	-	...	67	37	...	30	...	35	34	...	1	...	101	81	...	20	...	65
1	1	...	-	...	6	4	...	2	...	8	7	...	1	...	11	7	...	4	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	67
3	...	3	...	-	8	...	2	...	6	8	...	7	...	1	14	...	6	...	8	68
11	...	9	...	2	69	...	17	...	52	6	...	6	...	-	53	...	38	...	15	69
-	...	-	...	-	5	...	2	...	3	-	...	-	...	-	4	...	4	...	-	70
3	...	3	...	-	25	...	7	...	18	3	...	3	...	-	20	...	14	...	6	71
1	...	-	...	1	18	...	4	...	14	1	...	1	...	-	12	...	8	...	4	72
1	...	1	...	-	2	...	-	...	2	-	...	-	...	-	6	...	5	...	1	73
1	...	-	...	1	1	...	-	...	1	-	...	-	...	-	1	...	1	...	-	74
2	...	2	...	-	3	...	-	...	3	1	...	1	...	-	3	...	2	...	1	75
-	...	-	...	-	1	...	-	...	1	1	...	1	...	-	-	...	-	...	-	76
3	...	3	...	-	14	...	4	...	10	-	...	-	...	-	7	...	4	...	3	77

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	9	7	2	-	-	99	36	50	4	9
2	Infections of skin and subcutaneous tissue---690-698	2	2	-	-	-	22	11	9	1	1
3	Other diseases of skin and subcutaneous tissue---700-716	7	5	2	-	-	77	25	41	3	8
4	XIII. Diseases of the bones and organs of movement	33	13	20	-	-	214	96	103	7	8
5	Arthritis and spondylitis---720-725	20	4	16	-	-	103	35	61	4	3
6	Muscular rheumatism and rheumatism, unspecified---726,727	1	-	1	-	-	2	1	1	-	-
7	Osteomyelitis and periostitis---730	-	-	-	-	-	10	5	4	1	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	2	1	1	-	-	5	2	3	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	10	8	2	-	-	94	53	34	2	5
10	XIV. Congenital malformations	202	111	86	5	-	1,324	657	578	49	41
11	Spina bifida and meningocele---751	8	1	7	-	-	116	45	70	1	-
12	Congenital hydrocephalus, etc.*---752,753	16	6	10	-	-	164	78	76	5	5
13	Congenital malformations of circulatory system---754	102	64	35	3	-	536	293	210	16	17
14	Other congenital malformations---750,755-759	76	40	34	2	-	508	241	222	26	19
15	XV. Certain diseases of early infancy	494	280	196	12	6	3,827	1,914	1,281	365	267
16	Birth injuries---760,761	140	80	56	3	1	768	426	260	57	25
17	Postnatal asphyxia and atelectasis---762	119	79	34	4	1	912	483	297	84	48
18	Infections of newborn---763-768	23	12	10	-	1	240	101	74	37	28
19	Hemolytic disease of newborn (erythroblastosis)---770	15	5	9	1	-	173	95	69	3	6
20	All other defined diseases of early infancy---769,771,772	17	11	5	-	1	101	52	31	11	7
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	181	93	82	1	2	1,633	757	550	173	153
22	XVI. Symptoms, senility, and ill-defined conditions	198	107	80	8	3	711	402	230	49	30
23	Senility without mention of psychosis---794	101	40	56	3	2	177	63	108	3	3
24	Symptoms, ill-defined and unknown causes---780-793,795	97	67	24	5	1	534	339	122	46	27
25	XVII. Accidents, poisonings, and violence	1,339	985	313	38	3	6,733	4,170	1,926	458	179
26	Accidents---E800-E962	1,052	763	254	32	3	5,419	3,311	1,657	313	138
27	Railway accidents---E800-E802	14	12	-	2	-	71	54	7	10	-
28	Motor-vehicle accidents---E810-E835	421	296	114	9	2	1,772	1,296	362	81	33
29	Motor-vehicle traffic accidents---E810-E825	398	277	111	8	2	1,724	1,258	353	80	33
30	Motor-vehicle traffic accident with railway train*---E810	17	13	4	-	-	24	19	5	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	73	49	21	3	-	499	353	112	21	13
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	135	92	40	3	-	547	378	131	24	14
33	Motor-vehicle noncollision traffic accidents---E820-E824	112	76	32	2	2	421	342	50	27	2
34	Motor-vehicle traffic accident of unspecified nature---E825	61	47	14	-	-	233	166	55	8	4
35	Motor-vehicle nontraffic accidents---E830-E835	23	19	3	1	-	48	38	9	1	-
36	Other road-vehicle accidents---E840-E845	7	7	-	-	-	31	18	10	2	1
37	Water-transport accidents---E850-E858	27	22	3	2	-	53	50	-	3	-
38	Aircraft accidents---E860-E866	17	15	2	-	-	41	39	2	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	17	9	7	1	-	68	25	30	7	6
40	Accidental poisoning by gases and vapors---E890-E895	25	18	6	1	-	114	64	38	8	4
41	Accidental falls---E900-E904	151	81	65	5	-	1,769	788	908	52	21
42	Fall from one level to another---E900-E902	67	44	20	3	-	729	411	277	32	9
43	Fall on same level---E903	22	11	11	-	-	342	127	198	11	6
44	Unspecified falls---E904	62	26	34	2	-	698	250	433	9	6
45	Blow from falling object---E910	44	43	-	1	-	104	96	3	5	-
46	Accident caused by machinery---E912	47	45	2	-	-	114	107	3	4	-
47	Accident caused by electric current---E914	10	9	1	-	-	44	41	1	2	-
48	Accident caused by fire and explosion, etc.*---E916	48	28	19	-	1	361	160	125	36	40
49	Accident caused by hot substance, etc.*---E917,E918	5	3	2	-	-	35	11	16	5	3
50	Accident caused by firearm---E919	37	32	4	1	-	84	73	4	7	-
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	20	12	8	-	-	121	53	28	27	13
52	Accidental drowning---E929	66	56	5	5	-	225	168	24	32	1
53	Excessive heat and insolation---E931	1	1	-	-	-	11	7	4	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	8	4	4	-	-	50	24	19	3	4
55	All other accidents---Residual[1]	87	70	12	5	-	351	237	73	29	12
56	Suicide---E963,E970-E979	254	202	49	3	-	998	760	202	28	8
57	Suicide by poisoning---E970-E973	68	46	22	-	-	196	129	62	4	1
58	Suicide by hanging and strangulation---E974	32	20	9	3	-	285	211	61	11	2
59	Suicide by firearms and explosives---E976	132	118	14	-	-	366	318	39	8	1
60	Suicide by all other means---E963,E975,E977-E979	22	18	4	-	-	151	102	40	5	4
61	Homicide---E964,E980-E985	33	20	10	3	-	313	96	67	117	33
62	Assault by firearms and explosives---E981	22	12	7	3	-	138	43	33	50	12
63	Assault by cutting and piercing instruments---E982	4	4	-	-	-	81	17	8	46	10
64	Assault by other means---E964,E980,E983	5	2	3	-	-	82	30	26	15	11
65	Injury by intervention of police---E984	2	2	-	-	-	7	2	-	5	-
66	Execution---E985	-	-	-	-	-	5	4	-	1	-
67	Injury resulting from operations of war---E965,E990-E999	-	-	-	-	-	3	3	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
5	4	1	-	-	16	5	3	4	4	3	2	1	-	-	23	6	9	2	6	1
4	3	1	-	-	6	1	-	3	2	1	1	-	-	-	4	2	2	-	-	2
1	1	-	-	-	10	4	3	1	2	2	1	1	-	-	19	4	7	2	6	3
14	6	8	-	-	35	10	14	5	6	9	4	4	1	-	59	20	32	4	3	4
7	3	4	-	-	20	4	7	3	6	7	2	4	1	-	38	9	25	2	2	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	6
-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	3	2	-	1	-	7
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	8
6	2	4	-	-	13	5	7	1	-	1	1	-	-	-	14	7	5	1	1	9
103	51	49	1	2	247	83	83	51	30	102	42	51	4	5	396	200	140	34	22	10
17	5	12	-	-	28	11	14	1	2	8	4	2	1	1	34	14	17	3	-	11
9	4	5	-	-	42	10	11	10	11	11	3	5	2	1	44	20	15	6	3	12
36	17	18	1	-	88	31	34	17	6	56	25	28	-	3	173	94	50	17	12	13
41	25	14	-	2	89	31	24	23	11	27	10	16	1	-	145	72	58	8	7	14
274	154	104	13	3	1,115	343	202	323	247	280	153	107	8	12	1,486	658	429	229	170	15
54	30	21	3	-	164	53	43	42	26	59	35	23	1	-	220	113	63	29	15	16
59	36	20	2	1	284	103	52	77	52	65	40	24	-	1	383	190	112	43	38	17
14	10	3	1	-	97	20	10	34	33	22	10	3	4	5	111	41	29	26	15	18
14	8	6	-	-	29	13	4	7	5	13	6	7	-	-	46	26	16	3	1	19
7	4	2	1	-	70	13	4	33	20	7	4	1	1	1	48	20	11	10	7	20
126	66	52	6	2	471	141	89	130	111	114	58	49	2	5	678	268	198	118	94	21
25	15	10	-	-	646	82	42	267	255	61	26	14	14	7	1,757	662	395	388	312	22
8	3	5	-	-	16	2	5	4	5	12	5	5	1	1	168	64	85	8	11	23
17	12	5	-	-	630	80	37	263	250	49	21	9	13	6	1,589	598	310	380	301	24
416	256	139	17	4	1,653	678	231	536	208	529	377	100	40	12	2,351	1,387	459	355	150	25
355	219	117	15	4	1,302	540	205	386	171	450	315	88	37	10	1,778	1,067	387	209	115	26
1	1	-	-	-	19	7	1	10	1	6	2	-	4	-	29	22	-	6	1	27
79	58	17	4	-	550	272	82	152	44	172	117	31	19	5	775	505	153	85	32	28
77	56	17	4	-	536	267	80	146	43	167	113	30	19	5	748	491	147	81	29	29
-	-	-	-	-	15	4	3	7	1	4	4	-	-	-	24	11	5	6	2	30
30	21	8	1	-	111	34	19	37	21	21	11	5	4	1	139	83	24	27	5	31
15	12	2	1	-	81	51	10	16	4	78	58	17	2	1	282	184	66	24	8	32
23	18	3	2	-	70	39	8	19	4	57	33	8	13	3	258	185	42	19	12	33
9	5	4	-	-	259	139	40	67	13	7	7	-	-	-	45	28	10	5	2	34
2	2	-	-	-	14	5	2	6	1	5	4	1	-	-	27	14	6	4	3	35
-	-	-	-	-	8	3	1	4	-	3	3	-	-	-	2	2	-	-	-	36
31	25	-	6	-	31	17	-	14	-	4	4	-	-	-	31	29	1	1	-	37
4	4	-	-	-	20	19	1	-	-	38	37	1	-	-	18	16	2	-	-	38
6	4	1	-	1	33	11	5	9	8	3	-	2	1	-	22	12	5	2	3	39
6	5	-	1	-	6	3	2	1	-	6	5	1	-	-	10	5	3	1	1	40
129	56	73	-	-	120	40	48	17	15	72	36	33	3	-	300	123	141	18	18	41
41	23	18	-	-	42	19	5	12	6	26	14	10	2	-	84	41	27	11	5	42
33	13	20	-	-	16	4	11	-	1	14	4	10	-	-	58	24	28	2	4	43
55	20	35	-	-	62	17	32	5	8	32	18	13	1	-	158	58	86	5	9	44
2	2	-	-	-	19	7	-	11	1	4	4	-	-	-	37	25	2	10	-	45
1	1	-	-	-	29	18	-	11	-	31	29	2	-	-	42	36	3	3	-	46
2	2	-	-	-	10	6	1	3	-	8	6	1	1	-	27	25	-	1	1	47
18	8	6	2	2	140	22	20	50	48	20	11	2	5	2	135	49	25	27	34	48
6	4	1	1	-	15	5	3	3	4	1	1	-	-	-	13	2	3	3	5	49
5	3	2	-	-	68	37	5	19	7	14	12	1	1	-	68	55	4	7	2	50
6	3	3	-	-	33	9	9	9	6	3	2	1	-	-	24	8	8	3	5	51
21	19	1	1	-	89	28	13	41	7	28	19	6	2	1	104	71	13	17	3	52
-	-	-	-	-	4	1	-	2	1	1	-	1	-	-	12	7	-	4	1	53
3	1	2	-	-	5	2	2	-	1	1	1	-	-	-	7	2	5	-	-	54
35	23	11	-	1	103	33	12	30	28	35	26	6	1	2	122	73	19	21	9	55
50	32	18	-	-	136	99	15	18	4	69	58	11	-	-	272	212	44	14	2	56
13	7	6	-	-	15	7	6	2	-	11	8	3	-	-	33	20	13	-	-	57
10	6	4	-	-	11	7	1	2	1	17	12	5	-	-	37	30	5	2	-	58
13	12	1	-	-	104	82	8	12	2	34	33	1	-	-	176	146	20	9	1	59
14	7	7	-	-	6	3	-	2	1	7	5	2	-	-	26	16	6	3	1	60
11	5	4	2	-	215	39	11	132	33	10	4	1	3	2	298	106	28	131	33	61
1	-	-	1	-	136	30	8	77	21	6	3	1	2	-	189	75	19	80	15	62
1	1	-	-	-	46	4	2	35	5	2	1	-	1	-	61	7	3	41	10	63
7	2	4	1	-	27	4	1	15	7	2	-	-	-	2	40	18	6	8	8	64
2	2	-	-	-	2	-	-	2	-	-	-	-	-	-	7	6	-	1	-	65
-	-	-	-	-	4	1	-	3	-	-	-	-	-	-	1	-	-	1	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	67

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	64,932	32,658	21,819	5,817	4,638	5,148	3,008	2,026	69	45
2	I. Infective and parasitic diseases	1,932	926	607	251	148	81	60	17	3	1
3	Tuberculosis, all forms 001-019	932	488	282	108	54	29	21	4	3	1
4	Tuberculosis of respiratory system 001-008	848	448	256	95	49	26	20	4	1	1
5	Tuberculosis of meninges and central nervous system 010	43	24	17	1	1	1	-	-	1	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	3	1	1	1	-	-	-	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	6	1	1	2	2	-	-	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	2	1	1	-	-	1	1	-	-	-
9	Tuberculosis of genito-urinary system 016	6	3	2	-	1	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	-	-	-	-	-	-	-	-	-	-
11	Disseminated tuberculosis 019	24	10	4	9	1	1	-	-	1	-
12	Syphilis and its sequelae 020-029	231	102	38	60	31	13	10	3	-	-
13	Congenital syphilis 020	6	1	4	-	1	-	-	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	97	55	14	24	4	4	2	2	-	-
16	Other cardiovascular syphilis 023	64	17	10	22	15	6	5	1	-	-
17	Tabes dorsalis 024	9	5	-	4	-	1	1	-	-	-
18	General paralysis of insane 025	27	12	5	5	5	2	2	-	-	-
19	Other syphilis of central nervous system 026	21	9	3	4	5	-	-	-	-	-
20	Other syphilis 027-029	7	3	2	1	1	-	-	-	-	-
21	Gonococcal infection 030-035	1	-	1	-	-	-	-	-	-	-
22	Typhoid fever 040	6	2	1	2	1	-	-	-	-	-
23	Paratyphoid fever 041	1	1	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	3	-	3	-	-	1	-	1	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	1	-	-	-	1	-	-	-	-	-
27	Dysentery, all forms 045-048	171	67	77	13	14	-	-	-	-	-
28	Food poisoning (infection and intoxication) 049	20	5	11	4	-	1	1	-	-	-
29	Scarlet fever 050	3	1	1	-	1	-	-	-	-	-
30	Streptococcal sore throat 051	16	5	3	3	5	-	-	-	-	-
31	Erysipelas 052	2	-	2	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	62	22	27	7	6	12	9	3	-	-
33	Diphtheria 055	7	5	1	-	1	-	-	-	-	-
34	Whooping cough 056	25	5	7	7	6	-	-	-	-	-
35	Meningococcal infections 057	44	22	14	3	5	3	3	-	-	-
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	3	2	1	-	-	-	-	-	-	-
39	Tetanus 061	71	26	29	11	5	-	-	-	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	134	80	45	6	3	10	8	2	-	-
42	Late effects of acute poliomyelitis 081	8	4	4	-	-	1	1	-	-	-
43	Acute infectious encephalitis 082	26	10	15	1	-	-	-	-	-	-
44	Late effects of acute infectious encephalitis 083	2	2	-	-	-	2	2	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	37	19	8	7	3	2	2	-	-	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	31	11	13	3	4	3	2	1	-	-
49	Rabies 094	4	1	-	2	1	-	-	-	-	-
50	Tick-borne typhus 104	1	-	-	1	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	1	-	-	1	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	2	1	1	-	-	-	-	-	-	-
54	Malaria 110-117	3	1	-	2	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	1	-	1	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	84	44	22	11	7	4	1	3	-	-
61	II. Neoplasms	9,465	4,433	3,834	606	592	670	359	292	11	8
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	9,173	4,319	3,709	591	554	658	355	285	11	7
63	Malignant neoplasm of buccal cavity and pharynx 140-148	199	139	37	16	7	10	8	2	-	-
64	Of lip 140	11	10	-	-	1	1	1	-	-	-
65	Of tongue 141	38	26	6	5	1	-	-	-	-	-
66	Of other and unspecified parts of buccal cavity 142-144	60	36	17	4	3	4	2	2	-	-
67	Of pharynx 145-148	90	67	14	7	2	5	5	-	-	-
68	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	2,892	1,364	1,120	237	151	219	115	95	7	2
69	Of esophagus 150	136	74	28	27	7	4	4	-	-	-
70	Of stomach 151	857	459	245	107	46	73	40	30	2	1
71	Of intestine, except rectum 152,153	737	275	400	27	35	61	29	30	1	1
72	Of rectum 154	242	108	103	16	15	15	5	8	2	-
73	Of biliary passages and of liver (stated to be primary site) 155	138	57	71	8	2	17	4	13	-	-
74	Of liver not specified whether primary or secondary 156A	247	113	89	23	22	-	-	-	-	-
75	Of pancreas 157	463	270	151	24	18	41	27	12	2	-
76	Of peritoneum and of unspecified digestive organs 158,159	72	28	33	5	6	8	6	2	-	-
77	Malignant neoplasm of respiratory system 160-164	1,134	879	155	80	20	75	62	11	1	1
78	Of larynx 161	70	56	4	10	-	6	5	1	-	-
79	Of trachea, and of bronchus and lung specified as primary 162	359	296	40	17	6	61	49	10	1	1
80	Of lung and bronchus, unspecified as primary or secondary 163	662	503	98	49	12	6	6	-	-	-
81	Of other parts of respiratory system 160,164	43	24	13	4	2	2	2	-	-	-
82	Malignant neoplasm of breast 170	707	8	611	2	86	46	1	44	-	1

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,032	2,262	1,763	6	1	29,329	12,160	8,764	4,593	3,812	23,298	13,654	8,950	442	252	16,216	8,934	6,109	725	448	1
77	57	20	-	-	814	253	141	243	177	342	212	92	24	14	394	218	133	31	12	2
52	43	9	-	-	443	147	69	120	107	153	102	32	13	6	249	138	92	14	5	3
46	41	5	-	-	409	139	67	109	94	141	96	27	12	6	229	125	88	13	3	4
-	-	-	-	-	7	1	-	3	3	2	2	-	-	-	4	3	1	-	-	5
-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	1	-	-	-	1	6
1	1	-	-	-	3	1	-	1	1	3	-	3	-	-	2	2	-	-	-	7
1	-	1	-	-	2	-	-	1	1	-	-	-	-	-	1	1	-	-	-	8
3	1	2	-	-	2	-	-	2	-	3	3	-	-	-	3	3	-	-	-	9
1	-	1	-	-	4	2	-	-	2	2	-	1	1	-	2	2	-	-	-	10
-	-	-	-	-	13	3	1	3	6	2	1	1	-	-	7	2	3	1	1	11
5	3	2	-	-	142	41	9	67	25	97	65	22	8	2	55	31	6	11	7	12
-	-	-	-	-	2	-	1	-	1	1	-	1	-	-	2	1	-	-	1	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
3	2	1	-	-	35	15	1	11	8	45	35	8	2	-	17	14	1	1	1	15
2	1	1	-	-	50	18	1	24	7	32	19	8	4	1	19	7	3	6	3	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	17
-	-	-	-	-	40	5	4	26	5	2	2	-	-	-	8	3	2	3	-	18
-	-	-	-	-	10	1	1	5	3	13	6	5	2	-	7	4	-	1	2	19
-	-	-	-	-	5	2	1	1	1	4	3	-	-	1	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	21
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	1	-	1	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	15	2	2	6	5	4	3	1	-	-	4	1	3	-	-	27
-	-	-	-	-	5	1	1	2	1	2	1	1	-	-	1	1	-	-	-	28
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	5	2	2	-	1	3	2	-	-	1	3	1	1	1	-	30
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	31
5	2	3	-	-	30	15	6	6	3	8	5	3	-	-	4	2	1	1	-	32
-	-	-	-	-	5	-	1	3	1	2	1	1	-	-	1	-	-	1	-	33
-	-	-	-	-	21	5	8	3	5	4	1	1	-	2	4	4	-	-	-	34
3	2	1	-	-	31	5	11	9	6	11	6	5	-	-	16	7	9	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	11	3	1	6	1	3	2	1	-	-	3	1	1	1	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
6	4	2	-	-	13	8	4	-	1	14	8	6	-	-	18	10	8	-	-	41
-	-	-	-	-	6	2	1	2	1	1	1	-	-	-	1	1	-	-	-	42
-	-	-	-	-	5	1	2	2	-	3	-	2	-	1	5	2	3	-	-	43
-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	1	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
3	1	2	-	-	24	5	6	5	8	8	3	4	-	1	10	6	4	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	14	3	5	1	5	11	5	5	1	-	6	3	2	1	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	49
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	2	-	-	-	59
3	2	1	-	-	35	11	9	9	6	14	6	6	1	1	7	4	3	-	-	60
648	332	313	2	1	3,996	1,556	1,529	457	454	3,750	2,021	1,649	51	29	2,417	1,152	1,105	95	65	61
635	326	306	2	1	3,903	1,523	1,496	447	437	3,655	1,979	1,599	50	27	2,363	1,132	1,078	93	60	62
12	9	3	-	-	112	71	17	18	6	65	43	20	1	1	37	26	11	-	-	63
-	-	-	-	-	11	10	1	-	-	7	6	1	-	-	-	-	-	-	-	64
3	3	-	-	-	18	11	2	3	2	9	6	3	-	-	8	5	3	-	-	65
3	1	2	-	-	33	17	9	6	1	23	16	6	-	1	13	8	5	-	-	66
6	5	1	-	-	50	33	5	9	3	26	15	10	1	-	16	13	3	-	-	67
239	123	114	1	1	1,233	453	470	189	121	1,311	743	532	24	12	819	423	351	34	11	68
25	18	6	1	-	80	38	12	24	6	45	33	9	3	-	24	13	10	1	-	69
52	33	18	-	1	320	126	86	73	35	392	255	124	9	4	222	132	72	16	2	70
65	22	43	-	-	337	97	174	28	38	368	185	180	2	1	245	118	122	3	2	71
25	11	14	-	-	139	63	49	17	10	170	94	75	-	1	80	37	36	5	2	72
15	8	7	-	-	67	14	41	8	4	92	34	52	4	2	58	20	37	1	-	73
7	4	3	-	-	86	34	34	11	7	59	28	26	3	2	86	43	38	3	2	74
41	23	18	-	-	172	73	60	22	17	161	100	56	3	2	87	53	28	3	3	75
9	4	5	-	-	32	8	14	6	4	24	14	10	-	-	17	7	8	2	-	76
60	53	7	-	-	473	338	55	64	16	415	347	62	5	1	274	203	47	22	2	77
7	6	1	-	-	33	29	1	3	-	34	31	2	1	-	20	16	4	-	-	78
16	13	3	-	-	125	89	17	17	2	153	132	20	1	-	78	59	12	6	1	79
36	33	3	-	-	306	216	35	43	12	215	178	33	3	1	167	123	28	15	1	80
1	1	-	-	-	9	4	2	1	2	13	6	7	-	-	9	5	3	1	-	81
63	2	61	-	-	338	5	256	-	77	314	7	303	-	4	169	1	153	1	14	82

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	1,485	490	753	94	148	106	43	60	2	1
2	Of cervix uteri----------171	378	...	307	...	71	21	...	21	...	-
3	Of other and unspecified parts of uterus----------172-174	251	...	200	...	51	15	...	15	...	-
4	Of ovary, fallopian tube, and broad ligament----------175	249	...	225	...	24	23	...	22	...	1
5	Of other and unspecified female genital organs----------176	23	...	21	...	2	2	...	2	...	-
6	Of prostate----------177	537	452	...	85	...	45	43	...	2	...
7	Of testis, and of other and unspecified male genital organs----178,179	47	38	...	9	...	-	-	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	370	216	116	25	13	36	30	5	1	-
9	Of kidney----------180	163	94	57	10	2	9	7	2	-	-
10	Of bladder and other urinary organs----------181	207	122	59	15	11	27	23	3	1	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	1,480	721	577	81	101	88	48	40	-	-
12	Of skin----------190,191	264	153	101	4	6	8	6	2	-	-
13	Of eye----------192	24	9	13	2	-	1	1	-	-	-
14	Of brain and other parts of nervous system----------193	216	128	74	2	12	23	13	10	-	-
15	Of thyroid gland----------194	29	9	13	4	3	2	1	1	-	-
16	Of bone (including jaw bone)----------196	89	52	29	6	2	4	3	1	-	-
17	Of connective tissue----------197	34	12	19	1	2	4	3	1	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	251	106	103	16	26	10	4	6	-	-
19	Of unspecified sites----------156B,165,198B,199B-M	573	252	225	46	50	36	17	19	-	-
20	Leukemia and aleukemia----------204	498	246	205	27	20	39	20	18	-	1
21	Lymphosarcoma, etc.*----------200-203,205	408	236	135	29	8	39	28	10	-	1
22	Lymphosarcoma and reticulosarcoma----------200	185	109	64	8	4	17	11	6	-	-
23	Hodgkin's disease----------201	113	66	39	6	2	13	10	2	-	1
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	110	61	32	15	2	9	7	2	-	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	292	114	125	15	38	12	4	7	-	1
26	Benign neoplasms of female genital organs----------214-217	48	...	31	...	17	3	...	2	...	1
27	Benign neoplasm of brain and other parts of nervous system---------223	33	12	14	4	3	3	1	2	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	38	19	17	-	2	1	1	-	-	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	124	62	46	8	8	1	1	-	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	49	21	17	3	8	4	1	3	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	1.342	572	556	79	135	124	51	71	1	1
33	Asthma----------241	254	167	63	15	9	22	14	8	-	-
34	Nontoxic goiter----------250,251	1	1	-	-	-	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----------252	22	5	10	2	5	5	-	5	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	19	4	7	2	6	1	-	1	-	-
37	Diabetes mellitus----------260	869	328	390	47	104	89	33	56	-	-
38	Diseases of thymus gland----------273	32	15	9	4	4	-	-	-	-	-
39	Diseases of adrenal glands----------274	18	4	10	3	1	-	-	-	-	-
40	Pellagra----------281	10	2	6	2	-	1	-	-	1	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	83	30	44	3	6	3	2	-	-	1
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	34	16	17	1	-	3	2	1	-	-
43	IV. Diseases of the blood and blood-forming organs----------	245	92	112	16	25	20	13	5	1	1
44	Anemias----------290-293	168	60	73	14	21	16	10	4	1	1
45	Pernicious and other hyperchromic anemias----------290	33	11	18	2	2	6	2	4	-	-
46	Anemias of other and unspecified type----------291-293	135	49	55	12	19	10	8	-	1	1
47	Purpura and other hemorrhagic conditions----------296	30	13	16	-	1	2	1	1	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	47	19	23	2	3	2	2	-	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	122	77	25	14	6	11	9	2	-	-
50	Senile psychosis----------304	21	12	7	1	1	1	1	-	-	-
51	Alcoholic psychosis----------307	3	2	-	1	-	-	-	-	-	-
52	Other psychoses----------300-303,305,306,308,309	16	6	6	2	2	4	3	1	-	-
53	Alcoholism----------322	77	55	11	8	3	5	4	1	-	-
54	Mental deficiency----------325	3	2	1	-	-	1	1	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	2	-	-	2	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	7,737	3,224	3,041	703	769	521	255	257	5	4
57	Vascular lesions affecting central nervous system----------330-334	7,088	2.933	2,800	632	723	467	227	232	5	3
58	Subarachnoid hemorrhage----------330	201	87	86	17	11	10	5	5	-	-
59	Cerebral hemorrhage----------331	4,810	1,950	1,888	446	526	311	154	150	5	2
60	Cerebral embolism and thrombosis----------332	1,141	534	483	67	57	111	51	59	-	1
61	Other vascular lesions affecting central nervous system--------333,334	936	362	343	102	129	35	17	18	-	-
62	Meningitis, except meningococcal and tuberculous----------340	118	53	32	21	12	8	4	4	-	-
63	Multiple sclerosis----------345	32	16	13	-	3	4	2	2	-	-
64	Paralysis agitans----------350	80	36	40	3	1	5	2	3	-	-
65	Cerebral spastic infantile paralysis----------351	21	11	6	1	3	5	1	4	-	-
66	Epilepsy----------353	79	36	26	15	2	3	2	1	-	-
67	Inflammatory diseases of eye----------370-379	1	-	-	1	-	-	-	-	-	-
68	Cataract----------385	2	1	1	-	-	-	-	-	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	20	10	9	1	-	4	3	1	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	296	128	114	29	25	25	14	10	-	1
72	VII. Diseases of the circulatory system----------	22,145	12,152	6,971	1,667	1,355	1,924	1,121	776	17	10
73	Rheumatic fever----------400-402	56	20	23	8	5	13	7	6	-	-
74	Diseases of heart----------410-443	20,115	11,269	6,164	1,491	1,191	1,775	1,041	710	16	8
75	Chronic rheumatic heart disease----------410-416	425	198	173	26	28	135	59	76	-	-
76	Diseases of mitral valve----------410	175	72	79	13	11	34	15	19	-	-
77	Diseases of aortic valve specified as rheumatic----------411	33	21	8	1	3	2	2	-	-	-
78	Diseases of tricuspid valve----------412	2	2	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	17	6	7	-	4	12	5	7	-	-
80	Other diseases of heart specified as rheumatic----------415,416	198	97	79	12	10	87	37	50	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
103	46	57	-	-	705	178	332	77	118	575	271	295	6	3	426	143	250	21	12	1
20	...	20	...	-	189	...	138	...	51	102	...	101	...	1	121	...	117	...	4	2
15	...	15	...	-	140	...	91	...	49	91	...	89	...	2	76	...	73	...	3	3
18	...	18	...	-	105	...	90	...	15	91	...	89	...	2	53	...	49	...	4	4
4	...	4	...	-	16	...	13	...	3	14	...	14	...	-	12	...	11	...	1	5
44	44	...	-	...	235	162	...	73	...	255	249	...	6	...	149	130	...	19	...	6
2	2	...	-	...	20	16	...	4	...	22	22	...	-	...	15	13	...	2	...	7
49	32	16	1	-	166	78	53	19	16	185	119	63	2	1	114	72	32	6	4	8
19	12	6	1	-	50	21	23	5	1	63	34	27	2	-	52	30	17	3	2	9
30	20	10	-	-	116	57	30	14	15	122	85	36	-	1	62	42	15	3	2	10
57	26	31	-	-	510	219	187	48	56	429	236	187	4	2	312	144	151	4	13	11
11	4	7	-	-	65	38	20	5	2	58	34	24	-	-	50	27	23	-	-	12
-	-	-	-	-	6	1	4	-	1	7	4	2	-	1	4	2	2	-	-	13
18	10	8	-	-	86	48	30	5	3	82	53	29	-	-	54	27	25	1	1	14
2	-	2	-	-	14	3	9	-	2	15	6	9	-	-	14	2	10	-	2	15
1	1	-	-	-	49	24	13	4	8	27	16	11	-	-	29	18	9	1	1	16
2	-	2	-	-	15	7	5	1	2	13	7	6	-	-	4	3	1	-	-	17
2	2	-	-	-	81	25	33	9	14	82	38	42	2	-	42	21	18	1	2	18
21	9	12	-	-	194	73	73	24	24	145	78	64	2	1	115	44	63	1	7	19
26	19	7	-	-	165	86	53	13	13	201	121	76	3	1	106	61	42	1	2	20
26	16	10	-	-	201	95	73	19	14	160	92	63	5	-	106	59	41	4	2	21
12	6	6	-	-	87	41	38	5	3	80	44	34	2	-	48	27	18	3	-	22
8	7	1	-	-	53	29	17	3	4	43	28	13	2	-	33	20	13	-	-	23
6	3	3	-	-	61	25	18	11	7	37	20	16	1	-	25	12	10	1	2	24
13	6	7	-	-	93	33	33	10	17	95	42	50	1	2	54	20	27	2	5	25
1	...	1	...	-	17	...	7	...	10	10	...	8	...	2	9	...	4	...	5	26
3	2	1	-	-	17	7	8	-	2	11	-	10	1	-	6	3	3	-	-	27
4	2	2	-	-	13	2	6	3	2	21	15	6	-	-	14	10	4	-	-	28
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	29
2	2	-	-	-	26	14	7	3	2	34	16	18	-	-	18	6	11	1	-	30
3	-	3	-	-	20	10	5	4	1	19	11	8	-	-	7	1	5	1	-	31
88	40	48	-	-	556	196	204	59	97	533	251	267	7	8	371	151	185	19	16	32
23	18	5	-	-	110	51	33	12	14	114	68	41	3	2	69	41	20	7	1	33
1	1	-	-	-	5	1	4	-	-	4	-	4	-	-	3	1	2	-	-	34
3	-	3	-	-	14	2	10	-	2	14	1	12	-	1	17	2	15	-	-	35
1	1	-	-	-	4	-	3	-	1	4	2	2	-	-	2	2	-	-	-	36
59	19	40	-	-	368	119	137	40	72	362	161	193	3	5	246	88	134	11	13	37
-	-	-	-	-	4	1	1	2	-	5	3	2	-	-	4	1	3	-	-	38
1	1	-	-	-	12	5	5	-	2	8	4	4	-	-	4	3	-	-	1	39
-	-	-	-	-	4	1	3	-	-	-	-	-	-	-	1	1	-	-	-	40
-	-	-	-	-	20	5	5	5	5	8	4	3	1	-	15	9	5	1	-	41
-	-	-	-	-	15	11	3	-	1	14	8	6	-	-	10	3	6	-	1	42
10	6	4	-	-	92	39	24	15	14	71	33	35	3	-	50	23	24	2	1	43
7	3	4	-	-	58	21	17	7	13	39	21	16	2	-	34	18	14	2	-	44
1	-	1	-	-	13	5	3	2	3	11	6	5	-	-	8	6	2	-	-	45
6	3	3	-	-	45	16	14	5	10	28	15	11	2	-	26	12	12	2	-	46
-	-	-	-	-	10	6	1	3	-	14	4	10	-	-	6	1	4	-	1	47
3	3	-	-	-	24	12	6	5	1	18	8	9	1	-	10	4	6	-	-	48
6	3	3	-	-	151	62	27	43	19	79	56	19	2	2	47	33	10	3	1	49
-	-	-	-	-	4	-	3	-	1	5	2	3	-	-	8	5	2	1	-	50
-	-	-	-	-	7	4	-	3	-	6	5	-	-	1	1	1	-	-	-	51
-	-	-	-	-	19	3	6	5	5	7	2	5	-	-	12	7	4	-	1	52
6	3	3	-	-	108	49	14	32	13	56	47	6	2	1	22	17	4	1	-	53
-	-	-	-	-	8	4	2	2	-	2	-	2	-	-	2	2	-	-	-	54
-	-	-	-	-	5	2	2	1	-	3	-	3	-	-	2	1	-	1	-	55
532	238	294	-	-	3,972	1,362	1,349	624	637	2,960	1,491	1,415	31	23	2,063	1,010	887	92	74	56
493	210	283	-	-	3,691	1,266	1,257	572	596	2,751	1,382	1,322	27	20	1,911	929	829	86	67	57
16	5	11	-	-	149	56	54	17	22	75	31	43	1	-	53	22	25	4	2	58
312	138	174	-	-	2,473	815	843	393	422	1,801	891	888	11	11	1,326	637	573	62	54	59
141	62	79	-	-	642	271	230	77	64	630	328	282	14	6	330	164	143	17	6	60
24	5	19	-	-	427	124	130	85	88	245	132	109	1	3	202	106	88	3	5	61
7	6	1	-	-	46	12	13	11	10	20	9	9	-	2	23	14	5	2	2	62
5	1	4	-	-	27	7	5	6	9	32	18	13	1	-	12	7	5	-	-	63
9	7	2	-	-	35	18	15	1	1	43	28	15	-	-	26	13	13	-	-	64
1	-	1	-	-	11	2	5	1	3	10	4	5	1	-	6	3	3	-	-	65
8	7	1	-	-	45	9	16	16	4	26	9	16	1	-	30	17	10	1	2	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	12	5	2	4	1	5	2	3	-	-	6	1	4	1	-	70
9	7	2	-	-	105	43	36	13	13	72	39	31	1	1	49	26	18	2	3	71
1,700	987	711	2	-	11,372	5,129	3,437	1,489	1,317	9,875	6,195	3,501	114	65	6,250	3,607	2,226	257	160	72
2	1	1	-	-	22	7	6	2	7	16	7	8	1	-	10	6	4	-	-	73
1,530	892	636	2	-	10,252	4,716	3,070	1,316	1,150	8,947	5,680	3,106	103	58	5,699	3,306	2,016	238	139	74
38	22	16	-	-	283	105	113	34	31	309	155	145	4	5	196	101	83	8	4	75
21	11	10	-	-	133	48	53	15	17	109	47	57	3	2	94	49	41	2	2	76
1	-	1	-	-	16	9	3	3	1	30	22	8	-	-	6	4	2	-	-	77
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	78
1	-	1	-	-	18	5	9	2	2	13	5	8	-	-	9	2	4	3	-	79
15	11	4	-	-	116	43	48	14	11	156	80	72	1	3	87	46	36	3	2	80

385053 O -56 -11

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	13,610	8,380	3,867	787	576	1,138	753	371	11	3
2	Arteriosclerotic heart disease so described----------420.0	2,964	1,587	1,113	153	111	405	222	176	5	2
3	Heart disease specified as involving coronary arteries----------420.1	10,557	6,752	2,732	615	458	732	531	194	6	1
4	Angina pectoris without mention of coronary disease----------420.2	89	41	22	19	7	1	-	1	-	-
5	Chronic endocarditis not specified as rheumatic----------421	184	75	59	31	19	27	16	11	-	-
6	Of mitral valve, specified as nonrheumatic----------421.0	26	9	12	2	3	-	-	-	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	48	26	8	9	5	5	4	1	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	110	40	39	20	11	22	12	10	-	-
9	Other myocardial degeneration----------422	1,715	810	666	120	119	183	88	91	2	2
10	With arteriosclerosis----------422.1	670	323	258	51	38	95	44	50	-	1
11	Without mention of arteriosclerosis----------422.0,422.2	1,045	487	408	69	81	88	44	41	2	1
12	Other diseases of heart----------430-434	1,705	886	442	233	144	62	37	22	1	2
13	Acute and subacute endocarditis----------430	30	18	5	2	5	2	1	1	-	-
14	Acute myocarditis not specified as rheumatic----------431	107	49	32	13	13	10	6	4	-	-
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	-	-	-	-	-
16	Functional disease of heart----------433	134	65	57	8	4	10	5	5	-	-
17	Other and unspecified diseases of heart----------434	1,434	754	348	210	122	40	25	12	1	2
18	Hypertension with heart disease----------440-443	2,476	920	957	294	305	230	88	139	2	1
19	Hypertensive heart disease with arteriolar nephrosclerosis---------442	593	268	180	81	64	68	28	39	1	-
20	Essential hypertension with heart disease, etc.*----------440,441,443	1,883	652	777	213	241	162	60	100	1	1
21	Hypertension without mention of heart----------444-447	511	187	188	65	71	20	12	8	-	-
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	190	88	65	19	18	8	7	1	-	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	321	99	123	46	53	12	5	7	-	-
24	Diseases of arteries----------450-456	1,267	583	516	92	76	101	54	44	1	2
25	General arteriosclerosis----------450	1,023	448	440	73	62	71	35	35	1	-
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	114	85	20	6	3	20	15	5	-	-
27	Gangrene of unspecified cause----------455	21	12	4	3	2	-	-	-	-	-
28	Other arterial diseases----------452-454,456	109	38	52	10	9	10	4	4	-	2
29	Diseases of veins and other diseases of circulatory system-------460-468	196	93	80	11	12	15	7	8	-	-
30	VIII. Diseases of the respiratory system----------	3,040	1,381	1,072	334	253	198	106	85	3	4
31	Acute upper respiratory infections----------470-475	56	24	15	11	6	9	4	5	-	-
32	Influenza----------480-483	226	91	85	30	20	4	2	2	-	-
33	Pneumonia, except pneumonia of newborn----------490-493	1,977	827	726	235	189	101	42	52	3	4
34	Lobar pneumonia----------490	482	214	163	68	37	30	8	19	2	1
35	Bronchopneumonia----------491	770	336	295	66	73	35	15	19	-	1
36	Primary atypical pneumonia----------492	122	46	50	14	12	9	4	4	1	-
37	Pneumonia, other and unspecified----------493	603	231	218	87	67	27	15	10	-	2
38	Acute bronchitis----------500	38	16	16	4	2	4	2	2	-	-
39	Bronchitis, chronic and unqualified----------501,502	101	51	45	2	3	16	10	6	-	-
40	Hypertrophy of tonsils and adenoids----------510	17	5	7	5	-	3	-	3	-	-
41	Empyema and abscess of lung----------518,521	41	16	11	9	5	3	2	1	-	-
42	Pleurisy----------519	6	4	3	1	-	-	-	-	-	-
43	All other respiratory diseases----------Residual[1]	576	347	164	37	28	58	44	14	-	-
44	IX. Diseases of the digestive system----------	2,926	1,457	1,021	243	205	223	131	86	2	4
45	Diseases of teeth and supporting structures----------530-535	10	3	6	1	-	-	-	-	-	-
46	Ulcer of stomach----------540	158	115	26	15	2	17	10	6	-	1
47	Ulcer of duodenum----------541	144	108	25	9	2	17	15	2	-	-
48	Gastritis and duodenitis----------543	17	9	4	3	1	-	-	-	-	-
49	Appendicitis----------550-553	108	47	32	16	13	12	10	2	-	-
50	Hernia and intestinal obstruction----------560,561,570	384	161	147	37	39	44	28	16	-	-
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	888	376	360	80	72	23	11	8	1	3
52	Cirrhosis of liver----------581	613	384	166	42	21	45	29	16	-	-
53	Without mention of alcoholism----------581.0	495	308	135	34	18	30	19	11	-	-
54	With alcoholism----------581.1	118	76	31	8	3	15	10	5	-	-
55	Cholelithiasis and cholecystitis----------584,585	206	73	122	3	6	24	8	15	1	-
56	Other diseases of digestive system----------Residual[1]	398	181	133	37	47	41	20	21	-	-
57	X. Diseases of the genito-urinary system----------	1,702	758	516	247	181	112	77	31	3	1
58	Nephritis and nephrosis----------580-584	988	370	350	131	137	79	52	24	2	1
59	Acute nephritis----------580	109	35	45	18	11	9	8	1	-	-
60	Nephritis with edema, including nephrosis----------581	53	20	16	8	9	7	6	1	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	826	315	289	105	117	63	38	22	2	1
62	Infections of kidney----------600	204	82	83	20	19	9	5	4	-	-
63	Calculi of urinary system----------602,604	59	25	32	1	1	1	-	1	-	-
64	Other diseases of urinary system----------601,603,605-609	78	31	15	27	5	4	2	2	-	-
65	Hyperplasia of prostate----------610	280	228	...	52	...	18	17	...	1	...
66	Other diseases of male genital organs----------611-617	38	22	...	16	...	1	1	...	-	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	55	...	36	...	19	-	...	-	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	136	...	91	...	45	6	...	6	...	-
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	10	...	5	...	5	-	...	-	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	51	...	34	...	17	1	...	1	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	25	...	17	...	8	1	...	1	...	-
73	Ectopic pregnancy----------645	11	...	9	...	2	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----------650	7	...	3	...	4	-	...	-	...	-
75	Abortion with sepsis----------651	11	...	8	...	3	2	...	2	...	-
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	21	...	15	...	6	2	...	2	...	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,122	694	426	2	-	6,259	3,407	1,736	639	477	6,628	4,500	2,032	65	31	3,653	2,324	1,133	135	61	1
499	272	226	1	-	2,117	975	707	243	192	2,125	1,289	807	17	12	1,129	608	436	59	26	2
618	419	198	1	-	4,105	2,413	1,019	393	280	4,490	3,202	1,221	48	19	2,500	1,697	692	76	35	3
5	3	2	-	-	37	19	10	3	5	13	9	4	-	-	24	19	5	-	-	4
20	10	10	-	-	163	59	41	34	29	114	73	40	1	-	110	56	45	6	3	5
2	1	1	-	-	12	5	3	2	2	9	5	4	-	-	8	2	5	1	-	6
1	1	-	-	-	43	18	10	8	7	48	35	13	-	-	19	12	6	1	-	7
17	8	9	-	-	108	36	28	24	20	57	33	23	1	-	83	42	34	4	3	8
174	90	84	-	-	1,220	412	461	173	174	663	360	294	6	3	574	274	259	21	20	9
96	54	42	-	-	633	221	261	79	72	312	179	130	1	2	297	143	128	14	12	10
78	36	42	-	-	587	191	200	94	102	351	181	164	5	1	277	131	131	7	8	11
30	17	13	-	-	428	176	119	64	69	360	208	139	9	4	307	176	112	12	7	12
-	-	-	-	-	17	9	1	2	5	14	9	4	1	-	8	3	3	1	1	13
4	-	4	-	-	23	9	1	4	9	18	8	8	1	1	7	2	5	-	-	14
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	15
3	2	1	-	-	50	26	18	-	6	61	32	28	1	-	29	13	13	1	2	16
23	15	8	-	-	338	132	99	58	49	266	158	99	6	3	262	157	91	10	4	17
146	59	87	-	-	1,899	557	600	372	370	873	384	456	18	15	859	375	384	56	44	18
43	16	27	-	-	680	221	215	131	113	290	144	134	8	4	240	107	102	21	10	19
103	43	60	-	-	1,219	336	385	241	257	583	240	322	10	11	619	268	282	35	34	20
37	19	18	-	-	257	75	74	50	58	135	64	68	3	-	135	59	52	9	15	21
28	15	13	-	-	136	47	38	26	25	57	38	16	3	-	74	32	29	7	6	22
9	4	5	-	-	121	28	36	24	33	78	26	52	-	-	61	27	23	2	9	23
114	68	46	-	-	746	289	258	109	90	712	396	302	7	7	365	213	138	10	4	24
105	60	45	-	-	613	215	227	89	82	595	319	269	4	3	303	170	121	8	4	25
8	7	1	-	-	84	51	16	12	5	78	55	21	2	-	32	23	7	2	-	26
-	-	-	-	-	4	3	1	-	-	6	2	4	-	-	6	4	2	-	-	27
1	1	-	-	-	45	20	14	8	3	33	20	8	1	4	24	16	8	-	-	28
17	7	10	-	-	95	42	29	12	12	65	48	17	-	-	41	23	16	-	2	29
165	99	64	2	-	1,237	433	335	267	202	915	530	339	25	21	746	414	278	40	14	30
1	-	1	-	-	15	6	2	4	3	19	12	5	-	2	12	4	4	4	-	31
5	3	2	-	-	88	23	31	17	17	27	11	15	-	1	52	30	18	2	2	32
104	57	46	1	-	795	247	212	189	147	605	321	247	21	16	483	250	201	21	11	33
24	13	10	1	-	206	70	39	59	38	127	75	48	3	1	143	72	57	9	5	34
52	31	21	-	-	395	117	116	84	78	312	154	136	11	11	219	108	99	9	3	35
11	4	7	-	-	58	20	18	12	8	104	62	38	2	2	36	20	13	2	1	36
17	9	8	-	-	136	40	39	34	23	62	30	25	5	2	85	50	32	1	2	37
3	2	1	-	-	17	6	5	1	5	14	7	7	-	-	7	4	3	-	-	38
4	1	3	-	-	37	22	7	5	3	23	17	6	-	-	25	14	11	-	-	39
2	1	1	-	-	4	1	2	1	-	2	1	1	-	-	4	2	2	-	-	40
2	1	-	1	-	16	8	2	6	-	7	4	3	-	-	3	1	2	-	-	41
-	-	-	-	-	6	3	1	1	1	1	1	-	-	-	3	2	1	-	-	42
44	34	10	-	-	259	117	73	43	26	217	156	55	4	2	157	107	36	13	1	43
159	88	71	-	-	986	414	294	156	122	804	457	309	26	12	563	336	197	16	14	44
1	1	-	-	-	4	3	-	-	1	1	-	1	-	-	-	-	-	-	-	45
14	11	3	-	-	77	36	18	17	6	87	60	22	4	1	46	33	12	1	-	46
17	10	7	-	-	59	40	9	6	4	80	62	17	1	-	45	34	7	4	-	47
1	-	1	-	-	12	4	4	2	2	4	4	-	-	-	2	1	-	-	1	48
5	2	3	-	-	42	17	12	8	5	26	19	7	-	-	18	14	2	1	1	49
29	14	15	-	-	177	62	64	29	22	125	66	56	2	1	91	54	30	3	4	50
18	8	10	-	-	175	47	39	46	43	77	42	26	8	1	89	51	35	1	2	51
38	24	14	-	-	204	112	54	23	15	199	106	85	5	3	126	86	36	3	1	52
33	22	11	-	-	149	81	44	17	7	155	80	72	2	1	113	74	35	3	1	53
5	2	3	-	-	55	31	10	6	8	44	26	13	3	2	13	12	1	-	-	54
16	7	9	-	-	77	24	46	3	4	73	23	45	3	2	56	20	35	-	1	55
20	11	9	-	-	159	69	48	22	20	132	75	50	3	4	90	43	40	3	4	56
84	55	29	-	-	744	265	180	182	117	436	285	130	12	9	417	240	146	15	16	57
36	15	21	-	-	442	119	115	115	93	215	123	82	5	5	249	135	99	7	8	58
3	-	3	-	-	33	9	4	9	11	17	11	6	-	-	22	14	6	1	1	59
3	1	2	-	-	25	5	12	5	3	20	14	5	1	-	8	3	5	-	-	60
30	14	16	-	-	384	105	99	101	79	178	98	71	4	5	219	118	88	6	7	61
12	8	4	-	-	118	42	42	19	15	56	24	26	3	3	49	14	29	2	4	62
7	6	1	-	-	25	16	7	2	-	15	8	6	-	1	18	10	7	-	1	63
6	4	2	-	-	36	13	6	14	3	29	22	6	1	-	22	14	4	4	-	64
21	21	...	-	...	97	67	...	30	...	101	98	...	3	...	61	59	...	2	...	65
1	1	...	-	...	10	8	...	2	...	8	8	...	-	...	8	8	...	-	...	66
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	67
1	...	1	...	-	16	...	10	...	6	10	...	10	...	-	10	...	7	...	3	68
-	...	-	...	-	59	...	28	...	31	27	...	21	...	6	24	...	20	...	4	69
-	...	-	...	-	4	...	3	...	1	2	...	2	...	-	3	...	3	...	-	70
-	...	-	...	-	17	...	7	...	10	6	...	5	...	1	7	...	7	...	-	71
-	...	-	...	-	10	...	4	...	6	3	...	3	...	-	5	...	4	...	1	72
-	...	-	...	-	4	...	2	...	2	3	...	1	...	2	1	...	-	...	1	73
-	...	-	...	-	4	...	3	...	1	1	...	1	...	-	-	...	-	...	-	74
-	...	-	...	-	8	...	2	...	6	3	...	1	...	2	1	...	1	...	-	75
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	76
-	...	-	...	-	11	...	6	...	5	9	...	8	...	1	7	...	5	...	2	77

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	64	19	34	7	4	4	2	2	-	-
2	Infections of skin and subcutaneous tissue---690-698	18	7	6	3	2	3	2	1	-	-
3	Other diseases of skin and subcutaneous tissue---700-716	46	12	28	4	2	1	-	1	-	-
4	XIII. Diseases of the bones and organs of movement	144	51	77	6	10	8	4	4	-	-
5	Arthritis and spondylitis---720-725	81	24	51	2	4	3	2	1	-	-
6	Muscular rheumatism and rheumatism, unspecified---726,727	2	-	1	1	-	-	-	-	-	-
7	Osteomyelitis and periostitis---730	11	4	4	2	1	-	-	-	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	7	1	6	-	-	1	-	1	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	43	22	15	1	5	4	2	2	-	-
10	XIV. Congenital malformations	1,069	521	440	54	54	111	62	48	1	-
11	Spina bifida and meningocele---751	97	39	53	4	1	6	3	3	-	-
12	Congenital hydrocephalus, etc.*---752,753	106	42	55	1	8	12	6	6	-	-
13	Congenital malformations of circulatory system---754	495	262	180	25	28	58	32	26	-	-
14	Other congenital malformations---750,755-759	371	178	152	24	17	35	21	13	1	-
15	XV. Certain diseases of early infancy	4,094	1,962	1,364	423	345	285	165	111	5	4
16	Birth injuries---760,761	633	332	211	47	43	55	30	22	2	1
17	Postnatal asphyxia and atelectasis---762	940	478	325	86	51	76	44	30	2	-
18	Infections of newborn---763-768	387	176	125	45	41	12	6	6	-	-
19	Hemolytic disease of newborn (erythroblastosis)---770	121	59	51	6	5	20	13	7	-	-
20	All other defined diseases of early infancy---769,771,772	191	78	59	39	15	8	5	3	-	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	1,822	839	593	200	190	114	67	43	1	3
22	XVI. Symptoms, senility, and ill-defined conditions	1,937	889	530	301	217	312	207	96	7	2
23	Senility without mention of psychosis---794	461	156	203	45	57	67	37	28	2	-
24	Symptoms, ill-defined and unknown causes---780-793,795	1,476	733	327	256	160	245	170	68	5	2
25	XVII. Accidents, poisonings, and violence	6,832	4,144	1,528	866	294	538	386	137	10	5
26	Accidents---E800-E962	5,397	3,329	1,298	553	217	465	330	126	6	3
27	Railway accidents---E800-E802	76	52	5	17	2	3	3	-	-	-
28	Motor-vehicle accidents---E810-E835	2,520	1,685	538	236	61	211	156	50	3	2
29	Motor-vehicle traffic accidents---E810-E825	2,445	1,635	516	234	60	206	151	50	3	2
30	Motor-vehicle traffic accident with railway train*---E810	85	51	25	6	3	9	9	-	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	389	255	81	41	12	43	28	14	1	-
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	1,222	769	294	107	32	88	63	23	1	1
33	Motor-vehicle noncollision traffic accidents---E820-E824	645	460	97	77	11	60	46	12	1	1
34	Motor-vehicle traffic accident of unspecified nature---E825	104	80	19	3	2	6	5	1	-	-
35	Motor-vehicle nontraffic accidents---E830-E835	75	50	22	2	1	5	5	-	-	-
36	Other road-vehicle accidents---E840-E845	23	13	5	4	1	3	1	1	1	-
37	Water-transport accidents---E850-E858	58	47	5	6	-	3	3	-	-	-
38	Aircraft accidents---E860-E866	128	124	3	1	-	17	14	3	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	75	31	26	11	7	7	4	3	-	-
40	Accidental poisoning by gases and vapors---E890-E895	38	24	11	2	1	2	2	-	-	-
41	Accidental falls---E900-E904	653	294	305	36	18	70	25	44	-	1
42	Fall from one level to another---E900-E902	193	116	58	14	5	32	16	15	-	1
43	Fall on same level---E903	104	40	54	5	5	22	5	17	-	-
44	Unspecified falls---E904	356	138	193	17	8	16	4	12	-	-
45	Blow from falling object---E910	53	38	2	13	-	11	10	1	-	-
46	Accident caused by machinery---E912	115	97	5	13	-	9	9	-	-	-
47	Accident caused by electric current---E914	84	68	10	6	-	12	11	1	-	-
48	Accident caused by fire and explosion, etc.*---E916	402	139	135	59	69	13	9	4	-	-
49	Accident caused by hot substance, etc.*---E917,E918	37	20	9	4	4	1	-	1	-	-
50	Accident caused by firearm---E919	178	128	22	22	6	35	33	1	1	-
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	102	38	40	8	16	5	3	1	1	-
52	Accidental drowning---E929	391	275	56	53	7	20	15	5	-	-
53	Excessive heat and insolation---E931	95	60	15	14	6	1	-	1	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	33	15	11	2	5	4	2	2	-	-
55	All other accidents---Residual[1]	336	181	95	46	14	38	30	8	-	-
56	Suicide---E963,E970-E979	717	531	161	18	7	57	48	7	2	-
57	Suicide by poisoning---E970-E973	116	60	53	1	2	11	8	2	1	-
58	Suicide by hanging and strangulation---E974	70	46	22	-	2	9	7	1	1	-
59	Suicide by firearms and explosives---E976	478	384	77	15	2	34	31	3	-	-
60	Suicide by all other means---E963,E975,E977-E979	53	41	9	2	1	3	2	1	-	-
61	Homicide---E964,E980-E985	718	284	69	295	70	16	8	4	2	2
62	Assault by firearms and explosives---E981	435	187	52	170	26	10	5	2	1	2
63	Assault by cutting and piercing instruments---E982	174	46	5	96	27	2	1	-	1	-
64	Assault by other means---E964,E980,E983	95	45	12	21	17	4	2	2	-	-
65	Injury by intervention of police---E984	7	3	-	4	-	-	-	-	-	-
66	Execution---E985	7	3	-	4	-	-	-	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8	6	2	-	-	35	14	14	3	4	21	9	11	-	1	18	7	9	1	1	1
5	3	2	-	-	5	1	2	2	-	8	3	5	-	-	8	2	5	-	1	2
3	3	-	-	-	30	13	12	1	4	13	6	6	-	1	10	5	4	1	-	3
6	3	3	-	-	68	21	28	10	9	46	27	19	-	-	32	9	22	1	-	4
2	-	2	-	-	42	11	19	8	4	26	14	12	-	-	20	4	16	-	-	5
-	-	-	-	-	2	-	-	-	2	2	1	1	-	-	-	-	-	-	-	6
-	-	-	-	-	4	2	1	-	1	2	2	-	-	-	1	1	-	-	-	7
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	8
4	3	1	-	-	19	7	8	2	2	15	10	5	-	-	11	4	6	1	-	9
56	27	29	-	-	471	207	160	61	43	349	199	134	12	4	238	125	102	8	3	10
6	2	4	-	-	42	22	16	1	3	10	3	7	-	-	26	14	12	-	-	11
9	2	7	-	-	71	32	27	9	3	51	29	20	2	-	28	12	15	1	-	12
23	15	8	-	-	202	87	62	32	21	169	96	63	6	4	110	58	46	3	3	13
18	8	10	-	-	156	66	55	19	16	119	71	44	4	-	74	41	29	4	-	14
145	80	65	-	-	1,766	691	413	352	310	914	453	394	48	29	784	404	306	45	29	15
40	25	15	-	-	273	121	72	39	41	173	98	65	5	5	141	80	54	4	3	16
43	23	20	-	-	499	218	113	94	74	281	139	112	20	10	208	108	84	10	6	17
13	8	5	-	-	157	54	29	36	38	40	20	16	2	2	62	27	28	6	1	18
7	3	4	-	-	47	23	12	9	3	48	22	26	-	-	37	23	14	-	-	19
3	1	2	-	-	66	22	11	22	11	16	7	6	3	-	23	13	7	1	2	20
39	20	19	-	-	724	253	176	152	143	356	167	159	18	12	313	153	119	24	17	21
81	55	26	-	-	307	103	90	62	52	230	117	103	7	3	343	181	130	20	12	22
6	2	4	-	-	90	24	42	12	12	65	28	36	-	1	95	48	41	3	3	23
75	53	22	-	-	217	79	48	50	40	165	89	67	7	2	248	133	89	17	9	24
267	186	81	-	-	2,703	1,415	511	570	207	1,946	1,318	522	80	26	1,459	1,024	329	80	26	25
190	128	62	-	-	2,018	1,065	416	383	154	1,438	950	413	54	21	1,165	815	276	56	18	26
1	1	-	-	-	30	26	-	4	-	24	21	-	3	-	38	29	4	4	1	27
54	34	20	-	-	775	459	113	157	46	488	316	143	16	13	374	280	77	14	3	28
53	34	19	-	-	755	442	111	156	46	471	299	143	16	13	369	275	77	14	3	29
2	1	1	-	-	23	14	9	-	-	17	11	4	2	-	10	9	1	-	-	30
11	2	9	-	-	169	78	24	51	16	119	74	41	4	-	94	73	19	-	2	31
3	2	1	-	-	154	83	30	25	16	161	97	54	4	6	59	44	14	1	-	32
17	14	3	-	-	163	106	16	35	6	128	87	32	4	5	66	54	10	2	-	33
20	15	5	-	-	246	161	32	45	8	46	30	12	2	2	140	95	33	11	1	34
1	-	1	-	-	20	17	2	1	-	17	17	-	-	-	5	5	-	-	-	35
2	1	1	-	-	5	3	-	2	-	9	6	3	-	-	4	4	-	-	-	36
8	8	-	-	-	37	26	1	10	-	44	37	1	6	-	11	10	1	-	-	37
1	1	-	-	-	32	30	1	1	-	44	41	3	-	-	11	10	1	-	-	38
2	2	-	-	-	32	16	9	5	2	28	16	9	3	-	14	9	5	-	-	39
-	-	-	-	-	9	5	4	-	-	28	18	8	2	-	21	16	5	-	-	40
50	20	30	-	-	343	148	155	24	16	291	157	130	3	1	208	97	106	2	3	41
16	10	6	-	-	112	63	29	16	4	90	57	30	2	1	50	32	17	1	-	42
14	3	11	-	-	72	31	40	-	1	49	15	33	1	-	24	11	13	-	-	43
20	7	13	-	-	159	54	86	8	11	152	85	67	-	-	134	54	76	1	3	44
3	3	-	-	-	44	34	1	8	1	29	28	1	-	-	85	79	1	5	-	45
11	10	1	-	-	41	31	2	8	-	29	25	4	-	-	29	27	1	1	-	46
1	-	1	-	-	18	14	1	3	-	16	16	-	-	-	16	14	2	-	-	47
16	13	3	-	-	203	55	43	50	55	84	45	32	3	4	83	45	30	6	2	48
1	1	-	-	-	25	12	8	4	1	12	5	6	1	-	13	5	5	1	2	49
7	6	1	-	-	58	40	4	13	1	32	28	4	-	-	57	50	2	5	-	50
2	-	2	-	-	51	16	18	12	5	41	23	15	1	2	15	7	5	2	1	51
13	10	3	-	-	134	74	16	41	3	105	74	20	10	1	74	61	9	4	-	52
-	-	-	-	-	8	-	3	4	1	-	-	-	-	-	2	1	-	1	-	53
-	-	-	-	-	15	6	7	-	2	17	3	13	1	-	5	1	3	-	1	54
18	18	-	-	-	158	70	30	37	21	117	91	21	5	-	105	70	19	11	5	55
71	56	15	-	-	371	274	64	26	7	423	329	81	9	4	201	161	37	2	1	56
13	9	4	-	-	48	33	14	-	1	141	101	39	1	-	19	14	5	-	-	57
15	15	-	-	-	44	28	12	3	1	60	41	15	2	2	32	21	10	-	1	58
38	32	6	-	-	249	194	31	21	3	165	145	14	6	-	124	106	17	1	-	59
5	-	5	-	-	30	19	7	2	2	57	42	13	-	2	26	20	5	1	-	60
6	2	4	-	-	314	76	31	161	46	85	39	28	17	1	93	48	16	22	7	61
5	1	4	-	-	175	48	21	90	16	37	19	13	4	1	66	35	13	12	6	62
-	-	-	-	-	64	4	1	44	15	14	5	1	8	-	11	3	-	7	1	63
-	-	-	-	-	67	22	9	21	15	31	13	14	4	-	14	9	3	2	-	64
-	-	-	-	-	8	2	-	6	-	3	2	-	1	-	1	1	-	-	-	65
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	33,774	19,120	14,144	294	216	2,419	1,516	826	52	25
2	I. Infective and parasitic diseases	429	260	133	23	13	57	36	19	1	1
3	Tuberculosis, all forms 001-019	215	144	52	15	4	14	11	3	-	-
4	Tuberculosis of respiratory system 001-008	195	133	45	13	4	14	11	3	-	-
5	Tuberculosis of meninges and central nervous system 010	4	-	3	1	-	-	-	-	-	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	-	-	-	-	-	-	-	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	3	2	1	-	-	-	-	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	1	1	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	7	5	2	-	-	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	2	1	-	1	-	-	-	-	-	-
11	Disseminated tuberculosis 019	3	2	1	-	-	-	-	-	-	-
12	Syphilis and its sequelae 020-029	57	36	17	3	1	12	10	2	-	-
13	Congenital syphilis 020	1	-	-	1	-	-	-	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	18	13	4	1	-	5	5	-	-	-
16	Other cardiovascular syphilis 023	28	18	9	-	1	2	2	-	-	-
17	Tabes dorsalis 024	3	2	1	-	-	-	-	-	-	-
18	General paralysis of insane 025	4	2	1	1	-	5	3	2	-	-
19	Other syphilis of central nervous system 026	2	1	1	-	-	-	-	-	-	-
20	Other syphilis 027-029	1	-	1	-	-	-	-	-	-	-
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	1	1	-	-	-	1	-	1	-	-
23	Paratyphoid fever 041	1	-	1	-	-	-	-	-	-	-
24	Other Salmonella infections 042	2	-	2	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	1	1	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	8	2	1	3	2	1	-	-	1	-
28	Food poisoning (infection and intoxication) 049	-	-	-	-	-	-	-	-	-	-
29	Scarlet fever 050	4	2	2	-	-	-	-	-	-	-
30	Streptococcal sore throat 051	10	7	3	-	-	-	-	-	-	-
31	Erysipelas 052	-	-	-	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	9	6	3	-	-	4	3	-	-	1
33	Diphtheria 055	-	-	-	-	-	-	-	-	-	-
34	Whooping cough 056	3	2	-	-	1	-	-	-	-	-
35	Meningococcal infections 057	20	9	8	2	1	1	1	-	-	-
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	4	2	2	-	-	-	-	-	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	41	24	17	-	-	14	6	8	-	-
42	Late effects of acute poliomyelitis 081	3	1	2	-	-	1	1	-	-	-
43	Acute infectious encephalitis 082	7	2	5	-	-	1	1	-	-	-
44	Late effects of acute infectious encephalitis 083	-	-	-	-	-	1	-	1	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	2	2	-	-	-	2	1	1	-	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	23	12	10	-	1	1	-	1	-	-
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	18	7	8	-	3	4	2	2	-	-
61	II. Neoplasms	5,792	2,965	2,759	33	35	318	184	129	2	3
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	5,710	2,935	2,707	33	35	304	179	120	2	3
63	Malignant neoplasm of buccal cavity and pharynx 140-148	142	112	26	3	1	3	2	1	-	-
64	Of lip 140	4	4	-	-	-	-	-	-	-	-
65	Of tongue 141	38	31	6	1	-	-	-	-	-	-
66	Of other and unspecified parts of buccal cavity 142-144	47	35	12	-	-	-	-	-	-	-
67	Of pharynx 145-148	53	42	8	2	1	3	2	1	-	-
68	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	2,294	1,266	1,008	10	10	106	58	45	1	2
69	Of esophagus 150	106	83	22	-	1	5	3	-	1	1
70	Of stomach 151	642	399	239	2	2	34	21	12	-	1
71	Of intestine, except rectum 152,153	631	300	326	2	3	34	15	19	-	-
72	Of rectum 154	307	196	110	1	-	4	1	3	-	-
73	Of biliary passages and of liver (stated to be primary site) 155	151	50	98	1	2	8	5	3	-	-
74	Of liver not specified whether primary or secondary 156A	112	53	57	2	-	8	4	4	-	-
75	Of pancreas 157	306	163	141	1	1	12	8	4	-	-
76	Of peritoneum and of unspecified digestive organs 158,159	39	22	15	1	1	1	1	-	-	-
77	Malignant neoplasm of respiratory system 160-164	450	358	81	9	2	43	38	5	-	-
78	Of larynx 161	31	27	2	2	-	1	1	-	-	-
79	Of trachea, and of bronchus and lung specified as primary 162	167	134	28	4	1	21	19	2	-	-
80	Of lung and bronchus, unspecified as primary or secondary 163	234	181	49	3	1	21	18	3	-	-
81	Of other parts of respiratory system 160,164	18	16	2	-	-	-	-	-	-	-
82	Malignant neoplasm of breast 170	544	5	531		8	22	-	21	-	1

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	893	359	520	4	10	45	26	19	-	-
2	Of cervix uteri----------171	197	...	191	...	6	9	...	9	...	-
3	Of other and unspecified parts of uterus----------172-174	117	...	116	...	1	6	...	6	...	-
4	Of ovary, fallopian tube, and broad ligament----------175	200	...	197	...	3	4	...	4	...	-
5	Of other and unspecified female genital organs----------176	16	...	16	...	-	-	...	-	...	-
6	Of prostate----------177	339	335	...	4	...	23	23	...	-	...
7	Of testis, and of other and unspecified male genital organs----178,179	24	24	...	-	...	3	3	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	300	212	87	1	-	23	12	10	1	-
9	Of kidney----------180	133	88	44	1	-	12	5	6	1	-
10	Of bladder and other urinary organs----------181	167	124	43	-	-	11	7	4	-	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	547	309	232	2	4	39	26	13	-	-
12	Of skin----------190,191	72	42	29	-	1	5	3	2	-	-
13	Of eye----------192	13	5	8	-	-	-	-	-	-	-
14	Of brain and other parts of nervous system----------193	143	92	50	-	1	7	4	3	-	-
15	Of thyroid gland----------194	27	11	15	-	1	1	1	-	-	-
16	Of bone (including jaw bone)----------196	45	27	17	-	1	3	3	-	-	-
17	Of connective tissue----------197	20	7	13	-	-	1	-	1	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	72	31	40	1	-	6	5	1	-	-
19	Of unspecified sites----------156B,165,198B,199B-M	155	94	60	1	-	16	10	6	-	-
20	Leukemia and aleukemia----------204	282	162	118	2	-	15	13	2	-	-
21	Lymphosarcoma, etc.*----------200-203,205	258	152	104	2	-	8	4	4	-	-
22	Lymphosarcoma and reticulosarcoma----------200	128	83	45	-	-	4	1	3	-	-
23	Hodgkin's disease----------201	64	35	29	-	-	1	1	-	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	66	34	30	2	-	3	2	1	-	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	82	30	52	-	-	14	5	9	-	-
26	Benign neoplasms of female genital organs----------214-217	22	...	22	...	-	5	...	5	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	18	6	12	-	-	2	2	-	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	15	10	5	-	-	1	1	-	-	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	15	9	6	-	-	5	2	3	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	12	5	7	-	-	1	-	1	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	900	384	510	4	2	47	25	20	2	-
33	Asthma----------241	144	83	59	2	-	17	11	6	-	-
34	Nontoxic goiter----------250,251	5	-	5	-	-	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----------252	36	8	28	-	-	-	-	-	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	3	1	2	-	-	1	1	-	-	-
37	Diabetes mellitus----------260	677	278	397	2	-	27	12	13	2	-
38	Diseases of thymus gland----------273	7	4	3	-	-	1	1	-	-	-
39	Diseases of adrenal glands----------274	13	5	7	-	1	-	-	-	-	-
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	5	3	2	-	-	-	-	-	-	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	10	2	7	-	1	1	-	1	-	-
43	IV. Diseases of the blood and blood-forming organs----------	136	77	56	1	2	12	7	5	-	-
44	Anemias----------290-293	93	48	42	1	2	10	5	5	-	-
45	Pernicious and other hyperchromic anemias----------290	54	25	28	-	1	4	4	-	-	-
46	Anemias of other and unspecified type----------291-293	39	23	14	1	1	6	1	5	-	-
47	Purpura and other hemorrhagic conditions----------296	17	13	4	-	-	1	1	-	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	26	16	10	-	-	1	1	-	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	78	55	22	-	1	9	5	1	3	-
50	Senile psychosis----------304	7	2	5	-	-	1	1	-	-	-
51	Alcoholic psychosis----------307	8	6	2	-	-	-	-	-	-	-
52	Other psychoses----------300-303,305,306,308,309	6	3	3	-	-	-	-	-	-	-
53	Alcoholism----------322	39	36	2	-	1	8	4	1	3	-
54	Mental deficiency----------325	16	8	8	-	-	-	-	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	2	-	2	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	4,486	2,266	2,173	19	28	259	120	134	2	3
57	Vascular lesions affecting central nervous system----------330-334	4,177	2,090	2,048	15	24	238	110	123	2	3
58	Subarachnoid hemorrhage----------330	84	45	39	-	-	7	3	4	-	-
59	Cerebral hemorrhage----------331	2,754	1,325	1,401	12	16	171	72	94	2	3
60	Cerebral embolism and thrombosis----------332	827	439	381	1	6	33	19	14	-	-
61	Other vascular lesions affecting central nervous system--------333,334	512	281	227	2	2	27	16	11	-	-
62	Meningitis, except meningococcal and tuberculous----------340	43	24	16	1	2	1	1	-	-	-
63	Multiple sclerosis----------345	34	16	18	-	-	5	3	2	-	-
64	Paralysis agitans----------350	63	37	26	-	-	5	2	3	-	-
65	Cerebral spastic infantile paralysis----------351	21	8	11	-	2	1	-	1	-	-
66	Epilepsy----------353	56	38	17	1	-	4	1	3	-	-
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	1	-	1	-	-	-	-	-	-	-
69	Glaucoma----------387	1	-	1	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	11	6	3	2	-	-	-	-	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	79	47	32	-	-	5	3	2	-	-
72	VII. Diseases of the circulatory system----------	14,657	8,604	5,903	88	62	886	589	283	9	5
73	Rheumatic fever----------400-402	35	22	12	1	-	3	2	1	-	-
74	Diseases of heart----------410-443	13,355	7,949	5,270	79	57	820	547	260	8	5
75	Chronic rheumatic heart disease----------410-416	425	235	185	3	2	40	25	13	1	1
76	Diseases of mitral valve----------410	135	71	63	1	-	14	8	5	1	-
77	Diseases of aortic valve specified as rheumatic----------411	27	21	6	-	-	3	3	-	-	-
78	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	44	22	21	-	1	3	-	2	-	1
80	Other diseases of heart specified as rheumatic----------415,416	219	121	95	2	1	20	14	6	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

Table 51. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	9,256	5,916	3,253	52	35	515	369	139	4	3
2	Arteriosclerotic heart disease so described----------420.0	3,317	1,793	1,479	24	21	134	79	52	2	1
3	Heart disease specified as involving coronary arteries----------420.1	5,927	4,116	1,769	28	14	379	288	87	2	2
4	Angina pectoris without mention of coronary disease----------420.2	12	7	5	-	-	2	2	-	-	-
5	Chronic endocarditis not specified as rheumatic----------421	179	106	73	-	-	20	14	6	-	-
6	Of mitral valve, specified as nonrheumatic----------421.0	21	9	12	-	-	1	-	1	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	34	25	9	-	-	5	4	1	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	124	72	52	-	-	14	10	4	-	-
9	Other myocardial degeneration----------422	1,896	970	909	9	8	140	84	53	2	1
10	With arteriosclerosis----------422.1	1,155	587	557	8	3	41	20	20	1	-
11	Without mention of arteriosclerosis----------422.0,422.2	741	383	352	1	5	99	64	33	1	1
12	Other diseases of heart----------430-434	292	165	124	1	2	32	21	11	-	-
13	Acute and subacute endocarditis----------430	23	14	9	-	-	2	2	-	-	-
14	Acute myocarditis not specified as rheumatic----------431	21	12	9	-	-	2	1	1	-	-
15	Acute pericarditis specified as nonrheumatic----------432	1	-	1	-	-	-	-	-	-	-
16	Functional disease of heart----------433	56	26	30	-	-	2	2	-	-	-
17	Other and unspecified diseases of heart----------434	191	113	75	1	2	26	16	10	-	-
18	Hypertension with heart disease----------440-443	1,307	557	726	14	10	73	34	38	1	-
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	403	193	201	3	6	29	15	14	-	-
20	Essential hypertension with heart disease, etc.*----------440,441,443	904	364	525	11	4	44	19	24	1	-
21	Hypertension without mention of heart----------444-447	237	121	112	2	2	9	7	2	-	-
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	124	65	55	2	2	7	5	2	-	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	113	56	57	-	-	2	2	-	-	-
24	Diseases of arteries----------450-456	954	467	479	6	2	46	29	16	1	-
25	General arteriosclerosis----------450	825	390	432	1	2	33	19	14	-	-
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	74	50	19	5	-	7	5	1	1	-
27	Gangrene of unspecified cause----------455	3	-	3	-	-	-	-	-	-	-
28	Other arterial diseases----------452-454,456	52	27	25	-	-	6	5	1	-	-
29	Diseases of veins and other diseases of circulatory system--------460-468	76	45	30	-	1	8	4	4	-	-
30	VIII. Diseases of the respiratory system----------	949	564	360	17	8	114	71	28	9	6
31	Acute upper respiratory infections----------470-475	25	12	11	2	-	-	-	-	-	-
32	Influenza----------480-483	53	34	19	-	-	3	1	2	-	-
33	Pneumonia, except pneumonia of newborn----------490-493	625	347	257	13	8	81	46	22	8	5
34	Lobar pneumonia----------490	200	109	85	3	3	32	24	7	1	-
35	Bronchopneumonia----------491	345	196	137	8	4	28	12	8	5	3
36	Primary atypical pneumonia----------492	55	28	27	-	-	8	3	3	1	1
37	Pneumonia, other and unspecified----------493	25	14	8	2	1	13	7	4	1	1
38	Acute bronchitis----------500	24	13	11	-	-	2	1	1	-	-
39	Bronchitis, chronic and unqualified----------501,502	30	19	9	2	-	5	3	1	-	1
40	Hypertrophy of tonsils and adenoids----------510	7	5	2	-	-	-	-	-	-	-
41	Empyema and abscess of lung----------518,521	6	4	2	-	-	2	1	1	-	-
42	Pleurisy----------519	2	1	1	-	-	-	-	-	-	-
43	All other respiratory diseases----------Residual[1]	177	129	48	-	-	21	19	1	1	-
44	IX. Diseases of the digestive system----------	1,302	798	484	10	10	102	60	37	5	-
45	Diseases of teeth and supporting structures----------530-535	4	2	2	-	-	-	-	-	-	-
46	Ulcer of stomach----------540	110	84	24	1	1	17	13	4	-	-
47	Ulcer of duodenum----------541	112	101	10	1	-	13	11	1	1	-
48	Gastritis and duodenitis----------543	7	6	1	-	-	-	-	-	-	-
49	Appendicitis----------550-553	60	43	15	2	-	4	2	1	1	-
50	Hernia and intestinal obstruction----------560,561,570	201	106	94	-	1	17	8	9	-	-
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	126	59	61	2	4	10	3	4	3	-
52	Cirrhosis of liver----------581	324	222	96	3	3	18	11	7	-	-
53	Without mention of alcoholism----------581.0	262	176	82	3	1	14	8	6	-	-
54	With alcoholism----------581.1	62	46	14	-	2	4	3	1	-	-
55	Cholelithiasis and cholecystitis----------584,585	191	76	115	-	-	8	2	6	-	-
56	Other diseases of digestive system----------Residual[1]	167	99	66	1	1	15	10	5	-	-
57	X. Diseases of the genito-urinary system----------	699	472	212	7	8	55	35	19	1	-
58	Nephritis and nephrosis----------590-594	347	188	150	2	7	32	20	11	1	-
59	Acute nephritis----------590	16	8	7	1	-	2	1	1	-	-
60	Nephritis with edema, including nephrosis----------591	18	11	6	-	1	5	3	2	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	313	169	137	1	6	25	16	8	1	-
62	Infections of kidney----------600	79	50	27	2	-	4	1	3	-	-
63	Calculi of urinary system----------602,604	29	19	9	1	-	3	2	1	-	-
64	Other diseases of urinary system----------601,603,605-609	29	17	12	-	-	2	1	1	-	-
65	Hyperplasia of prostate----------610	185	183	...	2	...	10	10	...	-	...
66	Other diseases of male genital organs----------611-617	15	15	...	-	...	1	1	...	-	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	15	...	14	...	1	3	...	3	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	34	...	32	...	2	2	...	2	...	-
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	7	...	7	...	-	-	...	-	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	5	...	5	...	-	1	...	1	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	5	...	5	...	-	1	...	1	...	-
73	Ectopic pregnancy----------645	2	...	1	...	1	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----------650	2	...	2	...	-	-	...	-	...	-
75	Abortion with sepsis----------651	2	...	2	...	-	-	...	-	...	-
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	11	...	10	...	1	-	...	-	...	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

and Sex: United States and Each State, 1954—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	20	5	14	-	1	3	1	2	-	-
2	Infections of skin and subcutaneous tissue---690-698	4	-	4	-	-	2	-	2	-	-
3	Other diseases of skin and subcutaneous tissue---700-716	16	5	10	-	1	1	1	-	-	-
4	XIII. Diseases of the bones and organs of movement	67	27	38	1	1	5	3	2	-	-
5	Arthritis and spondylitis---720-725	34	11	22	1	-	3	1	2	-	-
6	Muscular rheumatism and rheumatism, unspecified---726,727	-	-	-	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis---730	4	3	1	-	-	-	-	-	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	5	3	2	-	-	-	-	-	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	24	10	13	-	1	2	2	-	-	-
10	XIV. Congenital malformations	520	261	252	2	5	51	31	20	-	-
11	Spina bifida and meningocele---751	41	17	24	-	-	3	-	3	-	-
12	Congenital hydrocephalus, etc.*---752,753	68	30	38	-	-	3	1	2	-	-
13	Congenital malformations of circulatory system---754	240	128	107	2	3	20	14	6	-	-
14	Other congenital malformations---750,755-759	171	86	83	-	2	25	16	9	-	-
15	XV. Certain diseases of early infancy	1,187	657	461	44	25	168	92	66	4	6
16	Birth injuries---760,761	289	158	123	7	1	28	18	8	1	1
17	Postnatal asphyxia and atelectasis---762	250	152	81	10	7	46	23	20	2	1
18	Infections of newborn---763-768	60	32	25	3	-	13	7	5	1	-
19	Hemolytic disease of newborn (erythroblastosis)---770	47	31	15	-	1	2	-	2	-	-
20	All other defined diseases of early infancy---769,771,772	19	9	9	-	1	6	4	2	-	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	522	275	208	24	15	73	40	29	-	4
22	XVI. Symptoms, senility, and ill-defined conditions	147	77	69	1	-	28	20	7	1	-
23	Senility without mention of psychosis---794	88	42	46	-	-	5	3	2	-	-
24	Symptoms, ill-defined and unknown causes---780-793,795	59	35	23	1	-	23	17	5	1	-
25	XVII. Accidents, poisonings, and violence	2,371	1,648	666	44	13	303	237	52	13	1
26	Accidents---E800-E962	1,914	1,295	572	37	10	252	197	43	11	1
27	Railway accidents---E800-E802	18	16	1	1	-	3	3	-	-	-
28	Motor-vehicle accidents---E810-E835	851	618	214	16	3	119	94	17	7	1
29	Motor-vehicle traffic accidents---E810-E825	827	600	208	16	3	116	92	16	7	1
30	Motor-vehicle traffic accident with railway train*---E810	42	34	7	1	-	4	3	1	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	132	92	35	5	-	11	8	3	-	-
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	235	169	64	1	1	31	26	3	2	-
33	Motor-vehicle noncollision traffic accidents---E820-E824	168	137	27	3	1	50	40	5	4	1
34	Motor-vehicle traffic accident of unspecified nature---E825	250	168	75	6	1	20	15	4	1	-
35	Motor-vehicle nontraffic accidents---E830-E835	24	18	6	-	-	3	2	1	-	-
36	Other road-vehicle accidents---E840-E845	6	4	2	-	-	2	1	-	1	-
37	Water-transport accidents---E850-E858	46	41	4	1	-	2	2	-	-	-
38	Aircraft accidents---E860-E866	25	24	1	-	-	6	6	-	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	21	13	7	-	1	2	-	2	-	-
40	Accidental poisoning by gases and vapors---E890-E895	22	16	6	-	-	8	6	2	-	-
41	Accidental falls---E900-E904	445	202	241	1	1	27	15	10	2	-
42	Fall from one level to another---E900-E902	146	95	50	1	-	5	3	1	1	-
43	Fall on same level---E903	130	46	84	-	-	6	4	2	-	-
44	Unspecified falls---E904	169	61	107	-	1	16	8	7	1	-
45	Blow from falling object---E910	24	21	2	1	-	4	4	-	-	-
46	Accident caused by machinery---E912	62	54	4	4	-	11	11	-	-	-
47	Accident caused by electric current---E914	19	18	1	-	-	3	3	-	-	-
48	Accident caused by fire and explosion, etc.*---E916	70	43	22	2	3	11	9	2	-	-
49	Accident caused by hot substance, etc.*---E917,E918	13	6	5	1	1	1	1	-	-	-
50	Accident caused by firearm---E919	30	28	2	-	-	17	16	1	-	-
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	33	19	14	-	-	3	2	1	-	-
52	Accidental drowning---E929	126	97	23	6	-	9	6	3	-	-
53	Excessive heat and insolation---E931	-	-	-	-	-	1	1	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	8	6	2	-	-	5	2	3	-	-
55	All other accidents---Residual[1]	95	69	21	4	1	18	15	2	1	-
56	Suicide---E963,E970-E979	418	334	81	3	-	44	36	8	-	-
57	Suicide by poisoning---E970-E973	64	41	23	-	-	9	8	1	-	-
58	Suicide by hanging and strangulation---E974	130	95	35	-	-	9	5	4	-	-
59	Suicide by firearms and explosives---E976	180	171	6	3	-	25	23	2	-	-
60	Suicide by all other means---E963,E975,E977-E979	44	27	17	-	-	1	-	1	-	-
61	Homicide---E964,E980-E985	39	19	13	4	3	7	4	1	2	-
62	Assault by firearms and explosives---E981	19	10	8	-	1	6	3	1	2	-
63	Assault by cutting and piercing instruments---E982	4	1	1	2	-	1	1	-	-	-
64	Assault by other means---E964,E980,E983	15	7	4	2	2	-	-	-	-	-
65	Injury by intervention of police---E984	-	-	-	-	-	-	-	-	-	-
66	Execution---E985	1	1	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 49.

[1]For category numbers, see table 49.

Table 52A. Deaths From 64 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Abbreviated List number[1]	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		ALL CAUSES	1,481,091	106,791	7,102	4,262	3,128	2,439	123,722	8,382	6,273	10,302
2		White--M--	750,099	47,727	2,922	1,827	1,390	1,126	54,992	4,145	3,330	5,914
3		F--	556,890	34,473	2,367	1,473	1,103	844	40,260	2,845	1,885	2,427
4		Nonwhite--M--	96,025	13,642	989	508	350	246	15,735	781	664	1,235
5		F--	78,077	10,949	824	454	285	223	12,735	611	394	726
6		Tuberculosis, all forms (001-019)	16,392	147	137	82	41	17	424	61	35	166
7		White--M--	8,811	50	23	21	15	6	115	19	12	24
8		F--	3,327	38	39	25	10	5	117	15	8	42
9		Nonwhite--M--	2,683	30	38	20	13	1	102	11	5	32
10		F--	1,571	29	37	16	3	5	90	16	10	68
11	B 1	Tuberculosis of respiratory system (001-008)	15,024	69	51	33	14	8	175	22	18	137
12		White--M--	8,268	22	5	6	6	3	42	7	6	21
13		F--	3,021	20	16	11	3	3	53	4	3	33
14		Nonwhite--M--	2,402	17	14	10	5	-	46	4	2	25
15		F--	1,333	10	16	6	-	2	34	7	7	58
16	B 2	Tuberculosis, other forms (010-019)	1,368	78	86	49	27	9	249	39	17	29
17		White--M--	543	28	18	15	9	3	73	12	6	3
18		F--	306	18	23	14	7	2	64	11	5	9
19		Nonwhite--M--	281	13	24	10	8	1	56	7	3	7
20		F--	238	19	21	10	3	3	56	9	3	10
21	B 3	Syphilis and its sequelae (020-029)	4,835	43	-	-	-	-	43	-	2	14
22		White--M--	2,414	3	-	-	-	-	3	-	1	2
23		F--	924	9	-	-	-	-	9	-	-	3
24		Nonwhite--M--	1,119	21	-	-	-	-	21	-	-	3
25		F--	478	10	-	-	-	-	10	-	1	6
26	B 4	Typhoid fever (040)	45	2	1	-	-	1	4	2	2	5
27		White--M--	13	1	-	-	-	-	1	-	-	1
28		F--	13	1	-	-	-	-	1	2	1	-
29		Nonwhite--M--	13	-	1	-	-	-	1	-	1	3
30		F--	6	-	-	-	-	1	1	-	-	1
31	B 6	Dysentery, all forms (045-048)	655	301	39	16	10	10	376	14	2	3
32		White--M--	212	88	11	5	5	5	114	1	1	2
33		F--	188	79	11	2	-	-	92	8	1	1
34		Nonwhite--M--	141	68	9	5	3	2	87	4	-	-
35		F--	114	66	8	4	2	3	83	1	-	-
36	B 7	Scarlet fever and streptococcal sore throat (050,051)	262	27	12	9	5	3	56	28	14	17
37		White--M--	112	10	5	4	3	-	22	13	6	6
38		F--	105	5	7	2	1	1	16	13	7	5
39		Nonwhite--M--	18	4	-	1	1	1	7	-	1	3
40		F--	27	8	-	2	-	1	11	2	-	3
41	B 8	Diphtheria (055)	145	6	16	24	15	14	75	37	9	-
42		White--M--	50	3	5	9	2	3	22	16	3	-
43		F--	41	1	2	4	3	3	13	11	4	-
44		Nonwhite--M--	31	1	7	7	4	7	26	4	-	-
45		F--	23	1	2	4	6	1	14	6	2	-
46	B 9	Whooping cough (056)	373	263	67	20	12	4	366	5	1	-
47		White--M--	95	65	18	4	4	4	95	-	-	-
48		F--	127	97	14	9	3	-	123	2	1	-
49		Nonwhite--M--	70	46	19	3	1	-	69	1	-	-
50		F--	81	55	16	4	4	-	79	2	-	-
51	B 10	Meningococcal infections (057)	1,015	303	160	96	58	35	652	114	40	41
52		White--M--	480	150	79	47	29	17	322	52	15	20
53		F--	380	112	66	36	23	11	248	35	17	10
54		Nonwhite--M--	91	21	8	9	4	2	44	16	4	9
55		F--	64	20	7	4	2	5	38	11	4	2
56	B 12	Acute poliomyelitis (080)	1,368	69	46	48	49	42	254	233	161	110
57		White--M--	753	31	27	25	26	25	134	120	91	64
58		F--	546	28	14	20	20	13	95	101	60	42
59		Nonwhite--M--	39	7	2	2	-	3	14	8	5	1
60		F--	30	3	3	1	3	1	11	4	5	3
61	B 13	Smallpox (084)	-	-	-	-	-	-	-	-	-	-
62		White--M--	-	-	-	-	-	-	-	-	-	-
63		F--	-	-	-	-	-	-	-	-	-	-
64		Nonwhite--M--	-	-	-	-	-	-	-	-	-	-
65		F--	-	-	-	-	-	-	-	-	-	-
66	B 14	Measles (085)	518	109	102	59	47	31	348	99	29	6
67		White--M--	188	33	32	20	22	15	122	34	12	4
68		F--	214	34	38	30	19	9	130	53	11	1
69		Nonwhite--M--	55	17	15	5	4	5	46	4	3	1
70		F--	61	25	17	4	2	2	50	8	3	-
71	B 15	Typhus and other rickettsial diseases (100-108)	20	-	1	-	2	-	3	1	2	-
72		White--M--	10	-	1	-	1	-	2	1	1	-
73		F--	6	-	-	-	1	-	1	-	1	-
74		Nonwhite--M--	3	-	-	-	-	-	-	-	-	-
75		F--	1	-	-	-	-	-	-	-	-	-

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Age, Race, and Sex: United States, 1954

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
13,350	16,156	20,560	27,847	41,800	59,919	83,581	107,708	141,567	174,431	185,794	178,993	147,424	88,103	34,675	8,119	1,471	914	1
7,523	8,148	9,663	13,136	20,411	31,686	44,508	60,691	80,449	96,566	97,442	88,964	68,328	37,537	13,261	2,711	300	394	2
3,007	4,057	5,776	8,355	12,345	17,370	23,610	31,803	44,785	60,653	73,844	79,721	72,053	46,744	19,735	4,742	637	236	3
1,699	2,339	2,753	3,323	4,765	5,845	8,415	8,726	9,281	9,560	8,061	5,788	3,726	1,922	768	279	195	165	4
1,121	1,612	2,368	3,033	4,279	5,018	7,048	6,488	7,052	7,652	6,447	4,520	3,317	1,900	911	387	339	119	5
300	606	785	1,044	1,274	1,415	1,646	1,701	1,684	1,788	1,509	1,045	596	245	47	6	1	14	6
68	133	221	364	550	732	944	1,093	1,162	1,217	982	658	340	145	24	2	1	5	7
69	143	218	280	288	274	223	213	228	310	329	273	195	81	17	3	-	1	8
50	137	166	221	281	290	348	312	236	193	150	85	40	13	5	-	-	6	9
113	193	180	179	155	119	131	83	58	68	48	29	21	6	1	1	-	2	10
264	546	721	969	1,184	1,324	1,552	1,586	1,574	1,665	1,433	993	556	238	46	6	1	14	11
58	118	208	352	517	692	906	1,043	1,099	1,146	934	629	317	142	23	2	1	5	12
61	137	204	263	274	255	205	189	203	281	314	261	183	77	17	3	-	1	13
45	118	147	200	255	273	323	284	218	174	145	81	38	13	5	-	-	6	14
100	173	162	154	138	104	118	70	54	64	40	22	18	6	1	1	-	2	15
36	60	64	75	90	91	94	115	110	123	76	52	40	7	1	-	-	-	16
10	15	13	12	33	40	38	50	63	71	48	29	23	3	1	-	-	-	17
8	6	14	17	14	19	18	24	25	29	15	12	12	4	-	-	-	-	18
5	19	19	21	26	17	25	28	18	19	5	4	2	-	-	-	-	-	19
13	20	18	25	17	15	13	13	4	4	8	7	3	-	-	-	-	-	20
9	30	60	85	205	357	528	663	782	790	615	385	179	65	20	3	-	-	21
1	9	10	21	58	98	209	328	441	480	385	238	98	27	3	2	-	-	22
1	6	6	13	21	63	65	84	109	134	114	97	61	27	11	-	-	-	23
3	5	25	33	71	137	181	183	183	136	77	32	15	10	4	-	-	-	24
4	10	19	18	55	59	73	68	49	40	39	18	5	1	2	1	-	-	25
2	1	2	-	3	2	7	1	-	5	2	4	1	2	-	-	-	-	26
1	-	2	-	1	-	1	1	-	1	-	3	-	1	-	-	-	-	27
1	-	-	-	-	1	1	-	-	2	1	1	1	1	-	-	-	-	28
-	1	-	-	1	1	3	-	-	2	-	-	-	-	-	-	-	-	29
-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	30
4	4	5	12	14	13	24	16	28	29	31	27	29	13	5	4	1	1	31
-	1	3	5	4	2	10	7	6	14	12	12	10	4	2	2	-	-	32
2	2	-	1	5	5	2	6	12	4	7	15	14	8	1	2	-	-	33
-	-	2	3	3	4	4	2	6	8	9	-	5	1	2	-	1	-	34
2	1	-	3	2	2	8	1	4	3	3	-	-	-	-	-	-	1	35
16	11	11	15	16	9	8	10	7	9	8	9	10	2	6	-	-	-	36
7	6	5	8	10	5	4	3	2	1	3	2	3	2	4	-	-	-	37
7	4	3	6	2	2	4	6	3	7	4	7	7	-	2	-	-	-	38
1	1	-	-	2	-	-	1	1	-	1	-	-	-	-	-	-	-	39
1	-	3	1	2	2	-	-	1	1	-	-	-	-	-	-	-	-	40
-	1	1	4	7	2	4	2	-	2	1	-	-	-	-	-	-	-	41
-	-	1	2	2	1	1	2	-	-	-	-	-	-	-	-	-	-	42
-	-	-	2	5	1	3	-	-	1	1	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	44
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
21	6	9	15	13	19	13	16	18	18	10	6	3	1	-	-	-	-	51
12	2	3	6	5	8	6	6	9	6	5	2	-	1	-	-	-	-	52
3	2	3	6	4	9	7	7	8	10	4	4	3	-	-	-	-	-	53
4	2	1	2	2	2	-	3	-	1	1	-	-	-	-	-	-	-	54
2	-	2	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	55
118	183	152	62	37	26	11	11	5	4	1	-	-	-	-	-	-	-	56
59	105	85	37	25	16	5	7	2	2	1	-	-	-	-	-	-	-	57
56	73	62	22	12	9	6	4	2	2	-	-	-	-	-	-	-	-	58
2	3	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	59
1	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
3	2	1	3	4	2	2	4	-	4	1	5	4	-	-	-	-	1	66
2	1	-	1	3	1	-	2	-	3	1	2	-	-	-	-	-	-	67
1	1	-	2	1	1	2	2	-	1	-	3	4	-	-	-	-	1	68
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
3	-	-	1	-	2	-	1	2	-	4	1	-	-	-	-	-	-	71
-	-	-	-	-	1	-	-	2	-	3	-	-	-	-	-	-	-	72
2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	73
-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	74
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75

Table 52A. Deaths From 64 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Abbreviated List number[1]	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	B 16	Malaria (110-117)	24	-	-	-	-	-	-	-	-	1
2		White---M--	9	-	-	-	-	-	-	-	-	1
3		F--	3	-	-	-	-	-	-	-	-	-
4		Nonwhite---M--	7	-	-	-	-	-	-	-	-	-
5		F--	5	-	-	-	-	-	-	-	-	-
6	B 17	All other infective and parasitic diseases (030-039, 041,042,044,049,052-054,059-074,081-083,086-096,120-138)	4,187	682	160	105	76	52	1,075	184	104	98
7		White---M--	1,780	273	80	49	30	25	457	78	52	33
8		F--	1,516	210	52	37	23	18	340	60	38	34
9		Nonwhite---M--	500	109	16	10	10	5	150	28	10	18
10		F--	391	90	12	9	13	4	128	18	4	13
11	B 18	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	234,669	306	335	432	468	378	1,919	1,182	781	830
12		White---M--	112,350	152	180	218	229	180	959	607	403	441
13		F--	102,453	122	133	175	199	174	803	485	297	282
14		Nonwhite---M--	10,189	22	11	16	26	14	89	46	45	74
15		F--	9,677	10	11	23	14	10	68	44	36	33
16		Malignant neoplasm of buccal cavity and pharynx (140-148)	5,382	5	-	2	2	4	13	5	6	8
17		White---M--	3,907	3	-	1	1	1	6	2	4	4
18		F--	1,069	2	-	-	1	3	6	2	-	3
19		Nonwhite---M--	303	-	-	-	-	-	-	-	1	-
20		F--	103	-	-	1	-	-	1	1	1	1
21		Malignant neoplasm of digestive organs and peritoneum (150-156A,157-159)	85,493	41	10	10	6	7	74	25	26	40
22		White---M--	42,648	26	6	5	5	2	44	11	15	21
23		F--	35,684	12	4	4	1	3	24	12	5	12
24		Nonwhite---M--	4,368	2	-	1	-	-	3	-	4	7
25		F--	2,793	1	-	-	-	2	3	2	2	-
26		Malignant neoplasm of respiratory system (160-164)	27,627	4	4	3	1	3	15	7	7	21
27		White---M--	21,581	1	1	2	1	1	6	4	2	15
28		F--	4,049	2	3	1	-	1	7	1	3	3
29		Nonwhite---M--	1,676	1	-	-	-	-	1	2	2	3
30		F--	321	-	-	-	-	1	1	-	-	-
31		Malignant neoplasm of breast (170)	20,909	2	-	-	-	-	2	-	1	2
32		White---M--	196	-	-	-	-	-	-	-	-	-
33		F--	19,152	2	-	-	-	-	2	-	1	1
34		Nonwhite---M--	34	-	-	-	-	-	-	-	-	-
35		F--	1,527	-	-	-	-	-	-	-	-	1
36		Malignant neoplasm of genital organs (171-179)	36,947	4	7	5	3	-	19	10	19	73
37		White---M--	12,741	2	5	3	1	-	11	5	1	35
38		F--	19,669	1	2	2	2	-	7	3	16	29
39		Nonwhite---M--	1,494	1	-	-	-	-	1	-	-	3
40		F--	3,043	-	-	-	-	-	-	2	2	6
41		Malignant neoplasm of urinary organs (180,181)	11,103	17	39	36	48	40	180	70	11	6
42		White---M--	6,989	10	25	17	24	19	95	27	2	3
43		F--	3,466	7	11	15	16	19	68	32	6	2
44		Nonwhite---M--	445	-	2	2	5	2	11	6	1	1
45		F--	293	-	1	2	3	-	6	5	2	-
46		Malignant neoplasm of other and unspecified sites (156B,165,190-199)	26,561	86	110	139	118	111	564	376	301	314
47		White---M--	13,162	41	63	79	51	48	282	204	152	163
48		F--	11,291	37	44	44	52	51	228	137	119	113
49		Nonwhite---M--	1,022	5	-	5	8	9	27	16	18	27
50		F--	1,086	3	3	11	7	3	27	19	12	11
51		Leukemia and aleukemia (204)	10,443	115	140	212	258	197	922	565	310	235
52		White---M--	5,589	51	68	98	124	100	441	278	164	123
53		F--	4,205	47	59	98	119	91	414	255	123	80
54		Nonwhite---M--	400	12	7	8	11	2	40	19	11	22
55		F--	249	5	6	8	4	4	27	13	12	10
56		Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	10,114	32	25	25	32	16	130	124	100	131
57		White---M--	5,537	18	12	13	22	9	74	76	63	77
58		F--	3,868	12	10	11	8	6	47	43	24	39
59		Nonwhite---M--	447	1	2	-	2	1	6	3	8	11
60		F--	262	1	1	1	-	-	3	2	5	4
61	B 19	Benign neoplasms and neoplasms of unspecified nature (210-239)	5,094	168	43	31	34	38	314	120	87	74
62		White---M--	1,925	76	19	14	14	18	141	54	31	41
63		F--	2,395	64	13	12	13	16	118	46	41	22
64		Nonwhite---M--	256	13	4	3	6	1	27	9	7	6
65		F--	518	15	7	2	1	3	28	11	8	5
66	B 20	Diabetes mellitus (260)	25,151	18	17	9	12	6	62	49	75	92
67		White---M--	9,009	8	6	4	6	2	26	19	26	23
68		F--	13,705	5	8	4	5	1	23	23	34	46
69		Nonwhite---M--	826	2	3	1	-	2	8	6	8	9
70		F--	1,611	3	-	-	1	1	5	1	7	14
71	B 21	Anemias (290-293)	3,301	148	81	28	12	18	287	56	45	41
72		White---M--	1,290	54	20	5	3	8	90	19	11	9
73		F--	1,533	33	19	6	3	3	64	23	21	11
74		Nonwhite---M--	228	32	23	11	2	4	72	5	5	11
75		F--	250	29	19	6	4	3	61	9	8	10

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Age, Race, and Sex: United States, 1954—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1	2	-	-	3	2	4	2	2	3	2	-	-	1	-	-	-	1	1
-	2	-	-	-	1	2	1	-	-	-	-	-	1	-	-	-	1	2
-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	3
-	-	-	-	3	-	2	1	-	1	-	-	-	-	-	-	-	-	4
1	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	5
125	148	169	177	236	256	231	235	246	249	219	168	139	87	27	11	2	1	6
43	47	55	61	95	121	108	105	115	131	95	67	62	38	14	2	-	1	7
37	49	69	63	84	81	79	80	90	86	101	93	65	45	12	8	2	-	8
25	21	26	24	31	33	24	32	31	19	14	5	6	2	-	1	-	-	9
20	31	19	29	26	21	20	18	10	13	9	3	6	2	1	-	-	-	10
1,051	1,711	3,003	5,079	8,741	13,508	19,095	24,828	31,175	34,918	32,492	26,505	17,194	7,935	2,193	378	48	103	11
511	781	1,114	1,635	2,869	5,036	7,882	11,759	15,853	18,383	16,947	13,618	8,606	3,798	974	125	12	37	12
398	736	1,450	2,671	4,585	6,680	8,642	10,447	12,557	13,974	13,617	11,636	7,932	3,843	1,127	226	21	44	13
75	81	131	250	449	725	1,226	1,422	1,539	1,513	1,166	734	387	165	45	8	7	12	14
67	113	308	523	838	1,067	1,345	1,200	1,226	1,048	762	517	269	129	47	19	8	10	15
13	15	30	73	168	314	465	576	773	829	776	598	418	236	56	7	1	2	16
7	9	20	33	99	204	331	424	583	641	592	436	300	165	41	5	-	1	17
3	4	8	20	39	68	88	85	122	143	154	135	106	66	14	2	1	-	18
2	1	-	12	21	31	35	52	58	37	20	21	8	3	-	-	-	1	19
1	1	2	8	9	11	11	15	10	8	10	6	4	2	1	-	-	-	20
100	230	482	1,051	2,012	3,443	5,807	8,201	11,429	14,193	13,981	11,816	7,772	3,649	962	156	13	31	21
41	108	186	444	857	1,566	2,733	4,152	6,050	7,534	7,383	5,862	3,666	1,548	364	45	4	14	22
35	90	211	445	834	1,346	2,160	3,078	4,307	5,531	5,782	5,373	3,805	1,957	560	103	3	11	23
11	19	42	83	186	312	559	625	640	718	529	353	171	83	14	3	3	3	24
13	13	43	79	135	219	355	346	432	410	287	228	130	61	24	5	3	3	25
37	62	167	355	950	1,882	2,931	4,238	5,058	4,875	3,468	2,064	1,014	360	90	10	1	15	26
24	38	98	218	675	1,405	2,284	3,476	4,194	4,003	2,714	1,476	661	224	52	5	-	7	27
8	13	42	81	151	264	319	426	541	616	590	508	316	122	30	5	-	3	28
4	8	21	42	97	165	278	297	297	208	135	63	32	9	6	-	1	5	29
1	3	6	14	27	48	50	39	26	48	29	17	5	5	2	-	-	-	30
14	99	405	810	1,482	2,154	2,371	2,514	2,598	2,471	2,243	1,746	1,153	592	198	44	4	6	31
-	2	2	4	10	7	17	18	24	36	26	26	13	6	5	-	-	-	32
9	79	329	689	1,283	1,938	2,150	2,308	2,407	2,298	2,099	1,653	1,104	568	188	39	2	5	33
-	-	-	2	3	1	5	4	5	1	4	4	2	1	2	-	-	-	34
5	18	74	115	186	208	199	184	162	136	114	63	34	17	3	5	2	1	35
150	332	579	1,083	1,735	2,360	2,950	3,498	4,275	4,828	5,092	4,705	3,256	1,494	401	53	11	24	36
75	116	109	90	78	106	165	480	990	1,793	2,458	2,772	2,108	1,051	265	28	2	3	37
55	163	355	773	1,307	1,822	2,231	2,478	2,664	2,506	2,153	1,621	967	377	110	16	3	13	38
-	3	3	8	11	32	86	156	250	266	288	196	123	42	15	5	3	3	39
20	50	112	212	339	400	468	384	371	263	193	116	58	24	11	4	3	5	40
13	25	60	112	231	411	728	1,042	1,541	1,847	1,731	1,545	1,023	464	118	21	5	9	41
2	11	37	56	140	243	445	687	1,044	1,241	1,060	960	590	268	62	10	1	5	42
7	9	13	31	65	107	187	251	395	509	569	538	408	183	51	8	4	3	43
2	2	6	16	13	37	56	69	68	54	53	22	15	10	3	-	-	-	44
2	3	4	9	13	24	40	35	34	43	29	25	10	3	2	3	-	1	45
298	379	598	851	1,223	1,727	2,284	2,840	3,214	3,309	2,942	2,426	1,690	819	302	80	11	13	46
143	192	299	401	515	862	1,059	1,460	1,670	1,723	1,478	1,188	814	375	143	31	3	5	47
120	157	239	361	554	687	948	1,107	1,261	1,348	1,303	1,142	831	420	153	47	8	8	48
19	14	22	46	67	75	122	130	139	134	85	47	23	8	3	-	-	-	49
16	16	38	43	87	103	155	143	144	104	76	49	22	16	3	2	-	-	50
188	230	308	297	397	521	654	780	979	1,205	1,188	889	530	196	43	3	2	1	51
86	114	152	146	191	239	354	412	566	692	675	516	299	109	29	-	2	1	52
84	97	120	116	169	238	238	318	353	452	476	354	222	81	12	3	-	-	53
11	14	23	16	20	23	37	32	38	42	27	13	5	6	1	-	-	-	54
7	5	13	19	17	21	25	18	22	19	10	6	4	-	1	-	-	-	55
238	339	374	447	543	696	905	1,139	1,308	1,361	1,071	716	338	125	23	4	-	2	56
133	191	211	243	304	404	494	650	732	720	561	382	155	52	13	1	-	1	57
77	124	133	155	183	10	321	396	507	571	471	312	173	69	9	3	-	1	58
26	20	14	25	31	49	48	57	44	53	25	15	8	3	1	-	-	-	59
2	4	16	24	25	33	42	36	25	17	14	7	2	1	-	-	-	-	60
101	159	229	308	400	503	481	461	483	440	315	286	201	98	25	7	1	1	61
41	57	70	85	102	149	163	192	230	214	133	117	70	26	7	2	-	-	62
45	72	104	135	216	254	232	210	205	188	157	144	119	66	15	5	1	-	63
7	8	12	17	14	31	26	27	20	15	10	10	6	3	1	-	-	-	64
8	22	43	71	68	69	60	32	28	23	15	15	6	3	2	-	-	1	65
121	228	298	367	518	752	1,338	2,188	3,302	4,295	4,485	3,606	2,234	902	191	37	2	9	66
55	117	141	182	242	311	490	742	1,117	1,428	1,531	1,312	831	334	70	10	1	1	67
49	80	112	120	144	246	528	1,095	1,837	2,546	2,670	2,146	1,340	534	108	20	-	4	68
10	14	21	28	44	60	86	90	124	113	98	63	23	15	3	2	-	1	69
7	17	24	37	88	135	234	261	224	208	186	85	40	19	10	5	1	3	70
47	46	53	61	89	76	105	163	226	329	456	458	429	242	74	14	2	2	71
11	7	14	14	26	21	36	61	104	159	204	191	178	99	30	4	-	2	72
12	14	15	29	33	39	44	78	99	141	233	249	243	134	43	7	1	-	73
9	9	9	7	13	7	10	11	11	21	6	11	5	5	-	1	-	-	74
15	16	15	11	17	9	15	13	12	8	13	7	3	4	1	2	1	-	75

Table 52A. Deaths From 64 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Abbreviated List number[1]	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	B 23	Meningitis, except meningococcal and tuberculous (340)--------	1,829	645	176	88	47	31	987	86	51	24
2		White---------M--	758	249	79	39	15	14	396	33	26	7
3		F--	524	183	43	26	18	11	281	28	9	7
4		Nonwhite------M--	301	116	31	14	10	5	176	16	6	7
5		F--	246	97	23	9	4	1	134	9	10	3
6		Major cardiovascular-renal diseases (330-334,400-468,592-594)----------	798,091	594	167	98	110	82	1,051	527	598	981
7		White---------M--	407,932	251	62	42	46	37	438	218	224	428
8		F--	311,132	183	57	26	36	30	332	195	236	316
9		Nonwhite------M--	41,105	87	25	18	15	9	154	59	68	109
10		F--	37,922	73	23	12	13	6	127	55	70	128
11		Diseases of cardiovascular system (330-334,400-468)----------	781,018	561	148	85	83	55	932	405	501	786
12		White---------M--	400,591	240	59	37	32	25	393	160	180	341
13		F--	304,799	171	47	22	25	18	283	148	197	241
14		Nonwhite------M--	39,299	81	22	15	13	8	139	46	61	88
15		F--	36,329	69	20	11	13	4	117	51	63	116
16	B 22	Vascular lesions affecting central nervous system (330-334)----------	167,777	185	50	33	28	22	318	100	113	155
17		White---------M--	71,333	77	25	15	8	10	135	45	49	56
18		F--	75,673	60	15	11	12	6	104	35	42	62
19		Nonwhite------M--	9,841	23	6	6	3	2	40	11	14	19
20		F--	10,930	25	4	1	5	4	39	9	8	18
21	B 24	Rheumatic fever (400-402)----------	1,297	8	5	10	14	14	51	158	204	88
22		White---------M--	525	5	-	5	7	6	23	54	60	40
23		F--	490	2	-	3	4	6	15	57	87	23
24		Nonwhite------M--	126	1	4	1	-	2	8	19	25	10
25		F--	156	-	1	1	3	-	5	28	32	15
26		Diseases of heart (410-443)----------	560,077	310	80	38	35	15	478	119	150	464
27		White---------M--	304,759	130	28	15	15	6	194	51	66	223
28		F--	206,425	93	29	8	6	5	141	46	49	120
29		Nonwhite------M--	26,437	48	10	7	10	4	79	14	19	54
30		F--	22,456	39	13	8	4	-	64	8	16	67
31	B 25	Chronic rheumatic heart disease (410-416)----------	18,256	7	5	3	2	3	20	21	69	248
32		White---------M--	8,169	3	2	1	1	1	8	12	24	113
33		F--	8,505	2	1	1	-	1	5	6	22	77
34		Nonwhite------M--	785	1	1	1	1	1	5	1	11	25
35		F--	797	1	1	-	-	-	2	2	12	33
36	B 26 pt.	Arteriosclerotic heart disease, including coronary disease (420)----------	379,788	78	7	6	5	2	98	21	17	61
37		White---------M--	228,766	36	1	2	3	1	43	13	8	35
38		F--	128,894	21	2	1	1	1	26	8	5	14
39		Nonwhite------M--	13,060	9	2	3	1	-	15	-	3	9
40		F--	9,068	12	2	-	-	-	14	-	1	3
41	B 26 pt.	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)----------	66,091	59	29	8	9	4	109	28	18	47
42		White---------M--	30,085	28	12	3	5	2	50	6	9	26
43		F--	28,928	16	11	1	1	1	30	13	7	11
44		Nonwhite------M--	3,740	6	2	2	2	1	13	7	2	4
45		F--	3,338	9	4	2	1	-	16	2	-	4
46	B 27	Other diseases of heart (430-434)----------	20,903	161	38	20	18	6	243	47	41	93
47		White---------M--	10,630	61	13	8	6	2	90	20	22	44
48		F--	6,763	54	14	5	4	2	79	19	13	16
49		Nonwhite------M--	2,007	30	5	1	6	2	44	5	3	14
50		F--	1,503	16	6	6	2	-	30	3	3	19
51	B 28	Hypertension with heart disease (440-443)----------	75,039	5	1	1	1	-	8	2	5	15
52		White---------M--	27,109	2	-	1	-	-	3	-	3	3
53		F--	33,335	-	1	-	-	-	1	-	2	2
54		Nonwhite------M--	6,845	2	-	-	-	-	2	1	-	2
55		F--	7,750	1	-	-	1	-	2	1	-	6
56	B 29	Hypertension without mention of heart (444-447)----------	11,383	-	-	-	-	1	1	2	2	7
57		White---------M--	4,568	-	-	-	-	1	1	1	1	4
58		F--	4,417	-	-	-	-	-	-	1	1	2
59		Nonwhite------M--	1,163	-	-	-	-	-	-	-	-	-
60		F--	1,235	-	-	-	-	-	-	-	-	1
61	B 46 pt.	General arteriosclerosis (450)----------	30,225	1	1	-	-	-	2	-	-	2
62		White---------M--	13,681	1	1	-	-	-	2	-	-	1
63		F--	14,395	-	-	-	-	-	-	-	-	1
64		Nonwhite------M--	1,120	-	-	-	-	-	-	-	-	-
65		F--	1,029	-	-	-	-	-	-	-	-	-
66	B 46 pt.	Other diseases of circulatory system (451-468)----------	10,259	57	12	4	6	3	82	26	32	70
67		White---------M--	5,725	27	5	2	2	2	38	9	4	17
68		F--	3,399	16	3	-	3	1	23	9	18	33
69		Nonwhite------M--	612	9	2	1	-	-	12	2	3	5
70		F--	523	5	2	1	1	-	9	6	7	15
71	B 38 pt.	Chronic and unspecified nephritis and other renal sclerosis (592-594)----------	17,073	33	19	13	27	27	119	122	97	195
72		White---------M--	7,341	11	3	5	14	12	45	58	44	87
73		F--	6,333	12	10	4	11	12	49	47	39	75
74		Nonwhite------M--	1,806	6	3	3	2	1	15	13	7	21
75		F--	1,593	4	3	1	-	2	10	4	7	12

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Age, Race, and Sex: United States, 1954—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
26	41	31	34	57	44	88	66	72	67	61	43	37	10	3	-	-	1	1
6	15	9	19	21	24	36	30	37	29	29	20	15	4	2	-	-	-	2
11	8	14	9	14	9	22	16	19	25	17	13	16	4	1	-	-	1	3
4	10	3	2	14	4	17	10	8	6	7	6	3	2	-	-	-	-	4
5	8	5	4	8	7	13	10	8	7	8	4	3	-	-	-	-	-	5
1,386	2,449	4,532	8,367	15,765	26,828	41,667	58,031	81,142	106,333	120,647	122,904	106,110	65,377	26,031	5,941	962	462	6
532	1,047	2,013	4,231	8,547	15,727	23,957	34,454	47,291	59,106	62,658	59,897	48,049	27,063	9,743	1,931	199	179	7
504	748	1,234	1,940	3,343	5,800	9,309	14,707	23,891	36,171	48,420	56,031	53,133	35,608	15,095	3,566	433	120	8
146	308	568	1,043	1,919	2,707	4,351	4,875	5,387	5,815	5,064	3,811	2,500	1,298	536	188	114	85	9
204	346	717	1,153	1,956	2,594	4,050	3,995	4,573	5,241	4,505	3,165	2,428	1,408	657	256	216	78	10
1,131	2,057	4,047	7,825	15,084	25,951	40,541	56,757	79,536	104,476	118,634	120,852	104,309	64,358	25,596	5,851	941	448	11
404	865	1,809	4,005	8,276	15,384	23,503	33,942	46,578	58,296	61,778	58,955	47,259	26,618	9,587	1,887	195	176	12
422	623	1,077	1,782	3,139	5,527	8,969	14,273	23,352	35,504	47,661	55,195	52,320	35,139	14,866	3,536	425	120	13
126	270	512	968	1,822	2,576	4,201	4,717	5,206	5,601	4,836	3,635	2,377	1,242	506	181	109	80	14
179	299	649	1,070	1,847	2,464	3,868	3,825	4,400	5,075	4,359	3,067	2,353	1,359	637	247	212	72	15
246	375	722	1,381	2,645	4,325	6,985	9,842	14,836	21,313	26,637	29,399	25,993	15,389	5,520	1,219	160	104	16
91	136	244	457	854	1,468	2,486	4,071	6,537	9,915	12,244	13,162	11,059	5,964	1,944	360	27	29	17
104	120	242	430	821	1,481	2,289	3,393	5,531	8,325	11,769	14,361	13,652	8,730	3,323	764	61	34	18
25	53	93	207	409	573	1,029	1,145	1,367	1,515	1,271	977	586	319	101	41	21	25	19
26	66	143	287	561	803	1,181	1,233	1,401	1,558	1,353	899	696	376	152	54	51	16	20
67	77	83	71	62	80	71	55	69	71	30	26	19	10	3	2	-	-	21
20	27	31	26	31	43	32	26	42	33	14	8	8	5	1	1	-	-	22
30	27	33	30	16	29	24	24	24	29	13	14	8	5	2	-	-	-	23
7	10	12	5	7	5	7	-	2	5	1	1	1	-	-	1	-	-	24
10	13	7	10	8	3	8	5	1	4	2	3	2	-	-	-	-	-	25
686	1,335	2,799	5,798	11,515	20,347	31,847	44,681	61,387	78,449	85,616	83,203	69,143	41,474	16,180	3,532	564	310	26
254	623	1,402	3,357	7,107	13,334	20,250	28,728	38,250	45,855	46,258	41,745	31,961	17,481	6,167	1,184	130	139	27
231	375	669	1,164	2,078	3,723	6,255	10,246	16,824	25,643	33,423	37,166	34,187	22,380	9,287	2,078	265	75	28
81	172	337	646	1,219	1,799	2,909	3,315	3,561	3,752	3,215	2,365	1,566	786	318	117	66	47	29
120	165	391	631	1,111	1,491	2,433	2,392	2,752	3,199	2,720	1,927	1,429	827	408	153	103	49	30
337	561	783	1,082	1,455	1,880	2,008	2,165	1,981	1,801	1,410	1,064	803	407	115	32	7	7	31
119	244	327	477	632	862	870	994	967	863	655	470	325	148	39	17	2	1	32
141	226	328	463	680	872	966	1,025	916	831	676	523	426	237	66	14	2	3	33
29	38	51	69	83	80	90	76	48	54	42	38	23	12	5	1	3	1	34
48	53	77	73	60	66	82	70	50	53	37	33	29	10	5	-	-	2	35
117	387	1,230	3,325	7,429	14,030	22,626	32,522	45,085	56,907	59,692	55,788	43,779	24,857	9,422	1,932	264	199	36
49	238	834	2,442	5,595	10,773	16,713	23,416	30,789	36,101	34,754	29,794	21,564	11,025	3,719	682	70	109	37
29	65	166	398	853	1,824	3,484	6,425	11,227	17,525	22,211	23,979	20,865	13,098	5,373	1,142	129	48	38
14	53	125	287	573	868	1,482	1,697	1,866	1,932	1,598	1,167	757	373	156	40	25	20	39
25	31	105	198	408	565	947	984	1,203	1,349	1,129	848	593	361	174	68	40	22	40
66	105	194	344	660	1,087	1,869	2,678	4,322	6,648	9,482	11,747	12,228	9,066	4,134	1,044	184	31	41
28	41	73	140	262	501	789	1,289	2,179	3,370	4,692	5,610	5,438	3,657	1,538	335	39	11	42
19	21	45	75	151	259	440	702	1,340	2,292	3,780	5,383	6,168	5,047	2,418	631	90	6	43
7	22	40	61	122	159	324	398	457	527	533	422	341	167	71	32	24	7	44
12	21	36	68	125	168	316	289	346	459	477	332	281	195	107	46	31	7	45
130	164	260	389	636	952	1,329	1,720	2,177	2,673	2,890	2,709	2,282	1,412	552	145	42	17	46
51	63	102	167	293	472	674	943	1,284	1,480	1,544	1,397	1,044	640	235	53	8	4	47
34	42	61	88	133	195	260	397	510	760	984	1,047	1,071	681	270	80	21	2	48
22	31	49	65	114	184	230	237	222	239	216	155	81	56	23	7	3	7	49
23	28	48	69	96	101	165	143	161	194	146	110	86	35	24	5	10	4	50
36	118	332	658	1,335	2,398	4,015	5,596	7,822	10,420	12,142	11,895	10,051	5,732	1,957	379	67	56	51
7	37	66	131	325	726	1,204	2,086	3,031	4,041	4,613	4,474	3,590	2,011	636	97	11	14	52
8	21	69	140	261	573	1,105	1,697	2,831	4,235	5,772	6,234	5,657	3,317	1,160	211	23	16	53
9	28	72	164	327	508	783	907	968	1,000	826	583	364	178	63	37	11	12	54
12	32	125	223	422	591	923	906	992	1,144	931	604	440	226	98	34	22	14	55
32	90	218	293	431	501	660	685	939	1,173	1,471	1,697	1,579	1,071	416	88	16	11	56
8	21	47	62	115	184	225	281	400	505	643	741	677	456	166	25	1	4	57
6	17	37	51	78	92	151	217	334	422	616	801	779	537	213	56	4	2	58
8	25	50	77	121	114	135	100	106	116	110	77	60	35	18	4	4	3	59
10	27	84	103	117	111	149	87	99	130	102	78	63	43	19	3	7	2	60
1	2	13	18	49	108	235	482	997	1,962	3,516	5,389	6,903	6,044	3,312	978	193	19	61
-	-	6	2	21	54	110	223	513	1,012	1,774	2,653	3,185	2,541	1,242	303	36	3	62
1	1	4	9	7	23	49	127	291	667	1,403	2,420	3,416	3,301	1,951	624	92	8	63
-	1	1	3	10	16	42	71	100	145	194	184	155	96	65	16	18	3	64
-	-	2	4	11	15	34	61	93	138	145	132	147	106	54	35	47	5	65
99	178	212	264	382	590	743	1,012	1,308	1,508	1,364	1,138	672	370	165	32	8	4	66
31	58	79	101	148	301	400	613	836	976	845	646	369	171	67	14	1	1	67
50	83	92	98	139	179	201	266	348	418	437	433	278	186	90	14	3	1	68
5	9	19	30	56	69	79	86	70	68	45	31	9	6	4	2	-	2	69
13	28	22	35	39	41	63	47	54	46	37	28	16	7	4	2	4	-	70
255	392	485	542	681	877	1,126	1,274	1,606	1,857	2,013	2,052	1,801	1,019	435	90	21	14	71
128	182	204	226	271	343	454	512	713	810	880	942	790	445	156	44	4	3	72
82	125	157	158	204	273	340	434	539	667	759	836	813	469	229	30	8	-	73
20	38	56	75	97	131	150	158	181	214	228	176	123	56	30	7	5	5	74
25	47	68	83	109	130	182	170	173	166	146	98	75	49	20	9	4	6	75

Table 52 A. Deaths From 64 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Abbreviated List number[1]	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		Influenza and pneumonia, except pneumonia of newborn (480-493)	40,991	8,287	1,316	533	286	169	10,591	462	243	253
2		White---------M--	18,618	2,987	483	185	94	56	3,805	177	105	114
3		F--	14,119	2,318	378	177	106	53	3,032	169	76	78
4		Nonwhite------M--	4,696	1,615	248	78	52	31	2,024	70	29	26
5		F--	3,558	1,367	207	93	34	29	1,730	46	33	35
6	B 30	Influenza (480-483)	2,680	424	74	32	23	15	568	31	24	27
7		White---------M--	1,007	116	29	9	9	3	166	7	6	15
8		F--	954	100	19	11	6	2	138	11	8	6
9		Nonwhite------M--	355	108	14	6	2	5	135	8	7	3
10		F--	364	100	12	6	6	5	129	5	3	3
11	B 31	Pneumonia, except pneumonia of newborn (490-493)	38,311	7,863	1,242	501	263	154	10,023	431	219	226
12		White---------M--	17,611	2,871	454	176	85	53	3,639	170	99	99
13		F--	13,165	2,218	359	166	100	51	2,894	158	68	72
14		Nonwhite------M--	4,341	1,507	234	72	50	26	1,889	62	22	23
15		F--	3,194	1,267	195	87	28	24	1,601	41	30	32
16	B 32	Bronchitis (500-502)	2,872	685	166	67	44	27	989	47	12	6
17		White---------M--	1,620	315	85	21	23	13	457	22	5	3
18		F--	903	190	58	29	15	10	302	23	6	1
19		Nonwhite------M--	205	98	18	12	2	2	132	-	-	1
20		F--	144	82	5	5	4	2	98	2	1	1
21	B 33	Ulcer of stomach and duodenum (540,541)	9,391	69	2	4	2	1	78	4	4	10
22		White---------M--	6,883	28	-	1	-	-	29	3	4	7
23		F--	1.768	19	2	2	2	-	25	1	-	-
24		Nonwhite------M--	546	13	-	1	-	-	14	-	-	3
25		F--	194	9	-	-	-	1	10	-	-	-
26	B 34	Appendicitis (550-553)	2,278	19	10	25	17	17	88	99	74	58
27		White---------M--	1.243	8	7	14	8	10	47	44	37	19
28		F--	670	8	2	9	8	4	31	31	26	15
29		Nonwhite------M--	212	2	1	1	-	-	4	14	5	15
30		F--	153	1	-	1	1	3	6	10	6	9
31	B 35	Hernia and intestinal obstruction (560,561,570)	8,498	1,024	53	22	13	11	1,123	40	17	30
32		White---------M--	3,878	522	27	16	4	5	574	20	10	9
33		F--	3,558	344	16	2	5	4	371	11	2	8
34		Nonwhite------M--	598	101	8	2	3	1	115	5	4	10
35		F--	464	57	2	2	1	1	63	4	1	3
36	B 36	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	7,892	3,590	400	96	42	27	4.155	66	33	48
37		White---------M--	3,103	1,223	143	30	12	14	1,422	27	12	13
38		F--	2.836	960	115	29	14	6	1,124	22	17	25
39		Nonwhite------M--	1,057	764	75	19	7	3	868	9	4	2
40		F--	896	643	67	18	9	4	741	8	-	8
41	B 37	Cirrhosis of liver (581)	16.201	45	11	2	3	3	64	21	21	28
42		White---------M--	9,997	17	10	-	1	1	29	6	10	11
43		F--	4,971	21	1	1	2	2	27	12	9	11
44		Nonwhite------M--	723	4	-	1	-	-	5	1	-	2
45		F--	510	3	-	-	-	-	3	2	2	4
46	B 38 pt.	Acute nephritis and nephritis with edema, including nephrosis (590,591)	2,515	57	27	37	39	32	192	80	53	49
47		White---------M--	1,115	35	12	16	25	15	103	41	18	22
48		F--	878	11	7	12	10	12	52	25	28	21
49		Nonwhite------M--	278	5	5	6	2	4	22	7	2	4
50		F--	244	6	3	3	2	1	15	7	5	2
51	B 39	Hyperplasia of prostate (610)	6,095	-	-	-	-	-	-	-	-	-
52		White---------M--	5,472	-	-	-	-	-	-	-	-	-
53		Nonwhite------M--	623	-	-	-	-	-	-	-	-	-
54	B 40	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	2,105	...	...	...	...	...	...	...	6	159
55		White---------F--	1,280	...	...	...	...	...	...	...	1	82
56		Nonwhite------F--	825	...	...	...	...	...	...	...	5	77
57		Abortion (650-652)	287	...	...	...	...	...	...	...	1	24
58		White---------F--	156	...	...	...	...	...	...	...	-	10
59		Nonwhite------F--	131	...	...	...	...	...	...	...	1	14
60		All other complications (640-649,660-689)	1,918	...	...	...	...	...	...	...	5	135
61		White---------F--	1,124	...	...	...	...	...	...	...	1	72
62		Nonwhite------F--	694	...	...	...	...	...	...	...	4	63
63	B 41	Congenital malformations (750-759)	20,081	15,116	960	408	214	185	16,883	523	271	206
64		White---------M--	9,762	7,433	423	170	90	88	8,204	242	138	102
65		F--	8,167	6,074	413	177	98	82	6,844	217	103	78
66		Nonwhite------M--	1,207	894	63	26	18	12	1,013	34	19	15
67		F--	945	715	61	35	8	3	822	30	11	11
68		Certain diseases of early infancy (760-776)	63,486	63,450	15	7	6	2	63,480	5	1	-
69		White---------M--	29,557	29,537	8	5	1	-	29,551	5	1	-
70		F--	20,435	20,422	6	2	3	2	20,435	-	-	-
71		Nonwhite------M--	7,579	7,578	-	-	1	-	7,579	-	-	-
72		F--	5,915	5,913	1	-	1	-	5,915	-	-	-

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Age, Race, and Sex: United States, 1954—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
253	316	469	619	871	1,128	1,490	1,605	2,360	3,080	3,662	4,106	4,262	3,094	1,524	475	106	22	1
85	117	181	252	380	560	739	829	1,344	1,685	1,935	2,088	2,008	1,404	590	186	26	8	2
83	82	122	166	205	258	312	372	564	867	1,295	1,702	2,024	1,531	861	245	48	7	3
50	70	87	104	182	207	286	268	271	317	242	189	122	83	29	19	16	5	4
35	47	79	97	104	103	153	136	161	211	190	127	108	76	44	25	16	2	5
23	28	29	29	54	60	94	112	123	219	261	291	326	222	110	31	16	2	6
7	8	12	11	19	31	39	43	49	86	102	126	131	95	46	5	3	-	7
5	7	7	10	15	8	20	25	39	64	107	124	168	108	58	20	5	1	8
7	7	3	2	9	14	14	20	17	30	24	23	15	7	2	4	3	1	9
4	6	7	6	11	7	21	24	18	39	28	18	12	12	4	2	5	-	10
230	288	440	590	817	1,068	1,396	1,493	2,237	2,861	3,401	3,815	3,936	2,872	1,414	444	90	20	11
78	109	169	241	361	529	700	786	1,295	1,599	1,833	1,962	1,877	1,309	544	181	23	8	12
78	75	115	156	190	250	292	347	545	803	1,188	1,578	1,856	1,423	803	225	43	6	13
43	63	84	102	173	193	272	248	254	287	218	166	107	76	27	15	13	4	14
31	41	72	91	93	96	132	112	143	172	162	109	96	64	40	23	11	2	15
7	13	14	9	31	54	86	139	214	250	252	277	236	148	53	28	7	-	16
3	5	6	5	13	32	51	109	168	182	166	171	129	63	19	11	-	-	17
3	3	6	1	9	13	26	21	35	53	72	98	98	81	32	15	5	-	18
1	4	1	3	6	5	9	6	7	13	9	-	5	1	-	1	1	-	19
-	1	1	-	3	4	-	3	4	2	5	8	4	3	2	1	1	-	20
30	64	129	260	460	622	879	1,055	1,226	1,416	1,183	941	631	298	78	16	1	6	21
16	40	81	182	306	474	657	821	961	1,080	885	682	417	184	43	7	-	4	22
5	5	28	37	79	79	120	142	171	251	250	227	197	109	33	7	1	1	23
5	14	13	27	59	51	75	73	72	59	38	24	11	4	2	1	-	1	24
4	5	7	14	16	18	27	19	22	26	10	8	6	1	-	1	-	-	25
45	56	65	69	114	124	152	189	240	243	230	208	119	73	24	5	-	3	26
18	27	29	31	59	75	90	122	143	153	124	114	61	41	5	2	-	2	27
18	10	19	22	27	24	30	32	70	57	79	77	51	29	19	3	-	-	28
3	11	10	7	18	16	19	18	16	21	17	12	4	2	-	-	-	-	29
6	8	7	9	10	9	13	17	11	12	10	5	3	1	-	-	-	1	30
36	63	93	142	212	304	463	549	732	979	1,049	1,043	917	488	170	32	11	5	31
14	15	23	41	70	99	186	243	349	473	539	495	407	220	74	12	3	2	32
10	30	30	52	81	129	171	225	279	404	439	487	464	248	90	20	4	3	33
5	9	17	19	26	38	60	45	58	62	48	32	25	14	4	-	2	-	34
7	9	23	30	35	38	46	36	46	40	23	29	21	6	2	-	2	-	35
43	81	102	124	142	206	227	279	339	411	427	456	384	246	87	27	7	2	36
18	20	38	52	66	107	125	171	169	206	206	184	155	74	27	7	3	1	37
25	47	44	56	60	63	70	80	139	167	199	251	213	159	52	19	4	-	38
-	6	12	10	7	19	17	18	24	21	14	10	5	6	5	-	-	-	39
-	8	8	6	9	17	15	10	7	17	8	11	11	7	3	1	-	1	40
42	147	371	883	1,454	1,868	2,111	2,129	2,051	1,992	1,384	871	484	215	49	7	2	7	41
18	43	158	453	797	1,160	1,362	1,392	1,404	1,339	895	517	259	110	25	3	-	6	42
14	58	141	299	494	554	571	570	547	560	441	327	209	99	22	4	1	1	43
4	24	35	59	93	78	108	116	63	67	30	18	14	5	1	-	-	-	44
6	22	37	72	70	76	70	51	37	26	18	9	2	1	1	-	1	-	45
83	76	99	105	132	132	177	170	187	196	241	214	171	105	35	13	2	3	46
36	25	37	41	57	58	79	78	79	93	106	99	73	43	20	6	-	1	47
18	28	32	28	36	38	49	49	75	71	90	93	83	48	10	3	1	-	48
15	12	17	12	24	23	25	24	19	17	19	11	10	10	3	-	-	2	49
14	11	13	24	15	13	24	19	14	15	26	11	5	4	2	4	1	-	50
-	1	1	2	8	18	66	152	406	761	1,136	1,261	1,213	748	242	69	8	3	51
-	1	1	-	3	13	34	104	327	646	1,021	1,168	1,143	712	231	63	4	1	52
-	-	-	2	5	5	32	48	79	115	115	93	70	36	11	6	4	2	53
343	412	517	424	203	28	5	2	-	1	2	2	-	-	-	-	-	1	54
217	245	281	289	135	21	4	2	-	1	1	1	-	-	-	-	-	-	55
126	167	236	135	68	7	1	-	-	-	1	1	-	-	-	-	-	1	56
59	56	77	50	18	2	-	-	-	-	-	-	-	-	-	-	-	-	57
34	29	41	32	10	-	-	-	-	-	-	-	-	-	-	-	-	-	58
25	27	36	18	8	2	-	-	-	-	-	-	-	-	-	-	-	-	59
284	356	440	374	185	26	5	2	-	1	2	2	-	-	-	-	-	1	60
183	216	240	257	125	21	4	2	-	1	1	1	-	-	-	-	-	-	61
101	140	200	117	60	5	1	-	-	-	1	1	-	-	-	-	-	1	62
181	187	178	193	226	265	235	181	164	144	85	86	50	12	2	1	1	7	63
96	84	96	91	99	129	118	88	90	77	40	42	19	3	-	-	-	4	64
71	89	60	76	109	100	90	83	66	58	39	41	29	9	2	1	1	1	65
5	7	13	16	13	23	22	7	4	7	5	2	1	-	-	-	-	1	66
9	7	9	10	5	13	5	3	4	2	1	1	1	-	-	-	-	1	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72

385053 O - 56 - 12

Table 52A. Deaths From 64 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Abbreviated List number[1]	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		Certain diseases of early infancy (760-776)—Continued										
1	B 42	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	28,642	28,632	4	3	1	2	28,642	-	-	-
2		White---------M--	14,432	14,428	2	2	-	-	14,432	-	-	-
3		F--	9,213	9,208	1	1	1	2	9,213	-	-	-
4		Nonwhite------M--	2,851	2,851	-	-	-	-	2,851	-	-	-
5		F--	2,146	2,145	1	-	-	-	2,146	-	-	-
6	B 43	Infections of newborn (763-768)	4,361	4,359	1	1	-	-	4,361	-	-	-
7		White---------M--	1,744	1,743	1	-	-	-	1,744	-	-	-
8		F--	1,193	1,192	-	1	-	-	1,193	-	-	-
9		Nonwhite------M--	800	800	-	-	-	-	800	-	-	-
10		F--	624	624	-	-	-	-	624	-	-	-
11	B 44	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	30,483	30,459	10	3	5	-	30,477	5	1	-
12		White---------M--	13,381	13,366	5	3	1	-	13,375	5	1	-
13		F--	10,029	10,022	5	-	2	-	10,029	-	-	-
14		Nonwhite------M--	3,928	3,927	-	-	1	-	3,928	-	-	-
15		F--	3,145	3,144	-	-	1	-	3,145	-	-	-
16	B 45	Symptoms, senility, and ill-defined conditions (780-795)	20,209	2,780	222	111	65	47	3,225	103	71	157
17		White---------M--	8,151	662	64	35	21	16	798	41	29	62
18		F--	5,207	494	37	34	10	13	588	20	14	35
19		Nonwhite------M--	3,824	894	61	24	23	8	1,010	24	14	28
20		F--	3,027	730	60	18	11	10	829	18	14	32
21	B 46 pt.	All other diseases (Residual)	66,354	4,124	750	480	340	260	5,954	870	567	684
22		White---------M--	33,663	1,918	332	216	154	114	2,734	396	262	315
23		F--	24,661	1,338	256	177	142	102	2,015	343	209	218
24		Nonwhite------M--	4,457	503	93	48	29	26	699	71	47	68
25		F--	3,573	365	69	39	15	18	506	60	49	83
26		Accidents (E800-E962)	90,032	3,580	1,590	1,302	1,032	876	8,380	3,207	2,732	5,450
27		White---------M--	53,949	1,496	676	605	493	427	3,697	1,817	1,718	3,842
28		F--	24,146	1,024	549	401	304	250	2,528	843	577	915
29		Nonwhite------M--	8,366	550	202	160	112	95	1,119	325	346	582
30		F--	3,571	510	163	136	123	104	1,036	222	91	111
31	BE 47	Motor-vehicle accidents (E810-E835)	35,586	296	431	394	373	370	1,864	1,391	941	3,376
32		White---------M--	23,511	138	197	189	196	201	921	776	585	2,404
33		F--	7,846	103	183	134	127	110	657	427	262	689
34		Nonwhite------M--	3,214	33	29	38	26	32	158	120	66	219
35		F--	1,015	22	22	33	24	27	128	68	28	64
36	BE 48	All other accidents (E800-E802,E840-E962)	54,446	3,284	1,159	908	659	506	6,516	1,816	1,791	2,074
37		White---------M--	30,438	1,358	479	416	297	226	2,776	1,041	1,133	1,438
38		F--	16,300	921	366	267	177	140	1,871	416	315	226
39		Nonwhite------M--	5,152	517	173	122	86	63	961	205	280	363
40		F--	2,556	488	141	103	99	77	908	154	63	47
41	BE 49	Suicide (E963,E970-E979)	16,356	-	-	-	-	-	-	-	37	261
42		White---------M--	12,396	-	-	-	-	-	-	-	29	180
43		F--	3,256	-	-	-	-	-	-	-	7	58
44		Nonwhite------M--	568	-	-	-	-	-	-	-	1	11
45		F--	136	-	-	-	-	-	-	-	-	12
46	BE 50 pt.	Homicide (E964,E980-E985)	7,735	134	20	23	27	20	224	57	93	400
47		White---------M--	2,477	49	5	7	14	8	83	20	37	109
48		F--	1,003	46	11	7	7	9	80	28	23	60
49		Nonwhite------M--	3,409	25	3	5	2	3	38	4	25	182
50		F--	846	14	1	4	4	-	23	5	8	49
51	BE 50 pt.	Injury resulting from operations of war (E965,E990-E999)	26	-	-	-	-	-	-	-	-	-
52		White---------M--	24	-	-	-	-	-	-	-	-	-
53		F--	-	-	-	-	-	-	-	-	-	-
54		Nonwhite------M--	2	-	-	-	-	-	-	-	-	-
55		F--	-	-	-	-	-	-	-	-	-	-

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

NOTE.—The list of 64 selected causes includes Cholera (043,B 5) and Plague (058,B 11). There were no deaths reported for these causes.

Age, Race, and Sex: United States, 1954—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
279	310	335	442	665	790	1,042	1,050	1,332	1,615	1,799	1,775	1,919	1,545	1,113	399	185	58	16
129	93	125	167	284	378	482	510	689	778	821	779	838	594	385	115	29	25	17
53	66	75	102	117	126	152	176	212	303	436	517	671	694	575	211	54	10	18
55	79	77	96	146	151	233	237	256	306	317	270	240	136	63	28	42	16	19
42	72	58	77	118	135	175	127	175	228	225	209	170	121	90	45	60	7	20
877	1,175	1,588	2,063	2,701	3,384	4,489	5,393	6,653	7,727	7,511	6,379	4,589	2,486	939	231	56	38	21
320	436	589	826	1,154	1,602	2,186	3,051	3,879	4,546	4,142	3,334	2,261	1,140	377	85	9	19	22
336	445	585	747	943	1,203	1,508	1,749	2,123	2,595	2,880	2,731	2,119	1,238	521	123	21	9	23
107	134	193	259	278	317	443	367	420	344	315	189	110	50	25	9	6	6	24
114	160	221	231	326	262	352	226	231	242	174	125	99	58	16	14	20	4	25
6,351	5,520	5,087	4,640	4,776	4,693	4,633	4,412	4,561	4,807	4,845	5,209	4,921	3,520	1,690	410	66	122	26
4,754	3,952	3,529	3,150	3,188	3,128	2,993	2,919	2,997	2,961	2,686	2,563	1,999	1,286	556	130	13	71	27
765	684	699	765	794	843	920	973	1,088	1,403	1,758	2,362	2,712	2,125	1,077	254	39	22	28
656	723	676	549	613	561	562	379	343	287	250	156	110	60	28	15	2	24	29
176	161	183	176	181	161	158	141	133	156	151	128	100	49	29	11	12	5	30
4,195	3,324	2,692	2,336	2,169	2,099	1,984	1,879	1,886	1,822	1,425	1,176	668	236	64	14	2	43	31
3,161	2,402	1,826	1,560	1,377	1,352	1,187	1,172	1,216	1,171	932	786	466	157	31	6	1	22	32
562	468	452	449	444	442	503	490	487	524	391	327	168	63	26	5	-	10	33
374	376	327	252	263	240	236	162	144	96	80	43	29	11	6	3	1	8	34
98	78	87	75	85	65	58	55	39	31	22	20	5	5	1	-	-	3	35
2,156	2,196	2,395	2,304	2,607	2,594	2,649	2,533	2,675	2,985	3,420	4,033	4,253	3,284	1,626	396	64	79	36
1,593	1,550	1,703	1,590	1,811	1,776	1,806	1,747	1,781	1,790	1,754	1,777	1,533	1,129	525	124	12	49	37
203	216	247	316	350	401	417	483	601	879	1,367	2,035	2,544	2,062	1,051	249	39	12	38
282	347	349	297	350	321	326	217	199	191	170	113	81	49	22	12	1	16	39
78	83	96	101	96	96	100	86	94	125	129	108	95	44	28	11	12	2	40
604	998	1,096	1,250	1,565	1,771	1,788	1,699	1,728	1,359	1,030	647	326	136	43	4	-	14	41
427	668	750	877	1,095	1,361	1,381	1,328	1,374	1,095	834	557	276	116	33	4	-	11	42
114	225	261	296	404	352	342	332	309	231	171	79	44	20	8	-	-	3	43
54	81	71	67	52	49	49	31	37	30	18	10	6	-	1	-	-	-	44
9	24	14	10	14	9	16	8	8	3	7	1	-	-	1	-	-	-	45
841	1,107	1,071	981	856	716	485	302	196	165	99	65	36	9	4	1	-	27	46
239	290	271	291	279	256	170	130	101	76	53	31	21	4	3	-	-	13	47
77	102	103	118	95	93	76	42	26	30	17	15	6	3	1	-	-	8	48
403	565	562	461	395	299	197	119	66	50	20	15	3	1	-	-	-	4	49
122	150	135	111	87	68	42	11	3	9	9	4	6	1	-	1	-	2	50
1	2	4	6	2	-	1	3	4	2	-	1	-	-	-	-	-	-	51
1	2	3	6	1	-	1	3	4	2	-	1	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA																										
	ALL CAUSES------	26,156	2,764	202	140	94	68	237	193	294	349	460	528	677	922	1,259	1,747	1,889	2,322	2,854	2,894	2,583	1,971	1,081	383	115	130
	White-----M--	9,240	797	51	36	32	18	74	62	126	147	156	172	234	296	445	569	650	855	1,043	1,174	1,009	770	367	119	23	15
	F--	6,521	548	29	32	19	14	52	42	42	40	64	93	100	157	229	295	323	451	666	850	973	777	495	166	49	15
	Nonwhite--M--	5,484	817	59	40	21	21	54	58	80	99	145	111	160	231	297	431	524	531	591	460	323	213	117	43	13	45
	F--	4,911	602	63	32	22	15	57	31	46	63	95	152	183	238	288	452	392	485	554	410	278	211	102	55	30	55
001-019	Tuberculosis, all forms--------	410	6	5	2	2	1	1	-	7	12	26	23	35	43	30	43	34	34	38	25	30	9	1	-	-	3
	White-----M--	136	2	-	-	-	-	-	-	-	1	5	3	6	10	10	17	16	17	15	12	12	8	1	-	-	1
	F--	57	-	-	1	2	-	-	-	-	2	2	5	1	8	3	3	3	3	6	5	12	1	-	-	-	-
	Nonwhite--M--	126	1	1	-	-	-	1	-	4	4	8	4	14	17	12	13	11	13	11	8	3	-	-	-	-	1
	F--	91	3	4	1	-	1	-	-	3	5	11	11	14	8	5	10	4	1	6	-	3	-	-	-	-	1
001-008	Tuberculosis of respiratory system----------	374	2	3	1	-	1	-	-	7	11	24	19	33	41	27	42	34	30	35	24	27	9	1	-	-	3
	White-----M--	126	-	-	-	-	-	-	-	-	1	5	3	6	10	7	17	16	15	14	11	11	8	1	-	-	1
	F--	51	-	-	1	-	-	-	-	-	1	2	3	1	8	3	3	3	2	6	5	12	1	-	-	-	-
	Nonwhite--M--	115	-	1	-	-	-	-	-	4	4	7	3	12	15	12	12	11	13	10	8	2	-	-	-	-	1
	F--	82	2	2	-	-	1	-	-	3	5	10	10	14	8	5	10	4	-	5	-	2	-	-	-	-	1
010-019	Tuberculosis, other forms------	36	4	2	1	2	-	1	-	-	1	2	4	2	2	3	1	-	4	3	1	3	-	-	-	-	-
	White-----M--	10	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	1	1	-	-	-	-	-
	F--	6	-	-	-	2	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	1	-	-	-	-	1	-	-	-	1	1	2	2	-	1	-	-	1	-	1	-	-	-	-	-
	F--	9	1	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-
020-029	Syphilis and its sequelae---------	98	6	-	-	-	-	-	-	1	1	3	4	4	7	13	10	13	14	9	6	5	2	-	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	3	5	2	3	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	2	-	1	-	-	-	-
	Nonwhite--M--	57	5	-	-	-	-	-	-	-	-	2	3	3	3	9	7	7	9	4	2	2	1	-	-	-	-
	F--	14	1	-	-	-	-	-	-	1	-	1	-	-	3	1	2	3	2	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	21	5	-	1	-	1	-	-	-	1	-	-	1	-	1	1	-	2	1	2	2	1	-	-	1	1
	White-----M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	6	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	F--	10	3	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	2	-	1	-	-	-	-	-	1
050, 051	Scarlet fever, etc.*----------	7	-	-	-	-	2	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-		-	-
	White-----M--	5	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	14	-	2	2	3	1	2	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	1	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	11	9	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	29	9	2	2	-	2	6	2	2	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	3	2	1	-	-	2	1	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	1	-	1	-	-	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	3	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	27	2	2	3	-	2	7	6	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	1	-	1	-	1	4	2	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	11	1	2	2	-	1	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	20	1	5	5	-	-	6	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	5	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	1	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	4	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	89	29	4	4	2	-	5	1	4	3	-	3	5	4	2	4	1	7	3	2	-	2	3	-	1	-
	White-----M--	25	5	2	1	1	-	1	-	1	-	-	2	2	-	1	-	-	6	1	-	-	1	1	-	-	-
	F--	17	6	-	1	-	-	1	-	1	1	-	-	-	1	-	1	-	-	1	1	-	-	2	-	1	-
	Nonwhite--M--	25	10	1	1	-	-	2	1	1	1	-	1	1	1	1	1	1	1	-	1	-	-	-	-	-	-
	F--	22	8	1	1	1	-	1	-	1	1	-	-	2	2	-	2	-	-	1	-	-	1	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA—Con.																										
140-205	Malignant neoplasms, etc.*----	3,154	2	6	11	11	6	23	20	21	18	33	64	97	138	236	314	324	385	417	395	303	209	85	18	7	11
	White-----M--	1,105	1	2	5	7	1	7	7	9	7	13	10	20	31	66	87	98	138	173	171	122	92	35	2	1	-
	F--	1,126	1	4	3	3	5	7	7	5	4	9	31	37	51	84	117	95	122	132	136	139	85	32	10	3	4
	Nonwhite--M--	408	-	-	1	-	-	3	2	4	2	3	5	12	13	29	44	65	72	55	42	25	15	9	3	-	4
	F--	515	-	-	2	1	-	6	4	3	5	8	18	28	43	57	66	66	53	57	46	17	17	9	3	3	3
140-148	Of buccal cavity and pharynx------	75	-	-	-	-	-	-	-	-	-	2	1	4	2	5	6	7	14	8	11	7	4	4	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	2	1	1	1	3	3	5	4	3	4	3	2	3	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	-	5	4	6	4	2	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	970	-	1	-	-	-	1	-	3	5	2	13	20	24	55	86	83	131	155	136	118	85	43	5	2	2
	White-----M--	351	-	1	-	-	-	-	-	1	2	-	3	7	10	18	27	27	45	66	53	41	32	17	-	1	-
	F--	330	-	-	-	-	-	-	-	-	1	2	6	5	4	12	24	23	36	47	53	56	36	21	3	1	-
	Nonwhite--M--	170	-	-	-	-	-	-	-	2	-	-	2	4	4	14	20	25	27	25	18	14	10	3	-	-	2
	F--	119	-	-	-	-	-	1	-	-	2	-	2	4	6	11	15	8	23	17	12	7	7	2	2	-	-
160-164	Of respiratory system----------	368	-	1	-	-	-	-	1	2	-	1	1	8	11	32	44	65	64	43	56	21	14	-	1	1	2
	White-----M--	231	-	-	-	-	-	-	-	2	-	-	-	1	5	24	27	37	47	28	40	11	9	-	-	-	-
	F--	50	-	1	-	-	-	-	-	-	-	-	-	2	1	3	5	8	7	2	7	9	3	-	-	1	1
	Nonwhite--M--	71	-	-	-	-	-	1	-	-	-	1	-	4	4	3	8	17	10	12	6	1	2	-	1	-	1
	F--	16	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	3	-	1	3	-	-	-	-	-	-
170	Of breast---------	285	-	-	-	-	-	-	-	-	-	3	17	14	20	37	32	40	25	26	23	23	17	5	2	-	1
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	197	-	-	-	-	-	-	-	-	-	2	12	11	12	27	22	20	17	20	17	17	14	3	2	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	84	-	-	-	-	-	-	-	-	-	1	5	3	7	10	10	19	8	6	6	5	2	2	-	-	-
171-179	Of genital organs-	663	-	-	-	-	-	-	-	-	2	9	17	19	43	56	68	62	66	84	87	74	43	23	3	2	5
	White-----M--	159	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	5	10	27	35	37	28	11	-	-	-
	F--	243	-	-	-	-	-	-	-	-	-	4	8	5	18	28	41	23	27	25	24	26	8	3	2	-	1
	Nonwhite--M--	68	-	-	-	-	-	-	-	-	-	-	1	1	-	1	5	9	15	11	9	7	2	5	1	-	1
	F--	193	-	-	-	-	-	-	-	-	2	4	7	13	24	25	21	25	14	21	19	4	5	4	-	2	3
180, 181	Of urinary organs-	108	-	-	1	2	-	1	-	-	-	-	2	3	4	6	10	7	12	21	16	9	9	1	2	-	-
	White-----M--	45	-	-	-	1	-	-	-	-	-	-	-	1	2	1	3	2	4	10	8	7	5	1	-	-	-
	F--	32	-	-	-	-	-	1	-	-	-	-	2	1	-	1	1	3	3	8	6	2	3	-	1	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	4	-	2	-	-	-	-	-	-
	F--	14	-	-	1	1	-	-	-	-	-	-	-	1	1	1	3	-	1	3	-	-	1	-	1	-	-
156B, 165, 190-199	Of other sites, etc.*----------	409	1	1	1	1	1	7	5	4	7	8	8	20	19	33	40	39	51	46	40	35	28	7	4	2	1
	White-----M--	165	1	-	1	1	-	1	1	2	4	6	1	6	7	12	16	15	21	21	20	13	12	3	1	-	-
	F--	145	-	1	-	-	1	3	2	2	2	-	2	9	8	11	12	9	18	14	14	18	13	2	2	1	1
	Nonwhite--M--	44	-	-	-	-	-	1	1	-	-	1	2	1	1	5	4	6	7	5	4	3	1	1	1	-	-
	F--	55	-	-	-	-	-	2	1	-	1	1	3	4	3	5	8	9	5	6	2	1	2	1	-	1	-
204	Leukemia and aleukemia----------	152	-	2	7	6	5	13	11	7	1	4	2	6	5	7	15	8	7	14	15	9	7	-	1	-	-
	White-----M--	59	-	1	3	3	1	6	5	1	1	2	1	3	2	3	4	-	-	7	6	6	3	-	1	-	-
	F--	60	-	1	2	3	4	3	5	3	-	-	1	1	3	2	6	5	5	3	6	3	4	-	-	-	-
	Nonwhite--M--	17	-	-	1	-	-	2	-	1	-	1	-	2	-	2	2	1	2	1	2	-	-	-	-	-	-
	F--	16	-	-	1	-	-	2	1	2	-	1	-	-	-	-	3	2	-	3	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	126	1	1	2	2	-	1	3	5	3	4	3	3	10	5	13	13	15	20	11	7	2	2	-	-	-
	White-----M--	58	-	-	1	2	-	-	1	3	-	2	3	1	3	3	6	7	7	11	5	3	-	-	-	-	-
	F--	41	1	1	1	-	-	-	-	-	1	1	-	1	4	-	3	4	4	9	3	4	2	2	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	1	2	-	-	-	2	1	2	2	3	-	1	-	-	-	-	-	-
	F--	13	-	-	-	-	-	1	2	1	-	1	-	1	1	1	2	-	1	-	2	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	83	3	-	2	3	1	3	1	1	2	4	6	6	9	10	7	1	5	5	6	4	3	1	-	-	-
	White-----M--	23	-	-	2	2	1	-	-	1	1	-	1	2	2	4	2	-	-	1	1	3	-	-	-	-	-
	F--	31	1	-	-	-	-	1	1	-	1	3	3	1	1	3	1	1	4	2	4	1	2	1	-	-	-
	Nonwhite--M--	12	1	-	-	1	-	2	-	-	-	-	1	-	3	1	1	-	1	1	-	-	-	-	-	-	-
	F--	17	1	-	-	-	-	-	-	-	-	1	1	3	3	2	3	-	-	1	1	-	1	-	-	-	-
260	Diabetes mellitus-	292	2	-	-	-	-	-	2	3	2	5	10	8	14	15	28	23	38	35	38	32	26	6	3	-	2
	White-----M--	80	1	-	-	-	-	-	-	-	-	-	3	4	6	5	3	5	7	10	13	11	9	1	2	-	-
	F--	101	-	-	-	-	-	-	1	1	2	-	2	2	-	2	9	5	17	10	15	15	15	4	1	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	1	1	-	3	2	-	2	2	2	7	6	1	4	3	1	1	-	-	-
	F--	75	1	-	-	-	-	-	-	1	-	2	3	2	6	6	14	6	8	14	6	3	1	-	-	-	2
290-293	Anemias----------	61	5	4	1	-	1	1	-	3	1	5	2	3	1	2	1	2	6	7	4	5	2	4	-	1	-
	White-----M--	15	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	2	3	2	-	-	-	1	-
	F--	22	1	-	-	-	1	-	-	-	-	2	1	1	-	1	-	-	2	4	1	3	2	3	-	-	-
	Nonwhite--M--	8	1	1	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	1	-	-	-
	F--	16	1	2	1	-	-	-	-	2	1	3	1	2	-	-	1	1	-	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	43	24	-	3	1	1	5	2	2	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-	-
	White-----M--	9	5	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	7	3	-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	9	-	1	-	1	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	11	7	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	13,059	17	9	5	2	4	18	30	26	33	54	121	208	353	607	924	1,136	1,461	1,833	1,930	1,781	1,382	734	251	72	68
	White-----M--	4,740	7	4	1	-	1	5	4	7	10	13	37	68	113	215	290	397	534	653	777	692	545	255	86	17	9
	F--	3,408	2	-	-	-	-	5	8	5	4	10	21	17	41	83	111	153	259	408	566	666	555	348	110	30	6
	Nonwhite--M--	2,421	7	4	2	1	2	6	11	6	5	18	14	45	91	140	234	324	325	395	298	226	138	69	28	8	24
	F--	2,490	1	1	2	1	1	2	7	8	14	13	49	78	108	169	289	262	343	377	289	197	144	62	27	17	29
330-334, 400-468	Diseases of cardiovascular system-	12,554	14	8	5	2	3	16	28	22	28	45	106	194	328	581	886	1,100	1,421	1,766	1,860	1,728	1,324	716	239	69	65
	White-----M--	4,622	6	4	1	-	1	4	4	7	7	9	30	65	105	212	283	390	527	645	759	676	529	250	82	17	9
	F--	3,301	1	-	-	-	-	5	7	3	3	8	18	15	38	79	109	148	251	395	556	649	535	342	105	29	5
	Nonwhite--M--	2,286	6	3	2	1	2	5	10	4	5	17	12	43	86	133	222	316	311	377	273	213	124	64	25	8	24
	F--	2,345	1	1	2	1	-	2	7	8	13	11	46	71	99	157	272	246	332	349	272	190	136	60	27	15	27
330-334	Vascular lesions, etc.*----------	3,432	2	1	1	1	1	4	3	2	6	9	16	41	75	160	231	292	377	503	555	504	367	203	47	14	17
	White-----M--	1,014	1	1	-	-	-	3	1	1	1	2	-	8	9	33	35	54	104	149	214	185	135	58	17	2	1
	F--	954	-	-	-	-	-	1	-	-	-	1	6	6	13	23	33	45	60	110	166	199	158	105	20	8	-
	Nonwhite--M--	673	1	-	1	-	1	-	1	-	1	5	2	11	20	41	67	97	101	122	76	59	32	21	4	1	9
	F--	791	-	-	-	1	-	-	1	1	4	1	8	16	33	63	96	96	112	122	99	61	42	19	6	3	7
400-402	Rheumatic fever---	53	-	1	-	-	1	8	12	7	1	3	3	1	3	3	1	2	3	1	-	2	1	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	1	2	1	1	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	1	4	-	-	1	1	1	1	2	1	-	2	1	-	1	-	-	-	-	-
	Nonwhite--M--	13	-	1	-	-	1	5	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F--	14	-	-	-	-	-	2	3	5	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA—Con.																										
410-443	Diseases of heart	8,219	11	6	4	1	1	4	13	12	20	21	67	140	225	382	619	753	975	1,149	1,212	1,100	833	434	160	34	43
	White-----M--	3,335	4	3	1	-	1	1	2	4	4	4	22	55	91	171	239	318	407	464	507	442	356	168	55	8	8
	F--	2,088	1	-	-	-	-	3	3	3	3	3	7	6	22	49	68	97	175	257	367	406	326	203	72	12	5
	Nonwhite--M--	1,441	5	2	1	1	-	-	5	3	4	9	8	29	59	83	147	204	193	225	183	137	77	32	16	5	13
	F--	1,355	1	1	2	-	-	-	3	2	9	5	30	50	53	79	165	134	200	203	155	115	74	31	17	9	17
410-416	Chronic rheumatic heart disease	232	-	-	-	1	1	2	11	6	9	4	13	14	22	16	16	21	22	20	15	15	17	3	4	-	-
	White-----M--	71	-	-	-	-	1	1	2	2	1	-	4	6	9	6	5	3	10	6	6	4	4	1	-	-	-
	F--	65	-	-	-	-	-	1	3	2	1	2	5	-	6	6	6	7	8	3	4	2	5	2	2	-	-
	Nonwhite--M--	48	-	-	-	1	-	-	4	2	2	-	-	4	3	2	3	6	2	6	3	6	3	-	1	-	-
	F--	48	-	-	-	-	-	-	2	-	5	2	4	4	4	2	2	5	2	5	2	3	5	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	4,433	2	-	1	-	-	-	-	1	3	8	26	75	123	224	363	444	552	632	695	587	407	196	65	13	16
	White-----M--	2,259	1	-	-	-	-	-	-	-	2	2	12	43	65	134	191	250	306	324	341	271	200	88	20	4	5
	F--	1,132	-	-	-	-	-	-	-	-	-	1	1	5	6	29	37	58	100	146	228	229	167	84	34	5	2
	Nonwhite--M--	579	1	-	1	-	-	-	-	-	-	4	5	10	29	40	77	86	72	86	78	45	23	11	5	2	4
	F--	463	-	-	-	-	-	-	-	1	1	1	8	17	23	21	58	50	74	76	48	42	17	13	6	2	5
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,181	1	3	-	-	-	-	1	1	3	3	1	13	20	35	43	69	127	146	170	196	177	112	43	7	10
	White-----M--	347	1	2	-	-	-	-	-	-	1	-	-	-	2	9	8	15	25	42	52	69	64	34	19	2	2
	F--	306	-	-	-	-	-	-	-	1	-	-	-	-	2	1	6	5	21	25	38	59	69	58	15	3	3
	Nonwhite--M--	278	-	-	-	-	-	-	1	-	-	2	-	4	7	6	12	29	48	37	46	43	27	8	5	-	3
	F--	250	-	1	-	-	-	-	-	-	2	1	1	9	9	19	17	20	33	42	34	25	17	12	4	2	2
430-434	Other diseases of heart	586	6	3	2	-	-	2	1	3	3	3	15	13	24	33	66	63	68	75	67	52	49	21	13	1	3
	White-----M--	223	2	1	-	-	-	-	-	2	-	2	5	4	10	14	19	22	33	27	35	16	18	7	5	-	1
	F--	136	1	-	-	-	-	2	-	-	2	-	1	-	3	2	8	15	9	19	17	22	19	9	6	1	-
	Nonwhite--M--	119	3	2	-	-	-	-	-	1	1	1	3	3	6	13	17	14	11	20	6	9	4	4	-	-	1
	F--	108	-	-	2	-	-	-	1	-	-	-	6	6	5	4	22	12	15	9	9	5	8	1	2	-	1
440-443	Hypertension with heart dis.	1,787	2	-	1	-	-	-	-	1	2	3	12	25	36	74	131	156	206	276	265	250	183	102	35	13	14
	White-----M--	435	-	-	1	-	-	-	-	-	-	-	1	2	5	8	16	28	33	65	73	82	70	38	11	2	-
	F--	449	-	-	-	-	-	-	-	-	-	-	-	1	5	11	11	12	37	64	80	94	66	50	15	3	-
	Nonwhite--M--	417	1	-	-	-	-	-	-	-	1	2	-	8	14	22	38	69	60	76	50	34	20	9	5	3	5
	F--	486	1	-	-	-	-	-	-	1	1	1	11	14	12	33	66	47	76	71	62	40	27	5	4	5	9
444-447	Hypertension without mention of heart	308	-	-	-	-	-	-	-	-	-	7	9	6	18	21	14	20	24	51	26	41	40	18	10	2	1
	White-----M--	74	-	-	-	-	-	-	-	-	-	2	1	-	3	3	3	4	6	11	7	13	11	5	4	1	-
	F--	71	-	-	-	-	-	-	-	-	-	1	2	-	1	2	3	2	5	9	7	14	17	5	2	1	-
	Nonwhite--M--	70	-	-	-	-	-	-	-	-	-	2	1	2	6	6	2	7	6	17	3	7	3	5	2	-	1
	F--	93	-	-	-	-	-	-	-	-	-	2	5	4	8	10	6	7	7	14	9	7	9	3	2	-	-
450	General arteriosclerosis	371	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	13	19	41	54	64	74	56	21	17	2
	White-----M--	114	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	9	24	25	24	16	6	6	-
	F--	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	13	13	25	30	28	11	6	-
	Nonwhite--M--	66	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	8	11	10	9	10	5	3	2	1
	F--	63	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	7	8	8	7	5	10	7	1	3	1
451-468	Other diseases of circulatory sys.	171	1	-	-	-	-	-	-	1	1	5	11	5	4	13	17	20	23	21	13	17	9	5	1	2	2
	White-----M--	75	1	-	-	-	-	-	-	-	1	-	6	2	1	4	6	11	7	12	7	11	3	3	-	-	-
	F--	44	-	-	-	-	-	-	-	-	-	2	2	2	1	3	4	3	8	5	3	4	4	1	-	2	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	1	-	1	1	-	1	2	4	4	3	2	1	1	1	1	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	2	2	1	1	4	3	2	5	2	2	1	1	-	1	-	2
592-594	Chronic nephritis, etc.*	505	3	1	-	-	1	2	2	4	5	9	15	14	25	26	38	36	40	67	70	53	58	18	12	3	3
	White-----M--	118	1	-	-	-	-	1	-	-	3	4	7	3	8	3	7	7	7	8	18	16	16	5	4	-	-
	F--	107	1	-	-	-	-	-	1	2	1	2	3	2	3	4	2	5	8	13	10	17	20	6	5	1	1
	Nonwhite--M--	135	1	1	-	-	-	1	1	2	-	1	2	2	5	7	12	8	14	18	25	13	14	5	3	-	-
	F--	145	-	-	-	-	1	-	-	-	1	2	3	7	9	12	17	16	11	28	17	7	8	2	-	2	2
480-493	Influenza and pneumonia, etc.*	997	253	40	19	8	7	10	9	14	9	10	9	11	19	23	38	35	46	62	94	89	78	74	26	4	10
	White-----M--	258	43	6	5	-	1	1	5	4	1	2	3	5	7	8	7	7	6	14	36	39	26	28	3	1	-
	F--	234	38	3	2	2	1	2	-	4	3	3	-	-	4	2	4	4	4	15	28	29	34	35	13	3	1
	Nonwhite--M--	289	104	16	9	3	2	4	3	2	4	4	2	3	6	9	18	16	16	15	15	15	10	7	2	-	4
	F--	216	68	15	3	3	3	3	1	4	1	1	4	3	2	4	9	8	20	18	15	6	8	4	8	-	5
480-483	Influenza	180	27	1	1	1	-	3	3	4	2	2	1	2	5	4	5	9	5	13	19	28	23	15	4	-	3
	White-----M--	51	4	-	-	-	-	-	2	3	1	-	-	1	2	3	2	2	-	2	6	13	4	6	-	-	-
	F--	47	4	-	1	-	-	1	-	-	-	1	-	-	2	-	1	2	1	2	5	6	12	7	2	-	-
	Nonwhite--M--	39	12	-	-	-	-	1	1	-	1	1	-	-	-	1	-	3	3	2	3	5	3	1	-	-	2
	F--	43	7	1	-	1	-	1	-	1	-	-	1	1	1	-	2	2	1	7	5	4	4	1	2	-	1
490-493	Pneumonia, etc.*	817	226	39	18	7	7	7	6	10	7	8	8	9	14	19	33	26	41	49	75	61	55	59	22	4	7
	White-----M--	207	39	6	5	-	1	1	3	1	-	2	3	4	5	5	5	5	6	12	30	26	22	22	3	1	-
	F--	187	34	3	1	2	1	1	-	4	3	2	-	-	2	2	3	2	3	13	23	23	22	28	11	3	1
	Nonwhite--M--	250	92	16	9	3	2	3	2	2	3	3	2	3	6	8	18	13	13	13	12	10	7	6	2	-	2
	F--	173	61	14	3	2	3	2	1	3	1	1	3	2	1	4	7	6	19	11	10	2	4	3	6	-	4
500-502	Bronchitis	51	10	4	1	5	2	1	-	-	-	-	-	-	-	-	2	2	-	6	5	3	5	4	1	-	-
	White-----M--	20	1	3	-	3	1	1	-	-	-	-	-	-	-	-	1	1	-	4	1	-	3	1	-	-	-
	F--	14	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	1	3	1	-	-
	Nonwhite--M--	12	6	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	F--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	100	-	-	-	-	-	-	-	-	1	3	1	3	4	10	13	17	9	14	10	8	6	1	-	-	-
	White-----M--	54	-	-	-	-	-	-	-	-	-	1	1	3	3	3	8	6	4	9	8	3	5	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	2	-	4	1	1	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	1	1	-	-	1	3	3	5	3	3	2	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	1	-	-	-	-	-	-	-	-
550-553	Appendicitis	43	-	-	2	-	-	5	4	3	1	3	-	3	1	2	1	2	5	2	4	2	2	-	-	-	1
	White-----M--	11	-	-	1	-	-	2	2	-	-	2	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-
	F--	6	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	2	1	1	1	1	-	1	-	1	-	1	2	1	3	-	-	-	-	-	-
	F--	11	-	-	1	-	-	-	-	1	-	-	-	1	1	-	1	1	2	1	-	-	1	-	-	-	1
560, 561, 570	Hernia, intestinal obstruction	151	25	2	1	-	-	3	1	1	-	3	3	2	7	6	10	12	9	16	13	16	13	6	2	-	-
	White-----M--	44	9	1	-	-	-	1	-	-	-	-	-	-	3	-	2	1	1	6	9	3	5	2	1	-	-
	F--	39	7	-	-	-	-	1	-	-	-	-	-	1	2	-	2	6	1	3	2	7	3	3	1	-	-
	Nonwhite--M--	36	6	1	-	-	-	1	-	1	-	2	1	1	1	3	3	3	4	-	1	4	3	1	-	-	-
	F--	32	3	-	1	-	-	-	1	-	-	1	2	-	1	3	3	2	3	7	1	2	2	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA—Con.																										
543, 571, 572	Gastritis, etc.*	174	96	15	2	3	3	3	-	-	1	2	2	1	2	4	3	3	3	10	8	3	2	6	-	2	-
	White-----M--	39	20	2	-	-	3	-	-	-	-	-	1	1	-	1	1	-	1	4	-	1	2	2	-	-	-
	F--	34	12	3	1	-	-	1	-	-	1	-	-	-	-	1	1	-	-	3	5	2	-	3	-	1	-
	Nonwhite--M--	53	36	7	-	1	-	1	-	-	-	1	1	-	1	-	1	1	-	2	1	-	-	-	-	-	-
	F--	48	28	3	1	2	-	1	-	-	-	1	-	-	1	2	-	2	2	1	2	-	-	1	-	1	-
581	Cirrhosis of liver	155	-	1	-	1	-	-	-	1	1	2	6	4	10	17	23	25	9	19	17	12	6	1	-	-	-
	White-----M--	84	-	1	-	-	-	-	-	-	-	-	5	4	6	10	14	12	5	9	7	7	4	-	-	-	-
	F--	39	-	-	-	1	-	-	-	-	-	2	1	-	1	2	6	6	1	6	6	4	2	1	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	1	-	-	-	-	2	3	2	5	2	3	2	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	2	1	1	2	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*	60	1	3	-	-	1	4	1	3	3	-	2	4	3	3	3	6	-	5	7	6	2	3	-	-	-
	White-----M--	21	1	1	-	-	-	1	-	1	2	-	1	1	1	2	-	2	-	2	1	3	-	2	-	-	-
	F--	7	-	-	-	-	1	-	-	1	-	-	-	-	1	-	1	1	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	14	-	1	-	-	-	2	-	-	1	-	-	1	-	-	-	2	-	2	1	1	2	1	-	-	-
	F--	18	-	1	-	-	-	1	1	1	-	-	1	2	1	1	2	1	-	-	5	1	-	-	-	-	-
610	Hyperplasia of prostate	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	5	15	22	21	24	8	5	1	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	10	13	16	18	5	5	1	-
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	4	5	9	5	6	3	-	-	-
640-689	Complications of pregnancy, etc.*	103	...	...	...	...	...	...	-	10	10	21	31	17	13	-	-	-	-	-	-	-	-	-	-	-	1
	White-----F--	30	...	...	...	...	...	...	-	4	2	3	7	8	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	73	...	...	...	...	...	...	-	6	8	18	24	9	7	-	-	-	-	-	-	-	-	-	-	-	1
650-652	Abortion	16	...	...	...	...	...	...	-	1	4	3	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	13	...	...	...	...	...	...	-	-	3	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	87	...	...	...	...	...	...	-	9	6	18	24	17	12	-	-	-	-	-	-	-	-	-	-	-	1
	White-----F--	27	...	...	...	...	...	...	-	3	1	3	7	8	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	60	...	...	...	...	...	...	-	6	5	15	17	9	7	-	-	-	-	-	-	-	-	-	-	-	1
750-759	Congenital malformations	350	253	20	16	6	3	7	6	4	1	1	2	6	2	7	8	4	2	1	-	1	-	-	-	-	-
	White-----M--	130	104	5	4	2	1	2	2	-	-	-	1	1	-	4	2	-	-	1	-	1	-	-	-	-	-
	F--	125	89	4	6	3	-	3	2	3	-	1	1	2	1	1	5	3	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	55	35	4	4	-	2	-	2	1	1	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-
	F--	40	25	7	2	1	-	2	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,513	1,512	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	499	499	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	317	316	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	392	392	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	305	305	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	658	657	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	243	243	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	144	143	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	145	145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	743	743	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	226	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	210	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	1,217	299	16	4	7	2	10	3	9	10	19	17	27	29	47	70	45	79	111	109	84	86	56	42	18	18
	White-----M--	250	30	2	-	1	-	2	-	1	1	1	6	7	7	18	27	12	24	23	33	24	11	11	5	-	4
	F--	160	34	-	1	-	-	1	-	1	1	2	3	3	1	3	4	5	6	8	14	12	25	12	15	8	1
	Nonwhite--M--	421	136	4	3	5	1	5	2	4	3	7	3	8	9	15	25	19	23	40	35	18	24	16	8	3	5
	F--	386	99	10	-	1	1	2	1	3	5	9	5	9	12	11	14	9	26	40	27	30	26	17	14	7	8
Residual	All other diseases	1,217	80	19	12	6	2	22	18	20	25	28	32	47	75	66	83	87	96	138	117	113	59	51	16	2	3
	White-----M--	446	31	8	2	-	1	7	3	8	5	10	9	13	28	22	24	33	45	54	51	47	25	14	6	-	-
	F--	325	13	2	3	1	-	6	4	3	3	7	7	8	10	17	14	23	14	46	40	43	27	25	9	-	-
	Nonwhite--M--	258	26	4	3	3	-	4	4	6	7	-	6	17	15	20	28	23	25	23	18	13	5	6	-	1	1
	F--	188	10	5	4	2	1	5	7	3	10	11	10	9	22	7	17	8	12	15	8	10	2	6	1	1	2
E800-E962	Accidents	1,906	109	42	41	34	23	94	78	135	161	155	118	112	122	96	98	90	76	81	66	56	47	36	19	6	11
	White-----M--	874	29	9	12	15	7	32	33	85	104	89	63	64	54	39	53	42	40	33	25	15	12	8	9	1	1
	F--	320	18	10	8	5	3	19	12	10	11	14	7	11	18	16	9	14	12	17	19	30	23	22	6	3	3
	Nonwhite--M--	487	35	12	11	5	8	15	26	34	39	46	34	27	38	34	27	22	18	20	16	4	4	3	2	1	6
	F--	225	27	11	10	9	5	28	7	6	7	6	14	10	12	7	9	12	6	11	6	7	8	3	2	1	1
E810-E835	Motor-vehicle accidents	805	8	12	10	12	10	40	27	75	104	98	64	56	59	41	46	30	33	35	20	13	9	2	-	-	1
	White-----M--	457	5	4	3	9	2	19	15	53	73	60	36	31	26	20	28	16	18	20	10	5	3	1	-	-	-
	F--	112	1	4	1	1	2	8	7	9	8	7	5	7	9	6	7	5	4	8	4	6	3	-	-	-	-
	Nonwhite--M--	179	1	2	1	-	4	4	4	10	22	29	17	14	19	11	11	4	9	6	6	-	3	1	-	-	1
	F--	57	1	2	5	2	2	9	1	3	1	2	6	4	5	4	-	5	2	1	-	2	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	1,101	101	30	31	22	13	54	51	60	57	57	54	56	63	55	52	60	43	46	46	43	38	34	19	6	10
	White-----M--	417	24	5	9	6	5	13	18	32	31	29	27	33	28	19	25	26	22	13	15	10	9	7	9	1	1
	F--	208	17	6	7	4	1	11	5	1	3	7	2	4	9	10	2	9	8	9	15	24	20	22	6	3	3
	Nonwhite--M--	308	34	10	10	5	4	11	22	24	17	17	17	13	19	23	16	18	9	14	10	4	1	2	2	1	5
	F--	168	26	9	5	7	3	19	6	3	6	4	8	6	7	3	9	7	4	10	6	5	8	3	2	1	1
E963, E970-E979	Suicide	218	-	-	-	-	-	-	2	4	8	21	15	19	22	30	29	14	19	18	11	2	3	1	-	-	-
	White-----M--	153	-	-	-	-	-	-	1	2	5	12	12	14	12	21	23	13	14	12	7	2	2	1	-	-	-
	F--	40	-	-	-	-	-	-	1	1	2	3	3	4	8	7	3	-	3	1	4	-	-	-	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	1	5	-	1	1	1	3	1	1	4	-	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-
E964, E980-E985	Homicide	373	6	-	-	-	3	-	2	18	44	59	56	51	41	31	25	9	11	8	2	4	2	-	-	-	1
	White-----M--	91	1	-	-	-	-	-	-	3	9	6	12	16	11	13	6	3	6	2	1	1	1	-	-	-	-
	F--	15	-	-	-	-	1	-	-	1	2	2	1	3	2	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	216	3	-	-	-	2	-	2	13	29	44	34	22	24	10	13	6	5	4	1	3	1	-	-	-	-
	F--	51	2	-	-	-	-	-	-	1	4	7	9	10	4	7	4	-	-	2	-	-	-	-	-	-	1
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA																										
	ALL CAUSES------	7.212	1,068	93	50	34	15	71	46	77	129	146	168	172	261	349	454	511	619	830	677	603	432	266	99	25	17
	White-----M--	3,863	396	18	17	18	7	34	23	37	79	75	80	96	138	200	263	313	397	511	387	350	237	130	42	10	5
	F--	2,249	304	29	16	9	6	21	12	17	26	32	56	51	72	99	128	142	157	253	236	216	167	124	55	14	7
	Nonwhite--M--	659	203	24	11	3	1	11	6	11	14	25	23	14	27	26	41	32	45	51	37	24	21	6	-	-	3
	F--	441	165	22	6	4	1	5	5	12	10	14	9	11	24	24	22	24	20	15	17	13	7	6	2	1	2
001-019	Tuberculosis, all forms--------	241	7	1	4	1	-	1	-	4	9	9	14	18	18	30	21	20	24	21	15	11	9	1	1	1	1
	White-----M--	143	1	1	1	-	-	-	-	-	4	4	7	10	9	11	17	15	22	17	9	10	4	-	1	-	-
	F--	47	1	-	1	-	-	-	-	-	2	1	4	6	5	15	2	1	2	1	4	-	2	-	-	-	-
	Nonwhite--M--	29	3	-	1	1	-	1	-	-	1	1	2	1	1	2	2	4	-	2	2	1	3	-	-	-	1
	F--	22	2	-	1	-	-	-	-	4	2	3	1	1	3	2	-	-	-	1	-	-	-	1	-	1	-
001-008	Tuberculosis of respiratory system----------	223	3	1	2	-	-	-	-	3	8	8	13	18	18	28	20	19	22	21	15	11	9	1	1	1	1
	White-----M--	138	-	1	-	-	-	-	-	-	4	4	7	10	9	10	17	14	21	17	9	10	4	-	1	-	-
	F--	45	1	-	1	-	-	-	-	-	2	1	4	6	5	14	2	1	1	1	4	-	2	-	-	-	-
	Nonwhite--M--	24	2	-	-	-	-	-	-	-	1	1	2	1	1	2	1	4	-	2	2	1	3	-	-	-	1
	F--	16	-	-	1	-	-	-	-	3	1	2	-	1	3	2	-	-	-	1	-	-	-	1	-	1	-
010-019	Tuberculosis, other forms------	18	4	-	2	1	-	1	-	1	1	1	1	-	-	2	1	1	2	-	-	-	-	-	-	-	-
	White-----M--	5	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	2	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	26	-	-	-	-	-	-	-	-	-	1	1	-	1	2	3	4	2	6	4	-	2	-	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	-	4	3	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
040	Typhoid fever-----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	14	5	2	-	1	-	-	-	-	-	-	-	-	2	1	1	1	-	1	-	-	-	-	-	-	-
	White-----M--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	3	1	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	10	6	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	44	10	3	2	2	-	2	2	-	1	4	3	1	1	3	3	2	-	2	1	1	-	1	-	-	-
	White-----M--	13	2	-	-	1	-	-	2	-	-	2	2	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	F--	9	2	1	2	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	13	2	2	-	1	-	1	-	-	1	2	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-
	F--	9	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	1	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
140-205	Malignant neoplasms, etc.*	953	3	2	3	2	2	7	9	2	11	8	18	22	36	62	93	104	125	147	104	100	57	26	9	1	-
	White-----M--	497	1	-	2	1	1	4	8	-	6	3	7	8	13	29	41	53	65	85	56	58	34	17	4	1	-
	F--	387	2	2	1	1	1	3	1	2	3	4	7	12	18	27	42	45	50	54	43	37	19	8	5	-	-
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	1	1	2	-	2	1	7	3	7	6	2	4	3	1	-	-	-
	F--	29	-	-	-	-	-	-	-	-	1	-	2	2	3	5	3	3	3	2	3	1	1	-	-	-	-
140-148	Of buccal cavity and pharynx	26	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	2	4	5	3	2	3	1	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	4	1	1	3	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	296	-	-	-	-	-	-	-	1	-	3	4	7	3	17	27	26	38	53	44	38	21	12	2	-	-
	White-----M--	161	-	-	-	-	-	-	-	-	-	1	2	3	1	12	14	13	23	27	25	21	10	8	1	-	-
	F--	119	-	-	-	-	-	-	-	1	-	1	1	4	1	4	9	13	12	25	18	15	10	4	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	-	-	1	-	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	1	1	1	-	-	-	-
160-164	Of respiratory system	137	-	-	-	-	-	-	-	-	1	-	-	-	7	10	12	25	27	23	16	9	3	3	1	-	-
	White-----M--	112	-	-	-	-	-	-	-	-	-	-	-	-	6	8	7	23	24	22	12	5	3	2	-	-	-
	F--	19	-	-	-	-	-	-	-	-	1	-	-	-	-	1	5	2	-	1	3	4	-	1	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
170	Of breast	78	-	-	-	-	-	-	-	-	-	-	1	2	8	7	10	9	14	9	8	3	4	3	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	72	-	-	-	-	-	-	-	-	-	-	1	2	7	6	8	9	14	9	6	3	4	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-
171-179	Of genital organs	160	-	-	-	-	-	-	-	-	1	-	2	8	6	12	13	21	15	21	16	21	15	5	4	-	-
	White-----M--	58	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	4	3	8	10	15	10	4	3	-	-
	F--	80	-	-	-	-	-	-	-	-	-	-	1	6	5	10	11	15	10	10	5	4	2	-	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	2	1	2	3	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	-	1	-	-	-	-	-	-	-
180, 181	Of urinary organs	37	-	-	-	-	1	1	-	-	-	-	-	-	-	2	4	2	8	7	4	3	3	-	1	1	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	7	3	4	2	3	-	-	1	-
	F--	8	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	105	1	-	1	-	-	4	4	1	6	1	7	3	2	5	9	7	12	15	8	15	3	1	-	-	-
	White-----M--	62	-	-	1	-	-	2	4	-	4	1	4	3	1	3	7	5	3	11	1	9	2	1	-	-	-
	F--	39	1	-	-	-	-	2	-	1	2	-	2	-	1	2	1	2	8	4	6	6	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	58	2	2	1	2	1	2	4	-	1	1	1	2	3	6	4	5	6	7	2	2	3	1	-	-	-
	White-----M--	31	1	-	1	1	1	2	3	-	1	-	-	2	2	2	1	2	3	3	1	2	2	1	-	-	-
	F--	22	1	2	-	1	-	-	1	-	-	1	-	-	1	3	2	3	2	3	1	-	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	56	-	-	1	-	-	-	1	-	2	3	3	-	6	3	9	7	1	7	3	7	2	-	1	-	-
	White-----M--	30	-	-	-	-	-	-	1	-	-	1	1	-	3	3	5	4	-	7	1	3	1	-	-	-	-
	F--	21	-	-	1	-	-	-	-	-	-	2	2	-	3	-	4	1	1	-	2	3	1	-	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	18	1	-	-	-	-	-	-	1	1	-	2	2	2	1	2	1	3	1	-	1	-	-	-	-	-
	White-----M--	8	1	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	1	1	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	1	-	-	2	1	-	1	1	1	2	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	66	-	-	-	-	-	-	-	-	1	1	1	2	1	6	2	6	9	11	9	10	3	2	1	1	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	6	5	3	4	1	1	-	1	-
	F--	35	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	5	3	6	5	6	2	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
290-293	Anemias	16	2	1	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	2	2	4	-	1	-	-	-
	White-----M--	8	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	4	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	21	11	3	2	-	-	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	8	4	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,828	4	-	2	1	-	4	4	6	6	16	24	29	80	115	187	240	297	460	425	366	279	192	69	17	5
	White-----M--	1,659	2	-	1	1	-	1	-	1	2	9	9	16	53	76	118	151	205	282	244	211	155	89	27	5	1
	F--	961	1	-	-	-	-	3	3	-	3	6	13	10	13	23	44	65	67	148	157	138	113	97	41	12	4
	Nonwhite--M--	129	-	-	1	-	-	-	-	3	1	-	2	1	7	9	17	11	13	27	15	11	8	3	-	-	-
	F--	79	1	-	-	-	-	-	1	2	-	1	-	2	7	7	8	13	12	3	9	6	3	3	1	-	-
330-334, 400-468	Diseases of cardiovascular system	2,756	4	-	2	1	-	4	4	4	4	11	23	28	75	106	180	233	289	453	417	361	274	192	69	17	5
	White-----M--	1,621	2	-	1	1	-	1	-	1	1	6	9	15	49	71	113	146	202	277	242	210	152	89	27	5	1
	F--	941	1	-	-	-	-	3	3	-	2	5	12	10	13	20	43	64	64	147	153	135	112	97	41	12	4
	Nonwhite--M--	119	-	-	1	-	-	-	-	1	1	-	2	1	6	8	16	11	12	26	13	10	8	3	-	-	-
	F--	75	1	-	-	-	-	-	1	2	-	-	-	2	7	7	8	12	11	3	9	6	2	3	1	-	-
330-334	Vascular lesions, etc.*	560	2	-	1	-	-	2	1	-	-	2	2	5	9	15	24	36	43	94	101	88	72	45	14	4	-
	White-----M--	256	1	-	-	-	-	1	-	-	-	1	1	1	-	5	5	14	27	42	56	46	33	18	4	1	-
	F--	249	-	-	-	-	-	1	-	-	-	1	1	2	3	8	12	14	14	41	42	39	34	24	10	3	-
	Nonwhite--M--	33	-	-	1	-	-	-	-	-	-	-	-	-	2	-	6	5	-	11	2	2	3	1	-	-	-
	F--	22	1	-	-	-	-	-	1	-	-	-	-	2	4	2	1	3	2	-	1	1	2	2	-	-	-
400-402	Rheumatic fever	16	-	-	1	1	-	2	2	-	2	-	2	1	-	2	1	-	2	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	1	1	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	2	2	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
410-443	Diseases of heart-	1,980	2	-	-	-	-	-	1	4	2	8	15	20	65	86	146	184	231	335	292	247	181	105	46	8	2
	White-----M--	1,253	1	-	-	-	-	-	-	1	1	5	7	14	48	63	102	124	166	220	169	148	107	55	19	3	-
	F--	602	1	-	-	-	-	-	1	-	1	3	7	5	10	11	28	47	47	99	105	88	69	47	26	5	2
	Nonwhite--M--	76	-	-	-	-	-	-	-	1	-	-	1	1	4	8	10	5	10	13	10	6	5	2	-	-	-
	F--	49	-	-	-	-	-	-	-	2	-	-	-	-	3	4	6	8	8	3	8	5	-	1	1	-	-
410-416	Chronic rheumatic heart disease----	108	-	-	-	-	-	-	1	3	1	2	9	4	10	12	14	20	10	9	9	2	2	-	-	-	-
	White-----M--	52	-	-	-	-	-	-	-	1	-	1	3	1	2	7	7	10	6	5	6	2	1	-	-	-	-
	F--	48	-	-	-	-	-	-	1	-	1	1	6	3	5	4	6	9	4	4	3	-	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,401	1	-	-	-	-	-	-	-	-	4	4	11	43	65	106	124	179	257	211	169	122	70	28	6	1
	White-----M--	938	1	-	-	-	-	-	-	-	-	3	2	9	35	53	83	92	133	178	123	99	73	38	14	2	-
	F--	390	-	-	-	-	-	-	-	-	-	1	1	1	5	6	15	25	33	69	77	63	46	30	13	4	1
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	-	-	1	1	2	5	4	3	9	7	7	4	3	2	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	4	3	4	3	-	-	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	207	-	-	-	-	-	-	-	-	1	1	1	3	3	3	5	13	12	25	41	34	38	15	9	2	1
	White-----M--	115	-	-	-	-	-	-	-	-	1	-	1	3	3	1	3	7	8	10	22	21	24	6	4	1	-
	F--	74	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	3	10	15	12	14	8	5	1	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	2	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	2	1	-	1	-	-	-
430-434	Other diseases of heart---------	76	1	-	-	-	-	-	-	1	-	-	-	-	7	1	8	12	9	9	7	12	3	3	3	-	-
	White-----M--	53	-	-	-	-	-	-	-	-	-	-	-	-	7	1	4	8	6	8	7	7	1	3	1	-	-
	F--	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	-	5	1	-	2	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	188	-	-	-	-	-	-	-	-	-	1	1	2	2	5	13	15	21	35	24	30	16	17	6	-	-
	White-----M--	95	-	-	-	-	-	-	-	-	-	1	1	1	1	1	5	7	13	19	11	19	8	8	-	-	-
	F--	74	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	7	5	15	10	8	7	9	6	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	1	1	2	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	2	1	-	-	-	-	-
444-447	Hypertension without mention of heart----------	49	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	2	5	10	8	7	2	6	1	-	1
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	3	4	5	3	-	3	1	-	1
	F--	19	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	4	2	4	2	3	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	6	13	17	16	36	7	5	2
	White-----M--	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	9	12	9	13	2	1	-
	F--	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	4	3	7	23	5	4	2
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	41	-	-	-	-	-	-	-	-	-	1	2	1	1	-	6	8	5	8	3	2	3	-	1	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	6	3	8	3	1	3	-	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	72	-	-	-	-	-	-	-	2	2	5	1	1	5	9	7	7	8	7	8	5	5	-	-	-	-
	White-----M--	38	-	-	-	-	-	-	-	-	1	3	-	1	4	5	5	5	3	5	2	1	3	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	1	1	1	-	-	3	1	1	3	1	4	3	1	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	2	-	-	-	-	1	1	1	-	1	1	2	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	315	132	21	13	5	-	8	5	3	2	1	5	3	6	6	8	11	10	12	14	20	16	7	3	2	2
	White-----M--	124	42	3	4	3	-	4	2	1	1	-	4	1	1	6	5	7	5	6	8	8	6	3	2	1	1
	F--	90	27	8	6	2	-	3	-	2	1	-	1	2	2	-	1	1	2	5	2	10	9	4	1	1	-
	Nonwhite--M--	55	34	4	3	-	-	-	1	-	-	-	-	-	2	-	1	1	3	-	4	1	-	-	-	-	1
	F--	46	29	6	-	-	-	1	2	-	-	1	-	-	1	-	1	2	-	1	-	1	1	-	-	-	-
480-483	Influenza---------	12	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	White-----M--	8	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	303	124	21	13	5	-	8	5	3	2	1	4	3	6	6	8	11	10	12	13	19	15	7	3	2	2
	White-----M--	116	37	3	4	3	-	4	2	1	1	-	3	1	1	6	5	7	5	6	8	7	5	3	2	1	1
	F--	89	26	8	6	2	-	3	-	2	1	-	1	2	2	-	1	1	2	5	2	10	9	4	1	1	-
	Nonwhite--M--	53	33	4	3	-	-	-	1	-	-	-	-	-	2	-	1	1	3	-	3	1	-	-	-	-	1
	F--	45	28	6	-	-	-	1	2	-	-	1	-	-	1	-	1	2	-	1	-	1	1	-	-	-	-
500-502	Bronchitis--------	24	12	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	3	2	-	1	-	-	-	-	-
	White-----M--	13	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	3	2	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	57	1	-	-	-	-	-	-	1	-	-	-	1	2	2	9	3	14	8	5	7	2	1	1	-	-
	White-----M--	44	1	-	-	-	-	-	-	1	-	-	-	1	1	1	7	2	10	7	4	6	1	1	1	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	1	1	1	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	14	-	-	1	-	1	-	-	-	1	1	-	-	1	3	-	1	3	2	-	-	-	-	-	-	-
	White-----M--	3	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	56	6	-	-	-	-	1	-	-	-	-	1	1	1	3	3	5	6	8	7	7	5	2	-	-	-
	White-----M--	24	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	3	5	2	4	3	1	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	2	1	4	3	1	1	-	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-
	F--	8	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
543,	Gastritis, etc.*--	197	161	13	3	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	3	1	4	1	1	-	-
571,	White-----M--	43	34	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	1	1	-	-	-
572	F--	37	29	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	2	-	-	-	-
	Nonwhite--M--	64	51	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	F--	53	47	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
581	Cirrhosis of liver	62	1	-	-	-	-	-	-	-	-	1	2	6	5	9	9	8	6	8	3	3	-	-	-	-	1
	White-----M--	34	1	-	-	-	-	-	-	-	-	-	-	3	3	6	6	5	3	4	-	2	-	-	-	-	1
	F--	19	-	-	-	-	-	-	-	-	-	-	2	3	2	2	3	1	1	3	2	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	8	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	-	2	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate--------	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	6	4	5	4	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	3	5	3	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	11	...	...	...	...	...	...	-	-	2	2	3	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	...	...	...	...	...	...	-	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	10	...	...	...	...	...	...	-	-	2	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	5	...	...	...	...	...	...	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	5	...	...	...	...	...	...	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	150	124	5	1	3	-	7	2	1	-	-	1	-	-	2	2	-	-	-	-	2	-	-	-	-	-
	White-----M--	62	49	2	1	2	-	3	2	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	64	54	1	-	-	-	4	-	1	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	486	486	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	214	214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	272	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	151	32	5	2	-	-	2	-	2	2	5	3	2	4	6	5	7	9	18	9	9	9	6	7	2	5
795	White-----M--	44	4	-	-	-	-	1	-	-	-	-	-	-	1	3	3	2	3	13	1	2	3	2	5	1	-
	F--	23	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	2	3	3	2	2	1	2
	Nonwhite--M--	48	16	1	1	-	-	1	-	-	1	4	2	2	1	-	1	2	3	3	6	-	2	1	-	-	1
	F--	36	8	4	1	-	-	-	-	2	1	-	1	-	2	2	-	2	3	2	-	4	1	1	-	-	2
Re-	All other diseases	546	30	10	2	2	2	4	3	10	8	13	13	21	31	41	48	54	63	73	47	35	22	9	3	1	1
sid-	White-----M--	341	16	3	-	2	2	1	1	7	2	4	6	11	16	28	29	40	45	48	34	27	13	4	-	1	1
ual	F--	149	6	2	1	-	-	2	2	2	3	7	7	5	10	11	14	12	12	20	10	7	8	5	3	-	-
	Nonwhite--M--	34	4	3	1	-	-	1	-	-	2	-	-	3	4	1	1	1	6	2	3	1	1	-	-	-	-
	F--	22	4	2	-	-	-	-	-	1	1	2	-	2	1	1	4	1	-	3	-	-	-	-	-	-	-
E800-	Accidents---------	708	33	24	15	13	10	31	19	41	72	68	60	41	47	33	45	27	33	29	15	17	17	13	3	-	2
E962	White-----M--	416	16	6	7	6	4	18	7	25	57	42	39	29	29	19	24	18	19	18	8	7	8	8	1	-	1
	F--	156	8	14	5	4	5	4	6	8	6	11	10	6	9	8	11	2	7	7	4	7	7	4	2	-	1
	Nonwhite--M--	98	2	2	1	1	1	6	5	7	6	11	10	3	9	6	7	5	6	3	2	3	2	-	-	-	-
	F--	38	7	2	2	2	-	3	1	1	3	4	1	3	-	-	3	2	1	1	1	-	-	1	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	360	6	6	5	2	5	16	6	33	39	52	34	23	27	17	22	16	17	17	2	8	5	1	-	-	1
	White-----M--	209	2	2	2	1	3	10	3	21	29	29	20	13	15	8	9	11	8	11	1	6	4	1	-	-	-
	F--	84	2	3	2	1	2	2	1	7	5	10	9	5	7	7	8	1	5	5	-	1	-	-	-	-	1
	Nonwhite--M--	45	1	-	-	-	-	2	1	4	2	9	4	2	5	2	3	3	3	1	1	1	1	-	-	-	-
	F--	22	1	1	1	-	-	2	1	1	3	4	1	3	-	-	2	1	1	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	348	27	18	10	11	5	15	13	8	33	16	26	18	20	16	23	11	16	12	13	9	12	12	3	-	1
E802,	White-----M--	207	14	4	5	5	1	8	4	4	28	13	19	16	14	11	15	7	11	7	7	1	4	7	1	-	1
E840-	F--	72	6	11	3	3	3	2	5	1	1	1	1	1	2	1	3	1	2	2	4	6	7	4	2	-	-
E962	Nonwhite--M--	53	1	2	1	1	1	4	4	3	4	2	6	1	4	4	4	2	3	2	1	2	1	-	-	-	-
	F--	16	6	1	1	2	-	1	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-
E963,	Suicide----------	88	-	-	-	-	-	-	1	3	5	7	7	8	10	12	7	6	7	8	3	2	1	-	1	-	-
E970-	White-----M--	61	-	-	-	-	-	-	1	-	2	5	3	7	5	9	5	5	6	6	3	2	1	-	1	-	-
E979	F--	15	-	-	-	-	-	-	-	-	1	-	3	-	4	3	2	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	1	1	2	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	67	-	-	-	1	-	1	1	1	7	9	7	12	6	9	2	3	1	1	3	2	1	-	-	-	-
E980-	White-----M--	31	-	-	-	1	-	-	-	1	4	4	1	7	1	4	1	2	1	-	2	1	1	-	-	-	-
E985	F--	11	-	-	-	-	-	-	-	-	2	-	1	3	3	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	4	4	2	-	3	1	-	-	-	1	1	-	-	-	-	-
	F--	9	-	-	-	-	-	1	1	-	1	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS																										
	ALL CAUSES------	15,107	1,153	110	59	34	37	110	104	150	191	184	225	284	430	623	850	999	1,325	1,696	1,905	1,856	1,581	833	273	75	20
	White-----M--	6,615	395	37	22	10	16	45	50	64	90	72	95	121	192	284	356	485	647	759	864	845	703	340	96	25	2
	F--	4,454	302	23	13	5	9	36	22	31	38	47	54	73	98	138	183	213	309	455	580	673	631	355	126	33	7
	Nonwhite--M--	2,150	247	27	14	13	7	14	16	40	37	28	40	43	63	95	148	149	201	275	247	193	147	71	23	10	2
	F--	1,888	209	23	10	6	5	15	16	15	26	37	36	47	77	106	163	152	168	207	214	145	100	67	28	7	9
001-019	Tuberculosis, all forms--------	304	3	2	1	-	-	2	2	2	13	16	15	10	19	29	31	24	24	28	43	21	15	4	-	-	-
	White-----M--	140	-	-	-	-	-	-	1	-	2	3	6	4	13	14	14	12	17	15	19	13	6	1	-	-	-
	F--	69	1	-	1	-	-	-	-	-	2	3	2	3	4	6	8	6	2	4	14	5	5	3	-	-	-
	Nonwhite--M--	57	-	1	-	-	-	1	-	-	4	5	3	3	1	8	6	5	3	7	6	1	3	-	-	-	-
	F--	38	2	1	-	-	-	1	1	2	5	5	4	-	1	1	3	1	2	2	4	2	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	285	-	1	1	-	-	1	2	2	13	14	12	9	18	28	29	23	23	26	43	21	15	4	-	-	-
	White-----M--	134	-	-	-	-	-	-	1	-	2	2	4	4	12	14	13	12	17	14	19	13	6	1	-	-	-
	F--	66	-	-	1	-	-	-	-	-	2	3	2	2	4	6	7	6	2	4	14	5	5	3	-	-	-
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	4	4	3	3	1	7	6	4	2	6	6	1	3	-	-	-	-
	F--	35	-	1	-	-	-	1	1	2	5	5	3	-	1	1	3	1	2	2	4	2	1	-	-	-	-
010-019	Tuberculosis, other forms------	19	3	1	-	-	-	1	-	-	-	2	3	1	1	1	2	1	1	2	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	52	-	-	-	-	-	-	-	-	-	1	-	1	3	3	8	8	8	7	6	3	2	-	2	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	6	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-	-	1	2	-	1	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	4	4	4	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	1	-	1	-	-	1	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	30	8	3	1	2	2	-	-	-	-	1	1	-	-	-	2	-	1	3	1	-	3	2	-	-	-
	White-----M--	6	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	-	-	-
	Nonwhite--M--	15	5	3	-	2	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	1	-	-	-
	F--	4	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	5	2	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	5	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	20	11	5	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	20	6	2	3	-	3	1	2	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	9	2	1	2	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	5	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	18	1	2	1	1	-	4	-	2	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	1	-	1	1	-	3	-	2	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	66	16	2	2	3	-	4	1	3	3	-	2	1	1	4	4	3	5	2	1	4	3	2	-	-	-
	White-----M--	19	5	-	1	1	-	-	-	-	1	-	-	1	1	1	1	1	2	1	-	1	2	-	-	-	-
	F--	15	-	1	1	-	-	1	1	1	1	-	1	-	-	3	1	-	1	-	-	1	1	1	-	-	-
	Nonwhite--M--	15	7	1	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-
	F--	17	4	-	-	2	-	-	-	2	1	-	1	-	-	-	1	1	1	1	1	1	-	1	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
140-205	Malignant neoplasms, etc.*----	2,047	4	7	4	1	6	10	10	10	14	21	35	59	77	128	178	194	241	284	297	228	149	74	14	1	1
	White-----M--	886	3	3	2	1	3	6	3	5	9	4	14	19	26	44	63	88	114	128	125	109	71	39	7	-	-
	F--	772	1	3	2	-	2	3	4	3	3	12	13	33	37	52	67	65	78	101	112	91	58	25	6	1	-
	Nonwhite--M--	196	-	-	-	-	1	-	2	2	2	1	1	1	3	16	18	20	24	32	33	19	13	8	-	-	-
	F--	193	-	1	-	-	-	1	1	-	-	4	7	6	11	16	30	21	25	23	27	9	7	2	1	-	1
140-148	Of buccal cavity and pharynx------	55	-	-	-	-	-	-	-	-	1	-	-	-	2	3	3	1	7	5	12	7	4	8	2	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	3	2	5	2	3	7	-	-	-
	F--	19	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	4	3	4	3	1	1	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	686	1	-	-	-	-	1	-	1	1	3	5	14	15	35	47	62	75	109	120	98	61	34	4	-	-
	White-----M--	299	1	-	-	-	-	-	-	1	1	-	1	6	9	12	23	29	38	43	57	37	25	14	2	-	-
	F--	255	-	-	-	-	-	-	-	-	-	2	2	8	4	11	15	20	21	40	44	48	25	13	2	-	-
	Nonwhite--M--	85	-	-	-	-	-	-	-	-	-	1	-	-	1	8	4	8	11	17	13	10	6	6	-	-	-
	F--	47	-	-	-	-	-	1	-	-	-	-	2	-	1	4	5	5	5	9	6	3	5	1	-	-	-
160-164	Of respiratory system----------	216	-	-	-	-	-	-	-	-	2	1	2	4	7	21	23	30	31	28	34	20	11	1	1	-	-
	White-----M--	158	-	-	-	-	-	-	-	-	2	-	2	2	5	14	18	24	26	20	21	13	9	1	1	-	-
	F--	36	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	2	5	6	8	6	2	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	4	-	1	3	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	-	-	-	-
170	Of breast---------	146	-	-	-	-	-	-	-	-	-	-	4	5	17	17	16	21	21	15	12	9	7	1	-	-	1
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	119	-	-	-	-	-	-	-	-	-	-	2	4	14	17	14	15	15	12	11	8	6	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	2	1	3	-	2	5	5	3	1	-	1	-	-	-	1
171-179	Of genital organs-	412	1	1	-	-	-	-	1	-	1	5	7	15	16	30	47	28	45	56	56	51	34	14	4	-	-
	White-----M--	123	-	1	-	-	-	-	-	-	1	-	-	1	-	2	3	2	9	20	19	33	19	10	3	-	-
	F--	171	1	-	-	-	-	-	1	-	-	3	5	10	11	16	26	14	22	23	19	9	8	2	1	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	9	12	5	6	1	-	-	-
	F--	73	-	-	-	-	-	-	-	-	-	2	2	4	5	11	17	7	9	4	6	4	1	1	-	-	-
180, 181	Of urinary organs-	83	1	-	-	-	-	1	1	-	-	-	1	3	-	1	7	6	9	16	16	11	6	4	-	-	-
	White-----M--	40	1	-	-	-	-	1	-	-	-	-	1	2	-	1	3	3	6	9	5	5	2	1	-	-	-
	F--	25	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	3	7	5	4	2	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	2	1	-	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	2	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	280	-	4	2	1	2	3	5	5	4	4	7	9	13	9	23	32	35	34	35	20	21	8	3	1	-
	White-----M--	140	-	2	1	1	1	3	2	2	3	-	2	5	3	6	9	18	21	22	14	11	9	4	1	-	-
	F--	92	-	2	1	-	1	-	1	2	1	2	4	4	8	2	5	11	4	7	12	7	11	4	2	1	-
	Nonwhite--M--	23	-	-	-	-	-	-	2	1	-	-	1	-	1	-	4	1	5	4	2	1	1	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	2	-	-	1	1	5	2	5	1	7	1	-	-	-	-	-
204	Leukemia and aleukemia----------	94	1	2	2	-	2	3	2	4	1	6	6	5	3	6	3	8	8	9	7	9	5	2	-	-	-
	White-----M--	52	1	-	1	-	1	-	-	2	-	3	5	2	3	2	2	6	5	5	2	6	4	2	-	-	-
	F--	34	-	1	1	-	1	3	1	1	-	3	-	3	-	2	1	1	3	4	5	3	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	75	-	-	-	-	2	2	1	-	4	2	3	4	4	6	9	6	10	12	5	3	-	2	-	-	-
	White-----M--	44	-	-	-	-	1	2	1	-	2	1	3	1	4	5	3	5	6	7	2	1	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	1	1	-	3	-	-	4	1	2	3	2	2	-	2	-	-	-
	Nonwhite--M--	8	-	-	-	-	1	-	-	-	1	-	-	-	-	1	2	-	2	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	57	-	-	1	-	-	-	1	1	-	2	2	7	4	9	3	7	5	3	1	7	2	2	-	-	-
	White-----M--	22	-	-	1	-	-	-	-	-	-	1	1	4	1	4	-	2	3	-	1	3	1	-	-	-	-
	F--	21	-	-	-	-	-	-	1	1	-	1	1	1	3	2	1	3	2	1	-	2	1	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	1	-	2	-	1	-	-	-
260	Diabetes mellitus-	182	-	-	-	1	-	3	1	1	4	2	2	1	3	6	6	21	29	25	32	25	11	6	1	2	-
	White-----M--	57	-	-	-	1	-	-	-	-	1	1	-	-	1	1	2	7	7	7	12	8	7	1	1	-	-
	F--	79	-	-	-	-	-	3	-	-	2	1	1	-	1	2	3	2	12	11	16	16	4	4	-	1	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	3	5	3	1	-	-	-	-	-	-
	F--	31	-	-	-	-	-	-	1	-	1	-	1	1	-	2	1	9	5	4	3	1	-	1	-	1	-
290-293	Anemias----------	35	1	2	1	-	1	2	1	-	-	1	-	-	-	-	2	-	4	3	7	3	2	5	-	-	-
	White-----M--	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	-	-	-
	F--	18	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1	2	4	3	2	3	-	-	-
	Nonwhite--M--	7	1	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	18	8	2	-	1	-	1	2	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-
	White-----M--	7	3	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	7,784	7	2	2	1	-	5	8	14	16	24	45	88	163	273	429	542	778	1,055	1,224	1,251	1,066	552	181	45	13
	White-----M--	3,509	2	1	-	1	-	1	3	5	6	10	16	39	72	138	188	256	385	469	566	573	478	219	61	19	1
	F--	2,298	3	1	1	-	-	3	1	5	4	4	11	16	26	39	60	105	162	267	352	457	425	247	88	17	4
	Nonwhite--M--	982	2	-	1	-	-	1	2	1	1	2	8	11	24	34	82	83	119	172	153	123	97	42	17	6	1
	F--	995	-	-	-	-	-	-	2	3	5	8	10	22	41	62	99	98	112	147	153	98	66	44	15	3	7
330-334, 400-468	Diseases of cardiovascular system-	7,474	7	2	2	1	-	2	7	12	10	20	31	78	156	259	414	524	754	1,033	1,175	1,205	1,023	526	175	45	13
	White-----M--	3,404	2	1	-	1	-	-	3	3	2	10	14	38	70	135	183	253	377	459	551	554	462	205	61	19	1
	F--	2,200	3	1	1	-	-	2	1	5	4	2	7	13	22	34	56	97	158	261	339	443	407	239	84	17	4
	Nonwhite--M--	917	2	-	1	-	-	-	2	1	-	1	5	9	23	32	77	78	113	168	139	114	89	40	16	6	1
	F--	953	-	-	-	-	-	-	1	3	4	7	5	18	41	58	98	96	106	145	146	94	65	42	14	3	7
330-334	Vascular lesions, etc.*----------	1,942	3	-	1	-	-	1	1	3	1	4	2	18	23	56	98	99	173	270	310	356	306	154	48	11	4
	White-----M--	707	1	-	-	-	-	-	1	-	-	-	-	6	4	21	17	26	61	87	140	131	140	57	12	3	-
	F--	638	2	-	1	-	-	1	-	1	-	-	1	4	6	8	16	23	34	86	82	150	125	71	22	5	-
	Nonwhite--M--	261	-	-	-	-	-	-	-	1	-	1	-	1	3	7	26	20	30	51	41	35	23	14	6	2	-
	F--	336	-	-	-	-	-	-	-	1	1	3	1	7	10	20	39	30	48	46	47	40	18	12	8	1	4
400-402	Rheumatic fever---	8	-	-	-	-	-	4	-	1	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
410-443	Diseases of heart	4,985	4	2	1	1	-	-	1	7	8	12	25	49	125	191	299	393	548	709	785	763	628	305	95	27	7
	White-----M--	2,472	1	1	-	1	-	-	-	3	2	8	12	30	64	112	162	213	302	348	374	380	285	124	36	13	1
	F--	1,383	1	1	-	-	-	-	-	2	3	1	6	7	16	24	36	67	115	168	234	265	244	134	47	9	3
	Nonwhite--M--	586	2	-	1	-	-	-	1	-	-	-	3	5	18	21	47	54	80	106	87	70	59	23	6	3	-
	F--	544	-	-	-	-	-	-	-	2	3	3	4	7	27	34	54	59	51	87	90	48	40	24	6	2	3
410-416	Chronic rheumatic heart disease	129	-	-	1	-	-	-	-	4	4	2	7	6	5	9	7	12	21	9	7	11	15	7	2	-	-
	White-----M--	63	-	-	-	-	-	-	-	1	2	1	3	3	3	5	3	7	10	4	4	7	7	2	1	-	-
	F--	45	-	-	-	-	-	-	-	1	1	-	2	1	2	4	1	4	9	3	2	3	8	4	-	-	-
	Nonwhite--M--	7	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	2	1	-	1	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	2	1	1	1	1	-	-	3	1	-	1	1	-	-	1	1	-	-
420	Arteriosclerotic heart dis., etc.*	3,139	2	-	-	-	-	-	-	1	2	3	10	32	85	129	200	279	357	456	491	481	367	168	59	15	2
	White-----M--	1,786	-	-	-	-	-	-	-	1	-	2	7	23	53	87	138	170	231	256	276	257	177	77	23	8	-
	F--	864	1	-	-	-	-	-	-	-	1	-	-	5	7	11	16	47	72	118	146	172	151	78	32	5	2
	Nonwhite--M--	285	1	-	-	-	-	-	-	-	-	-	1	1	11	13	23	35	36	52	40	38	24	7	2	1	-
	F--	204	-	-	-	-	-	-	-	-	1	1	2	3	14	18	23	27	18	30	29	14	15	6	2	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	497	-	1	-	-	-	-	-	-	-	2	4	4	11	5	18	22	45	72	81	85	85	38	15	6	3
	White-----M--	172	-	-	-	-	-	-	-	-	-	2	1	2	3	2	4	8	12	25	22	36	36	10	5	3	1
	F--	136	-	1	-	-	-	-	-	-	-	-	2	1	4	-	4	5	5	13	23	26	30	14	5	3	-
	Nonwhite--M--	89	-	-	-	-	-	-	-	-	-	-	-	1	1	-	6	5	15	21	17	6	9	6	2	-	-
	F--	100	-	-	-	-	-	-	-	-	-	-	1	-	3	3	4	4	13	13	19	17	10	8	3	-	2
430-434	Other diseases of heart	376	2	1	-	1	-	-	1	2	-	5	2	5	8	12	21	23	45	60	61	47	48	22	6	3	1
	White-----M--	177	1	1	-	1	-	-	-	1	-	3	1	2	2	4	7	9	26	29	25	26	24	12	2	1	-
	F--	76	-	-	-	-	-	-	-	1	-	1	1	-	1	5	4	4	8	7	14	11	11	5	2	-	1
	Nonwhite--M--	68	1	-	-	-	-	-	1	-	-	-	-	2	2	3	3	7	6	10	11	6	10	3	2	1	-
	F--	55	-	-	-	-	-	-	-	-	-	1	-	1	3	-	7	3	5	14	11	4	3	2	-	1	-
440-443	Hypertension with heart dis.	844	-	-	-	-	-	-	-	-	2	-	2	2	16	36	53	57	80	112	145	139	113	70	13	3	1
	White-----M--	274	-	-	-	-	-	-	-	-	-	-	-	-	3	14	10	19	23	34	47	54	41	23	5	1	-
	F--	262	-	-	-	-	-	-	-	-	1	-	1	-	2	4	11	7	21	27	49	53	44	33	8	1	-
	Nonwhite--M--	137	-	-	-	-	-	-	-	-	-	-	1	-	4	5	15	7	21	22	19	19	16	7	-	1	-
	F--	171	-	-	-	-	-	-	-	-	1	-	-	2	7	13	17	24	15	29	30	13	12	7	-	-	1
444-447	Hypertension without mention of heart	178	-	-	-	-	-	1	-	-	-	-	3	7	5	6	9	18	13	17	26	24	23	17	6	1	2
	White-----M--	56	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	3	5	6	8	10	11	8	1	-	-
	F--	50	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	5	3	1	8	9	8	7	4	1	1
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	3	2	4	6	2	2	-	1	-	1
	F--	41	-	-	-	-	-	-	-	-	-	-	-	4	3	3	4	7	3	6	4	3	2	2	-	-	-
450	General arteriosclerosis	282	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	12	27	47	53	60	48	22	6	-
	White-----M--	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	13	23	28	22	16	11	3	-
	F--	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	15	16	28	26	10	2	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	6	5	7	5	3	1	1	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	4	2	5	3	-	-	-
451-468	Other diseases of circulatory sys.	79	-	-	-	-	-	-	1	2	-	3	1	4	3	6	4	10	7	10	7	9	6	2	4	-	-
	White-----M--	40	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	8	3	5	6	5	4	-	1	-	-
	F--	22	-	-	-	-	-	-	-	2	-	1	-	1	-	2	2	2	3	2	-	3	2	1	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	2	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	2	1	1	-	1	-	-	-
592-594	Chronic nephritis, etc.*	310	-	-	-	-	-	3	1	2	6	4	14	10	7	14	15	18	24	22	49	46	43	26	6	-	-
	White-----M--	105	-	-	-	-	-	1	-	2	4	-	2	1	2	3	5	3	8	10	15	19	16	14	-	-	-
	F--	98	-	-	-	-	-	1	-	-	-	2	4	3	4	5	4	8	4	6	13	14	18	8	4	-	-
	Nonwhite--M--	65	-	-	-	-	-	1	-	-	1	1	3	2	1	2	5	5	6	4	14	9	8	2	1	-	-
	F--	42	-	-	-	-	-	-	1	-	1	1	5	4	-	4	1	2	6	2	7	4	1	2	1	-	-
480-493	Influenza and pneumonia, etc.*	523	96	16	4	4	2	4	3	2	2	1	2	3	8	10	8	20	29	41	57	61	83	43	15	9	-
	White-----M--	176	22	5	-	1	-	1	1	1	1	-	1	3	1	6	3	8	14	14	23	23	26	18	4	-	-
	F--	166	19	4	1	-	-	2	1	-	1	-	1	-	1	-	1	4	6	11	17	21	43	17	8	8	-
	Nonwhite--M--	110	31	4	2	3	1	1	-	1	-	-	-	-	4	3	3	5	6	10	13	10	6	6	1	-	-
	F--	71	24	3	1	-	1	-	1	-	-	1	-	-	2	1	1	3	3	6	4	7	8	2	2	1	-
480-483	Influenza	68	7	3	1	-	1	-	-	2	-	-	-	-	1	2	1	2	3	6	7	13	10	3	6	-	-
	White-----M--	23	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	3	2	6	2	1	3	-	-
	F--	17	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	5	2	2	-	-
	Nonwhite--M--	16	1	1	1	-	1	-	-	1	-	-	-	-	1	1	1	1	1	-	2	2	1	-	1	-	-
	F--	12	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	2	-	-	-	-
490-493	Pneumonia, etc.*	455	89	13	3	4	1	4	3	-	2	1	2	3	7	8	7	18	26	35	50	48	73	40	9	9	-
	White-----M--	153	20	4	-	1	-	1	1	-	1	-	1	3	1	6	3	7	13	11	21	17	24	17	1	-	-
	F--	149	18	3	1	-	-	2	1	-	1	-	1	-	1	-	1	4	5	10	15	19	38	15	6	8	-
	Nonwhite--M--	94	30	3	1	3	-	1	-	-	-	-	-	-	3	2	2	4	5	10	11	8	5	6	-	-	-
	F--	59	21	3	1	-	1	-	1	-	-	1	-	-	2	-	1	3	3	4	3	4	6	2	2	1	-
500-502	Bronchitis	38	9	4	-	-	1	1	-	-	-	-	-	1	-	-	1	1	-	5	2	3	8	1	1	-	-
	White-----M--	16	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	1	4	-	-	-	-
	F--	11	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	-	-	-
	Nonwhite--M--	5	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	6	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
540, 541	Ulcer of stomach and duodenum	63	-	-	-	-	-	-	-	-	-	-	1	1	3	-	14	10	8	12	8	5	1	-	-	-	-
	White-----M--	43	-	-	-	-	-	-	-	-	-	-	1	1	3	-	8	6	6	6	8	3	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	4	-	2	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	2	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	32	-	1	-	1	-	1	5	-	2	-	1	1	1	2	-	4	2	1	3	5	-	1	1	-	-
	White-----M--	8	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	2	1	-	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1	2	4	-	-	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-
	F--	8	-	-	-	-	-	1	2	-	2	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
560, 561, 570	Hernia, intestinal obstruction	83	7	2	-	-	-	-	-	-	1	1	1	2	3	5	8	3	5	11	5	13	13	2	1	-	-
	White-----M--	24	3	-	-	-	-	-	-	-	1	-	-	-	2	1	3	2	1	2	2	1	5	1	-	-	-
	F--	33	3	1	-	-	-	-	-	-	-	-	-	-	-	2	3	-	3	6	2	6	6	1	-	-	-
	Nonwhite--M--	14	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	3	1	3	1	-	1	-	-
	F--	12	-	1	-	-	-	-	-	-	-	1	-	2	1	-	2	-	1	-	-	3	1	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
543,	Gastritis, etc.*--	115	64	5	1	2	-	1	-	1	-	-	2	2	1	3	4	2	3	3	3	5	5	8	-	-	-
571,	White-----M--	24	8	2	-	-	-	1	-	-	-	-	-	1	-	-	3	2	-	1	1	2	2	1	-	-	-
572	F--	31	17	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	2	1	2	5	-	-	-
	Nonwhite--M--	29	19	1	-	2	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	1	1	1	-	-	-
	F--	31	20	2	1	-	-	-	-	1	-	-	-	1	1	1	1	-	-	1	-	1	-	1	-	-	-
581	Cirrhosis of liver	100	-	-	-	-	-	-	-	-	1	-	1	4	8	8	7	12	17	16	10	11	3	1	1	-	-
	White-----M--	60	-	-	-	-	-	-	-	-	-	-	-	3	6	5	5	9	10	5	7	8	2	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	3	5	2	3	1	1	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	3	4	-	-	-	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	71	-	-	-	-	-	1	-	-	3	1	1	2	4	8	1	4	2	4	11	9	11	7	2	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	3	5	6	3	2	-	-
	F--	19	-	-	-	-	-	-	-	-	1	-	-	-	1	4	-	-	-	2	3	2	5	1	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	2	-	-	3	1	-	3	-	-	-
	F--	12	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-	2	2	2	1	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	8	14	22	20	9	5	-	-
	White-----M--	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	9	13	20	7	4	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	9	-	2	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	35	...	...	...	...	...	...	-	3	7	10	6	6	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	14	...	...	...	...	...	...	-	2	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	21	...	...	...	...	...	...	-	1	3	5	4	5	3	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	3	...	...	...	...	...	...	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	32	...	...	...	...	...	...	-	2	6	10	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	12	...	...	...	...	...	...	-	1	3	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	20	...	...	...	...	...	...	-	1	3	5	4	5	2	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	160	114	12	5	-	1	1	2	5	2	2	-	4	2	2	2	-	1	2	1	1	1	-	-	-	-
	White-----M--	81	62	5	3	-	-	-	1	2	1	1	-	3	-	-	1	-	1	1	-	-	-	-	-	-	-
	F--	55	37	5	-	-	1	-	1	2	-	1	-	1	2	2	1	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	11	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	13	8	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	607	607	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	245	245	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	238	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	308	308	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	490	88	4	3	1	1	2	2	4	6	7	2	4	15	14	13	17	32	38	47	53	47	54	24	9	3
795	White-----M--	148	11	2	-	-	1	1	-	-	-	2	1	2	7	6	3	6	8	15	18	20	15	18	10	1	1
	F--	99	19	-	1	-	-	1	1	1	1	1	1	1	1	-	1	2	5	7	8	7	8	18	9	5	1
	Nonwhite--M--	137	33	1	1	1	-	-	1	2	3	3	-	1	2	2	4	4	13	11	16	12	15	7	2	2	1
	F--	106	25	1	1	-	-	-	-	1	2	1	-	-	5	6	5	5	6	5	5	14	9	11	3	1	-
Re-	All other diseases	699	34	10	4	2	3	7	12	10	6	10	23	21	30	37	44	48	51	78	69	71	77	29	16	6	1
sid-	White-----M--	304	7	4	1	1	1	5	5	2	2	4	9	8	8	16	15	27	31	44	31	31	28	16	4	4	-
ual	F--	236	14	3	1	1	-	1	3	4	3	3	5	9	11	9	13	10	11	19	26	30	39	11	9	-	1
	Nonwhite--M--	83	4	1	1	-	1	1	1	3	1	1	5	3	5	6	8	4	6	9	6	8	7	1	-	1	-
	F--	76	9	2	1	-	1	-	3	1	-	2	4	1	6	6	8	7	3	6	6	2	3	1	3	1	-
E800-	Accidents---------	1,105	64	26	24	11	16	57	50	84	84	61	56	44	55	53	61	56	56	47	54	47	56	30	8	3	2
E962	White-----M--	570	13	11	11	1	7	26	33	45	54	39	33	25	38	30	30	37	25	23	25	23	25	13	2	1	-
	F--	247	15	3	5	4	3	17	7	11	12	12	8	5	7	11	14	7	16	10	19	17	23	15	4	1	1
	Nonwhite--M--	181	13	7	5	4	4	6	6	25	15	7	12	10	6	9	11	10	9	9	4	4	4	-	-	1	-
	F--	107	23	5	3	2	2	8	4	3	3	3	3	4	4	3	6	2	6	5	6	3	4	2	2	-	1
E810-	Motor-vehicle																										
E835	accidents--------	420	4	5	8	4	1	25	11	44	54	40	33	19	16	25	28	23	26	20	13	9	8	3	1	-	-
	White-----M--	250	2	3	4	-	1	12	10	29	37	24	25	9	11	13	14	14	10	12	7	5	4	3	1	-	-
	F--	102	2	1	3	3	-	9	1	8	11	9	6	2	4	5	7	5	10	5	6	2	3	-	-	-	-
	Nonwhite--M--	49	-	1	-	-	-	3	-	6	5	4	2	6	1	5	5	4	3	2	-	1	1	-	-	-	-
	F--	19	-	-	1	1	-	1	-	1	1	3	-	2	-	2	2	-	3	1	-	1	-	-	-	-	-
E800-	All ot. accidents-	685	60	21	16	7	15	32	39	40	30	21	23	25	39	28	33	33	30	27	41	38	48	27	7	3	2
E802,	White-----M--	320	11	8	7	1	6	14	23	16	17	15	8	16	27	17	16	23	15	11	18	18	21	10	1	1	-
E840-	F--	145	13	2	2	1	3	8	6	3	1	3	2	3	3	6	7	2	6	5	13	15	20	15	4	1	1
E962	Nonwhite--M--	132	13	6	5	4	4	3	8	19	10	3	10	4	5	4	6	6	6	7	4	3	3	-	-	1	-
	F--	88	23	5	2	1	2	7	4	2	2	-	3	2	4	1	4	2	3	4	6	2	4	2	2	-	1
E963,	Suicide----------	129	-	-	-	-	-	-	-	-	6	6	9	7	11	14	12	13	16	19	6	7	2	1	-	-	-
E970-	White-----M--	105	-	-	-	-	-	-	-	-	4	4	6	4	9	12	10	11	14	17	5	6	2	1	-	-	-
E979	F--	18	-	-	-	-	-	-	-	-	1	1	3	2	2	1	2	2	1	2	-	1	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	126	2	-	-	-	-	-	2	7	17	14	17	14	14	13	12	7	2	-	3	1	1	-	-	-	-
E980-	White-----M--	31	1	-	-	-	-	-	-	1	6	-	4	4	2	4	4	3	-	-	-	1	1	-	-	-	-
E985	F--	13	1	-	-	-	-	-	-	1	1	2	3	-	-	1	2	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	66	-	-	-	-	-	-	1	5	9	7	8	9	12	6	3	2	2	-	2	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	1	-	1	5	2	1	-	2	3	-	-	-	1	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA																										
	ALL CAUSES------	109,445	7,250	431	295	205	168	556	407	696	989	1,184	1,619	2,245	3,338	4,849	6,478	8,078	10,291	13,008	13,765	12,944	10,604	6,546	2,721	632	146
	White-----M--	59,863	3,710	205	154	96	82	306	243	441	667	674	877	1,215	1,881	2,884	3,996	5,092	6,447	7,887	7,704	6,573	4,840	2,661	981	199	48
	F--	43,428	2,684	171	112	81	72	218	129	188	220	341	506	757	1,117	1,542	1,945	2,504	3,342	4,549	5,515	5,989	5,519	3,765	1,678	410	74
	Nonwhite--M--	3,837	481	34	13	18	6	20	21	37	68	93	143	165	194	276	348	332	325	388	362	241	146	73	30	12	11
	F--	2,317	375	21	16	10	8	12	14	30	34	76	93	108	146	147	189	150	177	184	184	141	99	47	32	11	13
001-019	Tuberculosis, all forms--------	1,225	8	5	9	3	3	3	1	8	8	35	53	77	98	126	128	124	116	149	116	75	46	28	5	-	1
	White-----M--	773	4	1	4	2	1	1	-	1	3	11	21	33	43	70	95	94	97	108	74	57	26	22	4	-	1
	F--	252	1	2	3	-	2	2	1	5	1	11	14	21	28	36	15	16	9	25	27	11	16	5	1	-	-
	Nonwhite--M--	155	2	2	-	1	-	-	-	2	1	5	10	17	21	15	17	13	10	16	13	6	4	-	-	-	-
	F--	45	1	-	2	-	-	-	-	-	3	8	8	6	6	5	1	1	-	-	2	1	-	1	-	-	-
001-008	Tuberculosis of respiratory system----------	1,115	3	-	4	1	1	1	1	5	5	32	49	74	89	119	116	117	108	140	105	70	41	28	5	-	1
	White-----M--	721	2	-	3	1	-	-	-	-	1	10	19	33	40	67	89	89	90	104	69	53	24	22	4	-	1
	F--	223	-	-	1	-	1	1	1	4	1	10	13	20	26	36	12	15	8	21	23	11	13	5	1	-	-
	Nonwhite--M--	135	1	-	-	-	-	-	-	1	-	4	10	16	17	13	14	12	10	15	12	6	4	-	-	-	-
	F--	36	-	-	-	-	-	-	-	-	3	8	7	5	6	3	1	1	-	-	1	-	-	1	-	-	-
010-019	Tuberculosis, other forms------	110	5	5	5	2	2	2	-	3	3	3	4	3	9	7	12	7	8	9	11	5	5	-	-	-	-
	White-----M--	52	2	1	1	1	1	1	-	1	2	1	2	-	3	3	6	5	7	4	5	4	2	-	-	-	-
	F--	29	1	2	2	-	1	1	-	1	-	1	1	1	2	-	3	1	1	4	4	-	3	-	-	-	-
	Nonwhite--M--	20	1	2	-	1	-	-	-	1	1	1	-	1	4	2	3	1	-	1	1	-	-	-	-	-	-
	F--	9	1	-	2	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	1	1	-	-	-	-	-
020-029	Syphilis and its sequelae---------	384	1	-	-	-	-	-	-	1	-	-	1	3	18	18	36	56	65	76	64	26	16	2	1	-	-
	White-----M--	252	-	-	-	-	-	-	-	-	-	-	1	1	8	8	25	41	47	48	42	18	13	-	-	-	-
	F--	72	1	-	-	-	-	-	-	-	-	-	-	-	6	5	4	7	11	16	10	7	2	2	1	-	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	-	-	-	2	4	2	7	7	7	10	7	1	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	1	-	2	5	-	-	-	-	-	-
040	Typhoid fever-----	4	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	31	6	-	1	-	1	5	1	1	-	-	-	3	2	2	2	2	-	1	2	1	1	-	-	-	-
	White-----M--	17	4	-	-	-	1	-	-	1	-	-	-	3	-	1	2	2	-	1	1	-	1	-	-	-	-
	F--	11	2	-	-	-	-	5	1	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	11	-	1	-	-	1	1	-	2	-	2	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	7	-	1	-	-	1	1	-	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	4	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	17	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	69	11	12	8	6	3	9	2	3	2	1	-	1	1	-	-	2	2	2	2	1	1	-	-	-	-
	White-----M--	30	5	3	4	3	2	4	-	2	1	-	-	-	1	-	-	2	2	1	-	-	-	-	-	-	-
	F--	35	6	9	3	3	1	3	1	1	1	1	-	1	-	-	-	-	-	1	2	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	124	5	-	5	2	3	18	9	7	12	17	28	7	6	2	1	1	1	-	-	-	-	-	-	-	-
	White-----M--	69	1	-	3	-	2	9	4	5	9	8	17	4	5	-	1	-	1	-	-	-	-	-	-	-	-
	F--	53	4	-	2	2	1	9	5	1	3	8	11	3	1	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	10	-	5	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	3	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	302	37	4	9	4	3	9	12	7	13	13	17	13	19	25	24	25	11	16	14	7	7	7	3	2	1
	White-----M--	146	15	1	4	1	2	4	6	3	6	5	7	6	9	17	11	14	5	9	7	4	4	3	3	-	-
	F--	103	14	2	4	3	1	2	3	2	1	6	6	3	6	5	10	8	5	6	4	3	3	4	-	1	1
	Nonwhite--M--	39	5	1	1	-	-	-	2	2	5	1	2	4	3	3	3	2	1	1	2	-	-	-	-	1	-
	F--	14	3	-	-	-	-	3	1	-	1	1	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	33 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA—Con.																										
140-205	Malignant neoplasms, etc.*----	17,665	14	24	37	32	39	78	58	68	74	121	242	441	704	1,035	1,447	1,925	2,310	2,650	2,473	1,909	1,205	582	155	34	8
	White-----M--	8,722	8	9	19	10	14	39	27	37	43	64	103	161	265	417	674	945	1,224	1,422	1,323	965	590	284	70	7	2
	F--	8,028	5	13	17	19	23	37	26	26	23	44	116	229	375	541	672	878	981	1,110	1,044	876	579	280	84	24	6
	Nonwhite--M--	499	1	1	-	1	-	-	3	1	4	7	9	22	20	42	48	50	66	77	71	42	20	12	1	1	-
	F--	416	-	1	1	2	2	2	2	4	4	6	14	29	44	35	53	52	39	41	35	26	16	6	-	2	-
140-148	Of buccal cavity and pharynx------	450	-	-	-	-	1	-	-	1	1	1	3	6	15	33	49	43	78	73	63	43	23	13	4	-	-
	White-----M--	338	-	-	-	-	-	-	-	-	1	-	2	3	9	19	39	37	64	56	47	35	16	8	2	-	-
	F--	90	-	-	-	-	1	-	-	-	-	-	1	-	2	12	10	5	11	14	15	6	6	5	2	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	1	-	2	3	1	-	1	3	3	1	2	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	6,087	2	-	1	1	1	1	2	2	11	18	35	99	148	261	409	612	787	1,034	997	829	509	249	64	14	1
	White-----M--	3,120	2	-	1	1	-	1	1	2	5	9	19	43	76	124	215	311	428	545	545	414	223	125	26	3	1
	F--	2,602	-	-	-	-	1	-	1	-	3	6	10	41	56	113	155	260	321	425	399	376	271	117	37	10	-
	Nonwhite--M--	244	-	-	-	-	-	-	-	-	-	3	3	8	7	20	23	27	27	43	38	27	11	6	1	-	-
	F--	121	-	-	-	-	-	-	-	-	3	-	3	7	9	4	16	14	11	21	15	12	4	1	-	1	-
160-164	Of respiratory system----------	2,228	-	-	-	-	-	-	1	-	3	2	11	27	80	165	236	316	394	404	294	168	87	33	7	-	-
	White-----M--	1,792	-	-	-	-	-	-	1	-	3	2	8	17	54	120	204	274	327	342	231	126	61	18	4	-	-
	F--	341	-	-	-	-	-	-	-	-	-	-	2	6	18	37	24	31	48	51	50	36	22	13	3	-	-
	Nonwhite--M--	80	-	-	-	-	-	-	-	-	-	-	1	4	7	7	7	9	17	9	10	5	2	2	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	3	1	2	-	-	-	-
170	Of breast---------	1,705	-	-	-	-	-	-	-	-	2	2	30	77	130	164	185	218	208	185	194	153	93	46	15	3	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	2	2	-	-	-	-
	F--	1,624	-	-	-	-	-	-	-	-	1	2	28	69	117	159	175	205	200	182	187	148	89	45	15	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	69	-	-	-	-	-	-	-	-	1	-	2	7	13	5	10	12	5	1	6	3	2	1	-	1	-
171-179	Of genital organs-	2,670	1	-	-	1	-	1	1	8	12	31	39	77	135	156	214	271	300	337	379	310	241	113	35	7	1
	White-----M--	951	-	-	-	-	-	1	-	7	6	15	12	9	13	7	13	47	81	122	192	174	150	75	25	2	-
	F--	1,554	-	-	-	1	-	-	1	1	6	10	24	57	107	131	180	204	203	196	176	126	83	33	10	4	1
	Nonwhite--M--	46	1	-	-	-	-	-	-	-	-	2	-	-	-	2	2	5	5	9	6	6	4	3	-	1	-
	F--	119	-	-	-	-	-	-	-	-	-	4	3	11	15	16	19	15	11	10	5	4	4	2	-	-	-
180, 181	Of urinary organs-	849	-	2	2	1	4	2	-	-	-	1	3	4	20	36	50	75	106	164	146	107	77	36	8	2	3
	White-----M--	555	-	1	1	-	2	1	-	-	-	-	1	3	14	23	37	56	75	105	93	70	48	22	2	-	1
	F--	264	-	-	-	1	2	1	-	-	-	1	1	1	6	10	10	14	28	54	48	35	28	14	6	2	2
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	2	3	5	-	-	-	-	-	-
	F--	13	-	1	1	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	-	2	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,975	3	7	8	8	14	32	20	31	21	32	46	74	93	128	189	222	238	236	211	174	105	59	16	6	2
	White-----M--	996	2	2	5	2	4	13	11	17	11	16	20	36	47	67	97	120	123	122	118	78	56	20	7	2	-
	F--	888	1	5	3	5	8	17	8	12	6	15	23	32	41	55	80	94	104	108	82	92	45	37	9	4	2
	Nonwhite--M--	40	-	-	-	-	-	-	1	1	4	-	1	4	1	3	9	2	5	2	6	-	1	-	-	-	-
	F--	51	-	-	-	1	2	2	-	1	-	1	2	2	4	3	3	6	6	4	5	4	3	2	-	-	-
204	Leukemia and aleukemia----------	847	8	11	25	18	18	35	24	17	11	20	33	23	30	41	46	66	80	109	104	61	41	21	4	1	-
	White-----M--	471	4	5	12	5	7	19	7	8	7	14	19	12	20	25	31	34	54	72	51	28	23	12	2	-	-
	F--	341	4	6	13	11	11	16	14	7	4	4	11	10	10	13	12	30	24	33	48	32	17	8	2	1	-
	Nonwhite--M--	25	-	-	-	1	-	-	1	-	-	1	2	1	-	2	3	1	1	4	5	1	1	1	-	-	-
	F--	10	-	-	-	1	-	-	2	2	-	1	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	854	-	4	1	3	1	7	10	9	13	14	42	54	53	51	69	102	119	108	85	64	29	12	2	1	1
	White-----M--	488	-	1	-	2	1	4	7	3	10	8	22	37	32	32	38	65	70	56	45	38	11	4	2	-	-
	F--	324	-	2	1	1	-	3	2	6	3	6	16	13	18	11	26	35	42	47	39	25	18	8	-	1	1
	Nonwhite--M--	28	-	1	-	-	-	-	1	-	-	-	1	3	2	6	3	1	5	4	-	1	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	3	1	1	2	2	1	2	1	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	409	12	3	3	1	4	10	7	4	7	15	30	17	20	32	45	35	44	42	31	20	14	11	2	-	-
	White-----M--	175	7	2	3	1	1	4	4	1	3	5	10	3	7	7	18	17	23	23	16	10	7	2	1	-	-
	F--	202	3	1	-	-	3	4	3	2	4	7	18	11	9	23	23	17	18	18	12	9	7	9	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	2	-	1	-	-	-	-	-	-
	F--	24	2	-	-	-	-	1	-	1	-	3	1	2	4	2	3	-	1	1	2	1	-	-	-	-	-
260	Diabetes mellitus-	1,207	1	1	-	-	1	6	7	3	6	20	17	35	38	52	72	87	131	189	219	148	127	33	11	2	1
	White-----M--	493	1	-	-	-	1	4	3	1	1	7	6	24	20	27	23	44	48	71	78	61	50	19	4	-	-
	F--	630	-	1	-	-	-	2	4	2	5	9	7	6	15	16	41	37	73	110	125	82	72	14	7	2	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	2	3	2	-	5	4	5	6	6	6	2	3	-	-	-	1
	F--	39	-	-	-	-	-	-	-	-	-	2	1	3	3	4	4	1	4	2	10	3	2	-	-	-	-
290-293	Anemias----------	174	9	5	1	-	1	4	1	3	4	1	6	3	4	2	8	13	11	15	22	25	15	15	5	1	-
	White-----M--	84	6	2	-	-	1	1	-	2	1	1	3	-	2	1	4	4	6	9	10	16	6	6	3	-	-
	F--	79	2	-	1	-	-	2	1	1	2	-	3	3	2	1	4	6	5	6	12	8	9	9	1	1	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	1	-	-
340	Nonmeningococcal meningitis*------	172	57	20	9	5	2	9	4	1	5	3	2	4	6	1	6	8	8	7	3	6	3	1	2	-	-
	White-----M--	88	29	10	4	2	2	4	2	1	1	3	1	3	2	1	3	4	5	4	1	4	1	-	1	-	-
	F--	53	15	6	4	-	-	5	1	-	4	-	1	1	2	-	-	3	2	3	1	2	2	-	1	-	-
	Nonwhite--M--	15	2	3	1	3	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	1	-	-	-
	F--	16	11	1	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	59,285	25	10	6	6	3	32	15	52	69	156	268	575	1,106	1,988	3,028	4,211	5,859	7,926	9,081	9,134	7,946	5,067	2,152	494	86
	White-----M--	32,286	9	2	5	3	-	22	7	24	38	81	123	366	742	1,348	2,058	2,863	3,825	4,896	5,033	4,481	3,505	1,946	731	156	22
	F--	24,507	9	4	1	2	2	9	6	23	26	48	90	143	256	463	715	1,092	1,751	2,696	3,722	4,401	4,280	3,035	1,371	313	49
	Nonwhite--M--	1,532	7	2	-	1	-	1	1	3	1	13	29	40	55	112	163	182	168	213	209	155	91	50	23	8	5
	F--	960	-	2	-	-	1	-	1	2	4	14	26	26	53	65	92	74	115	121	117	97	70	36	27	7	10
330-334, 400-468	Diseases of cardiovascular system-	58,457	22	8	5	3	2	18	13	44	54	121	240	543	1,067	1,930	2,965	4,137	5,771	7,845	8,996	9,063	7,894	5,023	2,124	483	86
	White-----M--	31,882	7	2	4	2	-	12	5	20	29	63	114	349	720	1,322	2,025	2,826	3,779	4,855	4,992	4,443	3,482	1,929	725	155	22
	F--	24,164	8	2	1	1	1	5	6	19	20	38	77	135	242	443	695	1,064	1,720	2,658	3,684	4,370	4,255	3,009	1,349	313	49
	Nonwhite--M--	1,489	7	2	-	-	-	1	1	3	1	10	28	37	52	104	157	177	161	211	207	155	90	49	23	8	5
	F--	922	-	2	-	-	1	-	1	2	4	10	21	22	53	61	88	70	111	121	113	95	67	36	27	7	10
330-334	Vascular lesions, etc.*----------	11,893	9	2	1	1	2	8	3	12	13	23	46	77	139	249	390	646	953	1,432	1,883	2,096	2,015	1,259	504	116	14
	White-----M--	5,195	5	-	1	1	-	5	2	6	6	10	15	30	49	103	176	321	490	758	894	900	803	431	152	32	5
	F--	6,122	1	1	-	-	1	2	1	6	6	8	20	37	65	119	160	262	396	590	915	1,126	1,169	805	344	81	7
	Nonwhite--M--	327	3	1	-	-	-	1	-	-	-	2	2	6	8	15	31	39	38	49	46	43	25	13	3	1	1
	F--	249	-	-	-	-	1	-	-	-	1	3	9	4	17	12	23	24	29	35	28	27	18	10	5	2	1
400-402	Rheumatic fever---	86	-	-	1	-	-	3	4	4	3	6	4	4	7	9	8	6	10	9	2	3	2	-	1	-	-
	White-----M--	52	-	-	1	-	-	2	1	2	3	4	2	1	5	8	7	2	6	7	-	1	-	-	-	-	-
	F--	30	-	-	-	-	-	1	2	2	-	1	2	2	1	1	1	4	4	2	2	2	2	-	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA—Con.																										
410-443	Diseases of heart	42,009	10	5	3	2	-	4	5	20	29	73	161	436	859	1,589	2,433	3,317	4,537	5,968	6,555	6,248	5,070	3,114	1,273	253	45
	White----M--	24,493	2	1	2	1	-	2	2	10	15	39	88	309	636	1,158	1,764	2,389	3,102	3,826	3,788	3,211	2,319	1,270	450	94	15
	F--	15,862	4	1	1	1	-	2	2	6	11	24	40	83	154	303	498	755	1,239	1,915	2,550	2,872	2,649	1,790	789	150	23
	Nonwhite--M--	1,055	4	1	-	-	-	-	1	3	-	6	22	28	37	80	116	128	119	153	138	105	58	31	18	5	2
	F--	599	-	2	-	-	-	-	-	1	3	4	11	16	32	48	55	45	77	74	79	60	44	23	16	4	5
410-416	Chronic rheumatic heart disease	1,517	-	-	-	-	-	1	2	8	16	35	44	90	120	150	171	209	172	193	137	85	47	26	9	2	-
	White----M--	745	-	-	-	-	-	1	1	2	7	15	20	48	63	67	80	113	82	110	61	36	23	12	2	2	-
	F--	704	-	-	-	-	-	-	1	4	7	16	18	34	50	72	84	90	85	79	71	48	24	14	7	-	-
	Nonwhite--M--	41	-	-	-	-	-	-	-	2	-	1	2	3	5	8	5	6	3	2	3	1	-	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	2	3	4	5	2	3	2	-	2	2	2	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	31,353	-	2	1	-	-	-	1	3	6	15	78	281	615	1,185	1,910	2,634	3,598	4,716	4,961	4,626	3,589	2,117	825	163	27
	White----M--	19,614	-	-	1	-	-	-	-	3	5	10	51	231	521	965	1,502	2,002	2,604	3,163	2,989	2,517	1,762	905	306	67	10
	F--	10,759	-	-	-	-	-	-	-	-	1	3	9	31	65	156	305	516	871	1,408	1,841	2,000	1,766	1,181	500	91	15
	Nonwhite--M--	668	-	-	-	-	-	-	1	-	-	2	15	14	20	47	71	85	82	105	85	71	36	19	11	3	1
	F--	312	-	2	-	-	-	-	-	-	-	-	3	5	9	17	32	31	41	40	46	38	25	12	8	2	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	3,564	2	1	2	2	-	1	1	3	1	4	5	19	27	45	89	110	199	322	548	626	689	530	261	67	10
	White----M--	1,758	1	1	1	1	-	-	-	1	-	3	3	11	14	31	54	76	117	178	318	310	304	216	94	20	4
	F--	1,653	1	-	1	1	-	1	1	2	-	-	1	5	9	11	23	28	70	116	202	298	370	304	162	44	3
	Nonwhite--M--	90	-	-	-	-	-	-	-	-	-	1	1	3	1	2	9	4	7	18	16	12	6	6	2	1	1
	F--	63	-	-	-	-	-	-	-	-	1	-	-	-	3	1	3	2	5	10	12	6	9	4	3	2	2
430-434	Other diseases of heart	734	8	2	-	-	-	2	-	6	6	12	18	11	22	35	44	51	75	81	95	97	84	52	21	9	3
	White----M--	397	1	-	-	-	-	1	-	4	3	7	8	8	13	18	26	37	54	60	54	41	33	17	10	2	-
	F--	301	3	1	-	-	-	1	-	-	3	4	8	3	7	11	13	12	20	21	39	53	50	33	10	7	2
	Nonwhite--M--	21	4	1	-	-	-	-	-	1	-	-	1	-	1	4	3	1	-	-	2	1	1	1	-	-	-
	F--	15	-	-	-	-	-	-	-	1	-	1	1	-	1	2	2	1	1	-	-	2	-	1	1	-	1
440-443	Hypertension with heart dis.	4,841	-	-	-	-	-	-	1	-	-	7	16	35	75	174	219	313	493	656	814	814	661	389	157	12	5
	White----M--	1,979	-	-	-	-	-	-	1	-	-	4	6	11	25	77	102	161	245	315	366	307	197	120	38	3	1
	F--	2,445	-	-	-	-	-	-	-	-	-	1	4	10	23	53	73	109	193	291	397	473	439	258	110	8	3
	Nonwhite--M--	235	-	-	-	-	-	-	-	-	-	2	3	8	10	19	28	32	27	28	32	20	15	5	5	1	-
	F--	182	-	-	-	-	-	-	-	-	-	-	3	6	17	25	16	11	28	22	19	14	10	6	4	-	1
444-447	Hypertension without mention of heart	624	-	-	-	-	-	-	-	-	-	6	11	7	25	23	36	35	52	63	80	107	89	58	25	7	-
	White----M--	286	-	-	-	-	-	-	-	-	-	4	4	3	10	15	15	19	23	31	40	49	41	16	13	3	-
	F--	282	-	-	-	-	-	-	-	-	-	-	4	2	8	4	10	11	25	25	36	57	44	41	11	4	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	1	2	-	3	4	4	5	2	3	3	1	1	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	1	1	2	4	-	7	-	2	4	1	-	3	1	1	-	-
450	General arteriosclerosis	2,787	-	-	-	-	-	-	-	-	-	-	-	2	1	11	23	32	93	187	318	477	646	563	304	104	26
	White----M--	1,197	-	-	-	-	-	-	-	-	-	-	-	-	1	9	16	25	66	101	166	206	276	199	105	25	2
	F--	1,524	-	-	-	-	-	-	-	-	-	-	-	2	-	2	7	6	26	77	137	260	363	357	192	77	18
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	10	5	5	5	2	1	2
	F--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	6	2	2	5	1	4
451-468	Other diseases of circulatory sys.	1,058	3	1	-	-	-	3	1	8	9	13	18	17	36	49	75	101	126	186	158	132	72	29	17	3	1
	White----M--	659	-	1	-	-	-	3	-	2	5	6	5	6	19	29	47	70	92	132	104	76	43	13	5	1	-
	F--	344	3	-	-	-	-	-	1	5	3	5	11	9	14	14	19	26	30	49	44	53	28	16	12	1	1
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	1	-	2	2	3	5	6	4	2	1	10	1	1	-	-	1	-
	F--	16	-	-	-	-	-	-	-	1	-	2	-	-	-	1	3	1	2	4	-	2	-	-	-	-	-
592-594	Chronic nephritis, etc.*	828	3	2	1	3	1	14	2	8	15	35	28	32	39	58	63	74	88	81	85	71	52	44	28	1	-
	White----M--	404	2	-	1	1	-	10	2	4	9	18	9	17	22	26	33	37	46	41	41	38	23	17	6	1	-
	F--	343	1	2	-	1	1	4	-	4	6	10	13	8	14	20	20	28	31	38	38	31	25	26	22	-	-
	Nonwhite--M--	43	-	-	-	1	-	-	-	-	-	3	1	3	3	8	6	5	7	2	2	-	1	1	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	4	5	4	-	4	4	4	4	-	4	2	3	-	-	-	-
480-493	Influenza and pneumonia, etc.*	2,821	484	72	25	10	5	27	12	12	17	17	33	43	65	108	126	121	161	234	251	301	284	244	114	47	8
	White----M--	1,546	247	41	13	4	2	18	9	8	11	6	17	19	35	69	81	80	106	156	151	160	141	112	42	15	3
	F--	1,056	167	21	8	3	2	9	3	2	4	7	12	17	17	27	25	31	49	60	88	132	139	127	70	32	4
	Nonwhite--M--	141	38	5	1	2	1	-	-	1	1	2	3	2	9	11	16	7	5	14	10	5	4	3	-	-	1
	F--	78	32	5	3	1	-	-	-	1	1	2	1	5	4	1	4	3	1	4	2	4	-	2	2	-	-
480-483	Influenza	57	2	1	1	-	-	-	-	-	1	1	-	2	-	1	3	2	2	10	7	5	10	5	2	2	-
	White----M--	26	1	-	1	-	-	-	-	-	-	1	-	-	-	1	3	1	2	8	2	-	5	1	-	-	-
	F--	28	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	1	4	5	5	4	2	2	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	2,764	482	71	24	10	5	27	12	12	16	16	33	41	65	107	123	119	159	224	244	296	274	239	112	45	8
	White----M--	1,520	246	41	12	4	2	18	9	8	11	5	17	19	35	68	78	79	104	148	149	160	136	111	42	15	3
	F--	1,028	167	20	8	3	2	9	3	2	3	7	12	15	17	27	25	30	49	59	84	127	134	123	68	30	4
	Nonwhite--M--	138	37	5	1	2	1	-	-	1	1	2	3	2	9	11	16	7	5	13	9	5	4	3	-	-	1
	F--	78	32	5	3	1	-	-	-	1	1	2	1	5	4	1	4	3	1	4	2	4	-	2	2	-	-
500-502	Bronchitis	209	69	9	5	3	2	6	-	-	-	2	2	-	2	5	6	10	11	20	16	19	10	6	4	-	-
	White----M--	115	33	5	1	3	1	1	-	-	-	2	1	-	1	4	3	7	6	18	8	13	3	3	2	-	-
	F--	77	26	2	3	-	1	5	-	-	-	-	1	-	-	1	2	3	4	2	7	6	7	5	2	-	-
	Nonwhite--M--	12	6	2	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	863	5	-	-	-	-	-	-	-	1	3	7	18	36	48	86	89	118	144	106	96	54	35	17	-	-
	White----M--	649	2	-	-	-	-	-	-	-	1	3	5	13	28	40	70	77	95	104	80	69	35	18	9	-	-
	F--	176	-	-	-	-	-	-	-	-	-	-	2	5	5	6	12	10	18	33	22	23	16	16	8	-	-
	Nonwhite--M--	29	2	-	-	-	-	-	-	-	-	-	-	-	3	1	4	1	3	7	1	4	2	1	-	-	-
	F--	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	-	1	-	-	-	-
550-553	Appendicitis	127	1	1	3	2	1	6	3	2	-	1	2	3	5	5	8	12	19	13	11	16	5	3	5	-	-
	White----M--	80	1	-	3	-	1	1	3	-	-	1	-	1	2	2	4	11	14	10	7	11	4	2	2	-	-
	F--	38	-	1	-	2	-	3	-	2	-	-	2	2	2	-	3	1	5	2	4	4	1	1	3	-	-
	Nonwhite--M--	9	-	-	-	-	-	2	-	-	-	-	-	-	1	3	1	-	-	1	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	567	82	4	1	-	2	1	2	1	2	5	3	8	11	18	30	32	40	65	80	76	62	27	12	2	1
	White----M--	275	44	3	1	-	-	1	2	-	1	-	2	4	2	7	15	21	19	32	44	36	24	9	8	-	-
	F--	255	25	1	-	-	1	-	-	1	1	4	1	3	7	7	12	10	17	29	35	39	38	17	4	2	1
	Nonwhite--M--	25	7	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	4	4	1	1	-	1	-	-	-
	F--	12	6	-	-	-	1	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA—Con.																										
543,	Gastritis, etc.*--	498	155	12	6	1	1	4	5	4	1	8	5	8	11	19	14	28	23	36	48	41	37	20	10	1	-
571,	White-----M--	231	79	4	3	-	-	3	1	-	1	1	2	4	4	7	9	16	10	23	25	18	11	6	3	1	-
572	F--	235	56	6	3	1	1	1	3	3	-	6	2	2	6	10	5	12	13	13	23	23	25	14	7	-	-
	Nonwhite--M--	18	10	1	-	-	-	-	1	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	14	10	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
581	Cirrhosis of liver	2,164	2	1	-	-	-	3	-	-	7	23	63	136	248	315	328	279	252	232	129	88	38	15	3	-	2
	White-----M--	1,322	-	1	-	-	-	-	-	-	4	7	25	67	124	193	215	186	170	166	87	48	17	9	2	-	1
	F--	733	1	-	-	-	-	3	-	-	3	12	29	58	107	111	98	84	72	57	34	37	20	6	1	-	-
	Nonwhite--M--	79	1	-	-	-	-	-	-	-	-	3	5	9	11	8	13	6	7	8	5	2	1	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	1	4	2	6	3	2	3	3	1	3	1	-	-	-	-	1
590,	Acute nephritis,																										
591	etc.*----------	122	4	1	5	3	3	3	8	2	3	6	5	7	9	7	11	3	9	5	6	12	7	3	-	-	-
	White-----M--	61	4	1	2	3	3	1	3	-	1	4	3	4	5	3	4	1	4	4	4	5	2	-	-	-	-
	F--	55	-	-	3	-	-	2	5	2	-	1	2	3	4	3	7	2	4	1	2	6	5	3	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate--------	379	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	26	37	68	85	71	52	21	7	-
	White-----M--	368	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	24	35	67	85	68	51	19	7	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	3	1	2	-	-
640-	Complications of																										
689	pregnancy, etc.*	106	...	...	...	...	...	...	-	9	19	20	26	22	8	1	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	86	...	...	...	...	...	...	-	5	17	15	21	20	6	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	20	...	...	...	...	...	...	-	4	2	5	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	28	...	...	...	...	...	...	-	3	12	4	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	24	...	...	...	...	...	...	-	2	11	4	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	78	...	...	...	...	...	...	-	6	7	16	20	20	7	1	-	1	-	-	-	-	-	-	-	-	-
660-	White-----F--	62	...	...	...	...	...	...	-	3	6	11	16	18	6	1	-	1	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	16	...	...	...	...	...	...	-	3	1	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	1,517	1,076	82	30	25	13	46	20	13	22	21	18	17	23	29	15	17	17	11	8	9	3	1	-	-	1
	White-----M--	760	546	39	14	12	7	22	9	4	12	8	9	9	11	13	11	8	10	3	4	6	2	-	-	-	1
	F--	631	435	37	15	11	6	21	9	9	9	12	6	7	11	8	4	9	7	7	3	3	1	1	-	-	-
	Nonwhite--M--	68	52	2	-	2	-	2	1	-	-	-	2	1	1	3	-	-	-	1	1	-	-	-	-	-	-
	F--	58	43	4	1	-	-	1	1	-	1	1	1	-	-	5	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	4,573	4,571	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2,349	2,348	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,689	1,689	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	301	301	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	233	233	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	2,453	2,453	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,301	1,301	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	898	898	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	1,898	1,896	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	941	940	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	710	709	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	413	46	2	2	-	1	4	2	3	10	9	8	13	20	12	24	17	23	30	28	25	40	38	39	8	9
795	White-----M--	223	23	2	-	-	-	2	2	1	5	7	5	8	16	9	13	12	13	20	19	14	20	15	12	3	2
	F--	162	16	-	2	-	1	2	-	2	4	1	2	5	2	3	7	5	10	9	8	10	18	22	25	5	3
	Nonwhite--M--	16	3	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	-	1	1	1	1	1	2	-	2
	F--	12	4	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-	1	-	-	-	2
Re-	All other diseases	4,949	324	40	28	28	13	59	36	46	59	103	112	162	208	264	342	399	470	598	553	474	342	178	77	22	12
sid-	White-----M--	2,720	168	20	17	13	4	33	22	29	22	49	46	60	101	144	179	253	297	367	334	275	172	79	29	4	3
ual	F--	1,903	127	15	11	11	8	22	10	11	25	42	50	73	85	99	129	121	150	207	199	183	161	96	45	15	8
	Nonwhite--M--	217	23	5	-	2	1	3	3	3	9	7	7	13	11	15	19	21	17	14	18	13	7	2	1	2	1
	F--	109	6	-	-	2	-	1	1	3	3	5	9	16	11	6	15	4	6	10	2	3	2	1	2	1	-
E800-	Accidents---------	6,617	224	112	98	71	62	201	195	393	533	426	461	414	414	459	424	347	347	356	312	263	235	161	75	22	12
E962	White-----M--	4,396	119	56	52	38	36	128	136	287	422	308	358	288	294	305	292	238	229	249	193	150	110	63	30	6	9
	F--	1,697	68	43	30	22	18	62	44	79	72	72	57	85	85	105	94	84	95	100	110	104	111	96	44	15	2
	Nonwhite--M--	388	20	8	8	6	4	9	8	19	32	32	38	32	31	40	31	21	18	6	9	5	8	1	1	-	1
	F--	136	17	5	8	5	4	2	7	8	7	14	8	9	4	9	7	4	5	1	-	4	6	1	-	1	-
E810-	Motor-vehicle																										
E835	accidents---------	3,266	20	27	40	28	36	93	72	285	369	272	265	230	219	216	218	178	188	161	133	104	64	26	14	4	4
	White-----M--	2,211	10	13	19	15	21	55	50	205	288	193	205	153	153	137	135	110	122	104	86	67	43	17	5	1	4
	F--	787	6	13	12	8	9	30	18	63	56	54	34	51	46	54	62	52	54	54	41	33	17	8	9	3	-
	Nonwhite--M--	198	1	1	4	3	2	6	1	11	19	16	20	19	20	21	17	15	8	3	6	2	3	-	-	-	-
	F--	70	3	-	5	2	4	2	3	6	6	9	6	7	-	4	4	1	4	-	-	2	1	1	-	-	-
E800-	All ot. accidents-	3,351	204	85	58	43	26	108	123	108	164	154	196	184	195	243	206	169	159	195	179	159	171	135	61	18	8
E802,	White-----M--	2,185	109	43	33	23	15	73	86	82	134	115	153	135	141	168	157	128	107	145	107	83	67	46	25	5	5
E840-	F--	910	62	30	18	14	9	32	26	16	16	18	23	34	39	51	32	32	41	46	69	71	94	88	35	12	2
E962	Nonwhite--M--	190	19	7	4	3	2	3	7	8	13	16	18	13	11	19	14	6	10	3	3	3	5	1	1	-	1
	F--	66	14	5	3	3	-	-	4	2	1	5	2	2	4	5	3	3	1	1	-	2	5	-	-	1	-
E963,	Suicide----------	1,940	-	-	-	-	-	-	3	25	75	96	142	158	198	228	223	193	201	141	118	81	34	15	8	-	1
E970-	White-----M--	1,398	-	-	-	-	-	-	2	20	57	64	90	112	127	167	172	128	155	99	94	64	28	12	6	-	1
E979	F--	461	-	-	-	-	-	-	1	4	12	24	43	39	63	55	44	57	40	35	19	15	5	3	2	-	-
	Nonwhite--M--	62	-	-	-	-	-	-	-	1	4	6	6	5	5	4	5	7	5	6	5	2	1	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	2	2	3	2	3	2	2	1	1	1	-	-	-	-	-	-	-
E964,	Homicide----------	486	7	1	3	1	1	6	3	26	39	60	68	56	58	47	39	32	15	12	3	5	1	-	-	-	3
E980-	White-----M--	222	3	-	1	1	1	2	1	13	23	29	22	22	27	23	11	15	11	9	2	3	-	-	-	-	3
E985	F--	118	3	1	2	-	-	3	2	4	3	10	10	16	16	13	17	9	3	2	1	2	1	-	-	-	-
	Nonwhite--M--	106	-	-	-	-	-	1	-	5	9	11	27	12	14	8	9	8	1	1	-	-	-	-	-	-	-
	F--	40	1	-	-	-	-	-	-	4	4	10	9	6	1	3	2	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO																										
	ALL CAUSES------	12,989	1,213	68	38	31	23	71	68	118	152	153	182	233	296	447	608	809	1,131	1,424	1,544	1,571	1,400	952	357	88	12
	White-----M--	7,283	685	37	23	20	15	42	48	85	107	91	104	121	167	271	392	521	710	845	863	807	692	429	165	35	8
	F--	5,331	466	26	14	11	7	27	19	31	39	52	67	100	116	157	197	263	387	539	645	734	684	509	186	51	4
	Nonwhite--M--	217	34	3	1	-	-	1	-	2	3	9	4	8	6	13	7	18	21	22	26	21	9	7	2	-	-
	F--	158	28	2	-	-	1	1	1	-	3	1	7	4	7	6	12	7	13	18	10	9	15	7	4	2	-
001-019	Tuberculosis, all forms--------	131	1	1	-	-	-	2	1	1	5	4	2	2	12	14	15	12	11	9	18	9	5	5	2	-	-
	White-----M--	83	-	1	-	-	-	2	-	1	3	2	2	1	7	7	12	7	7	6	13	4	4	3	1	-	-
	F--	38	1	-	-	-	-	-	-	-	1	2	-	1	3	5	2	4	2	3	5	5	1	2	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	123	1	-	-	-	-	1	1	1	4	4	2	2	11	13	15	12	9	9	17	9	5	5	2	-	-
	White-----M--	78	-	-	-	-	-	1	-	1	2	2	2	1	6	7	12	7	7	6	12	4	4	3	1	-	-
	F--	36	1	-	-	-	-	-	-	-	1	2	-	1	3	4	2	4	1	3	5	5	1	2	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	8	-	1	-	-	-	1	-	-	1	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-
	White-----M--	5	-	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	31	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	4	6	6	5	2	-	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	6	5	5	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever etc.*----------	4	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	7	1	-	-	-	1	-	-	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	42	9	3	1	-	-	2	1	1	1	2	4	3	2	3	-	-	1	4	1	1	2	-	-	1	-
	White-----M--	22	5	2	-	-	-	1	-	-	-	1	2	-	2	2	-	-	-	3	1	-	2	-	-	1	-
	F--	18	4	1	1	-	-	1	1	1	1	1	2	2	-	-	-	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
140-205	Malignant neoplasms, etc.*	1,983	1	1	5	4	3	10	8	6	9	11	19	47	65	83	152	196	276	308	254	249	160	86	28	1	1
	White—M	964	-	1	2	3	1	7	7	3	4	6	8	15	21	28	74	90	150	145	144	127	77	37	13	-	1
	F	963	-	-	3	1	2	3	1	3	4	5	10	30	42	50	73	100	121	152	104	115	83	46	14	1	-
	Nonwhite—M	33	1	-	-	-	-	-	-	-	-	-	-	1	-	2	1	5	3	7	5	6	-	1	1	-	-
	F	23	-	-	-	-	-	-	-	-	1	-	1	1	2	3	4	1	2	4	1	1	-	2	-	-	-
140-148	Of buccal cavity and pharynx	33	-	-	-	-	1	-	-	-	-	1	-	-	-	-	3	5	3	8	3	4	4	1	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	6	2	2	4	1	-	-	-
	F	10	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	2	-	2	1	2	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	730	-	-	1	-	-	-	-	-	2	1	2	8	15	22	35	58	103	134	127	100	72	36	13	1	-
	White—M	373	-	-	-	-	-	-	-	-	1	-	2	2	7	11	23	29	63	64	75	49	32	9	6	-	-
	F	334	-	-	1	-	-	-	-	-	1	1	-	6	8	9	11	27	38	64	48	47	40	25	7	1	-
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	5	3	4	-	1	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-
160-164	Of respiratory system	188	-	-	-	-	-	-	-	-	-	-	-	1	4	6	25	26	42	39	15	14	9	6	1	-	-
	White—M	155	-	-	-	-	-	-	-	-	-	-	-	-	4	5	24	24	36	28	12	9	7	5	1	-	-
	F	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	10	1	5	2	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
170	Of breast	191	-	-	-	-	-	-	-	-	1	1	2	8	11	20	14	27	25	29	13	22	12	3	3	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	186	-	-	-	-	-	-	-	-	-	1	2	8	11	18	14	27	24	29	12	22	12	3	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	334	-	-	-	-	-	1	2	2	1	4	11	13	15	32	33	45	42	33	47	29	19	5	-	-
	White—M	126	-	-	-	-	-	-	2	1	-	1	3	1	-	3	5	11	18	20	30	15	12	4	-	-
	F	197	-	-	-	-	-	1	-	1	1	2	7	12	14	28	27	32	23	13	15	14	7	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	1	-	1	-	-	-	-	-
180, 181	Of urinary organs	102	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	13	9	10	16	19	14	7	1	-	1
	White—M	67	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	12	3	9	9	11	9	4	-	-	1
	F	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	6	1	7	8	5	3	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	217	-	1	2	1	-	5	1	1	1	2	7	10	11	9	21	23	32	25	23	14	14	11	3	-	-
	White—M	116	-	1	1	1	-	4	1	-	1	1	4	7	4	6	8	10	20	9	15	9	7	5	2	-	-
	F	94	-	-	1	-	-	1	-	1	-	1	3	3	7	3	11	11	11	14	8	5	7	6	1	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia	90	-	-	2	2	2	2	3	3	1	2	2	6	3	3	7	5	6	6	11	19	3	1	1	-	-
	White—M	47	-	-	1	1	1	2	3	1	-	2	1	1	1	1	4	2	6	4	3	12	1	-	-	-	-
	F	41	-	-	1	1	1	-	-	2	1	-	1	5	1	2	3	3	-	2	8	6	2	1	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	98	1	-	-	1	-	3	3	-	2	3	2	3	5	5	9	6	11	15	13	10	3	2	1	-	-
	White—M	56	-	-	-	1	-	1	3	-	1	3	-	2	1	3	7	5	7	7	7	5	2	1	-	-	-
	F	39	-	-	-	-	-	2	-	-	1	-	2	1	3	2	2	1	4	7	6	5	1	1	1	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	38	2	-	-	-	-	1	-	-	-	3	3	1	6	5	2	4	2	6	2	1	-	-	-	-	-
	White—M	12	1	-	-	-	-	1	-	-	-	1	2	-	-	1	-	1	2	1	2	-	-	-	-	-	-
	F	25	1	-	-	-	-	-	-	-	-	2	1	1	6	4	2	3	-	5	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
260	Diabetes mellitus	147	-	-	-	-	-	1	1	1	2	3	2	3	3	2	6	6	14	23	38	28	6	7	1	-	-
	White—M	61	-	-	-	-	-	-	1	-	2	2	2	1	2	2	3	5	3	12	13	11	1	1	-	-	-
	F	82	-	-	-	-	-	1	-	1	-	1	-	2	1	-	2	1	11	11	25	16	3	6	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-
290-293	Anemias	29	2	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	4	4	7	2	4	2	-	-	-
	White—M	9	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	2	3	-	-	-	-	-	-
	F	20	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	4	2	4	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	9	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
	White—M	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	6,392	8	-	-	3	2	7	7	12	16	26	40	49	83	176	251	390	590	802	944	1,019	968	667	260	67	5
	White—M	3,531	6	-	-	2	2	3	6	5	8	12	18	26	52	122	180	275	384	496	512	503	473	297	123	24	2
	F	2,718	2	-	-	1	-	4	1	7	7	11	19	18	26	47	65	105	186	289	413	501	478	362	132	41	3
	Nonwhite—M	68	-	-	-	-	-	-	-	-	-	3	-	3	3	6	1	5	11	7	11	8	6	3	1	-	-
	F	75	-	-	-	-	-	-	-	-	1	-	3	2	2	1	5	5	9	10	8	7	11	5	4	2	-
330-334, 400-468	Diseases of cardiovascular system	6,244	8	-	-	1	-	2	3	7	10	16	35	47	79	170	243	380	575	791	929	1,006	954	660	257	66	5
	White—M	3,443	6	-	-	1	-	1	2	3	5	5	16	25	49	119	175	269	377	488	503	495	465	292	122	23	2
	F	2,659	2	-	-	-	-	1	1	4	4	9	16	17	25	44	62	101	178	286	407	496	472	360	130	41	3
	Nonwhite—M	67	-	-	-	-	-	-	-	-	-	2	-	3	3	6	1	5	11	7	11	8	6	3	1	-	-
	F	75	-	-	-	-	-	-	-	-	1	-	3	2	2	1	5	5	9	10	8	7	11	5	4	2	-
330-334	Vascular lesions, etc.*	1,363	2	-	-	-	-	-	1	-	3	2	9	12	12	22	33	55	97	146	216	256	244	162	77	12	2
	White—M	624	1	-	-	-	-	-	-	-	2	1	3	3	4	9	14	24	52	75	114	113	102	73	30	3	1
	F	695	1	-	-	-	-	-	1	-	1	1	5	7	6	12	17	28	41	64	94	141	135	86	46	8	1
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	2	1	5	1	2	1	1	-	-
	F	26	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	2	6	3	1	5	2	-	1	-
400-402	Rheumatic fever	21	-	-	-	1	-	1	1	3	1	1	1	-	-	-	3	2	2	-	3	-	1	-	1	-	-
	White—M	15	-	-	-	1	-	1	1	2	1	-	-	-	-	-	2	-	2	-	3	-	1	-	1	-	-
	F	5	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
410-443	Diseases of heart	4,395	3	-	-	-	-	1	1	4	5	12	19	27	63	139	200	305	455	612	644	682	624	415	138	43	3
	White-----M--	2,574	2	-	-	-	-	-	1	1	2	4	11	19	44	106	155	231	315	389	352	354	315	183	72	17	1
	F--	1,731	1	-	-	-	-	1	-	3	2	6	7	8	16	28	41	68	124	213	281	315	300	227	63	25	2
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	2	-	-	1	5	1	3	9	6	6	7	4	2	-	-	-
	F--	44	-	-	-	-	-	-	-	-	1	-	1	-	2	-	3	3	7	4	5	6	5	3	3	1	-
410-416	Chronic rheumatic heart disease----	216	-	-	-	-	-	-	-	2	1	10	7	7	12	28	18	23	25	20	18	24	10	7	4	-	-
	White-----M--	98	-	-	-	-	-	-	-	-	1	3	3	1	5	14	9	11	11	11	7	12	4	3	3	-	-
	F--	115	-	-	-	-	-	-	-	2	-	6	4	6	6	14	9	12	14	9	11	12	5	4	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,237	2	-	-	-	-	-	-	-	1	2	9	16	46	101	159	232	366	486	486	494	439	277	93	26	2
	White-----M--	2,044	1	-	-	-	-	-	-	-	1	1	7	15	37	89	135	190	270	324	281	274	233	127	47	11	1
	F--	1,133	1	-	-	-	-	-	-	-	-	-	2	1	8	8	21	38	83	156	198	210	200	146	45	15	1
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	1	-	-	-	4	1	2	9	3	4	6	3	2	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	3	3	4	3	2	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	422	-	-	-	-	-	-	-	-	-	-	1	4	2	-	4	18	22	39	66	81	75	74	26	10	-
	White-----M--	212	-	-	-	-	-	-	-	-	-	-	1	3	1	-	2	12	15	20	34	36	38	33	14	3	-
	F--	204	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	6	7	19	31	44	36	41	10	6	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-
430-434	Other diseases of heart---------	76	1	-	-	-	-	1	1	2	2	-	2	-	2	2	4	8	8	7	10	6	15	3	1	1	-
	White-----M--	46	1	-	-	-	-	-	1	1	-	-	-	-	1	1	2	7	5	6	6	2	9	2	1	1	-
	F--	26	-	-	-	-	-	1	-	1	2	-	1	-	-	1	2	1	2	1	4	3	6	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	444	-	-	-	-	-	-	-	-	1	-	-	-	1	8	15	24	34	60	64	77	85	54	14	6	1
	White-----M--	174	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	11	14	28	24	30	31	18	7	2	-
	F--	253	-	-	-	-	-	-	-	-	-	-	-	-	1	5	7	11	18	28	37	46	53	35	7	4	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	-	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	1	2	1	-	1	-	-	-
444-447	Hypertension without mention of heart----------	75	-	-	-	-	-	-	-	-	-	-	1	4	2	1	2	4	5	5	7	13	17	9	4	1	-
	White-----M--	42	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	4	1	4	5	5	12	6	1	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	4	1	2	8	5	3	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	272	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	7	13	34	43	57	68	36	10	-
	White-----M--	117	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	9	13	18	25	29	17	3	-
	F--	153	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	6	4	21	25	31	39	18	7	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
451-468	Other diseases of circulatory sys.-	118	2	-	-	-	-	-	-	-	1	1	4	4	2	8	5	12	9	15	25	12	11	6	1	-	-
	White-----M--	71	2	-	-	-	-	-	-	-	-	-	2	1	-	4	3	9	6	11	16	5	10	1	1	-	-
	F--	44	-	-	-	-	-	-	-	-	1	1	2	1	2	3	2	3	3	4	9	7	1	5	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	148	-	-	-	2	2	5	4	5	6	10	5	2	4	6	8	10	15	11	15	13	14	7	3	1	-
	White-----M--	88	-	-	-	1	2	2	4	2	3	7	2	1	3	3	5	6	7	8	9	8	8	5	1	1	-
	F--	59	-	-	-	1	-	3	-	3	3	2	3	1	1	3	3	4	8	3	6	5	6	2	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	630	112	13	1	2	4	2	3	2	1	2	7	7	3	14	16	16	30	40	67	81	93	75	30	9	-
	White-----M--	323	58	3	1	1	4	1	1	2	1	-	3	4	2	11	10	9	20	24	34	44	42	34	10	4	-
	F--	269	45	8	-	1	-	-	2	-	-	1	3	3	-	3	3	4	8	13	30	33	48	39	20	5	-
	Nonwhite--M--	27	6	1	-	-	-	1	-	-	-	1	-	-	1	-	1	3	1	1	3	4	2	2	-	-	-
	F--	11	3	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	2	-	-	1	-	-	-	-
480-483	Influenza---------	24	6	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	1	6	3	1	1	1	-	-
	White-----M--	13	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	3	2	1	-	-	-	-
	F--	11	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	606	106	12	1	2	4	2	2	2	1	2	7	7	3	12	16	16	29	39	61	78	92	74	29	9	-
	White-----M--	310	54	3	1	1	4	1	1	2	1	-	3	4	2	9	10	9	19	24	31	42	41	34	10	4	-
	F--	258	43	7	-	1	-	-	1	-	-	1	3	3	-	3	3	4	8	12	27	32	48	38	19	5	-
	Nonwhite--M--	27	6	1	-	-	-	1	-	-	-	1	-	-	1	-	1	3	1	1	3	4	2	2	-	-	-
	F--	11	3	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	2	-	-	1	-	-	-	-
500-502	Bronchitis--------	39	11	4	2	-	-	-	-	-	-	-	-	-	-	1	-	3	4	1	1	3	3	3	1	2	-
	White-----M--	24	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	3	-	2	1	2	-
	F--	15	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	130	2	-	-	-	-	-	-	1	1	-	1	4	5	8	2	11	17	21	17	15	13	11	1	-	-
	White-----M--	88	-	-	-	-	-	-	-	1	1	-	1	2	2	6	1	10	11	13	10	11	10	8	1	-	-
	F--	36	2	-	-	-	-	-	-	-	-	-	-	2	3	2	1	-	5	7	5	3	3	3	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	22	-	-	-	-	1	1	2	-	1	-	1	1	1	-	1	3	2	4	2	2	-	-	-	-	-
	White-----M--	13	-	-	-	-	1	1	1	-	1	-	-	-	1	-	-	2	1	2	1	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	85	11	-	-	-	-	1	-	-	2	1	1	-	3	4	7	5	7	10	9	10	10	4	-	-	-
	White-----M--	44	7	-	-	-	-	1	-	-	1	-	-	-	1	1	4	3	4	5	7	5	2	3	-	-	-
	F--	39	4	-	-	-	-	-	-	-	1	1	-	-	2	3	3	2	3	4	2	5	8	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
543, 571, 572	Gastritis, etc.*	138	81	7	1	2	-	1	2	1	-	1	2	1	-	2	4	6	2	5	5	4	5	4	1	1	-
	White-----M--	79	49	3	1	1	-	-	1	-	-	1	-	-	-	1	2	4	1	4	3	2	3	2	-	1	-
	F--	52	27	4	-	1	-	1	1	1	-	-	2	1	-	1	2	-	1	1	2	2	2	2	1	-	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	145	-	-	1	-	-	1	-	-	-	1	2	10	9	19	16	17	18	17	16	12	3	3	-	-	-
	White-----M--	100	-	-	-	-	-	1	-	-	-	1	-	8	6	10	13	13	14	10	14	6	2	2	-	-	-
	F--	43	-	-	1	-	-	-	-	-	-	-	1	2	3	9	3	4	4	6	2	6	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	22	2	2	1	-	-	-	-	1	-	3	1	-	1	1	-	-	2	2	1	2	2	1	-	-	-
	White-----M--	14	2	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	2	1	1	2	1	1	-	-	-
	F--	7	-	1	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	10	10	15	4	2	-	-
	White-----M--	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	10	10	15	4	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	16	...	...	...	...	...	...	-	-	4	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	14	...	...	...	...	...	...	-	-	4	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	2	...	...	...	...	...	...	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	14	...	...	...	...	...	...	-	-	4	6	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	...	...	...	...	...	...	-	-	4	5	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	194	143	7	6	2	4	6	5	1	2	-	1	2	1	3	1	1	3	3	2	1	-	-	-	-	-
	White-----M--	106	80	5	2	2	2	2	2	-	2	-	-	1	-	2	1	-	1	1	2	1	-	-	-	-	-
	F--	85	60	2	4	-	2	4	3	1	-	-	1	1	1	1	-	1	2	2	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	699	698	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	401	400	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	264	264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	350	350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	204	204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	289	288	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	160	159	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	49	17	-	2	-	-	-	-	-	1	-	1	-	2	3	4	1	3	3	3	2	2	3	1	1	-
	White-----M--	29	7	-	2	-	-	-	-	-	-	-	1	-	2	3	4	-	1	2	2	1	1	2	1	-	-
	F--	16	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	727	52	8	3	3	1	6	8	8	7	8	7	24	32	35	54	62	74	89	81	70	46	34	12	2	1
	White-----M--	456	33	6	3	2	-	4	7	5	3	1	3	14	15	20	32	44	51	63	54	45	23	19	6	2	1
	F--	255	15	2	-	1	1	2	1	3	4	6	4	9	17	13	21	17	22	25	26	24	21	15	6	-	-
	Nonwhite--M--	11	3	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	1	1	1	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-
E800-E962	Accidents	944	41	21	12	14	6	29	25	72	85	60	59	58	46	37	40	43	39	47	47	39	56	41	18	4	5
	White-----M--	636	22	13	8	9	3	18	18	59	72	48	46	41	39	25	26	31	28	34	22	20	30	12	7	1	4
	F--	281	14	6	3	5	2	10	7	11	12	10	11	15	6	11	14	12	10	12	22	19	26	28	11	3	1
	Nonwhite--M--	21	3	1	1	-	-	-	-	2	1	2	2	2	-	1	-	-	1	1	3	-	-	1	-	-	-
	F--	6	2	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents	408	3	7	6	4	1	16	6	41	53	42	30	33	23	16	16	23	21	18	17	14	13	2	-	-	3
	White-----M--	286	2	5	3	1	-	10	3	31	42	33	20	22	18	10	11	15	16	14	8	9	9	1	-	-	3
	F--	113	1	2	2	3	1	6	3	8	11	7	8	11	4	6	5	8	4	4	9	5	4	1	-	-	-
	Nonwhite--M--	8	-	-	1	-	-	-	-	2	-	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	536	38	14	6	10	5	13	19	31	32	18	29	25	23	21	24	20	18	29	30	25	43	39	18	4	2
	White-----M--	350	20	8	5	8	3	8	15	28	30	15	26	19	21	15	15	16	12	20	14	11	21	11	7	1	1
	F--	168	13	4	1	2	1	4	4	3	1	3	3	4	2	5	9	4	6	8	13	14	22	27	11	3	1
	Nonwhite--M--	13	3	1	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	1	3	-	-	1	-	-	-
	F--	5	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide	220	-	-	-	-	-	-	1	4	9	19	18	14	15	28	29	26	22	12	12	6	4	1	-	-	-
	White-----M--	170	-	-	-	-	-	-	1	4	7	15	10	7	12	24	24	20	18	9	9	5	4	1	-	-	-
	F--	47	-	-	-	-	-	-	-	-	2	4	8	7	3	3	5	5	4	3	2	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	49	1	-	-	-	1	1	1	5	5	3	4	1	6	7	5	2	2	4	-	-	1	-	-	-	-
	White-----M--	26	-	-	-	-	1	-	1	4	2	1	2	1	2	3	4	1	1	2	-	-	1	-	-	-	-
	F--	17	1	-	-	-	-	1	-	1	2	-	2	-	2	4	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT																										
	ALL CAUSES------	20,510	1,130	52	37	25	24	93	58	82	108	163	209	355	556	732	1,054	1,581	2,152	2,626	2,689	2,531	2,235	1,322	518	153	25
	White-----M--	10,941	607	25	23	13	14	52	41	54	73	79	114	192	321	438	631	964	1,300	1,583	1,416	1,231	980	544	185	52	9
	F--	8,969	417	20	12	9	9	37	13	24	33	68	80	133	205	264	372	560	799	999	1,216	1,256	1,237	764	329	98	15
	Nonwhite--M--	317	46	5	2	1	1	2	2	3	2	9	10	18	15	12	31	36	23	25	36	24	7	4	1	2	-
	F--	283	60	2	-	2	-	2	2	1	-	7	5	12	15	18	20	21	30	19	21	20	11	10	3	1	1
001-019	Tuberculosis, all forms-------	158	1	-	-	-	-	-	-	-	-	2	4	6	7	9	12	21	23	25	17	14	14	1	1	-	1
	White-----M--	114	-	-	-	-	-	-	-	-	-	1	1	3	4	5	9	15	20	19	14	9	12	-	1	-	1
	F--	35	1	-	-	-	-	-	-	-	-	1	2	2	1	4	3	3	1	6	3	5	2	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	143	-	-	-	-	-	-	-	-	-	2	3	6	6	7	12	17	21	23	16	13	14	1	1	-	1
	White-----M--	108	-	-	-	-	-	-	-	-	-	1	-	3	4	4	9	13	19	18	14	9	12	-	1	-	1
	F--	28	-	-	-	-	-	-	-	-	-	1	2	2	1	3	3	2	-	5	2	4	2	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	15	1	-	-	-	-	-	-	-	-	-	1	-	1	2	-	4	2	2	1	1	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	-	-	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	52	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	6	9	12	5	8	2	2	1	1	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	5	10	2	6	2	2	-	1	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	2	2	-	-	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	8	3	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	11	-	-	-	-	-	1	-	1	-	4	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	1	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	7	-	2	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	30	4	-	-	-	-	2	2	1	-	-	1	3	4	-	-	2	3	2	2	2	2	-	-	-	-
	White-----M--	12	1	-	-	-	-	2	1	-	-	-	-	2	-	-	-	2	1	2	-	1	-	-	-	-	-
	F--	17	3	-	-	-	-	-	1	1	-	-	1	-	4	-	-	-	2	-	2	1	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
140-205	Malignant neoplasms, etc.*	3,895	3	2	3	5	5	17	14	10	14	32	34	88	129	198	284	431	521	615	532	445	321	144	38	9	1
	White—M	1,965	-	-	2	2	2	10	9	5	5	9	9	30	48	81	132	227	288	373	284	213	156	61	15	4	-
	F	1,840	3	2	1	2	3	6	4	4	8	22	23	56	77	108	141	192	225	234	238	220	161	81	23	5	1
	Nonwhite—M	52	-	-	-	-	-	-	1	1	1	-	1	1	2	4	6	8	3	6	5	10	2	1	-	-	-
	F	38	-	-	-	1	-	1	-	-	-	1	1	1	2	5	5	4	5	2	5	2	2	1	-	-	-
140-148	Of buccal cavity and pharynx	106	-	-	-	-	-	-	-	1	-	1	1	1	2	4	7	5	19	27	15	12	5	5	-	1	-
	White—M	86	-	-	-	-	-	-	-	1	-	-	1	1	1	4	6	5	15	24	12	7	4	4	-	1	-
	F	19	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	3	3	3	5	1	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,490	-	-	-	-	-	-	-	1	1	6	5	15	40	52	91	144	193	259	240	201	154	66	19	3	-
	White—M	776	-	-	-	-	-	-	-	-	1	-	-	8	15	23	43	79	115	159	130	106	66	22	9	-	-
	F	681	-	-	-	-	-	-	-	-	-	6	5	6	22	25	46	60	74	99	104	92	86	43	10	3	-
	Nonwhite—M	16	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	3	1	-	3	2	1	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	3	1	3	1	1	1	-	-	-
160-164	Of respiratory system	480	-	-	-	-	-	1	-	1	-	1	2	8	13	30	52	89	77	92	46	37	23	7	1	-	-
	White—M	397	-	-	-	-	-	1	-	1	-	-	-	3	11	22	43	78	71	82	40	23	19	2	1	-	-
	F	71	-	-	-	-	-	-	-	-	-	1	2	5	2	5	5	10	6	7	5	14	4	5	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	-	3	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
170	Of breast	374	-	-	-	-	-	-	-	-	1	2	5	16	18	32	38	49	48	36	45	42	24	13	5	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	369	-	-	-	-	-	-	-	-	1	2	5	16	17	32	38	48	47	34	45	42	24	13	5	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-
171-179	Of genital organs	529	-	-	-	-	-	-	-	-	1	5	4	18	20	35	35	51	58	67	78	63	61	23	6	3	1
	White—M	197	-	-	-	-	-	-	-	-	-	1	1	1	2	3	3	8	14	26	39	32	41	20	4	2	-
	F	310	-	-	-	-	-	-	-	-	1	3	2	16	18	30	30	40	42	40	37	25	19	3	2	1	1
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	6	1	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	1	1	-	1	-	-	-	-	-	-
180, 181	Of urinary organs	179	-	-	1	-	1	2	-	-	-	1	1	1	4	2	11	11	26	32	30	24	20	8	2	2	-
	White—M	114	-	-	1	-	-	1	-	-	-	-	1	1	3	2	9	7	21	21	19	12	9	6	-	1	-
	F	62	-	-	-	-	1	1	-	-	-	1	-	-	1	-	2	3	5	11	11	11	10	2	2	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	396	1	1	1	2	1	5	5	4	5	5	11	13	21	16	27	48	60	55	39	34	23	15	4	-	-
	White—M	207	-	-	1	-	-	3	3	1	1	1	5	8	9	11	16	33	29	32	21	15	12	5	1	-	-
	F	184	1	1	-	1	1	2	2	3	4	4	6	5	12	5	11	15	31	21	17	18	11	10	3	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
204	Leukemia and aleukemia	159	2	1	1	3	3	8	6	2	2	3	4	6	6	12	8	12	16	20	20	13	7	4	-	-	-
	White—M	85	-	-	-	2	2	4	4	1	1	2	1	3	3	6	3	6	9	12	15	7	3	1	-	-	-
	F	69	2	1	1	1	1	3	2	1	1	1	2	3	3	6	4	6	7	8	5	5	4	2	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	182	-	-	-	-	-	1	3	1	4	8	1	10	5	15	15	22	24	27	19	19	4	3	1	-	-
	White—M	102	-	-	-	-	-	1	2	1	2	5	-	5	4	10	9	11	14	16	8	11	2	1	-	-	-
	F	75	-	-	-	-	-	-	-	-	1	3	1	5	1	5	4	10	10	11	11	8	2	2	1	-	-
	Nonwhite—M	4	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	66	1	1	-	1	1	4	-	1	-	2	2	7	5	4	1	8	7	6	8	5	2	-	-	-	-
	White—M	38	-	-	-	1	1	2	-	-	-	-	1	4	3	1	1	5	7	4	4	3	1	-	-	-	-
	F	27	1	1	-	-	-	2	-	1	-	2	-	3	2	3	-	3	-	2	4	2	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	387	-	-	-	-	-	1	-	-	-	3	7	2	7	8	18	36	46	87	63	56	32	18	3	-	-
	White—M	138	-	-	-	-	-	1	-	-	-	2	4	1	3	6	7	15	14	25	20	20	13	6	1	-	-
	F	238	-	-	-	-	-	-	-	-	-	1	3	-	4	1	9	18	31	61	43	34	19	12	2	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	2	-	-	-	-	-
290-293	Anemias	38	-	2	-	-	1	-	2	1	2	-	-	-	2	2	1	-	5	2	4	5	7	2	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	3	3	2	-	-	-
	F	22	-	1	-	-	1	-	1	1	2	-	-	-	1	2	-	-	3	1	3	2	4	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	24	8	1	1	1	-	1	2	-	1	1	-	-	-	-	1	3	2	-	-	2	-	-	-	-	-
	White—M	15	5	1	1	-	-	1	2	-	-	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	-
	F	8	2	-	-	1	-	-	-	-	1	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	11,470	5	2	1	2	1	8	4	8	15	32	59	104	194	323	510	827	1,243	1,548	1,745	1,694	1,600	996	411	119	19
	White—M	5,951	3	2	1	-	-	4	3	4	7	13	38	70	133	223	332	527	751	917	900	794	656	394	137	36	6
	F	5,264	2	-	-	1	1	4	1	4	7	15	18	25	50	86	155	270	455	604	806	875	930	591	271	81	12
	Nonwhite—M	129	-	-	-	1	-	-	-	-	1	2	2	4	5	5	15	18	15	15	25	12	5	3	-	1	-
	F	126	-	-	-	-	-	-	-	-	-	2	1	5	6	9	8	12	22	12	14	13	9	8	3	1	1
330-334, 400-468	Diseases of cardiovascular system	11,312	5	2	1	2	-	3	4	6	12	31	52	100	184	313	503	808	1,218	1,543	1,725	1,678	1,587	991	407	118	19
	White—M	5,878	3	2	1	-	-	-	3	3	6	12	35	67	129	221	328	517	737	915	894	786	650	394	134	35	6
	F	5,184	2	-	-	1	-	3	1	3	5	15	14	24	47	78	152	262	444	601	793	867	923	586	270	81	12
	Nonwhite—M	127	-	-	-	1	-	-	-	-	1	2	2	4	4	5	15	18	15	15	24	12	5	3	-	1	-
	F	123	-	-	-	-	-	-	-	-	-	2	1	5	4	9	8	11	22	12	14	13	9	8	3	1	1
330-334	Vascular lesions, etc.*	2,154	-	-	1	-	-	-	3	1	6	8	4	11	21	49	81	127	196	261	325	389	352	223	77	18	1
	White—M	916	-	-	1	-	-	-	2	-	1	3	2	7	11	29	39	62	92	132	144	155	121	87	22	6	-
	F	1,178	-	-	-	-	-	-	1	1	4	5	2	2	9	18	38	59	93	123	168	224	231	133	55	11	1
	Nonwhite—M	27	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	3	3	3	8	5	-	-	-	1	-
	F	33	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	8	3	5	5	-	3	-	-	-
400-402	Rheumatic fever	15	1	-	-	1	-	-	1	-	-	1	2	2	2	1	-	-	2	1	-	1	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	F	7	1	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
410-443	Diseases of heart	8,468	4	2	-	1	-	1	-	4	6	19	40	83	153	252	405	655	971	1,215	1,303	1,196	1,127	661	269	85	16
	White-----M--	4,665	3	2	-	-	-	-	-	2	5	7	29	59	114	184	282	444	615	743	705	594	488	270	89	25	5
	F--	3,633	1	-	-	-	-	1	-	2	1	8	9	17	32	56	107	190	331	453	578	589	627	385	177	59	10
	Nonwhite--M--	86	-	-	-	1	-	-	-	-	-	2	1	3	4	5	10	14	11	11	11	6	4	3	-	-	-
	F--	84	-	-	-	-	-	-	-	-	-	2	1	4	3	7	6	7	14	8	9	7	8	3	3	1	1
410-416	Chronic rheumatic heart disease	285	-	-	-	-	-	-	-	-	4	10	13	18	30	39	28	43	39	27	18	9	5	1	-	1	-
	White-----M--	133	-	-	-	-	-	-	-	-	4	3	8	9	19	18	8	17	19	15	9	2	1	1	-	-	-
	F--	143	-	-	-	-	-	-	-	-	-	6	4	8	11	20	19	25	18	12	8	7	4	-	-	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,468	-	-	-	-	-	1	-	2	-	6	22	57	99	177	316	519	773	973	1,023	907	836	483	206	57	11
	White-----M--	3,791	-	-	-	-	-	-	-	1	-	4	20	46	80	145	245	375	513	620	590	481	378	206	69	15	3
	F--	2,575	-	-	-	-	-	1	-	1	-	1	2	6	15	27	63	131	243	340	419	416	451	274	135	42	8
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	1	-	2	3	3	5	9	7	9	8	5	2	2	-	-	-
	F--	46	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	4	10	4	6	5	5	1	2	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	646	1	-	-	-	-	-	-	2	2	-	2	2	4	4	9	16	38	67	83	117	148	100	36	13	2
	White-----M--	279	1	-	-	-	-	-	-	1	1	-	-	1	3	3	3	9	24	37	31	53	60	35	11	6	-
	F--	354	-	-	-	-	-	-	-	1	1	-	2	1	1	1	4	6	11	29	50	63	86	65	24	7	2
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	2	-	1	-	-
430-434	Other diseases of heart	119	2	2	-	1	-	-	-	-	-	3	2	1	5	5	9	13	16	24	12	7	7	6	1	3	-
	White-----M--	74	1	2	-	-	-	-	-	-	-	-	1	1	5	2	7	9	11	16	9	3	3	4	-	-	-
	F--	38	1	-	-	-	-	-	-	-	-	1	-	-	-	1	2	4	5	8	3	4	4	2	1	2	-
	Nonwhite--M--	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	1	-
440-443	Hypertension with heart dis.	950	1	-	-	-	-	-	-	-	-	-	1	5	15	27	43	64	105	124	167	156	131	71	26	11	3
	White-----M--	388	1	-	-	-	-	-	-	-	-	-	-	2	7	16	19	34	48	55	66	55	46	24	9	4	2
	F--	523	-	-	-	-	-	-	-	-	-	-	1	2	5	7	19	24	54	64	98	99	82	44	17	7	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	4	2	1	2	1	2	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	1	4	1	1	1	2	-	-	1
444-447	Hypertension without mention of heart	122	-	-	-	-	-	-	-	-	-	1	2	2	4	4	6	7	13	12	21	10	20	15	3	2	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	3	7	6	11	5	5	3	3	-	-
	F--	68	-	-	-	-	-	-	-	-	-	1	1	1	3	2	2	4	6	6	9	5	14	12	-	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	17	32	49	64	76	83	54	13	2
	White-----M--	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	17	22	26	30	31	19	4	1
	F--	227	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	9	14	24	37	45	50	35	9	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-
451-468	Other diseases of circulatory sys.	155	-	-	-	-	-	2	-	1	-	2	4	2	4	7	10	12	19	22	27	18	12	9	4	-	-
	White-----M--	80	-	-	-	-	-	-	-	1	-	1	2	-	1	6	3	6	15	17	12	6	6	3	1	-	-
	F--	71	-	-	-	-	-	2	-	-	-	1	2	2	3	1	5	6	4	5	14	11	6	6	3	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	158	-	-	-	-	1	5	-	2	3	1	7	4	10	10	7	19	25	5	20	16	13	5	4	1	-
	White-----M--	73	-	-	-	-	-	4	-	1	1	1	3	3	4	2	4	10	14	2	6	8	6	-	3	1	-
	F--	80	-	-	-	-	1	1	-	1	2	-	4	1	3	8	3	8	11	3	13	8	7	5	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	357	51	7	2	2	-	6	3	3	2	3	2	10	7	7	12	16	15	33	38	36	53	27	15	6	1
	White-----M--	204	20	4	2	2	-	2	3	2	1	2	-	4	4	4	8	12	12	24	23	20	32	14	6	3	-
	F--	134	26	3	-	-	-	3	-	1	1	1	1	1	2	2	2	3	3	8	14	16	21	13	9	3	1
	Nonwhite--M--	13	2	-	-	-	-	1	-	-	-	-	-	3	1	1	2	1	-	1	1	-	-	-	-	-	-
	F--	6	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza	11	2	-	-	2	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-
	White-----M--	5	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	F--	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	346	49	7	2	-	-	6	3	3	2	2	2	10	7	7	12	15	15	32	37	35	52	26	15	6	1
	White-----M--	199	20	4	2	-	-	2	3	2	1	1	-	4	4	4	8	12	12	24	23	19	32	13	6	3	-
	F--	128	24	3	-	-	-	3	-	1	1	1	1	1	2	2	2	2	3	7	13	16	20	13	9	3	1
	Nonwhite--M--	13	2	-	-	-	-	1	-	-	-	-	-	3	1	1	2	1	-	1	1	-	-	-	-	-	-
	F--	6	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	40	10	3	2	-	-	1	-	-	-	-	1	-	1	1	1	2	3	4	4	5	1	1	-	-	-
	White-----M--	30	6	3	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	3	3	5	1	1	-	-	-
	F--	9	3	-	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	137	1	-	-	-	-	-	1	-	-	-	-	2	11	7	12	17	11	28	13	16	14	3	1	-	-
	White-----M--	110	1	-	-	-	-	-	1	-	-	-	-	2	8	7	12	14	9	22	11	13	9	-	1	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	2	6	2	3	5	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	21	-	-	-	-	-	1	1	-	-	-	2	-	-	-	1	4	2	3	1	2	1	2	1	-	-
	White-----M--	15	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	2	2	2	-	2	1	2	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia intestinal obstruction	123	18	-	1	-	-	-	-	-	-	-	1	-	-	2	13	11	9	18	15	10	17	7	1	-	-
	White-----M--	74	10	-	1	-	-	-	-	-	-	-	-	-	-	2	9	8	7	11	9	8	5	4	-	-	-
	F--	45	5	-	-	-	-	-	-	-	-	-	1	-	-	-	3	3	2	7	6	2	12	3	1	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
543,	Gastritis, etc.*	59	2	1	1	-	-	-	-	1	2	3	3	1	2	1	4	3	6	5	9	6	7	-	1	-	1
571,	White-----M	32	-	1	1	-	-	-	-	-	-	1	3	-	1	1	2	-	5	3	5	5	3	-	-	-	1
572	F	27	2	-	-	-	-	-	-	1	2	2	-	1	1	-	2	3	1	2	4	1	4	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	338	-	-	-	-	-	-	-	-	-	3	5	22	40	36	38	50	47	47	24	19	6	1	-	-	-
	White-----M	221	-	-	-	-	-	-	-	-	-	1	1	13	23	26	22	32	39	33	14	13	4	-	-	-	-
	F	109	-	-	-	-	-	-	-	-	-	2	3	8	14	9	16	17	8	14	9	6	2	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	1	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	28	1	-	1	-	1	3	-	-	1	-	-	4	-	-	1	4	-	2	3	1	4	-	2	-	-
	White-----M	16	1	-	1	-	1	1	-	-	1	-	-	1	-	-	1	2	-	1	2	1	1	-	2	-	-
	F	10	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	2	-	-	1	-	3	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	13	11	7	12	3	1	-
	White-----M	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	13	11	7	12	3	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	14	...	...	...	...	...	...	-	-	3	1	3	2	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	13	...	...	...	...	...	...	-	-	3	1	3	2	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	3	...	...	...	...	...	...	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F	3	...	...	...	...	...	...	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	11	...	...	...	...	...	...	-	-	3	1	1	1	5	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F	10	...	...	...	...	...	...	-	-	3	1	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	238	177	9	4	5	2	8	2	3	1	2	4	1	3	2	2	2	5	2	-	2	2	-	-	-	-
	White-----M	121	87	4	2	4	2	4	1	1	1	1	4	1	2	1	-	-	3	2	-	-	1	-	-	-	-
	F	103	80	2	2	1	-	4	1	2	-	1	-	-	1	1	1	2	2	-	-	2	1	-	-	-	-
	Nonwhite--M	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	759	759	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	425	425	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	256	256	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	415	415	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	246	246	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	307	307	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	158	158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	77	8	-	-	-	-	-	-	-	-	3	2	5	1	3	5	6	8	4	7	6	4	4	3	7	1
795	White-----M	46	6	-	-	-	-	-	-	-	-	1	-	-	1	2	1	4	5	4	7	3	3	3	3	3	-
	F	26	2	-	-	-	-	-	-	-	-	1	2	4	-	1	3	1	3	-	-	3	1	1	-	3	1
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	917	49	10	8	2	3	14	7	3	7	12	19	30	54	65	62	49	94	114	98	99	61	37	17	3	-
sid-	White-----M	515	26	5	3	-	1	7	3	2	5	3	6	14	35	35	43	28	54	78	50	57	32	17	8	3	-
ual	F	363	18	4	4	2	1	6	4	1	2	6	12	13	17	28	15	19	38	33	45	39	29	19	8	-	-
	Nonwhite--M	19	1	1	1	-	1	-	-	-	-	1	1	1	2	1	1	2	1	-	3	1	-	-	1	-	-
	F	20	4	-	-	-	-	1	-	-	-	2	-	2	-	1	3	-	1	3	-	2	-	1	-	-	-
E800-	Accidents	935	27	10	12	6	8	22	20	43	42	45	38	48	53	40	48	55	56	50	72	78	72	63	19	7	1
E962	White-----M	595	14	5	9	4	5	14	17	33	36	34	31	36	36	28	35	38	40	35	42	36	33	25	7	1	1
	F	306	11	4	3	2	3	7	1	7	6	5	5	10	15	11	10	14	14	15	28	40	39	38	12	6	-
	Nonwhite--M	22	-	1	-	-	-	1	1	2	-	5	1	2	1	-	3	2	1	-	1	1	-	-	-	-	-
	F	12	2	-	-	-	-	-	1	1	-	1	1	-	1	1	-	1	1	-	1	1	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	270	2	-	3	2	4	8	8	26	31	26	16	17	21	8	10	14	16	22	16	12	7	-	1	-	-
	White-----M	206	1	-	2	1	3	3	5	18	26	23	12	15	15	6	7	10	12	17	13	9	7	-	1	-	-
	F	56	1	-	1	1	1	4	1	6	5	2	3	2	6	2	3	3	4	5	3	3	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents	665	25	10	9	4	4	14	12	17	11	19	22	31	32	32	38	41	40	28	56	66	65	63	18	7	1
E802,	White-----M	389	13	5	7	3	2	11	12	15	10	11	19	21	21	22	28	28	28	18	29	27	26	25	6	1	1
E840-	F	250	10	4	2	1	2	3	-	1	1	3	2	8	9	9	7	11	10	10	25	37	39	38	12	6	-
E962	Nonwhite--M	18	-	1	-	-	-	-	-	1	-	4	1	2	1	-	3	2	1	-	1	1	-	-	-	-	-
	F	8	2	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	1	1	-	-	-	-	-
E963,	Suicide	228	-	-	-	-	-	-	-	4	14	13	16	15	25	19	21	25	31	14	16	6	6	2	1	-	-
E970-	White-----M	170	-	-	-	-	-	-	-	3	13	9	10	10	17	13	13	22	28	9	12	4	5	1	1	-	-
E979	F	53	-	-	-	-	-	-	-	1	1	4	4	4	7	5	8	3	3	5	4	2	1	1	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	28	2	-	-	-	2	-	-	1	3	2	4	4	4	1	2	-	1	-	-	2	-	-	-	-	-
E980-	White-----M	14	1	-	-	-	2	-	-	1	3	-	2	-	2	-	-	-	1	-	-	2	-	-	-	-	-
E985	F	7	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE																										
	ALL CAUSES------	3,494	285	17	6	7	4	10	21	21	29	41	58	68	99	155	204	261	305	384	405	430	346	212	94	23	9
	White-----M--	1,614	102	7	4	4	1	3	13	6	16	18	25	28	47	80	90	139	180	203	176	190	177	69	28	5	3
	F--	1,253	87	4	2	1	1	4	4	5	6	6	12	19	20	37	60	77	82	127	173	181	146	124	60	13	2
	Nonwhite--M--	365	51	3	-	-	-	2	2	8	3	14	14	12	15	18	40	31	24	38	34	31	13	6	3	-	3
	F--	262	45	3	-	2	2	1	2	2	4	3	7	9	17	20	14	14	19	16	22	28	10	13	3	5	1
001-019	Tuberculosis, all forms--------	41	-	-	-	-	-	-	-	-	-	2	1	3	3	5	6	6	5	2	4	-	2	2	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	3	1	4	1	5	4	2	2	-	1	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	2	-	-	-	1	4	-	-	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	37	-	-	-	-	-	-	-	-	-	-	1	3	2	5	5	6	5	2	4	-	2	2	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	3	1	4	1	5	4	2	2	-	1	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-
010-019	Tuberculosis, other forms------	4	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae----------	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	2	3	1	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	2	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	3	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	4	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
140-205	Malignant neoplasms, etc.*	539	1	1	-	-	-	2	2	-	-	6	12	16	25	34	39	69	63	80	62	66	36	18	6	1	-
	White----M--	248	-	1	-	-	-	-	-	-	-	3	4	6	6	14	14	28	38	45	21	34	24	8	2	-	-
	F--	212	-	-	-	-	-	2	-	-	-	2	4	5	10	15	17	29	21	27	32	24	10	9	4	1	-
	Nonwhite--M--	38	1	-	-	-	-	-	-	-	-	-	-	3	-	2	6	9	2	3	6	4	1	1	-	-	-
	F--	41	-	-	-	-	-	-	2	-	-	1	4	2	9	3	2	3	2	5	3	4	1	-	-	-	-
140-148	Of buccal cavity and pharynx	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	1	-	-
	White----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	187	-	-	-	-	-	-	1	-	-	1	1	4	4	7	14	28	20	28	25	28	16	8	2	-	-
	White----M--	99	-	-	-	-	-	-	-	-	-	-	-	2	2	2	5	16	16	17	11	15	9	4	-	-	-
	F--	60	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	7	4	9	10	10	6	3	2	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	4	-	1	4	2	1	1	-	-	-
	F--	8	-	-	-	-	-	-	1	-	-	1	1	-	-	1	1	1	-	1	-	1	-	-	-	-	-
160-164	Of respiratory system	66	-	-	-	-	-	-	-	-	-	-	1	-	3	3	8	9	8	13	7	9	3	2	-	-	-
	White----M--	47	-	-	-	-	-	-	-	-	-	-	1	-	3	3	6	4	7	11	4	4	3	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	2	3	-	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
170	Of breast	51	-	-	-	-	-	-	-	-	-	1	-	1	5	4	6	7	4	8	6	3	2	2	1	1	-
	White----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	1	-	-	3	4	5	6	3	6	4	1	1	2	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	2	2	1	1	-	-	-	-
171-179	Of genital organs	92	-	-	-	-	-	-	-	-	-	1	7	5	6	9	3	12	14	10	10	10	5	-	-	-	-
	White----M--	20	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	3	2	4	5	-	-	-	-
	F--	54	-	-	-	-	-	-	-	-	-	1	4	4	3	5	3	7	11	5	7	4	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	3	-	3	2	-	1	1	1	1	1	-	-	-	-	-
180, 181	Of urinary organs	37	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	3	9	1	8	3	3	-	-	-
	White----M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	9	-	6	2	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	2	1	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	59	1	1	-	-	-	-	-	-	-	-	3	3	2	7	3	4	9	9	6	3	3	3	2	-	-
	White----M--	28	-	1	-	-	-	-	-	-	-	-	3	1	-	4	-	1	8	3	2	1	1	2	1	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	2	1	5	4	2	2	1	1	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia	21	-	-	-	-	-	2	1	-	-	1	-	1	2	-	-	2	2	1	3	3	3	-	-	-	-
	White----M--	11	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	1	1	2	3	-	-	-	-
	F--	8	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	1	-	2	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	19	-	-	-	-	-	-	-	-	-	2	-	2	2	2	3	1	2	2	3	-	-	-	-	-	-
	White----M--	11	-	-	-	-	-	-	-	-	-	2	-	1	1	2	2	-	2	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-
	White----M--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	69	-	-	-	-	-	-	-	-	-	-	1	-	1	4	8	3	11	16	11	6	4	3	-	1	-
	White----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	2	4	5	3	4	3	-	-	1	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	10	6	2	1	3	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
290-293	Anemias	9	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	2	1	-	1	1	1	-	-	-
	White----M--	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	1,897	3	1	-	-	-	-	1	3	1	5	10	16	28	63	99	134	180	232	276	307	265	171	78	18	6
	White----M--	854	-	-	-	-	-	-	-	-	-	1	4	5	15	32	49	74	102	120	117	132	126	49	23	4	1
	F--	754	1	-	-	-	-	-	1	1	-	2	2	4	3	12	25	36	53	78	121	129	122	104	49	9	2
	Nonwhite--M--	167	-	1	-	-	-	-	-	1	-	2	3	4	6	10	15	16	16	25	23	25	10	5	3	-	2
	F--	122	2	-	-	-	-	-	-	1	1	-	1	3	4	9	10	8	9	9	15	21	7	13	3	5	1
330-334, 400-468	Diseases of cardiovascular system	1,859	3	1	-	-	-	-	1	1	1	4	9	16	27	61	97	131	174	230	273	305	260	167	74	18	6
	White----M--	845	-	-	-	-	-	-	-	-	-	1	4	5	15	30	48	73	100	120	116	132	125	49	22	4	1
	F--	734	1	-	-	-	-	-	1	-	-	2	1	4	3	12	24	35	53	76	119	127	119	100	46	9	2
	Nonwhite--M--	161	-	1	-	-	-	-	-	-	-	1	3	4	5	10	15	16	14	25	23	25	9	5	3	-	2
	F--	119	2	-	-	-	-	-	-	1	1	-	1	3	4	9	10	7	7	9	15	21	7	13	3	5	1
330-334	Vascular lesions, etc.*	316	1	-	-	-	-	-	-	-	1	-	1	4	5	14	15	16	24	40	43	50	51	36	10	5	-
	White----M--	132	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	9	13	17	15	21	27	13	5	2	-
	F--	130	-	-	-	-	-	-	-	-	-	-	1	2	1	7	5	4	9	11	22	19	20	21	5	3	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	2	9	3	6	1	-	-	-	-
	F--	25	1	-	-	-	-	-	-	-	1	-	-	1	1	2	2	2	-	3	3	4	3	2	-	-	-
400-402	Rheumatic fever	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
410-443	Diseases of heart	1,402	2	-	-	-	-	-	1	-	-	4	8	11	20	45	78	111	143	188	212	220	186	111	53	7	2
	White-----M--	657	-	-	-	-	-	-	-	-	-	1	4	5	14	28	40	61	82	102	92	92	92	30	13	1	-
	F--	553	1	-	-	-	-	-	1	-	-	2	-	2	2	5	19	30	43	64	91	97	85	70	34	5	2
	Nonwhite--M--	112	-	-	-	-	-	-	-	-	-	1	3	2	2	5	12	15	12	16	17	15	7	2	3	-	-
	F--	80	1	-	-	-	-	-	-	-	-	-	1	2	2	7	7	5	6	6	12	16	2	9	3	1	-
410-416	Chronic rheumatic heart disease----	32	-	-	-	-	-	-	-	-	-	2	1	1	3	5	4	2	3	2	3	3	-	2	1	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	2	-	2	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	2	-	1	2	4	3	2	2	2	1	1	-	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	874	1	-	-	-	-	-	1	-	-	-	4	9	13	29	50	81	120	128	133	127	100	49	23	4	2
	White-----M--	468	-	-	-	-	-	-	-	-	-	-	3	5	11	22	31	52	72	73	59	58	56	16	9	1	-
	F--	306	-	-	-	-	-	-	1	-	-	-	-	1	-	1	11	17	37	42	57	54	39	30	12	2	2
	Nonwhite--M--	63	-	-	-	-	-	-	-	-	-	-	1	1	1	4	7	9	8	7	11	9	4	1	-	-	-
	F--	37	1	-	-	-	-	-	-	-	-	-	-	2	1	2	1	3	3	6	6	6	1	2	2	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	199	1	-	-	-	-	-	-	-	-	1	1	-	3	3	5	6	5	21	33	40	39	22	17	2	-
	White-----M--	88	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	1	4	12	18	20	20	5	2	-	-
	F--	84	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	6	13	15	17	13	12	2	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	3	2	1	3	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	2	2	-	3	-	-	-
430-434	Other diseases of heart---------	30	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	6	3	4	1	2	4	2	1	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	5	2	1	-	1	2	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	2	2	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	267	-	-	-	-	-	-	-	-	-	1	2	-	1	6	17	20	9	34	39	49	45	34	10	-	-
	White-----M--	77	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	8	1	15	12	12	15	5	2	-	-
	F--	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	4	14	18	26	28	25	7	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	4	2	5	5	3	1	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	1	-	-	3	5	2	2	-	4	8	1	4	1	-	-
444-447	Hypertension without mention of heart----------	40	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	3	-	5	10	6	5	3	1	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	3	4	-	1	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	3	-	3	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	1	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	10	21	14	15	8	5	4
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	6	12	3	2	4	-	1
	F--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	9	9	4	1	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	2	-	-	2
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	4	1
451-468	Other diseases of circulatory sys.-	16	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	1	1	3	4	3	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	38	-	-	-	-	-	-	-	2	-	1	1	-	1	2	2	3	6	2	3	2	5	4	4	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	1	-	1	-	1	-	-
	F--	20	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	2	2	2	3	4	3	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	108	25	2	1	1	-	1	1	1	-	-	-	6	7	6	3	1	5	6	8	13	10	6	3	2	-
	White-----M--	50	7	-	1	-	-	1	1	-	-	-	-	1	4	4	1	1	1	3	6	6	8	4	1	-	-
	F--	25	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	2	1	1	7	2	2	2	2	-
	Nonwhite--M--	13	5	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	2	1	-	-	-	-	-	-
	F--	20	10	1	-	1	-	-	-	1	-	-	-	2	2	2	-	-	1	-	-	-	-	-	-	-	-
480-483	Influenza---------	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	104	24	2	1	-	-	1	1	1	-	-	-	6	7	6	3	1	5	6	8	11	10	6	3	2	-
	White-----M--	49	6	-	1	-	-	1	1	-	-	-	-	1	4	4	1	1	1	3	6	6	8	4	1	-	-
	F--	23	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	2	1	1	5	2	2	2	2	-
	Nonwhite--M--	13	5	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	2	1	-	-	-	-	-	-
	F--	19	10	1	-	-	-	-	-	1	-	-	-	2	2	2	-	-	1	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	8	1	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	1	-	1	-	1	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	13	-	1	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	2	3	1	1	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	2	1	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	14	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	-	-	-	3	3	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	9	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
543, 571, 572	Gastritis, etc.*	17	9	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	2	-	-	-	1	-	-	-
	White----M	9	4	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	46	-	-	-	-	-	-	-	1	-	-	2	2	5	6	2	7	6	8	2	4	1	-	-	-	-
	White----M	25	-	-	-	-	-	-	-	-	-	-	2	-	3	4	-	5	5	4	1	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	2	1	3	1	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	6	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	3	-	-	-
	White----M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	3	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
640-689	Complications of pregnancy, etc.*	2	...	...	...	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----F	2	...	...	...	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	2	...	...	...	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----F	2	...	...	...	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	61	45	2	1	-	-	-	2	-	1	1	2	2	-	1	-	1	-	2	1	-	-	-	-	-	-
	White----M	27	17	2	-	-	-	-	2	-	1	-	1	2	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	28	24	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	169	169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	4	1	-	1	-	-
	White----M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	158	18	3	1	2	-	-	1	3	2	1	4	9	10	13	11	16	10	19	14	9	5	4	3	-	-
	White----M	71	7	-	1	1	-	-	-	-	-	-	1	2	5	4	-	10	7	15	8	2	3	3	2	-	-
	F	47	2	1	-	1	-	-	1	1	-	-	1	5	1	5	6	6	-	4	4	5	2	1	1	-	-
	Nonwhite--M	30	8	1	-	-	-	-	-	2	1	1	2	2	4	1	4	-	1	-	2	1	-	-	-	-	-
	F	10	1	1	-	-	-	-	-	-	1	-	-	-	-	3	1	-	2	-	-	1	-	-	-	-	-
E800-E962	Accidents	217	10	6	3	4	4	5	9	12	17	16	15	6	10	11	13	13	13	6	10	13	13	2	3	1	2
	White----M	123	4	3	2	3	1	1	7	6	12	10	8	5	7	7	7	9	11	1	5	5	8	-	-	-	1
	F	40	3	2	1	-	1	1	-	2	3	-	1	1	1	2	3	-	-	1	3	5	4	2	3	1	-
	Nonwhite--M	36	1	-	-	-	-	2	2	4	1	5	5	-	2	2	3	3	1	3	-	1	-	-	-	-	1
	F	18	2	1	-	1	2	1	-	-	1	1	1	-	-	-	-	1	1	1	2	2	1	-	-	-	-
E810-E835	Motor-vehicle accidents	83	1	1	2	1	1	1	3	4	11	8	6	4	5	7	4	6	8	3	2	2	3	-	-	-	-
	White----M	58	-	1	1	-	1	1	3	3	8	6	2	3	5	5	2	4	8	-	1	1	3	-	-	-	-
	F	15	1	-	1	-	-	-	-	1	3	-	1	1	-	2	2	-	-	1	1	1	-	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	134	9	5	1	3	3	4	6	8	6	8	9	2	5	4	9	7	5	3	8	11	10	2	3	1	2
	White----M	65	4	2	1	3	-	-	4	3	4	4	6	2	2	2	5	5	3	1	4	4	5	-	-	-	1
	F	25	2	2	-	-	1	1	-	1	-	-	-	-	1	-	1	-	-	-	2	4	4	2	3	1	-
	Nonwhite--M	28	1	-	-	-	-	2	2	4	1	3	2	-	2	2	3	1	1	2	-	1	-	-	-	-	1
	F	16	2	1	-	-	2	1	-	-	1	1	1	-	-	-	-	1	1	-	2	2	1	-	-	-	-
E963, E970-E979	Suicide	49	-	-	-	-	-	-	-	-	2	4	3	3	3	6	9	4	4	4	5	2	-	-	-	-	-
	White----M	34	-	-	-	-	-	-	-	-	1	3	2	2	2	4	7	2	4	2	3	2	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	1	-	1	1	1	2	1	2	-	-	2	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E964, E980-E985	Homicide	19	-	-	-	-	-	1	-	-	1	3	2	3	4	2	1	-	-	-	-	-	-	1	-	-	1
	White----M	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	1
	F	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	3	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA																										
	ALL CAUSES------	8,056	609	29	14	7	10	37	22	29	62	114	145	248	352	444	596	759	787	852	856	814	672	395	157	34	12
	White-----M--	2,699	155	8	4	1	2	7	5	11	17	27	36	58	92	126	208	287	343	346	311	280	188	128	48	9	2
	F--	2,284	113	5	1	3	2	3	5	5	8	9	20	46	62	77	115	165	171	229	270	323	356	200	77	14	5
	Nonwhite--M--	1,645	194	4	6	2	2	14	10	7	21	44	46	86	123	132	154	182	138	148	117	113	56	32	10	4	-
	F--	1,428	147	12	3	1	4	13	2	6	16	34	43	58	75	109	119	125	135	129	158	98	72	35	22	7	5
001-019	Tuberculosis, all forms--------	126	1	1	-	-	-	1	-	3	2	7	8	14	16	7	13	17	9	6	8	5	5	3	-	-	-
	White-----M--	37	1	-	-	-	-	-	-	1	-	-	1	3	4	2	5	5	4	2	4	2	2	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	1	1	-	2	-	-	-	-
	Nonwhite--M--	56	-	-	-	-	-	-	-	1	1	2	3	3	8	5	6	9	4	3	3	3	1	2	-	-	-
	F--	25	-	1	-	-	-	1	-	1	-	5	4	5	3	-	2	2	1	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	115	-	-	-	-	-	-	-	2	2	7	6	14	15	7	13	16	8	5	7	5	5	3	-	-	-
	White-----M--	34	-	-	-	-	-	-	-	1	-	-	1	3	4	2	5	5	3	1	4	2	2	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	1	1	-	2	-	-	-	-
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	1	2	3	5	7	5	6	8	4	3	2	3	1	2	-	-	-
	F--	21	-	-	-	-	-	-	-	1	-	5	2	5	3	-	2	2	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	11	1	1	-	-	-	1	-	1	-	-	2	-	1	-	-	1	1	1	1	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	F--	4	-	1	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	49	1	-	-	-	-	-	-	-	-	-	1	1	4	5	4	4	13	9	2	2	2	1	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	2	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	25	1	-	-	-	-	-	-	-	-	-	1	1	3	3	3	-	7	3	2	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	2	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	3	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	26	4	1	-	-	-	1	1	-	-	2	-	1	-	4	4	1	2	-	2	2	1	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-
	F--	6	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	2	-	-	-	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
	F--	9	3	-	-	-	-	1	-	-	-	1	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA—Con.																										
140-205	Malignant neoplasms, etc.*----	1,362	2	4	2	2	-	5	5	1	8	14	26	40	78	110	164	178	146	166	155	136	69	37	10	2	2
	White-----M--	441	-	2	2	-	-	2	1	1	2	4	7	7	14	27	47	58	50	67	62	53	23	9	5	-	-
	F--	467	1	2	-	2	-	1	-	-	2	5	6	19	23	34	52	54	52	58	52	44	32	23	2	2	1
	Nonwhite--M--	225	1	-	-	-	-	-	3	-	3	4	1	4	13	20	37	38	25	26	15	28	6	-	1	-	-
	F--	229	-	-	-	-	-	2	1	-	1	1	12	10	28	29	28	30	19	15	26	11	8	5	2	-	1
140-148	Of buccal cavity and pharynx------	38	-	-	-	-	-	-	1	-	-	-	-	3	5	2	4	9	3	4	2	3	-	2	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	3	3	1	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	-	2	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	5	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	436	-	-	-	-	-	-	-	-	-	-	3	7	18	26	52	54	41	66	54	61	33	16	3	1	1
	White-----M--	142	-	-	-	-	-	-	-	-	-	-	-	2	5	7	15	14	20	29	20	19	6	2	3	-	-
	F--	139	-	-	-	-	-	-	-	-	-	-	1	2	4	4	15	14	10	19	18	21	19	11	-	1	-
	Nonwhite--M--	92	-	-	-	-	-	-	-	-	-	-	-	1	5	10	13	19	7	14	4	15	4	-	-	-	-
	F--	63	-	-	-	-	-	-	-	-	-	-	2	2	4	5	9	7	4	4	12	6	4	3	-	-	1
160-164	Of respiratory system----------	166	1	-	-	-	-	-	-	-	-	-	3	3	6	20	28	32	25	16	18	9	3	1	1	-	-
	White-----M--	95	-	-	-	-	-	-	-	-	-	-	1	2	1	10	13	23	12	12	14	4	2	1	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	3	3	1	3	-	1	-	-	-	-
	Nonwhite--M--	47	1	-	-	-	-	-	-	-	-	-	-	1	2	6	12	6	10	2	1	5	-	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-
170	Of breast---------	165	-	-	-	-	-	-	-	-	-	2	4	10	16	22	16	23	24	14	14	9	6	4	1	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	120	-	-	-	-	-	-	-	-	-	2	1	7	7	13	16	18	19	12	9	6	6	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	45	-	-	-	-	-	-	-	-	-	-	3	3	9	9	-	5	5	2	5	3	-	1	-	-	-
171-179	Of genital organs-	225	-	-	-	-	-	-	-	-	1	2	5	9	14	22	21	30	20	22	29	24	16	7	3	-	-
	White-----M--	55	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	3	3	5	13	13	9	2	2	-	-
	F--	74	-	-	-	-	-	-	-	-	-	1	1	4	6	8	7	11	9	7	8	4	3	5	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	4	5	6	1	-	-	-	-
	F--	71	-	-	-	-	-	-	-	-	1	1	3	4	8	12	11	12	5	6	3	1	3	-	1	-	-
180, 181	Of urinary organs-	72	-	-	2	-	-	-	1	-	-	-	3	-	3	3	11	5	4	8	11	15	4	1	-	-	1
	White-----M--	43	-	-	2	-	-	-	-	-	-	-	3	-	2	2	4	3	3	5	6	10	2	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	3	4	1	-	-	-	1
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1	-	1	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	1	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	151	1	3	-	1	-	-	3	-	-	3	3	2	12	8	19	21	15	26	16	10	1	4	2	1	-
	White-----M--	46	-	2	-	-	-	-	1	-	-	1	-	1	3	2	4	7	4	11	4	3	1	2	-	-	-
	F--	58	1	1	-	1	-	-	-	-	-	2	1	1	4	2	8	5	4	11	7	7	-	1	1	1	-
	Nonwhite--M--	22	-	-	-	-	-	-	2	-	-	-	1	-	1	2	6	3	2	4	1	-	-	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	1	-	4	2	1	6	5	-	4	-	-	1	1	-	-
204	Leukemia and aleukemia----------	46	-	-	-	1	-	4	-	-	2	2	1	4	1	1	8	2	5	1	6	3	4	1	-	-	-
	White-----M--	19	-	-	-	-	-	2	-	-	-	-	-	-	-	-	7	1	1	1	1	3	2	1	-	-	-
	F--	14	-	-	-	1	-	-	-	-	1	-	-	3	1	1	-	1	3	-	2	-	1	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	1	-	3	-	1	-	-	-	-
	F--	4	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	63	-	1	-	-	-	1	-	1	5	5	4	2	3	6	5	2	9	9	5	2	2	1	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	1	2	3	2	1	1	2	1	2	4	1	3	-	1	-	-	-	-
	F--	21	-	1	-	-	-	1	-	-	1	-	1	1	-	2	2	-	3	6	1	-	1	1	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	2	2	-	-	1	2	-	-	2	-	-	2	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	2	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	35	1	1	-	-	-	1	-	-	1	1	1	4	1	5	5	-	4	-	1	4	4	-	1	-	-
	White-----M--	10	-	-	-	-	-	1	-	-	1	-	-	2	-	-	2	-	1	-	1	-	2	-	-	-	-
	F--	12	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	4	2	-	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	-	-	-	-	-	-	-	-	-	-
	F--	7	-	1	-	-	-	-	-	-	-	1	1	1	-	1	-	-	2	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	119	-	-	-	-	-	-	1	2	-	4	2	4	2	2	10	12	18	20	19	15	5	2	-	1	-
	White-----M--	42	-	-	-	-	-	-	-	-	-	1	1	-	2	-	3	4	7	6	9	4	3	1	-	1	-
	F--	34	-	-	-	-	-	-	1	1	-	-	-	-	-	-	4	4	5	5	6	6	2	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	2	-	4	-	1	-	1	2	5	-	2	-	-	-	-	-
	F--	26	-	-	-	-	-	-	-	1	-	1	1	-	-	1	3	3	4	4	4	3	-	1	-	-	-
290-293	Anemias----------	15	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	2	1	2	3	-	1	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	1	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-
340	Nonmeningococcal meningitis*------	17	7	2	-	-	-	1	-	1	-	-	1	-	-	1	1	1	-	-	1	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	7	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	4,194	9	1	1	1	1	5	3	4	9	24	36	85	151	173	276	406	455	529	557	540	495	289	113	24	7
	White-----M--	1,419	1	-	-	-	-	-	2	1	2	6	6	21	40	46	104	157	214	216	183	172	124	87	31	5	1
	F--	1,302	2	1	-	-	-	-	-	2	3	1	5	10	21	24	32	76	91	134	181	220	271	155	58	12	3
	Nonwhite--M--	726	5	-	1	1	-	2	1	-	2	6	12	27	62	53	72	100	68	87	76	71	46	25	7	2	-
	F--	747	1	-	-	-	1	3	-	1	2	11	13	27	28	50	68	73	82	92	117	77	54	22	17	5	3
330-334, 400-468	Diseases of cardiovascular system-	4,118	9	1	-	1	1	5	3	4	7	23	34	81	141	169	266	397	446	525	549	534	491	287	113	24	7
	White-----M--	1,399	1	-	-	-	-	-	2	1	1	6	6	21	38	45	102	154	212	215	182	168	122	86	31	5	1
	F--	1,291	2	1	-	-	-	-	-	2	3	1	4	8	20	24	31	76	88	134	180	218	271	155	58	12	3
	Nonwhite--M--	703	5	-	-	1	-	2	1	-	2	5	12	26	56	52	70	95	67	86	74	71	45	24	7	2	-
	F--	725	1	-	-	-	1	3	-	1	1	11	12	26	27	48	63	72	79	90	113	77	53	22	17	5	3
330-334	Vascular lesions, etc.*----------	740	1	1	-	1	1	2	2	1	1	5	5	8	21	38	46	47	68	78	107	107	112	61	22	5	-
	White-----M--	201	-	-	-	-	-	-	2	-	-	1	-	1	1	5	13	10	31	31	34	29	26	12	5	-	-
	F--	269	1	1	-	-	-	-	-	1	1	-	-	-	3	4	9	12	11	16	39	44	74	37	12	4	-
	Nonwhite--M--	121	-	-	-	1	-	1	-	-	-	1	4	2	8	12	11	12	10	15	14	16	6	6	1	1	-
	F--	149	-	-	-	-	1	1	-	-	-	3	1	5	9	17	13	13	16	16	20	18	6	6	4	-	-
400-402	Rheumatic fever---	4	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA—Con.																										
410-443	Diseases of heart	3,062	8	-	-	-	-	1	-	3	6	15	26	59	114	122	206	331	361	404	409	391	322	197	66	15	6
	White-----M--	1,111	1	-	-	-	-	-	-	1	1	4	6	18	35	39	84	139	173	172	137	134	82	63	17	4	1
	F--	923	1	-	-	-	-	-	-	1	2	1	4	7	16	20	22	59	73	103	134	161	170	104	35	7	3
	Nonwhite--M--	518	5	-	-	-	-	1	-	-	2	2	6	19	46	35	55	78	55	63	54	45	32	16	3	1	-
	F--	510	1	-	-	-	-	-	-	1	1	8	10	15	17	28	45	55	60	66	84	51	38	14	11	3	2
410-416	Chronic rheumatic heart disease----	87	-	-	-	-	-	-	-	1	1	8	2	7	11	7	6	11	12	8	4	4	1	3	-	1	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	2	-	-	5	3	2	4	6	6	2	2	-	1	-	1	-
	F--	28	-	-	-	-	-	-	-	1	1	1	-	3	2	2	3	5	4	2	1	1	1	1	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	1	-	-	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	4	1	2	2	1	-	1	2	-	1	1	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,694	-	-	-	-	-	-	-	1	2	2	10	16	40	53	110	175	218	257	233	235	185	114	35	5	3
	White-----M--	790	-	-	-	-	-	-	-	1	1	2	5	10	20	24	65	101	138	130	93	94	55	41	8	1	1
	F--	563	-	-	-	-	-	-	-	-	-	-	1	1	6	9	12	35	44	75	84	101	103	63	23	4	2
	Nonwhite--M--	197	-	-	-	-	-	-	-	-	-	-	2	4	12	15	22	29	23	29	24	16	15	4	2	-	-
	F--	144	-	-	-	-	-	-	-	-	1	-	2	1	2	5	11	10	13	23	32	24	12	6	2	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	555	-	-	-	-	-	-	-	1	2	1	3	11	26	29	35	54	64	61	77	62	59	45	17	6	2
	White-----M--	143	-	-	-	-	-	-	-	-	-	-	-	4	3	7	5	12	18	17	23	19	14	14	6	1	-
	F--	137	-	-	-	-	-	-	-	-	1	-	1	1	6	6	3	7	9	11	22	19	22	22	4	2	1
	Nonwhite--M--	144	-	-	-	-	-	-	-	-	1	1	1	2	14	8	16	20	19	16	14	14	11	6	-	1	-
	F--	131	-	-	-	-	-	-	-	1	-	-	1	4	3	8	11	15	18	17	18	10	12	3	7	2	1
430-434	Other diseases of heart---------	83	8	-	-	-	-	1	-	-	1	1	1	6	7	5	6	7	4	9	9	9	7	-	2	-	-
	White-----M--	28	1	-	-	-	-	-	-	-	-	-	1	3	5	1	3	4	1	2	3	2	2	-	-	-	-
	F--	22	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	5	4	3	-	1	-	-
	Nonwhite--M--	25	5	-	-	-	-	1	-	-	1	-	-	1	1	3	1	2	1	3	1	3	2	-	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	2	-	-	-	-	1	-	-
440-443	Hypertension with heart dis.--	643	-	-	-	-	-	-	-	-	-	3	10	19	30	28	49	84	63	69	86	81	70	35	12	3	1
	White-----M--	116	-	-	-	-	-	-	-	-	-	-	-	1	2	4	9	18	10	17	16	17	11	7	3	1	-
	F--	173	-	-	-	-	-	-	-	-	-	-	2	2	1	2	2	11	15	13	22	36	41	18	7	1	-
	Nonwhite--M--	143	-	-	-	-	-	-	-	-	-	-	2	10	17	8	15	26	12	15	15	12	4	6	1	-	-
	F--	211	-	-	-	-	-	-	-	-	-	3	6	6	10	14	23	29	26	24	33	16	14	4	1	1	1
444-447	Hypertension without mention of heart----------	66	-	-	-	-	-	-	-	-	-	2	2	7	3	6	-	5	3	11	7	6	9	2	3	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	-	1	2	1	1	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	4	5	4	1	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	2	1	4	1	2	-	2	-	4	1	-	2	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	1	3	1	3	-	1	2	1	2	-	1	-	2	-	-
450	General arteriosclerosis--------	163	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	4	17	18	24	43	25	21	4	1
	White-----M--	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	7	2	9	10	8	1	-
	F--	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	2	6	21	11	10	1	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	4	4	8	5	2	3	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	5	8	8	2	-	2	1
451-468	Other diseases of circulatory sys.-	83	-	-	-	-	-	1	-	-	-	-	1	7	3	1	14	10	10	14	8	6	5	2	1	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	-	2	1	-	5	3	6	7	4	2	3	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	2	2	1	2	2	2	1	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	2	1	-	1	2	-	-	-	-	-
	F--	18	-	-	-	-	-	1	-	-	-	-	-	3	-	-	5	1	1	5	2	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	76	-	-	1	-	-	-	-	-	2	1	2	4	10	4	10	9	9	4	8	6	4	2	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	3	2	1	1	4	2	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	3	-	1	2	-	-	-	-	-
	Nonwhite--M--	23	-	-	1	-	-	-	-	-	-	1	-	1	6	1	2	5	1	1	2	-	1	1	-	-	-
	F--	22	-	-	-	-	-	-	-	-	1	-	1	1	1	2	5	1	3	2	4	-	1	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	217	20	2	1	-	-	-	2	-	2	2	4	6	10	10	12	17	26	17	20	19	22	16	5	4	-
	White-----M--	78	6	-	-	-	-	-	-	-	-	-	-	2	1	2	5	5	10	10	12	7	9	6	2	1	-
	F--	41	2	1	-	-	-	-	1	-	-	-	-	1	2	1	-	3	1	2	2	8	10	6	1	-	-
	Nonwhite--M--	59	6	-	-	-	-	-	1	-	1	2	4	2	6	3	7	5	9	3	3	3	1	1	-	2	-
	F--	39	6	1	1	-	-	-	-	-	1	-	-	1	1	4	-	4	6	2	3	1	2	3	2	1	-
480-483	Influenza---------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	216	20	2	1	-	-	2	-	2	2	2	4	6	10	10	12	17	26	17	20	19	22	15	5	4	-
	White-----M--	77	6	-	-	-	-	-	-	-	-	-	-	2	1	2	5	5	10	10	12	7	9	5	2	1	-
	F--	41	2	1	-	-	-	1	-	-	-	-	-	1	2	1	-	3	1	2	2	8	10	6	1	-	-
	Nonwhite--M--	59	6	-	-	-	-	1	-	1	2	4	2	6	3	7	5	9	3	3	3	3	1	1	-	2	-
	F--	39	6	1	1	-	-	-	-	-	1	-	-	1	1	4	-	4	6	2	3	1	2	3	2	1	-
500-502	Bronchitis--------	16	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	-	3	2	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	8	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	37	1	-	-	-	-	-	-	-	-	1	1	-	-	4	-	4	8	5	3	5	1	3	1	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	1	4	-	2	1	-	-
	F--	10	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	1	1	1	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	3	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
550-553	Appendicitis------	21	-	-	-	-	-	-	-	2	-	-	1	2	2	1	1	7	-	3	2	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	52	7	-	-	1	-	1	-	-	-	-	1	-	-	4	3	3	5	4	5	4	7	3	3	-	1
	White-----M--	15	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	2	1	1	1	2	-	-	1
	F--	19	1	-	-	1	-	1	-	-	-	-	-	-	-	-	2	1	2	-	2	1	5	-	3	-	-
	Nonwhite--M--	9	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	1	-	1	-	-	-
	F--	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	1	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA—Con.																										
543,	Gastritis, etc.*--	34	11	1	1	1	-	-	-	-	-	-	1	1	1	-	2	2	1	2	3	4	1	2	-	-	-
571,	White-----M--	15	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	1	2	1	-	2	-	-	-
572	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-
	Nonwhite--M--	8	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	7	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
581	Cirrhosis of liver	159	-	-	-	-	-	-	-	-	1	-	2	13	22	28	33	26	15	8	4	3	2	2	-	-	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	-	4	4	11	15	16	8	4	3	2	1	1	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	2	2	8	7	6	4	3	2	1	1	1	1	-	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	-	5	9	5	8	4	3	2	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	1	-	-	2	1	5	4	2	1	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	16	-	-	-	-	-	1	-	-	1	-	-	2	1	3	-	1	2	2	1	1	-	1	-	-	-
	White-----M--	6	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	7	9	5	5	2	1	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	7	5	4	2	1	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	2	-	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	11	...	...	...	...	...	...	-	-	1	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	...	...	...	...	...	...	-	-	1	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	4	...	...	...	...	...	...	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	7	...	...	...	...	...	...	-	-	1	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	3	...	...	...	...	...	...	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	4	...	...	...	...	...	...	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	80	60	3	2	1	1	4	-	-	-	1	-	1	-	2	2	2	-	-	-	-	1	-	-	-	-
	White-----M--	21	16	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	22	18	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	20	12	1	-	1	-	2	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	17	14	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	428	428	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	268	268	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	140	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	12	-	-	1	-	-	-	-	-	-	1	1	-	2	-	1	2	1	1	-	1	-	-	-	-	1
795	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Re-	All other diseases	387	20	6	2	1	3	2	2	1	9	7	8	23	18	37	29	31	44	39	35	36	15	11	8	-	-
sid-	White-----M--	137	7	2	-	1	1	-	-	-	1	2	2	1	6	13	6	16	19	15	17	17	4	3	4	-	-
ual	F--	98	5	-	-	-	1	-	1	-	-	-	1	5	3	4	10	5	10	10	11	17	7	5	3	-	-
	Nonwhite--M--	85	4	2	1	-	-	-	1	-	2	3	2	14	5	14	9	5	7	7	5	2	1	-	1	-	-
	F--	67	4	2	1	-	1	2	-	1	6	2	3	3	4	6	4	5	8	7	2	-	3	3	-	-	-
E800-	Accidents----------	437	33	5	2	-	4	15	7	10	21	25	24	23	29	30	23	27	23	24	28	19	30	20	12	2	1
E962	White-----M--	167	6	2	1	-	1	3	1	6	10	10	7	11	17	11	12	10	12	9	11	5	10	8	3	1	-
	F--	90	1	-	-	-	-	-	1	1	2	1	1	2	1	3	5	6	4	7	9	12	18	9	7	-	-
	Nonwhite--M--	113	11	-	1	-	1	10	4	3	6	7	12	8	8	11	4	11	3	5	5	-	-	2	1	-	-
	F--	67	15	3	-	-	2	2	1	-	3	7	4	2	3	5	2	-	4	3	3	2	2	1	1	1	1
E810-	Motor-vehicle																										
E835	accidents--------	106	-	-	1	-	2	5	2	6	11	6	12	8	6	9	6	8	4	3	9	5	1	-	2	-	-
	White-----M--	45	-	-	-	-	1	2	-	4	8	2	2	4	3	-	5	4	4	1	2	2	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	1	-	-	1	1	-	2	1	2	-	1	3	3	-	-	1	-	-
	Nonwhite--M--	30	-	-	1	-	-	3	1	1	2	1	6	2	3	5	-	2	-	-	3	-	-	-	-	-	-
	F--	15	-	-	-	-	1	-	1	-	1	3	3	1	-	2	-	-	-	1	1	-	-	-	1	-	-
E800-	All ot. accidents-	331	33	5	1	-	2	10	5	4	10	19	12	15	23	21	17	19	19	21	19	14	29	20	10	2	1
E802,	White-----M--	122	6	2	1	-	-	1	1	2	2	8	5	7	14	11	7	6	8	8	9	3	9	8	3	1	-
E840-	F--	74	1	-	-	-	-	-	1	-	2	1	-	1	1	1	4	4	4	6	6	9	18	9	6	-	-
E962	Nonwhite--M--	83	11	-	-	-	1	7	3	2	4	6	6	6	5	6	4	9	3	5	2	-	-	2	1	-	-
	F--	52	15	3	-	-	1	2	-	-	2	4	1	1	3	3	2	-	4	2	2	2	2	1	-	1	1
E963,	Suicide----------	84	-	-	-	-	-	-	-	-	3	6	10	6	8	11	8	9	10	6	2	3	1	-	1	-	-
E970-	White-----M--	43	-	-	-	-	-	-	-	-	1	1	6	3	2	8	3	7	7	2	-	2	1	-	-	-	-
E979	F--	19	-	-	-	-	-	-	-	-	-	1	2	1	2	2	1	2	-	4	2	1	-	-	1	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	2	4	1	2	2	-	4	-	3	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	78	-	-	-	-	-	-	-	4	4	11	14	18	7	7	4	4	1	3	-	-	1	-	-	-	-
E980-	White-----M--	13	-	-	-	-	-	-	-	2	-	1	3	2	1	-	2	2	-	-	-	-	-	-	-	-	-
E985	F--	5	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	47	-	-	-	-	-	-	-	1	3	10	8	10	4	6	1	1	1	2	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	1	1	-	2	3	2	1	1	-	-	1	-	-	1	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA																										
	ALL CAUSES------	31,586	2,642	186	110	78	75	194	128	214	326	403	587	751	1,183	1,473	2,176	2,526	3,022	3,647	3,765	3,349	2,472	1,504	593	134	48
	White-----M--	14,802	909	49	34	25	32	83	64	100	149	168	215	279	427	624	928	1,253	1,587	1,956	1,973	1,782	1,222	672	219	44	8
	F--	9,407	611	42	25	22	13	52	24	33	58	65	111	166	287	328	448	588	735	1,074	1,295	1,271	1,056	724	301	69	9
	Nonwhite--M--	4,158	614	54	22	17	14	40	27	58	75	84	130	175	251	296	451	406	402	342	293	191	102	61	31	9	13
	F--	3,219	508	41	29	14	16	19	13	23	44	86	131	131	218	225	349	279	298	275	204	105	92	47	42	12	18
001-019	Tuberculosis, all forms--------	288	1	1	1	-	-	1	1	2	5	11	17	22	30	26	27	41	23	28	23	14	9	5	-	-	-
	White-----M--	121	1	-	-	-	-	1	-	-	-	1	3	5	9	9	8	21	18	19	12	6	5	3	-	-	-
	F--	42	-	-	-	-	-	-	1	-	-	2	2	3	4	3	2	3	2	1	7	7	3	2	-	-	-
	Nonwhite--M--	79	-	1	-	-	-	-	-	1	1	3	5	9	12	9	13	14	3	3	3	1	1	-	-	-	-
	F--	46	-	-	1	-	-	-	-	1	4	5	7	5	5	5	4	3	-	5	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	272	1	-	-	-	-	-	1	2	5	9	16	22	30	23	27	40	22	26	22	13	8	5	-	-	-
	White-----M--	112	1	-	-	-	-	-	-	-	-	-	3	5	9	7	8	20	17	17	11	6	5	3	-	-	-
	F--	40	-	-	-	-	-	-	1	-	-	2	2	3	4	3	2	3	2	1	7	6	2	2	-	-	-
	Nonwhite--M--	76	-	-	-	-	-	-	-	1	1	2	5	9	12	8	13	14	3	3	3	1	1	-	-	-	-
	F--	44	-	-	-	-	-	-	-	1	4	5	6	5	5	5	4	3	-	5	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	16	-	1	1	-	-	1	-	-	-	2	1	-	-	3	-	1	1	2	1	1	1	-	-	-	-
	White-----M--	9	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-	1	1	2	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	3	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	138	3	-	-	-	-	-	-	-	-	-	2	3	4	17	20	18	17	22	11	10	8	3	-	-	-
	White-----M--	52	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	5	15	8	9	4	2	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	4	1	1	4	-	-	-	-
	Nonwhite--M--	55	2	-	-	-	-	-	-	-	-	-	2	2	1	11	12	10	9	3	2	-	-	1	-	-	-
	F--	15	1	-	-	-	-	-	-	-	-	-	-	1	2	2	6	1	2	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	20	9	2	1	1	1	-	-	-	1	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	7	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	6	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	9	-	2	1	2	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	19	4	2	1	2	-	3	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	2	-	-	1	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	1	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	55	5	1	-	2	2	8	5	3	5	11	8	4	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	28	2	1	-	1	-	2	3	2	1	7	4	4	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	21	-	-	-	1	2	5	1	1	4	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	15	3	4	-	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	-	2	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	129	24	6	8	2	1	3	1	2	1	6	4	6	7	6	9	8	8	3	6	10	5	3	-	-	-
	White-----M--	43	7	3	4	-	1	-	1	1	-	-	1	-	2	2	3	3	1	2	4	3	2	3	-	-	-
	F--	33	5	2	-	-	-	2	-	1	-	1	1	1	1	2	2	2	2	1	1	7	2	-	-	-	-
	Nonwhite--M--	32	10	-	2	-	-	-	-	-	1	1	2	2	2	2	4	2	2	-	1	-	1	-	-	-	-
	F--	21	2	1	2	2	-	1	-	-	-	4	-	3	2	-	-	1	3	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA—Con.																										
140-205	Malignant neoplasms, etc.*	4,853	7	7	10	5	8	26	16	14	23	39	65	107	200	296	447	521	631	717	663	501	344	149	50	6	1
	White—M	2,319	3	4	3	3	3	12	9	12	7	17	18	34	42	93	167	221	310	381	382	282	206	80	27	3	-
	F	1,800	1	2	5	1	4	11	4	1	6	14	27	38	100	122	163	205	212	258	225	190	124	65	19	3	-
	Nonwhite—M	379	2	-	1	1	-	1	2	-	5	2	5	13	23	31	63	52	64	41	36	21	10	2	3	-	1
	F	355	1	1	1	-	1	2	1	1	5	6	15	22	35	50	54	43	45	37	20	8	4	2	1	-	-
140-148	Of buccal cavity and pharynx	117	-	-	-	-	-	-	-	-	-	-	-	3	4	6	10	14	16	15	19	15	10	4	1	-	-
	White—M	86	-	-	-	-	-	-	-	-	-	-	-	1	2	4	6	11	11	10	16	12	9	3	1	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	3	2	3	1	1	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	2	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,567	2	-	-	-	1	1	-	-	2	5	9	22	37	75	136	157	205	262	257	190	129	58	15	3	1
	White—M	765	1	-	-	-	-	1	-	-	2	-	4	10	14	28	61	60	96	142	146	102	70	21	6	1	-
	F	561	1	-	-	-	-	-	-	-	-	2	3	6	13	24	35	58	76	85	84	74	55	35	8	2	-
	Nonwhite—M	156	-	-	-	-	-	-	-	-	-	1	1	3	8	11	27	30	23	19	17	10	3	1	1	-	1
	F	85	-	-	-	-	1	-	-	-	-	2	1	3	2	12	13	9	10	16	10	4	1	1	-	-	-
160-164	Of respiratory system	691	-	-	-	-	1	-	-	1	-	3	2	7	21	43	84	113	132	112	97	38	26	6	5	-	-
	White—M	535	-	-	-	-	-	-	-	1	-	2	2	6	8	25	63	88	107	94	82	31	18	5	3	-	-
	F	84	-	-	-	-	1	-	-	-	-	-	-	-	6	8	6	13	13	11	9	7	7	1	2	-	-
	Nonwhite—M	66	-	-	-	-	-	-	-	-	-	1	-	1	5	8	14	12	12	7	5	-	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	1	-	-	-	-	-	-
170	Of breast	390	-	-	-	-	-	-	-	-	1	2	12	14	39	32	51	50	48	47	40	27	16	6	5	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-
	F	327	-	-	-	-	-	-	-	-	-	2	8	10	30	27	42	41	39	42	37	23	16	6	4	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-
	F	55	-	-	-	-	-	-	-	-	1	-	4	3	8	4	8	8	8	5	3	2	-	-	1	-	-
171-179	Of genital organs	846	-	-	-	-	-	-	-	1	4	7	20	28	41	69	69	71	97	101	97	107	87	33	12	2	-
	White—M	310	-	-	-	-	-	-	-	-	-	2	1	2	-	2	3	7	24	41	59	67	66	26	9	1	-
	F	355	-	-	-	-	-	-	-	-	2	3	10	14	30	41	35	45	45	48	28	33	13	6	1	1	-
	Nonwhite—M	58	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	4	16	6	8	6	6	-	2	-	-
	F	123	-	-	-	-	-	-	-	1	2	2	9	12	11	23	24	15	12	6	2	1	2	1	-	-	-
180, 181	Of urinary organs	215	-	2	-	1	-	4	-	-	2	-	1	5	12	6	18	18	22	41	32	25	15	10	1	-	-
	White—M	114	-	1	-	-	-	-	-	-	-	-	1	-	6	4	7	9	16	24	15	17	8	5	1	-	-
	F	67	-	1	-	-	-	2	-	-	-	-	-	-	3	1	6	6	2	12	16	7	7	4	-	-	-
	Nonwhite—M	24	-	-	-	1	-	1	-	-	1	-	-	5	2	1	4	2	2	3	1	-	-	1	-	-	-
	F	10	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	1	2	2	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	637	2	1	3	2	2	9	11	7	5	6	6	19	32	44	50	71	74	72	76	67	42	26	9	1	-
	White—M	302	1	-	2	1	1	3	5	6	1	4	4	10	7	19	18	33	34	36	37	36	23	15	5	1	-
	F	243	-	-	-	1	1	5	4	1	3	1	-	4	13	13	23	27	25	28	33	28	18	11	4	-	-
	Nonwhite—M	34	-	-	-	-	-	-	2	-	-	-	2	3	5	5	4	3	3	-	4	3	-	-	-	-	-
	F	58	1	1	1	-	-	1	-	-	1	1	-	2	7	7	5	8	12	8	2	-	1	-	-	-	-
204	Leukemia and aleukemia	215	3	4	7	2	4	9	3	4	4	8	7	4	5	8	11	13	23	32	21	23	16	3	1	-	-
	White—M	112	1	3	1	2	2	7	2	4	1	3	2	3	1	3	5	5	13	16	12	12	10	3	1	-	-
	F	79	-	1	5	-	2	2	-	-	1	4	2	1	2	4	3	7	7	13	8	11	6	-	-	-	-
	Nonwhite—M	19	2	-	1	-	-	-	-	-	2	-	2	-	1	1	3	-	3	3	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	175	-	-	-	-	-	3	2	1	5	8	8	5	9	13	18	14	14	35	24	9	3	3	1	-	-
	White—M	91	-	-	-	-	-	1	2	1	3	6	4	2	3	8	4	7	8	18	15	4	2	2	1	-	-
	F	67	-	-	-	-	-	2	-	-	-	2	4	2	2	3	12	6	4	16	8	4	1	1	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	1	1	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	132	7	1	1	2	-	4	4	4	2	4	4	8	18	12	12	10	12	10	6	5	6	-	-	-	-
	White—M	34	1	-	-	-	-	1	1	2	-	2	1	1	4	2	1	3	3	5	2	2	3	-	-	-	-
	F	62	4	-	1	1	-	2	2	1	2	1	3	5	6	7	3	4	6	5	4	3	2	-	-	-	-
	Nonwhite—M	15	1	-	-	1	-	-	-	-	-	-	-	1	1	1	6	2	1	-	-	-	1	-	-	-	-
	F	21	1	1	-	-	-	1	1	1	-	1	-	1	7	2	2	1	2	-	-	-	-	-	-	-	-
260	Diabetes mellitus	422	-	-	-	-	1	-	2	5	-	3	4	6	11	17	33	51	60	62	66	65	28	7	1	-	-
	White—M	155	-	-	-	-	-	-	-	1	-	2	1	1	2	6	5	19	24	27	24	29	9	4	1	-	-
	F	163	-	-	-	-	-	-	-	2	-	1	1	-	1	4	10	9	22	26	33	33	18	3	-	-	-
	Nonwhite—M	38	-	-	-	-	-	-	2	1	-	-	1	4	2	1	5	7	8	2	3	1	1	-	-	-	-
	F	66	-	-	-	-	1	-	-	1	-	-	1	1	6	6	13	16	6	7	6	2	-	-	-	-	-
290-293	Anemias	99	7	4	2	-	3	2	-	2	3	2	1	3	7	-	2	6	6	8	15	9	6	7	4	-	-
	White—M	35	-	1	1	-	2	1	-	-	1	1	-	-	1	-	1	4	3	3	6	3	2	4	1	-	-
	F	33	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	2	2	3	6	6	4	3	3	-	-
	Nonwhite—M	18	2	1	1	-	1	-	-	1	1	1	1	2	3	-	1	-	1	1	1	-	-	-	-	-	-
	F	13	5	2	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	2	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	59	28	6	3	3	1	2	1	-	-	-	-	1	1	2	4	3	1	1	1	1	-	-	-	-	-
	White—M	13	6	-	1	-	1	1	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-
	F	10	4	2	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	21	9	2	2	3	-	1	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-
	F	15	9	2	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	15,950	18	3	2	2	1	15	14	22	32	48	100	227	452	646	1,093	1,392	1,717	2,233	2,408	2,229	1,681	1,086	417	85	27
	White—M	7,863	6	-	-	2	-	3	4	9	12	13	35	98	176	309	488	737	915	1,225	1,227	1,171	794	462	147	25	5
	F	4,986	3	2	-	-	-	7	3	5	12	8	16	41	84	104	181	260	379	621	843	852	750	545	219	47	4
	Nonwhite—M	1,663	3	1	1	-	1	3	3	4	3	9	16	41	91	126	230	224	231	214	190	132	65	47	17	5	6
	F	1,438	6	-	1	-	-	2	4	4	5	18	33	47	101	107	194	171	192	173	148	74	72	32	34	8	12
330-334, 400-468	Diseases of cardiovascular system	15,526	18	3	2	2	-	11	9	18	25	41	92	210	431	631	1,052	1,352	1,686	2,185	2,361	2,182	1,637	1,061	407	83	27
	White—M	7,697	6	-	-	2	-	2	2	7	8	12	31	94	171	304	475	725	903	1,210	1,200	1,148	772	452	144	24	5
	F	4,885	3	2	-	-	-	4	2	4	12	7	14	38	80	100	174	252	374	611	834	840	734	535	214	47	4
	Nonwhite—M	1,578	3	1	1	-	-	3	2	3	2	7	16	37	87	121	220	212	222	198	185	126	63	43	15	5	6
	F	1,366	6	-	1	-	-	2	3	4	3	15	31	41	93	106	183	163	187	166	142	68	68	31	34	7	12
330-334	Vascular lesions, etc.*	3,716	8	-	-	1	-	3	1	3	7	12	20	44	90	137	219	289	339	498	591	592	480	257	98	19	8
	White—M	1,410	1	-	-	1	-	1	-	1	1	3	6	9	20	26	49	89	106	231	249	270	223	94	27	3	-
	F	1,355	2	-	-	-	-	1	1	-	5	4	4	11	20	34	43	59	97	155	230	265	216	141	55	10	2
	Nonwhite—M	466	1	-	-	-	-	1	-	1	-	1	2	8	24	33	56	71	67	59	56	40	19	16	4	3	4
	F	485	4	-	-	-	-	-	-	1	1	4	8	16	26	44	71	70	69	53	56	17	22	6	12	3	2
400-402	Rheumatic fever	29	-	-	-	-	-	6	5	2	1	-	4	1	2	1	2	2	1	1	-	1	-	-	-	-	-
	White—M	12	-	-	-	-	-	1	1	2	1	-	3	1	-	-	-	2	-	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	2	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	1	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA—Con.																										
410-443	Diseases of heart	10,678	8	3	2	1	-	1	3	12	9	26	59	149	303	455	780	1,003	1,265	1,587	1,640	1,416	993	667	238	43	15
	White-----M--	5,779	4	-	-	1	-	-	1	4	4	9	18	82	148	261	413	607	748	927	895	791	474	293	83	13	3
	F--	3,159	1	2	-	-	-	1	-	4	3	3	9	22	53	59	121	181	267	439	557	514	443	328	125	26	1
	Nonwhite--M--	978	1	1	1	-	-	-	-	1	2	6	12	25	50	79	148	128	141	124	114	71	38	23	10	1	2
	F--	762	2	-	1	-	-	-	2	3	-	8	20	20	52	56	98	87	109	97	74	40	38	23	20	3	9
410-416	Chronic rheumatic heart disease----	345	-	-	-	-	-	-	3	6	2	7	6	13	30	36	42	42	37	50	23	21	16	9	1	1	-
	White-----M--	144	-	-	-	-	-	-	1	2	1	-	-	6	9	15	17	23	18	24	9	8	8	1	1	1	-
	F--	147	-	-	-	-	-	-	-	2	1	1	2	4	14	13	16	14	17	26	12	10	7	8	-	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	1	-	2	1	1	4	5	6	5	1	-	1	2	1	-	-	-	-
	F--	24	-	-	-	-	-	-	2	1	-	4	3	2	3	3	3	-	1	-	1	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	7,288	-	-	-	-	-	-	-	-	3	9	33	93	183	289	542	713	919	1,141	1,147	976	654	421	137	23	5
	White-----M--	4,463	-	-	-	-	-	-	-	-	2	6	14	61	118	203	341	491	604	746	679	605	336	199	53	5	-
	F--	2,045	-	-	-	-	-	-	-	-	-	-	4	9	20	30	76	124	196	296	393	325	283	202	70	16	1
	Nonwhite--M--	466	-	-	-	-	-	-	-	-	1	1	6	16	27	31	86	60	69	60	45	30	19	10	4	1	-
	F--	314	-	-	-	-	-	-	-	-	-	2	9	7	18	25	39	38	50	39	30	16	16	10	10	1	4
421, 422	Nonrheumatic chronic endocarditis, etc.*	957	5	-	2	1	-	1	-	2	1	2	4	7	13	17	36	62	92	113	149	154	125	106	54	7	4
	White-----M--	374	4	-	-	1	-	-	-	1	-	-	2	4	2	4	8	25	42	41	66	62	54	39	14	3	2
	F--	333	-	-	-	-	-	1	-	-	1	-	-	1	4	2	8	9	14	36	49	67	53	52	33	3	-
	Nonwhite--M--	142	-	-	1	-	-	-	-	-	-	-	1	1	3	5	11	17	22	24	18	15	12	9	3	-	-
	F--	108	1	-	1	-	-	-	-	1	-	2	1	1	4	6	9	11	14	12	16	10	6	6	4	1	2
430-434	Other diseases of heart---------	778	3	3	-	-	-	-	-	4	3	7	9	22	32	49	67	70	85	97	123	77	65	39	15	7	1
	White-----M--	397	-	-	-	-	-	-	-	1	1	2	2	9	10	27	33	38	47	53	67	47	30	21	7	2	-
	F--	211	1	2	-	-	-	-	-	2	1	2	3	5	7	3	12	15	10	25	39	25	31	17	7	4	-
	Nonwhite--M--	103	1	1	-	-	-	-	-	-	1	3	2	3	8	16	14	12	17	7	12	3	1	-	1	-	1
	F--	67	1	-	-	-	-	-	-	1	-	-	2	5	7	3	8	5	11	12	5	2	3	1	-	1	-
440-443	Hypertension with heart dis.--	1,310	-	-	-	-	-	-	-	-	-	1	7	14	45	64	93	116	132	186	198	188	133	92	31	5	5
	White-----M--	401	-	-	-	-	-	-	-	-	-	1	-	2	9	12	14	30	37	63	74	69	46	33	8	2	1
	F--	423	-	-	-	-	-	-	-	-	-	-	-	3	8	11	9	19	30	56	64	87	69	49	15	3	-
	Nonwhite--M--	237	-	-	-	-	-	-	-	-	-	-	2	4	8	22	31	34	32	33	38	21	5	4	2	-	1
	F--	249	-	-	-	-	-	-	-	-	-	-	5	5	20	19	39	33	33	34	22	11	13	6	6	-	3
444-447	Hypertension without mention of heart----------	264	-	-	-	-	-	-	-	-	2	3	3	8	19	13	22	20	20	27	34	38	28	19	8	2	-
	White-----M--	88	-	-	-	-	-	-	-	-	1	-	-	1	2	5	4	6	10	9	11	15	8	11	4	1	-
	F--	78	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	6	2	8	13	17	16	7	3	-	-
	Nonwhite--M--	49	-	-	-	-	-	-	-	-	-	-	2	2	8	4	8	6	3	4	6	3	1	1	-	1	-
	F--	49	-	-	-	-	-	-	-	-	1	3	1	3	9	3	7	2	5	6	4	3	1	-	1	-	-
450	General arteriosclerosis--------	578	-	-	-	-	-	-	-	-	-	-	2	1	2	7	9	11	27	38	57	105	129	107	61	18	4
	White-----M--	270	-	-	-	-	-	-	-	-	-	-	1	-	-	4	3	6	13	18	22	51	64	50	29	7	2
	F--	217	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	4	4	19	37	53	54	31	10	1
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	6	8	9	10	5	2	-	-	-
	F--	45	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	4	8	7	7	7	1	1	1	1
451-468	Other diseases of circulatory sys.-	261	2	-	-	-	-	1	-	1	6	-	4	7	15	18	20	27	34	34	39	30	9	11	2	1	-
	White-----M--	138	1	-	-	-	-	-	-	-	1	-	3	1	1	8	6	15	28	24	23	21	3	4	1	-	-
	F--	70	-	-	-	-	-	-	-	-	4	-	-	3	5	4	6	6	3	5	15	7	6	5	-	1	-
	Nonwhite--M--	34	1	-	-	-	-	-	-	1	-	-	-	1	5	4	6	4	5	3	-	2	-	1	1	-	-
	F--	19	-	-	-	-	-	1	-	-	1	-	1	2	4	2	2	2	-	2	1	-	-	1	-	-	-
592-594	Chronic nephritis, etc.*----------	424	-	-	-	-	1	4	5	4	7	7	8	17	21	15	41	40	31	48	47	47	44	25	10	2	-
	White-----M--	166	-	-	-	-	-	1	2	2	4	1	4	4	5	5	13	12	12	15	27	23	22	10	3	1	-
	F--	101	-	-	-	-	-	3	1	1	-	1	2	3	4	4	7	8	5	10	9	12	16	10	5	-	-
	Nonwhite--M--	85	-	-	-	-	1	-	1	1	1	2	-	4	4	5	10	12	9	16	5	6	2	4	2	-	-
	F--	72	-	-	-	-	-	-	1	-	2	3	2	6	8	1	11	8	5	7	6	6	4	1	-	1	-
480-493	Influenza and pneumonia, etc.*	843	198	34	8	5	7	9	3	6	8	8	11	17	28	18	38	31	54	68	67	80	66	43	26	7	3
	White-----M--	270	36	7	1	-	3	2	1	-	1	-	1	2	9	5	11	4	26	22	37	39	25	20	14	4	-
	F--	206	33	5	-	2	-	1	1	2	2	2	1	6	2	3	7	7	8	16	18	29	27	18	9	3	2
	Nonwhite--M--	207	72	14	-	1	2	5	1	2	2	5	2	6	12	7	15	11	7	15	10	6	7	1	3	-	1
	F--	160	57	8	7	2	2	1	-	2	3	1	7	3	5	3	5	9	13	13	2	6	7	4	-	-	-
480-483	Influenza---------	90	23	2	1	-	1	-	-	1	1	2	3	1	2	2	8	6	9	6	4	5	7	3	3	-	-
	White-----M--	15	3	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	1	1	1	3	-	-
	F--	13	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	2	2	-	4	1	-	-	-
	Nonwhite--M--	28	8	1	-	-	-	-	-	-	-	2	-	1	1	-	2	2	2	1	2	3	2	1	-	-	-
	F--	34	11	-	1	-	1	-	-	-	1	-	3	-	1	1	2	3	6	3	-	1	-	-	-	-	-
490-493	Pneumonia, etc.*--	753	175	32	7	5	6	9	3	5	7	6	8	16	26	16	30	25	45	62	63	75	59	40	23	7	3
	White-----M--	255	33	6	1	-	3	2	1	-	1	-	1	2	9	4	9	3	25	22	37	38	24	19	11	4	-
	F--	193	32	5	-	2	-	1	1	1	2	2	1	6	2	3	5	7	8	16	16	29	23	17	9	3	2
	Nonwhite--M--	179	64	13	-	1	2	5	1	2	2	3	2	5	11	7	13	9	5	14	8	3	5	-	3	-	1
	F--	126	46	8	6	2	1	1	-	2	2	1	4	3	4	2	3	6	7	10	2	5	7	4	-	-	-
500-502	Bronchitis--------	69	14	9	2	-	1	1	-	-	-	-	-	-	1	1	2	2	7	3	8	8	5	2	1	1	-
	White-----M--	33	2	4	-	-	-	1	-	-	-	-	-	-	-	-	1	1	5	2	6	6	4	1	-	-	-
	F--	19	2	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-	2	-	2	3	1	1	-	1	-
	Nonwhite--M--	7	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F--	10	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
540, 541	Ulcer of stomach and duodenum-----	191	1	-	-	-	-	-	-	2	2	-	3	8	16	18	22	20	22	23	25	17	10	2	-	-	-
	White-----M--	138	1	-	-	-	-	-	-	1	2	-	3	4	9	12	14	13	18	18	20	14	8	1	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	3	3	4	3	2	1	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	1	-	-	-	4	4	2	3	6	-	-	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	1	2	-	-	-	-	-	-	-
550-553	Appendicitis-------	46	2	-	-	-	1	2	1	-	1	-	5	1	2	2	2	5	6	3	5	4	1	2	1	-	-
	White-----M--	21	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	4	4	3	3	2	-	2	1	-	-
	F--	9	1	-	-	-	-	-	1	-	1	-	1	-	1	-	1	1	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	8	1	-	-	-	-	1	-	-	-	-	2	-	1	1	-	-	1	-	1	-	-	-	-	-	-
	F--	8	-	-	-	-	1	-	-	-	-	-	2	-	-	1	1	-	1	-	1	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	212	16	4	-	-	1	-	1	3	1	3	5	3	9	12	14	11	27	12	30	22	24	7	5	1	1
	White-----M--	85	8	-	-	-	1	-	-	2	1	1	1	1	1	-	4	2	13	8	16	10	10	4	1	-	1
	F--	68	2	1	-	-	-	-	-	-	-	1	1	-	2	3	4	4	4	3	12	10	14	2	4	1	-
	Nonwhite--M--	36	4	3	-	-	-	-	1	1	-	1	1	1	3	3	1	3	9	1	2	1	-	1	-	-	-
	F--	23	2	-	-	-	-	-	-	-	-	-	2	1	3	6	5	2	1	-	-	1	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA—Con.																										
543,	Gastritis, etc.*	241	130	13	2	-	1	-	1	-	-	-	3	3	5	7	8	9	13	14	5	10	9	6	2	-	-
571,	White-----M	57	18	1	-	-	-	-	-	-	-	-	1	2	1	4	5	3	7	3	-	5	5	2	-	-	-
572	F	59	18	2	1	-	1	-	1	-	-	-	-	-	1	1	-	2	6	7	5	5	4	4	1	-	-
	Nonwhite--M	64	47	5	1	-	-	-	-	-	-	-	2	-	1	-	1	4	-	2	-	-	-	-	1	-	-
	F	61	47	5	-	-	-	-	-	-	-	-	-	1	2	2	2	-	-	2	-	-	-	-	-	-	-
581	Cirrhosis of liver	337	-	1	-	-	-	-	-	-	-	6	4	14	26	35	53	45	52	34	30	17	11	5	4	-	-
	White-----M	194	-	1	-	-	-	-	-	-	-	-	2	3	14	24	30	24	40	19	15	10	10	1	1	-	-
	F	101	-	-	-	-	-	-	-	-	-	1	-	7	9	7	13	16	9	12	14	6	1	3	3	-	-
	Nonwhite--M	18	-	-	-	-	-	-	-	-	-	1	-	1	3	1	5	2	1	2	1	-	-	1	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	4	2	3	-	3	5	3	2	1	-	1	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	65	-	2	3	3	-	2	-	2	-	2	2	4	9	2	10	7	1	3	6	3	3	1	-	-	-
	White-----M	18	-	-	2	2	-	-	-	1	-	-	-	1	1	-	3	1	-	2	1	1	2	1	-	-	-
	F	9	-	-	-	1	-	-	-	1	-	-	1	1	2	-	-	-	-	-	1	1	1	-	-	-	-
	Nonwhite--M	21	-	1	-	-	-	1	-	-	-	1	1	-	3	2	4	3	1	1	2	1	-	-	-	-	-
	F	17	-	1	1	-	-	1	-	-	-	1	-	2	3	-	3	3	-	-	2	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	104	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	11	10	21	18	22	8	4	2	-
	White-----M	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	8	6	19	15	18	7	3	1	-
	Nonwhite--M	25	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	4	2	3	4	1	1	1	-
640-	Complications of																										
689	pregnancy, etc.*	52	...	...	...	...	...	...	2	4	6	12	15	13	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	16	...	...	...	...	...	...	-	1	1	4	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	36	...	...	...	...	...	...	2	3	5	8	10	8	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	6	...	...	...	...	...	...	-	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F	3	...	...	...	...	...	...	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	3	...	...	...	...	...	...	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	46	...	...	...	...	...	...	2	3	6	11	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F	13	...	...	...	...	...	...	-	1	1	4	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	33	...	...	...	...	...	...	2	2	5	7	9	8	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	424	330	17	10	4	4	10	4	3	4	6	4	5	1	3	6	4	2	3	2	2	-	-	-	-	-
	White-----M	194	148	8	6	1	2	4	3	2	2	2	3	3	1	-	3	2	2	-	1	1	-	-	-	-	-
	F	138	113	5	1	2	1	4	-	1	1	3	-	-	-	3	-	1	-	2	1	-	-	-	-	-	-
	Nonwhite--M	52	35	3	2	-	1	2	1	-	-	1	-	1	-	-	3	1	-	1	-	1	-	-	-	-	-
	F	40	34	1	1	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	1,565	1,565	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	585	585	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	380	380	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	341	341	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	259	259	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	644	644	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	283	283	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	155	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	820	820	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	263	263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	208	208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	196	196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	749	77	5	2	3	4	2	2	3	3	6	10	19	32	37	59	56	57	70	72	62	65	47	34	15	7
795	White-----M	239	9	-	-	-	2	-	1	2	2	1	2	5	12	8	15	21	22	29	25	27	27	14	10	4	1
	F	164	6	-	-	-	-	1	-	-	-	2	1	2	8	3	5	10	7	12	20	15	26	23	14	7	2
	Nonwhite--M	193	26	3	-	3	-	1	-	-	1	1	2	9	10	17	21	18	16	18	15	13	7	4	6	1	1
	F	153	36	2	2	-	2	-	1	1	-	2	5	3	2	9	18	7	12	11	12	7	5	6	4	3	3
Re-	All other diseases	1,564	96	15	13	9	6	19	6	13	24	32	62	62	71	101	105	124	150	187	169	138	76	58	18	8	2
sid-	White-----M	710	46	3	5	1	1	6	3	3	6	12	12	15	22	41	53	63	74	94	88	77	44	31	5	5	-
ual	F	478	13	6	6	4	3	4	2	4	7	4	13	20	22	33	15	34	38	62	64	53	32	24	12	3	-
	Nonwhite--M	190	21	3	1	1	1	3	1	4	3	3	13	13	11	17	19	17	25	16	10	6	-	1	-	-	1
	F	186	16	3	1	3	1	6	-	2	8	13	24	14	16	10	18	10	13	15	7	2	-	2	1	-	1
E800-	Accidents	2,160	92	47	39	28	30	78	56	103	155	138	174	135	146	134	128	108	94	96	100	96	85	58	26	9	5
E962	White-----M	1,104	27	14	11	11	15	44	33	57	101	91	89	72	70	60	66	62	53	48	55	49	38	27	8	2	1
	F	429	23	11	7	8	-	12	6	9	14	5	21	19	20	22	22	17	24	29	30	41	39	28	17	4	1
	Nonwhite--M	463	29	11	10	6	8	17	15	34	33	31	49	36	40	41	31	22	13	11	13	4	4	2	-	2	1
	F	164	13	11	11	3	7	5	2	3	7	11	15	8	16	11	9	7	4	8	2	2	4	1	1	1	2
E810-	Motor-vehicle																										
E835	accidents	915	8	10	13	11	11	27	11	50	89	82	98	69	83	63	55	45	52	41	37	29	19	8	1	1	2
	White-----M	500	2	2	4	3	6	13	10	33	57	53	48	36	36	29	25	22	30	25	28	19	13	4	1	-	1
	F	163	2	5	3	6	-	6	-	6	10	4	17	14	15	9	6	11	13	11	8	9	5	3	-	-	-
	Nonwhite--M	197	3	2	1	2	3	6	1	10	16	20	28	17	22	21	18	10	8	3	1	1	1	1	-	1	1
	F	55	1	1	5	-	2	2	-	1	6	5	5	2	10	4	6	2	1	2	-	-	-	-	-	-	-
E800-	All ot. accidents	1,245	84	37	26	17	19	51	45	53	66	56	76	66	63	71	73	63	42	55	63	67	66	50	25	8	3
E802,	White-----M	604	25	12	7	8	9	31	23	24	44	38	41	36	34	31	41	40	23	23	27	30	25	23	7	2	-
E840-	F	266	21	6	4	2	-	6	6	3	4	1	4	5	5	13	16	6	11	18	22	32	34	25	17	4	1
E962	Nonwhite--M	266	26	9	9	4	5	11	14	24	17	11	21	19	18	20	13	12	5	8	12	3	3	1	-	1	-
	F	109	12	10	6	3	5	3	2	2	1	6	10	6	6	7	3	5	3	6	2	2	4	1	1	1	2
E963,	Suicide	424	-	-	-	-	-	-	-	4	11	19	37	36	56	39	53	39	44	29	25	22	7	3	-	-	-
E970-	White-----M	308	-	-	-	-	-	-	-	2	8	8	28	19	35	34	39	32	34	22	21	18	5	3	-	-	-
E979	F	92	-	-	-	-	-	-	-	2	3	10	8	12	15	4	9	5	8	7	4	4	1	-	-	-	-
	Nonwhite--M	16	-	-	-	-	-	-	-	-	-	-	-	5	5	1	2	-	2	-	-	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	2	-	-	-	-	-	-	-	-	-
E964,	Homicide	342	3	-	1	1	-	2	2	16	38	46	46	43	49	40	25	10	6	6	-	3	1	2	-	-	2
E980-	White-----M	77	1	-	-	-	-	-	-	2	5	9	9	7	15	13	8	3	2	1	-	1	1	-	-	-	-
E985	F	38	-	-	1	-	-	1	1	2	3	3	5	5	6	2	4	3	-	-	-	-	-	2	-	-	-
	Nonwhite--M	178	-	-	-	1	-	1	1	9	24	24	26	25	20	21	10	4	4	5	-	1	-	-	-	-	2
	F	49	2	-	-	-	-	-	-	3	6	10	6	6	8	4	3	-	-	-	-	1	-	-	-	-	-
E965,	Operations of war-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
E990-	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA																										
	ALL CAUSES------	30,793	3,196	240	136	101	76	251	197	371	448	519	707	882	1,305	1,648	2,319	2,418	2,837	3,199	3,191	2,742	2,179	1,169	439	137	86
	White-----M--	11,189	923	62	41	32	30	82	64	130	170	179	217	266	360	588	757	892	1,124	1,302	1,331	1,180	855	411	121	43	9
	F--	7,887	658	60	31	30	22	61	42	59	57	84	110	142	201	298	346	447	572	817	1,065	1,062	919	514	221	52	17
	Nonwhite--M--	6,224	872	55	31	21	17	56	55	121	137	148	211	228	384	408	639	570	612	559	410	271	213	124	40	17	25
	F--	5,493	743	63	33	18	7	52	36	61	84	108	169	246	340	354	577	509	529	521	385	229	192	120	57	25	35
001-019	Tuberculosis, all forms--------	339	6	4	-	-	-	1	2	8	6	16	30	23	25	30	34	39	29	28	30	16	7	5	-	-	-
	White-----M--	129	1	-	-	-	-	-	-	-	1	3	7	2	4	13	13	22	14	16	18	10	3	2	-	-	-
	F--	41	1	-	-	-	-	-	-	1	1	1	3	3	1	2	1	1	4	5	7	4	4	2	-	-	-
	Nonwhite--M--	107	2	1	-	-	-	1	1	4	1	4	9	9	14	9	15	14	10	7	3	2	-	1	-	-	-
	F--	62	2	3	-	-	-	-	1	3	3	8	11	9	6	6	5	2	1	-	2	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	308	2	2	-	-	-	-	1	7	6	14	27	17	23	30	32	38	27	24	30	16	7	5	-	-	-
	White-----M--	126	-	-	-	-	-	-	-	-	1	3	7	2	4	13	13	22	13	15	18	10	3	2	-	-	-
	F--	39	-	-	-	-	-	-	-	1	1	1	3	3	1	2	1	1	4	4	7	4	4	2	-	-	-
	Nonwhite--M--	92	1	-	-	-	-	-	-	3	1	3	7	7	14	9	14	13	9	5	3	2	-	1	-	-	-
	F--	51	1	2	-	-	-	-	1	3	3	7	10	5	4	6	4	2	1	-	2	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	31	4	2	-	-	-	1	1	1	-	2	3	6	2	-	2	1	2	4	-	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	15	1	1	-	-	-	1	1	1	-	1	2	2	-	-	1	1	1	2	-	-	-	-	-	-	-
	F--	11	1	1	-	-	-	-	-	-	-	1	1	4	2	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	121	-	-	-	-	-	-	-	1	-	3	6	1	16	15	16	19	13	12	8	5	4	2	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	9	4	1	4	2	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	3	1	2	-	1	1	2	-	-	-
	Nonwhite--M--	54	-	-	-	-	-	-	-	-	-	-	5	-	10	9	9	5	6	5	2	2	1	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	3	1	-	4	3	3	2	2	4	2	-	2	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	32	13	1	1	1	-	-	-	-	-	-	1	1	1	1	1	1	2	3	-	1	2	-	1	1	-
	White-----M--	7	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	1	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	Nonwhite--M--	12	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	-	-	1	-	-	-	-
	F--	10	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	4	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	24	2	3	5	2	3	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	1	1	2	-	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	19	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	31	8	5	4	1	2	3	2	1	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	4	4	2	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	2	1	-	-	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	2	-	1	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	19	1	-	2	2	2	4	1	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	-	-	1	1	1	2	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	20	7	3	3	-	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	4	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	1	2	2	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	155	24	10	3	5	3	5	4	5	4	3	8	10	4	12	5	4	10	7	10	11	5	2	1	-	-
	White-----M--	50	5	4	1	1	-	2	1	-	1	1	2	2	-	5	3	1	6	1	5	6	1	2	-	-	-
	F--	43	5	2	2	3	1	1	1	2	-	1	1	1	1	4	1	1	2	3	2	4	4	-	1	-	-
	Nonwhite--M--	29	7	2	-	1	1	1	1	2	2	-	-	1	1	2	1	1	2	1	2	1	-	-	-	-	-
	F--	33	7	2	-	-	1	1	1	1	1	1	5	6	2	1	-	1	-	2	1	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces' overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
140-205	Malignant neoplasms, etc.*	3,812	6	4	9	15	9	30	16	27	30	32	73	123	208	305	432	446	511	450	433	340	195	84	28	4	2
	White----M	1,348	1	2	3	8	5	11	5	14	14	8	23	31	45	80	115	161	192	168	171	153	82	41	11	3	1
	F	1,329	3	1	5	3	4	9	8	4	8	15	22	49	76	110	140	136	152	146	173	144	82	26	11	1	1
	Nonwhite--M	517	1	1	-	1	-	7	1	8	3	2	7	9	35	35	84	80	78	66	49	21	18	9	2	-	-
	F	618	1	-	1	3	-	3	2	1	5	7	21	34	52	80	93	69	89	70	40	22	15	8	4	-	-
140-148	Of buccal cavity and pharynx	111	-	-	1	-	-	-	-	-	-	-	2	2	6	9	12	13	15	14	10	10	12	5	-	-	-
	White----M	56	-	-	-	-	-	-	-	-	-	-	2	1	2	2	7	8	8	7	3	7	7	2	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	5	3	3	3	3	2	-	-	-
	Nonwhite--M	20	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	3	2	3	4	-	1	-	-	-	-
	F	7	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	1	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,146	-	-	-	-	-	-	1	1	3	4	11	20	41	65	122	127	167	162	164	137	77	32	12	-	-
	White----M	411	-	-	-	-	-	-	-	-	1	2	3	7	9	20	33	42	61	64	69	54	30	11	5	-	-
	F	347	-	-	-	-	-	-	-	-	1	1	5	5	9	16	23	32	41	39	62	59	37	13	4	-	-
	Nonwhite--M	217	-	-	-	-	-	-	1	1	-	-	1	3	13	17	41	35	32	32	20	13	4	4	-	-	-
	F	171	-	-	-	-	-	-	-	-	1	1	2	5	10	12	25	18	33	27	13	11	6	4	3	-	-
160-164	Of respiratory system	454	-	-	-	-	-	1	-	2	-	1	6	11	28	42	63	79	90	53	39	23	10	6	-	-	-
	White----M	305	-	-	-	-	-	-	-	1	-	-	2	4	16	30	31	57	70	34	32	17	5	6	-	-	-
	F	59	-	-	-	-	-	-	-	-	-	1	1	1	4	3	10	6	8	11	7	3	4	-	-	-	-
	Nonwhite--M	72	-	-	-	-	-	1	-	1	-	-	2	4	6	6	18	16	11	4	-	2	1	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	1	2	2	3	4	-	1	4	-	1	-	-	-	-	-
170	Of breast	341	-	-	-	-	-	-	-	1	-	2	10	24	24	46	46	45	37	40	24	23	11	4	3	1	-
	White----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	250	-	-	-	-	-	-	-	1	-	1	5	18	16	32	31	32	31	28	23	18	8	2	3	1	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	1	-	1	-	-	-
	F	83	-	-	-	-	-	-	-	-	-	1	5	6	7	14	12	12	5	12	1	4	3	1	-	-	-
171-179	Of genital organs	793	-	-	-	-	-	2	1	2	6	13	13	29	60	81	77	82	99	94	96	61	48	20	7	1	1
	White----M	159	-	-	-	-	-	-	-	2	4	2	1	3	2	2	2	6	11	23	28	33	24	13	2	1	-
	F	303	-	-	-	-	-	1	-	-	-	7	4	10	29	36	35	36	32	36	35	20	16	3	2	-	1
	Nonwhite--M	90	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	11	18	18	19	4	6	2	2	-	-
	F	241	-	-	-	-	-	1	1	-	2	4	8	15	27	41	35	29	38	17	14	4	2	2	1	-	-
180, 181	Of urinary organs	148	-	1	1	4	2	3	1	-	-	1	3	2	3	4	17	11	24	20	18	19	10	2	1	1	-
	White----M	69	-	-	1	1	2	1	-	-	-	-	1	-	-	2	7	7	10	10	9	11	3	2	1	1	-
	F	44	-	1	-	1	-	-	-	-	-	-	-	-	1	1	5	1	10	3	9	7	5	-	-	-	-
	Nonwhite--M	15	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	2	2	4	-	-	2	-	-	-	-
	F	20	-	-	-	2	-	1	1	-	-	-	1	1	1	1	5	1	2	3	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	506	4	-	2	1	2	8	6	8	12	6	22	24	29	36	66	61	50	39	52	41	18	13	4	1	1
	White----M	199	-	-	1	-	1	3	2	4	5	2	13	11	8	15	24	27	19	17	11	16	9	7	2	1	1
	F	186	3	-	1	-	1	3	4	1	5	4	5	10	11	12	22	17	14	14	24	24	5	4	2	-	-
	Nonwhite--M	60	-	-	-	-	-	1	-	3	-	-	2	-	7	5	11	9	8	4	5	-	3	2	-	-	-
	F	61	1	-	-	1	-	1	-	-	2	-	2	3	3	4	9	8	9	4	12	1	1	-	-	-	-
204	Leukemia and aleukemia	171	2	3	5	9	4	14	7	10	1	-	3	6	6	7	16	11	13	13	19	14	7	-	1	-	-
	White----M	81	1	2	1	6	1	6	3	4	1	-	1	2	1	3	4	5	7	6	15	9	2	-	1	-	-
	F	61	-	-	4	2	3	5	4	2	-	-	-	3	3	3	7	4	4	5	4	4	4	-	-	-	-
	Nonwhite--M	20	1	1	-	1	-	3	-	3	-	-	-	-	2	-	4	2	1	-	-	1	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	-	2	1	-	1	1	-	1	2	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	142	-	-	-	1	1	2	-	3	8	5	3	5	11	15	13	17	16	15	11	12	2	2	-	-	-
	White----M	66	-	-	-	1	1	1	-	3	3	2	-	3	7	6	6	9	5	7	4	6	2	-	-	-	-
	F	51	-	-	-	-	-	-	-	-	2	1	2	1	2	4	5	6	7	7	6	6	-	2	-	-	-
	Nonwhite--M	17	-	-	-	-	-	1	-	-	3	1	1	-	1	2	1	1	4	1	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	-	1	1	3	1	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	93	4	1	2	1	1	3	-	3	1	5	6	5	11	17	9	6	5	3	2	4	3	-	1	-	-
	White----M	23	2	-	1	1	-	-	-	-	-	-	1	2	1	4	2	3	3	-	1	2	-	-	-	-	-
	F	26	2	1	1	-	-	1	-	1	1	4	3	-	3	2	1	1	1	1	-	-	2	-	1	-	-
	Nonwhite--M	12	-	-	-	-	-	1	-	1	-	1	-	-	3	4	-	1	-	-	-	-	1	-	-	-	-
	F	32	-	-	-	-	1	1	-	1	-	-	2	3	4	7	6	1	1	2	1	2	-	-	-	-	-
260	Diabetes mellitus	384	1	1	2	1	1	2	2	4	7	6	7	8	20	29	34	41	41	42	59	34	32	8	2	-	-
	White----M	118	1	-	1	-	-	-	-	-	2	3	3	1	4	8	8	8	9	13	23	17	15	2	-	-	-
	F	125	-	-	1	-	1	1	1	1	2	2	2	2	5	7	7	8	13	16	20	14	14	6	2	-	-
	Nonwhite--M	49	-	1	-	-	-	1	1	1	2	-	1	1	5	6	3	2	8	7	8	1	1	-	-	-	-
	F	92	-	-	-	1	-	-	-	2	1	1	1	4	6	8	16	23	11	6	8	2	2	-	-	-	-
290-293	Anemias	75	10	7	1	2	-	2	2	-	1	1	-	1	5	1	3	7	2	6	6	10	3	3	2	-	-
	White----M	22	3	2	-	-	-	1	1	-	-	-	-	-	1	-	1	3	1	2	-	3	2	-	2	-	-
	F	17	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	4	4	1	2	-	-	-
	Nonwhite--M	20	6	2	1	1	-	-	-	-	-	1	-	1	1	-	1	1	-	2	1	2	-	-	-	-	-
	F	16	1	1	-	1	-	1	1	-	1	-	-	-	2	1	1	1	1	1	1	1	-	1	-	-	-
340	Nonmeningococcal meningitis*	51	20	4	1	1	3	3	2	1	2	1	2	3	-	1	3	-	1	1	1	-	1	-	-	-	-
	White----M	6	3	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	10	3	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-
	Nonwhite--M	20	8	3	1	-	2	1	1	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	15	6	1	-	-	-	1	1	-	-	-	2	2	-	1	-	-	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	15,850	9	5	4	1	1	14	20	30	49	73	172	323	565	821	1,332	1,438	1,800	2,195	2,196	1,911	1,592	844	295	90	70
	White----M	5,890	3	-	1	-	1	3	4	5	11	19	35	80	149	305	443	501	709	886	920	806	609	291	81	22	6
	F	4,201	1	1	-	-	-	3	3	3	6	9	33	37	56	105	132	226	332	540	713	744	693	374	142	37	11
	Nonwhite--M	2,886	4	2	1	-	-	5	8	9	9	14	50	97	178	219	375	357	402	383	279	200	144	87	29	11	23
	F	2,873	1	2	2	1	-	3	5	13	23	31	54	109	182	192	382	354	357	386	284	161	146	92	43	20	30
330-334, 400-468	Diseases of cardiovascular system	15,275	6	5	4	1	1	12	15	27	37	56	152	303	543	786	1,280	1,388	1,746	2,125	2,140	1,851	1,542	819	283	86	67
	White----M	5,748	3	-	1	-	1	2	2	4	7	13	32	75	146	296	431	489	697	874	907	782	598	286	77	20	5
	F	4,071	1	1	-	-	-	3	2	3	4	6	27	31	52	99	126	223	325	528	693	727	671	363	139	37	10
	Nonwhite--M	2,745	2	2	1	-	-	5	6	8	9	11	46	93	169	207	364	340	389	358	269	189	136	83	26	10	22
	F	2,711	-	2	2	1	-	2	5	12	17	26	47	104	176	184	359	336	335	365	271	153	137	87	41	19	30
330-334	Vascular lesions, etc.*	4,745	2	3	2	-	1	5	5	6	8	13	44	96	160	197	372	423	529	656	673	612	508	298	91	18	23
	White----M	1,382	1	-	1	-	1	-	1	1	3	1	5	10	25	34	67	88	144	212	259	227	181	99	17	2	3
	F	1,361	-	1	-	-	-	2	-	1	1	-	6	9	17	38	46	67	119	176	217	244	227	127	52	6	5
	Nonwhite--M	904	1	1	-	-	-	2	3	3	2	4	12	29	55	60	115	115	126	121	86	77	44	32	5	2	9
	F	1,098	-	1	1	-	-	1	1	1	2	8	21	48	63	65	144	153	140	147	111	64	56	40	17	8	6
400-402	Rheumatic fever	37	-	-	1	-	-	1	2	4	4	1	4	2	4	3	4	3	-	2	-	1	1	-	-	-	-
	White----M	8	-	-	-	-	-	1	-	-	1	-	-	-	-	2	2	-	-	1	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M	9	-	-	1	-	-	-	2	2	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	2	2	-	1	1	2	-	2	2	-	-	-	-	1	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
410-443	Diseases of heart	9,343	4	2	1	1	-	4	4	14	23	32	84	175	327	536	826	893	1,118	1,359	1,302	1,108	874	426	141	58	31
	White-----M--	3,963	2	-	-	-	-	1	1	3	3	11	24	61	111	248	350	384	516	614	586	488	352	150	43	14	1
	F--	2,395	1	-	-	-	-	-	-	2	2	3	16	18	27	52	70	142	190	330	432	437	374	204	64	26	5
	Nonwhite--M--	1,618	1	1	-	-	-	2	1	3	6	6	26	49	94	131	222	210	242	216	150	104	79	41	17	8	9
	F--	1,367	-	1	1	1	-	1	2	6	12	12	18	47	95	105	184	157	170	199	134	79	69	31	17	10	16
410-416	Chronic rheumatic heart disease	205	-	1	-	-	-	1	3	6	6	7	12	21	13	22	20	20	20	16	9	12	12	4	-	-	-
	White-----M--	57	-	-	-	-	-	-	-	2	-	2	4	4	2	9	7	5	6	2	4	4	3	3	-	-	-
	F--	68	-	-	-	-	-	-	-	1	-	1	4	8	4	7	5	12	8	5	3	4	5	1	-	-	-
	Nonwhite--M--	37	-	1	-	-	-	-	1	-	4	-	2	4	2	3	5	3	2	4	1	3	2	-	-	-	-
	F--	43	-	-	-	-	-	1	2	3	2	4	2	5	5	3	3	-	4	5	1	1	2	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,391	-	-	-	-	-	-	-	2	6	13	32	89	201	332	508	555	738	814	748	606	448	200	63	28	8
	White-----M--	2.838	-	-	-	-	-	-	-	1	-	6	15	47	90	196	283	309	414	451	399	314	207	70	26	9	1
	F--	1,348	-	-	-	-	-	-	-	-	1	1	5	5	15	33	43	83	133	212	250	234	191	103	27	11	1
	Nonwhite--M--	709	-	-	-	-	-	-	-	1	-	4	8	24	52	64	110	94	124	84	61	29	31	17	3	3	-
	F--	496	-	-	-	-	-	-	-	-	5	2	4	13	44	39	72	69	67	67	38	29	19	10	7	5	6
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,056	1	-	-	-	-	3	1	1	1	4	4	11	21	41	81	71	96	139	164	143	142	78	29	13	12
	White-----M--	324	-	-	-	-	-	1	1	-	1	1	1	1	3	11	12	14	20	47	55	58	56	31	8	1	-
	F--	259	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	6	13	17	54	51	54	33	16	6	4
	Nonwhite--M--	271	1	-	-	-	-	2	-	-	-	1	2	5	5	15	36	29	38	43	30	27	21	6	3	2	5
	F--	202	-	-	-	-	-	-	-	1	-	2	1	4	13	13	31	22	25	32	25	7	9	8	2	4	3
430-434	Other diseases of heart	589	3	1	1	1	-	-	-	5	6	4	17	15	21	33	56	59	62	81	80	62	41	21	12	6	2
	White-----M--	183	2	-	-	-	-	-	-	-	1	1	2	6	7	8	18	15	23	19	31	26	13	6	2	3	-
	F--	135	1	-	-	-	-	-	-	1	1	1	4	-	2	3	5	10	7	28	21	16	17	11	4	3	-
	Nonwhite--M--	142	-	-	-	-	-	-	-	2	1	-	4	5	10	15	22	20	13	16	13	10	3	3	4	-	1
	F--	129	-	1	1	1	-	-	-	2	3	2	7	4	2	7	11	14	19	18	15	10	8	1	2	-	1
440-443	Hypertension with heart dis.	2,102	-	-	-	-	-	-	-	-	4	4	19	39	71	108	161	186	202	309	301	285	231	123	37	11	9
	White-----M--	561	-	-	-	-	-	-	-	-	1	1	2	3	9	24	30	41	53	95	97	86	71	40	7	1	-
	F--	585	-	-	-	-	-	-	-	-	-	-	3	4	6	7	15	31	29	68	104	132	107	56	17	6	-
	Nonwhite--M--	459	-	-	-	-	-	-	-	-	1	1	10	11	25	34	49	64	65	69	45	35	22	15	7	3	3
	F--	497	-	-	-	-	-	-	-	-	2	2	4	21	31	43	67	52	55	77	55	32	31	12	6	1	6
444-447	Hypertension without mention of heart	442	-	-	-	-	-	-	-	-	1	7	6	20	25	37	38	24	40	36	68	47	52	30	6	2	3
	White-----M--	118	-	-	-	-	-	-	-	-	-	-	-	1	3	8	6	4	10	14	23	22	15	11	1	-	-
	F--	102	-	-	-	-	-	-	-	-	-	-	-	1	2	6	3	5	8	5	17	17	24	11	2	1	-
	Nonwhite--M--	104	-	-	-	-	-	-	-	-	1	1	2	12	10	10	11	4	11	6	21	1	7	4	2	-	1
	F--	118	-	-	-	-	-	-	-	-	-	6	4	6	10	13	18	11	11	11	7	7	6	4	1	1	2
450	General arteriosclerosis	481	-	-	-	-	-	-	-	-	-	-	-	-	3	3	14	27	27	45	76	68	93	63	44	8	10
	White-----M--	190	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	5	10	16	33	35	42	25	15	4	1
	F--	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	11	20	23	40	20	21	4	-
	Nonwhite--M--	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	7	8	11	9	7	6	6	2	-	3
	F--	81	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	11	8	7	14	3	5	12	6	-	6
451-468	Other diseases of circulatory sys.	227	-	-	-	-	-	2	4	3	1	3	14	10	24	10	26	18	32	27	21	15	14	2	1	-	-
	White-----M--	87	-	-	-	-	-	-	-	-	-	1	3	3	5	2	6	8	17	17	6	9	8	1	1	-	-
	F--	62	-	-	-	-	-	1	2	-	-	2	3	2	6	3	7	4	7	5	7	6	6	1	-	-	-
	Nonwhite--M--	44	-	-	-	-	-	1	-	-	-	-	5	3	8	5	9	4	2	4	3	-	-	-	-	-	-
	F--	34	-	-	-	-	-	-	2	3	1	-	3	2	5	-	4	2	6	1	5	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	575	3	-	-	-	-	2	5	3	12	17	20	20	22	35	52	50	54	70	56	60	50	25	12	4	3
	White-----M--	142	-	-	-	-	-	1	2	1	4	6	3	5	3	9	12	12	12	12	13	24	11	5	4	2	1
	F--	130	-	-	-	-	-	-	1	-	2	3	6	6	4	6	6	3	7	12	20	17	22	11	3	-	1
	Nonwhite--M--	141	2	-	-	-	-	-	2	1	-	3	4	4	9	12	11	17	13	25	10	11	8	4	3	1	1
	F--	162	1	-	-	-	-	1	-	1	6	5	7	5	6	8	23	18	22	21	13	8	9	5	2	1	-
480-493	Influenza and pneumonia, etc.*	1,178	356	50	29	9	5	21	13	17	12	19	17	21	25	32	54	38	66	63	90	71	79	48	28	12	3
	White-----M--	276	52	9	5	3	-	5	2	4	3	3	3	5	4	9	9	8	19	21	34	32	29	8	4	5	-
	F--	244	47	5	4	1	-	3	3	-	1	3	3	2	2	3	10	6	6	8	28	21	38	28	19	2	1
	Nonwhite--M--	359	137	12	11	5	4	8	4	5	5	7	9	6	10	13	21	16	24	19	11	11	7	10	2	2	-
	F--	299	120	24	9	-	1	5	4	8	3	6	2	8	9	7	14	8	17	15	17	7	5	2	3	3	2
480-483	Influenza	164	33	4	2	1	2	1	7	2	1	4	1	2	3	3	12	9	7	12	16	14	12	9	3	2	2
	White-----M--	36	4	-	-	1	-	-	1	1	-	-	-	1	-	-	2	3	5	2	5	5	3	1	1	1	-
	F--	36	2	-	1	-	-	1	2	-	-	1	1	-	-	-	4	-	-	1	5	5	7	4	2	-	-
	Nonwhite--M--	41	10	-	1	-	1	-	2	-	-	2	-	-	2	3	1	2	1	6	1	3	2	3	-	1	-
	F--	51	17	4	-	-	1	-	2	1	1	1	-	1	1	-	5	4	1	3	5	1	-	1	-	-	2
490-493	Pneumonia, etc.*	1,014	323	46	27	8	3	20	6	15	11	15	16	19	22	29	42	29	59	51	74	57	67	39	25	10	1
	White-----M--	240	48	9	5	2	-	5	1	3	3	3	3	4	4	9	7	5	14	19	29	27	26	7	3	4	-
	F--	208	45	5	3	1	-	2	1	-	1	2	2	2	2	3	6	6	6	7	23	16	31	24	17	2	1
	Nonwhite--M--	318	127	12	10	5	3	8	2	5	5	5	9	6	8	10	20	14	23	13	10	8	5	7	2	1	-
	F--	248	103	20	9	-	-	5	2	7	2	5	2	7	8	7	9	4	16	12	12	6	5	1	3	3	-
500-502	Bronchitis	66	14	5	3	4	2	1	-	1	1	1	-	-	1	1	3	2	3	3	7	5	3	4	1	1	-
	White-----M--	24	2	2	2	-	1	1	-	-	-	-	-	-	1	-	1	-	1	1	5	3	1	2	-	1	-
	F--	17	5	1	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	1	-	-
	Nonwhite--M--	14	4	1	-	-	1	-	-	-	1	1	-	-	-	1	2	-	1	2	-	-	-	-	-	-	-
	F--	11	3	1	-	2	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum	156	2	-	-	-	-	-	-	-	-	2	4	11	7	14	18	15	24	19	18	10	8	1	1	2	-
	White-----M--	90	1	-	-	-	-	-	-	-	-	2	2	4	2	12	8	9	13	13	10	8	4	1	-	1	-
	F--	21	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	5	2	6	-	3	-	1	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	1	3	4	1	7	5	5	4	2	-	-	-	-	1	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	4	-	1	3	-	1	-	-	2	1	-	-	-	-
550-553	Appendicitis	53	-	-	-	1	1	2	1	2	-	2	2	3	6	5	4	4	3	5	4	3	3	1	-	1	-
	White-----M--	18	-	-	-	1	1	-	1	-	-	-	-	-	2	1	1	4	1	-	1	2	2	1	-	-	-
	F--	10	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	1	2	1	1	-	-	1	-
	Nonwhite--M--	17	-	-	-	-	-	1	-	1	-	1	2	1	2	2	3	-	-	3	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	1	-	-	-	-	-	1	2	2	-	-	1	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	151	15	2	-	-	-	3	-	-	2	2	7	4	10	7	17	13	10	12	18	8	13	5	1	1	1
	White-----M--	43	2	1	-	-	-	1	-	-	-	-	1	-	2	1	5	2	4	4	8	3	7	1	-	1	-
	F--	45	6	1	-	-	-	1	-	-	1	-	1	1	2	3	4	6	2	4	4	3	4	-	1	-	1
	Nonwhite--M--	37	5	-	-	-	-	-	-	-	1	2	2	1	4	2	5	2	1	3	3	2	1	3	-	-	-
	F--	26	2	-	-	-	-	1	-	-	-	-	3	2	2	1	3	3	3	1	3	-	1	1	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
543,	Gastritis, etc.*--	252	138	18	4	3	-	2	-	1	-	3	4	3	3	7	4	4	7	9	15	15	7	4	1	-	-
571,	White-----M--	47	13	3	1	-	-	-	-	-	-	1	-	-	1	3	1	1	1	5	6	5	4	1	1	-	-
572	F--	45	14	-	1	2	-	-	-	-	-	-	1	2	1	-	-	-	2	4	6	8	2	2	-	-	-
	Nonwhite--M--	89	67	5	-	-	-	2	-	-	-	1	2	1	1	2	1	-	3	-	3	-	-	1	-	-	-
	F--	71	44	10	2	1	-	-	-	1	-	1	1	-	-	2	2	3	1	-	-	2	1	-	-	-	-
581	Cirrhosis of liver	192	1	-	-	-	-	-	1	-	4	4	7	13	22	13	32	22	12	21	17	12	7	3	1	-	-
	White-----M--	93	-	-	-	-	-	-	-	-	2	-	1	4	11	7	22	10	3	10	10	9	3	-	1	-	-
	F--	52	1	-	-	-	-	-	-	-	1	1	1	3	3	3	2	5	7	10	7	2	3	3	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	1	2	2	4	2	1	5	5	2	-	-	1	1	-	-	-	-
	F--	21	-	-	-	-	-	-	1	-	-	1	3	2	6	2	3	2	-	1	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	75	1	-	2	2	3	3	-	-	6	1	2	4	5	2	7	5	5	5	4	9	6	2	-	-	1
	White-----M--	20	-	-	-	1	1	-	-	-	-	-	-	1	1	-	1	2	2	3	2	2	3	1	-	-	-
	F--	15	-	-	-	1	-	1	-	-	1	-	1	-	1	-	-	1	1	-	1	5	-	1	-	-	1
	Nonwhite--M--	23	-	-	2	-	2	1	-	-	2	-	1	1	1	2	3	1	1	2	1	1	2	-	-	-	-
	F--	17	1	-	-	-	-	1	-	-	3	1	-	2	2	-	3	1	1	-	-	1	1	-	-	-	-
610	Hyperplasia of																										
	prostate---------	125	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	7	13	12	23	19	25	18	1	1	-
	White-----M--	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	15	17	19	14	1	-	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	11	6	8	2	6	4	-	1	-
640-	Complications of																										
689	pregnancy, etc.*-	104	...	...	...	...	...	...	-	10	14	17	27	26	6	3	-	-	-	-	-	1	-	-	-	-	-
	White-----F--	31	...	...	...	...	...	...	-	3	5	4	6	10	1	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	73	...	...	...	...	...	...	-	7	9	13	21	16	5	1	-	-	-	-	-	1	-	-	-	-	-
650-	Abortion----------	15	...	...	...	...	...	...	-	2	4	1	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	4	...	...	...	...	...	...	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	11	...	...	...	...	...	...	-	1	4	-	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	85	...	...	...	...	...	...	-	8	10	16	21	25	5	3	-	-	-	-	-	1	-	-	-	-	-
660-	White-----F--	27	...	...	...	...	...	...	-	2	5	3	4	10	1	2	-	-	-	-	-	-	-	-	-	-	-
669	Nonwhite--F--	62	...	...	...	...	...	...	-	6	5	13	17	15	4	1	-	-	-	-	-	1	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	445	311	35	17	11	5	18	6	5	5	4	3	1	2	6	6	4	2	1	-	2	-	1	-	-	-
	White-----M--	161	121	11	5	2	-	4	2	1	5	-	1	-	-	3	3	1	1	-	-	-	-	1	-	-	-
	F--	160	107	15	2	6	5	5	1	3	-	3	1	1	2	2	2	1	1	1	-	2	-	-	-	-	-
	Nonwhite--M--	62	44	4	2	3	-	3	1	1	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
	F--	62	39	5	8	-	-	6	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,798	1,798	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	612	612	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	383	383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	431	431	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	372	372	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	718	718	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	316	316	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	177	177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	917	917	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	266	266	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	245	245	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	216	216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	569	147	7	1	4	1	1	-	3	7	8	7	14	16	20	26	23	29	33	41	39	55	52	19	13	3
795	White-----M--	119	20	1	-	1	-	1	-	-	1	2	2	4	5	7	4	10	6	7	9	3	15	13	4	4	-
	F--	110	18	-	1	-	1	-	-	-	2	-	3	3	1	2	-	2	3	5	9	13	12	21	8	5	1
	Nonwhite--M--	189	58	5	-	2	-	-	-	1	2	1	2	3	6	6	14	8	13	11	14	12	18	7	2	2	2
	F--	151	51	1	-	1	-	-	-	2	2	5	-	4	4	5	8	3	7	10	9	11	10	11	5	2	-
Re-	All other diseases	1,556	125	27	12	4	4	20	18	29	34	40	56	70	113	103	101	132	137	148	125	120	56	43	33	4	2
sid-	White-----M--	573	39	5	6	2	2	10	5	5	7	9	12	19	30	31	34	60	63	76	54	55	21	17	10	1	-
ual	F--	441	24	12	3	1	-	6	5	8	5	14	9	14	20	22	20	29	26	47	52	50	30	22	19	3	-
	Nonwhite--M--	280	34	5	1	1	2	2	3	9	12	6	16	20	29	30	25	22	23	16	12	5	3	2	2	-	-
	F--	262	28	5	2	-	-	2	5	7	10	11	19	17	34	20	22	21	25	9	7	10	2	2	2	-	2
E800-	Accidents---------	2,250	158	45	30	30	29	101	94	182	179	166	154	131	144	123	108	106	83	94	68	86	68	38	22	7	4
E962	White-----M--	1,051	31	16	9	8	13	34	38	95	102	97	86	84	76	58	44	52	50	48	23	32	31	12	5	5	2
	F--	404	26	14	4	9	9	23	16	29	18	14	13	7	15	22	17	11	8	18	28	40	22	23	15	2	1
	Nonwhite--M--	549	49	9	10	7	3	20	32	49	46	49	46	28	42	33	35	31	15	18	10	7	8	-	2	-	-
	F--	246	52	6	7	6	4	24	8	9	13	6	9	12	11	10	12	12	10	10	7	7	7	3	-	-	1
E810-	Motor-vehicle																										
E835	accidents--------	952	12	17	13	9	13	41	36	99	133	89	77	77	66	57	50	51	34	34	15	14	11	1	2	-	1
	White-----M--	526	1	8	6	4	8	13	18	64	79	57	45	53	37	22	19	23	25	20	6	8	8	1	-	-	1
	F--	145	4	3	3	3	3	12	9	13	15	9	7	5	6	15	10	8	4	5	4	5	1	-	1	-	-
	Nonwhite--M--	218	5	4	1	2	1	8	7	19	31	21	21	13	18	16	15	17	5	7	4	-	2	-	1	-	-
	F--	63	2	2	3	-	1	8	2	3	8	2	4	6	5	4	6	3	-	2	1	1	-	-	-	-	-
E800-	All ot. accidents-	1,298	146	28	17	21	16	60	58	83	46	77	77	54	78	66	58	55	49	60	53	72	57	37	20	7	3
E802,	White-----M--	525	30	8	3	4	5	21	20	31	23	40	41	31	39	36	25	29	25	28	17	24	23	11	5	5	1
E840-	F--	259	22	11	1	6	6	11	7	16	3	5	6	2	9	7	7	3	4	13	24	35	21	23	14	2	1
E962	Nonwhite--M--	331	44	5	9	5	2	12	25	30	15	28	25	15	24	17	20	14	10	11	6	7	6	-	1	-	-
	F--	183	50	4	4	6	3	16	6	6	5	4	5	6	6	6	6	9	10	8	6	6	7	3	-	-	1
E963,	Suicide----------	306	-	-	-	-	-	-	2	4	16	30	29	20	38	44	35	23	22	19	9	9	4	1	1	-	-
E970-	White-----M--	231	-	-	-	-	-	-	2	2	11	20	22	16	29	34	24	15	18	16	9	9	3	1	-	-	-
E979	F--	47	-	-	-	-	-	-	-	2	3	5	5	2	5	6	8	6	3	2	-	-	-	-	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	1	4	2	2	2	4	3	2	1	1	-	-	1	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	485	2	1	1	-	-	-	5	36	66	77	81	61	51	35	29	18	7	7	6	1	1	-	-	-	-
E980-	White-----M--	84	-	1	-	-	-	-	-	3	8	10	13	8	10	5	9	8	2	5	2	-	-	-	-	-	-
E985	F--	21	-	-	1	-	-	-	1	-	1	5	1	3	4	2	-	-	1	-	1	-	1	-	-	-	-
	Nonwhite--M--	314	2	-	-	-	-	-	1	28	48	51	54	40	32	24	19	8	4	1	1	1	-	-	-	-	-
	F--	66	-	-	-	-	-	-	3	5	9	11	13	10	5	4	1	2	-	1	2	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO																										
	ALL CAUSES------	4,939	407	26	13	11	8	46	37	77	66	75	67	91	133	175	212	285	432	571	614	630	511	282	144	22	4
	White-----M--	3,001	234	10	9	7	4	27	24	51	46	49	45	56	84	132	137	195	273	368	378	367	270	141	79	12	3
	F--	1,842	154	15	4	4	3	18	13	24	18	17	20	33	45	40	70	87	154	197	226	255	236	136	62	10	1
	Nonwhite--M--	67	11	1	-	-	1	-	-	1	1	6	-	1	4	3	4	1	5	5	8	7	4	3	1	-	-
	F--	29	8	-	-	-	-	1	-	1	1	3	2	1	-	-	1	2	-	1	2	1	1	2	2	-	-
001-019	Tuberculosis, all forms--------	25	1	-	-	-	-	-	-	-	-	-	-	1	2	2	1	4	3	2	3	4	2	-	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	3	2	2	3	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	23	1	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	3	2	3	4	1	-	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	2	2	3	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	1	3	2	-	1	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	3	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	4	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	12	1	-	1	-	-	1	-	-	-	-	3	1	-	-	2	-	-	1	1	-	-	1	-	-	-
	White-----M--	6	-	-	1	-	-	1	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
140-205	Malignant neoplasms, etc.*	683	3	1	-	2	-	5	4	6	4	8	12	13	20	36	41	69	88	99	88	83	65	26	9	-	1
	White----M	355	3	1	-	1	-	3	3	3	1	2	6	4	4	20	15	27	43	59	49	54	33	20	3	-	1
	F	325	-	-	-	1	-	2	1	3	3	6	5	9	16	16	26	42	45	39	39	28	32	6	6	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	1	1	1	1	-	-	-
	White----M	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	1	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	253	-	-	-	-	-	-	-	-	-	-	1	-	5	8	12	22	35	42	43	33	36	13	2	-	1
	White----M	126	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	10	16	19	26	18	16	8	2	-	1
	F	125	-	-	-	-	-	-	-	-	-	-	-	-	4	4	7	12	19	22	17	15	20	5	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
160-164	Of respiratory system	75	-	-	-	-	-	-	-	-	-	-	1	1	6	9	3	11	14	15	7	6	2	-	-	-	-
	White----M	57	-	-	-	-	-	-	-	-	-	-	-	1	3	8	3	8	12	12	3	6	1	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	3	2	3	4	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	48	-	-	-	-	-	-	-	-	-	-	1	4	1	2	6	8	8	2	7	4	4	-	1	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	47	-	-	-	-	-	-	-	-	-	-	1	4	1	2	6	8	7	2	7	4	4	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	106	-	-	-	-	-	-	-	-	1	2	-	1	5	6	9	14	10	13	13	14	11	7	-	-	-
	White----M	48	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	2	6	9	13	7	7	-	-	-
	F	58	-	-	-	-	-	-	-	-	-	2	-	-	5	6	9	12	8	7	4	1	4	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	23	-	1	-	-	-	1	-	-	-	-	-	-	-	2	1	4	2	2	4	4	-	1	1	-	-
	White----M	13	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	3	2	-	1	-	-	-
	F	10	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	-	1	1	2	-	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	82	2	-	-	1	-	3	-	3	3	3	4	1	2	5	3	5	7	10	6	12	6	2	4	-	-
	White----M	49	2	-	-	1	-	2	-	-	-	1	3	-	-	4	2	3	4	9	3	9	4	1	1	-	-
	F	33	-	-	-	-	-	1	-	3	3	2	1	1	2	1	1	2	3	1	3	3	2	1	3	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	55	1	-	-	1	-	1	3	3	-	2	1	4	1	2	2	3	6	9	3	7	4	2	-	-	-
	White----M	35	1	-	-	-	-	1	3	3	-	1	1	1	-	1	1	1	3	7	2	4	3	2	-	-	-
	F	20	-	-	-	1	-	-	-	-	-	1	-	3	1	1	1	2	3	2	1	3	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	31	-	-	-	-	-	-	1	-	-	1	4	1	-	2	5	2	4	3	4	2	1	-	1	-	-
	White----M	18	-	-	-	-	-	-	-	-	-	-	2	-	-	2	4	1	2	3	2	1	1	-	-	-	-
	F	12	-	-	-	-	-	-	1	-	-	1	2	1	-	-	1	1	2	-	2	-	-	-	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	22	-	-	1	-	-	1	-	-	-	-	1	2	2	3	1	1	-	4	2	2	1	1	-	-	-
	White----M	10	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	3	1	1	1	-	-	-	-
	F	12	-	-	-	-	-	1	-	-	-	-	1	1	1	2	1	1	-	1	1	1	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	69	1	-	-	-	-	-	-	1	-	1	-	-	1	3	4	3	13	6	9	14	5	5	3	-	-
	White----M	32	-	-	-	-	-	-	-	-	-	1	-	-	-	3	4	2	3	3	2	7	3	3	1	-	-
	F	34	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	10	3	6	7	1	2	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
290-293	Anemias	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	-	-	-
	White----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,556	1	-	-	-	1	5	4	5	4	10	6	27	56	81	96	136	253	356	411	429	357	197	104	15	2
	White----M	1,587	-	-	-	-	1	3	1	2	2	5	5	18	46	72	68	108	175	229	256	248	189	90	60	8	1
	F	946	1	-	-	-	-	2	3	3	2	4	1	9	10	8	27	27	75	124	150	178	167	105	42	7	1
	Nonwhite--M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	5	2	1	-	1	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-
330-334, 400-468	Diseases of cardiovascular system	2,494	1	-	-	-	1	4	1	3	3	10	3	24	56	79	91	134	247	352	402	420	349	195	103	15	1
	White----M	1,556	-	-	-	-	1	2	-	2	1	5	3	16	46	71	66	107	173	226	252	242	186	90	59	8	-
	F	916	1	-	-	-	-	2	1	1	2	4	-	8	10	7	24	26	71	123	145	175	163	103	42	7	1
	Nonwhite--M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	5	2	-	-	1	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-
330-334	Vascular lesions, etc.*	522	-	-	-	-	-	1	-	-	-	1	-	1	9	7	15	17	45	64	88	104	95	41	29	5	-
	White----M	276	-	-	-	-	-	-	-	-	-	1	-	1	4	5	10	8	28	35	51	54	50	17	11	1	-
	F	242	-	-	-	-	-	1	-	-	-	-	-	-	5	2	5	8	17	28	36	50	45	24	17	4	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
400-402	Rheumatic fever	7	-	-	-	-	1	2	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White----M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
410-443	Diseases of heart-	1,776	1	-	-	-	-	1	-	2	2	7	3	18	44	65	70	112	188	269	295	281	220	131	60	7	-
	White-----M--	1,177	-	-	-	-	-	1	-	2	1	3	3	13	41	60	53	96	138	179	188	171	120	64	38	6	-
	F--	583	1	-	-	-	-	-	-	-	1	3	-	5	3	5	16	16	47	88	103	107	100	66	21	1	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	4	2	-	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
410-416	Chronic rheumatic heart disease----	73	-	-	-	-	-	-	-	2	2	5	1	6	4	4	6	7	11	5	5	5	7	2	1	-	-
	White-----M--	46	-	-	-	-	-	-	-	2	1	2	1	3	4	3	5	5	6	3	2	3	5	-	1	-	-
	F--	26	-	-	-	-	-	-	-	-	1	3	-	3	-	1	1	2	5	2	2	2	2	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,169	-	-	-	-	-	-	-	-	-	1	2	9	37	55	56	92	144	189	205	172	117	58	27	5	-
	White-----M--	854	-	-	-	-	-	-	-	-	-	-	2	9	36	52	45	81	114	139	142	110	70	31	18	5	-
	F--	305	-	-	-	-	-	-	-	-	-	-	-	-	1	3	11	11	25	48	61	59	47	27	8	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	254	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	9	28	40	56	47	45	19	1	-
	White-----M--	148	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	6	16	22	35	22	26	11	1	-
	F--	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	12	18	21	25	18	8	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
430-434	Other diseases of heart---------	81	1	-	-	-	-	1	-	-	-	1	-	2	-	4	-	2	6	12	8	18	15	6	5	-	-
	White-----M--	45	-	-	-	-	-	1	-	-	-	1	-	1	-	4	-	1	3	8	5	11	5	1	4	-	-
	F--	36	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	4	3	7	10	5	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	199	-	-	-	-	-	-	-	-	-	-	-	1	2	1	7	5	18	35	37	30	34	20	8	1	-
	White-----M--	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	9	13	17	12	18	6	4	-	-
	F--	113	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	2	9	22	19	18	16	14	4	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	38	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	3	2	6	6	5	5	6	1	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	5	4	2	-	3	1	-	-
	F--	18	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	1	2	3	5	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	109	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	5	8	10	24	27	17	12	3	1
	White-----M--	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	12	14	6	8	1	-
	F--	55	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4	4	3	12	13	10	4	2	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
451-468	Other diseases of circulatory sys.-	42	-	-	-	-	-	-	-	-	-	1	-	2	3	6	5	1	7	5	3	6	2	-	1	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	-	-	2	1	6	2	1	5	3	2	3	2	-	1	-	-
	F--	14	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	-	2	2	1	3	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	62	-	-	-	-	-	1	3	2	1	-	3	3	-	2	5	2	6	4	9	9	8	2	1	-	1
	White-----M--	31	-	-	-	-	-	1	1	-	1	-	2	2	-	1	2	1	2	3	4	6	3	-	1	-	1
	F--	30	-	-	-	-	-	-	2	2	-	-	1	1	-	1	3	1	4	1	5	3	4	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	119	29	6	2	-	1	-	3	1	-	1	-	2	3	-	2	3	3	7	13	14	13	9	6	1	-
	White-----M--	69	15	3	1	-	1	-	2	-	-	1	-	-	2	-	1	3	3	4	7	8	7	6	4	1	-
	F--	42	9	3	1	-	-	-	1	1	-	-	-	2	1	-	1	-	-	3	4	5	6	3	2	-	-
	Nonwhite--M--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
480-483	Influenza---------	12	3	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	2	3	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
	F--	6	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	107	26	5	2	-	1	-	3	-	-	1	-	2	2	-	2	3	3	7	12	12	10	9	6	1	-
	White-----M--	66	15	3	1	-	1	-	2	-	-	1	-	-	2	-	1	3	3	4	7	7	5	6	4	1	-
	F--	36	8	2	1	-	-	-	1	-	-	-	-	2	-	-	1	-	-	3	4	4	5	3	2	-	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	7	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	23	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-	1	6	4	4	1	2	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	5	2	3	1	2	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	7	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	2	-	1	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	30	4	-	1	-	-	-	-	-	1	-	1	-	-	-	1	3	4	4	3	3	2	3	-	-	-
	White-----M--	21	3	-	1	-	-	-	-	-	1	-	-	-	-	-	1	3	2	3	2	1	2	2	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	2	-	1	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
543,	Gastritis, etc.*	20	7	-	-	-	1	-	-	1	-	2	-	-	-	-	1	1	2	2	-	1	1	1	-	-	-
571,	White-----M--	8	2	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
572	F--	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	1	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	22	1	-	-	-	-	-	-	-	-	-	2	1	2	-	2	3	-	3	3	2	3	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	2	-	1	1	-	-	-	-
	F--	12	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	-	1	2	1	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	15	-	1	-	1	-	1	-	-	1	1	-	-	1	-	2	1	2	1	1	-	1	1	-	-	-
	White-----M--	9	-	-	-	1	-	1	-	-	1	1	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-
	F--	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	4	1	1	1	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	4	1	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	5	...	...	...	...	...	...	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	5	...	...	...	...	...	...	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	5	...	...	...	...	...	...	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	92	78	1	2	-	-	2	2	3	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	50	43	-	2	-	-	1	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	39	33	1	-	-	-	1	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	235	235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	90	7	-	-	-	-	-	-	1	1	-	-	2	2	2	4	5	3	7	7	12	14	12	8	2	1
795	White-----M--	45	2	-	-	-	-	-	-	1	1	-	-	2	1	2	4	4	2	5	4	4	6	3	2	1	1
	F--	37	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	7	6	7	6	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	2	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	275	14	-	3	1	2	5	3	-	4	4	8	7	5	14	13	20	31	33	37	32	24	6	7	2	-
sid-	White-----M--	163	12	-	2	-	1	2	1	-	1	1	3	3	3	6	10	13	18	19	26	16	14	6	5	1	-
ual	F--	104	1	-	1	1	1	3	2	-	3	2	5	4	2	7	3	5	13	13	11	15	9	-	2	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E800-	Accidents	496	20	12	3	4	2	23	19	55	44	42	26	22	27	22	26	23	21	30	20	20	14	14	6	1	-
E962	White-----M--	358	13	5	1	3	1	16	15	41	36	31	24	16	21	16	19	17	14	24	16	12	7	7	3	-	-
	F--	120	7	6	2	1	1	7	4	14	7	5	2	5	4	5	5	6	6	6	3	7	7	6	3	1	-
	Nonwhite--M--	13	-	1	-	-	-	-	-	-	-	4	-	1	2	1	1	-	1	-	-	1	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	235	2	1	-	1	-	10	9	40	37	20	13	13	15	12	15	9	7	13	10	6	1	1	-	-	-
	White-----M--	163	1	-	-	1	-	5	6	28	29	14	12	7	11	7	9	7	2	11	7	4	1	1	-	-	-
	F--	62	1	1	-	-	-	5	3	12	7	3	1	5	3	4	5	2	4	2	2	2	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E800-	All ot. accidents	261	18	11	3	3	2	13	10	15	7	22	13	9	12	10	11	14	14	17	10	14	13	13	6	1	-
E802,	White-----M--	195	12	5	1	2	1	11	9	13	7	17	12	9	10	9	10	10	12	13	9	8	6	6	3	-	-
E840-	F--	58	6	5	2	1	1	2	1	2	-	2	1	-	1	1	-	4	2	4	1	5	7	6	3	1	-
E962	Nonwhite--M--	6	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E963,	Suicide	71	-	-	-	-	-	-	-	3	-	5	4	7	6	11	8	11	3	6	4	2	1	-	-	-	-
E970-	White-----M--	60	-	-	-	-	-	-	-	2	-	4	3	7	2	9	7	10	3	6	4	2	1	-	-	-	-
E979	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	4	2	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	13	1	-	-	-	-	-	1	-	4	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	8	1	-	-	-	-	-	1	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
E985	F--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS																										
	ALL CAUSES------	92,317	5,432	332	191	147	121	379	362	525	698	905	1,195	1,713	2,516	3,800	5,268	7,218	9,717	11,768	11,689	11,084	9,147	5,482	2,099	467	62
	White-----M--	47,928	2,471	151	91	72	68	203	206	306	421	452	552	822	1,285	1,994	2,855	4,148	5,777	6,747	6,321	5,534	4,200	2,275	801	165	9
	F--	35,956	1,797	107	51	49	26	133	112	144	137	232	342	536	749	1,172	1,618	2,254	3,160	4,220	4,739	5,100	4,666	3,063	1,237	277	35
	Nonwhite--M--	4,711	677	40	23	18	13	29	24	49	79	139	164	187	259	349	426	478	443	463	349	236	145	74	29	11	7
	F--	3,722	487	34	26	8	14	14	18	26	61	82	137	168	223	285	369	338	337	338	280	214	136	70	32	14	11
001-019	Tuberculosis, all forms--------	1,061	4	10	4	3	-	2	4	10	21	38	50	59	78	109	101	125	125	117	86	57	44	8	6	-	-
	White-----M--	599	-	2	2	1	-	-	4	2	2	4	13	22	39	59	63	82	91	77	59	37	31	5	4	-	-
	F--	165	-	2	1	1	-	-	-	3	5	6	13	17	7	13	12	19	11	16	15	10	10	3	1	-	-
	Nonwhite--M--	194	1	4	-	-	-	-	-	2	4	11	13	10	25	26	19	19	21	19	9	10	1	-	-	-	-
	F--	103	3	2	1	1	-	2	-	3	10	17	11	10	7	11	7	5	2	5	3	-	2	-	1	-	-
001-008	Tuberculosis of respiratory system----------	950	1	3	-	1	-	-	1	7	18	34	45	52	71	99	98	114	113	104	85	52	38	8	6	-	-
	White-----M--	557	-	1	-	-	-	-	1	2	2	3	13	21	36	56	62	78	84	71	58	35	25	5	4	-	-
	F--	145	-	-	-	1	-	-	-	3	3	6	12	16	6	11	12	16	8	13	15	9	10	3	1	-	-
	Nonwhite--M--	171	-	1	-	-	-	-	-	2	4	11	12	8	22	24	18	16	19	16	9	8	1	-	-	-	-
	F--	77	1	1	-	-	-	-	-	-	9	14	8	7	7	8	6	4	2	4	3	-	2	-	1	-	-
010-019	Tuberculosis, other forms------	111	3	7	4	2	-	2	3	3	3	4	5	7	7	10	3	11	12	13	1	5	6	-	-	-	-
	White-----M--	42	-	1	2	1	-	-	3	-	-	1	-	1	3	3	1	4	7	6	1	2	6	-	-	-	-
	F--	20	-	2	1	-	-	-	-	-	2	-	1	1	1	2	-	3	3	3	-	1	-	-	-	-	-
	Nonwhite--M--	23	1	3	-	-	-	-	-	-	-	-	1	2	3	2	1	3	2	3	-	2	-	-	-	-	-
	F--	26	2	1	1	1	-	2	-	3	1	3	3	3	-	3	1	1	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	214	-	-	-	-	-	-	-	1	1	1	3	5	6	13	16	32	40	43	21	20	8	4	-	-	-
	White-----M--	118	-	-	-	-	-	-	-	-	-	1	-	-	3	4	8	13	30	29	16	9	5	-	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	7	3	7	3	6	3	4	-	-	-
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	1	-	1	1	2	7	5	8	5	5	-	3	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	1	-	-	1	1	1	2	2	4	2	2	2	2	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	16	4	1	1	-	-	1	-	-	1	-	-	1	1	1	-	-	2	1	-	-	1	1	-	-	-
	White-----M--	6	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-
	F--	6	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	10	2	-	-	-	-	1	1	-	1	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-
	White-----M--	5	1	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	6	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	54	19	8	3	5	-	3	3	1	4	-	-	-	1	1	3	1	-	2	-	-	-	-	-	-	-
	White-----M--	29	11	5	2	3	-	-	-	-	3	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-
	F--	18	7	1	1	1	-	2	2	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	102	3	2	2	2	2	14	18	8	10	16	12	4	2	4	1	2	-	-	-	-	-	-	-	-	-
	White-----M--	59	-	2	1	1	1	10	12	6	6	7	6	3	2	1	-	1	-	-	-	-	-	-	-	-	-
	F--	38	3	-	1	1	-	4	6	2	3	8	5	1	-	2	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	17	2	2	4	1	-	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	1	1	2	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	2	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	200	16	5	2	3	2	8	7	2	7	8	10	8	16	19	18	10	17	13	8	10	1	7	2	-	1
	White-----M--	89	9	4	1	1	1	4	5	1	2	1	1	1	8	10	11	5	9	4	5	1	-	5	-	-	-
	F--	85	4	1	-	1	1	4	1	1	1	3	8	5	7	7	5	3	8	7	3	9	1	2	2	-	1
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	2	-	2	-	-	-	-	-	-	-
	F--	17	3	-	1	1	-	-	1	-	3	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS—Con.																										
140-205	Malignant neoplasms, etc.*----	15,344	22	16	17	26	21	54	51	39	50	103	170	312	536	870	1,230	1,664	2,171	2,375	2,134	1,734	1,088	514	122	23	2
	White-----M--	7,481	11	14	13	19	15	27	26	19	25	45	63	98	185	299	494	812	1,149	1,280	1,145	891	538	258	47	8	-
	F--	6,760	8	2	4	5	4	24	23	14	20	47	79	164	275	463	604	701	868	955	873	781	517	244	71	13	1
	Nonwhite--M--	578	2	-	-	2	1	-	1	5	1	8	9	22	26	42	56	84	90	90	81	31	18	6	3	-	-
	F--	525	1	-	-	-	1	3	1	1	4	3	19	28	50	66	76	67	64	50	35	31	15	6	1	2	1
140-148	Of buccal cavity and pharynx------	364	-	-	1	1	-	-	-	-	1	-	2	3	10	13	26	45	54	69	45	41	36	16	1	-	-
	White-----M--	267	-	-	1	1	-	-	-	-	-	-	-	1	7	9	19	31	42	55	36	28	24	12	1	-	-
	F--	73	-	-	-	-	-	-	-	-	-	-	2	1	2	3	5	6	9	11	8	11	11	4	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	3	2	1	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	3	-	1	-	1	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	5,864	1	-	-	-	1	1	1	1	5	14	24	78	130	221	407	551	801	988	988	814	508	269	53	8	-
	White-----M--	2,982	-	-	-	-	-	1	1	-	2	3	12	29	66	101	192	284	443	526	531	419	232	120	16	4	-
	F--	2,456	-	-	-	-	1	-	-	1	2	8	7	31	44	94	159	215	294	394	402	367	257	142	35	3	-
	Nonwhite--M--	257	-	-	-	-	-	-	-	-	-	3	2	11	11	13	28	34	40	43	42	16	10	3	1	-	-
	F--	169	1	-	-	-	-	-	-	-	1	-	3	7	9	13	28	18	24	25	13	12	9	4	1	1	-
160-164	Of respiratory system----------	1,917	-	-	-	-	1	-	1	2	2	7	11	26	70	110	180	301	361	355	255	142	59	29	4	1	-
	White-----M--	1,490	-	-	-	-	-	-	-	2	-	3	7	15	48	73	140	247	306	300	181	102	42	22	1	1	-
	F--	276	-	-	-	-	-	-	1	-	1	2	2	7	11	17	21	24	32	39	56	38	17	6	2	-	-
	Nonwhite--M--	125	-	-	-	-	-	-	-	-	1	1	2	3	10	17	14	27	19	13	15	1	-	1	1	-	-
	F--	26	-	-	-	-	1	-	-	-	-	1	-	1	1	3	5	3	4	3	3	1	-	-	-	-	-
170	Of breast---------	1,440	1	-	-	-	-	-	-	-	-	4	30	46	85	163	175	180	202	156	148	123	74	35	14	4	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	-	3	-	-	2	-	-
	F--	1,349	1	-	-	-	-	-	-	-	-	4	25	42	75	147	168	167	189	150	143	115	73	34	12	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	79	-	-	-	-	-	-	-	-	-	-	5	4	10	14	6	12	12	4	5	5	1	1	-	-	-
171-179	Of genital organs-	2,292	-	-	-	-	-	-	3	4	9	15	30	54	108	153	203	231	291	319	295	292	183	75	23	3	1
	White-----M--	786	-	-	-	-	-	-	1	1	4	7	4	2	6	14	14	31	79	115	155	160	123	57	11	2	-
	F--	1,273	-	-	-	-	-	-	2	2	5	8	19	41	79	120	158	168	181	180	115	114	52	17	11	1	-
	Nonwhite--M--	75	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	9	16	13	15	9	5	1	1	-	-
	F--	158	-	-	-	-	-	-	-	-	-	-	7	11	22	18	28	23	15	11	10	9	3	-	-	-	1
180, 181	Of urinary organs-	750	2	3	1	2	1	3	-	-	1	4	4	7	14	29	42	80	114	131	103	107	65	25	10	2	-
	White-----M--	476	1	3	1	2	1	-	-	-	-	1	3	3	8	14	26	53	72	92	70	70	35	14	7	-	-
	F--	237	1	-	-	-	-	2	-	-	1	1	-	1	6	8	13	22	33	37	31	35	30	11	3	2	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	1	3	-	4	3	4	7	1	2	1	-	-	-	-	-
	F--	11	-	-	-	-	-	1	-	-	-	2	-	-	-	3	-	1	2	1	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,435	8	9	6	8	3	12	20	16	8	16	33	51	63	96	110	152	184	181	167	121	108	45	14	3	1
	White-----M--	763	4	9	4	6	1	5	9	7	6	12	19	25	25	41	54	87	106	103	97	60	56	19	7	1	-
	F--	604	3	-	2	2	1	6	9	7	2	3	8	23	34	46	48	58	72	71	66	59	50	25	7	1	1
	Nonwhite--M--	32	1	-	-	-	1	-	1	2	-	1	3	2	1	1	5	3	2	4	2	2	1	-	-	-	-
	F--	36	-	-	-	-	-	1	1	-	-	-	3	1	3	8	3	4	4	3	2	-	1	1	-	1	-
204	Leukemia and aleukemia----------	621	5	4	9	12	14	33	22	8	7	16	16	16	18	42	35	49	65	82	77	49	27	13	1	1	-
	White-----M--	346	3	2	7	7	12	18	12	5	4	5	7	10	9	16	20	30	40	41	51	22	15	9	1	-	-
	F--	239	1	2	2	3	2	14	10	2	1	11	7	4	8	19	12	18	23	37	23	25	11	3	-	1	-
	Nonwhite--M--	16	1	-	-	2	-	-	-	-	-	-	1	-	-	4	1	-	2	2	1	-	1	1	-	-	-
	F--	20	-	-	-	-	-	1	-	1	2	-	1	2	1	3	2	1	-	2	2	2	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	661	5	-	-	3	1	5	4	8	17	27	20	31	38	43	52	75	99	94	56	45	28	7	2	1	-
	White-----M--	359	3	-	-	3	1	3	3	4	9	14	11	13	16	29	28	48	60	46	24	27	11	5	1	-	-
	F--	253	2	-	-	-	-	2	1	2	8	10	9	14	16	9	20	23	35	36	29	17	16	2	1	1	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	2	-	3	-	3	2	2	1	2	1	12	3	1	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	1	4	3	3	2	3	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	300	6	1	1	2	1	9	3	3	5	12	18	17	19	28	33	33	37	31	12	14	8	5	1	1	-
	White-----M--	123	3	-	1	-	1	4	3	3	-	6	5	3	5	13	15	10	19	16	4	7	2	2	-	1	-
	F--	141	3	1	-	-	-	5	-	-	4	5	7	8	12	12	17	16	16	12	6	7	6	3	1	-	-
	Nonwhite--M--	14	-	-	-	2	-	-	-	-	1	-	1	2	1	-	1	3	1	-	2	-	-	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	1	5	4	1	3	-	4	1	3	-	-	-	-	-	-	-
260	Diabetes mellitus-	1,413	-	1	-	-	1	1	4	3	6	8	23	22	27	38	75	116	206	259	245	208	127	36	6	1	-
	White-----M--	527	-	-	-	-	-	-	3	1	2	4	12	11	12	18	25	40	71	102	92	73	46	13	2	-	-
	F--	796	-	-	-	-	-	1	1	2	2	3	8	9	8	15	34	60	120	152	147	127	79	23	4	1	-
	Nonwhite--M--	28	-	1	-	-	1	-	-	-	1	-	1	2	2	1	2	4	4	-	3	4	2	-	-	-	-
	F--	62	-	-	-	-	-	-	-	-	1	1	2	-	5	4	14	12	11	5	3	4	-	-	-	-	-
280-283	Anemias----------	206	2	4	-	1	2	4	5	2	1	1	2	2	5	5	9	13	16	25	29	31	29	11	5	2	-
	White-----M--	92	-	-	-	-	1	2	-	1	-	-	1	1	3	3	2	6	11	13	13	14	13	6	2	-	-
	F--	91	1	2	-	-	-	-	2	-	-	1	-	-	2	1	5	5	5	11	16	17	15	5	3	-	-
	Nonwhite--M--	14	1	1	-	-	1	1	2	1	-	-	1	1	-	1	1	1	-	1	-	-	-	-	-	1	-
	F--	9	-	1	-	1	-	1	1	-	1	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-
340	Nonmeningococcal meningitis*------	82	22	8	6	-	1	1	1	2	2	4	2	4	4	4	3	2	8	3	4	-	1	-	-	-	-
	White-----M--	35	8	4	2	-	-	1	1	-	-	2	1	3	-	2	1	2	4	1	3	-	-	-	-	-	-
	F--	23	6	4	1	-	1	-	-	1	1	-	1	1	1	-	2	-	2	1	-	-	1	-	-	-	-
	Nonwhite--M--	14	4	-	2	-	-	-	-	1	1	2	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-
	F--	10	4	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	52,235	24	7	3	2	6	21	31	57	78	149	325	575	1,002	1,749	2,711	4,027	5,613	7,353	7,728	7,736	6,746	4,229	1,657	374	32
	White-----M--	27,022	9	4	1	-	2	12	9	21	30	63	139	294	546	1,030	1,575	2,407	3,393	4,208	4,103	3,754	2,988	1,683	623	126	2
	F--	21,228	8	2	2	2	3	5	15	24	23	50	85	135	241	402	664	1,127	1,740	2,619	3,203	3,673	3,543	2,429	983	231	19
	Nonwhite--M--	2,084	3	1	-	-	1	1	4	5	15	21	44	70	101	167	248	286	256	283	211	163	108	59	23	8	6
	F--	1,901	4	-	-	-	-	3	3	7	10	15	57	76	114	150	224	207	224	243	211	146	107	58	28	9	5
330-334, 400-468	Diseases of cardiovascular system-	51,052	23	6	3	1	4	15	27	47	65	129	294	551	977	1,696	2,634	3,947	5,494	7,200	7,574	7,599	6,600	4,142	1,628	364	32
	White-----M--	26,483	9	4	1	-	1	9	7	19	22	54	122	285	532	1,009	1,540	2,377	3,333	4,135	4,028	3,690	2,926	1,644	611	123	2
	F--	20,727	7	1	2	1	2	2	14	17	19	42	74	128	233	381	637	1,092	1,696	2,556	3,142	3,615	3,469	2,386	966	226	19
	Nonwhite--M--	2,009	3	1	-	-	1	1	3	5	14	19	42	65	99	162	242	280	249	273	199	154	105	56	23	7	6
	F--	1,833	4	-	-	-	-	3	3	6	10	14	56	73	113	144	215	198	216	236	205	140	100	56	28	8	5
330-334	Vascular lesions, etc.*----------	9,720	4	3	2	1	1	3	4	7	12	14	41	78	177	264	401	612	894	1,283	1,512	1,596	1,499	938	301	69	4
	White-----M--	4,146	-	3	-	-	-	2	1	3	6	9	15	26	73	92	141	272	438	602	703	686	609	336	107	21	1
	F--	4,755	2	-	2	1	1	-	2	4	4	5	13	27	63	98	153	242	361	564	712	841	844	582	186	45	3
	Nonwhite--M--	380	-	-	-	-	-	1	1	-	2	-	4	12	13	33	51	57	46	50	44	33	22	7	2	2	-
	F--	439	2	-	-	-	-	-	-	-	-	-	9	13	28	41	56	41	49	67	53	36	24	13	6	1	-
400-402	Rheumatic fever---	75	-	-	-	-	2	5	16	7	1	1	6	9	-	3	7	7	3	4	2	1	-	1	-	-	-
	White-----M--	33	-	-	-	-	1	2	4	4	-	1	3	4	-	3	2	3	1	2	2	-	-	1	-	-	-
	F--	29	-	-	-	-	1	1	9	2	-	-	1	2	-	-	4	4	2	2	-	1	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	2	2	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS--Con.																										
410-443	Diseases of heart-	38,428	13	3	1	-	1	5	7	26	50	100	213	426	760	1,351	2,138	3,204	4,392	5,651	5,702	5,545	4,610	2,828	1,135	244	23
	White-----M--	20,930	6	1	1	-	-	4	2	8	16	39	93	245	444	876	1,353	2,046	2,783	3,385	3,118	2,776	2,075	1,142	426	90	1
	F--	14,713	3	1	-	-	-	1	3	9	15	30	54	88	163	263	458	801	1,261	1,889	2,294	2,557	2,389	1,606	671	142	13
	Nonwhite--M--	1,500	2	1	-	-	1	-	1	4	10	19	29	48	71	116	180	210	189	214	143	116	74	41	19	5	5
	F--	1,285	2	-	-	-	-	-	1	5	9	12	37	45	82	94	147	147	159	163	147	96	72	37	19	7	4
410-416	Chronic rheumatic heart disease----	1,204	-	1	-	-	1	2	4	13	25	36	60	72	111	122	130	143	122	120	86	65	44	30	12	5	-
	White-----M--	514	-	1	-	-	-	2	-	5	6	12	23	31	41	49	54	56	66	68	38	33	18	7	3	1	-
	F--	582	-	-	-	-	-	-	2	4	9	17	24	27	59	59	64	79	52	50	44	30	26	23	9	4	-
	Nonwhite--M--	47	-	-	-	-	1	-	1	2	4	4	5	4	7	7	5	3	1	1	2	-	-	-	-	-	-
	F--	61	-	-	-	-	-	-	1	2	6	3	8	10	4	7	7	5	3	1	2	2	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	25,220	3	1	-	-	-	-	-	2	10	28	72	234	430	877	1,463	2,257	3,145	4,002	3,877	3,644	2,817	1,618	599	127	14
	White-----M--	15,116	2	-	-	-	-	-	-	-	5	15	45	176	330	673	1,087	1,606	2,136	2,539	2,269	1,923	1,321	698	235	56	-
	F--	8,730	1	-	-	-	-	-	-	2	3	8	14	29	53	122	246	471	800	1,244	1,446	1,594	1,410	875	343	63	6
	Nonwhite--M--	837	-	1	-	-	-	-	-	-	1	4	6	15	30	53	88	120	127	140	86	73	48	26	12	3	4
	F--	537	-	-	-	-	-	-	-	-	1	1	7	14	17	29	42	60	82	79	76	54	38	19	9	5	4
421, 422	Nonrheumatic chronic endocarditis, etc.*--	6,184	1	1	-	-	-	-	2	3	8	19	33	53	104	147	228	327	442	675	845	1,010	1,045	777	371	86	7
	White-----M--	2,782	1	-	-	-	-	-	2	2	2	5	7	15	27	59	95	153	247	366	420	485	450	285	136	24	1
	F--	2,837	-	1	-	-	-	-	-	1	2	1	5	10	26	40	56	99	149	249	375	491	565	475	225	61	6
	Nonwhite--M--	275	-	-	-	-	-	-	-	-	2	8	10	16	20	19	38	39	24	28	23	20	14	10	4	-	-
	F--	290	-	-	-	-	-	-	-	-	2	5	11	12	31	29	39	36	22	32	27	14	16	7	6	1	-
430-434	Other diseases of heart---------	1,461	9	-	1	-	-	3	1	6	6	8	22	33	48	66	105	157	190	220	222	153	99	80	27	4	1
	White-----M--	895	3	-	1	-	-	2	-	1	3	3	11	15	25	43	59	104	134	147	139	94	51	47	12	1	-
	F--	413	2	-	-	-	-	1	1	2	-	1	6	7	8	9	17	34	46	64	69	54	43	31	15	3	-
	Nonwhite--M--	91	2	-	-	-	-	-	-	1	3	2	2	7	5	11	18	14	4	6	9	2	3	1	-	-	1
	F--	62	2	-	-	-	-	-	-	2	-	2	3	4	10	3	11	5	6	3	5	3	2	1	-	-	-
440-443	Hypertension with heart dis.--	4,359	-	-	-	-	-	-	-	2	1	9	26	34	67	139	212	320	493	634	672	673	605	323	126	22	1
	White-----M--	1,623	-	-	-	-	-	-	-	-	-	4	7	8	21	52	58	127	200	265	252	241	235	105	40	8	-
	F--	2,151	-	-	-	-	-	-	-	-	1	3	5	15	17	33	75	118	214	282	360	388	345	204	79	11	1
	Nonwhite--M--	250	-	-	-	-	-	-	-	1	-	1	6	6	9	28	31	34	33	39	23	21	9	4	3	2	-
	F--	335	-	-	-	-	-	-	-	1	-	1	8	5	20	26	48	41	46	48	37	23	16	10	4	1	-
444-447	Hypertension without mention of heart----------	754	-	-	-	-	-	-	-	2	2	4	22	19	20	39	47	48	64	72	94	107	111	63	33	7	-
	White-----M--	311	-	-	-	-	-	-	-	2	-	2	6	3	4	15	19	17	28	30	49	51	45	25	15	-	-
	F--	320	-	-	-	-	-	-	-	-	-	-	3	1	3	8	15	17	25	35	40	53	61	34	18	7	-
	Nonwhite--M--	70	-	-	-	-	-	-	-	-	1	-	6	3	12	9	7	10	7	4	4	1	4	2	-	-	-
	F--	53	-	-	-	-	-	-	-	-	1	2	7	12	1	7	6	4	4	3	1	2	1	2	-	-	-
450	General arteriosclerosis--------	1,537	-	-	-	-	-	-	-	-	-	1	-	1	5	4	5	22	55	103	190	301	352	298	153	42	5
	White-----M--	754	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4	12	32	60	103	155	177	130	61	12	-
	F--	726	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	9	21	36	75	137	167	158	87	30	3
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4	8	3	5	6	2	-	1
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	6	3	4	3	-	1
451-468	Other diseases of circulatory sys.-	538	6	-	-	-	-	2	-	5	-	9	12	18	15	35	36	54	86	87	74	49	28	14	6	2	-
	White-----M--	309	3	-	-	-	-	1	-	2	-	3	5	7	7	19	21	27	51	56	53	22	20	10	2	-	-
	F--	184	2	-	-	-	-	-	-	2	-	6	3	9	4	12	6	19	26	30	21	26	8	4	4	2	-
	Nonwhite--M--	23	1	-	-	-	-	-	-	-	-	-	2	1	2	2	4	3	6	1	-	1	-	-	-	-	-
	F--	22	-	-	-	-	-	1	-	1	-	-	2	1	2	2	5	5	3	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	1,183	1	1	-	1	2	6	4	10	13	20	31	24	25	53	77	80	119	153	154	137	146	87	29	10	-
	White-----M--	539	-	-	-	-	1	3	2	2	8	9	17	9	14	21	35	30	60	73	75	64	62	39	12	3	-
	F--	501	1	1	-	1	1	3	1	7	4	8	11	7	8	21	27	35	44	63	61	58	74	43	17	5	-
	Nonwhite--M--	75	-	-	-	-	-	-	1	-	1	2	2	5	2	5	6	6	7	10	12	9	3	3	-	1	-
	F--	68	-	-	-	-	-	-	-	1	-	1	1	3	1	6	9	9	8	7	6	6	7	2	-	1	-
480-493	Influenza and pneumonia, etc.*-	2,961	516	81	38	15	13	36	22	13	17	32	38	56	76	109	122	151	216	250	269	280	299	188	96	22	6
	White-----M--	1,379	192	21	9	4	3	14	12	7	6	14	19	25	34	49	60	89	131	140	148	135	140	79	35	10	3
	F--	1,032	143	27	7	6	4	17	5	3	5	9	9	12	18	28	32	30	55	76	106	122	146	104	59	9	-
	Nonwhite--M--	308	98	16	6	2	2	4	2	1	4	6	4	9	16	20	21	22	24	24	5	10	7	2	2	1	-
	F--	242	83	17	16	3	4	1	3	2	2	3	6	10	8	12	9	10	6	10	10	13	6	3	-	2	3
480-483	Influenza--------	76	9	3	-	-	-	2	-	-	-	2	1	-	3	1	5	2	6	3	5	6	13	11	4	-	-
	White-----M--	32	2	3	-	-	-	1	-	-	-	1	-	-	1	1	2	-	2	1	3	3	4	6	2	-	-
	F--	37	6	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	3	2	2	3	9	5	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	2,885	507	78	38	15	13	34	22	13	17	30	37	56	73	108	117	149	210	247	264	274	286	177	92	22	6
	White-----M--	1,347	190	18	9	4	3	13	12	7	6	13	19	25	33	48	58	89	129	139	145	132	136	73	33	10	3
	F--	995	137	27	7	6	4	17	5	3	5	8	8	12	17	28	30	29	52	74	104	119	137	99	58	9	-
	Nonwhite--M--	305	98	16	6	2	2	3	2	1	4	6	4	9	16	20	21	22	23	24	5	10	7	2	1	1	-
	F--	238	82	17	16	3	4	1	3	2	2	3	6	10	7	12	8	9	6	10	10	13	6	3	-	2	3
500-502	Bronchitis--------	215	62	15	3	3	4	6	-	1	2	1	1	-	2	5	4	4	14	20	21	14	17	10	3	1	2
	White-----M--	121	20	8	-	2	3	4	-	1	-	-	1	-	-	4	4	4	12	18	17	8	11	4	-	-	-
	F--	52	10	6	-	-	-	2	-	-	2	-	-	-	1	1	-	-	2	1	4	6	6	6	3	1	1
	Nonwhite--M--	21	15	1	2	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	17	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
540, 541	Ulcer of stomach and duodenum----	575	4	-	-	-	-	-	-	-	1	5	8	18	25	54	51	62	93	87	61	51	37	17	1	-	-
	White-----M--	437	1	-	-	-	-	-	-	-	-	5	5	11	20	39	42	52	78	62	47	40	25	10	-	-	-
	F--	95	-	-	-	-	-	-	-	-	1	-	-	6	1	9	7	4	7	18	13	9	12	7	1	-	-
	Nonwhite--M--	28	1	-	-	-	-	-	-	-	-	-	2	-	3	5	-	6	4	6	-	1	-	-	-	-	-
	F--	15	2	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	4	1	1	1	-	-	-	-	-
550-553	Appendicitis------	156	2	-	-	-	-	6	5	4	3	7	7	6	5	14	13	14	22	9	22	9	4	3	-	1	-
	White-----M--	87	1	-	-	-	-	2	1	1	2	2	3	3	4	8	9	10	16	5	10	6	1	3	-	-	-
	F--	43	-	-	-	-	-	3	2	1	1	-	2	1	1	3	1	3	6	3	9	3	3	-	-	1	-
	Nonwhite--M--	13	1	-	-	-	-	1	1	1	-	3	-	-	-	1	2	-	-	-	3	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	1	1	-	2	2	2	-	2	1	1	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	499	64	1	1	2	1	2	1	1	2	1	-	9	11	24	27	33	43	58	64	54	56	29	12	2	1
	White-----M--	247	37	1	1	-	-	-	1	-	2	-	-	2	5	6	15	19	19	32	33	30	23	15	5	1	-
	F--	218	18	-	-	1	1	1	-	1	-	1	-	4	5	15	6	13	22	25	28	21	33	14	7	1	1
	Nonwhite--M--	21	8	-	-	1	-	1	-	-	-	-	-	2	1	-	3	1	2	-	2	-	-	-	-	-	-
	F--	13	1	-	-	-	-	-	-	-	-	-	-	1	-	3	3	-	-	1	1	3	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS—Con.																										
543,	Gastritis, etc.*--	359	146	12	3	1	3	3	2	2	3	3	7	8	7	12	14	19	21	25	18	17	17	13	2	1	-
571,	White-----M--	155	45	6	2	-	3	2	1	1	2	1	1	5	4	5	6	12	11	16	11	6	8	6	-	1	-
572	F--	125	36	4	-	-	-	1	1	1	1	2	5	3	2	4	6	6	10	9	7	10	9	6	2	-	-
	Nonwhite--M--	46	42	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
	F--	33	23	2	1	1	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	-	1	-	-	-
581	Cirrhosis of liver	1,095	4	-	-	-	-	-	2	1	3	7	31	66	95	129	135	149	163	146	79	47	21	11	5	-	1
	White-----M--	745	2	-	-	-	-	-	-	-	2	5	12	41	60	88	90	108	127	103	57	32	10	5	3	-	-
	F--	284	2	-	-	-	-	-	2	1	1	-	16	22	26	27	32	32	31	37	22	15	10	6	1	-	1
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	-	1	1	2	5	6	10	5	3	4	-	-	1	-	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	1	2	1	4	8	3	4	2	2	-	-	-	-	1	-	-
590,	Acute nephritis,																										
591	etc.*----------	138	3	-	-	3	-	5	3	3	2	7	2	5	7	4	15	9	10	5	18	14	11	9	2	-	1
	White-----M--	70	2	-	-	2	-	5	1	2	-	2	1	3	4	3	8	4	4	3	11	6	3	4	1	-	1
	F--	54	1	-	-	1	-	-	2	1	1	4	-	1	2	-	4	5	5	2	4	7	8	5	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	3	1	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	393	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	10	30	51	81	94	63	41	15	2	-
	White-----M--	369	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	8	27	47	73	91	62	41	14	2	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	4	8	3	1	-	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	76	...	...	...	...	...	...	-	2	15	18	14	20	7	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	52	...	...	...	...	...	...	-	2	10	13	8	13	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	24	...	...	...	...	...	...	-	-	5	5	6	7	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	5	...	...	...	...	...	...	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	...	...	...	...	...	...	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	71	...	...	...	...	...	...	-	2	15	16	14	18	6	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	49	...	...	...	...	...	...	-	2	10	11	8	12	6	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	22	...	...	...	...	...	...	-	-	5	5	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	1,029	803	33	20	8	10	20	17	10	9	3	11	11	9	14	9	8	12	14	4	3	1	-	-	-	-
	White-----M--	533	405	21	9	3	8	14	10	5	4	1	6	4	6	6	6	5	7	8	2	2	1	-	-	-	-
	F--	408	323	9	11	5	2	5	5	5	3	1	4	5	3	7	3	3	5	6	2	1	-	-	-	-	-
	Nonwhite--M--	49	41	3	-	-	-	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	39	34	-	-	-	-	-	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	3,340	3,339	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,531	1,530	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,098	1,098	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	423	423	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	288	288	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	1,971	1,971	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	916	916	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	625	625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	250	250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	180	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn---------	253	253	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	1,116	1,115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	528	527	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	417	417	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	1,003	22	11	6	8	3	10	19	34	68	64	50	57	49	48	57	61	65	66	72	71	61	46	34	15	6
795	White-----M--	588	8	5	5	4	3	6	11	21	48	26	25	34	25	27	38	43	50	48	42	47	34	21	11	5	1
	F--	281	8	2	1	2	-	3	5	11	9	16	10	11	11	13	12	14	10	14	24	21	26	24	22	9	3
	Nonwhite--M--	95	4	2	-	2	-	1	2	1	6	12	12	8	9	6	7	4	5	4	6	2	-	-	-	1	1
	F--	39	2	2	-	-	-	-	1	1	5	10	3	4	4	2	-	-	-	-	-	1	1	1	1	-	1
Re-	All other diseases	3,344	189	40	21	15	12	44	30	33	33	43	79	108	130	164	232	277	391	411	373	305	240	112	53	9	-
sid-	White-----M--	1,755	91	19	13	8	8	25	14	21	18	16	30	44	55	71	109	147	229	253	223	158	124	53	23	3	-
ual	F--	1,335	72	12	4	7	3	15	13	9	8	18	31	53	55	74	95	107	142	146	136	137	108	54	30	6	-
	Nonwhite--M--	128	17	5	3	-	-	2	-	1	4	3	9	6	7	9	15	11	10	5	8	5	4	4	-	-	-
	F--	126	9	4	1	-	1	2	3	2	3	6	9	5	13	10	13	12	10	7	6	5	4	1	-	-	-
E800-	Accidents---------	4,611	142	69	52	44	39	120	132	264	289	273	232	237	254	266	265	270	292	306	262	281	244	179	77	13	9
E962	White-----M--	2,924	76	32	26	23	19	69	93	177	235	199	163	161	183	181	189	175	210	202	143	157	117	53	31	8	2
	F--	1,255	43	29	15	14	7	33	27	59	29	34	35	42	39	54	45	74	63	87	106	115	124	123	46	5	7
	Nonwhite--M--	311	14	5	8	7	7	16	10	21	15	34	26	24	23	26	23	12	12	11	8	3	3	3	-	-	-
	F--	121	9	3	3	-	6	2	2	7	10	6	8	10	9	5	8	9	7	6	5	6	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	1,839	16	20	11	15	13	57	42	170	196	176	140	108	123	123	109	99	121	101	75	63	38	15	3	1	4
	White-----M--	1,272	9	9	7	6	10	36	28	111	165	133	97	75	83	87	81	63	86	60	42	45	26	8	3	1	1
	F--	422	6	9	4	8	1	15	13	50	17	27	24	22	25	25	21	27	25	37	28	17	12	6	-	-	3
	Nonwhite--M--	115	1	-	-	1	2	5	1	6	9	15	17	7	12	10	7	7	6	3	4	1	-	1	-	-	-
	F--	30	-	2	-	-	-	1	-	3	5	1	2	4	3	1	-	2	4	1	1	-	-	-	-	-	-
E800-	All ot. accidents-	2,772	126	49	41	29	26	63	90	94	93	97	92	129	131	143	156	171	171	205	187	218	206	164	74	12	5
E802,	White-----M--	1,652	67	23	19	17	9	33	65	66	70	66	66	86	100	94	108	112	124	142	101	112	91	45	28	7	1
E840-	F--	833	37	20	11	6	6	18	14	9	12	7	11	20	14	29	24	47	38	50	78	98	112	117	46	5	4
E962	Nonwhite--M--	196	13	5	8	6	5	11	9	15	6	19	9	17	11	16	16	5	6	8	4	2	3	2	-	-	-
	F--	91	9	1	3	-	6	1	2	4	5	5	6	6	6	4	8	7	3	5	4	6	-	-	-	-	-
E963,	Suicide----------	887	-	-	-	-	-	-	-	14	24	42	45	67	92	74	101	108	100	88	70	34	19	9	-	-	-
E970-	White-----M--	677	-	-	-	-	-	-	-	11	18	30	34	42	65	56	73	87	75	76	58	30	14	8	-	-	-
E979	F--	174	-	-	-	-	-	-	-	1	2	7	8	17	23	17	24	20	24	11	11	3	5	1	-	-	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	2	4	2	3	8	4	1	3	1	1	1	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	371	7	3	3	1	-	1	1	15	39	59	53	35	47	41	17	17	10	10	7	-	4	-	-	-	1
E980-	White-----M--	112	4	1	1	-	-	-	-	5	12	18	9	10	14	10	7	7	4	1	6	-	3	-	-	-	-
E985	F--	47	1	1	-	1	-	1	-	2	3	4	7	3	3	5	4	2	3	5	-	-	1	-	-	-	1
	Nonwhite--M--	189	1	-	2	-	-	-	1	7	20	33	34	20	28	24	5	7	2	4	1	-	-	-	-	-	-
	F--	23	1	1	-	-	-	-	-	1	4	4	3	2	2	2	1	1	1	-	-	-	-	-	-	-	-
E965,	Operations of war-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA																										
	ALL CAUSES------	40,167	2,790	179	103	96	58	211	162	304	267	350	489	643	1,014	1,424	1,991	2,632	3,641	4,538	5,141	5,099	4,770	2,875	1,112	242	36
	White-----M--	21,643	1,454	87	49	51	31	118	94	198	168	217	251	342	550	850	1,201	1,596	2,087	2,660	2,839	2,637	2,331	1,313	418	89	12
	F--	16,180	1,005	70	47	40	23	74	58	79	72	100	159	232	348	449	572	841	1,309	1,640	2,095	2,315	2,328	1,494	672	139	19
	Nonwhite--M--	1,269	170	12	6	3	3	10	3	17	11	21	39	34	63	63	117	116	137	139	115	90	52	30	10	5	3
	F--	1,075	161	10	1	2	1	9	7	10	16	12	40	35	53	62	101	79	108	99	92	57	59	38	12	9	2
001-019	Tuberculosis, all forms--------	385	6	5	1	2	-	2	-	4	6	9	16	26	28	22	38	30	37	59	45	26	13	10	-	-	-
	White-----M--	211	4	-	-	-	-	2	-	1	2	3	6	11	13	12	22	18	24	42	27	14	6	4	-	-	-
	F--	118	1	1	-	1	-	-	-	1	1	3	6	11	10	6	7	9	9	15	14	10	7	6	-	-	-
	Nonwhite--M--	33	-	4	1	1	-	-	-	-	1	1	2	1	4	3	4	1	3	2	4	1	-	-	-	-	-
	F--	23	1	-	-	-	-	-	-	2	2	2	2	3	1	1	5	2	1	-	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	356	2	1	-	1	-	-	-	4	5	8	15	24	28	22	36	29	36	54	44	25	12	10	-	-	-
	White-----M--	201	2	-	-	-	-	-	-	1	2	3	5	11	13	12	22	18	24	40	26	13	5	4	-	-	-
	F--	110	-	-	-	-	-	-	-	1	1	3	6	10	10	6	7	8	8	13	14	10	7	6	-	-	-
	Nonwhite--M--	26	-	1	-	1	-	-	-	-	-	-	2	1	4	3	4	1	3	1	4	1	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	2	2	2	2	2	1	1	3	2	1	-	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	29	4	4	1	1	-	2	-	-	1	1	1	2	-	-	2	1	1	5	1	1	1	-	-	-	-
	White-----M--	10	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	2	1	1	1	-	-	-	-
	F--	8	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	3	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	135	-	-	-	-	-	-	-	-	-	-	1	-	4	14	11	23	29	20	16	6	9	1	1	-	-
	White-----M--	82	-	-	-	-	-	-	-	-	-	-	-	-	2	6	5	18	18	15	8	4	6	-	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	2	5	2	5	2	2	1	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	4	2	1	-	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	2	1	2	-	-	-	-	-	-
040	Typhoid fever-----	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	9	2	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	1	1	-	-	-
	White-----M--	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	14	1	3	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	2	3	-	-	-	-
	White-----M--	6	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	7	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	14	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	41	17	5	6	2	1	3	-	1	1	-	-	2	-	-	-	2	1	-	-	-	-	-	-	-	-
	White-----M--	21	7	5	2	1	1	2	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	19	9	-	4	1	-	1	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	44	3	2	1	2	1	9	7	6	3	2	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	29	3	2	1	2	1	3	3	4	2	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	-	-	-	-	-	6	4	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	16	3	-	2	3	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	1	-	1	2	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	110	18	3	1	1	-	6	5	4	4	1	5	3	6	3	8	8	5	5	7	5	5	4	2	1	-
	White-----M--	41	6	1	1	1	-	3	1	2	1	1	1	-	3	2	2	3	2	2	3	3	1	1	-	1	-
	F--	56	7	2	-	-	-	2	4	2	1	-	2	3	3	-	5	4	3	3	4	2	4	3	2	-	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	3	-	-	-	-	1	-	-	2	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
140-205	Malignant neoplasms, etc.*----	6,203	11	11	9	23	5	28	19	25	19	39	71	125	234	324	434	631	838	882	886	737	514	249	72	12	5
	White-----M--	3,008	4	3	6	13	2	11	9	17	7	23	25	41	85	131	198	311	388	465	482	375	265	112	30	4	1
	F--	2,898	5	7	3	9	3	15	8	7	12	15	42	70	130	167	207	282	400	375	377	345	238	133	39	7	2
	Nonwhite--M--	160	2	-	-	1	-	-	-	1	-	-	-	3	9	13	16	20	29	25	19	10	5	2	2	1	2
	F--	137	-	1	-	-	-	2	2	-	-	1	4	11	10	13	13	18	21	17	8	7	6	2	1	-	-
140-148	Of buccal cavity and pharynx------	131	3	-	-	-	-	-	-	-	-	-	1	-	4	6	5	11	17	17	36	13	12	3	2	-	1
	White-----M--	100	2	-	-	-	-	-	-	-	-	-	1	-	2	4	4	8	12	13	29	10	12	2	1	-	-
	F--	24	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	3	3	6	2	-	1	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	-	-	-	-	1
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	2,278	1	-	1	2	-	1	-	2	2	7	14	21	59	85	128	202	314	327	381	324	258	116	28	3	2
	White-----M--	1,122	-	-	1	1	-	1	-	2	-	5	3	10	21	43	76	113	139	172	207	152	124	43	7	1	1
	F--	1,050	-	-	-	1	-	-	-	-	2	1	10	9	29	34	44	82	149	141	160	164	130	71	20	2	1
	Nonwhite--M--	65	1	-	-	-	-	-	-	-	-	-	-	-	4	6	5	2	19	8	10	5	3	1	1	-	-
	F--	41	-	-	-	-	-	-	-	-	-	1	1	2	5	2	3	5	7	6	4	3	1	1	-	-	-
160-164	Of respiratory system----------	731	-	-	-	-	-	-	-	-	1	2	4	10	29	53	70	110	132	143	92	55	20	8	2	-	-
	White-----M--	582	-	-	-	-	-	-	-	-	1	2	4	6	25	39	51	90	112	119	73	38	14	6	2	-	-
	F--	109	-	-	-	-	-	-	-	-	-	-	-	4	2	10	11	6	18	18	18	15	6	1	-	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	-	-	2	4	7	13	2	5	1	1	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
170	Of breast---------	520	-	-	-	-	-	-	-	-	1	3	10	15	31	45	52	57	77	69	60	46	30	14	9	1	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-
	F--	491	-	-	-	-	-	-	-	-	1	3	10	12	29	43	46	54	72	65	58	45	29	14	9	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	3	2	2	6	2	3	3	1	-	1	-	-	-	-
171-179	Of genital organs-	1,069	-	-	-	-	-	-	-	1	3	8	14	31	50	65	66	109	130	134	144	136	103	55	13	5	2
	White-----M--	373	-	-	-	-	-	-	-	-	2	4	3	2	1	4	6	14	22	52	66	78	70	38	9	2	-
	F--	633	-	-	-	-	-	-	-	1	1	4	9	24	46	53	58	87	98	71	74	54	30	17	3	2	1
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	1	1	1	-	-	1	1
	F--	49	-	-	-	-	-	-	-	-	-	-	2	5	3	8	1	7	8	6	3	3	2	-	1	-	-
180, 181	Of urinary organs-	298	-	1	2	-	1	3	-	1	-	-	1	3	5	8	20	25	39	49	50	44	26	15	5	-	-
	White-----M--	195	-	-	1	-	-	-	-	1	-	-	-	2	3	7	13	21	28	30	31	29	16	10	3	-	-
	F--	91	-	1	1	-	1	3	-	-	-	-	1	-	2	1	6	4	10	17	16	15	8	4	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	3	-	-	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	630	3	4	1	6	1	11	6	10	6	10	5	18	28	34	55	71	80	65	60	68	49	27	9	3	-
	White-----M--	322	-	1	-	4	-	6	2	7	1	7	3	8	12	20	31	40	45	31	35	32	23	7	6	1	-
	F--	283	3	2	1	2	1	3	3	2	5	3	2	9	15	12	22	27	30	31	24	35	26	20	3	2	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	1	3	2	1	1	-	-	-	-	-
	F--	11	-	1	-	-	-	2	1	-	-	-	-	-	-	-	1	3	2	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	291	4	5	5	15	3	10	10	5	3	5	6	13	11	15	16	22	26	36	35	29	6	7	4	-	-
	White-----M--	161	2	2	4	8	2	3	5	2	2	1	2	5	8	6	10	10	15	21	25	20	2	4	2	-	-
	F--	122	1	3	1	6	1	7	5	3	1	4	4	7	3	9	6	10	11	14	8	9	4	3	2	-	-
	Nonwhite--M--	7	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	255	-	1	-	-	-	3	3	6	3	4	16	14	17	13	22	24	23	42	28	22	10	4	-	-	-
	White-----M--	147	-	-	-	-	-	1	2	5	1	4	9	8	13	8	7	14	13	26	15	15	4	2	-	-	-
	F--	95	-	1	-	-	-	2	-	1	2	-	6	5	3	3	13	9	9	15	13	6	5	2	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	109	5	3	1	-	1	3	-	2	1	1	5	5	11	12	12	5	11	12	6	4	4	4	1	-	-
	White-----M--	43	3	2	1	-	-	2	-	1	1	-	3	2	4	2	5	3	2	5	1	3	1	1	1	-	-
	F--	52	2	-	-	-	-	1	-	1	-	1	1	2	6	8	3	2	7	6	5	1	3	3	-	-	-
	Nonwhite--M--	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	11	-	1	-	-	-	-	-	-	-	-	1	1	1	1	4	-	1	1	-	-	-	-	-	-	-
260	Diabetes mellitus-	716	-	-	-	1	-	4	2	4	2	4	7	7	17	24	37	66	80	122	120	98	79	30	12	-	-
	White-----M--	271	-	-	-	-	-	3	-	2	2	1	4	4	8	10	16	25	27	43	36	35	37	13	5	-	-
	F--	396	-	-	-	1	-	1	1	2	-	3	3	3	4	9	18	32	43	72	80	58	42	17	7	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	1	4	1	2	-	-	-	-	-
	F--	33	-	-	-	-	-	-	1	-	-	-	-	-	3	3	2	6	9	3	3	3	-	-	-	-	-
290-293	Anemias----------	130	4	-	1	1	-	1	1	1	1	-	1	-	2	5	3	6	4	11	24	18	21	17	8	-	-
	White-----M--	60	-	-	-	-	-	1	1	-	1	-	-	-	2	2	2	3	3	7	11	7	6	8	6	-	-
	F--	62	2	-	1	1	-	-	-	-	-	-	1	-	-	-	-	3	1	4	12	11	15	9	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	39	16	6	1	2	-	1	2	-	-	3	1	-	1	-	1	1	2	1	-	-	1	-	-	-	-
	White-----M--	18	8	3	1	1	-	-	1	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	16	7	3	-	1	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	22,503	13	5	2	2	3	14	25	37	26	52	109	189	398	646	1,043	1,383	2,107	2,807	3,397	3,559	3,474	2,170	838	187	17
	White-----M--	12,256	6	2	1	-	1	8	9	21	4	25	56	108	251	433	689	898	1,276	1,673	1,880	1,844	1,701	981	316	66	7
	F--	9,145	4	2	1	-	2	4	12	11	16	23	33	55	97	154	224	376	697	989	1,380	1,614	1,693	1,130	508	110	10
	Nonwhite--M--	584	2	1	-	1	-	1	2	3	2	2	6	14	30	26	68	66	73	79	74	61	37	26	7	3	-
	F--	518	1	-	-	1	-	1	2	2	4	2	14	12	20	33	62	43	61	66	63	40	43	33	7	8	-
330-334, 400-468	Diseases of cardiovascular system-	21,988	13	3	2	2	2	8	22	31	22	42	103	174	381	628	1,017	1,357	2,070	2,758	3,339	3,479	3,399	2,110	825	184	17
	White-----M--	12,023	6	2	1	-	1	5	8	17	4	21	53	102	246	426	679	891	1,259	1,650	1,849	1,798	1,667	955	313	63	7
	F--	8,901	4	-	1	-	1	2	10	9	13	18	31	49	89	146	212	361	677	967	1,356	1,582	1,657	1,098	498	110	10
	Nonwhite--M--	560	2	1	-	1	-	-	2	3	1	1	6	11	28	25	68	64	73	75	72	60	33	24	7	3	-
	F--	504	1	-	-	1	-	1	2	2	4	2	13	12	18	31	58	41	61	66	62	39	42	33	7	8	-
330-334	Vascular lesions, etc.*----------	5,236	1	-	-	2	-	2	4	1	5	7	19	35	58	112	198	248	428	657	818	947	950	505	201	36	2
	White-----M--	2,489	-	-	-	-	-	1	1	1	-	2	6	15	23	44	107	117	195	349	404	459	450	228	77	9	1
	F--	2,452	1	-	-	-	-	-	2	-	4	5	7	11	25	44	62	103	194	260	378	458	485	265	121	26	1
	Nonwhite--M--	133	-	-	-	1	-	-	1	-	-	-	2	4	1	8	15	14	24	21	14	15	6	5	2	-	-
	F--	162	-	-	-	1	-	1	-	-	1	-	4	5	9	16	14	14	15	27	22	15	9	7	1	1	-
400-402	Rheumatic fever---	38	-	-	2	-	1	2	12	7	4	3	-	-	1	2	1	1	1	1	-	-	-	-	-	-	-
	White-----M--	20	-	-	1	-	1	2	4	4	-	2	-	-	1	2	-	1	1	1	-	-	-	-	-	-	-
	F--	12	-	-	1	-	-	-	6	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
410-443	Diseases of heart	15,154	9	1	-	-	1	3	4	22	13	24	71	132	300	492	782	1,061	1,554	1,991	2,343	2,290	2,129	1,337	475	109	11
	White-----M--	8,768	4	1	-	-	-	2	1	12	4	14	43	84	210	370	547	746	1,020	1,239	1,352	1,227	1,066	611	173	39	3
	F--	5,709	3	-	-	-	1	1	2	7	6	8	18	34	60	94	144	247	448	668	901	1,005	1,009	689	294	62	8
	Nonwhite--M--	384	1	-	-	-	-	-	1	2	1	1	4	7	23	15	52	43	46	51	53	37	24	17	3	3	-
	F--	293	1	-	-	-	-	-	-	1	2	1	6	7	7	13	39	25	40	33	37	21	30	20	5	5	-
410-416	Chronic rheumatic heart disease	484	-	-	-	-	-	1	2	12	4	7	23	30	31	34	55	47	54	44	47	35	28	23	3	4	-
	White-----M--	233	-	-	-	-	-	1	-	6	1	4	11	15	10	22	29	26	25	22	24	16	6	12	1	2	-
	F--	223	-	-	-	-	-	-	1	4	2	3	9	14	19	12	23	18	29	19	22	16	18	11	2	1	-
	Nonwhite--M--	16	-	-	-	-	-	-	1	1	-	-	3	1	1	-	1	-	-	3	1	2	1	-	-	1	-
	F--	12	-	-	-	-	-	-	-	1	1	-	-	-	1	-	2	3	-	-	-	1	3	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	10,182	2	-	-	-	-	-	-	3	1	8	34	83	233	367	583	825	1,147	1,491	1,625	1,523	1,248	711	239	56	3
	White-----M--	6,478	1	-	-	-	-	-	-	2	-	6	24	63	188	304	460	613	814	998	998	872	661	358	95	19	2
	F--	3,350	-	-	-	-	-	-	-	1	-	1	5	12	31	48	81	172	288	451	578	612	560	336	139	34	1
	Nonwhite--M--	210	1	-	-	-	-	-	-	-	1	-	1	5	12	11	25	29	25	24	27	26	12	8	2	1	-
	F--	144	-	-	-	-	-	-	-	-	-	1	4	3	2	4	17	11	20	18	22	13	15	9	3	2	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,695	2	-	-	-	-	2	-	1	3	1	5	5	8	19	29	42	94	153	234	300	353	284	125	28	7
	White-----M--	809	2	-	-	-	-	1	-	1	1	-	3	4	4	13	14	25	59	83	124	153	165	118	29	9	1
	F--	813	-	-	-	-	-	1	-	-	2	1	2	1	2	6	6	12	28	54	103	140	181	158	93	17	6
	Nonwhite--M--	51	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	3	4	13	5	4	7	5	1	1	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	3	2	3	-	3	2	1	-
430-434	Other diseases of heart	616	5	1	-	-	1	-	2	5	4	2	1	5	7	20	25	41	57	73	80	90	99	67	27	4	-
	White-----M--	304	1	1	-	-	-	-	1	2	1	1	1	-	1	9	13	28	33	37	43	42	47	29	13	1	-
	F--	274	3	-	-	-	1	-	1	2	2	1	-	3	4	9	7	12	17	31	31	47	51	36	14	2	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	1	-	-	-	1	2	-	3	-	4	3	5	1	-	1	-	-	-
	F--	17	1	-	-	-	-	-	-	-	1	-	-	1	-	2	2	1	3	2	1	-	1	1	-	1	-
440-443	Hypertension with heart dis.	2,177	-	-	-	-	-	-	-	1	1	6	8	9	21	52	90	106	202	230	357	342	401	252	81	17	1
	White-----M--	944	-	-	-	-	-	-	-	1	1	3	4	2	7	22	31	54	89	99	163	144	187	94	35	8	-
	F--	1,049	-	-	-	-	-	-	-	-	-	2	2	4	4	19	27	33	86	113	167	190	199	148	46	8	1
	Nonwhite--M--	86	-	-	-	-	-	-	-	-	-	1	-	-	6	4	17	11	13	8	15	4	4	3	-	-	-
	F--	98	-	-	-	-	-	-	-	-	-	-	2	3	4	7	15	8	14	10	12	4	11	7	-	1	-
444-447	Hypertension without mention of heart	333	-	-	-	-	-	-	1	-	-	3	4	4	12	10	5	19	25	39	46	56	59	35	13	2	-
	White-----M--	162	-	-	-	-	-	-	1	-	-	-	1	2	5	6	3	9	10	21	26	21	32	17	7	1	-
	F--	143	-	-	-	-	-	-	-	-	-	3	-	2	2	3	-	7	11	14	18	33	26	17	6	1	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1	-	2	1	1	1	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	3	-	1	1	2	2	4	2	1	1	-	1	-	-	-
450	General arteriosclerosis	986	-	1	-	-	-	-	-	-	-	-	1	-	-	3	5	5	36	47	100	151	246	220	131	36	4
	White-----M--	439	-	1	-	-	-	-	-	-	-	-	1	-	-	1	2	2	17	25	45	72	110	93	54	13	3
	F--	505	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	14	17	50	71	131	121	74	21	1
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	3	6	2	2	2	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	2	2	3	4	1	2	-
451-468	Other diseases of circulatory sys.	241	3	1	-	-	-	1	1	1	-	5	8	3	10	9	26	23	26	23	32	35	15	13	5	1	-
	White-----M--	145	2	-	-	-	-	-	1	-	-	3	2	1	7	3	20	16	16	15	22	19	9	6	2	1	-
	F--	80	-	-	-	-	-	1	-	1	-	1	6	2	2	3	4	3	10	8	9	15	6	6	3	-	-
	Nonwhite--M--	11	1	1	-	-	-	-	-	-	-	-	-	-	-	2	1	4	-	-	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-
592-594	Chronic nephritis, etc.*	515	-	2	-	-	1	6	3	6	4	10	6	15	17	18	26	26	37	49	58	80	75	60	13	3	-
	White-----M--	233	-	-	-	-	-	3	1	4	-	4	3	6	5	7	10	7	17	23	31	46	34	26	3	3	-
	F--	244	-	2	-	-	1	2	2	2	3	5	2	6	8	8	12	15	20	22	24	32	36	32	10	-	-
	Nonwhite--M--	24	-	-	-	-	-	1	-	-	1	1	-	3	2	1	-	2	-	4	2	1	4	2	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	2	-	-	1	1	1	-	-	-	-
480-493	Influenza and pneumonia, etc.*	1,015	228	29	12	4	3	12	10	6	4	5	10	23	16	25	28	46	53	71	78	102	115	73	51	10	1
	White-----M--	506	103	12	5	2	2	3	5	3	2	2	2	8	8	13	22	29	37	43	44	51	50	37	16	6	1
	F--	391	89	11	5	2	1	6	4	3	2	-	4	9	6	9	4	10	10	20	25	41	59	35	33	3	-
	Nonwhite--M--	64	19	3	1	-	-	2	-	-	-	2	1	5	-	3	1	7	3	4	3	6	3	-	-	1	-
	F--	54	17	3	1	-	-	1	1	-	-	1	3	1	2	-	1	-	3	4	6	4	3	1	2	-	-
480-483	Influenza	70	7	1	2	-	-	2	1	-	-	-	-	1	-	-	1	2	4	5	6	10	14	8	5	1	-
	White-----M--	38	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	5	5	7	6	3	-	-
	F--	27	2	1	1	-	-	1	1	-	-	-	-	1	-	-	-	2	1	1	1	4	6	2	2	1	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
490-493	Pneumonia, etc.*	945	221	28	10	4	3	10	9	6	4	5	10	22	16	25	27	44	49	66	72	92	101	65	46	9	1
	White-----M--	468	98	12	5	2	2	3	5	3	2	2	2	8	8	13	21	29	34	40	39	46	43	31	13	6	1
	F--	364	87	10	4	2	1	5	3	3	2	-	4	8	6	9	4	8	9	19	24	37	53	33	31	2	-
	Nonwhite--M--	62	19	3	1	-	-	1	-	-	-	2	1	5	-	3	1	7	3	4	3	5	3	-	-	1	-
	F--	51	17	3	-	-	-	1	1	-	-	1	3	1	2	-	1	-	3	3	6	4	2	1	2	-	-
500-502	Bronchitis	65	21	1	3	-	-	-	-	-	-	-	-	-	-	3	4	3	2	8	6	7	3	2	2	-	-
	White-----M--	36	11	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	5	6	6	1	-	-	-	-
	F--	24	8	-	1	-	-	-	-	-	-	-	-	-	-	1	3	1	-	3	-	1	2	2	2	-	-
	Nonwhite--M--	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	218	-	-	-	-	-	-	-	-	-	1	1	5	14	13	25	23	25	28	34	18	13	14	3	1	-
	White-----M--	157	-	-	-	-	-	-	-	-	-	1	-	3	9	9	21	19	17	26	26	9	9	7	-	1	-
	F--	50	-	-	-	-	-	-	-	-	-	-	1	2	3	2	2	2	6	2	7	9	4	7	3	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	56	-	1	1	1	-	2	2	2	1	-	1	2	1	2	7	2	6	7	5	10	3	-	-	-	-
	White-----M--	31	-	1	1	-	-	-	2	-	-	-	1	1	-	2	4	2	3	6	2	5	1	-	-	-	-
	F--	16	-	-	-	1	-	2	-	2	-	-	-	1	-	-	1	-	2	-	1	4	2	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	238	30	3	-	1	-	1	2	2	1	2	4	2	8	6	6	12	16	30	27	36	31	11	3	3	1
	White-----M--	110	16	3	-	-	-	1	2	-	1	-	1	2	-	2	2	4	7	15	14	19	16	4	-	-	1
	F--	111	10	-	-	1	-	-	-	1	-	2	2	-	5	4	4	7	6	14	12	15	15	7	3	3	-
	Nonwhite--M--	10	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	1	-	2	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	1	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
543, 571, 572	Gastritis, etc.*--	191	77	7	5	-	-	-	-	2	1	1	2	3	5	1	4	11	8	12	13	9	15	12	2	1	-
	White-----M--	96	41	4	2	-	-	-	-	1	1	1	1	-	2	-	3	9	4	6	7	2	8	4	-	-	-
	F--	74	21	3	3	-	-	-	-	1	-	-	1	2	3	1	1	2	3	5	4	7	7	8	1	1	-
	Nonwhite--M--	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	F--	12	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-
581	Cirrhosis of liver	388	1	1	-	-	-	-	-	-	2	2	9	20	25	48	45	52	50	40	39	23	22	7	2	-	-
	White-----M--	259	1	1	-	-	-	-	-	-	2	-	6	12	18	32	35	39	31	28	26	14	9	5	-	-	-
	F--	108	-	-	-	-	-	-	-	-	-	2	2	6	5	10	8	9	17	10	13	9	13	2	2	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	4	1	2	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	-	1	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	70	1	-	2	-	-	3	3	2	2	1	3	3	2	2	5	3	8	7	7	4	5	7	-	-	-
	White-----M--	40	1	-	-	-	-	2	1	1	1	-	2	2	2	-	3	2	5	4	4	2	3	5	-	-	-
	F--	27	-	-	2	-	-	1	2	1	1	1	1	1	-	-	1	1	3	3	3	2	2	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	8	24	30	23	36	20	8	4	-
	White-----M--	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	21	29	23	35	18	8	4	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	1	2	-	-	-
640-689	Complications of pregnancy, etc.*-	43	...	...	...	...	...	...	-	5	6	8	8	10	6	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	37	...	...	...	...	...	...	-	4	5	5	7	10	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	...	...	...	...	...	...	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	5	...	...	...	...	...	...	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	...	...	...	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	38	...	...	...	...	...	...	-	5	5	7	7	8	6	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	33	...	...	...	...	...	...	-	4	4	5	6	8	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	548	441	34	9	3	4	12	2	7	4	5	3	1	3	4	4	3	2	2	2	-	2	-	-	-	1
	White-----M--	282	231	15	2	2	3	6	2	4	2	3	2	1	-	2	2	2	-	2	1	-	-	-	-	-	-
	F--	238	186	16	7	1	1	6	-	3	1	2	1	-	3	2	2	1	2	-	1	-	2	-	-	-	1
	Nonwhite--M--	12	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	13	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,701	1,700	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	898	897	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	594	594	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	694	694	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	393	393	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	233	233	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	135	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	872	871	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	443	442	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	315	315	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	164	11	1	1	1	-	-	1	1	-	-	2	2	4	5	5	7	4	7	13	14	26	29	21	7	2
	White-----M--	89	6	1	-	-	-	-	1	-	-	-	1	-	1	2	4	6	3	7	8	10	14	18	5	2	-
	F--	65	4	-	1	1	-	-	-	-	-	-	1	2	2	3	-	1	-	-	5	2	11	10	16	4	2
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	2	1	-	-	-	-
	F--	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Residual	All other diseases	1,693	89	20	9	8	11	14	12	14	15	25	40	42	57	73	89	156	152	195	216	171	160	89	30	2	4
	White-----M--	882	57	8	5	4	7	6	6	6	6	11	14	23	26	39	48	86	89	115	120	81	62	45	17	-	1
	F--	712	28	11	4	4	4	6	5	4	7	10	18	16	24	32	33	58	54	70	88	85	91	44	13	2	1
	Nonwhite--M--	54	2	1	-	-	-	1	-	1	-	3	5	2	4	2	4	6	5	5	6	5	2	-	-	-	-
	F--	45	2	-	-	-	-	1	1	3	2	1	3	1	3	-	4	6	4	5	2	-	5	-	-	-	2
E800-E962	Accidents---------	2,556	80	30	36	36	26	87	66	162	137	147	141	128	120	134	121	103	134	139	131	202	201	121	56	14	4
	White-----M--	1,615	42	16	20	20	13	58	50	123	112	118	98	95	78	104	73	73	98	90	71	109	86	49	14	5	-
	F--	797	22	11	14	15	10	20	15	29	20	23	26	30	31	26	31	25	29	40	55	91	111	71	40	9	3
	Nonwhite--M--	94	8	-	2	-	2	6	1	9	4	5	11	3	7	2	14	3	6	7	1	-	2	-	-	-	1
	F--	50	8	3	-	1	1	3	-	1	1	1	6	-	4	2	3	2	1	2	4	2	2	1	2	-	-
E810-E835	Motor-vehicle accidents--------	1,067	6	6	12	14	10	46	30	99	92	100	76	73	57	82	66	46	57	60	47	50	31	7	-	-	-
	White-----M--	746	2	4	6	9	6	32	21	71	75	77	47	55	35	63	31	31	39	42	30	41	25	4	-	-	-
	F--	254	2	2	5	5	2	9	8	22	13	18	17	16	16	17	26	12	16	14	16	9	6	3	-	-	-
	Nonwhite--M--	48	1	-	1	-	2	3	1	5	3	4	7	2	4	1	7	1	2	4	-	-	-	-	-	-	-
	F--	19	1	-	-	-	-	2	-	1	1	1	5	-	2	1	2	2	-	-	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,489	74	24	24	22	16	41	36	63	45	47	65	55	63	52	55	57	77	79	84	152	170	114	56	14	4
	White-----M--	869	40	12	14	11	7	26	29	52	37	41	51	40	43	41	42	42	59	48	41	68	61	45	14	5	-
	F--	543	20	9	9	10	8	11	7	7	7	5	9	14	15	9	5	13	13	26	39	82	105	68	40	9	3
	Nonwhite--M--	48	7	-	1	-	-	3	-	4	1	1	4	1	3	1	7	2	4	3	1	-	2	-	-	-	1
	F--	31	7	3	-	1	1	1	-	-	-	-	1	-	2	1	1	-	1	2	3	2	2	1	2	-	-
E963, E970-E979	Suicide----------	457	-	-	-	-	-	-	-	7	19	24	20	24	41	51	49	49	53	43	34	25	13	4	-	-	1
	White-----M--	363	-	-	-	-	-	-	-	6	15	17	16	17	33	42	36	38	40	37	31	20	13	1	-	-	1
	F--	85	-	-	-	-	-	-	-	1	3	5	4	6	7	8	12	11	12	5	3	5	-	3	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	-	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	136	2	2	-	2	1	2	2	8	11	18	23	17	11	7	10	4	6	6	4	-	-	-	-	-	-
	White-----M--	62	1	1	-	2	-	1	1	5	4	9	7	7	5	4	5	3	3	3	1	-	-	-	-	-	-
	F--	26	-	1	-	-	1	1	1	2	2	3	2	2	3	1	4	-	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	40	1	-	-	-	-	-	-	1	4	6	11	5	3	1	1	1	3	1	2	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA																										
	ALL CAUSES------	25,688	1,347	97	57	40	36	159	100	172	191	230	253	316	448	702	1,097	1,490	2,155	2,851	3,371	3,678	3,401	2,275	969	214	39
	White-----M--	14,566	757	52	30	26	22	106	65	112	141	159	156	170	264	448	701	989	1,370	1,726	1,936	2,025	1,745	1,085	384	83	14
	F--	10,848	554	44	26	14	13	51	34	56	47	67	94	142	174	236	384	487	749	1,097	1,405	1,634	1,633	1,176	577	130	24
	Nonwhite--M--	155	21	-	1	-	1	-	-	3	-	3	2	1	3	7	9	6	25	16	20	13	15	4	5	-	-
	F--	119	15	1	-	-	-	2	1	1	3	1	1	3	7	11	3	8	11	12	10	6	8	10	3	1	1
001-019	Tuberculosis, all forms--------	93	1	1	-	1	-	-	-	-	-	-	2	5	3	3	7	11	18	11	10	10	6	2	2	-	-
	White-----M--	64	-	-	-	1	-	-	-	-	-	-	1	2	1	2	5	11	17	5	6	7	3	2	1	-	-
	F--	25	1	1	-	-	-	-	-	-	-	-	1	3	2	-	2	-	1	5	3	2	3	-	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	82	1	-	-	-	-	-	-	-	-	-	2	3	3	3	6	11	15	10	9	9	6	2	2	-	-
	White-----M--	56	-	-	-	-	-	-	-	-	-	-	1	-	1	2	5	11	14	4	5	7	3	2	1	-	-
	F--	23	1	-	-	-	-	-	-	-	-	-	1	3	2	-	1	-	1	5	3	2	3	-	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	11	-	1	-	1	-	-	-	-	-	-	-	2	-	-	1	-	3	1	1	1	-	-	-	-	-
	White-----M--	9	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	3	1	1	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
020-029	Syphilis and its sequelae---------	62	-	-	-	-	-	-	-	1	-	-	-	-	2	4	8	7	12	9	7	7	2	2	-	1	-
	White-----M--	43	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	5	9	4	5	7	2	1	-	-	-
	F--	13	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	2	2	2	-	-	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	9	1	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	-	1	-	2	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	19	4	5	2	1	1	2	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	11	3	2	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	8	1	3	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	49	1	-	1	-	1	8	7	4	6	7	7	3	2	-	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	29	1	-	-	-	1	5	6	1	2	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	-	-	1	-	-	3	1	2	4	-	4	2	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	6	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	72	7	3	2	1	1	5	3	1	5	2	2	4	1	3	3	4	-	7	5	5	1	5	1	1	-
	White-----M--	40	5	3	2	1	1	2	2	-	-	1	1	1	1	1	2	3	-	6	3	1	-	3	1	-	-
	F--	31	2	-	-	-	-	3	1	1	4	1	1	3	-	2	1	1	-	1	2	4	1	2	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Continued																										
140-205	Malignant neoplasms, etc.*----	4,218	2	6	7	3	3	36	11	11	17	28	45	77	109	151	276	401	514	610	623	574	399	219	79	14	3
	White-----M--	2,118	-	2	5	1	1	25	4	7	7	12	23	29	37	53	109	200	276	313	309	334	220	110	38	2	1
	F--	2,056	2	4	2	2	2	11	7	4	10	16	22	47	68	93	163	197	232	294	305	235	178	108	40	12	2
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	3	7	2	1	1	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	1	4	4	2	3	2	-	2	3	-	-	1	-	-
140-148	Of buccal cavity and pharynx------	88	-	-	-	-	-	-	-	1	-	-	-	-	3	2	2	11	8	17	9	17	11	6	1	-	-
	White-----M--	69	-	-	-	-	-	-	-	1	-	-	-	-	3	1	1	7	8	12	8	16	8	4	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	5	1	1	3	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,532	-	-	-	-	-	1	1	-	-	6	9	19	22	40	86	102	187	221	264	241	196	100	32	4	1
	White-----M--	809	-	-	-	-	-	1	1	-	-	1	6	10	8	21	41	59	108	115	138	137	102	46	14	1	-
	F--	706	-	-	-	-	-	-	-	-	-	5	3	9	13	15	44	40	78	104	122	104	94	54	17	3	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	2	1	-	1	-	-	-	1	-	-
160-164	Of respiratory system----------	409	-	-	1	-	-	1	1	-	-	-	2	5	12	17	35	77	80	75	52	27	15	4	3	2	-
	White-----M--	328	-	-	1	-	-	1	-	-	-	-	1	4	8	13	28	68	70	64	37	18	11	2	2	-	-
	F--	70	-	-	-	-	-	-	1	-	-	-	1	1	3	3	6	8	8	10	12	8	4	2	1	2	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
170	Of breast----------	381	-	-	-	-	-	-	1	-	-	1	4	17	16	27	41	45	50	53	48	35	17	16	6	4	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-
	F--	376	-	-	-	-	-	-	1	-	-	1	4	17	15	27	40	45	50	53	47	33	17	16	6	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	696	-	-	1	-	-	-	-	1	6	8	11	15	19	27	44	59	77	92	88	121	59	49	18	1	-
	White-----M--	305	-	-	-	-	-	-	-	-	2	3	5	1	-	-	3	10	24	32	47	83	44	37	14	-	-
	F--	383	-	-	1	-	-	-	-	1	4	5	6	14	18	27	41	49	50	60	40	35	15	12	4	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-
180, 181	Of urinary organs-	215	-	1	-	-	-	2	-	-	-	1	1	1	4	4	10	13	24	38	31	36	31	14	4	-	-
	White-----M--	137	-	-	-	-	-	1	-	-	-	1	1	1	1	2	8	8	18	23	21	26	15	9	2	-	-
	F--	75	-	1	-	-	-	1	-	-	-	-	-	-	3	2	1	5	6	15	10	9	15	5	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	474	-	3	1	-	-	8	3	1	5	6	8	9	20	18	32	54	50	62	66	46	45	20	12	3	2
	White-----M--	228	-	2	1	-	-	7	-	-	2	3	5	6	10	9	15	23	24	35	25	23	24	8	4	1	1
	F--	244	-	1	-	-	-	1	3	1	3	3	3	3	10	9	16	31	26	27	40	23	21	12	8	2	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	224	2	2	3	3	3	19	3	4	2	4	8	3	3	7	7	15	12	32	34	32	18	5	3	-	-
	White-----M--	120	-	-	2	1	1	11	1	3	1	3	3	1	1	2	2	11	8	19	18	18	11	1	2	-	-
	F--	104	2	2	1	2	2	8	2	1	1	1	5	2	2	5	5	4	4	13	16	14	7	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	199	-	-	1	-	-	5	2	4	4	2	2	8	10	9	19	25	26	20	31	19	7	5	-	-	-
	White-----M--	118	-	-	1	-	-	4	2	3	2	1	2	6	6	5	10	14	16	13	14	11	5	3	-	-	-
	F--	79	-	-	-	-	-	1	-	1	2	1	-	1	4	4	9	11	10	7	17	8	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	97	4	1	2	1	2	3	1	2	1	4	6	4	5	11	9	4	11	11	7	2	3	3	-	-	-
	White-----M--	51	3	1	2	1	2	3	1	1	-	2	3	1	-	6	5	2	8	5	3	-	2	-	-	-	-
	F--	45	1	-	-	-	-	-	-	1	1	2	3	3	5	4	4	2	3	6	4	2	1	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	409	-	-	-	1	-	1	-	2	1	5	8	9	5	10	8	24	51	69	71	72	37	28	5	2	-
	White-----M--	186	-	-	-	1	-	-	-	1	1	3	4	6	4	7	7	12	17	22	23	34	23	17	2	2	-
	F--	218	-	-	-	-	-	1	-	1	-	2	4	3	1	2	1	12	33	45	48	38	14	11	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
290-293	Anemias----------	96	1	-	-	-	-	1	1	2	1	-	-	1	1	-	3	1	3	8	17	20	19	11	6	-	-
	White-----M--	35	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	4	4	7	10	4	2	-	-
	F--	60	-	-	-	-	-	1	-	1	1	-	-	1	1	-	3	-	3	3	13	13	9	7	4	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	30	9	2	2	1	-	2	-	-	-	3	2	-	-	1	2	2	1	-	-	1	2	-	-	-	-
	White-----M--	19	6	1	1	1	-	-	-	-	-	3	1	-	-	1	1	2	-	-	-	1	1	-	-	-	-
	F--	11	3	1	1	-	-	2	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	14,681	8	2	1	1	2	5	11	15	17	28	51	81	163	346	526	780	1,207	1,722	2,187	2,488	2,487	1,677	692	157	27
	White-----M--	8,337	6	1	-	1	2	4	7	5	9	17	31	42	113	249	372	564	812	1,090	1,288	1,332	1,256	797	272	60	7
	F--	6,213	2	1	1	-	-	1	4	10	8	10	19	38	46	90	147	208	376	618	880	1,144	1,211	867	416	97	19
	Nonwhite--M--	75	-	-	-	-	-	-	-	-	-	1	1	-	3	4	6	3	12	5	11	10	14	3	2	-	-
	F--	56	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	5	7	9	8	2	6	10	2	-	1
330-334, 400-468	Diseases of cardiovascular system-	14,411	8	2	1	1	2	4	9	10	13	21	45	77	157	331	517	768	1,184	1,692	2,159	2,447	2,442	1,657	681	156	27
	White-----M--	8,186	6	1	-	1	2	3	5	3	6	12	27	39	112	241	364	560	797	1,075	1,273	1,312	1,230	784	267	59	7
	F--	6,098	2	1	1	-	-	1	4	7	7	8	17	37	41	83	146	200	369	604	867	1,124	1,192	860	411	97	19
	Nonwhite--M--	74	-	-	-	-	-	-	-	-	-	1	1	-	3	4	6	3	12	5	11	9	14	3	2	-	-
	F--	53	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	5	6	8	8	2	6	10	1	-	1
330-334	Vascular lesions, etc.*----------	3,699	2	1	-	-	-	-	4	3	3	3	8	14	24	42	89	146	236	381	585	717	746	458	190	41	6
	White-----M--	1,855	2	-	-	-	-	-	2	1	-	3	3	4	15	18	45	94	125	218	337	333	349	224	69	11	2
	F--	1,821	-	1	-	-	-	-	2	2	3	-	5	10	9	23	44	52	104	161	245	382	391	232	121	30	4
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-	3	2	3	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	3	1	-	-	-
400-402	Rheumatic fever---	23	-	-	1	-	1	2	3	1	-	2	-	2	2	1	-	-	2	2	-	1	1	2	-	-	-
	White-----M--	7	-	-	-	-	1	2	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-
	F--	15	-	-	1	-	-	-	2	1	-	2	-	2	1	1	-	-	1	1	-	1	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Continued																										
410-443	Diseases of heart	9,637	5	1	-	1	-	2	2	4	8	15	36	58	117	273	410	598	889	1,253	1,455	1,568	1,475	992	379	83	13
	White-----M--	5,775	3	1	-	1	-	1	2	2	5	9	23	34	89	216	308	453	636	824	867	885	765	456	156	35	4
	F--	3,766	2	-	-	-	-	1	-	2	3	5	12	24	24	51	95	138	242	419	573	674	698	527	220	48	8
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	1	1	-	3	3	6	2	8	4	8	7	10	1	2	-	-
	F--	40	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	5	3	6	7	2	2	8	1	-	1
410-416	Chronic rheumatic heart disease----	318	-	-	-	-	-	1	-	3	3	8	11	21	16	26	35	37	39	28	28	26	21	12	2	1	-
	White-----M--	156	-	-	-	-	-	-	-	2	1	4	6	6	8	17	15	20	23	10	14	12	11	5	2	-	-
	F--	161	-	-	-	-	-	1	-	1	2	4	5	15	8	9	20	17	16	17	14	14	10	7	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,923	3	1	-	-	-	-	-	-	1	5	20	30	86	211	305	476	706	987	1,087	1,079	956	579	231	51	9
	White-----M--	4,381	3	1	-	-	-	-	-	-	1	4	14	25	74	182	253	376	531	681	688	632	519	281	95	19	2
	F--	2,381	-	-	-	-	-	-	-	-	-	-	6	5	9	26	48	95	167	302	392	439	428	292	134	32	6
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	-	1	-	-	2	2	4	1	6	1	3	7	8	1	1	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	2	3	4	1	1	5	1	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,157	1	-	-	-	-	1	1	-	-	-	2	1	6	10	24	26	50	86	138	206	267	214	102	21	1
	White-----M--	811	-	-	-	-	-	1	1	-	-	-	1	-	4	4	12	18	33	58	80	117	129	99	43	11	-
	F--	537	1	-	-	-	-	-	-	-	-	-	-	1	2	6	12	8	17	26	55	88	137	114	59	10	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
430-434	Other diseases of heart---------	330	1	-	-	1	-	-	1	1	4	2	3	2	5	7	14	9	28	29	45	69	51	40	13	5	-
	White-----M--	176	-	-	-	1	-	-	1	-	3	1	2	2	2	3	12	6	23	18	18	35	25	16	6	2	-
	F--	150	1	-	-	-	-	-	-	1	1	1	1	-	3	3	1	2	5	11	27	34	26	24	6	3	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	1,009	-	-	-	-	-	-	-	-	-	-	-	4	4	19	32	50	66	123	157	188	180	147	31	5	3
	White-----M--	451	-	-	-	-	-	-	-	-	-	-	-	1	1	10	16	33	26	57	67	89	81	55	10	3	2
	F--	537	-	-	-	-	-	-	-	-	-	-	-	3	2	7	14	16	37	63	85	99	97	90	21	2	1
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	3	-	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	-	1	2	-	-	-
444-447	Hypertension without mention of heart----------	217	-	-	-	-	1	-	-	1	1	-	-	1	7	10	11	5	21	16	27	34	39	29	12	2	-
	White-----M--	123	-	-	-	-	1	-	-	-	-	-	-	-	5	5	9	2	11	8	15	21	23	18	4	1	-
	F--	92	-	-	-	-	-	-	-	1	1	-	-	-	2	5	2	3	10	8	11	13	16	11	8	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
450	General arteriosclerosis--------	688	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	17	21	64	107	174	167	95	29	8
	White-----M--	340	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	10	12	35	60	91	82	35	11	1
	F--	344	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	7	9	29	47	81	83	60	18	7
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
451-468	Other diseases of circulatory sys.-	147	1	-	-	-	-	-	-	1	1	1	1	1	7	5	6	15	19	19	28	20	7	9	5	1	-
	White-----M--	86	1	-	-	-	-	-	-	-	1	-	1	1	2	2	2	8	14	13	19	13	2	3	3	1	-
	F--	60	-	-	-	-	-	-	-	1	-	1	-	-	5	3	4	6	5	6	9	7	5	6	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	270	-	-	-	-	-	1	2	5	4	7	6	4	6	15	9	12	23	30	28	41	45	20	11	1	-
	White-----M--	151	-	-	-	-	-	1	2	2	3	5	4	3	1	8	8	4	15	15	15	20	26	13	5	1	-
	F--	115	-	-	-	-	-	-	-	3	1	2	2	1	5	7	1	8	7	14	13	20	19	7	5	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
480-493	Influenza and pneumonia, etc.*-	601	79	9	3	3	-	5	3	5	2	6	3	2	4	14	17	8	34	42	57	78	88	69	56	13	1
	White-----M--	322	40	4	-	1	-	4	1	3	2	3	1	-	4	12	12	4	24	29	29	39	54	26	23	7	-
	F--	269	33	5	3	2	-	1	1	2	-	3	2	2	-	2	5	4	8	13	28	38	34	43	33	6	1
	Nonwhite--M--	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	F--	4	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	50	9	1	-	-	-	1	-	3	-	-	1	-	1	1	-	2	3	4	5	6	7	3	2	1	-
	White-----M--	25	5	-	-	-	-	1	-	2	-	-	1	-	1	1	-	-	1	2	3	4	3	-	1	-	-
	F--	24	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	2	2	2	2	1	4	3	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	551	70	8	3	3	-	4	3	2	2	6	2	2	3	13	17	6	31	38	52	72	81	66	54	12	1
	White-----M--	297	35	4	-	1	-	3	1	1	2	3	-	-	3	11	12	4	23	27	26	35	51	26	22	7	-
	F--	245	29	4	3	2	-	1	1	1	-	3	2	2	-	2	5	2	6	11	26	37	30	40	32	5	1
	Nonwhite--M--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	27	4	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	3	1	6	4	4	1	-	-	-
	White-----M--	15	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	1	3	-	-	-	-
	F--	12	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	154	-	-	-	-	-	-	-	-	1	1	3	1	6	6	12	15	19	30	17	17	21	3	2	-	-
	White-----M--	121	-	-	-	-	-	-	-	-	1	1	3	1	3	6	10	15	15	25	14	12	13	2	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	4	5	3	5	8	1	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	36	1	-	-	-	-	-	1	-	1	2	2	-	1	4	1	2	6	7	2	3	2	1	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	1	2	-	1	4	-	2	4	5	1	1	2	1	-	-	-
	F--	11	1	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	2	2	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	149	11	-	-	-	-	-	-	-	-	1	2	1	2	4	6	7	16	16	21	27	15	13	7	-	-
	White-----M--	85	7	-	-	-	-	-	-	-	-	-	1	1	2	1	2	6	10	10	13	12	11	5	4	-	-
	F--	64	4	-	-	-	-	-	-	-	-	1	1	-	-	3	4	1	6	6	8	15	4	8	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Continued																										
543,	Gastritis, etc.*	80	17	6	1	1	-	1	-	1	-	1	2	1	3	1	2	5	4	4	8	8	2	9	2	1	-
571,	White-----M--	33	11	3	-	-	-	1	-	1	-	-	1	1	-	-	1	4	1	-	3	3	1	1	1	-	-
572	F--	45	5	3	1	1	-	-	-	-	-	1	1	-	3	1	1	1	3	4	5	5	-	8	1	1	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
581	Cirrhosis of liver	152	2	-	-	-	-	-	-	-	-	1	2	5	15	9	16	19	18	21	12	15	11	5	-	-	1
	White-----M--	96	1	-	-	-	-	-	-	-	-	-	-	3	6	7	14	14	12	9	10	13	4	2	-	-	1
	F--	56	1	-	-	-	-	-	-	-	-	1	2	2	9	2	2	5	6	12	2	2	7	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	32	1	2	-	-	-	-	-	2	-	1	-	2	-	1	1	1	3	5	5	4	4	-	-	-	-
	White-----M--	20	-	2	-	-	-	-	-	1	-	-	-	1	-	1	1	1	2	2	3	4	2	-	-	-	-
	F--	12	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	3	2	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	140	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	7	11	24	35	27	23	5	4	-
	White-----M--	138	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	10	24	35	27	23	5	4	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	28	...	...	...	...	...	...	-	-	6	4	6	6	4	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	26	...	...	...	...	...	...	-	-	5	4	5	6	4	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	5	...	...	...	...	...	...	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	4	...	...	...	...	...	...	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	23	...	...	...	...	...	...	-	-	5	3	4	5	4	2	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	22	...	...	...	...	...	...	-	-	5	3	3	5	4	2	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	313	228	19	6	3	1	15	3	4	3	1	1	2	3	1	3	3	6	2	4	3	2	-	-	-	-
	White-----M--	162	112	9	4	2	1	9	3	1	2	-	-	-	1	1	3	1	5	2	3	3	-	-	-	-	-
	F--	146	113	10	2	1	-	5	-	2	1	1	1	2	2	-	-	2	1	-	1	-	2	-	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	828	828	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	474	474	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	331	331	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762,	etc.*	370	370	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	220	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	422	422	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	234	234	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	175	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	149	10	1	1	1	-	-	1	1	1	1	-	-	3	2	-	3	6	3	14	15	21	27	32	5	1
795	White-----M--	75	7	1	-	1	-	-	1	1	1	1	-	-	3	1	-	-	6	2	11	4	8	14	11	1	1
	F--	72	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	3	11	13	13	20	4	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	1,152	73	15	5	4	7	23	15	7	9	11	18	27	33	40	58	89	101	125	147	142	101	67	29	4	2
sid-	White-----M--	650	43	12	1	1	2	14	7	3	7	7	10	12	16	24	38	62	56	83	90	77	37	33	11	2	2
ual	F--	485	28	3	4	3	5	8	8	4	2	4	8	13	16	14	19	27	40	40	57	65	63	34	18	2	-
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	4	-	-	-	-	-	-	-	-
	F--	9	1	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	1	2	-	-	1	-	-	-	-
E800-	Accidents	1,628	52	22	24	17	16	49	43	109	109	99	73	58	58	54	86	60	75	99	94	126	132	107	50	12	4
E962	White-----M--	1,096	32	11	14	12	11	35	32	83	99	84	57	50	48	41	71	42	54	70	58	79	53	41	12	5	2
	F--	519	19	10	9	5	5	14	11	25	9	13	15	8	10	12	15	18	20	28	35	47	79	66	37	7	2
	Nonwhite--M--	9	-	1	-	-	-	-	-	1	-	2	1	-	-	-	-	-	1	1	1	-	-	-	1	-	-
	F--	4	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	630	9	8	9	6	7	19	16	66	80	72	46	31	27	26	36	30	36	39	23	25	12	5	1	-	1
	White-----M--	449	5	4	4	5	4	12	9	45	71	60	33	26	19	19	25	16	23	28	15	14	8	4	-	-	-
	F--	175	4	4	4	1	3	7	7	21	8	11	12	5	8	6	11	14	12	11	8	11	4	1	1	-	1
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents	998	43	14	15	11	9	30	27	43	29	27	27	27	31	28	50	30	39	60	71	101	120	102	49	12	3
E802,	White-----M--	647	27	7	10	7	7	23	23	38	28	24	24	24	29	22	46	26	31	42	43	65	45	37	12	5	2
E840-	F--	344	15	6	5	4	2	7	4	4	1	2	3	3	2	6	4	4	8	17	27	36	75	65	36	7	1
E962	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide	345	-	-	-	-	-	-	-	3	9	18	17	26	21	32	46	36	36	34	31	19	13	3	1	-	-
E970-	White-----M--	297	-	-	-	-	-	-	-	3	8	14	14	19	18	27	38	32	32	28	30	18	12	3	1	-	-
E979	F--	48	-	-	-	-	-	-	-	-	1	4	3	7	3	5	8	4	4	6	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	26	3	-	-	-	-	2	-	1	1	3	1	1	4	-	2	3	3	2	-	-	-	-	-	-	-
E980-	White-----M--	14	2	-	-	-	-	2	-	-	1	1	-	-	3	-	1	1	2	1	-	-	-	-	-	-	-
E985	F--	10	1	-	-	-	-	-	-	-	-	2	1	1	1	-	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS																										
	ALL CAUSES------	19,298	1,318	96	55	35	31	98	67	150	174	182	231	267	403	567	787	1,051	1,511	2,065	2,514	2,729	2,495	1,503	767	164	38
	White-----M--	10,425	664	51	32	16	11	58	43	115	106	102	136	153	226	333	479	666	942	1,233	1,381	1,379	1,207	680	339	63	10
	F--	7,852	538	34	19	15	19	37	21	29	54	61	76	86	140	188	245	313	458	730	1,017	1,249	1,217	792	404	94	16
	Nonwhite--M--	528	65	8	1	-	-	2	2	3	5	14	10	13	20	21	31	43	74	44	62	47	33	12	10	4	4
	F--	493	51	3	3	4	1	1	1	3	9	5	9	15	17	25	32	29	37	58	54	54	38	19	14	3	8
001-019	Tuberculosis, all forms--------	119	1	-	1	-	-	1	-	-	-	2	8	6	7	15	11	14	9	11	10	12	9	2	-	-	-
	White-----M--	80	1	-	1	-	-	1	-	-	-	1	3	3	1	10	11	9	7	8	9	8	5	2	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	1	1	2	3	4	-	2	2	3	1	4	4	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	106	-	-	-	-	-	-	-	-	-	2	8	5	6	14	11	12	8	9	10	10	9	2	-	-	-
	White-----M--	72	-	-	-	-	-	-	-	-	-	1	3	3	1	9	11	8	7	6	9	7	5	2	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	1	1	1	2	4	-	2	1	3	1	3	4	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	13	1	-	1	-	-	1	-	-	-	-	-	1	1	1	-	2	1	2	-	2	-	-	-	-	-
	White-----M--	8	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	63	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	1	17	7	12	14	2	1	-	-	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	12	5	8	8	-	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	5	1	-	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	3	1	2	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-
	White-----M--	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	6	-	-	-	-	-	2	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	13	5	4	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	4	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	29	1	1	-	3	1	7	3	1	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	1	-	-	1	1	5	1	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	-	1	-	2	-	2	2	-	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	68	11	-	1	-	-	4	1	1	3	-	5	3	4	4	3	5	4	4	4	3	4	3	1	-	-
	White-----M--	40	5	-	1	-	-	2	1	1	1	-	4	1	3	1	2	4	1	3	2	3	3	1	1	-	-
	F--	26	6	-	-	-	-	2	-	-	2	-	1	2	1	3	1	-	2	1	2	-	1	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
140-205	Malignant neoplasms, etc.*	2,725	2	8	8	3	9	11	6	9	23	18	34	48	86	141	192	237	311	394	396	357	270	112	37	8	5
	White—M	1,345	-	4	3	1	6	5	5	4	12	4	11	17	28	52	90	118	166	204	207	188	140	57	19	3	1
	F	1,252	2	4	3	2	3	5	1	4	11	12	21	26	51	80	90	108	123	178	178	157	118	51	16	5	3
	Nonwhite—M	61	-	-	-	-	-	-	-	-	-	2	1	2	2	2	3	9	13	5	7	6	6	2	1	-	-
	F	67	-	-	2	-	-	1	-	1	-	-	1	3	5	7	9	2	9	7	4	6	6	2	1	-	1
140-148	Of buccal cavity and pharynx	62	-	-	-	-	-	-	-	-	-	-	-	1	2	7	3	5	8	8	10	9	4	5	-	-	-
	White—M	49	-	-	-	-	-	-	-	-	-	-	-	-	1	6	2	3	7	7	9	7	4	3	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	1	2	-	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	920	-	-	1	-	-	-	1	-	1	3	6	9	19	28	44	65	109	149	160	148	105	45	21	5	1
	White—M	502	-	-	1	-	-	-	1	-	1	2	3	3	9	12	23	41	67	85	86	74	50	30	13	1	-
	F	381	-	-	-	-	-	-	-	-	-	1	3	6	9	14	18	21	31	60	70	72	50	14	7	4	1
	Nonwhite—M	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	3	4	2	1	1	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	1	-	-	4	-	1	-	-
160-164	Of respiratory system	294	1	-	-	-	-	-	-	-	-	-	2	5	5	18	32	40	48	51	39	28	18	4	3	-	-
	White—M	232	-	-	-	-	-	-	-	-	-	-	1	4	4	15	29	32	38	44	31	23	9	2	-	-	-
	F	52	1	-	-	-	-	-	-	-	-	-	1	-	1	2	3	5	9	7	8	3	8	2	2	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	-	-	1	1	-	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
170	Of breast	264	-	-	-	-	-	-	-	-	-	1	6	7	12	22	35	28	26	37	34	21	21	12	-	1	1
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	249	-	-	-	-	-	-	-	-	-	1	5	7	12	20	34	28	25	33	33	20	19	10	-	1	1
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	4	1	1	1	2	-	-	-
171-179	Of genital organs	450	-	-	-	-	-	-	-	2	1	3	6	11	19	31	31	34	39	61	58	63	54	30	5	-	2
	White—M	158	-	-	-	-	-	-	-	-	-	-	-	3	2	3	3	3	12	18	25	39	31	16	3	-	-
	F	257	-	-	-	-	-	-	-	1	1	3	6	6	13	24	22	31	21	42	31	20	20	13	2	-	1
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	4	-	1	3	2	1	-	-	-
	F	21	-	-	-	-	-	-	-	1	-	-	-	2	3	3	5	-	2	1	1	1	1	-	-	-	1
180, 181	Of urinary organs	132	-	2	-	-	1	-	-	-	-	-	-	-	-	4	10	9	18	18	32	14	20	4	-	-	-
	White—M	89	-	1	-	-	1	-	-	-	-	-	-	-	-	1	8	9	14	13	18	8	15	1	-	-	-
	F	39	-	1	-	-	-	-	-	-	-	-	-	-	-	3	2	-	3	4	12	6	5	3	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	317	-	3	1	1	1	1	2	1	6	3	7	5	13	24	24	30	36	41	33	40	28	10	5	2	-
	White—M	163	-	3	-	1	1	-	2	-	4	1	3	2	6	11	16	12	14	22	19	22	18	4	-	2	-
	F	139	-	-	-	-	-	1	-	1	2	1	3	3	6	13	6	14	21	18	14	15	10	6	5	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	3	-	-	-	-	-	-	-	-	-
	F	8	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	3	-	-	-	-	-
204	Leukemia and aleukemia	167	1	2	5	1	6	9	2	5	8	4	3	3	9	4	10	12	14	13	18	22	12	1	2	-	1
	White—M	94	-	-	2	-	4	4	1	4	2	-	2	2	4	3	8	8	8	7	12	11	8	1	2	-	1
	F	66	1	2	2	1	2	4	1	1	6	4	1	-	5	1	2	3	5	6	5	11	3	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
	F	4	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	119	-	1	1	1	1	1	1	1	7	4	4	7	7	3	3	14	13	16	12	12	8	1	1	-	-
	White—M	58	-	-	-	-	-	1	1	-	5	1	2	3	2	1	1	10	6	8	7	4	5	-	1	-	-
	F	56	-	1	1	1	1	-	-	1	2	2	2	3	4	2	2	4	7	7	4	8	3	1	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	59	-	1	-	1	-	-	1	1	3	1	4	2	2	5	5	5	4	7	7	5	3	2	-	-	-
	White—M	22	-	-	-	-	-	-	1	1	1	-	2	1	-	-	2	4	2	4	1	1	1	1	-	-	-
	F	32	-	-	-	1	-	-	-	-	1	1	2	1	2	4	3	-	1	3	6	4	2	1	-	-	-
	Nonwhite—M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
260	Diabetes mellitus	332	-	1	-	-	-	-	1	-	1	2	6	2	8	7	10	24	25	48	69	61	38	24	3	1	1
	White—M	123	-	1	-	-	-	-	1	-	-	1	4	2	3	4	4	6	10	12	27	24	14	8	1	-	1
	F	190	-	-	-	-	-	-	-	-	1	1	2	-	3	2	4	17	14	35	38	33	22	16	1	1	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	2	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	2	2	-	1	-	-
290-293	Anemias	56	2	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	3	3	7	13	15	4	2	-	1
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	4	4	6	2	1	-	-
	F	33	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	1	3	9	9	2	1	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	19	4	1	1	-	-	1	-	-	-	1	1	-	-	1	3	-	-	4	1	-	1	-	-	-	-
	White—M	13	2	1	-	-	-	1	-	-	-	1	1	-	-	1	2	-	-	3	1	-	-	-	-	-	-
	F	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	10,362	9	3	4	-	-	4	3	13	17	20	31	73	116	202	358	519	845	1,235	1,622	1,803	1,726	1,088	540	115	16
	White—M	5,609	3	2	2	-	-	1	3	7	4	9	19	49	83	135	228	359	550	767	905	908	822	477	225	48	3
	F	4,248	5	1	2	-	-	3	-	3	11	7	12	17	22	46	94	120	227	396	635	829	860	591	300	62	5
	Nonwhite—M	237	-	-	-	-	-	-	-	2	1	1	-	2	5	9	18	19	45	29	42	27	18	8	5	3	3
	F	268	1	-	-	-	-	-	-	1	1	3	-	5	6	12	18	21	23	43	40	39	26	12	10	2	5
330-334, 400-468	Diseases of cardiovascular system	10,082	9	3	4	-	-	4	1	12	14	17	26	69	109	191	348	503	820	1,193	1,588	1,749	1,691	1,059	524	113	15
	White—M	5,463	3	2	2	-	-	1	1	7	2	8	15	48	80	132	222	351	537	746	894	880	807	460	216	46	3
	F	4,116	5	1	2	-	-	3	-	3	10	5	11	16	19	40	91	112	217	381	615	804	841	580	294	62	4
	Nonwhite—M	225	-	-	-	-	-	-	-	1	1	1	-	1	5	8	18	19	43	25	41	26	17	8	5	3	3
	F	258	1	-	-	-	-	-	-	1	1	3	-	4	5	11	17	21	23	41	38	39	26	11	9	2	5
330-334	Vascular lesions, etc.*	2,492	1	-	-	-	-	1	1	3	-	1	6	16	13	23	64	87	152	247	418	486	507	306	127	30	3
	White—M	1,149	-	-	-	-	-	-	1	1	-	1	3	10	7	9	26	38	85	138	221	215	223	118	45	7	1
	F	1,217	-	-	-	-	-	1	-	1	-	-	3	4	6	10	31	39	52	94	172	257	266	182	78	21	-
	Nonwhite—M	52	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	4	8	2	13	8	5	3	1	1	1
	F	74	1	-	-	-	-	-	-	1	-	-	-	1	-	3	3	6	7	13	12	6	13	3	3	1	1
400-402	Rheumatic fever	16	2	-	-	-	-	2	-	3	-	-	-	-	2	1	-	-	-	1	2	1	1	1	-	-	-
	White—M	6	2	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	1	1	1	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
410-443	Diseases of heart	6,694	5	3	4	-	-	1	-	6	12	13	17	49	91	155	275	398	634	885	1,055	1,103	1,016	603	290	68	11
	White-----M--	3,869	-	2	2	-	-	-	-	4	2	7	12	35	70	116	192	301	431	568	620	585	499	265	126	30	2
	F--	2,509	5	1	2	-	-	1	-	1	8	3	5	11	13	25	56	69	155	273	388	476	495	326	157	35	4
	Nonwhite--M--	155	-	-	-	-	-	-	-	1	1	-	-	-	3	7	14	14	33	21	24	15	10	5	3	2	2
	F--	161	-	-	-	-	-	-	-	-	1	3	-	3	5	7	13	14	15	23	23	27	12	7	4	1	3
410-416	Chronic rheumatic heart disease----	178	1	-	-	-	-	-	-	-	7	6	4	14	9	9	20	14	27	14	20	15	11	5	2	-	-
	White-----M--	87	-	-	-	-	-	-	-	-	2	4	1	6	3	6	9	7	15	7	11	8	5	3	-	-	-
	F--	85	1	-	-	-	-	-	-	-	4	-	3	8	6	3	10	7	12	6	9	7	6	2	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,446	1	-	-	-	-	-	-	2	1	4	11	30	68	125	207	317	460	645	719	705	638	331	147	30	5
	White-----M--	2,837	-	-	-	-	-	-	-	2	-	2	9	25	58	99	163	260	334	450	454	416	324	157	70	12	2
	F--	1,443	1	-	-	-	-	-	-	-	1	2	2	3	5	16	29	42	98	175	236	269	302	170	75	17	-
	Nonwhite--M--	91	-	-	-	-	-	-	-	-	-	-	-	-	2	6	8	10	20	10	16	8	7	2	-	1	1
	F--	75	-	-	-	-	-	-	-	-	-	-	-	2	3	4	7	5	8	10	13	12	5	2	2	-	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	939	1	3	-	-	-	1	-	2	-	1	2	1	1	5	13	24	41	86	128	174	187	143	98	28	-
	White-----M--	441	-	2	-	-	-	-	-	1	-	1	2	1	1	2	8	13	23	45	67	75	92	57	39	12	-
	F--	456	1	1	-	-	-	1	-	1	-	-	-	-	-	3	3	8	14	35	54	90	93	81	57	14	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	2	3	1	2	2	1	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	6	1	3	-	1	-
430-434	Other diseases of heart---------	320	2	-	4	-	-	-	-	1	3	1	-	2	6	6	9	17	24	42	46	48	42	43	13	8	3
	White-----M--	171	-	-	2	-	-	-	-	-	-	-	-	2	5	3	5	10	16	30	24	22	22	18	6	6	-
	F--	130	2	-	2	-	-	-	-	-	2	1	-	-	-	1	2	6	6	10	22	23	16	25	7	2	3
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	-	1	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	1	-	2	3	-	-	-	-
440-443	Hypertension with heart dis.--	811	-	-	-	-	-	-	-	1	1	1	-	2	7	10	26	26	82	98	142	161	138	81	30	2	3
	White-----M--	333	-	-	-	-	-	-	-	1	-	-	-	1	3	6	7	11	43	36	64	64	56	30	11	-	-
	F--	395	-	-	-	-	-	-	-	-	1	-	-	-	2	2	12	6	25	47	67	87	78	48	17	2	1
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	8	7	6	3	1	1	-	-	1
	F--	50	-	-	-	-	-	-	-	-	-	1	-	1	2	2	3	7	6	8	5	7	3	2	2	-	1
444-447	Hypertension without mention of heart----------	201	-	-	-	-	-	-	-	-	-	-	1	2	2	4	4	8	15	15	31	42	34	29	11	3	-
	White-----M--	101	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	4	7	9	13	20	19	13	5	2	-
	F--	87	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	6	4	15	21	14	16	6	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-	-	-
450	General arteriosclerosis--------	508	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	17	50	96	121	113	88	12	1
	White-----M--	251	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	10	23	50	58	61	37	7	-
	F--	238	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	25	39	61	51	49	5	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	5	1	1	1	-	1
451-468	Other diseases of circulatory sys.-	151	1	-	-	-	-	-	-	-	2	3	2	2	1	7	5	8	12	28	32	21	12	7	8	-	-
	White-----M--	87	1	-	-	-	-	-	-	-	-	-	-	1	1	4	1	7	10	21	17	10	8	3	3	-	-
	F--	57	-	-	-	-	-	-	-	-	2	2	2	1	-	2	4	1	2	5	14	10	4	4	4	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-
592-594	Chronic nephritis, etc.*----------	300	-	-	-	-	-	-	2	1	3	3	5	4	7	11	10	16	25	42	34	54	35	29	16	2	1
	White-----M--	146	-	-	-	-	-	-	2	-	2	1	4	1	3	3	6	8	13	21	11	28	15	17	9	2	-
	F--	132	-	-	-	-	-	-	-	-	1	2	1	1	3	6	3	8	10	15	20	25	19	11	6	-	1
	Nonwhite--M--	12	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	2	4	1	1	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	2	-	-	1	1	-	-
480-493	Influenza and pneumonia, etc.*-	480	74	13	7	-	-	5	3	3	-	2	2	5	6	11	13	13	24	29	43	57	73	48	33	12	4
	White-----M--	237	38	7	4	-	-	2	2	2	-	-	1	2	2	8	9	9	15	16	16	23	40	21	14	4	2
	F--	203	24	3	3	-	-	3	1	1	-	1	-	3	3	3	3	4	7	11	23	29	31	25	18	6	1
	Nonwhite--M--	21	7	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	2	2	2	-	-	1	-
	F--	19	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	2	3	-	2	1	1	1
480-483	Influenza---------	60	4	4	-	-	-	-	1	-	-	-	-	1	1	1	2	1	4	4	8	6	13	9	1	-	-
	White-----M--	27	2	2	-	-	-	-	1	-	-	-	-	1	1	1	2	-	2	1	2	1	7	4	-	-	-
	F--	30	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	5	6	5	1	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	420	70	9	7	-	-	5	2	3	-	2	2	4	5	10	11	12	20	25	35	51	60	39	32	12	4
	White-----M--	210	36	5	4	-	-	2	1	2	-	-	1	1	1	7	7	9	13	15	14	22	33	17	14	4	2
	F--	173	22	2	3	-	-	3	1	1	-	1	-	3	3	3	3	3	6	8	18	24	25	20	17	6	1
	Nonwhite--M--	19	7	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	2	2	-	-	1	-
	F--	18	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	2	3	-	2	1	1	1
500-502	Bronchitis--------	38	7	1	-	1	1	2	-	-	-	-	-	-	3	-	1	-	2	4	1	8	3	2	1	-	1
	White-----M--	20	4	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	2	2	-	6	1	1	1	-	-
	F--	16	2	1	-	1	1	1	-	-	-	-	-	-	2	-	-	-	-	1	1	2	2	1	-	-	1
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	127	-	-	-	-	-	-	-	-	-	1	1	3	8	4	8	11	15	19	13	20	15	3	5	1	-
	White-----M--	95	-	-	-	-	-	-	-	-	-	1	1	2	7	2	8	8	10	14	10	15	11	3	2	1	-
	F--	27	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	4	3	5	4	-	3	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
550-553	Appendicitis-------	24	-	1	-	-	-	1	1	1	-	1	-	1	-	-	1	2	4	3	3	3	2	-	-	-	-
	White-----M--	19	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-	2	4	2	3	2	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	164	19	1	-	-	-	-	1	-	-	1	-	2	2	2	8	8	14	15	18	26	20	17	9	-	1
	White-----M--	85	13	-	-	-	-	-	-	-	-	-	-	2	-	1	3	4	8	7	7	16	12	9	3	-	-
	F--	67	6	-	-	-	-	-	-	-	-	1	-	-	2	1	5	1	5	6	9	10	8	7	5	-	1
	Nonwhite--M--	8	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
543, 571, 572	Gastritis, etc.*--	80	22	3	-	-	-	3	1	-	1	2	1	-	-	3	-	4	3	4	8	12	5	6	2	-	-
	White-----M--	42	12	1	-	-	-	1	-	-	-	2	-	-	-	3	-	2	2	3	5	8	1	1	1	-	-
	F--	34	9	2	-	-	-	2	1	-	1	-	1	-	-	-	-	2	1	-	3	3	3	5	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
581	Cirrhosis of liver	119	2	-	-	-	-	-	-	-	-	1	2	6	4	11	6	9	14	14	19	12	12	5	2	-	-
	White-----M--	80	1	-	-	-	-	-	-	-	-	1	2	5	3	7	5	6	10	8	14	7	6	3	2	-	-
	F--	36	1	-	-	-	-	-	-	-	-	-	-	1	1	3	1	3	4	4	5	5	6	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	42	-	-	1	-	1	1	-	1	-	-	-	2	1	5	1	3	2	3	6	6	7	2	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	1	1	1	2	2	3	-	-	-	-
	F--	21	-	-	1	-	1	-	-	-	-	-	-	1	1	2	-	1	1	2	3	3	3	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-	-
610	Hyperplasia of prostate---------	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	13	20	23	26	20	9	4	-
	White-----M--	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	13	19	19	25	20	9	4	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	1	-	-	-	-
640-689	Complications of pregnancy, etc.*-	29	...	...	...	...	...	...	-	1	4	4	11	4	4	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	22	...	...	...	...	...	...	-	1	1	4	9	2	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	-	3	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	2	...	...	...	...	...	...	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	27	...	...	...	...	...	...	-	1	4	4	9	4	4	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	20	...	...	...	...	...	...	-	1	1	4	7	2	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	-	3	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	278	206	22	5	4	4	8	5	4	2	2	1	1	2	2	4	2	1	1	-	1	1	-	-	-	-
	White-----M--	129	97	7	3	-	-	5	2	4	1	1	1	1	-	1	2	2	1	1	-	-	-	-	-	-	-
	F--	130	93	12	2	4	4	3	3	-	1	1	-	-	2	1	2	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	11	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	817	817	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	417	417	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	330	330	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	405	405	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	217	217	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	347	347	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	155	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	390	19	-	2	-	-	1	1	2	2	3	4	6	12	20	24	33	32	38	34	34	50	32	29	10	2
	White-----M--	242	9	-	1	-	-	1	-	1	2	-	4	4	9	15	21	23	24	29	20	19	28	13	16	2	1
	F--	126	7	-	1	-	-	-	-	-	-	2	-	1	3	4	2	8	5	9	12	15	20	17	11	8	1
	Nonwhite--M--	17	3	-	-	-	-	-	1	-	-	1	-	1	-	1	1	1	3	-	1	-	2	1	1	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-
Residual	All other diseases	924	55	6	3	5	2	10	4	7	10	11	12	10	32	36	42	60	88	108	121	135	75	54	31	4	3
	White-----M--	468	27	3	3	4	1	7	-	4	5	5	3	6	14	21	24	34	48	63	64	57	32	25	18	-	-
	F--	421	26	2	-	1	1	3	3	3	3	6	9	2	14	12	16	23	35	43	54	75	42	29	13	4	2
	Nonwhite--M--	20	1	1	-	-	-	-	-	-	-	-	-	-	2	1	1	3	5	-	2	3	1	-	-	-	-
	F--	15	1	-	-	-	-	-	1	-	2	-	-	2	2	2	1	-	-	2	1	-	-	-	-	-	1
E800-E962	Accidents---------	1,492	58	28	20	16	11	33	34	101	90	86	81	68	80	60	62	70	57	71	79	109	128	76	61	9	4
	White-----M--	904	29	19	12	9	3	21	24	84	73	61	66	40	53	45	42	50	36	42	42	47	46	33	24	1	2
	F--	514	22	7	6	3	7	11	10	16	15	18	10	20	21	14	16	17	20	25	35	58	78	41	35	8	1
	Nonwhite--M--	50	5	-	1	-	-	1	-	1	1	5	4	7	6	1	3	2	-	4	1	2	2	1	2	-	1
	F--	24	2	2	1	4	1	-	-	-	1	2	1	1	-	-	1	1	1	-	1	2	2	1	-	-	-
E810-E835	Motor-vehicle accidents--------	617	10	13	9	8	4	13	11	71	71	56	42	44	44	31	34	38	29	30	17	27	11	2	1	1	-
	White-----M--	416	5	8	4	6	-	9	4	59	56	41	33	25	29	19	21	26	18	18	9	17	7	2	-	-	-
	F--	176	5	5	5	-	4	4	7	12	14	12	7	14	12	11	11	9	11	10	8	10	4	-	-	1	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	2	1	5	3	1	2	2	-	2	-	-	-	-	1	-	-
	F--	6	-	-	-	2	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	875	48	15	11	8	7	20	23	30	19	30	39	24	36	29	28	32	28	41	62	82	117	74	60	8	4
	White-----M--	488	24	11	8	3	3	12	20	25	17	20	33	15	24	26	21	24	18	24	33	30	39	31	24	1	2
	F--	338	17	2	1	3	3	7	3	4	1	6	3	6	9	3	5	8	9	15	27	48	74	41	35	7	1
	Nonwhite--M--	31	5	-	1	-	-	1	-	1	1	3	3	2	3	-	1	-	-	2	1	2	2	1	1	-	1
	F--	18	2	2	1	2	1	-	-	-	-	1	-	1	-	-	1	-	1	-	1	2	2	1	-	-	-
E963, E970-E979	Suicide----------	246	-	-	-	-	-	-	-	3	6	15	11	19	17	23	22	26	30	27	20	13	10	2	2	-	-
	White-----M--	202	-	-	-	-	-	-	-	3	4	11	8	16	14	19	17	22	26	22	14	12	10	2	2	-	-
	F--	41	-	-	-	-	-	-	-	-	2	3	3	3	3	4	4	4	4	5	5	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
E964, E980-E985	Homicide----------	63	-	-	-	1	1	4	1	1	6	5	12	5	6	8	4	3	2	3	1	-	-	-	-	-	-
	White-----M--	26	-	-	-	-	-	3	1	-	2	1	4	1	3	3	2	3	-	2	1	-	-	-	-	-	-
	F--	14	-	-	-	1	1	1	-	1	-	1	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	3	3	3	-	3	1	1	-	2	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY																										
	ALL CAUSES------	26,888	2,281	150	99	73	54	185	166	268	292	308	386	536	696	1,017	1,414	1,681	2,202	2,803	3,339	3,430	2,892	1,862	585	131	38
	White-----M--	13,607	1,186	68	47	33	31	93	93	175	178	188	186	286	376	559	735	920	1,162	1,442	1,672	1,647	1,384	860	238	36	12
	F--	10,208	819	64	43	34	17	73	52	75	76	72	133	161	200	295	415	484	712	1,037	1,349	1,518	1,299	883	299	81	17
	Nonwhite--M--	1,687	151	9	7	5	4	12	11	11	23	29	38	45	59	80	149	158	183	193	174	138	124	54	21	7	2
	F--	1,386	125	9	2	1	2	7	10	7	15	19	29	44	61	83	115	119	145	131	144	127	85	65	27	7	7
001-019	Tuberculosis, all forms--------	524	7	6	3	1	1	1	-	9	13	18	22	30	39	49	48	55	35	48	62	38	29	9	1	-	-
	White-----M--	265	3	3	1	-	1	-	-	2	4	5	5	11	20	33	34	35	17	28	32	21	10	2	-	-	-
	F--	176	4	3	-	1	-	1	-	6	4	8	13	9	12	6	6	13	11	15	23	17	18	5	1	-	-
	Nonwhite--M--	49	-	-	2	-	-	-	-	-	2	1	1	8	2	6	6	7	4	5	4	-	-	1	-	-	-
	F--	34	-	-	-	-	-	-	-	1	3	4	3	2	5	4	2	-	3	2	3	-	1	1	-	-	-
001-008	Tuberculosis of respiratory system----------	480	5	2	-	-	-	-	-	6	13	16	22	29	38	46	43	50	31	43	60	38	28	9	1	-	-
	White-----M--	240	1	1	-	-	-	-	-	1	4	4	5	11	20	30	32	32	13	24	30	21	9	2	-	-	-
	F--	165	4	1	-	-	-	-	-	4	4	8	13	9	11	6	5	12	11	13	23	17	18	5	1	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	2	1	1	8	2	6	6	6	4	4	4	-	-	1	-	-	-
	F--	30	-	-	-	-	-	-	-	1	3	3	3	1	5	4	-	-	3	2	3	-	1	1	-	-	-
010-019	Tuberculosis, other forms------	44	2	4	3	1	1	1	-	3	-	2	-	1	1	3	5	5	4	5	2	-	1	-	-	-	-
	White-----M--	25	2	2	1	-	1	-	-	1	-	1	-	-	-	3	2	3	4	2	2	-	1	-	-	-	-
	F--	11	-	2	-	1	-	1	-	2	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	86	-	-	-	-	-	-	-	-	-	-	-	1	3	8	10	19	8	14	15	2	2	3	1	-	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	9	4	8	7	-	-	2	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	4	2	4	4	1	1	1	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	1	1	4	1	1	-	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-	-	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	20	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	1	1	-	-
	White-----M--	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-
	F--	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	8	1	1	-	-	-	-	2	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	25	21	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	37	12	7	6	5	1	4	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	22	6	3	4	4	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	6	3	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	39	3	5	7	1	1	8	5	3	-	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	2	3	1	-	1	2	2	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	20	1	2	6	1	-	4	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	26	6	4	1	1	3	2	4	-	-	-	-	-	1	-	2	1	-	-	-	-	1	-	-	-	-
	White-----M--	14	3	2	1	1	1	2	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	12	3	2	-	-	2	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	93	15	7	2	1	3	4	1	2	-	3	2	3	2	8	8	4	7	3	8	3	4	2	1	-	-
	White-----M--	45	8	4	1	-	2	2	1	-	-	1	2	1	2	5	4	1	6	2	2	-	-	1	-	-	-
	F--	40	6	3	1	1	1	2	-	2	-	1	-	1	-	3	2	2	-	-	6	3	4	1	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
140-205	Malignant neoplasms, etc.*----	3,643	9	15	5	8	7	25	15	20	26	23	46	85	110	219	281	331	438	492	537	436	337	140	29	6	3
	White-----M--	1,591	4	9	3	4	4	13	7	13	16	11	12	29	28	83	100	137	190	219	255	207	169	65	13	-	-
	F--	1,711	5	6	2	3	3	12	6	6	9	10	26	43	68	107	140	152	195	220	251	203	153	69	15	5	2
	Nonwhite--M--	175	-	-	-	1	-	-	2	1	-	-	3	3	7	10	20	23	26	34	19	9	10	5	1	1	-
	F--	166	-	-	-	-	-	-	-	-	1	2	5	10	7	19	21	19	27	19	12	17	5	1	-	-	1
140-148	Of buccal cavity and pharynx------	85	-	-	-	-	-	-	-	-	-	-	-	2	2	2	16	8	9	12	13	9	6	5	-	1	-
	White-----M--	56	-	-	-	-	-	-	-	-	-	-	-	1	-	-	13	5	4	8	12	6	5	2	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	1	2	1	3	1	3	-	1	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,287	1	-	-	-	-	-	-	1	6	3	12	13	28	56	72	105	161	200	226	193	133	58	14	4	1
	White-----M--	576	-	-	-	-	-	-	-	1	5	1	4	8	6	36	26	40	74	87	108	82	68	23	7	-	-
	F--	590	1	-	-	-	-	-	-	-	1	2	6	3	15	14	31	47	72	88	109	98	58	34	7	3	1
	Nonwhite--M--	66	-	-	-	-	-	-	-	-	-	-	1	1	4	1	9	8	9	16	6	4	5	1	-	1	-
	F--	55	-	-	-	-	-	-	-	-	-	-	1	1	3	5	6	10	6	9	3	9	2	-	-	-	-
160-164	Of respiratory system----------	374	-	1	-	-	-	1	-	-	-	1	2	11	15	33	47	49	56	57	44	33	20	3	1	-	-
	White-----M--	270	-	-	-	-	-	1	-	-	-	1	-	8	11	23	38	40	43	39	31	21	11	2	1	-	-
	F--	68	-	1	-	-	-	-	-	-	-	-	1	1	3	5	4	3	8	13	9	11	8	1	-	-	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	1	1	1	5	4	6	4	5	3	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-
170	Of breast---------	316	-	-	-	-	-	-	-	-	1	1	4	14	15	34	34	36	35	35	42	29	27	7	2	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-
	F--	282	-	-	-	-	-	-	-	-	1	1	2	11	13	29	30	34	29	32	40	26	26	7	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	2	3	2	5	3	2	6	2	1	3	-	-	-	-	-
171-179	Of genital organs-	657	-	-	-	-	-	1	-	-	6	7	9	23	25	48	63	51	66	79	87	85	66	32	7	-	2
	White-----M--	232	-	-	-	-	-	1	-	-	3	1	1	1	1	1	2	4	16	32	42	54	46	*22	5	-	-
	F--	342	-	-	-	-	-	-	-	-	3	4	8	17	22	39	51	37	41	36	36	24	15	6	2	-	1
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	5	6	3	3	3	-	-	-
	F--	55	-	-	-	-	-	-	-	-	-	2	-	5	2	8	8	6	7	6	3	4	2	1	-	-	1
180, 181	Of urinary organs-	135	1	-	-	-	1	1	1	-	-	-	1	2	2	5	5	7	28	15	26	13	20	7	-	-	-
	White-----M--	71	-	-	-	-	1	1	-	-	-	-	1	2	1	4	3	6	13	9	15	3	10	2	-	-	-
	F--	53	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	11	5	9	9	9	5	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	485	1	4	2	3	4	10	5	8	10	6	9	14	16	31	26	50	53	57	56	43	47	24	5	1	-
	White-----M--	225	1	3	2	1	2	7	2	5	5	4	5	5	5	14	9	25	24	25	31	19	19	12	-	-	-
	F--	231	-	1	-	1	2	3	3	3	4	2	3	8	10	14	13	23	23	27	23	24	27	11	5	1	-
	Nonwhite--M--	19	-	-	-	1	-	-	-	-	-	-	-	1	1	2	3	2	4	3	-	-	1	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	2	2	2	-	-	-	-	-	-
204	Leukemia and aleukemia----------	157	6	8	2	5	2	9	7	6	-	3	4	2	4	6	5	10	11	12	25	18	9	3	-	-	-
	White-----M--	90	3	5	1	3	1	3	4	4	-	2	1	1	3	3	2	7	8	10	7	15	6	1	-	-	-
	F--	61	3	3	1	2	1	6	1	2	-	1	3	1	1	3	3	3	3	2	15	2	3	2	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	147	-	2	1	-	-	3	2	5	3	2	5	4	3	4	13	15	19	25	18	13	9	1	-	-	-
	White-----M--	67	-	1	-	-	-	-	1	3	3	2	-	3	1	2	6	10	8	8	8	7	3	1	-	-	-
	F--	65	-	1	1	-	-	3	1	1	-	-	3	1	1	2	5	3	7	15	9	6	6	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	86	4	1	1	-	1	4	4	1	3	3	-	4	8	7	8	8	6	4	5	5	7	1	1	-	-
	White-----M--	28	-	1	-	-	-	2	2	-	2	1	-	1	3	2	3	2	1	3	1	2	1	1	-	-	-
	F--	47	4	-	1	-	1	1	1	1	-	1	-	2	4	4	3	5	5	1	4	3	5	-	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	8	-	-	-	-	-	1	1	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	387	1	-	-	1	-	-	4	3	4	3	3	5	1	14	30	39	49	57	67	52	33	17	3	1	-
	White-----M--	149	-	-	-	1	-	-	3	2	3	1	3	3	-	6	12	12	16	14	24	21	16	9	2	1	-
	F--	198	1	-	-	-	-	-	1	1	-	2	-	2	1	5	12	22	26	39	34	28	16	7	1	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	1	2	-	1	-	-	-
	F--	30	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	5	6	3	8	1	1	-	-	-	-
290-293	Anemias----------	72	6	2	-	-	-	-	-	-	-	-	1	1	1	2	2	7	5	8	12	6	13	5	1	-	-
	White-----M--	33	4	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	3	5	10	2	2	2	-	-	-
	F--	31	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	5	2	3	1	3	9	3	1	-	-
	Nonwhite--M--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	38	11	2	3	1	-	4	3	1	-	-	-	1	1	2	-	-	2	-	3	2	2	-	-	-	-
	White-----M--	19	4	2	1	1	-	3	2	1	-	-	-	1	1	1	-	-	1	-	-	-	1	-	-	-	-
	F--	12	5	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
	Nonwhite--M--	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	14,147	13	9	3	4	-	13	24	34	26	35	83	143	265	428	696	907	1,291	1,758	2,165	2,387	1,998	1,352	403	91	19
	White-----M--	7,126	4	3	1	3	-	8	7	20	7	20	33	74	148	240	386	522	700	917	1,105	1,159	961	622	161	21	4
	F--	5,324	7	3	1	-	-	4	13	10	15	8	37	38	62	107	157	217	367	630	838	1,021	873	640	208	60	8
	Nonwhite--M--	886	1	1	-	1	-	1	1	2	3	5	5	13	21	38	81	94	127	122	119	105	92	36	12	4	2
	F--	811	1	2	1	-	-	-	3	2	1	2	8	18	34	43	72	74	97	89	103	102	72	54	22	6	5
330-334, 400-468	Diseases of cardiovascular system-	13,697	12	8	2	3	-	11	19	27	23	29	73	129	254	411	672	884	1,251	1,711	2,113	2,324	1,937	1,308	389	88	19
	White-----M--	6,923	4	2	1	2	-	6	7	14	6	16	28	69	143	234	369	511	686	901	1,082	1,133	932	600	154	19	4
	F--	5,148	6	3	1	-	-	4	9	9	13	6	33	33	61	99	153	211	350	606	817	994	851	620	202	59	8
	Nonwhite--M--	848	1	1	-	1	-	1	1	2	3	5	4	11	18	37	79	91	123	116	116	99	86	35	12	4	2
	F--	778	1	2	-	-	-	-	2	2	1	2	8	16	32	41	71	71	92	88	98	98	68	53	21	6	5
330-334	Vascular lesions, etc.*----------	3,384	4	4	1	-	-	-	5	7	3	5	12	27	58	73	139	184	282	402	549	689	496	328	85	24	7
	White-----M--	1,542	-	2	-	-	-	-	3	3	-	4	3	11	27	33	49	85	125	188	263	332	234	144	28	5	3
	F--	1,399	3	-	1	-	-	-	2	3	2	-	7	9	18	21	51	60	95	153	227	292	221	165	50	16	3
	Nonwhite--M--	208	1	1	-	-	-	-	-	-	1	1	1	2	4	6	17	16	34	32	29	34	19	6	3	1	-
	F--	235	-	1	-	-	-	-	-	1	-	-	1	5	9	13	22	23	28	29	30	31	22	13	4	2	1
400-402	Rheumatic fever---	35	1	-	-	-	-	6	10	-	1	3	-	2	3	5	-	1	-	1	1	1	-	-	-	-	-
	White-----M--	15	-	-	-	-	-	3	4	-	-	-	-	2	-	4	-	1	-	-	1	-	-	-	-	-	-
	F--	14	1	-	-	-	-	3	4	-	1	1	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	2	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

385053 O -56 - 16

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
410-443	Diseases of heart	9,333	6	3	1	3	-	5	3	19	18	17	56	95	180	315	500	660	931	1,232	1,465	1,497	1,247	806	226	42	6
	White-----M--	4,945	4	-	1	2	-	3	-	11	6	10	24	54	111	189	306	409	544	673	780	735	611	372	92	7	1
	F--	3,341	1	2	-	-	-	1	2	5	9	4	23	21	37	73	92	139	245	427	542	647	545	379	114	29	4
	Nonwhite--M--	579	-	-	-	1	-	1	1	2	2	3	3	9	11	29	57	68	82	77	83	58	57	23	8	3	1
	F--	468	1	1	-	-	-	-	-	1	1	-	6	11	21	24	45	44	60	55	60	57	34	32	12	3	-
410-416	Chronic rheumatic heart disease----	260	-	-	-	-	-	1	-	14	10	5	20	10	14	21	26	19	32	23	20	24	10	9	2	-	-
	White-----M--	118	-	-	-	-	-	1	-	7	3	4	7	7	9	11	9	12	15	8	4	10	7	4	-	-	-
	F--	126	-	-	-	-	-	-	-	5	5	1	12	3	4	7	15	7	16	15	15	13	3	4	1	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	1	1	-	-	-	1	2	2	-	1	-	1	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-
420	Arteriosclerotic heart dis., etc.*	5,464	1	1	1	-	-	2	1	2	3	7	19	54	110	187	306	419	604	803	874	846	673	415	115	19	2
	White-----M--	3,213	1	-	1	-	-	1	-	2	1	4	12	37	80	137	224	295	390	478	513	441	352	197	43	4	-
	F--	1,808	-	1	-	-	-	1	-	-	2	1	4	9	18	31	42	77	139	264	305	364	283	191	61	13	2
	Nonwhite--M--	257	-	-	-	-	-	-	1	-	-	2	2	3	5	16	22	32	45	38	30	21	23	11	6	-	-
	F--	186	-	-	-	-	-	-	-	-	-	-	1	5	7	3	18	15	30	23	26	20	15	16	5	2	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,110	-	1	-	2	-	1	-	1	1	-	4	6	12	17	32	39	49	109	165	220	209	170	59	13	-
	White-----M--	547	-	-	-	2	-	-	-	1	1	-	2	4	4	8	18	19	30	52	78	112	107	78	29	2	-
	F--	440	-	-	-	-	-	-	-	-	-	-	1	1	4	5	3	10	12	45	63	90	85	82	28	11	-
	Nonwhite--M--	62	-	-	-	-	-	1	-	-	-	-	-	1	2	-	5	4	-	10	11	9	14	5	-	-	-
	F--	61	-	1	-	-	-	-	-	-	-	-	1	-	2	4	6	6	7	2	13	9	3	5	2	-	-
430-434	Other diseases of heart---------	781	5	1	-	1	-	1	1	1	3	4	5	12	16	43	61	71	68	97	118	98	99	56	12	6	2
	White-----M--	419	3	-	-	-	-	1	-	1	1	2	1	3	7	20	35	39	42	48	70	50	56	31	8	1	-
	F--	251	1	1	-	-	-	-	1	-	1	1	3	3	6	14	13	18	19	31	39	32	40	20	3	4	1
	Nonwhite--M--	71	-	-	-	1	-	-	-	-	1	1	1	4	1	5	11	9	5	10	3	12	3	2	-	1	1
	F--	40	1	-	-	-	-	-	-	-	-	-	-	2	2	4	2	5	2	8	6	4	-	3	1	-	-
440-443	Hypertension with heart dis.--	1,718	-	-	-	-	-	-	1	1	1	1	8	13	28	47	75	112	178	200	288	309	256	156	38	4	2
	White-----M--	648	-	-	-	-	-	-	-	-	-	-	2	3	11	13	20	44	67	87	115	122	89	62	12	-	1
	F--	716	-	-	-	-	-	-	1	-	1	1	3	5	5	16	19	27	59	72	120	148	134	82	21	1	1
	Nonwhite--M--	179	-	-	-	-	-	-	-	1	-	-	-	1	2	6	17	23	31	19	38	15	17	5	2	2	-
	F--	175	-	-	-	-	-	-	-	-	-	-	3	4	10	12	19	18	21	22	15	24	16	7	3	1	-
444-447	Hypertension without mention of heart----------	251	-	-	-	-	-	-	-	-	-	2	4	2	6	13	21	18	10	26	23	36	36	29	16	3	4
	White-----M--	103	-	-	-	-	-	-	-	-	-	1	1	1	2	7	6	6	2	12	11	13	13	18	9	1	-
	F--	92	-	-	-	-	-	-	-	-	-	-	2	1	1	2	6	5	4	11	8	17	20	7	5	2	1
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	1	-	-	2	2	5	4	3	1	-	4	3	3	-	-	1
	F--	27	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	3	1	2	4	2	2	1	2	-	2
450	General arteriosclerosis--------	557	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	11	13	36	56	86	139	132	59	19	1
	White-----M--	262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	8	21	20	47	68	62	24	6	-
	F--	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	2	9	29	28	57	61	31	12	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	3	3	7	2	1	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	8	7	7	3	1	1
451-468	Other diseases of circulatory sys.-	137	1	1	-	-	-	-	1	1	1	2	1	3	7	5	7	10	15	14	19	15	17	13	3	-	1
	White-----M--	56	-	-	-	-	-	-	-	-	-	1	-	1	3	1	4	8	7	7	7	6	6	4	1	-	-
	F--	66	1	1	-	-	-	-	1	1	1	1	1	2	3	2	3	1	4	6	11	9	8	8	2	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	3	-	-	-	1
592-594	Chronic nephritis, etc.*----------	450	1	1	1	1	-	2	5	7	3	6	10	14	11	17	24	23	40	47	52	63	61	44	14	3	-
	White-----M--	203	-	1	-	1	-	2	-	6	1	4	5	5	5	6	17	11	14	16	23	26	29	22	7	2	-
	F--	176	1	-	-	-	-	-	4	1	2	2	4	5	1	8	4	6	17	24	21	27	22	20	6	1	-
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	-	-	1	2	3	1	2	3	4	6	3	6	6	1	-	-	-
	F--	33	-	-	1	-	-	-	1	-	-	-	-	2	2	2	1	3	5	1	5	4	4	1	1	-	-
480-493	Influenza and pneumonia, etc.*	919	234	16	8	5	2	11	3	3	3	6	7	7	13	24	20	33	47	58	77	102	119	80	35	3	1
	White-----M--	409	105	3	5	1	1	4	2	1	2	3	2	4	5	10	7	14	19	26	35	43	56	44	17	-	-
	F--	368	87	12	2	4	1	5	1	2	-	1	2	2	1	6	6	7	20	23	34	50	54	31	14	2	1
	Nonwhite--M--	89	26	2	1	-	-	1	-	-	-	-	1	1	4	6	4	9	7	4	5	5	7	4	2	-	-
	F--	53	16	1	-	-	-	1	-	-	1	2	2	-	3	2	3	3	1	5	3	4	2	1	2	1	-
480-483	Influenza---------	86	12	-	1	-	-	-	-	-	-	1	1	-	1	5	3	1	3	8	11	14	14	8	2	1	-
	White-----M--	38	7	-	1	-	-	-	-	-	-	-	-	-	-	3	1	1	1	3	6	6	5	4	-	-	-
	F--	39	4	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	2	4	4	7	8	4	1	1	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
490-493	Pneumonia, etc.*--	833	222	18	7	5	2	11	3	3	3	5	6	7	12	19	17	32	44	50	66	88	105	72	33	2	1
	White-----M--	371	98	3	4	1	1	4	2	1	2	3	2	4	5	7	6	13	18	23	29	37	51	40	17	-	-
	F--	329	83	12	2	4	1	5	1	2	-	1	1	2	1	4	5	7	18	19	30	43	46	27	13	1	1
	Nonwhite--M--	84	25	2	1	-	-	1	-	-	-	-	1	1	3	6	3	9	7	3	5	5	6	4	2	-	-
	F--	49	16	1	-	-	-	1	-	-	1	1	2	-	3	2	3	3	1	5	2	3	2	1	1	1	-
500-502	Bronchitis--------	63	14	5	1	1	-	2	-	-	1	-	-	-	-	-	-	5	2	2	7	8	4	6	2	3	-
	White-----M--	39	10	3	1	1	-	2	-	-	-	-	-	-	-	-	-	5	2	1	4	3	-	4	-	3	-
	F--	21	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	3	4	4	2	2	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	138	2	-	-	-	-	-	-	1	1	1	3	8	8	7	10	20	17	23	14	12	8	2	1	-	-
	White-----M--	104	2	-	-	-	-	-	-	1	1	1	1	6	6	6	7	15	15	21	10	6	4	1	1	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	2	-	4	6	3	1	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	-	1	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-
550-553	Appendicitis------	31	-	1	2	-	-	3	1	2	-	-	-	1	1	-	2	2	7	2	4	-	1	1	1	-	-
	White-----M--	12	-	1	-	-	-	1	1	1	-	-	-	1	1	-	1	-	2	1	1	-	1	-	-	-	-
	F--	13	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	1	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	128	21	-	-	2	-	-	-	-	-	2	1	4	5	1	7	5	11	11	16	23	11	6	2	-	-
	White-----M--	52	11	-	-	-	-	-	-	-	-	-	-	2	1	1	3	1	3	3	8	10	5	4	-	-	-
	F--	55	7	-	-	1	-	-	-	-	-	1	-	-	1	-	4	2	4	6	8	11	6	2	2	-	-
	Nonwhite--M--	11	2	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	3	1	-	1	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	1	-	1	2	-	-	2	1	1	-	1	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
543,	Gastritis, etc.*	175	98	9	2	2	-	1	-	1	-	1	-	4	-	6	6	4	5	5	3	9	7	8	3	1	-
571,	White-----M	75	48	4	-	1	-	-	-	1	-	1	-	1	-	2	3	3	2	2	2	-	2	2	1	-	-
572	F	80	36	4	2	1	-	1	-	-	-	-	-	3	-	3	1	1	2	3	1	9	5	5	2	1	-
	Nonwhite--M	9	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F	11	8	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
581	Cirrhosis of liver	223	2	-	-	-	-	-	-	-	-	5	4	12	24	25	28	25	29	23	17	17	9	2	1	-	-
	White-----M	153	1	-	-	-	-	-	-	-	-	3	2	5	16	20	20	22	22	17	8	11	5	1	-	-	-
	F	53	1	-	-	-	-	-	-	-	-	1	1	5	6	4	5	1	6	4	8	6	3	1	1	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	1	-	-	1	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	1	1	1	1	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	45	1	1	1	-	-	-	2	3	1	2	1	2	2	-	2	5	2	4	3	9	3	1	-	-	-
	White-----M	17	1	1	1	-	-	-	-	2	1	-	-	-	1	-	2	3	-	1	1	2	-	1	-	-	-
	F	22	-	-	-	-	-	-	2	1	-	1	1	1	1	-	-	1	2	3	1	6	2	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	117	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	10	16	31	32	17	2	-	-
	White-----M	111	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	9	15	30	31	17	2	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	52	...	...	...	...	...	...	-	4	6	9	9	15	6	2	-	1	-	-	-	-	-	-	-	-	-
	White-----F	42	...	...	...	...	...	...	-	3	6	6	6	13	5	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F	10	...	...	...	...	...	...	-	1	-	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	4	...	...	...	...	...	...	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	48	...	...	...	...	...	...	-	4	5	8	7	15	6	2	-	1	-	-	-	-	-	-	-	-	-
660-	White-----F	40	...	...	...	...	...	...	-	3	5	6	5	13	5	2	-	1	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	8	...	...	...	...	...	...	-	1	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	406	318	13	11	6	5	7	8	6	2	2	4	5	5	4	3	2	-	1	1	2	-	1	-	-	-
	White-----M	218	169	7	5	2	2	4	3	4	1	2	3	4	4	2	1	2	-	-	-	2	-	1	-	-	-
	F	156	124	6	5	4	2	2	4	1	-	-	1	1	1	1	2	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M	16	13	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	12	-	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	1,274	1,274	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	692	692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	435	435	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	571	571	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	345	345	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	180	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	591	591	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	291	291	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	216	216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	349	28	2	2	-	1	2	-	1	4	7	4	1	1	5	13	5	20	18	25	36	46	54	51	14	9
795	White-----M	170	15	1	1	-	-	1	-	-	4	5	2	-	-	1	6	3	14	10	11	20	18	21	24	9	4
	F	140	7	1	1	-	1	1	-	1	-	1	1	1	1	2	5	1	4	4	9	12	24	30	24	5	4
	Nonwhite--M	18	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	3	3	2	2	-	-	-
	F	21	3	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	2	2	1	2	1	3	-	1
Re-	All other diseases	1,212	79	17	10	6	2	16	13	11	22	16	29	41	47	66	83	73	93	132	161	117	95	57	20	4	2
sid-	White-----M	598	40	12	5	3	2	5	6	3	10	6	9	22	25	33	38	41	57	67	73	54	52	25	7	2	1
ual	F	501	26	3	5	3	-	9	5	7	10	9	15	17	12	27	32	23	30	52	72	61	42	29	10	1	1
	Nonwhite--M	64	2	2	-	-	-	1	-	1	1	1	2	1	6	3	9	4	3	10	10	2	1	1	3	1	-
	F	49	11	-	-	-	-	1	2	-	1	-	3	1	4	3	4	5	3	3	6	-	-	2	-	-	-
E800-	Accidents	2,018	88	21	28	28	26	74	72	152	150	119	106	112	102	96	109	98	82	97	85	120	122	94	26	8	3
E962	White-----M	1,251	39	4	14	11	15	39	51	118	113	96	77	86	78	77	72	66	54	62	44	47	44	33	9	-	2
	F	591	35	11	11	14	6	26	12	28	26	13	21	16	16	9	25	23	26	25	32	67	73	53	15	7	1
	Nonwhite--M	125	8	3	3	2	3	6	6	6	7	8	6	5	7	8	9	7	1	7	6	6	4	4	2	1	-
	F	51	6	3	-	1	2	3	3	-	4	2	2	5	1	2	3	2	1	3	3	-	1	4	-	-	-
E810-	Motor-vehicle																										
E835	accidents	780	13	3	11	7	13	29	27	96	97	73	51	56	40	33	40	44	36	40	27	18	14	9	2	-	1
	White-----M	544	7	1	7	5	9	15	21	75	72	59	36	42	29	23	20	30	20	30	15	12	10	4	1	-	1
	F	171	6	2	4	2	3	12	5	19	16	6	11	8	8	6	13	10	16	6	9	4	3	2	-	-	-
	Nonwhite--M	54	-	-	-	-	1	1	1	2	6	7	4	4	2	4	5	4	-	4	3	2	1	2	1	-	-
	F	11	-	-	-	-	-	1	-	-	3	1	-	2	1	-	2	-	-	-	-	-	-	1	-	-	-
E800-	All ot. accidents	1,238	75	18	17	21	13	45	45	56	53	46	55	56	62	63	69	54	46	57	58	102	108	85	24	8	2
E802,	White-----M	707	32	3	7	6	6	24	30	43	41	37	41	44	49	54	52	36	34	32	29	35	34	29	8	-	1
E840-	F	420	29	9	7	12	3	14	7	9	10	7	10	8	8	3	12	13	10	19	23	63	70	51	15	7	1
E962	Nonwhite--M	71	8	3	3	2	2	5	5	4	1	1	2	1	5	4	4	3	1	3	3	4	3	2	1	1	-
	F	40	6	3	-	1	2	2	3	-	1	1	2	3	-	2	1	2	1	3	3	-	1	3	-	-	-
E963,	Suicide	289	-	-	-	-	-	-	1	2	11	19	31	20	22	29	29	25	29	23	31	7	7	3	-	-	-
E970-	White-----M	223	-	-	-	-	-	-	1	2	8	12	21	16	19	25	22	22	21	21	21	4	6	2	-	-	-
E979	F	51	-	-	-	-	-	-	-	-	3	6	6	3	3	3	6	3	4	1	8	3	1	1	-	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	-	1	3	1	-	1	1	-	2	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-
E964,	Homicide	210	2	-	1	-	1	-	4	7	19	31	29	28	29	12	15	4	12	7	4	3	1	-	-	-	1
E980-	White-----M	113	1	-	-	-	1	-	3	4	6	17	12	17	17	7	8	1	9	4	2	3	-	-	-	-	1
E985	F	18	-	-	1	-	-	-	-	2	2	3	2	2	2	-	1	-	-	1	2	-	-	-	-	-	-
	Nonwhite--M	71	1	-	-	-	-	-	1	1	9	9	15	8	9	4	6	3	3	2	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	2	2	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E990-	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA																										
	ALL CAUSES------	24,376	2,614	193	109	82	55	194	163	237	314	353	398	565	864	1,144	1,640	1,843	2,227	2,791	2,812	2,315	1,889	984	396	118	76
	White-----M--	8,762	678	52	26	32	22	63	43	79	133	122	154	180	323	445	595	725	915	1,056	1,085	888	662	342	102	31	9
	F--	5,975	502	35	20	11	6	42	35	24	45	52	64	118	125	214	267	328	460	648	789	812	734	415	182	41	6
	Nonwhite--M--	5,212	797	64	38	21	17	40	52	91	77	111	93	127	206	261	402	435	476	577	505	349	258	111	56	23	25
	F--	4,427	637	42	25	18	10	49	33	43	59	68	87	140	210	224	376	355	376	510	433	266	235	116	56	23	36
001-019	Tuberculosis, all forms--------	317	4	3	2	1	-	-	-	1	3	10	15	20	35	31	30	39	28	31	24	19	11	8	1	1	-
	White-----M--	145	1	-	1	1	-	-	-	1	-	1	3	6	16	11	6	17	18	21	15	14	7	5	1	-	-
	F--	39	-	-	-	-	-	-	-	-	-	3	4	6	3	6	2	5	-	2	2	1	2	2	-	1	-
	Nonwhite--M--	85	2	2	1	-	-	-	-	-	2	1	4	3	9	10	15	13	8	7	5	1	2	-	-	-	-
	F--	48	1	1	-	-	-	-	-	-	1	5	4	5	7	4	7	4	2	1	2	3	-	1	-	-	-
001-008	Tuberculosis of respiratory system----------	292	2	1	-	-	-	-	-	1	3	9	15	19	35	31	25	36	28	28	24	15	10	8	1	1	-
	White-----M--	137	1	-	-	-	-	-	-	1	-	1	3	6	16	11	5	16	18	18	15	13	7	5	1	-	-
	F--	36	-	-	-	-	-	-	-	-	-	3	4	6	3	6	2	4	-	2	2	1	2	2	-	1	-
	Nonwhite--M--	77	1	1	-	-	-	-	-	-	2	-	4	3	9	10	13	12	8	7	5	1	1	-	-	-	-
	F--	40	-	-	-	-	-	-	-	-	1	5	4	4	7	4	5	4	2	1	2	-	-	1	-	-	-
010-019	Tuberculosis, other forms------	25	2	2	2	1	-	-	-	-	-	1	-	1	-	-	5	3	-	3	-	4	1	-	-	-	-
	White-----M--	8	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	1	1	1	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-
	F--	8	1	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	3	-	-	-	-	-
020-029	Syphilis and its sequelae---------	199	4	-	-	-	-	-	1	2	1	2	4	4	13	20	34	27	28	30	15	5	5	4	-	-	-
	White-----M--	49	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	4	8	14	6	2	3	2	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	3	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	97	2	-	-	-	-	-	-	1	1	-	4	2	3	10	17	16	17	12	8	1	1	2	-	-	-
	F--	45	2	-	-	-	-	-	1	1	-	2	-	1	6	7	11	4	3	3	1	2	1	-	-	-	-
040	Typhoid fever-----	3	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	22	6	1	1	1	2	1	-	-	-	-	-	1	-	1	1	-	1	-	3	-	2	1	-	-	-
	White-----M--	5	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F--	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	8	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	-	-	-
	F--	6	4	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	5	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	5	-	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	8	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	41	9	10	2	5	1	4	1	2	1	-	1	1	-	2	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	11	1	5	-	-	1	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	15	3	4	-	3	-	2	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	1	-	2	1	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	8	4	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	15	1	3	-	1	-	1	2	-	-	2	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	7	1	2	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	9	2	2	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	97	16	9	4	6	1	5	1	3	2	6	3	1	3	5	8	3	6	4	1	3	5	1	1	-	-
	White-----M--	27	5	3	-	3	-	1	-	1	-	2	-	-	-	1	4	1	2	3	-	-	1	-	-	-	-
	F--	25	1	3	1	1	-	1	1	1	1	1	-	-	2	2	2	1	1	-	1	2	2	-	1	-	-
	Nonwhite--M--	23	4	2	2	1	-	1	-	1	-	-	3	1	-	1	-	1	3	1	-	1	1	-	-	-	-
	F--	22	6	1	1	1	1	2	-	-	1	3	-	-	1	1	2	-	-	-	-	-	1	1	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
140-205	Malignant neoplasms, etc.*	3,561	8	4	1	7	6	21	8	14	23	26	48	109	145	232	344	429	494	496	466	346	216	84	27	4	3
	White—M	1,368	4	1	1	4	3	10	3	4	7	9	16	34	44	69	96	163	208	210	215	122	96	35	11	2	1
	F	1,045	1	-	-	2	-	7	-	4	8	8	16	38	41	77	113	109	116	124	125	130	79	34	13	-	-
	Nonwhite—M	606	1	1	-	1	3	3	3	6	3	5	5	7	21	46	63	78	87	94	79	63	22	11	2	1	1
	F	542	2	2	-	-	-	1	2	-	5	4	11	30	39	40	72	79	83	68	47	31	19	4	1	1	1
140-148	Of buccal cavity and pharynx	85	-	-	-	-	-	-	2	-	-	-	-	1	4	4	8	14	7	9	12	12	8	4	-	-	-
	White—M	43	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	7	4	5	7	5	6	3	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	2	4	6	2	1	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	1	-	-	-	-	-	1	1	3	4	1	2	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	1	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,219	1	-	-	-	-	-	1	1	2	3	6	21	36	69	109	139	168	182	177	145	98	44	14	2	1
	White—M	413	1	-	-	-	-	-	-	-	-	2	3	10	14	21	25	47	55	61	78	40	34	15	6	1	-
	F	359	-	-	-	-	-	-	-	-	1	-	1	5	9	20	31	31	39	47	47	60	42	20	6	-	-
	Nonwhite—M	269	-	-	-	-	-	-	1	1	1	1	1	2	7	22	26	35	41	45	34	35	9	5	1	1	1
	F	178	-	-	-	-	-	-	-	-	-	-	1	4	6	6	27	26	33	29	18	10	13	4	1	-	-
160-164	Of respiratory system	517	-	-	-	-	-	1	-	-	-	3	3	11	22	34	60	87	106	94	55	20	18	2	1	-	-
	White—M	362	-	-	-	-	-	1	-	-	-	1	-	8	12	20	37	66	82	65	45	10	14	-	1	-	-
	F	44	-	-	-	-	-	-	-	-	-	-	1	1	3	3	6	3	7	9	2	6	1	2	-	-	-
	Nonwhite—M	100	-	-	-	-	-	-	-	-	-	2	2	2	6	10	14	16	17	17	8	4	2	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	3	-	-	1	-	-	-	-
170	Of breast	254	-	-	-	-	-	-	-	-	1	1	4	21	21	33	36	27	26	26	27	14	13	2	2	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F	175	-	-	-	-	-	-	-	-	-	1	1	12	11	22	24	19	18	20	19	12	12	2	2	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	75	-	-	-	-	-	-	-	-	1	-	3	9	9	11	12	8	8	6	5	2	1	-	-	-	-
171-179	Of genital organs	610	-	-	-	-	-	1	-	1	4	5	18	22	30	33	54	61	66	75	95	79	44	15	5	1	1
	White—M	158	-	-	-	-	-	-	-	-	1	-	5	2	1	-	1	3	14	25	38	30	24	10	3	1	-
	F	191	-	-	-	-	-	-	-	1	1	1	7	6	9	18	24	34	21	14	20	20	10	3	2	-	-
	Nonwhite—M	97	-	-	-	-	-	-	-	-	-	-	-	1	-	2	9	5	12	17	26	15	8	2	-	-	-
	F	164	-	-	-	-	-	1	-	-	2	4	6	13	20	13	20	19	19	19	11	14	2	-	-	-	1
180, 181	Of urinary organs	146	-	-	-	1	-	-	-	-	1	1	-	1	4	6	9	21	22	22	17	17	12	8	3	1	-
	White—M	70	-	-	-	1	-	-	-	-	-	-	-	1	3	2	3	5	9	15	9	11	9	2	-	-	-
	F	31	-	-	-	-	-	-	-	-	1	-	-	-	1	-	4	5	4	3	4	3	2	2	2	-	-
	Nonwhite—M	23	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	3	6	1	2	2	1	4	1	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	3	3	2	1	-	-	-	1	-
156B, 165, 190-199	Of other sites, etc.*	436	1	1	-	2	4	5	3	5	7	8	7	14	16	36	37	56	63	53	50	42	16	7	2	-	1
	White—M	188	1	-	-	1	2	3	1	3	3	4	5	5	5	16	17	24	27	23	21	16	6	3	1	-	1
	F	142	-	-	-	1	-	1	-	2	2	3	2	8	6	11	12	11	17	17	16	20	8	4	1	-	-
	Nonwhite—M	50	-	-	-	-	2	1	-	-	1	1	-	-	4	3	5	10	7	6	6	3	1	-	-	-	-
	F	56	-	1	-	-	-	-	2	-	1	-	-	1	1	6	3	11	12	7	7	3	1	-	-	-	-
204	Leukemia and aleukemia	147	5	3	1	2	2	12	1	3	4	3	3	10	4	7	13	10	14	18	18	10	2	2	-	-	-
	White—M	68	2	1	1	1	1	5	1	-	-	2	-	6	3	5	5	5	6	9	6	6	1	2	-	-	-
	F	40	1	-	-	-	-	5	-	-	3	1	2	2	1	-	3	3	3	7	9	-	-	-	-	-	-
	Nonwhite—M	24	1	1	-	1	1	2	-	3	-	-	1	1	-	2	3	1	1	2	1	3	-	-	-	-	-
	F	15	1	1	-	-	-	-	-	-	1	-	-	1	-	-	2	1	4	-	2	1	1	-	-	-	-
200-203, 205	Lymphomas, etc.*	147	1	-	-	2	-	2	1	4	4	2	7	8	8	10	18	14	22	17	15	7	5	-	-	-	-
	White—M	64	-	-	-	1	-	1	-	1	3	-	3	1	5	4	6	6	11	7	9	4	2	-	-	-	-
	F	43	-	-	-	1	-	1	-	1	-	2	2	4	1	1	7	3	6	5	4	3	2	-	-	-	-
	Nonwhite—M	27	-	-	-	-	-	-	1	2	1	-	1	1	2	4	3	4	2	4	1	-	1	-	-	-	-
	F	13	1	-	-	-	-	-	-	-	-	-	1	2	-	1	2	1	3	1	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	126	5	2	2	1	1	6	5	2	4	3	4	12	6	15	17	8	8	8	7	6	3	1	-	-	-
	White—M	32	2	-	-	-	-	1	1	-	-	1	1	2	2	6	4	5	-	3	1	3	-	-	-	-	-
	F	32	1	-	1	-	1	1	1	-	1	1	1	4	1	4	6	2	2	2	1	-	2	-	-	-	-
	Nonwhite—M	27	1	1	-	1	-	2	1	2	2	-	-	1	-	1	2	1	4	2	4	2	-	-	-	-	-
	F	35	1	1	1	-	-	2	2	-	1	1	2	5	3	4	5	-	2	1	1	1	1	1	-	-	-
260	Diabetes mellitus	413	-	-	-	-	-	2	-	-	1	2	2	1	8	19	29	41	57	79	69	54	33	12	1	3	-
	White—M	87	-	-	-	-	-	1	-	-	-	-	1	-	2	3	10	2	13	13	17	15	7	2	1	-	-
	F	189	-	-	-	-	-	-	-	-	-	1	1	-	2	4	3	21	21	41	40	25	23	7	-	-	-
	Nonwhite—M	40	-	-	-	-	-	1	-	-	1	1	-	-	3	3	4	5	9	5	1	5	-	1	-	1	-
	F	97	-	-	-	-	-	-	-	-	-	-	-	1	1	9	12	13	14	20	11	9	3	2	-	2	-
290-293	Anemias	57	4	4	1	-	1	1	1	1	2	1	1	2	4	4	6	2	5	3	6	6	-	2	-	-	-
	White—M	12	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	4	-	1	-	-	-
	F	13	-	-	-	-	-	1	1	-	1	1	-	-	-	1	1	-	1	1	3	2	-	-	-	-	-
	Nonwhite—M	12	2	2	1	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	-	-	1	-	-	-
	F	20	-	1	-	-	1	-	-	1	1	-	1	2	3	2	2	-	3	1	2	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	44	9	4	2	2	2	1	2	1	-	4	1	1	3	2	1	1	2	-	4	-	1	1	-	-	-
	White—M	13	2	1	-	-	2	1	-	-	-	1	-	-	1	1	1	-	1	-	2	-	-	-	-	-	-
	F	6	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	14	3	2	-	2	-	-	-	1	-	1	-	-	2	-	-	1	-	-	1	-	-	1	-	-	-
	F	11	2	-	1	-	-	-	2	-	-	2	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	11,999	20	5	2	5	1	15	14	27	35	58	82	178	366	509	847	996	1,283	1,766	1,833	1,535	1,316	695	279	80	52
	White—M	4,365	6	-	1	2	-	4	1	8	11	12	30	52	133	209	329	399	523	633	678	575	428	241	69	16	5
	F	3,091	6	1	-	-	1	2	1	2	5	10	10	26	39	65	94	135	261	398	521	537	526	294	124	30	3
	Nonwhite—M	2,286	5	3	1	3	-	2	4	8	5	15	14	48	95	105	208	250	270	373	321	227	179	73	43	17	17
	F	2,257	3	1	-	-	-	7	8	9	14	21	28	52	99	130	216	212	229	362	313	196	183	87	43	17	27
330-334, 400-468	Diseases of cardiovascular system	11,710	20	5	2	3	1	12	14	22	28	57	76	170	357	499	829	981	1,261	1,722	1,793	1,499	1,277	678	275	79	50
	White—M	4,285	6	-	1	-	-	3	1	5	9	11	26	51	129	208	321	396	521	622	669	563	419	236	68	15	5
	F	3,024	6	1	-	-	1	-	1	2	3	10	9	26	39	62	93	130	256	392	513	525	511	288	123	30	3
	Nonwhite—M	2,201	5	3	1	3	-	2	4	6	3	15	14	43	91	102	205	246	260	356	305	221	170	71	41	17	17
	F	2,200	3	1	-	-	-	7	8	9	13	21	27	50	98	127	210	209	224	352	306	190	177	83	43	17	25
330-334	Vascular lesions, etc.*	2,371	6	-	2	1	-	3	2	6	9	12	16	36	74	85	158	196	234	350	361	349	269	135	51	12	4
	White—M	663	3	-	1	-	-	1	1	1	3	2	3	4	14	18	37	47	79	89	110	118	72	44	12	4	-
	F	623	2	-	-	-	-	-	1	1	1	2	3	5	8	20	23	37	43	68	100	117	112	55	21	4	-
	Nonwhite—M	506	-	-	1	1	-	1	-	-	1	3	1	13	22	17	43	45	58	96	70	61	39	21	10	2	1
	F	579	1	-	-	-	-	1	-	4	4	5	9	14	30	30	55	67	54	97	81	53	46	15	8	2	3
400-402	Rheumatic fever	22	-	1	-	-	1	7	6	1	1	1	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	10	-	1	-	-	-	1	4	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA--Con.																										
410-443	Diseases of heart-	8,538	12	2	-	2	-	1	2	13	12	33	53	120	253	388	620	738	960	1,296	1,334	1,052	902	465	188	52	40
	White-----M--	3,381	3	-	-	-	-	1	-	4	3	6	21	44	113	182	266	332	420	506	530	414	305	165	51	10	5
	F--	2,192	2	1	-	-	-	-	-	-	1	6	6	20	27	37	68	86	202	310	380	380	362	200	83	18	3
	Nonwhite--M--	1,530	5	1	-	2	-	-	-	4	2	9	12	29	58	80	146	186	181	243	220	138	120	41	25	13	15
	F--	1,435	2	-	-	-	-	-	2	5	6	12	14	27	55	89	140	134	157	237	204	120	115	59	29	11	17
410-416	Chronic rheumatic heart disease----	152	-	-	-	-	-	-	1	5	4	9	8	9	12	19	15	11	17	16	10	7	5	3	-	-	1
	White-----M--	46	-	-	-	-	-	-	-	1	-	2	4	1	5	6	6	4	6	7	1	1	1	1	-	-	-
	F--	40	-	-	-	-	-	-	-	-	1	4	2	4	4	4	3	-	5	4	2	2	2	2	-	-	1
	Nonwhite--M--	25	-	-	-	-	-	-	-	2	-	-	1	3	2	1	1	2	2	2	4	4	1	-	-	-	-
	F--	41	-	-	-	-	-	-	1	2	3	3	1	1	1	8	5	5	4	3	3	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,369	4	-	-	-	-	1	1	3	4	12	24	67	154	247	375	464	627	847	865	675	556	277	116	30	20
	White-----M--	2,549	2	-	-	-	-	1	-	1	1	3	15	37	93	153	212	260	318	399	402	298	211	102	34	4	3
	F--	1,441	-	-	-	-	-	-	-	-	-	1	4	9	13	20	39	51	139	208	267	256	237	126	56	14	1
	Nonwhite--M--	785	1	-	-	-	-	-	-	2	1	5	2	14	28	43	67	97	104	132	119	63	60	21	14	5	7
	F--	594	1	-	-	-	-	-	1	-	2	3	3	7	20	31	57	56	66	108	77	58	48	28	12	7	9
421, 422	Nonrheumatic chronic endocarditis, etc.*--	798	-	-	-	1	-	-	-	1	3	4	2	6	16	16	40	50	58	97	126	118	125	80	34	10	11
	White-----M--	246	-	-	-	-	-	-	-	1	1	1	-	2	5	4	13	19	18	28	40	40	37	25	6	4	2
	F--	215	-	-	-	-	-	-	-	-	-	1	-	2	4	1	2	6	10	21	29	33	46	41	16	3	-
	Nonwhite--M--	171	-	-	-	1	-	-	-	-	1	1	2	-	3	5	13	14	14	22	26	26	24	5	6	2	6
	F--	166	-	-	-	-	-	-	-	-	1	1	-	2	4	6	12	11	16	26	31	19	18	9	6	1	3
430-434	Other diseases of heart---------	474	9	2	-	1	-	-	-	2	1	3	7	9	20	17	32	52	46	78	59	44	54	23	10	4	2
	White-----M--	164	1	-	-	-	-	-	-	1	1	-	1	-	7	4	14	18	21	23	19	16	21	12	3	2	-
	F--	91	2	1	-	-	-	-	-	-	-	-	-	3	1	1	4	6	8	14	15	13	13	4	4	1	1
	Nonwhite--M--	122	4	1	-	1	-	-	-	-	-	1	4	3	4	8	7	17	11	26	14	8	5	5	2	1	-
	F--	97	1	-	-	-	-	-	-	1	-	2	2	3	8	4	7	11	6	15	11	7	15	2	1	-	1
440-443	Hypertension with heart dis.--	1,745	-	-	-	-	-	-	-	2	-	5	12	29	51	89	158	181	212	258	274	208	162	82	28	8	6
	White-----M--	376	-	-	-	-	-	-	-	-	-	-	1	4	3	15	21	31	57	49	68	59	35	25	8	-	-
	F--	405	-	-	-	-	-	-	-	-	-	-	-	2	5	11	20	23	40	63	67	76	64	27	7	-	-
	Nonwhite--M--	427	-	-	-	-	-	-	-	-	-	2	3	9	21	23	58	56	50	61	57	37	30	10	3	5	2
	F--	537	-	-	-	-	-	-	-	2	-	3	8	14	22	40	59	51	65	85	82	36	33	20	10	3	4
444-447	Hypertension without mention of heart----------	230	-	-	-	-	-	-	-	-	1	3	5	10	20	10	23	13	21	18	31	23	28	17	5	-	2
	White-----M--	44	-	-	-	-	-	-	-	-	-	-	1	3	2	-	7	3	7	3	4	3	8	3	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	4	1	8	4	8	4	1	-	-
	Nonwhite--M--	69	-	-	-	-	-	-	-	-	-	2	1	-	6	5	9	4	6	8	6	10	5	4	3	-	-
	F--	81	-	-	-	-	-	-	-	-	1	1	3	7	10	4	6	4	4	6	13	6	7	6	1	-	2
450	General arteriosclerosis--------	354	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	16	19	31	50	56	65	56	31	15	4
	White-----M--	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	14	18	19	28	20	5	1	-
	F--	128	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	9	17	18	24	29	18	8	-
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	8	2	8	10	5	5	3	2	1
	F--	59	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	6	6	7	9	8	2	5	4	3
451-468	Other diseases of circulatory sys.-	195	2	2	-	-	-	1	4	2	5	8	2	4	9	13	19	18	26	27	17	18	13	5	-	-	-
	White-----M--	78	-	-	-	-	-	1	-	-	2	3	1	-	-	8	8	8	11	10	7	9	6	4	-	-	-
	F--	43	2	-	-	-	-	-	-	1	1	2	-	1	2	3	-	3	6	4	8	5	5	-	-	-	-
	Nonwhite--M--	36	-	1	-	-	-	-	-	1	-	-	-	1	5	-	5	6	6	7	1	2	1	-	-	-	-
	F--	38	-	1	-	-	-	-	4	-	2	3	1	2	2	2	6	1	3	6	1	2	1	1	-	-	-
592-594	Chronic nephritis, etc.*----------	289	-	-	-	2	-	3	-	5	7	1	6	8	9	10	16	15	22	44	40	36	39	17	4	1	2
	White-----M--	80	-	-	-	2	-	1	-	3	2	1	4	1	4	1	8	3	2	11	9	12	9	5	1	1	-
	F--	67	-	-	-	-	-	2	-	-	2	-	1	-	-	3	1	5	5	6	8	12	15	6	1	-	-
	Nonwhite--M--	85	-	-	-	-	-	-	-	2	2	-	-	5	4	3	3	4	10	17	16	6	9	2	2	-	-
	F--	57	-	-	-	-	-	-	-	-	1	-	1	2	1	3	6	3	5	10	7	6	6	4	-	-	2
480-493	Influenza and pneumonia, etc.*-	821	253	43	11	10	4	19	10	9	8	7	4	5	17	23	22	26	38	64	59	61	54	41	20	8	5
	White-----M--	204	37	7	4	-	2	3	2	1	1	1	2	1	3	7	5	6	17	23	16	26	18	12	5	4	1
	F--	171	24	3	1	-	-	6	4	3	2	1	-	1	3	4	2	3	5	13	14	27	26	15	11	2	1
	Nonwhite--M--	243	105	19	2	5	2	7	1	2	-	2	1	-	4	8	9	7	11	16	16	6	8	5	3	2	2
	F--	203	87	14	4	5	-	3	3	3	5	3	1	3	7	4	6	10	5	12	13	2	2	9	1	-	1
480-483	Influenza---------	62	18	2	2	1	-	3	-	-	2	1	-	-	2	1	1	2	2	8	5	3	3	3	2	-	1
	White-----M--	15	1	1	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	1	2	1	-	-
	F--	11	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	-	1	-	-
	Nonwhite--M--	15	9	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1
	F--	21	8	1	-	1	-	-	-	-	2	1	-	-	2	1	-	-	-	2	2	-	-	1	-	-	-
490-493	Pneumonia, etc.*--	759	235	41	9	9	4	16	10	9	6	6	4	5	15	22	21	24	36	56	54	58	51	38	18	8	4
	White-----M--	189	36	6	2	-	2	3	2	1	1	1	2	1	3	7	4	5	17	20	15	25	17	10	4	4	1
	F--	160	24	3	1	-	-	4	4	3	2	1	-	1	3	4	2	3	4	11	13	25	24	15	10	2	1
	Nonwhite--M--	228	96	19	2	5	2	6	1	2	-	2	1	-	4	8	9	6	10	15	15	6	8	5	3	2	1
	F--	182	79	13	4	4	-	3	3	3	3	2	1	3	5	3	6	10	5	10	11	2	2	8	1	-	1
500-502	Bronchitis--------	46	13	1	-	1	-	1	-	-	-	-	1	-	1	1	4	2	5	4	3	3	3	3	1	-	1
	White-----M--	20	4	-	-	-	-	1	-	-	-	-	-	-	-	-	2	2	4	2	1	1	2	1	-	-	-
	F--	17	4	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	1	2	1	-	1
	Nonwhite--M--	8	2	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	100	2	-	-	-	1	-	-	-	1	2	-	3	6	4	13	14	13	10	8	9	11	2	1	-	-
	White-----M--	53	-	-	-	-	-	-	-	-	-	-	-	3	4	2	5	10	10	5	4	3	6	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	2	1	1	1	-	-
	Nonwhite--M--	26	1	-	-	-	-	-	-	-	1	2	-	-	1	2	5	1	2	2	2	3	4	-	-	-	-
	F--	11	1	-	-	-	1	-	-	-	-	-	-	-	-	-	3	2	-	2	1	1	-	-	-	-	-
550-553	Appendicitis------	30	-	1	1	-	1	4	-	-	3	-	1	-	2	2	1	-	1	2	7	2	2	-	-	-	-
	White-----M--	13	-	1	1	-	1	2	-	-	-	-	-	-	1	1	1	-	-	2	2	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-
	F--	6	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	139	22	-	-	-	-	2	1	1	1	1	1	4	3	8	12	7	20	12	9	13	13	8	1	-	-
	White-----M--	36	6	-	-	-	-	-	-	1	-	1	-	-	-	4	-	-	7	5	4	4	2	2	-	-	-
	F--	41	8	-	-	-	-	1	-	-	-	-	-	2	1	-	3	2	6	2	2	6	5	3	-	-	-
	Nonwhite--M--	36	6	-	-	-	-	1	1	-	1	-	-	1	1	4	4	4	2	3	1	1	3	2	1	-	-
	F--	26	2	-	-	-	-	-	-	-	-	-	1	1	1	-	5	1	5	2	2	2	3	1	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
543, 571, 572	Gastritis, etc.*	149	82	8	2	1	1	2	-	-	-	1	1	1	1	2	4	6	3	2	7	9	9	3	3	1	-
	White—M	25	9	2	-	1	-	-	-	-	-	-	-	-	1	-	2	2	-	-	3	3	1	1	-	-	-
	F	35	6	2	-	-	1	1	-	-	-	1	-	1	-	-	-	4	1	1	3	3	5	2	3	1	-
	Nonwhite—M	49	36	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	1	3	2	-	-	-	-
	F	40	31	2	1	-	-	1	-	-	-	-	-	-	-	1	2	-	-	1	-	-	1	-	-	-	-
581	Cirrhosis of liver	220	-	-	-	-	-	2	-	-	2	-	7	12	27	19	32	27	18	23	18	16	8	6	1	1	1
	White—M	126	-	-	-	-	-	-	-	-	-	-	2	6	16	10	23	11	14	17	7	11	4	3	-	1	1
	F	47	-	-	-	-	-	1	-	-	1	-	5	4	3	7	7	2	1	1	6	4	2	2	1	-	-
	Nonwhite—M	34	-	-	-	-	-	1	-	-	-	-	-	1	6	2	1	8	3	3	5	1	2	1	-	-	-
	F	13	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	6	-	2	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	48	1	2	-	1	1	4	2	1	3	1	3	3	1	1	1	4	-	5	5	4	2	2	-	1	-
	White—M	15	-	-	-	1	-	1	-	-	-	-	1	-	-	1	-	2	-	2	-	3	2	1	-	1	-
	F	9	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	1	2	-	-	1	-	-	-
	Nonwhite—M	16	1	1	-	-	-	1	1	-	2	1	2	-	1	-	-	1	-	2	2	1	-	-	-	-	-
	F	8	-	-	-	-	1	1	1	1	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
610	Hyperplasia of prostate	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	16	14	12	11	5	-	3	1
	White—M	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	9	8	9	7	4	-	2	-
	Nonwhite—M	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	7	6	3	4	1	-	1	1
640-689	Complications of pregnancy, etc.*	68	...	...	...	...	...	...	1	7	15	10	21	8	6	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	15	...	...	...	...	...	...	-	-	5	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	53	...	...	...	...	...	...	1	7	10	8	17	5	5	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	13	...	...	...	...	...	...	-	4	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	12	...	...	...	...	...	...	-	4	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	55	...	...	...	...	...	...	1	3	11	8	19	7	6	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	14	...	...	...	...	...	...	-	-	4	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	41	...	...	...	...	...	...	1	3	7	6	15	4	5	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	394	295	18	16	5	4	11	6	6	3	4	3	3	3	4	2	4	3	2	1	1	-	-	-	-	-
	White—M	133	91	8	5	3	2	6	2	2	1	2	2	2	2	1	1	2	1	-	-	-	-	-	-	-	-
	F	127	94	6	4	2	1	4	3	2	2	-	-	-	-	2	1	2	-	2	1	1	-	-	-	-	-
	Nonwhite—M	72	56	3	5	-	1	-	1	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	62	54	1	2	-	-	1	-	1	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,588	1,586	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	444	444	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	313	313	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	482	482	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	349	347	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	665	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	201	201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	148	147	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	779	778	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	221	221	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	231	231	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	157	156	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	396	48	5	2	-	1	1	4	2	1	4	4	7	14	18	20	30	17	32	41	29	44	28	28	6	10
	White—M	105	4	2	-	-	-	-	1	-	1	-	-	1	2	5	9	11	7	6	14	10	13	10	8	1	-
	F	74	6	-	-	-	-	1	1	-	-	-	-	1	2	5	1	5	1	10	7	6	9	8	7	3	1
	Nonwhite—M	102	19	3	1	-	1	-	-	1	-	2	1	3	3	3	2	8	4	7	10	10	13	3	3	1	4
	F	115	19	-	1	-	-	-	2	1	-	2	3	2	7	5	8	6	5	9	10	3	9	7	10	1	5
Residual	All other diseases	1,181	112	13	12	6	4	23	17	19	23	22	30	49	49	65	83	78	98	112	133	91	81	40	14	5	2
	White—M	422	34	2	5	3	2	6	3	6	7	4	6	13	16	23	21	35	36	46	56	46	36	10	3	3	-
	F	288	15	2	2	-	1	4	5	2	6	3	6	12	9	15	16	17	23	34	33	25	27	21	10	-	-
	Nonwhite—M	261	32	7	4	3	1	5	6	5	4	10	12	8	8	14	26	16	26	17	26	13	10	7	1	-	-
	F	210	31	2	1	-	-	8	3	6	6	5	6	16	16	13	20	10	13	15	18	7	8	2	-	2	2
E800-E962	Accidents	1,762	103	54	37	26	20	65	82	114	139	129	110	89	108	110	88	71	71	76	71	85	54	36	18	5	1
	White—M	810	22	15	8	12	6	24	27	51	96	73	66	44	62	60	46	36	29	35	28	31	24	9	4	1	1
	F	302	16	12	5	1	1	8	14	8	9	15	9	12	9	15	10	13	16	10	22	38	22	23	10	4	-
	Nonwhite—M	462	32	14	15	4	8	16	33	49	27	36	28	26	27	33	29	14	20	20	12	7	6	3	3	-	-
	F	188	33	13	9	9	5	17	8	6	7	5	7	7	10	2	3	8	6	11	9	9	2	1	1	-	-
E810-E835	Motor-vehicle accidents	610	11	12	5	7	5	21	24	46	65	63	53	41	41	50	32	32	30	26	21	13	7	3	2	-	-
	White—M	333	5	6	1	5	1	10	11	24	46	35	36	21	23	27	16	14	13	14	12	6	5	1	1	-	-
	F	103	2	4	1	-	-	5	5	5	8	12	5	7	4	7	5	10	8	4	5	4	1	1	-	-	-
	Nonwhite—M	130	3	1	3	1	3	4	4	16	8	13	10	10	8	15	8	3	7	5	4	1	1	1	1	-	-
	F	44	1	1	-	1	1	2	4	1	3	3	2	3	6	1	3	5	2	3	-	2	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	1,152	92	42	32	19	15	44	58	68	74	66	57	48	67	60	56	39	41	50	50	72	47	33	16	5	1
	White—M	477	17	9	7	7	5	14	16	27	50	38	30	23	39	33	30	22	16	21	16	25	19	8	3	1	1
	F	199	14	8	4	1	1	3	9	3	1	3	4	5	5	8	5	3	8	6	17	34	21	22	10	4	-
	Nonwhite—M	332	29	13	12	3	5	12	29	33	19	23	18	16	19	18	21	11	13	15	8	6	5	2	2	-	-
	F	144	32	12	9	8	4	15	4	5	4	2	5	4	4	1	-	3	4	8	9	7	2	1	1	-	-
E963, E970-E979	Suicide	185	-	-	-	-	-	-	2	4	6	16	21	19	16	23	22	15	16	8	7	4	5	1	-	-	-
	White—M	133	-	-	-	-	-	-	1	2	4	10	16	10	9	19	17	13	11	5	6	4	5	1	-	-	-
	F	25	-	-	-	-	-	-	1	1	1	-	2	6	5	2	2	1	2	2	-	-	-	-	-	-	-
	Nonwhite—M	25	-	-	-	-	-	-	-	1	1	4	3	3	2	2	3	1	3	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	256	4	-	2	-	-	1	1	20	37	41	28	30	27	24	19	10	5	5	1	1	-	-	-	-	-
	White—M	53	1	-	-	-	-	-	-	1	5	4	8	4	6	9	7	3	2	2	-	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	1	3	2	-	1	1	2	1	-	-	1	-	-	-	-	-	-
	Nonwhite—M	155	2	-	1	-	-	-	1	12	26	30	13	21	17	12	9	6	2	3	-	-	-	-	-	-	-
	F	36	1	-	1	-	-	1	-	7	5	4	5	5	3	2	1	-	1	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE																										
	ALL CAUSES------	9,956	564	49	31	23	20	55	19	60	69	74	100	119	201	336	416	583	866	1,026	1,331	1,440	1,292	868	327	74	13
	White-----M--	5,653	313	23	19	15	13	36	9	38	40	53	63	78	138	210	258	363	550	648	782	768	666	394	146	25	5
	F--	4,277	248	26	12	8	7	19	10	22	29	19	37	41	61	124	157	220	313	378	542	670	624	473	180	49	8
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	1	-	3	1	-	1	-	-	-
	F--	15	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	4	1	2	-	1	-	-
001-019	Tuberculosis, all forms--------	74	-	-	-	-	-	-	-	-	2	-	6	2	8	8	5	6	7	11	11	4	4	-	-	-	-
	White-----M--	48	-	-	-	-	-	-	-	-	1	-	2	1	5	6	4	5	6	7	6	4	1	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	1	-	4	1	3	2	1	1	1	4	4	-	3	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	69	-	-	-	-	-	-	-	-	-	-	6	2	8	8	5	5	7	11	9	4	4	-	-	-	-
	White-----M--	46	-	-	-	-	-	-	-	-	-	-	2	1	5	6	4	4	6	7	6	4	1	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	4	1	3	2	1	1	1	4	2	-	3	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	5	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	12	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	4	1	-	1	2	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	1	-	1	1	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	9	2	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	White-----M--	4	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	5	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	7	-	1	-	-	-	1	1	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	20	3	1	1	-	1	-	-	-	-	-	-	2	-	2	-	-	2	-	2	1	1	2	2	-	-
	White-----M--	11	2	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	2	2	-	-
	F--	9	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	2	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE—Continued																										
140-205	Malignant neoplasms, etc.*	1,648	3	1	2	3	7	3	3	4	4	10	17	16	46	85	124	139	191	214	236	240	158	110	28	3	1
	White—M	865	1	-	1	3	5	1	1	2	2	3	9	5	21	40	54	72	102	127	131	141	78	50	15	-	1
	F	781	2	1	1	-	2	2	2	2	2	7	8	11	25	45	70	67	89	87	105	98	79	60	13	3	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
140-148	Of buccal cavity and pharynx	35	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	5	3	4	8	6	4	1	-	-	-
	White—M	27	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	2	4	6	5	2	1	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	1	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	645	-	-	-	-	-	-	-	-	1	1	3	4	16	22	35	38	70	99	107	113	71	50	12	2	1
	White—M	340	-	-	-	-	-	-	-	-	-	-	1	2	7	12	16	22	38	60	59	61	38	18	5	-	1
	F	305	-	-	-	-	-	-	-	-	1	1	2	2	9	10	19	16	32	39	48	52	33	32	7	2	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system	166	-	-	-	-	1	-	-	-	-	-	-	-	7	13	19	27	32	19	17	20	7	3	1	-	-
	White—M	140	-	-	-	-	1	-	-	-	-	-	-	-	6	13	17	24	27	17	13	14	5	2	1	-	-
	F	26	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	5	2	4	6	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	132	-	-	-	-	-	-	-	-	-	1	2	3	3	13	17	17	16	10	17	10	12	9	2	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	130	-	-	-	-	-	-	-	-	-	1	2	3	2	13	17	17	16	10	16	10	12	9	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	279	-	-	-	-	-	-	1	-	-	1	2	3	11	13	18	20	25	33	37	52	34	25	4	-	-
	White—M	135	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	4	6	12	25	41	20	20	3	-	-
	F	143	-	-	-	-	-	-	1	-	-	1	2	3	8	13	17	16	19	21	12	10	14	5	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
180, 181	Of urinary organs	84	-	-	1	-	-	-	-	-	1	-	2	1	1	5	7	4	9	16	11	7	10	8	1	-	-
	White—M	50	-	-	-	-	-	-	-	-	-	-	1	1	1	4	4	2	6	12	6	4	4	4	1	-	-
	F	34	-	-	1	-	-	-	-	-	1	-	1	-	-	1	3	2	3	4	5	3	6	4	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	184	1	1	1	-	5	-	1	3	1	5	1	3	5	11	15	14	18	21	25	21	15	11	5	1	-
	White—M	96	-	-	1	-	3	-	1	1	1	1	1	1	3	6	5	8	11	13	14	11	7	4	4	-	-
	F	87	1	1	-	-	2	-	-	2	-	4	-	2	2	5	10	6	7	8	11	10	7	7	1	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
204	Leukemia and aleukemia	62	2	-	-	3	1	3	1	1	1	1	1	-	1	1	5	7	6	7	8	5	3	3	2	-	-
	White—M	35	1	-	-	3	1	1	-	1	1	1	-	-	-	1	3	4	3	5	4	3	1	1	1	-	-
	F	27	1	-	-	-	-	2	1	-	-	-	1	-	1	-	2	3	3	2	4	2	2	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	61	-	-	-	-	-	-	-	-	-	1	6	2	2	4	7	7	12	5	6	6	2	-	1	-	-
	White—M	40	-	-	-	-	-	-	-	-	-	1	6	1	-	2	7	4	9	4	3	2	1	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	3	3	1	3	4	1	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	30	1	-	-	-	-	1	-	2	-	1	-	-	3	4	4	4	2	2	2	3	1	-	-	-	-
	White—M	13	-	-	-	-	-	1	-	2	-	1	-	-	2	1	1	1	1	2	-	1	-	-	-	-	-
	F	17	1	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	1	-	2	2	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	159	-	-	-	-	-	1	1	-	-	1	1	4	4	1	4	10	24	20	32	26	18	11	1	-	-
	White—M	61	-	-	-	-	-	1	-	-	-	1	-	3	4	-	1	3	11	7	12	9	6	2	1	-	-
	F	98	-	-	-	-	-	-	1	-	-	-	1	1	-	1	3	7	13	13	20	17	12	9	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	32	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	3	1	2	8	2	8	4	-	-	-
	White—M	17	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	5	2	3	3	-	-	-
	F	15	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	3	-	1	3	-	5	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	11	6	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White—M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	5,842	3	-	-	1	2	3	2	8	9	9	26	38	71	154	196	328	513	657	874	1,015	965	655	248	55	10
	White—M	3,316	1	-	-	-	2	2	2	3	4	8	12	25	54	108	137	222	346	414	519	522	505	303	107	18	2
	F	2,514	1	-	-	1	-	1	-	5	5	1	14	13	17	45	59	106	164	243	351	493	459	351	140	37	8
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-
	F	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	1	-	1	-	-
330-334, 400-468	Diseases of cardiovascular system	5,700	3	-	-	-	1	3	2	5	8	7	23	35	65	149	188	318	505	647	858	992	943	642	241	55	10
	White—M	3,243	1	-	-	-	1	2	2	2	4	6	11	22	49	105	133	216	340	409	513	514	492	298	103	18	2
	F	2,445	1	-	-	-	-	1	-	3	4	1	12	13	16	43	55	102	162	238	341	478	450	343	137	37	8
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-
	F	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	1	-	1	-	-
330-334	Vascular lesions, etc.*	1,242	-	-	-	-	1	1	2	3	2	1	6	1	9	20	25	49	98	124	185	248	241	157	47	19	3
	White—M	596	-	-	-	-	1	-	2	1	2	1	1	-	6	7	10	27	53	68	101	114	113	65	21	3	-
	F	643	-	-	-	-	-	1	-	2	-	-	5	1	3	12	15	22	44	56	83	134	128	92	26	16	3
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
400-402	Rheumatic fever	6	-	-	-	-	-	1	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	1	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE—Continued																										
410-443	Diseases of heart	4,068	2	-	-	-	-	-	-	1	5	6	14	32	54	118	159	260	392	493	643	667	622	419	151	25	5
	White-----M--	2,452	-	-	-	-	-	-	-	1	2	5	8	22	42	90	121	183	276	324	397	364	337	202	68	9	1
	F--	1,608	1	-	-	-	-	-	-	-	3	1	6	10	12	28	38	77	114	169	243	303	284	216	83	16	4
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-
410-416	Chronic rheumatic heart disease---	128	-	-	-	-	-	-	-	-	2	5	8	4	3	8	12	11	20	11	18	8	11	3	3	1	-
	White-----M--	60	-	-	-	-	-	-	-	-	-	4	4	2	1	4	4	5	13	6	10	2	4	1	-	-	-
	F--	67	-	-	-	-	-	-	-	-	2	1	4	2	2	4	8	6	7	5	7	6	7	2	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,856	2	-	-	-	-	-	-	-	1	-	5	23	45	101	125	203	309	387	467	454	387	243	89	14	1
	White-----M--	1,845	-	-	-	-	-	-	-	-	-	-	4	18	37	80	104	152	226	266	303	257	229	122	41	5	1
	F--	1,005	1	-	-	-	-	-	-	-	1	-	1	5	8	21	21	51	81	121	162	197	158	120	48	9	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	549	-	-	-	-	-	-	-	-	-	-	1	3	2	4	7	18	30	44	71	102	103	108	45	7	4
	White-----M--	314	-	-	-	-	-	-	-	-	-	-	-	2	2	2	5	12	21	29	39	67	57	54	20	4	-
	F--	234	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	6	9	15	32	35	45	54	25	3	4
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
430-434	Other diseases of heart---------	89	-	-	-	-	-	-	-	1	2	1	-	-	1	-	3	4	7	12	11	11	22	12	1	1	-
	White-----M--	53	-	-	-	-	-	-	-	1	2	1	-	-	-	-	1	4	5	7	7	5	10	9	1	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	5	4	6	12	3	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	446	-	-	-	-	-	-	-	-	-	-	-	2	3	5	12	24	26	39	76	92	99	53	13	2	-
	White-----M--	180	-	-	-	-	-	-	-	-	-	-	-	-	2	4	7	10	11	16	38	33	37	16	6	-	-
	F--	266	-	-	-	-	-	-	-	-	-	-	-	2	1	1	5	14	15	23	38	59	62	37	7	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	68	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	6	7	20	12	10	6	1	1
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	4	12	7	6	1	1	1
	F--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	3	8	5	4	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
450	General arteriosclerosis--------	239	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	10	18	45	61	50	35	9	1
	White-----M--	115	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	5	8	19	34	22	13	5	-
	F--	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	10	26	27	28	22	4	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	77	1	-	-	-	-	1	-	1	1	-	1	2	2	6	2	4	9	14	5	12	7	6	2	1	-
	White-----M--	36	1	-	-	-	-	1	-	-	-	-	-	-	1	3	1	1	6	10	3	5	1	3	-	-	-
	F--	41	-	-	-	-	-	-	-	1	1	-	1	2	1	3	1	3	3	4	2	7	6	3	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	142	-	-	-	1	1	-	-	3	1	2	3	3	6	5	8	10	8	10	16	23	22	13	7	-	-
	White-----M--	73	-	-	-	-	1	-	-	1	-	2	1	3	5	3	4	6	6	5	6	8	13	5	4	-	-
	F--	69	-	-	-	1	-	-	-	2	1	-	2	-	1	2	4	4	2	5	10	15	9	8	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	222	60	10	4	3	1	1	-	2	1	4	-	2	1	-	4	5	9	8	21	23	26	22	11	4	-
	White-----M--	115	32	6	3	1	-	1	-	1	-	3	-	1	1	-	4	2	7	7	9	11	9	9	6	2	-
	F--	106	28	4	1	2	1	-	-	1	1	1	-	1	-	-	-	3	2	1	11	12	17	13	5	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	12	2	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	3	1	1	1	-
	White-----M--	5	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	210	58	10	3	3	1	1	-	1	1	3	-	2	1	-	4	5	9	8	21	22	23	21	10	3	-
	White-----M--	110	31	6	2	1	-	1	-	-	-	3	-	1	1	-	4	2	7	7	9	10	9	8	6	2	-
	F--	99	27	4	1	2	1	-	-	1	1	-	-	1	-	-	-	3	2	1	11	12	14	13	4	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	30	7	1	-	-	-	-	-	-	-	-	-	-	1	1	-	4	2	3	3	4	1	1	2	-	-
	White-----M--	22	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	3	3	2	1	1	1	-	-
	F--	8	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	54	-	-	1	-	-	-	-	-	-	-	-	-	3	3	5	6	7	7	7	10	4	1	-	-	-
	White-----M--	44	-	-	-	-	-	-	-	-	-	-	-	-	3	3	5	5	5	7	7	8	1	-	-	-	-
	F--	10	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	15	1	-	1	1	-	2	-	1	-	1	-	-	-	1	-	2	1	-	1	1	2	-	-	-	-
	White-----M--	10	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	2	1	-	1	1	1	-	-	-	-
	F--	5	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	51	2	-	-	-	-	3	-	-	-	-	1	1	2	1	3	4	2	6	7	7	8	1	2	1	-
	White-----M--	27	1	-	-	-	-	2	-	-	-	-	1	-	1	-	2	1	1	5	4	4	3	1	1	-	-
	F--	24	1	-	-	-	-	1	-	-	-	-	-	1	1	1	1	3	1	1	3	3	5	-	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE—Continued																										
543,	Gastritis, etc.*--	39	9	3	-	-	-	1	-	-	1	-	-	-	-	1	3	2	-	-	4	5	5	2	3	-	-
571,	White-----M--	21	5	1	-	-	-	1	-	-	1	-	-	-	-	-	3	2	-	-	4	1	3	-	-	-	-
572	F--	18	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	2	2	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	66	1	-	-	-	-	-	-	-	-	1	-	2	4	5	9	5	15	11	3	5	2	3	-	-	-
	White-----M--	39	1	-	-	-	-	-	-	-	-	1	-	-	3	4	8	2	8	4	2	4	-	2	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	3	7	7	1	1	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	16	-	-	-	-	-	-	1	1	-	-	-	1	1	2	1	-	1	2	2	3	1	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	2	2	2	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	1	-	-	-	-	-	2	-	-	1	-	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	8	3	15	1	2	1	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	8	3	15	1	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	10	...	...	...	...	...	...	-	1	1	2	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	...	...	...	...	...	...	-	1	1	2	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	8	...	...	...	...	...	...	-	1	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	8	...	...	...	...	...	...	-	1	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	131	100	9	4	-	1	-	2	1	-	1	-	-	2	4	4	2	-	1	-	-	-	-	-	-	-
	White-----M--	66	51	5	1	-	-	-	-	1	-	1	-	-	2	3	1	-	-	1	-	-	-	-	-	-	-
	F--	64	48	4	3	-	1	-	2	-	-	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	305	305	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	171	171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	70	3	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	5	2	3	8	14	16	11	3	-
795	White-----M--	35	2	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	3	2	2	2	9	3	5	2	-
	F--	35	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	6	5	13	6	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	413	31	5	5	4	1	2	2	5	10	5	7	9	10	22	22	32	40	38	67	39	33	13	7	2	2
sid-	White-----M--	242	21	3	4	3	-	1	1	2	3	2	4	6	7	9	12	20	23	23	41	26	20	5	3	1	2
ual	F--	167	10	2	1	1	1	1	1	3	7	2	3	3	3	12	9	12	17	15	25	13	13	8	4	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
E800-	Accidents---------	501	21	12	13	9	6	33	6	34	32	31	25	32	26	26	19	19	18	23	29	31	19	22	10	5	-
E962	White-----M--	343	14	5	8	7	4	22	3	27	24	29	24	27	22	20	14	13	12	17	17	14	7	9	3	1	-
	F--	157	7	7	5	2	2	11	3	7	8	2	1	5	4	6	5	6	6	6	12	16	12	13	7	4	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	155	-	7	4	1	4	9	2	23	19	13	12	9	7	7	4	7	6	6	3	8	3	1	-	-	-
	White-----M--	115	-	5	3	1	3	6	1	16	16	11	11	8	4	4	4	4	5	3	2	5	2	1	-	-	-
	F--	40	-	2	1	-	1	3	1	7	3	2	1	1	3	3	-	3	1	3	1	3	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	346	21	5	9	8	2	24	4	11	13	18	13	23	19	19	15	12	12	17	26	23	16	21	10	5	-
E802,	White-----M--	228	14	-	5	6	1	16	2	11	8	18	13	19	18	16	10	9	7	14	15	9	5	8	3	1	-
E840-	F--	117	7	5	4	2	1	8	2	-	5	-	-	4	1	3	5	3	5	3	11	13	11	13	7	4	-
E962	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	128	-	-	-	-	-	-	-	1	5	4	12	7	11	13	10	5	21	13	11	9	4	2	-	-	-
E970-	White-----M--	111	-	-	-	-	-	-	-	-	3	4	10	6	10	12	8	5	17	13	9	9	3	2	-	-	-
E979	F--	17	-	-	-	-	-	-	-	1	2	-	2	1	1	1	2	-	4	-	2	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	15	1	-	-	-	-	2	1	-	1	4	1	1	3	-	-	1	-	-	-	-	-	-	-	-	-
E980-	White-----M--	5	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
E985	F--	7	1	-	-	-	-	-	-	-	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND																										
	ALL CAUSES------	23.007	1,804	117	76	52	38	129	84	140	210	263	409	529	763	1,070	1,490	1,859	2,249	2,617	2,760	2,561	2,041	1,170	443	112	22
	White-----M--	10,330	673	51	32	18	9	61	45	75	89	103	146	219	326	509	681	962	1,169	1,349	1,234	1,103	864	427	145	35	5
	F--	8,200	489	32	27	16	17	37	22	26	49	64	104	141	183	274	374	471	639	855	1,167	1,201	1,029	652	264	59	8
	Nonwhite--M--	2,511	343	18	11	10	5	16	9	23	48	57	99	90	155	151	228	267	254	249	192	141	81	40	13	7	4
	F--	1,966	299	16	6	8	7	15	8	16	24	39	60	78	99	136	207	159	187	164	167	116	67	51	21	11	5
001-019	Tuberculosis, all forms--------	353	-	5	-	-	-	1	-	4	10	15	21	30	29	31	45	42	48	27	23	9	8	5	-	-	-
	White-----M--	147	-	-	-	-	-	-	-	-	1	2	5	8	7	15	11	23	28	18	18	5	4	2	-	-	-
	F--	52	-	2	-	-	-	-	-	1	1	-	4	8	4	1	4	6	8	1	4	2	3	3	-	-	-
	Nonwhite--M--	104	-	-	-	-	-	-	-	1	-	9	8	9	16	12	23	11	9	5	-	-	1	-	-	-	-
	F--	50	-	3	-	-	-	1	-	2	8	4	4	5	2	3	7	2	3	3	1	2	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	333	-	4	-	-	-	1	-	4	7	13	20	27	28	30	42	40	47	25	23	9	8	5	-	-	-
	White-----M--	143	-	-	-	-	-	-	-	-	1	2	5	8	7	14	11	22	26	16	18	5	4	2	-	-	-
	F--	51	-	2	-	-	-	-	-	1	1	-	4	7	4	1	4	6	8	1	4	2	3	3	-	-	-
	Nonwhite--M--	98	-	-	-	-	-	-	-	1	-	7	7	8	16	12	22	11	8	5	-	-	1	-	-	-	-
	F--	41	-	2	-	-	-	1	-	2	5	4	4	4	1	3	5	1	3	3	1	2	-	-	-	-	-
010-019	Tuberculosis, other forms------	20	-	1	-	-	-	-	-	-	3	2	1	3	1	1	3	2	1	2	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	9	-	1	-	-	-	-	-	-	3	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	106	-	-	-	-	-	-	-	-	-	-	2	5	9	13	20	16	16	9	4	6	4	2	-	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	5	9	5	2	2	1	1	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	1	1	1	1	3	3	1	-	-	-
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	-	1	3	6	6	7	8	6	2	1	-	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	1	-	3	3	6	2	-	1	-	1	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	15	3	3	1	1	1	3	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	6	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	6	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	9	1	-	-	-	-	5	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	11	1	2	2	1	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	6	-	1	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	64	9	-	2	1	1	1	1	1	3	2	7	2	3	6	2	6	4	4	3	-	3	3	-	-	-
	White-----M--	22	4	-	2	1	1	1	1	-	-	-	2	-	-	3	-	1	2	2	1	-	1	-	-	-	-
	F--	24	3	-	-	-	-	-	-	-	2	-	4	1	1	1	2	1	1	1	2	-	2	3	-	-	-
	Nonwhite--M--	10	2	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	1	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	1	1	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
140-205	Malignant neoplasms, etc.*	3,641	3	7	11	10	4	21	5	11	16	30	57	95	138	251	338	421	479	488	482	388	249	103	26	8	-
	White--M	1,635	1	3	6	4	1	11	3	7	7	15	17	31	44	90	125	178	256	250	219	175	129	46	14	3	-
	F	1,468	2	4	4	4	3	10	1	2	5	11	26	49	58	110	140	153	153	172	216	174	106	52	10	3	-
	Nonwhite--M	294	-	-	1	2	-	-	1	1	3	-	8	6	12	22	37	56	40	47	30	18	7	2	1	-	-
	F	244	-	-	-	-	-	-	-	1	1	4	6	9	24	29	36	34	30	19	17	21	7	3	1	2	-
140-148	Of buccal cavity and pharynx	81	-	-	-	-	-	-	-	-	-	-	-	-	5	2	6	16	11	13	14	7	4	2	1	-	-
	White--M	57	-	-	-	-	-	-	-	-	-	-	-	-	4	1	5	8	6	12	11	5	3	1	1	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	1	1	-	-	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	1	1	1	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,250	-	1	-	-	-	-	-	-	1	3	3	15	29	69	108	144	173	173	188	182	95	50	13	3	-
	White--M	555	-	-	-	-	-	-	-	-	1	1	1	5	12	32	41	55	99	77	74	75	54	21	6	1	-
	F	489	-	1	-	-	-	-	-	-	-	2	2	7	9	27	40	49	45	66	89	86	35	26	5	-	-
	Nonwhite--M	122	-	-	-	-	-	-	-	-	-	-	-	-	5	7	14	24	19	23	18	8	2	1	1	-	-
	F	84	-	-	-	-	-	-	-	-	-	-	-	3	3	3	13	16	10	7	7	13	4	2	1	2	-
160-164	Of respiratory system	503	-	-	-	-	-	-	-	-	2	1	7	11	22	37	55	75	89	91	67	27	13	6	-	-	-
	White--M	377	-	-	-	-	-	-	-	-	1	1	2	7	15	27	35	51	74	76	52	21	9	6	-	-	-
	F	58	-	-	-	-	-	-	-	-	-	-	2	2	4	4	4	10	6	5	12	5	4	-	-	-	-
	Nonwhite--M	58	-	-	-	-	-	-	-	-	1	-	2	2	2	6	16	11	6	8	3	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	3	2	-	-	-	-	-	-	-
170	Of breast	306	-	-	-	-	-	-	-	-	-	2	5	11	20	38	39	30	38	34	26	33	16	10	2	2	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	269	-	-	-	-	-	-	-	-	-	2	4	9	16	27	34	28	34	33	22	31	16	9	2	2	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	36	-	-	-	-	-	-	-	-	-	-	1	2	4	11	5	2	4	1	4	1	-	1	-	-	-
171-179	Of genital organs	574	-	-	-	-	-	-	1	-	1	6	12	27	26	45	50	63	62	59	82	66	52	16	5	1	-
	White--M	152	-	-	-	-	-	-	-	-	1	4	3	2	-	1	1	7	10	17	29	36	26	10	4	1	-
	F	314	-	-	-	-	-	-	1	-	-	-	7	21	17	32	36	43	40	29	40	19	22	6	1	-	-
	Nonwhite--M	37	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	3	8	8	7	3	-	-	-	-
	F	71	-	-	-	-	-	-	-	-	-	2	2	3	9	10	12	9	9	5	5	4	1	-	-	-	-
180, 181	Of urinary organs	180	-	-	1	2	-	-	-	1	-	1	1	3	8	12	11	21	22	27	26	21	19	3	1	-	-
	White--M	113	-	-	1	1	-	-	-	-	-	-	-	2	3	7	8	16	17	22	15	9	9	2	1	-	-
	F	52	-	-	-	-	-	-	-	1	-	1	1	-	3	3	2	2	3	3	11	12	9	1	-	-	-
	Nonwhite--M	10	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	2	2	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	436	-	4	3	4	1	6	1	4	2	7	11	17	17	25	45	45	46	61	48	33	40	10	4	2	-
	White--M	226	-	2	1	1	1	4	1	4	-	6	3	9	6	11	23	27	28	35	22	16	20	3	2	1	-
	F	164	-	2	2	3	-	2	-	-	1	1	5	5	5	10	18	11	13	19	26	14	17	7	2	1	-
	Nonwhite--M	28	-	-	-	-	-	-	-	-	-	-	1	3	2	3	2	5	4	5	-	1	2	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	1	-	2	-	4	1	2	2	1	2	-	2	1	-	-	-	-
204	Leukemia and aleukemia	142	3	2	7	4	2	13	3	2	4	4	10	6	5	8	4	10	17	7	13	9	6	3	-	-	-
	White--M	72	1	1	4	2	-	6	2	-	3	1	3	3	1	3	1	6	10	3	8	7	5	2	-	-	-
	F	51	2	1	2	1	2	7	-	1	1	3	3	3	3	3	1	2	4	3	5	2	1	1	-	-	-
	Nonwhite--M	13	-	-	1	1	-	-	1	1	-	-	4	-	-	1	-	2	2	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	169	-	-	-	-	1	2	-	4	6	6	8	5	6	15	20	17	21	23	18	10	4	3	-	-	-
	White--M	82	-	-	-	-	-	1	-	3	1	2	5	3	3	8	11	8	12	8	8	5	3	1	-	-	-
	F	61	-	-	-	-	1	1	-	-	3	2	2	2	1	4	5	4	6	14	9	4	1	2	-	-	-
	Nonwhite--M	15	-	-	-	-	-	-	-	-	2	-	1	-	2	1	2	4	2	1	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	1	-	2	-	-	-	2	2	1	1	-	1	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	113	4	1	1	-	3	4	2	3	2	2	6	8	10	14	10	11	10	5	1	8	4	3	1	-	-
	White--M	40	1	1	-	-	1	2	1	2	1	1	2	1	1	5	4	4	3	2	1	4	2	1	-	-	-
	F	49	1	-	-	-	1	1	1	1	1	-	-	7	8	7	3	4	5	2	-	4	2	1	-	-	-
	Nonwhite--M	9	2	-	1	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	1	-	-	-
	F	15	-	-	-	-	1	1	-	-	-	1	3	-	-	2	2	2	2	-	-	-	-	-	1	-	-
260	Diabetes mellitus	440	-	1	-	-	-	1	-	2	1	1	8	6	12	13	25	37	66	84	76	58	35	12	1	-	1
	White--M	138	-	-	-	-	-	-	-	-	1	1	5	2	4	5	8	13	22	28	18	17	9	5	-	-	-
	F	247	-	1	-	-	-	-	-	1	-	-	2	4	5	2	8	16	36	50	53	38	24	6	1	-	-
	Nonwhite--M	17	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	1	3	2	1	1	2	-	-	-	-
	F	38	-	-	-	-	-	1	-	1	-	-	-	-	2	3	7	7	5	4	4	2	-	1	-	-	1
290-293	Anemias	46	1	1	1	-	-	-	1	1	-	1	2	1	2	3	1	1	6	8	5	4	4	3	-	-	-
	White--M	12	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	1	3	1	-	-	-	-
	F	22	-	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	2	6	4	1	3	2	-	-	-
	Nonwhite--M	7	-	-	1	-	-	-	1	-	-	-	1	-	2	-	-	-	2	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	1	-	-	-
340	Nonmeningococcal meningitis*	32	12	4	2	1	-	2	1	-	1	-	-	-	2	1	2	1	-	1	1	1	-	-	-	-	-
	White--M	12	6	-	1	-	-	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	10	3	1	1	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M	9	3	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	12,479	11	2	-	2	-	13	7	9	21	47	90	158	312	475	771	1,066	1,304	1,642	1,857	1,819	1,511	911	360	75	16
	White--M	5,683	4	-	-	-	-	4	3	2	4	13	35	74	146	254	394	591	674	828	823	759	612	329	107	23	4
	F	4,710	3	-	-	2	-	4	4	2	9	17	18	26	58	95	155	231	352	535	778	865	779	506	224	42	5
	Nonwhite--M	1,094	1	-	-	-	-	3	-	3	5	9	22	27	60	55	100	146	150	156	131	110	63	34	12	4	3
	F	992	3	2	-	-	-	2	-	2	3	8	15	31	48	71	122	98	128	123	125	85	57	42	17	6	4
330-334, 400-468	Diseases of cardiovascular system	12,216	10	1	-	1	-	9	6	4	19	42	80	151	293	462	749	1,050	1,272	1,612	1,824	1,791	1,499	899	351	75	16
	White--M	5,595	3	-	-	-	-	3	2	1	3	12	30	71	140	250	385	584	665	818	812	751	608	326	104	23	4
	F	4,615	3	-	-	1	-	2	4	-	9	14	16	25	49	92	149	225	341	523	768	852	775	499	221	42	5
	Nonwhite--M	1,065	1	-	-	-	-	2	-	2	4	9	19	26	58	54	99	145	145	151	128	107	62	34	12	4	3
	F	941	3	1	-	-	-	2	-	1	3	7	15	29	46	66	116	96	121	120	116	81	54	40	14	6	4
330-334	Vascular lesions, etc.*	2,050	3	-	-	-	-	2	-	1	3	9	15	23	47	54	104	140	173	271	332	349	284	171	54	11	4
	White--M	822	1	-	-	-	-	-	-	-	1	2	4	6	13	16	34	65	79	131	131	142	114	57	22	3	1
	F	863	1	-	-	-	-	1	-	-	2	2	4	6	9	17	33	36	57	87	156	170	146	102	28	6	-
	Nonwhite--M	176	-	-	-	-	-	-	-	1	-	5	3	6	9	5	15	21	18	26	24	24	14	1	2	1	1
	F	189	1	-	-	-	-	1	-	-	-	-	4	5	16	16	22	18	19	27	21	13	10	11	2	1	2
400-402	Rheumatic fever	15	-	-	-	-	-	3	4	-	1	2	-	2	-	-	1	-	1	1	-	-	-	-	-	-	-
	White--M	6	-	-	-	-	-	2	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
410-443	Diseases of heart	9,343	6	1	-	1	-	4	1	3	12	21	54	110	229	390	610	868	1,042	1,254	1,393	1,320	1,101	612	243	58	10
	White-----M--	4,422	2	-	-	-	-	1	1	1	2	5	23	60	122	225	336	500	553	649	629	550	445	226	70	19	3
	F--	3,440	2	-	-	1	-	1	-	-	5	10	10	18	37	71	111	178	274	408	581	633	572	336	156	32	4
	Nonwhite--M--	798	1	-	-	-	-	1	-	1	3	3	13	16	44	46	77	116	121	112	92	74	42	27	6	2	1
	F--	683	1	1	-	-	-	1	-	1	2	3	8	16	26	48	86	74	94	85	91	63	42	23	11	5	2
410-416	Chronic rheumatic heart disease----	264	-	1	-	-	-	1	-	2	7	9	13	16	32	25	33	39	34	21	8	8	8	7	-	-	-
	White-----M--	97	-	-	-	-	-	1	-	1	2	2	3	5	12	8	14	17	14	7	2	3	2	4	-	-	-
	F--	120	-	-	-	-	-	-	-	-	2	6	3	7	14	14	14	16	17	13	6	1	5	2	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	3	1	6	1	4	2	2	2	1	1	-	1	-	-	-	-	-
	F--	23	-	1	-	-	-	-	-	1	-	-	1	3	2	1	3	4	2	-	-	3	1	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,996	2	-	-	-	-	-	1	-	2	4	23	66	127	239	363	529	614	756	751	661	506	232	96	19	5
	White-----M--	2,912	1	-	-	-	-	-	1	-	-	2	16	48	95	179	259	371	399	453	417	313	230	90	28	8	2
	F--	1,610	1	-	-	-	-	-	-	-	1	1	4	9	13	30	52	93	144	232	283	308	244	124	59	11	1
	Nonwhite--M--	283	-	-	-	-	-	-	-	-	-	1	2	6	14	17	25	37	43	48	28	16	19	13	4	-	-
	F--	191	-	-	-	-	-	-	-	-	1	-	1	3	5	13	27	28	28	23	23	14	13	5	5	-	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,802	1	-	-	-	-	1	-	-	-	1	4	3	14	28	58	86	127	188	277	330	330	231	92	27	4
	White-----M--	718	-	-	-	-	-	-	-	-	-	1	1	1	5	7	24	32	57	85	112	142	131	82	29	8	1
	F--	769	-	-	-	-	-	-	-	-	-	-	1	-	1	6	11	21	29	55	115	150	171	133	59	15	2
	Nonwhite--M--	182	-	-	-	-	-	-	-	-	-	-	2	1	7	7	14	26	25	21	27	26	14	9	1	1	1
	F--	133	1	-	-	-	-	1	-	-	-	-	-	1	1	8	9	7	16	27	23	12	14	7	3	3	-
430-434	Other diseases of heart---------	202	3	-	-	1	-	2	-	1	3	3	1	5	11	9	10	18	23	18	28	32	22	8	3	1	-
	White-----M--	88	1	-	-	-	-	-	-	-	-	-	-	3	4	6	6	13	12	9	9	14	6	3	1	1	-
	F--	76	1	-	-	1	-	1	-	-	2	1	-	-	3	1	1	2	8	6	13	14	16	4	2	-	-
	Nonwhite--M--	23	1	-	-	-	-	1	-	1	-	-	1	1	3	1	2	3	2	3	2	2	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	-	1	-	4	2	-	1	-	-	-
440-443	Hypertension with heart dis.--	2.079	-	-	-	-	-	-	-	-	-	4	13	20	45	89	146	196	244	271	329	289	235	134	52	11	1
	White-----M--	607	-	-	-	-	-	-	-	-	-	-	3	3	6	25	33	67	71	95	89	78	76	47	12	2	-
	F--	865	-	-	-	-	-	-	-	-	-	2	2	2	6	20	33	46	76	102	164	160	136	73	36	6	1
	Nonwhite--M--	286	-	-	-	-	-	-	-	-	-	1	2	7	16	19	34	48	50	39	35	19	9	5	1	1	-
	F--	321	-	-	-	-	-	-	-	-	-	1	6	8	17	25	46	35	47	35	41	32	14	9	3	2	-
444-447	Hypertension without mention of heart----------	199	-	-	-	-	-	-	1	-	1	1	8	11	12	10	17	14	14	27	15	23	24	15	6	-	-
	White-----M--	72	-	-	-	-	-	-	-	-	-	-	2	2	2	5	3	4	6	12	8	13	10	4	1	-	-
	F--	61	-	-	-	-	-	-	1	-	1	-	-	1	2	3	3	4	4	8	4	6	12	7	5	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	3	3	4	-	5	3	-	4	2	2	2	2	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	1	3	5	4	2	6	3	4	3	1	2	-	2	-	-	-
450	General arteriosclerosis--------	426	-	-	-	-	-	-	-	-	-	1	1	-	-	2	5	8	16	30	55	82	84	91	45	4	2
	White-----M--	170	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	4	8	9	26	35	38	35	9	-	-
	F--	197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	12	19	37	40	49	31	4	1
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	5	7	7	4	4	4	-	1
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	3	3	2	3	1	-	-
451-468	Other diseases of circulatory sys.-	183	1	-	-	-	-	-	-	-	2	8	2	5	5	6	12	20	26	29	29	17	6	10	3	2	-
	White-----M--	103	-	-	-	-	-	-	-	-	-	4	-	2	3	2	9	11	19	16	18	11	1	4	2	1	-
	F--	49	-	-	-	-	-	-	-	-	1	2	2	-	1	1	-	6	3	8	8	6	5	5	1	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	1	-	-	1	1	3	2	3	4	4	3	-	-	-	-	1	-
	F--	8	1	-	-	-	-	-	-	-	-	2	-	2	-	-	1	-	-	1	-	-	-	1	-	-	-
592-594	Chronic nephritis, etc.*----------	263	1	1	-	1	-	4	1	5	2	5	10	7	19	13	22	16	32	30	33	28	12	12	9	-	-
	White-----M--	88	1	-	-	-	-	1	1	1	1	1	5	3	6	4	9	7	9	10	11	8	4	3	3	-	-
	F--	95	-	-	-	1	-	2	-	2	-	3	2	1	9	3	6	6	11	12	10	13	4	7	3	-	-
	Nonwhite--M--	29	-	-	-	-	-	1	-	1	1	-	3	1	2	1	1	1	5	5	3	3	1	-	-	-	-
	F--	51	-	1	-	-	-	-	-	1	-	1	-	2	2	5	5	2	7	3	9	4	3	2	3	-	-
480-493	Influenza and pneumonia, etc.*-	577	131	21	7	1	4	7	7	3	4	5	10	10	17	27	32	18	33	38	46	43	44	40	19	10	-
	White-----M--	221	25	12	1	-	-	4	-	2	-	2	5	5	4	10	18	6	17	20	24	23	23	11	7	2	-
	F--	167	29	6	2	1	2	1	2	1	2	1	1	-	2	4	6	2	8	8	13	14	19	27	10	6	-
	Nonwhite--M--	104	34	-	2	-	-	-	1	-	2	2	4	4	9	9	6	9	4	8	3	4	1	1	-	1	-
	F--	85	43	3	2	-	2	2	4	-	-	-	-	1	2	4	2	1	4	2	6	2	1	1	2	1	-
480-483	Influenza---------	15	2	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	2	3	2	1	1	-
	White-----M--	7	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
	Nonwhite--M--	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	562	129	20	6	1	4	6	7	3	4	5	10	9	17	27	32	18	33	38	46	41	41	38	18	9	-
	White-----M--	214	24	11	1	-	-	3	-	2	-	2	5	5	4	10	18	6	17	20	24	22	21	10	7	2	-
	F--	164	29	6	2	1	2	1	2	1	2	1	1	-	2	4	6	2	8	8	13	14	18	26	9	6	-
	Nonwhite--M--	100	33	-	1	-	-	-	1	-	2	2	4	4	9	9	6	9	4	8	3	3	1	1	-	-	-
	F--	84	43	3	2	-	2	2	4	-	-	-	-	-	2	4	2	1	4	2	6	2	1	1	2	1	-
500-502	Bronchitis--------	56	19	4	3	-	-	1	-	-	1	-	-	-	-	1	1	4	4	4	7	3	2	1	1	-	-
	White-----M--	33	11	3	-	-	-	-	-	-	1	-	-	-	-	-	1	3	3	3	4	2	1	-	1	-	-
	F--	11	1	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-
	Nonwhite--M--	8	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	113	-	-	-	-	-	-	-	-	-	2	3	1	4	7	10	10	25	21	10	11	5	3	1	-	-
	White-----M--	75	-	-	-	-	-	-	-	-	-	-	1	-	3	4	7	7	15	15	9	9	2	2	1	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	5	4	-	1	2	1	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	1	4	1	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-
550-553	Appendicitis------	32	-	-	-	-	-	1	-	-	-	-	2	2	3	2	3	2	2	5	2	5	1	2	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	-	1	3	-	2	-	2	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	1	2	2	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	147	20	-	-	-	-	1	-	1	1	2	2	2	2	4	11	11	13	12	22	18	18	5	1	1	-
	White-----M--	49	10	-	-	-	-	1	-	1	-	-	-	-	-	1	2	3	2	7	8	4	8	1	-	1	-
	F--	62	6	-	-	-	-	-	-	-	-	1	-	-	-	1	4	4	5	3	11	14	8	4	1	-	-
	Nonwhite--M--	17	3	-	-	-	-	-	-	-	-	1	1	-	1	1	2	2	3	1	1	-	1	-	-	-	-
	F--	19	1	-	-	-	-	-	-	-	1	-	1	2	1	1	3	2	3	1	2	-	1	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
543, 571, 572	Gastritis, etc.*	88	35	5	1	-	1	-	1	2	1	-	1	2	4	5	1	4	5	7	4	2	5	1	-	1	-
	White-----M--	34	6	3	-	-	1	-	1	-	1	-	-	1	3	3	-	2	3	5	3	-	2	-	-	-	-
	F--	22	4	1	1	-	-	-	-	2	-	-	1	1	-	1	1	1	2	-	-	2	3	1	-	1	-
	Nonwhite--M--	17	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	15	11	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
581	Cirrhosis of liver	252	-	1	-	-	-	-	-	2	1	4	8	11	28	42	30	25	25	32	16	12	10	3	1	-	1
	White-----M--	140	-	1	-	-	-	-	-	1	-	-	4	6	10	28	14	13	18	20	12	4	5	2	1	-	1
	F--	86	-	-	-	-	-	-	-	-	1	2	2	5	12	11	13	8	6	9	4	8	4	1	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	1	1	-	4	3	2	4	1	3	-	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	35	2	-	1	-	1	1	1	-	1	1	2	2	3	1	2	3	4	5	2	1	2	-	-	-	-
	White-----M--	14	1	-	1	-	-	1	-	-	1	1	-	1	-	-	-	1	1	5	-	1	-	-	-	-	-
	F--	8	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	2	-	2	-	-	-	-
	Nonwhite--M--	10	1	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	2	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	13	10	18	16	6	3	-	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	10	8	17	15	6	3	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	1	1	-	-	-	-
640-689	Complications of pregnancy, etc.*	34	...	...	...	...	...	...	-	3	6	4	12	6	2	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	18	...	...	...	...	...	...	-	3	3	1	4	4	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	16	...	...	...	...	...	...	-	-	3	3	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	3	...	...	...	...	...	...	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	31	...	...	...	...	...	...	-	2	5	4	11	6	2	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	16	...	...	...	...	...	...	-	2	2	1	4	4	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	15	...	...	...	...	...	...	-	-	3	3	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	348	266	16	7	2	2	6	6	2	4	4	2	6	6	6	4	3	2	2	1	1	-	-	-	-	-
	White-----M--	151	118	9	4	1	-	2	2	1	-	2	2	2	1	2	-	1	1	2	-	1	-	-	-	-	-
	F--	129	96	4	3	1	2	3	4	-	4	1	-	1	2	3	2	2	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	46	32	3	-	-	-	1	-	1	-	-	-	2	3	1	2	-	-	-	1	-	-	-	-	-	-
	F--	22	20	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,081	1,081	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	423	423	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	294	294	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	191	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	446	446	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	140	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	558	558	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	213	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	143	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	85	23	1	-	-	-	1	1	-	1	-	1	1	1	2	3	2	7	3	10	2	7	9	5	5	-
	White-----M--	34	9	1	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	3	4	-	3	2	3	1	-
	F--	25	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	4	1	4	6	2	2	-
	Nonwhite--M--	20	9	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	2	-	2	1	-	1	-	2	-
	F--	6	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Residual	All other diseases	1,019	119	14	8	10	9	12	6	8	12	24	37	53	39	52	68	70	97	121	104	76	51	18	3	5	3
	White-----M--	449	37	6	4	6	1	5	5	1	4	6	6	11	20	20	28	43	53	66	47	43	26	8	1	2	-
	F--	326	24	1	2	1	4	4	1	1	4	8	16	15	10	18	16	18	29	40	46	31	22	9	2	2	2
	Nonwhite--M--	130	30	5	1	2	3	2	-	3	2	6	7	11	4	5	11	6	8	10	8	2	3	-	-	-	1
	F--	114	28	2	1	1	1	1	-	3	2	4	8	16	5	9	13	3	7	5	3	-	-	1	-	1	-
E800-E962	Accidents	1,305	56	26	28	22	12	41	40	74	86	73	89	83	80	68	70	66	67	73	58	67	59	40	20	6	1
	White-----M--	677	15	11	12	4	3	25	27	53	58	46	50	50	47	35	44	38	33	43	23	25	18	9	6	2	-
	F--	324	15	6	8	6	4	4	5	9	13	10	17	8	11	9	6	15	14	21	20	37	40	28	14	3	1
	Nonwhite--M--	217	15	6	5	5	2	7	6	9	14	13	17	18	19	19	16	11	16	6	9	2	1	1	-	-	-
	F--	87	11	3	3	7	3	5	2	3	1	4	5	7	3	5	4	2	4	3	6	3	-	2	-	1	-
E810-E835	Motor-vehicle accidents	501	3	6	6	4	3	15	17	41	63	41	48	40	31	35	29	28	25	25	18	17	4	2	-	-	-
	White-----M--	295	1	3	4	1	-	10	11	31	45	25	31	23	21	16	14	13	9	16	9	10	2	-	-	-	-
	F--	86	-	3	1	1	2	2	3	4	8	6	8	4	5	4	3	8	5	8	2	5	2	2	-	-	-
	Nonwhite--M--	97	1	-	-	2	-	3	2	4	9	8	9	10	5	13	11	6	8	1	4	1	-	-	-	-	-
	F--	23	1	-	1	-	1	-	1	2	1	2	-	3	-	2	1	1	3	-	3	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	804	53	20	22	18	9	26	23	33	23	32	41	43	49	33	41	38	42	48	40	50	55	38	20	6	1
	White-----M--	382	14	8	8	3	3	15	16	22	13	21	19	27	26	19	30	25	24	27	14	15	16	9	6	2	-
	F--	238	15	3	7	5	2	2	2	5	5	4	9	4	6	5	3	7	9	13	18	32	38	26	14	3	1
	Nonwhite--M--	120	14	6	5	3	2	4	4	5	5	5	8	8	14	6	5	5	8	5	5	1	1	1	-	-	-
	F--	64	10	3	2	7	2	5	1	1	-	2	5	4	3	3	3	1	1	3	3	2	-	2	-	1	-
E963, E970-E979	Suicide	286	-	-	-	-	-	-	-	3	15	28	17	31	40	33	26	36	24	10	12	7	3	-	1	-	-
	White-----M--	191	-	-	-	-	-	-	-	2	10	12	5	21	31	24	16	28	17	9	7	6	2	-	1	-	-
	F--	57	-	-	-	-	-	-	-	1	1	8	5	7	6	6	6	4	6	1	4	1	1	-	-	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	4	5	7	2	2	2	4	4	1	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	3	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-
E964, E980-E985	Homicide	160	5	2	1	-	-	3	3	10	22	18	29	13	16	13	13	4	2	2	3	1	-	-	-	-	-
	White-----M--	26	-	-	1	-	-	-	1	2	-	2	4	4	2	3	1	1	2	1	1	1	-	-	-	-	-
	F--	25	3	1	-	-	-	3	1	1	2	3	3	2	1	2	2	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	81	-	1	-	-	-	-	-	5	16	9	17	5	10	6	8	2	-	1	1	-	-	-	-	-	-
	F--	28	2	-	-	-	-	-	1	2	4	4	5	2	3	2	2	1	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS																										
	ALL CAUSES------	51,752	2,494	140	92	66	75	216	130	212	277	360	459	658	1,058	1,717	2,557	3,649	5,092	6,462	7,066	7,074	6,152	3,717	1,523	350	156
	White-----M--	27,133	1,407	66	56	27	44	121	78	158	163	229	266	385	621	1,045	1,548	2,259	3,057	3,717	3,630	3,315	2,699	1,472	581	97	72
	F--	23,698	1,002	67	32	36	31	92	48	51	80	121	171	243	408	632	937	1,319	1,932	2,643	3,326	3,659	3.395	2,207	935	252	79
	Nonwhite--M--	536	36	6	3	3	-	1	4	2	9	5	12	17	14	24	48	46	62	72	63	56	33	17	2	1	2
	F--	383	49	1	1	-	-	2	-	1	5	5	10	13	15	16	24	25	41	30	47	44	25	21	5	-	3
001-019	Tuberculosis, all forms--------	506	2	2	2	-	1	-	2	4	2	7	16	31	30	43	51	50	62	71	52	36	25	11	3	1	2
	White-----M--	373	2	-	-	-	-	-	1	3	-	4	7	22	17	31	39	45	48	57	46	27	14	8	1	-	1
	F--	100	-	2	2	-	1	-	1	1	2	1	5	8	10	10	11	3	9	10	3	6	9	3	2	1	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	2	5	3	3	2	1	-	-	-	1
	F--	10	-	-	-	-	-	-	-	-	-	1	3	1	1	1	-	-	-	1	-	1	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	469	2	2	-	-	-	-	1	4	2	4	13	29	29	42	50	48	56	65	51	32	23	10	3	1	2
	White-----M--	356	2	-	-	-	-	-	1	3	-	3	7	20	16	31	38	44	44	54	45	26	13	7	1	-	1
	F--	88	-	2	-	-	-	-	-	1	2	1	4	8	10	10	11	2	8	7	3	4	9	3	2	1	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	4	3	3	2	1	-	-	-	1
	F--	5	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	37	-	-	2	-	1	-	1	-	-	3	3	2	1	1	1	2	6	6	1	4	2	1	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	4	3	1	1	1	1	-	-	-
	F--	12	-	-	2	-	1	-	1	-	-	-	1	-	-	-	-	1	1	3	-	2	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	1	1	-	-	-	-
020-029	Syphilis and its sequelae---------	123	-	-	-	-	-	-	-	-	-	-	1	2	3	2	6	6	18	28	23	18	11	3	1	-	-
	White-----M--	90	-	-	-	-	-	-	-	-	-	-	1	-	2	2	5	4	15	23	19	12	6	1	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	5	3	5	4	2	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	1	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	13	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	1	2	2	2	1	-	1	-
	White-----M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	4	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	34	9	4	2	4	1	3	-	3	-	-	-	-	-	1	1	1	2	2	-	-	1	-	-	-	-
	White-----M--	21	7	4	1	4	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	12	2	-	1	-	1	1	-	1	-	-	-	-	-	1	-	1	1	2	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	15	-	-	-	-	-	3	2	-	3	2	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	1	-	-	2	2	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	6	1	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	90	11	2	2	-	-	4	-	-	4	3	2	2	4	5	10	8	6	7	3	7	8	2	-	-	-
	White-----M--	42	8	1	1	-	-	3	-	-	2	3	-	-	1	1	5	3	2	3	1	3	5	-	-	-	-
	F--	46	3	1	1	-	-	1	-	-	1	-	2	1	3	4	5	5	4	4	2	4	3	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
140-205	Malignant neoplasms, etc.*	9,237	15	12	10	10	17	53	18	28	33	71	88	142	266	453	615	934	1,263	1,410	1,323	1,156	822	348	111	23	16
	White-----M--	4,633	9	5	5	2	9	26	6	16	16	45	38	69	97	200	261	478	664	789	681	575	423	149	57	5	8
	F--	4,451	5	6	4	8	8	27	12	12	16	26	46	68	164	249	344	436	573	596	623	564	389	196	53	18	8
	Nonwhite--M--	98	-	1	1	-	-	-	-	-	1	-	-	2	1	2	9	14	16	19	10	12	8	2	-	-	-
	F--	55	1	-	-	-	-	-	-	-	-	-	4	3	4	2	1	6	10	6	9	5	2	1	1	-	-
140-148	Of buccal cavity and pharynx	219	-	-	-	-	-	-	-	-	-	2	2	3	5	10	16	23	28	31	27	28	24	12	6	2	-
	White-----M--	184	-	-	-	-	-	-	-	-	-	2	1	3	4	9	12	21	24	24	23	25	21	9	5	1	-
	F--	34	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	4	7	4	3	3	3	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	3,624	3	1	-	-	1	4	-	-	2	5	11	28	70	136	199	351	490	591	600	540	378	154	46	8	6
	White-----M--	1,915	2	-	-	-	-	1	-	-	1	4	4	13	35	76	110	199	272	356	313	265	182	61	16	1	4
	F--	1,635	1	1	-	-	1	3	-	-	1	1	7	15	34	59	83	143	207	220	274	264	192	91	29	7	2
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	6	9	12	8	7	4	2	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	5	4	-	-	1	-	-
160-164	Of respiratory system	1,005	-	-	-	-	-	-	-	-	1	5	5	8	23	58	80	154	181	205	129	99	43	11	1	-	2
	White-----M--	821	-	-	-	-	-	-	-	-	-	5	3	5	20	50	66	129	154	173	105	70	32	7	1	-	1
	F--	171	-	-	-	-	-	-	-	-	1	-	2	3	3	8	12	21	24	30	24	27	11	4	-	-	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	1	-	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
170	Of breast	900	-	-	-	-	-	-	-	-	-	2	10	20	50	79	96	99	107	125	109	93	57	39	10	3	1
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	3	-	-	-	1	1	-	-
	F--	880	-	-	-	-	-	-	-	-	-	2	10	18	48	79	94	96	105	120	108	93	57	37	9	3	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	2	1	-	-	1	-	-	-
171-179	Of genital organs	1,299	-	1	-	-	-	-	1	3	3	10	13	22	40	60	80	106	163	189	193	181	154	56	20	1	3
	White-----M--	502	-	1	-	-	-	-	-	-	1	3	3	2	2	1	5	16	38	73	96	104	105	36	16	-	-
	F--	776	-	-	-	-	-	-	1	3	2	7	8	20	36	58	75	89	122	114	94	74	45	20	4	1	3
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	3	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	1	2	-	2	-	1	-	-	-	-
180, 181	Of urinary organs	436	1	1	-	1	-	3	1	1	-	2	1	5	7	14	19	38	61	71	65	59	48	24	12	-	2
	White-----M--	285	1	-	-	-	-	1	-	1	-	1	1	4	4	8	8	29	48	50	35	36	36	13	7	-	2
	F--	145	-	-	-	1	-	2	1	-	-	1	-	-	3	5	11	9	12	20	30	23	11	11	5	-	-
	Nonwhite--M--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	968	4	4	4	2	5	17	7	10	15	14	22	28	37	61	72	95	130	117	108	87	75	29	14	9	2
	White-----M--	491	2	2	2	-	5	10	3	5	9	12	12	19	16	36	34	45	62	63	59	40	28	14	9	3	1
	F--	459	2	2	1	2	-	7	4	5	6	2	9	8	21	24	38	46	63	52	47	46	47	15	5	6	1
	Nonwhite--M--	10	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	3	2	2	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	3	-	1	1	-	-	-	-	-
204	Leukemia and aleukemia	356	5	4	5	6	10	25	7	8	7	9	11	14	12	12	21	24	40	39	39	28	20	10	-	-	-
	White-----M--	186	2	1	2	1	3	11	2	5	3	4	6	12	4	5	9	12	25	24	24	16	9	6	-	-	-
	F--	165	2	3	3	5	7	14	5	3	4	5	5	1	8	7	12	12	14	14	15	12	10	4	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
200-203, 205	Lymphomas, etc.*	430	2	1	1	1	1	4	2	6	5	22	13	14	22	23	32	44	63	42	53	41	23	13	2	-	-
	White-----M--	238	2	1	1	1	1	3	1	5	2	14	8	10	12	15	15	25	40	23	26	19	10	2	2	-	-
	F--	186	-	-	-	-	-	1	1	1	2	8	5	3	10	8	15	18	22	19	27	22	13	11	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	187	4	-	1	-	6	4	3	3	1	5	8	10	10	8	18	20	20	16	14	18	11	5	2	-	-
	White-----M--	73	4	-	-	-	4	3	-	3	-	2	2	5	4	4	7	3	7	13	5	2	3	-	2	-	-
	F--	111	-	-	1	-	2	1	3	-	1	3	6	5	6	4	11	16	13	2	8	16	8	5	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
260	Diabetes mellitus	967	-	-	2	1	-	-	3	-	-	5	10	15	15	19	41	65	127	187	174	142	98	52	8	1	2
	White-----M--	325	-	-	1	-	-	-	1	-	-	1	3	10	7	10	19	20	42	62	54	37	38	18	2	-	-
	F--	623	-	-	1	1	-	-	2	-	-	4	7	5	8	8	20	44	83	122	113	103	60	33	6	1	2
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	4	1	-	1	-	-	-
290-293	Anemias	104	1	2	-	1	-	3	-	1	1	1	1	4	1	5	1	5	9	6	14	23	13	9	3	-	-
	White-----M--	41	1	1	-	-	-	-	-	1	1	-	-	2	-	2	1	1	4	4	6	8	5	2	2	-	-
	F--	61	-	1	-	-	-	3	-	-	-	-	1	2	1	3	-	4	5	2	8	15	8	7	1	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	39	11	1	1	-	-	2	1	2	-	1	4	1	-	2	4	-	-	3	3	1	2	-	-	-	-
	White-----M--	22	7	1	1	-	-	-	1	1	-	-	2	1	-	2	2	-	-	1	2	1	-	-	-	-	-
	F--	15	4	-	-	-	-	2	-	1	-	1	2	-	-	-	-	-	-	2	1	-	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	29,412	18	9	1	3	2	15	11	22	44	80	128	216	384	771	1,290	1,987	2,857	3,815	4,508	4,680	4,310	2,730	1,156	273	102
	White-----M--	15,178	12	5	-	1	2	6	7	12	23	49	86	136	262	522	881	1,330	1,804	2,186	2,286	2,140	1,837	1,052	425	67	47
	F--	13,801	4	4	1	2	-	9	3	9	18	27	38	71	113	225	373	618	996	1,576	2,162	2,480	2,438	1,653	725	205	51
	Nonwhite--M--	246	-	-	-	-	-	-	1	-	2	2	3	4	5	16	21	22	32	35	37	33	16	13	2	1	1
	F--	187	2	-	-	-	-	-	-	1	1	2	1	5	4	8	15	17	25	18	23	27	19	12	4	-	3
330-334, 400-468	Diseases of cardiovascular system	28,989	17	9	1	2	2	11	9	17	40	64	110	204	374	753	1,267	1,957	2,811	3,763	4,469	4,624	4,261	2,708	1,146	268	102
	White-----M--	14,964	12	5	-	-	2	4	5	10	20	40	79	125	258	513	871	1,315	1,774	2,158	2,271	2,109	1,817	1,043	420	66	47
	F--	13,600	3	4	1	2	-	7	3	6	17	21	28	71	108	217	360	604	980	1,552	2,139	2,455	2,409	1,641	720	201	51
	Nonwhite--M--	240	-	-	-	-	-	-	1	-	2	1	3	3	5	15	21	21	32	35	36	33	16	12	2	1	1
	F--	185	2	-	-	-	-	-	-	1	1	2	-	5	3	8	15	17	25	18	23	27	19	12	4	-	3
330-334	Vascular lesions, etc.*	5,496	4	4	1	1	2	6	2	5	6	5	22	32	42	108	184	274	440	706	907	992	932	561	209	41	10
	White-----M--	2,295	2	2	-	-	2	2	-	2	3	5	15	15	21	50	90	130	220	344	406	382	349	176	67	8	4
	F--	3,111	1	2	1	1	-	4	2	2	3	-	6	17	20	55	88	141	209	348	483	598	570	381	141	32	6
	Nonwhite--M--	53	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	2	7	10	10	7	6	2	-	1	-
	F--	37	1	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	4	4	8	5	7	2	1	-	-
400-402	Rheumatic fever	27	-	-	-	-	-	1	1	1	1	4	4	2	1	2	-	2	3	2	2	-	-	-	1	-	-
	White-----M--	15	-	-	-	-	-	1	1	1	-	1	2	2	-	1	-	1	2	2	1	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	3	2	-	1	1	-	1	1	-	1	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
410-443	Diseases of heart	21,552	9	5	-	1	-	4	5	8	29	43	79	155	313	614	1,038	1,630	2,255	2,879	3,339	3,318	2,967	1,861	764	163	73
	White-----M--	11,800	6	3	-	-	-	1	4	5	16	30	59	105	230	447	748	1,152	1,477	1,720	1,760	1,572	1,317	760	304	46	38
	F--	9,459	2	2	-	1	-	3	-	3	10	12	18	44	79	150	262	447	736	1,125	1,541	1,705	1,632	1,084	455	117	31
	Nonwhite--M--	169	-	-	-	-	-	-	1	-	2	1	2	3	2	12	17	18	22	22	24	23	8	9	2	-	1
	F--	124	1	-	-	-	-	-	-	-	1	-	-	3	2	5	11	13	20	12	14	18	10	8	3	-	3
410-416	Chronic rheumatic heart disease	777	-	1	-	-	-	-	1	2	16	18	25	39	66	73	88	102	98	89	65	31	33	22	7	-	1
	White-----M--	331	-	1	-	-	-	-	1	-	8	12	15	16	32	27	40	43	40	41	25	8	16	3	3	-	-
	F--	427	-	-	-	-	-	-	-	2	7	6	10	23	33	42	46	55	54	48	38	23	17	18	4	-	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	3	-	2	-	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	15,963	1	-	-	1	-	1	-	1	3	11	33	93	201	457	797	1,246	1,738	2,295	2,526	2,455	2,140	1,296	510	110	48
	White-----M--	9,326	-	-	-	-	-	-	-	1	3	8	29	74	171	372	619	944	1,222	1,432	1,399	1,235	991	565	203	30	28
	F--	6,443	1	-	-	1	-	1	-	-	-	2	4	16	27	79	157	284	484	836	1,101	1,191	1,138	718	305	80	18
	Nonwhite--M--	120	-	-	-	-	-	-	-	-	-	1	-	2	1	4	14	13	19	18	17	17	5	8	1	-	-
	F--	74	-	-	-	-	-	-	-	-	-	-	-	1	2	2	7	5	13	9	9	12	6	5	1	-	2
421, 422	Nonrheumatic chronic endocarditis, etc.*	2,031	1	2	-	-	-	1	2	2	6	5	7	6	13	28	36	64	125	158	264	352	410	332	164	40	13
	White-----M--	912	1	1	-	-	-	-	1	2	3	5	7	5	8	16	20	39	67	81	127	155	169	118	67	14	6
	F--	1,093	-	1	-	-	-	1	-	-	2	-	-	-	5	10	15	23	57	73	137	195	236	212	95	26	5
	Nonwhite--M--	11	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	2	-	1	2	-	1	-	1
	F--	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	2	-	1	3	2	1	-	1
430-434	Other diseases of heart	519	7	2	-	-	-	2	2	2	4	7	9	9	11	19	31	42	59	56	83	66	62	31	12	2	1
	White-----M--	302	5	1	-	-	-	1	2	2	2	3	5	6	9	15	20	22	40	37	47	37	29	15	2	1	1
	F--	210	1	1	-	-	-	1	-	-	1	4	3	2	2	4	10	20	18	19	36	29	32	16	10	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	2,262	-	-	-	-	-	-	-	1	-	2	5	8	22	37	86	176	235	281	401	414	322	180	71	11	10
	White-----M--	929	-	-	-	-	-	-	-	-	-	2	3	4	10	17	49	104	108	129	162	137	112	59	29	1	3
	F--	1,286	-	-	-	-	-	-	-	1	-	-	1	3	12	15	34	65	123	149	229	267	208	120	41	10	7
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	1	1	-	4	-	4	2	2	7	5	-	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	1	3	5	1	-	1	-	-
444-447	Hypertension without mention of heart	359	-	-	-	-	-	-	-	1	-	3	3	5	7	11	10	10	28	39	60	56	59	47	17	-	3
	White-----M--	164	-	-	-	-	-	-	-	1	-	1	2	2	4	8	7	5	14	19	26	28	20	18	8	-	1
	F--	179	-	-	-	-	-	-	-	-	-	2	1	3	-	1	2	3	11	18	34	25	39	29	9	-	2
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	3	1	-	2	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	1	-	-	-	-	-
450	General arteriosclerosis	1,169	-	-	-	-	-	-	-	-	-	-	-	1	1	3	7	10	26	76	112	207	273	225	149	63	16
	White-----M--	479	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	5	17	37	49	106	117	84	40	12	4
	F--	677	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	8	38	60	100	152	140	109	51	12
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	2	1	-	-	-
451-468	Other diseases of circulatory sys.	386	4	-	-	-	-	-	1	2	4	9	2	9	10	15	28	31	59	61	49	51	30	14	6	1	-
	White-----M--	211	4	-	-	-	-	-	-	1	1	3	1	1	2	5	21	22	44	36	29	21	14	5	1	-	-
	F--	162	-	-	-	-	-	-	1	1	3	4	1	7	8	9	6	8	15	23	20	27	16	7	5	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	-	1	-	2	-	1	-	-	-
592-594	Chronic nephritis, etc.*	423	1	-	-	1	-	4	2	5	4	16	16	12	10	18	23	30	46	52	39	56	49	22	10	5	-
	White-----M--	214	-	-	-	1	-	2	2	2	3	9	7	11	4	9	10	15	30	28	15	31	20	9	5	1	-
	F--	201	1	-	-	-	-	2	-	3	1	6	10	-	5	8	13	14	16	24	23	25	29	12	5	4	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	1,203	127	21	10	4	2	9	7	2	3	8	9	11	26	30	54	45	61	102	153	176	156	108	57	13	9
	White-----M--	640	69	9	6	2	-	6	3	-	1	4	1	5	18	23	37	23	36	66	84	100	67	51	19	8	2
	F--	528	50	11	3	2	2	3	4	2	1	4	7	6	4	6	13	19	24	36	64	75	87	55	38	5	7
	Nonwhite--M--	17	3	1	-	-	-	-	-	-	-	-	1	-	1	1	3	3	1	-	1	-	2	-	-	-	-
	F--	18	5	-	1	-	-	-	-	-	1	-	-	-	3	-	1	-	-	-	4	1	-	2	-	-	-
480-483	Influenza	18	1	2	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	1	3	1	-	-	1	1	2
	White-----M--	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	2	1	-	-	1	1	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	1,185	126	19	10	4	2	9	7	2	3	8	9	10	25	30	53	43	60	101	150	175	156	108	56	12	7
	White-----M--	633	68	7	6	2	-	6	3	-	1	4	1	5	18	23	37	21	35	66	83	100	67	51	19	8	2
	F--	517	50	11	3	2	2	3	4	2	1	4	7	5	3	6	12	19	24	35	62	74	87	55	37	4	5
	Nonwhite--M--	17	3	1	-	-	-	-	-	-	-	-	1	-	1	1	3	3	1	-	1	-	2	-	-	-	-
	F--	18	5	-	1	-	-	-	-	-	1	-	-	-	3	-	1	-	-	-	4	1	-	2	-	-	-
500-502	Bronchitis	86	9	1	1	-	-	1	-	1	-	-	-	-	-	3	2	8	11	11	10	11	8	6	3	-	-
	White-----M--	51	4	-	1	-	-	-	-	1	-	-	-	-	-	2	1	6	9	7	5	7	3	2	3	-	-
	F--	33	4	1	-	-	-	1	-	-	-	-	-	-	-	1	1	2	2	4	5	4	5	3	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
540, 541	Ulcer of stomach and duodenum	428	4	-	-	-	-	1	-	-	1	2	3	4	20	25	41	47	48	58	54	53	42	22	3	-	-
	White-----M--	328	3	-	-	-	-	1	-	-	1	2	3	4	14	22	30	39	41	47	42	39	23	15	2	-	-
	F--	95	1	-	-	-	-	-	-	-	-	-	-	-	4	3	10	8	7	10	11	14	19	7	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
550-553	Appendicitis	93	2	-	1	-	-	3	1	1	-	1	2	3	3	1	12	5	10	11	10	14	3	8	2	-	-
	White-----M--	65	1	-	1	-	-	2	1	1	-	1	-	2	2	1	8	5	8	8	7	11	2	4	-	-	-
	F--	27	1	-	-	-	-	1	-	-	-	-	2	1	1	-	3	-	2	3	3	3	1	4	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	336	35	1	-	-	1	2	-	1	1	-	1	5	6	9	17	12	22	48	46	37	56	25	10	1	-
	White-----M--	158	18	-	-	-	1	1	-	-	1	-	1	-	3	2	7	7	14	23	25	13	23	13	6	-	-
	F--	167	15	1	-	-	-	1	-	1	-	-	-	4	3	7	8	5	8	23	20	21	33	12	4	1	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	3	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
543,	Gastritis, etc.*--	192	24	4	1	-	1	1	-	1	-	3	5	2	7	7	7	16	18	19	16	23	21	11	4	1	-
571,	White-----M--	99	9	1	-	-	-	1	-	-	-	1	2	-	6	5	6	12	11	14	10	9	7	2	2	1	-
572	F--	90	13	2	1	-	1	-	-	1	-	2	3	2	1	2	1	4	7	5	6	14	14	9	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	637	2	1	-	-	-	2	1	2	5	13	50	44	67	71	82	89	84	54	36	20	10	2	-	2	
	White-----M--	389	1	1	-	-	-	-	2	1	2	-	5	32	23	39	43	62	51	51	32	23	11	7	2	-	1
	F--	239	1	-	-	-	-	-	-	-	-	5	7	17	19	28	27	20	36	32	22	13	9	2	-	-	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	79	1	2	1	1	4	-	-	2	5	2	2	2	5	3	4	4	4	8	13	8	5	1	-	2	-
	White-----M--	44	1	1	1	-	1	-	-	2	3	1	1	1	4	3	2	1	2	5	7	2	3	1	-	2	-
	F--	34	-	1	-	1	3	-	-	-	2	1	1	1	1	-	1	3	2	3	6	6	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	155	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	14	22	28	33	28	18	6	4	-
	White-----M--	154	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	14	22	28	33	28	17	6	4	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	34	...	...	...	...	...	...	-	-	7	9	9	3	5	-	-	-	-	-	-	1	-	-	-	-	-
	White-----F--	33	...	...	...	...	...	...	-	-	7	9	8	3	5	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	5	...	...	...	...	...	...	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	5	...	...	...	...	...	...	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications--------	29	...	...	...	...	...	...	-	-	5	9	7	2	5	-	-	-	-	-	-	1	-	-	-	-	-
660-	White-----F--	28	...	...	...	...	...	...	-	-	5	9	6	2	5	-	-	-	-	-	-	1	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations--------	626	451	39	9	5	6	20	11	6	7	3	4	3	10	12	5	5	7	9	4	6	3	-	-	-	1
	White-----M--	323	230	16	4	3	3	9	7	6	5	-	4	1	6	9	1	3	5	4	1	3	2	-	-	-	1
	F--	284	208	21	5	2	3	11	4	-	1	3	-	2	4	2	4	2	2	3	3	3	1	-	-	-	-
	Nonwhite--M--	7	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	12	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,590	1,589	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	916	915	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	624	624	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	704	704	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	406	406	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	278	278	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	803	802	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	460	459	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	316	316	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	182	8	-	1	-	-	1	-	2	2	3	5	2	5	3	10	12	15	20	30	23	12	13	11	2	2
795	White-----M--	93	6	-	1	-	-	1	-	1	1	1	2	1	2	2	6	6	9	11	14	10	4	7	6	1	1
	F--	84	2	-	-	-	-	-	-	1	1	2	2	1	2	1	4	6	5	9	15	13	8	5	5	1	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Re-	All other diseases	2,275	107	19	14	9	10	26	15	13	31	32	46	41	83	95	165	187	231	290	286	261	187	95	20	4	8
sid-	White-----M--	1,229	64	11	12	1	7	13	9	9	15	11	24	16	45	54	96	114	133	176	150	133	90	33	8	1	4
ual	F--	992	40	6	2	7	3	12	6	4	16	19	19	21	37	39	63	71	96	107	130	120	94	61	12	3	4
	Nonwhite--M--	42	-	2	-	1	-	1	-	-	-	1	3	4	1	1	4	2	2	6	5	6	3	-	-	-	-
	F--	12	3	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	1	1	2	-	1	-	-	-
E800-	Accidents---------	2,673	62	19	33	25	22	62	47	111	114	87	79	73	87	99	88	114	153	205	224	289	296	234	116	24	10
E962	White-----M--	1,524	35	9	21	14	15	46	37	94	98	80	69	51	72	71	62	77	104	122	110	111	95	85	33	8	5
	F--	1,095	24	10	10	10	7	15	8	15	11	7	10	17	14	26	22	35	45	80	109	173	196	147	83	16	5
	Nonwhite--M--	34	1	-	2	1	-	-	2	2	5	-	-	4	-	1	3	1	2	3	2	1	3	1	-	-	-
	F--	20	2	-	-	-	-	1	-	-	-	-	-	1	1	1	1	1	2	-	3	4	2	1	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	597	2	4	8	12	11	16	11	63	76	46	26	20	24	37	25	26	33	47	38	31	30	4	4	1	2
	White-----M--	443	2	2	4	5	7	10	6	53	65	45	22	15	17	28	16	19	24	28	27	21	19	4	2	1	1
	F--	138	-	2	3	7	4	6	4	9	7	1	4	4	6	8	7	7	6	19	10	10	11	-	2	-	1
	Nonwhite--M--	13	-	-	1	-	-	-	1	1	4	-	-	1	-	1	2	-	1	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	2,076	60	15	25	13	11	46	36	48	38	41	53	53	63	62	63	88	120	158	186	258	266	230	112	23	8
E802,	White-----M--	1,081	33	7	17	9	8	36	31	41	33	35	47	36	55	43	46	58	80	94	83	90	76	81	31	7	4
E840-	F--	957	24	8	7	3	3	9	4	6	4	6	6	13	8	18	15	28	39	61	99	163	185	147	81	16	4
E962	Nonwhite--M--	21	1	-	1	1	-	-	1	1	1	-	-	3	-	-	1	1	1	3	1	1	3	1	-	-	-
	F--	17	2	-	-	-	-	1	-	-	-	-	-	1	-	1	1	1	-	-	3	4	2	1	-	-	-
E963,	Suicide----------	376	-	-	-	-	-	-	2	4	10	27	18	28	35	47	39	35	42	27	20	19	12	5	5	-	1
E970-	White-----M--	278	-	-	-	-	-	-	1	3	8	20	12	21	30	35	25	20	32	22	13	16	9	5	5	-	1
E979	F--	93	-	-	-	-	-	-	1	1	2	6	5	6	5	11	14	14	10	5	7	3	3	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	48	1	-	-	-	1	-	4	4	5	3	5	6	5	4	4	-	1	1	2	1	-	-	-	-	1
E980-	White-----M--	28	-	-	-	-	1	-	1	2	3	2	3	4	3	1	3	-	1	1	2	-	-	-	-	-	1
E985	F--	12	1	-	-	-	-	-	2	2	-	1	-	1	1	2	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN																										
	ALL CAUSES------	60,632	4,792	289	180	145	101	371	275	409	546	653	834	1,163	1,734	2,437	3.429	4,694	6,110	7,286	7,421	7,096	5,611	3,440	1,278	289	49
	White-----M--	32,798	2,310	138	80	65	47	191	164	265	328	347	411	580	883	1,317	1,969	2,846	3,750	4,319	4,168	3,684	2,725	1,560	531	105	15
	F--	23,177	1,753	110	80	60	46	136	92	103	143	168	274	372	574	730	986	1,400	1,944	2,583	2,968	3,181	2,763	1,790	719	176	26
	Nonwhite--M--	2,616	416	21	11	8	4	25	10	22	47	81	75	110	134	221	270	276	267	215	146	121	66	47	17	2	4
	F--	2,041	313	20	9	12	4	19	9	19	28	57	74	101	143	169	204	172	149	169	139	110	57	43	11	6	4
001-019	Tuberculosis, all forms--------	525	4	1	2	4	1	1	-	4	8	29	23	29	36	43	57	63	53	53	54	31	21	6	1	1	-
	White-----M--	291	3	-	-	2	1	-	-	-	-	4	6	11	15	17	32	36	40	41	40	23	16	3	-	1	-
	F--	85	-	-	1	-	-	1	-	1	2	8	8	6	10	7	6	7	5	6	3	7	4	3	-	-	-
	Nonwhite--M--	104	1	-	1	2	-	-	-	1	2	7	6	4	6	17	16	18	6	6	9	1	-	-	1	-	-
	F--	45	-	1	-	-	-	-	-	2	4	10	3	8	5	2	3	2	2	-	2	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	471	-	-	-	2	1	-	-	3	7	25	21	27	31	38	53	58	48	51	51	29	20	4	1	1	-
	White-----M--	267	-	-	-	1	1	-	-	-	-	3	6	10	12	14	31	34	37	40	38	22	15	2	-	1	-
	F--	78	-	-	-	-	-	-	-	1	2	8	8	6	9	7	5	7	4	5	3	7	4	2	-	-	-
	Nonwhite--M--	87	-	-	-	1	-	-	-	1	2	5	4	3	5	15	15	15	5	6	9	-	-	-	1	-	-
	F--	39	-	-	-	-	-	-	-	1	3	9	3	8	5	2	2	2	2	-	1	-	1	-	-	-	-
010-019	Tuberculosis, other forms------	54	4	1	2	2	-	1	-	1	1	4	2	2	5	5	4	5	5	2	3	2	1	2	-	-	-
	White-----M--	24	3	-	-	1	-	-	-	-	-	1	-	1	3	3	1	2	3	1	2	1	1	1	-	-	-
	F--	7	-	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	1	-	-	-
	Nonwhite--M--	17	1	-	1	1	-	-	-	-	-	2	2	1	1	2	1	3	1	-	-	1	-	-	-	-	-
	F--	6	-	1	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	165	4	-	-	-	-	-	-	-	-	2	1	2	5	9	16	33	33	26	20	10	3	1	-	-	-
	White-----M--	82	-	-	-	-	-	-	-	-	-	1	-	1	3	1	7	19	19	15	10	6	-	-	-	-	-
	F--	41	1	-	-	-	-	-	-	-	-	1	-	-	1	2	4	4	8	7	6	4	2	1	-	-	-
	Nonwhite--M--	31	2	-	-	-	-	-	-	-	-	-	1	-	-	4	2	9	5	3	4	-	1	-	-	-	-
	F--	11	1	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	1	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	10	-	-	-	-	-	-	3	-	-	1	1	1	1	-	1	-	1	-	-	-	-	-	1	-	-
	White-----M--	6	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-
	F--	4	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	14	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	50	21	13	5	-	1	2	1	-	-	-	1	-	-	-	1	-	-	-	3	1	1	-	-	-	-
	White-----M--	28	13	6	3	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	F--	15	4	5	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	88	4	3	1	1	6	16	14	5	7	12	11	1	3	3	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	44	-	3	1	1	1	8	9	5	1	3	5	1	3	2	-	-	-	1	-	-	-	-	-	-	-
	F--	41	4	-	-	-	5	8	3	-	6	9	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	16	3	4	4	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	2	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	1	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	161	29	6	3	4	1	5	5	7	4	5	8	8	11	8	10	7	11	10	6	8	2	2	-	1	-
	White-----M--	74	18	5	-	2	-	1	2	3	1	1	2	4	5	4	3	3	5	7	3	3	1	1	-	-	-
	F--	62	8	1	2	2	1	3	1	2	-	4	3	4	4	1	5	4	5	2	2	5	1	1	-	1	-
	Nonwhite--M--	12	1	-	1	-	-	-	2	-	3	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-
	F--	13	2	-	-	-	-	1	-	2	-	-	2	-	1	1	1	-	1	1	1	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
140-205	Malignant neoplasms, etc.*	10,098	12	14	24	22	20	45	43	34	51	79	141	224	386	591	788	1,057	1,446	1,554	1,335	1,110	668	355	86	12	1
	White—M	5,083	7	6	15	10	5	22	22	20	23	38	45	65	121	235	343	524	802	880	745	614	330	173	33	5	-
	F	4,368	5	7	9	10	13	18	20	10	24	34	75	128	219	286	358	445	545	601	543	460	320	179	52	7	-
	Nonwhite—M	347	-	-	-	-	1	4	1	4	2	5	6	13	19	31	46	54	61	44	18	22	13	1	1	-	1
	F	300	-	1	-	2	1	1	-	-	2	2	15	18	27	39	41	34	38	29	29	14	5	2	-	-	-
140-148	Of buccal cavity and pharynx	249	-	-	-	-	-	-	1	-	1	1	4	3	9	20	22	21	35	34	34	28	21	14	1	-	-
	White—M	202	-	-	-	-	-	-	1	-	-	1	1	2	7	14	18	16	32	28	29	23	19	10	1	-	-
	F	31	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	2	2	4	5	3	2	4	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	1	-	-	-	-	4	2	1	1	2	-	2	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	3,721	1	-	-	-	-	1	1	1	3	9	21	48	87	146	244	369	545	646	572	523	299	159	39	7	-
	White—M	2,043	1	-	-	-	-	-	1	1	-	6	9	20	35	78	123	204	333	376	338	293	141	65	16	3	-
	F	1,456	-	-	-	-	-	1	-	-	2	3	8	24	43	48	85	126	175	245	212	213	153	92	22	4	-
	Nonwhite—M	135	-	-	-	-	-	-	-	-	-	-	1	3	8	14	20	27	28	12	8	8	4	1	1	-	-
	F	87	-	-	-	-	-	-	-	-	1	-	3	1	1	6	16	12	9	13	14	9	1	1	-	-	-
160-164	Of respiratory system	1,200	-	1	-	-	-	-	-	2	3	3	8	19	33	92	147	172	223	224	148	74	31	17	2	-	1
	White—M	967	-	1	-	-	-	-	-	1	3	2	4	12	21	76	112	146	192	166	128	52	19	11	1	-	-
	F	144	-	-	-	-	-	-	-	-	-	1	2	2	3	10	18	16	14	24	18	19	10	6	1	-	-
	Nonwhite—M	80	-	-	-	-	-	-	-	1	-	-	2	4	8	5	16	9	16	12	1	3	2	-	-	-	1
	F	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	1	-	-	-	-	-	-
170	Of breast	905	-	-	-	-	-	-	-	-	-	7	21	28	66	104	92	106	128	102	85	72	52	30	11	1	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	-	-	-	-
	F	847	-	-	-	-	-	-	-	-	-	5	15	23	58	94	91	101	121	100	80	69	49	29	11	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	51	-	-	-	-	-	-	-	-	-	2	6	5	8	10	1	4	6	1	5	1	1	1	-	-	-
171-179	Of genital organs	1,585	-	-	1	1	-	-	4	1	12	16	25	45	84	100	111	144	198	206	222	202	127	71	13	2	-
	White—M	545	-	-	1	-	-	-	-	-	6	5	4	3	4	4	3	24	43	85	106	119	80	51	7	-	-
	F	906	-	-	-	1	-	-	4	1	5	11	18	35	67	80	94	108	128	105	108	73	40	20	6	2	-
	Nonwhite—M	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	9	9	3	7	6	-	-	-	-
	F	95	-	-	-	-	-	-	-	-	1	-	3	7	13	16	13	8	18	7	5	3	1	-	-	-	-
180, 181	Of urinary organs	482	-	1	4	2	-	3	1	-	-	2	1	7	12	18	28	43	65	91	65	68	37	28	4	2	-
	White—M	305	-	-	3	1	-	2	1	-	-	2	1	3	7	10	15	32	46	61	36	48	22	13	-	2	-
	F	154	-	1	1	1	-	1	-	-	-	-	-	3	4	4	9	7	16	25	28	20	15	15	4	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	2	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	3	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,070	4	3	10	5	8	14	15	15	13	10	33	40	51	66	82	115	145	126	122	85	70	24	14	-	-
	White—M	537	2	2	6	2	1	7	9	9	8	3	16	10	21	28	36	59	86	69	59	50	30	18	6	-	-
	F	463	2	1	4	2	7	4	6	5	5	5	13	22	27	31	36	49	52	51	54	34	39	6	8	-	-
	Nonwhite—M	42	-	-	-	-	-	3	-	1	-	2	3	5	2	4	4	4	4	3	6	1	-	-	-	-	-
	F	28	-	-	-	1	-	-	-	-	-	-	1	3	1	3	6	3	3	3	3	-	1	-	-	-	-
204	Leukemia and aleukemia	434	5	7	7	11	11	24	18	10	9	10	10	16	20	21	31	32	44	55	42	30	15	6	-	-	-
	White—M	228	2	2	3	5	3	13	8	6	1	5	3	7	11	10	17	16	29	38	25	14	8	2	-	-	-
	F	190	3	5	4	5	6	9	9	3	8	3	7	8	7	10	14	16	15	14	17	16	7	4	-	-	-
	Nonwhite—M	11	-	-	-	-	1	1	1	1	-	2	-	1	-	1	-	-	-	3	-	-	-	-	-	-	-
	F	5	-	-	-	1	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	452	2	2	2	3	1	3	3	5	10	21	18	18	24	24	31	55	63	70	45	28	16	6	2	-	-
	White—M	250	2	1	2	2	1	-	2	3	5	14	7	8	15	15	19	26	40	36	24	13	10	3	2	-	-
	F	177	-	-	-	1	-	3	1	1	4	6	10	10	8	7	9	20	22	33	21	13	5	3	-	-	-
	Nonwhite—M	15	-	-	-	-	-	-	-	1	1	1	-	-	1	1	1	6	1	1	-	1	-	-	-	-	-
	F	10	-	1	-	-	-	-	-	-	-	-	1	-	-	1	2	3	-	-	-	1	1	-	-	-	-
210-239	Benign and unspecified neoplasms	184	3	-	1	1	-	3	2	2	2	11	6	12	16	22	16	12	17	20	14	11	10	3	-	-	-
	White—M	61	1	-	1	1	-	-	1	2	-	2	1	2	2	3	6	6	10	11	4	5	3	-	-	-	-
	F	86	1	-	-	-	-	-	-	-	2	7	4	3	10	10	6	6	6	7	10	6	5	3	-	-	-
	Nonwhite—M	11	1	-	-	-	-	-	-	-	-	1	-	2	-	3	1	-	-	2	-	-	1	-	-	-	-
	F	26	-	-	-	-	-	3	1	-	-	1	1	5	4	6	3	-	1	-	-	-	1	-	-	-	-
260	Diabetes mellitus	1,442	-	-	1	1	-	4	5	2	4	6	12	19	26	46	76	115	181	256	270	231	134	42	10	1	-
	White—M	523	-	-	-	-	-	1	2	2	2	3	6	12	14	11	30	43	66	81	94	89	51	13	3	-	-
	F	830	-	-	1	1	-	3	3	-	2	2	4	5	7	21	31	59	108	166	165	135	82	27	7	1	-
	Nonwhite—M	28	-	-	-	-	-	-	-	-	-	1	1	1	1	5	1	5	2	2	4	3	-	2	-	-	-
	F	61	-	-	-	-	-	-	-	-	-	-	1	1	4	9	14	8	5	7	7	4	1	-	-	-	-
290-293	Anemias	150	7	2	2	-	1	1	-	1	2	1	3	2	3	5	4	11	4	16	20	29	20	12	4	-	-
	White—M	60	2	1	1	-	-	-	-	-	-	-	-	-	-	1	3	7	-	9	6	16	8	5	1	-	-
	F	76	2	-	1	-	-	1	-	1	1	-	1	1	2	4	1	2	4	7	13	13	12	7	3	-	-
	Nonwhite—M	7	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	F	7	2	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	72	28	8	2	3	1	2	-	-	-	1	3	-	3	2	4	2	6	2	1	2	2	-	-	-	-
	White—M	27	11	2	1	-	-	1	-	-	-	1	1	-	1	-	2	-	4	-	1	1	1	-	-	-	-
	F	33	12	5	1	2	1	1	-	-	-	-	2	-	2	-	1	1	1	2	-	1	1	-	-	-	-
	Nonwhite—M	10	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	31,796	18	2	6	1	3	25	25	35	47	96	191	360	672	1,088	1,739	2,572	3,427	4,311	4,706	4,769	4,010	2,489	968	204	32
	White—M	17,499	6	2	2	1	2	11	11	17	24	41	93	205	391	659	1,082	1,659	2,167	2,578	2,846	2,388	1,918	1,104	401	81	10
	F	12,310	10	-	4	-	1	10	11	13	17	33	56	83	151	246	400	659	1,021	1,495	1,877	2,216	2,012	1,312	545	120	18
	Nonwhite—M	1,062	2	-	-	-	-	2	-	-	4	12	23	37	60	105	137	140	152	125	92	79	42	37	12	-	1
	F	925	-	-	-	-	-	2	3	5	2	10	19	35	70	78	120	114	87	113	91	86	38	36	10	3	3
330-334, 400-468	Diseases of cardiovascular system	31,168	17	2	5	-	3	20	17	31	41	88	163	339	641	1,049	1,697	2,519	3,367	4,232	4,634	4,702	3,953	2,458	959	200	31
	White—M	17,194	5	2	2	-	2	9	8	15	20	39	78	198	377	645	1,064	1,635	2,137	2,536	2,610	2,346	1,893	1,090	396	78	9
	F	12,059	10	-	3	-	1	8	8	12	17	28	51	72	144	231	383	637	996	1,463	1,849	2,192	1,981	1,295	541	119	18
	Nonwhite—M	1,029	2	-	-	-	-	2	-	-	2	11	19	35	56	97	135	138	149	124	89	79	41	37	12	-	1
	F	886	-	-	-	-	-	1	1	4	2	10	15	34	64	76	115	109	85	109	86	85	38	36	10	3	3
330-334	Vascular lesions, etc.*	6,964	5	1	1	-	-	2	9	4	14	18	35	69	102	175	279	426	625	876	1,093	1,227	1,089	641	222	44	7
	White—M	3,253	2	1	-	-	-	1	4	2	8	7	16	36	34	69	111	206	314	448	536	552	519	278	93	16	-
	F	3,243	3	-	1	-	-	1	4	2	5	5	15	13	39	69	110	166	250	364	507	631	555	346	123	28	6
	Nonwhite—M	221	-	-	-	-	-	-	-	-	1	3	2	8	12	16	28	25	40	31	19	17	9	7	3	-	-
	F	247	-	-	-	-	-	-	1	-	-	3	2	12	17	21	30	29	21	33	31	27	6	10	3	-	1
400-402	Rheumatic fever	45	-	-	-	-	-	12	5	-	1	2	2	4	1	3	3	2	1	4	4	1	-	-	-	-	-
	White—M	14	-	-	-	-	-	5	2	-	-	-	-	3	-	-	1	-	-	1	1	1	-	-	-	-	-
	F	23	-	-	-	-	-	4	3	-	1	-	2	1	1	2	1	2	1	2	3	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
410-443	Diseases of heart-	22,237	9	-	4	-	3	5	3	20	18	56	111	246	508	828	1,360	2,019	2,623	3,200	3,313	3,155	2,523	1,509	591	112	21
	White-----M--	12,930	1	-	2	-	2	3	2	8	8	27	56	151	333	555	922	1,380	1,752	1,994	1,946	1,619	1,201	664	248	47	9
	F--	7,979	6	-	2	-	1	2	1	8	8	17	31	52	92	151	259	450	708	1,048	1,254	1,426	1,271	792	328	63	9
	Nonwhite--M--	740	2	-	-	-	-	-	-	-	1	6	13	24	40	73	100	110	105	85	63	57	24	28	8	-	1
	F--	588	-	-	-	-	-	-	-	4	1	6	11	19	43	49	79	79	58	73	50	53	27	25	7	2	2
410-416	Chronic rheumatic heart disease---	838	1	-	1	-	-	-	-	15	11	26	31	48	57	98	77	103	94	96	72	46	35	21	6	-	-
	White-----M--	397	-	-	-	-	-	-	-	6	4	10	12	20	24	47	35	51	55	54	35	20	15	5	4	-	-
	F--	393	1	-	1	-	-	-	-	6	7	13	13	23	28	45	39	46	37	39	36	24	19	14	2	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	2	2	3	2	2	-	3	2	1	-	-	-	2	-	-	-
	F--	29	-	-	-	-	-	-	-	3	-	1	4	2	3	4	3	3	-	2	1	2	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	15,597	1	-	-	-	-	-	-	1	2	13	53	149	367	584	1,033	1,535	2,042	2,389	2,356	2,168	1,603	902	325	63	11
	White-----M--	9,839	-	-	-	-	-	-	-	1	1	10	34	113	280	448	762	1,151	1,429	1,581	1,463	1,157	801	412	145	25	6
	F--	5,019	-	-	-	-	-	-	-	-	1	1	10	15	46	73	148	276	506	724	828	941	774	463	173	37	3
	Nonwhite--M--	459	1	-	-	-	-	-	-	-	-	2	5	11	23	42	64	73	75	50	40	35	19	14	4	-	1
	F--	280	-	-	-	-	-	-	-	-	-	-	4	10	18	21	39	35	32	34	25	35	9	13	3	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,340	2	-	-	-	1	1	1	2	-	6	12	16	12	29	32	104	138	245	324	436	454	316	165	36	6
	White-----M--	1,214	-	-	-	-	-	-	1	-	-	1	7	5	8	17	21	64	87	143	186	228	228	134	66	17	1
	F--	1,041	2	-	-	-	1	1	-	2	-	1	2	8	4	7	6	33	43	91	131	204	217	171	94	19	4
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	-	2	1	-	4	3	4	3	4	4	3	2	6	4	-	-
	F--	45	-	-	-	-	-	-	-	-	-	4	1	2	-	1	2	3	5	7	3	3	7	5	1	-	1
430-434	Other diseases of heart---------	865	5	-	3	-	2	4	2	2	3	5	6	6	20	36	39	73	103	113	131	125	95	75	30	5	2
	White-----M--	506	1	-	2	-	2	3	1	1	2	3	2	4	10	20	24	45	67	74	79	70	49	33	10	3	1
	F--	315	3	-	1	-	-	1	1	-	-	1	4	-	7	8	13	23	26	33	44	45	44	39	19	2	1
	Nonwhite--M--	40	1	-	-	-	-	-	-	-	-	-	-	2	3	4	1	3	6	1	7	8	1	3	-	-	-
	F--	24	-	-	-	-	-	-	-	1	1	1	-	-	-	4	1	2	4	5	1	2	1	-	1	-	-
440-443	Hypertension with heart dis.--	2,577	-	-	-	-	-	-	-	-	2	6	9	27	52	81	179	204	246	357	430	378	336	195	65	8	2
	White-----M--	974	-	-	-	-	-	-	-	-	1	3	1	9	11	23	60	69	114	142	183	144	108	80	23	2	1
	F--	1,211	-	-	-	-	-	-	-	-	-	1	2	6	7	18	53	72	96	161	215	212	217	105	40	5	1
	Nonwhite--M--	182	-	-	-	-	-	-	-	-	1	2	4	7	12	21	32	27	19	29	12	11	2	3	-	-	-
	F--	210	-	-	-	-	-	-	-	-	-	-	2	5	22	19	34	36	17	25	20	11	9	7	2	1	-
444-447	Hypertension without mention of heart----------	363	-	-	-	-	-	-	-	1	1	3	8	11	11	15	12	17	38	39	42	60	50	37	15	3	-
	White-----M--	171	-	-	-	-	-	-	-	1	-	1	3	5	3	6	4	11	17	22	16	26	27	23	6	-	-
	F--	145	-	-	-	-	-	-	-	-	-	2	1	1	4	1	2	5	17	11	23	32	20	14	9	3	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	2	3	2	4	3	1	2	5	1	1	2	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	1	-	2	2	2	4	3	-	2	1	2	1	1	-	-	-	-
450	General arteriosclerosis--------	1,157	-	-	-	-	-	-	-	1	1	-	-	2	-	1	5	18	30	56	128	218	270	260	125	39	3
	White-----M--	578	-	-	-	-	-	-	-	1	-	-	-	1	-	1	3	12	18	33	75	121	136	118	46	13	-
	F--	545	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	5	9	21	47	90	124	139	78	25	3
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	6	2	1	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	3	4	1	-	1	-
451-468	Other diseases of circulatory sys.-	402	3	1	-	-	-	1	-	5	6	9	7	7	19	27	38	37	50	57	54	41	21	11	6	2	-
	White-----M--	248	2	1	-	-	-	-	-	3	4	4	3	2	7	14	23	26	36	38	36	27	10	7	3	2	-
	F--	124	1	-	-	-	-	1	-	2	2	4	2	4	8	8	9	9	11	17	15	13	11	4	3	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	2	-	2	4	4	2	2	2	2	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	-	1	-	1	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	628	1	-	1	1	-	5	8	4	6	8	28	21	31	39	42	53	60	79	72	67	57	31	9	4	1
	White-----M--	305	1	-	-	1	-	2	3	2	4	2	15	7	14	14	18	24	30	42	36	42	25	14	5	3	1
	F--	251	-	-	1	-	-	2	3	1	-	5	5	11	7	15	17	22	25	32	28	24	31	17	4	1	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	2	1	4	2	4	8	2	2	3	1	3	-	1	-	-	-	-
	F--	39	-	-	-	-	-	1	2	1	-	-	4	1	6	2	5	5	2	4	5	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,463	348	61	17	10	7	11	8	12	13	10	14	24	36	37	51	61	87	104	127	143	128	97	37	19	1
	White-----M--	776	162	31	8	4	3	5	3	4	8	4	7	12	20	20	29	35	54	63	83	85	66	49	14	7	-
	F--	509	127	14	5	5	3	5	4	4	4	2	5	4	12	10	11	12	26	30	38	54	59	44	20	11	-
	Nonwhite--M--	119	36	9	2	1	1	1	1	2	1	1	2	5	3	5	11	10	7	7	3	3	1	3	2	1	1
	F--	59	23	7	2	-	-	-	-	2	-	3	-	3	1	2	-	4	-	4	3	1	2	1	1	-	-
480-483	Influenza---------	55	14	4	-	3	-	-	-	-	-	-	2	1	3	2	1	3	-	2	4	7	4	3	1	1	-
	White-----M--	23	4	2	-	2	-	-	-	-	-	-	-	-	1	2	1	1	-	-	2	4	1	1	1	1	-
	F--	30	9	2	-	1	-	-	-	-	-	-	2	1	2	-	-	1	-	2	2	3	3	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,408	334	57	17	7	7	11	8	12	13	10	12	23	33	35	50	58	87	102	123	136	124	94	36	18	1
	White-----M--	753	158	29	8	2	3	5	3	4	8	4	7	12	19	18	28	34	54	63	81	81	65	48	13	6	-
	F--	479	118	12	5	4	3	5	4	4	4	2	3	3	10	10	11	11	26	28	36	51	56	42	20	11	-
	Nonwhite--M--	118	36	9	2	1	1	1	1	2	1	1	2	5	3	5	11	9	7	7	3	3	1	3	2	1	1
	F--	58	22	7	2	-	-	-	-	2	-	3	-	3	1	2	-	4	-	4	3	1	2	1	1	-	-
500-502	Bronchitis--------	124	36	8	6	2	-	-	1	-	-	-	1	2	-	4	3	6	9	12	16	6	3	5	3	1	-
	White-----M--	75	20	5	2	1	-	-	-	-	-	-	-	2	-	2	1	5	9	8	10	4	1	3	2	-	-
	F--	39	10	3	3	1	-	-	1	-	-	-	1	-	-	1	2	1	-	3	5	2	2	2	1	1	-
	Nonwhite--M--	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	404	2	-	-	-	-	2	-	-	2	2	8	8	12	35	35	55	50	55	57	36	21	18	3	3	-
	White-----M--	294	1	-	-	-	-	1	-	-	-	-	3	7	5	29	25	47	40	40	43	25	15	9	2	2	-
	F--	81	-	-	-	-	-	1	-	-	1	-	4	-	4	2	5	5	9	13	14	9	5	8	1	-	-
	Nonwhite--M--	20	1	-	-	-	-	-	-	-	-	-	-	1	2	3	5	3	-	1	-	2	1	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	2	1	-	1	1	-	-	1	1	-	-	-	-	-	1	-
550-553	Appendicitis------	94	1	-	1	-	-	3	5	3	1	2	4	4	6	4	8	9	10	14	6	5	3	3	2	-	-
	White-----M--	51	-	-	-	-	-	1	2	1	1	-	1	3	3	4	5	4	6	9	3	4	2	2	-	-	-
	F--	26	1	-	1	-	-	-	2	-	-	-	1	-	1	-	3	3	3	3	3	1	1	1	2	-	-
	Nonwhite--M--	10	-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	1	1	2	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	1	1	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	365	44	1	2	1	-	1	1	1	2	2	5	6	7	20	21	20	27	44	52	43	33	23	7	2	-
	White-----M--	184	26	-	2	1	-	1	1	-	2	1	3	1	1	7	10	9	12	23	30	23	17	11	3	-	-
	F--	153	15	1	-	-	-	-	-	1	-	1	2	2	4	10	5	9	13	19	20	19	14	12	4	2	-
	Nonwhite--M--	14	1	-	-	-	-	-	-	-	-	-	-	1	1	-	4	2	1	1	2	-	1	-	-	-	-
	F--	14	2	-	-	-	-	-	-	-	-	-	-	2	1	3	2	-	1	1	-	1	1	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
543,	Gastritis, etc.*--	283	106	14	4	3	1	3	-	1	6	4	1	4	8	8	9	10	18	16	13	24	16	7	5	2	-
571,	White-----M--	147	52	8	4	1	-	2	-	-	2	-	-	2	3	6	5	6	12	9	7	15	9	2	2	-	-
572	F--	112	35	6	-	2	1	1	-	1	4	1	1	2	5	2	4	4	6	6	5	9	7	5	3	2	-
	Nonwhite--M--	15	12	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	9	7	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	673	2	-	1	-	-	-	2	1	-	1	12	36	60	76	85	85	79	99	62	29	28	13	2	-	-
	White-----M--	448	-	-	-	-	-	-	1	-	-	1	7	22	33	52	62	60	56	71	41	18	15	9	-	-	-
	F--	195	2	-	-	-	-	-	1	1	-	-	3	10	22	21	19	21	21	27	19	11	11	4	2	-	-
	Nonwhite--M--	20	-	-	1	-	-	-	-	-	-	-	-	3	4	1	2	4	1	1	1	-	2	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	2	1	1	2	2	-	1	-	1	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	100	2	-	-	-	1	1	-	1	3	-	3	5	5	6	11	12	9	10	9	11	5	4	2	-	-
	White-----M--	44	1	-	-	-	-	-	-	-	2	-	2	2	1	4	7	5	3	5	3	5	1	2	1	-	-
	F--	47	1	-	-	-	1	1	-	1	1	-	1	1	3	2	1	5	6	5	6	6	3	2	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	1	-	-	-	-
610	Hyperplasia of																										
	prostate---------	246	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	22	31	46	46	55	28	9	2	-
	White-----M--	232	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	17	31	43	42	55	28	9	1	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	-	3	4	-	-	-	1	-
640-	Complications of																										
689	pregnancy, etc.*-	91	...	...	...	...	...	...	1	8	11	14	22	24	11	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	63	...	...	...	...	...	...	1	7	8	9	12	18	8	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	28	...	...	...	...	...	...	-	1	3	5	10	6	3	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	8	...	...	...	...	...	...	-	-	1	-	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	...	...	...	...	...	...	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	83	...	...	...	...	...	...	1	8	10	14	18	21	11	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	60	...	...	...	...	...	...	1	7	8	9	9	18	8	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	23	...	...	...	...	...	...	-	1	2	5	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	991	780	43	17	16	3	27	8	8	6	7	4	12	10	11	10	7	4	8	4	1	4	-	-	1	-
	White-----M--	500	402	16	5	6	1	12	6	3	2	5	3	6	6	6	6	5	2	2	2	1	3	-	-	-	-
	F--	387	302	18	8	7	2	11	2	3	3	2	1	4	4	3	4	2	2	5	2	-	1	-	-	1	-
	Nonwhite--M--	58	44	5	1	2	-	2	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	46	32	4	3	1	-	2	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	2,953	2,952	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,392	1,391	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,078	1,078	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	268	268	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	215	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	1,214	1,214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	606	606	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	408	408	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	165	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	1,574	1,573	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	717	716	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	608	608	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	364	25	1	-	-	-	1	1	2	1	5	1	7	9	12	12	13	23	18	32	41	58	44	38	14	6
795	White-----M--	195	11	-	-	-	-	1	1	1	1	4	1	3	7	9	5	8	18	13	13	25	29	24	16	2	3
	F--	147	7	1	-	-	-	-	-	1	-	1	-	1	1	2	4	5	4	4	19	15	27	19	22	11	3
	Nonwhite--M--	15	5	-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	-	1	-	1	1	1	-	-	-
	F--	7	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	1	-
Re-	All other diseases	2,836	167	38	23	16	15	53	17	29	36	50	70	78	109	129	176	234	332	335	320	261	185	118	33	9	3
sid-	White-----M--	1,564	89	20	5	6	8	23	9	18	13	22	32	28	46	71	101	146	214	216	184	139	97	59	15	2	1
ual	F--	1,058	60	16	16	9	6	21	8	7	15	16	27	35	40	41	57	76	98	106	130	117	79	54	17	6	1
	Nonwhite--M--	115	11	1	2	-	1	4	-	2	4	4	4	7	10	8	12	9	13	7	4	5	3	2	1	-	1
	F--	99	7	1	-	1	-	5	-	2	4	8	7	8	13	9	6	3	7	6	2	-	6	3	-	1	-
E800-	Accidents---------	3,948	176	65	55	56	38	161	125	237	287	237	216	218	199	178	202	217	195	238	202	213	182	164	65	17	5
E962	White-----M--	2,510	87	29	29	27	25	97	87	163	217	179	151	148	145	119	128	151	142	164	117	122	73	58	27	4	1
	F--	1,138	57	29	21	20	11	49	33	46	42	32	44	51	39	36	46	49	38	61	79	87	109	105	38	13	3
	Nonwhite--M--	206	18	3	1	2	1	11	3	8	21	21	15	15	10	16	25	13	12	7	3	1	-	-	-	-	-
	F--	94	14	4	4	7	1	4	2	-	7	5	6	4	5	7	3	4	3	6	3	3	-	1	-	-	1
E810-	Motor-vehicle																										
E835	accidents---------	1,911	18	18	18	30	21	86	47	166	207	162	138	119	105	103	124	129	104	126	77	73	26	11	3	-	2
	White-----M--	1,283	6	6	9	17	13	43	26	128	157	124	94	74	71	63	72	89	77	82	49	52	20	8	2	-	1
	F--	492	9	11	7	11	7	34	18	33	35	28	30	35	25	28	38	32	20	36	26	19	6	3	1	-	-
	Nonwhite--M--	95	-	1	-	-	-	7	2	5	12	9	9	8	5	7	12	5	6	6	1	-	-	-	-	-	-
	F--	41	1	-	2	2	1	2	1	-	3	1	5	2	4	5	2	3	1	2	1	2	-	-	-	-	1
E800-	All ot. accidents-	2,037	160	47	37	26	17	75	78	71	80	75	78	99	94	75	78	88	91	112	125	140	156	153	62	17	3
E802,	White-----M--	1,227	81	23	20	10	12	54	61	55	60	55	57	74	74	56	56	62	65	82	68	70	53	50	25	4	-
E840-	F--	646	48	18	14	9	4	15	15	13	7	4	14	16	14	8	8	17	18	25	53	68	103	102	37	13	3
E962	Nonwhite--M--	111	18	2	1	2	1	4	1	3	9	12	6	7	5	9	13	8	6	1	2	1	-	-	-	-	-
	F--	53	13	4	2	5	-	2	1	-	4	4	1	2	1	2	1	1	2	4	2	1	-	1	-	-	-
E963,	Suicide----------	687	-	-	-	-	-	-	3	9	30	39	43	52	72	70	78	78	65	48	44	30	18	6	2	-	-
E970-	White-----M--	528	-	-	-	-	-	-	3	4	22	29	34	39	49	49	67	58	50	38	37	29	14	5	1	-	-
E979	F--	142	-	-	-	-	-	-	-	4	6	6	8	10	21	20	10	20	15	8	7	1	4	1	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	1	3	1	3	1	1	1	-	-	2	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	229	7	1	1	2	1	-	5	7	22	36	29	25	26	29	14	11	1	4	2	4	1	-	-	-	1
E980-	White-----M--	63	3	-	-	1	-	-	2	2	6	6	8	4	7	6	6	6	1	3	1	1	-	-	-	-	-
E985	F--	33	3	1	-	1	1	-	-	-	5	-	4	3	4	2	3	1	-	-	1	2	1	-	-	-	1
	Nonwhite--M--	100	1	-	1	-	-	-	2	4	7	23	12	13	13	17	3	3	-	1	-	-	-	-	-	-	-
	F--	33	-	-	-	-	-	-	1	1	4	7	5	5	2	4	2	1	-	-	-	1	-	-	-	-	-
E965,	Operations of war-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
E990-	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA																										
	ALL CAUSES------	27,870	1,768	134	74	55	41	173	113	199	204	218	258	361	580	895	1,247	1,750	2,484	3,249	3,600	3,713	3,318	2,252	946	205	33
	White-----M--	16,258	1,054	73	45	30	23	102	70	131	141	139	170	219	351	569	803	1,106	1,582	2,056	2,152	2,082	1,749	1,101	412	87	11
	F--	11,291	675	57	26	21	16	68	41	60	60	70	83	138	219	308	428	626	878	1,154	1,421	1,587	1,546	1,138	532	117	22
	Nonwhite--M--	175	19	2	2	3	1	1	1	6	3	8	3	3	4	8	9	7	17	19	11	25	17	6	2	-	-
	F--	146	20	2	1	1	1	2	1	2	-	3	2	1	6	10	7	11	7	20	16	19	6	7	-	1	-
001-019	Tuberculosis, all forms--------	136	-	1	-	-	-	-	-	-	-	1	4	7	9	9	14	14	12	17	20	14	9	3	2	-	-
	White-----M--	95	-	-	-	-	-	-	-	-	-	1	2	3	7	7	7	10	12	15	15	10	4	1	1	-	-
	F--	40	-	1	-	-	-	-	-	-	-	-	2	4	2	2	7	4	-	2	5	3	5	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	125	-	1	-	-	-	-	-	-	-	1	4	6	9	6	13	14	10	16	20	12	8	3	2	-	-
	White-----M--	88	-	-	-	-	-	-	-	-	-	1	2	3	7	4	6	10	10	15	15	9	4	1	1	-	-
	F--	36	-	1	-	-	-	-	-	-	-	-	2	3	2	2	7	4	-	1	5	2	4	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	11	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	2	1	-	2	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	58	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	7	17	9	11	1	3	-	-	-
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	4	13	5	9	1	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	4	4	1	-	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	4	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	15	5	2	1	2	1	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	10	4	2	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	17	1	-	-	-	-	4	1	3	1	2	-	1	3	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	10	1	-	-	-	-	2	1	1	1	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	2	-	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	6	3	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	64	7	5	1	1	1	7	-	2	1	-	1	2	2	7	4	6	3	2	5	3	3	-	1	-	-
	White-----M--	36	2	4	1	-	1	6	-	1	-	-	-	-	2	3	4	3	2	1	1	2	2	-	1	-	-
	F--	27	4	1	-	1	-	1	-	1	1	-	1	2	-	4	-	3	1	1	4	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
140-205	Malignant neoplasms, etc.*----	4,781	10	10	14	8	6	34	19	17	19	31	42	75	147	223	332	438	584	702	681	610	456	239	67	13	4
	White-----M--	2,491	6	4	7	2	5	22	9	7	9	16	21	30	47	93	151	214	298	411	395	345	251	112	32	3	1
	F--	2,252	4	6	6	6	1	11	10	10	10	15	20	44	97	128	179	221	285	282	281	261	202	125	35	10	3
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	6	2	2	3	1	-	-	-
	F--	18	-	-	1	-	-	1	-	-	-	-	1	-	2	2	-	2	-	3	3	2	-	1	-	-	-
140-148	Of buccal cavity and pharynx------	88	-	-	-	-	-	-	-	-	-	2	-	-	2	4	9	8	13	10	15	10	6	7	2	-	-
	White-----M--	64	-	-	-	-	-	-	-	-	-	2	-	-	2	3	7	7	9	7	11	7	3	4	2	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	3	4	3	3	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,937	2	1	1	-	-	1	2	-	2	7	5	19	26	69	112	150	223	296	317	312	230	121	34	6	1
	White-----M--	1,099	2	-	1	-	-	1	-	-	-	4	3	11	14	35	67	88	125	175	194	175	129	56	17	1	1
	F--	820	-	1	-	-	-	-	2	-	2	3	2	8	12	34	44	62	97	113	121	135	99	63	17	5	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	1	-	2	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	1	-	-	-
160-164	Of respiratory system----------	384	-	-	-	-	-	-	-	-	1	2	-	6	8	22	36	47	59	83	63	29	16	7	4	-	1
	White-----M--	308	-	-	-	-	-	-	-	-	-	1	-	5	6	15	31	42	50	73	46	21	9	5	4	-	-
	F--	73	-	-	-	-	-	-	-	-	1	1	-	1	2	7	4	5	9	10	16	7	7	2	-	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
170	Of breast---------	451	-	-	-	-	-	-	-	-	1	-	4	9	33	36	58	54	63	62	42	28	26	22	12	1	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	1	-	-	-
	F--	445	-	-	-	-	-	-	-	-	1	-	4	9	33	36	58	53	62	60	42	28	25	21	12	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	683	-	-	1	-	-	-	-	-	1	3	6	13	20	30	45	61	81	90	101	101	79	45	5	1	-
	White-----M--	326	-	-	1	-	-	-	-	-	1	1	2	1	2	4	6	11	22	51	57	68	63	32	4	-	-
	F--	348	-	-	-	-	-	-	-	-	-	2	4	12	17	24	39	48	59	38	43	32	15	13	1	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	1	-	-	-	-	-	-
180, 181	Of urinary organs-	240	1	1	-	-	-	6	-	-	1	-	3	1	3	7	12	24	30	35	32	40	27	14	2	-	1
	White-----M--	150	-	1	-	-	-	5	-	-	-	-	2	1	1	4	7	18	24	25	18	26	11	6	1	-	-
	F--	87	1	-	-	-	-	1	-	-	1	-	-	-	1	3	5	5	6	10	14	14	16	8	1	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	507	3	4	5	1	-	7	8	8	6	10	11	10	32	31	33	48	62	55	51	52	42	16	7	4	1
	White-----M--	256	1	1	3	-	-	5	4	4	3	5	4	4	15	15	18	22	37	34	29	28	13	6	3	2	-
	F--	248	2	3	1	1	-	1	4	4	3	5	7	6	17	16	15	26	25	21	21	24	29	10	4	2	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	262	4	4	6	6	6	16	8	5	3	5	8	4	11	14	9	22	24	29	29	24	19	4	1	1	-
	White-----M--	152	3	2	2	2	5	9	4	1	3	2	7	1	3	11	5	12	14	18	19	12	15	1	1	-	-
	F--	109	1	2	4	4	1	7	4	4	-	3	1	3	7	3	4	10	10	11	10	12	4	3	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	229	-	-	1	1	-	4	1	4	4	2	5	13	12	10	18	24	29	42	31	14	11	3	-	-	-
	White-----M--	130	-	-	-	-	-	2	1	2	2	1	3	7	4	6	10	13	16	26	21	8	7	1	-	-	-
	F--	98	-	-	1	1	-	2	-	2	2	1	2	5	8	4	8	11	13	16	10	6	4	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	70	2	2	-	1	1	-	-	-	1	-	1	1	7	5	5	5	10	7	6	6	4	1	5	-	-
	White-----M--	32	2	2	-	-	-	-	-	-	-	-	-	-	1	4	3	4	4	5	3	-	2	1	1	-	-
	F--	37	-	-	-	1	1	-	-	-	1	-	1	1	6	1	2	1	6	2	2	6	2	-	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
260	Diabetes mellitus-	558	-	1	-	-	-	1	1	1	5	6	7	11	10	14	28	34	62	88	107	86	66	21	9	-	-
	White-----M--	241	-	-	-	-	-	1	-	-	5	5	5	9	8	6	17	13	27	31	40	32	28	9	5	-	-
	F--	311	-	1	-	-	-	-	-	1	-	1	2	2	2	7	10	21	35	56	66	53	38	12	4	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
290-293	Anemias----------	65	3	-	-	-	-	-	-	-	1	1	-	-	-	2	2	1	2	8	10	9	17	5	4	-	-
	White-----M--	34	2	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	5	5	5	7	3	2	-	-
	F--	30	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	3	5	4	10	2	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	28	12	1	1	1	1	1	-	1	-	-	-	-	1	1	1	-	1	1	2	-	-	3	-	-	-
	White-----M--	15	10	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-
	F--	12	2	1	-	1	-	1	-	1	-	-	-	-	-	1	-	-	1	1	1	-	-	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	15,274	15	4	1	3	2	15	12	14	17	27	42	92	201	380	585	920	1,425	1,955	2,302	2,499	2,302	1,610	675	152	24
	White-----M--	8,940	8	2	-	1	2	5	6	11	7	17	27	64	150	274	416	651	965	1,256	1,381	1,382	1,193	762	286	65	9
	F--	6,188	7	2	1	1	-	9	6	3	9	9	15	28	49	99	160	259	439	674	909	1,084	1,096	841	387	86	15
	Nonwhite--M--	75	-	-	-	1	-	-	-	-	1	-	-	-	1	2	5	3	15	10	3	20	9	3	2	-	-
	F--	71	-	-	-	-	-	1	-	-	-	1	-	-	1	5	4	7	6	15	9	13	4	4	-	1	-
330-334, 400-468	Diseases of cardiovascular system-	15,064	14	4	-	2	1	12	9	11	8	21	37	87	191	368	570	907	1,404	1,933	2,281	2,479	2,281	1,599	670	151	24
	White-----M--	8,838	8	2	-	1	1	4	6	8	3	13	23	62	145	270	408	646	955	1,244	1,370	1,371	1,185	756	283	65	9
	F--	6,086	6	2	-	1	-	7	3	3	5	7	14	25	45	92	153	251	429	664	899	1,076	1,083	836	385	85	15
	Nonwhite--M--	72	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	3	14	10	3	20	9	3	2	-	-
	F--	68	-	-	-	-	-	1	-	-	-	1	-	-	-	4	4	7	6	15	9	12	4	4	-	1	-
330-334	Vascular lesions, etc.*----------	3,660	1	1	-	-	1	4	2	-	3	4	10	18	40	73	115	187	281	411	569	665	614	441	186	31	3
	White-----M--	1,832	-	1	-	-	1	1	2	-	-	1	6	8	19	37	59	100	150	205	297	352	305	202	75	10	1
	F--	1,792	1	-	-	-	-	3	-	-	3	2	4	10	21	33	53	84	124	203	266	308	305	238	111	21	2
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	-	2	3	3	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	3	3	3	4	2	1	1	-	-	-
400-402	Rheumatic fever---	24	-	-	-	2	-	3	4	2	1	-	2	-	1	1	-	1	2	5	-	-	-	-	-	-	-
	White-----M--	11	-	-	-	1	-	-	3	1	-	-	1	-	1	1	-	-	1	2	-	-	-	-	-	-	-
	F--	11	-	-	-	1	-	2	1	1	1	-	1	-	-	-	-	1	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
410-443	Diseases of heart	10,304	12	3	-	-	-	4	2	8	4	16	23	60	135	275	431	685	1,072	1,440	1,616	1,638	1,445	942	387	92	14
	White----M	6,433	7	1	-	-	-	2	1	6	3	12	15	47	114	219	338	526	777	978	1,017	933	764	452	171	45	5
	F	3,785	5	2	-	-	-	2	1	2	1	4	8	13	20	55	88	153	285	442	594	681	673	486	215	46	9
	Nonwhite--M	49	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	8	9	-	15	6	3	1	-	-
	F	37	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	11	5	9	2	1	-	1	-
410-416	Chronic rheumatic heart disease	339	-	-	-	-	-	-	1	6	2	5	2	9	18	29	37	45	36	52	30	32	21	9	5	-	-
	White----M	186	-	-	-	-	-	-	-	4	2	5	-	4	13	17	20	23	18	34	15	17	10	3	1	-	-
	F	150	-	-	-	-	-	-	1	2	-	-	2	5	4	12	17	22	18	17	15	14	11	6	4	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	7,513	5	1	-	-	-	1	-	-	-	7	14	39	98	201	342	537	863	1,136	1,224	1,180	942	599	256	57	11
	White----M	4,987	2	-	-	-	-	1	-	-	-	5	12	35	88	173	291	441	654	808	805	703	519	300	115	30	5
	F	2,466	3	1	-	-	-	-	-	-	-	2	2	4	10	27	46	92	201	316	416	459	419	295	140	27	6
	Nonwhite--M	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	6	8	-	14	3	3	1	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	4	3	4	1	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,031	3	2	-	-	-	2	1	1	1	-	1	3	10	9	16	27	45	69	131	186	243	173	81	26	1
	White----M	597	2	1	-	-	-	1	1	1	-	-	-	3	8	7	10	19	31	43	85	111	134	91	39	10	-
	F	428	1	1	-	-	-	1	-	-	1	-	1	-	2	2	6	8	14	25	46	74	106	82	42	15	1
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-
430-434	Other diseases of heart	251	4	-	-	-	-	1	-	1	1	3	2	4	4	11	8	17	28	30	29	31	44	24	6	2	1
	White----M	141	3	-	-	-	-	-	-	1	1	1	2	3	3	7	6	11	22	22	14	14	18	11	2	-	-
	F	108	1	-	-	-	-	1	-	-	-	2	-	1	1	4	2	6	6	6	15	17	26	13	4	2	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	1,170	-	-	-	-	-	-	-	-	-	1	4	5	5	25	28	59	100	153	202	209	195	137	39	7	1
	White----M	522	-	-	-	-	-	-	-	-	-	1	1	2	2	15	11	32	52	71	98	88	83	47	14	5	-
	F	633	-	-	-	-	-	-	-	-	-	-	3	3	3	10	17	25	46	78	102	117	111	90	25	2	1
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	3	1	-	-	-	-
444-447	Hypertension without mention of heart	213	-	-	-	-	-	-	-	-	-	1	-	2	5	4	15	13	11	20	18	40	35	39	8	2	-
	White----M	99	-	-	-	-	-	-	-	-	-	-	-	2	4	3	5	5	5	12	7	21	14	16	4	1	-
	F	110	-	-	-	-	-	-	-	-	-	1	-	-	1	-	9	8	5	7	11	19	21	23	4	1	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	649	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	15	28	46	110	161	169	84	25	6
	White----M	327	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	22	27	54	88	85	31	9	2
	F	315	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	9	6	18	55	72	82	52	16	4
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-
451-468	Other diseases of circulatory sys.	214	1	-	-	-	-	1	1	1	-	-	2	7	10	15	9	16	23	29	32	26	26	8	5	1	1
	White----M	136	1	-	-	-	-	1	-	1	-	-	1	5	7	10	6	11	17	25	22	11	14	1	2	-	1
	F	73	-	-	-	-	-	-	1	-	-	-	1	2	3	4	3	4	5	4	10	13	12	7	3	1	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*	210	1	-	1	1	1	3	3	3	9	6	5	5	10	12	15	13	21	22	21	20	21	11	5	1	-
	White----M	102	-	-	-	-	1	1	-	3	4	4	4	2	5	4	8	5	10	12	11	11	8	6	3	-	-
	F	102	1	-	1	-	-	2	3	-	4	2	1	3	4	7	7	8	10	10	10	8	13	5	2	1	-
	Nonwhite--M	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	714	113	22	12	4	-	4	5	3	4	5	4	7	8	13	15	19	23	54	57	76	95	99	55	16	1
	White----M	435	57	11	9	3	-	1	2	3	2	1	3	3	5	7	13	11	16	42	42	54	52	58	32	8	-
	F	261	49	9	3	1	-	3	3	-	2	3	1	4	2	4	2	8	7	11	14	21	43	39	23	8	1
	Nonwhite--M	9	2	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	1	-	-	1	-	-	-
	F	9	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-
480-483	Influenza	34	1	2	-	1	-	-	2	1	-	1	-	-	-	-	1	1	2	2	2	5	4	7	2	-	-
	White----M	16	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	4	3	2	-	-	-
	F	18	1	1	-	-	-	-	2	-	-	1	-	-	-	-	1	-	1	1	1	1	1	5	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	680	112	20	12	3	-	4	3	2	4	4	4	7	8	13	14	18	21	52	55	71	91	92	53	16	1
	White----M	419	57	10	9	2	-	1	2	2	2	1	3	3	5	7	13	10	15	41	41	50	49	56	32	8	-
	F	243	48	8	3	1	-	3	1	-	2	2	1	4	2	4	1	8	6	10	13	20	42	34	21	8	1
	Nonwhite--M	9	2	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	1	-	-	1	-	-	-
	F	9	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-
500-502	Bronchitis	45	6	1	2	-	-	2	-	-	-	1	1	-	3	-	1	2	6	2	6	3	4	2	1	1	1
	White----M	28	5	1	-	-	-	1	-	-	-	-	-	-	2	-	1	2	3	2	2	3	4	2	-	-	-
	F	16	1	-	2	-	-	1	-	-	-	-	1	-	1	-	-	-	3	-	4	-	-	-	1	1	1
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	153	2	-	-	-	-	-	-	-	1	1	1	1	8	8	10	16	11	36	15	15	18	8	1	1	-
	White----M	117	2	-	-	-	-	-	-	-	1	1	1	1	8	8	6	11	10	28	12	9	12	5	1	1	-
	F	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	1	8	3	6	6	3	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	42	-	1	-	1	1	1	3	1	1	1	-	2	3	2	3	3	6	2	3	2	4	1	1	-	-
	White----M	28	-	1	-	1	1	1	1	-	-	-	-	2	2	1	3	3	6	2	1	1	2	-	-	-	-
	F	13	-	-	-	-	-	-	2	-	1	1	-	-	1	1	-	-	-	-	2	1	2	1	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	162	30	4	-	-	-	-	-	1	1	-	1	1	2	3	8	6	14	17	22	16	16	15	3	2	-
	White----M	84	17	3	-	-	-	-	-	1	1	-	-	-	1	1	4	3	10	6	14	8	9	3	2	1	-
	F	76	12	1	-	-	-	-	-	-	-	-	1	1	1	2	4	3	4	10	8	8	7	12	1	1	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
543, 571, 572	Gastritis, etc.*	127	30	9	-	-	-	-	1	1	-	-	2	3	5	4	6	8	10	8	11	8	11	7	3	-	-
	White-----M	72	19	5	-	-	-	-	1	1	-	-	1	1	1	3	5	7	3	6	5	5	6	2	1	-	-
	F	51	9	4	-	-	-	-	-	-	-	-	1	2	3	-	1	1	7	2	6	3	5	5	2	-	-
	Nonwhite--M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	212	1	-	-	-	-	1	1	1	1	1	3	9	24	21	26	22	30	23	26	10	6	6	-	-	-
	White-----M	134	-	-	-	-	-	-	1	-	-	-	2	7	16	13	20	12	18	18	13	8	2	4	-	-	-
	F	74	1	-	-	-	-	1	-	1	1	1	1	2	8	7	6	8	12	5	12	2	4	2	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	35	-	-	-	1	-	3	1	1	1	-	-	2	1	2	3	2	6	3	4	4	1	-	-	-	-
	White-----M	19	-	-	-	1	-	3	-	1	1	-	-	1	-	-	1	1	4	1	1	3	1	-	-	-	-
	F	16	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	1	2	2	3	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	138	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	11	28	20	27	38	9	1	-
	White-----M	137	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	11	28	20	26	38	9	1	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
640-689	Complications of pregnancy, etc.*	30	...	...	...	...	...	...	-	1	8	6	7	6	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F	30	...	...	...	...	...	...	-	1	8	6	7	6	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	4	...	...	...	...	...	...	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	4	...	...	...	...	...	...	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	26	...	...	...	...	...	...	-	1	7	5	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F	26	...	...	...	...	...	...	-	1	7	5	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	465	348	22	7	9	7	7	6	7	4	2	7	5	2	8	7	4	3	3	-	2	3	2	-	-	-
	White-----M	255	193	9	2	8	4	4	3	3	2	1	5	3	1	6	3	2	1	2	-	1	2	-	-	-	-
	F	200	147	13	5	-	3	3	3	4	2	1	2	2	1	1	4	2	2	1	-	1	1	2	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,058	1,058	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	648	648	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	393	393	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	467	467	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	292	292	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	542	542	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	325	325	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	207	207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	165	13	2	-	-	1	-	-	-	2	-	2	4	3	2	3	8	17	12	8	16	26	16	22	7	1
	White-----M	99	7	-	-	-	-	-	-	-	1	-	1	1	2	1	3	6	14	10	7	11	15	9	7	3	1
	F	62	6	2	-	-	1	-	-	-	1	-	1	3	1	1	-	2	3	1	1	5	9	6	15	4	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Residual	All other diseases	1,345	57	16	10	9	5	24	11	16	15	25	26	32	29	54	70	105	121	141	153	170	130	87	33	6	-
	White-----M	763	37	12	7	3	1	11	9	12	8	11	12	17	16	29	45	56	77	86	87	90	74	47	12	4	-
	F	563	20	4	3	5	4	12	2	4	7	12	14	14	13	25	23	47	43	54	63	79	53	39	21	2	-
	Nonwhite--M	9	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	1	2	-	1	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1	1	-	1	1	2	-	-	-	-
E800-E962	Accidents	1,754	44	31	23	15	15	65	52	121	112	89	92	78	78	90	86	101	90	101	100	117	111	81	55	6	1
	White-----M	1,206	29	17	16	11	8	44	37	83	96	72	77	61	58	74	68	70	66	71	69	71	48	39	20	1	-
	F	510	13	12	5	3	6	21	14	31	14	14	11	16	18	13	17	31	24	30	28	44	62	42	35	5	1
	Nonwhite--M	26	1	1	2	1	-	-	1	5	2	3	3	1	1	2	-	-	-	-	1	1	1	-	-	-	-
	F	12	1	1	-	-	1	-	-	2	-	-	1	-	1	1	1	-	-	-	2	1	-	-	-	-	-
E810-E835	Motor-vehicle accidents	691	5	8	6	6	7	28	21	79	77	52	47	43	41	41	39	49	34	35	31	27	10	4	1	-	-
	White-----M	506	3	4	4	3	2	19	17	50	67	40	37	34	28	35	29	29	22	25	22	23	9	3	1	-	-
	F	169	2	3	2	3	5	9	4	24	8	9	8	9	12	6	10	20	12	10	8	3	1	1	-	-	-
	Nonwhite--M	10	-	-	-	-	-	-	-	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	1,063	39	23	17	9	8	37	31	42	35	37	45	35	37	49	47	52	56	66	69	90	101	77	54	6	1
	White-----M	700	26	13	12	8	6	25	20	33	29	32	40	27	30	39	39	41	44	46	47	48	39	36	19	1	-
	F	341	11	9	3	-	1	12	10	7	6	5	3	7	6	7	7	11	12	20	20	41	61	41	35	5	1
	Nonwhite--M	16	1	1	2	1	-	-	1	1	-	-	2	1	1	2	-	-	-	-	1	1	1	-	-	-	-
	F	6	1	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
E963, E970-E979	Suicide	312	-	-	-	-	-	-	-	6	7	18	12	18	26	43	33	28	37	36	23	15	6	4	-	-	-
	White-----M	261	-	-	-	-	-	-	-	5	4	14	10	12	17	37	27	22	36	32	23	12	6	4	-	-	-
	F	51	-	-	-	-	-	-	-	1	3	4	2	6	9	6	6	6	1	4	-	3	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	30	3	-	-	-	-	2	-	1	2	1	3	1	3	2	1	3	-	1	2	1	2	1	-	-	1
	White-----M	19	1	-	-	-	-	1	-	1	2	-	3	-	2	-	1	2	-	1	2	1	2	-	-	-	-
	F	9	2	-	-	-	-	1	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	1	-	-	1
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI																										
	ALL CAUSES------	19,345	2,369	171	93	61	51	163	127	218	238	296	349	396	678	856	1,114	1,204	1,424	2,040	2,213	2,055	1,718	897	355	139	120
	White-----M--	5,602	461	19	17	12	8	40	41	59	66	84	87	115	174	252	315	419	492	624	736	694	537	252	68	21	9
	F--	3,879	296	25	14	9	13	25	15	21	19	38	46	59	96	140	178	174	232	421	495	551	553	281	127	39	12
	Nonwhite--M--	5,306	905	66	28	10	18	54	45	84	87	98	99	100	203	228	325	332	400	525	532	465	334	202	74	38	46
	F--	4,558	707	61	34	22	12	44	26	54	66	76	117	122	205	236	296	279	300	470	450	345	294	162	86	41	53
001-019	Tuberculosis, all forms--------	222	4	5	3	1	-	-	-	9	10	17	11	9	21	17	12	24	17	27	8	14	10	2	-	-	1
	White-----M--	52	-	-	-	-	-	-	-	-	1	2	-	2	5	5	4	8	7	7	2	5	3	1	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	1	1	2	1	3	1	2	2	5	2	4	4	-	-	-	-
	Nonwhite--M--	77	2	3	1	1	-	-	-	3	1	7	4	5	10	4	3	9	5	9	3	4	2	-	-	-	1
	F--	65	2	2	2	-	-	-	-	6	8	7	6	-	5	5	4	5	3	6	1	1	1	1	-	-	-
001-008	Tuberculosis of respiratory system----------	203	2	3	2	1	-	-	-	8	9	17	11	8	17	16	12	22	16	27	7	14	9	1	-	-	1
	White-----M--	51	-	-	-	-	-	-	-	-	1	2	-	2	5	5	4	8	7	7	2	5	3	-	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	1	1	2	1	3	1	2	2	5	2	4	4	-	-	-	-
	Nonwhite--M--	65	2	2	-	1	-	-	-	2	1	7	4	4	7	3	3	7	4	9	3	4	1	-	-	-	1
	F--	59	-	1	2	-	-	-	-	6	7	7	6	-	4	5	4	5	3	6	-	1	1	1	-	-	-
010-019	Tuberculosis, other forms------	19	2	2	1	-	-	-	-	1	1	-	-	1	4	1	-	2	1	-	1	-	1	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	-	1	1	-	-	-	-	1	-	-	-	1	3	1	-	2	1	-	-	-	1	-	-	-	-
	F--	6	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	51	-	-	-	-	-	-	-	1	-	-	2	-	5	3	10	7	9	8	1	3	1	-	1	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	6	7	3	-	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	1	-	-	2	-	2	-	2	-	1	2	-	-	-	-	1	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	60	29	2	-	-	-	-	-	-	-	1	1	1	1	1	3	4	5	2	5	-	3	1	1	-	-
	White-----M--	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	9	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	-	-	2	1	-	-	-
	Nonwhite--M--	32	18	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	2	1	4	-	1	-	1	-	-
	F--	15	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	3	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	23	14	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	6	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	11	2	-	-	1	-	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	1	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	16	1	2	2	2	-	-	5	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	1	-	1	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	83	24	3	-	-	1	3	1	5	1	3	2	4	5	4	-	4	2	10	3	3	3	2	-	-	-
	White-----M--	12	4	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	2	-	-	2	-	-	-	-
	F--	19	4	1	-	-	-	-	-	-	1	-	-	2	2	1	-	-	1	2	1	2	-	2	-	-	-
	Nonwhite--M--	34	8	2	-	-	1	3	1	3	-	3	1	-	3	1	-	2	1	3	2	-	-	-	-	-	-
	F--	18	8	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	3	-	1	1	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
140-205	Malignant neoplasms, etc.*	2,310	3	6	9	4	4	17	16	7	12	21	40	59	116	168	225	220	231	306	328	225	180	80	23	6	4
	White—M	726	1	2	2	2	2	7	3	2	6	6	8	11	24	48	50	67	83	81	122	89	73	28	6	3	-
	F	685	1	4	4	-	1	4	4	1	2	8	17	20	37	59	67	60	55	101	87	62	55	26	9	-	1
	Nonwhite—M	444	1	-	2	2	1	4	5	3	1	1	1	7	22	18	47	47	51	59	75	45	30	14	4	2	2
	F	455	-	-	1	-	-	2	4	1	3	6	14	21	33	43	61	46	42	65	44	29	22	12	4	1	1
140-148	Of buccal cavity and pharynx	58	-	-	-	-	-	-	-	-	-	-	-	1	2	1	12	8	8	7	8	5	4	2	-	-	-
	White—M	31	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	7	4	6	-	2	1	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	3	1	3	1	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	2	1	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	764	-	-	1	-	-	-	1	-	2	1	6	11	28	39	57	63	77	126	134	95	76	33	9	3	2
	White—M	227	-	-	-	-	-	-	-	-	-	-	1	1	4	10	14	20	23	28	44	36	33	9	2	2	-
	F	204	-	-	-	-	-	-	-	-	1	-	4	3	4	9	12	10	21	41	40	23	20	10	5	-	1
	Nonwhite—M	199	-	-	1	-	-	-	1	-	-	-	-	3	14	10	22	24	20	32	36	19	10	6	1	-	-
	F	134	-	-	-	-	-	-	-	-	1	1	1	4	6	10	9	9	13	25	14	17	13	8	1	1	1
160-164	Of respiratory system	224	-	-	-	-	-	-	1	-	-	2	-	3	9	24	25	25	38	26	30	17	14	7	2	-	1
	White—M	125	-	-	-	-	-	-	-	-	-	1	-	1	7	18	10	13	24	12	21	10	6	2	-	-	-
	F	31	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	5	3	3	2	4	3	5	1	-	-
	Nonwhite—M	51	-	-	-	-	-	-	-	-	-	-	-	2	1	3	9	5	10	7	5	3	5	-	-	-	1
	F	17	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	2	1	4	2	-	-	-	1	-	-
170	Of breast	173	-	-	-	-	-	-	-	-	-	2	5	8	15	27	21	23	18	15	19	6	12	2	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	112	-	-	-	-	-	-	-	-	-	1	4	5	7	18	13	12	12	11	14	4	10	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	60	-	-	-	-	-	-	-	-	-	1	1	3	8	9	8	11	6	3	5	2	2	1	-	-	-
171-179	Of genital organs	459	-	-	-	-	-	1	-	-	1	5	15	19	28	38	37	35	34	65	67	46	41	17	7	2	1
	White—M	88	-	-	-	-	-	1	-	-	-	1	1	-	-	1	1	1	3	9	21	17	20	9	3	-	-
	F	129	-	-	-	-	-	-	-	-	-	2	5	7	15	16	12	14	6	22	11	9	8	1	1	-	-
	Nonwhite—M	91	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	9	12	12	21	16	8	5	2	2	1
	F	151	-	-	-	-	-	-	-	-	1	2	9	12	12	21	22	11	13	22	14	4	5	2	1	-	-
180, 181	Of urinary organs	94	-	1	2	1	-	2	-	-	-	1	-	1	2	8	13	5	9	6	18	10	12	2	1	-	-
	White—M	37	-	1	-	1	-	1	-	-	-	-	-	1	-	5	3	2	3	3	6	5	4	2	-	-	-
	F	27	-	-	2	-	-	1	-	-	-	1	-	-	-	1	4	-	2	2	6	2	5	-	1	-	-
	Nonwhite—M	22	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	2	3	1	3	3	2	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	3	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	361	1	2	3	-	2	5	7	4	4	6	10	14	21	18	42	39	34	43	39	35	14	13	4	1	-
	White—M	127	-	1	1	-	1	1	1	1	2	-	4	8	7	7	8	14	16	17	16	12	4	4	1	1	-
	F	119	1	1	1	-	-	1	2	1	1	4	3	3	6	6	19	14	6	14	9	15	5	6	1	-	-
	Nonwhite—M	49	-	-	1	-	1	1	2	1	1	1	-	1	4	3	3	2	5	5	9	2	4	2	1	-	-
	F	66	-	-	-	-	-	2	2	1	-	1	3	2	4	2	12	9	7	7	5	6	1	1	1	-	-
204	Leukemia and aleukemia	93	2	3	2	2	1	8	5	2	3	2	2	-	4	4	8	10	7	8	5	8	4	3	-	-	-
	White—M	44	1	-	1	1	-	3	2	1	2	2	1	-	2	1	4	4	4	2	3	7	2	1	-	-	-
	F	25	-	3	1	-	1	2	-	-	-	-	1	-	2	3	-	2	1	2	2	1	2	2	-	-	-
	Nonwhite—M	13	1	-	-	1	-	3	1	1	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	2	1	4	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	84	-	-	1	1	1	1	2	1	2	2	2	2	7	9	10	12	6	10	8	3	3	1	-	-	-
	White—M	47	-	-	-	-	1	1	-	-	2	2	1	-	3	5	6	8	3	6	5	2	2	-	-	-	-
	F	24	-	-	-	-	-	-	1	-	-	-	-	2	3	4	2	1	3	3	2	1	1	1	-	-	-
	Nonwhite—M	9	-	-	-	1	-	-	1	1	-	-	1	-	-	-	1	2	-	1	1	-	-	-	-	-	-
	F	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	83	3	-	1	1	-	2	1	1	-	3	6	6	7	15	7	12	2	5	2	4	5	-	-	-	-
	White—M	17	-	-	-	-	-	1	-	1	-	-	-	-	2	2	2	6	-	1	-	1	1	-	-	-	-
	F	21	-	-	-	-	-	1	-	-	-	1	1	3	-	5	1	4	1	-	1	2	1	-	-	-	-
	Nonwhite—M	17	-	-	1	1	-	-	1	-	-	1	1	-	-	4	1	2	1	1	-	1	2	-	-	-	-
	F	28	3	-	-	-	-	-	-	-	-	1	4	3	5	4	3	-	-	3	1	-	1	-	-	-	-
260	Diabetes mellitus	231	1	1	-	1	-	-	-	5	2	4	2	3	13	12	13	19	21	41	38	25	20	7	2	-	1
	White—M	66	-	-	-	1	-	-	-	1	-	2	-	1	5	4	3	4	6	11	13	8	6	1	-	-	-
	F	61	-	-	-	-	-	-	-	1	-	1	1	-	3	1	3	5	5	10	9	11	9	2	-	-	-
	Nonwhite—M	33	1	1	-	-	-	-	-	3	2	-	-	1	2	2	1	2	2	5	4	3	3	1	-	-	-
	F	71	-	-	-	-	-	-	-	-	-	1	1	1	3	5	6	8	8	15	12	3	2	3	2	-	1
290-293	Anemias	43	6	2	-	-	-	2	2	4	2	1	1	1	3	1	-	2	2	5	4	2	2	1	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	4	1	-	1	-	-	-
	F	7	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	1	1	-	-	1	-	-	-	-
	Nonwhite—M	17	5	-	-	-	-	1	-	4	1	-	1	-	1	-	-	-	-	3	-	1	-	-	-	-	-
	F	10	1	2	-	-	-	1	1	-	1	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
340	Nonmeningococcal meningitis*	25	10	3	1	2	1	-	1	-	1	1	-	-	1	-	-	-	2	-	-	2	-	-	-	-	-
	White—M	8	3	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	12	7	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	3	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	9,011	13	2	-	1	1	12	13	27	34	39	74	120	256	370	573	645	845	1,206	1,383	1,331	1,135	577	216	88	50
	White—M	2,885	2	-	-	-	-	3	1	7	7	6	12	36	60	108	186	249	305	389	469	455	361	173	41	12	3
	F	2,019	-	1	-	-	-	2	3	2	1	5	10	14	30	38	69	67	123	244	319	375	410	187	86	26	7
	Nonwhite—M	2,098	5	1	-	-	-	3	3	7	12	14	19	31	66	108	163	174	226	300	308	280	180	116	39	27	16
	F	2,009	6	-	-	1	1	4	6	11	14	14	33	39	100	116	155	155	191	273	287	221	184	101	50	23	24
330-334, 400-468	Diseases of cardiovascular system	8,642	12	1	-	1	-	9	12	23	28	33	64	116	233	355	549	629	811	1,170	1,333	1,288	1,087	553	209	81	45
	White—M	2,789	2	-	-	-	-	3	1	5	4	5	10	33	52	107	179	245	295	384	456	447	345	163	40	10	3
	F	1,964	-	1	-	-	-	1	2	2	1	4	9	14	28	37	67	67	121	242	312	365	393	184	84	25	5
	Nonwhite—M	1,964	4	-	-	-	-	2	3	6	11	12	17	30	61	99	158	166	215	280	284	265	167	110	36	25	13
	F	1,925	6	-	-	1	-	3	6	10	12	12	28	39	92	112	145	151	180	264	281	211	182	96	49	21	24
330-334	Vascular lesions, etc.*	2,412	1	1	-	-	-	2	-	1	4	6	14	25	71	106	149	172	209	330	395	372	315	156	57	15	11
	White—M	583	-	-	-	-	-	1	-	-	1	-	3	1	5	15	24	33	39	83	112	121	93	37	13	2	-
	F	589	-	1	-	-	-	-	-	-	-	2	3	3	9	16	24	23	37	77	96	96	118	54	24	5	1
	Nonwhite—M	564	1	-	-	-	-	1	-	1	2	1	3	7	20	28	53	52	67	79	81	81	40	33	9	2	3
	F	676	-	-	-	-	-	-	-	-	1	3	5	14	37	47	48	64	66	91	106	74	64	32	11	6	7
400-402	Rheumatic fever	31	-	-	-	1	-	4	8	7	-	2	2	1	-	1	-	-	2	-	-	1	1	1	-	-	-
	White—M	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F	4	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	2	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	16	-	-	-	1	-	3	4	3	-	1	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
410-443	Diseases of heart	5,661	8	-	-	-	-	3	2	14	19	23	39	76	140	222	379	428	563	792	872	837	680	353	126	57	28
	White-----M--	2,060	1	-	-	-	-	2	1	2	3	5	6	30	45	85	152	202	244	285	323	299	234	109	22	7	3
	F--	1,242	-	-	-	-	-	-	-	1	-	1	5	9	14	20	40	40	81	156	201	245	236	118	53	18	4
	Nonwhite--M--	1,249	2	-	-	-	-	1	-	4	8	9	9	18	34	63	95	105	137	187	182	166	109	70	21	21	8
	F--	1,110	5	-	-	-	-	-	1	7	8	8	19	19	47	54	92	81	101	164	166	127	101	56	30	11	13
410-416	Chronic rheumatic heart disease	149	1	-	-	-	-	-	2	6	6	7	7	7	9	8	12	10	5	6	12	21	13	10	2	3	2
	White-----M--	46	-	-	-	-	-	-	1	1	2	1	-	4	6	4	3	4	2	1	1	8	4	2	-	2	-
	F--	29	-	-	-	-	-	-	-	1	-	1	2	-	1	1	2	2	3	1	2	4	3	4	-	1	1
	Nonwhite--M--	44	-	-	-	-	-	-	-	2	2	3	3	2	1	2	3	3	-	2	5	7	4	3	1	-	1
	F--	30	1	-	-	-	-	-	1	2	2	2	2	1	1	1	4	1	-	2	4	2	2	1	1	-	-
420	Arteriosclerotic heart dis., etc.*	2,887	-	-	-	-	-	2	-	-	4	4	14	34	70	127	216	233	323	439	452	404	322	158	59	16	10
	White-----M--	1,453	-	-	-	-	-	2	-	-	1	2	4	18	33	72	125	157	183	216	224	191	147	62	14	1	1
	F--	649	-	-	-	-	-	-	-	-	-	-	2	4	6	11	17	24	52	96	106	116	122	57	28	7	1
	Nonwhite--M--	457	-	-	-	-	-	-	-	-	2	2	3	5	13	27	36	34	56	76	70	60	34	24	8	4	3
	F--	328	-	-	-	-	-	-	-	-	1	-	5	7	18	17	38	18	32	51	52	37	19	15	9	4	5
421, 422	Nonrheumatic chronic endocarditis, etc.*	709	-	-	-	-	-	1	-	-	-	-	2	5	6	11	27	30	34	79	118	132	121	80	33	23	7
	White-----M--	162	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	8	9	21	30	35	30	21	2	1	-
	F--	179	-	-	-	-	-	-	-	-	-	-	-	1	1	1	7	3	2	11	21	45	35	26	16	10	-
	Nonwhite--M--	195	-	-	-	-	-	1	-	-	-	-	-	-	1	8	10	8	10	26	37	35	30	12	6	10	1
	F--	173	-	-	-	-	-	-	-	-	-	-	2	2	4	1	8	11	13	21	30	17	26	21	9	2	6
430-434	Other diseases of heart	405	7	-	-	-	-	-	-	6	5	5	7	8	12	20	32	28	38	59	58	57	33	18	10	1	1
	White-----M--	125	1	-	-	-	-	-	-	1	-	1	2	4	3	6	10	12	15	16	19	15	11	5	2	1	1
	F--	74	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	3	7	9	9	16	15	4	3	-	-
	Nonwhite--M--	112	2	-	-	-	-	-	-	2	2	3	1	1	4	8	13	10	9	18	15	13	4	4	3	-	-
	F--	94	4	-	-	-	-	-	-	3	3	1	4	1	4	4	6	3	7	16	15	13	3	5	2	-	-
440-443	Hypertension with heart dis.	1,511	-	-	-	-	-	-	-	2	4	7	9	22	43	56	92	127	163	209	232	223	191	87	22	14	8
	White-----M--	274	-	-	-	-	-	-	-	-	-	1	-	2	3	2	12	21	35	31	49	50	42	19	4	2	1
	F--	311	-	-	-	-	-	-	-	-	-	-	1	2	5	5	11	8	17	39	63	64	61	27	8	-	2
	Nonwhite--M--	441	-	-	-	-	-	-	-	-	2	1	2	10	15	18	33	50	62	65	55	51	37	27	3	7	3
	F--	485	-	-	-	-	-	-	-	2	2	5	6	8	20	31	36	48	49	74	65	58	51	14	9	5	2
444-447	Hypertension without mention of heart	210	-	-	-	-	-	-	-	-	2	1	5	10	14	18	10	12	16	21	27	24	32	8	6	1	3
	White-----M--	41	-	-	-	-	-	-	-	-	-	-	-	1	-	5	-	3	-	5	8	8	7	4	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	2	3	7	7	12	-	2	-	-
	Nonwhite--M--	74	-	-	-	-	-	-	-	-	1	1	2	4	6	4	7	5	6	9	6	7	9	2	2	1	2
	F--	57	-	-	-	-	-	-	-	-	1	-	3	4	6	8	2	4	8	4	6	2	4	2	2	-	1
450	General arteriosclerosis	229	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	6	13	13	29	45	53	34	19	7	3
	White-----M--	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	3	8	16	11	11	5	1	-
	F--	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	14	24	12	5	2	-
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	4	3	13	10	7	5	4	1	-
	F--	46	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	3	2	5	11	6	5	3	3
451-468	Other diseases of circulatory sys.	99	3	-	-	-	-	-	2	1	3	1	4	3	8	6	7	11	8	14	10	9	6	1	1	1	-
	White-----M--	37	1	-	-	-	-	-	-	1	-	-	1	1	2	2	3	4	5	8	5	3	-	1	-	-	-
	F--	24	-	-	-	-	-	-	-	-	1	1	1	1	3	-	2	4	1	2	2	3	3	-	-	-	-
	Nonwhite--M--	18	1	-	-	-	-	-	1	-	-	-	1	1	1	2	-	3	1	2	2	1	2	-	-	-	-
	F--	20	1	-	-	-	-	-	1	-	2	-	1	-	2	2	2	-	1	2	1	2	1	-	1	1	-
592-594	Chronic nephritis, etc.*	369	1	1	-	-	1	3	1	4	6	6	10	4	23	15	24	16	34	36	50	43	48	24	7	7	5
	White-----M--	96	-	-	-	-	-	-	-	2	3	1	2	3	8	1	7	4	10	5	13	8	16	10	1	2	-
	F--	55	-	-	-	-	-	1	1	-	-	1	1	-	2	1	2	-	2	2	7	10	17	3	2	1	2
	Nonwhite--M--	134	1	1	-	-	-	1	-	1	1	2	2	1	5	9	5	8	11	20	24	15	13	6	3	2	3
	F--	84	-	-	-	-	1	1	-	1	2	2	5	-	8	4	10	4	11	9	6	10	2	5	1	2	-
480-493	Influenza and pneumonia, etc.*	602	191	34	11	4	2	10	7	3	9	6	4	5	7	13	21	16	14	32	54	41	49	37	18	9	5
	White-----M--	120	10	2	1	1	-	3	1	1	3	1	2	1	1	2	3	3	6	9	19	16	19	9	4	2	1
	F--	105	14	4	2	1	-	1	-	1	1	-	-	2	1	2	-	2	3	5	14	12	11	15	7	4	3
	Nonwhite--M--	198	94	17	4	2	2	2	3	1	3	2	2	1	2	5	9	2	4	9	10	5	9	7	2	1	-
	F--	179	73	11	4	-	-	4	3	-	2	3	-	1	3	4	9	9	1	9	11	8	10	6	5	2	1
480-483	Influenza	84	25	5	3	-	1	1	2	-	1	2	-	-	-	2	1	3	1	6	7	8	7	3	3	2	1
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	1	2	-	1	1	1
	F--	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	1	3	1	1	-
	Nonwhite--M--	34	15	3	1	-	1	1	2	-	1	1	-	-	-	1	1	1	-	2	-	1	3	-	-	-	-
	F--	22	9	2	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	2	2	1	-	1	-	-
490-493	Pneumonia, etc.*	518	166	29	8	4	1	9	5	3	8	4	4	5	7	11	20	13	13	26	47	33	42	34	15	7	4
	White-----M--	108	10	2	1	1	-	3	1	1	3	1	2	1	1	1	3	2	6	7	17	15	17	9	3	1	-
	F--	89	13	4	2	1	-	1	-	1	1	-	-	2	1	2	-	2	2	4	11	8	10	12	6	3	3
	Nonwhite--M--	164	79	14	3	2	1	1	1	1	2	1	2	1	2	4	8	1	4	7	10	4	6	7	2	1	-
	F--	157	64	9	2	-	-	4	3	-	2	2	-	1	3	4	9	8	1	8	9	6	9	6	4	2	1
500-502	Bronchitis	35	9	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	3	-	2	5	2	6	3	1	-
	White-----M--	16	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	2	2	2	1	-	-
	F--	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	4	2	1	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	74	2	-	-	-	-	-	-	-	2	-	-	4	4	5	10	15	10	9	3	7	-	3	-	-	-
	White-----M--	40	1	-	-	-	-	-	-	-	1	-	-	3	2	2	5	7	4	7	2	4	-	2	-	-	-
	F--	15	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	4	3	-	1	2	-	1	-	-	-
	Nonwhite--M--	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	1	-	-	1	-	-	-	-	-
550-553	Appendicitis	23	-	-	1	-	-	3	-	3	-	2	1	-	1	-	-	1	2	4	-	3	1	-	1	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	1	1	-	1	-	-
	Nonwhite--M--	6	-	-	1	-	-	1	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	115	15	1	-	-	-	-	1	1	1	1	2	4	8	8	5	10	9	13	8	15	9	2	1	-	1
	White-----M--	24	4	-	-	-	-	-	1	-	-	-	-	1	1	-	1	2	4	-	1	4	3	1	1	-	-
	F--	31	3	-	-	-	-	-	-	-	-	-	1	1	3	4	2	4	-	1	4	6	1	1	-	-	-
	Nonwhite--M--	35	5	1	-	-	-	-	-	-	-	1	-	-	2	2	2	1	2	7	3	4	4	-	-	-	1
	F--	25	3	-	-	-	-	-	-	1	1	-	1	2	2	2	-	3	3	5	-	1	1	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
543,	Gastritis, etc.*--	186	117	15	5	1	-	2	2	1	-	-	1	-	2	4	2	2	2	5	4	7	7	4	2	-	1
571,	White-----M--	22	5	-	-	-	-	-	2	-	-	-	-	-	2	-	1	1	-	3	-	2	5	1	-	-	-
572	F--	25	5	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	2	4	5	2	1	1	-	-
	Nonwhite--M--	76	60	7	2	-	-	1	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	1	-	-
	F--	63	47	6	3	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	2	-	-	1
581	Cirrhosis of liver	87	-	-	-	-	-	-	-	-	1	2	5	2	8	7	3	11	7	17	13	5	6	-	-	-	-
	White-----M--	46	-	-	-	-	-	-	-	-	1	-	2	1	4	4	1	7	3	12	7	2	2	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	1	5	3	2	2	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	2	-	2	1	2	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	4	1	-	1	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	82	1	1	1	1	2	1	-	-	3	-	3	3	10	5	8	3	9	5	6	7	6	4	2	1	-
	White-----M--	13	-	-	-	1	1	-	-	-	-	-	-	-	2	1	2	-	4	-	-	2	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	4	1	-	-	-	-
	Nonwhite--M--	33	-	-	1	-	1	1	-	-	2	-	-	1	6	2	5	-	1	3	2	-	4	2	2	-	-
	F--	26	1	1	-	-	-	-	-	-	1	-	3	2	2	1	-	3	3	1	3	1	1	2	-	1	-
610	Hyperplasia of																										
	prostate---------	95	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	7	10	20	23	14	9	3	1	1
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	9	8	9	6	-	-	-
	Nonwhite--M--	57	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	6	6	11	15	5	3	3	1	1
640-	Complications of																										
689	pregnancy, etc.*-	107	...	...	...	...	...	...	-	13	16	22	21	20	10	4	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	...	...	...	...	...	...	-	2	-	3	2	1	3	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	95	...	...	...	...	...	...	-	11	16	19	19	19	7	4	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	8	...	...	...	...	...	...	-	-	2	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	...	...	...	...	...	...	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	99	...	...	...	...	...	...	-	13	14	20	19	20	8	4	1	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	9	...	...	...	...	...	...	-	2	-	3	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	90	...	...	...	...	...	...	-	11	14	17	19	19	6	4	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	217	168	9	4	2	3	11	2	2	-	3	2	2	2	-	2	2	-	-	1	2	-	-	-	-	-
	White-----M--	80	66	1	2	-	1	1	1	1	-	1	1	1	2	-	-	2	-	-	-	-	-	-	-	-	-
	F--	57	45	3	1	1	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	43	31	-	1	1	1	5	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	37	26	5	-	-	-	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,169	1,169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	306	306	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	187	187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	373	373	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	303	303	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	430	430	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn---------	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	645	645	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	221	221	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	183	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	1,896	427	24	17	8	4	8	5	13	9	16	22	24	44	60	81	83	113	177	190	182	158	103	59	27	42
795	White-----M--	225	21	1	3	-	-	-	2	1	1	3	3	-	8	13	11	12	17	27	33	24	19	13	10	2	1
	F--	115	10	1	1	-	-	-	-	1	-	1	-	1	-	1	7	4	6	10	11	21	12	12	9	6	1
	Nonwhite--M--	863	223	12	4	3	3	5	1	3	6	5	10	11	22	22	33	47	56	77	78	77	73	49	19	5	19
	F--	693	173	10	9	5	1	3	2	8	2	7	9	12	14	24	30	20	34	63	68	60	54	29	21	14	21
Re-	All other diseases	753	55	16	7	3	6	19	7	12	6	17	29	28	25	34	51	48	55	77	85	79	48	29	8	2	7
sid-	White-----M--	230	15	2	2	1	-	5	1	1	1	4	8	9	5	3	11	13	21	30	32	38	15	8	3	1	1
ual	F--	194	11	2	2	1	2	5	2	4	-	1	5	4	1	10	12	11	16	18	26	23	19	15	3	1	-
	Nonwhite--M--	174	16	6	1	-	2	4	2	2	2	3	7	9	8	12	14	11	14	18	16	10	7	4	2	-	4
	F--	155	13	6	2	1	2	5	2	5	3	9	9	6	11	9	14	13	4	11	11	8	7	2	-	-	2
E800-	Accidents---------	1,325	103	38	28	23	25	62	61	86	88	88	71	62	87	82	43	54	39	68	46	61	54	30	15	4	7
E962	White-----M--	513	19	7	7	4	4	16	25	41	41	48	39	34	41	38	19	24	13	27	15	25	14	6	2	1	3
	F--	197	13	4	2	2	7	9	5	7	10	7	7	5	8	10	7	5	10	12	11	12	20	14	9	1	-
	Nonwhite--M--	404	40	13	9	6	6	21	25	34	27	28	21	16	32	22	12	17	10	18	10	14	12	6	1	2	2
	F--	211	31	14	10	11	8	16	6	4	10	5	4	7	6	12	5	8	6	11	10	10	8	4	3	-	2
E810-	Motor-vehicle																										
E835	accidents--------	447	7	8	7	5	8	20	13	36	52	48	34	33	35	35	20	18	14	23	10	9	11	-	1	-	-
	White-----M--	220	3	4	2	2	2	5	8	20	28	29	19	18	17	13	12	5	5	14	5	3	6	-	-	-	-
	F--	65	2	1	1	-	4	4	1	6	7	3	4	3	5	6	3	2	6	4	2	-	-	-	1	-	-
	Nonwhite--M--	125	2	1	2	1	2	8	3	9	13	15	8	9	11	12	4	7	2	4	3	4	5	-	-	-	-
	F--	37	-	2	2	2	-	3	1	1	4	1	3	3	2	4	1	4	1	1	-	2	-	-	-	-	-
E800-	All ot. accidents-	878	96	30	21	18	17	42	48	50	36	40	37	29	52	47	23	36	25	45	36	52	43	30	14	4	7
E802,	White-----M--	293	16	3	5	2	2	11	17	21	13	19	20	16	24	25	7	19	8	13	10	22	8	6	2	1	3
E840-	F--	132	11	3	1	2	3	5	4	1	3	4	3	2	3	4	4	3	4	8	9	12	20	14	8	1	-
E962	Nonwhite--M--	279	38	12	7	5	4	13	22	25	14	13	13	7	21	10	8	10	8	14	7	10	7	6	1	2	2
	F--	174	31	12	8	9	8	13	5	3	6	.4	1	4	4	8	4	4	5	10	10	8	8	4	3	-	2
E963,	Suicide----------	118	-	-	-	-	-	-	-	1	2	12	10	10	7	17	16	8	14	8	5	5	3	-	-	-	-
E970-	White-----M--	80	-	-	-	-	-	-	-	-	-	7	7	8	3	12	8	7	11	6	5	4	2	-	-	-	-
E979	F--	14	-	-	-	-	-	-	-	1	1	-	-	1	2	2	4	1	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	5	3	-	1	3	3	-	3	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	278	2	-	-	4	1	1	-	21	39	36	37	27	35	25	25	8	4	4	4	3	2	-	-	-	-
E980-	White-----M--	45	-	-	-	1	-	1	-	-	3	4	4	6	6	8	4	3	1	2	1	-	1	-	-	-	-
E985	F--	13	-	-	-	1	1	-	-	-	2	3	1	1	1	-	-	-	-	2	-	1	-	-	-	-	-
	Nonwhite--M--	186	2	-	-	-	-	-	-	17	30	26	27	17	22	14	19	4	3	-	3	2	-	-	-	-	-
	F--	34	-	-	-	2	-	-	-	4	4	3	5	3	6	3	2	1	-	-	-	-	1	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI																										
	ALL CAUSES------	44,083	2,521	169	99	75	56	183	162	274	382	394	459	657	1,058	1,573	2,261	2,846	4,024	4,957	5,769	6,053	5,235	3,233	1,274	289	80
	White-----M--	22,653	1,187	83	42	43	31	101	103	186	221	209	241	322	519	831	1,216	1,598	2,240	2,756	3,080	3,070	2,476	1,476	480	117	25
	F--	17,002	821	48	40	28	21	59	54	63	96	112	132	190	301	458	640	844	1,271	1,722	2,288	2,676	2,573	1,637	740	157	29
	Nonwhite--M--	2,462	286	25	12	2	2	15	3	15	40	53	47	75	115	144	233	224	306	280	230	154	88	70	26	2	15
	F--	1,966	227	13	5	2	2	8	2	10	23	20	39	70	123	140	172	180	207	199	171	153	98	50	28	13	11
001-019	Tuberculosis, all forms--------	515	3	3	-	1	-	2	-	3	4	9	19	38	39	45	51	46	66	58	58	35	18	11	4	-	2
	White-----M--	291	1	1	-	1	-	-	-	1	2	3	5	15	19	27	29	32	44	36	35	22	9	7	2	-	-
	F--	103	-	2	-	-	-	1	-	-	-	2	7	7	5	10	6	4	7	14	16	10	6	4	1	-	1
	Nonwhite--M--	81	2	-	-	-	-	-	-	-	1	2	2	9	6	6	11	9	14	8	5	3	1	-	1	-	1
	F--	40	-	-	-	-	-	1	-	2	1	2	5	7	9	2	5	1	1	-	2	-	2	-	-	-	-
001-008	Tuberculosis of respiratory system----------	490	2	2	-	-	-	1	-	3	4	9	18	36	37	43	49	45	63	54	56	35	17	10	4	-	2
	White-----M--	277	-	-	-	-	-	-	-	1	2	3	4	15	17	26	28	31	43	34	33	22	9	7	2	-	-
	F--	96	-	2	-	-	-	-	-	-	-	2	7	7	5	9	5	4	6	13	16	10	5	3	1	-	1
	Nonwhite--M--	79	2	-	-	-	-	-	-	-	1	2	2	9	6	6	11	9	13	7	5	3	1	-	1	-	1
	F--	38	-	-	-	-	-	1	-	2	1	2	5	5	9	2	5	1	1	-	2	-	2	-	-	-	-
010-019	Tuberculosis, other forms------	25	1	1	-	1	-	1	-	-	-	-	1	2	2	2	2	1	3	4	2	-	1	1	-	-	-
	White-----M--	14	1	1	-	1	-	-	-	-	-	-	1	-	2	1	1	1	1	2	2	-	-	-	-	-	-
	F--	7	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	218	2	-	-	-	-	-	-	1	1	1	3	2	13	15	21	30	35	35	30	16	9	4	-	-	-
	White-----M--	117	1	-	-	-	-	-	-	1	-	1	-	-	2	8	11	16	23	20	20	8	4	2	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	4	5	5	5	5	-	-	-	-
	Nonwhite--M--	39	1	-	-	-	-	-	-	-	-	-	1	1	4	3	5	5	7	6	2	2	-	2	-	-	-
	F--	26	-	-	-	-	-	-	-	-	1	-	2	1	6	1	1	5	1	4	3	1	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	16	10	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	1	1	-	-	-	-
	White-----M--	7	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-
	F--	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	13	2	-	2	-	-	2	-	1	2	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-
	White-----M--	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	F--	8	1	-	2	-	-	1	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	14	10	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	22	4	5	4	2	1	2	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	9	3	1	1	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	7	1	3	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	31	5	-	-	2	1	1	8	2	5	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	2	-	-	1	1	1	3	2	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	3	-	-	1	-	-	5	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	1	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	125	19	3	2	-	2	5	1	1	4	5	6	9	6	7	6	5	4	9	13	7	7	2	1	1	-
	White-----M--	60	7	3	1	-	1	2	-	1	1	1	2	5	2	4	3	3	2	4	7	3	6	2	-	-	-
	F--	46	4	-	1	-	1	2	1	-	2	3	4	4	3	1	1	2	1	4	6	4	-	-	1	1	-
	Nonwhite--M--	13	4	-	-	-	-	1	-	-	-	1	-	-	1	2	2	-	1	1	-	-	-	-	-	-	-
	F--	6	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
140-205	Malignant neoplasms, etc.*	6,870	7	9	12	12	5	33	21	23	29	45	76	124	224	398	522	685	864	974	1,003	887	541	275	81	17	3
	White—M	3,277	5	7	8	8	2	16	14	15	14	24	33	37	66	144	223	310	439	499	547	435	248	131	46	6	-
	F	3,050	2	1	4	4	3	15	7	6	11	19	38	65	123	200	243	293	339	408	413	400	278	134	32	11	1
	Nonwhite—M	292	-	1	-	-	-	1	-	2	4	1	1	6	8	23	31	39	53	45	29	26	10	9	1	-	2
	F	251	-	-	-	-	-	1	-	-	-	1	4	16	27	31	25	43	33	22	14	26	5	1	2	-	-
140-148	Of buccal cavity and pharynx	186	-	-	-	-	-	-	-	-	-	-	-	2	2	11	20	14	31	20	25	30	13	15	1	2	-
	White—M	147	-	-	-	-	-	-	-	-	-	-	-	1	2	5	13	13	28	15	22	23	12	10	1	2	-
	F	25	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	-	2	2	1	7	1	5	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	1	1	2	2	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	2,524	1	1	-	1	-	3	1	3	5	5	7	28	49	96	138	213	319	383	448	372	260	144	37	9	1
	White—M	1,215	1	1	-	1	-	1	1	1	1	3	1	13	17	41	68	96	166	190	251	181	113	51	16	1	-
	F	1,093	-	-	-	-	-	2	-	2	2	2	6	11	23	43	55	76	114	157	177	165	142	87	20	8	1
	Nonwhite—M	129	-	-	-	-	-	-	-	-	2	-	-	1	5	9	11	21	21	23	14	13	4	5	-	-	-
	F	87	-	-	-	-	-	-	-	-	-	-	-	3	4	3	4	20	18	13	6	13	1	1	1	-	-
160-164	Of respiratory system	816	-	-	-	-	-	-	-	-	2	3	4	11	20	65	79	128	135	145	108	69	30	13	2	2	-
	White—M	616	-	-	-	-	-	-	-	-	2	-	3	6	16	44	63	109	107	109	91	43	13	8	1	1	-
	F	135	-	-	-	-	-	-	-	-	-	3	1	4	2	9	8	8	15	28	14	21	15	5	1	1	-
	Nonwhite—M	55	-	-	-	-	-	-	-	-	-	-	-	1	1	8	7	10	13	8	2	4	1	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	-	-	1	1	1	-	-	-	-
170	Of breast	588	-	-	-	-	-	-	-	-	-	4	7	11	37	58	78	71	72	65	61	73	30	13	7	1	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-
	F	543	-	-	-	-	-	-	-	-	-	4	6	9	31	50	71	68	70	61	58	68	28	13	5	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	40	-	-	-	-	-	-	-	-	-	-	1	2	5	8	7	3	2	3	3	4	1	-	1	-	-
171-179	Of genital organs	1,161	-	-	-	-	-	1	-	1	4	8	20	36	65	71	77	122	133	140	157	155	104	46	18	1	2
	White—M	401	-	-	-	-	-	1	-	-	1	3	3	2	2	3	5	16	32	54	77	92	58	35	16	1	-
	F	641	-	-	-	-	-	-	-	1	3	4	15	28	49	55	64	87	81	78	72	54	39	9	2	-	-
	Nonwhite—M	42	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	10	5	7	6	5	2	-	-	2
	F	77	-	-	-	-	-	-	-	-	-	-	2	6	14	13	7	16	10	3	1	3	2	-	-	-	-
180, 181	Of urinary organs	330	1	-	1	-	-	3	-	-	-	-	3	4	4	10	24	29	31	65	51	57	24	20	3	-	-
	White—M	220	-	-	-	-	-	1	-	-	-	-	2	2	2	4	20	19	25	51	34	32	13	14	1	-	-
	F	94	1	-	1	-	-	1	-	-	-	-	1	1	1	3	3	9	5	13	15	22	11	5	2	-	-
	Nonwhite—M	9	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	1	1	1	1	-	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	2	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	737	1	3	5	5	1	7	8	7	5	9	19	21	24	53	68	63	91	95	87	80	53	19	11	2	-
	White—M	384	1	2	4	3	-	4	4	7	1	4	13	9	10	31	33	29	52	46	38	46	26	11	9	1	-
	F	314	-	1	1	2	1	2	4	-	4	4	5	9	10	20	27	29	34	45	46	32	27	8	2	1	-
	Nonwhite—M	19	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	3	3	2	2	1	-	-	-	-	-
	F	20	-	-	-	-	-	1	-	-	-	1	1	1	2	2	4	2	2	2	1	1	-	-	-	-	-
204	Leukemia and aleukemia	266	1	5	4	6	3	14	9	6	8	7	6	4	9	15	19	13	20	26	38	33	16	2	2	-	-
	White—M	139	1	4	2	4	1	5	7	2	5	5	4	1	4	7	10	7	12	14	22	13	6	1	2	-	-
	F	114	-	-	2	2	2	9	2	3	2	2	2	-	5	8	7	6	6	11	15	19	10	1	-	-	-
	Nonwhite—M	8	-	1	-	-	-	-	-	1	1	-	-	1	-	-	1	-	2	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	262	3	-	2	-	1	5	3	6	5	9	10	7	14	19	19	32	32	35	28	18	11	3	-	-	-
	White—M	151	2	-	2	-	1	4	2	5	4	9	7	3	12	9	11	21	17	19	12	4	6	1	-	-	-
	F	91	1	-	-	-	-	1	1	-	-	-	2	3	2	9	4	10	12	13	15	12	5	1	-	-	-
	Nonwhite—M	16	-	-	-	-	-	-	-	1	1	-	1	-	-	1	3	1	2	3	1	1	-	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	120	1	1	-	-	1	2	1	1	6	3	7	11	7	11	14	5	12	10	8	9	8	-	-	1	1
	White—M	58	-	-	-	-	1	2	1	1	5	2	5	1	2	4	6	2	7	7	5	3	3	-	-	1	-
	F	39	-	1	-	-	-	-	-	-	1	1	-	6	2	3	5	1	4	3	1	5	5	-	-	-	1
	Nonwhite—M	6	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	2	3	3	3	2	1	-	-	2	1	-	-	-	-	-
260	Diabetes mellitus	623	-	-	1	-	-	1	1	2	3	2	2	13	15	9	22	45	93	96	116	104	68	24	6	-	-
	White—M	246	-	-	1	-	-	-	-	-	2	2	-	9	9	6	9	15	29	37	48	36	26	14	3	-	-
	F	319	-	-	-	-	-	1	1	2	1	-	1	3	2	2	9	24	47	49	62	64	39	9	3	-	-
	Nonwhite—M	17	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	4	6	3	1	-	-	-	-	-
	F	41	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	6	13	4	3	3	3	1	-	-	-
290-293	Anemias	119	2	-	2	-	-	1	-	2	1	2	1	1	2	1	1	5	15	14	19	21	14	12	3	-	-
	White—M	58	2	-	-	-	-	1	-	1	-	-	-	-	2	-	-	1	10	9	9	9	7	6	1	-	-
	F	52	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	4	4	4	10	11	7	6	2	-	-
	Nonwhite—M	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	6	-	-	1	-	-	-	-	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	37	14	5	1	1	-	-	-	-	-	-	-	1	-	-	1	3	4	-	2	2	2	-	-	-	1
	White—M	12	2	2	1	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	2	-	1	-	-	-	-
	F	14	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	-	-	-	1
	Nonwhite—M	8	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	24,144	19	2	1	1	5	9	13	24	37	55	99	169	381	647	1,049	1,456	2,203	2,932	3,670	4,104	3,781	2,326	917	198	46
	White—M	12,354	4	2	1	-	1	5	8	12	18	17	46	95	207	379	599	858	1,235	1,641	1,914	2,083	1,760	1,042	332	82	13
	F	9,718	10	-	-	-	4	3	5	10	9	23	32	40	88	132	234	375	678	999	1,482	1,830	1,896	1,193	548	108	19
	Nonwhite—M	1,058	3	-	-	-	-	-	-	1	5	9	9	13	42	56	114	125	159	155	145	94	57	48	16	1	6
	F	1,014	2	-	-	1	-	1	-	1	5	6	12	21	44	80	102	98	131	137	129	97	68	43	21	7	8
330-334, 400-468	Diseases of cardiovascular system	23,449	15	2	1	1	3	8	11	19	32	46	92	146	366	623	997	1,416	2,138	2,859	3,594	4,000	3,687	2,265	890	196	42
	White—M	12,025	4	2	1	-	-	4	8	9	15	13	45	83	199	366	575	844	1,207	1,602	1,880	2,030	1,714	1,013	319	80	12
	F	9,450	7	-	-	-	3	3	3	8	7	21	29	31	85	129	220	361	652	972	1,453	1,784	1,852	1,169	534	108	19
	Nonwhite—M	1,007	2	-	-	-	-	-	-	1	5	7	8	12	40	54	108	121	153	151	136	90	54	43	16	1	5
	F	967	2	-	-	1	-	1	-	1	5	5	10	20	42	74	94	90	126	134	125	96	67	40	21	7	6
330-334	Vascular lesions, etc.*	5,393	8	1	1	1	1	4	3	2	5	5	15	25	60	112	210	248	477	645	857	1,031	908	539	190	37	8
	White—M	2,357	3	1	1	-	-	2	2	1	2	2	7	8	19	37	79	109	203	310	398	482	400	217	58	15	1
	F	2,509	2	-	-	-	1	1	1	1	1	2	6	7	22	32	68	95	193	254	399	497	477	299	125	20	6
	Nonwhite—M	243	2	-	-	-	-	-	-	-	2	-	1	5	4	8	27	23	40	44	30	24	18	12	3	-	-
	F	284	1	-	-	1	-	1	-	-	-	1	1	5	15	35	36	21	41	37	30	28	13	11	4	2	1
400-402	Rheumatic fever	30	-	-	-	-	1	2	4	1	2	-	-	6	-	1	-	-	2	1	3	3	1	3	-	-	-
	White—M	16	-	-	-	-	-	2	3	1	1	-	-	2	-	1	-	-	1	-	2	1	-	2	-	-	-
	F	14	-	-	-	-	1	-	1	-	1	-	-	4	-	-	-	-	1	1	1	2	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
410-443	Diseases of heart	16,346	5	-	-	-	1	1	4	9	23	39	68	105	283	484	752	1,108	1,557	2,072	2,517	2,697	2,449	1,443	576	124	29
	White-----M--	8,854	-	-	-	-	-	-	3	6	11	11	37	70	171	315	481	711	950	1,227	1,359	1,411	1,157	654	216	54	10
	F--	6,201	4	-	-	-	1	1	1	2	4	17	20	18	59	89	146	247	428	657	975	1,170	1,215	737	333	64	13
	Nonwhite--M--	680	-	-	-	-	-	-	-	1	3	7	6	5	30	42	70	91	101	101	93	56	32	27	11	1	3
	F--	611	1	-	-	-	-	-	-	-	5	4	5	12	23	38	55	59	78	87	90	60	45	25	16	5	3
410-416	Chronic rheumatic heart disease	553	-	-	-	-	1	-	2	5	9	15	20	23	48	36	65	48	52	60	55	43	51	13	6	1	-
	White-----M--	241	-	-	-	-	-	-	2	2	5	6	8	12	17	14	26	24	24	28	21	25	15	7	5	-	-
	F--	253	-	-	-	-	1	-	-	2	1	7	10	7	24	15	32	20	23	26	30	17	31	5	1	1	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	1	1	2	1	2	3	2	5	1	4	3	1	-	2	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	2	-	1	2	4	5	2	3	1	3	3	1	3	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	10,024	1	-	-	-	-	-	-	1	4	9	27	57	167	294	480	743	1,073	1,417	1,632	1,664	1,334	734	300	75	12
	White-----M--	6,105	-	-	-	-	-	-	-	1	2	4	19	48	134	241	379	539	731	936	953	941	665	362	110	35	5
	F--	3,440	1	-	-	-	-	-	-	-	1	4	5	6	18	36	63	149	265	405	603	676	638	350	178	38	4
	Nonwhite--M--	264	-	-	-	-	-	-	-	-	-	-	3	-	9	9	25	34	44	45	37	24	15	13	4	-	2
	F--	215	-	-	-	-	-	-	-	-	1	1	-	3	6	8	13	21	33	31	39	23	16	9	8	2	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	2,683	3	-	-	-	-	1	-	-	2	4	3	7	17	45	49	95	141	216	373	496	602	405	175	37	12
	White-----M--	1,268	-	-	-	-	-	-	-	-	-	1	3	4	7	22	24	43	77	118	195	234	280	182	60	14	4
	F--	1,219	2	-	-	-	-	1	-	-	1	2	-	1	5	13	9	22	45	79	152	236	306	212	107	20	6
	Nonwhite--M--	111	-	-	-	-	-	-	-	-	-	1	-	1	4	9	5	21	14	12	13	12	6	7	4	1	1
	F--	85	1	-	-	-	-	-	-	-	1	-	-	1	1	1	11	9	5	7	13	14	10	4	4	2	1
430-434	Other diseases of heart	749	1	-	-	-	-	-	2	2	8	8	9	10	16	36	47	70	80	84	92	96	105	52	21	7	3
	White-----M--	373	-	-	-	-	-	-	1	2	4	-	5	4	1	14	16	46	39	45	50	59	50	22	11	4	-
	F--	254	1	-	-	-	-	-	1	-	1	3	2	3	6	9	12	10	23	25	28	35	53	27	10	3	2
	Nonwhite--M--	71	-	-	-	-	-	-	-	-	2	3	2	1	4	7	12	9	10	7	11	1	-	2	-	-	-
	F--	51	-	-	-	-	-	-	-	-	1	2	-	2	5	6	7	5	8	7	3	1	2	1	-	-	1
440-443	Hypertension with heart dis.	2,337	-	-	-	-	-	-	-	1	-	3	9	8	35	73	111	152	211	295	365	398	357	239	74	4	2
	White-----M--	867	-	-	-	-	-	-	-	1	-	-	2	2	12	24	36	59	79	100	140	152	147	81	30	1	1
	F--	1,035	-	-	-	-	-	-	-	-	-	1	3	1	6	16	30	46	72	122	162	206	187	143	37	2	1
	Nonwhite--M--	206	-	-	-	-	-	-	-	-	-	1	-	1	10	15	23	26	29	34	31	19	9	5	3	-	-
	F--	229	-	-	-	-	-	-	-	-	-	1	4	4	7	18	22	21	31	39	32	21	14	10	4	1	-
444-447	Hypertension without mention of heart	376	-	-	-	-	-	-	-	-	1	-	4	3	9	9	23	16	27	36	53	63	64	43	21	4	-
	White-----M--	154	-	-	-	-	-	-	-	-	1	-	-	-	2	4	9	3	10	14	25	28	31	17	9	1	-
	F--	164	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	9	11	18	25	29	28	22	12	3	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	1	1	3	1	9	2	5	-	2	4	1	1	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	3	2	3	1	2	2	1	4	1	2	4	3	-	-	-
450	General arteriosclerosis	1,015	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	14	40	63	127	177	240	218	96	31	5
	White-----M--	488	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	22	24	73	92	115	114	31	10	1
	F--	463	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	11	30	43	75	118	100	62	21	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	5	4	8	4	3	3	2	-	2
	F--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	5	3	6	4	1	1	-	2
451-468	Other diseases of circulatory sys.	289	2	1	-	-	-	1	-	7	1	2	5	7	11	17	11	30	35	42	37	29	25	19	7	-	-
	White-----M--	156	1	1	-	-	-	-	-	1	-	-	1	3	6	9	6	16	21	27	23	16	11	9	5	-	-
	F--	99	1	-	-	-	-	1	-	5	1	2	3	2	2	5	3	8	8	12	10	11	13	10	2	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	2	2	2	3	2	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	4	4	1	1	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*	695	4	-	-	-	2	1	2	5	5	9	7	23	15	24	52	40	65	73	76	104	94	61	27	2	4
	White-----M--	329	-	-	-	-	1	1	-	3	3	4	1	12	8	13	24	14	28	39	34	53	46	29	13	2	1
	F--	268	3	-	-	-	1	-	2	2	2	2	3	9	3	3	14	14	26	27	29	46	44	24	14	-	-
	Nonwhite--M--	51	1	-	-	-	-	-	-	-	-	2	1	1	2	2	6	4	6	4	9	4	3	5	-	-	1
	F--	47	-	-	-	-	-	-	-	-	-	1	2	1	2	6	8	8	5	3	4	1	1	3	-	-	2
480-493	Influenza and pneumonia, etc.*	1,344	160	34	13	6	3	12	9	5	7	8	18	15	22	38	52	50	98	116	128	141	159	148	78	20	4
	White-----M--	688	77	17	4	2	1	4	5	3	2	5	9	6	10	17	28	26	50	66	80	72	89	73	33	6	3
	F--	474	52	10	5	4	-	6	4	1	2	1	6	4	7	5	8	9	24	31	41	61	64	73	42	13	1
	Nonwhite--M--	115	18	3	4	-	1	-	-	-	2	2	2	3	1	12	11	9	20	13	6	3	2	2	1	-	-
	F--	67	13	4	-	-	1	2	-	1	1	-	1	2	4	4	5	6	4	6	1	5	4	-	2	1	-
480-483	Influenza	104	6	2	-	1	1	-	1	-	1	-	3	2	1	-	2	3	7	7	14	9	18	15	9	2	-
	White-----M--	56	5	2	-	-	-	-	-	-	1	-	3	1	1	-	2	2	3	4	7	7	8	7	3	-	-
	F--	46	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	3	3	7	2	10	8	6	2	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	1,240	154	32	13	5	2	12	8	5	6	8	15	13	21	38	50	47	91	109	114	132	141	133	69	18	4
	White-----M--	632	72	15	4	2	1	4	5	3	1	5	6	5	9	17	26	24	47	62	73	65	81	66	30	6	3
	F--	428	51	10	5	3	-	6	3	1	2	1	6	3	7	5	8	8	21	28	34	59	54	65	36	11	1
	Nonwhite--M--	114	18	3	4	-	-	-	-	-	2	2	2	3	1	12	11	9	20	13	6	3	2	2	1	-	-
	F--	66	13	4	-	-	1	2	-	1	1	-	1	2	4	4	5	6	3	6	1	5	4	-	2	1	-
500-502	Bronchitis	92	7	3	4	-	-	5	1	-	-	-	-	1	1	1	5	5	8	7	8	11	11	6	6	2	-
	White-----M--	54	5	1	2	-	-	2	1	-	-	-	-	-	-	-	3	5	6	4	7	8	7	2	1	-	-
	F--	30	2	2	1	-	-	3	-	-	-	-	-	-	-	1	2	-	1	2	-	2	3	4	5	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	6	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum	267	4	-	-	-	-	-	1	1	-	1	2	9	8	14	20	24	29	38	47	37	19	11	1	1	-
	White-----M--	200	1	-	-	-	-	-	1	-	-	1	2	6	5	13	12	21	23	33	38	22	13	8	1	-	-
	F--	46	2	-	-	-	-	-	-	-	-	-	-	2	1	1	2	2	3	4	5	15	5	3	-	1	-
	Nonwhite--M--	14	1	-	-	-	-	-	-	1	-	-	-	-	2	-	4	1	1	-	3	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	1	-	-	-	-	-	-
550-553	Appendicitis	84	-	-	2	1	2	5	5	3	1	1	1	2	3	6	7	6	6	10	10	6	3	2	1	1	-
	White-----M--	39	-	-	1	-	1	3	2	2	1	-	1	-	3	4	1	2	4	6	5	-	1	1	-	1	-
	F--	31	-	-	1	1	-	2	3	1	-	-	-	1	-	1	4	1	1	3	5	4	1	1	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	1	1	-	1	1	-	-	-	-
	F--	5	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	310	31	1	1	-	-	1	-	-	3	7	3	10	6	7	16	23	33	36	29	29	47	18	7	2	-
	White-----M--	139	18	-	-	-	-	1	-	-	1	2	-	4	3	2	6	7	12	20	11	18	20	9	4	1	-
	F--	138	9	1	-	-	-	-	-	-	1	5	2	3	2	3	6	14	15	14	16	11	23	9	3	1	-
	Nonwhite--M--	19	2	-	1	-	-	-	-	-	-	-	1	2	1	1	2	1	4	1	1	-	2	-	-	-	-
	F--	14	2	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	2	1	1	-	2	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
543,	Gastritis, etc.*--	192	78	7	4	-	-	2	1	1	3	2	1	3	1	8	9	5	7	12	10	13	13	10	2	-	-
571,	White-----M--	81	27	3	1	-	-	2	-	-	1	-	1	2	1	4	5	3	3	7	3	8	4	5	1	-	-
572	F--	76	27	-	2	-	-	-	1	1	2	2	-	-	-	3	4	2	4	4	7	4	8	4	1	-	-
	Nonwhite--M--	21	14	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-
	F--	14	10	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
581	Cirrhosis of liver	464	-	-	-	-	-	2	-	1	3	2	4	23	38	48	56	45	66	58	48	35	19	14	2	-	-
	White-----M--	296	-	-	-	-	-	1	-	-	1	-	2	13	24	33	38	31	46	38	30	20	11	7	1	-	-
	F--	129	-	-	-	-	-	-	-	1	-	-	1	5	10	12	12	8	17	16	18	14	8	6	1	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	1	1	1	1	-	3	2	5	1	2	-	1	-	1	-	-	-
	F--	20	-	-	-	-	-	1	-	-	1	1	-	4	4	-	4	1	2	2	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	93	2	-	-	-	1	-	-	1	-	3	1	2	3	4	5	8	2	9	14	8	14	12	2	1	1
	White-----M--	45	1	-	-	-	1	-	-	-	-	-	-	1	3	1	2	4	1	6	7	5	6	4	2	1	-
	F--	33	-	-	-	-	-	-	-	1	-	3	1	-	-	-	1	3	-	2	5	2	8	7	-	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	1
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2	1	-	1	-	-	-
610	Hyperplasia of																										
	prostate---------	198	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	7	13	17	33	47	34	31	10	1	1
	White-----M--	171	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	11	15	30	41	29	28	9	1	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	3	6	5	3	1	-	1
640-	Complications of																										
689	pregnancy, etc.*-	49	...	...	...	...	...	...	-	5	8	9	16	7	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	38	...	...	...	...	...	...	-	3	7	8	11	6	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	11	...	...	...	...	...	...	-	2	1	1	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	8	...	...	...	...	...	...	-	-	1	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	6	...	...	...	...	...	...	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	41	...	...	...	...	...	...	-	5	7	7	14	4	4	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	32	...	...	...	...	...	...	-	3	7	6	9	4	3	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	9	...	...	...	...	...	...	-	2	-	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	505	378	29	5	5	6	15	2	2	6	3	3	4	8	6	7	8	6	4	2	4	2	-	-	-	-
	White-----M--	268	195	14	3	3	4	8	2	1	5	1	3	3	1	3	4	6	4	4	2	1	1	-	-	-	-
	F--	192	144	11	2	2	2	6	-	1	1	2	-	1	6	3	3	2	2	-	-	3	1	-	-	-	-
	Nonwhite--M--	27	23	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	16	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,477	1,477	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	708	706	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	469	469	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	650	650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	350	350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	212	212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn---------	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	700	700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	307	307	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	212	212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	659	50	3	6	3	2	2	1	2	4	5	4	3	19	22	41	45	61	60	83	63	61	61	38	13	7
795	White-----M--	366	18	1	2	2	1	1	1	2	4	-	3	3	9	15	24	34	42	32	49	38	38	27	11	7	2
	F--	218	15	1	3	1	1	1	-	-	-	3	-	-	5	6	10	9	14	20	26	21	19	31	25	5	2
	Nonwhite--M--	45	10	1	-	-	-	-	-	-	-	2	1	-	4	1	5	-	2	5	5	2	2	1	1	-	3
	F--	30	7	-	1	-	-	-	-	-	-	-	-	-	1	-	2	2	3	3	3	2	2	2	1	1	-
Re-	All other diseases	2,017	144	26	6	11	8	9	11	24	26	30	29	40	54	73	137	152	189	247	237	239	177	98	38	9	3
sid-	White-----M--	990	62	13	2	6	4	7	5	14	8	14	14	17	28	31	72	78	106	128	120	111	91	47	10	1	1
ual	F--	771	39	8	4	3	4	1	5	7	14	7	6	15	13	29	46	52	62	87	97	116	76	49	24	6	1
	Nonwhite--M--	156	24	4	-	2	-	1	-	1	3	6	8	6	5	7	11	13	14	21	16	6	5	1	2	-	-
	F--	100	19	1	-	-	-	-	1	2	1	3	1	2	8	6	8	9	7	11	4	6	5	1	2	2	1
E800-	Accidents---------	2,786	87	35	33	27	19	68	77	150	189	142	120	111	140	141	151	139	146	159	164	207	214	162	76	21	8
E962	White-----M--	1,672	43	17	14	15	13	43	56	119	136	107	91	78	93	91	97	103	92	100	86	100	88	56	22	9	3
	F--	827	26	8	14	11	6	13	19	24	36	22	19	16	19	29	25	25	34	43	62	91	120	103	51	9	2
	Nonwhite--M--	188	6	6	4	-	-	10	2	6	10	11	5	12	20	14	23	7	14	11	11	7	2	2	3	1	1
	F--	99	12	4	1	1	-	2	-	1	7	2	5	5	8	7	6	4	6	5	5	9	4	1	-	2	2
E810-	Motor-vehicle																										
E835	accidents--------	995	11	11	7	12	7	34	21	110	139	89	70	54	68	68	49	49	46	48	26	36	26	10	1	-	3
	White-----M--	686	3	5	4	6	7	18	16	90	103	66	53	34	44	45	34	35	26	30	15	23	20	7	1	-	1
	F--	214	4	5	2	6	-	10	5	18	26	15	12	12	9	15	11	9	14	16	7	9	6	3	-	-	-
	Nonwhite--M--	69	1	-	1	-	-	6	-	2	7	6	3	7	10	6	3	3	6	2	2	3	-	-	-	-	1
	F--	26	3	1	-	-	-	-	-	-	3	2	2	1	5	2	1	2	-	-	2	1	-	-	-	-	1
E800-	All ot. accidents-	1,791	76	24	26	15	12	34	56	40	50	53	50	57	72	73	102	90	100	111	138	171	188	152	75	21	5
E802,	White-----M--	986	40	12	10	9	6	25	40	29	33	41	38	44	49	46	63	68	66	70	71	77	68	49	21	9	2
E840-	F--	613	22	3	12	5	6	3	14	6	10	7	7	4	10	14	14	16	20	27	55	82	114	100	51	9	2
E962	Nonwhite--M--	119	5	6	3	-	-	4	2	4	3	5	2	5	10	8	20	4	8	9	9	4	2	2	3	1	-
	F--	73	9	3	1	1	-	2	-	1	4	-	3	4	3	5	5	2	6	5	3	8	4	1	-	2	1
E963,	Suicide----------	447	-	-	-	-	-	-	-	9	18	23	22	26	32	47	52	38	50	48	35	27	13	4	1	1	1
E970-	White-----M--	348	-	-	-	-	-	-	-	7	13	18	16	17	24	34	37	30	43	40	24	26	13	3	1	1	1
E979	F--	89	-	-	-	-	-	-	-	2	3	5	2	8	8	11	14	8	7	8	11	1	-	1	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	2	-	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	218	4	-	-	2	-	1	6	10	21	31	20	30	28	21	13	9	10	8	2	-	-	-	-	-	2
E980-	White-----M--	68	-	-	-	2	-	-	3	4	4	8	6	7	4	9	5	4	5	4	1	-	-	-	-	-	2
E985	F--	22	3	-	-	-	-	1	1	2	3	3	2	2	2	1	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	108	1	-	-	-	-	-	1	3	12	17	11	17	18	10	7	4	5	1	1	-	-	-	-	-	-
	F--	20	-	-	-	-	-	-	1	1	2	3	1	4	4	1	1	1	-	1	-	-	-	-	-	-	-
E965,	Operations of war-	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
E990-	White-----M--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA																										
	ALL CAUSES------	6,059	398	33	24	18	9	48	39	59	55	71	85	105	149	234	283	373	596	793	790	751	584	358	160	39	5
	White-----M--	3,726	203	13	12	11	3	28	17	37	39	47	52	70	87	149	200	251	397	544	517	456	315	190	67	18	3
	F--	2,046	135	14	8	4	6	17	18	12	9	11	23	31	46	71	68	106	185	228	261	275	252	160	88	17	1
	Nonwhite--M--	178	35	4	1	1	-	3	4	6	6	9	5	2	9	11	8	12	6	13	9	14	9	5	3	3	-
	F--	109	25	2	3	2	-	-	-	4	1	4	5	2	7	3	7	4	8	8	3	6	8	3	2	1	1
001-019	Tuberculosis, all forms--------	58	-	-	1	1	-	1	-	1	-	1	4	1	5	5	1	9	4	9	4	7	4	-	-	-	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	7	3	7	3	6	3	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	12	-	-	-	1	-	1	-	1	-	-	2	-	1	1	1	2	-	2	-	-	-	-	-	-	-
	F--	7	-	-	1	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	58	-	-	1	1	-	1	-	1	-	1	4	1	5	5	1	9	4	9	4	7	4	-	-	-	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	7	3	7	3	6	3	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	12	-	-	-	1	-	1	-	1	-	-	2	-	1	1	1	2	-	2	-	-	-	-	-	-	-
	F--	7	-	-	1	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-
010-019	Tuberculosis, other forms------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	24	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	4	7	2	2	-	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	5	1	2	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	6	1	-	1	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	9	1	-	-	-	-	2	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	19	2	1	-	2	-	1	-	-	-	2	1	3	-	1	2	1	2	-	-	-	1	-	-	-	-
	White-----M--	13	1	1	-	1	-	1	-	-	-	1	-	3	-	1	2	1	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
140-205	Malignant neoplasms, etc.*----	879	1	1	3	3	-	4	5	-	2	4	10	11	26	41	64	81	117	151	145	109	64	29	5	3	-
	White-----M--	506	-	1	1	2	-	4	1	-	1	3	3	5	9	13	35	48	61	91	96	68	42	17	4	1	-
	F--	346	1	-	2	1	-	-	4	-	1	-	6	6	15	26	24	30	53	56	47	40	20	11	1	2	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	3	-	3	2	-	1	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-	3	1	-	1	1	-	-	-	-
140-148	Of buccal cavity and pharynx------	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	1	3	3	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	2	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	321	-	-	-	-	-	-	-	-	-	1	2	2	5	9	18	23	39	64	64	49	28	14	2	1	-
	White-----M--	188	-	-	-	-	-	-	-	-	-	1	1	1	2	1	11	14	19	41	39	32	18	7	1	-	-
	F--	116	-	-	-	-	-	-	-	-	-	-	1	1	3	7	4	6	18	20	23	17	8	6	1	1	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	2	2	-	1	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	-	-	-	-
160-164	Of respiratory system----------	118	-	-	-	-	-	-	-	-	-	-	-	-	5	5	10	14	23	22	20	14	4	1	-	-	-
	White-----M--	103	-	-	-	-	-	-	-	-	-	-	-	-	4	4	10	14	19	20	18	10	4	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	1	2	4	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	77	-	-	-	-	-	-	-	-	-	-	2	1	6	6	12	9	9	12	7	4	7	1	-	1	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	76	-	-	-	-	-	-	-	-	-	-	2	1	6	6	11	9	9	12	7	4	7	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	144	-	-	-	-	-	-	-	-	-	-	2	3	5	7	7	12	21	24	22	20	11	8	2	-	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	11	17	14	10	7	2	-	-
	F--	69	-	-	-	-	-	-	-	-	-	-	1	3	3	7	6	9	14	13	5	6	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	37	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	7	7	6	4	5	2	1	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	7	6	4	1	2	1	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	82	-	1	2	-	-	-	2	-	-	1	2	3	1	4	8	8	10	11	15	5	4	3	1	1	-
	White-----M--	58	-	1	1	-	-	-	1	-	-	1	1	2	-	3	5	4	5	10	13	3	4	2	1	1	-
	F--	24	-	-	1	-	-	-	1	-	-	-	1	1	1	1	3	4	5	1	2	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	44	-	-	1	3	-	3	3	-	-	1	-	1	1	1	2	2	6	4	6	6	4	-	-	-	-
	White-----M--	26	-	-	-	2	-	3	-	-	-	-	-	1	-	-	2	2	5	1	3	4	3	-	-	-	-
	F--	17	-	-	1	1	-	-	3	-	-	-	-	-	1	1	-	-	1	3	3	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	41	1	-	-	-	-	1	-	-	2	1	2	1	2	4	5	4	1	6	6	3	1	1	-	-	-
	White-----M--	27	-	-	-	-	-	1	-	-	1	1	1	1	2	3	5	3	-	3	4	2	-	-	-	-	-
	F--	14	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	1	3	2	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	27	-	1	-	-	-	1	-	2	-	-	-	-	2	2	2	2	3	2	3	3	1	1	1	1	-
	White-----M--	12	-	1	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	2	2	2	-	-	-	-	-
	F--	14	-	-	-	-	-	1	-	1	-	-	-	-	1	1	1	1	3	-	1	-	1	1	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	98	-	-	-	-	-	1	-	-	2	-	2	-	2	2	6	5	12	12	14	18	11	10	1	-	-
	White-----M--	39	-	-	-	-	-	-	-	-	1	-	1	-	1	1	3	-	5	5	6	11	2	2	1	-	-
	F--	57	-	-	-	-	-	1	-	-	1	-	1	-	1	-	3	5	6	7	8	7	9	8	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
290-293	Anemias----------	16	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	2	4	2	1	-	1	-
	White-----M--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	1	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	3,016	5	-	1	-	-	5	4	5	6	7	14	23	49	83	127	182	329	462	458	473	387	255	111	26	4
	White-----M--	1,892	2	-	-	-	-	2	2	4	3	4	11	16	32	57	96	121	235	326	289	282	208	141	47	14	2
	F--	1,051	-	-	1	-	-	3	2	1	3	3	3	7	12	23	27	53	87	126	164	183	171	110	60	11	1
	Nonwhite--M--	45	2	-	-	-	-	-	-	-	-	-	-	-	3	3	3	4	5	6	4	3	7	2	3	-	-
	F--	28	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	2	4	1	5	3	2	1	1	1
330-334, 400-468	Diseases of cardiovascular system-	2,944	4	-	1	-	-	2	4	4	5	7	13	21	47	81	124	178	319	453	448	464	379	249	111	26	4
	White-----M--	1,845	2	-	-	-	-	1	2	3	3	4	10	15	32	55	94	118	228	318	284	275	201	137	47	14	2
	F--	1,028	-	-	1	-	-	1	2	1	2	3	3	6	10	23	26	53	84	125	159	181	168	108	60	11	1
	Nonwhite--M--	44	1	-	-	-	-	-	-	-	-	-	-	-	3	3	3	4	5	6	4	3	7	2	3	-	-
	F--	27	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	4	1	5	3	2	1	1	1
330-334	Vascular lesions, etc.*----------	627	1	-	1	-	-	-	2	1	-	4	1	2	10	12	17	36	61	86	87	115	96	58	31	5	1
	White-----M--	331	1	-	-	-	-	-	1	-	-	1	-	2	6	6	10	15	39	50	45	56	53	32	12	2	-
	F--	280	-	-	1	-	-	-	1	1	-	3	1	-	3	6	6	21	21	33	39	54	42	26	18	3	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	1	-	1	-	-
400-402	Rheumatic fever---	5	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA--Con.																										
410-443	Diseases of heart	2,082	3	-	-	-	-	1	1	1	5	3	9	19	36	66	102	133	242	349	342	305	233	153	61	16	2
	White-----M--	1,377	1	-	-	-	-	1	1	1	3	3	8	13	25	47	80	99	179	254	227	195	118	84	27	9	2
	F--	658	-	-	-	-	-	-	-	-	2	-	1	6	7	16	19	28	57	89	113	108	107	66	32	7	-
	Nonwhite--M--	33	1	-	-	-	-	-	-	-	-	-	-	-	2	3	2	3	4	4	2	1	7	2	2	-	-
	F--	14	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	2	-	1	1	1	-	-	-
410-416	Chronic rheumatic heart disease----	67	-	-	-	-	-	1	-	-	-	1	3	4	6	7	7	4	6	9	11	3	3	2	-	-	-
	White-----M--	39	-	-	-	-	-	1	-	-	-	1	3	3	2	3	3	1	3	6	8	2	1	2	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	2	3	3	2	1	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,348	-	-	-	-	-	-	-	1	2	1	5	10	22	50	72	94	171	249	222	195	134	88	25	7	-
	White-----M--	950	-	-	-	-	-	-	-	1	2	1	5	9	18	38	59	74	134	191	151	123	80	51	8	5	-
	F--	373	-	-	-	-	-	-	-	-	-	-	-	1	3	9	10	17	33	54	70	71	49	37	17	2	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	2	3	1	1	5	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	300	2	-	-	-	-	-	-	-	-	-	1	1	2	4	4	14	20	37	39	59	56	37	16	7	1
	White-----M--	175	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	10	14	25	26	35	24	20	8	3	1
	F--	115	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	6	12	13	23	29	15	7	4	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
430-434	Other diseases of heart---------	177	1	-	-	-	-	-	1	-	2	-	-	4	5	3	16	10	26	28	26	22	12	10	8	2	1
	White-----M--	113	1	-	-	-	-	-	1	-	-	-	-	1	2	2	13	7	18	17	20	15	4	6	4	1	1
	F--	56	-	-	-	-	-	-	-	-	2	-	-	3	1	1	3	3	6	9	6	7	8	3	3	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	1	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	190	-	-	-	-	-	-	-	-	1	1	-	-	1	2	3	11	19	26	44	26	28	16	12	-	-
	White-----M--	100	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	7	10	15	22	20	9	5	7	-	-
	F--	89	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	9	11	22	6	19	11	5	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	45	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	6	3	5	15	4	4	2	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	2	2	12	3	2	1	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	3	1	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
450	General arteriosclerosis--------	146	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	9	11	24	40	33	17	5	1
	White-----M--	82	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	8	8	11	21	19	7	3	-
	F--	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	12	18	14	9	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1
451-468	Other diseases of circulatory sys.-	39	-	-	-	-	-	-	-	1	-	-	2	-	-	1	2	5	8	5	3	5	6	1	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	3	5	4	2	1	6	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	1	4	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	72	1	-	-	-	-	3	-	1	1	-	1	2	2	2	3	4	10	9	10	9	8	6	-	-	-
	White-----M--	47	-	-	-	-	-	1	-	1	-	-	1	1	-	2	2	3	7	8	5	7	5	4	-	-	-
	F--	23	-	-	-	-	-	2	-	-	1	-	-	1	2	-	1	-	3	1	5	2	3	2	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	199	33	6	4	-	2	1	-	1	2	-	4	2	2	7	4	6	11	17	16	28	22	21	9	1	-
	White-----M--	109	14	2	1	-	-	-	-	-	2	-	3	1	2	3	3	5	7	10	12	14	14	12	4	-	-
	F--	69	8	3	1	-	2	1	-	1	-	-	1	1	-	3	1	1	4	7	3	12	8	7	5	-	-
	Nonwhite--M--	15	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-
	F--	6	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
480-483	Influenza---------	7	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-
	White-----M--	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	192	31	6	3	-	2	1	-	1	2	-	4	2	1	7	4	5	11	16	16	28	22	20	9	1	-
	White-----M--	105	14	2	-	-	-	-	-	-	2	-	3	1	1	3	3	4	7	9	12	14	14	12	4	-	-
	F--	67	7	3	1	-	2	1	-	1	-	-	1	1	-	3	1	1	4	7	3	12	8	6	5	-	-
	Nonwhite--M--	15	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-
	F--	5	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
500-502	Bronchitis---------	7	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	39	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	5	10	5	3	3	4	-	-	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	5	8	5	2	2	2	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
550-553	Appendicitis------	13	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	3	4	1	1	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F--	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	33	4	-	-	-	-	-	-	-	-	-	-	2	-	2	2	1	4	2	7	4	3	-	2	-	-
	White-----M--	18	2	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	1	4	2	-	-	2	-	-
	F--	14	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	3	2	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
543,	Gastritis, etc.*--	27	14	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	3	1	-	-	2	1	1	-
571,	White-----M--	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
572	F--	11	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	1	-	-	2	1	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	57	-	-	-	-	-	2	-	-	-	1	-	2	6	4	8	5	9	5	6	6	2	1	-	-	-
	White-----M--	34	-	-	-	-	-	2	-	-	-	1	-	-	2	3	8	3	5	2	5	3	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	2	3	2	1	1	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	10	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	2	1	1	-	1	1	-	-	-
	White-----M--	5	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	8	1	3	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	8	1	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	5	...	...	...	...	...	...	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications--------	4	...	...	...	...	...	...	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	4	...	...	...	...	...	...	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations--------	70	54	5	1	2	-	-	1	-	-	1	-	1	-	1	-	3	-	1	-	-	-	-	-	-	-
	White-----M--	42	32	3	1	1	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	-	-	-	-	-	-
	F--	25	19	2	-	1	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	244	244	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	93	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	143	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	179	-	-	-	-	-	1	-	-	1	-	2	3	5	5	9	11	19	16	27	24	22	17	12	4	1
795	White-----M--	121	-	-	-	-	-	1	-	-	1	-	1	1	4	5	8	11	14	12	21	13	15	9	3	1	1
	F--	47	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	5	3	6	7	7	7	8	1	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	4	-	1	-	2	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Re-	All other diseases	308	8	5	1	2	2	7	1	-	1	6	6	9	11	13	12	24	23	55	59	33	19	8	2	1	-
sid-	White-----M--	189	2	2	-	2	-	3	-	-	-	2	1	6	4	10	8	16	17	39	42	25	6	3	-	1	-
ual	F--	103	5	2	1	-	2	4	1	-	1	1	5	3	5	3	3	8	5	14	15	7	11	5	2	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-
	F--	10	-	1	-	-	-	-	-	-	-	2	-	-	1	-	1	-	1	1	1	-	2	-	-	-	-
E800-	Accidents---------	547	23	13	10	6	2	18	23	39	37	36	34	29	20	43	32	19	30	28	24	29	29	11	12	-	-
E962	White-----M--	379	15	3	8	4	2	13	12	29	29	27	26	25	15	32	22	16	24	24	16	18	12	5	2	-	-
	F--	123	4	7	1	1	-	4	8	5	2	4	4	2	3	9	7	2	6	4	8	10	16	6	10	-	-
	Nonwhite--M--	33	2	3	-	-	-	1	3	3	5	5	2	1	2	2	1	1	-	-	-	1	1	-	-	-	-
	F--	12	2	-	1	1	-	-	-	2	1	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	219	2	4	1	3	1	9	8	20	18	24	18	14	11	20	11	9	11	11	13	6	4	1	-	-	-
	White-----M--	147	1	-	1	2	1	7	3	12	12	17	12	11	7	14	5	8	8	9	10	4	2	1	-	-	-
	F--	47	1	3	-	1	-	1	4	5	2	3	3	2	2	5	4	-	3	2	3	2	1	-	-	-	-
	Nonwhite--M--	17	-	1	-	-	-	1	1	1	3	4	1	-	2	1	-	1	-	-	-	-	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	2	1	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	328	21	9	9	3	1	9	15	19	19	12	16	15	9	23	21	10	19	17	11	23	25	10	12	-	-
E802,	White-----M--	232	14	3	7	2	1	6	9	17	17	10	14	14	8	18	17	8	16	15	6	14	10	4	2	-	-
E840-	F--	76	3	4	1	-	-	3	4	-	-	1	1	-	1	4	3	2	3	2	5	8	15	6	10	-	-
E962	Nonwhite--M--	16	2	2	-	-	-	-	2	2	2	1	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-
	F--	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	104	-	-	-	-	-	-	2	3	2	9	4	9	11	13	7	10	12	11	10	1	-	-	-	-	-
E970-	White-----M--	82	-	-	-	-	-	-	-	1	1	6	4	8	6	9	7	9	11	10	9	1	-	-	-	-	-
E979	F--	14	-	-	-	-	-	-	1	1	-	-	-	1	4	4	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	1	1	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	28	1	-	1	-	1	-	-	4	-	2	1	2	3	7	1	3	-	-	-	-	1	-	1	-	-
E980-	White-----M--	16	1	-	1	-	-	-	-	-	-	2	-	-	3	5	-	2	-	-	-	-	1	-	1	-	-
E985	F--	5	-	-	-	-	1	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA																										
	ALL CAUSES------	12,870	762	56	37	31	26	78	48	75	101	108	133	155	256	383	523	716	1,022	1,531	1,634	1,844	1,621	1,093	485	115	17
	White-----M--	7,205	399	23	17	15	11	42	21	51	51	72	84	97	161	226	337	427	625	948	963	1,011	813	551	209	47	4
	F--	5,330	329	26	19	13	14	33	25	22	41	33	37	49	84	144	162	262	366	551	639	807	787	537	274	66	10
	Nonwhite--M--	195	32	3	-	2	1	3	1	2	5	2	8	5	8	4	12	16	17	18	22	13	13	3	2	1	2
	F--	140	22	4	1	1	-	-	1	-	4	1	4	4	3	9	12	11	14	14	10	13	8	2	-	1	1
001-019	Tuberculosis, all forms--------	54	-	1	-	-	1	-	-	-	2	2	1	3	3	3	5	5	8	5	6	4	3	1	1	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	4	5	3	5	3	2	1	1	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	3	1	1	-	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	1	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	49	-	1	-	-	-	-	-	-	2	2	1	2	3	3	5	5	6	5	5	4	3	1	1	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	4	3	3	4	3	2	1	1	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	3	1	1	-	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	5	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	23	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	2	6	5	1	2	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	3	3	1	2	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White-----M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	8	-	-	-	-	-	-	1	1	-	1	1	-	-	1	1	1	-	-	-	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections--------	6	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	19	-	-	2	-	-	2	2	3	3	2	1	-	-	1	-	-	3	-	-	-	-	-	-	-	-
	White-----M--	11	-	-	1	-	-	1	1	2	2	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	8	-	-	1	-	-	1	1	1	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	35	5	4	-	-	-	3	-	1	1	1	1	-	1	-	3	1	4	3	4	2	1	-	-	-	-
	White-----M--	20	3	-	-	-	-	3	-	1	-	1	1	-	-	-	2	-	1	3	3	1	1	-	-	-	-
	F--	13	2	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	-	1	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
140-205	Malignant neoplasms, etc.*	2,180	2	2	3	5	3	9	7	6	10	15	21	29	65	96	139	209	237	336	302	307	219	118	36	-	4
	White---M--	1,139	-	2	1	3	1	3	3	4	6	6	11	12	26	38	71	98	114	189	173	162	126	70	18	-	2
	F--	1,003	2	-	2	2	2	6	4	2	4	8	10	16	36	54	65	104	118	142	125	142	91	48	18	-	2
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	4	2	4	2	1	2	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	3	1	2	2	-	-	-	-	-
140-148	Of buccal cavity and pharynx	58	-	-	-	-	-	-	-	-	2	-	-	1	2	3	4	3	5	10	10	3	8	5	2	-	-
	White---M--	42	-	-	-	-	-	-	-	-	2	-	-	-	1	3	2	3	4	9	7	1	6	3	1	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	3	2	2	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	886	1	-	1	-	-	-	-	-	-	1	7	7	13	27	53	72	80	145	150	152	104	59	13	-	1
	White---M--	458	-	-	1	-	-	-	-	-	-	-	5	2	6	10	34	35	34	84	84	72	55	30	5	-	1
	F--	411	1	-	-	-	-	-	-	-	-	1	2	4	7	15	18	34	44	59	63	77	49	29	8	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	2	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	2	-	-	-	-	-
160-164	Of respiratory system	219	-	-	-	-	-	-	-	-	1	-	1	1	8	9	18	29	41	37	31	29	9	4	1	-	-
	White---M--	173	-	-	-	-	-	-	-	-	1	-	1	1	7	7	13	23	36	31	24	20	7	1	1	-	-
	F--	41	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	4	6	7	9	2	3	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	183	-	-	-	-	-	-	-	-	-	1	4	6	14	16	19	21	26	21	15	19	11	8	1	-	1
	White---M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-
	F--	176	-	-	-	-	-	-	-	-	-	1	4	6	13	14	19	19	26	21	15	19	9	8	1	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	333	-	-	-	-	-	2	2	-	3	2	4	10	15	16	32	30	50	45	51	39	21	10	-	1
	White---M--	153	-	-	-	-	-	-	1	-	1	1	-	1	1	2	5	7	23	26	31	27	20	7	-	-
	F--	176	-	-	-	-	-	2	1	-	2	1	4	9	14	13	27	23	27	18	20	10	1	3	-	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	120	-	-	-	-	-	-	-	-	1	-	1	1	2	4	4	17	13	17	18	17	18	6	1	-	-
	White---M--	80	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	10	8	11	13	11	14	3	1	-	-
	F--	38	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	7	5	5	5	6	4	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	161	1	-	-	-	-	4	2	1	1	2	4	4	7	10	5	18	24	22	12	14	15	9	6	-	-
	White---M--	91	-	-	-	-	-	2	-	1	1	2	2	4	4	5	2	10	14	13	8	8	6	7	2	-	-
	F--	68	1	-	-	-	-	2	2	-	-	-	2	-	2	5	3	8	9	9	4	6	9	2	4	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	121	-	2	2	4	3	4	2	3	2	3	1	1	2	6	7	8	9	18	12	14	10	5	2	-	1
	White---M--	74	-	2	-	3	1	1	2	2	1	1	-	1	1	3	4	3	5	11	7	12	7	5	1	-	1
	F--	44	-	-	2	1	2	3	-	1	1	1	1	-	1	3	3	5	3	6	5	2	3	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	99	-	-	-	1	-	1	1	-	3	5	1	4	7	6	13	9	9	16	9	8	5	1	-	-	-
	White---M--	65	-	-	-	-	-	-	1	-	1	2	1	3	4	6	11	9	6	7	4	7	2	1	-	-	-
	F--	33	-	-	-	1	-	1	-	-	2	3	-	1	3	-	2	-	3	8	5	1	3	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	38	-	-	-	-	-	-	-	-	1	-	-	5	2	2	7	1	1	8	3	1	6	1	-	-	-
	White---M--	13	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	2	3	1	2	1	-	-	-
	F--	25	-	-	-	-	-	-	-	-	1	-	-	4	2	1	5	1	1	6	-	-	4	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	254	-	-	-	-	-	-	-	1	2	1	3	4	4	4	7	15	28	39	44	53	21	19	4	4	1
	White---M--	100	-	-	-	-	-	-	-	-	-	1	2	3	3	2	3	5	15	12	14	20	12	6	1	1	-
	F--	149	-	-	-	-	-	-	-	1	2	-	1	1	1	2	3	9	12	26	30	32	9	13	3	3	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
290-293	Anemias	33	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	2	3	1	7	9	4	1	-	1	-
	White---M--	12	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	3	1	1	2	1	-	-	1	-
	F--	19	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	6	6	3	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	7	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White---M--	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	7,044	3	2	-	-	-	-	6	2	9	10	21	38	77	159	239	357	583	930	1,031	1,225	1,126	784	353	81	8
	White---M--	4,005	3	2	-	-	-	-	2	-	3	5	10	24	56	105	169	238	382	597	616	677	541	391	151	31	2
	F--	2,893	-	-	-	-	-	-	2	2	6	5	9	13	18	46	58	106	181	312	391	531	568	391	200	48	6
	Nonwhite--M--	81	-	-	-	-	-	-	1	-	-	-	-	-	2	2	4	8	11	13	17	9	9	2	2	1	-
	F--	65	-	-	-	-	-	-	1	-	-	-	2	1	1	6	8	5	9	8	7	8	8	-	-	1	-
330-334, 400-468	Diseases of cardiovascular system	6,940	3	2	-	-	-	-	6	1	9	9	18	35	74	157	235	345	573	919	1,020	1,209	1,112	776	349	80	8
	White---M--	3,947	3	2	-	-	-	-	2	-	3	4	8	23	55	104	168	230	376	590	608	668	535	384	151	31	2
	F--	2,851	-	-	-	-	-	-	2	1	6	5	8	11	17	46	55	102	177	308	389	524	561	390	196	47	6
	Nonwhite--M--	79	-	-	-	-	-	-	1	-	-	-	-	-	2	2	4	8	11	13	16	9	8	2	2	1	-
	F--	63	-	-	-	-	-	-	1	-	-	-	2	1	-	5	8	5	9	8	7	8	8	-	-	1	-
330-334	Vascular lesions, etc.*	1,760	1	1	-	-	-	-	2	-	2	3	5	7	14	25	31	64	108	219	264	350	345	222	82	13	2
	White---M--	865	1	1	-	-	-	-	1	-	1	1	2	4	9	14	15	24	54	123	144	177	156	97	35	6	-
	F--	848	-	-	-	-	-	-	1	-	1	2	3	3	5	11	15	36	48	92	107	164	181	123	47	7	2
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	9	4	4	2	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	4	5	4	-	-	-	-
400-402	Rheumatic fever	7	-	-	-	-	-	-	2	-	2	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	White---M--	3	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
410-443	Diseases of heart	4,676	2	1	-	-	-	-	1	1	3	5	11	27	54	126	190	265	433	658	709	779	672	475	211	49	4
	White-----M--	2,830	2	1	-	-	-	-	-	-	-	2	6	18	44	88	143	200	303	442	437	447	332	248	96	19	2
	F--	1,759	-	-	-	-	-	-	-	1	3	3	3	8	9	32	37	56	118	199	262	324	333	227	113	29	2
	Nonwhite--M--	49	-	-	-	-	-	-	1	-	-	-	-	-	1	2	4	6	7	9	7	5	4	-	2	1	-
	F--	38	-	-	-	-	-	-	-	-	-	-	2	1	-	4	6	3	5	8	3	3	3	-	-	-	-
410-416	Chronic rheumatic heart disease	147	-	-	-	-	-	-	1	1	1	1	2	6	8	10	12	15	20	22	18	12	8	10	-	-	-
	White-----M--	67	-	-	-	-	-	-	-	-	-	-	1	2	5	6	3	9	11	9	10	3	4	4	-	-	-
	F--	76	-	-	-	-	-	-	-	1	1	1	-	4	3	4	8	5	9	13	8	9	4	6	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,091	-	-	-	-	-	-	-	-	-	2	7	16	40	96	150	203	322	480	491	500	398	259	104	22	1
	White-----M--	1,997	-	-	-	-	-	-	-	-	-	1	4	12	34	72	123	161	235	344	316	291	208	140	45	11	-
	F--	1,040	-	-	-	-	-	-	-	-	-	1	2	3	5	19	21	35	79	128	169	203	185	119	59	11	1
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	6	2	5	3	2	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	1	1	-	3	4	2	2	6	1	3	3	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	649	-	1	-	-	-	-	-	-	-	-	-	1	-	6	8	17	23	54	80	124	132	117	67	17	2
	White-----M--	354	-	1	-	-	-	-	-	-	-	-	-	-	-	4	5	12	17	34	42	75	67	57	33	6	1
	F--	289	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	4	6	18	37	49	65	60	33	10	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	1	1	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart	290	2	-	-	-	-	-	-	-	1	2	-	2	6	10	9	12	27	38	42	46	49	25	16	3	-
	White-----M--	186	2	-	-	-	-	-	-	-	-	1	-	2	5	6	7	10	20	25	32	29	24	18	5	-	-
	F--	93	-	-	-	-	-	-	-	-	1	1	-	-	1	4	-	2	5	11	10	15	23	7	10	3	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	499	-	-	-	-	-	-	-	-	1	-	2	2	-	4	11	18	41	64	78	97	85	64	24	7	1
	White-----M--	226	-	-	-	-	-	-	-	-	-	-	1	2	-	-	5	8	20	30	37	49	29	29	13	2	1
	F--	261	-	-	-	-	-	-	-	-	1	-	1	-	-	3	5	10	19	29	38	48	56	35	11	5	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	-	-	-	-	-	-
444-447	Hypertension without mention of heart	83	-	-	-	-	-	-	-	-	-	1	1	1	2	2	3	4	8	5	8	13	12	15	5	2	1
	White-----M--	46	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	1	4	3	5	9	7	9	2	1	-
	F--	33	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	2	2	3	4	5	6	3	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-
450	General arteriosclerosis	308	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	19	29	53	76	60	43	16	1
	White-----M--	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	13	15	30	37	29	14	5	-
	F--	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	14	23	38	31	29	11	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
451-468	Other diseases of circulatory sys.	106	-	-	-	-	-	-	1	-	2	-	1	-	4	3	9	9	17	17	10	14	7	4	8	-	-
	White-----M--	52	-	-	-	-	-	-	-	-	1	-	-	-	1	1	6	4	10	9	7	5	3	1	4	-	-
	F--	52	-	-	-	-	-	-	1	-	1	-	1	-	2	1	3	5	7	8	3	9	4	3	4	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	104	-	-	-	-	-	-	-	1	-	1	3	3	3	2	4	12	10	11	11	16	14	8	4	1	-
	White-----M--	58	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	8	6	7	8	9	6	7	-	-	-
	F--	42	-	-	-	-	-	-	-	1	-	-	1	2	1	-	3	4	4	4	2	7	7	1	4	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	382	52	11	8	3	3	7	1	2	8	1	1	4	3	4	10	7	19	23	35	37	56	49	26	11	1
	White-----M--	184	19	3	3	2	2	2	1	1	4	1	1	2	1	1	5	2	14	13	19	23	26	22	9	8	-
	F--	173	20	5	4	-	1	4	-	1	4	-	-	1	1	2	5	5	5	10	15	13	30	27	17	3	-
	Nonwhite--M--	12	6	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1
	F--	13	7	1	1	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza	41	2	1	3	-	-	-	-	-	1	-	-	-	-	1	1	2	2	-	7	4	6	5	5	-	1
	White-----M--	23	-	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	2	-	3	3	4	3	3	-	-
	F--	17	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	4	1	2	2	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	341	50	10	5	3	3	7	1	2	7	1	1	4	3	3	9	5	17	23	28	33	50	44	21	11	-
	White-----M--	161	19	2	2	2	2	2	1	1	3	1	1	2	1	1	4	1	12	13	16	20	22	19	6	8	-
	F--	156	18	5	2	-	1	4	-	1	4	-	-	1	1	1	5	4	5	10	11	12	28	25	15	3	-
	Nonwhite--M--	11	6	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	13	7	1	1	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	21	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	5	-	-	1	-
	White-----M--	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	4	-	-	-	-
	F--	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	84	-	-	-	-	-	-	-	-	-	1	1	4	3	8	5	5	8	15	12	9	9	3	-	1	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	1	1	2	3	7	5	4	8	11	11	8	7	-	-	1	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	4	-	1	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
550-553	Appendicitis	23	-	-	-	-	-	3	-	-	1	-	1	-	1	2	3	1	1	2	1	3	2	1	-	1	-
	White-----M--	15	-	-	-	-	-	2	-	-	-	-	1	-	-	2	2	1	-	1	1	2	2	1	-	-	-
	F--	6	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	73	6	-	1	-	-	1	-	1	1	-	1	-	1	1	3	2	2	13	11	10	10	8	1	-	-
	White-----M--	37	2	-	1	-	-	-	-	-	-	-	1	-	1	1	1	1	1	5	5	6	6	5	1	-	-
	F--	33	3	-	-	-	-	1	-	-	1	-	-	-	-	-	2	1	1	8	6	4	3	3	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
543,	Gastritis, etc.*--	57	16	3	-	-	-	-	-	-	1	-	2	-	2	2	2	4	6	3	1	3	7	3	2	-	-
571,	White-----M--	29	10	-	-	-	-	-	-	-	1	-	1	-	1	2	1	3	3	3	1	2	1	-	-	-	-
572	F--	23	3	2	-	-	-	-	-	-	-	-	1	-	1	-	-	1	3	-	-	1	6	3	2	-	-
	Nonwhite--M--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	122	-	-	-	-	-	-	1	-	-	-	4	3	11	6	12	14	10	17	19	10	5	9	1	-	-
	White-----M--	82	-	-	-	-	-	-	1	-	-	-	3	2	9	3	11	10	6	15	10	2	4	5	1	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	3	4	2	8	7	1	4	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,	12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	2	2	2	1	-	-	-	-
591	etc.*----------																										
	White-----M--	10	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	1	2	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate--------	73	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	9	10	14	15	16	7	-	-
	White-----M--	72	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	9	10	14	15	15	7	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	12	...	...	...	...	...	...	-	-	3	5	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	...	...	...	...	...	...	-	-	3	5	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications--------	12	...	...	...	...	...	...	-	-	3	5	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	12	...	...	...	...	...	...	-	-	3	5	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations--------	175	139	8	3	2	1	3	5	3	-	2	1	1	-	2	2	-	2	-	-	-	1	-	-	-	-
	White-----M--	98	80	5	2	-	-	1	1	1	-	2	1	1	-	2	1	-	1	-	-	-	-	-	-	-	-
	F--	71	55	3	1	1	1	1	4	2	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	487	487	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	243	243	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	215	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	189	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	267	267	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	66	3	1	-	-	1	1	-	-	1	1	3	1	2	3	1	-	4	9	5	6	6	7	9	-	2
795	White-----M--	38	2	1	-	-	-	-	-	-	-	1	2	1	2	3	1	-	2	9	3	4	2	3	2	-	-
	F--	26	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	2	-	2	2	4	4	7	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Re-	All other diseases	587	30	5	5	5	2	7	5	2	5	11	11	17	14	29	26	40	43	56	77	76	61	31	22	7	-
sid-	White-----M--	313	19	1	1	3	-	4	2	-	1	6	5	10	8	9	16	21	25	32	41	44	37	15	10	3	-
ual	F--	255	9	2	4	2	2	2	3	2	3	5	6	5	6	20	9	16	16	21	35	31	24	16	12	4	-
	Nonwhite--M--	9	2	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	1	1	1	-	-	-	-	-	-
	F--	10	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	2	1	2	-	1	-	-	-	-	-
E800-	Accidents----------	818	25	17	12	15	13	36	20	48	43	38	45	37	41	44	37	32	42	35	46	63	57	40	23	8	1
E962	White-----M--	518	11	8	7	7	7	21	11	37	29	35	33	32	33	35	30	24	31	23	29	32	19	14	8	2	-
	F--	283	13	9	5	7	6	15	9	10	10	3	8	4	7	9	6	8	10	12	17	31	38	25	15	6	-
	Nonwhite--M--	10	-	-	-	1	-	-	-	1	3	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	1
	F--	7	1	-	-	-	-	-	-	-	1	-	2	1	-	-	1	-	-	-	-	-	-	1	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	340	4	6	3	6	5	12	7	33	36	20	20	22	21	22	20	20	22	15	16	14	12	2	1	-	1
	White-----M--	231	3	3	2	2	4	4	1	23	23	19	13	18	17	15	15	14	15	9	9	9	10	2	1	-	-
	F--	97	1	3	1	3	1	8	6	9	9	1	4	4	3	7	5	6	6	6	7	5	2	-	-	-	-
	Nonwhite--M--	9	-	-	-	1	-	-	-	1	3	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1
	F--	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	478	21	11	9	9	8	24	13	15	7	18	25	15	20	22	17	12	20	20	30	49	45	38	22	8	-
E802,	White-----M--	287	8	5	5	5	3	17	10	14	6	16	20	14	16	20	15	10	16	14	20	23	9	12	7	2	-
E840-	F--	186	12	6	4	4	5	7	3	1	1	2	4	-	4	2	1	2	4	6	10	26	36	25	15	6	-
E962	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	138	-	-	-	-	-	-	-	2	5	10	9	6	19	12	16	14	11	17	8	5	3	1	-	-	-
E970-	White-----M--	110	-	-	-	-	-	-	-	2	2	6	9	6	13	10	13	11	8	14	8	5	2	1	-	-	-
E979	F--	26	-	-	-	-	-	-	-	-	3	4	-	-	6	2	2	3	2	3	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E964,	Homicide----------	31	1	-	-	-	-	1	-	2	4	5	4	2	3	1	3	1	1	-	3	-	-	-	-	-	-
E980-	White-----M--	15	1	-	-	-	-	1	-	1	2	4	-	-	1	-	1	-	1	-	3	-	-	-	-	-	-
E985	F--	6	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	1	-	4	2	2	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA																										
	ALL CAUSES------	1,801	147	10	7	2	4	13	11	18	22	40	36	51	79	126	118	141	166	180	220	183	112	69	27	8	11
	White-----M--	1,130	72	7	3	1	2	7	9	9	12	27	15	31	54	74	86	98	124	129	140	106	65	36	12	5	6
	F--	489	41	2	2	1	2	6	1	5	5	8	9	14	13	38	25	29	36	42	64	69	35	28	11	2	1
	Nonwhite--M--	107	16	1	2	-	-	-	1	3	3	4	10	3	6	8	5	11	4	4	7	6	7	2	1	1	2
	F--	75	18	-	-	-	-	-	-	1	2	1	2	3	6	6	2	3	2	5	9	2	5	3	3	-	2
001-019	Tuberculosis, all forms--------	27	-	-	-	-	-	-	-	-	-	-	1	-	4	1	3	2	6	3	2	2	2	1	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	6	3	2	1	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	27	-	-	-	-	-	-	-	-	-	-	1	-	4	1	3	2	6	3	2	2	2	1	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	6	3	2	1	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
010-019	Tuberculosis, other forms------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	17	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	6	2	3	-	-	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	2	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	3	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	9	3	-	-	-	-	-	-	-	2	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
140-205	Malignant neoplasms, etc.*	193	-	1	1	-	1	3	-	1	-	1	1	3	8	21	13	25	31	24	26	16	11	5	-	-	1
	White-----M--	116	-	1	-	-	1	2	-	1	-	1	-	1	4	11	9	14	17	18	17	10	6	3	-	-	-
	F--	64	-	-	1	-	-	1	-	-	-	-	-	2	2	8	4	8	12	5	7	6	5	2	-	-	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	2	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	2	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-	1	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	73	-	-	-	-	-	-	-	-	-	-	1	1	1	6	4	6	13	13	11	9	5	2	-	-	1
	White-----M--	44	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	8	9	8	6	3	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	4	3	2	3	2	2	-	-	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
160-164	Of respiratory system	28	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	8	5	1	4	2	-	-	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	8	3	1	4	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	20	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	7	3	1	3	1	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	7	3	1	2	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
171-179	Of genital organs	17	-	-	-	-	-	-	-	1	-	-	-	1	1	4	-	1	3	1	1	-	2	2	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	1	-	2	2	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	1	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	25	-	1	1	-	-	-	-	-	-	-	-	1	2	2	3	2	3	4	3	2	1	-	-	-	-
	White-----M--	18	-	1	-	-	-	-	-	-	-	-	-	1	-	2	3	1	2	4	2	1	1	-	-	-	-
	F--	5	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	9	-	-	-	-	1	2	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-	1	-	-	-
	White-----M--	6	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	8	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	2	1	-	1	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	7	1	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	14	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	6	-	2	1	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	5	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	5	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	3	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	842	2	-	1	-	-	1	-	2	-	3	7	10	15	54	58	69	81	104	145	131	77	53	19	7	3
	White-----M--	544	-	-	1	-	-	-	-	-	-	2	6	7	13	34	42	53	62	72	89	76	45	26	10	5	1
	F--	244	-	-	-	-	-	1	-	2	-	-	1	2	1	13	13	13	16	28	47	50	28	22	6	1	-
	Nonwhite--M--	29	1	-	-	-	-	-	-	-	-	-	-	1	-	4	2	2	2	2	5	3	3	2	-	1	1
	F--	25	1	-	-	-	-	-	-	-	-	1	-	-	1	3	1	1	1	2	4	2	1	3	3	-	1
330-334, 400-468	Diseases of cardiovascular system	824	2	-	1	-	-	1	-	-	-	2	6	10	15	53	56	69	80	100	143	130	74	53	19	7	3
	White-----M--	536	-	-	1	-	-	-	-	-	-	2	5	7	13	33	41	53	62	70	89	75	43	26	10	5	1
	F--	235	-	-	-	-	-	1	-	-	-	-	1	2	1	13	12	13	15	26	45	50	27	22	6	1	-
	Nonwhite--M--	29	1	-	-	-	-	-	-	-	-	-	-	1	-	4	2	2	2	2	5	3	3	2	-	1	1
	F--	24	1	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	2	4	2	1	3	3	-	1
330-334	Vascular lesions, etc.*	153	-	-	1	-	-	1	-	-	-	1	-	1	2	2	3	12	15	17	20	42	19	15	2	-	-
	White-----M--	85	-	-	1	-	-	-	-	-	-	1	-	-	1	2	1	7	8	9	13	21	12	9	-	-	-
	F--	57	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	3	7	7	7	19	6	4	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	1	1	-	-
400-402	Rheumatic fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
410-443	Diseases of heart	616	-	-	-	-	-	-	-	-	-	1	5	9	13	50	50	54	64	75	112	75	51	37	12	7	1
	White-----M--	417	-	-	-	-	-	-	-	-	-	1	4	7	12	31	37	43	53	57	69	44	29	17	7	5	1
	F--	168	-	-	-	-	-	-	-	-	-	-	1	1	1	12	11	10	8	16	37	29	19	17	5	1	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	-	2	2	3	1	2	1	-	1	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	3	1	1	2	-	-	-
410-416	Chronic rheumatic heart disease----	39	-	-	-	-	-	-	-	-	-	1	4	1	-	7	5	5	3	5	4	1	3	-	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	1	3	1	-	2	2	-	1	4	2	1	2	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	5	1	1	2	-	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	445	-	-	-	-	-	-	-	-	-	-	1	7	13	36	39	42	49	60	77	53	26	28	8	5	1
	White-----M--	322	-	-	-	-	-	-	-	-	-	-	1	5	12	27	32	38	41	45	51	31	16	14	3	5	1
	F--	106	-	-	-	-	-	-	-	-	-	-	-	1	1	6	5	4	6	13	24	21	8	12	5	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	2	1	-	2	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	1	-	2	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	58	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	2	12	12	14	5	3	2	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	7	6	8	2	3	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	4	5	6	3	-	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	24	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	5	4	3	1	2	2	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	3	2	1	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	50	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	6	4	16	8	6	2	1	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	5	3	7	5	2	1	1	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	7	3	3	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
444-447	Hypertension without mention of heart----------	15	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	3	5	3	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	2	3	3	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	4	5	3	1	5	-	1
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	1	-	3	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1
451-468	Other diseases of circulatory sys.-	15	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	2	5	1	-	-	-	1
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	3	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	18	-	-	-	-	-	-	-	2	-	1	1	-	-	1	2	-	1	4	2	1	3	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	2	-	1	2	-	-	-	-
	F--	9	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	2	2	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	54	10	-	-	-	1	1	-	-	-	1	1	2	5	2	3	2	3	3	3	5	7	3	1	-	1
	White-----M--	26	2	-	-	-	-	1	-	-	-	-	1	1	2	1	3	-	3	2	1	3	3	2	-	-	1
	F--	13	2	-	-	-	1	-	-	-	-	-	-	1	2	1	-	2	-	-	1	-	1	1	1	-	-
	Nonwhite--M--	9	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	2	1	-	-	-	-
	F--	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
480-483	Influenza---------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	52	10	-	-	-	1	1	-	-	-	1	1	2	5	2	2	2	3	3	2	5	7	3	1	-	1
	White-----M--	24	2	-	-	-	-	1	-	-	-	-	1	1	2	1	2	-	3	2	-	3	3	2	-	-	1
	F--	13	2	-	-	-	1	-	-	-	-	-	-	1	2	1	-	2	-	-	1	-	1	1	1	-	-
	Nonwhite--M--	9	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	2	1	-	-	-	-
	F--	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
500-502	Bronchitis--------	6	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	White-----M--	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	2	2	1	-	-	-	1
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	2	1	1	-	-	-	1
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	5	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	12	2	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	1	1	1	-	1	-	-	-
	White-----M--	9	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
543,	Gastritis, etc.*--	8	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
571,	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
572	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	26	-	-	-	-	-	-	-	-	-	-	1	-	5	5	5	1	1	3	3	2	-	-	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	4	2	3	-	1	2	3	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	3	2	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	3	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	2	...	...	...	...	...	...	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	2	...	...	...	...	...	...	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	22	16	2	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	19	14	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	52	1	2	-	-	-	-	-	-	1	-	-	3	3	3	5	4	4	9	7	3	1	-	3	1	2
795	White-----M--	30	-	1	-	-	-	-	-	-	-	-	-	1	2	2	4	2	3	7	4	1	-	-	2	-	1
	F--	13	1	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	2	1	2	-	-	1	1	-
	Nonwhite--M--	6	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	1
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
Re-	All other diseases	107	10	1	-	-	-	1	-	1	-	5	4	2	4	9	7	13	11	11	14	7	4	2	1	-	-
sid-	White-----M--	68	5	1	-	-	-	1	-	-	-	3	-	-	3	5	5	10	9	9	9	5	2	1	-	-	-
ual	F--	23	3	-	-	-	-	-	-	1	-	1	2	-	-	3	1	2	2	-	4	2	-	1	1	-	-
	Nonwhite--M--	12	1	-	-	-	-	-	-	-	-	1	1	2	1	1	1	1	-	1	1	-	1	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-
E800-	Accidents---------	186	6	3	4	1	-	6	8	11	16	23	9	16	15	12	12	8	7	5	8	7	2	1	3	-	3
E962	White-----M--	115	2	2	2	1	-	2	6	7	10	17	4	10	9	7	9	4	7	4	5	3	2	-	-	-	2
	F--	49	3	1	1	-	-	4	1	2	2	5	4	4	5	3	2	1	-	1	3	4	-	1	2	-	-
	Nonwhite--M--	14	1	-	1	-	-	-	1	1	2	1	1	-	1	1	1	2	-	-	-	-	-	-	1	-	-
	F--	8	-	-	-	-	-	-	-	1	2	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	1
E810-	Motor-vehicle																										
E835	accidents--------	88	-	-	2	-	-	-	2	8	10	14	7	11	9	6	6	6	1	2	2	-	1	-	-	-	1
	White-----M--	50	-	-	1	-	-	-	2	4	5	9	3	6	5	2	5	3	1	1	1	-	1	-	-	-	1
	F--	23	-	-	-	-	-	-	-	2	2	4	3	3	3	2	1	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	1	-	-	-	-	1	2	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	98	6	3	2	1	-	6	6	3	6	9	2	5	6	6	6	2	6	3	6	7	1	1	3	-	2
E802,	White-----M--	65	2	2	1	1	-	2	4	3	5	8	1	4	4	5	4	1	6	3	4	3	1	-	-	-	1
E840-	F--	26	3	1	1	-	-	4	1	-	-	1	1	1	2	1	1	-	-	-	2	4	-	1	2	-	-
E962	Nonwhite--M--	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
E963,	Suicide----------	60	-	-	-	-	-	-	-	-	1	4	3	8	8	11	4	6	7	3	2	2	1	-	-	-	-
E970-	White-----M--	50	-	-	-	-	-	-	-	-	-	2	3	7	6	7	4	6	7	3	2	2	1	-	-	-	-
E979	F--	10	-	-	-	-	-	-	-	-	1	2	-	1	2	4	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	22	-	-	-	-	-	-	-	1	2	1	4	4	4	3	-	2	-	-	1	-	-	-	-	-	-
E980-	White-----M--	11	-	-	-	-	-	-	-	-	-	-	1	3	4	1	-	2	-	-	-	-	-	-	-	-	-
E985	F--	4	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	1	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE																										
	ALL CAUSES------	6,170	280	23	7	8	9	32	14	23	39	37	48	79	124	183	285	466	543	702	787	895	771	512	231	55	17
	White-----M--	3,417	162	10	2	3	4	19	10	20	28	27	27	49	69	94	183	300	333	419	444	465	398	233	87	20	11
	F--	2,742	118	13	5	5	5	13	4	3	10	9	20	30	54	88	100	166	210	281	342	429	373	279	144	35	6
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	-	-	1	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
001-019	Tuberculosis, all forms--------	32	-	-	-	-	-	1	-	-	-	1	-	-	3	1	2	4	5	5	6	3	-	1	-	-	-
	White-----M--	27	-	-	-	-	-	1	-	-	-	1	-	-	1	1	2	4	4	4	6	3	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	28	-	-	-	-	-	-	-	-	-	1	-	-	3	1	2	3	5	4	6	2	-	1	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	4	3	6	2	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	20	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	5	3	1	1	2	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	3	1	2	-	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	4	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	15	2	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	2	2	3	2	-	-	-	-	-
	White-----M--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	2	-	-	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	3	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
140-205	Malignant neoplasms, etc.*	1,131	2	-	1	1	1	4	2	3	2	6	14	19	28	55	74	131	132	180	149	136	111	61	11	3	5
	White-----M--	567	1	-	-	1	1	3	1	1	1	3	9	7	7	16	33	71	69	86	90	69	58	33	1	2	4
	F--	564	1	-	1	-	-	1	1	2	1	3	5	12	21	39	41	60	63	94	59	67	53	28	10	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	5	3	-	1	4	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	2	-	1	3	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	406	-	-	-	-	-	-	1	1	-	2	2	3	6	8	25	42	52	72	59	54	49	23	4	1	2
	White-----M--	211	-	-	-	-	-	-	1	-	-	-	2	2	-	3	15	24	30	37	37	26	21	10	-	1	2
	F--	195	-	-	-	-	-	-	-	1	-	2	-	1	6	5	10	18	22	35	22	28	28	13	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system	116	-	-	-	-	-	-	-	-	-	-	2	2	1	11	11	25	20	14	14	9	4	1	-	-	2
	White-----M--	101	-	-	-	-	-	-	-	-	-	-	2	2	-	9	10	24	17	11	12	8	3	1	-	-	2
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	3	2	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	109	-	-	-	-	-	-	-	-	-	-	-	2	4	16	12	15	11	17	9	10	4	8	1	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	108	-	-	-	-	-	-	-	-	-	-	-	2	4	16	12	15	11	17	8	10	4	8	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	209	-	-	-	-	-	-	-	1	-	1	2	4	7	10	11	17	20	30	28	32	28	14	2	2	-
	White-----M--	91	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	1	5	13	16	19	17	13	1	1	-
	F--	118	-	-	-	-	-	-	-	-	-	1	2	3	5	10	10	16	15	17	12	13	11	1	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	68	-	-	-	-	1	1	-	-	-	-	-	-	2	3	1	4	7	14	10	13	5	5	2	-	-
	White-----M--	37	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	4	4	8	5	9	2	2	-	-	-
	F--	31	-	-	-	-	-	1	-	-	-	-	-	-	1	3	-	-	3	6	5	4	3	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	122	1	-	-	1	-	1	-	1	-	1	4	4	6	5	6	17	10	16	19	10	13	5	1	-	1
	White-----M--	67	1	-	-	1	-	1	-	-	-	1	3	1	3	2	3	11	6	6	13	4	8	3	-	-	-
	F--	55	-	-	-	-	-	-	-	1	-	-	1	3	3	3	3	6	4	10	6	6	5	2	1	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	39	-	-	1	-	-	2	1	-	1	1	2	-	1	-	3	3	3	5	5	6	3	1	1	-	-
	White-----M--	22	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	3	2	3	3	2	3	1	-	-	-
	F--	17	-	-	1	-	-	-	1	-	-	-	1	-	1	-	3	-	1	2	2	4	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	43	1	-	-	-	-	-	-	-	1	1	2	4	1	2	3	6	7	7	2	2	4	-	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	2	3	3	1	1	3	-	-	-	-
	F--	22	1	-	-	-	-	-	-	-	1	-	1	3	-	-	1	4	4	4	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	25	1	-	-	-	-	-	-	-	-	-	1	-	4	1	2	1	5	5	2	1	1	1	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	1	-	-	-
	F--	20	1	-	-	-	-	-	-	-	-	-	1	-	3	1	2	1	4	4	2	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	120	-	-	-	-	-	-	-	-	1	2	1	-	-	4	9	12	13	15	22	20	10	8	3	-	-
	White-----M--	55	-	-	-	-	-	-	-	-	-	1	1	-	-	2	4	5	7	8	9	9	5	3	1	-	-
	F--	65	-	-	-	-	-	-	-	-	1	1	-	-	-	2	5	7	6	7	13	11	5	5	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	13	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	3	-	4	2	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	F--	10	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	4	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	7	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	3,582	1	2	-	-	1	1	-	1	2	7	11	19	49	76	142	247	311	396	506	642	552	382	184	41	9
	White-----M--	1,961	-	1	-	-	-	-	-	1	-	4	5	14	36	47	101	171	198	248	283	330	274	162	69	13	4
	F--	1,614	1	1	-	-	1	1	-	-	2	2	6	5	13	28	39	76	113	146	223	311	278	220	115	28	5
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system	3,523	1	2	-	-	-	-	-	1	-	6	11	18	47	75	141	244	309	386	497	636	540	377	182	41	9
	White-----M--	1,935	-	1	-	-	-	-	-	1	-	3	5	14	36	46	100	168	198	241	281	329	267	160	68	13	4
	F--	1,581	1	1	-	-	-	-	-	-	-	2	6	4	11	28	39	76	111	143	216	306	273	217	114	28	5
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
330-334	Vascular lesions, etc.*	698	-	1	-	-	-	-	-	1	-	2	2	3	4	8	19	38	44	68	101	154	116	86	43	8	-
	White-----M--	310	-	-	-	-	-	-	-	1	-	2	-	2	2	2	8	20	19	35	59	72	46	29	10	3	-
	F--	387	-	1	-	-	-	-	-	-	-	-	2	1	2	6	10	18	25	33	42	82	70	57	33	5	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
410-443	Diseases of heart	2,568	1	1	-	-	-	-	-	-	-	3	8	15	43	60	120	196	258	304	371	429	366	245	115	26	7
	White-----M	1,487	-	1	-	-	-	-	-	-	-	-	5	12	34	41	92	140	176	195	203	224	193	110	50	7	4
	F	1,075	1	-	-	-	-	-	-	-	-	2	3	3	9	18	27	56	82	107	168	204	173	135	65	19	3
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease	70	-	-	-	-	-	-	-	-	-	3	1	-	8	5	8	9	10	7	4	8	4	3	-	-	-
	White-----M	37	-	-	-	-	-	-	-	-	-	-	-	-	6	2	5	5	6	2	2	4	4	1	-	-	-
	F	32	-	-	-	-	-	-	-	-	-	2	1	-	2	3	3	4	4	5	2	4	-	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,892	-	-	-	-	-	-	-	-	-	-	6	9	27	41	93	156	196	242	289	305	259	164	83	17	5
	White-----M	1,144	-	-	-	-	-	-	-	-	-	-	5	8	24	34	77	114	142	157	159	160	144	76	36	5	3
	F	745	-	-	-	-	-	-	-	-	-	-	1	1	3	7	16	42	54	83	130	144	115	88	47	12	2
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	219	-	1	-	-	-	-	-	-	-	-	1	-	4	3	5	5	14	14	22	41	35	45	22	5	2
	White-----M	120	-	1	-	-	-	-	-	-	-	-	-	-	2	-	3	4	8	12	17	24	15	22	10	1	1
	F	97	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	6	2	5	17	20	23	12	4	1
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart	71	1	-	-	-	-	-	-	-	-	-	-	5	2	2	3	5	5	11	11	11	8	5	2	-	-
	White-----M	54	-	-	-	-	-	-	-	-	-	-	-	3	2	2	2	2	3	9	10	10	8	2	1	-	-
	F	17	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	2	2	1	1	-	3	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	316	-	-	-	-	-	-	-	-	-	-	-	1	2	9	11	21	33	30	45	64	60	28	8	4	-
	White-----M	132	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	15	17	15	15	26	22	9	3	1	-
	F	184	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	6	16	15	30	38	38	19	5	3	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart	41	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	2	2	1	9	10	9	-	-	1
	White-----M	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	-	1	-	5	7	3	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	4	3	6	-	-	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	14	36	45	36	23	6	1
	White-----M	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	10	24	19	18	8	2	-
	F	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	12	26	18	15	4	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	43	-	-	-	-	-	-	-	-	-	-	1	-	-	4	1	4	2	7	10	8	3	1	1	1	-
	White-----M	28	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	6	9	4	2	-	-	1	-
	F	15	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	-	1	1	4	1	1	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	59	-	-	-	-	1	1	-	-	2	1	-	1	2	1	1	3	2	10	9	6	12	5	2	-	-
	White-----M	26	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	-	7	2	1	7	2	1	-	-
	F	33	-	-	-	-	1	1	-	-	2	-	-	1	2	-	-	-	2	3	7	5	5	3	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	116	19	4	1	1	1	3	-	1	1	3	-	1	3	2	3	2	8	8	9	14	13	10	8	1	-
	White-----M	66	11	1	1	-	-	1	-	1	-	3	-	-	1	1	3	2	6	4	6	7	8	8	2	-	-
	F	50	8	3	-	1	1	2	-	-	1	-	-	1	2	1	-	-	2	4	3	7	5	2	6	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	2	-	-	-	1	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	110	19	4	1	1	1	3	-	1	-	3	-	1	3	2	3	2	8	6	9	12	13	10	8	-	-
	White-----M	65	11	1	1	-	-	1	-	1	-	3	-	-	1	1	3	2	6	4	6	6	8	8	2	-	-
	F	45	8	3	-	1	1	2	-	-	-	-	-	1	2	1	-	-	2	2	3	6	5	2	6	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	12	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	1	-	2	-
	White-----M	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-
	F	6	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	50	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	7	6	11	6	5	1	1	2	-	1
	White-----M	42	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	7	6	9	4	4	1	1	1	-	1
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	-	-	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	9	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	2	3	1	-	-	-	-	-	-
	White-----M	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	30	1	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	4	2	6	3	3	3	1	-	-
	White-----M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	1	1	-	2	2	-	-	-
	F	17	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	4	3	1	1	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
543,	Gastritis, etc.*	20	-	4	1	-	-	2	-	-	-	1	-	-	1	-	2	-	-	-	2	1	2	2	2	-	-
571,	White-----M--	8	-	1	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-	2	-	-	-	1	-	-
572	F--	12	-	3	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	65	-	-	-	-	-	-	-	-	-	-	1	3	5	9	6	9	7	8	6	7	2	1	1	-	-
	White-----M--	43	-	-	-	-	-	-	-	-	-	-	1	2	3	6	6	3	5	6	5	4	1	-	1	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	6	2	2	1	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	2	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	6	9	3	3	1	1
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	6	9	3	3	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	7	...	...	...	...	...	...	-	-	1	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	...	...	...	...	...	...	-	-	1	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	6	...	...	...	...	...	...	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	White-----F--	6	...	...	...	...	...	...	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	71	52	2	1	-	-	4	-	-	2	-	1	2	1	1	1	-	-	3	-	-	-	-	1	-	-
	White-----M--	42	32	-	-	-	-	3	-	-	2	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-
	F--	29	20	2	1	-	-	1	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	33	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	3	6	4	4	3	1	2	2	1
795	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	3	5	2	3	3	-	2	1	1
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	1	-	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	262	16	4	-	2	2	3	1	2	5	1	4	2	8	11	15	28	23	29	38	27	25	12	3	1	-
sid-	White-----M--	157	8	3	-	-	2	3	-	2	2	1	-	1	6	4	11	19	14	20	18	19	15	5	3	1	-
ual	F--	105	8	1	-	2	-	-	1	-	3	-	4	1	2	7	4	9	9	9	20	8	10	7	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents	260	8	5	2	3	3	10	7	14	22	8	8	11	12	8	9	14	12	9	16	15	27	23	10	4	-
E962	White-----M--	174	5	3	1	1	1	5	6	14	20	8	5	7	9	7	7	12	8	8	9	6	14	13	3	2	-
	F--	84	3	2	1	2	2	5	1	-	1	-	2	4	3	1	2	2	4	1	7	9	13	10	7	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	87	1	1	-	2	1	4	3	9	15	3	4	5	3	3	2	7	4	4	7	4	3	2	-	-	-
	White-----M--	68	-	1	-	1	-	3	2	9	14	3	2	4	3	2	1	5	2	4	4	4	3	1	-	-	-
	F--	18	1	-	-	1	1	1	1	-	1	-	1	1	-	1	1	2	2	-	3	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents	173	7	4	2	1	2	6	4	5	7	5	4	6	9	5	7	7	8	5	9	11	24	21	10	4	-
E802,	White-----M--	106	5	2	1	-	1	2	4	5	6	5	3	3	6	5	6	7	6	4	5	2	11	12	3	2	-
E840-	F--	66	2	2	1	1	1	4	-	1	-	-	-	1	3	3	-	1	-	2	1	4	9	13	9	7	2	-
E962	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide	72	-	-	-	-	-	-	-	2	3	5	3	13	5	5	9	5	2	9	5	2	3	1	-	-	-
E970-	White-----M--	56	-	-	-	-	-	-	-	1	3	4	3	12	1	4	5	4	1	8	5	2	2	1	-	-	-
E979	F--	16	-	-	-	-	-	-	-	1	-	1	-	1	4	1	4	1	1	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	3	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E985	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY																										
	ALL CAUSES------	51,318	2,778	180	116	68	64	195	146	209	301	399	632	944	1,382	2,127	3,148	4,211	5,737	6,860	6,603	6,187	4,859	2,744	1,155	218	35
	White-----M--	26,346	1,265	81	60	44	29	100	80	125	167	187	294	452	705	1,182	1,723	2,491	3,369	3,871	3,463	3,006	2,128	1,061	396	56	11
	F--	21,020	971	62	36	26	28	76	47	55	80	117	193	325	474	671	1,050	1,368	2,001	2,585	2,931	2,951	2,592	1,589	725	149	18
	Nonwhite--M--	2,164	296	17	8	7	2	12	12	16	32	64	87	90	107	148	182	206	208	240	167	131	66	45	12	7	2
	F--	1,788	246	20	12	11	5	7	7	13	22	31	58	77	96	126	193	146	159	164	142	99	73	49	22	6	4
001-019	Tuberculosis, all forms--------	567	3	5	3	-	-	-	1	4	7	20	22	37	44	54	49	61	66	73	53	38	17	8	2	-	-
	White-----M--	311	2	-	-	-	-	-	-	-	6	4	1	11	21	27	27	36	47	56	36	24	8	4	1	-	-
	F--	118	-	1	1	-	-	-	-	1	1	4	12	9	13	7	7	11	8	10	12	11	7	2	1	-	-
	Nonwhite--M--	86	1	-	2	-	-	-	1	-	-	7	7	7	3	15	11	9	10	5	4	2	-	2	-	-	-
	F--	52	-	4	-	-	-	-	-	3	-	5	2	10	7	5	4	5	1	2	1	1	2	-	-	-	-
001-008	Tuberculosis of respiratory system----------	512	3	1	1	-	-	-	-	4	5	17	17	35	41	51	45	55	59	68	49	37	14	8	2	-	-
	White-----M--	289	2	-	-	-	-	-	-	-	4	3	1	10	19	25	25	36	44	52	33	23	7	4	1	-	-
	F--	106	-	-	-	-	-	-	-	1	1	3	9	9	13	7	6	8	7	9	12	11	7	2	1	-	-
	Nonwhite--M--	76	1	-	1	-	-	-	-	-	-	7	5	6	3	15	10	8	7	5	4	2	-	2	-	-	-
	F--	41	-	1	-	-	-	-	-	3	-	4	2	10	6	4	4	3	1	2	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	55	-	4	2	-	-	-	1	-	2	3	5	2	3	3	4	6	7	5	4	1	3	-	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	2	1	-	1	2	2	2	-	3	4	3	1	1	-	-	-	-
	F--	12	-	1	1	-	-	-	-	-	-	1	3	-	-	-	1	3	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	10	-	-	1	-	-	-	1	-	-	-	2	1	-	-	1	1	3	-	-	-	-	-	-	-	-
	F--	11	-	3	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	-	1	-	2	-	-	-	-
020-029	Syphilis and its sequelae---------	125	1	-	-	-	-	-	-	-	-	-	-	-	7	12	7	13	21	31	19	11	1	2	-	-	-
	White-----M--	60	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	13	23	10	5	1	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	2	6	1	2	5	-	1	-	-	-
	Nonwhite--M--	30	1	-	-	-	-	-	-	-	-	-	-	-	4	5	1	4	1	7	5	1	-	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	-	2	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	7	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-
	White-----M--	4	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	4	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	25	8	4	3	1	-	-	-	1	1	-	1	-	-	-	1	1	1	3	-	-	-	-	-	-	-
	White-----M--	10	2	2	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	11	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	31	1	-	-	2	-	4	2	2	3	4	5	4	2	1	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	15	1	-	-	2	-	2	1	-	2	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	-	-	-	-	-	2	1	1	1	3	2	2	1	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	18	2	5	2	2	-	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	1	2	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	101	10	3	6	2	1	4	4	2	1	3	3	5	8	6	5	8	8	9	8	1	2	1	-	1	-
	White-----M--	57	7	1	6	1	1	3	-	-	-	2	1	2	1	5	4	4	5	6	7	-	1	-	-	-	-
	F--	33	2	2	-	-	-	1	4	2	1	-	-	2	6	1	1	4	2	2	-	-	1	1	-	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-
	F--	7	1	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
140-205	Malignant neoplasms, etc.*----	9,478	9	11	17	15	14	37	21	24	31	63	107	197	315	540	793	1,047	1,342	1,547	1,285	1,040	632	292	81	17	1
	White-----M--	4,817	5	5	9	8	5	18	11	15	13	31	44	68	118	230	328	547	749	841	705	584	323	126	29	4	1
	F--	4,127	3	5	6	4	9	19	9	6	13	26	53	111	170	271	386	423	521	615	533	429	292	160	50	13	-
	Nonwhite--M--	278	-	1	-	3	-	-	-	3	3	4	4	7	9	10	34	47	44	56	23	16	11	3	-	-	-
	F--	256	1	-	2	-	-	-	1	-	2	2	6	11	18	29	45	30	28	35	24	11	6	3	2	-	-
140-148	Of buccal cavity and pharynx------	211	-	-	-	-	-	-	-	-	-	-	2	4	5	7	12	30	38	33	29	26	20	3	2	-	-
	White-----M--	177	-	-	-	-	-	-	-	-	-	-	2	2	5	5	10	25	32	28	25	25	14	2	2	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	4	3	1	5	1	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	6	1	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	3,783	1	-	-	-	-	1	2	1	2	5	21	38	87	157	250	403	522	673	618	503	313	138	40	7	1
	White-----M--	1,950	-	-	-	-	-	-	1	-	-	4	13	20	37	74	114	216	301	354	334	268	154	46	12	1	1
	F--	1,611	1	-	-	-	-	1	1	-	2	-	8	14	45	71	107	152	188	263	262	225	150	89	26	6	-
	Nonwhite--M--	134	-	-	-	-	-	-	-	1	-	1	-	3	2	3	16	24	21	37	11	8	6	1	-	-	-
	F--	88	-	-	-	-	-	-	-	-	-	-	-	1	3	9	13	11	12	19	11	2	3	2	2	-	-
160-164	Of respiratory system----------	1,239	-	-	-	-	-	-	-	1	1	2	8	14	32	70	127	190	250	231	153	104	40	13	3	-	-
	White-----M--	1,034	-	-	-	-	-	-	-	1	-	2	7	11	24	57	100	169	216	195	132	86	25	8	1	-	-
	F--	158	-	-	-	-	-	-	-	-	1	-	-	3	4	10	15	17	26	28	18	15	15	4	2	-	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	-	-	1	-	2	2	11	4	7	5	3	1	-	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	3	-	2	-	-	-	-	-
170	Of breast---------	826	-	-	-	-	-	-	-	-	-	6	18	40	54	86	100	84	107	107	82	62	36	31	9	4	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	-	1	-	-	-	-	-
	F--	783	-	-	-	-	-	-	-	-	-	3	18	36	49	82	95	80	101	102	78	59	36	31	9	4	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	2	-	4	5	4	4	3	4	3	4	1	-	-	-	-	-
171-179	Of genital organs-	1,261	-	-	-	-	-	-	-	2	3	8	13	43	50	73	109	120	161	188	171	146	109	54	9	2	-
	White-----M--	405	-	-	-	-	-	-	-	2	-	3	3	5	4	6	6	13	38	59	74	85	66	37	3	1	-
	F--	740	-	-	-	-	-	-	-	-	2	5	7	32	40	57	84	89	108	117	85	55	37	15	6	1	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	5	4	7	7	5	3	1	-	-	-
	F--	80	-	-	-	-	-	-	-	-	1	-	3	5	5	9	18	13	11	5	5	1	3	1	-	-	-
180, 181	Of urinary organs-	470	-	2	2	1	-	2	1	-	1	1	1	3	11	19	35	38	62	85	65	70	44	20	7	-	-
	White-----M--	311	-	1	1	1	-	-	-	-	1	1	1	-	6	15	18	26	44	56	49	46	29	12	4	-	-
	F--	141	-	1	1	-	-	2	1	-	-	-	-	3	5	2	11	8	16	27	15	23	15	8	3	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	2	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	940	3	4	10	3	4	13	4	12	8	13	20	30	43	66	94	102	116	135	99	78	49	21	9	4	-
	White-----M--	519	3	1	6	1	-	8	2	7	5	7	7	14	25	39	43	56	64	90	55	39	25	15	5	2	-
	F--	379	-	3	2	-	4	5	1	4	2	6	11	14	16	24	45	40	49	40	41	36	24	6	4	2	-
	Nonwhite--M--	21	-	-	-	2	-	-	-	1	1	-	1	2	1	-	1	5	3	3	1	-	-	-	-	-	-
	F--	21	-	-	2	-	-	-	1	-	-	-	1	-	1	3	5	1	-	2	2	3	-	-	-	-	-
204	Leukemia and aleukemia----------	381	5	5	4	10	10	15	7	4	7	11	15	10	16	19	24	33	41	58	31	30	15	9	2	-	-
	White-----M--	199	2	3	2	5	5	7	4	2	3	5	4	6	8	8	17	13	24	34	16	18	7	4	2	-	-
	F--	163	2	1	2	4	5	8	3	1	4	5	7	4	6	11	6	18	16	22	14	11	8	5	-	-	-
	Nonwhite--M--	12	-	1	-	1	-	-	-	1	-	1	2	-	1	-	1	2	1	1	-	-	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	1	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	367	-	-	1	1	-	6	7	4	9	17	9	15	17	43	42	47	45	37	37	21	6	3	-	-	-
	White-----M--	214	-	-	-	1	-	3	4	3	4	8	7	10	9	26	19	28	28	23	20	16	3	2	-	-	-
	F--	131	-	-	1	-	-	3	3	1	2	7	2	5	5	12	21	16	17	12	17	4	2	1	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	2	2	-	-	2	3	2	1	-	-	-	-	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	-	2	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	190	8	2	1	2	2	4	4	3	5	4	5	12	14	15	22	20	23	14	10	11	4	5	-	-	-
	White-----M--	78	1	1	-	1	-	3	2	3	-	3	2	5	4	3	8	13	10	5	4	7	1	2	-	-	-
	F--	92	6	-	1	1	2	1	2	-	3	-	2	4	9	9	12	6	11	8	6	4	3	2	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	1	-	-	-
	F--	15	1	1	-	-	-	-	-	-	2	1	-	3	1	2	2	1	-	1	-	-	-	-	-	-	-
260	Diabetes mellitus-	1,115	-	1	-	1	-	-	3	1	4	7	13	14	15	35	55	103	165	197	198	159	100	36	6	2	-
	White-----M--	338	-	-	-	-	-	-	1	1	1	1	5	5	6	17	17	29	49	64	57	42	30	11	2	-	-
	F--	701	-	1	-	1	-	-	2	-	2	5	5	5	4	11	28	68	104	127	134	109	68	23	3	1	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	1	1	2	3	2	3	1	1	1	3	2	5	-	-	1	1	-
	F--	49	-	-	-	-	-	-	-	-	-	-	1	1	3	4	9	5	11	3	5	3	2	2	-	-	-
290-293	Anemias----------	89	4	1	1	-	-	2	1	-	1	1	2	4	4	2	7	9	5	5	11	14	6	8	1	-	-
	White-----M--	23	-	-	-	-	-	-	1	-	-	-	1	-	2	1	1	4	2	2	4	2	2	-	1	-	-
	F--	53	-	1	1	-	-	1	-	-	-	1	1	3	2	1	3	4	3	2	7	12	4	7	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	9	3	-	-	-	-	1	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-
340	Nonmeningococcal meningitis*------	59	22	6	3	-	-	1	1	-	2	-	2	2	2	2	3	3	2	2	-	4	2	-	-	-	-
	White-----M--	26	10	2	2	-	-	-	-	-	-	-	-	1	-	2	2	2	1	1	-	2	1	-	-	-	-
	F--	14	6	1	-	-	-	-	-	-	1	-	2	1	-	-	1	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	8	3	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F--	11	3	2	1	-	-	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	29,029	9	2	1	6	3	13	25	25	34	70	182	330	576	1,056	1,642	2,291	3,304	4,139	4,273	4,230	3,597	2,108	930	153	30
	White-----M--	14,876	4	-	1	2	2	6	9	16	12	27	92	181	364	650	983	1,425	1,990	2,328	2,176	1,964	1,507	773	315	41	8
	F--	12,340	3	-	-	2	1	5	13	9	18	24	46	84	137	260	445	676	1,093	1,571	1,895	2,104	1,986	1,262	586	103	17
	Nonwhite--M--	946	-	2	-	-	-	1	-	-	2	12	21	36	40	80	103	107	116	133	110	84	49	33	11	4	2
	F--	867	2	-	-	2	-	1	3	-	2	7	23	29	35	66	111	83	105	107	92	78	55	40	18	5	3
330-334, 400-468	Diseases of cardiovascular system-	28,529	8	2	1	6	1	11	22	22	30	54	163	309	554	1,022	1,613	2,235	3,249	4,088	4,215	4,180	3,550	2,090	921	153	30
	White-----M--	14,653	4	-	1	2	1	5	8	13	11	22	84	172	353	638	972	1,399	1,961	2,304	2,148	1,942	1,484	766	314	41	8
	F--	12,129	3	-	-	2	-	4	12	9	15	16	43	77	128	246	435	653	1,074	1,550	1,867	2,077	1,964	1,254	580	103	17
	Nonwhite--M--	913	-	2	-	-	-	1	-	-	2	11	16	36	40	76	101	103	110	129	109	84	47	30	10	4	2
	F--	834	1	-	-	2	-	1	2	-	2	5	20	24	33	62	105	80	104	105	91	77	55	40	17	5	3
330-334	Vascular lesions, etc.*----------	4,904	6	1	-	4	1	5	6	9	4	6	18	39	57	148	226	322	503	671	762	831	697	404	147	28	9
	White-----M--	2,040	4	-	-	1	1	3	3	7	1	3	5	14	22	51	96	129	213	328	345	354	272	133	44	9	2
	F--	2,491	2	-	-	2	-	1	3	2	3	2	7	12	21	72	83	151	228	283	390	444	409	252	100	19	5
	Nonwhite--M--	168	-	1	-	-	-	1	-	-	-	1	3	4	6	10	15	19	31	32	11	19	5	8	1	-	1
	F--	205	-	-	-	1	-	-	-	-	-	-	3	9	8	15	32	23	31	28	16	14	11	11	2	-	1
400-402	Rheumatic fever---	43	-	1	1	1	-	2	10	1	4	3	1	-	4	3	3	4	1	2	1	1	-	-	-	-	-
	White-----M--	15	-	-	1	-	-	-	2	-	1	-	1	-	2	1	1	2	1	1	1	1	-	-	-	-	-
	F--	20	-	-	-	-	-	2	6	1	2	1	-	-	1	2	2	2	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	1	-	-	2	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
410-443	Diseases of heart-	22,072	1	-	-	1	-	3	5	9	21	38	129	250	474	843	1,326	1,849	2,648	3,270	3,237	3,117	2,586	1,507	850	96	12
	White-----M--	11,923	-	-	-	1	-	2	3	6	8	17	73	151	323	576	851	1,235	1,688	1,906	1,691	1,481	1,093	565	228	21	4
	F--	8,900	-	-	-	-	-	1	2	3	10	9	30	59	98	165	332	461	815	1,200	1,390	1,518	1,415	896	403	66	7
	Nonwhite--M--	695	-	-	-	-	-	-	-	-	2	9	12	30	30	58	83	82	74	95	90	62	39	19	5	4	1
	F--	554	1	-	-	-	-	-	-	-	1	3	14	10	23	44	60	51	71	69	66	56	39	27	14	5	-
410-416	Chronic rheumatic heart disease----	753	-	-	-	-	-	-	2	5	13	21	49	55	78	113	93	91	82	54	38	37	12	6	4	-	-
	White-----M--	319	-	-	-	-	-	-	1	3	6	10	25	20	32	58	34	33	44	19	17	10	5	1	1	-	-
	F--	384	-	-	-	-	-	-	1	2	7	6	16	30	37	50	55	56	36	31	17	26	7	4	3	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	4	4	3	3	3	2	1	-	3	2	-	-	1	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	1	4	2	6	2	2	1	2	1	2	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	14,576	-	-	-	1	-	2	-	3	2	6	53	137	293	544	936	1,340	1,838	2,317	2,157	2,010	1,618	890	373	47	9
	White-----M--	8,513	-	-	-	1	-	1	-	2	-	3	36	102	229	418	684	981	1,234	1,423	1,173	1,004	723	330	134	13	3
	F--	5,416	-	-	-	-	-	1	-	1	1	2	8	12	35	75	176	280	513	808	907	943	853	536	229	31	5
	Nonwhite--M--	398	-	-	-	-	-	-	-	-	-	1	5	20	15	35	48	50	42	52	51	36	25	12	4	1	1
	F--	249	-	-	-	-	-	-	-	-	1	-	4	3	14	16	28	29	29	34	27	27	17	12	6	2	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	3,897	-	-	-	-	-	-	-	1	1	6	14	25	54	88	154	196	392	485	582	636	600	424	200	36	3
	White-----M--	1,928	-	-	-	-	-	-	-	1	1	3	7	13	41	65	88	121	218	266	324	296	242	167	68	6	1
	F--	1,709	-	-	-	-	-	-	-	-	-	-	4	7	10	13	42	53	141	183	212	315	336	242	124	25	2
	Nonwhite--M--	143	-	-	-	-	-	-	-	-	-	2	1	3	3	6	14	17	18	22	25	14	9	5	1	3	-
	F--	117	-	-	-	-	-	-	-	-	-	1	2	2	-	4	10	5	15	14	21	11	13	10	7	2	-
430-434	Other diseases of heart---------	372	1	-	-	-	-	1	3	-	5	3	4	8	17	12	27	30	43	52	54	46	32	24	9	1	-
	White-----M--	187	-	-	-	-	-	1	2	-	1	-	2	5	8	7	12	15	24	31	27	23	16	10	3	-	-
	F--	149	-	-	-	-	-	-	1	-	2	1	1	2	6	2	8	12	16	20	24	21	13	14	5	1	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	2	2	1	1	3	1	4	2	3	1	3	-	2	-	-	-	-
	F--	11	1	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-	2	1	-	1	-	-
440-443	Hypertension with heart dis.--	2,474	-	-	-	-	-	-	-	-	-	2	9	25	32	86	116	192	293	362	406	388	324	163	64	12	-
	White-----M--	976	-	-	-	-	-	-	-	-	-	1	3	11	13	28	33	85	148	167	151	148	107	57	22	2	-
	F--	1,242	-	-	-	-	-	-	-	-	-	-	1	8	10	25	51	80	109	158	230	213	206	100	42	9	-
	Nonwhite--M--	103	-	-	-	-	-	-	-	-	-	-	1	3	6	13	15	12	11	17	9	12	3	1	-	-	-
	F--	153	-	-	-	-	-	-	-	-	-	1	4	3	3	20	17	15	25	20	16	15	8	5	-	1	-
444-447	Hypertension without mention of heart----------	334	-	-	-	-	-	-	-	1	-	2	7	12	10	11	24	16	27	45	42	59	38	24	15	1	-
	White-----M--	140	-	-	-	-	-	-	-	-	-	1	2	5	3	3	10	8	14	13	22	26	17	10	6	-	-
	F--	142	-	-	-	-	-	-	-	1	-	-	2	2	4	-	5	6	10	29	13	28	21	12	8	1	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	1	1	1	3	6	-	-	3	-	4	2	-	1	1	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	2	4	-	2	9	2	-	3	3	3	-	1	-	-	-
450	General arteriosclerosis--------	841	-	-	-	-	-	-	-	-	-	-	-	1	1	2	8	9	26	48	117	137	210	142	104	28	8
	White-----M--	353	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	5	14	23	58	59	93	50	34	11	1
	F--	454	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	9	23	53	75	109	89	66	17	5
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	2	3	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	5	3	5	1	1	-	2
451-468	Other diseases of circulatory sys.-	335	1	-	-	-	-	1	1	2	1	5	8	7	8	15	26	35	44	52	56	35	19	13	5	-	1
	White-----M--	182	-	-	-	-	-	-	-	-	1	1	3	1	3	6	11	20	31	33	31	21	9	8	2	-	1
	F--	122	1	-	-	-	-	-	1	2	-	4	4	4	3	6	10	10	12	14	21	12	10	5	3	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	2	3	1	-	-	-	-	-
	F--	16	-	-	-	-	-	1	-	-	-	-	1	1	1	1	2	4	-	3	1	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	500	1	-	-	-	2	2	3	3	4	16	19	21	22	34	29	56	55	51	58	50	47	18	9	-	-
	White-----M--	223	-	-	-	-	1	1	1	3	1	5	8	9	11	12	11	26	29	24	28	22	23	7	1	-	-
	F--	211	-	-	-	-	1	1	1	-	3	8	3	7	9	14	10	23	19	21	28	27	22	8	6	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	1	5	-	-	4	2	4	6	4	1	-	2	3	1	-	-
	F--	33	1	-	-	-	-	-	1	-	-	2	3	5	2	4	6	3	1	2	1	1	-	-	1	-	-
480-493	Influenza and pneumonia, etc.*-	1,125	176	35	22	8	3	9	5	8	5	5	14	27	34	46	41	52	79	102	109	125	116	60	31	12	1
	White-----M--	545	65	16	9	2	-	5	5	6	2	2	7	14	13	27	20	27	46	65	62	63	52	25	11	1	-
	F--	423	46	12	9	4	1	2	-	1	3	2	4	10	12	14	13	17	22	29	43	55	62	31	19	11	1
	Nonwhite--M--	92	37	6	2	-	-	2	-	1	-	1	2	1	5	3	6	4	7	5	2	5	1	2	-	-	-
	F--	65	28	1	2	2	2	-	-	-	-	-	1	2	4	2	2	4	4	3	2	2	1	2	1	-	-
480-483	Influenza---------	17	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	5	3	3	1	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	1	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,108	175	35	22	8	3	9	5	8	5	5	14	27	33	46	40	51	79	101	104	122	113	59	31	12	1
	White-----M--	538	65	16	9	2	-	5	5	6	2	2	7	14	12	27	20	27	46	65	60	61	51	24	11	1	-
	F--	415	46	12	9	4	1	2	-	1	3	2	4	10	12	14	12	16	22	29	40	54	60	31	19	11	1
	Nonwhite--M--	92	37	6	2	-	-	2	-	1	-	1	2	1	5	3	6	4	7	5	2	5	1	2	-	-	-
	F--	63	27	1	2	2	2	-	-	-	-	-	1	2	4	2	2	4	4	2	2	2	1	2	1	-	-
500-502	Bronchitis--------	95	24	3	1	2	1	1	1	-	-	-	-	-	2	2	2	3	7	16	8	9	7	5	1	-	-
	White-----M--	55	8	3	1	-	-	-	1	-	-	-	-	-	-	2	-	3	6	13	7	5	3	3	-	-	-
	F--	29	9	-	-	1	-	1	-	-	-	-	-	-	1	-	2	-	1	2	1	4	4	2	1	-	-
	Nonwhite--M--	6	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	421	6	-	-	-	-	-	-	-	2	2	9	10	27	27	45	45	54	79	51	28	21	12	3	-	-
	White-----M--	325	1	-	-	-	-	-	-	-	-	1	6	8	17	22	40	39	45	63	36	22	15	8	2	-	-
	F--	70	2	-	-	-	-	-	-	-	1	-	3	1	4	4	3	5	7	11	13	5	6	4	1	-	-
	Nonwhite--M--	20	3	-	-	-	-	-	-	-	1	1	-	-	4	1	1	1	2	3	2	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	2	-	-	-	-	-	-	-
550-553	Appendicitis-------	75	-	-	1	-	2	1	1	-	1	5	1	2	6	2	4	9	12	7	9	9	2	-	1	-	-
	White-----M--	43	-	-	-	-	1	1	1	-	1	3	1	1	1	1	3	8	3	6	5	7	-	-	-	-	-
	F--	24	-	-	1	-	1	-	-	-	-	1	-	1	4	1	-	-	7	1	3	1	2	-	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	287	17	-	-	-	1	1	1	1	-	2	1	5	2	10	21	25	29	39	44	41	27	13	6	1	-
	White-----M--	133	8	-	-	-	-	1	-	-	-	1	-	3	-	3	9	12	12	23	25	17	13	5	1	-	-
	F--	129	7	-	-	-	1	-	1	-	-	-	1	-	2	4	9	9	15	15	15	24	13	8	4	1	-
	Nonwhite--M--	10	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	1	-	1	-	2	-	2	2	3	1	-	2	-	-	-	1	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
543,	Gastritis, etc.*	224	60	16	3	2	1	4	-	2	5	1	3	7	5	7	9	10	19	23	18	13	7	7	2	-	-
571,	White-----M	101	23	10	1	1	1	1	-	-	2	1	1	3	3	7	4	5	9	11	6	5	2	4	1	-	-
572	F	90	17	3	1	1	-	1	-	2	3	-	1	1	2	-	5	5	10	11	12	8	4	2	1	-	-
	Nonwhite--M	15	8	1	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-
	F	18	12	2	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-
581	Cirrhosis of liver	718	1	-	-	1	-	1	1	1	-	8	21	39	50	62	106	109	110	82	55	47	16	5	2	1	-
	White-----M	437	-	-	-	-	-	-	1	1	-	2	8	19	24	29	60	77	75	59	35	28	14	4	-	1	-
	F	232	1	-	-	1	-	1	-	-	-	3	10	20	15	24	41	23	32	20	19	17	2	1	2	-	-
	Nonwhite--M	21	-	-	-	-	-	-	-	-	-	2	1	-	5	2	1	6	1	2	-	1	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	1	2	-	6	7	4	3	2	1	1	1	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	79	1	1	1	4	2	4	1	2	3	4	6	1	4	2	3	12	12	3	4	5	2	-	-	2	-
	White-----M	33	1	-	1	1	-	2	-	2	1	2	2	-	-	-	3	7	4	1	2	2	1	-	-	1	-
	F	33	-	1	-	1	2	2	1	-	-	-	1	1	3	2	-	5	6	2	2	3	1	-	-	-	-
	Nonwhite--M	6	-	-	-	1	-	-	-	-	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	7	-	-	-	1	-	-	-	-	1	-	2	-	1	-	-	-	1	-	-	-	-	-	-	1	-
610	Hyperplasia of prostate	208	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	14	24	46	55	33	20	6	1	-
	White-----M	196	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	13	22	44	52	31	20	6	1	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	3	2	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	51	...	...	...	...	...	...	-	4	11	8	14	12	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	35	...	...	...	...	...	...	-	2	8	5	9	9	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	16	...	...	...	...	...	...	-	2	3	3	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	8	...	...	...	...	...	...	-	1	-	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F	2	...	...	...	...	...	...	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	6	...	...	...	...	...	...	-	1	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	43	...	...	...	...	...	...	-	3	11	6	13	9	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F	33	...	...	...	...	...	...	-	2	8	5	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	10	...	...	...	...	...	...	-	1	3	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	638	485	24	10	9	6	13	6	6	4	9	10	7	12	6	4	9	7	4	-	3	3	1	-	-	-
	White-----M	298	223	11	4	5	4	7	4	5	1	3	6	1	5	4	3	5	6	1	-	-	-	-	-	-	-
	F	294	230	10	4	3	2	4	1	1	3	6	4	5	6	1	-	4	1	3	-	3	2	1	-	-	-
	Nonwhite--M	28	20	2	-	-	-	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-
	F	18	12	1	2	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	1,715	1,714	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	810	809	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	565	565	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	185	185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	155	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	837	837	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	436	436	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	270	270	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	788	787	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	335	334	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	266	266	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	114	11	1	-	-	-	1	-	-	3	2	3	1	4	6	4	3	12	2	6	7	17	6	19	5	1
795	White-----M	54	7	1	-	-	-	1	-	-	2	-	1	-	1	4	3	3	6	1	4	4	7	4	4	1	-
	F	46	3	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	3	1	1	3	9	2	15	4	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	2	2	-	1	-	1	-	3	-	-	-	1	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Re-	All other diseases	1,958	118	28	17	8	10	18	14	25	27	29	51	58	95	90	150	171	237	244	203	165	113	61	19	7	-
sid-	White-----M	1,010	55	14	10	6	4	8	7	10	11	9	19	24	35	52	80	101	132	140	118	83	50	34	7	1	-
ual	F	766	43	11	5	2	4	8	4	11	9	14	17	19	45	26	52	55	93	90	79	74	61	26	12	6	-
	Nonwhite--M	104	11	-	-	-	-	1	2	1	6	2	7	10	8	8	11	10	8	10	2	7	-	-	-	-	-
	F	78	9	3	2	-	2	1	1	3	1	4	8	5	7	4	7	5	4	4	4	1	2	1	-	-	-
E800-	Accidents	2,172	81	31	23	22	18	70	49	87	123	109	102	105	104	98	114	127	147	182	152	150	128	89	43	16	2
E962	White-----M	1,302	31	13	11	11	11	38	33	58	99	78	67	71	65	66	78	80	102	115	87	73	60	34	14	5	2
	F	621	21	11	7	5	5	25	7	18	8	12	13	18	23	16	26	34	39	54	48	74	65	54	29	9	-
	Nonwhite--M	176	16	3	2	3	2	4	8	7	11	16	20	12	12	12	8	9	6	8	12	2	-	1	-	2	-
	F	73	13	4	3	3	-	3	1	4	5	3	2	4	4	4	2	4	-	5	5	1	3	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	765	3	6	9	6	4	30	18	62	71	65	50	50	33	43	49	54	55	66	39	27	18	3	1	3	-
	White-----M	518	-	2	4	3	2	14	14	43	54	48	33	35	23	28	40	33	40	38	26	20	13	3	-	2	-
	F	161	1	4	4	2	1	15	3	12	6	9	8	8	7	7	6	16	11	23	6	6	5	-	1	-	-
	Nonwhite--M	65	1	-	1	1	1	-	1	4	7	6	9	5	2	5	2	4	4	4	6	1	-	-	-	1	-
	F	21	1	-	-	-	-	1	-	3	4	2	-	2	1	3	1	1	-	1	1	-	-	-	-	-	-
E800-	All ot. accidents	1,407	78	25	14	16	14	40	31	25	52	44	52	55	71	55	65	73	92	116	113	123	110	86	42	13	2
E802,	White-----M	784	31	11	7	8	9	24	19	15	45	30	34	36	42	38	38	47	62	77	61	53	47	31	14	3	2
E840-	F	460	20	7	3	3	4	10	4	6	2	3	5	10	16	9	20	18	28	31	42	68	60	54	28	9	-
E962	Nonwhite--M	111	15	3	1	2	1	4	7	3	4	10	11	7	10	7	6	5	2	4	6	1	-	1	-	1	-
	F	52	12	4	3	3	-	2	1	1	1	1	2	2	3	1	1	3	-	4	4	1	3	-	-	-	-
E963,	Suicide	470	-	-	-	-	-	-	-	8	16	25	34	46	31	34	55	70	54	30	36	19	6	4	2	-	-
E970-	White-----M	343	-	-	-	-	-	-	-	8	9	14	23	26	19	26	42	55	41	23	30	15	6	4	2	-	-
E979	F	108	-	-	-	-	-	-	-	-	3	10	6	17	10	8	13	13	13	7	5	3	-	-	-	-	-
	Nonwhite--M	18	-	-	-	-	-	-	-	-	4	1	5	2	2	-	-	2	-	-	1	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	125	6	-	-	-	-	-	3	3	11	18	20	18	14	11	2	5	6	1	3	3	-	1	-	-	-
E980-	White-----M	32	1	-	-	-	-	-	3	-	4	2	4	6	2	2	1	1	3	1	2	-	-	-	-	-	-
E985	F	17	2	-	-	-	-	-	-	1	2	1	1	1	-	3	-	3	2	-	-	1	-	-	-	-	-
	Nonwhite--M	58	2	-	-	-	-	-	-	2	2	12	12	9	8	6	1	1	1	-	-	1	-	1	-	-	-
	F	18	1	-	-	-	-	-	-	-	3	3	3	2	4	-	-	-	-	-	1	1	-	-	-	-	-
E965,	Operations of war	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO																										
	ALL CAUSES------	5,373	1,090	89	37	26	12	49	29	89	105	109	117	139	177	218	245	330	400	459	519	457	351	211	82	20	13
	White-----M--	2,844	461	35	10	11	5	26	15	59	58	56	51	65	97	132	149	208	233	268	301	249	177	103	42	8	5
	F--	1,951	422	24	16	7	3	10	12	20	27	32	39	52	63	67	80	100	140	182	192	185	157	92	36	8	5
	Nonwhite--M--	326	103	18	9	3	-	9	2	5	13	12	16	14	8	11	7	10	14	18	19	14	6	9	3	3	2
	F--	250	84	12	2	5	4	4	-	5	7	9	11	8	9	8	9	12	13	11	7	9	11	7	1	1	1
001-019	Tuberculosis, all forms--------	111	2	1	2	1	2	4	-	3	4	2	6	16	4	9	8	11	11	9	11	2	1	2	-	-	-
	White-----M--	58	1	-	-	-	-	-	-	1	1	1	2	7	2	6	7	9	6	4	9	-	-	2	-	-	-
	F--	23	-	1	1	1	-	-	-	-	2	-	1	4	2	2	-	2	2	2	2	1	-	-	-	-	-
	Nonwhite--M--	15	-	-	1	-	-	2	-	-	-	-	2	2	-	1	1	-	3	2	-	1	-	-	-	-	-
	F--	15	1	-	-	-	2	2	-	2	1	1	1	3	-	-	-	-	-	1	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	96	1	-	2	-	1	1	-	2	3	1	5	14	3	9	8	11	11	8	11	2	1	2	-	-	-
	White-----M--	55	-	-	-	-	-	-	-	1	1	1	2	7	1	6	7	9	6	3	9	-	-	2	-	-	-
	F--	19	-	-	1	-	-	-	-	-	1	-	1	3	2	2	-	2	2	2	2	1	-	-	-	-	-
	Nonwhite--M--	14	-	-	1	-	-	1	-	-	-	-	2	2	-	1	1	-	3	2	-	1	-	-	-	-	-
	F--	8	1	-	-	-	1	-	-	1	1	-	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-
010-019	Tuberculosis, other forms------	15	1	1	-	1	1	3	-	1	1	1	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	1	2	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	2	3	-	1	1	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	23	15	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
	White-----M--	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	6	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	8	1	-	1	1	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	-	1	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	9	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	31	11	2	2	1	2	1	1	-	2	1	1	-	1	-	-	1	2	3	-	-	-	-	-	-	-
	White-----M--	10	4	1	-	-	1	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	18	6	1	2	1	1	-	-	-	1	-	1	-	1	-	-	-	1	3	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
140-205	Malignant neoplasms, etc.*	597	1	2	2	1	1	4	3	7	4	15	15	19	32	35	56	67	82	65	75	59	32	12	6	-	2
	White—M	281	1	1	1	1	1	2	1	5	1	5	5	6	9	18	19	36	39	30	39	33	16	7	4	-	1
	F	290	-	1	1	-	-	2	1	2	2	10	8	10	22	16	34	30	40	30	32	26	15	5	2	-	1
	Nonwhite—M	14	-	-	-	-	-	-	1	-	1	-	-	2	-	-	1	1	1	3	3	-	1	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	-	2	2	1	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	14	-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	1	1	1	3	-	2	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	3	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	204	1	-	-	-	-	-	-	-	1	1	2	4	8	11	17	24	23	27	34	26	16	7	2	-	-
	White—M	107	1	-	-	-	-	-	-	-	-	1	-	3	4	8	7	14	11	11	18	17	9	3	-	-	-
	F	93	-	-	-	-	-	-	-	-	1	-	2	1	4	3	10	9	11	15	15	9	7	4	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
160-164	Of respiratory system	56	-	-	-	-	-	-	-	-	-	2	-	-	1	2	8	8	16	7	7	3	2	-	-	-	-
	White—M	38	-	-	-	-	-	-	-	-	-	2	-	-	-	1	6	7	10	5	4	3	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	6	2	2	-	2	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	47	-	-	-	-	-	-	-	-	-	1	2	3	5	5	9	2	9	4	3	2	2	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	1	2	3	5	4	9	2	8	3	3	2	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
171-179	Of genital organs	88	-	-	-	-	-	-	1	-	2	4	4	4	5	11	10	11	6	10	9	7	2	2	-	-	-
	White—M	34	-	-	-	-	-	-	1	-	1	2	-	-	1	1	2	5	3	3	5	6	2	2	-	-	-
	F	48	-	-	-	-	-	-	-	-	1	1	3	3	4	9	8	5	3	6	4	1	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	19	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	2	2	3	-	1	1	-	1
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	2	1	1	-	1	1	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	99	-	2	-	-	-	1	2	3	1	3	1	4	7	7	5	12	14	12	10	10	3	-	1	-	1
	White—M	43	-	1	-	-	-	-	1	2	-	-	-	2	2	5	1	6	6	4	6	5	-	-	1	-	1
	F	49	-	1	-	-	-	1	1	1	1	3	1	2	5	2	2	6	8	5	3	5	2	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	41	-	-	1	1	1	3	1	2	1	3	3	1	3	3	1	3	2	3	4	4	-	1	-	-	-
	White—M	23	-	-	-	1	1	2	-	1	-	-	2	1	1	1	1	2	1	3	3	2	-	1	-	-	-
	F	16	-	-	1	-	-	1	-	1	-	3	1	-	2	2	-	1	1	-	1	2	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	29	-	-	1	-	-	-	-	-	1	2	3	2	2	1	3	4	2	3	2	2	-	1	-	-	-
	White—M	14	-	-	1	-	-	-	-	-	1	1	1	-	1	1	2	1	2	2	1	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	3	-	1	1	2	-	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	22	3	-	-	-	-	-	-	1	1	1	-	2	1	1	-	1	1	3	2	3	2	-	-	-	-
	White—M	10	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	3	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	1	1	2	-	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
260	Diabetes mellitus	56	-	1	-	-	-	-	-	1	2	1	1	2	-	-	5	9	4	5	18	1	5	1	-	-	-
	White—M	36	-	1	-	-	-	-	-	-	1	1	1	1	-	-	2	6	2	3	13	-	4	1	-	-	-
	F	18	-	-	-	-	-	-	-	1	1	-	-	1	-	-	3	3	1	2	5	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
290-293	Anemias	12	1	1	-	1	-	-	-	-	-	-	1	1	2	-	-	-	1	1	1	-	1	-	-	1	-
	White—M	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	8	-	1	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	1	1	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
340	Nonmeningococcal meningitis*	11	7	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	4	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	1,796	4	2	3	2	2	2	5	9	6	13	13	28	42	73	91	145	172	241	265	268	218	133	49	6	4
	White—M	1,008	1	-	1	1	-	1	1	4	3	4	5	14	25	41	62	94	103	146	155	144	104	67	27	3	2
	F	703	3	2	1	-	2	1	4	2	1	7	7	10	15	26	23	41	61	81	102	122	108	59	21	3	1
	Nonwhite—M	46	-	-	1	-	-	-	-	1	2	1	1	2	2	4	1	5	3	10	4	2	1	4	1	-	1
	F	39	-	-	-	1	-	-	-	2	-	1	-	2	-	2	5	5	5	4	4	-	5	3	-	-	-
330-334, 400-468	Diseases of cardiovascular system	1,725	4	2	3	2	2	2	5	5	5	11	9	26	38	66	91	144	162	234	258	260	214	126	46	6	4
	White—M	974	1	-	1	1	-	1	1	2	3	2	2	13	23	40	62	93	98	144	151	140	103	64	24	3	2
	F	676	3	2	1	-	2	1	4	1	-	7	7	9	13	23	23	41	57	78	100	118	106	55	21	3	1
	Nonwhite—M	39	-	-	1	-	-	-	-	-	2	1	-	2	2	2	1	5	3	9	3	2	-	4	1	-	1
	F	36	-	-	-	1	-	-	-	2	-	1	-	2	-	1	5	5	4	3	4	-	5	3	-	-	-
330-334	Vascular lesions, etc.*	380	1	1	1	-	1	1	-	-	1	2	1	5	4	12	19	31	37	45	67	55	50	34	10	2	-
	White—M	189	-	-	-	-	-	-	-	-	1	1	-	1	2	4	8	13	19	29	38	27	20	19	6	1	-
	F	172	1	1	-	-	1	1	-	-	-	-	1	2	2	6	9	16	17	14	27	27	28	14	4	1	-
	Nonwhite—M	7	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	1	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	2	-	-	2	-	2	-	-	-	-
400-402	Rheumatic fever	9	-	-	-	-	1	1	3	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
	White—M	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	6	-	-	-	-	1	-	2	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
410-443	Diseases of heart	1,195	3	1	1	-	-	-	1	5	3	6	8	21	29	49	68	103	117	178	171	184	136	74	29	4	4
	White-----M--	709	1	-	-	-	-	-	-	2	1	1	2	12	18	35	51	73	77	111	105	100	65	36	15	2	2
	F--	441	2	1	1	-	-	-	1	1	-	5	6	7	10	13	14	24	35	60	61	84	68	32	13	2	1
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	2	-	-	2	1	1	-	4	2	6	3	-	-	3	1	-	1
	F--	19	-	-	-	-	-	-	-	2	-	-	-	-	-	-	3	2	3	1	2	-	3	3	-	-	-
410-416	Chronic rheumatic heart disease---	85	-	-	-	-	-	-	-	3	2	4	7	11	4	9	7	7	3	12	4	3	8	1	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	1	5	1	3	4	5	2	5	2	2	3	-	-	-	-
	F--	44	-	-	-	-	-	-	-	1	-	4	6	4	2	6	3	2	1	7	1	1	5	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	2	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	747	-	-	-	-	-	-	-	-	1	-	-	8	15	31	42	77	80	119	114	112	84	44	16	2	2
	White-----M--	484	-	-	-	-	-	-	-	-	1	-	-	6	10	26	37	57	59	75	73	62	43	22	10	2	1
	F--	244	-	-	-	-	-	-	-	-	-	-	-	2	5	5	4	16	20	39	39	50	41	17	6	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	5	1	-	-	3	-	-	1
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	2	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	135	-	-	-	-	-	-	-	-	-	1	1	1	2	3	4	8	11	15	17	34	22	8	7	1	-
	White-----M--	74	-	-	-	-	-	-	-	-	-	1	1	-	-	2	3	6	6	9	14	15	11	3	3	-	-
	F--	56	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	4	6	2	19	9	5	4	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-
430-434	Other diseases of heart---------	84	2	1	1	-	-	-	1	2	-	1	-	1	5	4	4	5	6	10	15	11	6	7	1	-	1
	White-----M--	48	-	-	-	-	-	-	-	2	-	-	-	1	5	3	2	4	3	8	9	7	-	4	-	-	-
	F--	34	2	1	1	-	-	-	1	-	-	1	-	-	-	1	2	1	3	1	6	4	5	3	1	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
440-443	Hypertension with heart dis.--	144	1	-	-	-	-	-	-	-	-	-	-	-	3	2	11	6	17	22	21	24	16	14	5	1	1
	White-----M--	70	1	-	-	-	-	-	-	-	-	-	-	-	2	1	5	1	7	14	7	14	8	7	2	-	1
	F--	63	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	4	7	7	13	10	8	6	2	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	1	-	-	-
444-447	Hypertension without mention of heart----------	33	-	-	-	-	-	-	-	-	1	2	-	-	1	1	3	4	1	3	5	3	7	2	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	3	-	-	3	2	5	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	2	1	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-
450	General arteriosclerosis--------	70	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	3	9	15	16	13	6	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	9	9	5	2	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	7	5	7	8	4	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	38	-	-	1	2	-	-	1	-	-	-	-	-	3	2	1	3	3	5	6	3	4	3	1	-	-
	White-----M--	24	-	-	1	1	-	-	-	-	-	-	-	-	2	1	1	3	1	2	3	2	3	3	1	-	-
	F--	12	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	2	2	3	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	71	-	-	-	-	-	-	-	4	1	2	4	2	4	7	-	1	10	7	7	8	4	7	3	-	-
	White-----M--	34	-	-	-	-	-	-	-	2	-	2	3	1	2	1	-	1	5	2	4	4	1	3	3	-	-
	F--	27	-	-	-	-	-	-	-	1	1	-	-	1	2	3	-	-	4	3	2	4	2	4	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	1	1	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	268	133	14	5	4	2	2	2	1	-	1	3	1	4	4	1	-	13	12	21	12	16	8	5	2	2
	White-----M--	118	56	4	-	1	2	2	1	1	-	1	-	-	4	1	1	-	6	9	9	6	9	2	2	-	1
	F--	91	41	5	3	1	-	-	1	-	-	-	1	1	-	1	-	-	4	2	11	4	5	5	3	2	1
	Nonwhite--M--	33	20	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	-	1	1	1	-	-	-	-
	F--	26	16	-	2	2	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	1	1	-	-	-
480-483	Influenza---------	15	8	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	1	1
	White-----M--	6	2	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
	F--	6	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	253	125	14	5	4	1	1	2	1	-	1	2	1	4	3	1	-	13	12	20	12	16	8	5	1	1
	White-----M--	112	54	4	-	1	1	1	1	1	-	1	-	-	4	-	1	-	6	9	9	6	9	2	2	-	-
	F--	85	38	5	3	1	-	-	1	-	-	-	-	1	-	1	-	-	4	2	10	4	5	5	3	1	1
	Nonwhite--M--	31	18	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	-	1	1	1	-	-	-	-
	F--	25	15	-	2	2	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	1	1	-	-	-
500-502	Bronchitis--------	20	3	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	3	3	-	-	-	-
	White-----M--	11	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	2	2	-	-	-	-
	F--	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	Nonwhite--M--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	37	2	-	-	-	-	-	-	-	-	-	-	1	2	3	-	3	5	7	4	7	2	-	1	-	-
	White-----M--	32	2	-	-	-	-	-	-	-	-	-	-	-	2	3	-	3	4	6	3	6	2	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	15	-	-	-	2	-	2	-	1	-	-	-	-	1	1	3	2	1	1	1	-	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	2	-	-	-	-	-	-	-	1	2	2	1	1	1	-	-	-	-	-	-
	F--	4	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	41	5	-	-	-	-	-	-	-	1	-	2	2	3	2	2	3	4	5	3	3	3	1	-	2	-
	White-----M--	14	4	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	1	2	1	1	-	-	-	-
	F--	24	1	-	-	-	-	-	-	-	1	-	-	2	1	-	2	2	4	4	1	1	2	1	-	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
543,	Gastritis, etc.*	140	121	8	-	2	1	2	1	-	-	-	-	-	2	-	-	-	-	-	1	1	1	-	-	-	-
571,	White-----M--	40	36	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
572	F--	50	45	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	25	20	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	20	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
581	Cirrhosis of liver	58	1	-	-	-	-	-	-	-	1	-	-	-	9	5	6	4	8	8	6	8	2	-	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	-	-	-	4	2	5	4	6	6	4	3	1	-	-	-	-
	F--	17	1	-	-	-	-	-	-	-	1	-	-	-	3	2	1	-	1	2	1	5	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	9	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	2	1	1	-	1	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	1	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	6	6	3	1	1	1
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	5	5	3	1	1	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	26	...	...	...	...	...	...	-	3	3	4	5	9	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	19	...	...	...	...	...	...	-	2	2	2	3	8	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	3	...	...	...	...	...	...	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	...	...	...	...	...	...	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	23	...	...	...	...	...	...	-	1	3	4	5	8	1	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	16	...	...	...	...	...	...	-	-	2	2	3	7	1	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	7	...	...	...	...	...	...	-	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	104	90	3	-	-	-	2	-	1	1	-	-	-	3	-	-	2	-	1	1	-	-	-	-	-	-
	White-----M--	35	30	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-
	F--	59	54	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	3	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	521	520	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	270	270	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	191	190	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	280	279	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	135	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	115	114	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	435	94	13	5	1	-	4	-	3	6	12	7	6	14	13	18	12	24	32	46	45	29	29	14	7	1
795	White-----M--	217	31	5	3	1	-	2	-	1	3	5	2	2	7	9	14	7	18	20	26	23	18	13	4	3	-
	F--	122	41	1	1	-	-	1	-	-	-	1	1	2	2	4	3	3	3	9	12	11	8	10	8	1	-
	Nonwhite--M--	55	13	3	1	-	-	-	-	2	1	4	1	1	2	-	1	1	-	1	7	6	2	5	1	3	-
	F--	41	9	4	-	-	-	1	-	-	2	2	3	1	3	-	-	1	3	2	1	5	1	1	1	-	1
Re-	All other diseases	303	37	10	2	1	-	6	3	4	7	6	9	9	7	16	19	30	30	28	27	25	13	11	1	1	1
sid-	White-----M--	148	14	8	2	-	-	3	2	4	2	-	2	4	3	6	12	15	19	18	12	12	6	3	-	1	-
ual	F--	126	16	1	-	1	-	1	1	-	5	6	5	5	3	8	6	13	9	8	14	10	6	6	1	-	1
	Nonwhite--M--	17	5	-	-	-	-	1	-	-	-	-	2	-	-	-	1	1	2	2	1	2	-	-	-	-	-
	F--	12	2	1	-	-	-	1	-	-	-	-	-	-	1	2	-	1	-	-	-	1	1	2	-	-	-
E800-	Accidents	564	28	47	13	9	2	18	10	48	56	44	43	36	41	33	30	27	29	21	22	11	13	9	3	-	1
E962	White-----M--	376	12	8	2	5	1	12	8	40	41	32	27	26	30	29	21	20	19	11	14	8	5	4	1	-	-
	F--	117	13	5	6	-	-	4	2	8	5	5	8	4	6	1	7	3	7	10	7	2	8	5	1	-	-
	Nonwhite--M--	53	3	2	5	3	-	2	-	-	7	6	7	6	3	2	2	1	2	-	-	-	-	-	1	-	1
	F--	18	-	2	-	1	1	-	-	-	3	1	1	-	2	1	-	3	1	-	1	1	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	291	2	8	3	4	2	7	5	31	37	28	28	19	27	19	17	10	17	12	9	4	2	-	-	-	-
	White-----M--	201	2	3	-	1	1	5	4	24	28	21	17	12	19	18	11	6	10	6	8	4	1	-	-	-	-
	F--	55	-	3	1	-	-	2	1	7	5	4	4	3	4	-	5	3	5	6	1	-	1	-	-	-	-
	Nonwhite--M--	25	-	1	2	2	-	-	-	-	2	3	6	4	2	-	1	-	2	-	-	-	-	-	-	-	-
	F--	10	-	1	-	1	1	-	-	-	2	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents	273	26	9	10	5	-	11	5	17	19	16	15	17	14	14	13	17	12	9	13	7	11	9	3	-	1
E802,	White-----M--	175	10	5	2	4	-	7	4	16	13	11	10	14	11	11	10	14	9	5	6	4	4	4	1	-	-
E840-	F--	62	13	2	5	-	-	2	1	1	-	1	4	1	2	1	2	-	2	4	6	2	7	5	1	-	-
E962	Nonwhite--M--	28	3	1	3	1	-	2	-	-	5	3	1	2	1	2	1	1	-	-	-	-	-	-	1	-	1
	F--	8	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-
E963,	Suicide	64	-	-	-	-	-	-	-	1	3	3	7	2	6	11	4	8	5	7	4	-	2	-	1	-	-
E970-	White-----M--	49	-	-	-	-	-	-	-	-	1	2	4	2	6	8	4	7	3	5	4	-	2	-	1	-	-
E979	F--	13	-	-	-	-	-	-	-	1	2	-	2	-	-	3	-	1	2	2	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	39	-	-	-	-	-	-	1	5	6	5	3	5	2	5	-	2	1	1	1	1	-	-	-	-	1
E980-	White-----M--	22	-	-	-	-	-	-	-	3	5	3	1	2	1	3	-	1	-	1	1	1	-	-	-	-	-
E985	F--	7	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	2	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK																										
	ALL CAUSES------	159,548	7,881	488	311	236	199	656	439	657	1,009	1,362	1,709	2,630	4,139	6,535	9,739	13,342	17,233	20,952	21,866	19,630	15,416	8,907	3,536	691	185
	White-----M--	82,678	3,838	246	139	106	105	338	227	421	544	610	748	1,186	1,993	3,544	5,567	7,832	10,234	11,952	11,348	9,635	6,916	3,571	1,273	236	69
	F--	66,585	2,760	175	122	101	73	267	167	163	278	441	561	909	1,486	2,158	3,096	4,504	6,042	8,075	9,587	9,530	8,189	5,180	2,196	432	93
	Nonwhite--M--	5,571	717	34	22	20	10	27	30	49	106	189	223	286	338	469	619	575	533	457	391	231	138	69	22	7	9
	F--	4,714	566	33	28	9	11	24	15	24	81	122	177	249	322	364	457	431	424	468	340	234	173	87	45	16	14
001-019	Tuberculosis, all forms--------	1,771	14	10	9	3	-	7	6	5	32	66	79	118	142	163	230	210	188	186	144	95	40	20	3	1	-
	White-----M--	1,030	7	1	1	1	-	4	3	-	8	7	22	37	54	79	136	157	147	141	107	75	28	12	2	1	-
	F--	330	5	3	3	1	-	2	1	4	12	25	18	31	43	32	24	16	19	35	25	15	9	6	1	-	-
	Nonwhite--M--	265	1	3	2	-	-	-	-	-	5	15	21	28	25	37	56	30	17	5	10	5	3	2	-	-	-
	F--	146	1	3	3	1	-	1	2	1	7	19	18	22	20	15	14	7	5	5	2	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	1,651	8	4	5	-	-	3	3	5	28	64	73	111	132	148	222	197	179	181	135	93	38	19	2	1	-
	White-----M--	984	3	1	1	-	-	1	1	-	6	7	21	36	52	76	129	151	143	137	102	75	28	12	1	1	-
	F--	299	4	1	1	-	-	1	-	4	11	23	18	31	41	28	24	13	17	34	22	13	7	5	1	-	-
	Nonwhite--M--	247	-	2	2	-	-	-	-	-	5	15	17	26	23	35	55	27	15	5	10	5	3	2	-	-	-
	F--	121	1	-	1	-	-	1	2	1	6	19	17	18	16	9	14	6	4	5	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	120	6	6	4	3	-	4	3	-	4	2	6	7	10	15	8	13	9	5	9	2	2	1	1	-	-
	White-----M--	46	4	-	-	1	-	3	2	-	2	-	1	1	2	3	7	6	4	4	5	-	-	-	1	-	-
	F--	31	1	2	2	1	-	1	1	-	1	2	-	-	2	4	-	3	2	1	3	2	2	1	-	-	-
	Nonwhite--M--	18	1	1	-	-	-	-	-	-	-	-	4	2	2	2	1	3	2	-	-	-	-	-	-	-	-
	F--	25	-	3	2	1	-	-	-	-	1	-	1	4	4	6	-	1	1	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	448	-	-	-	-	-	-	1	-	-	4	10	9	13	31	47	60	66	84	65	39	14	3	2	-	-
	White-----M--	258	-	-	-	-	-	-	1	-	-	1	3	3	7	9	25	35	42	55	41	25	10	1	-	-	-
	F--	75	-	-	-	-	-	-	-	-	-	2	2	-	-	5	3	7	12	14	12	11	4	1	2	-	-
	Nonwhite--M--	75	-	-	-	-	-	-	-	-	-	-	-	4	5	13	11	12	10	12	4	3	-	1	-	-	-
	F--	40	-	-	-	-	-	-	-	-	-	1	5	2	1	4	8	6	2	3	8	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	12	1	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	18	2	-	-	2	-	2	-	2	2	1	1	-	-	-	-	1	-	1	-	1	2	-	1	-	-
	White-----M--	7	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
	Nonwhite--M--	3	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	14	11	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	5	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	60	19	5	3	2	4	2	2	4	3	-	4	-	4	2	-	1	3	1	-	1	-	-	-	-	-
	White-----M--	28	8	3	-	-	2	1	1	2	2	-	2	-	2	1	-	1	1	1	-	1	-	-	-	-	-
	F--	26	10	2	3	1	2	1	1	1	-	-	1	-	1	1	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute policmyelitis----------	97	3	-	3	7	4	17	4	12	11	13	17	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	55	3	-	2	3	2	7	4	9	7	6	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	41	-	-	1	4	2	10	-	3	4	7	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	36	3	10	4	4	3	8	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	10	1	1	1	-	1	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	20	-	8	2	3	1	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	330	31	9	6	4	5	15	6	6	10	16	13	17	28	25	21	25	21	24	21	8	9	7	3	-	-
	White-----M--	161	19	7	3	2	3	9	4	3	5	5	3	9	11	14	9	11	10	17	7	5	2	2	1	-	-
	F--	133	5	2	3	2	1	6	2	2	3	8	8	6	11	8	7	11	11	7	13	3	7	5	2	-	-
	Nonwhite--M--	15	3	-	-	-	-	-	-	1	2	-	-	1	3	1	1	2	-	-	1	-	-	-	-	-	-
	F--	21	4	-	-	-	1	-	-	-	-	3	2	1	3	2	4	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK—Con.																										
140-205	Malignant neoplasms, etc.*	28,864	21	29	41	45	39	112	66	70	110	171	313	550	1,050	1,627	2,495	3,339	4,117	4,638	4,102	3,058	1,871	748	218	30	4
	White—M	14,380	14	20	15	23	26	59	36	38	53	81	128	187	342	634	1,134	1,674	2,249	2,586	2,154	1,584	904	355	68	15	1
	F	12,952	6	8	21	21	12	50	27	22	48	69	152	288	595	847	1,130	1,439	1,664	1,860	1,819	1,405	937	372	142	15	3
	Nonwhite—M	774	1	-	2	1	-	1	2	5	6	9	13	21	36	61	111	129	114	104	87	36	19	13	3	-	-
	F	758	-	1	3	-	1	2	1	5	3	12	20	54	77	85	120	97	90	88	42	33	11	8	5	-	-
140-148	Of buccal cavity and pharynx	639	-	-	-	-	1	2	-	1	1	-	5	9	19	36	61	66	92	122	89	67	37	21	10	-	-
	White—M	483	-	-	-	-	1	1	-	-	-	-	4	5	6	23	44	53	69	102	74	55	23	16	7	-	-
	F	117	-	-	-	-	-	1	-	1	1	-	1	2	10	9	12	9	16	13	12	10	12	5	3	-	-
	Nonwhite—M	34	-	-	-	-	-	-	-	-	-	-	-	1	3	3	4	4	7	5	3	2	2	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	11,270	5	3	2	-	-	1	1	-	8	29	53	130	254	436	840	1,205	1,610	2,020	1,916	1,416	866	353	106	14	2
	White—M	5,853	5	2	-	-	-	-	1	-	4	19	21	48	112	207	410	643	910	1,151	1,013	715	394	166	26	5	1
	F	4,857	-	1	2	-	-	1	-	-	2	7	24	62	110	182	344	479	616	784	848	673	457	179	76	9	1
	Nonwhite—M	347	-	-	-	-	-	-	-	-	1	1	7	7	17	24	58	58	51	53	39	17	9	4	1	-	-
	F	213	-	-	-	-	-	-	-	-	1	2	1	13	15	23	28	25	33	32	16	11	6	4	3	-	-
160-164	Of respiratory system	3,736	-	-	-	1	-	-	-	-	2	4	14	38	101	234	407	606	731	688	448	285	122	41	12	2	-
	White—M	3,027	-	-	-	1	-	-	-	-	2	4	10	26	77	179	332	502	627	581	369	206	82	22	5	2	-
	F	528	-	-	-	-	-	-	-	-	-	-	4	9	15	33	44	64	74	88	66	70	39	17	5	-	-
	Nonwhite—M	149	-	-	-	-	-	-	-	-	-	-	-	3	8	16	24	35	25	15	13	7	1	1	1	-	-
	F	32	-	-	-	-	-	-	-	-	-	-	-	-	1	6	7	5	5	4	-	2	-	1	1	-	-
170	Of breast	2,737	-	-	-	-	-	-	-	-	1	9	54	96	208	280	303	359	342	320	301	209	153	73	26	2	1
	White—M	19	-	-	-	-	-	-	-	-	-	-	1	-	3	1	4	2	-	2	2	2	-	-	2	-	-
	F	2,586	-	-	-	-	-	-	-	-	1	6	43	84	191	265	278	343	332	304	288	199	152	73	24	2	1
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F	129	-	-	-	-	-	-	-	-	-	3	10	12	14	14	21	13	9	14	10	8	1	-	-	-	-
171-179	Of genital organs	3,774	-	2	-	-	-	-	-	9	12	31	44	90	185	236	316	378	455	542	538	467	325	118	23	3	-
	White—M	1,283	-	1	-	-	-	-	-	3	6	13	13	8	7	10	18	64	108	194	250	279	212	82	12	3	-
	F	2,192	-	1	-	-	-	-	-	4	6	12	24	65	148	195	258	276	304	311	268	177	104	29	10	-	-
	Nonwhite—M	63	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	5	11	12	12	5	6	5	1	-	-
	F	236	-	-	-	-	-	-	-	2	-	6	7	17	30	28	37	33	32	25	8	6	3	2	-	-	-
180, 181	Of urinary organs	1,466	1	4	4	4	5	4	1	-	1	3	6	15	23	44	93	141	223	257	254	197	123	49	10	4	-
	White—M	1,007	-	4	1	2	5	2	-	-	-	2	4	5	17	28	66	100	167	196	163	125	82	31	5	2	-
	F	396	1	-	2	2	-	2	1	-	1	1	-	7	6	10	20	35	51	50	78	67	40	16	4	2	-
	Nonwhite—M	45	-	-	1	-	-	-	-	-	-	-	2	3	-	3	4	6	3	5	11	4	1	2	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	2	6	2	1	-	-	1	-	-
156B, 165, 190-199	Of other sites, etc.*	2,853	9	6	15	14	11	35	29	30	28	35	54	77	137	194	271	344	370	389	305	248	155	64	28	4	1
	White—M	1,421	6	4	7	7	7	17	16	16	11	15	30	41	59	101	139	178	206	196	151	116	64	21	10	3	-
	F	1,282	3	2	5	7	4	17	12	10	12	16	23	28	59	83	105	142	145	180	148	128	91	42	18	1	1
	Nonwhite—M	74	-	-	1	-	-	-	1	2	3	3	-	1	5	6	14	12	12	9	4	1	-	-	-	-	-
	F	76	-	-	2	-	-	1	-	2	2	1	1	7	14	4	13	12	7	4	2	3	-	1	-	-	-
204	Leukemia and aleukemia	1,139	4	11	19	25	22	56	25	22	23	14	39	38	49	69	93	90	108	152	125	86	52	16	1	-	-
	White—M	608	1	7	6	12	13	29	15	15	7	8	19	21	25	28	53	48	64	83	67	45	31	11	-	-	-
	F	484	2	3	12	12	8	25	10	4	15	4	16	14	22	35	34	37	43	67	55	40	20	5	1	-	-
	Nonwhite—M	28	1	-	-	1	-	1	-	2	1	2	4	3	2	3	1	3	1	2	1	-	-	-	-	-	-
	F	19	-	1	1	-	1	1	-	1	-	-	-	-	-	3	5	2	-	-	2	1	1	-	-	-	-
200-203, 205	Lymphomas, etc.*	1,250	2	3	1	1	-	14	10	8	34	46	44	57	74	98	111	150	186	148	126	83	38	13	2	1	-
	White—M	679	2	2	1	1	-	10	4	4	23	20	26	33	36	57	68	84	98	81	65	41	16	6	1	-	-
	F	510	-	1	-	-	-	4	4	3	10	23	17	17	34	35	35	54	83	63	56	41	22	6	1	1	-
	Nonwhite—M	31	-	-	-	-	-	-	1	1	1	3	-	3	1	3	3	5	3	3	3	-	-	1	-	-	-
	F	30	-	-	-	-	-	-	1	-	-	-	1	4	3	3	5	7	2	1	2	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	576	16	7	1	3	3	7	11	3	8	14	21	37	51	53	54	61	55	56	42	29	25	16	1	2	-
	White—M	217	9	2	1	1	3	1	4	2	4	6	4	8	11	15	22	24	32	25	18	14	8	3	-	-	-
	F	304	6	5	-	2	-	6	6	1	4	6	7	18	31	30	30	33	21	28	24	14	16	13	1	2	-
	Nonwhite—M	15	-	-	-	-	-	-	1	-	-	1	3	4	-	1	-	2	1	2	-	-	-	-	-	-	-
	F	40	1	-	-	-	-	-	-	-	-	1	7	7	9	7	2	2	1	1	-	1	1	-	-	-	-
260	Diabetes mellitus	3,153	3	1	1	-	1	5	3	11	6	22	21	33	47	69	168	303	479	589	592	434	251	88	24	2	-
	White—M	1,153	1	-	1	-	1	1	-	4	1	6	9	14	22	28	69	121	168	214	200	163	91	29	9	1	-
	F	1,812	1	1	-	-	-	3	3	6	5	12	9	14	17	28	71	151	282	348	371	266	153	57	13	1	-
	Nonwhite—M	62	-	-	-	-	-	1	-	-	-	1	1	1	2	5	14	6	9	8	9	1	2	1	1	-	-
	F	126	1	-	-	-	-	-	-	1	-	3	2	4	6	8	14	25	20	19	12	4	5	1	1	-	-
290-293	Anemias	264	2	5	2	1	-	5	5	3	6	2	3	4	8	3	8	13	21	29	43	36	42	16	5	2	-
	White—M	115	2	2	-	1	-	2	1	-	1	-	2	2	3	1	3	6	12	16	22	12	19	5	1	2	-
	F	132	-	1	-	-	-	2	4	2	-	1	-	2	3	2	5	7	9	13	20	24	22	11	4	-	-
	Nonwhite—M	11	-	2	2	-	-	1	-	-	1	1	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	153	46	8	7	5	4	3	5	-	2	5	4	1	3	3	7	6	8	15	11	3	7	-	-	-	-
	White—M	70	19	6	4	2	2	1	3	-	1	-	-	1	-	2	3	2	6	7	4	2	5	-	-	-	-
	F	46	16	1	2	3	2	2	1	-	-	-	1	-	1	1	2	1	2	6	4	-	1	-	-	-	-
	Nonwhite—M	17	3	1	1	-	-	-	-	-	1	4	1	-	2	-	1	-	-	1	-	1	1	-	-	-	-
	F	20	8	-	-	-	-	-	1	-	-	1	2	-	-	-	1	3	-	1	3	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	91,096	36	7	7	11	10	26	47	67	142	265	385	785	1,550	2,959	4,842	7,111	9,932	12,773	14,235	13,849	11,469	7,004	2,882	560	142
	White—M	47,089	16	5	3	7	5	9	24	34	47	122	174	422	900	1,842	3,040	4,381	6,010	7,247	7,301	6,556	4,991	2,691	1,038	174	50
	F	39,600	13	1	2	4	4	11	19	25	62	98	122	212	393	746	1,288	2,195	3,362	4,948	6,456	6,966	6,243	4,197	1,790	369	74
	Nonwhite—M	2,188	3	1	-	-	1	2	3	5	17	28	44	72	126	203	290	284	292	263	234	153	97	44	17	4	5
	F	2,219	4	-	2	-	-	4	1	3	16	17	45	79	131	168	224	251	268	315	244	174	138	72	37	13	13
330-334, 400-468	Diseases of cardiovascular system	89,719	34	7	7	8	6	21	37	58	106	218	340	728	1,488	2,881	4,734	6,985	9,782	12,616	14,088	13,714	11,371	6,939	2,854	556	141
	White—M	46,409	14	5	3	5	3	7	19	29	28	97	158	396	874	1,803	2,989	4,319	5,928	7,157	7,227	6,493	4,943	2,660	1,030	172	50
	F	39,035	13	1	2	3	2	8	15	23	51	84	105	195	374	722	1,245	2,144	3,309	4,885	6,389	6,894	6,195	4,165	1,770	367	74
	Nonwhite—M	2,113	3	1	-	-	1	2	2	3	15	25	36	65	117	198	281	275	282	260	230	153	95	43	17	4	5
	F	2,162	4	-	2	-	-	4	1	3	12	12	41	72	123	158	219	247	263	314	242	174	138	71	37	13	12
330-334	Vascular lesions, etc.*	14,337	16	5	-	4	1	3	4	10	28	42	45	83	189	349	555	830	1,321	1,898	2,360	2,538	2,181	1,298	468	97	12
	White—M	6,141	6	4	-	2	-	3	3	5	9	17	13	27	76	140	237	401	646	898	1,050	1,108	842	428	183	40	3
	F	7,544	7	-	-	2	1	-	-	3	15	16	20	36	72	148	245	354	602	916	1,233	1,376	1,299	854	282	55	8
	Nonwhite—M	285	2	1	-	-	-	-	-	2	3	7	6	7	15	27	30	33	29	34	36	27	14	8	2	2	-
	F	367	1	-	-	-	-	-	1	-	1	2	6	13	26	34	43	42	44	50	41	27	26	8	1	-	1
400-402	Rheumatic fever	117	1	-	2	-	1	9	11	8	6	10	9	6	8	12	7	7	7	7	1	3	1	1	-	-	-
	White—M	48	1	-	-	-	-	1	4	3	2	3	1	2	3	6	6	6	4	3	1	1	1	-	-	-	-
	F	48	-	-	1	-	-	4	5	4	2	4	5	4	3	6	1	1	3	2	-	2	-	1	-	-	-
	Nonwhite—M	13	-	-	-	-	1	2	2	-	1	2	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	8	-	-	1	-	-	2	-	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK—Con.																										
410-443	Diseases of heart-	70,660	17	2	5	3	3	9	19	37	59	149	248	594	1,227	2,403	4,013	5,952	8,151	10,263	11,160	10,445	8,413	5,000	2,012	367	109
	White-----M--	38,048	7	1	3	3	3	3	12	20	16	70	132	353	775	1,591	2,670	3,797	5,100	5,996	5,886	5,040	3,756	1,968	701	102	43
	F--	29,240	6	1	1	-	-	4	7	14	26	57	67	143	282	542	943	1,718	2,595	3,806	4,892	5,147	4,479	2,942	1,262	251	55
	Nonwhite--M--	1,712	1	-	-	-	-	-	-	1	9	15	24	50	90	155	238	236	246	211	192	118	73	33	14	2	4
	F--	1,660	3	-	1	-	-	2	-	2	8	7	25	48	80	115	162	201	210	250	190	140	105	57	35	12	7
410-416	Chronic rheumatic heart disease----	2,362	-	-	1	-	-	1	8	24	40	86	104	166	213	330	328	324	259	190	113	86	60	18	10	-	1
	White-----M--	970	-	-	1	-	-	-	7	13	8	35	40	73	86	137	125	131	125	79	46	37	19	5	2	-	1
	F--	1,243	-	-	-	-	-	1	1	8	22	42	47	73	112	173	182	177	129	103	64	48	40	13	8	-	-
	Nonwhite--M--	70	-	-	-	-	-	-	-	1	3	4	5	10	8	15	11	5	3	3	2	-	-	-	-	-	-
	F--	79	-	-	-	-	-	-	-	2	7	5	12	10	7	5	10	11	2	5	1	1	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	53,310	9	-	1	2	1	3	3	4	8	31	92	318	784	1,684	2,981	4,608	6,416	8,077	8,707	7,988	6,205	3,673	1,420	242	73
	White-----M--	30,963	4	-	-	2	1	1	2	1	4	23	75	245	604	1,308	2,233	3,222	4,321	5,024	4,865	4,026	2,902	1,486	516	66	32
	F--	20,496	3	-	1	-	-	2	1	3	2	7	8	40	115	251	539	1,153	1,840	2,777	3,598	3,787	3,184	2,118	869	165	33
	Nonwhite--M--	1,025	-	-	-	-	-	-	-	-	2	1	7	21	40	78	128	147	153	138	134	83	51	25	12	2	3
	F--	826	2	-	-	-	-	-	-	-	-	-	2	12	25	47	61	86	102	138	110	92	68	44	23	9	5
421, 422	Nonrheumatic chronic endocarditis, etc.*--	6,506	4	2	1	-	2	2	3	3	6	13	17	29	58	114	199	255	420	681	955	1,148	1,189	870	414	96	25
	White-----M--	2,873	1	1	1	-	2	1	-	3	2	7	6	12	22	42	85	125	206	339	474	511	514	341	139	32	7
	F--	3,214	1	1	-	-	-	1	3	-	2	2	3	8	15	39	58	83	163	285	433	599	650	521	268	62	17
	Nonwhite--M--	219	1	-	-	-	-	-	-	-	1	4	6	3	11	17	33	24	32	28	21	20	14	3	1	-	-
	F--	200	1	-	-	-	-	-	-	-	1	-	2	6	10	16	23	23	19	29	27	18	11	5	6	2	1
430-434	Other diseases of heart---------	684	4	-	2	1	-	3	3	6	3	8	9	16	27	39	48	57	73	87	97	87	63	38	10	2	1
	White-----M--	369	2	-	1	1	-	1	2	3	1	3	6	7	14	24	37	41	46	44	44	46	28	12	5	-	1
	F--	280	2	-	-	-	-	-	1	3	-	3	-	6	10	12	8	13	24	39	51	40	35	26	5	2	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	2	2	3	2	1	2	1	2	3	2	-	-	-	-	-	-	-
	F--	15	-	-	1	-	-	2	-	-	-	-	-	1	2	1	2	1	-	2	2	1	-	-	-	-	-
440-443	Hypertension with heart dis.--	7,798	-	-	-	-	-	-	2	-	2	11	26	65	145	236	477	708	983	1,228	1,288	1,136	896	401	158	27	9
	White-----M--	2,873	-	-	-	-	-	-	1	-	1	2	5	16	49	80	190	278	402	510	457	420	293	124	39	4	2
	F--	4,007	-	-	-	-	-	-	1	-	-	3	9	16	30	67	156	292	439	602	746	673	570	264	112	22	5
	Nonwhite--M--	378	-	-	-	-	-	-	-	-	1	4	3	14	30	43	65	58	55	40	35	15	8	5	1	-	1
	F--	540	-	-	-	-	-	-	-	-	-	2	9	19	36	46	66	80	87	76	50	28	25	8	6	1	1
444-447	Hypertension without mention of heart----------	963	-	-	-	-	-	-	-	-	2	6	20	23	31	48	65	60	95	108	126	124	118	95	33	9	-
	White-----M--	402	-	-	-	-	-	-	-	-	-	1	5	4	11	22	20	27	47	58	50	53	51	34	16	3	-
	F--	448	-	-	-	-	-	-	-	-	1	3	5	4	3	8	29	29	40	38	75	69	63	58	17	6	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	1	1	2	6	6	10	8	2	3	3	-	-	3	1	-	-	-
	F--	67	-	-	-	-	-	-	-	-	-	1	8	9	11	8	8	2	5	9	1	2	1	2	-	-	-
450	General arteriosclerosis--------	2,775	-	-	-	-	-	-	-	-	-	-	2	1	2	10	24	46	85	193	320	525	604	529	334	81	19
	White-----M--	1,238	-	-	-	-	-	-	-	-	-	-	1	-	-	5	15	23	47	107	160	245	258	221	127	25	4
	F--	1,467	-	-	-	-	-	-	-	-	-	-	1	-	1	3	5	21	33	75	150	269	336	303	205	55	10
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	3	7	2	6	5	1	1	-	1
	F--	37	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	4	8	5	5	4	1	1	4
451-468	Other diseases of circulatory sys.-	867	-	-	-	1	1	-	3	3	11	11	16	21	31	59	70	90	123	147	121	79	54	16	7	2	1
	White-----M--	532	-	-	-	-	-	-	-	1	1	6	6	10	9	39	41	65	84	95	80	46	35	9	3	2	-
	F--	288	-	-	-	1	1	-	3	2	7	4	7	8	13	15	22	21	36	48	39	31	18	7	4	-	1
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	1	-	1	2	4	4	3	2	1	4	-	2	-	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	2	1	2	1	5	1	4	2	2	-	2	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	1,377	2	-	-	3	4	5	10	9	36	47	45	57	62	78	108	126	150	157	147	135	98	65	28	4	1
	White-----M--	680	2	-	-	2	2	2	5	5	19	25	16	26	26	39	51	62	82	90	74	63	48	31	8	2	-
	F--	565	-	-	-	1	2	3	4	2	11	14	17	17	19	24	43	51	53	63	67	72	48	32	20	2	-
	Nonwhite--M--	75	-	-	-	-	-	-	1	2	2	3	8	7	9	5	9	9	10	3	4	-	2	1	-	-	-
	F--	57	-	-	-	-	-	-	-	-	4	5	4	7	8	10	5	4	5	1	2	-	-	1	-	-	1
480-493	Influenza and pneumonia, etc.*-	4,009	582	117	51	29	22	53	14	25	18	29	67	92	99	163	181	233	291	376	373	392	398	258	116	24	6
	White-----M--	2,034	247	57	21	7	8	25	4	15	2	10	20	31	41	85	110	141	191	229	216	210	185	123	43	12	1
	F--	1,502	207	39	22	17	13	22	6	9	8	7	16	26	33	40	42	66	73	129	136	168	207	130	72	10	4
	Nonwhite--M--	296	71	10	1	4	-	5	2	-	4	5	19	24	20	28	21	21	19	14	10	11	2	2	1	1	1
	F--	177	57	11	7	1	1	1	2	1	4	7	12	11	5	10	8	5	8	4	11	3	4	3	-	1	-
480-483	Influenza---------	85	11	2	-	-	1	1	-	-	3	2	1	2	1	2	4	5	6	10	10	7	10	3	3	1	-
	White-----M--	39	5	-	-	-	-	-	-	-	1	-	1	-	-	2	4	2	1	7	5	3	5	2	1	-	-
	F--	38	6	1	-	-	1	1	-	-	-	1	-	2	-	-	-	2	4	3	4	4	5	1	2	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	3,924	571	115	51	29	21	52	14	25	15	27	66	90	98	161	177	228	285	366	363	385	388	255	113	23	6
	White-----M--	1,995	242	57	21	7	8	25	4	15	1	10	19	31	41	83	106	139	190	222	211	207	180	121	42	12	1
	F--	1,464	201	38	22	17	12	21	6	9	8	6	16	24	33	40	42	64	69	126	132	164	202	129	70	9	4
	Nonwhite--M--	292	71	10	1	4	-	5	2	-	2	5	19	24	19	28	21	20	19	14	10	11	2	2	1	1	1
	F--	173	57	10	7	1	1	1	2	1	4	6	12	11	5	10	8	5	7	4	10	3	4	3	-	1	-
500-502	Bronchitis---------	293	57	13	6	6	3	3	1	2	-	1	2	1	6	6	11	19	24	30	35	25	24	12	2	4	-
	White-----M--	193	31	6	3	2	2	1	-	1	-	-	1	-	4	3	9	14	18	29	28	16	17	6	-	2	-
	F--	77	16	5	2	3	1	2	1	-	-	1	1	-	1	3	2	4	5	1	7	7	6	6	2	1	-
	Nonwhite--M--	14	6	1	1	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	1	-
	F--	9	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	1,297	6	-	1	-	-	-	-	-	4	11	12	38	56	91	130	161	161	183	175	132	86	40	9	1	-
	White-----M--	978	3	-	-	-	-	-	-	-	3	6	5	30	36	66	99	124	132	146	130	106	58	30	4	-	-
	F--	253	2	-	1	-	-	-	-	-	-	2	4	5	12	18	24	26	22	28	43	23	27	10	5	1	-
	Nonwhite--M--	58	1	-	-	-	-	-	-	-	-	3	2	2	7	7	6	10	7	7	2	3	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	-	2	-	-	-	-	-	-	-
550-553	Appendicitis------	277	2	-	1	-	2	8	3	5	3	6	6	3	14	16	20	22	45	34	30	22	21	12	2	-	-
	White-----M--	163	1	-	-	-	1	5	1	4	-	4	2	-	7	12	17	14	30	19	16	11	12	6	1	-	-
	F--	96	1	-	1	-	1	3	2	1	2	1	3	2	5	4	2	6	13	12	12	10	9	5	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	1	-	-	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	2	-	1	1	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	826	88	8	1	-	-	3	2	2	3	3	12	17	18	15	43	58	78	95	98	122	87	54	14	3	2
	White-----M--	394	47	5	-	-	-	2	2	1	1	1	3	5	10	10	18	30	38	45	50	62	30	26	6	1	1
	F--	379	31	1	1	-	-	1	-	-	2	2	4	10	5	5	18	25	35	47	46	57	53	25	8	2	1
	Nonwhite--M--	28	7	2	-	-	-	-	-	1	-	-	2	1	2	-	3	1	3	1	2	-	1	2	-	-	-
	F--	25	3	-	-	-	-	-	-	-	-	-	3	1	1	-	4	2	2	2	-	3	3	1	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK—Con.																										
543,	Gastritis, etc.*--	547	122	13	4	2	-	1	3	4	3	10	13	17	15	29	30	26	42	48	56	55	33	15	4	1	1
571,	White-----M--	256	54	8	4	1	-	1	2	1	1	2	5	6	5	16	18	19	29	23	22	23	13	1	2	-	-
572	F--	255	46	3	-	1	-	-	1	3	2	8	5	10	9	13	9	6	12	25	33	31	20	14	2	1	1
	Nonwhite--M--	20	15	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	16	7	2	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	1	1	-	-	-	-	-
581	Cirrhosis of liver	2,281	4	1	-	-	2	2	2	5	5	19	56	129	192	252	327	377	296	265	191	95	40	16	3	2	-
	White-----M--	1,337	1	1	-	-	1	-	-	2	2	2	14	53	98	142	194	240	204	180	124	53	21	5	-	-	-
	F--	743	2	-	-	-	1	2	2	2	2	9	27	43	72	78	99	113	79	77	62	38	19	11	3	2	-
	Nonwhite--M--	115	1	-	-	-	-	-	-	-	-	5	11	14	11	18	19	16	11	4	3	2	-	-	-	-	-
	F--	86	-	-	-	-	-	-	-	1	1	3	4	19	11	14	15	8	2	4	2	2	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	150	5	3	2	1	5	7	3	-	4	6	6	5	12	15	12	11	14	7	11	9	8	1	2	1	-
	White-----M--	86	4	2	2	1	2	6	1	-	2	5	1	5	8	7	8	6	10	4	6	4	2	-	-	-	-
	F--	54	1	1	-	-	2	1	2	-	1	1	3	-	-	6	4	5	4	3	5	5	6	1	2	1	-
	Nonwhite--M--	4	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	713	-	-	-	-	-	-	-	-	-	1	-	1	-	3	6	21	64	116	140	140	126	70	22	3	-
	White-----M--	682	-	-	-	-	-	-	-	-	-	1	-	-	-	3	4	16	60	113	135	135	121	69	22	3	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	4	3	5	5	5	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	141	...	...	...	...	...	...	-	4	18	34	39	33	10	2	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	98	...	...	...	...	...	...	-	3	9	25	24	29	6	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	43	...	...	...	...	...	...	-	1	9	9	15	4	4	-	1	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	32	...	...	...	...	...	...	-	2	6	5	10	7	2	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	17	...	...	...	...	...	...	-	1	2	4	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	15	...	...	...	...	...	...	-	1	4	1	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	109	...	...	...	...	...	...	-	2	12	29	29	26	8	2	1	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	81	...	...	...	...	...	...	-	2	7	21	21	23	5	2	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	28	...	...	...	...	...	...	-	-	5	8	8	3	3	-	1	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	1,723	1,234	86	35	14	18	52	29	19	8	19	17	22	29	27	30	23	22	15	8	9	4	2	-	-	1
	White-----M--	854	621	43	14	9	7	23	16	13	6	10	9	9	15	8	14	11	8	10	3	4	1	-	-	-	-
	F--	731	515	36	17	4	8	27	11	5	1	8	5	10	13	17	13	11	11	4	5	4	3	2	-	-	1
	Nonwhite--M--	79	56	3	2	-	2	-	-	1	1	1	2	2	1	1	2	1	2	1	-	1	-	-	-	-	-
	F--	59	42	4	2	1	1	2	2	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	5,006	5,006	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2,433	2,433	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,684	1,684	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	500	500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	389	389	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	2,282	2,282	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,222	1,222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	781	781	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	321	321	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	2,403	2,403	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,064	1,064	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	798	798	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	302	302	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	239	239	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	891	104	8	7	6	4	11	3	28	62	42	50	59	61	63	63	63	58	58	36	21	26	26	20	9	3
795	White-----M--	446	56	2	3	3	3	7	1	17	21	9	15	19	26	37	40	41	39	36	21	13	12	8	11	4	2
	F--	294	28	1	4	2	-	3	1	7	13	14	17	24	27	16	19	16	16	20	13	7	13	18	9	5	1
	Nonwhite--M--	97	10	2	-	1	-	1	1	4	18	11	12	10	6	5	3	5	3	2	1	1	1	-	-	-	-
	F--	54	10	3	-	-	1	-	-	-	10	8	6	6	2	5	1	1	-	-	1	-	-	-	-	-	-
Re-	All other diseases	5,803	275	51	41	27	19	58	52	38	79	138	137	199	252	367	474	582	610	738	628	491	327	157	52	8	3
sid-	White-----M--	3,040	142	26	22	15	7	24	15	21	33	45	50	85	106	177	229	339	368	443	369	265	166	67	18	7	1
ual	F--	2,303	93	22	10	10	10	29	32	9	34	53	55	80	96	133	188	219	213	270	249	217	154	90	34	1	2
	Nonwhite--M--	253	22	2	4	1	2	2	2	3	5	23	17	20	29	33	30	14	17	15	6	5	1	-	-	-	-
	F--	207	18	1	5	1	-	3	3	5	7	17	15	14	21	24	27	10	12	10	4	4	6	-	-	-	-
E800-	Accidents---------	6,930	173	96	74	61	49	239	162	298	375	330	291	304	319	380	385	437	471	455	528	504	474	324	148	37	16
E962	White-----M--	4,077	91	49	38	26	29	141	100	231	288	218	200	178	194	251	262	295	306	265	292	248	193	117	44	13	8
	F--	2,232	59	34	26	22	11	74	41	49	51	56	39	65	66	78	82	109	136	167	215	247	273	204	102	21	8
	Nonwhite--M--	440	12	6	5	9	4	14	18	16	28	48	43	45	40	39	32	26	18	11	14	3	3	2	-	1	3
	F--	181	11	7	5	4	5	10	3	2	8	8	9	16	19	12	9	7	11	12	7	6	5	1	2	2	-
E810-	Motor-vehicle																										
E835	accidents--------	2,222	8	18	16	17	21	112	56	164	241	176	130	143	120	131	112	137	159	142	130	93	71	19	2	-	4
	White-----M--	1,497	5	9	9	4	14	69	35	135	192	123	93	89	68	87	69	86	101	95	91	62	44	14	1	-	2
	F--	540	2	8	5	12	6	36	16	24	35	28	21	34	31	27	30	43	49	40	34	28	26	3	1	-	1
	Nonwhite--M--	143	-	-	1	-	-	5	4	5	12	23	14	16	11	15	11	8	7	4	3	1	-	2	-	-	1
	F--	42	1	1	1	1	1	2	1	-	2	2	2	4	10	2	2	-	2	3	2	2	1	-	-	-	-
E800-	All ot. accidents-	4,708	165	78	58	44	28	127	106	134	134	154	161	161	199	249	273	300	312	313	398	411	403	305	146	37	12
E802,	White-----M--	2,580	86	40	29	22	15	72	65	96	96	95	107	89	126	164	193	209	205	170	201	186	149	103	43	13	6
E840-	F--	1,692	57	26	21	10	5	38	25	25	16	28	18	31	35	51	52	66	87	127	181	219	247	201	101	21	4
E962	Nonwhite--M--	297	12	6	4	9	4	9	14	11	16	25	29	29	29	24	21	18	11	7	11	2	3	-	-	1	2
	F--	139	10	6	4	3	4	8	2	2	6	6	7	12	9	10	7	7	9	9	5	4	4	1	2	2	-
E963,	Suicide----------	1,314	-	-	-	-	-	-	3	18	52	65	82	84	117	130	127	154	155	126	97	51	29	17	2	1	4
E970-	White-----M--	967	-	-	-	-	-	-	3	13	40	42	56	53	77	89	95	117	116	97	80	42	25	15	2	1	4
E979	F--	312	-	-	-	-	-	-	-	2	7	16	23	26	38	38	31	35	37	28	16	9	4	2	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	2	5	5	2	4	2	2	1	1	2	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-
E964,	Homicide----------	449	15	1	2	3	2	8	5	26	43	68	48	65	38	39	26	24	10	7	4	8	2	1	1	-	3
E980-	White-----M--	154	5	-	1	1	-	3	1	9	16	20	11	26	12	12	8	11	7	1	1	5	2	-	1	-	1
E985	F--	80	7	1	-	1	2	4	3	7	7	9	6	5	6	6	3	3	2	4	1	2	-	-	-	-	1
	Nonwhite--M--	165	1	-	1	-	-	-	1	9	11	29	25	29	17	15	14	9	1	1	1	1	-	-	-	-	-
	F--	50	2	-	-	1	-	1	-	1	9	10	6	5	3	6	1	1	-	1	1	-	-	1	-	-	1
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA																										
	ALL CAUSES------	31,625	3,465	246	139	103	90	280	202	376	496	539	716	926	1,315	1,535	2,021	2,244	2,825	3,323	3,469	3,102	2,290	1,243	465	133	82
	White-----M--	12,519	982	58	44	31	29	102	78	160	206	234	239	344	501	654	827	967	1,236	1,386	1,481	1,333	958	480	141	36	12
	F--	8,794	709	47	31	26	25	84	47	60	77	70	121	163	246	309	400	469	663	932	1,194	1,230	1,002	576	230	62	21
	Nonwhite--M--	5,735	977	78	40	24	23	54	52	99	145	151	209	232	314	322	417	460	500	559	446	315	166	83	38	11	20
	F--	4,577	797	63	24	22	13	40	25	57	68	84	147	187	254	250	377	348	426	446	348	224	164	104	56	24	29
001-019	Tuberculosis, all forms--------	316	1	2	1	-	-	1	3	10	11	17	18	18	33	33	38	24	26	26	20	15	15	4	-	-	-
	White-----M--	105	-	-	-	-	-	-	-	-	2	2	3	3	6	14	13	10	10	10	10	8	10	4	-	-	-
	F--	45	-	-	-	-	-	-	-	-	3	-	3	3	5	5	1	3	4	6	4	5	3	-	-	-	-
	Nonwhite--M--	94	1	1	1	-	-	-	2	1	-	5	7	8	14	9	15	7	8	5	6	2	2	-	-	-	-
	F--	72	-	1	-	-	-	1	1	9	6	10	5	4	8	5	9	4	4	5	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	289	-	1	1	-	-	-	3	10	9	14	17	17	32	31	36	20	26	24	17	13	14	4	-	-	-
	White-----M--	98	-	-	-	-	-	-	-	-	2	2	3	3	5	14	12	9	10	10	9	6	9	4	-	-	-
	F--	43	-	-	-	-	-	-	-	-	2	-	3	2	5	5	1	3	4	6	4	5	3	-	-	-	-
	Nonwhite--M--	83	-	-	1	-	-	-	2	1	-	4	6	8	14	8	14	5	8	4	4	2	2	-	-	-	-
	F--	65	-	1	-	-	-	-	1	9	5	8	5	4	8	4	9	3	4	4	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	27	1	1	-	-	-	1	-	-	2	3	1	1	1	2	2	4	-	2	3	2	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	1	1	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	1	2	-	-	-	-	-	-
	F--	7	-	-	-	-	-	1	-	-	1	2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	71	2	-	-	-	-	-	-	-	1	1	2	3	7	8	7	13	12	11	1	2	1	-	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	4	2	6	-	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	36	1	-	-	-	-	-	-	-	1	-	1	1	2	5	5	8	6	4	1	1	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	4	-	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	11	5	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
	White-----M--	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	6	1	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
055	Diphtheria--------	7	1	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	10	5	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	40	11	6	5	2	2	7	1	3	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	18	6	1	3	1	-	4	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	8	1	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	1	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	3	-	-	-	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	20	-	-	1	-	1	3	3	2	3	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	1	2	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	1	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	36	12	5	1	3	3	5	3	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-
	White-----M--	9	3	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	10	2	-	-	1	-	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-
	Nonwhite--M--	8	3	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	4	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	109	22	3	2	1	1	9	3	4	3	7	2	3	8	5	4	7	5	9	1	3	5	1	-	1	-
	White-----M--	31	4	2	-	-	-	2	1	-	1	2	-	-	5	2	3	2	1	2	-	1	2	1	-	-	-
	F--	31	6	1	2	-	-	2	1	1	-	-	1	1	1	2	-	2	1	4	1	2	2	-	-	1	-
	Nonwhite--M--	28	9	-	-	-	1	1	-	2	2	1	1	2	1	-	-	2	3	2	-	-	1	-	-	-	-
	F--	19	3	-	-	1	-	4	1	1	-	4	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
140-205	Malignant neoplasms, etc.*----	3,784	8	7	8	9	16	28	16	23	26	36	75	126	228	271	399	403	480	470	468	356	217	76	26	9	3
	White-----M--	1,411	3	-	3	3	7	13	9	8	11	19	14	30	60	82	125	149	196	183	187	167	96	31	11	2	2
	F--	1,491	2	3	2	4	6	11	3	7	8	11	33	62	98	112	149	160	158	185	191	139	102	30	9	5	1
	Nonwhite--M--	422	3	2	1	1	2	3	3	4	4	2	9	7	24	35	45	48	73	60	54	26	9	6	1	-	-
	F--	460	-	2	2	1	1	1	1	4	3	4	19	27	46	42	80	46	53	42	36	24	10	9	5	2	-
140-148	Of buccal cavity and pharynx------	82	-	-	-	-	-	1	-	-	1	-	-	-	4	11	11	12	8	9	9	11	4	1	-	-	-
	White-----M--	56	-	-	-	-	-	1	-	-	1	-	-	-	4	7	8	9	5	7	6	5	2	1	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1	3	5	2	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,148	3	-	-	-	1	1	-	1	1	2	7	23	51	66	110	114	159	177	166	127	92	33	9	4	1
	White-----M--	433	2	-	-	-	1	1	-	-	-	1	1	9	16	27	37	48	69	55	61	54	38	9	2	1	1
	F--	426	1	-	-	-	-	-	-	1	1	1	2	8	19	16	33	31	42	74	68	55	43	22	6	3	-
	Nonwhite--M--	171	-	-	-	-	-	-	-	-	-	-	1	1	10	13	24	22	28	33	23	10	6	-	-	-	-
	F--	118	-	-	-	-	-	-	-	-	-	-	3	5	6	10	16	13	20	15	14	8	5	2	1	-	-
160-164	Of respiratory system----------	350	-	-	-	-	-	1	-	-	3	1	2	9	29	29	43	50	58	51	35	23	10	1	4	-	1
	White-----M--	237	-	-	-	-	-	-	-	-	2	-	-	4	18	18	27	41	40	36	24	17	6	1	2	-	1
	F--	58	-	-	-	-	-	-	-	-	1	-	1	2	5	2	5	4	8	11	9	6	3	-	1	-	-
	Nonwhite--M--	43	-	-	-	-	-	1	-	-	-	1	1	1	5	5	9	5	9	3	1	-	1	-	1	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	2	1	4	2	-	1	1	1	-	-	-	-	-	-
170	Of breast---------	340	-	-	-	-	-	-	-	-	-	-	12	21	37	40	50	44	34	32	36	16	12	4	-	2	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-
	F--	261	-	-	-	-	-	-	-	-	-	-	7	15	23	33	37	37	30	24	27	14	11	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	75	-	-	-	-	-	-	-	-	-	-	5	5	14	7	13	7	4	6	8	2	1	1	-	2	-
171-179	Of genital organs-	768	-	-	-	-	-	-	-	-	3	8	20	33	46	59	92	71	85	86	113	81	45	17	9	-	-
	White-----M--	194	-	-	-	-	-	-	-	-	2	2	2	2	-	1	4	4	17	30	42	45	28	9	6	-	-
	F--	332	-	-	-	-	-	-	-	-	-	2	10	24	31	41	47	41	33	28	40	19	14	2	-	-	-
	Nonwhite--M--	82	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	7	19	14	21	9	1	4	-	-	-
	F--	160	-	-	-	-	-	-	-	-	1	4	7	7	15	15	37	19	16	14	10	8	2	2	3	-	-
180, 181	Of urinary organs-	151	1	1	-	3	3	-	-	-	1	-	1	3	3	8	10	16	25	19	17	26	8	6	-	-	-
	White-----M--	71	-	-	-	1	-	-	-	-	-	-	-	2	1	4	7	8	13	8	8	13	2	4	-	-	-
	F--	49	1	-	-	1	3	-	-	-	-	-	1	-	2	1	1	5	6	7	3	11	6	1	-	-	-
	Nonwhite--M--	21	-	1	-	1	-	-	-	-	1	-	-	-	-	2	-	1	6	4	4	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	2	1	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	568	2	3	4	3	5	11	7	10	10	13	13	24	33	42	51	70	65	58	51	47	30	9	3	3	1
	White-----M--	244	1	-	2	-	2	5	4	3	3	8	4	11	12	20	26	30	24	24	24	23	12	4	1	1	-
	F--	212	-	3	1	3	1	4	-	1	3	4	4	8	11	11	13	29	23	30	24	17	16	2	1	2	1
	Nonwhite--M--	54	1	-	-	-	2	1	2	3	2	1	2	2	2	7	4	8	9	2	3	3	-	-	-	-	-
	F--	58	-	-	1	-	-	1	1	3	2	-	3	3	8	4	8	3	9	2	-	4	2	3	1	-	-
204	Leukemia and aleukemia----------	209	2	3	4	3	6	13	7	8	5	7	10	5	13	9	11	13	21	20	22	14	9	4	-	-	-
	White-----M--	97	-	-	1	2	4	5	4	3	3	4	2	1	4	2	3	7	13	13	12	7	5	2	-	-	-
	F--	76	-	-	1	-	1	7	3	4	1	3	4	2	5	5	6	3	7	5	9	6	4	-	-	-	-
	Nonwhite--M--	25	2	1	1	-	-	1	-	1	1	-	3	1	3	1	1	3	1	1	1	1	-	2	-	-	-
	F--	11	-	2	1	1	1	-	-	-	-	-	1	1	1	1	1	-	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	168	-	-	-	-	1	1	2	4	2	5	10	8	12	7	21	13	25	18	19	11	7	1	1	-	-
	White-----M--	75	-	-	-	-	-	1	1	2	-	4	5	-	5	3	13	2	15	8	9	3	3	1	-	-	-
	F--	59	-	-	-	-	1	-	-	1	2	1	4	3	2	1	5	8	8	5	8	6	3	-	1	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	1	-	-	-	1	2	4	3	2	1	-	3	1	1	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	1	-	-	-	3	1	-	1	2	2	2	1	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	108	4	1	-	1	1	6	1	1	3	9	4	10	7	13	14	10	7	5	6	2	2	1	-	-	-
	White-----M--	28	1	-	-	1	-	2	-	-	2	4	-	1	3	2	3	5	3	-	1	-	-	-	-	-	-
	F--	39	1	-	-	-	1	2	-	-	-	-	-	5	1	6	7	2	3	3	4	1	2	1	-	-	-
	Nonwhite--M--	14	1	-	-	-	-	2	1	1	1	2	1	-	-	2	1	-	1	-	-	1	-	-	-	-	-
	F--	27	1	1	-	-	-	-	-	-	-	3	3	4	3	3	3	3	-	2	1	-	-	-	-	-	-
260	Diabetes mellitus-	422	-	-	1	-	-	2	2	1	3	3	11	13	11	26	28	41	65	65	58	44	31	11	6	-	-
	White-----M--	134	-	-	-	-	-	-	-	-	1	2	5	5	4	11	3	15	21	20	19	14	6	6	2	-	-
	F--	166	-	-	-	-	-	1	-	-	-	-	2	2	1	6	9	12	27	33	25	22	21	3	2	-	-
	Nonwhite--M--	45	-	-	1	-	-	1	1	-	2	-	1	4	3	1	5	4	6	7	4	4	-	1	-	-	-
	F--	77	-	-	-	-	-	-	1	1	-	1	3	2	3	8	11	10	11	5	10	4	4	1	2	-	-
290-293	Anemias----------	60	8	1	-	1	1	3	1	-	1	3	-	2	2	2	2	1	6	6	8	5	6	1	-	-	-
	White-----M--	15	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	2	3	-	-	-	-
	F--	16	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	2	2	5	1	3	-	-	-	-
	Nonwhite--M--	17	3	1	-	-	1	1	-	-	1	2	-	-	2	1	-	1	2	1	-	1	-	-	-	-	-
	F--	12	1	-	-	-	-	2	1	-	-	1	-	1	-	-	1	-	1	1	1	1	-	1	-	-	-
340	Nonmeningococcal meningitis*------	52	20	6	2	1	-	4	2	-	-	1	1	2	2	1	4	2	-	1	1	2	-	-	-	-	-
	White-----M--	8	4	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	18	6	3	-	-	-	-	1	-	-	-	1	2	1	-	2	1	-	-	-	1	-	-	-	-	-
	F--	19	8	3	-	1	-	2	1	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	16,585	23	3	4	2	1	19	17	42	52	92	185	352	585	809	1,116	1,365	1,819	2,268	2,426	2,296	1,678	943	338	88	62
	White-----M--	6,858	8	2	2	-	1	5	2	13	16	26	54	121	202	359	477	595	814	948	1,048	984	688	356	103	26	8
	F--	4,805	4	-	-	2	-	6	4	5	11	16	26	46	83	112	161	224	380	590	807	918	744	449	166	35	16
	Nonwhite--M--	2,610	4	1	1	-	-	5	5	12	9	25	55	108	153	186	256	307	318	385	317	228	126	59	28	9	13
	F--	2,312	7	-	1	-	-	3	6	12	16	25	50	77	147	152	222	239	307	345	254	166	120	79	41	18	25
330-334, 400-468	Diseases of cardiovascular system-	16,095	22	3	3	2	1	13	16	32	46	78	171	324	558	777	1,080	1,320	1,771	2,222	2,379	2,242	1,646	918	326	85	60
	White-----M--	6,710	8	2	1	-	1	4	2	9	15	21	49	113	197	346	466	584	801	937	1,030	963	676	350	102	26	7
	F--	4,675	3	-	-	2	-	3	3	1	9	13	21	42	75	109	154	216	372	582	794	899	732	437	158	34	16
	Nonwhite--M--	2,491	4	1	1	-	-	3	5	12	7	25	51	99	148	177	243	294	308	368	306	216	120	56	27	8	12
	F--	2,219	7	-	1	-	-	3	6	10	15	19	50	70	138	145	217	226	290	335	249	164	118	75	39	17	25
330-334	Vascular lesions, etc.*----------	4,265	10	1	2	1	-	2	3	7	10	20	34	64	113	167	265	304	459	599	695	658	497	234	77	29	14
	White-----M--	1,488	3	1	1	-	-	1	1	-	4	2	11	16	20	48	65	97	153	210	272	272	189	90	23	9	-
	F--	1,387	1	-	-	1	-	-	-	1	3	5	4	13	27	33	54	71	102	165	241	273	230	109	41	10	3
	Nonwhite--M--	697	2	-	1	-	-	-	1	4	1	6	11	20	36	43	75	70	100	116	97	56	33	16	3	3	3
	F--	693	4	-	-	-	-	1	1	2	2	7	8	15	30	43	71	66	104	108	85	57	45	19	10	7	8
400-402	Rheumatic fever---	35	-	-	-	1	-	7	5	4	2	1	3	3	2	2	2	-	1	-	1	1	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	1	-	3	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	F--	9	-	-	-	1	-	2	2	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	2	1	-	-	-	2	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	2	2	1	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, see table 52A.

385053 O - 56 - 20

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
410-443	Diseases of heart	10,795	10	2	1	-	-	3	8	21	28	48	116	230	408	572	754	960	1,246	1,531	1,555	1,437	1,012	570	205	45	33
	White-----M--	4,815	5	1	-	-	-	1	1	6	10	19	34	92	163	282	377	464	622	688	707	629	423	210	66	9	6
	F--	2,977	2	-	-	-	-	1	1	-	5	4	14	25	45	69	89	134	258	397	514	569	448	276	96	21	9
	Nonwhite--M--	1,627	1	1	-	-	-	1	3	8	5	16	32	65	98	126	153	210	195	234	194	141	80	33	18	5	8
	F--	1,376	2	-	1	-	-	-	3	7	8	9	36	48	102	95	135	152	171	212	140	98	61	51	25	10	10
410-416	Chronic rheumatic heart disease	312	-	-	-	-	-	-	5	10	14	17	15	30	25	22	21	26	30	30	17	18	23	6	1	-	2
	White-----M--	114	-	-	-	-	-	-	1	3	5	11	6	10	7	11	9	8	9	10	8	7	7	1	-	-	1
	F--	106	-	-	-	-	-	-	-	-	3	2	3	12	13	8	7	9	12	14	4	4	11	3	1	-	-
	Nonwhite--M--	52	-	-	-	-	-	-	2	5	3	3	4	4	2	3	2	7	4	3	3	3	2	1	-	-	1
	F--	40	-	-	-	-	-	-	2	2	3	1	2	4	3	-	3	2	5	3	2	4	3	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,169	6	-	-	-	-	-	-	4	4	14	51	131	223	339	463	595	804	900	915	805	527	262	95	21	10
	White-----M--	3,346	4	-	-	-	-	-	-	1	-	5	20	69	125	220	293	362	497	479	482	388	251	112	28	7	3
	F--	1,680	1	-	-	-	-	-	-	-	1	1	6	8	15	34	51	84	163	254	315	332	232	124	48	9	2
	Nonwhite--M--	659	1	-	-	-	-	-	-	2	-	5	10	30	43	50	67	94	85	98	78	49	25	9	10	1	2
	F--	484	-	-	-	-	-	-	-	1	3	3	15	24	40	35	52	55	59	69	40	36	19	17	9	4	3
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,193	-	2	-	-	-	2	-	-	1	1	7	8	26	30	46	81	88	150	163	188	168	151	57	10	14
	White-----M--	400	-	1	-	-	-	-	-	-	1	-	-	1	8	9	15	19	20	49	52	77	69	55	22	-	2
	F--	396	-	-	-	-	-	1	-	-	-	1	1	-	3	3	7	10	22	31	53	80	70	76	25	8	5
	Nonwhite--M--	216	-	1	-	-	-	1	-	-	-	-	2	6	7	13	11	32	24	38	32	18	15	9	4	-	3
	F--	181	-	-	-	-	-	-	-	-	-	-	4	1	8	5	13	20	22	32	26	13	14	11	6	2	4
430-434	Other diseases of heart	801	4	-	1	-	-	1	3	5	8	11	17	28	50	64	65	74	93	96	98	83	50	30	16	1	3
	White-----M--	345	1	-	-	-	-	1	-	2	4	3	6	10	14	24	30	36	46	53	46	32	18	9	10	-	-
	F--	153	1	-	-	-	-	-	1	-	1	-	-	4	6	10	6	9	11	15	26	28	20	12	2	-	1
	Nonwhite--M--	176	-	-	-	-	-	-	1	1	2	6	6	9	14	20	20	16	20	15	20	13	5	6	1	1	-
	F--	127	2	-	1	-	-	-	1	2	1	2	5	5	16	10	9	13	16	13	6	10	7	3	3	-	2
440-443	Hypertension with heart dis.	2,320	-	-	-	-	-	-	-	2	1	5	26	33	84	117	159	184	231	355	362	343	244	121	36	13	4
	White-----M--	610	-	-	-	-	-	-	-	-	-	-	2	2	9	18	30	39	50	97	119	125	78	33	6	2	-
	F--	642	-	-	-	-	-	-	-	-	-	-	4	1	8	14	18	22	50	83	116	125	115	61	20	4	1
	Nonwhite--M--	524	-	-	-	-	-	-	-	-	-	2	10	16	32	40	53	61	62	80	61	58	33	8	3	3	2
	F--	544	-	-	-	-	-	-	-	2	1	3	10	14	35	45	58	62	69	95	66	35	18	19	7	4	1
444-447	Hypertension without mention of heart	287	-	-	-	-	-	-	-	-	4	4	10	13	24	18	25	19	25	27	29	42	24	15	4	3	1
	White-----M--	94	-	-	-	-	-	-	-	-	-	-	1	2	6	6	11	7	7	12	9	13	9	8	1	2	-
	F--	67	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	5	7	3	6	19	8	7	1	1	-
	Nonwhite--M--	68	-	-	-	-	-	-	-	-	1	2	5	9	11	5	5	3	6	7	4	6	2	-	1	-	1
	F--	58	-	-	-	-	-	-	-	-	3	2	4	1	5	4	5	4	5	5	10	4	5	-	1	-	-
450	General arteriosclerosis	502	-	-	-	-	-	-	-	-	-	-	1	-	1	4	8	11	19	42	72	85	110	92	38	8	11
	White-----M--	210	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	7	18	29	38	52	40	10	6	1
	F--	182	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	8	22	33	46	41	20	2	4
	Nonwhite--M--	58	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	3	7	10	12	5	6	5	-	-
	F--	52	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	5	9	11	2	7	5	3	-	6
451-468	Other diseases of circulatory sys.	211	2	-	-	-	1	1	-	-	2	5	7	14	10	14	26	26	21	23	27	19	3	7	2	-	1
	White-----M--	95	-	-	-	-	1	1	-	-	-	-	3	3	7	7	11	11	12	9	13	10	3	2	2	-	-
	F--	53	-	-	-	-	-	-	-	-	1	3	2	3	1	3	5	5	1	9	11	5	-	4	-	-	-
	Nonwhite--M--	32	1	-	-	-	-	-	-	-	-	1	1	4	1	2	5	7	3	4	1	1	-	1	-	-	-
	F--	31	1	-	-	-	-	-	-	-	1	1	1	4	1	2	5	3	5	1	2	3	-	-	-	-	1
592-594	Chronic nephritis, etc.*	490	1	-	1	-	-	6	1	10	6	14	14	28	27	32	36	45	48	46	47	54	32	25	12	3	2
	White-----M--	148	-	-	1	-	-	1	-	4	1	5	5	8	5	13	11	11	13	11	18	21	12	6	1	-	1
	F--	130	1	-	-	-	-	3	1	4	2	3	5	4	8	3	7	8	8	8	13	19	12	12	8	1	-
	Nonwhite--M--	119	-	-	-	-	-	2	-	-	2	-	4	9	5	9	13	13	10	17	11	12	6	3	1	1	1
	F--	93	-	-	-	-	-	-	-	2	1	6	-	7	9	7	5	13	17	10	5	2	2	4	2	1	-
480-493	Influenza and pneumonia, etc.*	1,165	409	55	21	15	7	17	7	12	5	8	20	12	19	16	45	41	43	79	92	83	65	53	23	14	4
	White-----M--	323	77	8	5	5	2	5	2	3	1	3	2	1	4	5	17	11	15	28	33	32	33	20	8	2	1
	F--	254	56	8	1	1	1	5	1	4	1	1	4	2	3	5	2	5	8	14	32	27	23	25	12	11	2
	Nonwhite--M--	316	148	20	8	4	3	3	2	3	2	4	6	4	10	2	15	12	11	23	12	14	5	2	1	1	1
	F--	272	128	19	7	5	1	4	2	2	1	-	8	5	2	4	11	13	9	14	15	10	4	6	2	-	-
480-483	Influenza	101	26	1	1	3	-	1	-	2	-	-	1	1	-	-	4	10	3	11	7	10	9	6	2	3	-
	White-----M--	23	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	5	5	2	1	-	-
	F--	20	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	1	1	1	4	2	1	3	-
	Nonwhite--M--	25	11	-	1	-	-	-	-	1	-	-	-	1	-	-	1	2	1	3	2	2	-		-	-	-
	F--	33	11	-	-	2	-	-	-	-	-	-	1	-	-	-	2	6	1	4	2	2	-	2	-	-	-
490-493	Pneumonia, etc.*	1,064	383	54	20	12	7	16	7	10	5	8	19	11	19	16	41	31	40	68	85	73	56	47	21	11	4
	White-----M--	300	75	8	5	4	2	5	2	3	1	3	2	1	4	5	16	10	15	25	31	27	28	18	7	2	1
	F--	234	54	7	1	1	1	4	1	3	1	1	4	2	3	5	2	4	7	13	31	26	19	23	11	8	2
	Nonwhite--M--	291	137	20	7	4	3	3	2	2	2	4	6	3	10	2	14	10	10	20	10	12	5	2	1	1	1
	F--	239	117	19	7	3	1	4	2	2	1	-	7	5	2	4	9	7	8	10	13	8	4	4	2	-	-
500-502	Bronchitis	47	11	4	2	-	2	2	-	-	-	-	-	-	-	-	1	3	3	5	2	5	3	3	-	1	-
	White-----M--	22	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	2	3	2	3	2	3	-	-	-
	F--	13	2	2	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	-	-	-	-
	Nonwhite--M--	8	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
540, 541	Ulcer of stomach and duodenum	143	1	-	-	-	-	-	-	2	-	1	4	8	13	14	14	22	13	12	20	8	8	1	1	-	1
	White-----M--	73	-	-	-	-	-	-	-	2	-	-	-	4	6	8	10	10	5	5	10	5	7	1	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	2	-	3	2	1	4	2	5	7	3	1	-	-	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	1	2	3	4	3	3	4	6	2	3	-	-	-	1	-	1
	F--	7	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	35	1	-	-	-	-	1	-	4	2	1	1	-	5	2	1	2	2	3	3	2	3	2	-	-	-
	White-----M--	12	1	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	1	1	2	-	2	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	1	-	-	1	1	-	2	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	1	-	3	1	1	-	-	1	-	-	1	1	2	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	145	27	1	-	1	1	-	-	2	3	4	1	6	3	5	11	10	12	15	13	13	6	8	3	-	-
	White-----M--	53	8	1	-	-	1	-	-	-	-	-	-	2	-	-	5	5	6	5	6	8	2	2	2	-	-
	F--	40	7	-	-	1	-	-	-	1	-	2	-	1	-	-	2	2	4	5	4	3	3	4	1	-	-
	Nonwhite--M--	33	7	-	-	-	-	-	-	1	1	-	1	1	3	2	3	3	-	5	2	2	-	2	-	-	-
	F--	19	5	-	-	-	-	-	-	-	2	2	-	2	-	3	1	-	2	-	1	-	1	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
543,	Gastritis, etc.*--	225	156	14	4	-	1	-	-	2	-	-	-	4	3	2	2	3	5	5	6	7	8	1	2	-	-
571,	White-----M--	42	18	3	1	-	-	-	-	1	-	-	-	3	1	1	1	1	4	-	2	3	1	1	1	-	-
572	F--	34	17	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	4	4	-	1	-	-
	Nonwhite--M--	86	70	6	3	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	3	-	1	-	-	-	-
	F--	63	51	4	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	2	-	-	-	-
581	Cirrhosis of liver	207	2	-	-	-	1	2	2	2	-	5	4	12	20	20	30	22	28	21	17	11	6	-	1	1	-
	White-----M--	111	-	-	-	-	-	2	1	1	-	2	2	7	8	11	15	17	19	10	11	4	1	-	-	-	-
	F--	55	1	-	-	-	1	-	1	1	-	-	1	1	4	6	10	3	6	6	3	5	4	-	1	1	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	1	1	-	5	1	4	1	3	4	-	1	-	-	-	-	-
	F--	20	1	-	-	-	-	-	-	-	-	2	-	4	3	2	1	1	-	1	3	1	1	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	65	1	1	5	-	-	-	1	-	6	2	6	7	4	6	2	3	6	4	1	4	3	1	2	-	-
	White-----M--	19	-	-	1	-	-	-	-	-	2	-	1	2	3	3	-	1	1	1	-	2	1	-	1	-	-
	F--	13	-	-	1	-	-	-	-	-	1	-	2	-	-	1	1	-	2	1	1	-	2	1	-	-	-
	Nonwhite--M--	17	1	1	1	-	-	-	1	-	1	1	2	1	1	2	1	1	1	-	-	1	-	-	1	-	-
	F--	16	-	-	2	-	-	-	-	-	2	1	1	4	-	-	-	1	2	2	-	1	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	115	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	12	21	24	11	25	10	-	2	1
	White-----M--	76	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	11	17	8	21	9	-	1	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	6	10	7	3	4	1	-	1	1
640-	Complications of																										
689	pregnancy, etc.*-	82	...	...	...	...	...	...	-	9	17	10	21	18	7	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	27	...	...	...	...	...	...	-	1	5	6	7	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	55	...	...	...	...	...	...	-	8	12	4	14	12	5	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	9	...	...	...	...	...	...	-	1	1	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	1	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	73	...	...	...	...	...	...	-	8	16	8	18	16	7	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	25	...	...	...	...	...	...	-	1	5	5	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	48	...	...	...	...	...	...	-	7	11	3	12	10	5	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	493	383	21	14	4	4	16	5	10	4	5	4	5	6	2	2	4	1	1	1	-	-	-	1	-	-
	White-----M--	184	145	8	4	2	2	6	1	5	1	2	-	2	2	-	-	2	1	1	-	-	-	-	-	-	-
	F--	159	124	3	6	1	1	5	2	1	3	1	1	1	4	1	1	2	-	-	1	-	-	-	1	-	-
	Nonwhite--M--	91	71	3	2	1	1	4	1	3	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	59	43	7	2	-	-	1	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,877	1,874	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	595	594	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	392	391	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	492	491	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	398	398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	727	725	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	251	250	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	167	166	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	1,018	1,017	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	317	317	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	211	211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	264	263	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	226	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	686	159	12	2	2	2	5	3	4	6	7	19	16	20	24	31	25	47	54	55	50	56	43	30	8	6
795	White-----M--	190	27	2	-	2	1	1	1	-	3	1	2	4	7	9	10	6	16	20	20	12	22	17	5	1	1
	F--	151	19	3	1	-	1	1	-	-	-	1	2	1	2	2	5	4	3	11	14	17	20	18	19	5	2
	Nonwhite--M--	184	60	1	1	-	-	2	1	3	1	4	7	5	6	6	9	11	14	13	12	13	5	7	2	-	1
	F--	161	53	6	-	-	-	1	1	1	2	1	8	6	5	7	7	4	14	10	9	8	9	1	4	2	2
Re-	All other diseases	1,445	122	34	21	7	10	31	23	27	35	29	52	61	76	73	103	104	126	136	135	102	76	42	15	5	-
sid-	White-----M--	543	35	7	5	-	2	14	7	9	6	10	16	17	32	27	41	48	49	69	53	46	32	13	3	2	-
ual	F--	483	38	11	6	4	2	9	11	10	13	12	10	8	16	20	26	27	44	45	62	45	30	23	9	2	-
	Nonwhite--M--	235	24	9	9	3	5	8	3	4	9	6	14	23	12	11	22	14	19	13	11	6	6	2	2	-	-
	F--	184	25	7	1	-	1	-	2	4	7	1	12	13	16	15	14	15	14	9	9	5	8	4	1	1	-
E800-	Accidents----------	2,531	194	63	40	51	34	113	103	190	240	211	184	166	162	115	120	86	68	83	99	71	72	41	17	4	4
E962	White-----M--	1,269	38	22	16	16	10	45	47	111	135	128	105	102	101	65	70	49	37	45	51	27	27	15	5	2	-
	F--	414	35	10	8	10	9	29	22	21	24	13	16	13	7	15	18	12	12	14	28	32	35	20	9	2	-
	Nonwhite--M--	619	63	23	7	12	8	20	28	51	73	56	53	37	48	33	21	20	14	18	13	8	6	3	2	-	2
	F--	229	58	8	9	13	7	19	6	7	8	14	10	14	6	2	11	5	5	6	7	4	4	3	1	-	2
E810-	Motor-vehicle																										
E835	accidents---------	1,074	6	17	14	25	15	55	36	111	166	129	93	66	76	51	56	34	34	33	33	12	6	3	-	-	3
	White-----M--	591	1	10	8	9	5	22	17	66	91	83	51	47	42	29	31	18	15	16	21	6	3	-	-	-	-
	F--	159	2	2	3	5	4	20	11	16	18	7	12	4	4	8	11	5	9	6	6	3	1	2	-	-	-
	Nonwhite--M--	263	2	4	1	5	4	9	7	25	51	32	26	12	25	14	9	10	7	8	5	3	2	-	-	-	2
	F--	61	1	1	2	6	2	4	1	4	6	7	4	3	5	-	5	1	3	3	1	-	-	1	-	-	1
E800-	All ot. accidents-	1,457	188	46	26	26	19	58	67	79	74	82	91	100	86	64	64	52	34	50	66	59	66	38	17	4	1
E802,	White-----M--	678	37	12	8	7	5	23	30	45	44	45	54	55	59	36	39	31	22	29	30	21	24	15	5	2	-
E840-	F--	255	33	8	5	5	5	9	11	5	6	6	4	9	3	7	7	7	3	8	22	29	34	18	9	2	-
E962	Nonwhite--M--	356	61	19	6	7	4	11	21	26	22	24	27	25	23	19	12	10	7	10	8	5	4	3	2	-	-
	F--	168	57	7	7	7	5	15	5	3	2	7	6	11	1	2	6	4	2	3	6	4	4	2	1	-	1
E963,	Suicide----------	355	-	-	-	-	-	-	2	7	19	25	32	37	47	53	34	37	27	19	10	4	1	1	-	-	-
E970-	White-----M--	281	-	-	-	-	-	-	2	3	12	19	18	26	34	41	28	30	20	15	7	4	1	1	-	-	-
E979	F--	50	-	-	-	-	-	-	-	2	2	4	7	5	9	7	3	4	4	1	2	-	-	-	-	-	-
	Nonwhite--M--	41	-	-	-	-	-	-	-	-	5	2	6	6	4	5	3	3	3	3	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	368	2	1	1	2	-	2	4	17	54	59	68	41	45	31	10	11	11	3	1	3	1	-	-	-	1
E980-	White-----M--	88	-	-	1	-	-	-	1	3	11	12	14	9	14	10	4	2	6	1	-	-	-	-	-	-	-
E985	F--	34	1	1	-	1	-	2	1	3	3	3	3	5	5	3	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	196	1	-	-	1	-	-	2	8	32	36	40	18	20	16	3	9	4	2	-	2	1	-	-	-	1
	F--	50	-	-	-	-	-	-	-	3	8	8	11	9	6	2	2	-	-	-	1	-	-	-	-	-	-
E965,	Operations of war-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA																										
	ALL CAUSES------	5,055	425	30	23	15	6	34	31	56	50	61	62	60	123	157	215	317	421	572	646	677	573	314	156	27	4
	White-----M--	3,008	227	16	10	9	3	23	18	44	36	43	36	37	75	98	133	203	256	355	388	412	334	167	75	9	1
	F--	1,927	175	9	11	5	2	11	12	9	9	13	22	18	43	57	79	107	160	212	246	252	231	145	81	16	2
	Nonwhite--M--	71	13	3	1	1	1	-	-	3	2	4	2	3	2	-	3	5	3	3	7	10	3	-	-	1	1
	F--	49	10	2	1	-	-	-	1	-	3	1	2	2	3	2	-	2	2	2	5	3	5	2	-	1	-
001-019	Tuberculosis, all forms--------	24	-	-	1	-	-	-	1	-	2	1	-	1	2	2	5	2	-	3	1	2	-	1	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	3	1	1	-	1	-	-	-
	F--	8	-	-	-	-	-	-	1	-	-	-	-	-	2	1	3	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	18	-	-	1	-	-	-	-	-	2	1	-	1	2	1	3	1	-	3	-	2	-	1	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	-	1	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	6	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	5	-	-	-	-	-	2	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	21	4	2	1	1	-	1	-	-	-	2	-	-	2	-	-	2	1	1	3	1	-	-	-	-	-
	White-----M--	16	3	2	1	1	-	1	-	-	-	1	-	-	2	-	-	1	1	1	1	1	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
140-205	Malignant neoplasms, etc.*	746	1	2	2	-	-	3	4	2	4	5	9	9	19	33	62	77	93	114	123	97	60	24	2	1	-
	White--M--	401	1	1	1	-	-	1	2	2	2	5	1	2	6	14	29	34	46	65	73	65	41	9	1	-	-
	F--	334	-	1	-	-	-	2	2	-	2	-	8	7	13	19	33	42	46	48	47	29	19	14	1	1	-
	Nonwhite--M--	7	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-
140-148	Of buccal cavity and pharynx	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	1	-	-	-
	White--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	296	1	-	-	-	-	-	-	-	-	-	-	2	4	7	22	29	41	54	58	44	21	10	2	1	-
	White--M--	170	1	-	-	-	-	-	-	-	-	-	-	-	4	3	14	15	19	34	34	27	15	3	1	-	-
	F--	122	-	-	-	-	-	-	-	-	-	-	-	2	-	4	8	13	22	20	21	17	6	7	1	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
160-164	Of respiratory system	56	-	-	-	-	-	-	-	-	-	-	1	-	-	4	5	5	10	10	12	4	3	2	-	-	-
	White--M--	45	-	-	-	-	-	-	-	-	-	-	1	-	-	4	4	5	7	10	10	1	2	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	2	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	79	-	-	-	-	-	-	-	-	-	-	3	3	5	9	9	14	9	5	10	3	8	1	-	-	-
	White--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-
	F--	76	-	-	-	-	-	-	-	-	-	-	3	3	5	8	9	13	9	5	10	3	7	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	119	-	-	-	-	-	-	-	-	1	1	-	2	4	4	9	4	11	19	17	21	19	7	-	-	-
	White--M--	63	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	4	7	13	17	16	5	-	-	-
	F--	54	-	-	-	-	-	-	-	-	1	-	-	2	4	4	9	4	7	11	4	3	3	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
180, 181	Of urinary organs	48	-	-	-	-	-	1	-	-	-	-	-	1	-	1	5	7	6	9	8	8	2	-	-	-	-
	White--M--	35	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	5	4	5	7	7	2	-	-	-	-
	F--	13	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	2	2	4	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	65	-	-	2	-	-	1	1	1	-	1	1	1	3	5	3	6	9	4	10	11	3	3	-	-	-
	White--M--	31	-	-	1	-	-	-	-	1	-	1	-	1	-	3	2	2	6	1	4	8	1	-	-	-	-
	F--	31	-	-	-	-	-	1	1	-	-	-	1	-	3	2	1	4	3	3	6	2	2	2	-	-	-
	Nonwhite--M--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
204	Leukemia and aleukemia	38	-	2	-	-	-	-	2	1	1	2	1	-	1	1	3	4	6	7	3	2	2	-	-	-	-
	White--M--	26	-	1	-	-	-	-	2	1	1	2	-	-	-	1	2	2	5	4	1	2	2	-	-	-	-
	F--	12	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	3	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	40	-	-	-	-	-	1	1	-	2	1	3	-	2	2	4	8	1	6	4	3	2	-	-	-	-
	White--M--	24	-	-	-	-	-	1	-	-	1	1	-	-	2	1	2	4	1	4	3	2	2	-	-	-	-
	F--	16	-	-	-	-	-	-	1	-	1	-	3	-	-	1	2	4	-	2	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	15	1	-	-	-	-	-	-	-	-	-	2	-	-	1	3	2	1	1	2	1	1	-	-	-	-
	White--M--	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	88	1	1	-	1	-	-	-	2	1	1	1	-	2	1	4	5	3	22	20	11	9	3	-	-	-
	White--M--	36	1	1	-	-	-	-	-	2	1	-	1	-	2	1	2	1	-	10	7	4	3	-	-	-	-
	F--	47	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	3	3	11	12	7	6	3	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
290-293	Anemias	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	4	5	1	3	-	-	-
	White--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	5	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,675	4	-	1	-	-	1	3	5	6	9	14	14	51	71	88	167	266	348	405	463	409	217	114	16	3
	White--M--	1,635	3	-	-	-	-	1	-	3	1	7	11	10	32	52	64	122	175	218	250	276	229	116	57	7	1
	F--	1,008	1	-	1	-	-	-	3	1	4	1	2	3	18	19	23	44	89	130	149	178	174	100	57	9	2
	Nonwhite--M--	22	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	1	1	-	4	8	3	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	2	1	3	1	-	-	-
330-334, 400-468	Diseases of cardiovascular system	2,624	4	-	1	-	-	-	2	2	5	7	12	12	47	67	88	163	258	344	400	461	405	215	114	14	3
	White--M--	1,604	3	-	-	-	-	-	-	2	1	5	10	9	29	49	64	119	169	217	247	274	227	115	57	6	1
	F--	989	1	-	1	-	-	-	2	-	3	1	1	2	17	18	23	43	87	127	147	178	172	99	57	8	2
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	1	-	4	8	3	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	2	1	3	1	-	-	-
330-334	Vascular lesions, etc.*	646	-	-	-	-	-	-	-	-	1	1	2	4	15	8	11	27	64	83	103	118	113	59	32	4	1
	White--M--	337	-	-	-	-	-	-	-	-	-	1	2	3	6	3	8	15	27	48	61	65	52	32	12	1	1
	F--	302	-	-	-	-	-	-	-	-	1	-	-	1	9	5	3	12	37	35	39	51	60	26	20	3	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
400-402	Rheumatic fever	5	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	White--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
410-443	Diseases of heart	1,795	3	-	1	-	-	-	-	2	3	6	8	8	30	54	73	130	180	246	280	311	260	126	65	7	2
	White-----M--	1,161	2	-	-	-	-	-	-	2	1	4	7	6	22	43	54	98	135	159	176	191	155	70	33	3	-
	F--	611	1	-	1	-	-	-	-	-	1	1	-	1	7	11	18	31	43	87	101	114	100	56	32	4	2
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	1	-	2	6	2	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	3	-	-	-	-
410-416	Chronic rheumatic heart disease----	66	-	-	-	-	-	-	-	1	2	2	2	1	6	5	5	12	8	3	5	8	5	-	1	-	-
	White-----M--	32	-	-	-	-	-	-	-	1	-	1	2	1	3	2	2	7	3	1	3	3	3	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	1	1	-	-	3	3	3	4	5	2	2	5	1	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,301	1	-	-	-	-	-	-	-	-	3	5	3	20	41	53	105	137	198	219	208	181	79	42	5	1
	White-----M--	897	1	-	-	-	-	-	-	-	-	3	5	2	17	36	43	82	113	132	147	132	114	44	24	2	-
	F--	389	-	-	-	-	-	-	-	-	-	-	-	-	3	5	9	23	23	66	69	71	63	35	18	3	1
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	5	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	165	-	-	-	-	-	-	-	1	-	-	-	-	2	1	5	6	10	8	16	41	39	22	12	2	-
	White-----M--	89	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	4	7	5	8	21	18	14	6	1	-
	F--	74	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	3	8	19	21	8	6	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	95	2	-	1	-	-	-	-	-	1	1	1	3	2	3	7	4	8	13	15	17	7	7	2	-	1
	White-----M--	67	1	-	-	-	-	-	-	-	1	-	-	3	1	3	6	2	5	10	10	14	5	5	1	-	-
	F--	26	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	2	3	3	5	3	2	2	1	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	168	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	3	17	24	25	37	28	18	8	-	-
	White-----M--	76	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	7	11	8	21	15	7	2	-	-
	F--	91	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	9	13	17	16	13	11	6	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	33	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	5	1	3	5	4	7	1	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	-	2	1	4	1	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	-	3	2	3	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
450	General arteriosclerosis--------	103	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	4	11	20	25	20	13	3	-
	White-----M--	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	8	12	16	9	10	2	-
	F--	39	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	8	9	11	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	42	1	-	-	-	-	-	1	-	-	-	2	-	-	1	3	3	4	9	2	7	3	3	3	-	-
	White-----M--	26	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	3	6	2	4	3	-	1	-	-
	F--	16	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-	1	3	-	3	-	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	51	-	-	-	-	-	1	1	3	1	2	2	2	4	4	-	4	8	4	5	2	4	2	-	2	-
	White-----M--	31	-	-	-	-	-	1	-	1	-	2	1	1	3	3	-	3	6	1	3	2	2	1	-	1	-
	F--	19	-	-	-	-	-	-	1	1	1	-	1	1	1	1	-	1	2	3	2	-	2	1	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	167	33	7	1	2	1	2	-	2	1	-	1	-	4	1	5	6	5	13	9	21	20	15	15	3	-
	White-----M--	91	18	4	-	1	-	-	-	1	1	-	1	-	2	1	4	2	2	8	6	11	11	9	9	-	-
	F--	62	10	-	1	-	1	2	-	1	-	-	-	-	1	-	1	4	3	4	3	9	8	6	6	2	-
	Nonwhite--M--	5	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	1	-
480-483	Influenza---------	7	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2	1	-	1	-	-
	White-----M--	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	160	32	7	1	2	1	2	-	1	1	-	1	-	4	1	4	6	5	13	9	19	19	15	14	3	-
	White-----M--	88	17	4	-	1	-	-	-	-	1	-	1	-	2	1	4	2	2	8	6	11	11	9	8	-	-
	F--	58	10	-	1	-	1	2	-	1	-	-	-	-	1	-	-	4	3	4	3	7	7	6	6	2	-
	Nonwhite--M--	5	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	1	-
500-502	Bronchitis--------	15	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	2	-	1	3	1	-	-	-
	White-----M--	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-
	F--	8	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	31	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	2	1	7	3	6	4	2	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	2	1	6	2	5	4	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	1	2	1	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	26	5	-	-	-	-	-	-	1	-	1	-	-	1	1	1	1	2	-	3	5	1	3	1	-	-
	White-----M--	11	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	3	-	3	-	-	-
	F--	12	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	1	2	1	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
543,	Gastritis, etc.*	24	13	1	-	-	-	-	-	-	-	2	-	1	1	-	-	1	1	1	-	-	-	2	1	-	-
571,	White-----M	11	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-
572	F	10	4	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	30	-	-	-	-	-	-	-	-	-	1	2	-	2	3	4	3	2	2	2	1	6	2	-	-	-
	White-----M	20	-	-	-	-	-	-	-	-	-	1	1	-	2	1	3	3	2	1	1	-	4	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	1	1	2	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	7	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	White-----M	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	7	6	6	6	-	1	-
	White-----M	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	7	6	6	6	-	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	6	...	...	...	...	...	...	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	6	...	...	...	...	...	...	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649,	All other complications	6	...	...	...	...	...	...	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F	6	...	...	...	...	...	...	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	92	66	5	5	-	-	2	1	1	2	1	1	1	2	2	-	1	-	1	-	-	-	1	-	-	-
	White-----M	51	36	3	2	-	-	1	-	1	1	1	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-
	F	41	30	2	3	-	-	1	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	259	259	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	60	4	1	-	-	-	-	-	-	1	-	1	-	2	1	1	2	5	4	6	8	10	5	5	3	1
	White-----M	39	1	1	-	-	-	-	-	-	1	-	1	-	2	1	1	2	4	3	5	7	5	3	2	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	2	3	2	-
	Nonwhite--M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Residual	All other diseases	246	15	-	5	6	-	6	4	2	3	5	4	5	10	15	16	13	15	24	29	25	24	13	6	1	-
	White-----M	128	6	-	3	2	-	4	2	2	3	3	1	2	6	5	9	9	7	14	12	16	12	8	2	-	-
	F	112	8	-	2	4	-	2	1	-	-	2	3	3	4	10	7	2	8	9	16	9	12	5	4	1	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E800-E962	Accidents	387	10	8	6	5	5	15	16	36	27	29	21	23	14	19	15	21	17	16	20	21	15	14	12	2	-
	White-----M	280	6	3	2	5	3	14	13	27	24	25	15	19	12	13	12	14	14	13	12	12	11	7	3	1	-
	F	90	3	4	4	-	1	1	3	7	2	2	3	3	1	4	3	6	3	2	8	9	4	7	9	1	-
	Nonwhite--M	10	-	-	-	-	1	-	-	2	1	2	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F	7	1	1	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents	158	1	4	3	3	2	2	4	20	18	16	10	15	5	12	6	9	7	6	8	4	2	1	-	-	-
	White-----M	112	-	1	1	3	1	2	3	13	15	13	7	11	4	7	4	6	6	4	6	2	2	1	-	-	-
	F	37	1	2	2	-	-	-	1	7	2	2	2	3	1	3	2	3	1	1	2	2	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	5	-	1	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
E800-E802,	All ot. accidents	229	9	4	3	2	3	13	12	16	9	13	11	8	9	7	9	12	10	10	12	17	13	13	12	2	-
E840-	White-----M	168	6	2	1	2	2	12	10	14	9	12	8	8	8	6	8	8	8	9	6	10	9	6	3	1	-
E962	F	53	2	2	2	-	1	1	2	-	-	-	1	-	-	1	1	3	2	1	6	7	4	7	9	1	-
	Nonwhite--M	6	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide	55	-	-	-	-	-	-	-	3	2	-	2	4	6	5	6	8	5	5	6	1	2	-	-	-	-
E970-	White-----M	41	-	-	-	-	-	-	-	3	1	-	-	2	4	5	4	8	1	5	5	1	2	-	-	-	-
E979	F	10	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	3	-	1	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
E980-	White-----M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E985	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO																										
	ALL CAUSES------	82,720	5,575	332	213	153	115	380	304	480	588	841	1,070	1,454	2,156	3,214	4,360	5,826	7,843	9,638	10,616	10,595	8,986	5,408	2,050	460	63
	White-----M--	43,159	2,757	143	96	72	66	210	170	298	347	457	527	738	1,110	1,784	2,433	3,422	4,659	5,423	5,695	5,345	4,156	2,281	803	152	15
	F--	33,210	1,957	145	92	65	34	139	96	132	159	229	347	473	723	1,008	1,287	1,811	2,595	3,594	4,415	4,870	4,546	2,988	1,181	288	36
	Nonwhite--M--	3,548	493	28	16	11	8	14	25	28	43	79	97	124	173	222	359	347	359	373	288	211	138	57	38	8	7
	F--	2,803	368	16	7	5	7	17	13	22	39	76	99	119	150	200	281	246	230	248	218	169	146	82	28	12	5
001-019	Tuberculosis, all forms--------	758	2	4	5	-	1	-	1	5	12	25	47	57	64	56	81	65	78	102	73	42	26	11	1	-	-
	White-----M--	418	1	-	4	-	1	-	-	1	3	6	15	22	31	26	54	36	55	73	43	26	16	5	-	-	-
	F--	167	1	1	1	-	-	-	1	-	2	7	14	18	15	10	12	10	11	17	19	14	8	5	1	-	-
	Nonwhite--M--	112	-	2	-	-	-	-	-	1	2	6	7	8	13	13	12	15	11	10	7	2	2	1	-	-	-
	F--	61	-	1	-	-	-	-	-	3	5	6	11	9	5	7	3	4	1	2	4	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	684	2	1	3	-	1	-	-	4	9	22	45	56	59	51	73	57	72	92	67	38	20	11	1	-	-
	White-----M--	381	1	-	2	-	1	-	-	1	3	4	14	22	29	24	49	34	51	68	39	23	11	5	-	-	-
	F--	152	1	-	1	-	-	-	-	-	2	7	14	18	14	9	11	7	9	15	18	13	7	5	1	-	-
	Nonwhite--M--	101	-	1	-	-	-	-	-	1	1	6	7	7	11	12	11	14	11	7	7	2	2	1	-	-	-
	F--	50	-	-	-	-	-	-	-	2	3	5	10	9	5	6	2	2	1	2	3	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	74	-	3	2	-	-	-	1	1	3	3	2	1	5	5	8	8	6	10	6	4	6	-	-	-	-
	White-----M--	37	-	-	2	-	-	-	-	-	-	2	1	-	2	2	5	2	4	5	4	3	5	-	-	-	-
	F--	15	-	1	-	-	-	-	1	-	-	-	-	-	1	1	1	3	2	2	1	1	1	-	-	-	-
	Nonwhite--M--	11	-	1	-	-	-	-	-	-	1	-	-	1	2	1	1	1	-	3	-	-	-	-	-	-	-
	F--	11	-	1	-	-	-	-	-	1	2	1	1	-	-	1	1	2	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	327	3	-	-	-	-	-	-	-	-	3	2	7	9	27	36	51	48	42	50	33	9	6	1	-	-
	White-----M--	164	1	-	-	-	-	-	-	-	-	2	1	5	2	9	12	26	27	26	26	19	3	4	1	-	-
	F--	70	1	-	-	-	-	-	-	-	-	-	-	-	-	8	5	9	9	10	14	9	3	2	-	-	-
	Nonwhite--M--	66	1	-	-	-	-	-	-	-	-	1	1	-	4	7	16	10	10	4	8	2	2	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	-	2	3	3	3	6	2	2	2	3	1	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	7	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	11	1	1	-	-	-	3	1	-	-	1	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-
	White-----M--	7	-	1	-	-	-	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F--	4	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	19	12	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	4	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	65	25	15	7	-	-	4	3	6	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-
	White-----M--	37	21	7	2	-	-	2	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	25	4	7	5	-	-	2	1	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	69	-	1	-	2	2	12	6	10	3	10	8	8	1	4	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	37	-	1	-	-	1	5	4	5	-	6	5	6	-	3	1	-	-	-	-	-	-	-	-	-	-
	F--	29	-	-	-	2	-	6	2	5	3	3	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	25	5	6	4	5	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	2	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	3	5	3	2	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	191	32	8	5	3	4	5	4	2	2	5	5	6	13	13	10	9	19	11	15	6	8	5	1	-	-
	White-----M--	100	18	2	4	2	2	3	3	2	1	-	2	3	7	6	5	5	11	5	7	3	4	4	1	-	-
	F--	70	13	5	1	1	2	2	1	-	-	1	3	-	4	5	4	4	7	6	5	3	3	-	-	-	-
	Nonwhite--M--	15	1	1	-	-	-	-	-	-	-	3	-	2	2	1	1	-	1	-	1	-	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Continued																										
140-205	Malignant neoplasms, etc.*	13,638	18	15	24	28	21	58	36	44	44	92	175	266	483	771	1,022	1,351	1,808	2,037	1,932	1,654	1,104	486	140	23	6
	White----M--	6,583	7	10	14	14	10	35	21	19	26	45	57	76	150	294	474	673	900	1,066	1,011	823	552	228	63	12	3
	F--	6,148	10	4	6	13	9	22	10	19	14	40	97	152	286	389	429	574	769	853	849	767	513	245	67	8	3
	Nonwhite--M--	469	-	1	3	1	-	1	4	4	2	1	4	11	20	31	55	52	84	81	44	34	24	5	6	1	-
	F--	438	1	-	1	-	2	-	1	2	2	6	17	27	27	57	64	52	55	37	28	30	15	8	4	2	-
140-148	Of buccal cavity and pharynx	297	1	-	-	-	-	-	-	-	1	-	3	5	10	22	26	28	46	42	36	33	30	10	2	1	1
	White----M--	223	1	-	-	-	-	-	-	-	1	-	2	3	5	18	21	18	37	31	27	30	18	8	2	1	-
	F--	58	-	-	-	-	-	-	-	-	-	-	1	2	3	3	2	8	6	10	9	2	9	2	-	-	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	1	-	1	2	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	5,030	3	-	-	-	-	1	-	-	3	16	25	53	112	185	322	434	686	840	830	721	522	211	55	11	-
	White----M--	2,565	1	-	-	-	-	-	-	-	2	7	5	21	48	100	170	260	352	448	459	339	256	80	13	4	-
	F--	2,161	2	-	-	-	-	1	-	-	1	7	14	26	54	66	100	140	281	353	346	354	249	122	39	6	-
	Nonwhite--M--	194	-	-	-	-	-	-	-	-	-	1	3	3	7	10	31	19	35	30	18	19	10	5	2	1	-
	F--	110	-	-	-	-	-	-	-	-	-	1	3	3	3	9	21	15	18	9	7	9	7	4	1	-	-
160-164	Of respiratory system	1,565	-	-	1	-	-	-	2	2	1	1	17	14	55	110	166	209	298	295	184	111	72	23	4	-	-
	White----M--	1,225	-	-	1	-	-	-	1	1	1	1	9	6	41	87	141	176	250	231	138	79	42	17	3	-	-
	F--	237	-	-	-	-	-	-	-	1	-	-	7	6	12	8	11	18	31	47	38	27	25	5	1	-	-
	Nonwhite--M--	89	-	-	-	-	-	-	1	-	-	-	-	1	2	11	13	14	16	16	8	2	5	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	1	-	4	1	1	1	1	-	3	-	1	-	-	-
170	Of breast	1,235	-	-	-	-	-	-	-	-	-	3	23	41	87	132	110	147	136	142	146	127	78	46	15	2	-
	White----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	7	2	-	1	-	-	-	-
	F--	1,148	-	-	-	-	-	-	-	-	-	3	22	35	82	119	99	137	129	126	138	125	73	45	15	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	69	-	-	-	-	-	-	-	-	-	-	1	5	5	12	9	10	3	9	6	2	4	1	-	2	-
171-179	Of genital organs	2,276	1	1	-	-	-	1	1	4	4	20	37	64	98	150	155	197	282	287	314	327	195	102	31	4	1
	White----M--	800	1	1	-	-	-	-	-	4	2	7	4	7	3	6	9	23	53	109	154	202	119	71	20	4	1
	F--	1,272	-	-	-	-	-	1	1	-	1	11	28	47	81	122	130	156	193	152	140	108	67	29	5	-	-
	Nonwhite--M--	57	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	11	16	7	7	6	-	3	-	-
	F--	147	-	-	-	-	-	-	-	-	1	2	5	10	14	21	16	12	25	10	13	10	3	2	3	-	-
180, 181	Of urinary organs	651	-	2	2	7	5	4	-	1	-	1	2	6	11	19	48	54	92	90	102	104	59	27	13	1	1
	White----M--	403	-	2	-	4	1	4	-	-	-	1	1	2	6	8	32	35	61	52	64	63	38	18	10	-	1
	F--	208	-	-	1	3	4	-	-	1	-	-	-	3	3	9	10	14	23	33	33	37	21	9	3	1	-
	Nonwhite--M--	24	-	-	1	-	-	-	-	-	-	-	-	1	1	1	2	3	7	4	4	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	2	1	1	1	4	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,471	8	4	5	3	7	20	15	16	15	16	33	49	64	88	119	167	150	203	181	144	99	45	14	3	3
	White----M--	756	3	3	5	2	3	13	8	6	7	9	16	22	26	44	57	101	77	115	84	65	51	25	11	2	1
	F--	621	4	1	-	-	3	6	6	6	7	5	14	22	31	33	52	58	62	74	92	72	47	20	3	1	2
	Nonwhite--M--	50	-	-	-	1	-	1	1	2	1	-	-	1	4	6	3	2	8	10	4	5	1	-	-	-	-
	F--	44	1	-	-	-	1	-	-	2	-	2	3	4	3	5	7	6	3	4	1	2	-	-	-	-	-
204	Leukemia and aleukemia	544	5	5	12	16	8	23	12	13	9	19	12	12	21	28	28	49	50	59	70	45	33	12	3	-	-
	White----M--	284	1	2	6	7	5	11	7	5	4	9	7	6	8	11	14	27	27	37	44	25	15	3	3	-	-
	F--	226	4	3	3	9	2	12	3	6	3	9	4	4	11	14	11	17	18	20	26	20	18	9	-	-	-
	Nonwhite--M--	19	-	-	2	-	-	-	1	2	1	-	-	1	2	1	2	3	3	1	-	-	-	-	-	-	-
	F--	15	-	-	1	-	1	-	1	-	1	1	1	1	-	2	1	2	2	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	569	-	3	4	2	1	9	6	8	11	16	23	22	25	37	48	66	68	79	69	42	16	10	3	1	-
	White----M--	310	-	2	2	1	1	7	5	3	9	11	13	9	13	19	28	33	39	36	39	20	12	6	1	1	-
	F--	217	-	-	2	1	-	2	-	5	2	5	7	7	9	15	14	26	26	38	27	22	4	4	1	-	-
	Nonwhite--M--	24	-	1	-	-	-	-	1	-	-	-	1	3	3	1	1	4	2	3	3	-	-	-	1	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	2	3	-	2	5	3	1	2	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	246	12	2	1	1	-	6	2	2	6	9	6	10	16	22	28	28	30	17	10	16	9	9	3	1	-
	White----M--	96	5	1	-	-	-	3	2	2	3	1	4	4	5	12	6	9	12	8	5	5	4	4	1	-	-
	F--	117	4	1	1	1	-	3	-	-	1	4	-	5	9	9	18	13	14	7	4	10	5	5	2	1	-
	Nonwhite--M--	11	1	-	-	-	-	-	-	-	1	1	-	-	-	1	1	2	2	1	1	-	-	-	-	-	-
	F--	22	2	-	-	-	-	-	-	-	1	3	2	1	2	-	3	4	2	1	-	1	-	-	-	-	-
260	Diabetes mellitus	1,987	1	2	-	-	-	3	4	5	10	20	13	26	40	42	92	199	283	357	376	280	164	60	10	-	-
	White----M--	693	1	1	-	-	-	2	2	1	6	11	6	16	20	18	39	62	104	116	108	100	56	20	4	-	-
	F--	1,178	-	1	-	-	-	1	2	4	4	9	6	8	13	19	37	117	155	222	253	175	107	39	6	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	4	12	8	5	-	-	1	-	-	-
	F--	80	-	-	-	-	-	-	-	-	-	-	-	1	7	5	12	16	12	11	10	5	1	-	-	-	-
290-293	Anemias	188	2	9	-	-	-	1	1	2	1	3	3	4	3	6	4	10	14	21	21	22	40	16	2	2	1
	White----M--	72	-	3	-	-	-	-	-	-	-	1	1	1	-	1	2	2	4	10	11	12	15	8	-	-	1
	F--	103	-	4	-	-	-	-	-	1	-	2	1	2	3	4	2	8	10	10	10	10	24	8	2	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	11	2	2	-	-	-	1	1	-	1	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	101	24	11	4	1	2	7	1	1	-	-	1	5	5	5	10	4	5	5	5	2	2	1	-	-	-
	White----M--	54	14	6	3	1	1	4	1	-	-	-	1	3	2	4	2	-	4	2	4	1	-	1	-	-	-
	F--	30	7	3	1	-	1	1	-	-	-	-	-	2	2	1	5	2	1	2	1	-	1	-	-	-	-
	Nonwhite--M--	7	2	-	-	-	-	1	-	1	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-
	F--	10	1	2	-	-	-	1	-	-	-	-	-	-	1	-	1	2	-	1	-	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	44,731	39	11	4	8	2	31	23	44	63	136	243	436	810	1,419	2,154	3,055	4,281	5,707	6,668	7,174	6,425	4,063	1,554	347	34
	White----M--	23,520	23	5	2	5	2	13	5	26	27	66	124	259	489	904	1,298	1,922	2,659	3,256	3,592	3,585	2,895	1,661	592	106	4
	F--	18,430	9	6	-	2	-	14	12	14	26	41	76	103	178	324	535	795	1,320	2,087	2,763	3,331	3,330	2,298	918	226	22
	Nonwhite--M--	1,470	4	-	2	-	-	-	4	-	3	11	17	34	69	98	174	198	173	203	166	147	93	39	25	6	4
	F--	1,311	3	-	-	1	-	4	2	4	7	18	26	40	74	93	147	140	129	161	147	111	107	65	19	9	4
330-334, 400-468	Diseases of cardiovascular system	43,927	39	9	4	6	2	28	20	34	55	113	222	407	775	1,372	2,097	2,992	4,212	5,634	6,570	7,069	6,339	4,019	1,535	342	32
	White----M--	23,144	23	3	2	3	2	12	4	20	22	56	112	242	473	880	1,279	1,889	2,621	3,222	3,545	3,543	2,860	1,637	585	105	4
	F--	18,098	9	6	-	2	-	12	10	11	24	32	70	95	166	312	512	773	1,294	2,055	2,722	3,277	3,285	2,279	909	223	20
	Nonwhite--M--	1,416	4	-	2	-	-	-	4	-	3	7	15	33	66	90	165	194	172	200	160	140	90	39	23	5	4
	F--	1,269	3	-	-	1	-	4	2	3	6	18	25	37	70	90	141	136	125	157	143	109	104	64	18	9	4
330-334	Vascular lesions, etc.*	9,943	16	2	2	4	1	4	6	9	9	19	46	71	133	222	355	494	783	1,213	1,569	1,852	1,690	1,001	347	87	8
	White----M--	4,598	10	-	2	2	1	3	1	5	4	8	18	34	51	91	128	259	415	609	758	890	777	370	138	23	1
	F--	4,655	5	2	-	2	-	-	3	4	3	8	20	25	51	80	138	162	294	495	728	902	869	600	201	59	4
	Nonwhite--M--	328	-	-	-	-	-	-	1	-	-	1	1	6	14	20	40	39	40	58	42	29	17	11	4	3	2
	F--	362	1	-	-	-	-	1	1	-	2	2	7	6	17	31	49	34	34	51	41	31	27	20	4	2	1
400-402	Rheumatic fever	72	-	-	-	-	-	16	11	3	6	6	7	3	2	4	3	5	2	1	-	1	1	1	-	-	-
	White----M--	32	-	-	-	-	-	5	3	3	3	2	4	2	1	2	2	1	1	1	-	1	1	-	-	-	-
	F--	29	-	-	-	-	-	9	5	-	3	1	3	-	1	1	1	3	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	2	1	-	-	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Continued																										
410-443	Diseases of heart	30.495	22	6	1	1	-	6	2	17	31	71	141	299	593	1,080	1,632	2,337	3,215	4,148	4,613	4,671	4,008	2,459	941	184	17
	White-----M--	16,909	13	2	-	-	-	4	-	11	12	43	83	193	401	763	1,095	1,540	2,082	2,472	2,570	2,367	1,782	1,051	361	61	3
	F--	11,879	4	4	-	-	-	2	1	5	15	14	35	60	102	208	346	566	932	1,459	1,850	2,139	2,104	1,351	555	117	10
	Nonwhite--M--	923	3	-	1	-	-	-	1	-	2	4	9	21	45	58	109	137	116	125	101	94	55	22	16	2	2
	F--	784	2	-	-	1	-	-	-	1	2	10	14	25	45	51	82	94	85	92	92	71	67	35	9	4	2
410-416	Chronic rheumatic heart disease----	1,037	2	1	-	-	-	1	1	9	16	28	44	62	79	110	118	110	96	124	94	55	57	23	6	1	-
	White-----M--	488	2	-	-	-	-	-	-	7	5	14	19	29	33	56	62	45	53	58	46	23	23	10	3	-	-
	F--	489	-	1	-	-	-	1	-	2	10	8	20	27	40	50	48	57	42	63	46	29	30	11	3	1	-
	Nonwhite--M--	26	-	-	-	-	-	-	1	-	-	2	3	1	3	2	2	4	1	1	1	3	1	1	-	-	-
	F--	34	-	-	-	-	-	-	-	-	1	4	2	5	3	2	6	4	-	2	1	-	3	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	20,727	4	-	-	-	-	2	-	4	5	20	56	179	413	781	1,198	1,748	2,422	3,021	3,250	3,113	2,475	1,408	518	102	8
	White-----M--	12,668	3	-	-	-	-	2	-	1	2	18	46	140	325	627	909	1,290	1,701	1,940	1,944	1,675	1,186	618	206	34	1
	F--	7,174	-	-	-	-	-	-	-	3	2	1	5	22	37	100	191	332	619	951	1,205	1,349	1,227	763	298	65	4
	Nonwhite--M--	560	1	-	-	-	-	-	-	-	1	-	3	13	30	32	64	93	71	80	57	60	31	11	10	1	2
	F--	325	-	-	-	-	-	-	-	-	-	1	2	4	21	22	34	33	31	50	44	29	31	16	4	2	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	3,570	6	1	-	-	-	-	-	2	4	3	6	16	13	36	78	115	214	300	463	661	769	581	249	49	4
	White-----M--	1,629	2	-	-	-	-	-	-	1	3	2	3	8	4	18	36	56	112	167	218	317	316	253	96	16	1
	F--	1,773	2	1	-	-	-	-	-	-	1	1	3	5	4	11	22	42	82	120	220	323	438	316	148	32	2
	Nonwhite--M--	82	1	-	-	-	-	-	-	-	-	-	-	1	4	1	14	7	11	9	13	10	5	2	3	1	-
	F--	86	1	-	-	-	-	-	-	1	-	-	-	2	1	6	6	10	9	4	12	11	10	10	2	-	1
430-434	Other diseases of heart---------	1,082	10	4	1	1	-	3	1	2	4	10	17	15	27	44	58	87	82	138	165	152	136	81	39	3	2
	White-----M--	555	6	2	-	-	-	2	-	2	1	4	9	6	14	21	31	44	40	79	98	83	62	35	14	2	-
	F--	425	2	2	-	-	-	1	1	-	1	3	2	4	5	15	15	30	32	54	61	60	68	.42	24	1	2
	Nonwhite--M--	49	1	-	1	-	-	-	-	-	1	-	-	1	4	5	6	10	5	3	4	5	1	2	-	-	-
	F--	53	1	-	-	1	-	-	-	-	1	3	6	4	4	3	6	3	5	2	2	4	5	2	1	-	-
440-443	Hypertension with heart dis.--	4,079	-	-	-	-	-	-	-	-	2	10	18	27	61	109	180	277	401	565	641	690	571	366	129	29	3
	White-----M--	1,569	-	-	-	-	-	-	-	-	1	5	6	10	25	41	57	105	176	228	264	269	195	135	42	9	1
	F--	2,018	-	-	-	-	-	-	-	-	1	1	5	2	16	32	70	105	157	271	318	378	341	219	82	18	2
	Nonwhite--M--	206	-	-	-	-	-	-	-	-	-	2	3	5	4	18	23	23	28	32	26	16	17	6	3	-	-
	F--	286	-	-	-	-	-	-	-	-	-	2	4	10	16	18	30	44	40	34	33	27	18	6	2	2	-
444-447	Hypertension without mention of heart----------	669	-	-	-	-	-	-	-	-	2	4	10	15	24	25	38	50	50	69	86	87	105	72	26	5	1
	White-----M--	272	-	-	-	-	-	-	-	-	1	-	1	4	10	9	13	31	24	25	40	39	38	27	9	1	-
	F--	293	-	-	-	-	-	-	-	-	-	1	3	3	5	8	9	12	20	30	37	43	62	42	14	4	-
	Nonwhite--M--	58	-	-	-	-	-	-	-	-	1	1	4	3	3	4	8	6	5	7	7	4	2	2	1	-	-
	F--	46	-	-	-	-	-	-	-	-	-	2	2	5	6	4	8	1	1	7	2	1	3	1	2	-	1
450	General arteriosclerosis--------	2,141	-	-	-	-	-	-	-	1	-	-	2	2	8	13	25	34	76	125	230	381	500	463	211	65	5
	White-----M--	996	-	-	-	-	-	-	-	-	-	-	1	-	6	6	12	17	43	64	133	203	239	179	74	19	-
	F--	1,042	-	-	-	-	-	-	-	1	-	-	-	1	1	5	10	8	27	48	85	164	239	273	132	43	5
	Nonwhite--M--	64	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	6	4	7	7	11	16	4	2	-	-
	F--	39	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	6	5	3	6	7	3	3	-
451-468	Other diseases of circulatory sys.-	607	1	1	1	1	1	2	1	4	7	13	16	17	15	28	44	72	86	78	72	77	35	23	10	1	1
	White-----M--	337	-	1	-	1	1	-	-	1	2	3	5	9	4	9	29	41	56	51	44	43	23	10	3	1	-
	F--	200	-	-	-	-	-	1	1	1	3	8	9	6	6	10	8	22	20	23	22	29	11	12	7	-	1
	Nonwhite--M--	40	1	-	1	-	-	-	-	-	-	-	-	2	4	6	5	6	7	3	3	2	-	-	-	-	-
	F--	30	-	-	-	-	-	1	-	2	2	2	2	-	1	3	2	3	3	1	3	3	1	1	-	-	-
592-594	Chronic nephritis, etc.*----------	804	-	2	-	2	-	3	3	10	8	23	21	29	35	47	57	63	69	73	98	105	86	44	19	5	2
	White-----M--	376	-	2	-	2	-	1	1	6	5	10	12	17	16	24	19	33	38	34	47	42	35	24	7	1	-
	F--	332	-	-	-	-	-	2	2	3	2	9	6	8	12	12	23	22	26	32	41	54	45	19	9	3	2
	Nonwhite--M--	54	-	-	-	-	-	-	-	-	-	4	2	1	3	8	9	4	1	3	6	7	3	-	2	1	-
	F--	42	-	-	-	-	-	-	-	1	1	-	1	3	4	3	6	4	4	4	4	2	3	1	1	-	-
480-493	Influenza and pneumonia, etc.*-	1,896	334	44	25	21	5	14	6	6	13	9	21	29	49	43	66	81	103	137	194	224	219	150	72	27	4
	White-----M--	973	152	22	7	7	2	6	1	4	5	5	12	16	27	22	32	43	76	78	105	122	110	71	28	18	2
	F--	668	120	16	13	7	3	5	4	2	4	3	5	7	8	12	14	21	18	36	66	94	104	73	43	8	2
	Nonwhite--M--	150	33	6	3	5	-	-	-	-	4	1	1	3	12	7	12	13	5	17	15	4	3	4	1	1	-
	F--	85	29	-	2	2	-	3	1	-	-	-	3	3	2	2	8	4	4	6	8	4	2	2	-	-	-
480-483	Influenza---------	142	13	2	1	1	-	1	-	-	1	1	2	-	4	1	3	6	7	13	15	23	22	17	8	1	-
	White-----M--	65	8	1	-	1	-	1	-	-	1	1	2	-	1	1	1	2	6	7	7	10	7	7	1	-	-
	F--	69	5	1	1	-	-	-	-	-	-	-	-	-	2	-	-	3	-	5	7	13	14	10	7	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,754	321	42	24	20	5	13	6	6	12	8	19	29	45	42	63	75	96	124	179	201	197	133	64	26	4
	White-----M--	908	144	21	7	6	2	5	1	4	4	4	10	16	26	21	31	41	70	71	98	112	103	64	27	18	2
	F--	619	115	15	12	7	3	5	4	2	4	3	5	7	6	12	14	18	18	31	59	81	90	63	36	7	2
	Nonwhite--M--	144	33	6	3	5	-	-	-	-	4	1	1	3	11	7	11	13	4	16	14	4	2	4	1	1	-
	F--	83	29	-	2	2	-	3	1	-	-	-	3	3	2	2	7	3	4	6	8	4	2	2	-	-	-
500-502	Bronchitis---------	168	42	8	1	3	2	-	1	-	-	-	2	-	-	2	2	11	13	20	14	21	14	9	2	1	-
	White-----M--	112	25	5	1	3	2	-	-	-	-	-	1	-	-	2	1	10	12	14	8	13	10	4	1	-	-
	F--	41	5	3	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	6	4	8	4	5	1	1	-
	Nonwhite--M--	10	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	526	6	-	-	1	-	-	1	-	3	2	8	18	31	34	37	67	82	66	64	42	43	18	2	1	-
	White-----M--	370	2	-	-	-	-	-	1	-	1	1	7	12	20	27	26	53	60	44	45	32	27	11	1	-	-
	F--	113	1	-	-	1	-	-	-	-	1	-	-	3	6	3	5	11	13	17	18	10	16	6	1	1	-
	Nonwhite--M--	27	2	-	-	-	-	-	-	-	-	1	-	1	3	4	4	1	7	2	1	-	-	1	-	-	-
	F--	16	1	-	-	-	-	-	-	-	1	-	1	2	2	-	2	2	2	3	-	-	-	-	-	-	-
550-553	Appendicitis------	141	1	1	1	-	-	1	7	-	8	2	8	5	7	12	10	11	8	15	13	15	11	4	1	-	-
	White-----M--	82	1	-	1	-	-	1	3	-	4	1	3	3	3	9	7	8	5	10	4	7	7	4	1	-	-
	F--	38	-	1	-	-	-	-	3	-	3	-	2	-	3	2	1	-	2	4	6	8	3	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	1	-	-	-	1	2	-	1	1	1	1	1	-	2	-	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	2	-	1	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	462	62	5	1	-	1	-	1	-	-	1	5	5	13	17	21	29	34	44	66	59	53	33	10	1	1
	White-----M--	217	30	2	1	-	1	-	-	-	-	1	2	2	3	4	8	17	18	25	34	27	20	16	5	1	-
	F--	211	27	3	-	-	-	-	-	-	-	-	2	2	9	7	13	8	14	16	29	29	31	16	5	-	-
	Nonwhite--M--	22	4	-	-	-	-	-	1	-	-	-	-	1	-	2	-	3	1	3	3	3	-	-	-	-	1
	F--	12	1	-	-	-	-	-	-	-	-	-	1	-	1	4	-	1	1	-	-	-	2	1	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Continued																										
543,	Gastritis, etc.*--	353	117	18	3	1	1	1	2	3	2	7	11	13	7	9	8	17	19	22	26	23	28	12	1	2	-
571,	White-----M--	150	49	7	-	1	1	-	1	-	1	1	7	5	3	3	4	9	10	10	10	7	14	7	-	-	-
572	F--	161	39	10	2	-	-	1	1	1	1	5	4	8	4	4	3	7	8	9	16	16	14	5	1	2	-
	Nonwhite--M--	20	13	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-
	F--	22	16	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
581	Cirrhosis of liver	950	2	-	-	-	-	2	1	1	1	7	19	40	92	126	111	107	114	142	96	46	30	9	4	-	-
	White-----M--	631	-	-	-	-	-	-	1	-	-	2	11	18	54	85	76	73	86	100	66	33	18	4	4	-	-
	F--	266	1	-	-	-	-	2	-	1	-	2	7	15	29	33	27	30	23	37	30	12	12	5	-	-	-
	Nonwhite--M--	35	1	-	-	-	-	-	-	-	-	3	-	2	5	6	6	4	2	5	-	1	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	1	-	1	5	4	2	2	-	3	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	143	1	1	1	5	-	3	8	2	7	4	10	10	7	5	7	9	7	11	12	16	10	5	2	-	-
	White-----M--	69	1	1	1	2	-	1	3	2	3	2	5	3	3	1	3	6	2	7	9	7	5	1	1	-	-
	F--	62	-	-	-	3	-	1	5	-	2	2	2	7	3	4	2	2	5	3	3	9	5	3	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-	-	-	1	-	-	-
	F--	6	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	343	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	17	39	56	87	72	44	16	1	1
	White-----M--	329	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	15	37	52	86	70	44	15	1	1
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	4	1	2	-	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	92	...	...	...	...	...	...	-	6	16	23	17	22	7	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	74	...	...	...	...	...	...	-	5	14	17	13	19	5	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	18	...	...	...	...	...	...	-	1	2	6	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	9	...	...	...	...	...	...	-	-	1	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	6	...	...	...	...	...	...	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	83	...	...	...	...	...	...	-	6	15	18	16	21	6	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	68	...	...	...	...	...	...	-	5	13	15	12	18	4	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	15	...	...	...	...	...	...	-	1	2	3	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	1,238	950	49	28	8	11	25	16	9	15	8	19	8	10	23	14	4	9	10	10	7	4	1	-	-	-
	White-----M--	623	494	22	11	3	8	11	10	5	5	2	7	3	2	11	7	2	7	5	5	2	1	-	-	-	-
	F--	512	373	21	15	5	3	14	5	2	9	6	11	5	8	9	5	2	2	4	4	5	3	1	-	-	-
	Nonwhite--M--	53	41	4	1	-	-	-	-	-	1	-	1	-	-	2	1	-	-	1	1	-	-	-	-	-	-
	F--	50	42	2	1	-	-	-	1	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	3,476	3,473	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,702	1,700	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,203	1,202	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	335	335	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	236	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	1,707	1,707	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	889	889	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	591	591	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	187	187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	1,582	1,579	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	733	731	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	550	549	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	180	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	553	61	4	4	2	2	3	2	7	8	14	16	25	26	30	24	22	26	30	27	42	49	57	50	15	7
795	White-----M--	274	27	1	2	1	1	2	2	4	4	6	7	14	13	15	10	17	17	23	16	21	27	24	14	4	2
	F--	210	19	1	1	-	1	-	-	2	2	2	5	7	12	8	7	5	7	4	7	20	20	32	34	10	4
	Nonwhite--M--	36	10	1	1	1	-	-	-	-	1	3	4	1	1	4	4	-	-	1	1	1	1	-	1	-	-
	F--	33	5	1	-	-	-	1	-	1	1	3	-	3	-	3	3	-	2	2	3	-	1	1	1	1	1
Re-	All other diseases	3,990	200	38	27	21	15	45	33	40	43	76	84	108	142	198	256	338	451	439	509	413	310	141	48	12	3
sid-	White-----M--	2,095	98	15	10	8	11	22	15	24	19	30	35	48	66	88	119	191	278	262	293	214	153	71	20	4	1
ual	F--	1,511	60	16	15	12	4	18	14	12	18	30	32	42	57	76	94	118	130	148	189	178	148	67	23	8	2
	Nonwhite--M--	218	27	3	-	1	-	5	2	3	2	4	6	8	7	21	22	22	28	18	18	11	5	1	4	-	-
	F--	166	15	4	2	-	-	-	2	1	4	12	11	10	12	13	21	7	15	11	9	10	4	2	1	-	-
E800-	Accidents---------	4,762	140	72	66	42	44	147	140	248	284	277	240	229	213	233	226	221	283	263	313	333	334	256	125	27	6
E962	White-----M--	2,876	77	27	31	22	21	94	90	177	211	214	162	160	147	161	142	150	206	167	189	165	131	77	48	6	1
	F--	1,497	51	35	28	15	11	41	32	54	46	36	42	43	40	52	49	51	59	80	113	159	189	173	74	21	3
	Nonwhite--M--	274	5	7	6	3	7	6	13	14	20	21	25	21	20	14	29	16	17	11	7	5	2	3	-	-	2
	F--	115	7	3	1	2	5	6	5	3	7	6	11	5	6	6	6	4	1	5	4	4	12	3	3	-	-
E810-	Motor-vehicle																										
E835	accidents--------	1,949	15	23	22	18	20	70	51	168	197	171	144	125	109	119	105	98	126	111	102	82	47	22	2	1	1
	White-----M--	1,303	9	11	10	10	12	45	33	116	146	130	93	85	71	81	65	58	85	65	74	55	34	13	2	-	-
	F--	500	4	10	10	7	4	22	14	44	36	28	30	30	27	32	26	33	32	40	26	25	10	8	-	1	1
	Nonwhite--M--	103	1	1	2	1	1	1	2	6	13	10	13	9	6	3	10	6	8	4	2	2	1	1	-	-	-
	F--	43	1	1	-	-	3	2	2	2	2	3	8	1	5	3	4	1	1	2	-	-	2	-	-	-	-
E800-	All ot. accidents-	2,813	125	49	44	24	24	77	89	80	87	106	96	104	104	114	121	123	157	152	211	251	287	234	123	26	5
E802,	White-----M--	1,573	68	16	21	12	9	49	57	61	65	84	69	75	76	80	77	92	121	102	115	110	97	64	46	6	1
E840-	F--	997	47	25	18	8	7	19	18	10	10	8	12	13	13	20	23	18	27	40	87	134	179	165	74	20	2
E962	Nonwhite--M--	171	4	6	4	2	6	5	11	8	7	11	12	12	14	11	19	10	9	7	5	3	1	2	-	-	2
	F--	72	6	2	1	2	2	4	3	1	5	3	3	4	1	3	2	3	-	3	4	4	10	3	3	-	-
E963,	Suicide----------	962	-	-	-	-	-	-	2	20	26	58	57	64	79	98	116	118	104	88	61	36	21	10	4	-	-
E970-	White-----M--	756	-	-	-	-	-	-	2	17	20	40	42	45	52	71	96	97	87	74	49	33	18	10	3	-	-
E979	F--	176	-	-	-	-	-	-	-	2	6	14	13	12	23	24	15	19	17	12	12	3	3	-	1	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	2	-	6	3	2	4	1	-	2	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	1	-	2	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	298	7	1	-	-	-	4	2	17	19	49	50	52	27	16	20	8	6	11	4	2	1	1	1	-	-
E980-	White-----M--	99	4	1	-	-	-	1	1	7	8	13	10	14	11	7	7	3	3	4	2	2	-	1	-	-	-
E985	F--	50	1	-	-	-	-	3	1	5	1	5	8	10	3	2	4	3	-	3	-	-	-	-	1	-	-
	Nonwhite--M--	116	2	-	-	-	-	-	-	3	6	19	26	25	12	7	7	2	2	3	2	-	-	-	-	-	-
	F--	33	-	-	-	-	-	-	-	2	4	12	6	3	1	-	2	-	1	1	-	-	1	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA																										
	ALL CAUSES------	20,211	1,397	96	71	58	29	121	104	157	198	229	263	303	511	706	972	1,226	1,685	2,005	2,557	2,765	2,463	1,509	566	159	61
	White-----M--	10,572	642	46	27	32	16	54	61	97	121	110	144	158	264	379	543	746	985	1,110	1,381	1,424	1,201	702	251	59	19
	F--	7,255	464	26	30	20	8	41	30	42	44	73	60	98	162	206	273	306	517	657	931	1,106	1,094	702	270	80	15
	Nonwhite--M--	1,291	154	12	7	3	3	17	10	9	15	28	33	20	39	65	88	85	107	141	141	124	96	57	21	7	9
	F--	1,093	137	12	7	3	2	9	3	9	18	18	26	27	46	56	68	89	76	97	104	111	72	48	24	13	18
001-019	Tuberculosis, all forms--------	241	2	2	1	-	-	-	-	1	5	12	7	8	13	13	28	24	26	30	28	20	13	6	1	-	1
	White-----M--	123	-	-	-	-	-	-	-	-	-	2	3	2	6	7	20	13	15	20	19	7	4	4	-	-	1
	F--	41	-	-	-	-	-	-	-	-	-	4	-	4	5	2	1	4	4	4	5	4	3	1	-	-	-
	Nonwhite--M--	45	1	2	1	-	-	-	-	1	1	2	2	1	2	3	5	4	2	5	2	4	5	1	1	-	-
	F--	32	1	-	-	-	-	-	-	-	4	4	2	1	-	1	2	3	5	1	2	5	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	229	-	-	1	-	-	-	-	1	5	12	7	8	13	13	27	23	23	30	27	19	12	6	1	-	1
	White-----M--	119	-	-	-	-	-	-	-	-	-	2	3	2	6	7	20	13	14	20	18	6	3	4	-	-	1
	F--	40	-	-	-	-	-	-	-	-	-	4	-	4	5	2	1	4	3	4	5	4	3	1	-	-	-
	Nonwhite--M--	40	-	-	1	-	-	-	-	1	1	2	2	1	2	3	4	3	2	5	2	4	5	1	1	-	-
	F--	30	-	-	-	-	-	-	-	-	4	4	2	1	-	1	2	3	4	1	2	5	1	-	-	-	-
010-019	Tuberculosis, other forms------	12	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	1	1	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	88	2	-	-	-	-	-	-	-	-	-	1	-	3	7	12	12	9	12	11	11	6	2	-	-	-
	White-----M--	45	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7	8	3	9	7	6	1	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	2	2	4	2	-	-	-
	Nonwhite--M--	13	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	2	1	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	3	1	-	-	2	-	-	-	-	-
040	Typhoid fever-----	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	11	6	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	White-----M--	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	6	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-
	White-----M--	4	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	10	-	2	1	-	1	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	23	1	1	1	1	1	5	3	3	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	-	1	1	1	1	1	2	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	4	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	75	13	4	3	-	2	2	-	1	3	1	2	5	4	6	1	2	5	7	3	2	6	2	1	-	-
	White-----M--	34	5	4	1	-	2	1	-	-	2	-	-	1	1	1	1	1	2	6	-	1	3	1	1	-	-
	F--	26	4	-	2	-	-	1	-	-	1	-	1	4	1	3	-	1	1	1	2	1	2	1	-	-	-
	Nonwhite--M--	13	2	-	-	-	-	-	-	1	-	1	1	-	2	2	-	-	2	-	1	-	1	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
140-205	Malignant neoplasms, etc.*	3,050	3	6	4	4	6	15	10	9	19	21	31	63	109	161	221	285	400	381	453	391	268	143	36	7	4
	White—M	1,477	3	5	2	2	4	6	6	5	12	7	14	17	35	54	86	141	201	189	259	202	125	80	19	2	1
	F	1,338	-	1	2	1	2	7	3	4	6	12	15	41	62	88	110	123	173	163	164	166	121	52	15	5	2
	Nonwhite—M	113	-	-	-	-	-	1	1	-	-	2	-	2	1	5	12	9	13	14	18	14	12	8	-	-	1
	F	122	-	-	-	1	-	1	-	-	1	-	2	3	11	14	13	12	13	15	12	9	10	3	2	-	-
140-148	Of buccal cavity and pharynx	71	-	-	-	-	-	-	-	-	1	-	-	1	2	4	5	6	9	5	17	6	9	4	2	-	-
	White—M	53	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	6	7	2	14	4	7	3	2	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	2	3	3	2	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,057	1	-	-	-	-	-	-	-	-	2	3	12	23	36	50	93	127	150	188	161	119	62	26	3	1
	White—M	508	1	-	-	-	-	-	-	-	-	-	1	6	10	14	29	54	59	75	93	75	49	29	12	1	-
	F	457	-	-	-	-	-	-	-	-	-	2	2	4	11	15	15	28	58	69	76	77	59	27	12	2	-
	Nonwhite—M	48	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	5	5	3	12	6	4	5	-	-	1
	F	44	-	-	-	-	-	-	-	-	-	-	-	1	2	4	3	6	5	3	7	3	7	1	2	-	-
160-164	Of respiratory system	346	-	-	1	-	-	-	-	1	1	3	3	7	14	20	32	44	71	51	45	27	16	10	-	-	-
	White—M	260	-	-	-	-	-	-	-	1	1	1	2	2	10	15	26	32	61	39	37	20	7	6	-	-	-
	F	70	-	-	1	-	-	-	-	-	-	1	1	4	3	4	4	10	7	9	8	6	9	3	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	3	2	-	1	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
170	Of breast	223	-	-	-	-	-	-	-	-	-	-	5	8	14	24	30	23	29	23	21	21	13	9	1	2	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	202	-	-	-	-	-	-	-	-	-	-	4	7	13	23	26	20	26	20	19	20	13	8	1	2	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	3	3	2	2	1	-	1	-	-	-
171-179	Of genital organs	510	-	-	-	-	-	-	-	1	4	6	5	17	27	28	39	44	61	60	62	82	44	25	4	-	1
	White—M	196	-	-	-	-	-	-	-	1	4	3	2	1	-	2	2	5	15	23	35	52	26	21	3	-	1
	F	253	-	-	-	-	-	-	-	-	-	3	3	16	20	22	31	36	41	25	20	21	12	2	1	-	-
	Nonwhite—M	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	5	5	5	5	1	-	-	-
	F	34	-	-	-	-	-	-	-	-	-	-	-	-	7	4	4	2	2	7	2	4	1	1	-	-	-
180, 181	Of urinary organs	143	1	1	-	1	2	1	-	-	-	1	1	1	5	3	7	9	18	16	26	27	20	2	-	-	1
	White—M	83	1	1	-	1	1	-	-	-	-	-	1	1	3	2	6	7	9	9	18	11	10	2	-	-	-
	F	51	-	-	-	-	1	1	-	-	-	1	-	-	1	1	1	1	8	5	7	15	8	-	-	-	1
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	418	-	2	1	1	1	3	4	3	8	2	6	8	12	28	34	51	61	41	53	37	32	24	3	2	1
	White—M	211	-	1	1	1	1	1	1	-	4	-	2	2	5	12	8	27	35	23	34	19	17	14	2	1	-
	F	186	-	1	-	-	-	2	2	3	3	2	3	5	7	14	20	24	23	16	19	16	14	9	1	1	1
	Nonwhite—M	11	-	-	-	-	-	-	1	-	-	-	-	1	-	-	4	-	2	1	-	1	-	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	-	1	1	-	1	1	-	-	-	-
204	Leukemia and aleukemia	162	1	2	2	1	3	9	4	3	-	5	4	2	6	8	9	10	8	19	30	20	11	5	-	-	-
	White—M	97	1	2	1	-	2	4	4	2	-	2	3	2	3	1	1	7	4	11	21	14	9	3	-	-	-
	F	59	-	-	1	-	1	4	-	1	-	2	1	-	3	6	8	3	4	6	9	6	2	2	-	-	-
	Nonwhite—M	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	120	-	1	-	1	-	2	2	1	5	2	4	7	6	10	15	5	16	16	11	10	4	2	-	-	-
	White—M	68	-	1	-	-	-	1	1	1	2	1	3	2	3	6	11	3	11	6	7	7	-	2	-	-	-
	F	43	-	-	-	1	-	-	1	-	3	1	1	5	3	1	3	1	4	10	3	3	3	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	1	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	73	1	-	-	1	-	2	2	1	4	3	3	3	9	14	3	7	2	3	5	2	4	3	1	-	-
	White—M	26	-	-	-	1	-	1	-	-	1	2	2	-	2	7	1	3	-	1	1	-	2	1	1	-	-
	F	37	1	-	-	-	-	1	2	1	2	1	1	1	7	7	1	2	1	2	3	-	2	2	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	1	1	-	1	-	-	-	-	-	-
260	Diabetes mellitus	293	-	-	-	-	-	-	1	5	1	6	4	1	-	11	18	21	23	43	61	47	29	20	-	1	1
	White—M	99	-	-	-	-	-	-	-	-	1	4	2	1	-	4	8	7	7	13	23	13	9	7	-	-	-
	F	151	-	-	-	-	-	-	1	3	-	2	2	-	-	4	6	8	13	20	29	32	18	12	-	-	1
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	3	1	2	-	-	-	-
	F	30	-	-	-	-	-	-	-	2	-	-	-	-	-	1	2	5	2	9	6	1	-	1	-	1	-
290-293	Anemias	49	2	1	1	-	1	-	2	1	1	1	-	1	3	-	-	1	3	4	6	7	10	2	1	-	-
	White—M	17	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	2	5	2	-	-	-
	F	26	-	1	-	-	-	-	1	-	1	-	-	1	3	-	-	-	2	2	5	4	5	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*	13	3	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-
	White—M	9	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
	F	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	10,295	5	3	1	4	1	7	8	14	15	31	53	88	181	299	419	630	912	1,143	1,581	1,792	1,618	992	372	100	26
	White—M	5,544	3	1	1	3	-	4	5	5	6	10	26	54	108	181	267	425	572	648	845	920	800	454	162	35	9
	F	3,734	2	1	-	-	-	2	3	6	6	14	15	20	46	69	79	113	239	358	581	736	720	484	181	54	5
	Nonwhite—M	545	-	-	-	1	1	-	-	1	2	4	7	4	11	25	38	43	60	84	92	67	56	24	14	5	6
	F	472	-	1	-	-	-	1	-	2	1	3	5	10	16	24	35	49	41	53	63	69	42	30	15	6	6
330-334, 400-468	Diseases of cardiovascular system	9,966	4	2	1	2	1	7	5	12	12	28	47	82	170	285	408	616	885	1,109	1,534	1,732	1,569	972	363	95	25
	White—M	5,401	3	1	1	1	-	4	3	5	5	8	24	52	103	175	264	417	558	634	825	893	779	444	160	33	9
	F	3,630	1	-	-	-	-	2	2	4	6	13	14	18	43	64	77	110	230	346	566	723	699	476	179	52	5
	Nonwhite—M	503	-	-	-	1	1	-	-	1	-	4	4	4	11	25	37	43	59	80	85	55	51	22	11	4	5
	F	432	-	1	-	-	-	1	-	2	1	3	5	8	13	21	30	46	38	49	58	61	40	30	13	6	6
330-334	Vascular lesions, etc.*	2,615	1	1	1	-	-	2	1	1	4	7	5	15	24	46	71	107	191	286	416	502	496	299	104	27	8
	White—M	1,198	1	1	1	-	-	1	1	-	2	1	1	4	10	19	30	50	91	132	189	246	244	117	45	10	2
	F	1,152	-	-	-	-	-	-	-	1	2	5	4	10	9	16	23	25	70	118	177	227	224	170	53	16	2
	Nonwhite—M	128	-	-	-	-	-	-	-	-	-	-	-	-	2	4	7	16	16	21	30	14	13	2	1	-	2
	F	137	-	-	-	-	-	1	-	-	-	1	-	1	3	7	11	16	14	15	20	15	15	10	5	1	2
400-402	Rheumatic fever	13	-	-	-	-	-	3	1	1	-	1	-	1	1	-	2	-	-	2	-	1	-	-	-	-	-
	White—M	5	-	-	-	-	-	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	1	-	-	1	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
410-443	Diseases of heart	6,604	3	1	-	2	1	2	3	7	7	15	37	58	132	220	321	485	659	768	1,022	1,107	918	585	202	55	14
	White-----M--	3,862	2	-	-	1	-	1	2	4	3	7	22	44	86	148	229	355	449	477	587	586	462	274	98	20	5
	F--	2,158	1	-	-	-	-	1	1	3	3	5	8	6	30	41	46	78	150	211	347	443	403	256	94	28	3
	Nonwhite--M--	331	-	-	-	1	1	-	-	-	-	3	4	3	8	17	29	26	39	51	52	35	33	19	5	3	2
	F--	253	-	1	-	-	-	-	-	-	1	-	3	5	8	14	17	26	21	29	36	43	20	16	5	4	4
410-416	Chronic rheumatic heart disease	179	-	-	-	-	-	-	-	3	4	7	8	8	14	16	10	20	17	18	20	12	9	10	-	1	2
	White-----M--	91	-	-	-	-	-	-	-	1	1	4	4	5	7	7	7	10	10	10	10	7	2	5	-	1	-
	F--	72	-	-	-	-	-	-	-	2	2	2	2	2	6	9	3	9	5	7	9	4	6	4	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-	1	1	-	-	1
	F--	8	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	2	-	-	1	-	-	-	-	1
420	Arteriosclerotic heart dis., etc.*	4,447	-	-	-	-	-	1	2	2	1	3	20	35	88	156	238	370	485	553	714	723	602	307	111	26	10
	White-----M--	2,852	-	-	-	-	-	1	1	1	1	1	15	32	66	116	190	288	358	372	452	403	329	156	57	8	5
	F--	1,345	-	-	-	-	-	-	1	1	-	1	3	1	15	24	28	50	100	139	220	296	253	144	51	16	2
	Nonwhite--M--	156	-	-	-	-	-	-	-	-	-	1	1	1	3	9	14	16	19	28	27	11	17	4	3	1	1
	F--	94	-	-	-	-	-	-	-	-	-	-	1	1	4	7	6	16	8	14	15	13	3	3	-	1	2
421, 422	Nonrheumatic chronic endocarditis, etc.*	558	1	-	-	-	-	-	1	1	-	1	3	1	6	11	10	16	35	47	75	103	98	92	37	20	-
	White-----M--	265	1	-	-	-	-	-	1	1	-	1	1	1	1	6	5	9	18	23	44	52	43	33	18	7	-
	F--	230	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	4	12	14	25	44	47	50	18	9	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	4	5	4	4	4	5	-	1	-
	F--	30	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	1	5	2	3	4	4	1	3	-
430-434	Other diseases of heart	571	2	1	-	2	1	1	-	1	2	4	4	11	15	22	31	43	47	74	58	98	62	63	23	5	1
	White-----M--	300	1	-	-	1	-	-	-	1	1	1	1	6	10	13	15	29	28	44	27	47	30	32	10	3	-
	F--	166	1	-	-	-	-	1	-	-	1	2	2	2	3	2	6	4	14	19	21	28	26	23	9	2	-
	Nonwhite--M--	60	-	-	-	1	1	-	-	-	-	1	1	1	1	5	6	5	4	8	6	10	3	5	2	-	-
	F--	45	-	1	-	-	-	-	-	-	-	-	-	2	1	2	4	5	1	3	4	13	3	3	2	-	1
440-443	Hypertension with heart dis.	849	-	-	-	-	-	-	-	-	-	-	2	3	9	15	32	36	75	76	155	171	147	93	31	3	1
	White-----M--	354	-	-	-	-	-	-	-	-	-	-	1	-	2	6	12	19	35	28	54	77	58	48	13	1	-
	F--	345	-	-	-	-	-	-	-	-	-	-	1	1	3	4	7	11	19	32	72	71	71	35	16	1	1
	Nonwhite--M--	74	-	-	-	-	-	-	-	-	-	-	-	1	2	3	7	3	12	9	14	10	8	4	-	1	-
	F--	76	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	3	9	7	15	13	10	6	2	-	-
444-447	Hypertension without mention of heart	177	-	-	-	-	-	-	-	-	-	-	2	2	6	10	5	7	14	17	20	36	31	17	6	4	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	8	9	11	12	13	9	-	1	-
	F--	70	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	4	4	4	7	19	13	5	6	2	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	1	-	3	1	3	2	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	2	1	2	-	2	-	2	1	1	2	3	3	-	1	-
450	General arteriosclerosis	426	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	9	10	24	58	68	111	85	46	8	3
	White-----M--	195	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	5	3	10	26	36	53	40	16	2	2
	F--	200	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	8	30	29	54	43	24	5	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	2	2	2	1	4	1	1
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	1	2	1	2	-	-
451-468	Other diseases of circulatory sys.	131	-	-	-	-	-	-	-	3	1	5	3	6	5	8	8	8	11	12	18	18	13	6	5	1	-
	White-----M--	71	-	-	-	-	-	-	-	-	-	-	1	3	4	6	2	5	7	6	12	13	7	4	1	-	-
	F--	43	-	-	-	-	-	-	-	-	1	2	2	2	1	2	6	1	3	3	5	5	5	2	2	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-
	F--	11	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-	2	1	1	1	-	-	-	1	-	-
592-594	Chronic nephritis, etc.*	329	1	1	-	2	-	-	3	2	3	3	6	6	11	14	11	14	27	34	47	60	49	20	9	5	1
	White-----M--	143	-	-	-	2	-	-	2	-	1	2	2	2	5	6	3	8	14	14	20	27	21	10	2	2	-
	F--	104	1	1	-	-	-	-	1	2	-	1	1	2	3	5	2	3	9	12	15	13	21	6	2	2	-
	Nonwhite--M--	42	-	-	-	-	-	-	-	-	2	-	3	-	-	-	1	-	1	4	7	12	5	2	3	1	1
	F--	40	-	-	-	-	-	-	-	-	-	-	-	2	3	3	5	3	3	4	5	8	2	-	2	-	-
480-493	Influenza and pneumonia, etc.*	618	93	14	8	6	2	10	6	4	2	5	5	6	10	12	20	15	25	42	52	87	87	64	31	9	3
	White-----M--	294	28	4	1	3	-	4	3	1	-	4	2	2	5	8	10	11	19	28	26	54	33	34	11	3	-
	F--	211	22	2	5	1	1	2	2	2	2	-	2	1	2	1	7	2	4	9	24	25	46	26	19	3	1
	Nonwhite--M--	52	16	4	1	2	-	3	1	-	-	1	-	-	1	3	2	1	1	3	2	4	4	3	-	-	-
	F--	61	27	4	1	-	1	1	-	1	-	-	1	3	2	-	1	1	1	2	-	4	4	1	1	3	2
480-483	Influenza	58	6	-	1	2	-	-	-	-	-	2	-	2	1	4	1	1	-	1	7	8	8	7	3	2	2
	White-----M--	25	1	-	-	1	-	-	-	-	-	2	-	1	1	2	-	-	-	1	4	5	2	3	1	1	-
	F--	19	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	2	5	3	2	-	-
	Nonwhite--M--	6	1	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
	F--	8	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	2
490-493	Pneumonia, etc.*	560	87	14	7	4	2	10	6	4	2	3	5	4	9	8	19	14	25	41	45	79	79	57	28	7	1
	White-----M--	269	27	4	1	2	-	4	3	1	-	2	2	1	4	6	10	11	19	27	22	49	31	31	10	2	-
	F--	192	21	2	4	1	1	2	2	2	2	-	2	1	2	1	6	1	4	9	21	23	41	23	17	3	1
	Nonwhite--M--	46	15	4	1	1	-	3	1	-	-	1	-	-	1	1	2	1	1	3	2	3	4	2	-	-	-
	F--	53	24	4	1	-	1	1	-	1	-	-	1	2	2	-	1	1	1	2	-	4	3	1	1	2	-
500-502	Bronchitis	29	7	1	1	-	-	1	1	-	-	-	-	-	-	-	2	1	2	1	3	2	7	-	-	-	-
	White-----M--	16	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	2	1	3	1	4	-	-	-	-
	F--	8	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	93	1	-	-	-	-	-	-	-	1	1	4	1	3	5	10	9	12	16	13	7	8	2	-	-	-
	White-----M--	71	-	-	-	-	-	-	-	-	1	1	3	1	1	4	8	8	9	12	12	6	4	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	1	2	-	1	3	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
550-553	Appendicitis	43	-	-	-	1	-	1	1	5	-	1	1	1	-	4	3	2	4	2	6	9	-	1	1	-	-
	White-----M--	20	-	-	-	1	-	-	1	2	-	-	1	-	-	3	1	1	-	1	4	5	-	-	-	-	-
	F--	17	-	-	-	-	-	1	-	1	-	-	-	1	-	1	1	1	4	1	1	3	-	1	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	142	12	1	-	1	-	4	1	2	-	1	1	1	4	6	5	6	12	12	16	15	22	12	5	3	-
	White-----M--	74	6	1	-	1	-	-	1	2	-	-	-	1	2	3	3	1	7	3	11	7	11	8	3	3	-
	F--	50	5	-	-	-	-	1	-	-	-	1	-	-	-	2	1	3	4	6	4	8	11	2	2	-	-
	Nonwhite--M--	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-
	F--	12	-	-	-	-	-	2	-	-	-	-	1	-	2	1	-	2	1	1	1	-	-	1	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
543, 571, 572	Gastritis, etc.*	99	40	6	2	-	1	1	-	1	-	-	-	1	1	2	1	2	1	2	7	10	9	9	2	1	-
	White—M	27	9	-	1	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	4	3	3	2	-	-	-
	F	33	8	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	3	4	6	5	1	1	-
	Nonwhite—M	21	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	1	-	-
	F	18	10	1	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-
581	Cirrhosis of liver	161	-	-	-	1	-	-	-	-	-	3	3	3	10	12	14	19	25	22	16	13	14	4	2	-	-
	White—M	88	-	-	-	1	-	-	-	-	-	1	2	1	5	7	11	9	9	12	11	7	8	3	1	-	-
	F	57	-	-	-	-	-	-	-	-	-	1	-	1	4	4	3	6	14	7	4	5	6	1	1	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	2	-	1	-	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*	41	1	-	-	-	-	-	-	-	1	2	1	-	-	1	4	2	2	6	6	5	2	7	1	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	2	2	5	1	2	1	-	-
	F	17	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	3	4	-	1	5	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	117	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	13	15	26	25	19	7	3	-
	White—M	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	10	14	22	24	17	6	3	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	4	1	2	1	-	-
640-689	Complications of pregnancy, etc.*	33	...	...	...	...	...	...	-	4	8	6	6	4	3	1	-	-	-	-	1	-	-	-	-	-	-
	White—F	19	...	...	...	...	...	...	-	4	4	5	1	3	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—F	14	...	...	...	...	...	...	-	-	4	1	5	1	2	1	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	3	...	...	...	...	...	...	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	...	...	...	...	...	...	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	30	...	...	...	...	...	...	-	4	7	6	5	4	3	-	-	-	-	-	1	-	-	-	-	-	-
	White—F	19	...	...	...	...	...	...	-	4	4	5	1	3	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—F	11	...	...	...	...	...	...	-	-	3	1	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	254	189	11	3	4	2	6	3	4	4	4	2	2	5	3	2	1	2	2	-	3	2	-	-	-	-
	White—M	126	95	6	-	1	-	2	-	3	1	3	1	2	1	3	2	1	1	2	-	2	-	-	-	-	-
	F	103	73	5	3	3	2	2	2	1	3	1	1	-	3	-	-	-	1	-	-	1	2	-	-	-	-
	Nonwhite—M	16	15	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	6	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	813	813	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	419	419	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	280	280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	332	332	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	171	171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	434	434	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	228	228	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	659	51	6	2	-	1	2	3	3	3	4	6	7	16	22	27	30	38	61	55	84	96	71	48	14	9
	White—M	311	10	2	1	-	-	-	1	3	-	1	3	5	9	10	13	17	23	30	27	44	56	21	26	6	3
	F	202	15	-	1	-	-	1	1	-	3	2	1	-	2	4	8	6	6	17	13	26	30	40	19	6	1
	Nonwhite—M	86	12	2	-	-	1	1	-	-	-	1	-	2	3	6	3	6	5	8	11	10	5	6	2	-	2
	F	60	14	2	-	-	-	-	1	-	-	-	2	-	2	2	3	1	4	6	4	4	5	4	1	2	3
Residual	All other diseases	1,054	68	8	10	11	1	12	12	6	17	15	22	28	36	27	63	72	81	115	122	118	114	60	19	12	5
	White—M	500	26	3	5	6	1	1	7	4	7	5	7	13	21	12	24	40	47	70	60	53	53	28	6	3	-
	F	399	24	3	4	5	-	9	2	1	5	8	8	10	11	7	27	19	26	33	53	50	53	25	10	6	-
	Nonwhite—M	75	12	-	1	-	-	1	2	-	2	1	3	-	1	6	6	7	4	7	2	7	5	5	1	2	-
	F	80	6	2	-	-	-	1	1	1	3	1	4	5	3	2	6	6	4	5	7	8	3	4	2	1	5
E800-E962	Accidents	1,546	77	26	28	22	9	46	42	90	100	83	89	55	72	72	88	56	77	73	80	101	117	87	36	9	11
	White—M	924	30	16	8	11	5	30	30	67	83	57	64	40	50	51	59	36	47	41	37	56	49	36	12	4	5
	F	406	23	6	12	9	3	8	8	17	8	13	7	8	6	9	18	13	19	25	31	33	59	42	20	5	4
	Nonwhite—M	145	13	2	4	-	1	7	4	5	5	11	17	7	12	8	10	5	9	4	4	7	3	6	1	-	-
	F	71	11	2	4	2	-	1	-	1	4	2	1	-	4	4	1	2	2	3	8	5	6	3	3	-	2
E810-E835	Motor-vehicle accidents	572	4	10	6	5	4	17	11	60	66	54	46	26	36	37	43	27	35	31	22	15	8	6	1	1	1
	White—M	388	3	7	1	3	2	10	7	44	54	38	32	19	24	26	27	14	22	15	16	12	6	4	-	1	1
	F	118	1	3	5	2	2	3	4	14	7	8	4	4	4	6	10	11	7	14	5	2	1	1	-	-	-
	Nonwhite—M	54	-	-	-	-	-	3	-	2	2	7	9	3	6	3	6	1	5	2	1	1	1	1	1	-	-
	F	12	-	-	-	-	-	1	-	-	3	1	1	-	2	2	-	1	1	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	974	73	16	22	17	5	29	31	30	34	29	43	29	36	35	45	29	42	42	58	86	109	81	35	8	10
	White—M	536	27	9	7	8	3	20	23	23	29	19	32	21	26	25	32	22	25	26	21	44	43	32	12	3	4
	F	288	22	3	7	7	1	5	4	3	1	5	3	4	2	3	8	2	12	11	26	31	58	41	20	5	4
	Nonwhite—M	91	13	2	4	-	1	4	4	3	3	4	8	4	6	5	4	4	4	2	3	6	2	5	-	-	-
	F	59	11	2	4	2	-	-	-	1	1	1	-	-	2	2	1	1	1	3	8	5	6	3	3	-	2
E963, E970-E979	Suicide	161	-	-	-	-	-	-	-	1	7	13	12	11	13	18	16	14	16	9	12	10	4	3	1	-	1
	White—M	124	-	-	-	-	-	-	-	1	4	5	10	9	9	13	14	12	13	7	12	7	4	3	1	-	-
	F	29	-	-	-	-	-	-	-	-	1	6	2	2	4	3	2	2	2	2	-	2	-	-	-	-	1
	Nonwhite—M	6	-	-	-	-	-	-	-	-	2	1	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	105	1	1	-	-	-	1	5	-	5	14	7	14	15	10	13	11	2	3	1	1	1	-	-	-	-
	White—M	50	-	1	-	-	-	-	2	-	1	6	3	8	8	5	6	6	-	2	1	-	1	-	-	-	-
	F	15	1	-	-	-	-	-	1	-	1	2	-	1	2	1	2	2	1	-	-	1	-	-	-	-	-
	Nonwhite—M	32	-	-	-	-	-	1	2	-	3	4	3	4	4	2	5	3	1	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	2	1	1	1	2	-	-	-	1	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON																										
	ALL CAUSES------	14,744	869	64	38	28	24	76	68	95	103	162	177	274	354	515	729	1,006	1,369	1,771	1,923	1,888	1,632	1,024	429	100	26
	White-----M--	8,815	490	34	20	12	10	38	43	71	73	111	102	164	200	347	480	678	912	1,148	1,188	1,085	883	467	208	36	15
	F--	5,663	344	28	15	12	11	36	24	22	24	43	70	100	135	150	238	307	439	603	703	789	738	546	217	59	10
	Nonwhite--M--	184	25	2	2	3	2	2	-	2	6	6	5	8	13	12	7	12	11	16	21	11	8	7	2	2	1
	F--	82	10	-	1	1	1	-	1	-	-	2	-	4	6	6	4	9	7	4	11	3	3	4	2	3	-
001-019	Tuberculosis, all forms--------	85	-	1	-	-	-	-	-	1	1	1	2	8	6	8	3	13	10	10	8	6	4	3	-	-	-
	White-----M--	62	-	-	-	-	-	-	-	-	-	-	2	4	3	5	2	12	5	10	7	5	4	3	-	-	-
	F--	19	-	1	-	-	-	-	-	1	-	1	-	3	2	2	1	1	5	-	1	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	77	-	-	-	-	-	-	-	-	1	1	2	7	5	7	3	12	10	9	8	5	4	3	-	-	-
	White-----M--	57	-	-	-	-	-	-	-	-	-	-	2	4	2	4	2	11	5	9	7	4	4	3	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	1	-	3	2	2	1	1	5	-	1	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	8	-	1	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	1	-	1	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	34	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	6	5	9	4	4	-	-	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	9	4	3	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	9	3	1	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	14	1	-	-	1	-	-	3	1	2	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	White-----M--	8	-	-	-	1	-	-	3	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	38	5	1	2	1	-	2	1	1	-	3	2	1	3	1	2	-	2	3	3	2	1	2	-	-	-
	White-----M--	19	3	1	1	1	-	1	-	1	-	1	-	-	1	1	-	-	1	2	2	1	1	1	-	-	-
	F--	16	2	-	-	-	-	1	1	-	-	2	1	1	1	-	2	-	1	1	1	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON—Continued																										
140-205	Malignant neoplasms, etc.*----	2,240	2	5	7	7	5	8	8	5	8	23	26	52	75	101	157	236	292	365	310	264	164	81	32	5	2
	White-----M--	1,162	2	3	4	2	2	6	3	4	5	14	10	16	22	45	76	132	162	193	179	142	91	32	15	2	-
	F--	1,047	-	2	3	4	3	2	4	1	3	9	16	35	49	56	81	100	126	167	127	119	73	47	16	2	2
	Nonwhite--M--	21	-	-	-	1	-	-	-	-	-	-	-	1	4	-	-	-	3	4	3	3	-	2	-	-	-
	F--	10	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	4	1	1	1	-	-	-	1	1	-
140-148	Of buccal cavity and pharynx------	51	-	-	-	-	-	1	-	-	-	-	-	-	1	4	-	7	12	7	7	7	3	1	1	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	5	5	7	5	5	1	1	1	-	-
	F--	16	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	6	-	2	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	787	1	-	-	-	-	-	-	1	-	4	5	12	17	32	53	67	93	144	120	116	66	43	10	2	1
	White-----M--	445	1	-	-	-	-	-	-	1	-	4	2	6	7	15	30	44	59	81	77	62	31	18	5	2	-
	F--	332	-	-	-	-	-	-	-	-	-	-	3	6	8	17	23	22	33	62	41	52	35	24	5	-	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	2	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
160-164	Of respiratory system----------	272	-	-	-	-	-	-	-	-	-	-	-	6	5	11	26	51	48	46	38	17	16	5	2	1	-
	White-----M--	218	-	-	-	-	-	-	-	-	-	-	-	5	2	10	20	48	41	38	27	12	10	3	2	-	-
	F--	50	-	-	-	-	-	-	-	-	-	-	-	1	2	1	6	3	6	8	10	5	6	1	-	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	216	-	-	-	-	-	-	-	-	-	3	5	9	17	17	18	28	32	33	19	16	9	6	4	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-
	F--	210	-	-	-	-	-	-	-	-	-	3	5	9	17	17	18	28	31	32	17	14	9	6	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
171-179	Of genital organs-	352	-	-	-	-	-	-	-	-	2	5	3	10	15	14	15	36	38	52	57	48	35	15	7	-	-
	White-----M--	151	-	-	-	-	-	-	-	-	2	3	1	-	2	1	2	9	11	23	31	29	28	7	2	-	-
	F--	197	-	-	-	-	-	-	-	-	-	2	2	10	13	13	13	25	27	28	26	19	7	8	4	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-
180, 181	Of urinary organs-	100	-	-	1	1	1	-	1	-	-	-	-	2	3	5	2	7	18	18	17	10	6	6	1	1	-
	White-----M--	61	-	-	1	1	-	-	1	-	-	-	-	-	2	3	1	4	13	14	9	7	3	1	1	-	-
	F--	37	-	-	-	-	1	-	-	-	-	-	-	2	1	2	1	3	5	4	7	3	3	5	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
156B, 165, 190-199	Of other sites, etc.*----------	262	-	3	1	1	2	3	2	3	1	3	9	6	11	13	28	20	27	39	30	32	16	4	6	1	1
	White-----M--	137	-	2	-	-	1	3	1	3	1	1	6	2	5	9	13	9	18	19	15	13	11	2	3	-	-
	F--	120	-	1	1	1	1	-	1	-	-	2	3	3	5	4	15	10	9	19	15	18	5	2	3	1	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	109	-	-	5	5	2	3	4	1	1	4	3	1	3	1	7	9	12	13	15	9	9	1	1	-	-
	White-----M--	63	-	-	3	1	1	2	-	-	-	3	1	-	1	1	6	5	7	9	10	8	4	-	1	-	-
	F--	43	-	-	2	3	1	1	3	1	1	1	2	1	2	-	1	4	4	4	5	1	5	1	-	-	-
	Nonwhite--M--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	91	1	2	-	-	-	1	1	-	4	4	1	6	3	4	8	11	12	13	7	9	4	-	-	-	-
	White-----M--	48	1	1	-	-	-	1	1	-	2	3	-	3	2	3	4	8	7	2	3	4	3	-	-	-	-
	F--	42	-	1	-	-	-	-	-	-	2	1	1	3	1	1	4	3	5	10	4	5	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	38	2	-	-	-	1	1	1	-	-	1	4	1	3	1	4	4	6	5	3	-	1	-	-	-	-
	White-----M--	16	2	-	-	-	-	-	-	-	-	1	1	-	2	-	2	2	3	1	1	-	1	-	-	-	-
	F--	22	-	-	-	-	1	1	1	-	-	-	3	1	1	1	2	2	3	4	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	169	-	-	-	-	-	1	2	-	-	3	4	2	2	1	6	14	11	25	38	21	19	19	1	-	-
	White-----M--	74	-	-	-	-	-	-	2	-	-	3	2	-	1	-	1	5	6	9	18	6	13	8	-	-	-
	F--	92	-	-	-	-	-	1	-	-	-	-	2	2	1	1	5	9	4	16	20	14	6	10	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	24	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	2	4	3	3	3	3	2	-	-	-
	White-----M--	12	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	2	1	2	1	2	1	-	-	-
	F--	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	2	1	2	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	16	3	1	2	2	-	-	1	-	-	-	-	-	2	-	-	2	1	1	-	-	1	-	-	-	-
	White-----M--	9	-	1	1	-	-	-	1	-	-	-	-	-	2	-	-	2	1	1	-	-	-	-	-	-	-
	F--	6	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	8,322	3	1	1	1	2	5	2	2	5	22	32	63	121	233	362	529	822	1,097	1,286	1,361	1,203	762	321	70	16
	White-----M--	4,993	1	-	1	-	-	4	1	2	1	13	17	40	74	174	264	377	573	730	783	771	637	350	146	24	10
	F--	3,229	2	1	-	1	1	1	1	-	3	9	14	19	39	51	93	144	240	355	487	581	559	408	172	43	5
	Nonwhite--M--	61	-	-	-	-	-	-	-	-	1	-	1	2	6	6	1	5	3	9	10	6	5	2	2	1	1
	F--	39	-	-	-	-	1	-	-	-	-	-	-	2	2	2	4	3	6	3	6	3	2	2	1	2	-
330-334, 400-468	Diseases of cardiovascular system-	8,195	3	1	1	1	1	2	2	2	5	20	27	60	117	228	348	521	810	1,081	1,273	1,343	1,190	759	316	68	16
	White-----M--	4,930	1	-	1	-	-	2	1	2	1	12	15	40	73	171	258	376	568	719	776	762	628	347	144	23	10
	F--	3,171	2	1	-	1	-	-	1	-	3	8	11	17	37	49	86	138	234	350	481	573	555	408	169	42	5
	Nonwhite--M--	58	-	-	-	-	-	-	-	-	1	-	1	1	5	6	1	5	3	9	10	5	5	2	2	1	1
	F--	36	-	-	-	-	1	-	-	-	-	-	-	2	2	2	3	2	5	3	6	3	2	2	1	2	-
330-334	Vascular lesions, etc.*----------	1,767	3	-	-	-	1	1	-	-	1	9	7	5	14	33	54	80	149	200	259	334	298	213	87	16	3
	White-----M--	896	1	-	-	-	-	1	-	-	-	4	4	1	6	17	24	46	87	110	134	168	156	96	38	1	2
	F--	855	2	-	-	-	-	-	-	-	1	5	2	4	8	15	28	32	60	88	124	163	141	117	49	15	1
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	2	-	1	1	-	-	-	-
	F--	7	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	1	2	-	-	-	-	-
400-402	Rheumatic fever---	6	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON—Continued																										
410-443	Diseases of heart-	5,779	-	-	-	1	-	-	1	2	2	8	16	48	95	188	276	421	621	805	945	894	777	447	181	39	12
	White-----M--	3,655	-	-	-	-	-	-	1	2	-	5	10	38	66	149	223	317	452	555	598	517	414	206	78	16	8
	F--	2,057	-	-	-	1	-	-	-	-	1	3	6	8	23	33	51	99	165	240	336	372	357	236	101	20	3
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	1	-	-	1	5	5	-	3	1	7	7	4	4	2	1	1	1
	F--	24	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	3	3	4	1	2	1	1	2	-
410-416	Chronic rheumatic heart disease----	227	-	-	-	-	-	-	1	2	2	4	5	7	15	15	21	22	40	28	30	13	12	8	2	-	-
	White-----M--	117	-	-	-	-	-	-	1	2	-	3	1	4	5	7	9	13	27	15	13	7	7	2	1	-	-
	F--	108	-	-	-	-	-	-	-	-	1	1	4	3	9	8	12	9	13	13	17	6	5	6	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,045	-	-	-	-	-	-	-	-	-	2	8	36	66	157	226	331	469	590	673	613	476	263	104	22	9
	White-----M--	2,801	-	-	-	-	-	-	-	-	-	1	7	31	54	136	198	266	364	436	463	375	276	131	48	8	7
	F--	1,204	-	-	-	-	-	-	-	-	-	1	1	3	11	18	27	60	104	150	200	234	196	130	56	12	1
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-	3	7	3	2	2	-	1	1
	F--	15	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	3	1	2	-	-	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	418	-	-	-	-	-	-	-	-	-	-	-	-	4	4	6	13	21	43	58	78	93	63	29	6	-
	White-----M--	217	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	5	14	25	34	44	43	28	10	4	-
	F--	197	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	8	7	17	24	34	48	35	19	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	243	-	-	-	1	-	-	-	-	-	1	1	2	6	2	6	14	20	27	31	41	50	25	10	5	1
	White-----M--	127	-	-	-	-	-	-	-	-	-	1	1	1	3	-	3	8	16	18	15	22	23	10	3	2	1
	F--	109	-	-	-	1	-	-	-	-	-	-	-	1	1	1	3	6	4	7	16	18	27	15	6	3	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
440-443	Hypertension with heart dis.--	846	-	-	-	-	-	-	-	-	-	1	2	3	4	10	17	41	71	117	153	149	146	88	36	6	2
	White-----M--	393	-	-	-	-	-	-	-	-	-	-	1	2	2	3	8	25	31	61	73	69	65	35	16	2	-
	F--	439	-	-	-	-	-	-	-	-	-	1	1	1	1	5	8	16	37	53	79	80	81	52	19	3	2
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	2	-	-	-	-	1	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	1	-	1	-
444-447	Hypertension without mention of heart----------	73	-	-	-	-	-	-	-	-	-	-	1	3	2	-	5	2	7	10	7	13	8	13	2	-	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	6	5	10	4	4	1	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	1	3	1	-	4	2	2	4	2	3	4	9	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	431	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	18	36	49	86	93	80	44	13	1
	White-----M--	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	14	28	32	57	47	38	25	6	-
	F--	172	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	8	15	29	46	41	18	7	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
451-468	Other diseases of circulatory sys.-	139	-	1	1	-	-	-	-	-	2	2	2	3	5	6	10	12	15	30	12	16	14	6	2	-	-
	White-----M--	87	-	-	1	-	-	-	-	-	1	2	1	1	-	5	7	9	11	20	7	10	7	3	2	-	-
	F--	48	-	1	-	-	-	-	-	-	1	-	1	1	4	-	3	3	4	10	4	6	7	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	127	-	-	-	-	1	3	-	-	-	2	5	3	4	5	14	8	12	16	13	18	13	3	5	2	-
	White-----M--	63	-	-	-	-	-	2	-	-	-	1	2	-	1	3	6	1	5	11	7	9	9	3	2	1	-
	F--	58	-	-	-	-	1	1	-	-	-	1	3	2	2	2	7	6	6	5	6	8	4	-	3	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	322	47	4	-	2	-	5	-	-	3	3	4	2	6	8	12	15	22	30	42	28	37	30	15	4	3
	White-----M--	197	26	3	-	-	-	3	-	-	2	2	2	-	4	7	6	10	16	25	31	16	22	11	8	2	1
	F--	110	15	1	-	2	-	2	-	-	1	1	1	1	2	1	6	3	6	4	8	12	14	19	7	2	2
	Nonwhite--M--	7	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	F--	8	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	1	-	-	-	-
480-483	Influenza---------	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	3	1	1	-	-	1
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	311	47	4	-	2	-	5	-	-	3	3	4	2	6	8	11	14	21	30	40	25	36	29	15	4	2
	White-----M--	193	26	3	-	-	-	3	-	-	2	2	2	-	4	7	5	9	16	25	29	16	22	11	8	2	1
	F--	103	15	1	-	2	-	2	-	-	1	1	1	1	2	1	6	3	5	4	8	9	13	18	7	2	1
	Nonwhite--M--	7	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	F--	8	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	1	-	-	-	-
500-502	Bronchitis---------	44	7	4	2	-	-	-	-	-	-	1	1	1	-	-	1	1	3	2	2	6	7	4	1	1	-
	White-----M--	28	4	2	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	1	4	5	3	1	1	-
	F--	16	3	2	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	2	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	100	-	1	-	-	-	-	-	-	-	-	1	2	4	5	5	12	13	15	13	12	7	9	1	-	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	-	-	2	3	5	5	8	9	10	9	9	5	4	1	-	-
	F--	27	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	4	3	4	3	3	2	5	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	16	2	-	-	-	1	1	-	-	-	-	1	-	-	-	1	1	1	4	2	1	1	-	-	-	-
	White-----M--	8	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-	-	-	-
	F--	8	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	1	1	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	73	17	1	-	-	1	-	1	-	-	1	2	-	3	-	3	4	5	10	4	8	8	2	2	-	1
	White-----M--	42	11	1	-	-	1	-	-	-	-	1	-	-	1	-	2	4	3	4	3	5	4	1	1	-	-
	F--	31	6	-	-	-	-	-	1	-	-	-	2	-	2	-	1	-	2	6	1	3	4	1	1	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON—Continued																										
543,	Gastritis, etc.*	54	19	1	-	-	-	-	-	-	-	1	-	2	1	2	3	2	2	3	6	4	4	2	1	1	-
571,	White-----M--	22	8	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	1	4	-	2	-	1	-	-
572	F--	26	7	1	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	1	2	4	2	2	-	1	-
	Nonwhite--M--	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	101	-	-	-	-	-	-	-	-	-	2	-	7	5	12	21	9	13	10	10	5	3	4	-	-	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	-	-	2	1	8	15	7	8	8	7	3	1	3	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	2	-	5	4	3	5	1	4	2	3	2	2	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	19	1	-	-	-	-	1	-	-	2	-	-	-	1	1	2	1	-	2	2	3	3	-	-	-	-
	White-----M--	10	1	-	-	-	-	-	-	-	2	-	-	-	1	1	2	1	-	1	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	11	14	9	14	8	5	3	-
	White-----M--	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	11	14	9	14	8	5	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	7	...	...	...	...	...	...	-	-	2	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	...	...	...	...	...	...	-	-	2	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	6	...	...	...	...	...	...	-	-	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	6	...	...	...	...	...	...	-	-	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	202	148	11	2	1	3	4	3	3	1	-	2	4	-	3	-	4	4	1	4	3	-	1	-	-	-
	White-----M--	111	88	5	1	-	1	2	2	1	-	-	1	1	-	1	-	2	2	1	1	2	-	-	-	-	-
	F--	86	56	6	1	1	1	2	1	2	1	-	1	3	-	2	-	2	2	-	3	1	-	1	-	-	-
	Nonwhite--M--	5	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	494	494	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	280	280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	196	196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	258	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	213	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	198	12	1	-	-	-	-	-	-	4	2	2	2	5	2	6	9	6	8	15	15	41	35	21	11	1
795	White-----M--	107	6	-	-	-	-	-	-	-	3	-	1	2	3	1	5	7	4	7	11	12	14	14	13	3	1
	F--	80	5	1	-	-	-	-	-	-	1	2	-	-	2	1	1	1	2	1	2	3	25	18	8	7	-
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	2	1	-	1	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
Re-	All other diseases	703	61	10	8	3	2	7	6	6	5	11	15	11	16	38	38	54	60	88	84	70	74	28	15	1	2
sid-	White-----M--	431	28	6	5	2	1	2	6	2	3	2	6	5	6	21	25	34	40	66	55	49	41	15	9	-	2
ual	F--	258	32	3	3	1	1	5	-	4	2	7	9	5	8	15	12	19	19	22	27	21	23	13	6	1	-
	Nonwhite--M--	8	-	1	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	-	1	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-
E800-	Accidents	1,052	36	19	14	10	8	37	37	68	60	65	61	85	71	64	67	63	52	47	53	50	38	30	12	4	1
E962	White-----M--	763	25	12	7	6	3	18	25	57	51	56	47	71	56	50	47	47	37	38	39	34	18	11	6	1	1
	F--	254	10	7	5	2	4	17	12	10	6	4	13	13	14	10	18	13	15	9	10	15	19	19	6	3	-
	Nonwhite--M--	32	1	-	2	2	1	2	-	1	3	4	1	1	1	3	2	3	-	-	3	1	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	421	3	4	5	3	3	14	17	41	29	32	28	46	33	26	21	23	20	17	24	22	7	3	-	-	-
	White-----M--	296	1	2	3	2	1	4	10	33	24	27	18	37	22	17	13	16	11	13	18	18	5	1	-	-	-
	F--	114	2	2	1	1	2	10	7	8	3	3	10	8	11	8	7	5	9	4	5	4	2	2	-	-	-
	Nonwhite--M--	9	-	-	1	-	-	-	-	-	2	1	-	1	-	-	1	2	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents	631	33	15	9	7	5	23	20	27	31	33	33	39	38	38	46	40	32	30	29	28	31	27	12	4	1
E802,	White-----M--	467	24	10	4	4	2	14	15	24	27	29	29	34	34	33	34	31	26	25	21	16	13	10	6	1	1
E840-	F--	140	8	5	4	1	2	7	5	2	3	1	3	5	3	2	11	8	6	5	5	11	17	17	6	3	-
E962	Nonwhite--M--	23	1	-	1	2	1	2	-	1	1	3	1	-	1	3	1	1	-	-	2	1	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E963,	Suicide	254	-	-	-	-	-	-	1	5	7	14	14	22	23	31	27	26	25	26	12	13	5	1	2	-	-
E970-	White-----M--	202	-	-	-	-	-	-	-	3	3	11	12	16	17	26	20	21	24	20	10	11	5	1	2	-	-
E979	F--	49	-	-	-	-	-	-	1	2	3	2	2	6	6	4	7	5	1	6	2	2	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	33	1	-	-	-	-	-	-	-	3	5	2	7	3	2	6	-	3	-	-	-	-	1	-	-	-
E980-	White-----M--	20	1	-	-	-	-	-	-	-	3	4	1	3	2	1	2	-	2	-	-	-	-	1	-	-	-
E985	F--	10	-	-	-	-	-	-	-	-	-	1	1	3	-	1	3	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA																										
	ALL CAUSES------	108,686	6,083	344	215	165	135	533	328	567	727	916	1,298	1,840	2,842	4,264	6,104	8,351	11,267	13,954	14,603	13,863	10,908	6,449	2,263	528	139
	White-----M--	56,619	3,006	148	102	78	54	281	204	352	448	496	641	878	1,571	2,387	3,405	4,737	6,457	7,844	7,785	6,955	5,047	2,666	851	165	61
	F--	44,398	2,140	148	84	65	59	187	91	161	184	270	444	681	868	1,360	1,910	2,791	4,042	5,308	6,199	6,460	5,574	3,621	1,348	340	63
	Nonwhite--M--	4,275	537	28	14	13	9	42	21	36	60	90	107	143	215	258	428	487	456	440	344	255	156	82	36	9	9
	F--	3,394	400	20	15	9	13	23	12	18	35	60	106	138	188	259	361	336	312	362	275	193	131	80	28	14	6
001-019	Tuberculosis, all forms--------	1,208	9	6	4	2	-	2	3	8	13	32	62	70	100	108	114	145	138	149	107	85	29	16	5	-	1
	White-----M--	728	1	1	1	1	-	-	1	3	4	9	18	18	55	66	68	99	103	125	75	54	14	9	2	-	1
	F--	213	4	2	-	-	-	1	-	2	3	9	14	23	19	18	15	15	18	11	14	24	13	6	2	-	-
	Nonwhite--M--	178	2	-	2	1	-	1	1	2	3	7	10	16	19	20	23	26	14	10	15	4	1	-	1	-	-
	F--	89	2	3	1	-	-	-	1	1	3	7	20	13	7	4	8	5	3	3	3	3	1	1	-	-	-
001-008	Tuberculosis of respiratory system----------	1,108	3	2	1	1	-	1	-	6	11	29	57	62	90	103	107	134	131	141	99	82	27	15	5	-	1
	White-----M--	688	-	-	-	1	-	-	-	3	3	9	17	17	53	64	68	91	97	120	69	52	12	9	2	-	1
	F--	186	1	-	-	-	-	-	-	-	3	9	12	21	15	17	12	13	18	9	13	23	13	5	2	-	-
	Nonwhite--M--	156	2	-	1	-	-	1	-	2	2	6	9	12	17	18	19	25	13	9	14	4	1	-	1	-	-
	F--	78	-	2	-	-	-	-	-	1	3	5	19	12	5	4	8	5	3	3	3	3	1	1	-	-	-
010-019	Tuberculosis, other forms------	100	6	4	3	1	-	1	3	2	2	3	5	8	10	5	7	11	7	8	8	3	2	1	-	-	-
	White-----M--	40	1	1	1	-	-	-	1	-	1	-	1	1	2	2	-	8	6	5	6	2	2	-	-	-	-
	F--	27	3	2	-	-	-	1	-	2	-	-	2	2	4	1	3	2	-	2	1	1	-	1	-	-	-
	Nonwhite--M--	22	-	-	1	1	-	-	1	-	1	1	1	4	2	2	4	1	1	1	1	-	-	-	-	-	-
	F--	11	2	1	1	-	-	-	1	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	375	3	-	-	-	-	-	-	1	1	1	3	8	7	17	41	55	62	57	61	35	14	5	4	-	-
	White-----M--	201	-	-	-	-	-	-	-	-	-	-	-	1	2	7	22	26	38	32	35	26	8	3	1	-	-
	F--	70	-	-	-	-	-	-	-	-	-	-	1	2	-	5	5	9	9	10	15	6	5	1	2	-	-
	Nonwhite--M--	73	2	-	-	-	-	-	-	1	-	-	-	3	4	4	10	10	12	11	11	2	1	1	1	-	-
	F--	31	1	-	-	-	-	-	-	-	1	1	2	2	1	1	4	10	3	4	-	1	-	-	-	-	-
040	Typhoid fever-----	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	17	1	-	-	-	-	3	1	1	-	-	1	-	1	-	-	2	2	1	3	-	-	-	1	-	-
	White-----M--	6	1	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-
	F--	10	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	2	2	1	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	19	16	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	62	11	15	9	4	1	8	2	-	3	1	-	2	-	2	1	-	-	1	1	1	-	-	-	-	-
	White-----M--	33	6	10	6	3	-	5	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	25	5	4	3	1	-	3	1	-	-	1	-	2	-	1	1	-	-	1	1	1	-	-	-	-	-
	Nonwhite--M--	3	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	48	3	3	-	-	2	8	4	4	5	7	5	-	1	2	1	3	-	-	-	-	-	-	-	-	-
	White-----M--	23	-	-	-	-	2	5	1	1	4	4	1	-	-	2	-	3	-	-	-	-	-	-	-	-	-
	F--	22	2	1	-	-	-	3	3	3	1	3	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	34	6	3	5	1	1	11	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
	White-----M--	10	3	1	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	3	1	5	1	-	9	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
	Nonwhite--M--	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	257	30	12	1	3	6	7	5	3	6	10	8	12	21	16	13	16	16	15	19	19	12	3	4	-	-
	White-----M--	106	9	5	1	2	3	4	4	1	3	2	2	7	9	7	5	7	5	6	9	8	5	-	2	-	-
	F--	113	12	5	-	-	2	3	1	2	3	6	6	2	8	6	6	5	6	7	10	11	7	3	2	-	-
	Nonwhite--M--	25	7	2	-	1	-	-	-	-	-	1	-	2	3	1	-	3	3	2	-	-	-	-	-	-	-
	F--	13	2	-	-	-	1	-	-	-	-	1	-	1	1	2	2	1	2	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	33 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
140-205	Malignant neoplasms, etc.*----	17,946	23	14	29	36	27	82	47	64	72	115	219	393	639	992	1,429	1,950	2,471	2,840	2,509	2,027	1,247	558	125	23	15
	White-----M--	8,796	8	7	16	17	13	41	31	32	40	57	91	128	254	365	618	961	1,239	1,539	1,339	1,032	622	273	59	7	7
	F--	8,060	13	7	12	16	13	33	15	30	26	49	110	225	320	529	659	814	1,086	1,156	1,074	924	591	272	63	16	7
	Nonwhite--M--	618	2	-	1	2	1	5	1	2	3	1	8	15	23	48	87	107	87	86	57	45	25	8	3	-	1
	F--	472	-	-	-	1	-	3	-	-	3	8	10	25	42	50	65	68	59	59	39	26	9	5	-	-	-
140-148	Of buccal cavity and pharynx------	369	-	-	-	-	1	-	-	1	1	1	1	1	10	23	28	34	59	52	61	42	33	17	4	-	-
	White-----M--	279	-	-	-	-	-	-	-	-	-	1	-	1	6	17	20	25	44	43	50	30	22	16	4	-	-
	F--	76	-	-	-	-	1	-	-	1	1	-	1	-	3	3	6	6	12	8	11	11	11	1	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	3	1	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	6,920	1	-	-	1	1	-	1	5	7	16	42	97	160	275	466	706	977	1,251	1,069	940	549	288	57	8	3
	White-----M--	3,528	-	-	-	1	1	-	-	3	4	6	17	42	93	123	217	371	507	680	569	465	272	131	23	1	2
	F--	2,983	1	-	-	-	-	-	1	2	2	9	19	44	55	119	192	265	407	498	470	446	263	149	33	7	1
	Nonwhite--M--	266	-	-	-	-	-	-	-	-	1	-	4	8	6	17	43	46	39	48	20	16	11	6	1	-	-
	F--	143	-	-	-	-	-	-	-	-	-	1	2	3	6	16	14	24	24	25	10	13	3	2	-	-	-
160-164	Of respiratory system----------	2,150	-	-	-	-	-	1	-	-	3	3	13	19	83	133	222	320	392	401	279	167	77	27	6	-	4
	White-----M--	1,724	-	-	-	-	-	-	-	-	2	2	9	15	63	96	181	260	326	343	229	125	52	16	2	-	3
	F--	287	-	-	-	-	-	1	-	-	-	1	2	3	13	20	18	33	42	41	39	39	21	10	4	-	-
	Nonwhite--M--	122	-	-	-	-	-	-	-	-	1	-	2	-	6	13	21	24	23	13	10	3	4	1	-	-	1
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	3	1	4	1	-	-	-	-	-	-
170	Of breast---------	1,546	-	-	-	-	-	-	-	-	3	9	18	69	113	153	160	179	213	187	167	131	94	34	11	3	2
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	3	1	3	1	1	-	-	-	-
	F--	1,452	-	-	-	-	-	-	-	-	2	7	15	63	104	149	149	167	199	176	153	127	92	33	11	3	2
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	79	-	-	-	-	-	-	-	-	1	2	2	6	9	4	10	10	11	10	10	2	1	1	-	-	-
171-179	Of genital organs-	2,590	-	-	-	-	-	1	-	11	8	27	50	84	107	164	207	247	284	335	397	337	222	85	18	3	3
	White-----M--	893	-	-	-	-	-	-	-	4	5	14	10	9	1	5	18	33	64	132	194	186	142	60	13	3	-
	F--	1,504	-	-	-	-	-	1	-	6	2	12	36	64	89	143	158	189	201	187	178	131	74	25	5	-	3
	Nonwhite--M--	71	-	-	-	-	-	-	-	1	-	-	-	-	-	3	6	9	7	6	18	15	6	-	-	-	-
	F--	122	-	-	-	-	-	-	-	-	1	1	4	11	17	13	25	16	12	10	7	5	-	-	-	-	-
180, 181	Of urinary organs-	938	3	1	1	4	4	7	-	-	1	1	7	7	18	41	63	102	131	156	139	132	82	28	8	1	1
	White-----M--	592	2	-	-	2	2	1	-	-	-	-	5	5	13	29	44	65	90	106	81	80	45	16	5	1	-
	F--	291	1	1	1	2	1	4	-	-	1	-	2	2	3	8	10	25	38	43	51	48	36	11	2	-	1
	Nonwhite--M--	31	-	-	-	-	1	-	-	-	-	-	-	-	1	2	5	9	1	3	4	2	1	1	1	-	-
	F--	24	-	-	-	-	-	2	-	-	-	1	-	-	1	2	4	3	2	4	3	2	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,988	5	6	14	11	7	31	16	17	14	28	42	67	80	135	164	204	245	267	240	176	127	65	18	8	1
	White-----M--	978	3	2	9	2	3	18	11	10	11	13	19	26	40	62	69	114	125	131	119	90	60	29	9	2	1
	F--	876	1	4	5	6	4	8	4	6	2	12	22	32	32	60	80	74	106	118	112	78	62	34	8	6	-
	Nonwhite--M--	71	1	-	-	2	-	4	1	1	-	-	-	7	5	7	7	8	8	12	1	4	2	-	1	-	-
	F--	63	-	-	-	1	-	1	-	-	1	3	1	2	3	6	8	8	6	6	8	4	3	2	-	-	-
204	Leukemia and aleukemia----------	751	10	6	13	18	13	35	22	22	15	9	18	15	37	29	52	61	79	90	87	65	41	12	2	-	-
	White-----M--	396	2	5	7	10	7	16	14	11	7	7	10	8	17	13	28	34	41	47	48	37	20	5	2	-	-
	F--	324	7	1	5	8	6	18	8	11	8	1	7	6	14	13	23	23	34	41	37	26	20	7	-	-	-
	Nonwhite--M--	21	1	-	1	-	-	1	-	-	-	1	1	-	3	1	1	2	3	2	2	2	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	2	1	-	-	-	1	-	-	-	-
200-203, 205	Lymphomas, etc.*--	694	4	1	1	2	1	7	8	8	20	21	28	34	31	39	67	97	91	101	70	37	22	2	1	-	1
	White-----M--	393	1	-	-	2	-	6	6	4	11	14	20	22	21	20	40	57	39	56	46	18	8	-	1	-	1
	F--	267	3	1	1	-	1	1	2	4	8	7	6	11	7	14	23	32	47	44	23	18	12	2	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	6	3	1	1	1	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	2	2	-	-	-	1	-	-	-	-
210-239	Benign and unspecified neoplasms--	355	11	4	2	1	1	10	8	7	9	12	14	21	28	35	32	33	38	30	31	14	11	2	1	-	-
	White-----M--	142	6	3	-	-	-	6	2	4	4	2	3	5	5	10	12	15	25	16	15	3	6	-	-	-	-
	F--	178	4	1	2	1	-	3	4	3	4	10	10	11	19	22	15	16	11	13	13	9	4	2	1	-	-
	Nonwhite--M--	12	1	-	-	-	-	1	1	-	1	-	-	1	1	-	2	2	-	-	1	1	-	-	-	-	-
	F--	23	-	-	-	-	1	-	1	-	-	-	1	4	3	3	3	-	2	1	2	1	1	-	-	-	-
260	Diabetes mellitus-	2,412	1	3	-	-	-	1	4	4	11	20	20	20	43	68	138	244	352	426	423	338	206	71	13	6	-
	White-----M--	761	-	1	-	-	-	1	2	1	5	13	11	6	23	25	59	65	100	122	137	105	57	25	2	1	-
	F--	1,508	1	2	-	-	-	-	2	3	6	5	9	12	12	26	58	152	237	283	269	228	146	42	10	5	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	1	-	-	3	4	7	6	6	9	4	3	1	1	-	-	-
	F--	98	-	-	-	-	-	-	-	-	-	1	-	2	5	13	14	21	9	12	13	2	2	3	1	-	-
290-293	Anemias----------	223	10	2	-	3	-	3	4	1	5	5	5	5	6	5	9	10	11	29	44	30	17	15	2	1	1
	White-----M--	83	3	1	-	1	-	1	1	-	3	1	2	1	2	1	3	4	5	11	16	13	4	8	1	-	1
	F--	124	6	-	-	1	-	1	2	1	1	1	3	3	3	4	5	5	5	17	27	17	13	7	1	1	-
	Nonwhite--M--	8	-	1	-	-	-	-	1	-	-	3	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	8	1	-	-	1	-	1	-	-	1	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	113	32	9	11	1	4	7	-	2	2	6	-	3	6	4	6	2	4	6	5	1	-	2	-	-	-
	White-----M--	44	8	7	5	-	1	-	-	2	-	1	-	2	3	3	2	1	3	3	2	-	-	1	-	-	-
	F--	41	15	2	3	1	3	3	-	-	-	2	-	1	2	-	2	1	1	3	1	-	-	1	-	-	-
	Nonwhite--M--	14	5	-	1	-	-	3	-	-	1	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	F--	14	4	-	2	-	-	1	-	-	1	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	61,455	32	10	5	-	7	33	43	79	106	190	363	605	1,150	2,032	3,090	4,491	6,339	8,433	9,546	9,623	8,034	4,985	1,760	416	83
	White-----M--	31,862	17	5	2	-	3	12	23	36	49	106	187	331	724	1,291	1,880	2,680	3,676	4,669	4,972	4,746	3,643	1,990	655	134	31
	F--	26,052	10	4	2	-	2	16	17	30	45	58	124	193	255	500	815	1,379	2,203	3,257	4,165	4,570	4,173	2,867	1,056	267	44
	Nonwhite--M--	1,824	1	-	1	-	1	5	2	7	6	15	16	38	92	117	191	239	252	250	216	165	111	61	26	8	4
	F--	1,717	4	1	-	-	1	-	1	6	6	11	36	43	79	124	204	193	208	257	193	142	107	67	23	7	4
330-334, 400-468	Diseases of cardiovascular system-	60,209	32	9	2	-	6	25	33	66	92	164	326	574	1,103	1,982	3,004	4,415	6,216	8,281	9,374	9,489	7,893	4,904	1,727	409	83
	White-----M--	31,267	17	5	-	-	3	8	16	32	40	94	174	317	699	1,264	1,850	2,647	3,613	4,594	4,876	4,678	3,575	1,959	645	130	31
	F--	25,525	10	3	1	-	1	15	14	24	40	48	106	183	242	487	778	1,350	2,153	3,192	4,098	4,510	4,104	2,821	1,038	265	44
	Nonwhite--M--	1,756	1	-	1	-	1	2	2	6	6	12	13	37	88	110	178	231	245	246	210	163	109	59	24	8	4
	F--	1,661	4	1	-	-	1	-	1	4	6	10	33	37	74	121	198	187	205	249	190	138	105	65	22	6	4
330-334	Vascular lesions, etc.*----------	11,581	13	4	1	-	5	3	8	15	23	18	49	82	178	287	444	681	1,085	1,609	1,957	2,047	1,683	1,012	309	58	10
	White-----M--	5,068	7	2	-	-	2	1	6	5	8	8	20	37	85	106	181	266	456	776	895	977	710	407	98	14	1
	F--	5,684	5	1	1	-	1	2	1	8	12	7	18	39	57	122	173	305	509	700	960	1,008	924	580	202	42	7
	Nonwhite--M--	380	-	-	-	-	1	-	1	1	2	2	3	3	11	23	40	47	56	70	49	32	22	8	7	1	1
	F--	449	1	1	-	-	1	-	-	1	1	1	8	3	25	36	50	63	64	63	53	30	27	17	2	1	1
400-402	Rheumatic fever---	105	1	-	-	-	1	9	11	5	6	6	5	7	8	5	14	4	6	12	2	1	2	-	-	-	-
	White-----M--	48	1	-	-	-	1	4	4	1	1	2	3	2	5	3	6	2	5	7	-	-	1	-	-	-	-
	F--	44	-	-	-	-	-	5	5	3	5	3	2	3	2	1	4	1	1	5	2	1	1	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	1	1	-	1	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
410-443	Diseases of heart-	44,473	14	3	1	-	-	11	14	39	55	119	242	450	870	1,590	2,440	3,552	4,885	6,296	6,918	6,758	5,459	3,283	1,137	280	57
	White-----M--	24,203	8	2	-	-	-	3	6	24	28	72	141	267	589	1,102	1,608	2,281	3,027	3,605	3,706	3,363	2,509	1,305	434	98	25
	F--	17,937	3	1	-	-	-	6	8	10	19	34	74	126	172	342	577	984	1,548	2,350	2,944	3,182	2,902	1,889	668	171	27
	Nonwhite--M--	1,254	1	-	1	-	-	2	-	3	4	7	10	32	68	73	121	170	182	165	150	117	78	44	17	6	3
	F--	1,079	2	-	-	-	-	-	-	2	4	6	17	25	41	73	134	117	128	176	118	96	70	45	18	5	2
410-416	Chronic rheumatic heart disease----	1,623	-	-	-	-	-	1	4	17	33	52	92	109	121	185	187	222	157	140	129	87	55	24	4	2	2
	White-----M--	743	-	-	-	-	-	-	-	8	19	26	42	43	57	85	81	112	69	62	71	33	21	10	1	2	1
	F--	794	-	-	-	-	-	1	4	8	12	22	42	54	56	89	95	104	78	71	57	50	33	14	3	-	1
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	1	2	1	9	6	2	4	2	5	2	1	2	1	-	-	-	-
	F--	48	-	-	-	-	-	-	-	1	1	2	7	3	2	9	7	4	5	5	-	2	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	29,283	3	-	1	-	-	1	5	6	7	43	104	261	596	1,120	1,733	2,562	3,593	4,430	4,620	4,321	3,293	1,792	614	142	36
	White-----M--	17,427	1	-	-	-	-	1	3	5	1	34	87	194	470	889	1,296	1,805	2,386	2,693	2,619	2,262	1,625	755	230	53	18
	F--	10,634	1	-	-	-	-	-	2	-	3	6	13	46	74	164	302	596	1,037	1,546	1,860	1,947	1,585	990	364	83	15
	Nonwhite--M--	705	-	-	1	-	-	-	-	1	1	2	3	12	34	40	78	100	101	100	76	69	50	22	10	3	2
	F--	517	1	-	-	-	-	-	-	-	2	1	1	9	18	27	57	61	69	91	65	43	33	25	10	3	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	6,128	5	2	-	-	-	4	1	9	5	8	15	23	46	84	155	209	364	615	935	1,166	1,137	894	341	97	13
	White-----M--	2,922	3	1	-	-	-	1	1	6	2	3	5	11	23	49	84	113	210	333	497	596	490	320	138	33	3
	F--	2,932	1	1	-	-	-	2	-	2	2	4	8	8	11	20	50	73	127	246	399	539	620	553	195	62	9
	Nonwhite--M--	147	-	-	-	-	-	1	-	1	1	-	1	3	7	7	5	14	20	17	23	17	14	12	3	-	1
	F--	127	1	-	-	-	-	-	-	-	-	1	1	1	5	8	16	9	7	19	16	14	13	9	5	2	-
430-434	Other diseases of heart---------	1,476	6	1	-	-	-	5	3	7	8	9	13	25	36	59	76	110	159	195	223	216	159	107	47	10	2
	White-----M--	778	4	1	-	-	-	1	1	5	6	6	3	12	18	28	42	59	100	116	129	103	72	44	23	4	1
	F--	585	1	-	-	-	-	3	2	-	1	1	5	12	14	21	24	34	46	63	80	104	85	60	23	6	-
	Nonwhite--M--	71	1	-	-	-	-	1	-	1	1	2	2	-	3	6	8	15	7	5	10	5	-	3	1	-	-
	F--	42	-	-	-	-	-	-	-	1	-	-	3	1	1	4	2	2	6	11	4	4	2	-	-	-	1
440-443	Hypertension with heart dis.--	5,963	-	-	-	-	-	-	1	-	2	7	18	32	71	142	289	449	612	916	1,011	968	815	466	131	29	4
	White-----M--	2,333	-	-	-	-	-	-	1	-	-	3	4	7	21	51	105	192	262	401	390	369	301	176	42	6	2
	F--	2,992	-	-	-	-	-	-	-	-	1	1	6	6	17	48	106	177	260	424	548	542	479	272	83	20	2
	Nonwhite--M--	293	-	-	-	-	-	-	-	-	-	1	3	8	18	18	26	39	49	41	40	24	13	7	3	3	-
	F--	345	-	-	-	-	-	-	-	-	1	2	5	11	15	25	52	41	41	50	33	33	22	11	3	-	-
444-447	Hypertension without mention of heart----------	744	-	-	-	-	-	-	-	1	1	5	14	14	22	32	43	44	62	82	103	118	99	73	25	4	2
	White-----M--	314	-	-	-	-	-	-	-	-	-	3	4	1	6	15	17	24	30	33	49	46	38	34	12	-	2
	F--	337	-	-	-	-	-	-	-	-	1	-	3	6	7	6	10	16	28	43	43	63	58	37	13	3	-
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	2	-	1	4	7	5	4	2	3	6	4	1	-	-	1	-
	F--	53	-	-	-	-	-	-	-	1	-	-	7	6	5	4	11	-	2	3	5	5	2	2	-	-	-
450	General arteriosclerosis--------	2,559	-	-	-	-	-	-	-	-	-	-	1	1	2	6	15	49	82	169	304	482	610	509	249	66	14
	White-----M--	1,208	-	-	-	-	-	-	-	-	-	-	1	-	1	4	10	24	45	100	169	239	297	199	98	18	3
	F--	1,271	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	19	31	60	121	229	299	302	149	48	10
	Nonwhite--M--	42	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	1	5	4	8	8	7	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	4	10	6	6	1	2	-	1
451-468	Other diseases of circulatory sys.-	747	4	2	-	-	-	2	-	6	7	16	15	20	23	62	48	85	96	113	90	83	40	27	7	1	-
	White-----M--	426	1	1	-	-	-	-	-	2	3	9	5	10	13	34	28	50	50	73	57	53	20	14	3	-	-
	F--	252	2	1	-	-	-	2	-	3	3	4	9	8	4	16	12	25	36	34	28	27	20	13	4	1	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	1	-	-	-	1	3	5	5	7	4	3	1	2	-	-	-	-	-
	F--	37	1	-	-	-	-	-	-	-	1	3	1	1	3	7	3	3	6	3	4	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	1,246	-	1	3	-	1	8	10	13	14	26	37	31	47	50	86	76	123	152	172	134	141	81	33	7	-
	White-----M--	595	-	-	2	-	-	4	7	4	9	12	13	14	25	27	30	33	63	75	96	68	68	31	10	4	-
	F--	527	-	1	1	-	1	1	3	6	5	10	18	10	13	13	37	29	50	65	67	60	69	46	20	2	-
	Nonwhite--M--	68	-	-	-	-	-	3	-	1	-	3	3	1	4	7	13	8	7	4	6	2	2	2	2	-	-
	F--	56	-	-	-	-	-	-	-	2	-	1	3	6	5	3	6	6	3	8	3	4	2	2	1	1	-
480-493	Influenza and pneumonia, etc.*-	2,419	354	64	27	15	7	28	13	16	18	18	33	37	66	70	103	102	180	218	224	276	282	167	75	19	7
	White-----M--	1,232	162	27	11	7	3	13	9	10	5	4	13	21	34	35	40	56	120	127	132	150	129	83	32	6	3
	F--	864	104	23	11	6	3	12	3	5	6	9	12	6	14	18	25	21	47	67	81	112	143	81	41	12	2
	Nonwhite--M--	193	49	6	2	2	-	2	-	-	5	3	5	5	11	12	22	20	9	17	7	6	4	3	1	-	2
	F--	130	39	8	3	-	1	1	1	1	2	2	3	5	7	5	16	5	4	7	4	8	6	-	1	1	-
480-483	Influenza---------	156	15	4	1	1	-	2	2	2	2	-	1	1	3	6	4	8	8	13	15	18	26	19	4	1	-
	White-----M--	79	6	3	1	-	-	1	2	2	1	-	1	1	1	3	-	7	3	7	6	10	12	10	1	1	-
	F--	68	9	-	-	1	-	1	-	-	-	-	-	-	2	3	1	1	5	5	8	7	13	9	3	-	-
	Nonwhite--M--	5	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-
490-493	Pneumonia, etc.*--	2,263	339	60	26	14	7	26	11	14	16	18	32	36	63	64	99	94	172	205	209	258	256	148	71	18	7
	White-----M--	1,153	156	24	10	7	3	12	7	8	4	4	12	20	33	32	40	49	117	120	126	140	117	73	31	5	3
	F--	796	95	23	11	5	3	11	3	5	6	9	12	6	12	15	24	20	42	62	73	105	130	72	38	12	2
	Nonwhite--M--	188	49	5	2	2	-	2	-	-	4	3	5	5	11	12	21	20	9	16	6	6	4	3	1	-	2
	F--	126	39	8	3	-	1	1	1	1	2	2	3	5	7	5	14	5	4	7	4	7	5	-	1	1	-
500-502	Bronchitis--------	177	32	11	3	5	-	3	2	1	-	3	1	1	4	6	7	8	13	8	18	13	17	16	2	2	1
	White-----M--	107	21	4	3	4	-	2	1	-	-	1	-	1	3	3	6	6	11	8	10	10	8	4	-	1	-
	F--	59	9	7	-	1	-	1	1	1	-	-	-	-	1	1	1	2	1	-	8	3	9	9	2	1	1
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-
540, 541	Ulcer of stomach and duodenum-----	673	6	-	2	-	-	-	1	-	2	4	11	21	35	43	73	77	94	117	82	55	37	7	4	1	1
	White-----M--	513	1	-	1	-	-	-	1	-	1	2	9	16	26	35	57	62	79	92	61	38	25	3	3	-	1
	F--	120	5	-	-	-	-	-	-	-	-	-	1	4	5	6	10	10	8	20	19	16	11	4	-	1	-
	Nonwhite--M--	30	-	-	1	-	-	-	-	-	-	2	1	1	3	2	5	4	5	3	1	1	-	-	1	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	2	1	-	1	-	-	-	-
550-553	Appendicitis------	158	-	1	2	-	1	6	8	4	2	2	3	8	7	11	8	13	16	22	15	12	10	6	1	-	-
	White-----M--	97	-	-	1	-	1	3	6	3	1	2	2	4	4	7	5	8	12	17	10	4	5	2	-	-	-
	F--	47	-	-	1	-	-	3	2	-	-	-	1	4	-	3	3	3	3	3	5	8	3	4	1	-	-
	Nonwhite--M--	6	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	2	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	2	1	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	640	63	2	2	-	-	3	-	1	1	7	2	5	16	25	30	50	67	88	88	72	68	36	9	3	2
	White-----M--	313	35	-	2	-	-	2	-	-	-	4	1	4	4	9	14	18	34	52	47	31	37	17	1	1	-
	F--	289	21	2	-	-	-	1	-	-	1	2	-	1	8	13	11	30	30	33	38	37	31	19	8	2	1
	Nonwhite--M--	23	6	-	-	-	-	-	-	1	-	1	-	-	-	1	5	1	1	3	2	2	-	-	-	-	-
	F--	15	1	-	-	-	-	-	-	-	-	-	1	-	4	2	-	1	2	-	1	2	-	-	-	-	1

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
543, 571, 572	Gastritis, etc.*	418	140	15	3	4	1	4	2	6	5	10	10	12	9	12	21	21	24	27	28	30	16	12	5	-	1
	White-----M	207	71	9	1	-	1	-	-	1	1	1	4	6	6	8	13	18	12	16	16	9	9	3	1	-	1
	F	172	44	5	1	3	-	4	1	4	4	8	5	6	3	3	5	3	11	10	12	21	7	8	4	-	-
	Nonwhite--M	26	17	1	-	1	-	-	1	1	-	1	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-
	F	13	8	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	1,180	-	2	-	-	-	-	3	4	3	7	20	61	83	119	140	154	154	176	118	67	42	22	4	1	-
	White-----M	761	-	1	-	-	-	-	2	1	1	4	11	36	55	82	84	92	110	126	80	44	20	10	2	-	-
	F	360	-	1	-	-	-	-	1	2	2	2	4	16	24	28	46	55	37	48	36	22	22	11	2	1	-
	Nonwhite--M	26	-	-	-	-	-	-	-	-	-	1	1	4	3	2	4	4	3	1	1	1	-	1	-	-	-
	F	33	-	-	-	-	-	-	-	1	-	-	4	5	1	7	6	3	4	1	1	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	214	3	-	1	2	1	8	2	5	8	6	10	6	13	11	13	15	30	17	22	11	11	9	8	2	-
	White-----M	104	2	-	-	2	-	6	1	1	7	-	2	5	7	6	7	7	12	7	12	5	7	4	4	-	-
	F	92	-	-	1	-	1	2	1	3	1	5	6	1	6	3	4	5	15	9	10	6	4	5	3	1	-
	Nonwhite--M	10	1	-	-	-	-	-	-	1	-	1	-	-	-	1	1	2	2	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	1	-	-	-	-	-	1	1	-
610	Hyperplasia of prostate	390	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	15	25	49	74	88	80	43	9	1	-
	White-----M	368	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	11	24	45	71	85	79	42	9	1	-
	Nonwhite--M	22	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	4	1	4	3	3	1	1	-	-	-
640-689	Complications of pregnancy, etc.*	104	...	...	...	...	...	...	-	2	15	20	30	24	11	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F	82	...	...	...	...	...	...	-	2	12	15	22	19	10	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	22	...	...	...	...	...	...	-	-	3	5	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	14	...	...	...	...	...	...	-	-	3	3	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	8	...	...	...	...	...	...	-	-	2	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	6	...	...	...	...	...	...	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	90	...	...	...	...	...	...	-	2	12	17	28	18	11	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F	74	...	...	...	...	...	...	-	2	10	14	21	15	10	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	16	...	...	...	...	...	...	-	-	2	3	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	1,324	994	55	27	14	13	35	12	14	12	14	14	17	14	23	20	7	14	7	7	8	2	-	-	-	1
	White-----M	657	509	18	12	7	6	18	4	7	9	7	8	7	5	12	10	1	4	5	3	4	-	-	-	-	1
	F	578	423	32	14	6	6	13	6	5	3	7	6	7	8	9	8	5	9	2	3	4	2	-	-	-	-
	Nonwhite--M	48	30	3	-	1	1	2	2	2	-	-	-	2	1	1	2	-	1	-	-	-	-	-	-	-	-
	F	41	32	2	1	-	-	2	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-
760-776	Certain diseases of early infancy	3,827	3,826	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1,914	1,913	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1,281	1,281	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	365	365	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	267	267	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	1,680	1,680	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	909	909	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	557	557	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	240	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	1,907	1,906	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	904	903	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	650	650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	187	187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	711	39	5	2	-	-	3	2	1	5	2	3	18	27	33	31	49	61	76	70	80	74	65	46	10	9
	White-----M	402	18	1	1	-	-	1	1	1	2	-	2	7	19	20	17	27	40	56	46	50	44	31	13	2	3
	F	230	11	1	1	-	-	-	-	-	-	2	-	7	3	9	6	10	12	15	20	29	27	33	33	6	5
	Nonwhite--M	49	3	2	-	-	-	1	-	-	3	-	1	2	2	1	6	8	8	4	4	1	1	1	-	-	1
	F	30	7	1	-	-	-	1	1	-	-	-	-	2	3	3	2	4	1	1	-	-	2	-	-	2	-
Residual	All other diseases	5,182	257	33	28	23	14	64	39	45	60	65	105	156	197	241	399	485	643	682	645	494	300	143	45	13	6
	White-----M	2,965	116	9	13	13	5	33	18	27	22	28	49	60	86	118	221	287	430	459	417	291	171	65	19	4	3
	F	1,847	101	22	12	8	7	26	14	15	28	24	44	70	79	94	126	159	179	194	214	195	125	77	26	7	1
	Nonwhite--M	210	25	1	2	1	-	3	4	1	5	8	7	11	13	9	31	24	30	21	5	5	3	-	-	-	1
	F	160	15	1	1	1	2	2	3	2	5	4	5	15	19	20	21	15	4	8	9	3	1	1	-	2	1
E800-E962	Accidents	5,419	170	71	46	50	49	203	111	261	299	254	252	222	257	244	246	294	365	380	400	434	378	258	137	30	8
	White-----M	3,311	84	36	24	20	16	125	87	206	244	201	173	152	186	180	163	202	251	239	232	207	139	87	42	8	7
	F	1,657	54	25	14	20	22	47	15	39	31	28	38	44	42	32	58	67	89	125	147	210	232	167	90	20	1
	Nonwhite--M	313	19	8	3	4	4	19	6	12	21	18	32	18	21	18	18	20	19	11	16	13	6	3	3	1	-
	F	138	13	2	5	6	7	12	3	4	3	7	9	8	8	14	7	5	6	5	5	4	1	1	2	1	-
E810-E835	Motor-vehicle accidents	1,772	6	18	15	20	19	87	33	170	208	146	122	100	95	82	84	106	110	116	89	89	33	14	7	1	2
	White-----M	1,296	5	11	9	11	7	58	25	136	176	119	87	71	67	58	58	70	82	79	66	61	24	10	4	-	2
	F	362	1	7	5	8	10	19	5	28	21	19	21	22	19	13	21	26	27	32	19	24	9	4	2	-	-
	Nonwhite--M	81	-	-	-	1	-	7	2	4	10	7	11	5	7	4	4	8	1	3	2	3	-	-	1	1	-
	F	33	-	-	1	-	2	3	1	2	1	1	3	2	2	7	1	2	-	2	2	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	3,647	164	53	31	30	30	116	78	91	91	108	130	122	162	162	162	188	255	264	311	345	345	244	130	29	6
	White-----M	2,015	79	25	15	9	9	67	62	70	68	82	86	81	119	122	105	132	169	160	166	146	115	77	38	8	5
	F	1,295	53	18	9	12	12	28	10	11	10	9	17	22	23	19	37	41	62	93	128	186	223	163	88	20	1
	Nonwhite--M	232	19	8	3	3	4	12	4	8	11	11	21	13	14	14	14	12	18	8	14	10	6	3	2	-	-
	F	105	13	2	4	6	5	9	2	2	2	6	6	6	6	7	6	3	6	3	3	3	1	1	2	1	-
E963, E970-E979	Suicide	998	-	-	-	-	-	-	1	19	34	68	67	67	73	99	116	97	135	88	58	46	20	7	3	-	-
	White-----M	760	-	-	-	-	-	-	1	12	30	41	44	48	52	79	91	74	116	68	44	38	15	5	2	-	-
	F	202	-	-	-	-	-	-	-	6	2	19	18	15	18	17	21	22	19	19	13	5	5	2	1	-	-
	Nonwhite--M	28	-	-	-	-	-	-	-	-	2	6	4	3	3	3	2	1	-	1	-	3	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	2	1	1	-	-	2	-	-	-	1	-	-	-	-	-	-
E964, E980-E985	Homicide	313	11	2	3	1	-	1	6	14	30	37	35	44	28	41	17	13	12	9	4	3	-	-	-	-	2
	White-----M	96	5	-	1	1	-	-	3	3	11	5	6	12	6	13	6	7	7	3	3	2	-	-	-	-	2
	F	67	5	1	1	-	-	1	1	5	5	5	5	6	8	10	4	1	4	3	1	1	-	-	-	-	-
	Nonwhite--M	117	1	1	-	-	-	-	2	6	9	19	21	20	10	13	6	5	1	3	-	-	-	-	-	-	-
	F	33	-	-	1	-	-	-	-	-	5	8	3	6	4	5	1	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND																										
	ALL CAUSES------	8,191	416	18	17	11	10	43	17	32	43	60	71	120	168	284	391	586	863	1,106	1,121	1,107	929	518	212	37	11
	White-----M--	4,349	225	13	12	5	7	25	10	21	30	37	43	66	103	165	237	364	522	645	567	543	410	208	70	12	9
	F--	3,654	163	2	4	4	2	17	7	9	11	15	20	44	61	112	143	212	326	440	528	552	513	304	139	24	2
	Nonwhite--M--	113	20	3	1	2	-	-	-	2	-	5	4	6	3	5	6	4	9	9	18	9	2	1	3	1	-
	F--	75	8	-	-	-	1	1	-	-	2	3	4	4	1	2	5	6	6	12	8	3	4	5	-	-	-
001-019	Tuberculosis, all forms--------	84	1	1	1	1	-	1	-	-	-	4	1	5	7	5	4	7	11	8	11	10	5	1	-	-	-
	White-----M--	56	1	-	-	1	-	-	-	-	-	2	-	3	4	4	2	5	8	6	7	8	4	1	-	-	-
	F--	22	-	1	-	-	-	1	-	-	-	1	1	1	2	-	2	2	3	2	4	1	1	-	-	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	76	1	-	-	1	-	-	-	-	-	4	1	4	7	5	3	6	10	8	11	10	4	1	-	-	-
	White-----M--	55	1	-	-	1	-	-	-	-	-	2	-	3	4	4	2	5	8	6	7	8	3	1	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	2	2	4	1	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	8	-	1	1	-	-	1	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	6	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	28	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	2	5	5	6	2	-	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	-	4	5	5	2	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	4	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	14	1	1	-	-	-	1	-	1	1	1	1	-	-	-	1	-	1	3	-	1	1	-	-	-	-
	White-----M--	6	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	8	1	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
140-205	Malignant neoplasms, etc.*	1,477	1	1	-	6	1	8	5	7	2	7	16	26	35	78	104	143	216	236	210	184	116	55	17	2	1
	White----M	766	-	1	-	2	-	4	3	6	-	4	9	14	10	39	49	71	109	136	107	99	66	26	9	1	1
	F	691	1	-	-	3	1	4	2	1	2	2	7	11	25	39	55	70	103	97	99	83	50	27	8	1	-
	Nonwhite--M	14	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	1	4	1	3	1	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-	-
140-148	Of buccal cavity and pharynx	36	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	5	2	8	7	2	2	-	2	-	-
	White----M	30	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	3	1	8	5	1	2	-	2	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	548	-	-	-	-	-	1	-	-	-	1	4	5	9	22	28	49	91	108	74	75	56	19	5	1	-
	White----M	300	-	-	-	-	-	-	-	-	-	1	4	3	4	10	12	26	46	65	41	45	30	10	2	1	-
	F	242	-	-	-	-	-	1	-	-	-	-	-	2	5	12	16	23	43	42	32	29	26	8	3	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system	153	-	-	-	-	-	-	-	-	-	-	1	4	3	7	15	27	31	28	20	9	4	4	-	-	-
	White----M	130	-	-	-	-	-	-	-	-	-	-	-	3	2	7	12	22	28	25	18	8	4	1	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	5	3	2	2	1	-	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
170.	Of breast	126	1	-	-	-	-	-	-	-	-	1	1	1	9	15	17	11	14	15	14	15	6	4	2	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	123	1	-	-	-	-	-	-	-	-	1	1	1	9	15	17	10	14	14	14	14	6	4	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
171-179	Of genital organs	203	-	-	-	-	-	-	-	1	-	1	3	2	8	8	12	17	26	31	28	33	20	9	3	-	1
	White----M	81	-	-	-	-	-	-	-	1	-	1	-	1	1	3	-	3	7	12	10	17	15	6	3	-	1
	F	119	-	-	-	-	-	-	-	-	-	-	3	1	7	5	12	13	19	19	16	16	5	3	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
180, 181	Of urinary organs	72	-	-	-	1	-	-	-	-	-	-	1	2	1	1	4	3	12	12	14	7	10	4	-	-	-
	White----M	41	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	1	8	6	10	4	6	1	-	-	-
	F	29	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	2	3	6	4	3	4	3	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	203	-	-	-	2	1	3	2	1	-	2	1	7	1	11	15	19	25	21	35	25	15	12	4	1	-
	White----M	105	-	-	-	2	-	2	2	-	-	1	1	3	-	8	11	11	11	12	14	12	7	7	1	-	-
	F	96	-	-	-	-	1	1	-	1	-	1	-	4	1	3	4	8	13	8	21	13	8	5	3	1	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia	61	-	1	-	2	-	4	2	3	1	-	2	1	3	4	2	6	3	7	8	8	2	1	1	-	-
	White----M	37	-	1	-	-	-	2	-	3	-	-	1	-	2	3	1	3	2	4	6	7	1	-	1	-	-
	F	23	-	-	-	2	-	2	2	-	1	-	1	1	1	1	1	3	1	3	1	1	1	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	75	-	-	-	1	-	-	1	2	1	2	3	4	-	8	6	6	12	6	10	10	1	2	-	-	-
	White----M	41	-	-	-	-	-	-	1	2	-	1	3	3	-	6	4	2	6	3	3	5	1	1	-	-	-
	F	32	-	-	-	-	-	-	-	-	1	-	-	1	-	2	2	4	6	3	7	5	-	1	-	-	-
	Nonwhite--M	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	38	1	-	-	-	-	1	1	-	-	1	3	-	3	2	2	4	5	5	1	7	1	1	-	-	-
	White----M	21	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	1	4	3	1	7	-	1	-	-	-
	F	16	1	-	-	-	-	-	1	-	-	1	1	-	2	1	2	3	1	2	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	206	-	-	-	-	-	-	-	-	-	-	2	3	4	4	7	19	22	40	46	32	18	7	2	-	-
	White----M	63	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	7	12	7	11	11	5	2	1	-	-
	F	138	-	-	-	-	-	-	-	-	-	-	1	2	1	3	4	12	10	32	33	21	13	5	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	-	-	-	-	-	-
290-293	Anemias	20	-	1	1	-	-	1	-	-	-	-	1	-	-	-	1	2	2	2	3	4	1	1	-	-	-
	White----M	16	-	1	1	-	-	1	-	-	-	-	1	-	-	-	1	1	1	2	3	2	1	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	4,652	3	-	-	-	-	3	1	3	10	9	15	50	64	131	192	312	495	663	706	744	658	391	163	31	8
	White----M	2,442	2	-	-	-	-	1	-	1	5	7	8	28	52	85	132	210	319	406	355	343	279	145	49	8	7
	F	2,125	1	-	-	-	-	2	1	2	4	1	6	17	10	42	54	95	169	243	336	393	373	242	111	22	1
	Nonwhite--M	44	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	2	3	7	11	6	2	-	3	1	-
	F	41	-	-	-	-	-	-	-	-	1	1	1	3	-	2	3	5	4	7	4	2	4	4	-	-	-
330-334, 400-468	Diseases of cardiovascular system	4,580	3	-	-	-	-	3	1	3	9	8	14	47	62	129	187	304	485	656	690	740	648	390	162	31	8
	White----M	2,412	2	-	-	-	-	1	-	1	5	6	7	28	51	85	129	206	315	403	349	340	275	145	49	8	7
	F	2,084	1	-	-	-	-	2	1	2	3	1	6	14	10	40	52	91	163	239	326	392	367	241	110	22	1
	Nonwhite--M	43	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	2	3	7	11	6	2	-	3	1	-
	F	41	-	-	-	-	-	-	-	-	1	1	1	3	-	2	3	5	4	7	4	2	4	4	-	-	-
330-334	Vascular lesions, etc.*	795	1	-	-	-	-	1	-	1	1	1	2	11	7	25	25	42	72	106	124	158	122	69	23	1	3
	White----M	348	1	-	-	-	-	-	-	-	-	1	-	8	4	8	12	24	37	52	55	63	49	25	6	-	3
	F	433	-	-	-	-	-	1	-	1	1	-	2	3	3	15	11	16	35	52	66	94	72	43	17	1	-
	Nonwhite--M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	1	1	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	1	-	-	-
400-402	Rheumatic fever	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
410-443	Diseases of heart	3,486	2	-	-	-	-	2	1	2	5	6	11	32	52	101	153	250	395	526	542	520	461	280	117	24	4
	White-----M--	1,918	1	-	-	-	-	1	-	1	4	5	7	18	47	75	109	176	261	332	279	247	201	105	37	7	3
	F--	1,503	1	-	-	-	-	1	1	1	1	-	3	10	5	24	40	67	128	182	251	266	255	172	77	17	1
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	3	6	10	5	1	-	3	-	-
	F--	33	-	-	-	-	-	-	-	-	-	1	1	2	-	2	2	5	3	6	2	2	4	3	-	-	-
410-416	Chronic rheumatic heart disease----	103	-	-	-	-	-	-	1	2	1	3	5	8	6	14	13	12	11	6	9	4	5	1	1	1	-
	White-----M--	54	-	-	-	-	-	-	-	1	-	3	2	4	5	10	7	5	4	4	4	2	1	1	1	-	-
	F--	48	-	-	-	-	-	-	1	1	1	-	2	4	1	4	6	7	7	2	5	2	4	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,687	-	-	-	-	-	-	-	-	1	1	4	19	40	66	116	199	322	421	420	399	350	226	84	16	3
	White-----M--	1,579	-	-	-	-	-	-	-	-	1	1	4	12	38	57	91	152	227	282	231	199	160	87	30	4	3
	F--	1,068	-	-	-	-	-	-	-	-	-	-	-	4	2	8	21	46	91	132	182	194	187	136	53	12	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	4	6	4	1	-	1	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	3	1	2	2	3	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	231	-	-	-	-	-	1	-	-	1	-	1	2	-	6	4	7	11	19	28	47	44	34	22	3	1
	White-----M--	88	-	-	-	-	-	-	-	-	1	-	-	1	-	3	3	5	5	10	12	17	15	12	3	1	-
	F--	137	-	-	-	-	-	1	-	-	-	-	1	1	-	3	1	2	6	8	14	29	28	22	18	2	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
430-434	Other diseases of heart---------	58	2	-	-	-	-	1	-	-	2	1	1	-	1	2	1	5	8	11	6	6	4	5	1	1	-
	White-----M--	31	1	-	-	-	-	1	-	-	2	1	1	-	-	1	-	2	6	5	2	3	3	2	-	1	-
	F--	26	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	5	4	3	1	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	407	-	-	-	-	-	-	-	-	-	1	-	3	5	13	19	27	43	69	79	64	58	14	9	3	-
	White-----M--	166	-	-	-	-	-	-	-	-	-	-	-	1	4	4	8	14	19	31	30	26	22	3	3	1	-
	F--	224	-	-	-	-	-	-	-	-	-	-	-	1	1	8	11	9	22	35	46	38	35	11	5	2	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	1	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	4	1	1	1	-	1	-	-	-	-
444-447	Hypertension without mention of heart----------	71	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	4	7	3	9	15	11	11	3	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	6	2	4	5	5	3	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	-	1	5	10	6	8	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	12	14	37	53	30	19	6	1
	White-----M--	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	9	10	17	20	12	6	1	1
	F--	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	20	33	18	13	4	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	50	-	-	-	-	-	-	-	-	2	-	-	2	1	2	6	7	9	9	1	10	1	-	-	-	-
	White-----M--	37	-	-	-	-	-	-	-	-	1	-	-	1	-	2	5	2	9	8	1	8	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	5	-	1	-	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	72	-	-	-	-	-	-	-	-	1	1	1	3	2	2	5	8	10	7	16	4	10	1	1	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	4	4	3	6	3	4	-	-	-	-
	F--	41	-	-	-	-	-	-	-	-	1	-	-	3	-	2	2	4	6	4	10	1	6	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	159	17	3	1	-	-	4	-	1	-	1	1	2	7	7	6	3	18	16	11	14	23	9	12	2	1
	White-----M--	76	10	2	1	-	-	1	-	1	-	-	1	-	6	3	2	2	8	8	3	8	10	4	4	1	1
	F--	72	4	-	-	-	-	2	-	-	-	1	-	2	1	4	1	1	10	7	6	6	13	5	8	1	-
	Nonwhite--M--	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	-	-
	F--	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
480-483	Influenza---------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	158	17	3	1	-	-	4	-	1	-	1	1	2	7	7	6	3	18	16	11	14	23	8	12	2	1
	White-----M--	75	10	2	1	-	-	1	-	1	-	-	1	-	6	3	2	2	8	8	3	8	10	3	4	1	1
	F--	72	4	-	-	-	-	2	-	-	-	1	-	2	1	4	1	1	10	7	6	6	13	5	8	1	-
	Nonwhite--M--	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	-	-
	F--	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
500-502	Bronchitis--------	6	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	87	-	-	-	-	-	-	-	-	-	-	1	1	2	4	7	5	8	12	12	8	6	1	-	-	-
	White-----M--	57	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	5	7	10	11	7	6	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	2	1	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	13	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	3	2	-	2	1	1	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	3	1	-	2	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	47	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	3	5	4	12	5	4	2	-	-
	White-----M--	25	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	3	9	3	-	1	-	-
	F--	19	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	2	-	3	2	4	1	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
543, 571, 572	Gastritis, etc.*	21	2	-	-	-	1	-	-	-	-	-	-	-	-	-	2	3	1	3	2	3	4	-	-	-	-
	White-----M	8	2	-	-	-	1	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	4	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	92	1	-	-	-	-	-	-	-	-	1	1	4	6	12	8	9	13	19	9	5	3	1	-	-	-
	White-----M	56	1	-	-	-	-	-	-	-	-	1	1	3	3	6	4	6	11	12	5	3	-	-	-	-	-
	F	35	-	-	-	-	-	-	-	-	-	-	-	1	3	6	4	2	2	7	4	2	3	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	-	1	1	-	1	-	-
	White-----M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	38	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	-	9	9	6	5	1	1	-
	White-----M	38	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	-	9	9	6	5	1	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	11	...	...	...	...	...	...	-	-	1	3	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	9	...	...	...	...	...	...	-	-	1	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	8	...	...	...	...	...	...	-	-	-	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	7	...	...	...	...	...	...	-	-	-	1	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	103	75	2	1	-	-	-	3	1	4	1	1	1	1	3	3	2	2	1	-	1	1	-	-	-	-
	White-----M	51	38	1	1	-	-	-	1	-	2	-	1	-	-	1	2	2	-	-	-	1	1	-	-	-	-
	F	49	34	1	-	-	-	-	2	1	2	1	-	1	1	2	1	-	2	1	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	274	274	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	25	2	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	3	4	4	3	4	-	-
	White-----M	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	4	3	1	-	-	-
	F	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	2	4	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	373	15	1	3	-	1	6	1	2	4	7	8	8	15	16	25	38	41	56	51	28	33	12	2	-	-
	White-----M	197	4	1	2	-	1	2	1	1	2	5	6	4	8	9	15	23	23	30	28	11	13	6	2	-	-
	F	166	9	-	1	-	-	4	-	1	2	1	2	4	6	7	9	15	16	24	22	17	20	6	-	-	-
	Nonwhite--M	7	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
E800-E962	Accidents	355	11	7	8	3	6	17	4	14	18	19	17	14	13	9	12	20	10	23	30	28	37	26	8	1	-
	White-----M	219	8	5	5	2	4	14	4	11	17	14	13	12	8	6	11	16	9	10	11	11	9	16	2	1	-
	F	117	2	-	3	-	1	3	-	1	-	2	-	1	5	2	1	4	1	13	18	16	28	10	6	-	-
	Nonwhite--M	15	-	2	-	1	-	-	-	2	-	3	4	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	4	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents	79	1	-	4	2	1	2	-	9	7	8	2	5	5	2	4	6	2	7	7	3	1	1	-	-	-
	White-----M	58	1	-	2	1	1	2	-	7	7	7	2	4	3	1	3	6	1	3	5	-	1	1	-	-	-
	F	17	-	-	2	-	-	-	-	1	-	-	-	1	2	-	1	-	1	4	2	3	-	-	-	-	-
	Nonwhite--M	4	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	276	10	7	4	1	5	15	4	5	11	11	15	9	8	7	8	14	8	16	23	25	36	25	8	1	-
	White-----M	161	7	5	3	1	3	12	4	4	10	7	11	8	5	5	8	10	8	7	6	11	8	15	2	1	-
	F	100	2	-	1	-	1	3	-	-	-	2	-	-	3	2	-	4	-	9	16	13	28	10	6	-	-
	Nonwhite--M	11	-	2	-	-	-	-	-	1	-	2	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	4	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E963, E970-E979	Suicide	50	-	-	-	-	-	-	-	1	2	2	1	1	7	7	6	7	3	5	2	2	3	1	-	-	-
	White-----M	32	-	-	-	-	-	-	-	-	2	1	1	-	4	5	3	4	1	5	2	2	2	-	-	-	-
	F	18	-	-	-	-	-	-	-	1	-	1	-	1	3	2	3	3	2	-	-	-	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	11	2	-	-	-	-	-	-	2	1	1	-	-	-	1	1	-	-	-	2	-	-	-	-	-	1
	White-----M	5	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.*	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA																										
	ALL CAUSES------	17,634	2,142	182	93	63	64	171	138	201	308	348	452	587	785	1,046	1,368	1,496	1,709	1,695	1,663	1,384	941	494	190	61	53
	White-----M--	5,642	520	37	13	15	7	49	35	54	111	99	132	162	187	330	368	477	580	596	691	564	377	176	47	8	7
	F--	3,836	325	27	13	8	18	26	24	27	29	51	69	79	119	143	172	202	315	425	498	558	384	206	86	27	5
	Nonwhite--M--	4,453	718	69	37	24	18	55	45	82	99	115	141	188	265	290	441	452	436	341	264	144	101	66	32	9	19
	F--	3,703	579	49	30	16	21	41	34	39	69	83	110	158	214	283	387	365	376	333	210	118	79	46	25	17	22
001-019	Tuberculosis, all forms--------	276	2	5	-	1	-	1	-	8	16	21	22	27	27	24	26	30	18	21	13	9	2	2	-	-	1
	White-----M--	75	1	-	-	-	-	-	-	-	-	2	6	6	5	10	5	10	7	9	8	4	1	1	-	-	-
	F--	31	-	-	-	-	-	-	-	-	3	2	3	3	2	2	2	2	2	6	2	2	-	-	-	-	-
	Nonwhite--M--	102	-	2	-	1	-	-	-	5	6	8	8	11	13	7	12	12	7	4	3	2	-	1	-	-	-
	F--	68	1	3	-	-	-	1	-	3	7	9	5	7	7	5	7	6	2	2	-	1	1	-	-	-	1
001-008	Tuberculosis of respiratory system----------	251	1	1	-	-	-	-	-	5	16	18	19	24	26	24	26	29	17	18	13	9	2	2	-	-	1
	White-----M--	70	-	-	-	-	-	-	-	-	-	1	6	5	5	10	5	10	7	7	8	4	1	1	-	-	-
	F--	25	-	-	-	-	-	-	-	-	3	1	2	2	2	2	2	1	1	5	2	2	-	-	-	-	-
	Nonwhite--M--	96	-	1	-	-	-	-	-	3	6	8	7	11	12	7	12	12	7	4	3	2	-	1	-	-	-
	F--	60	1	-	-	-	-	-	-	2	7	8	4	6	7	5	7	6	2	2	-	1	1	-	-	-	1
010-019	Tuberculosis, other forms------	25	1	4	-	1	-	1	-	3	-	3	3	3	1	-	-	1	1	3	-	-	-	-	-	-	-
	White-----M--	5	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	1	-	1	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	3	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	64	-	-	-	-	-	-	-	-	-	-	1	4	5	6	12	14	7	3	3	4	3	2	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	1	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	1	-	1	-	-	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	-	-	1	4	2	2	8	11	5	1	-	2	2	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	1	1	-	-	-	-	-	-
040	Typhoid fever-----	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	17	9	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	3	2	-	-	-	1	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	9	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
	F--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
055	Diphtheria---------	16	-	2	4	-	4	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	1	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	29	23	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	13	7	-	1	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	7	4	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	9	1	-	1	-	1	4	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	20	4	6	2	2	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	3	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	86	8	3	4	5	3	4	2	1	2	3	5	6	3	10	5	4	5	3	4	3	2	-	1	-	-
	White-----M--	20	3	-	-	-	-	-	1	-	-	1	1	1	-	-	4	-	3	-	3	1	2	-	-	-	-
	F--	9	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
	Nonwhite--M--	29	3	-	2	2	2	3	-	-	1	1	3	1	1	5	1	1	2	1	-	-	-	-	-	-	-
	F--	28	1	3	2	2	-	-	-	1	1	1	1	4	2	5	-	2	-	2	-	-	-	-	1	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
140-205	Malignant neoplasms, etc.*	2,067	5	7	4	5	5	17	11	16	29	22	48	67	123	182	220	227	268	239	245	165	97	44	12	4	5
	White----M	679	3	5	2	3	-	5	2	2	10	5	10	11	20	44	50	74	93	95	98	73	48	20	5	-	1
	F	675	-	2	-	-	4	5	2	7	3	7	18	20	47	61	57	64	80	72	93	72	38	15	5	2	1
	Nonwhite--M	351	1	-	1	2	1	6	1	5	10	2	8	16	23	36	51	37	48	41	33	13	8	6	-	1	1
	F	362	1	-	1	-	-	1	6	2	6	8	12	20	33	41	62	52	47	31	21	7	3	3	2	1	2
140-148	Of buccal cavity and pharynx	56	-	-	-	-	-	1	-	-	1	1	-	4	1	5	5	2	11	8	8	5	-	3	-	-	1
	White----M	21	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	5	5	3	1	-	1	-	-	1
	F	15	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	2	3	3	-	-	-	-	-
	Nonwhite--M	9	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	3	1	1	-	-	1	-	-	-
	F	11	-	-	-	-	-	1	-	-	-	1	-	1	1	1	1	1	1	-	1	1	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	701	1	-	-	-	-	-	1	-	4	4	15	16	30	57	75	84	88	95	95	71	39	18	5	1	2
	White----M	215	-	-	-	-	-	-	1	-	-	1	1	3	2	11	18	24	27	38	34	33	16	6	-	-	-
	F	203	-	-	-	-	-	-	-	-	-	-	5	1	10	10	8	18	26	23	40	30	20	7	3	1	1
	Nonwhite--M	160	1	-	-	-	-	-	-	-	3	2	5	8	11	24	27	21	18	18	14	3	2	3	-	-	-
	F	123	-	-	-	-	-	-	-	-	1	1	4	4	7	12	22	21	17	16	7	5	1	2	2	-	1
160-164	Of respiratory system	228	-	-	-	-	-	-	-	-	1	-	1	3	17	24	28	44	34	32	22	13	4	2	1	-	-
	White----M	143	-	-	-	-	-	-	-	-	1	-	-	1	11	16	17	29	23	22	11	7	3	2	-	-	-
	F	32	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	5	3	5	5	4	-	-	1	-	-
	Nonwhite--M	37	-	-	-	-	-	-	-	-	-	-	1	2	4	3	4	6	7	3	4	2	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	1	2	2	-	-	-	-	-	-
170	Of breast	165	-	-	-	-	-	-	-	-	-	2	7	10	18	24	21	12	15	22	17	6	8	2	-	-	1
	White----M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F	109	-	-	-	-	-	-	-	-	-	-	3	7	10	15	12	8	9	17	14	6	6	2	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	52	-	-	-	-	-	-	-	-	-	2	4	3	8	9	9	3	4	4	3	-	2	-	-	-	1
171-179	Of genital organs	417	-	-	1	-	-	-	1	4	7	4	9	21	24	29	41	41	61	45	48	35	26	15	2	2	1
	White----M	96	-	-	1	-	-	-	-	1	2	-	-	2	-	-	-	-	9	10	21	18	20	11	1	-	-
	F	151	-	-	-	-	-	-	-	1	1	-	5	8	15	16	18	18	24	16	13	11	2	2	1	-	-
	Nonwhite--M	70	-	-	-	-	-	-	-	1	-	-	-	1	1	1	8	7	15	14	9	5	4	2	-	1	1
	F	100	-	-	-	-	-	-	1	1	4	4	4	10	8	12	15	16	13	5	5	1	-	-	-	1	-
180, 181	Of urinary organs	74	-	2	-	1	-	1	-	1	2	-	-	3	2	7	5	8	21	5	7	6	3	-	-	-	-
	White----M	37	-	2	-	1	-	-	-	-	1	-	-	1	-	3	-	6	14	1	3	3	2	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	3	2	4	3	1	-	-	-	-
	Nonwhite--M	13	-	-	-	-	-	1	-	1	-	-	-	1	1	2	4	-	2	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	279	2	3	1	2	3	6	2	7	9	8	12	7	21	23	33	24	23	21	28	22	14	3	4	1	-
	White----M	102	2	2	1	-	-	2	-	-	5	2	5	2	6	6	8	10	6	10	18	7	6	-	4	-	-
	F	102	-	1	-	-	2	2	-	4	2	6	5	2	7	9	10	10	8	5	5	13	7	3	-	1	-
	Nonwhite--M	37	-	-	-	2	1	2	-	3	2	-	2	2	3	3	5	1	1	4	3	2	1	-	-	-	-
	F	38	-	-	-	-	-	-	2	-	-	-	-	1	5	5	10	3	8	2	2	-	-	-	-	-	-
204	Leukemia and aleukemia	77	2	2	2	2	2	5	5	2	1	3	3	2	5	7	4	4	9	2	10	3	2	-	-	-	-
	White----M	37	1	1	-	2	-	2	1	1	-	2	3	1	-	5	2	1	6	2	5	1	1	-	-	-	-
	F	22	-	1	-	-	2	2	1	1	-	1	-	-	3	1	1	2	1	-	4	1	1	-	-	-	-
	Nonwhite--M	9	-	-	1	-	-	1	1	-	1	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-
	F	9	1	-	1	-	-	-	2	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	72	-	-	-	-	-	4	2	2	4	-	1	1	5	6	8	8	6	9	10	4	1	1	-	-	-
	White----M	25	-	-	-	-	-	1	-	-	1	-	1	-	1	1	3	3	2	6	3	3	-	-	-	-	-
	F	23	-	-	-	-	-	1	1	1	-	-	-	-	-	2	2	2	4	2	5	1	1	1	-	-	-
	Nonwhite--M	15	-	-	-	-	-	2	-	-	3	-	-	1	2	3	1	2	-	-	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	1	1	-	-	-	-	2	-	2	1	-	1	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	55	1	1	2	1	-	-	1	2	2	2	2	6	6	5	4	7	5	3	2	1	2	-	-	-	-
	White----M	15	-	1	-	1	-	-	-	1	1	1	1	3	-	-	1	1	-	2	1	1	-	-	-	-	-
	F	14	-	-	1	-	-	-	1	-	-	-	-	-	2	2	2	2	2	-	-	-	2	-	-	-	-
	Nonwhite--M	6	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	1	1	1	1	3	3	3	1	3	3	-	-	-	-	-	-	-	-
260	Diabetes mellitus	238	-	-	-	-	-	-	3	5	2	3	5	4	9	27	28	28	30	24	29	21	15	4	1	-	-
	White----M	56	-	-	-	-	-	-	-	-	1	1	1	-	2	7	3	5	6	6	11	7	4	1	1	-	-
	F	69	-	-	-	-	-	-	2	1	-	1	2	1	1	4	4	4	9	8	11	11	8	2	-	-	-
	Nonwhite--M	30	-	-	-	-	-	-	1	2	-	1	1	-	3	3	2	6	3	2	3	2	1	-	-	-	-
	F	83	-	-	-	-	-	-	-	2	1	-	1	3	3	13	19	13	12	8	4	1	2	1	-	-	-
290-293	Anemias	50	3	4	2	1	2	2	2	-	2	2	5	1	5	-	1	1	4	6	1	3	2	1	-	-	-
	White----M	7	-	-	-	-	1	2	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	1	2	2	1	-	-	-
	Nonwhite--M	10	1	2	2	-	1	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F	19	2	2	-	1	-	-	2	-	2	2	4	1	2	-	-	-	1	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	46	21	8	-	-	-	3	1	4	-	-	-	-	3	-	3	2	-	-	-	1	-	-	-	-	-
	White----M	10	5	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	18	7	3	-	-	-	2	1	2	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	F	14	7	1	-	-	-	1	-	1	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	8,845	11	6	2	5	-	10	14	20	39	60	118	234	342	546	789	919	1,124	1,172	1,143	999	696	368	148	47	33
	White----M	2,972	3	1	-	1	-	2	1	3	10	11	33	55	73	177	226	291	367	405	468	402	269	127	36	6	5
	F	2,052	2	2	1	-	-	1	2	4	3	8	11	23	36	43	71	93	186	280	342	407	291	157	66	21	2
	Nonwhite--M	2,014	4	1	1	1	-	5	4	9	12	18	37	77	131	159	267	297	309	240	174	104	73	48	26	6	11
	F	1,807	2	2	-	3	-	2	7	4	14	23	37	79	102	167	225	238	262	247	159	86	63	36	20	14	15
330-334, 400-468	Diseases of cardiovascular system	8,534	10	4	1	5	-	8	14	16	34	51	108	217	330	516	762	882	1,086	1,147	1,109	975	680	357	143	47	32
	White----M	2,915	2	1	-	1	-	2	1	3	7	10	32	54	70	172	221	289	364	399	464	392	261	124	35	6	5
	F	2,003	2	2	1	-	-	1	2	3	3	6	10	20	36	43	66	90	180	276	333	400	289	153	64	21	2
	Nonwhite--M	1,902	4	-	-	1	-	4	4	7	11	16	34	70	126	148	258	282	294	233	159	97	67	46	24	6	11
	F	1,714	2	1	-	3	-	1	7	3	13	19	32	73	98	153	217	221	248	239	153	86	63	34	20	14	14
330-334	Vascular lesions, etc.*	2,427	5	-	1	-	-	-	4	1	8	13	28	59	114	134	204	240	326	344	319	290	185	102	30	9	11
	White----M	648	1	-	-	-	-	-	-	-	2	3	8	10	15	26	28	40	83	87	125	110	76	26	5	-	3
	F	603	1	-	1	-	-	-	1	-	1	-	3	4	15	14	18	20	47	102	99	122	83	49	17	4	2
	Nonwhite--M	601	1	-	-	-	-	-	2	1	2	6	10	20	47	44	85	102	96	78	41	31	13	14	4	2	2
	F	575	2	-	-	-	-	-	1	-	3	4	7	25	37	50	73	78	100	77	54	27	13	13	4	3	4
400-402	Rheumatic fever	23	-	1	-	1	-	3	9	-	3	1	1	1	1	-	-	-	-	1	-	-	1	-	-	-	-
	White----M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	2	2	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	11	-	1	-	1	-	-	5	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
410-443	Diseases of heart-	5,468	4	3	-	4	-	5	1	14	19	30	66	139	200	357	522	587	696	739	705	606	435	203	87	30	16
	White-----M--	2,084	1	1	-	1	-	1	-	3	5	6	19	41	53	143	186	242	263	293	311	248	161	78	22	4	2
	F--	1,266	1	2	-	-	-	1	-	3	1	4	7	12	19	27	47	61	124	165	215	252	185	88	38	14	-
	Nonwhite--M--	1,117	2	-	-	1	-	2	-	6	6	8	20	42	72	95	157	155	176	140	92	53	46	22	12	3	7
	F--	1,001	-	-	-	2	-	1	1	2	7	12	20	44	56	92	132	129	133	141	87	53	43	15	15	9	7
410-416	Chronic rheumatic heart disease----	113	-	-	-	-	-	1	1	6	3	9	7	6	10	17	12	5	10	8	5	5	4	2	-	1	1
	White-----M--	37	-	-	-	-	-	1	-	1	2	3	3	3	2	8	3	-	2	1	3	4	1	-	-	-	-
	F--	29	-	-	-	-	-	-	-	2	-	-	2	-	3	3	2	1	4	4	1	1	3	2	-	1	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	1	1	2	1	2	5	3	5	2	3	1	-	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	1	2	-	4	1	1	-	3	2	2	1	2	1	-	-	-	-	-	1
420	Arteriosclerotic heart dis., etc.*	2,995	2	-	-	-	-	-	-	3	5	14	36	69	102	188	288	350	399	420	397	329	232	109	41	6	5
	White-----M--	1,500	-	-	-	-	-	-	-	-	1	2	15	34	42	117	150	216	192	219	201	151	101	46	10	1	2
	F--	725	-	-	-	-	-	-	-	1	-	1	4	7	10	10	30	40	81	101	126	143	97	48	23	3	-
	Nonwhite--M--	441	2	-	-	-	-	-	-	2	2	6	10	18	32	31	64	51	79	56	42	17	14	7	4	1	3
	F--	329	-	-	-	-	-	-	-	-	2	5	7	10	18	30	44	43	47	44	28	18	20	8	4	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	693	-	-	-	2	-	-	-	1	3	1	7	14	10	18	59	58	69	93	105	97	79	38	25	11	3
	White-----M--	212	-	-	-	-	-	-	-	-	1	-	-	1	3	2	8	6	23	30	45	40	28	14	9	2	-
	F--	172	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	7	4	17	26	41	36	18	10	4	-
	Nonwhite--M--	142	-	-	-	1	-	-	-	1	-	-	4	4	3	6	18	28	21	22	15	5	8	4	1	-	1
	F--	167	-	-	-	1	-	-	-	-	2	1	3	8	4	8	27	17	21	24	19	11	7	2	5	5	2
430-434	Other diseases of heart---------	311	2	3	-	1	-	2	-	4	5	2	4	14	18	26	32	32	37	36	31	28	15	11	3	2	3
	White-----M--	82	1	1	-	1	-	-	-	2	1	1	-	2	2	9	4	6	8	10	12	12	4	5	1	-	-
	F--	57	1	2	-	-	-	1	-	-	1	-	-	1	2	2	2	4	4	8	8	8	7	4	1	1	-
	Nonwhite--M--	93	-	-	-	-	-	1	-	2	1	-	1	7	10	10	12	8	14	8	5	6	3	2	1	1	1
	F--	79	-	-	-	-	-	-	-	-	2	1	3	4	4	5	14	14	11	10	6	2	1	-	-	-	2
440-443	Hypertension with heart dis.--	1,356	-	-	-	1	-	2	-	-	3	4	12	36	60	108	131	142	181	182	167	147	105	43	18	10	4
	White-----M--	253	-	-	-	-	-	-	-	-	-	-	1	1	4	7	21	14	38	33	50	41	27	13	2	1	-
	F--	283	-	-	-	-	-	-	-	-	-	3	1	3	4	10	7	9	31	35	54	59	42	16	4	5	-
	Nonwhite--M--	415	-	-	-	-	-	1	-	-	2	-	4	11	22	45	58	66	59	53	30	25	21	9	6	1	2
	F--	405	-	-	-	1	-	1	-	-	1	1	6	21	30	46	45	53	53	61	33	22	15	5	6	3	2
444-447	Hypertension without mention of heart----------	195	-	-	-	-	-	-	-	-	2	4	9	12	9	12	17	23	17	12	23	25	10	11	7	1	1
	White-----M--	46	-	-	-	-	-	-	-	-	-	-	3	2	2	-	2	3	3	2	5	11	5	4	3	1	-
	F--	38	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	2	3	9	9	3	3	2	-	-
	Nonwhite--M--	60	-	-	-	-	-	-	-	-	1	1	3	7	4	2	8	11	6	1	6	5	1	2	2	-	-
	F--	51	-	-	-	-	-	-	-	-	1	2	3	3	3	8	6	6	6	6	3	-	1	2	-	-	1
450	General arteriosclerosis--------	309	-	-	-	-	-	-	-	-	-	-	1	1	2	4	11	15	28	39	46	47	45	40	19	7	4
	White-----M--	90	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	10	14	20	16	15	5	1	-
	F--	70	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	5	5	15	17	13	7	3	-
	Nonwhite--M--	92	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	9	11	11	20	7	7	8	6	1	2
	F--	57	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	4	9	13	7	5	5	4	1	2	2
451-468	Other diseases of circulatory sys.-	112	1	-	-	-	-	-	-	1	2	3	3	5	4	9	8	17	19	12	16	7	4	1	-	-	-
	White-----M--	45	-	-	-	-	-	-	-	-	-	1	2	1	-	2	3	3	10	7	9	3	3	1	-	-	-
	F--	24	-	-	-	-	-	-	-	-	1	1	-	3	2	-	-	5	4	1	5	2	-	-	-	-	-
	Nonwhite--M--	24	1	-	-	-	-	-	-	-	1	1	-	-	1	5	2	5	5	2	-	1	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	1	-	-	1	1	1	2	3	4	-	2	2	1	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	311	1	2	1	-	-	2	-	4	5	9	10	17	12	30	27	37	38	25	34	24	16	11	5	-	1
	White-----M--	57	1	-	-	-	-	-	-	-	3	1	1	1	3	5	5	2	3	6	4	10	8	3	1	-	-
	F--	49	-	-	-	-	-	-	-	1	-	2	1	3	-	-	5	3	6	4	9	7	2	4	2	-	-
	Nonwhite--M--	112	-	1	1	-	-	1	-	2	1	2	3	7	5	11	9	15	15	7	15	7	6	2	2	-	-
	F--	93	-	1	-	-	-	1	-	1	1	4	5	6	4	14	6	17	14	8	6	-	-	2	-	-	1
480-493	Influenza and pneumonia, etc.*-	715	264	46	12	6	13	16	7	6	6	11	19	15	24	25	20	30	34	37	35	33	28	17	6	3	2
	White-----M--	130	27	6	1	3	-	2	4	1	1	1	5	6	4	4	5	5	10	4	9	11	11	8	1	1	-
	F--	102	14	2	1	1	1	1	-	-	1	2	3	2	3	3	-	3	3	10	11	14	13	8	4	2	-
	Nonwhite--M--	268	117	25	5	2	6	11	1	3	2	5	7	3	8	10	9	14	10	13	9	2	2	1	1	-	2
	F--	215	106	13	5	-	6	2	2	2	2	3	4	4	9	8	6	8	11	10	6	6	2	-	-	-	-
480-483	Influenza--------	88	33	5	1	-	4	5	1	-	-	1	3	1	6	7	4	4	3	4	1	2	2	1	-	-	-
	White-----M--	8	1	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	1	-	-	-	-	-	-	-
	F--	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-
	Nonwhite--M--	39	17	4	1	-	1	3	-	-	-	1	1	-	2	3	1	2	2	1	-	-	-	-	-	-	-
	F--	33	13	-	-	-	3	2	1	-	-	-	1	-	3	3	1	2	1	1	1	1	-	-	-	-	-
490-493	Pneumonia, etc.*--	627	231	41	11	6	9	11	6	6	6	10	16	14	18	18	16	26	31	33	34	31	26	16	6	3	2
	White-----M--	122	26	6	1	3	-	2	4	1	1	1	4	5	3	3	3	5	10	3	9	11	11	8	1	1	-
	F--	94	12	1	1	1	1	1	-	-	1	2	3	2	3	3	-	3	3	9	11	13	11	7	4	2	-
	Nonwhite--M--	229	100	21	4	2	5	8	1	3	2	4	6	3	6	7	8	12	8	12	9	2	2	1	1	-	2
	F--	182	93	13	5	-	3	-	1	2	2	3	3	4	6	5	5	6	10	9	5	5	2	-	-	-	-
500-502	Bronchitis--------	37	13	4	1	-	-	-	-	-	-	-	-	-	1	1	1	5	1	4	1	1	4	-	-	-	-
	White-----M--	12	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	2	1	-	2	-	-	-	-
	F--	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	14	7	2	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-
	F--	6	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	88	-	-	-	-	-	-	-	-	1	3	1	4	12	8	14	9	8	8	7	9	3	1	-	-	-
	White-----M--	48	-	-	-	-	-	-	-	-	-	2	-	1	4	5	6	7	6	4	5	7	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	-	-	2	-	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	1	-	-	3	6	1	4	2	1	-	1	2	-	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	1	-	-	2	3	-	1	2	1	-	-	-	-	-	-
550-553	Appendicitis------	15	-	-	-	1	-	1	-	-	-	1	-	-	3	-	1	3	-	-	2	3	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	5	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	93	15	2	1	2	-	-	-	-	-	-	4	6	4	4	10	12	4	10	8	5	2	3	1	-	-
	White-----M--	27	5	1	-	-	-	-	-	-	-	-	-	-	2	-	3	6	1	3	3	2	-	1	-	-	-
	F--	24	4	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	-	3	4	3	2	2	-	-	-
	Nonwhite--M--	26	4	-	-	1	-	-	-	-	-	-	2	2	1	2	5	2	3	2	1	-	-	-	1	-	-
	F--	16	2	1	1	1	-	-	-	-	-	-	1	3	1	1	2	1	-	2	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
543,	Gastritis, etc.*	160	99	11	7	2	3	3	2	-	-	2	1	2	2	2	7	3	3	3	3	5	-	-	-	-	-
571,	White-----M--	17	8	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-
572	F--	18	5	1	1	-	-	1	1	-	-	1	-	1	-	-	3	-	2	1	-	1	-	-	-	-	-
	Nonwhite--M--	69	45	4	2	2	2	-	1	-	-	-	-	1	1	2	3	2	1	1	1	1	-	-	-	-	-
	F--	56	41	5	4	-	-	1	-	-	-	1	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-
581	Cirrhosis of liver	81	1	-	-	-	-	1	-	-	1	2	2	8	12	13	9	11	4	6	5	3	3	-	-	-	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	-	1	3	7	7	3	5	3	4	4	1	3	-	-	-	-
	F--	17	1	-	-	-	-	-	-	-	-	2	-	1	1	3	2	3	1	1	-	2	-	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	1	-	1	2	3	1	3	2	-	1	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	1	-	-	-	-	-	2	1	2	1	1	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	40	-	-	1	2	-	2	1	2	-	5	3	5	2	3	3	2	3	-	3	1	-	1	-	-	1
	White-----M--	10	-	-	-	1	-	1	-	-	-	1	1	1	-	1	-	-	1	-	1	1	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	19	-	-	1	-	-	-	-	1	-	2	1	3	2	2	3	2	1	-	1	-	-	-	-	-	-
	F--	8	-	-	-	1	-	1	1	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1
610	Hyperplasia of																										
	prostate	67	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	10	11	16	7	8	4	1	1	1
	White-----M--	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	5	11	5	5	1	1	1	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	5	6	5	2	3	3	-	-	1
640-	Complications of																										
689	pregnancy, etc.*	69	...	...	...	...	...	...	1	9	13	14	16	12	3	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	17	...	...	...	...	...	...	-	4	3	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	52	...	...	...	...	...	...	1	5	10	10	14	9	2	1	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	5	...	...	...	...	...	...	-	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	64	...	...	...	...	...	...	1	8	13	13	14	12	3	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	17	...	...	...	...	...	...	-	4	3	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	47	...	...	...	...	...	...	1	4	10	9	12	9	2	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	247	171	18	8	4	5	6	5	1	-	4	6	2	1	5	3	1	3	-	2	1	-	-	-	-	1
	White-----M--	83	62	4	1	-	1	2	3	1	-	2	1	-	-	2	2	-	1	-	1	-	-	-	-	-	-
	F--	83	57	8	1	1	3	1	1	-	-	2	3	1	-	1	-	-	2	-	1	1	-	-	-	-	-
	Nonwhite--M--	51	33	3	2	3	-	1	1	-	-	-	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
	F--	30	19	3	4	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
760-	Certain diseases																										
776	of early infancy	1,115	1,114	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	343	342	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	202	202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	323	323	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	247	247	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	448	448	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	156	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	97	96	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	20	19	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	570	570	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	167	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	646	208	18	4	5	3	6	3	4	6	14	11	18	28	34	69	44	48	32	27	23	20	6	7	2	6
795	White-----M--	82	10	3	-	-	-	1	-	-	1	-	2	3	-	5	10	8	11	3	10	8	5	2	-	-	-
	F--	42	3	-	-	-	2	-	-	-	1	1	-	1	-	1	5	2	3	5	2	3	6	1	4	-	2
	Nonwhite--M--	267	102	10	3	4	-	1	1	2	1	6	6	7	11	13	22	14	20	13	9	7	7	2	2	1	3
	F--	255	93	5	1	1	1	4	2	2	3	7	3	7	17	15	32	20	14	11	6	5	2	1	1	1	1
Re-	All other diseases	768	66	9	10	3	1	16	12	13	21	19	35	42	52	51	64	62	64	65	63	54	23	16	4	1	2
sid-	White-----M--	259	22	2	1	-	-	6	2	2	7	4	4	15	12	19	17	23	29	28	29	20	9	8	-	-	-
ual	F--	191	11	2	3	-	-	3	1	2	2	4	7	10	9	10	17	9	13	23	20	25	11	5	3	1	-
	Nonwhite--M--	172	24	4	3	2	-	4	4	4	6	6	9	11	13	13	17	21	11	4	8	4	1	1	1	-	1
	F--	146	9	1	3	1	1	3	5	5	6	5	15	6	18	9	13	9	11	10	6	5	2	2	-	-	1
E800-	Accidents	1,302	96	26	27	17	22	71	66	96	124	118	98	71	75	64	56	54	50	38	38	28	30	25	8	3	1
E962	White-----M--	540	25	4	4	4	4	24	19	38	68	61	55	35	35	31	20	19	22	16	18	12	16	6	3	-	1
	F--	205	16	7	4	4	6	10	11	8	13	15	10	8	8	7	6	12	7	8	7	11	8	14	4	1	-
	Nonwhite--M--	386	29	8	10	4	1	19	28	41	36	38	29	23	28	21	22	15	10	8	9	2	2	2	-	1	-
	F--	171	26	7	9	5	11	18	8	9	7	4	4	5	4	5	8	8	11	6	4	3	4	3	1	1	-
E810-	Motor-vehicle																										
E835	accidents	550	6	5	9	3	6	34	25	45	75	70	54	33	35	28	27	27	22	15	16	7	5	3	-	-	-
	White-----M--	272	2	-	1	2	2	12	12	23	41	39	32	17	19	13	8	11	10	9	10	5	3	1	-	-	-
	F--	82	1	3	1	1	3	8	6	3	8	10	8	6	4	4	4	3	4	3	1	1	-	-	-	-	-
	Nonwhite--M--	152	2	2	6	-	-	6	5	13	21	19	14	9	12	10	12	9	5	1	4	1	1	-	-	-	-
	F--	44	1	-	1	-	1	8	2	6	5	2	-	1	-	1	3	4	3	2	1	-	1	2	-	-	-
E800-	All ot. accidents	752	90	21	18	14	16	37	41	51	49	48	44	38	40	36	29	27	28	23	22	21	25	22	8	3	1
E802,	White-----M--	268	23	4	3	2	2	12	7	15	27	22	23	18	16	18	12	8	12	7	8	7	13	5	3	-	1
E840-	F--	123	15	4	3	3	3	2	5	5	5	5	2	2	4	3	2	9	3	5	6	10	8	14	4	1	-
E962	Nonwhite--M--	234	27	6	4	4	1	13	23	28	15	19	15	14	16	11	10	6	5	7	5	1	1	2	-	1	-
	F--	127	25	7	8	5	10	10	6	3	2	2	4	4	4	4	5	4	8	4	3	3	3	1	1	1	-
E963,	Suicide	136	-	-	-	-	-	-	-	2	8	3	14	18	16	16	9	19	13	6	8	3	1	-	-	-	-
E970-	White-----M--	99	-	-	-	-	-	-	-	2	5	2	5	14	13	13	9	13	11	6	5	1	-	-	-	-	-
E979	F--	15	-	-	-	-	-	-	-	-	-	-	5	1	2	2	-	3	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	3	1	4	2	1	1	-	2	1	-	1	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-
E964,	Homicide	215	-	-	-	-	-	1	2	11	33	37	35	34	24	17	10	4	2	1	2	2	-	-	-	-	-
E980-	White-----M--	39	-	-	-	-	-	-	1	2	6	4	5	7	5	4	-	-	2	-	1	2	-	-	-	-	-
E985	F--	11	-	-	-	-	-	1	-	-	-	-	3	3	3	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	132	-	-	-	-	-	1	-	8	19	27	21	21	12	9	8	4	-	1	1	-	-	-	-	-	-
	F--	33	-	-	-	-	-	-	-	1	8	6	6	3	4	4	1	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA																										
	ALL CAUSES------	5,766	462	39	18	14	13	49	25	56	78	76	81	69	130	172	227	353	528	671	735	743	628	396	148	45	10
	White-----M--	3,343	228	15	9	8	10	26	17	27	59	48	50	46	74	117	133	232	321	423	455	396	363	189	66	24	7
	F--	2,139	171	15	5	3	1	19	5	15	12	12	17	13	47	50	89	108	178	229	260	334	249	204	81	21	1
	Nonwhite--M--	159	30	5	1	3	1	1	2	9	3	8	6	8	5	3	1	9	17	14	13	10	7	1	1	-	1
	F--	125	33	4	3	-	1	3	1	5	4	8	8	2	4	2	4	4	12	5	7	3	9	2	-	-	1
001-019	Tuberculosis, all forms--------	52	5	-	-	1	1	3	1	3	1	8	2	2	-	1	2	5	3	5	3	5	1	-	-	-	-
	White-----M--	18	1	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	2	1	2	5	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	9	1	-	-	1	-	-	-	1	-	2	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	22	3	-	-	-	1	3	1	2	-	5	2	1	-	-	-	1	-	2	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	40	2	-	-	1	-	1	-	2	-	6	2	2	-	1	2	4	3	5	3	5	1	-	-	-	-
	White-----M--	18	1	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	2	1	2	5	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	7	1	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	1	-	1	-	4	2	1	-	-	-	1	-	2	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	12	3	-	-	-	1	2	1	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	9	3	-	-	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	2	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	19	4	2	-	-	1	-	-	-	-	-	3	-	2	-	1	2	2	1	-	-	-	1	-	-	-
	White-----M--	7	2	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-
	F--	7	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	1	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA—Continued																										
140-205	Malignant neoplasms, etc.*	902	4	4	-	3	3	5	4	3	6	10	6	7	31	42	57	82	137	122	135	116	79	34	12	-	-
	White----M	474	1	2	-	2	2	4	3	-	3	8	2	4	11	23	20	39	69	66	84	66	47	13	5	-	-
	F	399	3	2	-	1	-	1	1	2	3	2	2	3	19	17	36	41	60	53	48	46	31	21	7	-	-
	Nonwhite--M	17	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	2	4	2	1	4	1	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	4	1	2	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	13	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	3	1	2	1	2	-	-	-
	White----M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	-	-	-
	F	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	335	-	1	-	-	-	-	-	-	-	-	1	2	5	12	14	22	49	54	66	52	39	11	7	-	-
	White----M	186	-	1	-	-	-	-	-	-	-	-	1	2	3	6	5	12	28	36	39	30	18	2	3	-	-
	F	144	-	-	-	-	-	-	-	-	-	-	-	-	2	6	9	10	18	18	25	22	21	9	4	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
160-164	Of respiratory system	79	-	-	-	-	-	-	-	-	1	1	1	-	1	2	6	11	18	14	10	6	5	2	1	-	-
	White----M	58	-	-	-	-	-	-	-	-	-	1	1	-	1	2	5	10	13	10	8	4	3	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	3	3	2	2	2	2	1	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	75	-	-	-	-	-	-	-	-	-	1	1	1	8	5	9	11	10	9	5	6	3	5	1	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	72	-	-	-	-	-	-	-	-	-	1	1	1	8	4	8	11	9	9	5	6	3	5	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
171-179	Of genital organs	153	-	-	-	-	-	-	-	1	1	4	1	-	8	4	10	16	16	15	24	26	17	8	2	-	-
	White----M	80	-	-	-	-	-	-	-	-	1	4	-	-	2	-	1	5	6	4	20	15	13	7	2	-	-
	F	64	-	-	-	-	-	-	-	1	-	-	-	-	5	4	9	10	9	11	3	8	3	1	-	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	38	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	8	6	3	7	4	3	1	-	-
	White----M	24	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	5	2	5	3	2	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	-	1	2	1	1	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	127	1	1	-	-	2	5	2	-	2	1	1	3	6	7	11	13	19	15	19	12	6	1	-	-	-
	White----M	68	-	1	-	-	1	4	1	-	1	1	-	1	4	5	5	6	12	4	10	6	6	-	-	-	-
	F	55	1	-	-	-	-	1	1	-	1	-	1	2	2	1	6	6	7	11	9	5	-	1	-	-	-
	Nonwhite--M	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	44	1	2	-	2	1	-	1	1	1	-	-	1	2	5	4	2	5	4	3	4	3	2	-	-	-
	White----M	32	-	-	-	1	1	-	1	-	1	-	-	1	1	4	3	2	4	3	2	4	3	1	-	-	-
	F	11	1	2	-	1	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	-	-	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	38	1	-	-	1	-	-	1	-	1	3	1	-	1	4	2	5	10	2	4	1	1	-	-	-	-
	White----M	19	-	-	-	1	-	-	1	-	-	2	-	-	-	3	1	3	3	2	2	1	-	-	-	-	-
	F	17	1	-	-	-	-	-	-	-	1	1	-	-	1	1	1	2	6	-	2	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	22	-	-	-	-	-	2	-	-	1	1	1	-	2	-	3	2	3	3	2	-	-	2	-	-	-
	White----M	11	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	2	2	1	-	-	2	-	-	-
	F	10	-	-	-	-	-	2	-	-	-	-	-	-	2	-	2	1	1	1	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	104	1	-	-	-	-	-	-	1	-	1	1	1	1	3	3	5	13	17	25	18	7	6	1	-	-
	White----M	42	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	3	4	5	12	7	3	2	1	-	-
	F	59	1	-	-	-	-	-	-	1	-	-	1	1	-	-	3	2	7	12	13	11	4	3	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
290-293	Anemias	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	1	2	2	1	1	-	-
	White----M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	-	1	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	10	4	1	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	6	2	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	3,029	3	-	-	1	-	5	3	3	9	9	9	15	48	80	107	181	281	429	472	503	437	287	109	33	5
	White----M	1,822	1	-	-	-	-	3	1	2	7	4	5	10	31	57	74	130	194	280	298	262	256	135	50	19	3
	F	1,151	1	-	-	1	-	2	2	-	1	4	3	3	15	23	31	46	78	141	165	236	174	152	58	14	1
	Nonwhite--M	33	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	3	4	6	7	4	2	-	1	-	1
	F	25	1	-	-	-	-	-	-	1	-	-	1	-	1	-	2	2	5	2	2	1	5	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system	2,973	3	-	-	-	-	4	3	2	7	8	6	13	44	79	105	175	280	417	467	498	432	286	107	32	5
	White----M	1,792	1	-	-	-	-	2	1	1	6	4	3	9	30	57	72	128	193	274	295	259	253	134	49	18	3
	F	1,127	1	-	-	-	-	2	2	-	-	3	2	2	12	22	31	43	78	135	164	234	172	152	57	14	1
	Nonwhite--M	32	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	3	4	6	6	4	2	-	1	-	1
	F	22	1	-	-	-	-	-	-	1	-	-	1	-	1	-	2	1	5	2	2	1	5	-	-	-	-
330-334	Vascular lesions, etc.*	761	1	-	-	-	-	1	1	1	2	1	2	3	5	12	26	30	47	101	121	149	131	78	36	12	1
	White----M	421	1	-	-	-	-	-	1	-	2	-	1	2	1	6	16	19	27	60	79	73	71	34	17	10	1
	F	330	-	-	-	-	-	1	-	-	-	1	1	1	3	6	10	11	18	39	41	75	59	44	18	2	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-
	F	6	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-
400-402	Rheumatic fever	4	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA—Continued																										
410-443	Diseases of heart	2,023	2	-	-	-	-	-	1	1	4	4	3	10	38	62	78	137	230	302	319	322	266	169	56	15	4
	White-----M--	1,275	-	-	-	-	-	-	-	1	3	3	1	7	28	49	55	107	165	207	197	175	165	81	22	7	2
	F--	705	1	-	-	-	-	-	1	-	-	-	1	1	9	13	21	27	58	89	115	143	95	88	34	8	1
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	3	3	5	6	3	2	-	-	-	1
	F--	15	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	4	1	1	1	4	-	-	-	-
410-416	Chronic rheumatic heart disease----	59	-	-	-	-	-	-	1	-	1	1	1	3	2	6	6	6	4	9	6	5	4	2	-	1	1
	White-----M--	30	-	-	-	-	-	-	-	-	1	-	-	2	-	2	2	4	1	8	4	3	2	-	-	1	-
	F--	27	-	-	-	-	-	-	1	-	-	-	1	-	2	4	4	2	3	1	2	2	2	2	-	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,472	1	-	-	-	-	-	-	-	2	1	1	5	32	48	64	107	180	248	247	212	178	106	31	7	2
	White-----M--	998	-	-	-	-	-	-	-	-	1	1	1	3	27	41	50	92	136	174	157	123	122	50	15	3	2
	F--	449	-	-	-	-	-	-	-	-	-	-	-	1	5	7	14	13	39	69	85	88	52	56	16	4	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	1	4	5	1	1	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	3	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	220	-	-	-	-	-	-	-	1	-	1	-	-	1	3	2	6	11	13	23	56	37	42	19	4	1
	White-----M--	115	-	-	-	-	-	-	-	1	-	1	-	-	-	3	1	2	4	11	14	28	20	23	5	2	-
	F--	99	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	6	2	9	27	15	19	14	2	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
430-434	Other diseases of heart---------	77	1	-	-	-	-	-	-	-	1	1	1	-	1	-	3	6	13	5	13	17	6	4	2	3	-
	White-----M--	43	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	3	10	2	10	7	4	1	1	1	-
	F--	26	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	9	2	3	1	2	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	195	-	-	-	-	-	-	-	-	-	-	-	2	2	5	3	12	22	27	30	32	41	15	4	-	-
	White-----M--	89	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	6	14	12	12	14	17	7	1	-	-
	F--	104	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	8	15	18	17	24	8	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
444-447	Hypertension without mention of heart----------	33	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	3	11	1	7	3	-	1	-
	White-----M--	21	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	2	7	1	3	3	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	4	-	4	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	10	24	24	32	15	3	-
	White-----M--	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	9	12	12	10	1	-
	F--	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	15	12	20	5	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	38	-	-	-	-	-	1	-	-	-	2	1	-	1	3	-	4	2	7	6	2	4	4	-	1	-
	White-----M--	19	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	1	-	3	4	1	2	4	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	2	4	2	1	2	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	56	-	-	-	1	-	1	-	1	2	1	3	2	4	1	2	6	1	12	5	5	5	1	2	1	-
	White-----M--	30	-	-	-	-	-	1	-	1	1	-	2	1	1	-	2	2	1	6	3	3	3	1	1	1	-
	F--	24	-	-	-	1	-	-	-	-	1	1	1	1	3	1	-	3	-	6	1	2	2	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	165	31	5	2	1	-	1	1	-	-	2	2	3	2	4	4	8	6	7	16	16	25	18	7	4	-
	White-----M--	84	8	2	1	-	-	-	1	-	-	1	1	3	2	1	4	6	4	5	7	10	11	12	3	2	-
	F--	58	9	-	-	-	-	1	-	-	-	1	1	-	-	2	-	1	2	2	8	6	13	6	4	2	-
	Nonwhite--M--	12	7	2	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	11	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
480-483	Influenza---------	16	2	-	1	-	-	-	-	-	-	-	1	-	1	-	1	1	1	3	-	1	3	-	1	-	-
	White-----M--	9	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	2	-	-	1	-	1	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	149	29	5	1	1	-	1	1	-	-	2	1	3	1	4	3	7	5	4	16	15	22	18	6	4	-
	White-----M--	75	7	2	1	-	-	-	1	-	-	1	-	3	1	1	3	5	4	3	7	10	10	12	2	2	-
	F--	52	8	-	-	-	-	1	-	-	-	1	1	-	-	2	-	1	1	1	8	5	11	6	4	2	-
	Nonwhite--M--	12	7	2	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	10	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
500-502	Bronchitis--------	8	-	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	White-----M--	4	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	25	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	3	5	4	2	4	2	1	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	4	3	2	3	2	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	13	-	-	-	1	-	2	-	-	-	-	-	1	-	1	1	2	-	-	2	2	-	1	-	-	-
	White-----M--	10	-	-	-	1	-	1	-	-	-	-	-	1	-	1	1	1	-	-	2	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	26	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	7	4	2	2	-	-	-
	White-----M--	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	2	-	1	-	-	-
	F--	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	2	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA—Continued																										
543,	Gastritis, etc.*--	22	12	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	1	1	-	-	1	1	-
571,	White-----M--	12	6	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	1	1	-	-	-	-	-
572	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-
	Nonwhite--M--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	33	-	-	-	-	-	1	-	-	-	-	2	2	3	-	2	1	4	4	6	6	2	-	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	1	2	2	-	2	1	3	3	2	3	2	-	-	-	-
	F--	9	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	1	2	3	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	6	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	White-----M--	4	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	4	12	8	1	-	1
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	4	12	8	1	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	6	...	...	...	...	...	...	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	...	...	...	...	...	...	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	4	...	...	...	...	...	...	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	4	...	...	...	...	...	...	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	102	83	5	2	-	1	2	1	1	1	-	-	-	2	-	-	3	-	-	-	-	1	-	-	-	-
	White-----M--	42	35	2	-	-	1	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	F--	51	40	2	2	-	-	2	1	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	280	280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn---------	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	61	3	1	1	-	-	-	2	1	1	-	-	-	1	1	3	3	4	7	9	12	4	2	4	2	
795	White-----M--	26	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	5	5	4	1	1	1	1	
	F--	14	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	1	1	3	-	
	Nonwhite--M--	14	3	-	-	-	-	-	2	1	1	-	-	-	-	-	1	-	1	1	1	3	-	-	-	-	
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	2	-	-	1	
Re-	All other diseases	285	13	2	2	1	2	4	3	7	3	1	6	9	7	17	14	22	29	39	27	28	26	13	7	2	1
sid-	White-----M--	150	8	1	2	1	2	-	2	1	2	-	3	5	3	10	5	16	14	25	15	11	14	6	2	1	1
ual	F--	121	4	1	-	-	-	4	-	6	-	1	1	3	3	7	8	6	13	14	11	15	11	7	5	1	-
	Nonwhite--M--	7	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	-	1	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	1	1	-	-	-	-
E800-	Accidents---------	450	15	13	8	5	5	19	10	30	53	33	41	21	19	15	20	23	21	19	18	20	20	14	6	1	1
E962	White-----M--	315	9	4	5	3	5	16	8	20	46	25	32	17	12	14	11	19	12	15	12	9	10	7	2	1	1
	F--	88	3	7	2	1	-	3	1	5	4	2	3	1	4	-	8	3	4	1	5	11	9	7	4	-	-
	Nonwhite--M--	37	1	1	1	1	-	-	1	5	1	3	4	3	3	1	1	1	5	3	1	-	1	-	-	-	-
	F--	10	2	1	-	-	-	-	-	-	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	172	2	5	3	2	1	4	5	15	26	22	15	10	8	5	7	7	13	10	4	5	3	-	-	-	-
	White-----M--	117	1	1	1	1	1	3	4	8	21	15	12	9	3	5	3	5	7	8	4	3	2	-	-	-	-
	F--	31	1	4	1	1	-	1	-	4	3	2	1	-	3	-	4	1	2	-	-	2	1	-	-	-	-
	Nonwhite--M--	19	-	-	1	-	-	-	1	3	-	3	1	1	2	-	-	1	4	2	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	278	13	8	5	3	4	15	5	15	27	11	26	11	11	10	13	16	8	9	14	15	17	14	6	1	1
E802,	White-----M--	198	8	3	4	2	4	13	4	12	25	10	20	8	9	9	8	14	5	7	8	6	8	7	2	1	1
E840-	F--	57	2	3	1	-	-	2	1	1	1	-	2	1	1	-	4	2	2	1	5	9	8	7	4	-	-
E962	Nonwhite--M--	18	1	1	-	1	-	-	-	2	1	-	3	2	1	1	1	-	1	1	1	-	1	-	-	-	-
	F--	5	2	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	69	-	-	-	-	-	-	-	4	2	3	2	4	6	7	10	8	8	4	5	5	-	1	-	-	-
E970-	White-----M--	58	-	-	-	-	-	-	-	3	1	3	2	3	5	6	9	7	5	4	4	5	-	1	-	-	-
E979	F--	11	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	1	3	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	10	-	-	1	-	-	-	-	1	-	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	4	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
E985	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE																										
	ALL CAUSES------	28,506	2,598	170	84	70	44	191	160	295	351	385	499	629	910	1,248	1,638	1,872	2,424	2,998	3,511	3,338	2,806	1,535	546	150	54
	White-----M--	12,947	1,120	65	24	32	25	100	88	158	181	185	234	246	367	582	733	874	1,205	1,334	1,623	1,581	1,272	673	192	45	8
	F--	9,282	742	46	29	22	11	55	44	68	76	96	107	152	214	308	397	452	617	936	1,257	1,334	1,226	726	277	78	12
	Nonwhite--M--	3,342	413	32	17	7	3	19	16	38	52	52	66	113	162	180	271	285	342	397	337	235	175	67	32	14	15
	F--	2,935	323	27	14	9	5	17	10	31	42	52	92	118	167	178	237	261	260	331	294	188	133	69	45	13	19
001-019	Tuberculosis, all forms--------	523	4	7	1	4	-	5	1	9	9	20	22	35	20	35	50	44	45	59	63	52	25	13	-	-	-
	White-----M--	227	-	-	-	1	-	3	-	-	4	5	8	13	9	16	28	25	21	28	30	19	12	5	-	-	-
	F--	162	2	1	-	2	-	-	-	5	1	6	7	12	3	10	9	5	11	24	25	21	11	7	-	-	-
	Nonwhite--M--	87	1	4	1	-	-	2	-	-	1	2	3	6	5	8	10	11	10	7	5	9	1	1	-	-	-
	F--	47	1	2	-	1	-	-	1	4	3	7	4	4	3	1	3	3	3	-	3	3	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	479	1	3	1	2	-	3	1	6	8	18	19	33	19	32	45	41	42	56	61	51	24	13	-	-	-
	White-----M--	216	-	-	-	1	-	3	-	-	4	4	6	12	9	16	25	25	21	26	29	18	12	5	-	-	-
	F--	147	-	-	-	1	-	-	-	3	1	6	6	12	3	7	8	5	10	23	24	21	10	7	-	-	-
	Nonwhite--M--	77	-	2	1	-	-	-	-	-	1	2	3	5	5	8	9	9	9	7	5	9	1	1	-	-	-
	F--	39	1	1	-	-	-	-	1	3	2	6	4	4	2	1	3	2	2	-	3	3	1	-	-	-	-
010-019	Tuberculosis, other forms------	44	3	4	-	2	-	2	-	3	1	2	3	2	1	3	5	3	3	3	2	1	1	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	1	2	1	-	-	3	-	-	2	1	1	-	-	-	-	-
	F--	15	2	1	-	1	-	-	-	2	-	-	1	-	-	3	1	-	1	1	1	-	1	-	-	-	-
	Nonwhite--M--	10	1	2	-	-	-	2	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-
	F--	8	-	1	-	1	-	-	-	1	1	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	83	-	-	-	-	-	-	-	1	2	1	2	2	3	11	18	10	12	8	10	2	-	1	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	1	1	1	1	1	1	8	4	5	-	3	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	3	1	-	-	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	1	1	-	4	7	3	2	6	2	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	1	1	-	-	-	2	6	-	1	5	1	2	1	-	1	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	23	6	1	2	1	-	1	-	1	-	-	-	-	-	1	2	-	1	-	-	3	3	-	-	-	1
	White-----M--	10	5	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	8	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	6	-	1	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	10	5	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	24	10	4	-	2	-	1	2	1	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	7	3	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	14	6	3	-	2	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	21	1	-	-	1	1	4	3	-	1	4	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	1	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	2	-	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	10	4	1	-	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	71	15	2	-	1	-	4	3	4	3	2	2	3	3	4	4	4	3	5	3	1	4	1	-	-	-
	White-----M--	24	4	-	-	1	-	2	-	2	-	1	-	-	1	3	-	1	2	3	1	-	2	1	-	-	-
	F--	23	8	1	-	-	-	1	1	-	2	-	-	1	-	-	2	2	-	2	1	1	1	-	-	-	-
	Nonwhite--M--	12	2	-	-	-	-	1	2	1	1	-	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	F--	12	1	1	-	-	-	-	-	1	-	1	-	2	1	1	2	-	1	-	-	-	1	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE—Con.																										
140-205	Malignant neoplasms, etc.*	3,871	8	6	9	9	2	39	23	26	30	33	70	97	178	264	347	354	458	537	498	397	310	134	34	4	4
	White—M	1,576	3	4	3	3	2	22	12	14	11	10	26	32	63	81	108	129	189	235	212	186	144	66	19	2	-
	F	1,598	4	2	4	5	-	14	9	8	13	16	28	43	71	113	161	147	163	212	209	169	136	57	12	1	1
	Nonwhite—M	334	1	-	1	1	-	2	1	3	4	3	3	6	16	14	34	36	58	56	43	26	18	4	3	-	1
	F	363	-	-	1	-	-	1	1	1	2	4	13	16	28	56	44	42	48	34	34	16	12	7	-	1	2
140-148	Of buccal cavity and pharynx	101	-	-	-	-	-	-	1	-	1	1	-	3	5	6	4	8	15	11	19	13	8	5	1	-	-
	White—M	55	-	-	-	-	-	-	1	-	1	1	-	2	3	3	3	6	11	5	7	4	5	3	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	3	2	7	6	3	2	1	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	4	3	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,202	2	-	-	-	-	-	1	2	2	3	9	13	41	61	86	95	149	173	191	158	136	61	16	2	1
	White—M	501	-	-	-	-	-	-	-	2	-	2	2	7	19	27	28	32	67	72	83	65	56	27	10	2	-
	F	478	2	-	-	-	-	-	-	-	1	-	4	3	11	20	34	44	45	71	80	71	60	26	6	-	-
	Nonwhite—M	136	-	-	-	-	-	-	-	-	-	-	2	3	8	6	15	15	23	16	18	14	13	3	-	-	-
	F	87	-	-	-	-	-	-	1	-	1	1	1	-	3	8	9	4	14	14	10	8	7	5	-	-	1
160-164	Of respiratory system	385	-	-	-	-	-	-	-	-	1	2	5	4	17	26	38	54	67	66	51	26	21	4	2	-	1
	White—M	260	-	-	-	-	-	-	-	-	-	-	2	4	13	17	25	43	43	51	35	13	9	3	2	-	-
	F	76	-	-	-	-	-	-	-	-	-	1	1	-	1	4	6	5	11	12	10	12	12	1	-	-	-
	Nonwhite—M	42	-	-	-	-	-	-	-	-	1	1	1	-	3	2	6	4	13	3	6	1	-	-	-	-	1
	F	7	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	2	-	-	-	-	-	-	-	-	-
170	Of breast	298	-	-	-	-	-	-	-	-	-	2	6	17	17	35	46	31	30	35	35	25	13	4	-	1	1
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-
	F	231	-	-	-	-	-	-	-	-	-	1	3	11	11	20	37	27	24	31	29	23	10	3	-	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	62	-	-	-	-	-	-	-	-	-	1	3	5	6	15	8	4	6	3	6	2	2	-	-	-	1
171-179	Of genital organs	751	-	-	1	-	-	-	-	1	5	8	14	25	41	61	70	73	91	98	95	78	55	28	6	-	1
	White—M	219	-	-	-	-	-	-	-	-	5	1	2	2	-	1	-	7	23	25	41	51	39	19	3	-	-
	F	354	-	-	1	-	-	-	-	1	-	6	8	16	26	45	50	41	39	48	33	19	11	8	1	-	1
	Nonwhite—M	49	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	10	13	6	5	2	-	2	-	-
	F	129	-	-	-	-	-	-	-	-	-	1	4	7	14	14	17	19	19	12	15	3	3	1	-	-	-
180, 181	Of urinary organs	175	1	2	-	2	-	2	-	-	-	1	1	-	5	10	19	19	22	26	23	17	16	7	1	1	-
	White—M	86	1	1	-	1	-	2	-	-	-	1	1	-	3	3	10	6	13	13	10	11	4	5	1	-	-
	F	60	-	1	-	-	-	-	-	-	-	-	-	-	-	5	7	6	6	8	9	6	11	1	-	-	-
	Nonwhite—M	17	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	5	1	3	3	-	1	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	2	1	-	-	1	-	1	-
156B, 165, 190-199	Of other sites, etc.*	579	3	1	3	2	1	12	12	10	10	8	17	19	37	44	50	46	53	76	47	58	39	24	7	-	-
	White—M	268	1	1	1	1	1	9	6	7	2	3	8	12	15	22	26	20	19	40	17	26	20	8	3	-	-
	F	228	1	-	-	1	-	3	6	2	6	4	5	6	17	10	14	15	25	22	26	28	17	16	4	-	-
	Nonwhite—M	39	1	-	1	-	-	-	-	1	1	-	-	1	3	1	2	2	6	11	4	3	2	-	-	-	-
	F	44	-	-	1	-	-	-	-	-	1	1	4	-	2	11	8	9	3	3	-	1	-	-	-	-	-
204	Leukemia and aleukemia	212	1	2	3	5	1	22	6	8	9	4	10	11	7	10	15	12	18	22	17	12	15	1	1	-	-
	White—M	96	-	1	1	1	1	10	4	4	3	1	5	2	4	3	8	5	5	10	9	10	9	-	-	-	-
	F	82	1	1	2	4	-	9	2	2	5	3	5	4	2	4	4	5	7	8	6	2	6	-	-	-	-
	Nonwhite—M	21	-	-	-	-	-	2	-	1	1	-	-	2	-	1	3	1	2	4	2	-	-	1	1	-	-
	F	13	-	-	-	-	-	1	-	1	-	-	-	3	1	2	-	1	4	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	168	1	1	2	-	-	3	3	5	2	4	8	5	8	11	19	16	13	30	20	10	7	-	-	-	-
	White—M	87	1	1	1	-	-	1	1	1	-	1	6	2	6	5	8	10	8	18	10	6	1	-	-	-	-
	F	61	-	-	1	-	-	2	1	3	1	1	2	2	2	4	8	4	3	10	9	2	6	-	-	-	-
	Nonwhite—M	16	-	-	-	-	-	-	1	1	1	2	-	-	-	1	2	1	2	2	1	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	82	7	-	-	2	-	-	2	-	2	3	5	8	6	7	7	9	12	4	-	5	-	2	1	-	-
	White—M	21	2	-	-	1	-	-	1	-	1	1	-	1	-	-	1	3	4	3	-	2	-	1	-	-	-
	F	37	3	-	-	1	-	-	1	-	1	2	4	2	4	6	2	3	5	1	-	2	-	-	-	-	-
	Nonwhite—M	7	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	-	1	-	-	-	-	-
	F	17	1	-	-	-	-	-	-	-	-	-	1	3	2	-	4	2	2	-	-	-	-	1	1	-	-
260	Diabetes mellitus	291	-	-	-	-	1	-	1	-	5	3	6	5	13	13	23	21	28	52	43	32	33	11	1	-	-
	White—M	112	-	-	-	-	-	-	-	-	2	3	2	3	1	5	8	7	9	16	17	19	12	7	1	-	-
	F	99	-	-	-	-	-	-	1	-	1	-	1	1	2	1	3	6	10	24	16	12	17	4	-	-	-
	Nonwhite—M	33	-	-	-	-	1	-	-	-	1	-	1	-	4	4	3	1	3	6	6	-	3	-	-	-	-
	F	47	-	-	-	-	-	-	-	-	1	-	2	1	6	3	9	7	6	6	4	1	1	-	-	-	-
290-293	Anemias	64	4	2	2	-	-	-	-	2	-	-	1	3	1	3	3	2	6	7	10	9	7	1	-	-	1
	White—M	19	2	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	2	2	5	2	2	1	-	-	-
	F	26	1	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	3	2	3	4	5	-	-	-	-
	Nonwhite—M	10	1	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	3	-	1	-	-	-	-	-
	F	9	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	-	1
340	Nonmeningococcal meningitis*	46	22	4	2	-	-	-	1	-	2	-	-	-	3	2	2	3	-	1	2	1	1	-	-	-	-
	White—M	12	8	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	F	10	7	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	10	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-
	F	14	3	2	1	-	-	-	-	-	2	-	-	-	1	-	2	1	-	-	1	-	1	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	14,284	23	2	5	4	2	16	18	26	33	60	103	181	326	537	741	1,046	1,389	1,801	2,303	2,277	1,891	1,016	363	94	27
	White—M	6,646	10	-	3	2	2	6	9	13	12	21	37	51	120	281	373	513	731	810	1,088	1,099	864	447	127	24	3
	F	4,815	5	2	-	1	-	4	6	9	12	19	16	43	75	103	138	219	317	537	823	916	833	491	188	52	6
	Nonwhite—M	1,431	5	-	2	-	-	4	2	2	2	5	15	37	64	78	120	149	190	230	205	144	101	38	20	11	7
	F	1,392	3	-	-	1	-	2	1	2	7	15	35	50	67	75	110	165	151	224	187	118	93	40	28	7	11
330-334, 400-468	Diseases of cardiovascular system	13,869	23	2	4	3	2	13	14	21	31	54	91	173	306	517	722	1,013	1,358	1,758	2,249	2,207	1,844	997	349	93	25
	White—M	6,480	10	-	2	2	2	5	7	11	11	18	32	48	116	272	364	498	719	800	1,067	1,067	844	437	122	23	3
	F	4,681	5	2	-	-	-	3	4	6	11	18	13	40	68	98	132	211	308	522	809	893	813	486	181	52	6
	Nonwhite—M	1,367	5	-	2	-	-	3	2	2	2	5	14	35	60	75	117	144	184	221	193	133	98	37	18	11	6
	F	1,341	3	-	-	1	-	2	1	2	7	13	32	50	62	72	109	160	147	215	180	114	89	37	28	7	10
330-334	Vascular lesions, etc.*	3,800	9	-	2	1	1	2	2	2	5	12	13	35	64	108	154	226	349	476	653	681	579	291	99	31	5
	White—M	1,528	2	-	2	-	1	1	-	1	2	1	3	10	13	32	48	76	139	178	277	317	250	134	34	7	-
	F	1,389	1	-	-	-	-	1	1	1	2	7	1	8	16	26	41	53	90	155	247	280	253	138	49	18	1
	Nonwhite—M	413	4	-	-	-	-	-	1	-	1	-	3	8	14	19	33	37	58	67	68	40	38	10	7	4	1
	F	470	2	-	-	1	-	-	-	-	-	4	6	9	21	31	32	60	62	76	61	44	38	9	9	2	3
400-402	Rheumatic fever	26	-	-	-	-	1	4	9	3	1	2	2	1	-	-	-	-	1	1	1	-	-	-	-	-	-
	White—M	9	-	-	-	-	1	1	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	2	2	2	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE--Con.																										
410-443	Diseases of heart	9,185	12	2	2	2	-	5	2	16	18	33	62	127	214	391	531	734	954	1,197	1,467	1,389	1,144	621	206	48	18
	White-----M--	4,588	7	-	-	2	-	3	2	9	6	17	26	38	93	225	304	404	558	588	737	686	527	266	73	14	3
	F--	3,003	3	2	-	-	-	-	-	3	6	8	10	31	47	67	81	146	210	349	517	564	513	305	112	24	5
	Nonwhite--M--	854	1	-	2	-	-	2	-	2	-	3	7	22	40	53	76	96	113	141	111	85	58	25	7	6	4
	F--	740	1	-	-	-	-	-	-	2	6	5	19	36	34	36	70	88	73	119	102	54	46	25	14	4	6
410-416	Chronic rheumatic heart disease	290	1	-	-	-	-	2	2	10	10	12	12	18	19	22	29	31	26	19	26	25	10	11	1	3	1
	White-----M--	115	-	-	-	-	-	1	2	6	2	6	4	6	5	10	11	14	13	6	10	12	2	3	-	2	-
	F--	110	-	-	-	-	-	-	-	2	5	6	4	8	11	6	8	10	8	8	9	12	6	5	1	1	-
	Nonwhite--M--	35	1	-	-	-	-	1	-	1	-	-	-	1	2	4	5	5	3	3	3	1	2	2	-	-	1
	F--	30	-	-	-	-	-	-	-	1	3	-	4	3	1	2	5	2	2	2	4	-	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,285	2	-	1	-	-	-	-	2	2	13	20	45	115	226	325	441	613	718	862	806	653	309	112	16	4
	White-----M--	3,096	1	-	-	-	-	-	-	1	2	10	13	23	73	160	236	303	421	416	495	440	313	140	43	5	1
	F--	1,644	-	-	-	-	-	-	-	-	-	1	3	9	20	33	39	80	122	213	292	319	294	147	61	9	2
	Nonwhite--M--	316	-	-	1	-	-	-	-	1	-	2	-	6	11	18	32	29	41	58	39	36	25	13	2	1	1
	F--	229	1	-	-	-	-	-	-	-	-	-	4	7	11	15	18	29	29	31	36	11	21	9	6	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,203	5	1	1	1	-	1	-	2	3	1	3	7	17	24	36	58	86	123	194	224	214	140	43	12	7
	White-----M--	514	4	-	-	1	-	-	-	1	1	-	1	2	1	11	14	21	37	52	85	107	100	59	12	4	1
	F--	410	1	1	-	-	-	-	-	1	1	-	-	1	6	6	4	10	19	28	62	77	89	76	23	4	1
	Nonwhite--M--	150	-	-	1	-	-	1	-	-	-	-	1	1	8	7	7	16	20	17	26	20	16	2	4	1	2
	F--	129	-	-	-	-	-	-	-	-	1	1	1	3	2	-	11	11	10	26	21	20	9	3	4	3	3
430-434	Other diseases of heart	661	4	1	-	1	-	2	-	2	3	4	13	26	15	49	52	58	61	79	87	82	59	41	11	8	3
	White-----M--	288	2	-	-	1	-	2	-	1	1	-	7	6	7	24	19	25	30	33	39	46	24	16	2	2	1
	F--	185	2	1	-	-	-	-	-	-	-	1	2	6	2	9	10	12	7	18	25	26	31	20	8	4	1
	Nonwhite--M--	108	-	-	-	-	-	-	-	-	-	-	3	5	3	9	14	13	15	18	16	5	2	2	1	2	-
	F--	80	-	-	-	-	-	-	-	1	2	3	1	3	3	7	9	8	9	10	7	5	2	3	-	-	1
440-443	Hypertension with heart dis.	1,746	-	-	-	-	-	-	-	-	-	3	14	31	48	60	89	146	168	258	298	252	208	120	39	9	3
	White-----M--	575	-	-	-	-	-	-	-	-	-	1	1	1	7	20	24	41	57	81	108	81	88	48	16	1	-
	F--	654	-	-	-	-	-	-	-	-	-	-	1	7	8	13	20	34	54	82	129	130	93	57	19	6	1
	Nonwhite--M--	245	-	-	-	-	-	-	-	-	-	1	3	9	16	15	18	33	34	45	27	23	13	6	-	2	-
	F--	272	-	-	-	-	-	-	-	-	-	1	9	14	17	12	27	38	23	50	34	18	14	9	4	-	2
444-447	Hypertension without mention of heart	266	-	-	-	-	-	-	-	-	2	2	11	7	18	13	17	21	19	36	29	41	30	10	7	3	-
	White-----M--	88	-	-	-	-	-	-	-	-	1	-	1	-	5	6	3	5	7	10	8	15	21	5	1	-	-
	F--	71	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	5	3	8	10	21	7	4	3	2	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	1	3	4	4	3	5	5	5	6	3	1	1	1	-	1	-
	F--	64	-	-	-	-	-	-	-	-	1	1	7	2	7	3	5	6	4	12	8	4	1	-	3	-	-
450	General arteriosclerosis	413	-	-	-	-	-	-	-	-	-	-	1	-	2	3	4	7	18	30	70	85	79	67	35	10	2
	White-----M--	183	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	9	13	29	43	38	28	13	2	-
	F--	158	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	7	25	26	37	35	16	8	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	8	6	1	1	4	-	1
	F--	41	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	6	8	10	3	3	2	-	1
451-468	Other diseases of circulatory sys.	179	2	-	-	-	-	2	1	-	5	5	2	3	8	12	16	25	17	18	29	11	12	8	2	1	-
	White-----M--	84	1	-	-	-	-	-	-	-	2	-	1	-	3	7	8	10	6	11	16	6	8	4	1	-	-
	F--	50	1	-	-	-	-	-	1	-	2	3	-	-	3	4	5	6	3	3	9	2	3	4	1	-	-
	Nonwhite--M--	23	-	-	-	-	-	1	-	-	1	1	1	-	2	-	2	5	4	2	3	1	-	-	-	-	-
	F--	22	-	-	-	-	-	1	-	-	-	1	-	3	-	1	1	4	4	2	1	2	1	-	-	1	-
592-594	Chronic nephritis, etc.*	415	-	-	1	1	-	3	4	5	2	6	12	8	20	20	19	33	31	43	54	70	47	19	14	1	2
	White-----M--	166	-	-	1	-	-	1	2	2	1	3	5	3	4	9	9	15	12	10	21	32	20	10	5	1	-
	F--	134	-	-	-	1	-	1	2	3	1	1	3	3	7	5	6	8	9	15	14	23	20	5	7	-	-
	Nonwhite--M--	64	-	-	-	-	-	1	-	-	-	-	1	2	4	3	3	5	6	9	12	11	3	1	2	-	1
	F--	51	-	-	-	-	-	-	-	-	-	2	3	-	5	3	1	5	4	9	7	4	4	3	-	-	1
480-493	Influenza and pneumonia, etc.*	953	173	33	6	8	3	9	5	7	6	10	15	17	18	9	28	25	39	64	93	106	119	97	41	19	3
	White-----M--	378	71	14	1	1	3	2	1	3	2	2	5	5	4	3	12	9	18	21	42	42	58	38	14	5	2
	F--	349	52	11	3	2	-	5	4	3	-	5	3	2	2	3	5	6	8	15	29	57	52	49	23	10	-
	Nonwhite--M--	117	34	5	-	1	-	1	-	-	3	1	4	5	8	2	6	6	4	9	9	5	6	4	2	1	1
	F--	109	16	3	2	4	-	1	-	1	1	2	3	5	4	1	5	4	9	19	13	2	3	6	2	3	-
480-483	Influenza	120	14	7	1	1	-	1	-	1	1	3	3	1	2	2	7	6	3	14	11	12	10	10	7	3	-
	White-----M--	30	4	3	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	2	2	3	5	3	3	-	-
	F--	37	1	2	1	-	-	1	-	-	-	1	1	-	-	1	2	-	2	2	4	7	4	3	4	1	-
	Nonwhite--M--	20	6	1	-	-	-	-	-	-	1	-	2	-	-	1	2	3	-	2	-	1	-	-	-	1	-
	F--	33	3	1	-	1	-	-	-	1	-	1	-	-	1	-	3	2	-	8	5	1	1	4	-	1	-
490-493	Pneumonia, etc.*	833	159	26	5	7	3	8	5	6	5	7	12	16	16	7	21	19	36	50	82	94	109	87	34	16	3
	White-----M--	348	67	11	1	1	3	2	1	3	2	1	5	4	3	3	12	8	17	19	40	39	53	35	11	5	2
	F--	312	51	9	2	2	-	4	4	3	-	4	2	2	2	2	3	6	6	13	25	50	48	46	19	9	-
	Nonwhite--M--	97	28	4	-	1	-	1	-	-	2	1	2	5	8	1	4	3	4	7	9	4	6	4	2	-	1
	F--	76	13	2	2	3	-	1	-	-	1	1	3	5	3	1	2	2	9	11	8	1	2	2	2	2	-
500-502	Bronchitis	46	10	1	2	1	-	-	-	-	-	-	-	-	1	1	3	2	2	6	4	3	6	2	1	-	1
	White-----M--	20	6	-	1	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	1	2	2	-	-	-	-
	F--	14	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	2	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	1
	F--	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum	117	-	-	-	-	-	-	-	-	-	1	4	7	8	13	12	7	12	15	16	9	9	3	1	-	-
	White-----M--	80	-	-	-	-	-	-	-	-	-	1	4	2	5	7	9	7	10	10	13	4	6	2	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	1	3	1	3	3	1	1	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	3	1	4	-	-	1	2	2	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-
550-553	Appendicitis	37	-	-	-	-	1	2	1	2	1	3	-	1	2	1	1	6	2	2	2	2	5	3	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	5	-	1	1	2	2	2	-	-	-
	F--	9	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	3	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	147	22	-	-	1	1	1	-	1	1	-	4	1	4	7	4	7	16	19	16	16	12	10	4	-	-
	White-----M--	56	11	-	-	1	-	1	-	-	-	-	-	-	2	2	1	3	8	6	4	10	2	4	1	-	-
	F--	55	6	-	-	-	1	-	-	1	-	-	2	-	-	4	1	-	3	9	8	4	8	6	2	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	4	5	2	4	1	1	-	-	-	-
	F--	13	5	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	2	-	1	1	-	1	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE—Con.																										
543,	Gastritis, etc.*	158	80	8	8	-	-	1	-	3	-	3	2	-	5	1	3	5	8	6	6	5	8	5	-	-	1
571,	White-----M	60	35	1	3	-	-	1	-	2	-	1	-	-	3	-	3	1	4	2	3	-	1	-	-	-	-
572	F	45	17	1	2	-	-	-	-	-	-	1	-	-	2	-	-	-	-	2	2	5	7	5	-	-	1
	Nonwhite--M	28	13	5	2	-	-	-	-	-	-	-	1	-	-	1	-	3	2	1	-	-	-	-	-	-	-
	F	25	15	1	1	-	-	-	-	1	-	1	1	-	-	-	-	1	2	1	1	-	-	-	-	-	-
581	Cirrhosis of liver	164	1	1	-	-	-	-	1	-	-	1	2	13	14	18	22	15	20	15	21	7	8	5	-	-	-
	White-----M	86	-	1	-	-	-	-	-	-	-	-	-	2	11	9	14	9	12	7	12	2	5	2	-	-	-
	F	49	-	-	-	-	-	-	-	-	-	-	1	3	2	6	4	3	7	7	9	3	2	2	-	-	-
	Nonwhite--M	16	-	-	-	-	-	-	-	-	-	-	-	4	1	2	1	3	1	1	-	1	1	1	-	-	-
	F	13	1	-	-	-	-	-	1	-	-	1	1	4	-	1	3	-	-	-	-	1	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	45	1	-	-	2	-	2	1	1	1	2	2	-	1	-	6	2	1	7	5	3	3	4	1	-	-
	White-----M	22	1	-	-	1	-	2	1	-	-	-	1	-	1	-	2	-	-	6	2	1	2	1	1	-	-
	F	9	-	-	-	1	-	-	-	1	-	1	-	-	-	-	2	-	1	-	1	-	1	1	-	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	-	-	-	1	-	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	2	1	-	1	-	-	-
610	Hyperplasia of prostate	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	9	12	14	21	23	13	1	2	1
	White-----M	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	7	10	20	19	12	1	2	1
	Nonwhite--M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	5	4	1	4	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	53	...	...	...	...	...	...	-	4	12	8	11	10	7	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F	38	...	...	...	...	...	...	-	2	8	5	8	10	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	15	...	...	...	...	...	...	-	2	4	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	4	...	...	...	...	...	...	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F	3	...	...	...	...	...	...	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	49	...	...	...	...	...	...	-	4	11	8	9	10	6	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F	35	...	...	...	...	...	...	-	2	7	5	6	10	4	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	14	...	...	...	...	...	...	-	2	4	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	396	292	17	7	1	3	13	10	1	7	3	2	5	9	4	9	4	6	1	1	-	1	-	-	-	-
	White-----M	200	152	12	1	-	2	4	5	-	5	2	-	5	3	1	4	1	2	1	-	-	-	-	-	-	-
	F	140	103	3	4	-	1	7	3	1	1	1	1	-	2	2	4	3	3	-	1	-	-	-	-	-	-
	Nonwhite--M	34	22	1	2	1	-	1	2	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	F	22	15	1	-	-	-	1	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	-	-	-	-
760-	Certain diseases																										
776	of early infancy	1,486	1,485	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	658	657	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	429	429	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	229	229	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	603	603	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	303	303	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	175	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unqualified	772	771	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	314	313	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	225	225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	131	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	1,757	262	18	8	5	4	6	2	6	17	16	26	32	84	77	117	115	115	161	173	166	155	112	50	20	10
795	White-----M	662	79	6	2	5	1	2	-	2	6	5	11	8	33	26	43	42	57	64	68	72	66	45	12	7	-
	F	395	54	5	3	-	-	1	1	-	7	3	5	5	9	11	11	16	18	26	43	40	54	49	21	11	2
	Nonwhite--M	388	68	4	2	-	1	-	1	1	2	2	4	9	23	22	34	38	26	46	36	27	22	10	6	-	4
	F	312	61	3	1	-	2	3	-	3	2	6	6	10	19	18	29	19	14	25	26	27	13	8	11	2	4
Re-	All other diseases	1,280	95	20	8	9	8	22	7	14	14	28	33	35	61	77	86	88	143	122	126	120	95	48	15	5	1
sid-	White-----M	542	41	10	1	5	4	10	4	6	6	8	11	16	20	38	29	44	60	53	56	53	39	18	8	2	-
ual	F	448	29	3	3	4	3	8	3	3	6	9	9	5	21	18	24	23	51	45	51	53	45	23	6	3	-
	Nonwhite--M	138	16	5	2	-	-	1	-	2	2	2	1	4	7	7	16	12	18	13	9	7	9	4	1	-	-
	F	152	9	2	2	-	1	3	-	3	-	9	12	10	13	14	17	9	14	11	10	7	2	3	-	-	1
E800-	Accidents	1,778	67	39	22	14	16	63	75	158	154	116	127	108	76	99	92	71	69	62	81	95	82	52	32	6	2
E962	White-----M	1,067	27	14	6	8	10	38	54	105	115	83	97	78	50	66	54	48	43	32	40	40	28	20	7	3	1
	F	387	11	11	8	1	4	15	10	25	16	19	14	11	9	18	15	11	11	20	25	39	42	27	23	1	1
	Nonwhite--M	209	13	4	4	4	-	6	7	18	17	14	11	15	10	14	21	6	10	4	8	9	9	3	-	2	-
	F	115	16	10	4	1	2	4	4	10	6	-	5	4	7	1	2	6	5	6	8	7	3	2	2	-	-
E810-	Motor-vehicle																										
E835	accidents	775	4	14	7	8	9	35	28	103	108	73	61	59	32	48	37	33	34	24	17	27	11	2	-	-	1
	White-----M	505	2	5	1	5	6	24	19	63	77	55	43	36	18	35	21	24	21	16	10	16	6	2	-	-	-
	F	153	2	6	3	1	1	7	6	21	14	13	9	10	7	10	8	6	7	6	4	8	3	-	-	-	1
	Nonwhite--M	85	-	2	2	2	-	4	1	11	11	5	6	11	5	3	7	2	5	2	2	2	2	-	-	-	-
	F	32	-	1	1	-	2	-	2	8	6	-	3	2	2	-	1	1	1	-	1	1	-	-	-	-	-
E800-	All ot. accidents	1,003	63	25	15	6	7	28	47	55	46	43	66	49	44	51	55	38	35	38	64	68	71	50	32	6	1
E802,	White-----M	562	25	9	5	3	4	14	35	42	38	28	54	42	32	31	33	24	22	16	30	24	22	18	7	3	1
E840-	F	234	9	5	5	-	3	8	4	4	2	6	5	1	2	8	7	5	4	14	21	31	39	27	23	1	-
E962	Nonwhite--M	124	13	2	2	2	-	2	6	7	6	9	5	4	5	11	14	4	5	2	6	7	7	3	-	2	-
	F	83	16	9	3	1	-	4	2	2	-	-	2	2	5	1	1	5	4	6	7	6	3	2	2	-	-
E963,	Suicide	272	-	-	-	-	-	-	1	11	10	24	22	22	33	29	33	21	16	23	14	6	4	2	-	-	1
E970-	White-----M	212	-	-	-	-	-	-	1	6	6	19	15	13	26	24	27	19	15	19	13	5	3	1	-	-	-
E979	F	44	-	-	-	-	-	-	-	4	3	2	3	7	5	2	6	2	1	4	1	1	1	1	-	-	1
	Nonwhite--M	14	-	-	-	-	-	-	-	-	1	3	4	2	2	2	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	298	-	-	-	-	1	-	3	16	39	43	33	41	33	32	20	8	11	9	5	-	2	-	1	-	1
E980-	White-----M	106	-	-	-	-	-	-	-	3	9	20	12	14	12	15	5	2	5	4	1	-	2	-	1	-	1
E985	F	28	-	-	-	-	-	-	-	5	3	2	4	2	2	4	3	1	-	-	2	-	-	-	-	-	-
	Nonwhite--M	131	-	-	-	-	1	-	3	8	15	19	13	19	14	13	10	5	6	4	1	-	-	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	12	2	4	6	5	-	2	-	-	1	1	-	-	-	-	-	-
E965,	Operations of war	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
E990-	White-----M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS																										
	ALL CAUSES------	64,932	7.436	557	293	208	151	527	410	695	921	1,106	1,167	1,373	2,146	2,880	3,881	4,587	5,576	6,627	7,127	6,923	5,585	3,099	1,211	345	101
	White-----M--	32,658	3.402	232	127	94	68	254	218	387	552	594	584	669	1,053	1,490	2,020	2,580	3,055	3,579	3.692	3,417	2,569	1,356	486	129	31
	F--	21,619	2.635	214	112	75	56	182	126	164	192	248	313	366	564	717	906	1,076	1,485	1,939	2.519	2,861	2,610	1,555	662	197	45
	Nonwhite--M--	5,817	761	61	27	20	15	49	47	84	120	165	142	161	260	353	537	546	594	612	546	376	214	83	24	10	10
	F--	4,638	638	50	27	19	12	42	19	60	57	99	128	157	269	320	418	385	442	497	370	269	192	105	39	9	15
001-019	Tuberculosis, all forms--------	932	24	21	15	3	5	7	3	14	26	45	47	55	70	67	86	74	96	84	84	53	37	13	2	1	-
	White-----M--	488	9	9	5	1	2	2	2	4	11	19	14	20	30	33	50	48	59	55	53	31	21	9	1	-	-
	F--	282	12	10	8	1	2	4	1	8	10	14	25	17	21	16	20	11	21	21	22	19	14	4	-	1	-
	Nonwhite--M--	108	2	2	2	1	-	-	-	1	3	7	4	10	14	6	12	13	11	7	7	3	2	-	1	-	-
	F--	54	1	-	-	-	1	1	-	1	2	5	4	8	5	12	4	2	5	1	2	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	848	11	8	5	1	3	4	3	12	25	42	44	53	65	63	84	70	92	78	81	52	36	13	2	1	-
	White-----M--	448	4	1	-	-	1	1	2	4	11	17	14	20	28	31	50	46	56	51	50	30	21	9	1	-	-
	F--	256	5	6	3	1	2	2	1	7	10	14	23	17	21	16	18	11	20	19	22	19	13	4	-	1	-
	Nonwhite--M--	95	1	1	2	-	-	-	-	-	2	6	3	10	12	4	11	12	11	7	7	3	2	-	1	-	-
	F--	49	1	-	-	-	-	1	-	1	2	5	4	6	4	12	4	1	5	1	2	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	84	13	13	10	2	2	3	-	2	1	3	3	2	5	4	2	4	4	6	3	1	1	-	-	-	-
	White-----M--	40	5	8	5	1	1	1	-	-	-	2	-	-	2	2	-	2	3	4	3	1	-	-	-	-	-
	F--	26	7	4	5	-	-	2	-	1	-	-	2	-	-	-	1	-	1	2	-	-	1	-	-	-	-
	Nonwhite--M--	13	1	1	-	1	-	-	-	1	1	1	1	-	2	2	1	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	231	6	-	-	-	-	-	-	1	-	3	1	5	10	21	26	21	34	46	24	20	9	3	1	-	-
	White-----M--	102	1	-	-	-	-	-	-	-	-	-	-	2	6	6	8	8	12	23	16	13	5	1	1	-	-
	F--	38	4	-	-	-	-	-	-	1	-	1	-	-	-	-	5	2	3	8	4	5	4	1	-	-	-
	Nonwhite--M--	60	-	-	-	-	-	-	-	-	-	2	-	2	3	7	10	8	12	12	2	1	-	1	-	-	-
	F--	31	1	-	-	-	-	-	-	-	-	-	1	1	1	8	3	3	7	3	2	1	-	-	-	-	-
040	Typhoid fever-----	6	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
045-048	Dysentery, all forms--------	171	121	14	3	1	2	1	-	-	-	-	1	2	1	1	1	2	5	4	5	1	4	1	1	-	-
	White-----M--	67	45	6	2	-	2	-	-	-	-	-	1	1	-	-	-	2	3	1	3	-	1	-	-	-	-
	F--	77	59	6	-	-	-	1	-	-	-	-	-	-	1	1	-	-	2	1	1	1	2	1	1	-	-
	Nonwhite--M--	13	6	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-
	F--	14	11	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	19	4	2	1	-	-	1	-	3	-	-	2	-	3	-	-	1	-	-	-	-	2	-	-	-	-
	White-----M--	6	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	-	1	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	7	2	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	25	17	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	44	16	3	4	4	-	9	1	1	1	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	22	8	2	1	2	-	4	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	14	6	1	2	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	134	15	12	7	7	2	25	15	10	6	14	7	5	4	3	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	80	8	7	5	7	2	14	9	3	1	13	6	1	1	2	-	-	-	-	1	-	-	-	-	-	-
	F--	45	6	4	1	-	-	9	5	6	4	1	-	4	3	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	1	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	1	-	-	..	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	37	9	9	4	4	5	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	19	3	5	4	2	2	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	8	4	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	1	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	320	90	13	10	8	3	15	12	7	10	15	12	9	13	12	10	14	10	16	14	12	10	4	1	-	-
	White-----M--	128	35	8	4	2	1	2	6	1	5	7	6	4	4	6	4	9	2	8	4	4	4	1	1	-	-
	F--	129	36	4	4	2	2	7	6	3	1	5	3	3	4	4	5	2	7	7	8	8	5	3	-	-	-
	Nonwhite--M--	39	10	1	1	3	-	5	-	1	2	2	3	1	2	1	-	2	1	1	2	-	1	-	-	-	-
	F--	24	9	-	1	1	-	1	-	2	2	1	-	1	3	1	1	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Continued																										
140-205	Malignant neoplasms, etc.*	9,173	14	20	24	29	17	59	47	46	53	94	132	221	422	614	833	1,030	1,168	1,267	1,182	940	603	262	81	11	4
	White—M	4,319	7	12	9	15	6	27	26	27	33	37	43	65	151	218	353	507	595	643	592	468	291	130	38	6	-
	F	3,709	6	7	14	14	9	27	17	11	15	42	68	120	188	285	335	358	405	459	487	387	282	124	41	5	3
	Nonwhite—M	591	1	1	-	-	2	2	3	3	-	8	9	7	29	49	75	94	90	95	64	42	12	3	1	-	1
	F	554	-	-	1	-	-	3	1	5	5	7	12	29	54	62	70	71	78	70	39	23	18	5	1	-	-
140-148	Of buccal cavity and pharynx	199	-	-	-	-	-	-	1	1	-	-	-	3	8	13	20	24	26	32	31	19	14	3	4	-	-
	White—M	139	-	-	-	-	-	-	1	1	-	-	-	-	5	7	12	17	21	23	25	12	10	3	2	-	-
	F	37	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	2	3	8	5	3	4	-	2	-	-
	Nonwhite—M	16	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	3	1	1	1	3	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	2,892	1	1	1	1	-	-	2	2	5	16	27	28	83	124	223	310	387	443	456	387	253	104	30	6	2
	White—M	1,384	-	1	-	1	-	-	2	1	4	10	8	13	32	47	109	146	202	216	227	193	112	45	12	3	-
	F	1,120	1	-	1	-	-	-	-	1	-	3	11	14	33	40	68	106	127	164	187	165	123	55	17	3	1
	Nonwhite—M	237	-	-	-	-	-	-	-	-	-	2	4	1	9	24	30	38	28	44	27	18	7	3	1	-	1
	F	151	-	-	-	-	-	-	-	-	1	1	4	-	9	13	16	20	30	19	15	11	11	1	-	-	-
160-164	Of respiratory system	1,134	-	1	-	-	-	-	-	3	3	2	10	16	52	82	120	194	207	166	140	76	40	16	6	-	-
	White—M	879	-	-	-	-	-	-	-	2	1	1	5	10	38	66	100	166	165	131	99	55	23	11	6	-	-
	F	155	-	1	-	-	-	-	-	-	1	-	3	5	5	7	7	18	21	18	32	16	16	5	-	-	-
	Nonwhite—M	80	-	-	-	-	-	-	-	1	-	-	2	1	5	5	12	9	19	14	7	4	1	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	1	1	-	-	4	4	1	1	2	3	2	1	-	-	-	-	-
170	Of breast	707	-	-	-	-	-	-	-	-	-	4	17	50	61	82	88	70	76	83	74	52	29	16	4	1	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	-	2	-	-	-
	F	611	-	-	-	-	-	-	-	-	-	3	13	40	50	72	77	62	62	72	68	48	27	13	3	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	86	-	-	-	-	-	-	-	-	-	1	4	10	10	10	10	8	14	10	3	2	2	1	1	-	-
171-179	Of genital organs	1,485	-	2	-	-	-	-	-	2	7	13	29	50	77	109	154	141	157	188	199	172	118	50	16	-	1
	White—M	490	-	1	-	-	-	-	-	1	4	3	2	6	5	2	10	25	35	83	96	95	78	34	10	-	-
	F	753	-	1	-	-	-	-	-	-	3	7	25	34	52	82	110	81	90	76	72	65	33	15	6	-	1
	Nonwhite—M	94	-	-	-	-	-	-	-	-	-	-	-	-	3	5	9	13	16	15	20	9	4	-	-	-	-
	F	148	-	-	-	-	-	-	-	1	-	3	2	10	17	20	25	22	16	14	11	3	3	1	-	-	-
180, 181	Of urinary organs	370	1	4	3	2	3	3	1	-	-	-	3	2	10	16	30	46	53	59	44	39	33	14	2	2	-
	White—M	216	1	3	1	2	1	1	-	-	-	-	1	1	6	11	18	26	34	37	25	22	15	7	2	2	-
	F	116	-	1	2	-	1	1	-	-	-	-	1	-	3	2	8	11	14	19	16	13	17	7	-	-	-
	Nonwhite—M	,25	-	-	-	-	1	1	-	-	-	-	1	-	1	3	4	6	3	1	2	2	-	-	-	-	-
	F	13	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	3	2	2	1	2	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,480	3	2	8	6	4	13	22	18	18	33	25	42	84	108	132	160	169	202	150	139	76	46	17	2	1
	White—M	721	1	1	3	3	1	5	10	11	10	17	12	22	35	45	67	78	87	99	78	74	36	20	5	1	-
	F	577	2	1	4	3	2	7	11	5	6	12	11	16	33	47	43	50	59	69	62	57	39	24	12	1	1
	Nonwhite—M	81	-	-	-	-	1	-	1	-	-	3	-	1	6	4	8	19	12	15	5	6	-	-	-	-	-
	F	101	-	-	1	-	-	1	-	2	2	1	2	3	10	12	14	13	11	19	5	2	1	2	-	-	-
204	Leukemia and aleukemia	498	6	9	11	19	9	36	17	13	12	9	15	12	18	28	32	40	45	51	48	30	25	11	2	-	-
	White—M	246	3	5	4	8	4	16	10	5	7	1	11	4	11	14	15	19	21	25	21	22	13	6	1	-	-
	F	205	2	3	7	11	5	17	5	4	4	8	3	4	3	13	10	18	16	20	26	8	12	5	1	-	-
	Nonwhite—M	27	1	1	-	-	-	1	2	2	-	-	1	-	2	1	5	2	6	3	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	2	-	2	1	-	-	4	2	-	2	1	2	3	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	408	3	1	1	1	1	7	4	7	8	17	6	18	29	52	34	45	48	43	40	26	15	2	-	-	-
	White—M	236	2	1	1	1	-	5	3	6	7	5	4	9	18	26	22	30	30	28	19	13	4	2	-	-	-
	F	135	1	-	-	-	1	2	1	1	1	9	1	6	8	19	7	10	13	13	19	12	11	-	-	-	-
	Nonwhite—M	29	-	-	-	-	-	-	-	-	-	3	1	2	2	5	4	4	5	2	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	1	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	292	12	4	2	1	4	7	11	6	5	10	14	17	28	39	25	25	19	23	16	14	7	2	1	-	-
	White—M	114	7	1	-	-	2	4	3	4	3	5	2	7	9	9	9	11	12	10	7	5	3	1	-	-	-
	F	125	4	-	1	-	2	2	5	1	2	4	9	4	11	20	11	13	6	10	8	7	4	1	-	-	-
	Nonwhite—M	15	-	2	-	-	-	-	2	1	-	-	-	1	1	4	1	-	-	1	-	1	-	-	1	-	-
	F	38	1	1	1	1	-	1	1	-	-	1	3	5	7	6	4	1	1	2	1	1	-	-	-	-	-
260	Diabetes mellitus	869	2	-	-	1	-	3	7	5	10	9	15	16	22	23	44	76	103	129	153	135	75	31	8	2	-
	White—M	328	-	-	-	1	-	1	-	2	5	8	11	8	7	6	13	29	34	42	68	54	26	10	2	1	-
	F	390	-	-	-	-	-	2	4	2	4	1	3	5	3	10	14	24	50	63	65	68	48	19	5	-	-
	Nonwhite—M	47	1	-	-	-	-	-	2	-	-	-	-	-	3	-	4	6	7	9	7	6	-	2	-	-	-
	F	104	1	-	-	-	-	-	1	1	1	-	1	3	9	7	13	17	12	15	13	7	1	-	1	1	-
290-293	Anemias	168	25	7	2	-	-	5	3	3	2	3	1	2	6	3	8	7	11	8	17	19	17	11	7	1	-
	White—M	60	8	4	-	-	-	2	1	-	1	-	-	1	1	-	2	3	3	3	8	7	11	4	1	-	-
	F	73	9	1	1	-	-	2	2	-	1	-	-	-	4	2	4	1	6	5	8	9	5	6	6	1	-
	Nonwhite—M	14	5	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	1	-	-	-
	F	21	3	1	1	-	-	-	-	3	-	3	1	1	1	-	2	3	1	-	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*	118	44	15	7	3	4	8	3	2	2	3	2	1	2	-	9	3	3	-	3	2	2	-	-	-	-
	White—M	53	16	9	2	3	1	4	1	-	1	1	-	1	2	-	5	2	-	-	2	1	2	-	-	-	-
	F	32	15	1	3	-	2	2	1	1	1	-	2	-	-	-	2	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M	21	10	2	2	-	-	1	-	1	-	1	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-
	F	12	3	3	-	-	1	1	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	30,059	54	16	9	11	4	34	30	43	82	118	214	341	750	1,241	1,882	2,421	3,094	3,889	4,381	4,514	3,751	2,109	790	235	46
	White—M	15,400	23	3	4	3	2	13	14	16	34	46	95	172	409	691	1,048	1,434	1,734	2,169	2,277	2,221	1,677	901	304	91	19
	F	10,060	16	7	2	5	1	13	11	13	30	44	45	70	132	214	327	458	744	1,048	1,536	1,889	1,787	1,076	443	133	16
	Nonwhite—M	2,404	10	2	2	3	1	5	4	8	6	9	26	40	90	165	264	297	340	352	329	216	150	58	15	6	6
	F	2,195	5	4	1	-	-	3	1	6	12	19	48	59	119	171	243	232	276	320	239	188	137	74	28	5	5
330-334, 400-468	Diseases of cardiovascular system	29,233	50	13	7	8	2	29	28	31	64	98	195	317	719	1,191	1,833	2,363	3,034	3,801	4,284	4,400	3,661	2,057	773	232	43
	White—M	15,085	21	3	4	2	-	11	13	12	22	39	85	161	398	678	1,032	1,417	1,710	2,134	2,236	2,180	1,640	880	300	89	18
	F	9,771	15	5	1	3	1	10	11	8	27	35	41	63	122	192	316	437	726	1,023	1,503	1,849	1,750	1,053	433	132	15
	Nonwhite—M	2,299	10	2	1	3	1	5	4	6	6	8	26	37	87	162	255	289	332	337	315	193	142	54	13	6	5
	F	2,078	4	3	1	-	-	3	-	5	9	16	43	56	112	159	230	220	266	307	230	178	129	70	27	5	5
330-334	Vascular lesions, etc.*	7,088	19	5	4	2	-	9	7	7	16	16	33	60	139	231	360	468	664	855	1,108	1,199	1,001	586	218	67	14
	White—M	2,933	9	2	2	1	-	4	2	2	8	5	12	18	44	68	138	192	255	404	480	527	401	249	79	25	6
	F	2,800	7	2	1	1	-	3	3	2	5	8	8	22	42	67	87	115	208	255	435	558	509	297	125	37	3
	Nonwhite—M	632	3	1	1	-	-	2	2	2	2	1	5	11	17	43	61	79	93	89	103	58	37	14	3	3	2
	F	723	-	-	-	-	-	-	-	1	1	2	8	9	36	53	74	82	108	107	90	56	54	26	11	2	3
400-402	Rheumatic fever	56	1	-	-	1	1	13	10	4	4	1	7	2	1	3	2	1	1	-	2	-	1	-	-	1	-
	White—M	20	-	-	-	1	-	5	4	1	1	1	1	1	1	-	-	1	1	-	1	-	1	-	-	-	-
	F	23	-	-	-	-	1	5	6	1	1	-	3	1	-	3	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	8	1	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F	5	-	-	-	-	-	1	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Continued																										
410-443	Diseases of heart	20,115	27	7	3	4	1	6	8	17	36	66	135	225	537	893	1,395	1,793	2,236	2,748	2,909	2,887	2,356	1,226	448	130	22
	White-----M--	11,269	10	1	2	-	-	1	5	9	10	30	70	133	343	589	868	1,165	1,389	1,644	1,621	1,493	1,119	526	182	50	9
	F--	6,164	7	3	-	1	-	2	1	3	17	21	23	34	70	108	205	302	463	713	970	1,165	1,080	630	242	75	9
	Nonwhite--M--	1,491	6	1	-	3	1	1	2	2	1	5	18	20	59	106	180	198	217	217	192	124	93	32	8	2	3
	F--	1,191	4	2	1	-	-	2	-	3	8	10	24	38	65	90	142	128	147	174	126	105	64	36	16	3	1
410-416	Chronic rheumatic heart disease	425	-	-	-	-	-	1	1	11	11	21	22	21	28	41	42	50	43	41	29	30	16	14	2	1	-
	White-----M--	198	-	-	-	-	-	-	1	6	3	9	8	11	15	23	19	20	24	18	13	15	4	8	-	1	-
	F--	173	-	-	-	-	-	-	-	2	8	10	9	6	10	15	14	23	16	16	14	12	11	6	1	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	1	-	-	1	1	3	2	6	4	1	4	2	-	-	-	1	-	-
	F--	28	-	-	-	-	-	1	-	2	-	2	4	3	-	1	3	3	2	3	-	3	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	13,610	8	1	-	1	-	1	2	2	11	28	80	145	380	659	1,023	1,324	1,630	1,989	1,996	1,888	1,433	677	240	77	13
	White-----M--	8,360	4	-	-	-	-	-	1	2	3	13	53	103	281	489	723	962	1,101	1,293	1,191	1,025	706	298	95	32	5
	F--	3,867	2	-	-	-	-	1	-	-	5	8	7	14	37	66	130	197	310	497	648	760	652	348	136	42	7
	Nonwhite--M--	787	-	1	-	1	-	-	1	-	1	3	9	12	33	55	104	108	128	110	102	60	38	16	3	1	1
	F--	576	2	-	-	-	-	-	-	-	2	4	11	16	29	49	66	57	91	89	57	43	37	15	6	2	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,899	5	2	2	-	-	-	1	1	4	4	7	7	14	24	57	72	128	185	272	345	383	243	111	30	2
	White-----M--	885	-	-	1	-	-	-	-	-	1	-	3	3	7	12	20	36	61	97	136	161	194	97	46	9	1
	F--	725	2	1	-	-	-	-	1	-	2	2	1	-	3	4	11	15	38	45	95	138	158	129	61	19	-
	Nonwhite--M--	151	1	-	-	-	-	-	-	1	-	-	1	1	1	3	12	11	15	29	30	19	19	7	-	1	-
	F--	138	2	1	1	-	-	-	-	-	1	2	2	3	3	5	14	10	14	14	11	27	12	10	4	1	1
430-434	Other diseases of heart	1,705	13	3	1	3	1	4	4	3	8	10	15	29	63	91	113	164	174	214	223	221	189	107	38	11	3
	White-----M--	886	6	1	1	-	-	1	3	1	2	6	5	12	31	46	64	87	101	114	112	124	93	53	20	3	-
	F--	442	3	1	-	1	-	1	-	1	2	1	4	7	9	12	13	22	30	50	68	72	72	49	15	8	1
	Nonwhite--M--	233	4	-	-	2	1	1	1	-	-	2	4	3	13	19	19	35	33	34	24	17	16	2	1	-	2
	F--	144	-	1	-	-	-	1	-	1	4	1	2	7	10	14	17	20	10	16	19	8	8	3	2	-	-
440-443	Hypertension with heart dis.	2,476	1	1	-	-	-	-	-	-	2	3	11	23	52	78	160	183	261	319	367	403	335	185	57	11	4
	White-----M--	920	-	-	-	-	-	-	-	-	1	2	1	4	9	19	42	60	102	122	169	168	122	70	21	5	3
	F--	957	-	1	-	-	-	-	-	-	-	-	2	7	11	11	37	45	89	105	145	183	187	98	29	6	1
	Nonwhite--M--	294	1	-	-	-	-	-	-	-	-	-	3	3	9	27	39	40	40	40	34	28	20	7	3	-	-
	F--	305	-	-	-	-	-	-	-	-	1	1	5	9	23	21	42	38	30	52	39	24	6	10	4	-	-
444-447	Hypertension without mention of heart	511	-	-	-	-	-	1	-	-	3	6	13	16	16	27	31	32	45	52	76	68	71	32	17	5	-
	White-----M--	187	-	-	-	-	-	1	-	-	2	2	-	3	4	7	10	18	18	21	30	24	27	13	5	2	-
	F--	188	-	-	-	-	-	-	-	-	-	1	3	4	1	2	3	6	13	16	37	34	38	16	11	3	-
	Nonwhite--M--	65	-	-	-	-	-	-	-	-	1	2	2	2	4	10	10	4	10	8	5	2	3	1	1	-	-
	F--	71	-	-	-	-	-	-	-	-	-	1	8	7	7	8	8	4	4	7	4	8	3	2	-	-	-
450	General arteriosclerosis	1,023	-	-	-	-	-	-	-	-	-	-	-	-	5	9	13	27	36	97	139	199	199	189	78	25	7
	White-----M--	448	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	13	14	37	74	104	77	80	30	10	3
	F--	440	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	4	6	26	45	81	109	99	47	15	3
	Nonwhite--M--	73	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	6	10	17	13	7	7	6	1	-	-
	F--	62	-	-	-	-	-	-	-	-	-	-	-	-	2	5	3	4	6	17	7	7	6	4	-	-	1
451-468	Other diseases of circulatory sys.	440	3	1	-	1	-	-	3	3	5	9	7	14	21	28	32	42	52	49	50	47	33	24	12	4	-
	White-----M--	228	2	-	-	-	-	-	2	-	1	1	2	6	6	12	12	28	33	28	30	32	15	12	4	2	-
	F--	156	1	-	-	1	-	-	1	2	4	5	4	2	8	12	16	10	16	13	15	11	14	11	8	2	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	1	4	5	1	2	2	2	6	2	2	2	1	-	-	-
	F--	26	-	1	-	-	-	-	-	1	-	3	-	2	2	3	2	2	1	2	3	2	2	-	-	-	-
592-594	Chronic nephritis, etc.*	826	4	3	2	3	2	5	2	12	18	20	19	24	31	50	49	58	60	88	97	114	90	52	17	3	3
	White-----M--	315	2	-	-	1	2	2	1	4	12	7	10	11	11	13	16	17	24	35	41	41	37	21	4	2	1
	F--	289	1	2	1	2	-	3	-	5	3	9	4	7	10	22	11	21	18	25	33	40	37	23	10	1	1
	Nonwhite--M--	105	-	-	1	-	-	-	-	2	-	1	-	3	3	3	9	8	8	15	14	23	8	4	2	-	1
	F--	117	1	1	-	-	-	-	1	1	3	3	5	3	7	12	13	12	10	13	9	10	8	4	1	-	-
480-493	Influenza and pneumonia, etc.*	2,203	587	89	38	23	9	25	8	12	13	21	16	26	36	42	68	76	129	135	189	197	207	151	76	22	8
	White-----M--	918	228	35	16	10	3	9	1	5	2	11	3	13	17	17	26	42	54	63	83	75	94	63	37	10	1
	F--	811	223	29	17	9	4	7	3	5	7	2	4	3	9	7	11	9	37	35	69	94	96	78	37	10	6
	Nonwhite--M--	265	71	13	2	2	1	3	2	1	3	5	2	6	6	9	18	15	24	21	23	24	9	2	1	2	-
	F--	209	65	12	3	2	1	6	2	1	1	3	7	4	4	9	13	10	14	16	14	4	8	8	1	-	1
480-483	Influenza	226	42	7	3	2	-	3	1	2	4	-	-	3	4	5	7	9	16	21	25	19	25	14	10	2	2
	White-----M--	91	15	3	1	-	-	1	-	-	-	-	-	3	2	2	4	5	5	13	7	6	10	8	6	-	-
	F--	85	16	2	2	1	-	-	1	1	3	-	-	-	2	-	1	2	6	1	12	11	13	4	4	1	2
	Nonwhite--M--	30	6	1	-	1	-	-	-	1	1	-	-	-	-	2	1	-	3	5	5	1	2	-	-	1	-
	F--	20	5	1	-	-	-	2	-	-	-	-	-	-	-	1	1	2	2	2	1	1	-	2	-	-	-
490-493	Pneumonia, etc.*	1,977	545	82	35	21	9	22	7	10	9	21	16	23	32	37	61	67	113	114	164	176	182	137	66	20	6
	White-----M--	827	213	32	15	10	3	8	1	5	2	11	3	10	15	15	22	37	49	50	76	69	84	55	31	10	1
	F--	726	207	27	15	8	4	7	2	4	4	2	4	3	7	7	10	7	31	34	57	83	83	74	33	9	4
	Nonwhite--M--	235	65	12	2	1	1	3	2	-	2	5	2	6	6	7	17	15	21	16	18	23	7	2	1	1	-
	F--	189	60	11	3	2	1	4	2	1	1	3	7	4	4	8	12	8	12	14	13	3	8	6	1	-	1
500-502	Bronchitis	139	44	10	1	3	2	1	1	-	-	1	-	1	-	2	3	4	11	13	7	13	9	9	3	1	-
	White-----M--	67	20	6	-	2	-	-	-	-	-	1	-	1	-	2	1	2	8	7	3	5	4	3	2	-	-
	F--	61	15	3	1	1	2	1	-	-	-	-	-	-	-	-	2	2	3	6	4	8	5	6	1	1	-
	Nonwhite--M--	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	302	3	-	-	1	-	-	-	1	1	-	8	11	15	24	28	39	45	40	37	25	15	6	3	-	-
	White-----M--	223	1	-	-	-	-	-	-	1	1	-	4	9	10	19	20	27	33	35	26	21	9	5	2	-	-
	F--	51	2	-	-	1	-	-	-	-	-	-	1	1	3	3	4	9	6	3	8	2	6	1	1	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	2	1	2	2	4	3	5	1	3	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-
550-553	Appendicitis	108	1	-	1	-	-	5	6	3	4	4	4	4	9	7	4	9	7	9	13	9	6	3	-	-	-
	White-----M--	47	-	-	1	-	-	2	2	1	2	2	3	2	6	3	3	5	1	3	6	2	1	2	-	-	-
	F--	32	1	-	-	-	-	2	2	1	2	1	-	1	1	2	-	1	3	2	3	5	5	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	1	1	-	-	1	1	1	2	-	1	2	2	1	2	-	1	-	-	-
	F--	13	-	-	-	-	-	1	1	-	-	1	-	-	1	-	1	2	1	2	3	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	384	59	2	3	1	1	2	-	2	3	3	3	7	15	17	22	27	41	40	37	47	30	13	8	-	1
	White-----M--	161	31	1	1	1	-	1	-	-	-	2	1	2	5	5	6	8	22	12	11	22	19	6	5	-	-
	F--	147	20	1	1	-	-	-	-	-	-	1	-	2	6	5	8	14	12	21	18	19	9	7	3	-	-
	Nonwhite--M--	37	5	-	1	-	1	-	-	1	1	-	-	-	-	5	3	3	4	3	5	4	1	-	-	-	-
	F--	39	3	-	-	-	-	1	-	1	2	-	2	3	4	2	5	2	3	4	3	2	1	-	-	-	1

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Continued																										
543,	Gastritis, etc.*--	905	636	65	8	3	3	12	4	1	3	4	5	4	8	12	8	13	17	17	21	19	21	10	5	2	4
571,	White-----M--	385	272	29	4	2	2	7	1	-	-	2	-	1	5	6	2	6	6	5	9	7	9	4	4	-	2
572	F--	364	250	24	3	-	-	-	2	1	3	1	4	2	2	4	5	6	7	7	10	11	11	6	1	2	2
	Nonwhite--M--	83	54	8	1	1	-	3	1	-	-	1	-	-	1	1	1	1	3	4	1	1	1	-	-	-	-
	F--	73	60	4	-	-	1	2	-	-	-	-	1	1	-	1	-	-	1	1	1	-	-	-	-	-	-
581	Cirrhosis of liver	613	6	-	-	-	-	1	2	2	1	6	14	23	50	75	87	90	68	70	57	35	17	6	2	1	-
	White-----M--	384	5	-	-	-	-	-	-	1	1	4	6	15	29	49	59	54	49	42	40	15	10	3	1	1	-
	F--	166	1	-	-	-	-	1	2	-	-	-	3	7	15	21	13	22	15	22	15	20	5	3	1	-	-
	Nonwhite--M--	42	-	-	-	-	-	-	-	-	-	1	3	-	3	3	10	11	2	5	2	-	2	-	-	-	-
	F--	21	-	-	-	-	-	-	-	1	-	1	2	1	3	2	5	3	2	1	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	162	5	1	4	1	1	4	5	3	1	5	7	2	5	10	8	13	10	21	16	14	15	7	1	3	-
	White-----M--	55	2	1	-	-	1	1	1	-	-	2	3	1	2	5	1	6	3	5	5	5	6	4	-	1	-
	F--	61	2	-	3	-	-	3	2	2	1	1	2	-	2	1	4	2	3	7	7	8	7	2	1	1	-
	Nonwhite--M--	26	-	-	1	1	-	-	-	1	-	1	1	1	-	3	1	2	3	5	3	1	1	1	-	-	-
	F--	20	1	-	-	-	-	-	2	-	-	1	1	-	1	1	2	3	1	4	1	-	1	-	-	1	-
610	Hyperplasia of																										
	prostate---------	280	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	17	39	67	54	55	23	12	3	-
	White-----M--	228	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	10	21	55	48	51	21	12	3	-
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	18	12	6	4	2	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	136	...	...	...	...	...	...	1	19	12	30	35	17	18	2	1	-	-	1	-	-	-	-	-	-	-
	White-----F--	91	...	...	...	...	...	...	-	10	11	18	23	12	13	2	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--F--	45	...	...	...	...	...	...	1	9	1	12	12	5	5	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	18	...	...	...	...	...	...	1	2	2	6	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	11	...	...	...	...	...	...	-	-	2	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	1	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	118	...	...	...	...	...	...	-	17	10	24	31	14	18	2	1	-	-	1	-	-	-	-	-	-	-
660-	White-----F--	80	...	...	...	...	...	...	-	10	9	14	20	10	13	2	1	-	-	1	-	-	-	-	-	-	-
689	Nonwhite--F--	38	...	...	...	...	...	...	-	7	1	10	11	4	5	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	1,069	834	53	17	9	11	26	14	14	6	13	7	5	9	6	18	9	-	8	5	2	3	-	-	-	-
	White-----M--	521	414	21	10	2	5	14	9	4	3	6	1	-	2	4	11	3	-	6	3	1	2	-	-	-	-
	F--	440	337	28	5	5	5	10	3	5	2	5	5	5	7	2	5	5	-	2	2	1	1	-	-	-	-
	Nonwhite--M--	54	43	1	1	1	-	-	1	3	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	F--	54	40	3	1	1	1	2	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	4,094	4,082	4	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,962	1,957	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,364	1,357	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	423	423	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	345	345	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	1,573	1,567	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	810	807	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	536	533	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	387	386	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	176	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	125	124	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unqualif-																										
	ied----------	2,134	2,129	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	976	974	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	703	700	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	245	245	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	210	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	1,937	238	28	16	7	7	9	4	11	8	16	16	28	47	67	87	103	133	164	213	212	217	157	98	26	25
795	White-----M--	889	91	15	8	-	2	4	1	1	3	6	8	15	19	38	50	45	74	87	106	93	110	69	34	6	4
	F--	530	73	8	3	4	2	-	-	4	2	2	3	2	4	8	5	12	17	28	51	65	80	75	54	18	10
	Nonwhite--M--	301	45	1	4	1	1	3	2	2	1	3	3	7	15	13	25	32	25	28	30	33	16	4	3	1	3
	F--	217	29	4	1	2	2	2	1	4	2	5	2	4	9	8	7	14	17	21	26	21	11	9	7	1	8
Re-	All other diseases	3,157	242	50	23	19	21	45	26	40	44	58	80	90	124	150	197	211	277	319	341	331	254	141	54	19	1
sid-	White-----M--	1,474	110	21	8	8	10	17	13	12	13	17	35	41	44	78	74	107	160	168	166	162	119	62	24	5	-
ual	F--	1,177	85	18	7	9	6	20	11	16	16	22	30	31	46	45	62	69	77	107	125	143	119	69	30	13	1
	Nonwhite--M--	279	30	5	4	1	3	6	2	4	7	10	5	7	13	12	35	26	27	22	36	14	5	4	-	1	-
	F--	227	17	6	4	1	2	2	-	8	8	9	10	11	21	15	26	9	13	22	14	12	11	6	-	-	-
E800-	Accidents---------	5,397	239	111	90	62	47	215	196	394	514	447	375	324	309	301	303	224	201	213	194	220	204	129	57	17	11
E962	White-----M--	3,329	92	33	40	30	24	123	119	280	383	326	276	227	204	209	189	154	124	118	110	109	82	51	17	5	4
	F--	1,298	86	54	35	19	16	63	47	66	63	53	58	50	59	44	49	41	46	64	61	86	111	71	37	12	7
	Nonwhite--M--	553	30	14	5	4	4	17	25	41	60	55	33	35	36	36	53	20	23	19	13	17	7	4	2	-	-
	F--	217	31	10	10	9	3	12	5	7	8	13	8	12	10	12	12	9	8	12	10	8	4	3	1	-	-
E810-	Motor-vehicle																										
E835	accidents---------	2,520	31	36	27	25	20	96	73	252	311	275	219	180	167	151	161	117	106	96	70	60	34	10	3	-	-
	White-----M--	1,685	13	8	14	14	8	48	40	179	236	199	159	126	105	107	91	77	72	69	47	40	23	8	2	-	-
	F--	538	11	23	12	8	8	35	25	52	41	36	37	32	41	23	37	27	25	22	18	13	9	2	1	-	-
	Nonwhite--M--	236	5	3	-	-	3	6	6	16	32	33	20	16	15	18	29	8	9	3	5	7	2	-	-	-	-
	F--	61	2	2	1	3	1	7	2	5	2	7	3	6	6	3	4	5	-	2	-	-	-	-	-	-	-
E800-	All ot. accidents-	2,877	208	75	63	37	27	119	123	142	203	172	156	144	142	150	142	107	95	117	124	160	170	119	54	17	11
E802,	White-----M--	1,644	79	25	26	16	16	75	79	101	147	127	117	101	99	102	98	77	52	49	63	69	59	43	15	5	4
E840-	F--	760	75	31	23	11	8	28	22	14	22	17	21	18	18	21	12	14	21	42	43	73	102	69	36	12	7
E962	Nonwhite--M--	317	25	11	5	4	1	11	19	25	28	22	13	19	21	18	24	12	14	16	8	10	5	4	2	-	-
	F--	156	29	8	9	6	2	5	3	2	6	6	5	6	4	9	8	4	8	10	10	8	4	3	1	-	-
E963,	Suicide----------	717	-	-	-	-	-	-	4	15	33	60	46	65	82	69	74	67	66	55	33	28	12	8	-	-	-
E970-	White-----M--	531	-	-	-	-	-	-	4	9	20	38	25	45	55	53	61	55	52	46	28	25	9	6	-	-	-
E979	F--	161	-	-	-	-	-	-	-	4	8	18	19	19	25	14	9	12	12	9	4	3	3	2	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	1	3	3	1	1	2	2	2	-	2	-	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	718	5	1	-	2	1	1	7	36	80	124	102	91	85	70	44	22	11	14	13	5	3	-	-	1	-
E980-	White-----M--	284	2	-	-	1	1	-	4	13	30	41	40	34	33	29	23	9	5	7	8	2	2	-	-	-	-
E985	F--	69	2	1	-	1	-	-	2	4	8	12	6	8	4	6	5	2	2	2	3	1	-	-	-	-	-
	Nonwhite--M--	295	-	-	-	-	-	-	1	13	33	57	47	40	38	32	12	9	4	5	1	2	1	-	-	-	-
	F--	70	1	-	-	-	-	1	-	6	9	14	9	9	10	3	4	2	-	-	1	-	-	-	-	1	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH																										
	ALL CAUSES------	5,148	489	45	30	21	16	48	40	60	50	72	84	88	126	227	272	309	435	544	602	584	500	314	152	33	7
	White-----M--	3,008	282	27	14	11	9	32	30	48	41	50	58	56	75	145	180	200	275	334	349	311	257	142	64	14	4
	F--	2,026	186	14	16	9	7	15	10	11	9	21	23	27	45	74	85	102	154	200	242	261	238	170	88	18	1
	Nonwhite--M--	69	11	1	-	1	-	1	-	-	-	-	2	1	4	3	4	5	4	8	9	8	4	2	-	1	-
	F--	45	10	3	-	-	-	-	-	1	-	1	1	4	2	5	3	2	2	2	2	4	1	-	-	-	2
001-019	Tuberculosis, all forms--------	29	-	2	-	-	-	1	-	-	-	-	-	1	1	3	4	3	6	4	4	-	-	-	-	-	-
	White-----M--	21	-	-	-	-	-	1	-	-	-	-	-	1	1	2	3	3	4	4	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-
	Nonwhite--M--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	26	-	1	-	-	-	1	-	-	-	-	-	1	1	3	4	2	5	4	4	-	-	-	-	-	-
	White-----M--	20	-	-	-	-	-	1	-	-	-	-	-	1	1	2	3	2	4	4	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	-	2	1	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	3	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	10	1	-	1	-	-	1	1	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	1	-	1	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	24	9	-	2	1	-	-	1	1	-	-	-	-	-	-	1	3	2	3	1	-	-	-	-	-	-
	White-----M--	16	4	-	2	1	-	-	1	-	-	-	-	-	-	-	1	2	2	2	1	-	-	-	-	-	-
	F--	8	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH—Continued																										
140-205	Malignant neoplasms, etc.*	658	4	-	4	5	3	7	6	4	1	6	7	13	22	47	64	50	72	86	81	73	57	36	10	-	-
	White--M	355	3	-	1	1	1	5	4	1	1	4	6	7	6	22	34	26	39	44	51	44	27	25	3	-	-
	F	285	1	-	3	4	2	2	2	2	-	2	1	5	15	24	28	22	31	40	26	29	28	11	7	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	3	-	2	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	1	1	1	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	2	-	2	-	-	-
	White--M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	2	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	219	-	-	-	-	-	-	-	-	1	1	1	1	6	11	20	19	27	26	32	30	26	12	6	-	-
	White--M	115	-	-	-	-	-	-	-	-	1	1	1	-	1	6	11	10	15	14	20	15	11	8	1	-	-
	F	95	-	-	-	-	-	-	-	-	-	-	-	1	4	5	8	7	10	11	11	15	14	4	5	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
160-164	Of respiratory system	75	1	-	-	-	-	-	-	-	-	-	1	1	-	6	8	6	12	16	8	9	6	1	-	-	-
	White--M	62	1	-	-	-	-	-	-	-	-	-	1	1	-	5	8	6	10	12	6	7	5	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	1	2	1	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
170	Of breast	46	-	-	-	-	-	-	-	1	-	1	-	1	5	3	9	5	4	5	5	5	2	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	1	-	1	5	3	9	5	4	5	5	4	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	106	-	-	-	-	-	-	-	-	-	1	-	1	4	12	8	8	9	9	16	12	12	13	1	-	-
	White--M	43	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	4	8	8	6	11	-	-	-
	F	60	-	-	-	-	-	-	-	-	-	1	-	1	4	11	7	7	5	5	6	4	6	2	1	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	36	-	-	-	-	2	1	-	-	-	-	-	1	-	1	3	2	3	4	5	7	4	2	1	-	-
	White--M	30	-	-	-	-	1	1	-	-	-	-	-	-	-	1	3	2	1	4	5	7	2	2	1	-	-
	F	5	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	88	-	-	1	2	-	3	3	2	-	3	2	2	2	10	6	4	11	12	10	3	6	4	2	-	-
	White--M	48	-	-	1	-	-	3	2	-	-	3	1	1	1	7	6	2	6	3	7	1	2	1	1	-	-
	F	40	-	-	-	2	-	-	1	2	-	-	1	1	1	3	-	2	5	9	3	2	4	3	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	39	1	-	3	3	1	3	3	-	-	-	1	1	2	3	2	3	3	4	-	3	1	2	-	-	-
	White--M	20	1	-	-	1	-	1	2	-	-	-	1	1	1	1	2	2	1	2	-	1	1	2	-	-	-
	F	18	-	-	3	2	1	2	1	-	-	-	-	-	1	1	-	1	2	2	-	2	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	39	2	-	-	-	-	-	-	1	-	-	2	5	3	-	7	2	3	9	3	2	-	-	-	-	-
	White--M	28	1	-	-	-	-	-	-	1	-	-	2	4	3	-	3	2	2	5	3	2	-	-	-	-	-
	F	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	4	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	12	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	1	1	1	1	1	2	-	-	-
	White--M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	1	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	89	-	-	-	-	-	-	-	-	-	2	3	-	-	3	6	10	13	20	11	15	4	1	1	-	-
	White--M	33	-	-	-	-	-	-	-	-	-	-	3	-	-	2	3	5	2	10	3	4	1	-	-	-	-
	F	56	-	-	-	-	-	-	-	-	-	2	-	-	-	1	3	5	11	10	8	11	3	1	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	16	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	3	3	3	-	-	-
	White--M	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	3	2	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	8	2	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	White--M	4	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,454	4	-	-	3	1	3	3	6	10	14	20	22	43	86	112	164	244	306	385	377	328	200	96	24	3
	White--M	1,386	4	-	-	2	-	1	2	5	5	9	11	11	28	54	83	109	150	190	219	191	173	86	42	9	2
	F	1,030	-	-	-	1	1	2	1	1	5	5	9	9	12	29	25	53	91	111	162	179	152	113	54	15	-
	Nonwhite--M	24	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	2	4	3	5	2	1	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	1	1	1	2	1	-	-	-	1
330-334, 400-468	Diseases of cardiovascular system	2,391	4	-	-	3	-	2	3	4	5	10	19	21	42	81	110	156	237	301	381	371	323	198	94	23	3
	White--M	1,348	4	-	-	2	-	-	2	3	3	6	10	10	28	52	82	103	147	187	216	188	169	85	41	8	2
	F	1,008	-	-	-	1	-	2	1	1	2	4	9	9	12	27	24	51	87	110	161	176	151	112	53	15	-
	Nonwhite--M	22	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	2	3	3	5	2	1	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	1	1	1	2	1	-	-	-	1
330-334	Vascular lesions, etc.*	467	1	-	-	-	-	1	-	1	-	1	-	4	4	11	12	28	30	51	79	96	75	41	26	6	-
	White--M	227	1	-	-	-	-	-	-	-	-	1	-	2	1	6	6	14	15	22	39	49	42	18	8	3	-
	F	232	-	-	-	-	-	1	-	1	-	-	-	1	2	3	6	14	15	28	39	46	32	23	18	3	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever	13	1	-	-	2	-	1	2	1	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	7	1	-	-	1	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	1	-	1	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH—Continued																										
410-443	Diseases of heart	1,775	2	-	-	1	-	-	1	2	5	7	15	14	37	68	93	123	198	231	284	258	229	135	57	12	3
	White-----M--	1,041	2	-	-	1	-	-	1	2	3	3	8	8	27	45	73	86	126	152	167	130	118	58	26	3	2
	F--	710	-	-	-	-	-	-	-	-	2	4	7	6	9	23	17	35	69	76	115	122	109	76	31	9	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	2	1	4	1	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-	1
410-416	Chronic rheumatic heart disease	135	-	-	-	1	-	-	1	1	2	4	3	3	13	14	17	14	20	10	10	2	8	2	-	-	-
	White-----M--	59	-	-	-	1	-	-	1	1	-	2	2	5	6	3	10	6	8	3	6	1	4	-	-	-	-
	F--	76	-	-	-	-	-	-	-	-	2	2	6	3	7	11	7	8	12	7	4	1	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,138	-	-	-	-	-	-	-	1	1	2	5	2	20	40	68	89	136	153	198	159	134	86	34	9	1
	White-----M--	753	-	-	-	-	-	-	-	1	1	1	5	2	17	35	59	72	94	114	125	89	77	41	18	1	1
	F--	371	-	-	-	-	-	-	-	-	-	1	-	-	2	5	7	15	41	37	72	67	56	44	16	8	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	1	1	1	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	210	1	-	-	-	-	-	-	-	1	1	1	1	4	4	1	4	13	26	37	43	39	19	11	3	1
	White-----M--	104	1	-	-	-	-	-	-	-	1	-	1	-	4	3	-	2	7	14	18	18	21	6	5	2	1
	F--	102	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	6	12	18	24	17	13	6	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
430-434	Other diseases of heart	62	1	-	-	-	-	-	-	-	1	-	1	2	-	1	1	4	7	9	5	13	8	7	1	-	1
	White-----M--	37	1	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	7	6	4	7	2	5	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	-	2	1	5	6	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
440-443	Hypertension with heart dis.	230	-	-	-	-	-	-	-	-	-	-	-	1	-	9	6	12	22	33	34	41	40	21	11	-	-
	White-----M--	88	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	5	10	15	14	15	14	6	3	-	-
	F--	139	-	-	-	-	-	-	-	-	-	-	-	1	-	6	3	7	10	18	20	25	26	15	8	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart	20	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	1	7	3	2	2	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	4	3	1	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	3	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	71	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	8	9	5	12	18	10	5	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	5	-	6	7	7	2	-
	F--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	5	6	11	3	3	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	45	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	1	7	10	2	9	5	2	1	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	4	8	1	6	2	1	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	2	1	3	3	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	63	-	-	-	-	1	1	-	2	5	4	1	1	1	5	2	8	7	5	4	6	5	2	2	1	-
	White-----M--	38	-	-	-	-	-	1	-	2	2	3	1	1	-	2	1	6	3	3	3	3	4	1	1	1	-
	F--	22	-	-	-	-	1	-	-	-	3	1	-	-	-	2	1	2	4	1	1	3	1	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	105	21	6	2	2	-	1	1	-	-	-	2	-	-	2	4	3	-	10	10	10	19	6	6	-	-
	White-----M--	44	9	2	1	2	-	1	-	-	-	-	-	-	-	1	2	1	-	3	4	5	10	2	1	-	-
	F--	54	8	3	1	-	-	-	1	-	-	-	2	-	-	1	2	1	-	7	6	4	9	4	5	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-483	Influenza	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	101	20	6	2	2	-	1	1	-	-	-	2	-	-	1	4	3	-	8	10	10	19	6	6	-	-
	White-----M--	42	8	2	1	2	-	1	-	-	-	-	-	-	-	-	2	1	-	3	4	5	10	2	1	-	-
	F--	52	8	3	1	-	-	-	1	-	-	-	2	-	-	1	2	1	-	5	6	4	9	4	5	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
500-502	Bronchitis	20	3	3	1	-	1	-	-	-	-	-	-	1	-	-	1	-	2	2	-	3	3	-	-	-	-
	White-----M--	12	2	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	1	-	-	-	-
	F--	8	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	34	-	-	-	-	-	-	-	-	-	1	-	2	2	4	2	1	7	3	4	5	1	2	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	1	7	3	2	3	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	12	-	-	-	1	-	-	1	-	-	-	1	-	-	-	2	1	1	2	-	-	1	2	-	-	-
	White-----M--	10	-	-	-	1	-	-	1	-	-	-	1	-	-	-	2	1	1	2	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	44	5	1	-	-	-	-	-	-	-	-	-	-	-	4	3	1	5	8	3	7	4	2	1	-	-
	White-----M--	28	3	1	-	-	-	-	-	-	-	-	-	-	-	3	3	-	3	6	3	4	1	1	-	-	-
	F--	16	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	3	3	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH—Continued																										
543,	Gastritis, etc.*--	23	11	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	1	3	1	1	1	-	-
571,	White-----M--	11	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	1	-	-
572	F--	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
581	Cirrhosis of liver	45	1	-	-	-	-	-	1	-	-	1	-	2	8	7	5	5	9	-	3	3	-	-	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	1	-	-	-	-	1	6	2	4	3	8	-	2	2	-	-	-	-
	F--	16	1	-	-	-	-	-	-	-	-	-	1	-	1	2	5	1	2	1	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	16	2	-	-	1	1	1	1	1	-	-	2	1	1	1	1	1	1	-	1	-	-	-	-	-	-
	White-----M--	14	1	-	-	1	1	1	1	1	-	-	1	1	1	1	1	1	1	-	1	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	4	5	2	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	5	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	6	...	...	...	...	...	...	-	-	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	...	...	...	...	...	...	-	-	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	4	...	...	...	...	...	...	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	4	...	...	...	...	...	...	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	111	87	9	3	1	-	1	3	3	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
	White-----M--	62	48	4	2	-	-	1	2	2	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F--	48	38	5	1	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	285	285	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	165	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	131	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	312	15	2	1	-	1	-	3	-	-	-	5	5	10	19	13	16	23	27	42	35	36	26	25	7	1
795	White-----M--	207	12	1	-	-	-	-	1	-	-	-	3	3	5	17	12	12	21	17	28	22	20	14	14	4	1
	F--	96	1	1	1	-	1	-	2	-	-	-	2	2	4	1	1	4	2	10	12	11	16	12	11	2	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	1	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	261	16	3	5	2	-	8	3	6	5	8	2	6	7	10	19	22	25	33	28	20	13	11	5	2	2
sid-	White-----M--	146	9	2	-	-	-	3	2	3	4	4	1	5	2	6	11	14	14	24	17	11	6	4	3	1	-
ual	F--	111	7	1	5	2	-	5	1	3	1	4	1	1	5	4	8	6	11	8	11	9	7	7	2	1	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
E800-	Accidents---------	465	19	16	10	5	7	23	15	32	25	31	32	24	29	28	24	21	18	19	19	22	20	19	7	-	-
E962	White-----M--	330	12	13	6	3	4	17	14	29	24	25	25	20	23	23	15	15	15	11	10	15	8	3	-	-	-
	F--	126	5	3	4	1	3	5	1	3	1	6	5	3	6	5	8	6	3	8	9	6	12	16	7	-	-
	Nonwhite--M--	6	1	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	211	1	6	4	1	5	8	7	17	15	17	19	15	11	14	11	14	9	11	10	12	3	3	-	-	-
	White-----M--	156	-	5	3	-	1	5	6	15	15	14	14	12	9	11	5	9	7	8	4	8	3	2	-	-	-
	F--	50	1	1	1	1	2	3	1	2	-	3	3	2	2	3	5	5	2	3	6	3	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	254	18	10	6	4	4	15	8	15	10	14	13	9	18	14	13	7	9	8	9	10	17	16	7	-	-
E802,	White-----M--	174	12	8	3	3	3	12	8	14	9	11	11	8	14	12	10	6	8	3	6	7	5	1	-	-	-
E840-	F--	76	4	2	3	-	1	2	-	1	1	3	2	1	4	2	3	1	1	5	3	3	12	15	7	-	-
E962	Nonwhite--M--	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	57	-	-	-	-	-	-	1	2	4	6	5	6	6	6	8	2	3	3	3	1	-	1	-	-	-
E970-	White-----M--	48	-	-	-	-	-	-	1	2	4	6	5	5	5	4	5	2	3	2	2	1	-	1	-	-	-
E979	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	16	1	-	-	-	-	2	-	1	1	1	2	2	1	3	-	-	1	-	-	-	-	-	-	-	1
E980-	White-----M--	8	-	-	-	-	-	1	-	1	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	1
E985	F--	4	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT																										
	ALL CAUSES------	4,032	233	16	10	5	10	24	27	26	22	27	40	51	79	131	171	228	338	415	516	606	518	346	146	31	16
	White-----M--	2,262	133	8	5	4	5	9	12	14	18	18	24	29	56	89	99	150	229	264	278	306	273	154	67	10	8
	F--	1,763	100	8	5	1	5	15	15	12	4	9	16	22	22	41	72	78	108	151	237	298	245	192	79	21	7
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	-	-	-	-	1
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
001-019	Tuberculosis, all forms--------	52	-	-	-	-	-	-	-	-	-	1	-	4	5	3	7	5	11	5	5	3	2	1	-	-	-
	White-----M--	43	-	-	-	-	-	-	-	-	-	-	-	3	4	2	6	4	10	5	4	2	2	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	46	-	-	-	-	-	-	-	-	-	1	-	3	5	2	5	5	11	5	4	2	2	1	-	-	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	-	-	3	4	2	4	4	10	5	4	2	2	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	1	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	6	-	2	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	8	1	-	-	-	-	1	1	-	-	-	1	-	-	-	1	1	1	-	-	1	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT—Con.																										
140-205	Malignant neoplasms, etc.*	635	1	1	-	2	-	4	6	2	3	4	9	8	17	31	50	53	73	87	90	96	59	33	6	-	-
	White--M	326	1	1	-	1	-	2	1	1	1	2	3	4	8	16	19	31	44	50	44	51	28	15	3	-	-
	F	306	-	-	-	1	-	2	5	1	2	2	6	4	9	15	31	22	28	37	45	44	31	18	3	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
140-148	Of buccal cavity and pharynx	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	4	1	-	-	-	-	-
	White--M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	3	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	239	-	-	-	-	-	1	1	-	-	-	1	2	5	4	15	19	24	33	35	50	31	17	1	-	-
	White--M	123	-	-	-	-	-	-	1	-	-	-	-	1	4	2	7	12	17	19	16	23	15	6	-	-	-
	F	114	-	-	-	-	-	1	-	-	-	-	1	1	1	2	8	7	6	14	19	26	16	11	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
160-164	Of respiratory system	60	-	-	-	-	-	-	-	-	-	-	1	-	1	9	8	8	10	11	6	4	1	1	-	-	-
	White--M	53	-	-	-	-	-	-	-	-	-	-	1	-	1	9	7	6	8	11	5	4	-	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	63	-	-	-	-	-	-	-	-	-	-	2	2	4	4	7	6	6	9	9	4	5	4	1	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	61	-	-	-	-	-	-	-	-	-	-	2	2	4	4	7	6	6	8	8	4	5	4	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	103	-	-	-	-	-	-	1	-	1	1	1	2	3	5	9	8	12	10	12	15	11	9	3	-	-
	White--M	46	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	2	4	7	9	8	8	2	-	-
	F	57	-	-	-	-	-	-	1	-	1	1	-	1	3	4	9	5	10	6	5	6	3	1	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	49	-	-	-	1	-	-	-	-	-	-	-	1	1	1	2	4	5	6	13	11	4	-	-	-	-
	White--M	32	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	4	4	6	8	2	-	-	-	-
	F	16	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	3	2	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	57	1	1	-	-	-	1	2	1	1	2	3	-	1	6	4	3	8	4	7	6	5	1	-	-	-
	White--M	26	1	1	-	-	-	1	-	-	-	1	-	-	-	2	1	3	7	2	3	2	2	-	-	-	-
	F	31	-	-	-	-	-	-	2	1	1	1	3	-	1	4	3	-	1	2	4	4	3	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	26	-	-	-	1	-	1	2	1	1	1	1	1	1	1	1	1	5	3	1	1	2	-	1	-	-
	White--M	19	-	-	-	1	-	-	-	1	1	1	1	1	1	1	1	1	4	1	1	1	1	-	1	-	-
	F	7	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	26	-	-	-	-	-	1	-	-	-	-	-	-	1	1	3	2	3	7	3	4	-	1	-	-	-
	White--M	16	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	2	5	2	3	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	1	1	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	13	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	3	1	1	1	-	-	-
	White--M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-	-	-	-
	F	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	59	-	-	-	-	-	1	-	1	-	2	-	-	-	2	4	6	7	11	6	8	8	1	2	-	-
	White--M	19	-	-	-	-	-	1	-	1	-	1	-	-	-	1	1	-	2	2	1	4	4	-	1	-	-
	F	40	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	6	5	9	5	4	4	1	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	7	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	1	1	-	1	-	-	-	-
	White--M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	7	3	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	6	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,223	2	-	-	-	1	1	2	2	1	5	7	12	21	54	68	106	187	236	330	426	366	251	119	20	6
	White--M	1,211	2	-	-	-	-	1	-	1	1	4	6	7	16	38	46	68	129	149	174	205	193	112	52	5	2
	F	1,010	-	-	-	-	1	-	2	1	-	1	1	5	5	15	22	38	58	87	156	220	173	139	67	15	4
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system	2,193	2	-	-	-	1	1	2	2	1	3	7	12	20	54	67	105	184	231	324	423	361	249	118	20	6
	White--M	1,197	2	-	-	-	-	1	-	1	1	3	6	7	15	38	46	68	128	148	170	204	190	111	51	5	2
	F	994	-	-	-	-	1	-	2	1	-	-	1	5	5	15	21	37	56	83	154	218	171	138	67	15	4
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334	Vascular lesions, etc.*	493	-	-	-	-	-	-	1	-	-	1	-	2	3	6	17	17	36	48	82	95	93	56	32	4	-
	White--M	210	-	-	-	-	-	-	-	-	-	1	-	-	-	1	9	7	21	25	33	38	43	19	12	1	-
	F	283	-	-	-	-	-	-	1	-	-	-	-	2	3	5	8	10	15	23	49	57	50	37	20	3	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT--Con.																										
410-443	Diseases of heart	1,530	2	-	-	-	1	-	1	2	1	2	6	9	16	41	49	85	141	170	222	303	234	163	68	9	5
	White-----M--	892	2	-	-	-	-	-	-	1	1	2	5	6	14	33	37	60	102	116	127	151	127	75	30	2	1
	F--	636	-	-	-	-	1	-	1	1	-	-	1	3	2	7	12	25	39	54	95	151	107	88	38	7	4
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	38	-	-	-	-	-	-	-	1	-	2	3	1	1	3	4	2	6	-	3	6	1	2	2	1	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	2	2	-	1	-	2	1	3	-	3	4	1	-	2	1	-
	F--	16	-	-	-	-	-	-	-	1	-	-	1	1	-	3	2	1	3	-	-	2	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,122	2	-	-	-	1	-	-	-	1	-	3	7	12	32	37	68	104	141	173	213	166	107	44	6	5
	White-----M--	694	2	-	-	-	-	-	-	-	1	-	3	5	10	28	30	55	84	98	98	111	92	53	22	1	1
	F--	426	-	-	-	-	1	-	-	-	-	-	-	2	2	3	7	13	20	43	75	101	74	54	22	5	4
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	194	-	-	-	-	-	-	1	1	-	-	-	1	1	1	1	5	8	10	22	48	41	34	18	2	-
	White-----M--	100	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	3	6	8	14	23	20	17	4	-	-
	F--	94	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	2	2	8	25	21	17	14	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	30	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	2	8	3	6	4	1	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	5	1	4	2	1	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	2	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	146	-	-	-	-	-	-	-	-	-	-	-	-	1	5	7	8	20	17	16	33	20	16	3	-	-
	White-----M--	59	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	1	8	8	7	12	10	3	1	-	-
	F--	87	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	12	9	9	21	10	13	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	37	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	4	4	6	5	6	2	4	1	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	3	1	4	3	2	1	2	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	2	4	1	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	10	18	23	27	14	6	1
	White-----M--	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	11	15	16	7	2	1
	F--	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	7	8	11	7	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	26	-	-	-	-	-	-	-	-	-	-	-	1	-	6	-	2	1	5	4	2	4	1	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	4	2	1	3	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	1	2	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	30	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	1	3	5	6	3	5	2	1	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	4	1	3	1	1	-	-
	F--	16	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	4	2	2	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	109	10	1	3	-	-	1	1	2	1	1	2	1	4	1	2	2	2	8	10	17	17	16	2	3	2
	White-----M--	60	7	1	1	-	-	-	-	-	-	1	2	-	2	1	2	1	2	6	8	9	6	8	1	2	-
	F--	48	3	-	2	-	-	1	1	2	1	-	-	1	2	-	-	1	-	2	2	8	11	8	1	1	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	104	9	1	3	-	-	1	1	2	1	1	2	1	4	1	2	2	2	8	10	16	15	16	1	3	2
	White-----M--	57	6	1	1	-	-	-	-	-	-	1	2	-	2	1	2	1	2	6	8	8	5	8	1	2	-
	F--	46	3	-	2	-	-	1	1	2	1	-	-	1	2	-	-	1	-	2	2	8	10	8	-	1	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	7	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	2	1	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	31	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	2	3	10	6	2	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	2	1	6	4	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	29	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	4	5	7	3	1	-	1
	White-----M--	14	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	4	-	1	-	1
	F--	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	4	3	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT—Con.																										
543,	Gastritis, etc.*--	19	4	2	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	1	-	3	3	-	1	-
571,	White-----M--	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-
572	F--	11	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	3	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	38	1	-	-	-	-	-	-	-	-	1	-	1	-	4	4	5	7	7	5	1	2	-	-	-	-
	White-----M--	24	1	-	-	-	-	-	-	-	-	1	-	-	-	2	3	4	4	4	2	1	2	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	3	3	3	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	2	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	4	5	2	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	4	5	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	56	49	2	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	27	25	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	24	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	145	144	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	65	64	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	49	48	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	24	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	81	3	-	-	-	-	-	1	-	-	1	1	-	3	5	8	11	6	12	8	3	11	3	1	3	1
795	White-----M--	55	2	-	-	-	-	-	-	-	-	1	-	-	2	4	7	9	3	10	5	2	8	1	1	-	-
	F--	26	1	-	-	-	-	-	1	-	-	-	1	-	1	1	1	2	3	2	3	1	3	2	-	3	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	197	7	-	-	-	3	1	5	1	-	3	3	7	8	9	12	13	21	22	29	15	18	13	6	-	1
sid-	White-----M--	132	3	-	-	-	2	-	4	-	-	-	1	5	5	7	6	10	17	17	20	9	15	8	2	-	1
ual	F--	64	4	-	-	-	1	1	1	1	-	3	2	2	2	2	6	3	4	5	9	6	3	5	4	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	190	4	4	6	2	3	11	10	16	12	4	9	7	12	10	7	9	6	10	12	7	9	11	5	3	1
E962	White-----M--	128	3	3	3	2	2	3	7	11	12	4	8	5	11	8	4	7	5	7	8	5	3	2	3	1	1
	F--	62	1	1	3	-	1	8	3	5	-	-	1	2	1	2	3	2	1	3	4	2	6	9	2	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	54	1	1	-	-	1	7	4	10	6	-	2	5	2	4	4	2	-	3	2	-	-	-	-	-	-
	White-----M--	34	1	-	-	-	1	1	2	7	6	-	2	3	2	2	2	2	-	2	1	-	-	-	-	-	-
	F--	20	-	1	-	-	-	6	2	3	-	-	-	2	-	2	2	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	136	3	3	6	2	2	4	6	6	6	4	7	2	10	6	3	7	6	7	10	7	9	11	5	3	1
E802,	White-----M--	94	2	3	3	2	1	2	5	4	6	4	6	2	9	6	2	5	5	5	7	5	3	2	3	1	1
E840-	F--	42	1	-	3	-	1	2	1	2	-	-	1	-	1	-	1	2	1	2	3	2	6	9	2	2	-
E962	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	71	-	-	-	-	-	-	-	1	1	4	5	8	6	7	3	7	11	5	3	5	-	1	-	-	4
E970-	White-----M--	56	-	-	-	-	-	-	-	-	1	3	2	5	5	7	3	6	9	4	3	4	-	1	-	-	3
E979	F--	15	-	-	-	-	-	-	-	1	-	1	3	3	1	-	-	1	2	1	-	1	-	-	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	6	-	-	-	-	1	1	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E985	F--	4	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA																										
	ALL CAUSES------	29,329	2,920	167	107	78	50	210	139	267	370	459	554	697	1,040	1,321	1,799	2,161	2,762	3,137	3,247	3,221	2,472	1,378	518	169	86
	White-----M--	12,160	1,064	57	36	27	21	88	65	122	174	190	211	257	414	586	745	973	1,180	1,376	1,334	1,436	1,040	526	180	46	10
	F--	8,764	719	45	33	25	7	53	29	45	65	79	118	153	233	273	387	461	645	848	1,107	1,261	1,113	688	271	88	18
	Nonwhite--M--	4,593	602	34	11	14	10	41	31	57	73	104	131	156	222	263	352	415	526	492	434	291	176	83	33	13	29
	F--	3,812	535	31	27	12	12	28	14	43	58	86	94	131	171	197	315	312	411	421	372	233	143	81	34	22	29
001-019	Tuberculosis, all forms--------	443	3	1	2	2	-	2	1	9	14	22	30	29	40	34	35	42	41	51	34	30	16	3	1	-	1
	White-----M--	147	-	-	-	1	-	-	-	-	-	3	6	6	15	11	10	18	15	18	14	19	9	2	-	-	-
	F--	69	-	-	-	-	-	-	-	2	1	1	3	4	3	4	4	8	6	12	9	7	3	1	1	-	-
	Nonwhite--M--	120	3	1	-	1	-	1	-	-	2	5	10	9	11	13	12	12	15	13	5	4	2	-	-	-	1
	F--	107	-	-	2	-	-	1	1	7	11	13	11	10	11	6	9	4	5	8	6	-	2	-	-	-	-
001-008	Tuberculosis of respiratory system----------	409	2	1	-	-	-	2	-	9	13	21	27	28	37	34	30	39	40	45	31	29	16	3	1	-	1
	White-----M--	139	-	-	-	-	-	-	-	-	-	3	5	6	15	11	9	18	14	16	13	18	9	2	-	-	-
	F--	67	-	-	-	-	-	-	-	2	1	1	3	4	3	4	3	7	6	12	9	7	3	1	1	-	-
	Nonwhite--M--	109	2	1	-	-	-	1	-	-	2	4	9	8	11	13	10	11	15	10	5	4	2	-	-	-	1
	F--	94	-	-	-	-	-	1	-	7	10	13	10	10	8	6	8	3	5	7	4	-	2	-	-	-	-
010-019	Tuberculosis, other forms------	34	1	-	2	2	-	-	1	-	1	1	3	1	3	-	5	3	1	6	3	1	-	-	-	-	-
	White-----M--	8	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	2	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	1	-	-	1	-	-	-	-	-	1	1	1	-	-	2	1	-	3	-	-	-	-	-	-	-
	F--	13	-	-	2	-	-	-	1	-	1	-	1	-	3	-	1	1	-	1	2	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	142	2	-	-	-	-	-	-	2	1	1	3	3	8	16	19	29	28	5	16	7	1	-	1	-	-
	White-----M--	41	-	-	-	-	-	-	-	1	-	-	1	-	-	2	3	10	11	2	8	3	-	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	2	-	1	-	-	-	-
	Nonwhite--M--	67	-	-	-	-	-	-	-	1	-	-	1	2	4	11	12	13	14	3	3	2	-	-	1	-	-
	F--	25	1	-	-	-	-	-	-	-	1	1	1	1	4	2	3	3	3	-	3	2	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	15	7	1	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	6	3	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	6	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	5	-	1	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	21	17	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	31	12	2	2	-	1	6	1	1	-	-	-	2	1	-	1	1	-	1	-	-	-	-	-	-	-
	White-----M--	5	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	5	-	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	9	3	1	-	-	-	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	6	2	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	13	-	-	1	2	-	4	2	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	-	-	1	-	-	3	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	24	4	6	4	1	-	6	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	1	2	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	110	19	3	6	3	-	10	4	7	10	3	1	5	7	7	2	6	3	3	2	4	2	3	-	-	-
	White-----M--	37	7	1	2	-	-	1	2	2	6	-	-	1	1	4	1	1	2	2	1	2	-	1	-	-	-
	F--	27	2	1	4	2	-	1	1	2	-	-	1	3	3	1	-	1	-	1	1	1	1	1	-	-	-
	Nonwhite--M--	29	4	1	-	1	-	6	1	2	2	-	-	-	2	2	1	4	1	-	-	1	-	1	-	-	-
	F--	17	6	-	-	-	-	2	-	1	2	3	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
140-205	Malignant neoplasms, etc.*	3,903	10	2	5	13	3	29	17	20	17	38	67	109	176	266	375	445	544	514	475	413	236	104	16	4	5
	White—M	1,523	7	1	2	8	2	14	11	9	6	12	27	34	55	90	125	158	212	223	197	186	101	36	7	-	-
	F	1,496	2	-	2	5	-	11	4	6	5	18	25	50	79	112	143	158	180	165	179	165	116	59	9	3	-
	Nonwhite—M	447	-	-	-	-	-	1	1	5	4	3	5	10	16	28	52	70	72	74	59	30	12	4	-	-	1
	F	437	1	1	1	-	1	3	1	-	2	5	10	15	26	36	55	59	80	52	40	32	7	5	-	1	4
140-148	Of buccal cavity and pharynx	112	-	-	-	-	-	-	-	-	-	-	2	1	4	10	12	23	17	11	8	9	9	4	2	-	-
	White—M	71	-	-	-	-	-	-	-	-	-	-	2	-	3	4	9	13	11	9	3	7	6	3	1	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	2	4	1	3	1	1	-	-
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	5	5	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,233	1	-	-	-	1	-	2	2	2	4	10	20	41	56	93	124	179	188	196	164	101	36	8	3	2
	White—M	453	1	-	-	-	-	-	1	-	1	-	3	8	16	20	33	39	65	78	75	62	39	10	2	-	-
	F	470	-	-	-	-	-	-	-	1	-	2	4	7	10	19	30	46	57	57	74	74	56	24	6	3	-
	Nonwhite—M	189	-	-	-	-	-	-	1	1	1	2	2	3	8	10	21	26	32	35	27	15	4	1	-	-	-
	F	121	-	-	-	-	1	-	-	-	-	-	1	2	7	7	9	13	25	18	20	13	2	1	-	-	2
160-164	Of respiratory system	473	-	-	-	-	-	-	-	2	-	-	4	8	18	49	65	80	79	62	43	42	14	5	1	-	1
	White—M	338	-	-	-	-	-	-	-	1	-	-	2	3	13	31	48	53	62	51	32	31	7	3	1	-	-
	F	55	-	-	-	-	-	-	-	1	-	-	1	2	2	8	4	12	3	3	5	7	6	1	-	-	-
	Nonwhite—M	64	-	-	-	-	-	-	-	-	-	-	1	1	2	9	11	12	13	6	5	3	-	-	-	-	1
	F	16	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	3	1	2	1	1	1	1	-	-	-
170	Of breast	338	-	-	-	-	-	-	-	-	-	10	5	17	31	38	47	32	41	45	31	26	7	8	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-
	F	256	-	-	-	-	-	-	-	-	-	7	3	12	23	30	33	23	28	36	26	21	7	7	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	77	-	-	-	-	-	-	-	-	-	2	2	5	8	8	13	8	12	9	5	5	-	-	-	-	-
171-179	Of genital organs	705	1	-	-	-	-	-	-	2	3	4	15	24	35	44	67	82	95	90	91	80	49	18	3	1	1
	White—M	178	1	-	-	-	-	-	-	1	-	1	2	1	1	2	2	12	17	24	38	37	28	8	3	-	-
	F	332	-	-	-	-	-	-	-	1	2	2	10	17	27	29	43	43	44	39	27	27	14	7	-	-	-
	Nonwhite—M	77	-	-	-	-	-	-	-	-	-	-	-	2	-	-	5	9	10	15	18	11	5	2	-	-	-
	F	118	-	-	-	-	-	-	-	-	1	1	3	4	7	13	17	18	24	12	8	5	2	1	-	1	1
180, 181	Of urinary organs	166	-	-	1	-	-	-	-	-	-	1	-	3	5	7	17	14	26	22	25	25	14	4	1	-	1
	White—M	78	-	-	-	-	-	-	-	-	-	-	-	2	3	3	6	5	12	13	11	17	5	1	-	-	-
	F	53	-	-	1	-	-	-	-	-	-	1	-	1	-	3	6	3	7	4	11	5	7	3	1	-	-
	Nonwhite—M	19	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	4	3	-	-	2	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	2	3	3	-	-	-	-	1
156B, 165, 190-199	Of other sites, etc.*	510	2	1	2	3	1	13	7	10	6	8	16	26	24	33	46	55	70	53	40	41	25	27	1	-	-
	White—M	219	-	1	-	3	1	5	4	5	2	4	12	14	8	16	15	21	25	28	16	18	11	10	-	-	-
	F	187	2	-	1	-	-	5	2	1	1	3	3	8	13	13	18	17	25	13	16	18	12	15	1	-	-
	Nonwhite—M	48	-	-	-	-	-	1	-	4	3	-	-	2	2	2	5	8	7	6	6	1	-	1	-	-	-
	F	56	-	-	1	-	-	2	1	-	-	1	1	2	1	2	8	9	13	6	2	4	2	1	-	-	-
204	Leukemia and aleukemia	165	5	1	2	8	1	14	8	2	3	4	3	3	10	7	11	12	19	18	14	11	8	1	-	-	-
	White—M	86	4	-	2	3	1	7	6	2	-	2	2	1	6	3	6	5	11	7	9	7	2	-	-	-	-
	F	53	-	-	-	5	-	6	2	-	2	1	-	1	1	3	2	4	6	4	5	4	6	1	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	1	6	-	-	-	-	-	-	-
	F	13	1	1	-	-	-	1	-	-	1	1	1	-	1	1	3	-	1	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	201	1	-	-	2	-	2	-	2	3	7	12	7	8	22	17	23	18	25	27	15	9	1	-	-	-
	White—M	95	1	-	-	2	-	2	-	-	3	4	4	5	5	11	5	9	8	13	13	7	3	-	-	-	-
	F	73	-	-	-	-	-	-	-	2	-	2	4	2	3	6	6	7	10	7	11	8	5	-	-	-	-
	Nonwhite—M	19	-	-	-	-	-	-	-	-	-	1	2	-	-	3	5	2	-	3	2	-	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	5	-	2	1	-	-	1	-	-	-
210-239	Benign and unspecified neoplasms	93	3	-	-	3	1	3	2	4	3	1	3	5	7	10	7	13	7	7	2	7	3	2	-	-	-
	White—M	33	2	-	-	1	1	2	-	1	2	1	2	1	1	3	1	5	2	3	2	3	-	-	-	-	-
	F	33	-	-	-	2	-	1	1	1	1	-	-	1	3	4	4	2	4	2	-	3	3	1	-	-	-
	Nonwhite—M	10	1	-	-	-	-	-	-	1	-	-	-	-	2	-	1	2	1	1	-	-	-	1	-	-	-
	F	17	-	-	-	-	-	-	1	1	-	-	1	3	1	3	1	4	-	1	-	1	-	-	-	-	-
260	Diabetes mellitus	368	2	-	-	-	-	2	3	1	2	11	11	14	13	8	26	34	41	57	52	47	25	17	2	-	-
	White—M	119	2	-	-	-	-	-	1	-	1	6	3	1	6	4	6	5	15	14	19	19	12	4	1	-	-
	F	137	-	-	-	-	-	-	-	-	1	-	5	7	3	1	4	9	12	29	22	20	11	13	-	-	-
	Nonwhite—M	40	-	-	-	-	-	2	-	-	-	1	2	2	1	2	6	6	6	5	4	3	-	-	-	-	-
	F	72	-	-	-	-	-	-	2	1	-	4	1	4	3	1	10	14	8	9	7	5	2	-	1	-	-
290-293	Anemias	58	1	3	2	-	1	2	1	-	3	2	2	1	-	2	3	4	3	10	2	4	8	4	-	-	-
	White—M	21	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	2	3	4	-	3	3	2	-	-	-
	F	17	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	4	1	1	5	2	-	-	-
	Nonwhite—M	7	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	F	13	-	1	1	-	1	-	-	-	-	1	2	1	-	2	2	-	-	1	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	46	19	5	1	3	-	-	2	1	1	1	-	1	2	-	-	3	2	4	-	1	-	-	-	-	-
	White—M	12	6	2	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	13	5	3	-	1	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	11	5	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F	10	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	15,447	17	8	4	1	1	13	11	22	25	62	118	204	406	613	968	1,221	1,695	2,059	2,238	2,309	1,848	1,026	404	122	52
	White—M	6,500	6	3	2	-	-	6	4	4	9	19	40	82	156	280	423	586	734	909	897	1,019	768	374	138	36	5
	F	4,793	5	1	-	1	-	2	3	3	9	12	21	35	63	92	148	207	353	530	776	912	826	514	211	59	10
	Nonwhite—M	2,162	3	1	-	-	1	1	2	4	3	13	34	39	100	131	195	226	326	311	292	218	136	69	29	12	16
	F	1,992	3	3	2	-	-	4	2	11	4	18	23	48	87	110	202	202	282	309	273	160	118	69	26	15	21
330-334, 400-468	Diseases of cardiovascular system	15,063	15	7	4	1	1	10	10	19	22	54	109	187	383	590	934	1,184	1,658	2,028	2,198	2,261	1,813	1,008	395	120	52
	White—M	6,395	5	3	2	-	-	4	4	2	9	16	39	78	149	277	416	575	726	899	889	1,006	752	367	137	35	5
	F	4,694	5	-	-	1	-	2	3	2	8	11	20	32	59	87	141	201	346	519	765	896	814	508	206	58	10
	Nonwhite—M	2,061	3	1	-	-	1	-	1	4	1	11	32	33	93	121	188	218	313	304	278	204	131	68	28	12	16
	F	1,913	2	3	2	-	-	4	2	11	4	16	18	44	82	105	189	190	273	306	266	155	116	65	24	15	21
330-334	Vascular lesions, etc.*	3,691	4	3	1	-	-	2	2	4	4	12	26	42	87	133	194	280	390	498	573	564	490	268	83	21	10
	White—M	1,266	2	3	1	-	-	2	1	-	2	4	10	12	15	27	43	98	129	165	207	241	181	91	26	5	1
	F	1,257	-	-	-	-	-	-	1	1	2	1	3	10	14	33	44	51	99	143	201	224	233	141	44	12	-
	Nonwhite—M	572	1	-	-	-	-	-	-	1	-	1	9	7	32	35	55	61	81	83	82	53	40	18	8	2	3
	F	596	1	-	-	-	-	-	-	2	-	6	4	13	26	38	52	70	81	107	83	46	36	18	5	2	6
400-402	Rheumatic fever	22	-	-	-	-	-	4	1	3	1	1	2	3	-	1	2	-	3	1	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	3	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	3	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
410-443	Diseases of heart-	10,252	9	4	2	1	1	4	5	10	17	30	67	120	263	431	699	859	1,184	1,423	1,488	1,508	1,149	617	254	77	30
	White-----M--	4,716	2	-	1	-	-	2	2	2	7	10	25	59	127	246	358	462	564	691	620	688	503	224	93	26	4
	F--	3,070	5	-	-	1	-	1	2	1	5	9	13	17	36	48	94	139	228	351	525	603	506	314	127	37	8
	Nonwhite--M--	1,316	1	1	-	-	1	-	-	2	1	4	17	21	53	75	122	147	217	200	178	126	73	43	18	7	9
	F--	1,150	1	3	1	-	-	1	1	5	4	7	12	23	47	62	125	111	175	181	165	91	67	36	16	7	9
410-416	Chronic rheumatic heart disease----	283	-	-	-	-	-	1	2	4	11	10	14	13	28	21	33	29	23	19	26	19	20	6	4	-	-
	White-----M--	105	-	-	-	-	-	1	-	-	6	1	5	6	7	10	13	14	8	5	11	8	8	2	-	-	-
	F--	113	-	-	-	-	-	-	2	1	3	6	4	4	12	8	11	10	10	7	12	8	9	3	3	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	1	-	1	2	2	6	2	6	3	3	3	2	1	1	1	-	-	-
	F--	31	-	-	-	-	-	-	-	2	2	2	3	1	3	1	3	2	2	4	1	2	2	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	6,259	2	-	-	-	-	-	-	1	2	12	35	66	156	309	481	588	773	942	919	891	622	300	115	31	14
	White-----M--	3,407	-	-	-	-	-	-	-	-	-	6	17	51	103	207	312	377	446	530	439	435	307	123	42	10	2
	F--	1,736	1	-	-	-	-	-	-	-	1	2	6	6	13	26	55	82	154	241	324	350	253	147	59	12	4
	Nonwhite--M--	639	-	-	-	-	-	-	-	-	-	1	8	7	26	41	63	78	96	100	88	62	37	17	9	3	3
	F--	477	1	-	-	-	-	-	-	1	1	3	4	2	14	35	51	51	77	71	68	44	25	13	5	6	5
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,383	1	2	-	-	1	1	-	1	-	2	2	7	18	31	45	54	112	147	205	244	227	167	73	35	8
	White-----M--	471	-	-	-	-	-	-	-	-	-	1	-	-	5	12	6	14	32	59	64	98	83	53	30	13	1
	F--	502	-	-	-	-	-	-	-	-	-	-	1	1	-	4	8	10	20	38	65	99	110	90	36	19	1
	Nonwhite--M--	207	1	1	-	-	1	-	-	1	-	1	-	3	5	8	12	17	30	25	37	28	18	9	4	2	4
	F--	203	-	1	-	-	-	1	-	-	-	-	1	3	8	7	19	13	30	25	39	19	16	15	3	1	2
430-434	Other diseases of heart---------	428	6	2	2	1	-	2	3	4	1	4	7	7	15	18	26	27	48	44	58	66	54	20	10	1	2
	White-----M--	176	2	-	1	-	-	1	2	2	1	2	3	1	5	7	9	12	20	18	23	34	24	7	2	-	-
	F--	119	4	-	-	1	-	1	-	-	-	-	1	2	3	3	2	5	9	10	21	21	20	10	4	1	1
	Nonwhite--M--	64	-	-	-	-	-	-	-	-	-	-	3	1	2	4	7	5	11	7	9	7	4	3	1	-	-
	F--	69	-	2	1	-	-	-	1	2	-	2	-	3	5	4	8	5	8	9	5	4	6	-	3	-	1
440-443	Hypertension with heart dis.--	1,899	-	-	-	-	-	-	-	-	3	2	9	27	46	52	114	161	228	271	280	288	226	124	52	10	6
	White-----M--	557	-	-	-	-	-	-	-	-	-	-	-	1	7	10	18	45	58	79	83	113	81	39	19	3	1
	F--	600	-	-	-	-	-	-	-	-	1	1	1	4	8	7	18	32	35	55	103	125	114	64	25	5	2
	Nonwhite--M--	372	-	-	-	-	-	-	-	-	1	1	4	8	14	20	34	44	77	65	42	28	13	13	4	2	2
	F--	370	-	-	-	-	-	-	-	-	1	-	4	14	17	15	44	40	58	72	52	22	18	8	4	-	1
444-447	Hypertension without mention of heart----------	257	-	-	-	-	-	-	-	-	-	5	8	19	19	10	23	11	24	19	29	39	31	18	2	-	-
	White-----M--	75	-	-	-	-	-	-	-	-	-	-	1	3	2	-	7	1	8	7	9	15	15	7	-	-	-
	F--	74	-	-	-	-	-	-	-	-	-	-	1	4	6	2	2	3	6	4	8	14	15	7	2	-	-
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	3	5	4	6	4	8	2	4	2	6	4	-	2	-	-	-
	F--	58	-	-	-	-	-	-	-	-	-	2	1	8	5	4	6	5	6	6	6	6	1	2	-	-	-
450	General arteriosclerosis--------	613	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	15	26	49	80	127	126	97	52	21	10
	White-----M--	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	15	35	51	44	42	17	3	-
	F--	227	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	12	22	48	54	41	30	9	1
	Nonwhite--M--	89	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	6	13	12	19	18	5	2	3	3
	F--	82	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	9	9	11	9	10	9	3	6	6
451-468	Other diseases of circulatory sys.-	228	2	-	1	-	-	-	2	2	-	6	6	3	12	13	10	19	31	38	28	23	17	8	4	1	2
	White-----M--	116	1	-	-	-	-	-	1	-	-	1	3	2	5	4	7	12	17	20	18	11	9	3	1	1	-
	F--	60	-	-	-	-	-	-	-	-	-	1	2	-	3	3	-	4	7	9	9	7	6	5	3	-	1
	Nonwhite--M--	32	1	-	-	-	-	-	1	-	-	3	-	1	2	6	1	3	5	6	-	2	-	-	-	-	1
	F--	20	-	-	1	-	-	-	-	2	-	1	1	-	2	-	2	-	2	3	1	3	2	-	-	-	-
592-594	Chronic nephritis, etc.*----------	384	2	1	-	-	-	3	1	3	3	8	9	17	23	23	34	37	37	31	40	48	35	18	9	2	-
	White-----M--	105	1	-	-	-	-	2	-	2	-	3	1	4	7	3	7	11	8	10	8	13	16	7	1	1	-
	F--	99	-	1	-	-	-	-	-	1	1	1	1	3	4	5	7	6	7	11	11	16	12	6	5	1	-
	Nonwhite--M--	101	-	-	-	-	-	1	1	-	2	2	2	6	7	10	7	8	13	7	14	14	5	1	1	-	-
	F--	79	1	-	-	-	-	-	-	-	-	2	5	4	5	5	13	12	9	3	7	5	2	4	2	-	-
480-493	Influenza and pneumonia, etc.*-	883	238	27	13	10	6	11	6	8	7	9	11	16	21	20	40	30	51	68	56	59	83	54	19	14	6
	White-----M--	270	51	7	2	2	2	3	2	3	2	2	5	5	5	7	8	11	15	23	19	27	37	25	7	-	-
	F--	243	40	7	6	4	-	4	1	2	-	2	1	3	8	-	13	6	10	14	12	25	36	26	10	11	2
	Nonwhite--M--	206	77	6	4	4	2	2	3	1	2	3	-	2	6	8	9	12	18	20	15	3	5	2	-	-	2
	F--	164	70	7	1	-	2	2	-	2	3	2	5	6	2	5	10	1	8	11	10	4	5	1	2	3	2
480-483	Influenza---------	86	10	3	2	-	-	1	2	2	-	-	2	3	3	-	4	3	5	13	8	8	9	5	4	1	-
	White-----M--	23	1	1	-	-	-	-	-	1	-	-	1	-	-	-	1	1	2	2	2	1	6	1	3	-	-
	F--	31	1	-	1	-	-	1	-	1	-	-	-	1	2	-	1	1	1	5	2	6	2	4	1	1	-
	Nonwhite--M--	17	5	1	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	3	3	1	-	-	-	-	-
	F--	17	3	1	1	-	-	-	-	-	-	-	1	2	1	-	1	-	2	3	1	-	1	-	-	-	-
490-493	Pneumonia, etc.*--	795	228	24	11	10	6	10	4	6	7	9	9	13	18	20	36	27	46	55	48	51	74	49	15	13	6
	White-----M--	247	50	6	2	2	2	3	2	2	2	2	4	5	5	7	7	10	13	21	17	26	31	24	4	-	-
	F--	212	39	7	5	4	-	3	1	1	-	2	1	2	6	-	12	5	9	9	10	19	34	22	9	10	2
	Nonwhite--M--	189	72	5	4	4	2	2	1	1	2	3	-	2	6	8	8	11	18	17	12	2	5	2	-	-	2
	F--	147	67	6	-	-	2	2	-	2	3	2	4	4	1	5	9	1	6	8	9	4	4	1	2	3	2
500-502	Bronchitis--------	54	14	3	1	-	1	-	-	-	1	1	-	-	1	-	3	1	7	3	5	6	2	4	1	-	-
	White-----M--	28	5	2	-	-	1	-	-	-	1	-	-	-	1	-	1	-	4	1	3	5	1	2	1	-	-
	F--	12	2	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	2	-	-	1	2	-	-	-
	Nonwhite--M--	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-
	F--	8	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	136	2	-	-	-	-	-	-	1	1	2	2	2	6	13	7	15	14	25	20	14	5	4	2	-	1
	White-----M--	76	-	-	-	-	-	-	-	-	-	-	-	1	1	9	4	6	8	16	14	11	3	2	1	-	-
	F--	27	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	4	4	2	4	2	1	2	1	-	1
	Nonwhite--M--	23	-	-	-	-	-	-	-	1	1	-	-	1	2	3	2	4	2	4	2	-	1	-	-	-	-
	F--	10	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	3	-	1	-	-	-	-	-
550-553	Appendicitis------	42	-	1	1	1	-	2	1	2	1	2	1	3	-	1	2	3	2	5	6	4	2	1	1	-	-
	White-----M--	17	-	1	-	-	-	1	1	-	-	1	-	2	-	-	-	1	-	2	4	2	1	1	-	-	-
	F--	12	-	-	1	1	-	1	-	-	1	-	-	1	-	1	-	-	1	1	1	1	1	-	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	1	2	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	177	27	1	1	-	-	1	-	2	-	3	4	6	5	7	5	11	15	27	17	18	15	11	1	-	-
	White-----M--	62	13	1	1	-	-	-	-	-	-	-	-	-	1	2	1	3	4	5	6	9	11	5	-	-	-
	F--	64	11	-	-	-	-	-	-	-	-	-	2	2	1	4	2	3	5	10	7	7	3	6	1	-	-
	Nonwhite--M--	29	2	-	-	-	-	1	-	2	-	1	1	3	1	-	2	4	1	8	2	-	1	-	-	-	-
	F--	22	1	-	-	-	-	-	-	-	-	2	1	1	2	1	-	1	5	4	2	2	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
543,	Gastritis, etc.*--	187	111	9	1	3	1	-	1	-	-	1	1	2	5	5	3	3	7	8	6	5	7	4	2	2	-
571,	White-----M--	51	24	2	-	-	-	-	-	-	-	-	1	-	2	3	1	1	3	2	3	2	4	3	-	-	-
572	F--	43	22	-	-	1	1	-	1	-	-	-	-	1	3	1	1	1	1	2	1	1	3	1	-	2	-
	Nonwhite--M--	48	33	2	1	-	-	-	-	-	-	-	-	1	-	1	1	1	3	1	2	1	-	-	1	-	-
	F--	45	32	5	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-	1	-	-	1	-	-
581	Cirrhosis of liver	204	-	-	-	-	-	-	-	-	-	4	12	20	24	23	28	28	22	14	10	11	4	4	-	-	-
	White-----M--	112	-	-	-	-	-	-	-	-	-	1	6	6	12	13	17	19	13	9	5	7	2	2	-	-	-
	F--	54	-	-	-	-	-	-	-	-	-	1	2	3	6	7	7	5	6	4	5	4	2	2	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	1	2	4	5	2	3	4	1	1	-	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	1	2	7	1	1	1	-	2	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	58	2	-	-	-	1	5	2	2	2	2	5	3	2	4	5	2	3	3	7	5	1	1	-	-	1
	White-----M--	14	-	-	-	-	1	2	2	1	-	1	1	-	-	1	1	1	-	1	-	1	1	-	-	-	-
	F--	16	1	-	-	-	-	3	-	-	-	-	3	-	1	-	3	-	1	1	2	1	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	1	-	-	1	1	1	2	-	-	2	-	3	1	-	1	-	-	1
	F--	14	1	-	-	-	-	-	-	-	2	1	-	2	-	1	1	1	-	1	2	2	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	5	15	17	18	21	8	3	1	-
	White-----M--	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	6	13	14	18	8	3	1	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	9	4	4	3	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	59	...	...	...	...	...	...	-	5	11	10	12	14	6	-	-	-	-	-	1	-	-	-	-	-	-
	White-----F--	28	...	...	...	...	...	...	-	1	7	4	6	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	31	...	...	...	...	...	...	-	4	4	6	6	6	4	-	-	-	-	-	1	-	-	-	-	-	-
650-	Abortion----------	13	...	...	...	...	...	...	-	2	3	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	6	...	...	...	...	...	...	-	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	1	2	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	46	...	...	...	...	...	...	-	3	8	8	11	10	5	-	-	-	-	-	1	-	-	-	-	-	-
660-	White-----F--	22	...	...	...	...	...	...	-	-	6	2	6	7	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	24	...	...	...	...	...	...	-	3	2	6	5	3	4	-	-	-	-	-	1	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	471	374	18	9	4	4	9	5	3	3	6	2	3	7	6	4	4	3	3	2	1	-	-	-	-	1
	White-----M--	207	161	9	6	-	2	5	2	1	1	2	1	2	5	1	3	1	2	2	1	-	-	-	-	-	-
	F--	160	126	8	-	3	2	4	-	2	2	4	-	-	2	2	-	2	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	61	51	1	-	1	-	-	2	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	1
	F--	43	36	-	3	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,766	1,766	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	691	691	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	413	413	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	352	352	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	310	310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	772	772	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	339	339	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	185	185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	837	837	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	298	298	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	199	199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	183	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	307	45	5	-	1	-	1	2	-	6	4	5	8	9	20	14	15	23	17	22	26	20	23	24	11	6
795	White-----M--	103	16	1	-	-	-	1	-	-	2	-	1	1	1	7	7	9	8	11	5	6	5	10	7	2	3
	F--	90	9	2	-	-	-	-	1	-	3	1	3	3	3	2	3	-	5	1	3	9	8	10	16	7	1
	Nonwhite--M--	62	10	1	-	-	-	-	1	-	-	1	1	2	3	5	3	2	5	3	8	7	5	2	1	-	2
	F--	52	10	1	-	1	-	-	-	-	1	2	-	2	2	6	1	4	5	2	6	4	2	1	-	2	-
Re-	All other diseases	1,456	117	15	15	10	7	19	17	21	29	34	49	59	88	89	101	126	124	136	130	119	78	52	13	5	3
sid-	White-----M--	586	38	3	5	3	3	13	8	6	7	12	13	18	29	33	42	61	60	66	54	48	33	24	5	1	1
ual	F--	461	30	7	5	2	-	3	3	5	10	10	15	11	26	21	29	33	35	45	47	57	36	23	6	2	-
	Nonwhite--M--	241	27	3	1	4	3	2	4	3	5	6	9	16	20	20	20	21	24	18	18	6	7	1	1	1	1
	F--	168	22	2	4	1	1	1	2	7	7	6	12	14	13	15	10	11	5	7	11	8	2	4	1	1	1
E800-	Accidents---------	2,018	101	51	35	18	22	78	55	131	178	168	124	121	134	111	84	75	82	69	102	96	89	52	24	10	8
E962	White-----M--	1,085	27	21	12	10	9	33	26	86	114	105	72	68	82	75	49	47	42	31	51	38	27	24	9	6	1
	F--	416	34	11	10	1	4	18	13	15	18	9	18	15	13	10	12	11	15	18	28	42	56	25	13	4	3
	Nonwhite--M--	383	20	12	4	1	4	18	14	25	34	45	28	33	30	22	16	13	20	13	14	9	3	2	-	-	3
	F--	154	20	7	9	6	5	9	2	5	12	9	6	5	9	4	7	4	5	7	9	7	3	1	2	-	1
E810-	Motor-vehicle																										
E835	accidents--------	775	6	9	10	6	11	33	24	76	115	99	64	66	43	39	33	41	28	18	24	17	5	3	1	-	4
	White-----M--	459	3	6	3	6	5	18	12	53	77	66	32	34	23	25	16	22	17	8	14	11	4	2	1	-	1
	F--	113	2	1	4	-	3	7	6	13	10	4	13	9	5	4	7	9	3	5	5	2	-	-	-	-	1
	Nonwhite--M--	157	1	1	2	-	2	4	5	5	23	23	16	18	12	8	9	6	6	5	4	3	1	1	-	-	2
	F--	46	-	1	1	-	1	4	1	5	5	6	3	5	3	2	1	4	2	-	1	1	-	-	-	-	-
E800-	All ot. accidents-	1,243	95	42	25	12	11	45	31	55	63	69	60	55	91	72	51	34	54	51	78	79	84	49	23	10	4
E802,	White-----M--	606	24	15	9	4	4	15	14	33	37	39	40	34	59	50	33	25	25	23	37	27	23	22	8	6	-
E840-	F--	303	32	10	6	1	1	11	7	2	8	5	5	6	8	6	5	2	12	13	23	40	56	25	13	4	2
E962	Nonwhite--M--	226	19	11	2	1	2	14	9	20	11	22	12	15	18	14	7	7	14	8	10	6	2	1	-	-	1
	F--	108	20	6	8	6	4	5	1	-	7	3	3	-	6	2	6	-	3	7	8	6	3	1	2	-	1
E963,	Suicide----------	371	-	-	-	-	-	-	-	7	15	32	31	23	45	46	43	29	32	26	21	14	4	1	2	-	-
E970-	White-----M--	274	-	-	-	-	-	-	-	4	10	17	20	19	33	38	33	21	26	21	16	12	3	1	-	-	-
E979	F--	64	-	-	-	-	-	-	-	1	3	9	5	4	9	6	8	6	3	3	4	2	-	-	1	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	1	2	5	4	-	2	2	2	2	2	2	1	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-
E964,	Homicide----------	314	6	2	2	2	-	3	4	16	39	38	58	43	26	18	20	15	8	6	2	3	1	-	-	-	2
E980-	White-----M--	76	1	-	-	2	-	1	2	3	12	7	12	8	8	4	6	4	-	4	2	-	-	-	-	-	-
E985	F--	31	2	1	1	-	-	1	-	3	3	4	6	1	-	3	2	1	1	-	-	1	-	-	-	-	1
	Nonwhite--M--	161	3	1	-	-	-	-	2	8	15	19	31	29	15	9	9	9	7	2	-	1	-	-	-	-	1
	F--	46	-	-	1	-	-	1	-	2	9	8	9	5	3	2	3	1	-	-	-	1	1	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON																										
	ALL CAUSES------	23,298	1,515	102	64	47	33	140	92	146	191	215	287	395	627	814	1,183	1,449	2,091	2,867	3,155	3,086	2,392	1,589	643	149	26
	White-----M--	13,654	774	44	31	20	16	79	56	89	112	138	166	237	365	515	763	918	1,354	1,857	1,900	1,782	1,260	796	312	61	9
	F--	8,950	607	51	26	24	15	54	35	54	61	61	87	133	227	266	374	487	683	943	1,190	1,256	1,114	788	317	84	13
	Nonwhite--M--	442	79	3	5	-	-	5	1	3	10	9	22	18	24	23	32	30	34	44	42	36	7	3	9	1	2
	F--	252	55	4	2	3	2	2	-	-	8	7	12	7	11	10	14	14	20	23	23	12	11	2	5	3	2
001-019	Tuberculosis, all forms--------	153	2	1	-	-	-	-	-	2	1	6	8	10	13	7	19	10	20	15	15	17	4	2	1	-	-
	White-----M--	102	-	1	-	-	-	-	-	2	1	3	2	4	5	6	14	6	17	10	13	13	3	2	-	-	-
	F--	32	1	-	-	-	-	-	-	-	-	3	2	5	6	1	5	2	2	-	1	2	1	-	1	-	-
	Nonwhite--M--	13	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-	2	1	2	1	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	141	2	-	-	-	-	-	-	1	-	5	8	9	12	6	19	8	19	15	14	16	4	2	1	-	-
	White-----M--	96	-	-	-	-	-	-	-	1	-	3	2	4	5	6	14	5	17	10	12	12	3	2	-	-	-
	F--	27	1	-	-	-	-	-	-	-	-	2	2	4	6	-	5	1	1	-	1	2	1	-	1	-	-
	Nonwhite--M--	12	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1	2	1	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	12	-	1	-	-	-	-	-	1	1	1	-	1	1	1	-	2	1	-	1	1	-	-	-	-	-
	White-----M--	6	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	97	-	-	-	-	-	-	-	-	-	-	2	1	2	2	5	13	18	19	17	8	5	1	3	1	-
	White-----M--	65	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	11	15	9	17	4	3	1	-	1	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	2	7	-	4	2	-	2	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	11	2	1	-	1	-	5	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	6	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	14	-	-	-	2	1	2	-	-	1	2	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	1	2	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	2	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	8	2	-	2	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	46	3	3	1	1	1	3	3	-	-	2	4	1	4	-	3	4	5	1	3	1	1	1	-	1	-
	White-----M--	21	1	1	-	-	-	2	1	-	-	1	3	1	3	-	1	2	2	-	3	-	-	-	-	-	-
	F--	20	1	1	1	1	1	1	2	-	-	1	-	-	1	-	2	1	3	-	-	1	1	1	-	1	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
140-205	Malignant neoplasms, etc.*	3,655	7	7	5	7	3	20	11	13	20	21	47	75	145	166	252	360	437	587	548	460	267	148	45	3	1
	White----M	1,979	4	4	4	1	-	15	7	8	7	12	20	24	49	73	117	183	248	358	312	278	137	85	31	1	1
	F	1,599	3	3	1	5	3	4	4	5	13	9	26	47	94	87	126	169	180	219	225	175	124	63	12	2	-
	Nonwhite--M	50	-	-	-	-	-	1	-	-	-	-	1	2	2	5	4	6	4	8	8	5	3	-	1	-	-
	F	27	-	-	-	1	-	-	-	-	-	-	-	2	-	1	5	2	5	2	3	2	3	-	1	-	-
140-148	Of buccal cavity and pharynx	65	-	-	-	1	-	-	-	-	-	1	-	3	1	3	7	8	5	15	7	5	6	3	-	-	-
	White----M	43	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	4	4	9	5	3	5	3	-	-	-
	F	20	-	-	-	1	-	-	-	-	-	1	-	2	-	-	1	3	1	6	2	2	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,311	2	-	-	-	-	2	1	1	2	1	13	13	28	42	84	101	162	231	231	199	115	61	22	-	-
	White----M	743	2	-	-	-	-	2	1	-	-	1	6	4	11	22	38	58	95	147	136	112	64	27	15	-	-
	F	532	-	-	-	-	-	-	-	1	2	-	7	7	15	18	38	42	62	81	86	82	49	34	6	-	-
	Nonwhite--M	24	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	1	2	3	3	3	2	-	1	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-	3	-	2	2	-	-	-	-	-
160-164	Of respiratory system	415	1	-	-	-	-	-	-	-	-	-	1	2	14	25	43	60	65	89	54	38	15	6	2	-	-
	White----M	347	-	-	-	-	-	-	-	-	-	-	1	2	10	22	34	54	58	81	42	28	10	4	1	-	-
	F	62	1	-	-	-	-	-	-	-	-	-	-	-	4	3	8	5	7	7	11	9	4	2	1	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
170	Of breast	314	-	-	-	-	-	-	-	-	-	-	3	9	26	27	31	41	43	32	40	30	27	4	1	-	-
	White----M	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	2	1	-	-	-	-	-
	F	303	-	-	-	-	-	-	-	-	-	-	3	8	24	27	30	40	43	31	38	29	25	4	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-	-	-	-
171-179	Of genital organs	575	-	-	-	-	-	-	-	-	3	5	4	17	33	22	31	51	48	88	88	91	42	39	11	1	1
	White----M	271	-	-	-	-	-	-	-	-	3	3	-	1	3	1	2	9	17	49	46	67	27	31	10	1	1
	F	293	-	-	-	-	-	-	-	-	-	2	4	16	30	20	29	41	30	35	39	24	14	8	1	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	1	-	-	-	-
180, 181	Of urinary organs	185	1	-	1	1	-	1	-	1	-	1	1	4	1	5	14	17	29	27	31	19	17	12	2	-	-
	White----M	119	1	-	-	-	-	-	-	1	-	1	-	2	-	4	9	9	24	16	22	15	7	7	1	-	-
	F	63	-	-	1	1	-	-	-	-	-	-	1	2	1	1	5	7	5	11	8	4	10	5	1	-	-
	Nonwhite--M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	429	1	1	1	4	-	4	5	3	6	3	13	11	24	20	26	45	52	53	56	46	33	15	5	2	-
	White----M	236	-	1	1	1	-	4	3	2	1	2	7	5	12	11	16	27	27	24	29	33	17	10	3	-	-
	F	187	1	-	-	2	-	-	2	1	5	1	6	6	12	9	10	18	22	28	26	13	16	5	2	2	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	201	2	6	3	1	2	11	3	5	6	2	7	8	8	13	8	18	14	21	26	19	10	6	2	-	-
	White----M	121	1	3	3	-	-	8	1	3	3	-	3	3	2	6	6	13	9	15	20	12	6	3	1	-	-
	F	76	1	3	-	1	2	3	2	2	3	2	3	5	6	7	2	4	5	6	6	6	4	3	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
200-203, 205	Lymphomas, etc.*	160	-	-	-	-	1	2	2	3	3	8	5	8	10	9	8	19	19	31	15	13	2	2	-	-	-
	White----M	92	-	-	-	-	-	1	2	2	-	5	3	6	8	5	5	9	14	16	8	7	1	-	-	-	-
	F	63	-	-	-	-	1	1	-	1	3	3	2	1	2	2	3	9	5	14	7	6	1	2	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	95	3	-	-	1	-	1	-	3	3	1	4	8	6	8	6	8	8	12	9	7	4	3	-	-	-
	White----M	42	-	-	-	-	-	1	-	1	2	-	3	4	2	5	1	5	4	5	7	1	1	-	-	-	-
	F	50	3	-	-	1	-	-	-	2	1	1	1	4	4	3	4	2	4	7	2	5	3	3	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
260	Diabetes mellitus	362	-	-	-	-	-	1	2	1	-	4	3	4	4	12	4	27	39	61	69	66	36	24	4	1	-
	White----M	161	-	-	-	-	-	1	2	-	-	2	2	3	4	7	2	10	19	26	24	33	15	10	1	-	-
	F	193	-	-	-	-	-	-	-	1	-	2	1	1	-	4	2	17	19	34	42	32	20	14	3	1	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-
290-293	Anemias	39	1	-	1	-	1	1	-	-	-	1	1	2	-	1	-	1	-	4	6	9	4	4	2	-	-
	White----M	21	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	1	-	3	4	3	3	2	1	-	-
	F	16	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	2	5	1	2	1	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	20	9	4	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-
	White----M	9	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	9	2	2	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	12,804	6	4	1	1	1	9	9	22	24	27	57	99	215	337	594	730	1,229	1,760	2,073	2,110	1,757	1,145	474	108	12
	White----M	7,675	2	1	-	-	-	5	1	9	10	16	31	59	155	242	425	501	827	1,168	1,265	1,201	908	568	225	42	4
	F	4,894	3	3	1	1	1	4	8	13	9	9	18	26	51	78	153	208	375	558	771	881	840	574	240	63	6
	Nonwhite--M	145	-	-	-	-	-	-	-	-	1	1	5	3	5	11	14	12	18	21	21	20	2	2	7	1	1
	F	90	1	-	-	-	-	-	-	-	4	1	3	1	4	6	2	9	9	13	16	8	7	1	2	2	1
330-334, 400-468	Diseases of cardiovascular system	12,626	6	4	1	1	1	8	8	15	18	22	52	91	209	329	586	720	1,213	1,737	2,046	2,088	1,746	1,138	468	107	12
	White----M	7,577	2	1	-	-	-	5	1	6	7	14	29	64	152	236	420	497	821	1,152	1,248	1,186	907	564	220	41	4
	F	4,823	3	3	1	1	1	3	7	9	7	6	15	23	48	76	152	202	368	552	762	875	830	571	239	63	6
	Nonwhite--M	141	-	-	-	-	-	-	-	-	1	1	5	3	5	11	12	12	16	21	21	20	2	2	7	1	1
	F	85	1	-	-	-	-	-	-	-	3	1	3	1	4	6	2	9	8	12	15	7	7	1	2	2	1
330-334	Vascular lesions, etc.*	2,751	2	1	1	-	-	5	3	6	5	3	8	11	35	44	83	128	204	349	437	537	494	289	87	17	2
	White----M	1,382	-	-	-	-	-	4	-	1	2	3	4	7	20	20	33	60	107	207	228	275	229	137	37	7	1
	F	1,322	2	1	1	-	-	1	3	5	3	-	4	4	13	22	47	63	90	132	200	257	262	151	50	10	1
	Nonwhite--M	27	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	6	6	3	1	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	4	3	2	2	1	-	-	-
400-402	Rheumatic fever	16	-	-	-	-	1	1	1	-	2	2	-	-	-	1	1	2	2	3	-	-	-	-	-	-	-
	White----M	7	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	1	2	-	-	-	-	-	-	-
	F	8	-	-	-	-	1	1	1	-	-	2	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
410-443	Diseases of heart	8,947	4	3	-	-	-	2	3	9	8	13	38	74	165	273	480	571	956	1,302	1,496	1,399	1,076	713	294	63	5
	White-----M--	5,680	2	1	-	-	-	1	1	5	3	9	24	54	127	208	373	423	679	883	956	816	583	361	147	22	2
	F--	3,106	1	2	-	-	-	1	2	4	3	2	8	18	31	52	98	132	260	396	514	561	488	350	142	39	2
	Nonwhite--M--	103	-	-	-	-	-	-	-	-	-	1	5	2	4	8	7	9	13	15	15	17	1	2	3	-	1
	F--	58	1	-	-	-	-	-	-	-	2	1	1	-	3	5	2	7	4	8	11	5	4	-	2	2	-
410-416	Chronic rheumatic heart disease	309	1	-	-	-	-	2	2	6	7	6	8	17	25	27	24	33	43	30	31	19	16	11	1	-	-
	White-----M--	155	1	-	-	-	-	1	1	4	2	3	5	13	13	14	14	19	17	16	16	7	7	2	-	-	-
	F--	145	-	-	-	-	-	1	1	2	3	2	2	4	12	13	9	13	25	13	15	12	9	9	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,628	3	-	-	-	-	-	-	1	1	8	19	45	118	215	391	448	758	1,026	1,158	989	743	484	190	32	1
	White-----M--	4,500	1	-	-	-	-	-	-	-	1	6	14	35	106	178	323	350	575	729	773	604	429	262	104	10	-
	F--	2,032	1	-	-	-	-	-	-	1	-	-	2	8	9	29	64	88	173	281	369	371	311	220	83	21	1
	Nonwhite--M--	65	-	-	-	-	-	-	-	-	-	-	3	2	3	5	3	6	8	11	10	10	-	2	2	-	-
	F--	31	1	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	2	5	6	4	3	-	1	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	777	-	1	-	-	-	-	-	-	-	-	-	3	4	10	17	28	57	68	109	156	134	109	61	19	1
	White-----M--	433	-	-	-	-	-	-	-	-	-	-	-	2	1	7	10	20	33	49	64	90	69	54	25	9	-
	F--	334	-	1	-	-	-	-	-	-	-	-	-	1	2	3	5	8	22	19	44	65	63	55	35	10	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	1	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-
430-434	Other diseases of heart	360	-	2	-	-	-	-	1	1	-	-	7	4	4	7	18	15	28	58	49	58	56	29	16	4	3
	White-----M--	208	-	1	-	-	-	-	-	1	-	-	2	3	3	5	12	10	20	36	30	32	25	13	12	1	2
	F--	139	-	1	-	-	-	-	1	-	-	-	3	1	-	1	6	4	7	22	15	25	31	16	4	2	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1	-	2	1	-	-	-	-	1
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-
440-443	Hypertension with heart dis.	873	-	-	-	-	-	-	-	1	-	1	4	5	14	14	30	47	70	120	149	177	127	80	26	8	-
	White-----M--	384	-	-	-	-	-	-	-	-	-	-	3	1	4	4	14	24	34	53	73	83	53	30	6	2	-
	F--	456	-	-	-	-	-	-	-	1	-	-	1	4	8	6	14	19	33	61	71	88	74	50	20	6	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	1	1	4	2	5	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	2	2	3	1	-	-	-	-	-
444-447	Hypertension without mention of heart	135	-	-	-	-	-	-	-	-	-	-	2	2	3	3	5	7	11	16	20	24	17	17	6	2	-
	White-----M--	64	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	3	4	8	13	11	12	3	2	-	-
	F--	68	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	4	7	8	7	13	5	14	3	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	595	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	13	42	67	98	149	113	78	25	5
	White-----M--	319	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	11	30	31	62	77	59	33	12	1
	F--	269	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	12	35	36	71	54	42	12	3
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1
451-468	Other diseases of circulatory sys.	182	-	-	-	1	-	-	1	-	3	4	4	4	6	8	15	9	27	25	26	30	10	6	3	-	-
	White-----M--	125	-	-	-	-	-	-	-	-	1	2	-	2	4	5	10	7	19	22	20	22	6	4	1	-	-
	F--	50	-	-	-	1	-	-	1	-	1	2	2	1	2	2	3	2	8	3	6	8	4	2	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	178	-	-	-	-	-	1	1	7	6	5	5	8	6	8	8	10	16	23	27	22	11	7	6	1	-
	White-----M--	98	-	-	-	-	-	-	-	3	3	2	2	5	3	6	5	4	6	16	17	15	1	4	5	1	-
	F--	71	-	-	-	-	-	1	1	4	2	3	3	3	3	2	1	6	7	6	9	6	10	3	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	632	126	20	6	6	-	1	4	2	3	3	4	10	8	15	17	20	27	49	58	76	69	72	25	7	4
	White-----M--	332	64	10	4	3	-	-	2	1	2	1	3	6	4	9	11	15	17	30	31	47	28	29	9	5	1
	F--	262	41	9	1	3	-	1	2	1	1	2	-	3	3	6	5	4	10	16	26	26	41	41	15	2	3
	Nonwhite--M--	21	10	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	3	1	2	-	1	-	-	-
	F--	17	11	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-
480-483	Influenza	27	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	2	1	3	3	2	5	4	1	-	2
	White-----M--	11	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	1	1	1	2	1	-	-	1
	F--	15	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	1	3	2	1	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
490-493	Pneumonia, etc.*	605	126	19	6	6	-	1	4	1	3	3	4	9	8	14	17	18	26	46	55	74	64	68	24	7	2
	White-----M--	321	64	10	4	3	-	-	2	-	2	1	3	6	4	8	11	13	17	29	30	46	26	28	9	5	-
	F--	247	41	8	1	3	-	1	2	1	1	2	-	2	3	6	5	4	9	14	24	25	38	39	14	2	2
	Nonwhite--M--	21	10	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	3	1	2	-	1	-	-	-
	F--	16	11	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-
500-502	Bronchitis	37	9	6	1	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	2	3	3	4	-	-	-
	White-----M--	24	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	2	3	1	2	-	-	-
	F--	13	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	167	-	-	-	-	-	-	-	-	-	1	2	2	4	6	21	16	12	25	24	33	11	7	1	1	1
	White-----M--	122	-	-	-	-	-	-	-	-	-	-	1	2	2	6	15	12	11	19	15	24	8	7	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	1	1	-	1	-	5	4	-	5	8	8	3	-	1	1	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
550-553	Appendicitis	26	-	-	1	-	-	3	-	-	2	-	-	-	2	1	2	1	1	3	2	3	2	2	1	-	-
	White-----M--	19	-	-	-	-	-	2	-	-	2	-	-	-	2	-	2	1	1	3	2	1	2	1	-	-	-
	F--	7	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	125	10	1	2	-	-	-	-	-	-	1	2	3	2	5	5	7	7	17	18	18	16	8	3	-	-
	White-----M--	66	4	-	2	-	-	-	-	-	-	-	2	-	2	1	3	4	5	10	10	8	8	4	3	-	-
	F--	56	6	1	-	-	-	-	-	-	-	1	-	2	-	4	1	3	2	7	8	10	7	4	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
543,	Gastritis, etc.*--	81	21	4	2	1	-	1	-	2	-	-	1	1	2	3	4	1	4	5	6	12	4	4	3	-	-
571,	White-----M--	46	10	2	-	1	-	-	-	2	-	-	-	1	-	2	2	-	4	4	4	9	3	1	1	-	-
572	F--	26	5	1	1	-	-	1	-	-	-	-	1	-	2	1	2	1	-	1	2	3	1	3	1	-	-
	Nonwhite--M--	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
581	Cirrhosis of liver	199	-	-	-	-	-	-	1	-	-	2	2	8	17	38	24	26	28	18	21	7	2	3	2	-	-
	White-----M--	106	-	-	-	-	-	-	1	-	-	-	1	4	8	17	14	14	14	11	13	3	2	2	2	-	-
	F--	85	-	-	-	-	-	-	-	-	-	1	1	4	7	19	9	12	12	7	8	4	-	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	37	3	-	1	-	-	2	-	1	1	2	1	-	-	4	6	1	1	3	2	3	3	2	1	-	-
	White-----M--	25	2	-	-	-	-	1	-	1	-	1	1	-	-	3	3	1	-	3	1	3	3	1	1	-	-
	F--	11	1	-	1	-	-	1	-	-	1	1	-	-	-	1	3	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	14	20	17	20	14	6	-	1
	White-----M--	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	12	20	17	20	14	6	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1
640-	Complications of																										
689	pregnancy, etc.*-	27	...	...	...	...	...	...	-	1	7	5	3	3	8	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	21	...	...	...	...	...	...	-	1	6	3	2	3	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	...	...	...	...	...	...	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	4	...	...	...	...	...	...	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	23	...	...	...	...	...	...	-	1	7	4	3	3	5	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	19	...	...	...	...	...	...	-	1	6	3	2	3	4	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	4	...	...	...	...	...	...	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations--------	349	239	22	2	-	6	10	5	2	8	7	1	6	6	7	6	6	5	5	4	1	-	1	-	-	-
	White-----M--	199	140	7	1	-	3	7	4	1	4	3	-	3	3	5	4	3	4	3	2	1	-	1	-	-	-
	F--	134	86	14	1	-	3	3	1	1	4	4	1	3	2	2	1	3	1	2	2	-	-	-	-	-	-
	Nonwhite--M--	12	9	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	914	914	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	453	453	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	384	384	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	454	454	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	237	237	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	177	177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	420	420	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	196	196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	191	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	230	12	-	1	-	-	2	-	1	1	2	4	2	3	5	7	10	17	24	22	25	29	29	18	12	4
795	White-----M--	117	5	-	-	-	-	-	-	-	-	1	1	2	1	3	6	6	12	16	11	15	18	7	7	5	1
	F--	103	5	-	-	-	-	1	-	1	1	-	3	-	2	2	1	2	4	8	10	10	11	22	11	6	3
	Nonwhite--M--	7	2	-	1	-	-	1	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-
Re-	All other diseases	1,110	81	7	9	4	2	16	7	16	10	16	17	27	41	48	73	83	116	134	132	115	76	54	17	8	1
sid-	White-----M--	630	43	3	2	3	-	4	4	7	1	7	10	17	20	26	45	51	65	89	77	65	47	31	9	4	-
ual	F--	434	34	4	5	1	2	11	3	9	8	8	7	9	15	19	23	29	45	42	50	47	28	23	8	4	-
	Nonwhite--M--	25	-	-	2	-	-	-	-	-	1	-	-	-	3	2	2	1	5	1	5	3	-	-	-	-	-
	F--	21	4	-	-	-	-	1	-	-	-	1	-	1	3	1	3	2	1	2	-	-	1	-	-	-	1
E800-	Accidents---------	1,438	59	18	29	19	17	59	44	70	92	81	78	86	90	83	83	73	70	68	76	75	68	56	36	6	2
E962	White-----M--	950	33	8	17	11	11	35	32	50	75	66	58	64	63	60	57	49	53	44	47	34	41	23	15	2	2
	F--	413	23	8	10	7	4	20	11	17	8	9	10	16	21	20	20	22	15	21	26	40	27	33	21	4	-
	Nonwhite--M--	54	2	1	1	-	-	3	1	3	6	4	7	5	4	3	5	2	1	2	3	1	-	-	-	-	-
	F--	21	1	1	1	1	2	1	-	-	3	2	3	1	2	-	1	-	1	1	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents---------	488	6	5	7	6	9	22	12	34	48	51	21	32	33	35	24	26	27	30	20	19	9	10	2	-	-
	White-----M--	316	4	3	5	5	7	10	9	21	37	39	11	22	20	22	10	16	19	19	12	8	8	8	1	-	-
	F--	143	2	2	2	1	2	10	3	13	7	8	7	6	11	11	12	10	7	8	7	10	1	2	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	1	-	-	1	2	1	3	1	2	1	-	-	2	1	1	-	-	-	-	-
	F--	13	-	-	-	-	-	1	-	-	3	2	2	1	1	-	1	-	1	1	-	-	-	-	-	-	-
E800-	All ot. accidents-	950	53	13	22	13	8	37	32	36	44	30	57	54	57	48	59	47	43	38	56	56	59	46	34	6	2
E802,	White-----M--	634	29	5	12	6	4	25	23	29	38	27	47	42	43	38	47	33	34	25	35	26	33	15	14	2	2
E840-	F--	270	21	6	8	6	2	10	8	4	1	1	3	10	10	9	8	12	8	13	19	30	26	31	20	4	-
E962	Nonwhite--M--	38	2	1	1	-	-	2	1	3	5	2	6	2	3	1	4	2	1	-	2	-	-	-	-	-	-
	F--	8	1	1	1	1	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	423	-	-	-	-	-	-	1	6	14	24	33	38	44	52	44	39	36	36	26	18	6	4	1	1	-
E970-	White-----M--	329	-	-	-	-	-	-	1	5	6	21	22	28	35	39	35	33	26	30	19	17	6	4	1	1	-
E979	F--	81	-	-	-	-	-	-	-	1	7	3	9	7	8	12	7	6	8	6	6	1	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	1	-	2	3	1	1	-	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-
E964,	Homicide----------	85	4	1	-	1	1	2	4	3	4	5	9	9	10	13	2	5	3	2	2	-	4	1	-	-	-
E980-	White-----M--	39	2	-	-	-	1	1	1	1	2	-	3	4	4	10	1	3	2	-	1	-	2	1	-	-	-
E985	F--	28	2	1	-	-	-	1	3	2	1	2	1	2	4	3	1	1	1	1	-	-	2	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	1	3	5	3	2	-	-	1	-	1	1	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA																										
	ALL CAUSES------	16,216	1,317	86	59	34	30	109	101	123	187	180	266	382	508	716	861	1,075	1,404	1,729	2,049	1,915	1,587	978	377	76	67
	White-----M--	8,934	695	49	27	15	14	64	68	75	115	113	167	209	296	414	475	620	821	980	1,136	1,051	819	486	163	23	39
	F--	6,109	505	28	28	18	14	43	33	39	63	50	73	131	166	231	270	343	436	610	797	785	709	467	205	49	16
	Nonwhite--M--	725	72	6	1	1	2	1	-	4	5	9	12	21	25	42	68	67	92	99	80	47	41	17	5	3	5
	F--	448	45	3	3	-	-	1	-	5	4	8	14	21	21	29	48	45	55	40	36	32	18	8	4	1	7
001-019	Tuberculosis, all forms--------	249	1	4	1	1	-	1	1	-	5	9	13	22	18	28	24	17	23	25	22	22	8	3	1	-	-
	White-----M--	138	1	2	-	1	-	1	-	-	1	3	4	9	11	16	16	13	13	18	14	9	4	2	-	-	-
	F--	92	-	1	1	-	-	-	1	-	4	5	8	9	7	10	6	2	9	6	7	11	3	1	1	-	-
	Nonwhite--M--	14	-	1	-	-	-	-	-	-	-	-	-	2	-	2	1	2	1	1	1	2	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	229	1	1	1	1	-	-	-	-	5	8	13	19	16	25	24	16	22	23	21	21	8	3	1	-	-
	White-----M--	125	1	-	-	1	-	-	-	-	1	3	4	9	9	14	16	12	12	16	13	8	4	2	-	-	-
	F--	88	-	1	1	-	-	-	-	-	4	5	8	7	7	9	6	2	9	6	7	11	3	1	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	2	1	1	1	2	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	20	-	3	-	-	-	1	1	-	-	1	-	3	2	3	-	1	1	2	1	1	-	-	-	-	-
	White-----M--	13	-	2	-	-	-	1	-	-	-	-	-	-	2	2	-	1	1	2	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	55	1	-	-	-	-	-	-	-	-	1	1	2	3	7	7	7	10	8	2	4	2	-	-	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	1	-	-	2	3	2	4	8	5	2	2	2	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	2	1	-	1	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	4	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	16	4	2	3	1	1	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	1	2	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	9	3	-	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	18	-	-	3	1	1	4	2	4	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	-	-	2	1	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	1	-	-	2	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	10	4	-	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	3	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	32	4	3	1	2	-	2	2	1	1	-	1	1	1	-	-	5	2	2	1	1	-	1	-	-	1
	White-----M--	19	2	2	-	2	-	2	2	-	-	-	-	-	1	-	-	3	1	1	-	1	-	1	-	-	1
	F--	10	1	1	1	-	-	-	-	-	1	-	1	1	-	-	-	2	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
140-205	Malignant neoplasms, etc.*	2,363	1	-	10	5	3	15	8	10	11	21	33	58	109	164	184	226	301	332	322	245	186	88	25	1	5
	White--M--	1,132	1	-	6	3	1	7	6	5	3	9	17	13	44	62	74	96	162	157	159	138	108	44	12	-	5
	F--	1,078	-	-	2	2	2	8	2	5	7	12	14	41	57	92	88	108	116	143	152	98	71	44	13	1	-
	Nonwhite--M--	93	-	-	-	-	-	-	-	-	1	-	1	1	3	4	11	13	12	24	11	7	5	-	-	-	-
	F--	60	-	-	2	-	-	-	-	-	-	-	1	3	5	6	11	9	11	8	-	2	2	-	-	-	-
140-148	Of buccal cavity and pharynx	37	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	8	3	5	3	5	3	1	1	-	-
	White--M--	26	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	7	2	5	-	4	1	-	1	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	3	1	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	819	-	-	-	-	-	1	-	2	1	1	4	7	26	34	55	70	103	131	123	106	97	43	14	-	1
	White--M--	423	-	-	-	-	-	-	-	1	-	1	3	3	7	16	34	34	55	65	62	57	58	21	5	-	1
	F--	351	-	-	-	-	-	1	-	1	-	-	1	4	15	15	16	31	42	53	58	45	38	22	9	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	1	-	-	-	3	3	4	3	3	10	3	3	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	3	-	1	-	-	-	-	-
160-164	Of respiratory system	274	-	-	-	-	-	-	-	2	-	-	1	6	20	22	29	39	37	48	39	16	11	4	-	-	-
	White--M--	203	-	-	-	-	-	-	-	1	-	-	1	2	17	18	22	26	33	33	29	12	7	2	-	-	-
	F--	47	-	-	-	-	-	-	-	1	-	-	-	3	3	3	3	6	3	9	6	4	4	2	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	1	5	4	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
170	Of breast	169	-	-	-	-	-	-	-	-	1	1	4	2	11	21	19	20	17	20	20	9	11	10	2	1	-
	White--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	153	-	-	-	-	-	-	-	-	1	1	4	1	9	20	16	18	14	18	20	9	9	10	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	2	2	-	-	2	-	-	-	-
171-179	Of genital organs	426	-	-	-	-	-	-	-	2	1	5	9	19	23	42	27	31	55	50	64	46	38	11	2	-	1
	White--M--	143	-	-	-	-	-	-	-	1	-	1	5	-	2	2	1	2	20	14	31	28	25	8	2	-	1
	F--	250	-	-	-	-	-	-	-	1	1	4	4	19	19	38	22	24	31	30	29	16	9	3	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	6	4	1	4	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	1	-	-	1	-	-	-	-	-
180, 181	Of urinary organs	114	-	-	1	1	-	1	-	-	-	-	1	2	2	5	4	16	22	20	17	13	2	6	-	-	1
	White--M--	72	-	-	1	-	-	-	-	-	-	-	-	-	2	3	2	9	15	16	9	8	1	5	-	-	1
	F--	32	-	-	-	1	-	1	-	-	-	-	-	2	-	2	2	5	3	3	8	3	1	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	312	-	-	1	2	2	7	6	2	3	5	8	14	15	27	28	30	30	37	29	33	18	9	5	-	1
	White--M--	144	-	-	1	1	1	5	5	-	-	3	5	5	7	14	5	13	17	11	10	19	13	5	3	-	1
	F--	151	-	-	-	1	1	2	1	2	3	2	3	7	7	10	19	16	10	23	19	14	5	4	2	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	3	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia	106	1	-	8	2	1	5	2	2	1	3	2	5	3	6	7	4	12	7	16	10	6	2	-	-	1
	White--M--	61	1	-	4	2	-	2	1	2	-	2	1	1	2	2	6	2	8	5	9	5	3	2	-	-	1
	F--	42	-	-	2	-	1	3	1	-	1	1	1	4	1	4	1	2	3	2	7	5	3	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	106	-	-	-	-	-	1	-	-	4	6	4	3	6	6	11	8	22	14	11	7	-	2	1	-	-
	White--M--	59	-	-	-	-	-	-	-	-	3	2	2	2	4	6	1	3	12	8	9	5	-	1	1	-	-
	F--	41	-	-	-	-	-	1	-	-	1	4	1	1	2	-	8	5	9	5	2	1	-	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	54	1	-	-	-	1	1	3	-	1	-	3	3	8	3	3	7	7	2	-	5	3	-	1	1	1
	White--M--	20	1	-	-	-	-	-	1	-	-	-	1	1	3	1	-	4	2	2	-	3	1	-	-	-	-
	F--	27	-	-	-	-	1	1	2	-	1	-	2	2	4	2	1	3	3	-	-	1	2	-	1	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	1
260	Diabetes mellitus	246	-	1	1	1	-	-	1	2	1	1	5	4	7	7	13	21	35	37	36	39	21	9	2	1	1
	White--M--	88	-	1	-	1	-	-	1	-	-	1	3	2	4	3	4	6	12	12	13	14	7	2	1	-	1
	F--	134	-	-	1	-	-	-	-	2	1	-	2	1	3	3	6	13	18	19	20	22	14	7	1	1	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	3	1	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	4	-	2	-	-	-	-	-
290-293	Anemias	34	2	1	-	-	-	2	1	-	-	-	-	-	-	1	3	1	3	2	2	5	8	3	-	-	-
	White--M--	18	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	2	3	5	2	-	-	-
	F--	14	1	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	3	-	-	2	3	1	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	23	11	1	-	-	1	3	2	-	-	-	-	-	-	1	1	2	-	-	-	1	-	-	-	-	-
	White--M--	14	6	1	-	-	-	1	2	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
	F--	5	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	8,380	5	3	1	2	-	6	8	12	18	22	59	128	196	306	414	566	768	1,039	1,383	1,310	1,100	693	255	48	38
	White--M--	4,654	2	1	1	-	-	3	4	8	6	10	36	75	121	196	239	355	463	608	777	713	548	346	112	13	17
	F--	3,143	3	-	-	2	-	3	4	3	9	10	17	36	57	75	118	156	218	352	523	544	507	326	137	31	12
	Nonwhite--M--	349	-	-	-	-	-	-	-	1	1	-	3	9	8	17	32	27	58	57	52	28	32	14	3	3	4
	F--	234	-	2	-	-	-	-	-	-	2	2	3	8	10	18	25	28	29	22	31	25	13	7	3	1	5
330-334, 400-468	Diseases of cardiovascular system	8,161	5	3	1	2	-	6	7	11	15	20	51	119	186	299	404	552	748	1,018	1,359	1,282	1,071	672	248	47	35
	White--M--	4,536	2	1	1	-	-	3	3	7	5	8	30	70	117	191	233	349	450	598	763	700	532	337	107	13	16
	F--	3,055	3	-	-	2	-	3	4	3	7	10	15	32	52	73	116	149	213	342	513	530	497	314	135	30	12
	Nonwhite--M--	343	-	-	-	-	-	-	-	1	1	-	3	9	8	17	32	26	58	56	52	27	30	14	3	3	3
	F--	227	-	2	-	-	-	-	-	-	2	2	3	8	9	18	23	28	27	22	31	25	12	7	3	1	4
330-334	Vascular lesions, etc.*	1,911	1	1	-	2	-	-	1	5	4	6	14	26	33	38	71	103	163	210	338	349	303	171	55	9	8
	White--M--	929	-	-	-	-	-	-	-	3	2	3	7	8	14	16	32	44	75	112	172	182	141	91	21	2	4
	F--	829	1	-	-	2	-	-	1	1	1	2	4	10	15	15	27	47	57	78	142	152	156	76	32	7	3
	Nonwhite--M--	86	-	-	-	-	-	-	-	1	1	-	1	3	2	1	8	7	21	15	10	6	5	4	1	-	-
	F--	67	-	1	-	-	-	-	-	-	-	1	2	5	2	6	4	5	10	5	14	9	1	-	1	-	1
400-402	Rheumatic fever	10	-	-	1	-	-	3	1	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White--M--	6	-	-	1	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
410-443	Diseases of heart	5,699	4	2	-	-	-	3	4	5	9	12	30	88	142	245	314	426	555	760	949	848	669	425	155	30	24
	White-----M--	3,306	2	1	-	-	-	2	3	4	3	4	18	61	99	167	194	292	363	451	543	473	332	210	67	7	10
	F--	2,016	2	-	-	-	-	1	1	1	4	7	10	19	33	53	83	99	142	251	351	340	306	199	84	21	9
	Nonwhite--M--	238	-	-	-	-	-	-	-	-	-	-	2	6	5	15	21	16	33	41	40	20	23	10	2	1	3
	F--	139	-	1	-	-	-	-	-	-	2	1	-	2	5	10	16	19	17	17	15	15	8	6	2	1	2
410-416	Chronic rheumatic heart disease----	196	-	-	-	-	-	-	1	4	4	5	5	12	30	15	20	16	10	21	14	19	13	5	2	-	-
	White-----M--	101	-	-	-	-	-	-	1	3	2	3	2	5	16	5	10	7	4	11	7	13	8	3	1	-	-
	F--	83	-	-	-	-	-	-	-	1	1	2	3	5	13	9	8	7	5	9	7	5	5	2	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,653	1	-	-	-	-	3	-	1	1	4	20	62	80	179	212	305	411	521	595	542	373	240	78	11	14
	White-----M--	2,324	-	-	-	-	-	2	-	1	-	1	13	49	64	139	151	234	298	323	357	309	202	130	40	5	6
	F--	1,133	1	-	-	-	-	1	-	-	1	2	5	8	13	25	41	56	89	161	210	212	158	102	37	6	5
	Nonwhite--M--	135	-	-	-	-	-	-	-	-	-	-	2	4	3	8	12	8	16	28	22	15	10	6	-	-	1
	F--	61	-	-	-	-	-	-	-	-	-	1	-	1	-	7	8	7	8	9	6	6	3	2	1	-	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	684	2	-	-	-	-	-	1	-	-	1	1	4	13	11	21	19	27	86	121	110	115	87	46	14	5
	White-----M--	330	2	-	-	-	-	-	-	-	-	-	-	3	8	4	7	11	10	39	71	64	56	36	15	1	3
	F--	304	-	-	-	-	-	-	1	-	-	1	1	1	2	6	8	4	11	38	43	41	57	47	30	11	2
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	6	4	5	1	2	3	-	1	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	2	-	5	2	4	-	1	1	1	-
430-434	Other diseases of heart---------	307	1	2	-	-	-	-	2	-	4	2	2	3	10	11	16	22	26	33	49	43	43	26	8	1	3
	White-----M--	176	-	1	-	-	-	-	2	-	1	-	1	2	6	5	11	15	18	26	30	27	18	12	1	-	-
	F--	112	1	-	-	-	-	-	-	-	2	2	1	1	4	3	4	5	7	7	14	16	22	13	7	1	2
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	4	-	3	-	-	-	1
	F--	7	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	1	-	-	1	-	-	-
440-443	Hypertension with heart dis.---	859	-	-	-	-	-	-	-	-	-	-	2	7	9	29	45	64	81	99	170	134	125	67	21	4	2
	White-----M--	375	-	-	-	-	-	-	-	-	-	-	2	2	5	14	15	25	33	52	78	60	48	29	10	1	1
	F--	384	-	-	-	-	-	-	-	-	-	-	-	4	1	10	22	27	30	36	77	66	64	35	9	3	-
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	4	10	8	9	4	8	1	2	-	1
	F--	44	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	8	8	3	6	4	5	2	-	-	-
444-447	Hypertension without mention of heart----------	135	-	-	-	-	-	-	-	-	-	-	1	4	6	5	9	11	11	10	19	24	18	13	4	-	-
	White-----M--	59	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	5	6	13	7	8	8	3	-	-
	F--	52	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	1	4	4	5	16	8	5	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	2	-	1	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	3	-	-	-	1	2	-	-	-	-
450	General arteriosclerosis--------	303	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4	10	18	33	52	75	59	33	8	3
	White-----M--	170	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	14	21	31	48	27	15	4	2
	F--	121	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	6	4	11	20	24	31	18	2	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	2	-	-	2	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1
451-468	Other diseases of circulatory sys.-	103	-	-	-	-	-	-	1	1	1	1	5	1	3	7	6	8	9	20	20	9	6	4	1	-	-
	White-----M--	66	-	-	-	-	-	-	-	-	-	-	4	-	1	6	3	7	4	15	14	7	3	1	1	-	-
	F--	33	-	-	-	-	-	-	1	1	1	1	1	1	2	1	3	-	4	5	4	2	3	3	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	219	-	-	-	-	-	-	1	1	3	2	8	9	10	7	10	14	20	21	24	28	29	21	7	1	3
	White-----M--	118	-	-	-	-	-	-	1	1	1	2	6	5	4	5	6	6	13	10	14	13	16	9	5	-	1
	F--	88	-	-	-	-	-	-	-	-	2	-	2	4	5	2	2	7	5	10	10	14	10	12	2	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	1
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	1	-	-	-	1
480-493	Influenza and pneumonia, etc.*-	535	116	24	11	6	3	5	1	4	4	3	9	4	9	12	8	15	24	32	46	56	57	49	29	5	3
	White-----M--	280	60	14	5	2	1	1	-	3	1	2	5	2	5	7	6	5	14	18	26	31	31	26	12	2	1
	F--	219	46	9	5	4	1	4	1	1	3	-	3	1	4	4	2	8	6	9	17	23	25	22	16	3	2
	Nonwhite--M--	23	6	1	1	-	1	-	-	-	-	-	-	-	-	1	-	2	2	3	2	2	-	1	1	-	-
	F--	13	4	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	2	2	1	-	1	-	-	-	-
480-483	Influenza---------	52	5	-	-	1	-	-	-	1	-	1	-	-	1	-	1	1	5	3	8	7	9	7	2	-	-
	White-----M--	30	3	-	-	-	-	-	-	1	-	1	-	-	1	-	1	1	3	1	5	3	5	3	2	-	-
	F--	18	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	3	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	483	111	24	11	5	3	5	1	3	4	2	9	4	8	12	7	14	19	29	38	49	48	42	27	5	3
	White-----M--	250	57	14	5	2	1	1	-	2	1	1	5	2	4	7	5	4	11	17	21	28	26	23	10	2	1
	F--	201	44	9	5	3	1	4	1	1	3	-	3	1	4	4	2	8	6	8	14	19	21	19	16	3	2
	Nonwhite--M--	21	6	1	1	-	1	-	-	-	-	-	-	-	-	1	-	2	1	3	2	2	-	-	1	-	-
	F--	11	4	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	1	1	-	1	-	-	-	-
500-502	Bronchitis--------	32	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	4	2	9	2	-	-	1	-
	White-----M--	18	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	2	5	-	-	-	1	-
	F--	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	4	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	91	-	-	-	-	-	-	-	-	-	3	4	5	4	6	7	8	14	11	13	7	4	3	-	1	1
	White-----M--	67	-	-	-	-	-	-	-	-	-	2	4	4	3	4	5	6	12	6	9	5	3	3	-	-	1
	F--	19	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	2	5	3	1	1	-	-	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	18	1	-	-	-	-	1	1	-	-	-	-	-	-	1	2	2	1	3	2	1	-	1	-	-	2
	White-----M--	14	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	1	3	2	1	-	-	-	-	2
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	91	10	-	1	-	-	-	-	-	1	-	2	-	4	4	4	8	7	11	13	13	7	6	-	-	-
	White-----M--	54	7	-	1	-	-	-	-	-	-	-	-	-	2	3	1	6	4	7	8	8	5	2	-	-	-
	F--	30	2	-	-	-	-	-	-	-	1	-	1	-	2	1	1	1	1	4	5	5	2	4	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
543,	Gastritis, etc.*--	91	49	5	-	-	-	-	1	1	1	-	2	-	-	3	3	2	2	5	6	5	4	2	-	-	-
571,	White-----M--	52	28	3	-	-	-	-	-	-	1	-	-	-	-	3	2	1	2	1	4	3	3	1	-	-	-
572	F--	35	21	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	4	2	2	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	126	-	1	-	-	-	-	-	-	-	1	2	8	15	16	9	13	21	12	12	8	5	3	-	-	-
	White-----M--	86	-	1	-	-	-	-	-	-	-	1	2	5	10	12	9	7	15	8	8	4	2	2	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	3	5	4	-	5	4	4	4	3	3	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	30	3	-	-	2	1	1	-	1	3	-	1	-	-	2	2	1	4	1	4	1	1	1	1	-	-
	White-----M--	17	2	-	-	2	1	-	-	-	2	-	-	-	-	1	1	-	1	-	4	1	1	1	-	-	-
	F--	11	1	-	-	-	-	1	-	1	1	-	-	-	-	1	1	1	3	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
610	Hyperplasia of prostate---------	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	9	12	9	16	9	2	-	-
	White-----M--	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	8	12	9	16	8	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	24	...	...	...	...	...	...	-	-	9	4	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	20	...	...	...	...	...	...	-	-	9	3	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	23	...	...	...	...	...	...	-	-	9	4	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	19	...	...	...	...	...	...	-	-	9	3	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	4	...	...	...	...	...	...	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	238	180	9	4	5	3	6	4	2	4	5	1	3	2	2	2	3	-	-	1	-	1	-	-	-	1
	White-----M--	125	99	4	2	-	1	2	2	2	1	4	1	2	-	1	1	1	-	-	1	-	-	-	-	-	1
	F--	102	74	4	2	5	1	4	2	-	3	1	-	1	1	1	-	2	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	8	5	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	784	783	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	404	403	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	306	306	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	349	349	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	188	188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	373	372	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	189	188	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	140	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	343	39	4	3	-	1	-	-	1	1	3	-	4	7	6	15	12	18	28	32	40	51	40	17	14	7
795	White-----M--	181	25	-	-	-	1	-	-	-	-	2	-	2	5	3	8	6	12	14	18	22	28	18	7	6	4
	F--	130	9	3	3	-	-	-	-	1	-	1	-	1	1	1	6	4	4	10	12	15	20	20	10	8	1
	Nonwhite--M--	20	3	1	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	3	-	2	3	1	-	-	1
	F--	12	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	1	2	1	-	1	-	-	1
Re-	All other diseases	799	46	6	8	-	2	9	7	15	9	9	20	34	33	37	62	75	81	92	78	73	53	30	17	2	1
sid-	White-----M--	409	23	4	3	-	-	5	6	6	3	5	11	16	14	16	30	42	44	52	39	43	30	13	4	-	-
ual	F--	322	17	1	5	-	2	4	1	6	5	4	9	14	9	17	26	22	29	34	33	30	22	17	12	2	1
	Nonwhite--M--	43	5	1	-	-	-	-	-	-	-	-	-	2	5	3	2	8	6	5	5	-	-	-	1	-	-
	F--	25	1	-	-	-	-	-	-	3	1	-	-	2	5	1	4	3	2	1	1	-	1	-	-	-	-
E800-	Accidents---------	1,165	42	19	11	8	11	47	55	62	99	72	75	74	64	73	68	54	49	54	47	54	56	36	27	2	6
E962	White-----M--	815	22	11	6	3	5	35	42	47	86	57	63	62	50	56	50	37	29	39	28	29	23	15	13	1	6
	F--	276	11	7	4	4	6	12	13	14	11	10	6	8	9	9	9	12	14	12	14	23	32	21	14	1	-
	Nonwhite--M--	56	5	1	-	1	-	-	-	1	2	4	5	2	5	7	8	4	4	2	4	1	-	-	-	-	-
	F--	18	4	-	1	-	-	-	-	-	-	1	1	2	-	1	1	1	2	1	1	1	1	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	374	1	3	3	2	7	23	20	31	62	27	34	18	20	14	24	15	15	21	16	7	3	6	-	-	2
	White-----M--	280	1	2	2	1	5	21	15	21	55	21	28	12	13	9	16	10	6	15	11	7	3	4	-	-	2
	F--	77	-	1	1	1	2	2	5	10	5	4	4	4	5	5	6	5	7	5	3	-	-	2	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	2	2	2	1	2	-	2	-	1	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
E800-	All ot. accidents-	791	41	16	8	6	4	24	35	31	37	45	41	56	44	59	44	39	34	33	31	47	53	30	27	2	4
E802,	White-----M--	535	21	9	4	2	-	14	27	26	31	36	35	50	37	47	34	27	23	24	17	22	20	11	13	1	4
E840-	F--	199	11	6	3	3	4	10	8	4	6	6	2	4	4	4	3	7	7	7	11	23	32	19	14	1	-
E962	Nonwhite--M--	42	5	1	-	1	-	-	-	1	-	2	3	1	3	7	6	4	3	1	3	1	-	-	-	-	-
	F--	15	4	-	1	-	-	-	-	-	-	1	1	1	-	1	1	1	1	1	-	1	1	-	-	-	-
E963,	Suicide----------	201	-	-	-	-	-	-	-	4	11	7	15	17	22	20	21	26	23	16	12	5	2	-	-	-	-
E970-	White-----M--	161	-	-	-	-	-	-	-	-	7	5	14	13	17	16	20	20	19	15	8	5	2	-	-	-	-
E979	F--	37	-	-	-	-	-	-	-	4	4	2	1	4	5	4	1	4	4	1	3	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	93	1	-	-	-	-	-	-	4	8	17	11	13	5	15	7	2	5	4	1	-	-	-	-	-	-
E980-	White-----M--	48	1	-	-	-	-	-	-	2	4	10	6	3	4	7	3	2	2	4	-	-	-	-	-	-	-
E985	F--	16	-	-	-	-	-	-	-	-	3	1	2	5	-	3	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	1	1	4	1	5	1	4	3	-	2	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	-	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title; see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN																										
	ALL CAUSES------	33,774	2,012	146	81	64	45	162	127	213	289	280	346	517	710	1,096	1,541	2,272	3,171	4,098	4,404	4,631	3,920	2,368	1,031	230	20
	White-----M--	19,120	1,085	81	50	32	23	93	70	153	200	175	205	302	415	701	933	1,452	1,971	2,459	2,529	2,515	2,003	1,136	453	77	7
	F--	14,144	816	53	26	28	22	60	57	58	80	92	124	194	276	374	565	781	1,158	1,597	1,839	2,085	1,896	1,223	574	153	13
	Nonwhite--M--	294	67	7	1	3	-	7	-	2	6	9	9	10	11	13	22	15	28	23	19	19	13	7	2	-	-
	F--	216	44	5	4	1	-	2	-	-	3	4	8	11	8	8	21	24	13	19	17	12	8	2	2	-	-
001-019	Tuberculosis, all forms--------	215	1	1	-	1	-	2	-	-	-	5	10	13	14	19	20	26	22	23	27	19	11	1	-	-	-
	White-----M--	144	-	-	-	-	-	-	-	-	-	3	6	5	8	9	14	20	14	22	23	12	8	-	-	-	-
	F--	52	1	1	-	-	-	2	-	-	-	1	4	7	5	7	3	3	5	1	3	6	3	-	-	-	-
	Nonwhite--M--	15	-	-	-	1	-	-	-	-	-	-	-	1	1	3	1	2	3	-	1	1	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	195	1	-	-	-	-	-	-	-	-	4	10	12	8	18	19	26	21	20	25	19	11	1	-	-	-
	White-----M--	133	-	-	-	-	-	-	-	-	-	2	6	4	4	9	13	20	14	19	22	12	8	-	-	-	-
	F--	45	1	-	-	-	-	-	-	-	-	1	4	7	4	6	3	3	4	1	2	6	3	-	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	3	-	1	1	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	20	-	1	-	1	-	2	-	-	-	1	-	1	6	1	1	-	1	3	2	-	-	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	1	-	1	4	-	1	-	-	3	1	-	-	-	-	-	-
	F--	7	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	57	1	-	-	-	-	-	-	-	-	-	-	2	-	2	5	9	13	15	4	6	-	-	-	-	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	8	11	8	4	2	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	2	6	-	4	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	8	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	14	-	-	1	-	-	1	-	1	1	-	-	5	-	1	1	-	-	1	1	-	1	-	-	-	-
	White-----M--	9	-	-	1	-	-	-	-	-	1	-	-	4	-	1	1	-	-	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	20	8	3	2	-	1	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	White-----M--	9	4	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	41	1	2	2	-	2	7	6	1	6	10	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	24	-	1	2	-	1	3	4	1	4	5	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	17	1	1	-	-	1	4	2	-	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	68	11	1	-	1	2	1	1	4	4	2	-	3	6	5	5	4	6	6	3	2	-	1	-	-	-
	White-----M--	31	6	1	-	-	1	-	1	2	1	-	-	1	2	2	3	-	5	5	-	1	-	-	-	-	-
	F--	33	5	-	-	1	1	1	-	2	3	1	-	1	3	3	2	3	1	1	3	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
140-205	Malignant neoplasms, etc.*----	5,710	7	14	14	11	10	17	18	17	19	37	71	106	172	270	373	576	737	891	894	716	453	214	59	13	1
	White-----M--	2,935	4	9	7	5	4	11	9	11	15	15	32	37	63	114	163	271	391	495	495	393	247	111	28	5	-
	F--	2,707	3	4	7	4	6	6	9	6	3	21	39	63	105	151	201	298	336	388	392	319	205	101	31	8	1
	Nonwhite--M--	33	-	1	-	1	-	-	-	-	1	1	-	2	1	1	3	2	6	5	5	2	1	1	-	-	-
	F--	35	-	-	-	1	-	-	-	-	-	-	-	4	3	4	6	5	4	3	2	2	-	1	-	-	-
140-148	Of buccal cavity and pharynx------	142	1	-	-	-	-	-	-	-	-	-	-	1	4	11	7	15	23	30	22	15	4	9	-	-	-
	White-----M--	112	-	-	-	-	-	-	-	-	-	-	-	-	2	9	6	13	19	26	19	11	2	5	-	-	-
	F--	26	1	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	2	2	3	4	2	4	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	2,294	-	-	-	-	-	-	-	4	4	9	11	25	43	66	110	216	302	376	412	358	218	110	27	3	-
	White-----M--	1,266	-	-	-	-	-	-	-	4	1	3	4	14	19	33	61	116	180	227	234	196	108	53	12	1	-
	F--	1,008	-	-	-	-	-	-	-	-	2	6	7	11	23	31	48	98	117	147	176	159	110	56	15	2	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	2	1	2	2	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	-	1	-	1	-	-	-
160-164	Of respiratory system----------	450	-	-	-	-	-	-	-	-	1	3	3	4	10	29	43	62	86	75	69	35	21	7	1	1	-
	White-----M--	358	-	-	-	-	-	-	-	-	1	3	2	2	6	24	31	49	76	65	50	25	18	4	1	1	-
	F--	81	-	-	-	-	-	-	-	-	-	-	1	1	4	5	8	12	10	8	16	10	3	3	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	2	2	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
170	Of breast---------	544	-	-	-	-	-	-	-	-	-	1	13	15	34	49	49	68	60	91	69	44	29	15	5	2	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-
	F--	531	-	-	-	-	-	-	-	-	-	1	13	14	33	45	49	65	59	89	68	44	29	15	5	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	1	1	-	-	-	-	-	-	-
171-179	Of genital organs-	893	-	-	-	1	-	1	-	1	3	2	12	20	34	47	64	88	105	128	124	130	91	27	13	2	-
	White-----M--	359	-	-	-	1	-	1	-	-	3	-	6	-	1	1	5	15	24	57	67	88	62	18	8	2	-
	F--	520	-	-	-	-	-	-	-	1	-	2	6	17	31	46	56	72	80	70	55	42	29	8	5	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	3	2	-	3	1	-	-	1	-	-	-	-	-	-
180, 181	Of urinary organs-	300	-	3	-	1	1	-	1	-	-	-	2	-	7	7	10	27	33	53	61	43	34	13	4	-	-
	White-----M--	212	-	2	-	-	-	-	-	-	-	-	2	-	7	5	5	17	22	40	50	25	25	9	3	-	-
	F--	87	-	1	-	-	1	-	1	-	-	-	-	-	-	2	5	10	11	13	11	18	9	4	1	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	547	1	4	5	2	3	7	6	6	4	8	10	19	22	34	50	47	65	66	66	47	40	21	8	5	1
	White-----M--	309	1	3	1	-	2	3	3	3	3	2	6	7	16	25	27	29	39	42	34	20	24	14	4	1	-
	F--	232	-	1	4	1	1	4	3	3	1	6	4	12	6	9	22	16	26	24	32	26	15	7	4	4	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
204	Leukemia and aleukemia----------	282	5	7	9	7	6	7	10	4	5	3	7	8	7	13	24	22	28	32	38	25	8	6	1	-	-
	White-----M--	162	3	4	6	4	2	5	6	2	5	2	5	5	5	8	15	11	13	16	21	13	6	5	-	-	-
	F--	118	2	2	3	3	4	2	4	2	-	-	2	3	2	5	9	11	15	16	17	12	2	1	1	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	258	-	-	-	-	-	2	1	2	2	11	13	14	11	14	16	31	35	40	33	19	8	6	-	-	-
	White-----M--	152	-	-	-	-	-	2	-	2	2	5	7	9	7	8	13	19	18	21	19	15	2	3	-	-	-
	F--	104	-	-	-	-	-	-	1	-	-	6	6	4	4	6	3	12	16	19	14	4	6	3	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	82	6	-	-	1	-	-	2	1	1	1	4	5	5	11	6	6	6	9	7	5	5	1	-	-	-
	White-----M--	30	4	-	-	-	-	-	-	1	-	1	1	2	2	1	2	2	4	4	2	2	2	-	-	-	-
	F--	52	2	-	-	1	-	-	2	-	1	-	3	3	3	10	4	4	2	5	5	3	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	677	-	-	-	-	-	-	1	1	6	9	8	14	17	14	24	46	72	120	128	111	69	31	6	-	-
	White-----M--	278	-	-	-	-	-	-	1	-	4	6	3	8	10	9	13	24	26	43	40	44	31	15	1	-	-
	F--	397	-	-	-	-	-	-	-	1	2	3	5	6	7	5	11	22	45	77	88	67	38	15	5	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	93	2	-	1	-	-	-	1	2	1	-	-	1	1	1	3	4	7	12	13	9	19	10	5	1	-
	White-----M--	48	1	-	-	-	-	-	-	1	1	-	-	1	1	1	1	-	3	8	9	5	12	3	1	-	-
	F--	42	1	-	-	-	-	-	1	-	-	-	-	-	-	-	2	4	3	4	4	4	7	7	4	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	43	10	6	2	-	-	3	1	-	-	1	1	1	2	3	1	3	3	3	1	1	1	-	-	-	-
	White-----M--	24	5	4	1	-	-	-	1	-	-	-	-	-	2	1	1	2	2	2	1	1	1	-	-	-	-
	F--	16	4	2	1	-	-	2	-	-	-	1	1	1	-	2	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	19,147	8	-	-	3	2	5	14	18	30	42	65	159	249	505	778	1,210	1,808	2,453	2,797	3,252	2,938	1,811	808	178	14
	White-----M--	10,863	4	-	-	2	1	2	5	11	14	25	38	109	172	372	519	842	1,158	1,501	1,592	1,748	1,479	857	350	57	5
	F--	8,086	4	-	-	1	1	3	9	7	15	14	23	42	74	124	238	344	631	924	1,179	1,480	1,442	949	454	121	9
	Nonwhite--M--	104	-	-	-	-	-	-	-	-	-	3	2	4	1	6	12	9	12	13	11	14	11	4	2	-	-
	F--	92	-	-	-	-	-	-	-	-	1	-	2	4	2	3	9	15	7	15	15	10	6	1	2	-	-
330-334, 400-468	Diseases of cardiovascular system-	18,834	8	-	-	2	1	5	12	13	22	35	56	143	235	483	760	1,179	1,790	2,421	2,767	3,206	2,902	1,800	802	178	14
	White-----M--	10,694	4	-	-	2	-	2	5	8	10	19	33	98	166	359	510	825	1,149	1,484	1,577	1,722	1,459	853	347	57	5
	F--	7,951	4	-	-	-	1	3	7	5	11	13	20	38	67	116	230	330	622	911	1,164	1,460	1,426	942	451	121	9
	Nonwhite--M--	103	-	-	-	-	-	-	-	-	-	3	2	4	1	6	11	9	12	13	11	14	11	4	2	-	-
	F--	86	-	-	-	-	-	-	-	-	1	-	1	3	1	2	9	15	7	13	15	10	6	1	2	-	-
330-334	Vascular lesions, etc.*----------	4,177	3	-	-	-	-	1	2	3	3	4	11	31	53	70	123	223	341	534	626	823	745	408	143	30	-
	White-----M--	2,090	2	-	-	-	-	-	-	1	1	2	5	15	25	38	63	121	157	290	332	416	356	191	63	12	-
	F--	2,048	1	-	-	-	-	1	2	2	2	2	6	15	27	29	59	97	174	243	284	403	386	217	80	18	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	-	4	3	-	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	5	4	1	6	1	3	-	-	-	-
400-402	Rheumatic fever---	35	-	-	-	2	-	3	7	3	1	1	2	1	2	1	-	2	5	1	1	-	2	-	-	1	-
	White-----M--	22	-	-	-	2	-	2	4	2	-	-	2	-	2	-	-	-	4	-	1	-	2	-	-	1	-
	F--	12	-	-	-	-	-	1	3	1	1	-	-	1	-	1	-	2	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

385053 O - 56 - 24

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
410-443	Diseases of heart	13,355	4	-	-	-	1	1	3	7	13	25	40	94	164	395	619	905	1,369	1,801	1,984	2,196	1,911	1,179	527	106	11
	White-----M--	7,949	2	-	-	-	-	-	1	5	7	15	24	73	131	314	441	673	940	1,135	1,168	1,209	977	573	226	32	3
	F--	5,270	2	-	-	-	1	1	2	2	5	8	14	18	32	77	160	215	420	641	801	968	922	601	298	74	8
	Nonwhite--M--	78	-	-	-	-	-	-	-	-	-	2	2	3	1	3	10	7	6	13	6	11	10	4	1	-	-
	F--	57	-	-	-	-	-	-	-	-	1	-	-	-	-	1	8	10	3	12	9	8	2	1	2	-	-
410-416	Chronic rheumatic heart disease----	425	-	-	-	-	-	-	2	5	8	13	12	23	27	30	46	56	48	51	42	30	21	9	2	-	-
	White-----M--	235	-	-	-	-	-	-	-	4	4	7	5	13	13	18	24	33	27	28	26	13	15	5	-	-	-
	F--	185	-	-	-	-	-	-	2	1	4	5	7	9	14	12	21	22	21	22	16	17	6	4	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	9,256	-	-	-	-	-	-	-	1	1	6	18	61	118	309	477	695	1,095	1,363	1,411	1,509	1,175	675	288	49	5
	White-----M--	5,916	-	-	-	-	-	-	-	1	1	6	14	52	104	267	372	547	795	908	877	876	610	339	130	15	2
	F--	3,253	-	-	-	-	-	-	-	-	-	-	3	8	13	40	98	136	294	436	524	616	559	332	157	34	3
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	-	-	1	1	1	1	6	6	3	12	3	9	5	3	1	-	-
	F--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	3	7	7	8	1	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,075	1	-	-	-	-	-	-	-	2	2	3	3	6	17	33	44	91	170	276	399	468	342	171	43	4
	White-----M--	1,076	1	-	-	-	-	-	-	-	2	-	2	3	4	9	15	28	50	99	151	206	255	169	71	10	-
	F--	982	-	-	-	-	-	-	-	-	-	2	1	-	2	8	15	14	41	70	121	192	209	172	98	33	4
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	4	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	2	-	-
430-434	Other diseases of heart---------	292	3	-	-	-	1	1	1	1	2	2	3	3	4	8	15	20	38	36	44	29	39	27	12	1	2
	White-----M--	165	1	-	-	-	-	-	1	-	-	1	2	3	4	6	8	14	23	24	26	15	18	10	7	1	1
	F--	124	2	-	-	-	1	1	-	1	1	1	1	-	-	2	7	6	14	12	18	14	20	17	5	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
440-443	Hypertension with heart dis.--	1,307	-	-	-	-	-	-	-	-	-	2	4	4	9	31	48	90	97	181	211	229	208	126	54	13	-
	White-----M--	557	-	-	-	-	-	-	-	-	-	1	1	2	6	14	22	50	45	76	88	99	79	50	18	6	-
	F--	726	-	-	-	-	-	-	-	-	-	-	2	1	3	15	19	37	50	101	122	129	128	76	36	7	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	1	2	1	1	1	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	-	3	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	237	-	-	-	-	-	-	-	-	1	1	2	4	6	5	7	19	25	29	39	32	38	20	8	1	-
	White-----M--	121	-	-	-	-	-	-	-	-	-	1	1	3	3	2	1	10	14	20	18	18	18	10	2	-	-
	F--	112	-	-	-	-	-	-	-	-	1	-	-	1	3	2	6	9	11	9	21	13	20	10	5	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
450	General arteriosclerosis--------	825	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	6	15	29	94	131	193	188	123	39	3
	White-----M--	390	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	12	22	45	60	98	78	55	11	2
	F--	432	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	7	49	71	93	110	68	28	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
451-468	Other diseases of circulatory sys.-	205	1	-	-	-	-	-	-	-	4	4	1	12	9	12	9	24	35	27	23	24	13	5	1	1	-
	White-----M--	122	-	-	-	-	-	-	-	-	2	1	1	7	4	5	3	17	22	17	13	19	8	1	1	1	-
	F--	77	1	-	-	-	-	-	-	-	2	3	-	3	5	7	5	5	13	10	9	5	5	4	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	313	-	-	-	1	1	-	2	5	8	7	9	16	14	22	18	31	18	32	30	46	36	11	6	-	-
	White-----M--	169	-	-	-	-	1	-	-	3	4	6	5	11	6	13	9	17	9	17	15	26	20	4	3	-	-
	F--	137	-	-	-	1	-	-	2	2	4	1	3	4	7	8	8	14	9	13	15	20	16	7	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	2	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	678	136	28	6	3	6	3	4	3	7	3	-	9	5	11	28	25	39	36	66	79	68	67	37	7	2
	White-----M--	381	71	16	1	1	5	1	3	1	2	3	-	4	3	6	16	18	28	24	40	46	40	29	17	5	1
	F--	276	49	11	5	2	1	2	1	2	5	-	-	5	1	4	10	7	11	12	26	33	28	38	20	2	1
	Nonwhite--M--	13	9	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F--	8	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	53	8	1	-	1	3	-	-	-	1	-	-	-	1	2	2	-	2	4	3	7	4	9	5	-	-
	White-----M--	34	6	1	-	-	2	-	-	-	1	-	-	-	1	1	2	-	2	2	2	4	3	4	3	-	-
	F--	19	2	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	1	5	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	625	128	27	6	2	3	3	4	3	6	3	-	9	4	9	26	25	37	32	63	72	64	58	32	7	2
	White-----M--	347	65	15	1	1	3	1	3	1	1	3	-	4	2	5	14	18	26	22	38	42	37	25	14	5	1
	F--	257	47	11	5	1	-	2	1	2	5	-	-	5	1	3	10	7	11	10	25	30	27	33	18	2	1
	Nonwhite--M--	13	9	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F--	8	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	54	14	1	1	1	1	1	-	-	1	1	-	-	-	-	-	2	2	3	4	10	9	1	2	-	-
	White-----M--	32	8	-	1	1	-	1	-	-	1	1	-	-	-	-	-	2	2	1	2	6	5	-	1	-	-
	F--	20	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	1	1	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	222	1	-	-	-	-	1	-	-	-	2	3	5	10	9	20	23	40	30	39	17	12	5	4	1	-
	White-----M--	185	1	-	-	-	-	1	-	-	-	2	1	5	7	7	17	20	38	26	34	9	9	4	4	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	2	4	5	8	3	1	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	60	-	-	1	2	-	4	-	1	2	2	1	4	5	-	5	1	1	8	8	9	5	1	-	-	-
	White-----M--	43	-	-	1	1	-	3	-	-	1	2	1	2	3	-	4	1	1	7	6	7	3	-	-	-	-
	F--	15	-	-	-	1	-	1	-	1	1	-	-	2	1	-	1	-	-	-	2	2	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	201	15	1	1	-	-	1	-	-	-	1	-	4	3	10	6	18	13	30	34	24	21	13	5	1	-
	White-----M--	106	10	1	1	-	-	1	-	-	-	-	-	1	1	5	-	11	8	15	24	11	10	4	2	1	-
	F--	94	5	-	-	-	-	-	-	-	-	1	-	3	2	5	6	6	5	15	10	13	11	9	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
543,	Gastritis, etc.*	133	39	8	1	1	-	4	1	-	3	2	1	5	3	6	4	4	7	13	3	13	6	4	3	2	-
571,	White-----M	65	22	5	-	1	-	1	1	-	2	-	1	2	2	3	1	4	4	5	3	5	2	-	-	1	-
572	F	62	12	3	1	-	-	2	-	-	1	2	-	3	1	3	3	-	3	8	-	8	4	4	3	1	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	324	2	-	-	-	-	-	-	1	1	4	4	16	27	32	36	41	43	51	29	21	12	4	-	-	-
	White-----M	222	-	-	-	-	-	-	-	-	-	-	3	9	13	24	28	31	27	40	22	17	7	1	-	-	-
	F	96	-	-	-	-	-	-	-	1	1	4	1	6	14	7	8	10	15	10	7	4	5	3	-	-	-
	Nonwhite--M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	34	2	1	2	1	1	-	2	2	1	1	3	-	2	-	5	2	3	3	-	2	-	1	-	-	-
	White-----M	19	1	1	2	-	1	-	-	1	1	-	2	-	1	-	3	2	2	1	-	1	-	-	-	-	-
	F	13	1	-	-	1	-	-	2	1	-	1	1	-	1	-	-	-	1	2	-	1	-	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	13	22	25	47	34	30	9	2	-
	White-----M	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	13	22	24	46	34	30	9	2	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	34	...	...	...	...	...	...	-	3	4	6	11	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	32	...	...	...	...	...	...	-	3	3	6	10	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	4	...	...	...	...	...	...	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F	4	...	...	...	...	...	...	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	30	...	...	...	...	...	...	-	3	3	5	10	7	2	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F	28	...	...	...	...	...	...	-	3	2	5	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	520	400	21	10	7	3	16	9	4	6	6	5	2	7	5	4	2	4	5	1	1	2	-	-	-	-
	White-----M	261	202	11	6	2	1	9	3	2	4	2	3	-	3	2	2	1	4	1	-	1	2	-	-	-	-
	F	252	194	8	4	5	2	7	6	2	2	4	1	2	4	3	2	1	-	4	1	-	-	-	-	-	-
	Nonwhite--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	1,187	1,186	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	657	656	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	461	461	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	539	539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	310	310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	204	204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	588	587	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	315	314	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	232	232	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	147	4	2	-	-	-	-	-	-	2	1	2	3	1	3	2	5	5	8	9	10	23	28	30	8	1
795	White-----M	77	-	-	-	-	-	-	-	-	2	1	1	-	1	3	2	3	4	5	7	4	9	15	16	3	1
	F	69	3	2	-	-	-	-	-	-	-	-	1	3	-	-	-	2	1	3	2	6	14	13	14	5	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	1,443	84	15	11	10	5	25	11	7	15	22	33	42	53	67	83	106	156	198	174	138	117	47	22	2	-
sid-	White-----M	803	50	10	8	5	2	11	9	4	7	13	21	25	27	36	40	59	103	113	100	70	52	27	11	-	-
ual	F	619	30	5	2	5	3	13	2	3	8	8	11	16	24	31	41	45	51	84	73	67	64	20	11	2	-
	Nonwhite--M	12	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	1	1	1	1	-	-	-	-
	F	9	1	-	1	-	-	1	-	-	-	1	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-
E800-	Accidents	1,914	64	39	28	20	12	67	53	144	160	98	93	77	85	78	90	96	118	107	112	122	105	93	40	14	1
E962	White-----M	1,295	31	20	18	12	6	46	31	115	126	78	74	64	66	66	69	78	85	68	78	70	43	36	13	2	-
	F	572	31	15	6	7	6	15	22	28	29	16	13	11	15	10	19	18	29	38	34	52	61	57	27	12	1
	Nonwhite--M	37	1	2	-	1	-	6	-	1	4	4	3	2	4	2	2	-	4	1	-	-	-	-	-	-	-
	F	10	1	2	2	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	851	5	16	6	4	7	31	17	102	126	66	56	46	44	41	42	48	49	42	49	29	16	5	4	-	-
	White-----M	618	2	6	5	3	4	20	7	76	98	48	43	40	32	34	28	38	34	31	36	19	10	4	-	-	-
	F	214	3	9	1	1	3	8	10	25	26	15	9	6	10	7	13	10	13	11	13	10	6	1	4	-	-
	Nonwhite--M	16	-	1	-	-	-	3	-	1	2	3	1	-	2	-	1	-	2	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents	1,063	59	23	20	16	5	36	36	42	34	32	37	31	41	37	48	48	69	65	63	95	89	88	36	14	1
E802,	White-----M	677	29	14	13	9	2	26	24	39	28	30	31	24	34	32	41	40	51	37	42	51	53	32	13	2	-
E840-	F	358	28	6	5	6	3	7	12	3	3	1	4	5	5	3	6	8	16	27	21	42	55	56	23	12	1
E962	Nonwhite--M	21	1	1	-	1	-	3	-	-	2	1	2	2	2	2	1	-	2	1	-	-	-	-	-	-	-
	F	7	1	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
E963,	Suicide	418	-	-	-	-	-	-	1	2	15	20	25	30	33	41	39	56	53	50	25	14	8	4	1	1	-
E970-	White-----M	334	-	-	-	-	-	-	1	2	12	17	16	22	24	35	31	47	38	43	22	13	7	3	-	1	-
E979	F	81	-	-	-	-	-	-	-	-	2	3	8	8	9	6	8	9	14	7	3	1	1	1	1	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	39	3	-	-	1	-	-	1	1	4	4	4	3	7	2	2	4	-	-	-	1	1	-	-	-	1
E980-	White-----M	19	2	-	-	1	-	-	1	1	2	1	1	1	3	1	1	3	-	-	-	1	-	-	-	-	-
E985	F	13	1	-	-	-	-	-	-	-	2	1	-	2	3	1	1	1	-	-	-	-	-	-	-	-	1
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
E965,	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING																										
	ALL CAUSES------	2,419	270	13	11	5	6	21	23	30	35	46	52	51	76	95	98	155	234	260	300	238	216	127	44	8	5
	White-----M--	1,516	147	11	4	4	3	10	15	20	24	32	30	31	58	66	73	103	160	186	201	140	115	58	18	4	3
	F--	826	96	2	6	1	3	11	7	7	6	13	19	19	16	25	22	45	68	72	94	97	98	67	26	4	2
	Nonwhite--M--	52	15	-	-	-	-	-	1	2	5	1	2	1	1	4	2	3	5	2	3	1	3	1	-	-	-
	F--	25	12	-	1	-	-	-	-	1	-	-	1	-	1	-	1	4	1	-	2	-	-	1	-	-	-
001-019	Tuberculosis, all forms--------	14	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	2	4	1	-	-	1	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	4	1	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	14	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	2	4	1	-	-	1	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	4	1	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	3	2	2	-	1	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	3	1	2	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	14	-	-	-	-	-	4	2	-	1	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	1	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	3	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	12	4	-	-	-	-	2	-	-	-	1	-	1	-	2	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	7	3	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

[1]For category numbers, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
140-205	Malignant neoplasms, etc.*	304	-	-	2	1	2	1	3	1	1	2	6	11	11	11	20	37	41	42	47	26	23	11	5	-	-
	White----M--	179	-	-	2	-	1	1	3	1	1	2	2	4	5	4	10	18	27	31	33	14	12	6	2	-	-
	F--	120	-	-	-	1	1	-	-	-	-	-	3	7	6	7	8	18	14	11	13	12	11	5	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	White----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	106	-	-	-	-	-	-	-	-	-	1	-	5	5	-	4	9	14	20	18	13	11	4	2	-	-
	White----M--	58	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	3	12	14	10	7	5	2	1	-	-
	F--	45	-	-	-	-	-	-	-	-	-	-	-	4	3	-	3	5	2	6	7	6	6	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system	43	-	-	-	-	-	-	-	-	-	-	-	1	-	3	7	7	5	8	8	1	2	1	-	-	-
	White----M--	38	-	-	-	-	-	-	-	-	-	-	-	1	-	3	7	6	4	8	6	1	1	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	22	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	5	2	1	1	2	2	1	1	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	5	2	1	1	2	2	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	45	-	-	-	-	-	-	-	-	-	1	1	2	2	3	3	2	4	7	8	5	6	1	-	-	-
	White----M--	26	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	2	5	7	3	4	1	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	1	2	2	1	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	23	-	-	1	-	1	-	-	-	-	-	-	1	1	-	3	2	4	2	4	1	-	3	-	-	-
	White----M--	12	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	2	-	1	3	-	-	2	-	-	-
	F--	10	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	4	1	1	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	39	-	-	-	1	-	-	2	1	1	-	1	1	1	1	1	8	10	4	3	2	-	-	2	-	-
	White----M--	26	-	-	-	-	-	-	2	1	1	-	-	1	-	-	1	4	8	3	3	1	-	-	1	-	-
	F--	13	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	4	2	1	-	1	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	15	-	-	1	-	1	1	1	-	-	-	1	-	2	-	-	-	1	-	3	2	2	-	-	-	-
	White----M--	13	-	-	1	-	1	1	1	-	-	-	-	-	2	-	-	-	-	-	3	2	2	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	-	1	-	-	-	-	-	-
	White----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	14	1	-	1	-	-	-	-	-	1	1	1	2	1	-	-	1	-	2	1	2	-	-	-	-	-
	White----M--	5	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	9	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	1	-	2	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	27	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	6	4	6	4	1	1	-	1	-
	White----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	3	3	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	3	3	1	-	1	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	10	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	-	1	-	4	-	1	-	-	-	-
	White----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-
	F--	5	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	1,149	2	-	-	-	-	1	1	3	1	3	12	8	31	38	43	78	124	157	182	170	155	95	35	5	5
	White----M--	715	1	-	-	-	-	-	1	2	1	-	6	8	24	31	34	56	87	109	117	98	79	42	14	2	3
	F--	414	1	-	-	-	-	1	-	1	-	2	5	-	6	7	8	18	36	46	62	71	73	51	21	3	2
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	2	1	1	3	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	2	-	-	1	-	-	-
330-334, 400-468	Diseases of cardiovascular system	1,124	2	-	-	-	-	1	1	3	1	3	11	7	30	37	41	77	122	154	175	166	154	94	35	5	5
	White----M--	699	1	-	-	-	-	-	1	2	1	-	6	7	24	31	32	55	85	107	112	96	78	42	14	2	3
	F--	406	1	-	-	-	-	1	-	1	-	2	5	-	5	6	8	18	36	45	60	69	73	50	21	3	2
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	1	1	3	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	2	-	-	1	-	-	-
330-334	Vascular lesions, etc.*	238	1	-	-	-	-	-	-	-	-	2	2	-	5	3	7	15	21	22	44	40	42	20	12	1	1
	White----M--	110	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	6	12	14	25	19	20	5	3	-	-
	F--	123	1	-	-	-	-	-	-	-	-	1	1	-	2	3	4	9	9	7	17	21	22	15	9	1	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-
400-402	Rheumatic fever	3	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

Table 52B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
410-443	Diseases of heart	820	1	-	-	-	-	1	1	3	1	-	7	7	22	32	33	60	98	126	120	116	98	66	20	4	4
	White-----M--	547	1	-	-	-	-	-	1	2	1	-	4	7	20	29	28	47	70	90	79	70	51	32	10	2	3
	F--	260	-	-	-	-	-	1	-	1	-	-	3	-	2	3	4	9	27	35	40	45	45	32	10	2	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	2	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	1	-	-	-
410-416	Chronic rheumatic heart disease----	40	-	-	-	-	-	-	-	2	-	-	3	3	3	-	3	5	4	6	3	5	3	-	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	2	-	-	2	3	2	-	1	2	3	4	1	4	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	2	2	1	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	515	-	-	-	-	-	-	-	-	-	-	2	2	15	27	25	45	67	86	78	67	56	33	9	-	3
	White-----M--	369	-	-	-	-	-	-	-	-	-	-	1	2	15	25	25	38	49	63	56	41	31	17	4	-	2
	F--	139	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	5	17	22	21	25	24	16	5	-	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	160	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	6	13	19	27	29	22	24	10	4	1
	White-----M--	98	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	5	10	16	15	16	14	9	6	2	1
	F--	59	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	3	12	13	7	13	4	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
430-434	Other diseases of heart---------	32	1	-	-	-	-	1	1	1	1	-	2	-	1	2	1	2	5	4	1	4	4	1	-	-	-
	White-----M--	21	1	-	-	-	-	-	1	-	1	-	1	-	1	2	1	1	3	4	1	3	-	1	-	-	-
	F--	11	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	1	2	-	-	1	4	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	73	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	2	9	11	11	11	13	8	1	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	5	3	6	6	5	5	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	8	5	5	8	3	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	4	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	3	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	8	8	7	3	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	3	4	1	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	21	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	2	2	3	5	1	2	1	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	1	3	1	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	2	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	25	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	2	3	7	4	1	1	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	2	5	2	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	2	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	84	23	-	2	-	1	3	-	-	-	1	1	-	3	4	3	6	7	7	5	3	7	8	-	-	-
	White-----M--	47	9	-	-	-	-	1	-	-	-	1	1	-	3	2	3	3	2	6	5	2	3	6	-	-	-
	F--	24	5	-	2	-	1	2	-	-	-	-	-	-	-	1	-	2	3	1	-	1	4	2	-	-	-
	Nonwhite--M--	8	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	81	22	-	2	-	1	2	-	-	-	1	1	-	3	4	3	6	7	6	5	3	7	8	-	-	-
	White-----M--	46	9	-	-	-	-	1	-	-	-	1	1	-	3	2	3	3	2	5	5	2	3	6	-	-	-
	F--	22	4	-	2	-	1	1	-	-	-	-	-	-	-	1	-	2	3	1	-	1	4	2	-	-	-
	Nonwhite--M--	8	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	White-----M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	30	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	3	5	2	6	4	1	2	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	2	4	2	6	2	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	4	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	17	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	2	3	-	-	-	-
	White-----M--	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

by Age, Race, and Sex: Each State, 1954—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
543,	Gastritis, etc.*	10	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
571,	White-----M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
572	F	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	18	-	-	-	-	-	-	-	1	-	-	2	2	1	1	-	2	2	2	3	1	1	-	-	-	-
	White-----M	11	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	1	2	3	-	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1	-	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	7	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	1	-	-	-	-
	White-----M	4	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	2	1	-	1	-
	White-----M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	2	1	-	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	2	...	...	...	...	...	...	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	...	...	...	...	...	...	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	2	...	...	...	...	...	...	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F	2	...	...	...	...	...	...	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	51	39	3	2	-	-	2	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M	31	25	2	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	14	1	2	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unqualified	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	28	2	-	-	-	-	-	-	1	1	-	-	-	-	2	2	2	5	1	3	2	4	2	1	-	-
795	White-----M	20	1	-	-	-	-	-	-	-	1	-	-	-	-	2	2	2	2	1	3	1	4	1	-	-	-
	F	7	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	-	1	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	118	6	2	-	-	-	1	1	3	3	4	2	5	-	7	7	10	15	18	14	9	7	3	-	1	-
sid-	White-----M	70	4	1	-	-	-	-	1	1	-	2	1	-	-	2	4	9	9	15	8	7	5	-	-	1	-
ual	F	44	1	1	-	-	-	1	-	2	3	2	-	5	-	4	3	-	6	3	6	2	2	3	-	-	-
	Nonwhite--M	4	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents	252	9	6	3	3	3	3	12	20	25	24	19	12	17	15	9	10	7	13	18	11	8	2	3	-	-
E962	White-----M	197	4	6	2	3	2	2	7	14	20	21	16	9	16	13	9	9	5	10	13	10	4	-	2	-	-
	F	43	3	-	1	-	1	1	4	3	1	3	3	2	1	2	-	1	2	3	4	1	4	2	1	-	-
	Nonwhite--M	11	2	-	-	-	-	-	1	2	4	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	119	2	2	1	1	1	2	2	16	19	12	14	5	8	5	1	5	3	6	9	5	-	-	-	-	-
	White-----M	94	1	2	-	1	-	1	1	11	15	10	11	4	8	5	1	5	2	4	7	5	-	-	-	-	-
	F	17	-	-	1	-	1	1	1	2	-	2	3	1	-	-	-	-	1	2	2	-	-	-	-	-	-
	Nonwhite--M	7	1	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents	133	7	4	2	2	2	1	10	4	6	12	5	7	9	10	8	5	4	7	9	6	8	2	3	-	-
E802,	White-----M	103	3	4	2	2	2	1	6	3	5	11	5	5	8	8	8	4	3	6	6	5	4	-	2	-	-
E840-	F	26	3	-	-	-	-	-	3	1	1	1	-	1	1	2	-	1	1	1	2	1	4	2	1	-	-
E962	Nonwhite--M	4	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide	44	-	-	-	-	-	-	1	-	1	3	2	5	3	7	4	1	10	3	3	-	-	1	-	-	-
E970-	White-----M	36	-	-	-	-	-	-	-	-	1	1	-	5	3	7	4	1	9	2	2	-	-	1	-	-	-
E979	F	8	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	7	1	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-
E980-	White-----M	4	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E985	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52A.

NOTE.—The list of 64 selected causes includes Cholera (043) and Plague (058). There were no deaths reported for these causes.

Table 53. Deaths From 64 Selected Causes:

(By place of occurrence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Tuberculosis of respiratory system 001-008	Tuberculosis, other forms 010-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Scarlet fever and streptococcal sore throat 050,051	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Smallpox 084	Measles 085	Typhus and other rickettsial diseases 100-108	Malaria 110-117	All other infective and parasitic diseases 030-039, 041,042, 044,049, 052-054, 059-074, 081-083, 086-096, 120-138
1	UNITED STATES----	1.481,091	16,392	15,024	1,368	4,835	45	655	262	145	373	1,015	1,368	-	518	20	24	4,187
2	Alabama----------	25,962	401	366	35	102	-	22	7	14	10	29	26	-	19	1	-	87
3	Arizona----------	7,640	265	244	21	29	1	14	2	2	-	2	3	-	10	-	1	44
4	Arkansas----------	15,085	298	282	16	48	-	31	5	5	19	20	18	-	2	1	-	57
5	California----------	109,322	1,216	1,108	108	381	4	31	10	4	17	69	119	-	10	-	1	301
6	Colorado----------	13,400	155	145	10	35	-	4	4	-	2	4	6	-	6	-	-	51
7	Connecticut----------	20,326	159	144	15	53	-	-	3	-	2	7	10	-	7	-	-	28
8	Delaware----------	3,629	41	37	4	16	-	-	-	-	-	1	3	-	-	1	-	4
9	District of Columbia-------	8,651	112	100	12	55	-	-	-	1	1	4	7	-	3	-	-	32
10	Florida----------	33,023	283	267	16	135	-	21	6	10	1	18	56	-	17	-	1	131
11	Georgia----------	30,971	335	303	32	122	-	32	4	24	20	32	17	-	18	2	1	155
12	Idaho----------	4,764	24	22	2	12	-	1	2	-	-	2	4	-	4	-	-	10
13	Illinois----------	90,987	1.047	939	108	208	1	16	10	2	6	51	95	-	16	-	-	191
14	Indiana----------	39.930	375	347	28	136	2	9	14	2	13	36	43	-	15	1	-	109
15	Iowa----------	25.675	89	80	9	66	-	5	10	1	-	18	52	-	7	-	-	71
16	Kansas----------	19,334	115	104	11	66	-	5	6	1	4	13	31	-	3	-	-	68
17	Kentucky----------	26.549	514	471	43	81	2	20	7	3	24	41	34	-	27	1	-	84
18	Louisiana----------	24.532	320	295	25	192	3	20	5	6	8	40	16	-	9	-	-	102
19	Maine----------	9,828	71	68	3	13	1	2	1	-	2	8	8	-	3	-	-	17
20	Maryland----------	23.217	367	347	20	111	1	2	1	-	3	14	10	-	10	1	-	68
21	Massachusetts----------	51,881	511	473	38	122	-	14	4	2	-	34	15	-	6	-	-	94
22	Michigan----------	60,296	522	467	55	166	-	3	9	3	13	52	89	-	16	-	2	160
23	Minnesota----------	28,296	137	126	11	60	-	-	4	2	5	16	19	-	6	1	-	71
24	Mississippi----------	19,211	214	196	18	50	-	61	3	3	23	11	12	-	5	1	1	81
25	Missouri----------	44,392	516	487	29	211	1	15	13	2	14	24	26	-	6	-	3	127
26	Montana----------	6,036	52	52	-	27	1	-	1	3	1	6	12	-	5	-	-	19
27	Nebraska----------	12,812	55	48	7	22	1	2	8	2	-	5	23	-	3	-	-	37
28	Nevada----------	1,982	23	22	1	14	1	3	-	-	-	1	5	-	1	-	1	10
29	New Hampshire----------	6,298	31	28	3	18	-	-	-	-	1	6	2	-	-	-	-	15
30	New Jersey----------	50,355	541	489	52	119	1	7	4	2	-	25	28	-	18	-	1	97
31	New Mexico----------	5,479	115	102	13	13	1	23	2	-	4	5	7	-	10	-	-	27
32	New York----------	159,516	1,787	1.667	120	450	1	12	18	3	13	63	97	-	36	-	1	331
33	North Carolina----------	31,558	335	309	26	68	1	11	6	7	10	40	18	-	35	-	1	111
34	North Dakota----------	5,028	28	21	7	3	1	2	1	1	2	2	4	-	1	-	-	20
35	Ohio----------	82,350	763	688	75	329	-	6	11	1	21	65	71	-	25	1	-	192
36	Oklahoma----------	19,724	231	219	12	86	3	10	6	3	6	10	22	-	3	-	1	68
37	Oregon----------	14,717	83	75	8	29	-	1	1	1	5	8	14	-	2	-	-	39
38	Pennsylvania----------	108,238	1,203	1.100	103	374	3	4	17	2	20	59	49	-	34	3	1	260
39	Rhode Island----------	8,235	79	70	9	29	1	2	-	-	3	4	5	-	1	-	-	14
40	South Carolina----------	17,476	273	248	25	60	3	16	3	16	29	13	10	-	20	1	2	81
41	South Dakota----------	5,729	53	43	10	7	-	-	-	-	3	2	3	-	-	-	-	12
42	Tennessee----------	29,447	551	503	48	85	1	23	6	2	12	26	30	-	11	1	1	92
43	Texas----------	65,074	927	843	84	244	6	172	19	7	24	46	138	-	36	3	3	321
44	Utah----------	5,264	29	27	2	14	-	1	1	-	1	3	9	-	1	-	-	24
45	Vermont----------	3,969	47	41	6	6	-	-	-	-	-	1	5	-	3	-	-	7
46	Virginia----------	29,052	436	401	35	139	1	15	6	5	20	31	10	-	25	1	2	107
47	Washington----------	23,403	169	156	13	102	-	4	3	2	4	11	16	-	9	-	-	47
48	West Virginia----------	16,293	255	235	20	56	2	4	4	1	4	17	21	-	10	-	-	34
49	Wisconsin----------	33,731	225	205	20	59	1	8	15	-	3	19	40	-	2	-	-	89
50	Wyoming----------	2,424	14	14	-	12	-	1	-	-	-	1	10	-	2	-	-	10

United States and Each State, 1954

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of buccal cavity and pharynx 140-148	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Malignant neoplasm of other and unspecified sites 156B,165, 190-199	Leukemia and aleukemia 204	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues 200-203, 205	Benign neoplasms and neoplasms of unspecified nature 210-239	Diabetes mellitus 260	Anemias 290-293	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	
234,669	5,382	85,493	27,627	20,909	36,947	11,193	26,561	10,443	10,114	5,094	25,151	3,301	1,829	798,091	781,018	167,777	1
3,120	73	963	363	281	660	106	403	147	124	83	293	63	45	13,019	12,521	3,428	2
952	23	299	138	77	162	36	107	56	54	19	72	18	22	3,039	2,965	595	3
2,023	52	680	222	144	412	78	274	88	73	53	188	34	19	7,850	7,532	1,935	4
17,674	450	6,077	2,235	1,707	2,671	848	1,979	854	853	405	1,199	171	171	59,360	58,533	11,903	5
2,088	38	760	203	195	351	107	236	95	103	39	151	30	9	6,531	6,380	1,405	6
3,813	105	1,469	466	367	525	179	382	150	170	62	386	35	24	11,441	11,288	2,168	7
560	6	190	70	52	96	37	68	22	19	5	70	10	3	1,959	1,919	331	8
1,583	42	470	199	186	256	82	191	71	86	55	124	15	19	4,323	4,236	735	9
4,848	109	1,602	683	388	836	216	624	216	174	131	450	100	59	17,012	16,577	3,871	10
3,864	114	1,163	454	348	805	146	522	172	140	92	385	76	52	15,914	15,331	4,756	11
617	10	234	68	46	98	23	73	41	24	20	65	9	2	2,495	2,435	508	12
15,096	361	5,772	1,906	1,428	2,266	729	1,389	602	643	297	1,373	198	78	51,688	50,527	9,631	13
6,088	126	2,240	704	515	1,068	288	618	283	246	106	723	129	39	22,445	21,935	5,236	14
4,211	88	1,535	414	378	699	220	460	223	194	93	411	98	32	14,699	14,433	3,719	15
2,746	59	914	313	266	458	134	324	166	112	66	332	61	18	10,372	10,063	2,487	16
3,539	83	1,263	351	306	644	132	470	153	137	82	378	71	37	14,008	13,567	3,334	17
3,615	89	1,234	525	253	617	149	445	152	151	127	418	54	44	12,038	11,750	2,372	18
1,599	33	630	164	130	277	80	176	53	56	28	154	32	11	5,824	5,688	1,236	19
3,678	90	1,258	511	306	578	176	447	137	175	110	444	45	33	12,584	12,325	2,079	20
9,428	221	3,675	1,017	916	1,308	452	1,003	393	443	197	963	104	37	29,336	28,907	5,508	21
10,030	250	3,715	1,181	898	1,561	480	1,070	429	446	184	1,429	150	71	31,718	31,085	6,983	22
4,989	90	1,998	414	464	699	254	548	280	242	79	561	68	30	15,346	15,124	3,682	23
2,229	54	745	210	170	449	90	349	87	75	77	228	41	23	8,973	8,602	2,404	24
7,015	193	2,572	813	604	1,171	339	766	277	280	118	641	118	38	24,128	23,415	5,375	25
843	15	302	115	74	140	37	79	42	39	26	99	16	5	3,004	2,928	615	26
2,169	57	877	223	184	328	116	162	122	100	40	251	32	8	7,017	6,911	1,742	27
181	6	68	27	20	17	6	21	8	8	6	17	6	3	907	890	168	28
1,129	20	415	113	105	207	68	115	39	47	24	128	13	6	3,661	3,597	717	29
9,032	189	3,680	1,181	797	1,220	448	855	335	327	167	1,101	85	55	28,831	28,345	4,868	30
587	14	204	59	47	86	20	90	39	28	21	52	11	11	1,803	1,738	391	31
29,256	655	11,354	3,795	2,775	3,812	1,474	2,920	1,173	1,298	589	3,141	269	155	90,720	89,346	14,272	32
3,763	78	1,138	358	333	768	152	562	209	165	108	422	61	51	16,589	16,100	4,263	33
747	5	289	56	78	120	47	65	39	48	15	88	15	4	2,637	2,592	641	34
13,617	302	5,026	1,560	1,239	2,271	643	1,464	548	564	237	1,995	191	101	44,581	43,788	9,948	35
2,949	67	1,023	322	219	498	140	407	157	116	70	289	47	12	10,053	9,739	2,560	36
2,234	52	791	274	211	340	99	259	115	93	34	172	23	16	8,291	8,163	1,770	37
17,998	369	6,942	2,148	1,539	2,593	954	1,998	759	696	364	2,411	225	114	61,136	59,896	11,551	38
1,436	34	543	148	123	198	70	194	53	73	36	206	19	3	4,669	4,597	797	39
2,008	53	687	209	164	406	72	273	74	70	50	240	50	43	8,800	8,490	2,418	40
879	12	340	79	74	150	35	116	37	36	20	102	16	10	3,029	2,968	751	41
4,125	111	1,253	427	313	791	187	617	239	187	93	302	65	50	14,556	14,124	3,869	42
9,257	203	2,903	1,149	717	1,496	375	1,501	501	412	302	865	169	118	30,135	29,311	7,093	43
679	10	228	75	45	104	38	88	51	40	13	91	18	7	2,482	2,417	477	44
614	13	233	60	61	104	44	52	22	25	13	58	7	8	2,206	2,176	475	45
3,752	112	1,199	447	327	687	164	487	142	187	96	364	58	48	15,366	14,988	3,679	46
3,670	62	1,318	413	315	587	185	428	201	161	103	366	40	20	12,864	12,687	2,752	47
2,380	38	822	286	163	417	124	313	105	112	48	249	33	22	8,356	8,127	1,902	48
5,681	144	2,298	440	542	893	294	538	276	256	76	676	93	42	19,146	18,837	4,147	49
278	2	102	39	19	47	20	33	10	6	15	28	9	1	1,150	1,125	230	50

Table 53. Deaths From 64 Selected Causes:

(By place of occurrence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416	Arteriosclerotic heart disease, including coronary disease 420	Nonrheumatic chronic endocarditis and other myocardial degeneration 421,422	Other diseases of heart 430-434	Hypertension with heart disease 440-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Influenza 480-483	Pneumonia, except pneumonia of newborn 490-493	Bronchitis 500-502	Ulcer of stomach and duodenum 540, 541	Appendicitis 550-553
1	UNITED STATES----	1,297	560,077	18,256	379,788	66,091	20,903	75,039	11,383	30,225	10,259	17,073	40,991	2,680	38,311	2,872	9,391	2,278
2	Alabama----------	50	8,193	223	4,401	1,181	585	1,803	306	373	171	498	1,006	180	826	50	100	42
3	Arizona----------	16	2,138	110	1,536	212	87	193	54	113	49	74	325	12	313	26	59	14
4	Arkansas----------	8	5,050	126	3,189	508	381	846	174	285	80	318	516	67	449	40	64	34
5	California----------	86	42,049	1,528	31,397	3,554	721	4,849	624	2,804	1,067	827	2,814	56	2,758	209	867	127
6	Colorado----------	23	4,483	226	3,311	429	70	447	76	273	120	151	644	24	620	40	136	20
7	Connecticut----------	15	8,438	279	6,453	646	117	943	123	392	152	153	352	10	342	37	134	20
8	Delaware----------	3	1,442	32	905	201	33	271	41	84	18	40	113	4	109	7	13	3
9	District of Columbia-------	3	3,197	108	1,761	572	90	656	67	150	94	87	234	1	233	16	41	22
10	Florida----------	29	11,558	374	8,019	988	835	1,342	266	583	270	435	866	93	773	70	197	49
11	Georgia----------	45	9,374	208	5,415	1,066	584	2,101	444	485	227	583	1,171	162	1,009	67	158	53
12	Idaho----------	7	1,734	70	1,139	251	81	193	38	111	37	60	117	11	106	5	21	7
13	Illinois----------	71	38,053	1,200	24,909	6,160	1,461	4,323	734	1,516	522	1,161	2,946	73	2,873	217	555	156
14	Indiana----------	36	15,112	477	10,141	1,700	608	2,186	335	989	227	510	994	71	923	62	216	51
15	Iowa----------	21	9,648	307	6,824	1,177	331	1,009	219	680	146	266	603	49	554	28	153	40
16	Kansas----------	19	6,703	181	4,455	937	317	813	204	500	150	309	484	61	423	34	125	22
17	Kentucky----------	34	9,262	254	5,433	1,096	780	1,699	250	554	133	441	915	85	830	63	126	26
18	Louisiana----------	22	8,572	155	5,403	798	467	1,749	237	352	135	288	839	63	776	47	101	30
19	Maine----------	6	4,066	126	2,862	543	86	449	68	238	76	136	215	12	203	28	52	17
20	Maryland----------	16	9,406	272	5,012	1,812	206	2,104	203	441	180	259	566	16	550	54	117	33
21	Massachusetts----------	25	21,455	785	15,888	2,011	516	2,255	363	1,167	389	429	1,203	19	1,184	87	434	95
22	Michigan----------	45	22,123	834	15,490	2,331	886	2,582	359	1,172	403	633	1,455	55	1,400	124	406	95
23	Minnesota----------	25	10,328	357	7,510	1,034	252	1,175	217	649	223	222	711	35	676	46	163	47
24	Mississippi----------	30	5,643	150	2,885	708	407	1,493	208	225	95	371	598	84	514	36	77	24
25	Missouri----------	31	16,312	549	9,986	2,692	736	2,349	378	1,028	291	713	1,363	104	1,259	92	281	87
26	Montana----------	5	2,083	69	1,348	235	184	187	44	147	34	76	199	6	193	8	35	13
27	Nebraska----------	8	4,668	145	3,078	648	296	501	81	306	106	106	383	42	341	21	86	22
28	Nevada----------	-	665	36	496	59	25	49	16	25	16	17	57	2	55	6	10	4
29	New Hampshire----------	2	2,621	65	1,939	225	79	313	38	176	43	64	123	6	117	14	54	8
30	New Jersey----------	42	21,944	714	14,524	3,898	369	2,439	328	841	322	486	1,113	18	1,095	92	415	72
31	New Mexico----------	9	1,198	79	749	137	89	144	33	67	40	65	274	15	259	18	38	14
32	New York----------	116	70,354	2,345	53,093	6,481	646	7,789	963	2,776	865	1,374	4,032	83	3,949	289	1,286	277
33	North Carolina----------	34	10,807	309	6,182	1,186	805	2,325	284	499	213	489	1,161	101	1,060	45	139	38
34	North Dakota----------	4	1,769	65	1,276	162	96	169	35	102	42	45	166	7	159	14	33	10
35	Ohio----------	73	30,346	1,034	20,621	3,564	1,071	4,056	667	2,149	605	793	1,874	143	1,731	169	516	142
36	Oklahoma----------	13	8,448	173	4,333	538	566	836	174	419	125	314	604	58	546	28	88	40
37	Oregon----------	6	5,752	229	4,029	415	245	834	71	427	137	126	326	11	315	45	98	16
38	Pennsylvania----------	107	44,207	1,668	28,995	6,130	1,476	5,938	742	2,545	744	1,240	2,413	154	2,259	176	678	160
39	Rhode Island----------	2	3,500	102	2,696	229	54	419	72	175	51	72	162	1	161	7	68	12
40	South Carolina----------	22	5,439	114	2,974	694	315	1,342	195	306	110	310	693	88	605	38	88	16
41	South Dakota----------	4	2,023	63	1,479	212	75	194	34	116	40	61	168	15	153	9	25	13
42	Tennessee----------	29	9,349	295	5,387	1,209	674	1,784	272	412	193	432	977	120	857	48	122	39
43	Texas----------	56	20,179	423	13,643	1,902	1,722	2,489	510	1,023	430	824	2,186	228	1,958	138	297	107
44	Utah----------	14	1,789	135	1,146	213	61	234	21	69	47	65	105	4	101	21	35	13
45	Vermont----------	2	1,531	35	1,100	215	33	148	37	106	25	30	102	5	97	7	27	5
46	Virginia----------	23	10,173	275	6,215	1,389	415	1,879	265	619	229	378	873	88	785	64	139	40
47	Washington----------	15	9,008	314	6,678	781	354	881	136	595	181	177	639	28	611	36	171	28
48	West Virginia----------	8	5,677	194	3,646	666	301	870	138	301	103	229	543	52	491	33	97	16
49	Wisconsin----------	35	13,388	411	9,311	2,071	281	1,314	238	829	200	309	684	55	629	53	221	56
50	Wyoming----------	2	831	33	526	185	34	73	8	31	23	25	84	3	81	8	29	3

NOTE.--The list of 64 selected causes includes Cholera (043) and Plague (058). There were no deaths reported for these causes.

United States and Each State, 1954—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Hernia and intestinal obstruction 560, 561, 570	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Hyperplasia of prostate 610	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Abortion 650-652	All other complications 640-649, 660-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Birth injuries, postnatal asphyxia-, and atelectasis 760-762	Infections of newborn 763-768	Other diseases peculiar to early infancy, and immaturity unqualified 769-776	Symptoms, senility, and ill-defined conditions 780-795	All other diseases Residual	Accidents E800-E962	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	Injury resulting from operations of war E965, E990-E999	
8,498	7,892	16,201	2,515	6,095	2,105	287	1,818	20,081	63,486	28,642	4,361	30,483	20,209	66,354	90,032	35,586	54,446	16,356	7,735	26	1
151	173	153	58	105	101	15	86	340	1,494	655	109	730	1,210	1,195	1,863	776	1,087	215	365	-	2
58	201	68	9	25	9	1	8	142	496	168	54	274	149	586	820	441	379	85	72	1	3
85	117	98	71	91	33	1	32	146	594	238	58	298	478	691	1,092	408	684	131	132	1	4
568	492	2,177	124	378	104	28	76	1,524	4,565	2,448	222	1,895	400	4,939	6,488	3,168	3,320	1,924	479	-	5
92	142	152	23	51	17	2	15	224	708	351	63	294	44	754	955	414	541	230	52	1	6
121	57	342	28	57	14	3	11	229	735	405	36	294	78	897	927	264	663	242	26	-	7
17	18	48	5	10	2	-	2	52	174	88	12	74	9	171	244	103	141	51	19	-	8
58	41	170	19	39	14	5	9	116	515	305	23	187	11	448	409	83	326	85	79	-	9
221	242	344	67	110	52	7	45	414	1,567	634	99	834	790	1,642	2,331	1,004	1,327	427	353	2	10
153	254	193	76	123	107	16	91	456	1,810	726	168	916	553	1,571	2,296	1,005	1,291	309	476	-	11
26	20	22	16	14	6	-	6	83	223	95	13	115	87	258	510	240	270	70	12	-	12
495	344	1,085	133	376	73	4	69	1,032	3,299	1,957	255	1,087	1,016	3,268	4,373	1,714	2,659	872	372	2	13
230	187	370	69	157	47	6	41	527	1,691	680	133	878	160	1,679	2,608	1,119	1,489	464	132	1	14
151	81	144	31	143	26	4	22	312	831	374	35	422	143	1,135	1,629	613	1,016	335	26	1	15
164	86	123	47	117	27	2	25	263	805	387	61	357	387	920	1,509	634	875	249	65	-	16
125	177	219	44	109	50	4	46	398	1,280	575	112	593	343	1,195	2,022	807	1,215	288	213	1	17
144	149	231	47	72	67	13	54	390	1,581	667	143	771	383	1,186	1,810	634	1,176	182	256	-	18
49	37	64	16	34	11	2	9	123	296	150	19	127	70	398	506	152	354	125	13	-	19
148	84	251	34	77	36	3	33	386	1,048	441	75	532	80	1,019	1,353	511	842	287	162	-	20
341	197	640	81	157	33	4	29	668	1,612	715	85	812	176	2,296	2,583	555	2,028	368	43	-	21
363	286	668	101	245	93	9	84	986	2,945	1,215	166	1,564	352	2,804	3,841	1,830	2,011	679	235	1	22
163	141	227	37	147	32	4	28	500	1,058	462	50	546	160	1,412	1,717	667	1,050	312	29	-	23
104	189	82	83	91	108	8	100	204	1,168	430	93	645	1,922	753	1,346	461	885	114	275	1	24
313	189	473	91	212	50	9	41	537	1,507	672	131	704	654	2,047	2,816	1,023	1,793	443	220	1	25
35	27	60	8	22	6	1	5	70	239	86	12	141	184	310	571	229	342	103	26	-	26
71	55	117	11	73	13	-	13	166	498	196	30	272	62	586	802	339	463	136	35	-	27
12	7	25	6	10	2	-	2	21	82	37	2	43	51	114	286	155	131	84	26	-	28
30	23	64	6	30	6	1	5	66	178	89	5	84	33	273	275	89	186	78	3	-	29
276	211	697	74	201	53	9	44	584	1,669	813	86	770	103	1,867	2,211	828	1,383	471	131	1	30
39	146	51	8	28	28	3	25	96	507	181	47	279	467	305	660	394	266	61	47	-	31
826	556	2,291	151	717	144	34	110	1,739	5,036	2,301	324	2,411	895	5,840	6,762	2,080	4,682	1,290	442	1	32
149	226	198	64	113	82	9	73	493	1,862	714	128	1,020	683	1,434	2,499	1,062	1,437	356	377	2	33
25	26	28	7	33	6	-	6	97	266	135	20	111	63	241	385	157	228	55	2	-	34
459	354	947	138	340	92	9	83	1,227	3,460	1,704	189	1,567	533	3,979	4,661	1,900	2,761	963	287	2	35
136	96	154	38	109	34	3	31	243	804	338	42	424	659	1,028	1,534	567	967	157	103	-	36
72	54	101	17	71	8	2	6	205	480	252	23	205	200	700	1,083	446	637	257	31	-	37
639	420	1,175	215	386	102	13	89	1,358	3,831	1,680	242	1,909	698	5,173	5,247	1,662	3,585	981	306	3	38
47	23	91	12	36	11	4	7	95	282	116	14	152	24	368	427	68	359	53	10	-	39
92	163	77	40	66	66	4	62	234	1,108	443	101	564	651	753	1,322	571	751	139	212	-	40
31	17	34	6	32	7	2	5	96	280	122	22	136	59	278	463	188	275	66	9	-	41
163	158	176	47	112	53	5	48	443	1,541	622	117	802	1,796	1,334	1,821	769	1,052	276	305	4	42
381	895	613	166	277	133	17	116	1,082	4,090	1,566	389	2,135	1,935	3,164	5,368	2,498	2,870	735	715	-	43
45	21	47	15	18	6	2	4	118	292	135	12	145	328	276	476	222	254	60	15	-	44
29	17	40	6	20	-	-	-	49	141	80	12	49	84	193	198	64	134	69	7	-	45
168	182	201	61	95	56	10	46	429	1,739	755	157	827	306	1,430	2,088	826	1,262	382	317	-	46
123	80	198	39	102	27	4	23	339	938	466	40	432	229	1,114	1,405	455	950	421	86	-	47
94	90	136	31	68	22	1	21	236	805	354	61	390	345	806	1,183	366	817	199	93	-	48
200	130	320	33	184	34	4	30	501	1,190	544	58	588	142	1,418	1,943	866	1,077	431	36	-	49
16	11	16	6	12	2	-	2	42	166	75	13	78	24	106	314	159	155	46	8	-	50

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	UNITED STATES	1,481,091	16,392	4,835	1,368	7,244	234,669	85,493	27,627	121,549	25,151	798,091	781,018	167,777	1,297	560,077	18,256
2	Metropolitan counties[1]	866,092	10,238	3,091	756	3,361	147,183	53,846	18,601	74,736	15,282	468,895	460,585	89,592	717	340,932	11,800
3	Nonmetropolitan counties[1]	614,999	6,154	1,744	612	3,883	87,486	31,647	9,026	46,813	9,869	329,196	320,433	78,185	580	219,145	6,456
4	ALABAMA	26,156	410	98	27	192	3,154	970	368	1,816	292	13,059	12,554	3,432	53	8,219	232
5	Metropolitan counties	9,743	168	54	9	62	1,331	395	167	769	110	4,908	4,739	1,153	15	3,209	90
6	Nonmetropolitan counties	16,413	242	44	18	130	1,823	575	201	1,047	182	8,151	7,815	2,279	38	5,010	142
7	Autauga	179	6	1	-	-	14	3	3	8	2	91	90	24	1	50	1
8	Baldwin	372	4	-	1	5	43	10	6	27	4	171	162	33	1	116	5
9	Barbour	270	2	2	-	1	23	7	6	10	3	156	153	56	-	93	-
10	Bibb	144	1	-	-	1	13	3	2	8	3	85	81	18	2	58	2
11	Blount	176	2	-	-	2	28	8	4	16	5	90	90	20	-	65	-
12	Bullock	162	3	-	-	2	12	7	-	5	1	73	72	18	-	50	1
13	Butler	253	1	-	1	2	22	7	3	12	1	128	121	44	-	68	3
14	Calhoun	657	8	3	-	1	78	21	8	49	13	305	291	77	1	191	2
15	Anniston	332	5	3	-	1	36	10	1	25	6	164	155	41	-	103	1
16	Balance of county	325	3	-	-	-	42	11	7	24	7	141	136	36	1	88	1
17	Chambers	347	-	-	-	2	40	10	5	25	4	195	186	55	2	117	3
18	Cherokee	119	-	-	-	-	19	4	1	14	2	53	50	13	-	35	3
19	Chilton	219	1	1	-	3	32	11	3	18	3	118	114	31	1	75	2
20	Choctaw	170	4	1	-	4	21	9	2	10	2	83	80	25	1	52	7
21	Clarke	204	7	-	-	-	23	9	5	9	1	108	105	22	-	76	2
22	Clay	109	3	-	-	-	11	4	1	6	1	57	56	18	-	32	-
23	Cleburne	89	1	-	-	-	13	5	-	8	1	44	41	9	-	31	-
24	Coffee	182	1	1	-	-	26	12	2	12	1	89	87	25	-	58	1
25	Colbert	341	7	-	5	2	35	12	5	18	5	164	153	52	2	90	1
26	Sheffield	111	1	-	3	1	10	4	-	6	1	63	47	12	1	34	1
27	Balance of county	230	6	-	2	1	25	8	5	12	4	111	106	40	1	56	-
28	Conecuh	170	1	-	-	1	21	11	1	9	1	94	91	25	-	56	-
29	Coosa	87	-	-	-	1	14	5	1	8	1	44	39	11	-	27	2
30	Covington	306	4	1	-	4	30	12	2	16	3	160	156	46	-	100	4
31	Crenshaw	190	4	1	-	3	14	2	2	10	1	103	100	36	-	60	1
32	Cullman	333	4	2	-	1	56	19	5	32	1	164	158	50	1	103	7
33	Dale	172	1	-	-	1	17	4	1	12	-	94	87	17	-	66	2
34	Dallas	661	7	9	-	9	56	14	5	37	9	308	296	107	-	175	9
35	Selma	323	6	6	-	3	32	10	5	17	5	161	156	54	-	95	4
36	Balance of county	338	1	3	-	6	24	4	-	20	4	147	140	53	-	80	5
37	De Kalb	342	6	-	1	5	42	12	-	30	2	186	182	54	-	112	-
38	Elmore	255	1	-	-	1	36	16	2	18	2	119	114	37	1	67	1
39	Escambia	240	-	-	-	-	31	9	4	18	2	116	115	25	-	83	2
40	Etowah	747	13	2	3	2	110	41	12	57	5	337	327	73	1	226	2
41	Gadsden	455	10	1	1	1	71	29	10	32	2	212	206	48	1	141	2
42	Balance of county	292	3	1	2	1	39	12	2	25	3	125	121	25	-	85	-
43	Fayette	167	1	-	-	1	27	6	3	18	2	84	83	25	-	56	1
44	Franklin	208	4	1	-	2	32	14	1	17	-	86	85	30	-	46	1
45	Geneva	189	-	-	-	-	21	7	2	12	3	95	94	23	1	62	2
46	Greene	180	2	-	-	-	20	11	1	8	1	70	69	22	-	37	1
47	Hale	243	4	-	-	3	7	2	2	3	3	126	122	28	-	89	-
48	Henry	151	3	1	1	-	14	3	3	8	-	69	67	17	1	44	-
49	Houston	467	4	1	-	14	43	18	6	19	7	233	220	75	-	132	4
50	Dothan	244	2	-	-	10	21	8	1	12	4	128	122	37	-	82	2
51	Balance of county	223	2	1	-	4	22	10	5	7	3	105	98	38	-	50	2
52	Jackson	260	4	1	-	2	27	8	1	18	3	133	132	41	1	82	3
53	Jefferson	5,079	88	28	1	27	742	217	90	435	65	2,522	2,446	648	9	1,621	50
54	Birmingham	3,137	56	19	1	18	457	137	56	264	40	1,590	1,543	399	6	1,042	34
55	Bessemer	332	5	3	-	1	33	11	-	22	9	149	142	46	-	81	-
56	Fairfield	126	5	1	-	-	19	3	2	14	1	69	67	15	-	48	4
57	Homewood	94	1	-	-	1	20	6	2	12	1	49	48	17	-	26	1
58	Balance of county	1,390	21	5	-	7	213	60	30	123	14	665	646	171	3	424	11
59	Lamar	111	2	-	-	-	11	3	2	6	1	66	64	13	-	45	-
60	Lauderdale	376	8	-	5	2	42	9	4	29	4	180	169	36	-	120	4
61	Florence	179	1	-	1	1	18	4	2	12	4	91	83	15	-	61	1
62	Balance of county	197	7	-	4	1	24	5	2	17	-	89	86	21	-	59	3
63	Lawrence	167	5	-	-	-	17	6	-	11	4	68	63	22	1	38	-
64	Lee	322	4	1	-	3	26	10	-	16	4	164	158	51	2	94	4
65	Auburn	55	1	-	-	1	4	-	-	4	2	28	27	9	-	17	3
66	Opelika	110	1	1	-	1	12	4	-	8	1	50	48	14	1	29	1
67	Balance of county	157	2	-	-	1	10	6	-	4	1	86	83	28	1	48	-
68	Limestone	291	13	2	2	3	46	14	3	29	5	129	127	36	1	81	2
69	Lowndes	174	1	1	-	1	11	1	1	9	-	78	73	28	1	38	6
70	Macon	263	4	-	-	1	31	5	7	19	4	132	131	48	-	79	4
71	Madison	650	15	-	2	7	59	18	5	36	4	334	328	95	1	212	10
72	Huntsville	288	7	-	-	4	25	7	4	14	3	153	151	54	1	87	6
73	Balance of county	362	8	-	2	3	34	11	1	22	1	181	177	41	-	125	4
74	Marengo	297	8	-	-	1	26	10	5	11	2	152	141	56	2	73	1
75	Marion	171	4	-	-	1	21	6	3	12	2	83	80	21	-	54	2
76	Marshall	327	7	-	-	3	37	10	3	24	2	171	164	31	1	118	4
77	Mobile	2,107	36	16	4	20	272	71	38	163	25	1,115	1,072	186	2	822	20
78	Mobile	1,329	21	11	2	11	176	47	24	105	18	745	719	123	2	559	10
79	Prichard	217	6	1	-	3	22	6	3	13	1	92	86	18	-	64	-
80	Balance of county	561	9	4	2	6	74	18	11	45	6	278	267	45	-	199	10
81	Monroe	201	3	-	-	1	13	7	1	5	-	113	104	31	1	65	-
82	Montgomery	1,381	26	7	1	10	166	52	22	92	12	733	702	192	2	421	14
83	Montgomery	1,096	19	6	1	5	135	45	18	72	11	592	570	164	2	347	6
84	Balance of county	285	7	1	-	5	31	7	4	20	1	141	132	28	-	74	8
85	Morgan	485	7	-	-	1	51	13	1	37	9	249	240	78	-	147	5
86	Decatur	213	3	-	-	1	26	6	1	19	8	100	97	42	-	51	4
87	Balance of county	272	4	-	-	-	25	7	-	18	1	149	143	36	-	96	1

[1] Includes estimates for Massachusetts; for explanation, see text in Volume I.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E600-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
379,788	75,039	86,894	11,383	30,225	10,259	17,073	40,991	9,391	7,892	16,201	2,515	2,105	20,081	63,486	20,209	35,586	54,446	16,356	7,735	96,347	1
238,858	44,002	46,272	6,209	16,802	6,333	8,310	22,656	6,075	3,788	11,994	1,207	970	11,942	37,039	7,895	16,750	28,181	9,262	4,418	55,109	2
140,930	31,037	40,722	5,174	13,423	3,926	8,763	18,335	3,316	4,104	4,207	1,308	1,135	8,139	26,447	12,314	18,836	26,265	7,094	3,317	41,238	3
4,433	1,787	1,767	308	371	171	505	997	100	174	155	60	103	350	1,513	1,217	805	1,101	218	373	1,758	4
1,815	669	635	140	155	67	169	315	39	41	71	19	26	159	624	279	293	351	82	165	637	5
2,618	1,118	1,132	168	216	104	336	682	61	133	84	41	77	191	889	938	512	750	136	208	1,121	6
34	6	9	5	7	3	1	9	1	4	1	1	-	2	7	12	6	6	2	1	13	7
61	23	27	6	4	2	9	12	1	2	2	3	1	7	32	21	15	22	4	3	19	8
57	28	8	-	3	1	3	13	2	1	4	-	-	2	12	8	6	16	2	3	14	9
30	19	7	-	-	3	4	7	-	3	-	-	2	2	2	5	2	5	1	3	9	10
35	16	14	-	4	1	-	9	-	1	-	1	-	1	10	9	6	5	2	1	4	11
24	14	11	1	2	1	1	5	-	2	1	1	-	3	7	33	3	4	1	4	7	12
34	17	14	2	6	1	7	9	3	3	2	1	3	5	16	16	11	5	3	2	19	13
99	24	66	8	7	7	14	30	3	5	2	6	4	15	41	35	20	27	3	17	41	14
48	18	36	4	2	5	9	13	-	2	1	4	1	6	21	20	8	8	1	11	21	15
51	6	30	4	5	2	5	17	3	3	1	2	3	9	20	15	12	19	2	6	20	16
69	25	20	6	4	2	9	10	2	4	5	1	-	4	19	4	16	15	5	4	17	17
16	5	11	2	-	-	3	7	-	1	-	1	-	1	7	11	1	5	1	-	10	18
45	15	13	4	1	2	4	10	1	1	4	1	-	-	6	7	1	7	2	3	18	19
24	15	6	1	1	-	3	7	-	2	2	-	-	2	4	18	3	7	1	2	7	20
32	24	18	2	2	3	3	12	-	2	-	-	1	2	7	11	9	3	-	3	15	21
26	3	3	5	1	-	1	2	2	-	2	-	1	1	9	1	4	5	1	1	8	22
12	9	10	-	1	-	3	3	1	-	-	-	1	3	4	5	2	2	-	1	8	23
38	5	14	3	1	-	2	10	1	1	-	1	1	2	13	9	5	6	1	2	12	24
45	25	19	3	6	-	11	12	-	2	-	3	3	5	14	18	5	24	5	3	29	25
14	8	11	-	-	-	6	2	-	-	-	-	2	3	4	4	2	13	1	1	10	26
31	17	8	3	6	-	5	10	-	2	-	3	1	2	10	14	3	11	4	2	19	27
27	11	18	4	6	-	3	3	-	-	1	-	-	1	5	12	8	5	-	5	12	28
18	4	3	-	1	-	5	4	-	1	-	-	1	1	5	1	3	6	3	-	2	29
45	29	22	3	1	6	4	6	3	2	2	-	2	4	13	14	11	18	2	5	22	30
30	7	22	-	2	2	3	9	-	2	-	-	1	1	9	9	10	11	-	1	11	31
38	19	39	1	1	2	6	8	1	-	3	1	-	5	19	7	16	12	4	1	28	32
36	14	14	1	3	-	7	8	-	1	1	-	1	2	9	4	10	7	3	-	13	33
67	37	62	4	5	5	12	34	1	9	3	2	7	4	48	64	11	25	7	7	41	34
44	14	33	3	2	2	5	19	1	5	2	-	6	2	18	17	5	6	5	5	19	35
23	23	29	1	3	3	7	15	-	4	1	2	1	2	30	47	6	19	2	2	22	36
63	16	13	2	9	5	4	15	-	-	3	-	1	4	12	9	9	17	6	-	24	37
31	16	19	1	7	1	5	15	-	-	1	1	2	3	14	12	5	16	7	2	18	38
45	23	13	3	2	2	1	4	2	2	2	1	2	5	15	4	12	21	1	3	17	39
138	43	43	7	16	4	10	24	5	5	1	1	4	11	44	46	43	27	11	12	41	40
89	26	24	5	7	4	6	13	3	3	1	-	3	8	24	31	19	18	3	5	26	41
49	17	19	2	9	-	4	11	2	2	-	1	1	3	20	15	24	9	8	7	15	42
33	6	16	1	-	1	1	7	-	1	-	-	1	-	5	8	6	5	3	3	13	43
28	9	8	2	6	1	1	18	2	3	2	1	-	4	10	7	12	8	1	1	14	44
40	7	13	-	4	4	1	7	4	-	2	-	1	3	10	5	7	14	2	-	15	45
19	14	3	-	9	1	1	7	-	-	-	-	-	-	11	39	5	6	2	4	13	46
25	24	40	2	3	-	4	8	-	3	2	-	-	1	9	52	4	10	1	1	9	47
21	8	15	-	4	1	2	8	4	1	-	-	-	3	6	3	7	10	3	2	16	48
55	34	39	7	5	1	13	11	1	6	1	1	3	6	33	28	9	31	3	2	30	49
33	26	21	2	1	-	6	3	-	3	1	1	1	3	22	9	5	12	2	2	15	50
22	8	18	5	4	1	7	8	1	3	-	-	2	3	11	19	4	19	1	-	15	51
52	11	16	4	2	2	1	23	-	2	2	-	2	2	10	7	12	12	1	1	16	52
844	349	378	67	59	42	76	188	21	13	39	6	12	81	332	144	141	171	38	83	337	53
529	238	241	36	34	26	47	116	12	7	27	6	5	37	193	101	77	83	27	58	207	54
45	20	16	9	3	3	7	11	1	-	2	-	2	7	32	6	11	17	1	7	35	55
32	9	3	3	1	-	2	3	2	1	1	-	-	2	4	6	1	3	1	-	7	56
16	4	5	4	-	1	1	2	-	-	-	-	-	2	6	-	1	2	1	1	7	57
222	78	113	15	21	12	19	56	6	5	9	-	5	33	97	31	51	66	8	17	81	58
16	15	14	2	4	-	2	3	-	2	1	-	-	1	4	3	3	2	1	3	8	59
70	24	22	7	6	-	11	13	2	4	4	1	1	9	26	22	6	12	1	7	28	60
35	16	9	5	2	-	8	7	1	1	2	-	-	6	13	7	1	7	1	6	11	61
35	8	13	2	4	-	3	6	1	3	2	1	-	3	13	15	5	5	-	1	17	62
23	10	5	1	1	-	5	12	1	1	1	-	-	2	11	10	4	5	1	2	23	63
51	27	12	7	2	2	6	13	2	3	4	-	1	1	20	11	15	11	5	6	28	64
9	3	2	-	-	1	1	2	1	1	1	-	1	-	3	2	2	-	1	3	2	65
16	9	3	4	-	-	2	3	1	2	1	-	-	-	5	3	6	3	3	1	16	66
26	15	7	3	2	1	3	8	-	-	2	-	-	1	12	6	7	8	1	2	10	67
37	15	27	8	1	-	2	7	3	3	1	1	2	2	15	16	8	15	1	2	15	68
18	9	5	3	2	1	5	8	-	1	-	-	2	1	8	33	7	9	1	2	10	69
29	33	13	1	1	2	1	7	1	3	-	-	1	-	24	18	7	6	1	6	17	70
115	47	40	6	10	4	6	30	1	9	3	3	3	9	34	20	21	26	7	18	45	71
45	18	18	3	5	1	2	16	-	3	1	2	1	5	18	4	12	8	2	5	19	72
70	29	22	3	5	3	4	14	1	6	2	1	2	4	16	16	9	18	5	13	26	73
31	20	21	3	2	5	11	19	1	-	-	1	3	2	9	31	8	15	4	3	12	74
37	6	9	1	2	2	3	7	-	1	1	-	-	4	8	6	8	3	1	4	17	75
65	18	31	4	9	1	7	9	1	1	-	-	-	2	21	18	12	16	3	5	19	76
486	189	127	24	28	10	43	50	5	8	20	4	6	37	150	21	62	86	12	37	121	77
329	136	84	11	18	6	26	20	2	4	14	1	2	22	83	13	36	46	5	24	73	78
34	19	11	3	-	1	6	10	1	3	-	-	2	6	28	4	4	11	4	6	13	79
123	34	32	10	10	3	11	20	2	1	6	3	2	9	39	4	22	29	3	7	35	80
44	11	10	2	4	1	9	12	1	4	-	-	1	2	5	18	6	5	2	3	12	81
285	60	62	35	43	9	31	40	7	11	9	6	3	21	77	38	28	47	18	26	95	82
242	51	48	23	25	9	22	34	6	7	7	4	2	15	63	23	14	39	13	21	79	83
43	9	14	12	18	-	9	6	1	4	2	2	1	6	14	15	14	8	5	5	16	84
76	30	36	4	6	5	9	18	5	1	1	1	3	5	18	24	19	25	2	2	44	85
33	7	7	1	1	2	3	12	3	1	-	-	2	2	7	8	11	13	2	1	13	86
43	23	29	3	5	3	6	6	2	-	1	1	1	3	11	16	8	12	-	1	31	87

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ALABAMA—Continued																
1	Perry	187	3	2	-	-	17	6	3	8	4	100	96	30	1	60	-
2	Pickens	194	1	1	-	1	22	8	2	12	1	104	98	19	1	66	1
3	Pike	299	4	1	-	4	34	7	5	22	4	160	153	53	1	92	1
4	Randolph	178	3	-	-	1	18	3	1	14	2	95	94	25	-	65	-
5	Russell	429	5	1	-	3	41	14	5	22	3	201	192	54	1	119	4
6	Phenix City	237	3	-	-	2	27	10	4	13	3	117	112	31	-	70	1
7	Balance of county	192	2	1	-	1	14	4	1	9	-	84	80	23	1	49	3
8	St. Clair	185	4	-	-	2	20	5	4	11	3	87	87	25	-	55	1
9	Shelby	242	4	2	-	3	36	11	5	20	4	110	105	28	1	67	1
10	Sumter	256	2	1	-	3	31	9	6	16	3	113	107	36	1	65	2
11	Talladega	500	5	-	-	6	60	13	11	36	4	243	234	71	1	150	2
12	Talladega	118	2	-	-	-	17	2	3	12	2	59	58	21	-	33	-
13	Balance of county	382	3	-	-	6	43	11	8	24	2	184	176	50	1	117	2
14	Tallapoosa	256	5	-	-	1	33	10	4	19	3	130	121	23	1	95	2
15	Tuscaloosa	743	17	2	-	2	79	28	14	37	5	371	353	105	4	227	6
16	Tuscaloosa	397	8	1	-	-	39	16	8	15	3	207	199	65	4	117	2
17	Balance of county	346	9	1	-	2	40	12	6	22	2	164	154	40	-	110	4
18	Walker	456	11	2	-	4	68	27	8	33	8	210	199	53	1	134	6
19	Washington	110	-	-	-	1	17	9	2	6	2	43	42	10	-	29	1
20	Wilcox	242	1	2	-	4	20	8	2	10	3	113	85	30	-	49	3
21	Winston	116	-	1	-	1	16	4	1	11	2	59	57	16	-	38	1
22	ARIZONA	7,212	241	26	2	76	953	296	137	520	66	2,828	2,756	560	16	1,980	108
23	Metropolitan counties	3,226	103	10	2	19	474	147	69	258	33	1,387	1,357	269	10	980	57
24	Nonmetropolitan counties	3,986	138	16	-	57	479	149	68	262	33	1,441	1,399	291	6	1,000	51
25	Apache	195	14	-	-	7	9	4	-	5	-	24	23	12	-	9	-
26	Cochise	341	6	2	-	2	50	14	8	28	8	162	160	39	1	112	6
27	Coconino	216	4	2	-	3	25	10	3	12	2	45	43	9	-	33	1
28	Gila	243	9	1	-	2	30	8	2	20	3	96	93	12	-	75	4
29	Graham	122	3	-	-	3	23	3	6	14	1	40	37	11	-	21	1
30	Greenlee	74	1	-	-	-	8	1	1	6	3	29	27	3	-	22	1
31	Maricopa	3,226	103	10	2	19	474	147	69	258	33	1,387	1,357	269	10	980	57
32	Phoenix	1,281	38	3	-	7	207	63	30	114	17	596	582	104	2	435	20
33	Mesa	169	4	-	-	1	28	12	1	15	2	66	62	13	1	44	1
34	Balance of county	1,776	61	7	2	11	239	72	38	129	14	725	713	152	7	501	36
35	Mohave	93	2	-	-	1	11	3	1	7	1	30	28	6	-	21	-
36	Navajo	285	11	1	-	6	15	5	-	10	-	69	66	17	1	45	6
37	Pima	1,383	61	5	-	21	197	67	28	102	6	540	531	97	3	383	21
38	Tucson	560	19	3	-	4	90	22	14	54	2	245	241	51	-	163	4
39	Balance of county	823	42	2	-	17	107	45	14	48	4	295	290	46	3	220	17
40	Pinal	409	11	2	-	10	31	5	6	20	7	131	120	21	-	91	4
41	Santa Cruz	97	3	1	-	-	7	4	-	3	-	50	50	13	-	33	4
42	Yavapai	286	8	1	-	-	46	17	9	20	2	138	135	29	-	99	2
43	Yuma	242	5	1	-	2	27	8	4	15	-	87	86	22	1	56	1
44	ARKANSAS	15,107	304	52	18	149	2,047	686	216	1,145	182	7,784	7,474	1,942	8	4,985	129
45	Metropolitan counties	1,829	29	11	-	19	280	84	26	170	27	966	943	231	2	629	13
46	Nonmetropolitan counties	13,278	275	41	18	130	1,767	602	190	975	155	6,818	6,531	1,711	6	4,356	116
47	Arkansas	166	6	-	-	2	27	9	2	16	3	77	72	20	-	50	1
48	Ashley	177	4	2	1	7	17	6	1	10	2	86	75	30	-	40	-
49	Baxter	93	1	-	-	1	13	5	-	8	-	56	55	7	-	44	2
50	Benton	360	3	1	1	3	53	19	3	31	8	216	206	52	-	131	12
51	Boone	138	2	1	-	1	23	5	2	16	1	74	67	25	-	39	4
52	Bradley	118	2	-	-	2	15	4	-	11	-	61	60	16	-	42	1
53	Calhoun	52	2	-	-	2	9	1	2	6	-	30	29	9	-	17	1
54	Carroll	115	-	-	-	1	16	5	5	6	1	57	52	21	-	29	1
55	Chicot	221	6	2	1	1	35	15	2	16	-	103	99	38	-	60	-
56	Clark	199	4	1	-	2	24	6	5	13	3	117	110	27	-	62	-
57	Clay	175	2	-	-	3	26	8	3	15	4	94	84	16	-	62	3
58	Cleburne	82	2	-	-	-	7	3	-	4	1	49	45	11	-	32	-
59	Cleveland	62	3	-	-	-	8	4	1	3	2	37	37	7	-	26	1
60	Columbia	209	6	-	-	4	31	13	4	14	2	105	98	28	-	59	3
61	Conway	163	4	-	-	1	19	5	3	11	3	96	93	15	-	71	-
62	Craighead	357	6	2	1	3	49	13	4	32	6	188	173	45	-	115	3
63	Jonesboro	155	2	1	1	-	24	7	2	15	4	87	79	21	-	53	1
64	Balance of county	202	4	1	-	3	25	6	2	17	2	101	94	24	-	62	2
65	Crawford	198	5	1	-	-	30	11	3	16	-	99	99	28	-	63	5
66	Crittenden	380	7	1	-	5	42	14	4	24	3	179	172	51	-	106	2
67	Cross	155	2	1	-	2	20	5	1	14	3	69	63	17	-	38	-
68	Dallas	108	4	-	-	-	11	2	1	8	3	58	56	19	1	33	1
69	Desha	175	4	-	-	4	25	7	5	13	3	76	74	16	-	53	1
70	Drew	118	5	-	1	-	20	5	6	9	-	58	57	7	-	40	-
71	Faulkner	175	1	-	-	2	24	10	3	11	3	84	83	31	-	47	4
72	Franklin	86	3	-	-	-	16	7	1	8	2	38	37	12	1	24	1
73	Fulton	80	-	-	-	-	8	3	1	4	-	41	37	6	-	27	4
74	Garland	591	16	-	1	-	86	26	10	50	10	321	314	59	-	226	7
75	Hot Springs	458	12	-	-	-	69	19	8	42	8	247	242	46	-	173	5
76	Balance of county	133	4	-	1	-	17	7	2	8	2	74	72	13	-	53	2
77	Grant	78	3	-	-	-	12	3	3	6	-	46	43	8	-	35	-
78	Greene	203	11	-	-	3	25	8	5	12	3	111	108	25	-	79	1
79	Hempstead	203	6	-	-	1	27	13	1	13	1	117	114	39	-	65	-
80	Hot Spring	171	5	2	1	-	22	6	4	12	3	81	78	15	-	58	3
81	Howard	93	1	-	-	1	14	6	2	6	1	53	50	10	-	35	-
82	Independence	155	2	-	1	-	21	5	2	14	2	88	86	18	-	66	-
83	Izard	78	4	1	-	1	8	4	-	4	1	43	43	10	-	32	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
16	14	30	4	1	-	4	9	-	5	-	-	2	1	8	5	5	11	-	3	12	1
32	23	10	5	5	2	6	10	1	4	1	-	1	3	12	8	1	6	1	-	16	2
45	21	25	2	2	3	7	15	-	1	-	1	2	4	21	5	7	8	2	6	20	3
28	28	9	3	1	-	1	10	-	2	1	3	-	1	7	5	7	2	3	3	15	4
62	28	25	7	9	2	9	13	1	4	2	2	1	9	21	30	19	20	3	7	43	5
43	10	16	3	6	2	5	5	1	2	2	1	1	5	15	13	4	7	3	4	22	6
19	18	9	4	3	-	4	8	-	2	-	1	-	4	6	17	15	13	-	3	21	7
33	11	10	3	3	1	-	6	-	2	1	-	2	5	9	11	6	10	1	4	12	8
40	10	16	3	4	2	5	15	1	2	2	-	-	4	10	14	11	10	2	-	12	9
20	28	15	2	2	1	6	13	-	1	-	-	3	1	17	31	6	12	-	1	18	10
87	30	31	3	8	1	9	19	3	3	3	-	2	3	48	22	8	30	2	5	34	11
23	4	6	1	3	-	1	1	2	2	-	-	-	-	15	4	1	6	1	-	6	12
64	26	25	2	5	1	8	18	1	1	3	-	2	3	33	18	7	24	1	5	28	13
47	30	16	2	-	-	9	3	-	3	-	-	2	3	9	3	11	17	3	5	25	14
142	38	41	3	11	3	18	35	3	4	5	-	3	8	46	21	31	44	4	17	46	15
75	19	21	3	8	2	8	13	-	1	2	-	1	6	30	12	17	21	1	11	24	16
67	19	20	-	3	1	10	22	3	3	3	-	2	2	16	9	14	23	3	6	22	17
77	34	17	2	5	4	11	13	-	3	3	1	1	5	17	28	8	25	4	5	40	18
18	5	5	-	1	2	1	2	-	-	-	-	-	3	11	10	5	8	-	2	6	19
25	11	10	2	3	1	28	12	-	3	-	2	1	2	9	32	5	15	1	2	15	20
22	8	7	2	-	1	2	-	-	-	2	-	1	2	9	5	5	4	-	1	8	21
1,401	188	283	49	110	41	72	315	57	197	62	8	11	150	486	151	360	348	88	67	720	22
709	102	112	22	57	19	30	129	32	53	24	4	2	69	219	33	135	128	35	34	301	23
692	86	171	27	53	22	42	186	25	144	38	4	9	81	267	118	225	220	53	33	419	24
7	1	1	2	-	-	1	23	-	23	-	-	4	4	18	21	17	19	-	-	12	25
74	14	18	2	4	2	2	9	6	6	4	1	-	6	14	1	20	16	4	1	23	26
19	1	12	-	1	-	2	17	1	16	1	-	1	9	21	8	26	9	3	4	19	27
53	3	15	-	4	2	3	13	-	13	2	1	-	5	24	3	10	11	2	3	15	28
17	-	3	-	5	-	3	13	1	2	2	-	1	1	4	2	8	10	2	-	6	29
18	2	1	-	1	1	2	3	-	3	-	-	1	1	11	3	3	2	1	1	4	30
709	102	112	22	57	19	30	129	32	53	24	4	2	69	219	33	135	128	35	34	301	31
335	45	35	9	27	5	14	41	17	19	13	3	1	19	53	11	42	35	17	16	126	32
32	3	8	1	3	-	4	4	2	1	1	-	1	5	12	1	10	7	4	2	18	33
342	54	69	12	27	14	12	84	13	33	10	1	-	45	154	21	83	86	14	16	157	34
16	5	-	1	-	-	2	2	3	4	1	-	-	1	5	3	7	3	1	-	18	35
27	3	9	1	2	-	3	29	1	32	-	-	1	8	24	18	17	17	6	1	29	36
293	29	40	11	25	12	9	39	9	16	15	2	-	35	75	34	59	56	23	7	183	37
125	14	20	3	18	6	4	15	4	4	3	1	-	14	18	5	24	16	8	5	80	38
168	15	20	8	7	6	5	24	5	12	12	1	-	21	57	29	35	40	15	2	103	39
53	13	21	6	2	-	11	21	-	20	6	-	1	6	37	19	20	31	3	10	43	40
22	6	1	-	2	2	-	3	1	1	-	-	-	1	6	-	6	8	3	-	7	41
66	2	29	2	4	1	3	6	1	1	4	-	-	1	8	4	11	11	2	2	40	42
27	7	21	2	3	2	1	8	2	7	3	-	-	3	20	2	21	27	3	4	20	43
3,139	844	873	178	282	79	310	523	63	115	100	71	35	160	607	490	420	685	129	126	1,047	44
502	74	40	23	46	12	23	49	12	14	18	4	5	24	99	15	42	54	18	13	130.	45
2,637	770	833	155	236	67	287	474	51	101	82	67	30	136	508	475	378	631	111	113	917	46
35	7	7	1	-	1	5	4	-	1	2	1	-	1	7	6	4	12	3	3	7	47
24	10	6	4	1	-	11	8	1	-	1	1	-	-	12	6	5	10	1	1	12	48
32	4	6	3	-	1	1	2	2	-	-	-	-	-	3	4	3	4	-	-	4	49
79	18	22	2	18	3	10	5	2	-	2	1	1	3	13	2	10	4	9	1	22	50
24	1	10	1	2	-	7	4	1	-	-	1	-	2	3	3	2	6	-	-	14	51
31	5	5	1	1	-	1	5	1	-	-	1	1	-	2	4	4	7	2	-	11	52
9	4	3	1	1	1	1	1	-	1	-	-	-	-	1	-	2	1	-	1	2	53
25	1	2	-	1	1	5	5	1	1	1	1	-	2	2	2	4	6	3	-	12	54
40	9	11	1	-	-	4	3	1	3	-	-	1	2	14	13	5	14	1	2	14	55
39	15	8	6	13	2	7	5	-	-	2	3	-	2	7	3	4	7	-	2	13	56
29	16	14	3	2	1	10	7	1	-	-	-	-	-	3	4	6	8	4	1	12	57
24	4	4	-	2	-	4	5	-	-	-	-	-	1	3	2	4	2	-	-	6	58
14	5	6	-	2	2	-	-	-	-	-	-	-	-	-	-	2	3	-	1	6	59
38	9	9	2	9	-	7	6	2	3	2	-	-	1	12	3	5	11	3	1	12	60
31	10	30	3	1	3	3	3	-	1	-	-	-	-	3	4	3	10	3	1	12	61
64	29	19	3	8	2	15	7	1	5	2	-	-	3	18	10	16	14	5	-	21	62
29	12	11	-	4	1	8	3	1	2	2	-	-	1	8	7	-	5	2	-	5	63
35	17	8	3	4	1	7	4	-	3	-	-	-	2	10	3	16	9	3	-	16	64
48	4	6	2	5	1	-	8	2	2	-	1	1	2	6	4	4	11	3	-	19	65
44	16	44	9	5	1	7	11	1	4	5	1	-	4	19	45	6	18	2	5	22	66
26	8	4	6	1	1	6	5	-	2	1	-	1	5	4	10	4	13	3	-	10	67
18	3	11	2	1	-	2	9	-	1	2	1	-	1	5	3	1	2	1	-	6	68
31	9	12	2	2	1	2	8	1	2	1	5	-	1	8	14	7	7	-	1	8	69
19	8	13	-	7	3	1	2	-	2	-	1	1	-	2	5	3	8	2	1	7	70
35	5	3	1	4	-	1	4	2	2	1	1	-	2	6	9	8	10	2	-	14	71
13	7	3	-	-	-	1	4	-	-	-	2	-	3	4	3	2	2	1	-	6	72
15	2	6	1	1	2	4	2	-	-	-	-	-	3	4	5	5	2	1	1	8	73
162	31	26	6	19	4	7	26	5	2	9	-	-	7	15	6	11	17	7	2	50	74
128	21	19	3	16	4	5	17	5	-	9	-	-	7	12	3	9	12	6	2	40	75
34	10	7	3	3	-	2	9	-	2	-	-	-	-	3	3	2	5	1	-	10	76
23	4	8	-	-	-	3	1	-	-	-	1	-	1	1	-	2	6	1	-	4	77
53	15	10	-	4	-	3	3	-	1	-	-	-	2	7	3	10	9	2	2	11	78
49	11	5	4	3	3	3	7	-	2	1	1	-	1	6	4	4	12	2	1	10	79
36	10	9	2	2	1	3	11	2	-	-	-	-	2	5	11	9	3	-	3	11	80
34	1	-	1	4	-	3	3	-	-	-	1	-	1	-	2	1	6	1	-	8	81
47	12	7	-	2	-	2	5	1	1	2	5	1	1	7	1	6	3	1	-	7	82
24	4	4	-	-	1	-	4	-	-	-	2	-	1	-	1	-	7	-	-	5	83

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ARKANSAS—Continued																
1	Jackson	200	3	1	-	1	34	14	6	14	1	101	99	34	-	61	-
2	Jefferson	706	12	3	2	5	82	31	5	46	9	373	360	98	1	244	3
3	Pine Bluff	445	4	2	-	2	51	19	4	28	7	249	240	67	-	162	1
4	Balance of county	261	8	1	2	3	31	12	1	18	2	124	120	31	1	82	2
5	Johnson	118	3	-	-	1	23	9	1	13	3	58	54	11	-	39	-
6	Lafayette	124	1	1	-	3	17	5	1	11	-	65	65	24	-	36	1
7	Lawrence	147	-	-	-	1	26	9	2	15	2	81	78	28	-	47	-
8	Lee	183	5	1	-	4	20	4	1	15	-	101	98	22	-	68	-
9	Lincoln	110	1	-	-	3	14	2	2	10	1	45	43	9	-	28	1
10	Little River	81	1	-	-	-	15	7	2	6	-	40	39	12	-	25	-
11	Logan	163	5	-	-	-	22	10	3	9	-	90	87	37	-	42	1
12	Lonoke	208	6	-	1	2	25	9	-	16	2	108	103	33	-	62	3
13	Madison	69	1	-	-	-	6	6	-	-	2	36	35	8	-	27	-
14	Marion	60	4	-	-	-	6	2	-	4	-	34	34	13	-	19	3
15	Miller	311	5	3	1	4	45	17	7	21	6	139	137	30	-	98	2
16	Texarkana[2]	182	3	2	1	3	29	13	3	13	3	78	76	17	-	57	-
17	Balance of county	129	2	1	-	1	16	4	4	8	3	61	61	13	-	41	2
18	Mississippi	496	6	4	1	14	52	15	4	33	5	209	203	57	2	132	4
19	Blytheville	166	1	-	-	3	20	4	-	16	1	85	84	26	2	54	2
20	Balance of county	330	5	4	1	11	32	11	4	17	4	124	119	31	-	78	2
21	Monroe	153	4	1	-	3	15	4	4	7	1	78	76	18	-	55	-
22	Montgomery	34	2	-	-	1	9	3	1	5	1	11	11	2	-	8	-
23	Nevada	126	-	-	-	1	19	6	1	12	-	75	74	38	-	31	1
24	Newton	58	1	-	1	-	8	2	-	6	1	23	22	7	1	13	-
25	Ouachita	261	5	-	-	4	29	7	1	21	2	137	133	38	-	79	-
26	Camden	106	2	-	-	2	9	2	-	7	1	58	58	17	-	36	-
27	Balance of county	155	3	-	-	2	20	5	1	14	1	79	75	21	-	43	-
28	Perry	58	4	-	-	-	4	-	1	3	-	27	24	7	-	15	-
29	Phillips	433	6	1	-	6	38	9	2	27	4	223	203	48	-	153	-
30	Helena	126	2	-	-	1	11	5	-	6	2	74	66	16	-	50	-
31	Balance of county	307	4	1	-	5	27	4	2	21	2	149	137	32	-	103	-
32	Pike	75	4	-	-	-	13	7	1	5	-	41	41	8	-	27	1
33	Poinsett	224	5	3	1	6	23	8	2	13	1	97	93	21	-	70	-
34	Polk	121	3	-	1	-	19	9	2	8	1	68	63	8	-	52	-
35	Pope	180	4	-	-	-	32	11	6	15	4	93	87	25	-	52	4
36	Prairie	82	2	-	-	-	11	4	1	6	2	38	37	10	-	26	1
37	Pulaski	1,829	29	11	-	19	280	84	26	170	27	966	943	231	2	629	13
38	Little Rock	1,104	18	5	-	10	175	55	13	107	11	600	587	153	-	386	9
39	North Little Rock	391	4	3	-	5	58	15	8	35	7	199	192	38	-	133	2
40	Balance of county	334	7	3	-	4	47	14	5	29	9	167	164	40	2	110	2
41	Randolph	128	6	-	-	-	16	7	1	8	-	64	64	18	-	36	2
42	St. Francis	306	6	-	-	6	35	10	5	20	4	132	127	38	-	85	4
43	Saline	139	2	1	-	1	22	5	2	15	3	73	65	11	-	50	-
44	Scott	68	1	-	-	-	5	2	-	3	1	39	36	8	-	23	2
45	Searcy	48	1	-	-	1	6	1	-	5	-	32	32	10	-	21	-
46	Sebastian	552	10	3	1	1	75	26	11	38	8	287	282	59	-	212	6
47	Fort Smith	433	7	3	1	-	57	19	10	28	7	221	218	49	-	161	6
48	Balance of county	119	3	-	-	1	18	7	1	10	1	66	64	10	-	51	-
49	Sevier	114	-	-	-	-	13	4	-	9	-	74	70	20	-	43	1
50	Sharp	51	2	-	-	1	8	5	1	2	-	26	25	8	-	14	-
51	Stone	47	-	-	-	-	6	-	1	5	2	25	25	2	-	23	1
52	Union	377	3	1	1	2	56	23	5	28	7	184	169	43	-	114	1
53	El Dorado	190	2	1	1	2	56	17	3	16	6	85	80	24	-	49	-
54	Balance of county	187	1	-	-	-	20	6	2	12	1	99	89	19	-	65	1
55	Van Buren	63	-	-	-	1	5	2	-	3	1	35	32	8	-	23	1
56	Washington	395	2	1	-	4	64	24	10	30	3	216	212	44	-	153	7
57	Fayetteville	113	1	-	-	2	20	7	3	10	-	61	61	12	-	44	3
58	Balance of county	282	1	1	-	2	44	17	7	20	3	155	151	32	-	109	4
59	White	236	6	-	-	1	30	9	5	16	3	112	110	34	-	66	-
60	Woodruff	123	5	2	-	-	17	9	3	5	-	57	56	9	-	39	-
61	Yell	116	6	-	-	1	19	9	1	9	1	63	58	15	-	39	5
62	CALIFORNIA	109,445	1,225	384	124	449	17,665	6,087	2,228	9,350	1,207	59,285	58,457	11,893	86	42,009	1,517
63	Metropolitan counties	88,826	1,001	312	93	332	14,657	5,031	1,846	7,780	964	48,839	48,169	9,874	69	34,438	1,284
64	Nonmetropolitan counties	20,619	224	72	31	117	3,008	1,056	382	1,570	243	10,446	10,288	2,019	17	7,571	233
65	Alameda	7,285	61	35	1	29	1,191	401	161	629	92	4,067	4,018	754	4	3,003	100
66	Oakland	4,189	37	24	-	21	664	232	91	341	57	2,375	2,347	409	2	1,775	63
67	Berkeley	1,016	12	5	-	3	182	58	22	102	14	581	572	131	-	408	9
68	Alameda	520	2	-	1	1	100	27	19	54	4	271	267	54	1	200	5
69	San Leandro	276	2	-	-	1	50	17	2	31	3	142	140	33	1	100	3
70	Albany	125	1	1	-	-	16	4	3	9	2	88	88	15	-	68	4
71	Hayward	229	1	1	-	-	33	12	3	18	2	124	123	26	-	91	5
72	Piedmont	119	-	-	-	-	23	9	1	13	1	75	74	20	-	47	1
73	Balance of county	811	6	4	-	3	123	42	20	61	9	411	407	66	-	314	10
74	Alpine	4	-	-	-	-	1	1	-	-	-	2	2	1	-	1	-
75	Amador	107	4	-	-	-	15	3	2	10	-	63	61	18	1	35	-
76	Butte	784	12	3	-	2	113	30	21	62	13	429	428	76	-	322	9
77	Chico	207	3	-	-	-	32	7	6	19	5	109	109	20	-	80	-
78	Balance of county	577	9	3	-	2	81	23	15	43	8	320	319	56	-	242	9
79	Calaveras	106	1	1	1	1	20	5	4	11	1	56	55	13	-	40	1
80	Colusa	120	3	-	-	1	13	3	3	7	3	61	61	8	-	48	1
81	Contra Costa	1,967	25	9	4	11	333	120	38	175	33	965	942	189	2	679	39
82	Richmond	551	11	1	1	6	91	39	6	46	12	285	279	67	1	193	14
83	Antioch	80	3	-	-	-	9	2	1	6	-	46	46	10	-	30	1
84	El Cerrito	127	-	1	-	-	28	8	5	15	1	72	71	16	-	52	1
85	Pittsburg	138	2	1	-	-	18	7	2	9	4	58	56	6	-	44	3
86	San Pablo	84	1	3	-	-	11	4	1	6	3	31	28	6	-	20	2
87	Balance of county	987	8	3	3	5	176	60	23	93	13	473	462	84	1	340	18

[2]Includes data for Texarkana, Ark., only.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E500-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
29	15	17	-	4	-	2	5	-	-	1	-	-	6	12	3	7	15	2	-	8	1
104	62	75	5	9	3	13	30	1	10	3	4	3	8	28	15	7	27	3	16	65	2
75	43	43	2	6	3	9	16	1	6	2	2	1	5	18	5	4	14	3	8	45	3
29	19	32	3	3	-	4	14	-	4	1	2	2	3	10	10	3	13	-	8	20	4
31	4	4	1	3	-	4	2	-	1	1	1	-	4	1	2	5	2	1	1	9	5
28	4	3	3	2	-	-	5	-	-	-	1	-	1	3	3	5	7	-	3	9	6
27	13	7	2	1	-	3	8	-	1	2	1	1	1	9	-	-	4	2	1	7	7
32	11	25	5	3	-	3	12	-	2	-	-	-	1	2	4	9	2	2	5	13	8
22	4	1	3	3	-	2	1	-	-	2	2	-	-	6	10	4	5	1	2	13	9
17	4	4	1	-	1	1	1	-	-	1	1	1	1	5	3	3	4	2	1	2	10
21	3	17	4	2	2	3	2	-	2	2	-	-	1	2	6	3	12	1	-	15	11
40	11	8	2	5	1	5	10	2	2	1	2	-	-	9	3	6	16	-	3	10	12
18	3	6	-	-	-	1	4	-	-	-	-	1	3	1	2	-	3	1	1	8	13
11	1	4	1	1	-	-	6	-	-	-	1	1	-	1	2	1	1	1	-	2	14
53	27	16	4	4	1	2	12	-	-	7	-	2	1	16	20	12	18	1	4	15	15
30	17	10	-	2	-	2	4	-	-	6	-	1	-	7	10	7	10	1	4	13	16
23	10	6	4	2	1	-	8	-	-	1	-	1	1	9	10	5	8	-	-	2	17
71	23	34	4	6	2	6	21	6	9	2	1	3	9	40	19	22	30	-	7	36	18
24	9	19	1	-	1	1	5	2	1	-	-	-	2	14	3	2	11	-	2	14	19
47	14	15	3	6	1	5	16	4	8	2	1	3	7	26	16	20	19	-	5	22	20
32	10	13	-	1	2	2	14	-	1	2	-	1	-	4	5	4	10	-	1	9	21
3	2	3	1	-	-	-	1	-	-	-	-	-	1	1	-	-	4	2	-	1	22
23	1	6	-	5	-	1	5	-	-	1	2	-	1	4	1	3	4	-	3	7	23
10	1	2	1	-	-	1	1	1	-	1	-	-	-	-	1	6	5	1	1	7	24
47	11	21	6	8	2	4	9	-	1	1	2	-	4	16	5	7	17	1	3	18	25
26	3	7	2	2	1	-	6	-	-	-	1	-	2	6	2	2	6	1	2	6	26
21	8	14	4	6	1	4	3	-	1	1	1	-	2	10	3	5	11	-	1	12	27
3	4	8	-	2	-	3	3	-	-	-	3	-	1	3	2	4	2	-	-	5	28
69	56	28	1	1	-	20	20	-	8	-	1	1	6	21	53	4	16	3	2	20	29
24	17	9	-	-	-	8	5	-	1	-	-	-	-	4	7	3	6	2	-	8	30
45	39	19	1	1	-	12	15	-	7	-	1	1	6	17	46	1	10	1	2	12	31
20	4	2	2	2	2	-	3	-	1	-	-	-	-	-	5	1	2	-	-	5	32
46	11	13	-	1	1	4	7	2	3	3	-	-	1	13	12	15	17	1	5	9	33
27	9	16	-	3	-	5	5	-	-	1	-	-	-	7	2	4	4	-	2	4	34
37	8	3	4	4	2	6	3	-	3	2	1	1	-	4	6	6	8	1	-	12	35
19	2	4	1	-	-	1	5	2	1	-	2	-	-	1	1	5	5	-	1	6	36
502	74	40	23	46	12	23	49	12	14	18	4	5	24	99	15	42	54	18	13	130	37
314	45	18	9	29	10	13	25	9	8	9	3	4	16	53	4	25	32	14	7	76	38
104	16	11	8	12	1	7	7	2	4	7	1	1	4	29	4	8	11	4	4	29	39
84	13	11	6	5	1	3	17	1	2	2	-	-	4	17	7	9	11	-	2	25	40
24	6	4	5	5	-	-	10	1	3	-	-	-	-	5	4	4	7	2	-	6	41
33	25	23	2	1	1	5	12	1	2	2	1	2	1	10	33	7	34	-	5	13	42
35	6	9	2	1	1	8	8	-	-	1	-	-	4	6	1	3	3	-	1	10	43
18	2	1	1	3	1	3	3	-	1	-	-	-	-	-	2	5	3	1	2	5	44
14	2	5	-	-	1	-	2	-	-	1	-	-	-	-	1	-	2	-	-	2	45
151	31	24	4	5	2	5	11	4	-	7	2	2	12	24	12	17	23	5	3	45	46
115	25	15	3	4	1	3	9	3	-	7	1	2	10	22	8	15	19	5	3	33	47
36	6	9	1	1	1	2	2	1	-	-	1	-	2	2	4	2	4	-	-	12	48
29	4	9	1	6	-	4	3	1	-	-	-	-	-	4	4	1	5	1	-	8	49
8	3	3	1	1	1	1	-	-	-	-	1	-	-	1	2	1	1	-	-	8	50
17	3	2	-	-	-	-	-	-	-	-	-	-	2	-	2	3	3	-	-	4	51
55	14	44	6	4	2	15	15	1	4	2	3	1	7	10	5	11	18	8	6	32	52
28	4	17	3	2	2	5	9	1	2	1	3	1	4	8	2	6	4	4	2	10	53
27	10	27	3	2	-	10	6	-	2	1	-	-	3	2	3	5	14	4	4	22	54
11	7	4	1	-	-	3	3	-	-	-	1	-	1	3	2	3	1	-	-	7	55
98	27	21	6	6	3	4	6	1	6	1	-	1	2	14	3	7	16	3	1	44	56
33	5	3	3	2	-	-	1	1	1	-	-	-	-	7	-	3	3	1	-	12	57
65	22	18	3	4	3	4	5	-	5	1	-	1	2	7	3	4	13	2	1	32	58
43	18	5	2	8	-	2	13	1	2	1	2	-	2	13	16	7	9	2	1	15	59
22	12	5	5	2	1	1	7	-	-	-	-	2	-	3	8	3	7	-	2	10	60
24	9	1	1	3	-	5	3	-	2	-	1	-	1	4	3	1	4	-	-	7	61
31,353	4,841	4,298	624	2,787	1,058	828	2,821	863	498	2,164	122	106	1,517	4,573	413	3,266	3,351	1,940	486	6,986	62
25,711	4,015	3,428	524	2,371	893	670	2,139	705	384	1,874	89	81	1,217	3,654	240	2,274	2,414	1,539	388	5,630	63
5,642	826	870	100	416	165	158	682	158	114	290	33	25	300	919	173	992	937	401	98	1,356	64
2,007	359	537	54	142	61	49	154	49	22	166	12	7	107	317	19	161	181	129	36	449	65
1,191	229	292	34	89	38	28	84	28	12	122	7	6	46	150	8	86	104	74	27	257	66
290	47	62	9	16	8	9	18	4	4	17	3	-	11	39	4	14	22	18	4	61	67
129	14	52	2	7	3	4	10	2	1	11	-	-	12	42	1	13	17	6	1	25	68
63	14	20	-	3	3	2	7	2	1	1	1	-	6	13	-	7	9	6	1	24	69
53	4	7	1	3	1	-	-	1	-	1	-	-	5	5	-	-	-	2	-	3	70
51	10	25	-	4	2	1	8	3	1	1	1	-	5	18	1	9	5	2	-	14	71
34	6	6	2	3	2	1	3	-	-	3	-	-	1	1	2	-	1	-	-	9	72
196	35	73	6	17	4	4	24	9	3	10	-	1	21	49	3	32	23	21	3	56	73
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	74
33	-	2	-	6	1	2	-	1	1	3	-	-	-	-	-	3	3	2	1	11	75
244	38	31	6	16	6	1	23	4	3	7	1	1	6	21	6	33	35	19	5	48	76
62	11	7	2	4	3	-	6	2	1	1	-	-	2	9	-	9	10	5	-	13	77
182	27	24	4	12	5	1	17	2	2	6	1	1	4	12	6	24	25	14	5	35	78
29	-	10	-	2	-	1	3	2	-	-	-	1	-	1	1	2	5	5	-	5	79
25	16	6	-	4	1	-	-	1	-	-	-	-	1	9	3	5	5	5	-	10	80
479	92	69	14	34	24	23	45	10	13	27	3	-	43	116	8	85	67	35	8	127	81
142	23	14	3	11	4	6	11	1	7	4	1	-	7	30	3	14	24	8	1	33	82
19	9	1	1	3	2	-	2	-	2	-	-	-	2	5	-	2	4	1	-	4	83
46	3	2	-	2	1	1	3	-	-	1	1	-	3	2	-	5	-	1	-	9	84
27	8	6	-	1	5	2	2	1	-	5	-	-	6	10	2	6	2	3	3	15	85
17	1	-	1	-	1	3	3	2	-	1	-	-	2	7	-	7	4	-	1	8	86
228	48	46	9	17	11	11	24	6	4	16	1	-	23	62	3	51	33	22	3	58	87

385053 O - 56 - 25

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	CALIFORNIA—Continued																
1	Del Norte	115	-	-	-	1	14	7	2	5	3	55	55	14	-	36	1
2	El Dorado	200	4	1	-	1	33	9	4	20	3	92	88	17	1	63	-
3	Fresno	2,534	46	14	5	16	363	123	41	199	39	1,264	1,239	232	4	924	29
4	Fresno	1,093	24	5	-	4	149	47	20	82	21	604	589	111	3	432	16
5	Balance of county	1,441	22	9	5	12	214	76	21	117	18	660	650	121	1	492	13
6	Glenn	190	1	1	1	-	17	6	1	10	1	95	93	20	-	68	2
7	Humboldt	722	9	3	-	4	109	37	16	56	4	361	359	65	-	265	6
8	Eureka	311	5	2	-	1	50	14	9	27	2	169	169	31	-	118	2
9	Balance of county	411	4	1	-	3	59	23	7	29	2	192	190	34	-	147	4
10	Imperial	515	11	2	1	6	57	22	6	29	3	189	186	40	1	134	5
11	Brawley	103	1	1	1	1	14	4	2	8	1	38	35	6	1	24	2
12	El Centro	113	5	-	-	2	14	8	1	5	1	46	46	13	-	32	1
13	Balance of county	299	5	1	-	3	29	10	3	16	1	105	105	21	-	78	2
14	Inyo	140	3	-	2	-	24	7	4	13	1	67	66	11	-	50	-
15	Kern	1,756	20	6	5	17	250	77	36	137	24	752	728	148	4	547	17
16	Bakersfield	449	7	-	1	4	69	27	11	31	5	227	221	41	1	167	9
17	Balance of county	1,307	13	6	4	13	181	50	25	106	19	525	507	107	3	380	8
18	Kings	364	-	-	-	3	53	14	6	33	7	179	176	34	-	127	6
19	Hanford	121	-	-	-	1	21	4	4	13	2	61	60	12	-	37	3
20	Balance of county	243	-	-	-	2	32	10	2	20	5	118	116	22	-	90	3
21	Lake	164	-	-	-	-	26	10	4	12	3	84	82	11	-	60	-
22	Lassen	146	3	-	-	3	17	1	7	9	-	75	72	15	-	55	4
23	Los Angeles	44,450	442	127	36	175	7,426	2,504	947	3,975	448	25,341	24,998	5,351	32	17,453	644
24	Long Beach	3,040	15	10	2	15	529	168	73	288	44	1,801	1,788	347	1	1,297	51
25	Los Angeles	22,158	279	77	19	66	3,659	1,259	470	1,930	236	12,575	12,393	2,634	14	8,661	293
26	Pasadena	1,527	9	5	2	8	251	91	27	133	4	973	963	235	-	616	22
27	Alhambra	554	3	-	-	3	98	34	9	55	3	348	346	78	1	245	9
28	Burbank	586	4	-	-	2	93	32	12	49	7	351	345	57	2	259	20
29	Glendale	1,195	8	3	-	2	195	68	24	103	12	759	752	151	1	522	24
30	Santa Monica	894	5	3	2	3	155	51	17	87	6	544	542	110	-	371	8
31	South Gate	424	5	2	-	1	70	24	11	35	3	251	245	52	-	177	7
32	Belvedere (twp)[3] [4]	266	9	1	-	1	48	19	5	24	4	124	120	22	-	85	4
33	Beverly Hills	371	2	-	-	1	78	25	9	44	5	224	220	53	-	156	5
34	Compton	428	6	-	-	3	59	17	7	35	7	218	218	40	1	159	5
35	Huntington Park	353	6	1	1	1	76	27	6	43	8	191	190	29	-	149	5
36	Inglewood	472	3	3	-	1	86	22	11	53	3	283	282	66	-	189	9
37	Lynwood	213	2	-	-	3	30	8	2	20	4	123	121	23	-	92	2
38	Pomona	410	3	-	-	1	58	16	7	35	2	241	237	68	-	157	5
39	Redondo Beach	273	1	-	1	2	43	17	4	22	3	153	153	38	-	97	2
40	Arcadia	250	1	-	1	-	40	14	5	21	1	159	157	41	-	104	4
41	Azusa	94	-	-	-	1	15	6	3	6	-	44	44	5	-	32	2
42	Bell	157	-	-	1	-	26	9	2	15	-	90	90	20	-	62	3
43	Culver City	164	-	-	-	1	34	10	2	22	2	81	80	21	-	56	3
44	Gardena	134	1	-	-	-	21	5	6	10	2	71	69	13	-	48	2
45	Hawthorne	152	-	1	-	1	30	10	4	16	2	81	80	11	1	65	2
46	Hermosa Beach	120	-	1	-	-	18	5	2	11	2	70	67	14	-	47	1
47	Manhattan Beach	157	-	-	-	-	36	10	4	22	1	74	74	14	1	53	5
48	Maywood	115	-	-	-	-	17	6	3	8	1	73	71	24	-	44	3
49	Monrovia	264	3	-	-	4	42	14	5	23	3	163	160	39	-	112	3
50	Montebello	172	1	-	-	1	34	9	7	18	2	91	91	14	-	69	3
51	Monterey Park	202	1	-	-	2	37	15	6	16	2	124	123	34	-	70	3
52	San Fernando	155	3	-	-	2	21	2	8	11	2	82	82	23	-	50	1
53	San Gabriel	214	3	-	1	1	39	9	6	24	2	126	123	30	-	85	-
54	San Marino	106	1	-	-	-	21	10	2	9	-	68	68	11	-	45	2
55	South Pasadena	194	1	-	-	-	35	18	4	13	2	121	120	33	-	78	1
56	Torrance	245	1	-	1	2	42	15	11	16	4	109	105	21	-	74	5
57	Whittier	293	1	-	-	2	48	12	2	34	5	187	184	40	1	132	2
58	Balance of county	8,098	65	20	5	45	1,342	447	171	724	64	4,368	4,295	940	9	2,995	128
59	Madera	287	3	-	-	3	41	14	2	25	7	144	140	32	1	98	6
60	Madera	97	2	-	-	1	13	4	1	8	1	45	44	11	1	30	1
61	Balance of county	190	1	-	-	2	28	10	1	17	6	99	96	21	-	68	5
62	Marin	821	3	3	6	3	153	50	23	80	5	458	454	98	1	318	6
63	San Rafael	182	1	1	2	-	34	12	8	14	-	103	103	26	-	64	1
64	Balance of county	639	2	2	4	3	119	38	15	66	5	355	351	72	1	254	5
65	Mariposa	59	-	-	-	-	7	4	1	2	-	38	38	6	-	32	-
66	Mendocino	423	5	1	1	1	56	22	4	30	6	208	202	44	1	149	4
67	Merced	570	5	3	-	11	81	20	9	52	7	259	255	39	-	207	7
68	Merced	162	2	1	-	7	23	6	2	15	2	70	70	15	-	52	1
69	Balance of county	408	3	2	-	4	58	14	7	37	5	189	185	24	-	155	6
70	Modoc	81	-	-	-	-	5	2	1	2	1	48	47	6	-	39	-
71	Mono	19	1	-	-	-	1	1	-	-	1	10	10	1	-	9	-
72	Monterey	1,044	8	4	5	4	152	46	21	85	11	485	475	112	1	337	11
73	Monterey	139	-	-	-	-	25	5	6	14	4	75	74	10	-	61	2
74	Salinas	153	1	-	1	-	24	11	3	10	-	76	74	22	-	47	1
75	Balance of county	752	7	4	4	4	103	30	12	61	7	334	327	80	1	229	8
76	Napa	479	9	-	-	1	87	35	11	41	7	273	269	50	-	195	5
77	Napa	210	5	-	-	-	33	13	1	19	2	129	125	20	-	90	2
78	Balance of county	269	4	-	-	1	54	22	10	22	5	144	144	30	-	105	3
79	Nevada	266	2	1	-	2	33	12	6	15	-	166	164	21	-	120	3
80	Orange	2,544	22	7	5	8	415	132	41	242	32	1,427	1,405	306	1	1,006	39
81	Santa Ana	596	2	-	2	1	90	37	15	38	8	348	345	87	-	238	11
82	Anaheim	174	4	1	-	1	35	10	1	24	1	98	98	19	-	73	4
83	Fullerton	156	1	1	-	-	25	4	2	19	4	83	80	18	-	57	3
84	Newport Beach	189	1	-	-	-	38	11	3	24	1	110	109	18	-	84	-
85	Orange	142	1	1	1	-	25	11	1	13	2	90	87	28	-	55	-
86	Balance of county	1,287	13	4	2	6	202	59	19	124	16	698	686	136	1	499	21

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E500-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
22	4	9	-	5	-	-	4	2	-	1	-	-	2	6	-	6	9	2	-	10	1
45	6	12	2	2	3	4	16	2	1	1	-	-	-	9	-	6	9	5	-	17	2
716	88	91	5	35	39	25	80	24	39	31	2	5	29	115	6	127	98	44	17	170	3
341	45	30	4	21	18	15	26	14	9	19	1	2	13	29	2	38	34	21	5	73	4
375	43	61	1	14	21	10	54	10	30	12	1	3	16	86	4	89	64	23	12	97	5
54	5	7	1	4	-	2	6	4	-	-	-	1	1	7	-	18	17	6	1	13	6
211	25	23	2	21	6	2	18	7	4	10	-	3	11	24	-	49	57	14	1	34	7
96	12	8	2	13	5	-	7	3	1	8	-	-	5	12	-	14	12	5	-	15	8
115	13	15	-	8	1	2	11	4	3	2	-	3	6	12	-	35	45	9	1	19	9
94	17	18	1	6	4	3	20	3	12	6	2	-	9	40	5	46	49	11	10	33	10
13	5	4	-	1	3	3	2	1	3	3	-	-	2	15	-	5	6	1	1	7	11
21	4	6	-	1	-	-	7	-	4	1	-	-	3	8	1	5	6	2	1	7	12
60	8	8	1	4	1	-	11	2	5	2	2	-	4	17	4	36	37	8	8	19	13
31	11	8	1	4	-	1	1	-	-	-	-	-	2	10	-	6	8	4	-	12	14
418	74	38	7	7	15	24	74	16	9	30	3	3	31	122	5	135	72	26	25	131	15
120	28	10	4	3	5	6	16	2	2	6	-	1	6	21	2	27	12	4	5	32	16
298	46	28	3	4	10	18	58	14	7	24	3	2	25	101	3	108	60	22	20	99	17
106	5	10	2	12	1	3	8	3	4	4	1	-	9	20	-	14	23	5	7	24	18
32	1	1	2	8	1	1	3	1	1	4	1	-	1	8	-	2	7	1	2	5	19
74	4	9	-	4	-	2	5	2	3	-	-	-	8	12	-	12	16	4	5	19	20
48	3	9	1	8	2	2	2	1	1	2	-	1	2	4	2	6	9	5	-	16	21
43	6	2	-	2	-	3	6	-	1	1	-	1	2	12	1	3	7	3	-	11	22
13,266	2,057	1,486	266	1,526	370	343	925	352	186	902	47	41	579	1,698	120	997	899	727	186	2,796	23
1,017	131	98	17	99	27	13	49	26	14	45	-	-	34	93	33	63	64	45	5	153	24
6,496	1,100	772	147	771	166	182	495	213	87	541	29	25	239	772	57	453	436	364	114	1,422	25
453	85	56	9	80	23	10	38	8	7	21	-	-	5	35	1	28	19	27	7	79	26
195	19	22	1	15	6	2	11	4	1	6	-	-	4	14	2	8	5	6	2	36	27
195	26	18	2	22	3	6	11	4	2	6	-	1	11	24	-	21	6	13	2	28	28
372	69	57	8	53	17	7	15	6	7	15	1	-	12	26	4	17	18	15	2	78	29
298	47	18	8	47	6	2	21	6	-	13	-	1	8	28	2	10	15	13	3	56	30
141	18	11	5	9	2	6	5	3	-	13	1	-	6	22	-	12	7	6	-	17	31
58	16	7	4	6	3	4	10	1	1	9	1	-	8	15	-	5	5	-	-	24	32
132	12	7	-	10	1	4	2	3	2	5	-	-	2	5	2	7	7	7	1	18	33
119	23	12	3	11	4	-	6	1	2	8	-	-	9	37	-	16	12	6	5	33	34
122	13	9	1	11	-	1	5	3	1	8	1	-	4	8	1	4	6	9	4	15	35
140	18	22	4	14	9	1	4	2	-	6	1	-	4	20	-	13	5	6	1	31	36
77	9	4	2	2	2	2	2	-	-	6	-	-	1	14	-	4	6	5	-	13	37
115	20	17	1	8	3	4	6	3	3	4	-	-	5	18	-	12	11	7	1	35	38
73	12	10	1	15	2	-	5	1	3	5	-	-	6	13	-	4	15	6	-	12	39
85	12	3	2	5	5	2	3	-	5	3	-	-	1	4	-	5	7	3	-	17	40
25	3	2	1	5	1	-	2	-	-	3	-	-	-	7	-	10	-	3	-	9	41
46	5	8	1	6	1	-	2	1	-	7	-	1	4	6	-	3	3	4	-	9	42
45	3	5	-	3	-	1	3	2	-	7	1	-	3	12	-	3	4	-	-	11	43
37	5	4	1	5	2	2	3	1	1	1	-	-	4	6	-	4	5	3	1	10	44
48	4	11	-	3	-	1	1	-	-	1	-	-	6	8	-	10	2	1	1	7	45
38	4	4	-	6	-	3	3	2	-	3	-	-	-	2	-	2	5	2	1	9	46
41	6	1	-	5	1	-	1	-	1	3	-	-	4	9	-	6	2	4	-	16	47
36	4	1	-	3	-	2	3	-	1	2	-	-	3	5	-	2	3	3	-	2	48
89	9	11	-	7	2	3	6	2	2	1	-	1	2	5	-	7	4	2	1	16	49
53	8	5	2	4	2	-	5	-	1	3	-	1	1	5	-	5	2	7	-	13	50
52	11	4	2	13	4	1	7	2	-	1	-	-	2	3	-	-	-	3	1	17	51
37	8	4	-	6	3	-	6	-	3	1	-	-	2	8	1	4	6	3	1	10	52
66	11	8	1	6	1	3	3	-	-	3	-	-	3	6	1	5	4	5	1	11	53
36	6	1	1	11	-	-	2	-	2	1	-	-	-	-	-	3	2	1	-	5	54
66	6	5	-	6	3	1	5	2	1	1	-	-	1	2	1	4	3	7	-	8	55
59	5	5	1	7	2	4	9	2	-	1	1	-	10	18	1	11	9	4	-	20	56
113	11	6	2	9	-	3	1	2	-	5	1	-	4	10	-	5	3	2	-	17	57
2,291	318	258	39	243	69	73	175	52	39	144	10	11	171	438	14	231	198	135	32	539	58
74	11	7	1	5	3	4	12	2	2	3	1	-	5	22	-	19	7	3	1	12	59
23	3	3	-	2	-	1	3	1	2	-	-	-	3	13	-	6	1	2	-	4	60
51	8	4	1	3	3	3	9	1	-	3	1	-	2	9	-	13	6	1	1	8	61
228	37	47	5	24	8	4	13	6	3	13	-	-	13	33	3	15	31	21	7	32	62
48	6	9	1	9	3	-	6	1	-	2	-	-	3	5	1	2	9	4	3	5	63
180	31	38	4	15	5	4	7	5	3	11	-	-	10	28	2	13	22	17	4	27	64
26	4	2	-	-	-	-	1	1	-	1	-	-	-	2	-	1	4	1	-	3	65
114	11	20	-	7	1	6	10	4	3	5	2	-	9	21	6	18	32	14	-	21	66
160	16	24	2	6	1	4	19	4	2	9	1	-	6	47	2	32	31	10	5	36	67
44	3	4	1	2	-	-	5	-	2	6	-	-	-	14	1	8	4	3	1	13	68
116	13	20	1	4	1	4	14	4	-	3	1	-	6	33	1	24	27	7	4	23	69
36	1	2	-	2	-	1	2	-	-	2	-	-	1	2	-	6	4	2	-	8	70
9	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	1	-	-	1	71
258	40	28	4	12	9	10	39	8	6	20	2	3	23	70	6	60	39	20	4	75	72
49	4	6	-	1	2	1	5	-	-	3	-	1	2	8	-	3	6	2	-	5	73
38	6	2	-	4	1	2	3	2	-	2	1	-	4	7	-	9	6	1	1	15	74
171	30	20	4	7	6	7	31	6	6	15	1	2	17	55	6	48	27	17	3	55	75
129	22	39	-	20	4	4	15	2	2	2	1	-	3	15	3	17	12	6	-	24	76
59	9	20	-	13	2	4	9	-	-	-	-	-	3	7	1	5	4	1	-	11	77
70	13	19	-	7	2	-	6	2	2	2	1	-	-	8	2	12	8	5	-	13	78
61	23	33	5	15	3	2	11	-	2	3	-	-	3	5	2	7	7	9	1	12	79
753	125	89	13	46	33	22	66	18	9	19	3	5	43	103	6	77	83	41	8	147	80
169	35	23	2	11	7	3	24	7	2	3	1	2	11	20	1	9	19	10	3	33	81
50	10	9	-	4	2	-	6	1	-	1	-	-	2	5	-	8	7	1	-	3	82
39	10	5	1	3	1	3	1	1	-	2	-	1	4	9	1	2	9	-	-	12	83
66	12	6	-	3	4	1	2	-	1	1	-	-	2	7	1	4	4	5	-	12	84
51	3	1	-	2	2	3	3	1	-	1	-	-	-	4	-	2	2	1	-	8	85
378	55	45	10	23	17	12	30	8	6	11	2	2	24	58	3	52	42	24	5	79	86

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	CALIFORNIA—Continued																
1	Placer	418	3	2	-	2	49	17	4	28	8	232	228	32	-	182	7
2	Plumas	133	-	1	1	-	21	9	1	11	3	55	53	8	1	40	-
3	Riverside	2,099	24	9	3	5	300	108	39	153	22	1,041	1,032	182	1	760	31
4	Riverside	642	6	2	1	-	115	38	12	65	8	327	324	57	-	241	7
5	Corona	107	2	-	-	-	16	3	6	7	4	53	53	9	-	42	1
6	Balance of county	1,350	16	7	2	5	169	67	21	81	10	661	655	116	1	477	23
7	Sacramento	3,140	71	13	1	17	455	165	59	231	33	1,655	1,636	312	3	1,243	43
8	Sacramento	1,937	48	10	-	10	295	114	43	138	25	1,073	1,062	205	2	805	28
9	Balance of county	1,203	23	3	1	7	160	51	16	93	8	582	574	107	1	438	15
10	San Benito	120	1	-	-	2	20	8	2	10	1	59	59	9	-	47	1
11	San Bernardino	3,085	40	13	3	5	497	158	67	272	34	1,426	1,407	276	4	1,015	41
12	San Bernardino	806	8	5	-	-	119	28	19	72	13	381	373	82	1	256	16
13	Colton	146	3	-	-	-	27	8	4	15	2	65	63	13	-	44	1
14	Ontario	292	2	1	-	-	58	22	5	31	1	153	151	30	-	114	4
15	Redlands	216	5	-	-	1	25	11	2	12	4	110	110	20	-	77	2
16	Balance of county	1,625	22	7	3	4	268	89	37	142	14	717	710	131	3	524	18
17	San Diego	5,611	57	14	7	23	890	287	101	502	69	2,925	2,861	645	-	2,000	77
18	San Diego	3,433	37	9	6	16	548	187	62	299	44	1,826	1,800	407	-	1,228	42
19	Chula Vista	158	1	1	-	1	30	12	6	12	1	82	81	15	-	61	2
20	Coronado	107	-	-	-	-	25	6	1	18	1	49	49	16	-	29	1
21	La Mesa	122	-	1	1	-	19	4	1	14	2	69	69	12	-	55	2
22	National City	176	5	-	-	-	20	6	1	13	4	92	91	19	-	68	2
23	Oceanside	139	2	1	-	1	13	5	2	6	-	81	81	11	-	65	5
24	Balance of county	1,476	12	2	-	5	235	67	28	140	17	726	710	165	-	494	23
25	San Francisco, coextensive with San Francisco (city)	9,267	135	40	5	18	1,542	605	200	737	89	5,074	5,004	890	11	3,729	143
26	San Joaquin	2,103	40	10	5	9	322	116	41	165	21	1,106	1,092	184	1	831	29
27	Stockton	988	24	7	1	5	141	50	18	73	10	527	523	85	-	398	17
28	Lodi	187	1	2	-	-	27	11	6	10	1	118	117	19	-	93	2
29	Balance of county	928	15	1	4	4	154	55	17	82	10	461	452	80	1	340	10
30	San Luis Obispo	564	4	5	1	-	76	30	11	35	6	312	306	62	-	219	7
31	San Luis Obispo	141	1	1	-	-	21	8	5	8	-	81	79	16	-	58	-
32	Balance of county	423	3	4	1	-	55	22	6	27	6	231	227	46	-	161	7
33	San Mateo	2,112	17	12	7	7	392	136	48	208	13	1,135	1,119	222	1	832	38
34	Redwood City	290	4	4	-	2	55	30	3	22	-	151	147	19	-	122	7
35	San Mateo	397	4	3	2	-	75	25	7	43	3	213	212	59	-	144	5
36	Burlingame	216	2	-	1	-	44	10	6	28	1	125	124	22	-	95	4
37	Daly City	158	1	-	2	-	23	6	4	13	1	91	90	18	1	64	3
38	Menlo Park	165	3	-	-	-	33	12	5	16	1	77	75	12	-	59	2
39	San Bruno	89	-	-	-	-	16	3	3	10	-	54	52	11	-	37	1
40	San Carlos	118	-	1	-	-	20	8	1	11	-	71	70	11	-	55	1
41	South San Francisco	133	1	1	-	-	26	11	3	12	1	70	68	15	-	49	4
42	Balance of county	546	2	3	2	5	100	31	16	53	6	283	281	55	-	207	11
43	Santa Barbara	971	8	6	1	2	179	65	26	88	11	530	522	94	1	390	15
44	Santa Barbara	571	6	3	-	1	111	44	13	54	6	340	336	60	-	249	8
45	Santa Maria	90	-	1	-	-	15	3	1	11	2	47	46	11	-	34	-
46	Balance of county	310	2	2	1	1	53	18	12	23	3	143	140	23	1	107	7
47	Santa Clara	3,072	37	10	6	10	519	174	60	285	50	1,613	1,592	330	5	1,144	47
48	San Jose	1,104	12	1	2	6	176	66	20	90	21	608	600	119	1	430	20
49	Palo Alto	307	4	1	1	-	53	17	7	29	2	161	159	42	-	107	7
50	Santa Clara	143	5	2	-	1	21	9	1	11	1	75	74	16	-	57	2
51	Balance of county	1,518	16	6	3	3	269	82	32	155	26	769	759	153	4	550	18
52	Santa Cruz	986	10	2	1	2	151	65	15	71	15	609	607	122	1	444	11
53	Santa Cruz	392	4	-	1	-	63	27	5	31	6	253	253	52	-	180	7
54	Watsonville	150	3	1	-	1	26	11	3	12	6	79	78	12	-	63	2
55	Balance of county	444	3	1	-	1	62	27	7	28	3	277	276	58	1	201	2
56	Shasta	382	1	1	1	1	48	17	8	23	4	197	193	41	-	143	2
57	Redding	125	1	-	-	1	13	6	2	5	-	76	75	15	-	56	1
58	Balance of county	257	-	1	1	-	35	11	6	18	4	121	118	26	-	87	1
59	Sierra	28	-	-	-	-	2	2	-	-	1	15	15	1	-	14	-
60	Siskiyou	332	3	-	-	1	52	31	3	18	4	182	176	33	-	129	3
61	Solano	835	5	5	2	1	159	60	19	80	6	383	382	85	-	261	9
62	Vallejo	355	3	2	-	-	73	31	9	33	1	156	155	26	-	116	3
63	Balance of county	480	2	3	2	1	86	29	10	47	5	227	227	59	-	145	6
64	Sonoma	1,275	10	4	2	9	201	77	22	102	8	663	652	132	-	481	11
65	Petaluma	143	-	1	-	1	23	10	-	13	-	85	85	16	-	66	1
66	Santa Rosa	290	2	1	-	3	41	19	2	20	2	149	149	28	-	114	1
67	Balance of county	842	8	2	2	5	137	48	20	69	6	429	418	88	-	301	9
68	Stanislaus	1,160	16	5	2	5	168	62	16	90	17	626	616	131	-	455	12
69	Modesto	313	4	2	1	1	50	18	5	27	3	175	170	37	-	124	7
70	Balance of county	847	12	3	1	4	118	44	11	63	14	451	446	94	-	331	5
71	Sutter	242	1	-	-	1	30	11	2	17	3	116	115	25	-	86	4
72	Tehama	219	1	-	1	1	29	12	6	11	4	128	127	44	-	76	2
73	Trinity	66	-	1	-	-	10	2	3	5	-	30	30	4	-	21	2
74	Tulare	1,130	7	4	1	12	160	59	21	80	17	543	535	97	-	396	13
75	Tulare	99	-	1	-	2	9	3	1	5	1	46	46	8	-	32	-
76	Visalia	141	-	-	-	-	24	12	2	10	1	78	78	18	-	57	1
77	Balance of county	890	7	3	1	10	127	44	18	65	15	419	411	71	-	307	12
78	Tuolumne	154	2	-	-	-	13	3	1	9	2	96	95	15	-	77	1
79	Ventura	958	12	2	-	8	160	49	17	94	7	464	462	122	2	311	13
80	Oxnard	165	3	-	-	1	31	6	5	20	3	55	53	15	-	36	2
81	San Buenaventura	188	3	-	-	1	38	14	6	18	1	98	98	26	-	66	2
82	Santa Paula	93	2	-	-	1	18	4	1	13	1	50	50	13	1	32	1
83	Balance of county	512	4	2	-	5	73	25	5	43	2	261	261	68	1	177	8
84	Yolo	457	13	1	-	2	63	19	4	40	2	233	232	37	1	175	5
85	Yuba	264	4	3	1	3	51	22	10	19	2	124	121	26	-	88	5

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
117	27	31	2	7	5	4	18	3	1	4	-	-	4	7	2	17	24	10	2	30	1
33	5	2	1	3	-	2	7	-	-	3	-	-	1	6	-	14	9	-	1	11	2
562	96	71	17	51	21	9	85	18	17	39	3	2	31	93	17	101	75	39	4	171	3
187	34	13	6	14	6	3	21	5	4	6	-	-	14	26	7	21	19	10	1	49	4
34	4	3	1	1	-	-	4	3	1	4	-	-	1	5	-	6	1	-	-	7	5
341	58	55	10	36	15	6	60	10	12	29	3	2	16	62	10	74	55	29	3	115	6
945	120	135	14	39	25	19	82	26	7	76	4	2	41	146	6	103	118	52	13	219	7
614	82	81	11	28	11	11	52	14	4	56	2	1	23	58	4	42	55	28	7	130	8
331	38	54	3	11	14	8	30	12	3	20	2	1	18	88	2	61	63	24	6	89	9
32	5	9	2	-	1	-	8	-	1	3	-	-	1	3	3	4	4	1	-	9	10
762	121	91	19	51	42	19	133	29	20	54	2	4	41	169	9	152	149	46	18	241	11
180	38	22	4	18	12	8	50	5	9	18	1	1	12	38	3	23	33	14	3	70	12
32	3	8	1	-	5	2	9	-	1	2	-	-	1	9	-	5	5	3	2	12	13
90	11	9	3	3	1	2	13	3	-	3	-	-	6	14	-	7	9	3	1	18	14
52	12	11	1	7	5	-	10	3	-	2	-	-	2	7	2	7	6	6	3	23	15
408	57	41	10	23	19	7	51	18	10	29	1	3	20	101	4	110	96	20	9	118	16
1,413	288	222	35	137	64	44	153	45	15	100	5	6	105	334	12	178	185	102	25	361	17
868	177	141	23	107	35	26	88	27	7	54	3	4	65	201	7	84	108	57	12	230	18
48	5	6	1	2	2	1	3	-	-	4	-	1	2	17	-	4	3	3	-	5	19
21	5	2	1	3	-	-	-	1	-	4	-	-	3	10	-	1	4	1	1	7	20
30	17	6	1	-	1	-	3	3	-	1	-	-	2	5	1	2	5	1	1	6	21
55	7	4	-	2	2	1	10	1	-	4	-	-	5	17	-	3	3	1	-	11	22
39	13	8	-	2	3	-	1	2	-	5	-	-	3	9	-	3	3	4	2	9	23
352	64	55	9	21	21	16	48	11	8	28	2	1	25	75	4	81	59	35	9	93	24
2,856	380	350	50	181	143	70	266	92	31	338	6	5	74	255	15	142	340	200	42	558	25
614	115	73	18	50	8	14	89	10	11	38	1	1	36	71	15	69	72	40	17	120	26
292	55	34	8	29	3	4	50	7	6	20	-	-	14	30	4	30	29	12	5	66	27
68	12	11	1	3	1	1	3	1	2	1	1	-	6	5	2	2	2	5	-	8	28
254	48	28	9	18	4	9	36	2	3	17	-	1	16	36	9	37	41	23	12	46	29
156	29	27	6	14	5	6	18	6	2	7	1	-	9	18	3	12	36	14	-	34	30
42	10	6	2	1	2	2	5	2	-	2	-	-	2	6	1	1	8	4	-	6	31
114	19	21	4	13	3	4	13	4	2	5	1	-	7	12	2	11	28	10	-	28	32
618	85	91	10	25	29	16	41	12	6	38	3	3	32	83	3	48	59	34	7	160	33
98	3	14	1	5	-	4	7	1	1	2	1	-	5	13	-	8	5	8	-	23	34
106	16	17	4	3	2	1	7	4	1	4	1	1	9	13	-	6	12	4	1	34	35
70	15	6	1	-	6	1	2	-	-	2	-	1	-	4	2	3	4	4	2	19	36
50	6	5	1	4	2	1	7	-	-	3	-	-	3	7	-	4	2	1	-	13	37
44	6	7	-	-	4	2	4	1	1	3	-	-	2	3	1	6	6	8	1	15	38
25	5	6	-	2	2	2	2	1	1	3	-	-	-	2	-	-	3	2	-	5	39
40	10	4	-	1	3	1	1	2	-	3	-	-	2	7	-	2	4	-	1	4	40
33	4	8	2	-	2	2	1	-	-	3	1	-	3	11	-	1	4	2	-	8	41
152	20	24	1	10	8	2	10	3	2	15	-	1	8	23	-	18	19	5	2	39	42
293	39	43	7	23	7	8	20	3	5	18	3	-	17	30	5	19	21	17	5	71	43
198	26	17	7	17	3	4	10	1	1	12	-	-	7	7	2	5	10	11	4	34	44
18	2	14	-	1	-	1	1	1	1	-	-	-	3	7	1	4	-	3	-	4	45
77	11	12	-	5	4	3	9	1	3	6	3	-	7	16	2	10	11	3	1	33	46
848	124	125	19	60	34	21	73	25	14	57	1	1	50	155	13	78	98	55	2	205	47
302	54	54	9	28	13	8	25	8	4	25	-	-	13	43	6	26	41	18	-	69	48
79	7	14	-	5	5	2	4	2	3	5	1	-	2	16	-	8	9	4	-	31	49
43	7	5	-	1	-	1	5	2	-	4	-	-	1	11	1	5	2	1	-	6	50
424	56	52	10	26	16	10	39	13	7	23	-	1	34	85	6	39	46	32	2	99	51
319	52	62	5	25	10	2	18	13	7	12	1	1	9	14	3	33	30	16	5	34	52
129	21	23	3	13	5	-	6	5	1	6	-	-	5	4	1	7	7	4	2	17	53
44	8	9	-	2	1	1	3	1	1	-	-	-	-	3	1	10	6	4	3	2	54
146	23	30	2	10	4	1	9	7	5	6	1	1	4	7	1	16	17	8	-	15	55
107	21	13	2	5	2	4	11	1	1	7	1	1	4	22	2	21	20	8	2	28	56
43	6	6	1	2	1	1	1	-	-	2	-	-	1	11	-	6	5	2	1	5	57
64	15	7	1	3	1	3	10	1	1	5	1	1	3	11	2	15	15	6	1	23	58
8	2	4	-	-	-	-	1	-	-	1	-	-	-	2	-	1	-	2	-	3	59
91	14	21	2	11	1	6	8	2	1	3	-	-	6	9	1	17	17	10	4	12	60
206	24	22	2	21	13	1	19	7	8	15	-	1	24	59	5	42	34	13	2	45	61
92	13	8	-	7	6	1	5	5	3	11	-	-	10	25	2	14	11	7	-	27	62
114	11	14	2	14	7	-	14	2	5	4	-	1	14	34	3	28	23	6	2	18	63
364	49	57	4	29	6	11	52	11	4	15	2	1	12	32	73	32	41	22	1	80	64
43	8	14	-	3	-	-	3	-	1	3	1	-	-	1	8	1	3	3	-	9	65
88	11	14	-	6	1	-	17	3	-	1	-	-	5	6	16	5	7	4	1	27	66
233	30	29	4	20	5	11	32	8	3	11	1	1	7	25	49	26	31	15	-	44	67
360	42	41	5	18	7	10	40	4	6	20	3	1	17	37	3	44	45	22	3	76	68
94	16	7	-	8	1	5	8	3	2	1	1	-	5	6	2	10	12	5	1	21	69
266	26	34	5	10	6	5	32	1	4	19	2	1	12	31	1	34	33	17	2	55	70
64	7	11	-	2	2	1	10	4	-	5	-	-	3	9	-	21	8	5	-	26	71
55	6	13	1	6	-	1	4	-	-	-	-	-	4	10	1	7	12	7	1	9	72
16	1	2	-	2	3	-	3	1	-	2	-	-	1	1	1	6	4	2	1	3	73
289	37	57	5	25	12	8	37	8	11	17	1	1	23	59	9	68	49	15	3	85	74
22	6	4	1	5	-	-	3	1	3	1	-	-	3	9	-	6	4	-	-	10	75
44	5	7	-	1	2	-	4	2	-	2	-	-	1	5	1	10	5	1	-	7	76
223	26	46	4	19	10	8	30	5	8	14	1	1	19	45	8	52	40	14	3	68	77
51	2	23	-	1	2	1	5	2	-	2	-	-	2	3	-	3	9	2	-	13	78
232	37	29	2	18	7	2	27	9	5	12	3	2	18	67	1	44	48	17	2	50	79
28	3	3	-	1	1	2	6	2	-	3	3	1	6	14	-	10	9	5	1	12	80
55	5	4	2	4	-	-	6	-	-	3	-	1	2	11	-	6	7	1	-	10	81
24	5	2	-	3	1	-	2	1	-	2	-	-	2	2	-	2	3	-	-	7	82
125	24	20	-	10	5	-	13	6	5	4	-	-	8	40	1	26	29	11	1	21	83
148	11	11	3	7	9	1	10	3	-	6	-	-	8	11	6	22	32	12	2	31	84
75	6	2	1	3	3	3	9	3	-	4	1	2	4	17	-	11	8	3	1	13	85

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	COLORADO	12,989	131	31	7	62	1,983	730	188	1,065	147	6,392	6,244	1,363	21	4,395	216
2	Metropolitan counties	6,639	81	17	-	27	1,054	377	114	563	55	3,277	3,208	644	12	2,307	104
3	Nonmetropolitan counties	6,350	50	14	7	35	929	353	74	502	92	3,115	3,036	719	9	2,088	112
4	Adams	278	7	-	-	3	43	13	4	26	4	110	107	18	-	84	3
5	Aurora (part)	50	2	-	-	1	10	3	1	6	1	14	13	1	-	12	1
6	Aurora (total)	101	3	-	-	1	16	4	1	11	1	27	26	6	-	19	1
7	Balance of county	228	5	-	-	2	33	10	3	20	3	96	94	17	-	72	2
8	Alamosa	100	-	-	-	-	16	9	2	5	-	45	45	12	-	30	5
9	Arapahoe	449	2	2	-	1	68	15	7	46	6	206	203	39	2	145	9
10	Aurora (part)	51	1	-	-	-	6	1	-	5	-	13	13	5	-	7	-
11	Englewood	209	1	-	-	1	31	6	5	20	3	104	102	14	-	79	7
12	Balance of county	189	-	2	-	-	31	8	2	21	3	89	88	20	2	59	2
13	Archuleta	24	-	-	-	2	3	-	-	3	-	7	7	1	1	4	-
14	Baca	45	-	-	-	-	8	3	1	4	-	25	24	2	-	20	-
15	Bent	63	-	-	-	-	8	2	1	5	1	26	25	8	-	17	1
16	Boulder	483	5	-	1	1	75	32	5	38	9	265	265	55	1	187	8
17	Boulder	220	2	-	1	-	38	13	3	22	4	124	124	27	-	87	4
18	Balance of county	263	3	-	-	1	37	19	2	16	5	141	141	28	1	100	4
19	Chaffee	88	1	-	-	-	11	5	1	5	1	50	49	9	-	33	1
20	Cheyenne	24	1	-	-	1	3	2	-	1	1	13	12	3	-	8	-
21	Clear Creek	29	-	1	-	-	4	2	-	2	-	12	12	1	-	11	1
22	Conejos	76	-	-	-	-	12	8	-	4	-	31	30	7	-	22	1
23	Costilla	29	1	-	-	1	2	1	-	1	-	14	14	4	-	10	1
24	Crowley	49	-	-	-	-	6	-	-	6	3	24	24	7	-	16	-
25	Custer	19	-	-	-	-	5	3	-	2	-	10	10	4	-	6	-
26	Delta	190	1	-	-	2	30	7	5	18	-	107	107	30	1	70	5
27	Denver, coextensive with Denver (city)	4,574	61	14	-	18	740	276	74	390	34	2,310	2,268	453	7	1,630	78
28	Dolores	16	-	-	-	-	3	-	1	2	-	8	8	2	-	6	-
29	Douglas	37	1	-	-	-	9	5	-	4	2	16	16	3	-	11	1
30	Eagle	48	-	-	-	-	5	1	1	3	-	23	22	2	-	19	-
31	Elbert	31	1	-	-	-	4	-	1	3	-	19	19	6	-	13	-
32	El Paso	865	14	4	1	6	141	57	10	74	5	442	435	97	1	297	17
33	Colorado Springs	708	10	3	-	3	127	53	9	65	4	382	377	85	1	254	16
34	Balance of county	157	4	1	1	3	14	4	1	9	1	60	58	12	-	43	1
35	Fremont	250	2	-	1	1	29	11	-	18	3	145	140	33	-	103	3
36	Garfield	106	-	-	-	-	12	4	1	7	1	65	62	5	-	50	2
37	Gilpin	10	-	-	-	-	1	1	-	-	-	6	6	1	-	5	-
38	Grand	33	-	-	-	-	5	2	-	3	2	11	11	1	-	8	1
39	Gunnison	28	-	-	-	-	4	1	-	3	-	15	14	3	-	11	-
40	Hinsdale	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
41	Huerfano	118	-	1	-	1	20	10	1	9	2	51	49	11	-	34	2
42	Jackson	20	-	-	-	-	5	1	2	2	1	8	8	2	-	5	-
43	Jefferson	499	6	1	-	-	84	32	16	36	5	257	255	47	2	185	5
44	Kiowa	32	-	-	-	2	2	-	1	1	-	16	16	4	-	11	-
45	Kit Carson	62	-	-	-	-	16	5	2	9	2	31	31	8	-	23	2
46	Lake	80	1	-	-	-	6	1	1	4	2	28	27	6	-	19	3
47	La Plata	132	-	-	-	1	14	6	1	7	1	64	61	15	-	39	3
48	Larimer	410	3	-	2	1	71	32	3	36	5	219	215	50	-	153	7
49	Fort Collins	190	2	-	1	-	29	12	2	15	1	110	109	29	-	73	6
50	Balance of county	220	1	-	1	1	42	20	1	21	4	109	106	21	-	80	1
51	Las Animas	236	1	1	-	3	30	14	3	13	2	95	93	17	1	66	5
52	Trinidad	139	-	1	-	2	20	11	2	7	2	58	56	14	1	35	4
53	Balance of county	97	1	-	-	1	10	3	1	6	-	37	37	3	-	31	1
54	Lincoln	46	-	-	-	-	4	1	-	3	1	30	30	5	-	25	-
55	Logan	188	1	-	-	1	34	12	2	20	1	84	82	27	-	53	5
56	Mesa	404	1	2	-	1	60	29	5	26	7	204	191	47	1	129	7
57	Grand Junction	202	-	1	-	-	33	18	1	14	3	101	96	23	1	63	5
58	Balance of county	202	1	1	-	1	27	11	4	12	4	103	95	24	-	66	2
59	Mineral	10	-	-	-	-	1	-	-	1	-	3	3	-	-	3	-
60	Moffat	54	-	-	-	-	8	5	2	1	2	29	29	10	-	16	-
61	Montezuma	79	1	-	-	-	9	-	2	7	3	24	23	7	-	11	1
62	Montrose	158	2	-	-	1	21	12	-	9	5	70	67	16	1	41	4
63	Morgan	174	-	-	-	1	19	8	3	8	3	84	81	25	-	53	3
64	Otero	218	2	1	1	-	27	5	2	20	3	111	106	25	-	70	3
65	Ouray	13	-	-	-	-	2	2	-	-	-	7	7	3	-	4	1
66	Park	17	-	1	-	-	5	1	1	3	-	8	7	1	-	5	-
67	Phillips	47	-	-	-	1	8	2	-	6	-	27	27	10	-	16	-
68	Pitkin	20	1	-	-	-	2	-	-	2	-	9	9	2	-	7	-
69	Prowers	121	-	-	-	-	20	6	-	14	4	69	64	18	-	44	1
70	Pueblo	839	5	-	-	5	119	41	13	65	6	394	375	87	1	263	9
71	Pueblo	753	5	-	-	4	101	36	11	54	6	360	344	79	1	240	7
72	Balance of county	86	-	-	-	1	18	5	2	11	-	34	31	8	-	23	2
73	Rio Blanco	33	-	-	-	-	9	4	1	4	-	10	10	5	-	4	-
74	Rio Grande	140	2	-	-	3	10	5	-	5	2	44	44	7	1	29	2
75	Routt	59	-	-	-	-	12	4	2	6	-	27	26	7	-	16	1
76	Saguache	55	1	-	-	-	6	2	1	3	-	21	18	7	-	11	-
77	San Juan	16	-	-	-	1	2	-	1	1	-	4	4	2	-	2	-
78	San Miguel	17	-	1	-	-	1	1	-	-	1	3	2	-	-	2	2
79	Sedgwick	30	-	-	-	-	5	1	-	4	1	16	16	6	1	8	-
80	Summit	12	-	-	-	-	2	-	-	2	-	8	8	1	-	7	2
81	Teller	28	1	-	-	-	1	-	-	1	1	12	12	5	-	7	3
82	Washington	60	1	-	-	-	5	-	-	5	1	28	28	5	-	23	-
83	Weld	523	4	2	1	4	76	22	8	46	11	244	238	61	-	160	8
84	Greeley	233	-	-	-	1	35	13	1	21	7	123	119	35	-	72	4
85	Balance of county	290	4	2	1	3	41	9	7	25	4	121	119	26	-	88	4
86	Yuma	94	1	-	-	-	20	6	1	13	3	47	46	8	-	34	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
3,237	444	498	75	272	118	148	630	130	138	145	22	16	194	699	49	408	536	220	49	1,000	1
1,792	238	173	34	143	68	69	369	74	62	100	5	3	108	355	17	167	206	122	30	510	2
1,445	206	325	41	129	50	79	261	56	76	45	17	13	86	344	32	241	330	98	19	490	3
63	11	7	-	2	3	3	15	-	4	3	1	-	7	24	-	14	14	9	1	19	4
9	-	2	-	-	-	1	-	-	-	1	-	-	1	8	-	1	4	3	1	3	5
15	1	2	-	1	-	1	1	-	-	3	-	-	4	16	-	8	7	6	1	7	6
54	11	5	-	2	3	2	15	-	4	2	1	-	6	16	-	13	10	6	-	16	7
17	3	5	1	1	1	-	5	3	2	1	1	-	-	8	-	5	6	2	-	6	8
112	15	9	5	10	2	3	16	5	1	5	-	-	15	29	2	22	20	13	-	36	9
6	1	-	-	1	-	-	1	-	-	2	-	-	3	8	-	7	3	3	-	4	10
61	8	3	2	5	2	2	10	4	-	1	-	-	7	10	-	6	10	6	-	15	11
45	6	6	3	4	-	1	5	1	1	2	-	-	5	11	2	9	7	4	-	17	12
2	-	2	-	1	-	-	1	-	1	1	-	1	-	3	-	3	-	-	-	2	13
14	-	6	-	1	1	1	2	-	-	-	-	-	-	2	-	3	2	1	-	2	14
10	1	5	-	-	-	1	2	1	1	1	-	-	-	9	-	2	3	-	-	9	15
146	15	18	1	18	3	-	20	3	1	2	1	-	6	24	-	11	13	13	2	31	16
72	3	8	-	8	2	-	5	1	-	-	-	-	3	13	-	4	6	5	-	14	17
74	12	10	1	10	1	-	15	2	1	2	1	-	3	11	-	7	7	8	2	17	18
17	4	11	-	7	-	1	1	1	3	-	-	-	-	1	-	1	4	3	-	11	19
5	2	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	3	20
7	-	3	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	2	1	6	21
14	5	2	-	1	-	1	10	2	7	-	-	-	1	4	-	3	3	-	-	3	22
8	-	1	-	-	-	-	1	-	-	1	1	-	1	1	2	2	-	1	-	1	23
14	-	2	-	-	1	-	4	-	-	1	-	-	-	-	-	2	4	2	-	3	24
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	25
47	7	11	2	4	-	-	8	1	-	-	1	-	1	1	1	8	11	2	1	15	26
1,275	159	118	18	112	48	42	239	58	42	75	2	3	66	228	12	97	127	72	24	352	27
6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	28
10	-	-	-	1	1	-	-	-	-	-	-	-	1	2	-	-	3	-	-	3	29
9	2	8	-	1	-	1	3	-	1	-	-	-	1	2	-	1	4	1	3	4	30
10	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	3	31
229	25	26	6	23	11	7	22	7	4	8	2	3	18	52	1	36	30	12	3	54	32
200	18	20	6	22	9	5	20	5	2	7	2	2	14	38	-	15	20	9	2	43	33
29	7	6	-	1	2	2	2	2	2	1	-	1	4	14	1	21	10	3	1	11	34
70	8	22	3	1	-	5	12	1	2	2	-	2	1	5	-	7	13	6	1	17	35
21	3	24	1	5	1	3	3	-	1	-	1	-	3	4	-	3	9	1	-	3	36
2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	37
7	-	-	-	1	1	-	3	-	-	-	-	-	-	2	-	-	5	1	-	4	38
6	3	2	-	-	-	1	2	-	-	-	1	-	1	3	-	-	1	1	-	-	39
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
25	2	5	-	3	1	2	11	-	-	1	1	-	1	8	1	3	6	1	-	10	41
2	-	3	-	1	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	2	42
135	24	21	3	7	11	2	16	5	5	4	1	-	9	23	-	11	21	16	1	34	43
9	-	2	-	1	-	-	2	-	-	-	-	-	1	3	-	2	1	-	-	3	44
17	2	2	-	-	-	-	1	1	-	1	-	-	-	-	-	3	4	1	-	2	45
7	1	8	-	1	1	1	9	1	-	-	1	-	3	9	1	2	5	1	-	11	46
21	4	11	3	4	-	3	7	1	4	-	-	-	2	14	1	8	7	-	-	8	47
101	18	27	6	4	2	4	13	4	4	3	-	-	2	20	2	9	25	3	-	24	48
47	10	10	2	4	1	1	2	3	1	1	-	-	1	10	1	4	7	2	-	15	49
54	8	17	4	-	1	3	11	1	3	2	-	-	1	10	1	5	18	1	-	9	50
40	7	14	3	4	2	2	21	1	10	4	-	-	1	11	5	7	10	4	2	28	51
21	1	9	2	3	1	2	8	1	8	1	-	-	-	11	4	6	2	1	2	12	52
19	6	5	1	1	1	-	13	-	2	3	-	-	1	-	1	1	8	3	-	16	53
18	3	4	-	-	-	-	1	-	-	-	-	-	1	-	-	4	3	-	-	2	54
36	4	8	-	1	1	2	6	2	1	1	-	2	6	17	-	4	10	3	2	13	55
81	21	20	2	9	3	13	12	5	-	4	1	1	3	20	4	15	23	6	1	34	56
44	6	8	1	5	3	5	8	2	-	1	1	-	2	7	3	8	11	3	1	17	57
37	15	12	1	4	-	8	4	3	-	3	-	1	1	13	1	7	12	3	-	17	58
3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	4	59
14	1	1	-	2	1	-	1	-	-	1	-	-	-	2	-	4	1	2	-	4	60
8	1	1	1	4	-	1	6	2	-	-	-	-	2	5	1	3	15	-	-	8	61
26	1	10	-	7	2	3	5	2	1	1	-	2	5	7	-	8	8	2	1	17	62
35	5	10	1	1	1	3	5	1	1	-	-	-	7	25	1	8	11	2	-	6	63
49	6	12	3	4	4	5	12	1	2	1	2	-	3	10	1	9	12	4	1	15	64
2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	65
3	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	66
12	3	1	-	1	-	-	-	1	-	-	-	-	-	2	-	1	2	1	-	4	67
6	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	4	1	-	-	68
29	8	6	1	-	1	5	3	-	-	1	-	1	1	3	1	4	3	1	-	10	69
207	29	18	8	12	4	19	83	6	10	13	1	-	11	51	3	23	24	12	4	69	70
191	27	15	8	12	4	16	74	6	8	12	1	-	11	42	3	20	21	10	4	65	71
16	2	3	-	-	-	3	9	-	2	1	-	-	-	9	-	3	3	2	-	4	72
4	-	-	-	1	-	-	-	-	-	1	-	-	-	3	-	1	4	1	-	4	73
24	-	3	1	4	2	-	8	4	16	2	2	1	4	14	3	8	5	1	1	10	74
10	2	3	-	2	1	1	3	2	-	-	1	-	-	4	-	-	3	2	-	5	75
10	1	-	-	-	-	3	4	1	4	-	-	-	2	3	3	1	2	2	-	5	76
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	5	77
-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	2	-	1	-	4	78
7	1	-	-	-	1	-	2	-	-	-	-	-	-	3	-	-	1	1	-	1	79
4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	80
2	1	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	-	-	8	81
15	7	1	-	-	-	-	2	-	1	-	-	-	2	5	-	4	5	1	-	5	82
124	16	12	4	6	7	6	14	5	9	6	1	-	4	23	3	34	30	6	-	46	83
59	5	4	2	4	6	4	8	3	2	4	-	-	1	5	1	13	11	3	-	16	84
65	11	8	2	2	1	2	6	2	7	2	1	-	3	18	2	21	19	3	-	30	85
22	9	3	1	3	-	1	6	-	-	-	-	-	-	3	-	2	5	1	-	6	86

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	CONNECTICUT	20,510	158	52	11	52	3,895	1,490	480	1,925	387	11,470	11,312	2,154	15	8,468	285
2	Metropolitan counties	16,247	140	40	9	38	3,141	1,198	391	1,552	301	8,972	8,857	1,663	14	6,664	236
3	Nonmetropolitan counties	4,263	18	12	2	14	754	292	89	373	86	2,498	2,455	491	1	1,804	49
4	Fairfield	5,122	52	13	3	7	1,005	389	130	486	91	2,821	2,783	554	4	2,043	75
5	Bridgeport	1,682	22	1	2	3	304	132	41	131	29	973	956	167	1	726	24
6	Stamford	634	8	2	-	-	119	46	10	63	5	338	334	79	-	243	8
7	Norwalk	525	6	1	1	1	131	48	15	68	11	255	254	56	1	176	7
8	Stratford (town)[3]	300	1	2	-	-	47	20	4	23	9	178	175	34	-	127	7
9	Danbury	374	6	1	-	1	57	21	10	26	11	217	215	42	1	154	5
10	Shelton	104	2	-	-	-	19	9	2	8	3	56	56	12	-	40	2
11	Balance of county	1,503	7	6	-	2	328	113	48	167	23	804	793	164	1	577	22
12	Hartford	5,351	49	12	3	15	1,037	387	119	531	106	2,867	2,849	502	2	2,185	82
13	Hartford	1,914	22	3	-	6	360	141	43	176	37	1,028	1,013	172	-	780	30
14	New Britain	687	12	1	1	2	144	48	22	74	15	350	347	65	1	262	9
15	Bristol	328	7	-	-	2	55	21	6	28	4	167	166	29	-	136	4
16	East Hartford (town)[3]	236	3	-	2	1	55	23	8	24	3	116	115	16	-	95	1
17	West Hartford (town)[3]	465	1	1	-	-	81	30	7	44	6	287	282	51	-	210	11
18	Balance of county	1,721	4	7	-	4	342	124	33	185	41	939	926	169	1	702	27
19	Litchfield	1,068	6	2	-	4	198	66	20	112	20	589	579	114	-	426	11
20	Torrington	272	3	-	-	1	53	16	5	32	6	161	158	25	-	122	1
21	Balance of county	796	3	2	-	3	145	50	15	80	14	428	421	89	-	304	10
22	Middlesex	644	2	1	1	-	105	38	16	51	15	398	384	80	-	280	7
23	Middletown	215	1	1	-	-	33	13	7	13	7	130	123	25	-	92	4
24	Balance of county	429	1	-	1	-	72	25	9	38	8	268	261	55	-	188	3
25	New Haven	5,774	39	15	3	16	1,099	422	142	535	104	3,264	3,225	607	8	2,436	79
26	New Haven	1,748	15	7	-	5	338	131	43	164	20	1,010	1,001	196	4	744	19
27	Waterbury	1,061	10	1	1	4	209	80	35	94	29	562	557	109	-	412	16
28	Meriden	501	2	1	-	2	104	46	11	47	11	293	289	51	-	225	9
29	West Haven (town)[3]	373	6	-	-	-	81	33	11	37	5	216	214	36	1	170	5
30	Ansonia	209	-	1	-	-	38	16	3	19	3	114	112	19	-	86	3
31	Derby	110	1	-	-	-	19	5	-	14	1	63	60	5	-	51	1
32	Naugatuck	182	2	1	-	1	30	16	2	12	6	93	91	16	-	72	2
33	Wallingford	225	1	-	1	1	32	13	6	13	5	140	140	31	-	105	5
34	Balance of county	1,365	2	4	1	3	248	82	31	135	24	773	761	144	3	571	19
35	New London	1,413	8	6	1	8	250	109	32	109	28	838	826	162	1	602	15
36	New London	297	1	2	-	2	53	24	6	23	6	173	171	26	-	126	5
37	Norwich	356	4	2	-	1	62	25	8	29	7	217	210	47	-	149	3
38	Balance of county	760	3	2	1	5	135	60	18	57	15	448	445	89	1	327	7
39	Tolland	403	-	-	-	1	69	26	10	33	7	224	222	46	-	162	10
40	Windham	735	2	3	-	1	132	53	11	68	16	449	444	89	-	334	6
41	Willimantic	154	1	-	-	-	33	16	-	17	2	93	91	19	-	68	2
42	Balance of county	581	1	3	-	1	99	37	11	51	14	356	353	70	-	266	4
43	DELAWARE	3,494	41	15	3	6	539	187	66	286	69	1,897	1,859	316	3	1,402	32
44	Metropolitan counties	2,314	25	8	2	4	370	135	48	187	49	1,259	1,231	210	1	944	26
45	Nonmetropolitan counties	1,180	16	7	1	2	169	52	18	99	20	638	628	106	2	458	6
46	Kent	453	6	3	1	-	58	17	7	34	7	244	241	37	-	175	2
47	New Castle	2,314	25	8	2	4	370	135	48	187	49	1,259	1,231	210	1	944	26
48	Wilmington	1,402	21	4	-	4	232	82	33	117	35	768	750	133	-	563	15
49	Balance of county	912	4	4	2	-	138	53	15	70	14	491	481	77	1	381	11
50	Sussex	727	10	4	-	2	111	35	11	65	13	394	387	69	2	283	4
51	DISTRICT OF COLUMBIA	8,056	126	49	3	32	1,362	436	166	760	119	4,194	4,118	740	4	3,062	87
52	FLORIDA	31,586	288	138	55	200	4,853	1,567	691	2,595	422	15,950	15,526	3,716	29	10,678	345
53	Metropolitan counties	15,739	141	61	30	70	2,663	861	413	1,389	227	8,014	7,853	1,774	11	5,493	175
54	Nonmetropolitan counties	15,847	147	77	25	130	2,190	706	278	1,206	195	7,936	7,673	1,942	18	5,185	170
55	Alachua	491	7	5	-	9	62	24	8	30	5	251	241	69	1	157	5
56	Gainesville	213	2	3	-	2	31	10	2	19	2	114	108	35	-	67	1
57	Balance of county	278	5	2	-	7	31	14	6	11	3	137	133	34	1	90	4
58	Baker	64	1	-	-	-	4	1	1	2	1	28	23	9	-	14	-
59	Bay	344	5	1	1	8	38	6	3	29	5	147	142	35	1	98	2
60	Panama City	212	1	1	1	6	25	3	3	19	2	92	88	20	1	60	2
61	Balance of county	132	4	-	-	2	13	3	-	10	3	55	54	15	-	38	-
62	Bradford	96	-	-	-	-	13	4	3	6	2	50	49	14	-	32	-
63	Brevard	319	2	1	1	2	47	16	4	27	3	171	169	51	-	106	4
64	Broward	1,187	8	6	3	10	196	68	30	98	17	585	562	122	1	403	20
65	Fort Lauderdale	582	1	3	3	2	97	28	15	54	7	305	286	66	-	204	11
66	Hollywood	187	3	-	-	-	39	18	6	15	7	102	101	17	-	78	5
67	Balance of county	418	4	3	-	8	60	22	9	29	3	178	175	39	1	121	4
68	Calhoun	72	1	-	-	1	6	2	-	4	-	43	41	14	-	25	1
69	Charlotte	71	-	-	-	-	5	3	-	2	1	42	40	16	-	24	-
70	Citrus	85	1	1	-	-	12	3	1	8	-	49	48	9	-	35	-
71	Clay	113	-	1	-	2	18	3	2	13	1	43	40	11	-	28	-
72	Collier	83	-	1	-	2	7	1	2	4	-	31	29	7	-	17	1
73	Columbia	213	-	1	1	-	16	3	1	12	3	104	104	43	-	56	3
74	Dade	5,590	58	20	11	15	1,032	350	168	514	81	2,740	2,682	599	1	1,887	72
75	Miami	2,935	37	12	5	9	554	175	92	287	43	1,472	1,441	336	1	981	36
76	Miami Beach	526	2	2	1	-	109	48	18	43	11	318	313	54	-	246	10
77	Coral Gables	210	-	-	-	-	45	14	8	23	4	109	105	23	-	75	3
78	Hialeah	218	4	-	-	1	31	11	4	16	1	90	88	17	-	68	3
79	North Miami	127	-	1	1	-	26	10	2	14	2	61	60	10	-	47	3
80	Balance of county	1,574	15	5	4	5	267	92	44	131	20	690	675	159	-	470	17

[3]Classified as urban under a special rule.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E500-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
6,468	950	765	122	398	155	158	357	137	59	338	28	14	238	759	77	270	665	228	28	1,287	1
5,080	784	584	96	295	125	115	285	108	44	280	25	10	191	611	66	191	547	181	26	1,041	2
1,408	166	181	26	103	30	43	72	29	15	58	3	4	47	148	11	79	118	47	2	246	3
1,625	197	146	34	104	44	38	78	33	12	95	10	3	59	177	16	69	166	53	10	349	4
590	64	48	12	38	12	17	22	6	5	46	1	3	19	53	3	19	49	16	4	102	5
188	32	15	2	7	3	4	12	4	-	14	3	-	4	28	2	9	18	7	2	59	6
145	17	7	7	10	4	1	6	5	2	8	-	-	4	22	-	8	20	5	1	38	7
95	16	9	5	8	1	3	8	3	-	4	-	-	3	10	1	6	7	3	-	18	8
115	14	20	3	11	4	2	7	5	2	4	1	-	2	9	1	6	12	5	1	26	9
27	5	6	-	1	3	-	-	1	-	2	-	-	5	4	2	-	4	2	-	4	10
465	49	41	5	29	17	11	23	9	3	17	5	-	22	51	7	21	56	15	2	102	11
1,632	273	198	29	95	36	38	101	37	18	95	4	6	72	223	16	62	180	63	9	356	12
593	101	56	12	34	15	15	37	18	4	41	-	-	23	79	9	23	62	22	6	134	13
175	43	35	1	10	8	3	9	2	2	21	1	-	9	20	1	9	25	3	2	58	14
111	11	10	1	-	-	1	12	1	3	2	-	2	5	23	-	4	15	3	-	23	15
79	7	8	1	1	2	1	8	1	1	1	-	-	5	16	1	-	8	2	-	13	16
173	14	12	3	14	4	5	7	1	4	5	3	1	5	11	-	1	16	7	1	27	17
501	97	77	11	36	7	13	28	14	4	25	-	3	25	74	5	25	54	26	-	101	18
316	48	51	8	22	9	10	22	7	5	13	1	1	16	38	7	20	27	13	-	79	19
99	14	8	5	4	2	3	7	2	1	2	-	-	4	8	1	1	3	-	-	19	20
217	34	43	3	18	7	7	15	5	4	11	1	1	12	30	6	19	24	13	-	60	21
227	25	21	2	15	7	14	9	2	3	7	1	-	10	15	2	9	22	9	-	33	22
70	10	8	1	4	1	7	4	1	-	4	-	-	4	3	1	2	8	3	-	13	23
157	15	13	1	11	6	7	5	1	3	3	1	-	6	12	1	7	14	6	-	20	24
1,803	314	240	33	96	45	39	106	38	14	90	11	1	60	211	34	60	201	65	7	336	25
559	99	67	13	26	18	9	30	9	2	34	1	-	13	57	9	15	59	18	2	104	26
288	67	41	9	16	11	5	22	8	2	17	7	-	8	53	4	7	45	7	2	63	27
165	30	21	4	7	2	4	8	1	2	9	-	-	6	14	1	4	14	7	1	21	28
133	25	7	-	6	1	2	5	8	-	3	-	-	3	11	1	3	7	6	-	18	29
62	8	13	-	6	1	2	5	1	1	5	-	-	5	7	3	4	5	4	1	12	30
36	7	7	1	3	-	3	3	3	-	-	-	-	1	4	2	1	1	2	-	9	31
49	10	11	1	-	2	2	3	-	1	4	1	1	5	8	1	4	7	1	-	13	32
91	4	5	1	3	-	-	6	1	1	3	-	-	-	6	1	4	9	1	-	13	33
420	64	68	4	29	10	12	24	7	5	15	2	-	19	51	12	18	54	19	1	83	34
497	41	49	10	46	5	12	18	9	2	25	-	1	10	50	2	22	44	13	1	77	35
102	12	7	-	17	2	2	4	1	1	8	-	-	-	9	-	4	19	2	1	11	36
122	9	15	4	9	1	7	4	2	-	6	-	-	1	12	2	5	6	1	-	24	37
273	20	27	6	20	2	3	10	6	1	11	-	1	9	29	-	13	19	10	-	42	38
122	14	16	1	10	3	2	12	4	1	4	-	1	5	23	-	11	18	5	-	18	39
246	38	44	5	10	6	5	11	7	4	9	1	1	6	22	-	17	7	7	1	39	40
46	15	5	-	3	1	2	1	1	1	-	-	-	2	4	-	-	2	1	1	12	41
200	23	39	5	7	5	3	10	6	3	9	1	1	4	18	-	17	5	6	-	27	42
874	267	229	40	82	16	38	108	13	17	46	6	2	61	169	9	83	134	49	19	208	43
602	171	145	17	46	13	28	82	8	11	37	-	1	41	110	3	44	84	27	10	139	44
272	96	84	23	36	3	10	26	5	6	9	6	1	20	59	6	39	50	22	9	69	45
103	39	31	14	14	1	3	17	3	2	-	2	-	14	17	6	13	17	11	3	29	46
602	171	145	17	46	13	28	82	8	11	37	-	1	41	110	3	44	84	27	10	139	47
335	120	93	13	33	8	18	46	5	9	27	-	1	20	60	2	24	41	12	7	84	48
267	51	52	4	13	5	10	36	3	2	10	-	-	21	50	1	20	43	15	3	55	49
169	57	53	9	22	2	7	9	2	4	9	4	1	6	42	-	26	33	11	6	40	50
1,694	643	638	66	163	83	76	217	37	34	159	16	11	80	428	12	106	331	84	78	578	51
7,288	1,310	1,735	264	578	261	424	843	191	241	337	65	52	424	1,565	749	915	1,245	424	342	2,287	52
3,909	587	822	128	298	149	161	346	103	100	191	27	16	223	732	270	415	525	252	168	1,165	53
3,379	723	913	136	280	112	263	497	88	141	146	38	36	201	833	479	500	720	172	174	1,122	54
78	26	48	3	7	4	10	18	2	5	2	-	1	6	22	19	16	23	1	7	30	55
41	13	12	1	2	3	6	3	1	1	1	-	-	4	10	7	8	8	-	3	13	56
37	13	36	2	5	1	4	15	1	4	1	-	1	2	12	12	8	15	1	4	17	57
7	2	5	-	-	-	5	4	-	1	2	-	-	-	3	2	2	6	-	1	9	58
65	12	19	3	4	1	5	10	3	2	7	-	1	4	22	12	6	29	4	3	36	59
35	9	14	3	3	1	4	9	2	1	3	-	1	3	14	5	5	18	2	3	18	60
30	3	5	-	1	-	1	1	1	1	4	-	-	1	8	7	1	11	2	-	18	61
20	7	5	-	2	1	1	-	1	-	1	1	2	1	3	-	9	2	-	-	11	62
75	11	16	3	7	2	2	6	1	2	3	1	1	6	22	3	8	12	7	2	18	63
311	36	36	10	14	12	23	43	10	10	8	-	4	12	65	6	46	46	18	17	77	64
154	18	21	4	8	4	19	14	7	4	3	-	2	9	29	3	18	22	7	8	38	65
63	5	5	-	1	5	1	4	1	1	1	-	-	-	2	2	3	6	4	1	11	66
94	13	10	6	5	3	3	25	2	5	4	-	2	3	34	1	25	18	7	8	28	67
16	2	6	1	-	1	2	3	1	2	-	-	-	-	1	1	5	6	-	1	1	68
17	1	6	-	-	-	2	1	-	-	1	-	-	-	2	-	1	4	1	2	11	69
25	7	3	-	4	-	1	2	2	1	2	-	-	1	1	1	-	6	-	1	5	70
20	2	6	-	1	-	3	6	2	-	2	1	-	4	7	-	6	8	1	1	10	71
11	3	2	3	2	-	2	3	2	8	-	-	1	1	5	5	8	2	2	3	2	72
40	8	5	1	3	1	-	18	-	3	1	-	-	3	16	3	7	9	4	3	21	73
1,477	143	195	37	110	48	58	115	52	39	73	8	6	90	270	62	166	175	86	70	421	74
751	84	110	22	69	32	31	71	33	15	41	3	2	35	102	36	76	87	50	27	225	75
218	10	8	2	8	3	5	5	3	-	7	-	-	1	8	1	9	14	10	3	22	76
56	10	6	1	5	1	4	3	2	2	1	1	-	6	5	1	11	3	1	1	15	77
53	5	7	-	2	1	2	1	1	2	3	1	1	14	23	3	5	6	4	4	23	78
37	3	4	-	-	3	1	1	-	-	-	-	-	1	11	1	3	5	3	1	10	79
362	31	60	12	26	8	15	34	13	20	21	3	3	33	121	20	62	60	18	34	126	80

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148, 156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	FLORIDA—Continued																
1	De Soto	94	1	-	-	-	15	5	1	9	1	50	47	19	-	27	-
2	Dixie	41	2	-	-	2	5	2	-	3	-	26	25	4	-	19	-
3	Duval	2,907	40	15	8	12	405	131	62	212	38	1,396	1,363	358	-	912	30
4	Jacksonville	2,236	35	13	1	9	315	108	46	161	30	1,075	1,046	280	-	689	24
5	Balance of county	671	5	2	7	3	90	23	16	51	8	321	317	78	-	223	6
6	Escambia	956	16	6	3	10	115	28	14	73	8	377	358	89	1	255	6
7	Pensacola	518	8	2	-	6	61	16	9	36	5	216	204	52	1	142	4
8	Balance of county	438	8	4	3	4	54	12	5	37	3	161	154	37	-	113	2
9	Flagler	48	-	-	-	-	4	2	-	2	1	27	27	5	-	18	1
10	Franklin	71	3	-	1	-	6	2	1	3	1	34	32	9	-	20	-
11	Gadsden	309	5	1	1	2	35	14	3	18	4	139	134	37	-	89	-
12	Gilchrist	31	1	-	-	-	1	-	1	-	1	18	17	4	-	13	-
13	Glades	20	1	-	-	-	1	1	-	-	-	10	10	1	-	9	-
14	Gulf	62	-	1	-	-	10	2	1	7	-	21	19	4	-	13	-
15	Hamilton	75	-	1	-	1	6	3	-	3	1	35	33	11	-	18	-
16	Hardee	98	-	-	-	-	12	3	2	7	2	50	50	11	-	34	-
17	Hendry	55	-	-	-	-	4	3	-	1	1	32	32	8	-	22	1
18	Hernando	78	2	-	-	-	14	6	4	4	1	35	33	6	-	26	1
19	Highlands	159	1	1	-	2	24	9	3	12	3	83	81	26	2	52	1
20	Hillsborough	2,752	22	10	6	19	440	131	62	247	46	1,311	1,266	254	4	932	23
21	Tampa	2,208	17	8	4	17	364	105	57	202	39	1,051	1,015	206	3	741	19
22	Balance of county	544	5	2	2	2	76	26	5	45	7	260	251	48	1	191	4
23	Holmes	98	-	-	1	-	11	3	1	7	3	51	51	16	-	30	-
24	Indian River	121	2	-	-	1	15	6	6	3	3	65	64	12	-	47	1
25	Jackson	293	1	-	1	2	36	9	4	23	4	159	155	58	2	77	-
26	Jefferson	107	1	-	1	-	8	3	-	5	2	57	49	19	-	30	-
27	Lafayette	21	-	-	-	-	3	-	1	2	1	10	9	1	-	8	1
28	Lake	466	4	3	-	3	68	27	6	35	8	239	233	54	-	165	3
29	Lee	296	3	1	2	2	46	20	6	20	2	131	128	36	-	83	8
30	Fort Myers	192	3	-	2	-	31	11	4	16	1	86	85	26	-	53	5
31	Balance of county	104	-	1	-	2	15	9	2	4	1	45	43	10	-	30	3
32	Leon	389	4	1	-	4	53	21	4	28	8	174	168	44	1	113	1
33	Tallahassee	246	2	1	-	1	37	16	4	17	4	111	107	29	-	70	1
34	Balance of county	143	2	-	-	3	16	5	-	11	4	63	61	15	1	43	-
35	Levy	131	1	3	-	2	13	7	-	6	2	63	62	18	-	43	-
36	Liberty	34	-	-	-	-	3	1	-	2	-	24	23	6	-	15	-
37	Madison	146	1	1	1	2	16	5	-	11	2	74	70	25	-	40	3
38	Manatee	514	4	2	-	4	64	21	8	35	5	300	292	53	2	206	5
39	Bradenton	262	2	1	-	2	30	10	4	16	3	168	165	36	-	110	2
40	Balance of county	252	2	1	-	2	34	11	4	19	2	132	127	17	2	96	3
41	Marion	451	4	2	-	4	54	16	9	29	5	226	217	40	1	166	6
42	Ocala	160	2	1	-	2	21	9	3	9	3	70	66	11	-	53	-
43	Balance of county	291	2	1	-	2	33	7	6	20	2	156	151	29	1	113	6
44	Martin	121	2	2	1	-	16	4	3	9	1	60	59	16	-	40	2
45	Monroe	271	3	-	-	1	40	9	9	22	4	103	103	33	-	63	5
46	Key West	226	3	-	-	1	31	7	7	17	4	93	93	30	-	57	4
47	Balance of county	45	-	-	-	-	9	2	2	5	-	10	10	3	-	6	1
48	Nassau	121	-	2	-	1	14	6	1	7	1	59	56	15	-	34	2
49	Okaloosa	189	1	-	-	-	16	6	3	7	-	80	74	19	-	53	-
50	Okeechobee	43	3	1	-	1	1	-	-	1	-	22	21	4	-	17	-
51	Orange	1,467	11	6	5	7	230	66	33	131	18	776	765	165	2	541	13
52	Orlando	931	6	2	3	5	141	34	21	86	13	507	498	113	1	348	9
53	Balance of county	536	5	4	2	2	89	32	12	45	5	269	267	52	1	193	4
54	Osceola	199	-	1	-	4	22	4	1	17	2	117	115	32	-	76	1
55	Palm Beach	1,437	18	3	3	7	236	76	24	136	21	710	693	136	2	514	26
56	West Palm Beach	582	10	1	1	2	107	38	8	61	13	282	274	47	-	210	12
57	Lake Worth	199	3	1	-	1	33	8	5	20	3	117	117	27	-	82	3
58	Balance of county	656	5	1	2	4	96	30	11	55	5	311	302	62	2	222	11
59	Pasco	318	1	1	-	2	51	14	5	32	3	180	177	34	1	125	6
60	Pinellas	3,023	10	10	-	17	556	183	88	285	44	1,791	1,777	398	4	1,221	37
61	St. Petersburg	1,967	5	9	-	10	364	127	49	188	27	1,178	1,171	257	2	800	24
62	Clearwater	310	2	-	-	-	56	11	10	35	3	189	184	49	1	126	5
63	Balance of county	746	3	1	-	7	136	45	29	62	14	424	422	92	1	295	8
64	Polk	1,267	10	11	-	13	186	51	27	108	12	675	658	167	1	444	15
65	Lakeland	436	4	2	-	5	67	25	6	36	5	250	244	58	-	177	7
66	Balance of county	831	6	9	-	8	119	26	21	72	7	425	414	109	1	267	8
67	Putnam	280	2	1	-	1	26	5	4	17	6	151	125	29	-	89	5
68	St. Johns	305	5	1	-	2	54	19	11	24	5	165	158	35	-	110	3
69	St. Augustine	228	4	1	-	2	35	11	10	14	5	130	128	26	-	93	3
70	Balance of county	77	1	-	-	-	19	8	1	10	-	35	30	9	-	17	-
71	St. Lucie	259	3	3	-	1	42	14	8	20	3	112	108	33	-	69	2
72	Fort Pierce	204	2	3	-	1	34	9	7	18	2	87	84	23	-	56	-
73	Balance of county	55	1	-	-	-	8	5	1	2	1	25	24	10	-	13	2
74	Santa Rosa	151	-	2	1	3	22	12	-	10	-	80	78	22	-	49	-
75	Sarasota	445	1	-	-	2	83	26	11	46	5	226	223	45	-	155	10
76	Sarasota	292	1	-	-	1	50	15	8	27	2	155	153	30	-	104	7
77	Balance of county	153	-	-	-	1	33	11	3	19	3	71	70	15	-	51	3
78	Seminole	294	4	2	-	2	40	12	3	25	5	150	147	32	-	109	4
79	Sanford	152	1	-	-	2	23	4	1	18	1	81	80	19	-	59	4
80	Balance of county	142	3	2	-	-	17	8	2	7	4	69	67	13	-	50	-
81	Sumter	88	-	-	-	2	11	5	2	4	-	38	38	15	-	22	-
82	Suwannee	174	1	1	-	2	21	4	6	11	1	97	96	21	-	64	2
83	Taylor	115	-	-	-	-	20	7	1	12	-	54	51	22	-	25	-
84	Union	46	-	1	-	-	4	1	-	3	-	27	27	7	-	20	-
85	Volusia	1,119	8	5	1	10	176	67	24	85	14	625	610	152	1	394	13
86	Daytona Beach	443	2	2	1	3	71	29	3	39	5	242	237	53	1	161	9
87	Balance of county	676	6	3	-	7	105	38	21	46	9	383	373	99	-	233	4
88	Wakulla	47	1	-	1	-	10	2	2	6	-	17	17	7	-	7	-
89	Walton	150	1	-	1	-	20	5	1	14	3	77	76	29	1	41	-
90	Washington	106	1	-	-	1	13	4	2	7	2	57	56	21	-	32	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E600-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
20	2	5	-	1	-	3	2	1	-	-	-	-	-	7	1	6	3	1	1	5	1
14	1	4	1	1	-	1	2	-	-	-	1	-	-	1	-	1	-	-	-	1	2
594	152	136	26	40	27	33	90	10	13	40	8	5	44	207	29	77	127	46	36	261	3
433	121	111	23	31	23	29	71	8	10	31	8	5	26	155	23	54	89	35	30	213	4
161	31	25	3	9	4	4	19	2	3	9	-	-	18	52	6	23	38	11	6	48	5
161	42	46	4	5	4	19	25	10	10	14	1	2	15	113	71	36	45	12	16	51	6
86	19	33	2	3	4	12	17	6	7	7	-	1	6	57	30	21	25	7	7	29	7
75	23	13	2	2	-	7	8	4	3	7	1	1	9	56	41	15	20	5	9	22	8
11	3	3	2	2	-	-	2	-	-	-	-	1	-	2	-	-	5	-	1	5	9
17	-	3	-	1	2	2	3	-	1	-	-	-	-	3	6	1	5	-	-	7	10
52	24	13	-	6	2	5	16	-	10	3	1	1	2	23	16	14	13	1	7	15	11
8	1	4	-	-	-	1	-	-	1	1	-	-	1	2	-	2	1	-	-	2	12
6	1	2	-	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-	1	2	13
11	-	2	1	1	-	2	1	-	2	-	-	-	-	4	-	4	9	1	3	6	14
11	5	2	1	2	1	2	1	1	-	1	1	-	1	6	4	3	4	1	1	7	15
32	-	2	1	3	1	-	2	-	-	-	-	-	1	4	5	4	5	2	3	8	16
19	1	1	1	1	-	-	3	-	-	1	-	-	2	5	4	1	2	-	-	-	17
17	6	2	1	-	-	2	2	-	-	-	-	-	1	5	3	2	7	2	2	2	18
37	7	7	-	1	-	2	5	1	3	2	-	-	1	5	3	7	5	3	-	10	19
578	136	195	23	34	19	45	54	13	18	25	9	-	44	146	142	84	98	45	28	192	20
453	110	159	20	29	16	36	47	9	10	23	6	-	32	109	125	54	72	38	24	159	21
125	26	36	3	5	3	9	7	4	8	2	3	-	12	37	17	30	26	7	4	33	22
12	4	14	2	3	-	-	1	-	2	2	-	-	1	2	5	8	6	1	-	4	23
31	10	5	1	4	-	1	1	1	-	2	-	-	3	8	3	5	3	3	-	6	24
41	8	28	5	7	6	4	10	2	1	2	1	-	3	14	12	8	12	1	2	22	25
9	19	2	-	-	-	8	5	-	1	1	-	2	-	8	4	1	1	1	4	10	26
4	-	3	-	-	-	1	1	-	1	-	-	1	-	1	-	-	1	1	-	1	27
104	30	28	2	9	3	6	14	-	4	4	1	-	5	24	12	11	24	4	6	32	28
46	7	22	4	3	2	3	6	1	3	3	-	-	6	11	12	16	13	2	3	33	29
31	4	13	2	2	2	1	4	-	2	2	-	-	3	6	8	10	7	2	3	22	30
15	3	9	2	1	-	2	2	1	1	1	-	-	3	5	4	6	6	-	-	11	31
77	15	20	3	3	4	6	15	1	2	-	3	-	7	19	27	15	16	4	6	30	32
49	9	11	2	2	4	4	9	1	2	-	3	-	4	17	9	8	13	1	4	19	33
28	6	9	1	1	-	2	6	-	-	-	-	-	3	2	18	7	3	3	2	11	34
17	11	15	-	-	1	1	7	2	1	1	-	-	2	7	4	2	3	2	4	12	35
7	2	6	1	1	-	1	1	-	-	1	-	-	-	1	1	1	1	-	-	1	36
20	10	7	2	3	-	4	5	1	2	2	1	-	-	9	7	4	2	2	1	13	37
141	16	44	4	18	9	8	18	1	2	1	1	-	4	16	21	9	17	3	1	41	38
77	7	24	1	12	6	3	11	1	1	1	1	-	2	7	-	3	7	1	1	20	39
64	9	20	3	6	3	5	7	-	1	-	-	-	2	9	21	6	10	2	-	21	40
89	35	36	1	6	3	9	15	2	3	4	-	3	2	24	27	10	27	3	3	33	41
31	10	12	-	2	-	4	6	1	-	4	-	2	1	14	4	5	9	1	1	13	42
58	25	24	1	4	3	5	9	1	3	-	-	1	1	10	23	5	18	2	2	20	43
28	6	4	2	1	-	1	1	1	1	-	1	1	-	3	4	3	5	3	1	15	44
41	3	14	5	2	-	-	14	2	1	2	-	1	6	16	13	16	16	6	1	26	45
38	2	13	4	2	-	-	13	2	-	1	-	1	3	14	11	10	10	4	1	24	46
3	1	1	1	-	-	-	1	-	1	1	-	-	3	2	2	6	6	2	-	2	47
19	7	6	-	5	2	3	3	-	-	-	-	-	1	3	4	5	11	3	4	10	48
37	5	11	-	1	1	6	9	2	1	2	-	2	10	28	7	8	9	4	1	9	49
13	4	-	-	-	-	1	-	-	1	-	-	-	3	2	1	3	2	-	1	2	50
317	41	170	13	25	19	11	37	5	11	16	2	2	20	51	27	49	53	25	21	95	51
201	26	112	7	15	14	9	24	4	8	9	-	1	11	34	17	29	30	16	11	60	52
116	15	58	6	10	5	2	13	1	3	7	2	1	9	17	10	20	23	9	10	35	53
56	9	10	1	2	4	2	6	1	3	2	-	1	-	3	10	4	7	-	-	16	54
341	64	83	10	22	9	17	36	10	17	16	6	1	21	60	26	45	66	29	14	92	55
133	33	32	4	10	3	8	12	6	1	5	2	1	9	17	9	14	29	13	4	44	56
63	6	10	2	5	1	-	-	-	2	3	-	-	2	5	1	3	8	2	-	15	57
145	25	41	4	7	5	9	24	4	14	8	4	-	10	38	16	28	29	14	10	33	58
81	17	21	4	12	1	3	7	2	1	6	1	2	10	8	6	5	8	2	2	20	59
943	115	126	29	89	36	14	50	23	19	37	-	3	25	58	10	39	72	50	13	196	60
605	91	80	21	67	24	7	28	16	14	28	-	3	12	34	7	23	42	37	10	120	61
98	7	16	2	2	4	5	8	-	-	2	-	-	6	8	1	4	7	3	-	21	62
240	17	30	6	20	8	2	14	7	5	7	-	-	7	16	2	12	23	10	3	55	63
311	53	65	12	27	7	17	41	6	7	10	4	1	13	57	21	34	47	8	15	96	64
133	16	21	3	3	3	6	10	2	1	3	-	-	3	17	2	6	15	5	6	33	65
178	37	44	9	24	4	11	31	4	6	7	4	1	10	40	19	28	32	3	9	63	66
32	8	44	3	4	-	26	13	1	2	-	3	1	5	12	4	8	17	1	4	22	67
60	36	11	4	7	2	7	9	2	1	3	-	-	-	13	9	1	9	3	3	20	68
51	32	7	2	6	1	2	6	1	1	1	-	-	-	9	8	1	5	3	1	15	69
9	4	4	2	1	1	5	3	1	-	2	-	-	-	4	1	-	4	-	2	5	70
54	11	2	2	3	1	4	8	1	9	5	2	1	1	17	7	10	16	2	2	14	71
44	10	2	2	2	1	3	6	1	9	5	2	1	1	15	5	7	10	-	1	12	72
10	1	-	-	1	-	1	2	-	-	-	-	-	-	2	2	3	6	2	1	2	73
29	6	14	1	5	1	2	3	-	-	-	-	-	5	5	6	9	8	1	1	5	74
113	11	21	6	11	6	3	7	3	2	6	-	-	4	14	20	14	19	5	2	32	75
77	8	12	5	9	5	2	6	2	1	5	-	-	3	12	13	5	12	2	2	20	76
36	3	9	1	2	1	1	1	1	1	1	-	-	1	2	7	9	7	3	-	12	77
53	27	25	1	2	3	3	10	-	4	3	1	1	2	17	2	11	21	-	1	18	78
24	19	12	-	1	1	1	7	-	3	1	-	1	2	8	2	1	11	-	1	7	79
29	8	13	1	1	2	2	3	-	1	2	1	-	-	9	-	10	10	-	-	11	80
17	2	3	1	-	-	-	1	-	2	1	-	-	3	5	1	5	4	-	-	15	81
40	15	7	4	4	3	1	7	-	2	-	-	-	4	6	1	10	7	-	-	14	82
19	4	2	1	2	1	3	5	-	1	1	-	-	2	7	-	5	13	-	-	7	83
13	2	5	-	-	-	-	1	-	-	-	-	-	-	1	2	1	4	-	1	4	84
279	43	59	14	39	10	15	27	8	2	13	4	2	10	49	15	15	33	13	9	80	85
113	19	20	3	17	2	5	15	3	1	9	1	2	6	23	3	3	17	2	2	30	86
166	24	39	11	22	8	10	12	5	1	4	3	-	4	26	12	12	16	11	7	50	87
3	4	-	2	1	-	-	4	-	-	-	-	1	1	2	5	-	1	-	1	3	88
16	6	19	1	3	1	1	5	-	1	1	1	1	4	5	6	2	7	3	3	9	89
25	3	4	1	2	-	1	2	1	-	1	-	-	-	6	8	1	7	1	2	3	90

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	GEORGIA	30,793	339	121	19	288	3,812	1,146	454	2,212	384	15,850	15,275	4,745	37	9,343	205
2	Metropolitan counties	11,596	147	59	12	90	1,598	458	221	919	147	5,897	5,706	1,642	10	3,631	103
3	Nonmetropolitan counties	19,197	192	62	7	198	2,214	688	233	1,293	237	9,953	9,569	3,103	27	5,712	102
4	Appling	106	-	-	1	-	13	1	-	12	2	55	55	27	-	25	-
5	Atkinson	68	-	-	-	3	3	1	-	2	3	34	31	13	-	17	2
6	Bacon	71	-	-	-	-	10	4	3	3	1	36	36	5	-	26	-
7	Baker	54	-	-	-	-	9	3	-	6	-	29	29	6	-	19	-
8	Baldwin	207	3	-	-	1	24	6	1	17	2	104	96	34	-	53	1
9	Banks	48	1	-	-	-	8	1	-	7	-	25	23	12	-	10	-
10	Barrow	131	2	-	-	2	15	6	4	5	2	77	74	24	-	42	-
11	Bartow	223	2	-	-	2	28	11	1	16	2	119	109	36	-	66	3
12	Ben Hill	162	1	1	-	2	19	5	1	13	-	75	75	19	-	55	-
13	Berrien	100	-	-	-	1	12	3	3	6	2	55	54	14	-	34	2
14	Bibb	1,135	10	11	1	7	133	28	18	87	12	592	563	176	1	334	5
15	Macon	856	6	7	-	2	107	24	16	67	10	455	431	129	1	261	4
16	Balance of county	279	4	4	1	5	26	4	2	20	2	137	132	47	-	73	1
17	Bleckley	97	-	-	-	-	7	-	2	5	-	56	54	17	-	31	3
18	Brantley	49	-	1	-	-	8	2	-	6	1	20	19	6	-	13	-
19	Brooks	181	2	-	-	2	22	6	2	14	-	91	81	31	-	50	-
20	Bryan	69	-	-	-	-	5	1	-	4	-	28	28	11	-	16	-
21	Bulloch	209	2	4	-	4	19	4	2	13	2	108	107	37	-	55	3
22	Burke	241	2	6	-	6	24	7	1	16	2	121	118	33	-	70	1
23	Butts	100	-	-	-	3	12	4	2	6	2	55	52	17	-	32	-
24	Calhoun	109	1	1	-	3	15	1	2	12	2	58	57	18	-	38	-
25	Camden	77	1	-	-	2	13	3	2	8	-	41	36	15	-	19	-
26	Candler	83	-	-	-	1	7	-	1	6	2	61	61	23	-	36	-
27	Carroll	268	2	-	1	-	50	19	4	27	1	151	144	28	-	103	1
28	Catoosa	97	2	-	-	-	16	2	2	12	-	52	52	18	-	31	1
29	Charlton	50	-	-	-	-	6	2	1	3	2	23	21	6	-	14	1
30	Chatham	1,583	24	10	5	10	203	64	32	107	27	816	802	294	1	478	23
31	Savannah	1,326	23	9	4	10	168	51	26	91	25	692	678	253	1	401	17
32	Balance of county	257	1	1	1	-	35	13	6	16	2	124	124	41	-	77	6
33	Chattahoochee	23	-	-	-	-	3	1	-	2	-	11	11	2	1	6	-
34	Chattooga	153	5	-	-	2	15	6	-	9	2	65	64	18	-	43	1
35	Cherokee	169	1	1	-	1	27	9	4	14	5	83	81	22	-	58	1
36	Clarke	328	5	1	-	-	35	7	7	21	5	192	173	57	-	107	4
37	Athens	271	4	1	-	-	26	5	6	15	4	162	147	49	-	91	4
38	Balance of county	57	1	-	-	-	9	2	1	6	1	30	26	8	-	16	-
39	Clay	48	-	-	-	1	5	1	1	3	-	27	23	8	-	14	1
40	Clayton	143	1	-	-	2	13	3	3	7	2	72	72	20	1	44	1
41	College Park (part)	12	-	-	-	-	-	-	-	-	-	9	9	5	-	4	-
42	Balance of county	131	1	-	-	2	13	3	3	7	2	63	63	15	1	40	1
43	Clinch	55	1	-	-	-	-	-	-	-	-	25	24	6	-	14	1
44	Cobb	506	9	-	-	5	83	22	13	48	8	247	242	64	-	162	3
45	Marietta	186	5	-	-	2	37	9	8	20	2	82	79	19	-	56	1
46	Balance of county	320	4	-	-	3	46	13	5	28	6	165	163	45	-	106	2
47	Coffee	171	2	-	1	-	20	6	4	10	5	79	75	24	-	46	-
48	Colquitt	288	3	1	-	3	35	9	3	23	4	127	126	51	1	60	-
49	Moultrie	150	2	-	-	2	18	3	1	14	3	65	65	26	-	32	-
50	Balance of county	138	1	1	-	1	17	6	2	9	1	62	61	25	1	28	-
51	Columbia	101	2	-	1	-	12	4	-	8	1	60	56	16	-	37	2
52	Cook	113	-	-	-	1	16	5	2	9	2	58	57	22	-	31	-
53	Coweta	258	2	-	-	2	31	12	1	18	3	138	135	42	-	83	-
54	Crawford	60	-	-	-	-	7	4	-	3	-	34	34	12	-	18	-
55	Crisp	200	3	-	-	2	29	10	3	16	1	102	98	25	-	62	-
56	Dade	53	-	-	-	1	7	1	1	5	1	20	19	8	-	10	-
57	Dawson	27	-	-	-	1	4	1	-	3	1	13	12	4	-	7	-
58	Decatur	235	1	2	-	4	30	8	4	18	1	106	104	47	-	49	1
59	De Kalb	1,083	7	2	-	10	166	34	21	111	15	562	551	124	1	374	10
60	Atlanta (part)	349	-	-	-	1	53	15	8	30	8	188	185	46	1	126	2
61	Decatur	320	2	1	-	6	51	9	8	34	3	177	174	35	-	114	4
62	Balance of county	414	5	1	-	3	62	10	5	47	4	197	192	43	-	134	4
63	Dodge	140	-	-	-	-	21	7	-	14	2	69	67	21	1	42	-
64	Dooly	134	1	-	-	1	9	3	1	5	1	66	50	19	-	24	2
65	Dougherty	398	12	4	-	9	37	10	5	22	4	172	168	53	-	103	2
66	Albany	330	12	4	-	5	34	8	5	21	4	140	137	40	-	85	2
67	Balance of county	68	-	-	-	4	3	2	-	1	-	32	31	13	-	18	-
68	Douglas	92	-	-	-	-	13	5	1	7	1	54	52	19	-	29	-
69	Early	134	1	1	-	2	11	1	1	9	1	72	71	14	1	55	2
70	Echols	17	-	-	-	-	-	-	-	-	-	9	9	3	-	6	-
71	Effingham	94	1	1	-	1	13	6	-	7	-	49	49	17	-	26	-
72	Elbert	157	2	-	-	2	25	8	2	15	4	68	61	16	-	40	-
73	Emanuel	188	3	1	-	3	17	5	1	11	-	95	92	25	1	57	-
74	Evans	63	1	-	-	1	6	1	3	2	1	38	36	10	-	24	-
75	Fannin	100	4	-	-	-	11	3	3	5	2	43	42	16	-	24	1
76	Fayette	77	-	-	-	3	4	2	-	2	1	44	44	16	-	23	1
77	Floyd	549	11	1	-	7	78	23	9	46	3	306	294	73	2	186	5
78	Rome	346	8	1	-	5	52	15	6	31	1	188	179	44	-	115	3
79	Balance of county	203	3	-	-	2	26	8	3	15	2	118	115	29	2	71	2
80	Forsyth	91	1	-	-	1	13	9	-	4	1	43	43	13	1	27	-
81	Franklin	133	-	-	-	1	19	3	2	14	3	74	73	13	2	57	2
82	Fulton	4,845	72	19	4	36	701	225	100	376	68	2,473	2,384	661	5	1,515	42
83	Atlanta (part)	4,173	65	19	3	29	589	190	82	317	56	2,143	2,069	587	5	1,305	36
84	Atlanta (total)	4,522	65	19	3	30	642	205	90	347	64	2,331	2,254	633	6	1,431	38
85	College Park (part)	122	3	-	1	1	22	5	4	13	2	60	57	13	-	40	1
86	College Park (total)	134	3	-	1	1	22	5	4	13	2	69	66	16	-	44	1
87	East Point	204	1	-	-	2	39	14	6	19	2	98	92	18	-	64	1
88	Balance of county	346	3	-	-	4	51	16	8	27	6	172	166	43	-	106	4

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of cir-cula-tory sys-tem 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined conditions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E500-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
5,391	2,102	1,645	442	481	227	575	1,178	156	252	192	75	104	445	1,798	569	952	1,298	306	485	2,170	1
2,143	810	575	149	181	93	191	383	68	51	97	12	23	216	700	106	314	444	131	199	902	2
3,248	1,292	1,070	293	300	134	384	795	88	201	95	63	81	229	1,098	463	638	854	175	286	1,268	3
14	7	4	2	1	-	-	11	-	1	1	2	-	3	1	2	3	4	2	1	4	4
10	3	2	1	-	-	3	4	-	-	-	-	3	1	4	1	3	3	1	2	3	5
22	3	1	1	2	2	-	2	-	-	-	-	-	1	5	1	1	6	1	-	7	6
10	7	2	4	-	-	-	1	-	-	1	-	-	-	5	3	2	3	-	-	1	7
29	6	17	2	4	3	8	19	2	-	-	-	1	3	11	2	6	10	3	1	15	8
4	5	1	1	-	-	2	5	-	1	-	-	-	-	-	1	2	2	-	1	2	9
23	13	6	3	3	2	3	4	-	1	1	-	-	2	3	-	4	7	1	3	7	10
41	18	4	1	5	1	10	6	1	-	2	-	1	1	11	7	10	10	3	4	14	11
36	11	8	-	-	1	-	7	2	3	-	1	2	4	14	1	5	9	1	2	13	12
22	5	5	3	2	1	1	1	-	2	3	-	-	1	5	1	2	4	2	-	9	13
190	97	42	23	20	9	29	41	4	4	10	-	1	21	53	20	38	46	8	24	99	14
152	68	37	18	13	9	24	32	4	4	9	-	1	18	37	16	25	30	5	17	71	15
38	29	5	5	7	-	5	9	-	-	1	-	-	3	16	4	13	16	3	7	28	16
15	7	6	4	1	1	2	1	-	2	2	-	1	1	11	-	2	2	1	3	8	17
3	3	7	-	-	-	1	1	-	1	1	1	-	1	3	1	1	3	2	1	3	18
30	18	2	-	-	-	10	7	-	3	-	-	2	5	10	5	6	9	-	4	13	19
7	3	6	1	-	-	-	6	-	3	-	-	1	1	5	4	2	4	1	3	6	20
31	8	13	9	3	3	1	7	1	3	-	2	2	2	12	5	6	10	2	1	17	21
30	20	19	7	3	5	3	11	2	1	2	-	-	2	12	16	7	11	-	4	12	22
17	6	9	1	1	1	3	7	-	-	-	-	1	-	2	-	3	4	2	1	8	23
18	10	10	-	1	-	1	5	1	3	-	-	-	1	4	1	2	3	-	3	6	24
11	6	2	-	2	-	5	-	-	-	1	-	-	2	-	1	3	9	-	1	3	25
24	7	5	1	1	-	-	1	-	-	-	-	1	-	3	3	1	2	-	-	1	26
53	25	24	4	9	-	7	13	1	3	1	-	-	1	6	4	5	10	3	4	12	27
24	3	3	-	3	-	-	3	-	-	1	-	-	1	3	3	3	4	2	1	6	28
8	-	5	-	-	1	2	1	-	-	-	-	-	2	7	-	1	2	-	2	4	29
272	103	80	12	11	6	14	64	7	5	7	2	6	17	113	8	43	79	9	27	101	30
222	92	70	9	9	5	14	52	6	2	5	2	6	16	98	7	32	57	8	26	78	31
50	11	10	3	2	1	-	12	1	3	2	-	-	1	15	1	11	22	1	1	23	32
4	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-	4	2	1	-	-	33
24	11	7	1	2	-	1	6	-	1	-	-	1	2	17	2	4	10	1	2	18	34
35	12	10	1	-	-	2	11	1	1	1	1	-	4	4	1	9	6	1	-	11	35
65	29	9	6	1	2	19	7	2	2	1	3	-	5	18	4	6	10	2	5	25	36
54	26	7	5	1	1	15	6	1	2	1	2	-	3	15	4	6	7	2	4	21	37
11	3	2	1	-	1	4	1	1	-	-	1	-	2	3	-	-	3	-	1	4	38
7	2	4	-	-	1	4	1	-	1	1	-	-	1	3	1	1	2	1	-	3	39
25	11	7	3	2	2	-	5	1	2	2	1	-	4	9	3	5	3	5	1	12	40
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	41
21	11	7	3	2	2	-	5	1	2	2	1	-	4	9	3	5	3	4	1	10	42
8	3	2	3	1	-	1	3	-	1	-	-	1	-	4	4	6	1	-	9	-	43
105	30	24	6	5	5	5	13	4	6	3	-	2	11	31	8	15	18	7	5	31	44
37	10	8	1	2	1	3	3	1	1	2	-	-	4	17	3	4	5	3	2	13	45
68	20	16	5	3	4	2	10	3	5	1	-	2	7	14	5	11	13	4	3	18	46
32	4	10	1	4	-	4	8	1	-	2	-	2	2	11	-	14	10	1	5	8	47
23	24	13	8	5	1	1	13	1	4	1	-	-	1	20	10	15	17	2	11	20	48
13	11	8	4	2	1	-	6	1	3	1	-	-	1	11	2	4	7	2	8	14	49
10	13	5	4	3	-	1	7	-	1	-	-	-	-	9	8	11	10	-	3	6	50
18	10	7	-	3	-	4	7	-	1	-	1	-	-	9	-	1	2	-	1	3	51
15	7	9	1	1	2	1	2	-	1	1	-	1	3	5	-	3	1	1	1	17	52
35	26	22	5	3	2	3	10	3	4	2	1	1	3	11	7	3	12	5	2	18	53
10	4	4	1	3	-	-	5	-	-	-	-	-	-	4	1	5	1	-	1	2	54
29	16	17	3	5	3	4	6	-	2	1	1	1	1	17	1	8	8	4	1	12	55
5	1	4	1	-	-	1	3	2	1	1	-	-	2	3	3	3	3	1	-	2	56
5	1	1	-	-	1	1	1	1	-	-	-	-	-	1	-	3	1	-	1	-	57
30	9	9	3	4	1	2	13	2	4	-	1	-	2	15	7	16	9	1	5	16	58
246	62	56	14	22	16	11	26	6	4	6	1	1	27	57	5	25	40	11	15	97	59
86	21	17	6	2	4	3	4	1	1	4	1	-	11	14	1	9	16	7	3	27	60
77	12	21	5	13	7	3	6	1	1	-	-	-	5	22	1	3	10	3	6	22	61
83	29	18	3	7	5	5	16	4	2	2	-	1	11	21	3	13	14	1	6	48	62
25	7	10	-	2	1	2	7	-	1	1	-	-	5	1	7	7	3	2	1	13	63
11	4	7	4	3	-	16	17	1	2	-	-	2	4	6	4	2	3	1	3	11	64
63	24	14	4	3	5	4	21	7	4	1	3	3	7	33	12	14	20	1	6	28	65
54	18	11	4	3	5	3	17	7	4	1	3	2	7	30	9	11	12	1	6	21	66
9	6	3	-	-	-	1	4	-	-	-	-	1	-	3	3	3	8	-	-	7	67
17	7	5	1	2	1	2	5	-	-	1	-	-	5	4	1	-	5	1	1	1	68
19	27	7	-	1	-	1	6	-	3	-	-	2	3	9	4	1	4	1	5	8	69
5	-	1	-	-	-	-	3	-	-	-	-	-	-	-	2	-	2	-	1	-	70
9	12	5	4	1	1	-	4	-	-	-	-	-	3	8	3	2	6	-	1	2	71
18	16	6	1	1	3	7	9	2	2	2	2	-	-	6	5	3	6	1	7	11	72
22	15	20	4	2	3	3	14	-	-	2	-	2	2	7	2	6	11	3	7	13	73
15	5	4	1	1	-	2	2	-	-	-	-	-	-	4	-	1	2	1	-	6	74
15	2	6	1	1	-	1	5	-	-	1	-	-	-	5	4	8	4	1	-	12	75
14	4	4	-	5	-	-	2	-	-	-	1	-	-	3	6	6	1	1	3	2	76
114	36	31	18	11	4	12	11	3	3	2	-	2	8	28	11	14	22	2	5	32	77
71	21	20	10	7	3	9	7	1	3	2	-	1	4	20	7	10	13	2	3	18	78
43	15	11	8	4	1	3	4	2	-	-	-	1	4	8	4	4	9	-	2	14	79
15	6	6	-	2	-	-	1	1	-	-	-	1	-	7	4	7	7	1	-	3	80
36	13	6	-	-	1	1	9	2	-	-	-	-	-	7	-	2	6	3	1	6	81
896	349	228	68	88	47	89	146	32	17	51	7	7	93	257	34	124	168	60	94	382	82
753	302	214	61	69	42	74	122	28	12	49	6	7	77	217	28	104	148	48	84	339	83
839	323	231	67	71	46	77	126	29	13	53	7	7	88	231	29	113	164	55	87	366	84
28	7	4	1	2	1	3	2	1	-	-	-	-	2	11	-	2	1	-	3	11	85
32	7	4	1	2	1	3	2	1	-	-	-	-	2	11	-	2	1	1	3	13	86
45	16	2	2	6	2	6	8	1	1	-	-	-	7	11	2	2	5	6	4	15	87
70	24	8	4	11	2	6	14	2	4	2	1	-	7	18	4	16	14	6	3	17	88

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	GEORGIA—Continued																
1	Gilmer	65	-	-	-	3	7	4	-	3	-	38	38	16	-	20	-
2	Glascock	28	-	-	-	-	1	-	-	1	1	16	15	8	-	4	-
3	Glynn	285	2	3	-	1	30	9	5	16	9	135	132	37	2	85	-
4	Brunswick	209	2	2	-	1	22	6	4	12	7	95	92	26	1	59	-
5	Balance of county	76	-	1	-	-	8	3	1	4	2	40	40	11	1	26	-
6	Gordon	156	-	1	-	1	20	7	2	11	3	82	78	20	-	52	1
7	Grady	154	-	-	-	1	21	10	2	9	3	74	69	25	-	41	-
8	Greene	154	1	-	-	1	13	6	1	6	3	88	87	24	-	52	1
9	Gwinnett	224	1	-	-	1	30	11	3	16	7	117	117	47	-	58	2
10	Habersham	124	1	-	-	-	16	6	1	9	2	69	67	27	-	33	1
11	Hall	304	3	-	-	4	47	16	2	29	4	143	142	50	-	80	4
12	Gainesville	143	-	-	-	1	18	6	-	12	2	69	68	20	-	42	1
13	Balance of county	161	3	-	-	3	29	10	2	17	2	74	74	30	-	38	3
14	Hancock	115	1	-	-	3	17	7	1	9	1	71	69	15	-	49	1
15	Haralson	94	2	-	-	-	10	4	-	6	3	48	46	12	-	31	-
16	Harris	99	1	-	-	-	19	7	2	10	-	50	47	13	-	27	1
17	Hart	96	2	-	-	-	12	-	-	12	2	42	41	9	-	29	4
18	Heard	52	1	-	-	1	4	2	-	2	1	28	25	12	-	11	-
19	Henry	145	1	1	-	1	17	4	2	11	-	75	75	33	-	32	-
20	Houston	189	1	-	-	3	17	4	-	13	2	75	73	30	-	43	1
21	Irwin	80	-	1	-	2	8	4	1	3	-	41	40	16	-	23	1
22	Jackson	145	-	-	-	-	13	6	2	5	2	87	85	25	-	51	-
23	Jasper	76	-	-	-	-	11	3	5	3	-	35	35	12	-	20	-
24	Jeff Davis	67	-	-	-	1	4	2	-	2	1	35	34	9	1	18	-
25	Jefferson	169	2	-	-	2	14	3	1	10	-	97	95	34	-	58	-
26	Jenkins	121	1	-	-	4	9	2	2	5	-	54	53	24	1	24	-
27	Johnson	83	2	-	-	-	10	3	-	7	2	50	49	24	-	24	1
28	Jones	73	-	-	-	-	6	2	-	4	3	38	34	13	-	21	-
29	Lamar	92	-	-	-	-	11	4	1	6	-	52	49	15	-	32	-
30	Lanier	40	-	-	-	4	3	3	-	-	-	18	18	5	-	12	-
31	Laurens	332	-	1	-	3	43	13	6	24	4	160	151	48	-	93	1
32	Dublin	125	-	-	-	1	20	4	2	14	1	54	51	9	-	38	-
33	Balance of county	207	-	1	-	2	23	9	4	10	3	106	100	39	-	55	1
34	Lee	71	2	1	-	3	8	4	1	3	2	30	30	5	-	23	-
35	Liberty	97	-	-	-	3	7	2	-	5	5	50	48	26	-	20	-
36	Lincoln	54	-	-	-	1	5	2	-	3	-	30	28	8	-	16	1
37	Long	38	1	-	-	1	3	1	-	2	-	16	15	4	-	9	-
38	Lowndes	329	2	1	1	4	47	12	7	28	4	168	165	50	1	101	1
39	Valdosta	223	2	1	1	3	34	9	5	20	4	118	116	39	1	66	1
40	Balance of county	106	-	-	-	1	13	3	2	8	-	50	49	11	-	35	-
41	Lumpkin	66	1	-	-	-	10	4	-	6	1	34	34	12	-	18	-
42	McDuffie	134	-	1	-	3	11	6	-	5	-	63	61	14	-	44	-
43	McIntosh	74	-	-	-	2	8	4	1	3	-	33	33	11	-	20	-
44	Macon	123	2	-	-	1	10	1	1	8	3	68	65	23	-	40	-
45	Madison	115	-	1	-	5	15	4	3	8	1	67	65	13	-	41	1
46	Marion	68	-	-	-	-	8	5	-	3	1	35	29	17	-	11	1
47	Meriwether	176	-	-	-	1	25	9	-	16	3	95	93	41	1	47	-
48	Miller	62	-	-	-	-	9	4	1	4	2	34	34	13	-	21	-
49	Mitchell	193	2	1	-	2	15	5	3	7	4	106	104	40	1	56	2
50	Monroe	94	3	-	-	-	8	2	-	6	1	51	50	16	-	31	-
51	Montgomery	54	-	-	-	-	6	5	-	1	-	33	32	14	-	17	-
52	Morgan	120	1	-	-	1	13	4	1	8	2	68	65	20	1	36	1
53	Murray	59	-	-	-	1	8	4	-	4	1	24	23	7	-	14	-
54	Muscogee	883	6	8	1	12	112	33	13	66	3	420	401	104	-	269	7
55	Columbus	727	4	7	1	12	102	29	12	61	3	339	322	80	-	222	6
56	Balance of county	156	2	1	-	-	10	4	1	5	-	81	79	24	-	47	1
57	Newton	158	2	2	-	1	13	5	-	8	1	90	89	31	-	50	-
58	Oconee	54	-	-	-	1	5	-	-	5	1	38	30	9	-	19	-
59	Oglethorpe	89	1	-	-	1	10	5	2	3	1	49	45	15	-	28	-
60	Paulding	92	1	-	-	1	16	6	2	8	1	48	46	16	1	22	-
61	Peach	113	-	1	-	-	10	3	-	7	1	70	70	10	-	58	-
62	Pickens	57	1	-	-	-	9	1	3	5	-	29	29	8	-	19	2
63	Pierce	81	3	1	-	-	9	3	2	4	1	42	41	10	-	28	-
64	Pike	76	-	-	-	1	6	3	1	2	-	43	38	18	-	18	-
65	Polk	224	5	-	-	3	27	12	2	13	6	121	118	38	-	73	2
66	Pulaski	74	1	1	-	-	8	3	2	3	1	40	39	7	-	24	-
67	Putnam	81	1	-	-	-	9	5	-	4	-	33	30	7	-	21	-
68	Quitman	36	-	-	-	1	5	2	-	3	-	18	18	7	-	10	-
69	Rabun	56	2	-	-	-	6	2	1	3	-	26	24	8	-	16	1
70	Randolph	124	2	-	-	-	12	3	1	8	-	71	69	19	-	45	1
71	Richmond	1,044	13	9	1	4	138	36	22	80	8	553	537	154	1	346	9
72	Augusta	836	13	9	-	3	105	31	14	60	7	457	444	129	-	286	7
73	Balance of county	208	-	-	1	1	33	5	8	20	1	96	93	25	1	60	2
74	Rockdale	68	1	2	-	-	7	2	4	1	1	41	39	15	-	23	2
75	Schley	41	-	-	-	-	3	-	1	2	-	16	16	4	-	10	-
76	Screven	170	2	1	-	1	16	5	2	9	3	77	76	29	-	43	1
77	Seminole	58	-	-	-	1	4	1	-	3	1	28	25	12	-	12	-
78	Spalding	301	5	1	-	3	34	10	5	19	3	163	146	33	-	104	1
79	Griffin	193	3	1	-	-	22	7	2	13	2	111	98	24	-	67	-
80	Balance of county	108	2	-	-	3	12	3	3	6	1	52	48	9	-	37	1
81	Stephens	128	-	1	-	2	14	2	-	12	3	63	62	11	-	49	1
82	Stewart	88	1	-	-	2	7	4	-	3	1	46	45	16	-	25	1
83	Sumter	241	4	1	1	2	30	11	5	14	1	130	126	51	-	65	1
84	Americus	141	2	-	-	1	21	7	4	10	1	83	79	32	-	42	1
85	Balance of county	100	2	1	1	1	9	4	1	4	-	47	47	19	-	23	-
86	Talbot	82	1	-	-	2	12	9	-	3	-	45	45	17	-	25	2
87	Taliaferro	50	-	-	-	1	7	1	-	6	-	24	23	11	-	10	1
88	Tattnall	134	1	1	-	-	14	4	2	8	1	59	55	15	-	39	-
89	Taylor	65	-	1	-	1	3	-	2	1	2	33	32	17	-	13	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
10	7	3	-	1	1	-	2	-	-	-	-	-	1	2	4	3	2	1	-	2	1
4	-	-	2	-	1	1	-	-	-	-	-	1	-	1	-	1	2	-	1	4	2
55	14	16	3	5	-	3	6	2	2	2	-	-	5	27	7	8	12	1	6	27	3
38	12	9	2	4	-	3	3	2	2	2	-	-	5	22	5	5	9	1	3	21	4
17	2	7	1	1	-	-	3	-	-	-	-	-	-	5	2	3	3	-	3	6	5
34	6	11	3	3	-	4	5	-	1	2	-	1	4	2	2	9	14	1	1	7	6
21	13	7	1	2	-	5	10	-	1	1	-	2	2	13	7	2	9	-	3	5	7
32	15	4	5	4	2	1	11	-	3	-	-	-	1	6	4	4	5	4	1	9	8
44	9	3	5	5	2	-	8	4	6	2	-	1	1	7	1	8	12	3	1	14	9
21	6	5	4	3	-	2	2	-	-	-	-	-	5	9	-	8	5	-	1	6	10
34	28	14	4	7	1	1	5	2	8	4	-	-	3	23	7	11	10	2	3	25	11
15	18	8	3	3	-	1	1	1	5	2	-	-	1	16	3	4	3	-	-	17	12
19	10	6	1	4	1	-	4	1	3	2	-	-	2	7	4	7	7	2	3	8	13
18	19	11	3	2	-	2	2	-	1	2	-	-	-	6	2	-	4	-	1	4	14
21	8	2	2	-	1	2	-	-	1	2	-	-	4	3	4	3	7	-	3	4	15
20	4	2	2	5	-	3	6	-	1	1	3	-	1	7	1	3	3	-	-	3	16
13	8	4	2	1	-	1	4	1	2	-	6	-	2	8	3	5	1	-	-	6	17
9	1	1	-	-	2	3	3	-	-	-	1	-	-	1	2	3	3	1	1	2	18
25	5	2	5	4	1	-	6	-	4	1	-	-	1	8	1	6	6	2	4	11	19
18	10	14	-	-	-	2	12	2	4	-	-	1	6	25	1	9	12	1	2	16	20
15	3	4	1	-	-	1	3	-	-	-	-	1	1	3	4	3	9	-	1	3	21
37	6	8	5	4	-	2	5	-	1	2	-	-	2	5	7	5	7	-	1	8	22
14	4	2	1	1	1	-	4	1	1	-	-	-	-	3	2	6	3	-	1	9	23
12	1	5	1	4	1	1	4	-	2	-	3	1	-	10	-	2	1	2	-	1	24
40	6	12	2	1	-	2	4	-	2	-	-	1	1	11	2	8	7	1	5	12	25
9	3	12	2	1	1	1	7	1	3	1	2	-	1	8	8	5	4	2	4	7	26
13	6	4	-	1	-	1	3	-	2	-	-	1	-	1	1	5	1	-	1	4	27
12	2	7	-	-	-	4	1	1	-	-	-	-	-	7	1	4	2	1	1	8	28
24	5	3	1	1	-	3	6	-	-	-	-	1	-	2	1	4	8	-	-	7	29
6	2	4	-	1	-	-	1	-	-	1	-	-	1	1	-	1	3	-	3	4	30
33	38	21	5	3	2	9	12	1	4	3	1	2	4	22	12	13	20	2	2	23	31
18	11	9	3	1	-	3	5	-	2	2	1	2	3	12	-	4	7	1	1	9	32
15	27	12	2	2	2	6	7	1	2	1	-	-	1	10	12	9	13	1	1	14	33
12	5	6	1	-	1	-	3	-	-	-	-	2	1	4	3	-	3	-	-	9	34
10	6	4	-	1	1	2	3	1	-	1	-	2	2	7	-	5	3	2	1	5	35
11	1	3	1	3	-	2	1	-	1	-	1	-	-	5	5	-	1	-	-	4	36
3	3	3	1	1	-	1	3	-	1	-	-	1	-	3	3	1	2	-	1	2	37
59	19	22	8	3	2	3	13	-	3	4	1	-	7	13	9	6	7	9	7	23	38
38	15	12	8	1	1	2	8	-	2	4	-	-	4	9	6	1	6	3	6	11	39
21	4	10	-	2	1	1	5	-	1	-	1	-	3	4	3	5	1	6	1	12	40
14	2	2	-	4	-	-	7	-	-	-	-	-	1	1	2	5	3	1	-	-	41
18	11	15	-	3	-	2	5	1	1	-	2	1	4	10	4	5	9	-	7	7	42
11	5	4	1	-	1	-	3	-	2	-	1	1	1	8	-	6	6	-	1	2	43
19	16	5	1	-	1	3	8	1	4	-	-	2	-	4	4	4	7	-	1	4	44
28	8	4	3	5	3	2	1	-	1	-	-	-	2	5	2	2	3	2	1	7	45
6	2	2	-	1	-	6	6	-	2	-	-	1	-	4	4	2	1	-	1	3	46
26	12	9	3	-	1	2	4	-	4	1	1	-	2	7	2	7	8	3	2	11	47
7	9	5	-	-	-	-	2	-	-	1	-	-	-	1	2	2	2	-	2	5	48
35	9	10	6	-	1	2	6	-	2	-	-	-	1	14	7	3	10	-	6	14	49
13	7	11	1	-	2	1	6	-	-	-	-	-	1	6	2	3	6	-	2	5	50
11	3	3	1	-	-	1	3	-	1	-	-	-	-	2	1	-	3	2	-	3	51
23	4	8	2	6	-	3	4	1	2	-	-	-	-	6	7	6	1	1	1	6	52
7	7	-	-	1	1	1	7	-	-	-	1	-	1	4	1	1	3	-	-	7	53
159	57	46	10	15	3	19	25	7	2	4	1	1	16	96	6	24	37	16	9	77	54
134	45	37	5	12	3	17	22	7	1	4	1	1	14	76	5	22	29	12	7	58	55
25	12	9	5	3	-	2	3	-	1	-	-	-	2	20	1	2	8	4	2	19	56
33	6	11	4	2	2	1	6	1	3	-	2	1	1	10	2	7	5	3	3	5	57
11	4	4	-	-	2	8	2	-	-	-	-	-	1	2	-	-	1	-	-	3	58
12	12	4	1	-	1	4	4	-	-	1	1	-	-	1	2	1	7	-	3	7	59
15	5	2	3	2	2	2	2	-	-	-	-	-	2	3	2	1	8	-	-	7	60
20	29	9	-	2	-	-	6	-	2	-	-	2	2	3	3	2	2	-	1	8	61
12	4	1	1	1	-	-	-	1	1	-	-	-	-	2	-	5	4	1	-	4	62
15	8	5	2	1	-	1	6	-	1	-	-	-	1	3	3	1	3	1	2	4	63
7	2	9	1	-	1	5	5	-	1	-	1	-	-	8	-	-	2	3	3	3	64
48	15	8	4	2	1	3	6	-	2	-	2	1	3	12	2	2	13	1	3	15	65
15	4	5	4	2	2	1	2	1	1	-	-	1	1	5	3	4	2	1	-	2	66
15	3	3	-	1	1	3	1	-	2	-	-	1	3	4	6	3	6	2	2	8	67
4	3	3	-	1	-	-	3	-	1	-	-	-	-	-	-	1	4	-	-	3	68
10	4	1	-	-	-	2	1	-	-	-	1	-	1	3	2	1	3	2	-	8	69
23	11	10	3	1	1	2	6	-	1	-	-	-	4	9	1	3	7	-	-	8	70
184	84	69	12	18	6	16	37	4	5	11	1	4	21	56	10	23	36	15	20	75	71
147	75	57	11	13	5	13	30	4	4	7	1	4	15	36	8	16	25	14	18	60	72
37	9	12	1	5	1	3	7	-	1	4	-	-	6	20	2	7	11	1	2	15	73
13	4	4	-	1	-	2	1	-	-	-	3	-	-	2	-	4	1	-	2	3	74
7	-	3	1	-	1	-	2	-	-	-	-	1	-	4	1	2	4	-	2	6	75
25	11	6	3	-	1	1	3	-	8	-	2	-	1	11	22	3	5	3	2	10	76
6	-	6	-	1	-	3	3	-	-	-	-	-	1	3	1	5	3	-	-	8	77
65	23	15	4	5	-	17	7	3	1	4	1	3	4	23	3	4	14	3	4	18	78
40	18	9	3	4	-	13	6	2	1	2	1	2	3	14	2	2	7	-	2	10	79
25	5	6	1	1	-	4	1	1	-	2	-	1	1	9	1	2	7	3	2	8	80
31	11	6	1	1	-	1	10	-	2	2	1	-	1	5	1	8	5	1	1	8	81
17	3	4	2	1	1	1	7	1	3	-	-	-	-	7	2	1	6	-	1	3	82
32	16	16	2	6	2	4	8	2	2	-	-	-	1	10	8	8	5	6	2	20	83
21	7	13	2	1	2	4	3	-	1	-	-	-	1	5	4	2	1	6	1	9	84
11	9	3	-	5	-	-	5	2	1	-	-	-	-	5	4	6	4	-	1	11	85
15	4	4	1	2	-	-	1	-	1	-	-	-	1	-	2	1	7	2	1	6	86
3	4	2	1	-	1	1	4	-	-	-	-	-	-	4	3	-	4	-	-	3	87
19	12	8	-	1	-	4	6	1	-	1	-	-	-	11	5	6	10	2	2	13	88
7	3	3	1	-	1	1	5	-	1	-	-	-	-	7	3	2	3	1	-	3	89

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	GEORGIA—Continued																
1	Telfair	106	1	-	-	-	9	2	1	6	1	62	62	17	-	42	1
2	Terrell	164	3	-	-	1	16	2	3	11	2	75	72	18	-	43	-
3	Thomas	304	1	1	-	3	31	8	5	18	2	173	168	70	-	82	1
4	Thomasville	152	-	-	-	1	13	3	2	8	-	91	90	37	-	43	1
5	Balance of county	152	1	1	-	2	18	5	3	10	2	82	78	33	-	39	-
6	Tift	182	3	2	-	2	20	4	3	13	4	86	85	23	1	51	-
7	Toombs	133	1	-	-	2	9	3	3	3	5	70	62	23	-	36	-
8	Towns	28	1	-	-	-	5	1	-	4	-	11	11	3	-	8	2
9	Treutlen	51	1	-	-	1	9	5	-	4	-	25	22	7	-	13	-
10	Troup	463	11	-	-	4	45	9	3	33	3	254	245	98	-	133	-
11	La Grange	240	7	-	-	2	26	4	2	20	1	131	128	52	-	71	-
12	Balance of county	223	4	-	-	2	19	5	1	13	2	123	117	46	-	62	-
13	Turner	92	-	-	-	-	11	3	1	7	-	59	59	24	-	34	1
14	Twiggs	72	2	-	-	1	9	4	-	5	-	40	36	12	2	21	1
15	Union	39	1	-	-	-	4	-	-	4	1	20	20	6	-	14	1
16	Upson	204	2	1	-	3	21	3	6	12	5	107	103	17	-	78	-
17	Walker	305	5	-	-	3	42	11	2	29	4	148	142	33	-	104	3
18	Walton	165	-	-	-	2	22	5	2	15	1	79	77	28	-	36	2
19	Ware	260	2	2	-	3	26	9	2	15	2	145	136	48	2	77	3
20	Waycross	196	2	1	-	1	20	8	1	11	1	115	107	40	2	57	3
21	Balance of county	64	-	1	-	2	6	1	1	4	1	30	29	8	-	20	-
22	Warren	90	-	-	-	-	9	5	1	3	1	50	43	17	-	19	-
23	Washington	228	3	3	-	1	23	7	2	14	2	121	119	37	3	64	-
24	Wayne	117	-	-	-	2	13	3	1	9	2	63	63	19	-	40	-
25	Webster	41	-	1	-	-	7	2	-	5	1	21	21	11	-	10	-
26	Wheeler	44	-	-	-	-	4	-	2	2	-	20	20	8	-	12	-
27	White	39	-	-	-	-	5	3	-	2	1	25	22	3	-	19	-
28	Whitfield	270	7	-	-	1	38	15	3	20	5	129	127	30	-	86	1
29	Dalton	165	4	-	-	-	23	11	1	11	3	75	74	9	-	56	-
30	Balance of county	105	3	-	-	1	15	4	2	9	2	54	53	21	-	30	1
31	Wilcox	101	-	-	-	1	12	2	1	9	1	54	53	14	-	34	-
32	Wilkes	126	-	-	-	2	12	1	2	9	1	66	63	23	-	34	2
33	Wilkinson	93	-	-	1	1	11	3	1	7	1	40	34	16	-	16	-
34	Worth	175	-	1	-	-	27	7	2	18	1	90	89	30	-	55	1
35	IDAHO	4,939	25	13	4	22	683	253	75	355	69	2,556	2,494	522	7	1,776	73
36	Nonmetropolitan counties	4,939	25	13	4	22	683	253	75	355	69	2,556	2,494	522	7	1,776	73
37	Ada	643	2	1	2	1	101	37	9	55	2	365	355	78	2	238	8
38	Boise City	499	2	1	2	1	80	31	6	43	2	276	271	66	1	177	6
39	Balance of county	144	-	-	-	-	21	6	3	12	-	89	84	12	1	61	2
40	Adams	24	-	-	-	-	3	1	-	2	-	13	13	-	-	11	-
41	Bannock	283	1	1	-	1	42	13	7	22	5	122	120	26	1	81	5
42	Pocatello (part)	211	1	-	-	1	32	11	6	15	4	90	89	20	-	59	4
43	Pocatello (total)	213	1	-	-	1	32	11	6	15	4	90	89	20	-	59	4
44	Balance of county	72	-	1	-	-	10	2	1	7	1	32	31	6	1	22	1
45	Bear Lake	59	-	-	-	-	9	6	-	3	1	31	31	6	-	22	2
46	Benewah	67	1	-	-	-	9	2	1	6	-	35	35	9	-	25	-
47	Bingham	157	1	-	-	1	25	9	2	14	-	71	68	16	-	46	5
48	Blaine	47	-	-	-	1	4	1	1	2	-	21	21	5	1	14	-
49	Boise	13	-	-	-	-	1	-	-	1	-	5	5	-	-	5	-
50	Bonner	142	-	-	-	-	23	8	-	15	4	78	76	24	-	48	1
51	Bonneville	230	-	1	-	2	29	18	2	9	6	97	95	23	1	64	4
52	Idaho Falls	178	-	1	-	1	24	15	2	7	4	77	75	17	1	52	2
53	Balance of county	52	-	-	-	1	5	3	-	2	2	20	20	6	-	12	2
54	Boundary	72	-	-	-	1	11	6	2	3	3	36	36	7	-	26	1
55	Butte	14	-	-	-	-	1	1	-	-	-	7	7	1	-	6	1
56	Camas	13	-	-	-	-	1	-	-	1	-	7	6	1	-	3	-
57	Canyon	442	1	2	-	2	63	17	9	37	3	226	220	38	-	164	5
58	Caldwell	118	-	-	-	1	24	7	3	14	1	59	57	8	-	44	3
59	Nampa	154	-	2	-	-	24	6	6	12	1	85	83	14	-	62	1
60	Balance of county	170	1	-	-	1	15	4	-	11	1	82	80	16	-	58	1
61	Caribou	45	-	-	-	-	1	-	-	1	1	22	21	5	-	15	-
62	Cassia	121	-	1	1	-	15	7	1	7	2	61	60	6	-	51	2
63	Clark	7	-	-	-	-	3	2	-	1	-	2	2	1	-	1	-
64	Clearwater	83	-	1	-	-	9	1	-	8	1	40	38	12	-	21	-
65	Custer	32	-	1	-	-	4	3	-	1	1	14	14	3	1	7	-
66	Elmore	75	-	-	-	-	8	4	1	3	2	29	29	3	-	23	2
67	Franklin	57	-	-	-	-	7	1	1	5	1	31	31	9	-	19	1
68	Fremont	74	1	-	-	1	11	2	2	7	1	36	34	9	-	24	-
69	Gem	89	1	-	-	-	18	5	2	11	1	42	41	4	-	34	2
70	Gooding	84	-	2	-	-	17	10	2	5	3	33	29	4	-	19	-
71	Idaho	102	1	-	-	-	16	8	2	6	3	52	51	6	-	42	1
72	Jefferson	68	-	-	-	1	10	6	1	3	1	37	37	9	-	26	4
73	Jerome	87	-	-	-	-	12	4	3	5	1	40	39	15	-	22	4
74	Kootenai	283	4	-	-	1	47	15	5	27	3	170	168	39	-	123	2
75	Coeur d'Alene	181	2	-	-	-	28	11	2	15	3	113	112	26	-	82	2
76	Balance of county	102	2	-	-	1	19	4	3	12	-	57	56	13	-	41	-
77	Latah	159	1	-	-	-	25	10	2	13	1	86	85	22	-	59	2
78	Moscow	65	-	-	-	-	9	4	-	5	-	37	37	11	-	24	1
79	Balance of county	94	1	-	-	-	16	6	2	8	1	49	48	11	-	35	1
80	Lemhi	76	-	-	-	-	14	5	2	7	2	38	33	5	-	26	1
81	Lewis	25	1	1	-	-	-	-	-	-	-	15	15	2	-	11	1
82	Lincoln	32	-	-	-	-	4	1	1	2	2	15	15	4	-	8	-
83	Madison	47	-	-	-	-	4	2	-	2	1	26	25	3	1	20	1
84	Minidoka	73	-	-	1	1	8	4	-	4	-	43	42	10	-	26	-
85	Nez Perce	244	2	-	-	3	30	9	5	16	5	141	141	25	-	107	6
86	Lewiston	198	2	-	-	2	24	6	5	13	3	118	118	20	-	91	6
87	Balance of county	46	-	-	-	1	6	3	-	3	2	23	23	5	-	16	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E900-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
23	10	8	1	-	2	-	1	1	1	-	1	1	1	11	1	5	3	-	-	7	1
27	12	4	3	4	4	3	8	2	2	-	-	1	2	19	8	2	7	2	1	13	2
54	12	15	4	10	2	5	9	-	1	3	-	-	4	21	6	10	10	2	6	21	3
26	7	9	3	5	2	1	6	-	-	1	-	-	1	13	1	3	5	1	4	12	4
28	5	6	1	5	-	4	3	-	1	2	-	-	3	8	5	7	5	1	2	9	5
26	16	9	4	3	3	1	4	1	-	1	-	-	2	17	4	7	7	1	2	19	6
20	6	10	2	1	-	8	9	-	-	1	-	2	2	10	2	6	6	-	2	6	7
2	2	2	-	-	-	-	2	-	-	-	-	1	1	2	1	1	1	-	-	2	8
8	4	1	-	1	1	3	2	-	-	-	-	-	-	3	-	-	6	-	-	4	9
83	28	22	4	10	-	9	20	3	6	1	-	-	3	28	6	15	14	6	10	34	10
40	14	17	2	3	-	3	5	2	4	-	-	-	2	15	-	6	8	3	7	21	11
43	14	5	2	7	-	6	15	1	2	1	-	-	1	13	6	9	6	3	3	13	12
29	2	2	-	-	1	-	5	-	1	-	1	1	-	7	2	-	2	-	-	3	13
8	5	7	-	1	-	4	6	1	-	1	-	-	1	3	-	2	1	-	-	5	14
5	1	7	-	-	-	-	1	1	-	-	-	-	-	1	1	1	5	-	-	3	15
46	22	10	2	3	3	4	8	7	1	-	1	2	3	8	2	9	9	1	4	10	16
69	16	16	2	2	1	6	19	2	4	5	-	-	4	10	14	9	6	3	3	24	17
22	7	5	4	7	2	2	11	3	-	-	-	-	1	8	1	9	5	1	2	20	18
51	10	13	2	5	2	9	7	1	4	3	-	1	4	7	4	7	11	3	2	26	19
35	7	12	2	4	2	8	4	1	3	2	-	-	3	3	3	4	9	2	1	21	20
16	3	1	-	1	-	1	3	-	1	1	-	1	1	4	1	3	2	1	1	5	21
14	3	2	3	3	1	7	3	-	2	-	-	1	1	8	2	5	2	1	-	5	22
31	14	19	5	9	1	2	7	-	5	2	-	-	1	16	5	7	9	1	4	18	23
28	5	7	1	2	1	-	5	-	1	-	-	-	-	8	4	3	7	-	2	7	24
6	1	3	-	-	-	-	1	-	-	1	-	1	-	2	1	1	3	-	-	1	25
10	1	1	-	-	-	-	3	-	1	-	-	1	-	6	2	2	3	-	-	2	26
10	7	2	-	-	-	3	-	-	-	-	-	-	-	-	-	2	2	-	-	4	27
62	9	14	4	4	3	2	8	-	5	2	-	1	3	19	3	14	13	2	2	18	28
37	8	11	3	4	2	1	6	-	1	1	-	1	2	12	2	8	10	1	2	14	29
25	1	3	1	-	1	1	2	-	4	1	-	-	1	7	1	6	3	1	-	4	30
17	10	7	2	3	-	1	6	1	1	-	-	1	-	4	4	3	3	1	3	6	31
17	7	8	4	-	2	3	7	-	-	1	-	-	1	9	3	2	4	2	1	15	32
9	-	7	-	1	1	6	3	-	-	-	-	-	4	4	4	4	11	1	2	6	33
25	7	22	1	3	-	1	7	-	1	1	2	1	1	9	8	3	9	5	3	6	34
1,169	199	335	38	109	42	62	119	23	20	22	15	5	92	235	90	235	261	71	13	366	35
1,169	199	335	38	109	42	62	119	23	20	22	15	5	92	235	90	235	261	71	13	366	36
180	24	26	9	23	5	10	11	4	3	6	1	2	10	26	4	22	22	6	2	50	37
138	16	17	6	17	4	5	8	4	2	3	-	2	9	21	4	20	15	5	2	40	38
42	8	9	3	6	1	5	3	-	1	3	1	-	1	5	-	2	7	1	-	10	39
10	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	3	40
59	2	15	2	8	2	2	7	1	-	-	-	-	8	22	7	13	17	3	3	30	41
42	1	12	2	7	1	1	4	1	-	-	-	-	8	20	4	9	12	1	1	23	42
42	1	12	2	7	1	1	4	1	-	-	-	-	8	20	4	9	13	1	1	24	43
17	1	3	-	1	1	1	3	-	-	-	-	-	-	2	3	4	5	2	2	7	44
8	5	7	1	1	1	-	1	1	-	-	-	-	1	3	1	3	2	1	-	5	45
19	4	2	-	-	1	-	1	-	1	-	-	-	1	5	1	3	7	-	-	3	46
28	2	11	2	1	3	3	5	1	3	2	-	-	2	4	8	7	12	2	1	12	47
9	3	2	-	1	-	-	3	2	-	-	2	-	2	1	-	4	3	1	-	3	48
5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	-	-	2	49
27	8	12	1	1	2	2	-	-	-	-	-	-	4	3	1	6	7	4	-	12	50
43	9	8	2	2	3	2	3	-	1	3	-	-	5	24	4	8	21	6	-	20	51
36	9	5	1	2	2	2	3	-	1	3	-	-	5	19	4	1	16	4	-	15	52
7	-	3	1	-	1	-	-	-	-	-	-	-	-	5	-	7	5	2	-	5	53
8	6	11	1	1	1	-	-	1	-	-	-	-	-	1	3	5	7	-	-	4	54
3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-	55
3	-	-	-	2	-	1	1	-	1	-	-	-	-	1	-	1	-	-	-	1	56
90	22	47	1	13	4	6	24	1	1	2	-	-	12	15	9	15	25	5	1	35	57
30	8	3	-	4	1	2	8	-	-	-	-	-	6	3	2	-	5	2	-	7	58
30	7	24	1	4	2	2	7	1	-	-	-	-	1	8	4	3	6	-	1	11	59
30	7	20	-	5	1	2	9	-	1	2	-	-	5	4	3	12	14	3	-	17	60
13	-	2	1	-	-	1	-	1	-	-	-	-	1	3	-	2	4	3	1	6	61
38	3	8	-	3	-	1	1	3	2	1	-	-	2	11	-	4	7	-	-	10	62
1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	63
14	2	5	-	4	1	2	4	1	-	-	1	1	-	2	3	10	3	3	1	3	64
7	-	-	2	-	1	-	-	-	-	-	-	-	1	4	-	1	2	1	-	3	65
18	2	1	1	1	1	-	3	-	-	-	-	1	2	13	-	7	6	-	-	4	66
10	3	5	2	1	-	-	-	-	-	-	-	-	1	1	3	2	3	1	1	6	67
19	2	3	1	-	-	2	2	-	-	1	1	-	2	2	1	4	5	1	-	5	68
21	3	8	-	1	2	1	6	-	-	-	-	-	3	4	2	7	2	-	-	3	69
9	3	7	2	3	1	4	3	-	-	1	-	-	-	6	4	2	2	-	-	11	70
26	9	6	-	3	-	1	-	-	-	-	-	-	2	9	2	3	8	1	-	5	71
13	5	4	-	1	1	-	2	-	-	-	2	-	1	3	-	4	1	-	-	6	72
14	-	4	1	-	1	1	2	-	1	-	2	-	2	5	1	5	8	2	1	5	73
67	12	42	3	2	1	2	6	-	1	1	-	-	5	7	3	11	7	4	-	13	74
44	9	27	2	2	-	1	5	-	-	1	-	-	2	4	3	5	5	3	-	7	75
23	3	15	1	-	1	1	1	-	1	-	-	-	3	3	-	6	2	1	-	6	76
43	2	12	1	3	-	1	3	1	1	-	2	-	2	8	2	4	7	2	-	14	77
17	-	6	1	1	-	-	1	-	1	-	1	-	-	5	1	1	2	1	-	6	78
26	2	6	-	2	-	1	2	1	-	-	1	-	2	3	1	3	5	1	-	8	79
16	1	8	-	2	-	5	4	-	-	-	-	-	2	4	-	1	6	1	-	4	80
3	2	5	-	2	-	-	-	-	-	1	-	-	1	-	1	1	1	-	-	3	81
7	-	1	1	1	1	-	-	-	-	-	-	-	2	1	1	1	4	-	-	2	82
11	1	7	-	-	1	1	1	-	-	-	1	1	-	-	1	5	1	-	-	6	83
15	2	9	1	4	1	1	2	-	-	-	-	-	1	2	1	6	2	4	-	2	84
68	22	11	1	6	2	-	6	2	-	1	-	-	4	9	1	7	11	4	1	17	85
56	19	10	1	6	-	-	3	1	-	1	-	-	4	7	1	6	8	4	1	13	86
12	3	1	-	-	2	-	3	1	-	-	-	-	-	2	-	1	3	-	-	4	87

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	IDAHO—Continued																
1	Oneida	29	-	-	-	-	5	3	1	1	-	16	15	2	-	12	-
2	Owyhee	42	-	-	-	1	7	3	1	3	1	20	18	4	-	13	1
3	Payette	108	-	-	-	1	16	8	-	8	2	54	54	13	-	36	2
4	Power	27	-	-	-	-	1	-	-	1	-	11	11	1	-	8	-
5	Pocatello (part)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Balance of county	25	-	-	-	-	1	-	-	1	-	11	11	1	-	8	-
7	Shoshone	182	5	1	-	3	21	7	6	8	2	86	83	18	-	64	1
8	Teton	17	-	-	-	-	1	-	-	1	-	8	6	2	-	3	-
9	Twin Falls	343	1	1	-	1	36	10	3	23	5	208	207	42	-	154	7
10	Twin Falls	160	1	1	-	-	16	5	-	11	1	106	105	22	-	73	4
11	Balance of county	183	-	-	-	1	20	5	3	12	4	102	102	20	-	81	3
12	Valley	29	-	-	-	-	2	-	-	2	-	17	17	2	-	14	1
13	Washington	92	2	-	-	-	9	4	1	4	3	49	45	8	-	35	-
14	Yellowstone Nat. Park (part)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	ILLINOIS	92,317	1,061	214	102	306	15,344	5,864	1,917	7,563	1,413	52,235	51,052	9,720	75	38,428	1,204
16	Metropolitan counties	66,284	895	168	80	208	11,192	4,308	1,488	5,396	955	37,040	36,291	6,543	59	27,912	923
17	Nonmetropolitan counties	26,033	166	46	22	98	4,152	1,556	429	2,167	458	15,195	14,761	3,177	16	10,516	281
18	Adams	818	4	3	1	2	152	56	16	80	10	499	494	107	-	347	8
19	Quincy	565	4	3	1	2	114	43	9	62	6	334	330	67	-	236	4
20	Balance of county	253	-	-	-	-	38	13	7	18	4	165	164	40	-	111	4
21	Alexander	235	4	1	-	1	30	11	9	10	4	132	129	26	-	84	3
22	Cairo	170	2	1	-	1	21	8	6	7	3	99	98	20	-	61	2
23	Balance of county	65	2	-	-	-	9	3	3	3	1	33	31	6	-	23	1
24	Bond	180	-	-	-	1	34	13	7	14	5	100	96	23	-	71	1
25	Boone	171	1	-	-	-	26	12	2	12	4	106	105	17	-	86	2
26	Brown	102	-	-	-	-	12	2	1	9	2	76	73	16	-	51	2
27	Bureau	410	4	-	1	2	67	31	6	30	6	249	234	49	-	169	3
28	Calhoun	86	-	-	-	1	15	3	3	9	1	52	50	14	-	33	-
29	Carroll	196	-	-	-	1	41	16	5	20	2	106	104	19	-	82	6
30	Cass	172	1	-	-	1	36	10	4	22	2	92	91	15	-	67	1
31	Champaign	790	2	1	-	-	126	46	14	66	10	401	392	90	1	263	8
32	Champaign	303	-	1	-	-	49	14	7	28	5	159	154	45	-	93	2
33	Urbana	177	1	-	-	-	27	12	2	13	3	88	86	19	-	61	2
34	Balance of county	310	1	-	-	-	50	20	5	25	2	154	152	26	1	109	4
35	Christian	408	-	-	-	-	62	18	5	39	6	248	243	51	2	177	3
36	Clark	238	2	-	1	-	38	15	3	20	6	146	143	32	-	98	2
37	Clay	165	1	-	-	-	27	10	3	14	1	96	94	19	-	71	3
38	Clinton	220	1	1	-	1	37	14	4	19	8	126	121	21	-	88	1
39	Centralia (part)	5	-	-	-	-	1	1	-	-	-	3	3	1	-	1	-
40	Balance of county	215	1	1	-	1	36	13	4	19	8	123	118	20	-	87	1
41	Coles	402	4	-	-	6	61	26	6	29	6	221	209	60	-	138	2
42	Mattoon	181	2	-	-	1	33	15	1	17	2	96	94	27	-	61	-
43	Balance of county	221	2	-	-	5	28	11	5	12	4	125	115	33	-	77	2
44	Cook	48,651	777	128	48	151	8,285	3,247	1,152	3,886	668	27,450	26,908	4,542	33	21,160	702
45	Chicago	40,135	716	106	28	116	6,738	2,674	964	3,100	534	22,800	22,351	3,678	31	17,700	559
46	Berwyn	504	3	1	-	1	105	41	15	49	11	268	282	51	-	218	4
47	Cicero	649	1	2	-	2	118	47	21	50	18	365	361	54	-	295	14
48	Evanston	772	6	3	1	1	140	56	17	67	5	464	460	83	1	348	13
49	Oak Park	726	7	4	-	2	140	44	16	80	8	451	442	96	1	318	15
50	Elgin (part)	19	-	-	-	-	1	1	-	-	1	8	8	3	-	4	-
51	Maywood	275	-	1	1	2	45	18	6	21	3	159	156	29	-	121	3
52	Blue Island	191	1	1	-	-	27	9	4	14	4	107	104	23	-	77	2
53	Brookfield	132	1	1	-	-	23	12	2	9	1	73	72	6	-	62	3
54	Calumet City	153	2	-	-	-	33	9	5	19	-	77	77	18	-	57	2
55	Chicago Heights	274	4	1	-	2	44	13	4	27	17	135	133	34	-	87	3
56	Des Plaines	159	3	-	-	-	25	10	1	14	2	81	79	16	-	56	5
57	Elmwood Park	155	3	-	-	-	29	15	5	9	2	82	80	14	-	65	3
58	Evergreen Park	92	-	1	1	-	15	6	-	9	1	51	49	8	-	38	2
59	Forest Park	171	-	1	-	-	29	11	4	14	5	92	86	21	-	60	1
60	Harvey	201	2	-	-	2	28	12	3	13	3	113	110	21	-	85	8
61	La Grange	132	-	-	-	1	27	8	2	17	-	73	70	13	-	55	4
62	Melrose Park	136	1	-	-	1	29	13	5	11	2	67	67	11	-	51	1
63	Park Ridge	183	-	1	1	-	36	11	3	22	1	111	109	24	-	79	2
64	River Forest	114	-	-	-	-	28	6	2	20	1	69	67	19	-	48	2
65	Skokie	169	-	-	-	-	36	15	2	19	2	85	84	12	-	69	1
66	Wilmette	164	-	-	-	1	34	16	1	17	1	98	95	13	-	73	-
67	Winnetka	109	-	-	-	1	21	7	2	12	-	67	66	23	-	37	1
68	Balance of county	3,036	27	5	16	19	534	193	68	273	46	1,534	1,500	272	-	1,157	54
69	Crawford	231	4	1	-	2	29	14	3	12	3	150	131	33	-	91	2
70	Cumberland	107	-	-	-	-	19	7	1	11	2	65	61	10	-	45	-
71	De Kalb	389	-	1	-	1	64	23	5	36	10	235	224	52	1	154	7
72	De Kalb	109	-	1	-	-	19	8	2	9	5	61	59	16	1	39	2
73	Balance of county	280	-	-	-	1	45	15	3	27	5	174	165	36	-	115	5
74	De Witt	193	-	-	-	-	30	11	4	15	3	134	131	28	-	97	3
75	Douglas	178	2	-	-	1	19	5	2	12	5	109	98	13	1	76	1
76	Du Page	1,476	7	1	7	4	257	83	27	147	29	803	782	161	4	562	22
77	Downers Grove	139	-	-	4	-	21	3	2	16	2	75	71	19	-	49	-
78	Elmhurst	232	-	-	-	-	40	15	4	21	5	128	127	27	1	90	1
79	Wheaton	141	1	-	-	-	20	6	-	14	2	84	82	17	-	62	3
80	Balance of county	964	6	1	3	4	176	59	21	96	20	516	502	98	3	361	18
81	Edgar	284	-	-	-	3	44	14	2	28	4	186	182	47	-	123	3
82	Edwards	108	2	-	-	1	13	6	-	7	2	67	63	17	-	40	3
83	Effingham	198	1	-	-	-	32	13	2	17	6	108	102	24	-	67	2
84	Fayette	240	3	-	-	2	34	14	3	17	4	147	143	36	-	91	10

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E500-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
8	-	4	-	-	1	1	-	-	-	-	-	-	-	-	1	1	3	1	-	2	1
6	4	2	-	1	-	2	-	-	1	-	-	-	-	-	3	1	1	5	-	2	2
24	6	4	-	4	1	-	3	-	-	1	-	-	3	5	4	6	10	-	-	3	3
4	1	3	-	1	1	-	1	-	-	-	-	-	-	3	-	3	3	1	-	4	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5
4	1	3	-	1	1	-	1	-	-	-	-	-	-	3	-	3	2	1	-	3	6
53	5	5	-	-	1	3	4	1	1	1	2	-	2	8	1	15	12	3	1	13	7
3	-	-	-	-	1	2	-	-	-	-	1	-	-	1	-	4	1	-	-	1	8
111	19	17	2	8	1	1	7	1	2	1	-	-	7	13	1	22	8	4	-	25	9
52	7	10	2	7	1	1	1	1	-	1	-	-	1	5	-	6	2	4	-	14	10
59	12	7	-	1	-	-	6	-	2	-	-	-	6	8	1	16	6	-	-	11	11
12	1	-	-	1	-	-	1	-	-	-	-	-	-	2	2	2	2	-	-	1	12
23	3	9	-	2	-	4	1	1	-	-	-	-	-	3	11	3	4	-	-	6	13
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	14
25,220	4,359	7,645	754	1,537	538	1,183	2,961	575	359	1,095	138	76	1,029	3,340	1,003	1,839	2,772	887	371	5,197	15
18,215	3,119	5,655	513	865	399	749	2,313	434	268	941	93	54	775	2,568	790	1,148	1,841	613	334	3,574	16
7,005	1,240	1,990	241	672	139	434	648	141	91	154	45	22	254	772	213	691	931	274	37	1,623	17
217	47	75	7	30	3	5	15	4	4	8	1	-	5	18	-	16	13	15	4	44	18
155	31	46	7	18	2	4	9	4	2	6	1	-	5	14	-	10	8	9	3	30	19
62	16	29	-	12	1	1	6	-	2	2	-	-	-	4	-	6	5	6	1	14	20
44	6	31	2	15	2	3	7	1	3	1	1	3	1	12	3	5	13	-	-	13	21
27	5	27	1	14	2	1	4	1	3	1	1	1	1	8	1	2	9	-	-	11	22
17	1	4	1	1	-	2	3	-	-	-	-	2	-	4	2	3	4	-	-	2	23
49	11	10	-	1	1	4	8	-	1	2	-	-	3	2	1	4	5	5	-	9	24
64	12	8	-	1	1	1	6	1	-	1	-	-	-	7	-	4	3	1	-	11	25
36	10	3	2	3	1	3	-	-	-	-	-	-	-	-	-	4	3	-	-	5	26
121	23	22	3	10	3	15	8	2	4	3	1	-	7	10	-	6	10	3	2	25	27
21	2	10	-	2	1	2	1	1	-	-	-	-	1	6	1	-	3	-	-	4	28
54	4	18	1	2	-	2	5	2	-	1	1	-	4	9	1	2	6	1	1	13	29
54	8	4	1	6	2	1	3	2	3	2	-	-	1	6	-	1	10	1	-	11	30
176	23	56	10	18	10	9	22	4	3	3	2	1	15	39	12	28	43	7	2	69	31
61	7	23	8	6	2	5	10	4	1	1	-	1	5	16	4	4	12	3	2	26	32
41	5	13	1	3	2	2	4	-	1	-	-	-	6	9	2	3	10	3	-	20	33
74	11	20	1	9	6	2	8	-	1	2	2	-	4	14	6	21	21	1	-	23	34
138	13	23	3	10	-	5	6	2	3	3	1	-	2	8	8	7	18	8	-	26	35
55	18	23	5	7	1	3	3	1	-	-	-	1	1	4	-	12	7	2	-	14	36
35	6	27	-	1	3	2	11	-	-	-	-	-	-	3	1	4	6	-	1	14	37
59	10	18	6	3	3	5	4	1	-	-	-	-	1	11	4	4	5	4	-	12	38
1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	39
58	10	18	6	3	2	5	4	1	-	-	-	-	1	10	4	4	5	4	-	12	40
96	10	30	3	6	2	12	14	1	1	1	-	-	2	20	3	21	13	2	-	26	41
44	7	10	1	4	1	2	3	-	1	1	-	-	2	11	3	6	9	2	-	9	42
52	3	20	2	2	1	10	11	1	-	-	-	-	-	9	-	15	4	-	-	17	43
13,574	2,359	4,525	367	511	295	542	1,815	334	190	768	57	40	530	1,804	551	661	1,252	412	286	2,444	44
11,276	1,968	3,897	290	413	239	449	1,566	279	162	642	45	38	403	1,447	446	476	1,050	315	270	1,958	45
162	18	34	4	6	3	6	11	2	-	11	1	-	3	10	6	5	11	9	-	26	46
203	22	56	4	1	7	4	20	3	4	19	1	-	7	22	6	9	9	9	5	29	47
216	37	82	13	7	8	4	30	5	1	10	1	-	12	25	4	9	9	6	2	38	48
187	42	74	6	14	7	9	13	2	2	11	1	-	5	10	4	12	14	8	-	32	49
4	-	-	-	1	-	-	3	-	-	-	-	-	1	1	-	-	1	1	-	2	50
71	16	31	2	4	-	3	9	2	1	3	1	1	1	12	3	8	7	2	1	13	51
56	13	6	2	1	1	3	7	2	1	1	-	-	1	10	4	3	7	2	-	13	52
35	9	15	1	2	1	1	4	2	1	3	-	-	1	10	1	2	-	1	-	8	53
40	2	13	-	2	-	-	7	1	1	3	-	-	3	4	-	4	4	3	-	11	54
56	17	11	3	9	-	2	7	2	-	7	-	-	1	12	5	7	7	2	1	20	55
34	5	12	3	3	1	2	6	2	-	1	1	1	4	13	1	6	4	1	-	8	56
42	14	6	-	-	1	2	6	4	-	2	-	-	1	5	-	5	4	-	-	12	57
29	3	4	1	2	-	2	5	-	-	-	-	-	4	4	-	2	2	1	-	5	58
33	8	18	-	4	1	6	6	3	-	3	2	-	2	5	1	5	4	3	-	10	59
61	11	5	-	2	2	3	9	1	2	3	-	-	3	7	3	11	4	1	1	8	60
35	8	8	1	1	-	3	4	-	2	1	-	-	1	9	1	3	2	2	-	6	61
33	9	8	1	3	1	-	2	-	1	3	-	-	1	12	4	2	1	1	-	9	62
54	6	17	3	1	2	2	4	-	-	3	-	-	2	3	1	3	3	2	-	12	63
27	3	16	-	-	-	2	4	2	-	-	-	-	1	2	-	1	1	-	-	5	64
47	8	13	3	-	-	1	5	1	1	2	-	-	3	17	3	3	3	1	-	7	65
52	5	16	3	3	3	3	2	2	-	1	-	-	1	4	2	1	4	-	-	13	66
25	4	7	3	1	2	1	2	1	-	2	-	-	1	2	-	1	6	1	-	4	67
796	131	176	24	31	16	34	83	18	11	37	4	-	68	158	56	83	95	41	6	195	68
57	11	21	2	4	1	19	2	1	1	-	-	1	2	4	-	7	8	1	-	15	69
35	3	7	2	3	1	4	1	-	-	1	-	-	1	1	-	3	5	1	-	8	70
120	11	16	4	8	5	11	4	2	1	1	-	2	3	10	7	17	11	9	-	11	71
30	1	6	1	1	1	2	1	-	1	1	-	-	1	5	4	3	2	3	-	2	72
90	10	10	3	7	4	9	3	2	-	-	-	2	2	5	3	14	9	6	-	9	73
56	10	28	2	4	-	3	3	2	1	2	-	-	2	3	-	2	4	2	-	5	74
51	4	20	2	3	3	11	3	-	-	2	2	-	1	6	1	10	3	5	-	9	75
378	41	121	15	33	7	21	43	3	3	17	4	-	15	78	16	41	41	17	2	88	76
32	3	14	1	1	1	4	4	-	-	2	-	-	3	5	1	3	6	2	-	11	77
59	9	21	3	5	1	1	6	1	-	3	1	-	3	12	6	4	5	1	-	17	78
44	5	10	1	2	-	2	2	-	-	2	1	-	2	12	2	7	2	-	-	4	79
243	24	76	10	25	5	14	31	2	3	10	2	-	7	49	7	27	28	14	2	56	80
86	14	20	4	6	2	4	8	1	1	-	-	-	1	4	1	5	4	3	-	19	81
23	7	7	3	2	1	4	3	-	-	-	-	1	2	5	2	-	7	-	-	3	82
33	7	25	1	6	4	6	4	1	2	5	2	-	2	7	1	1	4	3	-	19	83
38	11	32	1	14	1	4	9	1	1	-	-	-	1	8	-	7	8	3	-	12	84

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148, 156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ILLINOIS—Continued																
1	Ford	168	-	-	-	-	29	5	3	21	3	94	92	19	-	56	-
2	Franklin	543	9	-	-	-	70	28	6	36	12	323	304	66	-	217	7
3	West Frankfort	137	4	-	-	-	15	5	-	10	3	80	75	17	-	54	-
4	Balance of county	406	5	-	-	-	55	23	6	26	9	243	229	49	-	163	7
5	Fulton	469	5	1	-	2	65	26	6	33	10	265	255	55	-	184	9
6	Canton	147	3	-	-	1	18	5	5	8	5	83	80	19	-	56	2
7	Balance of county	322	2	1	-	1	47	21	1	25	5	182	175	36	-	128	7
8	Gallatin	111	3	-	-	-	13	3	-	10	1	67	65	16	-	47	-
9	Greene	244	1	-	-	-	36	15	4	17	1	150	148	40	-	95	2
10	Grundy	242	-	-	-	-	34	19	1	14	3	135	135	34	-	95	4
11	Hamilton	119	1	-	-	2	18	3	7	8	2	65	65	24	-	34	-
12	Hancock	337	3	3	1	-	54	24	4	26	9	198	194	43	-	134	1
13	Hardin	61	2	-	-	-	9	4	1	4	-	35	33	6	-	25	1
14	Henderson	77	1	-	2	1	7	2	1	4	1	47	46	6	-	38	-
15	Henry	569	-	-	2	2	93	32	5	56	8	328	320	64	-	239	1
16	Kewanee	238	-	-	-	-	45	18	2	25	3	123	117	17	-	97	-
17	Balance of county	331	-	-	2	2	48	14	3	31	5	205	203	47	-	142	1
18	Iroquois	331	-	1	-	4	54	21	5	28	8	180	176	27	-	144	2
19	Jackson	380	1	2	-	3	64	19	7	38	6	210	202	37	-	147	5
20	Carbondale	105	-	-	-	1	24	6	4	14	1	58	57	16	-	33	2
21	Balance of county	275	1	2	-	2	40	13	3	24	5	152	145	21	-	114	3
22	Jasper	129	-	1	-	-	19	10	1	8	-	73	72	19	-	48	-
23	Jefferson	377	2	1	-	1	51	20	5	26	7	212	206	53	-	137	1
24	Mount Vernon	208	-	1	-	1	31	9	2	20	6	120	117	30	-	77	-
25	Balance of county	169	2	-	-	-	20	11	3	6	1	92	88	23	-	60	1
26	Jersey	188	1	-	-	1	32	9	7	16	3	95	94	21	-	65	2
27	Jo Daviess	235	-	1	-	-	33	15	3	15	6	136	135	32	-	100	5
28	Johnson	84	1	-	-	-	11	3	4	4	4	51	45	11	-	29	-
29	Kane	1,612	9	3	-	5	254	101	33	120	21	933	918	195	2	678	20
30	Aurora	656	3	1	-	2	100	37	14	49	6	391	379	82	1	284	11
31	Elgin (part)	456	4	1	-	2	82	28	11	43	7	266	266	64	1	188	4
32	Elgin (total)	475	4	1	-	2	83	29	11	43	8	274	274	67	1	192	4
33	Balance of county	500	2	1	-	1	72	36	8	28	8	276	273	49	-	206	5
34	Kankakee	627	4	1	1	3	87	35	7	45	13	362	353	78	-	258	1
35	Kankakee	282	3	1	1	-	37	15	3	19	9	173	169	35	-	129	1
36	Balance of county	345	1	-	-	3	50	20	4	26	4	189	184	43	-	129	-
37	Kendall	109	-	-	-	1	21	9	2	10	-	54	54	13	-	38	3
38	Knox	647	2	-	-	1	107	40	9	58	8	422	418	101	-	300	10
39	Galesburg	403	2	-	-	1	69	23	9	37	5	254	252	64	-	178	4
40	Balance of county	244	-	-	-	-	38	17	-	21	3	168	166	37	-	122	6
41	Lake	1,625	14	2	5	6	302	108	35	159	20	862	849	163	3	618	23
42	Waukegan	404	5	1	1	1	69	21	7	41	2	219	217	41	2	160	7
43	Highland Park	143	1	-	-	-	35	9	3	23	1	85	85	19	-	58	2
44	Balance of county	1,078	8	1	4	5	198	78	25	95	17	558	547	103	1	400	14
45	La Salle	1,066	3	2	1	2	178	70	23	85	21	612	600	125	-	442	22
46	La Salle	156	1	1	-	-	31	15	5	11	2	88	83	14	-	67	7
47	Ottawa	177	-	-	-	1	29	9	5	15	4	93	90	19	-	68	1
48	Streator (part)	200	1	1	-	-	39	18	6	15	6	100	99	39	-	50	6
49	Streator (total)	204	1	1	-	-	39	18	6	15	6	103	102	40	-	52	6
50	Balance of county	533	1	-	1	1	79	28	7	44	9	331	328	53	-	257	8
51	Lawrence	236	2	1	-	-	45	19	4	22	8	135	123	34	-	79	3
52	Lee	329	1	2	-	3	51	11	5	35	5	193	188	38	-	140	4
53	Dixon	135	-	2	-	1	21	4	3	14	2	79	79	16	-	58	2
54	Balance of county	194	1	-	-	2	30	7	2	21	3	114	109	22	-	82	2
55	Livingston	424	2	1	2	5	47	19	4	24	7	260	258	70	-	170	2
56	Streator (part)	4	-	-	-	-	-	-	-	-	-	3	3	1	-	2	-
57	Balance of county	420	2	1	2	5	47	19	4	24	7	257	255	69	-	168	2
58	Logan	309	3	-	-	-	45	17	3	25	2	197	194	23	-	160	3
59	Lincoln	131	2	-	-	-	17	6	2	9	1	89	87	8	-	73	-
60	Balance of county	178	1	-	-	-	28	11	1	16	1	108	107	15	-	87	3
61	McDonough	338	3	2	-	-	50	21	3	26	5	193	190	57	-	119	2
62	Macomb	136	2	2	-	-	21	9	3	9	2	78	77	23	-	49	1
63	Balance of county	202	1	-	-	-	29	12	-	17	3	115	113	34	-	70	1
64	McHenry	554	2	-	-	1	106	47	11	48	10	318	310	65	-	231	9
65	McLean	803	4	2	1	1	141	49	10	82	22	464	453	94	1	324	7
66	Bloomington	408	3	2	-	1	76	23	7	46	11	237	230	39	1	176	5
67	Balance of county	395	1	-	1	-	65	26	3	36	11	227	223	55	-	148	2
68	Macon	1,002	9	3	2	5	162	56	18	88	14	576	573	115	2	421	16
69	Decatur	787	6	3	1	4	117	43	12	62	14	455	453	96	1	328	16
70	Balance of county	215	3	-	1	1	45	13	6	26	-	121	120	19	1	93	-
71	Macoupin	525	4	3	-	3	86	34	9	43	3	308	301	54	-	222	3
72	Madison	1,746	12	3	-	4	260	100	32	128	26	936	917	176	2	672	9
73	Alton	370	-	-	-	1	49	16	11	22	5	217	213	47	1	155	5
74	Granite City	288	3	1	-	1	42	15	5	22	5	138	137	21	-	109	2
75	Collinsville (part)	155	-	-	-	-	24	9	1	14	3	83	82	13	-	59	-
76	Collinsville (total)	164	-	-	-	-	25	9	2	14	3	89	87	13	-	64	-
77	Wood River	71	-	-	-	-	10	2	2	6	2	41	41	7	-	32	-
78	Balance of county	862	9	2	-	2	135	58	13	64	11	457	444	88	1	317	2
79	Marion	450	2	-	-	2	89	36	14	39	8	241	232	48	1	172	5
80	Centralia (part)	165	1	-	-	1	27	12	8	7	3	90	87	16	-	69	2
81	Centralia (total)	170	1	-	-	1	28	13	8	7	3	93	90	17	-	70	2
82	Balance of county	285	1	-	-	1	62	24	6	32	5	151	145	32	1	103	3
83	Marshall	169	1	-	-	1	28	11	2	15	-	113	113	17	-	90	12
84	Mason	185	-	-	-	2	29	12	-	17	5	115	113	26	-	77	2
85	Massac	164	4	-	-	-	23	7	1	15	3	83	81	15	-	62	-
86	Menard	109	1	-	-	-	11	4	1	6	1	76	75	9	-	58	1
87	Mercer	184	-	-	2	-	36	14	4	18	6	95	91	17	-	70	5
88	Monroe	159	2	-	-	2	29	13	1	15	2	98	97	20	-	67	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclero-tic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral arterio-scle-rosis 450	Other dis-eases of cir-cula-tory sys-tem 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E600-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
39	7	10	6	11	-	2	7	3	2	1	-	-	4	4	2	4	4	2	-	9	1
154	28	28	4	16	1	19	11	4	3	11	1	-	3	7	3	13	23	8	2	40	2
41	6	7	-	4	-	5	4	1	1	2	-	-	1	2	-	3	4	3	2	12	3
113	22	21	4	12	1	14	7	3	2	9	1	-	2	5	3	10	19	5	-	28	4
121	22	32	5	9	2	10	11	-	1	2	-	-	6	14	1	21	27	8	-	30	5
38	7	9	2	3	-	3	5	-	1	2	-	-	3	5	-	7	5	2	-	7	6
83	15	23	3	6	2	7	6	-	-	-	-	-	3	9	1	14	22	6	-	23	7
22	11	14	1	1	-	2	3	-	-	1	-	1	1	2	3	6	5	-	-	5	8
55	10	28	1	10	2	2	12	1	-	1	1	1	3	7	1	1	9	1	-	18	9
70	9	12	1	4	1	-	4	3	-	1	-	1	2	6	12	8	12	2	-	19	10
17	11	6	2	5	-	-	2	1	1	-	-	-	2	7	1	-	8	1	-	8	11
90	7	36	5	11	1	4	11	3	2	1	-	-	1	5	-	5	15	3	-	23	12
20	2	2	1	1	-	2	6	-	-	1	-	-	-	1	1	-	2	1	-	3	13
26	2	10	1	1	-	1	1	-	1	-	-	-	1	1	-	-	4	3	-	7	14
188	18	32	1	13	3	8	14	4	4	5	1	-	4	16	-	18	28	10	1	31	15
76	7	14	-	2	1	6	9	-	1	2	1	-	3	7	-	7	17	6	-	14	16
112	11	18	1	11	2	2	5	4	3	3	-	-	1	9	-	11	11	4	1	17	17
104	14	24	1	3	1	4	3	2	1	-	1	-	2	10	7	11	15	2	-	30	18
96	24	22	5	11	2	8	9	1	1	3	2	1	6	12	4	14	19	2	-	20	19
27	2	2	4	2	2	1	2	1	1	1	-	-	-	4	1	3	4	-	-	4	20
69	22	20	1	9	-	7	7	-	-	2	2	1	6	8	3	11	15	2	-	16	21
31	6	11	-	5	-	1	4	1	1	2	-	-	-	2	1	4	6	-	-	15	22
77	14	45	3	11	2	6	15	3	1	1	1	2	6	13	10	9	11	6	1	24	23
43	9	25	3	7	-	3	8	2	-	-	-	-	4	6	4	4	4	4	-	13	24
34	5	20	-	4	2	3	7	1	1	1	1	2	2	7	6	5	7	2	1	11	25
40	12	11	1	6	1	1	6	-	1	-	-	-	3	3	2	4	4	1	-	10	26
63	16	16	-	2	1	1	8	-	2	3	1	-	2	5	2	6	7	4	1	18	27
23	2	4	-	5	-	6	2	-	-	-	-	-	2	3	-	2	-	-	1	7	28
470	65	123	11	20	12	15	41	10	4	11	4	3	19	63	6	29	55	28	1	113	29
184	23	66	3	4	5	12	19	3	1	7	2	2	12	24	3	8	18	5	1	48	30
142	21	21	3	4	6	-	13	3	-	3	-	-	1	16	1	7	15	9	-	26	31
146	21	21	3	5	6	-	16	3	-	3	-	-	2	17	1	7	16	10	-	28	32
144	21	36	5	12	1	3	9	4	3	1	2	1	6	23	2	14	22	14	-	39	33
202	25	30	3	14	-	9	19	-	1	5	-	-	9	18	12	21	26	4	3	38	34
99	13	16	1	4	-	4	6	-	-	2	-	-	3	5	-	6	12	2	2	20	35
103	12	14	2	10	-	5	13	-	1	3	-	-	6	13	12	15	14	2	1	18	36
20	7	8	-	2	1	-	1	2	2	1	-	1	3	3	-	6	5	3	-	6	37
231	31	28	3	9	5	4	12	4	2	1	1	-	4	20	1	8	14	10	1	29	38
143	19	12	2	6	2	2	10	3	2	1	-	-	4	13	1	5	9	6	1	17	39
88	12	16	1	3	3	2	2	1	-	-	1	-	-	7	-	3	5	4	-	12	40
473	61	61	12	41	12	13	34	3	8	26	5	-	36	84	37	38	34	23	6	80	41
120	18	15	2	7	5	2	8	1	2	8	1	-	9	19	16	8	6	7	2	19	42
44	5	7	3	5	-	-	3	1	-	3	-	-	1	5	2	1	1	1	-	3	43
309	38	39	7	29	7	11	23	1	6	15	4	-	26	60	19	29	27	15	4	58	44
294	55	71	15	13	5	12	24	4	3	13	2	1	12	34	7	26	25	13	1	82	45
48	5	7	1	1	-	5	6	2	-	2	1	-	1	3	2	-	5	1	-	10	46
40	7	20	3	-	-	3	8	-	-	2	-	-	2	7	1	6	5	1	-	18	47
28	8	8	4	5	1	1	3	-	-	2	-	1	2	10	1	5	6	1	-	22	48
30	8	8	4	5	1	1	4	-	-	2	-	1	2	10	1	5	6	1	-	22	49
178	35	36	7	7	4	3	7	2	3	7	1	-	7	14	3	15	9	10	1	32	50
56	15	5	4	6	-	12	6	-	-	1	-	-	-	3	4	6	8	3	-	14	51
90	18	28	5	5	-	5	5	2	-	4	-	-	4	11	3	10	10	3	-	22	52
41	7	8	2	3	-	-	3	1	-	2	-	-	3	5	-	4	3	-	-	9	53
49	11	20	3	2	-	5	2	1	-	2	-	-	1	6	3	6	7	3	-	13	54
110	18	40	10	7	1	2	8	7	-	2	-	2	2	15	5	13	10	2	-	34	55
2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	56
108	18	40	10	7	1	2	7	7	-	2	-	2	2	15	5	13	10	2	-	34	57
86	26	45	3	8	-	3	5	-	2	2	-	-	3	6	2	8	11	2	-	21	58
40	12	21	2	4	-	2	-	-	1	2	-	-	2	2	1	1	5	1	-	7	59
46	14	24	1	4	-	1	5	-	1	-	-	-	1	4	1	7	6	1	-	14	60
60	10	47	-	8	6	3	8	2	1	-	-	-	5	10	2	15	11	2	-	29	61
21	3	24	-	3	2	1	4	1	1	-	-	-	3	4	-	5	4	1	-	8	62
39	7	23	-	5	4	2	4	1	-	-	-	-	2	6	2	10	7	1	-	21	63
158	29	35	4	7	3	8	16	1	2	5	-	-	3	17	6	13	18	7	1	28	64
233	33	51	8	26	-	11	19	10	3	4	4	-	8	20	5	16	26	5	-	48	65
122	22	27	2	12	-	7	13	6	2	1	3	-	3	8	2	6	13	2	-	19	66
111	11	24	6	14	-	4	6	4	1	3	1	-	5	12	3	10	13	3	-	29	67
292	62	51	7	24	4	3	28	2	4	12	2	-	15	42	8	18	26	9	-	65	68
226	50	36	7	18	3	2	20	2	4	9	2	-	14	38	6	12	21	9	-	50	69
66	12	15	-	6	1	1	8	-	-	3	-	-	1	4	2	6	5	-	-	15	70
121	39	59	2	22	1	7	12	3	3	2	1	-	3	12	3	11	18	4	-	46	71
399	92	172	18	38	11	19	66	12	16	11	4	2	21	82	33	76	66	16	3	97	72
89	20	41	-	5	5	4	12	3	-	5	1	-	5	22	1	11	13	2	1	22	73
67	15	25	3	2	2	1	11	4	5	2	1	-	2	16	5	12	16	2	-	22	74
42	5	12	2	8	-	1	6	1	1	1	-	-	4	4	8	4	7	3	-	6	75
45	7	12	2	8	-	2	6	1	1	1	-	-	4	6	8	4	7	3	-	6	76
18	7	7	-	2	-	-	-	1	-	1	-	-	-	3	1	6	1	-	1	4	77
183	45	87	13	21	4	13	37	3	10	2	2	2	10	37	18	43	29	9	1	43	78
90	19	58	4	5	2	9	16	2	2	2	-	-	13	17	3	5	19	1	1	27	79
44	5	18	1	1	-	3	2	1	-	-	-	-	5	11	-	3	8	1	-	12	80
45	5	18	1	1	1	3	2	1	-	-	-	-	5	12	-	3	8	1	-	12	81
46	14	40	3	4	2	6	14	1	2	2	-	-	8	6	3	2	11	-	1	15	82
59	8	11	1	3	2	-	2	2	1	-	-	-	1	3	1	1	4	1	-	10	83
46	14	15	4	6	-	2	2	-	-	1	1	-	1	6	4	2	4	4	-	9	84
34	12	16	1	3	-	2	4	1	-	-	2	-	2	9	-	6	6	4	-	17	85
46	2	9	4	3	1	1	1	-	-	1	-	-	1	4	1	1	6	-	-	5	86
48	10	7	2	1	1	4	7	4	-	1	-	-	1	5	5	3	8	-	-	11	87
55	4	7	-	8	2	1	2	-	-	2	-	-	-	8	1	5	4	-	-	4	88

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ILLINOIS—Continued																
1	Montgomery	431	4	-	-	-	76	28	7	41	7	232	221	41	-	173	2
2	Morgan	414	3	-	1	3	70	22	7	41	3	243	240	64	1	146	8
3	Jacksonville	261	3	-	-	2	44	12	4	28	3	158	156	42	1	95	5
4	Balance of county	153	-	-	1	1	26	10	3	13	-	85	84	22	-	51	3
5	Moultrie	140	1	-	-	-	18	11	2	5	3	87	82	12	1	64	1
6	Ogle	352	-	1	-	2	46	19	6	21	8	211	210	37	1	162	4
7	Peoria	1,670	9	10	2	5	266	90	26	150	19	976	954	201	4	664	25
8	Peoria	1,170	9	8	1	3	192	62	21	109	14	694	675	141	3	472	18
9	Balance of county	500	-	2	1	2	74	28	5	41	5	282	279	60	1	192	7
10	Perry	227	2	-	-	2	37	13	7	17	3	134	132	21	-	95	1
11	Piatt	131	1	-	-	1	29	8	1	20	3	68	63	15	-	44	2
12	Pike	282	4	-	-	2	44	12	10	22	3	161	160	25	-	129	6
13	Pope	83	2	-	-	-	11	3	1	7	2	47	45	16	-	28	2
14	Pulaski	159	3	-	-	1	16	6	3	7	3	97	93	24	-	62	1
15	Putnam	54	1	-	-	-	6	2	1	3	2	33	32	5	-	23	-
16	Randolph	277	1	1	-	2	42	14	6	22	5	160	157	29	-	109	2
17	Richland	181	4	1	-	1	35	14	6	15	1	100	96	28	1	59	1
18	Rock Island	1,316	8	5	3	3	252	103	26	123	25	706	696	159	1	485	17
19	Moline	420	3	3	1	-	87	41	8	38	5	238	235	54	-	164	5
20	Rock Island	527	3	1	1	2	102	39	11	52	12	268	266	60	-	184	5
21	East Moline	123	1	1	-	-	21	7	3	11	3	65	63	15	-	45	3
22	Balance of county	246	1	-	1	1	42	16	4	22	5	135	132	30	1	92	4
23	St. Clair	2,293	21	2	1	5	353	142	52	159	50	1,175	1,106	237	4	791	30
24	East St. Louis	1,090	12	1	-	1	151	65	23	63	26	558	509	107	3	365	17
25	Belleville	433	-	1	-	1	77	29	9	39	8	230	224	54	-	157	4
26	Collinsville (part)	9	-	-	-	-	1	-	1	-	-	6	5	-	-	5	-
27	Balance of county	761	9	-	1	3	124	48	19	57	16	381	368	76	1	264	9
28	Saline	340	4	1	-	1	58	20	10	28	11	197	189	37	-	137	3
29	Harrisburg	122	2	-	-	-	27	8	4	15	4	67	61	11	-	46	2
30	Balance of county	218	2	1	-	1	31	12	6	13	7	130	128	26	-	91	1
31	Sangamon	1,450	9	3	7	5	241	77	28	136	20	796	788	197	3	551	15
32	Springfield	983	6	2	2	3	158	46	18	94	14	543	537	132	1	378	11
33	Balance of county	467	3	1	5	2	83	31	10	42	6	253	251	65	2	173	4
34	Schuyler	125	1	1	-	1	24	11	2	11	5	66	64	21	-	39	2
35	Scott	76	-	-	-	-	10	3	2	5	1	40	40	9	-	31	-
36	Shelby	275	1	-	-	1	42	15	5	22	10	176	165	45	-	113	-
37	Stark	84	-	-	-	-	15	8	1	6	2	45	43	9	-	31	-
38	Stephenson	465	2	2	-	1	80	31	4	45	9	263	252	52	-	186	6
39	Freeport	306	2	2	-	1	55	20	3	32	8	168	159	35	-	113	5
40	Balance of county	159	-	-	-	-	25	11	1	13	1	95	93	17	-	73	1
41	Tazewell	595	7	1	-	1	93	30	12	51	10	303	300	81	-	204	12
42	Pekin	225	3	-	-	1	41	14	4	23	4	102	102	27	-	69	2
43	Balance of county	370	4	1	-	-	52	16	8	28	6	201	198	54	-	135	10
44	Union	209	3	-	-	-	34	10	2	22	8	116	113	27	-	74	3
45	Vermilion	993	9	-	2	1	150	56	19	75	12	601	585	90	3	447	8
46	Danville	574	7	-	1	-	93	32	12	49	4	347	337	49	1	261	6
47	Balance of county	419	2	-	1	1	57	24	7	26	8	254	248	41	2	186	2
48	Wabash	132	1	2	-	-	26	9	2	15	1	71	68	11	-	54	1
49	Warren	233	-	-	2	-	37	15	2	20	5	131	128	29	1	93	1
50	Monmouth	130	-	-	1	-	19	4	1	14	4	73	72	14	1	54	1
51	Balance of county	103	-	-	1	-	18	11	1	6	1	58	56	15	-	39	-
52	Washington	173	-	-	-	1	34	11	3	20	5	102	100	27	-	63	2
53	Wayne	168	1	1	-	-	25	10	4	11	1	114	110	19	-	79	2
54	White	223	3	-	-	3	36	12	2	22	3	129	126	45	-	66	-
55	Whiteside	459	1	-	1	3	76	25	9	42	9	257	251	43	-	196	2
56	Sterling	141	-	-	-	2	17	6	2	9	4	77	77	14	-	59	1
57	Balance of county	318	1	-	1	1	59	19	7	33	5	180	174	29	-	137	1
58	Will	1,381	7	3	3	7	235	85	30	120	26	742	729	128	1	561	10
59	Joliet	810	4	-	2	4	146	57	17	72	15	426	421	65	-	338	5
60	Balance of county	571	3	3	1	3	89	28	13	48	11	316	308	63	1	223	5
61	Williamson	547	8	3	-	2	81	33	11	37	5	333	327	69	1	211	5
62	Marion	142	2	-	-	-	28	12	1	15	1	89	88	23	-	54	1
63	Balance of county	405	6	3	-	2	53	21	10	22	4	244	239	46	1	157	4
64	Winnebago	1,467	6	4	2	7	232	86	17	129	27	782	771	188	-	545	22
65	Rockford	1,080	3	3	1	4	185	71	12	102	18	582	574	144	-	405	19
66	Balance of county	387	3	1	1	3	47	15	5	27	9	200	197	44	-	140	3
67	Woodford	230	-	1	1	1	45	19	1	25	3	127	125	31	-	80	5
68	INDIANA	40,167	385	135	44	208	6,203	2,278	731	3,194	716	22,503	21,988	5,236	38	15,154	484
69	Metropolitan counties	17,237	184	73	17	99	2,787	966	377	1,444	322	9,144	8,959	2,050	19	6,273	228
70	Nonmetropolitan counties	22,930	201	62	27	109	3,416	1,312	354	1,750	394	13,359	13,029	3,186	19	8,881	256
71	Adams	183	1	-	-	2	29	6	3	20	5	100	96	29	-	63	2
72	Allen	1,800	19	8	-	11	278	94	33	151	32	978	960	202	2	700	25
73	Fort Wayne	1,429	16	6	-	9	233	80	27	126	29	772	755	157	2	556	20
74	Balance of county	371	3	2	-	2	45	14	6	25	3	206	205	45	-	144	5
75	Bartholomew	343	3	2	-	4	61	28	4	29	6	178	176	45	1	119	-
76	Columbus	197	2	1	-	4	35	17	2	16	2	102	100	23	-	71	-
77	Balance of county	146	1	1	-	-	26	11	2	13	4	76	76	22	1	48	-
78	Benton	113	2	-	-	-	22	8	2	12	2	65	61	17	-	40	2
79	Blackford	141	1	1	-	2	22	7	3	12	3	79	77	24	-	52	-
80	Boone	254	-	-	-	2	43	23	1	19	9	140	139	35	-	90	3
81	Brown	62	1	-	-	1	7	-	-	7	2	39	39	12	-	27	3
82	Carroll	184	-	-	-	2	21	5	3	13	4	109	108	31	-	73	3
83	Cass	450	6	-	-	4	68	27	4	37	7	270	263	64	-	183	7
84	Logansport	293	3	-	-	2	44	20	3	21	3	175	172	41	-	118	4
85	Balance of county	157	3	-	-	2	24	7	1	16	4	95	91	23	-	65	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of cir-cula-tory sys-tem 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined conditions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E500-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
86	14	71	1	3	3	11	17	3	-	2	1	-	4	7	5	18	15	4	1	35	1
99	15	24	5	21	3	3	8	-	-	1	-	-	3	16	4	9	17	2	2	29	2
62	11	17	4	12	2	2	5	-	-	1	-	-	2	10	1	2	11	1	2	16	3
37	4	7	1	9	1	1	3	-	-	-	-	-	1	6	3	7	6	1	-	13	4
57	4	2	1	4	-	5	1	1	-	-	-	-	2	3	1	6	6	1	-	10	5
111	23	24	3	4	3	1	10	2	1	3	-	-	2	14	4	7	10	5	2	24	6
495	71	73	21	51	13	22	46	13	3	10	1	3	24	67	5	37	57	17	2	98	7
362	45	47	14	34	11	19	32	10	2	5	1	2	12	41	4	26	37	11	2	64	8
133	26	26	7	17	2	3	14	3	1	5	-	1	12	26	1	11	20	6	-	34	9
64	16	14	2	14	-	2	9	4	-	-	-	-	2	6	3	3	11	1	-	10	10
27	4	11	1	3	-	5	4	2	-	1	-	-	1	1	-	3	2	4	-	11	11
90	11	22	-	6	-	1	8	1	-	2	-	-	1	8	1	11	8	9	1	18	12
16	4	6	-	1	-	2	7	-	-	-	1	-	1	1	1	3	3	-	-	4	13
47	9	5	-	6	1	4	7	1	-	-	-	-	-	7	-	6	8	1	1	8	14
14	3	6	2	1	1	1	-	-	-	-	-	-	1	-	1	-	7	1	-	2	15
61	11	35	3	16	-	3	8	1	1	-	-	-	2	11	3	13	12	-	-	15	16
36	13	9	1	5	2	4	6	-	-	1	-	-	1	3	1	7	4	2	1	13	17
356	45	67	8	32	11	10	23	8	7	11	3	1	14	47	10	38	57	12	1	82	18
123	12	24	2	10	5	3	4	2	4	1	1	-	4	13	5	10	13	4	1	21	19
135	23	21	6	14	2	2	11	3	3	6	2	1	4	19	2	13	28	6	-	40	20
37	-	5	-	3	-	2	2	2	-	3	-	-	2	9	1	3	6	-	-	4	21
61	10	17	-	5	4	3	6	1	-	1	-	-	4	6	2	12	10	2	-	17	22
469	120	172	23	40	11	69	86	11	17	26	2	2	30	93	55	58	105	23	19	159	23
214	55	79	8	20	6	49	42	4	12	8	-	2	11	35	32	23	66	8	9	89	24
94	19	40	4	8	1	6	19	2	-	6	-	-	8	9	9	11	11	2	1	38	25
3	2	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	26
158	44	53	11	12	4	13	25	5	5	12	2	-	11	47	14	24	28	13	9	32	27
73	46	15	3	10	2	8	7	1	-	2	-	-	-	2	1	13	19	2	1	20	28
30	12	2	-	3	1	6	3	1	-	-	-	-	-	1	-	3	6	1	-	7	29
43	34	13	3	7	1	2	4	-	-	2	-	-	-	1	1	10	13	1	1	13	30
424	54	58	10	23	4	8	30	6	5	25	3	-	14	52	35	31	48	11	3	106	31
296	32	39	7	17	2	6	20	6	3	18	3	-	9	33	22	18	35	6	3	79	32
128	22	19	3	6	2	2	10	-	2	7	-	-	5	19	13	13	13	5	-	27	33
24	2	11	2	2	-	2	4	-	-	1	-	-	1	2	1	3	6	1	-	8	34
22	4	5	-	-	-	-	4	1	-	1	-	-	-	5	-	5	3	2	1	3	35
54	16	43	1	6	-	11	7	1	1	2	-	-	3	5	2	-	4	5	1	14	36
18	4	9	-	2	1	2	1	1	1	-	-	-	-	5	-	2	6	-	-	6	37
113	41	26	4	7	3	11	10	6	4	3	3	1	-	20	5	11	13	5	-	27	38
69	23	16	4	5	2	9	6	6	1	-	2	-	-	13	5	5	10	4	-	18	39
44	18	10	-	2	1	2	4	-	3	3	1	1	-	7	-	6	3	1	-	9	40
143	12	37	6	6	3	3	15	4	1	-	2	-	12	32	8	24	16	8	2	56	41
46	6	15	3	2	1	-	3	-	1	-	1	-	4	16	6	7	12	3	-	21	42
97	6	22	3	4	2	3	12	4	-	-	1	-	8	16	2	17	4	5	2	35	43
50	14	7	-	12	-	3	4	1	2	4	2	-	2	3	1	9	6	2	1	11	44
340	42	57	13	22	10	16	31	8	3	3	1	-	17	44	4	20	35	3	1	48	45
204	25	26	7	13	6	10	16	6	1	1	-	-	7	26	2	12	20	1	1	29	46
136	17	31	6	9	4	6	15	2	2	2	1	-	10	18	2	8	15	2	-	19	47
39	3	11	-	3	-	3	3	-	-	-	-	-	2	2	2	2	4	2	-	14	48
69	4	19	2	1	2	3	2	1	-	-	-	1	6	11	-	15	7	5	-	10	49
37	2	14	1	-	2	1	2	-	-	-	-	-	2	8	-	9	4	2	-	6	50
32	2	5	1	1	-	2	-	1	-	-	-	1	4	3	-	6	3	3	-	4	51
40	9	12	1	9	-	2	5	-	1	-	-	-	-	-	2	2	8	1	-	12	52
47	15	15	4	6	2	4	2	1	1	2	-	-	5	6	1	3	12	4	-	9	53
52	6	8	1	13	1	3	6	2	-	1	-	-	1	6	4	7	7	-	-	15	54
135	11	48	4	5	3	6	13	2	2	5	2	1	10	14	1	21	17	3	1	20	55
42	1	15	3	1	-	-	5	2	-	3	1	-	4	3	-	7	10	1	-	5	56
93	10	33	1	4	3	6	8	-	2	2	1	1	6	11	1	14	7	2	1	15	57
334	85	132	7	25	7	13	37	14	7	13	3	2	20	59	21	44	37	13	3	85	58
185	61	87	4	10	4	5	21	8	6	8	3	2	14	34	14	27	19	6	2	49	59
149	24	45	3	15	3	8	16	6	1	5	-	-	6	25	7	17	18	7	1	36	60
171	20	15	7	35	4	6	11	1	-	4	4	-	4	19	1	13	27	7	-	24	61
48	4	1	-	8	3	1	3	-	-	1	-	-	1	6	-	2	4	-	-	5	62
123	16	14	7	27	1	5	8	1	-	3	4	-	3	13	1	11	23	7	-	19	63
408	52	63	8	21	9	11	49	14	3	11	3	1	25	65	5	53	47	24	6	101	64
305	38	43	5	17	3	8	32	12	3	8	2	1	18	40	5	39	35	12	2	75	65
103	14	20	3	4	6	3	17	2	-	3	1	-	7	25	-	14	12	12	4	26	66
57	5	13	5	9	-	2	5	-	2	-	1	-	2	9	3	7	10	4	-	9	67
10,182	2,177	2,311	333	986	241	515	1,015	218	191	388	70	43	548	1,701	164	1,067	1,489	457	136	2,486	68
4,342	895	808	142	360	115	185	475	97	80	233	28	22	256	917	78	427	665	169	91	1,073	69
5,840	1,282	1,503	191	626	126	330	540	121	111	155	42	21	292	784	86	640	824	288	45	1,413	70
40	13	8	1	2	1	4	5	-	1	-	-	1	1	8	-	10	8	1	-	11	71
470	111	94	11	33	12	18	59	10	12	20	7	2	26	110	7	42	52	15	2	110	72
380	85	71	6	24	10	17	47	8	10	17	5	1	21	91	4	29	32	11	2	86	73
90	26	23	5	9	2	1	12	2	2	3	2	1	5	19	3	13	20	4	-	24	74
85	20	14	2	5	4	2	6	3	2	4	2	-	3	21	1	6	11	5	6	19	75
46	13	12	1	3	2	2	3	2	2	3	2	-	3	11	-	2	4	3	5	11	76
39	7	2	1	2	2	-	3	1	-	1	-	-	-	10	1	4	7	2	1	8	77
20	8	10	1	3	-	4	2	1	1	-	-	-	3	4	-	1	2	-	-	8	78
43	4	5	-	-	1	2	2	1	-	-	-	-	2	3	1	5	7	5	-	7	79
60	17	10	1	12	1	1	10	1	2	1	-	-	-	3	2	9	8	5	1	18	80
16	3	5	-	-	-	-	1	-	1	-	-	-	1	1	-	1	2	-	-	5	81
45	16	9	1	3	-	1	3	2	-	1	1	-	3	3	-	6	9	5	1	14	82
120	17	39	1	13	2	7	16	3	1	5	1	-	6	15	-	11	14	2	-	21	83
76	10	28	1	11	1	3	14	3	1	2	1	-	2	11	-	7	9	1	-	15	84
44	7	11	-	2	1	4	2	-	-	3	-	-	4	4	-	4	5	1	-	6	85

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	INDIANA—Continued																
1	Clark	165	7	2	-	5	47	15	4	28	9	247	243	61	1	171	4
2	Jeffersonville	198	2	1	-	2	21	5	3	13	7	95	94	25	1	67	2
3	Balance of county	267	5	1	-	1	26	10	1	15	2	152	149	36	-	104	2
4	Clay	285	5	-	-	2	38	13	3	22	3	173	169	38	-	128	-
5	Clinton	333	5	-	3	1	49	20	5	24	4	199	193	44	-	130	4
6	Frankfort	165	-	-	1	-	23	9	4	10	-	96	92	21	-	66	1
7	Balance of county	168	5	-	2	1	26	11	1	14	4	103	101	23	-	64	3
8	Crawford	114	1	-	-	-	15	4	2	9	-	70	68	18	-	44	3
9	Daviess	263	1	-	-	-	39	17	4	18	2	159	155	32	-	114	2
10	Washington	117	1	-	-	-	20	11	3	6	1	74	72	16	-	51	-
11	Balance of county	146	-	-	-	-	19	6	1	12	1	85	83	16	-	63	2
12	Dearborn	260	4	-	-	2	44	17	-	27	4	153	147	29	-	100	8
13	Decatur	217	2	1	-	1	19	9	1	9	2	145	139	43	-	84	1
14	De Kalb	299	4	1	1	1	46	18	4	24	9	171	165	41	-	113	2
15	Delaware	882	8	6	-	6	122	43	13	66	12	509	507	128	2	352	11
16	Muncie	609	6	6	-	5	82	20	8	48	7	334	333	90	1	229	9
17	Balance of county	273	2	-	-	1	40	17	5	18	5	175	174	38	1	123	2
18	Dubois	226	2	2	1	3	23	11	3	9	6	127	126	34	-	77	2
19	Elkhart	847	5	1	3	2	105	41	9	55	20	497	494	107	-	348	20
20	Elkhart	416	2	-	2	1	49	18	6	25	9	246	246	45	-	182	14
21	Goshen	152	1	-	1	-	21	4	3	14	3	92	92	20	-	65	2
22	Balance of county	279	2	1	-	1	35	19	-	16	8	159	156	42	-	101	4
23	Fayette	217	4	-	-	2	31	13	3	15	3	140	135	26	-	98	1
24	Connersville	158	2	-	-	-	27	11	2	14	2	100	97	16	-	73	1
25	Balance of county	59	2	-	-	2	4	2	1	1	1	40	38	10	-	25	-
26	Floyd	439	6	1	-	3	72	31	7	34	9	226	222	42	-	167	4
27	New Albany	328	5	1	-	1	47	23	5	19	7	174	172	31	-	133	4
28	Balance of county	111	1	-	-	2	25	8	2	15	2	52	50	11	-	34	-
29	Fountain	199	1	-	-	1	29	10	2	17	1	123	120	28	-	83	3
30	Franklin	173	4	-	-	-	25	9	3	13	2	97	93	20	-	68	3
31	Fulton	209	-	1	-	2	39	18	6	15	11	110	106	17	-	85	1
32	Gibson	323	-	-	1	1	52	22	2	28	7	186	180	43	-	125	4
33	Grant	608	1	7	-	2	95	33	12	50	11	349	344	96	-	221	2
34	Marion	322	1	4	-	2	51	16	5	30	8	187	184	50	-	119	1
35	Balance of county	286	-	3	-	-	44	17	7	20	3	162	160	46	-	102	1
36	Greene	320	3	1	-	2	49	20	3	26	5	207	197	48	-	140	5
37	Hamilton	330	1	1	-	2	47	16	6	25	5	197	194	42	1	134	2
38	Hancock	230	3	-	-	1	32	4	7	21	5	120	117	27	-	85	1
39	Harrison	175	2	1	-	-	21	14	-	7	3	115	105	22	-	69	2
40	Hendricks	254	2	-	1	3	42	21	3	18	6	137	137	35	-	85	1
41	Henry	425	1	2	-	2	81	26	11	44	7	222	214	48	2	155	3
42	New Castle	178	1	-	-	1	38	15	6	17	2	80	79	16	2	58	3
43	Balance of county	247	-	2	-	1	43	11	5	27	5	142	135	32	-	97	-
44	Howard	572	8	2	-	1	86	28	13	45	8	324	307	74	-	214	14
45	Kokomo	419	8	2	-	1	63	21	11	31	5	241	228	57	-	161	12
46	Balance of county	153	-	-	-	-	23	7	2	14	3	83	79	17	-	53	2
47	Huntington	414	3	1	-	1	69	36	8	25	5	242	239	58	1	157	3
48	Huntington	202	2	1	-	1	34	20	5	9	1	113	111	24	-	79	3
49	Balance of county	212	1	-	-	-	35	16	3	16	4	129	128	34	1	78	-
50	Jackson	315	-	1	-	1	48	16	2	30	6	195	192	50	1	123	1
51	Jasper	164	2	1	-	1	26	7	8	11	3	88	87	20	-	65	3
52	Jay	276	2	1	2	3	29	10	3	16	4	164	159	41	-	102	2
53	Jefferson	222	1	2	-	1	40	20	2	18	-	127	124	42	-	63	3
54	Jennings	145	5	-	-	2	14	6	-	8	1	81	76	23	-	46	-
55	Johnson	345	5	1	-	2	42	20	4	18	6	225	225	50	-	168	6
56	Knox	502	8	-	-	1	70	24	11	35	11	306	298	76	1	193	5
57	Vincennes	266	4	-	-	1	41	16	8	17	8	159	156	39	1	102	4
58	Balance of county	236	4	-	-	-	29	8	3	18	3	147	142	37	-	91	1
59	Kosciusko	421	-	-	1	1	67	36	4	25	7	235	233	53	1	158	4
60	Lagrange	145	2	-	-	-	16	5	2	9	3	97	92	24	-	58	1
61	Lake	3,241	39	15	7	20	542	139	89	254	64	1,563	1,521	367	3	1,075	48
62	Gary	1,335	20	9	1	10	207	81	35	91	32	632	609	168	3	401	15
63	East Chicago	480	6	1	-	4	98	34	11	53	10	205	202	39	-	156	6
64	Hammond	680	7	3	2	4	111	40	22	49	13	338	333	78	-	241	11
65	Hobart	77	1	-	1	-	8	3	1	2	2	47	47	12	-	33	3
66	Balance of county	669	5	2	3	2	120	41	20	58	7	341	330	70	-	244	13
67	La Porte	748	9	1	1	-	104	27	13	64	25	416	409	87	1	294	7
68	Michigan City	260	2	1	-	-	39	10	3	26	11	135	132	29	-	94	5
69	La Porte	208	2	-	1	-	29	6	5	18	4	130	129	31	-	88	-
70	Balance of county	280	5	-	-	-	36	11	5	20	10	151	148	27	1	112	2
71	Lawrence	323	5	-	1	1	45	17	7	21	8	182	181	43	-	128	4
72	Bedford	139	1	-	1	-	22	5	4	13	2	81	80	19	-	54	2
73	Balance of county	184	4	-	-	1	23	12	3	8	6	101	101	24	-	74	2
74	Madison	956	10	2	1	3	154	49	18	87	6	551	540	120	2	374	16
75	Anderson	488	3	1	1	2	79	19	8	52	3	277	273	57	-	190	9
76	Elwood	140	2	1	-	-	18	9	1	8	-	100	96	25	1	65	2
77	Balance of county	328	5	-	-	1	57	21	9	27	3	174	171	38	1	119	5
78	Marion	5,831	72	33	7	36	952	307	134	511	115	3,081	3,026	708	6	2,063	75
79	Indianapolis	5,161	68	31	5	33	829	271	114	444	100	2,728	2,682	631	6	1,818	64
80	Balance of county	670	4	2	2	3	123	36	20	67	15	353	344	77	-	245	11
81	Marshall	302	2	-	-	1	52	21	4	27	4	177	177	50	-	108	3
82	Martin	84	2	-	-	-	15	4	-	11	-	46	46	11	-	32	1
83	Miami	352	3	1	-	3	53	27	6	20	8	205	204	47	-	143	6
84	Peru	185	2	1	-	2	33	17	4	12	3	108	108	22	-	78	2
85	Balance of county	167	1	-	-	1	20	10	2	8	5	97	96	25	-	65	4
86	Monroe	380	8	2	2	2	51	17	3	31	3	223	213	57	-	139	5
87	Bloomington	230	2	-	1	2	29	10	2	17	2	137	134	33	-	92	5
88	Balance of county	150	6	2	1	-	22	7	1	14	1	86	79	24	-	47	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E500-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
104	27	36	3	5	2	4	13	1	1	9	1	-	14	22	3	16	26	6	2	36	1
37	9	19	-	-	1	1	4	-	1	6	-	-	5	12	1	5	15	2	2	17	2
67	18	17	3	5	1	3	9	1	-	3	1	-	9	10	2	11	11	4	-	19	3
75	39	14	1	1	1	4	10	2	1	2	1	-	2	4	2	6	12	6	-	16	4
95	11	20	1	15	3	6	3	2	1	2	2	-	2	12	1	7	12	3	-	25	5
48	7	10	-	4	1	4	2	2	1	2	2	-	2	4	1	4	8	1	-	16	6
47	4	10	1	11	2	2	1	-	-	-	-	-	-	8	-	3	4	2	-	9	7
34	2	5	1	4	1	2	3	1	1	3	-	-	-	1	1	4	2	3	2	7	8
64	15	33	1	5	3	4	9	2	1	3	-	-	2	8	3	7	8	1	-	18	9
30	8	13	1	2	2	2	5	1	1	2	-	-	-	2	1	2	1	-	-	6	10
34	7	20	-	3	1	2	4	1	-	1	-	-	2	6	2	5	7	1	-	12	11
64	8	20	2	14	2	6	5	3	1	2	-	-	3	11	-	6	9	2	1	10	12
67	5	11	2	10	-	6	3	-	1	2	-	1	-	10	1	9	8	-	1	11	13
65	33	13	1	9	1	6	4	4	-	3	1	-	5	14	5	5	14	2	-	9	14
275	40	26	5	16	4	2	22	5	3	3	2	1	16	44	8	23	28	9	6	49	15
179	26	15	4	8	1	1	16	5	3	3	1	-	10	41	7	16	21	6	6	34	16
96	14	11	1	8	3	1	6	-	-	-	1	1	6	3	1	7	7	3	-	15	17
44	9	22	3	11	1	1	6	1	2	2	-	-	4	11	-	7	14	2	-	13	18
252	35	41	12	22	5	3	31	3	3	7	1	-	16	35	-	32	27	14	2	43	19
135	20	13	7	8	4	-	17	2	1	5	-	-	7	23	-	12	10	7	-	23	20
44	7	12	3	4	-	-	5	-	1	2	-	-	1	5	-	7	4	3	1	5	21
73	8	16	2	10	1	3	9	1	1	-	1	-	8	7	-	13	13	4	1	15	22
68	15	14	2	8	1	5	2	-	1	3	1	1	1	10	-	4	4	3	-	7	23
51	9	12	2	6	-	3	1	-	-	3	1	1	-	7	-	3	4	2	-	5	24
17	6	2	-	2	1	2	1	-	1	-	-	-	1	3	-	1	-	1	-	2	25
107	34	22	5	6	2	4	14	-	2	12	3	-	7	23	2	4	17	2	2	34	26
80	28	21	5	2	1	2	10	-	2	7	1	-	6	21	2	3	11	1	2	27	27
27	6	1	-	4	1	2	4	-	-	5	2	-	1	2	-	1	6	1	-	7	28
49	13	18	5	1	3	3	3	1	1	2	-	-	2	6	-	8	8	1	-	12	29
53	4	8	2	2	1	4	7	2	4	1	-	-	5	2	1	5	5	3	-	10	30
51	25	8	-	3	1	4	2	-	1	2	-	-	1	5	-	6	11	5	-	13	31
68	14	39	4	7	1	6	16	3	-	3	1	-	2	9	-	8	15	6	1	12	32
162	41	16	3	22	2	5	11	1	-	6	-	-	7	34	-	18	20	7	-	39	33
94	19	5	2	11	2	3	6	-	-	6	-	-	1	19	-	7	10	1	-	19	34
68	22	11	1	11	-	2	5	1	-	-	-	-	6	15	-	11	10	6	-	20	35
70	22	43	2	6	1	10	1	-	1	-	-	-	3	8	1	8	10	5	1	15	36
83	21	28	3	10	4	3	14	1	-	2	1	-	2	6	1	12	16	4	1	17	37
58	17	9	-	5	-	3	4	2	2	2	-	-	3	10	1	14	11	6	-	14	38
43	17	7	5	8	1	10	3	-	2	1	1	-	2	6	-	2	4	1	-	11	39
52	17	15	4	12	1	-	2	1	2	1	-	-	6	7	1	8	5	4	1	23	40
104	23	25	-	7	2	8	9	-	4	4	4	-	8	15	3	7	18	4	-	34	41
31	12	12	-	2	1	1	5	-	1	4	3	-	4	11	2	2	8	1	-	15	42
73	11	13	-	5	1	7	4	-	3	-	1	-	4	4	1	5	10	3	-	19	43
142	18	40	6	10	3	17	19	5	1	8	-	-	10	28	2	17	18	6	-	29	44
110	14	25	3	5	2	13	12	5	1	6	-	-	10	20	2	9	11	3	-	20	45
32	4	15	3	5	1	4	7	-	-	2	-	-	-	8	-	8	7	3	-	9	46
72	17	65	1	20	2	3	4	4	3	1	-	-	6	12	7	9	9	9	1	28	47
28	8	40	1	5	2	2	4	2	1	-	-	-	4	8	1	4	4	5	1	16	48
44	9	25	-	15	-	1	-	2	2	1	-	-	2	4	6	5	5	4	-	12	49
69	31	22	1	16	1	3	4	2	2	4	-	-	3	9	2	6	12	3	-	17	50
40	11	11	-	2	-	1	6	-	3	1	-	-	3	9	1	5	5	-	-	10	51
74	7	19	2	10	3	6	9	-	1	1	1	1	3	13	6	6	10	4	-	16	52
48	8	4	3	15	1	3	4	4	1	2	-	-	3	6	2	2	10	3	-	14	53
29	11	6	-	6	1	5	3	2	2	-	1	-	3	4	-	10	4	3	-	10	54
142	12	8	-	5	2	-	12	-	1	3	-	-	4	9	1	8	11	2	-	13	55
134	19	35	6	19	3	8	12	2	1	5	1	2	5	12	2	11	10	1	-	42	56
64	12	22	2	10	2	3	8	1	1	4	-	2	4	7	1	4	3	-	-	18	57
70	7	13	4	9	1	5	4	1	-	1	1	-	1	5	1	7	7	1	-	24	58
103	21	30	6	14	1	2	4	2	2	-	-	1	8	11	1	22	22	6	1	30	59
49	3	5	1	8	1	5	3	1	-	-	-	-	1	8	1	3	2	1	-	7	60
789	110	128	22	35	19	42	136	16	25	51	-	5	54	240	28	89	101	32	17	197	61
298	43	45	11	17	9	23	61	5	12	25	-	-	25	112	22	36	36	13	13	64	62
95	30	25	2	2	3	3	21	2	4	11	-	2	6	36	3	8	16	3	1	43	63
176	20	34	3	7	4	5	32	6	4	8	-	-	10	40	2	13	29	9	2	47	64
22	2	6	1	1	-	-	2	-	1	2	-	1	-	5	-	1	2	-	-	6	65
198	15	18	5	8	3	11	20	3	4	5	-	2	13	47	1	31	18	7	1	37	66
213	50	24	8	16	3	7	6	5	2	7	-	1	13	38	2	26	30	11	2	49	67
70	13	6	5	4	-	3	1	2	1	3	-	-	3	18	-	8	12	4	2	18	68
58	21	9	1	7	2	1	1	2	-	2	-	-	2	8	-	7	-	2	-	18	69
85	16	9	2	5	1	3	4	1	1	2	-	1	8	12	2	11	18	5	-	13	70
63	19	42	1	5	4	1	13	2	3	2	2	-	1	16	1	2	13	3	2	21	71
27	8	17	1	2	4	1	8	1	-	1	-	-	-	7	1	-	4	1	-	9	72
36	11	25	-	3	-	-	5	1	3	1	2	-	1	9	-	2	9	2	2	12	73
250	52	56	10	27	7	11	24	5	4	3	-	-	13	41	3	13	29	10	6	78	74
123	25	33	4	16	6	4	10	3	1	3	-	-	6	21	1	6	15	4	6	46	75
46	10	7	1	3	1	4	2	-	-	-	-	-	2	5	-	2	2	1	-	5	76
81	17	16	5	8	-	3	12	2	3	-	-	-	5	15	2	5	12	5	-	27	77
1,448	303	237	51	149	49	55	136	37	14	70	5	6	80	281	11	142	289	55	39	370	78
1,273	273	208	49	135	43	46	120	32	10	66	5	5	67	252	11	129	258	44	37	331	79
175	30	29	2	14	6	9	16	5	4	4	-	1	13	29	-	13	31	11	2	39	80
77	12	16	3	14	2	-	9	2	2	4	-	-	6	8	-	6	18	3	-	8	81
12	6	13	2	1	-	-	1	-	-	-	-	1	1	3	2	3	4	2	1	3	82
83	15	39	3	8	3	1	8	-	2	4	3	1	6	6	2	8	17	4	-	18	83
51	6	19	2	4	2	-	3	-	1	2	1	1	4	3	-	3	8	-	-	10	84
32	9	20	1	4	1	1	5	-	1	2	2	-	2	3	2	5	9	4	-	8	85
87	24	23	3	13	1	10	7	1	3	3	-	1	4	21	1	10	12	-	1	25	86
58	14	15	-	8	1	3	6	1	3	1	-	-	2	14	1	6	5	-	1	17	87
29	10	8	3	5	-	7	1	-	-	2	-	1	2	7	-	4	7	-	-	8	88

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	INDIANA—Continued																
1	Montgomery	355	2	1	1	1	48	21	8	19	6	215	207	60	-	133	7
2	Crawfordsville	165	-	-	-	1	24	14	4	6	6	107	103	26	-	69	5
3	Balance of county	190	2	1	1	-	24	7	4	13	-	108	104	34	-	64	2
4	Morgan	301	2	2	-	-	46	19	3	24	4	170	168	53	1	106	5
5	Newton	106	-	-	-	-	13	6	1	6	-	69	65	16	-	44	-
6	Noble	338	1	-	1	2	54	17	7	30	5	202	192	47	1	119	4
7	Ohio	42	1	-	-	-	7	3	1	3	1	27	26	3	-	21	-
8	Orange	177	2	-	-	2	28	10	2	16	4	112	110	33	-	65	3
9	Owen	131	1	-	-	1	23	10	2	11	2	81	79	24	-	48	1
10	Parke	178	1	1	-	1	24	9	5	10	5	115	107	22	-	82	4
11	Perry	153	2	-	-	3	25	9	3	13	-	75	72	18	-	45	2
12	Pike	186	2	-	-	1	29	16	2	11	-	101	99	21	-	71	1
13	Porter	357	1	1	-	2	59	18	8	33	5	179	171	36	-	128	2
14	Valparaiso	116	-	1	-	-	19	9	1	9	1	58	55	8	-	47	1
15	Balance of county	241	1	-	-	2	40	9	7	24	4	120	116	28	-	81	1
16	Posey	178	1	-	-	-	34	11	6	17	3	100	99	22	-	73	-
17	Pulaski	133	-	-	-	-	17	10	1	6	3	86	85	15	-	59	1
18	Putnam	243	2	-	-	2	37	14	5	18	5	150	143	31	-	106	3
19	Randolph	316	2	2	3	1	38	15	2	21	8	199	192	47	-	134	5
20	Ripley	211	2	1	1	-	21	10	2	9	3	131	127	28	-	85	2
21	Rush	197	2	2	-	1	32	13	3	16	4	102	100	23	-	74	4
22	St. Joseph	1,825	9	1	3	8	340	130	35	175	31	995	972	237	1	676	29
23	South Bend	1,135	6	1	2	2	221	86	25	110	19	618	601	144	1	423	19
24	Mishawaka	306	1	-	1	4	54	22	7	25	7	171	170	42	-	120	7
25	Balance of county	384	2	-	-	2	65	22	3	40	5	206	201	51	-	133	3
26	Scott	102	1	1	-	-	9	3	1	5	1	58	57	17	1	32	-
27	Shelby	318	2	2	-	-	37	13	4	20	2	205	201	58	-	128	3
28	Shelbyville	151	-	2	-	-	17	7	1	9	1	101	101	35	-	59	1
29	Balance of county	167	2	-	-	-	20	6	3	11	1	104	100	23	-	69	2
30	Spencer	187	2	-	-	1	36	22	1	13	-	99	94	21	-	69	-
31	Starke	171	-	1	-	2	26	13	3	11	3	94	92	27	1	61	2
32	Steuben	219	1	1	1	-	32	16	3	13	4	122	120	31	-	81	1
33	Sullivan	302	4	1	-	1	41	13	9	19	3	195	186	44	-	133	3
34	Switzerland	70	1	-	-	-	8	4	-	4	-	43	43	12	-	27	-
35	Tippecanoe	589	4	4	-	2	89	30	4	55	12	321	319	68	-	231	10
36	Lafayette	382	4	3	-	1	57	23	3	31	10	206	204	45	-	145	6
37	West Lafayette	68	-	1	-	-	14	2	1	11	2	33	33	10	-	22	-
38	Balance of county	139	-	-	-	1	18	5	-	13	-	82	82	13	-	64	4
39	Tipton	167	2	-	-	-	20	6	3	11	2	112	111	37	-	63	1
40	Union	71	-	1	-	-	9	3	2	4	2	45	44	14	-	27	1
41	Vanderburgh	1,486	12	4	-	6	239	82	34	123	23	854	844	162	2	611	15
42	Evansville	1,309	11	3	-	6	214	75	29	110	19	751	743	141	2	541	13
43	Balance of county	177	1	1	-	-	25	7	5	13	4	103	101	21	-	70	2
44	Vermillion	257	2	-	-	1	44	15	8	21	7	147	146	40	-	100	2
45	Vigo	1,268	12	3	-	6	195	65	28	102	27	691	664	143	2	458	17
46	Terre Haute	916	11	3	-	5	136	46	19	71	23	489	469	95	2	324	9
47	Balance of county	352	1	-	-	1	59	19	9	31	4	202	195	48	-	134	8
48	Wabash	326	2	-	1	3	72	31	8	33	10	169	161	46	1	106	2
49	Wabash	110	1	-	-	2	26	14	1	11	4	50	46	15	-	28	1
50	Balance of county	216	1	-	1	1	46	17	7	22	6	119	115	31	1	78	1
51	Warren	106	-	-	-	-	14	5	5	4	1	75	73	8	-	62	-
52	Warrick	260	1	1	-	1	38	14	2	22	3	160	159	45	-	103	4
53	Washington	185	1	-	-	-	28	8	2	18	2	110	108	32	1	71	-
54	Wayne	673	13	4	-	4	104	37	9	58	9	369	364	86	1	251	3
55	Richmond	448	9	3	-	3	71	23	7	41	7	240	236	49	-	170	3
56	Balance of county	225	4	1	-	1	33	14	2	17	2	129	128	37	1	81	-
57	Wells	218	1	-	1	-	39	13	4	22	3	121	118	27	-	87	2
58	White	206	-	-	-	3	31	15	2	14	5	123	119	28	1	81	-
59	Whitley	198	-	-	-	3	29	9	6	14	3	116	114	25	-	77	4
60	IOWA	25,688	93	62	49	112	4,218	1,532	409	2,277	409	14,681	14,411	3,699	23	9,637	318
61	Metropolitan counties	6,828	34	23	18	36	1,195	399	134	662	100	3,770	3,721	861	7	2,594	102
62	Nonmetropolitan counties	18,860	59	39	31	76	3,023	1,133	275	1,615	309	10,911	10,690	2,838	16	7,043	216
63	Adair	125	-	-	-	-	16	5	4	7	3	75	69	17	-	46	3
64	Adams	90	1	-	-	-	10	2	1	7	-	54	52	15	-	33	-
65	Allamakee	171	-	-	-	1	29	13	-	16	1	88	88	22	-	60	8
66	Appanoose	284	-	1	1	1	56	22	4	30	9	156	153	49	-	97	4
67	Audubon	90	1	-	1	1	16	8	-	8	5	42	42	10	-	28	-
68	Benton	238	-	-	-	1	38	18	3	17	5	140	138	28	-	102	6
69	Black Hawk	868	4	-	2	6	135	50	11	74	17	460	454	102	1	319	11
70	Waterloo	616	4	-	2	3	104	38	7	59	16	320	315	76	1	217	8
71	Cedar Falls	124	-	-	-	2	14	5	3	6	1	76	76	15	-	56	2
72	Balance of county	128	-	-	-	1	17	7	1	9	-	64	63	11	-	46	1
73	Boone	290	-	-	1	-	33	9	3	21	3	169	168	34	-	125	-
74	Boone	162	-	-	-	-	19	4	1	14	2	104	103	19	-	77	-
75	Balance of county	128	-	-	1	-	14	5	2	7	1	65	65	15	-	48	-
76	Bremer	172	-	-	-	1	24	10	-	14	1	105	103	31	1	64	3
77	Buchanan	216	-	-	-	3	31	7	4	20	2	120	119	39	-	67	-
78	Buena Vista	220	-	-	-	-	35	11	-	24	5	125	124	31	-	90	2
79	Butler	170	-	-	-	1	23	10	5	8	2	103	101	28	-	69	2
80	Calhoun	172	2	-	-	3	25	11	4	10	4	93	92	29	-	55	1
81	Carroll	206	2	-	-	-	36	16	3	17	2	116	114	23	-	83	4
82	Cass	184	-	-	-	-	39	15	4	20	5	100	97	31	-	59	6
83	Cedar	150	-	-	2	1	27	11	2	14	6	81	79	25	-	48	3
84	Cerro Gordo	429	2	1	-	2	75	28	10	37	5	235	233	59	1	157	1
85	Mason City	281	1	-	-	2	55	21	8	26	3	149	147	39	1	99	-
86	Balance of county	148	1	1	-	-	20	7	2	11	2	86	86	20	-	58	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E500-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
93	19	14	8	4	2	8	4	2	1	3	1	-	5	8	1	7	14	2	-	33	1
49	10	5	4	3	1	4	1	1	-	1	-	-	2	3	-	2	4	2	-	11	2
44	9	9	4	1	1	4	3	1	1	2	1	-	3	5	1	5	10	-	-	22	3
76	11	14	2	6	-	2	5	2	2	-	-	1	3	14	2	11	9	7	1	20	4
36	1	7	1	3	1	4	3	3	1	2	-	-	-	3	-	2	3	-	-	7	5
79	9	27	11	13	1	10	5	-	2	5	-	-	2	9	6	10	10	5	-	19	6
13	3	5	-	2	-	1	1	-	-	1	-	-	-	-	1	1	-	1	-	1	7
44	6	12	1	11	-	2	6	-	1	1	-	1	-	1	-	2	4	2	-	11	8
29	13	5	1	5	1	2	3	-	-	1	-	-	-	2	-	-	8	2	-	7	9
51	11	16	-	3	-	8	3	1	-	-	-	-	2	-	-	4	4	7	-	10	10
30	7	6	2	7	-	3	5	-	2	-	-	-	2	7	1	7	8	1	-	15	11
42	10	18	1	5	1	2	9	1	1	1	1	2	3	7	-	5	8	2	-	13	12
90	18	18	-	6	1	8	11	5	1	5	2	-	8	17	2	14	16	2	-	27	13
26	10	10	-	-	-	4	3	2	1	-	-	-	2	9	1	4	3	-	-	11	14
64	8	8	-	6	1	4	8	3	-	5	2	-	6	8	1	10	13	2	-	16	15
43	12	18	2	1	1	1	10	1	2	1	-	-	1	4	-	3	8	1	-	9	16
32	8	18	5	5	1	1	5	-	-	1	-	-	2	3	-	2	2	3	-	9	17
74	19	10	1	4	1	7	7	1	-	-	-	1	-	13	-	7	6	2	1	9	18
78	23	28	6	4	1	7	4	2	1	-	-	1	5	7	1	11	7	3	-	21	19
45	21	17	2	11	1	4	5	-	-	-	3	-	5	2	-	5	10	5	1	16	20
60	6	4	-	2	1	2	5	1	4	1	-	-	4	3	1	7	12	1	-	15	21
531	67	49	15	30	13	23	44	6	10	25	6	4	30	70	9	40	57	27	3	107	22
330	41	33	10	16	7	17	27	3	8	18	5	3	18	40	3	24	32	19	2	64	23
92	15	6	1	4	3	1	6	2	1	6	1	-	5	16	5	3	10	5	-	8	24
109	11	10	4	10	3	5	11	1	1	1	-	1	7	14	1	13	15	3	1	35	25
22	6	4	2	3	2	1	5	-	1	2	2	-	1	3	-	4	7	5	-	2	26
85	30	10	3	9	3	4	7	3	1	1	-	-	5	9	-	7	6	8	-	23	27
34	19	5	-	5	2	-	4	1	-	-	-	-	1	6	-	2	4	1	-	11	28
51	11	5	3	4	1	4	3	2	1	1	-	-	4	3	-	5	2	7	-	12	29
47	14	8	1	1	2	5	10	1	1	2	1	-	4	5	2	5	8	-	1	9	30
49	4	6	1	2	-	2	1	-	3	1	-	-	1	6	-	10	11	1	-	11	31
59	5	16	-	7	1	2	-	4	-	3	-	1	4	10	-	10	7	4	-	15	32
101	11	18	1	8	-	9	8	-	-	2	-	-	4	7	-	10	7	5	2	12	33
19	-	8	-	3	1	-	2	-	-	-	-	-	2	-	-	2	6	2	-	4	34
137	26	58	3	11	6	2	13	4	3	5	2	1	9	23	1	28	24	5	1	38	35
85	18	36	-	9	5	2	6	3	2	5	2	1	9	16	1	19	12	2	1	22	36
15	2	5	-	-	1	-	1	1	-	-	-	-	-	3	-	4	4	-	-	5	37
37	6	17	3	2	-	-	6	-	1	-	-	-	-	4	-	5	8	3	-	11	38
55	3	4	2	8	1	1	6	1	2	-	-	-	-	4	-	3	7	3	-	5	39
17	3	6	1	2	-	1	4	-	-	-	-	-	-	3	-	-	5	-	-	2	40
347	149	100	13	50	6	10	29	9	6	23	3	2	17	68	4	36	41	15	12	83	41
310	130	88	10	43	6	8	25	9	6	21	2	2	15	59	4	26	35	13	12	76	42
37	19	12	3	7	-	2	4	-	-	2	1	-	2	9	-	10	6	2	-	7	43
59	15	24	2	3	1	1	1	1	1	2	-	-	4	3	-	4	9	6	2	23	44
271	54	116	17	36	8	27	22	13	7	20	1	2	12	59	6	35	54	8	8	87	45
191	37	87	13	29	6	20	16	8	3	15	-	2	9	52	4	25	40	7	6	62	46
80	17	29	4	7	2	7	6	5	4	5	1	-	3	7	2	10	14	1	2	25	47
82	8	14	1	5	2	8	3	4	1	1	1	-	5	7	2	12	13	1	1	18	48
20	2	5	-	2	1	4	-	3	1	-	-	-	1	3	1	2	7	-	-	9	49
62	6	9	1	3	1	4	3	1	-	1	1	-	4	4	1	10	6	1	1	9	50
31	14	17	-	-	3	2	2	-	-	-	-	-	-	3	1	3	2	2	-	3	51
57	22	20	1	10	-	1	6	1	3	-	1	-	3	7	1	6	9	2	1	16	52
43	7	21	2	2	-	2	7	1	-	-	-	-	2	5	1	7	5	4	-	12	53
167	55	26	4	20	2	5	23	1	4	2	2	-	8	36	1	16	15	8	2	52	54
114	38	15	3	13	1	4	17	1	2	1	1	-	6	26	1	8	11	4	1	36	55
53	17	11	1	7	1	1	6	-	2	1	1	-	2	10	-	8	4	4	1	16	56
56	22	7	1	2	1	3	6	1	1	-	1	-	2	4	1	7	8	4	-	18	57
52	11	18	1	4	4	4	3	1	1	-	-	2	3	9	-	5	4	2	-	14	58
50	9	14	5	5	2	2	1	2	1	-	-	-	5	4	-	4	12	4	-	14	59
6,823	1,009	1,487	217	688	147	270	601	154	60	152	32	28	313	828	149	630	998	345	26	1,728	60
1,895	255	342	60	154	45	49	161	56	18	51	7	8	94	260	27	145	236	92	9	488	61
4,928	754	1,145	157	534	102	221	440	98	62	101	25	20	219	568	122	485	762	253	17	1,240	62
26	6	11	-	4	2	6	2	1	-	3	1	-	-	4	1	3	5	3	-	8	63
24	1	8	-	4	-	2	5	-	-	1	-	-	-	6	-	1	6	1	-	5	64
29	4	19	-	5	1	-	5	1	-	1	-	1	3	7	1	6	12	3	-	12	65
52	8	33	1	3	3	3	5	1	-	2	-	-	5	7	3	2	8	4	-	23	66
17	5	6	1	3	-	-	-	-	-	-	-	1	3	6	-	1	3	2	-	8	67
66	8	22	-	6	2	2	4	2	-	-	-	-	-	11	1	8	9	10	1	8	68
235	20	53	6	23	3	6	11	8	4	7	4	1	14	47	5	19	33	17	-	74	69
165	14	30	4	16	1	5	8	5	3	6	2	1	8	31	4	14	19	10	-	56	70
34	4	16	2	3	-	-	-	1	-	-	1	-	1	8	1	3	5	3	-	8	71
36	2	7	-	4	2	1	3	2	1	1	1	-	5	8	-	2	9	4	-	10	72
81	29	15	-	8	1	1	13	-	2	1	1	1	3	8	5	11	12	1	-	26	73
46	22	9	-	7	-	1	1	-	2	-	1	1	3	4	2	6	8	-	-	9	74
35	7	6	-	1	1	-	12	-	-	1	-	-	-	4	3	5	4	1	-	17	75
49	8	4	3	3	1	2	4	3	-	1	-	-	2	5	-	6	3	4	1	12	76
43	12	12	4	8	1	1	11	-	-	2	1	-	5	2	-	8	11	5	1	14	77
70	5	13	-	3	-	1	2	2	1	-	-	-	2	6	1	6	12	5	-	18	78
46	8	13	1	2	1	2	10	-	-	1	1	-	2	3	-	4	12	1	-	7	79
35	10	9	2	3	3	1	4	-	-	1	-	-	-	9	1	6	9	1	-	14	80
62	11	6	1	5	2	2	2	1	2	1	-	-	4	7	1	9	8	2	-	13	81
40	3	10	1	5	1	3	6	2	1	1	-	-	-	3	1	5	7	2	-	12	82
36	6	3	1	5	-	2	-	1	-	1	-	-	-	2	2	6	7	1	-	13	83
130	12	14	12	2	2	2	10	5	1	3	-	-	7	18	-	9	18	3	-	35	84
84	5	10	8	-	-	2	10	3	-	2	-	-	6	16	-	3	9	1	-	21	85
46	7	4	4	2	2	-	-	2	1	1	-	-	1	2	-	6	9	2	-	14	86

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148, 156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	IOWA—Continued																
1	Cherokee	169	-	-	-	1	31	15	1	15	3	87	86	30	-	51	4
2	Chickasaw	146	-	1	-	1	26	10	2	14	1	88	86	14	-	59	-
3	Clarke	105	1	-	1	-	16	6	2	8	-	69	64	11	-	47	-
4	Clay	156	-	-	-	1	23	10	4	9	3	86	83	20	-	58	1
5	Clayton	241	1	1	-	-	55	24	2	29	4	139	135	42	-	86	4
6	Clinton	525	3	2	2	3	83	41	6	36	7	290	280	67	1	194	8
7	Clinton	346	3	2	1	2	54	24	5	25	4	188	180	44	-	123	5
8	Balance of county	179	-	-	1	1	29	17	1	11	3	102	100	23	1	71	3
9	Crawford	184	1	-	-	1	34	13	3	18	6	96	95	27	1	52	4
10	Dallas	279	3	1	-	1	50	14	4	32	6	162	161	44	-	107	3
11	Davis	119	-	-	-	-	13	5	1	7	2	72	70	23	-	44	-
12	Decatur	143	-	-	-	-	23	7	2	14	2	78	77	17	1	49	3
13	Delaware	168	-	1	-	-	21	10	1	10	1	103	101	38	-	56	3
14	Des Moines	494	3	-	-	2	94	34	7	53	8	270	266	76	1	170	7
15	Burlington	374	3	-	-	2	74	25	6	43	7	196	192	58	1	117	4
16	Balance of county	120	-	-	-	-	20	9	1	10	1	74	74	18	-	53	3
17	Dickinson	105	-	-	-	-	18	4	1	13	1	67	67	16	-	45	1
18	Dubuque	699	3	1	-	2	108	41	9	58	7	408	400	84	-	286	12
19	Dubuque	529	2	1	-	1	86	33	7	46	4	308	305	59	-	223	11
20	Balance of county	170	1	-	-	1	22	8	2	12	3	100	95	25	-	63	1
21	Emmet	118	-	-	-	1	18	3	1	14	4	72	72	20	-	45	-
22	Fayette	286	2	-	3	-	42	18	3	21	3	176	169	52	-	107	3
23	Floyd	194	1	2	-	3	26	6	3	17	2	129	124	31	-	81	-
24	Charles City	98	-	1	-	1	14	2	1	11	2	65	63	15	-	44	-
25	Balance of county	96	1	1	-	2	12	4	2	6	-	64	61	16	-	37	-
26	Franklin	124	-	-	-	-	18	6	1	11	3	72	70	23	1	35	5
27	Fremont	139	-	-	1	-	29	13	2	14	2	77	75	19	-	54	-
28	Greene	164	-	-	1	1	30	9	2	19	4	87	85	25	-	53	1
29	Grundy	139	-	-	2	1	26	9	1	16	1	84	82	17	-	63	2
30	Guthrie	163	-	-	-	1	17	5	3	9	2	116	113	35	-	71	4
31	Hamilton	165	-	-	-	-	28	9	3	16	2	99	98	27	-	66	1
32	Hancock	147	1	1	-	-	13	6	-	7	4	80	79	26	-	49	1
33	Hardin	227	1	2	1	2	32	15	1	16	3	141	135	26	-	101	3
34	Harrison	203	-	1	-	2	28	13	4	11	3	113	110	21	-	72	4
35	Henry	210	-	-	-	2	32	12	1	19	2	140	138	26	-	103	2
36	Howard	132	-	-	-	1	20	11	-	9	2	79	78	23	1	43	-
37	Humboldt	144	-	-	1	-	21	8	4	9	5	83	80	25	-	52	-
38	Ida	94	-	-	-	1	16	5	1	10	4	52	52	13	-	36	-
39	Iowa	186	1	-	1	1	42	16	6	20	2	98	98	28	-	61	1
40	Jackson	219	1	-	-	-	33	11	-	22	7	131	130	34	-	79	3
41	Jasper	303	2	-	-	1	42	13	2	27	7	165	160	44	1	105	7
42	Newton	137	1	-	-	-	23	8	1	14	6	61	60	18	-	38	3
43	Balance of county	166	1	-	-	1	19	5	1	13	1	104	100	26	1	67	4
44	Jefferson	151	-	-	1	-	36	8	4	24	3	87	87	27	2	57	1
45	Johnson	303	-	-	2	4	56	24	8	24	7	166	163	48	-	108	4
46	Iowa City	203	-	-	1	3	36	16	4	16	4	109	108	30	-	74	1
47	Balance of county	100	-	-	1	1	20	8	4	8	3	57	55	18	-	34	3
48	Jones	193	-	-	-	1	30	12	1	17	7	100	97	18	-	59	1
49	Keokuk	183	2	-	-	1	26	6	2	18	1	121	120	28	-	73	4
50	Kossuth	208	1	-	-	-	36	10	3	23	1	124	123	34	-	82	3
51	Lee	453	2	3	-	1	77	27	12	38	8	245	240	67	-	167	6
52	Fort Madison	148	1	-	-	-	35	9	8	18	3	73	73	25	-	46	1
53	Keokuk	199	1	3	-	1	25	12	2	11	2	116	111	28	-	79	3
54	Balance of county	106	-	-	-	-	17	6	2	9	3	56	56	14	-	42	2
55	Linn	1,028	5	3	1	8	177	60	19	98	14	586	579	155	1	378	9
56	Cedar Rapids	737	5	2	1	7	138	49	15	74	12	409	404	111	-	263	7
57	Balance of county	291	-	1	-	1	39	11	4	24	2	177	175	44	1	115	2
58	Louisa	88	-	-	-	-	10	1	1	8	2	56	56	14	1	33	-
59	Lucas	168	-	1	1	-	23	10	5	8	4	91	89	26	-	58	3
60	Lyon	120	1	-	-	3	22	12	1	9	3	66	66	17	-	44	1
61	Madison	158	-	2	-	-	16	8	1	7	1	107	104	31	-	69	4
62	Mahaska	288	-	-	-	3	37	18	4	15	4	174	169	60	-	103	2
63	Oskaloosa	173	-	-	-	1	17	9	1	7	3	116	112	39	-	71	1
64	Balance of county	115	-	-	-	2	20	9	3	8	1	58	57	21	-	32	1
65	Marion	263	1	-	1	2	40	17	7	16	2	156	153	31	-	111	3
66	Marshall	350	3	4	-	1	55	21	6	28	5	219	211	65	-	127	1
67	Marshalltown	214	3	-	-	1	31	13	4	14	2	142	135	40	-	84	-
68	Balance of county	136	-	4	-	-	24	8	2	14	3	77	76	25	-	43	1
69	Mills	121	1	-	-	-	18	5	-	13	2	75	71	23	-	41	-
70	Mitchell	118	-	-	-	3	14	5	-	9	3	73	70	12	-	49	1
71	Monona	133	-	-	-	-	19	4	3	12	3	76	75	18	-	54	2
72	Monroe	128	-	-	1	1	19	9	-	10	-	74	69	29	-	40	1
73	Montgomery	180	2	1	-	-	27	9	3	15	3	122	121	30	-	79	4
74	Muscatine	377	2	3	2	1	56	22	7	27	11	208	207	53	1	144	4
75	Muscatine	265	2	2	2	-	41	15	6	20	10	143	143	34	1	101	3
76	Balance of county	112	-	1	-	1	15	7	1	7	1	65	64	19	-	43	1
77	O'Brien	185	-	1	1	-	34	16	2	16	3	106	105	33	-	66	1
78	Osceola	75	-	-	-	-	12	5	3	4	1	41	40	13	-	25	1
79	Page	211	2	1	-	1	26	7	4	15	4	125	124	46	-	69	3
80	Palo Alto	116	-	1	-	-	22	8	2	12	1	64	63	15	-	40	1
81	Plymouth	200	1	-	-	2	37	13	3	21	6	106	106	21	1	82	3
82	Pocahontas	162	-	-	-	-	24	10	3	11	3	96	92	28	1	55	2
83	Polk	2,243	8	7	9	5	401	113	56	232	28	1,271	1,252	272	2	891	39
84	Des Moines	1,971	7	7	9	5	356	105	49	202	27	1,102	1,087	227	2	783	35
85	Balance of county	272	1	-	-	-	45	8	7	30	1	169	165	45	-	108	4
86	Pottawattamie	706	2	1	-	6	128	38	13	77	7	394	390	91	1	274	16
87	Council Bluffs	497	1	1	-	5	87	24	10	53	5	282	278	59	-	202	13
88	Balance of county	209	1	-	-	1	41	14	3	24	2	112	112	32	1	72	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
36	8	3	-	4	1	1	5	2	-	2	1	-	4	9	-	3	6	3	-	12	1
29	13	17	4	8	1	2	1	3	1	1	-	1	1	2	-	-	5	1	-	13	2
27	3	17	2	3	1	5	3	-	-	-	-	-	3	1	2	1	4	-	-	4	3
48	1	8	-	5	-	3	3	1	2	2	-	-	4	6	1	7	3	4	-	10	4
57	8	17	2	4	1	4	3	-	-	1	1	-	2	2	3	3	11	2	-	13	5
135	15	36	3	10	5	10	11	4	3	2	1	1	6	16	4	23	15	8	2	39	6
90	8	20	2	7	4	8	10	3	1	2	1	1	5	11	3	17	9	7	2	20	7
45	7	16	1	3	1	2	1	1	2	-	-	-	1	5	1	6	6	1	-	19	8
36	5	7	4	10	1	1	7	-	1	-	-	-	3	3	1	7	12	2	-	10	9
75	14	15	1	6	3	1	5	1	-	-	1	-	2	4	3	6	4	5	1	24	10
36	2	6	-	2	1	2	6	1	1	1	-	-	1	2	1	6	5	-	1	7	11
34	5	7	-	9	1	1	2	1	-	1	-	-	2	4	1	5	8	4	-	12	12
42	4	7	1	4	2	2	2	-	-	1	1	-	4	5	1	7	6	5	-	10	13
125	31	7	7	10	2	4	19	1	7	5	1	-	4	15	3	10	19	8	-	25	14
88	19	6	7	7	2	4	17	1	5	4	1	-	4	12	3	7	16	6	-	16	15
37	12	1	-	3	-	-	2	-	2	1	-	-	-	3	-	3	3	2	-	9	16
35	4	5	2	3	1	-	1	-	1	1	-	-	4	1	-	2	2	1	-	6	17
196	27	51	5	23	2	8	17	4	2	9	-	-	10	29	1	18	34	10	1	35	18
154	21	37	4	19	-	3	14	3	2	7	-	-	7	23	1	13	22	6	1	28	19
42	6	14	1	4	2	5	3	1	-	2	-	-	3	6	-	5	12	4	-	7	20
37	1	7	1	6	-	-	3	1	-	-	-	1	-	3	1	3	6	2	-	3	21
71	14	19	4	6	-	7	1	-	1	5	-	-	3	5	-	4	13	1	-	27	22
59	10	12	1	10	1	5	1	1	1	-	1	-	1	2	3	3	9	-	-	9	23
32	6	6	1	3	-	2	-	1	-	-	1	-	1	1	2	1	4	-	-	4	24
27	4	6	-	7	1	3	1	-	1	-	-	-	-	1	1	2	5	-	-	5	25
24	3	3	5	5	1	2	3	2	-	1	1	-	3	4	-	4	8	-	-	5	26
22	19	13	-	2	-	2	4	-	-	1	-	-	3	1	1	4	7	1	-	8	27
40	4	8	1	6	-	2	5	1	-	1	-	-	3	6	1	2	7	-	-	15	28
44	6	11	1	1	-	2	1	-	1	-	1	-	1	2	-	4	4	2	-	9	29
45	10	12	1	6	-	3	3	1	1	-	-	1	3	3	1	5	6	-	-	3	30
55	4	6	1	3	1	1	6	3	-	-	-	-	3	6	-	2	8	1	-	7	31
36	-	12	-	4	-	1	4	1	1	-	-	1	2	8	2	10	3	6	-	10	32
83	10	5	2	5	1	6	2	1	1	1	-	-	3	2	2	5	12	1	-	15	33
47	8	13	2	13	2	3	2	1	-	-	1	1	1	7	3	9	13	5	1	12	34
69	12	20	-	8	1	2	6	1	-	1	-	-	1	5	2	2	6	2	-	8	35
28	2	13	-	11	-	1	-	1	-	1	-	-	2	8	1	3	1	2	-	11	36
38	6	8	-	2	1	3	1	-	-	3	-	-	-	5	1	1	4	3	-	16	37
25	3	8	2	-	1	-	4	-	1	-	-	-	1	-	1	3	4	2	-	5	38
34	10	16	-	8	1	-	3	1	2	2	1	-	1	4	-	6	5	2	-	14	39
44	14	18	4	13	-	1	2	-	-	1	-	-	7	10	1	3	6	8	-	9	40
79	5	14	1	7	2	5	5	-	1	1	1	-	4	19	2	17	12	-	-	24	41
28	2	5	-	4	-	1	2	-	1	-	1	-	2	13	-	8	6	-	-	13	42
51	3	9	1	3	2	4	3	-	-	1	-	-	2	6	2	9	6	-	-	11	43
42	3	11	-	-	1	-	4	-	-	-	-	-	-	-	2	4	4	4	-	6	44
71	14	19	1	5	1	3	5	1	-	1	1	-	8	8	3	6	10	4	1	20	45
47	14	12	1	3	-	1	2	-	-	-	-	-	7	6	2	5	8	2	1	17	46
24	-	7	-	2	1	2	3	1	-	1	1	-	1	2	1	1	2	2	-	3	47
41	4	13	4	16	-	3	4	3	1	-	-	1	-	10	-	9	13	1	-	13	48
53	7	9	3	16	-	1	4	1	1	-	-	-	1	1	-	4	5	-	-	15	49
49	8	22	2	5	-	1	3	1	1	2	-	-	2	11	1	7	6	2	-	10	50
108	17	36	-	5	1	5	17	5	1	-	-	2	3	17	2	12	17	4	1	36	51
33	5	7	-	2	-	-	7	1	-	-	-	-	3	8	1	1	4	2	-	9	52
48	8	20	-	3	1	5	8	2	-	-	-	-	-	8	1	6	3	2	1	20	53
27	4	9	-	-	-	-	2	2	1	-	-	2	-	1	-	5	10	-	-	7	54
276	52	41	5	32	8	7	19	8	3	10	-	-	14	29	2	27	33	14	-	75	55
186	43	27	5	19	6	5	11	6	2	7	-	-	11	16	1	21	25	11	-	52	56
90	9	14	-	13	2	2	8	2	1	3	-	-	3	13	1	6	8	3	-	23	57
23	5	5	4	4	-	-	4	-	1	-	-	-	1	-	-	3	5	-	-	6	58
31	4	20	1	3	1	2	4	1	2	1	-	2	4	3	9	1	5	2	-	14	59
24	4	15	1	4	-	-	1	-	-	1	-	-	3	4	-	2	4	1	-	9	60
51	6	8	-	1	3	3	3	1	-	-	1	-	1	6	-	2	5	6	-	7	61
62	11	28	2	4	-	5	10	1	-	2	-	-	3	13	5	7	7	2	-	20	62
44	11	15	1	1	-	4	4	-	-	1	-	-	2	7	2	3	3	2	-	12	63
18	-	13	1	3	-	1	6	1	-	1	-	-	1	6	3	4	4	-	-	8	64
79	13	16	3	7	1	3	7	4	-	5	-	-	1	2	2	7	15	3	1	14	65
99	13	14	1	13	5	8	7	1	1	-	-	-	4	8	1	10	6	3	1	21	66
71	6	7	1	7	3	7	3	-	-	-	-	-	3	2	-	7	4	1	-	15	67
28	7	7	-	6	2	1	4	1	1	-	-	-	1	6	1	3	2	2	1	6	68
23	4	14	2	4	1	4	3	1	-	-	1	-	-	1	1	5	7	-	-	6	69
35	3	10	2	5	2	3	1	-	1	1	-	-	1	4	-	4	5	-	-	8	70
28	7	17	2	1	-	1	3	3	-	-	-	-	2	6	-	2	8	1	1	9	71
26	-	13	-	-	-	5	5	-	1	-	1	-	-	3	6	1	6	1	-	9	72
68	4	3	1	9	2	1	4	1	-	-	-	-	-	3	-	4	4	-	-	9	73
106	21	13	1	6	2	1	14	-	1	2	-	-	6	12	1	7	16	8	-	27	74
70	18	10	1	4	2	-	10	-	-	2	-	-	4	8	-	5	11	4	-	21	75
36	3	3	-	2	-	1	4	-	1	-	-	-	2	4	1	2	5	4	-	6	76
44	5	16	1	3	2	1	4	2	3	-	-	-	3	7	2	1	5	3	-	10	77
15	7	2	1	1	-	1	-	-	-	-	-	-	1	3	-	4	5	1	-	7	78
55	5	6	1	8	-	1	6	2	-	1	-	-	3	9	-	3	12	3	-	13	79
27	3	9	2	6	-	1	1	1	-	1	-	-	-	4	-	6	5	-	-	10	80
63	8	8	1	1	-	-	2	1	-	1	-	-	3	9	2	5	11	5	-	9	81
42	2	9	3	4	1	4	2	-	-	2	1	-	3	8	-	7	7	3	-	6	82
705	69	78	21	51	15	19	55	16	5	15	2	3	30	88	6	49	64	24	4	155	83
625	62	61	20	42	13	15	51	14	5	14	2	3	27	81	6	42	57	21	3	132	84
80	7	17	1	9	2	4	4	2	-	1	-	-	3	7	-	7	7	3	1	21	85
189	26	43	10	9	5	4	16	5	2	4	1	1	8	22	4	21	29	11	1	43	86
138	24	27	5	8	4	4	13	4	2	3	1	1	6	13	4	13	19	8	1	28	87
51	2	16	5	1	1	-	3	1	-	1	-	-	2	9	-	8	10	3	-	15	88

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	IOWA—Continued																
1	Poweshiek	212	2	1	-	-	33	15	5	13	5	123	120	32	-	84	2
2	Ringgold	96	-	1	-	-	15	5	-	10	4	55	54	13	-	36	-
3	Sac	142	-	-	-	-	20	10	1	9	2	84	83	28	-	52	-
4	Scott	957	6	4	5	4	182	65	21	96	10	515	506	114	1	355	7
5	Davenport	751	6	4	3	3	147	45	21	81	8	406	399	92	-	279	6
6	Balance of county	206	-	-	2	1	35	20	-	15	2	109	107	22	1	76	1
7	Shelby	108	-	-	-	-	25	9	1	15	2	58	58	19	-	36	1
8	Sioux	230	-	-	-	-	43	18	7	18	8	119	114	22	-	77	-
9	Story	324	2	-	1	2	58	23	3	32	2	187	186	52	-	114	3
10	Ames	124	-	-	-	2	26	10	-	16	-	68	67	18	-	41	1
11	Balance of county	200	2	-	1	-	32	13	3	16	2	119	119	34	-	73	2
12	Tama	235	-	1	-	-	47	14	6	27	3	137	136	41	-	83	4
13	Taylor	148	2	-	-	-	24	6	-	18	-	94	93	17	-	72	1
14	Union	171	-	2	-	2	30	11	2	17	1	101	101	28	-	68	3
15	Van Buren	158	-	-	1	-	25	8	2	15	2	99	96	23	-	70	3
16	Wapello	470	1	-	1	-	65	16	11	38	1	281	272	69	-	183	2
17	Ottumwa	344	1	-	1	-	49	14	8	27	-	198	195	49	-	130	2
18	Balance of county	126	-	-	-	-	16	2	3	11	1	83	77	20	-	53	-
19	Warren	167	-	1	-	-	28	11	3	14	2	100	98	24	1	59	-
20	Washington	213	-	-	-	2	30	13	3	14	2	130	126	32	-	81	3
21	Wayne	133	1	-	-	-	21	10	2	9	1	82	75	20	-	50	3
22	Webster	428	-	1	1	1	58	18	7	33	5	233	230	57	-	155	3
23	Fort Dodge	276	-	-	1	-	31	6	5	20	4	156	153	36	-	104	1
24	Balance of county	150	-	1	-	1	27	12	2	13	1	77	77	21	-	51	2
25	Winnebago	110	-	-	-	-	24	8	1	15	2	60	60	15	-	41	2
26	Winneshiek	191	-	-	-	-	30	12	2	16	1	109	107	21	-	69	-
27	Woodbury	1,026	9	8	1	7	172	73	14	85	24	544	540	127	1	377	20
28	Sioux City	838	8	8	-	6	149	65	12	72	20	437	433	102	1	304	13
29	Balance of county	188	1	-	1	1	23	8	2	13	4	107	107	25	-	73	7
30	Worth	105	-	-	-	-	16	5	1	10	1	69	69	16	-	49	-
31	Wright	192	1	-	-	1	38	16	3	19	6	101	100	27	-	66	-
32	KANSAS	19,298	119	63	29	100	2,725	920	294	1,511	332	10,362	10,062	2,492	16	6,694	178
33	Metropolitan counties	5,374	49	22	7	27	774	248	68	458	77	2,611	2,549	619	8	1,733	54
34	Nonmetropolitan counties	13,924	70	41	22	73	1,951	672	226	1,053	255	7,751	7,513	1,873	8	4,961	124
35	Allen	246	1	-	-	4	35	15	4	16	2	148	145	32	-	102	-
36	Anderson	142	-	1	-	1	19	6	2	11	2	88	84	15	-	65	-
37	Atchison	240	-	2	1	1	26	8	-	18	1	150	145	46	-	93	-
38	Atchison	165	-	1	-	1	13	5	-	8	-	111	107	37	-	66	-
39	Balance of county	75	-	1	1	-	13	3	-	10	1	39	38	9	-	27	-
40	Barber	87	1	-	-	1	18	8	2	8	2	42	40	5	-	32	-
41	Barton	237	-	-	-	1	33	9	4	20	7	113	113	26	-	80	1
42	Great Bend	118	-	-	-	1	16	4	2	10	2	57	57	10	-	44	1
43	Balance of county	119	-	-	-	-	17	5	2	10	5	56	56	16	-	36	-
44	Bourbon	237	1	2	-	-	30	4	5	21	7	149	144	30	-	105	2
45	Fort Scott	168	-	2	-	-	27	3	5	19	7	105	100	21	-	72	1
46	Balance of county	69	1	-	-	-	3	1	-	2	-	44	44	9	-	33	1
47	Brown	159	-	-	3	1	26	10	4	12	2	90	87	22	-	60	1
48	Butler	303	-	3	-	2	39	15	7	17	3	178	172	43	-	112	3
49	El Dorado	128	-	1	-	1	20	10	2	8	1	74	70	17	-	47	2
50	Balance of county	175	-	2	-	1	19	5	5	9	2	104	102	26	-	65	1
51	Chase	55	1	-	-	-	12	5	-	7	1	32	32	7	-	24	1
52	Chautauqua	109	-	-	-	-	10	2	3	5	3	55	55	11	-	36	1
53	Cherokee	278	14	2	-	1	43	15	10	18	7	146	141	29	-	91	4
54	Cheyenne	46	-	-	-	2	6	2	1	3	-	21	19	-	-	18	-
55	Clark	43	-	-	-	-	12	1	2	9	4	12	12	4	-	8	-
56	Clay	104	-	-	-	1	18	8	-	10	1	51	49	15	-	30	1
57	Cloud	182	-	-	-	1	32	10	-	22	1	103	101	22	-	67	2
58	Coffey	116	-	-	-	-	17	6	2	9	3	70	67	17	-	44	2
59	Comanche	33	-	-	-	2	4	2	1	1	-	18	18	4	-	14	1
60	Cowley	464	2	1	1	-	60	17	8	35	11	276	272	78	1	156	8
61	Arkansas City	179	1	-	1	-	18	4	2	12	6	115	114	36	-	68	3
62	Winfield	163	1	1	-	-	25	10	3	12	4	95	95	25	-	52	3
63	Balance of county	122	-	-	-	-	17	3	3	11	1	66	63	17	1	36	2
64	Crawford	552	4	3	-	3	70	25	13	32	10	327	320	64	-	238	11
65	Pittsburg	252	2	1	-	2	35	13	5	17	3	146	144	28	-	108	4
66	Balance of county	300	2	2	-	1	35	12	8	15	7	181	176	36	-	130	7
67	Decatur	56	-	-	-	-	11	3	-	8	2	27	26	3	-	17	2
68	Dickinson	240	2	1	-	1	37	18	2	17	4	124	119	34	-	78	-
69	Doniphan	114	-	-	-	-	14	3	1	10	2	66	65	16	-	45	1
70	Douglas	303	1	-	-	-	46	16	6	24	5	167	161	37	-	111	-
71	Lawrence	210	1	-	-	-	29	9	5	15	3	115	110	25	-	79	-
72	Balance of county	93	-	-	-	-	17	7	1	9	2	52	51	12	-	32	-
73	Edwards	56	-	-	2	-	6	-	2	4	1	33	32	2	-	26	1
74	Elk	72	1	-	-	1	10	5	1	4	-	47	45	11	-	29	-
75	Ellis	123	1	-	-	1	18	7	-	11	7	61	58	10	-	44	1
76	Ellsworth	90	1	1	-	-	13	5	-	8	1	53	51	16	-	33	1
77	Finney	88	-	-	1	-	18	6	5	7	-	38	35	7	-	26	-
78	Garden City	74	-	-	1	-	16	4	5	7	-	30	29	6	-	21	-
79	Balance of county	14	-	-	-	-	2	2	-	-	-	8	6	1	-	5	-
80	Ford	186	2	2	-	3	31	12	3	16	5	82	78	16	-	61	2
81	Dodge City	121	1	-	-	2	23	9	3	11	2	49	47	11	-	35	2
82	Balance of county	65	1	2	-	1	8	3	-	5	3	33	31	5	-	26	-
83	Franklin	249	2	-	-	-	41	15	7	19	13	138	128	23	-	98	4
84	Ottawa	141	1	-	-	-	20	6	3	11	9	84	82	11	-	68	3
85	Balance of county	108	1	-	-	-	21	9	4	8	4	54	46	12	-	30	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E500-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
64	9	9	1	2	1	3	5	1	1	-	1	-	4	4	3	2	9	2	-	16	1
25	-	11	-	5	-	1	3	-	-	-	-	-	1	-	1	-	4	4	-	8	2
39	2	11	-	2	1	1	2	-	-	3	-	-	5	5	-	4	7	5	-	5	3
243	46	59	11	19	6	9	35	10	3	7	-	1	9	31	5	15	32	13	2	68	4
187	38	48	8	16	4	7	30	7	3	5	-	1	6	20	2	8	28	9	2	53	5
56	8	11	3	3	2	2	5	3	-	2	-	-	3	11	3	7	4	4	-	15	6
29	3	3	-	2	1	-	1	-	-	1	-	1	1	4	-	3	4	2	-	6	7
59	4	14	3	11	1	5	6	-	2	-	-	2	3	6	6	8	13	1	-	13	8
99	8	4	8	9	3	1	10	3	-	2	-	-	2	11	1	8	11	5	1	18	9
37	2	1	2	4	2	1	5	2	-	-	-	-	1	7	-	-	6	2	-	5	10
62	6	3	6	5	1	-	5	1	-	2	-	-	1	4	1	8	5	3	1	13	11
64	7	8	1	10	1	1	1	-	1	-	1	-	3	7	-	6	7	4	-	17	12
59	3	9	-	4	-	1	3	1	-	1	-	-	1	-	1	2	4	2	1	12	13
48	5	12	2	2	1	-	5	1	-	-	-	-	1	-	3	10	2	2	-	11	14
48	10	9	1	1	1	3	3	-	1	1	-	-	-	1	1	-	6	2	-	16	15
137	25	19	5	9	6	9	15	3	3	1	-	1	5	18	1	17	21	9	-	27	16
101	17	10	4	6	6	3	9	3	3	1	-	1	5	16	1	14	14	7	-	21	17
36	8	9	1	3	-	6	6	-	-	-	-	-	-	2	-	3	7	2	-	6	18
35	10	14	-	14	-	2	2	-	2	-	-	1	2	8	-	1	7	1	-	12	19
40	13	25	-	13	-	4	5	1	-	1	-	-	1	6	1	1	10	2	1	20	20
29	11	7	-	5	-	7	3	2	1	-	-	-	-	2	-	1	6	3	-	10	21
105	29	18	5	10	3	3	16	2	1	6	2	1	3	23	4	6	22	5	-	36	22
71	19	13	3	7	3	3	10	2	1	4	1	-	1	17	2	6	13	4	-	23	23
34	10	5	2	3	-	-	6	-	-	2	1	1	2	6	2	-	9	1	-	13	24
34	1	4	1	3	-	-	3	1	-	1	-	-	2	2	-	3	4	2	-	6	25
59	7	3	2	10	5	2	8	-	-	1	-	-	2	9	1	3	10	4	-	13	26
247	42	68	7	20	8	4	25	9	1	8	-	2	19	43	5	14	45	13	2	75	27
203	38	50	4	14	8	4	19	8	1	7	-	1	16	36	5	12	34	7	2	62	28
44	4	18	3	6	-	-	6	1	-	1	-	1	3	7	-	2	11	6	-	13	29
39	8	2	2	1	1	-	3	-	-	-	-	-	1	1	-	3	3	1	-	7	30
54	4	8	3	4	-	1	4	1	1	-	-	-	1	6	2	5	9	1	-	15	31
4,446	811	1,259	201	508	151	300	480	127	80	119	42	29	278	817	390	617	875	246	63	1,405	32
1,211	230	238	40	108	41	62	141	32	27	37	11	11	119	316	246	156	226	74	33	378	33
3,235	581	1,021	161	400	110	238	339	95	53	82	31	18	159	501	144	461	649	172	30	1,027	34
56	18	28	4	5	2	3	5	2	-	1	-	-	1	10	-	5	5	5	-	22	35
53	6	6	1	-	3	4	4	-	-	-	-	-	1	6	-	5	11	-	-	4	36
56	6	31	2	3	1	5	6	-	1	-	2	-	3	12	1	1	5	4	-	24	37
34	6	26	2	1	1	4	5	-	1	-	2	-	2	8	1	1	2	2	-	15	38
22	-	5	-	2	-	1	1	-	-	-	-	-	1	4	-	-	3	2	-	9	39
20	5	7	1	2	-	2	2	1	-	-	-	-	1	4	-	3	4	1	-	7	40
61	6	12	3	4	-	-	17	5	-	3	-	-	6	11	-	10	7	3	-	21	41
35	2	6	1	2	-	-	11	2	-	2	-	-	4	7	-	4	1	-	-	11	42
26	4	6	2	2	-	-	6	3	-	1	-	-	2	4	-	6	6	3	-	10	43
79	17	7	2	7	-	5	1	3	1	1	-	-	-	4	1	10	9	1	-	17	44
59	9	3	2	5	-	5	-	2	1	1	-	-	-	3	1	6	3	1	-	9	45
20	8	4	-	2	-	-	1	1	-	-	-	-	-	1	-	4	6	-	-	8	46
50	3	6	1	3	1	3	2	4	-	2	-	-	2	6	1	4	4	3	-	9	47
89	9	11	4	10	3	6	5	2	1	2	-	-	6	18	-	12	13	3	-	16	48
43	2	-	-	6	-	4	3	2	-	1	-	-	1	10	-	4	8	-	-	2	49
46	7	11	4	4	3	2	2	-	1	1	-	-	5	8	-	8	5	3	-	14	50
19	3	1	-	-	1	-	-	-	1	-	-	-	-	-	-	3	2	-	-	3	51
23	4	8	5	3	-	-	3	2	-	-	1	1	-	1	3	5	9	-	-	16	52
61	9	17	2	14	5	5	1	4	1	1	-	-	3	6	4	3	18	2	-	22	53
13	1	4	-	-	1	2	-	1	-	-	-	-	1	3	-	2	6	-	-	4	54
6	-	2	-	-	-	-	1	1	-	-	-	-	1	-	-	3	3	1	-	5	55
19	4	6	1	3	-	2	6	-	1	3	-	-	1	2	-	2	9	1	-	8	56
35	11	19	5	5	2	2	3	-	3	1	1	-	2	5	1	5	10	2	-	12	57
24	3	15	1	5	-	3	1	-	-	-	-	-	-	3	1	2	5	3	-	11	58
10	2	1	-	-	-	-	1	-	-	1	-	-	-	1	2	-	3	1	-	-	59
123	13	12	5	25	7	4	13	2	2	1	1	-	3	19	-	6	25	5	-	36	60
55	5	5	2	7	1	1	4	1	-	-	-	-	1	10	-	3	8	1	-	10	61
45	3	1	2	11	5	-	6	-	2	-	-	-	-	4	-	2	10	-	-	13	62
23	5	6	1	7	1	3	3	1	-	1	1	-	2	5	-	1	7	4	-	13	63
154	24	49	5	12	1	7	15	4	-	3	-	-	2	7	5	17	38	13	-	31	64
68	12	24	2	6	-	2	4	2	-	2	-	-	-	3	1	8	16	5	-	22	65
86	12	25	3	6	1	5	11	2	-	1	-	-	2	4	4	9	22	8	-	9	66
8	2	5	-	5	1	1	3	-	-	1	-	-	-	3	-	6	2	-	-	1	67
48	7	23	1	6	-	5	3	3	-	2	-	-	2	10	1	12	15	2	-	21	68
27	4	13	1	3	-	1	3	1	-	2	-	1	1	6	-	2	7	-	-	9	69
78	11	22	4	6	3	6	12	2	-	3	-	-	5	14	4	7	11	3	1	22	70
55	9	15	1	3	2	5	9	2	-	2	-	-	3	13	3	5	6	2	1	16	71
23	2	7	3	3	1	1	3	-	-	1	-	-	2	1	1	2	5	1	-	6	72
13	10	2	2	1	1	1	-	1	-	-	-	-	-	2	-	3	2	1	-	5	73
21	4	4	2	2	1	2	-	-	1	1	-	-	-	-	-	3	4	-	-	4	74
31	2	10	-	2	2	3	-	1	2	1	-	-	3	7	1	5	2	1	1	11	75
18	6	8	-	2	-	2	1	-	1	-	-	-	-	2	1	5	3	1	-	7	76
17	5	4	1	-	1	3	2	-	-	-	3	-	2	4	2	4	4	1	-	9	77
13	5	3	1	-	1	1	2	-	-	-	3	-	-	3	2	4	3	1	-	9	78
4	-	1	-	-	-	2	-	-	-	-	-	-	2	1	-	-	1	-	-	-	79
33	10	16	1	-	-	4	4	-	5	-	2	1	6	11	1	8	7	2	1	13	80
18	6	9	1	-	-	2	2	-	3	-	1	1	4	7	1	7	6	2	-	10	81
15	4	7	-	-	-	2	2	-	2	-	1	-	2	4	-	1	1	-	1	3	82
56	8	30	5	1	1	10	6	3	-	-	-	-	1	8	-	12	6	4	1	14	83
39	6	20	3	-	-	2	1	2	-	-	-	-	1	5	-	7	2	3	1	5	84
17	2	10	2	1	1	8	5	1	-	-	-	-	-	3	-	5	4	1	-	9	85

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	KANSAS—Continued																
1	Geary	189	1	-	-	3	28	8	1	19	3	71	67	13	1	50	1
2	Junction City	138	1	-	-	2	22	6	1	15	3	60	56	10	-	44	1
3	Balance of county	51	-	-	-	1	6	2	-	4	-	11	11	3	1	6	-
4	Gove	36	-	-	-	-	9	2	1	6	3	10	9	2	-	7	-
5	Graham	30	-	-	-	-	4	-	-	4	-	17	17	5	-	10	1
6	Grant	20	-	-	-	1	2	1	1	-	-	2	2	-	-	2	-
7	Gray	31	-	-	-	-	2	-	-	2	-	22	19	4	-	13	1
8	Greeley	18	1	-	-	-	3	-	3	-	1	4	4	2	-	2	-
9	Greenwood	141	1	-	-	-	25	8	3	14	3	73	67	17	-	46	-
10	Hamilton	31	-	-	-	-	5	-	1	4	-	12	12	4	-	8	-
11	Harper	119	1	-	1	-	16	7	1	8	4	61	56	23	-	25	-
12	Harvey	236	-	1	-	1	33	8	6	19	5	139	136	35	-	89	2
13	Newton	134	-	1	-	-	20	3	5	12	1	85	83	18	-	55	-
14	Balance of county	102	-	-	-	1	13	5	1	7	4	54	53	17	-	34	2
15	Haskell	13	-	-	-	-	-	-	-	-	-	7	7	-	-	7	-
16	Hodgeman	23	-	-	-	-	1	1	-	-	-	16	16	5	-	11	-
17	Jackson	128	-	-	1	-	14	4	2	8	4	83	81	12	-	56	-
18	Jefferson	143	-	-	-	2	19	7	3	9	2	87	85	31	-	44	1
19	Jewell	108	-	1	-	-	18	6	1	11	-	63	61	10	-	45	-
20	Johnson	474	3	-	1	2	84	27	4	53	6	233	231	43	1	171	7
21	Kearny	18	-	-	-	-	2	1	-	1	-	10	10	2	-	8	1
22	Kingman	102	-	-	-	-	11	3	2	6	2	66	66	17	-	46	3
23	Kiowa	30	-	-	-	-	4	2	-	2	-	19	19	3	-	12	-
24	Labette	366	2	2	-	-	31	9	5	17	4	239	231	65	1	140	2
25	Parsons	190	2	-	-	-	20	7	5	8	2	125	123	37	-	77	1
26	Balance of county	176	-	2	-	-	11	2	-	9	2	114	108	28	1	63	1
27	Kane	18	-	-	-	-	3	-	-	3	-	7	7	2	-	5	-
28	Leavenworth	427	5	1	-	3	57	20	7	30	6	235	223	54	-	155	6
29	Leavenworth	287	3	1	-	1	40	13	6	21	5	160	152	31	-	110	3
30	Balance of county	140	2	-	-	2	17	7	1	9	1	75	71	23	-	45	3
31	Lincoln	78	1	-	-	-	12	3	1	8	2	45	43	11	-	25	-
32	Linn	110	-	4	-	-	15	6	-	9	1	67	66	21	-	42	1
33	Logan	27	-	-	-	-	3	-	2	1	1	13	13	4	-	9	1
34	Lyon	284	1	-	-	-	37	18	4	15	7	164	154	36	1	95	6
35	Emporia	199	1	-	-	-	32	14	4	14	6	108	105	28	1	63	3
36	Balance of county	85	-	-	-	-	5	4	-	1	1	56	49	8	-	32	3
37	McPherson	231	-	-	-	1	38	10	5	23	3	134	131	36	-	81	3
38	Marion	165	-	-	-	1	29	8	4	17	1	92	88	16	-	65	-
39	Marshall	208	-	1	1	2	26	10	3	13	5	123	117	33	-	71	2
40	Meade	45	-	-	-	1	10	4	-	6	-	18	18	7	-	11	-
41	Miami	195	-	1	-	-	35	9	5	21	2	111	109	20	-	77	-
42	Mitchell	123	-	1	-	-	20	9	3	8	2	71	70	20	1	46	1
43	Montgomery	572	6	2	-	6	80	31	4	45	6	313	299	85	-	191	4
44	Coffeyville	207	4	1	-	4	30	15	1	14	3	118	111	30	-	66	1
45	Independence	146	1	1	-	1	20	7	2	11	3	78	77	23	-	53	1
46	Balance of county	219	1	-	-	1	30	9	1	20	-	117	111	32	-	72	2
47	Morris	99	-	-	-	-	14	6	2	6	1	64	63	22	-	36	-
48	Morton	28	-	-	-	-	3	1	1	1	2	13	13	4	-	7	-
49	Nemaha	127	-	-	-	-	14	4	2	8	4	85	84	29	-	42	1
50	Neosho	231	2	-	-	1	23	9	-	14	6	139	135	29	-	93	1
51	Chanute	116	2	-	-	-	14	6	-	8	5	59	57	10	-	44	1
52	Balance of county	115	-	-	-	1	9	3	-	6	1	80	78	19	-	49	-
53	Ness	42	-	-	-	-	4	-	1	3	-	34	34	8	1	22	1
54	Norton	81	1	-	-	-	10	3	1	6	1	44	43	6	-	35	-
55	Osage	144	-	-	1	1	19	9	1	9	1	83	83	21	-	53	1
56	Osborne	111	1	1	-	1	16	2	4	10	4	65	61	16	-	37	1
57	Ottawa	97	-	-	-	2	18	7	1	10	3	47	46	18	-	26	3
58	Pawnee	95	1	-	-	-	12	1	4	7	2	53	51	14	-	36	-
59	Phillips	101	-	-	1	-	11	-	2	9	3	54	54	12	-	38	1
60	Pottawatomie	143	-	-	-	-	24	12	-	12	2	87	83	24	-	56	-
61	Pratt	107	1	-	-	-	17	8	3	6	1	57	56	16	-	36	2
62	Rawlins	40	-	-	-	-	2	1	-	1	3	21	21	6	-	10	-
63	Reno	531	-	2	2	4	68	26	8	34	6	287	283	85	-	171	-
64	Hutchinson	385	-	2	2	4	51	17	8	26	4	198	195	60	-	120	-
65	Balance of county	146	-	-	-	-	17	9	-	8	2	89	88	25	-	51	-
66	Republic	135	-	-	-	3	15	9	-	6	1	81	80	22	-	52	3
67	Rice	167	1	1	-	-	24	9	5	10	1	93	90	20	-	66	2
68	Riley	221	2	1	-	-	32	13	-	19	4	106	104	29	-	66	5
69	Manhattan	149	2	1	-	-	23	9	-	14	2	65	64	20	-	38	3
70	Balance of county	72	-	-	-	-	9	4	-	5	2	41	40	9	-	28	2
71	Rooks	80	-	-	-	-	9	4	2	3	2	49	47	6	-	31	1
72	Rush	61	1	-	-	-	12	6	-	6	1	29	29	6	-	22	1
73	Russell	92	-	-	-	-	9	3	-	6	1	50	48	9	-	28	2
74	Saline	382	2	-	2	4	58	15	6	37	6	182	178	49	-	113	2
75	Salina	303	2	-	2	4	46	14	6	26	5	140	137	40	-	83	2
76	Balance of county	79	-	-	-	-	12	1	-	11	1	42	41	9	-	30	-
77	Scott	33	-	-	-	-	2	1	-	1	3	15	15	7	1	7	-
78	Sedgwick	2,179	12	8	2	15	298	93	26	180	33	925	901	262	2	576	18
79	Wichita	1,944	10	8	2	12	267	78	25	164	30	816	793	232	2	503	15
80	Balance of county	235	2	-	-	3	32	15	1	16	3	109	108	30	-	73	3
81	Seward	80	1	-	-	-	13	3	1	9	1	38	37	8	-	27	1
82	Shawnee	1,047	12	6	2	5	147	48	16	83	13	555	542	132	3	353	13
83	Topeka	852	10	6	1	4	120	42	13	65	10	469	460	113	2	301	9
84	Balance of county	195	2	-	1	1	27	6	3	18	3	86	82	19	1	52	4
85	Sheridan	43	-	-	-	-	4	3	-	1	3	22	22	5	-	15	-
86	Sherman	48	-	-	-	-	5	1	-	4	-	26	25	8	-	16	2
87	Smith	103	-	-	-	1	19	8	2	9	-	61	61	13	1	41	-
88	Stafford	86	-	1	2	-	11	6	2	3	2	47	46	6	-	33	2
89	Stanton	14	-	-	1	-	-	-	-	-	1	3	2	-	-	2	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E500-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
38	3	8	-	2	1	4	4	1	1	1	-	1	4	24	3	13	8	6	4	13	1
33	3	7	-	2	-	4	2	1	-	1	-	-	3	18	1	5	3	2	4	10	2
5	-	1	-	-	1	-	2	-	1	-	-	1	1	6	2	8	5	4	-	3	3
7	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-	4	2	1	-	4	4
3	3	3	1	1	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	4	5
2	-	-	-	-	-	-	1	1	1	-	-	-	2	2	-	6	-	-	-	2	6
5	2	5	1	-	1	3	1	-	-	1	-	-	-	2	-	-	1	1	-	1	7
2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	3	-	-	1	8
33	2	11	-	3	1	6	8	1	3	-	-	2	-	2	1	8	4	3	1	6	9
8	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	2	1	-	5	10
15	3	7	1	6	1	5	4	2	-	1	-	-	1	4	-	3	7	2	-	12	11
65	13	9	1	10	1	3	4	-	-	1	1	-	4	5	4	7	7	1	-	23	12
40	8	7	-	9	1	2	2	-	-	-	-	-	3	4	1	1	6	1	-	9	13
25	5	2	1	1	-	1	2	-	-	1	1	-	1	1	3	6	1	-	-	14	14
5	1	1	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	-	-	1	15
5	3	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	3	16
28	7	21	5	7	1	2	3	-	-	-	-	-	1	2	1	5	5	1	-	8	17
32	3	8	3	4	3	2	3	-	1	-	-	-	-	6	1	2	9	1	-	10	18
26	6	13	1	3	2	2	1	2	1	1	1	-	1	1	2	4	6	-	-	6	19
130	20	14	1	10	5	2	16	3	1	5	-	1	14	25	2	17	22	6	-	33	20
5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	1	21
35	3	5	-	3	-	-	3	1	-	-	-	-	1	2	1	2	3	3	-	7	22
11	1	-	-	3	1	-	-	-	-	-	-	1	-	1	2	2	-	-	-	1	23
89	10	39	5	13	7	8	10	3	-	3	3	1	3	9	2	9	18	6	2	19	24
56	4	16	3	5	1	2	4	1	-	2	1	-	3	5	-	5	6	5	1	8	25
33	6	23	2	8	6	6	6	2	-	1	2	1	-	4	2	4	12	1	1	11	26
5	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	1	-	3	27
99	27	23	4	10	-	12	9	2	3	5	1	1	7	22	3	15	20	3	4	25	28
68	23	16	4	7	-	8	8	1	2	4	-	1	5	15	3	11	8	1	2	16	29
31	4	7	-	3	-	4	1	1	1	1	1	-	2	7	-	4	12	2	2	9	30
15	4	6	2	4	1	2	1	-	1	-	-	-	-	2	-	2	1	1	-	10	31
28	5	8	-	3	-	1	1	2	-	-	-	-	-	-	3	1	5	2	-	9	32
7	-	1	-	-	-	-	1	1	-	1	-	-	1	-	-	2	2	1	-	1	33
56	16	17	7	14	1	10	11	2	1	2	1	-	3	11	3	3	17	2	1	18	34
38	11	11	6	7	-	3	5	2	1	2	1	-	3	9	3	1	10	2	1	12	35
18	5	6	1	7	1	7	6	-	-	-	-	-	-	2	-	2	7	-	-	6	36
57	13	8	4	10	-	3	6	-	1	-	-	-	1	7	-	4	11	3	-	22	37
45	5	15	1	5	1	4	5	1	1	2	-	1	3	-	1	5	9	1	-	13	38
43	8	18	2	6	5	6	5	1	-	-	-	-	-	10	5	5	9	2	-	13	39
5	-	6	-	-	-	-	-	1	2	-	-	-	-	1	-	9	1	-	-	2	40
47	18	12	2	6	4	2	2	4	1	1	1	-	4	7	4	6	5	2	-	9	41
31	6	8	1	2	-	1	1	-	-	1	-	-	1	3	-	5	6	1	-	11	42
127	14	46	6	14	3	14	12	2	1	2	5	1	3	17	20	19	21	6	1	49	43
41	5	19	5	9	1	7	5	-	-	-	1	1	-	7	-	6	8	2	-	17	44
39	4	9	-	-	1	1	3	1	1	-	2	-	1	5	9	6	4	1	1	8	45
47	5	18	1	5	1	6	4	1	-	2	2	-	2	5	11	7	9	3	-	24	46
17	12	7	1	4	-	1	1	-	-	1	-	-	2	5	-	1	6	-	1	3	47
4	1	2	1	1	-	-	1	-	-	-	-	-	1	-	-	4	3	-	-	1	48
21	5	15	2	10	1	1	-	1	-	-	-	-	1	2	-	4	7	2	1	6	49
56	7	29	2	10	1	4	4	1	-	3	-	-	4	4	4	3	19	2	-	16	50
29	4	10	-	2	1	2	4	1	-	1	-	-	3	2	2	1	11	-	-	11	51
27	3	19	2	8	-	2	-	-	-	2	-	-	1	2	2	2	8	2	-	5	52
10	1	10	1	1	1	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	53
20	5	10	-	2	-	1	2	1	-	1	-	-	1	3	-	2	6	1	-	8	54
38	4	10	1	6	2	-	4	1	2	2	-	-	-	5	-	3	8	-	-	14	55
23	3	10	3	5	-	4	3	-	-	1	-	-	1	-	-	3	6	3	-	6	56
17	2	4	-	2	-	1	3	1	2	2	-	-	-	3	2	-	3	1	-	10	57
24	6	6	-	1	-	2	2	1	-	1	-	-	-	6	-	4	4	2	1	6	58
19	7	11	2	1	1	-	3	-	-	-	-	1	2	1	-	3	10	1	-	11	59
33	8	15	1	1	1	4	4	1	-	2	-	-	2	6	-	3	3	-	-	9	60
24	4	6	2	1	1	1	5	-	-	1	-	-	1	3	1	4	1	1	-	14	61
8	1	1	1	3	1	-	1	1	-	1	-	-	-	-	-	2	1	1	-	7	62
100	41	30	7	16	4	4	22	3	2	2	3	1	9	18	10	20	25	9	1	37	63
74	30	16	5	9	1	3	14	3	2	1	2	1	6	15	9	16	20	7	1	27	64
26	11	14	2	7	3	1	8	-	-	1	1	-	3	3	1	4	5	2	-	10	65
29	1	19	1	4	1	1	1	1	1	1	-	-	-	2	1	7	9	3	-	9	66
45	8	11	2	2	-	3	2	1	-	2	-	1	1	12	1	7	10	3	-	7	67
43	8	10	2	6	1	2	4	1	1	1	1	1	3	21	4	9	11	4	-	15	68
26	6	3	2	3	1	1	3	1	-	1	1	1	3	19	1	7	5	3	-	11	69
17	2	7	-	3	-	1	1	-	1	-	-	-	-	2	3	2	6	1	-	4	70
23	1	6	2	8	-	2	1	-	-	-	1	-	1	1	-	6	5	1	-	4	71
13	2	6	-	1	-	-	2	-	-	1	1	-	1	-	-	3	3	-	-	7	72
19	3	4	5	3	3	2	2	-	-	-	-	1	-	1	-	8	7	3	-	10	73
79	17	15	5	8	3	4	15	4	1	2	-	1	10	29	8	10	15	3	4	26	74
57	14	10	5	6	3	3	12	4	-	1	-	1	8	24	6	8	13	2	4	21	75
22	3	5	-	2	-	1	3	-	1	1	-	-	2	5	2	2	2	1	-	5	76
3	-	4	-	-	-	-	-	-	-	-	-	-	3	3	2	-	3	-	-	2	77
404	74	80	20	30	11	24	58	13	12	15	4	5	48	149	199	77	78	42	15	170	78
356	64	68	17	29	10	23	51	12	11	15	4	5	41	141	182	65	66	33	14	159	79
48	10	12	3	1	1	1	7	1	1	-	-	-	7	8	17	12	12	9	1	11	80
23	1	2	1	-	1	1	1	1	2	2	-	-	5	3	1	3	2	3	1	3	81
239	49	52	8	36	10	13	12	4	5	8	2	-	21	47	31	28	44	18	6	81	82
206	45	41	6	29	9	9	10	4	2	6	2	-	16	34	26	19	39	12	3	59	83
33	4	11	2	7	1	4	2	-	3	2	-	-	5	13	5	9	5	6	3	22	84
6	1	8	1	1	-	-	1	-	-	-	1	-	1	1	2	2	2	-	-	4	85
10	2	2	-	1	-	1	2	1	-	-	-	-	1	5	-	-	2	-	-	6	86
26	3	12	2	3	1	-	5	2	-	-	-	-	1	-	-	-	3	1	-	10	87
24	2	5	-	5	2	1	-	-	-	-	-	-	1	4	4	1	4	3	-	6	88
-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	4	1	-	-	3	89

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148, 156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	KANSAS—Continued																
1	Stevens	29	-	-	-	-	1	-	-	1	-	16	16	-	-	16	1
2	Sumner	280	1	1	1	1	50	22	7	21	3	161	155	40	-	101	1
3	Thomas	57	-	-	-	2	3	1	-	2	-	33	33	6	-	25	2
4	Trego	42	-	1	-	1	1	-	-	1	-	18	17	2	-	11	-
5	Wabaunsee	85	-	-	-	-	16	6	-	10	1	48	47	18	-	22	-
6	Wallace	16	1	-	1	1	2	-	-	2	1	6	6	1	-	5	-
7	Washington	149	-	1	-	2	22	8	3	11	4	79	76	22	-	48	1
8	Wichita	27	-	-	-	-	4	1	1	2	2	10	9	2	-	6	-
9	Wilson	166	1	-	-	-	23	6	2	15	5	103	102	32	-	49	-
10	Woodson	76	1	-	-	1	14	5	2	7	-	43	41	12	-	24	1
11	Wyandotte	1,674	22	8	2	5	244	80	22	142	25	898	875	182	2	633	16
12	Kansas City	1,500	20	8	2	5	215	70	21	124	24	802	782	158	2	571	14
13	Balance of county	174	2	-	-	-	29	10	1	18	1	96	93	24	-	62	2
14	KENTUCKY	26,888	524	86	39	216	3,643	1,287	374	1,982	387	14,147	13,697	3,384	35	9,333	260
15	Metropolitan counties	8,742	157	29	16	58	1,352	470	158	724	127	4,723	4,627	1,081	12	3,196	91
16	Nonmetropolitan counties	18,146	367	57	23	158	2,291	817	216	1,258	260	9,424	9,070	2,303	23	6,137	169
17	Adair	130	6	-	1	-	13	6	2	5	3	78	77	20	-	56	-
18	Allen	139	9	1	-	-	20	4	1	15	4	75	75	11	-	63	1
19	Anderson	87	4	-	-	1	14	8	1	5	1	45	43	11	-	30	2
20	Ballard	98	1	-	-	-	12	9	-	3	-	53	49	10	-	38	1
21	Barren	260	3	1	1	-	36	10	1	25	3	150	135	35	-	85	1
22	Bath	96	4	1	-	1	16	9	-	7	-	53	50	17	-	30	-
23	Bell	334	9	4	-	4	33	11	10	12	5	134	126	21	-	99	3
24	Middlesborough	111	2	3	-	1	12	3	2	7	1	55	53	8	-	42	2
25	Balance of county	223	7	1	-	3	21	8	8	5	4	79	73	13	-	57	1
26	Boone	148	1	-	-	-	28	8	4	16	4	76	75	8	-	57	-
27	Bourbon	184	3	1	-	6	17	3	3	11	3	111	109	21	-	75	2
28	Boyd	392	5	1	-	3	67	31	7	29	4	203	196	57	1	126	6
29	Ashland	259	3	1	-	-	47	20	4	23	2	136	134	40	-	86	4
30	Balance of county	133	2	-	-	3	20	11	3	6	2	67	62	17	1	40	2
31	Boyle	182	6	1	-	2	26	9	2	15	2	98	98	19	1	66	2
32	Bracken	93	2	2	-	-	12	5	-	7	2	56	53	10	-	41	2
33	Breathitt	91	2	2	-	3	8	3	-	5	-	38	38	7	-	29	1
34	Breckinridge	140	2	-	-	1	17	5	1	11	-	81	81	19	-	53	1
35	Bullitt	103	2	-	1	-	14	4	3	7	2	55	51	10	-	39	-
36	Butler	114	3	-	-	1	13	4	1	8	2	65	64	14	1	44	3
37	Caldwell	150	3	-	1	1	25	7	1	17	1	90	88	22	-	62	-
38	Calloway	180	1	-	-	-	26	9	-	17	5	108	106	38	1	57	1
39	Campbell	937	13	3	1	4	166	67	16	83	31	510	501	108	1	362	10
40	Newport	405	9	1	1	2	66	28	10	28	15	203	200	44	-	142	5
41	Fort Thomas	139	2	1	-	-	27	10	1	16	2	84	84	12	-	66	2
42	Balance of county	393	2	1	-	2	73	29	5	39	14	223	217	52	1	154	3
43	Carlisle	69	-	-	-	-	3	2	-	1	-	41	41	10	-	30	-
44	Carroll	112	-	-	-	-	10	4	3	3	1	70	68	25	-	41	1
45	Carter	162	4	-	-	3	21	6	1	14	4	80	75	21	-	52	1
46	Casey	108	1	-	-	2	12	2	1	9	3	54	47	15	-	30	1
47	Christian	473	6	2	1	2	54	16	5	33	6	240	218	52	-	146	3
48	Hopkinsville	231	3	1	1	1	30	9	2	19	5	113	98	22	-	68	2
49	Balance of county	242	3	1	-	1	24	7	3	14	1	127	120	30	-	78	1
50	Clark	207	7	2	-	4	25	11	-	14	3	120	114	36	-	69	4
51	Clay	125	3	-	-	1	16	4	1	11	1	57	57	10	-	44	5
52	Clinton	78	2	-	-	2	8	2	3	3	1	39	38	8	-	28	3
53	Crittenden	111	3	-	-	2	14	2	1	11	3	53	52	12	-	38	-
54	Cumberland	69	5	-	1	1	8	1	-	7	1	39	38	12	-	20	-
55	Daviess	566	5	2	-	3	87	30	7	50	6	280	273	51	1	200	5
56	Owensboro	376	3	2	-	1	55	19	4	32	4	183	178	33	1	130	4
57	Balance of county	190	2	-	-	2	32	11	3	18	2	97	95	18	-	70	1
58	Edmonson	73	2	-	-	-	5	1	-	4	2	48	45	8	-	35	-
59	Elliott	49	3	-	-	-	8	4	1	3	-	25	25	8	-	16	-
60	Estill	109	5	-	-	-	12	5	-	7	1	56	55	19	-	35	4
61	Fayette	1,009	20	7	-	7	162	56	22	84	10	555	544	151	-	349	11
62	Lexington	803	17	7	-	6	127	44	15	68	7	434	424	117	-	272	8
63	Balance of county	206	3	-	-	1	35	12	7	16	3	121	120	34	-	77	3
64	Fleming	128	4	1	-	1	16	7	-	9	2	72	68	9	-	57	2
65	Floyd	303	9	1	-	7	28	11	4	13	3	135	127	35	-	86	4
66	Franklin	259	5	1	-	-	38	7	5	26	3	132	125	38	-	82	5
67	Frankfort	178	2	1	-	-	28	4	5	19	3	91	85	30	-	51	4
68	Balance of county	81	3	-	-	-	10	3	-	7	-	41	40	8	-	31	1
69	Fulton	137	3	-	2	-	24	8	3	13	2	68	68	25	-	38	1
70	Gallatin	38	-	-	-	-	4	1	2	1	1	26	22	4	-	16	-
71	Garrard	94	2	-	-	1	11	2	-	9	-	50	46	13	-	29	-
72	Grant	97	-	-	-	1	12	6	1	5	-	66	65	9	1	51	2
73	Graves	321	5	-	-	1	43	10	2	31	2	182	181	46	-	121	8
74	Grayson	162	4	-	-	6	17	9	2	6	5	84	82	8	-	68	1
75	Green	88	-	-	1	1	14	7	-	7	3	51	50	20	-	29	-
76	Greenup	211	4	-	1	3	24	7	3	14	6	97	94	22	-	64	4
77	Hancock	58	-	-	-	-	8	7	-	1	-	33	33	5	-	26	-
78	Hardin	316	6	-	-	1	38	10	6	22	7	139	136	40	-	86	1
79	Harlan	460	8	2	2	7	60	13	8	39	2	180	173	43	1	112	4
80	Harrison	177	6	-	-	-	19	6	1	12	3	116	114	29	-	74	4
81	Hart	166	5	-	-	2	20	6	2	12	-	88	83	13	-	61	1
82	Henderson	328	2	4	-	-	39	12	3	24	6	190	184	51	-	124	1
83	Henderson	210	2	3	-	-	27	6	3	18	5	124	119	30	-	82	1
84	Balance of county	118	-	1	-	-	12	6	-	6	1	66	65	21	-	42	-
85	Henry	129	2	-	-	2	23	7	2	14	4	76	76	20	-	47	-
86	Hickman	72	1	-	-	2	14	7	1	6	-	36	35	8	-	23	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E500-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
14	1	-	-	-	-	-	2	-	1	-	-	-	2	3	-	-	-	2	-	2	1
62	11	27	1	9	4	6	3	1	2	1	-	-	1	10	4	6	9	2	1	22	2
17	3	3	-	1	1	-	-	-	1	1	-	-	-	6	-	5	2	2	-	2	3
5	4	2	2	1	1	1	2	-	-	1	-	-	1	1	2	2	1	1	-	10	4
14	3	5	2	4	1	1	2	-	-	-	1	-	1	2	2	2	6	-	-	4	5
4	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-	-	-	-	6
29	10	8	-	1	5	3	9	-	-	-	-	-	1	3	4	3	10	-	1	10	7
5	1	-	1	-	-	1	4	-	-	-	-	-	1	1	-	1	2	-	1	1	8
34	2	13	3	16	2	1	2	-	-	-	-	1	2	4	-	5	2	3	1	14	9
14	-	9	1	4	-	2	3	-	-	-	-	-	-	-	2	1	5	-	-	6	10
438	87	92	11	32	15	23	55	12	9	9	5	5	36	95	14	34	82	8	12	94	11
389	81	87	10	27	14	20	47	11	9	8	4	4	35	89	10	29	75	7	10	86	12
49	6	5	1	5	1	3	8	1	-	1	1	1	1	6	4	5	7	1	2	8	13
5,464	1,718	1,891	251	557	137	450	919	138	175	223	45	52	406	1,274	349	780	1,238	289	210	1,748	14
2,037	624	444	84	200	54	96	252	57	58	111	11	8	144	400	51	169	322	76	63	558	15
3 427	1,094	1,447	167	357	83	354	667	81	117	112	34	44	262	874	298	611	916	213	147	1,190	16
32	7	17	-	1	-	1	6	-	1	1	-	-	2	2	2	3	5	3	-	4	17
28	8	26	-	-	1	-	9	1	1	-	-	-	-	3	1	3	8	-	1	3	18
21	6	1	1	1	-	2	4	1	-	2	-	-	1	1	-	2	2	3	-	6	19
24	4	9	-	1	-	4	2	-	-	-	-	1	4	4	2	1	7	3	1	7	20
51	17	16	4	11	-	15	8	1	1	1	2	-	5	10	5	7	7	-	2	17	21
23	4	3	1	2	-	3	1	-	-	-	1	-	2	3	-	3	5	1	1	4	22
43	12	41	4	-	2	8	22	2	3	2	2	-	8	19	15	18	14	4	6	30	23
24	5	11	2	-	1	2	5	1	-	2	1	-	2	4	3	3	1	1	2	12	24
19	7	30	2	-	1	6	17	1	3	-	1	-	6	15	12	15	13	3	4	18	25
37	9	11	1	8	1	1	1	2	1	1	-	-	-	6	3	2	9	3	1	10	26
45	16	12	2	10	1	2	7	3	1	1	-	-	2	2	5	5	6	1	2	8	27
94	15	11	4	6	2	7	14	3	4	3	1	-	7	16	6	8	20	1	1	25	28
67	10	5	4	3	1	2	11	2	1	1	1	-	7	6	6	5	13	1	1	15	29
27	5	6	-	3	1	5	3	1	3	2	-	-	-	10	-	3	7	-	-	10	30
29	13	22	5	6	1	-	7	-	3	-	-	-	3	8	2	9	5	-	1	9	31
21	7	11	1	-	1	3	6	-	-	2	-	-	-	-	-	1	4	1	-	5	32
14	3	11	-	2	-	-	4	-	-	-	-	-	2	7	6	2	10	1	1	5	33
13	11	28	2	4	3	-	2	-	-	-	1	-	2	6	2	7	8	2	-	9	34
27	7	5	-	2	-	4	5	-	3	-	-	-	3	4	-	1	7	2	-	4	35
22	10	9	2	2	1	1	2	1	-	-	-	-	2	2	2	1	6	1	-	13	36
30	21	11	2	2	-	2	3	-	-	-	-	-	-	3	1	3	10	2	2	5	37
38	6	12	4	3	3	2	4	-	-	3	-	-	2	5	-	3	7	2	1	13	38
242	51	59	6	23	1	9	18	3	12	12	-	1	11	43	2	7	32	8	5	55	39
103	17	17	3	11	-	3	10	1	10	4	-	1	6	23	-	4	16	4	5	24	40
48	8	8	1	5	-	-	1	-	1	2	-	-	2	3	1	-	3	1	-	9	41
91	26	34	2	7	1	6	7	2	1	6	-	-	3	17	1	3	13	3	-	22	42
11	2	17	-	1	-	-	4	-	-	-	-	-	-	3	1	1	7	-	-	9	43
30	5	5	-	2	-	2	2	1	-	1	1	-	-	4	3	9	1	2	-	7	44
29	6	16	-	2	-	5	9	-	-	1	1	-	-	11	2	2	10	1	-	13	45
14	5	10	-	1	1	7	4	1	3	-	-	-	2	5	2	7	4	2	2	4	46
90	34	19	8	11	1	22	17	1	3	3	1	6	5	23	8	15	29	6	7	38	47
42	14	10	3	4	1	15	7	-	2	1	1	2	1	10	4	7	18	2	5	17	48
48	20	9	5	7	-	7	10	1	1	2	-	4	4	13	4	8	11	4	2	21	49
36	12	17	4	4	1	6	3	2	1	3	1	-	-	10	3	3	7	2	4	7	50
20	12	7	2	1	-	-	7	-	2	-	-	-	2	9	5	2	12	-	2	6	51
11	9	5	1	1	-	1	6	-	1	-	-	-	2	3	1	1	5	-	2	5	52
28	4	6	1	1	-	1	4	-	1	2	2	-	1	6	6	3	5	-	-	6	53
11	6	3	2	3	1	1	3	1	-	-	-	-	1	2	1	3	1	-	-	2	54
121	44	30	7	11	3	7	14	3	6	4	1	2	8	51	5	18	34	6	2	29	55
78	28	20	5	7	2	5	9	3	3	4	1	1	5	36	3	12	23	4	2	22	56
43	16	10	2	4	1	2	5	-	3	-	-	1	3	15	2	6	11	2	-	7	57
21	9	5	-	2	-	3	3	-	1	-	-	-	1	2	1	1	3	-	-	4	58
7	6	3	-	-	1	-	2	-	1	1	-	-	-	4	-	3	1	-	-	1	59
20	5	6	-	1	-	1	3	1	1	-	-	-	1	8	2	5	6	3	3	2	60
206	45	87	13	22	9	11	28	3	10	11	1	1	18	31	3	19	36	14	7	66	61
150	38	76	12	15	8	10	21	3	8	9	1	1	14	29	2	17	29	10	6	55	62
56	7	11	1	7	1	1	7	-	2	2	-	-	4	2	1	2	7	4	1	11	63
35	7	13	-	2	-	4	4	-	-	-	-	1	2	3	-	6	8	1	-	7	64
44	10	28	-	4	2	8	8	-	4	6	-	-	5	18	13	12	26	3	4	21	65
57	6	14	-	5	-	7	8	2	2	5	-	-	6	7	1	5	12	6	1	25	66
36	4	7	-	4	-	6	6	-	1	5	-	-	3	2	1	5	10	3	1	16	67
21	2	7	-	1	-	1	2	2	1	-	-	-	3	5	-	-	2	3	-	9	68
22	9	6	-	3	2	-	2	-	1	1	-	-	1	7	3	4	7	-	2	10	69
10	3	3	-	1	1	4	-	-	-	-	-	-	-	1	-	1	2	-	1	2	70
12	6	11	-	4	-	4	6	-	1	1	-	-	2	6	2	4	3	-	1	4	71
30	8	11	2	2	-	1	-	-	1	-	-	1	-	1	-	3	3	2	-	7	72
64	22	27	6	6	2	1	8	1	4	-	1	-	1	10	5	11	14	10	1	22	73
30	20	17	3	3	-	2	12	-	-	-	-	-	4	5	2	6	3	-	-	14	74
10	4	15	-	1	-	1	2	2	1	-	1	-	1	1	-	2	2	2	-	4	75
31	8	21	2	5	1	3	19	-	-	2	1	-	5	13	-	12	13	3	-	8	76
9	5	12	1	-	1	-	3	-	-	-	-	-	1	1	1	3	3	-	-	3	77
49	15	21	4	4	2	3	5	2	2	-	-	-	9	43	4	17	15	4	-	24	78
74	7	27	4	7	6	7	22	2	4	3	-	2	9	43	12	10	41	4	10	37	79
38	10	22	2	9	-	2	5	-	-	2	-	-	1	4	1	2	11	2	-	5	80
30	13	17	2	4	3	5	9	-	2	-	-	-	2	10	1	3	10	-	3	11	81
76	37	10	3	2	4	6	9	-	-	3	1	1	4	11	1	13	12	1	6	25	82
51	25	5	2	2	3	5	4	-	-	3	1	-	3	5	-	7	7	1	4	14	83
25	12	5	1	-	1	1	5	-	-	-	-	1	1	6	1	6	5	-	2	11	84
28	9	10	2	7	-	-	3	-	-	-	-	-	2	4	1	1	1	2	2	6	85
12	4	7	1	3	-	1	1	2	-	-	-	-	-	2	2	1	5	-	-	6	86

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	KENTUCKY—Continued																
1	Hopkins	370	9	2	1	3	61	24	6	31	5	199	192	36	1	136	1
2	Madisonville	118	4	2	1	1	21	6	3	12	2	66	64	16	-	44	-
3	Balance of county	252	5	-	-	2	40	18	3	19	3	133	128	20	1	92	1
4	Jackson	82	1	-	-	1	9	2	-	7	2	47	47	11	-	34	2
5	Jefferson	5,279	106	13	14	38	777	252	86	429	60	2,846	2,787	644	10	1,921	48
6	Louisville	4,604	95	12	10	31	666	228	81	357	52	2,511	2,456	573	9	1,680	40
7	Balance of county	675	11	1	4	7	111	34	5	72	8	335	331	71	1	241	8
8	Jessamine	123	-	2	-	1	21	9	5	7	-	76	76	21	-	51	2
9	Johnson	192	1	-	-	3	18	4	1	13	1	102	100	32	1	61	-
10	Kenton	1,125	13	5	1	6	180	54	27	99	22	609	599	121	-	438	16
11	Covington	710	11	3	-	5	121	36	17	68	11	381	375	84	-	270	6
12	Balance of county	415	2	2	1	1	59	18	10	31	11	228	224	37	-	168	10
13	Knott	87	3	-	-	1	10	3	1	6	1	38	37	7	-	28	1
14	Knox	223	4	-	-	2	30	10	2	18	2	106	100	20	-	77	1
15	Larue	103	2	1	-	-	11	5	1	5	1	56	50	13	-	33	1
16	Laurel	170	1	-	-	2	17	5	1	11	2	96	93	19	-	71	1
17	Lawrence	111	2	-	-	1	13	5	1	7	4	65	64	21	-	39	1
18	Lee	57	-	-	-	1	8	4	-	4	-	31	30	6	-	23	6
19	Leslie	61	1	-	-	-	2	-	-	2	1	22	20	8	-	10	-
20	Letcher	248	10	-	-	-	23	8	3	12	4	90	83	18	-	62	2
21	Lewis	107	3	3	-	2	10	5	1	4	1	48	46	7	-	27	2
22	Lincoln	191	6	-	-	1	27	7	5	15	1	96	94	36	-	48	-
23	Livingston	76	4	-	1	-	13	7	-	6	3	32	30	12	-	15	-
24	Logan	234	3	2	1	3	35	21	-	14	2	135	132	17	-	111	-
25	Lyon	67	-	1	-	-	5	2	-	3	1	43	43	10	-	27	-
26	McCracken	565	7	4	1	3	77	25	16	36	9	287	278	78	2	182	2
27	Paducah	401	7	3	1	2	48	14	11	23	2	206	199	53	1	133	1
28	Balance of county	164	-	1	-	1	29	11	5	13	7	81	79	25	1	49	1
29	McCreary	113	4	-	-	4	16	3	2	11	-	45	42	16	1	25	-
30	McLean	95	-	-	-	1	16	4	2	10	2	48	47	14	-	31	1
31	Madison	260	3	-	-	1	30	12	3	15	5	133	132	25	1	93	1
32	Richmond	107	2	-	-	1	9	1	-	8	3	54	53	8	1	37	-
33	Balance of county	153	1	-	-	-	21	11	3	7	2	79	79	17	-	56	1
34	Magoffin	89	1	-	-	2	7	6	-	1	-	41	40	16	-	24	3
35	Marion	149	5	-	-	-	19	11	1	7	2	71	71	24	-	44	1
36	Marshall	116	2	2	-	-	26	10	1	15	1	57	54	16	-	34	-
37	Martin	68	1	-	-	1	7	2	-	5	-	24	23	9	-	14	-
38	Mason	211	2	2	-	-	32	14	2	16	5	129	128	29	1	91	1
39	Meade	71	1	1	-	4	5	1	-	4	-	31	30	10	-	16	1
40	Menifee	44	-	1	-	-	6	4	-	2	1	22	21	6	1	13	4
41	Mercer	180	-	-	-	-	22	6	5	11	1	110	108	27	-	76	2
42	Metcalfe	91	1	-	-	-	16	10	-	6	1	53	51	18	-	31	-
43	Monroe	113	5	-	-	-	12	5	-	7	-	64	61	16	-	42	-
44	Montgomery	129	3	1	-	-	19	7	1	11	2	65	61	16	-	36	1
45	Morgan	106	3	-	1	-	9	1	1	7	5	50	48	13	-	34	-
46	Muhlenberg	306	4	-	1	1	39	16	2	21	6	162	151	40	-	102	3
47	Nelson	170	2	1	-	1	29	8	4	17	1	95	95	15	-	77	2
48	Nicholas	84	1	-	-	1	10	6	-	4	1	57	57	16	-	34	1
49	Ohio	226	5	-	-	2	27	15	2	10	2	125	118	26	-	84	2
50	Oldham	93	-	-	-	-	10	4	-	6	-	56	55	20	-	34	1
51	Owen	112	1	-	-	-	17	5	1	11	3	69	68	18	-	41	-
52	Owsley	47	2	-	-	-	4	1	-	3	2	24	24	10	-	13	1
53	Pendleton	105	1	-	-	2	18	10	1	7	2	60	60	8	-	48	1
54	Perry	206	8	-	-	2	25	9	6	10	2	78	74	19	-	51	5
55	Pike	423	10	2	1	7	43	10	6	27	4	183	173	44	1	122	4
56	Powell	51	4	-	1	-	10	3	-	7	-	20	20	9	1	10	-
57	Pulaski	315	5	1	-	4	35	15	3	17	5	172	165	51	1	102	2
58	Robertson	24	-	-	-	-	3	1	-	2	1	14	14	1	-	13	1
59	Rockcastle	126	9	1	-	-	14	6	1	7	3	54	53	23	1	28	1
60	Rowan	92	4	-	-	2	6	2	-	4	-	44	43	17	-	22	3
61	Russell	107	3	-	-	3	9	3	-	6	2	62	58	17	-	38	2
62	Scott	148	2	1	-	1	20	11	1	8	2	85	78	24	-	46	4
63	Shelby	185	4	-	1	1	25	12	7	6	2	95	93	25	1	53	-
64	Simpson	134	3	-	-	1	19	5	2	12	1	69	67	17	-	44	-
65	Spencer	54	1	-	-	-	7	4	-	3	-	27	25	5	-	20	-
66	Taylor	144	5	-	-	4	12	2	1	9	4	76	72	18	-	52	-
67	Todd	140	3	-	-	1	17	5	3	9	3	78	76	25	2	46	3
68	Trigg	80	1	-	-	-	9	3	-	6	1	51	51	13	-	33	-
69	Trimble	36	1	-	-	-	5	3	-	2	1	17	17	3	-	12	-
70	Union	159	1	-	-	1	22	8	2	12	8	74	72	25	1	40	-
71	Warren	418	11	-	-	4	54	19	3	32	6	223	212	52	-	144	3
72	Bowling Green	227	6	-	-	3	24	8	3	13	4	125	121	32	-	82	3
73	Balance of county	191	5	-	-	1	30	11	-	19	2	98	91	20	-	62	-
74	Washington	116	1	-	1	-	10	4	-	6	2	67	67	22	-	41	1
75	Wayne	93	2	-	-	-	14	7	3	4	5	46	46	5	1	38	2
76	Webster	205	2	1	-	1	26	12	2	12	4	123	102	39	-	58	-
77	Whitley	277	5	-	1	7	38	11	5	22	3	115	111	24	-	84	4
78	Wolfe	59	2	-	-	-	5	2	1	2	1	21	20	8	-	12	1
79	Woodford	127	3	-	-	-	12	6	1	5	-	81	75	19	-	54	-
80	LOUISIANA	24,376	317	199	15	190	3,561	1,219	517	1,825	413	11,999	11,710	2,371	22	8,538	152
81	Metropolitan parishes	10,191	157	118	8	57	1,512	497	233	782	208	5,158	5,059	879	5	3,814	63
82	Nonmetropolitan parishes	14,185	160	81	7	133	2,049	722	284	1,043	205	6,841	6,651	1,492	17	4,724	89
83	Acadia	383	3	1	-	9	71	28	9	34	1	175	169	39	1	122	4
84	Crowley	127	1	-	-	4	30	12	3	15	1	57	55	12	-	40	1
85	Balance of parish	256	2	1	-	5	41	16	6	19	-	118	114	27	1	82	3
86	Allen	152	2	1	-	6	22	7	7	8	1	67	63	16	-	43	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
76	30	29	3	13	3	7	10	1	3	1	-	-	5	9	3	8	16	3	1	30	1
34	3	7	1	2	1	2	2	-	-	-	-	-	-	3	1	2	7	-	-	6	2
42	27	22	2	11	2	5	8	1	3	1	-	-	5	6	2	6	9	3	1	24	3
19	9	4	1	1	-	-	3	-	1	-	-	1	-	4	2	3	3	1	1	3	4
1,189	458	226	51	124	37	59	167	33	27	74	6	5	93	255	38	116	187	41	48	335	5
1,019	417	204	49	108	37	55	145	28	24	68	5	4	75	223	33	93	167	38	41	283	6
170	41	22	2	16	-	4	22	5	3	6	1	1	18	32	5	23	20	3	7	52	7
34	10	5	1	3	-	-	5	-	-	-	1	-	2	3	1	3	5	-	-	3	8
36	7	18	-	5	1	2	8	1	-	1	1	1	5	12	3	7	12	2	-	14	9
306	55	61	10	25	5	10	25	15	5	11	3	1	15	55	2	19	47	12	2	77	10
183	40	41	6	12	3	6	14	11	4	10	3	-	6	31	2	12	30	8	1	46	11
123	15	20	4	13	2	4	11	4	1	1	-	1	9	24	-	7	17	4	1	31	12
11	10	6	1	-	1	1	-	-	1	-	-	-	-	6	5	5	7	4	2	4	13
37	15	24	-	3	-	6	14	-	9	-	1	2	2	11	7	10	7	2	2	12	14
21	6	5	3	1	-	6	2	1	-	-	2	-	1	6	2	3	5	2	-	8	15
45	20	5	1	1	1	3	7	2	2	3	1	-	2	5	1	8	9	1	1	10	16
27	5	6	-	4	-	1	3	-	-	2	-	-	2	7	1	-	7	-	-	4	17
8	4	5	-	1	-	1	3	-	-	1	-	-	-	1	1	3	3	-	-	5	18
5	3	2	-	2	-	2	4	-	-	-	-	-	-	8	2	5	9	-	3	4	19
26	18	16	-	3	-	7	11	2	7	2	1	3	-	24	7	16	16	2	3	27	20
17	3	5	2	10	-	2	8	1	2	1	-	-	1	2	2	3	9	-	-	11	21
21	10	17	-	7	3	2	11	-	2	3	-	-	5	3	3	4	9	4	1	15	22
9	1	5	-	2	1	2	2	-	-	1	-	-	1	3	2	2	6	-	-	6	23
51	15	45	1	2	1	3	5	1	-	-	-	-	3	7	2	6	11	2	-	16	24
22	1	4	5	1	-	-	1	-	1	-	-	-	2	2	-	-	6	1	-	4	25
127	21	32	8	6	2	9	15	2	4	6	1	2	5	21	15	20	21	14	5	46	26
87	20	25	5	5	2	7	12	2	4	6	1	2	4	16	10	13	19	6	3	34	27
40	1	7	3	1	-	2	3	-	-	-	-	-	1	5	5	7	2	8	2	12	28
8	3	14	-	-	-	3	5	-	-	1	-	1	-	12	1	6	7	2	3	6	29
12	4	14	-	2	-	1	1	1	-	-	-	1	-	4	2	5	6	-	-	8	30
60	13	19	1	7	5	1	9	1	1	1	1	-	3	14	9	6	17	4	2	20	31
26	3	8	1	4	2	1	3	1	-	-	-	-	1	7	7	3	7	2	-	7	32
34	10	11	-	3	3	-	6	-	1	1	1	-	2	7	2	3	10	2	2	13	33
10	7	4	-	-	-	1	6	1	1	1	-	1	-	7	2	7	5	-	-	7	34
21	15	7	1	2	-	-	6	1	-	3	-	1	5	8	-	8	5	3	-	12	35
25	2	7	1	2	1	3	2	-	-	-	-	-	1	4	-	6	3	3	-	9	36
5	2	7	-	-	-	1	9	-	-	-	-	2	4	8	3	1	4	1	-	3	37
58	11	21	4	3	-	1	8	1	1	1	-	-	5	6	2	4	2	2	-	9	38
6	2	7	1	3	-	1	4	-	-	2	-	-	1	5	-	7	5	1	-	4	39
3	1	5	-	1	-	1	1	-	-	-	-	2	1	2	-	2	4	-	-	2	40
47	14	13	-	3	2	2	5	-	-	-	-	-	2	10	2	2	7	3	1	15	41
14	10	7	2	-	-	2	2	1	-	-	1	-	3	1	-	2	2	1	-	7	42
27	4	11	2	1	-	3	3	1	1	1	-	1	4	4	2	7	3	2	1	2	43
16	17	2	2	7	-	4	4	1	-	-	-	-	2	5	2	5	7	2	3	8	44
10	17	7	-	1	-	2	12	2	-	1	-	-	1	9	-	4	2	-	2	5	45
45	24	30	2	7	-	11	7	1	3	1	-	-	8	10	9	12	15	4	1	22	46
47	17	11	2	1	-	-	1	-	1	2	-	-	-	11	1	7	11	2	-	5	47
24	3	6	-	6	1	-	2	-	-	-	-	1	1	1	-	1	2	1	-	5	48
36	14	32	2	6	-	7	9	-	2	1	-	-	2	5	7	6	9	3	-	21	49
27	1	5	-	-	1	1	1	-	-	-	-	1	3	5	1	2	3	1	1	9	50
24	4	13	2	7	-	1	2	1	-	-	-	-	2	3	1	2	5	1	-	5	51
6	4	2	-	1	-	-	-	-	-	1	-	1	-	1	-	1	3	2	3	3	52
26	6	15	-	4	-	-	1	1	1	-	-	1	-	1	2	4	3	-	1	7	53
21	8	17	2	2	-	4	12	1	2	1	-	1	7	25	2	10	11	6	5	8	54
77	18	23	3	3	-	10	24	3	4	3	-	3	11	31	8	17	26	6	6	31	55
9	-	1	-	-	-	-	-	-	-	-	-	-	1	2	4	2	2	-	-	5	56
67	13	20	4	4	3	7	17	3	2	1	-	-	2	11	3	14	16	5	3	16	57
10	1	1	-	-	-	-	2	1	-	-	-	-	-	1	2	-	-	-	-	-	58
7	10	10	-	1	-	1	6	2	1	-	-	-	2	4	1	8	6	-	3	12	59
12	3	4	1	3	-	1	3	2	-	1	-	-	4	4	1	7	5	-	1	8	60
15	5	16	2	1	-	4	4	-	-	1	-	-	1	5	-	1	3	1	2	10	61
25	11	6	1	6	1	7	3	1	-	1	-	1	-	7	1	3	9	3	1	7	62
38	6	9	4	8	2	2	7	1	-	1	-	-	5	10	-	6	12	2	4	9	63
19	14	11	1	3	2	2	3	1	-	4	1	-	2	7	7	2	3	3	1	7	64
11	4	5	-	-	-	2	4	-	-	-	-	-	1	3	1	2	-	1	-	7	65
30	7	15	1	1	-	4	3	-	-	1	-	-	5	6	-	4	12	1	-	11	66
26	5	12	1	-	2	2	4	-	2	2	1	-	2	1	1	5	5	3	1	11	67
13	4	16	1	4	-	-	2	-	1	-	-	-	-	3	1	1	8	1	-	1	68
9	1	2	-	2	-	-	-	-	-	-	-	-	1	-	1	2	3	1	-	4	69
24	7	9	3	3	-	2	7	2	-	1	-	-	-	5	4	11	5	-	-	16	70
99	20	22	5	8	3	11	18	3	1	2	2	-	6	23	2	7	22	5	1	28	71
54	10	15	1	5	1	4	8	2	1	-	1	-	3	13	2	3	12	3	-	17	72
45	10	7	4	3	2	7	10	1	-	2	1	-	3	10	-	4	10	2	1	11	73
24	9	7	1	3	-	-	3	3	1	-	-	-	-	7	1	4	5	3	1	7	74
16	14	6	-	2	-	-	3	-	-	1	-	-	1	3	3	8	4	1	-	2	75
28	8	22	3	2	-	21	4	-	-	2	-	-	1	8	1	6	14	1	2	9	76
51	11	18	-	3	-	4	20	2	3	2	3	2	7	15	6	6	10	1	3	28	77
9	2	-	-	-	-	1	1	-	1	-	-	-	1	1	2	10	4	1	3	6	78
30	7	17	-	1	1	6	5	-	-	-	-	1	2	6	6	2	4	1	1	3	79
5,369	1,745	1,272	230	354	195	289	821	100	149	220	48	68	394	1,588	396	610	1,152	185	256	1,695	80
2,443	831	477	110	146	105	99	303	50	30	161	18	26	164	569	87	183	448	75	121	738	81
2,926	914	795	120	208	90	190	518	50	119	59	30	42	230	1,019	309	427	704	110	135	957	82
71	16	31	1	4	2	6	6	2	3	1	2	1	5	19	17	11	13	5	4	34	83
19	7	13	1	1	1	2	1	1	2	1	-	-	2	5	5	3	-	1	2	11	84
52	9	18	-	3	1	4	5	1	1	-	2	1	3	14	12	8	13	4	2	23	85
31	5	7	1	2	1	4	4	1	1	-	-	-	4	7	2	6	11	2	4	11	86

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	LOUISIANA—Continued																
1	Ascension	220	1	-	-	2	23	8	3	12	3	102	101	23	-	71	3
2	Assumption	172	2	-	-	1	21	5	1	15	7	91	90	17	-	64	-
3	Avoyelles	309	2	2	-	4	40	16	4	20	2	153	141	35	-	99	4
4	Beauregard	171	-	-	-	3	25	6	4	15	1	89	87	15	-	68	2
5	Bienville	174	2	-	-	1	26	9	3	14	1	80	77	26	-	43	-
6	Bossier	292	4	3	-	1	34	9	5	20	4	132	122	48	-	66	1
7	Bossier City	108	3	1	-	-	13	3	2	8	-	48	45	10	-	32	-
8	Balance of parish	184	1	2	-	1	21	6	3	12	4	84	77	38	-	34	1
9	Caddo	1,706	22	11	2	6	240	83	25	132	15	867	840	171	-	611	8
10	Shreveport	1,347	17	7	2	5	192	64	22	106	13	682	658	133	-	479	5
11	Balance of parish	359	5	4	-	1	48	19	3	26	2	185	182	38	-	132	3
12	Calcasieu	689	9	3	-	4	106	36	16	54	11	307	295	45	-	226	3
13	Lake Charles	357	6	2	-	4	57	22	7	28	5	162	158	23	-	122	2
14	Balance of parish	332	3	1	-	-	49	14	9	26	6	145	137	22	-	104	1
15	Caldwell	86	-	1	-	1	15	5	1	9	1	45	42	11	-	28	-
16	Cameron	44	1	-	-	-	10	1	4	5	-	22	22	7	-	14	-
17	Catahoula	92	-	1	-	2	15	2	2	11	-	43	41	12	-	26	2
18	Claiborne	182	1	1	-	2	24	11	4	9	3	96	94	18	-	70	1
19	Concordia	177	2	2	-	1	29	11	3	15	3	84	80	17	-	60	-
20	De Soto	268	1	1	-	1	35	12	6	17	5	142	140	35	-	101	1
21	East Baton Rouge	1,185	12	13	1	9	145	36	17	92	23	579	563	131	1	359	11
22	Baton Rouge	928	6	9	1	8	120	28	15	77	20	447	436	101	1	283	10
23	Balance of parish	257	6	4	-	1	25	8	2	15	3	132	127	30	-	76	1
24	East Carroll	196	1	1	-	2	21	6	2	13	1	102	100	36	-	55	-
25	East Feliciana	153	2	1	-	3	16	5	-	11	1	70	58	9	-	48	-
26	Evangeline	233	6	1	1	-	34	14	8	12	3	98	93	23	-	65	2
27	Franklin	216	1	-	-	3	24	8	1	15	-	104	104	26	-	73	3
28	Grant	105	-	1	-	-	17	8	4	5	3	54	54	7	-	43	1
29	Iberia	312	5	3	-	2	49	15	13	21	3	136	131	30	-	95	2
30	New Iberia	162	4	1	-	1	29	8	9	12	-	80	76	18	-	57	2
31	Balance of parish	150	1	2	-	1	20	7	4	9	3	56	55	12	-	38	-
32	Iberville	308	3	1	-	2	46	14	5	27	3	162	161	37	2	111	-
33	Jackson	119	2	-	-	-	18	2	5	11	2	53	51	12	1	36	1
34	Jefferson	828	7	3	-	5	133	46	16	71	18	406	400	44	-	335	5
35	Gretna	129	3	1	-	-	29	9	6	14	3	62	62	9	-	48	-
36	Balance of parish	699	4	2	-	5	104	37	10	57	15	344	338	35	-	287	5
37	Jefferson Davis	212	2	-	-	2	34	18	6	10	7	100	100	22	-	72	1
38	Lafayette	421	6	2	-	4	73	28	7	38	8	196	194	37	-	148	5
39	Lafayette	253	3	2	-	2	45	18	4	23	5	113	111	29	-	79	3
40	Balance of parish	168	3	-	-	2	28	10	3	15	3	83	83	8	-	69	2
41	Lafourche	297	2	-	-	1	44	18	5	21	4	154	152	16	1	121	3
42	La Salle	86	2	1	-	-	13	3	1	9	-	38	38	8	-	24	-
43	Lincoln	200	3	-	-	1	26	10	3	13	3	111	111	30	-	76	2
44	Ruston	74	1	-	-	-	9	3	2	4	-	48	48	13	-	34	1
45	Balance of parish	126	2	-	-	1	17	7	1	9	3	63	63	17	-	42	1
46	Livingston	146	3	1	-	1	16	4	3	9	1	74	72	9	-	57	-
47	Madison	179	1	3	-	1	19	7	2	10	2	64	64	13	-	46	2
48	Morehouse	292	2	1	-	3	31	14	3	14	4	143	141	29	1	108	1
49	Bastrop	123	-	1	-	1	15	7	1	7	3	58	56	11	-	44	-
50	Balance of parish	169	2	-	-	2	16	7	2	7	1	85	85	18	1	64	1
51	Natchitoches	322	3	-	-	3	40	18	2	20	6	178	173	38	-	126	1
52	Orleans, coextensive with New Orleans	6,349	116	91	5	35	973	327	165	481	152	3,249	3,199	532	4	2,454	38
53	Ouachita	746	10	2	2	5	119	43	19	57	11	362	355	91	-	251	4
54	Monroe	436	6	2	-	5	71	27	13	31	6	216	213	60	-	145	4
55	West Monroe	112	2	-	-	-	16	5	3	8	2	54	53	17	-	35	-
56	Balance of parish	198	2	-	2	-	32	11	3	18	3	92	89	14	-	71	-
57	Plaquemines	101	-	-	-	1	15	7	1	7	1	47	47	9	-	35	1
58	Pointe Coupee	190	2	1	-	1	20	12	4	4	2	103	99	27	1	63	-
59	Rapides	788	13	5	2	13	109	29	16	64	6	370	357	81	2	252	1
60	Alexandria	343	4	1	1	4	56	13	9	34	1	174	168	47	-	113	-
61	Balance of parish	445	9	4	1	9	53	16	7	30	5	196	189	34	2	139	1
62	Red River	89	1	1	1	-	14	5	1	8	1	25	24	13	-	9	1
63	Richland	242	2	2	1	3	35	10	7	18	3	112	110	24	-	81	-
64	Sabine	149	3	3	-	-	18	6	2	10	-	78	76	26	-	49	2
65	St. Bernard	123	-	-	-	2	21	5	10	6	-	57	57	1	-	55	1
66	St. Charles	115	1	1	-	2	13	5	2	6	1	58	58	8	-	46	1
67	St. Helena	79	-	-	-	2	5	3	-	2	3	42	40	10	-	25	-
68	St. James	158	-	1	-	1	21	8	1	12	2	82	80	19	1	52	-
69	St. John the Baptist	130	1	4	-	2	13	5	-	8	2	61	61	14	-	44	-
70	St. Landry	594	14	4	-	11	96	34	18	44	11	267	257	65	3	179	-
71	Opelousas	159	3	1	-	2	31	13	6	12	2	69	68	14	-	51	-
72	Balance of parish	435	11	3	-	9	65	21	12	32	9	198	189	51	3	128	-
73	St. Martin	206	7	4	-	3	42	13	7	22	2	85	83	15	1	62	2
74	St. Mary	376	2	-	-	4	49	16	5	28	7	173	165	34	-	117	-
75	St. Tammany	303	2	3	-	1	50	16	7	27	7	173	170	39	1	118	8
76	Tangipahoa	503	6	2	-	5	74	25	8	41	8	253	247	57	-	173	8
77	Tensas	160	-	1	-	1	17	10	1	6	5	82	82	16	-	62	10
78	Terrebonne	341	3	1	-	3	51	18	9	24	2	175	170	31	-	124	-
79	Houma	166	2	1	-	2	25	10	2	13	1	85	82	18	-	56	-
80	Balance of parish	175	1	-	-	1	26	8	7	11	1	90	88	13	-	68	-
81	Union	141	4	4	-	-	29	15	3	11	5	66	63	17	-	38	-
82	Vermilion	269	6	1	-	2	49	14	10	25	7	116	116	23	-	88	1
83	Vernon	165	1	1	-	1	27	11	2	14	4	73	69	11	-	55	1
84	Washington	383	3	2	-	2	58	20	6	32	4	198	194	38	-	147	2
85	Bogalusa	198	1	1	-	1	33	11	5	17	2	103	101	23	-	75	-
86	Balance of parish	185	2	1	-	1	25	9	1	15	2	95	93	15	-	72	2
87	Webster	291	1	-	-	2	39	13	3	23	6	139	137	38	1	77	-
88	West Baton Rouge	112	-	1	-	1	16	7	3	6	3	56	55	14	-	34	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E500-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
44	15	9	-	3	4	1	7	-	1	-	-	-	4	8	30	8	13	1	3	14	1
40	15	9	1	7	1	1	9	-	1	1	1	1	2	9	3	6	4	2	1	10	2
65	12	18	5	1	1	12	14	1	1	2	-	2	4	29	4	4	19	2	-	24	3
48	8	10	2	1	1	2	4	2	1	-	2	1	-	16	1	3	8	3	1	11	4
23	10	10	4	1	3	3	6	-	-	-	-	-	2	12	14	5	8	1	-	16	5
45	13	7	2	4	2	10	13	1	1	3	1	-	10	25	3	11	13	-	4	29	6
26	4	2	-	1	2	3	4	1	-	1	-	-	7	14	-	2	4	-	1	9	7
19	9	5	2	3	-	7	9	-	1	2	1	-	3	11	3	9	9	-	3	20	8
380	165	58	18	22	18	27	59	10	7	23	7	6	27	103	17	37	80	13	24	130	9
299	129	46	14	19	13	24	45	10	7	19	6	4	25	79	14	25	54	11	23	107	10
81	36	12	4	3	5	3	14	-	-	4	1	2	2	24	3	12	26	2	1	23	11
167	34	22	7	10	7	12	13	2	6	1	1	4	21	71	8	36	31	3	11	41	12
96	16	8	4	4	5	4	5	-	3	-	1	4	12	39	2	18	13	1	4	19	13
71	18	14	3	6	2	8	8	2	3	1	-	-	9	32	6	18	18	2	7	22	14
19	6	3	-	2	1	3	1	-	-	-	-	-	2	4	1	4	1	2	-	8	15
11	1	2	-	1	-	-	1	-	-	-	-	-	-	3	-	1	4	1	-	1	16
16	3	5	2	1	-	2	5	-	-	3	-	1	1	5	1	4	4	-	-	7	17
50	10	9	3	2	1	2	11	-	2	-	-	-	1	9	1	1	12	2	4	12	18
17	32	11	1	2	-	4	3	-	2	-	1	-	4	15	5	4	11	-	1	10	19
63	18	19	2	1	1	2	8	3	2	-	-	1	3	19	8	9	15	2	3	10	20
223	65	60	41	23	8	16	38	5	3	19	3	4	32	80	34	36	42	13	20	74	21
180	48	45	30	14	7	11	25	5	1	18	3	4	25	66	25	27	31	10	13	64	22
43	17	15	11	9	1	5	13	-	2	1	-	-	7	14	9	9	11	3	7	10	23
19	13	23	4	4	1	2	8	-	4	1	-	1	2	15	3	6	9	1	-	18	24
24	7	17	-	-	1	12	10	-	1	-	-	-	-	10	6	4	8	-	6	15	25
40	12	11	-	5	-	5	16	3	2	1	1	1	5	14	9	10	10	4	2	12	26
33	23	14	1	4	-	-	16	1	3	1	-	3	2	14	3	3	12	2	2	22	27
33	3	6	1	2	1	-	3	1	-	-	-	-	3	10	-	2	4	-	1	6	28
54	24	15	3	2	1	5	13	4	3	2	3	1	8	25	4	5	11	3	2	30	29
30	15	10	-	-	1	4	5	2	1	-	1	-	1	9	2	2	5	2	1	16	30
24	9	5	3	2	-	1	8	2	2	2	2	1	7	16	2	3	6	1	1	14	31
68	19	24	4	7	-	1	12	1	1	-	-	1	1	21	2	4	28	-	2	18	32
18	4	13	-	2	-	2	5	-	2	1	-	-	1	7	15	2	7	-	1	3	33
232	57	41	4	9	8	6	26	3	1	7	2	3	21	54	6	18	41	6	6	62	34
36	8	4	-	5	-	-	2	-	-	-	1	-	2	8	1	1	7	-	1	8	35
196	49	37	4	4	8	6	24	3	1	7	1	3	19	46	5	17	34	6	5	54	36
41	20	10	2	4	-	-	10	-	5	-	1	1	8	11	1	8	10	1	-	11	37
116	16	11	2	5	2	2	18	1	4	1	-	-	9	33	4	8	17	5	4	28	38
62	8	6	-	2	1	2	9	1	2	1	-	-	6	24	3	7	8	3	2	17	39
54	8	5	2	3	1	-	9	-	2	-	-	-	3	9	1	1	9	2	2	11	40
80	25	13	2	9	3	2	12	2	5	-	1	1	7	17	-	14	15	3	2	13	41
15	3	6	1	5	-	-	1	-	1	-	1	-	4	8	1	5	5	-	1	5	42
50	13	11	-	4	1	-	3	2	1	-	1	-	2	7	16	4	5	-	2	13	43
29	3	1	-	1	-	-	2	1	-	-	-	-	1	4	4	2	1	-	-	1	44
21	10	10	-	3	1	-	1	1	1	-	1	-	1	3	12	2	4	-	2	12	45
26	6	25	1	3	2	2	6	-	2	-	-	1	2	12	3	1	12	3	4	4	46
16	12	16	4	-	1	-	4	-	4	-	-	-	-	20	21	7	15	-	1	17	47
43	22	42	-	2	1	2	10	3	5	-	-	-	2	28	11	10	19	3	2	15	48
19	8	17	-	1	-	2	4	2	-	-	-	-	1	15	8	2	5	1	-	7	49
24	14	25	-	1	1	-	6	1	5	-	-	-	1	13	3	8	14	2	2	8	50
75	21	29	1	6	2	5	11	1	3	-	1	2	7	15	7	7	15	1	1	21	51
1,572	538	306	47	92	70	50	176	32	19	111	6	12	84	322	29	88	277	42	70	460	52
152	68	27	6	4	3	7	26	1	9	4	2	1	10	46	10	22	41	8	9	46	53
88	39	14	4	2	2	3	17	-	4	3	2	1	6	27	7	8	19	3	8	25	54
23	9	3	-	1	-	1	4	-	3	-	-	-	2	4	-	4	10	1	-	10	55
41	20	10	2	1	1	3	5	1	2	1	-	-	2	15	3	10	12	4	1	11	56
21	4	9	-	2	1	-	4	-	-	-	-	1	3	8	3	2	10	1	-	5	57
26	8	29	3	4	1	4	9	-	1	2	-	2	4	12	4	2	8	1	-	16	58
176	39	36	9	8	5	13	33	1	6	2	1	2	15	53	19	32	38	3	6	59	59
78	21	14	3	2	3	6	13	-	1	1	-	2	4	21	11	11	11	1	2	24	60
98	18	22	6	6	2	7	20	1	5	1	1	-	11	32	8	21	27	2	4	35	61
4	2	2	-	2	-	1	4	-	1	1	-	1	1	11	13	1	4	1	-	8	62
49	26	6	1	1	3	2	7	1	2	-	-	3	3	27	1	8	13	2	4	13	63
32	9	6	-	1	-	2	7	1	-	1	-	2	3	14	1	6	4	3	-	5	64
36	6	12	-	-	1	-	4	-	-	1	-	1	-	10	1	4	8	1	1	12	65
33	10	2	3	-	1	-	5	1	1	-	-	2	1	9	-	2	7	-	1	10	66
19	2	4	3	2	-	2	4	-	1	1	-	-	2	3	4	2	6	-	-	4	67
24	15	13	4	1	3	2	3	1	3	3	-	-	1	14	4	4	5	3	-	10	68
32	6	6	1	1	1	-	5	-	1	1	-	-	1	10	1	3	6	1	2	16	69
112	31	36	3	5	2	10	30	1	3	3	2	-	9	45	4	18	33	6	5	32	70
30	9	12	1	1	1	1	7	-	-	-	1	-	1	14	3	6	9	1	1	8	71
82	22	24	2	4	1	9	23	1	3	3	1	-	8	31	1	12	24	5	4	24	72
47	7	6	-	5	-	2	13	2	2	2	-	1	4	9	1	5	11	2	-	11	73
67	32	18	2	8	4	8	21	1	2	4	-	1	6	32	9	13	25	1	1	25	74
77	18	15	3	7	2	3	6	-	4	2	1	-	3	19	-	7	7	1	2	15	75
116	25	24	6	8	3	6	11	1	2	2	-	-	8	33	3	17	17	5	17	39	76
25	25	2	3	1	-	-	3	-	3	1	-	-	1	15	9	2	9	-	1	10	77
75	30	19	2	10	3	5	8	2	2	2	-	-	7	31	2	12	17	1	4	18	78
33	14	9	1	5	2	3	1	2	1	1	-	-	5	16	-	6	7	1	-	10	79
42	16	10	1	5	1	2	7	-	1	1	-	-	2	15	2	6	10	-	4	8	80
29	2	7	2	5	1	3	7	-	-	1	-	-	2	4	1	6	2	3	1	6	81
66	8	13	-	2	3	-	7	-	1	1	-	-	6	17	4	6	13	7	1	25	82
36	10	8	-	1	2	4	4	-	1	1	1	1	1	12	-	4	9	1	3	20	83
105	27	13	3	4	2	4	6	2	5	2	1	1	5	30	2	17	19	4	1	21	84
55	13	7	1	1	1	2	2	2	2	2	1	-	2	14	1	8	11	1	1	10	85
50	14	6	2	3	1	2	4	-	3	-	-	1	3	16	1	9	8	3	-	11	86
50	16	11	5	12	4	2	8	-	2	2	3	1	2	23	8	12	11	3	4	25	87
15	13	5	4	2	1	1	6	-	-	1	1	-	1	4	1	4	6	1	1	9	88

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	LOUISIANA—Continued																
1	West Carroll	114	2	1	-	-	18	6	3	9	3	59	56	7	-	48	-
2	West Feliciana	89	-	2	-	-	12	5	2	5	6	46	45	6	-	37	-
3	Winn	143	2	2	-	1	23	8	2	13	2	75	74	13	1	53	1
4	MAINE	9,956	74	12	7	38	1,648	645	166	837	159	5,842	5,700	1,242	6	4,068	128
5	Metropolitan counties	1,857	16	2	-	3	292	110	26	156	33	1,100	1,086	211	-	811	32
6	Nonmetropolitan counties	8,099	58	10	7	35	1,356	535	140	681	126	4,742	4,614	1,031	6	3,257	96
7	Androscoggin	900	9	1	-	6	157	65	14	78	11	530	514	113	-	374	13
8	Lewiston	433	4	1	-	4	76	30	8	38	4	237	231	49	-	169	9
9	Auburn	213	3	-	-	1	33	18	3	12	2	139	131	32	-	91	2
10	Balance of county	254	2	-	-	1	48	17	3	28	5	154	152	32	-	114	2
11	Aroostook	726	9	3	1	3	118	59	11	48	15	331	304	65	1	218	6
12	Cumberland	1,857	16	2	-	3	292	110	26	156	33	1,100	1,086	211	-	811	32
13	Portland	917	11	1	-	1	145	57	11	77	15	563	557	106	-	425	13
14	South Portland	209	3	-	-	-	31	9	5	17	2	128	127	30	-	89	8
15	Westbrook	116	-	-	-	-	16	5	4	7	2	71	68	11	-	50	1
16	Balance of county	615	2	1	-	2	100	39	6	55	14	338	334	64	-	247	10
17	Franklin	224	-	-	-	1	29	14	1	14	3	147	144	38	1	99	3
18	Hancock	434	-	-	-	2	89	25	11	53	6	262	256	52	-	174	5
19	Kennebec	922	6	2	1	6	148	66	16	66	18	534	515	129	-	350	14
20	Augusta	217	1	-	-	1	33	14	4	15	4	131	126	36	-	83	1
21	Waterville	216	1	-	-	-	34	18	2	14	1	134	133	31	-	95	2
22	Balance of county	489	4	2	1	5	81	34	10	37	13	269	256	62	-	172	11
23	Knox	378	3	1	-	-	63	21	7	35	5	247	240	48	-	166	7
24	Lincoln	249	-	-	-	-	46	25	4	17	4	153	148	30	-	110	2
25	Oxford	483	2	-	1	-	87	36	12	39	7	274	272	62	1	188	3
26	Penobscot	1,162	7	1	3	5	195	74	18	103	17	671	659	139	-	481	10
27	Bangor	396	5	1	-	1	71	23	8	40	7	226	225	49	-	163	2
28	Balance of county	766	2	-	3	4	124	51	10	63	10	445	434	90	-	318	8
29	Piscataquis	227	2	-	-	2	32	10	4	18	3	139	137	28	-	101	5
30	Sagadahoc	219	1	-	-	-	38	10	5	23	3	145	143	44	1	89	4
31	Bath	122	1	-	-	-	18	2	3	13	-	86	85	30	-	51	3
32	Balance of county	97	-	-	-	-	20	8	2	10	3	59	58	14	1	38	1
33	Somerset	415	5	-	-	2	66	25	6	35	8	257	253	46	-	189	5
34	Waldo	295	3	-	-	2	45	17	4	24	1	191	188	54	-	124	3
35	Washington	391	5	1	1	2	61	23	4	34	3	231	228	46	-	157	3
36	York	1,074	6	1	-	4	182	65	23	94	22	630	613	137	2	437	13
37	Biddeford	216	2	-	-	2	35	11	8	16	4	141	138	29	1	99	4
38	Saco	101	1	1	-	-	20	9	2	9	2	57	54	16	-	32	1
39	Balance of county	757	3	-	-	2	127	45	13	69	16	432	421	92	1	306	8
40	MARYLAND	23,007	353	106	9	98	3,641	1,250	503	1,888	440	12,479	12,216	2,050	15	9,343	264
41	Metropolitan counties	16,378	273	87	4	72	2,744	927	402	1,415	306	8,654	8,489	1,340	12	6,598	203
42	Nonmetropolitan counties	6,629	80	19	5	26	897	323	101	473	134	3,825	3,727	710	3	2,745	61
43	Allegany	866	10	2	-	1	114	43	15	56	18	539	521	84	1	407	6
44	Cumberland	433	6	1	-	-	60	19	6	35	11	272	265	47	-	205	4
45	Balance of county	433	4	1	-	1	54	24	9	21	7	267	256	37	1	202	2
46	Anne Arundel	944	9	4	-	6	145	55	21	69	22	506	502	82	-	375	14
47	Annapolis	230	3	2	-	3	33	15	5	13	1	143	143	17	-	112	4
48	Balance of county	714	6	2	-	3	112	40	16	56	21	363	359	65	-	263	10
49	Baltimore	2,293	24	5	2	7	397	127	53	217	50	1,222	1,207	150	4	982	23
50	District 12[3] [4]	219	3	-	1	1	27	6	3	18	4	112	111	13	-	92	5
51	District 13[3] [4]	135	3	-	-	-	29	12	2	15	2	74	74	4	1	64	2
52	Balance of county	1,939	18	5	1	6	341	109	48	184	44	1,036	1,022	133	3	826	16
53	Baltimore (city)	10,370	209	65	-	45	1,711	599	265	847	190	5,564	5,442	852	7	4,245	132
54	Calvert	160	3	-	-	1	23	11	5	7	6	78	78	13	-	62	1
55	Caroline	218	2	1	-	-	34	12	4	18	4	124	122	22	-	87	3
56	Carroll	451	2	2	-	3	69	21	6	42	9	265	259	46	-	197	5
57	Cecil	320	3	2	-	-	42	21	4	17	6	172	168	29	-	129	1
58	Charles	207	4	-	1	1	19	5	1	13	2	89	85	21	-	57	1
59	Dorchester	329	2	1	3	-	46	21	7	18	6	182	178	33	-	138	2
60	Cambridge	151	-	-	3	-	23	10	4	9	3	84	82	13	-	67	1
61	Balance of county	178	2	1	-	-	23	11	3	9	3	98	96	20	-	71	1
62	Frederick	674	7	1	-	3	103	36	11	56	16	407	401	83	-	287	9
63	Frederick	212	7	-	-	1	34	9	5	20	5	127	126	25	-	91	3
64	Balance of county	462	-	1	-	2	69	27	6	36	11	280	275	58	-	196	6
65	Garrett	174	-	-	-	1	20	8	1	11	5	121	118	20	-	87	1
66	Harford	456	6	-	-	3	70	30	8	32	13	237	233	33	-	190	1
67	Howard	189	1	-	-	1	27	6	7	14	6	97	93	11	-	81	1
68	Kent	181	2	-	-	1	16	5	4	7	1	101	100	25	-	63	-
69	Montgomery	1,431	11	5	2	9	266	76	28	162	21	718	707	145	-	508	17
70	Takoma Park (part)	112	2	1	1	-	22	9	1	12	2	59	58	13	-	42	1
71	Takoma Park (total)	144	2	2	1	-	29	11	1	17	2	77	76	16	-	57	1
72	Balance of county	1,319	9	4	1	9	244	67	27	150	19	659	649	132	-	466	16
73	Prince Georges	1,340	20	8	-	5	225	70	35	120	23	644	631	111	1	488	17
74	College Park	55	-	1	-	-	10	6	2	2	-	26	26	8	-	18	-
75	Hyattsville	242	7	-	-	-	42	19	5	18	3	118	116	17	-	92	3
76	Mount Rainier	62	1	-	-	-	16	4	2	10	4	24	23	3	-	20	-
77	Takoma Park (part)	32	-	1	-	-	7	2	-	5	-	18	18	3	-	15	-
78	Balance of county	949	12	6	-	5	150	39	26	85	16	458	448	80	1	343	14
79	Queen Annes	168	4	-	-	3	22	8	-	14	1	99	96	13	-	71	4
80	St. Marys	186	3	1	-	-	15	8	1	6	2	86	86	22	-	53	1
81	Somerset	273	7	1	-	-	40	11	3	26	6	158	147	35	-	104	2

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of cir-cula-tory sys-tem 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
18	17	13	-	1	-	3	7	2	-	1	-	-	2	5	-	5	3	-	1	5	1
23	11	3	-	2	-	1	3	-	-	-	1	-	2	8	-	-	5	-	1	6	2
36	12	4	-	3	4	1	8	2	-	1	-	-	1	7	1	2	6	-	1	9	3
2,856	446	638	68	239	77	142	222	54	39	66	16	10	131	305	70	155	346	128	15	619	4
589	86	104	18	32	14	14	52	6	5	18	3	1	16	59	20	29	62	19	4	117	5
2,267	360	534	50	207	63	128	170	48	34	48	13	9	115	246	50	126	284	109	11	502	6
281	40	40	5	17	5	16	14	8	2	6	-	1	16	20	4	6	24	14	3	68	7
126	24	10	3	6	4	6	9	6	1	4	-	-	6	9	-	3	13	9	2	45	8
74	8	7	1	6	1	8	2	-	1	1	-	-	7	5	-	2	6	3	1	7	9
81	8	23	1	5	-	2	3	2	-	1	-	1	3	6	4	1	5	2	-	16	10
148	21	43	8	7	5	27	29	5	5	5	2	4	24	38	11	18	50	7	3	45	11
589	86	104	18	32	14	14	52	6	5	18	3	1	16	59	20	29	62	19	4	117	12
330	42	40	6	14	6	6	21	3	2	11	1	1	4	29	11	13	25	10	2	48	13
60	8	13	-	6	2	1	6	-	-	1	-	-	2	7	5	2	5	2	-	15	14
37	6	6	4	2	1	3	7	-	-	1	-	-	1	2	2	1	3	4	-	6	15
162	30	45	8	10	5	4	18	3	3	5	2	-	9	21	2	13	29	3	2	48	16
76	8	12	-	4	2	3	8	2	1	-	-	-	2	6	1	2	2	3	-	17	17
121	21	27	6	19	5	6	4	3	2	2	-	-	5	15	1	3	11	11	-	18	18
257	35	44	7	18	11	19	25	3	4	6	3	-	12	30	2	17	42	11	3	49	19
74	5	3	2	3	2	5	5	2	-	2	-	-	2	6	-	5	11	2	-	12	20
71	9	13	1	3	3	1	4	-	-	2	1	-	-	8	-	3	10	-	3	15	21
112	21	28	4	12	6	13	16	1	4	2	2	-	10	16	2	9	21	9	-	22	22
110	9	40	1	17	8	7	5	-	1	-	1	-	2	6	4	6	8	5	-	21	23
79	8	21	2	4	2	5	4	-	2	2	-	-	1	7	3	2	6	5	-	14	24
134	18	33	4	13	4	2	11	4	4	4	-	2	7	11	-	9	12	12	-	36	25
346	42	83	6	24	9	12	21	9	2	9	1	2	16	46	7	21	38	15	2	74	26
118	15	28	3	9	1	1	11	3	1	3	-	-	7	14	1	8	9	5	1	22	27
228	27	55	3	15	8	11	10	6	1	6	1	2	9	32	6	13	29	10	1	52	28
63	13	20	-	6	2	2	4	1	-	-	-	-	4	10	4	4	4	3	-	15	29
63	14	8	-	7	2	2	2	1	-	1	-	-	-	3	1	2	7	3	-	12	30
34	9	5	-	3	1	1	2	1	-	1	-	-	-	3	-	1	3	1	-	5	31
29	5	3	-	4	1	1	-	-	-	-	-	-	-	-	1	1	4	2	-	7	32
122	22	40	1	14	3	4	10	2	1	2	2	-	2	6	2	7	16	4	-	23	33
70	16	35	-	9	1	3	3	2	-	3	-	-	5	8	3	2	13	2	-	12	34
99	29	26	1	22	2	3	5	4	1	-	2	-	7	11	5	10	11	4	-	27	35
298	64	62	9	26	2	17	25	4	9	8	2	-	12	29	2	17	40	10	-	71	36
66	17	12	3	5	1	3	5	-	1	2	1	-	2	3	1	1	5	1	-	10	37
20	5	6	-	6	-	3	1	1	-	1	-	-	2	3	-	2	2	1	-	7	38
212	42	44	6	15	1	11	19	3	8	5	1	-	8	23	1	14	33	8	-	54	39
4,996	2,079	2,004	199	426	183	263	577	113	88	252	35	34	348	1,081	85	501	804	286	160	1,517	40
3,430	1,594	1,371	139	252	148	165	402	96	67	204	22	23	265	815	58	304	539	192	124	1,127	41
1,566	485	633	60	174	35	98	175	17	21	48	13	11	83	266	27	197	265	94	36	390	42
215	75	111	4	22	3	18	19	2	1	13	-	1	9	26	-	16	25	13	1	56	43
112	37	52	1	9	3	7	8	2	1	8	-	1	2	8	-	5	14	5	-	29	44
103	38	59	3	13	-	11	11	-	-	5	-	-	7	18	-	11	11	8	1	27	45
230	66	65	15	18	12	4	28	7	7	6	2	1	17	53	6	27	32	11	3	52	46
73	22	13	6	3	5	-	4	1	1	1	1	-	1	12	2	5	5	4	-	8	47
157	44	52	9	15	7	4	24	6	6	5	1	1	16	41	4	22	27	7	3	44	48
544	212	203	13	38	20	15	43	12	7	25	3	4	46	119	8	62	70	23	8	156	49
53	20	14	1	3	2	1	5	1	1	5	1	-	4	20	1	2	8	3	2	18	50
29	18	15	1	4	-	-	3	-	-	-	-	1	-	8	-	3	4	-	1	7	51
462	174	174	11	31	18	14	35	11	6	20	2	3	42	91	7	57	58	20	5	131	52
2,046	1,087	980	96	148	94	122	265	63	40	142	13	13	143	466	33	149	343	100	98	718	53
32	15	14	1	2	-	-	6	-	-	2	2	-	-	5	2	10	6	4	3	9	54
50	14	20	4	8	1	2	3	3	2	-	-	-	2	8	1	5	9	2	2	16	55
98	42	52	3	9	4	6	12	3	2	2	2	1	7	9	1	17	10	10	1	24	56
83	30	15	3	5	2	4	11	2	-	1	1	-	2	14	3	13	17	9	2	20	57
34	18	4	1	2	4	4	5	1	2	3	-	-	4	23	3	14	10	8	1	17	58
87	26	23	3	4	-	4	9	-	4	-	-	2	1	12	2	7	21	4	6	21	59
41	19	6	1	1	-	2	4	-	1	-	-	1	-	6	2	2	11	-	2	9	60
46	7	17	2	3	-	2	5	-	3	-	-	1	1	6	-	5	10	4	4	12	61
150	52	76	5	21	5	6	15	1	1	4	5	-	8	21	1	9	23	11	2	36	62
46	16	26	3	6	1	1	3	-	-	3	2	-	3	4	1	2	6	3	-	11	63
104	36	50	2	15	4	5	12	1	1	1	3	-	5	17	-	7	17	8	2	25	64
39	7	40	-	11	-	3	4	1	-	2	-	-	-	7	2	-	4	2	-	5	65
100	35	54	3	6	1	4	18	1	1	4	-	-	11	29	3	14	20	4	-	22	66
47	15	18	-	-	1	4	5	-	-	4	-	1	4	14	1	4	8	3	1	12	67
44	10	9	2	9	1	1	9	-	1	1	-	-	1	8	2	6	20	1	1	10	68
356	73	62	8	32	14	11	31	6	5	19	2	2	23	84	6	32	45	29	6	109	69
29	9	3	-	2	1	1	2	2	-	1	-	-	3	4	-	2	2	3	-	6	70
40	12	4	-	2	1	1	2	2	-	1	-	-	3	4	-	2	5	4	-	8	71
327	64	59	8	30	13	10	29	4	5	18	2	2	20	80	6	30	43	26	6	103	72
254	156	61	7	16	8	13	35	8	8	12	2	3	36	93	5	34	49	29	9	92	73
14	2	2	-	-	-	-	2	1	-	1	-	-	2	5	-	-	2	-	-	5	74
58	24	7	3	3	1	2	6	2	5	1	-	-	6	23	1	3	4	6	1	14	75
13	5	2	-	-	-	1	1	2	1	1	-	-	1	3	-	1	3	-	-	4	76
11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	77
158	122	49	4	13	7	10	26	3	2	9	2	3	27	62	4	30	37	22	8	67	78
39	11	17	4	6	2	3	4	-	-	1	-	-	1	7	-	6	5	3	-	12	79
33	5	14	2	8	1	-	10	-	1	1	-	-	4	21	1	15	10	3	-	13	80
66	15	21	5	3	-	11	7	1	1	-	-	1	2	7	-	12	9	1	4	16	81

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MARYLAND—Continued																
1	Talbot	233	1	1	-	3	40	9	5	26	4	142	140	32	-	93	6
2	Washington	805	14	3	1	1	99	33	8	58	22	488	482	90	1	337	7
3	Hagerstown	426	10	2	-	-	61	20	2	39	12	250	248	47	-	177	4
4	Balance of county	379	4	1	1	1	38	13	6	19	10	238	234	43	1	160	3
5	Wicomico	477	6	2	-	2	67	26	6	35	1	284	276	70	-	194	6
6	Salisbury	217	2	1	-	1	28	9	2	17	-	128	125	23	-	97	4
7	Balance of county	260	4	1	-	1	39	17	4	18	1	156	151	47	-	97	2
8	Worcester	262	3	2	-	2	51	9	5	17	6	156	144	28	1	108	4
9	MASSACHUSETTS[5]	51,752	506	123	15	149	9,237	3,624	1,005	4,608	967	29,412	28,989	5,496	27	21,552	777
10	MICHIGAN	60,632	525	165	88	259	10,098	3,721	1,200	5,177	1,442	31,796	31,168	6,964	45	22,237	838
11	Metropolitan counties	38,241	412	114	67	166	6,645	2,384	849	3,412	873	19,480	19,128	4,003	27	14,000	561
12	Nonmetropolitan counties	22,391	113	51	21	93	3,453	1,337	351	1,765	569	12,316	12,040	2,961	18	8,237	277
13	Alcona	74	-	1	-	1	6	4	-	2	2	43	43	13	-	29	-
14	Alger	112	-	-	-	-	18	7	3	8	2	60	59	19	-	38	-
15	Allegan	502	2	1	1	-	82	31	10	41	16	262	259	71	1	165	4
16	Alpena	240	-	1	-	1	38	22	1	15	5	143	140	38	-	97	2
17	Alpena	155	-	1	-	-	25	14	1	10	5	94	92	27	-	63	2
18	Balance of county	85	-	-	-	1	13	8	-	5	-	49	48	11	-	34	-
19	Antrim	117	-	-	-	1	21	8	1	12	2	73	72	21	-	49	2
20	Arenac	116	-	-	-	-	20	10	3	7	1	61	61	18	-	38	2
21	Baraga	76	1	-	-	-	12	4	1	7	2	36	34	3	1	30	1
22	Barry	293	1	-	3	2	39	11	3	25	7	179	174	42	-	114	4
23	Bay	929	10	-	1	6	160	62	17	81	20	465	480	107	1	341	12
24	Bay City	628	8	-	-	5	112	39	12	61	12	329	326	71	-	233	9
25	Balance of county	301	2	-	1	1	48	23	5	20	8	156	154	36	1	108	3
26	Benzie	98	-	-	-	-	13	3	-	10	2	58	57	14	-	42	1
27	Berrien	1,167	8	4	2	4	188	74	31	83	35	620	609	133	1	433	24
28	Benton Harbor	211	5	1	1	1	35	19	4	12	9	94	92	15	-	68	3
29	Niles	142	-	-	-	1	23	8	4	11	4	74	73	9	-	55	1
30	St. Joseph	111	1	1	-	-	12	3	2	7	2	70	69	17	-	48	3
31	Balance of county	703	2	2	1	2	118	44	21	53	20	382	375	92	1	262	17
32	Branch	336	2	1	1	1	53	12	12	29	9	199	195	54	-	122	3
33	Calhoun	1,195	11	3	3	3	192	61	26	105	34	599	586	140	-	394	11
34	Battle Creek	546	8	-	1	2	86	31	13	42	22	269	263	73	-	171	3
35	Albion	105	1	2	-	-	19	3	3	13	-	55	50	12	-	34	1
36	Balance of county	544	2	1	2	1	87	27	10	50	12	275	273	55	-	189	7
37	Cass	339	4	1	1	-	62	28	5	29	6	168	162	42	2	109	-
38	Charlevoix	161	1	-	-	1	28	11	1	16	3	94	92	19	-	66	1
39	Cheboygan	174	1	-	-	1	33	14	3	16	3	100	100	18	1	78	1
40	Chippewa	306	-	2	-	1	37	19	1	17	7	154	149	35	-	112	5
41	Sault Ste. Marie	169	-	1	-	-	19	9	1	9	5	88	84	16	-	67	4
42	Balance of county	137	-	1	-	1	18	10	-	8	2	66	65	19	-	45	1
43	Clare	114	1	-	-	1	17	6	-	11	3	61	59	14	-	43	1
44	Clinton	345	-	-	1	-	49	22	4	23	10	201	195	51	-	128	2
45	Crawford	56	-	-	-	-	11	6	1	4	-	27	26	5	1	20	1
46	Delta	339	-	-	-	-	41	14	7	20	13	191	184	55	2	119	3
47	Escanaba	153	-	-	-	-	16	4	2	10	5	85	81	29	-	50	-
48	Balance of county	186	-	-	-	-	25	10	5	10	8	106	103	26	2	69	3
49	Dickinson	247	3	2	-	1	40	14	6	20	4	147	145	32	-	108	3
50	Eaton	459	4	-	-	3	55	22	4	29	14	260	258	71	-	167	9
51	Emmet	179	-	1	-	-	30	15	3	12	-	111	110	21	-	86	6
52	Genesee	2,426	16	3	5	8	392	121	53	218	42	1,226	1,209	250	5	860	33
53	Flint	1,607	12	3	3	4	268	82	37	149	30	794	781	151	3	575	18
54	Balance of county	819	4	-	2	4	124	39	16	69	12	432	428	99	2	285	15
55	Gladwin	101	-	-	-	-	14	4	2	8	1	68	68	22	1	42	-
56	Gogebic	330	3	2	-	3	57	28	9	20	7	192	191	39	-	144	4
57	Ironwood	165	1	1	-	2	28	12	6	10	4	95	94	19	-	70	1
58	Balance of county	165	2	1	-	1	29	16	3	10	3	97	97	20	-	74	3
59	Grand Traverse	251	-	1	-	1	39	10	4	25	7	150	145	39	-	95	8
60	Traverse City	144	-	1	-	-	24	6	3	15	4	84	82	21	-	55	3
61	Balance of county	107	-	-	-	1	15	4	1	10	3	66	63	18	-	40	5
62	Gratiot	387	2	-	1	2	64	23	3	38	13	194	188	40	-	139	1
63	Hillsdale	376	1	-	-	-	56	22	10	24	8	208	206	56	-	125	5
64	Houghton	534	2	3	-	2	84	40	9	35	17	297	288	80	-	192	11
65	Huron	339	-	1	-	1	57	25	5	27	8	190	187	48	-	124	2
66	Ingham	1,505	7	2	5	1	260	98	31	131	28	856	844	209	-	568	22
67	Lansing	879	5	-	3	-	158	56	23	79	18	496	491	129	-	321	12
68	East Lansing	63	-	1	1	-	7	3	1	3	-	38	38	7	-	26	1
69	Balance of county	563	2	1	1	1	95	39	7	49	10	322	315	73	-	221	9
70	Ionia	451	-	1	-	3	81	28	8	45	11	248	247	56	-	172	5
71	Iosco	141	-	-	-	-	26	9	1	16	4	65	64	13	-	49	3
72	Iron	223	4	-	-	-	41	16	4	21	5	117	115	39	-	69	4
73	Isabella	251	1	-	-	-	53	18	4	31	6	128	126	23	-	90	5
74	Mount Pleasant	92	1	-	-	-	15	5	1	9	4	48	46	9	-	34	3
75	Balance of county	159	-	-	-	-	38	13	3	22	2	80	80	14	-	56	2
76	Jackson	1,109	7	-	3	7	175	59	26	90	31	621	607	143	-	424	12
77	Jackson	633	3	-	1	2	106	30	16	60	22	347	340	87	-	230	5
78	Balance of county	476	4	-	2	5	69	29	10	30	9	274	267	56	-	194	7
79	Kalamazoo	1,156	4	4	2	3	191	68	29	94	26	652	641	132	1	466	16
80	Kalamazoo	633	3	3	1	2	105	39	16	50	13	364	360	70	1	268	7
81	Balance of county	523	1	1	1	1	86	29	13	44	13	288	281	62	-	198	9
82	Kalkaska	60	-	-	-	-	5	-	-	5	2	39	38	14	-	24	-
83	Kent	2,962	14	12	3	8	494	173	48	273	60	1,627	1,598	400	2	1,064	33
84	Grand Rapids	1,986	11	8	2	5	343	127	35	181	40	1,091	1,069	268	1	711	25
85	Balance of county	976	3	4	1	3	151	46	13	92	20	536	529	132	1	353	8

[5]Data are shown only for the State as a whole; for explanation, see text in Volume I.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E500-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
58	13	16	2	13	-	2	7	-	2	1	1	-	2	11	-	5	2	-	-	11	1
213	55	62	11	36	7	6	14	2	1	6	1	2	14	20	3	19	25	15	4	51	2
112	32	29	3	16	5	2	9	2	-	3	-	-	7	11	1	11	14	5	1	27	3
101	23	33	8	20	2	4	5	-	1	3	1	2	7	9	2	8	11	10	3	24	4
129	18	41	5	6	1	8	9	-	1	1	1	2	7	18	1	17	25	1	5	27	5
68	9	16	1	3	1	3	5	-	1	1	-	2	3	10	-	5	17	-	3	10	6
61	9	25	4	3	-	5	4	-	-	-	1	-	4	8	1	12	8	1	2	17	7
49	29	26	2	3	2	12	8	-	1	2	-	1	4	6	1	8	16	-	3	12	8
15,963	2,262	2,550	359	1,169	386	423	1,203	428	192	637	79	34	626	1,590	182	597	2,076	376	48	3,275	9
15,597	2,577	3,225	363	1,157	402	628	1,463	404	283	673	100	91	991	2,953	364	1,911	2,037	687	229	4,073	10
10,045	1,768	1,626	220	624	254	352	952	261	182	498	55	65	676	2,113	172	1,129	1,210	410	191	2,570	11
5,552	809	1,599	143	533	148	276	511	143	101	175	45	26	315	840	192	782	827	277	38	1,503	12
23	3	3	-	1	-	-	2	2	-	-	-	-	1	3	1	1	4	-	-	7	13
27	3	8	-	1	1	1	6	3	-	1	-	-	2	2	7	4	2	2	-	3	14
113	12	36	1	15	6	3	9	2	5	6	-	-	5	15	4	23	28	3	-	38	15
61	8	26	1	1	3	3	5	1	-	5	1	-	3	10	-	7	6	1	1	12	16
42	5	14	1	-	1	2	1	1	-	3	1	-	3	6	-	4	2	-	-	9	17
19	3	12	-	1	2	1	4	-	-	2	-	-	-	4	-	3	4	1	1	3	18
33	1	13	-	1	1	1	2	-	-	1	-	-	1	2	1	1	1	2	-	9	19
22	6	8	1	2	2	-	5	-	1	3	-	-	4	3	1	7	2	3	-	5	20
16	3	10	-	-	-	2	1	1	-	1	1	-	-	3	3	4	3	1	1	6	21
89	3	18	5	10	3	5	4	1	1	2	-	-	7	5	-	6	12	4	-	20	22
208	47	74	4	21	6	5	27	10	2	12	4	1	14	43	11	24	36	6	-	57	23
144	31	49	2	14	6	3	18	8	-	8	3	1	9	26	9	15	23	4	-	38	24
64	16	25	2	7	-	2	9	2	2	4	1	-	5	17	2	9	13	2	-	19	25
24	3	14	1	-	-	1	4	1	1	-	-	-	-	1	1	3	3	2	-	9	26
305	43	61	4	31	7	11	32	8	6	12	-	2	22	54	6	30	37	15	3	79	27
48	8	9	-	9	-	2	10	3	1	1	-	-	6	11	-	5	11	3	-	14	28
40	6	8	1	5	3	1	2	1	1	3	-	-	3	7	1	4	-	4	1	13	29
33	5	7	1	2	1	1	-	-	-	2	-	1	-	3	-	3	6	-	-	10	30
184	24	37	2	15	3	7	20	4	4	6	-	1	13	33	5	18	20	8	2	42	31
90	15	14	3	13	3	4	5	3	-	3	-	2	3	10	-	12	10	4	-	18	32
269	29	85	4	39	9	13	24	12	8	14	2	2	21	52	15	43	41	18	3	95	33
117	16	35	2	14	3	6	14	6	4	11	1	1	10	18	6	12	17	7	3	48	34
26	2	5	1	2	1	5	1	3	-	-	-	-	2	5	-	6	1	1	-	9	35
126	11	45	1	23	5	2	9	3	4	3	1	1	9	29	9	25	23	10	-	38	36
70	14	25	2	5	2	6	13	2	1	1	-	1	-	19	2	11	11	3	2	31	37
39	8	18	1	5	1	2	5	-	1	1	-	-	1	4	1	1	11	1	-	8	38
50	15	12	1	2	-	-	4	-	1	-	1	-	3	10	1	4	1	-	-	11	39
72	15	20	-	2	-	5	8	3	3	3	-	-	7	23	4	13	19	2	-	20	40
45	9	9	-	1	-	4	1	2	1	2	-	-	5	14	2	6	12	1	-	10	41
27	6	11	-	1	-	1	7	1	2	1	-	-	2	9	2	7	7	1	-	10	42
31	6	5	-	1	1	2	4	1	1	1	-	-	3	3	1	3	7	1	1	5	43
81	34	11	1	13	2	6	6	2	1	3	-	1	10	20	1	15	8	2	-	15	44
12	4	3	-	-	-	1	2	-	-	1	-	-	-	1	-	1	3	2	-	8	45
68	18	30	2	4	2	7	8	-	2	1	1	-	4	14	2	21	18	3	-	20	46
29	7	14	1	1	-	4	5	-	2	1	1	-	2	7	2	9	8	-	-	10	47
39	11	16	1	3	2	3	3	-	-	-	-	-	2	7	-	12	10	3	-	10	48
80	9	16	-	4	1	2	7	1	3	2	-	-	3	5	-	5	7	6	1	10	49
104	17	37	5	12	3	2	5	1	3	1	1	-	5	15	5	19	19	9	-	40	50
66	10	4	-	2	1	1	3	2	-	3	-	-	2	5	-	7	7	2	-	6	51
641	89	97	7	74	13	17	67	20	14	13	4	3	60	172	17	101	70	25	10	158	52
439	57	61	5	37	10	13	41	19	9	10	3	2	42	120	11	63	44	19	9	101	53
202	32	36	2	37	3	4	26	1	5	3	1	1	18	52	6	38	26	6	1	57	54
32	5	5	-	1	2	-	1	-	1	-	-	-	2	4	2	2	2	-	-	4	55
80	11	49	1	4	3	1	8	2	1	-	-	-	7	7	2	5	13	3	-	18	56
39	6	24	1	2	2	1	4	1	1	-	-	-	4	5	2	1	7	1	-	8	57
41	5	25	-	2	1	-	4	1	-	-	-	-	3	2	-	4	6	2	-	10	58
70	10	7	2	5	4	5	8	-	3	-	-	-	1	5	1	9	6	3	-	17	59
39	7	6	2	2	2	2	6	-	2	-	-	-	-	5	-	1	3	1	-	13	60
31	3	1	-	3	2	3	2	-	1	-	-	-	1	-	1	8	3	2	-	4	61
97	15	26	-	8	1	6	14	2	1	2	2	1	11	11	9	15	11	7	-	25	62
88	4	28	3	19	3	2	10	1	-	-	1	-	5	13	2	18	23	9	1	20	63
126	12	43	2	11	3	9	11	6	-	3	3	1	1	9	6	5	26	10	1	47	64
86	15	21	2	12	1	3	7	2	-	1	2	1	4	12	6	20	7	3	1	16	65
399	74	73	9	43	15	12	22	9	9	10	1	4	22	79	4	46	33	20	2	85	66
230	44	35	8	24	9	5	11	8	3	9	-	2	8	51	3	23	20	11	1	49	67
22	1	2	-	4	1	-	1	-	1	-	-	-	2	1	-	3	1	1	-	6	68
147	29	36	1	15	5	7	10	1	5	1	1	2	12	27	1	20	12	8	1	30	69
107	18	42	3	12	4	1	9	2	1	3	-	-	2	11	9	15	15	3	1	36	70
36	2	8	2	-	-	1	4	1	-	1	1	-	2	6	8	2	7	1	-	13	71
44	8	13	-	5	2	2	5	1	-	4	-	-	2	1	6	5	5	2	1	24	72
65	5	15	-	10	3	2	6	2	1	2	-	2	2	10	-	13	7	3	1	14	73
23	4	4	-	2	1	2	2	2	-	1	-	1	1	5	-	4	5	1	-	2	74
42	1	11	-	8	2	-	4	-	1	1	-	1	1	5	-	9	2	2	1	12	75
312	49	51	9	27	4	14	22	9	3	9	1	2	11	47	2	38	41	8	3	69	76
165	33	27	8	13	2	7	9	6	2	5	-	2	7	32	1	17	22	3	3	43	77
147	16	24	1	14	2	7	13	3	1	4	1	-	4	15	1	21	19	5	-	26	78
371	44	35	5	31	6	11	18	6	6	8	1	2	28	56	3	35	34	14	-	63	79
211	31	19	2	14	5	4	11	2	2	5	-	1	12	32	1	16	12	9	-	39	80
160	13	16	3	17	1	7	7	4	4	3	1	1	16	24	2	19	22	5	-	24	81
21	2	1	-	-	-	1	1	2	-	-	-	-	-	1	-	1	1	1	-	7	82
721	101	209	27	89	16	29	57	18	12	25	8	3	52	120	66	62	103	19	7	192	83
487	75	124	20	60	9	22	46	13	8	20	5	2	30	76	40	34	69	9	6	128	84
234	26	85	7	29	7	7	11	5	4	5	3	1	22	44	26	28	34	10	1	64	85

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148, 156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MICHIGAN—Continued																
1	Keweenaw	42	-	-	-	-	8	4	-	4	1	21	19	10	-	9	-
2	Lake	83	1	-	-	-	11	3	1	7	-	47	42	6	-	32	-
3	Lapeer	341	1	1	1	3	44	21	3	20	7	193	187	50	-	121	6
4	Leelanau	77	2	-	-	-	10	5	1	4	-	44	42	8	-	33	1
5	Lenawee	668	4	-	1	6	98	34	9	55	11	346	328	62	-	233	11
6	Adrian	195	-	-	-	-	26	9	-	17	2	104	96	18	-	69	1
7	Balance of county	473	4	-	1	6	72	25	9	38	9	242	232	44	-	164	10
8	Livingston	297	3	-	-	1	57	24	6	27	5	160	158	33	-	113	4
9	Luce	55	-	1	-	-	6	1	-	5	2	28	27	3	-	23	-
10	Mackinac	114	-	-	-	1	11	5	-	6	3	64	64	13	-	50	2
11	Macomb	1,566	8	6	7	5	240	86	27	127	51	759	737	139	1	557	15
12	East Detroit	159	1	-	1	-	19	8	1	10	7	69	67	13	-	51	2
13	Mount Clemens	215	-	4	1	-	26	9	4	13	14	119	117	21	-	88	-
14	Roseville	158	-	-	1	1	29	10	4	15	7	66	63	12	1	47	1
15	St. Clair Shores	188	2	-	1	-	37	9	7	21	2	79	79	13	-	62	6
16	Balance of county	846	5	2	3	4	129	50	11	68	21	426	411	80	-	308	6
17	Manistee	254	-	1	-	1	39	14	1	24	9	146	144	32	-	110	4
18	Marquette	518	4	2	-	-	73	33	11	29	19	277	271	53	-	205	3
19	Marquette	191	1	1	-	-	27	11	7	9	9	106	105	23	-	79	1
20	Balance of county	327	3	1	-	-	46	22	4	20	10	171	166	30	-	126	2
21	Mason	225	-	-	-	2	21	11	1	9	4	154	147	26	-	111	5
22	Mecosta	197	-	-	-	-	26	14	1	11	3	116	113	21	-	86	2
23	Menominee	263	3	1	1	1	46	15	8	23	11	140	139	30	-	101	2
24	Menominee	129	1	1	1	-	26	9	3	14	3	69	68	14	-	49	1
25	Balance of county	134	2	-	-	1	20	6	5	9	8	71	71	16	-	52	1
26	Midland	269	3	2	-	4	29	9	4	16	9	138	138	43	-	90	1
27	Midland	124	1	-	-	3	13	4	2	6	5	55	55	15	-	39	-
28	Balance of county	145	2	2	-	1	16	5	1	10	4	83	83	28	-	51	1
29	Missaukee	72	1	1	-	1	10	5	1	4	2	38	38	14	-	21	-
30	Monroe	676	3	-	-	2	114	36	15	63	28	343	340	101	-	221	8
31	Monroe	200	-	-	-	-	35	12	4	19	9	94	94	36	-	54	4
32	Balance of county	478	3	-	-	2	79	24	11	44	19	249	246	65	-	167	4
33	Montcalm	378	1	-	-	2	51	25	2	24	16	216	210	48	-	128	2
34	Montmorency	44	-	-	-	-	7	3	2	2	1	31	31	7	-	19	1
35	Muskegon	1,111	7	2	-	8	189	74	21	94	21	550	533	142	1	350	7
36	Muskegon	518	3	2	-	4	90	29	7	54	13	258	247	64	-	166	4
37	Muskegon Heights	162	1	-	-	3	29	14	5	10	4	74	70	15	1	49	-
38	Balance of county	431	3	-	-	1	70	31	9	30	4	218	216	63	-	135	3
39	Newaygo	281	1	2	-	-	48	25	2	21	3	147	140	35	-	98	6
40	Oakland	3,330	21	8	12	23	545	154	74	317	71	1,620	1,587	328	2	1,167	56
41	Pontiac	615	12	2	-	6	82	24	10	48	14	306	300	60	-	221	9
42	Ferndale	256	1	2	2	3	39	12	4	23	5	119	118	26	1	83	4
43	Royal Oak	416	-	1	2	-	69	21	7	41	9	211	205	39	-	149	8
44	Berkley	103	-	-	1	-	23	6	3	14	2	52	52	12	-	39	1
45	Birmingham	201	-	-	1	2	34	13	2	19	4	108	107	30	-	70	-
46	Hazel Park	128	1	-	-	2	23	6	3	14	2	56	54	6	-	46	4
47	Balance of county	1,611	7	3	6	10	275	72	45	158	35	768	751	155	1	559	30
48	Oceana	167	1	-	-	1	28	11	3	14	2	101	96	24	-	65	2
49	Ogemaw	82	1	-	-	-	11	4	-	7	2	46	46	14	-	30	1
50	Ontonagon	148	2	1	-	1	31	11	4	16	7	79	75	29	-	42	2
51	Osceola	138	-	-	-	-	17	9	-	8	4	83	81	18	-	56	1
52	Oscoda	32	-	-	-	-	4	3	-	1	1	17	16	3	-	12	-
53	Otsego	54	-	-	-	-	6	2	-	6	-	29	29	7	-	22	2
54	Ottawa	678	1	-	-	-	120	58	6	56	21	379	370	87	-	244	9
55	Holland	153	-	-	-	-	31	15	-	16	6	85	84	21	-	53	4
56	Balance of county	525	1	-	-	-	89	43	6	40	15	294	286	66	-	191	5
57	Presque Isle	91	-	-	-	-	14	7	2	5	5	52	52	9	-	40	1
58	Roscommon	58	-	-	-	-	15	5	1	9	2	34	32	9	-	20	-
59	Saginaw	1,455	13	1	1	5	263	96	24	143	38	749	739	177	3	489	11
60	Saginaw	936	12	1	1	2	175	64	18	93	24	479	471	124	2	303	7
61	Balance of county	519	1	-	-	3	88	32	6	50	14	270	268	53	1	186	4
62	St. Clair	976	8	4	1	5	142	46	21	75	23	574	564	110	-	425	14
63	Fort Huron	393	4	2	-	2	54	16	10	28	11	236	230	43	-	175	9
64	Balance of county	583	4	2	1	3	88	30	11	47	12	338	334	67	-	250	5
65	St. Joseph	455	-	2	-	2	77	28	3	46	9	266	255	77	4	160	10
66	Sanilac	373	-	1	-	1	60	22	6	32	11	212	210	52	-	150	2
67	Schoolcraft	122	1	-	-	-	17	3	3	11	-	60	56	17	-	35	-
68	Shiawassee	481	3	2	-	4	57	23	5	29	11	274	266	59	-	184	6
69	Owosso	179	-	1	-	1	20	6	2	12	6	109	103	28	-	65	2
70	Balance of county	302	3	1	-	3	37	17	3	17	5	165	163	31	-	119	4
71	Tuscola	428	1	-	1	3	49	19	3	27	9	268	261	72	-	177	11
72	Van Buren	494	2	1	1	5	78	31	6	41	16	280	278	69	2	177	4
73	Washtenaw	948	7	-	2	5	143	44	11	88	17	491	482	132	1	311	9
74	Ann Arbor	342	3	-	-	2	56	17	5	34	9	183	180	44	-	122	4
75	Ypsilanti	181	1	-	-	-	23	7	3	13	4	92	90	26	-	57	1
76	Balance of county	425	3	-	3	3	64	20	3	41	4	216	212	62	1	132	4
77	Wayne	21,803	312	79	28	100	3,925	1,467	520	1,938	506	10,885	10,686	2,118	12	8,064	351
78	Detroit	16,979	268	62	23	75	3,020	1,130	383	1,507	408	8,649	8,486	1,692	7	6,411	275
79	Dearborn	757	7	4	-	4	150	61	22	67	15	367	364	68	-	283	8
80	Hamtramck	417	6	1	-	1	91	40	16	35	13	196	192	36	1	146	8
81	Highland Park	453	-	2	-	1	94	40	10	44	9	241	238	52	1	165	5
82	Lincoln Park	254	4	-	1	2	41	11	9	21	5	107	104	23	1	74	3
83	Wyandotte	321	2	1	-	1	55	18	10	27	6	154	148	33	-	110	-
84	Allen Park	114	1	-	-	1	17	6	1	10	2	52	51	11	-	39	6
85	Ecorse	133	4	2	-	2	23	11	5	7	1	58	58	8	-	47	4
86	Grosse Pointe Park	112	-	-	-	1	25	9	3	13	1	66	66	12	-	48	3
87	Grosse Pointe Woods	71	1	-	-	-	13	4	1	8	4	33	32	2	-	27	2
88	Inkster	140	-	3	1	1	24	6	2	16	1	50	50	8	-	39	4
89	Livonia	174	2	2	-	1	42	11	6	25	5	73	73	12	-	58	4
90	River Rouge	167	5	-	-	-	30	10	10	10	5	72	71	12	-	52	2
91	Balance of county	1,711	12	1	3	10	300	110	42	148	31	767	753	149	2	565	27

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of cir-cula-tory sys-tem 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
6	-	3	-	-	-	2	-	-	1	-	-	-	-	-	3	2	2	2	-	2	1
12	5	15	3	1	-	5	2	1	2	-	-	-	1	2	-	5	5	-	-	6	2
83	8	24	5	10	1	6	4	2	1	1	1	1	3	17	4	13	13	4	-	27	3
19	9	4	1	-	-	2	5	1	-	-	1	1	2	3	-	1	2	2	-	3	4
138	27	57	4	24	5	18	16	5	5	5	1	1	6	25	18	27	24	5	-	64	5
43	8	17	2	7	-	8	6	2	1	3	1	1	1	13	8	9	7	1	-	10	6
95	19	40	2	17	5	10	10	3	4	2	-	-	5	12	10	18	17	4	-	54	7
79	9	21	3	5	4	2	6	1	-	4	-	-	4	7	1	15	6	2	-	25	8
12	5	6	-	1	-	1	1	-	1	-	-	-	2	6	1	-	2	1	-	4	9
37	5	6	-	1	-	-	5	1	-	1	1	-	1	4	-	4	6	3	-	9	10
371	63	108	11	19	10	22	32	6	9	19	2	3	45	118	3	67	61	24	4	97	11
32	6	11	2	-	1	2	3	2	-	-	-	-	7	13	-	12	6	3	1	15	12
51	11	26	4	3	1	2	2	-	-	3	-	1	4	15	-	5	5	4	-	12	13
33	5	8	1	2	-	3	4	2	1	1	1	-	6	19	-	4	5	4	-	7	14
43	7	6	1	2	1	-	5	1	1	3	-	-	6	19	-	10	6	1	1	14	15
212	34	57	3	12	7	15	18	1	7	12	1	2	22	52	3	36	39	12	2	49	16
97	3	6	-	1	1	2	4	3	1	3	-	2	3	1	-	10	16	-	-	15	17
123	16	63	4	8	1	6	13	5	2	7	1	-	7	16	2	15	32	8	2	33	18
48	9	21	2	1	-	1	4	3	1	4	-	-	5	7	-	2	10	3	1	7	19
75	7	42	2	7	1	5	9	2	1	3	1	-	2	9	2	13	22	5	1	26	20
82	8	16	1	8	1	7	10	2	2	3	-	-	1	8	-	1	8	-	-	9	21
62	11	11	2	3	1	3	3	1	-	1	-	-	5	11	3	10	8	1	1	8	22
63	11	25	2	5	1	1	5	-	-	-	-	-	9	10	1	7	8	5	1	14	23
34	6	8	-	4	1	1	3	-	-	-	-	-	4	6	1	3	4	2	-	5	24
29	5	17	2	1	-	-	2	-	-	-	-	-	5	4	-	4	4	3	1	9	25
65	12	12	1	2	2	-	4	2	1	2	-	-	7	14	2	16	10	2	1	23	26
32	4	3	-	-	1	-	1	2	-	1	-	-	4	11	1	7	8	-	1	11	27
33	8	9	1	2	1	-	3	-	1	1	-	-	3	3	1	9	2	2	-	12	28
16	-	5	2	1	-	-	2	-	2	1	-	-	4	1	1	1	3	1	-	3	29
148	21	44	4	12	2	3	15	2	1	8	1	1	3	44	2	36	21	11	1	42	30
35	6	9	2	2	-	-	5	-	-	4	-	-	1	14	-	13	5	3	1	16	31
113	15	35	2	10	2	3	10	2	1	4	1	1	2	30	2	23	16	8	-	26	32
75	14	37	6	24	4	6	11	1	-	1	2	-	6	8	8	11	12	7	-	25	33
16	2	-	-	3	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-	2	34
266	32	45	6	24	10	17	33	8	5	11	3	2	21	68	10	32	41	15	5	80	35
122	15	25	3	11	3	11	12	5	1	7	2	-	12	26	4	11	22	6	2	38	36
42	4	3	2	2	1	4	5	1	2	3	-	-	1	13	2	5	2	3	1	13	37
102	13	17	1	11	6	2	16	2	2	1	1	2	8	29	4	16	17	6	2	29	38
53	7	32	4	3	-	7	6	-	2	5	-	1	2	11	-	17	17	4	-	15	39
836	111	164	17	55	18	33	74	20	22	29	8	5	87	211	17	142	128	52	13	222	40
154	27	31	5	10	4	6	14	4	4	6	1	1	14	41	1	20	29	9	4	45	41
57	7	15	2	5	1	1	7	1	1	6	-	1	6	20	2	8	10	4	2	17	42
106	13	22	3	8	6	6	6	-	2	1	3	1	10	31	-	14	13	5	2	36	43
29	5	4	-	-	1	-	1	1	-	-	-	-	4	5	-	2	2	3	-	7	44
56	5	9	-	6	1	1	3	1	3	4	-	-	2	12	-	4	5	2	2	14	45
35	4	3	1	1	-	2	4	3	-	1	-	-	5	8	1	6	2	1	-	13	46
399	50	80	6	25	5	17	39	10	12	11	4	2	46	94	13	88	67	28	3	90	47
41	8	14	3	2	2	5	4	-	2	1	-	-	3	4	2	6	6	-	1	5	48
21	3	5	1	-	1	-	1	1	-	-	-	-	2	3	2	6	2	1	-	4	49
32	-	8	4	-	-	4	2	1	2	-	-	1	-	5	-	4	5	2	-	5	50
31	3	21	-	5	2	2	3	-	-	1	-	-	1	3	-	4	9	1	-	12	51
5	-	7	-	1	-	1	2	-	-	-	-	-	1	-	-	2	2	1	-	2	52
14	2	4	-	-	-	-	-	2	-	-	-	-	1	3	1	3	2	2	-	3	53
177	26	32	6	27	6	9	12	4	3	4	1	2	12	27	3	20	26	4	1	38	54
41	1	7	-	8	2	1	2	3	-	-	-	-	4	4	2	4	4	-	1	7	55
136	25	25	6	19	4	8	10	1	3	4	1	2	8	23	1	16	22	4	-	31	56
34	3	2	1	1	1	-	2	-	-	-	-	-	-	3	1	1	2	2	-	9	57
17	1	2	-	3	-	2	-	-	-	2	-	-	-	-	-	1	-	1	-	3	58
358	37	83	6	49	15	10	33	3	12	10	2	3	35	67	12	43	34	12	9	110	59
222	22	52	2	30	10	8	20	3	9	8	2	2	26	45	8	14	18	6	9	72	60
136	15	31	4	19	5	2	13	-	3	2	-	1	9	22	4	29	16	6	-	38	61
289	58	64	7	15	7	10	26	8	4	5	6	-	16	29	4	26	36	5	-	54	62
110	29	27	3	4	5	6	9	4	2	3	1	-	4	15	2	10	10	3	-	21	63
179	29	37	4	11	2	4	17	4	2	2	5	-	12	14	2	16	26	2	-	33	64
114	10	26	3	9	2	11	3	5	4	3	-	-	4	15	-	17	9	5	-	34	65
81	12	55	1	6	1	2	9	3	4	1	2	-	2	12	1	8	11	2	2	31	66
20	2	13	2	2	2	2	2	-	-	-	1	-	3	3	1	11	7	2	-	14	67
131	24	23	2	15	6	8	8	2	2	4	2	1	7	22	3	26	15	9	-	29	68
48	8	7	1	9	-	6	1	-	1	1	1	-	3	13	2	5	2	3	-	10	69
83	16	16	1	6	6	2	7	2	1	3	1	1	4	9	1	21	13	6	-	19	70
114	15	37	3	8	1	7	7	1	2	7	-	-	8	7	2	20	12	7	-	24	71
111	21	41	3	25	2	2	9	3	2	3	2	-	8	12	4	15	16	7	-	30	72
217	21	64	9	23	6	9	21	9	4	7	2	-	12	60	3	31	42	18	5	69	73
85	10	23	4	8	2	3	4	2	1	3	1	-	3	12	-	9	17	11	-	26	74
38	7	11	-	7	-	2	6	4	1	-	-	-	2	18	-	4	6	1	2	17	75
94	4	30	5	8	4	4	11	3	2	4	1	-	7	30	3	18	19	6	3	26	76
5,828	1,153	732	125	216	151	199	600	160	93	363	24	39	322	1,200	37	571	670	230	143	1,517	77
4,589	955	592	91	163	122	163	459	133	68	295	16	31	215	844	31	389	503	174	120	1,196	78
223	35	17	2	4	7	3	16	7	4	12	1	-	16	50	-	17	19	10	-	58	79
109	15	14	5	3	1	4	16	3	4	15	1	-	10	13	2	5	6	2	3	29	80
130	20	10	6	10	4	3	15	1	1	8	-	-	5	22	-	8	11	2	3	30	81
54	14	3	2	3	1	3	9	1	2	2	1	-	8	24	-	12	9	4	-	22	82
88	15	7	1	3	1	6	5	1	3	4	1	1	8	22	1	15	13	2	1	25	83
25	2	6	-	-	1	1	3	1	3	1	1	-	4	11	-	8	3	1	-	5	84
31	7	5	2	1	-	-	4	1	2	1	-	2	2	7	-	5	7	1	1	10	85
31	6	8	2	2	2	-	1	-	-	-	-	-	2	-	-	2	2	2	-	10	86
20	4	1	-	2	1	1	2	-	-	1	1	-	3	-	1	2	7	3	-	-	87
27	5	3	2	1	-	-	5	1	1	6	-	1	4	16	-	6	8	2	3	7	88
41	6	7	1	1	1	-	3	1	-	-	-	-	4	12	-	7	6	6	-	10	89
35	8	7	2	4	1	1	7	2	-	4	1	1	-	10	-	9	3	4	4	10	90
425	61	52	9	19	9	14	55	8	5	14	1	3	41	169	2	86	73	17	8	105	91

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MICHIGAN—Continued																
1	Wexford	210	-	2	-	1	22	9	3	10	5	129	126	38	-	81	4
2	Cadillac	114	-	1	-	-	7	3	1	3	1	77	75	25	-	48	-
3	Balance of county	96	-	1	-	1	15	6	2	7	4	52	51	13	-	33	4
4	MINNESOTA	27,870	136	58	17	96	4,781	1,937	384	2,460	558	15,274	15,064	3,660	24	10,304	339
5	Metropolitan counties	12,897	79	37	5	43	2,270	903	208	1,159	259	6,993	6,904	1,533	12	4,919	163
6	Nonmetropolitan counties	14,973	57	21	12	53	2,511	1,034	176	1,301	299	8,281	8,160	2,127	12	5,385	176
7	Aitkin	141	-	1	-	-	23	8	1	14	2	81	81	25	-	53	3
8	Anoka	263	2	-	-	2	34	14	4	16	10	117	115	17	-	88	6
9	Becker	266	1	-	-	-	43	17	1	25	7	147	145	24	-	115	7
10	Beltrami	235	1	-	1	3	36	12	4	20	3	118	118	22	-	86	2
11	Bemidji	107	1	-	-	2	18	4	4	10	2	54	54	10	-	38	-
12	Balance of county	128	-	-	1	1	18	8	-	10	1	64	64	12	-	48	2
13	Benton	138	3	-	-	-	25	10	2	13	1	64	64	15	-	44	-
14	St. Cloud (part)	21	1	-	-	-	2	1	-	1	-	13	13	3	-	10	-
15	Balance of county	117	2	-	-	-	23	9	2	12	1	51	51	12	-	34	-
16	Big Stone	101	1	-	-	-	16	7	1	8	-	66	63	13	-	48	2
17	Blue Earth	359	-	1	-	1	57	24	8	25	9	218	215	47	1	160	5
18	Mankato	202	-	1	-	-	27	12	5	10	6	127	126	34	-	89	4
19	Balance of county	157	-	-	-	1	30	12	3	15	3	91	89	13	1	71	1
20	Brown	228	-	-	-	-	33	12	2	19	9	123	120	34	-	80	-
21	Carlton	212	1	1	-	-	27	12	2	13	3	131	131	32	-	95	1
22	Carver	162	-	-	-	1	26	10	-	16	2	98	98	28	-	56	2
23	Cass	191	2	-	-	-	28	9	3	16	2	114	114	20	-	88	2
24	Chippewa	143	1	-	-	1	22	10	3	9	7	71	68	21	-	39	4
25	Chisago	144	3	-	-	1	16	6	2	8	2	81	81	30	-	46	-
26	Clay	229	2	-	-	1	35	14	2	19	5	112	110	32	-	68	3
27	Moorhead	99	1	-	-	1	17	7	2	8	3	50	50	14	-	35	2
28	Balance of county	130	1	-	-	-	18	7	-	11	2	62	60	18	-	33	1
29	Clearwater	107	-	-	-	-	16	8	1	7	3	62	62	15	-	37	3
30	Cook	24	-	1	-	-	4	-	-	4	-	12	12	5	-	7	-
31	Cottonwood	125	-	-	-	-	19	5	1	13	4	71	69	25	-	38	1
32	Crow Wing	293	-	-	-	3	60	25	5	30	6	156	154	37	-	109	2
33	Brainerd	130	-	-	-	-	23	7	3	13	2	79	78	18	-	59	1
34	Balance of county	163	-	-	-	3	37	18	2	17	4	77	76	19	-	50	1
35	Dakota	372	1	2	-	2	69	33	4	32	9	182	177	40	-	120	3
36	South St. Paul	122	1	-	-	1	26	16	1	9	6	54	52	14	-	35	2
37	Balance of county	250	-	2	-	1	43	17	3	23	3	128	125	26	-	85	1
38	Dodge	137	-	-	-	-	33	13	5	15	4	76	74	19	-	50	1
39	Douglas	196	-	-	-	1	39	19	2	18	4	111	110	22	-	72	5
40	Faribault	203	-	-	-	2	34	13	1	20	3	122	121	35	-	76	1
41	Fillmore	281	1	-	-	-	29	9	2	18	4	182	179	52	-	115	1
42	Freeborn	317	1	1	-	2	54	21	5	28	3	182	178	47	-	120	3
43	Albert Lea	159	1	-	-	1	24	10	1	13	-	94	91	27	-	57	-
44	Balance of county	158	-	1	-	1	30	11	4	15	3	88	87	20	-	63	3
45	Goodhue	360	2	-	1	2	70	29	5	36	6	181	180	56	-	100	3
46	Red Wing	150	1	-	-	-	24	8	3	13	3	79	78	25	-	46	-
47	Balance of county	210	1	-	1	2	46	21	2	23	3	102	102	31	-	54	3
48	Grant	73	1	-	-	-	12	4	2	6	-	46	45	9	-	32	1
49	Hennepin	6,499	35	21	2	26	1,193	462	108	623	109	3,520	3,475	803	7	2,447	71
50	Minneapolis	5,330	25	18	2	22	967	376	95	496	93	2,932	2,897	664	7	2,043	63
51	Richfield	109	-	-	-	1	18	8	1	9	4	48	46	6	-	38	1
52	Robbinsdale	87	-	-	-	1	22	8	1	13	1	41	41	10	-	31	-
53	St. Louis Park	151	1	1	-	-	34	12	2	20	-	68	67	16	-	45	2
54	Balance of county	822	9	2	-	2	152	58	9	85	11	431	424	107	-	290	5
55	Houston	178	1	1	-	2	25	11	1	13	3	94	94	24	1	59	2
56	Hubbard	119	1	-	-	-	27	11	1	15	8	66	64	18	2	40	1
57	Isanti	102	-	-	-	-	16	9	-	7	4	56	56	16	-	36	1
58	Itasca	339	-	-	-	4	57	21	12	24	9	159	159	40	-	107	3
59	Jackson	128	-	-	-	1	20	4	-	16	-	69	69	15	-	47	-
60	Kanabec	96	-	-	-	1	12	4	1	7	1	59	59	17	-	36	-
61	Kandiyohi	214	1	1	-	1	33	15	1	17	4	114	111	26	-	77	2
62	Kittson	88	-	-	-	-	10	4	-	6	2	48	48	8	-	37	2
63	Koochiching	158	-	1	-	-	24	5	1	18	4	94	92	19	-	66	2
64	Lac qui Parle	122	-	-	-	1	20	5	5	10	4	73	72	22	-	47	1
65	Lake	93	1	-	-	-	20	10	1	9	-	54	54	16	-	32	-
66	Lake of the Woods	53	-	-	-	1	10	2	2	6	2	24	24	7	-	15	-
67	Le Sueur	190	1	1	-	2	36	19	4	13	5	105	101	27	-	63	1
68	Lincoln	103	-	-	-	-	16	6	3	7	3	50	48	13	1	32	-
69	Lyon	200	-	1	-	1	37	19	2	16	5	113	112	29	-	75	2
70	McLeod	232	1	-	-	1	36	24	1	11	6	145	143	40	1	77	4
71	Mahnomen	48	-	-	-	-	6	2	1	3	-	26	26	9	-	15	2
72	Marshall	135	1	-	-	-	18	9	1	8	3	80	79	18	-	61	2
73	Martin	209	-	-	-	1	42	18	2	22	7	102	101	34	-	60	2
74	Meeker	171	1	-	-	-	35	9	1	25	2	86	84	20	-	54	2
75	Mille Lacs	162	-	-	-	-	26	7	5	14	5	94	93	27	-	62	1
76	Morrison	257	1	2	-	1	47	22	1	24	6	132	131	39	1	82	-
77	Mower	312	-	1	-	-	60	29	3	28	5	163	162	52	2	90	2
78	Austin	170	-	1	-	-	29	15	1	13	2	95	95	33	1	51	1
79	Balance of county	142	-	-	-	-	31	14	2	15	3	68	67	19	1	39	1
80	Murray	106	1	-	-	-	16	6	-	10	1	53	52	18	-	29	3
81	Nicollet	174	1	-	-	-	28	9	5	14	4	102	100	31	-	64	3
82	Nobles	178	1	1	-	1	33	16	1	16	1	92	91	26	-	59	1
83	Norman	132	1	-	-	2	30	15	3	12	2	70	70	24	1	34	-
84	Olmsted	426	5	1	-	-	91	35	8	48	4	206	203	44	-	139	8
85	Rochester	294	5	-	-	-	64	25	4	35	4	138	135	31	-	91	6
86	Balance of county	132	-	1	-	-	27	10	4	13	-	68	68	13	-	48	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
54	9	14	3	4	-	3	6	2	-	3	2	-	2	7	2	6	5	4	-	12	1
32	7	9	2	-	-	2	3	1	-	3	1	-	2	4	1	4	3	2	-	4	2
22	2	5	1	4	-	1	3	1	-	-	1	-	-	3	1	2	2	2	-	8	3
7,513	1,170	1,282	213	649	214	210	714	153	127	212	35	30	465	1,058	165	691	1,063	312	30	1,895	4
3,727	579	450	85	236	119	89	345	89	60	139	14	15	206	518	45	266	474	153	12	875	5
3,786	591	832	128	413	95	121	369	64	67	73	21	15	259	540	120	425	589	159	18	1,020	6
41	2	7	1	1	1	-	5	-	-	-	1	-	3	2	-	2	10	-	1	10	7
67	3	12	2	6	2	2	8	1	1	1	1	-	5	27	2	10	16	7	-	19	8
89	14	5	1	2	3	2	8	1	4	2	-	-	4	6	2	9	17	5	-	10	9
54	13	17	3	5	2	-	10	-	1	2	-	1	3	15	7	9	10	4	-	11	10
27	6	5	1	3	2	-	5	-	-	1	-	-	1	8	4	1	5	1	-	4	11
27	7	12	2	2	-	-	5	-	1	1	-	1	2	7	3	8	5	3	-	7	12
31	6	7	1	4	-	-	10	-	-	-	-	-	3	9	5	5	5	1	-	7	13
7	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	2	14
24	4	6	1	4	-	-	10	-	-	-	-	-	3	8	5	3	5	1	-	5	15
31	6	9	1	-	1	3	1	1	-	-	-	-	-	4	-	3	3	1	-	5	16
106	19	30	1	5	1	3	8	2	3	2	1	-	5	10	-	5	8	2	-	27	17
61	14	10	1	1	1	1	3	1	2	1	-	-	4	7	-	3	5	1	-	14	18
45	5	20	-	4	-	2	5	1	1	1	1	-	1	3	-	2	3	1	-	13	19
52	13	15	1	5	-	3	2	-	4	3	-	-	5	14	-	4	13	2	-	16	20
69	9	16	-	4	-	-	2	1	1	3	1	-	3	8	1	8	6	5	-	10	21
43	4	7	2	8	4	-	1	1	-	1	-	-	3	4	-	8	4	2	-	11	22
66	10	10	1	3	2	-	3	1	2	-	1	1	4	4	-	5	11	2	2	9	23
23	5	7	1	6	1	3	4	1	3	1	-	-	3	4	-	8	9	-	-	8	24
33	2	11	1	3	1	-	4	-	1	1	-	-	2	5	4	2	6	2	-	14	25
38	5	22	3	6	1	2	9	-	1	3	-	2	5	11	2	9	15	3	-	14	26
19	2	12	-	1	-	-	5	-	-	2	-	-	3	5	1	3	5	2	-	1	27
19	3	10	3	5	1	2	4	-	1	1	-	2	2	6	1	6	10	1	-	13	28
18	2	14	3	7	-	-	3	2	-	-	-	-	-	3	2	4	2	1	-	9	29
4	-	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	3	1	-	1	30
26	2	9	1	4	1	2	4	-	-	2	1	-	1	8	1	2	5	1	-	6	31
82	12	13	3	5	-	2	10	-	3	4	-	-	4	11	5	5	10	4	1	11	32
44	8	6	-	1	-	1	5	-	-	3	-	-	1	5	2	1	4	1	-	4	33
38	4	7	3	4	-	1	5	-	3	1	-	-	3	6	3	4	6	3	1	7	34
103	5	9	3	10	4	5	9	3	5	3	1	-	6	18	2	16	18	1	-	25	35
31	1	1	1	-	2	2	2	-	2	1	-	-	1	7	-	5	5	1	-	10	36
72	4	8	2	10	2	3	7	3	3	2	1	-	5	11	2	11	13	-	-	15	37
27	12	10	1	2	2	2	3	-	-	1	-	-	2	1	-	5	4	2	-	6	38
57	4	6	-	13	3	1	4	2	-	1	-	-	1	6	-	4	3	2	-	18	39
55	12	8	2	7	1	1	5	2	-	1	-	-	3	7	-	3	6	2	-	13	40
79	8	27	3	7	2	3	7	1	-	1	-	-	5	8	3	11	8	4	1	16	41
96	11	10	6	5	-	4	13	-	3	-	1	-	6	10	1	12	13	1	-	14	42
45	6	6	4	3	-	3	8	-	-	-	1	-	2	5	-	6	6	-	-	11	43
51	5	4	2	2	-	1	5	-	3	-	-	-	4	5	1	6	7	1	-	3	44
61	11	25	5	18	1	1	13	4	4	4	1	-	4	14	-	9	13	1	1	30	45
22	6	18	2	4	1	1	5	3	2	3	1	-	3	9	-	1	4	-	1	11	46
39	5	7	3	14	-	-	8	1	2	1	-	-	1	5	-	8	9	1	-	19	47
20	2	9	2	2	-	1	2	1	1	-	1	-	1	1	-	-	3	-	-	4	48
1,942	212	222	45	115	58	45	171	38	29	73	8	11	106	249	20	113	216	77	9	473	49
1,618	169	193	39	97	47	35	143	36	23	65	6	10	73	183	16	85	173	60	6	392	50
25	8	4	-	-	2	2	5	-	-	-	1	-	4	12	-	4	5	-	-	7	51
28	1	2	-	-	-	-	3	-	1	1	-	-	3	2	-	3	5	1	-	3	52
35	3	5	2	2	2	1	2	-	3	5	-	-	1	5	-	5	4	4	-	18	53
236	31	18	4	16	7	7	18	2	2	2	1	1	25	47	4	16	29	12	3	53	54
37	3	17	2	7	1	-	5	1	-	1	-	-	2	7	6	3	10	-	-	17	55
23	7	9	-	4	-	2	4	1	-	-	-	-	1	2	1	3	1	1	-	3	56
26	5	4	3	1	-	-	1	1	-	-	1	-	1	4	2	3	3	-	1	9	57
70	15	19	2	7	3	-	9	3	2	1	-	-	10	20	1	9	19	4	-	32	58
40	3	4	3	2	2	-	3	-	-	-	-	-	1	5	1	6	9	2	-	11	59
24	5	7	-	5	1	-	1	-	-	-	-	-	5	3	1	2	3	1	1	6	60
59	4	12	1	6	1	3	5	3	1	-	1	-	6	7	7	5	7	4	-	14	61
26	7	2	1	2	-	-	3	-	-	-	-	-	3	3	-	5	5	-	-	9	62
51	6	7	2	5	-	2	1	1	-	-	-	1	3	5	-	4	5	4	1	10	63
34	3	9	-	1	2	1	2	1	-	2	-	-	2	4	-	1	3	1	-	8	64
25	6	1	-	5	1	-	2	1	1	-	-	-	1	-	1	3	3	2	-	4	65
12	2	1	-	2	-	-	1	-	1	-	-	-	1	3	1	2	3	2	-	2	66
42	11	9	-	9	2	4	3	1	1	-	-	-	-	6	-	7	11	3	-	8	67
24	3	5	-	2	-	2	4	-	-	1	-	-	1	5	1	9	6	-	-	7	68
48	11	14	2	6	-	1	6	1	-	-	1	-	2	4	-	6	6	2	-	15	69
51	12	10	1	24	-	2	3	2	1	1	-	-	3	5	1	4	5	5	-	13	70
10	1	2	-	1	1	-	2	-	2	-	-	1	1	3	-	1	4	1	-	1	71
35	6	18	-	-	-	1	-	3	-	1	1	-	3	2	1	4	9	2	-	7	72
41	9	8	2	2	3	1	4	-	1	2	-	1	4	5	4	11	10	3	3	9	73
39	5	8	2	8	-	2	2	1	3	2	-	-	2	9	-	3	5	3	1	16	74
55	1	5	-	4	-	1	4	-	-	-	-	-	5	4	3	5	5	1	-	10	75
63	7	12	1	5	3	1	13	-	-	1	-	1	9	9	-	6	3	6	1	19	76
72	9	7	3	13	2	1	7	2	1	-	-	1	8	9	3	9	14	4	-	25	77
41	6	3	3	5	2	-	3	-	-	-	-	1	7	6	3	3	6	1	-	13	78
31	3	4	-	8	-	1	4	2	1	-	-	-	1	3	-	6	8	3	-	12	79
21	2	3	2	2	1	1	2	-	1	2	-	-	2	7	-	8	5	1	-	7	80
46	8	7	-	5	-	2	6	-	-	-	-	-	1	4	-	5	5	2	-	16	81
45	4	9	-	4	2	1	2	3	1	1	1	-	3	9	2	6	3	3	-	15	82
31	2	1	5	5	1	-	2	-	1	1	-	-	4	2	1	2	6	-	-	8	83
105	14	12	8	9	3	3	7	1	1	-	-	1	10	18	1	13	18	4	-	45	84
70	8	7	5	5	3	3	3	1	1	-	-	1	7	16	-	7	9	2	-	36	85
35	6	5	3	4	-	-	4	-	-	-	-	-	3	2	1	6	9	2	-	9	86

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148, 156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MINNESOTA—Continued																
1	Otter Tail	450	3	-	-	1	74	33	3	38	8	263	260	71	-	166	9
2	Fergus Falls	107	-	-	-	-	21	10	1	10	3	57	56	16	-	34	2
3	Balance of county	343	3	-	-	1	53	23	2	28	5	206	204	55	-	132	7
4	Pennington	121	1	-	-	-	19	10	-	9	3	67	67	22	-	36	2
5	Pine	189	-	-	-	-	32	12	-	20	6	118	116	20	-	94	2
6	Pipestone	121	1	-	-	-	16	8	1	7	1	73	71	15	-	52	1
7	Polk	355	1	2	1	1	55	16	4	35	7	190	186	66	-	104	5
8	Pope	101	1	-	-	-	13	7	1	5	1	61	60	14	-	43	1
9	Ramsey	3,507	24	8	1	12	616	242	57	317	77	1,879	1,852	448	3	1,261	57
10	St. Paul	3,198	23	7	1	12	568	225	52	291	72	1,715	1,691	419	3	1,143	53
11	Balance of county	309	1	1	-	-	48	17	5	26	5	164	161	29	-	118	4
12	Red Lake	39	-	-	-	-	4	3	-	1	1	23	21	5	-	15	-
13	Redwood	185	-	-	1	-	30	10	2	18	7	103	101	31	-	64	4
14	Renville	179	1	-	1	2	26	9	1	16	4	98	97	15	-	66	1
15	Rice	303	2	1	2	-	44	11	3	30	6	177	175	40	-	123	-
16	Faribault	146	1	-	1	-	19	6	-	13	3	83	81	15	-	64	-
17	Balance of county	157	1	1	1	-	25	5	3	17	3	94	94	25	-	59	-
18	Rock	80	-	-	-	-	13	9	-	4	3	40	39	13	-	25	1
19	Roseau	115	-	-	-	1	21	11	2	8	3	58	57	17	-	38	2
20	St. Louis	2,258	17	6	2	1	358	152	35	171	54	1,295	1,285	225	2	1,003	26
21	Duluth	1,201	12	3	1	-	176	69	15	92	29	704	697	114	1	548	12
22	Hibbing	136	-	2	-	-	30	14	4	12	3	69	69	15	-	50	2
23	Virginia	139	-	-	1	-	16	10	2	4	2	87	87	19	-	64	2
24	Balance of county	780	5	1	-	1	136	59	14	63	20	435	432	77	1	341	10
25	Scott	162	-	-	-	-	28	18	2	9	4	89	88	22	-	54	-
26	Sherburne	94	-	-	-	1	16	6	-	10	1	52	50	9	-	38	2
27	St. Cloud (part)	9	-	-	-	-	1	-	-	1	1	3	3	1	-	2	1
28	Balance of county	85	-	-	-	1	15	6	-	9	-	49	47	8	-	36	1
29	Sibley	117	-	-	-	-	14	6	-	8	4	73	71	20	-	44	2
30	Stearns	566	2	-	1	2	113	50	7	56	9	272	265	54	1	189	10
31	St. Cloud (part)	219	-	-	1	1	41	20	4	17	3	104	104	18	-	79	4
32	St. Cloud (total)	249	1	-	1	1	44	21	4	19	4	120	120	22	-	91	5
33	Balance of county	347	2	-	-	1	72	30	3	39	6	168	161	36	1	110	6
34	Steele	209	-	1	-	-	33	14	2	17	4	115	111	24	-	79	4
35	Owatonna	109	-	-	-	-	20	7	2	11	3	63	61	9	-	46	2
36	Balance of county	100	-	1	-	-	13	7	-	6	1	52	50	15	-	33	2
37	Stevens	94	-	-	-	1	13	5	2	6	2	47	45	12	-	26	1
38	Swift	125	1	-	-	-	15	9	-	6	3	80	80	20	1	54	4
39	Todd	206	-	-	-	-	34	11	4	19	4	119	118	22	-	89	1
40	Traverse	54	-	-	-	1	8	2	-	6	2	28	28	12	-	16	1
41	Wabasha	175	-	-	-	1	30	13	1	16	5	90	90	33	-	48	3
42	Wadena	96	1	-	-	-	10	7	-	3	1	59	57	12	-	42	-
43	Waseca	169	-	1	1	1	24	12	1	11	2	107	106	28	-	66	-
44	Washington	275	1	1	-	-	48	23	-	25	2	167	165	49	-	106	3
45	Watonwan	128	-	-	1	-	28	12	2	14	3	63	61	16	-	41	3
46	Wilkin	72	-	-	-	-	19	7	-	12	3	35	33	9	-	23	-
47	Winona	371	3	-	2	2	68	26	7	35	7	217	214	53	-	145	8
48	Winona	237	3	-	1	-	48	18	6	24	5	136	133	38	-	88	4
49	Balance of county	134	-	-	1	2	20	8	1	11	2	81	81	15	-	57	4
50	Wright	290	1	-	-	1	49	22	3	24	2	162	159	36	-	118	6
51	Yellow Medicine	142	-	-	-	-	25	9	2	14	2	81	79	23	-	52	1
52	MISSISSIPPI	19,345	222	51	16	190	2,310	764	224	1,322	231	9,011	8,642	2,412	31	5,661	149
53	Metropolitan counties	1,243	10	3	-	11	161	35	19	107	13	594	577	146	2	395	13
54	Nonmetropolitan counties	18,102	212	48	16	179	2,149	729	205	1,215	218	8,417	8,065	2,266	29	5,266	136
55	Adams	322	3	-	-	2	38	10	5	23	5	176	171	49	-	112	5
56	Natchez	214	3	-	-	2	23	7	3	13	5	122	118	35	-	77	3
57	Balance of county	108	-	-	-	-	15	3	2	10	-	54	53	14	-	35	2
58	Alcorn	236	6	-	-	3	38	16	2	20	2	109	104	31	-	68	-
59	Amite	148	1	-	-	1	14	5	1	8	1	75	72	16	1	48	1
60	Attala	218	-	1	-	4	38	9	2	27	3	105	103	34	-	62	1
61	Benton	66	-	-	-	-	10	5	-	5	-	31	30	2	-	24	2
62	Bolivar	631	10	-	2	6	76	34	8	34	3	266	248	65	2	162	2
63	Calhoun	128	1	-	-	1	11	2	3	6	1	59	57	9	-	42	-
64	Carroll	108	4	-	-	2	13	6	1	6	2	43	43	9	1	28	2
65	Chickasaw	162	1	-	-	-	20	6	3	11	-	84	83	23	-	54	5
66	Choctaw	86	1	-	-	1	16	7	-	9	2	35	34	12	-	20	-
67	Claiborne	131	-	-	-	2	14	5	1	8	1	69	68	18	-	46	3
68	Clarke	168	2	1	-	-	19	4	5	10	-	92	89	31	-	53	5
69	Clay	155	2	1	-	1	20	5	1	14	1	74	71	20	2	49	1
70	Coahoma	574	6	3	-	8	56	18	2	36	5	263	240	65	-	162	7
71	Clarksdale	215	2	2	-	1	26	7	2	17	3	117	107	30	-	73	4
72	Balance of county	359	4	1	-	7	30	11	-	19	2	146	133	35	-	89	3
73	Copiah	267	3	2	-	2	36	9	7	20	3	139	132	33	-	92	2
74	Covington	117	3	-	-	1	20	8	5	7	3	59	55	14	-	41	1
75	De Soto	207	1	2	-	-	22	7	2	13	4	85	84	34	-	42	2
76	Forrest	390	7	-	-	1	42	17	6	19	7	182	175	47	-	113	2
77	Hattiesburg	284	7	-	-	-	29	15	4	10	5	133	128	36	-	80	2
78	Balance of county	106	-	-	-	1	13	2	2	9	2	49	47	11	-	33	-
79	Franklin	87	-	-	-	1	7	2	-	5	2	52	51	15	-	29	-
80	George	68	-	-	-	-	4	1	-	3	-	34	33	5	-	27	-
81	Greene	62	-	-	-	2	8	1	2	5	2	30	29	6	1	20	-
82	Grenada	162	1	-	-	-	15	6	1	8	2	71	70	29	-	35	1
83	Hancock	113	4	-	-	2	13	3	3	7	2	50	49	8	-	40	1
84	Harrison	706	7	2	2	3	87	20	9	58	12	313	307	67	-	222	3
85	Biloxi	236	2	-	2	3	32	8	2	22	2	100	98	24	-	69	1
86	Gulfport	233	5	-	-	-	24	6	3	13	5	104	101	17	-	78	-
87	Balance of county	237	-	2	-	-	31	6	4	21	5	109	108	26	-	75	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
113	13	31	4	13	6	3	10	2	1	1	-	1	6	12	2	15	20	4	1	26	1
23	1	8	-	5	1	1	4	1	-	-	-	-	4	5	1	2	3	1	-	5	2
90	12	23	4	8	5	2	6	1	1	1	-	1	2	7	1	13	17	3	1	21	3
28	4	2	4	5	-	-	7	-	-	-	-	-	2	5	-	3	4	-	-	10	4
61	13	18	1	-	1	2	2	-	-	1	-	1	1	6	2	2	6	4	-	8	5
36	7	8	1	2	1	2	1	1	-	-	-	1	2	5	1	5	4	-	1	9	6
76	14	9	3	11	2	4	9	2	1	2	-	1	5	13	6	11	20	4	-	24	7
32	4	6	-	3	-	1	1	3	-	-	-	1	-	2	6	2	2	-	-	8	8
915	181	108	29	72	39	27	114	31	14	45	2	3	57	145	13	75	127	38	2	224	9
820	172	98	27	65	34	24	103	31	11	42	2	2	47	124	12	67	115	35	2	207	10
95	9	10	2	7	5	3	11	-	3	3	-	1	10	21	1	8	12	3	-	17	11
13	1	1	-	1	-	2	-	-	-	-	-	-	1	-	-	3	4	1	-	2	12
46	6	8	2	3	1	2	4	-	1	1	2	-	4	3	3	4	10	2	-	10	13
52	5	8	3	9	4	1	2	-	-	2	-	-	8	5	1	4	6	1	-	18	14
72	26	25	2	9	1	2	2	2	3	-	2	-	4	16	-	8	5	2	-	27	15
31	22	11	1	1	-	2	-	2	-	-	2	-	2	12	-	2	3	-	-	16	16
41	4	14	1	8	1	-	2	-	3	-	-	-	2	4	-	6	2	2	-	11	17
19	4	1	-	1	-	1	3	-	-	-	-	-	3	6	2	1	3	-	-	6	18
22	7	7	1	-	1	1	4	-	-	1	1	-	1	6	-	4	1	1	-	13	19
700	178	99	6	33	16	10	43	16	11	17	2	1	32	79	8	52	97	30	1	134	20
369	111	56	4	21	9	7	20	8	6	12	2	-	14	42	1	27	56	13	-	75	21
40	3	5	1	3	-	-	3	1	1	1	-	-	3	4	3	3	3	2	-	8	22
49	8	5	-	2	2	-	2	-	1	2	-	-	3	3	-	2	5	3	-	12	23
242	56	33	1	7	5	3	18	7	3	2	-	1	12	30	4	20	33	12	1	39	24
47	3	4	3	9	-	1	2	-	-	2	-	-	3	8	1	5	7	-	-	12	25
22	9	5	1	1	1	2	3	-	-	2	-	-	1	2	-	7	1	3	-	5	26
-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	27
22	9	4	1	1	1	2	3	-	-	2	-	-	-	1	-	7	1	3	-	3	28
28	4	10	2	5	-	2	1	1	-	2	1	-	1	1	2	2	6	2	-	7	29
133	20	26	5	14	2	7	20	1	2	4	-	-	13	32	6	14	24	6	-	45	30
58	11	6	3	3	1	-	6	1	1	1	-	-	7	14	3	7	10	1	-	16	31
65	13	8	3	3	1	-	6	1	1	1	-	-	8	16	3	9	10	1	-	22	32
75	9	20	2	11	1	7	14	-	1	3	-	-	6	18	3	7	14	5	-	27	33
47	10	18	1	5	2	4	5	-	1	1	-	-	2	9	1	11	10	2	-	14	34
29	8	7	1	3	2	2	2	-	-	1	-	-	2	7	1	2	2	1	-	5	35
18	2	11	-	2	-	2	3	-	1	-	-	-	-	2	-	9	8	1	-	9	36
21	1	3	-	7	-	2	3	1	-	-	-	-	3	6	4	1	3	1	-	9	37
32	11	7	-	4	1	-	1	-	2	-	-	-	1	5	-	3	6	-	-	8	38
61	10	17	1	3	3	1	4	-	2	-	-	-	6	9	4	7	2	3	-	12	39
12	1	2	-	-	-	-	5	-	-	-	-	-	1	1	-	1	5	1	-	1	40
30	7	8	1	7	1	-	3	1	-	1	-	-	1	5	-	7	10	1	1	19	41
31	5	6	1	2	-	2	2	-	1	-	-	-	2	4	-	4	2	1	-	9	42
40	5	21	2	7	3	1	2	1	-	-	-	-	5	6	-	3	7	1	-	8	43
77	13	13	2	4	4	2	5	1	1	-	-	-	4	9	1	4	12	-	1	18	44
34	3	1	-	4	-	2	3	-	-	1	1	-	2	1	-	1	7	3	-	14	45
14	3	6	-	1	-	2	1	1	-	-	-	-	-	7	-	2	2	-	-	2	46
104	11	22	2	11	3	3	8	-	-	1	1	-	5	14	5	5	9	4	-	20	47
65	6	13	1	5	1	3	5	-	-	1	1	-	5	10	3	3	5	-	-	11	48
39	5	9	1	6	2	-	3	-	-	-	-	-	-	4	2	2	4	4	-	9	49
83	12	17	2	3	-	3	12	1	2	2	-	-	4	10	2	5	16	1	-	20	50
44	4	3	1	1	2	2	8	-	-	1	-	-	4	3	-	4	2	2	-	10	51
2,887	1,511	1,114	210	229	99	369	602	74	186	87	82	107	217	1,169	1,896	447	878	118	278	1,173	52
199	121	62	11	17	6	17	29	4	11	6	10	6	16	85	114	23	38	10	19	80	53
2,688	1,390	1,052	199	212	93	352	573	70	175	81	72	101	201	1,084	1,782	424	840	108	259	1,093	54
54	38	15	1	6	3	5	7	1	-	1	1	1	5	17	24	6	14	-	3	18	55
38	28	8	-	4	2	4	6	1	-	1	-	-	3	13	9	3	7	-	3	13	56
16	10	7	1	2	1	1	1	-	-	-	1	1	2	4	15	3	7	-	-	5	57
39	18	11	3	2	-	5	12	2	2	1	1	-	5	13	7	7	9	3	2	14	58
23	15	9	-	6	1	3	3	-	3	-	-	3	1	5	20	5	5	-	4	7	59
31	5	25	3	4	-	2	11	1	-	-	-	-	2	13	14	3	9	-	-	14	60
11	4	7	1	1	2	1	-	1	2	1	-	-	-	1	7	-	7	1	1	4	61
73	64	23	6	11	2	18	17	1	6	6	5	4	5	34	105	9	30	1	10	35	62
20	11	11	1	5	-	2	9	-	2	-	-	1	3	6	10	6	5	2	1	10	63
12	10	4	5	-	-	-	4	-	-	-	1	2	-	3	15	1	8	2	4	4	64
33	10	6	3	2	1	1	4	-	-	-	1	-	1	17	14	3	9	-	-	8	65
6	3	11	-	2	-	1	2	-	-	-	-	-	-	2	10	3	4	-	-	10	66
24	17	2	3	-	1	1	5	-	1	-	-	1	1	7	20	-	4	1	-	5	67
27	8	13	3	1	1	3	3	3	3	1	-	-	2	8	18	3	3	-	2	8	68
33	7	8	-	-	-	3	5	-	2	3	-	1	3	5	16	2	6	3	2	8	69
59	60	36	9	2	2	23	26	1	7	3	1	4	7	36	60	11	31	2	15	29	70
34	26	9	3	-	1	10	4	1	2	-	-	2	3	9	11	5	13	2	3	9	71
25	34	27	6	2	1	13	22	-	5	3	1	2	4	27	49	6	18	-	12	20	72
62	21	7	4	-	3	7	14	3	-	-	-	1	3	11	12	4	10	-	4	20	73
27	5	8	-	-	-	4	1	-	-	-	-	-	1	5	5	3	7	-	1	8	74
21	11	8	6	-	2	1	11	1	-	1	-	1	-	12	41	3	8	-	1	14	75
65	22	24	4	8	3	7	11	1	3	2	2	3	9	27	23	10	13	1	7	39	76
49	13	16	3	7	2	5	8	1	2	1	1	2	7	23	15	8	8	1	6	27	77
16	9	8	1	1	1	2	3	-	1	1	1	1	2	4	8	2	5	-	1	12	78
14	7	8	3	4	-	1	3	1	-	1	1	1	2	3	4	1	3	-	1	4	79
13	8	6	1	-	-	1	4	1	-	-	-	-	-	3	4	6	5	1	-	6	80
14	4	2	-	2	-	1	-	-	-	-	-	-	-	4	5	-	4	1	-	6	81
21	8	5	1	4	1	1	8	-	3	-	-	2	2	9	21	3	7	4	2	12	82
29	5	5	1	-	-	1	2	-	3	2	-	-	3	9	12	3	3	-	-	5	83
118	67	34	4	9	5	6	15	6	10	5	3	-	10	55	48	17	43	6	17	45	84
36	17	15	-	4	1	2	8	1	1	-	1	-	7	26	15	8	12	-	3	13	85
42	23	13	2	1	3	3	4	2	4	3	2	-	2	20	13	5	15	-	4	21	86
40	27	6	2	4	1	1	3	3	5	2	-	-	1	9	20	4	16	6	10	11	87

385053 O - 56 - 28

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MISSISSIPPI—Continued																
1	Hinds	1,243	10	3	-	11	161	35	19	107	13	594	577	146	2	395	13
2	Jackson	868	7	1	-	6	116	24	14	78	7	422	409	103	-	278	6
3	Balance of county	375	3	2	-	5	45	11	5	29	6	172	168	43	2	117	7
4	Holmes	326	4	-	-	3	43	15	3	25	5	164	157	67	-	79	4
5	Humphreys	217	3	2	1	-	19	7	2	10	3	85	82	19	-	55	2
6	Issaquena	46	1	-	-	2	3	-	-	3	-	20	20	8	-	11	-
7	Itawamba	112	1	-	-	3	16	6	2	8	-	54	54	16	-	36	7
8	Jackson	311	4	1	-	2	50	19	5	26	10	131	127	26	1	91	1
9	Pascagoula	97	1	1	-	1	14	4	2	8	4	48	46	9	-	33	1
10	Balance of county	214	3	-	-	1	36	15	3	18	6	83	81	17	1	58	-
11	Jasper	141	-	-	-	1	20	8	4	8	3	60	55	23	-	31	1
12	Jefferson	115	-	1	-	1	10	1	1	8	1	69	68	22	1	39	6
13	Jefferson Davis	123	1	1	-	3	13	3	-	10	7	52	48	11	-	35	-
14	Jones	469	4	3	1	5	57	22	6	29	7	223	218	63	2	141	3
15	Laurel	244	4	2	-	2	27	12	4	11	1	106	104	24	2	73	1
16	Balance of county	225	-	1	1	3	30	10	2	18	6	117	114	39	-	68	2
17	Kemper	111	-	-	-	1	10	4	-	6	2	46	45	20	-	24	3
18	Lafayette	187	2	1	-	1	29	9	4	16	1	86	84	23	-	58	-
19	Lamar	100	-	-	-	-	16	5	1	10	1	47	39	13	-	20	-
20	Lauderdale	605	2	1	-	8	60	22	8	30	4	295	286	79	-	191	2
21	Meridian	391	-	1	-	6	46	15	5	26	-	203	197	58	-	132	1
22	Balance of county	214	2	-	-	2	14	7	3	4	4	92	89	21	-	59	1
23	Lawrence	101	1	-	-	1	19	7	3	9	1	39	38	11	-	27	-
24	Leake	187	3	-	-	2	23	6	2	15	5	98	95	39	-	55	2
25	Lee	322	2	1	-	3	50	16	2	32	6	148	147	42	1	96	2
26	Tupelo	117	-	-	-	1	17	7	1	9	1	52	52	13	1	36	1
27	Balance of county	205	2	1	-	2	33	9	1	23	5	96	95	29	-	60	1
28	Leflore	498	4	2	-	9	45	19	9	17	7	188	180	53	1	115	2
29	Greenwood	200	2	2	-	4	19	9	4	6	5	95	93	26	1	62	1
30	Balance of county	298	2	-	-	5	26	10	5	11	2	93	87	27	-	53	1
31	Lincoln	232	-	-	-	3	32	15	1	16	2	136	128	27	-	93	3
32	Lowndes	364	7	-	-	2	39	9	4	26	4	171	164	44	-	109	-
33	Columbus	206	5	-	-	2	24	3	3	18	1	106	103	24	-	70	-
34	Balance of county	158	2	-	-	-	15	6	1	8	3	65	61	20	-	39	-
35	Madison	300	3	1	-	1	37	15	3	19	3	137	133	45	-	80	2
36	Marion	188	1	1	1	1	24	7	3	14	3	84	79	23	-	51	2
37	Marshall	220	4	-	-	1	18	8	-	10	2	105	105	27	-	76	1
38	Monroe	298	7	1	-	4	36	10	4	22	5	152	135	39	-	83	2
39	Montgomery	145	2	-	-	-	17	7	2	8	4	76	73	16	1	44	-
40	Neshoba	195	3	-	-	-	21	6	2	13	2	98	92	26	-	64	1
41	Newton	215	2	-	-	1	28	13	3	12	1	87	84	28	-	50	4
42	Noxubee	182	2	1	-	2	22	6	1	15	-	73	70	23	-	40	2
43	Oktibbeha	193	1	-	-	-	20	4	2	14	4	106	101	33	1	58	1
44	Pancola	323	6	1	2	2	34	13	1	20	4	148	141	38	-	90	4
45	Pearl River	159	1	1	-	1	23	6	2	15	5	71	69	21	-	38	-
46	Perry	80	3	-	-	2	8	4	-	4	1	33	32	10	-	21	1
47	Pike	346	5	1	1	9	43	14	4	25	2	163	162	44	1	109	3
48	McComb	137	3	1	-	-	18	9	1	8	1	67	67	16	-	51	3
49	Balance of county	209	2	-	1	9	25	5	3	17	1	96	95	28	1	58	-
50	Pontotoc	150	1	1	-	2	17	4	-	13	2	86	83	27	-	50	-
51	Prentiss	142	6	-	1	3	20	6	2	12	1	73	72	10	-	57	1
52	Quitman	268	4	1	-	3	30	8	1	21	1	109	101	41	-	53	1
53	Rankin	199	3	1	1	-	28	6	3	19	3	90	87	28	1	52	1
54	Scott	150	-	1	-	4	16	5	-	11	-	79	75	22	1	46	2
55	Sharkey	129	1	1	-	-	15	5	1	9	1	58	56	17	-	37	-
56	Simpson	183	1	1	-	1	33	13	6	14	-	90	86	20	-	61	-
57	Smith	99	2	-	-	1	14	7	2	5	2	36	36	7	-	29	-
58	Stone	68	-	-	-	-	8	3	1	4	2	35	34	4	-	29	-
59	Sunflower	479	4	3	1	3	56	20	5	31	4	179	164	48	-	111	4
60	Tallahatchie	289	5	-	2	7	23	6	1	16	4	116	109	38	-	68	1
61	Tate	170	-	1	1	1	18	6	-	12	-	97	89	23	-	65	-
62	Tippah	117	2	-	-	-	12	2	2	8	1	68	67	14	-	49	2
63	Tishomingo	114	-	-	-	3	20	7	1	12	-	61	59	25	-	33	2
64	Tunica	226	6	-	-	5	20	9	3	8	1	93	82	27	1	47	1
65	Union	184	1	-	-	1	18	5	-	13	3	102	96	22	-	68	-
66	Walthall	110	-	-	-	-	8	2	1	5	2	58	57	13	1	38	1
67	Warren	451	10	-	-	1	54	17	7	30	2	213	209	58	-	140	4
68	Vicksburg	330	8	-	-	1	40	11	6	23	2	159	156	42	-	105	3
69	Balance of county	121	2	-	-	-	14	6	1	7	-	54	53	16	-	35	1
70	Washington	778	17	3	-	9	91	40	11	40	5	345	336	85	3	227	1
71	Greenville	362	8	-	-	4	41	19	5	17	1	170	168	50	1	105	1
72	Balance of county	416	9	3	-	5	50	21	6	23	4	175	168	35	2	122	-
73	Wayne	150	-	1	-	3	17	4	1	12	4	62	56	12	2	38	1
74	Webster	101	2	1	-	-	17	6	-	11	1	45	43	11	1	26	2
75	Wilkinson	123	-	-	-	6	8	1	-	7	1	57	54	14	1	35	1
76	Winston	168	1	-	-	-	23	8	1	14	5	77	71	18	-	51	2
77	Yalobusha	145	1	-	-	3	15	6	1	8	1	87	85	19	-	60	1
78	Yazoo	387	3	1	-	6	46	21	2	23	4	160	149	42	2	95	1
79	MISSOURI	44,083	515	218	31	201	6,870	2,524	816	3,530	623	24,144	23,449	5,393	30	16,346	553
80	Metropolitan counties	23,469	283	146	18	77	3,883	1,322	528	2,033	354	12,352	12,054	2,563	12	8,582	339
81	Nonmetropolitan counties	20,614	232	72	13	124	2,987	1,202	288	1,497	269	11,792	11,395	2,830	18	7,764	214
82	Adair	216	3	1	-	2	25	9	3	13	2	120	111	40	-	67	1
83	Kirksville	124	-	1	-	2	16	4	3	9	1	63	59	26	-	29	1
84	Balance of county	92	3	-	-	-	9	5	-	4	1	57	52	14	-	38	-
85	Andrew	105	1	-	-	1	15	2	1	12	1	68	68	13	-	51	2
86	Atchison	110	1	1	-	1	15	3	5	7	1	63	63	14	1	45	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E500-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
199	121	62	11	17	6	17	29	4	11	6	10	6	16	85	114	23	38	10	19	80	1
144	89	39	9	14	5	13	21	4	9	3	7	4	9	62	73	16	27	8	17	49	2
55	32	23	2	3	1	4	8	-	2	3	3	2	7	23	41	7	11	2	2	31	3
37	24	14	3	7	1	7	10	-	1	2	1	1	4	12	38	7	10	1	9	11	4
30	11	12	4	4	-	3	7	1	10	-	-	2	2	22	32	4	9	2	2	11	5
3	4	4	-	-	1	-	-	-	-	-	1	1	-	-	7	1	2	-	2	6	6
10	15	4	2	-	-	-	3	-	-	-	-	-	2	7	8	3	7	3	-	5	7
47	19	24	5	3	1	4	6	3	-	1	2	-	7	29	13	5	22	1	7	17	8
13	10	9	1	2	1	2	1	1	-	-	2	-	2	5	1	3	6	-	5	2	9
34	9	15	4	1	-	2	5	2	-	1	-	-	5	24	12	2	16	1	2	15	10
9	9	12	1	-	-	5	3	1	2	-	3	1	1	5	14	4	9	2	2	10	11
15	9	9	1	5	-	1	3	-	-	-	2	2	1	4	7	2	3	2	-	7	12
28	6	1	-	1	1	4	5	1	1	-	-	2	1	4	10	2	2	1	3	14	13
77	32	29	4	3	5	5	13	5	3	-	11	1	6	30	15	16	25	1	4	39	14
41	17	14	1	3	1	2	6	2	2	-	8	1	4	25	5	11	12	1	1	24	15
36	15	15	3	-	4	3	7	3	1	-	3	-	2	5	10	5	13	-	3	15	16
6	11	4	-	-	1	1	6	1	1	-	-	-	2	2	20	5	4	-	3	8	17
27	21	10	1	2	-	2	8	1	4	-	1	1	2	11	14	10	6	2	1	6	18
14	2	4	1	5	-	8	3	1	-	1	-	1	-	8	7	8	-	-	1	6	19
117	36	36	6	7	3	9	21	3	5	4	-	7	7	41	40	24	20	1	12	50	20
80	29	22	2	4	1	6	13	1	4	4	-	5	2	30	22	9	13	-	6	26	21
37	7	14	4	3	2	3	8	2	1	-	-	2	5	11	18	15	7	1	6	24	22
19	5	3	-	-	-	1	7	1	-	-	2	-	3	6	3	2	4	-	3	9	23
32	13	8	1	-	-	3	4	-	2	-	-	1	3	10	6	6	13	2	-	9	24
56	19	19	4	2	2	1	11	1	-	2	2	1	6	24	25	4	14	1	3	18	25
19	5	11	-	1	1	-	4	-	-	1	1	-	3	10	5	1	8	-	3	10	26
37	14	8	4	1	1	1	7	1	-	1	1	1	3	14	20	3	6	1	-	8	27
56	33	24	3	7	1	8	14	3	7	2	6	3	4	29	97	19	22	3	5	29	28
29	23	9	1	3	-	2	4	3	1	1	3	-	3	14	16	6	9	2	3	8	29
27	10	15	2	4	1	6	10	-	6	1	3	3	1	15	81	13	13	1	2	21	30
46	23	21	2	1	5	8	5	1	1	-	-	-	1	17	7	4	9	1	2	11	31
44	31	34	4	6	1	7	11	1	5	-	1	1	5	15	41	9	28	4	3	17	32
23	23	24	3	5	1	3	7	1	2	-	-	1	3	8	17	1	15	1	2	10	33
21	8	10	1	1	-	4	4	-	3	-	1	-	2	7	24	8	13	3	1	7	34
30	26	22	5	1	2	4	10	-	2	2	1	1	2	10	50	6	11	2	9	12	35
37	6	6	3	-	2	5	5	-	1	-	1	-	1	16	14	6	8	2	1	18	36
26	37	12	2	-	-	-	9	-	2	1	-	4	2	15	26	2	13	-	3	13	37
48	17	16	3	9	1	17	3	-	2	1	2	-	1	13	23	10	8	2	8	20	38
18	14	12	1	11	-	3	2	-	1	-	1	2	2	5	7	3	11	-	2	10	39
38	11	14	1	1	-	6	3	1	3	3	-	1	2	8	9	11	10	-	6	14	40
34	7	5	1	2	3	3	15	3	-	-	-	1	3	16	25	7	7	3	2	14	41
14	8	16	2	4	1	3	11	1	4	1	1	3	5	5	32	3	6	1	1	8	42
25	18	14	4	3	2	5	7	-	2	-	-	1	3	11	6	3	10	-	1	18	43
41	23	22	6	5	2	7	14	-	5	3	2	4	3	23	34	13	13	4	3	5	44
27	4	7	3	6	1	2	5	1	1	-	1	-	-	15	13	5	8	2	1	5	45
15	1	4	-	1	-	1	1	2	2	-	-	1	1	5	4	4	4	1	6	2	46
60	29	17	2	2	4	1	13	2	5	2	-	2	3	23	32	5	11	3	3	18	47
29	14	5	-	-	-	-	5	-	2	1	-	1	1	12	11	2	3	-	-	9	48
31	15	12	2	2	4	1	8	2	3	1	-	1	2	11	21	3	8	3	3	9	49
22	21	7	1	5	-	3	2	1	1	-	-	-	1	5	6	4	9	1	1	10	50
22	14	20	2	2	1	1	5	-	-	-	1	-	2	5	6	1	8	-	1	9	51
31	11	10	4	2	1	8	10	-	2	3	1	1	2	26	45	4	14	1	6	5	52
22	20	9	4	1	1	3	5	-	-	-	-	3	2	11	19	6	12	1	4	10	53
18	18	8	3	3	-	4	1	1	1	1	-	-	-	10	11	7	8	-	4	6	54
15	13	9	1	1	-	2	3	-	4	-	-	-	2	10	20	1	3	-	1	9	55
42	10	9	2	1	2	4	5	-	-	1	-	-	2	9	12	5	8	3	1	11	56
13	6	10	-	-	-	-	2	-	2	-	-	-	1	8	8	3	12	-	-	7	57
17	9	3	1	-	-	1	-	1	-	-	-	-	2	4	-	7	4	1	-	4	58
66	29	12	3	2	-	15	17	2	9	1	2	3	3	34	79	8	26	3	9	33	59
35	25	7	2	1	-	7	12	-	8	-	-	6	3	23	34	2	19	1	5	19	60
17	33	15	1	-	-	8	4	1	2	-	-	-	3	12	14	-	4	-	4	8	61
22	16	9	-	-	4	1	2	2	1	1	-	-	1	10	3	2	6	2	-	4	62
19	6	6	1	-	-	2	1	-	-	1	-	-	3	7	1	2	6	1	-	8	63
22	7	17	4	2	1	11	9	1	4	2	1	1	1	24	31	2	11	-	7	7	64
34	14	20	5	1	-	6	4	1	2	-	1	-	1	7	11	1	10	2	1	18	65
19	6	12	2	3	-	1	3	-	1	-	-	-	1	14	2	4	4	-	2	11	66
76	42	18	1	4	6	4	13	2	2	4	1	1	2	22	61	8	28	5	4	18	67
52	34	16	1	3	5	3	10	2	1	4	1	1	2	21	38	7	17	3	2	11	68
24	8	2	-	1	1	1	3	-	1	-	-	-	-	1	23	1	11	2	2	7	69
93	74	59	14	5	2	9	27	-	10	4	4	6	11	51	93	18	25	3	12	44	70
44	29	31	9	2	1	2	16	-	2	3	2	1	7	19	35	9	10	1	6	27	71
49	45	28	5	3	1	7	11	-	8	1	2	5	4	32	58	9	15	2	6	17	72
20	7	10	3	-	1	6	5	1	2	1	-	2	-	14	11	5	5	5	2	10	73
14	6	4	3	2	-	2	6	-	1	2	-	-	-	4	6	1	4	2	1	8	74
19	9	6	3	-	1	3	2	-	1	1	-	2	1	4	26	2	5	-	-	7	75
35	6	8	-	2	-	6	8	-	-	2	1	3	2	5	7	4	10	1	3	16	76
35	8	16	-	4	2	2	4	-	1	-	1	3	3	4	4	2	7	-	-	9	77
45	28	21	2	4	4	11	8	-	2	5	2	-	2	15	78	3	16	1	6	29	78
10,024	2,337	3,432	376	1,015	289	695	1,344	267	192	464	93	49	505	1,477	659	995	1,791	447	218	2,980	79
5,410	1,288	1,545	180	556	161	298	692	163	97	323	39	22	306	917	393	478	956	221	153	1,596	80
4,614	1,049	1,887	196	459	128	397	652	104	95	141	54	27	199	560	266	517	835	226	65	1,384	81
49	3	14	1	2	1	9	5	1	-	1	2	1	1	4	3	9	12	1	2	21	82
20	2	6	1	2	1	4	5	-	-	1	2	-	1	2	1	6	8	1	2	12	83
29	1	8	-	-	-	5	-	1	-	-	-	1	-	2	2	3	4	-	-	9	84
38	2	9	1	3	-	-	4	1	1	-	-	-	1	2	1	-	3	-	-	6	85
28	7	8	-	2	1	-	3	1	-	2	-	-	-	5	1	4	2	2	-	8	86

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MISSOURI—Continued																
1	Audrain	251	4	-	-	1	32	12	3	17	3	140	134	27	-	98	3
2	Mexico	129	1	-	-	1	20	6	1	13	1	67	65	13	-	49	-
3	Balance of county	122	3	-	-	-	12	6	2	4	2	73	69	14	-	49	3
4	Barry	232	4	-	-	2	25	9	2	14	4	139	134	31	1	95	1
5	Barton	154	2	-	-	1	25	10	3	12	4	86	84	22	-	57	1
6	Bates	234	1	1	-	1	34	12	3	19	4	133	121	35	1	60	3
7	Benton	130	2	-	1	-	17	5	4	8	1	72	70	22	-	46	1
8	Bollinger	92	1	2	-	-	13	5	1	7	1	58	56	18	-	36	1
9	Boone	414	5	-	-	1	56	13	6	37	7	259	252	53	1	178	2
10	Columbia	236	4	-	-	-	29	8	3	18	3	142	139	34	1	94	1
11	Balance of county	178	1	-	-	1	27	5	3	19	4	117	113	19	-	84	1
12	Buchanan	1,145	11	7	2	5	182	61	18	103	14	691	687	178	-	469	26
13	St. Joseph	990	10	3	-	4	170	58	18	94	13	608	604	159	-	414	24
14	Balance of county	155	1	4	2	1	12	3	-	9	1	83	83	19	-	55	2
15	Butler	378	3	1	-	6	50	21	6	23	3	205	197	43	-	139	6
16	Poplar Bluff	198	2	-	-	2	25	8	4	13	1	114	110	18	-	87	2
17	Balance of county	180	1	1	-	4	25	13	2	10	2	91	87	25	-	52	4
18	Caldwell	134	-	-	-	-	23	9	2	12	2	76	74	25	-	45	-
19	Callaway	220	3	-	-	2	30	14	1	15	2	136	132	29	-	85	4
20	Fulton	67	-	-	-	1	9	5	1	3	-	42	42	7	-	33	1
21	Balance of county	153	3	-	-	1	21	9	-	12	2	94	90	22	-	52	3
22	Camden	98	-	-	-	1	11	5	-	6	3	65	61	19	1	40	6
23	Cape Girardeau	367	6	-	-	3	54	18	6	30	7	208	205	45	-	150	1
24	Cape Girardeau	194	1	-	-	3	26	8	4	14	2	115	114	18	-	91	-
25	Balance of county	173	5	-	-	-	28	10	2	16	5	93	91	27	-	59	1
26	Carroll	200	1	1	-	2	34	13	4	17	-	115	113	41	-	62	2
27	Carter	46	1	-	-	-	11	5	1	5	-	23	22	6	-	13	-
28	Cass	237	1	-	-	1	38	15	-	23	2	146	141	35	-	85	2
29	Cedar	118	1	-	-	2	13	3	2	8	3	68	62	21	-	38	-
30	Chariton	185	2	-	-	2	32	11	-	21	3	100	100	31	-	63	1
31	Christian	129	1	-	-	-	24	9	1	14	3	74	71	16	-	49	3
32	Clark	105	-	-	-	-	13	7	-	6	1	67	67	15	-	46	1
33	Clay	485	4	1	1	3	69	27	10	32	3	246	242	77	-	140	2
34	Kansas City (part)	100	1	-	-	2	18	7	3	8	-	43	43	12	-	28	-
35	Balance of county	385	3	1	1	1	51	20	7	24	3	203	199	65	-	112	2
36	Clinton	176	2	1	-	3	22	6	1	15	1	111	111	28	-	71	1
37	Cole	308	2	2	-	2	36	18	4	14	4	188	187	41	1	132	4
38	Jefferson City	218	2	1	-	2	26	13	3	10	2	136	135	29	-	98	2
39	Balance of county	90	-	1	-	-	10	5	1	4	2	52	52	12	1	34	2
40	Cooper	146	1	1	-	-	19	6	4	9	4	85	80	11	1	61	-
41	Crawford	136	2	3	-	2	25	8	4	13	3	63	61	10	-	48	1
42	Dade	127	-	-	-	-	12	7	2	3	1	76	75	26	-	40	1
43	Dallas	121	2	-	-	-	13	7	-	6	1	72	69	19	-	37	-
44	Daviess	152	-	-	-	-	25	11	1	13	1	92	91	24	-	64	3
45	De Kalb	104	-	-	-	-	15	7	3	5	1	66	66	22	-	43	2
46	Dent	110	1	-	-	-	18	7	1	10	-	73	71	19	-	49	1
47	Douglas	82	-	-	-	-	16	4	2	10	1	43	38	9	-	27	1
48	Dunklin	352	5	1	-	8	45	16	7	22	1	183	177	30	1	135	1
49	Franklin	385	3	1	-	1	62	28	6	28	6	210	206	34	1	157	1
50	Gasconade	145	3	-	-	-	21	6	2	13	1	84	81	20	-	57	-
51	Gentry	141	-	-	-	-	21	11	3	7	2	89	88	22	-	61	-
52	Greene	1,061	12	4	-	3	183	67	25	91	9	607	594	112	2	425	13
53	Springfield	784	8	4	-	2	141	51	19	71	4	446	437	86	2	312	10
54	Balance of county	277	4	-	-	1	42	16	6	20	5	161	157	26	-	113	3
55	Grundy	189	-	-	-	1	21	9	1	11	1	122	121	22	-	75	6
56	Harrison	172	3	-	-	1	30	18	6	6	1	96	92	19	-	67	2
57	Henry	284	3	1	-	-	42	16	1	25	5	156	150	32	-	110	5
58	Hickory	62	1	-	-	1	9	2	2	5	1	33	33	11	-	20	-
59	Holt	123	-	-	-	-	26	15	1	10	2	64	64	25	-	34	1
60	Howard	156	-	2	-	-	23	10	1	12	-	101	94	30	-	59	1
61	Howell	299	5	-	-	1	45	22	4	19	7	181	180	41	1	132	1
62	Iron	123	3	-	-	-	10	6	-	4	3	65	64	11	-	48	1
63	Jackson	6,327	70	41	5	21	989	323	144	502	77	3,268	3,171	741	3	2,179	92
64	Kansas City (part)	5,396	64	36	2	18	830	278	128	424	67	2,762	2,680	627	1	1,839	76
65	Kansas City (total)	5,496	65	36	2	20	848	285	131	432	67	2,805	2,723	639	1	1,867	76
66	Independence	389	1	1	1	-	52	21	3	28	4	219	212	47	1	154	6
67	Balance of county	542	5	4	2	3	87	24	13	50	6	287	279	67	1	186	10
68	Jasper	1,041	41	5	1	6	152	56	19	77	13	560	534	88	2	413	11
69	Joplin (part)	530	26	3	1	3	73	25	13	35	7	291	279	47	-	219	2
70	Joplin (total)	539	29	3	1	3	75	26	14	35	7	293	281	47	-	221	2
71	Carthage	162	3	-	-	-	18	9	1	8	3	85	79	9	-	60	3
72	Balance of county	349	12	2	-	3	61	22	5	34	3	184	176	32	2	134	6
73	Jefferson	398	3	-	-	2	67	25	6	36	6	217	210	45	-	154	5
74	Johnson	286	-	1	-	-	34	10	2	22	3	180	171	42	-	113	2
75	Knox	82	-	-	-	1	12	4	2	6	2	39	37	8	-	23	-
76	Laclede	212	2	1	2	2	30	12	1	17	3	115	108	26	-	74	3
77	Lafayette	277	-	4	-	-	49	14	3	32	5	161	157	46	-	101	3
78	Lawrence	271	4	-	-	2	42	13	5	24	6	157	151	48	-	92	11
79	Lewis	140	1	1	-	-	23	8	1	14	-	86	81	21	-	54	1
80	Lincoln	193	2	1	-	-	31	13	3	15	2	124	123	31	-	87	4
81	Linn	242	1	-	-	-	37	11	9	17	3	151	147	45	1	86	1
82	Livingston	211	1	3	1	1	37	16	1	20	3	116	114	33	-	73	4
83	McDonald	157	4	-	-	1	25	11	3	11	2	91	89	20	-	61	1
84	Macon	248	2	2	-	1	39	19	3	17	4	139	131	31	-	90	3
85	Madison	116	-	-	-	1	23	6	2	15	2	64	60	15	-	43	6
86	Maries	78	2	-	-	1	12	5	2	5	1	40	37	15	-	22	-
87	Marion	363	2	1	1	1	41	13	6	22	5	229	221	63	-	139	1
88	Hannibal (part)	258	2	1	-	-	32	10	5	17	4	168	164	46	-	107	-
89	Hannibal (total)	260	2	1	-	-	32	10	5	17	4	169	165	46	-	108	-
90	Balance of county	105	-	-	1	1	9	3	1	5	1	61	57	17	-	32	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-lato-ry sys-tem 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E500-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
40	28	27	5	2	2	6	7	-	1	1	1	-	5	8	4	5	13	5	-	21	1
17	18	14	2	-	1	2	5	-	1	1	1	-	4	3	1	3	7	2	-	11	2
23	10	13	3	2	1	4	2	-	-	-	-	-	1	5	3	2	6	3	-	10	3
60	10	24	2	3	2	5	12	1	3	2	2	-	2	4	-	3	7	1	-	21	4
37	4	15	-	5	-	2	7	1	1	2	-	1	-	3	3	2	5	2	-	9	5
53	12	12	-	2	3	12	12	3	-	1	1	-	2	2	2	8	11	1	-	17	6
30	6	9	1	1	-	2	4	-	-	1	1	-	-	2	3	7	5	2	-	12	7
19	7	9	-	1	1	2	2	-	-	2	-	-	-	2	2	1	-	-	2	6	8
131	31	14	6	12	2	7	6	2	1	4	1	-	4	14	1	3	17	3	1	29	9
68	18	7	3	6	1	3	3	1	-	3	1	-	3	13	1	-	10	2	1	20	10
63	13	7	3	6	1	4	3	1	1	1	-	-	1	1	-	3	7	1	-	9	11
309	59	75	12	24	4	4	27	7	6	11	4	-	18	35	4	12	31	14	2	62	12
269	56	65	10	17	4	4	18	6	5	11	3	-	13	29	3	8	21	9	2	54	13
40	3	10	2	7	-	-	9	1	1	-	1	-	5	6	1	4	10	5	-	8	14
87	23	23	5	3	7	8	13	3	1	5	-	-	6	20	6	7	22	3	4	20	15
53	16	16	1	-	4	4	8	1	-	3	-	-	1	11	1	3	8	1	1	16	16
34	7	7	4	3	3	4	5	2	1	2	-	-	5	9	5	4	14	2	3	4	17
23	5	17	-	4	-	2	3	-	-	-	-	-	1	1	7	6	3	1	-	11	18
40	19	22	1	16	1	4	4	1	3	2	-	-	3	7	-	5	6	1	2	13	19
18	6	8	-	2	-	-	-	-	-	1	-	-	-	4	-	-	3	-	-	7	20
22	13	14	1	14	1	4	4	1	3	1	-	-	3	3	-	5	3	1	2	6	21
17	9	8	1	-	-	4	3	1	-	-	-	-	-	1	1	3	3	1	1	4	22
80	34	35	3	6	1	3	8	2	2	5	-	2	2	17	3	7	14	2	-	25	23
52	21	18	1	4	-	1	3	2	1	5	-	1	1	13	1	1	5	1	-	13	24
28	13	17	2	2	1	2	5	-	1	-	-	1	1	4	2	6	9	1	-	12	25
31	7	22	4	4	2	2	4	-	-	3	-	-	1	2	10	2	10	-	1	14	26
8	3	2	1	1	1	1	1	1	-	1	-	-	1	-	-	3	1	1	-	2	27
64	9	10	8	12	1	5	4	-	-	1	1	-	4	6	1	8	8	2	-	14	28
21	8	9	1	-	2	6	4	-	-	2	-	-	2	1	7	1	4	1	-	9	29
33	11	18	1	4	1	-	5	2	-	-	1	1	1	3	-	4	8	5	1	15	30
34	6	6	1	5	-	3	5	1	-	-	-	-	2	4	1	4	3	1	1	5	31
27	4	14	1	4	1	-	2	1	-	-	-	-	-	2	2	5	7	-	-	5	32
112	11	15	2	21	2	4	13	5	5	3	-	-	12	22	3	26	23	11	2	33	33
22	3	3	-	3	-	-	2	2	-	2	-	-	2	2	-	9	9	-	-	8	34
90	8	12	2	18	2	4	11	3	5	1	-	-	10	20	3	17	14	11	2	25	35
41	3	26	1	8	3	-	-	3	1	2	-	-	3	4	-	3	8	3	-	9	36
87	21	20	4	4	5	1	7	5	2	3	-	-	4	13	1	7	9	3	-	20	37
67	15	14	-	3	5	1	4	2	1	3	-	-	3	10	-	4	8	2	-	12	38
20	6	6	4	1	-	-	3	3	1	-	-	-	1	3	1	3	1	1	-	8	39
39	7	15	-	7	-	5	5	-	1	1	1	-	2	5	-	3	5	3	-	10	40
34	7	6	-	2	1	2	5	-	-	2	-	-	2	5	7	3	4	1	-	9	41
23	5	11	3	6	-	1	1	2	1	1	2	-	-	-	6	5	5	3	1	11	42
27	7	3	6	6	1	3	2	1	1	1	3	1	2	5	2	2	4	2	1	6	43
27	9	25	-	3	-	1	4	1	1	2	-	-	1	4	4	-	5	3	1	8	44
24	3	14	1	-	-	-	3	2	-	3	-	-	1	-	3	-	1	-	-	9	45
28	10	10	-	3	-	2	4	-	-	2	-	-	1	-	1	1	2	-	-	7	46
16	4	6	1	1	-	5	4	-	2	-	-	-	2	1	4	4	1	-	-	4	47
79	27	28	4	3	4	6	8	2	7	2	2	2	4	19	8	12	18	4	3	18	48
86	20	50	3	8	3	4	9	-	2	1	1	1	2	11	3	15	18	4	-	35	49
40	7	10	1	3	-	3	5	2	1	2	1	-	2	1	4	5	4	2	2	5	50
38	9	14	2	2	1	1	7	1	-	-	1	-	-	2	-	3	3	3	-	9	51
287	61	64	6	46	3	13	28	3	2	5	-	1	15	36	9	28	47	9	1	59	52
218	43	41	4	30	3	9	18	2	2	4	-	1	10	32	5	20	33	7	1	44	53
69	18	23	2	16	-	4	10	1	-	1	-	-	5	4	4	8	14	2	-	15	54
34	19	16	4	18	2	1	10	1	1	1	-	-	4	3	3	3	6	3	1	8	55
34	8	23	1	5	-	4	3	-	-	2	2	-	2	2	2	6	7	1	-	14	56
61	14	30	5	1	2	6	10	3	2	1	-	-	2	7	5	6	8	3	-	30	57
9	5	6	-	2	-	-	5	-	1	-	-	-	-	-	1	3	1	-	-	6	58
20	3	10	1	3	1	-	3	2	-	1	1	-	-	1	3	2	4	1	-	13	59
35	10	13	1	3	1	7	3	2	1	1	1	-	1	2	-	2	4	3	-	10	60
68	19	44	1	3	2	11	3	1	-	1	-	1	5	7	3	3	8	3	1	14	61
17	-	30	1	4	-	1	6	-	-	2	1	-	-	7	1	4	6	-	1	14	62
1,436	314	337	47	160	41	97	224	43	28	96	14	5	75	227	192	140	260	71	53	448	63
1,192	277	294	33	144	36	82	200	41	27	91	11	4	53	193	179	101	224	55	50	388	64
1,214	280	297	33	147	36	82	202	43	27	93	11	4	55	195	179	110	233	55	50	396	65
118	14	16	4	4	2	7	10	-	-	2	-	1	6	18	9	21	14	5	1	24	66
126	23	27	10	12	3	8	14	2	1	3	3	-	16	16	4	18	22	11	2	36	67
258	45	99	10	15	6	26	39	6	3	10	1	1	7	23	5	25	52	14	6	71	68
148	21	48	3	6	4	12	20	1	2	4	-	-	6	13	2	13	25	7	3	30	69
149	21	49	3	6	4	12	21	1	2	4	-	-	7	13	2	13	25	7	3	30	70
34	7	16	4	4	2	6	5	1	1	2	-	1	1	3	3	3	13	2	1	17	71
76	17	35	3	5	-	8	14	4	-	4	1	-	-	7	-	9	14	5	2	24	72
89	14	46	5	4	2	7	11	2	3	4	-	-	3	13	3	14	24	5	1	20	73
71	14	26	6	5	5	9	3	1	-	2	-	1	2	14	-	6	19	4	-	16	74
12	2	9	5	1	-	2	1	-	-	1	1	-	1	2	1	3	7	2	-	9	75
46	5	20	1	5	2	7	11	1	1	2	-	1	2	7	3	10	6	4	-	9	76
72	13	13	2	7	1	4	6	2	-	1	2	-	1	4	1	7	6	2	1	25	77
55	10	16	6	4	1	6	7	-	1	1	1	-	2	8	4	5	6	1	-	24	78
27	7	19	2	4	-	5	2	1	-	2	-	-	-	4	1	-	1	1	-	17	79
54	9	20	-	4	1	1	5	-	-	-	-	-	2	3	-	4	5	1	-	13	80
58	6	21	3	11	1	4	3	-	1	1	2	-	2	3	2	6	11	4	-	15	81
44	7	18	-	6	2	2	6	1	-	1	1	-	4	9	1	6	9	-	-	12	82
42	2	16	2	4	2	2	9	1	-	-	-	-	5	2	-	3	6	2	-	6	83
56	13	18	1	7	2	8	3	1	1	1	-	-	2	2	4	5	7	7	-	28	84
21	3	13	-	1	1	4	6	2	1	1	-	-	1	1	-	1	5	1	-	7	85
15	1	6	-	-	-	3	4	1	-	-	-	-	-	1	1	2	6	1	-	6	86
101	10	27	1	12	6	8	15	1	1	1	-	-	5	4	13	10	8	5	-	20	87
76	10	21	-	8	3	4	8	1	1	-	-	-	4	4	10	6	4	2	-	11	88
76	10	22	-	8	3	4	8	1	1	-	-	-	4	4	10	6	4	2	-	12	89
25	-	6	1	4	3	4	7	-	-	1	-	-	1	-	3	4	4	3	-	9	90

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MISSOURI—Continued																
1	Mercer	76	1	-	-	-	16	8	-	8	-	45	44	7	-	35	1
2	Miller	143	1	-	-	2	10	7	-	3	1	97	96	25	-	65	2
3	Mississippi	195	3	-	-	7	23	7	2	14	3	107	105	29	-	73	-
4	Moniteau	145	-	1	-	-	26	12	2	12	1	82	82	24	-	49	1
5	Monroe	168	2	-	1	1	13	5	2	6	3	111	111	38	-	69	-
6	Montgomery	166	-	-	-	-	30	17	3	10	2	105	95	17	-	70	-
7	Morgan	117	1	1	2	-	17	7	-	10	1	64	64	16	-	42	1
8	New Madrid	282	5	3	-	3	40	13	5	22	1	115	109	35	-	69	-
9	Sikeston (part)	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
10	Balance of county	281	5	3	-	3	40	13	5	22	1	114	108	35	-	68	-
11	Newton	305	14	3	-	-	38	12	9	17	3	162	157	34	-	108	3
12	Joplin (part)	9	3	-	-	-	2	1	1	-	-	2	2	-	-	2	-
13	Balance of county	296	11	3	-	-	36	11	8	17	3	160	155	34	-	106	3
14	Nodaway	270	2	-	-	-	47	22	2	23	5	160	154	55	-	92	4
15	Oregon	89	-	-	-	2	19	8	3	8	1	42	41	10	-	30	1
16	Osage	111	-	-	-	-	17	11	-	6	4	70	68	14	2	48	2
17	Ozark	75	2	1	-	-	10	3	3	4	-	41	35	7	-	25	1
18	Pemiscot	339	10	4	1	9	34	16	2	16	5	136	133	34	-	97	3
19	Perry	136	1	1	-	1	19	10	2	7	2	81	79	18	-	57	1
20	Pettis	450	5	2	-	2	64	32	4	28	5	256	248	77	-	167	3
21	Sedalia	323	4	2	-	2	47	24	2	21	4	181	173	54	-	116	3
22	Balance of county	127	1	-	-	-	17	8	2	7	1	75	75	23	-	51	-
23	Phelps	218	3	1	-	-	33	11	2	20	4	125	118	28	-	86	2
24	Pike	242	2	2	-	-	35	13	1	21	2	136	131	20	-	97	3
25	Platte	156	-	-	1	-	19	8	2	9	3	85	85	23	-	58	4
26	Polk	186	1	1	-	-	29	12	3	14	6	113	113	30	-	70	-
27	Pulaski	153	1	-	-	-	25	15	1	9	1	69	67	16	-	49	1
28	Putnam	94	1	1	-	-	13	7	-	6	3	58	56	17	-	37	1
29	Ralls	67	1	-	-	2	10	3	2	5	-	39	39	13	-	24	1
30	Hannibal (part)	2	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
31	Balance of county	65	1	-	-	2	10	3	2	5	-	38	38	13	-	23	1
32	Randolph	315	2	1	-	2	42	13	3	26	4	192	186	51	-	117	4
33	Moberly	184	2	-	-	1	26	7	2	17	2	117	113	30	-	70	3
34	Balance of county	131	-	1	-	1	16	6	1	9	2	75	73	21	-	47	1
35	Ray	225	3	1	-	1	25	11	2	12	4	143	135	34	-	86	-
36	Reynolds	63	-	-	-	-	9	5	-	4	1	29	29	9	-	18	-
37	Ripley	117	4	-	-	2	18	6	-	12	3	58	57	22	-	35	2
38	St. Charles	291	-	-	-	3	45	17	7	21	6	165	162	20	-	123	2
39	St. Charles	144	-	-	-	-	23	8	4	11	2	87	86	8	-	67	-
40	Balance of county	147	-	-	-	3	22	9	3	10	4	78	76	12	-	56	2
41	St. Clair	141	1	-	1	-	20	7	4	9	5	85	80	17	-	59	2
42	St. Francois	339	5	-	-	4	52	23	6	23	7	190	187	44	-	131	4
43	St. Louis	3,728	19	19	5	7	698	225	102	371	77	1,932	1,896	362	4	1,414	49
44	University City	456	1	1	-	-	90	30	12	48	12	267	263	51	-	195	9
45	Clayton	186	-	1	1	-	45	18	6	21	6	77	74	12	-	57	1
46	Ferguson	84	-	1	-	-	12	4	3	5	3	39	39	6	-	32	1
47	Jennings	145	1	1	-	1	37	9	6	22	3	71	69	11	-	56	1
48	Kirkwood	234	1	1	-	-	51	15	5	31	4	110	109	21	-	85	1
49	Maplewood	143	-	-	-	1	22	10	1	11	5	80	80	11	-	64	1
50	Overland	209	2	2	-	-	43	11	6	26	2	113	110	23	-	83	1
51	Richmond Heights	149	3	1	-	-	28	9	4	15	2	85	84	18	-	60	7
52	Webster Groves	234	2	2	-	1	33	13	2	18	4	130	126	21	1	94	3
53	Balance of county	1,888	9	9	4	4	337	106	57	174	36	960	942	188	3	688	24
54	St. Louis (city)	10,432	167	74	5	35	1,737	602	222	913	168	5,443	5,302	1,073	3	3,832	155
55	Ste. Genevieve	110	-	-	-	-	24	15	3	6	2	57	55	13	-	38	-
56	Saline	303	1	3	1	2	56	29	6	21	8	166	158	37	-	110	5
57	Schuyler	85	-	1	-	-	11	2	-	9	-	37	34	11	-	17	-
58	Scotland	106	-	-	-	-	21	10	2	9	-	64	60	17	-	41	1
59	Scott	294	4	-	-	4	41	11	6	24	3	159	158	30	-	113	3
60	Sikeston (part)	104	2	-	-	2	16	2	2	12	1	57	57	7	-	43	2
61	Sikeston (total)	105	2	-	-	2	16	2	2	12	1	58	58	7	-	44	2
62	Balance of county	190	2	-	-	2	25	9	4	12	2	102	101	23	-	70	1
63	Shannon	60	-	-	-	-	11	5	-	6	-	29	29	6	-	21	-
64	Shelby	145	1	-	-	-	27	15	2	10	1	81	76	20	1	52	4
65	Stoddard	301	3	1	-	3	39	14	3	22	1	157	148	41	-	97	4
66	Stone	81	-	-	-	-	14	7	1	6	1	41	39	9	-	29	1
67	Sullivan	133	-	-	-	-	11	5	1	5	-	92	87	30	-	49	-
68	Taney	89	1	1	-	1	12	6	1	5	-	48	47	19	-	25	1
69	Texas	187	3	3	-	2	33	13	6	14	-	109	108	17	-	84	2
70	Vernon	269	-	1	-	1	35	17	4	14	2	171	169	41	-	116	4
71	Warren	113	-	1	-	-	19	9	3	7	1	72	68	10	-	55	1
72	Washington	132	1	-	-	-	19	6	3	10	-	75	75	16	-	54	3
73	Wayne	93	1	1	-	2	17	7	3	7	1	47	45	8	-	33	-
74	Webster	144	2	-	-	-	16	8	-	8	1	89	86	24	-	51	4
75	Worth	68	-	-	-	-	14	6	1	7	2	39	38	9	-	23	-
76	Wright	175	-	-	-	3	14	7	-	7	2	110	103	24	2	73	2
77	MONTANA	6,059	58	24	9	35	879	321	118	440	98	3,016	2,944	627	5	2,082	67
78	Nonmetropolitan counties	6,059	58	24	9	35	879	321	118	440	98	3,016	2,944	627	5	2,082	67
79	Beaverhead	90	-	1	-	-	13	9	2	2	1	46	46	12	-	33	1
80	Big Horn	87	1	-	2	-	10	3	1	6	-	32	30	5	-	22	3
81	Blaine	73	1	-	-	2	7	3	1	3	-	34	34	7	-	26	-
82	Broadwater	23	-	-	-	-	5	1	-	4	1	9	9	2	-	7	-
83	Carbon	104	-	-	-	1	19	5	2	12	5	55	51	11	-	33	-
84	Carter	29	1	-	-	-	5	1	1	3	-	10	10	4	-	3	-
85	Cascade	547	1	4	-	3	85	25	10	50	7	250	241	40	-	182	11
86	Great Falls	448	1	4	-	3	77	22	10	45	3	208	200	29	-	157	11
87	Balance of county	99	-	-	-	-	8	3	-	5	4	42	41	11	-	25	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
16	8	10	-	2	-	1	3	-	-	-	-	-	1	-	-	-	4	-	-	6	1
32	10	21	2	4	-	1	4	1	2	-	-	1	2	3	-	3	5	4	-	7	2
46	6	21	1	2	-	2	10	-	4	-	-	-	3	8	1	2	10	1	3	10	3
28	3	17	3	6	-	-	7	1	-	4	-	1	2	1	1	3	7	1	-	7	4
40	7	22	2	2	-	-	7	2	-	1	-	-	-	5	4	1	9	3	-	5	5
40	8	22	5	2	1	10	4	-	-	-	1	-	-	2	1	4	10	3	1	3	6
27	4	10	3	3	-	-	5	-	1	-	-	-	-	1	1	6	3	1	-	13	7
32	12	25	2	1	2	6	19	2	4	3	1	3	2	17	12	13	12	7	4	16	8
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
31	12	25	2	1	2	6	19	2	4	3	1	3	2	17	12	13	12	7	4	16	10
72	13	20	4	10	1	5	16	-	1	3	2	-	6	13	3	14	7	2	-	18	11
1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	12
71	13	19	4	10	1	5	15	-	1	3	2	-	5	13	3	14	7	2	-	18	13
67	6	15	-	6	1	6	6	2	1	-	1	-	1	4	8	6	6	1	1	19	14
20	5	4	1	-	-	1	5	1	-	-	-	-	-	1	-	4	6	2	-	6	15
29	8	9	2	1	1	2	3	-	-	-	2	-	1	2	-	-	9	-	-	3	16
14	3	7	1	2	-	6	4	-	-	-	1	-	2	2	-	1	1	-	-	10	17
55	21	18	2	-	-	3	14	1	6	1	2	3	5	20	23	13	17	2	7	26	18
34	5	17	2	2	-	2	1	-	-	3	-	-	1	5	5	2	2	1	-	11	19
87	22	55	2	2	-	8	13	3	3	1	-	-	3	18	4	11	21	5	1	33	20
64	14	35	1	2	-	8	7	1	3	-	-	-	1	15	3	8	17	3	1	24	21
23	8	20	1	-	-	-	6	2	-	1	-	-	2	3	1	3	4	2	-	9	22
58	17	9	1	3	-	7	9	1	-	2	-	-	2	5	-	11	5	3	1	13	23
56	13	25	1	9	4	5	4	1	3	2	-	2	1	5	1	16	14	2	1	13	24
47	2	5	-	4	-	-	5	2	1	-	1	-	-	5	1	5	11	2	-	15	25
29	14	27	2	9	2	-	2	-	-	-	-	-	2	2	4	4	9	4	-	9	26
28	8	12	1	1	-	2	5	-	1	-	-	-	4	16	1	6	6	2	2	14	27
28	3	5	-	2	-	2	2	-	1	-	-	-	1	1	1	4	4	1	-	3	28
13	2	8	1	1	-	-	1	1	-	-	-	-	-	1	1	1	4	-	-	6	29
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	30
13	2	7	1	1	-	-	1	1	-	-	-	-	-	1	1	1	4	-	-	5	31
60	22	31	2	16	-	6	5	-	2	1	-	1	-	11	7	6	15	4	-	20	32
45	9	13	1	12	-	4	3	-	1	1	-	-	-	6	3	2	7	1	-	12	33
15	13	18	1	4	-	2	2	-	1	-	-	1	-	5	4	4	8	3	-	8	34
42	10	34	3	8	4	8	8	1	-	1	-	-	4	3	1	6	13	1	-	10	35
8	2	8	-	2	-	-	3	-	-	1	-	1	-	2	1	1	4	4	3	4	36
23	5	5	-	-	-	1	10	2	-	-	-	-	2	3	4	1	1	3	-	6	37
75	22	24	4	12	3	3	4	2	-	1	1	-	5	14	3	6	14	4	1	17	38
47	10	10	2	6	3	1	1	1	-	1	-	-	2	12	-	2	4	3	1	5	39
28	12	14	2	6	-	2	3	1	-	-	1	-	3	2	3	4	10	1	-	12	40
37	4	16	1	3	-	5	2	-	1	-	-	1	1	1	1	-	9	3	-	10	41
92	19	16	2	9	1	3	11	1	2	-	1	-	3	13	1	6	11	2	-	30	42
883	174	308	29	52	35	36	65	20	13	37	3	2	78	158	153	75	129	43	9	186	43
142	13	31	1	8	8	4	8	2	-	-	-	-	6	14	10	9	10	6	-	20	44
42	7	7	1	1	3	3	2	3	2	2	-	-	1	20	6	1	8	1	-	10	45
21	3	7	1	-	-	-	4	-	-	1	-	-	3	7	6	2	-	-	-	6	46
32	10	13	-	2	-	2	3	-	-	2	-	-	4	1	6	3	6	1	-	5	47
50	11	23	2	1	-	1	8	1	2	2	-	-	7	6	14	4	3	6	-	14	48
37	10	16	1	4	-	-	-	2	-	1	-	-	2	7	8	5	2	2	-	6	49
47	14	21	-	2	2	3	1	3	-	1	-	-	7	7	6	4	8	2	-	8	50
36	7	10	-	3	3	1	1	1	1	2	-	-	-	6	6	3	5	1	-	4	51
58	13	20	4	3	3	4	4	1	-	5	-	-	4	8	12	3	12	2	-	11	52
418	86	160	19	28	16	18	34	7	8	21	3	2	44	82	79	41	75	22	9	102	53
2,308	647	722	80	241	73	141	331	83	43	170	17	14	103	425	29	191	452	69	85	791	54
20	5	13	2	2	-	2	3	-	-	3	-	-	2	4	-	2	7	-	-	6	55
62	19	24	1	7	3	8	11	-	2	2	1	-	2	6	-	6	13	1	-	22	56
10	-	7	-	6	-	3	-	-	-	2	-	-	-	3	-	-	2	1	-	8	57
17	2	21	-	2	-	4	4	-	-	-	-	-	-	1	1	1	7	1	-	6	58
52	27	31	4	9	2	1	4	2	2	2	-	-	5	13	2	8	14	2	5	24	59
23	9	9	2	3	2	-	2	-	1	-	-	-	3	8	1	1	3	-	1	6	60
24	9	9	2	3	2	-	2	-	1	-	-	-	3	8	1	1	3	-	1	6	61
29	18	22	2	6	-	1	2	2	1	2	-	-	2	5	1	7	11	2	4	18	62
16	-	5	-	1	1	-	4	1	-	-	-	-	-	1	1	3	4	1	-	5	63
27	7	14	1	2	-	5	6	-	-	2	-	-	4	2	-	3	5	3	-	10	64
42	16	35	1	7	2	9	17	-	3	2	2	-	6	17	6	13	14	1	1	15	65
21	3	4	1	-	-	2	5	2	-	2	1	-	2	1	-	1	4	-	-	7	66
28	4	17	2	3	3	5	3	-	1	1	-	-	2	2	2	3	5	4	-	7	67
19	2	3	2	-	1	1	2	1	-	1	-	-	3	-	1	3	7	-	-	8	68
51	23	8	-	5	2	1	7	1	1	2	-	-	1	7	1	2	4	3	-	8	69
72	17	23	4	8	-	2	7	1	1	2	1	-	1	5	-	11	12	4	-	14	70
29	9	16	-	2	1	4	1	1	-	1	-	-	-	1	-	-	6	1	-	9	71
33	7	11	-	2	3	-	7	-	2	-	-	-	1	2	2	2	10	1	-	10	72
16	2	15	1	2	1	2	3	2	-	1	-	-	1	2	3	-	6	-	1	5	73
29	10	8	2	7	2	3	8	-	1	-	1	-	-	5	2	8	1	1	-	9	74
16	2	5	1	3	2	1	5	-	-	1	-	-	1	-	-	1	1	1	-	3	75
56	6	9	1	2	1	7	11	1	-	-	2	1	2	9	-	4	5	3	-	8	76
1,348	190	477	45	146	39	72	199	39	27	57	10	5	70	244	179	219	328	104	28	431	77
1,348	190	477	45	146	39	72	199	39	27	57	10	5	70	244	179	219	328	104	28	431	78
17	-	15	-	1	-	-	3	1	1	1	-	-	-	1	7	2	4	3	-	6	79
15	-	4	-	1	2	2	6	-	4	1	-	-	1	6	3	6	7	4	1	3	80
11	3	12	1	-	-	-	-	1	-	2	-	-	2	2	2	1	15	1	-	3	81
5	1	1	-	-	-	-	3	-	-	-	-	-	1	-	-	2	1	-	-	1	82
22	-	11	1	5	1	4	3	-	-	1	-	-	-	2	1	-	6	3	-	8	83
1	1	1	-	2	1	-	3	-	-	-	-	-	1	-	2	-	5	-	-	2	84
91	27	53	2	16	1	9	20	3	5	6	-	-	7	26	31	21	30	12	-	36	85
80	24	42	1	13	-	8	16	3	4	6	-	-	4	19	27	15	19	8	-	31	86
11	3	11	1	3	1	1	4	-	1	-	-	-	3	7	4	6	11	4	-	5	87

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MONTANA—Continued																
1	Chouteau	57	-	1	-	-	7	4	2	1	2	36	35	5	-	28	-
2	Custer	120	2	1	-	-	20	6	3	11	4	55	53	11	-	37	-
3	Daniels	31	-	1	-	-	6	2	-	4	-	16	16	4	-	12	-
4	Dawson	62	1	1	1	1	11	5	-	6	-	24	24	9	-	15	-
5	Deer Lodge	205	2	1	1	2	24	10	6	8	2	95	93	22	-	67	1
6	Anaconda	184	-	1	1	2	22	9	6	7	2	88	86	21	-	61	1
7	Balance of county	21	2	-	-	-	2	1	-	1	-	7	7	1	-	6	-
8	Fallon	29	-	-	-	-	5	3	-	2	1	14	14	4	-	9	-
9	Fergus	142	-	-	-	-	18	8	3	7	2	77	77	19	-	55	1
10	Flathead	296	3	-	-	1	38	15	7	16	6	163	161	32	-	109	2
11	Gallatin	209	2	-	-	-	34	10	4	20	3	116	114	21	-	86	2
12	Bozeman	133	-	-	-	-	21	8	2	11	3	81	79	10	-	64	2
13	Balance of county	76	2	-	-	-	13	2	2	9	-	35	35	11	-	22	-
14	Garfield	23	-	-	-	-	5	1	-	4	2	11	11	3	-	7	1
15	Glacier	80	8	-	-	2	8	4	2	2	-	22	22	4	-	17	1
16	Golden Valley	13	-	-	-	-	1	-	-	1	-	10	9	3	-	5	-
17	Granite	40	1	-	-	-	5	4	-	1	2	15	14	5	-	7	-
18	Hill	152	2	-	1	2	16	7	1	8	1	73	71	10	-	52	2
19	Jefferson	49	3	-	-	1	5	3	-	2	2	27	26	8	-	17	1
20	Judith Basin	40	-	-	-	-	7	1	2	4	-	18	17	3	-	13	-
21	Lake	155	2	-	-	1	14	7	1	6	4	80	77	17	-	55	4
22	Lewis and Clark	288	3	1	1	4	44	17	6	21	7	175	169	28	-	119	2
23	Helena	213	2	1	1	3	36	12	5	19	5	127	123	17	-	91	2
24	Balance of county	75	1	-	-	1	8	5	1	2	2	48	46	11	-	28	-
25	Liberty	21	-	-	-	-	3	-	-	3	1	14	13	4	-	7	1
26	Lincoln	87	-	-	-	1	12	4	1	7	2	38	37	10	-	26	1
27	McCone	20	-	-	-	1	4	2	-	2	-	10	10	2	-	8	-
28	Madison	60	-	-	-	-	12	4	1	7	-	24	24	6	-	18	-
29	Meagher	20	-	-	-	-	2	-	1	1	-	11	11	-	-	9	-
30	Mineral	29	1	-	-	-	3	1	-	2	-	14	14	3	-	10	1
31	Missoula	324	2	2	-	2	60	17	10	33	5	163	162	44	-	100	5
32	Missoula	261	2	2	-	2	49	16	7	26	3	134	133	36	-	84	4
33	Balance of county	63	-	-	-	-	11	1	3	7	2	29	29	8	-	16	1
34	Musselshell	70	-	-	-	-	12	6	1	5	1	35	34	11	-	22	1
35	Park	130	-	-	-	1	16	8	2	6	1	78	76	14	1	56	1
36	Petroleum	7	-	-	-	-	-	-	-	-	-	4	4	-	-	4	-
37	Phillips	82	2	-	-	-	9	2	-	7	5	43	41	11	-	30	2
38	Pondera	51	2	-	-	-	10	2	1	7	-	17	17	4	-	12	-
39	Powder River	21	-	-	-	-	5	1	-	4	-	10	9	1	-	8	-
40	Powell	83	-	-	-	1	15	4	1	10	2	44	44	13	-	28	-
41	Prairie	21	-	-	-	-	3	1	1	1	-	11	11	3	-	8	-
42	Ravalli	138	2	1	-	-	16	5	5	6	1	81	80	15	-	60	2
43	Richland	80	-	2	1	-	21	9	1	11	3	29	28	11	-	15	1
44	Roosevelt	116	2	-	-	-	12	5	2	5	3	44	43	8	-	32	1
45	Rosebud	56	-	-	-	1	5	3	-	2	2	26	26	8	-	17	-
46	Sanders	67	1	-	-	1	8	3	-	5	-	36	36	10	-	22	1
47	Sheridan	55	-	-	-	-	7	4	-	3	-	30	30	5	-	25	-
48	Silver Bow	662	10	2	-	3	92	35	14	43	10	348	335	69	2	253	6
49	Butte	617	10	2	-	3	84	32	11	41	10	323	312	64	2	235	5
50	Balance of county	45	-	-	-	-	8	3	3	2	-	25	23	5	-	18	1
51	Stillwater	59	-	-	1	-	10	2	2	6	1	33	32	6	1	20	-
52	Sweet Grass	40	-	1	-	1	6	2	-	4	1	21	18	5	-	11	1
53	Teton	67	-	1	-	-	11	2	1	8	2	32	31	8	-	20	-
54	Toole	72	-	-	-	1	4	1	2	1	-	26	26	8	-	16	-
55	Treasure	10	-	-	-	-	-	-	-	-	-	4	4	1	-	2	-
56	Valley	104	-	-	-	1	20	7	4	9	-	51	51	8	-	40	2
57	Wheatland	45	1	1	-	-	8	-	1	7	1	22	22	6	-	11	-
58	Wibaux	13	-	-	-	-	1	1	-	-	-	8	8	-	-	7	1
59	Yellowstone	504	2	3	1	1	79	36	13	30	5	246	243	44	1	169	8
60	Billings	391	2	2	1	1	59	29	7	23	4	193	190	29	1	137	7
61	Balance of county	113	-	1	-	-	20	7	6	7	1	53	53	15	-	32	1
62	Yellowstone Nat. Park (part)	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
63	NEBRASKA	12,870	54	23	19	57	2,180	886	219	1,075	254	7,044	6,940	1,760	7	4,676	147
64	Metropolitan counties	4,100	30	8	4	14	708	264	87	357	65	2,235	2,198	543	3	1,491	48
65	Nonmetropolitan counties	8,770	24	15	15	43	1,472	622	132	718	189	4,809	4,742	1,217	4	3,185	99
66	Adams	295	-	1	1	2	42	23	3	16	4	165	161	53	-	98	2
67	Hastings	223	-	-	1	2	33	18	3	12	4	129	126	38	-	80	1
68	Balance of county	72	-	1	-	-	9	5	-	4	-	36	35	15	-	18	1
69	Antelope	96	-	1	1	-	15	8	2	5	1	63	62	16	-	42	1
70	Arthur	7	-	-	-	1	1	1	-	-	-	4	4	1	-	2	-
71	Banner	3	-	-	-	-	1	-	-	1	-	1	1	-	-	1	-
72	Blaine	8	-	-	-	-	1	-	-	1	-	4	4	2	-	1	-
73	Boone	106	-	-	-	1	18	6	1	11	2	57	57	9	-	45	2
74	Box Butte	120	-	-	-	1	15	3	-	12	-	62	62	18	-	39	-
75	Boyd	41	-	-	-	-	10	3	-	7	2	20	20	5	-	15	-
76	Brown	62	-	1	-	1	12	4	3	5	1	33	33	4	-	27	1
77	Buffalo	248	1	-	-	2	39	13	4	22	5	139	137	27	-	102	5
78	Kearney	131	1	-	-	1	21	7	4	10	2	72	70	13	-	52	1
79	Balance of county	117	-	-	-	1	18	6	-	12	3	67	67	14	-	50	4
80	Burt	104	1	-	-	-	14	4	-	10	1	55	53	14	-	34	2
81	Butler	129	-	-	1	-	23	13	1	9	2	68	68	17	-	49	2
82	Cass	161	-	-	-	-	33	16	-	17	3	88	88	16	-	64	1
83	Cedar	121	-	1	-	1	18	9	3	6	2	70	67	20	-	39	2
84	Chase	36	-	-	-	-	10	4	1	5	-	14	14	4	-	10	-
85	Cherry	73	1	-	-	1	8	1	1	6	2	38	38	9	-	28	1
86	Cheyenne	95	1	-	1	1	14	3	3	8	1	39	37	4	-	29	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
20	7	1	1	1	-	1	-	1	-	-	-	-	-	3	-	3	2	-	-	2	1
28	4	5	-	1	4	2	4	-	1	-	-	-	3	4	-	6	7	-	-	13	2
6	1	5	-	-	-	-	1	1	-	-	-	-	1	1	-	2	-	1	-	1	3
11	-	4	-	-	-	-	3	1	-	-	-	-	2	1	1	6	3	1	-	5	4
31	13	22	-	3	1	2	7	4	1	3	-	1	-	13	3	11	9	2	12	12	5
27	13	20	-	3	1	2	6	3	1	2	-	-	-	11	2	10	9	1	12	11	6
4	-	2	-	-	-	-	1	1	-	1	-	1	-	2	1	1	-	1	-	1	7
8	-	1	1	-	-	-	1	-	-	-	-	-	-	1	1	1	4	-	-	1	8
40	3	11	-	3	-	-	5	1	2	-	-	-	2	8	2	7	8	-	-	10	9
78	10	19	-	20	-	2	16	1	-	3	-	-	4	9	3	10	14	6	2	17	10
61	9	14	1	5	1	2	5	1	2	2	1	-	-	8	1	8	14	3	-	9	11
46	6	10	1	3	1	2	2	1	-	2	-	-	-	3	-	6	7	1	-	6	12
15	3	4	-	2	-	-	3	-	2	-	1	-	-	5	1	2	7	2	-	3	13
5	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	14
11	1	4	-	1	-	-	7	-	3	4	-	-	-	5	1	5	8	-	1	6	15
5	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	16
6	-	1	-	2	-	1	2	-	-	-	-	-	1	1	1	1	5	1	1	4	17
38	5	7	2	5	2	2	3	2	-	2	1	-	6	7	9	7	3	2	3	12	18
10	1	5	1	-	-	1	1	-	-	-	-	-	-	-	2	3	1	1	-	3	19
8	3	2	1	-	-	1	1	1	1	-	-	-	-	-	1	2	3	-	-	6	20
38	3	10	1	2	2	3	2	-	-	-	1	-	3	10	9	9	6	2	-	12	21
66	7	44	2	18	2	6	7	1	-	3	1	-	-	8	3	4	9	4	-	13	22
52	4	33	2	13	-	4	6	1	-	2	1	-	-	5	2	3	3	4	-	11	23
14	3	11	-	5	2	2	1	-	-	1	-	-	-	3	1	1	6	-	-	2	24
5	1	-	-	2	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	25
16	7	2	-	1	-	1	2	-	1	-	-	1	2	4	2	5	11	1	-	5	26
4	-	4	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	27
14	1	3	-	-	-	-	2	-	-	-	-	-	-	-	7	2	1	3	-	9	28
1	-	8	2	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	3	29
9	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	5	2	-	-	1	30
78	9	8	5	13	-	1	8	2	-	-	-	1	6	11	6	7	14	12	-	23	31
67	7	6	2	11	-	1	6	2	-	-	-	-	4	11	4	4	10	8	-	20	32
11	2	2	3	2	-	-	2	-	-	-	-	1	2	-	2	3	4	4	-	3	33
19	1	1	-	-	1	1	7	-	-	3	-	-	-	1	-	1	7	-	-	3	34
37	7	11	-	4	1	2	-	3	2	-	-	-	1	3	3	4	5	-	-	13	35
4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	36
26	-	2	-	-	-	2	1	-	1	2	1	-	1	2	-	5	3	1	-	6	37
11	1	-	-	1	-	-	-	-	1	2	-	-	-	3	4	3	4	-	-	5	38
5	1	2	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	1	-	1	39
17	3	8	-	1	2	-	-	1	-	1	-	-	1	3	1	1	5	1	-	7	40
6	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	2	41
45	2	11	-	3	2	1	1	-	-	-	-	-	1	2	12	5	2	4	1	9	42
10	2	2	-	-	2	1	4	-	-	-	-	-	4	4	-	1	2	2	-	7	43
13	7	11	3	-	-	1	7	-	-	1	-	-	-	10	-	14	11	2	1	9	44
12	2	3	1	-	-	-	1	2	-	-	1	-	-	5	3	-	4	1	-	5	45
17	1	3	1	2	1	-	3	-	-	-	-	-	-	3	1	1	4	1	-	8	46
20	2	3	-	-	-	-	2	1	-	-	-	-	-	3	1	3	2	-	-	6	47
143	14	90	3	4	4	13	22	6	-	7	2	-	10	28	14	9	38	7	4	50	48
134	13	83	3	4	4	11	21	6	-	5	2	-	10	27	13	9	36	7	4	45	49
9	1	7	-	-	-	2	1	-	-	2	-	-	-	1	1	-	2	-	-	5	50
13	-	7	1	2	2	1	2	-	-	-	-	-	-	2	1	2	3	-	-	4	51
7	2	1	-	2	-	3	1	-	-	-	-	-	1	-	1	-	-	2	-	5	52
12	2	6	2	1	-	1	2	1	1	-	-	-	-	3	4	-	4	-	-	6	53
11	1	4	1	1	-	-	4	-	-	1	-	-	1	7	12	3	5	3	-	5	54
1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	55
29	3	6	1	1	1	-	3	1	-	2	-	1	-	6	-	3	4	1	-	11	56
9	1	1	4	1	-	-	-	-	-	-	-	-	-	2	2	1	4	-	1	2	57
5	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	58
117	21	23	6	18	5	3	19	3	1	5	2	1	7	21	15	19	21	15	1	37	59
96	18	16	3	16	4	3	17	1	1	4	1	1	6	15	14	14	15	11	1	28	60
21	3	7	3	2	1	-	2	2	-	1	1	-	1	6	1	5	6	4	-	9	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
3,091	499	939	83	308	106	104	382	84	57	122	12	12	175	487	66	340	478	138	31	855	63
1,101	158	184	29	91	41	37	120	35	20	51	2	-	70	182	14	100	137	29	18	258	64
1,990	341	755	54	217	65	67	262	49	37	71	10	12	105	305	52	240	341	109	13	597	65
66	12	18	3	4	3	4	8	1	-	3	2	-	1	11	3	8	11	9	1	22	66
52	11	16	2	4	2	3	4	1	-	1	1	-	1	9	1	4	10	6	-	16	67
14	1	2	1	-	1	1	4	-	-	2	1	-	-	2	2	4	1	3	1	6	68
21	5	15	1	2	1	1	6	-	-	1	-	1	-	1	-	-	2	-	-	4	69
1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	70
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	71
-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	72
31	2	10	-	3	-	-	8	2	-	-	-	-	3	3	-	2	6	-	-	4	73
28	5	6	1	4	-	-	8	-	2	3	-	1	2	8	2	4	4	2	-	6	74
13	-	2	-	-	-	-	3	1	-	-	-	-	-	-	-	-	3	-	-	2	75
18	5	3	1	-	1	-	-	1	-	-	-	-	2	3	-	2	3	-	-	3	76
72	12	13	2	6	-	2	9	2	1	6	-	1	3	7	1	6	11	1	-	14	77
38	7	6	1	4	-	2	6	-	1	5	-	-	-	7	-	2	4	1	-	8	78
34	5	7	1	2	-	-	3	2	-	1	-	1	3	-	1	4	7	-	-	6	79
18	8	6	-	4	1	2	4	1	-	2	1	-	1	5	-	4	7	-	-	8	80
39	4	4	1	1	-	-	2	1	1	1	-	-	-	5	1	4	4	5	-	11	81
35	4	24	-	7	1	-	8	1	-	-	-	-	1	5	-	6	6	1	-	9	82
23	4	10	1	6	1	3	2	2	-	1	-	-	2	4	1	1	5	1	-	10	83
5	-	5	-	-	-	-	2	-	-	1	-	-	-	-	-	4	2	-	-	3	84
20	1	6	-	1	-	-	2	1	-	-	-	-	1	5	2	3	3	2	1	3	85
12	2	15	1	2	1	2	4	-	2	2	-	2	4	13	-	6	1	1	-	3	86

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148, 156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEBRASKA—Continued																
1	Clay	117	1	-	-	-	16	7	2	7	3	65	65	22	-	38	2
2	Colfax	105	-	-	-	-	28	19	2	7	2	50	50	11	-	35	1
3	Cuming	122	1	-	-	-	23	10	1	12	2	69	69	17	-	47	-
4	Custer	190	2	-	1	-	29	13	2	14	6	117	113	35	-	70	-
5	Dakota	83	3	-	-	1	17	7	1	9	1	40	40	12	-	27	-
6	Dawes	110	-	-	-	1	21	6	2	13	3	67	66	10	-	55	-
7	Dawson	152	-	-	1	-	32	15	3	14	6	78	78	30	1	45	1
8	Deuel	24	-	-	-	1	5	1	1	3	1	14	14	2	-	7	-
9	Dixon	93	-	-	1	1	15	5	3	7	4	49	48	8	-	34	1
10	Dodge	279	-	1	-	2	37	16	3	18	4	162	157	41	-	104	4
11	Fremont	164	-	1	-	1	21	6	3	12	4	92	88	24	-	59	2
12	Balance of county	115	-	-	-	1	16	10	-	6	-	70	69	17	-	45	2
13	Douglas	2,892	25	6	2	10	511	193	65	253	45	1,563	1,535	388	2	1,050	28
14	Omaha	2,644	24	6	2	7	463	174	59	230	39	1,437	1,410	353	2	965	26
15	Balance of county	248	1	-	-	3	48	19	6	23	6	126	125	35	-	85	2
16	Dundy	34	-	-	-	-	8	5	-	3	1	18	17	2	-	15	1
17	Fillmore	104	-	-	-	-	24	8	3	13	3	58	57	11	-	40	-
18	Franklin	65	-	-	-	-	10	3	1	6	-	42	42	7	-	30	-
19	Frontier	38	-	-	-	-	3	2	-	1	2	21	19	2	-	16	1
20	Furnas	117	1	1	-	-	19	8	2	9	2	65	62	17	-	43	5
21	Gage	278	-	1	1	2	54	21	7	26	13	152	152	41	1	101	3
22	Beatrice	144	-	1	-	2	28	10	3	15	7	76	76	18	-	53	1
23	Balance of county	134	-	-	1	-	26	11	4	11	6	76	76	23	1	48	2
24	Garden	25	-	-	-	-	1	-	-	1	-	14	14	2	-	11	1
25	Garfield	24	-	1	-	-	4	1	-	3	2	16	16	5	-	9	-
26	Gosper	27	-	-	-	-	5	1	-	4	-	18	18	5	-	13	1
27	Grant	12	-	-	-	-	3	2	-	1	-	2	2	1	-	1	-
28	Greeley	66	-	-	-	-	12	7	1	4	2	41	40	16	-	21	-
29	Hall	349	1	1	2	-	55	20	5	30	5	184	183	53	-	109	-
30	Grand Island	287	1	1	1	-	45	17	5	23	3	155	155	47	-	90	-
31	Balance of county	62	-	-	1	-	10	3	-	7	2	29	28	6	-	19	-
32	Hamilton	96	-	1	-	2	22	11	2	9	1	48	48	19	-	27	1
33	Harlan	66	-	-	1	-	9	3	2	4	2	38	37	8	-	23	2
34	Hayes	12	-	-	-	-	3	2	-	1	-	2	2	-	-	2	-
35	Hitchcock	50	-	-	-	-	10	5	1	4	2	23	22	5	-	17	1
36	Holt	144	-	-	-	3	24	14	1	9	2	80	78	15	-	55	1
37	Hooker	11	-	-	-	-	-	-	-	-	-	5	5	3	-	1	-
38	Howard	71	-	-	-	-	11	3	1	7	2	41	41	10	-	28	-
39	Jefferson	153	-	-	-	-	20	10	2	8	7	90	90	30	-	54	1
40	Johnson	69	-	-	-	-	13	8	1	4	1	42	42	11	-	28	2
41	Kearney	74	-	-	-	1	10	9	-	1	1	38	38	8	-	28	2
42	Keith	62	-	-	-	1	16	6	1	9	1	25	24	5	-	16	-
43	Keya Paha	18	-	-	-	-	2	1	-	1	-	11	10	-	-	10	2
44	Kimball	39	-	-	-	-	7	5	-	2	-	21	20	5	-	15	-
45	Knox	136	1	-	-	-	21	12	2	7	4	77	77	13	-	59	6
46	Lancaster	1,095	5	2	2	3	186	66	21	99	16	621	612	148	1	403	19
47	Lincoln	979	3	2	2	3	169	59	21	89	13	562	554	134	1	364	15
48	Balance of county	116	2	-	-	-	17	7	-	10	3	59	58	14	-	39	4
49	Lincoln	228	-	1	-	-	31	8	3	20	5	116	114	28	-	81	-
50	North Platte	154	-	1	-	-	17	4	3	10	4	80	79	15	-	62	-
51	Balance of county	74	-	-	-	-	14	4	-	10	1	36	35	13	-	19	-
52	Logan	12	-	-	-	-	4	2	1	1	-	5	5	-	-	4	-
53	Loup	5	-	-	-	-	1	-	-	1	-	2	2	-	-	2	-
54	McPherson	6	-	-	1	-	-	-	-	-	-	3	3	-	-	3	-
55	Madison	237	-	-	1	1	44	17	5	22	4	127	126	34	-	83	4
56	Norfolk	128	-	-	-	-	23	7	3	13	2	74	73	22	-	46	3
57	Balance of county	109	-	-	1	1	21	10	2	9	2	53	53	12	-	37	1
58	Merrick	80	-	-	-	1	12	6	1	5	1	45	45	12	-	29	-
59	Morrill	69	-	-	-	1	10	1	1	8	-	33	33	5	1	25	-
60	Nance	60	1	-	-	-	8	3	-	5	4	33	33	11	-	16	1
61	Nemaha	112	-	-	-	1	20	6	3	11	3	61	61	14	-	40	1
62	Nuckolls	91	-	-	-	-	18	4	1	13	4	51	51	17	-	29	-
63	Otoe	169	1	1	-	2	35	15	2	18	1	82	80	23	-	54	2
64	Pawnee	77	-	-	-	-	19	10	1	8	1	44	44	2	-	41	1
65	Perkins	30	1	-	-	-	1	1	-	-	1	15	15	3	-	12	-
66	Phelps	96	-	-	-	-	13	6	2	5	2	61	61	6	-	51	-
67	Pierce	79	1	-	-	-	10	6	-	4	1	54	53	13	-	37	-
68	Platte	165	-	1	-	2	26	10	3	13	-	89	88	22	-	57	1
69	Polk	88	-	-	-	-	15	8	1	6	-	55	54	21	-	26	-
70	Red Willow	127	-	-	-	1	24	11	3	10	4	65	64	16	-	43	1
71	Richardson	179	-	-	-	-	38	14	4	20	3	100	99	22	-	72	2
72	Rock	31	-	-	-	-	2	2	-	-	-	20	20	2	-	16	2
73	Saline	155	-	2	-	2	32	17	2	13	4	86	84	26	-	55	1
74	Sarpy	113	-	-	-	1	11	5	1	5	4	51	51	7	-	38	1
75	Saunders	170	-	-	-	-	32	9	6	17	1	104	103	34	-	55	4
76	Scotts Bluff	268	-	-	-	4	38	15	3	20	12	122	120	23	1	91	4
77	Scottsbluff	120	-	-	-	1	21	6	-	15	4	54	53	6	-	45	2
78	Balance of county	148	-	-	-	3	17	9	3	5	8	68	67	17	1	46	2
79	Seward	117	-	-	-	-	23	8	3	12	6	71	69	20	-	46	2
80	Sheridan	93	-	-	-	-	13	5	-	8	2	49	48	13	-	30	1
81	Sherman	64	-	-	-	-	12	6	-	6	-	44	43	9	-	32	1
82	Sioux	19	-	-	-	-	3	-	1	2	-	7	7	1	-	5	-
83	Stanton	54	-	-	-	1	6	3	-	3	3	28	28	14	-	13	-
84	Thayer	116	-	-	-	-	25	14	-	11	-	67	67	21	-	41	2
85	Thomas	10	-	-	-	-	1	1	-	-	1	5	5	-	-	5	2
86	Thurston	82	3	-	-	-	9	4	-	5	2	41	40	9	-	31	2
87	Valley	78	1	-	1	-	13	8	1	4	1	38	37	4	-	28	1
88	Washington	150	1	-	-	-	26	10	3	13	7	82	81	24	-	54	2
89	Wayne	81	1	-	-	-	13	2	3	8	-	48	48	13	-	32	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E600-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
20	7	9	1	3	1	-	3	-	1	2	-	-	-	-	2	4	12	1	-	7	1
21	5	8	-	3	1	-	1	-	2	-	1	-	-	1	-	3	4	3	1	9	2
24	8	15	2	2	1	-	3	-	-	-	-	1	-	9	1	2	5	-	-	6	3
47	5	18	-	5	3	4	7	-	-	1	1	-	2	4	3	3	5	-	-	9	4
21	1	5	-	1	-	-	-	-	2	1	-	-	1	2	-	2	7	1	-	5	5
30	15	10	-	1	-	1	1	-	-	1	-	-	1	2	-	4	5	-	-	4	6
33	6	5	-	2	-	-	2	2	1	1	-	1	1	9	1	5	6	2	1	13	7
4	1	2	-	4	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	8
22	2	9	1	4	1	1	4	-	-	1	-	-	4	4	2	3	1	-	-	4	9
58	16	26	1	7	4	5	5	3	2	1	-	-	5	13	2	7	16	2	-	17	10
28	11	18	-	4	1	4	3	2	-	1	-	-	5	9	1	3	9	1	-	11	11
30	5	8	1	3	3	1	2	1	2	-	-	-	-	4	1	4	7	1	-	6	12
819	117	86	18	51	26	28	80	31	14	34	1	-	48	140	10	70	92	22	12	176	13
750	109	80	17	49	24	27	74	29	12	33	1	-	46	128	10	63	79	19	12	160	14
69	8	6	1	2	2	1	6	2	2	1	-	-	2	12	-	7	13	3	-	16	15
8	3	3	-	-	-	1	-	-	1	-	-	-	2	-	-	-	1	-	-	3	16
19	3	18	1	5	-	1	2	1	-	1	-	-	2	2	1	2	2	-	-	6	17
22	2	6	-	4	1	-	-	-	-	1	-	-	1	1	-	1	1	1	-	7	18
5	3	7	-	1	-	2	3	-	-	-	-	-	-	1	-	1	1	1	-	5	19
25	4	9	1	1	-	3	2	1	-	2	-	-	-	2	-	9	2	-	-	11	20
78	8	12	1	5	3	-	14	3	1	1	-	1	1	4	1	8	3	3	-	15	21
46	3	3	1	2	2	-	12	2	-	1	-	-	-	1	-	4	2	1	-	7	22
32	5	9	-	3	1	-	2	1	1	-	-	1	1	3	1	4	1	2	-	8	23
6	2	2	-	1	-	-	1	-	1	-	-	-	-	1	-	-	3	-	-	4	24
5	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	25
5	3	4	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	1	26
1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	-	-	2	27
11	-	10	-	1	2	1	-	-	-	-	-	-	-	2	-	1	5	-	-	3	28
76	8	25	4	15	2	1	11	2	2	4	-	-	5	18	1	13	8	4	1	32	29
63	5	22	4	13	1	-	6	2	2	4	-	-	5	14	1	8	6	4	1	28	30
13	3	3	-	2	1	1	5	-	-	-	-	-	-	4	-	5	2	-	-	4	31
13	1	12	-	2	-	-	2	1	-	-	-	-	-	1	-	-	5	-	-	13	32
13	2	6	-	6	-	1	-	-	1	-	1	-	1	4	1	1	4	-	1	2	33
1	1	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	2	-	-	1	34
13	3	-	-	-	-	1	2	1	-	-	-	-	2	1	-	2	1	-	-	6	35
43	3	8	2	5	1	2	5	-	1	1	-	1	-	4	1	7	4	-	-	11	36
-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	2	37
19	-	9	-	3	-	-	1	-	1	-	-	-	-	2	-	1	2	1	-	9	38
33	4	16	-	4	2	-	3	1	-	3	1	-	1	2	1	6	9	2	-	7	39
21	1	4	1	2	-	-	-	1	-	-	-	-	1	1	-	-	2	-	-	8	40
22	4	-	-	2	-	-	4	1	-	2	1	-	1	1	1	5	2	-	-	6	41
12	3	1	-	1	2	1	-	-	-	1	-	-	3	2	-	2	5	1	-	5	42
6	-	2	-	-	-	1	2	-	-	-	-	-	-	1	-	-	1	-	-	1	43
5	10	-	-	-	-	1	1	1	-	-	-	-	1	2	-	-	3	1	-	2	44
31	1	21	1	4	-	-	6	-	-	-	-	-	-	3	2	3	4	4	1	10	45
258	37	89	11	36	13	9	36	4	5	17	-	-	19	30	3	24	39	7	5	71	46
233	36	80	10	33	12	8	31	4	3	17	-	-	16	29	3	17	33	7	5	60	47
25	1	9	1	3	1	1	5	-	2	-	-	-	3	1	-	7	6	-	-	11	48
58	2	21	2	1	2	2	14	3	2	5	-	-	2	20	1	2	10	2	-	14	49
45	1	16	1	-	1	1	11	2	2	3	-	-	1	14	1	1	5	2	-	10	50
13	1	5	1	1	1	1	3	1	-	2	-	-	1	6	-	1	5	-	-	4	51
2	1	1	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	52
2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	53
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	54
54	12	13	1	7	1	1	7	3	2	3	-	-	2	7	1	3	13	-	-	19	55
26	6	11	1	4	-	1	2	1	2	1	-	-	1	6	-	1	5	-	-	10	56
28	6	2	-	3	1	-	5	2	-	2	-	-	1	1	1	2	8	-	-	9	57
11	7	11	-	3	1	-	3	-	-	2	-	-	-	2	-	1	2	1	2	8	58
17	3	5	-	1	1	-	1	-	-	1	-	-	2	5	-	5	6	1	-	4	59
10	2	3	1	5	-	-	-	-	-	-	-	-	-	4	-	1	3	1	-	5	60
28	3	8	3	3	1	-	3	-	-	-	-	-	1	2	-	5	3	1	-	12	61
21	2	6	1	-	4	-	2	-	1	-	-	-	2	3	-	1	1	-	-	8	62
34	6	12	1	1	1	2	8	1	1	2	1	-	1	8	2	3	7	4	-	9	63
20	9	11	-	-	1	-	2	1	-	-	-	1	1	-	-	-	2	2	-	4	64
8	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	1	-	4	65
28	6	17	1	2	1	-	1	1	-	2	-	1	2	1	-	2	2	1	1	6	66
11	4	22	-	3	-	1	-	-	-	-	-	-	2	3	2	2	1	-	-	3	67
40	4	12	3	6	-	1	2	1	1	2	-	-	4	9	-	4	8	2	-	14	68
19	1	6	1	4	2	1	4	-	-	-	-	-	1	1	-	3	3	1	-	5	69
27	10	5	-	4	1	1	3	-	1	1	-	-	1	2	-	6	4	6	-	9	70
48	13	9	-	3	2	1	4	1	1	1	-	-	1	3	1	2	6	3	-	15	71
12	1	1	-	1	1	-	-	-	1	-	-	-	-	3	1	1	2	-	-	1	72
30	3	21	-	3	-	2	5	1	-	-	-	1	1	2	1	-	2	7	-	9	73
24	4	9	-	4	2	-	4	-	1	-	1	-	3	12	1	6	6	-	1	11	74
38	5	8	3	9	2	1	3	1	-	1	-	-	3	6	-	5	4	2	-	8	75
57	11	19	-	4	1	2	8	-	1	-	-	-	10	17	-	11	14	8	-	23	76
28	5	10	-	1	1	1	5	-	-	-	-	-	1	6	-	4	10	2	-	12	77
29	6	9	-	3	-	1	3	-	1	-	-	-	9	11	-	7	4	6	-	11	78
33	1	10	1	2	-	2	2	-	-	1	-	-	1	-	-	3	4	2	-	4	79
21	2	6	-	5	-	1	5	-	-	-	-	-	1	3	2	3	6	-	1	8	80
19	2	10	-	2	-	1	2	-	-	-	-	-	-	-	-	1	1	2	-	2	81
3	1	1	-	-	1	-	3	-	-	-	-	-	-	-	-	1	2	-	-	3	82
6	2	5	-	1	-	-	1	1	-	-	-	-	1	1	-	2	1	5	-	4	83
27	3	9	-	4	1	-	5	1	1	-	-	-	2	3	-	1	4	2	-	5	84
2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	85
23	1	5	-	-	-	1	3	1	1	3	-	-	2	8	1	1	2	-	1	4	86
19	-	8	-	4	1	1	2	-	-	-	-	-	1	2	-	3	4	-	-	12	87
30	8	14	-	1	2	1	8	1	-	-	-	-	2	3	-	1	4	4	1	10	88
21	1	10	-	1	2	-	1	-	-	1	-	-	1	4	1	1	5	1	-	4	89

Table 54. Deaths From Selected Causes: United States, Each State and County Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEBRASKA—Continued																
1	Webster	74	-	-	-	1	8	2	1	5	1	46	46	22	-	21	-
2	Wheeler	8	-	-	-	-	1	-	-	1	-	6	6	-	-	5	-
3	York	160	-	-	1	-	23	11	4	8	4	101	97	32	-	61	4
4	NEVADA	1,801	27	17	3	17	193	73	28	92	14	842	824	153	-	616	39
5	Nonmetropolitan counties	1,801	27	17	3	17	193	73	28	92	14	842	824	153	-	616	39
6	Churchill	68	3	1	1	1	3	2	1	-	-	36	35	8	-	25	-
7	Clark	539	8	6	1	6	64	22	11	31	2	220	218	35	-	169	10
8	Las Vegas	357	5	5	1	-	48	17	8	23	-	153	152	24	-	118	8
9	Balance of county	182	3	1	-	6	16	5	3	8	2	67	66	11	-	51	2
10	Douglas	19	-	-	-	1	2	1	-	1	-	12	11	3	-	6	2
11	Elko	117	-	2	-	1	9	3	2	4	-	66	64	17	-	39	6
12	Esmeralda	12	-	-	-	-	1	1	-	-	-	5	4	2	-	2	-
13	Eureka	12	1	-	-	-	2	1	-	1	-	5	5	-	-	5	-
14	Humboldt	57	-	-	-	4	5	2	-	3	-	20	20	1	-	19	-
15	Lander	18	1	1	1	-	1	-	-	1	-	7	7	4	-	3	-
16	Lincoln	32	-	-	-	-	6	2	1	3	2	10	10	4	-	5	1
17	Lyon	60	-	-	-	1	9	4	-	5	-	28	28	4	-	21	-
18	Mineral	76	1	1	-	-	6	3	1	2	-	24	22	5	-	15	2
19	Nye	49	-	-	-	-	5	1	-	4	-	25	24	7	-	17	-
20	Ormsby	43	-	-	-	-	5	3	-	2	-	25	24	6	-	17	3
21	Pershing	39	-	3	-	-	5	2	1	2	-	16	16	4	-	11	-
22	Storey	11	1	-	-	-	1	-	-	1	1	6	6	1	-	4	-
23	Washoe	554	10	2	-	2	60	21	9	30	7	297	292	40	-	237	14
24	Reno	425	9	2	-	2	49	17	8	24	7	233	231	28	-	191	11
25	Balance of county	129	1	-	-	-	11	4	1	6	-	64	61	12	-	46	3
26	White Pine	95	2	1	-	1	9	5	2	2	2	40	38	12	-	21	1
27	NEW HAMPSHIRE	6,170	32	20	2	20	1,131	406	116	609	120	3,582	3,523	698	2	2,568	70
28	Metropolitan counties	1,804	12	5	1	11	362	145	35	182	40	1,020	1,000	182	1	732	25
29	Nonmetropolitan counties	4,366	20	15	1	9	769	261	81	427	80	2,562	2,523	516	1	1,836	45
30	Belknap	367	1	2	-	1	54	9	9	36	7	223	223	53	-	156	3
31	Laconia	185	-	1	-	-	25	3	5	17	1	114	114	24	-	84	2
32	Balance of county	182	1	1	-	1	29	6	4	19	6	109	109	29	-	72	1
33	Carroll	242	2	-	-	1	39	13	3	23	-	150	147	39	-	100	-
34	Cheshire	412	3	2	1	-	81	29	9	43	9	243	240	47	-	177	3
35	Keene	160	-	1	-	-	30	10	1	19	3	97	96	27	-	59	-
36	Balance of county	252	3	1	1	-	51	19	8	24	6	146	144	20	-	118	3
37	Coos	412	2	7	-	-	56	19	7	30	5	238	235	59	-	160	6
38	Berlin	177	-	4	-	-	26	9	5	12	4	100	97	26	-	64	2
39	Balance of county	235	2	3	-	-	30	10	2	18	1	138	138	33	-	96	4
40	Grafton	514	3	1	-	1	84	30	9	45	14	288	281	53	-	205	3
41	Hillsborough	1,804	12	5	1	11	362	145	35	182	40	1,020	1,000	182	1	732	25
42	Manchester	969	4	4	1	6	211	84	19	108	25	528	522	97	-	385	14
43	Nashua	394	4	1	-	3	77	31	6	40	11	231	228	50	-	156	3
44	Balance of county	441	4	-	-	2	74	30	10	34	4	261	252	35	1	191	8
45	Merrimack	692	2	-	-	3	123	42	18	63	11	423	415	76	-	314	6
46	Concord	288	-	-	-	-	55	16	9	30	6	182	179	32	-	138	1
47	Balance of county	404	2	-	-	3	68	26	9	33	5	241	236	44	-	176	5
48	Rockingham	839	5	-	-	-	143	55	12	76	15	502	494	100	-	363	12
49	Portsmouth	227	1	-	-	-	39	15	1	23	2	129	127	28	-	88	2
50	Balance of county	612	4	-	-	-	104	40	11	53	13	373	367	72	-	275	10
51	Strafford	583	-	2	-	1	133	52	11	70	12	316	310	54	1	235	6
52	Dover	192	-	1	-	-	52	20	3	29	3	93	90	16	-	65	3
53	Rochester	156	-	-	-	1	34	16	5	13	2	93	91	16	1	72	1
54	Balance of county	235	-	1	-	-	47	16	3	28	7	130	129	22	-	98	2
55	Sullivan	305	2	1	-	2	56	12	3	41	7	179	178	35	-	126	6
56	Claremont	148	-	-	-	1	27	5	1	21	3	87	86	19	-	60	2
57	Balance of county	157	2	1	-	1	29	7	2	20	4	92	92	16	-	66	4
58	NEW JERSEY	51,318	567	125	31	159	9,478	3,783	1,239	4,456	1,115	29,029	28,529	4,904	43	22,072	753
59	Metropolitan counties	45,259	509	107	26	140	8,437	3,373	1,098	3,966	1,022	25,430	24,993	4,244	39	19,417	684
60	Nonmetropolitan counties	6,059	58	18	5	19	1,041	410	141	490	93	3,599	3,536	660	4	2,655	69
61	Atlantic	1,847	15	8	-	3	314	140	38	136	42	1,106	1,085	177	1	845	32
62	Atlantic City	997	11	6	-	2	176	84	21	71	22	610	602	97	1	465	15
63	Pleasantville	131	1	1	-	-	23	7	3	13	3	64	62	11	-	47	4
64	Balance of county	719	3	1	-	1	115	49	14	52	17	432	421	69	-	333	13
65	Bergen	5,285	43	9	6	15	1,084	440	149	495	99	2,966	2,920	496	7	2,234	98
66	Garfield	236	4	-	-	1	53	28	6	19	10	116	114	25	-	85	4
67	Hackensack	327	4	-	-	1	62	24	8	30	6	182	180	24	2	144	7
68	Teaneck (twp.)[3] [4]	271	2	-	-	-	58	18	10	30	1	153	148	28	-	109	5
69	Bergenfield	174	1	-	-	1	41	17	6	18	-	98	97	27	1	63	3
70	Cliffside Park	156	-	-	-	-	34	10	4	20	7	79	78	10	1	61	3
71	Dumont	104	-	-	-	-	24	12	2	10	2	55	55	8	-	42	3
72	East Paterson	97	-	1	1	-	20	10	1	9	-	46	45	7	-	37	3
73	Englewood	261	4	-	-	1	68	27	6	35	2	127	124	19	2	100	4
74	Fair Lawn	218	1	-	1	-	55	23	8	24	7	111	111	14	-	91	3
75	Fort Lee	135	-	-	-	-	24	12	4	8	2	83	82	17	1	59	4
76	Lodi	132	-	-	-	1	28	12	6	10	4	72	72	14	-	55	-
77	Lyndhurst (twp.)[3] [4]	159	1	1	-	-	34	16	7	11	7	96	96	15	-	78	7
78	North Arlington	110	-	-	-	-	27	11	5	11	-	57	54	8	-	42	2

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
10	1	10	2	-	1	-	4	-	-	-	-	-	-	2	5	1	5	-	-	1	1
4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2
19	13	25	2	2	-	4	1	1	1	1	-	-	1	3	1	8	3	1	-	10	3
445	50	82	15	25	15	18	54	12	8	26	5	2	22	84	52	88	98	60	22	155	4
445	50	82	15	25	15	18	54	12	8	26	5	2	22	84	52	88	98	60	22	155	5
14	1	10	-	1	1	1	1	-	-	-	-	-	2	4	3	2	2	2	1	6	6
118	14	27	5	3	6	2	14	5	4	4	2	1	7	42	6	28	37	18	10	54	7
85	9	16	4	2	4	1	6	4	4	4	1	1	4	24	3	16	18	14	10	36	8
33	5	11	1	1	2	1	8	1	-	-	1	-	3	18	3	12	19	4	-	18	9
3	1	-	-	-	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	2	10
23	4	6	3	4	1	2	2	-	1	2	-	-	-	2	2	11	4	6	-	9	11
1	-	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	1	-	2	12
2	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	13
14	2	3	-	-	-	-	1	-	-	3	-	-	1	1	5	7	3	3	2	2	14
3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	2	15
1	2	1	-	-	1	-	1	-	-	2	-	-	1	2	-	3	3	-	-	2	16
15	2	4	-	2	1	-	2	-	-	1	-	-	1	1	3	4	4	-	-	6	17
11	1	1	1	1	-	2	2	-	2	1	-	-	1	6	19	4	2	2	-	5	18
13	1	3	-	-	-	1	3	-	-	-	-	1	-	-	2	1	4	1	1	6	19
10	2	2	-	-	1	1	2	1	-	1	-	-	-	-	-	1	4	1	1	2	20
8	2	1	-	1	-	-	3	-	-	-	-	-	-	-	3	2	2	1	1	3	21
2	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	22
192	15	16	4	9	2	5	18	5	1	9	2	-	7	22	2	21	20	22	5	42	23
156	13	11	3	7	2	2	15	4	1	5	1	-	3	14	1	17	9	17	5	31	24
36	2	5	1	2	-	3	3	1	-	4	1	-	4	8	1	4	11	5	-	11	25
15	2	3	2	3	-	2	5	-	-	2	1	-	1	2	4	3	9	1	1	11	26
1,892	316	290	41	171	43	59	116	50	20	65	7	7	71	172	33	87	173	72	3	387	27
504	104	99	12	61	12	20	41	20	8	27	3	1	16	45	7	22	41	11	-	111	28
1,388	212	191	29	110	31	39	75	30	12	38	4	6	55	127	26	65	132	61	3	276	29
117	22	14	1	9	4	-	6	5	-	-	-	-	6	14	3	6	11	3	-	25	30
64	10	8	1	3	2	-	6	3	-	-	-	-	2	9	3	-	5	3	-	13	31
53	12	6	-	6	2	-	-	2	-	-	-	-	4	5	-	6	6	-	-	12	32
76	14	10	-	7	1	3	4	2	-	1	-	-	5	5	1	6	9	3	-	14	33
132	21	21	4	8	4	3	5	1	1	3	-	-	3	14	1	4	9	7	2	23	34
44	7	8	3	5	2	1	1	-	1	2	-	-	1	6	-	-	3	5	1	9	35
88	14	13	1	3	2	2	4	1	-	1	-	-	2	8	1	4	6	2	1	14	36
112	25	17	3	10	3	3	11	4	3	4	-	1	3	18	2	7	10	7	-	34	37
50	7	5	1	5	1	3	3	3	1	2	-	1	1	6	-	3	2	2	-	19	38
62	18	12	2	5	2	-	8	1	2	2	-	-	2	12	2	4	8	5	-	15	39
167	14	21	3	15	5	7	11	2	4	5	-	1	5	15	10	9	9	7	-	45	40
504	104	99	12	61	12	20	41	20	8	27	3	1	16	45	7	22	41	11	-	111	41
276	66	29	6	26	8	6	18	10	6	17	1	1	6	24	1	12	23	5	-	66	42
94	15	44	4	13	3	5	8	6	-	6	1	-	4	10	-	5	7	1	-	19	43
134	23	26	2	22	1	9	15	4	2	4	1	-	6	11	6	5	11	5	-	26	44
242	42	24	3	20	2	8	12	2	1	8	2	-	6	17	1	9	22	13	1	36	45
98	22	17	1	7	1	3	5	-	-	3	-	-	3	4	1	3	6	5	-	15	46
144	20	7	2	13	1	5	7	2	1	5	2	-	3	13	-	6	16	8	1	21	47
267	28	56	3	22	6	8	18	12	-	9	2	2	10	24	1	10	30	10	-	46	48
68	9	9	1	9	1	2	5	2	-	3	-	1	6	11	-	3	10	2	-	13	49
199	19	47	2	13	5	6	13	10	-	6	2	1	4	13	1	7	20	8	-	33	50
173	33	23	5	10	5	6	5	2	1	5	-	2	10	18	4	8	18	9	-	37	51
49	4	9	3	5	1	3	3	1	1	4	-	1	2	9	1	2	6	3	-	10	52
54	10	7	1	-	1	2	1	-	-	-	-	-	3	-	-	4	4	2	-	12	53
70	19	7	1	5	3	1	1	1	-	1	-	1	5	9	3	2	8	4	-	15	54
102	13	5	7	9	1	1	3	-	2	3	-	-	7	2	3	6	14	2	-	16	55
49	8	1	3	4	-	1	-	-	2	1	-	-	3	2	2	2	10	2	-	6	56
53	5	4	4	5	1	-	3	-	-	2	-	-	4	-	1	4	4	-	-	10	57
14,576	2,474	4,269	334	841	335	500	1,125	421	224	718	79	51	638	1,715	114	765	1,407	470	125	2,962.	58
12,903	2,137	3,693	292	711	290	437	993	376	196	661	67	48	569	1,529	88	641	1,240	425	105	2,650	59
1,673	337	576	42	130	45	63	132	45	28	57	12	3	69	186	26	124	167	45	20	312	60
597	84	132	16	34	12	21	26	23	6	21	2	3	20	50	8	35	43	12	8	102	61
338	42	70	11	20	8	8	12	10	3	12	1	2	10	25	5	11	14	4	4	57	62
28	7	8	1	3	-	2	-	5	-	1	1	-	2	2	-	6	8	-	1	13	63
231	35	54	4	11	4	11	14	8	3	8	-	1	8	23	3	18	21	8	3	32	64
1,666	208	262	25	120	38	46	110	46	17	70	5	3	67	157	9	62	122	64	1	330	65
65	9	7	1	3	-	2	5	2	1	7	1	-	4	7	-	5	4	1	-	15	66
99	15	23	2	5	3	2	4	2	2	6	-	-	6	12	-	4	6	4	-	26	67
86	9	9	2	5	4	5	3	3	2	1	-	-	3	11	1	5	5	3	-	20	68
45	7	8	-	6	-	1	2	1	1	2	1	-	3	6	-	-	4	3	-	10	69
49	7	2	1	3	2	1	3	2	1	5	2	-	-	4	1	2	3	2	-	11	70
26	3	10	-	4	1	-	2	1	-	2	-	-	2	6	-	-	4	2	-	4	71
22	5	7	-	-	1	1	-	2	1	4	-	-	4	5	1	1	1	1	-	9	72
70	12	14	-	3	-	3	9	3	1	5	-	1	1	7	1	2	8	1	1	19	73
76	7	5	-	2	4	-	3	1	-	2	-	-	4	8	-	5	3	1	-	16	74
48	3	4	1	4	-	1	2	-	-	2	-	-	2	6	-	3	-	3	-	8	75
48	3	4	-	3	-	-	1	2	-	1	-	-	2	6	-	1	4	1	-	9	76
63	3	5	1	1	1	-	2	1	-	-	-	-	1	2	-	1	2	1	-	10	77
33	2	5	-	3	1	3	-	2	-	2	-	-	-	3	-	-	5	4	-	10	78

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148, 156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEW JERSEY—Continued																
	Bergen—Continued																
1	Ridgefield Park	128	-	1	-	-	24	11	2	11	2	80	79	8	-	51	4
2	Ridgewood	185	1	-	-	1	30	12	3	15	5	118	118	25	-	87	2
3	Rutherford	207	1	1	-	-	29	10	4	15	1	134	134	26	-	104	10
4	Balance of county	2,385	24	5	4	9	473	187	67	219	43	1,359	1,333	221	-	1,026	34
5	Burlington	1,272	22	6	1	6	211	85	17	109	18	722	709	138	1	515	11
6	Burlington	146	5	1	-	2	26	10	2	14	1	75	75	18	-	52	-
7	Balance of county	1,126	17	5	1	4	185	75	15	95	17	647	634	120	1	463	11
8	Camden	3,294	40	9	-	12	585	211	68	306	76	1,902	1,869	310	3	1,458	46
9	Camden	1,393	21	7	-	4	256	101	37	118	28	781	765	133	1	600	17
10	Collingswood	203	2	-	-	1	44	17	-	27	7	132	129	12	-	111	4
11	Gloucester City	161	3	-	-	-	18	4	1	13	5	100	100	19	-	73	-
12	Haddonfield	146	1	-	-	-	23	8	5	10	1	96	94	10	-	75	3
13	Pennsauken (twp.)[3] [4]	183	2	-	-	1	33	7	3	23	5	110	107	18	-	84	1
14	Balance of county	1,208	11	2	-	6	211	74	22	115	30	683	674	118	2	515	21
15	Cape May	622	6	3	-	1	103	43	15	45	10	395	394	74	-	301	6
16	Cumberland	994	15	3	-	2	170	67	20	83	13	558	539	106	2	392	9
17	Bridgeton	246	4	1	-	-	42	18	4	20	3	134	133	34	-	85	2
18	Millville	177	1	-	-	1	35	9	6	20	1	108	101	19	-	75	1
19	Balance of county	571	10	2	-	1	93	40	10	43	9	316	305	53	2	232	6
20	Essex	9,704	116	27	4	28	1,839	729	228	882	231	5,408	5,299	873	7	4,174	167
21	Newark	4,931	67	18	3	11	835	342	113	380	141	2,677	2,612	396	4	2,104	81
22	East Orange	953	7	2	-	2	199	87	25	87	15	563	555	95	2	434	9
23	Irvington	587	2	1	-	-	127	46	14	67	17	334	329	50	-	265	10
24	Belleville	266	2	-	-	2	53	24	5	24	2	163	158	24	-	125	5
25	Bloomfield	461	-	2	-	-	99	37	13	49	15	256	248	34	-	211	17
26	Montclair	502	4	3	-	2	98	33	10	55	5	298	293	69	-	206	5
27	Nutley	254	1	-	-	2	54	14	4	36	3	137	136	29	-	95	5
28	Orange	417	1	1	1	2	83	33	11	39	7	233	226	32	-	178	7
29	West Orange	266	4	-	-	2	56	26	6	24	8	141	140	25	1	107	7
30	Maplewood (twp.)[3] [4]	236	-	-	-	1	51	21	5	25	3	146	146	29	-	107	8
31	Millburn (twp.)[3] [4]	95	-	-	-	1	16	4	2	10	-	59	59	6	-	48	3
32	South Orange	145	1	-	-	2	30	15	4	11	4	83	82	17	-	59	1
33	Verona	93	3	-	-	-	22	14	1	7	-	55	55	9	-	43	3
34	Balance of county	498	4	-	-	1	116	33	15	68	11	263	260	58	-	192	6
35	Gloucester	959	6	1	-	2	158	58	22	78	18	549	540	93	1	414	9
36	Woodbury	125	2	-	-	-	25	11	3	11	3	61	61	17	-	39	1
37	Balance of county	834	4	1	-	2	133	47	19	67	15	488	479	76	1	375	8
38	Hudson	6,867	88	14	2	15	1,286	516	216	554	174	3,908	3,848	570	5	3,112	101
39	Jersey City	3,308	51	6	-	7	612	252	90	270	79	1,841	1,815	300	-	1,441	44
40	Bayonne	785	10	-	-	2	141	55	32	54	17	467	457	74	1	365	15
41	Hoboken	587	8	3	2	4	104	38	25	41	14	349	341	32	-	298	7
42	Union City	596	7	-	-	-	123	51	18	54	20	344	339	40	2	277	6
43	Kearny	378	3	1	-	1	66	25	7	34	4	228	225	22	1	193	10
44	North Bergen (twp.)[3] [4]	392	4	-	-	-	67	18	13	36	14	223	221	32	1	176	7
45	West New York	353	1	-	-	1	84	35	18	31	13	187	184	25	-	150	3
46	Harrison	104	2	1	-	-	21	11	2	8	3	50	50	9	-	40	1
47	Weehawken (twp.)[3] [4]	150	-	1	-	-	28	12	3	13	6	90	90	18	-	69	4
48	Balance of county	214	2	2	-	-	40	19	8	13	4	129	126	18	-	103	4
49	Hunterdon	523	-	2	1	-	91	47	14	30	7	311	310	61	-	230	5
50	Mercer	2,360	50	7	1	8	429	185	45	199	49	1,293	1,271	268	3	934	33
51	Trenton	1,392	33	2	1	2	239	99	26	114	30	774	763	180	1	538	21
52	Princeton	115	-	1	-	1	31	14	4	13	-	58	57	2	-	52	1
53	Balance of county	853	17	4	-	5	159	72	15	72	19	461	451	86	2	344	11
54	Middlesex	2,550	29	4	5	17	455	185	66	204	55	1,371	1,339	223	2	1,058	29
55	New Brunswick	385	6	2	-	3	75	29	12	34	7	218	212	42	-	154	4
56	Perth Amboy	424	4	-	-	3	72	24	15	33	8	231	228	31	-	188	7
57	Woodbridge (twp.)[3] [4]	251	1	-	1	2	47	26	4	17	7	137	136	17	2	115	4
58	Carteret	117	3	-	-	1	22	11	6	5	-	56	53	11	-	41	1
59	Sayreville	89	2	-	1	2	16	8	1	7	2	45	45	8	-	33	1
60	South River	109	1	1	1	1	20	9	2	9	4	64	60	8	-	52	1
61	Balance of county	1,175	12	1	2	5	203	78	26	99	27	620	605	106	-	475	11
62	Monmouth	2,683	26	6	3	10	462	158	64	240	40	1,609	1,578	279	2	1,201	39
63	Asbury Park	233	3	1	-	3	43	11	7	25	3	132	130	18	-	105	2
64	Long Branch	248	2	1	1	-	48	17	9	22	4	143	140	24	-	106	2
65	Neptune (twp.)[3] [4]	206	-	-	-	1	39	14	5	20	3	130	126	27	-	90	2
66	Red Bank	182	5	-	-	-	33	14	6	13	2	98	96	23	-	69	3
67	Balance of county	1,814	16	4	2	6	299	102	37	160	28	1,106	1,086	187	2	831	30
68	Morris	1,674	20	1	-	4	275	92	30	153	23	965	951	163	-	739	27
69	Dover	136	4	1	-	-	19	4	1	14	6	64	63	9	-	53	2
70	Madison	107	2	-	-	-	23	7	2	14	-	59	59	15	-	42	1
71	Morristown	201	3	-	-	1	35	10	3	22	3	119	117	25	-	86	9
72	Balance of county	1,230	11	-	-	3	198	71	24	103	14	723	712	114	-	558	15
73	Ocean	802	5	2	1	4	137	61	15	61	17	478	473	97	-	349	6
74	Passaic	3,602	31	9	1	10	698	281	78	339	102	1,976	1,947	338	4	1,507	47
75	Paterson	1,686	20	5	-	4	316	118	40	158	57	937	927	150	2	721	22
76	Clifton	514	-	-	-	-	108	48	12	48	15	289	282	46	1	225	7
77	Passaic	631	5	3	-	3	134	59	19	56	12	330	326	66	1	241	11
78	Hawthorne	167	2	-	-	-	27	10	2	15	4	94	89	18	-	69	2
79	Balance of county	604	4	1	1	3	113	46	5	62	14	326	323	58	-	251	5
80	Salem	502	2	2	-	2	82	29	7	46	10	276	272	59	-	194	5
81	Somerset	916	7	-	-	5	184	67	34	83	19	496	490	102	-	358	14
82	North Plainfield	121	-	-	-	-	28	13	5	10	1	74	74	17	-	52	2
83	Somerville	116	-	-	-	-	24	8	2	14	1	61	60	18	-	41	2
84	Balance of county	679	7	-	-	5	132	46	27	59	17	361	356	67	-	265	10
85	Sussex	435	6	2	-	2	78	34	13	31	6	248	242	43	-	182	4

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of cir-cula-tory sys-tem 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
36	5	6	-	20	-	1	1	-	-	3	-	-	2	1	-	2	4	-	-	8	1
64	7	14	1	4	1	-	4	1	-	1	-	-	1	3	-	1	4	2	-	13	2
80	7	7	1	1	2	-	6	2	3	2	-	-	-	4	-	2	4	4	-	14	3
756	104	132	15	53	18	26	63	21	5	25	1	2	32	66	5	28	61	31	-	128	4
346	69	89	9	36	10	13	37	3	3	16	4	-	19	54	2	25	31	13	3	76	5
34	7	11	1	3	1	-	4	1	2	-	1	-	2	9	-	3	5	-	-	9	6
312	62	78	8	33	9	13	33	2	1	16	3	-	17	45	2	22	26	13	3	67	7
895	238	279	33	37	28	33	81	26	14	26	5	5	41	123	7	54	85	19	8	176	8
368	111	104	9	11	11	16	49	6	6	13	2	1	13	58	6	17	51	10	6	58	9
78	16	13	3	2	1	3	1	1	-	3	-	1	-	2	-	1	3	1	-	4	10
50	9	14	2	4	2	-	4	2	-	1	-	-	6	10	-	2	3	-	-	7	11
39	13	20	4	1	4	2	2	-	3	-	-	-	4	2	-	3	-	-	-	11	12
58	11	14	1	3	1	3	3	3	1	1	1	-	2	5	-	5	1	-	-	10	13
302	78	114	14	16	9	9	22	14	4	8	2	3	16	46	1	26	27	8	2	86	14
165	61	69	4	13	2	1	7	6	3	1	-	-	9	10	8	11	13	3	2	31	15
220	64	99	6	29	4	19	28	10	10	5	1	-	7	33	13	26	36	7	5	52	16
40	18	25	2	11	1	1	8	4	6	1	-	-	2	13	1	7	7	-	-	13	17
41	11	22	1	4	2	7	3	1	-	-	1	-	1	5	2	1	5	1	2	9	18
139	35	52	3	14	1	11	17	5	4	4	-	-	4	15	10	18	24	6	3	30	19
2,832	470	705	59	130	56	109	177	89	45	155	8	15	114	350	13	105	305	75	48	552	20
1,507	235	281	26	54	28	65	105	49	29	94	2	10	54	222	5	42	172	36	44	295	21
264	47	114	4	12	8	8	16	7	2	9	-	1	9	26	3	9	24	6	3	50	22
202	24	29	3	9	2	5	10	3	1	9	2	-	7	15	-	10	10	11	-	28	23
81	17	22	3	5	1	5	2	2	1	3	-	-	5	5	-	6	5	1	-	14	24
118	22	54	1	2	-	8	3	5	1	8	2	-	5	15	1	3	13	3	-	30	25
125	25	51	6	6	6	5	10	2	-	8	-	-	4	13	1	6	12	4	-	32	26
59	9	22	4	7	1	1	6	3	-	3	-	-	4	11	-	5	9	-	1	15	27
114	19	38	6	10	-	7	7	6	2	7	-	1	8	18	-	4	10	1	-	25	28
62	16	22	1	4	2	1	5	2	-	3	-	-	4	4	1	7	10	3	-	16	29
69	10	20	3	6	1	-	-	1	2	2	1	-	-	4	1	1	10	2	-	11	30
37	3	5	-	3	2	-	1	1	-	2	-	1	1	2	-	-	4	1	-	6	31
41	9	8	-	2	4	1	3	1	3	-	-	-	2	1	-	3	6	1	-	5	32
25	8	7	-	2	1	-	-	1	-	-	-	-	1	2	1	2	2	1	-	3	33
128	26	32	2	8	-	3	9	6	4	7	1	2	10	12	-	7	18	5	-	22	34
241	81	83	9	18	5	9	18	6	4	11	-	-	15	33	3	31	43	10	1	50	35
18	9	11	2	2	1	-	1	1	1	1	-	-	4	11	1	3	3	-	1	7	36
223	72	72	7	16	4	9	17	5	3	10	-	-	11	22	2	28	40	10	-	43	37
1,629	253	1,129	35	90	36	60	169	56	41	142	9	3	76	190	19	60	154	39	3	419	38
751	106	540	16	38	20	26	82	23	25	58	4	3	33	108	13	25	78	12	1	247	39
207	49	94	1	9	7	10	17	4	7	24	1	-	10	18	2	9	16	4	-	36	40
134	26	131	4	7	-	8	18	5	2	13	-	-	6	16	1	4	13	2	-	23	41
129	15	127	5	10	5	5	11	7	2	12	1	-	5	16	-	7	11	3	1	26	42
130	13	40	1	8	-	3	13	4	2	6	-	-	4	9	1	3	10	7	-	16	43
82	13	74	5	5	2	2	8	4	2	6	-	-	6	11	-	2	7	4	1	33	44
76	14	57	2	5	2	3	10	4	-	9	2	-	5	7	1	2	8	4	-	15	45
31	2	6	-	1	-	-	3	2	-	4	-	-	2	3	-	1	2	-	-	10	46
27	4	34	-	3	-	-	4	-	-	5	-	-	2	1	-	3	3	1	-	6	47
62	11	26	1	4	-	3	3	3	1	5	1	-	3	1	1	4	6	2	-	7	48
167	19	39	5	7	7	1	16	2	-	5	2	1	10	11	1	9	19	9	-	26	49
623	141	137	8	44	14	22	53	20	17	37	6	2	34	84	2	49	77	22	6	114	50
358	81	78	4	30	10	11	31	13	11	28	5	1	17	51	1	19	44	13	4	73	51
37	6	8	2	1	-	1	1	3	1	-	-	-	2	5	1	2	4	1	-	4	52
228	54	51	2	13	4	10	21	4	5	9	1	1	15	28	-	28	29	8	2	37	53
762	107	160	21	16	19	32	58	18	8	34	5	5	50	101	6	55	90	39	1	144	54
114	18	18	8	2	6	6	5	3	-	10	-	2	5	13	-	7	9	5	-	15	55
125	24	32	4	4	1	3	7	5	-	7	3	-	6	12	2	7	21	5	-	31	56
85	11	15	1	1	-	1	9	1	-	3	-	1	2	11	-	6	7	6	-	10	57
31	3	6	1	-	-	3	5	-	-	1	-	-	4	10	2	2	7	2	-	2	58
25	2	5	2	-	2	-	1	1	1	-	-	-	2	2	-	-	2	2	-	10	59
40	5	6	-	-	-	4	1	-	-	2	-	-	2	2	-	3	1	2	-	4	60
342	44	78	5	9	10	15	30	8	7	11	2	2	29	51	2	30	43	17	1	72	61
761	131	270	18	51	27	31	54	15	9	38	7	1	24	97	3	46	66	14	10	143	62
64	15	24	2	3	2	2	6	-	1	3	1	-	-	10	1	2	6	-	1	17	63
73	7	24	2	8	-	3	4	2	1	3	1	-	3	14	-	3	7	-	-	11	64
50	13	25	4	3	2	4	3	1	-	3	-	-	1	5	-	1	6	2	-	11	65
37	11	18	-	3	1	2	3	3	-	5	-	-	2	9	-	1	4	-	2	15	66
537	85	179	10	34	22	20	38	9	7	24	5	1	18	59	2	39	43	12	7	89	67
527	62	123	11	24	14	14	57	14	7	24	10	2	20	45	2	24	46	25	6	104	68
33	3	15	-	1	-	1	4	3	1	5	1	-	3	8	-	1	4	1	-	11	69
32	3	6	1	-	1	-	3	-	-	-	1	1	1	3	-	-	7	1	-	6	70
55	9	13	-	4	2	2	10	2	-	2	2	-	3	2	-	2	5	2	1	9	71
407	47	89	10	19	11	11	40	9	6	17	6	1	13	32	2	21	30	21	5	78	72
223	43	77	6	19	2	5	18	6	4	5	2	-	10	23	1	23	21	6	2	37	73
1,061	192	207	27	56	15	29	90	31	12	58	5	4	47	118	6	42	91	37	7	227	74
501	93	105	13	33	8	10	47	18	5	24	2	1	18	53	3	20	50	7	4	95	75
163	30	25	2	6	2	7	6	2	-	10	1	1	9	17	1	6	8	6	2	33	76
165	34	31	5	8	5	4	18	5	1	9	-	-	5	18	1	10	21	9	1	46	77
54	7	6	2	-	-	5	4	2	1	3	1	-	4	4	-	1	4	4	-	12	78
178	28	40	5	9	-	3	15	4	5	12	1	2	11	26	1	5	8	11	-	41	79
135	19	35	5	12	2	4	10	1	1	2	2	-	6	19	1	18	19	12	1	36	80
275	22	47	6	15	9	6	24	8	6	10	-	-	7	30	2	19	21	9	3	66	81
43	3	4	2	2	1	-	1	1	-	-	-	-	-	3	-	3	2	-	-	8	82
32	2	5	-	1	-	1	3	2	1	-	-	-	1	7	1	3	2	-	-	10	83
200	17	38	4	12	8	5	20	5	5	10	-	-	6	20	1	13	17	9	3	48	84
137	19	22	3	11	3	6	9	6	2	3	-	1	9	12	-	9	12	6	1	23	85

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEW JERSEY--Continued																
1	Union	3,809	34	9	4	13	737	310	87	340	95	2,109	2,076	382	3	1,574	59
2	Elizabeth	1,151	13	1	1	2	223	93	23	107	25	654	648	124	1	477	30
3	Linden	243	-	-	-	1	48	17	9	22	11	119	116	22	-	89	2
4	Plainfield	479	8	-	1	2	82	36	7	39	10	270	267	52	1	200	6
5	Union (twp.)[3] [4]	306	1	1	1	1	70	30	8	32	8	171	168	33	-	125	4
6	Cranford (twp.)[3] [4]	152	1	-	-	-	26	14	3	9	5	99	99	23	-	71	4
7	Hillside (twp.)[3] [4]	190	2	-	-	-	34	16	4	14	4	120	117	18	-	94	3
8	Rahway	217	1	4	-	2	54	27	10	17	6	106	102	17	-	83	2
9	Roselle	166	2	-	-	-	30	15	3	12	4	86	83	14	-	65	1
10	Roselle Park	102	1	-	-	-	14	8	1	5	2	70	70	9	-	57	2
11	Summit	176	-	-	1	-	35	15	4	16	3	102	98	17	-	75	3
12	Westfield	179	1	-	-	1	40	13	3	24	4	97	97	15	-	75	-
13	Balance of county	448	4	3	-	4	81	28	12	43	13	215	211	36	1	163	2
14	Warren	618	6	1	2	-	100	45	13	42	11	383	377	52	2	301	6
15	Phillipsburg	205	2	-	-	-	33	13	6	14	3	133	133	15	1	114	1
16	Balance of county	413	4	1	2	-	67	32	7	28	8	250	244	37	1	187	5
17	NEW MEXICO	5,373	111	15	8	74	597	204	56	337	56	1,796	1,725	380	9	1,195	85
18	Metropolitan counties	1,205	18	4	-	11	152	61	16	75	14	425	410	72	2	302	32
19	Nonmetropolitan counties	4,168	93	11	8	63	445	143	40	262	42	1,371	1,315	308	7	893	53
20	Bernalillo	1,205	18	4	-	11	152	61	16	75	14	425	410	72	2	302	32
21	Albuquerque	972	18	4	-	5	125	47	14	64	13	359	345	62	2	250	25
22	Balance of county	233	-	-	-	6	27	14	2	11	1	66	65	10	-	52	7
23	Catron	23	1	-	-	2	5	2	-	3	-	7	7	1	-	5	-
24	Chaves	315	9	-	-	3	30	6	3	21	3	122	117	24	2	87	3
25	Roswell	244	7	-	-	2	24	4	2	18	3	101	97	20	2	71	3
26	Balance of county	71	2	-	-	1	6	2	1	3	-	21	20	4	-	16	-
27	Colfax	149	-	-	-	-	21	9	3	9	2	65	64	22	-	41	3
28	Curry	167	2	1	1	-	22	7	5	10	1	83	80	21	1	50	-
29	Clovis	125	2	1	1	-	19	6	5	8	1	58	57	15	1	36	-
30	Balance of county	42	-	-	-	-	3	1	-	2	-	25	23	6	-	14	-
31	De Baca	36	1	1	-	2	1	1	-	-	-	16	16	3	-	11	-
32	Dona Ana	252	7	-	-	2	27	11	5	11	2	89	86	32	-	42	2
33	Las Cruces	105	4	-	-	1	17	7	3	7	-	31	28	13	-	13	-
34	Balance of county	147	3	-	-	1	10	4	2	4	2	58	58	19	-	29	2
35	Eddy	271	3	-	1	-	31	13	3	15	7	91	90	17	-	63	1
36	Carlsbad	145	2	-	-	-	23	11	2	10	2	52	51	9	-	33	1
37	Balance of county	126	1	-	1	-	8	2	1	5	5	39	39	8	-	30	-
38	Grant	185	3	-	5	2	25	6	2	17	2	66	65	14	1	44	3
39	Guadalupe	53	1	-	-	5	7	4	-	3	1	11	11	2	1	7	-
40	Harding	31	1	-	-	3	5	1	1	3	1	13	13	2	-	10	-
41	Hidalgo	39	3	-	-	-	3	2	-	1	-	9	9	4	-	4	-
42	Lea	203	3	1	-	2	24	9	1	14	1	55	52	12	-	32	-
43	Hobbs	109	2	-	-	1	14	3	1	10	-	22	21	6	-	13	-
44	Balance of county	94	1	1	-	1	10	6	-	4	1	33	31	6	-	19	-
45	Lincoln	57	-	-	-	2	9	3	-	6	2	23	23	7	-	14	1
46	Los Alamos	31	1	-	-	-	7	2	-	5	-	4	4	1	-	2	-
47	Luna	61	3	-	-	1	4	2	-	2	1	46	45	13	-	29	1
48	McKinley	285	15	1	-	13	17	1	2	14	2	49	42	9	-	26	5
49	Mora	69	2	1	-	1	7	3	1	3	-	15	13	4	-	9	1
50	Otero	109	4	-	-	2	10	2	2	6	-	37	36	12	-	21	2
51	Quay	103	1	1	-	2	11	2	1	8	-	50	46	12	-	29	2
52	Rio Arriba	180	2	1	1	2	15	6	-	9	1	39	39	6	-	31	4
53	Roosevelt	112	-	-	-	-	17	6	3	8	4	51	51	15	-	32	2
54	Sandoval	103	4	-	-	3	8	2	-	6	-	18	16	3	1	12	1
55	San Juan	216	7	-	-	6	16	4	-	12	2	49	48	10	1	35	5
56	San Miguel	247	7	2	-	4	18	3	2	13	3	62	58	11	-	43	2
57	Santa Fe	280	7	-	-	1	46	12	3	31	1	92	87	13	-	67	4
58	Santa Fe	219	4	-	-	1	34	9	3	22	1	79	74	10	-	57	4
59	Balance of county	61	3	-	-	-	12	3	-	9	-	13	13	3	-	10	-
60	Sierra	92	1	1	-	-	13	6	2	5	1	48	44	7	-	35	3
61	Socorro	94	1	-	-	1	7	1	-	6	1	34	31	8	-	22	-
62	Taos	98	1	1	-	3	7	3	-	4	1	34	33	9	-	21	2
63	Torrance	52	1	-	-	-	9	4	1	4	1	22	21	2	-	17	2
64	Union	48	1	-	-	-	6	3	-	3	-	22	21	4	-	17	-
65	Valencia	187	1	-	-	1	17	7	-	10	2	49	47	8	-	35	4
66	NEW YORK	159,548	1,771	448	97	475	28,864	11,270	3,736	13,858	3,153	91,096	89,719	14,337	117	70,660	2,362
67	Metropolitan counties	131,577	1,591	373	82	375	24,582	9,689	3,262	11,631	2,650	74,363	73,315	10,974	102	58,738	2,026
68	Nonmetropolitan counties	27,971	180	75	15	100	4,282	1,581	474	2,227	503	16,733	16,404	3,363	15	11,922	336
69	Albany	3,075	30	9	1	7	461	165	72	244	73	1,875	1,852	300	2	1,457	36
70	Albany	1,811	22	7	1	4	291	92	43	156	46	1,089	1,081	151	1	865	26
71	Cohoes	288	3	-	-	-	45	17	8	20	8	176	169	30	-	134	-
72	Watervliet	208	1	1	-	-	27	8	4	15	4	128	126	17	-	104	2
73	Balance of county	768	4	1	-	3	118	48	17	53	15	482	476	102	1	354	8
74	Allegany	433	-	1	-	1	79	32	10	37	6	235	228	56	-	160	3
75	Broome	1,719	8	5	-	5	286	106	44	136	28	1,017	997	209	-	717	28
76	Binghamton	878	6	3	-	3	145	51	25	69	19	519	509	109	-	364	13
77	Endicott	171	1	-	-	-	32	11	3	18	3	99	98	17	-	75	5
78	Johnson City	172	-	-	-	-	26	10	5	11	1	113	111	26	-	80	4
79	Balance of county	498	1	2	-	2	83	34	11	38	5	286	279	57	-	198	6
80	Cattaraugus	870	5	2	1	4	138	45	12	81	20	478	474	108	1	338	19
81	Olean	235	1	1	-	1	46	15	2	29	4	127	126	32	-	86	2
82	Balance of county	635	4	1	1	3	92	30	10	52	16	351	348	76	1	252	17

[3] Classified as urban under a special rule.
[4] Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1,106	158	251	25	64	28	33	67	28	14	48	4	6	51	160	6	54	90	45	9	226	1
317	50	80	8	26	12	6	20	8	4	17	2	2	6	37	1	17	35	14	4	65	2
64	8	15	1	3	1	3	3	2	-	4	-	1	9	18	-	5	5	1	2	14	3
155	17	22	3	10	1	3	11	4	3	7	-	1	5	24	1	8	3	3	1	35	4
85	12	24	2	6	2	3	1	3	2	2	-	-	3	8	-	2	6	4	1	21	5
56	5	6	3	2	-	-	3	1	-	-	-	1	6	2	-	-	4	-	-	4	6
64	10	17	1	3	1	3	2	1	-	-	-	-	1	8	-	-	1	5	-	12	7
62	7	12	1	1	-	4	4	4	1	1	-	-	2	7	-	3	7	4	-	11	8
39	10	15	-	2	2	3	2	1	-	2	-	-	7	6	-	5	5	2	1	13	9
42	6	7	1	2	1	-	2	-	-	2	1	-	1	2	-	2	-	-	-	5	10
50	9	13	3	2	1	4	7	-	-	2	-	-	2	5	-	3	5	3	-	8	11
53	8	14	1	3	3	-	4	1	-	2	1	-	-	5	1	3	5	1	-	13	12
119	16	26	1	4	4	4	8	3	4	9	-	1	9	38	3	6	14	8	-	25	13
208	33	54	3	15	4	6	16	7	1	7	2	-	2	15	2	8	23	4	-	28	14
75	12	26	-	3	-	-	3	1	1	3	-	-	-	5	-	1	10	-	-	10	15
133	21	28	3	12	4	6	13	6	-	4	2	-	2	10	2	7	13	4	-	18	16
747	144	219	33	70	38	71	268	37	140	58	9	26	104	521	435	291	273	64	39	451	17
202	32	36	8	18	8	15	41	9	19	15	2	5	24	144	84	49	50	22	5	112	18
545	112	183	25	52	30	56	227	28	121	43	7	21	80	377	351	242	223	42	34	339	19
202	32	36	8	18	8	15	41	9	19	15	2	5	24	144	84	49	50	22	5	112	20
171	26	28	8	17	6	14	26	9	9	12	2	5	19	116	53	40	37	20	3	97	21
31	6	8	-	1	2	1	15	-	10	3	-	-	5	28	31	9	13	2	2	15	22
4	-	1	-	1	-	-	-	-	1	-	-	-	-	3	3	-	-	-	-	1	23
58	7	19	-	3	1	5	10	-	4	3	2	2	5	32	9	15	25	6	6	29	24
47	5	16	-	3	1	4	6	-	4	2	2	2	2	26	7	6	13	4	5	28	25
11	2	3	-	-	-	1	4	-	-	1	-	-	3	6	2	9	12	2	1	1	26
21	7	10	-	-	1	1	3	-	2	2	-	-	1	10	8	4	8	3	2	18	27
40	5	5	3	4	1	3	8	-	1	1	1	1	1	7	3	12	5	3	-	14	28
28	4	4	3	1	1	1	7	-	1	1	1	1	-	6	3	7	3	2	-	11	29
12	1	1	-	3	-	2	1	-	-	-	-	-	1	1	-	5	2	1	-	3	30
8	2	1	1	-	1	-	-	-	1	-	-	-	-	3	2	-	1	2	1	5	31
29	7	4	4	4	4	3	11	2	11	4	-	-	5	24	12	18	15	3	1	19	32
8	4	1	1	-	1	3	3	-	4	2	-	-	4	11	5	7	4	3	-	9	33
21	3	3	3	4	3	-	8	2	7	2	-	-	1	13	7	11	11	-	1	10	34
54	4	4	1	6	3	1	19	6	6	7	-	1	7	22	3	25	11	1	2	28	35
30	1	1	1	5	3	1	9	3	2	2	-	1	4	13	3	8	7	-	-	14	36
24	3	3	-	1	-	-	10	3	4	5	-	-	3	9	-	17	4	1	2	14	37
26	4	11	3	3	-	1	12	3	4	3	1	1	1	15	6	10	15	-	-	11	38
6	1	-	1	-	-	-	1	-	-	-	-	-	-	5	8	1	8	-	-	5	39
3	1	6	-	1	-	-	-	-	-	1	-	2	-	3	1	1	-	-	-	-	40
3	-	1	1	-	-	-	3	-	-	-	-	-	-	6	5	5	2	-	1	2	41
23	5	4	3	2	3	3	7	2	3	1	1	2	6	28	18	21	12	2	2	12	42
10	2	1	1	-	1	1	2	1	1	1	1	2	1	17	13	13	10	-	1	7	43
13	3	3	2	2	2	2	5	1	2	-	-	-	5	11	5	8	2	2	1	5	44
12	-	1	-	2	-	-	1	1	-	1	-	-	-	1	2	2	6	2	-	5	45
1	-	1	-	-	1	-	2	-	-	-	-	-	2	6	-	4	3	1	-	1	46
24	2	2	1	1	1	1	1	-	1	-	-	-	1	2	2	5	3	-	1	10	47
13	3	5	-	5	2	7	33	1	24	3	-	1	6	30	31	10	16	1	2	30	48
4	1	3	-	-	-	2	7	1	3	-	-	-	-	4	19	3	2	-	2	2	49
15	2	2	1	1	1	1	7	-	1	2	-	-	3	15	5	7	4	3	1	8	50
16	2	9	1	4	-	4	1	1	1	-	-	-	2	3	4	6	9	2	3	6	51
21	5	1	1	1	-	-	7	1	1	1	-	2	2	17	52	7	8	-	3	18	52
19	4	7	-	3	1	-	5	3	1	4	-	1	3	4	3	4	5	1	-	6	53
2	2	7	-	-	-	2	5	-	6	-	-	2	-	6	35	4	5	2	1	4	54
14	5	11	1	1	-	1	22	-	14	-	-	1	4	22	16	19	19	1	-	18	55
18	4	19	-	1	3	4	12	-	12	1	-	1	16	36	40	7	7	1	1	17	56
37	13	13	1	4	2	5	12	-	4	3	1	1	6	28	15	14	10	5	3	31	57
31	11	11	1	4	2	5	11	-	3	2	1	1	5	20	8	9	9	3	3	25	58
6	2	2	-	-	-	-	1	-	1	1	-	-	1	8	7	5	1	2	-	6	59
15	4	13	-	1	1	4	1	3	-	-	-	-	1	8	4	2	5	-	-	4	60
14	6	2	-	-	1	3	10	1	5	-	-	1	1	6	9	10	-	-	-	7	61
9	6	4	-	2	1	1	6	1	2	3	-	1	-	6	12	8	4	1	1	6	62
9	3	3	-	1	1	1	2	-	-	-	-	-	1	5	5	-	4	-	-	2	63
7	1	9	-	-	-	1	3	-	2	-	-	-	-	4	-	2	2	-	-	6	64
20	6	5	2	1	1	2	16	2	11	3	1	1	6	16	19	16	9	2	1	14	65
53,310	7,798	7,190	963	2,775	867	1,377	4,009	1,297	547	2,281	150	141	1,723	5,006	891	2,222	4,708	1,314	449	8,906	66
44,772	6,549	5,391	760	2,047	694	1,048	3,437	1,077	431	2,064	113	114	1,396	4,171	781	1,602	3,763	999	426	7,187	67
8,538	1,249	1,799	203	728	173	329	572	220	116	217	37	27	327	835	110	620	945	315	23	1,719	68
1,147	129	145	27	49	17	23	67	21	12	39	4	1	25	101	11	35	68	28	5	182	69
685	85	69	21	33	10	8	41	14	5	30	1	1	10	60	7	21	45	13	4	99	70
100	11	23	1	4	-	7	6	2	2	1	-	-	7	14	-	2	6	-	1	15	71
81	13	8	1	2	2	2	3	1	2	3	1	-	3	9	-	4	3	3	-	15	72
281	20	45	4	10	5	6	17	4	3	5	2	-	5	18	4	8	14	12	-	53	73
97	12	48	1	9	2	7	10	5	2	2	-	-	9	11	8	12	22	5	-	25	74
564	.65	60	7	41	23	20	34	19	3	31	2	1	26	57	6	23	46	18	-	104	75
285	36	30	3	21	12	10	16	10	2	22	2	-	11	23	2	9	27	8	-	51	76
58	6	6	1	3	2	1	1	1	1	5	-	-	5	6	-	4	3	2	-	8	77
63	9	4	1	3	1	2	5	2	-	2	-	-	1	10	-	-	1	3	-	8	78
158	14	20	2	14	8	7	12	6	-	2	-	1	9	18	4	10	15	5	-	37	79
199	30	90	2	16	9	4	22	4	5	4	2	1	13	26	3	33	37	13	-	59	80
66	5	13	-	6	2	1	5	-	2	2	-	1	1	11	1	8	8	2	-	14	81
133	25	77	2	10	7	3	17	4	3	2	2	-	12	15	2	25	29	11	-	45	82

385053 O - 56 - 29

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148, 156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEW YORK—Continued																
1	Cayuga	795	4	2	-	5	117	48	11	58	14	474	467	108	1	322	9
2	Auburn	424	3	1	-	3	67	23	8	36	10	248	242	49	1	179	4
3	Balance of county	371	1	1	-	2	50	25	3	22	4	226	225	59	-	143	5
4	Chautauqua	1,628	5	5	-	4	234	93	17	124	33	1,007	994	201	-	697	20
5	Jamestown	566	2	2	-	1	81	28	6	47	12	370	367	86	-	248	10
6	Dunkirk	203	-	-	-	1	35	12	6	17	10	109	108	19	-	80	-
7	Balance of county	859	3	3	-	2	118	53	5	60	11	528	519	96	-	369	10
8	Chemung	932	5	1	-	2	165	48	28	89	18	536	531	144	-	356	15
9	Elmira	589	3	-	-	-	110	38	19	53	11	351	350	88	-	244	8
10	Balance of county	343	2	1	-	2	55	10	9	36	5	185	181	56	-	112	7
11	Chenango	448	-	-	1	2	63	22	8	33	7	267	235	36	-	186	3
12	Clinton	506	4	-	-	1	72	30	10	32	13	312	306	67	-	223	9
13	Plattsburgh	189	1	-	-	1	30	15	6	9	6	114	112	27	-	81	2
14	Balance of county	317	3	-	-	-	42	15	4	23	7	198	194	40	-	142	7
15	Columbia	592	5	4	-	2	100	35	7	58	10	372	365	68	-	278	10
16	Hudson	154	2	1	-	-	28	13	-	15	4	95	93	14	-	74	3
17	Balance of county	438	3	3	-	2	72	22	7	43	6	277	272	54	-	204	7
18	Cortland	439	1	-	-	1	59	17	8	34	10	273	267	53	1	195	5
19	Cortland	204	1	-	-	-	27	10	3	14	4	137	135	25	-	103	-
20	Balance of county	235	-	-	-	1	32	7	5	20	6	136	132	28	1	92	5
21	Delaware	515	3	2	-	2	62	28	7	27	7	322	317	68	-	229	7
22	Dutchess	1,428	12	4	2	4	267	91	39	137	30	836	819	162	1	608	14
23	Poughkeepsie	538	4	2	1	1	104	33	16	55	14	318	307	55	-	231	5
24	Beacon	134	3	1	-	-	22	5	2	15	2	74	73	20	-	52	2
25	Balance of county	756	5	1	1	3	141	53	21	67	14	444	439	87	1	325	7
26	Erie	9,622	97	37	3	27	1,695	587	252	856	235	5,372	5,295	925	11	4,098	134
27	Buffalo	6,582	77	28	1	22	1,142	398	175	569	171	3,723	3,675	628	10	2,863	92
28	Lackawanna	242	4	-	-	-	36	9	10	17	9	124	121	33	-	81	3
29	Kenmore	214	-	1	-	-	49	14	7	28	3	116	115	25	-	76	6
30	Tonawanda	175	2	1	-	1	32	9	4	19	4	93	92	18	-	69	2
31	Balance of county	2,409	14	7	2	4	436	157	56	223	48	1,314	1,292	221	1	1,009	31
32	Essex	431	7	6	-	3	62	27	6	29	5	232	228	46	-	168	6
33	Franklin	501	7	2	-	1	62	23	8	31	3	310	307	65	-	225	6
34	Fulton	694	4	4	1	2	120	45	16	59	11	425	416	84	-	296	9
35	Gloversville	364	2	2	-	-	64	26	7	31	5	226	221	39	-	160	1
36	Johnstown	155	2	1	-	-	30	9	4	17	1	89	86	19	-	59	3
37	Balance of county	175	-	1	1	2	26	10	5	11	5	110	109	26	-	77	5
38	Genesee	508	4	2	-	2	61	23	6	32	15	309	304	66	1	220	5
39	Batavia	204	2	-	-	1	27	10	1	16	5	128	126	29	-	87	3
40	Balance of county	304	2	2	-	1	34	13	5	16	10	181	178	37	1	133	2
41	Greene	432	3	2	-	3	73	20	15	38	10	273	268	57	-	193	8
42	Hamilton	57	-	-	-	-	11	2	1	8	2	33	32	3	-	26	2
43	Herkimer	768	4	-	1	2	144	57	13	74	11	453	440	93	-	321	8
44	Jefferson	1,030	4	2	2	3	147	42	27	78	26	631	615	128	1	430	11
45	Watertown	418	2	2	1	1	56	15	12	29	9	265	261	47	-	197	4
46	Balance of county	612	2	-	1	2	91	27	15	49	17	366	354	81	1	233	7
47	Lewis	289	1	-	-	-	38	16	4	18	2	167	161	41	1	110	-
48	Livingston	404	2	-	-	1	66	22	7	37	7	245	239	51	-	173	5
49	Madison	522	3	1	-	1	74	28	7	39	8	330	325	67	-	244	10
50	Oneida	125	1	1	-	1	16	6	2	8	4	77	75	10	-	62	5
51	Balance of county	397	2	-	-	-	58	22	5	31	4	253	250	57	-	182	5
52	Monroe	5,209	47	7	4	16	955	354	119	482	91	3,059	3,025	565	-	2,179	64
53	Rochester	3,813	41	2	2	14	703	273	86	344	74	2,244	2,217	404	-	1,615	45
54	Irondequoit (town)[3]	242	2	-	-	-	54	16	12	26	1	144	143	21	-	107	6
55	Balance of county	1,154	4	5	2	2	198	65	21	112	16	671	665	140	-	457	13
56	Montgomery	764	1	4	3	5	119	55	13	51	22	446	433	95	1	310	7
57	Amsterdam	425	1	3	2	3	85	35	7	23	14	240	232	55	-	161	2
58	Balance of county	339	-	1	1	2	54	20	6	28	8	206	201	40	1	149	5
59	Nassau	6,758	61	16	10	17	1,374	498	164	712	107	3,577	3,528	599	7	2,745	111
60	Hempstead	330	2	3	-	-	74	26	9	39	6	177	173	23	1	143	6
61	Valley Stream	274	3	1	1	1	64	25	7	32	2	139	137	22	-	115	4
62	Floral Park	182	4	-	-	1	51	18	7	26	3	88	85	23	1	56	1
63	Freeport	306	3	2	-	-	61	24	6	31	8	163	162	32	-	120	7
64	Garden City	152	-	-	1	-	27	11	3	13	1	91	88	16	-	65	4
65	Glen Cove	131	-	1	-	-	30	11	3	16	-	64	64	10	-	47	2
66	Long Beach	192	1	-	-	1	37	20	2	15	8	107	106	19	-	85	1
67	Lynbrook	210	5	-	-	1	43	14	4	25	3	114	111	20	-	85	3
68	Mineola	154	3	-	1	-	23	8	4	11	3	94	91	12	-	74	4
69	Rockville Centre	218	-	-	-	1	42	17	6	19	5	119	116	15	-	93	2
70	Balance of county	4,609	40	9	7	12	922	324	113	485	68	2,421	2,395	407	5	1,862	77
71	New York City	82,576	1,189	252	47	222	15,854	6,520	2,147	7,187	1,640	46,391	45,748	6,118	73	37,695	1,348
72	Bronx Bor. (Bronx)	13,893	137	31	18	47	2,805	1,181	381	1,243	355	7,767	7,657	939	8	6,435	276
73	Brooklyn Bor. (Kings)	27,118	335	63	15	61	5,168	2,162	666	2,340	601	15,674	15,454	2,154	28	12,679	429
74	Manhattan Bor. (N. Y.)	24,316	547	124	4	70	4,333	1,736	579	2,018	396	13,196	13,035	1,698	19	10,684	316
75	Queens Bor. (Queens)	15,241	139	30	8	41	3,184	1,280	458	1,446	248	8,572	8,451	1,130	17	6,985	298
76	Richmond Bor. (Richmond)	2,008	31	4	2	3	364	161	63	140	40	1,182	1,151	197	1	912	29
77	Niagara	1,823	10	6	-	7	295	117	48	130	34	1,039	1,016	190	1	763	19
78	Niagara Falls	811	5	4	-	2	145	52	26	67	17	424	411	80	1	314	10
79	Lockport	307	1	-	-	-	49	19	9	21	3	196	193	32	-	149	2
80	North Tonawanda	221	-	1	-	2	27	13	3	11	3	135	131	20	-	100	6
81	Balance of county	484	4	1	-	3	74	33	10	31	11	284	281	58	-	200	1
82	Oneida	2,394	11	5	2	7	366	141	35	190	52	1,421	1,397	225	2	1,111	26
83	Utica	1,179	5	4	1	3	189	67	23	99	32	687	673	108	1	545	17
84	Rome	366	-	-	-	1	49	20	4	25	7	233	232	38	-	185	2
85	Balance of county	849	6	1	1	3	128	54	8	66	13	501	492	79	1	381	7
86	Onondaga	3,739	32	13	-	15	623	207	79	337	78	2,205	2,171	454	-	1,572	52
87	Syracuse	2,520	27	11	-	10	431	132	59	240	64	1,489	1,470	303	-	1,064	34
88	Balance of county	1,219	5	2	-	5	192	75	20	97	14	716	701	151	-	508	18

[3]Classified as urban under a special

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
225	33	55	5	28	3	7	14	4	1	5	2	-	3	22	-	17	41	15	1	54	1
131	20	24	3	7	3	6	5	4	1	3	-	-	1	15	-	5	18	8	1	31	2
94	13	31	2	21	-	1	9	-	-	2	2	-	2	7	-	12	23	7	-	23	3
468	69	140	9	78	9	13	32	17	10	12	4	-	15	43	4	25	60	14	-	104	4
175	23	40	2	26	5	3	11	9	2	3	1	-	3	12	2	4	11	3	-	37	5
56	9	15	1	8	-	1	5	3	1	4	1	-	1	5	-	4	8	-	-	16	6
237	37	85	6	44	4	9	16	5	7	5	2	-	11	26	2	17	41	11	-	51	7
280	27	34	4	20	7	5	25	11	5	6	-	1	20	31	-	16	27	10	2	53	8
195	21	20	2	11	5	1	13	7	4	5	-	-	11	16	-	10	12	2	1	33	9
85	6	14	2	9	2	4	12	4	1	1	-	1	9	15	-	6	15	8	1	20	10
116	26	41	7	3	3	32	12	2	3	4	1	2	3	17	2	9	12	8	-	33	11
156	22	36	3	12	1	6	8	2	3	2	-	-	8	15	6	11	15	5	-	29	12
66	6	7	1	2	1	2	3	1	1	1	-	-	-	6	3	4	3	2	-	13	13
90	16	29	2	10	-	4	5	1	2	1	-	-	8	9	3	7	12	3	-	16	14
194	41	33	6	8	5	7	14	1	2	2	-	-	6	17	3	9	16	2	-	27	15
47	15	9	2	2	1	2	4	-	-	-	-	-	2	3	1	1	3	-	-	10	16
147	26	24	4	6	4	5	10	1	2	2	-	-	4	14	2	8	13	2	-	17	17
139	23	28	3	12	3	6	7	4	3	5	-	1	4	7	2	6	17	8	-	31	18
72	15	16	-	7	-	2	4	1	-	3	-	-	3	3	-	-	6	2	-	13	19
67	8	12	3	5	3	4	3	3	3	2	-	1	1	4	2	6	11	6	-	18	20
175	18	29	1	15	4	5	10	3	1	2	-	1	3	17	5	11	16	11	1	36	21
477	76	41	13	27	8	17	21	17	5	17	2	1	16	35	1	33	32	15	2	76	22
187	26	13	7	13	1	11	6	8	2	6	-	-	5	10	-	9	13	8	-	27	23
40	3	7	-	1	-	1	2	5	1	4	-	-	2	5	-	3	2	3	-	5	24
250	47	21	6	13	7	5	13	4	2	7	2	1	9	20	1	21	17	4	2	44	25
3,031	418	515	65	131	65	77	190	79	32	131	11	6	109	353	16	159	320	78	26	646	26
2,132	295	344	47	85	42	48	131	57	20	101	7	1	66	202	10	85	208	53	21	456	27
58	12	8	1	3	3	3	10	-	1	2	-	2	2	17	1	4	7	2	-	21	28
58	3	9	5	5	4	3	5	1	-	1	-	-	1	9	-	3	5	3	-	15	29
45	13	9	1	3	1	1	3	2	1	2	-	-	7	7	-	4	8	-	-	8	30
738	95	145	11	35	15	22	41	19	10	25	4	3	33	118	5	63	92	20	5	146	31
130	12	20	2	8	4	4	14	5	2	5	-	2	4	9	3	7	14	8	1	42	32
177	20	22	1	13	3	3	13	2	2	3	1	1	8	14	3	14	22	5	-	28	33
196	33	58	16	19	1	9	19	6	2	9	1	-	9	8	5	8	18	2	-	40	34
110	19	30	9	12	1	5	7	4	-	6	1	-	7	5	2	3	9	1	-	20	35
38	5	13	3	5	-	3	5	-	2	3	-	-	-	3	2	2	5	1	-	9	36
48	9	15	4	2	-	1	7	2	-	-	-	-	2	-	1	3	4	-	-	11	37
161	26	28	2	7	8	5	9	7	-	5	-	1	7	18	1	13	17	3	-	34	38
68	9	7	-	5	5	2	4	2	-	2	-	-	2	10	-	3	5	1	-	12	39
93	17	21	2	2	3	3	5	5	-	3	-	1	5	8	1	10	12	2	-	22	40
139	18	28	4	11	3	5	6	4	-	-	-	2	3	6	1	7	15	3	-	21	41
20	1	3	-	2	1	1	-	1	-	-	-	-	1	3	1	1	1	1	-	2	42
207	41	65	4	15	7	13	16	7	3	1	2	1	10	19	3	16	23	5	1	46	43
309	62	48	8	43	5	16	22	6	5	7	3	-	11	39	3	18	34	9	-	58	44
149	28	16	5	8	4	4	10	4	-	5	1	-	4	18	1	4	12	4	-	19	45
160	34	32	3	35	1	12	12	2	5	2	2	-	7	21	2	14	22	5	-	39	46
92	7	11	1	5	3	6	7	4	1	-	-	-	6	8	3	12	11	6	-	23	47
110	16	42	2	8	5	6	4	5	2	4	2	-	7	10	1	9	14	4	-	21	48
160	12	62	4	6	4	5	12	4	2	5	-	1	3	18	-	11	10	7	-	32	49
42	1	14	-	1	2	2	2	-	-	-	-	1	2	6	-	1	3	-	-	10	50
118	11	48	4	5	2	3	10	4	2	5	-	-	1	12	-	10	7	7	-	22	51
1,702	169	244	23	208	50	34	108	36	22	64	8	2	69	159	5	79	114	59	11	294	52
1,258	133	179	15	143	40	27	85	28	18	52	6	-	41	113	2	52	74	42	7	213	53
90	4	7	2	12	1	1	3	-	1	4	-	-	6	4	1	2	6	2	-	12	54
354	32	58	6	53	9	6	20	8	3	8	2	2	22	42	2	25	34	15	4	69	55
210	46	47	4	18	5	13	21	5	3	8	2	-	15	25	3	14	16	10	-	42	56
105	29	25	3	10	3	8	11	4	3	6	1	-	9	14	1	5	11	1	-	31	57
105	17	22	1	8	2	5	10	1	-	2	1	-	6	11	2	9	5	9	-	11	58
2,158	255	221	42	82	53	49	130	47	23	93	9	8	112	301	137	97	211	63	9	356	59
108	9	20	1	3	2	4	7	1	1	4	-	2	4	12	9	4	9	1	-	14	60
94	11	6	-	-	-	2	4	1	3	6	-	1	-	14	5	3	7	2	1	16	61
43	7	5	-	5	-	3	4	1	-	1	1	-	5	5	-	2	8	-	-	8	62
93	13	7	1	6	3	1	8	1	1	6	-	-	7	9	4	3	12	2	-	16	63
53	3	5	2	2	3	3	1	1	-	3	-	-	-	4	5	4	8	2	-	4	64
34	7	4	2	3	2	-	1	3	-	1	-	-	2	8	1	3	5	1	-	11	65
68	10	6	1	1	-	1	2	1	3	1	-	-	2	5	6	1	7	1	1	8	66
67	6	9	2	2	2	3	6	2	-	2	-	-	2	7	3	-	7	1	-	14	67
54	6	10	-	2	3	3	5	2	-	1	-	1	3	7	-	2	3	2	-	4	68
73	6	12	2	3	3	3	4	1	1	3	-	-	4	5	4	2	6	5	-	16	69
1,471	177	137	31	55	35	26	88	33	14	65	8	4	83	225	100	73	139	46	7	245	70
28,845	4,469	3,033	455	1,055	352	643	2,491	687	244	1,389	48	78	770	2,456	504	832	2,360	532	338	4,252	71
5,012	706	441	70	150	55	110	353	113	39	192	9	12	133	407	131	119	393	81	40	711	72
9,695	1,598	957	140	349	104	220	848	239	78	369	14	16	285	823	67	275	544	151	94	1,398	73
8,054	1,214	1,100	150	370	114	161	858	187	61	563	11	38	161	751	235	246	959	172	174	1,230	74
5,328	869	490	84	165	70	121	375	124	60	244	13	10	169	409	63	175	413	121	28	815	75
756	82	45	11	21	9	31	57	24	6	21	1	2	22	66	8	17	51	7	2	98	76
532	67	145	7	43	12	23	32	8	8	24	1	1	36	71	5	40	62	18	2	124	77
238	23	43	5	10	1	13	20	2	3	12	1	-	15	44	2	18	32	9	-	56	78
88	15	44	1	7	4	3	7	2	2	2	-	1	4	7	-	6	8	2	-	17	79
66	16	12	1	9	1	4	3	2	1	8	-	-	7	5	-	-	3	2	-	22	80
140	13	46	-	17	6	3	2	2	2	2	-	-	10	15	3	16	19	5	2	29	81
698	141	246	17	33	9	24	53	20	15	28	7	1	32	86	3	29	75	17	8	156	82
374	62	92	5	11	3	14	31	9	7	16	1	-	18	40	1	11	27	7	5	85	83
90	34	59	2	5	2	1	6	3	1	4	2	1	8	11	1	5	10	2	1	21	84
234	45	95	10	17	4	9	16	8	7	8	4	-	6	35	1	13	38	8	2	50	85
1,285	95	140	18	98	29	34	65	30	11	46	5	4	44	133	4	75	106	43	3	204	86
881	60	89	12	70	21	19	45	20	5	32	2	3	22	88	3	47	67	26	3	125	87
404	35	51	6	28	8	15	20	10	6	14	3	1	22	45	1	28	39	17	-	79	88

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEW YORK—Continued																
1	Ontario	671	8	3	-	4	93	32	7	54	11	383	378	96	-	259	12
2	Geneva	203	3	1	-	1	20	4	1	15	4	121	119	32	-	76	4
3	Balance of county	468	5	2	-	3	73	28	6	39	7	262	259	64	-	183	8
4	Orange	1,802	15	5	2	14	307	144	30	133	37	1,025	1,002	194	1	730	17
5	Newburgh	429	4	1	1	4	71	41	3	27	10	238	226	44	-	157	2
6	Middletown	267	1	-	-	3	48	19	7	22	8	158	158	33	1	113	1
7	Balance of county	1,106	10	4	1	7	188	84	20	84	19	629	618	117	-	460	14
8	Orleans	398	5	-	-	3	47	13	3	31	7	256	253	32	-	207	5
9	Oswego	946	5	2	-	4	138	57	14	67	16	598	586	118	-	431	16
10	Fulton	164	2	1	-	-	21	6	4	11	2	108	107	21	-	80	2
11	Oswego	292	1	-	-	-	48	22	6	20	5	177	170	39	-	111	3
12	Balance of county	490	2	1	-	4	69	29	4	36	9	313	309	58	-	240	11
13	Otsego	731	6	-	1	1	104	40	7	57	15	438	431	105	-	298	13
14	Oneonta	186	4	-	-	-	25	11	3	11	4	106	103	25	-	70	3
15	Balance of county	545	2	-	1	1	79	29	4	46	11	332	328	80	-	228	10
16	Putnam	264	-	1	-	-	47	17	10	20	5	157	154	29	-	112	-
17	Rensselaer	1,713	20	1	-	6	253	103	33	117	37	1,046	1,022	198	1	764	28
18	Troy	994	12	1	-	1	153	58	21	74	26	608	592	127	-	438	16
19	Rensselaer	137	2	-	-	-	20	7	3	10	5	91	91	14	-	70	1
20	Balance of county	582	6	-	-	5	80	38	9	33	6	347	339	57	1	256	9
21	Rockland	851	5	2	2	1	164	74	20	70	15	502	490	75	1	386	17
22	St. Lawrence	1,072	4	5	-	4	133	42	7	84	14	654	649	110	1	502	5
23	Massena	107	-	1	-	1	14	5	1	8	1	59	58	11	-	42	-
24	Ogdensburg	167	-	-	-	-	25	11	1	13	2	104	104	15	1	81	-
25	Balance of county	798	4	4	-	3	94	26	5	63	11	491	487	84	-	379	5
26	Saratoga	918	6	3	-	1	131	49	17	65	19	569	559	120	-	406	11
27	Saratoga Springs	213	1	1	-	-	30	14	3	13	5	131	130	22	-	101	2
28	Balance of county	705	5	2	-	1	101	35	14	52	14	438	429	98	-	305	9
29	Schenectady	1,606	10	4	1	5	306	114	35	157	38	942	935	149	1	728	18
30	Schenectady	1,129	10	3	1	3	230	79	31	120	22	652	647	98	1	506	14
31	Balance of county	477	-	1	-	2	76	35	4	37	16	290	288	51	-	222	4
32	Schoharie	296	3	-	-	1	43	20	7	16	5	171	170	32	-	118	2
33	Schuyler	176	-	-	-	-	26	7	2	17	2	96	95	16	-	77	3
34	Seneca	360	1	2	-	1	46	10	3	33	5	208	201	36	1	144	5
35	Steuben	1,032	3	1	-	1	160	57	14	89	15	630	621	141	1	440	7
36	Corning	174	3	1	-	-	28	7	2	19	3	102	98	19	-	73	1
37	Hornell	180	-	-	-	-	32	9	6	17	5	115	114	31	-	76	1
38	Balance of county	678	-	-	-	1	100	41	6	53	7	413	409	91	1	291	5
39	Suffolk	3,294	22	3	5	14	562	200	71	291	66	1,871	1,849	287	3	1,437	44
40	Sullivan	536	13	2	-	-	93	41	14	38	7	295	288	54	-	223	5
41	Tioga	377	2	-	-	1	57	21	6	30	9	226	222	41	1	160	3
42	Tompkins	513	1	-	1	2	87	30	10	47	4	306	296	47	1	228	4
43	Ithaca	249	-	-	1	-	43	17	6	20	-	138	134	18	-	105	1
44	Balance of county	264	1	-	-	2	44	13	4	27	4	168	162	29	1	123	3
45	Ulster	1,254	12	2	-	2	214	77	23	114	19	753	737	141	1	543	9
46	Kingston	404	4	1	-	1	78	25	9	44	8	235	230	44	-	170	2
47	Balance of county	850	8	1	-	1	136	52	14	70	11	518	507	97	1	373	7
48	Warren	525	8	-	-	2	70	32	5	33	7	326	323	54	-	248	10
49	Glens Falls	273	3	-	-	2	36	23	2	11	4	177	177	28	-	136	6
50	Balance of county	252	5	-	-	-	34	9	3	22	3	149	146	26	-	112	4
51	Washington	545	4	3	-	4	94	29	9	56	5	322	318	51	-	247	5
52	Wayne	741	3	1	-	4	115	39	11	65	12	436	431	85	-	323	17
53	Newark	90	-	1	-	1	9	4	1	4	2	63	62	13	-	45	3
54	Balance of county	651	3	-	-	3	106	35	10	61	10	373	369	72	-	278	14
55	Westchester	6,430	45	13	6	24	1,224	446	130	648	145	3,593	3,550	587	-	2,765	95
56	Yonkers	1,532	14	2	2	2	294	124	28	142	35	878	864	120	-	701	26
57	Mount Vernon	707	4	2	-	3	146	52	12	82	16	393	385	46	-	320	9
58	New Rochelle	633	6	2	-	3	123	45	17	61	16	352	348	81	-	258	9
59	White Plains	486	3	1	1	4	86	27	10	49	13	255	252	48	-	192	3
60	Mamaroneck	148	-	2	-	-	30	10	2	18	2	84	80	14	-	61	1
61	Ossining	185	2	-	-	-	34	11	3	20	9	92	90	19	-	64	4
62	Peekskill	213	2	-	1	-	40	16	2	22	4	122	122	21	-	88	4
63	Port Chester	244	3	-	-	2	37	15	3	19	2	140	140	26	-	105	4
64	Rye	116	1	1	-	-	24	9	4	11	1	66	66	12	-	52	1
65	Scarsdale	165	3	-	-	-	38	14	2	22	4	96	95	17	-	71	3
66	Balance of county	2,001	7	3	2	10	372	123	47	202	43	1,115	1,108	183	-	853	31
67	Wyoming	360	1	-	-	2	50	22	1	27	4	231	229	60	-	139	2
68	Yates	236	-	1	1	-	38	10	7	21	8	140	130	27	-	100	2
69	NORTH CAROLINA	31,625	316	71	20	221	3,784	1,148	350	2,286	422	16,585	16,095	4,265	35	10,795	312
70	Metropolitan counties	7,158	75	14	4	39	1,009	296	100	613	103	3,860	3,760	881	4	2,616	71
71	Nonmetropolitan counties	24,467	241	57	16	182	2,775	852	250	1,673	319	12,725	12,335	3,384	31	8,179	241
72	Alamance	463	4	2	-	3	59	21	1	37	16	254	249	60	-	173	4
73	Burlington	153	-	1	-	2	21	9	-	12	5	90	90	19	-	65	1
74	Balance of county	310	4	1	-	1	38	12	1	25	11	164	159	41	-	108	3
75	Alexander	107	2	-	-	-	13	3	1	9	2	49	45	17	-	24	-
76	Alleghany	71	-	-	-	-	6	2	1	3	2	43	38	9	-	29	3
77	Anson	243	3	-	-	2	31	8	2	21	3	120	115	28	-	81	3
78	Ashe	158	-	-	-	4	19	2	2	15	3	70	67	22	-	41	1
79	Avery	77	1	-	-	-	7	1	-	6	-	31	30	13	-	15	1
80	Beaufort	381	4	-	-	1	44	10	3	31	3	197	189	65	-	116	3
81	Bertie	235	2	2	1	2	32	13	4	15	1	109	106	41	-	56	-
82	Bladen	243	3	1	-	-	19	6	3	10	4	135	133	27	-	98	-
83	Brunswick	168	2	1	-	-	17	5	-	12	2	75	71	15	-	48	2
84	Buncombe	976	20	-	-	3	164	59	18	87	10	548	541	117	-	383	20
85	Asheville	508	13	-	-	1	78	28	9	41	6	288	283	59	-	203	9
86	Balance of county	468	7	-	-	2	86	31	9	46	4	260	258	58	-	180	11

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
179	23	45	3	16	4	5	18	9	5	7	2	-	12	28	3	14	18	4	2	47	1
52	3	17	2	8	1	2	9	1	3	2	1	-	5	10	-	1	6	-	1	14	2
127	20	28	1	8	3	3	9	8	2	5	1	-	7	18	3	13	12	4	1	33	3
564	73	76	16	50	11	23	36	16	4	19	2	1	20	47	20	35	63	21	1	112	4
130	6	19	6	15	4	12	14	3	-	6	1	-	4	18	15	6	17	2	-	14	5
89	13	10	1	8	2	-	5	3	1	1	-	-	3	4	1	1	9	4	1	16	6
345	54	47	9	27	5	11	17	10	3	12	1	1	13	25	4	28	37	15	-	82	7
141	30	31	5	8	1	3	4	4	2	2	-	-	5	11	-	7	10	3	1	31	8
300	62	53	6	29	2	12	18	7	3	9	-	-	14	39	1	15	29	2	-	46	9
54	11	13	1	3	2	1	3	1	-	2	-	-	3	11	-	3	2	-	-	5	10
67	20	21	2	18	-	7	2	2	1	6	-	-	4	12	-	4	12	-	-	18	11
179	31	19	3	8	-	4	13	4	2	1	-	-	7	16	1	8	15	2	-	23	12
212	49	24	3	21	4	7	13	5	4	3	-	-	12	19	4	17	26	12	3	48	13
47	13	7	1	6	1	3	3	-	1	-	-	-	4	6	-	4	7	5	3	14	14
165	36	17	2	15	3	4	10	5	3	3	-	-	8	13	4	13	19	7	-	34	15
71	11	30	3	8	2	3	6	1	1	1	-	-	4	6	1	9	10	3	-	12	16
556	83	99	8	45	6	24	31	18	9	28	2	2	13	49	4	26	59	9	1	99	17
318	39	65	2	22	3	16	17	12	6	18	1	2	7	29	2	10	34	4	-	51	18
49	15	5	1	6	-	-	-	-	-	3	-	-	2	4	-	1	-	-	-	9	19
189	29	29	5	17	3	8	14	6	3	7	1	-	4	16	2	15	25	5	1	39	20
275	61	33	7	17	4	12	12	3	1	12	1	-	9	25	4	13	33	8	2	37	21
386	51	60	4	29	3	5	24	11	4	12	3	3	19	36	1	38	38	9	2	58	22
35	2	5	1	4	-	1	4	-	1	4	-	3	3	6	-	2	3	1	-	4	23
67	5	9	-	5	2	-	2	1	-	2	-	-	4	6	1	3	5	2	-	10	24
284	44	46	3	20	1	4	18	10	3	6	3	-	12	24	-	33	30	6	2	44	25
304	38	53	4	21	8	10	25	9	2	11	-	2	9	27	8	17	25	8	1	45	26
82	15	2	1	4	2	1	3	2	1	3	-	1	-	8	5	4	6	-	1	11	27
222	23	51	3	17	6	9	22	7	1	8	-	1	9	19	3	13	19	8	-	34	28
605	57	48	13	30	14	7	24	10	8	17	2	-	19	56	4	16	31	15	2	96	29
414	42	36	10	23	9	5	16	10	6	15	2	-	11	39	4	8	20	8	2	67	30
191	15	12	3	7	5	2	8	-	2	2	-	-	8	17	-	8	11	7	-	29	31
83	9	24	3	14	3	1	5	4	2	2	1	-	5	7	1	13	7	5	-	21	32
42	9	23	1	1	-	1	5	2	1	3	-	-	-	5	-	5	8	5	1	17	33
94	18	27	4	13	3	7	6	-	1	2	1	-	3	27	2	12	12	7	-	24	34
331	48	54	10	24	5	9	18	4	2	6	2	2	12	35	4	17	46	8	1	65	35
49	16	7	2	-	4	4	1	1	1	2	1	-	2	9	-	1	9	-	-	10	36
63	6	6	1	6	-	1	3	2	-	-	-	-	-	4	1	2	4	-	-	12	37
219	26	41	7	18	1	4	14	1	1	4	1	2	10	22	3	14	33	8	1	43	38
1,116	147	130	23	79	20	22	51	27	11	51	3	7	39	125	7	91	95	46	10	188	39
153	13	52	4	6	1	7	10	7	1	3	-	-	1	16	-	11	22	10	-	45	40
107	13	37	2	17	1	4	7	3	2	5	-	1	2	9	-	6	14	5	-	28	41
170	27	27	2	14	4	10	6	3	4	5	-	-	10	25	2	16	11	2	-	28	42
73	17	14	-	9	2	4	6	1	3	4	-	-	7	14	1	6	5	2	-	18	43
97	10	13	2	5	2	6	-	2	1	1	-	-	3	11	1	10	6	-	-	10	44
412	51	71	12	31	9	16	29	5	3	7	1	-	7	35	3	27	41	14	1	79	45
140	16	12	4	9	3	5	7	2	1	3	1	-	2	13	1	9	6	3	-	29	46
272	35	59	8	22	6	11	22	3	2	4	-	-	5	22	2	18	35	11	1	50	47
167	21	50	5	11	5	3	10	3	4	3	-	1	6	15	1	10	26	9	-	24	48
92	14	24	2	9	2	-	5	-	1	1	-	-	4	6	-	6	13	2	-	13	49
75	7	26	3	2	3	3	5	3	3	2	-	1	2	9	1	4	13	7	-	11	50
184	21	37	5	10	5	4	8	2	3	3	3	3	4	12	-	10	20	8	1	36	51
224	39	43	6	14	3	5	18	3	5	4	-	-	6	18	-	26	26	7	1	56	52
29	6	7	-	4	-	1	2	-	1	1	-	-	-	2	-	1	3	-	-	4	53
195	33	36	6	10	3	4	16	3	4	3	-	-	6	16	-	25	23	7	1	52	54
2,051	352	267	44	121	33	43	133	65	29	110	8	2	83	180	68	71	160	60	8	403	55
496	112	67	10	27	6	14	33	12	6	27	-	1	20	44	8	11	40	13	1	89	56
235	35	41	6	10	3	8	19	8	5	12	2	-	7	17	4	4	18	8	1	38	57
195	33	21	2	4	3	4	8	6	4	8	2	-	7	24	11	5	14	2	-	40	58
141	29	19	4	5	3	3	12	7	1	8	-	-	6	20	8	6	7	5	2	41	59
47	5	8	2	3	-	4	6	-	-	2	-	-	1	2	-	1	5	-	-	13	60
45	6	9	3	4	-	2	6	3	-	5	2	-	2	1	2	5	5	-	2	15	61
74	8	2	-	12	1	-	5	-	2	1	-	-	1	8	2	1	6	-	1	17	62
81	8	12	2	5	2	-	3	2	3	5	1	-	2	8	5	4	7	2	-	18	63
47	3	1	1	-	1	-	1	3	-	7	-	-	-	3	1	1	2	1	-	4	64
58	7	3	2	4	1	1	1	2	-	3	-	-	3	2	1	1	3	1	-	7	65
632	106	84	12	47	13	7	39	22	8	32	1	1	34	51	26	32	53	28	1	121	66
112	12	13	6	22	2	2	1	2	2	2	1	-	2	12	1	13	12	7	-	17	67
72	1	25	1	1	1	10	3	1	2	1	1	-	-	7	-	6	14	2	1	10	68
6,169	2,320	1,994	287	502	211	490	1,165	143	225	207	65	82	493	1,877	686	1,074	1,457	355	368	2,009	69
1,710	509	326	75	122	62	100	222	43	25	59	12	9	105	403	57	204	257	90	77	491	70
4,459	1,811	1,668	212	380	149	390	943	100	200	148	53	73	388	1,474	629	870	1,200	265	291	1,518	71
115	24	30	5	7	4	5	22	2	2	2	1	-	9	21	4	15	23	2	1	21	72
42	7	15	1	4	1	-	3	2	2	-	-	-	5	6	2	3	4	1	-	6	73
73	17	15	4	3	3	5	19	-	-	2	1	-	4	15	2	12	19	1	1	15	74
15	6	3	-	4	-	4	5	-	-	-	-	-	-	4	11	3	9	1	-	8	75
13	2	11	-	-	-	5	4	-	-	2	-	-	2	-	4	1	2	-	2	3	76
46	18	14	4	2	-	5	6	-	1	1	-	1	6	15	25	4	9	1	2	13	77
17	9	14	-	4	-	3	8	1	-	1	-	-	3	7	13	5	10	5	1	8	78
11	2	1	-	2	-	1	6	-	-	-	-	-	1	5	10	1	3	1	6	5	79
62	25	26	3	1	4	8	34	1	5	2	-	1	1	31	7	13	8	2	5	22	80
25	15	16	1	8	-	3	6	1	1	6	-	2	1	9	11	8	9	-	4	28	81
42	36	20	3	5	-	2	11	1	1	-	-	2	5	19	4	9	12	-	3	14	82
20	11	15	3	4	1	4	7	-	2	-	-	-	1	14	16	8	13	-	2	8	83
266	54	43	12	21	8	7	23	3	2	10	-	-	7	38	7	28	26	22	7	58	84
143	33	18	5	13	3	5	9	1	-	8	-	-	2	17	4	13	16	10	4	38	85
123	21	25	7	8	5	2	14	2	2	2	-	-	5	21	3	15	10	12	3	20	86

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NORTH CAROLINA—Con.																
1	Burke	282	2	-	-	3	41	10	6	25	3	147	145	41	1	93	1
2	Cabarrus	447	6	-	1	2	56	13	10	33	5	272	267	64	-	190	5
3	Concord	159	2	-	-	-	19	4	4	11	-	94	91	27	-	58	4
4	Balance of county	288	4	-	1	2	37	9	6	22	5	178	176	37	-	132	1
5	Caldwell	294	2	-	-	1	40	7	1	32	2	148	147	48	-	84	3
6	Camden	52	-	-	-	-	1	-	1	-	1	32	32	7	-	25	3
7	Carteret	205	3	-	-	1	26	6	9	11	1	113	108	30	2	73	3
8	Caswell	160	1	-	-	-	15	6	1	8	3	85	77	23	-	41	3
9	Catawba	391	2	1	1	4	43	12	1	30	5	203	198	50	1	144	2
10	Hickory	125	1	-	1	1	8	3	-	5	-	60	57	21	-	36	1
11	Balance of county	266	1	1	-	3	35	9	1	25	5	143	141	29	1	108	1
12	Chatham	209	-	1	-	1	28	8	2	18	2	114	114	32	1	69	2
13	Cherokee	158	3	-	-	-	26	9	2	15	1	70	70	15	-	54	1
14	Chowan	115	1	-	-	1	9	4	1	4	2	69	69	23	-	33	-
15	Clay	35	-	-	-	-	3	1	-	2	1	23	23	9	-	13	-
16	Cleveland	426	5	2	-	1	47	15	3	29	5	222	215	56	-	150	5
17	Shelby	133	2	1	-	-	18	8	-	10	1	78	75	10	-	60	2
18	Balance of county	293	3	1	-	1	29	7	3	19	4	144	140	46	-	90	3
19	Columbus	408	5	-	-	1	34	9	2	23	2	178	173	48	2	117	3
20	Craven	450	8	1	1	5	41	11	5	25	6	225	223	49	1	160	7
21	New Bern	196	3	1	1	2	20	8	3	9	3	111	111	20	1	85	2
22	Balance of county	254	5	-	-	3	21	3	2	16	3	114	112	29	-	75	5
23	Cumberland	693	5	1	1	9	69	16	10	43	8	277	266	64	-	186	7
24	Fayetteville	334	4	-	1	8	27	7	6	14	4	138	131	31	-	89	2
25	Balance of county	359	1	1	-	1	42	9	4	29	4	139	135	33	-	97	5
26	Currituck	65	1	1	-	-	13	4	1	8	1	35	35	4	-	29	1
27	Dare	58	1	-	-	1	8	3	4	1	2	33	32	7	-	25	-
28	Davidson	447	4	1	-	3	61	21	2	38	5	248	243	69	1	166	10
29	Lexington	117	2	1	-	-	19	5	-	14	-	66	64	19	-	43	4
30	Thomasville	89	-	-	-	-	10	5	-	5	2	53	52	16	-	35	2
31	Balance of county	241	2	-	-	3	32	11	2	19	3	129	127	34	1	88	4
32	Davie	122	1	-	-	1	12	3	1	8	3	74	72	27	-	38	-
33	Duplin	327	1	1	-	2	36	10	3	23	3	188	181	67	-	104	2
34	Durham	793	9	1	-	5	123	29	13	81	12	423	410	90	-	294	4
35	Durham	578	7	-	-	4	84	20	7	57	9	317	307	66	-	221	4
36	Balance of county	215	2	1	-	1	39	9	6	24	3	106	103	24	-	73	-
37	Edgecombe	419	9	1	-	2	34	12	4	18	7	215	206	58	-	136	5
38	Rocky Mount (part)	116	1	-	-	1	15	6	3	6	4	67	66	19	-	45	1
39	Balance of county	303	8	1	-	1	19	6	1	12	3	148	140	39	-	91	4
40	Forsyth	1,200	10	2	-	7	148	54	12	82	21	641	605	135	4	412	11
41	Winston-Salem	813	10	1	-	4	94	34	10	50	12	434	408	92	4	282	7
42	Balance of county	387	-	1	-	3	54	20	2	32	9	207	197	43	-	130	4
43	Franklin	270	1	-	-	-	29	11	4	14	6	137	134	24	-	103	1
44	Gaston	720	5	2	1	6	96	19	6	71	9	376	370	82	1	268	13
45	Gastonia	227	-	1	-	4	36	7	-	29	4	112	109	18	1	82	6
46	Balance of county	493	5	1	1	2	60	12	6	42	5	264	261	64	-	186	7
47	Gates	91	1	-	-	-	6	1	-	5	-	50	47	13	2	28	-
48	Graham	35	-	-	-	-	6	2	1	3	-	17	17	4	-	12	-
49	Granville	246	-	-	-	3	22	8	2	12	4	144	130	32	-	82	1
50	Greene	120	1	-	-	2	9	3	1	5	2	57	57	23	-	31	-
51	Guilford	1,413	12	3	-	6	171	44	16	111	27	749	738	213	-	471	13
52	Greensboro	618	5	3	-	2	79	18	10	51	13	323	318	94	-	201	6
53	High Point	312	4	-	-	3	33	6	1	26	5	171	167	47	-	108	3
54	Balance of county	483	3	-	-	1	59	20	5	34	9	255	253	72	-	162	4
55	Halifax	484	8	1	1	6	39	10	3	26	7	278	264	97	-	152	5
56	Harnett	322	4	-	-	2	40	11	2	27	5	166	157	36	1	112	2
57	Haywood	216	-	-	1	1	24	8	-	16	5	127	125	33	-	83	4
58	Henderson	266	1	2	-	1	52	17	3	32	3	133	130	38	-	86	1
59	Hertford	183	3	1	-	4	22	6	2	14	2	96	91	30	-	55	2
60	Hoke	96	2	-	-	1	7	4	-	3	3	39	38	12	1	22	-
61	Hyde	71	1	-	-	-	9	5	-	4	1	32	32	10	-	21	1
62	Iredell	463	-	2	3	1	63	22	2	39	6	257	244	65	-	161	3
63	Statesville	150	-	1	1	-	23	8	2	13	-	77	76	18	-	56	2
64	Balance of county	313	-	1	2	1	40	14	-	26	6	180	168	47	-	105	1
65	Jackson	140	-	1	-	-	19	7	2	10	2	77	75	17	-	49	2
66	Johnston	479	7	-	-	2	49	19	2	28	8	271	267	57	1	193	3
67	Jones	75	1	-	-	1	8	3	1	4	-	44	42	13	1	25	-
68	Lee	209	1	2	-	2	28	7	2	19	2	111	108	25	-	79	2
69	Sanford	79	1	1	-	1	11	2	-	9	1	44	42	7	-	34	1
70	Balance of county	130	-	1	-	1	17	5	2	10	1	67	66	18	-	45	1
71	Lenoir	450	3	-	-	6	50	16	10	24	2	242	230	80	1	135	2
72	Kinston	210	-	-	-	2	23	9	6	8	1	130	122	43	1	69	1
73	Balance of county	240	3	-	-	4	27	7	4	16	1	112	108	37	-	66	1
74	Lincoln	198	-	-	-	-	19	4	3	12	3	108	107	22	-	79	6
75	McDowell	157	-	-	-	2	21	4	2	15	-	84	82	23	-	52	1
76	Macon	118	-	-	-	1	10	6	-	4	1	71	71	13	-	53	1
77	Madison	107	1	-	-	1	11	4	-	7	-	65	63	22	-	37	3
78	Martin	211	4	-	-	1	19	6	3	10	3	101	100	17	-	82	-
79	Mecklenburg	1,682	14	7	3	8	252	58	30	164	16	925	908	179	-	671	16
80	Charlotte	1,241	9	7	3	4	184	48	23	113	14	684	668	123	-	495	9
81	Balance of county	441	5	-	-	4	68	10	7	51	2	241	240	56	-	176	7
82	Mitchell	110	4	-	1	1	15	5	4	6	-	59	58	22	1	31	4
83	Montgomery	123	1	-	-	2	14	4	-	10	-	68	64	14	-	41	-
84	Moore	275	2	-	-	2	31	11	4	16	8	153	150	41	-	98	1
85	Nash	541	10	-	-	4	50	16	7	27	6	296	288	87	1	183	4
86	Rocky Mount (part)	169	3	-	-	-	19	6	4	9	1	97	96	26	-	63	1
87	Rocky Mount (total)	285	4	-	-	1	34	12	7	15	5	164	162	45	-	108	2
88	Balance of county	372	7	-	-	4	31	10	3	18	5	199	192	61	1	120	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
51	19	22	2	5	3	2	8	1	4	1	-	1	7	11	10	9	11	1	6	16	1
124	43	18	6	4	3	5	11	1	-	3	-	1	5	13	6	17	13	8	5	22	2
32	15	7	2	2	2	3	5	1	-	-	-	1	3	3	4	7	6	3	1	10	3
92	28	11	4	2	1	2	6	-	-	3	-	-	2	10	2	10	7	5	4	12	4
56	15	10	3	10	2	1	10	4	1	1	3	1	6	19	11	10	16	6	-	13	5
12	3	7	-	-	-	-	2	-	-	-	-	-	1	3	-	2	6	1	-	3	6
48	6	16	-	1	2	5	3	2	2	1	-	1	3	11	9	6	6	2	2	13	7
20	9	9	1	12	-	8	8	1	1	1	-	-	2	9	1	9	8	1	2	13	8
74	23	45	1	1	1	5	13	4	4	3	-	-	9	20	19	13	15	7	4	21	9
18	5	12	-	-	-	3	6	2	2	1	-	-	3	10	8	2	5	2	2	11	10
56	18	33	1	1	1	2	7	2	2	2	-	-	6	10	11	11	10	5	2	10	11
50	12	5	3	8	1	-	4	1	-	1	-	1	1	12	2	15	13	1	1	11	12
26	14	13	-	-	1	-	7	3	2	1	-	-	2	11	5	6	8	1	1	11	13
20	1	12	2	11	-	-	11	-	-	-	1	-	3	2	2	1	5	-	-	8	14
7	2	4	-	-	1	-	2	-	-	-	-	-	-	-	-	2	1	-	-	3	15
92	30	23	3	4	2	7	9	1	1	2	1	1	6	34	6	15	36	-	2	30	16
34	12	12	2	2	1	3	2	-	-	2	1	-	-	8	3	3	6	-	1	7	17
58	18	11	1	2	1	4	7	1	1	-	-	1	6	26	3	12	30	-	1	23	18
45	27	42	2	3	1	5	35	2	4	3	3	1	1	41	35	20	18	2	6	17	19
83	44	26	4	4	5	2	21	-	8	4	-	3	11	28	3	23	33	5	6	18	20
45	25	13	2	1	2	-	12	-	1	3	-	2	1	12	1	7	6	3	2	5	21
38	19	13	2	3	3	2	9	-	7	1	-	1	10	16	2	16	27	2	4	13	22
90	37	52	2	9	5	11	19	2	6	4	1	5	24	83	47	33	39	3	8	49	23
47	12	28	2	5	4	7	10	-	2	1	1	2	10	49	17	15	13	2	5	25	24
43	25	24	-	4	1	4	9	2	4	3	-	3	14	34	30	18	26	1	3	24	25
13	4	11	1	1	-	-	3	-	1	-	-	-	-	3	-	4	-	-	-	3	26
12	3	10	-	-	-	1	3	-	-	-	-	1	1	2	-	1	4	-	-	1	27
108	31	17	4	2	1	5	9	2	1	3	2	1	12	26	2	14	19	6	2	26	28
33	6	-	2	-	-	2	2	1	-	2	-	-	5	4	-	1	5	4	1	4	29
20	11	2	-	-	1	1	2	-	-	-	-	-	-	9	1	4	1	2	-	5	30
55	14	15	2	2	-	2	5	1	1	1	2	1	7	13	1	9	13	-	1	17	31
32	3	3	1	4	2	2	5	2	-	-	-	-	-	8	1	-	7	2	-	6	32
52	15	35	5	4	1	7	7	1	3	4	-	4	6	16	2	15	17	4	5	12	33
185	74	31	11	7	8	13	25	5	1	9	2	2	9	40	17	12	29	8	8	53	34
142	53	22	8	4	8	10	16	4	1	8	2	2	6	34	10	8	16	7	6	37	35
43	21	9	3	3	-	3	9	1	-	1	-	-	3	6	7	4	13	1	2	16	36
65	34	32	2	7	3	9	18	3	6	4	3	-	7	34	9	16	17	3	7	24	37
24	12	8	1	-	1	1	6	-	-	1	2	-	1	7	-	3	4	1	-	3	38
41	22	24	1	7	2	8	12	3	6	3	1	-	6	27	9	13	13	2	7	21	39
262	100	39	16	28	10	36	34	9	7	9	2	2	25	64	5	39	43	13	21	98	40
165	80	30	13	10	7	26	22	8	5	6	-	2	16	47	4	24	29	9	18	68	41
97	20	9	3	18	3	10	12	1	2	3	2	-	9	17	1	15	14	4	3	30	42
68	20	14	2	4	1	3	13	-	3	1	1	4	1	18	1	7	16	2	5	25	43
155	49	51	6	11	2	6	14	7	4	2	1	1	21	50	9	24	36	7	5	44	44
47	16	13	3	4	1	3	6	2	-	1	-	-	6	14	4	10	14	1	2	10	45
108	33	38	3	7	1	3	8	5	4	1	1	1	15	36	5	14	22	6	3	34	46
18	5	5	1	3	-	3	5	1	-	-	-	-	2	6	3	7	4	2	-	4	47
7	2	3	-	1	-	-	1	-	-	-	-	-	-	1	5	-	1	-	2	2	48
29	28	24	2	12	2	14	5	-	2	5	4	-	4	18	8	3	11	2	4	7	49
14	13	4	1	1	1	-	7	-	-	-	2	1	5	12	4	4	4	1	-	9	50
329	77	52	12	30	12	11	47	15	7	11	5	2	20	84	6	41	66	23	11	107	51
155	22	18	4	13	6	5	18	10	2	5	2	1	6	45	3	16	23	9	4	49	52
67	27	11	4	5	3	4	6	2	3	2	2	-	5	15	2	11	17	2	1	28	53
107	28	23	4	12	3	2	23	3	2	4	1	1	9	24	1	14	26	12	6	30	54
60	57	30	5	8	2	14	16	-	3	4	1	1	5	33	5	22	26	6	1	21	55
67	18	25	1	3	4	9	14	-	1	2	-	2	3	23	4	17	14	5	5	15	56
51	13	15	4	5	-	2	8	-	-	-	1	-	5	9	-	3	9	3	2	18	57
65	5	15	2	2	2	3	15	-	1	-	1	-	4	12	4	4	13	7	-	13	58
28	15	10	4	-	2	5	8	-	-	1	-	1	3	12	2	3	4	-	3	18	59
9	7	6	3	-	-	1	6	-	3	-	-	-	3	7	4	5	3	2	1	10	60
12	1	7	-	1	-	-	8	-	-	-	1	-	-	2	3	1	9	1	1	2	61
87	30	41	7	8	3	13	12	1	2	1	1	1	5	21	4	15	21	9	4	34	62
30	11	13	-	1	1	1	8	-	1	-	-	-	3	8	1	4	3	4	3	13	63
57	19	28	7	7	2	12	4	1	1	1	1	1	2	13	3	11	18	5	1	21	64
34	6	7	1	8	-	2	4	4	2	-	1	-	6	5	-	6	5	1	1	6	65
99	42	49	3	8	5	4	14	-	5	2	3	1	8	22	9	8	18	9	9	34	66
14	7	4	-	2	1	2	3	-	-	-	-	1	2	-	2	3	1	3	1	5	67
53	15	9	-	3	1	3	9	2	1	2	-	1	7	13	1	5	6	2	6	8	68
23	8	2	-	-	1	2	5	1	-	1	-	1	-	5	-	2	1	1	3	-	69
30	7	7	-	3	-	1	4	1	1	1	-	-	7	8	1	3	5	1	3	8	70
68	29	36	4	6	4	12	12	3	3	2	-	1	6	39	6	18	14	8	7	28	71
37	12	19	2	3	4	8	7	1	1	2	-	-	2	14	2	3	5	4	2	11	72
31	17	17	2	3	-	4	5	2	2	-	-	1	4	25	4	15	9	4	5	17	73
52	9	12	-	4	2	1	8	-	-	2	-	-	2	11	4	13	11	1	2	14	74
35	9	7	3	1	3	2	5	-	-	2	-	1	-	4	13	9	7	-	1	8	75
29	18	5	-	4	1	-	3	-	1	-	-	-	-	8	1	3	7	2	-	10	76
19	8	7	-	4	-	2	4	-	1	-	-	-	-	4	2	3	4	2	1	8	77
40	29	13	-	-	1	1	9	1	-	1	-	1	3	20	11	5	11	1	4	16	78
445	129	81	18	25	15	17	62	6	4	14	3	1	24	109	11	51	50	13	15	94	79
320	103	63	17	20	13	16	49	5	3	10	3	1	17	81	7	30	36	10	11	73	80
125	26	18	1	5	2	1	13	1	1	4	-	-	7	28	4	21	14	3	4	21	81
13	12	2	-	1	3	1	7	-	1	-	-	-	-	-	6	3	3	-	2	8	82
27	8	6	7	2	-	4	3	-	-	1	-	-	3	6	4	3	8	1	-	9	83
63	19	15	3	5	3	3	5	-	1	4	-	1	6	6	3	13	15	2	4	19	84
114	38	27	10	6	1	8	17	1	10	4	3	-	5	39	6	13	26	13	8	30	85
46	11	5	3	3	1	1	4	1	4	2	1	-	-	12	1	6	6	4	2	6	86
70	23	13	4	3	2	2	10	1	4	3	3	-	1	19	1	9	10	5	2	9	87
68	27	22	7	3	-	7	13	-	6	2	2	-	5	27	5	7	20	9	6	24	88

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NORTH CAROLINA—Con.																
1	New Hanover	670	7	4	-	2	74	29	2	43	5	359	349	117	-	209	2
2	Wilmington	496	5	3	-	2	47	20	1	26	4	261	253	90	-	144	2
3	Balance of county	174	2	1	-	-	27	9	1	17	1	98	96	27	-	65	-
4	Northampton	226	4	-	-	5	22	4	-	18	5	120	116	38	-	68	1
5	Onslow	247	2	-	1	1	20	4	2	14	6	101	96	31	1	56	5
6	Orange	223	1	-	-	1	29	7	4	18	1	120	119	27	-	86	1
7	Pamlico	87	1	-	-	-	6	2	1	3	2	52	47	8	-	34	1
8	Pasquotank	229	2	1	-	1	26	9	2	15	-	134	131	28	-	96	4
9	Elizabeth City	168	1	1	-	1	19	7	2	10	-	99	97	13	-	77	3
10	Balance of county	61	1	-	-	-	7	2	-	5	-	35	34	15	-	19	1
11	Pender	144	-	-	-	-	10	6	1	3	2	70	67	34	-	28	1
12	Perquimans	88	-	-	-	1	10	5	-	5	-	54	53	22	-	27	-
13	Person	191	2	1	-	-	20	6	4	10	2	99	97	24	-	72	-
14	Pitt	548	9	2	-	5	43	17	5	21	8	312	306	79	1	214	4
15	Greenville	159	2	-	-	-	14	7	3	4	4	96	94	22	-	70	-
16	Balance of county	389	7	2	-	5	29	10	2	17	4	216	212	57	1	144	4
17	Polk	86	2	-	-	1	11	3	1	7	-	45	41	9	-	25	1
18	Randolph	386	2	-	-	1	54	20	3	31	6	212	204	43	-	147	6
19	Richmond	373	2	1	-	4	35	8	6	21	5	206	198	72	-	118	8
20	Robeson	715	10	6	1	9	66	15	4	47	9	281	278	74	2	190	8
21	Rockingham	477	5	3	-	1	61	21	7	33	6	265	258	65	-	180	6
22	Reidsville	109	-	-	-	-	13	7	2	4	1	71	69	15	-	51	1
23	Balance of county	368	5	3	-	1	48	14	5	29	5	194	189	50	-	129	5
24	Rowan	570	4	1	-	5	83	28	8	47	8	308	296	72	1	210	7
25	Salisbury	204	2	-	-	1	24	6	2	16	-	112	109	30	-	76	-
26	Balance of county	366	2	1	-	4	59	22	6	31	8	196	187	42	1	134	7
27	Rutherford	321	3	-	-	2	48	19	3	26	2	160	160	53	-	97	4
28	Sampson	385	3	1	-	6	40	16	1	23	6	204	198	55	-	134	2
29	Scotland	233	1	-	-	3	27	7	1	19	2	113	113	20	1	81	-
30	Stanly	262	1	-	-	2	37	9	2	26	3	129	127	46	1	77	-
31	Albemarle	104	1	-	-	1	17	2	1	14	1	44	43	15	1	27	-
32	Balance of county	158	-	-	-	1	20	7	1	12	2	85	84	31	-	50	-
33	Stokes	134	-	1	-	1	17	4	3	10	1	72	71	21	-	43	2
34	Surry	316	3	1	-	4	51	17	6	28	2	147	144	37	1	95	6
35	Swain	76	2	-	-	-	10	4	1	5	-	41	41	16	-	24	1
36	Transylvania	88	2	1	-	-	19	6	4	9	3	37	35	5	-	28	2
37	Tyrrell	35	-	-	-	-	1	1	-	-	-	22	22	3	-	19	-
38	Union	355	5	1	1	1	35	11	1	23	6	191	176	43	-	120	1
39	Monroe	97	-	-	-	-	9	3	1	5	3	59	57	13	-	41	-
40	Balance of county	258	5	1	1	1	26	8	-	18	3	132	119	30	-	79	1
41	Vance	310	4	-	-	1	54	20	3	31	5	137	132	47	-	75	1
42	Henderson	141	2	-	-	-	35	14	1	20	2	60	58	19	-	31	1
43	Balance of county	169	2	-	-	1	19	6	2	11	3	77	74	28	-	44	-
44	Wake	1,094	10	1	1	10	151	52	11	88	17	574	558	147	-	385	7
45	Raleigh	544	6	1	1	3	94	36	10	48	8	289	282	62	-	209	1
46	Balance of county	550	4	-	-	7	57	16	1	40	9	285	276	85	-	176	6
47	Warren	184	2	1	-	5	20	6	5	9	3	89	84	28	-	50	4
48	Washington	134	3	1	-	-	11	2	2	7	2	64	61	20	-	38	-
49	Watauga	122	-	-	-	3	12	4	1	7	4	74	72	18	-	49	4
50	Wayne	537	9	1	-	5	51	22	4	25	8	279	275	59	2	195	5
51	Goldsboro	209	2	1	-	2	21	10	1	10	4	110	106	30	1	65	-
52	Balance of county	328	7	-	-	3	30	12	3	15	4	169	169	29	1	130	5
53	Wilkes	294	3	-	1	2	23	10	4	9	7	162	160	36	-	121	4
54	Wilson	487	4	3	-	4	57	9	4	44	4	225	201	56	1	128	-
55	Wilson	251	2	1	-	1	29	4	2	23	4	116	102	23	-	69	-
56	Balance of county	236	2	2	-	3	28	5	2	21	-	109	99	33	1	59	-
57	Yadkin	140	-	-	-	2	23	8	1	14	3	79	78	15	-	57	6
58	Yancey	109	1	-	-	2	11	3	2	6	1	49	49	23	1	24	2
59	NORTH DAKOTA	5,055	24	2	5	30	746	296	56	394	88	2,675	2,624	646	5	1,795	66
60	Nonmetropolitan counties	5,055	24	2	5	30	746	296	56	394	88	2,675	2,624	646	5	1,795	66
61	Adams	41	-	-	-	-	8	3	1	4	-	24	24	10	-	10	-
62	Barnes	141	-	-	-	-	25	10	1	14	2	84	83	24	-	55	1
63	Benson	102	1	-	-	1	11	7	1	3	3	48	48	13	-	34	1
64	Billings	9	-	-	-	-	1	1	-	-	-	6	6	-	-	6	2
65	Bottineau	119	-	-	-	1	19	7	2	10	2	67	66	24	-	39	-
66	Bowman	36	-	-	-	-	6	3	-	3	-	18	18	2	-	14	-
67	Burke	71	-	-	-	-	9	5	1	3	1	39	38	14	-	23	2
68	Burleigh	212	1	-	-	-	36	18	4	14	3	111	109	12	-	90	1
69	Bismarck	159	1	-	-	-	30	17	3	10	3	83	82	7	-	70	-
70	Balance of county	53	-	-	-	-	6	1	1	4	-	28	27	5	-	20	1
71	Cass	508	3	-	-	-	94	30	9	55	4	262	259	73	-	168	4
72	Fargo	374	2	-	-	-	72	22	9	41	1	189	186	52	-	122	3
73	Balance of county	134	1	-	-	-	22	8	-	14	3	73	73	21	-	46	1
74	Cavalier	61	1	-	-	-	7	3	-	4	3	34	33	8	-	22	-
75	Dickey	86	-	-	1	-	14	10	-	4	2	51	50	11	-	38	4
76	Divide	57	-	-	-	2	6	2	1	3	-	32	32	9	-	20	1
77	Dunn	46	-	-	-	-	4	2	-	2	1	25	25	5	-	19	-
78	Eddy	50	1	-	-	1	8	3	-	5	1	23	23	6	-	15	-
79	Emmons	55	-	-	-	-	7	2	2	3	1	34	32	11	-	20	1
80	Foster	50	-	-	-	2	6	1	-	5	-	25	23	7	1	13	-
81	Golden Valley	22	-	-	-	-	3	3	-	-	-	11	11	1	-	10	1
82	Grand Forks	345	3	-	-	3	50	21	4	25	7	163	162	48	1	106	6
83	Grand Forks	230	3	-	-	3	33	15	2	16	6	103	102	35	-	62	6
84	Balance of county	115	-	-	-	-	17	6	2	9	1	60	60	13	1	44	-
85	Grant	42	-	-	-	-	5	1	1	3	2	14	14	5	-	6	-
86	Griggs	50	1	-	-	2	4	3	-	1	1	25	25	8	-	16	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E500-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
151	25	31	4	11	8	10	28	3	-	9	2	3	7	42	9	23	28	3	9	53	1
103	18	21	3	9	7	8	23	3	-	8	2	2	4	34	5	15	24	3	8	43	2
48	7	10	1	2	1	2	5	-	-	1	-	1	3	8	4	8	4	-	1	10	3
29	22	16	2	7	1	4	6	1	3	1	1	1	4	9	2	10	15	3	4	10	4
25	10	16	1	6	1	5	12	1	1	1	-	-	8	36	5	15	19	4	4	10	5
49	18	18	-	3	3	1	8	-	-	-	2	-	3	15	2	3	12	3	3	20	6
16	3	14	3	1	1	5	2	1	-	-	-	-	2	6	-	6	3	1	-	5	7
55	23	14	4	3	-	3	9	-	2	-	-	-	2	11	3	7	10	3	4	14	8
44	19	11	4	3	-	2	5	-	2	-	-	-	2	9	-	5	5	3	4	12	9
11	4	3	-	-	-	1	4	-	-	-	-	-	-	2	3	2	5	-	-	2	10
16	3	8	2	1	2	3	5	1	2	3	-	1	4	10	9	9	5	2	2	9	11
12	7	8	3	1	-	1	-	1	-	-	-	1	-	2	1	4	4	2	3	5	12
36	16	20	-	-	1	2	10	1	2	2	-	2	4	10	2	7	7	2	3	15	13
96	80	34	3	6	3	6	10	-	6	6	1	2	10	31	19	10	29	7	8	30	14
38	25	7	1	1	-	2	3	-	1	2	-	1	-	7	5	3	5	3	4	9	15
58	55	27	2	5	3	4	7	-	5	4	1	1	10	24	14	7	24	4	4	21	16
14	7	3	-	6	1	4	2	-	-	1	-	-	2	8	-	1	4	-	2	7	17
75	33	33	6	8	-	8	12	2	2	3	-	2	5	21	6	15	11	3	2	27	18
46	30	34	1	4	3	8	23	3	4	2	-	-	3	18	6	14	22	2	3	20	19
94	56	32	6	5	1	3	42	1	22	5	2	4	8	49	54	30	53	5	13	45	20
93	37	44	4	4	5	7	13	3	-	1	1	1	6	21	7	14	25	7	5	32	21
15	12	23	-	1	2	2	1	-	-	-	-	-	1	6	1	1	3	4	1	6	22
78	25	21	4	3	3	5	12	3	-	1	1	1	5	15	6	13	22	3	4	26	23
123	45	35	1	11	1	12	19	1	6	2	-	1	4	20	2	21	33	9	3	40	24
42	23	11	1	2	-	3	9	-	3	1	-	1	2	7	-	10	12	-	1	19	25
81	22	24	-	9	1	9	10	1	3	1	-	-	2	13	2	11	21	9	2	21	26
55	16	22	1	5	4	-	16	3	4	-	1	-	4	15	2	11	16	5	6	23	27
65	45	22	2	7	-	6	11	4	4	1	1	1	6	12	5	17	29	5	9	20	28
40	30	11	4	3	4	-	10	-	6	1	1	1	4	13	12	11	12	-	3	13	29
64	6	7	-	2	1	2	7	1	1	3	-	1	4	17	15	10	13	2	4	12	30
24	1	2	-	-	-	1	1	-	-	1	-	1	1	8	9	5	6	1	2	5	31
40	5	5	-	2	1	1	6	1	1	2	-	-	3	9	6	5	7	1	2	7	32
25	13	3	3	3	1	1	9	-	1	2	2	1	2	2	4	4	3	2	-	10	33
45	18	26	5	6	-	3	12	2	2	2	1	-	6	13	9	15	12	2	2	30	34
19	1	3	-	-	1	-	3	1	1	2	-	-	1	2	2	3	4	-	-	4	35
13	8	5	-	1	1	2	5	1	-	-	-	-	1	6	-	3	5	-	-	5	36
7	8	4	-	-	-	-	1	-	-	-	-	-	1	2	5	-	3	-	-	-	37
76	25	18	4	7	2	15	11	2	2	-	1	-	3	30	3	13	9	4	6	31	38
27	6	8	1	2	-	2	1	2	-	-	1	-	3	6	-	2	4	1	3	3	39
49	19	10	3	5	2	13	10	-	2	-	-	-	-	24	3	11	5	3	3	28	40
31	20	23	1	2	7	5	15	-	6	3	-	1	5	22	10	9	11	7	4	16	41
15	8	7	1	1	6	2	1	-	2	3	-	-	2	12	3	4	4	2	2	7	42
16	12	16	-	1	1	3	14	-	4	-	-	1	3	10	7	5	7	5	2	9	43
223	75	80	6	11	9	16	31	5	4	6	-	2	20	68	11	33	43	11	15	81	44
121	47	40	2	5	4	7	7	3	-	2	-	-	7	32	3	9	22	7	8	42	45
102	28	40	4	6	5	9	24	2	4	4	-	2	13	36	8	24	21	4	7	39	46
19	14	13	3	1	2	5	8	-	3	2	-	-	-	12	6	6	5	3	1	18	47
9	15	14	-	3	-	3	8	-	1	-	-	1	-	9	5	3	10	1	4	11	48
24	13	8	1	4	-	2	5	-	1	-	-	-	-	5	-	1	7	2	-	8	49
92	50	48	8	9	2	4	32	2	6	2	1	1	15	30	8	14	32	5	11	25	50
35	17	13	4	4	2	4	14	2	3	1	-	-	7	14	2	4	8	1	2	11	51
57	33	35	4	5	-	-	18	-	3	1	1	1	8	16	6	10	24	4	9	14	52
42	41	34	1	-	2	2	12	3	1	-	-	1	3	9	5	18	15	3	3	23	53
76	25	27	8	6	2	24	19	4	10	6	1	2	14	39	4	15	25	8	3	40	54
42	12	15	5	4	1	14	7	3	8	4	-	1	5	18	2	6	20	2	2	20	55
34	13	12	3	2	1	10	12	1	2	2	1	1	9	21	2	9	5	6	1	20	56
35	10	6	1	3	2	1	4	-	-	-	-	-	2	10	3	2	4	1	2	5	57
16	3	3	-	1	-	-	2	2	1	2	-	-	-	5	5	8	8	2	3	7	58
1,301	168	260	33	103	42	51	167	31	24	30	7	6	92	259	60	158	229	55	3	364	59
1,301	168	260	33	103	42	51	167	31	24	30	7	6	92	259	60	158	229	55	3	364	60
9	-	1	-	2	2	-	3	-	-	-	-	-	-	-	-	2	3	-	-	1	61
38	13	3	-	4	-	1	3	-	-	-	1	1	2	3	-	2	5	3	-	10	62
19	4	10	-	1	-	-	7	1	-	1	-	-	2	3	-	9	5	4	-	6	63
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	64
33	3	3	-	2	1	1	5	-	1	-	1	1	3	5	-	1	9	-	-	4	65
12	1	1	-	1	1	-	1	-	-	1	-	-	2	3	2	1	2	-	-	-	66
17	1	3	1	-	-	1	1	-	-	-	-	-	-	4	2	4	2	2	-	7	67
70	15	4	3	2	2	2	6	1	-	2	1	-	5	13	6	7	7	1	-	12	68
53	14	3	1	2	2	1	5	1	-	1	1	-	4	12	3	5	5	-	-	5	69
17	1	1	2	-	-	1	1	-	-	1	-	-	1	1	3	2	2	1	-	7	70
143	8	13	1	13	4	3	14	4	3	4	-	-	14	34	4	8	18	3	1	38	71
101	7	11	1	8	3	3	12	2	1	4	-	-	13	26	1	6	17	3	1	24	72
42	1	2	-	5	1	-	2	2	2	-	-	-	1	8	3	2	1	-	-	14	73
16	1	5	-	2	1	1	1	-	-	-	-	-	2	3	-	1	2	1	-	6	74
26	2	6	1	-	-	1	3	-	-	-	-	-	2	3	1	2	2	-	-	5	75
15	1	3	2	1	-	-	2	1	-	-	-	-	-	2	2	4	2	-	-	4	76
14	-	5	1	-	-	-	2	-	-	-	1	-	-	2	-	3	4	1	1	2	77
12	2	1	-	2	-	-	-	1	-	-	-	-	-	1	1	-	7	1	-	5	78
9	-	10	-	1	-	2	1	-	-	-	-	-	1	3	-	3	2	-	-	3	79
10	-	3	-	2	-	2	1	1	-	-	-	-	-	5	1	-	3	2	-	4	80
8	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	4	81
68	14	18	1	4	2	1	11	5	3	1	-	-	8	25	5	12	15	6	-	28	82
44	7	5	-	3	2	1	7	3	2	1	-	-	5	22	3	9	7	2	-	21	83
24	7	13	1	1	-	-	4	2	1	-	-	-	3	3	2	3	8	4	-	7	84
6	-	-	-	3	-	-	1	-	-	-	-	-	3	6	1	7	2	-	-	1	85
9	-	6	-	1	-	-	2	1	-	-	-	-	1	3	1	2	1	-	-	6	86

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NORTH DAKOTA—Con.																
1	Hettinger	47	-	-	-	-	3	2	-	1	-	26	25	5	-	14	1
2	Kidder	43	-	-	-	1	4	2	-	2	1	21	21	1	-	19	-
3	La Moure	76	-	-	-	1	11	5	-	6	2	43	43	8	-	33	-
4	Logan	36	-	-	-	-	4	1	1	2	-	23	22	5	-	17	-
5	McHenry	101	-	-	-	-	12	6	1	5	2	62	61	16	-	42	-
6	McIntosh	50	-	-	-	-	9	3	1	5	-	20	20	6	-	13	-
7	McKenzie	62	-	-	-	-	7	1	1	5	2	30	29	8	-	18	1
8	McLean	119	1	-	-	-	15	4	-	11	4	50	50	12	-	33	2
9	Mercer	60	-	-	-	-	11	5	-	6	1	30	30	5	-	25	3
10	Morton	185	-	-	-	2	27	7	-	20	2	106	103	26	-	68	4
11	Mountrail	85	2	-	-	2	18	11	3	4	3	39	39	7	-	30	2
12	Nelson	73	-	-	-	1	5	-	1	4	-	46	45	15	-	29	3
13	Oliver	17	-	-	-	-	3	3	-	-	-	8	8	4	-	4	-
14	Pembina	92	-	-	1	1	15	5	1	9	2	58	53	10	-	39	-
15	Pierce	63	-	-	-	-	8	3	-	5	-	34	34	8	-	25	-
16	Ramsey	113	1	1	2	2	9	3	-	6	2	64	64	18	-	41	3
17	Ransom	68	-	-	-	1	7	5	1	1	-	44	43	12	-	26	-
18	Renville	46	-	-	-	-	9	3	-	6	-	21	20	5	-	15	-
19	Richland	143	2	-	-	1	22	8	2	12	1	93	92	21	-	64	-
20	Rolette	89	-	-	-	1	15	5	3	7	-	39	36	12	-	24	-
21	Sargent	50	-	-	-	-	9	4	1	4	1	33	33	8	1	21	-
22	Sheridan	49	-	-	-	-	3	3	-	-	1	25	25	11	-	9	-
23	Sioux	35	2	-	-	-	4	2	-	2	3	8	8	1	-	5	-
24	Slope	24	-	-	-	-	2	-	-	2	2	13	13	3	1	9	-
25	Stark	127	1	-	-	1	16	6	3	7	6	67	65	10	-	51	2
26	Steele	32	-	-	-	-	6	2	-	4	-	15	15	3	-	11	-
27	Stutsman	200	1	1	-	2	35	12	4	19	5	106	105	17	-	80	8
28	Jamestown	125	-	1	-	1	18	5	2	11	4	70	69	12	-	54	5
29	Balance of county	75	1	-	-	1	17	7	2	8	1	36	36	5	-	26	3
30	Towner	60	1	-	-	-	6	4	-	2	1	31	31	7	-	21	2
31	Traill	116	-	-	-	-	15	3	-	12	2	65	64	12	-	49	3
32	Walsh	142	-	-	-	1	30	15	1	14	1	77	72	21	-	48	2
33	Ward	283	1	-	-	-	45	13	3	29	5	143	140	26	1	101	3
34	Minot	195	1	-	-	-	31	8	2	21	4	101	98	23	1	65	2
35	Balance of county	88	-	-	-	-	14	5	1	8	1	42	42	3	-	36	1
36	Wells	75	-	-	-	-	13	4	1	8	2	39	38	8	-	26	-
37	Williams	191	1	-	1	1	25	11	1	13	4	100	98	24	-	61	2
38	OHIO	82,720	758	327	69	321	13,638	5,030	1,565	7,043	1,987	44,731	43,927	9,943	72	30,495	1,037
39	Metropolitan counties	55,009	569	255	43	200	9,483	3,475	1,167	4,841	1,341	29,017	28,533	6,113	43	20,173	745
40	Nonmetropolitan counties	27,711	189	72	26	121	4,155	1,555	398	2,202	646	15,714	15,394	3,830	29	10,322	292
41	Adams	211	2	1	-	1	30	12	5	13	3	116	108	29	-	68	4
42	Allen	838	8	7	1	7	108	35	9	64	17	468	461	100	2	330	11
43	Lima	537	6	4	-	5	83	18	6	39	12	300	296	60	2	214	7
44	Balance of county	301	2	3	1	2	45	17	3	25	5	168	165	40	-	116	4
45	Ashland	362	-	-	-	-	61	22	5	34	8	214	209	50	-	148	1
46	Ashland	148	-	-	-	-	31	10	1	20	2	85	83	20	-	61	-
47	Balance of county	214	-	-	-	-	30	12	4	14	6	129	126	30	-	87	1
48	Ashtabula	880	2	3	-	4	129	81	11	57	22	485	473	107	-	350	8
49	Ashtabula	254	2	1	-	-	40	14	5	21	11	131	129	27	-	97	4
50	Conneaut	111	-	-	-	1	14	10	-	4	2	71	65	18	-	45	1
51	Balance of county	515	-	2	-	3	75	37	6	32	9	283	279	62	-	208	3
52	Athens	460	6	4	-	1	70	21	9	40	14	253	250	76	-	166	7
53	Athens	105	-	1	-	-	9	3	2	4	3	69	69	20	-	49	3
54	Balance of county	355	6	3	-	1	61	18	7	36	11	184	181	56	-	117	4
55	Auglaize	305	-	1	-	-	56	21	10	25	10	170	164	39	-	112	2
56	Belmont	951	6	7	-	3	163	66	12	85	24	544	530	123	1	372	8
57	Bellaire	132	1	1	-	-	27	9	-	18	3	69	65	17	1	45	1
58	Martins Ferry	189	-	5	-	-	31	17	1	13	6	97	95	19	-	69	3
59	Balance of county	630	5	1	-	3	105	40	11	54	15	378	370	87	-	258	4
60	Brown	302	2	-	-	1	37	16	2	19	7	183	179	59	-	109	-
61	Butler	1,300	10	6	2	4	215	67	22	126	28	672	661	142	1	455	12
62	Hamilton	598	5	5	-	2	108	34	11	63	15	314	311	59	-	222	5
63	Middletown	309	2	1	1	2	44	13	4	27	7	159	157	38	1	97	4
64	Balance of county	393	3	-	1	-	63	20	7	36	6	199	193	45	-	136	3
65	Carroll	196	-	-	-	2	43	18	8	17	3	99	99	21	-	69	1
66	Champaign	300	4	1	-	-	34	9	2	23	7	177	174	46	-	116	3
67	Clark	1,200	15	5	2	1	198	66	25	107	20	657	646	163	1	431	16
68	Springfield	918	13	5	1	1	159	55	20	84	17	477	468	115	1	316	13
69	Balance of county	282	2	-	1	-	39	11	5	23	3	180	178	48	-	115	3
70	Clermont	410	-	-	-	2	76	33	6	37	10	221	217	49	-	148	2
71	Clinton	310	4	-	1	1	39	17	2	20	6	195	193	49	-	125	3
72	Columbiana	1,091	11	3	8	3	177	82	16	79	24	599	589	124	2	422	13
73	East Liverpool	281	4	-	-	-	46	26	3	17	9	152	146	31	-	106	9
74	Salem	154	-	1	2	-	21	13	1	7	1	87	87	17	1	64	-
75	Balance of county	656	7	2	6	3	110	43	12	55	14	360	356	76	1	252	4
76	Coshocton	309	4	1	-	1	55	23	2	30	8	167	165	57	-	95	4
77	Coshocton	141	3	-	-	1	25	11	2	12	3	76	75	26	-	43	-
78	Balance of county	168	1	1	-	-	30	12	-	18	5	91	90	31	-	52	4
79	Crawford	432	2	1	-	2	74	32	10	32	9	233	227	67	1	149	7
80	Bucyrus	145	-	-	-	-	25	11	2	12	3	85	82	30	-	50	3
81	Balance of county	287	2	1	-	2	49	21	8	20	6	148	145	37	1	99	4

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of cir-cula-tory sys-tem 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E500-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
7	1	5	1	5	-	1	-	-	-	-	-	-	-	1	1	6	3	-	-	7	1
12	1	6	-	1	-	-	1	-	-	-	-	-	1	3	-	2	8	1	-	-	2
26	3	4	-	-	2	-	3	-	-	1	-	-	3	4	-	2	2	-	-	4	3
10	3	4	-	-	-	1	3	-	-	-	-	-	-	-	-	2	1	1	-	2	4
35	2	5	1	1	1	1	1	-	1	1	-	-	1	3	-	3	4	-	-	11	5
11	1	1	-	-	1	-	3	-	1	-	-	-	-	1	2	5	3	1	-	5	6
16	-	1	-	3	-	1	4	-	-	-	-	-	3	2	1	2	4	-	-	7	7
28	3	-	1	3	1	-	4	-	-	-	-	-	5	12	3	3	7	1	1	13	8
12	4	6	-	-	-	-	1	-	1	-	-	-	3	3	5	1	1	2	-	1	9
41	12	11	5	3	1	3	8	1	1	1	-	1	2	10	4	1	5	1	-	13	10
22	2	4	-	2	-	-	5	-	-	-	1	-	1	-	-	1	3	1	-	9	11
14	7	5	-	1	-	1	4	-	-	-	-	-	1	2	1	-	4	-	-	9	12
4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	2	-	-	1	13
26	-	13	1	3	-	5	3	-	-	1	-	-	-	3	-	-	3	-	-	5	14
22	1	2	-	-	1	-	1	-	-	2	-	-	2	2	-	4	5	1	-	4	15
32	4	2	1	4	-	-	4	2	3	-	-	-	-	5	1	4	7	-	-	6	16
19	5	2	-	3	2	1	1	-	1	-	-	-	-	3	-	4	2	1	-	4	17
11	1	3	-	-	-	1	5	-	-	2	-	-	-	2	-	1	1	-	-	5	18
49	8	7	1	4	2	1	2	-	-	1	-	-	1	6	-	3	4	1	-	6	19
16	2	6	-	-	-	3	6	1	-	-	-	-	-	6	1	5	5	1	-	9	20
18	-	3	1	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	5	21
7	1	1	1	3	1	-	3	-	-	1	-	-	1	3	-	4	4	-	-	4	22
3	-	2	2	-	-	-	4	-	2	-	-	-	-	4	4	1	1	-	-	2	23
8	-	1	-	-	-	-	1	-	-	-	-	-	1	2	-	1	1	-	-	1	24
43	2	4	-	2	2	2	1	2	2	3	-	-	2	7	-	4	8	1	-	6	25
8	-	3	-	-	1	-	1	1	-	-	-	-	1	-	-	2	2	1	-	3	26
52	15	5	1	3	4	1	7	1	1	1	-	-	1	9	2	4	10	1	-	13	27
34	10	5	-	1	2	1	4	1	-	-	-	-	1	7	1	3	5	-	-	9	28
18	5	-	1	2	2	-	3	-	1	1	-	-	-	2	1	1	5	1	-	4	29
14	-	5	-	3	-	-	-	2	-	-	-	1	3	2	3	2	2	-	-	6	30
37	5	4	-	2	1	1	-	3	1	2	-	-	2	7	1	3	4	2	-	9	31
28	3	15	1	-	2	5	4	-	-	-	1	1	2	2	2	3	4	-	-	14	32
72	11	15	3	3	6	3	10	2	2	1	-	-	8	21	1	5	13	4	-	22	33
44	8	11	3	2	4	3	7	1	1	1	-	-	4	13	1	2	8	3	-	17	34
28	3	4	-	1	2	-	3	1	1	-	-	-	4	8	-	3	5	1	-	5	35
19	-	7	1	1	-	3	3	1	-	2	-	-	-	3	1	1	2	4	-	4	36
43	6	10	2	10	1	2	8	-	1	2	1	-	2	11	1	9	12	5	-	7	37
20,727	4,079	4,652	669	2,141	607	804	1,896	526	353	950	143	92	1,238	3,476	553	1,949	2,813	962	298	5,640	38
13,883	2,863	2,682	427	1,323	454	484	1,288	372	241	768	90	60	841	2,541	396	1,154	1,682	636	241	3,791	39
6,844	1,216	1,970	242	818	153	320	608	154	112	182	53	32	397	935	157	795	1,131	326	57	1,849	40
49	5	10	3	6	2	8	6	-	-	1	-	-	2	9	-	7	11	2	2	18	41
216	37	66	8	17	4	7	21	3	3	13	1	1	13	36	5	27	21	13	3	62	42
139	25	43	5	13	2	4	11	3	2	11	1	-	10	28	4	19	14	7	2	35	43
77	12	23	3	4	2	3	10	-	1	2	-	1	3	8	1	8	7	6	1	27	44
99	21	27	4	6	1	5	6	2	2	2	-	-	5	9	1	6	14	5	1	26	45
46	6	9	1	1	-	2	2	-	2	1	-	-	2	5	-	2	6	1	1	8	46
53	15	18	3	5	1	3	4	2	-	1	-	-	3	4	1	4	8	4	-	18	47
244	32	66	1	13	2	12	19	5	3	7	3	-	11	28	7	22	42	17	2	69	48
79	4	10	1	2	2	2	6	-	2	3	1	-	2	8	3	6	12	6	-	20	49
33	5	6	-	2	-	6	1	1	-	1	-	-	1	4	-	3	5	1	-	6	50
132	23	50	-	9	-	4	12	4	1	3	2	-	8	16	4	13	25	10	2	43	51
109	19	31	2	5	1	3	8	6	3	1	-	-	2	10	3	13	25	7	1	33	52
33	5	8	-	-	-	-	2	2	1	1	-	-	1	1	-	3	1	1	-	10	53
76	14	23	2	5	1	3	6	4	2	-	-	-	1	9	3	10	24	6	1	23	54
85	6	19	5	6	2	6	4	3	-	2	-	-	5	11	-	5	10	6	-	22	55
262	46	56	6	24	4	14	21	5	3	11	3	-	12	21	3	15	40	13	2	55	56
31	4	9	1	1	-	4	1	-	1	5	1	-	2	3	-	2	5	3	1	7	57
49	8	9	1	5	1	2	7	2	1	2	1	-	3	4	-	5	6	1	1	17	58
182	34	38	4	18	3	8	13	3	1	4	1	-	7	14	3	8	29	9	-	31	59
71	17	21	3	5	3	4	8	2	1	-	2	-	3	10	4	8	8	6	1	19	60
349	54	40	21	37	5	11	27	6	12	13	2	1	25	74	11	41	59	5	8	79	61
174	26	17	11	16	3	3	9	3	5	6	1	-	9	32	1	17	28	2	2	34	62
78	9	6	8	12	1	2	10	-	2	5	-	-	9	14	5	10	7	2	3	26	63
97	19	17	2	9	1	6	8	3	5	2	1	1	7	28	5	14	24	1	3	19	64
40	4	24	1	8	-	-	5	-	-	1	-	-	1	5	1	7	10	1	-	18	65
90	7	16	1	9	2	3	3	1	-	-	4	1	2	17	-	11	15	7	-	16	66
321	50	44	11	26	14	11	47	7	6	11	-	1	15	46	5	25	39	10	4	86	67
225	42	36	10	14	12	9	44	6	5	8	-	1	10	39	4	15	28	6	2	77	68
96	8	8	1	12	2	2	3	1	1	3	-	-	5	7	1	10	11	4	2	9	69
95	19	32	5	11	4	4	8	4	-	-	-	1	7	16	1	12	14	9	4	25	70
92	11	19	3	13	3	2	2	-	1	2	1	-	3	11	1	5	9	4	2	23	71
314	56	39	5	32	4	10	19	6	2	7	1	3	16	50	8	25	42	11	-	76	72
81	7	9	3	5	1	6	2	1	-	3	-	1	1	16	4	3	14	3	-	22	73
51	6	7	-	4	1	-	2	-	-	1	-	1	3	4	2	4	7	4	-	14	74
182	43	23	2	23	2	4	15	5	2	3	1	1	12	30	2	18	21	4	-	40	75
63	3	25	1	11	1	2	6	5	4	3	-	1	4	8	1	4	12	4	2	19	76
32	2	9	1	5	-	1	3	3	2	2	-	-	-	3	-	2	4	-	-	14	77
31	1	16	-	6	1	1	3	2	2	1	-	1	4	5	1	2	8	4	2	5	78
114	10	18	2	5	3	6	10	1	2	4	-	-	7	14	-	16	23	7	1	26	79
39	1	7	1	-	1	3	3	-	-	2	-	-	-	4	-	6	7	1	-	9	80
75	9	11	1	5	2	3	7	1	2	2	-	-	7	10	-	10	16	6	1	17	81

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OHIO—Continued																
1	Cuyahoga	14,561	180	68	9	59	2,576	976	355	1,245	440	7,538	7,426	1,544	6	5,404	212
2	Cleveland	9,876	160	57	6	38	1,669	633	245	791	284	5,035	4,949	1,037	4	3,580	131
3	Cleveland Heights	634	4	1	-	2	131	53	16	62	25	371	367	66	-	273	9
4	Lakewood	741	2	2	-	2	139	47	20	72	20	425	421	87	-	306	9
5	East Cleveland	397	-	-	-	1	84	31	13	40	14	215	214	39	-	162	8
6	Euclid	333	1	-	-	2	62	24	9	29	5	170	170	43	-	122	9
7	Parma	318	2	1	1	3	60	23	8	29	8	151	148	32	-	108	6
8	Shaker Heights	269	-	-	-	-	56	18	6	32	12	155	154	35	1	114	8
9	Berea	95	-	-	-	1	18	3	3	12	3	49	49	11	-	37	2
10	Garfield Heights	196	1	-	1	2	36	15	3	18	8	92	90	12	-	73	4
11	Maple Heights	122	-	1	-	4	19	6	1	12	4	58	56	9	-	42	-
12	Rocky River	110	1	-	-	1	22	5	3	14	4	60	60	12	-	42	-
13	South Euclid	176	-	1	1	1	41	20	4	17	8	94	94	14	-	73	2
14	University Heights	96	-	-	-	-	19	6	4	9	5	57	56	11	-	42	1
15	Balance of county	1,198	9	5	-	2	220	92	20	108	40	606	598	136	1	430	23
16	Darke	450	4	2	1	1	62	18	2	42	9	267	264	54	1	197	5
17	Defiance	300	-	-	-	-	49	21	3	25	14	171	159	35	-	113	-
18	Defiance	145	-	-	-	-	32	15	2	15	3	76	68	16	-	45	-
19	Balance of county	155	-	-	-	-	17	6	1	10	11	95	91	19	-	68	-
20	Delaware	335	1	2	-	1	40	15	5	20	12	207	206	42	-	153	8
21	Delaware	134	1	-	-	-	14	7	2	5	6	90	90	16	-	66	3
22	Balance of county	201	-	2	-	1	26	8	3	15	6	117	116	26	-	87	5
23	Erie	635	3	2	-	2	94	32	14	48	12	368	361	82	-	236	12
24	Sandusky	382	1	1	-	2	62	20	8	34	9	216	211	47	-	137	9
25	Balance of county	253	2	1	-	-	32	12	6	14	3	152	150	35	-	99	3
26	Fairfield	484	1	3	-	3	65	21	6	38	15	273	270	66	1	185	6
27	Lancaster	227	1	2	-	2	28	11	3	14	6	137	134	34	1	89	3
28	Balance of county	257	-	1	-	1	37	10	3	24	9	136	136	32	-	96	3
29	Fayette	278	4	-	1	-	36	15	3	18	12	165	164	45	-	96	2
30	Washington Court House	164	3	-	1	-	21	9	1	11	5	97	96	23	-	58	2
31	Balance of county	114	1	-	-	-	15	6	2	7	7	68	68	22	-	38	-
32	Franklin	5,165	50	20	3	18	900	328	101	471	102	2,739	2,697	577	4	1,918	67
33	Columbus	3,949	36	15	3	10	710	263	82	365	82	2,101	2,067	419	3	1,499	49
34	Bexley	132	2	1	-	-	19	7	1	11	4	82	80	18	-	52	-
35	Balance of county	1,084	12	4	-	8	171	58	18	95	16	556	550	140	1	367	18
36	Fulton	265	2	1	-	3	37	13	2	22	9	144	140	31	-	95	7
37	Gallia	260	2	-	-	1	33	12	1	20	3	162	161	58	-	93	5
38	Geauga	254	1	-	-	1	38	15	7	16	3	142	138	33	1	94	5
39	Greene	472	3	1	-	-	72	27	2	43	9	255	252	67	-	158	2
40	Xenia	141	3	1	-	-	25	10	1	14	3	72	72	18	-	50	1
41	Balance of county	331	-	-	-	-	47	17	1	29	6	183	180	49	-	108	1
42	Guernsey	437	6	2	-	7	57	22	9	26	9	245	240	74	-	153	1
43	Cambridge	173	1	1	-	1	27	11	5	11	1	93	90	23	-	62	-
44	Balance of county	264	5	1	-	6	30	11	4	15	8	152	150	51	-	91	1
45	Hamilton	8,174	92	50	7	29	1,426	504	179	743	167	4,375	4,312	888	7	3,011	110
46	Cincinnati	6,038	80	43	2	23	1,026	372	123	531	124	3,209	3,159	622	5	2,234	71
47	Norwood	350	2	4	1	2	73	24	12	37	9	193	193	38	-	140	12
48	Balance of county	1,786	10	3	4	4	327	108	44	175	34	973	960	228	2	637	27
49	Hancock	532	3	3	-	1	77	37	7	33	13	301	295	69	1	207	3
50	Findlay	265	2	1	-	1	37	22	2	13	5	162	159	37	1	112	2
51	Fostoria (part)	76	-	-	-	-	5	3	-	2	3	39	38	9	-	27	-
52	Balance of county	191	1	2	-	-	35	12	5	18	5	100	98	23	-	68	1
53	Hardin	321	2	1	-	-	47	12	6	29	5	182	176	46	-	115	6
54	Harrison	195	-	-	-	-	27	7	2	18	3	113	111	29	-	68	-
55	Henry	260	4	-	-	-	42	17	2	23	6	141	138	39	-	88	3
56	Highland	371	5	1	-	1	48	16	5	27	7	217	213	50	-	134	4
57	Hocking	220	4	-	-	-	39	15	5	19	4	127	126	42	-	76	-
58	Holmes	194	-	-	-	1	36	13	3	20	-	121	118	30	-	74	7
59	Huron	437	1	1	3	1	57	27	5	25	5	263	258	56	-	180	1
60	Jackson	298	9	-	-	5	42	16	3	23	3	176	175	42	-	110	1
61	Jefferson	891	12	2	-	2	147	51	24	72	30	472	459	100	3	333	9
62	Steubenville	372	7	-	-	1	63	20	12	31	11	200	192	39	1	146	5
63	Balance of county	519	5	2	-	1	84	31	12	41	19	272	267	61	2	187	4
64	Knox	416	2	1	-	1	72	26	7	39	8	240	238	68	-	147	1
65	Mount Vernon	174	1	1	-	1	30	11	4	15	4	94	92	25	-	58	1
66	Balance of county	242	1	-	-	-	42	15	3	24	4	146	146	43	-	89	-
67	Lake	801	8	5	4	5	145	64	9	72	18	398	386	76	-	287	11
68	Painesville	183	1	3	1	1	37	16	1	20	6	85	79	19	-	54	4
69	Balance of county	618	7	2	3	4	108	48	8	52	12	313	307	57	-	233	7
70	Lawrence	511	5	3	-	4	76	26	7	43	8	273	264	64	1	182	3
71	Ironton	198	2	1	-	1	36	11	5	20	2	112	108	23	-	76	2
72	Balance of county	313	3	2	-	3	40	15	2	23	6	161	156	41	1	106	1
73	Licking	883	5	2	-	11	134	46	15	73	22	505	498	114	-	337	7
74	Newark	474	4	1	-	6	77	29	9	39	11	261	259	48	-	183	5
75	Balance of county	409	1	1	-	5	57	17	6	34	11	244	239	66	-	154	2
76	Logan	401	4	-	1	3	46	16	1	29	5	230	218	57	-	149	6
77	Bellefontaine	150	2	-	-	3	12	3	-	9	1	79	75	17	-	53	3
78	Balance of county	251	2	-	1	-	34	13	1	20	4	151	143	40	-	96	3
79	Lorain	1,451	9	4	-	4	234	85	29	120	40	727	718	157	1	521	15
80	Lorain	521	4	2	-	3	86	31	8	47	18	243	243	45	1	188	6
81	Elyria	309	1	1	-	-	40	16	5	19	8	181	176	44	-	123	2
82	Balance of county	621	4	1	-	1	108	38	16	54	14	303	299	68	-	210	7
83	Lucas	4,318	23	18	1	12	740	244	95	401	98	2,348	2,310	498	2	1,595	59
84	Toledo	3,566	18	15	-	9	641	214	84	343	90	1,954	1,921	416	2	1,320	49
85	Balance of county	752	5	3	1	3	99	30	11	58	8	394	389	82	-	275	10
86	Madison	226	1	-	-	-	22	4	2	16	4	137	133	42	-	77	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
3,741	901	550	110	228	134	112	297	110	60	235	21	17	199	699	139	242	447	167	91	967	1
2,431	638	380	81	156	91	86	228	72	42	180	11	17	123	496	102	161	334	117	83	661	2
213	33	18	1	18	9	4	16	2	1	6	2	-	3	3	4	5	14	7	2	35	3
226	48	23	6	14	8	4	9	9	1	9	-	-	9	18	4	15	13	8	-	56	4
110	24	20	4	7	2	1	5	5	1	5	1	-	3	14	3	2	11	1	-	32	5
89	14	10	2	2	1	-	6	3	-	6	-	-	7	26	1	9	9	5	-	21	6
72	21	9	2	3	3	3	3	3	2	2	1	-	9	22	1	7	11	4	1	26	7
84	11	11	1	3	-	1	-	2	2	3	1	-	4	6	-	2	4	7	-	15	8
28	5	2	-	1	-	-	2	1	-	1	-	-	-	10	2	2	-	-	-	6	9
38	23	8	-	3	2	2	1	1	2	4	-	-	4	14	1	6	4	5	-	14	10
29	8	5	1	3	1	2	1	-	-	1	2	-	8	7	2	-	3	1	1	10	11
36	4	2	-	2	4	-	1	1	2	-	-	-	1	-	-	1	5	1	-	10	12
55	11	5	2	3	2	-	4	2	1	1	-	-	1	3	3	1	3	2	-	9	13
32	4	5	1	1	1	1	-	-	-	-	-	-	3	2	-	-	3	1	1	5	14
298	57	52	9	12	10	8	21	9	6	17	3	-	24	78	16	31	33	8	3	67	15
130	36	26	2	9	1	3	14	3	3	-	-	-	7	7	-	11	16	10	-	33	16
74	11	28	3	7	1	12	3	2	3	3	1	-	3	12	3	12	8	2	1	13	17
29	5	11	2	4	1	8	1	1	2	2	-	-	3	6	-	6	3	1	1	8	18
45	6	17	1	3	-	4	2	1	1	1	1	-	-	6	3	6	5	1	-	5	19
101	18	26	7	4	-	1	8	3	1	1	-	2	1	7	3	7	12	5	-	22	20
44	8	11	4	4	-	-	1	2	-	-	-	-	-	5	-	-	5	2	-	8	21
57	10	15	3	-	-	1	7	1	1	1	-	2	1	2	3	7	7	3	-	14	22
172	15	37	4	34	5	7	10	7	1	7	-	-	16	24	6	15	24	4	1	39	23
100	7	21	3	20	4	5	8	5	1	3	-	-	7	13	3	7	17	3	1	23	24
72	8	16	1	14	1	2	2	2	-	4	-	-	9	11	3	8	7	1	-	16	25
126	19	34	4	11	3	3	12	1	3	6	-	1	10	15	1	9	24	10	1	31	26
62	7	17	2	7	1	3	3	1	-	3	-	1	3	7	1	3	8	6	1	14	27
64	12	17	2	4	2	-	9	-	3	3	-	-	7	8	-	6	16	4	-	17	28
64	7	23	4	16	3	1	6	2	1	5	-	-	2	8	1	7	7	1	1	19	29
39	4	13	3	10	2	1	4	2	1	5	-	-	1	4	1	3	3	1	1	11	30
25	3	10	1	6	1	-	2	-	-	-	-	-	1	4	-	4	4	-	-	8	31
1,179	328	344	38	115	45	42	134	47	22	68	6	2	89	210	74	105	156	51	8	361	32
894	274	282	28	83	35	34	103	38	14	53	5	2	63	151	55	75	112	33	8	280	33
38	7	7	2	6	2	2	5	-	1	-	-	-	-	-	-	2	2	4	-	10	34
247	47	55	8	26	8	6	26	9	7	15	1	-	26	59	19	28	42	14	-	71	35
53	19	16	4	8	2	4	7	3	1	-	1	-	4	9	1	14	7	3	-	19	36
61	9	18	4	4	2	1	7	1	-	2	-	-	2	8	1	6	11	2	-	19	37
56	11	22	-	5	5	4	3	2	-	5	-	1	2	8	3	4	14	7	-	20	38
117	13	26	4	17	6	3	12	2	3	4	1	-	13	22	3	13	18	8	2	31	39
35	8	6	1	2	1	-	5	-	-	2	-	-	3	7	2	1	5	1	1	10	40
82	5	20	3	15	5	3	7	2	3	2	1	-	10	15	1	12	13	7	1	21	41
106	20	26	-	12	1	5	13	3	-	5	2	2	6	10	1	11	24	3	1	30	42
45	9	8	-	4	1	3	6	2	-	2	1	2	4	2	-	6	13	-	1	10	43
61	11	18	-	8	-	2	7	1	-	3	1	-	2	8	1	5	11	3	-	20	44
2,096	407	398	63	270	73	63	219	49	43	118	14	10	104	324	28	127	236	89	36	631	45
1,546	320	297	49	191	58	50	182	39	34	89	11	10	66	234	23	91	181	63	30	478	46
105	12	11	3	9	3	-	6	2	1	6	1	-	5	11	1	3	10	3	-	17	47
445	75	90	11	70	12	13	31	8	8	23	2	-	33	79	4	33	45	23	6	136	48
126	24	54	4	13	1	6	6	1	1	3	3	1	10	20	2	24	23	4	-	36	49
69	9	32	1	7	1	3	4	1	-	3	-	1	4	4	2	6	11	2	-	19	50
14	5	8	2	-	-	1	-	-	-	-	-	-	5	10	-	5	3	1	-	5	51
43	10	14	1	6	-	2	2	-	1	-	3	-	1	6	-	13	9	1	-	12	52
71	21	17	4	9	2	6	8	-	1	3	1	-	3	9	-	16	9	6	-	28	53
53	5	10	4	10	-	2	1	-	3	-	-	-	1	10	2	8	7	3	-	17	54
48	7	30	4	5	2	3	6	1	1	1	-	2	6	16	-	13	9	-	1	11	55
79	15	36	2	26	1	4	14	1	4	2	-	-	2	4	-	13	18	6	-	28	56
59	2	15	3	1	4	1	5	-	-	1	1	-	2	7	1	2	11	2	2	12	57
51	7	9	1	11	2	3	8	1	-	-	-	-	3	6	-	3	7	1	-	7	58
101	31	47	2	16	4	5	7	3	5	3	1	1	7	9	8	16	10	9	-	27	59
72	20	17	7	14	2	1	8	-	1	2	-	-	3	8	1	4	12	3	-	21	60
231	37	56	-	19	4	13	25	3	2	9	1	1	10	38	10	21	32	9	4	61	61
101	13	27	-	5	1	8	10	2	2	5	1	-	6	16	5	5	11	2	1	24	62
130	24	29	-	14	3	5	15	1	-	4	-	1	4	22	5	16	21	7	3	37	63
99	21	26	8	12	3	2	12	1	1	2	2	-	3	13	4	5	14	3	-	32	64
42	8	7	3	5	1	2	7	-	-	-	-	-	2	9	1	2	5	2	-	15	65
57	13	19	5	7	2	-	5	1	1	2	2	-	1	4	3	3	9	1	-	17	66
199	37	40	9	11	3	12	14	3	1	11	-	1	16	44	9	17	37	11	4	50	67
34	6	10	1	4	1	6	2	-	-	5	-	-	4	8	-	3	13	1	2	11	68
165	31	30	8	7	2	6	12	3	1	6	-	1	12	36	9	14	24	10	2	39	69
118	26	35	4	6	7	9	18	5	3	1	2	3	10	30	2	16	14	6	-	32	70
48	10	16	2	2	5	4	2	1	-	1	-	1	2	12	1	6	2	2	-	14	71
70	16	19	2	4	2	5	16	4	3	-	2	2	8	18	1	10	12	4	-	18	72
222	58	50	10	30	7	7	22	3	3	4	2	-	7	28	10	29	27	5	2	62	73
124	28	26	6	17	5	2	12	2	2	2	1	-	3	19	4	12	16	3	1	37	74
98	30	24	4	13	2	5	10	1	1	2	1	-	4	9	6	17	11	2	1	25	75
83	26	34	3	9	-	12	13	4	1	3	-	-	6	15	7	4	21	6	-	32	76
28	9	13	1	4	-	4	8	2	-	-	-	-	3	11	3	1	7	2	-	16	77
55	17	21	2	5	-	8	5	2	1	3	-	-	3	4	4	3	14	4	-	16	78
384	62	60	6	23	10	9	34	17	11	17	3	1	28	90	12	47	55	19	5	94	79
145	19	18	2	4	3	-	11	3	6	11	3	-	11	33	3	14	20	4	1	45	80
92	11	18	1	5	3	5	5	6	-	3	-	-	3	19	3	11	10	3	2	13	81
147	32	24	3	14	4	4	18	8	5	3	-	1	14	38	6	22	25	12	2	36	82
1,047	217	272	35	139	41	38	80	38	17	71	8	4	67	177	12	96	121	63	15	309	83
854	192	225	31	115	37	33	70	30	13	61	6	4	44	131	11	61	97	49	12	250	84
193	25	47	4	24	4	5	10	8	4	10	2	-	23	46	1	35	24	14	3	59	85
51	7	16	4	8	2	4	10	1	1	4	-	-	1	11	1	10	7	3	-	13	86

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OHIO—Continued																
1	Mahoning	2,525	23	11	1	10	468	186	70	212	69	1,334	1,309	293	3	925	34
2	Youngstown (part)	1,797	18	7	1	9	335	139	51	145	50	938	916	209	2	648	26
3	Youngstown (total)	1,799	18	7	1	9	335	139	51	145	50	940	918	209	2	650	26
4	Campbell	106	1	2	-	-	23	8	6	9	3	55	55	10	-	41	1
5	Struthers	101	1	1	-	-	16	9	2	5	1	49	49	14	-	31	-
6	Balance of county	521	3	1	-	1	94	30	11	53	15	292	289	60	1	205	7
7	Marion	538	1	1	1	3	67	30	10	47	13	294	291	68	1	201	4
8	Marion	380	1	-	-	3	63	19	7	37	9	207	204	49	1	143	3
9	Balance of county	158	-	1	1	-	24	11	3	10	4	87	87	19	-	58	1
10	Medina	401	1	1	-	1	64	22	4	38	10	225	222	45	-	162	9
11	Meigs	249	1	-	-	2	30	12	4	14	3	145	144	37	-	103	2
12	Mercer	304	3	1	-	2	45	14	3	28	7	180	178	48	-	118	3
13	Miami	626	6	-	1	2	89	24	10	55	23	371	364	93	1	244	6
14	Piqua	190	3	-	1	1	29	10	5	14	10	108	107	30	1	73	1
15	Troy	118	-	-	-	1	15	4	2	9	6	69	66	17	-	47	3
16	Balance of county	318	3	-	-	-	45	10	3	32	7	194	191	46	-	124	2
17	Monroe	165	1	1	-	2	21	6	2	13	2	94	87	32	-	50	2
18	Montgomery	3,889	56	15	2	18	623	237	64	322	81	2,035	2,001	460	4	1,311	59
19	Dayton	2,601	36	14	-	11	403	150	46	207	50	1,375	1,354	310	1	886	44
20	Balance of county	1,288	20	1	2	7	220	87	18	115	31	660	647	150	3	425	15
21	Morgan	134	2	-	-	1	17	3	1	13	3	71	71	15	-	53	2
22	Morrow	194	1	-	-	1	22	5	2	15	3	123	119	28	-	81	1
23	Muskingum	828	5	4	1	3	129	44	11	74	16	470	461	114	2	314	8
24	Zanesville	520	5	2	1	2	81	28	9	44	12	284	281	68	2	192	4
25	Balance of county	308	-	2	-	1	48	16	2	30	4	186	180	46	-	122	4
26	Noble	147	-	-	-	-	26	14	4	8	3	84	81	19	-	53	1
27	Ottawa	298	2	1	-	1	50	19	2	29	5	182	180	44	-	118	3
28	Paulding	166	-	1	-	-	20	11	2	7	3	106	99	19	1	63	2
29	Perry	333	2	1	-	2	36	13	5	18	8	214	204	49	2	146	5
30	Pickaway	293	1	1	-	3	53	18	6	29	8	150	148	41	-	89	3
31	Pike	182	6	1	-	1	20	6	3	11	1	94	92	28	-	61	2
32	Portage	568	6	1	1	2	82	41	1	40	8	312	307	67	1	218	7
33	Kent	92	2	1	1	-	12	3	1	8	3	52	51	9	-	39	1
34	Balance of county	476	4	-	-	2	70	38	-	32	5	260	256	58	1	179	6
35	Preble	275	1	-	-	-	35	12	2	21	5	159	156	34	1	108	2
36	Putnam	250	1	-	-	2	37	17	2	18	7	149	146	41	1	86	1
37	Richland	912	6	5	2	4	141	47	16	78	27	493	482	119	-	324	10
38	Mansfield	510	4	3	-	1	80	27	8	45	11	286	280	76	-	185	2
39	Balance of county	402	2	2	2	3	61	20	8	33	16	207	202	43	-	139	8
40	Ross	562	6	-	-	4	84	28	7	49	7	321	317	95	3	199	4
41	Chillicothe	285	4	-	-	1	42	13	4	25	4	169	168	53	-	105	4
42	Balance of county	277	2	-	-	3	42	15	3	24	3	152	149	42	3	94	-
43	Sandusky	543	3	1	-	3	86	35	12	39	19	297	291	50	-	220	4
44	Fremont	193	1	-	-	1	30	12	3	15	4	104	103	14	-	84	1
45	Balance of county	350	2	1	-	2	56	23	9	24	15	193	188	36	-	136	3
46	Scioto	852	9	4	-	4	144	52	16	76	19	439	425	88	3	306	10
47	Portsmouth	466	2	3	-	3	85	32	9	44	14	236	230	42	-	172	5
48	Balance of county	386	7	1	-	1	59	20	7	32	5	203	195	46	3	134	5
49	Seneca	582	5	1	-	1	96	40	12	44	20	307	298	79	-	190	4
50	Fostoria (part)	99	2	-	-	-	12	2	2	8	1	53	51	13	-	34	2
51	Fostoria (total)	175	2	-	-	-	17	5	2	10	4	92	89	22	-	61	2
52	Tiffin	248	1	1	-	-	43	22	5	16	13	133	128	37	-	78	2
53	Balance of county	235	2	-	-	1	41	16	5	20	6	121	119	29	-	78	-
54	Shelby	293	3	-	-	3	40	15	3	22	8	153	149	32	-	114	3
55	Sidney	129	2	-	-	2	15	4	-	11	4	70	68	17	-	50	1
56	Balance of county	164	1	-	-	1	25	11	3	11	4	83	81	15	-	64	2
57	Stark	2,786	15	10	5	7	453	169	53	231	73	1,493	1,463	346	-	1,001	40
58	Canton	1,289	4	5	1	3	199	69	28	102	29	691	674	154	-	468	23
59	Alliance	309	4	4	2	2	62	26	7	29	13	144	144	30	-	104	2
60	Massillon	328	4	1	1	-	48	14	3	31	5	192	186	54	-	113	2
61	Balance of county	860	3	-	1	2	144	60	15	69	26	466	459	108	-	316	13
62	Summit	3,685	37	16	6	9	672	242	78	352	82	1,922	1,883	365	4	1,378	55
63	Akron	2,545	28	13	3	8	483	174	56	253	52	1,318	1,289	245	1	951	37
64	Barberton	280	2	1	-	1	44	19	5	20	7	144	144	36	3	90	3
65	Cuyahoga Falls	243	3	1	2	-	36	14	5	17	10	122	120	21	-	92	3
66	Balance of county	617	4	1	1	-	109	35	12	62	13	338	330	63	-	245	12
67	Trumbull	1,491	17	7	-	8	267	102	33	132	35	767	755	150	3	561	22
68	Youngstown (part)	2	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
69	Warren	557	9	2	-	2	100	36	15	49	11	297	295	67	3	202	9
70	Girard	90	-	1	-	1	22	11	3	8	2	46	46	10	-	31	-
71	Niles	164	2	1	-	-	33	17	2	14	7	87	85	15	-	68	2
72	Balance of county	678	6	3	-	5	112	38	13	61	15	335	327	58	-	258	11
73	Tuscarawas	714	1	3	2	2	104	36	10	58	23	410	409	110	2	265	10
74	New Philadelphia	141	-	-	-	-	21	9	1	11	6	79	79	27	-	46	1
75	Balance of county	573	1	3	2	2	83	27	9	47	17	331	330	83	2	219	9
76	Union	241	1	1	1	1	37	17	5	15	7	131	124	24	-	88	5
77	Van Wert	324	-	1	-	2	64	21	4	39	11	182	178	50	1	110	3
78	Van Wert	140	-	1	-	-	29	9	1	19	5	78	77	21	1	49	1
79	Balance of county	184	-	-	-	2	35	12	3	20	6	104	101	29	-	61	2
80	Vinton	107	-	-	-	1	8	4	-	4	1	65	65	17	2	33	2
81	Warren	401	3	1	1	5	55	22	8	25	5	239	238	74	1	144	5
82	Washington	489	2	1	-	1	79	31	3	45	12	271	267	64	-	179	2
83	Marietta	218	-	1	-	-	36	15	1	20	6	132	131	27	-	92	1
84	Balance of county	271	2	-	-	1	43	16	2	25	6	139	136	37	-	87	1
85	Wayne	570	3	2	-	-	93	25	6	62	10	324	314	86	-	187	6
86	Wooster	144	1	1	-	-	31	11	4	16	1	80	77	28	-	36	1
87	Balance of county	426	2	1	-	-	62	14	2	46	9	244	237	58	-	151	5
88	Williams	312	3	-	-	-	46	10	7	29	13	178	174	39	-	119	7

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of cir-cula-tory sys-tem 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of ston-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined conditions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
676	117	98	20	54	14	25	62	17	8	32	6	4	42	105	5	52	80	22	8	166	1
475	75	72	11	34	12	22	42	14	6	23	3	3	29	79	3	31	62	20	6	118	2
477	75	72	11	34	12	22	42	14	6	23	3	3	29	79	3	31	62	20	6	118	3
26	11	3	2	2	-	-	1	-	1	1	1	1	3	5	-	3	1	-	-	5	4
26	4	1	-	3	1	-	4	1	-	2	-	-	4	5	1	1	3	1	2	9	5
149	27	22	7	15	1	3	15	2	1	6	2	-	6	16	1	17	14	1	-	34	6
150	21	26	-	19	2	3	13	1	1	5	-	-	9	17	8	19	26	5	-	34	7
107	14	19	-	10	1	3	10	1	-	3	-	-	7	16	4	13	16	4	-	23	8
43	7	7	-	9	1	-	3	-	1	2	-	-	2	1	4	6	10	1	-	11	9
107	25	21	1	14	-	3	17	3	2	1	2	-	5	12	1	14	19	2	1	20	10
58	13	30	1	1	2	1	5	1	-	-	-	-	6	5	1	10	16	1	-	23	11
69	23	23	5	6	1	2	5	2	1	-	2	-	10	13	-	11	9	2	-	11	12
183	19	36	4	16	6	7	12	2	4	2	1	1	10	14	1	16	23	6	1	41	13
55	6	11	1	2	-	1	2	1	1	-	1	-	3	3	-	2	7	4	-	14	14
37	-	7	-	2	-	3	4	-	1	1	-	1	1	5	-	3	3	-	1	7	15
91	13	18	3	12	6	3	6	1	2	1	-	-	6	6	1	11	13	2	-	20	16
35	2	11	1	4	-	7	4	3	1	1	3	-	1	3	-	5	8	2	-	13	17
883	185	184	31	163	32	34	84	20	21	56	3	3	76	240	10	98	117	34	27	270	18
589	127	126	21	114	22	21	55	17	12	43	3	1	47	152	5	73	74	20	26	184	19
294	58	58	10	49	10	13	29	3	9	13	-	2	29	88	5	25	43	14	1	86	20
31	12	8	-	2	1	-	3	-	-	-	-	-	2	2	5	1	12	1	1	13	21
61	12	7	2	7	1	4	3	1	1	1	1	-	3	4	-	8	3	5	-	14	22
218	25	63	4	19	8	9	22	8	2	7	-	-	13	31	3	15	23	13	1	62	23
136	15	37	1	12	6	3	18	4	1	5	-	-	7	24	2	12	14	7	1	38	24
82	10	26	3	7	2	6	4	4	1	2	-	-	6	7	1	3	9	6	-	24	25
30	7	15	-	8	1	3	1	-	-	-	-	-	-	3	1	5	8	2	1	13	26
74	18	23	5	11	2	2	4	1	3	3	1	-	3	9	1	1	12	3	1	15	27
39	4	18	4	11	1	7	6	3	2	1	1	-	1	3	1	8	2	3	1	4	28
81	14	46	1	6	-	10	7	1	2	-	-	2	5	5	-	10	13	2	-	23	29
52	12	22	5	13	-	2	6	4	-	1	-	-	5	9	4	10	15	2	-	21	30
36	9	14	1	2	-	2	8	-	1	-	1	-	5	9	-	7	13	-	3	12	31
148	14	49	5	15	1	5	13	3	7	6	1	2	18	33	2	12	24	8	2	25	32
24	-	14	1	2	-	1	2	-	1	1	1	1	3	4	-	1	1	1	-	5	33
124	14	35	4	13	1	4	11	3	6	5	-	1	15	29	2	11	23	7	2	20	34
80	13	13	6	6	1	3	5	3	2	4	-	1	3	10	-	7	12	6	2	20	35
52	12	21	3	12	3	3	3	-	2	1	-	1	1	7	2	6	6	2	-	23	36
190	45	79	8	26	5	11	16	4	5	8	1	3	13	38	4	29	34	12	4	63	37
111	21	51	2	15	2	6	10	3	4	6	1	2	4	23	3	15	14	8	1	31	38
79	24	28	6	11	3	5	6	1	1	2	-	1	9	15	1	14	20	4	3	32	39
129	29	37	9	8	3	4	13	3	1	5	-	1	8	26	2	11	34	4	-	32	40
70	16	15	4	4	2	1	2	2	1	3	-	1	2	12	1	2	17	1	-	21	41
59	13	22	5	4	1	3	11	1	-	2	-	-	6	14	1	9	17	3	-	11	42
153	21	42	4	15	2	6	9	4	2	3	-	-	8	26	3	16	24	3	2	34	43
61	9	13	2	3	-	1	3	1	-	-	-	-	3	16	2	3	8	-	-	17	44
92	12	29	2	12	2	5	6	3	2	3	-	-	5	10	1	13	16	3	2	17	45
194	31	71	9	16	3	14	24	8	6	5	-	-	10	44	3	28	38	10	3	54	46
114	15	38	6	9	1	6	11	6	-	4	-	-	4	18	1	13	23	6	-	37	47
80	16	33	3	7	2	8	13	2	6	1	-	-	6	26	2	15	15	4	3	17	48
130	22	34	7	22	-	9	13	2	1	5	5	1	8	19	6	17	19	6	2	48	49
11	4	17	1	3	-	2	3	-	1	1	3	-	-	1	1	1	3	3	1	13	50
25	9	25	3	3	-	3	3	-	1	1	3	-	5	11	1	6	6	4	1	18	51
67	6	3	3	10	-	5	5	-	-	3	1	1	2	11	3	4	11	1	1	14	52
52	12	14	3	9	-	2	5	2	-	1	1	-	6	7	2	12	5	2	-	21	53
70	18	23	2	1	-	4	9	1	1	6	-	-	7	16	-	9	15	3	1	18	54
27	13	9	1	-	-	2	5	-	1	3	-	-	3	5	-	6	6	1	-	6	55
43	5	14	1	1	-	2	4	1	-	3	-	-	4	11	-	3	9	2	1	12	56
721	96	144	17	80	19	30	81	13	10	26	7	2	49	135	24	69	70	41	13	190	57
346	38	61	13	30	9	17	49	6	3	16	3	-	20	69	15	32	27	21	6	90	58
70	13	19	1	8	1	-	5	1	3	3	1	-	9	17	2	-	13	4	-	20	59
89	9	13	1	18	-	6	7	2	-	2	1	1	4	14	3	10	8	2	2	21	60
216	36	51	2	24	9	7	20	4	4	5	2	1	16	35	4	27	22	14	5	59	61
937	187	199	32	72	32	39	82	20	10	57	11	5	46	174	41	85	93	57	9	251	62
642	131	141	22	50	20	29	56	15	6	44	5	3	26	108	31	56	67	38	6	179	63
66	10	11	4	6	5	-	2	2	2	4	2	1	6	15	2	9	9	2	-	25	64
67	9	13	-	4	3	2	7	-	2	2	2	-	4	22	1	3	5	2	1	18	65
162	37	34	6	12	4	8	17	3	-	7	2	1	10	29	7	17	12	15	2	29	66
406	63	70	12	22	7	12	30	7	6	15	1	4	27	76	3	58	47	18	2	96	67
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
157	16	20	8	10	5	2	4	3	2	6	1	3	9	27	3	18	14	4	1	41	69
26	1	4	-	5	-	-	3	-	-	-	-	-	-	7	-	-	3	1	-	4	70
45	12	9	-	2	-	2	4	2	-	1	-	-	2	7	-	1	3	2	1	11	71
176	34	37	4	5	2	8	19	2	4	8	-	1	16	35	-	39	27	11	-	40	72
164	31	60	1	27	4	1	11	3	4	9	1	1	16	26	2	18	25	5	3	45	73
26	2	17	-	5	1	-	3	-	-	-	-	-	4	5	1	3	7	1	-	11	74
138	29	43	1	22	3	1	8	3	4	9	1	1	12	21	1	15	18	4	3	34	75
60	12	11	1	10	1	7	4	-	1	2	-	-	3	5	1	13	8	9	-	16	76
74	10	23	4	10	3	4	3	1	-	-	-	-	4	6	1	13	13	2	-	21	77
32	3	13	-	5	1	1	1	1	-	-	-	-	-	3	-	5	3	2	-	12	78
42	7	10	4	5	2	3	2	-	-	-	-	-	4	3	1	8	10	-	-	9	79
18	6	7	9	1	3	-	8	1	-	-	-	-	-	1	1	1	6	4	1	9	80
86	22	31	2	15	2	1	5	4	2	-	2	-	11	13	-	8	21	1	-	25	81
135	17	25	4	16	4	4	15	5	2	3	2	1	10	13	4	13	26	5	-	24	82
74	10	7	1	10	1	1	4	1	1	1	-	1	5	4	-	2	13	2	-	9	83
61	7	18	3	6	3	3	11	4	1	2	2	-	5	9	4	11	13	3	-	15	84
121	16	44	1	36	4	10	10	-	-	3	4	1	11	18	6	27	22	3	-	33	85
26	3	6	-	11	2	3	6	-	-	2	-	-	7	6	1	1	2	-	-	5	86
95	13	38	1	25	2	7	4	-	-	1	4	1	4	12	5	26	20	3	-	28	87
72	20	20	3	11	2	4	5	2	-	1	-	-	3	7	7	13	9	3	-	22	88

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OHIO—Continued																
1	Wood	596	3	2	-	1	100	44	9	47	16	328	325	81	-	214	3
2	Bowling Green	116	-	1	-	-	15	5	1	9	5	66	66	19	-	42	1
3	Balance of county	480	3	1	-	1	85	39	8	38	11	262	259	62	-	172	2
4	Wyandot	242	-	-	1	-	34	14	3	17	6	144	141	23	-	108	3
5	OKLAHOMA	20,211	241	88	23	119	3,050	1,057	346	1,647	293	10,295	9,966	2,615	13	6,604	179
6	Metropolitan counties	5,332	39	20	8	30	868	270	105	493	69	2,572	2,488	657	3	1,638	47
7	Nonmetropolitan counties	14,879	202	68	15	89	2,182	787	241	1,154	224	7,723	7,478	1,958	10	4,966	132
8	Adair	139	11	1	-	-	11	5	2	4	2	70	67	14	-	41	1
9	Alfalfa	113	1	1	1	1	17	6	-	11	2	61	60	18	-	36	1
10	Atoka	95	1	-	-	-	13	2	1	10	1	45	45	8	-	36	1
11	Beaver	62	1	-	-	-	9	4	1	4	1	37	37	5	-	31	1
12	Beckham	190	1	-	-	2	22	6	3	13	2	115	111	27	-	80	5
13	Blaine	167	2	3	1	3	30	13	2	15	1	78	78	22	-	50	-
14	Bryan	314	4	-	-	-	44	15	9	20	6	181	174	36	-	133	-
15	Durant	155	1	-	-	-	24	7	5	12	4	88	87	15	-	69	-
16	Balance of county	159	3	-	-	-	20	8	4	8	2	93	87	21	-	64	-
17	Caddo	327	6	2	1	2	52	15	5	32	5	159	150	29	-	107	1
18	Canadian	224	1	-	-	1	33	6	7	20	3	121	120	22	-	83	-
19	El Reno	138	1	-	-	1	18	3	3	12	2	78	78	14	-	54	-
20	Balance of county	86	-	-	-	-	15	3	4	8	1	43	42	8	-	29	-
21	Carter	360	2	2	-	2	58	20	5	33	3	183	177	49	1	118	4
22	Ardmore	200	1	2	-	1	32	12	4	16	1	108	106	31	-	69	2
23	Balance of county	160	1	-	-	1	26	8	1	17	2	75	71	18	1	49	2
24	Cherokee	135	1	-	-	-	22	9	4	9	2	75	71	15	-	47	1
25	Choctaw	195	7	1	-	-	24	14	2	8	6	109	106	34	1	59	-
26	Cimarron	29	-	-	-	-	5	4	-	1	-	14	12	2	-	9	-
27	Cleveland	263	-	1	-	2	34	16	3	15	3	146	144	44	-	93	2
28	Norman	171	-	1	-	2	16	7	2	7	3	98	97	32	-	60	1
29	Balance of county	92	-	-	-	-	18	9	1	8	-	48	47	12	-	33	1
30	Coal	54	-	-	-	-	13	4	1	8	-	32	29	12	-	15	-
31	Comanche	396	4	1	-	1	46	12	9	25	2	181	176	34	1	130	5
32	Lawton	286	2	-	-	1	36	10	9	17	1	117	113	24	1	83	3
33	Balance of county	110	2	1	-	-	10	2	-	8	1	64	63	10	-	47	2
34	Cotton	92	-	-	-	-	10	4	-	6	4	47	47	17	-	25	-
35	Craig	182	3	2	1	-	37	21	2	14	3	90	88	29	-	52	3
36	Creek	414	2	4	2	7	60	26	7	27	5	216	205	51	-	141	7
37	Sapulpa	137	-	1	1	3	24	12	2	10	2	72	68	20	-	42	4
38	Balance of county	277	2	3	1	4	36	14	5	17	3	144	137	31	-	99	3
39	Custer	224	1	-	-	-	27	12	1	14	2	117	112	24	-	81	4
40	Delaware	134	-	-	-	-	13	3	-	10	4	74	69	19	-	41	1
41	Dewey	78	2	-	-	1	13	3	2	8	3	42	41	14	-	24	1
42	Ellis	64	-	-	-	-	7	2	1	4	2	41	40	12	-	26	1
43	Garfield	478	3	1	-	-	68	21	6	41	7	249	244	75	-	152	4
44	Enid	364	2	1	-	-	61	18	6	37	6	182	179	56	-	106	2
45	Balance of county	114	1	-	-	-	7	3	-	4	1	67	65	19	-	46	2
46	Garvin	216	2	-	-	-	39	13	5	21	5	101	97	26	-	63	2
47	Grady	321	1	4	-	5	59	19	6	34	5	151	149	35	-	105	3
48	Chickasha	179	1	3	-	3	32	8	5	19	3	82	81	18	-	61	1
49	Balance of county	142	-	1	-	2	27	11	1	15	2	69	68	17	-	44	2
50	Grant	103	-	1	-	-	21	10	-	11	2	48	47	14	-	29	-
51	Greer	107	-	-	-	2	16	5	3	8	-	55	55	18	-	32	-
52	Harmon	59	-	1	-	-	7	-	-	7	2	39	39	15	-	19	1
53	Harper	57	-	1	-	-	10	2	2	6	1	27	26	7	-	18	-
54	Haskell	115	2	-	-	1	12	5	2	5	2	60	59	14	1	40	-
55	Hughes	171	3	1	-	1	29	11	-	18	4	80	76	21	-	49	1
56	Jackson	170	1	1	-	-	26	8	3	15	-	83	80	29	-	44	2
57	Jefferson	94	2	-	-	2	12	5	-	7	2	47	44	11	-	31	-
58	Johnston	67	2	1	-	-	5	3	1	1	5	39	39	10	-	26	-
59	Kay	480	7	4	-	-	58	24	7	27	7	277	267	65	1	193	7
60	Ponca City	186	5	1	-	-	23	10	4	9	4	104	98	19	1	76	2
61	Balance of county	294	2	3	-	-	35	14	3	18	3	173	169	46	-	117	5
62	Kingfisher	109	2	-	-	-	14	7	-	7	3	65	62	17	-	41	2
63	Kiowa	158	-	1	-	-	25	9	7	9	1	87	86	23	-	63	2
64	Latimer	68	2	-	-	-	12	3	3	6	1	36	33	8	-	24	1
65	Le Flore	280	11	1	-	2	30	14	1	15	5	163	161	46	-	99	2
66	Lincoln	247	2	3	-	-	41	17	7	17	6	132	126	20	1	93	2
67	Logan	251	2	-	-	2	49	19	4	26	7	119	112	34	-	75	4
68	Guthrie	148	1	-	-	2	28	10	2	16	2	74	70	23	-	45	3
69	Balance of county	103	1	-	-	-	21	9	2	10	5	45	42	11	-	30	1
70	Love	64	-	-	-	1	13	3	2	8	1	34	33	13	-	16	-
71	McClain	114	2	-	-	-	20	5	4	11	1	60	59	11	-	35	1
72	McCurtain	248	11	1	-	4	33	14	3	16	6	115	112	30	1	78	-
73	McIntosh	172	4	1	-	2	31	9	5	17	4	88	83	23	-	56	2
74	Major	94	-	-	-	1	9	3	1	5	3	56	55	15	-	37	-
75	Marshall	83	2	-	-	-	13	4	2	7	-	44	44	15	-	27	-
76	Mayes	200	3	-	-	1	23	8	3	12	5	114	113	34	1	70	5
77	Murray	131	1	1	-	-	20	6	6	8	2	76	75	28	-	41	2
78	Muskogee	699	15	1	3	5	84	27	7	50	7	350	338	85	1	227	8
79	Muskogee	461	10	1	2	3	56	17	5	34	2	241	233	51	1	164	5
80	Balance of county	238	5	-	1	2	28	10	2	16	5	109	105	34	-	63	3
81	Noble	138	1	1	-	1	18	9	3	6	3	68	62	9	-	47	1
82	Nowata	134	-	1	-	1	19	6	-	13	1	74	73	18	-	51	1
83	Okfuskee	147	4	2	-	-	19	7	4	8	3	70	61	15	1	37	1
84	Oklahoma	2,914	14	8	2	17	502	160	62	280	40	1,411	1,375	381	-	906	25
85	Oklahoma City	2,419	13	8	2	13	412	137	47	228	31	1,164	1,135	318	-	746	20
86	Midwest City	62	-	-	-	1	17	3	-	14	1	23	22	5	-	16	-
87	Balance of county	433	1	-	-	3	73	20	15	38	8	224	218	58	-	144	5

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
150	31	30	2	23	5	3	12	2	1	6	-	1	6	17	4	25	29	4	1	38	1
29	5	7	-	5	-	-	2	-	-	1	-	-	1	4	2	3	4	1	1	10	2
121	26	23	2	18	5	3	10	2	1	5	-	1	5	13	2	22	25	3	-	28	3
71	11	23	4	5	1	3	7	-	2	1	-	-	4	9	-	5	7	3	-	19	4
4,447	849	1,129	177	426	131	329	618	93	99	161	41	33	254	813	659	572	974	161	105	1,519	5
1,129	191	271	43	108	39	84	152	23	29	51	7	11	78	306	218	133	246	54	40	378	6
3,318	658	858	134	318	92	245	466	70	70	110	34	22	176	507	441	439	728	107	65	1,141	7
24	7	9	5	6	1	3	9	1	-	-	-	1	3	6	3	5	2	1	1	12	8
24	5	6	1	5	-	1	3	-	-	-	-	-	1	3	2	1	7	1	-	11	9
25	8	2	-	1	-	-	1	-	-	1	-	-	1	4	6	5	10	-	-	7	10
19	6	5	1	-	-	-	1	-	1	1	-	-	-	-	2	1	2	1	-	5	11
49	16	10	2	1	1	4	12	-	-	2	-	1	1	7	-	9	6	-	-	10	12
35	3	12	-	5	1	-	8	-	2	-	-	-	-	3	2	8	10	2	2	12	13
93	20	20	3	1	1	7	7	2	1	4	-	-	2	9	15	3	15	3	1	17	14
50	11	8	3	-	-	1	2	-	-	3	-	-	-	3	6	1	12	-	-	11	15
43	9	12	-	1	1	6	5	2	1	1	-	-	2	6	9	2	3	3	1	6	16
64	18	24	3	7	4	9	6	-	2	1	-	1	6	11	11	12	14	2	1	33	17
68	6	9	3	10	2	1	11	1	-	1	1	-	1	4	12	8	6	2	1	17	18
44	4	6	2	6	2	-	8	-	-	1	1	-	1	1	6	4	2	-	-	14	19
24	2	3	1	4	-	1	3	1	-	-	-	-	-	3	6	4	4	2	1	3	20
78	11	25	3	4	2	6	13	-	1	4	1	-	3	15	10	12	22	1	-	28	21
41	8	18	2	3	1	2	9	-	-	1	1	-	2	7	4	5	10	-	-	16	22
37	3	7	1	1	1	4	4	-	1	3	-	-	1	8	6	7	12	1	-	12	23
28	9	9	2	5	2	4	8	-	1	-	-	-	1	4	2	5	6	1	-	7	24
29	11	19	1	10	1	3	3	2	-	1	-	-	1	4	12	2	8	1	1	13	25
8	-	1	-	1	-	2	-	-	1	-	-	-	1	1	-	2	1	-	-	4	26
71	11	9	-	4	3	2	8	1	-	4	-	-	6	16	3	6	8	4	1	20	27
46	6	7	-	2	3	1	5	1	-	2	-	-	5	11	1	4	6	3	-	13	28
25	5	2	-	2	-	1	3	-	-	2	-	-	1	5	2	2	2	1	1	7	29
13	1	1	-	2	-	3	-	-	-	-	-	-	-	1	1	-	4	-	-	3	30
90	7	28	1	6	4	5	15	2	9	2	-	-	13	53	8	11	15	1	5	27	31
60	5	15	1	4	-	4	8	2	8	1	-	-	10	49	8	10	10	1	3	19	32
30	2	13	-	2	4	1	7	-	1	1	-	-	3	4	-	1	5	-	2	8	33
20	1	4	1	2	2	-	2	-	1	1	-	-	-	7	-	1	7	-	-	12	34
31	9	9	1	5	1	2	3	1	1	1	1	-	2	5	4	6	10	2	1	9	35
93	14	27	4	6	3	11	15	1	3	3	-	1	3	12	6	5	23	1	2	43	36
29	6	3	2	3	1	4	5	1	1	1	-	1	-	2	1	1	10	-	-	11	37
64	8	24	2	3	2	7	10	-	2	2	-	-	3	10	5	4	13	1	2	32	38
46	12	19	3	3	1	5	12	1	2	2	1	-	2	12	7	13	10	1	1	13	39
24	6	10	1	8	-	5	5	-	1	3	-	1	1	1	7	9	2	3	1	9	40
16	1	6	-	2	1	1	3	1	-	-	1	-	1	1	3	2	2	-	-	3	41
17	5	3	-	-	2	1	-	1	-	-	-	-	-	3	2	2	2	1	-	3	42
112	13	23	2	14	1	5	12	5	1	1	-	-	10	19	11	8	34	8	2	39	43
79	8	17	2	14	1	3	9	1	1	1	-	-	8	17	8	5	27	6	2	27	44
33	5	6	-	-	-	2	3	4	-	-	-	-	2	2	3	3	7	2	-	12	45
45	10	6	1	7	-	4	7	2	1	3	1	-	-	9	9	11	12	-	1	13	46
64	20	18	2	7	-	2	12	1	1	5	1	-	4	11	10	5	21	-	-	25	47
35	15	10	-	2	-	1	8	1	1	1	-	-	3	7	6	2	12	-	-	14	48
29	5	8	2	5	-	1	4	-	-	4	1	-	1	4	4	3	9	-	-	11	49
27	1	1	1	2	1	1	1	-	2	1	1	-	1	1	1	2	6	1	-	14	50
25	1	6	1	3	1	-	2	1	-	1	-	-	-	2	7	1	5	4	-	11	51
12	1	5	-	4	1	-	1	-	1	-	1	-	-	1	-	1	2	1	-	2	52
10	4	4	-	1	-	1	-	-	-	1	-	-	-	1	2	1	5	-	-	8	53
26	10	4	1	3	-	1	5	-	-	-	-	-	1	1	8	5	5	1	-	12	54
39	4	5	3	-	3	4	1	1	-	1	2	1	3	4	9	5	8	-	1	17	55
32	5	5	3	4	-	3	5	-	-	-	2	1	4	9	5	3	9	3	1	17	56
22	5	4	-	2	-	3	1	-	1	-	-	-	-	3	7	1	9	-	1	6	57
23	-	3	-	2	1	-	1	1	-	-	-	-	-	2	2	-	5	-	-	4	58
124	26	36	1	7	-	10	7	3	1	4	-	-	8	19	9	18	26	1	1	30	59
51	16	7	-	2	-	6	2	1	-	2	-	-	5	11	1	7	8	1	1	10	60
73	10	29	1	5	-	4	5	2	1	2	-	-	3	8	8	11	18	-	-	20	61
30	3	6	-	3	1	3	5	2	-	-	-	-	-	4	-	1	9	-	-	4	62
49	6	6	-	-	-	1	5	1	-	-	-	-	1	5	5	9	5	4	1	8	63
12	-	11	1	-	-	3	2	-	-	1	-	-	-	1	3	1	4	2	-	3	64
65	12	20	4	11	1	2	14	1	-	1	-	1	2	5	6	8	7	1	-	22	65
61	19	11	2	7	3	6	8	1	-	3	1	-	2	4	7	9	13	-	1	14	66
47	13	11	-	1	2	7	10	1	1	1	1	-	4	7	4	4	16	-	-	23	67
27	8	7	-	1	1	4	6	1	1	1	-	-	2	5	1	1	10	-	-	13	68
20	5	4	-	-	1	3	4	-	-	-	1	-	2	2	3	3	6	-	-	10	69
16	-	-	3	1	-	1	1	-	-	-	-	-	1	1	2	3	4	1	-	2	70
34	-	-	3	9	1	1	4	1	-	-	-	-	2	4	-	-	6	1	1	12	71
52	10	16	1	2	-	3	10	2	1	-	-	-	3	10	6	11	10	1	4	20	72
39	7	8	3	-	1	5	8	-	-	-	2	1	2	5	5	1	4	1	-	13	73
21	1	15	-	3	-	1	1	1	1	1	-	-	1	1	1	4	2	2	-	10	74
18	4	5	2	-	-	-	2	-	-	2	1	1	-	1	-	4	3	-	-	10	75
52	6	7	2	6	-	1	4	2	1	1	-	-	2	6	5	8	9	4	3	9	76
28	2	9	-	5	1	1	4	-	3	-	-	-	-	3	3	-	4	1	2	11	77
127	40	52	13	5	7	12	21	5	4	6	2	4	6	20	30	15	43	3	6	69	78
96	31	32	7	4	6	8	9	3	4	4	2	2	5	17	16	8	25	1	1	49	79
31	9	20	6	1	1	4	12	2	-	2	-	2	1	3	14	7	18	2	5	20	80
34	4	8	2	2	2	6	5	1	1	-	-	-	3	4	2	9	8	2	-	11	81
31	7	12	2	-	2	1	2	2	1	-	1	-	1	4	3	5	7	1	-	11	82
18	4	14	5	3	-	9	9	1	1	-	-	1	2	6	4	2	8	2	-	13	83
596	95	190	24	40	24	36	87	12	17	27	2	7	40	177	120	73	111	26	18	203	84
497	75	154	20	31	20	29	70	11	16	24	1	5	37	142	106	58	94	20	15	177	85
15	-	1	-	1	-	1	-	1	-	1	1	-	-	10	1	-	2	1	-	3	86
84	20	35	4	8	4	6	17	-	1	2	-	2	3	25	13	15	15	5	3	23	87

385053 O - 56 - 30

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OKLAHOMA—Continued																
1	Okmulgee	503	8	3	1	5	81	34	9	38	5	265	252	64	-	178	2
2	Okmulgee	231	3	1	1	2	34	16	5	13	2	131	126	41	-	82	1
3	Balance of county	272	5	2	-	3	47	18	4	25	3	134	126	23	-	96	1
4	Osage	279	4	3	-	1	40	10	5	25	5	141	137	40	-	80	4
5	Ottawa	343	24	1	1	2	49	16	8	25	-	178	170	46	-	113	2
6	Miami	119	7	-	-	1	16	6	1	9	-	64	63	19	-	40	-
7	Balance of county	224	17	1	1	1	33	10	7	16	-	114	107	27	-	73	2
8	Pawnee	144	-	-	-	2	16	5	-	11	1	81	75	16	-	56	-
9	Payne	318	2	-	-	1	58	24	4	30	4	169	162	41	-	100	4
10	Stillwater	132	-	-	-	1	22	7	1	14	2	62	59	12	-	33	2
11	Balance of county	186	2	-	-	-	36	17	3	16	2	107	103	29	-	67	2
12	Pittsburg	339	5	-	1	3	54	14	6	34	6	180	175	51	-	109	1
13	McAlester	142	2	-	-	-	27	6	2	19	2	74	73	27	-	40	-
14	Balance of county	197	3	-	1	3	27	8	4	15	4	106	102	24	-	69	1
15	Pontotoc	279	4	1	-	6	41	17	4	20	4	150	147	60	-	73	3
16	Ada	172	2	1	-	2	28	13	3	12	4	100	97	37	-	50	1
17	Balance of county	107	2	-	-	4	13	4	1	8	-	50	50	23	-	23	2
18	Pottawatomie	459	3	1	2	3	63	20	6	37	5	239	238	60	-	159	5
19	Shawnee	270	1	1	2	2	34	12	3	19	2	134	133	37	-	89	4
20	Balance of county	189	2	-	-	1	29	8	3	18	3	105	105	23	-	70	1
21	Pushmataha	113	5	-	-	-	22	7	1	14	1	44	42	16	-	19	-
22	Roger Mills	52	-	-	-	-	7	2	-	5	-	36	35	6	-	28	-
23	Rogers	220	2	4	-	3	33	11	3	19	4	101	98	16	-	74	-
24	Seminole	281	3	3	-	2	41	19	8	14	6	120	118	34	-	78	1
25	Seminole	73	-	1	-	-	14	6	2	6	2	30	30	11	-	19	1
26	Balance of county	208	3	2	-	2	27	13	6	8	4	90	88	23	-	59	-
27	Sequoyah	152	-	-	-	1	24	11	1	12	2	83	81	16	-	60	1
28	Stephens	288	2	1	1	1	49	21	5	23	1	134	130	31	-	89	1
29	Duncan	128	-	-	-	1	28	9	4	15	1	60	58	13	-	42	-
30	Balance of county	160	2	1	1	-	21	12	1	8	-	74	72	18	-	47	1
31	Texas	106	-	1	-	1	15	3	2	10	2	60	59	16	-	39	-
32	Tillman	157	1	1	-	-	24	12	-	12	-	85	84	19	-	63	1
33	Tulsa	2,418	25	12	6	13	366	110	43	213	29	1,161	1,113	276	3	732	22
34	Tulsa	1,996	19	11	5	12	302	88	37	177	24	955	914	228	3	607	19
35	Balance of county	422	6	1	1	1	64	22	6	36	5	206	199	48	-	125	3
36	Wagoner	145	1	-	-	2	28	8	4	16	3	68	66	17	-	46	-
37	Washington	289	-	1	-	-	41	12	2	27	6	136	134	31	-	94	5
38	Bartlesville	174	-	-	-	-	29	8	1	20	6	83	81	20	-	56	2
39	Balance of county	115	-	1	-	-	12	4	1	7	-	53	53	11	-	38	3
40	Washita	132	2	-	-	1	24	10	4	10	-	69	68	14	-	50	2
41	Woods	120	-	1	-	-	17	5	2	10	4	65	63	21	-	36	5
42	Woodward	134	1	1	-	2	20	8	3	9	2	78	75	22	-	46	2
43	OREGON	14,744	85	34	14	58	2,240	787	272	1,161	169	8,322	8,195	1,767	6	5,779	227
44	Metropolitan counties	6,729	48	21	4	24	1,055	349	134	572	68	3,951	3,904	803	3	2,799	118
45	Nonmetropolitan counties	8,015	37	13	10	34	1,185	438	138	609	101	4,371	4,291	964	3	2,980	109
46	Baker	189	2	1	-	2	28	8	3	17	2	97	97	18	-	73	2
47	Benton	202	3	-	-	2	27	6	6	15	3	115	115	40	-	71	2
48	Corvallis	103	1	-	-	2	17	6	3	8	2	56	56	20	-	35	1
49	Balance of county	99	2	-	-	-	10	-	3	7	1	59	59	20	-	36	1
50	Clackamas	828	3	2	1	5	114	52	11	51	12	496	491	79	-	369	14
51	Clatsop	338	1	2	-	1	63	19	6	38	6	180	179	47	-	105	7
52	Astoria	152	1	-	-	1	32	10	3	19	4	77	77	20	-	45	2
53	Balance of county	186	-	2	-	-	31	9	3	19	2	103	102	27	-	60	5
54	Columbia	217	-	1	-	1	30	13	2	15	2	127	126	24	-	99	2
55	Coos	430	3	-	-	3	63	23	7	33	10	227	223	63	-	146	7
56	Crook	76	-	1	-	-	16	7	4	5	-	35	34	8	-	22	1
57	Curry	75	-	-	-	-	8	1	2	5	1	42	42	8	-	33	1
58	Deschutes	182	-	-	-	-	23	6	5	12	4	101	98	25	-	64	5
59	Bend	106	-	-	-	-	14	2	4	8	2	55	55	15	-	35	4
60	Balance of county	76	-	-	-	-	9	4	1	4	2	46	43	10	-	29	1
61	Douglas	495	2	1	2	2	57	22	8	27	2	247	245	54	-	174	9
62	Gilliam	23	-	-	-	-	2	1	-	1	-	13	13	4	-	9	-
63	Grant	79	-	-	-	-	13	3	1	9	1	45	43	9	-	30	-
64	Harney	51	-	-	1	-	5	1	-	4	1	20	20	6	-	14	-
65	Hood River	135	2	-	-	-	12	4	1	7	1	82	80	25	-	48	1
66	Jackson	567	2	3	1	1	95	36	14	45	6	330	322	59	1	237	5
67	Medford	203	1	2	-	-	37	13	4	20	4	107	106	19	-	82	2
68	Balance of county	364	1	1	1	1	58	23	10	25	2	223	216	40	1	155	3
69	Jefferson	39	-	-	-	1	5	2	-	3	-	11	11	4	-	6	-
70	Josephine	267	1	1	-	1	37	15	4	18	3	152	149	27	-	110	4
71	Klamath	333	4	1	1	4	47	19	7	21	2	162	160	30	-	114	3
72	Klamath Falls	122	2	-	-	-	21	6	3	12	-	69	68	14	-	43	-
73	Balance of county	211	2	1	1	4	26	13	4	9	2	93	92	16	-	71	3
74	Lake	71	-	-	-	-	6	2	-	4	-	36	36	5	-	27	2
75	Lane	956	6	-	1	6	147	47	16	64	15	497	486	108	-	325	11
76	Eugene	319	-	-	-	1	56	17	5	34	8	183	177	34	-	126	5
77	Springfield	77	1	-	-	-	13	4	3	6	-	41	41	8	-	28	2
78	Balance of county	560	5	-	1	5	78	26	8	44	7	273	268	66	-	171	4
79	Lincoln	208	-	-	-	1	25	10	3	12	1	126	124	32	-	83	5
80	Linn	426	2	-	1	-	60	20	8	32	8	230	222	48	1	152	7
81	Albany	109	1	-	-	-	13	4	1	8	-	66	63	12	-	45	2
82	Balance of county	317	1	-	1	-	47	16	7	24	8	164	159	36	1	107	5
83	Malheur	129	1	-	-	-	21	8	1	12	2	60	60	18	1	41	4
84	Marion	946	4	-	-	5	157	54	20	83	13	570	566	128	-	393	13
85	Salem (part)	424	2	-	-	4	68	23	12	33	7	265	263	56	-	188	10
86	Salem (total)	447	2	-	-	4	72	24	12	36	7	277	275	58	-	197	10
87	Balance of county	522	2	-	-	1	89	31	8	50	6	305	303	72	-	205	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of cir-cula-tory sys-tem 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
119	29	28	3	5	2	13	13	1	5	-	2	3	9	11	15	8	22	2	1	43	1
53	13	15	-	1	2	5	1	1	1	-	1	1	3	6	7	3	10	1	-	22	2
66	16	13	3	4	-	8	12	-	4	-	1	2	6	5	8	5	12	1	1	21	3
55	8	13	3	12	2	4	7	-	-	4	-	-	4	14	7	12	16	1	1	19	4
80	15	16	1	5	5	8	13	2	2	1	1	-	2	7	4	6	19	1	1	29	5
30	4	6	1	2	1	1	4	-	-	-	1	-	2	6	1	1	8	1	-	7	6
50	11	10	-	3	4	7	9	2	2	1	-	-	-	1	3	5	11	-	1	22	7
36	9	11	-	2	1	6	7	-	-	3	1	1	1	4	1	5	9	2	-	10	8
71	10	15	3	16	2	7	6	1	-	4	-	-	4	12	18	10	12	1	1	15	9
24	2	5	2	10	2	3	2	1	-	2	-	-	2	8	9	6	6	1	-	8	10
47	8	10	1	6	-	4	4	-	-	2	-	-	2	4	9	4	6	-	1	7	11
69	13	26	7	6	2	5	11	1	2	6	1	-	9	11	9	4	11	3	1	21	12
28	6	6	1	4	1	1	3	1	-	1	1	-	4	5	5	1	4	1	-	11	13
41	7	20	6	2	1	4	8	-	2	5	-	-	5	6	4	3	7	2	1	10	14
54	10	6	5	8	1	3	3	-	2	5	-	-	-	10	2	7	14	6	3	21	15
40	6	3	4	5	1	3	1	-	-	2	-	-	-	4	1	2	8	2	1	14	16
14	4	3	1	3	-	-	2	-	2	3	-	-	-	6	1	5	6	4	2	7	17
107	24	23	3	11	5	1	18	2	3	2	2	1	10	12	13	18	18	2	1	41	18
60	17	8	1	5	1	1	12	2	3	2	2	1	6	11	6	12	10	2	1	24	19
47	7	15	2	6	4	-	6	-	-	-	-	-	4	1	7	6	8	-	-	17	20
15	1	3	-	5	2	2	4	-	1	1	-	-	1	1	12	5	4	-	3	9	21
26	1	1	-	1	-	1	2	-	-	-	-	-	1	1	-	2	1	-	-	2	22
44	21	9	1	6	1	3	3	-	1	6	-	1	2	4	12	7	14	2	3	18	23
54	9	14	1	3	2	2	11	3	1	1	1	-	4	7	22	16	11	3	2	24	24
14	2	2	-	-	-	-	5	1	-	1	-	-	1	3	4	1	2	-	1	7	25
40	7	12	1	3	2	2	6	2	1	-	1	-	3	4	18	15	9	3	1	17	26
31	13	15	2	3	-	2	4	-	-	1	-	-	1	8	4	6	9	1	-	8	27
57	16	15	2	7	1	4	9	4	1	1	2	-	5	14	8	9	15	2	1	28	28
32	6	4	1	2	-	2	1	-	1	-	1	-	4	9	2	4	2	2	-	12	29
25	10	11	1	5	1	2	8	4	-	1	1	-	1	5	6	5	13	-	1	16	30
26	4	9	1	3	-	1	5	-	-	1	1	-	-	4	3	-	5	-	1	7	31
52	6	4	2	-	-	1	7	2	2	3	-	-	2	2	3	11	3	2	1	8	32
533	96	81	19	68	15	48	65	11	12	24	5	4	38	129	98	60	135	28	22	175	33
452	72	64	15	51	10	41	57	9	11	21	2	4	33	108	80	47	111	24	18	143	34
81	24	17	4	17	5	7	8	2	1	3	3	-	5	21	18	13	24	4	4	32	35
25	8	13	2	1	-	2	2	-	2	2	-	-	1	4	4	7	7	2	-	12	36
56	17	16	-	5	4	2	9	4	-	3	1	1	4	16	11	10	25	-	2	19	37
35	14	5	-	3	2	2	4	3	-	1	-	1	2	14	5	5	12	-	-	9	38
21	3	11	-	2	2	-	5	1	-	2	1	-	2	2	6	5	13	-	2	10	39
36	5	7	1	3	-	1	6	1	-	1	1	-	2	5	2	8	5	2	-	3	40
18	7	6	2	3	1	2	7	-	-	-	-	-	-	4	5	1	5	-	-	11	41
27	7	10	2	5	-	3	4	-	-	1	-	-	2	1	2	4	2	2	-	12	42
4,045	846	661	73	431	139	127	322	100	54	101	19	7	202	494	198	421	631	254	33	986	43
1,948	454	279	32	187	80	47	141	49	30	67	7	1	79	186	89	137	210	112	15	435	44
2,097	392	382	41	244	59	80	181	51	24	34	12	6	123	308	109	284	421	142	18	551	45
51	6	14	1	5	-	-	4	-	2	2	1	-	2	8	3	8	8	4	-	15	46
50	7	12	-	3	1	-	4	2	1	-	-	-	5	10	-	8	12	3	-	7	47
26	2	6	-	1	-	-	2	1	1	-	-	-	2	4	-	3	5	2	-	5	48
24	5	6	-	2	1	-	2	1	-	-	-	-	3	6	-	5	7	1	-	2	49
236	82	37	2	35	6	5	15	1	3	4	-	-	11	24	12	27	32	12	2	52	50
75	13	10	5	18	4	1	4	3	-	6	-	-	3	11	3	14	12	5	1	23	51
38	4	1	2	7	3	-	1	1	-	3	-	-	1	6	2	6	5	2	-	10	52
37	9	9	3	11	1	1	3	2	-	3	-	-	2	5	1	8	7	3	1	13	53
70	18	9	-	3	-	1	4	5	-	1	-	-	-	8	7	8	11	2	2	8	54
96	18	25	-	13	1	4	8	2	-	2	-	-	11	17	7	13	24	10	1	29	55
18	-	3	-	3	1	1	3	-	-	-	-	-	-	6	3	1	2	4	-	5	56
20	4	8	-	-	1	-	2	-	-	-	-	-	-	5	-	2	10	1	-	4	57
36	6	17	4	5	-	3	6	3	-	1	-	-	3	7	6	7	3	1	-	17	58
25	-	6	2	3	-	-	4	3	-	1	-	-	2	5	5	3	1	-	-	11	59
11	6	11	2	2	-	3	2	-	-	-	-	-	1	2	1	4	2	1	-	6	60
118	18	29	2	14	1	2	12	3	1	-	-	-	10	34	1	27	49	10	1	34	61
7	-	2	-	-	-	-	1	1	-	-	-	-	-	1	1	1	2	-	-	1	62
27	2	1	1	2	1	2	1	-	1	-	-	-	-	1	-	3	6	2	-	6	63
8	-	6	-	-	-	-	-	-	-	-	-	-	-	3	5	4	4	3	-	5	64
38	8	1	1	5	1	2	1	1	1	1	-	1	2	4	3	2	5	3	2	12	65
183	28	21	2	19	4	8	8	3	-	3	1	1	5	10	5	8	24	9	2	50	66
65	12	3	1	3	1	1	1	-	-	3	1	-	2	4	3	2	10	5	2	19	67
118	16	18	1	16	3	7	7	3	-	-	-	1	3	6	2	6	14	4	-	31	68
2	2	2	-	1	-	-	3	-	1	-	1	-	-	4	3	3	3	2	-	2	69
65	22	19	-	9	3	3	7	3	1	2	2	1	3	8	6	12	14	1	-	12	70
86	15	10	5	6	5	2	8	2	2	2	1	-	6	15	1	18	16	10	5	26	71
35	3	5	2	5	4	1	3	1	1	-	-	-	2	5	-	2	1	3	1	11	72
51	12	5	3	1	1	1	5	1	1	2	1	-	4	10	1	16	15	7	4	15	73
15	7	3	-	3	1	-	-	2	-	1	-	-	2	3	-	6	5	1	-	9	74
261	25	28	7	34	12	11	21	4	4	3	-	-	27	37	9	34	45	21	2	77	75
104	10	7	4	9	4	6	6	-	2	1	-	-	10	4	4	8	8	5	2	21	76
23	2	1	-	5	-	-	1	1	-	-	-	-	2	6	-	2	1	2	-	7	77
134	13	20	3	20	8	5	14	3	2	2	-	-	15	27	5	24	36	14	-	49	78
59	9	10	-	8	1	2	4	1	-	1	-	-	4	7	1	8	12	3	-	14	79
103	12	30	-	18	3	8	15	3	-	3	4	-	11	14	4	15	27	5	-	24	80
30	5	8	-	5	1	3	4	1	-	-	1	-	2	5	2	5	3	2	-	4	81
73	7	22	-	13	2	5	11	2	-	3	3	-	9	9	2	10	24	3	-	20	82
29	1	7	-	-	-	-	3	1	1	-	-	-	3	5	6	5	4	2	-	15	83
283	61	36	2	36	7	4	17	8	1	4	1	2	11	31	5	18	38	7	-	54	84
132	32	14	-	12	7	2	8	3	-	-	-	1	5	8	2	8	17	4	-	22	85
139	33	15	-	13	7	2	10	3	-	1	-	1	5	9	2	9	17	4	-	24	86
151	29	22	2	24	-	2	9	5	1	4	1	1	6	23	3	10	21	3	-	32	87

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OREGON—Continued																
1	Morrow	54	1	-	-	-	8	1	1	6	-	26	26	7	-	18	-
2	Multnomah	5,289	41	18	2	16	853	264	112	477	48	3,088	3,055	639	3	2,186	91
3	Portland	4,322	35	15	1	13	703	227	91	365	40	2,541	2,517	533	3	1,801	61
4	Balance of county	967	6	3	1	3	150	37	21	92	8	547	538	106	-	385	30
5	Polk	214	-	-	-	-	35	15	2	18	2	121	119	22	-	85	2
6	Salem (part)	23	-	-	-	-	4	1	-	3	-	12	12	2	-	9	-
7	Balance of county	191	-	-	-	-	31	14	2	15	2	109	107	20	-	76	2
8	Sherman	21	-	-	-	-	4	2	-	2	-	13	13	7	-	6	-
9	Tillamook	158	-	-	2	-	25	14	1	10	2	78	77	18	-	51	1
10	Umatilla	355	2	1	-	3	51	20	5	26	3	193	188	36	-	144	6
11	Pendleton	113	1	-	-	-	16	8	2	6	3	61	59	13	-	42	1
12	Balance of county	242	1	1	-	3	35	12	3	20	-	132	129	23	-	102	5
13	Union	173	-	-	-	-	27	14	4	9	3	96	85	11	-	69	2
14	Wallowa	66	-	-	-	1	11	7	2	2	-	32	30	3	-	26	-
15	Wasco	186	-	-	-	-	20	12	-	8	4	104	103	19	-	79	2
16	Washington	612	4	1	1	3	88	33	11	44	8	367	358	85	-	244	13
17	Wheeler	31	-	-	-	-	5	2	2	1	1	11	11	3	-	8	-
18	Yamhill	323	1	1	1	-	52	24	3	25	3	192	188	48	-	118	5
19	PENNSYLVANIA	108,686	1,208	375	48	401	17,946	6,920	2,150	8,876	2,412	61,455	60,209	11,581	105	44,473	1,623
20	Metropolitan counties	84,696	1,040	312	35	305	14,343	5,523	1,800	7,020	1,846	47,520	46,617	8,773	87	34,728	1,283
21	Nonmetropolitan counties	23,990	168	63	13	96	3,603	1,397	350	1,856	566	13,935	13,592	2,808	18	9,745	340
22	Adams	425	-	1	1	2	75	30	2	43	5	244	231	48	-	171	2
23	Allegheny	15,106	179	55	3	47	2,559	1,011	335	1,213	286	8,359	8,194	1,709	9	5,953	225
24	Pittsburgh	7,845	117	28	2	31	1,333	524	182	627	152	4,261	4,172	871	2	3,041	124
25	McKeesport	616	7	-	-	1	96	44	12	40	12	354	349	65	-	264	5
26	Mount Lebanon (twp.)[3] [4]	197	-	-	-	-	41	18	2	21	3	110	108	24	-	81	2
27	Wilkinsburg	345	2	1	-	-	62	26	2	34	6	216	214	49	-	151	5
28	Bellevue	149	-	-	-	-	30	10	5	15	-	94	92	20	-	64	2
29	Bethel	67	2	-	-	1	13	3	5	5	-	32	31	3	-	26	-
30	Braddock	189	7	2	-	1	29	9	6	14	-	99	96	25	1	62	3
31	Brentwood	73	1	-	-	1	16	9	-	7	2	42	42	11	-	28	2
32	Carnegie	142	2	-	-	-	14	5	2	7	1	88	84	17	-	60	1
33	Clairton	162	3	-	-	1	24	14	3	7	6	70	67	21	-	41	2
34	Coraopolis	107	1	1	-	-	19	7	3	9	3	55	55	11	-	40	-
35	Dormont	105	-	1	-	-	18	6	3	9	-	76	75	10	-	63	1
36	Duquesne	202	3	1	-	-	33	13	5	15	3	110	107	20	-	77	1
37	Harrison (twp.)[3] [4]	80	-	-	-	1	6	4	-	2	4	52	51	14	1	28	-
38	Homestead	120	3	2	-	-	14	3	-	11	2	74	71	22	-	46	1
39	McKees Rocks	206	1	-	-	-	34	13	4	17	4	105	101	25	-	70	2
40	Munhall	145	2	-	-	1	33	15	5	13	1	76	76	17	-	57	2
41	North Braddock	122	-	-	-	1	20	8	2	10	-	69	67	12	-	49	4
42	Shaler (twp.)[3] [4]	81	1	-	-	-	15	8	-	7	2	49	49	11	-	34	-
43	Stowe (twp.)[3] [4]	55	1	-	-	-	14	5	4	5	4	24	24	8	-	16	-
44	Swissvale	133	-	4	-	-	21	7	3	11	4	76	74	9	-	59	3
45	Turtle Creek	112	1	1	-	-	14	6	1	7	4	74	74	14	-	56	1
46	West Mifflin	94	-	-	-	-	23	8	6	9	-	48	48	11	-	37	3
47	Balance of county	3,759	25	14	1	8	637	246	80	311	73	2,105	2,067	419	5	1,503	61
48	Armstrong	672	3	1	-	5	108	46	11	51	12	402	389	70	1	287	4
49	Beaver	1,613	20	7	-	6	322	133	44	145	39	794	774	194	1	513	28
50	Aliquippa	279	3	-	-	-	66	24	12	30	6	136	133	27	1	95	7
51	Ambridge	166	-	-	-	1	29	12	4	13	6	91	90	22	-	59	5
52	Beaver Falls	186	4	2	-	1	42	17	5	20	8	83	83	21	-	58	-
53	Ellwood City (part)	6	-	-	-	-	2	1	-	1	1	2	2	1	-	1	-
54	Balance of county	976	13	5	-	4	183	79	23	81	18	482	466	123	-	300	16
55	Bedford	375	4	1	-	1	54	21	4	29	9	204	195	34	1	143	5
56	Berks	2,672	35	3	-	9	443	163	55	225	65	1,562	1,538	325	2	1,093	48
57	Reading	1,292	21	1	-	4	217	77	30	110	34	757	748	138	2	558	16
58	Balance of county	1,380	14	2	-	5	226	86	25	115	31	805	790	187	-	535	32
59	Blair	1,497	8	7	1	5	245	90	27	128	38	920	892	164	2	659	26
60	Altoona	882	5	5	1	3	157	55	18	84	28	526	509	88	1	391	18
61	Balance of county	615	3	2	-	2	88	35	9	44	10	394	383	76	1	268	8
62	Bradford	611	4	-	-	1	90	31	5	54	9	376	370	63	-	273	10
63	Bucks	1,603	11	1	1	10	253	96	34	123	33	906	889	157	2	664	28
64	Bristol	176	4	-	-	-	23	11	3	9	10	90	88	7	-	75	4
65	Balance of county	1,427	7	1	1	10	230	85	31	114	23	816	801	150	2	589	24
66	Butler	894	3	-	-	2	130	50	10	70	17	531	523	112	1	362	21
67	Butler	259	2	-	-	-	40	17	6	17	6	154	153	37	1	104	4
68	Balance of county	635	1	-	-	2	90	33	4	53	11	377	370	75	-	258	17
69	Cambria	1,963	19	6	3	11	310	128	33	149	47	1,083	1,066	224	4	778	28
70	Johnstown	815	6	2	2	4	126	48	13	65	16	461	456	89	4	334	13
71	Balance of county	1,148	13	4	1	7	184	80	20	84	31	622	610	135	-	444	15
72	Cameron	76	-	-	-	1	13	5	1	7	2	40	40	8	-	29	2
73	Carbon	648	6	3	-	5	100	49	8	43	18	377	366	81	2	264	10
74	Centre	541	1	-	-	2	83	26	10	47	16	305	301	73	1	199	10
75	State College	73	-	-	-	-	15	5	1	9	4	40	40	9	-	27	3
76	Balance of county	468	1	-	-	2	68	21	9	38	12	265	261	64	1	172	7
77	Chester	1,616	17	7	1	7	270	108	30	132	31	885	862	160	2	638	15
78	Coatesville	180	3	2	-	2	32	14	3	15	5	83	79	15	1	57	2
79	Phoenixville	143	-	-	-	2	25	7	6	12	5	74	74	9	-	61	2
80	West Chester	217	3	-	-	-	33	13	1	19	2	131	126	24	-	91	1
81	Balance of county	1,076	11	5	1	3	180	74	20	86	19	597	583	112	1	429	10
82	Clarion	348	2	-	-	-	40	15	4	21	8	196	190	41	-	127	8
83	Clearfield	848	1	-	2	4	120	41	13	66	22	503	488	100	2	356	14
84	Du Bois	150	-	-	-	1	24	6	2	16	6	88	87	22	-	59	1
85	Balance of county	698	1	-	2	3	96	35	11	50	16	415	401	78	2	297	13

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
10	2	6	1	-	-	-	1	1	-	-	-	-	1	4	-	2	4	1	-	5	1
1,545	339	211	24	132	71	33	115	43	23	63	5	1	59	140	74	99	158	94	11	338	2
1,272	295	173	19	102	59	24	93	40	16	54	3	1	38	106	54	81	129	78	10	271	3
273	44	38	5	30	12	9	22	3	7	9	2	-	21	34	20	18	29	16	1	67	4
46	28	9	3	7	2	2	10	-	-	1	-	-	1	9	1	6	10	-	1	17	5
7	1	1	-	1	-	-	2	-	-	1	-	-	-	1	-	1	-	-	-	2	6
39	27	8	3	6	2	2	8	-	-	-	-	-	1	8	1	5	10	-	1	15	7
5	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	8
37	8	5	-	8	-	1	2	-	3	-	-	-	-	6	6	8	12	2	-	12	9
105	17	16	1	4	3	5	10	-	2	1	-	1	5	15	12	11	16	7	-	22	10
29	3	9	-	3	1	2	3	-	-	-	-	-	1	3	4	6	5	3	-	7	11
76	14	7	1	1	2	3	7	-	2	1	-	1	4	12	8	5	11	4	-	15	12
47	5	15	1	4	-	11	7	-	-	-	-	-	1	5	2	6	8	3	-	15	13
16	7	3	-	-	1	2	2	1	-	-	-	-	-	-	3	1	3	6	1	5	14
64	11	2	1	1	3	1	4	1	3	-	-	-	2	6	5	12	14	6	-	5	15
167	33	31	6	20	3	9	11	5	4	-	2	-	9	22	3	11	20	6	2	45	16
5	1	2	-	-	-	-	1	-	-	-	-	-	-	3	-	2	4	1	-	3	17
62	31	20	4	15	3	4	7	1	-	-	1	-	5	11	1	10	13	7	-	17	18
29,283	5,963	7,604	744	2,559	747	1,246	2,419	673	418	1,180	214	104	1,324	3,827	711	1,772	3,647	998	313	7,241	19
23,018	4,731	5,696	609	1,855	565	903	1,884	519	312	977	155	73	1,027	3,113	578	1,243	2,791	748	275	5,600	20
6,265	1,232	1,908	135	704	182	343	535	154	106	203	59	31	297	714	133	529	856	250	38	1,641	21
75	49	45	2	7	3	13	5	3	3	1	-	1	8	19	1	12	8	7	1	28	22
4,495	577	656	90	351	82	165	296	92	56	226	27	18	184	603	323	208	475	149	48	913	23
2,299	297	321	53	166	39	89	171	47	30	136	12	9	87	297	208	100	255	64	27	478	24
199	28	32	4	14	2	5	14	5	3	7	2	2	11	29	11	8	18	3	4	29	25
65	7	7	-	-	3	2	4	1	1	2	-	-	3	9	5	1	5	3	-	9	26
113	12	21	5	9	-	2	2	2	2	1	1	-	2	9	4	3	6	2	1	23	27
54	5	3	-	8	-	2	2	-	-	1	-	-	2	5	-	2	4	1	1	7	28
24	1	1	-	1	1	1	1	-	-	1	-	-	2	4	2	1	3	1	-	4	29
45	8	6	1	5	2	3	5	2	1	4	1	1	1	6	6	1	14	2	2	5	30
22	1	3	-	1	2	-	1	-	1	1	-	-	-	1	-	2	1	2	-	2	31
43	4	12	-	5	2	4	-	-	-	8	-	-	3	6	1	3	8	1	1	6	32
31	5	3	-	4	1	3	4	1	1	-	-	-	6	14	2	1	7	8	3	11	33
31	6	3	-	3	1	-	-	-	-	-	-	-	1	11	2	2	2	3	-	7	34
53	5	4	1	-	1	1	1	-	-	-	-	-	1	3	-	-	2	-	-	3	35
59	6	11	2	7	1	3	3	1	-	3	-	-	1	12	7	2	9	2	-	12	36
26	2	-	3	4	1	1	-	1	-	-	1	-	2	3	1	-	1	-	-	8	37
37	4	4	-	3	-	3	3	-	-	3	-	-	1	2	5	1	1	1	-	8	38
52	4	12	1	5	-	4	6	1	1	1	-	-	1	11	9	5	15	2	1	9	39
50	4	1	-	2	-	-	3	-	1	3	-	-	-	6	3	3	4	-	-	9	40
31	9	5	-	5	1	2	-	-	-	-	-	-	4	11	4	1	3	1	1	7	41
24	6	4	-	4	-	-	-	-	-	2	-	-	1	2	-	2	1	2	-	4	42
14	-	2	-	-	-	-	1	1	1	2	-	-	-	2	1	-	1	1	-	2	43
36	12	8	2	1	3	2	5	1	1	2	1	-	1	3	-	2	4	-	-	8	44
42	7	6	1	3	-	-	3	1	-	1	1	-	1	1	-	1	3	-	-	6	45
31	1	2	-	-	-	-	2	-	-	-	-	-	1	3	-	4	4	1	1	7	46
1,114	143	185	17	101	22	38	65	28	13	48	8	6	52	153	52	63	104	49	6	249	47
202	28	53	6	23	2	13	6	5	6	7	-	2	7	18	3	19	24	4	1	39	48
354	56	75	8	51	7	20	31	12	2	21	-	2	19	70	13	39	70	17	10	119	49
71	7	10	5	3	2	3	4	2	1	3	-	1	1	18	-	8	11	1	2	16	50
44	6	4	1	6	2	1	3	2	-	2	-	-	3	6	-	3	5	5	-	10	51
37	13	8	-	4	-	-	4	2	-	4	-	-	1	5	3	3	7	3	-	14	52
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	53
201	30	53	2	38	3	16	20	6	1	12	-	1	14	41	10	24	47	8	8	79	54
76	14	48	5	9	3	9	16	2	-	-	2	1	2	14	1	8	15	6	1	34	55
745	131	169	27	73	18	24	53	19	7	21	6	-	27	86	17	40	78	33	2	166	56
402	70	70	13	28	9	9	27	9	3	16	2	-	10	34	5	18	38	10	1	85	57
343	61	99	14	45	9	15	26	10	4	5	4	-	17	52	12	22	40	23	1	81	58
515	41	77	11	46	10	28	22	4	13	10	1	1	16	52	6	18	32	12	4	82	59
314	25	34	5	19	5	17	13	1	7	6	1	1	9	35	2	10	16	4	3	49	60
201	16	43	6	27	5	11	9	3	6	4	-	-	7	17	4	8	16	8	1	33	61
147	44	72	2	26	6	6	15	3	-	11	1	-	7	29	2	15	15	2	-	31	62
423	91	122	10	42	14	17	39	12	5	18	1	5	36	55	5	48	41	14	3	106	63
44	14	13	-	4	2	2	4	2	-	2	-	2	6	11	1	3	4	-	-	14	64
379	77	109	10	38	12	15	35	10	5	16	1	3	30	44	4	45	37	14	3	92	65
292	29	20	4	35	9	8	15	7	6	5	2	1	5	23	6	19	38	14	3	67	66
87	4	9	3	3	5	1	5	1	2	3	1	-	2	6	1	4	10	2	-	20	67
205	25	11	1	32	4	7	10	6	4	2	1	1	3	17	5	15	28	12	3	47	68
516	77	157	17	34	9	17	59	5	8	25	4	1	27	92	4	33	64	9	4	151	69
227	39	55	7	18	4	5	30	1	2	11	3	-	8	38	1	10	35	5	1	53	70
289	38	102	10	16	5	12	29	4	4	14	1	1	19	54	3	23	29	4	3	98	71
14	2	11	1	1	1	-	3	1	-	-	-	-	2	5	-	3	-	-	-	6	72
130	52	72	3	11	5	11	13	3	2	7	2	1	7	10	5	10	16	3	2	58	73
136	26	27	3	17	8	4	7	3	3	5	2	-	7	27	4	10	21	9	1	35	74
21	1	2	-	3	1	-	-	-	1	1	-	-	-	9	-	1	-	1	-	1	75
115	25	25	3	14	7	4	7	3	2	4	2	-	7	18	4	9	21	8	1	34	76
429	91	103	8	39	15	23	38	7	9	13	6	1	23	66	3	25	67	19	11	110	77
35	11	9	-	3	3	4	9	1	-	2	1	-	3	13	-	2	7	2	1	12	78
33	16	10	1	2	1	-	2	-	1	1	1	-	1	7	-	2	8	1	2	11	79
63	11	16	1	8	2	5	7	-	2	-	-	1	3	17	-	1	2	2	-	13	80
298	53	68	6	26	9	14	20	6	6	10	4	-	16	29	3	20	50	14	8	74	81
67	20	32	-	18	4	6	13	4	-	2	-	-	9	9	2	10	18	6	-	29	82
274	23	45	2	25	3	15	16	10	4	6	3	2	13	28	1	15	30	11	-	57	83
48	1	9	-	6	-	1	2	2	3	3	-	-	4	4	-	1	4	-	-	8	84
226	22	36	2	19	3	14	14	8	1	3	3	2	9	24	1	14	26	11	-	49	85

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	PENNSYLVANIA—Continued																
1	Clinton	390	2	4	-	2	70	27	7	36	4	224	220	58	-	145	1
2	Lock Haven	142	1	2	-	-	25	8	4	13	2	86	84	21	-	56	-
3	Balance of county	248	1	2	-	2	45	19	3	23	2	138	136	37	-	89	1
4	Columbia	556	3	1	-	1	85	36	6	43	16	327	320	83	-	213	4
5	Berwick	135	-	1	-	-	23	12	1	10	4	79	78	24	-	49	2
6	Bloomsburg	133	1	-	-	-	25	11	2	12	5	69	68	15	-	50	-
7	Balance of county	288	2	-	-	1	37	13	3	21	7	179	174	44	-	114	2
8	Crawford	918	3	3	-	4	156	67	21	68	16	509	496	104	1	349	17
9	Meadville	236	1	1	-	3	46	20	8	18	3	123	116	33	-	76	3
10	Balance of county	682	2	2	-	1	110	47	13	50	13	386	380	71	1	273	14
11	Cumberland	949	5	8	-	2	151	48	15	88	20	583	577	115	1	421	14
12	Carlisle	185	-	-	-	1	26	9	2	15	3	112	111	30	-	72	-
13	Balance of county	764	5	8	-	1	125	39	13	73	17	471	466	85	1	349	14
14	Dauphin	2,140	33	14	1	10	340	120	45	175	48	1,232	1,216	205	1	941	35
15	Harrisburg	1,165	22	8	1	5	190	71	29	90	19	671	661	118	-	510	25
16	Steelton	141	1	1	-	-	15	8	1	6	5	81	81	12	1	61	2
17	Balance of county	834	10	5	-	5	135	41	15	79	24	480	474	75	-	370	8
18	Delaware	4,005	44	17	5	14	753	280	92	381	85	2,248	2,201	362	5	1,687	75
19	Chester	752	15	7	-	4	142	61	26	55	13	381	370	47	-	300	9
20	Upper Darby (twp.)[3] [4]	719	4	2	1	-	137	40	17	80	18	416	412	86	1	306	15
21	Haverford (twp.)[3] [4]	325	5	1	-	2	58	19	5	34	7	188	185	24	1	142	10
22	Darby	139	4	-	1	-	29	12	2	15	4	69	64	10	-	49	5
23	Lansdowne	156	-	-	-	-	33	7	5	21	2	96	93	17	-	71	3
24	Yeadon	105	2	-	-	-	24	13	2	9	4	63	62	9	-	48	2
25	Balance of county	1,809	14	7	3	8	330	128	35	167	37	1,035	1,015	169	3	771	31
26	Elk	319	2	1	-	3	41	17	3	21	7	182	179	31	-	141	6
27	Erie	2,266	30	11	-	8	379	164	39	176	35	1,287	1,265	290	4	910	45
28	Erie	1,442	21	8	-	5	239	103	25	111	17	832	818	189	2	597	34
29	Balance of county	824	9	3	-	3	140	61	14	65	18	455	447	101	2	313	11
30	Fayette	1,764	13	7	-	8	273	97	30	146	43	1,023	993	196	1	735	25
31	Connellsville	168	-	1	-	-	25	6	3	16	1	106	105	14	-	85	2
32	Uniontown	263	3	2	-	-	44	13	4	27	10	153	150	30	1	107	3
33	Balance of county	1,333	10	4	-	8	204	78	23	103	32	764	738	152	-	543	20
34	Forest	61	-	1	-	-	12	3	1	8	1	32	31	8	-	16	-
35	Franklin	770	12	3	1	9	103	39	2	62	20	468	459	93	-	333	11
36	Chambersburg	186	3	-	-	3	27	12	1	14	3	114	112	26	-	75	2
37	Waynesboro	135	1	2	-	2	17	7	-	10	3	88	84	15	-	62	2
38	Balance of county	449	8	1	1	4	59	20	1	38	14	266	263	52	-	196	7
39	Fulton	107	2	2	-	-	13	4	2	7	1	58	56	17	-	34	-
40	Greene	411	2	1	-	2	55	21	10	24	14	223	212	45	-	155	9
41	Huntingdon	392	2	-	-	-	64	25	9	30	9	234	230	46	-	166	6
42	Indiana	699	2	2	1	1	91	46	9	36	13	430	418	66	1	306	9
43	Indiana	135	-	-	-	-	15	7	2	6	3	84	77	15	-	58	-
44	Balance of county	564	2	2	1	1	76	39	7	30	10	346	341	71	1	248	9
45	Jefferson	495	2	3	-	4	75	27	6	42	16	285	278	57	-	204	4
46	Juniata	141	2	-	-	2	14	4	2	8	-	92	87	13	2	66	1
47	Lackawanna	2,986	28	4	1	13	496	204	66	226	53	1,711	1,682	261	3	1,305	36
48	Scranton	1,571	9	3	-	5	258	102	35	121	30	922	904	140	2	706	22
49	Carbondale	198	3	-	-	-	38	16	1	21	5	111	110	18	1	84	-
50	Dunmore	196	-	-	-	-	32	18	3	11	3	112	111	17	-	85	2
51	Balance of county	1,021	16	1	1	8	168	68	27	73	15	566	557	86	-	430	12
52	Lancaster	2,349	36	6	3	8	367	119	43	205	57	1,363	1,342	267	6	949	36
53	Lancaster	780	17	3	1	2	126	45	19	62	21	450	447	95	-	315	8
54	Columbia	129	3	-	-	1	21	6	3	12	4	72	71	15	-	55	1
55	Balance of county	1,440	16	3	2	5	220	68	21	131	32	841	824	157	6	579	27
56	Lawrence	1,014	1	3	-	4	167	66	15	86	26	568	549	115	-	376	18
57	New Castle	558	1	2	-	2	89	30	8	51	13	307	296	59	-	212	11
58	Ellwood City (part)	107	-	1	-	1	19	7	3	9	2	61	58	15	-	38	-
59	Ellwood City (total)	113	-	1	-	1	21	8	3	10	3	63	60	16	-	39	-
60	Balance of county	349	-	-	-	1	59	29	4	26	11	200	195	41	-	126	7
61	Lebanon	809	5	1	-	1	109	31	10	68	14	506	485	81	-	372	9
62	Lebanon	374	1	1	-	1	52	16	7	29	8	233	224	32	-	171	5
63	Balance of county	435	4	-	-	-	57	15	3	39	6	273	261	49	-	201	4
64	Lehigh	2,022	14	11	-	10	356	125	41	190	39	1,207	1,182	208	1	896	35
65	Allentown	1,164	10	6	-	6	204	70	26	108	21	704	693	117	1	522	17
66	Bethlehem (part)	136	2	1	-	-	28	10	1	17	2	72	70	15	-	51	2
67	Balance of county	722	2	4	-	4	124	45	14	65	16	431	419	76	-	323	16
68	Luzerne	4,154	58	6	1	13	658	289	61	308	130	2,255	2,211	359	5	1,691	60
69	Wilkes-Barre	957	15	3	-	4	148	64	16	68	34	528	518	70	2	412	17
70	Hazleton	360	3	2	1	-	63	28	4	31	20	187	183	39	-	130	5
71	Hanover (twp.)[3] [4]	125	3	-	-	1	21	4	4	13	3	63	63	13	-	46	-
72	Kingston	241	3	-	-	2	54	23	7	24	3	124	122	25	-	90	3
73	Nanticoke	206	4	1	-	-	28	15	-	13	5	109	108	11	-	87	4
74	Pittston	181	3	-	-	1	26	11	2	13	3	102	98	15	1	76	2
75	Plains (twp.)[3] [4]	103	3	-	-	-	17	10	2	5	4	52	49	7	-	39	3
76	Plymouth	146	2	-	-	-	27	11	2	14	7	71	69	12	-	48	2
77	Balance of county	1,835	22	-	-	5	274	123	24	127	51	1,019	1,001	167	2	763	24
78	Lycoming	1,121	3	2	2	2	170	62	13	95	25	667	657	133	-	485	14
79	Williamsport	574	-	2	-	1	97	36	8	53	11	332	331	63	-	248	6
80	Balance of county	547	3	-	2	1	73	26	5	42	14	335	326	70	-	237	8
81	McKean	601	3	1	1	2	84	34	11	39	13	371	364	77	-	264	6
82	Bradford	224	2	1	-	-	32	9	4	19	5	137	136	23	-	105	4
83	Balance of county	377	1	-	1	2	52	25	7	20	8	234	228	54	-	159	2
84	Mercer	1,130	8	9	1	3	186	68	26	92	31	624	620	138	-	446	23
85	Sharon	284	4	2	-	1	41	18	5	18	7	158	157	40	-	112	4
86	Farrell	160	1	2	-	1	30	14	3	13	8	83	82	13	-	63	5
87	Balance of county	686	3	5	1	1	115	36	18	61	16	383	381	85	-	271	14

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E600-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
96	13	35	4	9	4	4	6	1	1	6	2	1	5	18	1	3	18	3	2	17	1
37	5	14	2	2	3	2	1	-	1	2	1	-	1	5	-	1	4	1	1	8	2
59	8	21	2	7	1	2	5	1	-	4	1	1	4	13	1	2	14	2	1	9	3
146	14	49	1	19	4	7	14	6	3	8	2	1	1	9	1	12	13	5	-	48	4
34	3	10	-	3	2	1	4	-	-	2	1	-	1	2	-	2	2	1	-	13	5
36	1	13	-	3	-	1	2	5	3	1	1	-	-	3	-	2	4	2	-	10	6
76	10	26	1	13	2	5	8	1	-	5	-	1	-	4	1	8	7	2	-	25	7
199	45	88	6	30	6	13	21	7	5	8	1	-	18	29	2	28	33	15	1	59	8
43	12	18	-	4	3	7	9	1	1	4	1	-	6	7	-	5	7	3	-	15	9
156	33	70	6	26	3	6	12	6	4	4	-	-	12	22	2	23	26	12	1	44	10
281	65	61	4	29	7	6	10	7	3	5	2	-	9	30	2	12	30	9	2	59	11
51	7	14	2	5	2	1	3	1	1	1	1	-	1	9	1	4	6	1	-	14	12
230	58	47	2	24	5	5	7	6	2	4	1	-	8	21	1	8	24	8	2	45	13
586	203	117	17	39	13	16	46	16	6	15	5	1	34	56	9	42	63	22	6	141	14
321	109	55	7	19	7	10	30	9	2	11	2	1	17	25	5	23	27	11	4	82	15
37	15	7	2	3	2	-	4	-	1	1	-	-	5	6	3	1	6	-	1	10	16
228	79	55	8	17	4	6	12	7	3	3	3	-	12	25	1	18	30	11	1	49	17
1,056	268	288	40	73	34	47	100	29	12	44	6	2	67	150	10	54	86	41	13	225	18
190	52	49	6	10	7	11	36	5	5	5	1	-	9	35	2	15	19	4	9	45	19
196	51	44	8	7	4	4	16	5	2	7	1	-	12	24	1	6	23	6	-	38	20
87	18	27	5	8	5	3	10	2	3	1	-	-	4	7	-	3	6	5	-	23	21
26	7	11	1	2	2	5	1	-	-	4	-	-	4	8	1	1	1	1	-	11	22
42	10	16	2	2	1	3	1	3	-	1	-	-	-	7	-	1	2	1	-	9	23
26	10	10	1	3	1	1	3	1	-	2	-	-	1	3	-	-	1	1	-	-	24
489	120	131	17	41	14	20	33	13	2	24	4	2	37	66	6	28	34	23	4	99	25
99	20	16	2	4	1	3	2	6	2	4	2	1	8	11	1	8	8	7	-	23	26
627	102	136	9	34	18	22	45	14	15	29	1	4	45	83	14	36	66	19	3	142	27
417	69	77	4	16	10	14	21	12	7	23	-	2	25	47	5	24	34	13	3	104	28
210	33	59	5	18	8	8	24	2	8	6	1	2	20	36	9	12	32	6	-	38	29
563	71	76	9	45	7	30	41	12	11	11	2	3	19	70	8	45	63	14	1	97	30
60	13	10	1	5	-	1	8	1	-	-	-	1	-	9	1	2	1	2	-	10	31
83	15	6	2	10	-	3	9	-	1	2	-	-	4	8	1	2	13	1	-	10	32
420	43	60	6	30	7	26	24	11	10	9	2	2	15	53	6	41	49	11	1	77	33
10	-	6	1	6	-	1	2	-	1	-	1	-	-	-	-	-	9	-	-	2	34
212	52	58	4	21	8	9	16	2	3	2	3	-	8	24	2	18	24	11	2	39	35
55	10	8	1	9	1	2	3	-	-	2	-	-	1	6	1	4	8	4	1	6	36
34	9	17	2	1	4	4	3	-	-	-	-	-	1	2	-	2	3	2	-	9	37
123	33	33	1	11	3	3	10	2	3	-	3	-	6	16	1	12	13	5	1	24	38
24	4	6	1	1	3	2	3	-	1	-	-	-	1	10	-	4	4	1	-	7	39
114	10	22	1	9	2	11	15	1	-	4	3	1	11	14	1	14	15	8	2	25	40
87	37	36	-	13	5	4	6	2	5	1	-	1	3	12	1	8	13	6	-	25	41
198	26	73	1	21	3	12	21	5	-	4	-	-	15	17	4	15	37	7	-	34	42
37	8	13	-	3	1	7	5	2	-	1	-	-	4	5	1	2	5	1	-	7	43
161	18	60	1	18	2	5	16	3	-	3	-	-	11	12	3	13	32	6	-	27	44
117	29	54	6	6	5	7	11	2	1	5	2	1	7	13	2	13	18	7	1	27	45
34	6	25	1	5	-	5	2	-	1	-	-	-	2	2	9	1	8	-	-	6	46
772	177	320	26	69	18	29	50	17	11	40	7	-	32	86	11	31	110	24	3	258	47
425	91	168	15	32	9	18	26	7	6	27	5	-	16	46	6	14	54	12	1	124	48
38	25	21	1	6	-	1	-	1	-	2	-	-	2	10	-	2	11	2	-	11	49
59	9	15	-	7	2	1	3	-	3	2	-	-	3	6	-	2	9	-	-	21	50
250	52	116	10	24	7	9	21	9	2	9	2	-	11	24	5	13	36	10	2	102	51
652	107	154	11	97	12	21	38	11	8	16	4	1	34	83	8	53	86	29	1	137	52
230	33	44	3	30	4	3	12	3	4	4	2	-	7	24	1	18	32	10	-	43	53
34	3	17	-	1	-	1	1	1	-	-	1	-	-	9	-	2	4	-	-	10	54
388	71	93	8	66	8	17	25	7	4	12	1	1	27	50	7	33	50	19	1	84	55
278	33	47	8	42	8	19	31	5	3	15	6	2	12	33	4	25	29	9	2	69	56
159	19	23	5	15	5	11	23	2	3	9	6	-	9	17	3	13	18	5	2	34	57
28	4	6	-	4	1	3	1	-	-	1	-	-	-	4	-	3	4	-	-	10	58
29	4	6	-	4	1	3	1	-	-	1	-	-	-	4	-	4	4	-	-	10	59
91	10	18	3	23	2	5	7	3	-	5	-	2	3	12	1	9	7	4	-	25	60
218	72	73	7	18	7	21	22	3	3	5	-	2	11	22	8	13	25	12	1	46	61
106	29	31	3	13	5	9	10	2	3	4	-	1	4	9	6	4	8	4	1	22	62
112	43	42	4	5	2	12	12	1	-	1	-	1	7	13	2	9	17	8	-	24	63
599	106	156	10	54	13	25	26	14	2	16	3	1	28	49	3	35	42	23	1	142	64
359	62	84	4	38	11	11	13	8	2	8	1	-	9	33	-	21	22	9	-	87	65
42	4	3	2	1	1	2	-	1	-	1	-	-	5	2	2	1	2	3	-	14	66
198	40	69	4	15	1	12	13	5	-	7	2	1	14	14	1	13	18	11	1	41	67
1,021	248	362	40	88	28	44	73	29	15	54	9	3	31	103	19	53	137	25	4	478	68
259	62	74	11	15	8	10	12	12	-	12	2	-	7	17	2	10	38	4	1	108	69
71	21	33	5	6	3	4	7	3	1	3	-	-	4	8	-	7	11	1	-	39	70
31	3	12	-	3	1	-	1	-	1	3	1	1	2	1	-	1	3	-	1	19	71
57	18	12	1	4	2	2	1	-	3	6	-	-	2	9	2	2	7	3	-	20	72
53	12	18	2	8	-	1	-	2	-	5	1	-	3	6	-	2	3	2	-	35	73
42	14	18	-	6	-	4	5	1	1	1	2	-	2	5	4	2	6	-	-	17	74
28	6	2	1	2	-	3	1	1	-	1	1	-	-	1	-	-	2	1	-	19	75
28	5	13	2	5	2	2	4	1	1	2	-	-	-	3	1	4	5	-	-	18	76
452	107	180	18	39	12	18	42	9	8	21	2	2	11	53	10	25	62	14	2	203	77
331	56	84	5	25	9	10	21	6	6	8	1	-	17	31	7	28	36	11	2	76	78
173	36	33	2	13	5	1	13	5	4	7	-	-	6	11	2	6	22	5	-	50	79
158	20	51	3	12	4	9	8	1	2	1	1	-	11	20	5	22	14	6	2	26	80
180	42	36	2	16	5	7	18	-	5	4	1	-	7	12	2	11	21	5	1	39	81
79	16	6	-	6	2	1	8	-	1	3	-	-	3	4	1	1	10	1	-	15	82
101	26	30	2	10	3	6	10	-	4	1	1	-	4	8	1	10	11	4	1	24	83
305	60	58	3	27	6	4	34	10	3	7	-	2	17	42	1	29	29	13	2	79	84
83	12	13	-	3	2	1	15	1	-	2	-	1	5	12	-	7	7	1	-	20	85
39	15	4	-	5	1	1	7	2	-	-	-	-	-	4	-	2	3	3	2	12	86
183	33	41	3	19	3	2	12	7	3	5	-	1	12	26	1	20	19	9	-	47	87

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	PENNSYLVANIA—Continued																
1	Mifflin	388	4	3	-	3	58	16	7	35	11	220	214	37	1	153	3
2	Lewistown	171	3	-	-	2	34	11	3	20	6	85	85	12	-	60	2
3	Balance of county	217	1	3	-	1	24	5	4	15	5	135	129	25	1	93	1
4	Monroe	389	2	1	-	2	66	26	8	32	8	227	223	39	-	157	11
5	Montgomery	3,542	22	7	2	13	648	234	78	336	70	2,041	2,008	325	6	1,538	44
6	Abington (twp.)[3] [4]	242	2	1	-	1	44	13	7	24	3	152	149	23	-	124	5
7	Lower Merion (twp.)[3] [4]	453	1	-	1	2	81	33	9	39	5	275	275	48	1	201	3
8	Norristown	456	3	-	-	2	84	38	8	38	9	250	249	32	1	196	9
9	Cheltenham (twp.)[3] [4]	217	3	1	-	-	33	13	4	16	6	129	127	14	-	103	-
10	Conshohocken	119	1	-	-	-	25	8	4	13	3	62	62	11	-	47	1
11	Pottstown	262	2	-	-	-	48	11	12	25	4	151	149	31	1	109	2
12	Balance of county	1,793	10	5	1	8	333	118	34	181	40	1,022	997	166	3	758	24
13	Montour	145	1	-	-	1	19	7	1	11	1	97	97	12	-	80	1
14	Northampton	1,917	21	10	4	2	320	118	37	165	28	1,148	1,137	211	1	873	25
15	Bethlehem (part)	534	6	3	1	1	94	30	13	51	10	300	295	56	1	226	8
16	Bethlehem (total)	670	8	4	1	1	122	40	14	68	12	372	365	71	1	277	10
17	Easton	440	5	2	2	-	69	29	10	30	5	278	276	39	-	225	6
18	Balance of county	943	10	5	1	1	157	59	14	84	13	570	566	116	-	422	11
19	Northumberland	1,226	12	2	-	7	190	69	20	101	51	682	686	121	-	496	18
20	Mount Carmel	156	5	-	-	1	24	12	2	10	2	89	88	16	-	63	6
21	Shamokin	226	2	-	-	2	35	12	3	20	12	125	122	20	-	96	-
22	Sunbury	175	1	-	-	1	32	7	3	22	9	97	91	18	-	63	2
23	Balance of county	669	4	2	-	3	99	38	12	49	28	371	365	67	-	274	10
24	Perry	237	1	-	-	1	43	15	5	23	3	145	143	27	1	103	6
25	Philadelphia, coextensive with Philadelphia (city)	23,561	395	101	7	92	4,026	1,518	577	1,931	544	12,876	12,601	2,186	25	9,596	367
26	Pike	129	1	-	-	-	23	9	3	11	2	83	82	15	-	60	5
27	Potter	195	2	1	1	-	28	13	4	11	6	112	111	18	-	88	4
28	Schuylkill	2,249	43	5	1	4	315	125	35	155	60	1,228	1,201	243	3	852	30
29	Mahanoy City	156	2	1	-	1	15	5	2	8	5	91	88	29	-	57	3
30	Pottsville	303	5	1	-	1	44	20	4	20	4	187	184	29	-	130	4
31	Shenandoah	190	5	-	-	2	32	14	3	15	5	85	82	21	-	50	2
32	Tamaqua	141	1	-	-	-	34	16	7	11	6	74	74	15	-	54	-
33	Balance of county	1,459	30	3	1	-	190	70	19	101	40	791	773	149	3	561	21
34	Snyder	188	2	1	-	-	31	11	2	18	4	110	106	22	-	79	1
35	Somerset	776	10	2	-	2	106	43	14	49	15	469	464	89	-	345	14
36	Sullivan	87	-	-	1	-	18	2	3	13	3	50	50	10	-	36	1
37	Susquehanna	364	3	2	-	2	62	30	6	26	7	199	194	39	-	138	2
38	Tioga	437	1	2	-	-	71	31	4	36	9	257	253	55	-	186	5
39	Union	231	1	-	-	1	32	13	4	15	7	147	146	30	-	112	1
40	Venango	720	5	2	1	4	108	47	7	54	20	421	416	130	-	258	12
41	Franklin	138	2	1	-	-	33	15	2	16	3	79	79	23	-	49	2
42	Oil City	250	3	1	1	1	36	17	3	16	11	143	142	48	-	88	5
43	Balance of county	332	-	-	-	3	39	15	2	22	6	199	195	59	-	121	5
44	Warren	455	2	1	-	-	71	29	7	35	6	265	257	61	-	179	6
45	Warren	188	2	-	-	-	32	13	2	17	2	114	108	19	-	83	4
46	Balance of county	267	-	1	-	-	39	16	5	18	4	151	149	42	-	96	2
47	Washington	1,998	23	4	1	3	339	153	35	151	47	1,097	1,080	234	3	766	18
48	Washington	334	5	-	-	-	62	27	6	29	9	194	190	48	-	130	4
49	Canonsburg	109	2	-	-	-	14	4	4	6	3	54	54	12	-	40	2
50	Donora	129	3	-	-	1	19	8	2	9	5	72	70	10	-	52	-
51	Balance of county	1,426	13	4	1	2	244	114	23	107	30	777	766	164	3	544	12
52	Wayne	328	4	-	1	-	46	25	6	15	8	192	185	50	-	119	4
53	Westmoreland	2,921	15	4	-	11	504	206	48	250	61	1,728	1,693	344	2	1,263	34
54	New Kensington	258	3	1	-	1	42	18	7	17	4	139	133	29	-	97	2
55	Arnold	70	1	-	-	1	12	6	-	6	4	33	33	5	-	26	1
56	Greensburg	230	1	1	-	-	37	15	1	21	4	140	139	28	-	108	3
57	Jeannette	161	-	-	-	-	35	11	4	20	2	89	87	13	-	72	9
58	Latrobe	121	-	-	-	-	17	6	2	9	3	81	80	17	-	61	1
59	Monessen	176	-	-	-	1	37	10	8	19	4	106	104	14	-	86	-
60	Balance of county	1,905	10	2	-	8	324	140	26	158	40	1,140	1,117	238	2	813	18
61	Wyoming	216	1	2	-	3	27	9	3	15	4	123	121	26	-	78	4
62	York	1,910	9	12	-	6	312	105	25	182	44	1,142	1,123	246	2	803	24
63	York	759	2	9	-	4	125	37	13	75	15	452	447	94	1	323	6
64	Hanover	171	1	1	-	-	38	18	2	18	3	93	90	20	-	62	2
65	Balance of county	980	6	2	-	2	149	50	10	89	26	597	586	132	1	418	16
66	RHODE ISLAND	8,191	84	28	4	24	1,477	548	153	776	206	4,652	4,580	795	2	3,486	103
67	Metropolitan counties	7,137	69	27	4	21	1,290	487	130	673	184	4,103	4,041	701	2	3,073	88
68	Nonmetropolitan counties	1,054	15	1	-	3	187	61	23	103	22	549	539	94	-	413	15
69	Bristol	288	5	2	2	1	52	18	4	30	13	160	158	35	-	106	2
70	Bristol (town)[3]	113	2	1	1	-	16	6	2	8	7	65	64	13	-	45	1
71	Balance of county	175	3	1	1	1	36	12	2	22	6	95	94	22	-	61	1
72	Kent	859	7	5	1	2	160	63	16	81	19	452	446	86	-	325	7
73	Warwick	468	2	2	-	-	87	37	4	46	12	249	246	49	-	181	1
74	West Warwick (town)[3]	202	2	3	1	-	43	17	7	19	4	104	103	19	-	72	4
75	Balance of county	189	3	-	-	2	30	9	5	16	3	99	97	18	-	72	2
76	Newport	563	11	1	-	2	109	38	11	60	14	299	294	52	-	226	4
77	Newport	334	9	1	-	1	68	23	6	39	9	177	175	35	-	128	3
78	Balance of county	229	2	-	-	1	41	15	5	21	5	122	119	17	-	98	1

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral arterio-scle-rosis 450	Other dis-eases of cir-cula-tory sys-tem 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
102	18	30	4	16	3	6	1	1	1	1	1	-	6	13	-	14	19	5	1	26	1
46	7	5	2	8	3	-	-	1	-	1	1	-	1	7	-	9	7	3	-	11	2
56	11	25	2	8	-	6	1	-	1	-	-	-	5	6	-	5	12	2	1	15	3
105	12	29	4	17	6	4	10	3	1	3	1	-	2	10	-	5	10	5	1	32	4
988	212	294	21	101	17	33	73	26	14	32	8	3	41	135	8	53	95	34	2	215	5
78	16	25	-	2	-	3	1	1	1	3	-	1	4	5	1	3	4	3	-	12	6
140	25	33	2	16	7	-	7	4	4	9	-	1	3	21	-	4	7	6	-	22	7
107	37	43	4	15	1	1	14	4	3	4	3	-	8	23	2	5	13	-	1	28	8
60	17	26	1	8	1	2	3	2	-	-	-	-	5	9	1	-	4	3	-	18	9
31	5	10	-	3	1	-	2	2	-	3	-	-	1	3	1	-	10	-	-	6	10
73	14	20	1	6	1	2	3	-	-	2	2	-	5	8	-	5	7	2	1	22	11
499	98	137	13	51	6	25	43	13	6	11	3	1	15	66	3	36	50	20	-	107	12
43	8	28	1	4	-	-	3	-	2	-	-	-	1	4	-	2	4	1	-	9	13
624	78	146	12	30	10	11	37	9	5	14	3	-	30	56	7	19	68	27	1	108	14
176	23	19	1	9	2	5	11	4	1	7	-	-	12	19	4	4	20	3	1	33	15
218	27	22	3	10	3	7	11	5	1	8	-	-	17	21	6	5	22	6	1	47	16
140	30	49	2	5	5	2	8	4	2	2	1	-	4	12	1	7	9	4	-	25	17
308	25	78	9	16	3	4	18	1	2	5	2	-	14	25	2	8	39	20	-	50	18
273	67	138	6	37	6	16	23	11	6	8	4	3	12	28	7	26	45	9	2	98	19
31	6	20	-	7	2	1	1	2	1	1	-	-	1	3	1	-	4	1	-	20	20
63	8	25	-	5	1	3	9	2	-	2	-	1	5	2	2	2	6	-	-	19	21
38	11	12	2	7	1	6	2	1	-	-	-	-	1	4	1	4	9	2	-	11	22
141	42	81	4	18	2	6	11	6	5	5	4	2	5	19	3	20	26	6	2	48	23
69	8	20	1	7	4	2	7	2	1	-	-	-	2	13	-	2	7	1	-	9	24
5,846	1,699	1,684	205	395	194	275	640	145	96	298	48	22	241	972	70	288	907	153	145	1,495	25
39	7	9	1	4	2	1	-	-	1	2	-	-	-	1	-	4	5	2	-	5	26
51	15	18	-	4	1	1	11	1	-	3	1	-	4	1	1	4	10	3	1	5	27
541	128	153	14	70	19	27	44	12	8	29	6	4	18	45	28	39	92	15	4	249	28
35	9	10	-	1	1	3	2	2	2	3	-	-	1	1	-	1	3	-	-	26	29
91	18	17	1	15	9	3	8	2	-	4	1	-	3	10	2	3	8	2	-	18	30
27	6	15	1	7	3	3	3	1	-	4	1	-	1	1	3	-	17	1	-	29	31
40	7	7	-	5	-	-	3	-	1	1	-	-	-	2	1	1	2	4	-	11	32
348	88	104	12	42	6	18	28	7	5	17	4	4	13	31	22	34	62	8	4	165	33
38	19	21	-	4	1	4	4	1	1	2	-	1	2	9	-	7	6	1	-	6	34
221	47	63	4	18	8	5	20	5	-	2	2	2	4	31	5	11	27	9	3	51	35
28	3	4	-	3	1	-	1	1	-	1	-	-	1	4	-	-	1	-	1	5	36
96	15	25	2	13	2	5	9	6	1	4	-	-	5	11	1	9	18	6	3	16	37
102	23	56	3	6	3	4	11	-	2	4	1	1	9	8	3	12	14	1	-	31	38
56	8	47	2	1	1	1	4	-	1	2	1	-	1	1	2	5	6	2	-	18	39
170	29	47	3	21	4	5	16	10	3	5	2	1	9	34	1	10	20	11	-	37	40
35	2	10	2	5	-	-	2	-	-	1	-	-	-	4	-	1	3	3	-	6	41
53	15	15	-	3	3	1	3	5	2	1	-	-	5	13	1	4	9	1	-	10	42
82	12	22	1	13	1	4	11	5	1	3	2	1	4	17	-	5	8	7	-	21	43
106	29	38	4	7	6	8	17	3	1	5	4	-	7	12	2	9	20	2	1	27	44
51	16	12	2	1	3	6	6	1	-	2	1	-	4	8	-	2	8	-	1	5	45
55	13	26	2	6	3	2	11	2	1	3	3	-	3	4	2	7	12	2	-	22	46
533	79	136	11	56	10	17	44	10	6	28	3	1	22	70	15	28	79	21	1	156	47
97	15	14	2	9	1	4	9	1	1	-	1	-	4	10	1	5	6	4	-	22	48
18	6	14	-	2	-	-	4	-	-	3	-	-	1	6	1	3	5	2	-	11	49
36	2	14	4	2	2	2	1	1	1	2	1	-	1	2	1	1	3	2	-	13	50
382	56	94	5	43	7	11	30	8	4	23	1	1	16	52	12	19	65	13	1	110	51
72	17	26	1	13	2	7	9	1	1	3	-	-	3	7	2	7	8	3	-	33	52
940	133	156	16	58	10	35	69	15	10	28	6	3	36	92	12	50	85	29	5	158	53
68	10	17	1	3	3	6	10	2	1	6	-	-	4	10	3	2	6	4	-	20	54
22	1	2	1	1	-	-	1	2	-	3	-	-	-	2	1	1	3	1	-	5	55
78	19	8	-	3	-	1	6	2	-	3	1	-	6	4	-	4	6	1	1	13	56
50	8	5	-	-	2	2	2	1	1	1	1	-	-	5	-	5	6	3	1	9	57
47	9	4	1	1	-	1	1	-	-	1	-	-	1	4	1	2	1	-	-	9	58
58	12	16	1	3	-	2	4	1	-	3	1	1	-	2	-	2	4	3	-	7	59
617	74	104	12	47	5	23	45	7	8	11	3	2	25	65	7	34	59	17	3	95	60
55	9	10	2	15	-	2	4	3	1	2	-	-	3	4	8	7	12	-	-	12	61
490	83	206	9	51	12	19	41	11	8	15	3	-	24	51	13	38	54	17	1	109	62
230	23	64	4	21	4	5	15	6	5	7	-	-	10	23	9	16	22	5	-	34	63
39	6	15	1	5	2	3	2	1	1	1	-	-	2	3	1	1	7	1	-	15	64
221	54	127	4	25	6	11	24	4	2	7	3	-	12	25	3	21	25	11	1	60	65
2,687	407	289	71	176	50	72	159	67	21	92	10	11	103	274	25	79	276	50	11	538	66
2,370	361	254	63	159	43	62	136	60	18	87	8	9	81	222	21	66	224	44	10	453	67
317	46	35	8	17	7	10	23	7	3	5	2	2	22	52	4	13	52	6	1	85	68
74	15	15	5	11	1	2	5	2	-	3	1	-	3	9	-	5	5	4	-	16	69
26	7	11	3	2	1	1	2	2	-	2	1	-	1	3	-	2	2	1	-	5	70
48	8	4	2	9	-	1	3	-	-	1	-	-	2	6	-	3	3	3	-	11	71
258	36	24	9	20	6	6	20	2	3	12	-	3	15	35	10	15	33	7	2	56	72
155	13	12	5	10	1	3	13	1	3	6	-	2	5	21	3	8	21	2	2	29	73
50	11	7	4	5	3	1	2	1	-	4	-	-	5	5	1	2	6	4	-	15	74
53	12	5	-	5	2	2	5	-	-	2	-	1	5	9	6	5	6	1	-	12	75
191	16	15	5	7	4	5	9	3	2	3	1	1	11	30	2	6	14	2	1	42	76
112	8	5	4	5	3	2	9	3	2	1	-	1	1	15	2	1	6	-	-	28	77
79	8	10	1	2	1	3	-	-	-	2	1	-	10	15	-	5	8	2	1	14	78

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	RHODE ISLAND—Continued																
1	Providence	5,990	57	20	1	18	1,078	406	110	562	152	3,491	3,437	580	2	2,642	79
2	Providence	2,828	34	14	1	8	475	175	46	254	69	1,637	1,613	288	1	1,219	41
3	Cranston	520	-	1	-	3	102	35	9	58	10	304	299	53	-	227	11
4	Pawtucket	863	9	1	-	-	164	67	18	79	18	519	513	84	-	388	9
5	Woonsocket	432	3	3	-	2	87	39	7	41	13	248	246	27	-	207	6
6	East Providence (town)[a]	340	1	1	-	2	60	27	8	25	12	205	201	32	-	162	2
7	Central Falls	190	2	-	-	1	32	11	6	15	5	117	111	18	-	88	2
8	Cumberland (town)[a]	110	2	-	-	1	21	6	7	8	3	62	60	9	-	47	1
9	Johnston (town)[a]	103	-	-	-	-	29	12	2	15	3	51	49	10	1	35	1
10	Lincoln (town)[a]	116	1	-	-	-	21	7	2	12	4	64	62	12	-	47	1
11	North Providence (town)[a]	113	3	-	-	-	22	5	-	17	3	64	64	12	-	50	-
12	Balance of county	375	2	-	-	1	65	22	5	38	12	220	219	35	-	172	5
13	Washington	491	4	-	-	1	78	23	12	43	8	250	245	42	-	187	11
14	Westerly (town)[a]	124	1	-	-	-	21	4	4	13	2	70	70	13	-	56	3
15	Balance of county	367	3	-	-	1	57	19	8	30	6	180	175	29	-	131	8
16	SOUTH CAROLINA	17,634	276	64	9	190	2,067	701	226	1,140	238	8,845	8,534	2,427	23	5,468	113
17	Metropolitan counties	4,706	80	29	3	43	613	214	73	326	63	2,158	2,095	556	7	1,392	30
18	Nonmetropolitan counties	12,928	196	35	6	147	1,454	487	153	814	175	6,687	6,439	1,871	16	4,076	83
19	Abbeville	170	5	2	-	2	21	7	5	9	2	95	91	23	-	57	1
20	Aiken	568	14	7	-	4	71	29	12	30	13	257	246	63	2	164	4
21	Allendale	131	3	-	-	2	12	4	-	8	1	64	64	7	-	56	1
22	Anderson	736	6	2	-	11	71	18	7	46	10	401	389	100	-	263	6
23	Anderson	274	4	2	-	6	22	9	3	10	4	151	145	34	-	103	1
24	Balance of county	462	2	-	-	5	49	9	4	36	6	250	244	66	-	160	5
25	Bamberg	172	3	-	-	1	20	6	4	10	2	79	77	32	-	36	-
26	Barnwell	128	3	-	-	1	21	8	-	13	-	59	56	21	-	30	-
27	Beaufort	246	5	2	1	2	26	13	1	12	2	102	92	26	-	59	3
28	Berkeley	252	4	2	-	2	29	14	4	11	3	115	107	30	-	62	2
29	Calhoun	131	4	-	-	3	11	5	1	5	2	68	67	18	-	46	2
30	Charleston	1,571	22	10	2	19	219	90	23	106	14	622	601	172	2	390	13
31	Charleston	820	12	8	-	7	129	59	15	55	11	356	347	98	-	226	10
32	Balance of county	751	10	2	2	12	90	31	8	51	3	266	254	74	2	164	3
33	Cherokee	289	5	-	-	2	39	16	1	22	2	160	159	35	-	112	3
34	Chester	266	3	-	1	4	40	15	4	21	4	141	135	37	-	88	1
35	Chesterfield	255	3	-	-	4	23	9	1	13	1	135	128	36	-	80	2
36	Clarendon	262	5	-	-	4	14	7	4	3	3	140	130	43	-	77	2
37	Colleton	242	1	1	-	2	30	9	4	17	5	112	109	23	1	78	3
38	Darlington	482	9	1	-	11	52	14	4	34	12	233	224	68	1	148	5
39	Dillon	259	6	-	1	6	25	5	5	15	4	136	128	40	1	75	1
40	Dorchester	182	4	-	1	1	28	14	5	9	1	97	94	32	-	58	1
41	Edgefield	181	-	-	-	1	43	4	1	8	3	98	96	35	1	54	2
42	Fairfield	185	3	-	-	-	28	9	1	18	2	102	100	20	-	71	-
43	Florence	718	18	2	-	10	75	23	6	46	5	354	339	108	-	205	4
44	Florence	270	7	2	-	2	32	8	2	22	2	136	129	43	-	73	1
45	Balance of county	448	11	-	-	8	43	15	4	24	3	218	210	65	-	132	3
46	Georgetown	271	2	1	-	3	25	9	1	15	4	142	136	48	-	80	1
47	Greenville	1,339	20	8	-	11	173	55	20	98	14	673	652	169	-	437	8
48	Greenville	666	8	4	-	5	89	32	11	46	8	325	315	79	-	218	4
49	Balance of county	673	12	4	-	6	84	23	9	52	6	348	337	90	-	219	4
50	Greenwood	314	2	-	-	1	46	14	8	24	2	194	186	56	-	119	4
51	Greenwood	148	1	-	-	-	24	7	5	12	1	89	84	27	-	50	3
52	Balance of county	166	1	-	-	1	22	7	3	12	1	105	102	29	-	69	1
53	Hampton	159	3	-	-	4	19	5	6	8	-	86	81	26	-	51	-
54	Horry	440	4	2	-	4	20	4	3	13	4	214	202	82	-	106	1
55	Jasper	112	-	-	-	3	7	1	2	4	1	56	55	16	-	37	2
56	Kershaw	311	4	2	-	3	32	13	3	16	1	164	157	43	1	103	3
57	Lancaster	218	2	1	-	-	34	15	2	17	4	116	114	28	-	79	-
58	Laurens	341	7	-	2	6	55	12	8	35	8	168	162	45	-	107	1
59	Lee	176	-	1	-	2	13	8	-	5	4	94	92	18	-	68	1
60	Lexington	425	3	3	-	2	45	12	6	27	5	224	217	54	1	151	-
61	McCormick	96	1	2	-	7	11	5	-	6	-	52	51	6	1	37	-
62	Marion	262	7	-	-	3	24	11	4	9	1	145	142	50	1	81	4
63	Marlboro	327	9	-	-	8	31	14	3	14	4	165	162	46	-	102	1
64	Newberry	250	3	1	-	2	52	11	6	35	5	125	122	33	-	83	-
65	Oconee	224	3	1	-	2	32	9	3	20	3	126	118	34	-	80	2
66	Orangeburg	630	12	-	-	4	60	20	4	36	11	305	293	92	2	174	2
67	Orangeburg	142	1	-	-	2	16	5	1	10	2	68	67	23	-	42	-
68	Balance of county	488	11	-	-	2	44	15	3	26	9	237	226	69	2	132	2
69	Pickens	292	1	-	-	4	34	9	4	21	9	170	166	44	-	107	2
70	Richland	1,228	24	4	1	9	150	40	18	92	22	606	596	152	3	401	5
71	Columbia	878	15	4	1	9	108	25	15	68	20	429	421	107	3	286	2
72	Balance of county	350	9	-	-	-	42	15	3	24	2	177	175	45	-	115	3
73	Saluda	130	2	-	-	1	19	5	3	11	-	70	69	23	-	41	-
74	Spartanburg	1,036	10	5	-	7	134	52	15	67	12	557	532	126	3	359	10
75	Spartanburg	398	3	5	-	-	51	19	8	24	5	229	213	46	1	153	4
76	Balance of county	638	7	-	-	7	83	33	7	43	7	328	319	80	2	206	6
77	Sumter	550	9	4	-	4	53	14	4	35	12	256	249	77	-	157	3
78	Sumter	184	3	2	-	2	19	5	2	12	1	78	77	27	-	48	2
79	Balance of county	366	6	2	-	2	34	9	2	23	11	178	172	50	-	109	1
80	Union	204	2	-	-	1	24	5	4	15	5	116	111	47	-	56	1
81	Williamsburg	332	9	-	-	3	24	8	1	15	1	156	147	58	1	67	2
82	York	541	11	-	-	4	82	31	5	46	15	295	290	85	2	176	4
83	Rock Hill	222	3	-	-	-	40	15	2	23	6	116	113	35	-	66	2
84	Balance of county	319	8	-	-	4	42	16	3	23	9	179	177	50	2	110	2

[a]Classified as urban under a special rule.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2,038	310	215	49	128	36	54	111	56	15	72	7	6	63	178	11	46	186	33	8	381	1
937	146	95	27	62	16	24	66	35	3	36	2	5	28	86	5	20	101	14	3	186	2
170	38	8	2	10	7	5	9	5	2	8	-	-	5	12	2	1	21	1	1	33	3
310	40	29	12	23	6	6	6	6	4	10	2	-	8	27	1	7	27	6	2	46	4
159	23	19	3	6	3	2	9	4	2	5	-	-	5	12	-	3	6	3	-	27	5
123	20	17	1	5	1	4	3	-	-	5	-	-	6	7	1	3	5	2	-	27	6
64	7	15	1	3	1	6	3	-	2	3	1	-	3	3	-	-	6	2	-	10	7
34	6	6	-	4	-	2	2	1	-	1	-	-	2	4	-	1	3	-	1	6	8
27	5	2	1	2	-	2	1	1	-	1	-	-	1	5	-	-	-	1	1	9	9
44	1	1	-	3	-	2	3	2	1	1	-	-	2	7	1	1	3	-	-	5	10
44	4	2	-	1	1	-	1	-	1	1	1	1	1	3	-	2	3	1	-	6	11
126	20	21	2	9	1	1	8	2	-	1	1	-	2	12	1	8	11	3	-	26	12
126	30	20	3	10	3	5	14	4	1	2	1	1	11	22	2	7	38	4	-	43	13
39	10	4	-	1	-	-	2	1	-	1	-	-	2	2	1	2	5	-	-	14	14
87	20	16	3	9	3	5	12	3	1	1	1	1	9	20	1	5	33	4	-	29	15
2,995	1,356	1,004	195	309	112	311	715	88	160	81	40	69	247	1,115	646	550	752	136	215	1,131	16
832	345	185	42	68	30	63	160	21	29	24	6	20	75	341	277	131	233	48	52	300	17
2,163	1,011	819	153	241	82	248	555	67	131	57	34	49	172	774	369	419	519	88	163	831	18
36	8	12	2	7	2	4	4	1	-	-	-	2	1	11	4	4	5	2	2	7	19
97	41	22	10	4	3	11	23	1	3	2	2	3	12	39	5	32	27	6	13	34	20
15	32	8	-	-	1	-	5	1	-	2	1	-	2	8	6	7	6	-	1	10	21
135	73	49	9	11	6	12	34	9	5	3	2	1	10	33	10	22	30	8	9	59	22
53	31	18	4	2	2	6	13	4	3	1	1	-	4	14	1	8	8	3	3	22	23
82	42	31	5	9	4	6	21	5	2	2	1	1	6	19	9	14	22	5	6	37	24
26	7	3	1	5	3	2	6	2	3	2	-	3	1	10	9	5	12	-	3	11	25
15	10	5	1	4	-	3	5	-	1	1	1	1	1	2	8	5	7	1	1	10	26
14	12	30	5	1	1	10	9	1	6	-	1	2	2	15	21	15	16	-	1	17	27
24	20	16	6	7	2	8	8	-	1	2	-	1	1	13	24	6	12	4	5	20	28
13	24	7	1	2	-	1	2	1	2	-	-	-	-	6	13	4	6	1	2	6	29
230	99	48	7	20	10	21	43	4	8	9	-	4	20	95	246	39	77	17	16	85	30
130	63	23	4	14	5	9	21	3	4	3	-	-	6	43	95	16	39	8	11	48	31
100	36	25	3	6	5	12	22	1	4	6	-	4	14	52	151	23	38	9	5	37	32
73	20	16	2	9	1	1	8	2	-	1	1	-	4	18	-	5	16	-	2	24	33
43	23	21	4	5	1	6	16	4	1	-	-	-	1	13	4	4	11	2	2	15	34
51	17	10	4	7	1	7	12	-	4	-	-	-	1	20	1	13	13	4	3	18	35
39	19	17	3	6	1	10	10	2	1	1	-	-	4	23	22	9	13	2	3	6	36
40	17	18	2	3	2	3	13	3	6	2	-	-	3	6	10	12	9	2	5	20	37
104	22	17	1	3	3	9	32	2	9	2	4	4	5	36	5	17	11	1	6	30	38
33	32	9	5	4	3	8	16	-	5	-	-	2	-	22	2	10	7	1	3	13	39
32	16	9	1	1	2	3	6	1	-	-	-	-	-	8	4	9	5	-	3	14	40
27	12	13	-	5	1	2	14	-	4	-	-	-	3	7	8	9	5	2	3	11	41
38	20	13	5	3	1	2	10	-	3	2	-	-	3	6	2	7	4	2	3	8	42
104	42	55	11	6	9	15	33	-	14	4	2	2	13	68	21	16	25	5	14	37	43
41	14	17	6	2	5	7	8	-	1	2	1	1	6	31	4	4	10	-	5	16	44
63	28	38	5	4	4	8	25	-	13	2	1	1	7	37	17	12	15	5	9	21	45
39	17	23	4	4	-	6	24	2	4	1	2	-	10	11	12	7	6	-	-	15	46
268	92	69	14	22	10	21	48	4	4	7	4	5	23	110	15	37	66	14	11	92	47
125	48	41	5	6	7	10	26	3	1	4	1	3	13	63	8	16	29	3	8	49	48
143	44	28	9	16	3	11	22	1	3	3	3	2	10	47	7	21	37	11	3	43	49
53	40	22	2	6	3	8	13	2	2	3	-	1	4	15	2	4	5	1	2	15	50
24	14	9	2	3	2	5	6	1	1	3	-	-	2	6	2	2	2	-	2	6	51
29	26	13	-	3	1	3	7	1	1	-	-	1	2	9	-	2	3	1	-	9	52
29	11	11	2	2	-	5	9	2	3	2	1	-	1	11	2	4	4	-	2	6	53
60	21	24	8	4	2	12	28	1	3	1	4	2	2	37	21	22	35	2	12	22	54
15	6	14	1	1	-	1	6	-	1	-	-	2	2	3	12	5	10	-	2	2	55
50	21	29	5	4	1	7	18	1	3	3	-	3	5	24	-	9	9	2	3	25	56
44	29	6	-	4	3	2	8	1	-	-	-	1	4	9	3	11	6	1	2	15	57
75	16	15	2	5	3	6	11	1	4	-	-	1	8	10	6	8	8	4	5	29	58
33	25	9	2	4	-	2	5	1	4	2	1	2	-	13	4	6	5	2	4	13	59
71	25	55	3	7	1	7	12	1	3	2	3	1	9	24	17	10	22	3	4	32	60
20	16	1	-	7	-	1	5	-	1	-	-	-	-	7	3	3	2	-	1	1	61
48	19	10	3	5	2	3	10	1	6	2	-	1	2	21	9	9	9	1	3	8	62
58	29	14	1	11	2	3	13	-	10	-	1	5	4	24	2	12	9	1	9	20	63
56	14	13	-	4	2	3	9	2	-	-	-	1	3	11	1	4	9	3	3	16	64
48	10	20	2	1	1	8	9	1	1	1	-	-	2	7	3	6	11	1	2	13	65
73	68	31	7	14	4	12	32	3	3	3	-	2	12	56	30	25	20	2	4	46	66
19	19	4	1	1	-	1	6	2	1	-	-	-	2	13	6	5	6	-	1	11	67
54	49	27	6	13	4	11	26	1	2	3	-	2	10	43	24	20	14	2	3	35	68
67	11	27	4	8	3	4	9	1	2	-	1	-	5	9	1	6	15	5	1	19	69
237	113	46	11	22	7	10	46	12	14	6	-	8	20	97	11	23	63	11	12	89	70
166	93	25	6	14	5	8	28	9	7	4	-	5	17	77	9	13	40	8	9	66	71
71	20	21	5	8	2	2	18	3	7	2	-	3	3	20	2	10	23	3	3	23	72
26	4	11	1	3	1	1	2	-	2	1	-	-	1	4	6	5	5	-	2	10	73
210	85	54	21	18	5	25	26	13	3	6	1	2	19	50	14	38	34	11	13	81	74
73	55	21	8	3	2	16	7	8	-	3	-	1	10	15	5	7	14	4	6	25	75
137	30	33	13	15	3	9	19	5	3	3	1	1	9	35	9	31	20	7	7	56	76
52	50	52	2	8	5	7	23	4	6	4	6	2	6	42	13	16	35	4	8	43	77
18	17	11	1	-	1	1	9	1	3	-	-	1	3	18	3	6	11	3	4	17	78
34	33	41	1	8	4	6	14	3	3	4	6	1	3	24	10	10	24	1	4	26	79
35	7	13	1	5	2	5	6	-	-	-	1	1	4	10	2	6	8	1	2	15	80
28	19	18	12	7	2	9	19	1	3	-	-	3	8	22	24	11	23	4	2	19	81
111	42	19	7	20	-	5	15	-	2	4	1	1	6	29	8	13	16	3	6	30	82
39	17	8	5	7	-	3	3	-	1	3	1	-	3	10	5	6	10	2	1	12	83
72	25	11	2	13	-	2	12	-	1	1	-	1	3	19	3	7	6	1	5	18	84

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	SOUTH DAKOTA	5,766	52	8	2	25	902	335	79	488	104	3,029	2,973	761	4	2,023	59
2	Metropolitan counties	610	2	2	-	3	111	37	10	64	11	332	326	61	-	240	6
3	Nonmetropolitan counties	5,156	50	6	2	22	791	298	69	424	93	2,697	2,647	700	4	1,783	53
4	Armstrong	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Aurora	43	-	-	-	-	7	1	-	6	1	22	22	6	-	16	2
6	Beadle	175	-	-	-	-	25	11	-	14	4	91	91	36	-	54	-
7	Huron	118	-	-	-	-	19	7	-	12	3	60	60	25	-	35	-
8	Balance of county	57	-	-	-	-	6	4	-	2	1	31	31	11	-	19	-
9	Bennett	27	1	-	-	-	4	3	-	1	1	8	8	2	-	6	-
10	Bon Homme	99	-	-	-	-	20	7	1	12	3	61	61	18	-	40	3
11	Brookings	144	-	-	-	-	26	10	-	16	2	82	81	19	-	54	-
12	Brown	289	2	-	-	2	51	19	8	24	2	175	169	41	-	121	-
13	Aberdeen	196	1	-	-	1	40	14	7	19	1	112	107	23	-	80	-
14	Balance of county	93	1	-	-	1	11	5	1	5	1	63	62	18	-	41	-
15	Brule	56	1	-	-	1	6	2	1	3	-	31	30	9	-	21	-
16	Buffalo	15	2	-	-	-	1	1	-	-	-	5	5	1	-	4	-
17	Butte	79	-	-	-	-	15	2	3	10	-	37	37	10	-	25	3
18	Campbell	20	-	-	-	-	5	-	-	5	1	10	10	4	-	6	-
19	Charles Mix	112	3	-	-	1	21	6	2	13	1	48	47	12	-	30	-
20	Clark	67	1	-	-	-	8	4	2	2	-	45	43	11	-	29	2
21	Clay	80	-	-	-	1	10	4	-	6	2	51	50	8	-	34	-
22	Codington	169	-	-	-	-	25	8	2	15	5	97	97	27	-	64	2
23	Watertown	128	-	-	-	-	18	5	2	11	5	75	75	19	-	50	1
24	Balance of county	41	-	-	-	-	7	3	-	4	-	22	22	8	-	14	1
25	Corson	47	3	-	-	-	5	2	1	2	-	17	16	2	1	13	1
26	Custer	40	-	-	-	-	4	-	2	2	-	17	17	3	-	13	1
27	Davison	169	1	-	-	-	27	8	3	16	2	108	108	19	-	87	-
28	Mitchell	137	1	-	-	-	25	8	3	14	1	89	89	16	-	71	-
29	Balance of county	32	-	-	-	-	2	-	-	2	1	19	19	3	-	16	-
30	Day	100	-	-	-	-	21	11	1	9	-	56	54	19	-	34	1
31	Deuel	74	-	-	-	-	12	5	1	6	2	38	38	11	-	25	1
32	Dewey	40	-	-	-	1	7	2	-	5	1	14	13	4	-	8	1
33	Douglas	64	-	-	-	-	6	4	-	2	2	36	35	12	-	19	1
34	Edmunds	53	-	-	-	-	5	2	-	3	1	34	34	10	-	20	-
35	Fall River	154	1	3	-	-	22	10	7	5	3	75	75	20	-	50	-
36	Faulk	47	-	-	-	-	6	5	-	1	1	33	33	9	-	20	-
37	Grant	84	-	1	-	1	10	5	-	5	2	43	39	16	-	21	1
38	Gregory	68	-	-	-	-	12	5	-	7	2	31	29	7	-	20	-
39	Haakon	14	1	-	1	-	2	1	-	1	-	6	6	2	-	4	1
40	Hamlin	51	-	-	-	-	12	3	3	6	1	29	29	6	-	22	-
41	Hand	63	-	-	-	-	11	3	2	6	2	35	34	8	-	25	1
42	Hanson	40	-	-	-	-	5	3	-	2	1	19	19	5	-	14	-
43	Harding	16	-	-	-	-	2	1	-	1	-	7	7	1	-	6	-
44	Hughes	95	-	-	-	-	12	3	-	9	1	49	47	12	1	31	-
45	Hutchinson	114	-	-	-	-	13	5	1	7	2	64	64	17	1	38	-
46	Hyde	28	1	-	-	-	5	2	-	3	-	13	13	3	-	9	-
47	Jackson	19	1	-	-	-	2	1	-	1	-	9	9	4	-	5	-
48	Jerauld	47	-	-	-	-	12	5	3	4	2	23	22	4	-	18	-
49	Jones	17	1	-	-	-	2	-	-	2	-	8	8	1	-	7	-
50	Kingsbury	106	-	-	-	-	11	3	-	8	2	62	61	19	-	39	2
51	Lake	116	-	-	-	2	25	5	3	17	1	60	58	13	-	42	5
52	Lawrence	163	2	-	-	1	26	12	-	14	4	84	83	13	-	67	3
53	Lincoln	117	-	-	-	1	21	16	1	4	1	69	67	17	-	44	-
54	Lyman	39	2	-	-	-	6	3	-	3	1	18	18	7	-	10	-
55	McCook	85	-	-	-	-	17	8	-	9	1	40	39	16	-	18	1
56	McPherson	51	1	-	-	-	6	4	-	2	1	32	32	4	1	27	-
57	Marshall	67	-	-	-	-	9	4	-	5	1	36	36	10	-	25	-
58	Meade	79	2	-	-	-	11	3	-	8	2	40	40	7	-	31	1
59	Mellette	27	1	-	-	1	5	-	-	5	1	6	6	1	-	5	-
60	Miner	48	-	-	-	-	7	2	-	5	-	28	28	8	-	19	1
61	Minnehaha	610	2	2	-	3	111	37	10	64	11	332	326	61	-	240	6
62	Sioux Falls	464	2	2	-	3	85	25	9	51	6	246	241	47	-	177	2
63	Balance of county	146	-	-	-	-	26	12	1	13	5	86	85	14	-	63	4
64	Moody	68	1	-	-	-	7	5	-	2	1	42	39	5	-	33	1
65	Pennington	335	1	-	-	1	48	21	5	22	5	133	129	40	-	80	4
66	Rapid City	249	1	-	-	-	39	17	3	19	5	109	105	32	-	66	3
67	Balance of county	86	-	-	-	1	9	4	2	3	-	24	24	8	-	14	1
68	Perkins	42	-	-	-	-	6	1	-	5	2	21	20	7	-	12	1
69	Potter	34	-	-	-	-	7	3	-	4	-	16	16	7	-	8	1
70	Roberts	126	3	-	-	1	22	10	3	9	5	54	53	17	-	32	1
71	Sanborn	38	-	-	-	-	8	2	1	5	1	26	26	3	-	23	-
72	Shannon	76	4	-	1	3	6	-	-	6	-	17	17	4	-	13	-
73	Spink	109	1	-	-	-	14	4	3	7	2	69	69	16	-	44	-
74	Stanley	18	-	-	-	-	4	2	-	2	-	9	9	3	-	4	1
75	Tully	10	-	-	-	-	1	-	-	1	1	5	5	-	-	5	-
76	Todd	41	5	1	-	1	5	2	-	3	1	10	10	1	-	9	-
77	Tripp	65	1	-	-	-	8	4	2	2	2	30	30	12	-	15	-
78	Turner	118	-	-	-	1	20	5	1	14	5	67	66	15	-	45	2
79	Union	97	-	1	-	-	14	5	3	6	2	58	58	19	-	33	3
80	Walworth	75	1	-	-	-	6	3	-	3	2	47	45	10	-	33	4
81	Washabaugh	10	2	-	-	-	-	-	-	-	-	5	5	1	-	4	-
82	Yankton	162	3	-	-	3	32	7	4	21	2	81	78	24	-	48	1
83	Ziebach	15	1	-	-	-	-	-	-	-	-	5	4	2	-	2	-
84	TENNESSEE	28,506	523	83	21	150	3,871	1,202	385	2,284	291	14,284	13,869	3,800	26	9,185	290
85	Metropolitan counties	12,303	202	45	11	50	1,702	499	201	1,002	129	5,996	5,849	1,608	12	3,832	117
86	Nonmetropolitan counties	16,203	321	38	10	100	2,169	703	184	1,282	162	8,288	8,020	2,192	14	5,353	173
87	Anderson	310	3	1	-	4	49	16	3	30	-	125	119	36	1	69	2
88	Bedford	211	4	1	-	1	28	7	4	17	1	114	108	29	-	74	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of cir-cula-tory sys-tem 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E600-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
1,472	195	297	33	114	38	56	165	25	22	33	6	6	102	280	61	172	278	69	10	415	1
189	19	26	2	16	7	6	16	5	-	5	-	1	10	30	3	16	17	8	1	37	2
1,283	176	271	31	98	31	50	149	20	22	28	6	5	92	250	58	156	261	61	9	378	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
11	3	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	3	2	-	5	5
41	6	7	-	-	1	-	8	1	-	1	-	-	3	4	-	4	12	5	-	17	6
28	3	4	-	-	-	-	4	-	-	1	-	-	2	2	-	2	7	3	-	15	7
13	3	3	-	-	1	-	4	1	-	-	-	-	1	2	-	2	5	2	-	2	8
1	4	1	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	1	-	5	9
30	1	6	-	2	1	-	2	-	1	2	-	-	-	1	-	-	1	-	-	8	10
40	5	9	2	5	1	1	1	2	-	-	-	-	1	12	1	2	4	2	-	9	11
93	4	24	2	2	3	6	2	1	-	-	-	-	5	9	-	7	15	2	-	16	12
63	3	14	1	-	3	5	2	-	-	-	-	-	4	7	-	7	10	-	-	11	13
30	1	10	1	2	-	1	-	1	-	-	-	-	1	2	-	-	5	2	-	5	14
17	1	3	-	-	-	1	1	-	1	1	-	1	1	4	-	2	1	1	-	4	15
4	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	2	-	1	1	16
18	1	3	2	-	-	-	2	2	-	-	-	1	1	7	1	3	4	1	-	5	17
5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	18
19	4	7	-	1	4	1	4	1	-	1	-	-	-	11	-	2	6	3	2	8	19
23	-	4	3	-	-	2	-	-	-	1	-	-	1	4	-	-	2	-	-	5	20
23	2	9	1	7	-	1	-	-	-	-	-	-	1	1	-	5	5	-	-	4	21
51	6	5	1	3	2	-	5	1	2	-	-	-	3	8	-	2	4	4	-	13	22
39	5	5	1	3	2	-	3	-	2	-	-	-	1	6	-	2	3	4	-	9	23
12	1	-	-	-	-	-	2	1	-	-	-	-	2	2	-	-	1	-	-	4	24
5	2	5	-	-	-	1	4	-	2	1	-	-	-	2	2	3	3	1	-	4	25
6	1	5	-	1	-	-	3	-	-	-	-	-	1	5	1	4	2	-	-	3	26
65	3	19	-	2	-	-	3	1	-	-	1	-	3	4	1	3	6	1	-	8	27
56	3	12	-	2	-	-	2	1	-	-	-	-	3	3	1	1	4	-	-	6	28
9	-	7	-	-	-	-	1	-	-	-	1	-	-	1	-	2	2	1	-	2	29
28	1	4	1	-	-	2	3	-	-	-	-	-	1	4	-	4	2	-	-	9	30
20	1	3	2	-	-	-	5	-	-	-	-	-	3	4	-	2	2	1	-	5	31
5	2	-	-	-	1	1	-	-	-	-	-	-	2	5	-	5	1	-	-	4	32
12	3	3	-	3	1	1	2	2	-	-	-	-	-	3	1	2	3	1	-	6	33
16	-	4	1	2	1	-	2	-	-	-	-	-	-	4	1	-	1	1	-	4	34
32	8	10	2	2	1	-	4	3	-	2	-	-	4	2	1	7	8	3	-	16	35
17	1	2	1	3	-	-	1	-	-	-	-	-	-	-	-	-	3	-	-	3	36
15	-	5	1	1	-	4	3	-	1	-	-	-	1	2	1	7	3	1	-	8	37
16	3	1	-	2	-	2	3	-	1	-	-	-	-	6	1	2	4	1	-	5	38
3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	39
18	1	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-	5	1	-	1	40
13	5	6	1	-	-	1	2	-	-	1	-	-	-	3	1	-	3	1	-	4	41
11	1	2	-	-	-	-	-	-	1	1	-	-	-	2	1	2	2	2	-	4	42
4	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	3	43
20	4	7	-	2	1	2	6	1	-	-	-	-	2	6	1	1	8	2	-	6	44
26	5	7	-	7	1	-	2	-	2	-	-	-	4	7	-	3	5	-	-	12	45
8	-	1	-	1	-	-	1	-	-	-	-	-	-	4	1	-	1	1	-	1	46
5	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	-	1	1	-	-	47
13	1	4	-	-	-	1	2	-	-	-	-	-	-	1	-	-	1	1	-	5	48
2	4	1	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	-	-	-	49
28	7	2	-	3	-	1	2	-	-	1	-	-	3	4	-	3	3	2	-	13	50
24	8	5	-	2	1	2	2	-	1	1	-	-	1	4	3	2	4	1	-	9	51
46	6	12	-	3	-	1	3	-	-	2	1	-	5	4	3	6	7	-	-	15	52
35	4	5	1	4	1	2	3	-	-	1	-	-	2	5	1	5	3	2	-	3	53
7	1	2	-	1	-	-	1	-	-	-	-	-	2	1	-	-	2	1	1	4	54
11	4	2	1	2	2	1	2	-	-	1	-	-	2	4	3	5	4	2	-	4	55
25	1	1	-	-	-	-	2	-	-	1	-	-	2	-	-	3	-	-	-	3	56
21	2	2	-	1	-	-	-	-	-	2	-	-	3	5	1	3	3	-	-	4	57
24	2	4	1	1	-	-	5	-	-	-	-	-	3	5	1	1	5	2	-	2	58
2	1	2	-	-	-	-	1	-	-	-	-	-	-	3	4	1	1	-	-	3	59
13	2	3	-	1	-	-	2	-	1	-	-	-	-	-	1	1	2	1	-	5	60
189	19	26	2	16	7	6	16	5	-	5	-	1	10	30	3	16	17	8	1	37	61
142	16	17	1	12	4	5	14	3	-	5	-	1	10	24	2	11	11	7	1	31	62
47	3	9	1	4	3	1	2	2	-	-	-	-	-	6	1	5	6	1	-	6	63
10	19	3	-	-	1	3	1	-	-	-	-	-	1	1	-	3	4	1	-	6	64
61	12	3	3	4	2	4	7	1	5	2	1	2	4	34	5	13	47	2	2	22	65
52	10	1	3	2	2	4	6	-	5	1	1	2	4	27	3	12	15	2	1	16	66
9	2	2	-	2	-	-	1	1	-	1	-	-	-	7	2	1	32	-	1	6	67
8	1	2	1	-	-	1	-	1	1	-	1	-	-	1	1	4	3	-	-	1	68
5	1	1	-	1	-	-	1	-	-	-	-	-	1	4	-	-	3	1	-	1	69
17	3	11	-	3	1	1	11	-	-	1	-	-	3	2	2	2	9	2	-	9	70
16	2	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	71
9	-	4	-	-	-	-	8	-	2	1	-	-	5	8	5	5	4	-	2	5	72
36	2	6	-	8	1	-	-	-	-	2	1	-	4	2	-	6	4	-	-	4	73
2	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	74
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	75
6	2	1	-	-	-	-	3	1	-	-	-	-	2	-	7	-	1	-	-	4	76
15	-	-	-	2	1	-	2	-	-	-	-	-	3	4	1	2	2	-	-	10	77
30	3	10	-	4	2	1	4	1	-	-	-	-	1	2	-	2	5	1	-	9	78
21	3	6	1	4	1	-	1	-	-	-	-	-	1	5	-	-	7	-	-	8	79
25	2	2	1	1	-	2	2	-	-	-	-	-	2	2	-	2	4	1	1	5	80
2	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	81
41	3	3	1	5	-	3	9	-	1	2	-	1	2	9	1	4	4	1	-	7	82
2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	2	3	1	-	1	83
5,285	1,746	1,864	266	413	179	415	953	117	158	164	45	53	396	1,486	1,757	775	1,003	272	298	1,806	84
2,223	683	809	128	180	89	147	344	41	52	90	15	19	191	749	899	315	367	104	175	807	85
3,062	1,063	1,055	138	233	90	268	609	76	106	74	30	34	205	737	858	460	636	168	123	999	86
55	6	6	4	6	3	6	6	1	1	4	1	1	6	36	19	12	5	3	8	25	87
43	21	9	2	3	-	6	14	1	2	2	-	-	2	8	2	3	9	2	1	16	88

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TENNESSEE—Continued																
1	Benton	129	7	-	-	1	30	7	3	20	1	68	64	13	-	51	1
2	Bledsoe	58	-	-	-	-	8	4	-	4	3	22	22	2	-	20	4
3	Blount	376	11	3	1	-	55	17	9	29	3	179	173	50	-	108	2
4	Bradley	290	4	1	1	3	43	14	5	24	2	134	131	29	-	99	2
5	Cleveland	171	3	-	1	-	27	8	4	15	2	79	76	16	-	59	2
6	Balance of county	119	1	1	-	3	16	6	1	9	-	55	55	13	-	40	-
7	Campbell	246	5	2	-	-	32	13	4	15	2	124	113	27	-	83	5
8	Cannon	87	1	-	-	-	15	7	1	7	1	50	49	13	-	36	-
9	Carroll	230	3	-	-	1	24	6	2	16	2	131	126	32	-	84	2
10	Carter	247	3	-	-	1	30	10	3	17	5	126	120	33	-	82	7
11	Elizabethton	62	1	-	-	-	8	2	2	4	-	35	34	8	-	26	2
12	Balance of county	185	2	-	-	1	22	8	1	13	5	91	86	25	-	56	5
13	Cheatham	71	1	-	1	1	10	2	1	7	-	35	33	15	-	18	1
14	Chester	93	-	-	-	-	14	7	-	7	2	55	55	19	1	27	-
15	Claiborne	163	3	-	-	1	21	6	1	14	3	87	85	19	-	58	3
16	Clay	50	3	-	-	2	6	2	-	4	-	21	20	-	-	18	1
17	Cocke	200	8	1	-	1	28	11	6	11	1	78	73	27	-	39	1
18	Coffee	213	3	1	-	1	27	14	5	8	-	105	100	25	-	70	3
19	Crockett	124	4	-	-	-	16	5	2	9	-	75	74	24	-	47	3
20	Cumberland	118	1	-	-	1	8	1	1	6	-	59	54	19	-	30	1
21	Davidson	3,053	47	6	1	11	466	139	56	271	34	1,449	1,417	430	2	892	33
22	Nashville	2,218	35	5	-	10	325	102	34	189	28	1,021	1,000	321	2	605	22
23	Balance of county	835	12	1	1	1	141	37	22	82	6	428	417	109	-	287	11
24	Decatur	84	7	-	-	-	10	7	-	3	-	34	33	11	-	21	-
25	De Kalb	106	4	-	1	-	12	1	2	9	-	61	60	12	-	46	1
26	Dickson	157	6	1	-	2	17	7	1	9	3	93	90	24	-	59	3
27	Dyer	320	3	-	1	3	42	14	2	26	4	181	177	37	-	130	4
28	Dyersburg	150	2	-	1	1	20	8	-	12	2	84	81	19	-	57	-
29	Balance of county	170	1	-	-	2	22	6	2	14	2	97	96	18	-	73	4
30	Fayette	233	10	1	-	3	24	6	2	16	4	97	97	36	-	58	4
31	Fentress	87	1	-	-	-	10	4	-	6	3	41	39	6	1	29	2
32	Franklin	207	1	1	-	2	30	9	2	19	3	97	96	35	-	54	1
33	Gibson	441	5	1	-	3	55	26	-	29	6	239	233	60	-	166	3
34	Giles	248	5	1	-	4	31	11	-	20	2	130	127	50	-	65	6
35	Grainger	113	4	-	-	2	12	2	-	10	-	50	50	19	-	28	-
36	Greene	328	7	-	-	1	30	6	5	19	3	181	175	35	2	128	6
37	Grundy	97	-	-	-	1	10	4	-	6	-	58	58	14	-	44	-
38	Hamblen	231	4	-	-	2	18	4	1	13	1	122	118	30	-	82	1
39	Morristown	122	2	-	-	-	10	2	-	8	-	62	59	14	-	44	1
40	Balance of county	109	2	-	-	2	8	2	1	5	1	60	59	16	-	38	-
41	Hamilton	1,944	50	8	-	8	255	79	33	143	21	946	922	254	6	593	19
42	Chattanooga	1,415	33	6	-	6	185	52	26	107	16	663	642	170	3	418	14
43	Balance of county	529	17	2	-	2	70	27	7	36	5	283	280	84	3	175	5
44	Hancock	67	4	-	-	-	9	4	1	4	3	27	26	8	-	16	1
45	Hardeman	169	4	1	2	-	30	7	2	21	2	70	67	22	-	42	3
46	Hardin	125	2	-	-	1	17	3	-	14	-	47	44	18	-	23	1
47	Hawkins	249	7	1	-	2	33	12	6	15	2	144	137	28	-	96	5
48	Haywood	234	3	3	-	3	27	11	2	14	2	102	93	19	-	68	1
49	Henderson	134	1	-	-	-	20	8	2	10	1	77	74	27	1	40	2
50	Henry	245	4	-	-	-	45	18	3	24	4	141	138	33	-	100	4
51	Hickman	108	3	-	-	1	21	5	-	16	1	57	56	14	-	38	2
52	Houston	66	1	-	-	-	10	4	1	5	1	36	36	15	-	20	1
53	Humphreys	110	5	-	-	1	18	9	1	8	-	61	61	11	-	48	-
54	Jackson	90	3	-	-	1	16	2	1	13	2	46	44	12	-	29	2
55	Jefferson	189	4	-	-	1	22	7	1	14	4	89	86	24	-	58	2
56	Johnson	89	2	-	-	3	17	6	1	10	-	39	39	11	-	25	-
57	Knox	1,941	33	4	1	7	254	69	30	155	26	997	965	217	1	677	27
58	Knoxville	1,196	17	1	-	5	168	45	20	103	21	599	586	132	1	408	18
59	Balance of county	745	16	3	1	2	86	24	10	52	5	398	379	85	-	269	9
60	Lake	89	1	1	-	-	15	6	2	7	-	42	39	11	-	26	1
61	Lauderdale	227	4	3	-	1	34	15	2	17	1	93	89	26	-	56	3
62	Lawrence	191	4	1	1	2	30	8	2	20	1	85	83	9	-	68	1
63	Lewis	58	2	-	-	2	13	7	1	5	1	28	27	12	-	15	-
64	Lincoln	242	6	-	-	-	35	12	6	17	4	135	131	41	-	90	1
65	Loudon	207	2	-	1	-	25	7	5	13	2	82	79	19	-	55	2
66	McMinn	248	4	2	-	-	42	10	2	30	-	124	121	28	1	88	2
67	McNairy	181	1	-	-	-	32	13	2	17	-	81	81	27	-	46	-
68	Macon	122	2	-	-	2	17	5	1	11	-	69	68	11	-	50	-
69	Madison	558	11	2	1	2	73	18	8	47	4	288	282	95	-	165	5
70	Jackson	389	6	2	1	1	52	14	5	33	3	209	206	68	-	124	4
71	Balance of county	169	5	-	-	1	21	4	3	14	1	79	76	27	-	41	1
72	Marion	169	7	1	-	2	20	7	2	11	-	88	85	21	-	60	-
73	Marshall	195	6	-	-	2	26	13	2	11	3	116	111	34	-	73	1
74	Maury	410	3	1	1	3	57	16	4	37	3	232	230	61	2	155	4
75	Columbia	134	2	-	-	1	18	5	1	12	2	75	74	15	1	51	2
76	Balance of county	276	1	1	1	2	39	11	3	25	1	157	156	46	1	104	2
77	Meigs	52	1	-	-	-	4	2	-	2	-	22	20	4	-	13	-
78	Monroe	175	4	-	-	-	24	7	-	17	2	73	71	12	1	55	2
79	Montgomery	381	3	1	-	1	44	15	8	21	5	195	192	48	-	123	5
80	Clarksville	185	1	1	-	-	19	5	6	8	3	94	93	17	-	64	3
81	Balance of county	196	2	-	-	1	25	10	2	13	2	101	99	31	-	59	2
82	Moore	31	-	-	-	-	4	-	-	4	1	17	16	1	-	12	-
83	Morgan	98	2	-	-	-	12	3	1	8	1	54	52	24	-	26	2
84	Obion	263	3	-	-	1	31	10	3	18	2	170	166	36	-	124	2
85	Overton	155	2	-	-	2	18	10	1	7	3	80	76	18	-	56	1
86	Perry	44	2	-	-	-	5	3	-	2	-	22	22	8	-	12	-
87	Pickett	36	1	-	-	-	5	1	-	4	-	16	15	-	-	15	-
88	Polk	115	3	-	-	1	12	1	2	9	1	50	49	12	1	34	1
89	Putnam	223	6	-	-	2	33	10	2	21	2	100	96	20	-	65	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral arterio-scle-rosis 450	Other dis-eases of cir-culatory sys-tem 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
22	10	18	-	-	-	4	-	1	-	-	1	-	-	1	6	2	6	1	1	3	1
13	3	-	-	-	-	-	1	-	-	-	-	-	2	5	4	3	5	-	2	3	2
68	24	14	4	7	4	6	18	4	2	-	-	-	7	21	16	18	14	3	1	20	3
53	31	13	1	2	-	3	7	2	5	1	-	1	5	23	14	7	16	3	1	17	4
32	19	6	1	-	-	3	4	1	4	1	-	-	4	12	8	4	9	1	1	10	5
21	12	7	-	2	-	-	3	1	1	-	-	1	1	11	6	3	7	2	-	7	6
37	24	17	-	2	1	11	9	1	4	2	-	-	4	22	14	7	4	1	-	13	7
24	7	5	-	-	-	1	3	-	-	-	-	-	-	2	4	2	3	1	-	5	8
57	9	16	7	2	1	5	10	1	1	1	1	1	5	4	8	8	17	2	1	9	9
44	13	18	1	2	2	6	7	-	1	2	2	-	5	19	10	7	7	4	-	18	10
16	4	4	-	-	-	1	-	-	-	1	-	-	2	8	-	3	-	-	-	4	11
28	9	14	1	2	2	5	7	-	1	1	2	-	3	11	10	4	7	4	-	14	12
6	1	10	-	-	-	2	2	-	-	-	-	-	3	5	4	3	1	1	-	4	13
20	2	5	-	6	2	-	3	-	-	2	-	-	1	3	5	2	1	-	-	5	14
31	5	19	3	4	1	2	1	2	-	1	-	1	3	8	10	4	5	2	-	11	15
4	9	4	-	1	1	1	2	-	-	-	-	-	-	3	3	2	3	-	3	2	16
24	9	5	1	6	-	5	13	1	-	-	-	1	4	10	24	8	5	1	2	14	17
41	11	15	1	4	-	5	11	1	1	-	1	-	6	7	9	3	17	3	2	15	18
33	3	8	-	3	-	1	3	-	-	1	-	-	3	3	3	2	4	3	2	5	19
17	9	3	3	2	-	5	8	-	2	-	-	-	2	2	9	8	4	1	2	11	20
530	128	201	29	42	22	32	102	15	12	18	4	6	54	165	220	61	88	28	59	207	21
344	95	144	25	28	19	21	82	14	10	15	4	3	35	123	179	43	64	19	53	150	22
186	33	57	4	14	3	11	20	1	2	3	-	3	19	42	41	18	24	9	6	57	23
9	3	9	-	1	-	1	5	2	3	2	-	-	1	2	6	-	4	3	-	5	24
22	11	12	2	-	-	1	7	-	-	-	-	-	-	5	3	4	5	-	-	4	25
28	17	11	-	6	1	3	7	-	-	2	-	-	1	3	6	3	6	1	1	5	26
81	33	12	2	6	2	4	6	1	-	1	1	1	4	18	7	8	10	5	3	21	27
41	11	5	2	3	-	3	5	-	-	1	1	1	4	7	1	2	4	1	2	11	28
40	22	7	-	3	2	1	1	1	-	-	-	-	-	11	6	6	6	4	1	10	29
33	10	9	1	4	-	-	5	-	2	1	-	-	1	8	40	10	14	2	3	8	30
19	3	5	1	-	2	2	3	-	1	-	-	-	-	11	4	2	2	1	1	7	31
33	8	12	2	3	2	1	12	2	1	3	-	-	-	18	8	10	8	1	2	8	32
91	36	36	4	3	-	6	13	3	-	1	2	1	5	22	16	6	15	8	4	36	33
34	15	10	2	8	2	3	13	-	1	-	-	-	1	10	8	9	8	4	1	20	34
14	8	6	2	1	-	-	10	-	1	-	-	1	4	3	6	8	4	1	1	6	35
65	35	22	-	9	1	6	18	4	1	-	1	-	3	16	16	11	12	2	-	22	36
38	4	2	-	-	-	-	2	-	-	1	-	-	2	5	2	4	5	1	-	6	37
58	13	10	2	2	2	4	11	-	4	1	-	-	4	12	12	6	14	2	1	17	38
35	5	3	1	-	-	3	7	-	2	-	-	-	3	11	4	3	8	1	1	8	39
23	8	7	1	2	2	1	4	-	2	1	-	-	1	1	8	3	6	1	-	9	40
376	94	104	13	35	21	24	68	4	9	12	1	3	30	105	131	55	65	16	36	121	41
254	72	78	11	24	16	21	51	3	6	9	1	3	23	79	112	32	49	12	33	93	42
122	22	26	2	11	5	3	17	1	3	3	-	-	7	26	19	23	16	4	3	28	43
8	1	6	1	1	-	1	3	-	1	-	-	1	-	4	8	2	-	-	-	5	44
21	9	9	-	2	1	3	3	2	4	-	-	-	2	9	17	3	1	1	2	16	45
17	-	5	-	1	2	3	5	-	1	-	-	1	1	8	14	4	10	2	5	7	46
45	25	21	5	7	1	7	11	1	1	1	-	-	4	11	3	8	7	1	1	11	47
32	24	11	5	1	-	9	14	-	5	-	2	-	1	8	38	5	2	1	1	17	48
22	5	11	2	3	1	3	3	-	2	-	-	-	1	2	10	4	5	2	2	4	49
65	16	15	2	3	-	3	10	2	-	2	1	-	1	4	3	2	10	1	1	14	50
16	6	14	-	-	4	1	3	-	1	1	-	-	-	1	3	6	4	1	1	4	51
5	8	6	-	1	-	-	3	-	1	-	-	-	2	1	1	1	2	-	1	6	52
31	12	5	-	1	1	-	2	1	-	1	-	-	1	5	4	1	6	1	-	3	53
20	5	2	1	2	-	2	2	-	-	1	-	1	1	3	4	1	1	1	-	7	54
33	13	10	1	2	1	3	11	2	1	2	-	-	4	6	11	7	12	2	-	11	55
8	13	4	-	3	-	-	3	1	-	1	1	-	2	1	8	2	5	-	-	4	56
367	102	181	22	37	11	32	44	6	6	16	7	2	26	110	110	59	66	25	28	114	57
215	60	115	15	22	8	13	23	3	6	13	3	1	9	64	87	23	41	16	19	77	58
152	42	66	7	15	3	19	21	3	-	3	4	1	17	46	23	36	25	9	9	37	59
15	3	7	1	-	1	3	2	-	1	1	-	1	2	8	3	4	6	-	-	2	60
28	14	11	1	3	3	4	14	1	-	2	-	3	-	13	10	4	16	2	3	23	61
37	6	24	4	2	-	2	10	2	1	1	-	1	-	14	9	11	7	-	-	11	62
8	4	3	-	-	-	1	2	-	-	-	-	-	1	4	1	-	-	2	-	2	63
40	13	36	-	-	-	4	4	-	1	1	-	2	1	12	9	5	7	4	1	15	64
26	16	11	3	2	-	3	9	2	2	1	-	1	1	16	25	8	14	3	2	11	65
44	21	22	1	1	1	3	5	-	6	-	1	2	3	9	10	9	7	1	3	20	66
33	7	6	2	5	1	-	5	3	-	-	-	-	-	7	29	8	6	-	3	6	67
24	16	10	4	1	2	1	9	-	1	-	1	-	1	1	8	2	5	-	-	4	68
113	30	17	11	9	2	6	10	4	3	4	-	1	6	19	62	12	11	3	9	33	69
89	19	12	6	7	1	3	7	3	3	3	-	1	5	17	35	7	6	1	7	20	70
24	11	5	5	2	1	3	3	1	-	1	-	-	1	2	27	5	5	2	2	13	71
38	12	10	-	2	2	3	9	1	1	-	3	-	4	6	6	3	5	3	-	10	72
48	7	17	2	1	1	5	6	-	-	1	1	2	2	5	1	7	5	2	-	10	73
77	45	29	2	8	2	2	20	1	5	-	1	-	2	15	10	9	17	5	4	21	74
24	13	12	1	5	1	1	5	-	1	-	-	-	1	3	2	4	6	3	1	10	75
53	32	17	1	3	1	1	15	1	4	-	1	-	1	12	8	5	11	2	3	11	76
6	1	6	1	1	1	2	2	-	1	-	-	-	1	2	8	2	4	-	1	4	77
22	15	16	-	2	1	2	10	-	1	2	1	-	5	10	9	9	10	1	4	10	78
79	8	31	6	11	4	3	7	3	2	1	1	-	8	26	22	10	15	5	4	28	79
40	3	18	3	7	2	1	4	2	-	1	1	-	3	17	8	7	7	3	3	11	80
39	5	13	3	4	2	2	3	1	2	-	-	-	5	9	14	3	8	2	1	17	81
11	-	1	-	2	1	1	2	-	-	-	-	-	1	1	3	-	-	-	-	2	82
8	4	12	1	1	-	2	4	1	-	-	-	-	2	8	5	1	-	2	1	5	83
95	15	12	3	-	3	4	10	1	2	-	-	1	2	10	3	1	9	1	-	16	84
27	18	10	-	1	1	4	2	-	-	1	-	-	-	11	9	5	10	2	1	9	85
9	1	2	-	1	1	-	-	1	1	-	-	-	-	3	5	-	1	2	-	2	86
10	3	2	-	-	-	1	3	-	-	-	-	-	-	3	-	1	1	-	-	6	87
21	3	9	1	1	-	1	8	-	2	1	1	2	1	5	4	4	9	1	2	8	88
40	12	10	-	7	4	4	5	3	2	-	1	1	5	7	11	5	12	4	2	22	89

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	Tennessee—Continued																
1	Rhea	152	2	-	-	4	18	5	-	13	1	79	74	15	1	52	2
2	Roane	303	5	-	-	1	49	11	6	32	6	139	133	36	-	90	3
3	Robertson	222	2	3	-	-	33	10	2	21	3	118	112	33	-	71	2
4	Rutherford	358	6	-	-	1	49	8	8	33	1	194	192	71	-	119	2
5	Murfreesboro	147	3	-	-	1	18	3	2	13	1	80	79	25	-	53	1
6	Balance of county	211	3	-	-	-	31	5	6	20	-	114	113	46	-	66	1
7	Scott	136	5	-	-	3	9	4	-	5	3	69	61	14	2	42	3
8	Sequatchie	39	2	-	-	-	5	2	-	3	-	22	22	7	-	15	1
9	Sevier	183	7	-	-	-	25	5	3	17	3	86	87	26	-	54	4
10	Shelby	4,679	58	23	8	20	623	179	70	374	45	2,300	2,253	621	2	1,493	34
11	Memphis	4,099	52	22	8	17	548	157	63	328	43	2,037	1,998	552	1	1,324	33
12	Balance of county	580	6	1	-	3	75	22	7	46	2	263	255	69	1	169	1
13	Smith	120	3	-	-	-	16	6	-	10	2	68	65	22	-	38	-
14	Stewart	80	3	1	-	-	10	2	2	6	-	36	36	11	-	23	-
15	Sullivan	600	11	4	-	2	93	29	5	59	7	268	255	58	-	179	6
16	Bristol[e]	159	5	1	-	1	25	10	2	13	2	74	70	14	-	52	2
17	Kingsport	156	2	2	-	-	26	6	1	19	2	67	64	11	-	47	1
18	Balance of county	285	4	1	-	1	42	13	2	27	3	127	121	33	-	80	3
19	Sumner	308	8	1	-	1	38	12	3	23	2	179	178	42	-	128	1
20	Tipton	269	6	-	-	3	41	14	-	27	2	117	113	51	-	55	3
21	Trousdale	61	-	-	-	-	9	5	2	2	1	34	34	11	-	18	-
22	Unicoi	117	-	-	-	1	16	6	4	6	2	73	67	24	-	35	-
23	Union	55	3	-	-	1	10	5	2	3	2	27	25	8	-	15	-
24	Van Buren	24	1	-	-	-	2	1	-	1	-	6	6	2	-	3	-
25	Warren	230	5	-	-	3	36	12	3	21	2	101	99	27	-	64	1
26	Washington	471	6	-	-	2	56	14	7	35	5	264	254	66	1	175	8
27	Johnson City	233	2	-	-	1	27	6	2	19	1	141	140	36	1	99	4
28	Balance of county	238	4	-	-	1	29	8	5	16	4	123	114	30	-	76	4
29	Wayne	92	1	-	-	-	12	3	1	8	2	46	44	16	-	23	1
30	Weakley	268	3	1	-	3	31	14	1	16	2	159	153	44	-	106	6
31	White	130	2	-	-	1	17	4	-	13	2	72	71	15	-	51	-
32	Williamson	219	3	-	-	1	35	13	2	20	3	120	115	14	-	85	1
33	Wilson	239	7	-	-	-	22	6	3	13	1	143	142	54	-	82	3
34	TEXAS	64,932	932	231	134	635	9,173	2,892	1,134	5,147	869	30,059	29,233	7,088	56	20,115	425
35	Metropolitan counties	30,080	469	116	63	196	4,434	1,339	586	2,509	386	13,806	13,445	3,094	28	9,391	205
36	Nonmetropolitan counties	34,852	463	115	71	439	4,739	1,553	548	2,638	483	16,253	15,788	3,994	28	10,724	220
37	Anderson	300	2	2	1	6	36	16	4	16	3	162	147	25	-	113	4
38	Palestine	152	2	2	-	3	16	9	1	6	2	80	73	9	-	59	-
39	Balance of county	148	-	-	1	3	20	7	3	10	1	82	74	16	-	54	4
40	Andrews	38	-	-	-	-	1	-	-	1	-	13	13	4	-	9	-
41	Angelina	278	4	3	-	1	36	16	4	16	6	133	128	29	1	91	-
42	Lufkin	131	1	1	-	1	20	8	2	10	4	58	54	13	1	38	-
43	Balance of county	147	3	2	-	-	16	8	2	6	2	75	74	16	-	53	-
44	Aransas	51	-	-	2	2	3	-	-	3	-	24	24	4	-	19	-
45	Archer	44	-	-	-	1	7	2	1	4	1	23	22	2	-	19	-
46	Armstrong	25	-	-	-	1	1	-	1	-	-	17	17	7	-	9	-
47	Atascosa	165	4	-	1	2	22	3	5	14	-	64	60	12	-	45	1
48	Austin	155	2	1	-	-	28	11	4	13	2	89	88	20	-	63	2
49	Bailey	38	-	-	-	1	5	4	-	1	-	17	17	4	-	11	-
50	Bandera	40	-	-	-	-	7	1	1	5	-	20	20	5	-	10	-
51	Bastrop	212	4	-	-	1	33	11	3	19	5	95	94	25	-	63	2
52	Baylor	60	-	-	-	-	8	2	1	5	2	29	29	10	-	18	-
53	Bee	159	3	-	-	4	19	8	2	9	3	62	59	23	-	35	1
54	Bell	545	2	3	1	5	89	28	9	52	6	243	235	58	-	153	1
55	Temple	243	1	1	-	3	40	9	6	25	4	107	100	21	-	68	-
56	Balance of county	302	1	2	1	2	49	19	3	27	2	136	135	37	-	85	1
57	Bexar	4,316	96	18	2	33	585	180	82	323	66	1,982	1,921	432	7	1,371	36
58	San Antonio	3,832	93	17	2	31	516	162	67	287	60	1,751	1,693	386	5	1,207	32
59	Balance of county	484	3	1	-	2	69	18	15	36	6	231	228	46	2	164	4
60	Blanco	33	-	-	-	-	9	2	2	5	-	19	19	5	-	12	-
61	Borden	3	-	-	-	-	-	-	-	-	-	3	3	-	-	3	-
62	Bosque	157	-	1	2	1	20	6	3	11	2	88	84	22	-	60	-
63	Bowie	504	5	-	-	3	66	20	7	39	7	277	268	66	1	183	7
64	Texarkana[7]	231	3	-	-	3	30	9	3	18	3	127	125	30	-	89	4
65	Balance of county	273	2	-	-	-	36	11	4	21	4	150	143	36	1	94	3
66	Brazoria	340	4	-	-	1	57	17	4	36	9	153	149	37	-	106	4
67	Brazos	333	2	2	-	5	44	25	3	16	7	140	134	33	-	91	2
68	Bryan	218	1	2	-	4	27	15	2	10	3	86	81	21	-	52	1
69	Balance of county	115	1	-	-	1	17	10	1	6	4	54	53	12	-	39	1
70	Brewster	55	2	-	-	3	5	3	-	2	-	19	19	5	-	12	1
71	Briscoe	22	-	-	-	-	5	2	-	3	-	7	7	3	-	4	-
72	Brooks	50	1	-	-	2	9	2	3	4	1	16	15	3	-	11	-
73	Brown	268	1	-	1	1	41	10	6	25	4	149	147	27	-	109	-
74	Brownwood	178	1	-	1	-	28	7	6	15	3	92	92	19	-	65	-
75	Balance of county	90	-	-	-	1	13	3	-	10	1	57	55	8	-	44	-
76	Burleson	132	3	-	-	1	17	5	1	11	-	69	66	21	-	41	1
77	Burnet	93	2	1	-	-	16	5	1	10	-	51	50	15	-	34	1
78	Caldwell	208	12	-	2	5	25	13	1	11	3	92	89	19	1	66	1
79	Calhoun	81	1	-	-	1	12	2	4	6	1	25	25	3	-	19	2
80	Callahan	86	-	-	-	-	15	5	2	8	1	47	47	7	-	36	4
81	Cameron	1,091	31	2	2	51	107	30	13	64	11	292	279	50	1	205	6
82	Brownsville	322	10	-	-	11	40	10	6	24	4	97	89	21	1	56	2
83	Harlingen	194	4	1	1	6	19	6	1	12	2	57	56	6	-	44	1
84	San Benito	139	4	-	1	8	13	2	1	10	2	45	41	5	-	36	1
85	Balance of county	436	13	1	-	26	35	12	5	18	3	93	93	18	-	69	2

[e]Includes data for Bristol, Tenn., only.
[7]Includes data for Texarkana, Tex., only.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
22	11	17	1	4	1	5	5	-	-	1	1	-	4	9	4	5	9	1	3	6	1
54	13	20	3	4	-	6	10	-	-	-	-	1	5	22	13	15	10	3	4	20	2
35	10	24	1	5	2	6	7	2	2	-	-	-	1	10	6	3	6	4	3	19	3
71	26	20	-	1	1	2	11	3	-	1	1	-	5	16	12	12	18	2	1	25	4
36	11	5	-	-	1	1	3	2	-	-	1	-	3	4	5	3	9	1	1	12	5
35	15	15	-	1	-	1	8	1	-	1	-	-	2	12	7	9	9	1	-	13	6
20	4	15	1	1	1	8	3	1	1	-	-	-	4	9	5	2	6	-	2	14	7
7	1	6	-	-	-	-	4	-	-	-	-	-	-	1	2	1	1	-	-	1	8
31	10	9	3	3	1	1	11	-	2	3	-	-	1	8	6	8	6	-	1	14	9
827	329	303	56	53	28	47	106	11	22	40	2	7	68	312	403	110	129	29	43	320	10
723	296	272	53	43	25	39	98	11	20	36	1	5	59	275	341	84	102	19	38	283	11
104	33	31	3	10	3	8	8	-	2	4	1	2	9	37	62	26	27	10	5	37	12
22	6	10	-	4	1	3	5	-	-	1	-	-	1	6	2	3	4	1	-	8	13
14	3	6	1	1	-	-	4	1	-	-	-	-	1	1	11	1	2	-	-	9	14
121	33	19	5	8	5	13	24	1	5	5	1	4	13	38	24	23	25	11	5	36	15
32	12	6	1	2	1	4	4	-	3	3	1	2	-	13	5	1	11	1	-	7	16
36	8	2	2	2	2	3	6	-	-	-	-	-	6	10	4	9	6	7	1	8	17
53	13	11	2	4	2	6	14	1	2	2	-	2	7	15	15	13	8	3	4	21	18
71	35	21	5	-	3	1	14	2	1	1	-	-	3	13	8	9	10	4	2	12	19
25	16	11	1	4	2	4	17	3	1	-	-	-	4	11	33	8	10	-	1	12	20
10	8	-	3	2	-	-	2	-	3	-	-	-	-	1	2	2	2	3	-	2	21
25	6	4	1	6	1	6	1	-	-	1	-	-	3	2	5	5	4	1	-	3	22
6	3	6	-	1	1	2	-	1	-	1	-	-	-	3	2	1	3	1	-	-	23
1	1	1	-	1	-	-	-	-	2	-	-	-	1	1	2	1	5	-	-	3	24
39	7	17	5	2	1	2	12	1	-	4	-	-	4	7	19	7	5	6	3	15	25
108	33	26	3	5	4	10	14	4	4	2	-	-	6	19	14	9	19	1	7	39	26
72	17	6	1	1	2	1	2	1	3	-	-	-	5	8	6	6	10	-	3	17	27
36	16	20	2	4	2	9	12	3	1	2	-	-	1	11	8	3	9	1	4	22	28
9	8	5	3	1	1	2	3	1	1	1	-	1	1	2	11	2	1	1	-	6	29
68	21	11	1	1	1	6	8	1	2	2	1	1	3	5	6	6	15	3	-	16	30
34	11	6	-	4	1	1	5	-	1	-	1	-	1	6	4	5	4	-	1	8	31
46	11	27	2	4	-	5	7	1	1	1	1	-	2	5	4	7	11	7	1	9	32
47	12	20	2	3	1	1	5	-	1	1	-	-	3	6	14	7	4	7	1	17	33
13,610	2,476	3,604	511	1,023	440	826	2,203	302	905	613	162	136	1,069	4,094	1,937	2,520	2,877	717	718	4,646	34
6,748	1,112	1,326	233	471	228	361	929	163	301	369	52	61	643	2,312	618	995	1,198	375	443	2,151	35
6,862	1,364	2,278	278	552	212	465	1,274	139	604	244	110	75	426	1,782	1,319	1,525	1,679	342	275	2,495	36
56	15	38	4	3	2	15	8	-	2	2	2	2	3	5	21	7	10	1	2	23	37
30	10	19	3	1	1	7	5	-	2	1	2	-	2	2	17	1	3	-	2	10	38
26	5	19	1	2	1	8	3	-	-	1	-	2	1	3	4	6	7	1	-	13	39
7	1	1	-	-	-	-	3	1	-	-	-	1	1	2	5	1	6	1	-	3	40
54	17	20	3	3	1	5	4	3	1	1	-	1	3	12	13	15	16	3	2	21	41
20	8	10	1	1	-	4	1	-	1	1	-	1	1	8	6	9	7	1	1	9	42
34	9	10	2	2	1	1	3	3	-	-	-	-	2	4	7	6	9	2	1	12	43
17	1	1	-	1	-	-	3	-	1	-	-	-	-	5	1	2	4	-	-	4	44
14	-	5	1	-	-	1	2	1	-	-	1	-	-	1	1	3	1	-	-	2	45
8	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	2	46
30	4	10	1	-	2	4	5	-	3	1	-	1	1	11	12	13	12	1	2	10	47
30	9	22	2	-	3	1	9	-	-	1	1	-	1	4	1	2	4	2	-	8	48
9	1	1	1	1	-	-	-	-	3	1	-	-	2	-	-	-	2	-	-	7	49
10	-	-	1	2	2	-	-	1	1	-	-	-	-	-	3	2	4	-	-	2	50
43	8	10	1	5	-	1	6	-	1	2	3	-	4	3	8	5	20	4	1	17	51
11	4	3	-	-	1	-	3	-	1	-	-	-	-	3	-	3	2	-	-	9	52
21	1	12	-	1	-	3	9	-	4	3	-	-	1	10	6	8	6	3	1	17	53
112	19	21	5	17	2	8	11	4	10	10	-	3	7	42	27	23	18	5	4	32	54
57	6	5	4	6	1	7	5	3	3	8	-	1	3	14	14	3	9	4	3	17	55
55	13	16	1	11	1	1	6	1	7	2	-	2	4	28	13	20	9	1	1	15	56
937	176	222	24	61	26	61	170	29	76	74	10	13	110	369	35	139	145	50	39	275	57
823	156	196	21	51	23	58	157	22	72	68	9	11	97	328	33	109	133	43	32	248	58
114	20	26	3	10	3	3	13	7	4	6	1	2	13	41	2	30	12	7	7	27	59
7	-	5	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	60
2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
38	15	7	-	2	-	4	6	1	-	-	-	-	1	7	8	5	6	1	-	8	62
99	31	46	5	7	6	9	5	-	5	4	2	-	6	23	11	16	25	5	9	35	63
47	18	20	1	3	2	2	2	-	2	2	1	-	3	10	5	9	12	3	2	14	64
52	13	26	4	4	4	7	3	-	3	2	1	-	3	13	6	7	13	2	7	21	65
68	13	21	3	3	-	4	8	1	2	3	-	1	7	25	8	20	15	1	2	23	66
42	33	14	4	5	1	6	7	2	9	4	2	-	5	27	23	9	15	5	2	23	67
22	22	7	3	4	1	5	5	2	8	4	2	-	2	21	15	5	8	3	2	18	68
20	11	7	1	1	-	1	2	-	1	-	-	-	3	6	8	4	7	2	-	5	69
6	-	5	-	2	-	-	2	2	1	2	-	-	2	2	-	1	2	4	-	8	70
3	-	1	-	-	-	-	1	-	-	1	-	-	-	-	2	1	3	-	-	2	71
7	2	2	-	1	-	1	1	-	3	-	-	-	1	4	1	1	2	3	1	4	72
79	5	25	3	5	3	2	4	1	5	2	-	-	1	4	4	12	8	2	2	26	73
50	3	12	1	4	3	-	3	1	4	1	-	-	1	4	3	8	5	2	1	20	74
29	2	13	2	1	-	2	1	-	1	1	-	-	-	-	1	4	3	-	1	6	75
23	10	7	3	-	1	3	2	-	4	-	-	-	1	5	16	3	3	-	1	7	76
28	2	3	-	1	-	1	1	-	1	-	1	-	1	4	4	2	5	-	-	4	77
40	10	15	1	1	1	3	12	1	3	1	1	1	2	10	-	9	9	2	1	17	78
15	-	2	1	-	2	-	2	1	1	-	-	-	2	7	1	5	11	1	-	10	79
19	3	10	2	2	-	-	6	1	-	-	1	-	1	1	1	4	1	-	1	6	80
124	31	44	2	18	3	13	78	2	69	10	1	2	25	101	106	38	72	8	8	75	81
41	8	5	2	7	2	8	25	1	17	4	-	1	4	29	41	5	11	1	-	21	82
30	5	8	-	6	-	1	12	-	12	1	-	-	4	28	7	10	11	2	1	16	83
17	4	14	-	-	-	4	10	-	6	3	1	1	4	6	7	10	2	1	3	12	84
36	14	17	-	5	1	-	31	1	34	2	-	-	13	38	51	13	48	4	4	26	85

385053 O - 56 - 31

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Camp	95	-	-	-	1	16	6	4	6	1	43	42	17	-	23	-
2	Carson	41	-	1	-	-	5	1	1	3	1	20	20	4	-	13	-
3	Cass	247	-	1	-	-	30	8	5	17	2	126	121	25	-	91	1
4	Castro	34	-	-	-	1	2	1	-	1	-	10	9	1	-	8	-
5	Chambers	53	2	-	-	-	10	2	1	7	-	25	24	3	-	21	-
6	Cherokee	334	4	2	1	1	50	16	4	30	4	174	173	45	-	116	5
7	Childress	101	-	-	-	-	12	5	3	4	1	54	54	12	-	42	-
8	Clay	81	-	-	-	-	9	2	1	6	-	48	46	15	-	21	-
9	Cochran	34	1	-	1	1	5	2	1	2	-	13	13	-	-	13	1
10	Coke	30	1	-	-	-	3	-	1	2	1	14	14	4	-	8	-
11	Coleman	144	1	-	-	1	20	4	3	13	4	79	78	23	-	54	-
12	Collin	424	4	3	-	5	49	14	5	30	8	226	223	52	-	157	1
13	McKinney	131	1	1	-	1	16	2	1	13	3	71	71	18	-	50	-
14	Balance of county	293	3	2	-	4	33	12	4	17	5	155	152	34	-	107	1
15	Collingsworth	68	-	1	-	-	12	3	1	8	-	33	32	7	-	23	1
16	Colorado	159	2	-	1	2	26	7	1	18	3	72	70	23	-	39	-
17	Comal	148	5	1	-	-	18	6	-	12	1	77	76	19	-	55	1
18	New Braunfels	106	4	1	-	-	13	2	-	11	1	54	53	13	-	40	1
19	Balance of county	42	1	-	-	-	5	4	-	1	-	23	23	6	-	15	-
20	Comanche	173	2	1	-	1	32	13	1	18	5	95	93	28	1	58	-
21	Concho	32	1	-	-	-	4	1	-	3	1	11	10	2	-	8	1
22	Cooke	195	2	-	-	-	24	9	-	15	6	108	106	29	1	70	-
23	Gainesville	126	1	-	-	-	18	6	-	10	4	70	68	19	1	45	-
24	Balance of county	69	1	-	-	-	6	1	-	5	2	38	38	10	-	25	-
25	Coryell	126	1	-	-	-	20	3	3	14	3	61	60	20	-	35	-
26	Cottle	52	-	-	-	3	4	3	-	1	1	20	19	2	-	17	-
27	Crane	24	-	-	-	1	6	2	-	4	-	11	11	1	-	7	-
28	Crockett	34	1	-	-	-	3	-	-	3	-	11	11	5	1	5	-
29	Crosby	68	-	-	-	1	9	4	1	4	1	31	29	3	-	25	-
30	Culberson	19	-	-	-	-	2	1	-	1	-	4	4	1	-	3	1
31	Dallam	48	-	-	-	1	9	1	-	8	-	21	20	2	-	17	-
32	Dallas	5,363	57	18	7	34	850	260	106	484	59	2,688	2,640	625	1	1,873	37
33	Dallas	4,284	48	17	5	25	669	209	82	378	49	2,148	2,108	471	1	1,518	27
34	Garland	92	-	-	-	1	12	4	1	7	2	43	42	12	-	29	-
35	Grand Prairie	131	1	-	-	2	13	3	1	9	1	59	57	20	-	34	1
36	Highland Park	107	1	-	-	1	24	6	-	18	2	63	61	16	-	38	1
37	University Park	141	-	-	-	1	31	6	4	21	-	77	76	24	-	49	-
38	Balance of county	608	7	1	2	4	101	32	18	51	5	298	296	82	-	205	8
39	Dawson	119	1	-	-	2	23	5	5	13	2	47	46	6	-	39	2
40	Lamesa	79	1	-	-	1	17	4	3	10	-	31	30	5	-	25	1
41	Balance of county	40	-	-	-	1	6	1	2	3	2	16	16	1	-	14	1
42	Deaf Smith	56	-	-	-	1	9	3	1	5	-	25	23	1	-	20	1
43	Delta	84	1	-	-	-	15	8	1	6	1	47	47	11	1	32	1
44	Denton	328	3	-	-	3	47	13	6	28	5	163	161	36	-	114	7
45	Denton	164	1	-	-	-	20	8	1	11	3	92	92	14	-	69	3
46	Balance of county	164	2	-	-	3	27	5	5	17	2	71	69	22	-	45	4
47	De Witt	208	2	1	1	2	12	3	3	6	5	109	108	25	-	76	3
48	Dickens	43	-	-	-	3	10	4	4	2	2	17	17	4	-	13	-
49	Dimmit	66	-	-	-	1	5	3	-	2	1	25	25	6	-	17	-
50	Donley	49	1	1	-	-	6	2	-	4	-	22	21	2	-	19	-
51	Duval	112	1	-	3	1	15	9	2	4	2	46	42	12	-	28	1
52	Eastland	231	4	2	-	2	30	9	6	15	6	109	107	31	-	64	3
53	Ector	267	7	-	-	4	42	14	9	19	-	88	86	17	1	61	1
54	Odessa	247	6	-	-	4	40	14	9	17	-	84	82	17	1	57	1
55	Balance of county	20	1	-	-	-	2	-	-	2	-	4	4	-	-	4	-
56	Edwards	8	-	-	-	-	2	1	1	-	-	3	3	-	-	3	-
57	Ellis	423	3	1	-	5	48	19	7	22	6	221	217	72	-	140	2
58	Waxahachie	143	1	-	-	-	12	5	1	6	1	76	74	30	-	43	-
59	Balance of county	280	2	1	-	5	36	14	6	16	5	145	143	42	-	97	2
60	El Paso	1,563	54	6	7	11	201	68	13	120	23	547	519	117	3	338	20
61	El Paso	1,254	45	5	6	8	163	52	11	100	22	457	434	98	3	281	17
62	Balance of county	309	9	1	1	3	38	16	2	20	1	90	85	19	-	57	3
63	Erath	185	2	1	-	-	35	10	2	23	4	105	104	26	-	71	2
64	Falls	229	1	-	-	8	30	6	4	20	3	115	111	31	-	71	-
65	Fannin	311	1	2	-	3	49	20	10	19	4	176	172	40	-	119	4
66	Fayette	269	1	1	-	4	52	18	4	30	3	134	122	33	-	80	3
67	Fisher	72	1	-	1	-	10	2	2	6	2	31	30	7	-	21	-
68	Floyd	104	1	-	-	1	12	8	-	4	2	47	46	13	-	31	2
69	Foard	34	-	-	-	-	5	2	1	2	1	20	19	6	-	13	-
70	Fort Bend	272	6	2	-	6	38	17	3	18	6	92	89	28	-	55	1
71	Franklin	61	2	-	-	1	8	2	-	6	-	35	34	19	-	12	-
72	Freestone	177	2	-	-	3	26	8	2	16	-	89	88	20	-	64	2
73	Frio	81	4	1	-	3	10	4	2	4	-	31	30	10	-	18	-
74	Gaines	65	-	-	1	1	3	1	-	2	1	24	24	8	-	15	-
75	Galveston	1,057	16	10	3	4	144	28	19	97	17	559	552	127	3	377	3
76	Galveston	747	11	9	1	2	96	20	9	67	12	419	415	92	1	282	3
77	Texas City	87	1	1	1	-	11	2	4	5	-	46	46	14	1	29	-
78	Balance of county	223	4	-	1	2	37	6	6	25	5	94	91	21	1	66	-
79	Garza	37	-	-	2	-	7	3	1	3	1	15	14	1	-	10	-
80	Gillespie	99	-	-	-	-	16	8	-	8	-	57	57	13	-	39	-
81	Glasscock	3	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-
82	Goliad	57	2	1	-	-	6	2	-	4	1	25	24	10	-	13	-
83	Gonzales	213	2	1	-	1	20	6	1	13	9	115	113	29	-	76	2
84	Gray	164	-	-	1	-	26	4	5	17	1	81	81	21	-	54	1
85	Pampa	127	-	-	1	-	22	3	4	15	1	58	58	11	-	42	1
86	Balance of county	37	-	-	-	-	4	1	1	2	-	23	23	10	-	12	-
87	Grayson	708	3	4	2	7	109	39	15	55	14	388	376	117	-	237	5
88	Denison	218	-	3	-	2	36	13	7	16	5	120	116	28	-	80	1
89	Sherman	197	1	1	2	3	29	9	3	17	2	109	105	30	-	67	2
90	Balance of county	293	2	-	-	2	44	17	5	22	7	159	155	59	-	90	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
15	3	5	1	1	-	1	5	-	-	-	-	1	1	2	5	10	3	-	2	5	1
11	1	1	-	-	3	-	-	2	-	1	-	-	1	2	-	1	-	-	-	7	2
56	7	27	2	1	2	5	13	2	1	-	1	1	-	9	12	13	13	-	2	21	3
6	2	-	-	-	-	1	2	1	-	1	-	1	1	4	1	4	3	-	1	2	4
12	6	3	-	-	-	1	3	-	1	-	-	1	-	2	1	1	5	-	-	2	5
75	13	23	2	5	5	1	16	-	4	1	2	-	2	18	4	19	11	3	1	17	6
29	4	9	-	-	-	-	3	-	-	-	-	1	-	3	4	2	3	2	3	13	7
17	1	3	1	8	1	2	4	1	-	1	1	-	3	1	2	3	3	2	-	3	8
9	3	-	-	-	-	-	4	-	2	-	-	-	-	1	-	3	-	1	-	2	9
6	1	1	1	1	-	-	2	-	-	-	-	-	1	2	-	2	2	-	-	2	10
32	8	14	-	1	-	1	7	1	1	2	-	-	1	4	1	-	6	1	-	15	11
109	15	32	4	7	3	3	12	-	4	2	4	1	4	16	8	16	24	5	3	30	12
38	5	7	-	3	-	-	3	-	1	1	3	-	2	4	2	4	10	1	1	6	13
71	10	25	4	4	3	3	9	-	3	1	1	1	2	12	6	12	14	4	2	24	14
14	4	4	-	2	-	1	2	1	-	-	1	-	-	4	2	6	1	1	-	4	15
20	6	13	2	5	1	2	3	-	4	1	-	-	3	6	13	2	3	1	2	15	16
38	2	14	-	2	-	1	3	2	1	2	1	-	2	8	2	7	4	4	-	10	17
31	1	7	-	-	-	1	2	1	1	2	-	-	1	5	1	5	3	4	-	8	18
7	1	7	-	2	-	-	1	1	-	-	1	-	1	3	1	2	1	-	-	2	19
39	9	10	3	2	1	2	1	-	2	-	2	-	-	5	3	3	6	3	-	12	20
5	-	2	-	-	-	1	2	-	1	-	-	-	1	1	3	4	2	1	-	-	21
52	5	13	-	2	4	2	2	2	-	-	1	-	1	7	14	5	9	2	1	11	22
34	2	9	-	1	2	2	1	2	-	-	-	-	-	4	9	4	5	-	1	7	23
18	3	4	-	1	2	-	1	-	-	-	1	-	1	3	5	1	4	2	-	4	24
27	3	5	-	3	2	1	3	1	1	1	-	-	2	7	2	4	8	4	2	6	25
13	-	4	-	-	-	1	3	-	3	-	-	-	1	4	1	4	4	1	-	3	26
5	1	1	-	2	1	-	-	-	1	-	-	-	-	5	-	-	-	-	-	-	27
1	1	3	-	-	-	-	-	-	-	-	-	-	-	3	1	2	10	1	-	2	28
17	-	8	1	-	-	2	3	1	1	-	-	-	-	6	4	7	-	-	1	3	29
-	-	2	-	-	-	-	2	-	1	-	-	-	-	3	1	4	-	1	-	1	30
12	-	5	-	-	1	1	1	-	-	-	-	-	-	1	2	2	3	2	1	5	31
1,416	228	192	37	70	34	48	136	30	31	58	2	9	108	295	59	159	224	65	94	380	32
1,160	186	145	31	58	29	40	111	25	27	46	1	9	82	226	51	126	187	46	81	305	33
26	2	1	1	-	-	1	1	-	1	-	-	-	2	8	1	5	1	5	1	9	34
18	5	10	1	2	-	2	2	2	1	2	-	-	6	20	1	5	4	3	-	9	35
27	5	5	3	2	2	2	1	-	-	2	-	-	1	-	-	1	1	1	4	5	36
42	4	3	1	2	-	1	1	1	-	3	-	-	2	3	1	-	2	1	2	16	37
143	26	28	-	6	3	2	20	2	2	5	1	-	15	38	5	22	29	9	6	36	38
27	6	4	-	1	-	1	4	1	4	1	-	-	1	7	3	8	6	1	1	7	39
18	6	-	-	-	-	1	3	1	3	-	-	-	1	4	2	6	3	1	1	4	40
9	-	4	-	1	-	-	1	-	1	1	-	-	-	3	1	2	3	-	-	3	41
14	2	3	-	1	1	2	-	-	-	-	-	-	3	1	1	5	5	1	-	5	42
22	4	5	1	2	-	-	2	-	2	-	1	1	1	2	-	1	6	-	-	4	43
86	13	8	2	7	2	2	12	1	3	1	2	-	3	9	2	15	27	1	1	30	44
53	10	3	2	6	1	-	6	-	2	1	1	-	2	5	-	4	10	-	1	16	45
33	3	5	-	1	1	2	6	1	1	-	1	-	1	4	2	11	17	1	-	14	46
37	23	13	1	6	-	1	9	-	5	2	-	1	5	9	6	7	8	3	2	19	47
12	1	-	-	-	-	-	2	-	1	1	-	-	-	-	-	2	-	-	-	5	48
10	3	4	1	-	1	-	1	-	5	1	-	-	2	10	3	4	2	-	-	6	49
11	2	6	-	-	-	1	3	-	-	1	-	-	2	1	-	3	1	1	-	7	50
19	3	5	-	2	-	4	7	-	2	2	-	-	2	2	9	2	4	3	2	9	51
43	6	12	5	6	1	2	17	2	-	2	-	1	1	2	10	8	13	3	-	19	52
50	3	7	3	4	-	2	5	2	3	2	-	1	6	21	8	22	27	5	4	20	53
47	2	7	3	4	-	2	5	2	3	2	-	1	6	19	3	20	24	5	4	19	54
3	1	-	-	-	-	-	-	-	-	-	-	-	-	2	5	2	3	-	-	1	55
1	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	56
80	26	32	-	2	3	4	19	2	8	2	-	-	1	31	21	9	14	1	2	29	57
31	7	5	-	1	-	2	6	1	5	1	-	-	1	14	14	-	1	1	-	9	58
49	19	27	-	1	3	2	13	1	3	1	-	-	-	17	7	9	13	-	2	20	59
220	37	61	17	27	17	28	69	8	35	25	3	4	44	196	29	62	56	22	3	158	60
184	26	54	15	24	13	23	51	8	26	21	2	4	31	152	23	43	36	19	3	129	61
36	11	7	2	3	4	5	18	-	9	4	1	-	13	44	6	19	20	3	-	29	62
46	3	20	-	4	3	1	2	1	-	1	-	-	2	5	1	7	8	-	-	11	63
45	8	18	3	4	2	4	6	1	5	2	-	1	-	8	13	7	13	3	3	10	64
79	8	28	1	10	2	4	8	3	-	1	3	-	4	11	2	11	13	1	3	16	65
45	12	20	4	3	2	12	7	-	3	1	-	1	1	5	21	5	6	4	-	20	66
14	2	5	-	1	1	1	4	-	3	-	-	-	1	4	2	1	2	1	1	8	67
18	6	5	-	1	1	1	8	-	-	1	-	-	-	8	1	11	4	1	-	7	68
5	6	2	-	-	-	1	1	-	-	-	-	-	-	1	2	1	2	-	-	1	69
32	12	10	2	2	2	3	7	1	5	2	-	-	2	14	29	18	11	6	5	22	70
8	-	4	-	2	1	1	3	-	-	1	-	-	1	1	1	-	2	-	-	6	71
32	16	14	2	-	2	1	9	-	-	2	2	1	-	6	11	2	10	1	1	12	72
16	1	1	-	1	1	1	4	-	1	-	-	-	3	5	4	4	2	1	-	8	73
11	1	3	1	-	-	-	2	-	2	-	-	-	2	10	1	7	4	1	-	6	74
289	39	46	12	25	8	7	37	4	3	15	2	-	25	51	9	34	36	13	15	60	75
214	31	34	11	22	7	4	31	3	1	9	1	-	12	30	5	16	20	8	13	48	76
21	5	3	-	2	-	-	1	-	-	2	-	-	5	5	1	4	5	2	-	2	77
54	3	9	1	1	1	3	5	1	2	4	1	-	8	16	3	14	11	3	2	10	78
9	-	1	1	2	-	1	-	-	-	-	-	-	1	1	-	4	5	-	-	1	79
27	5	7	3	1	1	-	4	-	1	2	-	-	-	2	2	5	3	2	-	5	80
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	81
7	4	2	-	-	1	1	2	-	1	-	-	1	-	2	4	-	2	3	-	7	82
37	15	22	2	5	1	2	10	-	3	2	-	-	2	13	3	9	2	4	-	17	83
40	7	6	2	1	3	-	-	1	1	1	1	1	1	10	5	7	13	4	-	10	84
31	6	4	1	1	3	-	-	1	1	1	1	1	1	8	4	5	10	4	-	8	85
9	1	2	1	-	-	-	-	-	-	-	-	-	-	2	1	2	3	-	-	2	86
147	26	59	7	15	-	12	14	6	2	3	-	1	11	24	18	24	25	6	3	44	87
50	9	20	4	4	-	4	5	4	1	1	-	-	1	7	2	6	6	2	1	16	88
47	5	13	2	6	-	4	1	1	-	1	-	1	6	9	2	6	7	-	1	15	89
50	12	26	1	5	-	4	8	1	1	1	-	-	4	8	14	12	12	4	1	13	90

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Gregg	495	8	6	1	3	74	20	12	42	6	226	222	61	1	137	3
2	Longview	219	1	3	1	1	32	10	6	16	4	105	103	33	-	59	-
3	Balance of county	276	7	3	-	2	42	10	6	26	2	121	119	28	1	78	3
4	Grimes	175	2	1	-	-	17	6	3	8	5	99	97	33	-	59	-
5	Guadalupe	246	3	-	-	2	38	14	4	20	2	120	114	31	-	78	1
6	Hale	227	2	-	2	4	28	10	1	17	2	86	84	21	-	60	5
7	Plainview	122	-	-	1	2	14	6	1	7	2	49	48	12	-	36	4
8	Balance of county	105	2	-	1	2	14	4	-	10	-	37	36	9	-	24	1
9	Hall	85	2	-	-	1	9	4	-	5	-	48	48	8	-	36	-
10	Hamilton	123	-	-	1	1	15	9	2	4	1	73	72	18	-	47	-
11	Hansford	19	-	-	-	-	3	2	-	1	-	10	9	-	-	7	-
12	Hardeman	74	-	-	-	-	18	4	3	11	1	37	36	10	-	25	1
13	Hardin	157	-	1	-	-	22	10	5	7	3	73	71	21	-	48	1
14	Harris	6,672	113	20	22	42	1,032	329	153	550	83	2,921	2,859	655	5	1,947	33
15	Houston	5,650	100	16	17	33	904	289	139	476	66	2,446	2,393	559	4	1,612	28
16	Baytown	174	3	2	-	1	22	7	1	14	3	79	76	20	-	51	3
17	Bellaire	57	1	-	2	-	12	3	2	7	1	31	31	6	-	21	-
18	Pasadena	162	1	-	2	5	20	8	3	9	3	59	58	10	-	46	1
19	West University Place	2	-	-	-	-	1	-	-	1	-	1	1	-	-	1	-
20	Balance of county	627	8	2	1	3	73	22	8	43	10	305	300	60	1	216	1
21	Harrison	430	7	6	1	2	59	21	8	30	7	218	204	69	-	128	1
22	Marshall	232	2	4	1	1	36	14	6	16	6	111	107	36	-	69	-
23	Balance of county	198	5	2	-	1	23	7	2	14	1	107	97	33	-	59	1
24	Hartley	16	-	-	-	-	1	1	-	-	-	9	9	-	-	8	2
25	Haskell	103	1	1	-	1	13	6	2	5	3	44	43	12	-	26	-
26	Hays	186	7	-	-	1	18	8	2	8	1	81	79	17	-	58	1
27	Hemphill	19	-	-	1	-	4	2	-	2	-	9	9	6	-	3	-
28	Henderson	211	2	1	-	-	33	11	3	19	-	121	113	39	-	68	1
29	Hidalgo	1,365	32	5	10	60	128	51	16	61	9	360	353	83	1	246	1
30	Edinburg	126	3	1	1	6	14	6	1	7	-	28	27	8	-	18	-
31	McAllen	195	2	-	-	4	26	12	6	8	3	74	72	18	-	51	-
32	Mercedes	114	4	-	3	5	9	4	-	5	-	27	26	9	-	15	-
33	Mission	77	3	-	-	2	7	3	-	4	-	24	22	-	-	22	-
34	Balance of county	853	20	4	6	43	72	26	9	37	6	207	206	48	1	140	1
35	Hill	329	2	1	1	3	50	18	6	26	7	183	182	42	-	129	1
36	Hockley	125	2	-	3	-	14	4	2	8	1	56	53	13	-	37	2
37	Hood	67	-	-	-	-	6	3	-	3	2	38	35	8	-	25	-
38	Hopkins	230	4	-	-	1	34	10	4	20	1	127	126	33	-	83	1
39	Houston	185	2	1	-	4	25	8	1	16	5	97	92	24	1	61	-
40	Howard	210	2	1	1	2	18	4	1	13	3	92	91	20	-	62	1
41	Big Spring	168	1	1	1	1	13	2	1	10	3	75	74	16	-	51	1
42	Balance of county	42	1	-	-	1	5	2	-	3	-	17	17	4	-	11	-
43	Hudspeth	18	2	-	-	2	1	-	-	1	-	2	2	-	-	1	-
44	Hunt	452	1	1	-	3	64	21	7	36	11	254	251	50	-	181	-
45	Greenville	195	-	1	-	1	33	11	4	18	7	107	105	21	-	73	-
46	Balance of county	257	1	-	-	2	31	10	3	18	4	147	146	29	-	108	-
47	Hutchinson	135	1	1	1	-	18	6	3	9	-	51	47	8	-	37	-
48	Borger	95	1	1	1	-	11	5	1	5	-	36	33	5	-	26	-
49	Balance of county	40	-	-	-	-	7	1	2	4	-	15	14	3	-	11	-
50	Irion	12	-	-	-	-	2	1	1	-	-	5	5	1	-	3	-
51	Jack	71	-	-	-	-	11	3	3	5	1	31	28	9	-	16	-
52	Jackson	112	1	-	-	2	19	5	3	11	-	53	52	9	-	42	-
53	Jasper	184	1	-	-	3	27	11	1	15	3	92	90	17	-	68	4
54	Jeff Davis	14	-	-	-	-	2	-	-	2	-	7	7	2	-	4	-
55	Jefferson	1,505	15	10	4	10	236	72	38	126	23	710	678	154	1	481	13
56	Beaumont	824	10	7	3	3	125	41	14	70	10	396	380	92	1	260	7
57	Port Arthur	452	3	2	1	7	72	23	13	36	6	209	196	50	-	137	2
58	Balance of county	229	2	1	-	-	39	8	11	20	7	105	102	12	-	84	4
59	Jim Hogg	42	-	-	-	-	8	1	1	6	1	15	15	1	-	14	-
60	Jim Wells	181	5	-	1	6	33	6	5	22	3	60	58	15	-	42	1
61	Alice	125	4	-	1	2	21	4	4	13	1	47	45	12	-	32	-
62	Balance of county	56	1	-	-	4	12	2	1	9	2	13	13	3	-	10	1
63	Johnson	322	5	1	1	1	59	21	3	35	1	160	156	37	-	112	2
64	Cleburne	155	1	-	-	1	28	11	1	16	1	81	80	20	-	55	1
65	Balance of county	167	4	1	1	-	31	10	2	19	-	79	76	17	-	57	1
66	Jones	188	3	1	2	1	33	9	4	20	2	96	96	16	-	75	1
67	Karnes	164	3	-	-	2	18	7	1	10	4	67	67	17	-	48	1
68	Kaufman	304	2	-	-	5	36	9	6	21	6	166	165	46	-	108	2
69	Terrell	122	1	-	-	2	12	2	2	8	3	68	68	17	-	45	1
70	Balance of county	182	1	-	-	3	24	7	4	13	3	98	97	29	-	63	1
71	Kendall	66	-	-	-	-	9	2	-	7	-	36	36	8	-	22	-
72	Kenedy	5	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-
73	Kent	13	-	-	-	-	1	-	-	1	-	5	5	1	-	3	-
74	Kerr	172	9	1	-	2	24	9	1	14	1	99	98	25	-	68	5
75	Kimble	37	-	-	-	2	9	3	1	5	1	8	8	1	-	7	-
76	King	4	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
77	Kinney	24	-	-	-	-	3	3	-	-	-	10	10	5	-	4	-
78	Kleberg	165	5	-	1	2	11	3	3	5	2	64	62	20	-	38	2
79	Kingsville	146	3	-	1	2	9	2	3	4	2	58	56	20	-	32	2
80	Balance of county	19	2	-	-	-	2	1	-	1	-	6	6	-	-	6	-
81	Knox	76	4	-	-	2	10	6	-	4	-	40	40	13	-	24	-
82	Lamar	432	2	-	-	4	60	18	7	35	5	255	245	90	-	140	2
83	Paris	261	1	-	-	-	37	9	6	22	3	159	154	59	-	91	2
84	Balance of county	171	1	-	-	4	23	9	1	13	2	96	91	31	-	49	-
85	Lamb	137	-	-	-	3	18	3	3	12	4	43	43	5	1	36	-
86	Lampasas	101	2	-	-	1	12	2	1	9	-	57	56	21	-	31	2
87	La Salle	57	2	-	1	1	19	9	2	8	-	15	15	2	-	13	-
88	Lavaca	249	3	1	-	1	37	14	6	17	5	134	125	24	1	93	3
89	Lee	102	-	-	-	-	14	3	2	9	1	51	50	9	-	37	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
94	12	28	6	15	2	4	14	1	1	7	1	1	10	16	20	20	31	8	8	33	1
44	5	10	3	8	-	2	6	1	-	1	-	-	4	8	8	7	14	3	3	17	2
50	7	18	3	7	2	2	8	-	1	6	1	1	6	8	12	13	17	5	5	16	3
24	14	21	1	2	2	2	4	2	3	-	1	-	2	7	5	4	9	-	-	14	4
49	11	17	4	-	1	6	5	-	16	1	-	-	8	8	9	7	7	7	1	12	5
44	2	9	-	3	-	2	10	-	9	1	-	-	3	23	7	13	8	-	4	25	6
25	-	7	-	-	-	1	5	-	-	1	-	-	2	11	4	9	4	-	4	14	7
19	2	2	-	3	-	1	5	-	9	-	-	-	1	12	3	4	4	-	-	11	8
25	2	9	1	2	1	-	8	-	1	2	-	1	-	3	4	-	-	-	-	6	9
26	10	11	-	7	-	1	4	-	-	1	-	-	-	6	3	3	4	1	-	10	10
5	1	1	1	1	-	1	1	-	-	-	1	-	1	-	-	1	1	-	-	1	11
19	2	3	1	-	-	1	1	-	-	-	-	-	-	-	2	3	5	2	-	5	12
24	5	18	1	1	-	2	2	-	-	4	-	-	-	4	16	5	8	2	2	15	13
1,294	279	341	65	123	64	62	182	33	31	99	10	12	130	515	226	258	250	89	140	464	14
1,062	246	276	59	101	58	53	155	26	23	90	7	10	105	439	200	210	201	72	124	406	15
34	5	9	1	3	1	3	6	-	3	-	-	-	5	12	3	7	9	4	1	14	16
12	2	7	-	3	1	-	-	-	-	-	-	-	3	3	-	-	1	1	-	2	17
30	5	10	-	1	1	1	4	-	-	3	-	1	7	22	1	9	12	3	1	9	18
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
155	21	39	5	15	3	5	17	7	5	6	3	1	10	39	22	32	27	9	14	33	20
89	12	26	2	3	2	14	30	1	2	2	1	-	1	14	9	14	11	1	8	36	21
46	8	15	1	1	-	4	13	-	1	1	1	-	1	10	6	7	4	-	5	22	22
43	4	11	1	2	2	10	17	1	1	1	-	-	-	4	3	7	7	1	3	14	23
3	1	2	-	1	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	3	24
23	3	-	-	4	1	1	6	-	6	-	-	-	1	3	4	6	5	2	-	7	25
28	7	22	1	2	1	2	10	-	9	3	-	-	5	15	3	9	7	3	3	11	26
2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	27
46	2	19	2	3	1	8	6	-	-	1	2	-	3	6	6	3	12	1	1	13	28
126	26	93	5	11	7	7	103	5	106	5	7	7	20	150	83	60	111	3	11	90	29
9	2	7	-	1	-	1	14	-	4	2	1	1	6	21	2	9	2	-	1	10	30
27	7	17	-	1	2	2	7	-	11	-	2	-	3	12	14	8	9	1	2	17	31
8	-	7	1	1	-	1	11	-	12	-	-	-	-	21	10	3	4	-	-	5	32
12	4	6	-	-	-	2	2	1	7	1	-	-	2	12	3	1	6	-	-	6	33
70	13	56	4	8	5	1	69	4	72	2	4	6	9	84	54	39	90	2	8	52	34
76	13	39	2	9	-	1	12	2	2	2	1	-	2	6	6	7	10	4	1	27	35
24	5	6	2	1	-	3	5	2	3	-	-	-	3	9	2	11	7	-	1	6	36
16	4	5	2	-	-	3	3	-	-	-	-	-	-	1	1	1	4	1	-	10	37
55	9	18	2	6	2	1	12	2	3	2	-	-	1	5	7	8	6	2	-	15	38
36	6	19	3	2	1	5	5	-	-	-	-	-	2	6	6	5	4	-	3	20	39
44	6	11	-	7	2	1	6	4	5	2	2	-	5	15	10	8	11	1	2	20	40
34	5	11	-	5	2	1	4	4	4	2	2	-	5	12	9	5	6	1	2	17	41
10	1	-	-	2	-	-	2	-	1	-	-	-	-	3	1	3	5	-	-	3	42
1	-	-	-	-	1	-	1	-	1	-	-	-	-	1	2	2	3	-	-	1	43
134	28	19	5	14	1	3	15	1	1	2	1	1	1	15	12	19	17	4	2	27	44
59	4	10	2	9	-	2	8	-	-	1	-	1	1	9	1	8	7	-	-	10	45
75	24	9	3	5	1	1	7	1	1	1	1	-	-	6	11	11	10	4	2	17	46
28	1	8	1	-	1	4	4	-	2	2	3	1	2	17	1	10	7	3	-	11	47
20	1	5	1	-	1	3	2	-	1	1	3	-	2	13	-	7	4	3	-	9	48
8	-	3	-	-	-	1	2	-	1	1	-	1	-	4	1	3	3	-	-	2	49
-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	50
9	3	4	2	-	1	3	2	-	-	-	-	-	-	1	4	12	3	1	-	5	51
25	8	9	1	-	-	1	3	1	2	1	-	1	1	10	3	4	3	3	-	5	52
35	10	19	1	4	-	2	2	-	3	-	-	-	7	17	2	10	11	-	2	4	53
4	-	-	-	-	1	-	1	-	-	-	-	-	-	2	1	-	-	-	-	1	54
356	49	63	16	17	9	32	56	6	14	18	8	1	36	113	18	46	50	15	15	101	55
199	29	25	7	13	7	16	32	2	6	9	4	1	15	69	14	24	23	8	11	52	56
92	14	29	5	3	1	13	18	4	7	7	4	-	9	24	2	18	18	3	2	36	57
65	6	9	4	1	1	3	6	-	1	2	-	-	12	20	2	4	9	4	2	13	58
8	3	3	-	-	-	-	2	-	-	-	-	-	1	1	3	3	3	-	-	5	59
27	1	13	-	1	-	2	7	1	2	1	-	-	5	16	6	10	11	1	1	12	60
21	-	11	-	1	-	2	4	1	2	1	-	-	3	15	2	8	6	-	-	7	61
6	1	2	-	-	-	-	3	-	-	-	-	-	2	1	4	2	5	1	1	5	62
66	19	25	3	3	1	4	6	-	2	2	1	1	3	14	5	10	7	8	1	34	63
30	11	13	1	3	1	1	4	-	-	-	-	1	1	10	3	3	3	5	-	13	64
36	8	12	2	-	-	3	2	-	2	2	1	-	2	4	2	7	4	3	1	21	65
57	3	14	2	-	3	-	4	1	5	-	-	-	1	6	5	3	8	1	1	15	66
31	2	14	-	1	1	-	10	-	8	5	-	1	2	8	6	6	5	2	3	14	67
66	21	19	1	6	4	1	11	1	2	5	2	-	3	5	9	9	9	3	3	27	68
28	8	8	1	2	3	-	2	-	2	2	1	-	2	3	6	2	3	-	1	12	69
38	13	11	-	4	1	1	9	1	-	3	1	-	1	2	3	7	6	3	2	15	70
15	5	2	2	4	-	-	2	2	-	2	-	-	1	3	1	1	1	2	-	6	71
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	72
2	1	-	-	1	-	-	-	-	1	-	-	-	-	-	2	2	1	-	-	1	73
49	3	11	-	4	1	1	6	1	-	-	1	-	1	3	1	9	4	-	-	10	74
6	1	-	-	-	-	-	2	-	-	-	1	-	-	-	3	4	1	1	2	3	75
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	76
3	1	-	-	1	-	-	-	-	-	-	-	-	1	1	2	1	2	2	-	2	77
23	5	8	1	3	-	2	8	-	6	1	1	1	3	14	2	11	23	1	-	9	78
20	4	6	1	3	-	2	7	-	6	1	-	1	3	14	2	10	18	1	-	8	79
3	1	2	-	-	-	-	1	-	-	-	1	-	-	-	-	1	5	-	-	1	80
17	2	5	2	1	-	-	2	1	2	-	-	-	3	1	3	2	-	2	-	4	81
82	26	30	2	12	1	10	9	2	4	1	-	1	7	8	18	7	19	1	3	26	82
52	17	20	-	4	-	5	6	1	2	-	-	-	7	6	8	4	11	-	1	15	83
30	9	10	2	8	1	5	3	1	2	1	-	1	-	2	10	3	8	1	2	11	84
29	3	4	1	-	-	-	3	-	7	-	-	-	-	18	3	8	8	4	2	16	85
23	3	3	2	1	1	1	4	-	1	1	-	-	1	3	4	2	5	3	-	5	86
6	2	5	-	-	-	-	1	-	2	-	-	-	-	3	2	2	5	1	-	3	87
59	26	5	1	5	1	9	11	-	-	2	1	1	-	12	6	7	8	2	3	15	88
15	8	14	2	2	-	1	3	-	1	1	-	-	4	5	5	2	6	1	1	7	89

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Leon	155	1	2	-	-	22	7	3	12	3	87	84	25	-	56	-
2	Liberty	242	1	-	-	3	29	8	4	17	3	108	104	14	-	80	-
3	Limestone	238	4	1	-	3	35	11	2	22	5	140	140	32	-	95	1
4	Lipscomb	28	1	-	-	-	5	2	-	3	1	16	16	2	-	13	-
5	Live Oak	62	2	-	-	1	9	3	1	5	1	25	23	8	-	15	-
6	Llano	54	1	-	-	-	8	1	2	5	-	25	25	5	-	18	1
7	Loving	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Lubbock	639	4	1	3	3	89	29	8	52	8	255	243	50	1	175	1
9	Lubbock	504	3	1	3	2	68	23	7	38	6	208	199	39	1	144	1
10	Balance of county	135	1	-	-	1	21	6	1	14	2	47	44	11	-	31	-
11	Lynn	82	-	-	-	-	10	2	1	7	-	45	43	8	-	30	-
12	McCulloch	119	2	-	-	2	21	5	1	15	3	70	70	16	-	52	2
13	McLennan	1,095	10	3	3	7	159	44	19	96	11	525	516	149	-	336	8
14	Waco	739	7	2	-	5	107	25	10	72	9	339	334	101	-	213	7
15	Balance of county	356	3	1	3	2	52	19	9	24	2	186	182	48	-	123	1
16	McMullen	8	-	-	-	-	1	-	1	-	-	4	4	2	-	2	-
17	Madison	69	3	1	-	-	10	2	2	6	4	34	33	8	-	22	-
18	Marion	98	1	-	-	-	9	4	1	4	1	49	49	9	-	37	2
19	Martin	48	-	-	-	-	2	1	1	-	-	20	20	5	-	14	-
20	Mason	48	1	-	-	-	3	1	1	1	-	29	25	4	-	18	-
21	Matagorda	199	-	-	-	2	40	14	5	21	3	77	75	18	1	54	-
22	Maverick	102	7	-	-	-	10	3	1	6	3	33	33	6	1	22	-
23	Medina	155	8	-	-	-	24	11	1	12	-	60	57	9	-	46	-
24	Menard	30	1	-	-	-	1	-	-	1	1	19	19	7	-	12	-
25	Midland	210	1	2	4	3	32	2	6	24	2	76	75	18	1	50	1
26	Midland	193	1	2	4	3	29	2	5	22	2	67	66	17	1	43	1
27	Balance of county	17	-	-	-	-	3	-	1	2	-	9	9	1	-	7	-
28	Milam	283	3	-	-	9	35	15	5	15	1	147	143	29	-	101	2
29	Mills	46	-	-	-	-	9	3	4	2	2	23	23	7	-	15	-
30	Mitchell	87	2	-	1	1	12	2	2	8	2	35	34	7	-	21	-
31	Montague	165	2	1	-	2	24	5	4	15	7	80	79	22	-	52	2
32	Montgomery	228	3	2	-	5	30	6	3	21	-	95	93	23	-	59	-
33	Moore	51	-	-	1	-	7	-	2	5	2	20	20	1	-	16	-
34	Morris	85	1	-	-	-	11	3	1	7	2	41	41	8	1	31	-
35	Motley	31	1	-	-	-	8	7	-	1	1	10	9	5	-	3	-
36	Nacogdoches	258	6	-	-	2	39	15	3	21	3	119	116	35	-	69	-
37	Nacogdoches	127	2	-	-	1	21	7	3	11	1	60	59	17	-	38	-
38	Balance of county	131	4	-	-	1	18	8	-	10	2	59	57	18	-	31	-
39	Navarro	435	5	-	-	4	49	12	6	31	5	251	246	84	1	140	2
40	Corsicana	238	4	-	-	1	23	4	3	16	2	149	146	56	1	79	1
41	Balance of county	197	1	-	-	3	26	8	3	15	3	102	100	28	-	61	1
42	Newton	76	1	-	-	-	11	4	2	5	3	29	26	7	-	17	1
43	Nolan	144	-	-	-	-	21	7	-	14	2	72	68	16	-	50	-
44	Sweetwater	111	-	-	-	-	16	6	-	10	2	56	52	11	-	39	-
45	Balance of county	33	-	-	-	-	5	1	-	4	-	16	16	5	-	11	-
46	Nueces	1,155	28	5	5	16	147	37	24	86	10	426	418	73	1	319	8
47	Corpus Christi	843	19	5	5	6	111	28	20	63	6	331	327	55	1	251	6
48	Balance of county	312	9	-	-	10	36	9	4	23	4	95	91	18	-	68	2
49	Ochiltree	46	-	-	-	1	8	2	1	5	-	26	25	8	-	16	-
50	Oldham	17	-	-	-	-	3	1	-	2	-	8	8	1	-	6	-
51	Orange	254	-	2	1	2	36	10	5	21	3	109	105	25	-	75	1
52	Orange	151	-	2	1	1	18	4	2	12	3	66	64	15	-	47	-
53	Balance of county	103	-	-	-	1	18	6	3	9	-	43	41	10	-	28	1
54	Palo Pinto	210	-	2	-	-	27	7	1	19	2	118	115	34	-	75	2
55	Panola	140	1	-	-	-	20	5	2	13	1	77	75	23	-	48	1
56	Parker	201	1	-	-	1	32	9	4	19	8	107	103	26	-	61	2
57	Parmer	44	-	-	-	-	6	1	1	4	-	14	13	4	-	9	1
58	Pecos	78	4	-	-	1	10	3	-	7	-	32	32	9	-	18	1
59	Polk	153	-	-	1	1	22	7	1	14	2	81	76	22	1	48	1
60	Potter	618	2	3	1	4	90	26	17	47	4	277	264	53	-	188	6
61	Amarillo (part)	584	2	3	1	4	84	23	15	46	4	266	254	51	-	180	6
62	Amarillo (total)	618	2	3	1	4	91	27	15	49	4	273	261	52	-	184	6
63	Balance of county	34	-	-	-	-	6	3	2	1	-	11	10	2	-	8	-
64	Presidio	49	2	-	-	-	10	1	-	9	-	14	14	2	-	12	-
65	Rains	30	-	-	-	1	5	1	-	4	-	19	19	7	-	11	-
66	Randall	77	-	-	1	-	13	7	1	5	-	34	33	3	-	28	1
67	Amarillo (part)	34	-	-	-	-	7	4	-	3	-	7	7	1	-	4	-
68	Balance of county	43	-	-	1	-	6	3	1	2	-	27	26	2	-	24	1
69	Reagan	25	1	-	-	-	4	2	1	1	-	9	8	2	-	6	-
70	Real	23	-	-	-	1	4	1	-	3	-	9	9	2	-	7	-
71	Red River	209	2	-	-	1	27	6	3	18	-	128	125	39	2	78	2
72	Reeves	102	2	-	-	-	11	2	-	9	2	29	27	6	-	19	1
73	Refugio	93	1	-	-	1	12	1	2	9	2	42	40	12	-	24	-
74	Roberts	3	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
75	Robertson	202	5	1	-	2	22	7	3	12	2	91	84	18	-	61	1
76	Rockwall	70	2	1	-	3	7	3	-	4	2	38	37	11	-	21	1
77	Runnels	136	2	1	-	1	12	2	1	9	-	79	76	26	-	48	3
78	Rusk	319	3	1	-	-	40	12	5	23	3	164	160	27	-	119	-
79	Sabine	52	-	2	-	-	8	2	3	3	1	28	28	4	-	24	1
80	San Augustine	76	4	-	-	-	8	2	-	6	2	40	39	13	-	22	1
81	San Jacinto	45	-	-	-	-	7	4	1	2	-	28	28	13	-	13	-
82	San Patricio	319	11	1	1	14	34	11	7	16	4	104	99	21	-	71	-
83	San Saba	59	3	-	-	-	13	6	1	6	-	19	18	4	-	11	-
84	Schleicher	23	1	-	-	-	3	1	-	2	-	7	7	1	-	6	-
85	Scurry	106	2	-	1	1	12	2	-	10	1	39	39	6	-	31	-
86	Snyder	79	2	-	1	1	8	1	-	7	-	28	28	3	-	23	-
87	Balance of county	27	-	-	-	-	4	1	-	3	1	11	11	3	-	8	-
88	Shackelford	57	-	-	-	-	13	4	1	8	1	25	25	9	-	15	-
89	Shelby	219	2	1	-	2	27	3	3	21	7	116	113	23	-	83	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
31	11	14	1	2	-	3	6	-	-	-	-	-	-	3	10	3	5	-	1	12	1
52	13	15	3	6	1	4	8	1	3	-	-	-	5	13	13	14	17	4	3	17	2
64	11	19	2	9	2	-	10	1	2	1	-	-	1	8	7	3	7	-	2	8	3
12	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	4
10	-	5	-	-	-	2	7	-	-	1	-	-	1	1	9	-	-	-	-	5	5
14	-	3	1	1	-	-	1	1	-	-	-	-	1	-	3	6	3	-	-	5	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
148	14	12	4	12	1	12	27	4	25	5	2	-	13	60	11	29	33	10	12	45	8
122	12	9	4	10	1	9	19	4	14	4	1	-	10	47	6	23	24	8	11	42	9
26	2	3	-	2	-	3	8	-	11	1	1	-	3	13	5	6	9	2	1	3	10
22	1	7	2	1	2	2	1	-	5	-	-	-	1	-	1	7	1	1	2	8	11
36	9	5	-	2	-	-	2	1	2	-	1	-	1	4	2	2	1	-	1	4	12
243	46	39	7	13	11	9	40	6	12	7	3	2	11	60	55	33	31	9	21	87	13
149	29	28	6	10	4	5	28	6	10	7	1	2	7	49	38	22	21	6	14	59	14
94	17	11	1	3	7	4	12	-	2	-	2	-	4	11	17	11	10	3	7	28	15
1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	16
12	2	8	-	3	-	1	3	-	3	2	1	-	1	-	-	1	1	-	-	5	17
22	2	11	-	1	2	-	6	1	-	1	-	2	-	4	4	3	7	1	2	7	18
9	-	5	-	1	-	-	2	1	3	1	-	-	1	3	1	4	5	1	1	3	19
7	2	9	2	-	1	4	-	-	1	-	-	1	1	1	1	2	3	-	1	4	20
18	9	27	-	1	1	2	5	1	1	-	-	1	5	20	6	9	10	2	2	15	21
16	2	4	-	4	-	-	9	-	5	2	2	1	5	9	1	5	5	1	1	3	22
29	5	12	1	1	-	3	9	1	6	-	1	-	2	10	6	11	7	1	1	8	23
10	1	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	1	1	-	1	24
38	7	4	2	2	2	1	2	1	1	3	-	1	2	19	3	19	17	7	4	11	25
34	5	3	1	2	2	1	2	1	1	3	-	1	2	19	2	18	17	4	4	11	26
4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-	27
62	8	29	3	6	4	4	7	-	-	2	-	2	1	10	22	7	12	2	2	21	28
14	-	1	-	1	-	-	-	-	1	-	-	-	-	2	1	3	1	3	-	1	29
17	1	3	2	3	1	1	3	-	1	-	-	-	1	7	2	4	6	-	-	10	30
38	4	8	2	3	-	1	5	-	-	2	-	-	-	3	6	8	8	2	-	15	31
37	6	16	4	5	2	2	12	-	2	1	2	-	1	14	8	18	8	5	5	17	32
15	-	1	2	-	1	-	1	-	1	-	-	-	2	6	2	7	-	1	1	-	33
20	2	9	1	-	-	-	2	-	2	-	-	-	1	3	3	8	4	1	2	4	34
3	-	-	-	1	-	1	1	-	2	1	-	-	-	2	-	1	1	1	-	2	35
45	8	16	5	5	2	3	17	-	1	3	-	2	3	14	10	9	7	1	1	21	36
27	3	8	2	1	1	1	9	-	-	-	-	1	3	8	-	6	2	-	1	12	37
18	5	8	3	4	1	2	8	-	1	3	-	1	-	6	10	3	5	1	-	9	38
89	23	26	7	10	4	5	16	1	3	4	1	1	1	14	15	9	19	2	4	31	39
46	10	22	4	4	2	3	9	1	2	1	-	1	-	8	6	4	9	1	1	16	40
43	13	4	3	6	2	2	7	-	1	3	1	-	1	6	9	5	10	1	3	15	41
10	1	5	2	-	-	3	6	-	1	1	1	-	-	3	4	9	1	1	-	5	42
43	2	5	-	2	-	4	6	-	5	-	1	-	2	-	3	7	6	1	1	17	43
36	1	2	-	2	-	4	4	-	3	-	1	-	2	-	2	5	4	1	1	14	44
7	1	3	-	-	-	-	2	-	2	-	-	-	-	-	1	2	2	-	-	3	45
231	28	52	5	16	4	8	48	8	17	18	5	4	35	131	21	59	57	12	11	92	46
185	23	37	4	13	3	4	32	7	10	16	4	2	25	87	13	38	36	7	7	76	47
46	5	15	1	3	1	4	16	1	7	2	1	2	10	44	8	21	21	5	4	16	48
15	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	4	3	-	-	3	49
5	-	1	-	1	-	-	1	-	-	-	1	1	-	1	1	-	-	-	-	1	50
54	5	15	1	3	1	4	6	-	1	3	-	-	3	30	6	14	17	2	-	19	51
32	4	11	1	1	-	2	4	-	-	3	-	-	3	18	4	9	6	2	-	11	52
22	1	4	-	2	1	2	2	-	1	-	-	-	-	12	2	5	11	-	-	8	53
47	7	19	1	4	1	3	4	1	-	1	2	-	-	21	7	5	6	-	-	14	54
34	5	8	1	1	2	2	3	1	1	2	1	-	3	8	4	8	4	-	-	6	55
39	9	11	3	9	4	4	6	-	1	1	-	-	1	2	6	8	7	1	-	19	56
7	-	1	-	-	-	1	1	-	2	1	-	1	2	4	-	7	3	1	-	2	57
17	-	-	-	2	3	-	2	-	1	-	-	-	2	7	2	4	2	3	1	7	58
25	9	13	3	1	1	5	3	1	-	-	-	-	1	7	6	8	3	3	3	11	59
135	16	31	7	10	6	13	18	7	5	3	2	1	14	62	11	24	24	13	5	48	60
129	16	29	7	10	6	12	17	7	5	3	2	1	14	56	10	24	20	11	4	46	61
131	16	31	7	12	6	12	17	7	5	4	2	1	16	62	12	26	23	11	4	50	62
6	-	2	-	-	-	1	1	-	-	-	-	-	-	6	1	-	4	2	1	2	63
6	3	3	-	-	-	-	2	-	1	2	-	-	-	-	5	2	5	1	-	5	64
7	1	3	-	1	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	65
18	5	4	-	2	-	1	-	-	-	1	-	-	4	6	2	4	3	-	-	9	66
2	-	2	-	2	-	-	-	-	-	1	-	-	2	6	2	2	3	-	-	4	67
16	5	2	-	-	-	1	-	-	-	-	-	-	2	-	-	2	-	-	-	5	68
6	-	-	-	-	-	1	1	-	-	1	-	-	1	3	-	3	-	1	1	-	69
5	1	1	-	-	-	-	1	1	-	-	-	-	-	-	1	1	1	3	-	1	70
43	23	10	5	-	1	3	6	2	2	2	2	1	-	3	2	6	9	3	-	13	71
11	3	4	-	2	-	2	2	1	9	1	1	1	2	6	2	10	12	-	2	9	72
16	3	5	1	3	-	2	4	-	3	1	-	-	2	5	1	4	7	-	1	7	73
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	74
32	11	17	-	4	1	7	5	-	5	-	6	1	1	12	17	7	6	-	3	16	75
13	2	5	1	2	2	1	1	-	-	-	-	2	-	3	2	2	1	-	3	3	76
36	7	2	2	-	-	3	9	1	1	2	-	-	-	8	3	5	3	2	1	6	77
72	23	24	6	5	3	4	12	1	1	3	1	-	1	15	14	24	14	2	4	16	78
14	4	5	-	-	-	-	1	-	-	1	-	-	-	2	1	2	3	-	1	2	79
14	5	2	1	2	1	1	4	-	-	-	-	-	1	4	2	4	4	-	-	3	80
5	-	8	2	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	4	81
50	8	13	3	3	1	5	11	2	11	4	-	1	8	25	8	26	26	-	5	23	82
10	-	1	1	1	1	1	2	-	-	-	-	-	1	-	7	4	4	-	-	6	83
5	1	-	-	-	-	-	-	-	2	-	-	-	1	1	1	4	2	-	1	-	84
21	6	4	1	1	-	-	1	-	2	1	-	1	4	5	-	18	4	1	1	12	85
15	4	4	1	1	-	-	-	-	2	1	-	-	2	5	-	17	2	1	1	8	86
6	2	-	-	-	-	-	1	-	-	-	-	1	2	-	-	1	2	-	-	4	87
10	4	1	-	-	1	-	3	1	-	-	1	-	1	2	-	2	6	-	-	2	88
61	11	10	2	3	2	3	10	1	-	-	-	-	2	5	11	7	7	1	4	16	89

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Sherman	23	-	-	-	-	6	2	-	4	-	13	13	4	-	9	2
2	Smith	626	12	3	-	2	105	35	16	54	6	291	279	68	2	181	8
3	Tyler	349	9	2	-	1	70	28	13	29	5	160	154	36	1	103	4
4	Balance of county	277	3	1	-	1	35	7	3	25	1	131	125	32	1	78	4
5	Somervell	27	1	-	-	-	2	-	-	2	-	20	20	4	-	15	2
6	Starr	78	-	-	-	2	10	3	1	6	1	23	23	5	-	17	-
7	Stephens	115	1	-	-	-	12	4	2	6	5	56	53	12	-	39	1
8	Sterling	9	-	-	-	-	-	-	-	-	-	3	3	-	-	3	-
9	Stonewall	34	-	-	-	-	2	2	-	-	-	13	13	5	-	8	-
10	Sutton	24	-	-	-	-	3	1	-	2	1	11	11	1	-	8	-
11	Swisher	53	-	-	-	-	7	1	1	5	1	18	18	4	-	14	2
12	Tarrant	3,280	25	14	3	16	489	148	53	288	43	1,640	1,595	349	4	1,147	21
13	Fort Worth	2,642	20	10	3	13	409	116	51	242	35	1,323	1,284	290	3	912	17
14	White Settlement	40	1	-	-	-	9	2	-	7	-	9	9	1	-	6	-
15	Balance of county	598	4	4	-	3	71	30	2	39	8	308	302	58	1	229	4
16	Taylor	486	4	4	-	3	70	20	7	43	6	235	233	61	-	159	2
17	Abilene	400	1	3	-	2	57	14	6	37	6	196	194	53	-	132	2
18	Balance of county	86	3	1	-	1	13	6	1	6	-	39	39	8	-	27	-
19	Terrell	9	-	-	-	-	-	-	-	-	-	4	4	2	-	-	-
20	Terry	90	-	2	-	1	14	4	1	9	3	23	22	5	-	14	2
21	Throckmorton	25	-	-	-	-	4	1	1	2	-	12	12	4	-	7	-
22	Titus	156	2	-	1	2	14	7	-	7	1	76	74	15	-	57	-
23	Tom Green	426	7	3	1	2	64	15	9	40	6	187	184	44	1	126	3
24	San Angelo	390	7	2	1	2	59	13	8	38	5	167	165	38	1	114	3
25	Balance of county	36	-	1	-	-	5	2	1	2	1	20	19	6	-	12	-
26	Travis	1,176	14	1	-	6	157	48	19	90	17	596	580	159	1	376	8
27	Austin	1,052	13	1	-	6	149	47	18	84	11	538	524	143	1	341	8
28	Balance of county	124	1	-	-	-	8	1	1	6	6	58	56	16	-	35	-
29	Trinity	87	-	-	-	-	15	7	1	7	-	41	38	10	-	24	-
30	Tyler	97	1	-	-	4	16	9	4	3	1	45	44	10	-	31	3
31	Upshur	188	4	-	-	2	32	11	1	20	4	87	82	26	-	50	1
32	Upton	29	-	-	-	-	4	2	-	2	-	12	12	2	-	9	-
33	Uvalde	142	4	1	1	2	17	6	-	11	3	49	46	5	-	37	1
34	Val Verde	169	2	-	-	3	13	9	-	4	4	58	57	20	1	32	-
35	Del Rio	151	2	-	-	3	13	9	-	4	4	50	49	18	1	27	-
36	Balance of county	18	-	-	-	-	-	-	-	-	-	8	8	2	-	5	-
37	Van Zandt	199	1	-	-	-	40	11	5	24	3	104	98	25	1	60	1
38	Victoria	253	4	1	1	3	27	12	2	13	4	108	104	21	-	77	-
39	Victoria	183	3	1	1	2	23	9	2	12	3	75	72	16	-	51	-
40	Balance of county	70	1	-	-	1	4	3	-	1	1	33	32	5	-	26	-
41	Walker	158	3	-	-	-	14	7	2	5	1	76	73	9	-	60	-
42	Waller	98	-	-	-	2	16	11	-	5	1	49	49	23	1	24	1
43	Ward	95	2	1	-	1	11	-	2	9	1	38	37	7	-	28	-
44	Washington	219	3	1	1	3	33	14	6	13	3	115	112	28	-	80	-
45	Webb	426	21	2	-	6	69	15	12	42	4	132	126	38	-	73	-
46	Laredo	408	21	2	-	5	68	14	12	42	4	129	124	37	-	72	-
47	Balance of county	18	-	-	-	1	1	1	-	-	-	3	2	1	-	1	-
48	Wharton	253	2	-	-	5	36	13	2	21	1	128	125	41	-	79	1
49	Wheeler	71	1	-	-	1	10	3	4	3	1	35	34	7	-	25	3
50	Wichita	712	7	2	1	2	109	33	13	63	12	327	317	66	-	236	7
51	Wichita Falls	525	5	2	-	2	83	25	10	48	8	230	221	47	-	166	7
52	Balance of county	187	2	-	1	-	26	8	3	15	4	97	96	19	-	70	-
53	Wilbarger	137	1	-	-	1	24	8	4	12	1	65	61	22	-	36	-
54	Vernon	108	1	-	-	1	22	8	3	11	1	51	48	18	-	28	-
55	Balance of county	29	-	-	-	-	2	-	1	1	-	14	13	4	-	8	-
56	Willacy	167	2	1	1	16	13	5	1	7	3	41	40	9	1	27	1
57	Williamson	347	3	-	1	4	46	21	3	22	5	184	173	45	-	116	5
58	Wilson	140	4	2	-	-	18	5	2	11	1	68	67	19	-	47	1
59	Winkler	46	-	-	1	1	6	1	1	4	-	17	17	4	-	13	-
60	Wise	146	2	-	-	1	22	8	1	13	1	77	76	10	-	58	2
61	Wood	201	1	1	-	2	29	9	3	17	1	104	100	35	-	61	-
62	Yoakum	22	-	-	-	-	2	1	1	-	2	4	4	2	-	1	-
63	Young	165	-	2	-	1	27	5	5	17	5	75	74	19	-	50	5
64	Zapata	12	1	-	-	-	1	1	-	-	-	3	3	-	-	3	-
65	Zavala	79	3	2	-	-	12	3	-	9	1	18	16	3	-	12	-
66	UTAH	5,148	29	13	10	29	658	219	75	364	89	2,454	2,391	467	13	1,775	135
67	Metropolitan counties	2,876	23	11	7	15	385	125	53	207	45	1,350	1,317	248	9	980	85
68	Nonmetropolitan counties	2,272	6	2	3	14	273	94	22	157	44	1,104	1,074	219	4	795	50
69	Beaver	35	-	-	-	-	4	1	1	2	2	18	17	5	-	10	2
70	Box Elder	149	-	-	1	-	20	5	-	15	-	61	61	12	1	45	3
71	Cache	226	-	1	-	3	23	10	1	12	5	131	131	25	-	99	4
72	Logan	111	-	-	-	3	10	5	1	4	2	62	62	10	-	50	2
73	Balance of county	115	-	1	-	-	13	5	-	8	3	69	69	15	-	49	2
74	Carbon	163	-	1	-	-	29	12	6	11	2	64	57	13	1	40	4
75	Daggett	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76	Davis	198	1	-	-	1	28	12	2	14	4	87	86	15	-	68	4
77	Duchesne	49	-	-	-	-	10	6	-	4	1	19	18	2	-	16	-
78	Emery	50	-	-	-	-	4	2	-	2	1	28	25	6	-	17	1
79	Garfield	30	-	-	-	-	-	-	-	-	1	13	12	4	-	8	4
80	Grand	15	-	-	-	1	1	-	1	-	-	6	6	2	-	4	1
81	Iron	65	-	-	-	-	4	-	-	4	1	31	30	5	-	24	1
82	Juab	49	-	-	-	-	5	-	1	4	-	33	33	9	-	22	1
83	Kane	14	-	-	-	-	1	1	-	-	-	7	5	3	-	2	-
84	Millard	54	-	-	-	-	9	2	-	7	1	27	27	11	-	13	1
85	Morgan	19	-	-	-	-	4	-	2	2	1	8	8	1	-	6	-
86	Piute	12	-	-	-	-	-	-	-	-	-	7	7	4	-	3	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of cir-cula-tory sys-tem 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-form-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
4	1	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	1
125	34	14	7	15	6	12	19	4	3	1	2	3	5	37	13	34	25	7	12	42	2
77	16	6	3	7	4	6	9	3	2	1	-	1	1	21	3	20	10	2	5	24	3
48	18	8	4	8	2	6	10	1	1	-	2	2	4	16	10	14	15	5	7	18	4
10	2	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	5
15	-	2	1	-	-	-	6	-	3	2	1	-	-	3	6	4	11	1	3	2	6
29	3	6	1	1	-	3	2	1	-	1	1	-	1	3	9	6	7	4	-	6	7
2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	2	8
4	3	1	-	-	-	-	-	1	-	-	-	-	1	2	3	4	5	-	1	2	9
6	2	-	1	1	-	-	-	-	-	1	-	-	2	1	1	1	1	1	1	-	10
10	1	1	-	-	-	-	-	2	-	-	1	1	2	8	-	5	3	1	-	4	11
876	111	139	26	49	20	45	67	20	18	22	2	5	61	232	71	67	158	46	68	213	12
708	87	100	20	41	18	39	55	14	15	20	2	4	47	176	50	52	131	37	56	170	13
5	1	-	1	1	-	-	1	1	-	-	-	-	-	6	1	2	3	1	1	5	14
163	23	39	5	7	2	6	11	5	3	2	-	1	14	50	20	13	24	8	11	38	15
116	17	24	-	8	5	2	6	5	4	4	1	-	5	26	12	27	17	7	4	46	16
94	15	21	-	6	3	2	5	2	4	3	1	-	5	25	5	24	13	5	3	40	17
22	2	3	-	2	2	-	1	3	-	1	-	-	-	1	7	3	4	2	1	6	18
-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	2	19
9	3	-	-	2	1	1	2	1	8	1	1	-	-	12	5	3	2	-	1	11	20
6	-	1	1	-	-	-	2	-	-	2	-	-	1	-	-	2	1	-	-	1	21
32	10	15	1	-	1	2	4	-	1	2	1	-	3	7	3	7	10	3	-	19	22
91	12	20	3	9	1	3	16	1	1	5	-	3	4	39	15	11	14	7	5	35	23
81	12	18	2	9	1	2	16	1	1	5	-	2	3	37	14	11	13	6	5	33	24
10	-	2	1	-	-	1	-	-	-	-	-	1	1	2	1	-	1	1	-	2	25
278	36	54	7	22	15	16	22	6	17	9	1	3	27	72	23	31	59	12	7	96	26
251	31	51	6	18	15	14	21	4	15	9	1	3	24	67	18	25	46	9	7	85	27
27	5	3	1	4	-	2	1	2	2	-	-	-	3	5	5	6	13	3	-	11	28
13	4	7	-	3	1	3	7	-	-	-	-	-	1	3	4	1	2	-	2	11	29
24	2	2	1	2	-	1	1	-	-	1	-	-	-	10	-	7	6	1	-	4	30
32	3	14	1	4	1	5	11	1	1	1	-	2	4	7	5	11	5	1	2	8	31
7	2	-	-	-	1	-	1	-	2	-	-	-	-	1	2	3	2	-	-	2	32
25	4	7	-	4	-	3	12	1	6	1	3	-	-	9	6	7	11	-	-	9	33
19	5	8	-	4	-	1	10	1	4	2	-	-	5	13	3	16	21	1	1	12	34
15	5	7	-	3	-	1	10	1	4	2	-	-	5	13	3	11	17	1	-	12	35
4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	5	4	-	1	-	36
41	2	16	3	6	3	6	6	-	-	-	-	1	2	6	3	8	7	1	3	14	37
48	9	20	2	2	2	4	6	-	7	2	-	-	8	25	7	16	17	3	1	13	38
32	6	13	2	1	2	3	6	-	6	2	-	-	6	20	6	8	8	2	1	10	39
16	3	7	-	1	-	1	-	-	1	-	-	-	2	5	1	8	9	1	-	3	40
47	2	11	1	3	-	3	3	1	2	2	-	-	1	2	21	10	3	-	4	15	41
10	4	9	1	-	-	-	2	-	2	-	-	-	1	5	7	2	2	3	1	5	42
23	1	4	2	-	-	1	2	1	1	-	1	-	4	5	2	13	8	-	1	3	43
32	14	34	1	2	1	3	7	1	1	2	-	-	-	5	11	3	8	2	2	18	44
52	8	13	2	6	7	6	25	-	12	3	1	4	6	51	14	10	26	3	1	36	45
51	8	13	2	6	7	5	25	-	11	3	1	4	5	49	13	9	20	3	1	35	46
1	-	-	-	-	-	1	-	-	1	-	-	-	1	2	1	1	6	-	-	1	47
47	13	18	-	4	1	3	7	-	2	3	1	-	3	15	8	9	16	2	2	13	48
14	2	6	-	1	1	1	4	2	1	-	-	-	3	1	-	1	5	1	1	4	49
164	28	37	1	9	5	10	16	1	4	7	1	-	15	60	19	29	32	9	7	52	50
107	24	28	1	7	-	9	12	1	3	7	-	-	12	51	16	19	26	6	6	36	51
57	4	9	-	2	5	1	4	-	1	-	1	-	3	9	3	10	6	3	1	16	52
32	2	2	2	-	1	4	6	1	1	1	1	-	2	4	6	6	5	2	-	10	53
26	1	1	1	-	1	3	3	1	1	1	1	-	1	3	4	5	3	1	-	8	54
6	1	1	1	-	-	1	3	-	-	-	-	-	1	1	2	1	2	1	-	2	55
18	2	6	-	-	3	1	17	-	13	-	-	2	3	9	4	9	17	1	2	13	56
67	16	28	3	6	3	11	10	1	3	3	-	-	7	14	16	11	11	1	2	25	57
25	8	13	1	-	-	1	7	-	2	2	-	-	4	6	6	3	5	1	-	11	58
8	2	3	-	-	-	-	1	-	-	-	-	-	3	3	1	5	2	1	-	5	59
35	6	15	-	8	-	1	6	1	-	1	-	-	-	1	5	8	6	3	-	12	60
39	7	15	2	2	-	4	11	3	-	1	-	1	1	2	1	7	15	1	1	19	61
-	-	1	1	-	-	-	2	-	-	-	-	-	-	3	3	2	2	-	-	2	62
31	1	13	1	3	1	1	5	1	-	1	6	-	3	9	7	3	6	-	1	13	63
1	-	2	-	-	-	-	2	-	-	-	-	-	-	1	-	1	1	-	1	1	64
7	2	3	-	1	-	2	4	-	4	-	1	-	-	11	9	3	6	-	1	4	65
1,138	230	272	20	71	45	63	105	34	23	45	16	6	111	285	312	211	254	57	16	391	66
659	119	117	7	43	30	33	61	19	14	26	7	3	64	147	226	102	105	34	11	221	67
479	111	155	13	28	15	30	44	15	9	19	9	3	47	138	86	109	149	23	5	170	68
6	1	1	1	1	-	1	-	-	1	-	-	-	-	-	2	4	1	-	-	3	69
34	2	6	2	-	1	-	4	1	2	1	-	-	4	9	8	9	14	1	1	13	70
53	28	14	1	3	3	-	4	1	-	2	1	1	6	14	6	6	7	-	-	15	71
24	17	7	-	2	-	-	4	-	-	1	1	1	5	8	4	2	5	-	-	3	72
29	11	7	1	1	3	-	-	1	-	1	-	-	1	6	2	4	2	-	-	12	73
25	5	6	-	1	2	7	2	1	-	3	1	-	1	10	6	10	15	6	-	12	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	75
46	11	7	1	1	1	1	1	1	-	2	-	-	6	16	10	10	14	5	-	12	76
12	3	1	-	-	-	1	-	1	-	-	-	-	1	6	4	2	3	-	-	2	77
7	1	8	1	-	1	3	1	-	1	-	-	-	2	1	1	-	5	-	-	6	78
3	1	-	-	-	-	1	-	-	-	-	-	-	1	2	1	4	4	-	-	4	79
3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	1	80
15	2	6	-	1	-	1	1	1	1	-	-	1	3	5	2	2	6	2	-	5	81
11	5	5	-	2	-	-	-	-	-	-	-	-	-	2	-	2	2	1	-	4	82
2	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	2	1	-	-	1	83
9	-	3	2	1	-	-	-	-	-	-	1	-	-	1	6	-	5	-	-	4	84
3	-	3	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	1	2	85
-	-	2	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	1	86

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	UTAH—Continued																
1	Rich	8	-	-	-	-	-	-	-	-	-	3	3	1	-	2	-
2	Salt Lake	2,254	18	8	7	8	307	103	41	163	38	1,038	1,010	200	7	743	69
3	Salt Lake City	1,675	12	4	3	5	232	78	32	122	30	794	775	160	3	564	53
4	Balance of county	579	6	4	4	3	75	25	9	41	8	244	235	40	4	179	16
5	San Juan	26	1	-	-	-	4	3	-	1	2	5	5	-	-	5	-
6	Sanpete	118	-	-	-	-	13	4	-	9	3	73	72	18	1	49	1
7	Sevier	89	-	-	1	2	10	3	1	6	2	41	40	13	-	24	1
8	Summit	49	1	-	-	-	7	-	1	6	1	21	21	1	-	19	-
9	Tooele	113	1	-	1	2	9	4	3	2	4	48	48	7	1	40	2
10	Uintah	87	1	-	-	-	11	5	1	5	1	30	29	3	-	24	2
11	Utah	525	1	-	-	4	66	22	2	42	11	269	263	48	-	205	15
12	Provo	167	-	-	-	2	23	9	1	13	6	83	82	12	-	66	6
13	Balance of county	358	1	-	-	2	43	13	1	29	5	186	181	36	-	139	9
14	Wasatch	56	-	-	-	1	6	2	-	4	-	35	35	3	-	30	2
15	Washington	66	-	-	-	-	4	-	-	4	1	37	33	7	-	19	-
16	Wayne	5	-	-	-	-	1	-	-	1	-	2	2	1	-	1	-
17	Weber	622	5	3	-	7	78	22	12	44	7	312	307	48	2	237	16
18	Ogden	500	5	3	-	6	64	20	10	34	4	257	253	39	1	194	14
19	Balance of county	122	-	-	-	1	14	2	2	10	3	55	54	9	1	43	2
20	VERMONT	4,032	52	5	6	14	635	239	60	336	59	2,223	2,193	493	2	1,530	38
21	Nonmetropolitan counties	4,032	52	5	6	14	635	239	60	336	59	2,223	2,193	493	2	1,530	38
22	Addison	191	1	-	-	1	29	7	3	19	2	99	98	17	-	73	3
23	Bennington	277	2	1	1	1	45	18	3	24	1	172	172	39	-	122	3
24	Caledonia	273	4	-	-	-	45	15	2	28	10	149	148	33	1	99	3
25	Chittenden	615	8	2	-	5	92	28	13	51	11	296	296	55	-	217	6
26	Burlington	327	5	1	-	2	52	14	7	31	8	146	146	31	-	103	2
27	Balance of county	288	3	1	-	3	40	14	6	20	3	150	150	24	-	114	4
28	Essex	77	-	1	-	-	12	6	-	6	-	39	38	14	-	21	-
29	Franklin	324	3	-	-	3	53	23	6	24	7	184	182	47	-	119	4
30	Grand Isle	28	-	-	-	-	4	3	-	1	1	17	16	3	-	9	-
31	Lamoille	118	-	-	1	-	18	10	2	6	1	72	72	22	1	45	-
32	Orange	160	-	-	-	-	27	6	2	19	-	91	87	21	-	56	-
33	Orleans	249	2	-	-	2	38	12	1	25	6	124	120	33	-	73	1
34	Rutland	527	8	1	1	-	70	24	8	38	1	320	314	55	-	242	4
35	Rutland	217	2	-	-	-	35	15	3	17	-	127	124	22	-	95	2
36	Balance of county	310	6	1	1	-	35	9	5	21	1	193	190	33	-	147	2
37	Washington	426	20	-	2	-	65	27	6	32	5	231	226	47	-	155	6
38	Barre	134	7	-	1	-	21	10	3	8	-	68	65	6	-	54	4
39	Balance of county	292	13	-	1	-	44	17	3	24	5	163	161	41	-	101	2
40	Windham	307	1	-	1	-	59	30	4	25	4	175	172	43	-	121	4
41	Windsor	460	3	-	-	2	78	30	10	38	10	254	252	64	-	178	4
42	VIRGINIA[8]	29,329	443	142	13	216	3,903	1,233	473	2,197	368	15,447	15,063	3,691	22	10,252	283
43	Metropolitan counties	10,361	152	66	6	72	1,468	429	209	830	134	5,395	5,291	1,226	2	3,691	106
44	Nonmetropolitan counties	18,968	291	76	7	144	2,435	804	264	1,367	234	10,052	9,772	2,465	20	6,561	177
45	Accomack	434	6	2	1	4	51	14	10	27	6	231	223	62	-	149	1
46	Albemarle	250	3	1	-	-	31	12	-	19	5	145	142	27	-	105	3
47	Alleghany	108	2	-	-	2	10	4	2	4	1	55	55	7	-	44	1
48	Amelia	89	1	-	-	-	10	5	1	4	1	52	50	20	-	27	-
49	Amherst	147	1	1	-	1	19	11	1	7	-	73	70	27	-	41	1
50	Appomattox	85	1	-	-	-	10	2	1	7	1	50	50	16	-	30	1
51	Arlington[3]	720	7	4	1	1	146	40	18	88	9	354	352	79	-	257	6
52	Augusta	302	6	2	-	4	41	15	2	24	5	170	166	31	-	124	5
53	Bath	60	-	-	-	-	9	6	-	3	-	35	31	6	-	23	-
54	Bedford	268	5	1	-	1	34	11	3	20	2	168	162	47	-	96	8
55	Bland	60	-	-	-	-	9	2	1	6	-	37	35	8	-	26	2
56	Botetourt	139	3	-	-	-	12	5	2	5	-	80	80	20	-	58	-
57	Brunswick	187	2	-	-	1	15	5	3	7	3	115	115	32	-	77	1
58	Buchanan	205	5	1	-	6	23	9	1	13	1	60	58	15	1	40	1
59	Buckingham	122	3	-	-	-	8	5	1	2	-	78	77	26	-	46	2
60	Campbell	233	1	-	-	1	35	9	4	22	5	126	124	43	1	73	1
61	Caroline	149	4	-	-	-	17	8	1	8	1	70	69	19	-	45	2
62	Carroll	178	2	-	-	1	12	3	-	9	1	99	92	17	-	73	1
63	Charles City	55	-	1	-	1	6	1	1	4	1	25	23	5	1	14	-
64	Charlotte	153	2	1	-	2	25	9	1	15	1	78	77	22	-	48	-
65	Chesterfield	319	6	-	-	3	50	16	6	28	6	181	179	42	-	122	3
66	Clarke	77	-	-	-	-	14	5	2	7	2	46	46	15	-	25	1
67	Craig	37	-	-	-	-	4	1	-	3	-	20	19	4	-	13	-
68	Culpeper	151	2	1	-	-	20	10	2	8	1	81	77	19	-	52	2
69	Cumberland	74	2	-	-	1	8	4	1	3	2	41	40	11	-	27	1
70	Dickenson	128	-	-	-	2	14	3	1	10	-	54	51	4	-	44	1
71	Dinwiddie	155	10	-	-	-	12	4	5	3	2	84	82	22	-	57	-
72	Essex	71	1	-	-	-	13	7	1	5	-	39	39	11	-	21	-
73	Fairfax	567	9	1	1	4	80	24	11	45	7	260	258	50	-	199	4
74	Fauquier	236	3	-	-	-	32	10	4	18	3	135	132	37	-	89	3
75	Floyd	84	3	1	-	-	9	2	-	7	-	50	49	17	-	28	-
76	Fluvanna	77	-	-	-	1	11	1	5	5	2	49	47	16	-	29	1
77	Franklin	201	1	1	-	4	27	11	1	15	6	99	95	29	-	60	1
78	Frederick	138	1	-	-	1	17	3	3	11	2	82	80	22	-	46	-
79	Giles	131	-	1	-	2	18	3	2	14	-	65	61	9	-	48	2
80	Gloucester	116	-	1	-	-	17	6	2	9	-	74	72	16	-	51	-
81	Goochland	96	-	-	-	2	10	3	2	5	1	55	53	17	-	34	3

[3]Classified as urban under a special rule.
[8]Independent cities have the same status as counties and are listed after counties.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1
502	81	91	5	35	20	28	50	15	13	18	4	2	47	112	196	87	82	29	8	167	2
390	57	64	5	28	15	19	32	12	7	13	2	1	31	65	161	65	56	20	7	123	3
112	24	27	-	7	5	9	18	3	6	5	2	1	16	47	35	22	26	9	1	44	4
3	-	2	-	-	-	-	2	-	1	-	-	-	-	-	2	2	5	-	-	2	5
23	10	15	-	3	1	1	-	1	-	2	-	-	-	4	10	4	3	-	-	5	6
15	2	6	1	2	-	1	4	1	-	-	-	-	2	4	4	-	5	3	-	10	7
12	3	4	-	1	-	-	-	-	-	2	-	-	1	-	1	-	6	-	-	9	8
26	5	7	-	-	-	-	6	1	1	-	1	-	2	9	1	12	9	-	-	6	9
7	3	12	-	1	1	1	3	-	1	2	-	-	3	8	5	6	10	1	-	5	10
128	23	39	3	4	3	6	12	3	-	4	3	1	12	36	13	28	20	4	2	36	11
48	2	10	-	4	-	1	3	1	-	3	1	-	6	10	5	6	5	-	1	12	12
80	21	29	3	-	3	5	9	2	-	1	2	1	6	26	8	22	15	4	1	24	13
25	1	2	-	1	1	-	2	-	1	-	-	-	-	3	1	2	4	-	-	1	14
8	5	6	1	5	1	4	1	1	-	1	1	-	1	3	2	3	3	-	1	7	15
1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	16
157	38	26	2	8	10	5	11	4	1	8	3	1	17	35	30	15	23	5	3	54	17
125	34	21	2	8	9	4	8	3	1	7	2	-	11	27	22	12	16	4	3	45	18
32	4	5	-	-	1	1	3	1	-	1	1	1	6	8	8	3	7	1	-	9	19
1,122	146	224	37	105	26	30	109	31	19	38	6	-	56	145	81	54	136	71	6	286	20
1,122	146	224	37	105	26	30	109	31	19	38	6	-	56	145	81	54	136	71	6	286	21
47	6	17	1	5	2	1	6	3	1	4	1	-	1	10	1	6	7	2	-	17	22
98	8	13	1	7	3	-	6	2	2	5	-	-	4	5	2	-	3	9	-	16	23
71	15	10	4	11	-	1	3	1	-	-	2	-	3	6	10	6	8	8	-	18	24
166	21	24	8	13	3	-	19	7	3	6	-	-	13	36	25	13	18	13	1	47	25
75	13	13	4	7	1	-	9	4	1	2	-	-	9	23	19	4	12	4	1	25	26
91	8	11	4	6	2	-	10	3	2	4	-	-	4	13	6	9	6	9	-	22	27
16	1	4	1	2	-	1	3	1	-	3	-	-	2	2	-	1	9	1	-	3	28
88	10	17	-	14	2	2	8	3	-	1	-	-	5	9	4	5	9	3	2	25	29
7	-	2	-	4	-	1	1	-	-	-	-	-	-	-	-	-	3	-	-	2	30
29	4	12	-	4	-	-	2	-	1	-	-	-	-	6	-	-	8	1	-	8	31
45	3	8	1	8	1	4	9	2	1	-	-	-	3	4	1	1	4	4	-	13	32
60	5	7	2	11	1	4	8	2	2	1	2	-	5	14	2	4	11	2	-	24	33
194	18	26	8	3	6	6	10	3	3	5	-	-	6	12	22	10	23	8	1	23	34
80	7	6	2	2	3	3	5	2	3	3	-	-	-	4	11	5	10	3	-	7	35
114	11	20	6	1	3	3	5	1	-	2	-	-	6	8	11	5	13	5	1	16	36
107	22	20	5	16	3	5	11	-	-	7	-	-	7	20	4	2	11	6	1	34	37
30	7	13	2	3	-	3	3	-	-	2	-	-	3	14	1	-	1	2	-	11	38
77	15	7	3	13	3	2	8	-	-	5	-	-	4	6	3	2	10	4	1	23	39
80	10	27	4	3	1	3	7	2	1	2	1	-	3	5	7	2	9	8	1	19	40
114	23	37	2	4	4	2	16	5	5	4	-	-	4	16	3	4	13	6	-	37	41
6,259	1,899	1,811	257	613	228	384	883	136	187	204	58	59	471	1,766	307	775	1,243	371	314	2,023	42
2,375	689	521	83	209	80	104	278	56	62	112	21	23	202	685	81	212	401	109	118	708	43
3,884	1,210	1,290	174	404	148	280	605	80	125	92	37	36	269	1,081	226	563	842	262	196	1,315	44
86	21	41	3	5	4	8	8	1	5	4	-	1	5	26	4	8	32	7	6	26	45
63	18	21	-	9	1	3	6	-	1	2	1	-	2	11	3	6	12	2	3	16	46
25	14	4	2	1	1	-	1	-	-	2	1	1	1	6	-	6	9	1	1	9	47
23	1	3	2	-	1	2	5	-	3	-	-	-	1	1	-	3	4	1	-	7	48
30	7	3	-	2	-	3	4	-	-	1	-	1	3	7	-	2	8	4	-	22	49
10	15	4	1	1	2	-	5	1	-	-	-	1	-	1	-	3	2	4	1	5	50
194	41	16	4	2	10	2	11	3	4	4	-	2	11	37	5	12	45	11	2	51	51
82	14	23	2	7	2	4	12	2	2	1	-	-	3	6	2	11	8	2	-	25	52
9	7	7	-	2	-	4	4	-	1	-	-	-	1	2	-	1	3	-	-	4	53
47	23	18	4	7	8	6	10	-	1	3	-	-	1	11	1	-	8	2	2	18	54
11	2	11	-	-	1	2	1	-	1	-	-	-	-	1	-	5	1	-	-	5	55
36	5	17	-	2	-	-	2	-	-	3	-	-	6	6	-	4	6	2	1	14	56
54	11	11	-	5	1	-	6	-	1	1	-	1	1	14	1	7	7	5	2	5	57
19	13	7	1	1	-	2	10	-	6	4	-	-	7	20	13	7	18	5	2	17	58
28	9	7	2	1	2	1	4	1	-	-	-	-	2	7	-	4	3	-	-	12	59
49	8	15	2	4	1	2	3	2	1	1	-	-	6	11	5	3	13	7	1	12	60
20	7	16	1	4	-	1	7	-	1	-	1	-	3	7	5	12	9	1	-	11	61
37	7	28	-	1	1	7	10	2	-	-	1	1	8	8	2	7	5	5	4	10	62
9	1	4	1	2	-	2	1	-	-	-	3	1	-	5	1	-	5	-	2	3	63
23	6	19	2	5	-	1	4	-	1	1	-	-	1	10	7	4	2	1	3	10	64
86	17	16	4	9	2	2	3	-	1	5	-	-	5	15	3	6	11	8	1	15	65
15	5	4	2	3	1	-	1	-	1	-	-	-	1	3	1	2	2	2	-	2	66
7	-	6	-	2	-	1	-	-	-	-	-	-	-	3	-	1	4	2	-	3	67
28	10	12	1	3	2	4	5	1	1	-	-	-	3	9	-	6	10	3	-	8	68
18	1	7	1	1	-	1	2	-	1	-	-	-	-	6	1	2	4	1	-	3	69
21	16	6	1	2	-	3	6	-	2	-	2	1	-	17	5	3	9	1	-	12	70
36	12	9	1	1	1	2	4	1	1	-	2	-	1	7	2	4	12	-	2	11	71
13	4	4	3	4	-	-	1	1	-	-	-	-	1	2	2	2	2	-	1	6	72
143	31	21	3	3	3	2	12	3	3	11	-	1	21	48	5	26	20	10	6	39	73
48	20	18	1	3	2	3	14	1	-	-	-	1	1	8	2	9	7	1	1	18	74
14	7	7	2	-	2	1	1	-	-	-	-	1	2	2	1	2	5	2	3	2	75
15	3	10	-	2	-	2	3	-	-	-	-	-	-	3	1	1	2	2	-	2	76
28	16	15	2	3	1	4	9	2	-	2	-	-	3	10	2	7	9	4	2	13	77
31	3	12	2	6	4	2	4	-	-	-	-	-	-	12	-	5	4	2	-	8	78
31	4	11	-	3	1	4	8	1	1	1	-	-	-	11	3	3	3	3	2	8	79
26	12	13	2	2	1	2	2	1	3	1	1	-	2	1	-	2	5	-	1	5	80
13	5	13	1	1	-	2	2	-	-	-	-	-	3	6	1	6	5	1	-	4	81

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	VIRGINIA[a]—Continued																
1	Grayson	188	2	1	-	2	24	11	2	11	1	95	91	28	1	60	2
2	Greene	63	-	-	-	1	8	2	-	6	2	32	32	13	-	19	-
3	Greensville	156	3	-	-	3	17	8	-	9	2	84	83	32	-	47	2
4	Halifax	367	5	2	-	2	38	14	3	21	3	187	185	59	1	113	4
5	Hanover	235	4	2	1	-	26	7	3	16	2	133	132	31	1	90	-
6	Henrico	398	6	2	-	2	63	15	10	38	5	211	210	45	1	149	6
7	Henry	235	5	-	-	1	24	4	2	18	6	111	108	18	1	77	1
8	Highland	34	-	-	-	-	7	2	2	3	-	19	19	8	-	9	1
9	Isle of Wight	137	3	2	-	1	16	5	-	11	2	63	61	17	-	38	2
10	James City	81	-	-	-	-	9	4	-	5	-	43	40	13	-	24	-
11	King and Queen	72	1	-	-	2	6	-	-	6	-	41	41	11	-	26	-
12	King George	72	-	1	-	2	10	3	1	6	1	36	35	7	-	27	1
13	King William	93	-	-	-	1	16	6	2	8	2	45	44	11	1	31	1
14	Lancaster	104	2	2	-	1	10	4	1	5	1	61	58	10	-	42	1
15	Lee	257	5	-	-	5	17	7	1	9	4	138	128	18	-	101	5
16	Loudoun	233	4	-	-	3	39	14	1	24	2	122	118	17	-	88	1
17	Louisa	158	5	1	-	-	16	9	-	7	2	93	92	24	-	57	-
18	Lunenburg	132	4	-	-	1	12	1	1	10	5	84	83	19	-	57	1
19	Madison	82	1	-	-	-	11	4	2	5	2	40	40	8	-	30	1
20	Mathews	98	1	-	-	1	22	6	-	16	2	51	50	15	-	31	-
21	Mecklenburg	289	2	3	-	2	23	9	-	14	3	162	160	42	2	99	3
22	Middlesex	101	1	-	-	1	9	2	2	5	2	69	63	14	-	37	1
23	Montgomery	240	1	-	-	-	27	8	-	19	4	130	127	36	-	84	1
24	Nansemond	277	8	1	1	3	27	9	4	14	8	134	128	39	1	77	2
25	Nelson	130	1	-	-	1	15	7	1	7	-	77	76	18	1	55	-
26	New Kent	43	-	-	-	-	9	4	1	4	1	14	13	2	-	11	-
27	Norfolk	611	17	2	1	6	71	15	12	44	8	270	266	50	-	199	4
28	Northampton	210	5	3	-	4	36	14	4	18	2	98	90	26	-	55	1
29	Northumberland	95	2	1	-	-	13	3	3	7	-	58	57	23	-	24	1
30	Nottoway	183	1	1	-	4	20	10	2	8	4	97	94	27	-	59	2
31	Orange	130	2	-	-	-	18	6	1	11	2	71	71	22	-	41	-
32	Page	156	-	1	-	1	27	7	1	19	1	96	90	8	-	80	5
33	Patrick	126	2	-	-	1	17	8	1	8	1	62	60	16	-	41	5
34	Pittsylvania	465	5	1	-	5	46	15	3	28	5	249	244	65	-	158	4
35	Powhatan	55	1	1	-	1	11	-	1	10	1	15	14	5	-	9	1
36	Prince Edward	166	1	1	-	2	16	7	1	8	2	102	97	27	1	57	-
37	Prince George	91	6	1	-	1	15	3	3	9	2	30	30	11	-	16	-
38	Prince William	191	4	-	2	1	22	7	2	13	1	89	88	23	-	60	3
39	Princess Anne	379	3	2	-	4	58	14	15	29	1	175	171	48	-	115	-
40	Pulaski	201	1	3	-	-	23	4	3	16	3	117	112	17	1	88	3
41	Rappahannock	62	1	-	-	1	4	3	1	-	-	41	38	9	-	26	1
42	Richmond	63	-	-	-	-	4	-	-	4	1	46	46	13	-	25	1
43	Roanoke	313	5	1	-	2	32	12	6	14	2	164	160	34	-	117	1
44	Rockbridge	194	4	2	-	1	31	12	3	16	6	94	92	21	-	62	4
45	Rockingham	310	4	2	1	1	46	15	6	27	6	180	171	35	-	123	3
46	Russell	188	3	1	-	1	31	11	1	19	1	99	99	26	-	67	1
47	Scott	194	5	-	-	1	29	5	5	19	2	101	100	30	-	68	-
48	Shenandoah	219	6	1	-	-	37	14	1	22	7	128	125	24	1	90	3
49	Smyth	241	2	1	-	2	34	14	3	17	2	124	121	38	-	72	2
50	Southampton	280	7	1	-	2	30	10	3	17	2	143	140	30	-	102	2
51	Spotsylvania	100	4	-	-	-	10	3	1	6	-	66	64	29	-	32	-
52	Stafford	106	-	-	-	-	18	6	5	7	2	55	53	16	1	32	-
53	Surry	73	3	-	-	-	13	1	2	10	1	40	37	11	-	23	-
54	Sussex	120	3	-	-	4	12	4	2	6	1	58	57	20	-	33	-
55	Tazewell	362	6	1	-	5	36	12	4	20	4	174	171	37	-	123	2
56	Warren	148	1	1	-	1	33	18	-	15	-	82	82	16	-	59	1
57	Washington	315	4	1	-	2	38	16	2	20	-	188	186	59	-	112	4
58	Westmoreland	120	1	-	-	3	18	8	3	7	-	68	67	14	-	46	-
59	Wise	393	7	-	-	5	48	14	12	22	7	192	183	35	-	138	18
60	Wythe	190	2	-	-	1	22	7	2	13	1	116	113	32	-	71	2
61	York	96	3	-	-	-	15	4	2	9	1	32	29	5	-	21	-
	Independent Cities[b]																
62	Alexandria	577	10	7	-	5	79	20	12	47	10	255	252	55	-	176	11
63	Bristol[10]	129	3	-	-	-	19	5	3	11	3	60	56	9	-	44	-
64	Buena Vista	42	-	-	-	-	4	2	-	2	-	27	27	2	-	21	2
65	Charlottesville	256	2	1	-	-	47	13	9	25	5	141	139	30	-	98	3
66	Clifton Forge	79	1	-	-	1	16	3	6	7	-	47	45	4	-	38	-
67	Colonial Heights	41	-	-	-	1	6	1	1	4	-	27	27	4	-	19	-
68	Covington[11]	95	-	-	-	1	11	5	2	4	1	52	52	10	-	39	2
69	Danville	398	9	2	1	2	65	24	6	35	8	209	197	50	-	140	3
70	Falls Church	94	1	-	-	-	15	2	3	10	1	39	39	10	-	28	3
71	Fredericksburg	108	-	-	-	1	20	6	-	14	4	47	46	19	-	25	1
72	Hampton[12]	508	10	3	-	4	76	22	12	42	1	231	225	50	1	158	3
73	Harrisonburg	106	-	-	-	-	13	4	1	8	3	67	62	6	-	53	-
74	Hopewell	93	1	-	-	-	11	3	-	8	1	57	54	10	-	38	3
75	Lynchburg	459	9	1	-	-	72	18	9	45	7	237	236	52	1	159	5
76	Martinsville	117	1	-	-	1	14	5	1	8	2	56	54	9	-	42	2
77	Newport News	468	10	4	-	4	46	15	11	20	4	226	222	46	-	156	3
78	Norfolk	1,925	33	18	1	13	259	73	32	154	27	984	958	255	1	618	19
79	Petersburg	382	6	3	-	5	46	9	7	30	4	193	189	53	1	125	1
80	Portsmouth	769	14	2	-	10	87	27	12	48	7	444	439	103	-	315	10
81	Radford	66	-	1	-	1	14	3	4	7	-	35	35	9	-	26	1
82	Richmond	2,616	34	22	1	13	383	125	53	205	38	1,497	1,465	322	-	1,046	29
83	Roanoke	899	5	4	1	6	118	37	14	67	13	476	461	113	-	296	9
84	South Norfolk	174	2	1	-	3	27	9	5	13	-	85	81	20	-	54	1

[a] Independent cities have the same status as counties and are listed after counties.
[b] Those having populations of 10,000 or more include: Alexandria, Bristol, Charlottesville, Danville, Fredericksburg, Hampton, Harrisonburg, Hopewell, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, South Norfolk, Staunton, Suffolk, Warwick, Waynesboro, and Winchester.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral arterio-scle-rosis 450	Other dis-eases of circu-latory sys-tem 451-468	Chronic and un-specified nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastritis, duo-denitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
21	4	33	-	1	1	4	8	1	3	-	-	-	3	9	5	5	8	1	4	16	1
9	2	8	-	-	-	-	4	1	-	-	-	-	1	3	1	2	4	1	2	1	2
23	8	14	1	2	1	1	7	-	3	1	1	1	1	13	5	2	5	-	2	6	3
72	20	17	2	4	6	2	23	3	1	2	2	2	8	25	5	12	18	1	7	21	4
39	23	28	3	5	2	1	6	1	1	1	-	1	3	10	3	11	5	6	2	17	5
101	28	14	2	9	4	1	8	-	1	5	-	1	9	16	3	6	22	4	3	31	6
46	22	8	4	5	3	3	4	1	2	4	-	1	5	18	2	11	4	9	8	19	7
4	1	3	-	2	-	-	2	-	-	-	-	-	-	-	1	-	2	2	-	1	8
20	15	1	2	4	-	2	4	1	-	-	-	-	2	8	3	5	12	-	3	12	9
13	4	7	1	1	1	3	2	1	1	-	1	-	3	10	1	1	4	1	1	3	10
13	5	8	1	1	2	-	1	-	-	-	-	-	1	5	2	1	3	1	-	8	11
14	7	5	1	-	-	1	3	2	-	1	-	-	-	1	3	1	1	-	-	10	12
18	2	10	-	1	-	1	2	-	-	-	-	-	2	2	3	5	4	3	1	7	13
29	7	5	2	4	-	3	1	-	-	-	-	2	1	4	1	2	5	1	1	9	14
58	18	20	3	6	-	10	10	1	2	2	-	1	3	10	2	7	17	6	-	27	15
58	20	9	6	5	2	4	4	3	1	1	-	-	2	7	1	7	13	5	3	16	16
42	5	10	1	10	-	1	5	-	1	-	-	-	2	8	2	5	5	1	-	12	17
34	2	20	1	5	1	1	3	-	-	1	1	2	-	5	-	2	5	-	3	4	18
22	2	5	1	1	-	-	3	1	1	-	-	-	1	2	2	1	3	2	-	12	19
19	7	5	1	3	-	1	-	-	-	-	3	-	1	2	1	3	3	1	1	6	20
58	10	28	3	14	-	2	7	1	4	-	-	-	5	27	2	10	15	2	3	18	21
21	6	9	-	12	-	6	1	-	-	-	-	-	1	4	2	1	2	2	-	6	22
48	16	19	1	3	3	3	9	-	-	3	-	1	7	8	5	11	8	8	5	13	23
44	12	19	7	3	1	6	12	3	5	1	2	1	3	19	2	9	7	1	8	22	24
39	7	9	-	2	-	1	2	2	1	-	-	-	1	8	-	7	2	1	3	9	25
6	2	3	-	-	-	1	1	-	-	-	-	-	1	5	1	3	5	-	-	3	26
124	32	38	4	11	2	4	21	1	7	3	2	1	16	63	3	27	27	12	6	47	27
35	9	10	4	5	-	8	4	1	1	-	-	1	3	9	6	4	9	1	5	18	28
18	3	2	2	7	1	1	-	-	-	-	-	-	-	5	-	5	4	2	-	5	29
39	8	10	2	4	2	3	11	1	1	-	1	1	4	12	1	4	8	4	2	6	30
24	6	11	2	4	2	-	4	-	1	2	-	-	1	5	5	3	4	2	4	6	31
33	11	31	-	2	-	6	5	2	1	-	1	-	1	5	1	4	3	2	-	5	32
12	14	10	-	2	1	2	8	-	-	-	1	-	6	2	1	5	4	2	2	12	33
102	40	12	4	15	2	5	16	-	2	3	1	4	9	36	12	15	19	8	3	26	34
5	1	2	-	-	-	1	-	-	2	-	-	-	2	3	1	4	3	-	-	10	35
39	12	6	3	8	1	5	10	1	-	1	-	-	1	13	1	1	7	2	-	5	36
8	6	2	1	-	2	-	3	1	-	-	-	-	1	7	-	2	7	1	-	14	37
41	4	12	1	4	-	1	9	-	1	1	-	1	4	16	1	10	13	1	2	13	38
69	19	27	2	4	2	4	13	3	4	3	1	2	16	37	1	12	16	9	3	16	39
46	24	15	-	4	2	5	7	-	3	-	-	-	2	8	2	10	7	3	-	12	40
15	5	5	1	2	-	3	3	-	-	-	-	-	1	2	-	-	5	1	-	3	41
12	9	3	1	7	-	-	1	-	-	-	-	-	-	1	-	3	4	1	-	2	42
76	19	21	1	6	2	4	13	1	2	2	1	1	5	16	5	9	14	3	2	33	43
39	8	11	-	8	1	2	6	-	-	-	-	1	2	9	1	6	10	4	-	17	44
61	25	34	4	6	3	9	5	1	1	1	1	-	4	11	2	12	10	4	-	16	45
42	13	11	2	4	-	-	5	-	-	-	-	-	4	8	8	4	5	3	3	12	46
36	13	19	1	1	-	1	10	-	-	-	-	-	2	9	1	5	7	3	3	16	47
49	20	18	4	4	2	3	4	1	1	1	-	-	1	4	1	7	3	1	-	16	48
48	5	17	4	4	3	3	6	2	2	-	-	-	4	22	-	3	12	3	-	22	49
61	26	13	1	1	6	3	16	-	4	-	-	-	5	21	2	8	18	3	5	13	50
18	2	12	1	2	-	2	1	-	2	1	-	1	-	4	-	1	2	3	-	5	51
21	1	10	3	1	-	2	4	-	2	-	-	-	3	3	1	4	3	5	-	6	52
6	8	9	-	3	-	3	1	-	-	-	-	-	1	4	-	4	-	-	1	5	53
17	11	5	-	1	3	1	5	-	2	-	-	-	3	9	2	9	2	-	1	9	54
76	30	15	2	6	3	3	15	-	6	-	-	-	5	36	10	12	17	8	8	19	55
31	16	11	1	1	5	-	1	-	1	2	-	-	1	6	1	2	5	1	1	9	56
68	18	22	-	10	5	2	12	2	-	1	-	-	3	20	3	8	10	5	1	17	57
31	5	10	1	6	-	1	2	-	2	2	-	-	-	7	-	5	3	1	1	7	58
75	25	20	4	4	2	9	7	1	9	1	1	-	11	31	5	8	27	2	3	28	59
50	9	10	1	3	6	3	4	1	-	1	-	-	3	7	-	9	5	2	-	16	60
13	4	4	1	2	-	3	5	1	2	-	1	-	5	9	1	5	6	-	1	9	61
126	25	14	6	6	9	3	9	4	-	6	2	2	22	51	14	10	29	7	5	50	62
29	5	10	2	1	-	4	3	2	-	1	-	-	2	14	-	2	7	1	-	12	63
15	3	1	-	4	-	-	1	1	-	-	-	-	-	3	-	-	2	-	-	4	64
69	13	13	1	8	2	2	5	-	1	2	-	-	3	8	1	1	9	7	2	21	65
22	12	4	1	-	2	2	-	-	-	1	-	-	-	2	-	2	2	1	1	5	66
15	3	1	-	1	3	-	-	-	-	-	-	-	-	3	-	-	-	2	-	2	67
30	5	2	2	1	-	-	5	1	1	2	-	-	1	1	-	2	8	2	-	7	68
65	47	25	3	3	1	12	12	4	-	1	-	-	5	14	4	7	22	2	5	26	69
21	2	2	1	-	-	-	2	1	1	1	1	2	1	8	-	3	3	1	1	13	70
19	3	2	2	-	-	1	9	-	1	1	-	1	-	3	2	3	10	2	-	4	71
113	21	21	6	6	4	6	12	1	2	3	1	1	9	43	2	18	43	5	4	39	72
36	10	7	-	3	-	5	-	1	-	-	-	-	1	8	-	2	2	-	-	9	73
25	6	4	-	4	2	3	4	-	1	-	1	-	2	2	-	3	2	1	2	5	74
97	27	30	6	15	3	1	16	3	4	3	2	-	6	26	4	11	17	7	4	30	75
25	13	2	2	1	-	2	4	2	1	-	-	-	-	8	4	6	2	1	2	13	76
103	39	11	9	9	2	4	22	5	5	7	2	-	7	35	9	7	18	4	16	37	77
373	114	112	15	57	12	26	65	13	14	34	3	6	29	145	7	27	80	14	33	120	78
78	33	13	-	6	4	4	11	2	-	2	1	2	3	28	3	13	13	6	5	36	79
189	67	49	7	8	6	5	23	4	7	4	-	1	13	48	2	20	23	4	14	42	80
10	7	8	-	-	-	-	1	-	-	-	-	-	-	2	-	3	4	3	2	-	81
652	229	136	23	56	18	32	66	14	9	20	8	2	38	127	23	34	67	14	37	169	82
179	58	50	8	35	9	15	26	7	9	12	3	1	10	62	10	16	40	11	4	65	83
42	7	4	3	3	1	4	6	2	-	2	-	1	6	12	-	4	4	1	1	17	84

[10]Includes data for Bristol, Va., only.
[11]Covington (city) reorganized from a city in Alleghany County to an independent city in 1953.
[12]Elizabeth City County incorporated into the independent city of Hampton in 1952.

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	VIRGINIA[8]—Continued																
	Independent Cities[9]—Con.																
1	Staunton	178	1	4	-	2	23	6	3	14	2	93	92	23	-	63	-
2	Suffolk	136	5	1	-	-	22	7	2	13	1	68	65	18	1	40	2
3	Warwick[13]	258	5	-	-	1	39	12	5	22	3	101	98	32	-	60	2
4	Waynesboro	100	1	-	-	-	12	4	1	7	1	58	57	17	-	35	-
5	Williamsburg	56	-	-	-	-	6	1	-	5	-	32	32	6	-	24	-
6	Winchester	177	3	2	-	-	36	16	3	17	4	92	92	27	-	52	-
7	WASHINGTON	23,298	153	97	14	78	3,655	1,311	415	1,929	362	12,804	12,626	2,751	16	8,947	309
8	Metropolitan counties	13,373	94	62	5	44	2,144	776	257	1,111	186	7,480	7,397	1,560	9	5,314	151
9	Nonmetropolitan counties	9,925	59	35	9	34	1,511	535	158	818	176	5,324	5,229	1,191	7	3,633	158
10	Adams	52	1	-	-	-	7	2	-	5	3	28	28	4	-	20	-
11	Asotin	149	2	-	2	-	23	12	2	9	-	86	86	14	1	58	3
12	Benton	302	3	1	-	1	41	11	4	26	6	140	136	16	1	112	8
13	Kennewick	103	2	1	-	-	10	3	1	6	1	55	52	9	-	40	4
14	Balance of county	199	1	-	-	1	31	8	3	20	5	85	84	7	1	72	4
15	Chelan	386	2	1	-	2	59	18	9	32	6	198	196	36	-	140	8
16	Wenatchee	181	2	-	-	1	27	8	5	14	1	92	91	17	-	64	3
17	Balance of county	205	-	1	-	1	32	10	4	18	5	106	105	19	-	76	5
18	Clallam	260	1	-	-	1	40	11	2	27	2	141	136	39	-	90	5
19	Port Angeles	140	-	-	-	-	23	8	1	14	-	85	82	26	-	53	2
20	Balance of county	120	1	-	-	1	17	3	1	13	2	56	54	13	-	37	3
21	Clark	723	3	7	1	6	111	45	7	59	7	432	423	95	1	292	5
22	Vancouver	361	2	3	-	3	53	17	4	32	1	220	215	43	1	156	4
23	Balance of county	362	1	4	1	3	58	28	3	27	6	212	208	52	-	136	1
24	Columbia	55	-	-	-	-	9	2	3	4	1	29	29	7	-	20	-
25	Cowlitz	396	2	-	-	4	49	18	4	27	9	216	212	43	-	149	7
26	Longview	150	-	-	-	2	16	4	1	11	4	78	77	16	-	51	1
27	Balance of county	246	2	-	-	2	33	14	3	16	5	138	135	27	-	98	6
28	Douglas	86	1	-	-	-	10	2	2	6	1	51	51	7	-	41	1
29	Ferry	42	1	1	-	-	7	1	-	6	-	16	15	5	-	9	1
30	Franklin	115	3	-	-	1	14	3	3	8	2	50	50	12	-	32	-
31	Pasco	82	2	-	-	1	9	2	3	4	1	36	36	7	-	24	-
32	Balance of county	33	1	-	-	-	5	1	-	4	1	14	14	5	-	8	-
33	Garfield	33	-	1	-	-	3	-	-	3	-	18	16	2	-	11	-
34	Grant	175	1	-	-	-	24	8	1	15	1	83	82	18	1	57	2
35	Grays Harbor	568	6	1	1	3	92	36	3	53	16	286	281	77	-	185	3
36	Aberdeen	228	3	1	1	1	39	16	2	21	6	125	125	34	-	82	1
37	Hoquiam	108	-	-	-	1	14	8	-	6	3	56	56	17	-	33	2
38	Balance of county	232	3	-	-	1	39	12	1	26	7	105	100	26	-	70	-
39	Island	89	1	-	-	-	12	6	3	3	3	50	46	5	-	40	3
40	Jefferson	103	1	-	-	-	16	5	3	8	1	60	59	12	-	44	-
41	King	7,610	62	40	4	23	1,277	469	166	642	112	4,144	4,099	874	5	2,995	90
42	Seattle	6,019	43	35	4	16	1,014	373	137	504	77	3,302	3,264	706	4	2,372	74
43	Renton	170	2	-	-	2	28	10	4	14	4	86	86	23	-	59	-
44	Balance of county	1,421	17	5	-	5	235	86	25	124	31	756	749	145	1	564	16
45	Kitsap	661	5	4	-	4	96	25	7	64	8	372	368	76	2	265	15
46	Bremerton	228	2	3	-	-	28	6	2	20	1	127	124	29	2	84	2
47	Balance of county	433	3	1	-	4	68	19	5	44	7	245	244	47	-	181	13
48	Kittitas	181	1	1	-	-	27	12	2	13	5	104	103	19	-	76	2
49	Klickitat	145	-	1	-	-	23	7	4	12	1	62	61	12	-	42	3
50	Lewis	511	3	-	-	2	98	39	10	49	18	277	273	80	-	169	2
51	Lincoln	99	-	2	-	-	12	3	-	9	5	46	45	4	-	37	2
52	Mason	141	1	1	1	-	25	12	3	10	1	79	78	16	-	56	4
53	Okanogan	232	1	1	-	-	35	14	3	18	2	121	121	33	-	84	2
54	Pacific	162	-	2	-	1	25	7	3	15	1	99	99	12	-	82	1
55	Pend Oreille	67	-	-	-	1	14	8	1	5	-	37	37	10	-	23	1
56	Pierce	2,600	13	12	-	10	384	132	45	207	41	1,452	1,433	297	3	1,039	31
57	Tacoma	1,745	11	8	-	6	264	88	32	144	31	958	946	197	2	696	23
58	Puyallup	156	2	1	-	-	17	4	-	13	2	102	98	15	-	75	-
59	Balance of county	699	-	3	-	4	103	40	13	50	8	392	389	85	1	268	8
60	San Juan	31	-	-	-	1	4	-	1	3	1	13	12	2	-	10	-
61	Skagit	448	2	-	-	1	49	25	6	18	4	256	249	54	-	177	5
62	Skamania	32	-	-	-	-	5	1	2	2	-	18	18	3	-	15	-
63	Snohomish	1,257	3	4	-	3	207	83	18	106	20	684	672	179	-	451	18
64	Everett	465	-	1	-	-	65	26	5	34	8	271	267	75	-	160	10
65	Balance of county	792	3	3	-	3	142	57	13	72	12	413	405	104	-	271	8
66	Spokane	2,440	16	3	-	5	372	130	39	203	26	1,452	1,442	294	-	988	25
67	Spokane	1,965	12	2	-	4	301	104	30	167	21	1,171	1,163	239	-	785	22
68	Balance of county	475	4	1	-	1	71	26	9	36	5	281	279	55	-	203	3
69	Stevens	198	2	1	-	1	28	11	2	15	2	115	111	28	-	72	3
70	Thurston	485	2	3	-	-	74	22	10	42	10	268	261	53	1	191	19
71	Olympia	210	2	2	-	-	37	11	5	21	1	113	110	24	-	77	7
72	Balance of county	275	-	1	-	-	37	11	5	21	9	155	151	29	1	114	12
73	Wahkiakum	37	1	-	-	-	4	-	1	3	1	17	17	8	-	6	-
74	Walla Walla	355	6	2	-	-	51	19	7	25	8	195	190	53	-	115	10
75	Walla Walla	252	5	2	-	-	37	13	6	18	8	137	132	40	-	77	7
76	Balance of county	103	1	-	-	-	14	6	1	7	-	58	58	13	-	38	3
77	Whatcom	664	1	-	-	-	99	38	12	49	10	381	378	97	-	262	9
78	Bellingham	421	1	-	-	-	58	22	7	29	8	249	246	61	-	173	8
79	Balance of county	243	-	-	-	-	41	16	5	20	2	132	132	36	-	89	1
80	Whitman	227	-	1	1	-	35	11	3	21	9	124	122	22	-	82	8
81	Pullman	33	-	-	-	-	7	2	-	5	-	15	14	3	-	8	-
82	Balance of county	194	-	1	1	-	28	9	3	16	9	109	108	19	-	74	8
83	Yakima	1,181	6	7	4	8	194	63	24	107	19	604	591	133	1	410	13
84	Yakima	522	4	3	-	1	95	35	11	49	10	288	283	70	1	188	5
85	Balance of county	659	2	4	4	7	99	28	13	58	9	316	308	63	-	222	8

[8]Independent cities have the same status as counties and are listed after counties.
[9]Those having populations of 10,000 or more include: Alexandria, Bristol, Charlottesville, Danville, Fredericksburg, Hampton, Harrisonburg, Hopewell, Lynchburg, Martinsville,

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
49	7	7	2	2	2	1	4	1	2	1	-	-	3	8	-	2	9	3	2	18	1
24	9	5	1	2	3	3	3	2	-	1	-	-	1	4	2	5	4	-	3	14	2
42	9	7	1	5	-	3	6	-	1	2	-	1	5	30	5	13	16	3	4	23	3
24	7	4	2	2	1	1	1	1	-	2	1	-	-	5	-	4	5	1	-	8	4
16	1	7	-	1	1	-	4	-	-	-	-	-	1	8	1	2	-	1	-	1	5
32	5	15	-	10	3	-	3	-	-	2	-	-	3	9	-	3	7	4	1	8	6
6,628	873	1,137	135	595	182	178	632	167	81	199	37	27	349	914	230	488	950	423	85	1,553	7
4,008	535	620	69	345	100	83	389	104	34	135	26	15	199	490	87	243	490	270	49	827	8
2,620	338	517	66	250	82	95	243	63	47	64	11	12	150	424	143	245	460	153	36	726	9
10	7	3	-	3	1	-	2	-	-	-	-	-	1	4	1	1	2	-	-	2	10
38	10	7	-	11	2	-	2	2	1	2	-	1	2	2	1	4	8	1	1	9	11
86	10	8	-	4	3	4	11	1	3	1	-	-	9	28	3	11	14	6	3	20	12
33	-	3	-	3	-	3	3	1	1	-	-	-	2	5	2	4	4	3	3	6	13
53	10	5	-	1	3	1	8	-	2	1	-	-	7	23	1	7	10	3	-	14	14
96	14	22	3	11	6	2	10	4	-	1	1	-	5	25	6	11	18	5	1	31	15
47	4	10	1	6	3	1	6	3	-	-	1	-	1	11	4	-	8	4	1	19	16
49	10	12	2	5	3	1	4	1	-	1	-	-	4	14	2	11	10	1	-	12	17
75	6	4	-	5	2	5	3	3	1	4	-	-	3	11	2	7	21	4	-	16	18
47	3	1	-	2	1	3	2	-	1	2	-	-	-	3	-	3	11	3	-	7	19
28	3	3	-	3	1	2	1	3	-	2	-	-	3	8	2	4	10	1	-	9	20
218	47	22	3	28	4	9	20	3	4	4	2	-	17	16	3	11	20	15	2	39	21
114	29	9	1	11	3	5	10	2	4	3	1	-	6	9	1	5	8	10	1	19	22
104	18	13	2	17	1	4	10	1	-	1	1	-	11	7	2	6	12	5	1	20	23
15	3	2	-	2	-	-	-	-	1	1	-	-	-	3	-	1	3	2	-	5	24
113	8	21	6	8	6	4	14	1	-	5	1	1	7	15	2	11	26	6	-	27	25
38	2	10	2	4	4	1	4	1	-	2	-	-	6	9	-	3	10	3	-	12	26
75	6	11	4	4	2	3	10	-	-	3	1	1	1	6	2	8	16	3	-	15	27
29	3	8	-	3	-	-	-	-	-	1	-	-	2	6	1	2	3	1	-	7	28
6	-	2	-	-	1	1	3	-	1	1	-	-	1	2	1	5	1	-	1	1	29
29	-	3	1	4	1	-	1	-	1	-	-	-	5	6	-	6	15	-	-	11	30
22	-	2	1	3	1	-	-	-	1	-	-	-	3	3	-	4	12	-	-	10	31
7	-	1	-	1	-	-	1	-	-	-	-	-	2	3	-	2	3	-	-	1	32
10	1	-	1	2	-	2	-	-	-	-	-	1	-	1	-	5	1	-	-	3	33
48	2	5	-	4	2	1	7	-	2	1	-	2	5	21	-	7	10	1	-	10	34
138	19	25	2	11	6	5	13	4	3	4	3	1	8	18	12	12	25	9	1	50	35
57	10	14	-	7	2	-	7	-	2	1	-	-	1	8	1	4	5	2	-	21	36
26	1	4	2	2	2	-	-	1	1	1	1	-	2	2	6	2	10	1	-	7	37
55	8	7	-	2	2	5	6	3	-	2	2	1	5	8	5	6	10	6	1	22	38
30	1	6	-	1	-	4	2	2	1	-	-	-	-	3	-	4	5	2	1	3	39
29	8	7	-	2	1	1	1	2	2	-	-	-	3	4	1	1	5	1	1	4	40
2,176	321	408	43	120	62	45	255	62	21	88	13	10	103	264	31	125	302	167	31	476	41
1,717	256	325	32	103	47	38	202	52	15	78	8	8	79	202	25	85	230	128	28	388	42
43	6	10	-	1	3	-	3	1	-	3	-	-	4	15	-	3	5	1	-	13	43
416	59	73	11	16	12	7	50	9	6	7	5	2	20	47	6	37	67	38	3	75	44
197	24	29	3	18	4	4	8	1	4	4	-	-	10	30	14	10	24	15	4	48	45
59	11	12	1	5	3	3	2	-	1	-	-	-	8	15	6	2	8	6	2	17	46
138	13	17	2	13	1	1	6	1	3	4	-	-	2	15	8	8	16	9	2	31	47
54	7	13	1	5	2	1	2	1	-	1	-	-	1	6	2	8	8	1	-	13	48
29	5	5	2	4	1	1	3	-	-	1	-	-	2	8	3	11	11	4	-	15	49
113	15	39	7	10	7	4	6	4	4	1	-	-	11	15	12	7	17	5	2	29	50
27	6	2	-	3	1	1	4	1	-	-	-	-	2	6	2	-	5	2	1	11	51
45	6	1	2	3	1	1	1	2	1	1	-	-	1	4	-	4	6	3	-	10	52
62	5	15	2	-	2	-	4	-	-	1	-	1	2	16	5	9	9	4	2	19	53
55	9	17	-	4	1	-	3	1	1	1	-	-	3	5	1	1	8	1	-	9	54
16	2	4	-	4	-	-	3	-	-	-	-	-	-	1	-	-	5	2	-	4	55
841	90	77	8	62	24	19	52	20	6	30	6	4	48	112	38	53	93	49	10	167	56
567	57	49	5	27	19	12	32	16	5	28	2	4	31	77	30	32	63	36	9	102	57
60	12	3	2	6	-	4	3	1	1	1	1	-	1	6	3	2	5	1	-	7	58
214	21	25	1	29	5	3	17	3	-	1	3	-	16	29	5	19	25	12	1	58	59
6	2	2	-	-	-	1	-	-	-	-	-	-	-	1	1	-	5	-	-	5	60
121	23	28	6	9	3	7	25	3	1	1	1	-	11	15	13	15	20	5	2	24	61
14	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	2	-	3	62
325	39	69	8	26	8	12	36	10	4	9	2	3	14	43	23	17	47	25	3	100	63
130	16	24	3	8	1	4	15	3	3	5	1	1	3	15	6	7	16	7	1	37	64
195	23	45	5	18	7	8	21	7	1	4	1	2	11	28	17	10	31	18	2	63	65
773	77	113	15	135	10	10	62	19	3	13	5	1	31	98	15	54	75	39	6	145	66
614	65	84	13	117	9	8	51	15	3	11	5	1	24	82	14	42	59	31	4	112	67
159	12	29	2	18	1	2	11	4	-	2	-	-	7	16	1	12	16	8	2	33	68
51	4	14	2	8	1	4	1	-	-	-	-	-	1	8	3	8	5	8	2	13	69
132	25	15	2	9	5	7	8	2	3	4	-	1	3	18	10	10	26	4	-	39	70
57	11	2	1	3	5	3	2	1	2	3	-	-	1	8	4	6	10	1	-	17	71
75	14	13	1	6	-	4	6	1	1	1	-	1	2	10	6	4	16	3	-	22	72
5	1	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	7	1	-	4	73
75	14	16	1	20	1	5	9	3	-	5	-	-	6	6	4	4	12	3	1	40	74
48	11	11	1	13	1	5	3	2	-	2	-	-	4	2	4	3	6	3	1	33	75
27	3	5	-	7	-	-	6	1	-	3	-	-	2	4	-	1	6	-	-	7	76
191	14	48	6	11	2	3	15	3	4	6	2	1	8	28	9	12	26	11	2	46	77
123	5	37	3	7	2	3	10	1	3	3	1	-	7	19	7	7	11	7	-	29	78
68	9	11	3	4	-	-	5	2	1	3	1	1	1	9	2	5	15	4	2	17	79
56	10	8	3	14	1	2	5	1	-	2	-	-	2	8	2	5	14	3	-	15	80
6	1	1	1	2	-	1	2	-	-	-	-	-	-	2	-	-	2	1	-	4	81
50	9	7	2	12	1	1	3	1	-	2	-	-	2	6	2	5	12	2	-	11	82
294	34	69	7	31	9	13	39	11	9	6	1	-	22	56	9	36	46	16	8	80	83
138	21	24	2	17	5	5	11	4	1	5	1	-	10	19	-	11	18	5	2	34	84
156	13	45	5	14	4	8	28	7	8	1	-	-	12	37	9	25	28	11	6	46	85

Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, South Norfolk, Staunton, Suffolk, Warwick, Waynesboro, and Winchester.
[1S]Warwick County incorporated as the independent city of Warwick in 1952.

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	WEST VIRGINIA	16,216	249	55	18	72	2,363	819	274	1,270	246	8,380	8,161	1,911	10	5,699	196
2	Metropolitan counties	5,196	93	18	8	21	820	276	106	438	78	2,693	2,633	576	4	1,882	67
3	Nonmetropolitan counties	11,020	156	37	10	51	1,543	543	168	832	168	5,687	5,528	1,335	6	3,817	129
4	Barbour	163	1	-	1	-	23	9	2	12	1	86	83	25	-	44	1
5	Berkeley	334	8	1	-	1	52	17	6	29	7	171	164	47	-	103	6
6	Martinsburg	200	6	1	-	1	30	8	5	17	4	101	97	28	-	61	2
7	Balance of county	134	2	-	-	-	22	9	1	12	3	70	67	19	-	42	4
8	Boone	184	4	-	-	-	23	7	5	11	4	81	80	18	-	61	2
9	Braxton	150	3	-	-	1	18	7	4	7	5	80	76	17	-	56	2
10	Brooke	212	2	-	-	-	33	10	5	18	7	116	112	35	-	74	1
11	Weirton (part)	16	-	-	-	-	4	-	1	3	-	8	8	2	-	6	-
12	Balance of county	196	2	-	-	-	29	10	4	15	7	108	104	33	-	68	1
13	Cabell	1,011	22	5	2	3	174	55	20	99	15	555	548	126	2	377	8
14	Huntington (part)	845	21	3	2	2	151	48	18	85	11	460	453	103	-	315	8
15	Huntington (total)	866	21	3	2	2	155	49	18	88	11	470	463	105	-	323	8
16	Balance of county	166	1	2	-	1	23	7	2	14	4	95	95	23	2	62	-
17	Calhoun	81	1	-	-	-	12	5	-	7	1	30	26	5	-	18	-
18	Clay	98	2	-	-	2	6	-	1	5	1	40	37	8	-	28	1
19	Doddridge	77	1	-	-	-	10	4	-	6	-	46	45	8	-	37	-
20	Fayette	582	16	2	-	5	78	23	13	42	11	268	264	63	-	180	6
21	Gilmer	87	-	1	-	-	10	4	-	6	1	54	48	17	-	27	1
22	Grant	83	1	-	-	-	9	3	2	4	-	52	52	15	-	36	-
23	Greenbrier	294	5	2	1	2	39	13	5	21	4	145	137	40	-	85	2
24	Hampshire	115	-	-	-	-	22	12	4	6	1	55	54	17	-	35	-
25	Hancock	276	1	-	-	2	52	25	7	20	4	148	146	28	2	109	3
26	Weirton (part)	157	1	-	-	-	27	13	5	9	2	84	83	13	1	65	1
27	Weirton (total)	173	1	-	-	-	31	13	6	12	2	92	91	15	1	71	1
28	Balance of county	119	-	-	-	2	25	12	2	11	2	64	63	15	1	44	2
29	Hardy	84	-	-	-	1	9	4	-	5	-	55	55	12	1	36	2
30	Harrison	742	11	1	-	3	113	48	10	55	14	383	374	88	-	268	8
31	Clarksburg	334	3	1	-	1	50	20	7	23	8	173	169	40	-	118	4
32	Balance of county	408	8	-	-	2	63	28	3	32	6	210	205	48	-	150	4
33	Jackson	153	2	-	1	-	22	9	1	12	3	83	81	21	-	52	5
34	Jefferson	190	3	1	-	1	17	9	1	7	4	117	112	14	-	90	3
35	Kanawha	1,757	36	9	2	10	279	95	30	154	25	826	807	151	-	596	26
36	Charleston	759	15	6	2	1	131	44	11	76	11	373	366	64	-	277	9
37	South Charleston	106	4	-	-	-	21	7	2	12	2	45	45	5	-	34	1
38	Balance of county	892	17	3	-	9	127	44	17	66	12	408	396	82	-	285	16
39	Lewis	218	1	-	-	-	35	13	6	16	-	121	117	26	-	87	7
40	Lincoln	174	4	-	-	3	22	8	3	11	3	81	76	13	-	62	1
41	Logan	474	12	3	1	7	64	16	8	40	9	169	164	50	-	105	5
42	McDowell	696	9	4	-	1	90	19	18	53	12	326	325	78	1	229	7
43	Marion	628	4	2	-	1	116	47	12	57	6	347	341	73	1	243	8
44	Fairmont	283	3	1	-	-	57	21	7	29	1	157	152	28	-	115	3
45	Balance of county	345	1	1	-	1	59	26	5	28	5	190	189	45	1	128	5
46	Marshall	298	4	-	1	-	41	16	4	21	3	167	164	35	-	122	5
47	Moundsville	127	2	-	1	-	18	8	1	9	2	68	67	12	-	52	-
48	Balance of county	171	2	-	-	-	23	6	3	12	1	99	97	23	-	70	5
49	Mason	171	2	-	-	-	20	9	2	9	3	92	91	22	-	62	1
50	Mercer	616	9	2	-	5	81	25	9	47	16	316	310	72	-	222	5
51	Bluefield[14]	208	3	1	-	1	25	12	2	11	5	112	111	20	-	82	-
52	Balance of county	408	6	1	-	4	56	13	7	36	11	204	199	52	-	140	5
53	Mineral	216	2	-	-	2	32	12	2	18	4	127	123	19	1	98	3
54	Mingo	304	8	3	1	6	39	14	8	17	4	133	125	24	-	92	4
55	Monongalia	456	4	2	-	-	87	29	15	43	9	242	238	63	-	152	5
56	Morgantown	227	2	1	-	-	40	14	8	18	4	124	121	30	-	82	5
57	Balance of county	229	2	1	-	-	47	15	7	25	5	118	117	33	-	70	-
58	Monroe	112	1	-	-	-	20	5	2	13	1	52	51	16	-	33	1
59	Morgan	98	1	1	-	-	11	3	-	8	4	62	60	20	-	37	1
60	Nicholas	182	1	1	-	-	22	12	3	7	2	79	78	12	-	60	-
61	Ohio	790	8	2	-	-	133	43	26	64	13	468	452	110	-	317	13
62	Wheeling	680	6	2	-	-	118	38	23	57	11	400	386	97	-	267	11
63	Balance of county	110	2	-	-	-	15	5	3	7	2	68	66	13	-	50	2
64	Pendleton	80	2	1	-	1	7	1	-	6	1	40	39	11	-	22	1
65	Pleasants	64	1	-	-	-	6	3	-	3	2	38	37	5	-	29	-
66	Pocahontas	103	1	1	1	-	10	1	-	9	3	62	62	13	-	42	1
67	Preston	264	2	1	-	-	36	17	1	18	2	135	133	36	-	86	10
68	Putnam	130	3	-	-	-	20	5	3	12	-	76	76	19	-	52	3
69	Raleigh	616	11	4	1	6	99	31	13	55	6	299	291	61	1	212	4
70	Beckley	171	2	2	-	1	41	12	5	24	1	84	82	17	-	62	-
71	Balance of county	445	9	2	1	5	58	19	8	31	5	215	209	44	1	150	4
72	Randolph	253	1	-	-	1	34	10	2	22	1	132	129	31	1	84	2
73	Ritchie	153	3	-	1	-	12	5	-	7	5	91	88	26	-	52	3
74	Roane	126	1	-	-	-	22	7	2	13	1	67	65	11	-	47	2
75	Summers	185	6	-	-	3	24	7	-	17	2	112	108	31	-	71	2
76	Taylor	180	-	1	-	-	19	8	-	11	4	109	106	25	-	75	2
77	Tucker	108	3	1	-	-	10	1	-	9	4	63	63	18	-	42	-
78	Tyler	115	2	1	-	1	15	5	2	8	-	71	65	21	-	41	2
79	Upshur	184	1	1	-	-	21	10	1	10	4	93	88	28	-	58	2
80	Wayne	270	4	-	3	1	30	9	1	20	-	145	140	28	-	107	5
81	Huntington (part)	21	-	-	-	-	4	1	-	3	-	10	10	2	-	8	-
82	Balance of county	249	4	-	3	1	26	8	1	17	-	135	130	26	-	99	5
83	Webster	116	4	1	1	1	14	5	-	9	1	61	58	18	-	35	-
84	Wetzel	192	2	-	-	-	27	11	2	14	3	89	86	23	-	59	2
85	Wirt	49	-	-	-	-	8	3	-	5	1	34	31	10	-	21	-
86	Wood	692	5	1	1	1	110	44	7	59	7	387	380	86	-	262	7
87	Parkersburg	486	4	1	-	-	73	31	4	38	4	278	273	61	-	190	7
88	Balance of county	206	1	-	1	1	37	13	3	21	3	109	107	25	-	72	-
89	Wyoming	230	8	-	-	1	25	6	6	13	2	103	100	22	-	69	5

[14]Includes data for Bluefield, W. Va., only.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E500-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
3,653	859	991	135	303	103	219	535	91	91	126	30	24	238	784	343	374	791	201	93	1,112	1
1,288	260	267	47	93	31	60	173	30	33	52	12	8	82	259	46	112	236	55	22	345	2
2,365	599	724	88	210	72	159	362	61	58	74	18	16	156	525	297	262	555	146	71	767	3
28	8	7	3	8	3	3	3	-	1	1	-	1	2	13	8	2	6	3	2	9	4
45	11	41	3	7	4	7	12	2	-	-	2	-	1	15	18	3	15	1	-	25	5
33	7	19	2	4	2	4	6	2	-	-	1	-	-	7	14	-	6	1	-	20	6
12	4	22	1	3	2	3	6	-	-	-	1	-	1	8	4	3	9	-	-	5	7
44	7	8	-	1	-	1	12	-	-	3	-	-	4	15	8	4	7	6	3	10	8
33	7	14	-	3	-	4	7	1	-	2	-	-	3	8	5	-	3	3	1	10	9
47	9	17	1	1	1	4	1	3	3	1	1	1	2	7	-	5	14	-	-	16	10
5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	11
42	8	17	1	1	1	4	1	3	3	1	1	1	1	6	-	4	13	-	-	16	12
290	42	37	16	20	7	7	34	5	5	11	2	-	19	33	7	23	31	11	1	53	13
253	33	21	12	16	7	7	24	4	5	9	2	-	17	27	5	19	26	11	1	45	14
258	35	22	12	16	7	7	24	4	6	9	2	-	18	28	5	21	27	11	1	46	15
37	9	16	4	4	-	-	10	1	-	2	-	-	2	6	2	4	5	-	-	8	16
12	3	3	-	3	-	4	1	1	1	-	-	-	-	3	19	3	-	1	1	7	17
9	7	11	-	-	1	3	6	1	2	1	1	-	2	4	7	6	8	2	-	7	18
33	1	3	-	-	-	1	5	-	1	-	-	-	1	3	1	-	3	-	1	5	19
117	22	35	8	9	4	4	21	5	6	3	-	1	14	42	5	17	31	3	6	48	20
15	5	6	-	3	1	6	5	-	1	-	-	-	-	2	4	-	2	1	-	6	21
23	9	4	-	1	-	-	4	-	-	-	-	-	-	5	3	2	1	-	-	6	22
53	20	10	3	8	1	8	7	2	-	1	3	-	5	19	8	8	13	7	5	18	23
21	1	13	-	2	-	1	12	-	1	-	-	1	4	5	1	3	5	-	-	5	24
77	15	14	-	5	2	2	8	-	1	1	-	-	3	11	3	3	16	5	2	16	25
49	10	5	-	2	2	1	4	-	-	-	-	-	2	6	3	2	12	3	1	10	26
54	11	5	-	2	2	1	4	-	-	-	-	-	3	7	3	3	13	3	1	10	27
28	5	9	-	3	-	1	4	-	1	1	-	-	1	5	-	1	4	2	1	6	28
15	13	6	2	2	2	-	1	-	-	-	-	-	-	4	4	2	1	1	-	6	29
155	33	72	6	7	5	9	28	5	3	5	1	1	16	32	9	18	28	16	-	55	30
75	9	30	3	5	3	4	13	4	1	3	-	1	7	15	3	5	10	6	-	30	31
80	24	42	3	2	2	5	15	1	2	2	1	-	9	17	6	13	18	10	-	25	32
25	7	15	1	4	3	2	8	-	-	-	-	-	4	9	2	3	4	2	1	9	33
53	23	11	2	3	3	5	7	1	1	-	-	1	-	12	-	3	11	1	1	9	34
410	106	54	12	40	8	19	78	11	12	22	1	6	26	113	15	44	95	23	9	115	35
187	48	33	3	19	3	7	32	3	6	11	1	3	11	44	10	14	37	7	3	38	36
26	4	3	2	3	1	-	1	3	-	3	-	1	-	6	1	5	7	1	1	5	37
197	54	18	7	18	4	12	45	5	6	8	-	2	15	63	4	25	51	15	5	72	38
47	12	21	1	2	1	4	2	1	2	1	-	1	2	2	5	9	13	3	2	18	39
40	15	6	1	-	-	5	7	1	-	1	-	-	3	13	1	9	11	1	2	12	40
44	23	33	5	2	2	5	13	1	5	-	1	1	9	36	34	12	43	4	6	44	41
140	45	37	9	7	1	1	33	6	8	4	-	2	11	51	7	21	43	9	16	43	42
176	28	31	2	17	5	6	11	3	3	5	1	-	7	17	7	8	35	7	2	46	43
85	12	15	2	6	1	5	6	2	2	3	1	-	1	8	2	4	10	3	-	22	44
91	16	16	-	11	4	1	5	1	1	2	-	-	6	9	5	4	25	4	2	24	45
88	10	19	3	4	-	3	9	1	-	2	5	-	4	12	2	6	11	6	-	24	46
42	3	7	1	2	-	1	6	-	-	1	4	-	3	5	-	4	3	3	-	7	47
46	7	12	2	2	-	2	3	1	-	1	1	-	1	7	2	2	8	3	-	17	48
41	6	14	2	3	2	1	4	1	2	1	-	-	3	5	5	4	11	-	-	18	49
127	59	31	3	12	1	6	17	3	3	2	1	-	6	34	12	18	29	9	4	49	50
44	27	11	3	5	1	1	10	2	-	-	-	-	2	11	7	2	6	3	1	17	51
83	32	20	-	7	-	5	7	1	3	2	1	-	4	23	5	16	23	6	3	32	52
48	13	34	-	4	1	4	2	2	-	4	1	-	2	10	1	6	7	3	-	11	53
67	7	14	3	3	3	8	17	1	4	2	-	1	6	20	6	15	13	3	2	20	54
96	13	38	3	12	8	4	11	5	3	2	2	-	9	17	8	6	20	5	1	23	55
51	7	19	2	5	2	3	7	4	1	1	1	-	7	8	4	3	6	2	-	12	56
45	6	19	1	7	6	1	4	1	2	1	1	-	2	9	4	3	14	3	1	11	57
16	10	6	1	1	-	1	3	1	-	-	-	-	-	6	1	3	5	3	1	15	58
26	1	9	-	3	-	2	-	1	-	1	-	-	-	4	-	3	2	1	-	7	59
38	13	9	1	4	1	1	6	1	3	3	-	-	4	15	9	11	11	-	4	10	60
196	35	73	5	13	7	16	13	5	2	12	3	-	7	25	3	5	30	5	2	54	61
173	31	52	4	11	7	14	12	5	2	10	3	-	7	20	3	4	24	5	2	46	62
23	4	21	1	2	-	2	1	-	-	2	-	-	-	5	-	1	6	-	-	8	63
14	1	6	-	6	-	1	3	1	-	-	-	-	-	2	1	3	5	3	-	10	64
23	2	4	-	3	-	1	1	-	-	-	1	1	1	4	-	1	1	3	1	3	65
30	7	4	2	5	-	-	4	1	-	2	-	-	1	2	1	4	2	2	-	6	66
44	13	19	4	5	2	2	8	1	-	-	1	-	1	11	16	8	17	5	-	20	67
28	10	11	-	4	1	-	7	2	-	1	-	1	3	4	1	-	5	1	-	6	68
140	43	25	6	9	2	8	15	6	4	5	-	2	8	28	13	17	30	5	5	52	69
42	13	7	1	1	1	2	2	2	-	1	-	-	-	6	1	5	7	3	2	11	70
98	30	18	5	8	1	6	13	4	4	4	-	2	8	22	12	12	23	2	3	41	71
53	14	15	2	8	3	3	3	3	-	3	-	-	6	16	9	6	13	6	1	18	72
41	6	2	3	6	1	3	3	-	1	3	-	-	1	1	12	2	4	2	2	10	73
30	4	11	1	6	-	2	3	-	1	3	-	-	4	3	4	2	6	3	-	6	74
41	15	13	2	1	3	4	3	-	-	2	-	-	1	2	1	2	10	-	-	17	75
39	9	25	4	2	-	3	10	2	2	3	-	-	1	12	2	2	7	2	-	4	76
37	3	2	-	2	1	-	1	-	-	1	-	-	1	3	2	4	3	1	-	11	77
34	2	3	1	1	1	6	5	1	2	-	-	-	1	3	1	-	3	2	-	7	78
33	9	14	1	-	1	5	11	-	-	1	-	-	3	4	14	-	15	2	1	13	79
63	21	18	2	1	2	5	9	-	4	-	-	-	7	16	11	9	8	2	2	19	80
5	2	1	-	-	-	-	-	-	1	-	-	-	1	1	-	2	1	-	-	1	81
58	19	17	2	1	2	5	9	-	3	-	-	-	6	15	11	7	7	2	2	18	82
21	9	5	1	4	-	3	7	-	-	1	-	-	4	3	2	4	5	-	-	7	83
40	7	10	-	2	2	3	9	1	-	1	-	-	4	9	9	4	19	7	-	8	84
16	2	3	-	-	-	3	1	-	-	-	-	-	-	-	-	1	1	1	1	1	85
197	31	27	4	21	7	7	16	3	-	7	3	1	8	25	8	14	42	9	1	43	86
144	22	17	4	13	5	5	12	2	-	6	2	1	4	16	5	13	27	7	-	31	87
53	9	10	-	8	2	2	4	1	-	1	1	-	4	9	3	1	15	2	1	12	88
34	12	18	6	3	-	3	8	-	4	2	-	2	4	14	8	6	17	-	4	22	89

385053 O - 56 - 32

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	WISCONSIN	33,774	215	57	41	116	5,710	2,294	450	2,966	677	19,147	18,834	4,177	35	13,355	425
2	Metropolitan counties	13,270	114	32	27	50	2,460	984	240	1,236	242	7,294	7,199	1,402	9	5,333	154
3	Nonmetropolitan counties	20,504	101	25	14	66	3,250	1,310	210	1,730	435	11,853	11,635	2,775	26	8,022	271
4	Adams	107	1	-	-	1	18	5	-	13	1	61	60	16	1	37	3
5	Ashland	193	-	3	-	-	38	15	1	22	6	108	107	22	-	73	1
6	Ashland	102	-	1	-	-	21	9	-	12	4	63	63	11	-	48	1
7	Balance of county	91	-	2	-	-	17	6	1	10	2	45	44	11	-	25	-
8	Barron	283	1	-	-	3	47	20	3	24	2	171	166	46	1	109	6
9	Bayfield	153	1	-	-	-	24	4	3	17	3	99	97	19	-	73	4
10	Brown	844	7	2	1	3	135	55	7	73	6	466	462	135	1	306	7
11	Green Bay	491	3	2	-	-	87	35	6	46	4	276	273	84	-	178	3
12	Balance of county	353	4	-	1	3	48	20	1	27	2	190	189	51	1	128	4
13	Buffalo	140	1	1	-	-	21	7	-	14	2	81	81	20	-	58	3
14	Burnett	87	1	-	-	-	18	8	-	10	1	54	52	8	-	42	1
15	Calumet	158	2	-	-	1	18	5	1	12	4	101	99	32	-	62	3
16	Chippewa	401	1	1	-	1	57	33	-	24	8	221	220	68	-	130	7
17	Eau Claire (part)	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
18	Chippewa Falls	135	1	-	-	-	19	9	-	10	2	75	74	21	-	43	1
19	Balance of county	265	-	1	-	1	38	24	-	14	6	145	145	47	-	86	6
20	Clark	296	3	-	-	1	50	22	4	24	2	166	165	43	-	111	2
21	Columbia	413	3	-	-	2	65	24	3	38	5	244	237	42	-	176	3
22	Crawford	173	1	-	-	-	27	7	3	17	5	104	103	19	2	75	1
23	Dane	1,415	6	3	1	9	228	105	11	112	23	769	751	143	1	562	25
24	Madison	783	4	2	-	6	134	54	7	73	10	428	421	87	-	314	12
25	Balance of county	632	2	1	1	3	94	51	4	39	13	341	330	56	1	248	13
26	Dodge	557	2	1	-	-	100	47	5	48	12	314	310	63	1	236	11
27	Beaver Dam	127	1	-	-	-	26	12	-	14	-	78	78	14	-	62	3
28	Watertown (part)	28	1	-	-	-	7	5	-	2	-	14	14	5	-	8	-
29	Balance of county	402	-	1	-	-	67	30	5	32	12	222	218	44	1	166	8
30	Door	215	3	-	-	-	33	14	1	18	3	124	122	20	-	94	5
31	Douglas	556	5	2	-	1	96	45	7	44	12	311	307	53	1	236	-
32	Superior	435	2	2	-	1	77	34	7	36	8	249	246	44	1	185	-
33	Balance of county	121	3	-	-	-	19	11	-	8	4	62	61	9	-	51	-
34	Dunn	241	1	-	-	-	34	12	1	21	5	143	141	43	-	88	4
35	Eau Claire	509	2	2	-	1	73	29	2	42	5	314	311	83	-	204	7
36	Eau Claire (part)	340	1	2	-	1	52	19	2	31	3	207	205	54	-	136	2
37	Eau Claire (total)	341	1	2	-	1	52	19	2	31	3	208	206	54	-	137	2
38	Balance of county	169	1	-	-	-	21	10	-	11	2	107	106	29	-	68	5
39	Florence	43	1	-	-	-	7	2	-	5	-	25	25	6	-	17	2
40	Fond du Lac	689	3	2	-	2	114	42	8	64	13	393	384	78	1	271	9
41	Fond du Lac	335	-	1	-	-	54	21	3	30	8	193	189	44	-	132	3
42	Balance of county	354	3	1	-	2	60	21	5	34	5	200	195	34	1	139	6
43	Forest	72	2	-	-	-	6	4	-	2	2	39	38	11	-	25	2
44	Grant	461	1	2	-	3	72	27	5	40	4	259	253	60	-	175	6
45	Green	286	-	-	-	-	52	25	2	25	3	157	156	32	1	111	3
46	Green Lake	156	1	-	-	-	33	16	2	15	9	85	80	11	-	63	-
47	Iowa	215	-	1	1	1	38	7	4	27	1	117	116	41	1	65	1
48	Iron	98	2	1	1	-	18	10	1	7	4	48	47	11	-	35	2
49	Jackson	181	1	-	-	2	21	4	3	14	6	110	110	37	-	67	-
50	Jefferson	509	4	-	1	3	93	38	5	50	13	288	281	75	1	177	10
51	Watertown (part)	138	1	-	-	1	22	7	2	13	3	86	85	25	1	54	4
52	Watertown (total)	166	2	-	-	1	29	12	2	15	3	100	99	30	1	62	4
53	Balance of county	371	3	-	1	2	71	31	3	37	10	202	196	50	-	123	6
54	Juneau	210	-	1	-	1	24	10	3	11	6	137	132	25	-	106	-
55	Kenosha	722	3	-	7	2	121	48	12	61	12	405	397	73	-	299	5
56	Kenosha	543	2	-	3	1	86	33	9	44	8	320	313	56	-	239	2
57	Balance of county	179	1	-	4	1	35	15	3	17	4	85	84	17	-	60	3
58	Kewaunee	142	1	-	-	2	20	6	2	12	3	77	76	27	1	43	2
59	La Crosse	672	4	-	2	2	104	37	12	55	14	396	386	105	-	254	10
60	La Crosse	498	2	-	2	1	79	28	9	42	8	302	296	86	-	186	6
61	Balance of county	174	2	-	-	1	25	9	3	13	6	94	90	19	-	68	4
62	Lafayette	186	1	-	-	1	28	10	-	18	1	100	99	22	-	72	3
63	Langlade	216	-	1	-	2	31	10	3	18	10	113	102	27	-	73	1
64	Lincoln	233	1	-	-	1	27	11	2	14	7	136	136	38	-	85	1
65	Manitowoc	650	3	1	-	2	93	39	5	49	17	392	379	76	1	279	12
66	Manitowoc	265	1	1	-	2	39	17	3	19	5	151	146	30	-	108	5
67	Two Rivers	102	2	-	-	-	21	10	-	11	4	60	56	8	-	43	-
68	Balance of county	283	-	-	-	-	33	12	2	19	8	181	177	38	1	128	7
69	Marathon	663	3	1	-	3	108	43	8	57	14	363	358	90	1	235	10
70	Wausau	307	2	1	-	3	47	17	2	28	6	181	178	44	1	113	5
71	Balance of county	356	1	-	-	-	61	26	6	29	8	182	180	46	-	122	5
72	Marinette	345	-	-	1	1	56	25	6	25	12	200	197	37	-	135	6
73	Marinette	162	-	-	-	-	21	7	2	12	7	99	98	17	-	65	3
74	Balance of county	183	-	-	1	1	35	18	4	13	5	101	99	20	-	70	3
75	Marquette	130	3	-	-	-	20	8	2	10	2	80	79	16	-	51	1
76	Milwaukee	8,665	79	25	18	29	1,687	647	192	848	164	4,765	4,713	880	5	3,542	102
77	Milwaukee	6,793	56	17	17	26	1,293	495	151	647	123	3,734	3,703	690	2	2,784	85
78	Wauwatosa	490	7	2	-	1	101	45	8	48	12	293	289	54	1	229	6
79	West Allis	456	3	2	-	-	86	34	7	45	10	257	251	44	1	184	6
80	Cudahy	106	1	1	-	1	22	8	4	10	4	49	45	13	-	26	1
81	Shorewood	165	-	-	-	1	34	16	2	16	4	101	99	17	-	74	1
82	South Milwaukee	110	1	-	-	-	24	8	4	12	2	64	64	12	-	49	-
83	Whitefish Bay	81	1	-	-	-	23	10	4	9	4	34	33	7	-	23	1
84	Balance of county	464	10	3	1	-	104	31	12	61	5	233	229	43	1	173	2
85	Monroe	300	-	-	1	-	44	21	5	18	8	166	161	23	-	126	2
86	Oconto	309	-	-	-	2	54	24	4	26	5	170	167	43	-	117	4
87	Oneida	205	1	-	1	-	27	8	4	15	3	115	111	23	-	77	1
88	Outagamie	739	3	2	-	5	116	45	9	62	18	419	415	103	2	282	4
89	Appleton	379	1	1	-	3	69	26	5	38	10	213	211	45	1	146	2
90	Balance of county	360	2	1	-	2	47	19	4	24	8	206	204	58	1	136	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
9,256	1,307	2,367	237	825	205	313	678	222	133	324	34	34	520	1,187	147	851	1,063	418	39	2,161	1
3,953	471	755	104	256	95	95	244	109	52	167	11	16	210	550	31	268	363	151	22	857	2
5,303	836	1,612	133	569	110	218	434	113	81	157	23	18	310	637	116	583	700	267	17	1,304	3
23	4	7	-	4	2	1	3	1	1	-	-	-	-	2	-	3	7	-	-	8	4
39	12	21	1	11	-	1	1	-	1	1	-	-	1	10	-	4	8	2	-	10	5
25	10	12	1	3	-	-	1	-	-	-	-	-	-	4	-	1	1	1	-	5	6
14	2	9	-	8	-	1	-	-	1	1	-	-	1	6	-	3	7	1	-	5	7
63	8	32	2	6	2	5	5	1	-	2	-	-	4	7	5	10	6	-	-	19	8
59	2	8	-	4	1	2	-	3	-	1	-	-	-	4	-	3	4	-	-	11	9
212	35	52	4	9	7	4	12	5	4	9	-	1	30	39	3	28	24	8	1	60	10
130	16	29	1	4	6	3	8	4	3	6	-	1	13	14	2	14	12	3	-	39	11
82	19	23	3	5	1	1	4	1	1	3	-	-	17	25	1	14	12	5	1	21	12
41	8	6	1	2	-	-	5	-	-	1	-	-	1	5	-	7	2	3	-	10	13
25	1	15	-	2	-	2	-	-	-	2	-	-	-	-	1	1	3	2	-	4	14
32	11	16	1	4	-	2	2	-	1	-	-	-	-	4	-	5	6	2	-	12	15
85	9	29	2	19	1	1	7	2	2	2	1	-	7	19	6	16	17	4	1	28	16
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
36	2	4	-	9	1	1	1	1	2	1	-	-	3	5	2	6	7	-	-	10	18
48	7	25	2	10	-	-	6	1	-	1	1	-	4	14	4	10	10	4	1	18	19
87	5	17	2	8	1	1	8	4	-	-	-	-	2	8	5	8	13	5	-	21	20
121	19	33	3	12	4	7	11	1	2	3	-	1	5	11	9	13	13	3	-	22	21
35	21	18	4	3	-	1	6	-	-	1	1	-	2	3	2	5	6	1	-	9	22
404	55	78	10	27	8	18	40	13	7	8	-	1	27	48	8	48	62	19	1	94	23
242	28	32	4	12	4	7	20	9	3	4	-	1	17	28	4	23	29	8	1	52	24
162	27	46	6	15	4	11	20	4	4	4	-	-	10	20	4	25	33	11	-	42	25
155	22	48	1	8	1	4	7	1	3	5	-	-	8	14	1	16	16	11	-	46	26
41	8	10	-	2	-	-	1	-	-	1	-	-	1	4	-	4	4	-	-	7	27
4	1	3	-	-	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	3	28
110	13	35	1	6	-	4	6	1	3	3	-	-	7	10	1	11	11	11	-	36	29
48	8	33	2	6	-	2	5	1	-	-	1	-	6	6	2	2	9	3	1	16	30
175	17	44	4	10	3	4	3	6	3	6	-	1	6	16	1	11	19	6	1	50	31
137	14	34	4	9	3	3	3	5	2	5	-	1	6	15	1	6	13	3	1	35	32
38	3	10	-	1	-	1	-	1	1	1	-	-	-	1	-	5	6	3	-	15	33
63	12	9	3	4	3	2	8	1	-	1	-	-	3	3	-	2	20	1	-	19	34
137	18	42	3	15	6	3	8	4	2	3	3	1	9	17	5	8	15	4	-	33	35
88	15	31	1	10	4	2	5	4	2	1	2	-	7	10	4	3	8	2	-	26	36
89	15	31	1	10	4	2	5	4	2	1	2	-	7	10	4	3	8	2	-	26	37
49	3	11	2	5	2	1	3	-	-	2	1	1	2	7	1	5	7	2	-	7	38
10	-	5	-	2	-	-	-	-	-	-	-	-	1	1	-	3	1	2	-	2	39
160	45	57	1	32	1	9	12	11	2	7	-	-	7	18	3	15	23	12	1	51	40
76	20	33	1	12	-	4	5	8	2	4	-	-	6	9	2	7	14	6	-	16	41
84	25	24	-	20	1	5	7	3	-	3	-	-	1	9	1	8	9	6	1	35	42
19	2	2	1	1	-	1	3	-	1	-	-	1	-	5	-	2	5	-	-	6	43
119	12	38	1	16	1	6	7	-	1	1	-	-	8	24	3	19	13	9	-	35	44
70	14	24	6	3	3	1	5	2	-	2	-	-	3	6	1	5	11	5	-	14	45
35	10	18	1	5	-	5	3	1	3	1	1	-	-	2	1	5	5	3	-	3	46
48	6	10	-	9	-	1	9	-	1	-	1	-	-	7	-	5	11	5	1	16	47
23	2	8	-	1	-	1	3	1	-	2	-	-	1	1	-	6	4	1	1	4	48
62	2	3	2	4	-	-	3	1	-	2	-	-	3	3	7	4	9	3	-	6	49
104	15	48	3	16	9	7	6	1	-	4	1	1	4	8	2	20	19	7	-	34	50
26	8	16	1	2	2	1	2	-	-	2	-	1	3	-	1	1	2	1	-	12	51
30	9	19	1	2	3	1	2	-	-	3	-	1	3	-	1	2	3	1	-	15	52
78	7	32	2	14	7	6	4	1	-	2	1	-	1	8	1	19	17	6	-	22	53
81	7	18	-	1	-	5	4	-	-	2	-	1	2	3	-	5	11	2	1	10	54
231	31	32	8	9	8	8	12	5	3	11	1	2	14	33	1	16	17	7	3	47	55
187	27	23	7	6	5	7	9	5	2	8	-	-	8	28	-	9	12	4	2	36	56
44	4	9	1	3	3	1	3	-	1	3	1	2	6	5	1	7	5	3	1	11	57
29	2	10	-	5	-	1	1	-	-	2	-	-	4	7	1	4	5	1	-	14	58
184	38	22	7	17	3	10	16	4	2	3	-	1	10	20	3	7	33	8	-	43	59
138	26	16	6	16	2	6	10	3	2	3	-	-	7	14	2	7	20	5	-	31	60
46	12	6	1	1	1	4	6	1	-	-	-	1	3	6	1	-	13	3	-	12	61
38	4	27	-	3	2	1	6	1	1	-	1	-	2	3	2	10	5	3	-	21	62
47	15	10	2	-	-	11	8	1	1	2	1	-	2	10	1	6	7	7	-	13	63
55	10	19	1	11	1	-	7	1	-	1	-	-	2	13	3	7	7	2	-	18	64
196	26	45	7	12	4	13	14	2	1	5	-	1	11	16	2	16	27	12	1	34	65
76	15	12	2	3	3	5	7	2	1	3	-	-	7	3	-	7	15	6	-	15	66
35	3	5	2	2	1	4	1	-	-	-	-	1	-	4	-	-	3	1	1	4	67
85	8	28	3	7	-	4	6	-	-	2	-	-	4	9	2	9	9	5	-	15	68
170	10	45	8	22	2	5	19	3	6	4	1	-	14	23	6	29	27	7	-	32	69
83	3	22	6	13	1	3	8	3	1	2	-	-	9	13	1	8	8	1	-	13	70
87	7	23	2	9	1	2	11	-	5	2	1	-	5	10	5	21	19	6	-	19	71
90	13	26	8	12	5	3	6	-	1	6	2	-	5	9	1	4	16	11	1	13	72
39	7	16	6	6	4	1	3	-	1	4	-	-	2	5	1	3	5	5	1	5	73
51	6	10	2	6	1	2	3	-	-	2	2	-	3	4	-	1	11	6	-	8	74
32	4	14	2	10	-	1	4	1	1	1	-	-	-	1	1	3	7	1	-	5	75
2,645	302	493	71	152	63	52	163	69	28	122	8	10	118	365	17	138	216	99	14	531	76
2,051	259	389	57	123	47	31	135	58	23	98	7	6	86	303	10	98	173	74	12	444	77
183	9	31	2	3	-	4	7	1	-	1	-	1	6	11	1	9	11	3	-	23	78
141	13	24	4	14	4	6	2	3	2	9	-	1	8	19	1	9	12	10	-	22	79
21	3	1	1	1	4	4	2	-	-	1	1	-	3	7	-	1	3	3	-	7	80
52	6	15	2	5	1	2	4	2	-	4	-	-	1	2	1	1	3	4	-	3	81
41	1	7	1	1	1	-	1	-	-	1	-	-	1	4	3	2	2	1	-	4	82
20	1	1	1	-	2	1	3	2	-	-	-	-	4	2	-	2	-	1	-	5	83
136	10	25	3	5	4	4	9	3	3	8	-	2	9	17	1	16	12	3	2	23	84
82	29	13	3	8	1	5	5	3	1	2	-	-	4	24	3	8	4	3	2	22	85
75	9	29	1	6	-	3	12	1	-	-	1	-	2	10	3	19	4	5	1	20	86
53	7	16	-	8	3	4	5	3	2	1	-	-	5	9	-	6	8	1	-	18	87
181	22	75	4	20	4	4	13	3	4	4	-	-	15	24	5	25	25	7	-	51	88
91	14	39	3	12	4	2	5	1	4	1	-	-	9	11	3	6	9	4	-	29	89
90	8	36	1	8	-	2	8	2	-	3	-	-	6	13	2	19	16	3	-	22	90

Table 54. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148, 156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	WISCONSIN—Continued																
1	Ozaukee	216	-	1	-	1	31	10	3	18	5	121	121	24	-	90	3
2	Pepin	63	2	-	-	-	11	5	-	6	2	32	30	11	1	15	1
3	Pierce	233	-	-	-	-	34	13	-	21	8	134	132	42	1	84	3
4	Polk	252	1	-	1	1	35	14	3	16	7	160	155	44	-	101	3
5	Portage	323	2	-	-	1	45	13	-	32	6	186	183	28	2	140	1
6	Stevens Point	173	2	-	-	-	27	9	-	18	5	99	98	18	2	72	-
7	Balance of county	150	-	-	-	1	18	4	-	14	1	87	85	10	-	68	1
8	Price	161	1	1	-	-	27	13	3	11	3	96	92	20	-	65	1
9	Racine	1,068	14	-	-	6	193	84	11	98	25	578	569	118	1	388	15
10	Racine	719	11	-	-	2	133	56	7	70	16	383	378	75	1	266	9
11	Balance of county	349	3	-	-	4	60	28	4	28	9	195	191	43	-	122	6
12	Richland	177	1	-	-	1	30	14	2	14	1	108	107	25	-	74	2
13	Rock	911	8	1	-	3	149	64	11	74	20	524	516	121	2	358	16
14	Beloit	300	4	1	-	1	50	27	3	20	10	172	168	40	2	110	4
15	Janesville	267	2	-	-	-	47	16	7	24	3	161	160	36	-	117	8
16	Balance of county	344	2	-	-	2	52	21	1	30	7	191	188	45	-	131	4
17	Rusk	125	-	-	-	-	17	8	1	8	3	75	75	25	-	47	1
18	St. Croix	262	-	-	-	2	34	13	1	20	3	162	161	41	-	109	4
19	Sauk	420	2	-	1	2	74	35	4	35	6	252	249	63	-	173	6
20	Sawyer	105	-	-	-	-	14	5	1	8	5	61	60	11	-	45	2
21	Shawano	337	1	-	-	4	42	19	2	21	8	195	195	44	1	130	4
22	Sheboygan	845	6	-	1	2	146	65	2	79	16	529	517	136	-	354	7
23	Sheboygan	477	4	-	1	1	78	39	1	38	13	298	296	71	-	211	7
24	Balance of county	368	2	-	-	1	68	26	1	41	3	231	221	65	-	143	-
25	Taylor	157	-	-	-	-	20	4	2	14	4	82	80	14	-	61	2
26	Trempealeau	250	-	-	-	1	47	29	1	17	5	134	134	44	-	80	1
27	Vernon	269	-	-	-	1	42	16	2	24	4	167	160	33	-	124	5
28	Vilas	94	1	-	-	1	12	4	3	5	5	50	48	11	-	37	3
29	Walworth	527	3	-	-	-	89	36	6	47	15	346	341	68	-	238	6
30	Washburn	117	2	-	-	-	16	6	-	10	3	69	69	21	-	42	3
31	Washington	328	-	-	1	-	55	19	3	33	7	177	172	48	-	112	3
32	Waukesha	884	1	1	-	2	149	56	9	84	16	473	464	103	1	323	9
33	Waukesha	215	-	-	-	-	43	15	3	25	4	104	99	20	1	72	4
34	Balance of county	669	1	1	-	2	106	41	6	59	12	369	365	83	-	251	5
35	Waupaca	379	2	-	-	1	57	26	6	25	8	222	219	63	3	143	4
36	Waushara	163	-	-	-	-	26	9	3	14	3	97	97	22	1	68	6
37	Winnebago	867	10	-	2	-	147	62	9	76	21	504	497	91	-	374	14
38	Oshkosh	426	2	-	1	-	73	37	3	33	9	250	248	36	-	196	8
39	Menasha	118	2	-	-	-	21	5	4	12	6	62	59	9	-	45	1
40	Neenah	126	2	-	-	-	22	7	2	13	4	74	74	17	-	52	-
41	Balance of county	197	4	-	1	-	31	13	-	18	2	118	116	29	-	81	5
42	Wood	423	-	1	-	-	72	28	11	33	12	207	202	61	-	126	8
43	Marshfield	133	-	-	-	-	18	9	2	7	2	67	65	23	-	35	3
44	Wisconsin Rapids	117	-	-	-	-	20	6	5	9	3	57	56	15	-	40	3
45	Balance of county	173	-	1	-	-	34	13	4	17	7	83	81	23	-	51	2
46	WYOMING	2,419	14	12	14	17	304	106	43	155	27	1,149	1,124	238	3	820	40
47	Nonmetropolitan counties	2,419	14	12	14	17	304	106	43	155	27	1,149	1,124	238	3	820	40
48	Albany	148	-	1	3	2	18	4	-	14	-	70	70	14	-	54	2
49	Laramie	121	-	1	3	2	15	4	-	11	-	60	60	14	-	44	1
50	Balance of county	27	-	-	-	-	3	-	-	3	-	10	10	-	-	10	1
51	Big Horn	107	-	1	1	1	11	3	4	4	1	52	52	12	-	37	1
52	Campbell	44	-	1	1	-	4	2	1	1	1	23	22	3	-	19	-
53	Carbon	142	-	1	-	2	17	8	4	5	1	65	63	5	-	58	-
54	Converse	67	-	-	-	-	9	2	1	6	1	32	32	5	-	27	5
55	Crook	33	-	-	-	-	5	1	2	2	-	20	20	3	-	17	3
56	Fremont	201	1	-	2	1	22	7	2	13	4	86	82	22	-	56	1
57	Goshen	124	-	1	-	1	16	6	3	7	3	64	62	19	1	39	2
58	Hot Springs	58	1	-	1	-	5	2	1	2	-	33	32	5	-	25	-
59	Johnson	47	-	-	-	-	7	1	1	5	-	27	27	6	-	18	-
60	Laramie	302	7	-	2	-	39	14	6	19	2	120	117	19	1	86	4
61	Cheyenne	232	6	-	2	-	28	12	2	14	2	91	89	15	1	63	2
62	Balance of county	70	1	-	-	-	11	2	4	5	-	29	28	4	-	23	2
63	Lincoln	65	-	1	-	2	7	3	-	4	1	28	27	7	-	20	2
64	Natrona	265	-	5	-	2	32	11	3	18	2	117	114	17	1	92	5
65	Casper	219	-	5	-	2	29	11	2	16	2	92	90	15	1	70	4
66	Balance of county	46	-	-	-	-	3	-	1	2	-	25	24	2	-	22	1
67	Niobrara	49	-	-	-	-	9	4	1	4	-	26	25	3	-	19	1
68	Park	124	2	-	1	-	21	5	3	13	2	59	58	16	-	38	3
69	Platte	62	-	-	-	-	9	3	-	6	2	38	37	4	-	32	1
70	Sheridan	188	-	1	1	1	20	9	1	10	2	113	112	38	-	63	2
71	Sheridan	142	-	1	1	-	15	7	-	8	-	85	84	27	-	48	1
72	Balance of county	46	-	-	-	1	5	2	1	2	2	28	28	11	-	15	1
73	Sublette	29	-	-	-	-	5	2	1	2	-	10	8	3	-	5	-
74	Sweetwater	162	2	-	1	3	22	10	2	10	2	78	77	18	-	54	2
75	Rock Springs	99	2	-	-	2	15	6	2	7	1	49	49	11	-	35	2
76	Balance of county	63	-	-	1	1	7	4	-	3	1	29	28	7	-	19	-
77	Teton	16	-	-	-	-	-	-	-	-	-	8	7	1	-	5	2
78	Uinta	57	-	-	-	-	9	2	4	3	-	25	25	6	-	16	4
79	Washakie	59	1	-	1	1	9	3	2	4	3	23	23	6	-	15	-
80	Weston	68	-	-	-	1	8	4	1	3	-	31	31	6	-	24	-
81	Yellowstone Nat. Park (part)	2	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
82	Yellowstone Nat. Park (total)	4	-	-	-	-	1	-	-	1	-	1	1	-	-	1	-

NOTES:

The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census in 1950 except in New England where the counties are those in the "metropolitan State economic areas," also defined by the Bureau of the Census in 1950. The category "nonmetropolitan counties" includes all other counties in the State.

Urban places of 10,000 or more listed in this table include all incorporated places of 10,000 or more in 1950 and certain unincorporated areas classified as "urban" under special rules relating to population size and density. Areas classified as urban under these special rules are indicated by a footnote.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1954—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E600-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
63	13	11	1	5	1	-	5	2	1	5	-	-	3	9	-	5	9	2	-	16	1
9	4	1	1	1	1	2	2	1	1	-	-	1	-	1	-	-	6	1	-	3	2
50	13	18	1	4	-	2	8	2	-	-	-	1	4	5	1	9	6	1	-	20	3
65	6	27	3	6	1	5	6	2	2	2	-	-	2	6	-	3	5	3	-	16	4
115	11	13	4	7	2	3	7	1	-	3	1	1	7	13	-	7	13	10	-	20	5
64	4	4	2	2	2	1	3	1	-	2	1	-	6	7	-	5	5	2	-	8	6
51	7	9	2	5	-	2	4	-	-	1	-	1	1	6	-	2	8	8	-	12	7
43	4	17	-	6	1	4	4	-	2	4	-	-	-	1	2	2	3	3	-	12	8
286	31	56	7	49	6	9	14	11	7	11	2	1	15	49	1	27	25	12	2	75	9
204	21	32	2	30	4	5	8	8	6	10	1	1	9	37	1	14	17	7	1	54	10
82	10	24	5	19	2	4	6	3	1	1	1	-	6	12	-	13	8	5	1	21	11
55	4	13	1	3	4	1	1	1	2	1	-	-	-	6	-	9	8	2	-	6	12
253	38	51	6	24	5	8	17	7	5	4	2	1	11	35	2	33	24	9	-	56	13
79	4	23	4	11	1	4	6	1	1	1	1	1	1	11	-	6	12	2	-	19	14
80	21	8	-	5	2	1	3	-	2	2	-	-	5	10	-	8	5	4	-	15	15
94	13	20	2	8	2	3	8	6	2	1	1	-	5	14	2	19	7	3	-	22	16
40	1	5	-	3	-	-	4	-	-	1	-	-	3	4	-	4	3	2	-	9	17
82	5	18	2	7	2	1	3	-	2	2	-	-	7	5	-	11	13	3	-	15	18
102	26	39	2	11	-	3	6	3	2	4	-	-	2	14	8	10	9	3	-	22	19
30	5	8	-	4	-	1	3	-	-	-	-	-	1	1	-	3	3	2	1	11	20
90	10	26	2	16	2	-	9	3	2	1	1	-	5	9	1	12	18	6	3	17	21
223	48	76	5	16	6	12	10	6	3	6	-	1	14	11	2	14	19	10	-	49	22
132	32	40	2	8	4	2	6	6	2	3	-	1	8	5	1	3	11	7	-	29	23
91	16	36	3	8	2	10	4	-	1	3	-	-	6	6	1	11	8	3	-	20	24
26	9	24	-	4	1	2	10	1	-	2	-	-	3	8	4	1	7	4	-	11	25
47	11	21	1	8	1	-	10	2	2	2	-	-	6	8	-	7	3	3	-	20	26
88	9	22	-	1	2	7	3	-	-	4	1	-	3	10	2	6	8	4	-	14	27
24	2	8	-	-	-	2	7	1	-	2	1	-	-	1	-	5	2	4	-	2	28
179	14	39	4	27	4	5	4	2	2	4	-	-	6	12	-	13	14	2	-	15	29
30	4	5	1	5	-	-	3	2	-	1	-	-	1	5	-	1	6	1	-	7	30
74	15	20	1	10	1	5	4	-	3	3	-	1	6	16	-	12	10	3	1	29	31
220	22	72	5	28	4	9	26	6	3	11	1	2	22	36	-	35	30	6	-	64	32
46	7	15	1	4	1	5	4	3	-	2	-	1	6	14	-	12	3	1	-	18	33
174	15	57	4	24	3	4	22	3	3	9	1	1	16	22	-	23	27	5	-	46	34
91	7	41	3	5	2	3	10	1	1	1	1	-	10	7	4	10	8	5	-	31	35
39	4	19	-	5	1	-	4	1	1	2	-	-	4	6	1	6	4	1	-	7	36
214	75	71	4	21	7	7	11	8	3	15	-	2	27	27	1	16	20	7	-	46	37
103	50	35	2	12	2	2	9	3	3	7	-	-	13	10	1	6	10	3	-	26	38
28	4	12	-	3	2	3	-	3	-	3	-	-	3	6	-	2	3	-	-	7	39
35	4	13	1	2	2	-	1	2	-	2	-	-	5	2	-	2	4	1	-	5	40
48	17	11	1	4	1	2	1	-	-	3	-	2	6	9	-	6	3	3	-	8	41
75	12	31	3	10	2	5	10	2	4	3	-	1	10	21	4	13	17	12	1	33	42
23	2	7	2	4	1	2	2	1	1	1	-	-	2	6	-	5	3	6	1	18	43
19	4	14	-	-	1	1	2	1	1	1	-	1	2	8	2	2	8	3	-	6	44
33	6	10	1	6	-	2	6	-	2	1	-	-	6	7	2	6	6	3	-	9	45
515	73	192	9	33	21	25	84	30	10	18	7	2	51	168	28	119	133	44	7	181	46
515	73	192	9	33	21	25	84	30	10	18	7	2	51	168	28	119	133	44	7	181	47
43	1	8	1	1	-	-	8	5	2	1	-	-	2	14	1	5	4	4	-	8	48
35	1	7	1	1	-	-	7	2	2	1	-	-	2	13	-	3	3	1	-	6	49
8	-	1	-	-	-	-	1	3	-	-	-	-	-	1	1	2	1	3	-	2	50
20	5	11	-	3	-	-	4	2	1	-	-	-	1	4	1	11	4	2	-	10	51
13	4	2	-	-	-	1	1	-	-	-	-	-	1	5	-	1	3	1	-	2	52
29	3	26	-	-	-	2	5	2	1	1	-	-	2	9	2	7	14	5	1	7	53
11	7	4	-	-	-	-	1	1	-	-	-	-	2	4	2	6	5	2	-	2	54
7	2	5	-	-	-	-	1	-	-	-	1	-	-	-	-	2	2	1	-	1	55
39	3	13	-	2	2	4	16	3	3	-	-	1	2	6	1	18	10	1	1	23	56
28	3	6	-	3	-	2	6	2	-	1	-	-	1	7	-	5	8	1	-	8	57
21	-	4	-	2	-	1	2	-	-	1	-	-	1	4	-	4	4	1	-	1	58
13	2	3	-	-	3	-	-	-	-	1	-	-	1	1	-	3	-	2	-	5	59
56	12	14	2	5	4	3	7	5	1	4	-	-	12	42	-	11	16	8	1	25	60
47	6	8	2	5	3	2	6	5	-	4	-	-	11	36	-	7	8	7	1	18	61
9	6	6	-	-	1	1	1	-	1	-	-	-	1	6	-	4	8	1	-	7	62
6	1	11	-	-	-	1	-	-	1	1	-	-	1	1	6	3	4	-	-	9	63
50	11	26	-	3	1	3	17	3	-	-	-	-	7	22	1	10	21	3	3	20	64
35	8	23	-	3	1	2	16	3	-	-	-	-	7	19	1	6	17	1	3	16	65
15	3	3	-	-	-	1	1	-	-	-	-	-	-	3	-	4	4	2	-	4	66
8	5	5	1	1	1	1	3	1	-	-	-	-	-	5	-	1	2	1	-	1	67
28	1	6	-	3	1	1	3	1	-	1	1	-	4	6	2	10	4	3	-	4	68
4	5	22	-	-	1	1	1	-	-	1	-	1	1	-	1	-	4	2	-	2	69
53	4	4	-	6	5	1	3	2	-	4	1	-	4	9	2	2	3	2	-	18	70
42	1	4	-	6	3	1	3	-	-	4	1	-	3	6	1	2	3	1	-	16	71
11	3	-	-	-	2	-	-	2	-	-	-	-	1	3	1	-	-	1	-	2	72
3	1	1	-	-	-	2	-	-	-	-	-	-	1	2	2	2	3	1	-	3	73
40	2	10	2	1	2	1	3	1	1	2	1	-	2	11	2	6	9	2	-	14	74
26	1	6	2	-	1	-	2	1	1	2	-	-	1	8	-	1	2	2	-	10	75
14	1	4	-	1	1	1	1	-	-	-	1	-	1	3	2	5	7	-	-	4	76
1	-	2	-	1	-	1	-	-	-	-	-	-	2	-	-	1	4	-	-	1	77
9	1	2	2	-	1	-	-	1	-	-	1	-	1	5	2	4	3	-	-	6	78
10	-	5	1	1	-	-	1	1	-	-	2	-	1	3	2	1	5	-	-	5	79
22	-	2	-	1	-	-	2	-	-	-	-	-	2	8	1	6	1	2	1	5	80
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	81
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	82

Certain cities are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Aurora, Colo., under Adams County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; College Park, Ga., under Fulton County; Collinsville, Ill., under Madison County; Eau Claire, Wis., under Eau Claire County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Hannibal, Mo., under Marion County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Kansas City, Mo., under Jackson County; Pocatello, Idaho, under Bannock County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Salem, Oreg., under Marion County; Sikeston, Mo., under Scott County; Streator, Ill., under La Salle County; Takoma Park, Md., under Montgomery County; Watertown, Wis., under Jefferson County; Weirton, W. Va., under Hancock County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

Table 55A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1954

(By place of residence. Exclusive of deaths among armed forces overseas. States and counties are listed in which there was one death (or more) from a specified cause. Includes data for urban places shown in table 55B. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AREA AND CAUSE OF DEATH	Deaths
TYPHOID FEVER (040)	
UNITED STATES	45
ARIZONA	1
Pinal	1
CALIFORNIA	4
Contra Costa	1
Los Angeles	2
Ventura	1
ILLINOIS	1
Cook	1
INDIANA	2
Dearborn	1
Montgomery	1
KENTUCKY	2
Bourbon	1
Taylor	1
LOUISIANA[1]	3
Ascension	1
Caddo	1
St. Martin	1
MAINE	1
York	1
MARYLAND	1
Montgomery	1
MISSOURI	1
Pemiscot	1
NEBRASKA	1
Gage	1
NEVADA	1
Elko	1
NEW JERSEY	1
Monmouth	1
NEW MEXICO	1
Bernalillo	1
NEW YORK	1
New York City[2]	1
NORTH CAROLINA	1
Warren	1
NORTH DAKOTA	1
Morton	1
OKLAHOMA	3
Blaine	1
Greer	1
Pontotoc	1
PENNSYLVANIA	3
Allegheny	1
Lancaster	1
Philadelphia	1
RHODE ISLAND	1
Providence	1
SOUTH CAROLINA	3
Chester	1
Greenville	1
Sumter	1
TENNESSEE	1
Shelby	1
TEXAS	6
Bexar	1
Cameron	1
Falls	1
Hopkins	1
Knox	1
Polk	1
VIRGINIA	1
Tazewell	1
WEST VIRGINIA	2
Hardy	1
Tyler	1
WISCONSIN	1
Adams	1
WYOMING	1
Big Horn	1
DYSENTERY, ALL FORMS (045-048)	
UNITED STATES	655
ALABAMA	21
Barbour	1
Bullock	1
Crenshaw	1
Dallas	1
Houston	2
Jackson	1
Jefferson	1
Lee	2
Lowndes	1
Marion	1
Mobile	2
Montgomery	2
Randolph	1
Russell	1
St. Clair	1
Washington	1
Winston	1
ARIZONA	14
Apache	1
Maricopa	4
Navajo	1
Pima	3
Pinal	5
ARKANSAS	30
Arkansas	1
Ashley	2
Benton	1
Bradley	1
Clay	1
Columbia	2
Cross	1
Howard	1
Jackson	1
Jefferson	2
Johnson	1
Lafayette	3
Lee	1
Lincoln	1
Miller	1
Mississippi	2
Phillips	1
Poinsett	1
Pulaski	3
St. Francis	1
Sharp	1
White	1
CALIFORNIA	31
Alameda	1
Contra Costa	2
Fresno	3
Humboldt	2
Imperial	1
Lassen	1
Los Angeles	13
Napa	1
Orange	1
Sacramento	2
San Diego	3
Sonoma	1
COLORADO	4
Archuleta	1
El Paso	1
Montrose	1
Pueblo	1
CONNECTICUT	1
Windham	1
FLORIDA	20
Alachua	1
Bay	3
Broward	3
Clay	1
Collier	1
Duval	1
Hillsborough	2
Leon	1
Levy	1
Manatee	2
Nassau	1
St. Lucie	1
Volusia	2
GEORGIA	32
Baldwin	1
Burke	3
Calhoun	1
Clayton	1
Cobb	1
Colquitt	1
Dooly	1
Dougherty	5
Early	1
Fayette	1
Floyd	1
Franklin	1
Fulton	2
Greene	1
Hall	1
Houston	1
Jenkins	1
Lanier	1
Long	1
Mitchell	1
Morgan	1
Paulding	1
Talbot	1
Terrell	1
Tift	1
IDAHO	1
Bingham	1
ILLINOIS	16
Alexander	1
Bond	1
Cook	7
Fayette	1
Hamilton	1
Kane	1
Lee	1
Livingston	1
Rock Island	1
St. Clair	1
INDIANA	9
Dubois	1
Hancock	1
Lake	1
Marion	3
Monroe	1
Owen	1
Starke	1
IOWA	5
Des Moines	1
Johnson	1
Keokuk	1
Monroe	1
Union	1
KANSAS	5
Marion	1
Neosho	1
Sedgwick	1
Shawnee	2
KENTUCKY	20
Cumberland	1
Floyd	3
Hart	1
Hopkins	1
Jefferson	1
Johnson	2
Kenton	1
Laurel	1
Lewis	1
Logan	2
Madison	1
Magoffin	1
Pike	2
Scott	1
Taylor	1
LOUISIANA[1]	22
Acadia	1
Caddo	1
De Soto	1
East Baton Rouge	1
East Feliciana	2
Franklin	1
Iberville	1
Lincoln	1
Morehouse	1
Orleans	3
Ouachita	3
Plaquemines	1
Rapides	1
St. Helena	1
St. John the Baptist	1
Tangipahoa	1
Washington	1
MAINE	2
Kennebec	1
Somerset	1
MARYLAND	2
Baltimore (independent city)	1
Worcester	1
MASSACHUSETTS[3]	13
MICHIGAN	3
Berrien	1
Tuscola	1
Van Buren	1
MISSISSIPPI	60
Attala	2
Bolivar	3
Calhoun	1
Claiborne	1
Coahoma	3
Harrison	1
Hinds	3
Jones	2
Lauderdale	3
Lee	2
Leflore	5
Lowndes	1
Madison	1
Monroe	2
Pearl River	1
Perry	1
Pontotoc	1
Prentiss	1
Quitman	2
Scott	3
Sunflower	1
Tallahatchie	4
Tishomingo	1
Tunica	2
Union	1
Washington	6
Wilkinson	4
Yazoo	2
MISSOURI	16
Callaway	1
Cole	1
Dunklin	1
Jackson	3
Lawrence	1
Mississippi	2
New Madrid	1
Pemiscot	1

See footnotes on p. 502.

Table 55A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1954—Continued

(See headnote on p. 496)

AREA AND CAUSE OF DEATH	Deaths
DYSENTERY, ALL FORMS (045-048)—Continued	
MISSOURI—Continued	
St. Charles	1
St. Francois	1
St. Louis (independent city)	2
Stoddard	1
NEBRASKA	2
Morrill	1
Nemaha	1
NEVADA	3
Clark	3
NEW JERSEY	7
Essex	3
Hudson	1
Middlesex	3
NEW MEXICO	23
Chaves	1
Grant	1
Guadalupe	2
Lea	1
Lincoln	1
McKinley	5
Otero	1
Quay	1
Sandoval	1
San Juan	3
San Miguel	1
Santa Fe	1
Socorro	1
Taos	2
Valencia	1
NEW YORK	12
Monroe	1
New York City[2]	9
Orange	1
Westchester	1
NORTH CAROLINA	11
Alamance	1
Anson	1
Catawba	1
Duplin	1
Greene	1
Harnett	1
Hertford	1
Lenoir	1
Moore	1
Surry	1
Watauga	1
NORTH DAKOTA	2
Foster	1
Ramsey	1
OHIO	7
Cuyahoga	1
Franklin	3
Guernsey	1
Logan	1
Muskingum	1
OKLAHOMA	11
Comanche	1
Dewey	1
Jefferson	1
McCurtain	1
Mayes	1
Oklahoma	1
Okmulgee	1
Pittsburg	1
Tulsa	3
OREGON	1
Washington	1
PENNSYLVANIA	4
Allegheny	1
Clearfield	1
McKean	1
Philadelphia	1
RHODE ISLAND	2
Providence	1
Washington	1
SOUTH CAROLINA	17
Allendale	1
Anderson	2
Bamberg	1
Chester	1
Chesterfield	1
Clarendon	1
Colleton	1
Darlington	1
Georgetown	1
Greenville	1
Kershaw	1
Lexington	1
McCormick	2
Union	1
York	1
TENNESSEE	23
Clay	2
Coffee	1
Cumberland	1
Davidson	2
Dickson	1
Dyer	1
Hamilton	1
Hickman	1
Knox	2
Lewis	2
Marshall	1
Obion	1
Overton	1
Shelby	4
Unicoi	1
Warren	1
TEXAS	171
Anderson	2
Atascosa	1
Bastrop	1
Bee	3
Bexar	5
Brazos	4
Brewster	3
Cameron	20
Collin	1
Cottle	1
Dallas	6
Dawson	2
De Witt	1
Dimmit	1
Eastland	1
Ector	1
Ellis	3
El Paso	4
Falls	1
Fannin	1
Fayette	1
Fort Bend	3
Freestone	1
Frio	1
Gaines	1
Hale	3
Hall	1
Harrison	1
Hidalgo	35
Houston	2
Hudspeth	2
Hunt	1
Jasper	1
Jim Wells	3
Jones	1
Kaufman	3
Kimble	2
Kleberg	1
Lamar	1
Lamb	2
Lavaca	1
Limestone	1
Live Oak	1
McCulloch	2
McLennan	1
Milam	4
Montgomery	1
Nueces	3
Robertson	1
San Patricio	3
Tarrant	1
Travis	1
Uvalde	2
Val Verde	3
Victoria	2
TEXAS—Continued	
Waller	1
Washington	1
Webb	1
Wharton	1
Willacy	12
VIRGINIA[4]	15
Accomack	1
Alleghany	1
Amherst	1
Campbell	1
King William	1
Mecklenburg	1
Norfolk	1
Northampton	3
Princess Anne	1
Independent Cities	
Norfolk	1
Portsmouth	2
Staunton	1
WASHINGTON	4
Clark	1
King	1
Pierce	1
San Juan	1
WEST VIRGINIA	4
Cabell	1
Kanawha	1
Mercer	1
Summers	1
WISCONSIN	8
Dane	1
Jackson	1
Jefferson	1
Ozaukee	1
Shawano	4
WYOMING	1
Sweetwater	1
DIPHTHERIA (055)	
UNITED STATES	145
ALABAMA	14
Baldwin	1
Bullock	1
Elmore	1
Houston	6
Jefferson	2
Mobile	1
Montgomery	1
Pike	1
ARIZONA	2
Graham	2
ARKANSAS	5
Arkansas	1
Bradley	1
Lee	1
Pulaski	1
Searcy	1
CALIFORNIA	4
Los Angeles	2
Sacramento	2
CONNECTICUT	1
New Haven	1
DISTRICT OF COLUMBIA	1
FLORIDA	9
Broward	1
Clay	1
Lake	1
Osceola	1
Palm Beach	1
Polk	2
Santa Rosa	1
Suwannee	1
GEORGIA	24
Bulloch	2
Butts	1
Camden	2
Crisp	1
Dawson	1
De Kalb	1
Effingham	1
Fayette	1
Fulton	4
Gwinnett	1
Jeff Davis	1
Jefferson	1
Oconee	1
Polk	1
Seminole	1
Taliaferro	1
Walker	2
Ware	1
ILLINOIS	2
Cook	1
Winnebago	1
INDIANA	2
Monroe	1
Wayne	1
IOWA	1
Woodbury	1
KANSAS	1
Montgomery	1
KENTUCKY	4
Boyd	1
Meade	2
Pike	1
LOUISIANA[1]	5
Claiborne	1
Jefferson	1
Orleans	1
Ouachita	1
St. Bernard	1
MASSACHUSETTS[3]	2
MICHIGAN	3
Genesee	1
Van Buren	1
Wayne	1
MINNESOTA	1
Hennepin	1
MISSISSIPPI	3
Jones	1
Lauderdale	1
Tate	1
MISSOURI	2
Buchanan	1
St. Francois	1
MONTANA	3
Lewis and Clark	1
Lincoln	1
Missoula	1
NEBRASKA	2
Douglas	2
NEW JERSEY	2
Passaic	2
NEW YORK	3
New York City[2]	2
Washington	1
NORTH CAROLINA	7
Caldwell	1
Edgecombe	1

See footnotes on p. 502.

Table 55A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1954—Continued

(See headnote on p. 496)

AREA AND CAUSE OF DEATH	Deaths
DIPHTHERIA (055)—Continued	
NORTH CAROLINA—Continued	
Sampson	1
Surry	1
Vance	1
Wake	1
Wilson	1
NORTH DAKOTA	2
Ransom	1
Walsh	1
OHIO	1
Cuyahoga	1
OKLAHOMA	3
Oklahoma	1
Pittsburg	1
Rogers	1
OREGON	1
Josephine	1
PENNSYLVANIA	2
Adams	1
Delaware	1
SOUTH CAROLINA	16
Anderson	4
Charleston	4
Cherokee	1
Darlington	3
Kershaw	1
Lee	1
Orangeburg	1
Spartanburg	1
TENNESSEE	2
Anderson	1
Knox	1
TEXAS	7
Cameron	3
Floyd	1
Houston	1
Jefferson	1
Starr	1
VIRGINIA[4]	5
Chesterfield	1
Norfolk	1
Prince William	1
Independent Cities	
Norfolk	1
Portsmouth	1
WASHINGTON	2
Pend Oreille	1
Spokane	1
WEST VIRGINIA	1
Logan	1
WHOOPING COUGH (056)	
UNITED STATES	373
ALABAMA	11
Calhoun	1
Chilton	1
Coosa	1
De Kalb	1
Lauderdale	1
Lee	1
Madison	2
Marshall	1
Mobile	1
Russell	1
ARKANSAS	20
Ashley	2
Clark	1
ARKANSAS—Continued	
Clay	1
Columbia	1
Crittenden	2
Cross	1
Desha	1
Faulkner	1
Greene	1
Jefferson	1
Lee	1
Lonoke	1
Mississippi	4
Monroe	1
St. Francis	1
CALIFORNIA	17
Colusa	1
Los Angeles	14
Merced	1
San Francisco	1
COLORADO	2
Adams	1
Las Animas	1
CONNECTICUT	2
Hartford	2
FLORIDA	1
Monroe	1
GEORGIA	19
Ben Hill	1
Bibb	1
Calhoun	1
Chatham	1
Chattooga	1
De Kalb	1
Elbert	1
Floyd	2
Hancock	1
Houston	1
Lanier	1
Laurens	1
Quitman	1
Talbot	1
Toombs	1
Treutlen	1
Upson	1
Walker	1
ILLINOIS	6
Cook	1
Henry	1
Iroquois	1
Kankakee	1
Marshall	1
Williamson	1
INDIANA	14
Adams	1
Clark	1
Greene	1
Henry	1
Jennings	1
Lake	3
Lawrence	1
Marion	2
Porter	1
Rush	1
Sullivan	1
KANSAS	4
Grant	1
Montgomery	1
Wyandotte	2
KENTUCKY	25
Bell	1
Boyd	1
Casey	2
Clark	1
Clinton	1
Crittenden	1
Daviess	1
Floyd	2
Greenup	2
Harlan	2
Hopkins	1
KENTUCKY—Continued	
Jefferson	1
Lawrence	1
Lincoln	1
McCreary	1
Martin	1
Perry	1
Simpson	1
Taylor	1
Whitley	2
LOUISIANA[1]	8
Allen	1
Ascension	1
Concordia	1
East Carroll	2
Orleans	1
St. Charles	1
St. John the Baptist	1
MAINE	2
Franklin	1
Piscataquis	1
MARYLAND	3
Harford	1
Queen Annes	1
Washington	1
MICHIGAN	14
Alcona	1
Cheboygan	1
Clare	1
Eaton	1
Genesee	2
Lenawee	2
Oakland	1
Saginaw	1
Van Buren	1
Wayne	3
MINNESOTA	5
Crow Wing	1
Hennepin	1
Houston	2
Itasca	1
MISSISSIPPI	23
Adams	1
Coahoma	1
Copiah	1
Covington	1
Franklin	1
Greene	1
Hancock	1
Hinds	3
Jefferson	1
Leake	1
Leflore	1
Marshall	1
Newton	1
Perry	1
Pike	3
Scott	1
Simpson	1
Smith	1
Yazoo	1
MISSOURI	14
Butler	3
Chariton	1
Dunklin	2
Howell	1
Jasper	2
Mississippi	2
Pemiscot	2
Stoddard	1
MONTANA	1
Lake	1
NEVADA	1
White Pine	1
NEW HAMPSHIRE	1
Sullivan	1
NEW MEXICO	4
De Baca	2
Grant	1
Harding	1
NEW YORK	14
Cattaraugus	1
Cayuga	1
Chemung	1
Erie	2
New York City[2]	5
Orange	1
Oswego	1
Suffolk	1
Wyoming	1
NORTH CAROLINA	10
Alamance	1
Buncombe	1
Craven	1
Davie	1
Forsyth	1
Granville	1
Mecklenburg	1
Pitt	1
Watauga	1
Wilkes	1
NORTH DAKOTA	1
Rolette	1
OHIO	19
Cuyahoga	2
Delaware	1
Huron	1
Jackson	1
Jefferson	1
Lawrence	1
Licking	1
Mahoning	2
Marion	1
Monroe	1
Montgomery	1
Perry	1
Ross	2
Shelby	1
Summit	1
Tuscarawas	1
OKLAHOMA	6
Creek	1
Oklahoma	2
Osage	1
Rogers	1
Washita	1
OREGON	5
Clackamas	1
Lane	1
Multnomah	1
Umatilla	1
Wallowa	1
PENNSYLVANIA	19
Allegheny	2
Armstrong	1
Blair	1
Cambria	1
Cameron	1
Clearfield	1
Crawford	1
Fayette	1
Franklin	1
Indiana	1
Jefferson	2
Monroe	1
Philadelphia	3
Somerset	1
Venango	1
RHODE ISLAND	3
Newport	1
Providence	2
SOUTH CAROLINA	29
Aiken	3
Allendale	1
Anderson	2
Barnwell	1

See footnotes on p. 502.

Table 55A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1954—Continued

(See headnote on p. 496)

AREA AND CAUSE OF DEATH	Deaths
WHOOPING COUGH (056)—Continued	
SOUTH CAROLINA—Continued	
Beaufort	1
Charleston	1
Clarendon	2
Darlington	3
Florence	5
Greenville	2
Hampton	2
Marlboro	3
Orangeburg	1
Pickens	1
Richland	1
SOUTH DAKOTA	3
Mellette	1
Minnehaha	1
Yankton	1
TENNESSEE	10
Davidson	1
Fayette	1
Hamilton	1
Haywood	2
Maury	1
Rhea	1
Scott	2
Shelby	1
TEXAS	25
Aransas	1
Cameron	1
Camp	1
De Witt	1
Falls	1
Gregg	1
Guadalupe	1
Harris	1
Hays	1
Hidalgo	1
Hunt	1
Jim Wells	1
Kaufman	1
Kleberg	1
Lamar	1
Milam	2
Montgomery	1
Nacogdoches	1
Nueces	1
Orange	1
Rockwall	1
Tarrant	1
Willacy	1
Williamson	1
VIRGINIA[4]	21
Augusta	1
Buchanan	2
Franklin	2
Goochland	1
Grayson	1
Henry	1
King and Queen	1
Lancaster	1
Lee	1
Loudoun	2
Rappahannock	1
Scott	1
Smyth	1
Tazewell	2
Westmoreland	1
Wise	1
Independent City	
Richmond	1
WASHINGTON	4
Cowlitz	1
King	1
Yakima	2
WEST VIRGINIA	4
Cabell	1
Greenbrier	1
Hancock	1
Mineral	1
WISCONSIN	3
Columbia	1
Lafayette	1
Vilas	1
MENINGOCOCCAL INFECTIONS (057)	
UNITED STATES	1,015
ALABAMA	29
Baldwin	1
Blount	1
Chambers	1
Chilton	1
De Kalb	1
Etowah	1
Franklin	1
Hale	1
Jefferson	4
Lauderdale	1
Madison	1
Mobile	7
Pike	1
Russell	1
St. Clair	1
Shelby	1
Tuscaloosa	1
Walker	2
Wilcox	1
ARIZONA	2
Pima	2
ARKANSAS	20
Ashley	1
Calhoun	2
Clark	1
Clay	1
Conway	1
Craighead	1
Desha	2
Greene	1
Jefferson	1
Lawrence	1
Phillips	1
Poinsett	1
Pulaski	3
Saline	1
Sebastian	1
Washington	1
CALIFORNIA	69
Alameda	6
Contra Costa	1
Fresno	2
Humboldt	1
Imperial	1
Los Angeles	26
Madera	1
Mendocino	1
Merced	3
Monterey	2
Orange	1
Riverside	1
Sacramento	6
San Bernardino	1
San Diego	4
San Francisco	4
San Joaquin	1
San Mateo	2
Santa Cruz	1
Sonoma	2
Sutter	1
Yuba	1
COLORADO	5
Denver	1
Las Animas	1
Pueblo	2
Weld	1
CONNECTICUT	8
Fairfield	2
Hartford	2
New Haven	2
New London	1
Tolland	1
DELAWARE	1
New Castle	1
DISTRICT OF COLUMBIA	3
FLORIDA	19
Alachua	2
Broward	1
Dade	1
Dixie	1
Duval	4
Escambia	2
Hillsborough	3
Lake	1
Marion	1
Palm Beach	1
Polk	1
Volusia	1
GEORGIA	31
Bartow	1
Bibb	3
Burke	1
Butts	1
Chatham	1
Cobb	2
Dade	1
De Kalb	1
Dougherty	1
Floyd	1
Fulton	4
Hall	1
Henry	1
Jenkins	1
Laurens	2
Lowndes	1
McDuffie	1
Muscogee	4
Spalding	1
Troup	1
Ware	1
IDAHO	3
Boundary	1
Canyon	1
Minidoka	1
ILLINOIS	54
Calhoun	1
Coles	2
Cook	33
Du Page	1
Edwards	1
Iroquois	1
Knox	1
Lake	3
Macon	1
Macoupin	1
Madison	3
Marion	1
Mason	1
Morgan	1
Sangamon	2
Winnebago	1
INDIANA	41
Allen	2
Bartholomew	1
Blackford	1
Carroll	1
Clark	2
Clay	1
Clinton	1
Dearborn	1
Delaware	2
Dubois	1
Elkhart	1
Hendricks	2
Jennings	1
Lake	6
Madison	2
Marion	7
Monroe	1
Parke	1
Randolph	1
Spencer	1
Vigo	2
Wayne	2
Whitley	1
IOWA	19
Black Hawk	1
Buchanan	2
Calhoun	1
Cherokee	1
Dubuque	1
IOWA—Continued	
Linn	4
Lyon	1
Page	1
Plymouth	1
Pottawattamie	2
Union	1
Webster	1
Woodbury	2
KANSAS	13
Allen	1
Anderson	1
Geary	1
Harvey	1
Meade	1
Sedgwick	4
Sumner	1
Thomas	1
Washington	2
KENTUCKY	37
Boyd	1
Boyle	1
Breathitt	1
Carter	1
Clark	1
Daviess	1
Grayson	1
Harlan	1
Hickman	1
Jackson	1
Jefferson	12
Johnson	1
Kenton	1
Knox	1
Laurel	1
McLean	1
Magoffin	1
Perry	1
Pike	1
Pulaski	1
Russell	1
Shelby	1
Union	1
Warren	2
Whitley	1
LOUISIANA[1]	41
Acadia	3
Allen	1
Avoyelles	2
Caddo	2
Calcasieu	4
East Baton Rouge	1
Franklin	1
Iberia	1
Jefferson Davis	1
Lafayette	2
Orleans	8
Rapides	2
Richland	1
St. Landry	7
St. Martin	1
Vermilion	1
Vernon	1
Washington	1
Webster	1
MAINE	9
Androscoggin	2
Aroostook	1
Cumberland	1
Hancock	1
Kennebec	2
Waldo	1
Washington	1
MARYLAND	15
Anne Arundel	1
Baltimore	1
Baltimore (independent city)	6
Frederick	2
Howard	1
Montgomery	1
Prince Georges	1
Wicomico	2
MASSACHUSETTS[3]	34

See footnotes on p. 502.

Table 55A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1954—Continued

(See headnote on p. 496)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Continued	
MICHIGAN	50
Barry	1
Berrien	2
Calhoun	1
Genesee	2
Grand Traverse	1
Kalamazoo	1
Kent	2
Lenawee	1
Macomb	2
Midland	2
Muskegon	3
Oakland	4
Saginaw	1
St. Clair	2
St. Joseph	1
Shiawassee	1
Washtenaw	2
Wayne	21
MINNESOTA	15
Anoka	1
Dakota	2
Goodhue	1
Hennepin	1
Lac qui Parle	1
Le Sueur	1
Nobles	1
Ramsey	3
St. Louis	1
Stearns	2
Wright	1
MISSISSIPPI	11
Choctaw	1
Coahoma	1
Jefferson Davis	3
Leflore	1
Lincoln	1
Sunflower	1
Tallahatchie	1
Wilkinson	2
MISSOURI	22
Clinton	1
Dunklin	1
Jackson	5
Jefferson	1
Maries	1
New Madrid	1
St. Louis	3
St. Louis (independent city)	7
Wayne	1
Wright	1
MONTANA	6
Deer Lodge	1
Flathead	1
Glacier	1
Lewis and Clark	1
McCone	1
Toole	1
NEBRASKA	6
Brown	1
Cedar	1
Cherry	1
Dawes	1
Holt	1
Stanton	1
NEVADA	1
Clark	1
NEW HAMPSHIRE	4
Hillsborough	4
NEW JERSEY	25
Bergen	2
Burlington	1
Camden	2
Essex	4
Hudson	1
Mercer	3
Middlesex	4
Monmouth	1
Morris	1
Ocean	2
Union	4
NEW MEXICO	4
Harding	1
Quay	1
Rio Arriba	1
San Juan	1
NEW YORK	60
Albany	2
Cayuga	1
Dutchess	1
Erie	4
Fulton	1
Genesee	1
Monroe	3
Nassau	2
New York City[2]	30
Oneida	2
Onondaga	2
Orange	3
Oswego	1
St. Lawrence	1
Schenectady	1
Seneca	1
Steuben	1
Westchester	3
NORTH CAROLINA	40
Bertie	1
Burke	1
Carteret	1
Craven	1
Cumberland	2
Davidson	1
Edgecombe	1
Gaston	3
Granville	1
Greene	1
Guilford	2
Halifax	4
Hoke	1
Johnston	2
Jones	1
Mecklenburg	2
Montgomery	1
Moore	1
Nash	1
Richmond	1
Robeson	2
Rockingham	1
Sampson	1
Scotland	1
Stanly	1
Wake	1
Wayne	2
Wilson	1
Yancey	1
NORTH DAKOTA	2
Bottineau	1
Griggs	1
OHIO	65
Allen	2
Butler	2
Columbiana	1
Cuyahoga	10
Erie	1
Franklin	6
Guernsey	1
Hamilton	6
Jackson	1
Lake	3
Licking	1
Logan	1
Lorain	1
Lucas	3
Mahoning	2
Marion	1
Mercer	1
Montgomery	4
Morrow	1
Muskingum	1
Pickaway	1
Portage	1
Sandusky	1
Shelby	1
Stark	2
Summit	2
Trumbull	3
Van Wert	1
Warren	3
Washington	1
OKLAHOMA	10
Carter	1
Haskell	1
Le Flore	1
Logan	1
Noble	1
Oklahoma	1
Pontotoc	1
Rogers	1
Texas	1
Tulsa	1
OREGON	9
Clackamas	1
Columbia	1
Coos	1
Jefferson	1
Lane	1
Multnomah	3
Umatilla	1
PENNSYLVANIA	62
Allegheny	7
Armstrong	2
Beaver	2
Berks	1
Bucks	1
Cambria	1
Centre	2
Chester	2
Dauphin	2
Delaware	1
Elk	1
Erie	2
Fayette	3
Franklin	2
Greene	1
Lackawanna	5
Lancaster	2
Lawrence	1
Lebanon	1
Lehigh	1
Luzerne	3
Mercer	3
Mifflin	1
Montgomery	2
Northumberland	1
Philadelphia	8
Westmoreland	2
York	2
RHODE ISLAND	3
Newport	1
Providence	2
SOUTH CAROLINA	13
Chesterfield	1
Darlington	1
Greenville	1
Horry	2
Laurens	1
McCormick	1
Marion	1
Richland	3
Spartanburg	1
York	1
SOUTH DAKOTA	1
Charles Mix	1
TENNESSEE	24
Anderson	1
Bradley	3
Cheatham	1
Davidson	1
Dyer	2
Franklin	2
Giles	2
Grundy	1
Hamilton	4
Lawrence	1
Macon	1
Marion	1
Rutherford	1
Shelby	1
Washington	1
White	1
TEXAS	44
Archer	1
Bell	1
TEXAS—Continued	
Bexar	2
Brooks	1
Caldwell	2
Cameron	1
Castro	1
Cochran	1
Collin	1
Cottle	1
Crosby	1
Dallas	3
Deaf Smith	1
Dickens	1
El Paso	1
Fannin	1
Fort Bend	1
Galveston	1
Hale	1
Harris	6
Hidalgo	1
Jefferson	2
Johnson	1
Lampasas	1
Liberty	1
Lubbock	1
Midland	1
Nueces	1
Pecos	1
Runnels	1
Smith	1
Tarrant	3
UTAH	3
Sevier	1
Weber	2
VERMONT	3
Addison	1
Windsor	2
VIRGINIA[4]	31
Accomack	1
Augusta	1
Charlotte	1
Dickenson	1
Fairfax	1
Fluvanna	1
Franklin	2
Halifax	1
Henrico	1
Lee	1
Lunenburg	1
Mathews	1
Mecklenburg	1
Nansemond	1
Nelson	1
Norfolk	1
Nottoway	1
Pittsylvania	2
Princess Anne	1
Smyth	1
Independent Cities	
Martinsville	1
Newport News	1
Norfolk	3
Portsmouth	1
Richmond	3
WASHINGTON	11
Chelan	1
Clark	1
Cowlitz	1
King	2
Kitsap	1
Pierce	2
Stevens	1
Yakima	2
WEST VIRGINIA	16
Fayette	1
Kanawha	3
Lincoln	1
Logan	1
McDowell	1
Marion	1
Mingo	2
Raleigh	4
Summers	1
Webster	1

See footnotes on p. 502.

Table 55A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1954—Continued

(See headnote on p. 496)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Continued	
WISCONSIN	20
Barron	2
Kewaunee	1
Manitowoc	1
Marathon	1
Milwaukee	8
Oconto	1
Racine	1
Rock	1
St. Croix	1
Sauk	2
Waupaca	1
WYOMING	1
Fremont	1
MEASLES (085)	
UNITED STATES	518
ALABAMA	20
Baldwin	2
Bibb	1
Blount	1
Choctaw	2
Covington	1
Dallas	1
De Kalb	1
Hale	1
Houston	1
Jefferson	3
Madison	1
Mobile	1
Montgomery	2
Talladega	2
ARIZONA	10
Apache	5
Graham	1
Maricopa	1
Navajo	2
Yuma	1
ARKANSAS	2
Baxter	1
Washington	1
CALIFORNIA	10
Alameda	1
Humboldt	1
Kern	1
Los Angeles	3
San Bernardino	1
San Mateo	1
Santa Clara	2
COLORADO	5
Archuleta	1
Delta	1
Denver	1
Las Animas	1
Mesa	1
CONNECTICUT	7
Fairfield	3
Hartford	2
New Haven	1
New London	1
DISTRICT OF COLUMBIA	2
FLORIDA	15
Alachua	1
Bay	1
Duval	3
Highlands	1
Hillsborough	2
Leon	1
Palm Beach	2
Polk	1
Putnam	1
Seminole	1
Volusia	1
GEORGIA	20
Atkinson	1
Bartow	1
GEORGIA—Continued	
Chatham	2
Chattooga	1
Colquitt	1
Decatur	1
De Kalb	1
Evans	1
Fayette	1
Fulton	4
Jenkins	1
Lincoln	1
McDuffie	1
Screven	1
Taylor	1
Wayne	1
IDAHO	4
Blaine	1
Canyon	1
Owyhee	1
Payette	1
ILLINOIS	17
Cook	8
De Kalb	1
Henry	1
Kane	1
Lake	1
Madison	1
Perry	1
White	1
Whiteside	1
Will	1
INDIANA	16
Adams	1
Allen	1
Bartholomew	1
Clay	1
Fayette	1
Floyd	1
Fountain	1
Hamilton	1
Jay	1
Lake	1
Marion	3
Perry	1
St. Joseph	1
Wayne	1
IOWA	6
Clinton	1
Des Moines	1
Floyd	1
Hardin	1
Henry	1
Pottawattamie	1
KANSAS	3
Montgomery	1
Saline	1
Sedgwick	1
KENTUCKY	26
Bath	1
Bell	1
Bourbon	2
Boyle	1
Breathitt	1
Campbell	3
Carter	1
Clay	1
Clinton	1
Grayson	1
Harlan	1
Henry	1
Jefferson	2
Kenton	2
Knox	1
Lee	1
Muhlenberg	1
Pendleton	1
Pike	1
Rowan	1
Russell	1
LOUISIANA[1]	9
Iberia	1
Jefferson Davis	1
Orleans	2
Richland	1
LOUISIANA[1]—Continued	
St. Landry	2
St. Mary	1
Tangipahoa	1
MAINE	3
Aroostook	1
Kennebec	2
MARYLAND	11
Anne Arundel	2
Baltimore	1
Baltimore (independent city)	3
Carroll	2
Charles	1
Prince Georges	1
Worcester	1
MASSACHUSETTS[3]	6
MICHIGAN	16
Antrim	1
Dickinson	1
Houghton	1
Ionia	1
Kalamazoo	1
Kent	1
Lenawee	2
Monroe	1
Montcalm	1
Van Buren	1
Wayne	5
MINNESOTA	6
Beltrami	1
Crow Wing	1
Hennepin	1
Itasca	1
Kanabec	1
Lyon	1
MISSISSIPPI	5
Alcorn	1
Jackson	1
Kemper	1
Quitman	1
Yazoo	1
MISSOURI	5
Barry	1
Buchanan	1
Butler	1
Stoddard	1
Texas	1
MONTANA	5
Glacier	1
Hill	2
Jefferson	1
Lewis and Clark	1
NEBRASKA	3
Boone	1
Box Butte	1
Douglas	1
NEVADA	1
Lyon	1
NEW JERSEY	18
Bergen	2
Burlington	2
Camden	3
Essex	1
Gloucester	2
Hudson	2
Middlesex	1
Monmouth	2
Passaic	1
Salem	1
Sussex	1
NEW MEXICO	9
Bernalillo	2
Guadalupe	1
McKinley	4
Sandoval	1
San Juan	1
NEW YORK	36
Cattaraugus	1
Chautauqua	1
Chenango	1
Nassau	1
New York City[2]	23
Niagara	1
Oneida	1
Orange	1
St. Lawrence	1
Suffolk	2
Tioga	1
Ulster	1
Warren	1
NORTH CAROLINA	36
Alamance	1
Chatham	1
Chowan	1
Craven	1
Cumberland	1
Forsyth	1
Granville	1
Guilford	1
Halifax	1
Hertford	1
McDowell	1
Martin	1
Northampton	3
Polk	1
Richmond	1
Robeson	1
Rowan	1
Rutherford	1
Sampson	2
Scotland	2
Stanly	1
Surry	2
Union	1
Wake	3
Warren	3
Wilson	1
Yadkin	1
NORTH DAKOTA	1
Eddy	1
OHIO	25
Adams	1
Allen	2
Athens	1
Butler	1
Columbiana	1
Crawford	1
Cuyahoga	5
Gallia	1
Hamilton	2
Hancock	1
Mahoning	1
Montgomery	3
Morgan	1
Perry	1
Richland	1
Seneca	1
Wood	1
OKLAHOMA	4
Grady	1
McCurtain	1
Ottawa	1
Pottawatomie	1
OREGON	3
Douglas	1
Lincoln	1
Umatilla	1
PENNSYLVANIA	34
Allegheny	4
Beaver	1
Berks	1
Bucks	2
Columbia	1
Dauphin	1
Delaware	3
Erie	2
Fayette	1
Lehigh	1
Luzerne	1
McKean	1
Montgomery	1
Northampton	1

See footnotes on p. 502.

Table 55A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1954—Continued

(See headnote on p. 496)

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)—Continued	
PENNSYLVANIA—Continued	
Northumberland	1
Philadelphia	10
Schuylkill	1
Washington	1
RHODE ISLAND	1
Providence	1
SOUTH CAROLINA	20
Abbeville	1
Anderson	1
Charleston	2
Cherokee	1
Chesterfield	1
Dorchester	1
Greenville	2
Laurens	2
Lexington	1
Marlboro	2
Oconee	1
Pickens	2
Spartanburg	3
TENNESSEE	10
Claiborne	1
Fayette	1
Grainger	1
Jackson	1
TENNESSEE—Continued	
Knox	1
Macon	1
Montgomery	1
Polk	1
Putnam	2
TEXAS	37
Bexar	1
Calhoun	1
Collin	1
Comanche	1
Dallas	1
Dickens	1
El Paso	1
Harris	6
Hidalgo	4
Jasper	1
Jefferson	1
Karnes	1
Kaufman	1
Liberty	1
McLennan	1
Midland	1
Milam	1
Montgomery	1
Nueces	2
Orange	1
Red River	1
Robertson	1
Starr	1
Titus	1
TEXAS—Continued	
Waller	1
Washington	1
Willacy	1
Winkler	1
UTAH	2
Salt Lake	1
Weber	1
VERMONT	3
Chittenden	2
Orleans	1
VIRGINIA[4]	24
Alleghany	1
Buchanan	1
Charlotte	1
Giles	1
Grayson	1
Greensville	2
Isle of Wight	1
Nansemond	1
Norfolk	2
Nottoway	1
Pittsylvania	1
Prince Edward	1
Sussex	1
Washington	1
VIRGINIA[4]—Continued	
Independent Cities	
Danville	1
Hampton	1
Newport News	1
Norfolk	2
Portsmouth	1
Richmond	2
WASHINGTON	8
Clallam	1
King	3
Pierce	3
Snohomish	1
WEST VIRGINIA	10
Fayette	2
Harrison	1
Kanawha	1
Lincoln	1
Mercer	2
Mingo	2
Summers	1
WISCONSIN	2
Milwaukee	1
Outagamie	1
WYOMING	2
Lincoln	1
Natrona	1

[1]Divisions or Louisiana known as parishes.
[2]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.
[3]Data are shown only for the State as a whole; for explanation, see text in Volume I.
[4]Independent cities have the same status as counties and are listed after the counties.

Table 55B. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1954

(By place of residence. Exclusive of deaths among armed forces overseas. Urban places with populations of 10,000 or more in 1950 are listed in which there was one death (or more) from a specified cause. Counties in which urban places are located are shown in parentheses. Data for Massachusetts are excluded; for explanation, see text in Volume I. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AREA AND CAUSE OF DEATH	Deaths
TYPHOID FEVER (040)	
CALIFORNIA:	
Los Angeles (Los Angeles)	2
Ormard (Ventura)	1
ILLINOIS:	
Chicago (Cook)	1
INDIANA:	
Crawfordsville (Montgomery)	1
MAINE:	
Biddeford (York)	1
NEBRASKA:	
Beatrice (Gage)	1
NEW JERSEY:	
Asbury Park (Monmouth)	1
NEW YORK:	
New York City[1]	1
OKLAHOMA:	
Ada (Pontotoc)	1
PENNSYLVANIA:	
Philadelphia (Philadelphia)	1
TENNESSEE:	
Memphis (Shelby)	1
TEXAS:	
Brownsville (Cameron)	1
San Antonio (Bexar)	1
DYSENTERY, ALL FORMS (045-048)	
ALABAMA:	
Birmingham (Jefferson)	1
Dothan (Houston)	2
Mobile (Mobile)	1
Opelika (Lee)	1
Phenix City (Russell)	1
Prichard (Mobile)	1
ARIZONA:	
Phoenix (Maricopa)	2
ARKANSAS:	
Little Rock (Pulaski)	1
North Little Rock (Pulaski)	2
Texarkana (Miller)[2]	1
CALIFORNIA:	
El Centro (Imperial)	1
Fresno (Fresno)	1
Long Beach (Los Angeles)	2
Los Angeles (Los Angeles)	4
Monrovia (Los Angeles)	1
Oakland (Alameda)	1
Redondo Beach (Los Angeles)	1
Richmond (Contra Costa)	1
Sacramento (Sacramento)	1
San Diego (San Diego)	3
Santa Ana (Orange)	1
Whittier (Los Angeles)	1
COLORADO:	
Pueblo (Pueblo)	1
FLORIDA:	
Bradenton (Manatee)	1
Daytona Beach (Volusia)	1
Fort Pierce (St. Lucie)	1
Gainesville (Alachua)	1
Jacksonville (Duval)	1
Panama City (Bay)	3
Tampa (Hillsborough)	2
GEORGIA:	
Albany (Dougherty)	3
Atlanta (Fulton)	2
Gainesville (Hall)	1
Marietta (Cobb)	1
Moultrie (Colquitt)	1
Rome (Floyd)	1
ILLINOIS:	
Cairo (Alexander)	1
Chicago (Cook)	7
Elgin (Kane)	1
Rock Island (Rock Island)	1
INDIANA:	
Bloomington (Monroe)	1
Hammond (Lake)	1
Indianapolis (Marion)	3
IOWA:	
Burlington (Des Moines)	1
Iowa City (Johnson)	1
KANSAS:	
Topeka (Shawnee)	2
Wichita (Sedgwick)	1
KENTUCKY:	
Covington (Kenton)	1
Louisville (Jefferson)	1
Madisonville (Hopkins)	1
Richmond (Madison)	1
LOUISIANA:	
Baton Rouge (East Baton Rouge)	1
Monroe (Ouachita)	3
New Orleans (Orleans)	3
Shreveport (Caddo)	1
MARYLAND:	
Baltimore (independent city)	1
MISSISSIPPI:	
Biloxi (Harrison)	1
Clarksdale (Coahoma)	1
Columbus (Lowndes)	1
Greenville (Washington)	2
Greenwood (Leflore)	3
Jackson (Hinds)	2
Laurel (Jones)	1
Meridian (Lauderdale)	2
Tupelo (Lee)	1
MISSOURI:	
Jefferson City (Cole)	1
Kansas City (Jackson)	3
St. Louis (independent city)	2
NEW JERSEY:	
Belleville (Essex)	1
Hoboken (Hudson)	1
Newark (Essex)	1
New Brunswick (Middlesex)	1
Nutley (Essex)	1
Woodbridge (twp.) (Middlesex)[3 4]	1
NEW MEXICO:	
Roswell (Chaves)	1
Santa Fe (Santa Fe)	1
NEW YORK:	
New York City[1]	9
Rochester (Monroe)	1
Yonkers (Westchester)	1
NORTH CAROLINA:	
Burlington (Alamance)	1
Kinston (Lenoir)	1
OHIO:	
Bellefontaine (Logan)	1
Cleveland (Cuyahoga)	1
Columbus (Franklin)	3
Zanesville (Muskingum)	1
OKLAHOMA:	
Lawton (Comanche)	1
Oklahoma City (Oklahoma)	1
Tulsa (Tulsa)	3
PENNSYLVANIA:	
Philadelphia (Philadelphia)	1
Pittsburgh (Allegheny)	1
RHODE ISLAND:	
Providence (Providence)	1
SOUTH CAROLINA:	
Anderson (Anderson)	1
Greenville (Greenville)	1
TENNESSEE:	
Knoxville (Knox)	2
Memphis (Shelby)	4
Nashville (Davidson)	2
TEXAS:	
Alice (Jim Wells)	1
Austin (Travis)	1
Brownsville (Cameron)	1
Bryan (Brazos)	3
Corpus Christi (Nueces)	2
Dallas (Dallas)	5
Del Rio (Val Verde)	3
Edinburg (Hidalgo)	4
El Paso (El Paso)	2
Harlingen (Cameron)	3
Kingsville (Kleberg)	1
Lamesa (Dawson)	1
Laredo (Webb)	1
McAllen (Hidalgo)	2
Mercedes (Hidalgo)	3
Mission (Hidalgo)	2
Odessa (Ector)	1
Palestine (Anderson)	1
Plainview (Hale)	1
San Antonio (Bexar)	5
San Benito (Cameron)	3
Terrell (Kaufman)	2
University Park (Dallas)	1
Victoria (Victoria)	1
Waco (McLennan)	1
VIRGINIA:	
Norfolk (independent city)	1
Portsmouth (independent city)	2
Staunton (independent city)	1
WASHINGTON:	
Renton (King)	1
WYOMING:	
Rock Springs (Sweetwater)	1
DIPHTHERIA (055)	
ALABAMA:	
Dothan (Houston)	4
Mobile (Mobile)	1
CALIFORNIA:	
Los Angeles (Los Angeles)	2
DISTRICT OF COLUMBIA:	
Washington, D. C.	1
FLORIDA:	
Fort Lauderdale (Broward)	1
West Palm Beach (Palm Beach)	1
GEORGIA:	
Atlanta (Fulton)	2
INDIANA:	
Bloomington (Monroe)	1
Richmond (Wayne)	1
IOWA:	
Sioux City (Woodbury)	1
LOUISIANA:	
New Iberia (Iberia)	1
New Orleans (Orleans)	1
West Monroe (Ouachita)	1
MICHIGAN:	
Detroit (Wayne)	1
MINNESOTA:	
Minneapolis (Hennepin)	1
MISSISSIPPI:	
Meridian (Lauderdale)	1
MISSOURI:	
St. Joseph (Buchanan)	1
MONTANA:	
Missoula (Missoula)	1
NEBRASKA:	
Omaha (Douglas)	1
NEW JERSEY:	
Paterson (Passaic)	1
NEW YORK:	
New York City[1]	2
NORTH CAROLINA:	
Rocky Mount (Edgecombe)	1
OHIO:	
Cleveland (Cuyahoga)	1
OKLAHOMA:	
Oklahoma City (Oklahoma)	1
SOUTH CAROLINA:	
Anderson (Anderson)	1
Orangeburg (Orangeburg)	1
TENNESSEE:	
Knoxville (Knox)	1
TEXAS:	
Beaumont (Jefferson)	1
VIRGINIA:	
Norfolk (independent city)	1
Portsmouth (independent city)	1
WASHINGTON:	
Spokane (Spokane)	1
WHOOPING COUGH (056)	
ALABAMA:	
Anniston (Calhoun)	1
Auburn (Lee)	1
Florence (Lauderdale)	1
Huntsville (Madison)	2
Phenix City (Russell)	1
ARKANSAS:	
Pine Bluff (Jefferson)	1
CALIFORNIA:	
Alhambra (Los Angeles)	1
Azusa (Los Angeles)	1
Belvedere (twp.) (Los Angeles)[3 4]	1
Compton (Los Angeles)	1
Long Beach (Los Angeles)	1

See footnotes on p. 505.

Table 55B. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1954—Continued

(See headnote on p. 503)

AREA AND CAUSE OF DEATH	Deaths
WHOOPING COUGH (056)—Continued	
CALIFORNIA—Continued	
Los Angeles (Los Angeles)	1
Merced (Merced)	1
Monrovia (Los Angeles)	1
Redondo Beach (Los Angeles)	1
San Francisco (San Francisco)	1
COLORADO:	
Trinidad (Las Animas)	1
CONNECTICUT:	
Hartford (Hartford)	1
FLORIDA:	
Key West (Monroe)	1
GEORGIA:	
Atlanta (De Kalb)	1
Dublin (Laurens)	1
Rome (Floyd)	2
Savannah (Chatham)	1
ILLINOIS:	
Chicago (Cook)	1
INDIANA:	
East Chicago (Lake)	2
Gary (Lake)	1
Indianapolis (Marion)	2
KANSAS:	
Coffeyville (Montgomery)	1
Kansas City (Wyandotte)	2
KENTUCKY:	
Louisville (Jefferson)	1
Owensboro (Daviess)	1
LOUISIANA:	
New Orleans (Orleans)	1
MICHIGAN:	
Detroit (Wayne)	3
Flint (Genesee)	2
MINNESOTA:	
Robbinsdale (Hennepin)	1
MISSISSIPPI:	
Natchez (Adams)	1
MISSOURI:	
Poplar Bluff (Butler)	1
NEW HAMPSHIRE:	
Claremont (Sullivan)	1
NEW YORK:	
Auburn (Cayuga)	1
Buffalo (Erie)	1
Middletown (Orange)	1
New York City[1]	5
NORTH CAROLINA:	
Burlington (Alamance)	1
Charlotte (Mecklenburg)	1
Winston-Salem (Forsyth)	1
OHIO:	
Barberton (Summit)	1
Cleveland (Cuyahoga)	2
Dayton (Montgomery)	1
Marion (Marion)	1
Newark (Licking)	1
Sidney (Shelby)	1
Steubenville (Jefferson)	1
Youngstown (Mahoning)	2
OKLAHOMA:	
Oklahoma City (Oklahoma)	2
PENNSYLVANIA:	
Altoona (Blair)	1
Meadville (Crawford)	1
Munhall (Allegheny)	1
North Braddock (Allegheny)	1
Philadelphia (Philadelphia)	3
RHODE ISLAND:	
Central Falls (Providence)	1
E. Providence (town) (Providence)[3]	1
Newport (Newport)	1
SOUTH CAROLINA:	
Anderson (Anderson)	1
Charleston (Charleston)	1
Columbia (Richland)	1
Florence (Florence)	1
Greenville (Greenville)	1
SOUTH DAKOTA:	
Sioux Falls (Minnehaha)	1
TENNESSEE:	
Chattanooga (Hamilton)	1
Memphis (Shelby)	1
Nashville (Davidson)	1
TEXAS:	
Corpus Christi (Nueces)	1
Fort Worth (Tarrant)	1
Greenville (Hunt)	1
Kingsville (Kleberg)	1
Nacogdoches (Nacogdoches)	1
Orange (Orange)	1
Pasadena (Harris)	1
VIRGINIA:	
Richmond (independent city)	1
WEST VIRGINIA:	
Huntington (Cabell)	1
MENINGOCOCCAL INFECTIONS (057)	
ALABAMA:	
Birmingham (Jefferson)	3
Huntsville (Madison)	1
Mobile (Mobile)	3
Prichard (Mobile)	2
ARKANSAS:	
Fayetteville (Washington)	1
Helena (Phillips)	1
Little Rock (Pulaski)	2
North Little Rock (Pulaski)	1
CALIFORNIA:	
Alhambra (Los Angeles)	1
Hawthorne (Los Angeles)	1
Long Beach (Los Angeles)	2
Los Angeles (Los Angeles)	8
Merced (Merced)	1
Monterey Park (Los Angeles)	1
Oakland (Alameda)	5
Petaluma (Sonoma)	1
Richmond (Contra Costa)	1
Sacramento (Sacramento)	4
San Diego (San Diego)	1
San Francisco (San Francisco)	4
Santa Monica (Los Angeles)	2
South Gate (Los Angeles)	1
Stockton (San Joaquin)	1
Torrance (Los Angeles)	2
COLORADO:	
Denver (Denver)	1
Pueblo (Pueblo)	2
Trinidad (Las Animas)	1
CONNECTICUT:	
Bridgeport (Fairfield)	2
Hartford (Hartford)	2
New Haven (New Haven)	1
Waterbury (New Haven)	1
DELAWARE:	
Wilmington (New Castle)	1
DISTRICT OF COLUMBIA:	
Washington, D. C.	3
FLORIDA:	
Daytona Beach (Volusia)	1
Fort Lauderdale (Broward)	1
Jacksonville (Duval)	3
Lakeland (Polk)	1
Lake Worth (Palm Beach)	1
Ocala (Marion)	1
Pensacola (Escambia)	1
Tampa (Hillsborough)	3
GEORGIA:	
Atlanta (Fulton)	4
Columbus (Muscogee)	4
Decatur (De Kalb)	1
La Grange (Troup)	1
Marietta (Cobb)	1
Rome (Floyd)	1
Savannah (Chatham)	1
Valdosta (Lowndes)	1
Waycross (Ware)	1
ILLINOIS:	
Alton (Madison)	1
Chicago (Cook)	23
Decatur (Macon)	1
Galesburg (Knox)	1
Granite City (Madison)	1
Jacksonville (Morgan)	1
Mattoon (Coles)	1
Maywood (Cook)	1
Melrose Park (Cook)	1
Oak Park (Cook)	1
Springfield (Sangamon)	1
Waukegan (Lake)	1
Wilmette (Cook)	1
INDIANA:	
Anderson (Madison)	1
Columbus (Bartholomew)	1
East Chicago (Lake)	1
Elkhart (Elkhart)	1
Fort Wayne (Allen)	2
Gary (Lake)	5
Indianapolis (Marion)	7
Jeffersonville (Clark)	3
Muncie (Delaware)	1
Richmond (Wayne)	2
Terre Haute (Vigo)	2
IOWA:	
Cedar Falls (Black Hawk)	1
Cedar Rapids (Linn)	3
Council Bluffs (Pottawattamie)	1
Dubuque (Dubuque)	1
Sioux City (Woodbury)	2
KANSAS:	
Wichita (Sedgwick)	2
KENTUCKY:	
Bowling Green (Warren)	2
Louisville (Jefferson)	11
LOUISIANA:	
Alexandria (Rapides)	1
Baton Rouge (East Baton Rouge)	1
Bogalusa (Washington)	1
Crowley (Acadia)	2
Lafayette (Lafayette)	1
Lake Charles (Calcasieu)	4
New Iberia (Iberia)	1
New Orleans (Orleans)	8
Opelousas (St. Landry)	2
Shreveport (Caddo)	2
MAINE:	
Auburn (Androscoggin)	1
Lewiston (Androscoggin)	1
MARYLAND:	
Annapolis (Anne Arundel)	1
Baltimore (independent city)	6
Salisbury (Wicomico)	1
MICHIGAN:	
Ann Arbor (Washtenaw)	1
Benton Harbor (Berrien)	1
Detroit (Wayne)	16
Ferndale (Oakland)	1
Flint (Genesee)	1
Grand Rapids (Kent)	1
Inkster (Wayne)	1
Midland (Midland)	2
Muskegon Heights (Muskegon)	1
Muskegon (Muskegon)	1
Roseville (Macomb)	1
Saginaw (Saginaw)	1
MINNESOTA:	
Minneapolis (Hennepin)	1
St. Cloud (Stearns)	1
St. Paul (Ramsey)	3
South St. Paul (Dakota)	1
MISSOURI:	
Kansas City (Jackson)	4
St. Louis (independent city)	7
Webster Groves (St. Louis)	1
MONTANA:	
Anaconda (Deer Lodge)	1
Helena (Lewis and Clark)	1
NEW HAMPSHIRE:	
Manchester (Hillsborough)	1
Nashua (Hillsborough)	2
NEW JERSEY:	
Belleville (Essex)	1
Bergenfield (Bergen)	1
Camden (Camden)	1
Carteret (Middlesex)	1
Jersey City (Hudson)	1
Linden (Union)	1
Newark (Essex)	3
Perth Amboy (Middlesex)	2
Plainfield (Union)	1
Rahway (Union)	2
Ridgewood (Bergen)	1
Sayreville (Middlesex)	1
Trenton (Mercer)	1
NEW YORK:	
Albany (Albany)	2
Auburn (Cayuga)	1
Batavia (Genesee)	1
Buffalo (Erie)	2
Lynbrook (Nassau)	1
Newburgh (Orange)	2
New York City[1]	30
Rochester (Monroe)	3
Rockville Centre (Nassau)	1
Schenectady (Schenectady)	1
Syracuse (Onondaga)	2
Tonawanda (Erie)	1
Utica (Oneida)	1
White Plains (Westchester)	1
NORTH CAROLINA:	
Albemarle (Stanly)	1
Charlotte (Mecklenburg)	1
Fayetteville (Cumberland)	2
Gastonia (Gaston)	2
Goldsboro (Wayne)	1
Greensboro (Guilford)	1
High Point (Guilford)	1
New Bern (Craven)	1
OHIO:	
Akron (Summit)	2
Alliance (Stark)	1
Bellefontaine (Logan)	1
Canton (Stark)	1

See footnotes on p. 505.

Table 55B. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1954—Continued

(See headnote on p. 503)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Continued	
OHIO—Continued	
Cincinnati (Hamilton)	5
Cleveland (Cuyahoga)	6
Columbus (Franklin)	1
Dayton (Montgomery)	2
Fremont (Sandusky)	1
Garfield Heights (Cuyahoga)	2
Lima (Allen)	1
Lorain (Lorain)	1
Maple Heights (Cuyahoga)	1
Marion (Marion)	1
Middletown (Butler)	2
Newark (Licking)	1
Painesville (Lake)	1
Rocky River (Cuyahoga)	1
Sandusky (Erie)	1
Toledo (Lucas)	2
Warren (Trumbull)	2
Youngstown (Mahoning)	2
OKLAHOMA:	
Ardmore (Carter)	1
Guthrie (Logan)	1
Oklahoma City (Oklahoma)	1
OREGON:	
Eugene (Lane)	1
Portland (Multnomah)	2
PENNSYLVANIA:	
Allentown (Lehigh)	1
Beaver Falls (Beaver)	1
Braddock (Allegheny)	1
Erie (Erie)	1
Farrell (Mercer)	1
Harrisburg (Dauphin)	1
Lancaster (Lancaster)	1
Lebanon (Lebanon)	1
Lewistown (Mifflin)	1
New Castle (Lawrence)	1
Norristown (Montgomery)	1
Philadelphia (Philadelphia)	8
Phoenixville (Chester)	2
Pittsburgh (Allegheny)	4
Reading (Berks)	1
Scranton (Lackawanna)	2
Sharon (Mercer)	1
Sunbury (Northumberland)	1
York (York)	1
RHODE ISLAND:	
Providence (Providence)	1
Woonsocket (Providence)	1
SOUTH CAROLINA:	
Columbia (Richland)	3
Greenville (Greenville)	1
TENNESSEE:	
Chattanooga (Hamilton)	3
Dyersburg (Dyer)	1
Johnson City (Washington)	1
Memphis (Shelby)	1
Murfreesboro (Rutherford)	1
Nashville (Davidson)	1
TEXAS:	
Cleburne (Johnson)	1
Dallas (Dallas)	2
El Paso (El Paso)	1
Fort Worth (Tarrant)	3
Grand Prairie (Dallas)	1
Houston (Harris)	5
Lubbock (Lubbock)	1
TEXAS—Continued	
Mercedes (Hidalgo)	1
Midland (Midland)	1
Pasadena (Harris)	1
Plainview (Hale)	1
Port Arthur (Jefferson)	2
San Antonio (Bexar)	2
Temple (Bell)	2
UTAH:	
Ogden (Weber)	1
VIRGINIA:	
Martinsville (independent city)	1
Newport News (independent city)	1
Norfolk (independent city)	3
Portsmouth (independent city)	1
Richmond (independent city)	3
WASHINGTON:	
Longview (Cowlitz)	1
Seattle (King)	2
Tacoma (Pierce)	2
Yakima (Yakima)	1
WISCONSIN:	
Beloit (Rock)	1
Manitowoc (Manitowoc)	1
Milwaukee (Milwaukee)	8
Racine (Racine)	1
Wausau (Marathon)	1
MEASLES (085)	
ALABAMA:	
Birmingham (Jefferson)	2
Montgomery (Montgomery)	2
ARIZONA:	
Phoenix (Maricopa)	1
CALIFORNIA:	
Eureka (Humboldt)	1
Monrovia (Los Angeles)	1
San Fernando (Los Angeles)	1
San Jose (Santa Clara)	1
COLORADO:	
Denver (Denver)	1
CONNECTICUT:	
Danbury (Fairfield)	1
Hartford (Hartford)	1
Norwalk (Fairfield)	1
Waterbury (New Haven)	1
DISTRICT OF COLUMBIA:	
Washington, D. C.	2
FLORIDA:	
Gainesville (Alachua)	1
Jacksonville (Duval)	3
Sanford (Seminole)	1
Tampa (Hillsborough)	2
West Palm Beach (Palm Beach)	1
GEORGIA:	
Atlanta (Fulton)	3
Decatur (De Kalb)	1
East Point (Fulton)	1
Moultrie (Colquitt)	1
Savannah (Chatham)	2
IDAHO:	
Caldwell (Canyon)	1
ILLINOIS:	
Chicago (Cook)	6
INDIANA:	
Columbus (Bartholomew)	1
Fort Wayne (Allen)	1
Gary (Lake)	1
Indianapolis (Marion)	2
Mishawaka (St. Joseph)	1
IOWA:	
Burlington (Des Moines)	1
Clinton (Clinton)	1
Council Bluffs (Pottawattamie)	1
KANSAS:	
Coffeyville (Montgomery)	1
Salina (Saline)	1
Wichita (Sedgwick)	1
KENTUCKY:	
Covington (Kenton)	2
Louisville (Jefferson)	1
Middlesborough (Bell)	1
Newport (Campbell)	2
LOUISIANA:	
New Orleans (Orleans)	2
MAINE:	
Augusta (Kennebec)	1
MARYLAND:	
Baltimore (independent city)	3
MICHIGAN:	
Detroit (Wayne)	3
Kalamazoo (Kalamazoo)	1
MINNESOTA:	
Bemidji (Beltrami)	1
Minneapolis (Hennepin)	1
MONTANA:	
Helena (Lewis and Clark)	1
NEW JERSEY:	
Asbury Park (Monmouth)	1
Bayonne (Hudson)	1
Burlington (Burlington)	1
Englewood (Bergen)	1
Kearny (Hudson)	1
Newark (Essex)	1
Pennsauken (twp.) (Camden)[3] [4]	1
Sayreville (Middlesex)	1
NEW YORK:	
Dunkirk (Chautauqua)	1
Glens Falls (Warren)	1
New York City[1]	23
Niagara Falls (Niagara)	1
NORTH CAROLINA:	
Fayetteville (Cumberland)	1
Raleigh (Wake)	1
Wilson (Wilson)	1
Winston-Salem (Forsyth)	1
OHIO:	
Cincinnati (Hamilton)	2
Cleveland (Cuyahoga)	4
Dayton (Montgomery)	2
Findlay (Hancock)	1
Hamilton (Butler)	1
Lima (Allen)	1
Parma (Cuyahoga)	1
Youngstown (Mahoning)	1
OKLAHOMA:	
Miami (Ottawa)	1
Shawnee (Pottawatomie)	1
PENNSYLVANIA:	
Allentown (Lehigh)	1
Bethel (Allegheny)	1
Bethlehem (Northampton)	1
Erie (Erie)	1
Hanover (twp.) (Luzerne)[3] [4]	1
Philadelphia (Philadelphia)	10
Pittsburgh (Allegheny)	3
Shenandoah (Schuylkill)	1
RHODE ISLAND:	
E. Providence (town) (Providence)[3]	1
SOUTH CAROLINA:	
Anderson (Anderson)	1
Charleston (Charleston)	1
Greenville (Greenville)	1
TEXAS:	
Baytown (Harris)	1
Corpus Christi (Nueces)	2
El Paso (El Paso)	1
Garland (Dallas)	1
Houston (Harris)	3
Midland (Midland)	1
Pasadena (Harris)	1
Port Arthur (Jefferson)	1
San Antonio (Bexar)	1
Waco (McLennan)	1
UTAH:	
Ogden (Weber)	1
Salt Lake City (Salt Lake)	1
VERMONT:	
Burlington (Chittenden)	1
VIRGINIA:	
Danville (independent city)	1
Hampton (independent city)	1
Newport News (independent city)	1
Norfolk (independent city)	2
Portsmouth (independent city)	1
Richmond (independent city)	2
WASHINGTON:	
Seattle (King)	3
Tacoma (Pierce)	2
WEST VIRGINIA:	
Bluefield (Mercer)[5]	1
WISCONSIN:	
Appleton (Outagamie)	1
Milwaukee (Milwaukee)	1
WYOMING:	
Casper (Natrona)	1

[1]Comprising Bronx, Kings, New York, Queens, and Richmond Counties. [2]Includes data for Texarkana, Ark., only. [3]Classified as urban under a special rule. [4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated. [5]Includes data for Bluefield, W. Va., only.

NOTES:

Urban places listed in this table are incorporated places of 10,000 or more in 1950 and certain unincorporated areas classified as "urban" under special rules relating to population size and density. Areas classified as urban under these special rules are indicated by a footnote.

Certain cities are located in more than one county. In these cases, figures are shown for that part of the city to which the death was allocated. These cities are: Atlanta, Ga.; Bethlehem, Pa.; Elgin, Ill.; Huntington, W. Va.; Kansas City, Mo.; Rocky Mount, N. C.; St. Cloud, Minn.; and Youngstown, Ohio.

U. S. GOVERNMENT PRINTING OFFICE : 1956 O - 385053